### DEPARTMENT OF COMMERCE BUREAU OF THE CENSUS SAM. L. ROGERS, DIRECTOR

# MORTALITY STATISTICS 1918

NINETEENTH ANNUAL REPORT



WASHINGTON GOVERNMENT PRINTING OFFICE 1920

### CONTENTS.

### TEXT.

	Page.
Introduction	9
Deaths and Crude Death Rates	9–18
Growth of the registration area: 1880 to 1918	10
Extent of the registration area in 1918.	10
Deaths, by color, nativity, parent nativity, age, and sex of decedent.	11
Death rates of the registration states	12
Death rates of large cities.	13
Death rates of cities with considerable colored populations	13
Deaths of colored populations other than Negro.	13
Deaths of nonresidents	14
Death rates of foreign countries.	15
Comparison of rates for the registration area, by sex, by age, and by cause, with the corresponding rates for England and Wales	
and for Australia	16
Causes of Death	19-49
Detailed and abridged International Lists	19
Changes in the detailed International List.	19
Death rates from certain important causes of death in the registration area and in the original registration states for the years	
1900, 1905, and 1910 to 1918	20
Typhoid fever	22
Malaria.	23
Smallpox	24
Measles	24
Scarlet fever	25
Whooping cough	25
Whooping cough	26
Influenza and pneumonia (all forms).	· 27
Influenza	34
All other epidemic diseases	34
Glanders	34
Anthrax	. 35
Rabies	36
Pellagra	36
Tuberculosis (all forms)	37
Tuberculosis of the lungs	38
Cancer	39
A cute enterior noliomyelitis	40
Organic diseases of the heart	41
Pneumonia (all forms)	41
Diarrhea and enteritis (under 2 years)	42
Acute nephritis and Bright's disease	43
Suicide	44
Violent deaths (suicide excepted)	44
Ill-defined'and unknown causes	46
DEATHS OF CHILDREN UNDER 1 YEAR OF AGE.	47
Deaths of Soldiers, Sailors, and Marines.	48
Accuracy of Statistics of Causes of Death.	
Contributory Causes of Death in Relation to Primary Causes of Death in the Registration Area (Exclusive of Hawaii	
AND OF SOLDIERS, SATIORS, AND MARINES): 1917	49-91

SUMMARY AND RATE TABLES.	
Table IA.—Deaths (exclusive of stillbirths) in the registration area (exclusive of Hawaii), its main subdivisions, each registration	Page 1
state (by cities and rural districts), and each group of registration cities in nonregistration states: 1918  TABLE IB.—Deaths of nonresidents in relation to total deaths in each city and each rural unit in the registration area (exclusive of	. 9. E
Hawaii): 1918.  TABLE II.—Deaths (exclusive of stillbirths) and death rates per 100,000 population, by causes, according to the detailed Inter-	
national List, for the registration area (exclusive of Hawaii): 1915 to 1918.  TABLE III.—Death rates per 100,000 population in the registration area (exclusive of Hawaii) and each registration state, from important causes of death, 1018.	ι
important causes of death: 1918.	11
GENERAL TABLES.	
TABLE 1.—Deaths (exclusive of stillbirths) in the registration area (exclusive of Hawaii) and certain subdivisions, by month of death: 1918.	
Table 2.—Deaths (exclusive of stillbirths) in the registration area (exclusive of Hawaii) and certain subdivisions, by color, general nativity, and parent nativity of decedent: 1918.	l
TABLE 3.—Deaths (exclusive of stillbirths) in the registration area (exclusive of Hawaii) and certain subdivisions, by color and age	7.4
Table 4.—Deaths (exclusive of stillbirths) in the registration area (exclusive of Hawaii), its main subdivisions, and each registra-	
TABLE 5.—Deaths (exclusive of stillbirths) in the registration area (exclusive of Hawaii) and certain subdivisions, by color of	17
decedent and cause of death: 1918.  TABLE 6.—Deaths (exclusive of stillbirths) in the registration area (exclusive of Hawaii), its main subdivisions, and in cities and	]
rural districts of each registration state, from each cause and class of causes: 1918.  Table 7.—Deaths (exclusive of stillbirths) in the registration area (exclusive of Hawaii) from each cause and class of causes, by	
sex and age of decedent: 1918.  TABLE 7A.—Deaths of white persons (exclusive of stillbirths) in the registration area (exclusive of Hawaii) from each cause and class of causes by sex and age of decedent; 1018	
of causes, by sex and age of decedent: 1918.  Table 7B.—Deaths of colored persons (exclusive of stillbirths) in the registration area (exclusive of Hawaii) from each cause and	27
class of causes, by sex and age of decedent: 1918	28
Table 8.—Deaths (exclusive of stillbirths) in the registration area (exclusive of Hawaii), all registration states, and each registration state, from each cause and class of causes, by age of decedent: 1918.	29
Table 9.—Deaths (exclusive of stillbirths) in each city of 100,000 population or more in 1910, by cause of death (abridged International List) and by age of decedent: 1918	43
Table 10.—Deaths (exclusive of stillbirths) in the registration area (exclusive of Hawaii), registration states, and cities of 100,000 population or more in 1910, from important causes, by month of death: 1918.	)
TABLE 11.—Deaths (exclusive of stillbirths) in the registration area (exclusive of Hawaii), registration states, and cities of 100 000	
population or more in 1910, from important causes, for certain subdivisions of the first year of life: 1918	52
MAPS.	
Growth of the registration area for deaths: 1880 to 1918.	;
DIAGRAMS.	
Percentages which the population and land area of the registration area formed of the total population and land area of the United	I
States for the years 1880, 1890, and 1900 to 1918, inclusive.  Per cent of deaths in the registration area (exclusive of Hawaii) by color, by nativity of white persons, and by parent nativity of	1
the native white: 1918.  Number of deaths in the registration area (exclusive of Hawaii) at all ages, under 1 year of age, and from 1 to 4 years of age, for each	1
of the years 1900 to 1918	7
Per cent of deaths in the registration area (exclusive of Hawaii) under 1 year of age, from 1 to 4 years, and 5 years and over, for each of the years 1900 to 1918	. 10
General death rates of the United States (registration area) and certain foreign countries for each of the years from 1900 to 1917  Death rates from certain important causes of death in the registration area of the United States for each of the years from 1900 to	. 10
1918	. 2:
SUPPLEMENT.	
HAWAII.	57
Soldiers, Sailors, and Marines	589 59
(4)	บฮร

### LETTER OF TRANSMITTAL.

DEPARTMENT OF COMMERCE,
BUREAU OF THE CENSUS,
Washington, D. C., January 21, 1920.

Sir:

I transmit herewith the annual report on Mortality Statistics for 1918, which is the nineteenth annual compilation of such statistics prepared by the Bureau of the Census. It is based on transcripts of death certificates received from the registration area for deaths, which in 1918 had an estimated population of 82,091,523, or 77.8 per cent of the total estimated population of the United States and the Territory of Hawaii.

The total number of deaths returned from this death registration area for the calendar year 1918, including 26,277 of soldiers, sailors, and marines, was 1,475,320, corresponding to a death rate of 18 per 1,000 population,

or three and eight-tenths higher than the rate for 1917.

The states of Illinois, Louisiana, and Oregon were added to the death registration area in 1918.

This report was prepared under the direction of Dr. William H. Davis, chief statistician for vital statistics, assisted by Mr. John B. Mitchell, expert chief of division.

Acknowledgment is made of the efficient services rendered in the preparation of this report by Mr. Clyde D. Williams, Mr. Butler Toombs, and Mr. John O. Spain.

Respectfully,

Sam. L. Rogers, Director of the Census.


Hon. Joshua W. Alexander, Secretary of Commerce.


(5)


## MORTALITY STATISTICS 1918


### GROWTH OF THE REGISTRATION AREA FOR DEATHS: 1880 TO 1918.

Note.—In addition to the registration states (shaded in the maps) the registration area included certain cities in nonregistration states.









### MORTALITY STATISTICS: 1918.

### INTRODUCTION.

The present report presents mortality statistics for the death registration area of the United States. area for 1918 includes, besides the 1917 area (with the exception of Augusta, Ga., for which transcripts of death were not received), three new states--Illinois, Louisiana, and Oregon.

Because of the distant location of Hawaii and the peculiar constitution of its population, deaths from this part of the registration area are not included in the general tables, but are shown in special tables. Likewise, deaths of soldiers, sailors, and marines are not included in the general tables, but are shown in special tables and are included in all text tables. Data presented in the general tables, therefore, are based on deaths of civilians only, in the registration area of the United States, exclusive of Hawaii, a total of 1,445,158 for the year.

Estimates of population for the registration area as a whole and for the several states have been made in the usual way by the arithmetical method, the assumption being that the annual increase since 1910 has been the same as the average annual increase between 1900 and 1910, but as 1918 is so far away from the last census year 1910 and as the enumerated populations of the 1920 census will soon be available, no rates for cities are shown in the report, except rates from influenza and pneumonia (all forms).

Rates for 1918 in text tables are based upon all deaths, both civilian and noncivilian, which occurred in each state. If, however, rates based upon deaths of civilians alone are desired, calculations can readily be made from the figures given in the general tables. In the report for 1919 rates for the registration area and all its subdivisions will be shown for 1918 and 1919, with corrected rates for previous years, all based upon intercensal estimates of populations of the censuses of 1910 and 1920. In the 1917 report it was pointed out that, even if no correction in the population were made for the withdrawal of enlisted men, this withdrawal from the civil population of so many young men to enter our Army and Navy would normally reduce the general death rate of any area very little, because of the usual low death rates of young adult males. This contention, which held true for 1917, has been very much upset for 1918 by the influenza pandemic, which caused such very high mortality among young adults. However, no attempt has been made in this report to correct the death rates on account of this withdrawal of enlisted men from the general population, but it is very evident that such withdrawal must have resulted in a much smaller number of deaths in certain areas than would otherwise have occurred. In some areas, however, where war activities led to an increased population, it is entirely probable that the withdrawal of enlisted men was fully compensated for by the new arrivals from outside.

Caution should always be exercised in drawing deductions from crude death rates, for due allowance must first be made for deaths of nonresidents, for the peculiar composition of the population as regards age and sex distribution, color, and nativity, as well as for other factors which may have had marked influence upon the general mortality.

Special attention is called to the table on page 50, showing the relation of contributory causes of death to primary causes of death in 1917.

### DEATHS AND CRUDE DEATH RATES.

The total number of deaths returned from the registration area of the United States, exclusive of Hawaii, and tabulated for the calendar year 1918 is 1,471,367, which includes 1,445,158 deaths of civilians and 26,209 deaths of soldiers, sailors, and marines, as reported to the Census Bureau by the state and municipal registration offices. The death rate is 18 per 1,000 population, based on an estimated midvear population of 81,868,104, or 77.8 per cent of the total estimated population of the United States. This rate exceeds the rates for 1916 (14) and 1917 (14.2) and. owing to the influenza pandemic, is higher than that for any year since the publication of the annual reports beginning in 1900.

The following table shows the number of deaths and death rates per 1,000 population for the census years | 1 Exclusive of stillbirths. 2 Exclusive of Hawaii. 3 Census year ending May 31.

ending May 31, 1880, 1890, and 1900, and for the calendar years 1900 to 1918:

	DEATHS FE CAUSES, <sup>1</sup> TRATION	REGIS-		DEATHS FR CAUSES, <sup>1</sup> TRATION A	REGIS-
CALENDAR YEAR.	Number.	Rate per 1,000 popu- lation.	CALENDAR YEAR.	Number.	Rate per 1,000 popu- lation.
1918 1917 1916 1915 1914 1913 1912 1911 1910 1900 1908	1, 471, 367 1, 063, 932 1, 001, 921 909, 155 898, 059 890, 848 838, 251 839, 284 805, 412 732, 538 691, 574	18.0 14.2 14.0 13.5 13.6 14.1 13.9 14.2 15.0 14.4 14.8	1907 1906 1905 1904 1908 1902 1901 1900 1900 1900 3 1890 3 1880 2	687, 034 658, 105 545, 533 551, 354 524, 508, 640 518, 207 539, 939 512, 669 386, 212 169, 453	16.0 15.7 16.0 16.5 16.5 17.6 17.8 19.6 19.8

-1-

GROWTH OF THE REGISTRATION AREA: 1880 TO 1918.

The first mortality statistics published by the Federal Government related to 1850 and were based on data collected at the decennial census of that year and covered the entire United States. The decennial collection of vital statistics by census enumerators was continued through 1900, but for the census year 1880 there was established a registration area from which transcripts of deaths were received in addition to enumerators' returns. So also for the census years 1890 and 1900 transcripts of death certificates were received from the states and cities included in the registration area.

The annual collection of mortality statistics for that part of the United States known as the registration area began with the calendar year 1900.

The following table shows the states which were included in the registration area of the United States from 1880 to 1918, with date when each was added; in each year the registration area also included certain cities in nonregistration states.

STATE,	Year.	STATE.	Year.	STATE.	Year.
Massachusetts New Jersey Dist, of Columbia 2. Connecticut Delaware 3. New Hampshire New York Rhode Island Vermont Maine Michigan Indiana	}1880¹ }1890¹ }1900¹ 1900	California. Colorado. Maryland. Pennsylvania. South Dakota ' Washington Wisconsin Ohio. Minnesota. Montana North Carolina 5. Utah	}1908 1909	Kentucky Missouri Virginia Kansas South Carolina 5 Tennessee Hawaii Illinois Louisiana Oregon	1913 1914

- 1 Census year ending May 31.
  2 Included in registration states.
  3 Dropped from the registration area in the census year 1900.
  4 Dropped from the registration area in 1910.
  5 Included only municipalities having a population of 1,000 or more in 1900.
  5 The remainder of the state of North Carolina was also added to the registration in 1904.

  (See parts 5)


The following table shows the growth of the registration area in both population and land area from 1880 to 1918, inclusive:

	UNITED S	UNITED STATES.		ISTRATI	ON AREA.1	)
CALENDAR			Populat	ion.	Land a	rea.
YEAR.	Population.	Land area (square miles).	Number.	Per cent of total.	Square miles.	Per cent of total.
1918. 1917. 1916. 1915. 1914. 1913. 1912. 1911. 1910. 1900. 1908. 1907. 1906. 1905. 1904. 1903. 1904. 1909. 1900. 1900. 1900. 1900.	93, 545, 336 93, 927, 342 92, 309, 348 90, 691, 354 89, 693, 360 87, 455, 366 85, 837, 372 84, 219, 378 82, 601, 384 80, 983, 390 77, 747, 402 75, 994, 575 62, 622, 250	2, 973, 890 2, 974, 159 2, 973, 965	81, 868, 104 75, 307, 906 71, 621, 632 67, 336, 992, 926 65, 989, 995 65, 989, 995 65, 987, 977 63, 843, 896 46, 789, 913 44, 913, 419 34, 052, 201 31, 370, 962 32, 701, 983 31, 370, 962 31, 370, 962 31, 370, 962 31, 370, 962 31, 370, 962 31, 589, 449 38, 583, 386, 383, 386	77. 8 72. 7 70. 1 66. 8 65. 1 63. 1 58. 3 55. 5 49. 2 40. 4 40. 4 40. 4 40. 3 37. 9 31. 4	1, 546, 166 1, 349, 629 1, 307, 828, 704 1, 228, 704 1, 228, 644 1, 147, 106, 777 1, 106, 777 1, 106, 738 765, 738 765, 738 725, 117 603, 166 212, 744 212, 762 212, 762 212, 762 212, 762 212, 621 176, 878 90, 695 16, 481	52. 0 45. 44. 0 41. 3 41. 3 38. 6 37. 2 25. 7 24. 4 20. 3 7. 2 7. 2 7. 2 7. 2 7. 2 7. 2 7. 2 7. 2

<sup>1</sup> Exclusive of Hawaii.

The percentages which the population and land area of the registration area formed of the corresponding totals for the United States in 1880, 1890, and 1900 to 1918, inclusive, are presented in the following diagram:

PERCENTAGES WHICH THE POPULATION AND LAND AREA OF THE REGISTRATION AREA FORMED OF THE TOTAL POPULATION AND LAND AREA OF THE UNITED STATES FOR THE YEARS 1880, 1890, AND 1900 TO 1918, INCLUSIVE.



EXTENT OF THE REGISTRATION AREA IN 1918.

The registration area in 1918 includes 30 states, the District of Columbia, and 27 cities in nonregistration states. These states and cities were added to the area on the basis of approximately complete registration of deaths (at least 90 per cent of all deaths) and when the data at hand showed that the deaths were recorded properly under state law, or, for cities, under municipal ordinances.

The states included in the registration area for 1918 are:

California.	Massachusetts.	Oregon.
Colorado.	Michigan.	Pennsylvania.
Connecticut.	Minnesota.	Rhode Island.
Illinois.	Missouri.	South Carolina.
Indiana.	Montana.	Tennessee.
Kansas.	New Hampshire.	Utah.
Kentucky.	New Jersey.	Vermont.
Louisiana.	New York.	Virginia.
Maine.	North Carolina.	Washington.
Maryland.	Ohio.	Wisconsin.

The entire registration area comprises not only the states named but also the District of Columbia,

<sup>&</sup>lt;sup>2</sup> Census year ending May 31.

Territory of Hawaii, and the following cities in non-registration states:

Mississippi: Alabama: · Texas: Birmingham. Hattiesburg. Beaumont. Mobile. Jackson. Cleburne. Montgomery. Meridian. Dallas. Natchez. El Paso. Delaware: Wilmington. Vicksburg. Galveston. Florida: Nebraska: Houston. Jacksonville. Lincoln. San Antonio. Key West. Omaha. West Virginia: Pensacola. North Dakota: Wheeling. Tampa. Fargo. Georgia: Atlanta.

Brunswick. Savannah.

DEATHS, BY COLOR, NATIVITY, PARENT NATIVITY, AGE, AND SEX OF DECEDENT.

The following table shows, for the registration area, exclusive of Hawaii, the deaths in 1918, classified according to sex, color, nativity, and parent nativity of decedent:


	DEATHS FROM ALL CAUSES, 1 REGISTRATION AREA: 2 1918					:2 1918.
COLOB, NATIVITY, AND . PARENT NATIVITY		Number.		Distrib	ution per	1,000.
OF DECEDENT.	Total.	Male.	Female.	Total.	Male.	Fe- male.
Aggregate	1,471,367	806,073	665, 294	1,000.0	1,000.0	1,000.0
White	1,310,631	721,630	589,001	890.8	895.2	885.3
Native Both parents native One or both parents	981,492 547,167	525,430 285,737	456,062 261,430	667.1 371.9	651.8 354.5	685.5 393.0
foreign born	306,789 127,536 303,390	162,325 77,368 176,500	144,464 50,168 126,890	208.5 86.7 206.2	201.4 96.0 219.0	217.1 75.4 190.7
Unknown	25,749 160,736	19,700 84,443	6,049 76,293	17.5 109.2	24.4 104.8	9.1
Negro. Chinese. Japanese. Indian Other colored.	154, 477 1, 770 2, 110 2, 287 92	80,208 1,583 1,335 1,235 82	74,269 187 775 1,052	105.0 1.2 1.4 1.6 0.1	99.5 2.0 1.7 1.5 0.1	111.6 0.3 1.2 1.6 (3)

<sup>&</sup>lt;sup>1</sup> Exclusive of stillbirths. <sup>2</sup> Exclusive of Hawaii. <sup>2</sup> Less than one-tenth of 1 per 1,000.

The 1,471,367 deaths in the registration area, exclusive of Hawaii, but including 26,209 deaths of soldiers, sailors, and marines, are distributed between the sexes and between the two groups as follows: Males, 54.8 per cent; females, 45,2 per cent; white, 89.1 per cent; colored, 10.9 per cent. Of the colored, the great majority, 96.1 per cent (equivalent to 10.5 per cent of the total for all races), are Negroes.

The percentages of deaths in the registration area, by color, by nativity of the white, and by parent nativity of the native white, for 1918, are shown in the following diagram:

PER CENT OF DEATHS IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) BY COLOR, BY NATIVITY OF WHITE PERSONS, AND BY PARENT NATIVITY OF THE NATIVE WHITE: 1918.



The age distribution of decedents is shown in the following table:

0						
	DEATHS FI	SOM ALL C.	AUSES, <sup>1</sup> RI	GISTRATI	ON AREA	: 2 1918.
AGE OF DECEDENT.		Number.		Distrib	ution per	1,000.
•	Total.	Male.	Female.	Total.	Male.	Fe- male.
All ages	1,471,367	806,073	665, 294	1,000.0	1,000.0	1,000.0
Under 1 year	55, 059	109, 282 28, 832 13, 759 8, 688 6, 496	84,573 26,227 13,170 8,720 6,396	131.8 37.4 18.3 11.8 8.8	135.6 35.8 17.1 10.8 8.1	127.1 39.4 19.8 13.1 9.6
Under 5 years 5 to 9 years 10 to 14 years 12 to 19 years 20 to 24 years 20 to 29 years 30 to 34 years 30 to 34 years 40 to 44 years 45 to 49 years 55 to 59 years 65 to 59 years 65 to 69 years 75 to 79 years 80 to 84 years 80 to 84 years 90 to 94 years 90 to 94 years 90 to 99 years	38, 012 29, 604 55, 868 93, 169 113, 485 103, 310 85, 444 67, 081 66, 823 72, 878 77, 244 67, 183 47, 945 2, 200 2, 200 2, 778	167, 057 19, 575 14, 746 29, 872 48, 837 60, 097 39, 602 38, 581 37, 011 38, 204 41, 252 40, 820 34, 269 22, 968 11, 537 3, 715 856 263 2, 751	139, 086 18, 437 14, 948 25, 996 44, 332 52, 162 43, 213 34, 213 34, 213 34, 213 34, 22 36, 424 32, 914 43, 22 36, 424 32, 914 43, 22 31, 724 32, 914 43, 22 43, 213 34, 322 43, 214 470 470 470	77.1 70.2 58.1 45.6 44.2 43.9 45.4 49.5 51.8 45.7	207. 2 24. 3 18. 3 37. 1 60. 6 76. 1 74. 6 63. 3 49. 1 45. 9 45. 9 47. 4 51. 1 51. 9 50. 6 42. 5 14. 3 4. 6 1. 1 0 3	41.4 43.0 47.7 51.6 54.7 49.5

<sup>1</sup> Exclusive of stillbirths.

<sup>2</sup> Exclusive of Hawaii.

The following table and diagrams show, for each of the years 1900 to 1918, inclusive, the number of deaths in the registration area at all ages, under 1 year of age, and under 5 years of age, and the percentages which the deaths under 1 and under 5 form of the total.

	DEATES 1 FR	OM ALL CAUS	es in the i	REGISTRATIO	N AREA.2
CALENDAR YEAR.		Under 1	year.	Under 5	years.
	All ages.	Number.	Per cent of total.	Number.	Per cent of total.
1918	545,533 551,354 524,415 508,640	193, 855 171, 024 164, 660 148, 561 155, 075 159, 435 147, 455 149, 322 154, 373 140, 057 136, 432 131, 110 133, 105 102, 880 96, 857 97, 477 111, 687	13. 2 16. 0 16. 4 16. 3 17. 9 17. 6 17. 8 19. 2 19. 1 19. 7 19. 1 20. 2 19. 3 18. 7 19. 4 18. 8 20. 7	306, 143 243, 708 234, 081 203, 223 204, 120 205, 129 204, 639 209, 482 217, 319 196, 534 183, 774 186, 978 147, 384 145, 902 139, 940 143, 515 141, 678	20. 8 22. 8 22. 4 22. 4 25. 3 24. 4 25. 0 27. 0 26. 8 27. 5 26. 7 28. 2 27. 3

<sup>1</sup> Exclusive of stillbirths.

DIAGRAM A .- NUMBER OF DEATHS IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AT ALL AGES, UNDER 1 YEAR OF AGE, AND FROM 1 TO 4 YEARS OF AGE, FOR EACH OF THE YEARS 1900 TO 1918.





DIAGRAM B.—PER CENT OF DEATHS IN THE REGISTRATION AREA (Exclusive of Hawaii) Under 1 Year of Age, From 1 to 4 YEARS, AND 5 YEARS AND OVER, FOR EACH OF THE YEARS 1900 то 1918.



In 1900 the deaths under 1 year of age formed 20.7 per cent and those under 5 years 30.4 per cent of the total deaths at all ages, but for 1918 the corresponding percentages are 13.2 and 20.8. The big decreases in these percentages are undoubtedly due, in large part, to the better care which children now receive.

### DEATH RATES OF THE REGISTRATION STATES.

Death rates of the registration states for 1918, the preceding three years, and the two five-year periods 1901 to 1905 and 1906 to 1910 are shown in the following table, separate rates for white and colored populations being given for each state in which the colored population formed 10 per cent or more of the

	DEAT	H BATE	FROM AL	L CAUSE	SIPER ]	1,000
STATE.					Annual average.	
	1918	1917	1916	1915	1906 to 1910	1901 to 1905
Registration states 2	17.9	14.0	13.9	13.3	15.0	15.9
California Colorado Connecticut Illinois Indiana	18. 5 17. 5 21. 3 16. 3 16. 2	13. 9 10. 9 16. 5 (8) 14. 0	13.5 10.3 16.3 ( <sup>5</sup> ) 13.6	13.7 11.3 14.9 (³) 12.7	13.9 14.3 15.6 (³) 13.0	(3) (8) 15.7 (8) 13.2
Kansas Kentucky (total) White Colored	17.0	11.3 13.7 12.6 23.8	10.9 12.6 11.6 21.3	10.1 12.3 11.1 22.0	(3) (3) (3)	(3) (3) (3) (8)
Louisiana (total)	17. 2 14. 3 21. 3 18. 7	(8) (3) (8) 15.1	(3) (3) (8) 15.7	(3) (3) (3) 15.6	(8) (8) (3) 16.2	(3) (3) (8) 15.9
Maryland (total)	22. 2 34. 9 20. 6	17. 1 15. 1 27. 2 15. 0 15. 2	16.5 14.7 25.7 15.2 15.1	15.8 14.1 24.1 14.5 13.4	16.0 14.4 22.9 16.1 13.6	(3) (3) (3) 16.6 13.3
Minnesota Missouri Montana New Hampshire New Jersey	15.6 18.6 21.5	10.3 13.3 13.9 16.8 14.6	10.7 12.9 12.6 16.1 15.0	10.1 12.0 11.4 16.1 13.8	(4) (3) (4) 17.2 15.4	(3) (8) (3) 16.6 16.1
New York North Carolina (total) White Colored Ohio	14.9	14.7 14.0 12.3 17.7 14.8	14.8 13.1 11.4 16.8 14.4	14.6 5 17.3 13.5 24.9 13.0	16. 4 (4) (2) (4) (4) (4)	17.1 (3) (3) (3) (3) (3)
Oregon Pennsylvania Rhode Island South Carolina (total) White Colored	19.5 19.5 15.9	(3) 14.8 15.3 14.5 11.7 16.9	(3) 14.6 15.5 13.8 10.9 16.4	(3) 13.8 14.8 (3) (3) (3)	(3) 15.5 16.7 (3) (3) (3)	(3) (3) · 17.8 (3) (3) (3)
Tennessee (total)	14.0 23.9 13.7	13.4 11.7 20.1 10.4 15.0	(8) (3) (8) 10.4 15.6	(3) (3) (3) 9.9 14.7	(8) (3) (3) (4) 16.1	(3) (3) (3) (3) (3) (3) 16. 2
Virginia (total) White Colored Washington Wisconsin	17. 2 25. 2 10. 6	14.3 11.8 20.0 7.6 11.5	14.7 12.2 20.3 7.7 11.8	14.2 11.6 19.8 8.1 10.8	(8) (3) (8) (4) (4) (4)	(3) (3) (3) (3) (8) (8)

Note.—Populations have been estimated by the arithmetical method. Owing to recent unusual migrations of the population and to the fact that 1918 is far away from the last census year, estimates are probably far too high in some cases and far too low in others. from the last census year, estimates are probably lar too light in some cases and lar too low in others.

1 Exclusive of stillbirths.
2 Including the District of Columbia.
3 Not added to registration area until a later date.
4 Figures for deaths not available for the entire period.
5 Figures relate only to municipalities having a population of 1,000 or more in 1910.

The rate for the registration states as a whole (17.9) is nearly four points higher than the 1917 rate (14). Of the 27 states which are comparable for the two years, all show increases over 1917. The states having highest rates in 1918 are Maryland (24.3), New Hampshire and Pennsylvania (each 21.5), Connecticut (21.3),

<sup>3</sup> Exclusive of Hawaii.

Massachusetts (20.6), and New Jersey (20.4). Those having the lowest rates are Washington (10.6), Oregon (11), Minnesota (13.4), Utah and Wisconsin (each 13.7). As explained in the note of the table, populations have been estimated by the arithmetical method, and it is probable that estimates are far too high in some cases and far too low in others. Moreover, itshould be remembered that the rates given are "crude" rates, and that no allowance is made for differences in sex, age, and race distribution of the population, so that inferences as to the relative healthfulness of the states should not be drawn from these figures alone.

### DEATH RATES OF LARGE CITIES.

Death rates of large cities are not shown in this report, because estimates of population are not available. Rates for 1918 will be contained in the report for 1919 after estimates are made based on the censuses of 1910 and 1920.

### DEATH RATES OF CITIES WITH CONSIDERABLE COLORED POPULATIONS.

The statement concerning death rates of large cities applies also to those of cities with considerable colored populations. For this class rates will be shown in the 1919 report also.

### DEATHS OF COLORED POPULATIONS OTHER THAN NEGRO.

Deaths of colored populations, not Negroes, are shown in the following table:

	771.0770	1 ppose ar	L CAUSES	nr 1010
1	DEATHS	- FROM AL	L CAUSES.	IN 1910.
AREA.	Indian.	Chinese.	Japanese.	Other colored.
The registration area 2	2,287	1,770	2,110	92
Registration states 3. Cities in registration states 3. Rural part of registration states	2,281 227 2,054	1,752 1,318 434	2,108 1,246 862	88 57 31
states All registration cities 2.	6 233	18 1,336	2 1,248	4 61
REGISTRATION STATES.				
California: Cities	69 307	675 321	842 638	17 7
Cities Rural districts	2 10	5 2	22 50	
Connecticut: Cities	i	12 1		
Cities Rural districts		60 6	5	1 1
Indiana: Cities Rural districts Kansas:	i	5 3		
Cities Rural districts	12 93		1	2 2
Kentucky: Cities Rural districts	4	2 1		
Louisiana: Cities Rural districts	1 26	14 6	1	2
Maine: Cities Rural districts	4 19	1	ļ	

`	DEATHS	1 FROM AL	L CAUSES	N 1918.
AREA.	Indian.	Chinese.	Japanese.	Other colored.
BEGISTRATION STATES—continued.		,		
[aryland: Cities Rural districts		10	1	i
Cassachusetts:	11 3	67 4	1	1
Rural districts lichigan: Cities	22	8	1	1
Rural districts innesota: Cities	256	2 6	1	1
Rural districtsissouri: Cities	192 2	. 8	2	7
Rural districts	4 7	1 15	3	5
Rural districtsew Hampshire: Cities	116	11 2	, 19	2
Rural districts	1	19		
Cities Rural districts lew York:	3	10	2	ļ
Cities Rural districts forth Carolina:	· 30	176 5	64 2	9
Cities	183	1		
CitiesRural districts	1	18 5	1	i
CitiesRural districts Pennsylvania:	3 114	64 29	56 41	i
Cities	5 1	68 4	6	8 2
Cities Rural districts	5	. 7 6		
outh Carolina: Rural districts 'ennessee:	9			1
Cities Rural districts Itah:	3 4	4		1
Cities Rural districts /irginia:	71	6 2	42 34	i
Cities	1 14	10 3	1	1
Cities	25 366	38 12	190 74	6 6
CitiesRural districts	17 138	1	2	
Vasbington, D. C		. 16	4	
Policensiald Colif	2	21	5	
oakishedd (2011) Fresno, Calif os Angeles, Calif Oakland, Calif Riverside, Calif	33	. 57	59 289 37	3
Riverside, Calif	10	. 53	141	1
acramento, Calif. en Diego, Calif. en Francisco, Calif. an Jose, Calif. etockton, Calif.	. 5 1	9	27 116	ii
otockton, Calif	. 2	50		i
Denver. Colo Licago. III	1	- 54 12 10	5 1 1	2
Boston, Mass	. 5	36	1	1
Cambridge, Mass. New York, N. Y Portland, Oreg. Philadelphia, Pa.	6 2 3	166	58 55	1
Pittsburgh, Pa. Ogden, Utah Salt Lake City, Utah Seattle, Wash Pacoma, Wash		1	. 2	1
alt Lake City, Utah	i 4	1 4	21	6

<sup>&</sup>lt;sup>1</sup> Exclusive of stillbirths.

<sup>2</sup> Exclusive of Hawaii.

<sup>3</sup> Including the District of Columbia.

<sup>4</sup> Including only those from which 10 or more deaths of Indians, Chinese, Japanese, or other colored were reported.

### DEATHS OF NONRESIDENTS.

Deaths of nonresidents have long been known to be an important factor in the crude death rates of certain places. In health resorts for tuberculosis, for example, the number of deaths of nonresidents may be very large, and the same may be true of a city which offers hospital accommodations to an entire state or other large area. Some idea of the relative importance of this factor in the various cities and rural units in the registration area in 1918 may be obtained from

Residence has been determined in each case exactly as it was done by the census enumerators in taking the population census in 1910.

Briefly stated, the principal points are as follows:

Residence refers to "usual place of abode." As a rule the "usual place of abode" is the place where a person regularly sleeps.

Nonresidents therefore include—

Persons visiting a town.

Transient boarders or lodgers who have some other

usual or permanent place of abode.

Students and children living or boarding in towns in order to attend some school or college, but not regarding the place as their home.

Servants or other persons working in town, but not

sleeping there.

Decisions for special cases—

(a) Civilian employees of the United States are treated as resident at the place where they regularly sleep. For example, employees in the Government offices in Washington who regularly sleep in Washington are treated as resident at Washington, even though they may have "legal residence" elsewhere.

(b) Any person who was formerly a resident of the town, but has since become an inmate of an out of town asylum, almshouse, home for the aged, reformatory or prison, is treated as resident at the town in which the

asylum or prison is located.

(c) Persons having an unknown residence should be treated exactly as those having no permanent home or usual place of abode and should be counted as residents of the place in which they die.

(d) Inmates of medical or surgical hospitals are usually there only for temporary treatment and are therefore treated as resident at their home towns.

In Table IB (p. 96) the term transferable nonresidents refers to deaths of nonresidents which can be transferred to place of residence, i. e., to places within the registration area.

The term nontransferable nonresidents refers to deaths of nonresidents which can not be transferred to places of residence because the place of residence was outside the registration area.

In the first column are given total deaths (exclusive of soldiers, sailors, and marines). The figures of the second column have been obtained by deducting from the figures of the first column deaths of persons who

resided outside the registration unit in which they died, but whose residence was still within the registration area. The figures of the third column have been obtained by distributing to the various units according to residence the deaths already deducted from column 1 to get column 2. The figures in column 4 represent those who resided outside the registration unit in which they died and also outside the registration area.

As 1918 is so far from the last census year 1910, and as 1920 census figures will soon be available, estimates of population have not been made for all of these cities and rural districts, and computation of any rates relating to these figures has been postponed. It is a very simple matter, however, to determine from the figures shown what per cent of the total number of deaths in 1918 in any place was due to deaths of nonresidents and how much this nonresident percentage would be reduced if deaths of persons residing in that place but dying elsewhere in the registration area were credited to that place.

For example, in Shreveport, La., there were 170 deaths of nonresidents, or 16 per cent of the total number of deaths, which is reduced to 12 per cent by crediting to Shreveport 11 deaths of Shreveport residents who died outside in registration territory. It is apparent, however, that this per cent probably would have been reduced somewhat more were it possible to credit to Shreveport deaths of residents dying outside in nonregistration territory. On the other hand, in Cambridge, Mass., 225, or 10 per cent, of the total number of deaths were those of nonresidents, but the number of Cambridge residents who died in registration territory outside was 316, which if credited to Cambridge makes the net total 4 per cent higher than the original

Then again the figures in the table show that deaths of nonresidents are a very important factor in producing low crude death rates in rural units. For example, in Sacramento County, Calif., the total number of deaths would be increased 30 per cent if corrected so far as possible for deaths of nonresidents.

If desired still other calculations can be made by deducting also the deaths given in column 4, and percentages are shown in the last column based upon such

more complete corrections.

The last column of the table shows the per cent of the original total number of deaths which must be added or deducted as the case may be to obtain the number of deaths in the registration area of residents only. It is, of course, perfectly evident that such a correction is not complete, for there is no way of including the number of deaths occurring outside the registration area of residents of the registration area. It is also apparent that most of these deaths outside the

registration area probably belong to neighboring parts of the registration area, so that extreme caution should be used in interpreting the figures of the table for places bordering on or near territory which is not included in the registration area.

Taking the figures as they stand for places well away from nonregistration territory, it is interesting to note that to correct partially the original totals in this way a reduction of 52 per cent is needed for Olmsted County, Minn., a reduction of over 30 per cent for such places as Long Branch and Morristown, N. J., and a reduction of 25 per cent or more for such places as Hackensack and Orange, N. J., and North Yakima, Wash.

On the other hand, to correct partially the original totals of Kiowa County, Colo., an addition of 100 per cent is needed; for Lincoln County, Colo., an addition of 67 per cent, and an addition of 43 per cent for such places as Revere, Mass., Ramsey County, Minn., and Wahkiakum County, Wash.; and an addition of 30 per cent or more for such places as West Orange, Montclair, Bloomfield, and East Orange, N. J., and such counties as Skamania and Mason Counties, Wash., Cascade County, Mont., and Lake County, Ind.

### DEATH RATES OF FOREIGN COUNTRIES.

The opposite table presents the latest available death rates per 1,000 population for the principal European countries and for certain other countries for each of the six five-year periods from 1881 to 1910, and for 1916 and 1917, together with the rates for the registration area of the United States for the two five-year periods 1901 to 1905 and 1906 to 1910 and the calendar years 1916 and 1917.

	A	NNUAL		E DEAT		E1 PE	r 1,000	)	De- crease per
COUNTRY.	1917	1916	1906 to 1910	1901 to 1905	1896 to 1900	1891 to 1895	1886 to 1890	1881 to 1885	cent be- tween 1881 to 1885 and 1906 to 1910
United States (registra-	14.2	14.0	15.1	16.2	(2)	(2)	( <sup>2</sup> )	(2)	(2)
Australian Common- wealth. Austria Belgium Bulgaria Ceylon.	(2) (2) (2)	11.0 (2) (2) (2) (2) (2)	10.7 22.3 15.9 23.8 30.8	11.7 24.2 17.0 22.5 26.7	12.7 25.6 18.1 23.9 27.0	13.3 27.9 20.1 27.8 28.3	14.8 28.9 20.2 18.9 25.1	15.7 30.1 20.6 17.7 (2)	31.8 25.9 22.8 334.5 (2)
Chile Denmark England and Wales Finland France	(2) 13.3 414.4 (2) (2) (2)	(2) 13.4 414.4 (2) (2)	31.3 13.7 14.7 17.4 19.2	30.2 14.8 16.0 18.6 19.6	28.8 16.4 17.7 19.0 20.7	32.6 18.6 18.7 20.5 22.3	35.2 18.7 18.9 20.0 22.0	26.9 18.4 19.4 22.2 22.2	3 16. 4 25. 5 24. 2 21. 6 13. 5
German Empire Hungary Ireland Italy Jamaica	( <sup>2</sup> )	(2) (2) 16.5 (2) 22.4	17.5 25.0 17.3 21.0 24.4	19.9 26.4 17.6 21.9 22.6	21. 2 27. 9 18. 1 22. 9 22. 1	23.3 31.8 18.5 25.5 22.0	24.4 32.1 17.9 27.2 23.5	25.3 33.1 18.0 27.3 (2)	30, 8 24, 5 3, 9 23, 1 (2)
Japan Netherlands New Zealand Norway Ontario, Province of	9.6	(2) 12.9 9.6 13.7 12.8	21.0 14.3 9.7 13.8 14.0	20.9 16.0 9.9 14.5 13.0	20.7 17.2 9.6 15.6 11.6	21.1 19.6 10.1 16.8 10.6	20.6 20.5 9.9 17.0 11.0	(2) 21.4 10.9 17.2 11.4	(2) 33.2 11.0 19.8 222.8
Prussia Rumania Russia (European) Scotland	(2)	(2) (2) (2) (2) 14.6	17.3 26.0 (2) 16.1	19.6 25.5 30.9 17.0	21.0 27.4 31.9 18.0	22.8 31.0 35.8 19.0	24.0 28.7 33.2 18.8	25.4 26.2 35.4 19.6	31.9 0.8 (2) 17.9
Serbia Spain Sweden Switzerland	13.5	(2) 21.3 13.6 (2)	24.3 24.3 14.3 16.0	22.4 26.0 15.5 17.5	24.8 28.8 16.1 18.1	28.9 30.1 16.6 19.8	25. 9 30. 9 16. 4 20. 4	24.5 32.6 17.5 21.3	0.8 25.5 18.3 24.9

Note.—The rates for Australian Commonwealth, 1916 and 1917, are taken from the Australian Year Book, 1917; those for Jamaica, 1916 and 1917, from Colonial Reports—Annual, No. 980, Jamaica, 1917-18; those for New Zealand, 1916 and 1917, from the New Zealand Official Year Book, 1918; those for the Province of Ontario, 1916 and 1917, from the Report, Births, Marriages, and Deaths, Ontario, 1917; those for England and Wales, Ireland, and Scotland, 1916 and 1917, from the report of the Registrar-General of England and Wales, 1917; and those for all other foreign countries for 1916 and 1917, from Annuaire Statistique, France, for 1916, 1917, and 1918.

Increase.
 Civil population only.

<u> </u>								<u> </u>										
							DEAT	H RATI	I PER	1,000	POPUL	ATION.					•	
COUNTRY.	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	1910	1911	1912	1913	1914	1915	1916	1917
United States (registration area)	17.6	16.5	15.9	16.0	16.5	16.0	15.7	16.0	14.8	14.4	15.0	14.2	13.9	14.1	13.6	13.5	14.0	14.2
Australian Commonwealth Austria Chile England and Wales France	35.6	12.2 24.0 36.4 16.9 20.1	12.5 24.7 28.5 16.3 19.5	12. 2 23. 8 26. 2 15. 5 19. 2	27.8	10.9 25.1 34.9 15.3 19.6	10.9 22.6 32.7 15.5 19.9	11.0 22.7 29.6 15.1 20.2		10.3 22.9 31.2 14.6 19.1	10. 4 21. 2 31. 0 13. 5 17. 8	10.7 21.9 31.1 14.6 19.6	11.2 20.5 29.7 13.3 17.5	10.8 20.2 30.1 13.8 17.7	10.5 (2) 27.8 14.0 4 19.6		11.0 (2) (2) 3 14.4 (2)	9.8 (2) (2) (2) 3 14.4 (2)
German Empire Hungary Ireland Italy Japan	26.9 19.6 23.8	20.7 25.4 17.8 22.0 20.4	19.4 27.1 17.5 22.2 20.9	20.0 26.2 17.5 22.4 20.0	25.0 18.0 21.2	19.8 28.2 17.1 22.0 21.9	18.2 25.1 16.9 20.9 20.0	18.0 25.7 17.6 20.9 21.0	18.1 25.2 17.5 22.8 20.9	25.6	16. 2 23. 6 17. 1 19. 9 21. 1	17.3 25.1 16.5 21.4 20.4	15.6 23.3 16.5 18.2 20.0	17.1	(2) 23.5 16.3 17.9 20.6	23.6 17.6 20.4 20.2	(2) (2) 16.5 (2) (2)	(2) (2) 16. 8 (2) (2) (2)
New Zealand Russia (European). Spain. Sweden	31.1	9.8 32.1 27.7 16.1	10.5 31.5 26.0 15.4	10.4 30.0 25.0 15.1	9.5 29.9 25.7 15.3	9.3 31.1 25.8 15.6	9.3 29.8 26.1 14.4	10.9 28.1 24.5 14.6	9.5 28.0 623.8 14.9	9.2 28.9 624.0 13.7	9.7 (2) 523.3 14.0	9.4 (2) 523.2 13.8	8.9 (2) 621,8 14.2	6 22.1	9.3 (2) 622.1 613.8	9.1 (2) 22.1 514.6	9.6 (2) 21.3 13.6	9.6 (2) 22.5 13.5

Note.—The rates for Australian Commonwealth, 1916 and 1917, are taken from the Australian Year Book, 1917; those for New Zealand, 1916 and 1917, from the New Zealand Official Year Book, 1918; and those for England and Wales and Ireland, from the report of the Registrar-General of England and Wales, 1917; rates for Austria, 1913, 1914 and 1915; Italy, 1915; Japan, 1914 and 1915; Spain, 1915, 1916 and 1917; and Sweden 1916 and 1917, from Annuaire Statistique, France, for 1916, 1917, and 1918, and all other rates are taken from the 1915 report of the Registrar-General of England and Wales:

The preceding table presents the crude death rates per 1,000 population for the registration area of the United States and for certain countries for each year

from 1900 to 1917. These rates are shown in the diagram on page 16.


<sup>&</sup>lt;sup>1</sup> Exclusive of stillbirths. <sup>2</sup> Figures not available.

<sup>&</sup>lt;sup>1</sup> Exclusive of stillbirths. <sup>2</sup> Figures not available.

Civil population only.
 Provisional figures relating to 77 "departements."

<sup>Provisional figures relating to 24 states.
The figures are provisional.</sup> 

GENERAL DEATH RATES OF THE UNITED STATES (REGISTRATION AREA) AND CERTAIN FOREIGN COUNTRIES FOR EACH OF THE YEARS FROM 1900 TO 1917.



COMPARISON OF RATES FOR THE REGISTRATION AREA, BY SEX, BY AGE, AND BY CAUSE, WITH THE CORRE-SPONDING RATES FOR ENGLAND AND WALES AND FOR AUSTRALIA.

Comparison of the crude death rates of different countries or of different places in a single country for a single year may serve as a starting point for the investigation of conditions, but conclusions from such a comparison must be guarded unless such factors as the age and sex distribution of the places compared are known and taken into account. On the other hand,

comparison of specific death rates, by sex, by age, and by cause is more fully warranted and leads to more definite conclusions.

In the following table, relating to the years 1910 and 1911, no rates are shown for the first 2 years of life, because no really comparable figures are available—for rates under 1 year are usually based on registered births and the birth registration area of the United States is very different from the death registration area, and enumerated populations of the first 2 years of life in all countries are admittedly unreliable.

DEATH RATES PER 1,000 POPULATION, BY CAUSE, BY SEX, AND BY AGE, IN THE REGISTRATION AREA, 1910; ENGLAND AND WALES, 1911; AND AUSTRALIA, 1911.

[The numbers in parentheses correspond to those of the International List of Causes of Death.]

						200					GES.	•									
	A	ll ages		2 to	4 yea	rs. ·	5 to	14 yes	ırs.	15 to	24 ye	ars.	25 to	44 ye	ars.	45 to	о <b>64</b> уе	ars.	65 yes	ars and	over.
CAUSE OF DEATH.	Registration area, 1910.	England and Wales, 1911.	Australia, 1911.	Registration area, 1910.	England and Wales, 1911.	Australia, 1911.	Registration area, 1910.	England and Wales, 1911.	Australia, 1911.	Registration area, 1910.	England and Wales, 1911.	Australia, 1911.	Registration area, 1910,	England and Wales, 1911.	Australia, 1911.	Registration area, 1910.	England and Wales, 1911.	Australia, 1911.	Registration area, 1910.²	England and Wales, 1911.	Australia, 1911.
All causes $inom{M}{\mathrm{F}}$	15. 96 13. 97	15.58 13.67	11. 93 9. 47	9.34 8.71	9. 96 9. 79	4. 28 4. 10	3.12 2.95	2.77 2.74	1. 95 1. 79	5.09 4.47	3.42 2.97	3. 09 2. 86	8. 79 7. 26	6.39 5.23	6. 00 5. 25	21.42 17.15	20.54 16.00	17.38 12.39	85.13 79.35	85.65 74.46	87. 59 72. 03
Typhoid fever (1)	0. 279 0. 186 0. 004 0. 003	0.081 0.053 0.001 0.001	0.084	0. 126 0. 127 0. 004 0. 005	0. 022 0. 025 0. 001 0. 003	l	0.172 0.001	0.038 0.046 0.001	0.053	0.282	0.111 0.078 0.000	0.177	0.352 0.182 0.005 0.004		0. 213 0. 080 0. 002	0.003 0.002	0.083 0.051 0.001 0.001	0.118 0.051	0.17 0.15 0.00 0.00	0. 03 0. 03 0. 00	0. 03 0. 03
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		0.392 0.336 0.054 0.051	0. 048 0. 045 0. 006 0. 005	0.546 0.517 0.738 0.767	1.700 1.701 0.334 0.355	0. 033 0. 020	0.210 0.238	0.140 0.131 0.100 0.097	0.016	0. 033 0. 042	0.012	0.002	0.007 0.019 0.009 0.014	0.003 0.004 0.005 0.007	0.010 0.033	0.006 0.013 0.002 0.005	i I	1			
Whooping cough (8) $\left\{ egin{array}{l} \frac{M}{F} \\ \vdots \\ \end{array} \right.$ Diphtheria and croup (9) $\left\{ egin{array}{l} \frac{M}{F} \\ \end{array} \right.$	0. 100 0. 129 0. 217 0. 213	0. 195 0. 237 0. 142 0. 134	0.058 0.074 0.157 0.156	0. 261 0. 407 1. 388 0. 264	0.520 0.794 0.860 0.864	0. 052 0. 127 0. 982 0. 830	0. 021 0. 030 0. 357 0. 391	0, 028 0, 042 0, 262 0, 299	0. 004 0. 009 0. 294 0. 351	0.002 0.002 0.037 0.035	0.001 0.001 0.013 0.012	0. 020 0. 023	0.000 0.001 0.012 0.015		0. 013 0. 003		0. 003 0. 006	0. 014 0. 003		0.01	0.01
Influenza (10)	0.051 0.040	0. 128 0. 113 0. 028 0. 026	0.099 0.102 0.016 0.014	0.054 0.060 0.007 0.012	0.054 0.031 0.006 0.008	0. 033 0. 007 0. 007	0. 018 0. 022 0. 003 0. 002	0. 019 0. 017 0. 003 0. 002	0.020 0.011	0. 025 0. 024 0. 008 0. 008	0.020 0.008 0.004	0.007	0.045	0.012	0.004 0.005	0.045	0.044	0.027	0. 29 0. 20		1.00 1.35 0.09 0.08
Pulmonary tuberculosis (28, $\frac{M}{F}$ .  Tuberculous meningitis (30). $\frac{M}{F}$ .	1.548 1.234 0.087 0.087	1. 256 0. 923 0. 155 0. 136	0. 764 0. 652 0. 058 0. 063	0. 201 0. 182 0. 304 0. 302	0. 247 0. 248 0. 575 0. 508	0.033 0.047 0.189 0.154	0.119 0.226 0.076 0.084	0.173 0.320 0.166 0.183	0. 045 0. 064 0. 067 0. 069	1. 359 1. 568 0. 037 0. 040	1. 080 1. 127 0. 053 0. 062	0. 459 0. 791 0. 020 0. 061	2.327 1.883 0.025 0.021		0.028 0.016			0.014	2. 04 1. 49 0. 01 0. 01	1.19 0.59 0.00 0.00	1. 22 0. 70
Other forms of tuberculosis M. (31 to 35)	0. 120 0. 120 0. 597 0. 947						0.018 0.015		0. 054 0. 034 0. 022 0. 009	0. 039 0. 036	0.049 0.035	0.044	0.198	0.458	0.344	2. 895	3.105		5. 52 6. 72	0.15 0.14 7.96 7.48	0.06 0.06 7.83 6.61
Acute articular rheumatism $M$ . $(47)$ $F$ $M$ eningitis $(61)$ $M$			0.036 0.042 0.162 0.122					0. 073 0. 087 0. 134 0. 116	0.052 0.048 0.097 0.089	0. 041 0. 043 0. 060 0. 043	0.055 0.065 0.054 0.043	0.059	0.042 0.034	0.035	0.019 0.023 0.066 0.039	0.061	0.038	0.074	0.31 0.08 0.08	0.03 0.05 0.06 0.04	0, 20 0, 25 0, 08 0, 07
Organic diseases of the heart $M$ . (79) $F$ . Bronchitis (89, 90). $M$ .	1, 463 1, 379 0, 224 0, 247	1.193 1.284 1.028 1.000	1. 195 0. 996 0. 369 0. 331	0.091 0.080 0.154 0.165	0.029 0.040 0.373 0.361	0.033 0.033 0.124 0.074	0. 159 0. 196 0. 018 0. 023	0.113 0.153 0.034 0.033	0. 101 0. 128 0. 011 0. 007	0. 226 0. 238 0. 013 0. 013	0. 204 0. 249 0. 020 0. 023				0. 401 0. 382 0. 021 0. 031					9. 84 9. 35	14. 80 12. 59 5. 28 4. 83
Pneumonia (all forms) (91, 92) M. Other diseases of respiratory M. organs (86 to 88, 93 to 98) F.	1.597 1.360 0.177 0.146	1. 234 0. 860 0. 238 0. 178	0.720 0.542 0.281 0.123	1.616 1.504 0.150 0.109	1.539 1.496 0.300 0.208	0.585 0.502 0.117 0.094	0, 255 0, 249 0, 037 0, 028	0.053 0.043			0.148 0.033 0.032		0. 765 0. 458 0. 089 0. 064	0. 621 0. 298 0. 102 0. 071	0. 415 0. 276 0. 136 0. 072	1. 973 1. 373 0. 272 0. 173	1.507 0.766 0.423 0.241	0. 982 0. 561 0. 644 0. 177		1.55	3.96 3.30 2.15 1.05
Diarrhea and enteritis (104, $M$ . 105) $F$ Appendicitis and typhlitis $M$ $F$	1. 228 1. 119 0. 130 0. 098	1. 425 1. 166 0. 091 0. 061	0. 744 0. 666 0. 077 0. 066	0. 903 0. 816 0. 058 0. 035	0. 687 0. 736 0. 053 0. 041	0.377 0.308 0.007 0.027	0.061 0.061 0.143 0.122	0.050 0.068 0.137 0.098	0.040 0.055 0.070 0.080	0. 016 0. 026 0. 161 0. 117	0.035 0.027 0.108 0.060	0.018 0.020 0.095 0.091		0.069	0.069 0.093 0.062	0.172 0.138 0.094	0.262 0.092 0.061	0.207 0.088 0.058	1.49 0.12 0.09	1. 62 0. 10 0. 08	1.64 1.90 0.08 0.06
Cirrhosis of the liver (113) ${M \choose F}$ Alcoholism (acute or chronic) ${M \choose F}$ (56)	0. 185 0. 093 0. 093 0. 014	0. 115 0. 087 0. 025 0. 013	0.105 0.066 0.047 0.016	0. 003 0. 005	0.001 0.003		0.003 0.003 0.000 0.000	0.003 0.003	0.002 0.009	0.002	. 0. 000	0.002	0.020	0.020						0.34 0.04	0.09
Acute nephritis and Bright's M. disease (119, 120)	1				0. 086 0. 082	0. 052 0. 027				0. 247	0.078	0.130	0.322	0.170	0. 274 0. 261 0. 242	0.000	0.003	0.000	••••	3.08 1.98	4, 42 2, 60
Congenital debility and mal- formations (including pre- mature birth) (150, 151) Violent deaths (suicide ex-	0.831	1.138 0.830	0. 190 0. 764 0. 641 1. 004	0. 044 0. 035	0. 056 0. 039 0. 718	0. 039 0. 040 0. 488	0. 014 0. 010	0.000 0.012 0.014 0.354	0.007	0. 004 0. 003	0.008 0.006		0.001 0.001	0.003 0.004	1. 074	0.000 0.000	0.001 0.002		0.00		2.57
Cepted   (164 to 186)   F	0.396	0.152	1. 004 0. 324 0. 193 0. 046 3. 419 2. 776	<b> </b>			0.004	0.001	0.002	0.177	0.068	0.157	0.199	0.089	0.162	0.353	0.402	0.480 0.075	0.63 0.12	0.45 0.08 40.64	0.37
Unknown or ill-defined dis-{M. eases (187 to 189)	0. 240 0. 213	0. 127 0. 091	0. 129 0. 075	0. 077 0. 075	0. 086 0. 082	0. 072 0. 047	0. 012 0. 011	0.009 0.011	0. 013 0. 007	0. 017 0. 013	0.012 0.011	0. 026 0. 007	0, 040 0, 028	0. 046 0. 035	0. 075 0. 052	0.156 0.102	0.310 0.183	0.378 0.241	0.95 0.87	0.51 0.27	0.56 0.19

<sup>&</sup>lt;sup>1</sup> Exclusive of North Carolina.

-7-

<sup>&</sup>lt;sup>2</sup> Unknown ages not included.

For the age period "2 to 4 years" the death rates of both males and females in the registration area of the United States (exclusive of North Carolina) and in England and Wales are more than twice as high as the corresponding rates for Australia. An examination of the rates in this age period, by causes, shows that in the United States pneumonia, scarlet fever, diarrhea and enteritis, diphtheria, measles, tuberculosis, and whooping cough are largely responsible for this excessive mortality, and that the comparatively high rate in England and Wales is largely due to high rates from these same causes, except diphtheria.

In the age period "5 to 14 years" the Australian rate is again much lower than the rate for either the registration area or for England and Wales, the causes of death responsible for the high rate in the United States being principally scarlet fever, pneumonia (all forms), pulmonary tuberculosis, typhoid fever, and violence, and the principal causes responsible for the high rate in England and Wales being tuberculosis, measles, pneumonia, and scarlet fever. It should be noted that England and Wales has the lowest rates shown for diphtheria and violence.

For males in the age period "15 to 24 years" the rate in the registration area is 49 per cent higher than the rate for England and Wales, 39 per cent being due to violent deaths, typhoid fever, and pulmonary tuberculosis, divided as follows: 22 per cent to violent deaths, 9 per cent to typhoid fever, and 8 per cent to pulmonary tuberculosis. For females in the same age period the rate in the registration area is 51 per cent higher than the corresponding rate in England and Wales, 26 per cent being due to the same three causes—pulmonary tuberculosis, typhoid fever, and violent deaths—and 10 per cent to puerperal causes. If for the same age period the rates of the registration area are compared with those for Australia, the results are still more striking. The rate for males in the registration area is 65 per cent higher than the corresponding rate for Australia, 29 per cent being due to pulmonary tuberculosis, 16 per cent to violence, 7 per cent to typhoid fever, and the remaining 13 per cent to other causes. For females the rate in the

registration area is 56 per cent higher than the corresponding rate for Australia, 27 per cent being due to pulmonary tuberculosis and 5 per cent to puerperal causes, and the remaining 24 per cent to other causes.

For males in the age period "25 to 44 years" the mortality is 38 per cent higher in the registration area than in England and Wales, due principally to comparatively high rates from violence, pulmonary tuberculosis, nephritis and Bright's disease, and typhoid fever. For females in the same age period the mortality rate is 39 per cent higher in the registration area than in England and Wales, due principally to comparatively high rates from pulmonary tuberculosis, nephritis and Bright's disease, puerperal diseases, pneumonia, violence, and typhoid fever.

For males in the age period "45 to 64 years" the mortality rate is 23 per cent higher in the registration area than in Australia, due principally to comparatively high rates from nephritis and Bright's disease, pneumonia, pulmonary tuberculosis, organic diseases of the heart, and violence. For females in the same age period the mortality rate is 38 per cent higher in the registration area than in Australia, due principally to comparatively high rates from nephritis and Bright's disease, pneumonia, organic diseases of the heart, pulmonary tuberculosis, and cancer.

In the age period "65 years and over" the rates for males are nearly the same in the three countries, although the rate for females is somewhat higher in the United States than in either of the other two countries. An examination of the death rates of this age period, by causes, however, shows some very marked differences. The rates shown from each of the causes—nephritis and Bright's disease, pneumonia, organic diseases of the heart, violence, and tuberculosis—are highest in the United States, while the rates from bronchitis and cancer are highest in England and Wales.

Most of the excessive rates in the various age periods are due to causes of death which are largely preventable and therefore clearly point the way for public health endeavor in the United States.

### CAUSES OF DEATH.

Summary and Rate Tables II and III and General Tables 5 to 11 present statistics of causes of death, the data covering the principal factors of area, age. sex, color, and month of death.

DETAILED AND ABRIDGED INTERNATIONAL LISTS.

The International List of Causes of Death is made up of (1) a detailed list which serves as a basis for the presentation of deaths from disease and violence in a very specific way, and (2) an abridged list in which many of the titles are consolidations of the headings of the detailed list. The first is used for tables which show separately causes of death which it is not necessarv nor practicable to show in similar detail in other tables. The distinction between these lists should always be borne in mind in connection with the use of the tables.

In some instances, where the title headings are identical in the two lists, the causes of death included are not the same. An example of this is title No. 19 of the detailed list, "Other epidemic diseases." Used in this sense, "Other epidemic diseases" includes only those epidemic maladies which are not shown separately in titles 1 to 18 of this detailed classification; but when the same expression, "Other epidemic diseases," is used in reference to the abridged list it signifies a heading of that list which includes titles 3, 11, 14, 15, 16, 17, 18, and 19 of the detailed list. Another example is furnished by the title "Tuberculosis of the lungs." This is title No. 13 of the abridged list and title No. 28 of the detailed list. In the abridged list, however, this caption includes not only title No. 28 of the detailed list, but also title No. 29, "Acute miliary tuberculosis."

The distribution of the 1918 deaths by the causes of the abridged list is shown in the opposite table. together with corresponding rates and percentages. In parentheses, after the name of each abridged title, appears the number or numbers corresponding to the title or titles of the detailed International List which it includes.

### CHANGES IN THE DETAILED INTERNATIONAL LIST.

The title numbers of the second revision (1910) of the International List are given in the first column of the first table on page 20, while the second and third columns, respectively, show the numbers of the second and first revisions under which the terms would have been compiled according to the rules followed during the period 1900 to 1909. In many instances the numbers of the titles of the second revision differ from the numbers of the same titles in the first revision. As an example of this, tetanus, the title number of which is now 24, was, under the first revision, compiled as No. 72 and was included in an entirely separate class. "Diseases of the nervous system," instead of in "General diseases," as at present.

. List		DEATHS TION A	IN REGI REA: 2 19		
Abridged Int. No.	CAUSE OF DEATH, 1	Number.	Rate per 100,000 popu- lation.	Per cent.	
	All causes 3	1, 471, 367	1,797.2	100.0	
1	Typhoid fever (1) Typhus fever (2) Malaria (4) Smallpox (5) Measles (6) Scarlet fever (7) W hooping cough (8) Diphtheria and croup (9) Influenza (10) Asiatic cholera (12) Cholera nustras (13)	10,210	12.5	0.7	
2 3 4 5 6 7 8	Typhus fever (2)	3	3.1	(5)	
3	Malaria (4)	2,544	3.1	0.2	
4	Smallpox (5)	339	0.4	(6)	
9	Measies (6)	8,806	10.8	0.6	
7	Whosping sough (2)	2,480	3.0 16.8	0.2	
ģ	Dinbthoric and aroun (0)	2,480 13,728 11,280	13.8	0.8	
g	Influence (10)	244,681	298.9	16.6	
10 11 12 13	Asiatic cholera (12). Cholera nostras (13). Other epidemic diseases (3, 11, 14, 15, 16, 17, 18, 19). Tuberculosis of the lungs (28, 29). Tuberculous meningitis (30). Other forms of tuberculosis (31, 32, 33, 34, 35).	255,001	200.0	10.0	
11	Cholera nostras (13)	ი.99	0.4	(6)	
12	Other epidemic diseases (3, 11, 14, 15, 16, 17, 18, 19)	7,930	9.7	(6) 0.5	
13	Tuberculosis of the lungs (28, 29)	108,365	132.4 7.2	7.4	
14	Tuberculous meningitis (30)	7,930 108,365 5,910 7,765	7.2	0.4	
15 16	Cancer and other malignant tumors (39, 40, 41, 42,	i '	9.5	0.5	١.٨
- 111			79.8	4.4	-10.
17	Simple meningitis (61). Cerebral hemorrhage and softening (64, 65)	8,004	9.8	0.5	
18 19	Cerebrai nemorrhage and soitening (64, 65)	104,009	80.6	4.5	
20	A custo brono bitio (90)	124,668 7,634	152.3 9.3	8.5 0.5	
21	Organic diseases of the heart (79) Acute bronchitis (89) Chronic bronchitis (90)	5 140	6.3	0.3	
22	Pneumonia (92)	5, 149 175, 820	214.8	11.9	
23	Other diseases of the respiratory system (tubercu-	1.0,020	21110	1 11.0	
20	losis excepted) (86, 87, 88, 91, 93, 94, 95, 96, 97, 98)	67, 357	82.3	4.6	
24	Diseases of the stomach (cancer excepted) (102, 103)	11,366	13.9	0.8	
25	Diarrhea and enteritis (under 2 years) (104)	47,753	58.3	3.2	
26	Appendicitis and typhlitis (108)	9,912	12.1	0.7	
27	Hernia, intestinal obstruction (109)	9,350	11.4	0.6	
28	Pneumonia (92).  Other diseases of the respiratory system (tuberculosis excepted) (86, 87, 88, 91, 93, 94, 95, 96, 97, 98).  Diseases of the stomach (cancer excepted) (102, 103).  Diarrhea and entertitis (under 2 years) (104).  Appendicitis and typhihis (108).  Hernia, intestinal obstruction (109).  Cirrhosis of the liver (113).  Acute penhritis and Bright's disease (119, 190).	7,808	9.5	0.5	
24 25 26 27 28 29 30	Acute nephritis and Bright's disease (119, 120)  Noncancerous tumors and other diseases of the	11, 366 47, 753 9, 912 9, 350 7, 808 79, 343	96.9	5.4	
30	Noncancerous tumors and other diseases of the	1	2.0	0.0	
31	female genital organs (128, 129, 130, 131, 132) Puerperal septicemia (puerperal fever, peritonitis)	4,366	5.3	0.3	
91	(137)	5 250	6.4	0.4	
32	Other puerperal accidents of pregnancy and labor (134, 135, 136, 138, 139, 140, 141).  Congenital debility and malformations (150, 151).	3,200	J	""	
-	(134, 135, 136, 138, 139, 140, 141)	12,927	15.8	0.9	
33	Congenital debility and malformations (150, 151)	63, 375	77.4	4.3	
34	Senility (154)	12, 251	15.0	0.8	
35	Violent deaths (suicide excepted) (164, 165, 166, 167,	1 '		ŀ	
	168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179,	l	١		
	Seniity (154) Violent deaths (suicfde excepted) (164, 165, 168, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186)	72, 412 9, 937	88.4	4.9	
36	Sticide (155, 156, 157, 158, 159, 160, 161, 162, 163)	9,937	12.1	0.7	
37	Other diseases (20, 21, 22, 23, 24, 25, 20, 27, 30, 37, 38,		1		-
	40, 41, 48, 49, 00, 01, 02, 03, 04, 00, 00, 01, 00, 04, 00,	ł	ļ		
	90 91 99 93 94 95 99 100 101 105 102 107 110	1		1	
	111 119 114 115 116 117 118 191 199 192 194			1	
	125 126 127 133 142 143 144 145 146 147 148	l	1	1	
	180, 181, 182, 183, 184, 185, 186). Suicide (155, 156, 157, 158, 159, 160, 161, 162, 163). Other diseases (20, 21, 22, 23, 24, 25, 26, 27, 36, 37, 38, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 55, 57, 58, 59, 60, 62, 63, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 80, 81, 82, 83, 84, 85, 99, 100, 101, 105, 106, 107, 110, 111, 112, 114, 115, 116, 117, 118, 121, 122, 123, 124, 125, 126, 127, 133, 142, 143, 144, 145, 146, 147, 148, 149, 152, 153).	165, 279	201.9	11.2	
38	Unknown or ill-defined diseases (187, 188, 189)	15,647	19.1	1.1	
		1		L	

<sup>&</sup>lt;sup>1</sup> Abridged International List of Causes of Death. The title or titles of the detailed International List that are included under each heading are shown by numbers in parentheses.

\* Exclusive of Hawaii.

Exclusive of stillbirths.
Less than one-tenth of 1 per 100,000 population.
Less than one-tenth of 1 per cent.

CAUSE OF DEATH. [Titles in roman; terms in <i>italics</i> .]	NUMBE OND RE UNDER INCLU	VISION) WHICH DED—	Title number of first revision under which for-	CAUSE OF DEATH. [Titles in roman; terms in <i>italics</i> .]	TITLE OF NUMBE OND REUNDER INCLUS	R (SEC- VISION) WHICH DED-	Title number of first revision under which for-
•	1910 to 1919	1900 to 1909	merly in- cluded.	,	1910 to 1919	1900 to 1909	merly in- cluded.
Tetanus. Beriberi (new title). Tuberculosis of the laryna (old title discontinued). Acute miliary tuberculosis (new title). Scrofula (old title discontinued). Rickets (new title). Rheumatism (unqualified). Purpura haemorrhagica. Hemophilia. Neuralgia and neuritis (new title). Endocarditis (unqualified, 60 years of age and over). Myocarditis (unqualified, 60 years of age and over). Ankylostomiasis (new title). Chyluria (new title). Placenta praecia. Childbirth, parturition, etc. (not otherwise defined). Puerperal hemorrhage. Other accidents of labor Puerperal phlegmasia alba dolens, embolus, sudden death. Following childbirth (not otherwise defined). "Inanition" (from disease, under 1 year). (under 3 months): 1900 to 1904. (under 3 months): 1905 to 1909. (3 months and over): 1900 to 1909. (from disease, 1 to 69 years). (from disease, 70 years and over).	27 28 29 34 36 47 55 73 79 106 121 135 136 4 135 4 138	153 151	72 19 26 27 35 148 85 85 85 74 72 107 122 136 140	"Asthenia" (under 1 year). "Behaistion" (la months). "Malnutrition" (1 to 69 years). "Weakness" (70 years and over). "Asthenia" (various forms). "Echaustion" (various forms). "Malnutrition" (various forms). "Malnutrition" (various forms). "Malnutrition" (various forms). "Traumation" (various forms). "Traumatism by food (new title). Traumatism by fall (new title). Traumatism by fall (new title).  Traumatism by fall (new title).  Electricity (lightning excepted) (new title). Homicide by cutting or piercing instruments (new title). Homicide by other means (new title).	152 152 153 6 154 164 166 171 172 175 176 181	151 189 189 189 151 (°) 189 165 168 (°) (°) (°) (°) (°) (°)	179 179 179 151 151 176

DEATH RATES FROM CERTAIN IMPORTANT CAUSES OF DEATH IN THE REGISTRATION AREA AND IN THE ORIGINAL REGISTRATION STATES FOR THE YEARS 1900, 1905, AND 1910 TO 1918.

Rates from 12 important causes or groups of causes | for the years 1900, 1905, and 1910 to 1918 are shown of death in the registration area, exclusive of Hawaii, in the following table:

De- tailed		DEATH RATE PER 100,000 POPULATION IN THE REGISTRATION AREA. <sup>1</sup>													
Int. List No. 1910.	CAUSE OF DEATH.	1900	1905	1910	1911	1912	1913	1914	1915	1916	1917	1918			
	All causes 2.	1,755.0	1,602.0	1, 495. 8	1,415.9	1, 387. 2	1,407.4	1,360.9	1,350.2	1,398.9	1, 419. 4	1,797.2			
1	Typhoid fever	35. 9	27.8	23.5	21. 0	16.5	17. 9	15. 4	12. 4	13.3	13.4	12.5			
6	Measles	12. 5	7.5	12.3	10. 0	7.0	12. 8	6. 8	5. 4	11.1	14.3	10.8			
7	Scarlet fever	10. 2	6.7	11.6	8. 8	6.7	8. 7	6. 6	3. 6	3.3	4.2	3.0			
8	Whooping cough	12. 1	10.6	11.4	11. 3	9.3	10. 0	10. 3	8. 1	10.2	10.4	16.8			
9	Diphtheria and croup Tuberculosis (all forms) *. Cancer. Cerebral hemorrhage, apoplexy.	43.3	23.6	21. 4	18.9	18. 2	18.8	17.9	15.7	14.5	16.5	13.8			
28–35		201.9	192.3	160. 3	158.9	149. 5	147.6	146.8	145.8	141.6	146.4	149.1			
39–45		63.0	71.4	76. 2	74.3	77. 0	78.9	79.4	81.1	81.8	81.6	79.8			
64		67.5	71.6	73. 7	74.7	75. 7	74.6	77.7	79.3	81.3	82.9	79.3			
78, 79	Acute endocarditis and organic diseases of the heart. Pneumonia (all forms) Diarrhea and enteritis (under 2 years) Acute nephritis and Bright's disease	123. 1	143.8	150. 4	148.5	151. 2	147. 1	150. 8	156. 2	159. 4	162. 0	160.5			
91, 92		180. 5	148.8	147. 7	133.7	132. 3	132. 4	127. 0	132. 7	137. 3	149. 8	284.3			
104		108. 8	97.0	100. 8	77.4	70. 3	75. 2	66. 0	59. 5	65. 6	64. 0	58.3			
119, 120		89. 0	103.4	99. 0	97.5	103. 0	102. 9	102. 4	104. 7	105. 2	107. 4	96.9			

<sup>\*</sup> Tuberculosis (all forms) did not include "scrofula" from 1900 to 1909; in the second revision of Causes of Death in 1910, scrofula was included with "tuberculosis of other organs," and in the rates shown for tuberculosis (all forms) scrofula is included for all the years in order that the rates may be comparable.

1 Exclusive of Hawaii.

2 Exclusive of stillbirths.

<sup>1</sup> Transferred from Diseases of nervous system (Class II) to General diseases (Class I), beginning with 1910.

2 Discontinued as a separate title and included with Tuberculosis of the lungs, beginning with 1910.

3 Discontinued as a separate title and included with Tuberculosis of other organs, beginning with 1910.

4 In addition to the changes specified in the table, it should be noted that in the case of the cause classified under titles 135, 136, 139, and 140, numerous changes were made from one title to another in 1910, as the result of which statistics entered under these titles for 1910 and succeeding years are not comparable with earlier years.

5 Changes not effective until 1911.

6 Formerly included under old title 176 (Other external violence). In effect, the title—not title-heading or name—has been discontinued, since the present title 186, although having the same title-heading, bears little resemblance to the former title; three out of the four subtitles of the old "Other external violence" are now classified under titles other than the present "Other external violence."

7 Title under which formerly included (see next column) discontinued.

In the next table are presented for the original registration states (Connecticut, Indiana, Maine, Massachusetts, Michigan, New Hampshire, New Jersey, New York, Rhode Island, and Vermont) and the District

of Columbia, which represent about one-third of the entire population of the registration area, exclusive of Hawaii, data corresponding to those shown in the preceding table for the registration area.

De- tailed	'	DEATH RATE PER 100,000 POPULATION IN THE ORIGINAL REGISTRATION STATES.												
Int. List No. 1910.	CAUSE OF DEATH.	1900	1905	1910	1911	1912	1913	1914	1915	1916	1917	1918		
	All causes 1	1,719.5	1,593.9	1,561.4	1,494.6	1,456.9	1,469.7	1,440.5	1,426.4	1,494.3	1,493.0	1,868.4		
1	Typhoid fever	31.3	22.4	18.0	15. 2	13. 2	12.5	10.8	9. 2	8.8	8.1	6.9		
6	Measles	13.4	7.4	12.6	9. 3	9. 0	11.5	7.3	6. 5	10.6	10.4	. 12.0		
7	Scarlet fever	9.6	6.8	12.2	8. 9	6. 2	8.3	6.6	4. 0	2.9	3.8	3.2		
8	Whooping cough	12.3	9.0	10.7	10. 6	8. 0	9.0	8.8	8. 8	9.1	8.8	15.1		
9	Diphtheria and croup. Tuberculosis (all forms)* Cancer. Cerebral hemorrhage, apoplexy.	40. 4	23.6	22.5	18.5	16.8	19. 2	18.4	15.8	15.1	18.2	16.2		
28-35		195. 2	180.9	164.6	158.4	149.6	148. 6	148.4	146.5	143.5	146.7	149.5		
39-45		63. 5	73.7	82.9	83.6	85.9	88. 7	89.1	91.8	93.7	94.8	93.7		
64		72. 5	80.4	86.1	88.5	87.9	87. 4	92.4	91.6	95.7	99.8	96.0		
78,79	Acute endocarditis and organic diseases of the heart Pneumonia (all forms) Diarrhea and enteritis (under 2 years) Acute nephritis and Bright's disease	128.1	153.7	171.6	171.8	170.7	171.3	179.4	183.1	194.7	198.4	197.7		
91,92		175.5	149.3.	158.8	148.5	146.3	146.7	140.6	148.3	155.1	164.8	333.2		
104		115.9	98.7	103.1	80.9	74.1	75.5	68.3	64.6	63.8	61.7	58.0		
119,120		88.7	101.6	107.3	109.4	113.8	113.0	114.3	112.9	117.5	118.5	106.0		

\* Tuberculosis (all forms) did not include "scrofula" from 1900 to 1909; in the second revision of Causes of Death in 1910, scrofula was included with "tuberculosis of other organs," and in the rates shown for tuberculosis (all forms) scrofula is included for all the years in order that the rates may be comparable.

1 Exclusive of stillbirths.

For the registration area, exclusive of Hawaii, 9 of the 12 titles used in these tables show lower rates in 1918 than in 1917, and for the original registration states lower rates also appear in 1918 than in 1917 for 8 of these 9 titles: Typhoid fever, scarlet fever, diphtheria and croup, cancer, cerebral hemorrhage and apoplexy, acute endocarditis and organic diseases of the heart, diarrhea and enteritis (under 2 years), and acute nephritis and Bright's disease, the rates from typhoid fever and diarrhea and enteritis (under 2 years) being record low rates.

On the other hand, record high rates appear in 1918 from pneumonia (all forms), and whooping cough in both tables. In these tables the highest rates in 1918, as in 1900, are from pneumonia (all forms), acute endocarditis and organic diseases of the heart, and tuberculosis (all forms).

When comparisons of the rates for the earlier years of the series are made with those of recent years, marked decreases are shown in both tables from typhoid fever, scarlet fever, diphtheria and croup, tuberculosis (all forms), and diarrhea and enteritis (under 2 years). The lower rates from typhoid fever, scarlet fever, and diphtheria and croup are especially noteworthy, the rate from each of these causes in 1918 being only about one-third of that for 1900. On the


other hand, the rates in 1918 from cancer and from acute endocarditis and organic diseases of the heart are about one-third higher than the rates for 1900, and the rates in 1918 from acute nephritis and Bright's disease and from cerebral hemorrhage and apoplexy are nearly one-fourth higher than those for 1900. Only from typhoid fever are the rates for each year lower for the original registration states than for the registration area, exclusive of Hawaii.

From cancer, cerebral hemorrhage and apoplexy, and acute endocarditis and organic diseases of the heart, the death rates are higher in each year for the original registration states than for the registration area. Further comparison of the original registration states with the registration area shows that for the former the death rates from tuberculosis (all forms) are lower in each year from 1900 to 1907, and higher in each year, with one exception (1911), from 1908 to 1918. From pneumonia (all forms) the rates are lower from 1900 to 1904, inclusive, and higher from 1905 to 1918, inclusive. From diarrhea and enteritis (under 2 years) the rates are higher in all of the years except 1902, 1903, 1916, 1917, and 1918, and from acute nephritis and Bright's disease the rates are higher for the original registration states in 14 of the 19 years from 1900 to 1918, inclusive.

-12-

The following diagram presents the fluctuations | from the several diseases included in the preceding from year to year, 1900 to 1918, in the death rates | table for the registration area:

DEATH RATES FROM CERTAIN IMPORTANT CAUSES OF DEATH IN THE REGISTRATION AREA OF THE UNITED STATES FOR EACH OF THE YEARS FROM 1900 TO 1918.



TYPHOID FEVER.

The number of deaths from typhoid fever in 1918 is 10,210, corresponding to a death rate of 12.5 per |

100,000 population, which is much lower than the rate for 1917 (13.4), and is next to the record low rate in the period of 19 years from 1900 to 1918, inclusive, the lowest rate in that period being for 1915 (12.4).

In the following table, which shows the rates per 100,000 population for the years 1911 to 1918, and the annual average for the five-year period 1906 to 1910, rates of 40 and higher are printed in bold-faced type.

	DEAT	H RAT		3	IOID F LATION lore in			•	POPU-
AREA.	1918	1917	1916	1915	1914	1913	1912	1911	Annual average, 1906 to 1910.
The registration area 1	12.5	13.4	13.3	12.4	15.4	17.9	16.5	21.0	25.6
Registration states 2.	12.2	13.3	13.2	12.1	15.1	17.8	16:2	20.4	24.6
California	6.3	7.2	7.1	9.7	13.4	15.9	17.2	17.3	23.8
Colorado	13.9	9.4	12.2	12.7	17.0	17.0	15.4	30.3	48.3
Connecticut	5.6	9.3	7.5	12.4	9.2	11.3	10.9	13.5	17.5
Illinois	8.2	(³)	(3)	(3)	(3)	(3)	(8)	(8)	(3)
Indiana	14.0	17.5	21.5	14.9	21.2	25.1	23.5	26.7	34.7
Kansas	24.9	17.7	14.2	10.2	18.9	(3)	(3)	(3)	(3)
Kentucky (total)		34.9	31.0	30.4	41.7	42.7	34.1	46.3	(3)
White		31.5	29.0	27.8	38.9	40.2	31.5	43.7	(8)
Colored		65.2	47.7	52.4	63.6	62.5	54.2	66.8	(3)
Louisiana (total)	37.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
	34.0	(3)	(3)	(3)	(3)	(8)	(3)	(8)	(3)
	42.8	(3)	(3)	(8)	(8)	(8)	(8)	(9)	(3)
	7.5	10.5	11.1	13.4	16.0	12.0	13.7	18.0	18.2
Maryland (total) White Colored Massachusetts Michigan	13.6 36.9 4.0	18.6 16.2 30.8 4.8 12.6	19.4 16.4 34.2 4.7 14.1	23.7 18.5 48.9 6.7 11.7	23.9 21.5 34.9 7.6 13.3	33.3 26.7 63.6 7.9 18.4	27.8 24.5 43.0 7.7 18.6	37.5 33.6 55.5 9.0 19.1	39.1 35.4 55.6 13.7 24.4
Minnesota	19.3	4.3	5.4	6.8	10.1	10.8	10.6	13.5	(4)
Missouri		20.4	19.2	15.4	23.9	24.4	23.1	31.9	(8)
Montana		16.7	11.5	12.8	15.3	22.7	14.0	20.4	(4)
New Etampshire		6.1	5.0	7.7	8.7	11.9	8.7	14.6	15.3
New Jersey		6.7	7.0	6.7	8.2	9.6	11.5	12.0	14.9
New York. North Carolina (total). White. Colored Ohio.	5.5	5.6	5.9	7.6	8.9	10.3	11.6	14.1	17.0
	23.1	29.9	29.2	40.8	56.5	57.4	640.2	670.0	(*)
	18.1	23.5	22.6	31.0	44.6	50.6	34.4	67.2	(*)
	34.2	44.0	43.8	60.1	79.3	70.1	50.8	75.1	(*)
	14.4	13.3	14.9	14.1	18.1	24.0	18.2	22.7	(*)
Oregon. Pennsylvania. Rhode Island. South Carolina (total) White. Colored.	35.4 26.5	(8) 10.4 5.4 31.8 23.1 39.5	(3) 13.6 6.8 34.1 28.1 39.4	(3) 12.3 10.1 (3) (3) (3) (3)	(3) 13.0 8.1 (3) (3) (3)	(3) 18.1 8.3 (3) (3) (3)	(3) 16.4 7.7 (3) (3) (3)	(3) 21.9 9.5 (3) (3) (3)	(3) 36.4 13.1 (3) (3) (3)
Tennessee (total)	26.9 42.8 9.0	38.2 35.2 50.2 13.3 6.9	(3) (3) (3) 10.4 6.3	(3) (3) 9.4 13.0	(3) (3) (3) 15.9 11.6	(3) (3) 22.2 7.8	(3) (3) (3) 14.4 11.2	(3) (3) (3) (3) 19.2 12.3	(3) (3) (3) (4) 15.7
Virginia (total)	18.2 16.0 23.2 5.9 3.8	21.1 15.5 33.7 7.6 5.2	25.1 20.9 34.5 5.1 8.0	23.7 19.5 32.9 8.1 4.8	27.3 23.3 35.5 10.7 6.5	33.3 29.3 41.5 10.3 9.0	(3) (3) (3) 12.4 12.9	(3) (3) (3) 18.3 13.2	(3) (8) (4)

Now.—Populations have been estimated by the arithmetical method. Owing to recent unusual migrations of the population and to the fact that 1918 is far away from the last census year, the estimates are probably far too high in some cases and far too low in others.

1 Exclusive of Hawaii.
2 Including the District of Columbia.
8 Not added to registration area until a later date.
4 Figures for deaths not available for the entire period.
5 Figures relate only to municipalities having a population of 1,000 or more in 1910.
6 Figures relate only to municipalities having a population of 1,000 or more in 1900.

It should be noted that the death rate of the colored population from this disease is almost invariably much higher than that for the white.

In 1918 no state shows a rate as high as 40. Louisiana shows the highest rate (37.6), followed by South Carolina (35.4), Tennessee (30.1), Kentucky (27), and North Carolina (23.1). The states showing the lowest rates are Minnesota (3.7), Wisconsin (3.8), Massachusetts (4), New Hampshire (4.5), and Rhode Island (5.3).

### MALARIA.

The number of deaths from malaria in 1918 is 2,544, corresponding to a rate of 3.1 per 100,000 population against a rate of 3.2 in 1917. The death rate from this cause was 7.9 in 1900, but after that year there was a continued decrease until 1910, for which year the rate was 2.2. Since that time the rate has ranged between 2.2 and 3.2.

The following table shows the rates per 100,000 population for the years 1911 to 1918 and the annual average for the five-year period 1906 to 1910, rates of 10 and higher being printed in bold-faced type:

						100	000 =			
	DEA	th rat [Ra					aced t		MON.	
AREA.	1918	1917	1916	1915	1914	1913	1912	1911	An- nual aver- age, 1906 to 1910.	
The registration area 1 Registration states 2.	3.1 2.9	3.2 3.0	3.0 2.8	2.3 1.7	2.2 1.9	2.5 2.1	3.1 2.6	3.0 2.4	2.6 1.6	•
California	1.3 (3) 1.3 1.2	1.3 0.2 0.7 (4) 1.2	1.4 0.5 0.6 (4) 1.4	1.8 0.2 1.4 (4) 2.1	1. 9 1. 0 (4) 2. 5	2.1 1.4 (4) 2.6	3.1 0.1 2.1 (4) 2.8	4.0 0.4 1.9 (4) 4.0	3.5 0.6 3.4 (4) 4.5	
Kansas Kencucky (total) · White · Colored	1.1 4.7 3.9 11.5	2.2 5.7 4.5 16.3	2.0 6.4 5.4 14.9	1.5 6.4 5.5 13.6	2.2 7.0 5.7 17.1	(4) 8.1 6.6 20.2	(4) 9.6 8.1 21.1	(4) 10.3 8.9 20.9	£	
Louisiana (total) White Colored Maine.	27.9 21.5 37.2 0.3	( <del>)</del>	(4) (4) (6.1	(*) (*) (*)	(4) (4) 0.9	(1) (1) (1) (1)	(4) (4) (0.4	(4) (4) (4) 0.4	(4) (4) (0.9	
Maryland (total) White Colored Massachusetts Michigan	0.4 0.4 0.1	0.9 0.3 3.5 0.1 0.3	1.2 0.7 3.9 0.2 0.2	1.1 0.6 3.5 0.2 0.4	1.0 0.7 2.5 0.2 0.7	1.7 1.3 3.8 0.4 0.6	1.8 1.4 3.8 0.2 0.8	1.1 0.6 3.4 0.4 1.0	2.5 2.1 4.5 0.8 1.3	-14-
Minnesota	8.1 0.4 0.4	0.1 10.4 0.2	(3) 11.0 0.2 0.2 0.3	11.4 0.5 0.5	0.1 10.8 0.9 0.3	(3) 12.7 0.2 0.5	0.1 19.1 0.2 1.2	0.1 15.3 1.0	(6) (4) (5) 1.1 1.4	
New York North Carolina (total). White Colored Obio.	0.3 7.7 4.5 14.8 0.5	0.3 11.0 7.0 19.8 0.3	0.3 14.0 9.2 24.6 0.4	0.4 614.0 7.4 26.7 0.5	0.5 521.8 12.6 39.3 0.6	0.4 718.9 11.3 32.9 0.9	0.5 734.5 24.4 53.0 0.7	0.7 723.2 16.1 36.4 0.9	1.3 (5) (5) (5) (5) (5)	
Oregon Pennsylvania Rhode island South Carolina (total) White Colored	0.1 0.2 0.2 31.8 12.4 48.9	(4) 0.2 0.5 34.3 12.6 53.2	0.2 0.7 39.0 16.3 58.7	(4) 0.4 0.2 (4) (4) (4)	(4) 0.2 0.8 (4) (4) (4)	(4) 0.4 0.7 (4) (4)	(4) 0.5 0.4 (4) (4) (4)	(4) 0.5 1.1 (4) (4)	(4) 0.8 1.7 (4) (4)	
Tennessee (total)	14.0 9.2 33.2 0.3	19.1 14.7 36.5	(4) (4) (4) 0.2	(4) (4) 0-8	(4) (4) (4) 0.2 0.3	(4) (4) 1.0 0.6	(4) (4) (4) -0.3	(4) (4) (4) 1.4	(4) (4) (5) 1.0	
Virginia (total)	3.7 2.0 7.6 0.1	5.6 2.7 11.9 0.3 (3)	6.6 3.7 13.1 0.1 (3)	7.0 2.8 16.4 0.3 (²)	7.9 3.7 16.4 0.1 0.1	7.1 4.3 13.0 0.1 0.3	(4) (4) (4) 0.1 0.4	(4) (4) (4) 0.2 0.2	(\$) (\$) (\$) (\$) (\$)	

Nore.—Populations have been estimated by the arithmetical method. Owing to recent unusual migrations of the population and to the fact that 1918 is far away from the last census year, the estimates are probably far too high in some cases and far too low in others.

Exclusive of Hawaii.

2 Exclusive of Hawaii.

2 Including the District of Columbia.

3 Less than one-tenth of 1 per 100,000 population.

4 Not added to registration area until a later date.

5 Figures for deaths not available for the entire period.

6 Figures relate only to municipalities having a population of 1,000 or more in 1910.

7 Figures relate only to municipalities having a population of 1,000 or more in 1900.

Mortality from malaria is very much higher among the colored population than among the white. This is brought out clearly in the table, where, for example, in 1918 South Carolina shows a rate for the colored about four times the rate for the white population.

States having rates above 10 per 100,000 in 1918 are South Carolina (31.8), Louisiana (27.9), and Tennessee (14). Other states with rates well above the rate for the registration area as a whole (3.1 per 100,-000) are Missouri (8.1), North Carolina (7.7), Kentucky (4.7), and Virginia (3.7). Three states (Colorado, Utah, and Wisconsin) do not show any rates for malaria.

### SMALLPOX.

It has been many years since smallpox was the cause of high mortality, and data are now presented only to show how few deaths have been due to this disease in recent years.

Since 1900, the year for which the first annual report was published, smallpox has never reached a rate as high as 7 per 100,000 population for the registration area. The highest rate from this cause in any year from 1900 to 1918 is 6.6 in 1902; while in 1903 it is 4.2; in 1901, 3.5; 2.1 in 1904; and 1.9 in 1900. With the exception of these five years the rate for the registration area has never reached 1 per 100,000 population.

The following table shows the rates per 100,000 population for 1911 to 1918 and the annual average for the five-year period 1906 to 1910:

	DEA	TH RAT	E FROZ	M SMAL	lpox 1	ER 100	,000 PC	PULAT	ION.
AREA.	1918	1917	1916	1915	1914	1913	1912	1911	Annual average, 1906 to 1910.
The registration area 1 Registration states 2.	0.4 0.4	0.3 0.2	0.2 0.1	0.3 0.1	0.3 0.2	0. 2 0. 2	0.3 0.2	0. 2 0. 2	0.2 0.2
California Colorado	0.1	0.5 0.1 0.2	0.4 0.2	0.1	(3) 0.1	0, 6	0.6 0.1	0.4	0. 5 0. 4
Connecticut Illinois Indiana	0.2 0.8	(4) 0.5	(3)	(4) 0.4	(4) 0.3	(4)	(4) 0.4	(°) 0.1	(4) 0.2
Kansas Kentucky (total) White Colored	1.4 0.5 0.5 0.4	0.4 0.1 0.1 0.4	0.2 0.2 0.2	0.6 (3) (3)	0.5 0.8 0.7 1.5	0.2 0.2	(4) 0.1 0.1	0.2 0.2	9333
Louisiana (total) White Colored Maine	0.6	(4) (4)	(4) (4) (4)	(4) (4)	(4) (4) (4) 0.3	(1) (4) (4) 0.3	(4) (4) (4) 0.5	(\$)	(3)
Maryland (total) White Colored Massachusetts Michigan		0.1 0.1 0.3 0.3	0.1	0.3 0.2	0.6 0.1 2.9	0.2 0.1 0.4 0.1	0.1 0.1 0.1 0.1 0.1	0.1 0.2	0. i 1. 1
Minnesota Missouri Montana New Hampshire New Jersey	0. 4 2. 4 1. 2	0.9 0.9 1.3	(3) 0.3 0.4 0.2	0.3 0.4 0.2 (3)	0.3 0.5 1.2	0.6 0.3 0.7 0.5	0.2 0.4 0.5 0.5 0.1	0.3 0.9	(5) (4) (5) (3)
New York North Carolina (total) White Colored Ohio	(3) 0.1 0.1 0.1 0.4	(3) 0.5 0.4 0.9 0.2	(3) 0.5 0.3 1.1 0.1	6 1. 2 1. 2 1. 2 0. 1	(3) 6 2. 1 1. 0 4. 3 0. 3	(3) 7 2. 5 3. 1 1. 4 0. 1	0.1 71.0 0.8 1.5 (4)	0.1 71.1 1.2 0.8 0.1	0.1 (5) (6) (5) (6)
Oregon Pennsylvania Rhode Island	(3)	(4)	(4) 0.2	(4)	(4) (8)	(4) 0.1	(4) 0.5	(4) 0.1	(s)

	DEATH BATE FROM SMALLPOX PER 100,000 POPULATION.											
AREA.	1918	1917	1916	1915	1914	1913	1912	1911	An- nual aver- age, 1906 to 1910.			
South Carolina (total) White Colored	0.1		0.2	(4) (4) (4)	(4)	(4) (4) (4)	(4) (4) (4)	(4) (4)	(\$) (\$) (\$)			
Tennessee (total)	0.7 0.6 1.1 2.2	0.2 0.2 0.2 0.9	(4) (4) (4) 0.3	(4) (4) (4) 0.3	(4) (4) (4) 0.5	(4) (4) (4) 1.5	(4) (4) (4) 1.8 0.3	(4) (4) (4) 2.3	(4) (4) (5) (5)			
Virginia (total) White Colored Washington Wisconsin	0.1	0.1 0.1 0.1 0.1 0.1	(3) 0.1 0.1 0.1	0.2 0.1 0.4 0.1 0.2	0.8 0.4 1.7 0.2 0.2	0.4 0.1 1.0 0.1 0.1	(4) (4) (4) 0.1 0.2	(4) (4) (4) 0.2 0.1	(4) (4) (6) (6) (6)			

Note.—Populations have been estimated by the arithmetical method. Owing to recent unusual migrations of the population and to the fact that 1918 is far away from the last census year, the estimates are probably far too high in some cases and

from the last census year, the estimates are probably far too high in some cases and far too low in others.

1 Exclusive of Hawaii.
2 Including the District of Columbia.
3 Less than one-tenth of 1 per 100,000 population.
4 Not added to registration area until a later date.
5 Figures for deaths not available for the entire period.
6 Figures relate only to municipalities having a population of 1,000 or more in 1910.
7 Figures relate only to municipalities having a population of 1,000 or more in 1900.

The danger of smallpox, however, among an unvaccinated population must not be lost sight of, and the highest rates in 1918, in Missouri and Utah (2.4 and 2.2, respectively), should serve as a warning.

### MEASLES.

The number of deaths from measles in 1918 is 8,806, or 10.8 per 100,000 population. While this rate is lower than those for 1917 and 1916 (14.3 and 11.1, respectively), it still is in striking contrast with that for 1915 (5.4), the lowest rate on record in the annual mortality reports, the first of which was published in 1900.

The following table shows the rates per 100,000 population for the years 1911 to 1918, and the annual average for the five-year period 1906 to 1910, with rates of 20 and higher in bold-faced type.

	DEAT			M MEA			•		ion.
ABEA.	1918	1917	1916	1915	1914	1913	1912	1911	Annual average, 1906 to 1910.
The registration area <sup>1</sup> Registration states <sup>2</sup> .	10.8 10.7	14.3 14.2	11.1 11.5	5.4 5.2	6.8 6.9	12.8 13.0	7.0 7.3	10.0 9.9	10.8 11.1
California	6.3 5.2 6.9 5.6 5.0	7.5 14.6 10.2 (3) 20.2	2.3 3.8 12.1 (3) 7.3	5.4 2.2 5.0 (3) 2.5	6.1 9.3 12.0 (3) 5.4	5.8 4.0 8.5 (3) 16.1	5.5 1.9 10.1 (3) 2.5	3.2 15.0 8.2 (3) 9.6	6.6 11.0 9.9 (3) 8.2
Kansas Kentucky (total) White Colored	17.1 17.1 18.4 6.2	15.9 40.1 41.3 29.4	8.6 7.9 8.4 4.0	4.0 3.6 3.8 1.6	4.3 11.5 12.2 5.9	(3) 17.0 18.4 6.0	(³) 2.3 2.4 1.1	(3) 19.7 19.9 18.6	(3) (3) (3) (3)
Louisiana (total) White Colored Maine	18.6 20.7 15.5 12.9	(3) (2) (3) (3) 19.6	(3) (3) (3) 1.9	(3) (3) (3) 2.3	(3) (3) (8) 5.6	(3) (3) (3) 8.2	(3) (3) (3) 7.7	(8) (3) (3) 4.1	(3) (3) (3) (8.1

(See footnotes at end of table.)

	DEAT						0,000 P		non.
AREA.	1918	1917	1916	1915	1914	1913	1912	1911	Annual average, 1906. to 1910.
Maryland (total) White Colored Massachusetts Michigan	10.8 14.3 13.6	8.7 8.2 11.3 10.0 8.9	7.9 8.0 7.4 12.7 11.4	2.5 2.2 3.9 7.4 3.4	1.8 1.4 3.7 5.5 5.9	15.1 14.2 19.2 14.1 8.6	2.7 3.0 1.3 11.3 3.9	9.9 10.0 9.8 8.9 6.9	7.4 6.9 9.7 10.7 8.4
Minnesota Missouri Montana New Hampshire New Jersey	11.0	5.6 25.0 9.7 11.5 4.8	12.6 15.6 7.8 10.6 13.1	3.9 4.5 1.6 2.0 7.8	3.6 12.2 6.2 8.4 8.1	9.5 13.1 12.9 12.4 7.8	1.0 1.7 1.5 4.4 11.0	5.3 18.7 12.5 9.2 10.7	(4) (3) (4) 5.9 8.8
New York	18.1	9.0 42.8 47.0 33.8 11.0	9.9 7.1 6.9 7.6 15.8	8.8 50.6 0.9 4.3	8.6 510.8 12.9 6.8 4.8	11.5 627.0 32.3 17.2 13.7	10.8 610.9 11.6 9.6 8.2	10.6 615.5 14.4 17.4 6.4	13.7 (4) (4) (4) (4)
Oregon Pennsylvania. Rhode Island. South Carolina (total) White. Colored.	∤ 22. b	(3) 6.1 11.8 40.2 54.2 28.0	(3) 18.1 23.4 4.6 4.9 4.4	(3) 6.7 10.0 (3) (3) (3)	(3) 6.7 9.6 (3) (3)	(3) 19.5 12.2 (3) (3) (3)	(3) 10.6 20.6 (3) (3) (3)	(3) 10.3 4.1 (3) (3) (3)	(3) 15.3 18.2 (3) (3) (3)
Tennessee (total)	1 7.5	33.9 35.3 28.6 23.7 21.4	(3) (3) (3) 8.5 6.6	(3) (3) (3) 0.9 0.8	(3) (3) (3) 2.9 1.1	(3) (3) (3) 31.6 20.3	(3) (3) (3) 3.8 7.2	(3) (3) (8) 10.9 10.6	(3) (3) (3) (4) 8.4
Virginia (total)	9.7 5.4	16.2 17.6 13.0 12.5 2.9	18.6 16.5 23.3 5.5 11.8	2.7 2.5 3.0 1.2 2.1	5.4 6.0 4.1 3.6 6.0	17.1 17.6 15.9 8.0 7.6	(8) (3) (3) 1.2 5.2	(3) (3) (3) 5.6 10.7	(3) (3) (3) (4) (4)

Note.—Populations have been estimated by the arithmetical method. Owing to recent unusual migrations of the population and to the fact that 1918 is far away from the last census year, the estimates are probably far too high in some cases and far too low in others.

1 Exclusive of Hawaii.
2 Including the District of Columbia.
3 Not added to registration area until a later date.
4 Figures for deaths not available for the entire period.
5 Figures relate only to municipalities having a population of 1,000 or more in 1910.
6 Figures relate only to municipalities having a population of 1,000 or more in 1900.

Comparing the registration states for 1918 and 1917, decreases are shown for 1918 by 19—California, Colorado, Connecticut, Indiana, Kentucky, Maine, Michigan, Minnesota, Missouri, Montana, New Hampshire, North Carolina, Ohio, South Carolina, Tennessee, Utah, Vermont, Virginia, and Washington. Only 1 state—South Carolina—shows a rate in excess of 20. There are 583 deaths of soldiers, sailors, and marines included in the total for measles, and of this number, 69 were reported from Kentucky, 65 from Kansas, 63 from South Carolina, 52 from North Carolina, and 40 from New Jersey.

### SCARLET FEVER.

The number of deaths from scarlet fever in 1918 is 2,480, corresponding to a rate of 3 per 100,000 population, which is the lowest rate recorded from this disease since the publication of the first annual mortality report in 1900.

The following table shows the rates per 100,000 population for 1911 to 1918 and the annual average for the five-year period from 1906 to 1910, rates of 20 and higher being in bold-faced type.

	D			PO	TLATI	ON.	ced ty		00 .	
AREA.	1918	1917	1916	1915	1914	1913	1912	1911	An- nual aver- age, 1906 to 1910.	•
The registration area 1 Registration states 2	3.0 3.1	4.2 3.5	3.3 3.1	3.6 3.6	6.6 6.6	8.7 7.7	6.7 6.0	8.8 8.5	10.6 10.5	
CaliforniaColoradoComecticutIllinoisIndiana	1.9 4.5 2.9 2.7 4.5	2.0 1.8 1.7 (3) 5.0	1.5 3.8 2.7 (3) 3.7	2.3 6.2 3.1 (3) 3.6	3.4 10.4 6.8 (3) 4.1	3.3 17.2 9.7 (3) 7.3	1.6 10.0 7.3 (3) 4.1	3.6 9.9 9.0 (³) 6.6	3.4 21.0 8.0 (³) 5.0	
Kansas Kentucky (total) White Colored	4.3 2.0 2.2 0.4	3.1 2.1 2.3 0.4	3.4 2.4 2.5 0.8	1.8 2.3 2.5 1.2	1.8 2.6 2.8 1.5	(8) 2.4 2.7	(3) 2.8 3.1 1.1	(3) 3.7. 4.1 0.8	(8) (8) (8) (8)	
Louisiana (total) White Colored Maine	0.3 0.4 1.7	(3) (3) (8) 0.8	(3) (3) (3) 0.5	(3) (3) (3) 1.7	(3) (3) (3) 2. 2	(3) (3) (3) 2.2	(3) (3) (3) 2.1	(3) (3) (3) (2.1	(3) (3) (3) 3.0	
Maryland (total) WhiteColored Massachusetts Michigan	1.7 1.9 0.9 2.0 5.7	1.7 1.9 0.9 3.1 11.1	3.8 4.2 1.7 3.5 5.8	5.8 5.6 5.5 3.6	5.7 6.2 3.3 7.0 6.0	5.2 6.0 1.3 8.8 9.6	2.7 3.0 0.8 3.8 6.3	5.0 5.9 1.3 5.7 7.1	5.0 5.8 1.1 8.7 8.7	
Minnesota Missouri Montana New Hampshire New Jersey	6.7 3.2 14.8 1.8 2.1	4.0 4.8 18.2 1.8 1.9	5.3 5.3 4.1 1.4 2.5	6.5 2.2 3.6 1.6 3.5	15.0 6.3 7.6 5.7 8.6	8.5 4.3 28.4 3.0 8.4	4.8 4.3 6.4 2.3 5.4	9.0 9.7 9.4 3.7 8.4	(4) (8) (4) 2.6 13.3	-17-
New York North Carolina (total) White Colored Ohio	3.0 1.0 1.3 0.4 3.3	2.7 1.7 2.2 0.5 3.8	2.0 2.6 3.5 0.5 4.1	4.3 51.6 2.5	7.3 5 0.6 0.6 0.6 4.7	9.2 62.8 3.5 1.4 6.5	8.5 62.6 3.2 1.5 8.0	12.6 6 2.1 2.9 0.8 10.3	14.9 (4) (4) (4)	
Oregon	1.7 2.0 3.9 0.5 1.0	(3) 2.6 4.6 1.3 1.7 0.9	(8) 2.8 5.0 2.4 4.0 1.0	(3) 3.6 4.5 (3) (3) (3)	(3) 10.4 7.8 (3) (3) (3)	(3) 11.3 3.6 (3) (3) (3)	(3) 6.9 7.4 (3) (3) (3)	(3) 9.6 10.4 (3) (3) (3)	(3) 12.8 12.0 (3) (5)	
Tennessee (total)	11.0	2.1 2.5 0.6 8.6 5.2	(3) (3) (3) 5.8 3.6	(3) (3) (2.8 1.1	(3) (3) (3) 3.4 3.3	(3) (3) (8) 3.7 5.0	(3) (3) (3) 4.6 2.5	(3) (3) (3) 14.5 1.4	(3) (3) (3) (4) 2.7	
Virginia (total)	เกร	0.8 1.0 0.3 1.3 9.9	1.3 1.8 0.3 0.8 5.0	1.1 1.4 0.4 0.5 3.6	1.8 2.6 1.8 8.8	2.6 3.6 0.4 2.3 8.1	(3) (3) (8) 1.6 11.9	(3) (3) (3) 4.6 9.4	(3) (3) (3) (4) (4)	

Note.—Populations have been estimated by the arithmetical method. Owing to recent unusual migrations of the population and to the fact that 1918 is far away from the last census year, the estimates are probably far too high in some cases and

from the last census year, the estimates are probably and the last census year.

1 Exclusive of Hawaii.

2 Including the District of Columbia.

8 Not added to registration area until a later date.

4 Figures for deaths not available for the entire period.

5 Figures relate only to municipalities having a population of 1,000 or more in 1910.

6 Figures relate only to municipalities having a population of 1,000 or more in 1900.

Fifteen of the 27 states for which comparisons can be made have lower rates in 1918 than in 1917. The states showing the highest death rates from scarlet fever in 1918 are Montana (14.8), Utah (11), Wisconsin (7.9), and Minnesota (6.7). The states showing the lowest rates are Louisiana (0.3), South Carolina (0.5), North Carolina (1), and Virginia (1.1).

### WHOOPING COUGH.

The number of deaths from whooping cough in 1918 is 13,728, with a death rate of 16.8 per 100,000 population, as against a rate of 10.4 in 1917. The rate 16.8 is the highest for any year in the annual mortality reports, the first of which was published in 1900; the next highest rate (15.8) throughout this period was for 1903.

The following table shows the rates per 100,000 population for 1911 to 1918 and the annual average for the five-year period 1906 to 1910, rates of 20 and higher being in bold-faced type.

	DE.			OM W.	ULATIO	ON.		•	000
ARGA.	1918	1917	1916	1915	1914	1913	1912	1911	Annual average, 1906 to 1910.
The registration area 1 Registration states 2.	16.8 16.8	10. 4 10. 5	10. 2 10. 6	8.1 8.3	10.3 10.3	10.0 10.3	9.3 9.3	11.3 11.2	11.5 11.8
California	9.8 14.4 20.9 11.0 17.6	6. 7 5. 9 8. 2 ( <sup>3</sup> ) 9. 7	7. 2 4. 7 12. 5 (8) 9. 3	4.7 9.4 11.7 (3) 5.9	10. 6 8. 6 11. 5 (3) 10. 1	4. 4 7. 5 7. 6 (3) 11. 7	6.9 11.7 10.0 ( <sup>8</sup> ) 8.5	6. 4 6. 7 14. 0 (3) 10. 0	7.7 12.2 12.8 (3) 12.3
Kansas Kentucky (total) White Colored	11.7 37.0 34.7 57.6	6.9 20.7 19.5 30.6	5.0 13.4 12.1 24.2	10.0 8.4 7.6 15.6	8.5 14.8 13.6 24.2	(8) 23.3 21.7 35.2	(8) 15.0 13.5 26.4	(8) 19.0 17.2 32.6	(8) (8) (8) (3)
Louisiana (total) White Colored Maine	14.2	(3) (3) (3) 5.8	(3) (3) (3) 16. 2	(3) (3) (2) 10.4	(3) (3) (3) (3) 12.5	(3) (3) (3) (3) 5.1	(3) (3) (3) (3) 7. 2	(3) (3) (3) 9.8	(3) (3) (3) 10.8
Maryland (total)	87.3	9.9 7.1 23.9 6.3 11.8	12.7 7.7 37.2 10.7 7.5	6.8 4.7 16.9 12.8 7.8	14.5 9.3 38.6 8.4 9.7	15. 4 10. 1 39. 8 8. 6 9. 4	11.0 7.3 27.8 9.7 8.5	14.7 10.1 35.8 14.6 8.5	18.5 11.6 49.2 13.2 10.9
Minnesota Missouri Montana New Hampshire New Jersey	15.2 13.2	4.1 9.5 9.1 12.4 9.7	9.7 11.0 17.2 12.0 9.3	7.3 8.1 8.1 10.9 8.6	8.7 12.7 4.2 11.9 9.5	6.6 9.2 11.0 9.4 12.9	9.8 12.4 13.8 9.7 7.2	8. 2 12. 9 6. 9 12. 2 12. 6	(4) (3) (4) 13.3 12.8
New York North Carolina (total) White Colored Ohio	26. 6 20. 9 45. 5	8.6 23.1 18.0 34.3 11.4	7.8 16.7 10.7 29.9 13.3	7.7 6 14.4 9.9 23.1 7.0	7.1 516.5 12.3 24.6 7.5	7. 9 628. 7 23. 3 38. 6 13. 7	6.6 624.6 17.6 37.6 8.9	8. 4 6 46. 2 21. 9 91. 0 11. 4	8.3 (4) (4) (4) (4)
Oregon. Pennsylvania. Rhode Island. South Carolina (total) White. Colored.	24, 6 45, 4 26, 2	(3) 10.3 7.8 12.4 3.8 19.9	(8) 12. 2 7. 7 17. 2 9. 9 23. 4	(3) 6.8 18.7 (2) (3)	(3) 11.4 13.9 (8) (8) (8) (2)	(3) 11.1 6.9 (3) (3) (3) (3)	(8) 10.2 9.5 (3) (3) (3)	(8) 12.7 21.7 (3) (3) (3)	(3) 16.5 12.2 (3) (3) (3)
Tennesee (total) White_ Colored Utah. Vermont.	21.8 32.7 13.0	17.8 16.0 25.0 3.6 8.5	(3) (3) (3) 7.4 12.4	(8) (8) (8) 20.3 6.3	(3) (3) (8) 11.8 10.0	(3) (3) (8) 9.9 11.1	(8) (8) (3) 17.7 6.7	(3) (3) (3) 6.8 7.6	(3) (3) (3) (4) (4) 10.6
Virginia (total)	21.8 56.0 4.3	22. 4 13. 9 41. 5 7. 1 8. 3	20, 1 13, 7 34, 3 5, 0 7, 0	14, 6 9, 4 26, 3 2, 9 7, 7	31. 6 18. 7 58. 4 4. 0 5. 8	13. 2 12. 5 14. 7 7. 7 7. 4	(3) (8) (8) 5.5 8.3	(3) (3) (8) 5.7 8.7	(3) (3) (3) (4) (4)

Note.—Populations have been estimated by the arithmetical method. Owing to recent unusual migrations of the population and to the fact that 1918 is far away from the last census year, the estimates are probably far too high in some cases and

from the last census year, the estimates are property far too man in the state of far too low in others.

1 Exclusive of Hawaii.

2 Including the District of Columbia.

3 Not added to registration area until a later date.

4 Figures for deaths not available for the entire period.

5 Figures relate only to municipalities having a population of 1,000 or more in 1910.

6 Figures relate only to municipalities having a population of 1,000 or more in 1900.

Of the 27 states for which rates are shown for 1917 25 have higher rates in 1918. Nine states show rates in excess of 20—South Carolina (45.4), Kentucky (37), Maryland (33.5), Virginia (32.2), North Carolina (28.6), Rhode Island (24.6), Tennessee (24), New Hampshire (22.4), and Connecticut (20.9).

The high rates for the Southern states here mentioned are due chiefly to their large colored populations, among which the mortality from this disease is generally more than twice as high as among the white population. Comparatively low rates are shown for Washington (4.3), Oregon (5.4), Maine (7.5), Wisconsin (7.7), and California (9.8).

### DIPHTHERIA AND CROUP.

The expression "diphtheria and croup" is used as a title in the International List, but as deaths from "croup" are really deaths from diphtheria, the term croup is now seldom seen upon death certificates.

The total number of deaths from diphtheria and croup in 1918 is 11,280, corresponding to a rate of 13.8 per 100,000 population. In 1900 the death rate from this cause in the registration area was 43.3. If we assume that these figures measure the reduction in the death rate from this cause since 1900, then in round numbers there is a saving of over 30,000 lives in 1918 in the United States to be credited to the advancement made in the treatment and prevention of this disease.

The following table shows the rates per 100,000 population for the years 1911 to 1918, and the annual average for the five-year period from 1906 to 1910, rates of 20 and higher being printed in bold-faced type:

	DEAT	e rati [Ra		POR	PULATIO				0,000
AREA.	1918	1917	1916	1915	1914	1913	1912	1911	An- nual aver- age, 1906 to 1910.
The registration area 1 Registration states 2.	13.8 13.8	16. 5 15. 7	14.5 14.0	15.7 15.2	17.9 17.3	18.8 18.2	18.2 17.6	18.9 18.3	22. 4 22. 4
CaliforniaColoradoConnecticutIlinoisIndiana.	7. 5 8. 0 15. 9 18. 2 15. 1	6. 8 5. 4 18. 7 (8) 15. 8	9. 9 4. 3 15. 3 (8) 13. 9	11. 0 5. 6 16. 0 (3) 10. 9	9. 5 7. 1 19. 6 (3) 14. 0	6.8 7.5 19.1 (3) 18.6	5. 9 6. 5 17. 1 (3) 19. 1	6.5 11.8 21.9 (²) 14.1	13.1 18.2 22.6 (3) 13.7
Kansas Kentucky (total) White Colored	6.4 13.5 14.4 5.8	8.2 15.1 16.1 6.5	10.6 17.1 17.7 12.5	13.2 24.4 25.7 12.8	9.4 21.9 23.3 11.2	(3) 24.6 26.4 10.9	31.9 34.9 8.3	24. 8 26. 8 9. 1	(3) (3) (3) (3)
Louisiana (total) White Colored Maine	5.2 5.7 4.4 7.8	(3) (3) (8) 9.4	(3) (3) (8) 7.5	(3) (8) (8) 11.1	(3) (8) (3) 11.3	(3) (8) (8) 11.6	(3) (8) (3) 13.1	(3) (3) (3) (3) 10.0	(3) (3) (3) 15.0
Maryland (total)	15.7	10.0 10.9 5.2 22.1 27.8	12.5 13.8 6.1 16.8 16.3	13.5 14.8 7.4 20.0 12.0	13.2 14.5 7.1 18.2 17.2	15.3 15.9 12.1 17.6 23.0	15.3 17.0 7.6 14.2 16.1	12.8 13.0 11.9 16.8 16.5	16.2 16.7 14.1 23.0 15.6
Minnesota Missouri Montana New Hampshire New Jersey	13.5 9.3 8.3	10.9 17.3 8.5 10.8 14.8	7.5 15.7 8.3 10.8 15.7	8.5 20.2 4.7 7.3 17.6	16.2 20.5 8.3 10.3 21.8	10.0 17.5 5.5 12.8 21.3	7.8 18.0 3.2 19.8 18.6	15.0 20.4 7.6 15.7 21.7	(4) (8) (4) 21. 0 27. 4
New York	6.5	16. 8 12. 9 14. 9 8. 7 14. 3	14.9 17.1 20.0 10.6 12.1	17.4 511.7 15.2 4.9 13.2	20.6 518.0 20.3 13.5 15.6	19.5 612.8 12.1 14.3 21.3	17. 3 6 14. 0 15. 2 11. 8 22. 4	20.9 510.4 10.7 9.9 15.0	28. 4 (4) (4) (4) (4) (4)
Oregon Pennsylvania Rhode Island South Carolina (total) White Colored	20.3 16.0 8.4	(8) 23. 3 24. 6 9. 6 12. 2 7. 3	(3) 19.4 23.1 8.5 11.8 5.6	(3) 19.5 16.4 (3) (3) (3)	(8) 23.3 18.3 (8) (3) (3)	(3) 25. 9 24. 3 (3) (3) (3)	(3) 25, 6 24, 1 (3) (3) (3)	(3) 27. 0 25. 6 (3) (3) (3)	29.1 29.1 24.6 (*) (*)
Tennessee (total) White Colored Utah Vermont	13.3	14.6 16.2 8.3 9.7 7.9	(3) (3) (3) 14.5 6.6	(3) (3) (3) 11.5 11.0	(3) (3) (3) 9.4 10.5	(3) (3) (3) 8.2 9.7	(8) (8) (8) 5.8 5.9	(3) (3) (3) 22.1 6.7	(8) (3) (4) (4) 11.8
Virginia (total)	5.2	10.0 11.6 6.3 3.1 13.8	14.4 16.9 8.8 2.4 9.2	17. 2 19. 1 13. 0 2. 7 0. 6	15.8 18.3 10.7 3.3 13.2	14.2 16.7 8.9 3.1 12.4	(3) (3) (3) 5.5 12.5	(3) (3) (3) 8.5 13.6	33344

Note.—Populations have been estimated by the arithmetical method. Owing to recent unusual migrations of the population and to the fact that 1918 is far away from the last census year, the estimates are probably far too high in some cases and far too low in others.

ir too low in others.

1 Exclusive of Hawaii.

2 Including the District of Columbia.

3 Not added to registration area until a later date.

4 Figures for deaths not available for the entire period.

5 Figures relate only to municipalities having a population of 1,000 or more in 1910.

6 Figures relate only to municipalities having a population of 1,000 or more in 1900.

A lower rate is shown in 1918 than in 1917 for the registration area and in 20 of the 27 states which have comparable rates for these two years.

The highest rates among the states are for Michigan (21.9), Pennsylvania (20.3), Illinois (18.2), New Jersey (16.8), New York (16.7), and Rhode Island (16). Very low rates are shown for Oregon (3.6), Washington and Louisiana (each 5.2), Kansas (6.4), and Vermont (7.1).

### INFLUENZA AND PNEUMONIA (ALL FORMS).

In 1918 in the registration area (exclusive of Hawaii) 477,467 deaths were assigned to influenza and pneumonia (all forms). In the latter part of that year a pandemic of influenza swept over the country and did not fully spend its force until well into 1919.

In studying the effects of the pandemic of influenza it is not believed to be best to study separately influenza and the various forms of pneumonia, bronchitis, and the respiratory diseases, for doubtless many cases were returned as influenza when the deaths were caused by pneumonia, and vice versa. The best method therefore seems to be to study as one group deaths from influenza and pneumonia (all forms), disregarding deaths from the other respiratory diseases, which were comparatively few. In fact it is very remarkable how little difference it makes whether the

pandemic mortality is measured by the excess mortality from influenza and pneumonia (all forms) or by the excess mortality from influenza and diseases of the respiratory system. In the former case the excess rate in 1918 in the registration area (exclusive of Hawaii) was 416.2 per 100,000, in the latter 415.9. To permit, however, a separate study of influenza and pneumonia (all forms) separate figures are given in the report.

The 477,467 deaths from influenza and pneumonia (all forms) in 1918 correspond to a rate of 583.2 per 100,000 population as against 125,795 deaths in 1917 and a rate of 167, which, till 1918, was the highest rate from these causes for any year since 1910. Fully 79.8 per cent of the mortality from these causes in 1918 occurred in the last four months of the year. For comparison corresponding figures for 1918 and 1915 are shown on page 28 for the registration states of 1915 (exclusive of the District of Columbia and North Carolina) and certain cities, the figures for 1915 having been taken, as the mortality from these causes during that year seems to have been fairly normal.

Additional data relating to the influenza epidemic in 1918 in Indiana, Kansas, and Philadelphia will be found in special tables of mortality from influenza and pneumonia, recently published by the Bureau of the Census.

COMPARISON OF DEATHS FROM INFLUENZA AND PNEUMONIA (ALL FORMS) IN 1918 WITH DEATHS FROM THE SAME CAUSES IN 1915.

							<del></del>
•	1	2	8	4	5	6	7
AREA AND COLOR.	Deaths from influenza and pneumonia (all forms) during the first eight months of 1915.	Deaths from influenza and pneumonia (all forms) during the first eight months of 1918.	Number of times deaths from influenza and pneumonia (all forms) during the first eight months of corresponding deaths in 1915.	Deaths from influenza and pneumonia (all forms) during the last four months of 1916.	Deaths from influenza and pneumonia (all forms) during the last four months of 1918.	Number of times deaths from influenza and pneumonia (all forms) during the last four months of 1918 are of corresponding deaths in 1915.	Deaths from influenza and pneu- monia (all forms) during the last four months of 1918, per 1,000 popula- tion.
Registration states 2	63, 226	75,539	1.2	26,367	291,894	11.1	4.6
California Colorado Connecticut Indiana Kansas.	1,687 939 1,570 2,701 1,303	2,525 1,206 1,958 3,000 1,642	1.5 1.3 1.2 1.1 1.3	1,324 552 557 860 719	14,248 5,732 8,240 8,511 5,441	10.8 10.4 14.8 9.9 7.6	4.67 5.6 6.4 3.0 2.9
Kentucky (total). White. Colored. Maine.	1,613 427	2,391 1,844 547 1,015	1.2 1.1 1.3 1.0	743 576 167 253	9,461 8,295 1,166 3,397	12.7 14.4 7.0 13.4	3.9 3.8 4.8 4.3
Maryland (total) White Colored Massachusetts Michigan	1,734 1,186 548 4,487 2,626	1,980 1,328 652 4,953 3,452	1.1 1.1 1.2 1.1 1.3	622 412 210 1,705 1,034	8,183 6,525 1,658 21,157 9,455	13. 2 15. 8 7. 9 12. 4 9. 1	5.9 5.7 7.2 5.5 3.0
Minnesota Missouri Montana. New Hampshire. New Jersey.	1,524 3,258 341 513 3,217	1,691 3,886 559 553 4,566	1.1 1.2 1.6 1.1 1.4	725 1,577 211 157 1,472	7, 244 11, 987 3, 393 2, 741 17, 380	10.0 7.6 16.1 17.5 11.8	3.1 3.5 7.0 6.1 5.6
New York. Ohio Pennsylvania Rhode Island. Utah	13, 109 5, 246 9, 517 816 299	14, 180 5, 808 13, 317 842 436	1.1 1.1 1.4 1.0 1.5	5,024 1,920 4,381 254 196	44,545 20,565 61,510 3,204 1,757	8.9 10.7 14.0 12.6 9.0	4.2 3.9 7.0 5.0 3.9
Vermont Virginia (total) White Colored. Washington Wisconsin	429 2,172 1,195 977 605 2,091	378 2,266 1,131 1,135 838 2,097	0.9 1.0 0.9 1.2 1.4 1.0	102 705 347 358 381 893	1,675 9,685 6,342 3,343 4,041 8,342	16.4 13.7 18.3 9.3 10.6 9.3	4.6 4.3 4.1 4.9 2.4 3.3
Registration cities of 100,000 population or more in 1910	27,467	35, 549	1.3	13, 248	116,035	8.8	34.9
Birmingham, Ala. (total).  White. Colored. Los Angeles, Calif. (total).  White. Colored.	174 72 102 239 217 22	468 142 326 322 298 24	2.7 2.0 3.2 1.3 1.4	76 38 38 168 157 11	985 564 421 2,270 2,084 186	13.0 14.8 11.1 13.5 13.3 16.9	5.0 4.5 5.8 4.0 (4)
Oakland, Calif. San Francisco, Calif. (total). White Colored. Denver, Colo	111 384 369 15 250	179 501 464 37 357	1.6 1.3 1.3 2.5 1.4	72 223 215 8 187	842 2,591 2,457 134 1,456	11.7 11.6 11.4 16.8 7.8	3.9 5.4 5.3 8.1 (5)
Bridgeport, Conn. New Haven, Conn. Washington, D. C. (total). White. Colored.	218	264 265 689 335 354	1.5 1.2 1.3 1.2 1.3	80 92 193 - 97 96	863 943 2,241 1,578 663	10.8 10.3 11.6 16.3 6.9	6. 1 5. 6 (4)
Atlanta, Ga. (total) White Colored Chicago, Ill. (total) White Colored	224 90 134 2,784 2,659 125	351 145 206 2,887 2,578 309	1.6 1.6 1.5 1.0 1.0 2.5	74 31 43 1,472 1,409 63	575 334 241 10, 559 10, 128 433	7.8 10.8 5.6 7,2 7.2 6.9	2.9 2.4 3.9 4.1 4.0 7.4
Indianapolis,Ind. (total)  White Colored Louisville, Ky. (total) White Colored	271 227 44 274 165 109	403 317 86 406 261 145	1.5 1.4 2.0 1.5 1.6 1.3	131 99 32 88 47 41	945 829 116 1,022 828 194	7.2 8.4 3.6 11.6 17.6 4.7	3.3 3.2 4.1 4.2 4.1 4.6
New Orleans, La. (total) White Colored Baltimore, Md. (total). White Colored	292 309 893 615	556 297 259 1,120 723 397	0.9 1.0 0.8 1.3 1.2 1.4	296 152 144 349 239 110	1,494 755 3,929 3,252	13.6	5.9 5.3 7.6 6.6 6.4 7.6

(See footnotes at end of table.)

COMPARISON OF DEATHS FROM INFLUENZA AND PNEUMONIA (ALL FORMS) IN 1918 WITH DEATHS FROM THE SAME CAUSES IN 1915—Continued.

	· · · · · · · · · · · · · · · · · · ·		1			1	<del></del>
	1	2	3	4	5	.6	7
AREA AND COLOR.	Deaths from influenza and peumonia (all forms) during the first eight months of 1915.	Deaths from influenza and pneumonia (all forms) during the first eight months of 1918.	Number of times deaths from influenza and pneumonia (all forms) during the first eight months of corresponding deaths in 1915.	Deaths from influenza, and pneumonia (all forms) during the last four months of 1915.	Deaths from influenza and pneumonia (all forms) during the last four months of 1918.	Number of times deaths from influenza and pneumonia (all forms) during the last four months of corresponding deaths in 1915.	Deaths from influenza and pneu monia (all forms) during the last four months of 1918, per 1,000 popula- tion.1
Boston, Mass. (total)	1,058 1,020 38 111 207	1,268 1,219 49 162 131	1.2 1.2 1.3 1.5 0.6	486 466 20 58 49	4,850 4,725 125 564 829	10.0 10.1 6.3 917 16.9	6.2 6.2 7.3 5.1 6.5
Lowell, Mass. Worcester, Mass. Detroit, Mich. Grand Rapids, Mich. Minneapolis, Minn. St. Paul, Minn.	161 227 654 97 232 179	200 274 1,198 100 368 204	1.2 1.2 1.8 1.0 1.6	49 83 430 28 186 109	571 991 2,564 279 1,037 5,825 NMCC	11.7 11.9 6.0 10.0 5.6 7.6	5.2 5.7 (6) 2.1 2.7 3.2
Kansas City, Mo. (total) White Colored St. Louis, Mo. (total) White Colored	308 235 73 748 649 99	516 407 109 1,194 908 286	1.7 1.7 1.5 1.6 1.4 2.9	201 159 \$42 401 342 59	1,685 1,561 124 2,869 2,557 312	8.4 9.8 3.0 7.2 7.5 5.3	5.4 5.5 4.3 3.7 3.5 6.0
Omaha, Nebr. Jersey City, N. J. Newark, N. J. Paterson, N. J. Albany, N. Y. Buffalo, N. Y.	150 409 400 134 152 553	199 522 644 167 135 672	1.3 1.3 1.6 1.2 0.9 1.2	107 191 162 75 47 237	972 1,690 2,099 748 610 2,458	9.1 8.8 13.0 10.0 13.0 10.4	5.4 5.3 4.9 5.2 5.4 5.2
New York, N. Y. (total).  White. Colored Bronx Borough. Brooklyn Borough (total). White. Colored Manhattan Borough (total). White. Colored. Queens Borough. Richmond Borough.	7,862 7,560 302 749 2,737 2,665 72 3,806 3,591 215 433 137	8,644 8,118 526 827 3,195 3,056 139 3,846 3,489 357 587 189	1.1 1.1 1.7 1.1 1.2 1.1 1.9 1.0 1.0 1.7	3,224 3,080 144 326 1,124 1,089 35 1,533 1,440 93 190	22,596 21,755 841 2,676 8,257 8,037 9,255 8,719 536 1,770 638	7.0 7.1 5.8 8.2 7.3 7.4 6.3 6.0 6.1 5.8 9.3 12.5	4.3 (4)000000000000000000000000000000000000
Rochester, N. Y. Syracuse, N. Y. Cincinnati, Ohio (total). White. Colored.	232 128 455 409 46	317 229 547 410 137	1.4 1.8 1.2 1.0 3.0	78 60 190 165 25	1,112 771 1,849 1,717 132	14.3 12.9 9.7 10.4 5.3	4.2 4.8 4.4 4.3 5.8
Cleveland, Ohio. Columbus, Ohio (total)	689 200 182 18 139	929 240 187 53 155	1.3 1.2 1.0 2.9 1.1	380 89 77 12 55	3,553 723 640 83 612	9.4 8.1 8.3 6.9 11.1	4.4 3.2 3.1 5.0 4.7
Toledo, Ohio. Portland, Oreg. Philadelphia, Pa. (total). White Colored.	166 113 1,879 1,667 212	217 207 3,140 2,588 552	1.3 1.8 1.7 1.6 2.6	94 49 1,330 1,218 112	708 913 13,122 12,219 903	7.5 18.6 9.9 10.0 8.1	(5) 2.7 (7.4 7.4 8.7
Pittsburgh, Pa. (total)	881 75 230	1,858 1,552 306 296 394	1.9 1.8 4.1 1.3 1.1	508 475 33 70 99	5,240 4,926 314 1,048 1,339	10.3 10.4 9.5 15.0 13.5	8.8 8.7 10.9 6.9 ,5.1
Memphis, Tenn (total). White Colored. Nashville, Tenn. (total). White Colored.	102 139 71	. 260 95 165 321 151 170	1.5 1.6 2.3 2.1	89 35 54 67 31 36	713 462 251 739 530 209	8.0 13.2 4.6 11.0 17.1 5.8	4.6 4.6 4.6 6.2 6.4 5.8
Richmond, Va. (total) White Colored Seattle, Wash Spokane, Wash Milwaukee, Wis	101 136 142 53	222 78 144 220 79 552	0.8 1.1 1.5 1.5	98 39 59 67 43 258	883 553 330 1,021 429 1,553	9.0 14.2 5.6 15.2 10.0 6.0	

Based upon 1918 estimate of population.
 Registration states of 1915 (exclusive of District of Columbia and North Carolina).

Deaths per 1,000 population for 44 cities, No calculations made for color,

<sup>No estimate of population made.
No calculations made for boroughs.</sup> 

Whenever the 1915 figures in the preceding table can be regarded as normal and the increase in population between 1915 and 1918 has not been out of proportion to the increase in other areas, the ratios in columns 3 and 6 are significant. But if in any area there was an unusually large number of deaths from influenza and pneumonia (all forms) in 1915 or if the population has increased at an abnormal rate, then the ratios for that area in columns 3 and 6 are not really comparable with the ratios for other areas. For the most part, however, the ratios are believed to be significant.

The ratios given in column 7 are based on 1918 estimates of population which were made for the states and for some of the large cities. But 1918 is so far from the census year 1910 and migrations due to the war have been so great that these estimates are probably far from the truth in many instances. Therefore the figures in column 7 are doubtless far from the truth in many instances. In the next annual

report mortality rates will be shown based on postcensal estimates of populations, and will therefore be much more reliable. Usually the comparatively high ratios in column 6 are accompanied by comparatively high ratios in column 7, but such is by no means always the case, and particular attention is called to this fact lest unwarranted deductions be made.

In the absence of estimates of populations by ages, some idea of the relative epidemic mortality at the various age periods may be obtained by dividing the deaths of 1918 from influenza and pneumonia (all forms) by deaths of 1915 from these same causes. The ratios presented are of much less value than accurate rates would be, but they do indicate the age periods most severely affected by the epidemic. Of course, in interpreting these figures the normal death rates from these causes must be borne in mind, and for the convenience of the reader a few rates by ages for the year 1910 are given for the original registration states (exclusive of the District of Columbia).

DEATHS FROM INFLUENZA AND PNEUMONIA (ALL FORMS) IN CERTAIN SUBDIVISIONS OF THE REGISTRATION AREA, BY AGE: 1918.

		DEATHS AT AGE OF—																
AREA AND COLOR.	All ages.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to _89 _years.	90 to 99 years.	years and over.	Deaths at known a
Registration states 1	367,433	31,319	19,364	9,945	6,046	4,493	12,075	30,360	85,447	80,893	32,018	18,873	15,690	13,033	6,163	927	44	743
California. Colorado. Connecticut Indiana. Kansas	16,773 6,938 10,198 11,511 7,083	973 466 873 1,089 511	482 203 527 598 276	287 105 274 352 164	198 84 160 229 108	126 64 89 172 80	386 173 269 458 243	1,146 647 695 1,136 787	3,812 1,825 2,581 2,352 1,689	4,948 1,641 2,360 2,167 1,468	1,897 702 913 819 525	921 362 540 542 309	706 289 404 602 308	550 223 300 602 358	284 80 169 328 218	39 8 29 57 25	4 1 2	14 65 15 6 14
Kentucky (total) White Colored Maine	11,852 10,139 1,713 4,412	1,197 1,017 180 384	714 617 97 176	498 435 63 79	334 291 43 49	238 217 21 29	666 593 73 134	1,571 1,352 219 417	2,229 1,916 313 948	1,772 1,532 240 908	804 637 167 295	484 386 98 215	456 393 63 291	446 387 59 274	227 199 28 164	41 32 9 27	4 2 2	171 133 38 22
Maryland (total) White Colored Massachusetts Michigan	10,163 7,853 2,310 26,110 12,907	906 624 282 2,121 1,347	680 475 205 1,444 752	320 210 110 658 331	163 104 59 378 190	148 96 52 289 180	377 255 122 722 424	991 709 282 1,722 1,089	2,451 2,019 432 6,182 2,935	2,014 1,673 341 6,194 2,572	730 549 181 2,407 936	512 403 109 1,406 625	383 313 70 1,198 574	310 269 41 912 574	122 114 8 396 292	17 16 1 69 36	1 1 3	38 24 14 9 50
Minnesota Missouri Montana New Hampshire New Jersey	8,935 15,873 3,952 3,294 21,946	732 1,205 196 222 1,908	332 760 81 129 1,386	195 417 53 66 680	88 291 36 41 400	97 200 29 32 289	273 609 85 77 748	943 1,561 281 294 1,599	2,288 3,481 1,056 823 5,328	2,012 3,042 1,256 711 4,862	697 1,301 448 253 1,871	407 812 206 170 1,126	337 854 118 160 847	302 790 60 171 620	182 405 25 87 242	37 62 3 17 33	2 3 1	11 80 18 41 4
New York Ohio. Pennsylvania. Rhode Island. Utah	58,725 26,373 74,827 4,046 2,193	4,892 2,343 6,832 423 183	3,464 1,342 4,297 276 68	1,564 678 2,277 131 55	944 426 1,350 67 25	667 295 989 48 13	1,787 850 2,510 132 62	4,268 1,976 5,557 268 228	13,801 6,016 17,354 861 620	12,590 5,941 17,008 865 547	5,111 2,343 7,185 394 173	3,480 1,233 3,866 207 75	2,844 1,167 2,711 186 69	2,167 1,137 1,967 131 39	957 544 777 45 30	140 68 121 10 5	6 4 1	43 10 25 2 1
Vermont. Virginia (total) White Colored. Washington Wisconsin	2,053 11,951 7,473 4,478 4,879 10,439	118 1,176 630 546 333 889	58 712 403 309 132 475	17 438 254 184 66 240	23 290 172 118 54 118	15 214 124 90 44 146	47 589 343 246 129 325	199 1,493 887 606 491 1,001	500 2,677 1,835 842 1,243 2,395	462 2,080 1,375 705 1,218 2,255	182 815 472 343 435 782	115 480 282 198 257 523	108 414 280 134 190 474	120 334 250 84 165 481	75 177 135 42 87 250	9 23 15 8 12 39	9 1 8	5 30 15 15 23 46
Registration cities of 100,000 population or more in 19103	151,584	12,514	8,660	4,355	2,532	1,838	4,864	9,977	36,916	34,201	14,276	8,815	6,539	4,206	1,582	197	17	95
Birmingham, Ala. (total) White Colored Los Angeles, Calif. (total) White Colored	1,453 706 747 2,592 2,382 210	101 36 65 141 122 19	56 27 29 70 64 6	41 20 21 48 44 4	26 13 13 37 35 2	19 9 10 22 21 · 1	74 28 46 62 54 8	133 59 74 167 160 7	378 185 193 675 620 55	288 162 126 779 707 72	167 75 92 274 254 20	76 34 42 127 119 8	45 31 14 76 74 2	29 21 8 78 74 4	8 4 4 33 31 2	2 1 1 1 1	2	8 1 7 2 2
Oakland, Calif. San Francisco, Calif. (total). White Colored. Denver, Colo	1,021 3,092 2,921 171 1,813	63 114 103 11 91	38 70 63 7 31	23 36 32 4 20	17 33 30 3 19	16 20 16 4 11	23 53 50 3 30	66 153 141 12 137	228 688 640 48 494	306 1,014 971 43 425	104 403 384 19 208	33 229 220 9 131	42 152 146 6 107	34 88 86 2 78	25 33 33 26	3 5 5		1 1 3
Bridgeport, Conn New Haven, Conn. Washington, D. C. (total) White. Colored	1,127 1,208 2,930 1,913 1,017	105 95 186 84 102	63 76 118 56 62	33 52 64 27 37	21 21 29 13 16	8 13 24 13 11	32 28 90 56 34	58 80 199 116 83	304 325 793 566 227	270 233 740 550 190	98 90 264 148 116	65 68 150 84 66	33 60 121 83 38	22 46 112 83 29	11 19 36 31 5	1 2 4 3 1		3

<sup>1</sup> Registration states of 1915 (exclusive of District of Columbia and North Carolina).

<sup>&</sup>lt;sup>2</sup> Registration cities here shown.

### CAUSES OF DEATH.

DEATHS FROM INFLUENZA AND PNEUMONIA (ALL FORMS) IN CERTAIN SUBDIVISIONS OF THE REGISTRATION AREA, BY AGE: 1918—Continued.

		DEATHS AT AGE OF—													un- ge.			
AREA AND COLOR.	All ages.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
Atlanta, Ga. (total).  White. Colored. Chicago, III. (total).  White. Colored.	926 479 447 13,446 12,704 742	93 47 46 1,116 1,039 77	55 32 23 856 808 48	32 19 13 483 446 37	14 8 6 334 326	9 7 2 212 201 11	34 18 16 548 513 35	77 33 44 773 721 52	174 76 98 3,230 3,089 141	192 101 91 3,003 2,836 167	97 50 47 1,233 1,136 97	45 21 24 747 708 39	50 28 22 514 495 19	40 31 9 275 268 7	10 8 2 105 103 2	13 13	4 4 1	3 2 1
Indianapolis, Ind. (total) White Colored Louisville, Ky. (total) White Colored	1,348 1,146 202 1,428 1,089 339	107 86 21 133 92 41	60 54 6 69 55 14	35 25 10 61 49 12	29 22 7 29 20 9	13 11 2 21 18 3	51 45 6 61 54 7	106 87 19 93 79 14	305 252 53 351 280 71	286 252 34 256 198 58	110 90 20 136 88 48	97 86 11 90 61 29	75 70 5 60 49 11	54 47 7 41 26 15	19 18 1 20 17 3	1 1 4 1 3		3 2 1
New Orleans, La. (total) White Colored Baltimore, Md. (total) White Colored	2,805 1,791 1,014 5,049 3,975 1,074	196 119 77 452 324 128	107 65 42 357 261 96	85 36 49 148 104 44	47 33 14 73 50 23	30 17 13 62 45 17	90 40 50 167 123 44	233 129 104 377 294 83	728 484 244 1,295 1,087 208	662 461 201 1,032 842 190	269 159 110 371 261 110	152 97 55 302 234 68	112 80 32 202 170 32	53 41 12 142 120 22	30 21 9 55 51 4	4 4 6 6		7 5 2 8 3 5
Boston, Mass. (total) White Colored Cambridge, Mass Fall River, Mass	5,944 174 726 960	502 479 23 67 110	375 358 17 55 85	175 163 12 25 31	95 94 1 13 16	60 59 1 9 28	164 163 1 20 32	369 364 5 54 58	1,404 1,374 30 140 214	1,443 1,403 40 157 204	637 614 23 72 72	347 337 10 47 46	288 283 5 33 30	173 170 3 25 23	73 70 3 7 8	11 11 2 3	2 2	
Lowell, Mass. Worcester, Mass Detroit, Mich. Grand Rapids, Mich. Minneapolis, Minn. St. Paul, Minn	3,762	93 92 520 40 115 75	81 66 269 19 48 40	34 23 115 19 26 22	18 12 62 37 15 11	9 16 55 95 19 8	17 31 140 13 41 22	40 61 188 27 87 70	148 306 891 84 358 288	148 280 742 75 334 265	77 147 293 25 148 76	37 78 198 23 73 46	37 71 141 30 62 53	25 61 93 14 49 32	7 18 42 5 24 19	3 4 5 2	1	9 3
Kansas City, Mo. (total) White Colored St. Louis, Mo.(total) White Colored	2,201 1,968 233 4,063 3,465 598	152 128 24 292 236 56	68 57 11 207 159 48	50 40 10 98 67 31	34 34 72 55 17	15 15 54 42 12	76 65 11 118 94 24	180 167 13 233 206 27	617 560 57 825 720 105	480 422 58 904 802 102	220 196 24 422 355 67	114 101 13 310 260 50	97 92 5 258 225 33	60 54 6 181 162 19	33 32 1 79 74 5	4 4 8 6 2	1 1	1 1 1
Omaha, Nebr. Jersey City, N. J. Newark, N. J. Peterson, N. J. Albany, N. Y. Buffalo, N. Y.	1,171 2,212 2,743 915 745 3,130	97 212 197 66 61 305	51 146 204 39 42 223	26 88 97 16 9 84	18 37 58 18 10 48	18 30 37 6 5 49	46 90 72 25 17 115	70 139 182 81 51 211	306 540 743 237 171 792	288 450 612 209 198 645	92 199 221 81 68 253	62 131 145 60 42 186	45 79 107 45 38 115	38 50 48 21 25 70	13 19 19 9 8 29	2 1 2 2		1
New York, N. Y. (total) White Colored. Bronx Borough. Brooklyn Borough (total White Colored	29,873 1,367 3,503 11,452 11,093	2,756 2,611 145 236 1,061 1,020 41	2,127 2,027 100 177 871 844 27	946 910 36 76 404 395	569 549 20 50 243 234 9	367 355 12 37 146 141 5	990 969 21 113 396 390 6	2,099 2,028 71 272 823 805 18	7,621 7,256 365 1,030 2,685 2,587 98	6,477 6,145 332 749 2,250 2,176 74	2,803 2,655 148 297 946 909 37	1,879 1,811 68 206 690 671 19	1,404 1,375 29 138 521 512 9	883 869 14 90 315 309 6	283 278 5 29 91 90	33 33 2 10 10	1	2 2 1
Mannattan Borough (total) White. Colored. Queens Borough. Richmond Borough.	13,101 12,208 893 2,357 827	1,220 1,128 92 181 58	893 825 68 141 45	370 347 23 78 18	226 216 10 35 15	143 137 6 25 16	337 326 11 116 28	746 705 41 199 59	3,139 2,905 234 550 217	2,802 2,566 236 498 178	1,282 1,181 101 219 59	805 763 42 130 48	599 582 17 106 40	393 385 8 56 29	132 129 3 18 13	12 12 5 4	1	1
Rochester, N. Y Syracuse, N. Y Cincinnati, Ohio (total) White Colored	. 2,127	119 107 151 114 37	96 58 99 80 19	44 28 47 40 7	23 20	22 12 18 17 1	39 23 53 42 11	98 45 142 130 12	298 237 592 537 55	348 236 610 554 56	114 93 258 213 45	80 55 127 115 12	78 46 118 113 5	51 30 110 104 6	20 15 44 44	2 2 3 3	1	1 1
Cleveland, Ohio. Columbus, Ohio (total) White Colored Dayton, Ohio.	963 827 136	389 77 59 18 62	218 44 31 13 31	131 23 19 4 17	67 16 14 2 14	45 7 5 2 11	1 6	212 60 51 9 47	1,163 206 181 25 180	1,129 252 226 26 187	452 85 70 15 77	241 53 46 7 43	155 60 54 6 31	94 35 33 2 26	27 14 14 14	5 1 1		2 1
Toledo, Ohio. Portland, Oreg. Philadeiphia, Pa. (total) White. Colored	1,120 16,262 14,807	89 64 1,300 1,148 152	52 33 939 821 118	428	12 16 247 226 21	16 9 221 199 22	32 554 510	53 77 1,192 1,095 97	227 297 4,231 3,898 333	217 308 3,642 3,312 330	69 114 1,451 1,292 159	43 63 878 811 67	43 47 598 566 32	34 21 370 356 14	10 15 124 121 3	1 3 21 21	1	3
Pittsburgh, Pa. (total) White Colored Scranton, Pa Providence, R. I	6,478	544 501 43 109 171	394 373 21 59 119	227 213 14 33 53	116 108 8 15 28	10	23 20	466 421 45 72 98	1,527 1,390 137 284 384	1,531 1,399 132 367 375	837 735 102 184 203	504 451 53 103 99	357 331 26 47 79	188 183 5 30 43	60 59 1 8 18	5 4 1 3 5		
Memphis, Tenn. (total) White Colored Nashville, Tenn. (total) White Colored	557 416 1,060 681	60 29 31 78 44 34	29 10 19 62 48 14	7 46 28	8 7 22	4 4 25 19	25 15 61 42	89 42 47 103 69 34	236 134 102 213 125 88	169 112	112 57 55 95 59 36	49 30 19 68 35 33	43 28 15 56 37 19	29 22 7 37 30 7	9 6 3 17 14 3	2	$\begin{array}{c c} & 1\\ 2\\ 1 \end{array}$	- 13
Richmond, Va. (total) White Colored Seattle, Wash Spokane, Wash Milwaukee, Wis	631 474 1,241 508	117 40 77 55 37 240	76 27 49 27 11 142	17 24 8 7	13 12 2	11 5 6 13 5 33	17 12 27 16	103 65 38 91 59 118	260 178 82 337 113 478	243 152 91 371 139 463	48	53 28 25 70 30 120	35 23 12 48 12 104	15 12 3 38 20 72	9 8 1 13 9 31	2		2

RATIOS FOUND BY DIVIDING DEATHS OF 1918 FROM INFLUENZA AND PNEUMONIA (ALL FORMS) BY DEATHS OF 1915 FROM SAME CAUSES.

	OF 1915 FROM SAME CAUSES.  DEATHS AT AGE OF																	
AREA AND COLOR.	All				<del></del>		l					<u> </u>				<u> </u>	100	4 gg
AREA AND COLON.	ages.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	80 to 89 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 ear s.	80 to 89 years.	90 to 99 years.	years and over.	Deaths a known
Registration states 1	4.1	1.6	3.0	4.4	5.6	6.3	7.4	13.5	22.0	15.6	4.8	2. 2	1.5	1.1	0.9	0.8	0.9	11.6
California Colorado Connecticut Indiana Kansas	5.6 4.7 4.8 3.2 3.5	2.3 1.6 1.8 1.3 1.2	3.1 2.5 4.3 3.1 2.8	7.2 3.3 5.7 4.1 4.3	8.6 6.5 7.0 6.2 4.7	4.8 3.6 5.2 7.2 6.2	6.8 6.9 8.2 5.5 5.5	13.8 13.5 21.7 11.8 10.1	25.1 19.6 28.1 19.1 20.9	24.9 17.3 19.7 14.4 16.1	7.6 5.4 4.9 4.2 5.9	2.9 2.0 2.5 2.0 1.9	1.6 1.6 1.5 1.5 1.2	1.1 1.1 1.1 9.8 0.9	0.9 1.1 0.9 0.9 1.0	1.0 0.4 1.0 1.0 0.8	2.0 (2) (3) 0.7 (3)	14.0 65.0 (2) (2) 4.7
Kentucky (total)	4.3 4.6 2.9 3.5	2.3 2.5 1.6 1.9	4.3 5.1 2.1 2.9	6.6 7.0 4.5 4.2	7.0 8.1 3.6 4.5	11.3 12.1 7.0 3.6	9.7 11.9 3.8 7.1	15.3 17.3 8.8 11.3	16.5 22.8 6.1 24.9	11.9 16.5 4.3 14.2	4.5 5.2 3.0 3.3	2.1 2.4 1.4 2.4	1.4 1.4 1.1 1.7	1.1 1.0 1.6 1.2	0.8 0.8 1.0 0.9	1.1 1.0 1.5 0.8	4.0 (3) 2.0	10.7 12.1 7.6 22.0
Maryland (total) White Colored Massachusetts Michigan	4.3 4.9 3.0 4.2 3.5	1.6 1.9 1.2 1.6 1.6	4.0 4.9 2.8 2.6 2.8	4.9 5.1 4.6 4.4 3.8	7.4 8.0 6.6 5.7 5.9	6. 4 7. 4 5. 2 7. 0 5. 8	9.4 10.6 7.6 8.2 5.8	17.1 26.3 9.1 15.0 12.5	24.5 36.7 9.6 26.0 18.0	13. 4 19. 7 5. 2 18. 1 12. 1	4.6 6.2 2.6 5.0 3.8	2.1 2.2 1.8 2.3 2.0	1.3 1.3 1.4 1.5 1.3	1.1 1.1 1.1 1.1 1.1	0.8 0.9 0.4 0.8 1.0	0.7 0.8 0.3 0.8 0.8	1.0 1.0 1.5	5.4 12.0 2.8 9.0 8.3
Minnesota Missouri Montana New Hampshire New Jersey	4.0 3.3 7.2 4.9 4.7	1.3 1.5 1.5 2.2 1.8	2.9 2.8 4.3 3.4 3.3	4.0 3.3 6.6 7.3 4.1	3.7 6.5 12.0 5.9 4.7	8.1 4.5 7.3 16.0 5.7	6.8 7.1 7.7 8.6 8.9	13.9 11.6 25.5 29.4 14.2	30. 5 16. 0 25. 8 45. 7 24. 4	16.8 11.0 25.6 27.3 16.0	5.6 3.7 6.8 5.6 4.9	2.1 1.8 2.9 2.9 2.4	1.6 1.4 2.0 1.5 1.6	· 0.9 1.0 1.3 1.5 1.2	0.7 0.8 -0.9 0.9 1.0	0.9 0.8 0.6 0.8 1.0	2.0 1.5 (2) (3) 0.8	7.3 (2) 10.3 (2)
New York. Ohio. Pennsylvania Rhode Island Utah	3.2 3.7 5.4 3.8 4.4	1.3 1.5 1.9 1.7 1.3	1.9 3.1 3.9 3.1 2.6	2.9 4.2 5.8 5.7 3.4	3. 5 5. 8 7. 8 3. 7 25. 0	4.5 7.8 7.5 4.0 3.3	6.1 6.8 9.1 7.8 8.9	10.6 12.5 16.4 17.9 14.3	16. 2 24. 4 32. 9 21. 5 23. 8	10.8 18.5 21.3 14.4 13.7	3.1 5.0 6.9 5.3 4.3	1.9 2.1 3.0 1.8 1.7	1.3 1.3 1.8 1.4 1.5	1.1 0.9 1.2 1.0 0.8	0.9 0.7 0.9 0.8 0.7	0.8 0.5 0.9 0.6 (3)	0.5 1.0 0.3 (³)	7. 2. 5. 0 (2) 2. 0 (3)
Vermont. Virginia (total) White Colored Washington Wisconsin	3.9 4.2 4.8 3.4 4.9 3.5	1.6 1.9 2.1 1.8 1.7	3. 4 4. 0 4. 8 3. 3 3. 4 3. 5	2.8 5.9 7.7 4.5 4.1 3.9	3.3 6.9 8.6 5.4 4.2 4.5	(2) 13. 4 13. 8 12. 9 4. 4 8. 1	7.8 8.7 10.7 6.8 6.1 5.2	11.7 13.1 16.1 10.3 16.9 12.1	29. 4 11. 5 22. 9 5. 5 28. 3 20. 5	24.3 10.5 20.5 5.4 18.2 13.8	5.7 4.0 4.6 3.4 4.8 4.6	2.9 1.9 2.4 1.5 2.6 1.9	1.5 1.3 1.4 1.1 1.5 1.5	0.9 1.0 1.0 0.9 1.2 1.0	1.0 0.9 1.4 0.9 0.7	0.7 0.7 0.6 1.3 2.0 0.6	4.5 (2), 4.0 (3) (3)	(2) 10.0 5.0 (2) 23.0 (2)
Registration cities of 100,000 population or more in 1910 4	3.7	1.5	2. 4	3.6	4. 5	5. 5	6.2	10.3	16.5	11.0	3.6	1.9	1.4	1.0	0.8	0.7	1.4	15.8
Birmingham, Ala. (total) White Colored Los Angeles, Calif. (total) White Colored	5. 8 6. 4 5. 3 6. 4 6. 4 6. 4	2.7 2.8 2.7 2.1 2.0 3.2	4.7 5.4 4.1 2.4 2.6 1.5	8. 2 6. 7 10. 5 6. 0 5. 5 (2)	4.3 4.3 4.3 9.3 17.5	9.5 9.0 10.0 5.5 7.0 1.0	24.7 28.0 23.0 10.3 18.0 2.7	19. 0 19. 7 18. 5 18. 6 20. 0 7. 0	13. 5 30. 8 8. 8 21. 1 20. 7 27. 5	10.7 27.0 6.0 30.0 29.5 36.0	6.0 8.3 4.8 10.1 9.8 20.0	2. 2 2. 3 2. 2 3. 5 3. 6 2. 7	1.3 1.0 2.8 1.4 1.5 0.4	2.2 2.3 2.0 1.3 1.2 4.0	0.9 0.8 1.0 0.9 0.9 2.0	1.0 (2) 0.5 0.2 0.3 (3)	(2)	8.0 (2) 7.0 (3) (2)
Oakland, Calif. San Francisco, Calif. (total) White Colored Denver, Colo.	5. 6 5. 1 5. 0 7. 4 4. 1	2.2 1.7 1.7 1.2 1.9	2. 2 2. 4 2. 3 3. 5 2. 8	11. 5 6. 0 5. 3 (2) 1. 8	(2) 11.0 10.0 (2) 9.5	16.0 6.7 5.3 (2) 2.8	5.8 3.8 3.8 3.0 6.0	9. 4 17. 0 20. 1 6. 0 12. 5	28. 5 16. 8 16. 8 16. 0 24. 7	25. 5 14. 5 14. 3 21. 5 12. 9	8.0 5.4 5.3 9.5 3.9	2. 2 2. 7 2. 6 9. 0 2. 2	1.5 1.7 1.7 6.0 1.7	1.1 1.2 1.2 (3) 1.0	2.1 0.8 0.8	0.8 2.5 2.5 0.3		(3) (3) (2)
Bridgeport, Conn. New Haven, Conn. Washington, D. C. (total). White. Colored.	4. 4 3. 9 4. 0 5. 2 2. 8	2.2 1.6 1.9 2.3 1.6	3. 2 3. 3 2. 6 4. 0 2. 0	4.7 4.0 4.3 5.4 3.7	5.3 5.3 2.9 3.3 2.7	2.0 13.0 4.8 4.3 5.5	6.4 7.0 6.0 5.1 8.5	8.3 16.0 8.0 14.5 4.9	15. 2 27. 1 18. 9 35. 4 8. 7	12.3 16.6 10.7 25.0 4.0	2.5 3.3 3.0 4.2 2.2	2.5 1.7 1.9 2.5 1.5	1.7 1.3 1.3 1.4 1.0	1.0 1.2 1.2 1.1 1.5	1.4 1.0 0.8 0.8 0.8	0.5 0.7 0.6 0.5 1.0		(3)
Atlanta, Ga. (total) White Colored. Chicago, Ill. (total) White. Colored.	3.1 4.0 2.5 3.2 3.1 3.9	1.9 2.0 1.8 1.1 1.1 3.2	3.4 3.2 3.8 2.5 2.4 4.4	3. 2 6. 3 1. 9 3. 8 3. 8 4. 1	(2) (2) (2) 5. 0 5. 0 4. 0	4.5 (2) 1.0 5.3 5.4 3.7	3.8 4.5 3.2 6.3 6.3 7.0	5. 5 6. 6 4. 9 8. 4 8. 5 7. 4	4.8 9.5 3.5 14.7 15.0 10.8	6. 2 11. 2 4. 1 9. 8 10. 1 7. 0	2.8 8.3 1.6 2.9 2.9 3.6	1.5 2.0 1.2 1.5 1.5	1.7 1.6 1.8 1.1 1.1	1.6 1.8 1.1 0.7 0.7 0.9	1.1 1.3 0.7 0.5 0.5	(3) (3) (0.4 (0.5 (8)	4.0 4.0 0.5	(2) (2) (2) (2)
Indianapolis, Ind. (total) White Colored. Louisville, Ky. (total) White Colored.	3.4 3.5 2.7 3.9 5.1 2.3	1.5 1.6 1.2 2.8 3.4 2.1	3.0 3.6 1.2 2.9 3.9 1.4	2.9 2.8 3.3 4.7 5.4 3.0	4.1 3.7 7.0 3.6 5.0 2.3	4.3 3.7 (2) 21.0 18.0 (2)	7.3 11.3 2.0 6.8 9.0 2.3	9.6 9.7 9.5 7.2 13.2 2.0	11.7 14.8 5.9 15.3 46.7 4.2	10. 2 10. 1 11. 3 6. 9 12. 4 2. 8	2.8 3.3 1.5 3.3 3.5 3.0	2.7 2.9 1.8 2.0 2.5 1.5	1.6 1.3 1.4 1.8 0.7	0.8 0.8 1.4 1.1 0.9 2.5	0.8 0.9 0.3 0.9 1.0	0.3 0.3 (3) 4.0 (3) 3,0		(2) (3) (3) (2)
New Orleans, La. (total).  White Colored. Baltimore, Md. (total).  White Colored.	3.1 4.0 2.2 4.1 4.7 2.8	1.5 2.2 1.0 1.6 1.9	2.1 2.7 1.5 4.2 5.1 2.7	3.3 3.0 3.5 3.4 3.6 2.9	3.1 4.7 1.8 8.1 8.3 7.7	4.3 8.5 2.6 10.3 15.0 5.7	3.6 4.4 3.1 8.8 8.2 11.0	6.0 25.8 3.1 14.0 26.7 5.2	9.1 18.6 4.5 25.9 41.8 8.7	7.4 16.5 3.2 10.6 15.0 4.6	2.9 4.0 2.0 3.1 4.4 1.9	1.6 1.6 1.4 2.1 2.2 1.6	1.4 1.3 1.3 1.3	0.7 0.7 0.5 1.0 0.9 1.4	0.5 0.4 0.9 1.1 1.1 0.8	0.4 0.6 (8) 0.6 0.6	(3) (3) (3)	(2) (2) (2) (2) (2)
Boston, Mass. (total)	4.0 4.0 3.0 4.3 3.8	1.5 1.5 1.9 1.9 1.2	2.3 2.3 2.4 3.9 1.9	4.2 3.9 (*) 8.3 2.6	6.8 7.2 1.0 2.2 1.8	4.6 4.5 (2) (2) 28.0	7.5 7.8 1.0 6.7 8.0	11.9 12.1 5.0 18.0 8.3	19.5 20.8 5.0 35.0 53.5	13. 2 13. 6 6. 7 15. 7 22. 7	4.3 4.3 3.8 5.5 6.5	2.0 2.0 1.4 3.9 2.9	1.7 1.7 1.7 1.1 1.3	1.1 1.2 0.4 1.1 1.2	0.9 0.9 3.0 0.7 2.0	0.6 0.6 0.5 3.0	(2) (2)	(3)
Lowell, Mass. Worcester, Mass. Detroit, Mich. Grand Rapids, Mich. Minneapolis, Minn. St. Paul, Minn	3.7 4.1 3.5 3.0 3.4 3.6	1.6 1.7 1.7 1.3 1.3	3.9 2.9 2.5 4.8 4.0 2.2	6.8 5.8 3.8 4.5 2.6 4.4	6.0 (2) 3.9 (2) 5.0 3.7	9.0 16.0 4.6 (2) 9.5 (2)	8.5 2.8 7.0 13.0 5.1 3.1	20.0 10.2 7.5 13.5 (3) 14.0	49.3 30.6 12.2 10.5 21.1 28.8	8.2 11.2 8.2 5.8 10.8 13.9	3.1 5.7 3.1 2.5 7.0 3.2	2.2 2.1 2.1 3.3 1.5 1.3	1.5 1.7 1.3 1.8 1.2 1.5	1.2 1.5 1.4 0.8 0.7 0.7	1.2 0.7 1.2 0.5 0.6 0.8		1.0	(3) (2)
Kansas City, Mo. (total).  White Colored. St. Louis, Mo. (total). White. Colored.	4.3 5.0 2.0 3.5 3.5 3.8	2.0 2.2 1.3 1.6 1.5 2.5	3.1 4.4 1.2 2.9 2.9 2.8	6.3 8.0 3.3 3.1 2.4 7.8	8.5 17.0 (3) 9.0 9.2 8.5	5.0 5.0 4.5 4.7 4.0	12.7 16.3 5.5 6.6 6.7 6.0	13.8 15.2 6.5 17.9 18.7 13.5	17.6 28.0 3.8 11.8 13.6 6.2	8.7 12.4 2.8 9.6 11.8 3.9	4.2 5.6 1.3 3.5 3.4 3.7	1.9 2.0 1.4 2.0 1.9 2.8	1.4 1.5 1.0 1.8 1.7 2.8	0.9 0.9 1.0 1.2 1.2 2.4	1.0 1.1 0.3 1.1 1.1	0.6 0.6 0.6 0.5 2.0	(5) (2) (2) (2)	(2) (2) (2)

(See footnotes at end of table.)

RATIOS FOUND BY DIVIDING DEATHS OF 1918 FROM INFLUENZA AND PNEUMONIA (ALL FORMS) BY DEATHS OF 1915 FROM SAME CAUSES—Continued.

	,	DEATHS AT AGE OF—													ge.			
AREA AND COLOR.	All ages.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 · years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at u known age.
Omaha, Nebr Jersey City, N. J Newark, N. J Paterson, N. J Albany, N. Y Buffalo, N. Y	4.6 3.7 4.9 4.4 3.7 4.0	2.8 1.4 1.7 1.5 1.9 1.7	2.8 1.8 3.1 2.2 2.8 2.7	8.7 3.3 3.9 2.7 3.0 2.8	3.6 3.1 4.8 18.0 3.3 3.2	6.0 6.0 3.7 (2) 1.3 9.8	5.8 6.9 6.5 6.3 8.5 7.7	· 11.7 7.7 18.2 16.2 6.4 16.2	17.0 12.0 26.5 23.7 34.2 22.6	18.0 11.0 14.2 12.3 16.5 14.0	4.6 4.9 3.8 3.5 3.6 3.5	2.2 2.3 2.6 1.9 2.2 2.6	1.5 1.4 1.7 1.8 1.0	1.1 1.4 0.9 1.1 0.9 0.9	0.5 1.4 1.3 1.5 0.9 0.6	(3) 2.0 1.0 (2) (3) (3) 0.8	(3)	(2)
New York, N. Y. (total)	2.8 2.8 3.1 3.3 3.0 3.4 2.5 2.4 2.9 3.8 4.4	1.1 1.3 1.0 1.2 1.5 1.0 1.0 1.2 1.1	1.6 1.5 1.7 1.7 1.6 1.3 1.6 2.8	2.3 2.3 2.1 2.5 2.6 2.6 1.8 1.9 1.8 2.9 3.7 2.0	3.1 2.0 3.8 3.4 3.3 4.5 2.6 2.7 1.3 3.9 3.8	3.8 3.8 3.0 6.2 3.4 5.0 3.5 3.5 3.6 (2)	4.9 5.0 3.0 12.6 4.7 4.6 6.0 4.1 2.2 6.1 9.3	7.6 7.5 10.1 9.4 8.1 8.1 9.0 6.1 5.9 10.3 9.0 59.0	13.0 13.5 7.4 16.9 14.0 14.2 9.8 10.5 11.0 6.7 22.9 19.7	7.8 7.8 6.5 9.9 8.0 8.0 6.8 5.9 10.4 12.7	2.5 2.59 2.8 2.8 2.7 4.6 2.2 2.7 3.7 4.2	1.6 1.6 2.1 1.7 1.7 1.7 2.4 1.5 1.4 1.8 2.2 2.0	1.2 1.5 1.0 1.3 1.3 2.3 1.1 1.2 1.1 1.7 2.1	1.1 -1.1 0.7 1.0 1.1 1.1 1.1 1.3 1.2 1.3	0.9 0.9 0.9 0.9 0.5 0.9 0.9 1.5 0.8	0.8 0.8 0.3 0.7 0.7 0.8 0.8 0.8	(2) (2) (2) (2)	1.0 1.0 (3) (3) (3) (2)
Rochester, N. Y Syracuse, N. Y Concinnati, Ohio (total) White Colored.	3.7	1.7 2.9 2.0 1.6 6.2	3.7 3.9 3.3 3.3 3.2	6.3 5.6 2.8 2.7 3.5	2.4 (2) 3.3 3.3 3.0	22.0 3.0 18.0 (2) 1.0	4.9 11.5 4.1 3.8 5.5	14.0 7.5 7.1 9.3 2.0	24.8 33.9 18.5 25.6 5.0	15.8 19.7 14.9 17.9 5.6	3.7 5.5 3.8 3.7 4.5	3.0 2.1 1.8 1.7 2.4	2.4 2.2 1.3 1.3 1.0	1.9 1.4 1.0 0.9 1.5	0.7 1.2 .0.8 0.8 (3)	0.7 2.0 0.3 0.3 (3)	(2)	(2)
Cleveland, Ohio. Columbus, Ohio (total). White Colored. Dayton, Ohio.	4.2 3.3 3.2 4.5 4.0	1.4 1.8 1.7 2.0 1.2	2.2 4.9 3.9 13.0 2.8	4.5 2.9 2.7 4.0 4.3	4.2 8.0 7.0 (2) 7.0	7.5 1.8 1.3 (2) (2) (2)	8.0 9.7 23.0 3.0 2.8	12.5 10.0 10.2 9.0 47.0	28.4 22.9 22.6 25.0 20.0	15.7 16.8 17.4 13.0 17.0	4.9 4.3 4.1 5.0 5.9	2.0 1.3 1.2 1.8 2.7	1.3 1.5 1.4 6.0 1.1	0.9 0.6 0.6 0.5 1.2	0.6 0.5 0.6 (3) 0.9	0.5 0.5 0.5		(2) (2) (3) (3)
Toledo, Ohio. Portland, Oreg. Philadelphia, Pa. (total). White. Colored.	1 9.T	1.2 2.2 2.3 2.3 2.3	3.7 1.9 3.4 3.5 2.7	7.7 4.5 5.6 6.0 3.9	6.0 16.0 5.5 5.5 5.3	5.3 4.5 8.2 7.4 (2)	7.0 10.7 8.5 8.1 22.0	13.3 15.4 14.4 14.2 16.2	20.6 37.1 24.3 29.5 7.9	14.5 34.2 15.3 17.0 7.7	3.0 7.1 4.8 4.9 4.4	2.2 3.2 2.3 2.3 2.2	1.3 2.9 1.4 1.4 1.5	1.0 1.0 1.1 1.1 1.2	0.5 1.7 0.8 0.8 1.5	0.3 3.0 1.1 1.1 (3)	(2) (3) (3)	(2) (3) (3) (2)
Pittsburgh, Pa. (total) White. Colored Scranton, Pa Providence, R. I	4.8 5.7	2.2 2.1 2.7 1.3 2.0	3.6 3.7 2.3 2.4 3.2	7.6 7.9 4.7 6.6 6.6	7.3 7.7 4.0 3.8 3.1	4.4 4.2 9.0 3.3 3.5	10.9 11.4 7.7 1.8 6.3	11.7 11.7 11.3 8.0 16.3	18.0 18.5 13.7 25.8 20.2	11.7 12.3 7.8 19.3 12.9	5.2 5.1 6.0 6.3 5.0	2.6 2.5 3.8 3.3 1.7	1.9 1.8 3.7 1.9 1.4	1.3 1.3 2.5 1.2 0.8	1.1 1.1 0.5 0.5 1.1	0.5 0.4 1.0 0.6 0.6		(2)
Memphis, Tenn. (total)	2.7	2.1 2.1 2.1 2.0 2.8 1.4	2.6 3.3 2.4 4.1 48.0 1.0	9.0 (2) 3.5 5.8 9.3 3.6	15.0 (2) 7.0 11.0 (2) 3.0	8.0 4.0 (2) (2) (2) (2) (2)	6.7 6.3 7.5 15.3 42.0 6.3	8.1 42.0 4.7 7.9 13.8 4.3	6.2 22.3 3.2 13.3 17.9 9.8	6.8 12.5 3.8 12.1 18.7 7.1	3.5 4.8 2.8 4.8 4.5 5.1	1.5 3.8 0.8 3.6 · 2.9 4.7	1.7 2.3 1.2 2.2 2.1 2.4	1.4 1.4 1.8 2.1 1.0	0.8 0.7 1.0 2.8 2.8 3.0	1.0 (3) 2.0	(2) (2) (3) (2) (2) (2)	18.0 13.0 (2) (2) (2) (2) (3) (5)
Richmond, Va. (total). White. Colored. Seattle, Wash. Spokane, Wash. Milwaukee, Wis.	2.4 5.9 5.3	2.3 2.5 2.1 2.3 2.5 1.4	3.5 3.9 3.3 2.5 3.7 3.0	3.7 5.7 3.0 1.6 (2) 3.0	5.3 4.0 6.5 12.0 0.7 6.4	2.8 (2) 1.5 (2) (2) 16.5	2.4 4.3 1.5 6.8 16.0 3.9	14.7 16.2 12.7 45.5 (²) 13.1	5.4 14.8 2.3 22.5 28.3 19.1	7.6 16.9 4.0 15.5 15.4 10.5	2.8 2.8 2.7 3.8 6.9 2.9	1.2 1.6 1.0 2.3 2.7 1.6	0.9 1.0 - 0.8 2.0 0.8 1.4	0.7 0.7 0.8 2.0 1.0 0.9	1.1 1.1 1.0 0.9 1.3 0.6	3.0 3.0 1.0		(2)

Registration states of 1915 (exclusive of District of Columbia and North Carolina).
 No deaths shown for 1915.

DEATH RATES FROM INFLUENZA AND PNEUMONIA (ALL FORMS) IN 1910, FOR THE ORIGINAL REGISTRATION STATES (EXCLUSIVE OF DISTRICT OF COLUMBIA), BY AGES, PER 100,000 POPULATION.

AGE PERIOD.	Population Apr. 15, 1920.	Deaths from in- fluenza and pneu- monia (all forms).	Rate per 100,000 popula- tion.
All ages.  Under-5 years.  Under 1 year.  5 to 9 years. 10 to 19 years. 20 to 29 years. 30 to 39 years. 40 to 49 years. 50 to 59 years. 60 years and over. Age unknown.	2,167,403 4,276,881 4,489,149 3,719,238 2,845,086 1,929,035	41, 433 15, 056 8, 847 778 1, 025 1, 821 2, 619 3, 154 3, 700 13, 265 15	174.7 632.4 1,758.4 35.9 - 24.0 40.6 70.4 110.9 191.8 706.2 52.4

The ratios shown for the last four months of 1918 and 1915 are naturally about three times as high as 156247—20—3

the ratios relating to these two years. If one desires ratios by ages for the four-month period approximate figures can be obtained by multiplying by three the annual ratios shown in the table.

Special attention is called to the unusually high ratios for the age period 20 to 29. For example, in that age period, in the registration states of 1915 (exclusive of District of Columbia and North Carolina), the mortality in 1918 from these causes was appoximately 22 times as great, while there was only a twofold increase in the age period 50 to 59. Yet if it be assumed that the death rates given for 1910 held for 1915, then the number of deaths for the age period 20 to 29 in the four months of 1918 was about 8.9 per 1,000 as against 4.2 for the age period 50 to 59. This example illustrates sufficiently the need of great care in interpreting the ratios.

No deaths shown for 1918.
 Registration cities here shown.

### INFLUENZA.

The number of deaths from influenza in 1918 is 244,681, corresponding to a rate of 298.9 per 100,000 population, as against 12,974 deaths in 1917 and a rate of 17.2. The highest rate for any year in the annual mortality reports, the first of which was published in 1900, was 32.2 for 1901.

The following table shows the rates per 100,000 population for the years 1911 to 1918 and the annual average for the five-year period 1906 to 1910, rates of 40 and higher being printed in bold-faced type:

	DEATE	RATE [Ra	FROM	INFL 10 or m	UENZA lore in	PER 1 bold-fa	00,000 : aced ty	popul. pe.]	TION.
AREA.	1918	1917	1916	1915	1914	1918	1912	1911	An- nual aver- age, 1906 to 1910
The registration area 1. Registration states 2	298. 9 297. 9	17. 2 17. 5	26. 4 27. 1	16. 0 15. 8	9.1 9.0	12.2 12.4	10.3 10.1	15. 7 15. 8	16. 4 16. 5
California	324. 3 412. 2 441. 0 253. 2 200. 9	9. 4 14. 5 25. 3 (3) 21. 4	13. 8 13. 1 38. 7 (3) 34. 4	8.3 13.9 18.5 (3) 17.0	5. 0 5. 3 13. 9 (3) 9. 4	10.3 5.4 16.7 (3) 14.3	8.3 7.0 14.6 (3) 14.6	8. 4 12. 3 23. 5 (3) 18. 3	9. 7 13. 7 26. 0 (3) 20. 3
Kansas Kentucky (total) White Colored	235. 6 321. 1 320. 7 324. 8	29.3 24.4 23.0 35.9	39.3 41.4 40.1 53.3	25. 6 19. 7 18. 1 32. 8	9.5 14.7 12.8 29.7	(3) 16. 9 14. 8 32. 9	(3) 16. 7 15. 8 23. 7	(3) 17.8 16.0 31.5	(3) (3) (3)
Louisiana (total)	287. 0 233. 1 365. 4 326. 6	(3) (3) (3) 30. 2	(3) (3) (3) 48. 9	(3) (8) (3) 25.3	(3) (3) (3) 12. 1	(3) (3) (3) 22.8	(3) (3) (3) 11. 4	(3) (3) (3) 25.3	$\binom{3}{3}$ $\binom{3}{3}$ $24.3$
Maryland (total) White Colored Massachusetts Michigan.	373.3 363.9 420.8 337.0 214.6	17. 1 14. 9 28. 2 12. 4 17. 3	25.8 23.1 39.0 18.3 30.7	15.1 13.7 21.6 8.5 17.5	11.0 10.0 15.8 5.9 10.1	14.6 12.9 22.2 9.2 11.5	12. 2 10. 3 20. 7 6. 9 10. 5	16. 6 14. 0 28. 6 10. 0 18. 3	20. 5 18. 3 30. 4 15. 9 17. 5
Minnesota Missouri Montana New Hampshire New Jersey	249.3 207.5 551.4 452.1 301.0	9.5 23.8 9.1 32.6 13.8	18. 2 35. 0 12. 6 35. 0 23. 2	10.5 21.3 9.2 28.8 11.0	4.8 10.3 5.1 17.1 7.3	8. 5 17. 0 7. 2 16. 5 8. 9	3. 4 15. 2 4. 2 13. 8 7 2	8. 5 25. 9 3. 8 26. 6 11. 2	(4) (3) (4) 27. 1 9. 7
New York North Carolina (total). White. Colored. Ohio.	214. 4 325.4 285. 9 412. 6 275. 1	14. 4 16. 6 16. 7 16. 3 18. 5	19 2 26.4 23.8 32.0 31.7	12.9 5 19.1 17.7 21.9 19.3	7. 9 •18.6 15. 2 25. 2 10. 3	10.9 6 18.4 15.9 22.9 14.2	8.0 520.7 14.4 32.4 11.6	14. 4 624.3 21 9 28. 8 21. 8	15. 1 (4) (4) (4) (4) (4)
Oregon Pennsylvania. Rhode Island South Carolina (total). White Colored	180. 1 452. 0 343. 9 379. 6 301. 3 449. 0	(3) 17. 4 20. 1 18. 5 13. 2 23. 2	(3) 30. 2 26. 5 26. 6 23. 4 29. 4	(3) 17. 4 12. 6 (3) (3) (3) (3)	(\$) 9.2 8.3 (3) (3) (3)	(3) 12.3 12.9 (3) (3) (3) (3)	(3) 10.1 7.9 (3) (3) (3) (3)	(3) 14.7 9.5 (3) (3) (3) (3)	(3) 17. 9 19. 1 (3) (3) (5) (3)
Tennessee (total) White Colored Utah Vermont	271. 7 255. 0 337. 8 313. 5 381. 2	24.5 23.4 28.8 10.1 41.6	(3) (3) (3) 15. 2 76. 7	(3) (3) (3) 12. 7 31. 7	(3) (3) (3) 6.3 19.7	(3) (3) (3) 11. 1 35. 3	(3) (3) (3) 7.1 23.7	(3) (3) (3) 6.5 43.9	(3) (3) (3) (4) 39. 2
White Colored Washington	424. 0 430. 6 408. 8 191. 9 245. 6	21. 0 19. 2 25. 0 7. 4 15. 5	33.3 30.1 40.5 14.3 29.9	18. 9 17. 3 22. 6 9. 9 15. 8	12. 1 11. 2 14. 0 3. 8 7. 1	13. 4 12. 6 15. 1 6. 5 11. 2	(3) (3) (3) 4.7 8 6	(3) (3) (3) 9. 0 12. 9	(°) (3) (3) (4) (4)

Note.—Populations have been estimated by the arithmetical method. Owing to recent unusual migrations of the population and to the fact that 1918 is far away from the last census year, the estimates are probably far too high in some cases and far too low in others.

1 Exclusive of Hawaii.

2 Including the District of Columbia.

3 Not added to registration area until a later date.

4 Figures for deaths not available for the entire period.

5 Figures relate only to municipalities having a population of 1,000 or more in 1910.

8 Figures relate only to municipalities having a population of 1,000 or more in 1900.

### ALL OTHER EPIDEMIC DISEASES.

In the International List of Causes of Death, titles 1 to 19 are assigned to the epidemic diseases, of which eight have been discussed. Of the others, no deaths are reported in 1918 for relapsing fever, miliary fever, Asiatic cholera, plague, and yellow fever. Every effort has been made by the Census Bureau to authenticate the returns of rare diseases before tabulating them under the designated titles; each case has been made the subject of a special inquiry, and either the existence of the disease has been verified or no reply has been received; in the latter case there is no alternative but to classify the death as reported.

In 1918 the 3 deaths reported from typhus fever are distributed as follows: Cecil County, Md., 1; Boston, Mass., 1; and Albemarle County, Va., 1.

Twenty-four deaths are reported from leprosy in 1918: Los Angeles, Calif., 1; San Francisco, Calif., 2; Fresno County, Calif., 1; Monterey County, Calif., 1; Key West, Fla., 1; Gibson County, Ind., 1; New Orleans, La., 2; Iberville Parish, La., 8; Jeff Davis Parish, La., 1; Manhattan Borough, New York City, 1; Syracuse, N. Y., 1; Philadelphia, Pa., 3; and Charleston, S. C., 1.

Dysentery is the cause of 4,725 deaths in 1918, corresponding to a rate of 5.8 per 100,000 population; 2,600 deaths are due to erysipelas, with a rate of 3.2 per 100,000 population; and cholera nostras is the cause of 299 deaths, with a rate of 0.4 per 100,000 population.

Under the title "Other epidemic diseases" is included a miscellaneous collection of diseases, and in 1918 the number of deaths charged to these is 581, distributed as follows: German measles, 191; mumps, 160; chicken pox, 113; rubella, 42; roseola, 23; rotheln, 14; French measles, 10; milk sickness, 8; dengue fever, 6; Rocky Mountain spotted fever, 5; Duke's disease and glandular fever, each 4; and frambesia 1. The 5 deaths from Rocky Mountain spotted fever occurred at the following places: Denver, Colo., 1; Ravalli County, Mont., 1; Manhattan Borough, New York City, 1; and Crook and Deschutes Counties, Oreg., each 1. The 6 deaths from dengue fever occurred at the following places: Tampa, Fla., 1; St. James Parish, La., 1; and Houston and San Antonio, Tex., each 2.

### GLANDERS.

In 1918, as in 1917, only four deaths are reported as due to glanders. The distribution of deaths from this cause for each of the year's 1911 to 1918, inclusive, is shown in the following table:

•		NUMB	ER OF	DEATE	(S FRO	M GLAI	nders.	
AREA.	1918	1917	1916	1915	1914	1913	1912	1911
SUMMARY.								
The registration area 1	4	4	4	4	10	8	12	11
Registration states 2	4 3	3 2	4 4	4 4	10 5	7 6	12 9	11 7
states Registration cities in nonregis-	1	1			5	1	3	4
tration states		1				1		
All registration cities 2	3	3	4	4	5	7	9	7
REGISTRATION STATES.		}						
California: Cities Rural districts Colorado:	1 1				<u>i</u> -	1		
Rural districts Connecticut:					 	•••••	1	
Cities Maine:		1			•••••	• • • • • •	1	1
Rural districts					1		1	· • • • • • •
Cities Rural districts		1		1	3	1		1
New Hampshire: Cities Rural districts						1		
New York:		Į.			•			1
Cities	1	1	3	2	····i	1	6 1	5
North Carolina: Rural districts		-1		(3)	(3)	(4)	(4)	41
Cities					1		1	
Rural districts Pennsylvania: Cities		1	1		• • • • • •	2	1	1
Rural districts	•••••							1
Cities		•	· · · · · ·	1			-;	-:
Rural districts Virginia:	į				1			
Cities Washington: Cities	1						(5)	(5)
Wisconsin: Rural districts.					1			
REGISTRATION CITIES IN NON- REGISTRATION STATES.					1		•••••	•••••
Pensacola, Fla Chicago, Ill	(8)	1				<u>i</u>	(7)	(7)

1 Exclusive of Hawaii.
2 Including the District of Columbia.
3 Includes only municipalities having from 1,000 to 10,000 population in 1910.
4 Includes only municipalities having from 1,000 to 10,000 population in 1900.
5 Included with cities in nonregistration states.
6 Includes cities which were in nonregistration states for at least one year of the series shown.
7 Not added to registration area until a later date.
8 Included with cities in registration states.

### ANTHRAX.

The distribution of deaths from anthrax for each of the years 1911 to 1918, inclusive, is shown in the following table:

AREA	NUMBER OF DEATHS FROM ANTHRAX.										
AREA.	1918	1917	1916	1915	1914	1913	1912	1911			
SUMMARY.											
· The registration area 1	43	62	28	35	19	25	18	14			
Registration states <sup>2</sup>	41 19	60 41	25 15	34 19	16 11	23 10	17 10	11 6			
states	22	19	10	15	5	13	7	5			
tration states	2	2	3	1	3	2	1	3			
All registration cities 2	21	43	18	20	14	12	11	9			

		NUMB	ER OF	DEATE	is fro	M ANT	HRAX.	
AREA.	1918	1917	1916	1915	1914	1918	1912	1911
REGISTRATION STATES.								
California:		١.		١.	}	ŀ		Ì
Cities	2 2	3		1 1	ī	1		1
Colorado: Rural districts Connecticut:	. 1	2		1		<b></b> -		
Cities Rural districts	i	1	1	2 1	<u>ı</u>	<u>i</u>		1
Indiana: Cities Rural districts	1 2	1	 	1		<b> </b> -		
Kansas: Cities	1 1	1		1 *		(8)	(3)	1
Rural districts Kentucky:	1	î				(4)	(4)	(3) (4)
Cities	1		2				4	
Louisiana: Cities	2	(3)	(3)	(3)	(3)	(8)	(3)	(3)
Rural districts	i	(4)	(4)	(4)	1	(4)	(4)	(4)
Cities	i				<del></del>			
Rural districts Massachusetts:		1		<b> </b> -				ļ
Cities Rural districts	5	11	5	4		2	2	1
Michigan: Cities Rural districts	1		1			· ·		
Minnesota:	ŀ	ĺ	1					
Cities				1		····i	1	
Missouri: Cities Rural districts	1		i	;·····		i	1	
Montana: Rural districts	1		*	1		1	1	
New Hampshire: Cities	Ì	1						
New Jersey: Cities		5 1		1	2		1	
New York:	j			1				
Cities Rural districts North Carolina:	5 3	10 2	3 1	8 5	1	2 2	1	i
Rural districts Ohio:		1	2	(5)	( <sup>5</sup> )	(6)	(a)	( <sup>6</sup> )
Cities Rural districts	1 1				1 1	1	2 1	1
Pennsylvania: Cities	1	5 5	5 2	2 2	5	4	3	2
Rural districts South Carolina:	2	5	2		1	4	1	
Rural districts Utah: Rural districts				(4) 1	(4)	(4)	(4)	(4)
Vermont: Rural districts		1	*****	1				1
Virginia: Cities		1			1		(3)	(8)
Rural districts Washington:	• • • • • • • • • • • • • • • • • • • •					1	(4)	( <del>1</del> )
Rural districts Wisconsin:			1		•••••	1		
Cities Rural districts		2			i	.g		
REGISTRATION CITIES IN NON- REGISTRATION STATES. <sup>7</sup>								
Wilmington, Del	1				(1)	2 (4)	( <sup>4</sup> )	(4)
Tampa, Fla Chicago, Ill New Orleans, La	(8) (8) (8)		1	1	(*) 1			····· <u>2</u>
Sureveport, La	(8)	1	(4)	(4)	(4)	(1)	(4)	(4)
Lincoln, Nebr Beaumont, Tex Dallas, Tex		i	i	(1)	(1) (4)	(1) (1)	(4) (4)	(4) (4)
Dallas, Tex San Antonio, Tex	1		····i	(4)	(1)	(4)	( <del>1</del> )	(4)

<sup>1</sup> Exclusive of Hawaii.
2 Including the District of Columbia.
3 Included with cities in nonregistration states.
4 Not added to registration area until a later date.
5 Includes only municipalities having from 1,000 to 10,000 population in 1910.
6 Includes only municipalities having from 1,000 to 10,000 population in 1900.
7 Includes cities which were in nonregistration states for at least one year of the series shown.
8 Included with cities in registration states.

### RABIES.

In 1918 there were 63 deaths from rabies. The distribution of deaths from rabies is shown for each of the years, 1911 to 1918, inclusive, in the following table:

1707714		NUM.	BER O	F DEAT	HS FR	OM RA	BIES.	
AREA.	1918	1917	1916	1915	1914	1918	1912	1911
SUMMARY.								
The registration area 1	63	66	36	52	65	95	74	83
Registration states 2	59 35	61 36	33 16	47 32	56 34	75 47	60 39	69
states	24 4	25 5	17	15 5	22 9	28 20	21	24
All registration cities 2	39	41	19	37	43	67	14 53	14
REGISTRATION STATES.								
California: Cities				6	1	5	7	,
Cities	l	1	1		2	3	1	1
Cities	l	3						
Cities		ļ				i		
Cities	1	(3) (4)	(3) (4)	(3) (4)	(3)	(3) (4)	(3) (4)	(3)
Cities Rural districts Kansas:	ŀ	2		i		1	1 2	1
Cities Rural districts Kentucky:	 	 	1	3	1	(3) (4)	(3) (4)	(3) (4)
Cities	2 1	1	1	2 2	1 3	2	1 2	<sub>i</sub>
Louisiana: Cities: Rural districts	`3 2	(3) (4)	(3) (4)	(3) (4)	(3) (4)	(3) (4)	(3) (4)	(3) (4)
Maryland: Cities Rural districts			2			i		2
Massachusetts: Cities Rural districts	1		ļ <b></b>	5 1	3 2	2		i
Michigan: Cities Rural districts	i	1	2		1	1	3	2
Minnesota: Cities Rural districts	i	1		1	1	1	2	1
Missouri: Cities Rural districts	i	11	2	1	2	2 5	1 4	3
Rural districts  New Hampshire: Cities.  Rural districts.	!	1	1	1	3 1	4		3
New Jorsev:	1	3		1	1	1		1
Cities	i		1	2	1	6 2	1	4
Cities		1	1	1	10 1	11 1	6	11
Cities Rural districts Ohio:	4	4	i	(5)	(5)	( <sup>6</sup> )	···(6)	(6)
Cities Rural districts Pennsylvania:	7	3	1 3	6 1	3	4 2	3 3	4
Cities Rural districts Rhode Island:	4	3	4	5 1	8 6	4 1	4 5	<b>€</b>
CitiesSouth Carolina:						1	3	
CitiesRural districts Pennessee:	1 2	4	3	(3)	(3)	(3)	(3) (4)	(3) (4)
Cities Rural districts Utah:	5	2 2	(7) (4)	{3 4}	(3)	{3} {4}	(3) (4)	(3) (4)
Cities Virginia: Cities	1 2	1		1		2	(3)	(8)
Rural districts Washington:	2	<del>-</del> -	2	î	2	4	(3)	(3)
Cities Rural districts Wisconsin:	1	1	2	····i			1	
Cities Rural districts	2	2				1	····i·	1 2

(See footnotes	at	end	of	table.)	
----------------	----	-----	----	---------	--

		NUM	BER OI	DEAT	HS FRO	M RAE	ies.	
AREA.	1918	1917	1916	1915	1914	1913	1912	1911
REGISTRATION CITIES IN NON- REGISTRATION STATES. <sup>8</sup>								
Birmingham, Ala Mobile, Ala. Montgomery, Ala. Jacksonville, Fla. Atlanta, Ga	1	1 1 1	1 1	1		1 1 5 2		1 1 1 3
Savannah, Ga. Aurora, Ill. Chicago, Ill. Springfield, Ill. Coffeyville, Kans.			(9)	2 (9)	5 (9)	1 2 1	1 8 1	1. 5
Wichita, Kans New Orleans, La Vicksburg, Miss Omaha, Nebr	(9)	(9)	( <sup>9)</sup> 1	( <sup>9</sup> ) 1 1	(9) . 1 (4) 1	(4) 1	1 1 (4)	(4)
Portland, Oreg Charleston, S. C Jackson, Tenn Memphis, Tenn		(9) (9) (9)	(9) (7) (7)		 1 1	2 1 (4) 1	(4)	(4)
Nashville, Tenn Dallas, Tex El Paso, Tex Galveston, Tex	( <sup>9</sup> ) 2 1	(º)	(7)	(4)	(4)	(4) 1	(*) <sub>1</sub>	(4)

1 Exclusive of Hawaii.
2 Including the District of Columbia.
3 Included with cities in nonregistration states.
4 Not added to registration area until a later date.
5 Includes only municipalities having from 1,000 to 10,000 population in 1910.
6 Includes only municipalities having from 1,000 to 10,000 population in 1900.
7 Transcripts for deaths not received.
8 Includes cities which were in nonregistration states for at least one year of the arises shown. series shown.

§ Included with cities in registration states.

### PELLAGRA.

The number of deaths caused by pellagra in 1918 is 3,741, corresponding to a death rate of 4.6 per 100;000 population, as against 4.9 in 1917. Among the areas for which comparisons can be made for these two years, a decrease in 1918 is shown in a majority of states and in all but six of the registration cities in nonregistration states.

AREA.	1	NUMBE	R OF 1	DEATHS	FRÓM	PELL	GRA.	
AREA.	1918	1917	1916	1915	1914	1913	1912	1911
SUMMARY.								
The registration area 1	3,741	3,666	2,390	2,843	1,550	1,015	674	659
Registration states <sup>2</sup> Cities in registration states <sup>2</sup> Rural part of registration states Registration cities in nonregis-	2,196	2,042	1,249	437 621	391 456	573 260 313	326 166 160	322 163 159
tration states	615 1,545	823 1,624			703 1,094	442 702	348 514	
REGISTRATION STATES.								'
California: Cities Rural districts. Colorado: Cities	16 6 2	8 16 2	11 2	11 17	14 14 5	13 6	6	5 7 · 3
Rural districts Connecticut: Cities Rural districts Illinois:	4	2 4 1	Ī .	1	4 2	2 3 1	5	3 <sub>1</sub>
Cities Rural districts Indiana:	8 18	(3) (4)	(3) (4)	(3) (4)	(3) (4)	(3) (4)	(3) (4)	(3) (4)
Cities Rural districts Kansas:	3 9	4 2	]	3 6	1 1	1 3	<u>:</u>	2 1
Cities	ł	12 16	· 7	6 22	11 7	(3) (4)	(3) (4)	(3) (4)
Cities	27 120	37 160	116	14 135	18 131	16 88	32 84	19 46

(See footnotes at end of table.)

	2	тимв	R OF D	EATHS	FROM	PELLA	GRA.	
AREA.	1918	1917	1916	1915	1914	1918	1912	1911
REGISTRATION STATES—contd.								
Louisiana: Cities Rural districts	100 163	(3) (4)	(3) (1)	(3) (4)	(3) (1)	(3) (1)	(3) (4)	(2) (4)
Maine: Cities	10 6	10	5 10	4 6	4 5	3 7	4	<sub>i</sub>
Maryland: Cities Rural districts	5 13	5 11	2	9	4	11 3	6 2	3 8
Massachusetts: CitiesRural districts	15 6	10 9	23 17	16 9	13 6	8	4 1	1
Michigan: CitiesRural districts	7 2	5 1	3 2	8 4	2 2	7	2	1 2
Minnesota: Cities	2 2		<sub>2</sub>	i	2 3	1		
Missouri: Cities	11 45	19 40		12 22	14 10	9 14	3 12	8 10
Montana: Rural districts New Hampshire: Cities		a	8	2	, 1	1		
Cities	2	2	3	3	1	1 2	1	1
Rural districts New York: Cities	18	1	1	2	1		1	1
Rural districts North Carolina: Cities	143	1	97	195	147	96	93	105
Rural districts Ohio: Cities	553		1	2	1	6 61		
Rural districts Oregon: Cities	1 1	(3)	(3)	(3)	(3)	(3)	(3) (4)	(3)
Rural districts Pennsylvania: Cities.	43			2 8		, ,		4
Rural districts	,	1 - "	1				ŀ	
South Carolina: Cities. Rural districts.	273			(3)	(3)	(3) (4)	(3)	(3)
Tennessee: Cities. Rural districts.	144	1 15	3 (7)	(3)	(3)	(3)	(3)	(3)
Vermont: Cities Rural districts			2	2 3				
Virginia: Cities Rural districts	. 104	10	1 7	1 110	9:	5 10	7 8 (3) (4)	(3)
Washington: Cities Rural districts			2		2	: ;	2	
Wisconsin: Cities Rural districts	: :		1 :	<u>:</u>	i		3	2 3
Washington, D. C	-	1	4 1	9 10	5 1	1 1	0 6	.1
REGISTRATION STATES.	10:	9 8	1 5	0 11	6 4	4 3	8 2	6 21
Birmingham, Ala	33	9 8 5 5 7 5 7 2	2 3	5 5 7 5	5 2 4 3	3 2 8 3 5 1	1! 3:	3 25
Pensacola, Fla	9	8 3 9 4	5l	9 2 4 1 0 13 6 (1) 6 5	2 (4)	(1)	4 (1) 2 (4) 3 (1)	(1) (4) (5) (1) (1)
Savannah, Ga Chicago, Ill Decatur, Ill Jacksonville, Ill	. (3)	1 3	7 2	8 5 6	4 5 9		3 2	0 13 7 9 - 1
Quincy, In	[ (%)	 	nd of i			]	i	.]

(See footnotes at end of table.)

		NUMBE	R of D	EATHS	FROM	PELLA	GRA.	
· AREA.	1918	1917	1916	1915	1914	1918	1912	1911
BEGISTRATION CITIES IN NON- REGISTRATION STATES—contd.				,				
Springfield, Ill Coffeyville, Kans. Kansas City, Kans Parsons, Kans. Topeka, Kans.	99999	() () () ()	(9) (9) (9) (9)		(9) (9) (9) (9)	1 2	1 1	(4) (4) (4)
Wichita, Kans. Alexandria, La. Baton Rouge, La. Lake Charles, La. Monroe, La.	(9) (9) (9)	(9) 5 8 1 5	SEESE	99999	94484	3 (4) (4) (4)	933	(4) (4) (4) (5)
New Orleans, La. Shreveport, La. Hattiesburg, Miss Jackson, Miss Meridian, Miss	(º) (º) 6 82 43	50 28 8 108 59	46 (4) 14 90 19	(4) 36 122	67	53 (4) (4) (4) (4)	23 (4) (4) (4) (4) (4)	28 (4) (4) (4) (4) (4)
Natchez, Miss Vicksburg, Miss Lincoln, Nebr Omaha, Nebr Portland, Oreg	(°)		17 14 1	18 52 1	( <del>}</del> )	(4) (4)	(1)	(4) (4)
Charleston, S. C. Columbia, S. C. Greenville, S. C. Spartsanburg, S. C. Chattanooga, Tenn	(9) (9) (9) (9)	9)	(a) (a) (b) (c) (c)	139 384 31 19 52	(4)	(4) (4) (4) (4) (4)	(4) (4) (4)	(4) (4) (4)
Jackson, Tenn. Knoxville, Tenn. Memphis, Tenn. Nashville, Tenn. Beaumont, Tex.	(9)	(9) (9) (9) (9) 7			9 16 107	(4) (7) 37		(4) 12 13 12 (4)
Cleburne, Tex. Dallas, Tex. El Paso, Tex. Galveston, Tex. Houston, Tex	25	24 11	(4) 3( (4)		(4) (4) 3 (4)		(4) (4)	(1) (1) 1 (1) 6
San Antonio, TexAlexandria, VaDanville, VaLynchburg, Va	(9) (9) (9)	(9) (9) (9) (9)	(9) (9) (9) (9)		(9) (9) (9) (9)	(9) (9) (9) (9)	1 1 10 6	4
Norfolk, Va Petersburg, Va Richmond, Va Roanoke, Va	(3)	(9)	(9) (9) (9)	(9) (9) (9) (9)	(9) (9) (9)	(9) (9) (9) (9)	11 5 12 3	3 12

1 Exclusive of Hawaii.
2 Including the District of Columbia.
3 Included with cities in nonregistration states.
4 Not added to registration area until a later date.
5 Includes only municipalities having from 1,000 to 10,000 population in 1910.
6 Includes only municipalities having from 1,000 to 10,000 population in 1900.
7 Transcripts for deaths not received.
8 Includes cities which were in nonregistration states for at least one year of the paries showing the process the process that the proc

series shown.
9 Included with cities in registration states.

### TUBERCULOSIS (ALL FORMS).

Tuberculosis (all forms) includes eight titles of the International List of Causes of Death. The number of deaths reported in 1918 from this cause is 122,040, corresponding to a rate of 149.1 per 100,000 population, and constituting 8.3 per cent of total deaths from all causes. The death rate for 1918 is higher than that for 1917 (146.4).

The following table shows the rates per 100,000 population for the years 1911 to 1918, and the annual average for the five-year period 1906 to 1910, with rates of 175 or more printed in bold-taced type.

	DEAT		1	000,000	POPUL	ATION.	ALL F		PER
AREA.	1918	1917	1916	1915	1914	1913	1912	1911	An- nual aver- age, 1906 to
The registration area 2 Registration states 3.	149.1 147.9	146. 4 144. 2	141.6 139.3	145.8 141.5	146. 8 143. 3	147.6 144.6	149. 5 145. 9	158. 9 155. 6	168. 7 163. 5
California	195. 4 219. 7 160. 3 136. 5 142. 1	184.7 178.1 166.3 (4) 141.3	180. 9 163. 3 147. 2 (4) 136. 0	196. 1 168. 0 143. 3 ((4) 143. 8	195. 0 181. 7 148. 1 (4) 147. 6	203. 2 185. 9 140. 5 (4) 149. 7	(4)	206. 8 218. 0 149. 5 (4) 155. 0	210. 4 244. 2 154. 2 (1) 171. 2
Kansas Kentucky (total) White Colored	56.0 198.0 168.6 460.7	56. 5 197. 9 165. 6 481. 2	54.4 194.4 163.2 463.4	54.7 201.0 167.8 482.2	56.8 207.8 175.6 456.7	(4) 201. 5 172. 7 424. 7	(4) 208.7 178.9 439.8	(4) 229.3 196.7 483.1	(\$) (\$) (\$) (\$)
Louisiana (total) White Colored Maine	175. 1 104. 7 277. 6 118. 5	(1) (1) 114. 7	(1) (1) (1) 116.1	(4) (4) (4) 124. 5	(*) (*) 120. 7	(°) (°) 126.9	(4) (4) (4) 133.5	(4) (4) (4) 142.0	(4) (4) (4) 154. 5
Maryland (total) White Colored Massachusetts Michigan	167.2	154.1	151. 4 438. 4	191.2 144.9 416.1 140.2 98.3	202.1 157.5 405.6 141.9 93.3	194. 5 148. 6 404. 2 144. 2 91. 7	192.6 150.8 383.1 147.5 94.2	203.3 152.1 437.7 153.2 96.0	203.3 159.1 400.6 169.9 99.7
Minnesota Missouri Montana New Hampshire New Jersey	104.3 141.8 104.0	116.1 112.8	104.6 141.2 113.4 113.4 150.3	101. 4 145. 0 118. 8 121. 4 153. 2	107.6 148.7 109.2 123.3 154.5	143.5 108.8 120.2	108.5 148.6 115.4 112.5 155.2	120. 2 154. 0 107. 1 121. 5 174. 1	(4) (6) 137.3
New York North Carolina (total). White. Colored. Ohio.	160. 7 140. 9 97. 1 237. 6 144. 8	159.9 139.7 96.1 235.3 142.4	148.9 103.5 248.5	163. 9 \$231. 1 150. 6 388. 6 130. 0	168. 1 6245. 8 181. 5 368. 2 130. 2	171.1 337.7	1238.5 168.4 367.4		(5) (5)
Oregon. Pennsylvania. Rhode Island. South Carolina (total). White. Colored.	169.4	135.3 162.5 144.6 71.4	145. 9 68. 2	(4) 126. 9 157. 0 (4) (4) (4) (4)	(4) 123. 9 158. 3 (4) (4) (4) (4)	(4) 120. 9 162. 7 (4) (4) (4)	(4) 123. 9 160. 5 (4) (4) (4) (4)	(4) 135. 4 170. 9 (4) (4) (4)	(4) 141. 0 192. 3 (4) (4) (4)
Tennessee (total) White. Colored Utah Vermont.	152.0 421.2 46.1	155. 9 365. 8 43. 3	(4) (4) 49.3		(4) (4) (4) 50 4 101. 9	(4) (4) (4) 48. 9 107. 4	(4) (4) (4) 40 3 100. 4		(4) (4) (4) (5) 127. 4
Virginia (total)	128. 5 319. 5 82. 6	110.9 310.7 81.7	120.1 304.2 81.3	230. 4 86. 7	125. 8 298. 5 88. 5	119.6 270.3 92.4	(4) (4) 91. 7		

Note.—Populations have been estimated by the arithmetical method. Owing to recent unusual migrations of the population and to the fact that 1918 is far away from the last census year, the estimates are probably far too high in some cases and far too low in others.

1 Including scrofula.
2 Exclusive of Hawaii.
3 Including the District of Columbia.
4 Not added to registration area until a later date.
5 Figures for deaths not available for the entire period.
6 Figures relate only to municipalities having a population of 1,000 or more in 1910.
7 Figures relate only to municipalities having a population of 1,000 or more in 1900.

In discussions of tuberculosis in previous years attention has been directed to the fact that there are many localities to which persons afflicted with this disease are attracted because of climatic conditions favorable to the treatment of this disease. States and cities which annually show high death rates from tuberculosis (all forms) are not always those which have conditions tending to the development of tuberculous diseases, but often are health resorts.

Of the 22 registration states for which rates appear for all the years, 3 (California, Kentucky, and Maryland) have higher rates than 175 for each year from 1911 to 1918. In fact, these 3 states have had rates above 175 each year since they were added to the registration area—California and Maryland in 1906 and Kentucky in 1911.

The states which show the highest rates in 1918 from tuberculosis (all forms) are Colorado (219.7), Maryland (213.7), Tennessee (206.2), Kentucky (198), and California (195.4). The states with the lowest rates are Utah (46.1), Kansas (56), Oregon (76), Washington (82.6), and Wisconsin (95.5).

### TUBERCULOSIS OF THE LUNGS.

The number of deaths in 1918 from tuberculosis of the lungs, including acute miliary tuberculosis, is 108,365. The death rate (132.4 per 100,000 population) is considerably higher than the rate for 1917 (128.9).

The following table shows the rates per 100,000 population for 1911 to 1918, and the annual average for the five-year period 1906 to 1910, rates of 150 and higher being printed in bold-faced type:

i L	DE		PEF	100.0	JBERCT 00 POP lore in	ULATIO	N.		GS 1
AREA.	1918	1917	1916	1915	1914	1913	1912	1911	An- nual aver- age, 1906 to 1910.
The registration area 2. Registration states 2	132.4 131.2	128.9 126.8	123.8 121.7	127.7 123.8		127.7 124.8	-129.9 126.4	138.0 134.7	146.8 141.7
California	208 0	163. 7 164. 1 139. 2 (4) 121. 4	(4)		(4)	175.8 170.6 121.0 (4) 125.0	174. 0 187. 0 121. 5 (1) 124. 4	180.8 202.7 127.7 (4) 131.4	184.3 225.9 134.6 (4) 144.9
Kansas Kentucky (total) White Colored	176.7	47.9 174.0 144.3 434.3	170.5 141.5	47.9 178.6 147.5 442.2	49.3 182.2 152.8 .409.4	150.3	(4) 183.4 155.8 397.2	(4) 200. 4 170. 6 432. 2	
1.ouisiana (total) White Colored Maine	96.3	(4)	(4) (4) (4) 95.9	(4) (4) (4) (1) 100.4	(4) (4) (4) 94.3	(4) (4) (4) 96.2	(4) (4) (4) 106.4	(1) (1) (1) 116.5	(4) (4) (4) (4) 124.7
Maryland (total)	403.0 136 1	138.2 401.2 123.7	138.1 391.6	128.8 377.6 118.1	141.2 362.8 118.8	132.5 366.6 120.8	131.2 346.8 125.6	132.4 391.2	141.8 363.4 144.6
Minnesota Missouri Montana New Hampshire New Jersey	129.3	133.1 102.8 94.1	126.9 99.0 96.9	104.9 101.2	132.3 92.5 99.8	126.7 93.3 98.9	129.9 102.8 94.8	137.2 91.3 104.6	(4) (5) 118.2
New York North Carolina (total) White Colored Ohio	142.2 129.6 88.6 220.1	126.2 85.9 214.7	134.9 92.0 228.9	*207.9 133.3 254.0	221.7 160.2 338.7	7203.8 149.7 303.3	7211.8 147.2 330.6	7229.5 163.3 351.2	(5) (5) (5) (5)
Oregon Pennsylvania. Rhode Island South Carolina (total) White Colored	129.8 143.1 136.1 64.5	117.0 141.4 136.0 64.2	142.9 136.5 62.1	132.7 (4) (4)		133.4 (4) (4) (4) (4)			
Tonnessee (total)	136.3 381.8 39.2	136.7 335.1 25.4	(4) (4) 40.1		(4) (4) (4) 40.8 80.6	(1) (4) 41.5	(4) (4) (4) 33.4 80.6	97.1	(4) (4) (5) 104.7
Virginia (total)	115.9 293.9	96.0 283.9 67.5	104.2 274.0 66.5	103.4 304.6 74.6	108.7 3 271.6 69.9	103.5 244.9 74.9	(4) (4) 73.7	(4) (4) (4) 84.3 88.0	(4) (4) (4) (5) (5)
Note.—Populations l	ave be	en est	imated	l by t	l he arit	hmetic	al met	hod.	Owing

NOTE.—Populations have been estimated by the arithmetical method. Ownlot or recent unusual migrations of the population and to the fact that 1918 is far away from the last census year, the estimates are probably far too high in some cases and far too low in others.

1 Including acute miliary tuberculosis and tuberculosis of the larynx.

2 Exclusive of Hawaii.

Exclusive of Hawaii.
 Including the District of Columbia.
 Not added to registration area until a later date.
 Figures for deaths not available for the entire period.
 Figures relate only to municipalities having a population of 1,000 or more in 1910.
 Figures relate only to municipalities having a population of 1,000 or more in 1900,

Tuberculosis of the lungs, including acute miliary tuberculosis, represents 88.8 per cent of all forms of tuberculosis in 1918, and is slightly higher than the corresponding per cent (88) for 1917.

States with the highest rates in 1918 are Colorado (208), Maryland (194.1), Tennessee (185.8), Kentucky (176.7), and California (175.4). States which have the lowest rates are Utah (39.2), Oregon (63.3), Washington (69.2), Wisconsin (82.1), and Minnesota (89.3).

Only four states—California, Colorado, Kentucky, and Maryland—show rates of 150 or higher for every one of the past eight years.

The same caution which was given for tuberculosis (all forms) should be exercised in making comparisons for pulmonary tuberculosis. The mortality from this cause among Negroes and among certain other races is markedly high, for which reason the composition of a given population in respect to color and race should be carefully considered.

#### CANCER.

The number of deaths in 1918 from cancer and other malignant tumors is 65,340, corresponding to a rate of 79.8 per 100,000 population, against 81.6 in 1917. The rate for 1918 shows an increase of 26.7 per cent over the rate for 1900 (63), and the increase is continuous during this period if the years 1906, 1911, 1917, and 1918 are excepted.

The following table shows the rates per 100,000 population for 1911 to 1918, and the annual average for the five-year period 1906 to 1910, rates of 80 and higher being printed in bold-faced type.

	1								
	DEAT		TUMOR	M CAI S PER S0 or n	100,000	POPU	LATION	ī.	NANT
AREA	1918	1917	1916	1915	1914	1913	1912	1911	An- nual aver- age, 1906 to 1910.
The registration area 1 Registration states 2.	79.8 79.8			81.1 80.9					
California	97.9	95.7 (8)	99.5 59.8 93.5 (3) 85.2	53.4 92.6	86.5	97. 6 50. 7 85. 1 (3) 81. 1	58.0 81.4	78.5	51.9 77.9 (3)
Kansas Kentucky (total) White Colored	68.3 52.9 52.8 53.5	53.8 53.2	68.9 51.0 51.1 50.5	49.7 49.2	46.0 46.1	48.0 48.0	45.5	42.0	(8)
Louisiana (total)	l 40.0	(8)	(3) (3) (3) 113.1	(3) (3) (3) 106.6	(3) (3) (3) 107. 6	(3) (3) (3) (3) 107. 5	(3) (3) (3) 110.1	(3) (3) (8) 98. 6	(3) (3) (3) 95.9
Maryland (total)	107.2	94.8 65.9 108.3	93.6 58.9	96.5 57.1	86.1 60.2	86.9 64.4	83.5 58.2 97.6	78.0 49.9	68.9 44.7
Minnesota Missouri Montana New Hampshire New Jersey	72.2 57.4	73.9 58.8 105.3	86.1 73.9 53.8 111.4 82.2	50.0 109.4	69.0 51.5 100.8	49.4 104.4	64.2 40.4 107.4	59.4 40.0 96.8	(3) (4) 94.3

•	DEA	9	TE FRO TUMORS tes of 8	PER	100,000	POPU	LATION	۲.	Tant
AREA.	1918	1917	1916	1915	1914	1913	1912	1911	An- nual aver- age, 1906 to 1910.
New York North Carolina (total) White Colored Ohio.	93.2 43.5 46.2 37.6 91.0	46.4	45.1 48.1 38.5	62.6 53.4	61.4 51.0	5 47.9 46.7 50.1	62.8 45.7	59.4 46.3	(4) (4)
Oregon. Pennsylvania. Rhode Island. South Carolina (total). White. Colored.	34.4	(8) 78.9 95.4 36.8 46.2 28.6	92.6 34.6 41.6	(3) 74.0 92.1 (3) (3) (3)	(3) 72.7 <b>91</b> .2 (8) (8) (8)	(3) 72.2 93.3 (3) (3)	(3) 68.1 89.8 (3) (3)	(3) 66. 4 88. 0 (3) (8) (8)	(3) 62.3 84.9 (3) (3)
Tennessee (total) White Colored Utah Vermont	42.6	46.6 47.3 44.2 53.4 107.7		(8) (8) (8) 48.3 <b>104.0</b>	(3) (3) 45.8 109.9	(3) (3) (3) 52.1 111.7	(3) (3) (8) 47.6 110.4	(8) (3) (3) 51.9 101.0	(3) (3) (3) (4) 96.7
Virginia (total)	47.0	53.3 55.5 48.4 53.6 83.5	63.1 43.3	53.7 58.4 43.3 57.2 81.1	48.9 52.9 40.5 61.9 81.1	48.4 52.4 40.2 53.5 78.5	( <sup>2</sup> ) ( <sup>3</sup> ) ( <sup>3</sup> ) 53. 0 76. 9	(3) (3) (3) 46.1 74.7	(3) (3) (4) (4)

No. —Populations have been estimated by the arithmetical method. Owing to recent unusual migrations of the population and to the fact that 1918 is far away from the last census year, the estimates are probably far too high in some cases and far too

ow in others.

1 Exclusive of Hawaii.
2 Including the District of Columbia.
3 Not added to registration area until a later date.
4 Figures for deaths not available for the entire period.
5 Figures relate only to municipalities having a population of 1,000 or more in 1910.
6 Figures relate only to municipalities having a population of 1,000 or more in 1900.

The states which have the highest rates in 1918 are Maine (107.5), New Hampshire (107.3), Massachusetts (107.2), California (106), and Vermont (99.7). These states also have the highest rates for the preceding six years, although not in the same order. The lowest rates are shown for South Carolina (34.4), North Carolina (43.5), Tennessee (44), Louisiana (46.4), and Utah (50.5). In 1918 rates of 80 or more are shown for 16 states; 7 of these have rates higher than 80 for the years 1911 to 1918, while 5 have such high rates for each year from and including 1907.

The crude rates from cancer in different localities should not be compared without consideration of the age, sex, and race distribution of the population, and allowance should be made for the fact that relatively high mortality for a given city may be caused by deaths of nonresidents who come to the city for hospital treatment.

Cancer and other malignant tumors include seven titles of the International List of Causes of Death, to three of which are charged over two-thirds of all deaths from this cause in 1918. The total number of deaths is 65,340, and 24,783 of these, or 37.9 per cent, are due to cancer of the stomach and liver; 8,642, or 13.2 per cent, to cancer of the peritoneum, intestines, and rectum; and 9,892, or 15.1 per cent, to cancer of the female genital organs.

The classification, by seat of disease, of the deaths from cancer in 1918, with the rate per 100,000 population, is shown in the following table:

	DEATHS, REGISTRATIO AREA:1 1918.					
SEAT OF DISEASE.	Number.	Rate per 100,000 popu- lation.	Per cent.			
Cancer and other malignant tumors (aggregate)	65,340	79.8	100.0			
Cancer of the buccal cavity (total)	2,347	2.9	3.6			
Cancer of the— Lip. Tongue Mouth Jaw. Others of this class.  Cancer of the stomach, liver (total).	596 231 923 215	0.5 0.7 0.3 1.1 0.3 30.3	0.6 0.9 0.4 1.4 0.3			
Cancer of the— Pharynx Esophagus. Stomach Liver and gall bladder.	95 753 15,844 8,091	0.1 0.9 19.4 9.9	0.1 1.2 24.2 12.4			
Cancer of the peritoneum, intestines, rectum (total)	8,642	10,6	13. 2			
Cancer of the—  Mesentery and peritoneum.  Intestines (exceptrectum).  Rectum and anus.  Others of this class.	5,449 2,558 45	0.7 6.7 3.1 0.1	0.9 8.3 3.9 0.1			
Cancer of the female genital organs (total)	9,892	12.1	15.1			
Cancer of the— Ovary and fallopian tube Uterus. Vagina and vulva. Others of this class.	9,043 246	0.7 11.0 0.3 0.1	0.8 13.8 0.4 0.1			
Cancer of the breast	6,040 2,225	7.4 2.7	9.2 3.4			
Cancer of other organs or of organs not specified (total).	11,411	13.9	17.5			
Cancer of the— Larynx. Lung and pleuraPancreas. Kidneys and suprarenals Prostate -Bladder Brain. Bones (except jaw). Testes. Others of this class.	- 769 - 954 - 697 - 1,172 - 1,742 - 193 - 634 - 98	1.2 0.9 1.4 2.1 0.2 0.8 0.1	0.7 1.2 1.5 1.1 1.8 2.7 0.3 1.0 0.1 7.2			

<sup>1</sup> Exclusive of Hawaii.

Of the total deaths from cancer, 38,619, or 59.1 per cent, are of females and 26,721, or 40.9 per cent, are of males. Year after year the statistics show that more than half of those who die of cancer are females, although the male population of the registration area exceeds the female. The causes which show a large excess of male deaths are cancer of the buccal cavity (1,899 males and 448 females), cancer of the skin (1,368 males and 857 females), and cancer of other organs or of organs not specified (7,125 males and 4,286 females). Cancer of the stomach and liver caused nearly half of all the deaths of males, but only about one-third of the deaths of females are assigned to this cause. Cancer of the breast and cancer of the female genital organs caused 41 per cent of all cancer deaths among females in 1918.

Classification, by age and sex, according to the nature of the malignant disease, whether carcinoma, sarcoma, or hypernephroma, is shown in the following table:

	DEATH	S IN THE I	REGISTRA	tion ari	EA:1 191	8.
AGE OF DECEDENT.	Carcin	ioma.	Sarco	ma.	Hyp nephr	er- oma.
	Male.	Fe- male.	Male.	Fe- male.	Male.	Fe- male.
All ages	24,715	36,780	1,923	1,795	83	44
Under 1 year 1 year 2 years 3 years 4 years		13 4 19 17 8	22 32 26 23 19	13 17 18 20 22	1 2	1 2 3
Under 5 years 5 to 9 years 10 to 14 years 12 to 19 years 20 to 24 years 20 to 24 years 30 to 34 years 30 to 34 years 40 to 44 years 40 to 44 years 55 to 59 years 55 to 59 years 65 to 69 years 70 to 74 years 70 to 74 years 70 to 74 years 80 to 84 years 80 to 84 years 90 to 94 years 90 to 94 years 90 to 99 years 100 years	27 28 34 81 155 307 611 1,069 1,711 2,602 3,201 3,714 3,759 3,278 2,246 1,196 481 102 27 6	61 28 17 43 146 386 386 3,738 4,246 4,695 4,694 4,566 3,858 2,686 1,540 613 178 27 52	122 44 49 97 75 89 111 104 126 130 131 172 210 163 38 141 126 70 38 19 2	90 41 35 58 58 75 79 96 125 167 166 172 126 109 51 123 6	1 22 6 15 6 14 13 12 5 1 2	1143555542

1 Exclusive of Hawaii.

#### ACUTE ANTERIOR POLIOMYELITIS.

The number of deaths from acute anterior poliomyelitis in 1918 is 956, corresponding to a rate of 1.2 per 100,000 population. This is a very decided decrease from the rate for 1916 (10), which is the highest shown in the series of years 1910 to 1918.

The following table shows the rates per 100,000 population for the years 1910 to 1918, rates of 2 and higher being printed in bold-faced type:

AREA.	DEATH BATE FROM ACUTE ANTERIOR POLIOMYELITIS (INFANTILE PARALYSIS) PER 100,000 POPULATION. [Rates of 2 or more in bold-faced type.]													
	1918	1917	1916	1915	1914	1913	1912	1911	1910					
The registration area 1 Registration states 2	1.2	1.6	10.0 10.5	1.0	1.1 1.1	1.4	1.9 2.0	1.8	2. 7 2. 9					
California	0.8	0.8 0.3 1.3 (3) 1.1	0.9 0.4 19.2 (3) 1.9	0.8 0.6 1.0 (3) 0.7	1.2 0.9 0.5 (3) 1.2	1.1 0.1 0.8 (3) 1.6	4.6 0.5 0.8 (3) 1.7	1.2 0.7 1.3 (3) 2.5	1.2 0.5 3.6 (3) 1.8					
Kansas Kentucky (total) White Colored	0.6 2.2 2.1 2.9	1.0 1.7 1.7 1.6	1.4 2.1 2.1 2.0	1.1 1.0 1.0 0.4	0.7 1.1 1.2 0.4	(3) 2.2 2.1 3.0	(3) 1.6 1.6 1.5	(3) 2.6 2.5 3.4	(3) (3) (3) (3)					
Louisiana (total) White Colored Maine	0.7 1.1 0.1 0.9	(3) (3) (3) 0.6	(3) (3) (3) 3.6	(3) (3) (3) 0.8	(3) (3) (8) 1.0	(3) (3) (3) (2) 1.8	(3) (3) (3) 1.2	(3) (3) (8) 1.7	(3) (3) (3) 4.2					
Maryland (botal)	1.3	1.2 1.1 1.7 1.3 1.3	8.1 7.6 10.8 12.5 4.9	1.6 1.1 3.9 1.1 1.2	1.1 0.7 2.9 1.4 1.1	1.4 1.5 1.3 1.9 1.4	2.3 2.5 1.7 1.4 1.4	2.6 2.3 3.8 1.6 1.6	2.7 2.5 3.4 3.6 1.7					
Minnesota Missouri Montana New Hampshire New Jersey	0.9 1.4 1.8	0.8 1.4 1.7 2.0 1.4	1.4 5.2 5.6 41.0	1.3 1.2 0.2 2.0 0.8	0.7 1.1 0.9 2.1 0.7	1.7 1.4 1.9 4.8 1.1	1.3 2.3 2.7 1.8 1.0	2.8 1.8 1.3 2.5 1.7	9.5 4.5 4.4 2.0					

(See footnotes at end of table.)

AREA.	DEATH RATE FROM ACUTE ANTERIOR POLIOMYELITI (IN FAMILE PARALYSIS) PER 100,000 POPULATION. [Rates of 2 or more in bold-faced type.]													
	1918	1917	1916	1915	1914	1918	1912	1911	1910					
New York North Carolina (total) White Colered Ohio	0.8 0.9 0.6 1.3 1.2	1.1 1.4 1.5 1.2 2.5	32.8 2.0 2.2 1.7 2.5	0.7 \$1.2 0.3 3.0 1.9	0.9 42.5 1.9 3.7 1.2	1.4 5 1.8 1.6 2.1 1.2	2.4 5 0.8 1.2 3.6	1.8 54.0 4.5 3.0 2.8	1.9 5 0.8 0.9 0.8 1.6					
Oregon	1.1	(3) 1.6 1.1 1.0 1.3 0.8	(3) 7.8 7.0 1.8 2.0 1.7	(3) 1.0 1.2 (3) (3) (3) (3)	(3) - 0.8 1.5 (3) (3) (3) (3)	(3) 1.2 2.2 (3) (3) (3) (3)	(3) 1.5 1.2 (3) (3) (3) (2)	(3) 1.2 2.5 (3) (3) (3) (3)	(8) 3.5 8.1 (3) (3) (3) (3)					
Tennessee (total) White- Colored Utah Vermont	1.7	1.2 1.3 1.1 0.2 4.1	(3) (3) (8) 0.7 3.3	(3) (3) (3) 0.7 5.0	(3) (3) (3) 1.2 14.9	(8) (8) (8) 1.7 1.7	(3) (8) (8) 1.5 2.5	(3) (3) (3) 0.8 3.1	(3) (3) (3) 1.9 2.5					
Virginia (total)	1.4 1.3 0.4	3.1 3.5 2.1 0.4 1.0	3.1 3.8 1.6 0.7 2.7	1.7 1.4 2.4 0.5 0.5	2.0 1.7 2.6 0.8 0.8	2.1 2.0 2.3 0.8 1.2	(3) (3) (3) 0.5 1.3	(3) (3) (3) 1.6 1.3	(3) (3) (3) 7.0 1.8					

Note.—Populations have been estimated by the arithmetical method. Owing to recent unusual migrations of the population and to the fact that 1918 is far away from the last census year, the estimates are probably far too high in some cases and far too low in others.

1 Exclusive of Hawaii.

2 Including the District of Columbia.

3 Not added to registration area until a later date.

4 Figures relate only to municipalities having a population of 1,000 or more in 1910.

5 Figures relate only to municipalities having a population of 1,000 or more in 1900.

Of the 10 states with higher rates in 1918 than in 1917, those showing marked increases are Wisconsin (3.8 as against 1), Kentucky (2.2 against 1.7), Michigan (1.7 as against 1.3), and Minnesota (1.4 against 0.8).

#### ORGANIC DISEASES OF THE HEART.

The number of deaths from organic diseases of the heart in 1918 is 124,668, corresponding to a rate of 152.3 per 100,000 population, and constituting 8.5 per cent of the deaths from all causes. More deaths are reported as due to organic heart diseases in 1918, 1917, 1916, and 1915 than to tuberculosis (all forms), which previously held first place among causes of

In making comparisons it must not be forgotten that nearly all persons who die of heart diseases have passed middle life, and therefore the crude death rates should be used with caution and considered only in connection with the age distribution of the population.

The greatest increases among the states in the nine-year period 1910 to 1918 are for Maryland (from 131.6 to 203.7), New Jersey (from 137.2 to 175.8), California (from 160.5 to 197.4), Massachusetts (from 177.5 to 213.1), Minnesota (from 81.6 to 113.5), and Montana (from 67.8 to 98.1).

The following table shows the rates per 100,000 population for 1910 to 1918, rates of 150 and higher being printed in bold-faced type:

AREA.	DEAT		1	100,000	POPUL	EASES ATION. bold-fa			T PER
	1918	1917	1916	1915	1914	1913	1912	1911	1910
The registration area 1 Registration states 2.	152.3 152.7	153.2 153.0	150.1 150.2	147. 1 146. 6	141.8 141.7	138.6 138.3	142.6 141.6		141.5 141.8
California. Colorado. Connecticut. Illinois. Indiana.	197. 4 97. 7 169. 2 150. 4 167. 4	186. 4 83. 8 178. 2 (3) 161. 0	(3)	181. 0 94. 4 153. 7 (3) 147. 8	(3)	178. 4 86. 2 154. 7 (3) 138. 5	93.5	89.4 <b>159</b> .6	(8)
Kansas Kentucky (total) White Colored	106.3 98.4 83.2 233.8	113.3 108.6 93.8 239.0	93.2 83.1	83.3	85.5	78.3 157.2	80.4 187.1	74.5	(3) (3) (3)
Louisiana (total)	91.3 143.4	(3) (3) (3) 190. 4	(3) (3) (3) 191. 5	(3) (3) (3) 185. 4	(3) (3) (3) 181. 7	(3) (3) (3) 175.3	(3) (3) (3) 177. 4	(3) (3) (3) 179.8	(3) (3) (3) 184. 3
Maryland (total)	203. 7 183. 8 303. 5 213. 1 177. 9	189. 1 171. 1 278. 0 202. 8 181. 3	235.6 195.4	144. 4 215. 0 180. 8	185.3	127.2 200.9	135.5 208.4 186.9	212.9 183.5	120.0 184.8 177.5
Minnesota Missouri Montana New Hampshire New Jersey	113.5 115.5 98.1 206.3 175.8	104.3 110.5 100.9 212.9 169.2	108.2 102.1 205.2	103.5 91.2 213.8	95. 1 89. 5 208. 1	95.9 90.9 187.1	104.0 75.2 192.7	102.4 80.8 197.0	67.8 200.7
New York North Carolina (total) White Colored Ohio.	194.2 99.3 89.9 120.0 163.0	194.5 98.5 89.8 117.6 168.6	92.1 84.3 109.1	4128. 2 98. 9 185. 8	4133.0 93.7 207.8	180.3	5133.0 100.8 192.2	5136.0 96.1 209.4	5 120. 2 92. 5 171. 3
Oregon			169.1 84.5 75.8	160.1 (3) (3)	(3) 137.7 162.9 (3) (3) (3) (3)	(3) 125. 5 159. I (3) (3) (3)	(3) 133.2 168.8 (3) (3) (3)	(3) 129. 0 158. 0 (3) (3) (3)	
Tennessee (total) White. Colored Utah Vermont.			(3) (3) 97.0	(3) (3) (3) 98. 0 200. 0	(3) (3) (3) 95. 1 194. 6	(3) (3) (3) 99.6 213.4			(3) (3) (3) 80. 2 221. 8
Virginia (total)			115.0 186.0 80.6	110.1 177.5 82.0	105.1 161.0 79.4	99.1 145.7 86.0	(3) (3) 78.6		(3) (3) (3) 74.3 98.8

Note.—Populations have been estimated by the arithmetical method. Owing to recent unusual migrations of the population and to the fact that 1913 is far away from the last census year, the estimates are probably far too high in some cases and far too low in others.

1 Exclusive of Hawaii.

2 Including the District of Columbia.

3 Not added to registration area until a later date.

4 Figures relate only to municipalities having a population of 1,000 or more in 1910.

5 Figures relate only to municipalities having a population of 1,000 or more in 1900.

Eight states have rates above 150 per 100,000 population for the series of years 1910 to 1918. Of these, the following states show the highest rates in 1918: Vermont (213.8), Massachusetts (213.1), New Hampshire (206.3), California (197.4), and New York (194.2). The states showing the lowest rates in 1918 are Washington (84.8), Tennessee (91.3), South Carolina (92.8), Colorado (97.7), and Montana (98.1).

#### PNEUMONIA (ALL FORMS).

In 1918 the number of deaths due to pneumonia (all forms) is 232,786. Of these, 152,542 are due to lobar pneumonia, 56,966 to bronchopneumonia, and 23,278 to pneumonia (unqualified). The death rate from pneumonia (all forms) in 1918 is 284.3. This is the highest rate for any year since 1900, the beginning of the annual reports.

The following table shows the death rates per 100,000 population for the years 1911 to 1918 and the annual average for the five-year period 1906 to 1910, rates of 200 and higher being printed in bold-faced type:

	DE			.00,000	POPUL	nia (a: ,noita, bold-fe			ER
AREA.	1918	1917	1916	1915	1914	1913	1912	1911	Annual average, 1906 to 1910.
The registration area 1 Registration states 2.	284.3 283.0	149.8 147.8	137.3 137.0	132.7 130.8	127.0 124.4	132.4 129.0	132.3 128.3	133.7 129.6	143.4 140.8
California Colorado Connecticut Illinois Indiana	238. 5 281. 3 358. 5 248. 5 213. 0	111.2 116.1 209.4 ( <sup>3</sup> ) 126.6	103.0 99.8 197.8 ( <sup>5</sup> ) 114.3	97. 4 145. 4 155. 4 ( <sup>3</sup> ) 110. 3	93.5 113.5 154.3 ( <sup>3</sup> ) 105.0	108.3 119.4 151.4 (3) 97.4	111.2 119.4 145.5 (3) 104.7	101.5 136.0 153.5 (*) 99.6	101.1 146.9 139.4 ( <sup>3</sup> ) 97.6
Kansas Kentucky (total) White Colored	209.2 213.6 191.5 410.2	107.4 119.7 107.9 223.5	82.7 110.7 101.9 187.0	86.3 98.0 85.4 <b>204.9</b>	67.1 108.4 99.9 174.8	(3) 99.0 89.9 169.9	(8) 100.6 90.8 175.8	(3) 98.9 85.5 202.6	(3) (3) (3) (3)
Louisiana (total) White Colored Maine	219.3 194.0 256.1 249.0	(3) (8) (8) 156.4	(3) (3) (3) 137.5	(3) (3) (8) 138.2	(3) (3) (5) 146.7	(3) (3) (3) 145-3	(3) (3) (3) 142.2	(3) (3) (3) 141.7	(8) (8) (8) 146.8
Maryland (total)	413.3 659.2 379.2	193.9 150.8 407.2 169.6 138.2	181.0 147.7 343.9 173.0 116.2	159.2 128.8 306.3 160.6 103.9	158.2 131.9 278.5 155.6 92.4	120.0 269.9 154.8	132.0 106.1 250.2 152.0 93.6	146.8 119.6 271.4 153.8 90.4	112.4 249.9 155.2
Minnesota. Missouri. Montana. New Hampshire. New Jersey.	260.6 267.5 290.8	95.9 154.9 146.5 159.1 174.8	140.6	89.6 121.3 114.6 123.2 151.7	108.9	146.8	71.9 115.6 95.4 131.5 145.0	96.1 119.7 90.2 145.5 151.4	134.2
New York North Carolina (total) White Colored Ohio	267. 0	107.3 87.8 150.1	161.9 104.8 84.1 149.9 138.1	166.9 5129.5 83.4 219 8 121.5		6119.7 73.1	173.5 6131.2 83.6 218.7 111.8	177.8 6150.7 84.5 272.3 101.8	(4)
Oregon Pennsylvania Rhode Island South Carolina (total) White Colored	1 291. B	(2) 188. 6 179. 1 118. 7 95. 4 139. 2	(8) 167.7 159.0 105.0 82.9 124.3	(3) 148.3 164.9 (3) (3) (3)	(8) 146.0 143 1 (8) (3) (3)		(8) 145.5 157.7 (8) (8) (8) (8)	(3) 140.0 152.1 (3) (3) (3)	
Tennessee (total)	169.5   335.2	91.8		(3) (3) (3) 103.9 114.8				(3) (3) (3) 110.6 129.0	
Virginia (total). White. Colored. Washington. Wisconsin	161.5 312.1 136.1	54.9	89.3 208.3 53.4	86.0 174.5 57.1	79.7 160.3 50.6	69.5 133.8 59.0		(3) (3) (3) 64.8 85.7	(3) (3) (8) (4) (4) (4)

NOTE.—Populations have been estimated by the arithmetical method. Owing to recent unusual migrations of the population and to the fact that 1918 is far away from the last census year, the estimates are probably far too high in some cases and far too low in others.

1 Exclusive of Hawaii.
2 Including the District of Columbia.
3 Not added to registration area until a later date.
4 Figures for deaths not available for the entire period.
5 Figures relate only to municipalities having a population of 1,000 or more in 1910.
6 Figures relate only to municipalities having a population of 1,000 or more in 1900.

Among the states, the highest death rates in 1918 from pneumonia (all forms) are for New Jersey. (463.4), Maryland (454.2), Pennsylvania (407), Massachusetts (379.2), and Connecticut (358.5), while the lowest are for Oregon (108.4), Washington (136.1), Minnesota (140.2), Wisconsin (165.2), and Utah (177.5).

DIARRHEA AND ENTERITIS (UNDER 2 YEARS).

Diarrhea and enteritis in 1918 is the cause of death of 47,753 children under 2 years of age, corresponding to a rate of 58.3 per 100,000 population. This is the lowest rate for any year since 1900. This marked reduction from the rate of 1900 (108.8) is doubtless due in part to measures now employed to prevent loss of child life. The great difference, however, which still exists between the rates of the various states certainly suggests that some of these rates at least are still too high.

The following table shows the death rates per 100,000 population for the years 1911 to 1918, and the annual average for the five-year period 1906 to 1910, rates of 100 and higher being printed in boldfaced type:

	DEAT	2	YEARS	) PER	100,000	O POPU	nterit Lation faced t	٧.	DER
STATE.	1918	1917	1916	1915	1914	1913	1912	1911	An- nual aver- age, 1906 to 1910.
The registration area 1 Registration states 2.	58.3 57.5	64. 0 60. 7	65. 6 62. 2	59.5 56.5	66. 0 62. 6	75. 2 72. 2	70.3 66.6	77.4 73.6	96. 2 95. 8
California	34.1 42.3 69.4 67.8 47.1	34:3 32.9 79.1 (3) 54.0	28. 7 39. 5 85. 7 (3) 62. 6	27. 8 26. 1 94. 6 (3) 41. 5		43.2 83.0	38.6 37.8 87.3 (³) 58.6	36.4 56.6 79.1 (³) 61.5	39. 2 70. 6 105. 7 (3) 66. 8
Kansas Kentucky (total) White Colored	28.5 43.2 41.5 58.5	36. 6 54. 9 53. 7 66. 1	49.9 49.6	23.3 37.3 36.6 43.6	46.6	(3) 55.6 55.5 56.1	(3) 40.6 40.0 44.8	49.3	(3) (3) (3) (3)
Louisiana (total)	67.1 65.2 69.8 .39.1	(3) (3) (3) 33.8	(3) (3) (3) 60.3	(3) (3) (3) 50.7	(3) (3) (3) 51.9	(3) (3) (3) 61.4	(3) (3) (3) 43.0	(3) (3) (3) 63.2	(3) (3) (3) 79.6
Maryland (total) White Colored Massachusetts Michigan	115. 8 101. 6 186. 7 75. 7 55. 0	97. 0 83. 1 165. 7 70. 3 56. 0	81.7 160.7 67.3	84.8 77.1 122.0 73.8 41.4	86.8 119.5 81.7	86.7	79.5 122.8 94.5	98. 4 91. 0 132. 7 103, 2 57. 0	102.0 94.9 133.8 110.0 76.1
Minnesota	1 35.6	24.5 48.0 45.7 57.8 83.2	39.6 60.6	36.4 23.3	61.3	57.7 38.6 96.2	52.0 21.7 53.8	60.8 36.2 88.7	(4) 92.0
New York North Carolina (total) White Colored	51. 4 81. 0 73. 4 97. 7 51. 6	97. 1 90. 4 111. 8	77.9 74.5 85.2	5118.2 88.9 175.5	6134.0 111.7 176.4	6114.4 97.6 145.2	6136.9 121.6 164.9	81.8 •150.1 130.7 185.8 59.8	(4)
Oregon Pennsylvania. Rhode Island. South Carolina (total) White. Colored.	14.3 95.7 69.0 75.1 62.4 86.4	94.8 55.6 79.4 75.8	69.7 71.9 70.6	76.3 (3) (8)		(3) 106. 3 83. 7 (3) (2) (3)	(3) 93.7 81.3 (3) (3) (4)	(3) 104.1 88.3 (3) (3) (3)	(3) 127. 4 131. 8 (3) (3) (3)
Tennessee (total) White Colored Utah Vermont	39.9 44.9 23.1	46.8 54.9 39.2	(3) (3) 26. (	(3) (3) (3) 22.4 44.1	(3) (3) (3) (3) 30.9 53.4		(3) (3) (3) 27. 9 40. 4	(3) (3) (3) (3) 37.4 61.8	(3) (3) (4) (67. 3
Virginia (total)	60.5 49.5 85.5 13.9 28.3	55.7 89.3 15.3	55.8 89.3 11.1	43.9 80.9 12.5	49.5 77.1 15.7	66.2 74.8 21.6	(3) (3) 16.5	(3) (3) (3) 25. 4 51. 3	

Note.—Populations have been estimated by the arithmetical method. Owing to recent unusual migrations of the population and to the fact that 1918 is far away from the last census year, the estimates are probably far too high in some cases and far too low in others.

1 Exclusive of Hawaii.
2 Including the District of Columbia.
3 Not added to registration area until a later date.
4 Figures for deaths not available for the entire period.
5 Figures relate only to municipalities having a population of 1,000 or more in 1910.
6 Figures relate only to municipalities having a population of 1,000 or more in 1900,

The five states having the highest rates in 1918 are Maryland (115.8), Pennsylvania (95.7), North Carolina (81), New Jersey (77), and Massachusetts (75.7). The states showing low rates are Washington (13.9), Oregon (14.3), Minnesota (22.3), Utah (23.1), and Wisconsin (28.3).

#### ACUTE NEPHRITIS AND BRIGHT'S DISEASE.

In 1918 the number of deaths from acute nephritis and Bright's disease is 79,343, corresponding to a rate of 96.9 per 100,000 population, which is 8.9 per cent higher than the rate for 1900 (89). Of these deaths, 5,990 are due to acute nephritis and 73,353 to Bright's disease, which includes chronic nephritis and nephritis unqualified.

The five states which have the highest rates in 1918 are Maryland (163.4), New Jersey (124), New Hampshire (116.9), New York (115.1), and Missouri (110.8). The states which have the lowest rates are Washington (48.2), Oregon (52.7), Utah (56.2), Wisconsin (59.6), and Montana (66.2). In a comparison of the rates for 1917 and 1918 very marked decreases are shown in the later year for Connecticut (from 123.2 to 103.5), New York (from 131.4 to 115.1), and for Utah (from 71.2 to 56.2).

The only state with a death rate as high as 150 from acute nephritis and Bright's disease is Maryland, and this state for only the years 1915, 1916, 1917, and 1918. In fact, Maryland is the only state which shows a rate as high as 150 in the annual mortality reports, the first of which was published in 1900.

In making a comparison of crude rates from acute nephritis and Bright's disease, it should be borne in mind that about 80 per cent of the deaths from this cause occur among persons past 40 years of age.

The following table shows the death rates per 100,000 population for the years 1911 to 1918 and the annual average for the five-year period 1906 to 1910, rates of 150 and higher being printed in bold-faced type:

	DEAT		EASE	PER 10	E NEP 10,000 I	POPULA	TION.	247-20	ter a partie
AREA.	1918	1917	1916	1915	1914	1913	1912	1911	An- nual aver- age, 1906
The registration area 1 Registration states 2.	96.9 96.2	107. 4 105. 4	105.2 103.7	104.7 102.1	102.4 99.9	102.9 100.1	103.0 99.7	97.5 94.1	97.5 94.7
California Colorado Connecticut Illinois Indiana	99.7 68.9 103.5 95.5 103.6	106.4 70.7 123.2 (3) 113.1	109.1 67.5 122.9 (3) 105.8	107.2 77.4 114.5 (3) 101.7	100.5 75.4 116.5 (8) 97.1	98.7 75.5 112.0 (3) 92.7	95.3 83.0 106.3 (3) 92.9	92.1 79.9 117.5 (3) 84.6	82.3 73.6 103.1 ( <sup>3</sup> ) 73.8
Kansas	75.9 87.3 77.6 173.7	79.9 96.3 85.2 <b>19</b> 3.7	75.6 82.8 73.6 162.0	69.6 83.7 74.2 163.7	65.4 79.7 70.8 148.7	(8) 80.3 71.4 149.3	(3) 75.4 68.4 129.9	(3) 65.9 61.3 102.1	(8) (3) (8) (8)
Louisiana (total) White Colored Maine	93.3 82.6 108.9 106.1	(3) (3) (3) 111.9	(3) (3) (3) 119.0	(3) (3) (3) 119.2	(3) (3) (8) 120.0	(3) (3) (3) 102.9	(3) (3) (3) 101.4	(3) (3) (3) 114.1	(3) (3) (3) 98.3
Maryland (total)	163.4 147.6 242.7 87.7 80.1	163.8 149.2 235.9 96.3 86.6	152.9 143.9 201.8 97.0 82:1	150.2 136.5 216.7 93.8 81.5	141.4 133.7 176.4 94.4 74.7	140.1 129.2 189.6 90.9 74.9	139.4 125.3 203.8 90.3 75.4	128.0 116.7 179.6 86.7 67.2	121.4 112.2 162.5 85.5 63.5
Minnesota Missouri Montana New Hampshire New Jersey	110.8 66.2 116.9	73.1 116.3 75.7 122.2 132.0	76.3 111.2 78.1 114.6 131.1	78.0 109.1 76.0 113.9 124.7	74.3 99.7 57.6 117.6 126.2	72.5 95.2 58.9 118.8 121.8	70.6 98.4 60.6 121.7 117.1	63.3 85.2 52.0 110.9 116.5	(4) (8) (4) 103.5 109.7
New York North Carolina (total) White Colored: Ohio	83.0	131.4 84.2 78.6 96.3 97.1	131.5 72.6 69.2 80.0 96.5	124.9 •114.5 •94.2 154.2 92.2	131.6 5121.1 599.5 162.3 87.8	134.7 6105.1 87.5 137.4 87.6	138.5 5106.0 94.8 126.6 90.1	132.0 6 91.9 74.6 123.6 77.5	129.4 (4) (4) (4) (4) (4)
Oregon. Pennsylvania. Rhode Island. South Carolina (total). White. Colored.	103.4 102.9 90.9	(3) 116.2 115.5 96.5 90.3 102.0	(3) 107.2 130.6 96.5 82.1 109.0	(3) 103.7 120.8 (3) (3) (3)	(3) 100.3 124.8 (3) (3) (8) (8)		(3) 94.4 123.6 (3) (3) (3)	(8) 91.9 124.2 (3) (8) (8)	(3) 88.4 125.2 (3) (3) (3)
Tennessee (total) White Colored Utah Vermont	71.2 59.1 119.4 56.2 109.8	74-6 62-9 120-2 71-2 113-4	(3) (3) (3) 70.5 114.7	(3) (3) (3) 68.6 122.5		(3) (3) (3) 64.7 115.6	(8) (3) (8) 69.6 115.7	(8) (3) (8) 59.7 105.7	(8) (3) (3) (4) 101.4
Virginia (total).  White. Colored Washington Wisconsin.	92.5 145.5 48.2	141.9 46.1	49.3	53.5	98.1 87.7 119.8 54.3 62.5	93.9 81.7 119.2 55.6	(3) (3) (3) 49.9	(3) (3) (3) 55.0 64.2	(8) (3) (8) (4) (4)

Note:—Populations have been estimated by the arithmetical method. Owing to recent unusual migrations of the population and to the fact that 1918 is far away from the last census year, the estimates are probably far too high in some cases and far too low in others.

1 Exclusive of Hawaii.

2 Including the District of Columbia.

3 Not added to registration area until a later date.

4 Figures for deaths not available for the entire period.

5 Figures relate only to municipalities having a population of 1,000 or more in 1910.

6 Figures relate only to municipalities having a population of 1,000 or more in 1900.

SUICIDE.

The death rate from suicide in 1918 is the lowest (12.1 per 100,000 population) recorded since 1902. The five states which show the highest rates in 1918 are California (26), Montana (19.9), New Hampshire (15.2), Connecticut (15.1), and Maine (13.7). California has had the highest rate of any of the registration states since it was added to the registration area in 1906. The five states which have the lowest rates in 1918 are South Carolina and North Carolina (each 4.3), Tennessee (5.2), Louisiana (6.1), and Utah (6.6).

Under the title "Suicide" are included nine headings, to four of which more than 80 per cent of all deaths from this cause are charged in 1918. The greatest number of deaths in this class are due to firearms (3,482), with a rate of 4.3 per 100,000 population); followed by hanging or strangulation (1,684, with a rate of 2.1); poison (1,514, with a rate of 1.8), and asphyxia (1,292, with a rate of 1.6).

#### VIOLENT DEATHS (SUICIDE EXCEPTED).

In 1918 the number of deaths due to all forms of violence (suicide excepted) is 72,412, which corresponds to a rate of 88.4 per 100,000 population, against a rate of 95.5 in 1917. Under this heading are included deaths from accidental or undefined causes, and those from homicide, the former numbering 66,904, with a rate of 81.7 per 100,000, and the latter 5,508, with a rate of 6.7, the rate from each of these titles being less than the rate for 1917.

The greatest number of deaths under this title are due to traumatism by fall (10,330, with a rate of 12.6 per 100,000); next in order are deaths due to railroad accidents and injuries (8,610, with a rate of 10.5); automobile accidents and injuries (7,525, with a rate of 9.2); burns (conflagration excepted) (6,638, with a rate of 8.1); accidental drowning (5,633, with a rate of 6.9); homicide (5,508, with a rate of 6.7); and absorption of deleterious gases (conflagration excepted) (3,371, with a rate of 4.2). All of these causes of

death show lower rates in 1918 than in 1917, except automobile accidents and injuries. It is of interest to note that automobile accidents have become the third most important cause of violent deaths.

The death rate in 1918 from street-car accidents and injuries (2.9) is lower than the rate in 1917 (3), and deaths from injuries by other vehicles show a slightly lower rate in 1918 (2.7, compared with 3.1). Deaths from the effects of heat show a rate of 1.4, which is lower than the 1917 rate (2.6).

Among the registration states, those showing the highest death rates in 1918 from violent deaths (suicide excepted) are Montana (140.6), Pennsylvania (113.2), Ohio (109.6), Maryland (108.9), and California (108.8). Those showing the lowest rates are Wisconsin (59.2), North Carolina (61.8), South Carolina (69.3), and Kansas and New Hampshire (each 70.8).

The death rate from automobile accidents and injuries again shows a decided increase over the figures for the preceding year—9.2 per 100,000 population against the 1917 rate of 8.9. The five states showing the highest rates are California (17.5), Connecticut (14.3), Montana (13.2), New Jersey (12.8), and Massachusetts (12.7). The five states showing the lowest rates are North Carolina (3.2), Tennessee (3.5), Vermont (3.6), South Carolina (3.7), and Kentucky (3.8).

As estimated populations in 1918 for cities are not considered very reliable, no rates from this cause have been calculated, but the five cities showing the highest percentages of increase from this cause in 1918 compared with 1917 are Birmingham (109 per cent), Denver (87 per cent), Lowell (57 per cent), Providence (41 per cent), and Seattle (38 per cent). The five cities showing the greatest improvement in 1918 as compared with 1917 are New Orleans (a decrease of 36 per cent), Grand Rapids (a decrease of 36 per cent), Albany (a decrease of 35 per cent), Atlanta (a decrease of 33 per cent), and Bridgeport (a decrease of 27 per cent).

As mortality rates from automobile accidents and injuries are not available for England and Wales, it is not possible to compare their rates from this cause with those for the registration area, but it is very apparent that their toll from this cause is very much less than ours. In 1917 in England and Wales the mortality rate from "vehicles and horses" was 9 and the rate from all causes included under International List No. 175 was 9.9, while in the registration area the 1917 rate for vehicles and horses was at least 26.2 and the rate for causes included under International List No. 175 was 26.9.

In 1900, when an automobile was almost a curiosity, the mortality rate from "accidents and injuries by vehicles and horses" per 100,000 population in the registration area was 1.3 (including automobile accidents)—a rate which stands in striking contrast with the rate 9.2 from automobile accidents and injuries in 1918.

One phase, which is particularly distressing, is the large number of deaths from this cause among children. In 1918, 31.1 per cent of the total number of deaths from automobile accidents are of children under 15 years of age, as contrasted with 7.5 per cent below that age from railroad accidents.

It is useless to present further figures to show that much of the mortality from automobile accidents and injuries is unnecessary; the fact is one of common knowledge; reckless driving and speeding are such everyday terms that the child in the kindergarten understands them. It is high time to pay more attention to this increasing menace to our people and especially to our children. Traffic laws should be improved, and more important still, traffic laws should be enforced.

In the following table are given for 1918, 1917, and 1916 deaths from railroad accidents and injuries and automobile accidents and injuries for cities which had 100,000 or more inhabitants in 1910:

,		number	OF DEA	THS FROM	[ <del>-</del>	
CITY.		d accider injuries.	nts and		bile acc l injurie	
	1918	1917	1916	1918	1917	1916
Total	1,784	1,820	1,766	3,254	2,906	2,252
Birmingham, Ala. Los Angeles, Calif. Oakland, Calif. San Francisco, Calif. Denver, Colo.		36 37 19 19 9	15 43 16 16 11	23 91 24 74 43	11 99 21 72 23	14 91 18 62 21
Bridgeport, Conn. New Haven, Conn. Washington, D. C. Atlanta, Ga. Chicago, Ill	12 12 6 21 204	8 14 15 20 269	16 18 9 15 248	22 28 54 20 - 291	30 22 46 30 310	26 23 37 27 243
Indianapolis, Ind		48 37 21 29 41	27 17 27 17 63	27 28 28 102 108	31 22 44 80 84	19 9 20 36 71
Cambridge, Mass. Fall River, Mass. Lowell, Mass Worcester, Mass Detroit, Mich		5 4 6 19 55	3 4 5 16 88	14 14 22 29 125	15 12 14 27 157	12 6 6 20 127
Grand Rapids, Mich		17 33 20 43 55	12 35 29 48 59	9 43 27 64 93	14 43 24 56 73	9 33 31 38 67
Omaha, Nebr. Jersey City, N. J. Newark, N. J. Paterson, N. J. Albany, N. Y.		12 51 22 15 12	16 57 18 15 21	26 30 62 19 11	23 22 62 19 17	14 19 53 14 . 11
Buffalo, N. Y. New York, N. Y. Rochester, N. Y. Syraeuse, N. Y. Cincinnati, Ohio.	60 133 12 19 47	62 78 24 22 59	65 89 25 25 65	90 691 25 22 59	81 549 21 20 56	56 432 29 12 56
Cleveland, Ohio Columbus, Ohio Dayton, Ohio Toledo, Ohio Portland, Oreg		111 33 10 34 7	111 29 20 41 12	168 38 22 32 31	137 30 19 26 30	98 26 8 19 14
Philadelphia, Pa. Rittsburgh, Pa. Scranton, Pa. Providence, R. I. Memphis, Tenn.		115 122 31 10 25	99 105 35 9 (¹)	226 105 16 38 19	169 100 14 27 23	153 64 16 25 (¹)
Nashville, Tenn Richmond, Va. Seattle, Wash. Spokane, Wash. Milwaukee, Wis	36 9 7 5 31	12 13 8 8 45	(1) 10 9 3 30	14 9 40 10 48	13 10 29 8 41	(1) 10 27 5 25

<sup>&</sup>lt;sup>1</sup> Transcripts of deaths not received.

#### ILL-DEFINED AND UNKNOWN CAUSES.

Marked and steady improvement year after year in the certification of causes of death is shown in the table below.

Although the per cent of total deaths classified as due to ill-defined and unknown causes by no means tells the whole story in regard to certification, still it does serve as a very reliable index of the character of such certification.

The per cent of certificates showing ill-defined and unknown causes of death in the registration area fell steadily from 4.2 in 1900 to 0.8 in 1912. The slightly higher per cents (1.1 in 1918 and 1.3 in 1917) are accounted for by the addition of new territory to the registration area for those years.

	Year				)	ER C	ENT C	F TOT	AL DI	EATHS	DUE	то ए	NKNO	WN O	R ILL	-DEFI	NED D	ise as	ses.				
AREA.	ad- mit- ted to the regis- tra- tion area.	1900	1901	1902	1908	1904	1	An- nual aver- age, 1900 to 1905.	1906	1907	1908	1909	1910	An- nual aver- age, 1906 to 1910.	1911	1912	1918	1914	1915	An- nual aver- age, 1911 to 1915.	1916	1917	1918
Registration area <sup>1</sup>		4.2	3.4	3.3	2.8	2.5	2, 5	3.1	2.4	2.1	2.0	1.7	1.5	1.9	0.9	0.8	1.0	0.9	0.8	0.9	1.1	1.3	1.1
REGISTRATION STATES.																	١.			.	[		
California. Colorado. Connecticut	1906 1906 1890 1918	i.5	1.5	1.6	1.5	1.5	1.5	1.5	2.1 1.3 1.3	1.7 1.2 1.5	1.3 0.6 1.5	0.9 0.5 1.5	0.6 0.6 1.5	1.3 0.8 1.4	0.2 0.3 0.6	0. 2 0. 2 0. 5	0.1 0.2 0.6	0.2 0.1 0.5	0.2 0.2 0.5	0.2 0.2 0.6	0.1 0.2 0.4	0.1 0.2 0.4	0.1 0.2 0.3 0.5
Illinois. Indiana	1900	6.1	4.4	4.1	3.1	2.8	2.7	3.9	2.1	1.6	0.8	0.4	0.3	1.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Kansas Kentucky	1914 1911 1918														3.8	4.0	2.7	1.8 3.9	1.7 3.6	(2) 3.6	1.5 3.5	1.3 3.2	1.1 2.6 3.4
Louisiana Maine Maryland	1900	5.5	5.3	4.7	4.7	4.6	3.6	4.7	4.4 4.2	3.6 4.1	2.7 4.0	2.8 3.9	3.0 4.0	3.3 4.0	1.6 1.8	1.8 1.5	1.5	1.6 1.3	1.3 1.5	1.6 1.5	1.7 1.3	1.6	1.2 0.7
Massachusetts Michigan Minnesota Missouri Montana	1880	3.6		3.5	2.9	2.1	2.2	2.9	2.2	2.2	2.4 2.7	1.7 2.3	1.2 2.3 2.1	1.9 2.7 (2)	0.5 1.0 1.4 1.7 1.8	0.5 1.2 1.2 1.6 1.9	0.4 0.9 1.0 1.5 2.5	0.5 0.8 1.0 1.4 2.3	0.7	0.4 0.9 1.1 1.6 2.1	0.5 0.7 1.0 1.5 2.1	0.5 0.6 0.7 1.3 2.0	0.4 0.6 0.7 1.1 0.7
New Hampshire. New Jersey. New York. North Carolina. )hio.	1890 1880 1890 1890 31916 1909	6.0 4.2 3.1		4.7 3.8 2.2	3.2 3.4 2.1	3.1 2.9 1.9	3.2 2.9 1.8	4.3 3.5 2.2	2.6 2.6 1.7	2. 7 2. 4 1. 0	2.4 2.3 1.1	2.0 2.2 0.9	1.8 1.5 0.9 5.8 0.9	2.3 2.2 1.1 (2) (2)	0.7 0.4 0.1 3.6 0.5	0.5 0.3 0.1 2.9 0.5	0.7 0.3 0.1 4.0 0.5	5.3	0. 2 0. 1 5. 1	0.6 0.3 0.1 4.3 0.5	0.5 0.2 0.1 8.5 0.7	0.4 0.1 0.1 8.6 0.7	0.2 0.2 0.1 7.8 0.6
Oregon	1 TAOO	2.0	1.8	1.3	1.4	1.3		1.5	2.8 1.3	2.6 1.3 6.8	1.3	2.3 1.8 8.4	2.3	2.5 1.4	1.0	1.0	0, 9				0.5 0.4 4.8	0.5 0.6 4.7 6.6	0.5 0.4 0.5 3.2
Utah Vermont Virginia Washington Wisconsin	. 1913	5. 4		:::::	2.9	3.2	2.9	3.8	2.5	1.8	2.2	2.2	3. 4 0. 5 1. 8 2. 2	(2)	1.7 0.4 1.5 0.9	2.1 0.3 1.6 0.7	2.0 0.2 8.8 1.4 0.9	4.1	0. 2 3. 8 1. 5	1.4	3.4 0.1 3.8 1.2 0.3	3.5 0.2 4.2 1.0 0.8	
CERTAIN REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910.																							
New York. Philadelphia. Chicago. Boston Cleveland.	.) 1880	2. 2 4. 6 1. 2 2. 5 10. 0	4. 2 1. 1 2. 4	4. 5 1. 0 2. 7	2.6 0.8 2.3	2.0 0.7 2.0	$\begin{vmatrix} 2.4\\ 0.7\\ 2.2 \end{vmatrix}$	3. 4 0. 9 2. 3	0.6	0.7	1.8 0.4 2.5	1.6 0.1 1.1	1.0 0.1 1.0	1.6 0.4 1.8	0.1 0.2 (5) 0.3 0.1	(5)	0, 2	0.1 0.1 0.3	0.1 0.1 0.3	0.1 (5) 0.3	(5) 0.1 (5) 0.4 1.4	(5) 0,1 (5) 0,2 1,5	1.5
Washington, D. C. Baltimore. St. Louis. Cincinnati New Orleans	1880	4. 2 5. I	3. 4 4. 2 1. 7	3.5 4.7 1.4	3.3 2.7 2.2	2.6 2.1 3.1.8	3.1 1.9 2.0	3.3 3.2 2.3	3.1 1.8 2.2	1.8	3. 1 1. 6 0. 9	3. 0 1. 2 0. 9	2.7 0.4	2.9 1.3 1.3	0.1	0.8 (5) (5)	0. 2 0. 3 0. 1 (5) (5)	0.2	(6)	0.6	0.1 0.1 (5) 0.6 (6)	0.1 0.1 (5) (5) (5)	(5) (6)

Note.—Previous to 1900 the registration area comprised certain states and cities for which mortality figures were compiled only for the census years 1880 and 1890 from data collected by census enumerators.

<sup>1</sup> Exclusive of Hawaii.
2 Average not shown for less than 5 years.
5 From 1910 to 1914 returns received only from municipalities of 1,000 population or more in 1900; for 1914 and 1915, returns received only from municipalities of 1,000 opulation or more in 1910; in 1916 the remainder of the state was added to the registration area.
4 Dropped from the registration area in 1910.
5 Less than one-tenth of 1 per cent.

#### DEATHS OF CHILDREN UNDER 1 YEAR OF AGE.

Deaths of children under 1 year of age are usually considered in connection with the number of births, and the number of deaths under 1 year of age per 1,000 births is commonly spoken of as the infant mortality rate.

The following tables indicate that infant deaths are every year forming a smaller and smaller part of total deaths, but that the decreases have occurred principally after the second week of life, that premature birth and bronchopneumonia form considerably larger per cents of the total in 1918 than in 1910, and that influenza and whooping cough exacted a very high toll in 1918.

PER CENT OF TOTAL DEATHS UNDER 1 YEAR OF AGE TO TOTAL DEATHS, AND IN EACH OF THE 12 SUBDIVISIONS OF THE FIRST YEAR OF LIFE TO DEATHS UNDER 1 YEAR OF AGE IN THE REGISTRATION STATES AS OF 1910 (EXCLUSIVE OF NORTH CAROLINA): 1910 TO 1918.

					•				
AGE.	1918	1917	1916	1915	1914	1913	1912	1911	1910
Deaths under 1 year of age to total deaths	13.0				17.3				
Total deaths under 1 year of age .	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 1 day. 1 day. 2 days. 3 to 6 days. 1 week. 2 weeks. 3 weeks but under 1 month. 1 month. 2 months. 3 to 5 months. 6 to 8 months. 9 to 11 months.	4.9 3.6 6.4 5.9 4.3 3.4 7.0 16.4 13.6	4.9 3.8 7.2 6.2 4.6 3.7 8.9 7.0 16.2 12.0	5.0 3.8 7.2 6.0 4.4 3.5 8.8 7.0 16.2 12.4	5.0 3.7 7.1 6.2 4.7 9.0 7.3 16.3 11.9	5.1 3.8 7.3 6.3 4.8 3.7 9.2 7.6 16.7 12.0	6.2 4.7 3.7 9.5 7.7 17.5 12.5	5.2 3.5 6.9 6.2 4.8 9.6 8.0 17.3 12.4	5.3 3.3 6.8 6.1 4.8 3.7 9.8 7.9 17.7 12.8	4.9 6.1 5.7 4.6 3.8 9.9 8.4 19.3 14.1

PER CENT OF DEATHS FROM CERTAIN IMPORTANT CAUSES TO TOTAL DEATHS UNDER 1 YEAR OF AGE IN THE REGISTRATION STATES AS OF 1910 (EXCLUSIVE OF NORTH CAROLINA): 1910 TO 1918.

Abridged Int. List No.	CAUSE OF DEATH.	1918	1917	1916	1915	1914	1913	1912	1911	1910
	All causes under 1 year of age	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
5 6 7 8 9 12127 313 114 15 15 17 137 9 22 132 123 123 123 123 123 123 123 123	Measles. Scarlet fever. Whooping cough Diphtheria and croup Influenza. Dysentery Erysipelas. Tetanus. Toberculosis of the lungs. Tuberculous meningitis. Other forms of tuberculosis. Syphilis. Meningitis. Convulsions. Onvulsions. Organic diseases of the heart Acute bronchitis. Pneumonia. Bronchopneumonia. Diseases of the stomach. Diarrhea and enteritis. Malformations. Premature birth. Congenitial debility. Injuries at birth. External causes. Unknown or ill-defined diseases. Ill other causes.	0.1 3.0 0.4 0.2 0.4 0.5 0.7 0.2 1.0 0.8 1.1 9.6 20.0 9.1 3.1.0	2.55 0.22 0.50 0.10 0.10 0.10 0.10 1.22 2.22 2.22 1.30 1.21 2.10 1.21 2.10 1.21 2.10 1.21 2.10 1.21 2.10 1.21 2.10 1.21 2.10 1.21 2.10 1.21 2.10 1.21 2.10 1.21 2.10 1.21 2.10 2.10	0.1 0.5 0.9 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5	0.11 0.62 0.51 0.62 0.51 0.58 0.33 0.96 0.44 9.85 11.52 11.66 19.65 11.11	2.3 0.3 0.5 0.1 0.5 0.1 0.8 0.1 2.0 0.4 2.4 5 1.7 22 2.8 3.1 1.3 3.1 1.0 9.1 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1	0.21 0.43 0.51 0.58 0.51 0.59 0.51 0.55 1.92 2.59 17.23 1.11 0.51	0.1 0.5 0.3 0.5 0.6 0.8 0.3 1.1 1.1 2.4 0.6 2.7 0.8 3.2 1.0 1.3 2.4 1.1 2.4 1.1 1.1 1.1 1.1 1.1 1.1 1.1 1	0.24 0.43 0.51 0.68 0.69 0.60 0.60 0.60 0.60 0.60 0.60 0.60	0.226.35.526.7 3.05.57 6.83.83.64.04.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4
				•••			•			

As the number of births is known in but two-thirds of the states of the death registration area, no consideration of infant mortality in the usual way of the entire death registration area is possible. But as we now have a birth registration area and an annual report on Birth Statistics, it has been thought best to show in that report those infant mortality tables which relate exclusively to the birth registration area and to retain in the Mortality Statistics other tables which relate to the death registration area.

In default of infant mortality rates based upon births, some idea of the improving conditions which surround our children under 1 year of age may be obtained by a glance at the following table, which gives for a series of years rates per 1,000 estimated midyear population under 1 year of age in the registration states as of 1910 (exclusive of North Carolina):

DEATH RATE PER 1,000 ESTIMATED MIDYEAR POPULATION UNDER 1 YEAR OF AGE FROM CERTAIN IMPORTANT CAUSES IN THE REGISTRATION STATES AS OF 1910 (EXCLUSIVE OF NORTH CAROLINA): 1910 TO 1918.

Abrid ged Int. L tNo.	CAUSE OF DEATH.	1918	1917	1916	1915	1914	1913	1912	1911	1910
	All causes under 1 year of age	110.7	102.9	105.4	103.4	108.7	116.0	112.2	116.0	131.7
5 6 7 8 9 9 (12) (37) 14 15 17 (37) 19 20 22 (23) (23) (33) (33, (37) (35, 35) 35 8	Measles Scarlet fever Whooping cough. Diphtheria and croup. Influenza. Dysentery. Erysipelas. Tetanus. Tuberculosis of the lungs. Tuberculous meningitis. Other forms of therculosis. Syphilis. Meningitis Convulsions. Organic diseases of the heart. Acute bronchitis Pneumonia. Bronchopneumonia Diseases of the stomach. Diarrhea and enteritis. Malformations. Promature birth. Congenital debility. Injuries at birth. External causes. Unknown or ill-defined diseases.	0.13.343.6.9 0.20.5 0.10.5 0.10.5 0.22.5.6 0.15.5 22.2.2 22.11.1 3.9	0.1 2.3 0.5 0.8 0.2 0.6 0.1 0.6 0.8 0.2 1.3	0.5 1.0 0.2 0.6 0.6 0.8 0.3 1.4 1.3 0.4 2.4 2.4 2.1 7.5 21.5	0.11 0.73 0.05 0.50 0.50 0.51 0.51 0.51 0.51 0.51	2.4 0.6 0.3 0.5 0.1 0.1 0.8 1.3 1.1 2.2 4.8 9.9 1.8 2.7 7.3 20.1 1.3 1.2 1.2	0.2 0.2 0.3 0.4 0.6 0.6 0.9 0.3 1.25 0.9 2.2 2.5 3.9 2.2 2.5 3.9 2.2 2.5 3.9 2.1 3.9 3.9 3.9 3.9 3.9 3.9 3.9 3.9	0.2 2.3 0.3 0.3 0.6 0.6 0.9 0.3 1.3 2.7 0.6 3.1 1.3 2.6 2.5 19.1 1.5	0.65 0.62 0.62 0.70 0.3 1.33 1.36 8.63 29.04 18.4 18.4 1.5	0.3084600.6600.00000.0000000000000000000000
	i							l	Ι.	j

The rate from all causes under 1 year of age declined from 131.7 in 1910 to 102.9 in 1917, but has risen again in 1918 to 110.7. The rate from diarrhea and enteritis has declined from 37.7 in 1910 to 22.2 in 1918. On the other hand, a few increases appear which should serve as food for thought. Influenza has a rate of 6.9 in 1918 against 0.8 in 1917. Bronchopneumonia also shows an increase—10.7 against 9.8 in 1917. What has occasioned the increase in the rate from premature birth from 17.5 in 1910 to 22.1 in 1918?

#### DEATHS OF SOLDIERS, SAILORS, AND MARINES.

The number of deaths of soldiers, sailors, and marines in the registration area (exclusive of Hawaii) during the year 1918, as reported to the Bureau of the Census by state and municipal registration offices, is 26,209. Of this number, 21,051, or more than 80 per cent, are in the age periods 20 to 24 and 25 to 29, and 23,206, or more than 88 per cent, are white.

Of the total number, 20,777, or more than 79 per cent, are deaths from influenza and pneumonia (all forms), the next most important factor being deaths from external causes, credited with 1,340

deaths, due principally to suicide, 292; accidental drowning, 169; railroad accidents and injuries, 119; accidental traumatisms by firearms, 108; automobile accidents and injuries, 101; and airplane accidents, 101. Other important causes are tuberculosis of the lungs, 763; measles, 583; and meningitis, 564.

Tables showing deaths in the registration area and registration states and in Hawaii by color and age of decedent and by important causes, also for the registration area and for Hawaii, for all ages, by each cause and class of causes, may be found on pages 589 to 594.

#### ACCURACY OF STATISTICS OF CAUSES OF DEATH.

It is obvious that the cause of death can not be classified correctly unless it has been stated accurately. It is not stated accurately when one or two of several factors are not given in the physician's report. Again, it is not stated accurately when the physician fails to enter on the death certificate a qualifying term which, if given, would modify the classification of the death. For example, the reporting of a death from tuberculous peritonitis as having been caused by "peritonitis" represents an error of omission which, if not corrected, would cause the death to be incorrectly classified, not only with reference to the title of the International List of Causes of Death to which, on the basis of the incomplete statement, it would have to be assigned, but also with reference to the class or group of causes into which the list is divided.

One of the principal difficulties in classifying deaths according to the International List is the fact that each year the Census Bureau receives several hundred thousand certificates of deaths on each of which the names of two or more diseases appear. All systems of classification in present use are based upon the principle that each death must be charged to a single cause. This means that if two or more morbid conditions are stated on a certificate with nothing to indicate which was the chief or primary cause, one of them must be selected as the cause under which the death shall be classified. In many cases no dependence can be placed upon the order in which the terms are written; nor can the compiler rely upon the statements as to the "cause of death" or the "contributory cause," since these terms are used with different and diametrically opposed meanings, not only by physicians but by registration officers.

In its effort to improve the statement of cause of death, the Bureau of the Census has sent to every physician in the country two pamphlets bearing upon this subject, namely, "Relation of Physicians to Mor-

tality Statistics" and "Physicians' Pocket Reference to the International List of Causes of Death." These pamphlets were, first, to acquaint physicians with the form, scope, and requirements of the International List of Causes of Death, and, second, to emphasize the fact that the value of statistics of cause of death depends largely upon the precision and completeness with which the information is supplied by the medical profession. With these ends in view, the titles of the International List have been included in each pamphlet, together with comments on some of the principal undesirable terms commonly used in reporting causes of death; these comments give the reasons why each such term is unsatisfactory and present suggestions for more precise statements.

The first test inquiry was made for 1911. Five of the undesirable terms frequently used in reporting causes of death—"meningitis," "paralysis," "convulsions," "pneumonia," and "peritonitis"—were selected, and, in cases where they had been employed without qualification, circular letters were sent to the physicians who had signed the death certificates. These letters requested such additional statements or information relative to the cause of death as might be needed for a more satisfactory classification, and with each was inclosed a copy of the "Physicians' Pocket Reference to the International List of Causes of Death," the paragraph therein referring to the unsatisfactory nature of the term used being marked. In Mortality Statistics, 1911 (pp. 36-38), the results of this test may be found. It is sufficient to say that approximately 2,000 replies were received, and the additional information obtained from the physicians enabled the bureau to improve the classification in 57 per cent of the cases covered by replies.

The following table shows the results obtained in 1918 by sending queries to physicians:

RESULTS OBTAINED BY SENDING QUERIES TO PHYSICIANS IN 1918.

UNSATISFACTORY TERM.		Num- ber of changes in classi- fication.	Per cent changed.	International titles and subtitles (detailed list) principally affected.	UNSATISFACTORY TERM.	Num- ber of replies.	Num- ber of changes in classi- fication.	Per cent changed.	International titles and subtitles (detailed list) principally affected.
Croup, membranouslaryngitis. Septicemia, sepsis, blood poisoning. Tabes mesenterica. Autointoxication, toxemia, ptomaine poisoning Cerebral abscess. Meningitis, cerebral meningitis, cerebralysis, cerebral meningitis (undefined).  Cerebral congestion. Cerebral softening. Hemiplegia, paralysis, general paralysis. Paresis. Convulsions (5 years and over). Convulsions (under 5 years). Cerebral tumor. Acute cardiac dilatation, cardiac insufficiency. Hemorrhage. Edema of glottis. Bronchopneumonia. Pneumonia (unqualified), typhoid pneumonia. Pleurisy. Pulmonary congestion, edema of lungs.	60 122 19 68 56 1,232 21 54 907 281 13 400 7	30 82 2 45 41 890 13 28 653 128 10 161 2 1,156 1,156 2,590 1	50.0 67.2 10.5 66.2 73.2 72.2 61.9 72.0 49.1 76.9 76.9 88.2 50.0 23.3	10, 30, 37, 61 (3), 76, 104, 172. 104, 105. 64, 81, 82. 37, 63 (2), 64, 67, 79, 120. 38. 154 (1), 152 (1). 65, 150 (1). 56, 78, 81, 103, 120. 134, 135. 28, 37, 88, 152 (1), 165.	Pulmonary abscess and hemorrhage Stricture of esophagus Gastritis, indigestion, acute indigestion Intestinal congestion Liver trouble, disease of liver. Peritonitis, general and septic peritonitis. Acute Bright's disease, acute nephritis Bright's disease, nephritis, uremia Renal congestion, disease of kidneys Extravasation of urine. Salpingitis, pyosalpinx, pus tubes Abscess, cellulitis Hydroedphalus. Inanition, debility, marasmus, etc. (under 1 year).  Senility, old age. Anasarca, ascites, dropsy Natural causes, heart failure, fever, etc.	149 29 879 2 6 151 894 319 8 4 260 8 11,192 222 84 270	105 12 362 1 2 101 268 113 6 1 186 7 11 569 102 65 142 8,183	70.5 41.4 41.2 50.0 33.3 66.9 30.0 35.4 75.0 25.0 71.5 87.5 26.8 47.7 45.9 77.4 52.6 49.9	28, 90, 92 (1), 150 (3), 155, 165.  56, 79, 102, 104, 105, 164. 102, 28, 79.  31, 105, 108, 137, 172.  6, 7, 10, 37, 79, 100, 120, 138.  119, 122, 138.  120. 126.  37, 38, 137. 34. 30, 74. 28, 31, 36, 37, 103, 104, 150 (2), 150 (3), 151 (1), 152 (1), 37, 64, 79, 81, 120. 79, 120.  87, 79, 104, 105. 6, 8, 10, 28, 37, 38, 61 (3),
						_			91, 92 (1), 104, 105, 138.

CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF DEATH IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII AND OF SOLDIERS, SAILORS, AND MARINES): 1917.

For 1917 a special tabulation was made of contributory causes of death in relation to primary causes. Of the 1,066,711 death certificates of civilians in the registration area in 1917, 372,291, or 35 per cent, having double assignments of causes of death were tabulated to show contributory causes in relation to primary causes of death, and the figures are presented in detail in the table which begins on page 50.

An occasional tabulation of this kind is essential to paint properly the mortality picture of the various causes of death. Some causes, like smallpox and plague, are so invariably preferred to other causes on the death certificates that a table showing contributory causes will not increase the number of those who died from those diseases. But, on the other hand, alcoholism, for example, in the regular tables is credited in 1917 with only 3,907 deaths, while this contributory cause table shows that 5,363 other death certificates ad alcoholism given. Similarly, meningitis, credited in the regular tables with 6,673 deaths, shows 6,815 other deaths where meningitis was a contributory cause. Then, again, cerebral hemorrhage, apoplexy, is credited with 62,417 deaths, but the contributory cause table shows 7,927 other deaths where cerebral hemorrhage or apoplexy was a contributory cause. Another example may be mentioned, Bright's disease which is credited with 74,639 deaths, but the contributory cause table shows 23,180 other deaths where this disease was a contributory cause. The table is full of these interesting figures, and these few examples are cited merely to call attention to the importance of the subject.

Looking at the table from another angle, other equally important and interesting figures appear, namely, those showing the contributory causes which occur with each primary cause of death. Under measles, for example, with 10,442 deaths, it appears that more than half of the death certificates contained bronchopneumonia or lobar pneumonia as contributory causes. Under scarlet fever, with 3,124 deaths, it appears that acute nephritis and Bright's disease was also given on 507 certificates. Under deaths from external causes, with 81,340 deaths, it appears that alcoholism was also given on 827 certificates. Under organic diseases of the heart, with 115,304 deaths, the principal contributory causes are diseases of the arteries, atheroma, aneurism, etc., and Bright's disease, and under pneumonia the principal contributory causes are organic diseases of the heart, influenza, pleurisy, and Bright's disease. It is hardly necessary to point out any further figures, for the whole table should be carefully studied. A table of this kind clearly shows how joint causes of death are assigned in the Bureau of the Census, and it will doubtless explain many slight differences between local reports and census reports.

# MORTALITY STATISTICS.

# CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF .

			1				[ I IIIS (a)	ole exclude	s the deat.	us or sorure	rs, samors
List						CONTRI	BUTORY C	AUSE.		,	
Detailed Int. No.	CAUSE OF DEATH.	All primary causes.	All con- tributory causes.	Typhoid fever.	Malaria.	Measles.	Scarlet fever.	Whoop- ing cough.	Diphthe- ria and croup.	Influ- enza.	Cholera nostras.
De				1	4	6	7	8	.9	10	18
	All causes	1,066,711	372,291	188	594	1,074	13	1,162	292	6,458	70
	I.—General diseases	284,993	92,315	177	236	722	3	539	279	1,207	10
1 2	Typhoid fever Typhus fever	10,089 16	2,872		54	17		15	12	21	
2 3 4	Relapsing fever Malaria	1 2,385	798							g	
5 6	Smallpox Measles	204 10,442	74			1	2		, 1	ì.	2
7 8	Scarlet fever Whooping cough	3,124 7,837	8,802 1,685 5,445	5	11 1 16	37		297 7	264	38 2	1
9 10	Diphtheria and croup Influenza	12,442 12,965	3, 136 9, 282	1	4 13	259		36		12 18	1
11 13	Miliary lever	1 242			<i>.</i>		 		·	l <u>.</u>	1
14	Dysentery Leprosy	4,546 17	1,178 3		20			46		22	2
17 18 19	Erysipelas Other epidemic diseases	2,863 405	1,272 307		1					43	
20 21	Purulent infection and septicemiaGlanders	1,110	182	II		1	1	1		ì	
22 23	Anthrax Rabies	4 61 66	1 3 3								
24 25	Tetanus	1,329	693		1			1	1		<b></b>
26 26 27	Mycoses. Pellagra. Beriberi.	39 3,666	11 618			8				7	·····i
	Tuberculous (total)	15 110, 144	21, 103	165	76	385		133			2
28 29	Tuberculous (total). Tuberculosis of the lungs. Acute miliary tuberculosis Tuberculous meningitis Abdominal tuberculosis.	93, 290 3, 631	16,572 1,019	143 · 22	63	277 35		81		608	. î
30 31	Abdominal tuberculosis Pott's disease	6,084 3,745	1,089 1,024	••••••	5 1	51 13		35		41	
31 32 33 34	W DITE SWEITINGS	889 505	494 290			3 2				5 1	
35	Tuberculosis of other organs. Disseminated tuberculosis.	1,381 619	494 121			1 3		1		5 4	1
36 37	Rickets. Syphilis.	566 7,795	220 4,954		1 7			3		8	
38	Gonococcus infection	595 61,429	537 16.688		15	2	1				
39 40	Of the buccal cavity. Of the stomach, liver. Of the peritoneum, intestines, rectum.	2,279 23,406	676 5,268	3	1 5			1		2	
41 42	Of the peritoneum, intestines, rectum Of the female genital organs Of the breast	8, 177 9, 331	2,447 2,546	2	2 2				1	8	
43 44	Of the skin.	5,712 2,157	2,338 673	·····i	1 1		1	1	1	( 0	
45 46	Of other organs or of organs not specified.  Other tumors (tumors of the female genital organs excepted).	10,367 272	2,740 90		3		1		1	7	
47	Acute articular rheumatism	3,432	2,596		4						
48 49	Chronic rheumatism and gout.	1,021 94	376 21								
50 51 52	Diahetes Exophthalmic goiter Addison's disease	12,734 1,264	6,080 634		1	13				9	
53 54	Leukemia. Anemia, chlorosis	320 1,506	83 399		4					2 13	
55	Other general diseases	4,022 1,623	579 288								
56 57	Alcoholism (acute or chronic) Chronic lead poisoning	3,907 147	1,041 102								
58 59	Other chronic occupation poisonings Other chronic poisonings	18 235	101			1	1			1	l
	II.—Diseases of the nervous system and of the organs of special sense.	100,291	42,785			50			4	653	6
60	Encephalitis	620	152							1	· · · · · ·
61	Meningitis (total). Simple meningitis. Cerebrospinal meningitis (undefined).	6,673 2,735	1,436 755		9	43			2	67	1 1
62	Cerebrospinal fever. Locomotor ataxia	1,186 2,752	336 345		6 3	32 11		6	2	54 13 18	
63	Other diseases of the spinal cord (total).  Acute anterior poliomyelitis.	1,772 5,147 1,182	1,826 213		5	7		7	2	56	
64	Other diseases of the spinal cord 1 Cerebral hemorrhage, apoplexy	3,965 62,417	1,613 30,625		2 3 27	7			2	6 50	
65 66	Softening of the brain.  Paralysis without specified cause	888 5,445	585		1 1 8					l	3
67 68	Genoral paralysis of the insane Other forms of mental alienation	5,248 1,651	2,431 1,366 200		1	1				21	2
69 70	Epilepsy. Convulsions (nonpuerperal)	3, 161	662								i
71 72	Convulsions of infants	137 2,172 102	224								
78 74	Neuralgia and neuritis Other diseases of the nervous system	429	21 150 739				<b>-</b>				
75	Diseases of the eyes and their annexa	97	61					i		5	
76	Diseases of the ears	1,601	1,472	II	1			1	1	I	J

<sup>&</sup>lt;sup>1</sup> Exclusive of acute anterior poliomyelitis (infantile paralysis).

DEATH IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1917.

					- с	ONTRIBUTO	KI CAUSE.						
)ysentery.		Other epidemic diseases.	Purulent infection and septi- cemia.	Tetanus.	Mycoses.	Pellagra.	Tubercu- losis, lungs.	Acute miliary tubercu- losis.	Tubercu- lous meningi- tis.	Abdom- inal tubercu- losis.	Pott's disease.	White swellings.	Tubercu- losis, other organs.
14	18	19	20	24	25	26	28	29	30	81	32		34
774	924	T 115	6,351	16)	4	***, 141 <u>7</u>	F 17 684	• 273	1,067	2,137	230	263	827
257	210	77:	1,001		4	N = [N 122]	510	7治位是256	<b>№ 1,043</b>	2,127	219	259	807
16	123	6	27			4757 7 7			. 題 11	12	2	1	4
12			8				4			i	•••••••		
90	5	16	11										1
	5	3 15	79 3				6		2	1	2	1	2 1 1 1
. 2	7	14	105				23	4	6	2	2	1	Ĩ
2		1	24								••••••	•••••	7
									**********				
	2		4						*********		•••••		1
•••••	1	8	159		************								
	1	 	12					· · · · · · · · · · · · · · · · · · ·					
	-												
			1										
			35				. 1						
23	1		[										1
			6								•••••		
69	45	10 5	179		1	103 89		239 94	1,012	2,087	200 193	253 134	762
50 1	45 30 1 3	5	. 65		1	89			760	2,002 50	193	8	762 489 39 84 101 26 22
4 10	3 3	3	2 5	:		10		76 27 12 14 16	61			8 37 27	84 107
	. 3		36			30		12	72	35		42	26
3	1 3	1 1	36 39 23					14 16	40			4	22
	. i		3			1						. 4	1
9	17	1	2 34				247	9	10	14	8	1	8
	. í		. 14		1		247						
18	61	1	168 10		. 2	12	227	4	2	. 9.	5	1	19
1			. 15			5	- 17 95	1		2		1	1 4
3			. 24			$\begin{array}{c c} 2\\ 2\\ 1 \end{array}$	20		·	. 6	. 2		·····i
	. 12		44 27				23 24 11	3	1				1 2
3		1	12 36		2	1 1	37		1	· · · · · · · · · · · · · · · · · · ·	3		10
			. 8		.		-		-	.			
	. 1		. 25		1		İ		<b> </b> ,				İ
			8		-	-							
10	37	i	48		-				-				
	3	1	1			-	-		-	· · · · · · i		ii	]a
	1 2		11									.	
	3		2 7										
	. 4		. 13										
	1												
		-	. 5				·····	-					
113			217	1			1	1	2		. 1		
	_		-	J	-		, 4	<u> </u>					
14	1 6		- 20 50					·i					
			_ 33					1	-				
1	3   4	. 2	8 9					- i			.  1		
!	9   2		- 2 15				<u>-</u>						
	2   1		.  1				3		_ 2		-		
3			. 14										
		-											
2:			_) 9										
			- 2				··	·					
	3							-			-	-	
				-									•
			. 3 . 1										
	1			10020000						-			-
1	1				1	1			1		1		

## MORTALITY STATISTICS.

# CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF

List						CONTRI	BUTORY C	AUSE.			
Detailed Int. No.	CAUSE OF DEATH.	All primary causes.	All con- tributory causes.	Typhoid iever.	Malaria.	Measles.	Scarlet fever.	Whoop- ing cough.	Diphthe- ria and croup.	Influ- enza.	Cholera nostras.
De				1	4	6	7	8	9	10	13
	III.—Diseases of the circulatory system	151, 701	71,846		60						. 16
77 78 79 80 81 82	Pericarditis Acute endocarditis Organic diseases of the heart Angina pectoris Diseases of the arteries, atheroma, aneurism, etc	832 6,669 115,304 5,914 19,050	331 2,951 55,142 2,917 8,512		51 3					1,728 93,	2
83	Embolism and thrombosis.  Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).	2, 706 454	1, 196		5 						
84 85	Discoses of the lymphatic system (lymphangitis, etc.).  Hemorrhage; other diseases of the circulatory	454 318	121 45								
	system.  IV.—Diseases of the respiratory system	133,901	45,312		72						8
86 87 88 89 90	Diseases of the nasal fossae Diseases of the larynx Diseases of the thyroid body Acute bronchits Chronie bronchitis Bronchopneumonia	367 821 521 7,296 5,011	64 153 1×4 2,321 2,811								
92 93 94	Procumonia (total).  Lobar pneumonia. Pueumonia (undefined). Pleurisy. Pulmonary congestion, pulmonary apoplexy.	37, 879 74, 517 65, 108 9, 409 2, 827	23,519 20,512 3,006 1,692		67 53					2,003 2,003	3
95 96 97 98	Gangrene of the lung. Asthma Pulmonary emphysema Other diseases of the respiratory system (tuberculosis excepted).	1, 471 226 1, 819 170 979	599 157 747 60 170							8	
	V.—Diseases of the digestive system	109, 808	41,989	•	93			·			18
99 100 101 102 103	Diseases of the mouth and annexa Diseases of the pharynx Diseases of the esophagus Ulcer of the stomach Other diseases of the stomach (cancer excepted)	716 2, 174 120 3, 302 7, 021	398 1, 460 10 1, 791 1, 717		3					3 12	1
104 105 106 107 108	Diarrhea and enteritis (under 2 years).  Diarrhea and enteritis (2 years and over).  Ankylostomiasis.  Intestinal parasites.  Appendictis and typhilits.	48, 231 11, 269 29 162 9, 374	12, 731 3, 286 10 62 7, 294		66 3	236		572 5		83 2	2 10
109	Hernia, intestinal obstruction (total).  Hernia Intestinal obstruction Other diseases of the intestines.	8,663 3,044 5,619 1,855	3,770 1,776 1,994 1,165		5	1		3		14 7 7 1	1 1 1
111 112 113 114 115	Acute vellow atrophy of the liver.  Hydatid tumor of the liver.  Cirrhosis of the liver.  Biliary calculi.  Other diseases of the liver.	293 27 8, 567 2, 475 3, 422	111 16 3,974 1,641 1,505							6 1 36 11 2	1
116 117 118	Diseases of the spleen Simple peritoritis (nonpuerperal). Other diseases of the digestive system (cancer and tuberculosis excepted). VI.—Nonvenereal diseases of the genito-	129 1,503 470	48 743 227		4					32	2
.710	urinary system and annexa	92,397	47,658							404	7
121	Acute nephritis Bright's disease Chyluna Other diseases of the kidneys and annexa	6, 233 74, 639 1, 785	1,941 38,004 918		.16					TOE	1 5
123	Calculi of the urinary passages	1 275	379 604	i	1					i	
125 126 127	Diseases of the bladder Diseases of the urethra, urinary abscess, etc. Diseases of the prostate. Nonvenereal diseases of the male genital organs.	374 3, 118 86	294 2,453 C1		2						1
128	Uterine hemorrhage (nonpuerperal) Uterine tumor (noncancerous) Other diseases of the uterus	45 1,494 831	14 894 505								
131 132	Cysts and other tumors of the ovary	647 1,331	385 1, 119							2	
133	Nonpuerperal diseases of the breast (cancer excepted).	40	27				. <b></b>				
134	VII.—The puerperal stateAccidents of pregnancy	12,528	4,943	1	21			1		44	2
135 136 137 138 139	Accidents of pregnancy Puerperal hemorrhage. Other accidents of labor. Puerperal septicemia. Puerperal albuminuria and convulsions. Puerperal phlegmasia alba dolens, embolus, sudden	1,178 1,194 5,211 3,409 439	250 619 2,699 765	1	5 10 4			1		12 12 11 10 1	-1
	death. Following childbirth (not otherwise defined) Puerperal diseases of the breast	58 11	23							2	

## CONTRIBUTORY CAUSES OF DEATH.

DEATH IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1917—Continued.

						CONTRIBUTO	DRY CAUSE.						
Dysentery.	Erysipelas.	Other epidemic diseases.	Purulent infection and septi- cemia.	Tetanus.		Pellagra.	Tubercu- losis, lungs.	Acute miliary tubercu- losis.	Tubercu- lous meningi- tis.	Abdom- inal tubercu- losis.	Pott's disease.	White swellings.	Tubercu- losis, other organs.
14	18	19	20	24	25	26	28	29	80	31	32	83	84
188	172	3	355										
2			6 108										
119	170	3	84										
64	1		21										
2			20 74								•		
			40										
•••••			***										
								,			}		
43	<b>-136</b>	1	390						1				7
			10 7	* - • - •									
	1		3										
1			13 4										1
1			64										3
40	130	1	184										2
34	130	ĺ	133 51				ļ		·				1
6	4		62						i			[	
			4 6										
1	1		ا ا							**********			
••••••			33										
46	81	20	1,181			3	11	4	1	3			7
	3	2	180 298			·				• • • • • • • • • • • • • • • • • • • •	·		1
• • • • • • • • • • • • • • • • • • • •	0		3 5	• • • • • • • • • • • • • • • • • • • •									
7			5				4	1		1	· · · · · · · · · · · · · · · · · · ·		1
			6	***********	•			*	1	*********			4
8 8	28	13 1	31 32	**********					1				
		3	274			3	7	3		2			
3 9	3 2 1	·ĭ	52										1
9	2	i	26 26										1
5 .			96										
			, 1									J <b></b>	
		•••••	1 4										
5	18 2 3		26	•••••									
1	3		127	•							•		
			6	••••••									
	20		6 23 16		•								
83	115	1	648		***************************************	4				*			1
78			9 85								************		
10	112						[•••••			• • • • • • • • • • • • • • • • • • • •			
	1		94 12				•	•••••					
1  -	••••••		78			*							
			63					•		• • • • • • • • • • • • • • • • • • • •			
			83 21			1					<u> -</u>		• • • • • • • • • • • • • • • • • • • •
			1										
	1	i	42	• • • • • • • • • • • • • • • • • • • •		2							1
1	1		61	•••••	**********	•••••	•						
·····i			13 69		•••••				• • • • • • • • • • • • • • • • • • • •				
1  -							}						
i i			17				•			• • • • • • • • • • • • • • • • • • • •			•••••
	8	5	1	5			30	4					1
11							1			•••••			
11		1											
4		1								•••••			
4		1 	i				29	4					1
4	8	4	1	5			29	4					1
4 -		4	1	5			29	4					1

## MORTALITY STATISTICS.

# CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF

42			ı								ers, sailors,
List						CONTRI	BUTORY CA	USE.			
Detailed Int. No.	CAUSE OF DEATH.	All primary causes.	All con- tributory causes.	Typhoid fever.	Malaria.	Measles.	Scarlet fever.	Whoop- ing cough.	Diphthe- ria and croup.	Influ- enza.	Cholera nostras.
å				1	4	6	7	8	9	10	13
	VIII.—Diseases of the skin and of the cellular tissue.	3,315	1,586		1					. 1	
142 143	Gangrene Furuncle	1,462 449	557 320		1					1	
144 145	Acute abscess Other diseases of the skin and annexa	681 723	406 303								
	IX.—Diseases of the bones and of the organs of locomotion	2,295	1,633							2	1
146 147	Diseases of the bones (tuberculosis excepted) Diseases of the joints (tuberculosis and rheumatism	1,953 252	1,476 132							2	
148 149	excepted). Amputations. Other diseases of the organs of locomotion	6 84	1 24					İ		•	
	X.—Malformations	11,841	2,757		3					20	
150	Congenital malformations (stillbirths not included)	11,841	2,757		3					20	
	(total). Hydrocephalus Congenital malformations of the heart	994 7,166	417 1,382		1 2					6	
	Other congenital malformations	3,681	958		ļ					11.	
151	XI.—Early infancy	57,048	4,255		1	7				12	<u></u>
202	Congenital debility, icterus, and sclerema (total) Premature birth Congenital debility, "atrophy," "marasmus," etc.	45, 132 34, 704 10, 428	2,219 2,122 97		1	7 7				12 12	
152	Other causes peculiar to early infancy (total)  Injuries at birth	11,717 6,631	2,025 1,759								
153	Other causes peculiar to early infancy <sup>1</sup> Lack of care	5,086 199	266 11	<b></b>			1			1	1 3
	XII.—Old age	11,647									
154	Senility	11,647									
	XIII.—External causes	81,340	15,212	10	4	10	10	6	9	66	3
155	Suicide (total) By poison	9,942 1,844	1,156 173			1				3	
156 157	By asphyxia By hanging or strangulation.	1,469 1,569	97 216	1	1						
158 159 160	By drowning. By firearms	603 3,269	543	1		1					
161 162	By jumping from high places	711 269	144							1	
163	By drowning. By firearms. By cutting or piercing instruments. By jumping from high places. By crushing. Other suicides.	103 105	10 29								
164	Accidental or undefined (total). Poisoning by food. Other acute poisonings. Conflagration.	65,644 779	13,479	9		9	10	6	9	62	3
165	Other acute poisonings.	1,294 1,157	243 275	1				2	$\frac{1}{2}$	3 2	1
166 167 168	Absorption of deleterious gases (conflagration	6,829 3,366	1,144 259		1	5 1	7	2	2	5	
169 170	excepted). Accidental drowning.	5,462	113								
171 172	Traumatism by firearms. Traumatism by cutting or piercing instruments. Traumatism by fall.		171 127						-	1 1	
173	Managementians in main as and assessment (4-4-1)		5,369 198	1 1	1	1					1
174	Traumatism in mines Traumatism in mines Traumatism in quarries Traumatism by machines Traumatism by other crushing (total) Railroad accidents and injuries Street-ear accidents and injuries Automobile accidents and injuries	2,623 90	190							·	
175	Traumatism by other crushing (total)	2,108 20,284	299 2,489	2			1		2	· · · · · i	
	Street-car accidents and injuries	8, 526 2, 259	1 472	1		·		·	-		
	Injuries by other vehicles	0,077	818 420	1			1		. 1	i	
176	Landslide, other crushing Injuries by animals	520 653	51 232				·	-		·	
177 178	Starvation. Excessive cold.	38 507	15 226								
179 180	Ffforts of hoot	1 000	430	1					-	2	i
181 185	Lightning. Electricity (lightning excepted). Fractures (cause not specified). Other external violence.	654 475	8 62				1	1	1	i	1 1
186	Other external violence	475 4,021	208 1,545	1	1	2		ii	2	4	
182	Homicide (total)	5,754	577						-		
183 184	By firearms. By cutting or piercing instruments.	761	251 75				.		_	-	
104	By other means.	1,200	251				2222-(11-22111 (1802))	-	-	- 1	

Exclusive of injuries at birth.

# CONTRIBUTORY CAUSES OF DEATH.

DEATH IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1917—Continued.

					CC	ONTRIBUTO	RY CAUSE.						
ysentery.	Erysipelas.	i	Purulent infection and septi- cemia.	Tetanus.	Mycoses.		Tubercu- losis, lungs.	Acute miliary tubercu- losis.	Tubercu- lous meningi- tis.	Abdom- inal tubercu- losis.	Pott's disease.	White swellings.	Tubercu- losis, other organs.
14	18	19	20	24	25	26	28	29	30	31	32	83	84
										1			
	1		846										
			152 217 311 166						· · · · · · · · · · · · · · · · · · ·				
			311										
	1		166										
_			400			,		,			ļ		. ,
2	15		423										
. 2	15		355 60							• • • • • • • • • • • • • • • • • • • •			
			00										•
			8							•••••••			
			1									1	1
3	4		20										
3	.4		20										1
2					<b> </b>								
ī	3								·····				·····i
	1		20								••••••		
		1											1
		1 1											1
		1											1
•••••	•												
<i></i>													
• • • • • • • • • • • • • • • • • • • •							-						
		.	ļ				.						
						10	129	8	20	7	10	4	2
28	118	2	1,269	11		12		°	20	<u> </u>			
	: 3		. 9			6	36		·				2
	:					. 1	2						
		-			.	1	5 2 3 3						
	1		3			2	10						1
· · · · · · · · · · · · · · · · · · ·	- 1		3 1				. 8						
			.  ī								.		
••••••	•	-							-				
28 2	106	2	1,208			. 6	90 1	7	20	6	9	4	
2	1		1,200			i	4						
			111			3	5		: i				
4	. 15	2	111			:			<u>-</u>		·	.	
									1				
	: i		26				. 3		-			-	
	. 37		. 74			i					5	2	
17	3/		158			1	1 .	i			]	.l	
	1		. 15				. 4			.			
		-	- 2 54			.	3	-	. i				
	12		107			·	. 18	2	1	3		1	
• • • • • • • • • • • • • • • • • • • •	1 2		31 7							. 1		1 4	
	. 9		. 26			-	- 4	. 2	:	1		. 1	
		-	. 33						1 1		1		
			. 24		1					] 1	1		
,					-			-		-			
	2		. 28			. 1	1 1		ii	i	1		
	2			.  <i></i>						.	-		
	-	1	. 2										
	i 28							i	1 1	i			
			1	1	:				.		1		
	5		- 52 37	1 7	5			-		] i	i î		.
		l	_ 6	.  १			3						
• • • • • • • • • • • • • • • • • • • •		3	. 9	8	2	i i	:	2   1	l	-1	-1	_1	

## MORTALITY STATISTICS.

# CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF

[This table excludes the deaths of soldiers, sailors,

-					<del></del>	CONTR	BUTORY C	AUSE.				
Detailed Int. List No.	CAUSE OF DEATH.	Dissemi- nated tubercu- losis.	Rickets.	Syphilis.	Gono- coccus infection.	Cancer, buccal cavity.	Cancer, stomach, liver.	Cancer, perito- neum, intes- tines, rectum.	Cancer, female genital organs.	Cancer, breast.	Cancer, skin.	Cancer, other organs or organs not specified.
	All causes.	218	861	248	117	195	1 999	1 965		755		
	I.—General diseases		106	116	39	186	1,222	1,365	229	155	236	2,366
1			1								223	2,328
2 3	Typhoid fever Typhus fever Relapsing fever			<del>-</del> -								
4 5	Relapsing fever. Malaria. Smallpox			2								
6	Measles. Scarlet lever		9	1	1							
8	Whooping cough.		10		1							
10	Whooping cough Diphtheria and croup Influenza	1	5 1 2	9	2							
11 13	Miliary fever											
14	Miliary fever Cholera nostras Dysentery Leprosy Erysipelas		3									
17 18	Leprosy Erysipelas. Other epidemic diseases		·····i		i							
19 20	Viner epidemic diseases  Purplent infection and senticemia		4									
21 22	Purulent infection and septicemia. Glanders. Anthrax. Rabies.	•••••					• • • • • • • • • • • • • • • • • • • •					
23												
24 25	Tetanus			1	1					1		
25 26 27	Mycoses Pellagra		1		1							
21	Beriberi Tuberculosis (total)	209		1 11				••••••				••••••
28 29	Tuberculosis (total) Tuberculosis of the lungs Acute miliary tuberculosis. Tuberculous meningitis.	102	18	11	5							
30	Tuberculous meningitis.	36	6 15		2							
28 29 30 31 32 33	Abdominal tuberculosis Pott's disease.	8	6 4		10 5 2 1							
	White swellings Tuberculosis of other organs	11 14	1 1				• • • • • • • • • • • • • • • • • • • •					
35 36	Disseminated tuberculosis Rickets.		2		ĩ							
37	Syptilis		8									
38	Gonococcus infection.	1	1	67		•••••			,			
39 40	Cancer and other malignant tumors (total).  Of the buccal cavity.  Of the stomach, liver  Of the peritoneum, intestines, rectum.  Of the breast  Of the stein			7		186	1,203 22	1,354 2	223	144	223 136	2,328 208
40 41 42	Of the peritoneum, intestines, rectum			25 7		17 2	259	725	58 90	87 7	16 8	480 210
43	Of the breast			8 3	1	4	175 438	404 61	35	21.	8 2 9	404 840
44 45	Of the skin. Of other organs or of organs not specified. Other tumors (tumors of the female genital organs			2 15	1 2	14 149	18 291	7 155	1 39	1 28	52	186
46	excepted).											
47 48	A cute articular rheumatism Chronic rheumatism and gout Scurvy		1									
49												
50 51	Diabetes Exophthalmic goiter											
52 53	Addison's disease. Leukemia	1	2	•••••								
52 53 54 55 56 57	Diabeles.  Exophthalmic gotter  Addison's disease.  Leukemia.  Anemia, chlorosis.  Other general diseases.  Alcoholism (acute or chronic).  Chronic lead poisoning.  Other chronic occupation poisonings.  Other chronic poisonings.		ĩ									
56 57	Alcoholism (acute or chronic)		4		1							
58 1 59 1	Other chronic occupation poisonings.											
00	II.—Diseases of the nervous system and of	••••••	•••••				••••••	••••••				
	the organs of special sense		14	6								
60 61	the organs of special sense.  Encephalitis. Meningitis (total)  Simple meningitis Cerebrospinal meningitis (undefined) Cerebrospinal fever Locomotor ataxia.  Other diseases of the spinal cord (total).  Acute anterior poliomyelitis.  Other diseases of the spinal cord 2. Cerebral hemorrhage, apoplexy Softening of the brain. Paralysis without specified cause General paralysis of the insane. Other forms of mental alienation.		1									
01	Simple meningitis.		2	6			• • • • • • • • • • • • • • • • • • • •					
, ,	Cerebrospinal fever			6								
62 63	Other diseases of the spinal cord (total)		3									
	Other diseases of the spinal cord 2.		1 2									
64 65	Softening of the brain.					•••••••	• • • • • • • • • • • • • • • • • • • •					
66 67	Paralysis without specified cause		1									
68	Other forms of mental alienation.			• • • • • • • • • • • • • • • • • • • •								
69 70 -	Epilepsy . Convulsions (nonpuerperal) Convulsions of infants Chorea Neuralgia and neuritis. Other diseases of the prevous system Diseases of the eyes and their annoxa.	• • • • • • • • • • • • • • • • • • • •	5							• • • • • • • • • • • • • • • • • • • •		
70 - 71 72 73 74	Convulsions of infants.											
73 74	Neuralgia and neuritis.  Other diseases of the pervous system											
75	Diseases of the eyes and their annexa.		2				••••••					
76 J	Diseases of the eyes and their annexa.  Diseases of the ears.						· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·				

 $^{\rm I}{\rm Tumors}$  of the female genital organs excepted.

DEATH IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1917—Continued.

	[ 1					C I	ONTRIBUTO	ORY CAUSE.	· 				1		
Other umors. <sup>1</sup>	Acute articular rheuma- tism.	Chronic rheuma- tism and gout.	Scurvy.	Diabetes.	Exoph- thalmic goiter.	Addison's disease.	Leu- kemia.	Anemia, chlorosis.	Other general diseases.	Alcohol- ism.	Chronic lead poison- ing.	Other ehronic poison- ings.	Enceph- alitis.	Simple menin- gitis.	Cerebro- spinal menin- gitis (unde- fined).
46	47	48	49	50	51	52	53	54		56 ———	57	59	60	61a ———	61b
119	2,782	2,351	61	758	118	32	74	2,739	688	5,363	16	216	904	6,275	532
26	227	167	12	575	46	31	47	764	128	552	13	62	160	1,622	75
1	11	2	1	5	1		4	17	7	9	•••••	1	15	246	18
<i></i>	4	2						35	2	1			4	29 29	3
	8	•••••						4	5	1 4		1	12	, 3 165	6
	ğ	1	i	3			1 3 1	4 1 3	5 5 2 6	ī			4 7	46 142	. š
3	6 35	1 27		1	1		ĭ	3 7 38	6 11	3 28	1	7	45	22 400	4
<b></b>	3	$\begin{array}{c} 1 \\ 12 \end{array}$						16	8	10		4	4	1 77	
	9	9							3 2	42				80	
	1		<b></b>	1				2					1 1	15	2
								4	2					•••••	
										2					i
				1			- <i></i>		i	1		4			1
2	i	3		4				6	2	4	1	3	1	3	
 5	77	48	2	365	21	27	19	159	19	313	5	25	15	54	10
4	77 62 3	38	2 1	365 344	18 1 1	24	14	, 114 10 5	11 2	284 13	5	25 23	1 9 1	54 36 5	6
	3 3 2	38 1 1 3 2 3	i	4 4 4 1	î		1	5		5 7		1	1 2	5 2 3	1
1	2 2	2				3		13	1 2	í				3	2 1
		ა		1 7			3	9	1 2	2		1	2 1	1 3	
	1		7	<b> </b>				1 12		1			1	1 5	
3.	7	2	7	11		1	2	19	14	62 1		4	34	178 9	16 1
6	1 25	34		181	13	3	17	314	15	36	6	4	4	21	2
3		1 13		181 2 47		1	1 4	4 141	2	1 25	<b></b>	·i		1	
ĭ	1 1	6 4		47 25 32 29 2	2 1 4		1 2	1 44	3	2	2 1	1	1	•••••	1
	6 3	3 2		29	4 5	i	1 2 1 1 7	61 15 9 40	2 1 2 5	1 1		· · · · · · · · · · · · · · · · · · ·		2 8	
2	7	5		44	1	1	7	40	5	Ĝ	1 2	i	1	10 2	
•															
1		4			1			13	6	12			1	41 1	1
5	.				9			12 1 18	1 2	15		1			
	15	8 1		i				7	2				1 1	2 1	
 	1			i				32	8					2 3	
	3 4	3						25	4	1		1 <u>-</u> -	1	4	
	1 1	$\frac{1}{2}$						25 1 5	2	3		7	7	67 1	2
		2						3						1	
13	92	154	4	2	19		3	143	65	417		8	324	940	90
	1								<del></del>	1				7	
	3	3 2 1	2 2		1			3 3	1 8 3 2 3	7		1	52 44		
	1 2	1			1				2 3	6			4		
1	7	16			2		3	12 48		6 9			5	$\frac{1}{27}$	1 3
i		16						2	3 1 2 38					27 10 17 43	1 3 1 2 3
8	72	106			14			12 48 2 46 28 2 17	38	249 13		3 1	5 29 2	43 1	3
3	6	1 24						17	4	25 27		i	4 2	3 7	1
	1				2			6	i						
	.	2						6	4	38		1	4	30	1
								9	2 1	36			2 12	;;	
	1							6	1	1 1		1	12 5 207	40 22 759	2
·····i	<u>i</u>	2	·····i	2				2	3	i	[		1	22	79

### MORTALITY STATISTICS.

### CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF

		<del></del>				CONTRI	BUTORY CA	USE.	mainta			
Detailed Int. List No.	CAUSE OF DEATH.	Dissemi- nated tubercu- losis.	Rickets.	Syphilis.	Gono- coccus infection.	Cancer, buccal cavity.	Cancer, stomach, liver.	Cancer, peritoneum, intestines, rectum.	Cancer, female genital organs.	Cancer, breast.	Cancer, skin.	Cancer, other organs or organs not specified.
	III.—Diseases of the circulatory system		27									
77	Pericarditis. Acute endocarditis. Organic diseases of the heart. Angina pectoris. Diseases of the arteries, athoroma, aneurism, otc. Embolism and thrombosis. Diseases of the veins (varices, hemorrhoids, phlebitis at a)											
78 79	Acute endocarditis		18		1 9							
80 81	Angina pectoris.											
82 83	Embolism and thrombosis.											
84	Diseases of the lymphatic system (lymphangitis, etc.).  Hemorrhage; other diseases of the circulatory sys-											
85	tom.			1		Į.	1	<b>\</b>	Į.	Į.	ļ	
	IV.—Diseases of the respiratory system			81	23	<u></u>						
86 87	Diseases of the parantage Diseases of the parantage Diseases of the parantage Diseases of the parantage Diseases of the parantage Diseases of the parantage Diseases of the parantage Diseases of the parantage Diseases of the parantage Diseases of the parantage Diseases of the Disease of the D		3									
88 89	Diseases of the larynx. Diseases of the thyroid body.	• • • • • • • • • • • • • • • • • • • •	56		-		-					
90	Acute bronchitis.	· · · · · · ·	. 7		] _i					-		
91 92	Bronchopneumonia				. 13							
92	Lobar pneumonia.		57	70	7					-		
93	Pneumonia (total).  Lobar pneumonia.  Pneumonia (undefined).  Plaimonary congestion, pulmonary apoplexy.  Gangrene of the lung.		18 2	11	1							
94 95	Pulmonary congestion, pulmonary apoplexy		. 1					-		-		
96 97	Asthma.		-	-		-		-				
98	Asthma. Pulmonary emphysema. Other diseases of the respiratory system (tubercu-		:	-		-	:	-				
	losis excepted).  V.—Discases of the digestive system	ı	1	1		1		ļ			ļ	
99	Diseases of the mouth and annexa			-	1	1	1	1		_		
100 101	Diseases of the pharynx		- 1			-			·			
102	Diseases of the mouth and annexa Diseases of the pharynx. Diseases of the esophagus Ulcer of the stomach. Other diseases of the stomach (cancer excepted)		-		i				.	-		
103 104	Other diseases of the stomach (cancer excepted)		300		75							
105	Diarrhea and enteritis (2 years and over)		31									
106 107	Intestinal parasites											
108 109	Appendicitis and typhlitis	1		: 1	?				·		-	
	Hernia		-	-] 1	١	-			-		-	-
110	Diarrhea and enteritis (under 2 years)  Diarrhea and enteritis (2 years and over)  Ankylostomiasis.  Intestinal parasites  Appendicitis and typhilis.  Hernia, intestinal obstruction (total)  Elernia.  Intestinal obstruction.  Other diseases of the intestines.			-				-[				-
111 112	Acute yellow atrophy of the liver Hydatid tumor of the liver Cirrhosis of the liver Billary calculi Other diseases of the liver.		-	·					-		-	
113 114	Cirrhosis of the liver							-	-			-
115	Other diseases of the liver		-			i			-		-	
116 117	Diseases of the spleen		-				••		-			
118	Discases of the spleen. Simple peritonitis (nonpucrperal). Other diseases of the digestive system (cancer and											-
	tuberculosis excepted).  VI.—Nonvenereal diseases of the genito-		1	1					1			}
	VI.—Nonvenereal diseases of the genito- urinary system and annexa	· <u> </u>	1	1	4	9			<u> </u>			
119	Aguta nanhritis	1	1.	4	}				ì		i	
120 121	Bright's disease. Chyluria. Other diseases of the kidneys and annexa. Calculi of the urinary passages.		··	٠		0			1			
122 123	Other diseases of the kidneys and annexa			1					-			
124	Diseases of the bladder											
125 126	Diseases of the urethra, urinary abscess, etc Diseases of the prostate			::	i							
127 128	Diseases of the prostate.  Nonvenereal diseases of the male genital organs  Uterine hemorrhage (nonpuerperal)	-							-			-
129 130	Uterine tumor (noncancerous)	-			2	3			:: :::::::			
130 131	Cysts and other tumors of the overv				1	1						
132	Salpingitis and other diseases of the female genital											
133	Nonpuerperal diseases of the breast (cancer ex- cepted).	}	i i				1		t			1
	VII.—The puerperal state	-			2 1	3		<u>-  </u>				<u></u>
134 135	Accidents of pregnancy				·   · ·							
136	Other accidents of labor				1	1						
138	Puerperal albuminuria and convulsions								:-		:: ::::::	
139	den death.			•					•-			•-[
14 14		-										
22.			umors of ti						1 +	,	-1	

<sup>&</sup>lt;sup>1</sup> Tumors of the female genital organs excepted.

### CONTRIBUTORY CAUSES OF DEATH.

DEATH IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1917—Continued.

						CC	ONTRIBUTO	RY CAUSE							
Other tumors.1	Acute articular rheuma- tism.	Chronic rhouma- tism and gout.	Scurvy.	Diabetes.	Exoph- thalmic goiter.	Addison's disease.	Leu- kemia.	Anemia, chlorosis.	Other general diseases.	Alcohol- ism.	Chronic lead poisoning.	Other chronic poisonings.	Enceph- alitis.	Simple Menin- gitis.	Cerebro- spinal menin- gitis (unde- fined).
46	47	48	49	50	51	52	53	54	55	56		59 ————	60	61a	<b>61</b> b
38	1,971	1,559		4			1	540	82	911		59	42	78	4
1 31	7	48 144						3 71	1 8 · 55 1 8 4 2	5 145 722		1 5 35 5 12	6 9	1 12 24	4
	1,860 56 41 7	1,244 31 84		4			1	71 389 13 42 13 5	1 8	15 14		5 12	13 14	1 23 12	
4 2	7	84 8						13 5	4 2	4 6		1	14	12 4	
								1	1					1	
						ļ		3	2						
11	217	206	22		29		18	339	72	1,405		35	52	1,392	190
		7						3	1	3				7	
2	4 20	25 37	3					4 40 34	9 2	13 19		1 2	5	5 <u>4</u>	7 2
2 3 3	26 157	65	13		29		18	. 95	29 28	226 1,117		10	14	528	71
3	137	66 48 18 6	3 2 1				18	136 100 36	21 7 1	1,116		21 16 5 1	21 15 6	775 603 172	109 75 34 1
i	7	6	1					36 13 5	1	22		1	10	18	
	-							1 4		-					
	3		-			-		3		5			i	4	
10	51	51	17	58	8		. 2	408	· 160	498	1	9	63	899	_ ,
	- 8	2 2						. 2	4 14	7			- 4	20 • 75	ii
	. 3	2 5		. 4				56 45	3	20			. 2	4 2	
2	1	1	. 14	2			-	47	58				.] 30	712	17
					-			. 6		-	-		i		
	3	:   5	1		3		- 1 - 1	4 6 12	11 3 8 5	10 18 12	1		_ 3	18	i 1
1	3	1 4	i				i	12	8	$\begin{bmatrix} 12\\6\\4 \end{bmatrix}$	1		i		
,				[] i			-			. 1	1	-	. 1	1	1
	[	j					-	63		339			i		2
	. 1	4	i			-		30		26			2	14	
			3							3			i 2		5
2				5 18				355	-	-		- 20	6 16	-	
1.		16	i	5				24	1 2	8 47		2	3 8	3 4	3
	1 3	3.				l			5		4		1		6
			1							2	1		1	2	
		2	2						4	4	2				1
	i	2	2		5			4		2			1		2 1
1	2			1	. 1	1			4 2	1	i			l	2
														1	1
		9			6 1	1		9	8	7	2	.		4 2	2
		4			1		_			2					3
		3				5		2	8 6 21 3	3				i	2
		2			3	2			8		2			2	2 1
[															

### CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF

===					<del></del>							
o,						CONTRI	BUTORY C.	AUSE.				
Detailed Int. List No.	CAUSE OF DEATH.	Dissemi- nated tubercu- losis.	Rickets.	Syphilis.	Gono- coccus infection.		Cancer, stomach, liver.	Cancer, perito- neum, intes- tines, rectum.	Cancer, female genital organs.	Cancer, breast.	Cancer, skin.	Cancer, other organs or organs not specified.
Det		25	36	37	38	39	40	41	42	48	44	45
	VIII.—Diseases of the skin and of the cellular tissue				1							
142	Gangrene. Furuncle. Acute abscess. Other diseases of the skin and annexa.				1							
143 144	Furuncle. Acute abscess											
145												
	IX.—Diseases of the bones and of the organs of locomotion		1									
146 147	Diseases of the bones (tuberculosis excepted) Diseases of the joints (tuberculosis and rheumatism		1									
148	excepted). Amputations Other diseases of the organs of locomotion									•••••	•••••	
149												
	X.—Malformations							<b></b>				
150	Congenital malformations (still births not included) (total).  Hydrogen bolus											1
	Hydrocephalus Congenital malformations of the heart Other congenital malformations		3	1								
	XI.—Early infancy			3				1	l			
151	Congenital debility, icterus, and sclerema (total)		1									
	Congenital debility, icterus, and sclerema (total) Premature birth		1									
152	otte. Other causes peculiar to early infancy (total) Injuries at birth Other causes peculiar to early infancy 2. Lack of care.			3	1							
	Injuries at birth Other causes peculiar to early infancy <sup>2</sup>			3	1 <sub> </sub>							
153	Lack of care											•••••
	XII.—Old age											
154	Senility	3					1	1	)	- 1		,
	XIII.—External causes	3	7		4	9	19	11	6	10	13	38,
155	Suicide (total)  By poison  By asphyxia  By hanging or strangulation  By drowning  By firearms  By cutting or piercing instruments  By jumping from high places  By erushing  Other suicides	1		í		*			2			2
156 157 158	By Asphysia By Anging or strangulation			1							2	
159 160	By firearms  By cutting or piercing instruments			3		3	2	2				3
161 162	By jumping from high places			2								
163	Other suicides											
164	Accidental or undefined (total) Poisoning by food Other acute poisonings	2	7	22 2	4	5	17	9 1	4	10	10	33 1
165 166	Contlagration				2							
167 168	Burns (conflagration excepted)  Absorption of deleterious gases (conflagration)			1								2
169	excepted). Accidental drowning Traumatism by firearms. Traumatism by cutting or piercing instruments Traumatism by fall.											
170 171	Traumatism by firearms  Traumatism by cutting or piercing instruments			T								
172	Trailmotiem of 1011		4 (	7		4	12	0	4	ษ	1	19
	Transaction in mires and accoming (4st-1)											7 1
173	Traumatism in mines and quatries (total) Traumatism in mines. Traumatism in quarries							••••••				
173 174	Traumatism in mines and quarries (total)  Traumatism in mines  Traumatism in quarries  Traumatism by machines.  Traumatism by other cryshing (total)			1			2	2				8
173	Traumatism in mines and quarries (total) Traumatism in mines. Traumatism in quarries Traumatism by machines. Traumatism by other crushing (total) Railroad accidents and injuries Street-car accidents and injuries	1		1			2	2				8 I 1
173 174	Traumatism in mines and quarries (total) Traumatism in mines. Traumatism in quarries Traumatism by machines. Traumatism by other crushing (total) Railroad accidents and injuries Street-car accidents and injuries Automobile accidents and injuries Linjuries by other vehicles	1		1			2	2				8 1 1 4 2
173 174	Traumatism in mines and quarries (total) Traumatism in mines. Traumatism in quarries Traumatism by machines. Traumatism by other crushing (total) Railroad accidents and injuries Street-ar accidents and injuries. Automobile accidents and injuries Injuries by other vehicles.	i 1		1			2	2				8 I 1 4 2
173 174 175 176 177	Traumatism in mines and quarries (total) Traumatism in mines. Traumatism in quarries Traumatism by machines. Traumatism by other crushing (total) Railroad accidents and injuries Street-ar accidents and injuries. Automobile accidents and injuries Injuries by other vehicles.	i 1		i			2 1 1	2				8 I 1 4 2
173 174 175 176 177 178 179	Traumatism in mines and quarries (total) Traumatism in mines. Traumatism in quarries Traumatism by machines. Traumatism by other crushing (total) Railroad accidents and injuries Street-ar accidents and injuries. Automobile accidents and injuries Injuries by other vehicles.	i 1	2	1	1		2 1 1	2				8 1 1 4 2 2
173 174 175 176 177 178 179 180 181	Traumatism in mines and quarries (total) Traumatism in mines. Traumatism in quarries Traumatism by machines. Traumatism by other crushing (total) Railroad accidents and injuries Street-ar accidents and injuries. Automobile accidents and injuries Injuries by other vehicles.	i 1	2	1	1		2	2				8 1 1 4 2
173 174 175 176 177 178 179 180	Traumatism in mines and quarries (total) Traumatism in mines. Traumatism in quarries Traumatism by machines. Traumatism by other crushing (total) Railroad accidents and injuries. Street-car accidents and injuries. Automobile accidents and injuries Injuries by other vehicles. Landslide, other crushing.  Injuries by animals. Starvation. Excessive cold. Effects of heat. Lightning. Electricity (lightning excepted). Fractures (cause not specified)	1	2	1	1		1			1	2	1
174 175 176 177 178 179 180 181 185 186	Traumatism in mines and quarries (total) Traumatism in mines. Traumatism in quarries Traumatism by machines. Traumatism by other crushing (total) Railroad accidents and injuries. Street-car accidents and injuries. Automobile accidents and injuries Injuries by other vehicles. Landslide, other crushing.  Injuries by animals. Starvation. Excessive cold. Effects of heat. Lightning. Electricity (lightning excepted). Fractures (cause not specified)	1	2	1	1		1			1	2	1
173 174 175 176 177 178 179 180 181 185	Traumatism in mines and quarries (total) Traumatism in mines. Traumatism in quarries Traumatism by machines. Traumatism by other crushing (total) Railroad accidents and injuries Street-ar accidents and injuries. Automobile accidents and injuries Injuries by other vehicles.	1	2	1	1		1			1	2	1

<sup>&</sup>lt;sup>1</sup> Tumors of the female genital organs excepted.

DEATH IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1917—Continued.

-						CC	ONTRIBUTO	RY CAUSE.	···		~	· · · · · · · · · · · · · · · · · · ·		•		Ī.
Other tumors.1	Acute articular rheuma- tism.	Chronic rheuma- tism and gout.	Scurvy.	Diabetes.	Exoph- thalmic goiter.	Addison's disease.	Leu- kemia.	Anemia, chlorosis.	Other general diseases.	Alcohol- ism.	Chronic lead poisoning.	Other chronic poisonings.	Encephalitis.	Simple , menin- gitis.	Cerebro- spinal menin- gitis (unde- fined).	Detailed Int. List No.
																P
	3	8						13	8	8		2	1	16		
	3	7 1						7 2	2 3 2 1	3 1		1	i	6 4		
								4	1 2	3 1		1		5 1		
	2	1	1	5	 			13	3	5			139	476	31	
	2	1	1	5				9 3	3	4			139	469 7	31	
										1			•••••			147
								1								149
	5			1				13	13				2	142	22	
	Ü								1				1	23	22	150
	5			1				6 7	6				<u>i</u> -	2 117	20	
	1							27	82				4	84	6	
	1 1							23 23	19 19					4		151
		••••••														
								4 4	63 23 40				4	80 78 2	6	152
																153
																,
	7.4	18		92	3	1	3	23	11	827	2	15		rro		154
	14	18		1				1		100		5	97	513	67	
										18 5	i					155 156 157
	1			1						18 6 26		3 2	1			157 158 159 160
										16 9						160 161
										2				i		162 163
	13	18		90 2	3	1	3	21 1	11	714 3	1	10	90	478 8	64 2	164
				1 1				2		22 10 37		4	1	3		165 166
	2	i		5 1				1	1	37 54		$\frac{1}{2}$	1 1	12	3	167 168
										34 1			5	ii		169 170
	7	13		4 56	2		i	13	3	5 267	ī	i	44	229	1 32	171 172
				3						4			2	4		173
				3				·····i		3 1 6			2 3	3 1 11		174
	1			9		1	2 1	i 	i	131 48		I 1	5 1	73 12	9 1	175
	1			2 3			1			16 36			3	9 35	4	1
				3		1		1	1	30 1			1	17	4	
										7			5	22 1	1	176 177
	2	2		i	i			······································	1	68 20			2	17	1 1	178 179
		i								1 14			1	··············		180 181 185
	1	i		6					5	30		į	20	74	14	186
, !	<b></b>			1				1		13 3			6 2	29 12	3	182
				1				1		2			1	12 2 15	2	183

<sup>&</sup>lt;sup>2</sup> Exclusive of injuries at birth.

#### CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF

						CONTR	BUTORY C	ATISTE				
ist No.				Acute		CONTR	DUIONI C			Other		
Detailed Int. List No.	CAUSE OF DEATH.	Cerebro- spinal fever.	Loco- motor ataxia.	anterior polio- myelitis.	Other diseases, spinal cord.	Cerebral hemor- rhage.	Softening, brain.	Paralysis without specified cause.	General paralysis, insane.	forms of	Epilepsy.	Convul- sions nonpuer- peral).
Detai		61c	62	63a	<b>63</b> b	64	65	66	67	68	69	70
	All causes		225	26	569	7,927	722	7,420	648	3,898	1,508	290
	I.—General diseases	3	190	19	167	1,443	66	682	588	1,079	354	58
1 3	Typhoid fever Typhus fever Relapsing fever Relapsing fever Malaria. Smallpox Measles. Scarlet fever Whooping cough Diphtheria and croup Induenza.	2		3	2	25		19	2	15	12	2
3 1	Relapsingfever							10				
4 1 5 6 1	Smallpox			1	į			3			1	4
7 8	Measies Scarlet fever			$\frac{1}{2}$	6	19 2			1	1	17	1 2 1 2
8	Whooping cough			<del>-</del>	2	61		5			8	ī
10 1	Dipatheria and croup			4	5	5 16	9	!		24	18	2 5
11	Miliary fever											
13   ( 14   .	Miliary fever. Cholera nostras Dysentery. Leprosy. Erysipelas. Other epidemic diseases.									21		1
17	Leprosy						<u>.</u> .			<u>.</u> .		
18   1 19	erysipelasOther epidemic diseases				1	1 1	2	9		19	15 2	
20 :	Purulent infection and septicemia							3		12		
21 22	Purulent infection and septicemia Glanders Anthrax Rabies							·				
3	Rabies											
24	Tetanus			1		1		.]				
25 26	Tetanus Mycoses Pellagra Beriberi					1 15	i	20	3	86	16	i
27	Beriberi											
00	Tuberculosis (total). Tuberculosis of the lungs. Acute miliary tuberculosis. Tuberculous meningitis. Abdominal tuberculosis. Pott's disease. White swellings. Tuberculosis of other organs. Disseminated tuberculosis.		25	4	46	149	6	93	61	718	193	11
28 29	Acute miliary tuberculosis		22	3	20	109 2	3	2	53	660 18	166 6	2
30 31	Tuberculous meningitis			1	8	. 19	1	15	2	5 25	7 6	8
32	Pott's disease.		1		10	4 4		- 4 - 5		.] 1	2	1
33   34	White swellings. Tuberculosis of other organs				1 4	3 7	1	4		2 2	2 2	
35	Disseminated tuberculosis				2	i		2	2		2	
216	RICKALS	[	1			1				. 1		
37   38	Syphilis Gonococcus infection	1	139	2	59	319	38	195	508	43	34	3
	Cancer and other malignant tumors (total)		15	İ	20	273	7	106	6	47	15	
39 40	Of the buccal cavity Of the stomach, liver		3			. 14 84	2	- 6 32	1 2	2 14	4	
41	Of the peritoneum, intestines, rectum	1	4		. 4	39		- 6		. 5	) 2	
41 42 43	Of the female genital organs. Of the breast		. 2		3 5	34	1 2	15 12	1	9		
44 l	Of the skin		9	1,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1 1	20		. 14	2	. 4		
46	Of other organs or of organs not specified Other tumors (tumors of the female genital		3		6	51	2	21	z	4	. 4	
- I	organs excepted).	1	į.	I	Į							İ
47 48	Acute articular rheumatism Chronic rheumatism and gout					10		29		$\frac{1}{2}$		
49 50	Acute articular rheumatism Chronic rheumatism and gout Scurvy Dishere					-		-				
50 51	Exonhthe Imiggoiter		- 7	1	13	397		76		. 13		8
								- i		. 1	1	
54	Leukemia Anemia, chlorosis Other general diseases				. 3	- 8		. 6		. 18		
55	Other general diseases				- <b> </b>	- 1	1			-1 -	1200000000	1
56 57	Alcoholism (acute or chronic). Chronic lead poisoning. Other chronic occupation poisonings. Other chronic poisonings.		1		2	- 85		3	3	- 33 1		14
58 59	Other chronic occupation poisonings										2	
99					-	- 1			-	-	-). z	1
]	of the organs of special sense			. 3	132	481	336	4,447	20	347	270	86
60	77					3			-	- 7	3	3
61	Meningitis(total)			. 2	1	12	: [	31		. 16	i ( 2	10
İ	Cerebrospinal meningitis (undefined)	-				- 7		18				. 8
62	Cerebrospinal fever			. 2	,1			.7	20		. 2	2
63	Meningitis (total) Simple meningitis Cerebrospinal meningitis (undefined) Cerebrospinal fever Locomotor ataxia. Other diseases of the spinal cord (total) Acute anterior poliomyelitis		-		12	103	13	58		. 12		2
	Acute anterior poliomyelitis			-	-	- 81			3	15	·ii	- 1
64	Cerebral hemorrhage, apoplexy				. 104	1 %		4,07		188	225	18
65 66	Paralysis without specified cause.							87		26		
67 68	Other diseases of the spinal cord (total). Acute anterior poliomyelitis. Other diseases of the spinal cord <sup>2</sup> . Cerebral hemorrhage, apoplexy. Softening of the brain. Paralysis without specified cause. General paralysis of the insane. Other forms of meutalalienation.	-	-	.\ 1	10	18		3   20		-1 2		29
69	Epilepsy	-	-	1	-	- 4					3	
70	Epilepsy Convulsions (nonpuerperal) Convulsions of infants	-			-			30		40		
71 72												.}i
	Normalcie and nouritin	1	1	i		1 :						. 1
73	Neuralgia and neuritis.								.			
	Other diseases of the nervous system  Diseases of the eyes and their annexa					1 7		5 9	5	28		17

<sup>&</sup>lt;sup>1</sup> Varices, hemorrhoids, phlebitis, etc.

DEATH IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1917—Continued.

							CONT	RIBUTORY	CAUSE.							
Convul- sions of infants.	Chorea.	Neural- gia and neuritis.	Other diseases, nervous system.	Diseases, eyes and their annexa.	Diseases, ears.	Peri- carditis.	Acute endo- carditis.	Organic diseases, heart.	Angina pectoris.	Diseases, arteries, ath- eroma, aneu- rism, etc.	Embo- lism and throm- bosis.	Diseases, veins. <sup>1</sup>	Diseases, Iym- phatic system.	Hemor- rhage; other diseases, circula- tory system.	Diseases, nasal fossae.	Diseases,
71	72	78	74	75	76	77	78	79	80	81	82	83	84	85	86	87
6,041	201	624	1,527	72	706	1,430	10,368	35,666	551	40, 289	4, 224	427	381	247	287	868
698	35	169	364	20	279	333	3,919	6,864	108	1,749	569	96	. 86	51	27	321
4	2	3	7		18	4	127	200		6	23	12	3	2		3
18		2	2		3	i	12	39		11	i	1	1	i		1
68 14	3	2	7	3 1	55 30	5 1	49 96	5 82 61	i	1 1	5 2		5 20	2	2	54
263 16	1 1	5	11 . 23		4 9	2 5	86 23 567	l 60		······i	- 1 5	1	5 3	1 5		54 18 24 58 20
25		19	22		64	33 ⋅	344	208 293		324	35	4	8	ĭ	2 7	20
3 32		i	7				1 15	4 13								
12		2	5	4	17	4	70	25		6	3 11	5 14		i	2 <u>5</u>	13
17			2		3		10	6		72 2			. 1	ļ <u>.</u>		3
4		1	2	2			2	12			8		1		1	
								i								
5			2				 1 7	1		1	2	2				i
	1	3	5			2		46		13						
· 78	6 5	27 22	117 85	2	45 17	71 64	588 492	2,127 1,870	15 13	232 192	69 34	14 12	13 9	2	5 3	56 50
64	·i	1	. 15	i	· 4 21	3	492 29 15	70 23 57		7	1 1	2	2			2
3 1		1	6 2		1	2	19 11	57 29		9 5	7 9		1	i	2	2
4		2	1 1		1 1	2	8 10	29 25 38 15	1	5 11	8					1 1
45	1		3				4	15		2	1		2			1 11
46		7	74	2	4	7	110 16	479 2	17	174	50	1 1	5 2	3		24
	. 1	24	29 1	2	. 4	19	217	1,612 38	18	476	257	22	2	12		18 3
		6	4 5	1 1	i	7 5	68 24	682 202	7 4	208	14 53	2 13	1	2 4 1		2
· · · · · · · · · · · ·		2 3 9	10			i	41 28	194 173	3 1	23	53 32 74 31	3	1	1 1		3
	1	4		-	2	1 5	3 49	74 249	3	22 208 60 23 34 35 94	10 43			1 2		10
		· ····		-	-			. 5		4	4	1				2
1	18	13	4		. 1	162	1,474 10	81 41		23 47	30 1	3	2	1	2	1
1	1	14	. 1 8	1	19	9	76	812	53	223	44	9	4	1 1	1	6
			3		. 1	5 1	69 6	281 10 60	4	5 4	8 2		i	3		4
5		. 9	3 15		2	2	20 5	25		36	5	5	1 2			1
41		. 27	2	3	-		5	5 251		75	1	1		1 2		1
		. 1			-		4 1	8		3						
	•	. 3	2		•			.  8								
209	13	76	-	-(		27	270	<u> </u>	28	16,529	219	17	32	12	27	22
22 95	6	5	8 27	11	11	i	1 28 13	17		, 1	2		1 8	i	3 19	1 4
78 3 14	6	5	12 6 9	2			1 10	1 4		1			6 2		18. 1	1 4 2 1
14 1 8		15	2		- 11	3	5 18 30 3 27	10 105 182		32	6					. 2
5 3		15	. 2	1	-	3	30	182 8 174	1 i	151 151		3 1 2				3
26	4		39 95 9	3	8	21	136		27	14,842 290 981	123	12	5	4	i	3 5
3		. 13	20		1 2		2 22	34		981 109			1	3	2	2 1
••••••	2	. 2	1		-			. 56						i		·
4	.	.	62	-	-		9	56		54	3		5	1	1	
2		1		-	-			4 9							;	
35		. 3		. 1	1		10			65	7		3	1		3
		2	. 1		-	i	14	-		1 3	47	2	9	. 1		·····i

<sup>&</sup>lt;sup>2</sup> Exclusive of acute anterior poliomyelitis (infantile paralysis).

## MORTALITY STATISTICS.

#### CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF

-						CONT	RIBUTORY	CAUSE.				
Detailed Int. List No.	CAUSE OF DEATH.	Cerebro- spinal fever.	Loco- motor ataxia.	Acute anterior polio- myelitis.	spinal	Cerebral hemor- rhage.	Softening, brain.	Paralysis without specified cause.	General paralysis, insane.	Other forms of mental alienation.	Epilepsy.	Convul- sions (nonpuer- peral).
Deta		61c	62	63a	68b	64	65	66	67	68	69 /	70
	III.—Diseases of the circulatory system		6			2,202	239	983	2	650	· 221	11
77 78 79 80 81 82 83	Pericarditis. Acute endocarditis. Organic diseases of the heart. Angina pectoris. Diseases of the arteries, atheroma, aneurism, etc. Embolism and thrombosis. Diseases of the veins (varices, hemorrholds, phlebitis, etc.).		5 1		39 4 1	1 26 2,131 15 24 5	51 62 126	5 37 699 17 70 155	2	7 65 388 5 173 11	2 31 175 5 7 1	3 6 1
84 85	pineoitis, etc.). Diseases of the lymphatic system (lymphangitis, etc.). Hemorrhage; other diseases of the circulatory											1
30	system.  IV.—Diseases of the respiratory system			 	39	184	9	265		430	281	15
86 87	Diseases of the nasal fossae.  Diseases of the larynx Diseases of the thyroid body. Acute bronchitis. Chronic bronchitis. Bronchopneumonia.					1				i		·····i
86 87 88 89 90	Diseases of the thyroid body					1		î		4 1	7	2
	Chronic bronchitis. Bronchopneumonia.				5	3 18		51		12 186	11 132	4
92	Proceedings of the lung and the				34 34	157 154	9	205 161		216 209 7	126 111 15	7 3 4
93 94	Pleurisy. Pulmonary congestion, pulmonary apoplexy							6		5 1	.5	1
95 96	Gangrene of the lung Asthma							1		1		
97 98	Pulmonary emphysema Other diseases of the respiratory system (tuberculosis excepted).									2		
l	V.—Diseases of the digestive system		3		10	259	2			285	28	66
99 100	Diseases of the mouth and annexa Diseases of the pharynx Diseases of the esophagus Ulcer of the stomach Othor diseases of the stomach (cancer excepted).					1				6	i	1 2
101 102	Diseases of the esophagus Ulcer of the stomach									6	1	<u>î</u>
103	Other diseases of the stomach (cancer excepted)					12				25	1	11
104 105 106	Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Ankylostomiasis. Interitie percettee	• • • • • • • • • • • • • • • • • • • •			4	73 19		4 1		190	9 4	39
107	Intestinal parasites. Appendicitis and typhlitis.					2					1	3
109	Hernia, intestinal obstruction (total)				2	17 15		7 /		16	$\hat{2}$	1
110	Ankylostomasis. Intestinal parasites Appendicitis and typhlitis. Hernia, intestinal obstruction (total). Hernia. Intestinal obstruction. Other diseases of the intestines.				ī	2		3		13	ī	1 3
111 112	Acute yellow atrophy of the liver. Hydatid tumor of the liver. Cirrhosis of the liver. Biliary calculi. Other diseases of the liver.		1			1				1		
113 114	Cirrhosis of the liver Biliary calculi				1	107	1	14		7 3	2	
115 116	Other diseases of the liver			• • • • • • • • • • • • • • • • • • • •		5		i		š	5	1
117 118	Diseases of the spleen. Simple peritonitis (nonpuerperal). Other diseases of the digestive system (cancer and tubergules) experted)				·····	4	1			4	1	1
	VI.—Nonvenereal diseases of the genito-											
	urinary system and annexa				79	2,090	47			322	111	38
119 120	Acute nephritis Bright's disease				79	2,057	46	761		53 237	22 83	9 28
121 122 123	Other diseases of the kidneys and annexa.  Calculi of the urinary passages			· · · · · · · · · · · · · · · · · · ·		2		6		7		
124	Diseases of the bladder					2	· · · · · · · · · · · · · · · · · · ·	1		10		
125 126	Diseases of the urethra, urinary abscess, etc					13		2 4		1 4	·····i	
127 128	Nonvenereal diseases of the male genital organs. Uterine hemorrhage (nonpuerperal)								· · · · · · · · · · · · · · · · · · ·	1		
129 130	Diseases of the hladder Diseases of the urethra, urinary abscess, etc. Diseases of the urethra, urinary abscess, etc. Nonvenereal diseases of the male genital organs. Uterine hemorrhage (nonpuerperal). Uterine tumor (noncancerous). Other diseases of the uterus.					4 3	1 .	3		7	2	1
131	Cysts and other tumors of the overy Salpingitis and other diseases of the female genital					1		1		1	1	
133	Nonpuerperal diseases of the breast (cancer excepted).	1			ì	1	į					
10.	VII.—The puerperal state				2					3		
134 135	Accidents of pregnancy Puerperal hemorrhage					·····i		2  .			1 1.	
136 137	Other accidents of labor Puerperal septicemia Puerperal albuminuria and convulsions Puerperal phlegmasia alba dolens, embolus,			:	i	24  -		2		1  .		
138 139	Puerperal phlegmasia alba dolens, embolus, sudden death				1	1 1		$\begin{bmatrix} 5 \\ 2 \end{bmatrix}$ .		1		
140 141	sudden death. Following childbirth (not otherwise defined) Puerperal diseases of the breast							i		·····i.		

<sup>&</sup>lt;sup>1</sup> Varices, hemorrhoids, phlebitis, etc.

DEATH IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1917—Continued.

					•		CON	TRIBUTOR	Z CAUSE.				•				
Convul- sions of infants.	Chorea.	Neural- gia and neuritis.	Other diseases, nervous system.	their	Diseases, ears.	Peri- carditis.	Acute endo- carditis.	Organic diseases, heart.	Angina pectoris.	Diseases, arteries, ath- eroma, aneu- rism, etc.	Embo- lism and throm- bosis.	Diseases, veins. <sup>1</sup>	Diseases, lym- phatic system.	Hemor- rhage; other diseases, circula- tory system.	Diseases, nasal fossae.	Diseases larynx.	Detail of Tat To
71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	F
32	110	159	237	8	23	393	920	1,238	342	12,965	1,659	103	31	. 99	9	62	
4 16	64 43	19 86 20 29	3 20 112	6	4 18 1	101 272	4 725	18 243	342	37 213 10,602 1,541	6 262 1,205 15 39	17 72	8 13	2. 5 41	2 6 1	9 48 2 3	
••••••	3	1 4	13 83 5	1	1	272 10 10	67 101 20	166 767 23 12		570		14	4 5	2 46	1	3	
11		. 1	1	1			. 3	12 9		2	130 2	•••••	1	2			
1					 			ļ				 		 			-
977	23	73	278	8	249	366	1,870	5,920	36	2,726	278	54	106	31	152	283	-
5 11			4 6				1 3 10	12 52		5 2	1 2 11 8 11 43	1	9	į	4	7	
223 2 505	3 2 8	5 9 21	21 11 134	1 1 5	5 1 151	2 49	10 50 92 411	116 229 553		193 549 1,046	8 11 43	1 1 2 17	16 3 50	. 1 4 4 6	6 1 124	73 26 117	
202 148 54	9 7 2	24 19 5 3 7	92 78 14		82 68 14	208 171	1,148 997 151	4,445 4,295 150	36 36	863 734 129	. 160 125 35	24 15 9	26 21 5	8 6 2	11 7 4	50 31 19	!
4 23	· · · · í	3 7 1	1 2		10	37 107	154	118 5 8		46	35 6	, , , , , , , , , , , , , , , , , , ,	ĭ	1 2	6	ĭ	
1 1		<u>i</u>	2 1	1				343 21 18		12 1	i	·····i		5		8 1	
3,221	6	61	174	4	97	66	768	2,572	4	563	561	67	71	20	47	106	
13 4 1	1 2	2 2	1 4	i	21	1 9	11 235	4 45		3 10	4 35		4 27	i	25	1 87 1	1
1 196		17	3 22			9	29 1	1 67 260	1	2 55 4	30 4	. 2	1	1 8	3	1 1	10
2,540 350	1	10	53 70	3	71 3	1 2	72 9	84 81		1 13	3 12	10 10	22 4	5	· 5	12 1	10
28	1	1	4			3	74	167	·····2	14	· 1	16	2 5	1	1		10
49 7 42		4 1 3	3 1 2		1 1	3 4 1 3	42 21 21 9	248 160 88		14 97 41 56	139 92 47 26	3 3 5	5 3 2. 1		1 1	1 1	1
32 		4	4			1	4	25 8 1		12 4 2		i	1	1			1 1
6		13 2 4	5 2 3		1	20 5 7	177 41 38	1,354 106 78	1	2 272 23 44	2 8 52 · 38	16 1 9	1	2	2	2	111111
1		2				3	2 16	2 36		5	8	2	4		i		1
•••••						·	8	5		2	4			1			1
38 25	6 5	64	87 18	4 2	23	215	2,284	15,882 185	3	5,344	538	66	17 <sup>.</sup>	25 1	17 14 1	37	1
2 8		47	56	2	19 2	208	1,863 10	15,399		5,220 41	233 11	35	7	17 2	1 1	29 1	1 1 1 1 1 1
1		4	3			1	6	23 24 8		41 6 9	6 3	2		••••••	1		1
······2		1	1 1		1		2 3 3 1	5 79 1	2	2 50	$\begin{array}{c} 6 \\ 47 \\ 2 \end{array}$	6		· 4			1 1 1 1
· · · · · · · · · · · · · · · · · · ·	 	1	2 3		i		43 15	87 36		10	117 43	6 10	1			i	1 1 1
			1				15 20	18 16	i	1	32 36	1 6		1			1:
			ļ				1	<b></b>		1	1						1
	2	2	2			12	149	362	13	2	11	4	1.			3	-
• • • • • • • • • • • • • • • • • • • •			<u>-</u> -			3	17 9 30	49 30 122 38 97	6		1	••••••	1				
· · · · · · · · · · · · · · · · · · ·	2	2	1			6 3	30 55 31 5	38 97 21	6 1	1	2 1 7	3 1				2 1	1111111
	_	<b> </b>		\ <b>.</b>			2	4	<b> </b>	 				••••		•	. 1

# CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF

=						CONTRI	BUTORY CA	USE.		<del></del>		
Detailed Int. List No.	CAUSE OF DEATH.	Cerebro- spinal fever.	Loco-motor ataxia.	Acute anterior polio- myelitis.	Other diseases, spinal cord.	Cerebral hemor- rhage.	Softening, brain. <b>65</b>	Paralysis without specified cause.	General paralysis, insane.	Other forms of mental aliena- tion.	Epilepsy.	Convulsions (nonpuerperal).
	VIII.—Diseases of the skin and of the cellu- lar tissue.						_					
	lar tissue					1	2					
142 143	Gangrene						2	1		8 4		
144	Gangrene. Furuncle Acute abscess. Other diseases of the skin and annoxa.					1		·····i		5 4		
145												
	IX.—Diseases of the bones and of the organs of locomotion					8						2
146	Diseases of the bones (tuberculosis excepted) Diseases of the joints (tuberculosis and rheuma-					8		4		2		1
147	Diseases of the joints (tuberculosis and rheumatism excepted).						• • • • • • • • • • • • • • • • • • • •			1	1	
148 149	tism excepted). Amputations Other diseases of the organs of locomotion											
110	X.—Malformations.					1	 	l .		1	4	3
	Congenital malformations (stillbirths not in-					12		8		1	4	, 3
150										-	1	1
	citided) (total).  Hydrocephalus.  Congenital malformations of the heart.  Other congenital malformations.				z	3					1	1
	Other congenital malformations				3	II .		2	1	l	1	_
,	XI.—Early infancy				1							
151	Congenital debility, icterus, and selerema (total). Premature birth. Congenital debility, "atrophy," "maras-							1 1				
	Congenital debility, "atrophy," "maras-											
152	mus," etc. Other causes peculiar to early infancy (total). Injuries at birth Other causes peculiar to early infancy <sup>2</sup> Lack of care.				1			1			. 1	
	Injuries at birth.  Other causes peculiar to early infancy 2				1							
153	Lack of care											
	XII.—Old age											
154	XII.—Old age					.					. :	
											230	1.1
	XIII.—External causes.  Suicide (total).  By poison  By asynyxia.  By hanging or strangulation  By drowning  By firearms.  By cutting or piercing instruments.  By jumping from high places.  By crushing  Other suicides		5		1	55			. 3	683 89	10	2
155 156	By poison By asphyxia.									65		î
157 158	By hanging or strangulation By drowning		i		1					170 60	3	
159	By firearms.		. 3			. 51			1 1	180	2 3	
160 161	By jumping from high places					. 3				. 27	1	
162 163	Other suicides		i							22		
	Accidental or undefined (total) Poisoning by food Other acute poisonings	5	21	4	87	1,075	21	157	34	72	220	9
164 165	Poisoning by food Other acute poisonings			1		1	21		i	3	2	. 2
166	COHUMEIGHOH	.		-				8		5	1 45	i
167 168	Burns (conflagration excepted)  Absorption of deleterious gases (conflagra-			-		. 4	ī	Ĭ		. 1	. 36	
169	tion excepted). Accidental drowning				.	- <u>6</u>		-	.	. 9	35	3
170 171	Accidental drowning. Traumatism by firearms Traumatism by cutting or piercing instru-							- 5 - 1				
172	ments. Traumatism by fall.						14	92	9	16	79	2
	Traumatism in mines and quarries (total)							. 4	1	.   ,	1	
173	Traumatism in mines and quartes (total)  Traumatism in mines.  Traumatism in quarries		-		: 2			] 4	i	.	1	
174	Traumatism in quarries Traumatism by machines				.  <u>-</u> i			. a		,		
175	Traumatism by machines. Traumatism by other crushing (total). Railroad accidents and injuries. Street-car accidents and injuries.				. 13	2 49		18			3   3	
	Street-car accidents and injuries.  Automobile accidents and injuries	·i	-		. 2	152		.] 5	i   2	3		
	Automobile accidents and injuries Injuries by other vehicles Landslide, other crushing	-	-  · · · · i		. 6			10	·			
	Triumies by opinion of dolling.		1			- 1	1			. ]		
176 177	Injuries by animals. Starvation. Expressive cold	:										
178 179	Excessive cold. Effects of heat. Lightning Electricity (lightning excepted). Errortures (corse not excepted).		1 2		4	42	:	. 4		2 4	i	
180 181	Lightning Electricity (lightning excepted)											-
185 186	Fractures (cause not specified). Other external violence.		1			7 22				3 1	1   I	
790						i	1		1			
182	Homicide (total).  By firearms.  By cutting or piercing instruments.  By other means	-				1 20						
102	By cutting or piercing instruments	-				40			-	i l		
183 184	By other means				-	1 20	·		·-i ·	-	.	

<sup>&</sup>lt;sup>1</sup> Varices, hemorrhoids, phlebitis, etc.

DEATH IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1917—Continued.

The color   Color																	
10	sions of		gia and	diseases, nervous	eyes and their	Diseases, ears.	Peri- carditis.	endo-	diseases,		arteries, ath- eroma, aneu- rism,	lism and throm-	veins.1	lym- phatic system.	rhage; other diseases, circula- tory	Diseases, nasal fossae.	Diseases larynx.
1	71	72	78	74	75	76	77	78	79	80	81	82	88	84	85	86	87
The color of the	, 15	1	6	6	1	1		7	21		ļ 	15	5	3	4		5
The color of the		. 1	3 2	6		·····i						3 7	4	1	·····i		
S	8 7				1				2 5			3		2	2		5
	3		3	5	4	3	3	35	<u> </u>	1	14	96	3	8	2	4	1
102	3		1	5	4	3	3			1	12		3		2	4	1
102		*******	2									3					
85         35         36         3         1         2         12         2         3         4         6         1         1         6         1         1         6         1 <td>162</td> <td></td> <td></td> <td>i———</td> <td></td> <td></td> <td></td> <td></td> <td><del></del></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>7</td>	162			i———					<del></del>								7
55         4         1         2         2         12         3         3         1           611         1         8         1         9         22         28         3         3         1           270         1         5         1         1         10         28         3         1           280         3         1         1         10         28         3         1           280         3         1         1         3         3         1         1           280         3         1         1         3         3         1         1           4         11         57         4         4         11         10         850         16         397         271         12         14         3         2           4         11         57         4         4         11         10         850         16         397         271         12         14         3         2           4         12         1         1         1         1         1         1         1         1         1         1         1         1         1<				1 .			2	14						9		1	7
277	55			4		1	2	12 2	<u>.</u>			2			*********	1	4 3
49       233       66       75     4       11     57       4     11       10     2       1     1       2     1       1     1       1     1       1     1       1     1       1     1       2     1       3     1       4     1       1     1       1     1       1     1       2     1       3     1       4     11       50     4       4     11       50     4       4     10       10     3       20     1       1     1       1     1       2     1       3     1       3     1       4     11       1     1       1     1       2     1       4     10       10     8       2     1       1     1       1     1       2     1       2     2       3     1																	.4
335     3     1     1     3     3     2     1     3     2     1     1     3     2     1<	276 227 49	1 1					1 1	19 19	28 28				•••••••	3 3	********		1
1	335 270			3			1	3						•••••		••••••	, 3 3
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	65		********					••••••			********						
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$																	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	75		11	57			11	110	850	16	307	971	10	14	3		17
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$				7				5	11		4						
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$					••••••			4	2 2		1	1					
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$									2								
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$							1		4								
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		********		1				1					••••	• • • • • • • • • • • • • • • • • • • •			
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	75		11	<b></b>			10	105	090	10	200	005	10	1,			17
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	11	*	11	50	.4	4 	10	15	21 9		390 2 1	4					17 3
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	18 4		3	2	·····i	1	1	$\overset{12}{\overset{2}{\circ}}$	26		6 1	10		5			6
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$				•••••							1			1		•••••	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$								4	2		1	2					
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	7	2		22	•••••	1	5			[			3	. 1			1
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$									7								
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	********						ī	2		]	3	8		2			
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$						2		11			11 3	51 11	2	1	1 1		
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1		1				1	). 9	ļ	2	8			<del>-</del> -		
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$			·····i	2				5 4	26 21		4	14 15	1	1			
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$											ī						
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	1			2				1	6	2	2	9	1				
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$																	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	20		1	10					57		24	2	1		1	····i	
$egin{array}{c ccccccccccccccccccccccccccccccccccc$															ļ	ļ	
1 1 7 2 2 13 47 3 9 33 3 3 3 3 5 4		1		1				1	16		2	11					
1 4	1		1	. 7	2		2		47	3	9	33	3	3			7
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1									3		1	5 4					
3 1			1	1	I	1	I		l		1	l	l			l	.

<sup>&</sup>lt;sup>2</sup> Exclusive of injuries at birth.

#### CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF

3			-	-		CONTRI	BUTORY C	AUSE.				
Detailed Int. List No.	CAUSE OF DEATH.	Diseases, thyroid body.	Acute bron-chitis.	Chronic bron- chitis.	Broncho- pneu- monia.	Lobar pneu- monia.	Pneu- monia (unde- fined).	Pleurisy.	Pulmo- nary conges- tion.	Gan- grene, lung.	Asthma.	Pulmo- nary emphy- sema.
<u> </u>												
	Ail causes	438	6,224	5,786	21,100	5,443	7,607	3,991 1,100	$\frac{13,252}{1,776}$	141 55	3,927	146
	I.—General diseases	<u>76</u>	1,187	1,254	13,206	3,275	4,484	21	86	5	4	
$\begin{bmatrix} 1 & 7 \\ 2 & 7 \\ 3 & 1 \end{bmatrix}$	Typhoid fever Typhus fever			20	219		230					
4 1	ypnoa tever Typhus fever Relapsing lever Malaria Imallpox		15	15 1	36 9	23 8	14 4	1	13		7	
6 7	Paland	1 1	243	49	4.596	876	1,178	38	63 3	$^2_1$	16 1	5
8 3	Scarlet fever Whooping cough Diphtheria and croup Influenza	1 1	258 258	1 13 15	3,144 3,144	60 329 137	63 584 102	12 14 11	44 23	3	. 4	8
9 1	Diphtheria and croup Influenza	2 12	55 315	555	625 2,661	21	1,159	152	256		119	7
11   1 13   (	Miliary fever Cholera postras								1			
14 17	DysenteryLeprosy		12	20	60	1	36	2	11		.	
18 19	Miliary fever Cholera nostras Dysentery Leprosy Brysipelas Other epidemic diseases	2	87	11		32	58 12		30 5		.	
20 21	Purulent infection and septicemia Glanders Anthrax Rabies			i	-				12		,	
22 23	Anthrax				-							
24	Tetanus Mycoses Pellagra	1	1	1	1	4	2	1 2	2			
25 26 27	Mycoses Pellagra Beriberi		2			10	13		11		. 2	
21	Tuberculosis (total)	17	131	342		855	638	666	411 311	33 32		38 36
28 29 30 31	Tuberculosis (total). Tuberculosis of the lungs. Acute miliary tuberculosis. Tuberculous meningitis Abdominal tuberculosis.	12		300 18 7	507 50 99	704 59 30	534 55	590 29 18	20		- 9	1 1
31	Abdominal tuberculosis  Pott's disease.	2		6	16	17	8	18	13	i	1	
32 33	White swellings Tuberculosis of other organs Disseminated tuberculosis	i	3	. 3	:[ 9	6	.   5	1 6	5			-
34 35					. 5				. 3		1	
37.	RicketsSyphilis	. 1	26	9			21		- 5 30	2	6	2
38	Gonococcus infection	17	31	103	261	1	· 1	78	387	4	34	4
39 40	Of the buccal cavityOf the stomach, liver	4	. 1	. 4	24	12 67	45	20	126	2		3
40 41 42 43	Of the peritoneum, intestines, rectum Of the female genital organs	- 2 - 3	4		3 24	29 43	1 20	) 4	46 43 63	1	·	
43 44	Of the breast Of the skin	4	. 6	;   {	5 14	14	. 7	1	. 13			-
	Of the buccal cavity Of the stomach, liver Of the peritoneum, intestines, rectum Of the female genital organs Of the breast Of the skin Of other organs or of organs not specified. Other tumors (tumors of the female genital organ excepted).	į.	.		1	. 1	2	2 1	2		1	1
47 48	Acute articular rheumatism Chronic rheumatism and gout Scurvy		4	15	2 54	1	35	5 25	24		14	
49 50	Scurvy Diabetes Exophthalmic goiter	-	4	7 6	3 170 9 20		8	35	116		5 16	1
51 52	Addison's disease. Leukemia			3		1 j		i	2			
53 54 55	Anemia, chlorosis Other general diseases		i			3			68	3		
56	Alcoholism (acute or chronic)				ļ				70			3
57 58 59	Alcoholism (acute or chronic). Chronic lead poisoning Other chronic occupation poisonings Other chronic poisonings			•-		2 3	3	i				;
99	II.—Diseases of the nervous system and o the organs of special sense	f	ŀ			9 44	3 28	2 6			4 12	
60	Encephalitis		2 2	1	25	2 3	2 i		1 5			i
61	Meningitis (1002). Simple meningitis Cerebrospinal meningitis (undefined) Cerebrospinal fever		1	4	$\begin{bmatrix} \frac{4}{3} \\ 1 \end{bmatrix}$				3	i		
62	Cerebrospinal fever Locomotor ataxia			6	2 5		2 1 5 1		i 2	3		1
63	Locomotor ataxia. Other diseases of the spinal cord (total). Acute anterior poliomyelitis. Other diseases of the spinal cord 1. Cerebral hemorrhage, apoplexy. Softening of the brain. Paralysis without specified cause. General paralysis of the insane. Other forms of mental alienation.		3	$\begin{bmatrix} \hat{2} \\ 0 \end{bmatrix}$	6 14	6 5	0 3	5 1	0 8	2		6 2
64	Other diseases of the spinal cord 1.	1	2 2	2 7 20	86 9	4 2	8 2	4	9 7	8		6 1 2 6
65 66	Softening of the brain			2 2	8 1	9	i 1	6	3 8	8	1	54
67 68	General paralysis of the insane. Other forms of mental alienation			6	10 16	3 9	9 1	.1	6 5	9	1	i
	Epilepsy		1						10	2		7
70 71	Convulsions (nonpuerperal) Convulsions of infants		::		::: :::::::							
72 73 74	Epilepsy Convulsions (nonpuerperal) Convulsions of infants Chorea Neuralgia and neuritis Other diseases of the nervous system								. i	7		
74 75	Other diseases of the nervous system  Diseases of the eyes and their annexa  Diseases of the ears	•-	z	<sup>2</sup>	<u> </u>	1		<u>*</u>	1 1	Ó	<i></i>	
76	1 200		1 1	.6	4 1	0.1	8 1	2	5 [	ΛI	1	· -,- <sup>1</sup>

 $<sup>^{\</sup>mbox{\tiny 1}}$  Exclusive of a cute anterior poliomyelitis (infantile paralysis).

DEATH IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1917—Continued.

						<del>,,''! *''</del>	CON	TRIBUTOR	Z CAUSE.		<del></del>		~~~~	<del></del>		······································	
Other respiratory diseases (tuberculosis excepted).	Diseases mouth and annexa.	Diseases, pharynx.	Diseases esopha- gus.	Ulcer, stomach	Other diseases stomach (cancer ex-cepted).	Diarrhea and enteritis (under 2 years).	enteritis (2 years	Anky-	Intestinal parasites	Appendicitis.	Hernia	Intestinal obstruction.	Other diseases intestines.	Acute yellow atrophy liver.	Cirrho- sis, liver.	Biliary calculi.	Detailed Int. List No.
1 671	639	1.074	ļ	547	ļ	077		-		-	<del> </del>	-	- <del> </del>	-	<u> </u>		-
321	164	357	150	259	7,452 1,127	877 416	4,952 1,244	21	70	465 253	350 85		2,005	13	1,692	813 303	=l
8	19	7		8	15	9	28	-	1	30	-				9	3	-  .
3	2	4	1	1	54		71	1	6			6	8		20	2	1 2 3 4 5
9	11	24	1	5	25	1	138	5	2	. 2		. 4	5				
7	11 1 9	31 2 102	····i		1 28 15	7	12 79	i		7	. 2	3	3 2		. 1	1	6 7 8 9 10
51 51	4 8	30	2	2	114	.30	19 108		1	6	4	17	5 15		1	1	10
3	13				9 58	67	87		4		2	-	1 20				11 13 14 17 18 19
1	<u>ii</u>	11 3			6		6 1				3	i	4 2		i	3	17
1					2		6						1				
	••••••																20 21 22 23
1	4 1	1	1		3	4	3			4	2					1	24 25 26 27
2	6			3	10	5	63	2	2	2		1	4		4		26 27
153 137	9 6 1	35 18	8 6	61 47 2 1 8	205 147	149 58	339 248 15	2	3	121 70	20 15 1	104 17 2	138 81 9	1	203 160 14	8 5 1	28
5 7 1	1	10 1		1 8	14 12 21 3	61 5	27 34	1	2	8 5 31	4	<del></del> -	4 35		2 14	<u>-</u> -	30 31
2 1		4	1 1	i	3 6	58 11 61 5 1 3 7	4 1 7			5		1	3 1 4		3 6		28 29 30 31 32 33 34
1		1	·	1	13	នំ	3	•••••		1		5 2	i		2 2		35
16	9	15	10	6	28 1	137	28 1	**********		1 10	4	15 1	26 1	3	93	3	36 37 38
23 3	20 10	8 2	. 33	160	230 1		126 5			37	36	788	100 1	4	99 1 67	258	
6 1 1	3	3	27	149 1 3	168 18 17		46 37 17			9 20	9 1 <u>1</u>	83 565 91 6	26 42	2 1	67 10 5	205 12 4	39 40 41 42 44
1	2		2		7 1		9 1			5 1	11 5 2 1 8	6	20 2 2		1	1 36	44 43 45
10	4	3	4 1	7	18 1		11			2	8 1	42 15	7	1	15	36	45 46
1 2	2	53	i		25 14		14 24		1			1	3			•	47 48
13	5	12		9 1	2 49 5	5	50 5			23 6	4	13	2 18		42 2	21 2	47 48 49 50 51
2	3	8	1	$ \begin{array}{c} 1\\ 2 \end{array} $	5 3 6	2	5 3 10		•••••	 1		3	2 4	•••••	<u>2</u>	2	51 52 53
1	18 2	····i	ī		39 3		10		1			1	7 7		6		52 53 54 55
5	2	2		····i	160 1		3			i	2	3	2		2		56 57 58 59
2	i				2	••••••	9			•••••			1	1		•••••	58 59
73	. 41	56	6	25	512	94	585		3	. 3	11	57	103		28	34	
9	2 17	4	1		2 71	84	3 249		2 1	<u>1</u>		······ <u>2</u>	i				60 61
1.	15	1 2 1			60 6 5	71 13	208 34 7		1	1		1 1	9				
11	1 3	4 12	$\begin{bmatrix} 2\\1 \end{bmatrix}$	$\frac{1}{2}$	7 25	1 8 7 1	25 40			î 1	••••••	6 13 1	3 12		6 5	2	62 63
4 7 27	3 6	2· 10 23	1	2 19	21 308	7	37 123		í	1	 8	1 12 22	12 45		5 14	2 25	64
· <sub>4</sub> - -	6	1  -	1	····i	5 33		3 59				2	9	3 14		····i	1 6	65 66
4	2	1		2	7		30		••••••		••••••	3	5		2	••••••	67 68
8	2	1 .			26		46					. 2	7				69 70 71
3	1				5								2				72 73
5   -	••••••	1	1		19	1	6				1		1				74 75
	1	8 .			4 !.		1	1									76

#### CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF

-						CONTR	IBUTORY C	AUSE.		<del></del>		
Detailed Int. List No.	CAUSE OF DEATH.	Diseases, thyroid body.	Acute bron- chitis.	Chronic bron- chitis,	Broncho- pneu- monia.	Lobar pneu- monia.	Pneu- monia (unde- fined).	Pleurisy.	Pulmo- nary conges- tion.	Gan- grene, lung.	Asthma.	Pulmo- nary emphy- sema.
	III.—Diseases of the circulatory system	203	889	2,034	2,189	69	902	543	4,739		1,575	205
77 78 79 80 81 82 83	Pericarditis Acute endocarditis Organic diseases of the heart Angina pectoris. Diseases of the arteries, atheroma, aneurism, etc. Embolism and thrombosis Diseases of the veins (varices, hemorrhoids, phlebitis, etc.). Diseases of the lymphatic system (lymphangitis,	31 156	5 38 827 12 3 2 2	13 48 1,918 36 17 2	10 2,137 15 12 11 4	43 24 2	7 824 10 57 1 2	8 502 20 9 4	28 254 3,649 28 711 51 6		6 138 1,267 20 134 10	1 17 181 1 5
85	etc.). Hemorrhage; other diseases of the circulatory				 				5			
	system.  IV.—Diseases of the respiratory system		2,851	1,499	591	5	62	1,827	2,240	62	1,221	262
86 87 88 89 90 91	Diseases of the nasal fossae.  Diseases of the larynx. Diseases of the thyroid body. Acute bronchitis. Chronic bronchitis. Bronchopneumonia.	4 9 11	1 13 2,402 400	1 834 565		1 4	3	1 1 2 1,804	2 23 13 172 201 519 1,092	62	7 7 116 295 369 399	1 1 20 88 34 45
93 94	Pneumonia (total) Lobar pneumonia Pneumonia (undefined) Pleurisy Pulmonary concession, pulmonary anoniexy	13 6	295	406 159 88	62 5 495		22	1,326 478	1,007 85 57	62	317 82 17	36 9 5
95 96	Preumoma (undenned) Pleurisy Pulmonary congestion, pulmonary apoplexy Gangrene of the lung Asthma		1	11				19	127 127		2	1 63
97 98	Other diseases of the respiratory system (tuber- culosis excepted).				0.100	686	637		7 25	6	9 71	4
99	V.—Diseases of the digestive system  Diseases of the mouth and annexa		699	138	2,189	686	037	161	605		/1	9
100 101 102	Diseases of the pharyux Diseases of the esophagus Ulcer of the stomach Other, diseases of the stomach (cancer excepted)	3	10	6 1 8	65 2 27	13 2 22	30 3 30	7 1 10	16 5 14		5 1	1
103 104 105	Other diseases of the stomach (cancer excepted).  Diarrhea and enteritis (under 2 years)	8	630 4	22 4	1,740 16	318 20	2 227 13	16 6	83 94	1	9 16 1	1
106 107 108 109	Diarrhea and enteritis (under 2 years).  Diarrhea and enteritis (2 years and over).  Ankylostomiasis.  Intestinal parasites.  Appendicitis and typhitis.  Hernia, intestinal obstruction (total).  Hernia.  Intestinal obstruction.  Other diseases of the intestines.	1 1 1	2 22 3 19	3 14 2 12	33 54	2 196 59 47 12	133 52 32 20 6	32 2 2 1	1 1 37 65 34 31	4	2 5 2 3	2
110 111	Acute yellow atrophy of the liver Hydatid tumor of the liver		1	. 2	h .	2			1			1
112 113 114 115	Cirrhosis of the liver   Biliary calculi   Other diseases of the liver	3 3	17 6 4	54 4 11	15	1 27 17	30 26 25	32 4 14	147 20 55		. 5	4
116 117 118	Diseases of the spleen Simple peritonitis (nonpuerperal). Other diseases of the digestive system (cancer and tuberculosis excepted).	1	1	6	39		56 4	33	7 6			
	VI.—Nonvenereal diseases of the genito- urinary system and annexa		220	477	1,036	98	477	192	1,832	2	413	32
119 120 121	Bright's disease	32	207	459	. 1 928	19	402	180	174 1,535	2	57 342	3 28
$\frac{122}{123}$		1	4 2	2	. 8	6	-		26 4		4	
124 125 126		1	5	10	. 2		3 15		19 3 38		5	i
127 128 129 130	Uterine hemorrhage (nonpuerperal)	3	1				23	1	1 1 14			
131 132	Cysts and other tumors of the ovary.	9	i	2		5	5		9		1	
133	Nonpuerperal diseases of the breast (cancer excepted).	1		•	-	1					-	
134	VII.—The puerperal state		7	-	. 13	_	-	-	112	3	3	1
135 136 137 138 138	Puerperal hemorrhage Other accidents of labor Puerperal septicemia Puerperal albuminuria and convulsions	3	1	1 5 3 2	25 28 12	7 117 95 33	47 81 20	1 3 14 2	1 13 17 70			
14( 141	Following childbirth (not otherwise defined)				3				1			

DEATH IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1917—Continued.

															<del>-</del>		
	CONTRIBUTORY CAUSE.														No.		
Other respiratory diseases (tuberculosis excepted).	Diseases mouth	Diseases pharynx.	Diseases, esopha- gus.	Ulcer, stomach	Other diseases stomach (cancer ex-cepted).	i	and	Anky-	Intes- tinal parasites	Appen- dicitis.	Hernia.	Intes- tinal obstruc- tion.	Other diseases intestines.	Acute yellow atrophy liver.	Cirrho- sis, liver.	Biliary calculi.	Detailed Int. List No.
98	99	100	101	102	103	104	105	106	107	108	109a	109b	110	111	113	114	Detai
324	90	162	17	107	2, 216	3	1,161	2	3	2	55	126	187		61	187	
5 26 185 5 88 13	21 47	23 127	7	1 98	18 1,528 1,528	•••••	11 101 627	1 1			2	113	1 15 86			17	77 78 79 80 81 82 83
5 88	8	2 8	8 7777 2	6 2	195 301	3	15 384		3		46 1	1 1	2		8	17 158 10 2	80
13	9 1	7° 2	N 7 2		22	•••••	20 3				6	11	49 28 6		1		. 82 . 83
1	2				8							•••••			<b></b>		. 84
700										• • • • • • • • • • • • • • • • • • • •							85
720		337	12	26	594		676	2	11		33	42	114		126	62	- 86
1 2 18 90	3 1	, 1	1 2	••••••	2 4		3		1 2				1				87
90 102	, 3 43	28 9 159	1 3		93 96 179		69 77 277		5		4 15	2	2 6 32		2	9	86 87 88 89 90
389 277	51 36 15	125 90	3	24 24	164 132		232 167	2 1 1	3		14 10	37 32	63 54		124 124	50 31 19	92
112 75 2 14	15 1	35 8			32 13		65 16	, 1	2 1			5 3	9			19 2	93
14 21	1				1 1 32		••••••										93 94 95 96 97 98
5	•••••		1	2	2 7		<u>2</u>						· 2			1	97 98
82	146	50	16	<i>5</i> 8	2, 269	92	549	1	27	10	80	1,619	933	1	82	125	
1 14	24	1			28 12		17		1			2	1 3				99
1 3 1	3 1	2	2 1		3 467	2	59 3			5	3	. 3 <u>1</u> . 5	1 13 15		10	1.6	101 102 103
4 6	83 20	15 1	1	1	692 453			······i	1 6 15	1	12	. 5 4 34	36 103		1 4 2	••••••	103 104 105
				•••••	2		2 1				1		2			2	108 107 108
19 2	1 1	6 9 1	1	18 3 2 1 1	47 110	89 9	45 121 17 • 104		1	2 2	29 20	503 409 409	184 401 175	1	8 7 3	86 6 6	108 109
2 5	2	8	1	î	18 92 64	80 80	· 104 8				20 2	454	226		4 2	i	110
1 1	1	1		1	2	·····i	1			2	1	2	····· <u>i</u>			3	111 112
10	4 5	2 1	11	31 2 1	185 43 102	1	73 15 67				5 7	2 1 11 63 52	41 32 28		50	1	113 114 115
4	1	12			3 50		130		3			1 29	69	• • • • • • • • • • • • • • • • • • • •			116 117
1  -					6		5				••••••	7			2	10	118
70	34	-79	6	51	466	2	559	1	2	136	38	274	188		884	86	-
8 48	9 17	4 72	5	41	87 291	2	100 380	ī	2		22	62	11 68		878	64	119 120
6	3			1	15 2		16 3			1	2 3	9 2	7 4		2 1	1 2	121 122 123
2	1				26 3		29						13				124 125
2	2	2			8		11				5	14			1		126 127
1 .	2			1 8	19		7 3				3	82 32	20 17			1	128 129 130
2		1			9 4		6			135	1 2	28 45	16 24		2	8 10	131 132
																	133
12	3			3	28		23	1		47	5	65	16	3	5	7	
4 .					ĭ.		5	1		2	2 1.	15	2				134 135
3 . 2 2 .	2	6		1 2	7 5		10 5 3			1 42	1	26 21	9 -	3	1 4	1	136 137 139
3 a d vi.	· i	4		*******	5  -					1		2	1		4	2	139
		1										1 .					140 141

## MORTALITY STATISTICS.

### CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF

ζο. 		CONTRIBUTORY CAUSE.											
Detailed Int. List No.	CAUSE OF DEATH.	Diseases, thyroid body.	Acute bron- chitis.	Chronic bron- chitis.	Broncho- pneu- monia.	Lobar pneu- monia.	Pneu- monia (unde- fined).	Pleurisy.	Pulmo- nary conges- tion.	Gan- grene, lung.	Asthma.	Pulmo- nary emphy- sema.	
	VIII.—Diseases of the skin and of the cel- lular tissue	3	1	6	32	2	16		38		3		
142 143 144 145	Gangrene. Furuncle. Acute abscess. Other diseases of the skin and annexa.	1	1	6	29 3	1 1	l š		21 2 2 2 13				
	IX.—Diseases of the bones and of the organs of locomotion.	1	5	3	36	10	35	2	21	}			
146 147 148	Diseases of the bones (tuberculosis excepted) Diseases of the joints (tuberculosis and rheumatism excepted). Amputations. Other diseases of the organs of locomotion			3	31 5	10	34		8				
149	Other diseases of the organs of locomotion  X.—Malformations			10	190	11	37	3	68				
150	Congenital malformations (stillbirths not included) (total).		107	10	190	11	37	3	68				
	Hydrocephalus. Congenital malformations of the heart. Other congenital malformations.		6 85 16	3 5 2	31 94 65	ii	1 20 16	1 2	54 14				
4 ***	XI.—Early infancy 1.	J	43		145	19	24						
151	Congenital debility, icterus, and sclerema (total) Premature birth Congenital debility, "atrophy," "maras- mus," etc.	1		• • • • • • • • • • • • • • • • • • • •		13 13	15 15		14 14				
152 153	Other causes peculiar to early infancy (total) Injuries at birth Other causes peculiar to early infancy Lack of care		5 5		78 76 2	6 6	1 1		8 8			1	
	XII.—Old age							1					
154	Senility												
	XIII.—External causes. Suicide (total).	5	28	42	454	505	462	70	560	9	16	10	
155 156 157 158 159 160 161 162	Suicide (total).  By poison?.  By asphyxia.  By hanging or strangulation.  By drowning.  By firearms.  By cutting or piercing instruments.  By jumping from high places.  By crushing.  Other suicides.			************	1 5 1	5 1 1 6 1	3 2 1	2 1	1	1			
163	Other suicides  Accidental or undefined (total)  Paisming by food	5	28	42	1 441	467	434	59	556			10	
165 166 167 168	Accidental or undefined (total).  Poisoning by food. Other acute poisonings. Conflagration. Burns (conflagration excepted). Absorption of deleterious gases (conflagration excepted).	1 1	2 6 1	2	6 10 4 74 9	8 4 2 62 15	10	2	6 4		1	1	
169 170 171	Accidental drowning				1	1 4 2	8 1	3	2 3				
172 173	ments. Traumatism by fall. Traumatism in mines and quarries (total)			34	234	206	175	25	1			2	
174	Craumatism in mines				3 3	7 7	12 12	1	3 3				
175	Traumatism by other crushing (total). Railroad accidents and injuries Street-car accidents and injuries Automobile accidents and injuries Injuries by other vehicles. Landslide, other crushing.			1 2 1 1	4 44 4 9 21 9	12 79 16 9 27 23	16 69 13 9 27 19	2 14 1 2 11	50 5 6 22 16	4	3 1	5 2 2 1	
176 177	Injuries by animals				5	6	11	1	4	ì			
178 179 180 181 185	Injuries by animals. Starvation. Excessive cold. Effects of heat. Lightning. Electricity (lightning excepted). Fractures (cause not specified). Other external violence.	1		1	2 4 15	3 1	6 1 1		7		2		
186	Other external violence		3		23	47	35 22	11 8	15				
182 183 184	Homicide.  By firearms.  By cutting or piercing instruments.  By other means.				2 2 1	8 4 8	15 6 1	3 4					

<sup>&</sup>lt;sup>1</sup> Exclusive of injuries at birth.

DEATH IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1917—Continued.

	CONTRIBUTORY CAUSE.														٥		
Other re- spiratory diseases (tubercu- losis ex- cepted).	Diseases, mouth and annexa.	Diseases, phar- ynx.	Diseases, esopha- gus.	Ulcer, stomach.	Other diseases, stomach (cancer ex- cepted).	Diarrhea and enteritis (under 2 years).	Diarrhea and enteritis (2 years and over).	Anky- losto- miasis.	Intestinal parasites.	Appen- dicitis.	Hernia.	Intestinal obstruction.	Other diseases, intes- tines.	Acute yellow atrophy, liver.	Cirrho- sis, liver.	Biliary calculi.	Detailed Int. List No.
98	99	100	101	102	103	104	105	106	107	108	109a	<b>109</b> b	110	111	113	114	Deta
2	10	. 4			7	1	3	•	1				3				$\lceil \rceil$
	6	2			4	1	3		1								142
2	$\frac{2}{2}$	2			2								3				143 144
																	145
5	14	6			8	1	6		<u></u>			1	4				
5	13 1	6			3 4	1	2 4					1	4				146 147
	· · · · · · · · · · · · · · · · · · ·				i												148 149
3	5	2	1	<b></b>	42	111	11			  - <u>-</u>	7	11	8				
. 3	5	* 2	1		42	111	11				7	11	8		As-		150
3	3				5 23	7 73	4 5				3	2	4				
2	2	2	1		14. 74	31 95	2			•	1	9	4				
	4				71	85					1	6	- 2				151
	4		1		66 5	85					1	6	2				
2 2					3	10 10											152
			,			10											153
									<u>.</u>								
																	154
57	17	10	29	18	109	62	135		2	14	35	57	43	<u></u>	17	9	
1			4	1	2		5 3		1	1			1		2	 	155 156
			4														157
1				i	1		1 1			1					1		159
													1		1		162
					100					10	35		40				163
54	17 2	10 1	25	17 1 3	107 36 13	62 7 8	130 36 8			13 2		53 4 2	40 2 1		15 1 1	9 1 2	
1	1		3	2	·2	1 15	25			2			2				160
1	10	1			3		1					1	1				169
i					2	i	1					2	2 1				170 170
14	3	3	1	6	26	8	36			2	11	23	15		. 8	4	1
2 2							2 2					1 1			1 1		173
<u>1</u>							1			1	2	2					174
14		1		2 1	2 2		4			3	9	. 7			2	1	
1 9							1 3			1 2	1 2 5	$\begin{array}{c c} & 1\\ & 2\\ & 1 \end{array}$	1		2	1	:
		1									. 1		1				-
				1	1		1				. 2	1	6		1		. 176 . 177
					13		11				1	1	1		1		.) 178 - 179
					·	.											- 181 - 181
18	1		3	1	8	5	4		1	2	10	9	6			1	18
2												4 2		.}			. 185 . 185
1												2	2				. 18
<u></u>	1	<u> </u>	<u> </u>	1	<u> </u>	<u> </u>	1	<u> </u>	<del></del>	1	1	1	<u></u>	1	1	<u> </u>	

#### CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF

	· ·	CONTRIBUTORY CAUSE.											
Detailed Int. List No.	CAUSE OF DEATH.	Other diseases, liver.	Diseases, spleen.	Simple peritoni- tis.	Other diseases, digestive system.	Acute nephri- tis.	Bright's disease.	Other diseases, kidneys and annexa.	Calculi, urinary passages.	Diseases, bladder.	Diseases, urethra, etc.	Diseases, prostate.	
Deta		115	116	117	118	119	120	122	123	124	125	126	
	All causes	3,010	108	10,040	279	6,326	23,180	1,969	128	2,908	178	1,383	
	I.—General diseases	510	36	974	53	2,237	4,982	326	31	277	49	153	
1 2	Typhoid fever Typhus fever	32		273	1	81	125	14	1	4		2	
3			9	6	i	42	39	13			1	2	
4 5 6	Malaria. Smallpox. Measles.	3		1 20		3	8 97	6		2			
7 8	Scarlet fever	3		10 6	1	153 336 39	171 27	7 5	1	2			
9	Whooping cough Diphtheria and croup Influenza	5 67		4 4	4	206 414	110 218	12 20		33	 	25	
11	Miliary fever				*	414	210	20		30		20	
13 14 17	Cholore postros			31		20	15	4		11		2	
18	Order a novatas Dysentery . ** Leprosy Erysipelas Other epidemic diseases	6			······ <sub>2</sub>	58	1 49	5				3	
19 20	Other epidemic diseases			3		12	11	i		1			
21 22 23	Purulent infection and septicemia	•••••				20				<del>.</del> .			
	Rabies												
24 25 26 27	Tetanus Mycoses			1 2			1 2						
26 27	Pellagra Beriberi	3		1		8 1	65	1			1		
1	Tuberculosis (total). Tuberculosis of the lungs. Acute miliary tuberculosis. Tuberculous meningitis. Abdominal tuberculosis. Pott's disease.	57 35	3	106 49	13	319	1,280	57	9	41	10	22	
28 29 30 31 32 33 34 35	Acute miliary tuberculosis.	5	1 1	4	9	254 19	1,052 30	29 5	· 5	23	5 1	17 1	
31	Abdominal tuberculosis	1 11	1	2 27	1	5 1 <u>1</u>	13 51	4		2 2			
33	Potr's disease. White swellings. Tuberculosis of other organs. Disseminated tuberculosis	3 		2	1	5 8	29 20 80	2		3			
35				20 1	2	12 5	80 5	12	3	11	4	3 1	
36 37 38	Rickets. Syphilis. Gonococcus infection.	19	2	1 19 81	1	67 6	265 2	10 3	i	11 8	4 19	4 8	
39	Cancer and other malignant tumors (total) Of the buccal cavity.	199	3	431	12	150	1,279 38	127	9	114	13	49	
40 41	Of the stomach, liver Of the peritoneum, intestines, rectum Of the female genital organs	136 7	1 1	110 151	8 3	53 14	460 142	22 11	2	13 7	3	11 6	
41 42 43	Of the breast	9	1	134	1	41 19	202 88	37	1	12 2			
44 45	Of the skin	37		36		3 20	49 300	53	6	78	10	32	
46 47	Of other organs or of organs not specified Other tumors (tumors of the female genital organs excepted).  Acute articular rheumatism.	3	1	11		3	3 50						
48	Chronic rheumatism and gout. Scurvy	ĭ	i			64 12	24 1	2	1	5 6		3	
50 51	Piabetes Exophthalmic goiter	26 4		2	17	103	951 53	22	7	21	i	30	
52 53	Addison's disease Leukemia	. 2	5	Î		13	9 27	1	1				
54 55	Anemia, chlorosis	7	11	i		21 11	15 3	6		7		i	
56	Alcoholism (acute or chronic)	4				48	48	4		1			
57 58	Chronic lead poisoning. Other chronic occupation poisonings					3	28 1						
59	Other chronic poisonings.  II.—Diseases of the nervous system and of					15	4						
	the organs of special sense	86	1	5	2	272	3,562	119	12	196	2	64	
60 61	Encephalitis	4		·····i		3 15	21	2 3		6	i		
-	Simple meningitis. Cerebrospinal meningitis (undefined)	4				6	8	$\begin{bmatrix} & & & & & & & & & & & \\ & & & & & & & $		5	i		
62	Cerebrospinal fever Locomotor ataxia	4		1 1		9	$\begin{array}{c} 12\\122\end{array}$	22		1 22	i	3	
63	Other diseases of the spinal cord (total)	5		î	1	28	123	20 1	1 1	30		3 5	
64	Other diseases of the spinal cord 2	5 60	1	1 1	1 1	$\frac{24}{151}$	118 3,087	19 36	ii	30 94		5 43	
65 66	Softening of the brain	10		l		1 21	6	2 16		4	•••••••	2	
67 68	General paralysis of the insane	1		i	1	19	108	7		7			
69 70	Epilepsy Convulsions (nonpuerperal)						12			7			
70 71 72	Convulsions of infants		!		Į.							I	
72 73 74	Chorea.  Neuralgia and neuritis.  Other diseases of the nervous system							2					
75 76	Other diseases of the nervous system.  Diseases of the eyes and their annexa.  Diseases of the ears.	1				7	30 1	6		2			
70	Discosion of the cats			l 1			4	3 ]		••••••			

<sup>&</sup>lt;sup>1</sup> Cancer and tuberculosis excepted.

#### DEATE IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1917—Continued.

<del></del>		<del></del>	<u></u>	~			CONTR	BUTORY	CAUSE.				<del>11. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. </del>		<del>-12</del>	<del></del>	$\overline{\Box}$
Non- venereal diseases, male genital organs.	Uterine hemor- rhage (non- puer- peral).	Uterine tumor (non-cancerous).	Other diseases, uterus.	Cysts and other tumors, ovary.	Salpin- gitis and other diseases, female genital organs.	Non- puer- peral diseases, breast (cancer ex- cepted).	Accidents, pregnancy.	Puer- peral hemor- rhage.	Other accidents of labor.	Puer- peral septi- cemia.	Puer- peral albumi- nuria and convul- sions.	Puer- peral embolus, sudden death.	Following child-birth (not otherwise defined).	Puer- peral diseases, breast.	Gan- grene.	Furun-	Detailed Int. List No.
127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	148	Dets
99	58	427	367	207	622	25	2,346	270	537	152	325	176	22	7	3,396	479	
33	22	98	82	42	418	9	226	13	215	31	27	3	8	1	1,417	256	
	2	2	3	1	3		27	2.	17	7	3		1		11	3	1 2 3
					1		5 2		8	·i	1				1	2	4 5
							17 4		22 10	5			$\frac{2}{2}$		14	2	6
			2				3		. 1	1	1				3 3	1 1 1	8 9
		1	1	2		2	3				ļ				12		10
		2					1								3	i	13
8						1	1 1					<i>-</i>			16	24	11 13 14 17 18 19
2					1										3	î	19
Z																	20 21 22 23
							3		1								
	·····i	1 2	13	i	2		<del></del> 5		4						4		24 25 26 27
															}		27
		21 11	20 13	8 4	26 7 3		119 90 14	9 7 2	133 105 18		15 14 1	3	. 2		36 27	7 5 1	28
		3 1 3	3 2 1	4	iô		8		5 3						2		30 31
		1					ĭ								1 2	1	28 29 30 31 32 33 34 35
		1 1	1		6		4 2		2						4		34 35
2		2	5	2	17		4			15	2				17	4	36 37 38
Ī		1	12	1	342	5	8		6	2	2		1		1 37	4 1 6	38
	14	55	23	24	19		2	1 1	1				<u>.</u>		15	1	39
	11	8 37	1 5 17	7	3 15		3		1 3	2	1				6 3	Ĩ	39 40 41 42 43 44 45 46
	2	2 2		i	ĩ	4	2		ĺ		1 1				5 4 4	1 3	43 44
	1	2		4			1								4	3	45 46
			2				2								2		47
															10		48 49
1	. 1	7 2	5	3	5	1	9 8		7					1	1,235	200	50 51
		2					1 2		1		2				5	1 1	50 51 52 53 54 55
17	1		5				1								2		1
2															1		56 57
		 		 													58 59
5	2	21	33	4		1	14								143	28	]
			1 2				i									1 16	60 61
i			2													15 1	01
·····i							1								11		62
	1		ī				1								16 1		63
2	1	18	1 15	2		1	1 9								15 67	4	64
1		<u>i</u>	2	<u>1</u>											36 11	2 5	65 66 67
		2	3 2	.1													68
			4				1										69 70
																	71 72 73 74
			3				······ <u>2</u> ·								2		73 74 75
				1									[				76

<sup>&</sup>lt;sup>2</sup> Exclusive of acute anterior poliomyelitis (infantile paralysis).

# CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF

[This table excludes the deaths of soldiers, sailors,

=						CONTRI	BUTORY CA	USE.				
Detailed Int. List No.	CAUSE OF DEATH.	Other diseases, liver.	Diseases, spleen.	Simple peritoni- tis.	Other diseases, digestive system. 1	Acute nephri- tis.	Bright's disease.	Other diseases, kidneys and annexa.	Calculi, urinary passages.	Diseases, bladder.	Diseases, urethra, etc.	Diseases, prostate.
Detaile		115	116	117	118	119	120	122	128	124	125	126
	III.—Diseases of the circulatory system	660	18	26	19	1,576	10,411	508	24	375	18	423
79 80 81 82 83	Pericarditis	7 67 525 12 26 21 1	6 9 1 2	13 10 3	1 16 1	29 33 1,223 12 259 11 8	9,732 254 393 4 1	3 23 447 4 29 1	18 2 4	2 13 185 4 163 8	10 1 2 1	10 241 3 153 11 3
85	Hemorrhage; other diseases of the circulatory system.				10	1 000	1,718	105	5	161	7	121
į	IV.—Diseases of the respiratory system		12	86	18	1,028	1,710	103	<u> </u>			
99. 90 91 92	Diseases of the nasal fossae.  Diseases of the larynx Diseases of the thyroid body. Acute bronchitis. Chronic bronchitis. Bronchopneumonia.  Pneumonia (total). Lober pneumonia Pneumonia (undefined).  Pleurisy.	12 13 51 235 199 36	5 7 5 2	1 81 81	2 6 6	3 2 65 89 243 576 496 80 50	12	2 2 7 18 63 52 11 12		31 61 54 43 11	1	4 5 52 54 41 13 6
94 95 96	Pleinisy Pulmonary congestion, pulmonary apoplexy Gangrene of the lung Asthma	4		. 1	1		. 2				-	
97 98	Pulmonary emphysema Other diseases of the respiratory system (tuber- culosis excepted).				-		2			i	1	
	V.—Diseases of the digestive system	1,023	27	7,163	156	624	810	163	9	-	3	21
99 100 101 102 103 104 105	Diseases of the mouth and annexa Diseases of the pharynx Diseases of the esophagus. Ulcer of the stomach Other diseases of the stomach (cancer excepted) Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over) Ankylostomiasis.	29 28	2	533 9 77	15	. 1 . 132	42 4 49	1 4 4		1 1 4 1 2 3		1 4 1
106 107 108 109	Intestinal parasites Appendicitis and typhlitis Hernia, intestinal obstruction (total) Hernia Intestinal obstruction Other diseases of the intestines	154 26 9 17	1 1	990 317 673 152	22 6 1 5 1	33 17 16	110 83 27 10	21 8 13 7	1 1	. 14	1 1	. 2
111 112 113 114 115 116 117	Acute yellow atrophy of the liver. Hydatid tumor of the liver. Cirrhosis of the liver. Biliary calculi. Other diseases of the liver. Diseases of the spleon. Simple peritoritis (nonpuerperal). Other diseases of the digestive system. (cancer	4	5	1 35 231 306 8	13 67 17	- 1 89 45	1 309 75 50	- 3	3	31		1 1
110	and tuberculosis excepted).  VI.—Nonvenereal diseases of the genito- urinary system and annexa	1		1 110	23	227	7 982	649	46	1,749	88	590
119	A cuto montritia	1.5	5 1				41	_		70	)	
120 121 122	Bright's disease. Chyluria. Other diseases of the kidneys and annexa.	27	,-	35	3-	28	3 145	5		17	11	12
123 124	Calculi of the urinary passages.  Diseases of the bladder.  Diseases of the urethra, urinary abscess, etc	- 2		20	2	19	3 134	11 11 16	3	66	1	
125 126 127 128	Nonvenereal diseases of the male genital organs.  Iterine hemorrhage (nonpuerperal).			25	2		3 482	1 2	3		3 , 1	
129 130 131 132	Other diseases of the uterus. Cysts and other tumors of the ovary. Salpingtis and other diseases of the female genital organs.		3	19: 9: 50'	l   4   j	1		7   4		. 10		
100	cepted).  VII.—The puerperal state				3 4	1	6 4-	1 28	5 :	1	5	
134	Agaidents of pregnancy	11	0	_	1		. 19	3			1	
135 136 137 138 139	Puerperat hemorrnage Other accidents of labor Puerperal septicemia Puerperal albuminuria and convulsions. Puerperal phlegmasia alba dolens, embolus	1	8	i	2	4	i · 1	7 7 6 1	i		1	
140	sudden death. Following childbirth (not otherwise defined) Puerperal diseases of the breast											

DEATH IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1917—Continued.

		====		<del></del>			CONT	RIBUTORY	CAUSE.	======				====	====		Ī
Non- venereal diseases, male genital organs.	Uterine hemor- rhage (non- puer- peral).	Uterine tumor (non-cancer-ous).	Other diseases, uterus.	Cysts and other tumors, ovary.	Salpin- gitis and other diseases, female genital organs.	Non-puer-peral diseases, breast (cancer ex-cepted).	Accidents, pregnancy.	Puerperal hemorrhage.	Other accidents of labor.	Puer- peral septi- cemia.	Puer- peral albumi- nuria and convul- sions.	Puer- peral embolus, sudden death.	Following child-birth (not otherwise defined).	Puerperal diseases, breast.	Gan-grene.	Furuncle.	Detailed Int. List No.
16		71	33	45		5	99		77			1			1,225	39	<u> </u>
				-45			1								1,225		77
3	5	68 3	5 24 I 1 2	42 . 3	1	1	15 80 3					1			768 110 19	7 18 1 11 1	77 78 79 80 81 82 83
9			•••••						•••••					••••		•••••	84 85
8	3	16	20	3	8	4	80								54	56	1
																1	86
1			2 1			1	3 2									1	88 89
4		2	1 4			1	1 5									3 22	86 87 88 89 90 91
2 2	3 2 1	10 6 4 3	9 8 1 1	3 3		2 1 1	68 58 <b>10</b>								50 35 15 2	27 15 12 2	92
1		1	2												1		95
															í		93 94 95 96 97 98
15	5	49	79	41	46	2	47	1	14		. 5		1		92	43	
2			1												1	1	99
		3	yi	1	1		5						i		2		101
6	1		2			1									6	33	103
	2		2	.,					1						12	2	106
	1	19	52 10	38	. 43 1							.			25		107
7	<u>-</u> 1	4	4						1						17 9 8		109
			6 4	1	1		9		1						12		. 110
							13		8		5						111 112 113
	i	17	1 1	1	1	i	3 1 1								8 2 3	2 3	114
			1 3												4	1	1116
																	118
14	20	138	97	65	24	2	51		29		120		4		234	48	
2 5		34	3 19	19	8	i	43		29		120		4		193	11 32	119
		2	4				4								2	2	119 120 121 122 123
1 2			1												3	1	124
4															19 2 5	1	124 125 126 127 128 129 130 131 132
	11		11	12	16		2								<u>-</u>	1	. 128
	8	39 63	.			ļ	<u>-</u>								3		130
		63	11 48	34											3		132
		. 29	19	7	122		1,796	253	199		. 171	167	8	6	3	1	1
	-	3	·!	2 1	. 5			104			38	11	1		. 1		_
	-	9 9 8	1 2 1 15	1 1 3	*********		40 1,464	36 113	103		38	33 21 82	1 6	5	2		136
			13		117		1,404 242 50	110	74		101	20				1	134 135 136 137 138 139
														. 1			. 140
	-					.	]	]	.	.	.]	.)	.]	.]	.	J	141

# CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF

[This table excludes the deaths of soldiers, sailors,

						CONTR	IBUTORY C	AUSE.				
Detailed Int. List No.	CAUSE OF DEATH.	Other diseases, liver.	Diseases, spleen.	Simple peritonitis.	Other diseases, digestive system.1	Acute nephri- tis.	Bright's disease.	Other diseases, kidneys and annexa.	Calculi, urinary passages.	Diseases, bladder.	Diseases, urethra, etc.	Diseases, prostate.
	VIII.—Diseases of the skin and of the cellu- lar tissue	1		6		22	12	4		3		1
142 143 144 145	Gangrene. Furuncle. Acute abseess. Other diseases of the skin and annexa.			3 2 1		19	7 3	2 1 1				1
	IX.—Diseases of the bones and of the organs of locomotion	5		3		30	18	5		1	1	
146 147	Diseases of the bones (tuberculosis excepted) Diseases of the joints (tuberculosis and rheumatism excepted).	1		1			17 1	5				
148 149	Amputations Other diseases of the organs of locomotion		i					i				
150	X.—Malformations			18			10	11		-	<del></del>	
	Hydrocephalus	2		18		1 10 8	1 5 4	2 9		5		
151	XI.—Early infancy	2				9		6 5				
	Congenital debility, icterus, and sclerema (total). Premature birth. Congenital debility, "atrophy," "marasmus," etc.	<u>2</u>				6		3 2			[	
152 153	mus," etc. Other causes peculiar to early infancy (total) Injuries at birth. Other causes peculiar to early infancy * Lack of care.			29 3 26		3		1				
	XII.—Old age							1		i		
154	SenilityXIII.—External causes	40	5	607	4	276	631	48	1	48	9	0
155 156 157 158	Suicide (total).  By poison.  By asphyxia.  By hanging or strangulation.	1 1		11 2		15 14 1	25 8 4 2			1		
158 159 160 161 162 163	Suicide (total).  By poison  By asphyxia.  By hanging or strangulation  By drowning  By firearms  By cutting or piercing instruments  By jumping from high places  By crushing  Other suicides			5 3 1			4 4 3	·i				1
164 165	Accidental or undefined (total). Poisoning by food Ottagr acute poisonings	39	5	460 13 3	3	259	602 4 10	44 2 4	1	46	9	9
166 167 168	Conflagration  Burns (conflagration excepted)  A bearnion of deleterious gaves (conflagration			8	1	132 1	93 7	5				
169 170 171	excepted). Accidental drowning. Traumatism by finearms. Traumatism by cutting or piercing instruments			50 3		3	1 1 2				1	
172 173	Traumatism by fall.  Traumatism in mines and quarries (total)	14	2	102	1	41	346	[		[	2	4
174	Traumatism in mines.			7		1 2	2	2		. 7 - 1	1	
175	Traumatism by machines. Traumatism by machines. Traumatism by other crushing (total)  Railroad accidents and injuries. Street-car accidents and injuries. Automobile accidents and injuries Injurios by other vehicles.		1	28 28	1	1 7	56 9 9 26 10	i .	1 .	3 1	1	1
176 177	Landslide, other crushing Injuries by animals	1		5 61		1	6	1		. 1		1
178 179 180 181	Starvation Excessive cold Effects of heat Lightning Electricity (lightning excepted). Fractures (cause not specified). Other external violence.	1 2				6	7 20			-		1
181 185 186	Electricity (lightning excepted). Fractures (cause not specified). Other external violence.	1 8	ii	1 106		3 6	1 10 25	3 4		2	2	
182 183 184	Homicide (total).  By firearms.  By cutting or piercing instruments.			. 27	1		. 2					
184	By other means	<u> </u>	1	<u> </u>	raulosis av	1	2	]		-		

<sup>&</sup>lt;sup>1</sup> Cancer and tuberculosis excepted.

DEATH IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1917—Continued.

							co	NTRIBUTO	RY CAUSE.							
Non- venereal liseases, male genital organs.	Uterine hemor- rhage (non- puer- peral).	Uterine tumor (non- cancer- ous).	Other diseases, uterus.	Cysts and other tumors, ovary.	Salpin- gitis and other diseases, female genital organs.	Non- puer- peral diseases, breast (cancer ex- cepted).	Accidents, pregnancy.	Puer- peral hemor- rhage.	Other accidents of labor.	Puer- peral septi- cemia.	Puerperal albuminuria and convulsions.	Puer- peral embolus, sudden death.	Following child- birth (not otherwise defined).	Puer- peral diseases, breast.	Gan- grene.	Furun- cle.
127	128	129	130	131	182	133	134	135	136	187	188	139	140	141	142	143
1							1								11	<u></u>
1							i	 							<u>i</u>	
															10	
• • • • • • • • • • • • • • • • • • • •						2					<u></u>				7	2
•••••					j	2							[		7	2
2															2	2
2															2	2
					]						] <i></i>					
2															2	2
						 		 	 						1	 
<del>~</del>				<u> </u>											<u>-</u>	
															1	
								ł								}
											 			,		 
					<del></del>											
5	1	5	4		3		32	3	3	121	2.	5	.1		207	4
							1		1	ļ	l				<u>-</u> -	<del>-</del> -
															,	
															1	
• • • • • • • • •									1							
													1			
5	1	5	4		2		19	1	2	13	2	4			199	4
		1					2 7		1	2	2				4	
		1					2				]				4 1 10	
4								1							, ī	
															9	
							. 1								ı	
	1	1	1		1		4		. i	8		2			47	3
· · · · · · · · ·				<u> </u>							i				1	
• • • • • • • • • • • • • • • • • • • •				<i>-</i>											1	
••••••		2					1			·····i		i			11 25	
•															7 2	
•••••		i					1			i		1			7	
							1								2	
••••••									:			1			3	
•••••								<i>-</i>							46	
••••••			1													
••••••															1	
			2		i		2			2					39	1
•					1		12	2		108		1			7	
•••••••								1							6	
		1	1		1		12	1 1		108						

<sup>&</sup>lt;sup>2</sup> Exclusive of injuries at birth.

### MORTALITY STATISTICS.

#### CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF

[This table excludes the deaths of soldiers, sailors,

ا و						CONTR	IBUTORY (	CAUSE.				
Detailed Int. List No.	CAUSE OF DEATH.	Acute abscess.	Other diseases, skin and annexa.	Diseases, bones (tubercu- losis ex- cepted).	Diseases, joints.1	Amputa- tions.	Other diseases, organs of locomotion.	Hydro- cephalus.	Con- genital malfor- mations, heart.	Other con- genital malfor- mations.	Prema- ture birth.	Con- genital debility, etc.
Ď		144 	145	146	147	148	149	150a	150b	150c	151a 	151b
.	All causes	809	795	625	431	6	169	152	201	404	2,383	6,687
	I.—General diseases		125	210	76	2	23	44	41	28	255	850
$\begin{bmatrix} 1 \\ 2 \end{bmatrix}$	Typhoid fever Typhus fever	4	3	7	5		2		1			
3 4	Relansing fever		·····i	i	2	! <i>-</i>						8
5	Smallpox										2	
6	Measles	6 11	3 1	17 16				1	6	2	19 1	18
7 8 9	Scarlet fever Whooping cough	4	2	2 7				6	13	ī	19	79
10	Diphtheria and croup Influenza	7 9	1 4	23	5		2			2		17 32
11 13	Miliary fever											
14	Cholera nostras.  Dysentery.	1	1	1	i		i			i	3	51
17 18	Lenrosy		ii	i	4			·····i			5	6
19	Erysipelas. Other epidemic diseases.	4	2	1		X						4
20 21	Purulentinfection and septicemia Glanders	37	1		2	1	2					11
22 23	Anthrax. Rabies											
24			1		I .	1				1	2	1
25 26	Mycoses				i	[ <del>-</del>						
27											i	
20	Tuberculosis (total). Tuberculosis of the lungs Acute miliary tuberculosis. Tuberculous memingitis	16	14 9	52 27	18		3	20	6	3 1	11	121
29	Acute miliary tuberculosis	7			10				1 1	-	5	52 9
31	Abdominal tuberculosis	$\frac{2}{1}$	·····i	10				10	1	2	······	24 17 1
28 29 30 31 32 33	Pott's disease	2	2	3 5	1			}	}	}		1 3
34 35	Abdominal tuberculosis Pott's disease. White swellings Tuberculosis of other organs Disseminated tuberculosis	2	î	4							1	9
36	Rickets.			1			1			1	8	87
37 38	Syphilis	7	14	25	4 4		i	16	14	12	177	310
80	Gonococcus infection	2 10	23	1 14	9					1	5	10
39 40	Cancer and other malignant tumors (total).  Of the buccal cavity.  Of the stomach, liver.  Of the peritoneum, intestines, rectum.  Of the immale genital organs.  Of the breast.	1 1		5 2								1 1
41 (	Of the peritoneum, intestines, rectum	4	6		ľ			1				
42 43	Of the female genital organs Of the breast	1	3 6	······ż	$\frac{1}{2}$							
44 45	O1 tille Skill		2 5	5	. 1					1		
46	Of other organs or of organs not specified Other tumors (tumors of the female genital organs	i										
47	excepted). Acute articular rheumatism	3	6	1	10		8	İ		1 1		1
48 49	Chronic rheumatism and gout	1 1	10		. î		1	1				
50	Diabetes	54	14	34	4		1					7
51 52	Exophthalmic goiter		1 1	. 1	1							
53 54	Leukemia Anemia, chlorosis		1 3	3 1								2 41
55	Other géneral diseases	1	2									
56   57	Alcoholism (acute or chronic)	2	2					.1			.	.
58 59	Other chronic occupation poisonings. Other chronic poisonings.	i		.[								
30	II.—Diseases of the nervous system and of		, ,							Į		
1	the organs of special sense	51	150	120	22		22	21	1	1	3	283
60 61	Encephalitis	1 23	2 10	3	. 2			21				
ΩŢ	Simple meningitis	20	8				. 1	[ 11			. 1	23 19
	Cerebrospinal meningitis (undefined) Cerebrospinal fever	2	2	2				.] 8	1		······································	3 1
62 63	Locomotor ataxia Other diseases of the spinal cord (total)	1	10 41	1 5	1							
	Acute anterior poliomyelitis. Other diseases of the spinal cord <sup>2</sup>	1	1 1	j 1		.)	. 1					.
64	Cerebral hemorrhage, apoplexy	7	35	14 14			. 10	1				.
65 66	Softening of the brain. Paralysis without specified cause	3	2 16	i	' i		3	·]				
67 68	General paralysis of the insaneOther forms of mental alienation.	3	17		1			.]		.		
69	Epilepsy. Convulsions (nonpuerperal).											
. 70 71	Convulsions (nonpuerperal)											222
72	Chorea Neuralgia and neuritis					1	i .			1	1	1 1
73 74	Other diseases of the nervous system.  Diseases of the eyes and their annexa.	2	2				:  î					14
75 76	Diseases of the eyes and their annexa	4	······· <u>2</u>	94	1					1		14
					oumotism							- 1

<sup>&</sup>lt;sup>1</sup> Tuberculosis and rheumatism excepted.

CONTRIBUTORY CAUSES OF DEATH.

DEATH IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1917—Continued.

				•			CO	NTRIBUTOE	RY CAUSE.	-						
Injuries at birth. 152a	Other causes peculiar to early infancy.	Lack of care.	Senility.	Suicide by poison.	Suicide by as- phyxia.	Suicide by hanging or strangu- lation.	drown-	Suicide by firearms.	Suicide by cutting instru- ments.	Suicide by jumping from high places.	Suicide by crush- ing.	Other suicides.	Poisoning by food.	Other acute poisonings.	Confiagration.	Burns (confla- gration ex- cepted).
58	1,730	49	20,248	7	2	7	3	6	- 6	1	1	2	4	30	2	207
9	120	2	2,470			-			-				3	30		36
			13										1			
														•••••	*********	
••••••			55 2	37-2-51										********		
			8	S.			l		l .	ı						
	2	••••••	i	•••••												1
	ī		882									•••••	2	••••••		
			002									********	*********	•		*******
	•••••		16 250	•••••										• • • • • • • • • • • • • • • • • • • •		
	15		61													
	15		1		•••••	• • • • • • • • • • • • • • • • • • • •										
			24									*******				
•			••••••													
4	41					*******						•••••				
4	#L				********									1		35
			26	********												
			166											•••••		
			138	•••••••						•••••			•••••	•••••		
	•••••		1 19			3	••••••						·····	•••••	•••••	
			1													*******
			1													
•••••	•••••	•••••	*****	•••••	•••••	•••••	N.5	•••••	•••••		•••••		•••••			
5	30	1	9						••••••	••••••				13		•••••
		•••••	510		•••••										•••••	••••••
			. 16											•••••		
	•••••		194 57													
	• • • • • • • • • • • • • • • • • • • •		· 45 48	1.12						•••••						
	•••••		- 59 91	*:···	•••••	•••••										
			6													
			77	٠:	Fift in											
			92 1			1.6 2.5										
•••••	1		83													
			2 2													
			110	•••••	• • • • • • • • • • • • • • • • • • • •	•••••			• • • • • • • • • • • • • • • • • • • •			••••••				
	30		37													
	•••••		23													
	••••••		9				••••••				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					
•••••			ש							******				16		
	7	1	2,835										<u></u>			
			9													
	3 2	i	5 5													
••••••	1															
	1		9 128													
•••••			128													
	1		1,787	•••••												
			99 500													
			87 68			•••••										
			28												1	
•••••	2		•••••												]	
			20													
•••••	1		39 60				•••••									
			6 8													

# MORTALITY STATISTICS.

#### CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF

[This table excludes the deaths of soldiers, sailors,

80 81 82 83	CAUSE OF DEATH.					CONTR	HBUTORY (	JAUSE.				
77 78 79 80 81 82 83	CAUSE OF DEATH.			l	ı	1	1	1	[	í	i	
77 78 79 80 81 82 83		Acute abscess.	Other diseases, skin and annexa.	Diseases, bones (tubercu- losis ex- cepted).	Diseases, Joints. <sup>1</sup>	Amputa- tions.	Other diseases, organs of locomotion.	Hydro- cephalus.	Con- genital malfor- mations, heart.	Other con- genital malfor- mations.	Prema- ture birth.	Con- genital debility, etc.
80 81 82 83		144	145	146	147	148	149	150a	150b	150c	151a	151b
80 81 82 83	III.—Diseases of the circulatory system	87	141	49	182	3	84	3		1	17	76
80 81 82 83	Pericarditis	2 8	8	7	57 57		5 16			,	12	1 23 35
82	Organic diseases of the heart.  Angina pectoris.  Diseases of the arteries otheroms eneurism etc.	43 18	75 3 44	34 1 4	94 1 16	2	49 8 4					1
	Angina pectoris. Diseases of the arteries, atheroma, aneurism, etc. Embolism and thrombosis. Diseases of the veins (varices, hemorrhoids,	8	7 2	3	7 3	1	2			1		3 1
84	phlebitis, etc.). Diseases of the lymphatic system (lymphangitis, etc.).	3	2	 							4	11
85	Hemorrhage; other diseases of the circulatory system.											2
	IV.—Diseases of the respiratory system	166	99	105	66		14			29	279	1,244
86 87	Diseases of the nasal fossae	6	1									5
87 88 89	Diseases of the laryux.  Diseases of the laryux.  Diseases of the thyroid body.  Acute bronchitis.  Chronic bronchitis.	1 8	9				<u>i</u>	3	• • • • • • • • • • • • • • • • • • •	2	86	271
at i	ъгопспорпеннова	50	4 46	31	19		1			23	142	793
92	Pneumonia (total) Lobar pneumonia. Pneumonia (undefined)	77 55	37 28	68 59	38 27		8 8	21 16	22 22	4 2	48 21 27	133 99 34 2 25
93	PIANTIST	4:	9	9 5	11 1		·····i	5		2	27 2	34
94 95	Pulmonary congestion, pulmonary apoplexy Gangrene of the lung. Asthma	1										
96 97	Asthma Pulmonary emphysema Other diseases of the respiratory system (tuber-											3
98	culosis excepted).		•••••		1		1					5
	V.—Diseases of the digestive system		107	36				48	6	59	397	3,158
100   1	Diseases of the mouth and annexa Diseases of the pharynx	16 23	1	11 3	2 8		·····i		·····i		5	37 6
101	Diseases of the esophagus. Ulcer of the stomach Other diseases of the stomach (cancer excepted)	2 2	1									2
			9 70	11	1 2		3	42		58	25 356	388 2,674
105 106	Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over) Ankylostomiasis	8	14	3			2	6	1			
107	Ankylostomissis. Intestinal parasites Appendicitis and typhilitis. Hernia, intestinal obstruction (total)	10		2								
109	Hernia. Hernia. Intestinal obstruction. Other diseases of the intestines.	4		1	1		1   <u>-</u> -		1		10 4	23 6
110	Other diseases of the intestines	2 6	i	1	1		1		1		6	6 17 17
111 112	Acute yellow atrophy of the liver							l .			i	1
113   9	Cirrnosis of the fiver	1 2	3	3	4 1		i		2			
115 G	Other diseases of the liver	1	1	1	1							6
117 118	Diseases of the spleen	6 2	4	1	2		1			1	1	3
	and tuberculosis excepted).  VI.—Nonvenereal diseases of the genito-						_					
119	urinary system and annexa	51	78	1			<u> </u>				12 9	44
120	Acute nephritis Bright's disease	28	59	30		•••••	5			2		18 12
122 123	Chyluria. Other diseases of the kidneys and annexa. Calculi of the urinary passages.	3	2	3	1	1	ŀ		1	1	•	11
124	Calculi of the urinary passages.  Diseases of the bladder.  Diseases of the urethra, urinary abscess, etc  Diseases of the prostate.  Nonvenereal diseases of the male genital organs.  Uterine hemorrhage (nonpuerperal).  Uterine tumor (noncancerous).  Other diseases of the uterus.  Cysts and other tumors of the overy.  Salpingitis and other diseases of the female genital	1	1				   1					1
125 126	Diseases of the prostate	4 9	• • • • • • • • • • • • • • • • • • • •	$\frac{1}{2}$	1 1							
127   1 128   1 129   1	Nonvenereal diseases of the male genital organs. Uterine hemorrhage (nonpuerperal)	1										1
130	Other diseases of the uterus	·····i		2								
131 ( 132   8	Cysts and other tumors of the ovary Salpingitis and other diseases of the female genital											
	Nonpuerperal diseases of the breast (cancer ex-	- 1			1			ļ			l	l .
	cepted). VII.—The puerperal state.	1	3	3	0	i		1				
134	Accidents of pregnancy.						<u>-</u>					
135 136 137	Puerperal hemorrhage Other accidents of labor						ļ					
137 138	Puerperal septicemia. Puerperal albuminuria and convulsions	2	1	1	2							
138 139	Accidents of pregnancy. Puerperal hemorrhage Other accidents of labor Puerperal septicemia. Puerperal albuminuria and convulsions Puerperal phlegmasia alba dolens, embolus, sudden den death.	• • • • • • • • • • • • • • • • • • • •										
140   1 141   1	den death. Following childbirth (not otherwise defined) Puerperal diseases of the breast		•••••				<b> </b>					
•				sis and rhe				[		1		1

DEATH IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1917—Continued.

							COZ	TRIBUTOR	Y CAUSE.							
Injuries at birth.	Other causes peculiar to early infancy.	Lack of care.	Senility	Suicide by poison.	Suicide by as- phyxia.	Suicide by hanging or strangu- lation.	drown-	Suicide by firearms.	Suicide by cutting instru- ments.	Suicide by jumping from high places.	Suicide by crush- ing.	Other suicides.	Poison- ing by food.	Other acute poisonings.	Confla- gration.	Burns (confla- gration ex- cepted).
152a	152b	158	154	155	156	157	158	159	160	161	162	163	164	165	166	167
	8		6,603													
	4		20 46													-
			3,397													
	•••••		96 2,957													
	1		55													
••••••			8						·		·					
	3		2						.							
			22			L						1				
			<u></u>						1							
	86	5	3,897						ļ						.	
			20													
	1		9		8				.							
	10		314													
			617													
	64	•	1,034				ı			1						·
	11 4	5 3	1,184 886													.
	4 7	2	298													
			45 509													
			508													.,
	• • • • • • • • • • • • • • • • • • • •		127													
			10 24													
	23		1,761													
	1		11													·
			20													
			4 35													
	1		500													
	16															
			715										•••••			
		********	i													
			8													
	3		143 50													
			93									•••••				
			87	· · · · · · · · · · · · · · · · · · ·		•••••	••••••									•••••
		••••••	5											•••••		*******
			87													
	1		36 100												••••••	
			1													
		••••••	6													
			2	•••••			•••••			•••••				•••••		
1													į			1 !
	1		1,784													<sup> </sup>
			123						<del></del>							
			1,302							********						
••••••		••••••	49				•••••			•••••						<sup>1</sup>
			4													
	i		175							••••						
•••••			5													
			103 4					••••••								
			• 3	********												
			, <u>4</u>													
			î	*******			•••••									-,
	1	ļ	2									İ	ĺ	Ì		i !
	- 1		-					*******						• • • • • • • • •		
											<u> </u>					<sup> </sup>
1-																
								********			•••••					
										••••••						

### CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF

[This table excludes the deaths of soldiers, sailors,

						CONTR	IBUTORY (	AUSE.				
Detailed Int. List No.	CAUSE OF DEATH.	Acute abscess.	Other diseases, skin and annexa.	Diseases, bones (tubercu- losis ex- cepted).	Diseases, joints.1	Amputations.	Other diseases, organs of locomotion.	Hydro- cephalus. 150a	Congenital malformations, heart.	Other congenital malformations.	Premature birth.	Congenital debility, etc.
	VIII.—Diseases of the skin and of the cel- lular tissue.	24	24	2	3		2			1	1	62
142 143 144 145	Gangrene. Furuncle. Acute abscess. Other diseases of the skin and annexa.	8 14 2	21	1	3		Į.	[			. 11	1 14 17 30
	IX.—Diseases of the bones and of the organs of locomotion	16	2		8		1					6
146 147 148	Diseases of the bones (tuberculosis excepted) Diseases of the joints (tuberculosis and rheuma- tism excepted).		ì	1	8		·····i	t				2
149	Amputations. Other diseases of the organs of locomotion  X.—Malformations.		6		E .	1		1		ŀ	725	310
150	Congenital malformations (stillbirths not included) (total).  Hydrogenbalus.	2	6	2				9		247 199	725 20	3,10 21
	Congenital malformations of the heart Other congenital malformations		3 3 8	1	1	1		1		48 32	556 149 676	89 200 635
151	XI.—Early infancy	3 3	7 7						. 88 88	4 4		403 403
152	ongenical deonity, automy, maras- mus," etc. Other causes peculiar to early infancy (total) Injuries at birth. Other causes peculiar to early infancy 2 Lack of care.	4 4	1 1	1				2 2	39 39	28 28	676 676	224 94 130
153	Lack of careXII.—Old age				1	1	1	1	1	!	1	
154	SenilityXIII.—External causesSuicide (total)							-				
155 156 157 158 159 160 161 162	Suicide (total).  By poison.  By asphyxia.  By hanging or strangulation.  By drowning.  By firearms.  By cutting or piercing instruments.  By jumping from high places.  By crushing.  Other suicides.	1	2					-				
163	Other suicides  Accidental or undefined (total)  Polsoning by food	69	49	56	12	1	4	1	4	4	17	19 1
165 166 167 168	Accidental or undefined (total) Polsoning by food. Other acute poisonings. Conflagration Burns (conflagration excepted). Absorption of deleterious gases (conflagra-	1 1 4	2	1 3	i				1 2	2	6	1
169 170 171	tion excepted). Accidental drowning		<sub>i</sub>			-	-	-		-		
172 173	Traumatism by fall	1	1	1	1 .		-	1	~		. 3	(
174 175	Traumatism in mines. Traumatism in quarries. Traumatism by machines. Traumatism by other crushing (total).	3 6	i	7	1							
	Traumatism in mines and quarries (total). Traumatism in quarries Traumatism in quarries Traumatism by machines. Traumatism by other crushing (total) Railroad accidents and injuries Street-car accidents and injuries Automobile accidents and injuries Injuries by other vehicles. Landslide, other crushing	1 3 2	1	2 4	1							
176 177 178 179 180 181 185	Injuries by animals. Starvation. Excessive cold. Effects of heat. Lightning. Electricity (lightning excepted).	1	2	1	1					i	1	. 13
182 183	Fractures (cause not specified). Other external violence. Homicide (total). By firearms. By cutting or piercing instruments.		.) ,	.   15 .   1	2	3					. 5	
184	By other means	·										

<sup>&</sup>lt;sup>1</sup> Tuberculosis and rheumatism excepted.

# DEATH IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1917—Continued.

							CO	NTRIBUTOE	RY CAUSE.								T
Injuries at birth.	Other causes peculiar to early infancy.	Lack of care.	Senility.	Suicide by poison.	Suicide by as- phyxia.	Suicide by hanging or strangu- lation.	Suicide by drown- ing.	Suicide by firearms.	Suicide by cutting instru- ments.	Suicide by jumping from high places.	Suicide by crush- ing.	Other spicides.	Poison- ing by food.	Other acute poison- ings.	Conflagration.	Burns (confla- gration ex- cepted).	1
152a	152b	153	154	155	156	157 .	158	159	160	161	162	163	164	165	166	167	1
									·	·							╬
	2		242														-
			180														- 1
	1 1		17 33								.						
	-	•••••	33									*******					- 1
			25														-
			7 11										•				-   }
			7									•••••					-
47	171																-
47	171		,			•••••					·····						-  :
12 22 13	124																-
	47																·
	1,312	39															
•••••	928 928	.38															. 1
•••••		38			<b>.</b>	1	l	1		1			*******			}	1
• • • • • • • • • • • • • • • • • • • •	381 381	1															. 1
	8																: ,
•••••																	1
2		2	631	7	2	7	3	6	6	1	. 1	2	1	•••••	2	171	
			. 7	7	2	7	3	6	6	1	1	2				1	
				1		2		3	1	1							
			2 2 1	••••••	1			1	1 2								1
			2	3		1	2 1	2	2		i	1 1					1
																	1 1 1
1		2	604											•••••		1	1
•••••		í	624 1 1										1			167	ļ
1			1 16											••••••			1
•		1	ĩ										1			3	1
			1 1													<b></b>	1
														••••••	•••••	•••••	1
			479											•••••		1	1
														••••••	[	30 30	1
																l	1
•••••			10													52 62 39 1	ļî
			1 5											••••••		1	
		********	4													2 <u>1</u>	
			2											********			١,
			6 11										•••••	••••••			1
•••••			69 1										••••••				1
			15										•••••	••••••	1	18	1
			9				••••••						• • • • • • • • • • • • • • • • • • • •	••••••			1
1				•••••											1	3	.
		••••••	••••••	•••••		•••••				•••••		••••••					1:
1								[·		•••••					1	3	1

<sup>\*</sup> Exclusive of injuries at birth.

### MORTALITY STATISTICS.

### CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF

[This table excludes the deaths of soldiers, sailors,

					CONT	RIBUTORY CA	USE.		-	
	CAUSE OF DEATH.	Absorption of deleterious gases.1	Accidental drowning.	Trauma- tism by firearms.	Trauma- tism by cutting in- struments.	Trauma- tism by fall.	Trauma- tism in mines.	Trauma- tism in quarries.	Trauma- tism by machines.	Railroad accidents
		168	169	170	171	172	173a	178b	174	175a
	All causes		70	17	49	134	2	1	47	1
	—General diseases			17	43	55	2	1	33	1
Typhoic	l fever									
Relapsin	ng fever									
Malaria.	llever fever ng fever. x									
Massies	112									
Scarlet f	ever									
W noop:	ng cougn									
Influenz	ever ng cough ria and croup .a.									
Miliary	te flower nostras ry las jidemic diseases									
Onolera Dysente	nostras									
Leprosy										
Other er	iasoidemic diseases									
Purulen	t infection and septicemia									
Glander	t infection and septicemia. S									
Rabies										
Tetanus		2		17	40	50	2	1	33	
Mycoses							<del>.</del>			
Penagra Beriberi										
Tubercu	closis (total) erculosis of the lungs te miliary tuberculosis. erculous meningitis. ominal tuberculosis 's disease, ties swellings erculosis of other organs seminated tuberculosis.	1								
Tub	erculosis of the lungs	1								
Acu Tub	erculous meningitis.									
Abd	ominal tuberculosis.									
Wh	t's alseaseite swellings									·
Tub	erculosis of other organs									
Diss	eminated tuberculosis									
Syphilis	cus infection.									
Gonococ	ecus infection									
Cancer	and other malignant tumors (total)	2				5				
Ŏſŧ	he stomach, liver					3				
Of t	he peritoneum, intestines, rectum									
Ŏf t	he breast.					1				
Oft	he skin	1								
Other to	and other malignant tumors (total)									
except	icor). rheumatism and gout  S halmic goiter 's disease. ia			l						İ
Chronic	rheumatism and gout									
Scurvy.	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,									
Exopht	halmic goiter	3			2					·
Addisor	ı's diseaseia									
Leukem Anemia	, chlorosis									
Other g	, chlorosiseneral diseases				1					
Alcohol:	ism (acute or chronic) lead poisoning bronic occupation poisonings. bronic poisonings				·····					.
Other cl	bronic occupation poisonings									
Other cl	bronic poisonings.									
п	.—Diseases of the nervous system and of the organs of special sense									
	organis or apoomi someour services.					\				
Enceph   Maningi	alitis Itis (total)									
Sim	ple meningitis.									:
Cere	abrospinal meningitis (undefined)									
Locomo	tor ataxia					1				
Acu	te anterior poliomyelitis	1				·				
Oth	er diseases of the spinal cord 2.	<del>-</del> -								: ::::::
Softenir	in demorrance, apoptexy									·
Paralys	alitis. titis (total). ple meningitis. sbrospinal meningitis (undefined). sbrospinal fever tor ataxia. iseases of the spinal cord (total). tte anterior poliomyelitis. er diseases of the spinal cord 2. l hemorrhage, apoplexy go f the brain. is without specified cause paralysis of the insane. rms of mental alienation.									
Other fo	paratysis of the insane									·
Epileps	У									
Convuls	sions (nonpuerperal)									: : <i>:::::</i>
Chorea	Sions of mishes									.
Neuralg	ys.  Sions (nonpuerperal)  Sions of infants.  Sie and neuritis.  Sieases of the nervous system.									
Discoon	s of the ever and their arms									
Diseases	s of the eyes and their annexas of the ears									

1 Conflagration excepted.

#### DEATH IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1917—Continued.

					•	CONTR	IBUTORY CA	USE.		•			
	Automo- bile accidents.	Injuries by other vehicles.	Landslide, other crushing.	by animals.	Starva- tion.	Excessive cold.	heat.	excepted).	j	Homicide by cutting instru- ments.	means.	specified).	j
175b	175c	175d,	1750	176	177	178	179	181	182	183	184	185	186
25	564	316	14	9	8	56	610	48	5	6	- 5		428
17	17	16	5	9		18	104	2				14	240
							1						
							3						<u> </u>
							<u>-</u>						
	• • • • • • • • • • • • • • • • • • • •						<u>2</u>						
									•••••				
							2						••••••
	•••••						ि हैं						
	••••••								**********		•••••		
	•••••	<b>-</b>							•••••				
										,			<b></b>
	•••••••												
		*********			•••••					•••••			•••••
17	17	16	5	8		17		2				13	239
	<b>-</b>												
	<b></b>					• • • • • • • • • • • • • • • • • • • •		•••••					
							18 15						••••••
							ī						
						*********	1 1 1						••••••
													••••••
													••••••
	•••••												••••••
	• • • • • • • • • • • • • • • • • • • •						1						•••••
	• • • • • • • • • • • • • • • • • • •				**********								**********
				1			7					1	1
	•••••										•••••	1	
							1						
	•••••						· 2						
													***********
	•••••	•••••	••••••	1	•••••	···:·····	1						1
		******				************	-						***********
							4						
-							4				***********		••••••
						1	10	•••••					**********
						•••••	••••••				•••••		•••••••
								••••••			***********		**********
							••••			••••••		•••••	••••••••••••••••••••••••••••••••••••••
							44	•••••					**********
											•••••		
										• • • • • • • • • • • • • • • • • • • •			
[		Ì		ļ	ľ	ĺ	ĺ				Ì		
					6		72						
							1						
							8 7						
							i				[		••••••••••
							5						••••••••••••••••••••••••••••••••••••••
							4	•••••			•••••		••••••••
					•••••••		4						• • • • • • • • • • • • • • • • • • • •
							41						• • • • • • • • • • • • • • • • • • • •
					1		2						•••••••••••••••
							5						•••••••••
					. 5		2	••••••					• • • • • • • • • • • • • • • • • • • •
•••••							3	************					· · · · · · · · · · · · · · · · · · ·
													• • • • • • • • • • • • • • • • • • • •
	i i												
	*********	<u>-</u>											
							1						

# MORTALITY STATISTICS.

# CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF

[This table excludes the deaths of soldiers, sailors,

List	•				CONT	PRIBUTORY C	AUSE.			
Detailed Int. No.	CAUSE OF DEATH.	Absorption of deleterious gases.1	Accidental drowning.	firearms.	Traumatism by cutting instruments.		Trauma- tism in mines.	Trauma- tism in quarries.	Trauma- tism by machines,	Railroad accidents.
Ã				170	171	172	178a	178b	174	175a
ĺ	III.—Diseases of the circulatory system	4				1				
77 78 79	Pericarditis									
1 08	Organic diseases of the heart					1				
81 82	Diseases of the arteries, atheroma, aneurism, etc	•••••								
82 83	Acute engocardus. Organic diseases of the heart Angina pectoris. Diseases of the arteries, atheroma, aneurism, etc. Embolism and thrombosis. Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).	2								
84	Diseases of the lymphatic system (lymphangitis,	2				1 			<b></b>	<b> </b>
85	etc.). Hemorrhage; other diseases of the circulatory system.	ļ								
	TV —Diseases of the respiratory system	7						!		
86	Diseases of the nasal fossae	4								
87 88 89	Diseases of the nasal fossae.  Diseases of the larynx.  Diseases of the thyroid body.  Acute bronchitis.  Chronic bronchitis.	2							••••••	•••••
	Acute bronchitis. Chronic bronchitis.									
91 92	Propahonnoumonio									
	Fileumonia (total)									
93	Pneumonia (undefined)	7								
94	Logar pneumonia Pneumonia (undefined) Pleurisy Pulmonary congestion, pulmonary apoplexy Gangrene of the lung							••••••		•••••
95 96 97	Asthma.									***********
97   98	Asthma.  Pulmonary emphysema Other diseases of the respiratory system (tuberculoric architely)	••••••							•••••	
	losis excepted).					i				!
ł	V.—Diseases of the digestive system	37								•••••
99 100	Diseases of the mouth and annexa Diseases of the pharynx Diseases of the esophagus Ulcer of the stomach Other diseases of the stomach (cancer excepted)									
101	Diseases of the esophagus									••••••••
102 103	Ulcer of the stomach	2						•••••		
104	Diarrhea and enteritis (under 2 years)							************	•••••	••••••
105 106	Diarrhea and enteritis (2 years and over)			••••••						
107 108	Intestinal parasites							••••••		
109	Hernia, intestinal obstruction (total)	. 9							•••••	
	Hernia Intestinal obstruction	6 3				•••••	•••••			
110	Intestinal parasites Appendicitis and typhlitis. Hernia, intestinal obstruction (total) Hernia Intestinal obstruction. Other diseases of the intestines.	••••••••••		•••••						••••••
111 112	Acute yellow atrophy of the liver Hydatid tumor of the liver Cirrhosis of the liver Biliary calculi Other diseases of the liver	••••••••	••••••	••••••						
113 114	Cirrhosis of the liver							••••••		
115	Other diseases of the liver	1							• • • • • • • • • • • • • • • • • • • •	
116 117	Diseases of the spleen									
118	Diseases of the spleen									•••••
1	777 37 37 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	i								
1	VI.—Nonvenereal diseases of the genito-uri- nary system and annexa	7				••••••				
119	Acute nephritis									
120 121	Bright's disease		· · · · · · · · · · · · · · · · · · ·							
122	Acute nephritis. Bright's disease. Chyluria. Other diseases of the kidneys and annexa. Calculi of the urinary passages.									
123	Discoses of the bladder	••••••		••••••						
125	Diseases of the bladder Diseases of the urethra, urinary abscess, etc. Diseases of the prostate. Nonvenereal diseases of the male genital organs. Uterine hemorrhage (nonpuerperal). Uterine tumor (noncancerous) Other diseases of the uterus Cysts and other tumors of the ovary Salpingitis and other diseases of the female genital organs.	2		•••••						
126 127 128 129 130	Nonvenereal diseases of the male genital organs	1	•••••	*************	•••••••		••••••			
128	Uterine hemorrhage (nonpuerperal)		••••••					***********		
130	Other diseases of the uterus	3	••••••		***********					
131 132	Salpingitis and other diseases of the female genital			***************************************				************		
133	organs. Nonpuerperal diseases of the breast (cancer excepted)					**********	••••••		• • • • • • • • • • • • • • • • • • • •	
- 1	vii.—The puerperal state	10				10			i	
134	Accidents of pregnancy	10				18				
135 136	Puerperal hemorrhage	2	• • • • • • • • • • • • • • • • • • • •	***********		1				
137	Puerperal septicemia	4				177				
138 139	Puerperal albuminuria and convulsions.  Puerperal phlegmasia alba dolens ambours sudden					17				
140	Accidents of pregnancy. Puerperal hemorrhage Other accidents of labor. Puerperal septicemia. Puerperal albuminuria and convulsions. Puerperal phlegmasia alba dolens, embolus, sudden death. Following shildbirth (not otherwise defined)			••••••	•••••	••••••				
141	Following childbirth (not otherwise defined) Puerperal diseases of the breast			••••••	•••••					
				ion orosptod	)			!	••••••	

<sup>&</sup>lt;sup>1</sup> Conflagration excepted.

# CONTRIBUTORY CAUSES OF DEATH.

DEATH IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1917—Continued.

						CONTE	BUTORY CA	USE.	,				
Street-car accidents.	Automo- bile accidents.	Injuries by other vehicles.	Landslide, other crushing,	Injuries by animals.	· Starva- tion.	Excessive cold.	Effects of heat.	Electricity (lightning excepted),	Homicide by firearms.	Homicide by cutting instru- ments.	Homicide by other means.	Fractures (cause not specified).	Other external violence.
175b	175e	175d	175e	. 176	177	178	179	181	182	188	184	185	186
							167						
							1 4						
							125 2						
							34						
••••							<b>-</b>					 	
							1						
						17	25						
							1 6						
• • • • • • • • • • • • • • • • • • • •							1						
						17	1 13						
						17	8						
							5 1						
							1						
							<u>-</u>						
					į								
							161						
							1						
•••••													
• • • • • • • • • • • • • • • • • • • •							10						
					<b>.</b>	<b>.</b>	102						
					<del>-</del>		34						
							4						
				<del>-</del>			4						
						<del>-</del>	2 2						
• • • • • • • • • • • • • • • • • • • •	<del>-</del>						1						
			<del>-</del>	<del>-</del>	<del>-</del>		<u>-</u> <u>1</u>						
							, 2 1						
							<u>.</u>						
• • • • • • • • • • • • • • • • • • • •							<b>-</b>						
				`									
						12	52						
						12	2				<del></del>		
• • • • • • • • •							45						
• • • • • • • • • • • • • • • • • • •							3						
· • • • • • • • • • • • • • • • • • • •						· · · · · · · · · · · · · · · · · · ·							
							2						
. <b></b>													
							3						
							<del></del>						
						<del>-</del>	1						
			•••••	• • • • • • • • • • • • • • • • • • •			2						
					•••••								
				•••••		•••••							

# MORTALITY STATISTICS.

#### CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF

[This table excludes the deaths of soldiers, sailors,

Suicide (total)	
VIII.—Diseases of the skin and of the cellular tissue	Railroad accidents.
IX.—Diseases of the bones and of the organs of flocomotion	
IX.—Diseases of the bones and of the organs of flocomotion	
Acceptation   Acceptation	
Acceptation   Acceptation	
X.—Maiformations   3	
150   Congenital malformations (stillbirths not included)   (total).   Hydrocephalus.   Congenital malformations of the heart.   Congenital malformations.   3	
Cross   Cros	
XI.—Early infancy	
XI.—Early infancy	
152   Other causes peculiar to early infancy (total)   1	
152   Other causes peculiar to early infancy (total)   1	
XII.—Old age.	
XII.—Old age.	
Semility	
XIII.—External causes.   29   69   6   59   14	
Suicide (total)   Supposon   Su	
Accidental or undefined (total)	
Accidental or undefined (total)	
Accidental or undefined (total)	
Accidental or undefined (total)	
Accidental or undefined (total)	
169         Accidental drowning         2         5           170         Traumatism by firearms         1           171         Traumatism by cutting or piercing instruments         4           172         Traumatism by fall         8           4         5	
169       Accidental drowning       2       5         170       Traumatism by firearms       1         171       Traumatism by cutting or piercing instruments       4         172       Traumatism by fall       8	
169         Accidental drowning         2         5           170         Traumatism by firearms         1           171         Traumatism by cutting or piercing instruments         4           172         Traumatism by fall         8           4         5	
171 Traumatism by cutting or piercing instruments. 4	
Traumatism in mines and quarries (total)	
Traumatism in quarries	
174 Traumatism by machines 3 1 2	
Traumatism in quarries	
Automobile accidents and injuries 9 2  Automobile accidents and injuries 9 38 38 38 39 39 30 30 30 30 30 30 30 30 30 30 30 30 30	
Injuries by other vehicles. 1 6 4 2 Landslide, other crushing. 2	
176	
178     Excessive cold.       179     Effects of heat     1       180     Lightning.	
181 Electricity (lightning excepted). 1	
186 Other external violence.	
Homicide (total)	
184 By other means 1	

 $^{\rm I}_{\rm s}{\rm Conflagration}$  excepted.

#### DEATH IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1917—Continued.

						CONTRI	BUTORY CA	USE.					
Street-car accidents.	Automo- bile accidents.	Injuries by other vehicles.	Landslide, other crushing.	Injuries by animals.	Starva- tion.	Excessive cold.	Effects of heat.	Electricity (lightning excepted).	Homicide by firearms.	Homicide by cutting instru- ments.	Homicide by other means.	Fractures (cause not specified).	Other external violence.
175b	175c	175d	175e	176	177	178	. 179	181	182	183	184	185	186
							4						
								<del></del>					
							1 3						
			•••••				1						
							1						
							ļ					:	
	•••••										*********		
							3						
							3						
. [						]	]					1	
· · · · · · · · · · · · · · · · · · ·							3						
							12	1					
			<del></del>				9	<del> </del>	<del></del>	<del></del>		<del></del>	·
							. 6						
							3						
	l						3			l			
							3 3						
•••••													
8	547	300	9		2	9	6	46	5	6	5	5	188
			ļ										
							1		1				
									. 1				
							1						
				·····									
8	547	300	9		2	8	5	46				5	188
								1					17 157
		·{			·····			-				2	157 1
								-				1	_
							· - <i></i>	-	·				
						. 2	3						1
						<u> </u>	.	.  33 .  33					
		.						. 33					
			6					i					
· 8	547 346	299 43 78 178	3			4 2		. 11					9
8	201	78						- 4					
		. 178				2		. 1					
			3										9
	1	1						ŀ					Ī
	1	•				2							3
					2		.	-					
						1	.		-			.	
							1				.1	. I	
		i					.						
		i					}					2	
		i					-					3	
		i				1	-		4	6	5	3	
						1			4	6 6	5 1 4	3	

<sup>\*</sup>Exclusive of injuries at birth.

# SUMMARY AND RATE TABLES.

#### SUMMARY AND RATE TABLES.

Table I A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, EACH REGISTRATION STATE (BY CITIES AND RURAL DISTRICTS), AND EACH GROUP OF REGISTRATION CITIES IN NONREGISTRATION STATES: 1918.

[All deaths include deaths of nonresidents and deaths in hospitals and institutions, but exclude the deaths of soldiers, sailors, and marines.

municipalities of 10,000 inhabitants or more in 1910, smaller places being included in the "rural districts."]

	· · · · · · · · · · · · · · · · · · ·	, , , , , , , , , , , , , , , , , , , ,		,	
AREA.	Number of deaths, 1918.	AREA.	Number of deaths, 1918.	ABEA.	Number of deaths, 1918.
SUMMARY.		ILLINOIS.		MARYLAND.	
The registration area (exclusive of Hawaii) (total)	1,445,158 1,287,399 157,759	Total White Colored	100,396 95,831 4,565	Total. White. Colored.	32, 134 24, 329 7, 805
Registration states <sup>1</sup> (total)	1,404,116 1,259,539 144,577	Cities (total)	63, 242 59, 753 3, 489	Cities (total).  White Colored  Rural districts (total).	1
Cities in registration states 1 (total) White	741, 187 879, 676 61, 511	Rural districts (total)	37, 154 36, 078 1, 076	White Colored MASSACHUSETTS.	14,775 10,748 4,027
Rural part of registration states (total) White! Colored	662, 929 579, 863 83, 066	INDIANA.  Total  White	45, 993	Total	77, 248 75, 867 1, 381
Registration cities in nonregistration states (total)	41,042 27,860 13,182	Cities (total)	43, 940 2, 053 18, 502 16, 943	Cities (total). White. Colored.	61, 196 60, 018 1, 178
All registration cities <sup>1</sup> (total)	782, 229 707, 536 74, 693	White. Colored Rural districts (total). White.	16, 943 1, 559 27, 491 26, 997	Rural districts (total)	16,052 15,849 203
ALABAMA.		Colored	494	MICHIGAN.	F0 000
Registration cities 2 (total)	6,697	KANSAS.		Total	53,320 52,103 1,217
Colored	3,176 3,521	Total	25,053 23,464 1,589	Cities (total)	25,455 24,751 704
Total	56,488 52,770 3,718	Cities (total)	6,681 5,811 870	Rural districts (total)	27,865 27,352 513
Cities (total)	33,317 31,127 2,190	Rural districts (total)	18,372 17,653 719	MINNESOTA. Total	31, 109 30, 709
Rural districts (total)	23,171 21,643 1,528	KENTUCKY.		White Colored	400
COLORADO.	17 740	Total	39,532 32,972 6,560	Cities (total)	11,575 11,388 187
Total	17, 546 17, 141 405	Cities (total)	9,708 7,354 2,354	Rural districts (total)	19,534 19,321 213
Cities (total)	7,470 7,214 258	Rural districts (total)	29,824 25,618 4,206	MISSISSIPPI.  Registration cities 5 (total)	3,063
Rural districts (total)	10,076 9,927 149	Louisiana.		WhiteColored	1,181 1,882
CONNECTICUT. Total	27, 240 26, 550	TotalWhiteColored	32, 201 15, 822 16, 379	Total White. Colored	53,311 48,465 4,846
White	690	Cities (total)	12,359 7,210	Cities (total)	25,374 22,040
Cities (total)	19,962 19,391 571	Rural districts (total)	19,842 8,612 11,230	Colored	3,334
Rural districts (total)	7,278 7,159 119	Colored MAINE,	11, 230	White	27, 937 28, 425 1, 512
FLORIDA.		TotalWhite	14,499	Total	8,985
Registration cities <sup>8</sup> (total)	4,194 2,344 1,850	Colored	14,443 56 3,967	WhiteColored	8,985 8,736 249 3,212
Georgia.	1,000	Cities (total)	3,967 3,949 18	White Colored	3,212 3,138 74
Registration cities (total)	5,825 2,830 2,995	Rural districts (total)	10,532 10,494 38	Rural districts (total)	5,778 5,598 175

Includes the District of Columbia.
 Includes Birmingham, Mobile, and Montgomery.
 Includes Jacksonville, Key West, Pensacola, and Tampa.

Includes Atlanta, Brunswick, and Savannah.
 Includes Hattlesburg, Jackson, Meridian, Natchez, and Vicksburg.

TABLE I A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, EACH REGISTRATION STATE (BY CITIES AND RURAL DISTRICTS), AND EACH GROUP OF REGISTRATION CITIES IN NONREGISTRATION STATES: 1918—Continued.

[All deaths include deaths of nonresidents and deaths in hospitals and institutions, but exclude the deaths of soldiers, sailors, and marines. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910, smaller places being included in the "rural districts."]

Control of the contro		<u></u>			
AREA.	Number of deaths, 1918.	. ABEA.	Number of deaths, 1918.	AREA.	Number of deaths, 1918.
nebraska.		oregon.		UTAH.	
Registration cities 1 (total)	4,104 3,876 228	Total	9,679 9,329 350	Total	6,172 5,986 186
NEW HAMPSHIRE.	9,581	Cities (total). White. Colored.	3,972 3,820 152	Cities (total) White Colored	2,363 2,294 69
Total. White. Colored. Cities (total).	9,564 17 4,493 4,482	Rural districts (total)	5,707 5,509 198	Rural districts (total) White. Colored.	3,809 3,692 117
Cities (total)	4,482	PENNSYLVANIA.	-	vermont.	
Rural districts (total)	5,088 5,082 6	Total White Colored	187,951 179,016 8,935	Total White Colored	6,803 6,800 3
NEW JERSEY. Total White Colored	60,988	Cities (total)	99,912 93,052 6,860	Cities (total)	1,131 1,130 1
Colored.  Cities (total).  White. Colored.	39,142 36,811 2,331	Rural districts (total) White Colored	88,039 85,964 2,075	Rural districts (total)	5,672 5,670 2
Colored.	2,331	RHODE ISLAND.		Virginia.	
Rural districts (total) White Colored	21,846 20,657 1,189	Total	12,407 12,021 386	Total White Colored.	41,272 24,687 16,585
NEW YORK.	190,764	Cities (total). White. Colored.	10,235 9,902 333	Cities (total). White Colored.	12,114 6,966 5,148
Total White Colored.	190,764 185,340 5,424 145,303	Rural districts (total)	2,172 2,119 53	Rural districts (total). White. Colored.	29,158 17,721 11,437
Cities (total) White_ Colored	145,303 140,642 4,661	SOUTH CAROLINA.		Washington.	,
Rural districts (total)	45,461 44,698 763	Total	30,761 11,152 19,609	Total White Colored	16,837 15,985 852
NORTH CAROLINA. Total White	42,274 24,907	Cities (total) White Colored	4,623 2,066 2,557	Cities (total) White Colored	8,717 8,359 358
Colored	17,367	Rural districts (total)	26,138 9,086 17,052	Rural districts (total)	8,120 7,626 494
Colored	5,309 2,982 2,327	TENNESSEE.		Wisconsin.	
Rural districts (total). White. Colored.	36,965 21,925 15,040	Total	37,134 25,949 11,185	Total	34,992 34,700 292
оню.		Cities (total)	10,000 5,831	Cities (total)	14,140 14,032
Total White Colored	92,356 87,714 4,642	1	5,831 4,169		108
Cities (total). White. Colored.	51,264 47,860 3,404	Rural districts (total)	27,134 20,118 7,016	Rural districts (total)	20,852 20,668 184
Rural districts (total)	3,404 41,092 39,854 1,238	TEXAS.  Registration cities <sup>1</sup> (total)	13,111 10,790 2,321		
1 Includes Lincoln and Om	nha l	Tuchides Resument Cleburne De	illes El Peso	Galveston Houston and San Antonio	

<sup>&</sup>lt;sup>1</sup> Includes Lincoln and Omaha.

Includes Beaumont, Cleburne, Dallas, El Paso, Galveston, Houston, and San Antonio.

TABLE I B.—DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1918.

[This table excludes the deaths of soldiers, sailors, and marines. Minor areas containing state insane asylums, state hospitals, etc., are designated by asterisks (\*). The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910. A detailed explanation of this table will be found on p. 14.]

			ABER OF D			Per	in 1910. A decemed explanation of the	<u> </u>		EATHS, 191	8.	Per
	AREA.	Including non- residents.	Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died in registration area outside.	Non- resi- dents not trans- ferable.	cent change, if cor- rected for trans- ferable and non- trans- ferable deaths of non- resi- dents.	AREA.	Includ- ing non- residents.	Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died in registration area outside.	Non- resi- dents not trans- ferable.	cent change, if cor- rected for trans- ferable and non- trans- ferable
	REGISTRATION CITIES.						REGISTRATION CITIES—Con.					
	ALABAMA,1	·					GEORGIA. <sup>1</sup>					
-	Birmingham Mobile Montgomery	4,346 1,430 921	4,338 1,402 910	4,367 1,417 917	589 256 115	-13 -19 -13	Atlanta Brunswick Savannah	3,702 278 1,845	3,660 275 1,845	3,678 282 1,856	266 10 1	-8 -2 +1
	CALIFORNIA.						illinois.					
	Alameda Bakersfield Berkeley Bureka Fresno		383 593 588 250 672	424 602 667 259 697	3 1 11	-2 -3 +3 +3	Alton Aurora. Belleville. Bloomington. Cairo.	499 739 480 525 396	477 680 430 501 393	483 695 439 518 395	1 3 1 4	-3 -6 -9 -2
	Long Beach. Los Angeles. Oakland Pasadena		566 8,967 3,028 539	595 9,097 3,200 581	40 47 9 6	-17 -3 -1 +2	Canton Champaign Chicago Chicago Heights Cicero	256 265 44,069 398 412	255 262 43,041 384 409	259 275 43,647 395 430	173	+1 +4 -1 -1 +4
	Pomona. Redlands. Riverside Sacramento San Barnardina		175 122 338 1,475	126 342 1,516 429	25 1	+3 +3 +1 -14	Danville Decatur East St. Louis Elgin* Evanston	700	604 599 <b>1,</b> 209 557	612 610 1,243 577	5 5 4 1	-14 -12 +2 -16
	San Bernardino. San Diego. San Francisco. San Jose.	ŀ	1,414 9,063 577	1,431 9,222 610	36 99 1	-9 -7 +4	Evanston Freeport Galesburg Granite Jacksonville* Joliet		324 440 273	466 331 447 283	10 5	-5 -12 -4 +4
	Santa Barbara	250 195 1,347 246	243 194 1,341 237	252 203 1,398 251	1 1	+4 +4 +2	Jacksonville* Joliet.  Kankakee* La Salle.		592 1,045 773	599 1,058 781	5 2	+1 -5
_	COLORADO. Colorado Springs Denver Pueblo Trinidad	842 5,199 1,072 357	735 4,790 1,008 343	755 4,905 1,034 348	82 165 12 5	-20 -9 -5 -4	La SalieLincoln*: Mattoon. Moline. Oak Park	257 614	307 290 253 601 411	310 294 259 613	3 2	-5 -28 
	CONNECTICUT.						Peoria	1.389	1,289 780	1,307 788	12 2	-7 -8
-	Ansonia. Bridgeport. Bristol Danbury town. Greenwich town.	318 2,981 304 490 377	318 2,851 304 445 356	343 2,937 369 456 372	2 1	+8 -1 +21 -7 -2	Quincy Rockford Rock Island Springfield Streator Waukegan	1,090 548 1,222 345 308	1,055 547 1,044 316 287	1,081 555 1,062 320 298	6 7 1	-1 +1 -14 -9
_	Hartford	3,117 221 800 756	2,562 218 726 711	2,635 237 746 728	1	-15 +7 -7 -4	INDIANA.	409	403	413	•	+1
	Naugatuck. New Britain. New Haven. New London.	248 1,112	248 1,077 3,071 525	283 1,145 3,163 541	3 3	+14 +3 -5 -8	East Chicago Elkhart Elwood Evansville	735 418 212 1,444	725 403 212 1,397	792 408 219 1,423	3	+8 -2 +3 -2
	Norwalk Norwich town Orange town Stamford town	559 765 248 794	534 673 237 721	549 683 248 739	3 1 4	$\begin{bmatrix} -2 \\ -11 \\ -7 \end{bmatrix}$	Fort Wayne Gary. Hammond. Huntington Indianapolis.	1,213 1,098 777 197 5,241	1,075 925 674 196 4,936	1,093 945 691 199 5,010	5 3 1 8	-10 -14 -11 +1 -5
-	Torrington town Wallingford town Waterbury. Windham town	2,087	312 181 2,006 320	330 234 2,056 323	1	+1 +27 -1 -7	Jeffersonville. Kokomo. Lafayette Laporte. Logansport.	392 512 279	212 386 418 264 386	218 398 434 272 400	2	+3 +2 -16 -3 -2
	Wilmington DISTRICT OF COLUMBIA.		2,577	2,597	30	-1	Marion Michigan City Mishawaka Muncie	314 252	338 300 236 410	352 307 240 411	8	+2 -2 -6 -4
1	WashingtonFLORIDA.1	9,090	8,736	8,863	35	-3_	New Albany	. 430	410	421		-2
•	Jacksonville	387 672	1,937 387 667 1,059	1,948 392 673 1,074	338 9 74	-21 +1 -1 -8	Peru Richmond South Bend. Terre Haute Vincennes.	. 1,085 1,164	182 409 1,028 1,110 336	190 420 1,052 1,124 340	3 9 1	+2 +3 -3 -4

# DEATHS OF NONRESIDENTS.

TABLE I B.—DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1918—Continued.

[See note at head of this table, p. 96.]

	NU	mber of d	EATHS, 191	8	Per	•	NU	MBER OF 1	DEATHS, 19	18.	Per
AREA.	Includ- ing non- residents.	Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died in registration area outside.	Non- resi- dents not trans- ferable.	change, if cor- rected for trans- ferable and non- trans- ferable deaths of non- resi- dents.	• AREA.	Includ- ing non- residents.	Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died in registration area outside.	Non- resi- dents not trans- ferable.	chang if con recte for trans ferabi and non- trans ferabi death of nor resi- dents
REGISTRATION CITIES—Con.			; ,	,		REGISTRATION CITIES-Con.			, ,		
KANSAS. Atchison Coffeyville Fort Scott Hutchinson	217 230 226 395	217 230 226 394	223 233 228 395		+3 +1 +1	MASSACHUSETTS—continued.  Marlborough Medford. —Melrose. Methuen town. Milford town.	277 505 282	251 465 252	268 604 289		- +:
Independence. Kansas City. Lawrence. Leavenworth.	210 2,084 200 388	210 2,062 197 387	214 2,089 202 390	1	+2 +1 +1_		2,895 351	186 300 2,813 318	233 324 - 2,889 340	1	+
Parsons. —Pittsburg. Topeka. Wichita.	275 272 960 1,224	275 272 958 1,179	282 276 967 1,189	12	+3 +1 +1 -4	New Bedford. Newburyport. Newton. North Adams. Northampton*  Peabody.	750 419 586	675 376 479	774 389 496	1 4	+1 +1
KENTUCKY.	1,198 283	1,130 283	1,143 286	4	-5 +1	Peabody. Pittsfield. Plymouth town. Quincy. Revere.	959 250 850 304	862 227 · 791 294	890 242 875 435	1	 -+ -+-4
Covington Frankfort -Henderson Lexington* Louisville Newport	289 1,231 5,083 465 487 672	289 1,181 5,013 465	289 1,187 5,043 501	1	-4 -1	Salem Somerville Southbridge town Springfield. Taunton*	987 1,521 208 2,534 951	1,464 207 2,246 922	1,739 235 2,340 957	1	+1
Louisville Newport Owensboro Paducah LOUISIANA		487 680	490 662		+8 +1 -1	Wakefield town Waltham. Watertown town. Webster town. Westfield town.	173 713 279 229 460	166 650 261 223 428	206 707 358 249 444		+-:  +-: 
Alexandria. Baton Rouge. Lake Charles. Monroe. New Orleans. Shreveport*.	402 447 353 310 9,756 1,091	386 439 338 288 8,902 947	399 508 356 292 8,944 958	3 3 7 195 26	-1 +13 -8 -10 -15	Weymouth town. Winthrop town. Woburn. Worcester.	272 180 291 3,758	265 170 274 3,501	296 222 302 3,623	6	+
MAINE. Auburn. Augusta*. Bangor* Biddeford. Lewiston. Portland. Waterville.	229 359 723 347 607 1,407	227 345 659 335 514 1,329 283	253 349 670 342 522 1,361 290	1 6	+10 -3 -7 -1 -14 -4 -2	MICHIGAN. A drian. Alpena Ann Arbor. Battle Creek. Baty City.  Detroit. Escanaba	246 230 508 697 796 12,889 280	244 226 422 665 785 12,665 262	247 229 428 674 792 12,834 263	9	i
MARYLAND.  Baltimore —Cumberland Frederick.	15,810 746 271	14,748 653 253	14,940 656 257	170 54	-7 -19 -5	Flint Grand Rapids Holland Ironwood	1,105 1,893 146 215	1,092 1,846 143	1,125 1,872 149 214	3 2	+ +
Hagerstown	532 199	196	**************************************		+1	Ishpeming Jackson "Kalamazoo* Lansing	158 899 1,088 722	157 877 1,069 720	161 888 1,083 728		+
Adams town. Arlington town. Attleboro. Beverly. Boston.	283 315 326 17,267	243 281 301 15,089	294 298 298 336 15,753	1 39	+6 +4 -6 +3 -9	Manistee Marquette Menominee —Muskegon Pontiac*	141 217. 170 621 601	136 208 160 606 495	140 213 161 612 501	1	- - -
Brockton. Brockline town. Cambridge Chelsea. Chicopee	1, 192 1, 519 2, 266 852 514	1,099 443 2,043 794 502	1,166 591 2,359 932 601	1 2 2 2 1	$^{-2}_{+14}$ $^{+4}_{-9}$ $^{+17}$	Port Huron Saginaw Sault Ste, Marie Traverse City*	358 936 224 315	354 917 222 300	358 935 226 301	1	- <del>-</del>
Clinton town Everett Fall River Fitchburg Framingham town	283 563 2,858 786 391	258 543 2,801 753 299	267 668 2,869 784 322		-6 +19 	MINNESOTA.  Duluth	1,390 276 5,392 275	1,153 220 4,652 240	1,215 231 4,779 256	34 9 227 6	
Gardner town. Gloucester. -Greenfield town. Haverhill.	333 544 299 853 1,272	319 519 258 805 1,135	336 557 271 842 1,175	i 1	+1 +2 -10 -1. -8	St. Paul Stillwater Virginia. Winona. MISSISSIPPI. <sup>1</sup>	3,602 123 216 301	3,183 108 193 282	3,313 123 227 293	119 1 5 4	:   
Lawrence. Leominster. Lowell. Lynn. Malden.	2,030 349 2,466 1,811 851	1,935 336 2,384 1,708 772	2,025 366 2,527 1,811 861	3	+5 +2 +1	HattiesburgJackson*	374 1,057 622 329 681	371 1,032 616 315 662	375 1,038 624 322 675	23 417 81 8 195	- - -

TABLE I B.—DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1918—Continued.

				free nore	sat nead (	of this table, p. 96.]			·		
	NUI	MBER OF D	EATHS, 19	18.	Per cent		נטא	BER OF D	eaths, 191	8.	Per
AREA.	Includ- ing non- residents.	Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died in registration area outside.	Non- resi- dents not trans- ferable.	change, if cor- rected for trans- ferable and non- trans- ferable deaths of non- resi- dents.	AREA.	Includ- ing non- residents.	Exclud- ing trans- ferable nonresi- dents.	Excluding transferable nonresidents and including residents who died in registration area outside,	Non- resi- dents not trans- ferable.	change, if cor- rected for trans- ferable and non- trans- ferable deaths of non- resi- dents.
REGISTRATION CITIES—Con.						REGISTRATION CITIES—Con.				<del></del>	
MISSOURI.  Hannibal  Jefferson City. Joplin.  Kansas City Moberly.	419 237 810 6,608 252	414 235 806 6,254 239	418 240 814 6,345 243	3 5 83	-5 -4	NEW YOBK—continued. Buffalo. Cohoes. Corning	10,·112 497 294 311 400	9,662 479 257 274 376	9,781 515 273 286 384	11 1 2	-3 +4 -7 -8 -4
St. Joseph*.  St. Louis  Sedalia.  Springfield  Webb City.	447	1,644 13,283 443 814 242	1,661 13,426 454 826 244	36 53 2 1	-10 -3 +1	Elmira. Fulton. Geneva Glens Falls. Gloversville.	868 311 258 428 526	816 302 229 357 482	839 315 241 370 496	1	-3 +1 -7 -14 -6
Anaconda. Billings Butte Great Falls.	211 317 1,455 603	207 245 1,371 461	211 262 1,404 474	15 3 5	$ \begin{array}{r} -22 \\ -4 \\ -22 \end{array} $	Hornell Hudson Ithaca Jamestown	282 292 317 572	265 271 277 546	278 285 291 563	1	-1 -2 -9 -2
Helena Missoula  NEBRASKA. <sup>1</sup> — Lincoln	288 338 905	233 247 885	244 256 906	13	-15 -28	Johnstown Kingston Lackawanna Little Falls	188 691 494 257	188 603 491 253	210 619 493 266		+12 -10 +4
Omaha	3,199	3,125	3,169	153 384	-17 -18	-Lockport Middletown* Mount Vernon New Rochelle	373 521 583 515	358 469 561	376 482 603		+1 -7 +3 +4
Berlin		325 655 267 255	328 681 276 258			New Hochelle  New York:  Bronx Borough  Brooklyn Borough.  Manhattan Borough.	10,607 34,010	10,457 33,762 41,611	534 10,474 34,135 41,613	25 18 94	1
Laconia Manchester Nashua. Portsmouth.	296 1,659 632 334	280 1,625 594 310			-3 +5 · +1 -1	Queens Borough Richmond Borough Newburgh Niagara Falls	42,859 7,011 2,502 694	6,900 2,447 630	6,942 2,471 643	29 12	-3 -1 -2 -7 -1
NEW JERSEY.	203 1,210 1,439 246 396	187 994 1,425 242 389	215 1,018 1,468 328 411	4 10	+4 -17 +2 +33 +4	Niagara Falis North Tonawanda Ogdensburg* Olean Ossining Oswego Peekskill	963 276 690 364 218 539	924 244 611 303 199 529	952 260 618 318	2 1 1	-1 -7 -10 -13 -5 +3 -9
Camden East Orange Elizabeth Garfield	3,062 471 1,846 251	2,922 460 1,657	3,071 628 1,721 274	5	+33 -7 +9	Peekskill. Plattsburg. Port Chester.  Poughkeepsie Rensselaer.	303 307 346 744 174	263 254 326 689 170	277 258 343 717 201		9 16 1 4 +-16
Hackensack  Harrison  Hoboken  Irvington	225 1,182 302	286 221 1,115 293	315 274 1,325 349	1 	-29 +22 +12 +16_	Rochester Rome* Saratoga Springs -Schenectady	4,807 833 368	4,559 711 314 1,490	4,714 722 329	1 1 2	-2 -13 -11
Jersey City	6, 081 438 379 317	5, 745 409 239 305	5, 903 436 245 317	· 6	-3 -37	Syracuse. Troy Utica*  Watertown.	1,600 3,278 2,105 2,062	3,056 1,829 1,950	1,536 3,162 1,862 2,037	6 4 1 4	-4 -12 -1 -7
Montclair Morristown New Brunswick — Newark	301 407 893 8,132	284 249 820 7,619	406 259 840 7,881	2 21 22	+35 -37 -8 -3	Watervliet White Plains Yonkers	296 310 1,574	292 247 1,503	360 276 1,571	1 1 1	+21 -11
Orange. Passaic. Paterson. Perth Amboy.	844 1, 192 2, 686	591 1,109 2,520 980	635 1,149 2,575	13	-25 -4 -5 +1	NORTH CAROLINA.  Asheville* Charlotte -Durham	752 1,039 455	713 1,030 454	720 1,040 456	10 2	-6
Phillipsburg Plainfield Trenton*	342 616 2,927	338 503 2,702	355 534 2,745	3 7	+4 14 6	Greensboro  Raleigh*  Wilmington  Winston-Salem	359 741 836 1,127	354 719 833 1,127	359 722 836 1,130	1	
Union	265 493 350 182	265 488 349 179	. 604 388 252		$^{+2}_{+23}$ $^{+11}_{+38}$	NORTH DAKOTA.1 -Fargo	412	363	377	94	-31
NEW YORK. Albany	2,548 576 708 325 1,363	2,317 537 681 282 1,277	2,392 552 700 291 1,293	4	<b>−</b> 5 <del>-  </del>	OHIO. Akron. Alliance. Ashtabula Bellaire -Cambridge	2,425 389 310 328 243	2,399 359 309 328 240	2,429 363 314 338 244	8 3	-7 +1 +3

#### DEATHS OF NONRESIDENTS.

TABLE I B.—DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1918—Continued.

[See note at head of this table, p. 96.]

	<u> </u>				[See note	e at nead	of this table, p. 96.]	<del></del>			<del></del>	<del></del>
		וטא	MBER OF I	DEATHS, 19	18.	Per		NU	MBER OF I	DEATHS, 19	18.	Per
	AREA.	Includ- ing non- residents.	Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died in registration area outside.	Non- resi- dents not	change, if cor- rected for trans- ferable and non- trans- ferable deaths of non- resi- lents.	AREA.	Includ- ing non- residents.	Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died in registration area outside.	Non- resi- dents not trans- ferable.	change, if cor- rected for trans- ferable and non- trans- ferable deaths of non- resi- dents.
	REGISTRATION CITIES—Con.						REGISTRATION CITIES—Con.					
	оню—continued.				i e		PENNSYLVANIA—continued.		1			
	Canton Chillicothe Cincinnati Cleveland Golumbus		1,246 321 8,370 12,849 3,869	1,257 329 8,437 12,939 3,897	7 9 5	+2 -2 -1 -7	Mahanoy City Meadville Monesson Mount Carmel Nanticoke	415. 286 482 406 665	415 266 482 406 650	426 277 531 408 654	3	+3 -4 +10 -2
	Dayton East Liverpool Elyria Findlay Hamilton	2,544 452 330 275 710	2,475 437 314 272 702	2,492 440 323 275 707	2	-2 -3 -2	New Castle Norristown* North Braddock Oil City Old Forga	890 1,166 253 379 244	890 1,116 250 360 243	901 1, 122 254 363 248	1	$\begin{array}{r} +1 \\ -4 \\ -4 \\ -4 \\ +2 \end{array}$
	Ironton Lakewood Lancaster Lima Lorain	1	341 406 200 660 668	343 410 205 666 669		+1 +1 +3 -1 -1	Philadelphia Phoenixville Pittsburgh Pittston- Plymouth	42,479 316 15,433 493 262	42,002 308 14,555 492 262	42, 465 312 14, 659 498 273	43 1 23 1	-2 -5 +1 +4
	Mansfield Marietta Marion Massillon Massillon		409 230 393 239 407	423 234 407 242 416	3	+2 +4 -7 +2	Pottstown Pottsville Reading Scranton Shamokin	409 789 2,223 3,092 475	405 614 2,121 2,921 475	412 618 2,132 2,953 486	4 7 . 5	+1 -22 -4 -5 +2
	Newark		513 229 263 647 358	521 240 268 657 364	1	-1 +5 -1	-Sharon. Shenandoah. South Bethlehem Steelton. Sunbury	416 701 394 351	410 701 394 350 327	418 704 417 394	1	+6 +12
	Sandusky Springfield Steubenville Tiffin	1, 014 655 257	989 626 255	1,006 631 256	17	+1 -1 -6	Sunbury Uniontown Warren	331 385 220	327 365 202	335 375 208		+ -3 -5 -3
-	Toledo Warren Youngstown Zanesville	4,038 444 2,815 612	3,936 435 2,729 608	3,975 439 2,749 617	4 1 2	-2 -1 -2 +1	Washington West Chester. Wilkes-Barre	495 427 1,755	478 361 1,694	485 370 1,707	3	-3 -13 -3 -5
	OREGON.						Wilkinsburg Williamsport. York	523 829 941	484 734 898	498 739 912	1 1 2	-5 -11 -3
	PortlandSalem	3,760 212	3,410 185	3,518 198	50 1	-8 -7	RHODE ISLAND.					
	PENNSYLVANIA.						Central Falls Cranston (exclusive of)	445 419	445 419	.535 516		+20 +23
	Allentown Altoona Beaver Falls Bethlehem Braddock	1,426 1,067 361 324 790	1,382 1,031 359 324 725	1,395 1,043 362 346 755	1	$\begin{bmatrix} -2 \\ -2 \\ -4 \end{bmatrix}$	State institutions Cumberland town East Providence town Newport	474 178 316 460	474 178 316 439	474 188 367 461		+6 +16
	Bradford Butler Carbondale Carlisle Carnegie	286 519 501 279 239	286 498 487 279 239	295 508 491 285 258	1	+3 -2 -2 +2 +8	Pawtucket. Providence	1,417 5,210 249 285 782	1,273 4,691 247 285 736	1,354 4,857 286 285 764	2 41	-5 -8 +15
_	Chambersburg	284 1,473 302 294 268	281 1,433 301 292 268	284 1,449 323 295 276	1	-2 +7 +3	SOUTH CAROLINA.  Charleston	1,935 1,709 448 531	1,933 1,692 448 531	1,952 1,695 459 534		$^{+1}$ $^{-1}$ $^{+2}$ $^{+1}$
	Dubois. Dunmore. Duquesne. Easton. Erie	294 471 460 847 1,900	267 471 458 791 1,866	275 509 501 802 1,897	1 6 2	-7 +8 +9 -6	TENNESSEE.  Chattanoga Jackson Knoxville Memphis. Nashville	1,533 373 1,326	1,500 373 1,245 3,521	1,510 379 1,254	29 11 202	-3 +2 -6
	Farrell Greensburg Harrisburg Harrisburg Hazleton* Homestead	320 364 1,693 851 442	319 325 1,570 847 442	322 338 1,586 853 484	1 1	+1 -7 -6 +10	Memphis. Nashville.  TEXA3,1  Beaumont. Cleburne.	3,615 3,153 700 238	3,046	3,566 3,064 705 242	302 15 101 2	-10 -3 -14 +1
_	Johnstown Lancaster Lebanon McKees Rocks McKeesport	1,507 1,232 659 360 1,174	1,333 1,187 634 360 1,053	1,342 1,195 635 374 1,067	1	+4	Dallas. El-Paso. Galveston.	2,339 2,498 839	238 2,301 2,482 828 2,331 3,995	242 2,317 2,503 847 2,365 4,015	316 26 38 249	-14 +1 -14 -1 -4 -11 -9

TABLE I B.—DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1918—Continued.

		וטא	MBER OF D	EATHS, 19	18.	Per cent		NU	MBER OF I	PEATHS, 191	.8.	Per
	AREA.	Including non-residents.	Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died in registration area outside.	Non- resi- dents not trans- ferable.	change, if cor- rected for trans- ferable and non- trans- ferable deaths of non- resi- dents.	AREA	Includ- ing non- residents.	Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died in registration area outside.	Non- resi- dents not trans- ferable.	cent change, if cor- rected for trans- ferable and non- trans- ferable deaths of non- resi- dents.
	REGISTRATION CITIES—Con.						RURAL PART OF REGISTRATION STATES2—Contd.					
	UTAH. OgdenSalt Lake City	583	500	531	44	16	CALIFORNIA—continued.					'
*****	-Sait Lake CityVERMONT.	1,780	1,439	1,503	126	-23	Kings County.	319 83	317 83	331 85		+4 +2
	Barre Burington Rutland	304 560 267	296 497 252	307 529 267		+1 -6	Kings County. Lake County. Lassen County. Los Angeles County. Madera County.	3,419 117	104 3,365 113	3,642 118	11 1	+4 +2 +2 +6
	VIRGINIA.		•				Mariposa County	345 43	329 42	363 45	4	+4 +5
	Alexandria	528 500 786	527 492 737	537 501 748		+2	Mendocino County* Merced County Modoc County	238	476 236 45	498 255 47	i	+4 +5 +4 +7 +4
	Alexandria. Danville Lynchburg Newport News. Norfolk	817 2,713	803 2,622	812 2,662	25 1 10	-8 -1 -2	Mono County	2	2	2		
			827 851	840 870	4	-2	Monterey County Napa County * Nevada County Orange County	402 698 215	401 685 215	417 711 229	2	+3 +2 +6 +1
	Petersburg Portsmouth Richmond Roanoke Staunton *	3,812 871	3,565 800	3,612 810	40 17	+2 -6 -9			910	933	3	
	Washington.	381	361	369		-3	Placer County Plumas County Riverside County	114 386	281 113 384	325 117 396	1	+14 +3 +3 +30 +7
		187	169	176	9	11	Sacramento County	242	231 149	314 159		+30 +7
	Aberdeen Bellingham Everett North Yakima	373 317 364	310 284 285	319 294 287	10 5 25	-17 -9 -28	San Bernardino County * San Diego County	973 470	963 443	994 495	3 5	+2 +4 +4
	Seattle	4,090	3.798	4,018	82	4 18	San Joaquin County San Luis Obispo County San Mateo County	562 297 545	560 293 521	582 300 563	<u>2</u> .	+4 +3
	Spokane Tacoma Walla Walla	1,528 1,577 281	1,278 1,353 235	1,341 1,402 246	95 39 13	18 14 17	II.	ı	289	299	1	+3 +2
	WEST VIRGINIA,1						Santa Barbara County Santa Clara County * Santa Cruz County Shorta County	1,436 233 436	1,400 231 433	1,437 246 448	1	+6 +3 +6
	Wheeling	1,030	986	997	35	-7	Shasta County Sierra County	33	33	35		
	WISCONSIN. Appleton	283	283	284			Siskiyou County Soleno County Sonoma County Stanislaus County	345 232 848	340 231 810	356 267 861	1 2	+3 +15 +1 +1
	AshlandBeloit	348 391	283 348 391	352 396		+1 +1			486	510	î	
	Eau Claire Fond du Lac	337 360	337 360	347 364		+3- +1	Sutter County: Tehama County Trinity County Tulare County	99 197 34	97 196 34	104 210 36		+5 +7 +6 +3
_	Green Bay	609 274	607 274 629	612 275					595	616	1	- 1
	Kenosha La Crosse Madison	629 564 591	564 590	642 570 606		$^{+2}_{+1}_{+3}$	Tuolumne County Ventura County Yolo County	146 527 267	145 523 262	147 530 296	····· <u>2</u>	+1 +11
	Manitowoc	309 201	309 201	310 208			i aba County	244	241	250		+5
~	Milwaukee Oshkosh	6,550 463	6,537 463	6,579 466	i	+3 +1	COLORADO.  Adams County	168	164	194	2	+14
	Racine Sheboygan	822 510	822 510	831 513		+1-	Alamosa County -Arapahoe County Archuleta County Baca County	110	116 190	117 202	7	-2 -6
	Superior Wausau.	628 271	628 271	645		+1 +3 +1			54 14	58 15		+5 +7
	RURAL PART OF REGISTRATION STATES.2					, , ,	Bent County.  Boulder County.  Cheffee County	118 683	116 650	122 683	6 16	$^{-2}_{-2}$
	CALIFORNIA.						Chaffee County	224 30 98	215 30 96	225 32 105	1 1	+3 +6
	Alameda County	975	951	990	4	+1	Conside County	41	41 4	46		+12
	Amador County	145 522 88	140 517 88	150 535 93		+3 +2 +6	Costilla County  -Crowley County  Custer County  Delta County	108 16 136	106 16 136	107	1	-1 +6 +1
	Colusa County	138 800	135 791	154 854	i	+12 +7	Dolones Country					
	Del Norte County Eldorado County	19 116	19 113	19 122		+5	Douglas County  Eagle County  El Paso County  Elbert County	49 54 249	45 51 209	52 56 238	$\begin{bmatrix} 1 \\ 2 \\ 25 \end{bmatrix}$	+4 -14
<u></u> .	Glenn County	1,066	1,052			·	Elbert County	56	55	62	1	+9
:	Imperial County	213 608	213 608	218 . 621 .		+5 +2 +2-	Garfield County	325 159 48	324 158 47	330 165 52	1	+1 +3 +8 +24
	Inyo County Kern County	56 371	56 370	60 388	1	+5 +5	Grand County Gunnison County	21 55	47 19 53	00.1		+24 +4

TABLE I B.—DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1918—Continued.

	<u> </u>				i .		3777	MBER OF I	NEATURE 10	18.	Por
AREA.	Includ- ing non- residents.	Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died in registration area outside.		Per cent change, if corrected for transferable and non-transferable deaths of non-residents.	AREA .	Includ- ing non- residents.	Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents. who died in registration area outside.	<u> </u>	Per cent change, if corrected for transferable and non-transferable deaths of non-residents.
RURAL PART OF REGISTRATION STATES 2—Contd.	•					RURAL PART OF REGISTRATION STATES 2—Contd.					
COLORADO—continued. Hinsdale County Huerfano County Jackson County Jefferson County Kiowa County	10 328 15 377 5	10 326 15 317 4	10 336 16 336 10	2 46	+2 +7 -23 +100	HLINOIS—continued.  Cook County*. Crawford County. Cumberland County. Dekalb County. Dewitt County.	3,855 297 • 149 504 258	3,757 297 149 502 257	4,035 300 154 520 - 268	6	#5 +1 +3 +3 +4
 Kit Carson County La Plata County Lake County Lake County Larimer County Las Animas County	71 272 355 465 490	68 262 355 464 490	72 265 366 490 507	10 10 2	-6 +3 +5 +3	Douglas County Dupage County Edgar County Edwards County Edmands County	228 455 362 105 306	228 429 360 105 306	244 479 368 107 311	4 1	+7 +4 +1 +2 +2
Lincoln County Logan County Mesa County Mineral County Moffat County	12 266 324 35 57	12 266 320 35 57	20 276 330 35. 58	1	+67 +4 +2 -4	Fayette County. Ford County. Franklin County Fulton County Gallatin County.	304 199 790 500 145	304 198 787 500 145	312 206 806 510 148		+3 +4 +2 +2 +2 +2
Montezuma County Montrose County Morgan County Otero County Outer County Ouray County	101	100 166 216 522 58	· 104 170 232 528 59	1 4 9	+2 +1 +5 -4 +2	Greene County. Grundy County. Hamilton County Hancock County Hardin County.	329 269 162 338 118	328 268 162 338 118	343 281 163 348 118		+4 +4 +1 · +3
Park County. Phillips County Pitkin County Prowers County Pueblo County*	29 66 71 236 680	28 65 71 235 601	33 69 74 246 610	4 2	+14 -2 +4 +4 -11	Henderson County. Henry County. Iroquois County. Jackson County. Jasper County.	88 576 419 544 145	88 569 418 527 144	91 583 429 539 145	3	+3 +1 +2 -1
Rio Blanco County Rio Grande County Routt County Saguache County		44 72 63 51	49 75 68 53	2	+11 -1 +5 +2	Jefferson County Jersey County.  -Jo Daviess County Johnson County Kane County	382 164 228 140 422	382 164 228 140 415	386 170 236 142 469		+1 +4 +4 +1 +1
San Juan County San Miguel County Sedgwick County Summit County Teller County		173 100 31 56 208	178 102 31 57	2 1 2	+6 +1 -6 +2 +8	Kankakee County Kendall County Knox County La Salle County Lake County	283 150 254 850 538	282 150 251 859 520	287 163 261 899 565	1 1 3	+1 +9 +2 +5 +4
Teller County	54 818 112	54 815 112	61 846 123	12	+8 +13 +2 +10	Lawrence County Lee County -Livingston County -Logan County McDonough County	250 347 373 139 349	250 345 371 138 348	254 348 393 152 356		+2 +5 +9 +2
 Fairfield County Hartford County Litchfield County Middlesex County	1,585 933 358	984 1,533 895 345	1,006 412		+14 +20 +8 +15	McHenry County. McLean County. Macon County Macoupin County Madison County*	420 440 231 641 982	420 435 231 641 982	260 702		+6 +3 +13 +10 +4
New Haven County New London County *. Tolland County Windham County	1,172 1,019 509 669	1,126 910 465 655	1,324 1,035 537 734	3	+13 +1 +6 +10	Marion County Marshall County Masson County Massac County Menard County	573 139 196 278 171	572 139 196 277 171	585 149 206 277 192		+2 +7 +5 +12
 ILLINOIS.  Adams County	112	316 112 182 214 124	343 115 188 221 138	1	+9 +3 +3 +2 +11	Mercer County Monroe County Montgomery County Mortgan County Mortgan County Moultrie County	223 166 570 188 204	223 166 534 187 204	229 169 546 207 213	, 1 5	+2 +2 -5 +10 +4
Bureau County Calhoun County Carroll County Cass County Champaign County	623 102 226	623 102 226 243 534	637 108 231 258 551		+2 +6 +2 +6	Ogle County	300 775 365 152 326	300 772 364 152 326	313 802 370 179 346		+4 +3 +1 +18 +6
 Christian County Clark County Clary County Clinton County Coles County	586 298 237	569 298 237 362 300	594 306 242 372	7	$\begin{array}{c c} +2 \\ +3 \\ +1 \end{array}$	Pope County Pulaski County Putnam County Randolph County Richland County	36 292 105 398 163	35 290 105 394 163	41 295 108 410 167	1	+14 +1 +3 +3 +2

TABLE I B.—DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1918—Continued.

	NU	IBER OF D	EATHS, 191	.8.	Per cent		NU	MBER OF D	EATHS, 191	18.	Per
AREA	Includ- ing non- residents.	Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died in registration area outside.	Non- resi- dents not trans- ferable.	change, if cor- rected for trans- ferable and non- trans- ferable deaths of non- resi- dents.	AREA.	Including non-residents.	Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died in registration area outside.	Non- resi- dents not trans- ferable.	change if cor- rected for trans- ferable and non- trans- ferable deaths of non- resi- dents.
RURAL PART OF REGISTRATION STATES 2—Contd.						RURAL PART OF REGISTRATION STATES 2—Contd.				A.	
ELINOIS—continued.						INDIANA—continued.				7	
Rock Island County * St. Clair County Saline County Sangamon County Schuyler County	583 561 427 368 164	583 560 427 359 164	593 609 432 441 166	2	+2 +9 +1 +19 +1	Jennings County Johnson County	313 361	211 313 361 398 224	215 331 365 414 232		+1 +1 +1 +1
Scott County Shelby County Stark County Stephenson County Tazewell County	97 322 94 170 570	97 321 94 169 569	100 335 99 188 588		+3 +4 +5 +11 +3	Lake County. Laporte County. Lawrence County. Madison County. Marion County*.	522 206 420 439 657	519 204 420 437 628	679 220 427 454 646		+30 +1 +1 +1 +1
Union County* Vermilion County (exclusive of) National Military Home Wabash County Warren County	517 757 165 183 275	503 751 165 183 275	508 808 165 192 281	i	$\begin{array}{c c} -2 \\ +7 \\ \hline +5 \\ +2 \end{array}$	Marshall County. Martin County Mismi County. Monroe County. Montgomery County.	371 146 247 350 420	371 146 245 350 419	383 146 253 356 433		+5 +2 +5 +6
Washington County Wayne County White County Whiteside County	177 275 220 489	176 273 220 488	182 281 227 499		+3 +2 +3 +2	Morgan County Newton County. Noble County. Ohio County. Orange County.	303 138 356 39 223	298 138 356 39 221	310 143 370 41 225		+5 +6 +6 +6 +1
Will County Williamson County Winnebago County Woodford County	482 701 215 223	478 699 213 223	499 716 225 239	2 2	$^{+4}_{+2}_{+4}_{+7}$	Owen County Parke County -Perry County Pike County Porter County	164 327 234 312 282	164 327 234 312 277	169 339 238 316 292		+5 +4 +4 +3 +4
— Adams County	233 343 433 164 203	233 340 431 164 203	245 354 438 184 209		+5 +3 +1 +12 +3	Posey County Pulaski County Putnam County Randolph County Ripley County		269 156 302 397 259	277 168 318 408 261	2	+6 +6 +6 +7
Boone County Brown County Carroll County Cass County* Clark County	390 90 232 288 304	388 90 231 283 303	392 92 243 289 309		$^{+1}_{+2}_{+5}^{+2}$	Rush County St. Joseph County Scott County Shelby County Spencer County	297 275 104 400 219	296 249 104 400 219	302 280 105 418 221		+2 +2 +3 +3 +4 +3
— Clay County Clinton County Crawford County Daviess County Dearborn County	432 442 161 329 313	429 438 161 329 312	438 457 164 333 323	1	+1 +3 +2 +1 +3	Starke County Steuben County Sullivan County Switzerland County Tippecanoe County	131 234 519 117 324	131 234 519 117 311	138 243 534 119 342		+8 +4 +8 +2 +6
Decatur County	264 317 342 238 503	261 315 342 238 498		1	+3 +3 +3 +1	Tipton County. Union County. "Vanderburg County* Vermilion County. Vigo County.	249 95 300 465 578	249 95 284 465 575	101 286 485		+3 +6 -5 +4 +1
Fayette County. Floyd County. Fountain County. Franklin County. Fulton County.	271 83 309 175 229	268 83 308 175 225	272 85 329 177 229	2 1	+6 +1 -1	Wabash County Warren County. Warrick County. Washington County.	376 120 295 203	376 120 295 203	382 137 298		+2 +14 +1
Gibson County Grant County (exclusive of) National Military Home. Greene County Hamilton County	414 446 153 525 381	414 436 153 524 380	153 537		+1 +1 +2 +2	Wayne County*.  Wells County. White County.  "Whitley County.  KANSAS.	411 252 247 196	398 251 247 195	257 263		-2 +2 +6 +4
Hancock County  Harrison County  Hendricks County  Henry County*  Howard County.	270 213 314 439 216	270 213 313 435 214	215 330 452		+6 +1 +5 +3 +1	Allen County	348 150 119 113 249	348 150 119 112 249	153 121 114		$^{+1}_{+2}$ $^{+2}$ $^{+1}$ $^{+1}$
Huntington County. Jackson County. Jasper County. Jay County. Jefferson County*	238 359 178 315 485	236 356 170 315 480	178   . 323   .		+3 +3	Bourbon County. Brown County. Builer County. Chase County	155 237 531 84 115	155 237 531 84 115	157 250 546 88		+1 +5 +3 +5 +1

TABLE I B.—DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1918—Continued.

		ทบ	MBER OF I	EATHS, 19	18.	Per		NU	MBER OF	DEATHS, 19	18.	Per
	AREA.	Includ- ing non- residents.	Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died in registration area outside.	Non- resi- dents not trans- ferable.	change, if cor- rected for trans- ferable and non- trans- ferable deaths of non- resi- dents.	AREA.	Including non- residents.	Excluding transferable nonresidents.	Excluding trans ferable nonresidents and including residents who died in registration area outside.	Non- resi- dents not	change, if cor- rected for trans- ferable and non- trans- ferable deaths of non- resi- dents.
	RURAL PART OF REGISTRATION STATES 2—Contd.						RURAL PART OF REGISTRATION STATES—Contd.					
	Kansas-continued.		4				KANSAS—continued.					
	Cherokee County Cheyenne County Clark County Clay County Clay County Cloud County	47 33 182 297	597 47 33 181 297	598 49 34 184 300		+4 +3 +1 +1	Pottawatomie County Pratt County Rawlins County Reno County Republic County	217 132 66 218 180	217 132 66 218 180	221 135 68 222 181		+2 +2 +3 +2 +1
	Coffey County Comanche County Cowley County Crawford County Decatur County	159 49 578 743 / 60	159 49 577 743 60	160 52 584 744 61		+1- +6 +1 +2	Rice County Riley County Rooks County Rooks County Rush County Rush County	203 248 82 76 95	203 248 82 76 95	206 254 83 78 96		+1 +2 +1 +3 +1
	Dickinson County. Doniphan County. Douglas County. Bdwards County. Elk County.	336 162 127 57 104	336 162 124 57 104	341 173 128 62 104	4	+1 +7 -2 +9	Saline County Scott County Sedgwick County Seward County Shawnee County *	369 30 177 99 418	369 30 177 99 418	379 30 188 100 419		+3 +6 +1
	Ellis County Ellsworth County Finney County Ford County Franklin County	201 136 140 221 312	201 136 140 221 312	143 221		+1 <sup>-</sup> +2 +3	-Sheridan County Sherman County Smith County Stafford County	35 46 145 145	35 46 145 145	36 47 147 145		+3 +2 +1
	Geary County	260 37 65 6 51	260 37 65 6 51	6		+1 +3	Stanton County	28 377 36 57	28 377 36	28 380 39 58		+1 +8 +2
	Greeley County	4 172 30 128	172 30 128	4 179 31 130		+4 +3 +2	Trego County	146 30 211	146 30 211	147 31 218		+2 +1 +3 +3
	Harvey County  Haskell County Fodgeman County Jackson County Jeferson County Jeweil County	318 11 24 189 192	318 11 24 189 192	11 24 194 194		+3 +1 +1	Wichita County	281 111 379	281 111 379	286 112 392		+2 +1 +3
;	Johnson County  Kearny County  Kingman County  Kiowa County  Labette County*	173 254 29 124 49 345	172 254 29 124 49 345	258 30 127		+1 +2 +3 +2 +4	Adair County Allen County Anderson County Ballard County -Barren County	276 231 157 147 497	276 231 157 147 497	158		$^{+2}_{+1}_{+1}$
j	Lane County Leavenworth County (exclusive of). National Military Home. Lincoln County Linn County	20 198 333 81 157	20 198 333 81 157	22 202 333 82		+10 +2 +1 +3	Bath County Bell County Boone County Bourbon County Boyd County.	177 493 106 299 591	177 493 106 299 590	496 108 305		+1 +1 +2 +2
	Logan County	23 360 263 228 259	23 360 263 228 259	364 265 230		+1 +1 +1 +1 +7	Boyle County. Bracken County. Breathitt County Breckinridge County. Bullitt County.	297 138 279 274 157	296 138 279 274 157	280 276		+4 +1 +1
1	Meade County Miami County * ditchell County dontgomery County dorris County	45 467 178 345 140	45 467 178 345 140	48 475 180 346		+7 +2 +1 +4	Butler County. Caldwell County. Calloway County. Campbell County. Carlisle County.	137 168 246 467 142	137 168 246 464 142	172 248 477		+4 +2 +1 +2 +3
ì	forton County Vemaha County Veosho County Vess County Vess County Vorton County	51 228 368 54 129	51 228 368 54 129	232 369 63		+2 +2 +17 +17	Carroll County	119 503 183 877 331	119 503 183 860 330	504 183 862	i	+1 
- (	Osage County Osborne County Uttawa County -awnee County Phillips County	233 139 110 99 107	233 139 110 99 107	140 113		+1 +1 +3 +3 +2	Clay County Clinton County Crittenden County Cumberland County Daviess County	202 48 172 105 322	202 48 172 105 322	176 105		+1

Table I B.—DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1918—Continued.

	NU	ABER OF D			Per	of this table, p. 96.]	NU	MBER OF I	EATHS 19		
AREA.	Includ- ing non- residents.	Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died in registration area outside.	Non- resi- dents not trans- ferable.	cent change, if cor- rected for trans- ferable and non- trans- ferable deaths of non- resi- dents.	AREA.	Includ- ing non- residents.	Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died in registration area outside.	Non- resi- dents not trans- ferable.	Per cent change, if corrected for transferable and non-transferable deaths of non-residents.
RURAL PART OF REGISTRATION STATES 2—Contd.						RURAL PART OF REGISTRATION STATES 2—Contd.				·	,
KENTUCKY—continued.		[ [				KENTUCKY—continued.	,				
Edmonson County Elliott County Estill County Fayette County —Fleming County.	132 134 178 162 231	132 134 178 161 231	133 134 178 165 233	i	+1 +1 +1 +1	Pendleton County Perry County Pike County Powell County Pulaski County	168 385 794 47 446	168 385 794 47 446	174 387 797 48 451		+4 +1 +2 +1
Floyd County. Franklin County Fulton County. Gallatin County. Garrard County.	279 145 293 52 189	279 140 293 52 189		i	-3 +2 +2 +1	Robertson County. Rockcastle County. Rowan County. Russell County. Scott County	174 109 299	58 234 174 109 299	56 234 174 110 300		
Grant County. Grayes County. Grayson County. Green County. Green County.	133 482 247 135 362	133 482 247 135 362	141 490 250 135 362		+6 +2 +1	Shelby County Simpson County Spencer County Taylor County Todd County	271 150 114 144 279	271 150 114 144 279	115 144		$^{+1}_{+1}_{+1}$
Hancock County Hardin County Harlan County Harrison County Harricon County	84 407 521 236 238	84 407 521 236 236	84 409 524 236 239		+1	Trigg County Trimble County Union County Warren County Warren County	222 49 342 534 191	222 49 342 534 191	543		+2 +2 +2 +1
Henderson County Henry County Hickman County Hopkins County Jackson County	245 174 152 565 104	241 174 152 565 104	176 155 573		$     \begin{array}{r}       -2 \\       +1 \\       +2 \\       +1 \\       +1   \end{array} $	Wayne County Webster County Whitley County Woife County Woodford County		131 320 395 128 234	400 129		$^{+1}_{+2}_{+1}_{+1}$
Jefferson County Jessamine County Johnson County Kenton County Knott County	981 242 260 208 144	971 241 260 208 144	243 260 220		+6	LOUISIANA. Acadia Parish	578 305 385 392	577 305 385 392	323 409		+1 +6 +6 +3 +4
Knox County Larue County Laurel County Lawrence County —Lee County	489 148 318 242 98	489 148 318 242 98	318 244		+1 +1 +1 +1	Avoyelles Parish  Beauregard Parish Bienville Parish Bossier Parish Caddo Parish Calcasieu Parish	393 314 214 262 567	392 314 214 262 565	408 340 225 283 591	1	+8 +5 +8 +4
Leslie County. Letcher County. Lewis County. Lincoln County. Livingston County.	151 275 244 308 139	151 273 230 308 139	273 233 311		+1 -1 -5 +1 +1	Caldwell Parish Cameron Parish Catahoula Parish Claiborne Parish Concordia Parish	268 161 43 165 265	268 161 43 165 265	163 43 174 269	1	+4 \ +1 +5 +1
Logan County Lyon County McCracken County McCreary County McCreary County	356 131 161 170 209	356 131 161 170 209	131 163 170		+1 +1 +1	De Soto Parish East Baton Rouge Parish East Carroll Parish East Feliciana Parish* Evangeline Parish	467 415 196 336 195	467 387 196 336 194	489 398 201 349		+5 -4 +3 +4 +4
Madison County Magoffin County Marion County Marshall County Martin County	381 154 297 177 99	381 154 296 177 99	156 299 178		+1 +1 +1 +1	Franklin Parish Grant Parish Iberia Parish Iberville Parish Jackson Parish	296 167 607 717 192	296 166 606 716 192	303 172 620 747		+2 +3 +2 +4 +3
Mason County Meade County Menifee County Mercer County Mercalfe County	287 152 60 221 111	287 152 60 220 111	153 60 223		+1 +1 +1	Jefferson Parish	330 •214 70 510 572	327 214 70 510 572	394 222 71 519		+19 +4 +1 +2 +6
Monroe County Montgomery County Morgan County Mulenberg County Nelson County	192 212 239 567 293	192 212 239 567 293	218   - 240   - 570   -		+1 +3 +1 +2	Lincoln Parish. Livingston Parish. Madison Parish Morehouse Parish Natchitoches Parish.	193 107 93 283 500	193 107 93 281 499	120 101 289		+4 +12 +9 +2 +4
Nicholas County Ohio County Oldham County Owen County Owen County	142 399 110 131 89	142 399 110 131 89	404 113 132		+3 11	Ouachita Parish. Plaquemines Parish. Pointe Coupee Parish. Rapides Parish* Red River Parish	217 221 412 719 131	217 221 412 714 130	232   - 441   - 734   -		+2 +5 +7 +2 +7

TABLE I B.—DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1918—Continued.

		מטא	BER OF D	EATHS, 191	8.	Per	1	NU	ABER OF D	EATHS, 191	18.	Per
	AREA.	Includ- ing non- residents.	Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died in registration area outside.	Non- resi- dents not trans- ferable.	cent change, if cor- rected for trans- ferable and non- trans- ferable deaths of non- resi- dents.	. AREA.	Including non- residents.	Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died in registration area outside.	Non- resi- dents not trans- ferable.	change, if corrected for transferable and non-transferable deaths of non-residents.
	RURAL PART OF REGISTRATION STATES 2—Contd.						RURAL PART OF REGISTRATION STATES2—Contd.					
-	LOUISIANA—continued.  Richland Parish Sabine Parish St. Bernard Parish St. Charles Parish St. Helena Parish	324 221 107 195 81	324 220 107 194 81	333 228 124 204 86		+3 +3 +16 +5 +6	MASSACHUSETTS.  Barnstable County. Berkshire County. Bristol County. Dukes County. Essex County.	546 623 1,079 84 1,805	519 596 1,003 78 1,629	564 697 1,176 84 1,884	1 1	+3 +12 +9 +4
	St. James Parish St. John the Baptist Parish St. Landry Parish St. Martin Parish St. Marty Parish		419 300 989 313 780	447 312 1,017 319 822		+6 +4 +3 +2 +5	Franklin County. Hampden County*. Hampshire County. Middlesex County*.	700 1,123 713 2,768	662 910 679 2,322	738 1,106 814 2,736	<u>1</u>	+5 -2 +14 -1
	St. Tammany Parish		282 407 249 469 227	340 469 257 497 232	1	+21 +15 +3- +6 +2	Nantucket County Norfolk County* Plymouth County*	}	70 2,012 1,549 2,350	76 2,349 1,765 2,700	11	+1 +9 +7 -1
	Vermilion Parish Vernon Parish Washington Parish Webster Parish	303	393 193 335 256	401 202 358 267	1	+2 +5 +7 +4	Alcone County Alger County Allegan County Alpena County Antrim County	100 226	63 84 539 100 226	. 68 . 86 . 551 102 230		+6 +2 +2 +2 +2 +2
	West Baton Rouge Parish West Carroll Parish West Feliciana Parish Winn Parish	179 149 177 160	179 149 177 160	186 152 • 186 165		+4 +2 +5 +3	Arenac County Baraga County Barry County Bay County ¬Benzie County	111 71 317 276 118	111 71 317 276 118	113 75 323 280 118		+1
	MAINE. Androscoggin County Aroostook County. Cumberland County Franklin County Hancock County	1 997	288 1,448 996 325	318 1,467 1,045 352		+10 +5 +8 +2	Berrien County . Branch County . Calhoun County . Cass County . Charlevoix County .	889 458 543 328 225	881 456 540 326 224	919 468 546 338 234		+1
	Kennebec County (exclusive of) National Military Home. Knox County Lincoln County		574 592 122 589 277	592 626 122 597 291		+6 +6 +5	Cheboygan County Chippewa County Clare County Clinton County Crawford County	221 150 98 353 57	220 150 98 353 56	227 153 99 362 57		
	Oxford County Penobscot County Piscataquis County Sagadahoc County	1	682 1,040 353 421	708 1,081 370 436	1	+3 +4 +3 +3	Delta County Dickinson County Eaton County Emmet County Genesee County	215 233 460 335 514	214 231 458 309 508	228 234 469 311 518	1 1	+6 +2 -7 +1
	Somerset County Waldo County Washington County York County	720 438 733 887	677 436 727 879	696 445 753 930		-3 +2 +3 +5	Gladwin County Gogebic County Grand Traverse County Gratiot County Hillsdale County	99 275 96 486	98 275 96 486 428	99 283 97 494 437	i	+3 +1 +2 +2
	MAEYLAND.  Allegany County Anne Arundel County* Baltimore County* Calvert County Caroline County	815 1,151 3,325 190 388	810 1,143 3,188 190 387	840 1,211 3,506 202 393	9		Houghton County. Huron County Ingham County Ionic County* Iosco County*	440 415 502 132	1,004 439 403 498 131	1,015 444 408 509 132		$\begin{array}{c c} +1 \\ -2 \\ +1 \end{array}$
	Carroll County* Cecil County Charles County Dorchester County* Frederick County*	I .	663 514 346 661 847	700 530 376 676 862	1	-3 +3 +9 +1 +2	Iron County Isabella County Jackson County Kalamazoo County	i	209 340 380 329 83	211 342 · 391 340 86		+1 +1 +4
	Garrett County Harford County Howard County Kent County Montgomery County	268	267 582 285 370 545	280 629 325 388 612	1	+4 +8	Kewenaw County Lake County Lapeer County* Leelanau County.	58 427 122	864 66 58 426 122	882 67 58 435 123		+2 +2 +1
	Prince Georges County	690 328	689 328 281 502	. 771 335 293 520	2	+11 +2 +4 +4	Lenawee County Livingston County* Luce County* Mackinae County  - Macomb County	301 226 113 511	647 301 226 111 505	657 303 228 113 515		+I +I
	Talbot County. Washington County. Wicomico County. Worcester County.	ļ	432 493 592 404	446 505 601 412	•		Manistee County Marquette County Mason County Mecosta County Menominee County	159 296 303 256 173	156 295 303 256 173	159 307 310 261 176	2	1 +2

Table I B.—DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1918—Continued.

	טוא	MBER OF I	PEATHS, 19	18.	Per		שות	MBER OF I	EATHS, 19	18.	Per
AREA.	Includ- ing non- residents.	Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died in registration area outside.	Non- resi- dents not trans- ferable.	change, if cor- rected for trans- ferable and non- trans- ferable deaths of non- resi- dents.	AREA.	Including non- residents.	Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died in registration area outside.	Non- resi- dents not trans- ferable.	change if cor- rected for trans- ferable and non- trans-
RURAL PART OF REGISTRATION STATES 2—Contd.						RURAL PART OF REGISTRATION STATES 2—Contd.					
MICHIGAN—continued.						MINNESOTA—continued.	į į				
Midland County Missaukee County Monroe County Monroe County Montealm County.  Montealm County.	264 139 480 499 48	261 139 478 498 48	263 144 491 508 48	1	$^{+4}_{+2}_{+2}$	Lyon County. McLeod County. Mahnomen County. Marshall County. Martin County.	245 177 54 228 219	238 177 54 226 216	253 195 64 237 230		+3 +10 +19 +4 +5
Muskegon County. Newaygo County Oakland County Oceana County Ogemaw County	290 231 622 227 95	288 231 612 227 95	295 235 647 233 96		+2 +2 +4 +3 +1	Meeker County. Mille Lacs County Morrison County. Mower County Mower County Murray County	170 169 305, 284 117	168 155 289 283 116	187 162 302 294 119	1 2 1	+10 -5 -2 +3 +2
Ontonagon County Osceola County Oscoda County Otsego County Ottawa County	136 224 17 92 464	136 224 17 92 463	141 228 18 92 469		$^{+4}_{+2}_{+6}$	Nicollet County*. Nobles County. Norman County. Olmsted County*. Otter Tail County*.	332 167 147 1,032 847	327 163 146 682 811	341 166 166 698 830	207 12	$\begin{array}{r} +2\\ -1\\ +13\\ -52\\ -3 \end{array}$
Presque Isle County Roscommon County Saginaw County St. Clair County St. Joseph County	129, 30 460 498 413	129 30 460 497 413	134 30 479 510 422	1 1	+4 +4 +2 +2	Pennington County Pine County Pipestone County Polk County Pope County	135 218 115 448 135	117 211 115 419 130	125 236 120 435 144	3 1 2 1	-10 +7 +3 -3 +6
Sanilac County Schoolcraft County Shiawassee County Tuscola County*	338 118 610 556	338 116 609 555	352 119 619 568		$^{+4}_{+1}_{+1}_{+2}$	Ramsey County Red Lake County Redwood County Renville County Rice County	97 103 193 207 426	86 103 191 207 414	140 109 208 235 435	1 2	+43 +6 +8 +14 +2
Van Buren County	529 481 2,794 315	521 470 2,755 315	531 487 2,844 318	1	+1 +2- +1	Rock County Roseau County St. Louis County Scott County Sherburne County	110 133 1,229 165 113	107 131 1,158 160	113 143 1,296 177	1	+2 +8 +5 +7 +13
Aitkin County Anoka County* Becker County Beltrami County Benton County	158 246 241 352 120	155 238 228 328 120	172 260 246 346 131	2 1 5	+8 +5 +2 -3 +9	Sibley County Stearns County Steele County Steevens County	124 491 205 106	112 124 488 195 106	128 140 532 208 119	1	+13 +12 +8 +1 +12
Big Stone County.  Blue Earth County. Brown County. Carlton County. Carver County.	128 177 301 446 193	120 172 267 440 193	125 200 281 506	3	-5 +13 -8 +13 +11	Swift County Todd County -Traverse County Wabash County	178 241 63 281	177 240 62 271	186 256 69 290	1 1 1	+4 +6 +8 +3
Cass County * Chippewa County. Chisago County Clay County Clearwater County	209 178 155 275 71	160 158 154 259 70	181 168	1	-14 -6 +17 +4 +13	Wadena County Waseca County Washington County Watonwan County Wilkin County	153 127 188 129	139 126 187 122	142 141 212 135	1	-8 +11 +12 +5
Cook County Cottonwood County Crow Wing County. Dakota County* Dodge County.	13 168 406 379 141	12 167 366 359	12 173 394 407	1 5 2	-8 +2 -4 +7 +11	Wilkin County. Winona County. Wright County Yellow Medicine County.  MISSOURI.	175 335 168	106 175 330 164	115 189 361 187	12	-9 +8 +8 +8
Douglas County. Faribault County Filmore County Freeborn County Goodhue County	218 259 305 236 369	212 259 305 233 351	232 279 325 239 376	7	+11 +6 +8 +7 -2 +2	-Adair County Andrew County Atchison County Audrain County Barry County.	332 215 104 304 227	326 209 104 302 227	309	3 5	$     \begin{array}{r}       -2 \\       +2 \\       +12 \\       +2    \end{array} $
Grant County  -Hennepin County.  Houston County  Hubbard County  Isanti County	101 347 173 116 152	100 343 173 115 149	111 414 178 124 163	1 1 1	+9 +19 +3 +6 +7	Barton County Bates County Benton County Bollinger County Boone County	196 353 172 114 427	195 353 172 114 427	358 175	1	$     \begin{array}{r}     -1 \\     +1 \\     +2 \\     +1 \\     +1   \end{array} $
Itasea County Jackson County Kanabee County Kandyohi County Kittson County	224 139 57 288 92	216 137 57 271 92	247 145 69 284 102	2	$^{+10}_{-4}$ $^{+21}_{-2}$ $^{+11}$	_Buchanan County . Butler County . Caldwell County . Calloway County * Camden County .	211 543 168 458 77	206 543 168 446 77	546 175 452		+4 +1 +4 -1
Koochiching County Lac qui Parle County Lake County Le Sucur County Lincoln County	131 148 106 195 124	113 145 100 193 124	129 150 104 215 131	4 2 1		Cape Girardeau County Carroll County Carter County Cass County Cedar County Cedar County	436 347 103 245 176	432 347 103 245 176	351 103 252		+1 +3 +3

TABLE I B.—DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1918—Continued.

	וטא	ABER OF D	EATHS, 191	8.	Per cent		אטא	BER OF D	EATHS, 191	8.	Per
ABEA.	Includ- ing non- residents.	Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died in registration area outside.	Non- resi- dents not trans- ferable.	change, if cor- rected for trans- ferable and non- trans- ferable deaths of non- resi- dents.	AREA.	Includ- ing non- residents.	Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died in registration area outside.	Non- resi- dents not trans- ferable.	change, if cor- rected for trans- ferable and non- torable
RURAL PART OF REGISTRATION STATES 2—Cond.						RURAL PART OF REGISTRATION STATES 2—Contd.					
MISSOURI—continued.  —Chariton County.  Christian County.  Clark County.  Clay County.  Clinton County.	308 118 141 396 191	308 118 141 376 191	318 119 145 383 205	1 20	+3- +1 +3 -8 +7	MISSOURI—continued.  -Ripley County St. Charles County St. Clair County St. Francois County* St. Louis County*	95 305 159 575 1,591	95 303 159 574 1,520	96 313 160 584 1,572	4	$+3 \\ +1 \\ +2$
Cole County	91 286 126 161 61	91 286 126 161 61	93 291 131 163 61		+2 +2 +4 +1	Ste. Genevieve County Saline County Schuyler County Scotland County Scott County	129 447 98 108 370	129 447 98 108 370	131 461 99 110 375		$\begin{array}{c c} +3 \\ +1 \\ +2 \end{array}$
Daviess County Dekalb County Dent County Douglas County Dunklin County	197 135 143 95 944	197 135 143 95 944	206 140 145 95 952		+1	Shannon County Shelby County Stoddard County Stone County Stone County Sullivan County	113 168 409 98 253	113 168 409 98 253	113 170 416 101 258		$\begin{array}{c c} +1 \\ +2 \\ +3 \end{array}$
Franklin County Gesconade County Gentry County Greene County Greundy County		394 160 161 331 225	408 164 173 334 229	i		Taney County Texas County Vernon County * Warren County Warshington County	75 209 611 103 201	75 209 602 103 201	75 210 605 105 204	1	-1 +2
Harrison County Henry County Hickory County Holt County Holt County Howard County	247 285 85 162 182	247 285 85 162 182	262 290 85 176 189		+9	-Wayne County Webster County Worth County Wright County	170 172 66 197	170 172 66 197	176 173 69 201		+1 +5
Howell County Iron County Jackson County Jasper County Jasper County Jefferson County	216 82 589 666 413	216 82 587 658 413	216 83 616 671 431	4 3	+4	MONTANA.  Beaverhead County. Big Horn County Blaine County Broadwater County. Carbon County.	90 25 124 42	87 25 124 42	101 28 133 50		$\begin{array}{c c} +12 \\ +7 \\ +19 \end{array}$
Johnson County  Knox County  Laclede County  Lalayette County  Lawrence County		290 102 150 489 356	304 105 153 505 358		+5 +3 +2 +3 +1	Carbon County	1	39 192 159 246	246 39 258 180 254	12	-2 +31 +13 -12
Lewis County. Lincoln County. Linn County. Livingston County. McDonald County	J	157 200 375 287 90	167 207 384 289 91		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Dawson County.  Deer Lodge County*. Fallon County. Fergus County. Flathead County. Gallatin County.		206 239 38 246 279	221 240 47 270 294	10 2	-5 +24
Macon County Madison County Maries County Marion County Mercer County	154 82 166 91	82 166 91	92		+1 +1 +2 +1	Granite County Hill County Jefferson County Lewis and Clark County	86 222 78 116	.250 84 218 77 114 75	101 235 94	1 2	+16 +5 +21 +28
Miller County Mississippi County Moniteau County Monroe County Montgomery County	161 214 234	140 226 161 214 234	227 163 220 238		+1 +3 +2	Lincoln County  Madison County  Meagher County  Mineral County  Missoula County  Musselshell County	85 37 14	82 36 11 101	97 46 26 128	2	+14 +24
Morgan County New Madrid County Newton County Nodaway County Oregon County	385 329 116		279 391 345 116		+1 +2 +5	Park County Phillips County Powell County Prairie County	186 88 98 28	177 84 98 26	187 96 111 28	1	+9 +12
Osage County	129 91 475 170	170 117	171 118		+1 +1 +1 +1 +1	Ravalli County  Richland County Rosebud County Sanders County Sheridan County	134 120 45 269	130 114 43 267	141 128 57 287	i	+5 +6 +27 +6
Phelps County Pike County Platte County Polk County Pulaski County	269 170 218 113	269 170 218	280 181 220		+4 +6 +1 +2	Silver Bow County	394 101 55 185	99 55 177	105 59 209		$\begin{array}{ccc} & +4 \\ +7 \\ +12 \end{array}$
Putnam County Ralls County Randolph County Bay County Reynolds County	131	131 190 303	196 312		+3 +3 +3	Valley County Wheatland County Wibaland County Wibalant County Y ellowstone County	1	135 84 28	145 85 32	1	-5 +1 +14

TABLE I B.—DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1918—Continued.

	NU	MBER OF I	DEATHS, 19	18.	Per cent		NU	MBER OF I	EATHS, 19	18.	Per
AREA.	Including non-residents.	Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died in registration area outside.	Non- resi- dents not trans- ferable.	change, if cor- rected for trans- ferable and non- trans- ferable deaths of non- resi- dents.	AEEA.	Including non- residents.	Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died in registration area outside.	Non- resi- dents not trans- ferable.	change if cor- rected for trans- ferable and non- trans- ferable deaths of non- resi- dents.
RURAL PART OF REGISTRATION STATES 2—Contd.						RURAL PART OF REGISTRATION STATES 2—Contd.					,
NEW HAMPSHIRE.						NEW YORK—continued.			'		
Belknap County Carroll County Cheshire County Coos County Grafton County	235 308 351 329 827	226 293 348 314 782	250 315 386 333 809	2	$^{+6}_{+2}_{+10}$ $^{+1}_{-2}$	Otsego County Putnam County Rensselaer County Rockland County St. Lawrence County	199	949 194 615 798 1,342	969 213 698 839 1,431	1 3 2	+ +1 -1 -
Hillsborough County Merrimack County Rockingham County Strafford County Sullivan County	702 664 784 508 380	577 578 759 491 371	634 656 809 509 384	1 1 1	-10 -1 +3 +1	Saratoga County Schenectady County Schoharie County Schuyler County Seneca County *	870 324 446 255 862	843 296 4 <b>3</b> 7 246 851	954 319 471 257 880	1	+10 · ~: +1
NEW JERSEY.  Atlantic County. Bergen County. Burlington County.  Camden County.	623 2,328 1,543 1,328	613 2,238 1,508 1,214	643 2,576 1,587 1,307	12 3 4 3 6	$^{+1}_{+11}$ $^{+3}_{-2}$	Steuben County Suffolk County* Sullivan County* Tioga County	1, 192 2, 848 744 444	1,173 2,788 562 435	1,220 2,868 617 466	1 1 8 4	+ + -1! +
Cape May County.  Cumberland County Essex County * Gloucester County Hudson County *	705 1,490 933 1,454	294 592 1,265 922 1,395	308 612 1,402 971	7 2 1	-16 -14 -6 +4 +5	Tompkins County Ulster County Warren County	1	333 977 278 895	369 1,081 312 973	1	+10 +10 +10
Hunterdon County * Mercer County Middlesex County Monmouth County	583 760 1,636 1,428	582 739 1,608 1,352	1,526 622 813 1,814 1,502	1 2	+7 +7 +7 +11 +5	Wayne County Westchester County Wyoming County Yates County NORTH CAROLINA.	821 1,586 495 304	1,517 492 303	1,705 523 320	i	+6 +6 +6
-Morris County * Ocean County. Passaic County. Salem County.	1,607 365 780 706	1,570 335 775 687	1,739 357 870 730	3 7 3 7	+8 4 +11 +2	Alamance County. Alexander County Alleghany County Anson County Ashe County	503 146 57 362 173	502 146 57 361 173	57 361		+1
Somerset County * Sussex County Union County Warren County  NEW YORK.	932 588 1,145 553	914 585 1,029 553	997 614 1,202 585	1	+7 +4- +5 +6	Avery County. Beaufort County Bertie County. Bladen County. Brunswick County.	112 568 433 304 250	112 567 433 304 250	112 572 439 304		+1 +1
Albany County Allegany County Broome County Cattaraugus County Cayuga County	596 603 751 919 510	586 593 727 884 505	943	2 3	+12 +6 +1 +2 +7	Buncombe County Burke County* Cabarrus County Caldwell County Camden County	346 387 600 264 60	345 386 600 264 60	347 388 601 264	1 .	
Chautauqua County Chemung County Chenango County Clinton County Columbia County	903 346 715 657 583	892 342 703 648 578	000	2	+5 +7 +3 +4 +5	=Carteret County Caswell County Catawba County Chatham County Cherokee County	305 246 399 336 107	305 245 399 336 107	308 245 400 338		+1
Cortland County Delaware County -Dutchess County * Eric County * Essex County*.	297 763 1,652 1,692 740	294 756 1,606 1,621 663	326 783 1,674 1,825 708	2 8 4	+9 +3 +1 +7 -5	Chowan County Clay County Cleveland County Columbus County Craven County.	211 52 486 506 652	211 52 486 506 650	213 53 487 508		+1 +2
Franklin County * Fulton County Genesee County Greene County Hamilton County	1,095 252 401 578 82	946 238 396 562 82	617	6	-12 +2 +9 +7 +10	-Cumberland County Currituck County Dare County Davidson County Davie County	903 67 70 401 175	898 67 70 400 175	898 67 70 403		-1
Herkimer County Jefferson County Lewis County Livingston County* Madison County	1,008 895 482 883 740	997 870 478 796 712	1,047 937 512 836 746	2 2 1 2		Duplin County Durham County. Edgecomb County Forsyth County. Franklin County.	435 406 692 495 508	435 406 692 495 508	436 406 694		· · · · · · · · · · · · · · · · · · ·
Monroe County Montgomery County Nassau County Niagara County Oneida County	1,085 492 1,803 457 1,153	973 488 1,764 438 1,118	1,082 520 1,915 482 1,239	2		Gaston County	907 101 48 347 312	907 101 48 347 312	909 101 48 348		
Onondaga County Ontario County Orange County Orange County Orleans County Oswego County	1,326 748 1,394 498 668	1, 255 704 1, 328 487 640	1,363 736 1,419 517 683	1 1 3	12	Guilford County Halifax County Harnett County Haywood County Henderson County	1,010 873 444 332 256	1,007 872 444 332 252	1,014 875 446	3	

#### DEATHS OF NONRESIDENTS.

TABLE I B.—DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1918—Continued.

[See note at head of this table, p. 96.]

•	י אט.	mber of i	DEATHS, 19	18.	Per cent	-	שמ	MBER OF I	DEATHS, 19	18 -	Per cent
AREA.	Includ- ing non- residents.	Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died in registration area outside.	Non- resi- dents not trans- ferable-	change, if cor- rected for trans- ferable and non- trans- ferable deaths of non- resi- dents.	AREA	Includ- ing non- residents.	Excluding transferable nomesidents.	Excluding transferable nonresidents and including residents who died in registration area outside.	Non- resi- dents not trans- ferable.	change, if cor- rected for trans- ferable and non- trans- ferable deaths. of non- resi- dents.
RURAL PART OF REGISTRATION STATES 2—Contd.						RURAL PART OF REGISTRATION STATES 2—Contd.					•
NORTH CAROLINA—continued.			•			OHIO—continued.			400		
—Hertford County Hoke County Hyde County Iredell County Jackson County	304 194 138 550 162	303 190 138 548 162	306 191 138 551 162	`	+1° -2	-Coshocton County Crawford County Cuyahoga County Darke County Defiance County	420 509 1,258 589 310	420 506 1,236 589 310	423 513 1,294 595 312	1	+1 +1 +3 +1 +1
Johnston County Jones County Lee County Lenoir County Lincoln County	730 109 210 661 203	729 109 210 661 203	731 109 212 663 204			Delaware County Erie County. Fairfield County Fayette County. Franklin County.	376 362 319 340 668	372 360 318 340 657	378 366 325 349 695		$^{+1}_{+2}_{+3}_{+4}$
McDowell County Macon County Madison County Martin County Martin County Mecklenburg County	278 158 236 372 429	278 157 236 372 429	279 158 238 373 430	1 1	_i	Fulton County. Gallia County*. Geauga County Greene County. Guernsey County.	304 604 224 509 441	304 602 223 508 441	311 607 233 528 444		+2 +4 +4 +1
Mitchell County Montgomery County Moore County Nash County New Hanover County	1/0	148 156 257 782 111	148 159 260 782 111	1	+2 -1	Hamilton County Hancock County Hardin County Harrison County Harrison County Henry County	944 231 441 297 263	942 231 441 297 263	1,022 238 446 303 267		+8 +3 +1 +2 +2
Northampton County. Onslow County. Orange County. Pamileo County. Pasquotank County.		363 226 263 217 420	369 228 264 219 426		+1	Highland County Hocking County Holmes County Huron County Jackson County	378 424 209 570 464	378 424 209 568 464	380 432 212 580 473		+1 +2 +1 +2 +2
Pender County Perquimans County Person County Pitt County Polk County.		269 221 309 842 85	270 222 313 849 86	1	.  +1	Jefferson County. Knox County. Lake County Lawrence County Licking County	836 470 428 461 406	834 470 428 461 406	875 481 442 462 421		+5 +2 +3 +4
Randolph County Richmond County Robeson County Robeson County Rockingham County Rowan County	384 455 818 700 617	384 455 818 700 616	385 461 826 702 619		+1	Logan County Lorain County Lucas County Madison County Mahoning County	378 449 388 301 918	374 449 385 301 917	385 472 393 319 948	1 1	+2 +5 +1 +6 +3
Rutherford County	462	460 614 342 429 248	461 615 343 430 248			Marion County. Medina County. Meigs County. Mercer County Miami County		204 367 418 323 460	207 382 422 328 475		$ \begin{array}{r} -1 \\ +4 \\ +1 \\ +2 \\ +2 \end{array} $
Surry County Swain County Transylvania County Tyrrell County. Union County.	510 158 90	510 158 90 75 505	512 160 91 75 505		+1 +1	-Monroe County Montgomery County (exclusive of) National Military Home Morgan County Morrow County Morrow County	265 859 365 221 174	265 854 365 217 174	268 883 365 222 182		+5
Vance County Wake County Warren County Washington County Watauga County		429 761 448 249 153	433 769 450 250 153		+1	Muskingum County Noble County Ottawa County Paulding County Perry County	424 247 323 228 490	421 247 322 228 490	429 249 326 236 506		+1 +1 +1 +4 +3
Wayne County* Wilkes County Wilson County Yadkin County Yadkin County Yancey County	1,043 355 699 214	1,040 355 699 214	1,045 356 703 214		+1	Pickaway County  —Pike County Portage County Preble County Putnam County	342 383	418 226 522 342 383	432 228 536 350 392		+3 +1 +3 +2 +2
Yancey County:	148	148	148			Richland County Ross County Sandusky County	360 403 528	359 403 528	366 408 540		$^{+2}$ $^{+1}$ $^{+2}$ $^{+1}$ $^{+1}$
A dama Country	308	308	310		. +1	Scioto County Seneca County	582	582 442	588 448		+1 +1
Allen County *. Ashland County Ashta bula County Athens County *.	387 340 688 885	382 340 687 885	310 387 348 696 915	1	+2 +1 +3	Shelby County.—Stark County* Summit County Trumbull County Tuscarawas County.	347	347 952 1,052 845 935	352 979 1,070 884 945		+1 +2 +1 +5 +1
Auglaize County Belmont County Brown County Brown County Carroll County	294 350 213	313 1,191 294 350 212	322 1,225 298 357 216	1	+1 +2 +1	Union County. Van Wert County. Vinton County. Warren County. Washington County.	272 329 211	272 328 211 394 342	282 331 214 416 349		+4 +1 +1 +6 +2
Champaign County Clark County Clermont County Clinton County Clinton County Columbiana County	343	390 333 483 391 989	410 338 493 399 1,010		$\begin{array}{c c} -1 \\ +2 \\ +2 \\ +2 \\ +2 \end{array}$	Wayne County.  Williams County.  Wood County.  Wyandot County.	598 316 597	594 315 597	601 324 610		+1 +3 +2

Table I B.—DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1918—Continued.

		NU	MBER OF I	DEATHS, 19	18.	Per		NU	MBER OF	DEATHS, 19	18.	Per
	AREA.	Including non-residents.	Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died in registration area outside.	Non- resi- dents not	change, if cor- rected for trans- ferable and non- trans- ferable deaths of non- resi- dents.	AREA.	Including non-residents.	Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died in registration area outside.	Non- resi- dents not trans- ferable	change, if cor- rected for trans- ferable and non- trans- ferable deaths of non- resi- dents.
	RURAL PART OF REGISTRATION STATES 2—Contd.						RURAL PART OF REGISTRATION STATES 2—Contd.			,		
	OREGON.  Baker County Benton County Clackamas County Clatsop County Columbia County	237 113 379 342 105	223 103 361 307 105	234 116 407 319 130	1 1 4	-2 +3- +7 -8 +24	PENNSYLVANIA—continued.  Huntingdon County. —Indiana County. Jefferson County Juniata County. Lackawanna County.	808 1,539 1,296 210 2,121	802 1,539 1,272 210 2,120	827 1,574 1,301 217 2,211	30	+2 +2 +3 +4
-	Coos County. Crook County. Curry County. Deschutes County. Douglas County.	283 28 10 121 251	276 28 10 113 242	286 33 11 117 258	1	+18 +18 +10 -3 +2	Lancaster County Lawrence County Lebanon County Lehigh County* Luzerne County	1,885 736 738 1,673 4,920	1,882 736 738 1,635 4,894	1, 935 754 769 1, 661 4, 966	1	+3 +2 +4 -1 +1
	Gilliam County Grant County Harney County Hood River County Jackson County	20 78 39 118 263	20 75 39 106 241	40 115	1	+10_ +9 +3 -3 -5	Lycoming County  Mc Kean County  Mercer County  Mimin County  Monroe County	833 494 969 660 541	833 493 967 659 541	980 662		· +9 +6 +1 +2
	Jefferson County Josephine County Klamath County Lake County Lane County	22 118 204 19 390	19 113 197 19 385	117 202 20		-9 -1 -1 +5 +3	Montgomery County Montour County* Northampton County Northumberland County Perry County	2,709 433 1,642 1,536 381	2,664 412 1,639 1,536 381	1.670		$^{+2}$ $^{-3}$ $^{+2}$ $^{+1}$ $^{+2}$
	Lincoln County Linn County Malheur County Marion County*	57 254 84 507	56 241 84 500	61 250 89 530	6	+7 -2 -1 +5	Pike County  Potter County Schuylkill County* Snyder County	116 381 4,333 280	116 381 4,331 280	390 4, 495		+12 +2 +4
	Morrow County Multnomah County Polk County Sherman County	47 168 135 33	44 156 130 32	48 197 146 36	5	+2 +14 +8 +9	Somerset County. Sullivan County. Susquehanna County Tioga County	1,510 140 632 665	1,501 140 630 665	670		+4 +7 +6 +5
	Tillamook County Umatilla County* Union County Wallowa County	76 321 185 82	75 313 171 82	81 331 179	2 6	+7 +2 -6 +5	Union County. Venango County*. Warren County*. —Washington County.		274 672 581 3,196	3,346	2	+3 +4 +3 +3
	Wasco County Washington County Wheeler County Yamhill County	165 211 19 223	149 207 19 221	155	·····i	-6 +11 +16 +8	Wayne County. Westmoreland County. Wyoming County. York County.  RHODE ISLAND.	503 4,669 268 1,340	500 4,662 268 1,338	4,795 282 1,385	3	+5 +3 +5 +3
	PENNSYLVANIA.						Bristol County	414	414	473		+14
	Adams County Allegheny County Armstrong County Beaver County Bedford County	9,046 1,503 2,049 553	479 8,999 1,502 2,045 552	9,424 1,547 2,098	5	+3 +4 +3 +2 -6	Kent County. Newport County. Providence County. Washington County. SOUTH CAROLINA.	147 183 889 539	147 183 753 539	178 214 884		+21 +17 -1 +6
	Berks County* Blair County Bradford County Bucks County Butler County	2,042 1,161 1,133 1,593 848	2,032 1,149 1,093 1,588 848	1,177 1,115 1,678	2	$^{+4}_{-1}$ $^{-2}$ $^{+5}$	Abbeville County Aiken County Anderson County Bamberg County Barnwell County	400 686 1,163 345 436	400 686 1,163 345 436	1, 167 345		••••••
	Cambria County Cameron County Carbon County Center County Chester County	2,866 139 1,188 885 1,667	2,827 139 1,178 877 1,662	154 1, 191	7	+2 +11 +5	Beaufort County Berkeley County Calhoun County Charleston County Cherokee County	547 555 439 832 402	547 555 439 832 402	439 832		
	Clarion County  Diearfield County  Clinton County  Columbia County  Crawford County	566 1,525 611 825 776	565 1,523 604 820 772	1,556 610 827		+4- +2 +2	Chester County Chesterfield County Clarendon County Colleton County Darlington County	473 402 794 356 789	473 402 794 356 789	796 357		
	Cumberland County.  Dauphin County*.  Delaware County  Elk County  Erie County	818 1,353 2,227 642 931	818 1,353 2,184 633 918	1,390 2,300 646	2	+3 +3 +3 +2	Dillon County Dorchester County Edgefield County Fairfield County Florence County	372 244 271 348 1,073	372 244 271 348 1,073	244 271		
	Fayette County Forest County Franklin County* Fulton County Greene County	3,250 92 928 133 460	3,242 92 928 133 460	95 938 133		+2 +3 +1 +2	Georgetown County	570 932 567 451 610	570 932 567 451 610	570 934 570 451		+1

TABLE I B.—DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1918—Continued.

	יטוני	MBER OF D	EATHS, 191	18.	Per cent		NU	MBER OF I	EATHS, 191	18.	Per
AREA.	Includ- ing non- residents.	Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died in registration area outside.	Non- resi- dents not trans- ferable.	change, if cor- rected for trans- ferable and non- trans- ferable deaths of non- resi- dents.	AREA.	Includ- ing non- residents.	Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died in registration area outside.	Non- resi- dents not trans- ferable.	change if cor- rected for trans- ferable and non- trans- ferable deaths of non- resi- dents.
RURAL PART OF REGISTRATION STATES -Contd.						RURAL PART OF REGISTRATION STATES2—Contd.		;			
SOUTH CAROLINA—continued.			- 01			TENNESSEE—continued.			201		
Jasper County	187 405 539 659 643	187 405 539 659 643	187 407 539 665 644			Lawrence County Lewis County. Lincoln County Loudon County McMinn County	287 58 335 214 337	287 58 335 214 337	287 59 335 219 342		++++
Lexington County McCormick County Marion County Mariboro County Newberry County		485 192 481 852 573	486 192 481 853 575			McNairy County Macon County Madison County Marion County Marion County Marshall County	266 205 326 199 309	266 205 326 199 309	267 208 327 200 310		+
Oconee County	472 1,296 378 543 276	472 1,296 378 543 276	473 1,298 380 544 277		+1	Maury County Meigs County Monroe County Montgomery County Moore County	611 56 274 551 70	611 56 274 551 70	620 58 .278 555 70		+++++++++++++++++++++++++++++++++++++++
 Spartanburg County Sumter County Union County Williamsburg County York County	1,035 1,072 382 806 805	1,035 1,072 382 806 805	1,035 1,075 385 806 805			Morgan County Obion County Overton County Perry County. Pickett County	245 458 146 86 45	245 458 146 86 45	246 465 148 87 45		+ + +
TENNESSEE.  Anderson County Bedford County Benton County	228 320	228 320	233 323		+2 +1 +1	Polk County Putnam County Rhea County Roane County Roane County	230 273 189	230 273 189 389	230 277 191		+ + + +
Benton CountyBledsoe CountyBlount County	i 181	181 66 410	182 66 419		+1	11	389 392	392	400 396		
Bradley County Campbell County Cannon County Carroll County Carter County	1	341 220 156 318 325	345 227 156 320 327	1	+1 +3 +3	Rutheriord County Scott County Scott County Sequatchie County Sevier County Shelby County	485 188 56 194 1,267	485 188 56 194 1,262	497 188 57 202 1,283	8	+ +++
Cheatham County Chester County Claiborne County Clay County Cooke County		141 127 242 85 261	146 128 246 86 262		+4 +1 +2 +1	Smith County Stewart County Sullivan County Sumner County Tipton County	272 201 477 417 429	272 201 477 417 429	274 204 483 425 432		+++++
Coffee County Crockett County Cumberland County Davidson County Decatur County		214 235 89 1,470 122	215 240 89 1,477 122	10	+2 -2	Trousdale County. Unicol County Union County Van Buren County.	75 138 113 25	75 138 113 25	77 138 114 25		+
Dekalb County Dickson County Dyer County Fayette County Fentress County	211	211 . 238 466 482	212 241 468 487		+1 +1 +15	Warren County Washington County (exclusive of) National Military Home Wayne County	200 477 126 142	200 477 126 142	203 479 126 144 477		+
 Fentress County  Franklin County  Gibson County  Giles County  Grainger County  Greene County	26 267 675 469 192	26 267 675 469 192	30 272 676 476. 193		+15 +2 +1 +1 +1	Weakley County White County Williamson County  -Wilson County.  UTAH.	473 183 302 407	473 183 302 407	185 309 410		+++++++++++++++++++++++++++++++++++++++
Greene County	127 218 883	391 127 218 882 138 355	392 128 221 894 138 359	2	+1 +1 +1 +1	Besver County Box Elder County. Cache County. Carbon County. Dagget County.	69 223 314 176	66 212 313 162	77 233 333 184 2	5 5 9 4	+ + + (3)
Hardin County  Hawkins County  Haywood County  Henderson County  Henderson County		181 244 474 233 262	182 246 477 233		+1 +1 +1 +1	Davis County Duchesne County Emery County. Garfield County. Grand County.	117 82 76 58 16	111 82 76 57 15	128 85 88 60 17	2 2 1	++++++++++++++++++++++++++++++++++++++
Hickman County Houston County Humphreys County Jackson County James County		129 69 180 170 66	133 70		+3 +1 +1 +1	Iron County Juab County Kane County Millard County Morgan County	69 162 12 97 36	64 155 12 89 34	68 174 12 101 38	1 4	- + +
 Jefferson County Johnson County Knox County Lake County Lauderdale County	182 145 303	182 145 302 182 400	311 183		+1 +2 +3 +1 -+2	Piute County Rich County Salt Lake County San Juan County Sanpete County	33 17 706 28 205	32 17 664 27 201	37 21 760 30 220	8 1	+1 +2 + + +

TABLE I B.—DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS IN EACH CITYSAND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1918—Continued.

[See note at head of this table, p. 96.]

	NU	MBER OF I	EATHS, 19	18.	Per		, NU	MBER OF I	DEATHS, 19	18.	Per
AREA.	Includ- ing non- residents.	Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died in registration area outside.	Non- resi- dents not	change, if cor- rected for trans- ferable and non- trans- ferable deaths of non- resi- dents.	AREA.	Including non-residents.	Exclud- ing trans- ferable nonresi- dents.	Excluding transferable nonresidents and including residents who died in registration area outside.	Non- resi- dents not trans- ferable.	cent change, if cor- rected for trans- ferable and non- trans- ferable deaths of non- resi- dents.
RURAL PART OF REGISTRATION STATES 2-Contd.						RURAL PART OF REGISTRATION STATES 2—Contd.					
UTAH—continued.						VIRGINIA—continued.					
Sevier County. Summit County Tooele County Uinta County Utah County	132 120 132 532	139 127 115 132 518	145 138 128 135 557	1 1 1 3	-5 +4 +6 +2 +4	Fredericksburg (city) Giles County Gloucester County Goochland County Grayson County	165 159 153 130 238	165 159 153 129 238	169 163 156 136 243		+2 +3 +2 +5 +2
Wasatch County Washington County Wayne County Weber County VERMONT.	57 63 16 110	56 58 16 102	63 65 17 118	4	+11 -3 +6 +5	Greene County. Greensville County. Halifax County. Hanover County. Henrico County.	100 224 701 306 339	100 224 701 306 329	101 230 708 314 353	1 4	+1 +3 +1 +2 +3
Addison County Bennington County Caledonia County Chittenden County Essex County	258 378 508 396 115	254 375 484 350 114	505 387	1	$^{+9}_{+6}$ $^{-1}_{-2}$ $^{+8}$	Henry County Highland County Isle of Wight County James City County* King and Queen County	281 55 215 244 145	281 55 215 242 145	285 55 224 242 146		+1 +4 -1 +1
Franklin County. Grand Isle County Lamoille County Orange County Orleans County.	584 55 187 283 403	580 55 186 281 402	603 60 204 308		+3 +9 +9 +9 +9	King George County King William County Lancaster County Lee County Loudoun County	85 201 171 433 350	85 201 170 433 350	88 205 178 433 360		+4 +2 +4 +3
Rutland County Washington County* Windham County Windsor County		568 630 541 650	652 566		+3 -10 +3 +7	Louisa County Lunenburg County Madison County Mathews County Mecklenburg County	317 217 111 131 483	317 217 111 131 483	325 222 111 133 493		+3 +2 +2 +2 +2
VIRGINIA.	440					Middlesex County Montgomery County	171 227	$\frac{171}{226}$	172 238		+1 +5
Accomac County Albemarle County Alexandria County Alleghany County Amelia County	610 522 168 217 172	610 510 168 217 172	625 519 199 224 181	1	+2 -1 +18 +3 +5	Middlesex County Montgomery County Nansemond County Nelson County New Kent County Norfolk County	485 189 81	483 189 81 1,066	486 192 83 1,077	1	+2 +2
Amherst County*  —Appomatiox County  Augusta County  Bath County  Bedford County	308 109 512 71 431	306 109 511 70 429	518 71		+5 +6 +1 +3	Norfolk County. Northampton County Northumberland County Nottoway County. Orange County	285 190 228 154	285 190 220 154	296 205 235 159		+4 +8 +3 +3
Bland County Botefourt County Bristol (city) Brunswick County Buchanan County	61 225 138 356 298	61 224 138 356	61 234 138 358		+4 +1	Page County Patrick County Pittsylvania County Powhatan County Prince Edward County		259 156 828 108 228	837 113 234		+1 +5 +3
Buckingham County Buens Vista (city) Campbell County — Caroline County Carroll County	231 87 383 287	298 231 87 383 237	231 87 397 245		+4 +3	Prince George County Prince William County Princess Anne County* Pulaski County Radford (city)	688 207 310 339 84	688 206 308 339 84	344	1	+2 +5 +2 +1
Charles City County Charlotte County Charlottesville (city) Chesterfield County Clarke County	218 76 201 218 317	218 76 201 218 317	77 208 218		+1 +3	Rappahannock County Richmond County Rosnoke County* Rockbridge County Rockbridge County	112 108 387 303 581	112 108 375 303 581	379 314		+4 -2 +4 +1
Clarke County  Clifton Forge (city)  Craig County  Culpeper County  Cumberland County  Dickenson County	135 130 50 153	135 123 50 153	136 123 51 · 159	8	+5 +1 -12 +2 +4	Russell County Scott County Shenandosh County Smyth County* Southampton County	393 295 349 433 464	393 295 349 432 463	354 437		+1 +1 +1
Dickenson County.  Dinwiddie County*  Elizabeth City County (exclusive from the county)	147 196 560	147 196 559	149 196 569	1	+1	Spotsylvania County Stafford County Surry County Sussex County Tazewell County	147 101 171 237	147 101 171	175		$^{+1}_{+1}_{+2}_{+3}$
Elizabeth City County (exclusive of) National Military Home Essex.County Fairfax County	573 147 138 397	569 147 138 397	140	1	-1 +1 +6	Warren County Warwick County Washington County Westmoreland County	491 147 144 446	237 491 147 144 443	492	2	+3 +1 -1
Fauquier County Floyd County Fluyanna County Franklin County Franklin County	318 161 117 271 152	318 161 117 271 152	162 121		+4 +1 +3 +3 +5	Westmoreland County	184 166 955 283 208	184 166 954 283 207	186 . 166 . 957 . 290 .		+1 +2 +1

For footnotes, see p. 113.

Table I B.—DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1918—Continued.

[See note at head of this table, p. 96].

	NU	MBER OF E	EATHS, 191	8.	Per cent	_	NUM	BER OF D	EATHS, 1918	3.	Per
AREA.	Includ- ing non- residents.	Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died in registration area outside.	Non- resi- dents not trans- ferable.	change, if cor- rected for trans- ferable and non- trans- ferable deaths of non- resi- dents.	AREA.	Including non- residents.	Excluding transferable nonresidents.	Excluding transferable nonresidents; and including residents who died in registration area outside.	Non- resi- dents not trans- ferable.	change if cor- rected for trans- ferable and non- trans- ferable deaths of non- resi- dents.
RURAL PART OF REGISTRATION STATES 2—Contd.						RURAL PART OF REGISTRATION STATES 2—Contd.					
Washington.				:		wisconsin—continued.					
Adams County Asotin County Benton County Chelan County Ciallam County	117 69 100 282 148	116 69 99 259 139	123 74 108 270 147	10	+5 +7 +8 -8 -3	Douglas County Dunn County. Eau Claire County. Florence County. Fond du Lae County.	63 266 116 32 408	63 266 116 32 408	64 273 116 33 411		+2 +3 +3 +1
Clarke County Columbia County Cowlitz County —Douglas County Ferry County		334 57 122 91 61	353 59 141 100 67	11 1 1	-6 +2 +16 +9 +8	Forest County Grant County Green County Green Lake County Iowa County	98 499 266 191 262	98 499 266 191 262	98 503 273 - 191 265		+1 +3 +1
Franklin County Garfield County Grant County Grays Harbor County Island County	74	. 74 30 90 271 42	79 31 109 292 47		+7 +3 +21 +7 +9_	Iron County Jackson County Jefferson County Juneau County Kenosha County		178 202 460 243 106_	181 205 463 247 108		+2 +1 +1 +2 +2
Jefferson County King County Kitsap County Kitisats County Klickitat County		99 568 303 201 76	107 698 349 223 91	1 7	+6 -3 +14 +10 +20	Kewaunee County La Crosse County Lafayette County Langlade County Lincoln County	211 159 269 253 266	211 159 269 253 266	213 162 277 254 268		+1 +2 +3 +1
Lewis County Lincoln County Mason County Okanogan County Pacific County.		432 150 33 144 135	463 182 44 157 141	8	+5 +20 +33 +8 -5	Manitowoc County Marathon County Marinette County Marquette County Missaukee County* (exclusive of) National Military Home	417 508 259	415 508 259 133 1,631 186	418 512 262 135 1,633 186		+1 +1 +2
Pend Oreille County Pierce County*. Sân Juan County Skagtt County*. Skamania County.	56 710 27 487 16	55 656 26 483 16	68 802 31 515 22	1 5 2	+20 +12 +15 +5 +38	Monroe County Oneida County Outagamie County Ozaukee County	1	464 292 157 385 197	487 295 159 387		+1 +1 +1 +1
Snohomish County Spokane County* Stevens County Thurston County Wahkiakum County	399 546 239 252	391 510 237 242 35	439 596 257 255 50	2 5 3 3	+10 +8 +6 +43	Pepin County. Pierce County. Polk County. Portage County. Price County.	78 186	78 186 300 423 157	85 198 325 432 159		+9 +6 +8 +2 +1
Walla Walla County Whatcom County. Whitman County Yakima County	228 325	118 218 320 444	141 254 358 512	2 3	+17 +11 +10 +13	Racine County Richland County Rock County Rusk County St. Croix County.	249 225 326 130	249 225 325 130 329	250 228 326 132 354		+1 +2 +8
Adams County	100 379 163	379 163	125 102 390 171 316			Sauk County Sawyer County Shawano County Sheyboygan County Taylor County Trempealean County	356 77 389 318	356 77 389 318 172 282	360 80 392 320 175 290		+1 +4 +1 +1 +1 +2 +3 +1 +4
Buffalo County Burnett County Calumet County Chippewa County* Clark County	-	152 87 160 582	156 96 160 588		+10	Trempealeau County Vernon County Vilas County Walworth County Washburn County Washington County Wankesha County*	52 389	310 52 389 197	312 54 401 106 271		+3
Columbia County Crawford County Dane County* Dodge County Door County	371 185 778 514	371 185 778 514	377 188 784		+2 +2 +1 +2	Waupaca County	500 155 415	578 500 155 415	584 501 158 417		+2

Nonregistration state; only those cities with satisfactory registration of deaths are shown.
 Exclusive of municipalities having a population of 10,000 or more in 1910.
 No deaths here, but 2 residents died in registration area outside.

Table II.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 100,000 PGPULATION, BY CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, FOR THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1915 to 1918.

[The deaths and death rates in 1917 and 1918 exclude those of soldiers, sailors, and marines after the United States entered the war. The causes of death originally classified according to the first revision of the International List, which was in effect for the years 1900 to 1909, are rearranged, as far as practicable, to correspond with the second revision, in effect Jan. 1, 1910. Changes depending upon new titles are indicated by asterisks (\*) following the titles, and references should be made to the statements in the text (p. 20) relative to changes in classification. In some cases these changes markedly affect the comparability of the rates.]

Int.				NUMBER C	F DEATHS.			D	EATH RA	TE PER	100,000 F	OPULATIO	N.
Detailed In List No.	CAUSE OF DEATH.	1918	1917	1916	1915	Annual average: 1906 to 1910	Annual average: 1901 to 1905	1918	1917	1916	1915	Annual average: 1906 to 1910	Annual average: 1901 to 1905
	All causes	 1,445,158	1,066,711	1,001,921	909, 155	714, 933	529, 630	1, 765. 2	1,416.5	1,398.9	1,350.2	1,511.5	1,619.7
	I.—General diseases *	521,903	284, 993	268,040	240,858	191,161	146,137	637.5	378.4	374.2	357.7	404.1	446.9
-2 -3 4 5	Typhoid fever. Typhus fever. Relapsing fever Malaria Smallpox	10,167 3 2,534 338	10,089 16 1 2,385 204	9,510 35 1 2,175 114	8,332 2 1,541 169	12,120 1 1 1,206 108	10,458 3 2 1,568 1,119	12. 4 (¹) 3. 1 0. 4	13. 4 (1) (1) (1) 3. 2 0. 3	13.3 (¹) (¹) 3.0 0.2	12. 4 (¹) 2. 3 0. 3	25. 6 (1) (1) 2. 6 0. 2	32.0 (1) (1) 4.8 3.4
6 7 8 9 10	Measles Scarlet fever Whooping cough Diphtheria and croup Influenza	8, 223 2, 335 13, 728 11, 183 234, 290	10,442 3,124 7,837 12,442 12,965	7,947 2,355 7,284 10,367 18,886	3, 649 2, 419 5, 421 10, 544 10, 768	5,092 5,030 5,440 10,576 7,760	2,951 3,608 3,572 9,674 6,506	10. 0 2. 9 16. 8 13. 7 286. 2	13. 9 4. 1 10. 4 16. 5 17. 2	11.1 3.3 10.2 14.5 26.4	5. 4 3. 6 8. 1 15. 7 16. 0	10. 8 10. 6 11. 5 22. 4 16. 4	9.0 11.0 10.9 29.6 19.9
11 12 13 14	Miliary fever Asiatic cholera Cholera nostras Dysentery Plague		242 4,546	291 3,550	210 2,519 1	(2) 485 3,076 19	3 460 2,810 18	0, 4 5. 8	(1) 0.3 6.0	0.4 5.0	0.3 3.7 (1)	(1) 1.0 6.5 (1)	(1) 1.4 8.6 · 0 1
16 4 17 18 19	Yellow fever Leprosy. Erysipelas Other epidemic diseases *	24 2,579 558	17 2,863 405	1 11 2,680 218	13 2,340 235	1 8 1,977 156	92 5 1,455 76	(1) 3. 2 0. 7	(1) 3.8 0.5	(1) (1) 3.7 0.3	0.0	(1) (1) 4.2 0.3	0.3 (1) 4.5 0.2
20 21 22 23	Purulent infection and septicemia. Glanders Anthrax Rabies	1,446 4 34 63	1,110 4 61 66	1,407 4 28 36	1,555 4 35 52	1,798 7 21 72	1,998 5 23 42	1.8 (1) (1) 0.1	1.5 (1) 0.1 0.1	2.0 (1) (1) 0.1	2.3 (¹) 0.1 0.1	3.8 (1) (1) 0.2	(1) 0.1 0.1
24 25 26 27	Tetanus * Mycoses. Pellagra. Beriberi *	1,276 46 3,741 11	1,329 39 3,666 15	1,225 41 2,390 6	1,229 42 2,843 6	1,276 29 101 (8)	1,150 14 1 (4)	1.6 0.1 4.6 (1)	1.8 0.1 4.9	1.7 0.1 3.3 (1)	1.8 0.1 4.2 (1)	2.7 0.1 0.2 (3)	3.5 (1) (1) (4)
28 29 30 31 32 33 34 35	Tuberculosis (total) Tuberculosis of the lungs * Acute miliary tuberculosis * Tuberculous meningitis. Abdominal tuberculosis. Pott's disease. White swellings. Tuberculosis of other organs * Disseminated tuberculosis.		110,144 93,290 3,631 6,084 3,745 889 505 1,381 619	101,398 85,538 3,128 5,706 3,586 896 496 1,339 707	98,194 82,853 3,140 5,445 3,410 877 463 1,330 676	79,792 69,436 (8) 4,289 2,843 692 348 988 1,195	62, 978 55, 809 (4) 2, 905 1, 946 492 234 666 926	148.0 127.0 4.4 7.2 4.9 1.2 0.7 1.8 0.8	146.3 123.9 4.8 8.1 5.0 1.2 0.7 1.8 0.8	141.6 119.4 4.4 8.0 5.0 1.3 0.7 1.9	145.8 123.0 4.7 8.1 5.1 1.3 0.7 2.0 1.0	168.7 146.8 (3) 9.1 6.0 1.5 0.7 2.1 2.5	192.6 170.7 (*) 8.9 6.0 1.5 0.7 2.0 2.8
36 37 38	Rickets * Syphilis Gonococcus infection	7,522 500	566 7, 795 595	574 6, 902 539	5, 819 340	- ( <sup>8</sup> ) 2,550 121	(4) 1,335 41	0.7 9.2 0.6	0.8 10.4 0.8	0. 8 9. 6 0. 8	0.7 8.6 0.5	(3) 5.4 0.3	(4) 4.1 0.1
39 40 41 42 43 44 45	Cancer and other malignant tumors (total).  Of the buccal cavity.  Of the stomach, liver.  Of the peritoneum, intestines, rectum.  Of the female genital organs.  Of the skin  Of other organs or of organs not specified.  Other tumors (tumors of the female genital organs excepted).	2,344 24,766 8,630 9,892 6,040 2,224	61, 429 2, 279 23, 406 8, 177 9, 331 5, 712 2, 157 10, 367	58,600 2,091 22,480 7,716 8,898 5,558 2,042 9,815	54, 584 2, 123 21, 221 7, 332 8, 120 5, 163 1, 955 8, 670	34,320 1,212 13,395 4,148 5,118 3,070 1,268 6,110 489	22, 214 677 8, 091 2, 332 3, 263 1, 845 740 5, 266	79.7 2.9 30.3 10.5 12.1 7.4 2.7 13.9	10.9	7. 8 2. 9 13. 7	81.1 3.2 31.5 10.9 12.1 7.7 2.9 12.9	72. 6 2. 6 28. 3 8. 8 10. 8 6. 5 2. 7 12. 9	67.9 2.1 24.7 7.1 10.0 5.6 2.3 16.1
47 48 49 50 51	Acute articular rheumatism * . Chronic rheumatism and gout * . Scurvy. Diabetes Exophthalmic goiter	.1 91	1,021 94 12,734	908 77 12,199	3,274 865 79 11,775 1,067	2,551 1,039 67 6,494 512	1,698 1,191 48 3,772 218	3.8 1.3 0.1 15.7 1.7	1.4 0.1 16.9	1.3 0.1 17.0	4.9 1.3 0.1 17.5 1.6	2.2 0.1 13.7	5.2 3.6 0.1 11.5 0.7
52 53 54 55	Addison's disease Leukemia Anemia, chlorosis Other general diseases *	1 418	1,506 4,022	1,424 3,785	288 1,325 3,521 1,428	200 728 2, 293 476	149 394 1,578 158	0. 4 1. 7 5. 5 2. 0	2.1 5.3	2.0 5.3	0. 4 2. 0 5. 2 2. 1	4.8	0.5 1.2 4.8 0.5
56 57 58 59	Alcoholism (acute or chronic) Chronic lead poisoning Other chronic occupation poisonings Other chronic poisonings	123 29	3, 907 147 18 235	15	2, 945 155 10 471	2,734 101 5 233	2,002 87 5 166	2.7 0.2 (1) 0.2	(1)	(1)	4.4 0.2 (1) 0.7	5. 8 0. 2 (1) 0. 5	(1) 0.3 (1)
	II.—Diseases of the nervous system and of the organs of special sense *	107,184	100, 291	99,077	88,108	72, 470	58, 890	130.9	133. 2	138.3	130.8	153. 2	180.1
60 61	Encephalitis.  Meningitis (total)  Simple meningitis.  Cerebrospinal meningitis (undefined)  Cerebrospinal fever.	687 7,500 3,180 1,963 2,357	2,735 1,186	554 5,091 2,573 983 1,535	2,841 1,181	1 9 912	630 10, 366 7, 601 2, 765		8.9 3.6 1.6	7.1 3.6 1.4	1.8	19.4 13.5	1.9 31.7 23.2 8.5

For footnotes, see p. 117.

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 100,000 POPULATION, BY CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, FOR THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1915 to 1918—Continued.

[See note at head of this table, p. 114.]

			[See note	at head of	this table,	, p. 114.]		·····					~~~
Int.			;	NUMBER O	F DEATHS.			, D	EATH RA	TE PER	100,000 I	OPULATIO	n.
Detailed I	CAUSE OF DEATH.	1918	1917	1916	1915	Annual average: 1906 to 1910	Annual average: 1901 to 1905	1918	1917	1916	1915	Annual average: 1906 to 1910	Annual average: 1901 to 1905
	II.—Diseases of the nervous system and of the organs of special sense*—Contd.												
62 63	Locomotor ataxia Other diseases of the spinal cord (total) Acute anterior pollomyelitis. Other diseases of the spinal cord 5	1,857 4,998 954 4,044	1,772 5,147 1,182 3,965	1,717 11,036 7,130 3,906	1,757 4,183 691 3,492	1,249 2,736 2,736	786 1,589 1,589	$ \begin{cases}     2.3 \\     6.1 \\     1.2 \\     4.9 \end{cases} $	2.4 6.8 1.6 5.3	2.4 15.4 10.0 5.5	2.6 6.2 1.0 5.2	2. 6 5. 8 5. 8	2.4 4.9 4.9
64 65 66 67 68	Cerebral hemorrhage, apoplexy Softening of the brain. Paralysis without specified cause 6. General paralysis of the insane 6. Other forms of mental alienation.	64,861 1,115 7,180 5,855 1,969	62,417 888 5,445 5,248 1,651	58,233 921 5,165 5,150 1,438	53,397 1,041 6,052 5,014 1,464	33,913 1,163 7,606 2,588 1,719	22,756 1,198 6,583 2,234 1,170	79.2 1.4 8.8 7.2 2.4	82. 9 1. 2 7. 2 7. 0 2. 2	81.3 1.3 7.2 7.2 2.0	79.3 1.5 9.0 7.4 2.2	71. 7 2. 5 16. 1 5. 5 3. 6	69. 6 3. 7 20. 1 6. 8 3. 6
69 70 71 72	Epilepsy ? Convulsions (nonpuerperal) Convulsions of infants. Chorea	3,581 157 2,680 113	3,161 137 2,172 102	2,882 124 2,437 104	2,582 109 2,694 109	1,981 256 6,038 103	1,452 364 7,000 87	4.4 0.2 3.3 0.1	· 4.2 0.2 2.9 0.1	4.0 0.2 3.4 0.1	3.8 0.2 4.0 0.2	4.2 0.5 12.8 0.2	4. 4 1. 1 21. 4 0. 3
73 74 75 76	Neuralgia and neuritis *. Other diseases of the nervous system *. Diseases of the eyes and their annexa. Diseases of the ears.	373 2,774 92 1,392	429 2,731 97 1,601	392 2,386 54 1,393	391 2,435 66 1,248	2,599 29 776	2,240 22 413	{ 0.5 3.4 0.1 1.7	0.6 3.6 0.1 2.1	0.5 3.3 0.1 1.9	0.6 3.6 0.1 1.9	5.5 0.1 1.6	6.9 0.1 1.3
	III.—Diseases of the circulatory system $st$	161,217	151,701	141,589	130,755	84,040	52,696	196.9	201.4	197.7	194.2	177.7	161.2
77 78 79 80 81	Pericarditis Acute endocarditis * Organic diseases of the heart * Angine pectoris Diseases of the arteries, atheroma, aneurism, etc.	913 6,656 124,514 6,037 19,013	832 6,669 115,304 5,914 19,050	735 6,696 107.475 5,445 17,115	772 6,147 99,053 5,180 15,685	638 5,790 62,985 3,204 8,394	677 3,665 40,612 2,143 3,066	1.1 8.1 152.1 7.4 23.2	1.1 8.9 153.1 7.9 25.3	1.0 9.3 150.1 7.6 23.9	1.1 9.1 147.1 7.7 23.3	1.3 12.2 133.2 6.8 17.7	2.1 11.2 124.2 6.6 9.4
82 83	Embolism and thrombosis  Diseases of the veins (varices, hemorrhoids, phle-	2,754	2,706	2,829	2,732	1,866	1,367	3.4	3.6	3.9	4.1	3.9	4.2
84	bitis, etc.). Diseases of the lymphatic system (lymphangitis, etc.).	469	454	544	441	284	187	0.6	0.6	0.8	0.7	0.6	0.6
85	etc.)	475	454	462	452	144	65	0.6	0.6	0.6	0.7	0.3	. 0.2
	system *	386 245,216	318 133,904	288 118,435	293 109,444	736 88,976	915 72,091	299.5	0.4 177.8	0.4 165.4	0.4 162.5	1.6 188.1	2.8 - 220.5
86 87 88 89 90	Diseases of the nasal fossae Diseases of the larynx Diseases of the thyroid body Acute bronchitis Chronic bronchitis	343 778 558 7,615 5,145	367 821 521 7,296 5,011	275 735 467 6,700 4,887	125 762 447 6,505 5,177	99 781 183 7,206 5,239	71 756 97 6,996 5,031	0.4 1.0 0.7 9.3 6.3	0.5 1.1 0.7 9.7 6.7	0.4 1.0 0.7 9.4 6.8	0.2 1.1 0.7 9.7 7.7	0.2 1.7 0.4 15.2 11.1	0.2 2.3 0.3 21.4 15.4
91 92 93	Bronchopneumonia. Pneumonia (total). Lobar pneumonia Pneumonia (undefined). Pleurisy		37,879 74,517 65,108 9,409 2,827	35,105 63,229 54,699 8,530 2,599	33,501 55,825 44,153 11,672 2,323	19,130 48,713 48,713 1,955	10,768 41,044 41,044 1,520	66.8 204.8 { 176.8 28.1 3.9	50.3 98.9 86.5 12.5 3.8	49.0 88.3 76.4 11.9 3.6	49.8 82.9 65.6 17.3 3.4	40.4 103.0 103.0 4.1	32.9 125.5 125.5 4.6
94 95 96 97 98	Pulmonary congestion, pulmonary apoplexyGangrene of the lungAsthmaPulmonary emphysemaOther diseases of the respiratory system (tuber-	1,480 287 2,108 173	1,471 226 1,819 170	1,326 236 1,752 182	1,630 215 1,664 185	2,636 177 1,386 169	2,802 166 1,220 227	1.8 0.4 2.6 0.2	2.0 0.3 2.4 0.2	1.9 0.3 2.4 0.3	2.4 0.3 2.5 0.3	5.6 0.4 2.9 0.4	8.6 0.5 3.7 0.7
	culosis excepted)	1,150	979 109,808	942	1,085 94,987	1,302 91,377	1,393 63,834	1.4 135.6	1.3	1.3	1.6 141.1	2.8 193.2	4.3 195.2
99 100 101 102 103	Diseases of the mouth and annexa	740 2,013 100	716 2,174 120 3,302 7,021	676 1,850 145 3,265 7,065	552 1,569 143 2,922 7,069	349 735	242 473 113 964 5,786	0.9 2.5 0.1 3.8 10.0	1.0 2.9 0.2 4.4 9.3	0.9 2.6 0.2 4.6 9.9	0.8 2.3 0.2 4.3 10.5	0.7 1.6 0.3 3.6 16.8	0.7 1.4 0.3 2.9 17.7
104 105 106 107 108	Diarrhea and enteritis (under 2 years)	47,753 11,329 28	48,231 11,269 29 162 9,374	46,956 9,807 22 128 9,157	40,099 8,226 13 84 8,397	45,516 7,891 67 5,306	29,094 6,610 38 3,589	58.3 13.8 (1) 0.3 11.9	64.0 15.0 ( <sup>1</sup> ) 0.2 12.4	65.6 13.7 (1) 0.2 12.8	59.5 12.2 (¹) 0.1 12.5	96.2 16.7 0.1 11.2	89.0 20.2 0.1 . 11.0
109	Hernia, intestinal obstruction (total) Hernia Intestinal obstruction Other diseases of the intestines	9,318 3,376 5,942 1,832	8,663 3,044 5,619 1,855	8,074 2,880 5,194 1,823	7,577 2,604 4,973 1,934	6,089	4,256 1,364 2,892 945	11.4 4.1 7.3 2.2	11.5 4.0 7.5 2.5	11.3 4.0 7.3 2.5	11-3 3.9 7.4 2-9	12.9 4.1 8.8 2.8	13.0 4.2 8.8 2.9
111 112 113 114 115	Acute yellow atrophy of the liver. Hydatid tumor of the liver. Cirrhosis of the liver. Biliary calculi. Other diseases of the liver.	303 31 7,794 2,458 3,539	293 27 8,567 2,475 3,422	306 32 8,799 2,438 3,487	274 20 8,439 2,228 3,276	189 16 6,784 1,301 2,865	131 11 4,694 736 2,443	0.4 (1) 9.5 3.0 4.3	0.4 (1) 11.4 3.3 4.5	0.4 (1) 12.3 3.4 4.9	0.4 (1) 12.5 3.3 4.9	0.4 (1) 14.3 2.8 6.1	0.4 (1) 14.4 2.2 7.5
116 117 118	Diseases of the spleen	l .	129 1,503 476	132 1,373 492	107 1,527 531	2,899 2,899	85 3,537 88	0.2 2.3 0.6	0.2 2.0 0.6	0.2 1-9 0.7	0.2 2.3 0.8	0.2 6.1 0.5	0.3 10.8 0.3

For footnotes, see p. 117.

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 100,000 POPULATION, BY CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, FOR THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1915 to 1918—Continued.

[See note at head of this table, p. 114.]

			[See note	at head of	this table,	p. 114.]			<del></del>				
. Int			1	NUMBER O	f deaths.			<b>1</b> 0:	EATH RA	TE PER	100,000 P	OPULATIO	N.
Detailed I List No.	CAUSE OF DEATH.	1918	1917	1916	1915	Annual average: 1906 to 1910	Annual average: 1901 to 1905	1918	1917	1916	1915	Annual average: 1906 to 1910	Annual average: 1901 to 1905
	VI.—Nonvenereal diseases of the genito- urinary system and annexa	91,083	92,397	86,324	80,808	54,171	37,584	111.3	122.7	120.5	120.0	114.5	114.9
119 120 121 122	Acute nephritis Bright's disease Chyluria *	5,953 73,239 1	6, 233 74, 639	5,921 69,395	6,020 64,480	4,773 41,339 } 1,247	3, 138 28, 565 926	$7.3$ $89.5$ $\binom{1}{2.3}$	8.3 99.1	8.3 96.9 (1) 2.5	8.9 95.8	10.1 87.4 } 2.6	9.6 87.4 2.8
123 124 125 126 127	Other diseases of the kidneys and annexa *  Calculi of the urinary passages  Diseases of the bladder  Diseases of the urethra, urinary abscess, etc  Diseases of the prostate  Nonvenereal diseases of the male genital organs	1,885 472 1,357 303 3,385 87	1,785 496 1,275 374 3,118 86	1,812 471 1,235 285 2,922 86	1,609 478 1,335 288 2,612 78	265 1,484 204 1,628 49	155 1,415 136 862 35	0.6 1.7 0.4 4.1 0.1	2.4 0.7 1.7 0.5 4.1 0.1	0.7 1.7 0.4 4.1 0.1	2.4 0.7 2.0 0.4 3.9 0.1	0.6 3.1 0.4 3.4 0.1	0.5 4.3 0.4 2.6
128 129 130 131 132	Uterine hemorrhage (nonpuerperal) Uterine tumor (noncancerous). Other diseases of the uterus. Cysts and other tumors of the ovary. Salpingitis and other diseases of the female genital organs.	61 1,467 804 611 1,423	1,494 834 647	1,329 806 635	49 1,253 658 562 1,337	79 837 734 472	89 581 564 430 671	0.1 1.8 1.0 0.7	0.1 2.0 1.1 0.9	0.1 1.9 1.1 0.9	0.1 1.9 1.0 0.8	0.2 1.8 1.6 1.0	0.3 1.8 1.7 1.3
133	Nonpuerperal diseases of the breast (cancer excepted).	35	40	51	49	26	17	(1)	0.1	0.1	0.1	0.1	0.1
	VII.—The puerperal state	18,177	12,528	11,642	10,237	7,330	4,643	22.2	16.6	16.3	15.2	15.5	14.2
134 135 136 137	Accidents of pregnancy. Puerperal hemorrhage * Other accidents of labor * Puerperal septicemia *	4,250 1,249 3,271 5,250	1,028 1,178 1,194 5,211	985 1,118 1,212 4,786	941 1,000 979 4,214	800 491 629 3,224	549 337 295 2,057	5.2 1.5 4.0 6.4	1.4 1.6 1.6 6.9	1.4 1.6 1.7 6.7	1.4 1.5 1.5 6.3	1.7 1.0 1.3 6.8	1.7 1.0 0.9 6.3
138 139	Puerperal albuminuria and convulsions * Puerperal phlegmasia alba dolens, embolus, sud-	3,651	3,409	3,087	2,673	1,593	911	4.5	4.5	4.3	4.0	3.4	2.8
140 141	den death * Following childbirth (not otherwise defined) * Puerperal diseases of the breast	410 83 13	439 58 11	415 34 5	383 41 6	61 528 3	4 488 1	0.5 0.1 (¹)	0.6 0.1 (1)	0.6	0.6 0.1 (1)	0.1 1.1 (1) .	(1) (1)
	VIII.—Diseases of the skin and of the cel- lular tissue	3,416	3,315	3,358	3,071	2,869	2,392	4.2	4.4	4.7	4.6	6.1	7.3
142 143 144 145	Gangrene. Furunole. Acute abscess Other diseases of the skin and annexa.	1,658 444 629 685	1,462 449 681 723	1,528 448 709 673	1,440 421 571 639	1,656 221 512 480	1,457 149 473 312	2.0 0.5 0.8 0.8	1.9 0.6 0.9 1.0	2.1 0.6 1.0 0.9	2.1 0.6 0.8 0.9	3.5 0.5 1.1 1.0	4.5 0.5 1.4 1.0
	IX.—Diseases of the bones and of the organs of locomotion *	2,041	2, 295	2,039	1,771	1,335	932	2.5	* 3.0	2.8	2.6	2.8	. 2.9
146 147	Diseases of the bones (tuberculosis excepted)* Diseases of the joints (tuberculosis and rheuma-	1,742	1,953	1,721	1,526	1,190	795	2.1	2.6	2.4	2.3	2.5	2.4
148 149	Diseases of the bones (tuberculosis excepted)*. Diseases of the joints (tuberculosis and rheumatism excepted). Amputations. Other diseases of the organs of locomotion.	226 2 71	252 6 84	242 1 75	185 3 57	97 13 36	75 35 27	0.3 (1) 0.1	0.3 (1) 0.1	0.3 (¹) 0.1	0.3 (1) 0.1	0.2 (1) 0.1	0.2 0.1 0.1
	X.—Malformations	12,841	11,841	11,412	9,986	7,066	3,978	15.7	15.7	15.9	14.8	14.9	12.2
150	Congenital malformations (stillbirths not included) (total) Hydrocephalus. Congenital malformations of the heart Other congenital malformations.	12,841 1,169 7,823 3,849	11,841 994 7,166 3,681	11,412 995 6,718 3,699	9,986 853 6,032 3,101	7,066 669 4,272 2,125	3,978 527 2,190 1,261	15.7 1.4 9.6 4.7	15.7 1.3 9.5 4.9	15.9 1.4 9.4 5.2	14.8 1.3 9.0 4.6	14.9 1.4 9.0 4.5	12.2 1.6 6.7 3.9
	XI.—Early infancy*	62,190	57,048	55,678	51, 765	35,456	24, 167	76.0	75.8	77.7	76.9	75.0	73.9
151	Congenital debility, icterus, and sclerema* (total) Premature birth Congenital debility, "atrophy," "marasmus," etc.	50,533 38,535 11,998	45, 132 34, 704 10, 428	44,090 33,123 10,967	41, 115 29, 027 12, 088	30,526 16,899 13,627	17,646 10,062 7,585	61.7 47.1 14.7	59.9 46.1 13.8	61.6 46.2 15.3	61.1 43.1 18.0	64.5 35.7 28.8	54.0 30.8 23.2
152	Other causes peculiar to early infancy * (total) Injuries at birth *	11, 456 6, 149	11,717 6,631	11,313 6,274 5,039 275	10, 424 5, 914 4, 510 226	4,765 3,138	2,499 1,634 864	14.0 7.5	15.6 8.8	15.8	15.5 8.8 6.7	10.1 6.6	7.6 5.0
153	Other causes peculiar to early infancy 7 Lack of care*	5,307 201	5,086 199	275	226	1,627 165	4,022	6.5 0.2	6.8 0.3	7.0 0.4	0.3	3.4 0.3	2.6 12.3
	XII.—Old age*	12, 251	11,647	12, 165	12,392	13,715	13,400	15.0	15.5	17.0	18.4	29.0	41.0
154	Senility*.	12,251	11,647	12, 165	12,392	13,715	13,400	15.0	15.5	17.0	18.4	29.0	41.0
	XIII.—External causes*.	81,009	81,340	75, 283	67,292	51,058	33,251	99.0	108.0	105.1	99.9	107.9	101.7
155 156 157 158 159 160 161 162 163	Suicide (total)  By poison  By asphyxia  By hanging or strangulation  By drowning  By firearms  By cutting or piercing instruments.  By jumping from high places.  By crushing  Other suicides.	9,645 1,474 1,278 1,644 3,350 780 281 84 105	9,942 1,844 1,469 1,569 3,269 711 269 103 105	10, 162 2, 016 1, 458 1, 509 6, 3386 671 283 104 112	11,216 2,481 1,584 1,749 670 3,608 681 259 83 101	2,233 472 128 67	4,548 1,549 365 684 231 1,108 261 55 20 275	11.8 1.6 2.0 0.8 4.1 1.0 0.3 0.1	13.2 2.4 2.0 2.1 0.8 4.3 0.9 0.4 0.1	14.2 2.8 2.0 2.1 0.9 4.7 0.9 0.4 0.1	16.7 3.7 2.4 2.6 1.0 5.4 1.0 0.4 0.1	16.0 4.8 1.7 2.3 0.9 4.7 1.0 0.3 0.1	0.1

For footnotes see p. 117.

Table II.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 100,000 POPULATION, BY CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, FOR THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1915 to 1918—Continued.

[See note at head of this table, p. 114.]

				<del></del>				1					
ŢĘ,				NUMBER O	F DEATHS.	•		D	EATH RA	TE PER	100,000 1	OPULATIO	n.
Detailed I List No.	CAUSE OF DEATH.	1918	1917	1916	1915	Annual average: 1906 to 1910	Annual average: 1901 to 1905	1918	1917	1916	1915	Annual average: 1906 to 1910	Annual average: 1901 to 1905
	XIII.—External causes *—Continued.					•							
164 165 166 167 168	Accidental or undefined * (total). Poisoning by food * Other acute poisonings * Conflagration *. Burns (conflagration excepted). Absorption of deleterious gases (conflagration excepted)* Accidental drowning. Traumatism by firearms.		65,644 779 1,294 1,157 6,829	60,071 720 1,285 1,054 5,726	51, 406 639 1, 280 971 4, 804	40,702 } 1,655 545 3,885 1,766	27, 753 1, 412 (3) 2, 715	80.5 1.0 1.6 1.7 8.1 4.1	87.2 1.0 1.7 1.5 9.1	83.9 1.0 1.8 1.5 8.0	76.3 0.9 1.9 1.4 7.1	86.0 3.5 1.2 8.2,	84.9 4.3 (*) 8.3 4.6
169 170	Accidental drowning. Traumatism by firearms.	3,338 5,464 2,013	3,366 5,462 1,730	2,927 6,185 1,613	2,202 6,514 1,501	4,551 1,012	1,519 3,362 1,109	6.7 2.5	7.3 2.3	8.6 2.3	9.7 2.2	9.6 2.1	10.3 3.4
171 172 173 174	Traumatism by cutting or piercing instru- ments *. Traumatism by fall *. Traumatism in mines and quarries (total). Traumatism in mines. Traumatism in quarries. Traumatism by machines.	186 10,273 2,588 2,497 91 2,360	164 11,088 2,713 2,623 90 2,108	117 10,775 2,226 2,119 107 1,624	89 9,979 2,110 2,009 101 1,257	(3) (3) 2,010 2,010 1,002	(4) 320 320 285	0.2 12.5 3.2 3.1 0.1 2.9	0.2 14.7 3.6 3.5 0.1 2.8	0.2 15.0 3.1 3.0 0.1 2.3	0.1 14.8 3.1 3.0 0.1 1.9	(3) (3) 4.2 4.2 2.1	(4) (4) 1.0 1.0 0.9
175	Traumatism by other crushing * (total) Railroad accidents and injuries. Street-car accidents and injuries. Automobile accidents and injuries. Injuries by other vehicles. Landslide, other crushing *	21,031 8,491 2,326 7,424 2,198 592	20, 284 8, 526 2, 259 6, 677 2, 302 520	17,991 8,127 1,775 5,193 2,333 563	14,978 6,652 1,555 3,978 2,348 445	(3) 7,076 1,747 496 1,870 (3)	(4) } 4,977 } 848 (4)	25.7 { 10.4 2.8 9.1 2.7 0.7	26.9 11.3 3.0 8.9 3.1 0.7	25.1 11.3 2.5 7.3 3.3 0.8	22.2 9.9 2.3 5.9 3.5 0.7	(3) 15.0 3.7 1.0 4.0 (3)	(4) 15.2 2.6 (4)
176 177 178 179 180 181 185 186	Injuries by animals* Starvation Excessive cold Effects of heat Lightning Electricity (lightning excepted)* Fractures (cause not specified) Other external violence*	656 40 508 1,136	653 38 507 1,963 359 654 475 4,021	589 47 371 2,056 340 586 636 3,203	563 43 344 407 221 515 391 2,598	(3) 36 243 763 154 (3) 1,351 8,554	(4) 33 191 1,188 98 (4) 2,785 6,527	0.8 (1) 0.6 1.4 0.5 0.9 0.9 5.1	0.9 0.1 0.7 2.6 0.5 0.9 0.6 5.3	0.8 0.1 0.5 2.9 0.5 0.8 0.9 4.5	0.8 0.1 0.5 0.6 0.3 0.8 0.6 3.9	(3) 0,1 0.5 1.6 0.3 (3) 2.9 18.1	(4) 0.1 0.6 3.6 0.3 (4) 8.5 20.0
182 183 184	Homicide (total).  By firearms*.  By cutting or piercing instruments*.  By other means*.  XIV.—III-defined diseases*.	5,456 3,727 669 1,060	5,754 3,793 761 1,200	5,050 3,241 700 1,109	4,670 2,885 .663 1,122	2,771	950 950	6.7 4.6 0.8 1.3	7-6 5.0 1.0 1.6	7.1 4.5 1.0 1.5	6.9 4.3 1.0 1.7	5.9	2.9 2.9
			13,603	10,852	7,681	13,907	15,633	19.1	18.1	15.2	11.4	29.4	47.8
187 188 189	III-defined organic disease Sudden death Not specified or iII-defined* (total) III-defined Not specified or unknown	854 1,047 13,724 5,140 8,584	668 1,033 11,902 4,455 7,447	572 667 9,613 3,877 5,736	427 486 6,768 2,865 3,903	842 233 12,833 11,224 1,609	1,311 123 14,199 12,580 1,618	1.0 1.3 16.8 6.3 10.5	0.9 1.4 15.8 5.9 9.9	0.8 0.9 13.4 5.4 8.0	0.6 0.7 10.1 4.3 5.8	1.8 0.5 27.1 23.7 3.4	4.0 0.4 43.4 38.5 4.9

<sup>1</sup> Less than one-tenth of 1 per 100,000 population.
2 Less than 1.
2 Figures for deaths not available for the entire period.
4 Figures for deaths not tabulated separately prior to 1910.

Exclusive of acute anterior pollomyelitis (infantile paralysis).
 Paresis (unqualified) transferred from List No. 66 to No. 67, beginning with 1911,
 Exclusive of injuries at birth.

## MORTALITY STATISTICS.

#### TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA (EXCLUSIVE

rAll death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions, but excluding the deaths of soldiers, sailors, and to recent unusual migrations of the population and to the fact that 1918 is far away from the last

=						DEA	TH RAT	E PER 10	00,000 PO	PULATION	from-	-				
	STATE.	All causes.1	Ty- phoid fever.	Mala- ria.	Small- pox.	Measles.	Scar- let fever.	Whoop- ing cough.	Diph- theria and croup.	Influ- enza.	Ery- sip- elas.	Tuber- culosis of the lungs.	Tuber- culous men- ingitis.	Other forms of tuber-culosis.	Rheu- ma- tism.	Cancer and other malig- nant tumors.
			1	8	4	5	6	7	8	9	(12)	13	14	15	(37)	16
1	The registration area (exclusive of Hawaii).	1,765.2	12.4	3.1	0.4	10.0	2.9	16.8	13.7	286.2	3.2	131.4	7.2	9.4	5.1	79.7
	REGISTRATION STATES.							====								
Def. 5 Fla 6	California Colorado Connecticut Illinois Indiana	1,810.9 1,729.4 2,117.8 1,589.1 1,611.4	6.3 13.8 5.6 8.2 14.0	1.3 0.2 1.3 1.2	0.1 1.3 0.2 0.8	5.2 4.9 6.9 5.0 5.0	1.9 3.6 2.9 2.4 4.4	9.8 14.4 20.9 11.0 17.6	7.4 8.0 15.9 18.1 15.1	310.2 406.7 435.7 240.1 194.6	1.9 3.9 3.7 2.9 4.2	174.0 204.2 135.0 121.7 121.9	9.0 6.3 13.1 5.2 6.4	10.8 5.1 10.0 8.9 13.5	3.8 4.4 3.4 5.0 5.4	105.9 69.1 97.9 82.7 89.9
7 8 9 10 11	Kansas. Kentucky. Louisiana Maine. Maryland	1,336.7 1,641.3 1,708.5 1,853.6 2,320.9	15.5 26.9 37.6 7.4 17.2	1.1 4.5 27.9 0.3 0.4	1.4 0.5 1.0	13.7 14.3 18.6 12.7 10.0	3.8 1.9 0.3 1.5 1.4	11.7 37.0 18.9 7.5 33.5	6.0 13.5 5.1 7.8 9.8	217.3 296.8 281.8 321.3 320.5	3.3 4.0 2.0 3.3 2.1	48.3 175.8 163.3 95.5 192.0	1.5 7.8 2.0 10.2 7.8	5.0 13.4 9.5 12.3 11.6	4.8 4.5 4.6 5.2 6.0	68. 2 52. 8 46. 4 107. 5 86. 5
12 13 14 15 16	Massachusetts. Michigan. Minnesota. Missouri. Montana	2,015.5 1,701.5 1,326.4 1,545.9 1,847.3	4.0 10.6 3.7 19.3 10.9	0.1 0.3 (2) 8.1 0.4	(2) 0.5 0.4 2.4 1.2	13.3 8.0 4.2 10.8 3.7	1.9 5.7 6.6 2.7 14.6	18.0 15.7 13.2 15.2 13.2	15.4 21.9 12.3 13.5 9.3	326.0 203.7 243.9 203.7 545.7	3.9 4.2 4.5 3.6 4.5	135.3 98.6 89.2 129.0 90.9	10.9 6.3 7.5 4.2 6.6	9.6 8.9 7.5 8.4 6.2	3.7 6.1 5.5 4.7 3.7	107.0 92.4 82.9 72.1 57.4
17 18 19 20 21	New Hampshire New Jersey New York North Carolina Ohio	2,146.5 1,979.9 1,791.7 1,714.3 1,751.2	4.5 5.4 5.4 23.0 14.4	0.4 0.4 0.3 7.7 0.5	(2) (2) (2) 0.1 0.4	10.3 17.6 12.6 12.5 4.6	1.8 1.7 2.9 0.9 3.1	22.4 18.4 11.8 28.6 12.7	8.3 16.2 16.4 10.2 9.8	447.9 271.9 205.7 322.3 256.8	2.9 2.4 3.2 2.8 3.1	106.0 139.4 141.0 127.0 124.3	7.6 8.5 10.8 2.6 7.6	10.5 7.4 7.6 8.7 12.1	2.7 5.6 5.1 5.7 5.2	107.1 80.6 93.1 43.5 91.0
22 23 24 25 26	Oregon. Pennsylvania. Rhode Island. South Carolina. Tennessee.	1,089.7 2,136.3 1,946.5 1,852.0 1,599.7	8.2 10.5 5.3 35.1 30.1	0.1 0.2 0.2 31.7 14.0	(2) 0.2 0.1 0.7	6.0 9.4 19.6 17.5 17.5	1.7 2.0 3.9 0.2 1.9	5.4 17.3 24.6 45.4 24.0	3.6 20.3 16.0 8.4 11.9	176.1 446.7 343.6 359.1 270.6	2.0 2.6 4.9 2.4 2.8	63.2 129.6 142.8 134.1 185.4	4.7 7.8 13.2 1.6 4.6	8.0 9.7 13.2 6.3 15.8	3.4 5.2 3.8 3.7 6.8	72.7 76.1 89.4 34.3 44.0
27 28 29 30 31	Utah. Vermont. Virginia. Washington. Wisconsin.	1,360.5 1,857.8 1,847.4 1,013.9 1,370.1	9.0 8.2 18.0 5.9 3.8	0.3 3.6 0.1	2.2 0.2 0.2 0.5	7.5 4.4 12.4 3.6 6.5	11.0 3.0 1.0 3.3 7.9	13.0 12.8 32.2 4.3 7.7	15.9 7.1 9.7 5.0 10.7	309.1 369.2 350.9 176.2 244.7	6.2 4.4 2.6 2.0 2.9	39. 2 85. 2 166. 9 67. 6 81. 8	2.0 7.4 5.6 6.3 6.1	4.8 7.9 10.7 6.9 7.3	8.4 5.2 6.8 3.0 6.9	50.5 - 99.7 54.7 59.9 82.3

<sup>&</sup>lt;sup>1</sup> Exclusive of stillbirths.

#### OF HAWAII) AND EACH REGISTRATION STATE, FROM IMPORTANT CAUSES OF DEATH: 1918.

marines. Numbers under causes of death correspond to those of the abridged International List. Populations have been estimated by the arithmetical method. Owing census year, the estimates are probably far too high in some cases and far too low in others.]

						D	EATH RA	TE PER	100,000 P	OPULATI	on from-	_		- 1,		×==	=======		Ī
Diabe- tes.	Men- ingitis.	Cerebral hem- orrhage and soften- ing.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diar- rhea and enteritis (under 2 years)	Appendicitis and typh-litis.	Hernia, intes- tinal ob- struc- tion.	Cir- rhosis of the liver.	Acute nephri- tis and Bright's disease.	Puer- peral septi- cemia.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (suicide ex- cepted).	Suicide.	All other defined diseases.	Un- known or ill- defined dis- eases.	
(87)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	85	36	(37)	88	
15.7	9.2	80.6	152.1	15.6	271.7	12.3	58.3	11.9	11.4	9.5	96.7	6.4	15.8	77.4	87.2	11.8	221.2	19.1	1
														=====					
17.2 11.8 20.5 16.8 17.3	8.1 7.3 11.5. 7.9 9.6	90.3 51.0 110.9 59.1 90.1	197.2 97.6 169.0 150.3 167.3	10.6 11.9 19.1 16.0 11.4	227.5 277.2 357.1 228.8 208.7	11.9 17.6 9.6 12.7 10.0	34.1 42.3 69.4 67.8 47.1	12.7 18.3 12.0 12.9 12.5	12.4 12.8 13.1 11.4 11.8	14.8 5.6 11.1 10.9 11.5	99.4 68.9 103.5 95.4 103.5	5.6 10.8 4.3 4.9 9.4	12.6 16.8 17.3 13.5 14.0	51.8 61.9 103.2 64.1 70.6	105.3 79.1 100.2 80.0 84.7	24.8 13.0 15.0 13.1 11.9	224.3 176.3 212.9 202.8 223.6	2.6 3.3 6.9 8.0 2.3	2 3 4 5 6
14.2 7.4 5.9 21.4 17.0	7.6 17.5 8.4 10.5 11.7	77.6 51.6 43.6 121.7 116.6	106.1 98.1 112.5 185.8 203.3	8.9 13.2 11.6 19.0 30.6	160.6 195.3 218.0 242.8 413.6	11.1 12.5 10.5 10.5 14.9	28.5 43.2 67.1 39.1 115.8	14.1 7.7 11.1 14.8 9.8	12.7 8.6 9.8 12.9 13.5	6.9 5.8 9.6 4.2 9.8	75.6 87.1 93.2 105.7 163.2	9.0 6.9 7.6 2.7 6.2	14.8 13.8 18.6 15.7 17.3	68.9 80.6 59.2 77.3 101.6	69.5 72.2 83.8 75.7 105.0	11.0 7.7 5.8 13.7 12.1	222.0 215.2 254.6 265.9 244.0	16.1 43.3 58.8 21.6 16.3	7 8 9 10
20.5 18.8 16.8 14.3 16.0	8.9 7.4 4.2 10.0 10.7	104.0 101.0 56.3 65.8 44.2	212.8 177.8 113.2 115.3 97.9	23.6 22.1 9.9 13.8 6.0	355.2 208.2 137.1 256.6 266.9	10.2 13.8 9.1 10.6 9.0	75.7 55.0 22.3 35.6 32.1	11.1 15.2 16.0 12.9 26.7	10.3 13.3 9.4 10.4 10.9	7.4 10.7 7.0 10.7 8.6	87.5 80.0 70.0 110.7 66.2	5.3 7.5 5.0 7.3 11.1	17.7 17.4 13.6 11.5 26.7	88.0 98.4 72.2 57.4 85.5	77.0 86.5 82.0 73.2 140.4	12.4 12.8 12.4 12.9 19.9	230.1 263.0 179.3 201.3 187.9	8.7 9.6 8.9 17.8 12.3	12 13 14 15 16
21.7 18.3 21.4 7.3 16.9	12.5 10.5 7.4 10.2 8.6	140.0 97.2 88.8 61.6 107.8	206.3 175.5 193.9 99.0 162.9	23.1 21.0 17.7 10.9 13.6	290.1 440.5 345.8 170.7 243.3	13.7 11.8 11.3 12.1 9.8	48.6 77.0 51.4 81.0 51.6	11.2 9.3 10.8 8.2 12.1	12.5 10.5 12.1 7.9 12.1	11.0 10.9 11.1 4.5 12.7	116.9 123.8 114.8 82.8 89.1	3.6 5.5 4.7 6.3 7.6	13.2 13.4 26.7 15.3	93-2 80-3 72-7 81-9 78-8	70.1 100.6 83.5 61.2 108.6	15.2 11.6 12.2 4.0 13.3	305.8 183.4 200.6 247.3 230.1	5.2 3.3 2.0 135.0 11.5	17 18 19 20 21
14.7 15.0 17.1 6.8 6.8	5.3 9.4 11.6 9.8 13.2	62.3 84.4 107.2 49.7 38.4	110.6 157.4 164.4 92.5 91.2	5.4 19.8 22.9 5.7 10.0	102.9 403.8 291.2 201.6 202.6	10.8 17.1 6.3 16.0 11.1	14.3 95.7 69.0 75.1 40.9	12.9 9.5 8.8 6.8 11.8	10.5 11.7 11.3 7.5 8.9	4.1 11.2 8.5 2.6 4.8	52.7 103.3 102.8 89.9 71.2	5.6 7.0 5.2 9.2 6.7	10.4 19.2 18.7 25.3 14.3	44.8 93.5 89.6 133.7 50.8	72.6 112.8 75.1 65.6 71.1	11.3 11.0 12.4 3.4 5.2	178.3 208.8 234.7 308.5 235.6	5.2 8.3 9.3 62.5 74.8	22 23 24 25 26
14.1 21.3 8.5 13.4 15.7	6.8 6.8 12.6 4.9 8.7	41.9 131.1 82.5 48.8 75.4	103.6 213.8 136.4 84.4 106.7	9.5 24.9 12.0 5.2 15.1	174.4 191.4 184.1 117.6 164.0	11.2 10.7 14.2 8.1 13.1	23.1 41.5 60.5 13.9 28.3	20.9 17.2 7.5 10.7 12.6	13.2 12.8 9.3 6.7 12.2	3.3 4.4 5.6 4.8 8.3	56.2 109.8 108.1 47.9 59.6	6.8 2.7 7.3 5.1 4.5	20.7 13.7 22.9 10.2 9.7	87.7 79.5 89.3 48.4 74.7	80.9 74.8 82.0 75.6 59.0	6.4 12.6 7.3 10.6 12.6	167.8 272.5 259.5 143.9 213.5	33.1 1.6 62.8 9.6 7.6	27 28 29 30 31

<sup>&</sup>lt;sup>2</sup> Less than one-tenth of 1 per 100,000 population.

# GENERAL TABLES.

# GENERAL TABLES.

Table 1.—Deaths (exclusive of stillbirths) in the registration area (exclusive of hawaii) and certain subdivisions; by month of death: 1918.

,						DE.	ATHS OCCI	URRING D	4—	****			
REGISTRATION AREA.	All deaths.	Janu- ary.	Feb- ruary.	March.	April.	Мау.	June.	July.	August.	Septem- ber.	October.	Novem- ber.	Decem- ber.
SUMMARY.													
The registration area (exclusive of Hawaii)	1,445,158	104,662	94,632	107,778	108,030	91,599	80,588	82, <b>4</b> 18	85,010	89,561	289,399	163,609	147,872
4	1,404,116	101.305	91,746	104.897	104,664	88,718		80,001	82,645 41,730	87, 283		159.757	143,520
Registration states <sup>1</sup>	741, 187 662, 929	54,140 47,165	48,559 43,187	57,337 47,560	56,506 48,158	45,669 43,049	77,881 39,237 38,644	40,619 39,382	41,730 40,915	45,871 41,412	281,699 162,415 119,284	76,455 83,302	72,649 70,871
Registration cities in nonregistration states. All registration cities 1	41,042 782,229	3,357 57,497	2,886 51,445	2,881 60,218	3,366 59,872	2,881 48,550	2,707 41,944	2,417 43,036	2,365 44,095	2,278 48,149	7,700 170,115	3,852 80,307	4,352 77,001
REGISTRATION STATES.													
California. Colorado Connecticut Illinois. Indiana.	56,488 17,546 27,240 100,396 45,993	3,737 979 1,877 7,306 3,722	3,577 968 1,723 6,694 3,375	3,915 1,125 2,004 7,851 3,836	3,807 1,220 1,823 7,974 4,061	3,647 1,040 1,484 6,680 3,292	3,441 968 1,284 5,241 2,727	3,104 924 1,413 5,492 2,773	3,134 919 1,434 5,914 2,915	3,063 864 1,780 6,162 2,801	8,686 2,575 7,463 19,425 5,828	9,558 3,361 2,547 10,914 5,058	6,819 2,603 2,408 10,743 5,605
Kansas. Kentucky. Louisiana Maine. Maryland	25, 053 39, 532 32, 201 14, 499 32, 134	2,011 2,962 2,639 1,057 2,345	1,792 2,821 2,111 965 2,175	2,078 3,088 2,068 1,141 2,381	1,885 2,914 2,333 1,145 2,103	1,688 2,325 2,338 962 1,922	1,455 2,079 2,473 836 1,614	1,388 2,308 2,245 802 1,909	1,636 2,521 1,952 817 2,031	1,320 2,350 1,762 1,067 1,823	3,317 6,739 6,354 2,736 9,030	2,794 5,585 3,605 1,386 2,470	3,689 3,840 2,321 1,585 2,331
Massachusetts	77,248 53,320 31,109 53,311 8,985	5,374 4,213 2,012 4,158 494	5,180 3,929 1,892 3,785 428	5,456 4,253 2,194 4,414 593	5,529 4,871 2,587 4,141 612	4,427 3,939 2,323 3,455 529	3,971 3,217 1,809 3,048 433	4,216 3,269 1,674 3,198 420	4,205 3,210 1,608 3,285 399	9,099 3,240 1,790 2,960 443	17,020 6,993 4,274 7,027 1,538	5,553 5,803 5,066 6,492 1,958	7,218 6,383 3,880 7,348 1,138
New Hampshire. New Jersey. New York. North Carolina. Ohio		632 4,371 14,565 3,129 6,962	587 3,838 12,956 2,823 6,116	668 4,678 16,126 .2,823 7,057	704 4,204 14,521 2,869 7,368	560 3,410 11,946 2,989 5,883	497 3,048 10,448 3,210 4,939	492 3,347 10,641 2,947 5,163	497 3,584 10,886 2,758 5,831	1,010 3,552 10,852 2,353 5,761	2,524 17,049 44,085 8,504 14,053	5,041 18,320 4,220 11,866	768 4,866 15,418 3,649 11,357
Oregon. Pennsylvania Rhode Island South Carolina Tennessee	9,679 187,951 12,407 30,761 37,134	640 12,419 867 2,048 2,765	589 10,821 774 1,820 2,524	741 12,428 942 1,882 2,682	799 12,713 967 2,069 2,745	664 10,209 698 2,465 2,211	673 8,415 662 2,277 2,291	627 9,399 743 2,013 2,575	531 10,477 725 1,992 2,419	591 10,687 912 1,882 2,230	1,242 48,329 3,045 6,113 7,295	1,396 25,135 979 3,629 3,926	1,186 16,919 1,093 2,571 3,471
Utah Vermont Virginia Washington Wisconsin	6,172 6,803 41,272 16,837 34,092	421 500 3,077 994 2,342	394 426 2,728 1,026 2,321	436 491 2,980 1,279 2,517	449 482 2,902 1,259 2,930	413 458 2,504 1,169 2,557	345 398 2,490 1,029 2,058	295 391 2,676 996 1,989	335 377 2,848 900 1,995	284 524 2,570 985 2,054	924 1,697 8,639 2,239 4,779	1,104 516 3,537 2,273 4,416	772 543 4,321 2,688 5,034
REGISTRATION CITIES.													 
ALABAMA. <sup>2</sup>	2 20=		400			404	405	418	450	000		584	610
Registration cities		353 136 92	301 104 88	300 74 66	418 96 102	319 88 77	268 129 68	257 89 72	456 294 91 71	388 249 70 69	953 593 304 56	410 111 63	584 138 . 97
CALIFORNIA,				]									
Registration cities	33,317 419	2,188	2,109	2,346	2,249	2,146	1,959	1,811	1,843	1,771	5,557	5,168	4,170
Allmeut Bakersfield Berkeley Eureka Fresno	611 679 251 679	20 22 40 18 41	28 50 12 29	31 46 17 40	36 45 17 57	35 38 13 47	35 42 19 48	22 45 12 44	31 51 14 39	25 30 16 37	148 127 43 70	133 85 52 111	65 80 18 116
Long Beach	9,348 3,212 566	56 627 204 50	52 628 171 48	47 640 266 41	47 594 204 42	41 628 182 51	52 562 173 36	37 537 182 37	44 554 173 44	33 515 181 20	106 1,384 611 60	1,515 493 78	1,164 372 59
Pomona Redlands Riverside Sacramento	180 122 339 1,727	11 10 21 109	14 9 24 97	13 13 23 92	17 5 29 114	· 14 10 28 115	14 11 19 83	10 6 25 58	11 6 18 78	8 11 16 86	17 16 41 259	30 9 59 413	21 16 36 223
San Bernardine. San Diego. San Francisco. San Jose	499 1,534 9,855 587	34 114 660 37	28 129 617 35	37 104 733 46	33 100 684 46	30 98 611 56	28 96 562 43	36 88 502 33	23 106 496 32	28 106 499 39	110 135 1,974 99	70 162 1,317 58	42 296 1,200 63
Santa Barbara Santa Cruz Stockton Vallejo	250 195 1,347 246	17 18 54 19	11 10 69 22	17 7 82 16	21 15 89 20	21 15 81 12	12 13 78 9	17 21 67 6	14 17 64 6	13 17 67 8	28 16 195 46	38 24 324 50	41 22 177 32

I Including District of Columbia.

<sup>\*</sup> Nonregistration state; only those cities with satisfactory registration of deaths are shown.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY MONTH OF DEATH: 1918—Continued.

	4.17					DE	THS OCC	JRRING IN	<b>1</b> —				
REGISTRATION AREA.	All deaths.	Janu- ary.	Feb- ruary.	March.	April.	Мау.	June.	July.	August.	Septem- ber.	October.	Novem- ber.	Decem- ber.
REGISTRATION CITIES—Continued.										1			
COLORADO.													
Registration cities	7,470	415	440	516	583	432	442	424	409	381	997	τ, 199	1,232
Colorado Springs Denver Pueblo Trinidad	842 5, 199 1, 072 357	44 287 60 24	46 317 50 27	64 378 49 25	60 413 81 29	46 303 57 26	45 302 69 26	51 288 58 27	59 285 48 17	58 255 42 26	101 728 130 38	127 755 277 40	141 888 151 52
CONNECTICUT.  Registration cities	19,962	1,398	1, 247	1,479	1,354	1,111	925	1,003	982	1, 240	5,610	1,878	1,735
Ansonia	318	15	13	23	20	16	12	17	22	24	111	17	
Bridgeport. Bristol: Danbury town Green wich town	2,981 304 490 377	207 22 37 19	225 22 27 22	294 20 30 34	219 12 29 16	160 10 21 22	130 12 22 16	161 17 23 28	152 15 40 22	139 14 35 20	664 122 135 105	395 20 43 44	28 235 18 48 29
Hartford Manchester town Meriden town Middletown town	3,117 221 800 756	225 20 65 59	218 19 57 52	239 13 50 58	222 14 45 50	173 8 38 48	149 8 42 35	167 16 43 26	163 12 38 28	237 8 46 52	784 65 272 193	269 17 52 77	271 21 52 78
Naugatuck. New Britain. New Haven. New London.	248 1,112 3,343 586	16 76 246 34	10 56 217 21	13 60 236 46	10 50 260 42	9 62 220 34	11 43 169 30	5 51 184 31	10 39 148 31	16 53 178 68	122 425 788 140	14 70 375 53	12 97 322 56
Norwalk Norwich town Orange town Stamford town	765	37 67 20 66	38 38 12 49	45 62 19 58	24 49 9 53	46 47 14 48	28 45 12 32	26 25 13 38	30 52 12 49	22 98 18 41	149 188 58 192	64 45 26 81	50 49 35 87
Torrington town. Wallingford town. Waterbury. Windham town.	326 184 2,087 346	24 12 114 17	16 12 104 19	28 16 116 19	11 20 145 24	18 15 91 11	15 5 80 29	10 15 97 10	18 6 80 15	20 19 99 33	68 47 841 141	47 5 156 8	51 12 164 20
DELAWARE.					ĺ					ĺ			Į
Wilmington	2,606	134	135	179	165	116	110	123	171	201	931	169	.172
DISTRICT OF COLUMBIA.										1			
Washington	9,090	687	588	770	678	531	505	572	510	512	2, 177	607	953
Registration cities	4, 194	343	292	269	282	294	248	230	234	235	1, 175	335	25
Jacksonville Key West Pensacola Tampa	387	189 32 45 77	158 29 34 71	129 31 46 63	133 42 44 63	150 26 56 62	114 29 47 58	114 22 39 55	113 17 36 68		588 76 196 315	141 40 41 113	114 25 42 70
GEORGIA. <sup>1</sup> Registration cities	5, 825	571	437	410	535	474	421	372	338	359	786	538	584
Atlanta. Brunswick Savannah		383 31 157	290 22 125	258 14 138	347 24 164	291 18 165	278 12 131	249 12 111	217 20 101	34	462 32 292	27	388 35 167
ILLINOIS.							Į	İ					
Registration cities	63, 242	4, 463	4,050	5, 051	5, 126	4, 121	3,183	3,326	3,698	3,796	13,766	6, 250	6,41
Alton Aurora. Belleville. Bloomington. Cairo.	739 480 525	28 50 31 49 38	36 47 22 50 28	46 61 39 34 23	42 63 31 40 34	22 55 28 33 25	26 30 22 27 18	30 37 21 22 18	30 57 26 36 21	26 29	56 119 58 94 84	95 93 56	8 8 5
Canton Champaign Chicago Chicago Heights	265 44,069	11 21 3,080 15	18 17 2,792 23	15 16 3,638 33	20 17 3,582 42	14 13 2, 810 15	6 16 2, 193 15	12 11 2, 297 14	9 16 2,552 18	2,680		33,986	4,13
Cicero. Danville. Decatur. East St. Louis	709 685	32 52 58 82	18 36 49 86	37 47 61 87	35 57 42 93	23 54 38 83	16 35 36 70	21 47 42 72	27 55 33 52	47 46	129	93 79	7
Elgin Evanston Freeport Galesburg	. 491 366	71 29 31 40	59 30 21 31	59 26 22 36	68 31 34 37	55 29 28 29	46 29 22 28	43 36 24 27	34 24 20 27	42 20	57	44 36	7
Granite Jacksonville Jollet Kankakee	1,061	13 51 69 57	18 55 56 52	15 45 70 67	13 37 75 65	15 54 66 62	9 35 59 50	15 47 47 48	55 53	43	74 312	108	3 4

 $<sup>^{1}</sup>$  Nonregistration state; only those cities with satisfactory registration of deaths are shown.

# DEATHS, BY MONTH OF OCCURRENCE.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY MONTH OF DEATH: 1918—Continued.

						DEA	THS OCCU	RRING IN	<del></del>				ı
registration area.	All deaths.	Janu- ary.	Feb- ruary.	March.	April.	Мау.	June.	July.	August.	Septem- ber.	October.	Novem- ber.	Decem- ber.
REGISTRATION CITIES—Continued													
La Salle	326 403 257 614	15 27 26 41	11 32 20 35	14 30 22 41	29 29 22 65	22 43 23 28	14 17 12 28	11 17 12 30	18 35 11 38	19 21 17 43	66 40 46 58	58 40 20 79	49 72 26 128
Moline Oak Park Peoria Quincy	508 1,389 857	42 93 70	44 91 68	39 102 65	42 126 83 94	37 118 68 66	33 75 41 68	22 68 41 51	25 76 72 60	31 76 43 49	77 255 141 , 319	60 131 74 77	56 178 91 97
Rockford	1,090 548 1,222 345	50 85 19	56 42 70 20	53 80 20	45 82 23	37 90 17	22 48 21 16	32 82 11 18	34 77 18 17	25 74 21	62 196 66	64 177 43	82 161 66
Waukegan	308		17	22	28	. 21		-		44	77	16	12
Registration cities		1,442	1,311	1,535	1,745	1,274	1,085	1,054	1,116	1,074	2,509	2,127	2,230
Anderson East Chicago Elkhart Elwood Evansville	409 735 418 212 1,444	41 58 33 11 114	24 46 38 16 116	27 70 27 18 129	28 72 40 16 127	27 36 41 11 88	31 28 20 17 79	25 29 19 1 84	28 41 18 13 78	27 39 12 18 84	37 203 54 15 204	37 61 42 21 173	77 52 74 55 168
Fort Wayne	1,213 1,098 777 197 5,241	83 62 46 16 451	90 67 61 11 355	116 88 63 23 436	154 98 58 16 523	97 49 40 16 409	82 108 42 14 298	71 61 32 8 323	83 59 39 12 322	72 50 40 14 317	104 161 182 11 705	90 174 97 18 588	171 121 77 38 514
Kokomo Lafayette Laporte.: Logansport	212 392	22 29 41 10 24	14 34 28 18 29	17 27 47 19 32	16 42 48 17 28	17 26 32 14 22	17 24 20 13 26	6 20 36 15 26	9 31 34 22 27	10 14 50 22 26	28 43 79 24 65	25 59 35 45 50	31 43 62 60 53
Marion Michigan City Mishawaka Muncie New Albany	346 314 252	27 17 20 40 34	27 29 15 30 37	41 33 16 36 38	41 34 9 47 39	30 19 14 33 22	19 17 15 23 25	18 12 18 40 21	23 14 19 31 27	16 22 21 31 16	21 28 16 28 96	32 39 56 31 35	51 50 33 59 40
Peru Richmond South Bend Terre Haute Vincennes		15 34 92 96 26	16 35 71 85 19	18 31 69 86 28	12 39 77 119 45	20 28 74 77 32	18 25 50 60 14	10 24 65 70 20	14 25 50 78 19	14 21 57 68 13	14 51 208 109 23	15 46 157 164 37	20 50 115 152 64
Kansas.	1			Ì								1	
Registration cities	6,681	520	481	568	511	454	377	370	414	333	1,051	710	892
Atchison. Coffeyville. Fort Scott Hutchinson.	. 220	15 22 1ა 30	15 19 19 25	13 14 23 28	24 10 23 13	11 19 20 30	13 13 11 24	11 12 13 26	11 14 · 15 28	14 14	22 35 30 43	31 24 13 72	27
Independence. Kansas City. Lawrence. Leavenworth.	2,004	14 170 13 23	16 155 12 26	11 183 22 46	11 152 22 29	17 131 18 35	13 . 113 5 29	13 109 6 23	10 124 16 28	89 12	421	37 175 17 40	35
Parsons Pittsburg Topeka Wienita	. 272	26 21 77 91	21 18 76 79	23 19 80 106	39 20 81 .87	15 16 67 75	20 11 59 66	5 14 60 78	13 13 62 80	13 11 67 65	37 155	1 38	54 92
KENTUCKY.  Registration cities	9,708	802	800	801	803	634	507	565			-	- <del> </del> -	
CovingtonFrankfort. Henderson Lexington	_ 289	107 20 25 96	103 13 21 111	27 25	95 27 23 105	72 19 17 79	13 10	29	63 18 11 85	6 9	25 40	36	62 49 103
Louisville. Newport Owensboro. Paducah.	5,083 465 487 672	420 44 37 53	44 33	413 40 39 50	41 43	332 29 38 48	24 26	297 12 38 47	!! 25	283 21 21 5 18 54	52 53	67	69 52
louisiana.													
Registration cities		1,052		_	-1	874	-	-	_		-	<del></del> -	
Alexandria. Baton Rouge. Lake Charles. Monroe New Orleans. Shraveport.	310 9,756	29 24 22 852	23 25 20 20 20 657 31 82	22 32 17 18 615 82	678	1 682	34 24 40 52	30 23	31 32 3 55	507	108 5 50 7 2,309	5 43 32 32 34 38 35 36 37 37	32 59 4 19 2 822

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY MONTH OF DEATH: 1918—Continued.

			***************************************	<del>-3***</del>		DE.	ATHS OCC	URRING II	A				
REGISTRATION AREA.	All deaths.	Janu- ary.	Feb- ruary.	March.	April.	Мау.	June.	July.	August.	Septem- ber.	October.	Novem- ber.	Decem - ber.
REGISTRATION CITIES—Continued.													
MAINE.													1
Registration cities	3,967	290	274	311	336	247	216	230	232	273	670	347	541
Auburn	229	25	15	25	25	14	13	12	17	13	23	21	26
AugustaBangor	359 723	35 61	31 59	26 61	25 27 65	17 54 17 48 88	24 51	32 29 24 40 82 11	28 36 15 26 84 26	31 40	23 36 128 60	34 71	26 38 68 32 72 245
BiddefordLewiston	347 607	27 44	15 44	25 51 97	41 41	17 48	19 23 72	24 40	15 26	40 34 38 96	128 259	71 38 52 97	32 72
Portland	1,407 295	82 16	90 20	97 26	115 22	88 9	72 14	82 11	84 26	96 21	259 36	97 34	245 60
MARYLAND.	]			ĺ									}
Registration cities	17,359	1,306	1,239	1, 403	1,207	1,078	873	1,042	1,002	881	5,054	1,145	1,129
Baltimore	15,810 746	1, 198 40	1,160 32	1,296 44	1,110 33	990 44	799	971	926 32	799 40	4,537 317	1,032 50	992 56
Cumberland Frederick Bagerstown	271 532	23 45	14 33	23 40	22 42	15 29	29 22 23	29 19 23	15 29	17 25	58 142	17 46	26 55
MASSACHUSETTS.	002	30	33	1	12	20	20	10	20	1 -	1	1	
Registration cities	61, 196	4, 234	4, 152	4, 299	4, 333	3, 487	3,055	3, 276	3,234	7,492	13,702	4, 296	5,636
Adams town	199	6	11	16	18	18	3	12	11	14 45	50 52	27	13
Arlington town Attleboro	315	19 23	24 16	23 31	11 13	13 19	18 12	11 8	13 17	28 38	96	19 21 24	13 35 31
Beverly. Boston.	326 17, 267	1,304	25 1,269	1, 236	32 1,178	1,008 1,008	10 865	22 914	16 835	2,658	76 3,375	1,033	1,592
Brockton	1,192 519	63	76 40	83 42	80 24	56 27	55 27	50 15	60 36	208 102	273 83	73	115
Brookline town. Cambridge.	2,266	48 192	193	141	161	122	128	118	110	325	420 177	28 139	47 217
Chelsea	852 514	62 28	58 24	65 35	73 43	55 <b>3</b> 5	30 17	49 35	26 38	128 37	117	66 57	63 48
Clinton townEverett		14 34	15 38	24 46	17 39	26 36	14 21	14 28	14 34	28 72	73 119	18 36	26
Fall River	2,858	201 49	151 48	204 47	192 61	145 41	117 46	197 33	176 39	261 66	844 252	175	26 60 195 56 58
Fitchburg Framingham town	391	29	27	24	27	20	15	13	20	38	96	48 24	58
Gardner town Gloucester	333 544	28 33	17 33	25 25	23 32	14 24	15 23	15 30	22 17	21 136	101 121	26 29	26 41
Greenfield town Haverbili	299	17 69	15 46	25 25 16 75 95	23 32 17 73 88	14 57	15 23 15 47 61	10 40	15 37	26 68	113 179	19 59	22 103 177
Holyoke	1, 272	89	66	95	88	65	61	71	64	80	232	184	}
Lawrence Leominster		125 19	146 24	156 28	150 34	130 16	136 17	99 18	114 15	159 24	497 104	160 20	158 30 201
Lowell Lynn	2,466 1,811	153	176 119	175 126	203 118	159 110	136 - 87 - 33	136 95	162 100	251 232	587 369	127 114	1 208
Malden	851	133 50	50	68	56	53	}	50	42	118	188	54	89
Marlborough Medford	. 505	23 23	17 45	18 29 28 10	24 27	18 28	11 34	16 33	12 29	25 88	43 90	33 19	29 46 36
Melrose Methuen town	282	23 23 28 15	21 16	28 10	27 20	18 16	13	17 15	15 17	24 18	36 47	19 15 18	16
Milford town	1	15	18	16	31	25	18	13	16	58	81	1	16
New Bedford Newburyport Newton	2,895 351	199 23	168 25	174 19	182 28	139 26	153 20	232 21	190 19		853 77	205 25	174 25
North Adams	. 419	49 22 32	46 44	71 30	47 41	35 33	48 25	40 25	38 33 42	92 28	162 74	39 47	83 17 75
Northampton	586	ii	49	29	47	31	28	33	i	1	96	65	Í
Peabody Pittsfield	. 959	20 67	26 45	32 61	24 55	15 57	14 35	17 38	17 50	58	88 343	32 58 24	24 92 50 58 28
Plymouth town. Quincy.	. 850	8 49	61	60	13 54	8 39	12 41	15 23	33	34 208	183	41 21	58
Revere	i	23	i	1	18	20	21	14	ì	1	72	1	1
Salem- Somerville	1,521	52 106	102	123	53 116	42 93 9	50 83	35 92 8	59 67 9	206	179 297	91	145
Southbridge town Springfield Taunton	. 2,534	161 56		174	16 192 57	135 55	14 107 55	151 47		165	58 475 273	298	338
Taunton Wakefield town	1	11	1	ì	12	8	9	12	9	1	1	1	
Waltham	. 713	16 51 22	32	51 12	39	36 16	33 7	28 10		82 53	230 61	44	l en
Watertown town	. 229	13 29	19	11	15	16 29	11 21	10 28	9	l 18	69	25	13
Westfield town		34	i	1	18	16	17	}	1	ì	1	1	1
Winthrop town Woburn	. 180	13 22 248	23 16 18 239	12 17	15 27	8 21	7	12	1 7	45	18	17	10
Worcester		248	239	270	316	218	193	182	225	343	926	262	316

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY MONTH OF DEATH: 1918—Continued.

,			······································	114444		DE	ATHS OCC	UBRING I	V				
REGISTRATION AREA.	All deaths.	Janu- ary.	Feb- ruary.	March.	April.	Мау.	June.	July.	August.	Septem- ber.	October.	Novem- ber.	Decem- ber.
REGISTRATION CITIES—Continued.													
Registration cities	25, 455	1,988	1,815	2,027	2,443	1,786	1,459	1,472	1,467	1,461	3,650	2,812	3,075
Adrian	246	17 12	13 20	12 20	31 17	22 14	22 12	11 6	22	17	24 42	23 38	32
Alpena Ann Arbor. Batile Creek Bay City		46 65 69	26 49 51	41 46 62	46 55 80	45 47 69	46 47 41	30 40 36	22 14 26 37 44	12 29 41 55	95 131 68	46 62 132	32 23 32 77 89
Detroit. Essanaba Flint. Grand Rapids. Holland.	12,889 280 1,105 1,893 146	991 15 66 156 13	926 20 73 136 13	1,071 20 76 147 6	1,295 28 95 193 15	916 21 70 146 10	695 25 44 116 . 6	760 18 47 115 11	716 9 71 110 9	697 14 54 126 6	1,957 33 • 264 165 9	1,370 27 126 200 21	1, 495 50 119 283 27
Ironwood Ishpeming Jackson Kalamazoo Lansing	215 158 . 899 1,088 722	24 9 84 83 62	10 20 64 79 42	9 6 68 97 62	19 19 67 97 69	12 8 60 65 41	12 12 52 61 51	6 12 34 84 36	13 6 56 75 33	12 8 47 53 43	21 12 226 129 98	52 16 70 113 82	25 30 71 152 103
Manistee. Marquette Menominee Muskegon. Pontiae	. 217 170	16 14 13 47 45	13 14 8 45 50	18 18 13 48 44	12 20 12 58 51	15 22 8 45 32	5 22 10 30 40	6 11 17 36 46	5 14 12 36 34	14 13 3 41 46	15 20 18 71 76	27 25 84 72	18 22 31 80 65
Port Huron Saginaw Sault Ste. Marie. Traverse City	358 936 224 315	29 69 14 29	22 78 17 26	28 69 16 30	42 71 31 20	30 59 5 24	19 48 12 31	14 56 17 · 23	26 63 16 20	29 65 19 17	34 93 24 25	52 113 42 15	33 152 11 55
MINNESOTA.		000		000		000	coc	ene	***	670	1 510	1 714	3 410
Registration cities  Duluth		802 91	718	863	1,109	900	686 76	626	558 72		1,519	1,714	1,410
Mankato	1,390 276 5,392 275	20 371 17	23 361 15	89 17 418 15	29 584 12	21 437 21	18 337 20	68 12 294 7	10 254 9	85 19 311 15	735 739 73	259 37 599 49	162 35 687 22
St. Paul Stillwater Virginia Winona	1 123	249 11 21 22	191 8 16 15	287 12 14 11	293 8 11 21	275 9 12 18	204 6 10 15	213 6 12 14	186 3 11 13	206 6 7 21	415 14 18 84	635 31 73 31	448 9 11 36
MISSISSTPPI.1						0=1	0.54		005	101	400	000	000
Registration cities  Hattlesburg	3,063	266	200	228	241	251 30	254	215	205	191	420 51	299	293
Jackson., Meridian. Natchez. Vicksburg.	1,057 622 329	32 83 54 25 72	63 40 24 49	31 78 47 19 53	32 91 43 25 50	90 57 19 55	26 76 64 26 62	26. 78 46 24 41	73 45 15 38	66 49 18 34	157 100 35 77	26 95 35 63 80	38 107 42 36 70
MISSOURI.												0.070	
Registration cities		1,956	1,811	2,143	2,015	1,674	1,447	1,466	1,475	1,276	3,441	2,976	3,694
Hannibal Jefferson City Jophn Kansas City Moberly	. 237	31 14 76 502 19	33 21 59 450 19	34 20 47 588 23	19 64 488 27	35 18 47 413 14	23 16 38 395 16	51 394 7	19 47 323 18	36 305 14	18 103 1,001 29	37 112 736 25	41 130 1,013 41
St. Joseph St. Louis Sedalia Springfield Webb City	1,797 13,727 447 827 250	130 1,083 29 52 20	162 1,003 24 29 11	136 1,172 38 60 25	162 1,112 31 58 17	110 925 35 64 13	106 763 25 38 27	90 805 29 57 14	108 860 21 38 15	89 728 17 44 17	316 1,525 75 232 38	177 1,711 49 60 28	211 2,040 74 95 25
MONTANA.				0.00		104		1,,,	10-	101	400	702	400
Registration cities		183	131	210	222	184	141	144	125	161	603	41	406
Anaconda. Billings Butte- Great Falls Helena. Missoula	317 1,455 603 288 338	13 18 70 41 16 25	11 44 37 19	14 111 37 14 22	26 19 99 32 21 25	27 92 25 12 20	8 66 34 11 6	17 66 22 17 11	14 59 13 15		56 315 111 49 55	77 304 155 61 64	33 41 166 63 31 72
NEBRASKA. <sup>1</sup> Registration cities	4,104	245	222	257	309	212	222	255	221	220	766	487	688
Lincoln	905	69	54	70	57	52	39	54	39	46	198		120
Omaha	. 3,199	176	168	187	252	1 160	183	201	182	1 174	1 568	1 380	568

<sup>1</sup> Nonregistration state; only those cities with satisfactory registration of deaths are shown.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY MONTH OF DEATH: 1918—Continued.

	4.55					DE.	ATHS OCC	URRING I	N				<del></del>
REGISTRATION AREA.	All deaths.	Janu- ary.	Feb- ruary.	March.	April.	Мау.	June.	July.	August.	Septem- ber.	October.	Novem- ber.	Decem-
REGISTRATION CITIES—Continued.  NEW HAMPSHIRE.													
Registration cities	4,493	300	269	285	325	246	218	220	233	525	1,234	308	330
Berlin Concord	338 682	10 58	14 42	16 52	16 63 16	26 36	19 33	8 34	18 28 20	99 49	87 144	16 75	9 68
Dover	275	13 19	14 11	13 15	16 15	15 14	10 15	13 17	20 11	27 22	95 88	22 17	19 31
Laconia. Manchester. Nashua Portsmouth.	296 1,659 632 334	20 120 43 17	15 110 38 25	17 113 39 20	18 114 46 37	14 102 24 15	13 76 36 16	14 80 34 20	14 89 36 17	22 192 75 39	96 440 192 92	20 114 29 15	33 109 40 21
NEW JERSEY.													
Registration cities	i	2,870	2,459	3,089	2,725	2,159	1,929	2,061	2,218	2,181	11,126	3,302	3,023
Asbury Park. Atlantic City Bayonne. Bloomfield Bridgeton.	i l	12 81 96 13 25	13 57 78 14 26	15 74 90 36 20	15 64 105 17 28	14 67 75 12 25	10 63 57 13 17	9 92 54 12 27	17 90 52 14 19	11 68 116 12 22	49 305 558 63 141	19 101 90 17 23	19 148 68 23 23
Camden East Orange Elizabeth Garfield Hackensack	3,062 471 1,846 251 434	216 54 121 12 24	198 31 130 10 23	195 41 143 11 38	176 34 143 12 28	134 29 103 17 24	142 21 94 13 22	150 23 91 18 17	158 29 108 18 24	161 27 78 12 23	1,205 81 577 89 106	166 44 153 26 50	161 57 105 13 55
Harrison Hoboken. Irvington Jersey City Kearny	225 1,182 302 6,081 438	18 117 31 427 40	19 99 26 366 24	23 145 24 558 38	15 99 16 415 34	17 65 16 344 24	13 45 12 314 24	11 54 17 296 18	5 58 13 357 24	9 55 15 350 22	59 274 74 1,674 109	24 98 30 538 43	12 73 28 442 38
Long Branch Millville Montclair Morristown New Brunswick	301   407	28 22 19 21 44	26 14 16 28 55	30 29 21 27 60	. 44 13 17 25 51	24 22 16 11 50	16 15 20 16 55	35 17 26 14 62	35 14 31 24 64	35 8 19 26 72	56 120 57 137 256	19 22 22 27 70	31 21 37 41 54
Newark Orange Passaic. Paterson	8,132 844 1,192 2,686	597 57 92 231	551 44 80 169	687 77 89 193	639 60 84 177	500 50 79 156	392 49 74 134	450 44 83 121	426 40 75 185	414 39 66 162	1,937 190 264 645	819 102 105 262	720 92 101 251
Perth Amboy Phillipsburg. Plainfield Trenton	l 616 i	75 35 39 214	52 17 45 162	61 18 41 193	71 22 57 179	41 12 25 139	39 15 31 154	51 17 33 154	43 17 39 179	57 23 43 174	425 126 153 1,041	68 22 56 165	47 18 54 173
Union West Hoboken West New York West Orange	265 493 350 182	22 40 32 15	27 30 15 14	21 39 32 20	16 27 25 17	11 35 16 6	9 26 18 6	15 25 21 4	15 20 19 6	16 28 12 6	77 129 108 41	23 42 27 19	13 52 25 28
NEW YORK.	7.17 000	11 050	0.001	10.040		2 221							
Registration cities	2,548	11,278	9,891	12,649	11,121	8,924 159	7,755	7,847	8,011 134	7,901	34,721 673	13,730	11,475
Amsterdam Auburn Batavia Binghamton	576 708 325 1,363	38 51 18 98	37 46 24 98	50 57 29 114	22 51 23 92	38 41 19 101	39 41 21 93	26 59 19 79	33 29 14 78	45 40 14 88	144 181 75 308	64 57 37 132	40 55 32 82
Buffalo Coĥoes Corning Cortland Dunkirk	10, 112 497 294 311 400	684 39 20 28 33	619 34 29 17 17	705 41 23 22 19	733 23 21 25 29	632 23 16 12 21	558 22 8 13 22	587 26 13 28 18	679 22 13 21 30	631 25 17 26 26	2,640 129 85 83 60	846 79 · 30 21 75	798 34 19 15 50
Elmira. Fulton. Geneva. Glens Falls. Gloversville.	868 311 258 428 526	63 19 10 23 36	71 21 17 23 42	74 20 27 20 40	73 28 24 22 22 35	69 20 17 22 26	65 13 13 25 25	51 10 15 19 28	46 16 10 25 23	43 16 16 33 35	141 115 61 161 159	83 19 25 31 46	89 14 23 24 31
Hornell Hudson Ithaca Jamestown	282 292 317 572	21 19 29 35	23 17 20 46	25 11 37 53	19 15 25 55	21 14 16 41	15 13 22 25	13 8 21 34	10 21 16 39	16 22 16 <b>28</b>	58 86 60 107	27 38 24 68	34 28 31 41
Johnstown Kingston Lackawanna Little Falls	188 691 494 257	13 46 20 23	17 39 34 19	14 45 29 22	13 40 28 13	9 34 32 14	16 30 35 22	6 31 36 19	12 40 55 21	11 37 19 17	58 238 76 61	11 62 57 13	8 49 73 13
Lockport. Middletown. Mount Vernon. New Rochelle.	373 521 583 515	25 41 38 40	21 38 47 35	24 40 44 33	28 45 45 42	31 39 30 32	27 29 29 28	18 42 26 29	23 32 20 24	16 30 35 29	56 70 155 141	63 84 66 41	41 31 48 41

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY MONTH OF DEATH: 1918—Continued.

			•			DE.	ATHS OCC	JERING I	4				
registration area.	All deaths.	Janu- ary.	Feb- ruary.	March.	April.	May.	June.	July.	August.	Septem- ber.	October.	Novem- ber.	Decem- ber.
REGISTRATION CITIES—Continued.				· · · · · · · · · · · · · · · · · · ·									
NEW YORK-continued.		ļ											
New York.  Bronx Borough Brooklyn Borough Manhattan Borough Queens Borough Richmond Borough	96, 989 10, 607 34, 010 42, 859 7, 011 2, 502	7,951 869 2,792 3,514 571 205	6,841 692 2,364 3,086 478 221	9,167 926 3,171 4,183 630 257	7,536 830 2,643 3,387 506 170	5,949 624 2,033 2,748 419 125	5,137 583 1,811 2,276 344 123	5,112 548 1,713 2,338 385 128	5,122 537 1,763 2,314 366 142	5,096 558 1,805 2,264 352 117	22,328 2,630 8,010 9,382 1,653 653	9,261 1,049 3,313 3,951 742 206	7,489 761 2,592 3,416 565 155
Newburgh Niagara Falls North Tonawanda Ogdensburg Olean	694 963 276 690 364	48 48 14 36 31	43 50 12 42 22	46 57 12 48 25	53 74 21 41 30	41 65 17 36 . 17	36 56 17 29 16	36 37 15 40 15	43 44 23 37 31	42 36 13 43 26	188 225 69 205 112	65 122 35 89 19	53 149 28 44 20
Ossining. Oswego. Peekskill. Plattsburg. Port Chester.	218 539 303 307 346	14 34 23 16 15	6 23 17 13 18	16 26 21 21 27	11 30 21 18 17	20 30 25 15 17	14 21 10 17 6	12 25 14 16 10	14 31 23 19 12	13 29 15 21 16	74 235 77 66 129	10 32 33 38 47	14 23 24 47 32
Poug_hkeepsie. Rens el er. Rochester Rome. Saratoga Springs.	744 174 4,807 833 368	40 9 363 55 29	33 16 334 62 15	54 11 368 66 22	52 3 393 66 26	36 12 300 57 21	40 10 253 62 24	30 13 284 43 29	27 17 282 49 30	44 14 282 41 28	297 44 876 170 97	51 504 84 20	40 14 568 78 27
Schenectady. Syracuse. Troy. Utica.	2,105	110 211 159 155	90 220 131 124	119 234 141 137	112 311 158 164	94 199 120 140	82 174 103 103	88 226 127 100	80 215 106 133	92 190 129 113	465 855 545 572	128 232 222 177	140 211 164 144
Watertown. Watervliet White Plains. Yonkers.	853 296 310 1,574	49 26 26 115	29 14 13 107	. 23 21 114	64 30 25 94	60 17 20 87	42 16 16 78	47 14 13 88	50 9 25 103	54 11 16 81	292 87 88 444	52 31 23 138	61 18 24 125
NORTH CAROLINA.  Registration cities	5,309	419	363	358	384	371	408	376	346	300	991	465	528
Asheville Charlotte Durham Greensboro Raleigh Wilmington. Winston-Salem	752 1,039 455 359 741 836 1,127	58 86 28 21 58 72 96	53 73 37 22 42 63 73	42 81 36 29 49 44 77	56 82 44 33 41 55 73	60 63 37 24 53 59 75	60 81 39 31 42 67 88	52 71 39 25 52 56 81	51 70 32 20 43 55 75	37 64 29 24 32 68 46	146 · 150 68 66 160 184 217	65 89 37 35 103 52 84	72 129 29 29 66 61 142
NORTH DAKOTA, <sup>1</sup> Faigo	412	22	17	22	24	· 25	29	14	17	17	119	65	41
оно.					-								
Registration cities	51,264	3,810	3,248	3,931	4,172	3,191	2,607	2,781	3, 198	2,878	8,227	6,943	6,278
Akron	2,425 389 310 328 243	150 27 27 24 16	135 23 13 24 15	209 29 35 22 13	199 27 27 22 20	137 30 19 28 14	115 21 19 12 7	145 22 / 15 20 15	156 34 22 15 10	160 32 23 14 6	298 59 32 34 46	326 45 46 79 40	395 40 32 34 41
Canton Chillicothe. Cincinnati Cleveland. Columbus.	1,261 321 8,591 13,043 4,164	106 25 737 897 332	71 28 612 758 288	71 24 728 923 338	107 24 728 1,062 334	79 19 561 800 279	54 22 466 601 234	69 13 425 733 249	67 18 505 777 286	79 14 468 662 245	190 74 1,334 2,136 559	227 33 938 2,039 501	141 27 1,089 1,655 519
Dayton East Liverpool Elyria Findlay Hamilton	2,544 452 330 275 710	201 28 19 17 42	173 24 17 18 44	191 29 32 27 39	195 36 24 30 48	163 34 18 17 47	125 22 23 19 33	139 14 21 11 35	168 27 16 16 38	149 25 24 21 42	577 49 47 54 205	219 85 51 17 76	244 79 38 28 61
Ironton Lakewood Laneaster Lima Lorain	341 407 200 670	21 33 21 66 36	9 29 11 41 37	33 22 17 67 36	20 28 22 71 37	15 24 14 42 35	16 22 7 25 29	18 26 10 43 25	21 23 8 44 45	18 23 6 45 27	73 <b>3</b> 0 59 70 <b>12</b> 3	63 76 13 50 150	34 71 12 106 95
Mansfield Marietta Marion Massillon Middletown	231 393 261	32 14 33 20 21	25 13 29 23 25	22 14 38 20 25	27 10 39 21 30	26 15 20 14 22	22 17 18 21 11	21 14 16 12 25	29 16 30 20 24	28 16 35 12 22	122 37 38 29 98	34 39 22 40 45	26 26 75 29 60
Newark Norwood. Piqua. Portsmouth.	524 229 271 658	52 16 23 45	37 15 14 64	•	46 21 19 37	20 10 21 31	•	21 14 16 39	32 8 16 40	31 11 9 33	128 43 62 115	48 31 21 70	43 27 32 <b>75</b>

<sup>1</sup> Nonregistration state; only those cities with satisfactory registration of deaths are shown.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY MONTH OF DEATH: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (countries, exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

						DE	ATHS OCC	URBING I	N—				
REGISTRATION AREA.	All deaths.	Janu- ary.	Feb- ruary.	March.	April.	Мау.	June.	July.	August.	Septem- ber.	October.	Novem- ber.	Decem- ber.
REGISTRATION CITIES—Continued.	,												
Sandusky	361	18	23	28	24	18	15	17	33	14	50	57	64
Springfield	1,014	91	75	83	96	59	47	50	62	84	171	84	112
Stanbenville	655	37	41	47	66	33	45	46	37	37	82	118	66
Tiffin	257	23	13	8	27	25	18	12	9	22	35	48	17
Toledo. Warren. Youngstown Zanesville. OREGON.	4, 038 444 2, 815 612	321 28 166 45	272 15 157 37	310 25 221 53	364 34 212 38	272 36 151 43	231 23 141 32	229 23 147 31	282 36 190 38	249 35 128 29	585 31 452 100	436 117 572 87	487 41 278 79
Registration cities	3,972	225	239	311	299	282	276	242	212	254	530	623	479
Portland Salem.	3,760	214	224	288	277	268	263	226	200	235	505	598	462
	21?	11	15	23	22	14	13	16	12	19	25	25	17
PENNSYLVANIA.  Registration cities	99,912	7,029	5,976	6,888	6,889	5, 493	4, 532	5,098	5,366	5,391	90 540	10.005	
Allentown Altoona Beaver Falls Bethlehem Braddock	1,426 1,067 361 324 790	76 80 20 20 46	93 71 16 18 51	94 82 21 25 67	96 76 18 16 66	83 82 20 26 31	70 43 21 15 22	38 52 16 16 33	102 65 24 32 39	88 - 55 24 19 36	28, 549 266 228 67 46 217	201 112 80 42 135	7,806 169 121 34 49 47
Bradford Butler Carbondale Carlisie Carnegie	286 519 501 279 239	22 33 19 22 13	21 31 21 23 18	24 30 21 20 15	22 41 32 21 11	21 28 19 17	18 18 33 20 2	27 23 24 16 13	26 24 24 14 6	18 28 31 11 8	26 149 131 70 41	31 50 76 27 87	30 64 70 18 14
Chambersburg Chester Coatesville Columbia Connellsville	284 1,473 302 294 268	20 94 19 29 16	14 112 13 10	14 114 26 22 14	27 86 13 18 28	15 72 10 10 14	11 58 13 16 12	8 70 14 14 15	9 85 13 9	19 88 19 13 17	84 547 118 99 79	34 69 27 36	29 78 12 18 21
Dubois Dunmore Duquesne Easton Erie	294	14	16	17	19	12	7	10	12	19	91	45	32
	471	24	27	41	36	24	17	31	42	27	103	50	49
	460	21	10	13	32	28	25	14	24	22	161	79	31
	847	49	70	60	68	40	49	52	61	40	242	· 43	73
	1,900	117	109	135	147	137	117	94	134	99	215	332	264
Farrell	320	30	17	19	23	16	9	14	22	13	55	64	38
Greensburg	364	25	38	27	24	20	19	15	22	22	59	59	34
Harrishurg	1,693	133	110	125	110	98	82	77	94	91	482	159	132
Hazleton	851	41	45	39	41	28	37	51	39	55	310	79	86
Homestead	442	39	22	39	30	17	21	22	24	12	146	44	26
Johnstown Lancaster Lebanon McKees Rocks McKeesport.	1,507	102	97	94	146	97	60	81	86	86	178	263	217
	1,232	87	69	91	86	62	53	61	79	65	400	83	96
	659	47	37	40	36	33	21	31	34	24	171	106	79
	360	13	10	16	15	14	14	14	20	21	108	93	22
	1,174	72	58	69	90	63	56	55	76	59	225	243	108
Mahanoy City	415 286 482 406 665	17 19 11 18 21	12 23 21 22 34	16 18 29 20 47	20 16 22 17 38	13 21 16 15 22	10 14 19 17 14	19 15 22 15 39	20 23 21 16 30	27 28 20 20 20 36	203 38 78 159 147	35 37 194 54 168	23 34 29 33 69
New Castle Norristown North Braddock Oil City Old Forge	890	65	56	52	63	47	43	48	63	36	91	179	147
	1,166	80	69	69	71	69	47	56	60	55	424	89	77
	253	14	13	12	26	9	10	13	12	6	95	29	14
	379	25	19	17	33	22	17	21	19	21	93	57	35
	2 <del>44</del>	20	17	12	29	9	7	3	14	12	55	51	15
Philadelphia Phoenixville Pittsburgh Pittston Plymouth	42, 479	3,314	2,667	3, 143	2,595	2,404	2,011	2, 294	2, 136	2,364	14,697	2,410	2,444
	316	16	21	29	18	10	10	14	12	7	151	17	11
	15, 433	1,080	888	1, 010	1,365	878	640	713	810	758	3,312	2,676	1,303
	493	39	29	37	55	18	21	20	28	20	69	102	55
	262	20	13	14	16	8	11	13	23	26	45	51	22
Pottstown	409	21	21	9	19	25	14	16	29	20	169	36	30
Pottsville	789	32	39	40	33	20	23	27	26	35	400	59	55
Reading	2, 223	141	120	134	158	117	111	120	158	129	637	190	208
Scranton	3, 092	203	192	202	222	154	160	176	138	180	742	427	296
Shamokin	475	21	23	24	26	18	17	17	24	32	225	24	24
Sharon. Shenandoah. South Bethlehem Steelton. Sunbury.	416	26	20	41	33	15	17	23	20	16	69	79	57
	701	25	32	31	27	33	19	28	38	30	232	164	42
	394	26	17	34	27	28	32	29	30	22	60	47	43
	351	18	9	23	20	20	9	18	12	14	165	27	16
	331	27	16	16	22	19	16	14	19	14	95	43	30
Uniontown	385	27	38	34	42	26	13	19	30	14	36	64	42
Warren.	220	13	14	13	16	20	8	8	16	20	38	29	25
Washington	495	43	30	35	42	28	17	19	32	38	70	94	47
West Chester	427	29	21	28	24	25	25	18	27	32	136	30	32

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY MONTH OF DEATH: 1918—Continued.

				· · · · · · · · · · · · · · · · · · ·		DE	ATHS OCC	UBRING D	N—		ma-		
REGISTRATION AREA.	All deaths.	Janu- ary.	Feb- ruary.	March.	April.	May.	June.	July.	August.	Septem- ber.	October.	Novem- ber.	Decem- ber.
REGISTRATION CITIES—Continued.													
Wilkes-Barre. Wilkinsburg. Wilkinsport. York.	1,755 523 829 941	106 40 61 68	76 37 49 62	116 39 56 74	127 50 71 67	90 37 57 52	84 23 37 57	90 23 47 51	92 21 63	86 25 67 52	311 118 108 167	366 77 106 105	211 33 107 136
REGODE ISLAND.  Registration cities	10, 235	722	646	797	800	556	537	. 618	590	737	2,517	794	921
Central Fails Cranston (exclusive of) State institutions. Cumberland East Providence town Newport.	445 419 474 178 316 460	16 34 50 11 20 46	16 26 48 8 19 33	32 37 28 7 19 39	33 31 52 9 24 28	15 14 24 7 15 31	. 37 23 32 15 16 31	31 27 23 10 31 20	25 26 19 18 19 19	32 29 33 15 31 46	143 99 59 45 70 78	29 43 44 19 19 36	36 30 64 14 33 53
Pawtucket Providence. Warwick town. West Warwick town. Woonsocket.	1,417 5,210 249 285 782	87 363 23 16 56	74 342 15 21 46	110 430 15 24 56	97 428 19 16 63	75 297 24 19 35	65 249 16 13 40	82 312 20 15 -47	86 291 26 15 46	104 354 13 17 63	438 1,213 42 99 231	86 436 17 18 47	113 495 19 12 52
SOUTH CAROLINA.  Registration cities	4,623	418	329	· 323	375	371	320	318	290	. 298	867	358	356
Charleston Columbia Greenville Spartanburg	1,935 1,709 448 531	170 151 37 60	122 119 39 49	134 117 30 42	157 123 50 45	160 148 28 35	124 117 40 39	139 113 27 39	137 97 26 30	143 111 27 17	366 363 80 58	134 143 27 54	149 107 37 63
TENNESSEE.  Registration cities	10,000	781	708	751	813	646	654	669	687	604	2,109	763	815
Chattanooga	1,533 373 1,326 3,615 3,153	133 21 107 307 213	114 34 102 273 185	117 14 108 292 222	115 31 115 272 280	110 26 92 223 195	92 21 95 237 209	79 25 111 239 215	83 17 111 255 221	92 27 74 229 182	330 93 209 735 742	119 29 108 255 252	149 35 96 298 237
TEXAS.1 Registration cities	13, 111	1, 121	1,032	1,012	1,097	970	901	730	647	623	2,455	1,196	1,327
Beaumont. Cleburne. Dallas. El Paso. Galveston. Houston. San Antonio.	700 238 2,339 2,498 839 2,374 4,123	52 31 161 165 75 206 431	50 24 182 155 56 172 393	39 15 169 170 73 205 341	59 12 176 205 51 196 398	60 14 145 205 58 164 324	56 13 148 173 52 147 312	39 11 137 130 58 135 220	35 12 108 135 41 124 192	42 9 102 120 52 142 156	117 39 440 619 137 473 630	84 26 235 212 76 196 387	87 32 336 209 110 214 339
UTAH.													
Registration citiesOgdenSalt Lake City	2,363 583 1,780	167 33 134	33 112	191 46 145	177 37 140	39 118	128 27 101	25 90	128 29 99	106 18 88	399 113 286	376 115 261	68 206
VERMONT.  Registration cities	1,131	62	57	60	78	67	59	43	56	92	344	104	109
Barre Burlington Rutland VIRGINIA.	304 560 267	7 37 18	7 30 20	9 30 21	13 40 25	10 35 22	15 · 33 11	3 19 21	10 37 9	30 39 23	175 126 43	12 60 32	13 74 22
Registration cities	12, 114	916	842	886	818	728	788	808	813	709	2,774	856	1, 178
Alexandria. Danville. Lynchburg. Newport News. Norfolk.	528 500 786 817 2,713	31 39 55 59 227	28 40 47 50 216	34 25 50 58 209	43 35 46 45 191	29 39 35 57 139	33 48 55 46 142	30 39 53 46 182	30 32 34 45 187	34 29 38 47 162	171 63 252 251 672	37 46 56 54 163	28 65 65 59 223
Petersburg Portsmouth Richmond. Roanoke Staunton.	852 854 3,812 871 381	62 61 289 64 29	53 64 269 58 17	62 76 272 80 20	51 57 246 80 24	56 49 245 55 22	51 71 247 62 33	60 66 265 49 18	59 59 260 72 35	55 49 207 48 40	205 196 775 134 55	53 54 293 62 38	85 52 444 107 50
Washington. Registration cities	8,717	518	537	674	643	559	520	493	442	523	1,221	1,187	1,400
Aberdeen. Bellingham Everett. North Yakima	187 373 317 364	5 23 19 16	9 25 20 20	28 35 18 26	10 26 21 26	14 36 31 13	16 · 22 19 26	13 23 14 15	14 · 12 21 19	14 21 15 17	25 50 36 45	18 45 52 61	21 55 - 51 80

<sup>1</sup> Nonregistration state; only those cities with satisfactory registration of deaths are shown.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY MONTH OF DEATH: 1918—Continued.

	All					DE	ATHS OCC	URRING I	η	,			
REGISTRATION AREA.	deaths.	Janu- ary.	Feb- ruary.	March.	April.	May.	June.	July.	August.	Septem- ber.	October.	Novem- ber.	Decem- ber.
REGISTRATION CITIES—Continued.		,											
WASHINGTON—continued.													
Seattle Spokane Tacoma. Walla Walla	4,090 1,528 1,577 281	245 89 103 18	244 108 91 20	312 113 123 19	313 97 131 19	252 96 97 20	233 92 97 15	245 89 84 10	214 56 95 11	263 83 92 18	627 179 236 23	482 275 215 39	660 · 251 213 69
WEST VIRGINIA.1							1			•			
Wheeling	1,030	74	58	64	97	55	57	60	76	44	95	179	171
WISCONSIN.													
Registration cities	14,140	899	857	1,036	1, 299	988	784	738	788	859	2,149	1,704	2,039
Appleton. Ashland. Beloit. Eau Claire Fond du Lac.	283 348 391 337 360	26 22 23 19 30	13 16 25 21 21	25 26 25 31 23	22 30 33 45 44	22 28 25 26 28	20 22 20 16 20	16 6 11 27 30	14 14 23 22 21	15 23 17 16 24	27 35 93 23 51	40 89 51 33 36	. 43 37 45 58 32
Green Bay Janesville Kenosha La Crosse Madison	609 274 629 564 591	42 27 27 27 48 32	44 15 18 42 34	40 22 37 38 42	45 18 56 38 56	42 19 33 35 52	19 20 22 45 19	33 8 32 29 34	49 9 40 24 29	42 21 46 29 29	84 58 243 71 116	82 19 33 80 70	87 38 42 87 78
Manitowoc. Marinette. Milwankee. Oshkosh	309 201 6,550 463	23 13 404 38	17 13 411 34	19 7 501 37	29 28 631 38	21 12 457 41	18 10 366 29	13 12 342 28	21 9 381 28	13 12 423 20	47 15 870 49	60 23 681 68	28 47 1,083 53
Racine Sheboygan Superior Wausau	822 510 628 271	44 27 36 20	51 22 40 20	58 43 43 19	65 40 66 15	54 28 48 17	54 33 36 15	38 25 39 15	38 21 30 15	59 24 30 16	131 113 68 55	99 76 127 37	131 58 65 27

<sup>&</sup>lt;sup>1</sup> Nonregistration state; only those cities with satisfactory registration of deaths are shown.

Table 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1918.

													<del></del>
						WHITE	•						
					N	ative.							
REGISTRATION AREA.	All deaths.	Total,			Both	One p foreign the ot	arent born, her—	Parer unkr	ıtage lown.	Foreign born.	Nativ- ity un-	Negro.	Indian, Chi- nese, Japa- nese, and
			Total.	Both parents native.	parents foreign born.	Native.	Un- known.	One parent un-known, the other native.	Both parents un- known.	DOIN.	known.		other colored.
SUMMARY.													
The registration area (exclusive of Hawaii)	1,445,158	1,287,425	962,922	544,663	220, 103	75, 194	10,266	42,975	69,721	301,743	22,760	151,510	6,223
Registration states <sup>1</sup> . Cities in registration states <sup>1</sup> . Rural part of registration states Registration cities in nonregistration	1,404,116 741,187 662,929	1,259,565 679,702 579,863	941, 189 466, 441 474, 748	532,648 216,067 316,581	218, 264 152, 716 63, 548	73,695 45,355 28,340	9,980 5,896 4,084	41,656 16,916 24,740	66,946 29,491 37,455	296,426 202,586 93,840	21,950 10,675 11,275	138,358 58,649 79,709	6,193 2,836 3,357
statesAll registration cities 1	41,042 782,229	27,860 707,562	21,733 488,174	12,015 228,082	3,839 156,555	1,499 46,854	286 6,182	1,319 18,235	2,775 32,266	5,317 207,903	810 11,485	13,152 71,801	2,866
REGISTRATION STATES.					<del></del>							•	
California Colorado Connecticut Illinois Indiana	56, 488 17, 546 27, 240 100, 396 45, 993	52,770 17,141 26,550 95,831 43,940	34,340 12,761 17,248 66,916 39,133	14,783 6,788 6,772 31,020 27,885	7,573 1,989 6,949 19,352 3,556	3,230 960 1,518 5,774 1,726	643 261 203 1,050 356	2,120 911 684 3,192 2,474	5,991 1,852 1,122 6,528 3,136	16,838 3,650 8,940 27,030 4,415	1,592 730 362 1,885 392	844 314 676 4,493 2,045	2,874 91 14 72
Kansas Kentucky Louisiana Maine Maryland	25, 053 39, 532 32, 201 14, 499 32, 134	23,490 32,972 15,822 14,443 24,329	19,732 31,215 13,763 12,026 20,580	12,141 25,670 9,769 8,404 14,075	1,690 1,068 1,328 1,337 2,868	1,178 526 664 1,254 1,253	273 118 67 47 216	1,556 1,679 756 340 856	2,894 2,154 1,179 644 1,312	3,075 1,158 1,503 2,206 3,269	683 599 556 211 480	1,458 6,553 16,329 32 7,794	105 7 50 24 11
Massachusetts	77,248 53,320 31,109 53,311 8,985	75, 867 52, 103 30, 709 48, 465 8, 736	50,021 36,992 19,492 41,007 5,890	20, 200 18, 191 7, 985 26, 650 2, 726	19,607 9,030 6,846 4,286 1,240	5,784 4,395 2,952 2,095 672	554 655 269 464 127	1,846 1,951 545 2,948 326	2,030 2,770 895 4,564 799	25, 284 14, 155 10, 784 6, 007 2, 357	562 956 433 1,451 489	1,294 929 196 4,818 77	87 288 204 28 172
New Hampshire New Jersey New York North Carolina. Ohio	9,581 60,988 190,764 42,274 92,356	9,564 57,468 185,340 24,907 87,714	7,115 39,372 123,588 24,317 69,184	3,533 19,224 56,558 21,405 42,450	1,404 13,924 45,956 84 13,077	655 3,548 12,851 147 4,654	72 425 897 16 733	436 863 2,935 1,433 3,248	1,015 1,388 4,391 1,232 5,022	2,032 17,410 60,482 214 16,852	417 686 1,270 376 1,678	3,487 5,025 17,183 4,616	3 33 399 184 26
Oregon Pennsylvania. Rhode Island. South Carolina. Tennessee.		9,329 179,016 12,021 11,152 25,949	7,044 134,182 8,029 10,804 24,506	3,682 76,319 3,257 9,203 19,452	790 36,518 3,528 109 247	546 9,989 899 96 213	149 1,428 52 14 59	634 3,993 110 618 2,200	1,243 5,935 183 764 2,335	1,935 42,404 3,884 . 167 428	350 2,430 108 181 1,015	43 8,846 368 19,599 11,173	307 89 18 10 12
Utah Vermont Virginia. Washington Wisconsin.	1	5, 986 6, 800 24, 687 15, 985 34, 700	4,323 5,366 23,425 11,289 22,721	2,439 3,363 19,922 6,079 9,366	852 722 378. 1,878 7,574	665 505 346 1,173 3,126	47 53 45 193 478	103 287 1,130 691 726	217 436 1,604 1,275 1,451	1,557 1,356 716 4,222 11,309	106 78 546 474 670	29 3 16,558 136 134	157 27 716 158
REGISTRATION CITIES.  ALABAMA. <sup>2</sup>													
Registration cities	6,697	3,176	2,847	2,048	200	113	18	186	282 175	267 160	62	3,521 2,290	
Birmingham	4,346 1,430 921	2, 056 761 359	1,853 670 324	1,364 456 228	115 71 14	59 51 3	9 6 3	131 35 20	51 56	86 21	5 14	669 562	j
CALIFORNIA. Registration cities	33,317	31,127	19,886	8,422	4,603	2,037	416	1,277	3,131	10,380	861	588	1,602
Alameda Bakersfield Berkeley Eureka Fresno	679	407 570 665 245 591	273 401 478 146 407	123 160 248 51 184	69 46 90 17 66	35 36 69 14 27	13 10 5 16	16 37 21 15 43	26 109 40 44 71	132 150 182 90 170	2 19 5 9 14	13 6 3 7	· 81
Eresno Long Beach Los Angeles Oakland Pasadena	671 9.348	637 8,665 3,051 547	517 5,868 1,956 437	252 2,721 864 228	49 1,075 490 54	42 485 269 34	12 144	63 442 92 40	99 1,001 212 68	112 2,531 1,044 105	8 266 51	24 286 67 14	10 397 94 5
Pomona Redlands Riverside Sacramento	180 122 339	174 116 312 1,514	153 95 220	103 47 117 327	14 16 32 179	9 10 13 99	10	9 10 17 70	11 12 31 275	19 20 85 493	1 7 53	3 8 17	19 196
San Bernardino San Diego. San Francisco. San Jose	499	479 1, 471	- 320 1.041	142 514 1,712 181	91 170 1,980 92	16 99 643 45	26 73		46	149 387 3,938 167	43 264 3	22 81 4	41 496 24
Santa Barbara Santa Cruz Stockton Vallejo	250 195 1,347	242 193 1,173	166 126 690 159		26 20 95 32	17	3 12 5	36	19 292 20	404	79 15	15	159

Table 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1918—Contd.

	(00000000000000000000000000000000000000	exclusive o								<del></del>		<del></del>	Ī
						WHITE	•				· · · · · · · · · · · · · · · · · · ·		
					N	ative.					1		Indian,
registration area.	All deaths.	Total.		Both	Both	One p foreign the ot	born,	Parer unki	ntage nown.	Foreign born.	Nativ- ity un-	Negro.	Chi- nese, Japa- nese, and
			Total.	parents native.	parents foreign born.	Native.	Un- known.	One parent un-known, the other native.	Both parents un- known.		known.		other colored.
REGISTRATION CITIES—Contd.													
COLORADO.							ļ						
Registration cities	7,470	7,214	5,308	2,599	896	412	147	380	874	1,623	283	227	29
Colorado Springs. Denver. Pueblo. Trinidad	842 5,199 1,072 357	5,010 1,034 352	676 3,617 745 270	1,674 1,674 313 178	75 580 207 34	41 297 57 17	9 116 21 1	50 269 54 7	67 681 93 33	130 1,193 233 67	12 200 56 15	21 165 38 3	3 24 2
CONNECTICUT.  Registration cities	19,962	19,391	12, 126	4,289	5, 431	1,099	154	425	728	7,033	232	559	12
Ansonia	318 2,981	306 2,909	188 1,764	35 575	131 831	15 179	23	1 51	6 105	117 1,099	1 46	12 69	3
Ansonia Bridgeport Brisfol Danbury town Greenwich town	304 490 377	303 487 370	203 343 239	66 172 101	90 91 96	27 26 26	3 2 1	5 30 1	12 22 14	99 136 123	1 8 8	1 3 7	
Hartford Manchester town. Meriden town. Middletown town	3,117 221 800 756	2,977 221 793 741	1,872 132 453 465	707 53 152 168	746 62 218 195	193 11 51 30	31 6 10	59 5 12 15	136 1 14 47	1,082 86 337 261	23 3 3 15	136 7 14	4 i
Naugatuck. New Britain New Haven. New London.	248 1,112 3,343 586	248 1,106 3,170 563	159 658 1,984 356	45 147 649 155	92 402 897 109	15 61 167 29	1 12 26 5	2 19 92 14	4 17 153 44	89 443 1,142 190	5 44 17	6 171 22	2 1
Norwalk Norwich town Orange town Stamford town	559 765 248 794	536 739 243 771	372 475 196 529	180 188 84 222	116 199 59 230	27 50 18 39	4 5 2 2	17 15 10 12	28 18 23 24	159 253 43 232	5 11 4 10	23 26 5 23	
Torrington town Wallingford town. Waterbury. Windham town.	326 184 2,087 346	324 184 2,058 342	183 126 1,191 238	59 61 385 85	80 43 660 84	17 11 84 23	2 1 8 10	12 6 23 24	13 4 31 12	139 58 848 97	19 7	. 28 . 4	i
DELAWARE.I					i								-
Wilmington DISTRICT OF COLUMBIA,	2,606	2, 271	1,755	967	452	125	16	67	128	430	86	334	
Washington	9,090	5,779	4,808	3,337	504	301	16	65	585	787	184	3,292	. 19
FLORIDA. <sup>1</sup> Registration cities	4, 194	2,344	1,788	994	261	165	18	136	214	482	74	1,846	4
Jacksonville. Key West Pensacola Tampa.	2,049 387 672 1,086	939 272 387 746	800 167 341 480	508 47 231 208	52 60 16 133	48 44 23 50	8 1 5 4	71 6 29 30	113 9 37 55	110 101 37 234	29 4 9 32	1,107 114 285 340	3 1
GEORGIA. <sup>1</sup> Registration cities	5,825	2,830	2,578	1,641	53	35	13	155	681	202	50	2,994	1
Atlanta Brunswick Savannah	3,702 278 1,845	2,063 111 656	1,921 101 556	1,559 82	51 2	32	13	147 8	119 6 556	103 8 91	39 2 9	1,639 166 1,189	i
ILLINOIS.  Registration cities	63, 42	59,753	38,339	13, 456	15,376	3,897	697	1,436	3,477	20,335	1,079	3,423	66
Alton Aurora Belleville Bloomington	499 739 480 525	445 728 475 500	359 512 372 401	187 242 202 226	38 168 86 66	24 42 36 23 8	15 5 8 8	39 21 15 24	56 34 25 54	64 205 100 94	22 11 3 5	54 10 5 24	i
Cairo. Canton. Champaign. Chicago.	396 256 265 44,069	245 250 228 41,608	202 213 194 25,003	109 142 125 7,066	12 16 20 12,522	11 15 2,918	3 3 417	15 12 632	28 26 22 1,448	15 29 31 16,156	28 8 3 449	151 6 36 2,402	1 59
Chicago Heights Cicero Danville	398 412 709	387 412 662	253 252 575	70 54 404	149 158 37	18 33 26	5 5	1 1 45	11	134 158	2 12	11	
Decatur. East St. Louis	685	660 1,002	571 794	402 463	43 145	30 40	9 14	38 40	58 49 92	75 78 171	11 37	47 24 214	1
Elgin Evanston Freeport Galesburg	685 491 366	678 456 359 435	355 324 280 331	129 146 121 197	85 90 62 50	24 28 26 21	8 7 11 7	15 31 38 22	94 22 22 23 34	193 129 73 102	130 3 6 2	7 35 7	
Gatosput g		tration state								, 102	, 2	1 24	·

Table 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1918—Contd.

	(00000000000000000000000000000000000000	exclusive of											<del></del>
						WHITE	i <b>.</b>					•	
					Ŋ	Tative.							Indian.
registration area.	All deaths.	Total.			Both	One p foreign the ot	arent born, her—	Pare unk	ntage nown.	Foreign born.	Nativ- ity un- known.	Negro.	Chi- nese, Japa- nese, and
			Total.	Both parents native.	parents foreign born.	Native.	Un- known.	One parent un- known, the other native.	Both parents un-known.		Anown.		other colored.
REGISTRATION CITIES—Contd.													
Granite Jacksonville Joliet Kankakee	273 617 1,061 774	267 576 1,035 762	201 441 685 506	119 233 210 177	31 35 313 90	14 32 89 37	6 2 22 7	15 27 20 22	16 112 31 173	57 74 342 222	9 61 8 34	6 41 26 12	
La Salle		326 389 254 597	205 307 • 214 402	58 128 106 123	114 65 9 . 88	19 15 6 26	2 5 1 9	5 20 33 18	7 74 59 138	115 48 29 181	6 34 11 14	14 3 17	
Oak Park Peoria Quincy Rockford	508 1,389 857 1,090	1,340 808 1,074	361 1,063 604 698	176 529 213 312	94 174 37 219	47 84 17 73	10 29 16 18	15 77 22 34	19 170 299 42	143 230 136 358	2 47 68 18	2 49 49 14	2
Rock Island. Springfield. Streator. Waukegan.	548 1,222 345 308	520 1,127 341 301	372 855 246 188	89 518 104 76	61 161 76 62	14 51 27 23	6 22 7 9	22 48 17 7	180 55 15 11	128 261 93 111	20 11 2 2	28 94 4 7	i
INDIANA. Registration cities	18,502	16,943	14,050	8,990	2,244	868	166	755	1,027	2,735	158	1,554	. 5
Anderson East Chicago. Elkhart Elwood Evansville	409 735 418 212 1,444	391 709 411 212 1,262	367 477 367 195 1,094	278 65 253 169 714	14 343 28 1 107	13 33 30 6 97	3 15 4 25	30 7 20 12 54	29 14 32 7 97	23 228 40 17 161	1 4 4	17 26 7	1
Fort WayneGary	1,213 1,098 777 197 5,241	1,181 970 764 197 4,435	956 586 468 180 3,902	600 178 211 128 2,806	158 298 151 8 409	84 47 46 7 192	12 7 11 1 38	43 8 14 17 216	59 48 35 19 241	217 341 287 17 503	8 43 9 30	32 127 13 806	1
Jeffersonville: Kokomo Lafayette Laporte Logansport	212 392	162 376 506 277 397	147 346 440 214 349	104 239 295 120 249	10 21 - 49 46 27	9 9 42 26 23	3 2 2 2 2 3	6 34 20 5 13	15 41 32 15 34	15 25 62 61 45	5 4 2 3	50 15 6 2 11	i
Marion. Michigan City. Mishawaka Muncie. New Albany.	429	319 310 252 406 391	308 209 201 387 361	228 106 84 290 257	12 66 39 15 34	9 25 14 6 12	1 1 2 7 6	24 4 29 36 15	34 7 33 33 37	9 99 47 18 28	2 2 4 1 2	27 4 23 39	
PeruRichmond	186 409 1,085 1,164 340	182 377 -1,059 1,066 331	166 314 792 930 294	124 229 384 673 206	12 45 237 91 23	7 12 68 39 12	1 4 14 2	14 10 46 57 21	9 17 53 56 30	16 60 261 122 , 33	3 6 14 4	4 32 26 96 9	2
KANSAS. Registration cities	6,681	5,837	4,909	2,864	506	296	79	423	741	788	140	829	15
Atchison Coffeyville Fort Scott Hutchinson	217 230 226 395	190 196 202 368	159 178 177 332	78 131 112 188	23 2 7 28	8 6 5 16	5 1 4 9	13 12 15 39	32 26 34 52	27 10 16 34	.4 8 9 2	27 34 23 27	1
Independence. Kansas City. Lawrence. Leavenworth.	210 2,084 200 388	177 1,750 151 316	168 1,367 130 239	125 717 89 106	5 219 12 33	9 100 5 24	2 24 2 6	9 114 13 18	18 193 9 52	8 339 20 62	1 44 1 -15	33 331 42 71	3 7 1
Parsons Pittsburg Topeka Wichita KENTUCKY	275 272 960 1,224	230 263 848 1,146	198 225 718 1,018	129 144 414 631	11 10 95 61	7 8 54 54	3 3 12 8	14 25 66 85	34 35 77 179	29 35 122 86	3 3 8 42	43 9 111 78	i
Registration cities	I	7,354	6,387	4,200	748	. 315	71	352	701	798	169	2,352	2
Covington. Frankfort Henderson Lexington.	1,198 283 289 1,231	1,089 192 205 791	924 177 198 735	589 98 148 550	183 . 6 . 12 . 32	57 2 4 23	15 1 1	36 17 15 42	44 54 18 87	152 5 5 37	13 10 2 19	109 91 84 440	
Louisville Newport Owensboro. Paducah	5,083 465 487 672	3,822 441 398 416	3,207 358 385 403	2,006 197 312 300	432 65 7 11	170 40 9 10	40 11 1 2	173 17 29 23	386 28 27 57	502 81 7 9	113 2 6 4		2

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1918—Contd.

				ities of 10,0									
						WHITE	•						
					N	ative.							To 22:
registration area.	All deaths.	Total,			Both	One p foreign the ot	born,	Parei unki	itage iown.	Foreign	Nativ- ity un-	Negro.	Indian, Chi- nese, Japa- nese, and
			Total	Both parents native.	parents foreign born.	Native.	Un- known.	One parent un- known, the other native.	Both parents un- known.	born.	known.		other colored.
REGISTRATION CITIES—Contd.													
Registration cities	12, 359	7,210	5,927	3,820	1,089	461	39	168	350	1,190	93	5, 131	18
AlexandrisBaton RougeLake CharlesMonroeMov OrleansShreveport	402 447 353 310 9,756 1,091	177 178 180 158 6,029 488	155 161 147 120 4,916 428	111 120 75 72 3,146 296	11 6 7 9 1,041 15	4 4 8 6 423 16	3 5 2 26 3	13 19 22 10 62 42	16 9 30 21 218 56	18 12 17 23 1,086	4 5 16 15 27 26	225 268 173 152 3,711 602	1 16 16
MAINE. Registration cities	3,967	3,949	2,936	1,726	594	325	17	119	155	940	73	13	5
Auburn. Augusta Bangor Biddeford. Lewiston. Portland. Waterville.	229 359 723 347 607 1,407 295	229 359 715 347 605 1,400 294	197 286 535 228 420 1,048 222	144 194 345 103 206 621 113	16 33 82 74 115 222 52	14 22 53 42 60 107 27	1 1 4 1 7 3	15 9 22 6 21 36 10	7 27 29 3 17 55 17	32 68 157 117 179 321 66	5 23 2 6 31 6	6 6 1	2 2 1
MARYLAND. Registration cities	17,359	13,581	10,958	6,766	2, 121	822	157	407	685	2,385	238	3,767	11
Baltimore. Cumberland. Frederick. Hagerstown.	15,810 746 271 532	12,143 706 237 495	9,624 622 233 479	5,722 430 200 414	2,041 61 10 9	775 35 6 6	140 11 3 3	328 45 9 25	618 40 5 22	2,299 66 4 16	220 18	3,656 40 34 37	11
MASSACHUSETTS. Registration cities	61,196	60,018	38,632	14, 167	16,674	4,643	444	1,301	1,403	20,934	452	1,098	80
Adams town Arlington town Attleboro Beverly Boston	199 283 315 326 17, 267	199 281 312 326 16,731	130 • 197 215 245 10,368	34 85 103 150 3,593	59 60 68 51 4,664	17 33 20 27 1,255	2 1 1 151	4 9 7 5 367	14 9 17 11 335	69 83 92 81 6,185	1 5 178	2 3 493	43
Brockton Brookline town Cambride Chelsea Chicopee	1,192 519 2,266 852 514	1,178 513 2,125 829 514	825 342 1,325 495 354	- 418 173 438 193 74	239 86 621 214 220	114 32 186 33 49	5 3 15 9 2	24 22 33 18 4	25 26 32 28 5	347 146 796 327 159	6 25 4 7 1	14 6 129 21	12 2
Clinton town Everett Fall River Fitchburg Framingham town	283 563 2,858 786 391	283 540 2,853 785 389	171 350 1,746 494 269	51 151 348 167 120	86 120 1,123 232 94	17 47 200 58 28	1 3 23 5 2	7 17 28 15 14	9 12 24 17 11	110 188 1,098 287 119	2 2 9 4 1	23 5 1 2	
Gardner town	333 544 299 853 1,272	330 544 298 841 1,264	221 354 230 588 766	155 129 300 171	86 101 46 157 389	30 65 22 62 114	2 2 8	11 35	14 19 20 26 27	65	3 9	1 10 ,8	2
Lawrence. Leominster. Lowell. Lynn. Malden	349 2,466	2,022 346 2,464 1,784 845	1,187 249 1,602 1,175 559	202 114 440 557 232	798 76 834 367 200	141 27 222 131 70		14 42 64	19 17 51 44 28	95 843 603	19	4 3 1 22 6	i
Marlborough Medford Melrose Methuen town Milford town	505 282 214	275 497 278 214 325	191 368 212 141 212	74 192 135 43 65	74	31 52 34 19 17	2	.  3	2	66 72	1	2 8 4	
New Bedford	351 750 419	2,748 346 737 417 584	1,720 261 508 286 393	388 154 279 137 216	1,038 63 150 74 117	186 26 65 40 40	2 1 3	13 9 12	20	84 228 128	1 1 3	142 5 13 2 2	
Peabody Pittsfield Plymouth town Quincy Revere	959 250 850	351 950 244 849 304	208 672 182 505 198	66 302 97 176 61	111 208 56 223 93		3 11 1 2 2	26 6 18	36 5 26	266 62 334	12		5   1
Salem. Sometville Southbridge town. Springfield. Taunton	1,521 208 2,534	882 1,516 207 2,469 946	614 994 121 1,746 608	244 421 35 762 245	359 59 613	1 21	10	45 1 64	100	517 85 713	5 5	68	2

Table 2.—Deaths (exclusive of stillbirths) in the registration area (exclusive of hawaii) and certain subdivisions, by color, general nativity, and parent nativity of decedent: 1918—Contd.

•	(countries,	exclusive of	municipa	16162 OI 10,0	700 mmabre	ants or m	1016 111 13	10) 216 011	noted.j				
						WHITE						i	
					N	fative.							
registration area.	All deaths	Total.			Both	One p foreign the ot	arent born, her—	Parer unkr	itage nown.	Foreign	Nativ- ity un-	Negro.	Indian, Chi- nese, Japa- nese, and
		10001	Total.	Both parents native.	parents foreign born.	Native.	Un- known.	One parent un- known, the other native.	Both parents un-known.	born.	known.		other colored.
REGISTRATION CITIES—Contd.													
MASSACHUSETTS-continued.	!												
Wakefield town. Waltham. Watertown town. Webster town. Westfield town.	173 713 279 229 460	173 710 279 229 457	122 491 179 130 284	75 217 71 35 95	31 168 83 72 118	11 72 15 19 29	2 6 2 2 1	2 8 4 2 16	20 4 - 25	50 217 100 94 162	1 2 5 11	3	
Weymouth town. Winthrop town. Woburn. Worcester.	272 180 291 3,758	272 179 280 3,704	217 129 181 2,302	131 70 63 835	45 31 85 983	28 13 19 237	2 1 3 16	5 9 5 81	. 5 6 150	55 50 99 <b>1,3</b> 80	22	1 11 52	2
MICHIGAN.										<b>-</b>	100	673	
Registration cities	,	24,751	16,858	7,250	5,182	2,256	334	779 25	1,077	7,394	499	3	31
Adrian. Alpena. Ann Arbor. Battle Creek Bay City.	246 230 508 697 796	230 495 676 791	138 368 572 515	51 199 354 218	25 48 68 63 151	19 47 54 67	9 6 8 20	3 20 42 19	8 28 51 40	87 106 86 264	1 5 21 18 12	13 21 5	
Detroit. Escanaba Flint. Grand Rapids. Holland	12,889 280 1,105 1,893 146	12,358 279 1,090 1,877 146	8,081 156 870 1,286 107	2,791 52 472 616 46	3,224 73 161 353 34	1,192 22 117 173 19	140 2 31 19 1	308 3 38 71 2	426 4 51 54 5	4,010 111 207 587 39	267 12 13 4	518 1 15 15	13 1
Ironwood Ishpeming Jackson Kalamazoo Lansing	215 158 899 1,088 722	215 158 875 1,065 717	101 71 718 815 601	13 21 446 452 339	69 38 102 134 68	14 8 62 62 62	1 12 12 12 15	2 36 . 54 50	4 1 60 101 67	112 87 144 209 108	13 41 8	24 23 5	
Manistee Marquette. Menominee Muskegon. Pontiae	141 217 170 621 601	141 212 169 619 583	71 119 115 404 430	23 55 44 205 235	. 32 32 40 97 85	6 21 20 42 ,62	2 3 4 5 6	4 2 4 21 21	4 6 3 34 21	69 81 54 199 146	1 12 16 7	4 2 18	i i
Port Huron Saginaw Sault Ste. Marie Traverse City	358 936 224 315	358 930 217 309	208 602 113 202	92 282 27 102	54 135 43 33	47 72 32 20	1 28 4 2	10 29 1 14	4 56 6 31	144 314 90 95	6 14 14 12	3 1 2	3 6 4
MINNESOTA. Registration cities	11,575	11,388	7,334	2,982	2,664	1,059	99	257	273	3,918	136	175	12
Duluth. Mankato Minneapolis. St. Cloud.	1,390 276 5,392 275	1,372 276 5,303 274	787 194 3,496 209	285 86 1,466 100	313 62 1,230 61	122 16 470 34	11 5 47 5	24 9 144 5	32 16 139 4	547 78 1,754 62	38 4 53 3	15 82 1	7
St. Paul	3,602 123 216 301	3,525 123 215 300	2,253 78 111 206	927 30 25 63	830 31 63 74	346 11 19 41	23 1 7	62 2 1 10	65 3 3 11	1, 249 43 94 91	23 2 10 3	76	1 1
MISSISSIPFI. <sup>1</sup> Registration cities	3,063	1,181	1,070	721	46	35	4	75	189	48	63	1,878	4
Hattlesburg Jackson Meridian Natchez Vieksburg	374 1,057 622 329 681	194 376 322 87 202	182 334 313 78 163	151 203 220 50 97	8 11 7 9 11	6 12 6 1 10	1 2 1	9 27 23 5 11	7 79 56 13 34	7 6 4 6 25	5	180 678 300 241 479	3 1
* missouri	25,374	22,040	16,946	9,100	3,127	1,306	296	1,125	1,992	4,348	746	3,315	19
Hannibal. Jefferson City. Joplin. Kānsas City. Moberly.	419 237 810 6,608 252	355 207 769 5,682 213	313 159 700 4,612 199	209 89 457 2,644 150	27 21 20 471 7	11 8 25 298 9	8 4 3 77 3	20 12 67 403 11	38 25 128 719 19	30 26 35 767 10	12 22 34 303 4	64 30 40 916 39	10
St. Joseph	1,797	1,677 11,734 379 774 250	1,307 8,394 317 711 234	798 3,870 205 516 162	152 2,385 17 22 5	68 844 13 26 4	16 179 · 3 3	96 388 47 57 24	177 728 32 87 39	214 3,194 34 30 8	156 146 28 33 8	120 1,985 68 53	8

<sup>1</sup> Nonregistration state; only those cities with satisfactory registration of deaths are shown.

27

## MORTALITY STATISTICS.

Table 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1918—Contd.

						WHITE	E.						
					1	Vative.							
REGISTRATION AREA.	All deaths.	Total.		Both	Both	One I foreign the of	parent n born, ther—		ntage nown.	Foreign born.	Nativ-	Negro.	Indian Chi- nese, Japa- nese, and
			Total.	parents native.	parents foreign born.	Native.	Un- known.	One parent un- known, the other native.	Both parents un-known.	DOTH.	kňown.		other colored
REGISTRATION CITIES—Contd.													
MONTANA.													
Registration cities	<u>-</u>	3,138	1,905	763	489	232	46	101	274	1,037	196	49	2
Anaconda Billings Butte Great Falls Helena Missoula	211 317 1,455 603 288 338	199 308 1,435 594 277 325	120 254 738 389 172 232	36 139 240 163 63 122	42 44 253 84 32 34	21 24 99 37 29 22	3 3 20 11 5 4	9 21 25 16 13 17	9 23 101 78 30 33	73 40 612 149 96 67	6 14 85 56 9 26	12 9 13 7 4 4	
NEBRASKA, <sup>1</sup> Registration cities	4,104	3,876	2,891	1,366	706	277	51	150	341	920	65	224	
Lincoln Omaha	905 3,199	893 2,983	709 2,182	401 965	128 578	50 227	8 43	43 107	79 262	173 747	11 54	12 212	
NEW HAMPSHIRE. Registration cities	4,493	4,482	3,079	1,262	935	348	26	160	348	1,234	169	9	,
Berlin. Concord Dover Keene Laconia. Manchester Nashua Portsmouth	338 682 277 275 296 1,659 632 334	338 680 277 275 295 1,657 630 330	166 491 208 222 211 1,091 434 256	34 268 105 109 110 315 168 153	83 61 50 26 36 484 159	35 33 20 32 23 133 50 22	2 4 10 6 4	2 45 8 14 16 48 13	12 82 21 41 26 101 38 27	132 156 60 37 66 547 185	40 33 9 16 18 19	1 1 1 1 2	
NEW JERSEY.	341	500	200	100	50	22	2	14	21	51	23	4	
Registration cities	39,142	36, 811	24, 185	10,139	10, 138	2,366	303	455	784	12, 192	434	2,310	21
Asbury Park Atlantic City Bayonne Bloomfield Bridgeton Camden East Orange Elizabeth Garfield Hackensack Harrison Hoboken Irvington Jersey City Kearny Long Branch Millville	203 1, 210 1, 439 246 396 3, 062 471 1, 846 251 434 225 1, 182 302 6, 081 438 379 317	160 962 1,431 233 360 2,751 433 1,771 251 393 221 1,176 296 5,834 434 318 310	124 759 890 161 325 2,114 338 1,077 148 252 133 674 184 3,734 259 234 283	85 472 230 66 258 1,247 232 401 9 138 32 191 95 1,267 100	26 138 541 63 26 534 520 129 71 87 390 83 1,796 83	44 75 92 14 10 155 32 88 10 29 11 67 412 24 19	3 8 8 3 2 20 6 17 	3 35 5 2 21 62 9 15 7 2 3 5 67 1	3 31 14 13 8 96 5 36 	36 194 520 72 28 570 94 680 102 110 2,011 168 75	9 21 7 67 1 14 1 1 2 89 7	42 246 8 13 36 309 38 75 41 4 6 6 239 4	2
Montelair Morristown New Brunswick Newark Drange Passaic Paterson Perth Amboy Phillipsburg	301 407 893 8,132 844 1,192 2,686 1,030	257 383 846 7,523 729 1,176 2,612 1,019 341	188 267 564 4,836 507 705 1,482 594 260	114 153 229 1,794 253 143 561 138	56 60 255 2,279 165 487 623 386	7 31 41 472 61 53 214 46	4 9 53 9 11 23 12	1 8 12 76 10 10 21	10 11 18 162 9 1 40	65 113 267 2,623 219 466 1,102 397	4 3 15 64 3 5 28 28	44 24 46 604 115 16 73	
Plainfield Prenton Union West Hoboken West New York West Orange NEW YORK,	2,927 265 493 350 182	2,769 2,769 265 493 349 179	396 1,905 160 279 237 116	181 213 884 53 90 78 57	48 122 691 81 129 121 39	20 45 181 25 48 30 17	1 3 25 1 3 6	8 8 46 1 2	2 5 78 8 2 1	81 134 843 101 206 106 63	6 21 4 8 6	1 80 157	j
Registration cities	145, 303	140,642	87, 538	33, 746	39,708	9,978	601	1,346	2, 159	52, 322	782	4,385	276
Albany Amsterdam Auburn Batavia Binghamton Bofloo Bohoes Borring Borrland Borrland Borrland Borrland	2,548 576 708 325 1,363 10,112 497 294 311 400	2, 495 686 324 1, 347 9, 987 496 289 310 400	1, 839 372 507 236 1, 095 6, 659 315 244 275 270	901 164 251 124 635 2,382 96 151 175 94	596 155 169 63 233 2,947 153 42 50 120	163 44 52 25 88 953 48 16 8	20 2 3 4 9 84 9 1	55 3 14 9 47 154 1 151 11	104 4 18 11 83 139 8 19 31	627 200 178 83 242 3,267 181 43 32 129	29 3 1 5 10 61 2 3 1	51 21 1 16 116 116 5 1	9

<sup>&</sup>lt;sup>1</sup> Nonregistration state; only those cities with satisfactory registration of deaths are shown.

Table 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1918—Contd.

	1		•		<del> </del>	WHITE	 L	=		•	<u> </u>		<u> </u>
			Ī.		1	Native.				1			'
REGISTRATION AREA.	All deaths.	Total.		, , , , , , , , , , , , , , , , , , ,	Both	One properties of the of	earent born, her—	Pare unk	ntage nown.	Foreign	Nativ-	Negro.	Indian, Chi- nese, Japa- nese,
		Total.	Total.	Both parents native.	parents foreign born.	Native.	Un- kṇown.	One parent un- known, the other native.	Both parents un-known.	born.	ity un- known.		and other colored.
REGISTRATION CITIES—Contd.		•		·	-		·						
Elmira. Fulton. Geneva. Glens Falls. Gloversville.	868 311 258 428 526	853 310 254 426 522	724 256 193 358 432	443 168 95 234 269	124 49 59 70 59	61 15 16 32 30	11 2 2 3 12	40 7 8 11 33	45 15 13 8 29	125 53 60 67 89	. 1 1 1 1	15 1 4 2 4	
Hornell Hudson Jihaca Jamestown	282 292 317 572	281 282 309 565	242 211 263 351	157 105 187 154	33 56 31 131	23 19 11 33	1 1 1 1	19 15 14 10	9 15 19 22	37 69 44 213	2 2 2 1	1 10 7 6	· 1
Johnstown Kingston Lackawanna Little Falls.	188 691 494 257	184 671 482 257	149 558 376 181	93 364 116 83	29 126 188 72	15 45 37 14	4 4 3	6 8 29 2	6 11 2 7	35 110 102 73	3 4 3	,20 12	
Lockport Middletown. Mount Vernon New Rochelle.	373 521 583 515	370 505 545 462	253 394 . 343 303	121 252 144 116	71 63 143 128	33 22 38 47	2 4 3 2	13 17 3 5	13 36 12 5	112 108 200 159	5 3 2	3 16 37 52	1 1
New York. Bronx Berough. Brooklyn Borough. Manhattan Borough. Queens Borough Richmond Borough	42 859	93,088 10,478 33,043 40,237 6,909 2,421	53,446 5,728 19,876 21,860 4,512 1,470	17,934 1,690 7,075 6,627 1,875 667	28,069 3,234 10,137 12,160 1,958 580	6,164 726 2,362 2,272 618 186	212 21 58 111 13 9	281 13 79 159 20 10	786 44 165 531 28 18	39,278 4,736 13,079 18,137 2,388 938	364 14 88 240 9 13	8,658 126 934 2,431 101 66	243 3 83 191 1 1
Newburgh Niagara Falls North Tonawanda Ogdensburg Olean	694 963 276 690 364	681 942 276 685 359	530 539 161 488 291	340 189 52 217 144	122 254 91 104 74	34 65 13 93 25	2 6 1 14 5	13 9 · 20 20	. 19 16 4 40 23	138 385 109 185 65	13 18 6 12 3	13 21 4 5	i
Ossining Oswego Peekskill Plattsburg Port Chester	218 539 303 307 346	· 207 539 294 306 342	159 402 236 266 233	67 203 157 165 72	61 103 51 24 130	16 54 18 41 25	10 1 5 1	7 10 5 12 4	8 22 4 19 1	46 125 56 35 106	2 12 2 5 3	11 . 9 1 4	
Poughkeepsie Rensselaer Rochester Rome Saratoga Springs	744 174 4,807 833 368	724 173 4,761 823 355	580 133 3,256 578 293	335 78 1,309 256 157	128 27 1,307 179 63	55 12 400 70 27	4 2 41 14 2	21 2 81 23 23	37 12 118 36 21	138 39 1,454 219 59	6 1 51 26 3	20 1 45 9 12	1 1 1 1
Schenectady Syracuse Troy Utica	1,600 3,278 2,105 2,062	1,583 3,231 2,071 2,050	1,149 2,401 1,493 1,461	542 1,195 715 617	374 785 524 554	121 241 145 157	21 23 9 17	41 84 36 51	50 73 64 65	420 793 558 578	14 37 20 11	17 38 33 12	9 1
Watertown Waterviiet White Plains Yonkers	853 296 310 1,574	848 295 290 1,532	651 232 202 959	361 110 108 349	137 86 64 437	87 27 22 146	10 1 1 9	27 2 3 10	29 6 4 8	183 62 87 566	14 1 1 7	3 1 20 42	2
NORTH CAROLINA.  Registration cities	5,309	2,982	0.000	0.057	42	. 49	8	704	070	82		0.000	_
Asheville Charlotte Durham Greensboro. Raleigh Wilmington Winston-Salem	752 1,039 455 359 741 836 1,127	564 607 197 193 436 434 • 551	2,823 511 589 192 183 404 411 533	2,257 403 473 164 160 271 346 440	15 7 1 4 2 10 3	15 12 3 3 2 10 4	1 4 2 1	34 42 14 7 33 21 43	273 43 51 10 9 94 23 43	34 11 2 7 6 20 2	77 19 7 3 26 3 16	2,326 188 432 258 166 305 401 576	1
NORTH DAKOTA.	, <b></b>	551	500					20	20	-	10	0.0	••••••
Fargo оню.	412	411	301	121	. 98	39	4	15	24	100	10	1	•••••
Registration cities	51,264	47,860	34,565	18,352	9,433	2,843	423	1,401	2,113	12, 250	1,045	3,384	20
Akron. Alliance. Ashtabula. Bellaire. Cambridge.	2,425 389 310 328 243	2,369 371 309 315 234	1,759 291 227 242 220	1,015 170 126 146 183	438 74 53 64 9	101 19 19 17 8	10 3 2 3 1	93 15 17 8 11	102 10 10 4 8	570 77 78 69 13	40 3 4 4 1	53 18 1 1 13 9	3
Canton Chillicothe Cincinnati Cloveland Columbus	1,261 321 8,591 13,043 4,164	1,240 288 7,582 12,350 3,659	862 260 5,761 7,000 3,030	512 192 2,922 2,265 1,958	196 31 1,725 3,382 379	60 10 586 726 202	10 3 62 115 34	44 15 181 190 146	40 9 285 322 311	362 25 1,745 4,934 503	16 3 76 416 126	21 32 1,009 684 504	1 6 1

<sup>&</sup>lt;sup>1</sup> Nonregistration state; only those cities with satisfactory registration of deaths are shown.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1918—Contd.

		, exclusive o.	<u> </u>			WHITE							
					N	ative.							
registration area.	All deaths.	Total.		Dodlo	Both	One p foreign the ot	born,		ntage nown.	Foreign born.	Nativ- ity un-	Negro.	Indian, Chi- nese, Japa- nese, and
-			Total.	Both parents native.	parents foreign born.	Native.	Un- known.	One parent un- known, the other native.	Both parents un-known.		known.		other colored.
REGISTRATION CITIES—Contd.													
оню—continued.  Dayton East Liverpool Elyria Findlay Hamilton	2, 544 452 330 275 710	2,339 433 311 269 687	1,911 368 235 253 585	1, 197 267 117 192 417	303 36 73 9 74	109 31 12 11 34	32 1 2 10	117 24 13 13 21	153 10 19 26 29	396 62 72 16 95	32 3 4	204 19 19 6 23	1
Ironton Lakewood Laneaster Lima Lorain	341 407 200 670 675	316 407 199 636 662	299 267 191 579 359	216 107 159 434 122	15 108 11 34 171	10 40 7 34 38	4 1 5 2	27 9 9 45 9	27 2 5 27 17	14 138 8 53 290	3 2 4 13	25 1 34 13	
Mansfield Marietta Marion Massillon Middletown	414 231 393 261 408	411 229 386 251 380	334 215 362 196 343	226 144 272 107 275	55 20 28 45 27	23 7 11 19 6	2 3 5 3	8 19 24 8 16	22 23 24 12 16	73 13 22 49 33	4 1 2 6 4	3 2 7 9 28	ii
Newerk Norwood Fiqua Portsmouth	524 229 271 658	500 226 250 609	438 185 227 566	297 123 164 422	45 39 18 21	29 14 13 23	4 1 9	25 5 18 32	38 4 13 59	57 41 21 35	5 2 8	. 3 20 49	i
Sandusky Springfield Steubenville Tiffin	361 1,014 655 257	346 855 627 255	240 757 451 218	118 581 225 141	87 81 146 39	25 30 28 16	2 7 7 3	21 12 7	8 37 33 12	103 90 152 36	3 8 24 1	15 159 28 2	
Toledo Warren Youngstown. Zanesville.	4,038 444 2,815 612	3,886 428 2,674 571	2,826 300 1,685 523	1,398 162 606 374	741 70 746 40	319 24 152 30	33 6 28 10	92 13 53 41	243 25 100 28	957 118 888 42	103 10 101 6	151 16 139 41	1 2 **
oregon. Registration cities	3,972	3,820	2,766	1,339	442	252	75	246	412	926	128	29	123
PortlandSalem	3,760 212	3,614 206	2,603 163	1,251 88	433 9	237 15	71 4	233 13	378 34	893 33	118 10	29	1i7 6
Registration cities Allentown	99,912	93,052	1,210	34,026 851	21,202	5,716	849	1,893	3, 186	24, 789	1,391	6,778	82
Allentown Altoona Beaver Falls Bethlehem Braddock	1,067 - 361 324 790	1,029 346 322 755	899 233 285 464	673 111 232 156	126 71 16 236	49 25 8 35	5 5 2 7	26 11 12 9	20 10 15 21	124 106 35 273	6 7 2 18	38 15 2 34	i
Bradford. Butler Carbondale. Carlisle. Carnegie.	286 519 501 279 230	282 511 501 251 225	210 424 348 245 154	129 278 144 212 67	39 101 136 5 68	20 22 50 6 9	6 3 3 4	7 8 9 11 3	9 12 6 11 3	. 64 . 86 152 6 68	8 1 1 3	28 14	
Chambersburg Chester Coatesville Columbia Connellsville	284 1,473 302 294 268	267 1,219 264 278 243	259 861 215 245 185	222 436 122 184 123	13 253 55 23 38	6 94 9 13 15	1 10 4 2 2	10 29 12 11 4	7 39 13 12 3	8 275 45 29 55	83 4 4 3	17 253 38 16 25	i
Dubois. Dunmore. Duquesne. Easton. Erie.	294 471 460 847 1,900	294 470 440 840 1,872	230 344 281 698 <b>1,</b> 334	143 93 76 494 557	52 140 166 118 466	21 25 27 45 149	1 4 2 6 18	. 8 4 27 32	4 74 6 8 112	61 121 154 136 507	3 5 5 6 31	1 20 7 27	i
Farrell Greensburg Harrisburg Hazleton Homestead	320 364 1,693 851 442	298 352 1,509 851 403	161 262 1,344 535 288	33 173 1,081 202 79	111 56 123 240 181	13 14 45 73 21	1 2 6 5 1	1 9 50 9 3	2 8 39 6 3	131 87 152 311 114	6 3 13 5 1	22 12 184 39	
Johnstown Eancaster Lebanon McKees Rocks McKeesport	1,507 1,232 659 360 1,174	1,428 1,207 645 354 1,140	987 1,099 567 238 712	475 916 480 68 289	383 75 41 147 316	74 42 9 15 80	7 3 2 1 2	27 30 17 2 12	21 33 18 5 13	429 97 54 114 419	12 11 24 2 9	79 25 14 6 34	
Mahanoy City Meadville Monessen Mount Carmel Nanticoke	415 286 482 406 665	415 269 467 406 664	263 228 296 279 367	99 148 63 126 74	116 33 200 105 226	27 6 19 28 45	11 5 7 5 11	3 20 5 9 6	7 16 2 6 5	142 40 171 126 293	10 1 1 4	17 15	

Table 2.—Deaths (exclusive of stillbirths) in the registration area (exclusive of hawaii) and certain subdivisions, by color, general nativity, and parent nativity of decedent: 1918—Contd.

	<u> </u>	exclusive of				WHITE				<del></del>		<del></del>	i i
~		. 1				Vative.					1		
REGISTRATION AREA.	All deaths.	Total.			Both	One p foreign the ot	born,	Pare unkr	ntage nown.	Foreign	Nativ-	Negro.	Indian, Chi- nese, Japa- nese, and
		,	Total.	Both parents native.	parents foreign born.	Native.	Un- known.	One parent un- known, the other native.	Both parents un-known.	born.	known.		other colored.
REGISTRATION CITIES—Contd. PENNSYLVANIA—continued.													
New Castle Norristown North Braddock. Oil City Old Forge.	. 890 1,166 253 379 244	867 1,088 243 375 244	· 656 817 174 297 144	340 496 79 193 18	186 183 68 65 98	61 74 20 20 25	8 7 2 2	32 21 4 5	29 36 3 12	196 253 68 78 99	15 18 1	23 77 10 4	1
Philadelphia. Phoenixville Pittsburgh Pittstorn Pittstorn	42,479 316 15,433 493 262	38,377 310 14,208 491 262	27,019 218 9,593 311 170	12,653 121 3,945 106 55	8,775 86 3,914 170 89	2,424 7 1,052 30 20	419 1 123 2 3	226 1 3	1,900 3 333 2	10,658 92 4,413 173 91	700 202 7 1	4,061 6 1,191 2	41 34
Pottstown Pottsville Reading Scranton Shamokin	409 789 2,223 3,092 475	398 781 2,192 3,070 475	357 564 1,915 1,955 378	302 357 1,469 715 239	30 125 288 923 87	9 45 101 197 45	1 9 8 33 3	7 19 31 35 4	8 9 18 52	38 201 269 1,096 96	3 16 8 19 1	11 8 31 20	2
Sharon. Shenandoah. South Bethlehem. Steelton. Sunbury.	416 701 394 351 331	409 - 701 391 284 327	257 379 271 173 316	134 91 62 81 278	80 216 181 78 13	16 46 13 7 2	2 13 5 1 2	9 3 4 13	16 10 10 2 8	146 310 118 105 8	6 12 2 6 3	7 3 67 4	
Uniontown. Warren Washington West Chester.	385 220 495 427	346 220 456 341	230 151 371 288	153 77 263 220	41 35 55 25	13 18 21 13	3 2 6	12 5 17 14	8 14 9 16	103 61 79 48	13 8 6 5	39 39 86	
Wilkes-Barre Wilkinsburg Williamsport York	1,755 523 829 941	1,749 502 800 907	1,174 400 690 854	473 265 527 705	483 59 69 32	146 37 40 32	21 2 8 5	31 21 19 37	20 16 27 43	558 98 105 41	17 4 5 12	6 20 29 34	1
RHODE ISLAND.  Registration cities	10,235	9,902	6,534	2,513	2,990	776	44	91	120	3,297	71	321	12
Central Falls	445 419 474 178 316 460	441 412 448 178 297 422	298 290 213 118 217 309	65 149 93 30 116 171	184 110 68 72 81	42 20 19 16 13 33	4 2 4 1 1	3 6 3 2	3 26 4 10	142 116 215 60 75 110	1 6 20 5 3	4 4 26 19 34	3
Pawtucket. Providence. Warwick town. West Warwick town Woonsocket.	1,417 5,210 249 285 782	1,408 4,988 242 285 781	891 3,394 165 182 457	298 1,332 88 51 120	1,552 53 109 238	137 377 17 21 81	5 25 1 1	7 62 2 6	15 46 5	503 1,573 77 103 323	14 21 1	220 7	3 2
SOUTH CAROLINA.  Registration cities	4,623	2,066	1,901	1,294	69	48	8	142	340	101	64	2,557	
Charleston Columbia Greenville Spartanburg	1,935 1,709 448 531	706 860 208 292	612 809 203 277	424 455 186 229	61 8	31 9 3 5	5 3	27 80 11 24	64 254 3 19	78 16 3 4	16 35 2 11	1,229 849 240 239	
TENNESSEE.  Registration cities	10,000	5,831	5,298	3,748	165	120	43	595	627	. 301	232	4,161	8
Chattanooga Jackson Knozville Memphis Nashville	1,533 373 1,326 3,615 3,153	809 204 1,014 1,871 1,933	755 200 952 1,614 1,777	524 170 638 1,090 1,326	14 2 8 92 49	19 2 14 45 40	9 3 16 15	100 8 176 148 163	89 18 113 223 184	32 24 161 84	22 4 38 96 72	723 169 312 1,739 1,218	1 5 2
TEXAS. <sup>1</sup> Registration cities	13,111	10,790	7,802	3,745	1,888	641	124	524	880	2,607	381	2,305	
Beaumont Cleburne Dallas El Paso Galveston Houston San Antonio	700 238 2,339 2,498 839 2,374 4,123	383 209 1,810 2,438 1,605 3,770	304 194 1,589 1,445 397 1,249 2,624	205 151 1,059 410 167 631 1,122	22 1 99 724 93 154 795	9 4 74 79 57 92 326	1 * 1 13 9 12 47 41	24 13 136 63 21 143 124	43 24 208 160 47 182 216	51 9 155 914 161 234 1,083	28 6 66 79 17 122 63	316 29 528 53 263 768 348	16 17 1 1 1 6

<sup>1</sup> Nonregistration state; only those cities with satisfactory registration of deaths are shown.

Table 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1918—Contd.

		•				WHITE	<del></del>			<del></del>	<del></del>		
					ı	Tative.							7 31
REGISTRATION AREA.	All deaths.	Total.			Both	One p foreign the ot	born.	Pare unk	ntage nown.	Foreign born.	Nativ- ity un-	Negro.	Indian, Chi- nese, Japa- nese, and
			Total.	Both parents native.	parents foreign born.	Native.	Un- known.	One parent un- known; the other native.	Both parents un-known.	Doin.	known.		other colored.
REGISTRATION CITIES—Contd.													
Registration cities	2,363	2,294	1,612	842	339	270	27	49	85	632	50	20	49
OgdenSalt Lake City	583 1,780	552 1,742	421 1,191	223 619	81 258	79 191	7 20	15 34	16 69	120 512	11 39	8 12	23 26
VERMONT.	2,100	1,142	1,101	015	200	101	20	01		012			20
Registration cities	1, 131	1,130	783	419	147	94	6	58	59	340	7	1	
Barre. Burlington. Rutland	304 560 267	304 559 267	133 446 204	67 230 122	44 64 39	12 61 21	1 4 1	3 47 8	6 40 13	170 109 61	. 1 4 . 2	1	
virginia.													
Registration cities	12, 114	6,966	6,347	5,088	226	154	25 1	298 15	556 16	410 23	209	5,136	12
Alexandris. Danville. Lynchburg. Newport News. Norfolk.	500 786 817 2,713	316 476 369 1,425	301 450 319 1,179	253 390 262 985	9 14 67	1 12 11 30	1 3	25 25 7 23	22 13 25 71	6 13 29 149	9 13 21 97	184 310 447 1,279	1 9
Petersburg	852 854 3,812 871 881	397 428 2, 225 635 339	376 398 2,056 612 328	322 333 1,640 477 158	9 12 88 12 4	9 6 57 10 1	1 15 4	11 16 113 55 8	25 30 143 54 157	16 17 134 18 5	5 13 35 5 6	455 426 <b>1,</b> 586 235 42	1 1
WASHINGTON.													
Registration cities	8,717	8,359	5,716	3,024	1,064	666	97	317	548	2,421	7	99	259
Aberdeen. Bellingham Everett. North Yakima.	373 317 364	368 310 335	246 202 273	121 117 153	45 46 31	15 33 21 28	3 2 8	20 8 12	24 8 41	116 101 55	6 7 7	1 1 8	4 6 21
SeattleSpokaneTacomaWalla Walla	4,090 1,528 1,577 281	3,860 1,498 1,526 275	2,529 1,112 1,027 213	1,265 688 489 131	536 165 195 21	302 140 114 13	45 12 22 2	147 44 67 16	234 63 140 30	1,212 363 452 56	119 23 47 6	51 17 20 1	179 13 31 5
WEST VIRGINIA.1 Wheeling	1,030	981	701	412	135	69	38	11	36	261	19	49	
wisconsin.	1,000	001	,01	112	100	08	•		30	201	10	10	
Registration cities	14, 140	14,032	9,113	3,287	3,588	1,346	183	301	408	4,664	255	88	20
Appleton. Ashland. Beloit. Eau Claire. Fond du Lac.	283 348 391 337 360	280 340 369 336 358	176 204 281 213 252	- 84 67 151 90 108	56 65 59 58 67	24 31 24 33 33	1 4 9 5 13	4 6 16 12 19	7 31 22 15 12	103 113 83 120 104	1 23 5 3 2	1 2 22 1 2	2 6
Green Bay Janesville Kenosha La Crosse Madison	609 274 629 564 591	605 274 627 562 582	444 205 396 370 446	173 109 132 159 208	106 46 193 107 135	68 20 51 57 56	20 4 2 12 11	45 12 8 15 16	32 14 10 20 20	135 65 221 178 131	26 4 10 14 5	1 2 2 2 8	3 i
Manitowoc	309 201 6,550 463	308 199 6,518 460	214 124 4,178 300	93 52 1,307 129	70 43 1,930 97	30 18 654 41	11 4 53 7	4 4 92 11	6 3 142 15	88 67 2,268 154	6 8 72 6	30 2	2 2 2 1
Racine Sheboygan Superior Wausau	822 510 628 271	817 510 616 271	512 305 319 174	166 93 93 73	236 143 128 49	78 42 53 33	7 9 7 4	11 10 12 4	14 8 26 11	293 199 247 95	12 6 50 2	5 9	3

 $<sup>{}^{1}</sup>$  Nonregistration state; only those cities with satisfactory registration of deaths are shown.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE [This table excludes the deaths of soldiers, sailors, marines. Figures for white and colored are shown separately for minor subdivisions (except as indicated in the municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties,

						•		AT AGE				<u></u>	
	AREA AND COLOR.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	SUMMARY.					-							
1 2 3	The registration area (exclusive of Hawaii) (total)	1,445,158 1,287,425 157,733	193,855 170,984 22,871	55,059 47,405 7,654	26,929 23,272 3,657	17,408 15,138 2,270	12,892 11,277 1,615	306,143 268,076 38,067	38,012 32,992 5,020	29,693 25,153 4,540	54,503 44,946 9,557	81,024 68,531 12,493	104,578 92,701 11,877
4 5 6	Registration states 1 (total)		188,771 167,268 21,503	53,369 46,141 7,228	26,113 22,658 3,455	16,897 14,759 2,138	12,536 11,008 1,528	297,686 261,834 35,852	36,895 32,194 4,701	28,825 24,582 4,243	52,668 43,887 8,781	78,087 66,797 11,290	101, 121 90, 495 10, 626
7	Cities in registratiou states <sup>1</sup> (total)	741,187	97,745	27,999	13,458	8,693	6,653	154,548	18,653	13,003	24,161	42,046	59,471
8	White	679,702	90,154	25,450	12,169	7,964	6,116	141,853	17,174	11,721	21,168	37,231	54,196
9	Colored	61,485	7,591	2,549	1,289	729	537	12,695	1,479	1,282	2,993	4,815	5,275
10	Rural part of registration states (total)	662,929	91,026	25,370	12,655	8,204	5,883	143,138	18,242	15,822	28,507	36,041	41,650
11	White.	579,863	77,114	20,691	10,489	6,795	4,892	119,981	15,020	12,861	22,719	29,566	36,299
12	Colored.	83,066	13,912	4,679	2,166	1,409	991	23,157	3,222	2,961	5,788	6,475	5,351
13	Registration cities in nonregistration states (fotal). White Colored	41,042	5,084	1,690	816	511	356	8,457	1,117	868	1,835	2,937	3,457
14		27,860	3,716	1,264	614	379	269	6,242	798	571	1,059	1,734	2,206
15		13,182	1,368	426	202	132	87	2,215	319	297	776	1,203	1,251
16	All registration cities 1 (total)	782,229	102,829	29,689	14,274	9,204	7,009	163,005	19,770	13,871	25,996	44,983	62,928
17		707,562	93,870	26,714	12,783	8,343	6,385	148,095	17,972	12,292	22,227	38,965	56,402
18		74,667	8,959	2,975	1,491	861	624	14,910	1,798	1,579	3,769	6,018	6,526
	REGISTRATION STATES.							•					
19 20 21	California (total)	l - i	4,666 4,154 512	1,127 1,006 121	601 535 66	465 412 53	330 300 30	7,189 6,407 782	1,054 980 74	881 835 46	1,663 1,536 127	2,734 2,497 237	4,174 3,885 289
22	Colorado (total)	17,546	1,900	450	240	171	134	2,895	399	361	836	1,374	1,851
23		17,141	1,866	438	233	166	130	2,833	391	357	816	1,344	1,814
24		405	34	12	7	5	4	62	8	4	20	30	37
25	Connecticut (total). White Colored	27,240	3,964	1,011	450	284	228	5,937	626	463	817	1,504	2,318
26		26,550	3,873	972	434	277	220	5,776	613	455	777	1,448	2,267
27		690	91	39	16	7	8	161	13	8	40	56	51
28	Illinois (total)	1 1	13,109	3,620	1,916	1,316	952	20,913	2,827	1,926	3,376	5,266	7,333
29	White.		12,629	3,434	1,815	1,271	912	20,061	2,697	1,827	3,161	4,910	6,924
30	Colored		480	186	101	45	40	852	130	99	215	356	409
31	Indiana (total).	45,993	5,603	1,479	754	504	397	8,737	1,193	1,061	1,742	2,210	2,623
32	White.	43,940	5,391	1,416	723	471	376	8,377	1,142	1,000	1,624	2,066	2,477
33	Colored.	2,053	212	63	31	33	21	360	51	61	118	144	146
34	Kansas (total)	25,053	3,111	685	398	222	191	4,607	663	584	1,103	1,370	1,627
35	White	23,490	2,938	627	375	205	178	4,323	625	534	1,009	1,256	1,524
36	Colored.	1,563	173	58	23	17	13	284	38	50	94	114	103
37	Kentucky (total)	39,532	5,816	1,903	1,042	691	, 482	9,934	1,384	1,130	2,120	2,401	2,422
38	White	32,972	5,057	1,645	912	601	429	8,644	1,203	942	1,715	1,941	1,964
39	Colored	6,560	759	258	130	90	53	1,290	181	188	405	460	458
40	Louisiana (total)	32,201	4,415	1,320	701	455	298	7,189	1,021	938	1,807	2,416	2,515
41	White	15,822	2,271	654	357	219	153	3,654	457	384	676	992	1,113
42	Colored	16,379	2,144	666	344	236	145	3,535	564	554	1,131	1,424	1,402
43 44 45	Maine (total) White Colored	14,499 14,443 56	1,700 1,696 4	357 353 4	151 150 1	112 112	70 70	2,390 2,381 9	297 296 1	274 273 1	527 523 · 4	666 658 8	859 858 1
46	Maryland (total).	32,134	4,790	1,439	638	351	283	7,501	822	654	1,341	1,876	2,316
47	White.	24,329	3,468	976	410	243	187	5,284	556	434	866	1,377	1,830
48	Colored.	7,805	1,322	463	228	108	96	2,217	266	220	475	499	486
49 50 51	Massachusetts (total)	75,867	10,780 10,579 201	2,983 2,901 82	1,274 1,241 33	845 827 18	631 620 11	16,513 16,168 345	1,719 1,696 23	1,211 1,197 14	2,149 2,102 47	3,792 3,700 92	5,796 5,703 93
52	Michigan (total)	53,320	8,105	1,777	856	579	490	11,807	1,389	1,008	1,681	2,425	3,364
53	White	52,103	7,971	1,736	831	565	475	11,578	1,352	968	1,598	2,337	3,245
54	Colored	1,217	134	41	25	14	15	229	37	40	83	88	119
55	Minnesota (total)	31,109	3,968	821	473	297	238	5,797	837	786	1,288	1,780	2,315
56	White	30,709	3,911	805	464	293	235	5,708	820	771	1,262	1,755	2,291
57	Colored	400	57	16	9	4	3	89	17	15	26	25	24
58	Missouri (total)	48,465	5,937	1,784	956	656	440	9,773	1,500	1,243	2,232	3,053	3,627
59	White		5,499	1,619	851	593	409	8,971	1,357	1,132	1,989	2,695	3,235
60	Colored		438	165	105	63	31	802	143	111	243	358	392
61	Montana (total).	8,736	1,027	201	125	103	79	1,535	224	184	370	566	976
62	White		990	189	120	100	77	1,476	220	176	362	548	962
63	Colored.		37	12	5	3	2	59	4	8	8	18	14
64 65 66	New Hampshire (total)	9,564	1,094 1,093 1	272 272	117 117	94 94	71 71	1,648 1,647 1	171 171	169 168 1	311 311	451 451	739 738 1
67 68 69	New Jersey (total). White Colored.	57,468	8,371 7,853 518	2,681 2,481 200	1,281 1,189 92 District of	761 705 56	602 559 43	13,696 12,787 909	1,610 1,505 105	1,077 1,002 75	2,029 1,875 154	3,454 3,201 253	4,811 4,567 244

<sup>&</sup>lt;sup>1</sup> Including District of Columbia.

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1918.

footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. The term "cities" indicates exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

eaths							OF	HS AT AGE	DEAT		_				
t un- nown age.	100 years and over.	95 to 99 years.	90 to 94 years.	85 to 89 years.	80 to 84 years.	75 to 79 years.	70 to 74 years.	65 to 69 years.	60 to 64 years.	55 to 59 years.	50 to 54 years.	45 to 49 years.	40 to 44 years.	35 to 39 years.	30 to 34 years.
3,750	733	2,200	8,925	25,390	47, 943	67,178	77,238	76,160	72,861	66,788	64,508	64,957	68,926	85,059	100,589
2,749	299	1,822	8,114	24,070	45, 593	64,043	72,706	71,245	67,240	61,180	57,073	56,816	58,138	73,969	89,969
1,001	434	378	811	1,320	2, 350	3,135	4,532	4,915	5,621	5,608	7,435	8,141	8,788	11,090	10,620
3,606	. 687	2,147	8,796	25,016	47,253	66,072	75,732	74,535	71,055	65,006	62,405	62,740	64,502	81,985	97,297
2,674	291	1,790	8,020	23,768	45,032	63,103	71,468	69,949	65,887	59,889	55,811	55,513	56,712	72,094	87,775
932	396	357	776	1,248	2,221	2,969	4,264	4,586	5,168	5,117	6,594	7,227	7,790	9,891	9,522
796	173	779	3,161	9,660	18,678	28,005	34,625	37,499	38,777	37,602	37,843	37,832	38,664*	47,781	57,430
641	111	698	3,017	9,363	18,115	27,088	33,197	35,637	36,377	34,981	34,274	33,817	34,252	42,443	52,348
155	62	81	144	297	563	917	1,428	1,862	2,400	2,621	3,569	4,015	4,412	5,338	5,082
2,810	514	1,368	5,635	15,356	28,575	38,067	41,107	37,036	32,278	27,404	24,562	24,908	25,838	34,204	39,867
2,033	180	1,092	5,003	14,405	26,917	36,015	38,271	34,312	29,510	24,908	21,537	21,696	22,460	29,651	35,427
777	334	276	632	951	1,658	2,052	2,836	2,724	2,768	2,496	3,025	3,212	3,378	4,553	4,440
144	· 46	53	129	374	690	1,106	1,506	1,625	1,806	1,782	2,103	2,217	2,424	3,074	3,292
75	8	32	94	302	561	940	1,238	1,296	1,353	1,291	1,262	1,303	1,426	1,875	2,194
69	38	21	35	72	129	166	268	329	453	491	841	914	998	1,199	1,098
940	219	832	3,290	10,034	19,368	29,111	36,131	39,124	40,583	39 384	39,946	40,049	41,088	50,855	60,722
716	119	730	3,111	9,665	18,676	28,028	34,435	36,933	37,730	36,272	35,536	35,120	35,678	44,318	54,542
224	100	102	179	369	692	1,083	1,696	2,191	2,853	3,112	4,410	4,929	5,410	6,537	6,180
31	35	103	382	1,209	2,126	2,937	3,401	3,410	3,231	3,169	3,060	3,07i	3,448	4,328	4,852
27	27	97	362	1,187	2,091	2,867	3,277	3,238	3,022	2,978	2,865	2,890	3,177	4,018	4,507
4	8	6	20	22	35	70	124	172	209	191	195	181	271	310	345
. 90 . 85 5	7 7	15 15	64 62 2	174 172 2	366 363 3	561 551 10	725 716 9	762 755 7	738 725 13	778 763 15	728 715 13	830 801 29	963 930 33	1,330 1,278 52	1,699 1,648 51
35 35 1	4 4	42 39 3	181 177 4	473 463 10	884 873 11	1,202 1,177 25	1,359 1,338 21	1,304 1,281 23	1,344 1,317 27	1,232 1,210 22	1,210 1,169 41	1,304 1,271 33	1,234 1,194 40	1,594 1,546 48	2,173 2,120 53
238	37	144	626	1,834	3,471	4,630	5,186	5,246	5,140	5,088	4,769	4,625	4,651	6,030	7,040
209	28	136	614	1,813	3,418	4,553	5,062	5,104	4,984	4,870	4,528	4,287	4,325	5,621	6,699
29	9	8	12	21	53	77	124	142	156	218	241	338	326	409	341
93	19	73	360	1,074	2,207	3,118	3,301	3,028	2,648	2,255	1,955	1,786	1,765	2,209	2,536
82	12	68	352	1,056	2,166	3,064	3,232	2,954	2,547	2,150	1,827	1,630	1,639	2,073	2,402
11	· 7	5	8	18	41	54	69	74	101	105	128	156	126	136	134
55	11	60	195	610	1,265	1,746	1,772	1,449	1,293	1,091	918	866	968	1,256	1,544
48	7	56	181	596	1,218	1,693	1,707	1,374	1,230	1,007	833	793	867	1,170	1,439
7	4	4	14	14	47	53	65	75	63	84	85	73	101	86	105
480	37	61	241	594	1,210	1,740	2,001	1,949	1,691	1,478	1,462	1,478	1,576	1,928	2,215
324	11	44	202	528	1,092	1,555	1,740	1,694	1,418	1,190	1,117	1,134	1,184	1,503	1,827
156	26	17	39	66	118	185	261	255	273	288	345	344	392	425	388
154	90	80	210	403	697	951	1,172	1,270	1,320	1,248	1,340	1,630	1,605	2,036	2,109
61	12	20	77	222	388	581	679	788	766	730	685	770	797	928	1,042
93	78	60	133	181	309	370	493	482	. 554	518	655	860	808	1,108	1,067
53 · 52 1	6 6	40 40	168 168	506 503 3	875 875	1,110 1,107 3	1,132 1,124 8	1,029 1,026 3	878 876 2	668 667 1	586 533 3	506 505 1	482 479 3	648 647 1	849 846 3
112	14	37	159	478	950	1,427	1,680	1,641	1,580	1,510	1,483	1,384	1,354	1,827	1,988
64	4	26	124	425	838	1,255	1,437	1,370	1,299	1,182	1,090	984	969	1,361	1,554
48	10	11	35	53	112	172	243	271	281	328	393	400	385	466	434
29	21	127	567	1,456	2,666	3,665	4,351	4,348	4,135	3,705	3,556	3,626	3,619	4,588	5,609
28	19	126	562	1,445	2,652	3,628	4,309	4,297	4,071	3,632	3,481	3,547	3,526	4,466	5,512
1	2	1	5	11	14	37	42	· 51	64	73	75	79	93	122	97
158	14	97	425	1,289	2,295	3,285	3,619	3,236	2,918	2,555	2,157	2,018	1,940	2,498	3,142
155	10	94	419	1,275	2,272	3,261	3,586	3,208	2,876	2,505	2,099	1,942	1,880	2,399	3,044
3	4	3	6	14	23	24	33	28	42	50	58	76	60	s 99	98
128	7	78	271	735	1,240	1,509	1,635	1,526	1,561	1,562	1,344	1,278	1,351	1,774	2,307
124	6	74	270	733	1,235	1,502	1,620	1,510	1,541	1,552	1,328	1,252	1,334	1,746	2,275
4	1	4	1	2	5	7	15	16	20	10	16	26	17	28	32
217	26	87	334	1,052	1,898	2,749	3,244	3,097	2,899	2,540	2,343	2,433	2,489	2,982	3,493
173	11	70	317	1,012	1,846	2,641	3,104	2,907	2,719	2,304	2,082	2,108	2,137	2,572	3,083
44	15	17	17	40	52	108	140	190	180	236	261	325	352	410	410
27 26 1	. 1	5 5	17 16 1	73 69 4	125 119 6	204 200 4	234 · 229 5	308 297 11	377 365 12	370 359 11	406 395 11	486 474 12	578 565 13	872	1,047 1,026 21
74 72 2	3	20 20	110 110	289 289	525 525	632 632	703 702 1	631 631	523 522 1	420 418 2	362	386	344 344	463	607 605 2
54 53	19	53 46 7	299 294 5	819 789 30	1,707 1,670 37	2,526 2,461 65	3.008	3,024 2,923 101	3,015 2,893	2,870 2,705	2,875 2,696	2,864 2,665	2,933 2,698 235	3,545 3,286	4,707 4,446 261

156247-20-10

TABLE 3.—DEATHS, (EXCLUSIVE OF STILLBERTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[This table excludes the deaths of soldiers, sailors, marines.. Figures for white and colored are shown separately for minor subdivisions (except as indicated in the municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties,

						'a' ' ' ' '	DEAT	IS AT AGE	of—				
•	. AREA AND COLOR.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION STATES—Continued.												
1	New York (total)	190,764	23,452	7,072	3,148	2,119	1,535	37,326	4,425	3,347	5,768	9,773	13,690
2		185,340	22,716	6,318	3,046	2,048	1,487	36,115	4,319	3,251	5,554	9,337	13,161
3		5,424	736	254	102	71	48	1,211	106	96	214	436	529
4	North Carolina (total)	42,274	7,686	2,894	1,244	727	467	13,018	1,478	1,137	2,259	2,709	2,432
5		24,907	4,424	1,662	765	411	255	7,517	811	561	1,056	1,286	1,376
6		17,367	3,262	1,232	479	316	212	5,501	667	576	1,203	1,423	1,056
. 7	Ohio (total)	92, 356	11,727	2,840	1,377	901	668	17, 513	2,098	1,692	2,988	4,803	6,377
8		87, 714	11,174	2,669	1,295	859	648	16, 645	1,969	1,584	2,765	4,455	5,988
9		4, 642	553	171	82	42	20	868	129	108	223	348	389
10	Oregon (total)	9,679	907	197	100	84	49	1,337	220	194	334	498	639
11		9,329	864	183	96	79	46	1,268	212	188	322	476	607
12		350	43	14	· 4	5	3	69	8	6	12	22	32
13	Pennsylvania (total)	187,951	28, 299	8,362	4,134	2,531	1,911	45, 237	4,983	3,477	6,542	10,872	15,320
14		179,016	27, 121	7,942	3,927	2,430	1,815	43, 235	4,769	3,282	6,128	10,152	14,511
15		8,935	1, 178	420	207	101	96	2, 002	214	195	414	720	809
16 17 18	Rhode Island (total)	12,407 12,021 386	1,947 1,882 65	542 519 23	289 277 12	160 151 9	108 108	3,046 2,937 109	315 304 11	190 182 8	349 333 16	594 564 30	865 841 24
19	South Carolina (total)	30,761	6,031	2,013	938	563	415	9,960	1,216	999	1,916	2,202	1,777
20		11,152	1,959	718	297	189	118	3,281	344	261	518	596	593
21		19,609	4,072	1,295	641	374	297	6,679	872	738	1,398	1,606	1,184
22	Tennessee (total)	37,134	4,761	1,793	921	624	463	8,562	1,352	1,165	2,162	2,574	2,331
23		25,949	3,618	1,343	697	464	344	6,466	958	765	1,293	1,526	1,451
24		11,185	1,143	450	224	160	119	2,096	394	400	869	1,048	880
25	Utah (total)	6,172	926	186	112	73	51	1,348	239	193	331	406	549
26		5,986	905	179	105	71	49	1,309	234	189	325	390	528
27		186	21	7	7	2	2	39	5	4	6	16	21
28 29 30	Vermont (total)	6,803 6,800 3	698 , 697 1	139 139	, 61 61	42 42	42 42	982 981 1	107 106 1	127 127	232 232	323 323	402 402
31	Virginia (total)	41,272	6, 491	1,877	987	586	402	10,343	1,231	1,064	2,070	2,705	2,745
32		24,687	3, 743	1,056	581	341	236	5,957	704	569	1,065	1,519	1,654
33		16,585	2, 748	821	406	245	166	4,386	527	495	1,005	1,186	1,091
34	Washington (total)	16,837	1,769	327	172.	149	113	2,530	435	384	743	1,011	1,312
35		15,985	1,637	289	162	123	99	2,310	399	348	682	945	1,248
36		852	132	38	10	26	14	220	36	36	61	66	64
37	Wisconsin (total)	34, 992	4,810	987	541	364	326	7, 028	872	743	1,281	1,721	2,292
38		34, 700	4,780	976	537	· 360	321	6, 974	862	728	1,266	1,705	2,266
39		292	30	11	4	4	5	54	10	15	15	16	26
	REGISTRATION CITIES.	,											
40	ALABAMA.¹ Registration cities (total) White Colored	6,697	736	274	126	93	72 <sup>*</sup>	1,301	207	156	330	542	584
41		3,176	370	151	69	54	38	682	95	69	113	207	261
42		3,521	366	123	57	39	34	619	112	87	217	335	323
43 44 45	Birmingham (total)		480 247 233	198 103 95	87 48 39	. 63 35 28	49 27 22	877 460 417	154 67 87	114 50 64	223 78 145	376 141 235,	424 198 226
46 47 48	Mobile (total) White Colored	· 1	152 : 80 72	49 36 13	20 , 12 8	. 16 12	15 8 7	252 148 104	30 17- 13	24 14 10	65 25 40	97 43 54	103 50 53
.49 50 51	Montgomery (total) White .Colored.		104 43 61	27 12 15	19 9 10	14 7	8 3 ·5	172 74 98	23 11 12	18 5 13	42 10 32	69 23 46	57 13 44
	ALT TRANSPORT							, ,					
52	Registration cities (total)	33,317	2,399	571	324	264	202	3,760	599	468	885	1,587.	2,537
53		31,127	2,144	506	288	236	183	3,357	562	454	814	1,425	2,339
54		2,190	255	65	36	-28,	19	403	37	14	71	162	198
55 56 57 58 59	Alameda Bakersfield Berkeley Eureka Fresno	419 611 679 251 679	30 65 51 16 85	17 8 2 20	5 9 8	5 6 6	3 5 4 1	47 102 77 19 122	13 16 17 9 16	5 16 · 10 12 13	15 21 17 9 26	7 46 31 10 34	33 45 45 20 55
61 62 63 64	Long Beach Los Angeles (total) White Colored Oak-land	671 9,348 8,665 683 3,212	36 683 597 86 274	11 150 133 17 62	\$ 89 \$ 89 \$ 31	79 72 7 31	3 63 58 5 29	1,072 949 123 427	12 182 171 11 · 57	9 148 145 3 45	17 254 234 20 106	32 536 477 59 118	36 762 685 77 241
65 66 67 68 69 70	Pasadena. Pomona. Redlands. Riverside (total). White Colored.	566 180 122 339 312 27 tration stat	27 13 11 25 21 4	8 4 4 5 4	1 3 3 3 3 3	, 5 4 3 3	1 1 1 月	42 25 19 37 32	7 5 1 7 6			21 3 7 19 18 1	24 15 9 24 24

# DEATHS, BY COLOR AND AGE OF DECEDENT.

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1918—Continued.

footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. The term "cities" indicates exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

						DEAT	HS AT AGE	OF→		•	ii ni		·	ý	Deaths	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	,50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.	
13,190	10,904	9,293	9,433	10,127	10,206	11,003	11,118	10,664	9,302	6,264	3,326	1,140	278	39	148	1
12,681	10,410	8,901	9,121	9,871	10,006	10,816	10,956	10,533	9,207	6,219	3,300	1,129	274	37	142	2
509	494	392	312	256	200	187	162	131	• 95	45	26	11	4	2	6	3
2,181	2,154	1,586	1,338	1,339	1,403	1,680	1,794	1,886	1,488	1,100	541	267	75	62	347	4
1,287	1,243	910	775	750	947	1,104	1,332	1,364	1,115	763	370	150	22	11	157	5
894	911	676	563	589	456	576	462	522	373	337	171	117	53	51	190	6
6,341	5,410	4,408	4,191	4,078	4,377	4,931	5,557	5,791	5,246	3,775	1,937	638	140	22	43	7
5,960	4,987	4,070	3,874	3,843	4,202	4,759	5,430	5,641	5,141	3,707	1,900	610	129	19	36	8
381	423	338	317	235	175	172	127	150	105	68	37	28	11	3	7	9
644	593	493	490	496	551	601	635	605	584	417	223	66	13	3 3	43	10
626	566	469	476	478	537	581	608	597	572	412	219	65	12		35	11
18	27	. 24	14	18	14	20	27	8	12	5	4	1	1		8	12
14,819	12,195	9,034	8,679	7,908	7,793	8,344	8,550	8,461	7,094	5,069	2,489	822	180	- 23	60	13
14,033	11,351	8,430	8,091	7,427	7,483	8,066	8,313	8,288	6,970	4,994	2,452	804	168	14	55	14
786	844	604	588	481	310	278	237	173	124	75	37	18	12	9	5	15
815 794 21	674 651 23	596 576 20	582 566 16	563 542 21	585 568 17	731 715 16	707 684 23	630 618 12	492 485 7	372 369 3	201 196 5	75 73 2	12 12	3 3	10 8 2	16 17 18
1,624	1,649	1,269	1,123	1,006	840	1,030	1,070	1,045	761	555	328	141	69	69	112	19
595	600	497	407	378	436	520	568	565	456	282	158	39	15	4	39	20
1,029	1,049	772	716	628	404	510	502	480	305	273	170	102	54	65	73	21
2,116	1,988	1,577	1,573	1,489	1,410	1,630	1,702	1,748	1,454	982	544	177	56	40	502	22
1,375	1,248	992	995	917	1,031	1,211	1,343	1,446	1,229	796	428	116	31	8	324	23
741	740	585	578	572	379	419	359	302	225	186	116	61	25	32	178	24
499 471 28	393 370 23	246 233 13	250 239 11	233 224 9	235 232 3	224 220 4	280 279 1	207 206 1	211 210 1	181 180 1	105 105	29 29	11 11	1 1	1	25 26 27
401 401	303 303	275 275	259 259	284 284	335 335	384 384	497 497	521 521	578 578	423 422 1	254 254	81 81	24 24	4 4	7 7	28 29 30
2,377	2,259	1,718	1,647	1,643	1,625	1,899	1,942	2,081	1,642	1,200	599	271	66	62	83	31
1,438	1,250	909	931	826	979	1,217	1,339	1,519	1,275	885	430	153	22	3	43	32
939	1,009	809	716	817	646	682	603	562	367	315	169	118	44	59	40	33
1,335	1,098	864	772	836	925	980	937	935	738	511	304	96	21	3	67	34
1,262	1,030	820	748	798	900	961	914	914	732	500	302	93	20	1	58	35
73	68	44	24	. 38	25	19	23	21	6	11	2	3	1	2	9	36
2,315	1,804	1,353	1,359	1,408	1,727	1,848	1,988	2,114	1,991	1,627	944	346	69	77	155	37
2,294	1,777	1,334	1,344	1,400	1,713	1,839	1,976	2,106	1,986	1,618	942	344	68		151	38
21	27	19	15	8	14	9	12	8	5	9	2	2	1		4	39
				,						-						
506	525	400	445	347	272	233	244	221	160	96	52	23	11	11	31	40
227	224	162	168	128	154	142	155	150	116	64	34	15	2	1	7	41
279	301	238	277	219	118	91	89	71	44	32	18	8	9	10	24	42
362 161 201	345 154 191	263 108 155	268 100 168	206 76 130	159 91 68	128 86 42	140 88 52	114 83 31	79 58 21	42 28 14	29 19 10	10 7 3	4	7	22 3 19	43 44 45
84	111	80	109	81	82	58	67	61	54	35	14	8	5	1	9	46
49	44	36	48	37	46	35	43	38	40	25	11	6	2		4	47
35	67	44	61	44	36	23	24	23	14	10	3	2	3		5	48
60 17 43	69 26 43	57 18 39	68 20 48	60 15 45	31 17 14	47 21 26	37 24 13	46 29 17	27 18 9	19 11 8	9 4 5	5 2 3	2	3 1 2		49 50 51
3,023	2,670	2,145	1,947	1,955	2,037	1,958	2,057	1,975	1,617	1,162	667.	191	52	14	11	52
2,806	2,483	1,961	1,829	1,816	1,917	1,833	· 1,968	1,915	1,581	1,147	660	188	51	11	10	53
217	187	184	118	139	120	125	89	60	36	15	7	3	1	3	1	54
32 59 56 12 50		19 45 27 14 37	12 33 33 12 40	24 30 34 11 35		21 25 32 16 38	28 29 43 13 32	30 17 57 22 20	29 13 60 22 31	22 8 35 10 13	23 6 26 6 8	3 9 1 3	1	1	2	55 56 57 58 59
46 843 758 85 276		20 600 544 56 174	23 530 495 35 168	38 500 464 36 157	38 557 · 525 32 176	39 517 492 25 183	73 595 569 26 211	64 568 554 14 206	57 412 404 8 177	43 304 296 8 139	27 183 181 2 67	7 39 38 1 22	1 12 12 12	1 1	3 3	60 61 62 63 64
32 11 5 25 22 3		25	34 8 5 13 13	31 12 6 10 10	45 12 8 19 18 1	27 8 3 22 21 1	51 9 6 19 18 1	1	44 8 8 18 18	47 13 9 13 13	24 8 2 10 10	9 1 1 4 4		1		65 66 67 68 69 70

\* TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[This table excludes the deaths of soldiers, sailors, and marines. Figures for white and colored are sho wn separately for minor subdivisions (except as indicated in the municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties,

_	``						DEATE	IS AT AGE			<u> </u>		
	AREA AND COLOR.	All deaths.	Under 1. year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.										,		,
1 2 3 4 5 6	Sacramento San Bernardino San Diego San Francisco (total) White Colored	1,727 499 1,534 9,855 9,278 577	117 66 138 567 516 51	30 18 28 148 135 13	18 11 8 74 65 9	6 7 11 72 63 9	8 2 11 47 40 7	179 104 196 908 819 89	33 . 5 28 149 140 9	17 10 · 26 110 105 5	41° 26 39 209 193	72 37 70 416 374 42	129 47 94 752 703 49
7 8 9 10 11	San Jose. Santa Barbara. Santa Cruz. Stockton. Vallejo. COLORADO.	587 250 195 1,347 246	55 23 9 89 19	20 3 5 21 3	12 6 1 19	7 1 9 2	4 3 1 5 3	98 36 16 143 27	10 3 3 21 5	5 3 1 14 3	15 9 2 23 10	· 21 14 7 75 11	27 18 5 129 27
12 13 14	Registration cities (total)	7,470 7,214 256	695 677 18	144 134 10	79 75 4	62 59 3	60 58 2	1,040 1,003 37	144 138 6	125 122 3	297 283 14	594 570 24	837 817 20
15 16 17 18	Colorado Springs. Denver. Pueblo. Trinidad. CONNECTICUT.	842 5,199 1,072 357	50 418 170 57	10 70 53 11	7 44 22 6	2 40 16 4	7 26 25 2	76 598 286 80	11 90 32 11	17 74 25 9	28 215 36 18	95 399 80 20	109 572 115 . 41
19 20 21	Registration cities (total) White. Colored.	19,962 19,391 571	2,993 2,912 81	808 774 34	361 350 11	222 215 7	182 175 7	4,566 4,426 140	475 466 9	326 320 6	586 552 34	1,153 1,106 47	1,801 1,761 40
22 23 24 25 <b>2</b> 6	Ansonia Bridgeport Bristol Danbury town Greenwich town	318 2,981 304 490 377	72 492 52 52 52 42	17 141 20 9 21	7 69 6 4 8	3 38 2 4 3	6 31 3 3 2	105 771 83 72 76	7 69 12 8 7	3 45 4 5 6	10 81 7 14 13	23 171 23 19 19	42 290 32 30 24
27 28 29 30	Hartford Manchester town Meriden town Middletown town	221 800	509 46 107 59	115 8 27 21	36 2 13 12	30 4 6 6	25 9 2	715 60 162 100	88 1 15 12	38 6 7 9	91 7 31 23	170 7 52 37	264 12 70 42
31 32 33 34	Naugatuck New Britain New Haven New London	1,112 3,343	43 225 440 68	13 59 152 11	7 24 83 2	6 20 36 8	3 13 27 4	72 341 738 93	31 67 13	10 23 62 6	18 97	188	24 125 289 53
36 36 37 38	Norwalk Norwich town Orange town Stamford town	765 248 794	55 92 39 131	19 22 12 35	8 9 12	3 2 10	6 7 2 10	92 133 55 198	16 18 3 19	13 5 10	32	30	48 87 21 49
39 40 41 42	Torrington town Wallingford town Waterbury Windham town DELAWARE,1	2,087	53 26 343 47	9 5 82 10	5 2 46 6	2 3 27 5	3 2 21 3	72 38 519 71	10 4 63 8	4 5 48 9	86	160	36 16 218 29
43 44 45	Wilmington (total). White Colored. DISTRICT OF COLUMBIA.	2,606 2,271 335	426 379 47	120 99 21	60 52 8	25	21 17 4	656 572 84	81 72 9	43	71	151	232 204 28
46 47 48	Washington (total)	9,090 5,779 3,311	911 509 402	230 124 106	116 55 61		70 39 31	1,395 764 631	188 122 66	92	146	347	724 472 252
49 50 51	Registration cities (total) White. Colored.	4, 194 2, 344 1, 850	456 270 186	151 90 61	83 46 37	52 33 19	31 19 12	773 458 315	80 43 37	33	73	166	358 181 177
52 53 54 55 56 57	Jacksonville (total) White Colored Key West (total) White Colored	939 1,110 387 272	183 85 98 67 44 23	60 29 31 12 8	7	552	11 5 6 1 1	311 146 165 97 62 35	38 17 21 6 4	19 6	10	68 118 19 12	23
58 59 60 61 62 63	Pensacola (total) White Colored Tampa (total) White Colored	672 387 285 1,086 746	76 40 36 130 101 29	32 21 11	14 5 9 23 20	12 7 5 12	11 5 6 8	145 78 67	23 11 12 13 11 2	21	17 9 8 50 25	45 25 20 95 61	64 39 25 72 49
64 65 66	GEORGIA,¹  * Registration cities (total)  White Colored	5,825 2,830 2,995	673 319 354	233 131 102	67	34	22	1,139 573 566	134 69 65	43	87	136	178
67 68 69 70 71 72 73 74 75	Atlanta (total).  White Colored. Brunswick (total). White Colored. Savannah (total). White Colored.	3,702 2,063 1,639 278 111 167 1,845	186 25 6 19	50 19 11 8	3 2 1 41	25 20 5 3 2	23 15 8	711 414 297 52 22 30 376	91 .50 41 .3 .1 .2 .40	30 31 6 4 2	64 95 15 6 9	92 132 16 4 12 149	129 138 27 8 19

<sup>&</sup>lt;sup>1</sup> Nonregistration state; only those cities with satisfactory registration of deaths are shown.

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1918—Continued.

footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. The term "cities" indicates exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

																_
			•			DEAT	HS AT AGE	OF-					•	<del>,</del>	Deaths at un-	
30 to 3 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	S5 to S9 years.	90 to 94 years.	95 to 99 years.	100 years and over.	known age.	
			:			;										
19	6 180 4 37 1 115	134 24 87	131 23 84	102 19	90 25 75	115 13	103 18	61 11 102	54 17	49 18 67 274 274	31 9 30	5 2 21	4	1	1	1 2 3
19 5 11 98 93	4 855 6 809 8 46	739 684 55	673 637 36	19 84 716 665 51	682 636 46	13 96 635 603 32	18 99 555 530 25	103 557 539 18	105 422 414 8	274 274	149 148 1	21 49 48 1	17 17	1	3 3	2 3 4 5 6
2	6 20 5 17	33 13	16 6 9	42	39 10 15 84	40 17 13 82 16	ł	42	49 16 20 45	30 15 19 28	24 11 9	4 2 1	2		1	7 8 9 10 11
15 2	9 7 3 137 8 25	9 100 15	90 4	9 9 71 15	84 12	82 16	43 22 20 78 10	14 20 54 18	45 10	28 6	., 11	8	i		1	10 11
73 70 3	4 524	404 391 13	398 378 20	375 365 10	397 389 8	321 313 8	337 333 4	334 326 8	277 269 8	166 165 1	79 78 1	28 27 1	7 7	1 1	14 11 3	12 13 14
52 · 9	7 69 2 392 7 71 3 24	51 292 50 11	46 294 46 12	39 290 31 15	48 298 37 14	31 249 34 7,	33 257 32 15	33 245 36 20	36 194 34 13	18 133 11 4	10 56 8 5	. · 5 15 4 4	6 1	1	8 5 1	15 16 17 18
1,69 1,65	8 1,224 3 1,182 5 42	954 920 34	1,027 996 31	907 868 39	927 910 17	960 939 21	894 876 18	871 859 12	694 673 21	502 494 8	258 252 6	96 96	21 20 1	2 2	20 20	19 20 21
20			6 157 19 28 27		9 139 15	17 120 11	9 122 10	8 95 12 40	. 3 73 6	5 52 7	8 21 6 5 2	8 2 3	2 1		7	22 23 24 25 26
		1	1		139 15 31 11	j	39 21	15	30 22	21 15	1.		1 4	2.		
2	58 188 11 11 75 51 54 50	178 12 31 45	177 4 38 53	160 7 36 43	138 14 38 53	164 11 37 57	132 15 33 43	130 17 30 42	104 8 35 35	72 11 - 34 35	32, 3 17 14	12 4 4 7	3	2,	1 2	27 28 29 30
2	18 19 93 76 46 164 59 59	139	187	9 47 . 153 26	9 39 166 27	13 30 186 25	9 40 175 27	30 192 28	31 136 25	5 16 91 12	1 .7 48 7	. 17 1	1 1		. 1 . 1	31 32 33 34
	13 33 59 53 21 6 62 46	10	44	15	25 36 14 35	- 31 40 - 14 31	28 36 13 45	15	29 31 15 37	31 22 8 22	16 14 6 20	9 3 2 3	1 2 1		1	35 36 37 38
2	84 '19 10 9 13 155 29 21	10 8 101	17	1	14 12 83	1	12 8 62 15	25 16 68	5 13 38 13	1	4 7 12 8	1 3 6 2	1 i		2 3	39 40 41 42
2 1	06 153 83 129 23 24	114 95 19	117	. 107	119		91 - 81 10	119 106 13	86 80	54 48	. 36	5 5	1 1	1	13 6 7	43 44 45
4	23 653 83 386 40 267		.   249		298	479 323 156		521 391 130	499 419 80	244	. 135		6	1		46 47 48
3 2 1	79 367 06 184 73 183	274 153 121	237 105 132	256 133 123	180 111 69	117	4	148 111 37	, 90 76	60 41 19	.   25	5	1	4 1 3	8 5 3	49 50 51
2	09 189 01 78 08 106 28 18 22 11	1 136 3 62 3 74 3 25 1 17	3 131 2 43 4 88 5 19 7 13	127 523 75 20 16	78 41 37 18	87 55 32 18 12 6		72 48 24	39 31 8 13	27 16 11	12 9 3 10	2			2	52 53 54 55 56 57
- 1			1	'  . 4	9					. 3	1	1		1 1	- 1	
	54 51 29 31 25 26 88 11 54 6 34 56	1 21 1 12 1 80 1 53	10 10 14 15 15 16 17 18 18 18 18 18 18 18 18 18 18 18 18 18	38 3 17 21 7 71 3 48 23	3 44 26 18 40 3 30	25 14 11 42 36	36	)   18	27 23		2	3 2 1 1	. ]		6 4	58 59 60 61 62 63
	54 460 93 199 61 260	-		'	289			211	168		5 44 1 31	16 8		5 9	.  9	64 65 66
	75 273 39 131	1		2 235			.1		11,	5 50	) 29	2 5		3 9	. 5 3 2	
]	36 144 28 2 10 1 18 1	L   3	118	18		i	1	J   4	<b>!</b>   (	7   1					3 2 2 2 2	67 68 69 70 71 72 73 74 75
1 1	51 16: 44 55: 07 10:	1 133	2 114 3 32 3 82		80	70	) i 5:	L 4	5 49 3 3			<u>.</u> (	3   3	2 1 1	9 4 5	73 74 75

# Table 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[This table excludes the deaths of soldiers, sailors, and marines. Figures for white and colored are shown separately for minor subdivisions (except as indicated in the municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties,

-							· · · · · · · · · · · · · · · · · · ·	HS AT AGE					
	AREA AND COLOR. /	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												,
1 2 3	Registration cities (total) White. Colored.		8,716 8,337 379	2,512 2,373 139	1,314 1,232 82	891 858 33	630 596 34	14,063 13,396 667	1,856 1,757 99	1,081 1,010 71	1,913 1,755 158	3,444 3,158 286	5,034 4,722 312
4 5 6 7	Alton Aurora. Belleville. Bloomington		58 97 45 38	21 23 12 12	11 11 10 6	7 5 2 4	4 6 4 5	101 142 73 65	12 13 11 8	4 16 9 4	17 23 25 17	29 30 36 26	31 59. 35 27
8 9 10 11 12	Cairo (total) White Colored. Canton Champaign		34 21 13 25 25	11 7 4 9 4	5 3 2 3 2	8 4 4 7 1	1 1 3 1	59 36 23 47 33	7 4 3 11 4	7 9 7 2 8 5	19 9 10 10	22 10 12 17 22	29 16 13 21 22
13 14 15 16 17	Chicago (total). White Colored. Chicago Heights Cicero.	44,069 41,608 2,461 398 412	6,597 6,350 247 78 100	1,982 1,880 102 25 30	994 931 63 16 13	680 658 22 9 2	470 447 23 7 ,11	10,723 10,266 457 135 156	1,363 1,290 73 14 10	728 678 50 9	1,208 1,104 104 6 11	2,383 2,187 196 18	3,575 3,343 232 46 39
18 19 20 21 22	Danville. Decatur. East St. Louis (total). White. Colored.		80 79 199 167 32	17 17 54 40 14	6 7 26 20 6	8 4 16 16	8 5 16 12 4	119 112 311 255, 56	24 15 29 22 7	16 12 15 11 4	46 26 49 40 9	45 41 88 59 29	46 39 79 62 17
23 24 25 26	Elgin. Evanston. Freeport. Galesburg.	685 491 366 459	23 49 42 33	5 10 10 6	2 9 6 5	2 3 3	1 3 ,1 ,4	33 74 59 51	8 12 9 14	6 11 1 1	15 18 10 21	23 22 23 21	45 46 23 22
27 28 29 30	Granite. Jacksonville Joliet Kankakee.		48 23 159 44	6 5 63 12	9 7 32 6	3 4 16 5	6 12 3	72 39 282 70	12 13 27 11	4 10 15 7	13 12 37 12	21 33 62 <sup>1</sup> 27;	28 33 95 40
31 32 33 34	La Salle. Lincoln. Mattoon. Moline.	326 403 257 614	45 27 36 72	11 6 8 22	9 6 6 12	13 7 2 13	5 6 2 6	83 52 54 125	8 31 4 19	5 41 4 9	13 45 8, 29	18 33 9 45	21 26 18 64
35 36 37 38	Oak Park. Peoria. Quincy. Rockford.	508 1,389 857 1,090	41 137 61 149	7 25 16 33	4 16 7 25	4 12 8 16	4 7 1 6	60 197 93 229	23 27 12 31	9 17 16 23	9 48 28 33	22 76 39 60	43 121 47 104
39 40 41 42	Rock Island Springfield Streator Waukegan	548 1,222 345 308	58 136 36 42	12 25 5 8	6 26 3 8	5 16 5 1	3 12 3 4	84 21.5 52 63	16 43 12 3	7 30 6 8	19 45 15 12	25 61 22 15	51 78 41 40
· 43 44	INDIANA.  Registration cities (total)	18,502	2, 482	643	299	237	152	3,813	539	396	620	1,039	1,314
45 46	White	16, 943 1, 559 409	2,316 166 55	594 49 9	276 23 5	212 25 2	139 13 5	3,813 3,537 276 76	498 41 9	344 52 9	535 85 14	921 118 26	1,193 121 24
47 48 49 50	Elwood. Evansville.	735 418 212 1,444	234 48 36 138	66 16 3 48	35 3 4 27	17 1 3 20	9 2 3 7	361 70 49 240	30 13 6 38	14 9 4 27	17 15 6 51	34 20 17 90	65 32 18 104
51 52 53 54	Fort Wayne. Gary. Hammond. Huntington.	1,213 1,098 777 197	154 227 135 26	21 59 31 4	11 27 13 4	10 20 7 3	10 15 4 1	206 348 190 38	29 49 15 2	33 17 15 5	48° 28 18 6	54 82 70	71 108 71 17
55 56 57 58 59 60	Indianapolis (total). White . Colored. Jeffersonville (total). White . Colored.	5,241 4,435 806 212 162 50	575 490 85 21 18 3	142 124 18 6 5	77 59 18 2 2	64 51 13 1	38 33 5 2 · 2	896 757 139 32 28	162 140 22 7 5	109 83 26 3 2	196 152 44 10 5	301 232 69 12 9	344 282 62 13 10
61 62 63 64 65	Kokomo. Lafayette. Laporte. Logansport. Marion	392 512 279 408 346	54 52 32 32 43	27 5 4 13 13	4 4 7 6	2 7 2 3 3	7 3 8 3 1	94 71 50 58 66	, 6 17 · 5 · 12 10	4 16 4 10 10	7 22 5 13 12	18 26 15 25 14	32 32 27 39 20
66 67 68 69 70	Michigan City Mishawaka Muncie New Albany Peru	314 252 429 430 186	44 46 65 44 25	9 20 16 14 7	. 3 6 6	4 6 3 11 3	2 4 2 1 1	64 79 92 76 39	8 . 6 14 12 . 3	3 7 12 13 2	6 9. 14 -11.	12 11 12 25	21 17 21 27 17
71 72 73 74	Richmond. South Bend. Terre Haute. Vincennes.	1,085 1,164 340	45 178 133 40	15 44 36 15	10 13 17 3	3 21 15 6	4 6 12 2	77 262 213 66	.7 33 33 13	12 20 29	6 46 50	10 60 71 21	16 77 71 30

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1918—Continued.

footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. The term "cities" indicates exclusive of municipalities of 10,000 inhabitants or more in 1910) 'are omitted.]

	•					DEAT	HS AT AGE	of—	* ******						Deaths at un-	F
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	known age.	
									,		•		,			
4,759 4,481 278	4,138 3,807 331	3,260 2,987 273	3, 195 2, 923 272	3,310 3,123 187	3,336 3,170 166	3,214 3,098 116	3,016 2,913 103	2,690 2,619 71	2,147 2,108 39	1,535 1,514 21	793 781 12	273 270 3	66 61 5	22 17 5	97 83 14	1 2 3
32 - 64 41 39	32 31 35 36	29 35 17 22	23 30 25 21	21 37 26 18	32 52 25 40	31 34 18 41	32 48 25 31	28 42 28 36	18 42 22 36	13 18 19 30	. 8 17 6 16	4 3 2 8	1 1 2	1 1	2 1 2	5 6 7
28 21 7	39 20 19 12	22 15 7 13	23 13 10 12	23 15 8	29 16 13 · 10	21 13 8 7	17 11 6	12	15 12	10 7 3	6 6		1 1		5 5	10
20 27	9	2, 277	12	10 14 2,393	11	13 2, 256	15 14 2,026 1,964	11 12 1,669	1 1.197	11 15 874	5 9 426	1 4 143	33 29	1 17 15	1 15	ł
3, 279 3, 068 211 40 28	2,894 2,646 248 31 19	2,078 199 21 21	2,280 2,085 195 24 10	2,393 2,245 148 11 20	2,316 2,204 112 7 13	2, 167 89 12 7	1,964 62 6 12	1,669 1,626 43 9	1,174 17 7 9	874 865 9 2 6	419 7	142 1 2	4	15 2	15 13 2	12 14 14 16 17
63 41 103 84 19	55 41 90 72 18	38 27 79 69 10	27 24 73 54 19	28 32 59 55 4	45 37 46 43 3	31 42 41 38 3	35 46 44 39 5	31 50 51 48 3	27 34 22 20 2	22 35 15 15	7 17 10 9 1	11 5 4 1	1 2 2		4 2 5 1 4	18 19 20 21 22
55 42 22 40	57 34 16 15	44 24 20 18	. 43 17 14 18	51 27 18 32	· 47 23 17 24	50 *22 19 37	42 24 21 33	'48 28 19 21	45 31 25 36	41 19 21 20	11 13 17 16	6 3 5 8	1 1 2 1		14	23 24 25 26
18 37 85 76	20 28 83 68	13 40 50 62	16 34 42 59	11 34 46 46	13 42 48 67	10 45 32 43	9 52 42 48	5 46 38 54	3 51 33 35	2 40 22 30	2 16 15 10	· 6 3 1	1 1 2	i	4 3 6	25 26 29 30
32 30 13 50	22 19 11 39	18 18 10 26	16 11 5 31	16 9 12 25	13 16 14 18	18 8 14 29	13 16 15 24	9 18 14 27	12 10 20 29	6 8 13 12	1 10 7 9	1 3 2	1 1		2 1 8 1	31 32 33 34
30 105 58 94	29 93 51 64	31 68 40 38	23 71 38 45	27 69 39 51	32 84 44 33	35 77 51 57	30 91 39 48	43 76 84 42	32 80 85 52	16 54 41 47	9 24 42 19	. 4 8 6 14	1 3 2 1		2 5	35 36 37 38
35 90 21 21	32 80 21 32	34 62 16 17	31 68 17 12	24 53 15 13	-42 66 18 12	21 62 19 11	27 65 15 11	24 75 17 12	35 60 15 10	17 36 12 8	14 17 8 5	11 3 1	4		6 1	39 40 41 42
1,272 1,161 111	1,068 956 112	881 779 102	842 718 124	902 799 103	928 852 76	1.021 953 68	990 939 51	981 936 45	876 843 33	565 544 21	275 268 7	82 79	24 21 3	7 3 4	67 64 3	43 44 45
21 41 27 14 96	24 40 16 5	15 29 26 8 77	16 32 13 2 74	15 17 17 16 70	28 17 16 10 69	25 15 31 17 85	24 8 27 9 82	32 3 31 12 86	19 7 30 10 77	· 19 · 2 · 16 · 6 · 44	7 7 3 21	5	1 4	2	1 1 1 3	46 47 48 49 50
54 113 77 10	67 93 72 8	62 76 45 6	53 32 44 9	68 27 37 6	66 16 30 6	17 85 89 16 29		F	72 5 14 13	54 8 9 9	20 4 3 11	6 3 1	1 2		2 49 1	51 52 53 54
354 308 46 15 7	Į.	256 211 45 10 8	293 221 72 14 7	315 258 57 15 11 4	333 285 48 9 8	308 271 37 13 11. 2	302 276 26 10 10	288 259 29 11 11	253 236 17 13 11 2	139 130 9 7 7	79 73 6 4 4	. 18 16 2 2 2 2	6 5 1	2 1 1 1		55 57 58 58 60
26 36 15 24 22	i .	14 22 12 17 23	10 23 8 8 12	21 30 8 16 13	26 23 11 15	23 35 17 30 29	21 26 12 35 19	26 ,27 18 30 23	21 33 29 25 21	9 24 19 23 12	* 9 14 8 6 5	2 1 2 6	2		1 2 1	62 64 64 65
24 16 22 21 11	i	16 10 16 15 4	10 10 25 23 6	17 5 22 20 11	20 14 22 26 11	17 13 30 25 11	21 15 30 31 14	16 9 31 23 16	14 7 24 31 13	20 6 17 24 4	4 2 8 5 . 3	2 2 4 3 2	2		1	66 68 68 70
24 86 99 24	21 68 61 23	9 40 61 12	11 46 59 9,	17 48 56 15	23 47 68 11	23 53 57 18	25 57 74 24	43 54 60 17	38 41 48 . 18	27 25 29 13	12 17 14 9	8 4 5	3	1 1	2 2	77

Table 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[This table excludes the deaths of soldiers, sailors, and marines. Figures for white and colored are shown separately for minor subdivisions (except as indicated in the municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties,

==								ES AT AGE				,	
	AREA AND COLOR.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
1 2 3	Registration cities (total)	6,681 5,837 844	770 671 99	190 152 38	120 105 15	60 52 8	49 42 7	1,189 1,022 167	186 166 20	144 123 21	303 260 43	381 322 59	513 453 2 60
4 5 6 7 8 9	Atchison (total). White. Colored. Coffeyville (total). White. Colored.	217 190 27 230 196 34	24 22 2 29 24 5	2 2 6 5	3 3 6 5	2 2 3 2 1	1 1 3 1	32 30 2 48 39 9	2 2 12 10 2	3 3 5 4 1	6 5 1 7 6	12 9 3 12 10 2	11 11 16 15 1
10 11 12 13 14	Fort Scott (total). White Colored Hutchinson Independence	226 202 24 395 210	28 26 2 36 29	8 6 2 11 8	4 4 7 1	1 1 2 1	1 1	42 · 37 5 57 39	6 6 14 6	6 5 1 7	10 9 1 26 10	5 5 32 16	15 14 1 34 23
15 16 17 18 19 20	Kansas City (total). White. Colored. Lawrence (total). White. Colored.	2,084 1,750 334 200 151 49	259 218 41 14 13	85 66 19 1 1	52 41 11	27 25 2 1	17 15 2	440 365 75 16 14 2	81 72 9 2 1	45 37 8 4 3	100 88 12 13 7 6	103 88 17 11 7 4	168 141 27 14 12
21 22 23 24 25	Leavenworth (total). White. Colored. Parsons. Pittsburg.	388 316 72 275 272	46 32 14 43 31	. 9 8 1 13 7	5 3 2 7 4	1 1 1 45	3 2 1 1 3	64 45 19 65 49	.5 4 19 8	7 7. 9	12 9 3 9 7	18 12 6 16 15	20 16 4 18 29
26 27 28 29	Topeka (total).  White. Colored.  Wichita.  KENTUCKY.	960 848 112 1,224	104 98 6 127	20 17 3 20	19 18 1 1 12	7 5 2 10	10 9 1 8	160 147 13 177	21 19 2 20	18 15 .3 33	44 38 6 59	59 51 8 82	67 62 5 98
30 31 32	Registration cities (total)	9,708 7,354 2,354	957 727 230	298 220 78	182 148 34	109 80 29	71 59 12	1,617 1,234 383	235 192 43	197 146 51	363 270 93	571 413 158	712 545 167
33 34 35 36 37 38	Covington (total). White Colored Frankfort (total). White Colored.	1,198 1,089 109 283 192 91	121 111 10 15 10 5	38 34 4 5 2	20 19 1	15 12 3	10 10	204 186 18 20 12 8	24 21 3: 9	23 18 5 20 16 4	45 40 5 24 20	53. 44. 9 15. 9	88 78 10 31 23 8
39 40 41 42 43 44	Henderson (total).  White Colored Lexington (total).  White Colored	289 205 84 1,231 791 440	30 18 12 91 53 38	22 14 8 30 16	4 3 1 15 11 4	8 7 1 7 3	5 2 3	64 42 22 148 85 63	3 2 1 22 14 8	8 5 3 19 10	9 8 1 52 33 19	20 12 8 83 48 35.	16 13 3 75 48 27
45 46 47 48 49 50	Louisville (total). White Colored Newport (total) White Colored  Olored  Olored	5,083 3,822 1,261 465 441 24	491 373 118 55 50 5	134 105 29 17 15	99 76 23 8 8	54 38 16 10 10	43 34 9 3 3	821 626 195 93 86	124, 102 22 15 14	96. 73 23 4 4	170 121 49 8 7	314 237 77: 28 24 4	375 286 89 35 30
51 52 53 54 55 56	Owensboro (total). White. Colored. Paducah (total). White. Colored.	487 398 89 672 416 256	70 58 12 84 54 30	21 18 3 31 16 15	18 16 2 18 15	5 4 1 10 6 4	5 5 5 5	119 101 18 148 96 52	21 18 3 17 12 5	9 7 2 18 13 5	27 26 1 28 15 13	24 18 6 34 21 13	26 20 . 6 . 66 . 47 . 19
57 58 59	Registration cities (total)	12,359 7,210 5,149	1,214 680 534	327 192 135	197 104 93	120 77 43	72 ,41 31	1,930 1,094 836	249 131 118	242 115 127	530 270 260	864 443 421	1,078 577 501
60 61 62 63 64 65	Alexandria (total). White. Colored. Baton Rouge (total). White. Colored.	. 177 225 447 178 269	50 22 28 48 18 30	12 4 8 14 8 6	10 5 5 13 6 7	6 5 1 5 1 4	3 1 2 4 3 1	81 37 44 84 36 48	10 7, 3 10 4 6	13 5 8 13 2 11	24 12 12 12 23 10	36 12 24 33 14 19	28 15 13 43 11 32
66 67 68 69 70 71	Lake Charles (total) White Colored  Monroe (total) White Colored	353 180 173 310 158 152	58 18 40 31 15	15 4 11 15 9 6	10 7 3 4 2 2	3 2 1 3 2 1	6 3 3	92 34 58 53 28 25	10 4 6 8 6	11 3 8 13 8	16 5 11 17 6	18. 8 10 15 7	22 15 7 25 11 14
72 73 74 75 76 77	New Orleans (total) White Colored Shreveport (total) White Colored	9,756 6,029 3,727 1,091 488 603	946 567 379 81 40 41	251 160 91 20 7 13	152 78 74 8 6	94 61 33 9 6	51 30 21 8 4 4	1,494 896 598 126 63 63	184 93 91 27 17 10	170 89 81 22 8 14	388 208 180 62 29	661 371 290 101 31	836 480 356 124 45 79

1 Colored population less than 10 per cent of the total in 1910.

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1918—Continued.

footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. The term "cities" indicates exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

						DEAT	HS AT AGE	of—						···	Dooth	=
80 to 84 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at un- known age.	
458 399 59	381 329 52	303 245 58	280 234 46	301 • 252 49	337 289 48	353 316 37	379 338 41	393 368 25	340 322 18	246 · 222 24	136 128 8	36 30 . 6	12 9 3	. 2	8 8	1 2 3
17 15 2 13 11 2	7. 6. 1 6 3	13 11 2 15 11 4	9 7 2 8 6 2	7 6 1 11 10	16 11 5 10 7	16 14 2 10 10	16 13 3 11 10	20 20 20 18 17 1	13 13 13 13 13	11 8 3 6 6	3 3 8 7 1	2 2			1 1 1	4 5 6 7 8 9
8 7 1 22 20	11 8 3 27 15	4 3 1 13 10	12 12 12 6	9 6 3 11 5	11 8 3 16 7	18 15 3 15 7	15 14 1 28 9	21 20 1 31 7	15 15 26 13	11 11 12 8	5 5 9 5	2	1		1 1	10 11 12 13 14
144 117 27 13 9	148 118 30 9 8 1	101 83 18 9 5	93 71 22 3 3	111 89 22 13 9	97 82 15 8 4 4	115 103 12 16 14	96 82 14 17 12 5	79 70 9 14 12 2	73 66 7 11 11	58 52 6 12 8 4	22 20 2 9 9	6 4 2 5 3 2	1 1			15 16 17 18 19 20
21 15 6 19 23	18 13 5 15 11	25 23 2 10 8	16 12 4 6 9	14 8 6 18 13	20 18 2 15 16	18 16 2 10 11	· 26 24 2 11 16	33 31 2 12 17	28 24 4 17 18	22 21 1 10 11	17 14 3 5 6	3 3	1	1		21 22 23 24 25
62 57 5 96	47 42 5 67	41 30 11 54	43 38 5 63	36 31 5 53	50 43 7 71	52 40 12 65	68 58 10 · 66	64 60 4 77	62 59 3 51	32 27 5 53	25 23 2 2 22	. 6 6 10	3 2 1 2	1	4	26 27 28 29
738 546 192	578 386 192	536 354 182	520 360 160	540 371 169	530 401 . 129	559 442 117	566 466 100	519 438 81	415 361 54	273 247 26	131 121 10	44 31 13	12 7 5	7 2 5	45 21 24	30 31 32
107 103 4 20 12 8	70 63 7 16 10 6	56 43 13 12 5	65 55 10 - 8 - 3 5	54 48 6 12 8	61 52 9 17 9	71 68 3 13 8	90 84 6 13 9	62 62 12 10 2	57 56 1 18 10 8	33 33 13 10 3	29 29 2 2	3 3 1 1	2 2		1 1 7 6 1	33 34 35 36 37 38
23 17 6 103 68 35	. 12 7 5 89 45 44	14 7 7 84 48 36	10 4 6 68 .46 .22	16 13 3 81 45 36	16 11 5 72 52 20	19 13 6 74 48 26	17 15 2 73 56	18 15 3 71 56 15	11 11 45 40 5	8 7 1 38 29 9	2 2 16 14 2	1 1 6 3 3	i	2	11 3 8	39 40 41 42 43 44
348 253 95 40 39	1	292 197 95 26 26	305 209 96 18 18	302 201 101 23 22 1	301 224 77 17 17	301 239 62 29 27 27	908	273 226 47 25 25	227 189 38 26 26	139 127 12 18 18	66 61 5 6	27 17 10 4 4	5 4 1 1	3 1 2 1 1	10 3 7 3 2 1	45 46 47 48 49 50
36 24 12 61 30 31	27 21 6 53 31 22	19 12 7 33 16 17	8 6 2 38 19 19		23 17 6 23 19 4	27 24 3 25 15 10	27 24 3 28 17 11	29 24 5 29 20 9	15 14 1 16 15 1	15 14 1 9 9	6 5 1 4 2 2	1 1 1	3	1	9 2 7	51 52 53 54 55 56
1,035 600 435	931 488 443	801 428 373	805 443 362	697 413 284	665 437 228	644 420 224	572 409 163	446 320 126	378 282 96	247 174 73	134 97 37	58 42 16	12 6 6	10 2 8	31 19 12	57 58 59
44 21 23 26 15	36 17 19 33 10 23	· 26 13 13 28 7 21	27 7 20 24 8 16	19 6 13 14 4 10	9 5 4 20 12 8	7 5 2 23 13 10	14 · 8 · 6 · 11 · 8 · 3	8 3 5 22 10 12	9 3 · 6 13 5	2 14 5 9	2 8 3 5	4 1 3 4 1 3	1		1	60 61 62 63 64 65
19 10 9 27 16 11	34 19 15 27 14 13	20 9 11 32 19	21 12 9 20 5	17 11 6 11 3 8	11 7 4 15 12 3	10 5 5 10 5 5 5	12 8 4 9 5	· 9 7 2 10 3 7	2	11 10 1 6 2 4		1 1	2	-		66 67 68 69 70 71
819 505 314 100 33 67	702 383 319 99 45 54			572 359 213 64 30 34	565 378 187 45 23 22	545 361 184 49 31 18	498 365 133 28 15	362 273 89 35 24	310 242 68 29 19	199 151 48 15 6	103 81 22 11 7	44 38 6 3		7 2 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	12	72 73 74 75 76 77

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[This table excludes the deaths of soldiers, sailors, and marines. Figures for white and colored are shown separately for minor subdivisions (except as indicated in the municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties,

		All					DEAT	ES AT AGE	of—		<del></del>		
	AREA AND COLOR.	deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.  MAINE.												
1 2 3	Registration cities (total) White Colored	3,967. 3,949 18	461 460 1	98 97 1	44 44	29 29	27 27	659 657 2	91 91	78 78	122 121 1	183 179 4	261 261
4 5 6 7 8 9	Auburn Augusta Bangor Biddeford Lewiston Portland Waterville.  MARYLAND.	229 359 723 347 607 1,407 295	20 20 63 82 76 151 49	7 3 10 16 17 37 8	8 4 9 19 2	1 5 1 8 14	2 2 9 12 2	29 24 88 105 119 233 61	6 5 16 7 17 32 8	5 8 9 8 19 27 2	5 7 18 15 19 43 15	5 10 27 21 34 70 16	14 19 51 25 42 92 18
11 12 13	Registration cities (total)	17,359 13,581 3,778	2,451 1,940 511	804 581 223	341 237 104	181 137 44	152 111 41	3,929 3,006 923	402 293 109	285 206 79	607 423 184	, 1,033 789 244	1,309 1,047 262
14 15 16 17 18 19	Baltimore (total)	15,810 12,143 3,667 746 706 40	2,256 1,756 500 91 86 5	762 545 217 23 21 2	315 213 102 10 9	163 119 44 5 5	136 96 40 10 9	3,632 2,729 903 139 130 9	366 261 105 10 10	261 186 75 13 10 3	549 373 176 34 30 4	940 699 241 54 51 3	1,175 922 253 69 65 4
20 21 22 23 24 25	Frederick (total). White Colored. Hagerstown (total) White Colored 1	271 237 34 532 495 37	34 30 4 70 68 2	6 3 3 13 12 12	3 3 13 12 1	6 6 7 7	2 2 4 4	51 44 7 107 103	12 9 3 14 13	6 5 1 5 5	10 7 3 14 13 1	12 12 27 27	16 12 4 49 48 1
	MASSACHUSETTS.												
26 27 28	Registration cities (total)	61,196 60,018 1,178	9,038 8,866 172	2,607 2,533 74	1,094 1,061 33	709 691 18	544 535 9	13,992 13,686 306	1,386 1,368 18	955 943 12	1,702 1,662 40	3,079 3,006 73	4,751 4,674 77
29 30 31 32	Adams town. Arlington town. Attleboro. Beverly.	199 283 315 326	39 31 37 32	11 6 12 16	4 3 5 2	2 1 2	4 3 2	56 44 58 54	5 6 8 2	5 3 5	6 2 7 9	12 14 . 15 . 16	16 22 23 23
33 34 35 36 37	Boston (total) White, Colored Brockton Brookline town	17, 267 16, 731 536 1, 192 519	2, 298 2, 226 72 143 20	738 712 26 28 1	339 324 15 15 3	228 222 6 10 1	151 148 3 4 .3	3,754 3,632 122 200 28	410 406 4 26 3	285 280 5 21 7	473 462 11 33 16	863 831 32 79 43	1,334 1,302 32 114 40
38 39 40 41 42	Cambridge Chelsea Chicopee Clinton town Everett	2, 266 852 514 283 563	285 108 150 47 75	. 114 32 32 32 2 21	44 14 11 1 12	30 7 9 7	19 5 8 2 4	492 166 210 52 119	52 24 14 10 11	31 12 10 4 12	70 18 9 7 17	112 50 31 15 26	157 57 45 22 43
43 44 45 46 47	Fall River. Fitchburg Framingham town. Gardner town. Gloucester.	2,858 • 786 • 391 • 333 • 544	657 124 45 47 47	192 27 13 15 15	53 16 3 6	34 9 4 4 2	41 11 1 4 4	977 187 66 76 74	67 16 11 7 12	42 13 6 6 7	79 27 12 10 20	129 51 24 15 35	187 62 28 31 47
48 49 50 51 52	Greenfield town Haverhill Holyoke. Lawrence. Leominster	299 853 1,272 2,030 349	48 96 268 407 42	9 26 50 169 14	1 13 26 74 5	4 3 11 46 6	3. 4 13 17 2	65 142 368 713 69	9 17 26 45 11	6 9 22 25 3	10 24 34 51 10	. 41 64 99 14	24 63 113 138 33
53 54 55 56 57	Lowell. Lynn Malden Marlborough Medford	· 2, 466 1, 811 851 277 505	524 177 82 32 49	162 51 27 6 14	60 31 13 3 4	27 7 10 3 4	23 16 13 3	796 282 145 47 72	58 37 21 3 13	37 18 23 3 7	48 34 32 9 12	105 90 44 15 15	164 154 63 24 43
58 59 60 61 62	Melrose Methuen town Milford town New Bedford Newburyport.	282 214 325 2, 895 351	28 29 45 758 39	8 12 23 194 10	6 10 60 1	2 7 3 52 1	1 1 4 25	45 55 85 1,089 53	7 12 13 53. 11	6 3 10 40 8	8 5 9 88 14	16 9 17 157 13	19 16 26 206 17
63 64 65 66 67	Newton. North Adams. Northampton Peabody. Pittsfield	750 419 586 351 959	68 65 53 56 98	18 10 10 20 26	12 6 3 3 11	8 6 5 1 15	6 4 2 5 9	112 91 73 85 159	21 8 10 12 11	18 8 10 6 20	24 24 17 14 32	30 25 30 17 64	58 22 35 27 116
68 69 70 71. 72	Plymouth town. Quincy. Revere. Salem. Somerville.	250 850 304 887 1,521	41 104 49 131 189	10 28 18 31 45	2 14 8 11 30	18 18 1 9 13	8 6 9 12	54 172 82 191 289	9 28 4 18 34	5 13. 9 10 23	9 29 3 34 43	8 39 20 36 76	13 90 24 87 101
73 74 75 76	Southbridge town. Springfield Taunton Wakefield town	208 2,534 951 173	31 402 133 17	13 89 40 6	2 46 13 1	·1 28 4 1	2 27 9	49 592 199 25	57 13 2	28 7 4	8 73 21 5	11 124 49 7	14 219 69 12
77 78 79 80	Waitham. Watertown town. Webster town. Westfield town.	713 279 229 460	79 32 41 57	18 14 10 13	12 7 2 4	6 5 3 8	3 3 1 4	118 61 57 86	26 6 3 12	17 3 2 12	28 7 6 19	50 14 12 18	73 15 24 47

<sup>1</sup> Colored population less than 10 per cent of the total in 1910.

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1918-Continued.

footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. The term "cities" indicate exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

		=	<del></del>			DE.	ATES AT A	GE OF—	<del></del>	===== ,	• ;				Deaths	T
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.	
243 240	213 213	178 177	181 180	192 191	214 214	265 263	271 271	250 247	226 226	187	105	34	7	3	4	
3		1	1	1		2		· 3		187	105	34	7	3	4	ļ
4 18 46 16 33 101 25	11 19 .52 . 4 33 80 14	6 16 39 8 32 67 10	8 27 . 34 . 10 . 28 . 65 . 9	8 25 31 14 27 67 20	7 17 43 20 28 78 21	17 32 54 18 39 87 18	25 33 54 20 35 92 12	24 23 49 17 32 90	20 33 45 17 20 79 12	14 24 39 14 -25 62 9	13 12 20 6 16 29 9	4 4 2 7 10 1	1 2 2 2	1	1 2 1	-1
1,190 926 264	1,064 785 279	843 587 256	853 600 253	909 664 245	924 734 190	918 773 145	883 757 126	836 740 ,96	657 605 52	402 367 35	208 192 16	69 62 7	14 11 3	6 3 3	18 11 7	1111
1,079 818 261 68 67 1	936 663 273 81 80	768 519 249 48 46 2	784 544 240 31 25	844 606 - 238 29 26 3	862 676 186 28 28	835 694 141 37 36	783 660 123 42 41 1	761 673 88 23 21 2	592 542 50 15 15	353 320 33 18 18	189 176 13 4 4	65 59 6 2 2	14 11 3	6 3 3	16 9 7 1 1	1.1111111111111111111111111111111111111
9 8 1 34 33 1	10 8 2 37 34 3	10 10 17 12 5	10 8 2 28 23 5	14 12 2 22 20 20 2	13 11 2 21 19 2	18 17 1 28 26 2	23 22 1 35 34	18 17 1 34 29 5	17 17 33 31 2	13 12 1 18 17 1	9 6 3 6 6	2 1 1			1 1	20 21 21 22 24
4,574 4,487 87	3,728 3,633 95	2,917 2,841 76	2,905 2,834 71	2,876 2,811 65	2,975 2,915 60	3,208 3,147 61	3,223 3,174 49	3,183 3,147 36	2,563 2,537 26	1,765 1,755 10	957 948 9	340 336 4	80 79 1	. 15 13 2	22 22	26 27 28
11 23 29 16	11 21 21 16	7 15 12 9	4 17 9 16	5 12 14 17	10 - 22 23 17	10 11 17 18	10 18 13 17	8 10 18 36	8 13 21 14	7 14 13 24	8 8 7 12	1 6 3 4	i			29 30 31 32
1,342 1,291 51 105 45	1,146 1,102 44 92 27	932 894 38 49 25	978 940 38 54 17	916 881 35 62 29	931 900 31 48 35	957 927 30 73 34	881 859 22 56 39	812 794 18 68 51	591 578 13 57 27	777 372 5 28 31	185 183 2 16 17	79 78 1 7	15 14 1 2	4 3 1	2 2 2	33 34 35 36 37
157 57 30 29 41	138 52 18 11 29	111 26 23 15 30	109 48 15 16 14	124 41 19 22 32	115 40 15 4 32	126 34 19 12 43	143 36 15 15 30	126 55 13 22 36	93 68 9 12 23	52 48 10 11 13	49 15 5 1 6	7 4 4 3 5	2		1	38 39 40 41 42
205 77 28 28 49	159 41 21 18 46	121 29 · 19 20 33	94 31 19 17 16	119 32 12 12 27	115 34 24 19 16	118 44 27 11 26	135 25 20 18 37	129 42 32 20 31	95 30 12 6 11	52 22 17 9 30	: 22 19 10 7	7 2 2 6	3 1 1 3 2	2	3 1	43 44 45 46 47
26 61 88 147 11	27 39 . 85 116 24	11 36 61 88 13	13 36 53 92 9	10 44 53 85 13	10 · 37 52 79 20	13 57 58 76 29	9 - 48 60 72 18	19 58 55 72 20	14 56 47 64 23	- 10 52 22 40 10	25 10 19 14	2 8 5 5	1 2	1	1 1 1	48 49 50 51 51
136 136 74 16 38	124 136 45 15 22	125 113 37 14 20	109 94 37 7 21	95 74 38 14 22	119 101 42 20 27	132 113 52 17 31	130 106 47 22 32	98 98 61 18 37	92 100 42 23 33	65 71 20 6 25	24 41 22 3 18	6 10 5 1 12	2 1 1 4	1	i	53 54 55 56 57
15 12 24 211 27	11 8 16 170 14	9 13 9 105 8	8 11 16 124 17	9 12 7 92 12	18 4 13 111 21	17 12 14 98 25	24 11 24 100 , 35	17 9 14 87 24	28 10 14 60 16	16 8 7 57 20	5 3 5 33 9	2 1 2 10 5	2	1 1	3	58 59 60 61 62
61 17 43 29 97	32 19 27 15 60	38 10 31 14 38	27 24 34 13 48	36 18 34 14 36	34 29 37 15 41	34 22 41 18 45	58 21 29 19 50	45 30 44 17 43	43 26 44 15 48	38 13 24 12 23	32 7 16 6 21	7 3 5 2 	1 1 2 1	1	1	63 64 65 66 67
18 84 19 58 104	14 67 16 - 51 83	9 39 15 30 52	14 39 10 33 63	11 29 14 46 60	7 40 12 47 68	8 32 21 51 89	17 43 17 55 100	18 41 14 42 107	9 40 10 41 101	16 12 8 29 76	8 3 22 34	2 1 2 3 13	2 4 2 5	. 1		68 69 70 71 72
18 194 64 11	10 170 64 12	9 116 49 8	10 97 50 6	11 114 46 6	7 113 41 4	14 117 57 10	15 125 .66 5	12 138 49 15	7 105 49 21	5 92 31 7	39 16 7	. 1 14 11 6	5		2	78 74 78 76
55 24 22 46	49   18   11   32	35 14 9 27	25 13 6 30	32 13 12 22	26 11 11 19	37 17 10 7	39 19 9 18	43 21 10 19	26 11 9 20	18 8 11 11	9 2 1 10	. 6 1 3 4	1 1 1	1		77 78 79 80

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[This table excludes the deaths of soldiers, sailors, and marines. Figures for white and colored are shown separately for minor subdivisions (except as indicated in the municipalities of 10,000 inhabitants or more in 1910, Minor rural subdivisions (counties,

							DEATI	IS AT AGE	OF—		·	• • • • • • • • • • • • • • • • • • • •	
	AREA AND COLOR.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9. years.	10 to 14 years.	15 to 19 years.	20 to 24 years	25 to 29 years.
	REGISTRATION CITIES—Continued.  MASSACHUSETTS—continued.									,			
1 2 3 4	Weymouth town Winthrop town Woburn Worcester	272 180 <b>291</b> 3, 758	25 12 39 507	6 3 9 120	3 1 6 47	1 1 3 35	4 1 5 30	39 18 62 739	6 3 7 74	3 2 4 54	3 4 7 89	11 9 17 168	16 9 18 308
5 6 7	MICHIGAN.  Registration cities (total)  White	25,455 24,751 704	4,368 4,292 76	977 954 23	462 449 13	310 305 5	280 274 6	6,397 6,274 123	707 691 16	438 420 18	752 714 38	1,334 1,278 56	1,930 1,849 81
8 9 10 11	Adrian Alpena Ann Arbor Battle Creek		26 36 58 81	3 12 8 20	1 1 9 12	1 5 2 9	1 4 9	32 54 81 131	4 4 13 22	5 5 6 10	8 11 21 21	4 6 31 47	17 16 44 44
12 13 14 15 16	Bay City Detroit Escanaba Flint Grand Rapids	796 12,889 280 1,105 1,893	99 2,713 36 188 245	19 611 10 64 62	19 282 2 20 22	8 189 2 20 18	8 171 1 19 15	3,966 51 311 362	20 400 6 45 49	20 209 5 19 36	17 358 15 43 59	30 693 16 75 91	1,081 30 86 100
17 18 19 20 21	Holland Ironwood. Ishpeming Jackson Kalamazoo	146 215 158 899 1,088	27 35 26 97 136	1 12 2 24 18	2 8 5 11 5	1 4 11 5	2 5 3 5 5	33 64 36 148 169	1 8 1 23 20	4' 4 1 23 15	9 7 5 28 19	7 9 2 58 49	9 18 16 86 57
22 23 24 25 26	Lansing Manistee Marquette Menominee Muskegon	722 141 217 170 621	93 12 35 28 99	21 4 5 3 16	18 2 4 4 5	6 2 7	7 2 1 4	145 18 48 36 131	17 1 7 4 14	14 1 3 2 11	23 .7 11 8 25	31 8 12 11 37	43 8 11 8 40
27 28 29 30 31	Pontiac. Port Huron Saginaw. Sault Ste, Marie. Traverse City.	601 358 936 224 315	64 43 135 41 15	15 14 21 5 7	9 5 9 6 1	5 38 3 1	1 6 10 1	94 71 183 56 24	6 11 21 7 3	9 7 20 7 2	10 17 19 7 4	37 15 39 9 17	55 18 58 13 10
٠,	MINNESOTA.				٠.			, ′					
32 33 34	Registration cities (total)  White  Colored		1,421 1,407 14	319 313 6	176 175 1	129 127 2	106 105 1	2, 151 2, 127 24	293 293	236 234 2	381 376 5	677 667 10	941 926 15
35 36 37 38	Duluth Mankato '. Minneapolis St, Cloud	1,390 276 5,392 275	207 26 633 40	30 3 162 16	25 5 73 7	18 4 56 6	17 3 44 1	297 41 968 70	39 1 139 4	28 5 88 · 10	42 8 168 11	77 10 313 19	117 22 446 29
39 40 41 42	St. Paul Stillwater Virginia Winona	3,602 123 216 301	449 10 36 20	94 3 8 3	55 2 4 5	39 1 4 1	31 2 5 3	668 18 57 32	92 8 8 7	89 6 10	116 9 11 16	216 5 13 24	290 13 11 13
43 44 45	MISSISSIPFI,1  Registration cities (total)  White  Colored		231 83 148	93 49 44	44 28 16	32 11 21	19 11 8	419 182 237	,, 63 23 40	62 19 43	179 52 127	234 51 183	290 91 199
46 47 48 49 50 51	Hattiesburg (total) White Colored Jackson (total) White Colored.	374 194 180 1,057 376 681	58 34 24 63 14 49	23 10 13 28 11 17	12 8 4 15 10 5	7 1 6 8 5	3 3 4 2 2	103 56 47 118 42 76	8 2 6 22 8 14	8 3 5 20 8 12	35 14 21 61 15 46	28 8 20 91 21 70	37 20 17 110 29 81
52 53 54 55 56 57	Meridian (total). White Colored. Natchez (total). White Colored.	622 322 300 329 87 242	46 24 22 37 4 33	29 21 8 6 2	14 9 5 1	6 2 4 4 1 3	5 2 3 3 2 1	100 58 42 51 9 42	23 12 11 3	14 5 9 8 1	36 • 14 22 14 2 12	41 8 33 19 2 17	53 19 34 21 4 17
58 59 60	Vicksburg (total). White Colored.	681 202 479	27 7 20	7 5 2	2 1 1	7 2 5	2 2	47 17 30	7 1 6	12 2 10	33 7 26	55 12	69 19 50
61 62 63	MISSOURI.  Registration cities (total) White	25, 374 22, 040 3, 334	2,460 2,167 293	716 601 115	376 295 81	282 239 43	179 155 24	4,013 3,457 556	624 533 91	448 387 61	904 770 134	1,271	1,904 1,636 268
64 65 66 67 68 69	Hannibal (total).  White Colored Jefferson City (total).  White Colored.	419 355 64	39 33 6 18 17 1	11 10 1 7 4 3	4 4	7 7 3 3	4 4 1 1	65 58 7 33 29 4	8 8 6 5	7 6 1 7 6	16	23 3 · 22 20	31 26 5 17 17
70 71 72 73 74	Joplin Kansas City (total) White Colored Moberly	810 6,608 5,682 926 252	81 635 564 71 19	36 157 137 20 7	13 99 82 17 1	4 75 71 4 4	7 37 34 3 1	141 1,003 888	18 168 152 16	25 117 89 -28	39 281 251	46 500 432	81

<sup>&</sup>lt;sup>1</sup> Nonregistration state; only those cities with satisfactory registration of deaths are shown.

## OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1918—Continued.

footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. The term "cities" indicates exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

		<del></del>		,	, ,	DEATE	IS AT AGE	of— .				***************************************			Deaths	
30 to 34 years.	35 to 89 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.	
15 12 19 272	15 6 10 228	10 9 9 208	5 10 9 218	17 13 14 203	18, , 6' 16 199	17 11 17 209	26 13 20 213	27 23 17 212	16 11 18 181	16 13 10 105	7 6 10 54	3 1 7 19	2 1		<u>1</u>	1 2 3 4
1,764 1,695 69	1,361 1,294 67	1,084 1,042 42	1,059 1,004 55	1,136 1,100 36	1,223 1,199 24	1,269 1,245 24	1,294 1,282 12	1,280 1,266 14	1,122 1,111 11	698 <b>689</b> 9	380 <b>375</b> 5	131 129 2	31 30 1	1 1	64 63 1	5 6 7
12 11 26 48 47 983	10 11 19 33 50 709	5 5 29 22 22 29 552	5 13 28 30 21 554	. 6 8 40 33 43 566	21 12 30 50 39 529	15 12 27 40 44 514	19 10 30 42 56 524	25 14 32 35 55 419	18 17 26 40 53 380 10	23 11 15 26 29 238	15 9 5 9 14 122	2 1 3 9 8 46	1 2 17		2 4 4 29	8 9 10 11 12 13
47 983 19 92 110	50 709 19 60 78	6 48 75	21 554 15 36 72	13	39 529 16 35 91	14 36 128	14 44 127	16 55 133	45 125	5 21 83 7	3 18 49	2 18 5	4		3	12 13 14 15 16
14 22 10 62 53	8 24 8 47 56	12 10 49 45	10 9 29 49	1 6 36 50	10 5 50 77	4 5 12 62 85	6 9 43 80	6 13 58 89	4 10 42 81	3 5 24 54	20 32	7 5	1 2		3 1 5	18 19 20 21
43 10 8 14 40	2 10 5 44	7 10 8 19	14 10 17	23 5 9 · 6 21	53 11 10 6 31	41 11 17 . 17 30	47 17 12 8 37	50 10 17 7 52	34 12 11 9 41	33 8 3 5 · 22	11 1 5 7	1 1	1		1 1	22 23 24 25 26
40 8 66 8 18	35 19 44 12 20	33 21 26 18 21	27 12 28 11 23	30 16 52 11 18	31 21 47 15 26	36 10 69 13 27	. 29 . 59 . 8 . 23	48 31 70 10 27	30 20 65 7 31	16 19 36 3 9	13 8 24 5 6	4 3 7 5	i	1	3 1 3 2 1	27 28 29 30 31
929 911 18	. 727 709 18	573 557 16	540 522 18	601 588 13	664 656 8	625 612 13	583 <b>574</b> 9	527 <b>520</b> 7	488 486 2	343 340 3	198 197 1	71 70 1	19 17 2	2 1 1	6 5 1	32 33 34
108 .18 453 15	98 15 297 20	70 13 280 11	71 16 265 4	79 16 268 3	100 10 323 8	69 23 295 15	56 15 270 15	50 20 252 18	37 21 249 8	23 8 176 9	22 11 86 3	7 2 39 2	1 14 1	2	1	35 36 37 38
281 8 26 20	255 4 15 23	165 6 22 6	164 2 6 12	198 10 13 14	192 6 7 18	196 6 7 14	195 8 3 21	154 8 5 20	148 6 1 18	104 6	60 5	16	3		5	39 40 41 42
230 103 127	240 68 172	190 58 132	193 73 120	173 66 107	129 58 71	159 83 76	121 72 49	147 76 71	90 <b>54</b> 36	65 31 34	28 9. 19	15 7 8	8	7	21 5 16	43 44 45
20 11 9 94 44 50	24 14 10 94 17 77	14 9 5 83 22 61	17 7 10 71 27 44	14 7 7 55 23 32	13 7 6 47 25 22	10 8 2 48 21 27	14 11 3 44 29 15	13 8 5 40 22 18	5 4 1 18 11 7	6 4 2 16 7 9	2 1 1 5 3 2	1 3 3 1 2	1	2 2 2	14 1 1 13	46 47 48 49 50 51
52 26 26 20 8 12	41 17 24 16 4 12	27 12 15 10 2 8	32 19 13 23 7 16	1	25 12 13 14 3 11	37 26 11 16 10 6	. 27 22 5 13 4 9	29 20 9 33 13 20	25 21 4 22 8 14	11 9 2 13 3 10	5 2 3 7 1 6	3 2 1 2 1 1	1 1 3	.]		52 53 54 55 56 57
44 14 30	65 16 49	56 13 43	50 13 37	46 13 33	30 11 19	48 18 30	23 6 17	32 13 19	20 10 10	19 8 11	9 2 7	6 3 3	3		7 4 3	58 59 60
1,986 1,688 298	1,704 1,377 327	1,509 1,219 290		1,376 1,190 186	1,390 1,222 168	1,469 1,344 125	1,477 1,360 117	1,293 1,207 86	1,050 998 52	674 647 27	372 353 19	103 94 9	26 20 6	6 2 4	52 38 14	61 62 63
30 19 11 22 19 3	28 23 5 13 10 3	22 18 4 6 4 .2	26 19 7 8 7		23 20 3 12 10 2	21 18 3 8 7 1	28 25 3 13 12 1	24 21 3 17 15 2	28 26 2 17 15 2	14 11 3 9 9	6 6 7 6 1	4	1		1 1	64 65 66 67 68 69
69 574 470 104 14	66 480 373 107 15	59 444 346 98 20	380 299 81 12	31 333 272 61 16	30 319 287 32 15	38 327 303 24 13	38 339 306 33 14	40 264 238 26 18	32 215 206 9 13	11 163 160 3 7	83 78 5 6	1 21 18 3 2	1 3 3	1	. 7	70 71 72 78 74

Same that the co

## TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

This table excludes the deaths of soldiers, sailors, and marines. Figures for white and colored are shown separately for minor subdivisions (except as indicated in the municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties,

	•					•	DEATH	IS AT AGE	of—			· · · · · · · · · · · · · · · · · · ·	
	AREA AND COLOR.	All deaths.	Under 1 year.	1 year.	2 years.	3-years.	4 years.	.Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.  MISSOURI—continued.											٠	
1 2 3 4	St. Joseph St. Louis (total) White Colored.	1,797 13,727 11,734 1,993	155 1,367 1,170 197	55 407 326 81	21 210 150 60	19 157 121 36	18 104 85 19	268 2,245 1,852 393	58 317 250 67	34 212 185 27	71 410 333 77	105 711 561 . 150	145 906 760 146
5 6 7 8 9	Sedalia (total)		37 34 3 79 , 30	13 12 1 , 13 10	5 5 16 3	4 4 8 1	· 3 2 1 4	62 57 5 120 44	11 10 1 25 7	7 7 26 4	15 8 7, 40, 8,	31 24 7 , 52 15	29 23 6 76 21
10 11 12	Registration cities (total)	3,212 3,138 74	309 299 10	59 57 2	. 38 37 1	33 33	30 30	469 456 13	80 80	45 44 1	129 126 3	· 213 212 1	379 373 6
13 14 15 16 17 18	Anaconda t Billings. Butte Great Falls Helena Missoula.  NEBRASKA,1	211 317 1,455 603 288 338	22 33 117 80 26 31	7 10 21 14 4 3	6 3 16 6 4 3	2 7 14 6 2 2	6 16 5 1 2	37 59 184 111 37 41	5 8 39 18 5	5 8 18 10 2 2	11 17 40 31 9 21	6 20 95 50 12 30	18 47 183 72 27 32
19 20 21	Registration cities (total)	,4, 104 3, 876 228	453 436 17	116 106 10	61 58 3	38 36 2	41 36 5	709 672 37	147 140 . 7	88 85 3	132 126 6	259 238 21	380, 358, 22
22 23	Lincoln. Omaha. NEW HAMPSHIRE.	905 3,199	. 91 362	. 19 . 97	13 48	3 35	10 31	136 573	36 111	16 72	26 106	64 195	86 294
24 25 26	Registration cities (total) White. Colored.	4,493 4,482 11	631 630 1	158 158	68 68	64 64	45 45	966 965 1	85 85	83 82 1	156 156	211 211	420 419 1
27 28 29 30	Berlin Concord Dover Keene	338 682 277 275	62 25 36 19	19 7 5 7	5 2 2 5	7 2 4 2	5 2 1	98 38 47 34	9882	2 6 9 5	19 16 9 9	20 26 13 12	44 46 18 23
31 32 33 34	Laconia	296 1,659 632 334	30 320 101 38	8 86 19 7	38 10 2	32 7 6	3 23 8	49 499 145 , 56	3 36 13 6	11 34 11 5	18 54 20 11	21 84 20 15	30 146 77 36
35 36 37	NEW JERSEY.  Registration cities (total) White. Colored	39,142 36,811 2,331	5,785 5,438 347	1,866 1,743 123	895 • 833 62	542 501 41	430 401 29	9,518 8,916 602	1,044 975 69	673 625 48	1,277 1,182 95	2,270 2,099 171	3,244 3,065 179
38 39 40 41 42 43	Asbury Park (total) White Colored. Atlantic City (total). White Colored.	203 160 43 1,210 962 248	16 11 5 106 76 30	5 5 34 26 8	2 2 9 6	4 2 2 8 3 5	9 6 3	27 20 7 166 117 49	2 2 23 18 5	3 1 2 25 22 3	9 8 1 25, 23	8 8 8 62 48 14	21 18 3 85 73 12
44 45 46 47 48	Bayonne Bloomfield Bridgeton Camden East Orange	1,439 246 396 3,062 471	265 35 43 475 35	104 14 13 165 13	50 · 10 · 4 77 5	28 2 2 63 5	23 2 2 -43 3	470 63 64 823 61	62 6 9 101	34 · 4 8 67 6	54 5 23 120 11	100 9 26 185	154 12 26 267
49 50	Elizabeth Garfield Hackensack Harrison Hoboken	1,846 251 434 225 .1,182	317 73 51 45 170	87 22 11 21 73	48 8 8 7 29	21 5 4 4 19	21 2 5 3 11	494 110 79 80 80 302	59 14 7 4 38	24 7 12 5 23	53 10 17 12 26	109 16 23 6 66	160 20 26 14 88
54 55 56 57 58	Irvington Jersey City Kearny Long Branch Millville	302 6,081 438 379 317	34 893 46 29 30	10 284 15 5	156 6 3 . 6	1 79 5 7 2	2 65 5 5 3	1, 477 77 49 49	187 10 10 . 5	108 8 7 8	7. 203 12. 15: 15:	19 347 19 23:	505 33 27 29
59 60 61 62 63	Montolair (total). White Colored Morristown New Brunswick	301 257 44 44 407 893	44 37 7 37 149	13 12 1 11 30	5 4 1 7 18	4 3 1 1 1	1 1 2 9	67 57 10 58 217	5 5 4 21	4 4 7. 13	11 7 4 16 26	12 7 5 22 62	11 8 3 54 83
64 65 66 67	Newark Orange Passaic Paterson	8,132 844 1,192 2,686	1,204 110 288 325	. 417 32 98 90	201 19 36 38	118 8 · 25 · 29	97 9 13 20	2,037 178 460 502	186 *20 39 55	118 15 15 46	246 48 18 104	485 37 68 155	653 59 100 216
68 69 70 71	Perth Amboy. Phillipsburg. Plainfield. Trenton.	1,030 342 616 2,927	219 57 90 407	65 15 30 123	28 6 11 71	23 1 9 29	21 1 7 27	356 80 147 657	17 11 20 82	17 2 9 50	37 11 23 81	63 22 39 183	103 27 47 279
72 73 74 75	Union West Hoboken. West New York. West Orange.  1 Nonregista	265 493 350 182 ation state;	36 65 70 21 only those	22 20 7 cities wi	5 11 5 2 th satisfa	3 9 10 3 etory regis	3 7 5 4 stration of	56 114 110 37 f deaths are	6 11 12 4 shown.	3 9 4 6	7 19 6 7	13 29 18 3	20 31 29 10

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1918—Continued.

footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. The term "cities" indicates exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

					v + 1	DEAT	HS AT AGE	OF—							Deaths	]
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 7,4 years	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at nn-	
134 1,010 847 163 39 35 4 72 22	113 877 698 179 31 28 3 56 25	100 797 638 159 17 13 4 37	96 827 695 132 27 20 7 43 14	78 844 731 113 15 12 3 3 33	95 822 711 111 19 18 1 44 11	103 874 792 82 27 24 3 42 16	108 864 797 67 21 18 3 43	102 744 695 49 20 19 1 47	85 599 563 36 22 21 1 31 8	57 370 353 17 14 13 1 23 - 6	25 215 202 13 7 7	10 60 54 6 2 2	2 15 11 4 1	1 1	8 4 4 29 20 9	1 2 3 4 5 6 7 8 9
404 397 7	328 320 8	245 238 7	223 216 7	162 159 3	136 131 5	. 135 131 4	90 87 3	64 62 2	49 - 48 1	32 31 1	15 14 1	6 5 1	1 1		7 7	10 11 12
24 42 207 65 31 35	16 28 171 56 25 32	20 16 132 33 20 24	14 14 112 46 10 27	12 11 85 21 12 21	10 9 60 23 16 18	12 11 52 25 20 15	7 11 31 19 12 10	5 14 11 6 20 8	19 9 11 6	3 2 9 2 12 4	3 4 3 4	1 1 3 1	1		1 3 1	13 14 15 16 17 18
366 355 11	277 250 27	207 181 26	181 167 14	202 188 14	230 219 11	223 214 · 9	207 200 7	190 183 7	148 146 2	83 82 1	55 55	12 12	4 3 1	1	3 2 1	19 20 21
84 282	52 225	32 175	29 152	45 157	48 182	60 163	50 , 157	58 132	41 107	20 63	19 36	3 9	4	1	3	22 23
292 290 2	227 225 2	180 180	192 192	194 193 1	191 189 2	227 226 1	259 259	250 250	225 225	182 182	92 92	31 31	7 7	1 1	22 22	24 25 26
26 42 17 22	21 38 10 16	11 31 13 10	5 52 8 16	11 44 14 4	8 40 16 13	13 51 19 18	10 63 22 13	12 65 10 24	8 47 17 21	6 40 11 16	18 11 10	5 5 5	2		11 4	27 28 29 30
18 107 39 21	13 70 39 20	13 60 27 15	10 57 28 16	8 70 28 15	13 64 23 14	15 67 29 15	, 10 , 90 40 11	15 74 30 20	19 69 26 18	22 45 19 23	5 20 16 8	9	1 1 1	1	2 3	31 32 33 34
3, 163 2, 977 186	2,310 2,133 177	1,939 1,767 172	1,905 1,764 141	1,928 1,801 127	1,875 1,765 110	1,858 1,780 78	1,783 1,735 48	1,652 1,593 59	1,275 1,248 27	869 845 24	372 361 11	143 141 2	29 <b>27</b> 2	7. 5 2	8 7 1	35 36 37
11 9 2 125 103 22	8 2 6 73 58 15	12 8 4 89 49 40	14 9 5 64 49 15	11 9 2 82 58 24	6 3 8 84 61 23	18 16 2 63 55 8	14 13 1 61 56 5	11 9 2 76 69 7	12 10 2 56 53 3	8 7 1 33 32 1	7 7 13 13	3 3	1 1 1		1 1	38 39 40 41 42 43
112 18 22 266 26	74 18 26 191 16	57 8 16 138 22	61 14 13 138 16	54 5 11 132 28	48 12 17 97 27	45 10 25 119 30	37 15 26 120 46	22 9 31 101 40	32 18 18 103 43	15 10 20 56 27	5 5 11 29 14	1 5 4 8 5	1 1 4		1	44 45 46 47 48
168 8 45 16 88	. 102 . 9 . 28 . 9 . 59	90 12 35 10 69	91 11 23 8 68	77 5 12 12 67	78 8 19 14 61	95 8 21 7 67	69 7 19 8 50	78 5 33 9 41	43 15 7 33	42 11 2 25	6 6 2 9	8 3 1	1		1	49 50 51 52 53
15 455 26 21 29	14 356 31 20 11	16 308 22 13 9	14 330 14 32 16	15 336 13 16 14	21 309 26 23 13	27 278 12 24 14	19 284 22 29 29	16 229 30 25 19	16 157 54 28 15	11 130 21 11 12	3 52 6 5 4	2 24 1 1 2	4		2 1	54 55 56 57 58
15 10 5 31 83	18 14 4 37 56	8 5 3 25 39	11 9 2 10 41	11 10 1 15 40	16 14 2 23 55	17 17 24 40	26 25 1 17 25	21 17 4 21 41	15 15 22 23	21 21 9 18	9 9 8 5	2 2 3 5	1 1	1		59 60 61 62 63
662 84 87 208	479 55 60 167	406 42 53 118	403 47 48 133	461 38 44 145	402 43 45 159	404 48 33 154	356 45 49 147	340 37 26 149	209 19 28 105	172 18 14 77	81 9 2 29	25 2 1 15	5 1 2	1	1	64 65 66 67
91 26 53 263	64 15 33 207	67 14 38 143	38 15 23 143	42 15 26 131	30 15 24 140	30 17 24 139	32 26 34 113	19 15 31 120	10 15 21 101	5 8 13 58	5 4 7 25	3 2 1 8	2 2 2 2	1 2	1	68 69 70 71
21 39	13 30 22 9	18 20 16 6	16 22 22 22 6	17 33 13 7	18 19 14 9	13 28 15 9	11 29 12 13	10 20 14 13	18 23 5 11	11 6 5	2 2 3 4	2	1	1		72 73 74 75

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[This table excludes the deaths of soldiers, sailors, and marines. Figures for white and colored are shown separately for minor subdivisions (except as indicated in the municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties,

-		A 22					DEA	THS AT AGE	of—		•		
	AREA AND COLOR.	All deaths.	Unđer 1 year.	1 year.	2 years.	8 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
1 2 3	NEW YORK.  Registration cities (total)  White Colored	145,303 140,642 4,661	19,203 18,537 666	6,080 5,855 225	2,661 2,573 88	1,751 1,688 63	1,307 1,265 42	31,002 29,918 1,084	3,637 3,545 92	2,616 2,536 80	4,370 4,190 180	7,753 7,385 368	11,203 10,754 449
4 5 6 7 8	Albany Amsterdam Auburn Batavia Binghamton	2,548 576 708 325 1,363	247 82 84 33 145	81 17 27 6 31	19 11 16 4 16	21 6 3 3 7	9 10 8 4 8	377 126 138 50 207	45 11 13 6 25	32 8 11 9 23	70 11 11 9 27	121 35 36 16 54	173 51 44 22 86
9 10 11 12 13	Buffalo Cohoes. Corning. Cortland Dunkirk.	10,112 497 294 311 400	1,690 68 44 39 71	486 14 4 8 26	189 12 7 1 6	119 4 7 2 2	98 6 1 1	2,582 104 63 51 106	259 10 6 6 15	162 8 7 3 6	312 14 15 6 12	572 27 24 9 24	798 37 16 19 28
14 15 16 17 18	Elmira. Fulton. Geneva. Glens Falls. Gloversville.	868 311 258 428 526	108 51 34 34 55	26 7 3 8 11	7 7 2 6 6	9 1 3 1 3	4 3 1 1 3	152 69 43 50 78	18 6 3 12 21	8 5 4 7 13	23 8 8 23 9	39 17 4 22 17	51 24 18 29 37
19 20 21 22	Hornell. Hudson. Ithaca. Jamestown.	282 292 317 572	26 29 25 66	4 5 8 14	2 2 4 5	4 2 1 6	4 5 6 3	40 43 44 94	4 4 8 9	5 5 8 12	5 12 11 15	13 8 15 36	11 . 22 . 15 . 33
23 24 25 26	Johnstown Kingston Lackawanna Little Falls	188 691 494 257	21 60 273 38	4 23 38 14	1 12 7 4	2 3 8 3	1 2 1	28 99 328 60	17 7 6	1 15 9 5	9 41 5 10	35 9 16	14 59 28 9
27 28 29 30	Lockport. Middletown. Mount Vernon. New Rochelle.	373 521 583 515	28 26 61 66	5 6 23 22	4 5 14 9	2 1 7 7	4 2 5 2	43 40 110 106	8 8 11 15	7 6 14 13	12 5 23 23	24 16 27 21	22 27 39 37
31 32 33 34 35 36	New York (total).  Bronx Borough.  Brooklyn Borough.  Manhattan Borough.  Queens Bórough.  Richmond Borough.	96, 989 10, 607 34, 010 42, 859 .7, 011 2, 502	12, 611 1, 262 4, 463 5, 720 882 284	4,287 380 1,609 1,941 273 84	1,888 177 735 811 135 30	1,289 . 113 . 491 564 90 31	894 97 334 366 71 26	20, 969 2, 029 7, 632 9, 402 - 1, 451 455	2,548 291 907 1,053 236 61	1,799 234 694 684 148 39	2,918 368 1,038 1,167 254	5,393 689 1,837 2,361 341 165	7,663 970 2,659 3,224 592 218
37 38 39 40 41 42	White Bronx Borough Brooklyn Borough Manhattan Borough Queens Borough Richmond Borough	93, 088 10, 478 33, 043 40, 237 6, 909 2, 421	12,035 1,249 4,327 5,311 871 277	4,104 375 1,562 1,818 270 79	1,814 173 719 760 132 30	1,232 111 474 527 89 31	863 96 325 346 70 26	20,048 2,004 7,407 8,762 1,432 443	2,471 290 891 998 232 60	1,736 232 679 640 146 39	2,776 354 1,012 1,075 249 86	5,079 681 1,753 2,159 332 154	7,261 955 2,567 2,953 584 202
43 44 45 46 47 48	Colored.  Bronx Borough.  Brooklyn Borough.  Manhattan Borough. Queens Borough. Richmond Borough.	3,901 129 967 2,622 102 81	576 13 136 409 11	183 5 47 123 3 5	74 4 16 51 3	57 2 17 37 1	31 9 20 1	921 25 225 640 19 12	77 16 55 4 1	63 2 15 44 2	142 14 26 92 5	314 8 84 202 9 11	402 15 92 271 8 16
49 50 51 52 53	Nawburgh. Niagara Falls. North Tonawanda Ogdensburg Olean	694 963 276 690 364	74 170 52 62 50	19 42 9 10 12	9 19 2 7 7	2 11 1 5 2	3 4 2 4 3	107 246 66 88 74	15 25 11 15 10	9 14 1 4 10	22 25 6 29 19	46 60 11 32 24	43 89 23 43 17
54 55 56 57 58	Ossining. Oswego. Peekskill. Plattsburg. Port Chester.	539 303 307	17 64 26 33 46	12 20 13 4 21	6 1 6 4 18	4 2 5 1 4	5 8 3 6	44 95 53 45 95	8 5 11 7 12	2 9 5 6 12	7 16 11 19 16	10 26 11 20 11	17 51 29 35 38
59 60 61 62 63	Poughkeepsie Rensselaer Rochester Rome Saratoga Springs	744 174 4,807 833 368	··· 67 22 633 65 30	27 6 188 20 7	12 4 86 9	12 1 43 4 3	7 1 47 13 3	125 34 997 111 43	20 4 96 29	13 2 82 29 7	26 7 130 49 14	48 5 183 73 16	67 4 308 77 27
64 65 66 67	Schenectady Syracuse Troy Utica.	3,278 2,105	231 518 211 305	52 144 48 98	28 55 27 45	25 32 12 21	13 22 12 25	349 771 310 494	37 64 32 35	34 47 24 41	41 74 58 54	84 152 87 85	123 236 175 151
68 69 70 71	·Watertown. Watervliet. White Plains Yonkers.	296 310	99 39 36 240	32 14 15 59	11 4 3 32	8 4 6 17	7 3 1 25	157 64 61 373	20 11 5 51	8 13 7 32	33 10 6 51	50 6 7 76	.57 16 25 140

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1918-Continued.

footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. The term "citles" indicates exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

		<u> </u>				DEAT	HS AT AGE	of—	···········				*	. 2	Deaths	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.	
10,579 10,123 456	8, 694 8, 255 439	7,575 7,227 348	7,672 7,398 274	8,191 7,974 217	7,883 7,713 170	8, 293 8, 138 155	7,676 7,548 128	6,946 6,852 94	5,472 5,411 61	3,315 3,283 32	1,660 1,642 18	557 548 9	133 131 2	23 21 2	53 50 3	1 2 3
190 42 48 27 80	157 29 31 25 73	146 23 22 13 63	132 32 42 9 62	127 35 17 15 84	164 25 43 17 80	167 26 42 20 89	· 176 26 45 18 98	181 28 44 21 94	138 31 43 20 101	100 21 49 17 55	34 10 21 8 45	13 4 8 3 12	3 1	1	1 1	4 5 6 7 8
739 36 18 24 21	556 24 12 16 23	479 23 11 16 15	469 8 8 12 12	581 33 14 12 19	485 33 14 14 24	540 33 19 24 22	476 29 19 23 22	419 36 13 . 29 22	318 25 18 22 10	183 11 8 16 8	125 6 6 6 7	51 2 1 3	3	1	2 1 1	9 10 11 12 13
62 18 18 35 36	49 15 19 21 42	29 13 18 24 20	45 7 7 29 18	52 13 11 18 30	42 9 12 21 28	58 27 21 28 28	59 27 14 26 47	69 21 21 30 38	62 10 21 25 36	31 10 6 16 10	13 8 8 7 11	5 3 1 4 5	1 1 2	1	ı	14 15 16 17 18
20 36 19 31,	13 12 13 30	13 14 16 22	21 11 9 20	16 13 14 23	26 13 14 37	23 11 18 37	19 23 26 37	19 17 30 52	14 21 23 35	13 13 14 32	6 11 13 12	1 1 5 4	1 1	1 1	1	19 20 21 22 23
52 25 17 25 34	44 18 13 9 37	29 21 14 13 24	29 8 12 16 33	16 35 11 9 24	39 8 12 20 29	55 6 16 17 46	38 2 19 35 62	20 40 3 16 33 45	39 3 12 26 39	14 1 6	6 3 9 8	5 2 3 2	1		2	23 24 25 26 27 28
7,031 839 2,351 3,101 551	5,904 616 1,937	30 22 5,378 569	20 32 5,437	28 34 5,698 601	27 17 5,383 619 1,830 2,422	31 25 5,506 574	28 26 4,867 531	43 25 4,247 459	29 24 3,160 349	22 24 16 1,854 192 712	10 8 860 92 317	273 222 108 114	3 1 76 8 28 28	9	1 16 4	27 28 29 30 31 32 33
6 657	2,814 377 160 5,538 608	1,730 2,558 398 123 5,073 561	1,855 2,595 315 121 5,202 546	1,941 2,617 407 132 5,516	5,240 5,240	1,950 2,468 406 108 5,393	1,720 2,125 348 143 4,762	1,567 1,797 309 115 4,184 455	1,194 1,235 267 115 3,114 348	724 152 74 1,826 190	351 66 34 850 92	114 15 14 265 22	34 4 2 75 8	8	8 1 3 14 3	31 32 33 34 35 36 37
828 2,274 2,831 542 182	1,852 2,558 369 151	1,661 2,345 391 115	1, 796 2, 429 310 121 235	5,516 593 1,896 2,496 400 131	1,795 2,323 366 139	5,393 566 1,910 2,407 404 106	4,762 530 1,685 2,062 345 140	1,540 1,772 306 111	1,179 1,208 265 114	699 712 151 74 28	312 348 64 34	105 109 15 14	27 84 4 2	3 4 1	7 1 3	37 38 39 40 41 42
11 77 270 9 7	8 85 256 8 9	8 69 213 7 8	5 59 166 5	8 45 121 7	7 35 94 6	113 8 40 61 2 2	35 63 3	27 25 3 4	1 15 27 2 1	2 13 12 1	5 3 2	3 5	1	1	2 1	43 44 45 46 47 48
52 96 25 55 28	27 80 24 41 24	36 51 16 44 12	40 61 18 40 22	38 39 10 38 24	35 40 14 38 10	41 39 9 46 26	46 30 11 45 18	42 17 9 46 10	40 23 12 43 19	27 9 5 20 9	19 10 3 14 6	7 3 2 5 1	2 3 1 1		3	49 50 51 52 53
11 56 18 20 30	8 35 17 22 16	7 11 15 13 12	14 19 10 9 16	12 17 14 12 10	11 33 20 11 13	11 27 20 12 10	11 32 17 11 15	12 27 14 25 11	9 38 20 19 14	13 21 12 9 9	7 11 4 7 2	2 7 1 2 2	1 1 1 1 1	1	1 1 2 1	54 55 56 57 58
69 12 347 66 26	56 4 276 61 17	25 6 213 30 17	25 6 215 33 11	35 15 252 31 29	25 7 276 34 13	45 11 283 45 21	42 10 321 43 32	37 19 283 43 33	47 12 258 32 24	26 9 160 23 14	9 6 93 15 8	2 1 25 3 6	7 1	1 1	1 5	59 60 61 62 63
152 211 151 144 84	119 178 117, 128	74 144 107 95	81 151 97 92 51	85 163 114 91	66 178 149 102	63 207 157 121	85 188 155 110	76 187 151 103 48	59 158 119 83	46 104 69 68	17 47 25 46	9 17 6 15	1 2 4			64 65 66 67
84 21 24 105	-		51 7 14 94	34 23 12 74	47 17 20 75	21 22 72	42 25 18 67	48 12 13 72	46 10 16 57	6 12 32	22 1 3 19	7 2 5 8	1 2	1	1 1	68 69 70 71

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[This table excludes the deaths of soldiers, sailors, and marines. Figures for white and colored are shown separately for minor subdivisions (except as indicated in the municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties,

							DEATE	IS AT AGE	or—				
	AREA AND COLOR.	All deaths.	Under 1 year.	1 year.	2 years.	8 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.  NORTH CAROLINA.												
1 2	Registration cities (total)	5,309 2,982	736 368	279 146	118 73	71 39	47 22	1,251 648	196 103	122 63	311 136	405 183	421 240
3 4	Colored	2,327 752	368	133 25	12	39 32 4	25	126	93	59 17	136 175 36	183 222 54	181
5 6 7 8 9	White Colored. Charlotte (total). White. Colored.	564 188 1,039 607 432	49 32 147 85 62	14 11 57 36 21	30 16 14	3 18 12 6	3 1 14 4 10	81 45 266 153 113	15 2 50 26 24	9 8 20 11 9	21 15 47 20 27	45 9 78 35 43	81 63 18 83 47 36
10 11 12 13 14 15	Durham (total). White. Colored. Greensboro (total). White. Colored.	455 197 258 359 193 166	85 35 50 49 25 24	23 15 8 14 5 9	9 3 6 4 1 3	2 1 1	5 3 2 2 2 2	124 56 68 70 34 36	19 4 15 11 6 5	12 7 5 9 5 4	33 9 24 18 8 10	26 6 20 29 7 22	35 15 20 26 15 11
16 17 18 19 20 21	Raleigh (total) White Colored Wilmington (total) White Colored	741 436 305 836 434 402	63 23 40 99 54 45	24 11 13 58 32 26	7 5 2 25 14 11	10 6 4 7 3 4	6 2 4 9 6 3	110 47 63 198 109 89	15 6 9 26 15	15 8 7 12 4 8	40 14 26 41 17 24	56 23 33 48 24 24	49 26 23 58 25 23
22 23 24	Winston-Salem (total)	1,127 551 576	212 97 115	78 33 45	31 22 9	29 14 15	7 2 5	357 168 189	58 31 27	37 19 18	96 47 49	114 43 71	89 49 40
25 26 27	Fargo (total)	412 411 1	66 66	5 5	4 4	6 6		81 81	11 11	12 12	12 12	36 36	44 44
28 29 30	OMO. Registration cities (total) White Colored.	51,264 47,860 3,404	6,910 6,496 414	1,646 1,511 135	796 735 61	535 505 30	388 374 14	10,275 9,621 654	1,231 1,138 93	853 785 68	1,567 1,414 153	2,877 2,608 269	4,197 3,889 308
31 32 33 34 35	Akron. Alliance Ashtabula Bellaire Cambridge	2,425 389 310 328 243	474 49 46 54 36	115 13 13 17 13	38 7 5 9 6	33 3 2 5 3	26 3 2 2 1	686 75 68 87 59	67 12 11 13 7	34 6 9 7 4	91 21 10 12 8	197 26 14 14 16	215 39 22 25 21
36 37 38 39 40	Canton Chillicothe. Cincinnati (total) White Colored.	1,261 321 8,591 7,582 1,009	151 35 823 700 123	37 4 211 174 37	15 7 112 91 21	11 7 71 61 10	10 4 48 42 6	224 57 1,265 1,068 197	27 15 148 123 25	24 11 125 109 16	39 9 241 202 39	74 17 438 370 68	108 18 674 578 96
41 42 43 44 45	Cleveland. Columbus (total). White Colored. Dayton.	13,043 4,164 3,659 505 2,544	2,026 449 392 57 286	479 83 64 19 61	245 48 37 11 32	134 38 31 7 30	102 21 17 4 17	2,986 639 541 98 426	360 80 62 18 64	203 77 69 8 40	328 125 97 28 71	795 217 178 39 136	1,193 259 225 34 211
46 47 48 49 50	East Liverpool. Elyria. Findlay. Hamilton. Ironton.	452 330 275 710 341	58 48 21 93 53	19 10 4 24 14	6 4 2 15 4	9 1 5 4	4 3 6 3	96 66 27 143 78	8 7 5 16 14	9 6 1 19 13	23 9 13 40 17	28 13 17 32 28	37 17 12 62 25
51 52 53 54 55	Lakewood Lancaster Lima Lorain Mansfield	407 200 670 675 414	54 19 100 128 51	7 5 28 24 16	6 6 8 7 5	5 1 14 7 3	7 1 6 5 2	79 32 156 171 77	7 7 8 12 3	11 7 18 10 4	14 8 20 15 10	17 4 41 35 19	26 17 50 80 39
56 57 58 59 60	Marietta. Marion Massillon. Middletown Newark.	231 393 261 408 524	20 60 30 82 47	6 19 1 21 16	4 5 6 6	2 6 8 4	3 2 1 3	32 93 33 118 76	6 15 5 12 15	1 7 5 8 12	7 11 8 16 18	16 21 17 25 22	14 24 16 36 38
61 62 63 64	Norwood Piqua Portsmouth Sandusky	229 271 658 361	20 26 100 31	5 4 40 9	19 4	2 10 5	1 12 3	28 32 181 52	10 4 23 3	1 6 19 4	7 15 27 11	16 7 39 20	9 17 44 29
65 66 67 68 69	Springfield (total). White. Colored. Steubenville. Tiffin.	1,014 855 159 655 257	132 107 25 113 22	32 25 7 30 13	7 6 1 24 7	5 3 2 12	7 7 5 1	183 148 35 184 33	34 27 7 20 5	19 12 7 7 2	28 21 7 21 10	45 32 13 41 17	58 52 6 48 14
70 71 72 73	Toledo Warren. Youngstown. Zanesville. OREGON.	4,038 444 2,815 612	519 65 523 66	100 20 131 12	49 5 62 9	38 6 46 5	31 2 40 4	737 98 802 96	96 6 76 10	58 7 53 11	121 16 109 18	200 25 163 25	334 38 281 47
74 75 76	Registration cities (total) White. Colored.	3,972 3,820 152	373 360 13	. 83 77 6	44 42 2	43 41 2	19 18 1	562 538 24	93 92 1	71 69 2	118 114 4	215 206 9	315 297 18
77 78	Portland Salem <sup>1</sup> Nonregist	3,760 212	363 10	82 1	42 2	43	18	548 · 14	89 4	69 2	112 6	205 10	308 7

<sup>&</sup>lt;sup>1</sup> Nonregistration state; only those cities with satisfactory registration of deaths are shown.

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1918-Continued.

footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. The term "cities" indicates exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

				. *		DEAT	HS AT AGE	of—							Deaths	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.	
384 226 158	403 239 164	270 148 122	217 126 91	230 107 123	224 137 87	204 133 71	199 149 50	180 134 46	125 95 30	89 67 22	37 28 9	835	6 2 4	3	24 15 9	
61 50 11 77 45 32	83 70 13 88 52 36	51 39 12 52 30 22	44 31 13 37 23 14	36 25 11 41 22 19	33 21 12 36 26 10	28 26 2 28 16 12	17 14 3 44 34 10	14 10 4 42 29 13	22 19 3 26 21	16 15 1 16 13 3	4 4 3 2 1	1 1 3 2	2		11 6 5	
32 21 6 15 29 17 12	31 14 17 19	22 19 5 14 22 10	14 16 7 9 17	19 5 14 22 7 15	10 25 14 11 17 13	12 19 11 8 18 12	18 12 6	. 18 14 14 17 10 7	5 7 5 2 8 - 6	3 2 1 4	3 3 5	2 1 3 3	2 2 1 1	1	2 1 1 1 1	
65 40 25 57 37	52 31 21 67 33	47 34 13 39 15 24	37 19 18 33 17 16	7 15 47 28 19 39 10 29	30 21 · 9 46 19 27	12 6 41 30 11 37 19 18	16 12 4 38 25 13 45 35	37 32 5 34 24 10	26 21 5 22 13 9	20 17 3 19 11 8	3 2 11 9 2 7			1	5 5 7	
37 20 74 31 43	63 28 35	15 24 40 15 25	17 16 33 16 17	26 10 10 16	19 27 37 23 14	19 18 33 19 14	35 10 21 17 4	24 10 18 15	13 9 14 10 4	11 8 11 6 5	4 3 4 3 1	1	1 1	2	3	
42 42	29 29	24 24	11 11	23 23	24 23 1	11	19 19	15 15	7 7	6 6	4 4	1	••••••			
4,185 3,887 298	3,465 3,121 344	2,857 2,584 273	2, 688 2, 440 248	2,559 2,378 181	2,498 2,382 116	2,572 2,448 124	2,628 2,558 70	2,440 2,364 76	2,048 1,994 54	1,351 1,319 32	681 664 17	213 201 12	61 53 8	7 4 <b>3</b>	11 8 3	
195 33 27 25 14	167 27 13 21 15	114 24 13 18 10	78 22 16 14 12	97 17 15 18 8	78 11 9 16 9	104 12 15 15 9	86 11 .12 .7 12	73 16 25 11 13	52 18 16 8 10	58 8 .9 11 10	29 7 5 4 4	3 2 1	1 2 1 1		1	
104 25 680 584 96	117 12 561 467 94	73 10 486 411 75	71 12 496 409 87	45 11 498 434 64	58 10 526 480 46	57 21 530 494 36	74 25 540 522 18	59 26 496 479 17	51 22 412 399 13	35 13 273 263 10	16 4 138 135 3	3 2 47 43 4	13 10 3	1 2 1 1	2 1 1	
1,190 304 258 46 208	935 286 239 47 166	791 255 212 43 144	667 241 201 40 147	619 252 224 28 136	613 230 215 15 137	546 282 263 19 143	562 260 248 12 129	459 267 250 17 120	395 168 164 4 114	241 129 125 4 84	103 65 64 1 51	42 22 20 2 12	11 5 4 1 4	1	2 1 1	-
36 27 13 64 14	28 21 15 34 25	28 23 9 29 14	22 18 15 35 13	22 18 17 30 10	21 18 19 27 13	24 14 23 37 12	20 17 21 37 16	21 15 23 38 19	12 20 22 32 11	10 13 14 17 11	5 6 8 13 7	1 1 3	1 1 1		1	-
25 13 36 89 31	23 11 38 69 30	24 3 31 38 17	21 10 19 42 18	27 9 23 22 15	18 12 34 34 17	27 10 38 16 19	21 12 39 16 32	27 11 45 6 28	21 17 35 9 34	9 9 25 8 11	7 5 8 1 7	2 1 6 2 3	1 2			-
18 21 21 38 40	15 17 21 34 41	11 12 17 14 25	9 19 18 13 26	9 17 13 18 34	10 18 14 13 24	16 24 13 14 23	18 27 20 14 33	17 23 14 9 33	10 20 15 12 22	13 15 5 5 32	5 7 5 6 8	4 1 3 2	1 1			
20 15 46 29	13 13 26 15	10 13 28 18	8 21 29 18	12 11 24 21	11 15 30 21	21 14 28 24	20 17 31 26	18 24 37 17	14 19 18 35	5 16 16 9	3 8 9 8	3 2 3	2 1 1			
73 58 15 57 18	50 41 9 38 10	46 41 5 47 14	52 44 8 30 13	55 48 7 30 10	63 55 8 17 18	56 - 47 9 27 12	58 50 8 22 17	67 61 6 19 21	54 48 6 25 19	41 38 3 12 14	24 24 7 7 7	7 7 2 2 2	i 1 6	1	1	
300 37 262 37	252 31 230 45	217 23 172 36	228 23 164 28	230 25 105 36	217 18 67 32	208 24 83 31	246 19 71 40	208 22 73 40	199 12 55 40	106 15 27 22	58 4 19 10	20 1 2 7	i			-
319 309 10 311 8	262 253 9 247 15	221 204 17 207 14	217 212 5 208 9	224 216 8 212 12	253 243 10 237 16	263 249 14 243 20	254 242 12 239 15	203 201 2 180 23	158 153 5 144 14	126 126 115 11	74 73 1 66 8	14 14 	3 3 2 1		7 6 1	-1

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[This table excludes the deaths of soldiers, sailors, and marines. Figures for white and colored are shown separately for minor subdivisions (except as indicated in the municipalities of 10,000 inhabitants or more in 1910. Minor tural subdivisions (counties,

					· · · · · · · · · · · · · · · · · · ·		DEATH	S AT AGE (	of—				
	AREA AND COLOR.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
1 2 3	Registration cities (total)	99, 912 93, 052 6, 860	14,081 13,198 883	4,365 4,041 324	2,193 2,032 161	1,269 1,193 76	1,049 972 77	22,957 21,436 1,521	2,670 2,503 167	1,711 1,573 138	3,371 3,063 308	6,044 5,487 557	8,716 8,066 650
4 5 6 7 8	Allentown. Altoona. Beaver Falls. Bethlehem Braddock.	1,426 1,067 361 324 790	282 172 47 49 143	59 43 23 17 68	33 26 14 6 19	16 14 5 5 17	10 13 4 5 8	400 268 93 82 255	39 36 7 8 19	20 18 3 4 11	46 36 6 10 17	76 53 18 7 64	95 79 38 23 96
9 10 11 12 13 14	Bradford Butler Carbondale Carlisle (total) White Colored	286 519 501 279 251 28	30 83 64 19 17 2	8 19 20 4 4	. 11 7 4 1 3	3 7 6 3 1 2	4 14 2 4 3 1	49 134 99 34 26 8	6 14 18 9 9	6 13 10 9 8 1	8 32 15 11 8 3	11 39 22 8 7	20 43 49 17 16 1
15 16 17 18 19	Carnegie. Chambersburg. Chester (total). White Colored.	239 284 1,473 1,219 254	49 30 242 202 40	24 7 78 63 15	9 2 36 32 4	3 3 16 14 2	2 3 16 12 4	87 45 388 323 65	10 8 23 19 4	7 7 22 18 4	5 19 57 42 15	10 24 129 102 27	21 19 133 112 21
20 21 22 23 24	Coatesville (total)	302 264 38 294 268	55 51 4 29 33	28 26 2 13 12	8 6 2 1 4	3 3 2 3	6 5 1 2 2	100 91 9 47 54	8 7 1 10 7	4 4 12	. 1 13 14	17 13 4 20 21	33 30 3 19 26
25 26 27 28 29	Dubois. Dumore. Duquesne Easton Erie	460 847	46 146 106 114 319	4 39 47 24 92	9 16 9 14 37	3 5 5 16 25	2 6 8 3 14	64 212 175 171 487	5 14 13 16 40	8 5 7 12 32	11 7 21 22 53	14 13 29 43 116	29 28 53 71 136
30 31 32 33 34	Farrell Greensburg Harrisburg Hazleton Homestead	364	84 57 150 124 118	24 9 49 30 57		17	9	125 86 253 194 209	8 11 29 22 15	1 11 36 22 13	9 17 64 25 9	26 22 114 70 29	30 28 140 84 29
35 36 37 38 39	Johnstown Lancaster Lebanon McKees Rocks. McKeesport.	1, 232	280 162 88 95 189	86 32 15 28 44	12 6 16	8 3 8	11 5 7	117 154	54 30 12 11 32	25 19 14 5 30	26	47 23	113 92 58 35 122
40 41 42 43 44	Mahanoy City . Meadville. Monessen. Mount Carmel. Nanticoke	286 482 406	31 118 88	23 6 31 13 22	30	1 19 8	9	207 132	13 10 22 4 24		9 16 13	13 29 16	
45 46 47 48 49	New Castle Norristown North Braddock Oil City Old Forge.	- 1,166 - 253 - 379	91 45 64	46 19 16 11	3 19 3 4		6 5 3 3	144 77 86	28 27 15 13 9	1 8	39 3 8 3 16	70 21 28	19
50 51 52 53	Philadelphia (total) White Colored Phoenixville	38,377 4,102	4,827 553	1,547	8 78: 7 10:	468	3 402	8,026 961	977	628	3 1,253 2 160	3   2,305 326	3,778 3,388 390 25
54 55 56 57 58	Pittsburgh (total). White. Colored Pittston. Plymouth	15, 433 14, 208 1, 225 493 262	2,069 5   2,069 5   144 8 85	72 4 3	3 38 7 2 4 1	3 20° 3 1'	7 171	3,553 253 148	36	258 24 10	5 458 5 55	848 93 18	11,208 119 47
59 60 61 62 63	PottsvilleReading	. 789 2, 228	64 3 354 2 444	1 10 12	$\begin{bmatrix} 2 & 1 & 3 \\ 7 & 6 & 6 \end{bmatrix}$	3 2 6 3	4 2 5 6 6 16 1 24 3 7	99 529 1 692	25 66 75	1 3 4 3	8 18 4 28 8 7: 7 9: 8 20	32 33 35 4 135 4 163 0 25	102 166 260
64 65 66 67 68	Shenandoah South Bethlehem Steelton	70: 39: 35:	1 132 4 149 1 66	2   3 9   3 5   1	5 2 5 1 5	0 5 9	9 8 0 3 8 3	99 3 204 3 212 2 100 5 56	19	)	4 1	6 13 6 2'	50 1 77 3 22 7 29 5 40
69 70 71 72 73 74	Warren. Washington. West Chester (total) White.	220 49 42 34	0 2 5 6 7 3 1 2	L 7 2 2 1	2 25 1 6	4 6 5 4	2 4 7 4	67 32 33 115 6 61 44 41 2 20	1	1 3 1 1 7	8 1 1 1 1 1 1 2 2 2 7 1 1 5	0 3	2   38
78 76 77	Wilkes-Barre. Wilkinsburg. Williamsport.	1,75 52 82	3 ∤∤ 4∶	3   1	1   133	9	6 4 3 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	4 349 4 66 6 141 1 172	19	al t	5 7 2 1 1 3 1 3	4 100 8 3 0 4 7 5	0 61 1

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1918—Continued.

footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. The term "cities" indicates exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

F															<del></del>	=
	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·			· · · · · · · · · · · · · · · · · · ·	DEAT	HS AT AGE	OF-							Deaths at un-	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	known age.	
														٠		
8,198 7,580 618	6,913 6,237 676	5,229 4,753 476	5,053 4,595 458	4,661 4,271 390	4,519 4,284 235	4,609 4,402 207	4,398 4,240 158	4,034 3,911 123	3,152 3,067 85	2,184 2,138 46	1,045 1,020 25	343 331 12	78 70 8	7 7	20 18 2	1 2 3
94 72 35 24 72	83 71 24 12 72	52 54 23 9 38	63 50 24 9 32	56 44 10 10 27	64 44 15 19 18	72 57 9 14 26	69 50 12 25 15	70 50 17 26 9	70 40 8 11 9	30 24 10 15 6	13 18 7 12 3	11 3 1 3 1	3 1		i	4 5 6 7 8
5. 32 42 12 10 2	20 29 47 16 16	18 27 32 9	16 22 22 14 13 1	12 20 31 10 10	11 22 22 24 14 14	. 12 17 24 11 8 3	29 24 19 25 23 2	17 23 15 22 20 2	30 14 16 16 15	9 9 30 29 1	6 2 4 10 9 1	1 4	2 1 1		1 1 1	9 10 11 12 13 14
16 25 149 125 24	20 19 115 86 29	7 6 71 61 10	10 14 66 54 12	5 13 63 55 8	4 16 36 26 10	7 10 52 45 7	9 14 44 39	10 15 44 37 7	5 14 41 37 4	4 10 19 18 1	1 5 16 16	1 5 4 1	1			15 16 17 18 19
31 28 3 23 16	15 11 4 19 13	. 9 . 3 11 15	5 2 3 12 15	10 7 3 16 16	8 7 1 9 7	8 8 18 11	12 11 1 18 14	4 4 16 10	9 9 16 5	11 10 11 11 8	4 4 8 8	2 1 1 3	1		1 1	20 21 22 23 24
26 24 34 66 164	21 16 35 60 148	17 16 28 45 92	17 20 16 39 79	10 16 11 31 79	11 22 15 40 94	8 12 7 49 67	18 23 3 42 82	11 23 4 53 76		6 7 4 25 47	8 3 1 15 21	2 4 8	1 2 2			25 26 27 28 29
36 28 152 89 27	24 29 119 75 - 30	16 22 76 53 14	14 15 83 51 19	8 14 85 30 13	4 15 92 31 12	8 11 89 27 7	6 16 78 24 6	1 15 107 24 5	3 12 72 16 3	1 7 59 8 2	5 30 4	13 2	2			30 31 32 33 34
125 105 65 22 103	115 88 52 31 76	84 57 35 14 59	91 53 28 10 72	58 46 34 14 45	54 56 26 8 58	50 81 21 4 42	40 78 31 7 35	49 68 35 4 31	30 61 24 4 26	16 51 24 3 10	18 23 7 4 4	3 4 3	2 2 2		1	35 36 37 38 39
51 16 46 39 59	30 27 40 40 50	21 12 16 17 37	21 18 12 15 39	15 8 6 18 34	18 14 4 18 23	24 11 9 9 22	9 22 5 14 20	5 26 4 5 18	4 16 4 7 9	4 14 3 7 3	2 11 2 3 2	1 3	1	1	1	40 41 42 43 44
57 109 20 36 24	48 70 16 30 16	35 71 17 13 17	44 57 8 20 16	33 59 5 12 7	44 58 11 16 13	34 60 12 17 4	39 60 5 17 4	41 71 3 15	_36 61 5 18 1	22 53 3 9	10 23 7 1	6 3	1		1	45 46 47 48 49
3,338 2,977 361 34	2,868 2,464 404 18	2,197 1,914 283 21	2,169 1,887 282 12	2,139 1,898 241 15	2,022 1,895 127 14	2,215 2,089 126 14	2,042 1,951 91 9	1,791 1,731 60 13	1,422 1,367 55 3	1,004 973 31 5	480 465 15 5	160 153 7 4	31 29 2	4 4	4 3 1	50 51 52 53
1,310 1,198 112 37 24	1,106 991 115 35 12	936 830 106 31 8	843 759 84 26 7	722 650 72 23 15	693 646 47 15 20	666 624 42 17	606 578 28 16 4	519 501 18 14 14	335 325 10 7 3	217 211 6 10 7	90 89 1 4 1	31 30 1 2 1	8 6 2	1	6 6	54 55 56 57 58
*38 82 166 285 50	29 77 120 231 , 26	16 45 92 177 20	16 49 107 224 26	- 13 39 98 180 22	13 41 108 134 22	24 29 108 125 24	22 29 133 127 16	19 31 112 99 20	13 18 97 89 17	19 12 62 56 6	3 8 23 19 6	2 1 4 11 1	1		1	59 60 61 62 63
33 75 21 36 . 28	34 58 20 31 14	23 53 11 20 21	13 32 17 13 15	22 39 13 12 18	8 22 15 17 15	21 20 5 13 20	15 18 7 11 12	13 12 9 4 21	10 9 7 4 13	10 4 5 3 7	6 2 3 8	2 1 1				64 65 66 67 68
35 15 44 35 30 5	29 14 36 28 22 6	· 25 10 14 19 17 2	18 13 24 18 17 1	21 9 15 12 8 4	14 10 26 28 22 6	20 10 27 26 23 3	12 12 26 17 14 3	17 20 26 31 25 6	12 13 29 21 21	7 8 9 17 17	8 8 7 6 5	3 3 4 4	1 2 1 1 1			69 70 71 72 73 74
176 54 49 62	112 38 51 65		85 20 32 43	89 28 45 38	97 27 40 52	62 20 52 47	65 19 58 59	66 20 64 56	44 32 38 61	28 15 41 38	7 10 10 15	6 5 2 7	3	1		75 76 77 78

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[This table excludes the deaths of soldiers, sailors, and marines. Figures for white and colored are shown separately for minor subdivisions (except as indicated in the municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties,

-	A						DEAT	ES AT AGE	of—				
	AREA AND COLOR.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
	BHODE ISLAND.												
1 2 3	Registration cities (total)		1,626 1,566 60	450 431 19	241 230 11	134 127 7	90 90	2,541 2,444 97	261 254 7	142 136 6	288 277 11	483 459 24	706 686 20
4 5 6 7 8	Central Falls. Cranston (exclusive of). State institutions Cumberland East Providence town.	445 419 474 178 316	105 72 12 40 55	40 20 1 8 14	16 8 4 10	12 8 1 4	10 2 2	183 110 13 53 85	20 12 3 4	12 7 2 1 7	8 8 6 2 5	17 17 12 10 10	36 23 21 15 22
9 10 11 12 13 14	Newport. Pawtucket Providence. Warwick town. West Warwick town. Woonsocket.	460 1,417 5,210 249 285 782	54 242 788 27 57 174	10 65 238 5 21 28	8 32 135 3 6 19	3 19 69 2 6 10	6 13 47 2 3 5	81 371 1,277 39 93 236	17 38 137 4 9 17	10 23 66 1 4 9	16 60 145 7 10 21	28 52 266 13 12 46	28 104 364 20 19 54
	SOUTH CAROLINA.	4 000		~									
15 16 17	Registration cities (total)		615 248 367	215 93 122	125 39 86	54 26 28	55 21 34	1,064 427 637	108 49 59	98 33 65	250 89 161	357 126 231	372 149 223
18 19 20 21 22 23	Charleston (total) White Colored Columbia (total) White Colored	1,935 706 1,229 1,709 860 849	320 92 228 163 87 76	90 30 60 72 33 39	55 12 43 39 12 27	31 13 18 10 5	23 8 15 18 6 12	519 155 364 302 143 159	50 16 34 32 16 16	39 7 32 38 20 18	98 23 75 86 37 49	141 38 103 137 61 76	152 46 106 143 68 75
24 25 26 27 28 29	Greenville (total) White Colored Spartanburg (total) White Colored.	448 208 240 531 292 239	56 24 32 76 45 31	18 13 5 35 17 18	12 5 7 19 10 9	6 2 4 7 6	6 3 8 4 4	98 47 51 145 82 63	12 6 6 14 11 3	11 2 9 10 4 6	35 15 20 31 14 17	40 16 24 39 11 28	37 17 20 40 18 22
	TENNESSEE.								_				
30 31 32	Registration cities (total)	10,000 5,831 4,169	973 626 347	357 236 121	178 113 65	127 77 50	99 70 29	1,734 1,122 612	277 182 95	232 125 107	560 273 287	804 404 400	799 415 384
33 34 35 36 37 38	Chattanooga (total)	1, 533 809 724 373 204 169	155 91 64 41 20 21	47 27 20 16 11 5	25 12 13 4 3 1	26 17 9 6 1	22 13 9 2 1	275 160 115 69 36 33	50 27 23 7 5	38 24 14 13 5	85 30 55 22 11 11	119 58 61 20 13 7	152 77 75 33 18 15
39 40 41 42 43 44	Knoxville (total)  White Colored Memphis (total) White Colored		174 144 30 298 169 129	80 68 12 93 44 49	31 25 6 43 26 17	14 8 6 43 24 19	13 12 1 28 18 10	312 257 55 506 281 224	38 32 6 80 45 35	23 15 8 79 34 45	71 47 24 207 83 124	95 70 25 326 134 192	89 66 23 314 131 183
45 46 47	Nashville (total)	3,153 1,933 1,220	305 202 103	121 86 35	75 47 28	38 27 11	34 26 8	573 388 185	102 73 29	79 47 32	175 102 73	244 129 115	211 123 88
48 49 50	TEXAS. <sup>1</sup> Registration cities (total) White- Colored	13,111 10,790 2,321	1, 914 1, 667 247	657 593 64	287 268 19	187 172 15	128 121 7	3,173 2,821 352	372 327 45	296 251 45	600 469 131	892 680 212	1,058 820 238
51 52 53 54 55 56	Beaumont (total). White Colored. Cleburne (total). White Colored 2	700 383 317 238 209 29	95 45 50 26 23 3	24 12 12 21 18	13 6 7 9 9	8 7 1 4 4	4 3 1 1	144 73 71 61 55 6	19 13 6 10 9	23 14 9 12 12	85 13 22 14 12 2	43 23 20 15 13 2	59 24 35 • 16 12 4
57 58 59 60 61 62	Dallas (total).  White Colored. El Paso (total). White Colored 3.	2,339 1,810 529 2,498 2,438 60	266 223 43 534 528 6	66 56 10 178 177	32 30 2 57 57	25 22 3 45 45	14 14 33 33	403 345 58 847 840 7	58 48 10 73 71	42 33 9 48 47 1	110 81 29 102 100 2	178 120 58 152 147	203 150 53 196 188 8
63 64 65 66 67 68	Galveston (total)	839 575 264 2,374 1,605 769	64 41 23 243 166 77	15 13 2 77 49 28	10 8 2 41 35 6	6 4 2 30 25 5	5 2 3 14 14	100 68 32 405 289 116	10 6 4 49 35 14	15 10 5 42 29 13	35 20 15 110 63 47	45 29 16 182 102 80	70 39 31 217 139 78
69 70 71	San Antonio (total)	4,123 3,770 353	686 641 45	276 268 8	125 123 2	69 65 4	57 54 3	1,213 1,151 62	153 145 8	114 106 8	194 180 14	277 246 31	297 268 29

<sup>1</sup> Nonregistration state; only those cities with satisfactory registration of deaths are shown.

## DEATHS, BY COLOR AND AGE OF DECEDENT.

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1918—Continued.

footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. The term "cities" indicates exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

		·. *		<u></u>		DE.	ATHS AT A	GE OF—	· · · · · ·						Deaths	
80 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.	
689 671 18	575 554 21	501 481 20	516 501 15	467 447 20	499 486 13	620 605 15	582 561 21	503 492 11	373 368 5	271 268 3	144 140 4	57 56 1	9	. 1 1	7 6 1	
32 29 23 6 14	15 17 28 13 20	16 13 31 7 8	14 14 36 7 13	14 16 37 4 7	10 13 54 4 15	17 26 47 16 24	22 29 46 12 29	12 26 48 12 21	8 24 26 7 10	3 17 29 4 9	4 11 12 2 12	1 4 3	1 2		1	
23 102 359 22 23 56	16 90 308 15 11 42	14 67 290 13 15 . 27	17 65 287 13 10 40	23 54 260 10 14 28	20 67 255 18 12 31	42 81 298 14 14 41	29 70 281 13 14 37	29 70 223 18 12 32	31 52 159 11 7 38	16 31 132 8 5 17	12 13 65 8	7 4 32 2	1 2 1 2	1	2 4	1 1 1 1 1
324 132 192	332 154 178	285 113 172	255 88 167	243 98 145	176 98 78	208 119 89	183 128 55	137 98 39	105 85 20	61 43 18	31 22 9	10 3 7	4 3 1	3	17 9 8	-l
132 47 85 132 55 77	114 35 79 137 81 56	114 32 82 124 55 69	120 31 89 91 43 48	105 37 68 93 44 49	75 35 40 60 34 26	84 49 35 86 45 41	62 47 15 82 50 32	52 42 10 65 45 20	40 36 4 45 32 13	22 18 4 25 18 7	11 8 3 9 6 3	1 ·1 6 1 5	3 2 1 1 1	2	1 1 13 5 8	15 20 20 20 20 20 20 20 20 20 20 20 20 20
29 14 15 31 16 15	27 9 18 54 29 25	22 11 11 25 15	22 5 17 22 9 13	27 9 18 18 18 8	16 10 6 25 19 6	16 10 6 22 15 7	17 13 4 22 18 4	11 5 6 9 6 3	10 7 3 10 10	9 5 4 5 2 3	5 4 1 6 4 2	1 2 1 1		1 1	3 3	200
736 395 341	738 370 368	556 276 280	600 292 308	544 264 280	446 289 157	491 329 162	448 321 127	341 259 82	266 216 50	192 149 43	114 85 29	27 17 10	16 6 10	8 1 7	71 41 30	30 31 32
126 54 72 25 14 11	117 54 63 29 15	85 36 49 22 11 11	89 44 45 22 11 11	88 36 52 16 9 7	53 26 27 13 7 6	71 44 27 16 9 7	56 40 16 19 10 9	49 39 10 17 13 4	38 28 10 12 6 6	18 17 1 6 3	12 8 4 5 3 2	8 4 4 2 2	4 3 1 1		4 3 1	33 34 35 36 37 38
73 55 18 301 146 155	88 61 27 316 133 183	56 40 16 204 91 113	58 40 18 251 109 142	66 37 29 189 100 89	71 56 15 163 114 49	58 47 11 178 122 56	68 53 15 149 109 40	61 55 6 105 66 39	41 34 7 77 67 10	40 35 5 60 40 20	14 11 3 37 29 8	2 2 1 1	1 7 1 6	4	1 1 62 35 27	39 40 41 42 43 44
211 126 85	188 107 81	189 98 91	180 88 92	185 82 103	146 86 60	168 107 61	156 109 47	109 86 23	98 81 17	68 54 14	46 34 12	14 8 6	3 2 1	4 1 3	4 2 2	4:
1,020 799 221	947 727 220	752 544 208	654 508 146	579 439 140	498 419 79	583 483 100	491 430 61	421 386 35	325 297 28	218 194 24	107 95 12	41 35 6	22 22	13 6 7	49 38 11	48 49 50
63 29 34 17 15 2	70 38 32 14 10 4	55 25 30 11 10 1	44 27 17 8 7	26 17 9 8 6 2	21 14 7 5 4	29 17 12 9 9	19 18 1 9 9	24 18 6 7 7	14 12 , 2 7 7	8 5 3 10 9	3 3 3 2 1	1 1		,1 1	i 1	55 55 56 56
209 157 52 194 189 5	204 148 56 179 171 8	173 114 59 117 113	125 95 30 110 105 5	116 75 41 92 90 2	107 87 20 74 74	103 81 22 95 93 2	98 85 13 68 63 5	78 75 3 47 46 1	67 61 6 37 35 2	43 39 4 24 23 1	13 11 2 19 19	6 5 1 6	7 7	3 3 3 3	 8 8	5 5 6 6 6
80 50 30 164 107 57	74 49 25 174 108 66	63 35 28 141 83 58	49 38 11 140 81 59	57 37 20 109 66 43	42 33 9 104 76 28	50 35 15 128 87 41	54 43 11 119 98 21	30 25 5 104 93	38 34 4 83 73 10	14 12 2 46 37 9	9 8 1 18 11 7	3 3 9 8 1		1	1 1 29 20 9	6 6 6 6 6
293 252 41	232 203 29	192 164 28	178 155 23	171 148 23	145 131 14	169 161 8	124 114 10	131 122 9	79 75 4	73 69 4	42 41 1	16 12 4	15 15	5 3 2	10 9 1	8

<sup>&</sup>lt;sup>2</sup> Colored population less than 10 per cent of the total in 1910.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[This table excludes the deaths of soldiers, sailors, and marines. Figures for white and colored are shown separately for minor subdivisions (except as indicated in the municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties,

			<u> </u>				DEATE	IS AT AGE	of—	<del> </del>			
	AREA AND COLOR.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued. UTAH.												
1 2 3	Registration cities (total)	2,363 2,294 69	280 269 11	59 59	38 37 1	21 21	14 13 1	412 399 13	100 100	66 66	114 113 1	168 164 4	205 199 6
5	OgdenSalt Lake Cityvermont.	583 1,780	65 215	17 42	10 28	8 13	3 11	103 309	24 76	15 51	35 79	40 128	51 154
6 7 8	Registration cities (total) White	1,131 1,130 1	141 141	37 37	6 6	5 5	9   9	198 198	14 13 1	25 25	51 51	66 66	85 85
9 10 11	Barre	304 560 267	20 95 26	7 21 9	4 2	1 3 1	2 5 2	30 128 40	3 7 4	19 4	13 25 13	26 32 8	42 27 16
12 13 14	Registration cities (total)	12,114 6,966 5,148	1,721 901 820	458 228 230	225 112 113	134 63 71	89 43 46	2,627 1,347 1,280	285 167 118	242 133 109	534 257 277	871 476 395	996 565 431
15 16 17 18 19 20	Alexandria (total)	528 356 172 500	70 47 23 77	15 9 6 27	10 7 3 15	8 4 4 10	5 3 2 4	108 70 38 133	14 12 2 16	9 8 1	26 13 13 19	42 30 12 39	47 39 8
	Danville (total)	316 184 786	52 25 79	16 11 29	11 4 13	6 4 9	2 2 7 5	87 46 137	12 4 29	12 5 7 22 12	10 9 38	24 15 64	29 18 11 56
21 22 23 24 25 26	Lynchburg (total). White. Colored. Newport News (total). White. Colored.	476 310 817 369	54 25 137 57	17 12 21 10	9 4 11 3 8	3 6 12 3 9	2 9 3	88 49 190 76	22 7 21 9	10 10 4	24 14 50 20	37 27 75 35	36 20 98 41 57
27 28 29 30 31 32	Norfolk (total)	2,713 1,425 1,288	80 337 158 179	11 97 42 55	8 49 17 32	35 18 17	23 10 13	114 541 245 296	12 75 34 41	57 24 33	30 115 52 63	206 98 108	247 134 113
	Colored Petersburg (total) White Colored	1, 288 852 397 455	155 63 92	40 18 22	11 6 5	5 5	13 8 3 5	219 90 129	14 6 8	33 18 8 10	41 13 28	67 28 39	65 39 26
33 34 35 36 37 38	Portsmouth (total) White Colored. Richmond (total)	854 428 426 3,812	137 75 62 563	45 21 24 134	19 11 8 80	5 2 3 40	7 3 4 22 12	213 112 101 839	25 12 13 64	16 10 6 66	36 13 23 159	67 35 32 235	79 35 44 283 154 129
30	Richmond (total) White Colored  Roanoke (total) White	3, 812 2, 225 1, 587 871 635	276 287 154 113	59 75 45 31	35 45 14 10	18 22 10 9	12 10 4 2	400 439 227 165	38 26 21 18 3 6	41 25 20 10	78 81 37 23	235 133 102 67 49	
40 41 42 43 44	White Colored. Staunton (total) White Colored.	236 381 339 42	41 12 6 6	14 5 5	4 3 3	1	2	62 20 14 6	3 6 4 2	10 12 11 1	23 14 13 11 2	49 18 9 7 2	75 53 22 17 16 1
45 46 47	WASHINGTON. Registration cities (total) White	8,717 8,359 358	828 787 41	144 133 11	77 76 1	70 63 7	54 53 1	1,173 1,112 61	231 222 9	174 166 8	335 316 19	525 492 33	709 672 37
48 49 50	Aberdeen. Bellingham. Everett.	187 373 317	21 40 33	2 4 6	2 7 2	1 2 2	1 2 3	27 55 46	5 11 11	2 4 10	8 11 10	14 22 15	14 30 24
51 52 53	North Yakima Seattle Spokane	364 4,090 1,528	39 363 168	12 60 25	39 11	35 10	31 8	528 222	11 101 49	87 34	19 136 79	35 248 80	27 342
54 55	Tacoma. Walla Walla. WEST VIRGINIA.1	1,577 281	139 25	28 7	8 2	14 2	8 1	197	39 4	23 6	55 17	96 15	105 143 24
56 57 58	Wheeling (total) White Colored 2 WISCONSIN.	1,030 981 49	129 126 3	41 40 1	23 22 1	8 8	5 5	206 201 5	22 18 4	18 16 2	58 56 2	72 69 3	76 69 7
59 60 61	Registration cities (total) White Colored.	14,140 14,032 108	2,197 2,185 12	499 497 2	270 269 1	167 164 3	152 151 1	3,285 3,266 19	367 365 2	268 266 2	464 460 4	767 758 9	1,058 1,050 8
62 63 64 65	Appleton. Ashland Beloit. Eau Claire	283 348 391 337	34 49 39 29	3 5 12 4	3 8 3 3	2 6 4 4	4 3 4 2	46 71 62 42	8 7 8 7	7 9 13 10	5 17 21 14	13 19 35 14	18 25 29 30
66 67 68 69	Fond du Lac. Green Bay Janesville Kenosha	360 609 274 629	42 112 24 131	8 20 8 36	13 14 18	3 4 2 6	8 6 2 13	65 155 40 204	8 9 6 30	5 10 2 8	6 32 4 21	16 39 7 38	12 48 20 42 39 57
70 71 72	La Crosse Madison Manitowoc	564 591 309	58 65 49	15 12 3	12 10 8	2 2 1	2 2 3	89 91 64	\$7 12 4	21 9 3	21 26 11	29 41 19	24
73 74 75 76	Marinette Milwaukee Oshkosh Racine	201 6,550 463 822	29 1, 174 42 134	9 301 6 23	142 2 18	3 93 4 9	1 74 3 16	1,784 57 200	177 12 26	8 112 11 11	5 183 14 30	11 344 19 42	14 485 28 71
77 78 79	Sheboygan Superior Wausau	510 628 271	65 81 40	16 12 6	9 6	8 9 5	3 3 3	101 111 55	13 19 11	8 18	19 27	24 24 41 16	41 57 18

 $<sup>^{\</sup>rm 1}$  Nonregistration state: only those eities with satisfactory registration of deaths are shown.

## DEATHS, BY COLOR AND AGE OF DECEDENT.

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1918—Continued.

footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. The term "cities" indicates exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

				<del></del>		DEATE	IS AT AGE	OF—							Deaths at un-	
0 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 .years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	known age.	
212 198 14	173 160 13	111 103 8	112 109 3	107 104 3	92 91 1	93 92 1	125 124 1	86 85 1	75 75	60 60	37 37	11 11	3 3	1 1		1028
59 153	53 120	23 88	29 83	39 68	15 77	16 77	26 99	18 68	14 61	13 47	6 31	3 8	3	. 1		
100 100	67 67	51 51	58 58	53 53	45 45	56 56	. 64 64	66 66	55 55	38 38	26 26	4 4	4 4	2 2	3 3	
50 37 13	28 26 13	18 21 12	19 23 16	18 26 9	12 25 8	11 26 19	10 33 21	4 38 24	11 26 18	3 18 17	15 7	2 2	4	2	3	
874 500 374	862 423 439	660 311 349	594 319 275	632 331 301	548 331 217	615 - 389 226	529 384 145	484 401 83	355 307 48	228 189 39	113 97 16	32 27 5	4		26 12 14	
31 22 9 30 22 8	36 24 12 24	22 8 14 23	21 9 12 18 11	30	17 8 9 29 17	27 17 10 24 14	31 20 11 31 24 7	33 28 5 13 13	12 10 2 14 10 4	10 9 1 5 4	6 6 5 1	2 2 1 1			1 2 2 1 1 1	İ
56 37 19 70 33	15 59 33 26 76 31 45	1		42 14 28 37	34 20 14 22 11	39 24 15 24 15	42 27 15 25 19	32 26 6 11 6	19 16 3 11	19 14 5	13 10 3 2 2	1	2		2 1 1 6 2	
37 216 118 98 58 26 32	1			147 76 71 42 16	124 71 53 40 24	54 23	103 74 29 40 24 16	78 64	66 49 17 15 13		18 14 4	10 10 11 1			7 3	
58 27 31 276 157 119			43 25 18 182 98		33 14 19 177 102	40 15 25 223 140	28 21 7 164 122	19 14 5 198 161	1	11 8 3 93	1	10			2 2	
58 40 18 21 18	1	45 25 5 17 1 18	: 41	30 1 17 7 13 3 25 9 23	. 46 38 8 26 26	36 32	39	36 31 5 5 44 0	23 22 1 24 22	16 14 2	77	3 2 1 2			2 1 1	
773 728 45	613	502 L 485	2 42	9   462	515 2 497 18	7   530	498 488	3 471 3 464 5 7	l 313	231	126			6 1	18 16 2	
377 36 27 377 132 148 18	15 15 28 28	2 12 9 14 8 16 5 25	7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	5 10 5 24 7 14 4 17	) 15 26 17 18	3   15	25 26 15	5 8 9 29 6 14 8 18	3   14		3 6	2   4 5   2 5   3		1 3 1	1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
89 86						1 40 1 35	6 5	1 34 7 34	4 3 4 3	5 3: 3 3: 2 :	3 13 1 13 2	3 6				3
1,06 1,05 1	7 82 5 80 2 1	3 60 9 59	4 58 5 58	9 59 1 59	70 5 69	0 73: 7 72: 3 72:	74 9 73 3	1 66 6 66 5	9 60 6 60 3	8 41: 7 41:	2 24' 0 24	7 78 6 78	5 2	21	3 45 3 45	3 2 1
19 18 22 22 19 31 55 44 5	1 3 3 5 5 1 7 7 3 3 1 1 7 3 3 1 1 4 3 3 3 3 4 4 4 4 4 4 4 4 4 4 4	7 3 1 1 1 8 4 1 2 2 2 1 3 3 3 3 77 2 2	8 1 9 1 1 7 1 5 1 4 2 4 1 7 2 8 3	7 1'55 2'88 1'55 1'1 9 1'1 1'66 2'26 1'1 2'26 2'26 2'26 2'26 2	7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	6 14 9 20 7 16 9 2 7 2 7 2 5 4 2 2 5 6 3 9 3	1 1 2 2 3 3 3 1 1 2 3 3 5 5 5 5 0 0 5 3 5 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	7 11 22 11 27 2 11 2 11 2 10 2 2 2 2 2 2 3 3 3	5 2 3 1 5 1 8 1 2 3 6 0 2 1 1 1 1 9 2 3 3	1 1. 5 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	5 4 4 8 5 5 0 0 7 7 1 1 9 0 0 2 2 1 3	9 3 7 7 9 2 8 6 6	22	1		01 6 24
2 148 2 8 4 4 2	3 1 5 36 7 2 5 4 6 2 5 5	6 1 5 26 24 26 28 27 11 24 18 1	25 9 9 126 126 126 137 138 138 138 138 138 138 138 138 138 138	8 29 58 29 25 2 32 2 17 2 11 2	5 2 7 32 3 1 11 3 17 2 3 3 9 1	10 1 5 32 5 32 5 3 8 3 18 3 18 2 18 2 18 2 18 2 17 1	4 1 22 1 33 32 6 33 9 35 5 33	9 1 0 1 88 29 89 2 27 3 27 2 27 2 12 1	4 1 1 1 1 25 9 3 19 3 19 1 19 1 19 1	6 1 16 14 7 2 1 1 8 1 2 1	6 7 9 9 9 9 1 7 1 1 8 1 1 4 8	4 8 7	1	1	2	2 1 8 2 3 2

 $<sup>{\</sup>tt 2}$  Colored population less than 10 per cent of the total in 1910.

Table 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF

_	1	1	11			·	<del></del>			L			the deaths
		All					DEAT	THS AT AGE	of—				
	AREA, SEX, COLOR, AND NATIVITY.	deaths.	Under 1 year.	1 year.	2 years	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	THE REGISTRATION AREA (EX- CLUSIVE OF HAWAII).												
1	Total	1 <u> </u>	193,855	55,059	26, 929	17,408	12,892	306, 143	38,012	29, 693	54, 503	81,024	104, 578
2 3	Males Females	779, 864 665, 294	109, 282 84, 573	28,832 26,227	13,759 13,170	8,688 8,720	6, 496 6, 396	167, 057 139, 086	19,575 18,437	14,745 14,948	28, 507 25, 996	36, 692 44, 332	52,416 52,162
4	White	1,287,425	170,984	47,405	23, 272	15, 138	11,277	268,076	32,992	25, 153	44,946	68, 531	92,701
5 6	Males Females	698,424 589,001	96,873 74,111	24,868 22,537	11,914 11,358	7,605 7,533	5,715 5,562	146,975 121,101	17,215 15,777	12,655	23,853 21,093	31,094 37,437	46,971
7	Native	962,922	169, 905	46,984	22,991	14,889	11,044	265,813	31,805	12,498 23,572	40,301	53,836	45,730 65,615
8 9	Males Females	506,860 456,062	96,303 73,602	24, 645 22, 339	11,760	7,470	5,597	145,775	16,597 15,208	11, 912 11, 660	21,405 18,896	23,505 30,331	31,112
10		283, 233	55,415	13,029	11,231 6,472	7,419 4,156	5,447 3,113	120,038	15,208 9,772	1			34,503
11	Both parents native $egin{cases} M. \\ F. \\ One or both parents foreign. \\ F. \\ \end{array}$	261,430 161,099	42,015 37,934	11,576	6,176 5,036	4,030 3,167	2, 999 2, 358	82, 185 66, 796 59, 601	8, 918 6, 410	7,555 7,260 3,956	13,764 11,925 6,603	14,159 17,888 7,516	17,549 19,493 10,569
12	Parentage unknown $^{1}$ $^{K}$	144, 464 62, 528 50, 168	29,177 2,954 2,410	10, 297 510	4,850 252	3,248 147	2,358 126	49, 930 3, 989	5,935 415	4,075 401	6,024 1,038	10,094 1,830 2,349	12,041 2,994 2,969
13	Foreign	301,743	394	406 248	205 169	141 179	90 176	3,312 1,166	355 983	325 1,379	947 4,144	2,349 13,669	2,969 25,590
14 15	Males Females	l	189 205	130	96	101	88	604	501	629	2,114	6,911 6,758	14,808 10,782
16	Unknown	22,760	685	118 173	73 112	78 70	88 57	562 1,097	482 204	750	2,030 501	6,758 1,026	
17 18	Males. Females	16,711	381	93	58	34	30	596	117	114	334	678	1,496
19	Colored	6,049 157,733	304 22,871	7,654	54 3,657	36 2,270	27	501	87 = 000	88	167	348	445
20	Males. Females	81,440 76,293	12,409	3,964	1,845	1,083	781	38,067 20,082	5,020 2,360	4,540 2,090	9,557	12, 493 5, 598	5,445
21			10,462	3,690	1,812	1,187	834	17,985	2,660	2,450	4,654 4,903	6,895	6,432
22 23	Negro $\left\{egin{array}{ll} M & \dots & \left\{egin{array}{ll} 241 74, 269 1, 214	11,937 10,070 189	3,815 3,565 76	1,782 1,755 35	1,035 1,132 27	752 799 14	19,321 17,321 341	2, 269 2, 579 65	2,013 2,374 63	4,476 4,781 113	5,3 <b>6</b> 8 6,686 94	5, 148 6, 214	
24	Indian. \$\fmu_{\text{fr}}\\ Chinese. \$\fmu_{\text{fr}}\\ \end{array}	1,052 $1,578$	150 52	73 20	34 4	25 4	17 3	299 83	56 7	69	88 30	76 81	69 97
25	Japanese, $\left\{egin{array}{ll} H \\ M \\ F \end{array}\right.$	187 1,330 775	38 225 204	7 53 44	3 24 20	6 17	12 12	58 331	18	5 5	88 30 12 32	16 48 110	75 69 97 12 109 137
26	Other colored. $\mathcal{F}$ .	77 10	6		20	24	14	306 6 1	19 1	2	22 3	110 7 7	137
	REGISTRATION STATES,2											· ·	
27	Total		188,771	53,369	26,113	16,897	12,536	297,686	36,895	28,825	52, 668	78, 087	101,121
28 29	Males. Females	758, 344 645, 772	106, 472 82, 299	27,950 $25,419$	13,361 12,752	8, 431 8, 466	6,317 6,219	162,531 135,155	19,042 17,853	14, 299 14, 526	27, 640 25, 028	35, 451 42, 636	50,826 50,295
30	1	1,259,565	167, 268	46, 141	22,658	14, 759	11,008	261, 834	32, 194	24,582	43,887	66,797	90,495
31 32	Males. Fernales	683, 645 575, 920	94, 807 72, 461	24,205 21,936	11,612 11,046	7,406 7,353	5, 580 5, 428	143,610 118,224	16,827 15,367	12,358 12,224	23,340 20,547	30, 368 36, 429	45, 943 44, 552
33	Native	941,189	166, 242	45,755	22,407	14,530	10,794	259, 728	31,087	23,077	39,452	52, 444	63, 909
34 35	Males. Females	495, 636 445, 553	94, 264 71, 978	24,000 21,755	11,474 10,933	7,281 7,249	5, 467 5, 327	142, 486 117, 242	16,238 14,849	11, 650 11, 427	20, 980 18, 472	22, 960 29, 484	30,345 33,564
36	Both parents native $\{f M, \f$	277, 045 255, 603	54,304 41,174	12, 671 11, 273	6,308 6,018	4,040 3,924	3,041 2,932 2,309	80,364	1				
37	One or both parents foreign $\left\{egin{align} M \\ F \end{array}\right\}$	158,322 141,617	37, 143 28, 507 2, 817 2, 297	10, 868 10, 041	4 928	3, 102 3, 187	2,309 2,312	58,350 48,772	6,313 5,831	3,881 4,003	6,502 5,921	7,369	17,094 18,921 10,412 11,819
38	Parentage unknown 1 $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	60, 269 48, 333	2, 817 2, 297	461 441	4,725 238 190	139 138	117	80, 364 65, 321 58, 350 48, 772 3, 772 3, 149	9,538 8,685 6,313 5,831 387 333	7,378 7,115 3,881 4,003 391 309	13,475 11,648 6,502 5,921 1,003 903	13,821 17,369 7,391 9,898 1,748 2,217	2,839 2,824
39	Foreign	296, 426	360	220	143	161	158	1,042	908	1,314	3,956	13,368	25, 154
40 41	Males Females	171,908 124,518	172 188	115 105	83 60	91 70	83 75	544 498	474 434	598 716	2,037 1,919	6,760 6,608	14, 593 10, 561
42	Unknown	21,950	666	166	108	68	56	1,064	199	191	479	985	1,432
43 44	MalesFemales	16, 101 5, 849	371 295	90 76	55 53	34 34	30 26	580 484	115 84	110 81	323 156	648 337	1,005 427
45	Colored	144, 551	21,503	7, 228	3,455	2, 138	1,528	35, 852	4,701	4, 243	8, 781	11, 290	10,626
46 47	Males. Females	74,699 69,852	11,665 9,838	3,745 3,483	1,749 1,706	1,025 1,113	737 791	18, 921 16, 931	2, 215 2, 486	1,941 2,302	4,300 4,481	5, 083 6, 207	4,883 5,743
48	Negro $\left\{ egin{array}{ll} M & & \\ F & & \\ M & & \\ M & & \\ \end{array} \right.$	70.525	11, 195	· 1	1,686	977	708	18, 163	2, 124 2, 405	1,864	4, 123 4, 360	4, 853 5, 999	4, 587 5, 525
49	(F.,)	67, 833 1, 210 1, 050	9, 447 188 150	3,597 3,358 76 73	1,649 35 34	1,058 27 25	756 14 17	16, 268 340 299	65	2,227	113	94	75
50	Chinese $\left\{ egin{array}{ll} M_{-} \\ F_{-} \end{array} \right\}$	1,562	51 38	73 19 7	3	4 6	3 4	81 58	56 7 6	68 9 5	88 30 11	75 81 16	69 97 12
51	\P	1,329 774 73	225 203 6	53 44	24 20	17 24	12 14	331 305	18 19	5 2	32 22	48 110	109 137
32	Other colored. $\left\{egin{array}{c} M_{-} \\ F_{-} \end{array}\right\}$	10		1				6	1		2	7	15

<sup>1</sup> Both parents unknown or one parent unknown and one native.

MAIN SUBDIVISIONS, AND ÈACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT DECEDENT: 1918.

Deaths			<del></del>	. '223			of—	IS AT AGE	DEAT						<del></del>
at un- known age.	100 years and over.	95 to 99 years.	90 to 94 years.	35 to 89 years.		75 to 79 years.	70 to 74 years.	65 to 69 years.	60 to 64 years.	55 to 59 years.	50 to 54 years.	45 to 49 years.	40 to 44 years.	35 to 39 years.	30 to 34 years.
3,750	733	2,200	8,925	25,390	47,943	67,178	77,238	76, 160	72,861	66,788	64,508	64,957	66,926	85,059	100,589
2,461 1,289	263 470	856 1,344	3,711 5,214	11,536 13,854	22,966 24,977	34,264 32,914	40,814 36,424	41,838 34,322	41,137 31,724	38,169 28,619	36,959 27,549	38,473 26,484	39,447 27,479	50,602 34,457	57,376 43,213
2,749	299	1,822	8,114	24,070	45,593	64,043	72,706	71,245	67,240	61,180	57,073	56,816	58,138	73,969	89,969
1,852 897	118 181	702 1,120	3,361 4,753	10,907 13,163	21,783 23,810	32,524 31,519	38,310 34,396	39,200 32,045	38,066 29,174	35,111 26,069	32,988 24,085	33,722 23,094	34,714 23,424	44,536 29,433	51,767 38,202
1,103 576	147	1,080	5,064	15,063	29,260	40,755	46,099	45,801	44,058	39,537	34,788	35,548	36,719	46,957	60,001
527	48 99	397 683	2,050 3,014	6,736 8,327	13,767 15,493	20,346 20,409	24,169 21,930	24,953 20,848	24,283 19,775	21,787 17,750	18,842 15,946	19,636 15,912	20,379 16,340	26,283 20,674	32,302 27,699
291 292 82	25 53 5	218 422 30	1,189 1,975 153	3,976 5,396	8,296 10,051 1,343	12,197 13,032 2,321	14,304 13,607	14,328 12,273	12,501 10,650	10,650 8,928	8,746 8,083 6,706	9,281 7,984	10,043 8,729 7,310	14,156 11,787	18,048 15,888
69 203 166	5 18	65 149	241 708	521 683 2,239	1,503 4,128	2,571	3,330 3,385 6,535	4,826 4,441 5,799	10,650 6,733 5,694 5,049	6,986 5,903 4,151	6,706 5,504 3,390	7,085 5,716 3,270	3,026	8,363 6,251 3,764	10,650 8,856 3,604
309	41 144	196 713	798 2,917	2,248 8,638	3,939 15,618	4,806 22,225	4,938 25,275	4,134 24,046	3,431 21,639	4,151 2,919 20,254	2,359 20,644	2,212 19,557	2,133 19,668	2,636 25,012	2,955 28,153
215 94	69 75	293 420	1,244 1,673	3,983 4,655	7,613 8,005	11,548	13,263	13,244	12,594	12,217	12,793	12,674	12,881 6,787	16,586	18,069
1,337	8	29	133	369	715	10,677	12,012 1,332	10,802	9,045 1,543	8,037 1,389	7,851	6,883	6,787 1,751	8,426 2,000	10,084 1,815
1,061 276	1 7	12 17	67 66	188 181	403 312	630 433	878 454	1,003	1,189 354	1,107	1,353 288	1,412 299	1,454 297	1,667 333	1,396 419
1,001	434	378	811	1,320	2,350	3,135	4,532	4,915	5,621	5,608	7,435	8,141	8,788	11,090	10,620
609 <b>392</b>	145 289	154 224	350 461	629 691	1,183 1,167	1,740 1,395	2,504 2,028	2,638 2,277	3,071 2,550	3,058 2,550	3,971 3,464	4,751 3,390	4,733 4,055	6,066 5,024	5,609 5,011
585 376	141 282	150 217	340 445	606 672	1,143 1,141	1,656 1,376	2,378 1,987	2,441 2,241	2,824 2,517	2,840 2,522	3,721 3,421	4,543 3,345	4,424 3,972	5,657 4,924	5,197 4,876
13 15 6	4 7	3 7 1	6 15 3	18 19 5	24 26 16	27 18 55	32 35 91	31 150	2,544 26 191	33 19	35 27	32 28 97	24 37	59	68
2 1			ŭ			1 2	6 3	3 4	· 5	164 7 21	159 7 52	6 76	116 20 163	113 11 223	104 11 230 82
3			1					1 2 1	2 1	2	9 4	11 3	26	14	82 10 1
					<del></del>										
3,606	687 251	2,147	8,796	25,016	47,253	66,072	75,732	74,535	71,055	65,006	62,405	62,740	64,502	81,985	97,297
2,367 1,239	436	1,306	3,654 5,142	11,378 13,638	22,657 24,596	33,735 32,337	40,031 35,701	40,954 33,581	40,077 30,978	37,187 27,819	35,795 26,610	37,139 25,601	38,085 26,417	48,825 33,160	55,579 41,718
2,674 1,806	291	1,790 694	8,020 3,322	23,768	45,032 21,535	63,103 32,086	71,468 37,673	69,949 38,490	65,887 37,263	59,889	55,811	55,513	56,712	-	87,775
1,806 868 1,074	175	1,096 1,072	4,698	12,984	23,497	31,017	33,795	31,459	28,624	34,375 25,514	32,259 23,552	1	33,886 22,826	1	50,538 37,237
562	48	395	5,016 2,028	6,667	28,917 13,628	40,162 20,088	45,262 23,776	44, 921 24, 495	43,135 23,755	38,630 21,288	33,954 18.378	34,628 19,121	35,698 19,817	45,602 25,510	58,387 31,421
512 286	98 25	677 218	2,988 1.178	8,221 3 945	15,289 8,235	20,074 12,075	23,776 21,486	20,426	19,380	21,288 17,342	18,378 15,576	ł	1		31,421 26,966
286 288 77 66	53 5 5	· 419	1,178 1,958 152	3,945 5,350 514	9,946	12,856 2,293 2,528 5,720	13,389 3,285	4.762	12,247 10,452 6,633	10,407 8,741 6,891 5,798 3,990	8,528 7,883 6,611	9,029 7,764 6,993 5,615 3,099	9,759 8,470 7,199 5,371 2,859	·   8.213	17,506 15,462 10,479
199 158	18 40	64 147 194	240 698 790	669 2,208 2,202	1,483 4,057 3,860	2,528 5,720 4,690	14,116 13,389 3,285 3,307 6,375 4,790	4,371 5,619 3,997	5,608 4,875 3,320	5,798 3,990 2,803	5,424 3,239 2,269	5,615 3,099 2,128	5,371 2,859 2,040	3,590	8,689 3,436 2,815
298	137	689	2,876	8,515	15,416	21,903	24,911	1	21,266	19,922	ł.		1	Į.	27,653
208 90	67 70	287 402	1,229 1,647	3,931 4,584	7,514 7,902	11,384 10,519	13,048 11,863	13,036 10,645	12,361 8,905	12,025 7,897	12,578 7,699	12,466 6,769	12,669 6,660	16,316 8,260	17,783 9,870
1,302	_	29	128	365	699	1,038	1,295	1,347	1,486	1,337	1,580	1,650	1,685	1,916	1,735
1,036 266	7	12 17	65 63	186 179	393 306	614 424	849 446	959 388	1,147 339	1,062 275	1,303 277	1,364 286	1,400 285	1,595 321	1,334 401
932	-	357	776	1,248	2,221	2,969			5,168		_			_	9,522
561 371	261	147 210	332 444	594 654	1,122 1,099	1,649 1,320	1		1		3,536 3,058	4,188 3,039	4,199 3,591	5,404 1 4,487	5,043 4,48
538 358 13	254	143 203 3	322 428 6	572 635 17	1,082 1,073 24	1,566 1,301 27	2,233 1,865	.   2,086	2,569 2,321	2,277	3,288 3,015	3,983 2,994	3,50	3 4,388	4,631 4,340
1	7	7	15 3	19 5	26 16	18 54	90	31	26 190	19	157	1 32 7 28 1 96	2 2 3 3 11 4 11 4 11 4 11 4 11 4 11 4 11	7 51	4
			1			1 2	6 3	5 3	1	21	5 52	3 76	165	223	10 1: 22: 8: 10
	1		1									3   11 3   1		2 48	8

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF

		A 71					DEA	THS AT AG	E OF-				
	AREA, SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	CITIES IN REGISTRATION STATES.												
1 2	Total	741, 187	97,745	27, 999	13,458	8,693	6,653	154, 548	18,653	13,003	24, 161	42,046	59,47
3	Males Females	399, 719 341, 468	55, 233 42, 512	14,630 13,369	6,930 6,528	4,379 4,314	3,351 3,302	84, 523 76, 025	9,779 8,874	6,480 6,523	12,275 11,886	18,399 23,647	29,640 29,83
4	White	679,702	90, 154	25, 450	12, 169	7,964	6,116	141, 853	17,174	11,721	21, 168	37,231	54, 196
5 6	Males. Females.	366, 951 312, 751	51, 120 39, 034	13,310 12,140	6,273 5,896	4,036 3,928	3,095 3,021	77, 834 64, 019	9,074 8,100	5, 856 5, 865	10,814 10,354	16, 163 21, 068	27, 100 27, 090
7	Native	466, 441	89, 623	25, 249	12,031	7,825	5,982	140,710	16,460	10,724	18,148	26,948	27, 096 35, 238
8	Males Females	244, 569 221, 872	50, 861 38, 762	13, 203 12, 046	6, 203 5, 828	3,965 3,860	3,019 2,963	77, 251 63, 459	8,685 7,775	5,397	9, 268	11, 157	16, 40 18, 83
10	Both parents native. $\{M, \dots, M\}$	112,452	22, 966 17, 254	4,920	2,444	1,654	1,271	33, 255	3,970	5,327 2,691	8,880 4,824	15,791 5,640	
11	Both parents native $egin{cases} M & & M \\ F & & \\ &$	103, 615 106, 611 97, 356	17,254 26,077 19,998	4, 425 8, 041	2,228 3,649	1,491 2,251	1,249 1,690	26,647 41,708	3,440 4,544	2,691 2,570 2,560	4,468 4,065	7,673	7, 93 8, 92 7, 02
12	Parentage unknown 2 $\left\{ egin{array}{l} ar{M} & \\ ar{F} & \\ \end{array} \right]$	25,506 20,901	1,818 1,510	7,397 242 224	3,515 110 85	2,310 60 59	1,682 58 32	34,902 2,288 1,910	4, 182 171 153	2,630 146 127	4,026 379	4,747 7,020 770	8,37 1,44 1,53
13	Foreign	202,586	240	146	91	109	117	703	642	930	386 2,800	1,098 9,748	
14 15	Males Females	114, 216 88, 370	100 140	78 68	47 44	60 49	66	351	344	422	1,399	4,660	18, 192
16	Unknown	10,675	291	55	47	30	51 17	352 440	298 72	508 67	1,401	5,088	8, 044
17 18	MalesFemales	8, 166 2, 509	159	29	23	11	10	232	45	37	220 147	535 346	769
19	Colored	61,485	7,591	26 2,549	24 1,289	19 729	7 537	208	27	30	73	189	550 219
20 21	Males Females	32, 768 28, 717	4,113	1,320	657	343	256	.12,695 6,689	705	1,282	2,993	4, 815	5,275
22		28,717 30,616	3,478	1,229	632	386	281	6,006	774	658	1,461 1,532	2,236 2,579	2,540 2,735
23	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	28, 033 133	3, 958 3, 342 16	1,268 1,195 6	642 614 1	328 368 4	246 272	6,442 5,791 27	685 757	611 647	1,394 1,499	2,108 2,474	2,350 2,628
24	Chinese. $ \begin{cases} F \\ M \\ F \end{cases} $	93 1, 174	17 37	3 12	2 3	3	2	22 57	4 4 4	5 6 5	16 8 27	16 9	2,628 12 11
25	Japanese $\left\{egin{array}{ll} F \ \\ F \ \end{array}\right\}$	142 798 443	31 99 88	4 34	3 11	5 8	4 8	47 160	4 12	4 3	9 22	71 14 37	83 8
26	Other colored. $\{M_{F}^{-1}\}$	47	3	27	13	13	5	146 3	9	1	16 2	77 4	83 88 12
	RURAL PART OF REGISTRATION STATES.3		-									5	
27	Tetal	662, 929	91,026	25,370	12,655	8,204	5,883	143, 138	18, 242	15, 822	28,507	36,041	41,650
28 29	Males Females	358, 625 304, 304	51,239 39,787	13,320 12,050	6,431 6,224	4,052 4,152	2,966 2,917	78,008 65,130	9, 263 8, 979	7,819 8,003	15,365 13,142	17,052 18,989	21, 186
30	White	579,863	77,114	20,691	10,489	6,795	4,892	119, 981	15,020	12, 861	22,719	29,566	20, 464 36, 299
31 32	MalesFemales	316, 694 263, 169	43,687 33,427	10, 895 9, 796	5,339 5,150	3,370 3,425	2,485 2,407	65,776 54,205	7,753 7,267	6,502	12,526 10,193	14, 205	18,843 17,456
33	Native	474, 748	76,619	20,506	10,376	6,705	4,812	119,018	14,627	6,359 12,353	21,304	15,361 25,496	
34 35	Males Females	251, 0 <del>0</del> 7 223, 681	43,403 33,216	10,797 9,709	5,271	3,316	2,448 2,364	65, 235 53, 783	7,553 7,074	6 253		11,803	28,674 13,943
36	Both parents native $\{ egin{array}{c} M \\ F \end{array} \}$	.	31,338 23,920	7, 751	5, 105 3, 864	3,389 2,386	2,364 1,770		7,074 5,568	6, 100 4, 687	11,712 9,592	13,693	14,731
37	One or both parents foreign $\left\{ \stackrel{H}{{_{\cdots}}} \right\}$	164,593 151,988 51,711	11,066	6,848 2,827	3, 864 3, 790 1, 279	2,386 2,433 851	1,683 619	47, 109 38, 674 16, 642	5,245 1,769	4,545 1,321	8,651 7,180 2,437	8, 181 9, 696 2, 644	9,162 10,000
38	Parentage unknown 2. $F$	44, 261 34, 763 27, 432	8,509 999 787	2,644 219 217	1,210	877 79	630 59	13,870 1,484 1,239	1,649 216	1,373 245	1,895	2,878 978	3,384 3,442 1 307
39	Foreign	93,840	120	74	105 52	79 52	51 41	339	180 266	182	517	1,119	1,397 1,289
40 41	Males	57, 692 36, 148	72	37	36	31	17	193	130	384 176	1, 156	3,620 2,100	6,962
42	Unknown	11, 275	48 375	37 111	16 61	21 38	24	146	136	208	638 518	1,520	4,445 2,517
43	MalesFemales	7,935 3,340	212	61	32	23	20	348	70	124	259	450	663
44 45	Colored	11	163	50	29	15	19	276	57	73 51	176 83	302 148	455 208
16	MalesFemales	83,066 41,931	13,912 7,552	4,879 2,425	2, 166 1, 092	1,409	991	23, 157	3,222	2,961	5,788	6,475	5,351
48		41, 135	7,552 6,360	2,425 2,254	1,074	727	510	12, 232 10, 925	1,510 1,712	1,317 1,644	2,839 2,949	2,847 3,628	2,343 3,008
19	Negro $\left\{ egin{array}{ll} M_{-} \\ F_{-} \\ M_{-} \end{array} \right\}$	39,909 39,800 1,077	7,237 6,105 172	2,329 2,163	1,044 1,035	649 690	462 484	11,721 10,477	1,439 1,648	1,253 1,580	2,729 2,861 97	2,745 3,525 78	2,237 2,897
50	$ \begin{array}{cccc} \text{Indian} & & \left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ \text{Chinese} & & \left\{ \begin{matrix} M \\ I \end{matrix} \right. \\ \end{array} $	957 388	133 14	70 70 7	34 32 1	23 25 1	14 17 1	313 277	61 52	58 62	80	66	63
51	Japanese M.	43 531	7 126	3 19	13	1  -	4	24 11 171	3 2 6	4 1 2	3 2 10	10 2 11	58 14 4 26 49
- 1	14	331 26	115 3	17	7	11	9	159	10	1	6	11 33	26 49
52	Other colored $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right\}$	4 .	۰   ۰	1	- \   -	-		3	1  -			3	3

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT DECEDENT: 1918—Continued.

aths un-				•			)F—	AT AGE (	DEATHS						
own ge.				85 to 89 years.	80 to 84 years.	75 to 79 years.	70 to 74 years.	65 to 69 years.	60 to 64 years.	55 to 59 years.	50 to 54 years.	45 to 49 years.	40 to 44 years.	35 to 39 years.	0 to 34 years.
796	173	779	3,161	9,660	18,678	28,005	34,625	37, 499	38,777	37,602	37,843	37,832	38,664	47,781	57,430
543 253	64 109	262 517	1,137 2,024	3,976 5,684	8, 245 10, 433	13,392 14,613	17,541 17,084	20,033 17,466	21,692 17,085	21,603 15,999	21,969 15,874	22,709 15,123	23,352 15,312	28,991 18,790	33,114 24,316
641	111	698	3,017	9,363	18, 115	27,088	33,197	35,637	36,377	34,981	34,274	33,817	34,252	42,443	52,348
451 190	44 67	235 463	1,078 1,939	3,854 5,509	8,007 10,108	12,919 14,169	16,789 16,408	19,078 16,559	20, 401 15, 976	20,127 14,854	19,988 14,286	20, 268 13, 549	20,800 13,452	25,854 16,589	30, 217 22, 131
226 130	31	331	1,504	4,779	9,368	13,674	16,708	18,818	20,358	19,760	18,333	18,938	19,336	24, 171	31,881
96	22	97 234	519 985	1,881 2,898	4,011 5,357	6,298 7,376	8,424 8,284	10,078 8,740	11,156 9,202	10,943 8,817	10,028 8,305	10,718 8,220	11,008 8,328	13,828 10,343	17,281 14,600
50 39 34	12 1	49 152 13	316 667	1,119 1,890 188	2,370 3,381 523	3,571 4,452 1,032	4,674 4,608 1,666	5,112 4,536 2,812	4,825 4,066	4,513 3,584	3,878 3,361 4,532	4,204 3,318 4,888 3,900 1,626	4,583 3,675	6,477 4,972 5,462	8,395 7,183
37 46 20	3 4 7	152 13 23 35 59	39 93 164 225	279 l 574 (	701 1,118	1,324 1,695	1,953 2,084	2,641 2,154 1,563	4, 227 3, 704 2, 104	4,577 3,909 1,853	3,844 1.618	3,900 1,626	4,950 3,654 1,475	4,155 1,889	7,015 5,999 1,871
112	.80	362	1,482	729 4,476	1,275 8,530	1,600 13,036	1,723 15,981	1,568	1,432 15,266	1,324 14,490	1,100 15,034	1,002 13,959	999 13,899	1,216 17,141	1,418 19,482
72 40	35 45	137 225	549 933	1,917 2,559	3,872 4,658	6,401 6,635	8,021 7,960	8,573 7,668	8,637 6,629	8,584 5,906	9, 182 5, 852	8,773 5,136	8,928 4,971	11,060	12,151
303		5 .	31	108	217	378	508	578	753	731	907	920	1,017	6,081	7,331 985
249 54		1 .	10 21	56 52	124 93	220 158	344 164	427 151	608 145	600 131	778 129	777 143	864 153		785 200
155	62	81	144	297	563	917	1,428	1,862	2,400	, 2,621	3,569	4,015	4,412	1	5,082
92 63	20 42	27 54	59 85	122 175	238 325	473 444	752 676	955 907	1,291 1,109	1,476 1,145	1,981 1,588	2,441 1,574	2,552 1,860	3,137 2,201	2,897 2,185
86 62 2	20 42	27 54	58 82	118 174	229 324	439 443	704 668	866 903	1,144 1,100	1,343 1,139	1,807 1,575	1	2,341 1,826		2,643 2,119
1 3			2	3 1 1	3 1 6	2 1 30	1 4	1	6 3	5	2	6		11 2	9 5
····i			1			2	45 4 2	84 2 2	134 4 6	116 5 12	136 5 31	3	100 15 103	:: 9	86 8 152
			i					1 2	. 1	1	6 3	6	15	'   5	152 52 7 1
								====		====					
2,810	514	1,368	5,635	. 15,356	28,575	38,067	41, 107	37,036	32, 278	27,404	24,562	24,908	25,838	34,204	39,867
1,824 986	187 327	579 789	2,517 3,118	7,402 7,954	14, 412 14, 163	20,343 17,724	22, 490 18, 617	20,921 16,115	18,385 13,893	15,584 11,820	13,826 10,736	14,430 10,478	14,733		22, 465 17, 402
2,033	180	1,092	5,003	14,405	26,917	36,015	38, 271	34,312	29,510	24,908	21,537		======	= ====	35, 427
1,355 678	72 108	459 633	2,244 2,759	6,930 7,475	13,528 13,389	19, 167 16, 848	20,884 17,387	19,412 14,900	16,862 12,648	14,248 10,660	12,271 9,266	12,683 9,013	13,086 9,374	17,567 12,084	20,321 15,106
648	115	741	3,512	10, 109	19,549	26,488	28, 554	26, 103	22,777	18,870	15,621	1	1	1 .	26,506
433 416	39 76	298 443	1,509 2,003	4,786 5,323	9,617 9,932	13,790 12,698	15,352 13,202	14,417 11,686	12,599 10,178	10,345 8,525	8,350 7,271	8,403 7,287	8,809 7,553	11,682 6 9,749	14, 140 12, 366
236 249	21 41	169 267	862 1,291 113	2,826 3,460 326 390	5,865 6,565 813	8,504 8,404 1,261	9,442 8,781 1,619	9,002 7,522	7,422 6,386 2,406	5,894 5,157	4,650 4,522	4,825 4,446	5,176 4,798	7,230 9 6,483	9, 11 8, 279
43 29 153 138	4 2 14	. 17 41 112	113 147 534 565	326 390 1,634 1,473	2,939	1,204 4,025	1,619 1,354 4,291	9,002 7,522 1,950 1,730 3,465 2,434	2,406 1,904 2,771 1,888	5,894 5,157 2,314 1,889 2,137 1,479	4,650 4,522 2,079 1,580 1,621	2,105 7 1,715 1 1,473 1 1,126	2, 249		9, 11: 8, 279 3, 469 2, 690 1, 56
138 186	33 57	135 327	565   1,394	1,473	2,585 6,886	3,090 8,867	,	2,434	1,888	1,479	1,109	1		7 1,28	1,39
130	32 25	150	680 714	2,014 2,025		4,983 3,884	5,027								5,63
99	8	177 24	714 97	2,025 257	I .	3,884 660		2,977	2,276	1	(	i		1	5,63 2,53 75
78 21	1 7	11 13	55 42	130 127	269	- <del> </del> -	505	535			7 525		9 53	9 62	54
77	334	276	632	951	ł	1	1	ļ	1			1	1		4,44
46 30	115 219	120 156	273 359	472 479	_	1, 176	1,606			1, 336				2, 26	2,14
	111 212	116 149	264 346			1	1			1		1	1	1	1,98 2,22
	4 7	3 7	6	454 461 14 18	853 749 5 21 25 1 10	. 2	J   3.	1,18	1, 221 37 2	1,254 1,138 1 28	3 3	1,43 2 2 3 2 4 1	1 1,68 8 2 2 3	58   4	1 5
1	7		10	1 10	1 40										
45 29 1 1	7	. 1	3	4	: J		1 4	6	56	2 2	8 3 2 2 2 2 3 5 2	2 2 3 2 4 1 5 0 3	1	18 1 3	]

The term "rural" embraces the area outside of municipalities of 10,000 inhabitants or more in 1910.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF

=								THS AT AGI					the deados
	AREA, SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	1	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES IN NON- REGISTRATION STATES,1												
1	Total	41,042	5,084	1,690	816	511	356	8, 457	1,117	868	1,835	2,937	3,457
2 3	Males Females	21,520 19,522	2,810 2,274	882 808	398 418	257 254	179 177	4,526 3,931	533 584	446 422	867 968	1,241 1,696	1,590 1,867
4	White	27,860	3,716	1, 264	614	379	269	6,242	798	571	1,059	1,734	2,206
5 6	MalesFemales	14,779 13,081	2,066 1,650	663 601	302 312	199 180	135 134	3,365 2,877	388 410	297 274	513 546	726	1,028
7	Native	21, 733	3,663	1,229	584	359	250	6,085	718	495	849	1,008	1,178
8 9	Males Females	11, 224 10, 509	2,039 1,624	645 584	286 298	189 170	130 120	3, 289 2, 796	359 359	262 233	425 424	545 847	767 939
10	Both parents native $$	6, 188 5, 827	1, 111 841	358 303	164 158	116 106	72 67	1,821 1,475	234 233	177 145	289 277	338 519	455 572 157
11 12	One or both parents foreign	2,777 2,847 2,259	791 670 137	238 256 49	108 125 14	65 61 8	49 46 9 7	1,251 1,158	97 104	75 72	101 103	125 196	157 222 155
	F	1,835	113	25	15	3	7	217 163	28 22	10 16	35 44	82 132	155 145
13 14	Foreign	5,317 2,945	34 17	28 15	26 13	18 10	18	124	75	65	188	301	436
15 16	Females	2,372	17	13	13	8	5 13	60 64	27 48	31 34	77 111	151 150	215 221
17	Unknown Males	610	19	3	4	2	1	33	5	11	22	41	64
18	Females	200	9	4	3 1	2	1	16 17	2 3	47	11 11	30 11	46 18
19 20	Colored	13,182	1,368	426	202	132	87	2,215	319	297	776	1,203	1,251
21	Females	6, 441	744 624	<sup>2</sup> 19 207	96 106	58 74	44 43	1,161 1,054	145 174	149 148	354 422	515 688	562 689
22	Negro $\left\{ egin{array}{ll} M. \\ F. \\ M. \end{array} \right\}$	6,716 6,436	742 623	218 207	96 106	58 74	44 43	1,158 1,053	145 174	149 147	353 421	515 687	561 689
23 24	Indian	4 2 16	1	1				1 2		1		1	
25	Japanese $\begin{cases} F \\ F \end{cases}$	2									1		
26	Other colored $\{M, \dots, M\}$	1 4	1					1			····i		1
	ALL REGISTRATION CITIES.3												
27	Total	782, 229	102,829	29,689	14,274	9,204	7,009	163,005	19,770	13,871	25,996	44, 983	62,928
28 29	MalesFemales	421, 239 360, 990	58, 043 44, 786	15,512 14,177	7,328 6,946	4,636 4,568	3,530 3,479	89,049 73,956	10,312 9,458	6,926 6,945	13, 142 12, 854	19,640 25,343	31,230 31,698
30	White	707,562	93,870	26,714	12,783	8,343	6,385	148,095	17,972	12, 292	22,227	38, 965	56,402
31 32	MalesFemales	381,730 325,832	53,186 40,684	13, 973 12, 741	6,575 6,208	4,235 4,108	3,230 3,155	81, 199 66, 896	9,462 8,510	6, 153 6, 139	11,327 10,900	16,889 22,076	28, 128 28, 274
33	Native	488, 174	93,286	26, 478	12,615	8, 184	6,232	146,795	17,178	11,219	18,997	28, 340	36,941
34 35	Males	255, 793 232, 381	52,900 40,386	13,848 12,630	6,489 6,126	4,154 4,030	3,149 3,083	80,540 66,255	9,044 8,134	5,659 5,560	9,693 9,304	11,702 16,638	17, 169 19, 772
36	Both parents native $$	118,640 109,442	24,077 18,095	5,278 4,728 8,279	2,608 2,386 3,757	1,770		35,076	4,204 3,673	2,868 2,715 2,635	5.113	5,978	8, 387
37	One or both parents foreign $\left\{egin{array}{c} M & \cdot \\ F & \cdot \end{array} ight\}$	109,388	26,868 20,668	7,653	3,640	1,770 1,597 2,316 2,371	1,343 1,316 1,739 1,728	28, 122 42, 959 36, 060	4,641 4,286 199	2,702	4,745 4,166 4,129	8,192 4,872 7,216	9,493 7,185 8,599
38	Parentage unknown 2 ${M \choose F}$	27, 765 22, 736	1,955 1,623	291 249	124 100	68 62	67 39	2,505 2,073	199 175	156 143	414 430	852 1,230	1,597 1,680
39	Foreign.	207, 903	274	174	117	127	135	827	717	995	2,988	10,049	18,628
40 41	Males Females	117, 161 90, 742	117 157	93 81	60 57	70 57	71 64	411 416	371 346	453 542	1,476 1,512	4,811 5,238	10,363 8,265
42	Unknown	11,485	310	62	51	32	18	473	77	78	242	576	833
43 44	Males Females	8,776 2,709	169 141	32 30	26 25	11 21	10 8	248 225	47 30	41 37	158 84	376 200	596 237
45	Colored	74,667	8,959	2,975	1,491	861	624	14,910	1,798	1,579	3,769	6,018	6,526
46 47	Males Females	39,509 35,158	4,857 4,102	1,539 1,436	753 738	401 460	300 324	7,850 7,060	850 948	773 806	1,815 1,954	2,751 3,267	3,102 3,424
48	Negro $\left\{egin{array}{c} \mathbf{M} \ldots \\ \mathbf{F} \ldots \end{array}\right\}$	37,332 34,469 137	4,700 3,965	1,486 1,402	738 720	386 442	290 315	7,600 6,844	830 931	760 794	1,747 1,920	2,623 3,161	
49	Indian. M. F. M. M.	137 95 1,190	17	6 3	1 2 3	4		28 22 59	4 4	5 7	16	16 10	12
50 51	Toponose (M.	144 799	38 31 99 89	13 4 34	3 11	3 5 8	2 4 8	59 47 160	4 4 12	5 4 3	27 10 22 16	71 14 37 77	83 8 8
52	Other colored. $F$ .	444 51	89	žŕ	13	13	5	147 3	9	ı	16 3	4	2,911 3,317 12 11 83 8 8 83 88 13
1	A list of these cities will be for	6										5	

 $<sup>^{1}</sup>$  A list of these cities will be found on p. 11.

 $<sup>^{\</sup>mathbf{2}}$  Both parents unknown or one parent unknown and one native.

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT DECEDENT: 1918—Continued.

						DEAT	HS AT AGE	OF—							Deaths	Ī
30 to 34 years.	85 to 89 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.	
								,								
3,292	3,074	2,424	2,217	2,103	1,782	1,806	1,625	1,506	1,106	690	374	129	53	46	144	-
1,797 1,495	1,777 1,297	1,362 1,062	1,334 883	1,164 939	982 800	1,060 746	884 741	783 723	529 577	309 381	158 216	57 72	15 38	12 34	94 50	
2,194	1,875	1,426	1,303	1,262	1,291	1,353	1,296	1,238	940	561	302	94	32	8	75	-
1,229 965	1,115 760	828 598	771 532	729 533	736 555	803 550	710 586	637 601	438 502	248 313	123 179	39 55	8 24	6	46 29	
1,614	1,355 773	1,021	920 515	834 464	907	923	880 458	837 393	593 258	343 139	175	48	8	1	29 14	-
881 733	582	562 459	405	370	408	528 395	458 422	444	258 335	204	106	26	6	1	15	
542 426 171 167 168 140	449 332 150	284 259 111	252 220 92	218 200 95 80 151	243 187 95	254 198 100	214 215 64	188 218 45 78 160 148	122 176	61 105 7	31 46 7	11 17 1	3		5 4	}1
167 168	116 174	107 167	101 171	80 151	105 161 116	86 174 111	64 70 180 137	78 160	28 43 108	20 71 79	14 31	1 10	$\frac{1}{2}$		5 4 5 3 4 8	<b>}</b> 1
500	134 436	93 339	84 322	90 367	332	373	137 365	148 364	116 322	202	46 123	8 41	2 24	7	8	ľ
286	270	212 127	208	215	192	233 140	208 157	215 149	164	99 103	52	15	6	2	7	1
214 80	· 166	66	114 61	152 61	140 52	140 57	51	37	158 25	103	71 4	26 5	18	5	4 35	1
62 18	72 12	54 12	48 13	50 11	45 7	42 15	44 7	29 8	16 9	10	2 2	2 3			25 10	-1
1,098	1,199	998	914	841	491	453	329	268	166	129	72	35	21	38	69	1
568 530	662 537	534 464	563 351	435 408	246 245	257 196	174 155	146 122	91 75	61 68	35 37	18 17	7 14	10 28	48 21	2 2
566 530	661 536	532 464	560 351	433 406	243 245	, 255 196	173 155	145 122	90 75	61 68	34 37	18 17	7 14	10 28	47 21	}2
 	1	2	1	2	3	i	i	i	1		1				1	$\binom{2}{2}$
i	1					********										$\left.\right _{2}^{x}$
· · · · · · · · · · · · · · · · · · ·			2													2
		<del></del>														
60,722	50,855 30,768	41,088	40,049 24,043	39,946 23,133	39,384	40,583	39,124	36,131	29,111	19,368	10,034	3,290	832	219	940	2
34,911 25,811	20,087	24,714 16,374	16,006	16,813	22,585 16,799	22,752 17,831	18,207	18,324 17,807	13,921 15,190	8,554 10,814	4,134 5,900	1,194 2,096	555	76 143	637 303	2 2
54,542	26,969	35,678 21,628	35,120 21,039	35,536 20,717	36,272 20,863	37,730	36,933	34, 435 17, 426	28,028	18,676 8,255	9,665 3,977	3,111	730	119	716 497	3
31,446 23,096	17,349	14,050	14,081	14,819	15,409	21,204 16,526	19,788 17,145	17,009	14, 671	10,421	5,688	1,994	487	46 73	219	3:
33,495	25, 526	20,357	19,858	19,167	20,667	21,281	19,698	17,545	14,267	9,711	4,954	1,552 541	339	32 9	255	3
18,162 15,333	14,601 10,925	11,570 8,787	11,233 8,625	8,675	11,442 9,225	11,684 9,597	9,162	8,817 8,728	6,556 7,711	5,561	1,950 3,004	1,011	240	23	, <u>144</u> 111	3.
8,937 7,609 7,186	6,926 5,304 5,812	4,867 3,934 5,061	4,456 3,538 4,980	4,096 3,561	4,756 3,771	5,079 4,264 4,327	5,326 4,751 2,876	4,862 4,826	3,693 4,628 1,060	2,431 3,486 530	1,150 1,936 195	327 684 40	49 155 13	12 12	55 43 39	}3
8,937 7,609 7,186 6,166 2,039 1,558	6,926 5,304 5,612 4,271 2,063 1,350	5,061 3,761 1,642	4,001 1,797 1,086	4,096 3,561 4,627 3,924 1,769 1,190	4,672 4,014 2,014 1,440	5,079 4,264 4,327 3,790 2,278 1,543	5,326 4,751 2,876 2,711 2,334 1,700	4,862 4,826 1,711 2,031 2,244 1,871	1,367 1,803	721 1,189	293 605 775	94 174	24 37	1 3 4	40 50	3
1,558 19,982	1,350 17,577	1,092 14,238	1,086 14,281	1,190 15,401	1,440 14,822	1,543 15,639	1,700 16,606	1,871 16,345	1,716 13,358	1,354 8,732	775 4,599	233 1,523	. 61 386	8 87	28 123	39
12,437 7,545	11 330	9,140 5,098	8,981 5,300	9,397	8,776	8,870 6,769	8,781 7,825	8,236 8,109	6,565	3,971 4,761	1,969 2,630	564	143	37	79	44
7,545 1,065	6,247 1,215	5,098 1,083	5,300 981	6,004 968	6,046 783	6,769 810	7,825 629	8,109 545	6,793 403	4,761 233	2,630 112	959 36	243 5	50	44 338	4
847	1,038 177	918	825	828	645	650	471	373	236	134	58	12	1		274	44
218 6,180	6,537	165 5,410	156 4,929	140 4,410	138 3,112	160 2,853	158 2,191	172 1,696	167 1,083	99 692	54 369	24 179	4 102	100	64 224	4
3,465 2,715	3,799 2,738	3 086	3,004 1,925	2,416 1,994	1,722 1,390	1,548	1,129	898	564	299 393	157	77	34	30	140	4
	1	2,324 2,873	í .		1,586	1,305 1,399	1,062 1,039	798 849	519 529	290	212 152	102 76	68 34	70 30	84 133	4
3,209 2,649 10	3,551 2,703 11 2	2,873 2,290 2	2,871 1,910 4 6	2,240 1,981 4 2	1,384	1,399 1,296 7	1,039 1,058 1	849 790 1	529 518 2 1	<sup>4</sup> 392	211 4	99	68	70	133 83 2	}4:  }4:
5 86 8	103 10	102 15	85 3	138 5	119	135 4	85 2 2	4 46 4	31	1 6	1 1	2 1			1 4	5
153 52 7	129 23	15 103 15	41 6	31 6	12 1	4 6 2	2 1 2	2	2						1	5
7	5	6	3	3		1	2					1				}5

<sup>3</sup> Including District of Columbia and municipalities of 10,000 inhabitants or more in 1910.

Table 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF

		4.77					DEAT	HS AT AGE	OF				
	AREA, SEX, COLOB, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION STATES.												
	CALIFORNIA.												
1	Total	56,488	4,666	1,127	601	465	330	7, 189	1,054	881	1,663	2,734	4, 174
3	Males Females	34, 521 21, 967	2,663 2,003	603 524	311 290	240 225	167 163	3, 984 3, 205	523 531	463 418	887 776	1,393 1,341	2,339 1,835
4	White	52,770	4, 154	1,006	535	412	300	6,407	980	835	1,536	2,497	3,885
5	Males Females	32,071 20,699	2,384 1,770	543 463	277 258	215 197	153 147	3,572 2,835	490 490	435 400	810 726	1,283 1,214	2,204 1,681
7	Native	34, 340	4, 117	980	509	389	281	6, 276	902	711	1,235	1,707	2,475
8 9	Males Females	19,521 14,819	2,360 1,757	527 453	259 250	201 188	144 137	3,491 2,785	457 445	371 340	665 570	777 930	1,259 1,216
ιο	Both parents native $$	8,077	1,078	211	111	96	68	1,564	230	206	371	401	1
11	One or both parents foreign $\left\{ egin{array}{l} F \dots \\ F \dots \end{array} \right\}$	6, 706 6, 325 5, 121	799 1,185	170 302	120 140	84 95	54 73	1, 227 1, 795	223 214	184 145	304 246	438 270	539 555 459 470
12	Parentage unknown $\frac{1}{4}$	5, 121 5, 119 2, 992	896 97 62	273 14 10	123 8 7	97 10 7	81 3 2	1,470 132 88	206 13 16	139 20 17	215 48 51	331 106 161	470 261 191
13	Foreign	16, 838	28	25	19	20	18	110	71	113	286	745	1,317
14 15	MalesFemales.	11, 180 5, 658	19	16 9	13	12	9	69 41	30 41	60 53	134 152	474 271	874 443
16	Unknown	1,592	9	1	7	3	1	21	7	11	152	271 45	443 93
17	Males Females.	1,370 222	5		5	2		12	3	4 7	11	32	71
L8 L9	Colored	3,718	512	1 121	2 66	1 53	1 30	782	4 74	46	127	13 237	22 289
20	Males	2,450 1,268	279 233	60	34	25 28	14	412	33	28 18	77	110	
21	Females.		1	61	32		16	370	41		50	127	135 154
22	Negro $\left\{egin{array}{ll} M \\ F \\ M \end{array}\right.$	457 387 205	47 31	4 7 9	4 6 5	5 1 5	$\begin{array}{c} 2\\ 3\\ 1 \end{array}$	62 48 45	7 13 7	7 5 12	25 14 14	26 28 14	30 38 12 10 31 7 57
23 24	$\begin{array}{ccc} \text{Indian} & \left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \\ \text{Chinese} & \left\{ \begin{matrix} M \end{matrix} \right. \\ \\ \\ $	170 876	31 25 18 33 28 174	11 9	7 4	2 3 5	3	38 52	1 <u>1</u>	9 6	14 16	11 41	10 31
25	$\begin{array}{c} \left\{ \begin{matrix} F \\ M \end{matrix} \right\} \\ \left\{ \begin{matrix} M \end{matrix} \right\} \end{array}$	120 889		5 38	21 17	5 12 20	4 8	253 240	13	3	8 22	6 25	7 57
26	Other colored. $ \begin{cases} \mathbf{M} \\ \mathbf{M} \end{cases} $	590 23 1	156	38	17	20	9	240	12		14	81 4 1	99 5
	COLORADO.	-										_	
27	Total	17,546	1,900	450	<b>24</b> 0	171	134	2,895	399	361	836	1,374	1,851
28 29	Males Fomales	10, 230 7, 316	1,050 850	238 212	121 119	90 81	74 60	1,573 1,322	199 200	190 171	495 341	704 670	1,041 810
30	White	17, 141	1,866	438	233	166	130	2,833	391	357	816	1,344	1,814
31 32	Males Females	9, 972 7, 169	1,032 834	231 207	118 115	88 78	72 58	1,541 1,292	196 195	187 170	486 330	683 661	1,023 791
33	Native	12,761	1,839	426	219	158	118	2,760	363	325	720	1,067	1,356
34 35	Males Females	7,035 5,726	1,017 822	223 203	108	84 74	64	1,496	183	174	419 301	495 572	713 643
36		,	651	139	111 62	50	54 42	1, 264 944	180	151 119			
37	Both parents native $egin{cases} M & \dots & M \\ F & \dots & M \\ \end{bmatrix}$ One or both parents foreign $egin{cases} M & \dots & M \\ F & \dots & M \\ \end{bmatrix}$	3,674 3,114 1,748	514 306	119 78	73 43	40	35 19	781 479	123 61	100 46 45	262 185 114	275 321 135	379 332 181
38	Parentage unknown 1 $\begin{cases} \mathbf{H} \\ \mathbf{M} \\ \mathbf{F} \\ \end{cases}$	1,748 1,462 1,613 1,150	261 60 47	81 6 3	32 3 6	33 28 1 6	19	421 73 62	53 4 4	45 9 6	86 43 30	152 85 99	178 153 133
39	Foreign	3,650	20	11	11	7	8	57	21	28	69	225	382
40 41	Males Females.	2,385 1,265	10	7	7	4 3	5	33	11	10	46	151	264
42	Unknown	730	10 7	1	3	1	3	24 16	10 7	18	23 27	74 52	118 76
43	Males Females	552	5 2	1	3		3	12	2 5	3	21	37	46 30
44	Females	178 405	34	12	7	1 5	1	4	il	1	6	15	
		258	18	7	3	2	4 2	32	8 3	$-\frac{4}{3}$	20 9	30	37
45 46	Males		16	5	4	3	2 2	32 30	5	1	11	9	18 19
45 46 47	Males Females	147				l							11
45 46 47 48	Negro $\left\{egin{array}{ll} M & \cdots & \left\{egin{array}{ll} M & \cdots & \left\{egin{array}{ll} F & \cdots & \left\{egin{array}{ll} M & \cdots & \left\{egin{ar$	147 190 124	11 9	6 5	3 3	2 2	1	24 20	3 5	2 1	6 11	18 6	14
45 46 47	Negro   M.   F.     M.	147 190 124 8 4	11	6 5				24 20 3	5	1	11 2	6 2 1	1 <u>4</u> 1
45 46 47 48 49	$\begin{array}{ccc} \text{Negro.} & \left\{ \begin{smallmatrix} M \\ F \end{smallmatrix} \right. \\ \text{Indian.} & \left\{ \begin{smallmatrix} M \\ M \end{smallmatrix} \right. \\ \left\{ F \end{smallmatrix} \right. \end{array}$	147 190 124 8	11 9	5	1	<u>2</u> 1	1	20	5	1	11	6 2	14

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT DECEDENT: 1918—Continued.

	,			·		DEAT	AS AT AGE	OF—		<del>-</del>	- 1				Deaths at un-
0 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	known age.
									•	:					
4,852	4,328	3,448	3,071	3,060	3, 169	3, 231	3,410	3,401	2,937	2,126	1,209	382	103	35	31
3,179 1,673	3,001 1,327	2,334 1,114	2,061 1,010	2,069 991	2,088 1,081	2,146 1,085	2,170 1,240	1,998 1,403	1,747 1,190	1,168 958	677 532	208 174	46 57	15 20	25 6
4,507	4,018	3,177	2,890	2,865	2,978	3,022	3,238	3,277	2,867	2,091	1,187	362	97	27	27
2,948 1,559	2,772 1,246	2,129 1,048	1,921 969	1,915 950	1,931 1,047	1,967 1,055	2,018 1,220	1,905 1,372	1,688 1,179	1,143 948	665 522	197 165	43 54	13 14	22 5
2,623	2,337	1,914	1,696	1,615	1,786	1,755	1,798	1,805	1,560	1,218	667	195	44	13	8
1,563 1,060	1,486 851	1,178 736	1,031 665	976 639	1,100 686	1,076 679	1,068 730	1,021 784	889 671	634 584	357 310	94 101	20 24	4 9	4 4
	1	429 282	327 228	338 256	411 282	407 274	462 333	419 402 147	339 333	237 308 61	131 162	· 36 49	7 9	2 4	1
628 487 525 357 410 216	593 365 482 298	429 282 406 278 343 176	. 341	338 256 324 223 314 160	411 282 308 208	269 205	181 141	147 124 455	339 333 102 80 448 258	67	40 31 186 117	6 1	1 2	1	. 2
410 216	411 188	343 176	363 175	· 160	381 196	400 200	425 256	455 258	258 258	336 209	186	12 52 40	12 13	1 5	. 2
1,740	1,491	1,094	1,046	1,088	1,070	1,131	1,310	1,382	1,254	850	504	164	53	14	5 5
1,265 475	1, 107 384	799 295	751 295	790 298	720 350	769 362	844 466	811 571	756 498	493 357	296 208	101 63	23 30	5	•••••
144	190	169	148	162	122	136	130	90	53	23	16	3 2			13
120 24	179 11	152 17	139 9	149 13	111 11	122 14	106 24	73 17	43 10	16 7	12 4	1			1
345	310	271	181	195	191	209	172	124	70	35	22	20	6 3	8	3
231 114	229 81	205 66	140 41	154 41	157 34	179 30	152 20	93 31	59 11	25 10	12 10	9	3	2 6	1
37 39	48 34	40 28	26 23	33 25	22 25 10	20 18 11 5	29 12 8 5	16 14 4 11 72 6	· 15	4 6	3 6 5	5 1	1	3 2	1
14 6 36	7	8 38 9	4 6 49 2 60	33 25 6 2 81	10 2 108	11 5 138	8 5 112	11 72	6 5 4 38	7 4 14	5 4 4	1 3 8	1 2 1	3	1
6 141	6 126	9 120	60	34	106 5 19	138 5 10	112 2 3	6	I 1						1
63 3	126 34 7	120 21 3	10	9	2	2	1								1
1,699	1,330	963	830	728	778	738	762	725	561	366	174	64	15	7	90
1,057 642	858 472	604 359	530 300	440 288	477 301	468 270	470 292	416 309	315 246	189 177	85 89	39 25	7 8	4 3	69 21
1,648	1,278	930	801	715	763	725	755	716	551	363	172	62	15	7	85
1,021 627	822 456	579 351	508 293	433 282	465 298	460 265	464 291	410 306	308 243	187 176	85 87	38 24	8	3	65 20
1,156	797	602	497	427	461	486	485	446	370	251	113	37	13	5	24
667 489	488 309	356 246	287 210	236 191	266 195	286 200	287 198	251 195	203 167	130 121	51 62	24 13	6 7	3 2	14 10
329 263	227 161	170	123 95 65	99 82	108 102	116 100 60	113 84	116 86	88 77	50 60	22 22 5	10 3	3	. 1	5 4
175 129	116 70	129 79 58	54	82 43 46	108 102 63 42 95 51	60 34	113 84 46 30 128 84	116 86 29 23 106 86	88 77 22 19 93 71	50 60 18 7	10	4 2	3 3		3
163 97	145 78	107	99 61	94 63	95 51	110 66	128 84	86	71	62 54	24 30	10 8	3 4	1	3
409	-}	277	247	235	256	199	240	235	161	103	52	22	2		18
299 110	279 131	180 97	169 78	155 80	162 94	137 62	154 86	135 100	89 72	52 51	30 22	12 10	1	1 1	15 3
83		51	57	53	46	40	30	35	20	9	7	3		-	43
55 28	55 16	43 8	52 5	42 11	37 9	37	23 7	24 11	16 4	5 4	3	2		-	36 7
51	_	33	29	13	15	13	7	9	10	3	2	2			5
36 15	36 16	25 8	22 7	7 6	12 3	8 5	6	6 3	7 3	2	2	1		-	1
21 13	21 14	16 8	18 6	7 6	11 3	8 5	5 1	6 3	6 3	2	2	1 1		-	. 4
		ž								:  <u>-</u> -				-	
	. 1				. 1		1		1						
15 2	14 2		. 1										.		

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF

=						<del> </del>	DEAT	HS AT AGE	or—	-			ette desetts
	AREA, SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
}	REGISTRATION STATES—Continued.												
	CONNECTICUT.												
1	Total	27,240	3,964	1,011	450	284	228	5,937	626	463	817	1,504	2,318
3	Males Females	14,825 12,415	2, 191 1, 773	529 482	220 230	135 149	96 132	3,171 2,766	328 298	210 253	453 364	683 821	1,285 1,033
4	White	26,550	3,873	972	434	277	220	5,776	613	455	777	1,448	2,267
5 6	MalesFemales	14,451 12,099	2,150 1,723	507 465	211 223	130 147	94 126	3,092 2,684	327 286	207 248	430 347	653 795	1,253 1,014
7	Native	17,248	3,857	965	428	273	210	5,733	576	415	626	829	1,105
8 9	Males. Females.	9,079 8,169	2,144 1,713	504 461	208 220	128 145	90 120	3,074 2,659	304 272	194 221	346 280	373 456	. 565 540
10	Both parents native $\cdots {M \choose F}$	3,550 3,222	639 512	107 83	43 39	30 36	24	843 702	86 78	69 79	135 101	146 163	225 201
11	One or both parents foreign $\mathbb{R}$	4,557 4,113	1,457 1,159	394 374	160 180	94 108	32 65 88	2,170 1,909	211 189 7	123 138 2	201 173	195 270	225 201 306 - 300
12	Parentage unknown $^{1}$ $^{M}$ $^{F}$	972 834	48 42	3 4	5 1	4	1	61 48	. 7 5	2 4	10	32 23	34 39
13	Foreign	8,940	14	6	5	3	10	38	32	36	144	603	. 1,147
14 15	MalesFemales	5,128 3,812	6 8	3 3	2 3	1 2	4 6	16 22	19 13	11 25	77 67	274 329	677 470
16	Unknown	362	2	1	1	1		5	5	4	7	16	15
17 18	Males Females	244 118	2	1	1	1		2 3	4	2 2	7	6 10	11 4
19	Colored	690	91	39	16	7	8	161	13	8	40	56	. 51
20 21	MalesFemales	374 316	41 50	22 17	9 7	5 2	2 6	79 82	$\frac{1}{12}$	3 5	23 17	30 26	32 19
22	Negro $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right\}$	362	39	22	9	5	2	77	1	3	23 17	29	. 31
23	Indian\F\M\F\F\F\F\F	314	49	17	7	2	6	81	12	5		26	19
24	Chinese $F$	$egin{pmatrix} 1 \\ 12 \\ 1 \end{bmatrix}$	2 1					2			.	1	1
25	$egin{array}{lll}  ext{Japanese} &  ext{M} \  ext{F} \end{array}$												
26	Other colored $\left\{ egin{array}{c} \egin{array}{c} egin{array}{c} egin{array}{c} egin{array}{c} \egin{array}{c} egin{array}{c} \egin{array}{c} a$			•••••	••••••••••••••••••••••••••••••••••••••								
27	ILLINOIS. Total	100 000	10 100	9.600	1 010	1 010	952	90.010	2,827	1 000	9 9770	5,266	7,333
28	Males Females.	100,396 54,542	7,510	3,620 1,917	1,916	1,316	490	20,913	1,524	1,926	3,376 1,739	2,344	3,537
29		54,542 45,854	5,599	1,703	904	676	462	9,344	1,303	989 937	1,637	, 2, 922	3,796
30 31	White	95,831	12,629	3,434 1,806	1,815	1,271	912	20,061	2,697 1,461	1,827	3,161	4,910	6,924 3,344
32	MalesFemales	. 52,034 43,797	7,234 5,395	1,628	850	618 653	436	8,962	1,236	939 888	1,635 1,526	2,171 2,739	3,580
33 34	Native	66,916	12,544	3,411	1,794 956	1,256	897 469	19,902	2,606	1,711	2,851	3,834 1,657	4,846
35	Males Females	35,379 31,537	7,185 5,359	1,616	838	611 645	428	8,886	1,418 1,188	885 826	1,478 1,373	2,177	2,223 2,623
36	Both parents native $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	16,265 14,755	3,680 2,683 3,245	768 664	436 396	289 280	218 204	5,391 4,227 5,269	738 596	494 468	870 761 517 530 91	1,033	1,012 1,146
37 38	One or both parents foreign $\left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right\}$	14,755 13,737 12,439 5,377	3, 245 2, 465 260	984 911 43	499 424 21 18	280 308 352	233 217 18 7	5,269 4,369 356	643 562 37 30,	468 353 328 38 30	530 91	680 957 133	961 1,200 250
ļ	Parentage unknown $^{1}$ $^{M}$ $^{F}$	4,343	211	41	1	14 13	}	290	3	ł	82	187	277
39 40	Foreign	27,030	20	12	9 5	10	11 6	62 40	79 38	102		1,020	1,992
41	Males Females	11,653	4	4	4	5	5	22 22	41	56		536	921
42	Unknown		65	11	12	5	-	, 97	12	14		56	86
43 44	Males Females	1,278 607	33 32	8	8	2 3	3	43 54	5 7	8 6	27 19	30 26	50 36
45	Colored	4,565	480	186	101	45		852	130	-			409
46 47	Males Females	2,508 2,057	276 204	111 75	47 54	22 23	14 26	470 382	63 67	50 49	104 111		193 216
48	Negro $\left\{egin{array}{ll} M \\ F \end{array}\right.$		271 203	110 75	47 54	21 23	14 26	463 381	61 67	50 49			182 215
49	Indian $\left\{egin{matrix} M \\ F \end{array}\right.$										-		
50	Chinese	.1 7	5 1	<sub>i</sub>				.   1					, .
51 52	Japanese. M. F. Other colored. M.	2							i				
	Totaler colored(F		arents unk	.	.1		.	,	11	-'	.'	-'	.1

<sup>&</sup>lt;sup>1</sup> Both parents unknown or one parent unknown and one native.

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT DECEDENT: 1918—Continued.

Deaths at un-	-		<u>, ,                                  </u>	i		· ·		IS AT AGE		· · · · · · · · · · · · · · · · · · ·		1			
known age.	100 years and over.	95 to 99 years.	90 to 94 years.	85 to 89 years.	80 to 84 years.	75 to 79 years.	70 to 74 years.	65 to 69 years.	60 to 64 years.	55 to 59 years.	50 to 54 years.	45 to 49 years.	40 to 44 years.	35 to 89 years.	30 to 34 years.
35	4	<u>42</u>	181	473	884	1,202	1,359	1,304	1,344	1,232	1,210	1,304	1,234	1,594	2,173
18 17	3 1	12 30	67 114	178 295	399 485	574 628	726 633	688 616	740 604	655 577	742 468	776 528	768 466	1,039 555	1,310 863
35	4	39	177	463	873	1,1774	1,338	1,281	1,317	1,210	1,169	1,271	1,194	1,546	2,120
18 17	3	9 30	66 111	173 290	396 477	560 617	711 627	676 605	733 584	646 564	716 453	751 520	747 447	1,004 542	1,280 840
14	3	28	129	311	575	732	743	710	699	627	545	615	564	687	982
10	2 1	6 22	47 82	107 204	263 312	368 364	402 341	377 333	394 305	329 298	297 248	333 282	328 236	417 270	549 433
3	2	5 18	31 62	66 167	188 199	234 231	237 200	215 179	171 147	131 117	118 · 93	113 100	128 88	170 99	234 195
3 1 4		1	3 1 13	5 41	14 15 61	234 231 21 34 113	35 47 130	63 74 99	126 102 97	149 128 49	130 121 49	180 146 40	163 119 37	198 146 49	195 268 192 47
3	1	4	19	32	98	99	94	80	56	. 53	34	36	29	25	46
	1	10	19	136 61	281	421 181	293	553 290	578 311	560 297	593 396	622 390	398	830 562	724
		7	28	75	158	240	279	263	267	263	197	232	206	268	400
13		1	1	18 5	17	24 11	23	18 9	40 28	23	23	28	26 21	29	14
4		3	1 4	11 10	7 11	13 25	7 21	9 23	12 27	3 22	8 41	6 33	5 40	48	7 53
		3	1	5	3	· 14	15	12	7	9	26	25	21	35 13	30
	•••••	3	3	5 5	8	11 14	. 15	11 12	20 7	13 7	15 25	8 25	19 20	13 33	23 28
· · · · · · · · · · · · · · · · · · ·		••••••	3	5	7	îī	6	11	20	13	15	8	19	13	23
· • • • • • • • • • • • • • • • • • • •		••••••		•••••••	1				••••••	2	1		i	2	2
		•••••										••••••			
		••••••		••••••		•••••	•••••								
238	37	144	626	1,834	3,471	4,630	5,186	5,246	5,140	5,088	4,769	4,625	4,651	6,030	7,040
160 78	14 23	64 80	268 358	871 963	1,721 1,750	2,354 2,276	2,709 2,477	2,895 2,351	2,928 2,212	2,990 2,098	2,785 1,984	2,730 1,895	2,775 1,876	3,638 2,392	3,938 3,102
209	28	136	614	1,813	3,418	4,553	5,062	5,104	4,984	4,870	4,528	4,287	4,325	5,621	6,699
139 70	10 18	62 74	262 352	859 954	1,689 1,729	2,312 2,241	2,640 2,422	2,827 2,277	2,837 2,147	2,859 2,011	2,651 1,877	2,519 1,768	2,584 1,741	3,385 2,236	3,750 2,949
91	8	68	305	917	1,709	2,369	2,583	2,700	2,799	2,707	2,386	2,382	2,492	3,312	4,338
47 44	3 5	25 43	129 176	445 472	828 881	1,197 1,172	1,344 1,239	1,486 1,214	1,526 1,273	1,504 1,203	1,315 1,071	1,307 1,075	1,383 1,109	1,855 1,457	2,308 2,030
18 13	1 4	9 21 3 7	100 12	215 254 36	398 458 82	593 641 153 156	607 642 216 203 521	672 599 351 301	629 564 454	554 465 570	449 412 543	459 384 562	484 443 611	742 629 771	1,028 890 937
22 18 13 12 12 14	2 1	7 13 15	54 100 12 9 63 67	215 254 36 38 194 182	398 458 82 95 348 328	451	203 521	301 463 314	629 564 454 416 443 293	554 465 570 461 380 277	449 412 543 430 323 229	459 384 562 486 286 205	484 443 611 468 288 198	742 629 771 580 342 248	1,028 890 937 833 343 307
27	20	66	300	182 853	1,626	375 2,084	394 2,350	2,287	2,045	277 2,012	229 2,005	205 1,764	198 1,696	248 2,139	307 2,237
19	7 13	35 31	130 170	390 463	808 818	1,052 1,032	1,210 1,140	1,272 1,015	1,209 836	1,248 764	1,232	1,108 656	1,087	1,403 736	1,358 879
91		2	9	43	83	100	129	1,015	140	151	137	141	137	170	124
73 18		2	3 6	24 19	53 30	63 37	86 43	69 48	102 38	107 44	104 33	104 37	114 23	127 43	84 40
29	9	8	12	21	53	77	124	142	156	218	241	338	23 326	409	341
21	4 5	2 6	6 6	12 9	32 21	42 35	69 ' 55	68 74	91 65	131 87	134 107	211 127	191 135	253 156	188 153
21 8	4 5	2 6	6 6	12 9	32 21	42 35	69 55	68 74	90 65	128 87	129 107	204 127	183 133	241 155	181 153
••••••							••••••	·····	1				••••••	••••••	
 					••••••				1	3	5	7	7 2	12 1	6 1
							• • • • • • • • • • • • • • • • • • • •						·····i		••••••

Table 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF

										į.	This table	excludes	the deaths
		4.77					DEAT	HS AT AGE	OF				
	AREA, SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION STATES—Continued.												
	INDIANA.												
1	Total	45,993	5,603	1,479	754	504	397	8,737	1, 193	1,061	1,742	2,210	2,623
2 3	Males. Females.	24, 120 21, 873	3, 178 2, 425	766 713	398 356	265 239	199 198	4,806 3,931	630 563	522 539	912 830	941 1,269	1,235 1,388
4	White	43,940	5,391	1,416	723	471	376	8,377	1,142	1,000	1,624	2,066	2,477
5 6	MalesFemales	22, 984 20, 956	3,071 2,320	734 682	379 <b>344</b>	243 228	189 187	4,616 3,761	600 542	493 507	849 775	864 1, 202	1, 159 1, 318
7	Native	39, 133	5,382	1, 412	722	470	373	8,359	1, 132	978	1,586	. 1,907	- 2, 190
8	Males. Females	20, 088 19, 045	3,065 2,317	732 680	378 344	243 227	189 184	4,607 3,752	593 539	482 496	830 756	770 1,137	959 1, 231
10	Both parents native $\left\{egin{array}{l} M \\ F \end{array}\right.$	14, 222 13, 663	2,535 1,917	602 562	306 293	199	161	3,803 3,101	512	426	727 649	629	774 989
11	One or both parents foreign ${M \choose F}$	2,911 $2,727$	475 369	125 107	66 45	175 41 50	154 23 27	730 598	· 466 75 67	447 43 42	79 69	923 90 144	126 143
12	Parentage unknown $\{M, \dots, M\}$	2, 955 2, 655	55 31	5 11	6 6	3 2	5 3	74 53	6	13 7	24 38	- 51 70	59 99
13	Foreign	4,415	3	1	<b>-</b>	••••••••	1	5	9	19	35	147	272
14 15	Males. Females	2,617 1,798	2 1	1			1	2 3	6 3	10 9	17 18	84 63	188 84
16	Unknown	392	6	3	1	1	2	13	1	3	3	12	15
17 18	MalesFemales	279 113	4 2	2 1	1	i	2	7 6	1	1 2	2	10 2	12 3
19	Colored	2,053	212	63	31	33	21	360	51	61	118	144	146
20 21	Males Females	1, 136 917	107 105	32 31	19 12	22	10	190	30	29	63 55	77 67	76 70
22	Negro		107	31	- 19	11 22	11	170 189	21 30	32 29	63	76	74
23	$\begin{array}{ccc} \text{Negro.} &  &  &  \\ \text{Indian.} &  &  &  \\ \text{F} &  &  &  \end{array}$	1, 130 915	105	31	12	11	11	170	21	32	55	67	70
24	Chinese. $\left\{egin{array}{c} \mathbf{H} & \mathbf{H} \\ \mathbf{F} & \mathbf{H} \end{array}\right\}$	6		1				1				·····i	······2
25	$Japanese$ ${M $												
<b>2</b> 6	Other colored $\{ egin{array}{c} m{M} \\ m{F} \end{bmatrix}$												
07	KANSAS.												
27 28	TotalMales	25,053	3, 111	685 374	398	222 116	191 86	4,607	663 341	584 319	1,103	1,370	1,627
28 29	Females	11,356	1,749 1,362	311	190	106	105	2,533 2,074	322	265	463	705	844
30 31	White	23, 490 12, 868	2,938 1,652	627	375	205	178	4,323	625	534	1,009	1,256	1,524
32	Females	10, 622	1,286	344 283	194 181	108 97	82 96	2,380 1,943	322 303	292 242	588 421	614 642	732 792
33	Native.	19,732	2,902	606	369	194	176	4,247	593	507	941	1,100	1,326
34 35	Males. Females	10,600 9,132	1,634 1,268	332 274	190 179	101 93	81 95	2,338 1,909	308 285	280 227	553 388	523 ·577	622 704
<b>3</b> 6	Both parents native $$	6,506 5,635	1,308 979	262 218	157 135	85 82	70 78	1,882 1,492	260 234	223 183	406 275	375 386 86	400 440
37	One or both parents foreign $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	5,635 1,607 1,534	250 214	49 44	23 36	15 11	10 14	347 319	32 35	· 33 12	406 275 97 73 50	109	440 135 155
38	Parentage unknown $^{1}$ $^{M}$ .	2, 487 1, 963	76 75	44 21 12	10 8	1	3	109 98	16 16	11	40	62 82	87 109
39	Foreign.	3,075	11	11	4	9	2	37	23	. 21	46	109	146
40 41	MalesFemales	1,778 1,297	. 5	6 5	3	5 4	1	21 16	9 14	· 10	20 26	60 49	75 71
42	Unknown	683	25	10	2	2		39	9	6	22	47	52
43 44	Males Females	490 193	12 13	6 4	1 1	2		21 18	5 4	2 4	15 7	, 31 16	35 17
45	Colored	1,563	173	. 58	23	17	13	284	38	50	94	114	103
46 47	MalesFemales	829 734	97 76	30 28	14 9	8 9	4 9	153 131	19 19	27 23	52 42	51 63	. 51 . 52
48	Negro $\left\{egin{array}{c} M_{\cdot} \\ F_{\cdot} \end{array}\right.$	764 694	91 68	29 28	13	6	4	143	17	22	35 37	43 59	- 48
49	Indian	694 61 38	68 5 8	28 1	8 1 1	8 2 1	9	121 9 10	18 2 1	. 5 21	37· 17 5	59 7 3	· 52
50	Chinese							10					
51	Japanese	2		• • • • • • • • • • • • • • • • • • • •								1	
52	Other colored. $F$ .	$\begin{bmatrix} 2\\2 \end{bmatrix}$		·······				1				1	ļ <u>.</u>

<sup>&</sup>lt;sup>1</sup> Both parents unknown or one parent unknown and one native.

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT DECEDENT: 1918—Continued.

					•	DEATE	IS AT AGE	OF-							Deaths at un-
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	. 70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	known age.
2,536	2, 209	1,765	1,786	1,955	2,255	2,648	3,028	3,301'	3, 118	2,207	1,074	360	73	19	93
1,270 1,266	1,174 1,035	. 956	990 796	1,010	1,230 1,025	1, 473 1, 175	1,675 1,353	1,795 1,506	1,607 1,511	1,098 1,109	519 555	156 204	34 39	7 12	80 13
2,402	2,073	803 1,639	1,630	945 1,827	2,150	2,547	2,954	3,232	3,064	2,166	1,056	352	68	12	82
1,185 1,217	1,100	881 758	898 732	940 887	1,176 974	1,419 1,128	1,636 1,318	1,750 1,482	1,572 1,492	1,075 1,091	509 547	152 200	32 36	5 7	73 9
2.084	1,776	1,398	1,416	1,577	1,906	2,225	2,531	2,713	2,480	1,728	802	262	49	8	26
976 1, 108	894 882	711 687	746 670	765 812	1,020 880	1, 201 1, 024	1,404 1,127	1,443 1,270	1,285 1,195	869 859	378 424	107 155	22 27	3 5	23 3
	1					728 611	807	1		502 521 66	220 231	54 90	8 14	1 3	1 2 2
786 818 124 152	629 642 150 126 115	456 483 150 122 105	449 430 164 146 133 94	464 513 167 165 134	581 526 218 198	211	696 200 155 397	864 783 158 148 421 339	801 725 121 118 363 352	70 -	220 231 25 29 133 164	54 90 9 18 44 47	8 14 2 1	. 3 . 1	
66 138	115 114	105 82	133 94	134 134	,221 162	216 262 197	397 276	339 339	363 352	301 268	133 164		12 12	1 2	20 1
295	286	218	199	231	216	291	402	488	546	413	234	83	19	4 2	3
193 102	199 87	155 63	140 50	159 72	134 82	193 98	216 186	287 201	267 279	194 219	116 118	42 41	10 9	2 2	
23	11	23	15	19	28	31	21	31	38	25	20	7			53 47
16 7	7 4	15 8	12 3	16 3	22 6	25 · 6	16 5	20 11	20 18	12 13	15 5	4			6
134	136	126	156	128	105	101	74	69	54	41	18	8	5	7	11. 7
85 49	74 62	75 51	92 64	70 58	54 51	54 47	39 35	45 24	35 19	23 18	10 8	. 4	2 3	2 5	4
85 49	74 62	75 50	92 64	70 58	54 50	54 47	38 35	44 24	35 19	23 18	10 8	4	2 3	2 5	7 4
							i	1							· · · · · · · · · · · · · · · · · · ·
 		1			1										
· · · · · · · · · · · · · · · · · · ·															
										•					
1,544	1,256	968	866	918	1,091	1,293	1,449	1,772	1,746 993	1,265	610	195 92	26	11	55 42
834 710		515 453	452 414	518 400	586 505	750 543	638	1,054 718	753	736 529	325 285	103	26 34	5 6	42 13
1,439 779		867 460	793	833 468	1,007	1,230	1,374 777	1,707 1,018	1,693 958	1, 218 713	596 316	181 87	56 25	3	48 37
660	542	407	379	365	465	515	597	689	735	505	280	94	25 31	4	11
1,217		716	640 317	651 347	818	966	1,056	1,279 750	1,222	899 520	404 210	125 57	38 15 23	3 2 1	10
640 577	1	370 346	317 323	304	440 378	555 411	581 475	750 529	670 552	520 379	210 194	57 68 16	23 6	1	4
393 353 134 135	277 268 105	217 200 71	182 176 55	172 158 79	210 184 79	274 206 79	293 247 75 62	341 258 65 53	264 276 52	173 46	92 91 12 18 106	21 10	11 2		3 3 1
135 113 89	108 114 102	200 71 71 82 75	182 176 55 66 80 81	158 79 55 96 91	68	64 202 141	213	53 344 218	264 276 52 62 354	220 173 46 36 254 170	18 106	21 10 10 31 37	2 7 10	2 1	2 1
89 160		105	117	152	126 161	211	166 278	383	214 428	291	85 180	54	18	4	2
97 63		62 43	69	96	81 80	115	166	234	258 170	169 122	99 81	28 26	10	1 3	2
63 62	1	43	48	56 30	28	96 53	112 40	149 45	43	28	12	20			36
42 20		28 18	28	25 5	21 7	45	30 10	34	30 13	24 4	7 5	2			29 7
20 105	1	1	73	85	84	63	75	11 65	53	47	14	14	4	4	, 7
55 50	_	55	38	50	44	35	34	· 36	35 18	23 24	9 5	5 9	1 3	2 2	5 2
		55	35 37	35 49	40	28	41 34	29 36 27	1	l .	9	5	1	2	4
47 48 6	35	44	35	49 34 1	39	. 28	38	.	33 18 2	22 22 1 2	5	8	3	2	<u>1</u>
2	2			. 1	1		2	2		2					
1															
i				.	.				.					·	

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF

_													the deaths
	AREA, SEX, COLOR, AND NATIVITY.	All					DEAT	HS AT AGE	OF	<del></del> _			
	AREA, SEA, COLON, AND NATIVITI.	deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION STATES—Continued.			\									
	KENTUCKY.											- 101	
1	Total	39,532	5,816	1;903	1,042	691	482	9, 934 5, 348	1,384	1,130	2,120	2,401	1,089
3	MalesFemales	20,331 19,201	3, 268 2, 548	982 921	520 522	328 363	232	4, 586	703	568	1,077 1,043	1,024 1,377	1,333
4	White	32,972	5,057	1,645	912	601	429	8,644	1, 203	942	1,715	1,941	1,964
5 6	Males Females	16,964 16,008	2,837 2,220	846 799	450 462	287 314	223 206	4,643 4,001	593 610	477 465	875 84 <b>0</b>	822 1, 119	1,092
7	Native	31, 215	5,022	1,634	904	594	424	8,578	1,192	932	1,692	1,896	1,908
8	Males Females	15, 998 15, 217	2,814 2,208	840 794	445 459	284 310	221 203	4,604 3,974	587 605	474 458	862 830	795 1,101	1,069
10	Both parents native $\prod_{F}^{M}$ .	13,018 12,652	2,708 2,123	815 768	429 446	273 · 294	211 190	4,436 3,821	550 581	431 444	783 761	702 968	698 908
11	One or both parents foreign $\left\{ egin{matrix} M & \dots & M \\ F & \dots & M \end{array} \right\}$	929 783	39	6 6	8 6	8	3 3 7	55	14 12	13 4	20 12 59	21 37 72	53 52
12	Parentage unknown $^1$ $^{M}$ $^{M}$	2,051 1,782	67 55	19 20	13 7	8	10	113 100	23 12	30 10	57 57	96	88 109
13	Foreign.	1, 158	1					1	3	1	2	15	27
14 15	Males Females	605 553	1					1	3	í	2	9	15 12
16	Unknown	599	34	11	8	7	5	65	8	9	21	30	29
17 18	Males. Females.	361 <b>23</b> 8	22 12	6 5	5 3	3 4	2 3	38 27	6 2	3 6	13 8	18 12	18 11
19	Colored	6,560	759	258	130	90	53	1,290	181	188	405	460	458
20 21	Males Females	3,367 3,193	431 328	136 122	70 60	41 49	27 26	705 585	88 93	85 103	202 203	202 258	217 241
22	Negro $\left\{egin{array}{ll} M \\ F \end{array} ight.$	3,361 3,192	431 328	136 122	70 60	41 49	27 26	705 585	88 93	85 103	202 203	202 258	214 241
23	Indian $\left\{ egin{array}{ll} egin{array} egin{array}{ll} egin{array}{ll} egin{array}{ll} egin{array}$	3											3
24	Chinese. $\left\{ egin{array}{ll} M \\ F \end{array} \right\}$	3											
25 26	Japanese $\left\{ egin{array}{ll} M \\ F \end{array} \right.$												
20	LOUISIANA.												
27	Total	32, 201	4, 415	1,320	701	455	298	7,189	1,021	938	1,807	2,416	2, 515
28 29	MalesFemales	16, 991 15, 210	2,408 2,007	696 624	368 333	213 242	154 144	3,839 3,350	505 516	450 488	912 895	1,093 1,323	1,201 1,314
30	White	15,822	2,271	654	357	219	=	3,654	457	384	676	992	1,113
31 32	Males. Fernales	8,836 6,983	1,265 1,006	360 294	188 169	102 117	77 76	1,992 1,662	233 224	203 181	373 303	504 488	584 529
33	Native	13,763	2,227	640	i	213	ì	3,575	438	369	638	. 919	998
34 35	MalesFemales	7,618 6,145	1, 242 985	352 288	183 164	99 114		1,951 1,624	223 215	196 173		456 463	513 485
36	Both parents native $\prod_{F}^{M}$ .	5,351	1,108	306	162	87	69	1,732	183	167	289	370	386 371
37	One or both parents foreign $\left\{ egin{array}{l} F \\ F \end{array} \right.$	4,418 1,158 901	860 86 76	257 28 16	153 11 7	1 7		1,430 135 121	186 21 16	141 12 23	37	365 38 45	67 57
38	Parentage unknown $^{1}$ $^{M}$ $^{F}$		48 49	18 15	10	5	3	. 84 73	19 13	23 17 9	26 32	48	60 57
39	Foreign	ì	3	2	1	1	1	. 9	5	1	]	48	87
40 41	MalesFemales	886	2		. 1	2		5 4	2 3	1 3	13 10	33 15	57 30
42	Unknown	1	41	12	}	1	1	1)	14	1	1	1	28
43 44	MalesFemales	332 224	21 20	6		3		36 34	8 6	6 5	8 7	15 10	14
45	Colored	1	2,144	Ì	1		1	1	564	1	1	ł	1 1
46 47	MalesFemales	8, 155	1,143 1,001	-	180 164				272 292			589 835	617 785
48	Negro	8, 116	1,141	335	178	111	76	1,841	272	217	536	584	610
49	Indian F.	8, 213	1,001 2	330	164		. 1		292		590	3	784 2 1
50	Chinese	18		i							. 1		3
51	Japanese $\left\{egin{array}{l} \mathbf{M} \\ \mathbf{F} \end{array}\right.$	1		.,						:		-	. 1
52	Other colored	2		: :	1	1::::::	::::::::	-11:	1	:):::::::	1	1	1

 $<sup>^{\</sup>mbox{\scriptsize 1}}$  Both parents unknown or one parent unknown and one native.

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT DECEDENT: 1918—Continued.

						DEAT	HS AT AGI	of—		,				-`` <b>-</b>	Deaths	T
30 to 34 years.	35 to 39 years.	.40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over	at un- known	
2, 215	1,928	1,576	1,478	1,462	1,478	1,691	1,949	2,001	1,740	1,210		241	61	37	480	)
1,086 1,129	1,001 927	838 738	813 665	780 682	787 691	914 777	1,061 888	1,071 930	907 833	597 613	284 310	113 128	23 38	11 26	264 216	
1,827	1,503	1,184	1,134	1,117	1,190	1,418	1,694	1,740	1,555	1,092	528	202	-1	11	324	E
890 937	784 719	· 624 560	620 514	612 505	628 562	781 637	930 764	927 813	798 757	548 544	250 278	97 105	17 27	4 7	172 152	
1,759	1,441	1,118	1,073	1,027	1,097	1,276	1,525	1,512	1,362	935	444	170	37	9	232	}
848 911	743 698	581 537	581 492	553 474	569 528	701 575	833 692	811 701	709 653	479 456	211 233	82 88	14 23	4 5	118 114	
685 750	. 569 567	408 407	389 348 97 63 95 81	358 327	367 346	455 406	560 470	554 481	485 467	325 301	130 146 4 8 77 79	50 56	6 13	3 3	74 81	}1
685 750 66 60 97 101	569 567 70 44 104 87	408 407 88 66 85	97 63 95	358 327 83 68 112 79	367 346 101 75 101 107	455 406 91 67 155 102	560 470 63 59 210 163	554 481 36 48 221 172	485 467 32 31 192 155	325 301 17 16 137 139	8 77	50 56 3 4 29 28	1 8 9	1 1 1	74 81 2 2 42 42	}1
	1	j	1		İ	1	1	1	1		1	1		l		ľ
33	34	36	30 19	61	63	109	142 79	179	166	140	75	27	6	1	7	{ ``
18	22 12	20 16	19 11	39 22	43 20	59 50	63	88 91	77 89	61 79	33 42	13 14	3	1	6	-
35 24	. 28	30	31	29	30	33	27	49	27	17	9	5	1	1	85	<b>-</b> -[
11	19 9	23 7	20 11	20 9	16 14	21 12	9	28 21	12 15	8 9	3	2 3	1	1	48 37	1
388 196	425 217	392	344 193	345	288 159	273	255	261	185	118 49	66	39	17	26 7	156	_
196 192	217 208	214 178	193 151	168 177	129	133 140	131 124	117	109 76	69	34 32	23	6 11	19	92 64	ì
196 192	216 208	214 178	193 151	168 177	159 129	133 140	131 124	144 117	109 76	49 69	34 32	16 23	6 11	7 19	90 63	15
	1														$\begin{smallmatrix}1\\2\end{smallmatrix}$	}23  }24
																- {25  }25
																}26
0.100	0.000		1 400	100												
2,109 1,162 947	2,036 1,156	1,605 905 700	1,630 963 667	780	1,248 762	1,320 746	1,270 685	1,172 630	951 478	697 293	403	210	80	90 37	154 88	27
1,042	1,156 880 928	700	770	560 685	486 730	766	585 788	630 542 679	473	293 404	226	109 77	28 52	37 53	88 66	28 29
609	589 339	496 301	477	436 249	465 265	452	438 350	373 306	278 303	388 152 236	95 127	36 41	20 4 16	6	61 41 20	30
433 913	339 809	301 689	293 648	249 557	265 608	314 629	350 614	306 474	303 384	236 267	127	41 44	16 15	6	20 31	31 32 33
530 383	507 302	416 273	390 258	348 209	373 235	367 262	346 268	251 223	185 199	115 152	53 84	21 23	2 13	3 4	20 11	34 35
			i				J	i .	199 79	152 60	}			4 1		1
392 283 77 49 61 51	371 224 66 47 70	257 180 90 49 69	225 160 106 67 59 31	· 174 106 109 76 65 27	171 126 . 127 66 75	169 121 95 84 103 57	159 131 87 65 100 72	120 113 41 43 90	102 24	88 12	24 45 6	9 7 4	7	1	12 7 3	}36 }37
49 61 51	47 70 31	49 69 44	67 59	76 65	66 75	84 103	65 100	43 90 67	102 24 31 82 66	88 12 19 43 45	9 23 30	3 8 13	1 1 5	1 3	5 1	38
99	77	66	86	97	96	96	140	172	176	107	76	29	4	3	4	39
65 34	57 20	47 19	62 24	66 31	71 25	63 33	74 66	105 67	81 95	32 75	36 40	11 18	1 3	2 1	2	40 41
30	42	42	36	31	26	41	34	33	21	14	9	4	1	2	27	42
14 16	25 17	33	25 11	22 9	21 5	22 19	18 16	17 16	12 9	5 9	6 3	4	1	1 1	19 8	43 44
1,067	1,108	. 808	860	655	518	554	482	493	370	309	181	133	60	78	93	45
553 · 514	567 541	409 399	486 374	344 311	297 221	294 260	247 235	257 236	200 170	141 168	82 99	65 68	24 36	31 47	47 46	46 47
550 514	563 541 2	407 398	486 373	342 311	296 220	291 260	247 235	256 235	199 170	141 168	81 98	65 68	24 36	31 47	47 45	}48
1		1 1	010,		i	1		······i	1	,400	1				1	49
2	2	1	ı	2	1	1		1			1					50
		•••••			*******	• • • • • • • • • • • • • • • • • • • •										51
						1										52

Table 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF

T							DEATHS A	T AGE OF					
	AREA, SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
-	REGISTRATION STATES—Continued.												
	MAINE.	7.4.400	1 700	0.54		110	70	0.000	207	074	ron	666	070
1	TotalMales	7 508	957	357	151	112 55	70	2,390 1,304	297 159	124	527 288	325	859 434
3	Females	7,508 6,991	957 743	183 174	83	57	29	1,086	138	150	288 239	325 341	425
- }	White Males	7 471	1,696 956	353 182	150	112	70	1,301	296 158	273 123	523 286	658 321	433
5	Females	7,471 6,972	740	171	83	55 57	29	1,080	138	150	237	337	425
.7	Native	12,026	1,687	347	148	108	66	2,356	286	254	461	539	668
8	Males Females	6,177 5,849	953 734	179 168	66 82	54 54	38 28	1,290 1,066	154 132	113 141	252 209	257 282	336 332
10	Both parents native $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	4,250 4,154	567 436	103 106	46 49 18 33	25 31 27 21	22 16	763 638 505 410	88 78	71 80	165 145	162 172	223 222 95 99 18
11	One or both parents foreign $\binom{M}{F}$ $\binom{M}{G}$	1,370 1,268	369 285 17 13	75 59 1	18 33 2	27 21	16 12	505 410	88 78 63 51 3	80 40 59 2	78 58 9	100 14	95 99 18
12	Parentage unknown ${}^{1}$ ${}^{M}$ ${}^{F}$	557 427		3		2 2		22 18		2	6	10	1
13 14	Foreign	2,206	6	2		1	2	16	9	15 7	58 31	105	179
15	Males Females	1,147 1,059	4	2		3	1	10	6	8	27	50	88 <b>91</b>
16	Unknown	211	3	2	2		2	9	1	4	4	14	
17 18	MalesFemales	147 64	1 2	1	1		2	5 4	1	3 1	3 1	9 5	9 2
19	Colored	56	4	4	1			9	1	1	4	8	1
20 21	MalesFemales	37 19	1 3	1 3	1			3 6	1	1	. 2	4 4	1
22	Negro $\left\{ egin{array}{l} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	23	····· <sub>1</sub> ·	2					1		1 1	2	. 1
23	Indian $\left\{egin{array}{ll} \mathbf{M} \\ \mathbf{F} \end{array}\right\}$	13 10	1 2	1	1			3 3		1	1 1	3	
24	Chinese	1			-								
25 26	JapaneseF.												
20	MARYLAND,										•		
27	Total	32,134	4,790	1,439	638	351	283	7,501	822	654	1,341	1,876	2,316
28 29	MalesFemales	16,944 15,190	2,589 2,201	755 684		176 175	137 146	3,965 3,536	414 408	312 342			1,152 1,164
30	White	24,329	3,468	976		243	187	5,284	556	434	866	- <u></u>	1,830
31 32	Males Females	13,016 11,313	1,903 1,565	519 457	201 209	129 114		2,845 2,439	305 251	200 234	492 374	633 744	918 912
33	Native	20,580	3,447	969	1	240	1	5,247	547	422	1	ì	1,557
34 35	MalesFemales	10,803	1,890	516 453	201 205		92 93	2,826 2,421	302 245	193 229	448 364	526 672	751 806
36	Both parents native $\prod_{\mathbf{F}}^{\mathbf{M}}$	9,777	1,557	387	163	99	71	2,236	235	148	337	385	l i
37	One or both parents foreign. $\mathbb{F}$ .	6,732	1,516 1,208 320 304	119	160	86 28 25	71 21 21	1,853 525 497	184 60	166 37 52	86	97	504 564 167
38	Parentage unknown $^{1}$ $^{M}$ .	1,196 972	54 45	10	1 1			.   65	51 7 10	8	25 13	44 43	180 80 52
39	Foreign	Ĭ			1	ì	1	1	6	10	1	}	235
40 41	MalesFemales	1,862 1,407			ii	. 1	1	. 2	2 4	5 5	33 10	85 66	142 93
42	Unknown	1	21	7	1	ì	1	1)	3	1	1	}	38
43 44	Males Females	. 351	13	3		. 1		. 17	1 2	2	11	22	· 25
45	Colored.	1	1,322	1		1	1	II.	266	220	475	1,	486
46	MalesFemales		-	236	3 107	47	44	1,120	109 157	112	216	231	234 252
47		1	!!		i	1	1	' '	109	108	216	229	234
48 49	Negro	. 3,877	636	227	7 121	61	52	1,097	157	108	259	268	252
50	Chinese. JM	.   10	-									i	
51	Japanese	. 1				-						i	
52	Other colored ${\mathbf{F}}$							-		:			1

<sup>&</sup>lt;sup>1</sup> Both parents unknown or one parent unknown and one native.

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT DECEDENT: 1918—Continued.

Description   Description																
Decision   Section   Sec			•					e of—	HS AT AG	DEAT		<del></del>				
10   10   10   10   10   10   10   10	nown	100 years and over.														
10   10   10   10   10   10   10   10											•					-
686   667   679   670   505   508   667   576   1,022   1,125   1,107   575   508   588   60   0   0   0   0   0   0   0   0	53	6	40	168	506	875	1,110	1,132	1,029	878	668	536	506	482	648	849
10	43 10	3 3	15 25		217 289		567 543	611 521		493 385	34 <u>4</u> 32 <del>4</del>	271 265	259 247	234 248	340 308	
644   472   355   367   586   515   717   835   017   806   745   415   141   26   4   22   7	52	6	40	168	503	875	1,107	1,124	1,026	876	667	533	505	479	647	846
State	42 10	3 3	15 25	51 117	215 288	429 446			555 471	491 385	314 323	270 263	258 247	231 248	339 308	436 410
100		———I=														
182	16 6			42 99	181 238	394	464 435	492 425	458 372	404 313	266 248	194 200	180 187	166 184	235 237	317 327
182	3 \		8 17	85	182	276 306	354 350	350 344	303	237	187	147 :	139	113 125	171	236 220
182	6			5 8	17 28	29 51	31 85	29 96	44 47	45 50	40 31	32 21	33 22	• 45 16	46 12	93 14
St.   Off	- 1	2	10	)											1	
20	9	2	5	8	31	73	93	108	90	80	66			57	91	101
3	21		-												Į.	
3	17 4	·····	i	1 1	3 2		7 11						8 3	8 2		18 2
1	1				3		3	8		2	1	3	1	3	1	3
1	1						3		3	2	i		1	3	1	3
1, 988					1			2		2	i		1	3	1	
1,988   1,827   1,354   1,884   1,483   1,510   1,580   1,641   1,680   1,427   950   478   159   37   14   112   27					1		1		2			1				
1,988   1,827   1,354   1,884   1,483   1,510   1,580   1,641   1,680   1,427   950   478   159   37   14   112   27			•••••													
1,110	],															
1,110			**********									•••••				
1,554		i——-					<del></del>			<del> </del>						
889	====	9	28	104	295	=	746	832	761	720	664	659	568	561		878
1,325         1,077         765         769         822         919         1,025         1,063         1,069         935         616         226         75         18         1         22         33           732         662         457         439         463         519         524         558         530         443         279         111         24         6          10         34           593         416         308         339         460         501         505         530         442         237         185         51         12         1         12         35           495         436         262         234         247         290         278         353         342         228         18         16         5         4         4         11         13         14         14         130         14         14         130         14         14         130         14         14         130         18         12         12         2         2         2         3         3         14         18         14         13         13         14         13         13         14         <				·	<del></del>					<del></del>					·	
732 662 457 439 443 519 524 558 530 442 337 185 51 12 1 12 35  495 436 262 234 247 290 278 333 342 282 171 83 16 5 4 16 16 16 16 16 16 16 16 16 16 16 16 16	17		20	84	266	467	651	715	631	601	508	466	393	ľ	500	665
495       436       262       234       247       290       278       353       342       282       171       83       16       5        4       36       163       185       194       198       207       227       279       329       338       330       220       128       39       5       1       4       36       153       141       130       163       155       142       110       75       61       25       8       4         37       37       141       110       75       61       25       8       4         37       141       110       75       61       25       8       4         38       330       200       4       1        61       38       20       4       1        6       38         205       250       175       178       222       237       235       276       344       298       213       124       47       8       3       6       39         136       173       113       123       122       135       143       158 <td>i</td> <td></td> <td>6</td> <td></td> <td></td> <td></td> <td>443</td> <td>530</td> <td><del>`</del></td> <td> </td> <td>519</td> <td>463</td> <td></td> <td>457</td> <td>662</td> <td>732</td>	i		6				443	530	<del>`</del>		519	463		457	662	732
205         250         175         178         222         237         235         276         344         298         213         124         47         8         3         6         39           136         173         113         123         122         135         143         158         178         153         88         48         16		1		1	1	1		539		1		359	1	1	436	
205         250         175         178         222         237         235         276         344         298         213         124         47         8         3         6         39           136         173         113         123         122         135         143         158         178         153         88         48         16		1	5	39 4	128	220 25	330 61	338 75	329 110	279 142	155	207 143	198 130	194 141	288 145	421 153
205         250         175         178         222         237         235         276         344         298         213         124         47         8         3         6         39           136         173         113         123         122         135         143         158         178         153         88         48         16	6		1	4	20 38	83 82	100	113 108	95 73	104	74 53	73 49	75 30	54 39	80 81 47	84 41
24     34     29     37     46     26     39     31     24     22     9     5     2	ì	3	8	1		(		ļ	1	1	}	ļ	i	1	1	
21     26     26     29     39     20     31     23     14     8     4       32     43       434     466     385     400     393     328     281     271     243     172     112     53     35     11     10     48     45       221     250     197     225     200     172     162     141     126     77     62     24     15     3     3     28     46       213     216     188     175     193     156     119     130     117     95     50     29     20     8     7     20     47       219     248     197     225     197     172     161     141     126     77     62     24     15     3     3     27     28       219     248     197     225     197     172     161     141     126     77     62     24     15     3     3     27     28       219     248     197     225     193     156     119     130     117     95     50     29     20     8     7     20     49       22 <td>5 1</td> <td>2</td> <td>8</td> <td></td> <td>48 76</td> <td>88 125</td> <td>153 145</td> <td>178 166</td> <td>158 118</td> <td>143 92</td> <td>135 102</td> <td>122 100</td> <td>123 55</td> <td>113 62</td> <td>173 77</td> <td>136 69</td>	5 1	2	8		48 76	88 125	153 145	178 166	158 118	143 92	135 102	122 100	123 55	113 62	173 77	136 69
434         466         385         400         393         328         281         271         243         172         112         53         35         11         10         48         45           221         250         197         225         200         172         162         141         126         77         62         24         15         3         3         28         46         47           219         248         197         225         197         172         161         141         126         77         62         24         15         3         3         27         20         48         7         20         8         7         20         8         7         20         48         7         20         8         7         20         48         7         20         48         7         20         48         7         20         8         7         20         8         7         20         8         7         20         8         7         20         8         7         20         8         7         20         8         7         20         8         7         20				2	5					·l				·		]
221     250     197     225     200     172     162     141     126     77     62     24     15     3     3     28     46       213     216     188     175     193     156     119     130     117     95     50     29     20     8     7     20     47       219     248     197     225     197     172     161     141     126     77     62     24     15     3     3     27     28       213     216     188     175     193     156     119     130     117     95     50     29     20     8     7     20     34       49     2     2     3     1     <	$\begin{array}{c} 32 \\ 4 \end{array}$			2	5	5	8 14		23 8	31 8	20 6	39 7	29 8	26 3	26 8	21 3
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$		-		<b> </b>		-	·						·	·		<u> </u>
2 2 3 1 1 350 551	1	7	8	20	į.	50	95	1		1	156	1	1	1	1	i
2 2 3 1 1 50	27 20	3 7		15 20	24 29	62 50		117	141 130	161 119		197 193	225 175	197 188	248 216	219 213
51										1		3			2	2
52																
								.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,								

Table 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF

===							DEAT	THS AT AGE	OF				
	AREA, SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION STATES—Continued.  MASSACHUSETTS.	•											
1	Total	77,248	10,780	2,983	1, 274	845	631	16, 513	1,719	1,211	2,149	3,792	5,796
2 3	Males Females	40,117 37,131	6,122 4,658	1,568 1,415	624 650	448 397	329 302	9, 091 7, 422	913 806	579 632	1,083 1,066	1,643 2,149	2,777 3,019
4	White.	75, 867	10,579	2,901	1,241	827	620	16,168	1,696	1,197	2,102	3,700	5,703
5	<u>M</u> ales	39,343	6,001	1,527	608	441	326	8,903	899	576	1,058	1,592	2,726
6	Females	36, 524	4,578	1,374	633	386	294	7, 265	797	621	1,044	2,108	2,977
8	Native	50,021	5,977	2,887	1,227	814 436	596 318	16,065 8,849	1,614	1,078	1,731	2,469 1,051	3, 268 1, 503
9	Females	25, 836 24, 185	4,564	1,370	626	378	278	7,216	752	561	845	1,418	1,765
10 11 12	Both parents native $\begin{cases} M_{-} \\ F_{-} \end{cases}$ One or both parents foreign $\begin{cases} M_{-} \\ F_{-} \end{cases}$ Parentage unknown 1 $\begin{cases} M_{-} \\ F_{-} \end{cases}$	10,304 9,896 13,568 12,377 1,964	1,809 1,313 3,946 3,068 222	324 277 1,171 1,058 22	148 156 437 458 16	131 88 299 286 6	97 77 218 201	2,509 1,911 6,071 5,071 269	250 215 597 531 15	178 180 331 364 8	307 252 559 582 20	373 474 623 902 55	532 632 903 1,066 68
	,	1,912	183	35	12	4		234	6	17	11	42	67
13 14	Foreign Males	25, 284	7	13	13 7	13	21	74 35	79 36	115	363 170	1,190	2,400 1,197
15	Females	12,176	7	10 3	6	8	15	39	43	57	193	681	1,203
16	Unknown	562	24	1	1		3	29	3	4	8	41	35
17 18	Males. 9. Females.	399 163	17 7	1	i		2	19 10	1 2	1 3	2 6	32 9	26 9
19	Colored	1,381	201	82	33	18	11	345	23	14	47	92	93
20 21	Males Females	774 607	121 80	41 41	16 17	7 11	3 8	188 157	14 9	3 11	25 22	51 41	51 42
22	Negro $\left\{ egin{matrix} M & \dots \\ F & \dots \end{array} \right.$	706 588	119 79	41 40	16 17	7 11	3 8	186 155	14 9	3 11	23 20	47 37	50 40
23	$\begin{array}{cccc} \text{Indian} & & \begin{pmatrix} \mathbf{M} & \cdot \\ \mathbf{F} & \cdot \\ \end{pmatrix} \\ \text{Chinace} & & \begin{pmatrix} \mathbf{M} & \cdot \\ \end{pmatrix} \\ \mathbf{M} & \cdot \\ \end{array}$	5 9						1 2			2	1 1 3	1
24	(F	61 10 1	1					î			2	3	2
25 26	Other orland (M.	i.											
20	MICHIGAN.												
27	Total	53,320	8, 105	1,777	856	579	490	11,807	1,389	1,008	1,681	2,425	3,364
28 29	Males Females	29,007 24,313	4,539 3,566	969 808	430 426	287 292	261 229	6,486 5,321	754 635	486 522	925 756	1,123 1,302	1,714 1,650
30	White	52,103	7,971	1,736	831	565	475	11,578	1,352	968	1,598	2,337	3, 245
31 32	MalesFemales	28, 291 23, 812	4,472 3,499	943 793	416 415	278 287	251 224	6,360 5,218	731 621	471 497	875 <b>723</b>	1,069 1,268	1,653 1,592
33	Native	36,992	7, 917	1,710	825	552	461	11,465	1,276	897	1,437	1,833	2,319
34 35	Males Females	19,389 17,603	4, 437 3, 480	929 781	414 411	269 283	244 217	6, 293 5, 172	685 591	436 461	785 652	794 1,039	1,100 1,219
36	Both parents native $\left\{egin{array}{cccccccccccccccccccccccccccccccccccc$	9,505 8,686 7,350 6,730	2,313 1,860	467 347	222 203 189	137 136 132	130 94	3, 269 2, 640 2, 878	385 320	250 266	423 349	371 507	494 510
37	One or both parents foreign $\left\{\begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix}\right\}$	7,350 6,730	1,995 1,537	451 418	203 [	132 144	111 114	2,416	289 264 11	175 190 11	329 268 33 35	374 466 49	510 506 601 100
38	Parentage unknown 1 $\left\{egin{matrix} M & \cdot \\ F & \cdot \end{bmatrix}\right\}$	2,534 2,187	129 83	11 16	3 5	3	3 9	146 116	7	5	35	66	108
39	Foreign	14,155	15	20	4	12	14	65	66	65)	144	479	872
40 41	Males Females	8, 186 5, 969	12 3	10 10	1 3	8 4	7 7	38 27	43 23	32 33	78 66	258 221	509 363
42	Unknown	956	39	6	2	1		48	10	в	17	25	54
43 44	Males Females	716 240	23 16	4 2	1	1		29 19	3 7	3 3	12 5	17 8	44 10
45	Colored	1,217	134	41	25	14	15	229	37	40	83	88	119
46 47	MalesFemales	716 501	67 67	26 15	14 11	9 5	10	126 103	23 14	15 25	50 33	54 34	· 61 · 58
48	Negro $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right\}$	560		18	9	6	6	88	12	7	35	45 26	49 46
49	Indian $\begin{cases} \mathbf{F} & \mathbf{F} \\ \mathbf{M} & \mathbf{F} \end{cases}$	369 146 130	49 53 18	11 8	6 5 5	2 3 3	. 3	74 38 29	5 11 9	14 8 11	35 16 15 17	26 9 7	46 10 12 2
50	Chinese $M$ .	7	14	4				29	9			1	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
51	Japanese $\left\{egin{array}{c} M \\ F \end{array}\right\}$	1											
52	Other colored	2											

<sup>&</sup>lt;sup>1</sup> Both parents unknown or one parent unknown and one native.

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT DECEDENT: 1918—Continued.

				***		DEATE	S AT AGE	OF					,		Deaths at un-
0 to 84 years.	85 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	known age.
5,609	4,588	3,619	3,626	3,556	3, 705	4, 135	4,348	4,351	3,665	2,666	1,456	567	127	21	29
3, 130 2, 479	2,635 1,953	2,068 1,551	2,052 1,574	1,903 1,653	2,022 1,683	2,216 1,919	2,222 2,126	2,122 2,229	1,679 1,986	1, 150 1, 516	570 886	194 373	39 88	7 14	22
5,512	4,466	3,526	3,547	3,481	3,632	4,071	4,297	4,309	3,628	2,652	1,445	562	126	19	28
3,073 2,439	2,561 1,905	2,009 1,517	2,007 1,540	1,857 1,624	1,969 1,663	2,181 1,890	2,202 2,095	2,098 2,211	1,664 1,964	1,143	566 879	193 369	39 87	6 13	21 7
2,439	1,905 2,204	1,517 1,723	1,540	1,624	1,840	2,203	2,095	2,211	2,058	1,509	941	392	85	7	3
1,569 1,326	1,247 957	966 757	882 793	825 789	1,002 838	1,194 1,009	1,227 1,026	1, 125 1, 126	917 1, 141	702 950	356 585	131 261	24 61	7	1 2
	5				440	619	752	•	i '			ł .	16 49		1
593 524 893 710 83 92	481 375 668 526 98 56	340 268 558 423 68 66	335 306 472 414 75 73	304 328 439 394 82 67	389 437 345 125 104	468 431 408 144 133	604 272 257 203 165	764 762 150 165 211 199	639 804 94 117 184 220	516 712 48 65 138 173	265 438 15 26 76 121	90 198 6 10 35 53	49 1 1 7 11	6	1
2,579	2,226	1,764	1,828	1,820	1,746	1,824	1,996	2,023	1,548	984	501	166	· 40	. 12	6
1,474 1,105	1,284 942	1,018 746	1,090 738	995 825	928 818	952 872	944 1,052	950 1,073	738 810	434 550	210 291	61 105	15 25.	6	4 2
38	36	39	44	47	46	1 44	48	35	22	16	3	4	• 1		19
30 8	30 6	25 14	35 9	37 10	39 7	35 9	31 17	. 23 12	9 13	7 9	3	1 3	1		16 3
97	122	93	79	75	73	64	51	42	37	14	11	5	1	2	1
57 40	74 48	59 34	45 34	46 29	·53 20	35 29	20 31	24 18	15 22	7 7	4 7	1 4	1	1 1	1
51	63 47	45 33	38 32	38 29	47	32 29	18 30	23 18	15 22	7	3 5	, <u>1</u>	i	1	1
38		i	2 7	1	20 1		·····i	. 1			1 2				
5 2	11	13	7	7	5	3	2								
1		1													
										•••••					
3,142	2,498	1,940	2,018	2,157	2, 555	2,918	3,236	3,619	3,285	2,295	1,289	425	97	14	158
1,730 1,412	1,390 1,108	1,106 834	1,155 863	1,197 960	1,482 1,073	1,677 1,241	1,852 1,384	2,002 1,617	1,783 1,502	1,146 1,149	636 653	206 219	44 53	7 7	106 52
3,044	2,399	1,880	1,942	2,099	2,505	2,876	3,208	3,586	3,261	2,272	1,275	419	94	10	155
1,665 1,379	1,333 1,066	1,069 811	1,109 833	1,161 938	1,451 1,054	1,648 1,228	1,835 1,373	1,983 1,603	1,767 1,494	1, 131 1, 141	627 648	201 218	43 51	6	105 50
2,065	1,465	1,121	1,131	1,144	1,475	1,634	1,790	2,004	1,721	1,219	669	227	42	: 4	54
1,048 1,017		573 548	595 536	581 563	813 662	907 727	1,012 778	1,088 916	904 817	584 635	321 348	108 119	20 22	1 3	27 27
469 470	310 339 300 322 104	247 250 255 226 71 72	239 218	253 256	368 287	399 353 302 220 206	501 406	549 468 190 182 349 266	447 407 161 138 296 272	299 343 78 87	158 205 - 37 34 126 109	. 48 66 10 12 50	11 9	.1	14 16 10 9
469 470 467 426 112 121	300 322 104	255 226 71	239 218 243 239 113 79	253 256 225 213 103 94	368 287 272 237 173 138	302 220 206	501 406 249 178 262 194	190 182 349	161 138 296	78 87 207	34 126	12 50	1 9	1	10 9 3 2
	90	1	Į.	1	1	. 154	1	i	ı	207 205	1	41	12	1	2 46
913 566	869 566	702 451	757 469	892 529	959 576	1,172	1,333	i,511 845 666	1,485 833 652	1,003 519 484	586 292 294	183 88 95	49 22 27	3 1	31 15
566 347	566 303	451 251	469 288	529 363	576 383	685 487	753 580		652	1	294 20	95 9	27 3	1 2	15 55
66 51	65 53	57 45	54 45	63 51	71 62	70 56	85 70	71 50		50 28 22	14 6	5	1		47 8
51 15	i .	45 12	9	12	62 9	14	70 15	21	30 25	1		4	2	2	8
98 65	99 57	60	76 46	58 36	50 31	29	28	33	24 16	23 15 8	9	5	3 1 2	3	1 2
65 33	57 42	37 23	46 30	36 22	31 19	29 13	17 11	19 14	16 8		5	3	1	1 2	
53 32 12	53 33 2 8	31 21 4 2 2	45 24 1 6	29 16 5 6	26 14 5 5	23 11 5 2 1	15 7 2 4	14 11 5	11 7 5 1	12 7 3 1	5 3 4 2	1 1		1	1
1	8	. 2	6	6 2	5	2	4	5 3	i	ı i	2		2	1	1
	1														
	1 1											i			

Table 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF

[This table excludes the deaths.

							DEAT	HS AT AGE	ог—				
	· AREA, SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION STATES—Continued.				ļ <del></del>								
	MINNESOTA.											•	
1 2	Total	31, 109	3,968	821 400	473 275	297 168	238	5,797	837 435	786 396	1,288	1,780	2,315
3	Females	17, 222 13, 587	2,256 1,712	421	198	129	107	3,230 2,567	402	390	593	961	1, 161
4 5	White	30, 709 17, 005	3,911	805 395	464 271	293	235 129	5,708 3,184	820 423	771 389	1, 262	1,755	2,291
6	Males Females	13,704	1,687	410	193	165 128	103	2,524	397	382	684 578	806 949	1, 144 1, 147
7 8	Native	19,492	3,893	796	455	290	232	5,666	788	737	1,163	1,511	1,759
8 9	Males. Females	10,320 9,172	2,217 1,676	391 405	265 190	162 128	128 104	3, 163 2, 503	405 383	374 363	639 524	673 838	795 964
10	Both parents native $\begin{cases} M \\ F \end{cases}$	4,307 3,678	1,325 993	201 198 181	142 106	77 63 82	59 54	1,804 1,414	187 179	162 141	237 186	206 236	230 284 527
11 12	One or both parents foreign	5, 226 4, 841 787	840 622 52	201 9	119 81 4	82 65 3	66 50 3	1,288 1,019 71	210 198 8	207 217 5	390 329 12	446 564 21	527 628 38
	Parentage unknown 1	653	61	6	3			70	6	5	9	38	52
13	Foreign	6,340	7	3	7	2	1	25 14	23	26 11	88 38	232	513 333
14 15	MalesFemales	4,444	3	4	4 3		1	11	10	15	50	107	180
16 17	Unknown	433 345	3	1	2	<u>1</u>	1	7	5	8	11 7	12	19
18	MalesFemales	88	8	1		••••••	i	10	4	4	4	4	3
19	Colored	400	57	16	9	4	3	89	17	15	26	25	24
20 21	Males Females	217 183	32 25	5 11	* 4 5	3 1	2 1	46 - 43	12 5	7 8	11 15	13 12	10 14
22	Negro $\begin{cases} M - \\ F \\ \end{cases}$	113 83	13 2	3	1	2	1	20 6	1	1	2 6	7	3 11
23	Indian	97 100 6	19 23	2 8	3 4	1 1	1 1	26 37	11 5	6 8	9	6 8	3 3 3
24	(F	i											
26	$\begin{array}{cccccccccccccccccccccccccccccccccccc$												
	MISSOURI.	•		*****						•••••			
27 28	Total	53,311	5,937	1,784	956	656	440	9,773	1,500	1,243	2,232	3,053	3,627
29	Males Females	28, 983 24, 328	3, 259 2, 678	939 845	530 <b>42</b> 6	331 325	224 216	5, 283 4, 490	764 736	642 601	1,195 1,037	1,361 1,692	1,757 1,870
08 18	White	48, 465	5,499	1,619	851	593	409	8,971	1,357	1,132	1,989	2,695	3, 235
32	Males Females	26,398 22,067	3,022 2,477	849 770	466 385	302 291	204 205	4,843 4,128	692 665	587 545	1,086 903	1,213 1,482	1,569 1,666
33	Native	41,007	5,480	1,613	848	586	406	8, 933	1,330	1,099	1,886	. 2, 485	2,896
34 35	Males Females	21,892 19,115	3, 014 2, 456	847 766	464 384	297 289	202 204	4,824 4,109	676 654	573 526	1,026 860	1,086 1,399	1,372 1,524
36	Both parents native $\left\{ egin{array}{c} M \\ P \end{array} \right.$	14, 108 12, 542	2,548 2,058	728 641	409 335	257 236	177 178	4,119 3,448 484	580 561	485 448	844 674	797 1,019 162	909 1,007 254
37	One or both parents foreign $\left\{ egin{array}{c} M \\ F \end{array} \right\}$	3,716 3,129 4,068	307 252 159	89 90	335 40 35 15	30 39	178 18 20 7	484 436 221 225	66 71	485 448 55 46 33 32	104 108 78 78	162 201 127	254 282 209
38	Parentage unknown $^{1}$ $^{M}_{F}$	3,444	156	30 35	14	16 14	6	221	30 22	32	78	179	235
39	Foreign	6,007	2	3	2	5	1	13	20	24	62	135	258
40 41	Males Females	3,471 2,536	1	1 2	2	3 2	1	8 5	12 8	10 14	31 31	75 60	140 118
42	Unknown	1,451	17	3	1	2	2	25	7	9	41	75	81
43 44	Males Females	1,035 416	7 10	$\frac{1}{2}$	1	2	1	11 14	4 3	4 5	29 12	52 23	57 24
45	Colored	4,846	438	165	105	63	31	802	143	111	243	358	392
46 47	Males Females	2,585 2,261	237 201	90 75	64 41	29 34	20 11	440 362	72 71	55 56	109 134	148 210	188 204
48	Negro $\left\{egin{array}{c} M \ . \ \end{array}\right\}$	2,565 2,253	234 199	90 74	64 41	29 34	20 11	437 359	72 71	55 56	108 134	147 206	187 204
49	Indian $\begin{cases} M & \\ F & \end{cases}$	3 2 9	1 1					1			1		
50	$\begin{array}{cccc} \text{Chinese.} & & & & M \\ F & & & \\ \text{Japanese.} & & & M \\ \end{array}$	1 1 7		••••••								1	1
51	Japanese	4 11											

<sup>1</sup> Both parents unknown or one parent unknown and one native.

# DEATHS, BY AGE, SEX, COLOR, AND NATIVITY.

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT DECEDENT: 1918—Continued.

19-2-1	19   19   19   19   19   19   19   19	Death at un							of—	S AT AGE	DEATE						
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	knowi	100 years and over.	95 to 99 years.			80 to 84 years.	75 to 79 years.				55 to 59 years.	50 to 54 years.	45 to 49 years.	40 to 44 years.		
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,		_									`	,				
"978"         ************************************	"978         "688         558 </td <td></td> <td></td> <td></td> <td>  </td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>																
1,10	1,10		5	45	146	389	634			602	590				563	686	973
1,555   1,105   743   683   612   680   614   559   463   398   347   100   65   15   1   15	1,555   1,055   745   663   612   650   614   550   443   500   547   120   66   15   1   14																
	1	1	1	41						591	- 1			- 1	556	675	5,314 961
The color of the	The color of the		1														
66 54 23 35 35 49 86 77 87 88 90 52 44 32 11 2 1 1	60 6 54 73 35 35 38 66 72 6 82 90 56 74 82 94 80 77 2 2 1 1 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1	9		101	181	183	221	208	ĺ		1	333	339	583 442	840 715
66 54 23 35 35 49 86 77 87 88 90 52 44 32 11 2 1 1	60 6 54 73 35 35 38 66 72 6 82 90 56 74 82 94 80 77 2 2 1 1 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		i	7	21 21	47 59	95 120	122 99	129 124	137 88	126 84	118 104	96 67	90 73	104 76	162 118	232 194
46	46				5 9	11 35	· 17	39 54	57 60	77 64	170 122 72	180 170 62	187 180 39	208 204 35	267 242 33	367 283 54	548 475
March   Marc	Add   Add	1			i I		!			43		46	43	ŀ		41	
230   230   231   232   231   232   232   233   37   200   332   377   521   447   448   287   112   32   4   2   32   3   37   300   34   21   9   5   6   3   3   3   3   3   3   3   3   3	\$\frac{2}{3}\$   \$\frac{2}{2}\$	<u> </u>															
27   28   28   28   38   28   38   28   32   28   38   28   32   28   38   3	27			32	112							ı	261		- 1	i	243
3	32 28 17 25 16 10 20 16 15 7 5 2 1 4 1 1 3 3 4 1 2 2 2 6 6 3 3 1 1 1 3 3 3 4 1 1 3 3 4 1 1 3 3 4 1 1 1 3 3 4 1 1 1 1									<del></del>							
20	20	}	**********							6			. 4	3	23		27 3
122 11 7 7 5 5 5 5 5 10 11 8 2 2 4 1 1 4 1 4 1 1 1 3 1 1 1 1 1 1 1 1 1 1	12			<u> 4</u>	1												
6 5 5 1 4 4 2 2 1 1 2 2 3 5 4 6 8 8 4 1 2 1 1 3 2 1 1 3 2 1 1 3 2 1 1 3 2 1 1 3 2 1 1 2 2 3 5 5 4 1 2 2 1 1 2 2 3 5 5 4 1 2 2 1 1 2 2 3 5 5 4 1 2 2 1 1 3 2 1 1 2 1 1 3 1	6         7         6         5         1         4         2         1         2         1         2         1         2         1         2         1         2         1         2         1         2         1         1         2         1         1         2         1		1	4	1	2	4	2	8	11		5	11 5	21 5	10 7	17 11	20 12
1	1		1	3	i		1 2	1 1	2 4	2 8	8 6	- 4	8 <b>5</b>	16 3	9	12 7	13 6
3,493 2,982 2,489 2,433 2,448 2,540 2,899 3,007 3,244 2,749 1,808 1,002 334 57 26 217 1,949 1,605 1,446 1,427 1,035 1,446 1,422 1,578 1,503 1,50	3,493 2,982 2,489 2,433 2,942 2,540 1,560 1,560 1,560 1,560 1,500 1,500 334 57 26 221 1,949 1,605 1,546 1,424 1,772 1,560 1,50			1		1	2	1	5 4	3	2 4	1		4 2		5	6 6
1,949	1,949													1			1
1,949	1,949						• • • • • • • • • • • • • • • • • • • •										
1,949	1,949		•••••										••••••				
\$\frac{1}{3}\text{order}{	\$\frac{3}{5},083\$ \ \ \frac{2}{5},722\$ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \			87	334	ļ	1,898				2,899		2,343	2,433	2,489	2,982	3,493
3,083         2,572         2,137         2,088         2,082         2,304         2,719         2,907         3,104         2,641         1,846         1,012         317         70         11         173           1,750         1,455         1,245         1,212         1,237         1,403         1,582         1,649         1,720         1,302         944         521         158         36         7         117           1,500         1,717         1,708         1,631         1,852         2,111         2,136         2,232         1,838         1,199         663         214         47         5         52           2,732         2,204         1,771         1,708         1,631         1,832         1,187         1,225         964         601         348         111         24         2         22           1,520         1,924         775         775         775         775         775         775         775         775         775         775         775         775         775         775         775         775         775         770         471         2772         923         1,312         1,332         173         59         7 </td <td>3,083         2,572         2,137         2,082         2,304         2,719         2,907         3,104         2,641         1,846         1,012         317         70         11         1,73           1,730         1,455         1,212         1,237         1,403         1,582         1,649         1,720         1,392         944         521         158         36         7         11           1,353         1,117         1,708         1,631         1,835         1,212         1,212         141         2,138         1,239         944         521         159         36         7         11           2,732         2,204         1,771         1,708         1,631         1,838         1,187         1,225         984         601         348         111         24         2         2         1,232         1,949         775         775         778         700         7772         923         1,950         984         601         348         111         24         2         2         2         1,150         1,141         24         2         2         2         1,150         1,145         1,145         1,145         1,145         1,145         1,145<!--</td--><td>1</td><td>12 14</td><td>41 46</td><td>162 172</td><td>540 512</td><td>975 923</td><td>1,438 1,311</td><td>1,796 1,448</td><td>1,754 1,343</td><td>1,689 1,210</td><td>1,536 1,004</td><td>1,378 965</td><td>1,424 1,009</td><td>1,446 1,043</td><td>1,695 1,287</td><td>1,949 1,544</td></td>	3,083         2,572         2,137         2,082         2,304         2,719         2,907         3,104         2,641         1,846         1,012         317         70         11         1,73           1,730         1,455         1,212         1,237         1,403         1,582         1,649         1,720         1,392         944         521         158         36         7         11           1,353         1,117         1,708         1,631         1,835         1,212         1,212         141         2,138         1,239         944         521         159         36         7         11           2,732         2,204         1,771         1,708         1,631         1,838         1,187         1,225         984         601         348         111         24         2         2         1,232         1,949         775         775         778         700         7772         923         1,950         984         601         348         111         24         2         2         2         1,150         1,141         24         2         2         2         1,150         1,145         1,145         1,145         1,145         1,145         1,145 </td <td>1</td> <td>12 14</td> <td>41 46</td> <td>162 172</td> <td>540 512</td> <td>975 923</td> <td>1,438 1,311</td> <td>1,796 1,448</td> <td>1,754 1,343</td> <td>1,689 1,210</td> <td>1,536 1,004</td> <td>1,378 965</td> <td>1,424 1,009</td> <td>1,446 1,043</td> <td>1,695 1,287</td> <td>1,949 1,544</td>	1	12 14	41 46	162 172	540 512	975 923	1,438 1,311	1,796 1,448	1,754 1,343	1,689 1,210	1,536 1,004	1,378 965	1,424 1,009	1,446 1,043	1,695 1,287	1,949 1,544
2,732         2,204         1,771         1,708         1,631         1,835         2,111         2,136         2,232         1,838         1,199         663         214         47         5         52           1,500         1,220         996         950         931         1,083         1,187         1,225         964         601         348         111         24         2         25           1,232         984         775         758         700         772         923         1,187         1,225         964         601         348         111         24         2         25           952         668         529         454         404         444         580         667         373         598         315         103         23         3         227           773         583         403         376         339         348         464         498         654         470         322         173         599         7         14         14           314         271         271         298         303         316         299         228         133         34         45         22         4         2 </td <td>2,732         2,204         1,771         1,708         1,631         1,835         2,111         2,136         2,232         1,838         1,199         663         214         47         5         5           1,500         1,220         996         950         931         1,083         1,188         1,187         1,225         964         601         348         111         24         2         2           1,530         1,220         996         950         931         1,083         1,187         1,225         964         601         348         111         24         2         2           952         686         529         454         404         540         540         667         53         332         1173         59         7          1           314         271         271         298         303         316         540         554         470         328         173         59         7          1           314         271         271         283         303         316         541         580         667         470         328         173         59         7         .</td> <td></td> <td></td> <td></td> <td>ļ</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>2,304</td> <td>2,082</td> <td>2,108</td> <td>2,137</td> <td>2,572</td> <td></td>	2,732         2,204         1,771         1,708         1,631         1,835         2,111         2,136         2,232         1,838         1,199         663         214         47         5         5           1,500         1,220         996         950         931         1,083         1,188         1,187         1,225         964         601         348         111         24         2         2           1,530         1,220         996         950         931         1,083         1,187         1,225         964         601         348         111         24         2         2           952         686         529         454         404         540         540         667         53         332         1173         59         7          1           314         271         271         298         303         316         540         554         470         328         173         59         7          1           314         271         271         283         303         316         541         580         667         470         328         173         59         7         .				ļ							2,304	2,082	2,108	2,137	2,572	
2,732         2,204         1,771         1,708         1,631         1,835         2,111         2,136         2,232         1,388         1,199         663         214         47         5         52           1,500         1,220         996         950         951         700         772         923         1,947         1,225         984         601         348         111         24         2         25           952         686         529         454         404         461         541         680         667         515         332         173         69         7         144           773         583         403         376         339         348         464         498         667         515         332         173         69         7         144           314         271         271         283         333         348         464         498         667         470         326         170         50         76           314         271         271         283         338         348         469         228         133         667         470         326         170         50         76 </td <td>2,732         2,204         1,771         1,708         1,631         1,835         2,111         2,136         2,232         1,838         1,199         663         214         47         5         5           1,500         1,220         996         950         951         931         1,083         1,187         1,225         984         601         348         1113         24         2         2           1,232         982         686         529         454         404         461         541         580         667         515         332         173         59         7          1           2773         583         403         376         339         348         404         480         667         515         332         173         59         7          1           314         271         271         283         303         316         299         228         123         473         326         179         50         76          1           314         271         271         283         303         348         464         490         365         470         322<!--</td--><td>1</td><td>4</td><td>36 34</td><td>158 159</td><td>521 491</td><td>944 902</td><td>1,392 1,249</td><td>1,720 1,384</td><td>1,649 1,258</td><td>1,582 1,137</td><td>1,403 901</td><td>1,237 845</td><td>1,212 896</td><td>1,245 892</td><td>1,455 1,117</td><td>1,730 1,353</td></td>	2,732         2,204         1,771         1,708         1,631         1,835         2,111         2,136         2,232         1,838         1,199         663         214         47         5         5           1,500         1,220         996         950         951         931         1,083         1,187         1,225         984         601         348         1113         24         2         2           1,232         982         686         529         454         404         461         541         580         667         515         332         173         59         7          1           2773         583         403         376         339         348         404         480         667         515         332         173         59         7          1           314         271         271         283         303         316         299         228         123         473         326         179         50         76          1           314         271         271         283         303         348         464         490         365         470         322 </td <td>1</td> <td>4</td> <td>36 34</td> <td>158 159</td> <td>521 491</td> <td>944 902</td> <td>1,392 1,249</td> <td>1,720 1,384</td> <td>1,649 1,258</td> <td>1,582 1,137</td> <td>1,403 901</td> <td>1,237 845</td> <td>1,212 896</td> <td>1,245 892</td> <td>1,455 1,117</td> <td>1,730 1,353</td>	1	4	36 34	158 159	521 491	944 902	1,392 1,249	1,720 1,384	1,649 1,258	1,582 1,137	1,403 901	1,237 845	1,212 896	1,245 892	1,455 1,117	1,730 1,353
952         686         529         454         404         461         541         580         667         515         332         173         59         7          14           773         583         403         376         339         348         404         498         554         470         326         170         50         16         15           314         2271         298         303         316         299         228         133         84         45         22         4         2         1          15         321         204         210         198         227         208         172         110         92         40         20         7         1         1         11         12         224         226         286         348         379         425         365         224         153         48         15         1 <td>952         686         529         454         404         461         541         580         667         515         332         173         59         7          1           772         533         403         376         339         348         464         498         554         470         326         170         50         16         1           314         221         271         298         303         316         299         228         133         84         45         22         4         2         1          1           253         212         204         210         198         227         208         172         130         92         40         20         7         1          1         224         288         348         379         425         365         224         153         48         15         1</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td><u></u></td> <td></td> <td></td> <td></td> <td>2,111</td> <td>1,835</td> <td>1,631</td> <td>1,708</td> <td>1,771</td> <td>2,204</td> <td>2,732</td>	952         686         529         454         404         461         541         580         667         515         332         173         59         7          1           772         533         403         376         339         348         464         498         554         470         326         170         50         16         1           314         221         271         298         303         316         299         228         133         84         45         22         4         2         1          1           253         212         204         210         198         227         208         172         130         92         40         20         7         1          1         224         288         348         379         425         365         224         153         48         15         1						<u></u>				2,111	1,835	1,631	1,708	1,771	2,204	2,732
952         696         529         454         404         461         541         580         667         515         332         173         59         7          14           773         553         403         376         339         348         464         498         554         470         326         170         50         16         15           253         212         204         210         198         237         208         172         130         92         40         20         7         1         2	952         686         529         454         404         461         541         580         667         515         332         173         59         7		2 3	24 23	111 103	348 315	601 598	964 874	1,225 1,007	1,187 949	1,188 923	1,063 772	931 700	950 758	996 775	1,220 984	1,500 1,232
247         269         251         302         344         377         498         658         768         725         598         326         93         21         6         12           151         164         159         182         220         261         310         382         429         387         319         165         41         11         5         9           104         99         115         98         107         92         110         113         104         78         49         23         10         2         109           79         71         90         80         86         78         84         80         66         41         24         8         6         1          38           25         28         25         18         21         13         26         33         38         37         25         15         4         1          38           410         410         952         325         261         236         180         190         140         108         52         40         17         17         15         44 </td <td>247         269         251         302         344         377         498         658         768         725         598         326         93         21         6         1           161         164         159         182         220         261         310         382         429         387         319         165         41         11         5           96         165         92         120         124         116         188         276         339         387         319         165         41         11         5           104         99         115         98         107         92         110         113         104         78         49         23         10         2          10           79         71         90         80         86         79         84         80         66         41         24         8         6         1          8           25         28         25         18         21         13         26         33         38         37         25         15         4         1          2           <t< td=""><td></td><td></td><td>16</td><td>59 50</td><td>173 170</td><td>332 326</td><td>515 470</td><td>667 554</td><td>580 498</td><td>541 464</td><td>461 348</td><td>404</td><td>454 976</td><td></td><td>1</td><td></td></t<></td>	247         269         251         302         344         377         498         658         768         725         598         326         93         21         6         1           161         164         159         182         220         261         310         382         429         387         319         165         41         11         5           96         165         92         120         124         116         188         276         339         387         319         165         41         11         5           104         99         115         98         107         92         110         113         104         78         49         23         10         2          10           79         71         90         80         86         79         84         80         66         41         24         8         6         1          8           25         28         25         18         21         13         26         33         38         37         25         15         4         1          2 <t< td=""><td></td><td></td><td>16</td><td>59 50</td><td>173 170</td><td>332 326</td><td>515 470</td><td>667 554</td><td>580 498</td><td>541 464</td><td>461 348</td><td>404</td><td>454 976</td><td></td><td>1</td><td></td></t<>			16	59 50	173 170	332 326	515 470	667 554	580 498	541 464	461 348	404	454 976		1	
247         269         251         302         344         377         498         658         768         725         598         326         93         21         6         12           151         164         159         182         220         261         310         382         429         387         319         165         41         11         5         9           104         99         115         98         107         92         110         113         104         78         49         23         10         2         109           79         71         90         80         86         78         84         80         66         41         24         8         6         1          38           25         28         25         18         21         13         26         33         38         37         25         15         4         1          38           410         410         952         325         261         236         180         190         140         108         52         40         17         17         15         44 </td <td>247         269         251         302         344         377         498         658         768         725         598         326         93         21         6         1           161         164         159         182         220         261         310         382         429         387         319         165         41         11         5           96         165         92         120         124         116         188         276         339         387         319         165         41         11         5           104         99         115         98         107         92         110         113         104         78         49         23         10         2          10           79         71         90         80         86         79         84         80         66         41         24         8         6         1          8           25         28         25         18         21         13         26         33         38         37         25         15         4         1          2           <t< td=""><td></td><td></td><td>2</td><td>7</td><td>22 20</td><td>45 40</td><td>84 92</td><td>133 130</td><td>228 172</td><td>299 208</td><td>316 237</td><td>198</td><td>298 210</td><td>271 204</td><td>271° 212</td><td>314 253</td></t<></td>	247         269         251         302         344         377         498         658         768         725         598         326         93         21         6         1           161         164         159         182         220         261         310         382         429         387         319         165         41         11         5           96         165         92         120         124         116         188         276         339         387         319         165         41         11         5           104         99         115         98         107         92         110         113         104         78         49         23         10         2          10           79         71         90         80         86         79         84         80         66         41         24         8         6         1          8           25         28         25         18         21         13         26         33         38         37         25         15         4         1          2 <t< td=""><td></td><td></td><td>2</td><td>7</td><td>22 20</td><td>45 40</td><td>84 92</td><td>133 130</td><td>228 172</td><td>299 208</td><td>316 237</td><td>198</td><td>298 210</td><td>271 204</td><td>271° 212</td><td>314 253</td></t<>			2	7	22 20	45 40	84 92	133 130	228 172	299 208	316 237	198	298 210	271 204	271° 212	314 253
151         164         159         182         220         261         310         382         429         387         319         165         41         11         5         9           161         164         159         182         220         261         310         382         429         387         319         165         41         11         5         9           104         99         115         98         107         92         110         113         104         78         49         23         10         2         109           79         71         90         80         86         79         84         80         66         41         24         8         6         1          38           25         28         25         18         21         13         26         33         38         37         25         15         4         1          38           410         410         352         325         261         236         180         190         140         108         52         40         17         17         15         44 <td>  151</td> <td></td> <td>3</td> <td>6</td> <td>48 46</td> <td>153 125</td> <td>224</td> <td>365 312</td> <td>425 323</td> <td>379 279</td> <td>348 251</td> <td>286 187</td> <td>224 163</td> <td>198 172</td> <td>196 168</td> <td>263 189</td> <td>234 206</td>	151		3	6	48 46	153 125	224	365 312	425 323	379 279	348 251	286 187	224 163	198 172	196 168	263 189	234 206
104         99         115         98         107         92         110         113         104         78         49         23         10         2         109           79         71         90         80         86         79         84         80         66         41         24         8         6         1          83           25         28         25         18         21         13         26         33         38         37         25         15         4         1          26           410         410         952         325         261         236         180         190         140         108         52         40         17         17         15         44           219         240         201         212         141         133         107         105         76         46         31         19         4         5         5         29           191         170         151         113         120         103         73         85         64         62         21         21         13         12         10         15 <t< td=""><td>104     99     115     98     107     92     110     113     104     78     49     23     10     2    </td><td>ļ</td><td></td><td>ļ</td><td><u> </u></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>.]</td><td>247</td></t<>	104     99     115     98     107     92     110     113     104     78     49     23     10     2	ļ		ļ	<u> </u>											.]	247
79         71         90         80         86         79         84         80         66         41         24         8         6         1         88           25         28         25         18         21         13         26         33         38         37         25         15         4         1         88           410         410         952         325         261         236         180         190         140         108         52         40         17         17         15         44           219         240         201         212         141         133         107         105         76         46         31         19         4         5         5         5         29           191         170         151         113         120         103         73         85         64         62         21         21         13         12         10         15           219         236         199         212         139         133         106         104         76         46         30         19         4         5         5         26	79         71         90         80         86         79         84         80         66         41         24         8         6         1          8           25         28         25         18         21         13         26         33         38         37         24         8         6         1          8           410         410         952         325         261         236         180         190         140         108         52         40         17         17         15         4           219         240         201         212         212         133         107         105         76         46         31         19         4         5         5         5         12           219         240         201         211         131         120         103         73         85         64         62         21         21         13         12         10         1           219         238         199         212         139         133         106         104         76         46         30         19         4         5			11 10	41 52	165 161	319 279	387 338	429 339	382 276	310 188	261 116	220 124	182 120	159 92	164 165	151 96
410         410         952         325         261         236         180         190         140         108         52         40         17         17         15         44           219         240         201         212         141         133         107         105         76         46         31         19         4         5         5         29           191         170         151         113         120         103         73         85         64         62         21         21         13         12         10         15           219         236         199         212         139         133         106         104         76         46         30         19         4         5         5         5         26           191         170         151         113         120         103         73         85         64         62         21         21         13         12         10         14	410         410         452         325         261         236         180         190         140         108         52         40         17         17         15         4           219         240         201         212         141         133         107         105         76         48         31         19         4         5         5         5         5         5         1         21         131         120         103         73         85         64         62         21         21         13         12         10         1 <td></td> <td></td> <td>·</td> <td></td> <td></td> <td></td> <td></td> <td><u> </u></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td><u> </u></td> <td>104</td>			·					<u> </u>							<u> </u>	104
410         410         952         325         261         236         180         190         140         108         52         40         17         17         15         44           219         240         201         212         141         133         107         105         76         46         31         19         4         5         5         5         29           191         170         151         113         120         103         73         85         64         62         21         21         13         12         10         15           219         238         199         212         139         133         106         104         76         46         30         19         4         5         5         5         26           191         170         151         113         120         103         73         85         64         62         21         21         13         12         10         14           101         170         151         113         120         103         73         85         64         62         21         21         13	410         410         952         325         261         236         180         190         140         108         52         40         17         17         15         4           219         240         201         212         141         133         107         105         76         46         31         19         4         5         5         5         2           191         170         151         113         120         103         73         85         64         62         21         21         13         12         10         1           219         238         199         212         139         133         106         104         76         46         30         19         4         5         5         5         2           191         170         151         113         120         103         73         85         64         62         21         21         13         12         10         1           191         170         151         113         120         103         73         85         64         62         21         21         13         <	:		1 1	6 4	8 15	24 25	41 37	66 38	80 33	84 26	79 13	86 21	80 18	90 25	71 28	79 25
219 236 199 212 139 133 106 104 76 46 30 19 4 5 5 5 26 19 170 151 113 120 103 73 85 64 62 21 21 13 12 10 14 15 15 15 26 14 15 15 15 26 15 15 15 15 15 15 15 15 15 15 15 15 15	219 238 199 212 139 133 106 104 76 46 30 19 4 5 5 5 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						52		<del></del>				261	325	1	1	
219 236 199 212 139 133 106 104 76 46 30 19 4 5 5 26 19 19 170 151 113 120 103 73 85 64 62 21 21 13 12 10 14 14 15 15 14 15 15 14 15 15 15 26 14 15 15 15 15 15 15 15 15 15 15 15 15 15	219 236 199 212 139 133 106 104 76 46 30 19 4 5 5 5 2 1 13 170 151 113 120 103 73 85 64 62 21 21 13 12 10 11 1 1		5 10	5 12	13	19 21	31 21	46 62	76 64	105 85	107 73	133 103	141 120	212 113	201 151	240 170	219 191
			5	5	1	19	30	46	1		ł	i	139	1	1		
3 2 1 1	3 2 1 1					21	î		04			103	120	113	151	. 170	191
	2									i	1				2	3	
3	***************************************		1					1	1		I .	1	I	F	i .	1	

Table 4.—Deaths (exclusive of stillbirths) in the registration area (exclusive of hawaii), its nativity of

[This table excludes the death s

					<del></del>		DEATE	IS AT AGE	or—				
	AREA, SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION STATES—Continued.												
	MONTANA.	0.005	1 097	201	125	103	79	1,535	. 224	184	370	566	976
1 2	Total	8,985 5 787	1,027	114	67	49	32	879	127	96	217	291	594
3	MalesFemales	5,787 3,198	410	87	58	54	<u>47</u>	656	97	88	153	275	382
4	White	8,736	990	189	120	100	77	1,476	220	176	362	548	962
5 6	Males Females	5, 633 3, 103	593 397	108 81	65 55	46 54	31 46	843 633	126 94	92 84	212 150.	281 267	585 377
7	Native	5,890	987	187	118	99	72	1,463	208	160	320	429	656
8	Males Females	3,498 2,392	591 396	107 80	64 54	45 54	30 42	837 626	118 90	83 77	189 131	201 228	353 303
10	Both parents native $\{M,\}$	1.564	359	58 52	42	21 38	19 26	499 388	58	43	109	84 90	136 141
11	One or both parents foreign $\left\{ egin{array}{c} \mathbf{F} \\ \mathbf{F} \end{array} \right\}$	1,162 1,200 839	237 213 144	45 27	35 20 17	24 13	10 15	312 216	58 48 53 40 7	43 43 36 33 4	71 68 52 12	83 96	142 111
12	Parentage unknown $1 \dots \qquad \begin{cases} M \dots \\ F \end{cases}$	734 391	19 15	4	2 2	3	1 1	26 22	7 2	1	12 8	34 42	75 51
13	Foreign	2,357	2	1		1	3	7	10	15	34	95	257
14	MalesFemales	1,713 644	2	1		1	3	3 4	7 3	8 7	16 18	65 30	. 192 65
15 16	Unknown	489	1	1	2		2	6	2	1	8	24	49
17	Males	422		1	1		1	3	1	1	7	15	40
18	Females	67	1	12	1	3	1 2	3 59	1 4	8	8	9 18	9 14
19 20	Colored Males	249 154	24	6	5	3	1	36	1	4	·5	10	9
21	Females	95	13	6	3		1	23	3	4	3	8	5
22	Negro $\left\{egin{array}{c} M\\ F \end{array}\right.$	48 29	5	1	1	••••••	;	6 3	·····	1 2	1	1 8	2 4
23	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	61 61 25	16 10	4 5 1	2 2	3	1	26 18 1	3	3 1	2	8	4 1 3
24	Chinese. $\begin{cases} \mathbf{M} \\ \mathbf{F} \end{cases}$	1 18	3					3		1			
25 26	$egin{array}{lll} { m Japanese} & & & { m F.} \\ { m Other colored} & & { m M.} \\ { m F.} \end{array}$	4 2	2					2					
20	, i									•••••		******	
27	NEW HAMPSHIRE. Total	9, 581	1,094	272	117	94	71	1,648	171	169	311	451	739
28	Males	4, 983 4, 598	632	142	58	46	35	913	88	93	171	217	357
29	Females		462	130	59	94	36	735	171	76 168	140 311	234 451	738
30	White Males	9, 564	1,093	272 142	117	46	35	913		92	171	217	357
31 32	Females	4,590	461	130	59	48	36	734	88 83	76	140	234	381
33	Native	7, 115	1,073	264	111	88	68	1,604	160	144	253	327	491
34 35	Males Females	3,666 3,449	621 452	137 127	57 54	42 46	33 35	890 714	85 75	81 63	143 110	155 172	227 264
36	Both parents native $\left\{ egin{array}{c} M \\ F \end{array} \right]$	1,807 1,726	236 181	42 46	21 21	15 12	6 11	320 271	39 27	36 28 41 29	69 46 58	70 82	104 104 94 125
37	One or both parents foreign $\left\{egin{array}{c} \mathbf{M} & \mathbf{K} \\ \mathbf{F} & \mathbf{K} \end{array}\right\}$	1,098	345 245	46 88 75 7	21 21 35 33	27 32	· 26	521 406	27 42 43	29	58 61 16	70 82 61 69 24	94 125
38	Parentage unknown $1  ext{} \begin{cases} M \\ F \\ \end{cases}$	761 690	40 26	6	1	2	3	49 37	5	4 6	3	21	29 35
39	Foreign	2,032	3	5	5	4	2	19	7	15	48,	103	210
40 41	MalesFemales	1,062 970	3	4	1 4	3	1 1	12 7	2 5	5 10	21 27	51 52	108 104
42	Unknown	417	17	3	1	2	1	24	4	9	10	21	37
43 44	MalesFemales	246 171	8 9	1 2	1	1 1	1	11 13	1 3	6 3	7 3	11 10	24 13
45	Colored	17	1			<u>.</u>		1		1	ļ		1
46	Males	9								1			1
47	Females		1					1		1			, , , , , , , , , , , , , , , , , , ,
48	Negro $\left\{egin{array}{ll} M \\ F \\ \\ M \end{array}\right.$	6 8 1	1					1					1
49 50	Thousand F.	2											
51	F												
52	2												

<sup>1</sup> Both parents unknown or one parent unknown and one native.

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT DECEDENT: 1918—Continued.

	872 638 234 847 620 227 462 320 142 123 62 109 48 83 32 310	40 to 44 years.  578 422 155 565 414 151 273 176 97 62 36 56 38 58 241 194 47	486 346 140 474 338 136 241 151 90 53 33 57 33 41 24 190	406 293 113 395 285 110 194 131 63 500 24 42 19 39 20	370 - 265 105 - 359 257 102 187 129 58 41 220 35 15 53 23 23	377 274 103 365 -286 99 190 130 60 38 19	308 225 83 297 216 81 147 108 39	234 136 98 229 131 98 135	204 125 79 200 123 77 106	125 73 52 119	73 41 32 69 40 29	90 to 94 years.  17 9 8 16 9 7	5 1 4 5 1 4.	100 years and over.	27 - 21 - 6 - 26 - 21 - 5
714 333 1,026 704 322 615 373 242 160 98 128 91 85 53 349	638 234 847 620 227 462 320 142 123 62 109 48 88 32 310	422 155 565 414 151 273 176 97 62 36 56 36 55 25 241	346 140 474 338 136 241 151 90 53 33 57 33 41 24	293 113 395 285 110 194 131 63 50 24 42 19 39 20	265 105 359 257 102 187 129 58	274 103 365 •266 99 190 130 60	225 83 297 216 81 147 108 39	136 98 229 131 98 135	125 79 200 123 77	73 52 119 69 50	41 32 69 40	9 8 16 9 7	1 4 5 1 4.		· 21 6
714 333 1,026 704 322 615 373 242 160 98 128 91 85 53 349	638 234 847 620 227 462 320 142 123 62 109 48 88 32 310	422 155 565 414 151 273 176 97 62 36 56 36 55 25 241	346 140 474 338 136 241 151 90 53 33 57 33 41 24	293 113 395 285 110 194 131 63 50 24 42 19 39 20	265 105 359 257 102 187 129 58	274 103 365 •266 99 190 130 60	225 83 297 216 81 147 108 39	136 98 229 131 98 135	125 79 200 123 77	73 52 119 69 50	41 32 69 40	9 8 16 9 7	1 4 5 1 4.		· 21 6
333 1,026 704 322 615 373 242 160 98 123 91 85 53 349	234 847 620 227 462 320 142 123 62 109 48 88 32 310 233 77	156 565 414 151 273 176 97 62 36 56 38 58 25 241	140 474 338 136 241 151 90 53 33 57 57 41 24 190	395 285 110 194 131 63 50 24 42 19 39 20	105 359 257 102 187 129 58 41	103 365 -266 99 190 130 60 38	297 216 81 147 108 39	98 229 131 98 135	79 200 123 77	52 119 69 50	32 69 40	9 7	5 1 4.	1	26
704 322 615 373 242 160 98 128 91 85 53 349	620 227 462 320 142 123 62 109 48 88 32 310	414 151 273 176 97 62 36 56 36 58 25 241	338 136 241 151 90 53 .33 .57 33 41 24 190	285 110 194 131 63 50 24 42 19 39 20	257 102 187 129 58 41	-266 99 190 130 60 38	216 81 147 108 39	131 98 135	123 77	69 50	40	9 7	1 4.		
615 373 242 160 98 123 91 85 53 349	227 462 320 142 123 62 109 48 88 32 310	151 273 176 97 62 36 56 36 58 25 241	241 151 90 53 33 57 33 41 24	194 131 63 50 24 42 19 39 20	102 187 129 58 41	99 190 130 60 38	147 108 39	98 135 82	77	50	40 29	7	4.		21 5
373 242 160 98 123 91 85 53 349	320 142 123 62 109 48 88 32 310 233 77	176 97 62 36 56 36 58 25 241	151 90 53 33 57 33 41 24	131 63 50 24 42 19 39 20	129 58 41	130 60 38	108 39	82	106	ا ا	1		١ ۾		
242 160 98 128 91 85 53 349	142 123 62 109 48 88 32 310 233 77	97 62 36 56 36 58 25 241	90 53 33 57 33 41 24	50 24 42 19 39 20	58 41	60 38	39	82		- 00	34	5	2		5
349 282	62 109 48 88 32 310 233 77	36 56 36 58 25 241	190	24 42 19 39 20	41 20 35 15 53	38 19	99	53	58 48	33 25	22 12	1 4	1 1		3
349 282	48 88 32 310 233 77	241 194	190	39 20	35 15 53		12	34 28 13	17 26 9	16 14	6 5		<u> </u>		3
349 282	310 233 77	241 194	190			19 35 24 57 17	18 7 57	13 8 35 17	6 32	2 3 15	1 15 7	1 1	1		
282	233 77	194		159	23 143	17 140	20 126	17 87	16 84	8 59	7 33	3 9	3		6
67		47	147	117	100	102	85	43	56	34 25	18 15	6			5 1
62		51	43 43	42 42	43 29	38 35	41 24	44 7	28	25 2	15 2	3 2	3		15
49	67	44	40	37	28	34	23 1	6	9	2	2	2			14 1
13 21	8 25	7 13	3 12	5 11	1 11	1 12	11	5	4	6	4	1		1	1
10	18 7	8 5	8	8 3	8 3	8 4	9 2	5	2 2	4 2	1 3	i		i	1
2 5		5 3	5	5			5	2	1	1	1				
5	2 6 3 1	3 1 1	2 2 1 1	1 3	5 1 2 2	1 1 3	1 3 1	2	2	2 2	. 2	i		1	1
5	1 3		1	· 1	2	3	1	1	1	1					
2 1 1	9	2 1													
	•••••														
607	463	344	386	362	420	523	631	703	632	525	289	110	20	3	74
311 296	253 210	178 166	199 187	186 176	221 199	291 232	364 267	378 325	299 333	227 298	133 156	44 66	5 15	3	55 19
605	461	. 344	385	360	418	522	631	702	632	525	289	110	. 20	2	72
310 295	253 208	178 166	198 187	185 175	220 198	290 232	364 267	377 325	299 333	227 298	133 156	44 66	5 15	2	53 19
368	287	213	237	201	279	365	438	496	474	422	225	95	18	1	17
170 198	148 139	105 108	123 114	102 99	160 119	200 165	248 190	273 223	226 248	172 250	104 121	37 58	5 13	1	12 5
79 91	79 75	56 58	67 57	46 63	89 66	118 107	151 103	164 134	127 147	105 147	62 75	21 36	3 8	i	2
79 91 66 72 25 35	79 75 47 43 22 21	56 58 21 35 28 15	67 57 28 26 28 31	46 63 16 21 40 15	89 68 31 23 40 30	118 107 28 23 54 35	151 103 18 16 79 71	164 134 11 15 98 74	8 9	105 147 3 7	62 75 2 6	3	1		2
			l .	ſ		1		!	91 92	64 96	40 40	16 19	4		8 5
204	156	115	124	143	122	128	167	174	133	85 45	54 25	13	1	1	10
118 86	93 63	64 51	63 61	71 72	51 71	73 55	98 69	89 85	64 69	45 40	25 29	6 7	1	1	5 5
33	18	16	24 12	16	17	29	26 18	32	25	18	10	$\frac{2}{1}$	1		45 36
22	12 6	9	12 12	4	9 8	17 12	18 8	15 17	9 16	10 8	. 6	ī	1		36 9
2	2		1	. 1	1	1		1						1	2
1	2			. 1	1	<b> </b>								1	
1	2		1	1	1 1			1						1	1
				1		1									
:::::::::::::::::::::::::::::::::::::::															

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF

[This table excludes the deaths

_				<del></del>			DEAT	IS AT AGE	or-				the deaths
	AREA, SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION STATES—Continued.  NEW JERSEY.												
1	Total	60,988	8,371	2,681	1,281	761	602	13,696	1,610	1,077	2,029	3,454	4,811
2 3	MalesFemales	32,776 28,212	4,730 3,641	1,345 1,336	648 633	375 386	299 303	7, 397 6, 299	837 773	520 557	1,045 984	1,480 1,974	2,454 2,357
4	White	57,468	7,853	2, 481	1,189	705	559	12,787	1,505	1,002	1,875	3,201	4,567
5 6	Males Females.	30, 928 26, 540	4,460 3,393	1,241 1,240	600 589	344 361	278 281	6,923 5,864	791 714	484 518	974 901	1,358 1,843	2,333 2,234
7	Native	39, 372	7,815	2,457	1,182	695	551	12,700	1,452	911	1,577	2, 229	2.777
8	MalesFemales	20, 603 18, 769	4, 441 3, 374	1, 226	594	339	271	6,871	763	446	809	922	1,360
•			1	1,231 374	588 176	356 112	280 92	5, 829 2, 454	689 291	465 201	768 403	1,307	1,417
11	Both parents native $$	9,935 9,289 9,428	1,700 1,344 2,672	390 842	186 411	111 223	102 173	2, 454 2, 133 4, 321	262 459	212	361	487 623 392	703 700 577
12		8,469 1,240	1,972	833 10	397 7	245 4	177 6	3,624 96	414 13	236 245 9	379 387 27	616 43 68	638 80
13	Parentage unknown 1	1,011	58 15	8	5 2		1	72	13	8	20		79
<b>L4</b>	Males	9,835	9	18	2	7	4	30	45	83	284 160	935	942
15	Females	9,835 7,575	6	7		3		16	23	49	124	523	795
16	Unknown	686	23	6	5	3	4	41	8	8	14	37	53
17 18	Males Females	490 196	10 13	4 2	1	$\frac{1}{2}$	3 1	22 19	6 2	4	5 9	24 13	31 22
19	Colored	3,520	518	200	92	56	43	909	105	75	15 <b>4</b>	253	244
20 21	Males Females	$1,848 \\ 1,672$	270 248	104 96	48 44	31 25	21 22	474 435	46 59	36 39	71 83	122 131	121 123
22	Negro	1,818 1,669	270 247	101 96	48 44	31 25	21 22	471 434	46 59	36 39	70 83	121 131	118 123
23	F.	26		3				3			······i		
24 25	$\begin{array}{ccc} \text{Chinese.} & & \left\{\begin{matrix} \mathbf{F} & \\ \mathbf{F} \end{matrix}\right. \\ \text{Japanese.} & & \left\{\begin{matrix} \mathbf{M} & \\ \mathbf{F} \end{matrix}\right. \end{matrix}$	3 2	1					ĭ				1	3
26	O43-4	·····i											
	Other colored					•••••			· • · · · • • · · ·		· · · · · · · · · · · · ·	•••••	
27	Total	190, 764	23, 452	7,072	3,148	2, 119	1,535	37, 326	4,425	3,347	5,768	9,773	13,690
28 29	Males Females	101, 513 89, 251	13,361 10,091	3,721	1,636 1,512	1,064 1,055	741	20,523	2,299	1,621	3,042	4,356	6,805
30	White	185, 340	22, 716	3,351 6,818	3,046	2,048	794 1,487	16,803 36,115	2,126 4,319	1,726 3,251	2,726 = 5,554	5,417	6,885
31	Males.	98, 521 86, 819	12,951	3,593 3,225	1,590	1,024	721	19,879	2, 249	1,577	2,933	9,337 4,124	6,513
32	Females	1	9,765		1,456	1,024	766	16, 236	2,070	1, 674	2,621	5,213	6,648
34	Native	123,588 64,929	22, 615 12, 904	6,788	3,022 1,578	2,021	1,459	35,905	4,153	2,929	4,654	6,393-	7,897
35	Females	58, 659	9,711	3,579 3,209	1,444	1,010 1,011	700 759	19,771 16,134	2,162 1,991	1,427 1,502	2,452 2,202	2,812 3,581	3,734 4,163
36	Both parents native $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right\}$	29,566 26,992 31,363	5,427 3,958 7,151	1,063 965	507 <b>427</b>	345 328 653	249 272	7,591 5,950	838 737	618 625	1,196 1,058	1,353 1.654	1,769 1,939
37	One or both parents foreign $\left\{ egin{matrix} M & \\ F & \\ M & \\ \end{array} \right\}$	28 341	5,491	2,471 2,214	1,050 1,004	674	440 485	11,765 9,868	1, 295 1, 242 29	791 862	1,058 1,209 1,107	1,654 1,353 1,833	1,818 2,108
38	Parentage unknown $^1$ $^{M}$ $^{F}$	4, 000 3, 326	326 262	45 30	21 13	12 9	11 2	415 316	29 12	18 15	47 37	106 94	147 116
39	Foreign	60,482	53	27	22	25	27	154	156	311	881	2,893	5, 199
40 41	MalesFemales	32, 635 27, 847	23 30	11 16	11 11	13 12	20 7	78 76	80 76	139 172	465 416	1,276 1,617	2,728 2,471
42	Unknown	1, 270	48	3	2	2	1	56	10	11	19	51	65
43 44	Males Females	957 313	24 24	3	1 1	1 1	1	30 26	7 3	11	16	36 15	51 14
45	Colored	5,424	736	254	102	71	48	1,211	106	96	214	436	529
46 47	MalesFemales	2,992 2,432	410 326	128 126	46 56	40 31	20 28	644 567	50 56	44 52	109	232	292
48	Negro	2, 669	396		45	39	18	618	46	52 41	105 94	204	237 242
49	Indian M.	2, 356 78	316 8	120 121 7	55 1	27 1	27 2	546 19	53 4	48 3	101	199	227
50	Chinese. $ \begin{cases} F \\ M \\ F \end{cases}$	68 179	10 3	5 1	1	3	1	20 4	2	3	8 3 5	9	7 9 25
51	Japanese $F$	57 7	2			1		2	1	1	1 1	7	17
52	Other colored	9	i			1		1		1	1	1	1
	, · · - · ·	1 Both pa	rents unkr	lown or o	ne parent	unknown	and one	native.	, • • • • • •	, • • • • • • • • • • • • • • • •		<u>-</u> ;	

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT DECEDENT: 1918—Continued.

ın-	Deaths at un-							OF	IS AT AGE	DEATE						
wn e.	known age.	100 years and over.	95 to 99 years.	90 to 94 years.	85 to 89 years.	80 to 84 years.	75 to 79 years.	70 to 74 years.	65 to 69 years.	60 to 64 years.	55 to 59 years.	50 to 54 years.	45 to 49 years.	40 to 44 years.	35 to 39 years.	30 to 34 years.
54	5	12	. 53	299	819	1,707	0.500			0.045	0.000					
50	5	6	20 33	108	319	745	2,526 1,228 1,298	3,008 1,483 1,525	3,024 1,560	3,015 1,693	2,870 1,695 1,175	2,875 1,684 1,191	2,864 1,746	2,933 1,811	3,545 2,164	4,707 2,731
53		9	33 46	294	500 789	1,670	2,461	2,897	2,923	2,893			1,746 1,118	1,811 1,122	2,164 1,381	2,731 1,976
49	4	6 3	16	106 188	304 485.	732 938	1, 197 1, 264	1,432 1,465	1, 498	<del></del> _	2,705 1,604	2,696	2,665 1,625	2,698	3,286 2,014	4,446 2,579
4		8 4	30	188	485 493	938 1,006	1,264 1,468	1,465	1, 425 1, 600	1,628 1,265 1,595	1,604 1,101 1,463	1,594 1,102 1,439	1,625 1,040 1,352	1,681 1,017 1,375	2,014 1,272	2,579 1,867
1		2 2	10	68 116	195 298	427 579	703 765	790	820 780	894	853	810	750	813	951	2,462 1,345
2 1		1	21 7	Į.	1		•	810 557		701 514	610	629	602	562	700	1, 117
1 1 :			15	52 99 7	150 234 11 19 34	441 43	576 86	576 114	537 533 194	393 288 236 92	303 317	304 338	320 282 367	382 259 364 256 67	379 392	603 542
1		1 1 1	3 2 3	9 9 8	34 .45	327 441 43 73 57 65	513 576 86 109 104 80	144 119 90	164 89 83	236 92 72	444 303 317 255 92 52	386 304 338 269 86 56	276 63 44	256 67 47	482 379 392 274 77 47	723 603 542 456 ,80 58
3		5	15	107	293	649	965	1,275	1,286	1, 255	1,202	1,204	1, 263	1,271	1,564	1,923
2 1		4	6 9	38 69	107 186	299 350	480 485	630 645	651 635	702 553	722 480	744 460	832 .431	828 443	999 565	1, 191 732
47	4			3	3	15	28	22	37	43	40	53	50	52	71	61
46 1	4			3	2	6 9	14 14	12 10	27 10	32 11	29 11	40 13	43 7	40 12	64 7	43 18
1		3	7	5	30	37	65	111	101	122	165	179	199	235	259	261
1		3	4 3	2 3	· 15	13 24	31 34	51 60	62 39	65 57	91 74	90 89	121 78	130 105	150 109	152 109
1		3	4 3	2 3	15 15	13 24	31 34	49	60 39	64	[ f 90	83	119	129	147 108	149 109
								60	89	57	74	89 1	78	104	108	109
			• • • • • • • • • • • • • • • • • • • •					2	2	i	1	5	2	1	1	3
 					•••••		••••••					1			2	
				<i></i>												
148	14	39	278	1,140	3,326	6,264	9,302	10,664	11,118	11,003	10,206	10,127	9,433	9,293	10,904	13,190
109 39	10	. 12 27	101 177	- 431 709	1,426 1,900	2,881 3,383	4,524 4,778	5,348 5,316	5,781 5,337	5,934 5,069	5,652 4,554	5,746 4,381	5,489 3,944	5,499 3,794	6, 463 4, 441	7, 471 5, 719
142	14	37	274	1,129	3,300	6,219	9,207	10,533	10,956	10,816	10,006	9,871	9,121	8,901	10,410	12,681
103 39	10	11 26	100 174	430 699	1,416 1,884	2,864 3,355	4,483 4,724	5, 279 5, 254	5,702 5,254	5,828 4,988	5, 548 4, 458	5,599 4,272	5, 286 3, 835	5,266 3,635	6,162 4,248	7, 169 5, 512
37	8	16	153	638	1,847	3,639	5,064	5, 525	5,879	5,983	5, 492	5,131	4,866	4,688	5,512	7,187
21 16	1 5	6 10	56 97	245 393	792 1,055	1,676 1,963	2,453 2,611	2,802 2,723	3,081 2,798	3, 185 2, 798	2,978 2,514	2,782 2,349	2,745 2,121	2,688 2,000	3,123 2,389	3,938 3,249
8		4 3	38 71 5	173 276			1,593 1,744	1	4		I .	1,065 940	1		1	
6 3		·····i	15	173 276 17 42 55 75	528 746 87 116	1,111 1,392 236 254 329	449 505	1,709 1,647 668 715	1,727 1,528 970 960	1,436 1,280 1,427 1,267 322 251	1,239 974 1,489 1,349 250 191	1,508 1,267 209	1,041 830 1,534 1,177 170 114	1,102 841 1,433 1,047 153 112	1,493 1,128 1,449 1,105	1,934 1,620 1,854 1,498
7 4		6	13 11	55 75	177 193	· 329	411 362	425 361	384 310	322 251	250 191	209 142	170 114	153 112	1, 105 181 156	150 131
33	-l	21	115	486	1,424	2,538	4,088	4,933	5,002	. 4,750	4,428	4,625	4,132	4,120		5,400
15 18	:	5 16	41 74	182 304	613 811	1,167 1,371	1,999 2,089	2,430 2,503	2,571 2,431	2,575 2,175	2,505 1,923	2,723 1,902	2,442 1,690	2,499 1,621	2,947 1,846	3, 155 2, 245
72			6	5	29	42	55	75	75	83	86	115	123	93	-l	94
67 5	:  '		3 3	3 2	11 18	21 21	31 24	· 47	50 25	68 15	65 21	94 21	99 24	79 14	92 13	76 18
6		2	4	11	. 26	45	95	131	162		200	256	312		494	509
6		1	3	10	10 16	17 28	41 54	69 62	79 83	106 81	104 96	147 109	203 109	233 159	301 193	302 207
6		1	3	1 10	9 15	16 27	38 53 2	65 61	71 79 2		90 96	128 105	184 107	B		257 203
	-		1		1	1	1	1 2	4	6 2		3 4		2 4	: 1 4	1 4
••••							1	2	4		13	16	18	20	22	25
••••		.[							2		1			4	1 1	15

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF

[ This table excludes the deaths

							DEAT	HS AT AGE	of—				
	AREA, SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 ye rs.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION STATES—Continued.	•											
1	Total	42,274	7,686	2,894	1,244	727	467	13,018	1,478	1,137	2,259	2,709	2,432
2 3	MalesFemales	20,800	4.262	1,504	639	344	244	6,993	700	550	1,111	1,089	1,010
4	White	21,474	3,424	1,390	605 765	383 411	223 255	6,025 7,517	778 811	587 561	1,148	1,620	1,422
5	Males Females	<del></del>	2,496	891	396	185	127	4,095	408	286	553	494	582
6	Females	12,450 24,317	1,928 4,400	771 1,647	369 760	226 410	128	3,422	403 803	275	503	792	794
8	MalesFemales	12,119	2,483	879	393	184	250 124	7,467 4,063	403	554 281	1,042	1,262	1,337
9		12,198	1,917	768	367	226	126	3,404	400	273	497	782	562 775
10	Both parents native $\mathbb{A}^{M}$ .	10,684 10,721 126	2,400 1,856 11	855 744 3	384 353 1	177 210 2	119 122 2	3,935 3,285 19	391 389 1	269 261	511 465	432 701	496 694 3 4 63 77
11 12	One or both parents foreign $\left\{egin{align*}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right.$ Parentage unknown $^{\mathrm{I}}$ $\left\{egin{align*}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right.$	121 1,309	7 72	3 21	4 8	2 5	3	16 109	11	4 12	5 5 29	6 7 42	4 4 63
13	Foreign	1,356	54	21	10	14	4	103	11	8	27	74	[ ]
14	MalesFemales	144					1	3 2		1	2	12 8	13 8
15 16	Females Unknown	70					1	1		1,	1	4	5
17	Males Females	376 194	13	13	5 3	<u>1</u>	3	47 30	- 8 - 5	5	12	12	26 12
18		182	11	3	2	•••••	1	17	3	1	· 5	6	14
19 20	ColoredMales	17,367 8,343	3,262	1,232	479	316	212	5,501	292	576 264	1,203 558	1,423	1,056
21	MalesFemales	9,024	1,496	619	243 236	159 157	117 95	2,898 2,603	375	312	645	595 828	428 628
22	Negro M	8,253 8,930	1,741 1,481	595 600	238 231	157 155	117 94	2,848 2,561	289 369	262 309	554 640	593 821	426 623
23 24	Indian $\begin{cases} M \dots \\ F \dots \end{cases}$	89 94 1	25 15	18 19	5 5	2 2	1	50 42	3 6	3	4 5	2 7	623 2 5
25	$\begin{array}{cccc} \text{Chinese.} & & \left\{\begin{matrix} \mathbf{M} & \\ \mathbf{F} & \\ \end{matrix}\right. \\ \text{Japanese.} & & \left\{\begin{matrix} \mathbf{F} & \\ \mathbf{F} & \\ \end{matrix}\right. \end{array}$	• • • • • • • • • • • • • • • • • • • •											
26	Other colored			•••••									
	оню.			•••••	••••••		•••••		**********	•••••			
27	Total	92,356	11,727	2,840	1,377	901	668	17,513	2,098	1,692	2,988	4,803	6,377
28 29	Males Females	50,711 41,645	6,702 5,025	1,482 1,358	676 701	444 457	345 323	9,649 7,864	1,115 983	875 817	1,619 1,369	2,250 2,553	3,303 3,074
. 30	White	87,714	11,174	2,669	1,295	859	648	16,645	1,969	1,584	2,765	4,455	5,988
31 32	Males Females	48,025 39,689	6,394 4,780	1,397 1,272	643 652	423 436	335 313	9,192 7,453	1,056 913	817 767	1,497 1,268	2,069 2,386	3,093 2,895
33	Native	69,184	11,128	2,657	1,286	850	640	16,561	1,910	1,515	2,544	3,593	4,478
34 35	MalesFemales	36,598 32,586	6,368 4,760	1,393 1,264	639 647	416	331	9,147	1,023	787	1,386 1,158	1,577	2,147 2,331
36	Both parents native $egin{cases} rac{M}{F} & \end{cases}$	22.094	4,129 3,021	893 739	390	434 280	809 204	7,414 5,896	704	728 589 550	1,043	2,016 1,129	
37	One or both parents foreign $ \binom{F}{F} $ .	20,356 9,800 8,664	3,021 2,092 1,637	739 486 507	413 : 240 :	286 132	196 124	4,655 3,074	579 307	170	881 277	1,433 332	1,393 1,545 579
38	Parentage unknown $1  ext{ } \begin{cases} M \\ F \end{cases}$	4,704 3,566	1,037 147 102	14 18	232 9 2	142 4 6	110 3 3	2,628 177 131	292 12 16	164 28 14	228 66 49	443 116 140	603 175 183
39	Foreign	16,852	18	4	3	8	8	41	54	58	202	. 801	1,425
40 41	Males Females	10,089 6,763	12	1 3	2 1	6 2	4 4	25 16	31 23	24 34	97 105	451 350	880 545
42	Unknown	1,678	28	8	6	1	4	43	25 5	34 11	105	61	85
43 44	Males Females	1,338	14	3	2	1		20	2	6	14	41	66
ı.	Colored	4,642	14 553	5 171	4 82	42	20	23 868	3 129	5 108	5 223	20 348	389
46 47	Males Females	2,686 1,956	308	85	33	21	10	457	59	58	122	181	210 179
48		i	245 308	86 84	49 33	21 21	10 10	411 454	70 59	50 58	101 121	167 177	179 208
49	Negro	2,664 1,952 1	245	86	49	21 21	10	411	70	50	101	165	179
	Chinese	20	2	1							1	4	2
50	Ommose	<b>9</b> H											
50 51	Japanese	3 1										1	

<sup>1</sup> Both parents unknown or one parent unknown and one native.

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT DECEDENT: 1918—Continued.

			<del></del>	· .		DEA!	THS AT AG	E OF— .					•		Deaths	Γ
80 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.	
2,181	2,154	1,586	1,338	1,339	1,403	1,680	1,794	1,886	1,488	1,100	541	267	. 75	62	347	]
1 022	999	704 882	662	648	710	855 825	956 838	959	722	508	247	109	35 40	23 39	188 159	2
1,159	1,155	910	676 775	750	693 947	1,104	1,332	927 1,364	766	592 763	370	158	22	11	159	4
626	589	414	397 378	386	506	563	736	678 -	520	324	149	59	. 10	4 7	78	5
1,233	654 1,200	498 864	742	364 716	926	541 1,080	596 1,297	1,323	7595 1,084	439 730	221 360	91	12 22	8	79 127	7
591 642	555 645	388, 476	380 362	367 349	495 431	549 531	717 580	654 669	502 582	309 421	147 213	56 84	10 12	3 5	62 65	8
[	485	337 413	320	292	392	418 418	588	519	383	234 292	103 156	35 61	7	2		}10
517 554 10	550 12 6 58 89	413 3 6	316 7 4	276 8 6	360 8 4	418 11 6	475 10 6	538 10 9	471 7 8	3	2 6	2	4 1	1	38 41 1 1	11
64 81	58 89	48 57	53 42	67 67	95 67	120 107	139 99	125 122	112 103	13 72 116	42 51	21 21	3 7	1 4	23 23	}12
28	18	20	. 10	16	9	. 11	14	18	12	18	3	3		1	2	13
23 5	18	12 8	7 3	11 5	5 4	.8	. 8	11 7	7 5	. 7	3	1 2		1	2	14 15
26	. 25	26	- 23	18	12	13	21	23	19	15	7	7		2	28	16
12 14	16 9	14 12	10 13	8 10	. 6 6	6 7	. 11 10	13 10	11 8	11	2 5	2 5		2	14 14	17 18
894	911	676	563	589	456	578	462	522	373	337	171	117	53	51	190	19
396 498	410 501	290 386	· 265 298	262 327	20 <sub>4</sub> 252	292 284	220 242	281 241	202 171	184 153	98 73	50 67	25 28	19 32	110 80	20 21
393 495	408 496	290 383	263 296	261 326	203 251	290 283	214 240	277 239	199 170	183 152	96 71	50 66	25 28	19 31	110 80	}22
3	1 5 1	3	2 2	1	1	2 1	6 2	2	3 1	1	2 2	1		<u>`</u> i		23
																25
											,					26
												·		·	٠.	ĺ·
6,341	5,410	4,408	4, 191	4,078	4,377	4,931	5,557	5,791	5,246	3,775	1,937	638	140	22	43	27
3,744 2,597	3,301 2,109	2,718 1,690	2,547 1,644	2,407 1,671	2,488 1,889	2,798 2,133	3,077 2,480	3,127 2,664	2,666 2,580	· 1,827	850 1,087	265 373	· 45 95	7 15	33 10	28 29
5,960	4,987	4,070	3,874	3,843	4,202	4,759	5,430	5,641	5,141	3,707	1,900	610	129	, 19	36,	30
3,500 2,460	3,037 1,950	2,505 1,565	2,333 1,541	2,262 1,581	2,376 1,826	2,695 2,064	2,999 2,431	3,039 2,602	2,601 2,540	1,793 1,914	838 1,062	249 361	41 88	6 13	27 9	31 32
4,201	3,425	2,816	2,696	2,686	3,099	3, 633	3,961	4,066	3,594	2,605	1,301	393	81	10	16	33
2,275 1,926	1,912 1,513	1,561 1,255	1,462 1,234	1,473 1,213	1,671 1,428	° 2,019 1,614	2,134 1,827	2,195 1,871	1,789 1,805	1,245 1,360	594 707	167 226	23 58	3 7	8.	34 35
1,386 1,268 641 479 248 179	1,121 946	834 734 483 354	700 684	705 647	848 742 520 472	1,032 902 580	1,207 1,048 427	1,306 1,145 358 325 531 401	1,018 1,084 263	· 737 · 888 173	331 438 71 80	94 145	17 33 2 10	5 1	4	}36
479 248	524 420 267	354 244	700 684 500 382 262 168	705 647 503 396 265 170	520 472 303	451 407	427 425 500 354	358 325 531	263 319 508	164	71 80 192	14 27 59 54	10 4	1 2	4 1 1 3 3	37
l I	147	244 167			303 214	261			402	335 308	192 189	i	. 15	. 1		38
1,624 1,109 515	1,366 948 418	762 292	732 292	1,008	1,003 623 380	1,034 602 432	1,374 793 581	1,469 765 704	1,441 748 693	1,046 513	560 221	206 76	17	9 - 3	- 6 5	39 40
515 135	418 196	292 200	292 154	344 149	380 100	432 92	581 95	704 106	693 106	513 533 56	221 339 39	130	17 30 1	6	5 · 1 14	40 41 42
116 19	177	182 18	139 15	125 24	82 18	74 18	72 23	79 27	64	35 21	23 16	6	1	<u></u>	14	43 44
19	19 423	18 338	. 317	24 235	18 175	172	23 127	27 150	42	21 68	16 37	5 28	11	3	7	44 45
	100		214 103	145 90	112 63	103	78 49	88 62	65 40	34 34	12 25	16	4 7	1 2	6 1	48 47
381	264	213			. 63	. 69	49	. 62	l			12	7		1	Ļ
381 244 137	264 159 262	213 125 212	}	1		102	78	- 87	R4	34	19	16	4	100	e e	11
381	264 159 262 158	213 125 212 124	103 214 103	144 90	108 63	102 69	78 49	87 62	64 40 1	34 34	12 25	16 12	4 7	1 2	6 1	l?
381 244 137	262 158	212 124	}	1		102 69	78 49	87 62	64 40 1	34 34	12 25	16 12	4 7		6	49
381 244 137 243 137		1	}	144 90	108 63		78 49		64 40 1	34 34	12 25	16 12	4 7		6 1	\\d\dagger \\dagger \d

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF

[This table excludes the deaths

T	·						DEAT	HS AT AGE	of—				
	AREA, SEX, COLOR. AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION STATES—Continued.												
	OREGON.												
1	Total	9,679	907	197	100	84	49	1,337	220	194	334	, 498	639
3	Males Females	5,721 3,958	504 403	103 94	51 49	43 41	25 24	726 611	131 89	119 75	187 147	251 247	330
	White	9,329	864	183	96	79	46	1, 268	212	188	322	476	807
5	Males Females	5,491 3,838	483 381	· 96	51 45	40 39	22 24	692 576	128 84	116 72	184 138	240 236	316 291
7	Native	7,044	862	183	95	76	46	1, 262	206	180	298	416	458
8	Males. Fema.es	3,955 3,089	481 381	96 87	51 44	39 37	22 24	689 573	123 83	112 68	170 128	200 216	222 236
10	Both parents native $\left\{egin{array}{c} \mathbf{M} \cdots \\ \mathbf{F} \end{array}\right\}$	2,052 1,630	338	70	36	24	14	482		74	120	124 115	110
11	One or both parents foreign $\begin{cases} \mathbf{M} \\ \mathbf{F} \end{cases}$	812 673	· 261 108 97	61 24 19	33 14 10	22 10 15	18 5 5	395 161 146	79 52 40 24	42 29 24 9 2	84 37 31	115   55 60	128 68
12	Parentage unknown $^{1}$ $\left\{ \overset{M}{F} \right\}$ .	1,091 786	35 23	7		5	3 1	46 32	7	9 2	13 13	21 41	59 44 49
,13	Foreign	1,935	1		. 1	2		4	6	8	18	46	131
. 14 15	Males Females	1, 254 681	1		1	1 1		2 2	5 1	4 4	9	31 15	81 50
16	Unknown	350	1			. 1		2			6	14	18
17	MalesFemales	282 68	1					1			. 5	9	13
1	Colored	350	43	14	4	. 1		69	8	6	1 12	5 22	32
20 21	Males Females	230	21	7		. 3	3	34	3	3	3	11	14
	ne.	120 21	22	7	4	. 2		35	5	3	9	11 2	18
22	Negro. $\begin{cases} M \\ F \end{cases}$ Indian. $\begin{cases} M \\ M \end{cases}$	22 63	8	1 3				5 13	3	2	2	1 5	2 5 1
24	Chinese M	22 63 53 82 11 63	6 1 2	1	2			14 2	3	$\begin{vmatrix} 2\\1 \end{vmatrix}$	6	4	1 3 2 1
25	$\begin{array}{c} F. \\ M. \\ F. \end{array}$	63 34	11 10	1 3 1			. 3	17 12	1	1	1	4 6	8
26	Other colored. $\left\{egin{array}{l} \mathbf{M} \\ \mathbf{F} \end{array}\right\}$	1					-	1			2		1
	PENNSYLVANIA.												
27	Total	187,951	28, 299	8,362	-			-	4,983	3,477	-\	-	15,320
28 29	Females.	104,581 83,370	16,116 12,183	4,379 3,983	2,104 2,030	1, 257 1, 274	972 939		2,552 2,431	1,717 1,760	3,388 3,154	5, 218 5, 654	8,358 6,962
30	White	179,016	-11	7,942	-l		-	-11	4, 769	3,282	6,128		14, 511
31 32	Males Females	99, 437 79, 579	15, 483 11, 638	4,164 3,778	1,993 1,934	1,21 1,21			2,447 2,322	1,625 1,657	3,159 2,969	4,822 5,330	7,904 6,607
33	Native	,	27,014	7,902	3,897	2,-40	1,795	43,015	4,642	3,105	5, 444		9,366
34 35	Males. Females	70,639 63,543	15, 419 11, 595	4,142 3,760	1,974 1,923	1,20	914 881	23,650 19,365	2,382 2,260	1,541 1,564	2,800 2,644	3,337 4,142	4,605 4,761
36	Both parents native $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	39, 833 36, 486			882	540	0 400 3 414	11.362	1, 231	871	1		
37	One or both parents foreign $\left\{ \stackrel{\mathrm{M}}{F} \right\}$ .	- 25,392 - 22,543	7,706 5,676 7,414 5,617	2, 248 2, 116	1,061 1,060 1,060	) 66	2 457	11,871 9,912	1,064	903 636 636	1,766 1,666 949 895	2,102 2,526 1,066 1,395	2,871 2,880 1,434 1,595
38	Parentage unknown $\left\{ \begin{array}{ll} M \\ F \end{array} \right\}$	5,414 4,514	299 302	60	) 31 L 29	1	4   13	393 393	37	34	l 85	169 221	300 286
39	Foreign		-11	20	) 16	3 1	7 14	101	105	156	624	2,539	4,936
40 41	Males. Females	. 26,910 . 15,494	19 15				1 7	7 58 7 43	54 51	72 84	324	1,394 1,145	3,146 1,790
42	Unknown	. 2,430	73	20	1	4	6 6	119	22	21		1 '	
43 44	Males Females	1,888 542	45	1			3 5		11	12	35	91 43	153 56
45	Colored		l.	ı	i	1		VI.	II			i	1
46 47	MalesFemales	. 5, 144 . 3, 791	633 548	21.			2 46	1,047	105	95	2 229		454
48	Negro $\left\{egin{array}{c} M \\ F \end{array}\right.$	5,064	633	21.	5 11	1 4	2 46	II.	i			İ	11
49	Indian	3,782	543	20	5 9		50	953	108	103	3 184		. 443 354 - 2
50	·Chinese	_ 66							-11		8	7	
51	Japanese $\left\{egin{array}{l} M \\ F \end{array}\right.$	. 4							:  i				
52	Other colored. $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	- 6	:J::::::		:::::::	:-							. 2

<sup>&</sup>lt;sup>1</sup> Both parents unknown or one parent unknown and one native.

 $\begin{array}{l} \text{MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT DECEDENT: 1918—Continued.} \end{array}$ 

	_		,					DEAT	HS AT AGE	OF-							Deaths at un-
Second   S			40	0 to 44 years.		50 to 54 years.						80 to 84 years.	85 to 89 years.	90 to 94 years.		100 years and over.	known age.
Color   Colo		593		493	490	496	551	601	635	605	584	417	223	66	13	3	43
Color   Colo		413 180		311 182	· 317	304 192	334 217	388 213	390 245	359 246	339 245	233 184	119 104	39 27	5 8	2	33 10
405	==	566	╞								====					3	35
405		393 173	_	288 181	305 171	288 190	321 216	370 211	366 242	354 243	328 244	231	118	38 27	5	2 1	28 7
100		396										1				1	11
100		256 140		192 144	193 131	173 131	190 159	245 152	229	218 177	228	146	81 65	27 17		i	83
171   130   108   112   148   149   159   151   191   176   177   125   58   21   2				94			68			69	i	ŀ	31	10	1		5
171   130   108   112   148   149   159   151   191   176   177   125   58   21   2		61		69 34 34	60 29 29	62 48	78 46	49	67 28	76 36	65 18	53 12	21 5	7 2	1		
171		75 36		64 41	57 42	47 45	76 44	93 56	99 67	113	115	83 62	45 36	15	4 3	1	3
20		130		108	112	148	159	l l			ļ	}			J	2	6
20		102 28		73 35	77 35	94 54	105 54	98 53	120	117 59	93 64		30 33	11 10	2	2	e
18		40		1				•			}				i		18
18		35 5	1	23	35	21	26	27	17	19	7	8	7				14
1 1 2 1 2 2 3 3 1 1 1 1 1 1 2 4 2				- 1							'	1		1	1		8
2         2         1         3         1         3         2         3         3         3         3         3         3         3         1         1         1         1         1         3         1         1         3         1         1         1         3         1         1         3         3         1         1         1         3         3         1         1         1         1         1         3         3         1         1         1         1         1         1         3         3         1							13		24	5	11				1		5
14,819   12,105   9,034   8,679   7,908   7,783   8,344   8,550   8,461   7,004   5,069   2,489   822   180     14,819   12,105   9,034   8,679   7,908   7,783   8,344   8,550   8,461   7,004   5,069   2,489   822   180     9,123   7,806   3,203   3,003   3,20		2		1	3	1		1	2	•••••••			1				<u>-</u>
14,819		4			1 3		2 1 10	] 1]		3 4	1 1	3	3	1	1		3 2 2
14,819 12,105 9,034 8,679 7,908 7,793 8,344 8,550 8,461 7,094 5,069 2,489 822 180  9,103 7,506 4,299 3,205 5,590 4,099 4,555 3,293 3,699 3,905 4,1383 3,490 2,283 1,101 300 63  8,603 7,852 5,440 5,184 4,398 4,370 4,492 4,514 4,228 3,440 4,514 2,105 1,005 295 58  5,340 3,999 2,990 2,907 3,029 3,105 3,574 3,799 4,050 3,546 2,799 1,447 500 110  4,607 3,616 2,711 2,040 2,311 2,052 2,566 2,303 2,281 2,281 1,685 1,765 371 133  4,607 3,616 2,711 2,040 2,311 2,052 2,506 2,303 2,281 2,343 1,556 704 202 38 2,348 1,685 1,760 1,285 1,085 1,085 371 75  2,918 1,680 1,429 1,129 1,129 1,129 1,287 1,287 1,287 1,287 1,287 1,287 1,287 1,287 1,287 1,281 1,285 1,381 1,285 1,381 1,285 1,381 1,985 1,381 1,985 1,381 1,985 1,381 1,985 1,381 1,985 1,381 1,985 1,381 1,981 1,985 1,381 1,981 1,985 1,381 1,981 1,985 1,381 1,981 1	••								î		·····i						
9,193	••				•••••					•••••••				••••••			
9,193						*********						,					
14,033         11,351         8,430         8,091         7,427         7,483         8,006         8,313         8,288         6,970         4,994         2,452         804         168           8,693         7,352         5,440         5,184         4,398         4,478         4,492         4,514         4,228         3,424         2,195         1,005         295         58           5,340         3,999         2,907         3,029         3,105         3,674         3,799         4,600         3,546         2,799         1,447         509         110           8,399         6,263         4,764         4,667         4,370         4,882         5,486         5,701         5,694         4,885         3,551         1,760         573         113           4,697         3,616         2,712         2,059         2,230         2,660         2,2813         2,581         1,556         704         202         38           3,702         2,647         2,052         2,230         2,660         2,2813         2,583         1,556         704         202         38           3,702         2,622         2,133         1,683         1,653         1,056         1,14			-									<del> </del>		ļ <del></del>	}	23	60
8,633         7,852         5,440         5,184         4,398         4,376         4,492         4,514         4,228         3,424         2,195         1,005         295         58           5,340         3,999         2,900         2,907         3,029         3,105         3,574         3,799         4,060         3,546         2,799         1,447         509         110           8,399         6,263         4,764         4,657         4,370         4,882         5,486         5,701         5,694         4,885         3,551         1,760         573         113           4,697         3,616         2,711         2,040         2,017         2,059         2,230         2,660         2,602         2,813         2,542         1,995         1,056         371         75           2,918         2,209         1,452         1,394         1,227         1,487         1,676         1,963         1,956         1,653         1,054         475         134         25           1,395         1,566         1,963         1,929         1,129         1,187         1,676         1,963         1,956         1,653         1,044         475         134         25 <tr< td=""><td>4,</td><td>,299</td><td></td><td>5,829 3,205</td><td>3,089</td><td>4,699 3,209</td><td>4,555 3,238</td><td>4,645 3,699</td><td>4,645 3,905</td><td>4,323 4,138</td><td>3,490 3,604</td><td>2,226 2,843</td><td>1,016 1,473</td><td>300 522</td><td>63 117</td><td>7 16</td><td>43 17</td></tr<>	4,	,299		5,829 3,205	3,089	4,699 3,209	4,555 3,238	4,645 3,699	4,645 3,905	4,323 4,138	3,490 3,604	2,226 2,843	1,016 1,473	300 522	63 117	7 16	43 17
8,399         6,263         4,764         4,657         4,370         4,882         5,486         5,701         5,694         4,885         3,551         1,760         573         113           4,697         3,616         2,711         2,640         2,311         2,652         2,920         3,039         2,881         2,343         1,556         704         202         38           2,918         2,209         1,452         1,394         1,227         1,487         1,676         1,963         1,956         1,653         1,054         475         134         25           2,931         1,689         1,181         1,225         1,541         1,742         1,956         1,653         1,054         475         134         25           1,995         1,066         979         1,982         7,811         1,742         1,956         1,653         1,054         475         134         25           1,995         1,066         979         1,882         775         822         597         427         1,468         1,595         78         20         3           3,054         2,11         2,20         3,23         416         479         493	_		_									<u> </u>				14	55
4,697         3,616         2,711         2,040         2,311         2,652         2,920         3,039         2,881         2,343         1,556         704         202         38           3,702         2,647         2,053         2,017         2,059         2,230         2,566         2,662         2,813         2,343         1,556         704         202         38           2,918         2,209         1,452         1,394         1,227         1,487         1,676         1,956         1,653         1,054         475         134         25           2,331         1,680         1,229         1,123         1,181         1,285         1,541         1,742         1,911         1,767         1,419         739         263         46           1,395         715         643         691         677         684         703         639         460         352         232         110         36         8           3,841         230         348         309         378         416         479         498         422         307         151         48         10           281         243         181         197         201         2	7, 3,	,352 ,999		5,440 2,990	5,184 2,907	4,398 3,029	4,378 3,105	4,492 3,574	4,514 3,799	4,228 4,060	3,424 3,546	2,195 2,799	1,005 1,447	295 509	58 110	5 9	38 17
2,918       2,209       1,452       1,394       1,227       1,487       1,676       1,963       1,956       1,653       1,054       475       134       25         2,331       1,689       1,299       1,181       1,285       1,541       1,742       1,911       1,787       1,419       739       263       46         1,090       715       643       691       677       684       703       639       460       352       232       110       36       8         384       341       280       348       309       378       416       479       498       422       307       151       48       10         25,551       4,817       3,429       3,220       2,877       2,480       2,436       2,494       2,483       2,011       1,385       672       222       53         3,754       3,488       2,520       2,353       1,927       1,630       1,466       1,386       1,280       1,040       609       291       90       20         1,597       1,329       909       867       36       1,466       1,386       1,280       1,040       609       291       90       20	_		_		<u></u>	<u> </u>										8	25
5,351         4,817         3,429         3,220         2,877         2,480         2,436         2,494         2,483         2,011         1,385         672         222         53           3,754         3,488         2,520         2,353         1,927         1,630         1,466         1,386         1,203         971         776         381         192         20           1,597         1,329         909         2,353         1,927         1,630         1,466         1,386         1,203         971         776         381         192         20           283         271         237         214         180         121         144         118         111         74         58         20         9         2            242         248         209         191         160         96         106         89         67         41         30         10         3            441         23         28         23         20         25         38         29         44         33         28         10         6         2            786         844         604         588	3, 2,	,616 ,647		2,711 2,053	2,640 2,017		2,652 2,230	2,920 2,566	3,039 2,662	2,881 2,813	2,343 2,542	1,556 1,995	704 1,056	202 371	38 75	6	12 13
5,351         4,817         3,429         3,220         2,877         2,480         2,436         2,494         2,483         2,011         1,385         672         222         53           3,754         3,488         2,520         2,353         1,927         1,630         1,466         1,386         1,280         1,040         609         291         90         20           1,597         1,329         909         2,353         1,927         1,630         1,466         1,386         1,203         1,040         609         291         90         20           283         271         237         214         180         121         144         118         111         74         58         20         9         2	2, 1.	,209 ,689		1,452 1,229	1,394 1,129	1,227 1,181	1,487 1,285	1,676 1.541	1,963 1,742	1,956 1,911	1,653	1,054 1,419	475 739	134 · 263	25 46	2 5	5 7
5,351         4,817         3,429         3,220         2,877         2,480         2,436         2,494         2,483         2,011         1,385         672         222         53           3,754         3,488         2,520         2,353         1,927         1,630         1,466         1,386         1,203         971         776         381         192         20           1,597         1,329         909         2,353         1,927         1,630         1,466         1,386         1,203         971         776         381         192         20           283         271         237         214         180         121         144         118         111         74         58         20         9         2            242         248         209         191         160         96         106         89         67         41         30         10         3            441         23         28         23         20         25         38         29         44         33         28         10         6         2            786         844         604         588	1,	,066 715		643	898 691	775 677	787 684	828 703	597 639	427 460	268 352	232	78 110	20 36	3 8		6
3,754       3,488       2,520       2,353       1,927       1,630       1,466       1,386       1,280       1,040       609       291       90       20         1,597       1,329       2909       214       180       121       144       118       111       74       58       20       9       2		341 243		280 181	348 197	309 201	378 261	416	479 281	498 442	422 403	344	151 207	48 72	10 21	i	
283         271         237         214         180         121         144         118         111         74         58         20         9         2	_		_													6	7
283         271         237         214         180         121         144         118         111         74         58         20         9         2	3, 1,	,488 ,329		2,520 909	2,353 867	1,927. 950	1,630 850	1,466 970	1,386 1,108	1,280 1,203	1,040 971	776	291 381	90 132	33	3 3	5
786         844         604         588         481         310         278         237         173         124         75         37         18         12           500         544         389         406         301         177         153         131         95         66         31         11         5         5           286         300         215         182         180         133         125         106         78         58         44         26         13         7           491         531         378         399         291         174         151         129         94         65         31         11         5         5           286         300         212         182         180         133         125         106         78         58         44         26         13         7           7         10         9         6         9         2         2         2         1         1 <td>_</td> <td></td> <td>_</td> <td>237</td> <td>214</td> <td>180</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>58</td> <td>20</td> <td>9</td> <td>2</td> <td></td> <td>23</td>	_		_	237	214	180						58	20	9	2		23
500         544         389         406         301         177         153         131         95         66         31         11         5         5           286         300         215         182         180         123         125         106         78         58         44         26         13         7           491         531         378         399         291         174         151         129         94         65         31         11         5         5           286         300         212         182         180         133         125         106         78         58         44         26         13         7           7         10         9         6         9         2         2         2         1         1		248 23		209 28	191 23	160 20	96 <b>2</b> 5	106 38	89 29	67 44	4 <u>1</u> 33	30 28	10 10	3 6	2		21 2
286     300     215     182     180     133     125     106     78     58     44     26     13     7       491     531     378     399     291     174     151     129     94     65     31     11     5     5       286     300     212     182     180     133     125     106     78     58     44     26     13     7       7     10     9     6     9     2     2     2     1     1		844		604	588	481		i l		ľ	i	75	37	18	12	9	5
491     531     378     399     291     174     151     129     94     65     31     11     5     5       286     300     212     182     180     133     125     106     78     58     44     26     13     7       7     10     9     6     9     2     2     2     1     1     1     1		544 300		389 215	406 182	301 180	177 133	153 125	131 106	95 78	66 58	31 44	11 26	5 13	5 7	2 7	
7 10 9 6 9 2 2 2 1 1 1				378		i	174	Į.		94	)	31	11	ļ	j	2 7	
		300		212	182	180	133	125	106	78	58	44	26	13	7	7	
······································			_	3	6	9	2	2	2	1	1						
2 1 1 1			.	2													

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF

[This table excludes the deaths

1		1					DEATI	IS AT AGE	of—				
	AREA, SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	8 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
-	REGISTRATION STATES—Continued.												
	RHODE ISLAND.										212		
1	Total	12,407	1,947	542	289	160	108	3,046	315	190	349	594	865
3	Males Females	6, 473 5, 934	1,100 847	292 250	148 141	79 81	50 58	1,669 1,377	178 137	94 96	172 177	230 364	413 452
4	White	12,021	1,882	519	277	151	108	2,937	304	182	333	564	841
5	Males Females	6, <b>271</b> 5, 750	1,073 809	281 238	142 135	75 76	50 58	1,621 1,316	175 129	90 92	162 171	215 349	397 444
7	Native	8,029	1,805	498	274	148	107	2,832	283	161	268	362	501
8	MalesFemales	4, 194 3, 835	1,064 741	277 221	142 132	73 75	49 58	1,605 1,227	165 118	, 78 83	138 130	145 217	219 282
10		1,650	298	63	23 27	22	14	420	46		1		82
11	Both parents native $egin{cases} M & \\ F & \\ \end{bmatrix}$ One or both parents foreign $\ldots egin{cases} M & \\ F & \\ \end{bmatrix}$	1,607 2,364	213 723	44 211	117	21 50	19 35	324 1,136	34 114	26 21 51	48 40 88 88 2	44 71 97	114 129
12	Parentage unknown $1  ext{} \begin{cases} M \\ F \end{cases}$	2,115 180 113	501 43 27	176 3 1	104 2 1	54 1	39	874 49 29	84 5	61 1 1	88	143 4 3	165 8 3
13	Foreign	3,884	67	1 17	3	2	1	90	21	21	62	201	335
14	, Males	2,009	2	1		1	1	5	10	12	22	69	176 159
15	FemalesUnknown	1,875	65	16	3	1		85	11	9	40	132	159 5
16   17	Males	108	10 7	3		1		15			2	1	2
î8	Females	40	3	ĭ				4			ĩ		ã
19	Colored	386	65	23	12	9		109	11	8	16	30	24
20 21	Males Females	202 184	27 38	11 12	6	4 5		48 61	3 8	4	10	15 15	16 8
22	Negro $\left\{egin{array}{l} \mathbf{M} \\ \mathbf{F} \end{array}\right.$	192 176	27 36	11	6 6	3 5		47 58	3 8	4 4	10 6	15 15	16 8
23	Indian $\left\{ egin{array}{ll} M & \\ F & \end{array} \right\}$	2 3	i			ĭ							
24	Chinese $K_{\mathrm{F}}$	8 5	i	····i				2					
25	Japanese						·						
26	Other colored												
27	SOUTH CAROLINA. Total	30, 761	6,031	2,013	938	563	415	9,960	1,216	999	1,916	2,202	1,777
28	Males	15, 212 15, 549	3,346	1,062	443	281	205	5, 337	598	492 507	953 963	877	717
29 30	Females	15,549	2,685 1,959	951 718	495	282		4, 623 3, 281	618	261	518	1, 325 596	1,060
31 32	Males	5,630	1,114	371	131	98	_	1,783	·	134	-	219	243 350
	Females	5,522	845	347	166	91	49	1,498	162 182	127	İ	377	ł
33	Native	10,804	1,948	714	296	187		3, 263	337	255	_}	_	566
34 35 :	Males Females	5,424 5,380	1,106 842	i .	130 166	89	1	1,771 1,492	11	1	1	1	229 337
36	Both parents native $\left\{egin{array}{c} M \\ \mathbb{F} \end{array}\right\}$	4,622 4,581 100	1,063 810	353 335	125 161	94 88	65 49	1,700 1,443	148 170	123 118	250 217	183 320	187 288 4
37	One or both parents foreign $\left\{ egin{matrix} M \\ F \\ M \end{array} \right\}$	. 119	8 12 35 20	1 2	1	1		13 16 58	2 2	1	6	1 6	1 6
38	Parentage unknown 1 $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	702 680	20	8	4	3 1	4	58 33	6 9	6		26 47	38 43
39	Foreign		<u> </u>							. 1	-	<u> </u>	10
40 41	Males Females	100 67				-				:\i	. 2	7	7 3
42	Unknown	181	11	4	1	2		. 18	7	5	2	6	17
43 44	MalesFemales	106 75	8 3	3 1				12	6		1 1	2 4	7 10
45	Colored	19,609	4,072	}	1	1	1	6,679	872		1	<b>f</b>	1,184
46 47	MalesFemales		2,232 1,840	-{	312 329		[		·I]				474 710
		1	1,840 2,230	604 691	329 312		1	ll.	436 435	Į.		1	
48	Negro	10,022	1,839	604	329	183 191	161	3, 552 3, 124 1	435 1	380	723	947	473 710 1
49 50	Chinago (M.	5	î					i	î			1	
50 51	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$									.,			
. ~	).r.	·····i	·····i	-				1			1	1	

<sup>1</sup> Both parents unknown or one parent unknown and one native,

# DEATHS, BY AGE, SEX, COLOR, AND NATIVITY.

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT DECEDENT: 1918—Continued.

	•					DEAT	HS AT AGE	OF—							Deaths at un-
0 to 34 years.	85 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	known age.
					-					•			,		
815	674	_ 596	582	563	585	731	707	630	492	372	201	75	12	3	10
442 373	385 289	350 246	319 263	316 247	336 249	383 348	385 322	304 326	222 270	164 208	80 121	20 55	5 7	3	6
794	651	576	566	542	568	715	684	618	485	369	196	73	12	3	8
433 361	374 277	338 238	309 257	304 238	32 <u>4</u> 24 <u>4</u>	377 338	370 314	294 324	219 266	162 207	78 118	20 53	. <sup>5</sup> 7	3	. 4
473	355	290	288	221	274	380	352	316	260	222	125	52	7	3	4
229 244	199 156	174 116	155 133	127 94	144 130	200 180	195 157	149 167	118 142	86 136	47 78	15 37	4 3	3	2 2
85 73 138	75 60 117	60 45	. 66 55	50 38	73 61	105 102 75 74 20	127 103 55 43 13	112 119 23 39 . 14	98 118 9	73 123 5	41 66 4	14 36	1	3	1 i
138 166 6	. 82	60 45 108 70 6	. 66 55 84 75 5	50 38 69 55 8	73 61 62 10	74 20	43 13	. 14	18 11	7 8	4 5 2 7	1 1	2		1 2
5 318	14	1 279	3 273	1 311	7 282	322	11 324	295	6 219	6 142	70	19	5		
202	174 121	· 158	149 124	171 140	173 109	168 154	171 153	141 154	99 120	72 70	31 39	5 14	1 4		
116 3	121	7	5	10	12	13	8	7	6	5	1	2			4
2 1	1	6	5	6 4	7 5	9 4	4 4	4 3	2 4	4	1	2			. 2
21	23	20	16	21	17	16	23	12	7	3	5	2			2
9 12	11 12	12 8	10 6	12 9	12 5	6 10	15 8	10 2	3 4	2 1	2 3	<u>2</u>			2
9 12	10 11	12	10 5	12 8	11 5	5 10	13 8	9 2	2 3	1 1	2 3	·\ <u>-</u>			1
	1				i	i	<u>-</u>	1	1 1	1		••••••			
	. 1		i	1								1			
					840	1,030	1,070	1,045	761	555	328	141	69	69	112
731	744	1,269	1,123	1,006 529	410 430	550 480	592 478	581 464	373 388	247 308	119 209	53 88	30 39	24 45	57 55
893 595	905	678 497	516	477 378	430	520	478 568	565	456	282	158	39	15	4	39
289 306	293 307	262 235	229 178	201 177	236 200	284 236	313 255	313 252	191 265	109 173	48 110	14 25	6 9	4	22 17
571	576	487	388	356	426	497	544	535	421	258	147	37	13	4	26
271 300	277 299	25 <del>4</del> 233	. 215 173	187 169	227 199	273 224	296 248	296 239	175 246	99 159	46 101	14 23	5 8	4	16 10
	1	1	1		177 154	210 160	222 183	211 165	127 196 2 6	63 113 3	29 64 · 1 7	10 14	3 7	1	8 8
222 244 5 8 44 48	230 242 7 7	205 204 7 3 42 26	175 134 4 4	139 136 8 5 40 28	177 154 8 10 42 35	210 160 8 16 55 48	222 183 9 11 65 54	211 165 11 7 74 67	2 6 46	4	1 7	4	······································		 8
44 48	40 50	26 26	l .	ſ		1 .	ì	ł	46	33 42	16 30	9	1 2	3	8 2
12	9	5	8	12	3 3	13	13 10 3	18	25 8 17	16 8 8	8	1	1		
9	2		2	7 5	7	6 7 . 10	3 11	8 12	17 10	. 8	6 3	1	1		13
12	13	3	11 8	7 3	6	5 5	7 4	7	8 2	2 6					67
9 3 1 000	7 6 1,049	3 2 772	716	628	1 404	5 510	502	480	305	273	3 170	.1 102	54	65	73
1,029 442 587	451 598	329 443	378 338	328 300	174 230	266 244	279 223	268 212	182 123	138 135	71 99	39 63	24 30	24 41	35 38
442	451	329 443	338 378 338	300 328 300	174	266 . 244	279 279 223	268 212	182 123	138 135	71	39	24 30	24 41	38
586	598	443	338	300	230	244	223	212	123	135	99	63	50	41	38
1															
	1		.												

## MORTALITY STATISTICS.

Table 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF

[This table excludes the deaths

_				<u> </u>			DEAT	HS AT AGE	of—				
-	AREA, SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION STATES—Continued.		·										
1	TENNESSEE. Total	97 194	4 701	1 500				ŀ					
2 3	Males	37, 134 18, 861	4,761 2,649	1,793 919	921 451	624 316	463 231	8,562	1,352	1,165	2,162	2,574	2,331
3 4	Females	18,861 18,273	2,649 2,112	874	470	308	232	4,566 3,996	690	568 597	1,075 1,087	1,103 1,471	1,320
5	Males	25,949	3,618 2,015	701	697 346	464	183	6,466	958 492	765	1, 293	1,526	1,451
6 7	remaies	13,293 12,656	1,603	642	351	234 230	161	3, 479 2, 987	466	406 359	652 641	617 909	656 795
8	Native	24, 506	3,583 1,996	1,330	686	456	341	6,396	942	756	1,266	1,470	1,366
9	Females	12,360 12,146	1,587	634	341 345	233 223	182 159	3,448 2,948	478 464	400 356	630 636	583 887	603 763
10	Both parents native	9,716 9,736	1,862 1,453	662 601	323 327	219 213	171 147	3,237 2,741	443 442	375 334	570 557	510 748	502 634
11 12	One or both parents foreign $M$ .  Parentage unknown $M$ . $M$ .	278 241 2, 366	15 20 119	10 3 24	18	3 1 11	1 11	28 25	2 4 33	3 3 22	8 6	7 17 66	8 17 93
13	<b>\</b> -	2,366 2,169	114	30	18	9	11	183 182	18	19	52 73	122	112
14	Foreign	428 258		1	3	1		5	2	1	3	11	21
15	Females	170		1	2	i		2 3	2	1	3	9 2	11 10
16 17	Unknown <u>Ma</u> les	1,015	35	12	8	7	3	65	14	8	24	45	64
18	Females	675 340	19 16	5 7	3 5	1 6	1 2	29 36	12 2	5 3	19 5	25 20	42 22
19 20	Colored	11,185	1,143	450	224	160	119	2,096	394	400	869	1,048	880
21	Males Females	5, 568 5, 617	634 509	218 232	105 119	82 78	48 71	1,087 1,009	170 224	162 238	423 446	486 562	355 525
22	Negro $\left\{egin{array}{l} \mathbf{M} \\ \mathbf{F} \end{array}\right.$	5, 560 5, 613	634 509	218 232	105 119	82 78	48 71	1,087 1,009	170 224	162 238	423 446	485 562	352 524
23	Indian (M.	6 1										1	3 1
24 25	Chinese $\begin{cases} M \\ F \end{cases}$	2 2											
26	Japanese			<b></b> .									
	UTAH.	1											
27	Total	6,172	926	186	112	73	51	1, 348	239	193	331	406	549
28 29	Males Females	3, 489 2, 683	501 425	90 96	61 51	40 33	29 22	721 627	138 101	118 75	193 138	213 193	298 251
30	White	5, 986	905	179	105	71	49	1,309	234	189	325	390	528
31 32	Males Females	3, 352 2, 634	487 418	84 95	57 48	38 33	28 21	694	135	117	189	204	285 243
33	Native	4,323	897	176	104	70	49	615 1,296	99	72 176	136 310	186 332	243 427
34 35	MalesFomales	2, 363 1, 960	482 415	83 93	56	38	28	687	127	113	179	163	214
36	Both parents native $M$ .	1	377	59	48 41	32 20	21	609 528	95 90	63 81	131	169 88	213 96
37	One or both parents foreign $\begin{cases} F \\ F \end{cases}$	1,311 1,128 852 712	320 104	72 24	37 15	29 24 8 7	22 12 6	528 465 157	67 34	46 31	94 66	93 60 73 15	100 100
38	Parentage unknown 1. $\begin{cases} M \\ F \end{cases}$	200 120	92 1 3	19 2	11	7 1 1	9	138 2 6	28	17 1	36 4	73 15	97 18 16
39	Foreign	1,557	8	3	1	1		13	12	12	1 13	3 48	90
40 41	Males Fomales	897 660	5 3	1 2	1			7	8	4	9	32 16	62
42	Unknown	106				1		6	4	8	2	16	28 11
43 44	MalesFemales	92									1	9	6
45	Colored	14 186	21	7	7	2	2			1	1	1	2
46 47	Males	137	14	6	4	2	1	27	3	1	6	16	21
- 1	Females	49 20	7	1	3	·····	Î	12	ž	3	2	7	13 8
48	$\begin{array}{ccc} \text{Negro.} & & \left\{ \begin{matrix} M \\ \mathbf{F} \end{matrix} \right. \\ \text{Indian} & \left\{ \begin{matrix} M \\ \mathbf{F} \end{matrix} \right. \end{array}$	9 50	2 7	1 3	2	2		1 2 14	3	1	1 4	4 2 5	4 1 7
50	Indian M.  F. Chinese M.  'F.	22 8	1 1	i	3			5	2	3	,Î	1	2
51	Japanese	58 18	6	2)	2		1 1	·····ii					2
52	Other colored	1		. 1.E	********		1	5				4	5

<sup>1</sup> Both parents unknown or one parent unknown and one native,

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT DECEDENT: 1918—Continued.

												-				
eaths		-					•	of—	HS AT AGE	DEATI						
t un- nown age.	ars [ ]	100 years and over	95 to 99 years.	90 to 94 years.	85 to 89 years.	80 to 84 years.	75 to 79 years.	70 to 74 years.	65 to 69 years.	60 to 64 years.	55 to 59 years.	50 to 54 years.	45 to 49 years.	40 to 44 years.	85 to 39 years.	30 to 34 years.
								-								
502	40	40	56	177	544	982	1, 454	1,748	1,702	1,630	1,410	1,489	1,573	1,577	1,988	2, 116
338 164	8	8	27	71	263	504	741	944	927	922	769	763 726	856 717	746	1,000	997
324	32		29	106	281 428	478 796	1, 229	1,446	775 1,343	708	1,031	917	995	831 992	988 1,248	1,119
219 105	2 6		15	46	209	401	612	769	735	689 522	560 471	465	546	469 523	618	636
114	7	1	16 27	70 106	219 387	395 727	617	677 1,328	608 1,245	1,118	471 961	452 858	449 933	523 927	630 1, 165	739 1,304
48 66	2 5	2	12 15	41 65	192 195	363 364	539 564	699 629	681 564	628 490	516 445	426 432	504 429	422 505	556 609	589 715
34 38	2 2		8 7	28	99		1	i .		Ì	341 316					
1 4			1	31 1 2 12 32	113 2 3	184 221 11 12	317 351 12 12	400 433 21 10 278	431 356 15 10 235 198	409 333 23 25 196 132	30 20	267 319 26 16	364 320 23 10 117 99	317 380 18 19 87	415 467 14 11	463 593 25 14 101
13 24	-3		4 7	12 32	91 79	168 131	210 201	278 186	235 198	196 132	145 109	16 133 97	117 99	87 106	127 131	101 108
6		_	3	4	22	33	59	44	46	50	32	25	14	14	14	19
4 2			2 1	1 3	9 13	16 17	30 29	29 15	26 20	33 17	23 9	15 10	9 5	10 4	10 4	13 6
204 167	1	_	1	6	19	36	67	.74	52	43	38	34	48	51	69	52
37	i	-		4 2	8 11	22 14	43 24	41 33	28 24	28 15	21 17	24 10	33 15	37 14	52 17	34 18
178	32 6		25 12	61 25	116 54	186	225 129	302	359 192	419	379	572	578	585	740	741 361
119 59	26	2	13	36	62	103 83	96	127	167	233 186	209 170	298 274	310 268	277 308	382 358	380
118 59 1	6 26	2	· 12	25 36	54 62	103 83	129 96	175 127	191 167	233 186	209 169	298 274	309 268 1	277 308	381 358	361 378
									i						i	
											1					1
	:		• • • • • • • • • • • • • • • • • • • •													i
1	1	ı	11	29	105	181	211	207	280	224	235	233	250	246	393	499
1	1	3	3	14 15	46 59	94 87	106 105	108 99	139 141	125 99	137 93	133 100	161 89	156 90	262 131	322 177
1	1		11	29	105	180	210	206	279	220	232	224		233	370	471
1	1	3	3 8	14 15	46 59	93 87	106 104	107 99	139 140	123 97	134 98	126 98	. 152 87	144 89	242 128	297 174
		4	. 4	7	21	51	60	56	104	109	129	132	151	148	252	336
		1	1 3	3	11 10	28 23	31 29	26 30	57 47	66 43	74 55	65 67	87 64	82 66	151 101	197 139
		1	1 1	2	6 8 2	15 13	17 18	12 16 4	31 21	23 13	14 21	19 21	21 20	24 20	57 38	77 52
				1 · · · · · · · · · · · · · · · · · · ·	3	13 5 4 8	3 6 11	7 10	21 18 18	23 13 28 23 15 7	14 21 44 29 16	19 21 38 37 8	21 20 53 40 13	24 20 43 36 15	57 38 68 52 26	77 52 97 71 23
		2		2	2	6	5	7	1		Į.	î	1	{		
1	1	7 2 5		10 12	82 33	128	72	-					_]	57	108	128 94
		5		12	49	64	75	69	1			1	l	ļ.	26	34
						1		5		_					-	6
						1	1		l		1	1			1	28
		-				. 1		. 1				7		1:	20	2
							1		:	2			i   3 2   3	1	1	3
					-	ii				2 2	}				2	
							1	1		1	i	1	2	-		
											3		7		15 2	17
							-	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,								[.,.,,,

### MORTALITY STATISTICS.

Table 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF

[This table excludes the death's

=			ii							<del>-</del>			the death
		All					DEAT	HS AT AGE	of—				
	ARE'A, SEX, COLOR, AND NATIVITY.	deaths.	Under 1 year.	⊥year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION STATES—Continued.												
	VERMONT.	i											
1	Total		698	139	61	42	42	982	107	127	232	323	402
2 3	Males Females	3,655 3,148	400 298	76 63	30 31	20 22	18 24	544 438	54 53	69 58	121 111	. 155 168	224 178
4	White	6,800	697	139	61	42	42	981	106	127	232	323	402
5 6	Males Females	3,655 3,145	400 297	76 63	30 31	20 22	18 24	544 437	54 52	69 58	121 111	155 168	224 178
7	Native	5,366	690	138	57	40	42	967	99	116	212	260	282
8 9	Males Females	2,803 2,563	397 293	75 63	27 30	19 21	18 24	536 431	49 50	64 52	108 104	116 144	144 138
10	Both parents native ${M \choose F}$	1,761	253	51	15 17	10	10	339	30	50		73	101
11	One or both parents foreign $\left\{ egin{array}{l} F_{-} \\ F_{-} \end{array} \right.$	1,602 673 607	189 123	35 22	10	15 8	13 8	269 171	30 18 17	32 14	75 73 30	95 40	78 35 52
12.	Parentage unknown 1	369 354	89 21 15	26 2 2	13 2	5 1 1	10	143 26 19	17 1 3	19 1	30 25 3 6	43 3 6	52, 8 8
13	Foreign	1,356	3		4	2		9	5	9	18	63	116
14 15	Males Females	800	1 2		3	1		5	4	3	12	39	77
16	Unknown	556 78	4	1	1	1		5	1 2	6 2	6	24	39 4
17 18	Males	52	2	1				3	1	2	1		3
18	FemalesColored	26 3	2	•••••	<b></b>		••	2	1	• • • • • • • • •	1		1
20	Males		1					1	1				
21	Females	3	1	·····				1	1				
22	Negro. $M$ . $M$ . Indian $M$ .	3	1					i					
23 24	Chinese (M.										·····		
25	Japanese												
26	Other colored $\left\{egin{array}{ll} \mathbf{M} \dots \\ \mathbf{F} \dots \end{array}\right\}$	•••••									<b>-</b>		
	VIRGINIA.										•••		
27	Total	41,272	6,491	1,877	987	586	402	10,343	1,231	1,064	2,070	2,705	2,745
28 29	Males Females	20,967 20,305	3,545 2,946	942 935	500 487	262 324	203 199	5,452 4,891	599 632	475 589	1,064 1,006	1,220 1,485	1,262 1,483
30	White	24,687	3,743	1,056	581	341	236	5,957	704	569	1,065	1,519	1,654
31 32	Males Females	12,804 11,883	2,069 1,674	507 549	284 297	167 174	121 115	3,148 2,809	350 354	272 297	577 488	726 793	806 848
33	Native	23, 425	3,687	1,041	575	334	234	5,871	694	559	1,035	1,437	1,537
34 35	Males Females	11,955 11,470	2,036 1,651	498 543	280 295	162	119	3,095 2,776	345 349	265	558 477	666	717
36	Both parents native $$	9,978	1,904	461	264	172 151	115 114	2.894		294		771 572	820
37	One or both parents foreign $\begin{cases} M \\ F \end{cases}$	9,944 394	1,542 52	513 21	282 8 6	163 6	106 2	2,606 89	332 327 5 9	248 267 7	522 435 8 14	572 686 17	602 715 23 29 92 76
38	Parentage unknown $1   M$	375 1,583 1,151	62 80 47	14 16 16	8 7	3 5 6	6 3 3	91 112 79	8	11 10 16	14 28 28	15 77	29 92
39	Foreign	716	2	1	1	0	1	5	13	2	12	70 45	76 64
40 41	Males Females	475	2	1	1		1	5		1	9 3	30	44
42	Unknown	241 546	54	14	5	7	1	81	10	1 8	ſ	15 37	20
43	Males	374	31	8	3	5	1	48	5	6	18		53 45
44 45	Females	172	23	6	2	2		33	5	2	8	30 7	8
46	Males	16,585 8,163	2,748 1,476	821 435	216	245 95	166 82	4,386	527	495 203	1,005	1,186	1,091
47	remaies	8,163 8,422	1,272	386	190	150	84	2,304 2,082	249 278	203	487 518	494 692	456 635
48	Negro	8,143 8,415	1,476 1,272	435 386	216 189	95 150	82 84	2,304 2,081	249 278	202 292	486 518	493 691	453 635
49 50	Indian	6 7 12		•••••	·····i			1		1	1	1 1	1
50 51	Jananese (M.	1										1	1 i
1	**************************************												7

 $<sup>^{\</sup>rm 1}$  Both parents unknown or one parent unknown and one native.

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT DECEDENT: 1918—Continued.

	•					DEAT	HS AT AGE	OF—		•					Deaths
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 . years.	95 to 99 years.	100 years and over.	at un- known age.
				,											
401	303	275	259	·. 284	335	384	497	521	578	423	254	81	24	4	. 7
241 160	188 115	169 106	134 125	147 137	163 172	211 173	· 269 · 228	272 249	318 260	212 211	120 134	30 51	8 16	3	3 4
401	303	275	259	284	335	384	497	521	578	422	254	81	24	4	. 7
241 160	188 115	169 106	134 125	147 137	163 172	211 173	269 228	272 249	318 260	212 210	120 134	30 51	· 8	3 1	3 4
265	209	201	189	206	252	297	391	393	439	317	189	61	13	. 2	6
147 118	123 86	112 89	92 97	104 102	121 131	168 129	209 182	192 201	247 192	158 159	103	20 41	3 10	1	.3 .3
97 79	70 49	65 52	51 56	50 62	73 67	99 80	130 115	121 123 27 23 44	157 131 ,29 21	105 107	57 71	12 26	3 5	1	2
97 79 38 28 12 11	49 31 21 22 16	65 52 39 29 8 8	56 30 25 11	62 38 28 16 12	73 67 31 44 17 20	36 29 33	37 37 42	23 44	61	20 14 33 38	5 6 24	3 1 5			$\frac{1}{2}$
11 132	92	8 66	16 62	12 74	20 81	20 82	30 101	55 118	133	38 102	26 62	14	5 9	2	1
92 40	64 28	50 16	37 25	39 35	41 40	41 41	56 45	73 45	67 66	53 49	32 30	9	4 5	2	i
4	20	8	8	4	2	5	5	10	6	3	3	1	2		
2 2	1 1	7	5 3	4	1 1	2 3	4	7 3	4 2	1 2	2 1	1	1		
							-,		<del>.</del>	1			·		
										1					
										<sub>i</sub> -					
									<u> </u>						
2,377	2,259 1,195	1,718	1,647 875	1,643 846	1,625 881	1,899	1,942	2,081	1,642	1,200	599	271 112	66	62	83
1,224 1,153	1,064	836	772	797	744	995 904	928	1,086 995	833 809	571 629	288 311	159	27 39	18 44	48 35
1,438 781 657	1,250	909 468 441	931 522 409	826 454 372	979 · 544	1,217	1,339 703	1,519	1,275	885 411	430 207	153 59	22 8 14	3	26 17
657 1,331	583 1,148	441 837	409 870	372 759	435 921	549 1,161	636 1,257	742 1,421	645 1,175	474 831	223 396	94	14 22	3	17 22
700 631	586 562	415 422	480 390	408 351	· 505 416	630 531	660 597	717 704	558 617	384 447	193 203	53 85	8 14	3	12 10
			Į.		1	1	i				,	1	6		6 8
611 550 20 28 69 53	491 480 20 11 75	330 358 20 15 65 49	375 327 21 14 84 49	288 282 30 14 90 55	377 347 24 14	499 424 29 27 102 80	511 483 21 24 128 90	500 576 20 20 197 108	378 494 19 19	272 342 14 16 98 89	· 132 157 3 3	32 65 3 1	12 1	3	8
69 53	75 71	65 49	84 49	90 55	14 104 55	102 80	128 90	197 108	161 104	98 89	58 43	18 19	1. 2	<b>*</b>	6 2
66	56	45	42	44	42	32	50	68	70	38	26	8			1
49 17	43 13	31 14	31 11	29 15	27 15	24 8	26 24	42 26	51 19	20 18	12 14	7			1
. 41	46	27	. 19	23	16	24	32	30	30	16	8	7			20
32 9	38 8	22 5	11 8	17 6	12 4	14 10	17 15	· 18 12	21 9	7 9	2 6	5 2			14 6
939	1,009	809 414	716 353	392	646 337	682 327	603	562 309	367 203	315 160	169	118 53	19	59 18	40
443 496	528 481	414 395	353 363	392 425	337 309	327 355	311 292	309 253	164	155	81 88	65 53	25	18 41	22 18
440 495 1	524 481	413 395	351 363 1	390 425	337 309	326 353	310 290 1	309 253	203 164	160 155	81 88	53 65	19 25	18 41	22 18
1 1	4	i	i	2		2 1	2								
· · · · · · · · · · · · · · · · · · ·															
1											ļ		••••••		

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), İTS NATIVITY OF

[This table excludes the deaths

							DEATE	IS AT AGE O	F				
	AREA, SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
-	REGISTRATION STATES—Continued.												
-	· Washington.							0.500	435	384	743	1,011	1,312
1	Total	16,837	1,769	327 183	97	149 85	113 53	2,530		199	409	506	716
2 3	Males Females	9,978 6,859	1,028 741	144	75	64	60	1,084	243 192	185	334	505	596
4	White	15,985	1,637	289	162	123	99	2,310	399	348	682	945	1,248
5	MalesFemales	9,475 6,510	958 679	161 128	90 72	75 48	49 50	1,333 977	222 177	182 166	371 311	469 476	560
7	Native	11,289	1,629	284	157	119	94	2,283	379	325	620	791	917
8 9	MalesFemales	6,250 5,039	954 675	158 126	85 72	72 47	45 49	1,314 969	208 171	172 153	333 287	375 416	449 468
	Both parents native $$	3,345	641		47	43	31	1 11	129	109	192 177	186	228
10	One or both parents foreign $\left\{\begin{matrix} \mathbf{F} \\ \mathbf{F} \end{matrix}\right\}$	2,734 1,744	458 288	93 82 62 44	47 35	27 29 18	25 14 24	855 639 428 309	113 73 53 6	92 53 52 10	117 117 97	225 140 151	228 137 178
12	Parentage unknown $^{1}$ $^{M}$ $^{F}$	1,500 1,161 805	458 288 200 25 17	3	23 3 2	2		31 21	6 5	10 9	24 13	· 49	84 62
13	Foreign	4,222	7	4	5	3		23	20	22	50	133	290
14	Males	2,813 1,409	3	3 1	5	3	3 1	17	14	9 13	28 22	80 53	207
15 16	Females Unknown	1,409	1	1		1		4		1	12	21	41
17	Males	412	1				. 1	2 2		1	10	14	32 9
18	Females	62		1	1	26	1	220	36	36	61	66	64
19 20	Colored	852 503	70	38		10	-\	113 107		17	38	37	28 36
21	Females	349	62	16	7 3	16	10	11	15	19	23	29	
22	Negro $\left\{egin{array}{c} \mathbf{M}_{-} \\ \mathbf{F}_{-} \end{array}\right.$	78 58	5 5					5 8 69	2 3 15	3 1 12	5 2 24		3 3 6 15
23	Indian\bigg\{M.\\F.\\M.\\\M.\\\M.\\\M.\\\M.\\\M.\\\	204 186 44	32 1	13	1	9		60 2	8	18			15 1
24	CrimeseF.	. 6	1 1 22	8	······i	. 1		2 36	4	i	8	9	13
25 26	F. (M.	. 99 12	24 1	5	$\begin{vmatrix} 1 & 2 \\ 1 & 1 & 1 \end{vmatrix}$	3	3	37 1	4		. 5 1		18 5
20	Wisconsin.					-							
27	Total	34,992	4,810	987	541	364	326	7,028	872	743		-	2,292
28 29	Males. Females	. 19,203 15,789	2,742 2,068	545 442	297 2 244			3,943 3,085	455 417	381 362	714 567	814 907	1,151 1,141
30	White	34,700	4,780	976	537	360	321	6,974	862	728	1,266	1,705	2,266
31 32	Males Females	. 19,043 15,657	2,722 2,058	538 438	3 29 3 242	190	3 159 4 162		451 411	374 354	708 558		1,138 1,128
33	Native	1	4,749			1	i	1	840	705	1,18	1,480	1,784
34 35	Males			53- 43'	4 295 7 238	19	5 159 2 158	3,883 3,044	438 402	362 343	661	678 802	847 937
	Females	1 '	1.624	26	1	5 10	1	III .	242	201			
36 37	Both parents native $$	4.300	1,216	21 24	6 13: 5 11:	2   9 7   8	9 79 4 86 2 80 3 71	1,744	194 188	150	220	270 290 290 366 2 466 2 42	297 296 489 582 61
38	Parentage unknown $^{1}$ $^{F}$ .	5,365 1,284	748	20	0   :	3	3 71 45	144	201 8 7	15°	1 4	2 42 42 46	61 59
39	Foreign	{	II.	1	1	`	- (	6	15	Į.	l l	l	1
40	Males Females		;	-	1			3	8		0 3	8 118 3 90	260 180
41 42	Females		ll .	1	4	4		2 3	7	į.	$\begin{bmatrix} 9 & 3 \\ 4 & 1 \end{bmatrix}$		1
43	•		5 20		3		1	24	1		_	9 10	_
44	MalesFemales	1	5    8	3	1		1	11	2	3	1	1	1 .
45 46	Colored Males.	1	_	_		2		$\begin{bmatrix} 5 \\ 2 \end{bmatrix} = \begin{bmatrix} 54 \\ 33 \end{bmatrix}$	-11				_
40 47	Females	133		ő	4	2	2	3 21	11				3 18
48	Negro $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right\}$		B    -	8	<u>i</u>	į	2	2 12 7	<b>  </b>		27	2 4 4	1 6
49	Indian	7	1 1	6	7 3	2	·i-	3 21		5	6	5	3
50	Chinese		i							-			
51 52	Other calculates		i										l
	The colored								1		<u> </u>	···	

<sup>1</sup> Both parents unknown or one parent unknown and one native,

## DEATHS, BY AGE, SEX, COLOR, AND NATIVITY.

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT DECEDENT: 1918—Continued.

	Deaths						,	F—	AT AGE O	DEATES							Ī
Section   Sect	at un- known age.	100 years and over.	95 to 99 years.								55 to 59 years.		years.				-
Section   Sect																	-
1,203	67	3	21	96	304	511	738	935	937	989	925	836	772	864	1,098	1,335	
1,502	57 10	2		48 48	182 122	276 235	446 292	559 376	610 327	632 348	585 340	534 302	467 305	511 353	698 400	841 494	
841 652 469 445 469 651 651 653 559 694 428 282 188 54 12    472 377 284 285 123 154 331 532 330 587 289 227 121 49 10    473 377 284 285 123 154 331 331 332 333 332 333 333 332 333 333	58							914	914	961	900		748	820	1,030	1,262	}
	51 7	1		47 46	181 121	273 227	443 289	547 367	594 320	619 342	567 333	507 291	451 297	481 339	648 382	790 472	
174   174   175	7															841	
88	5 2		7	1	96 72	146 136	257 171	289 215	324 226	334 217	330 211	254 196	233 212	254 235	377 275	472 369	
88	1			10 21	52 41	75 66	89	144 107	115	` 103	164 98	109 98	107 99	128 105	174 133	247 183	
270	4			3 11	4	19	17 105	42 1 37 103	46	82 65 100	92 54 74	80 50 65	72 69 54	64 83 62	105 85 08	137 126	
270   230   230   230   172   214   209   224   240   241   174   116   84   14   2	1		- 1	1	27	51	65	71	65	49	59	48			1		
100	12 11 1		4	21	82	116	174	241	240		209						
Second   S	1 39			1	48	89	111	148	92		119	94	1 1			100	
T3	35		1	3	3	11			30	31		39					
State	4 9	2	1	ł	1	2	)	4		2		1		4	4	1	
8       9       9       2       5       5       5       7       3       4       2       1	6 3		1	1		3		12	16	13		27					
23   32   12   5   12   1   1   1   2   3   32   32   32		1		2	1			·					í		)		
23   32   12   5   12   1   1   1   2   3   32   32   32	2 1 3 2		i		i	1 2		2 5	2 6	3 4	5 3	5		2 5	9 6	4 11	
23       32       12       5       12       1       1       2	2			2	1	7		7 3	5 6	3 5		4	<sup>2</sup>	7 4 1		. 7	
2,315         1,804         1,853         1,859         1,408         1,727         1,848         1,988         2,114         1,991         1,627         944         346         69         7           1,300         1,069         802         786         812         992         1,069         1,142         1,138         1,098         807         445         151         30         3           2,294         1,777         1,334         1,344         1,400         1,713         1,839         1,976         2,106         1,988         1,618         942         344         08         7           1,290         1,051         794         775         808         983         1,064         1,333         1,933         1,976         2,106         1,988         1,618         942         344         08         7           1,290         1,051         794         775         808         983         1,064         1,333         1,933         1,933         1,933         1,933         1,933         1,933         1,933         1,933         1,933         1,933         1,933         1,933         1,933         1,933         1,933         1,933         1,933         1,933	1							2		1	1		5	12	32	28 11	
1,300         1,009         802         786         350         786         312         1,069         1,142         1,138         1,098         807         446         151         30         3           1,015         735         551         573         596         735         779         1,142         1,138         1,098         807         446         151         30         3           2,294         1,777         1,334         1,400         1,713         1,839         1,976         2,106         1,986         1,618         942         344         68         7           1,290         1,051         794         775         808         983         1,064         1,133         1,095         802         444         151         30         3           1,669         1,151         826         798         720         930         886         782         696         407         226         91         12						••••••									3		
1,015         7755         551         573         596         735         779         846         976         893         820         498         195         39         4           2,294         1,777         1,334         1,344         1,400         1,713         1,839         1,976         2,106         1,986         1,618         942         344         68         7           1,290         1,051         794         775         808         983         1,064         1,133         1,995         802         444         151         30         3           1,609         1,151         826         798         720         930         886         782         696         561         407         226         91         12           887         640         472         422         383         491         480         436         393         303         208         19         126         51         5           782         511         254         376         383         491         480         393         303         208         199         126         51         5           275         162         98 <th< td=""><td>155</td><td>7</td><td>69</td><td>346</td><td>944</td><td>1,627</td><td>1,991</td><td>2,114</td><td>1,988</td><td>1,848</td><td>1,727</td><td>1,408</td><td>1,359</td><td>1,353</td><td>1,804</td><td>2,315</td><td></td></th<>	155	7	69	346	944	1,627	1,991	2,114	1,988	1,848	1,727	1,408	1,359	1,353	1,804	2,315	
2,294         1,777         1,334         1,344         1,400         1,713         1,839         1,976         2,106         1,988         1,618         942         344         68         7           1,290         1,051         794         775         808         983         1,064         1,133         1,133         1,095         802         444         151         30         3           1,669         1,151         826         798         720         930         886         782         696         561         407         226         91         12	100 55		30 39	151 195		807 820	1,098 893	1,138 976	1,142 846	1,069 779	992 735	812 596	. 786	802 551	1,069 735	1,300 1,015	
1,004         7726         540         569         592         730         7775         843         7973         891         816         498         193*         38         4           1,669         1,151         826         798         720         930         886         782         696         561         407         226         91         12	151	7	68	344	942	1,618	1,986				1,713	1,400	=		:		
1,669         1,151         826         798         720         930         886         782         696         561         407         226         91         12	100 51			151 193*		802 816	1,095 891	1,133 973	1,133 843	1,064 775	983 730	808 592	775 569	794 540	1,051 726	1,290 1,004	
275         162         98         75         73         101         123         159         158         119         94         44         20         2	49			·				·	782				798	826	1,151		
64         86         57         62         62         68         82         88         127         115         82         52         18         5	27 22			40 51	100 126	208 199	303 258	393 303	436 346	480 406	491 439	388 332	422 376	472 354	640 511	887 782	
64         86         57         62         62         68         82         88         127         115         82         52         18         5	8 6		2 4	20 22	44 76	94 101	119 126	158 127	159 110	123 101	101 92	73 81	75 77	98 83	162 144	275 231	
580         581         460         505         640         736         905         1,142         1,375         1,395         1,174         706         246         55         7           369         376         279         320         383         452         551         659         720         774         576         341         107         23         3           211         205         181         185         257         284         354         483         655         621         598         365         139         32         4           45         45         48         41         40         47         48         52         35         30         37         10         7         1	8 6 11 7 8 9		5	8 18	4	32 37	69 60	108 107	189 189	275 266	322 299	253 211	285 253	317 242	392 315	548 480	
369         376         279         320         383         452         551         659         720         774         576         341         107         23         3         4           211         205         181         185         257         284         354         483         655         621         598         365         139         32         4           45         45         48         41         40         47         48         52         35         30         37         10         7         1            34         35         43         33         37         40         33         38         20         18         18         3         4            11         10         5         8         3         7         15         14         15         12         19         7         3         1	1		1	}	1	1	72	69			l .	1	9 46	29	52	71	
45         45         48         41         40         47         48         52         35         30         37         10         7         1            34         35         43         33         37         40         33         38         20         18         18         3         4            11         10         5         8         3         7         15         14         15         12         19         7         3         1            21         27         19         15         8         14         9         12         8         5         9         2         2         1	43		23	107				-)			-						
34     35     43     33     37     40     33     38     20     18     18     3     4	1			139		1	1	i	1	i			1	i	1	1	
21 27 19 15 8 14 9 12 8 5 9 2 2 1	59 48 11			4	3	-											
	. 11		1	3	7	i		15		i		1	}	4	. 10		
10 18 8 11 4 9 5 9 5 3 5 2			-	- <del></del>		5	3	5	-	5	-			·			
$egin{array}{c c c c c c c c c c c c c c c c c c c $	4		1	- 2		4	2	3	1	4	5	4	1 4	11	1	11	,
$egin{array}{ c c c c c c c c c c c c c c c c c c c$	i		-		i	. 2	2	3 2	1 1	2	6	2 2	4 2		6 7	7	
$egin{array}{c ccccccccccccccccccccccccccccccccccc$	3		1	2		2	2			2			8 2		3		
													1				
	:			-				-	-								

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[This table excludes the deaths of soldiers, sailors, and marines. Figures for white and colored are shown separately for minor subdivisions (except as indicated in the municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000

								DEATHS	from—	1/	_				
	AREA AND COLOR.	All causes.	Ty- phoid fever.	Mala- ria.	Small- pox.	Mea- sles.	Scarlet fever.	cough.	Diph- theria and eroup.		Ery- sipe <b>l</b> as.	Tuber- culosis of the lungs.	Tuber- culous menin- gitis.	Other forms of tu- bercu- losis.	Rheu- ma- tism.
ļ			1	3	4	5	6	7	8	9	(12)	13 		15	(37)
1	SUMMARY.  The registration area (exclusive of														
3	The registration area (exclusive of Hawaii) (total)	1, 445, 158 1, 287, 425 157, 733	10, 167 8, 132 2, 035	2,534 1,288 1,246	338 278 60	8, 223 7, 550 673	2,335 2,310 25	13,728 11,087 2,641	11,183 10,770 413	234, 290 211, 590 22, 700	2,579 2,477 102	107, 602 88, 278 19, 324	5,874 5,345 529	7,728 6,389 1,339	4,144 3,683 461
4 5 6	Registration states 1 (total)	1,404,116 1,259,565 144,551	9,684 7,818 1,866	2,332 1,216 1,116	304 263 41	7,968 7,333 635	2,302 2,278 24	13,464 10,907 2,557	10,987 10,606 381	228, 120 206, 837 21, 283	2,498 2,406 92	104, 256 86, 260 17, 996	5,751 5,253 498	7,499 6,262 1,237	4,053 3,625 428
7 8 9	Cities in registration states (total) White Colored	741, 187 679, 702 61, 485	3, 279 2, 824 455	325 170 155	92 71 21	3,846 3,657 189	1,184 1,170 14	5,708 4,946 762	6,632 6,482 150	109,583 103,456 6,127	1,275 1,222 53	53,695 45,911 7,784	3,922 3,586 336	3,953 3,299 654	1,885 1,729 156
10 11 12	Rural part of registration states (total) White Colored	662, 929 579, 863 83, 066	6, 405 4, 994 1, 411	2,007 1,046 961	212 192 20	4, 122 3, 676 446	1,118 1,108 10	7,756 5,961 1,795	4,355 4,124 231	118,537 103,381 15,156	1,223 1,184 39	50, 561 40, 349 10, 212	1,829 1,667 162	3,546 2,963 583	2,168 1,896 272
13 14 15	Registration cities in nonregistration states (total)	41,042 27,860 13,182	483 314 169	202 72 130	34 15 19	255 217 38	33 32 1	264 180 84	196 164 32	6,170 4,753 1,417	81 71 10	3,346 2,018 1,328	123 92 31	229 127 102	91 58 33
16 17 18	All registration cities¹ (total)	782,229 707,562 74,667	3,762 3,138 624	527 242 285	126 86 40	4,101 3,874 227	1,217 1,202 15	5,972 5,126 846	6,828 6,646 182	115, 753 108, 209 7, 544	1,356 1,293 63	57,041 47,929 9,112	4,045 3,678 367	4, 182 3, 426 756	1,976 1,787 189
	REGISTRATION STATES.	-							i	V					
19 20 21	California (total)	56,488 52,770 3,718	196 166 30	41 37 4	3 2 1	163 153 10	59 56 3	307 278 29	231 219 12	9,675 8,991 684	58 54 4	5, 429 4, 879 550	281 231 50	336 298 38	120 115 5
22 23 24	Colorado (total)	17,546 17,141 405	140 138 2		13 13	50 47 3	37 37	146 142 4	81 81	4, 126 4, 050 76	40 40	2,072 1,989 83	64 63 1	52 51 1	45 43 2
25 26 27	Connecticut (total)	27, 240 26, 550 690	72 69 3	3 3		89 87 2	37 35 2	269 257 12	204 201 3	5, 604 5, 517 87	47 46 1	1,737 1,652 85	168 163 5	128 118 10	44 42 2
28 29 30	Illinois (total)	100,396 95,831 4,565	519 488 31	81 73 8	15 10 5	317 317	149 149	696 648 48	1, 142 1, 121 21	15, 169 14, 721 448	183 176 7	7, 691 6, 934 757	328 294 34	. 560 490 70	313 302 11
31 32 33	Indiana (total)	45,993 43,940 2,053	400 389 11	33 29 4	22 19 3	144 140 4	125 124 1	503 479 24	431 425 6	5, 553 5, 430 123	121 121	3,479 3,165 314	184 173 11	385 352 33	155 146 9
34 35 36	Kansas (total)	25, 053 23, 490 1, 563	291 265 26	21 17 4	26 26	256 252 4	71 71	220 204 16	112 106 6	4,073 3,864 209	61 61	905 744 161	29 25 4	93 82 11	90 87 3
37 38 39	Kentucky (total)	39,532 32,972 6,580	649 538 111	109 82 27	12 11 1	344 329 15	46 45 1	891 751 140	325 311 14	7,149 6,388 761	97 90 7	4,234 3,218 1,016	188 162 26	322 253 69	109 89 20
40 41 42	Louisiana (total)	32, 201 15, 822 16, 379	709 380 329	526 240 286	18 7 11	350 231 119	5 5	356 159 197	97 63 34	5,312 2,506 2,806	37 36 1	3,078 1,070 2,008	37. 28 9	179 65 114	87 44 43
43 44 45	Maine (total) White Colored	14,499 14,443 56	58 58	2 2		99 99	12 12	59 59	61 61	2,513 2,499 14	26 26	747 743 4	- 78 2	96 96	41 40 1
46 47 48	Maryland (total)	32, 134 24, 329 7, 805	238 154 84	6 5 1		138 107 31	20 18 2	464 263 201	135 123 12	4,437 3,531 906	29 25 4	2,659 1,745 914	108 87 21	160 83 77	83 57 28
49 50 51	Massachusetts (total)	77,248 75,867 1,381	153 147 6	5 5	1 1	508 497 11	73 73	690 676 14	590 586 4	12,494 12,320 174	150 146 4		417 399 18	369 355 14	142 140 2
52 53 54	Michigan (total)	53,320 52,103 1,217	332 328 4	8 7 1	16 15 1	252 248 4	178 178	492 478 14	685 683 2	6,382 6,225 157	133 132 1		198 190 8	280 271 9	192 187 5
55 56 57	Minnesota (total)	31, 109 30, 709 400	87 86 1	1 1	10 10	99 99	154 154	310 293 17	288 286 2	5, 720 5, 673 47	· 106 104 2		176 171 5	175 171 4	129 129
58 59 60	Missouri (total)	53,311 48,465	664 599 65	278 259 19	83 80 3	374 352 22	94 93 1	523 469 54	465 448 17	7, 025 6, 702 323	125 122 3	4,447 3,647 800	144 127 17	289 230 59	163 157 6
61 62 63	Montana (total)	8, 985 8, 736 249	53 48 5	2 2	6 6	18 18	71 71	64 64	45 45	2,654 2,583 71	22 20 2	414	31	30 29 1	18 16 2
64 65 66	New Hampshire (total)	9,581 9,564 17	20 20	2 2		46 46	8 8	100 100	37 37	1,999 1,996 3	13 13	473 470 3	34		. 12 . 12

<sup>1</sup> Including District of Columbia.

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1918.

footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. The term "cities" indicates inhabitants or more in 1910) are omitted. Numbers under causes of death correspond to those of the abridged International List.

	mann	mrs or n	тоте ти т	.910) are	ommerea.	Mumbe	is under	Causes 01	dearn c	orresho	uu to th	050 01 1	He spring	eu mie	шалопа	1 17126-1					
Column   C							1		ď	eaths i	FROM-					,					
14. (37) 17 18 9 9, 11 2, 12 10 10 10 10 10 10 10 10 10 10 10 10 10	cer and other malig- nant			bral hemor- rhage and soften-	dis- eases of the	Bron- chitis.	monia (all	respir- atory dis-	rhea and enter- itis (under 2	pendi- citis and typh-	nia, intesti- nal ob- struc-	sis of the	nephri- tis and Bright's	peral septi-	puer- peral affec-	genital debility and mal- forma-	lent deaths (sui- cide except-		other defined	known or ill- defined dis-	
8   7   9   9   9   9   9   9   9   9   9	16	(87)	17	. 18	19	20, 21	22,(23)	(23)	1	26	27	28	29	81	32	33	35	36	(87)	38	
8   7   9   9   9   9   9   9   9   9   9		-																·			
9. Sept. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	62,159	12,407	6,801	61,324	113,413	12,760 11,440 1,320	222,400 198,139 24,261	8,790	47,753 42,680 5,073	8,992	8,500	7,794 7,242 552	70,368	4,529	12,927 11,509 1,418	57,541	63,861	9,321	159, 264	9,968	1 2 3
8. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5.	60.923	12,203	6,637	60,360	111,901	12,472 11,239 1,233	194,079	8,592	41,329	8,612	8,233	7,076	76, 827 68, 902 7, 925	4,393	11.235	61,694 56,247 5,447	69,246 62,535 6,711	9,091	155,244	9,670	4 5 6
28,006   5,606   5,606   5,607   5,608   6,708   7,006   7,0	34,278	7,076 6,858 218	l 3.465	30, 869 28, 864 2, 005	60,512	6,511	123,803	4,527	23,916	5,796	5,010	4,428 4,150 278	38,950	2,482	5,722	29,397	1 33,614	5,051	76,611	1,662	7 8 9
1,422   238	28,066 26,645	5,566 5,345 221	3,483 3,172 311	33,697 31,496	51,389	4,728	70,276	4,065	17, 413	3,063 2,816 247	3,223	2,926	33, 711 29, 952	1,911	5,513	26,850	28,921	4,040	78,633	8,008	10 11 12
3.7.16	1,492	204	164	904	1,512	201	4,060	198	1,351	380	267	166	1,466	136	274	1,294	1,326	230	4.020	298	13 14
3, 505	37,216 35,514	7,314 7,062	4,017 3,629	32,279 29,828	68, 265 62, 024	7,489 6,712	142,781 127,863	5,294 4,725	27,575 25,267	6,670 6,176	5,808 5,277	4,674 4,316	45, 481 40, 416	2, 983 2, 618	6,495 5,996	33,107 30,691	38, 935 34, 940	5,478 5,281	90,710 80,631	2,772 1,960	
3.190         518         229         2,700         5,112         297         6,889         337         949         372         385         428         2,946         150         383         1,140         3,080         1,16         6,637         71         2           701         120         74         517         990         112         2,812         179         422         188         3,157         190         110         170         683         803         132         1,780         33         2           1,243         254         18         1,477         2,174         246         4,504         123         883         164         188         1,344         2,174         246         4,504         123         883         160         187         141         1,243         259         148         1,244         2,174         246         4,504         128         883         160         187         141         1,232         152         1,249         33         2,21         1,248         33         218         1,239         130         28         2,30         883         1,441         1         228         13         1,241         1,241         1,243<							<u> </u>														
690 120 172 512 970 115 2,747 176 423 181 128 57 674 107 167 168 789 129 1,748 32 121 1,250 264 148 1,427 2,747 266 4,694 123 893 154 168 143 1,331 55 222 1,327 1,250 132 2,739 85 12 1,64 128 128 1,64 17 2 43 3 4 1,25 1,25 1,250 122 2,695 120 2,696 130 1,04 177 3,611 9,28 140 125 10 19 878 150 107 141 1,28 13 128 128 128 129 1,25 1,250 122 2,695 120 2,696 130 1,04 177 3,611 9,22 1,04 128 128 128 128 128 128 128 128 128 128	3,199 106	518 17	229 23	2,730	5,915 235	297 33	6,539 559	337	949 114	372 25	365 23	428 33	2,945 157	156 19	358 36	146	3,060 224	716 . 58	6,637 360	71 10	20 21
1,283	690		73	512	970	115	2,747	176	423	181	128		674	107	167	618	780	129	1,748	32	22 23 24
110 29 23 125 467 49 514 35 110 30 37 16 288 27 25 126 250 18 528 29 31 67 25 250 18 528 29 31 67 25 250 47 25 250 47 25 250 47 25 25 25 25 25 25 25 25 25 25 25 25 25	1,243	259	143	1,394	2,111	235	4,469	119	878	150	167	141	1,288	52	218	1,295	1,252	192	2,669	85	25 26 27
2,005 476 265 2,490 4,538 300 5,539 273 1,294 338 330 319 2,282 256 339 1,954 2,313 337 6,130 46 32 1,279 266 142 1,454 1,989 186 3,010 208 534 265 238 130 1,415 169 278 1,291 1,303 206 4,180 301 3 1,243 259 139 1,355 1,555 162 2,777 191 497 255 229 17 1,294 158 264 1,231 1,212 199 3,262 278 3,31 1,41	5,222 5,103 119	1,034	477	3,611	9,028	1960	13,641	765	4,174	785	682	674	5,757	281	827	3,926	4,806	812	12,814 12,286 528	479	28 29 30
36 7 3 69 131 14 233 17 37 10 9 3 122 11 14 48 91 7 234 23 13 1, 17 1 13 1, 17 1 13 1, 17 1 13 1, 17 1 13 1, 17 1 13 1, 17 1 13 1, 17 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2,505	476	265	2,490	4,538	300	5,559	273	1,284	338	330	319	2,826	256	389	1,954	2,313	337	6,130	66	31 32 33
1,142 149 375 1,028 1,794 231 3,781 226 68 189 161 177 118 1,676 145 228 1,748 1,394 172 4,318 903 31 118 1,000 118 344 14 860 130 31 118 1,000 118 344 14 860 130 31 118 1,000 118 344 14 14 860 130 31 118 1,000 118 344 14 14 860 130 31 118 1,000 118 344 14 14 860 130 31 118 1,000 118 344 14 14 14 14 14 14 14 14 15 118 1,000 118 14 181 1,000 118 14 181 1,000 118 14 181 1,000 118 14 181 1,000 118 14 181 1,000 118 14 181 1,000 118 14 181 1,000 118 181 1,000 118 14 181 1,000 118 181 1,000 118 18 18 1,000 118 18 18 18 1,000 118 18 18 18 18 18 18 18 18 18 18 18 18	1,279 1,243 36	259	139	1,385	1,989 1,858 131	152	2,777	191	497	255	229	127	1,294	158	264	1,243	1,212	199	3,926	278	34 35 36
Section   Sect	1,272 1,142 130	178 149 29	375	1,028	1,794	231	3,751	236	899	161	177	118	1,676	145	293	1,748	1,394	172	4,313	903	37 38 39
841         167         82         952         1,453         149         1,899         82         306         116         101         33         827         21         123         605         592         107         2,080         169         44           1,197         236         162         1,614         2,815         424         5,726         206         1,603         135         187         135         2,260         86         239         1,407         1,454         168         3,378         225         44           1,061         206         132         1,279         2,118         275         4,322         155         1,173         103         148         113         1,701         56         184         1,093         1,144         156         2,588         124         4           1,061         206         132         1,279         2,118         275         4,322         155         1,173         103         148         113         1,701         56         184         1,093         1,144         156         2,588         124         4           4,050         781         337         3,948         8,968         303         323<	567	111 91 20	106	500	2,121 1,020 1,101	112	2,141	84	1,264 728 536	128	104	107	922	144 62 82	180	645	794	95	2,252	1,108 350 758	40 41 42
1,197 236 162 1,614 2,815 424 5,726 206 1,603 135 187 135 2,260 86 239 1,407 1,454 168 3,378 225 44 1,081 206 132 1,279 2,118 275 4,322 155 1,173 103 148 113 1,701 56 184 1,093 1,144 156 2,588 124 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	837		81		1,453 1,449		1,899 1,889 10	82 82	306 306		100	33 33	823		123 123	604	589	106	2,077	166	43 44 45
4,100 787 342 3,987 8,156 905 13,616 390 2,902 426 394 282 3,355 204 678 3,373 2,951 474 8,818 332 47	1,061	206	162	1,614 1,279 335	2,815 2,118 697	275	5,726 4,322 1,404	155	1,603 1,173 430	103	148	113	2,260 1,701 559	56	184	1,407 1,093 314	1,144	156	3,378 2,588 790	124	46 47 48
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	4,100 4,050	787 781	342 337	3, 987 3, 946	8,156 8,003	905 895	_	390 388	2,902 2,860	426 420	394 392	282 278	3,355 3,277	204 198	678 667	3,373 3,321	2,951 2,900	474 469	· 8,818 8,673	332 323	49 50 51
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	2,896 2,875	590 585	232 226	3,166 3,125	5,571	682		416	1,698	468	411	328	2,507 2,465 42	236 229 7	538	3,048	2,711 2,660 51	397	8,085	290	52 53 54
2,488	1,945 1,934	393 390	99	1,321	2,656 2,638	232 229	3,215 3,146	214 210	522 510	370	. 221 218		1,616	118 117	319	1,684	1,924 1,911	291 290	4,206 4,167	200	55
279 78 52 215 476 29 1,298 44 156 130 53 42 322 54 130 416 683 97 914 60 67 78 51 213 462 27 1,261 43 153 127 53 40 307 54 130 416 683 97 914 60 67 68 55 12 14 2 37 1 3 3 3	2,488 2,356	494 467	319	2,269 2,152 117	3,977	476 428	8,848 7,841	337	1,155	444 419	360 334	339	3,411	237	369	1,874	2,526 2,260 266	429	6,343	614 568 46	58 59 60
478 07 56 825 021 102 1 205 61 217 50 56 49 522 16 59 416 313 68 1 365 23 6	279 274	78	52 51	215 213	476 462	29 27	1,298 1,261	44 43	156 153	130 127		42 40	322 307 15	54		413	665	97	888	60 55 5	61 62 63
	478	97 97	56	625 624	921 920	103	1,295 1,290	61	217	50		49	522 521			416	313	68	1,365 1,362	23	64 65 66

#### MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[This table excludes the deaths of soldiers, sailors, and marines. Figures for white and colored are shown separately for minor subdivisions (except as indicated in the municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants)

			· · ·				· · · · · · · · · · · · · · · · · · ·	DEATHS	from—			***			
	AREA AND COLOR.	All causes.	Ty- phoid lever.	Mala- ria.	Small- pox.	Mea- sles.	Scarlet fever.	Whoop- ing cough.	Diph- theria and croup.	Influ- enza.	Ery- sipelas.	Tuber- culosis of the lungs.	Tuber- culous menin- gitis.	Other forms of tu- bercu- losis.	Rheu- ma- tism.
			1	3	4	<u>5</u> .	6	7	8	9	(12)	13	14	15	(37)
1	REGISTRATION STATES—Continued.	60,988	167	11	1	542	52	567	498	ללפ פ	74	4,295	982	228	171
3	New Jersey (total)	57,468 3,520	152 15	îî	î 	520 22	52	475 92	491 7	8,377 8,021 356	73 1	3,936 359	263 251 12	228 200 28	159 12
4 5 8	New York (total)	190,764 185,340 5,424	579 565 14	35 34 1	2 2	1,339 1,314 25	311 308 3	1,257 1,207 50	1,751 1,721 30	21, 903 21, 403 500	342 336 6	15,007 14,186 821	1,150 1,098 52	807 755 52	545 527 18
7 8 9	North Carolina (total)	42,274 24,907 17,367	568 305 263	189 75 114	3 2 1	308 255 53	23 20 3	705 355 350	251 202 49	7,948 4,794 3,154	68 58 10	3,133 1,470 1,663	65 45 20	214 100 114	141 78 63
10 11 12	Ohio (total)	92,356 87,714 4,642	760 709 51	24 18 6	22 19 3	244 229 15	165 163 2	672 620 52	515 508 7	13, 542 13, 093 449	162 157 5	6,557 5,864 693	403 373 30	639 584 55	274 266 8
13 14 15	Oregon (total)	9,679 9,329 350	73 70 3	1 1		53 53	15 15	48 47 1	32 31 1	1,564 1,488 76	18 16 2	561 507 54	42 32 10	71 66 5	30 29 1
16 17 18	Pennsylvania (total)	187, 951 179, 016 8, 935	928 878 50	18 15 3	2 1 1	831 815 16	174 172 2	1,521 1,416 105	1,784. 1,763 21	39,301 38,162 1,139	229 223 6	11,401 10,301 1,100	690 648 42	853 774 79	454 438 16
19 20 21	Rhode Island (total)	12,407 12,021 386	34 34	1 1	1	125 124 1	25 25	157 150 7	102 101 1	2,190 2,146 44	31 30 1	910 842 68	84 79 5	84 77 7	24 24
22 23 24	South Carolina (total)	30,761 11,152 19,609	583 204 379	526 95 431	2 2	290 115 175	4	754 204 550	139 91 48	5,964 2,045 3,919	40 31 9	2,228 488 1,742	27 10 17	105 26 79	61 19 42
25 26 27	Tennessee (total). White. Colored	37,134 25,949 11,185	699 499 200	325 170 155	16 11 5	407 369 38	44 44	557 404 153	277 247 30	6,281 4,702 1,579	66 62 4	4,303 2,518 1,785	107 77 30	367 213 154	157 102 55
28 29 30	Utah (total) White. Colored	6,172 5,986 186	41 41		10 10	34 34	50 50	59 52 7	72 72	1,402 1,342 60	28 28	178 163 15	9	22 20 2	38 36 2
31 32 33	Vermont (total)	6,803 6,800 3	30 30	1 1		16 16	11 11	47 47	26 26	1,352 1,351 1	16 16	312 312	27 27	29 29	19 19
34 35 36	Virginia (total)	41,272 24,687 16,585	402 246 156	81 29 52	4 1 3	277 225 52	23 21 2	719 338 381	216 168 48	7,839 5,282 2,557	59 50 9	3,728 1,765 1,963	126 81 45	239 114 125	151 82 69
37 38 39	Washington (total)	16,837 15,985 852	98 95 3	2 2	4 4	60 54 6	55 53 2	71 63 8	83 81 2	2,926 2,748 178	34 33 1	1,123 979 144	104 92 12	114 106 8	50 49 1
. 41 42	Wisconsin (total) White Colored	34,992 34,700 292	97 96 1		12 11 1	165 163 2	201 201	197 194 3	272 272	6,250 6,190 60	74 74	2,088 2,040 48	157 157	186 184 2	175 175
	REGISTRATION CITIES.  ALABAMA.¹														
43 44 45	Registration cities (total). White - Colored	6,697 3,176 3,521	94 35 59	31 6 25	3 2 1	39 30 9	3 3	57 34 23	21 16 5	866 522 344	12 8 4	491 132 359	16 6 10	47 8 39	11 5 6
46 47 48	Birmingham (total)		62 23 39	21 4 17	2 1 1	28 20 8	3 3	52 31 21	9 7 2	617 370 247	11 7 4	310 79 231	13 5 8	39 7 32	8 , 4 , 4
49 50 51	Mobile (total) White. Colored	1,430 761 669	13 8 5	9 2 7		7 6 1		. 3 2 1	5 5	201 122 79	1		1 1	5	2 1 1
52 53 54	Montgomery (total)	921 359 562	19 4 15	1	. 1	4 4		. 2 1 1	7 4 3	48 30 18		56 13 43	2	3 1 2	1
	CALIFORNIA.														
55 56 57	Registration cities (total) White Colored		99 81 18		1	3	28 1	12	164 155 9	5,537 5,167 370	-		184 142 42		70 70
58 59 60 61 62	Alameda. Bakersfield Berkeley. Eureka. Fresno.	611 679 251	1 1 1 1 3			$\begin{array}{c c} & 1 \\ 2 \\ 1 \\ 1 \\ 2 \end{array}$	i	2 8 5	. 4	79 170 100 54 153		32	1	4 2	3

<sup>&</sup>lt;sup>1</sup> Nonregistration state; only those cities with satisfactory registration of deaths are shown.

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1918—Continued.

footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. The term "cities" indicates inhabitants or more in 1910) are omitted. Numbers under causes of death correspond to those of the abridged International List.]

								D	EATHS 1			e auriage						· · · · · · · · · · · · · · · · · · ·		$\overline{\Gamma}$
Can- cer and other malig- nant tumors.	Dia- betes.	Meningitis.	Cere- bral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respir- atory dis- eases.	Diarrhea and enteritis (under 2 years).	Ap- pendi- citis and typh- litis.	Her- nia, intesti- nal ob- strue- tion.	Cirrho- sis of the liver.	Acute nephri- tis and Bright's disease.	Puer- peral septi- cemia.	Other puer-peral affections.	Congenital debility and malformations.	Vio- lent deaths (sui- cide except- ed).	Sui- cide.	All other defined diseases.	Un- known or ill- defined dis- eases.	
16	(37)	17	18	19	20,21	22,(28)	(28)	25	26	27	28	29	31	32	33	85	36	(37)	38	
2,483 2,411 72	563 551 12	324 295 29	2, 995 2, 867 128	5,407 5,104 303	647 604 43	13,569 12,645 924	362 342 20	2,373 2,261 112	288 268 20	323 304 19	337 321 16	3,812 3,557 255	169 158 11	406 389 17	2,475 2,334 141	3,099 2,956 143	358 349 9	5, 649 5, 317 332	103 93 10.	1 2 3
9, 908 9, 773 135	2, 280 2, 253 27	787 753 34	9,459 9,317 142	20,648 20,196 452	1,882 1,830 52	36,822 35,460 1,362	1, 206 1, 177 29	5, 470 5, 334 136	1,148 1,130 18	1,283 1,263 20	1,180 1,160 20	12, 225 11, 884 341	499 486 13	1,432 1,397 35	7,745 7,544 201	8, 895 8, 653 242	1,295 1,271 24	21,354 20,791 563	218 212 6	4 5 6
1,072 783 289	179 138 41	252 187 65	1,520 1,044 476	2,442 1,521 921	270 130 140	4,210 2,332 1,878	298 161 137	1,997 1,246 751	201 149 52	196 126 70	111 77 34	2,043 1,258 785	156 80 76	659 410 249	2,019 1,427 592	1,508 880 628	99 86 13	6,098 3,630 2,468	3,328 1,483 1,845	7 8 9
4,797 4,664 133	891 872 19	453 441 12	5, 683 5, 492 191	8, 590 8, 165 425	716 682 34	12,831 11,964 867	518 494 24	2,722 2,614 108	637 609 28	637 608 29	670 645 25	4, 698 4, 440 258	400 386 14	806 777 29	4, 158 4, 025 133	5,729 5,367 362	699 687 12	- 12, 134 11, 613 521	608 566 42	10 11 12
646 639 7;	. 131 129 2	47 46 1	553 545 8	984 961 21	48 45 3	914 864 50	96 95 1	127 119 8	· 115 112 3	93 92 1	36 35 1	468 460 8	50 48 2	92 88 4	398 389 9	645 616 29	100 96 4	1,584 1,554 30	. 46 . 41 . 5	.13 14 15
6,697 6,520 177	1,322 1,298	831 800 31	7,425 7,217 208	13,851 13,237 614	1,745 1,635 110	35, 526 33, 183 2, 343	1,504 1,427 77	8, 418 8, 134 284	834 802 32	1,025 976 49	989 950 39	9, 087 8, 598 489	619 585 34	1,685 1,628 57	8, 222 7, 925 297	9,926 9,397 529	966 941 25	18,367 17,458 909	726 699 27	16 17 18
570 559 11	109 109	74 72 2	683 660 23	1,048 1,012	146 142 4	1,856 1,796 60	40 37 3	440 425 15	56 54 2	72 71 1	54 51 3	655 . 643 . 12	33 29 4	119 116 3	571 552 19	479 467 12	79 79	1,496 1,459 37	59 54 5	19 20 21
570 329 241	113 78 35	162 95 67	825 405 420	1,536 666 870	95 47 48	3,348 1,261 2,087	266 74 192	1,248 487 761	113 56 57	125 59 66	43 22 21	1, 493 680 813	152 39 113	420 166 254	2, 221 797 1, 424	1,090 431 659	56 42 14	5, 124 1, 852 3, 272	1,038 236 802	22 23 24
1,021 822 199	158 134 24	307 248 59	892 689 203	2,118 1,422 696	233 161 72	4,704 3,137 1,567	257 158 99	950 740 210	275 201 74	207 145 62	111 76 35	1,652 1,094 558	155 100 . 55	332 260 72	1, 180 980 200	1,650 1,062 588	120 114 6	5, 469 3, 845 1, 624	1,737 1,143 594	25 26 27
229 224 5	64 64	31 29 2	190 185 5	470 465 5	43 43	791 757 34	51 51	105 102 3	95 94 1	60 60	15 15	255 252 3	31 30 1	94 94	398 395	367 353 14	29 26 3	761 746 15	150 144 6	28 29 30
365 365	78 78	25 25 25	480 480	783 782	91 91	701 701	39 39	152 152	63	47 47	16 16	402 402	10 10	50 50	.3 291 290	274 274	46 46	998 998	6	31 32
1,223 903 320	190 151 39	281 213 68	1,842 1,123 719	3,047 1,818 1,229	267 133	4,112 2,191	317 161	1,351 769	167 107	207 129 78	126 77	. 2,415 1,431 984	163 90	512 329 183	1,994 1,330	1,831 1,109	163 146	5,797 3,388 2,409	1,403 687	33 34 35
994 979 15	222 217 5	, 82 , 76	811 799	1,402 1,375	134 86 83	1,921 1,953 1,831	156 135 127	582 230 210	177 172	111 107	49 79 78	795 786	73 84 79	169 165	804 769	722 1,255 1,197	176 167	2,389 2,305	716 159 104	36 37 38 39
2,102 2,091 11	400 398 2	221 220	1,925 1,915 1,915	2,725 2,709	3 386 385	122 4,189 4,135	335 332	724 721 3	322 319	312 311	212 212	1,521 1,514 7	5 114 114	249 248	35 1,907 1,900	1,506 1,489	321 321	5, 454 5, 422	193 187	40 41 42
		1		16		54										17			0	42
188 141 47	37 28 9	45 17 28	252 131 121	436 186 250	24 8 16	1,084 452 632	49 22 27	228 125 103	86 56 30	59 31 28	32 14 18	432 193 239	33 15 18	82 57 •25	302 175 127	445 195 250	21 17 4	1,104 485 619	67 21 46	43 44 45
100 79 21	21 14 7	29 13 16	146 69 77	273 114 159	14 6 8	836 336 500	34 15 19	138 78 60	69 44 25	28 18 10	21 10 11	· 189 94 95	25 10 15	53 35 18	200 124 76	322 141 181	16 12 4	639 275 364	18 8 10	46 47 48
58 45 13	9 9	2 2	62 40 22	125 59 66	6 2 4	147 85 62	3 2 1	51 29 22	9 6 3	18 9 9	6 4 2	148 65 83	6 3 3	14 11 3	61 35 26	64 31 33	2 2	· 252 124 128	15 10 5	49 50 51
30 17 13	7 5 2	14 2 12	44 22 22	38 13 25	4	101 31 70	12 5 7	39 18 21	8 6 2	13 4 9	5 5	95 34 61	2 2	15 11 4	41 16 25	59 23 36	3 3	213 86 127	34 3 31	52 53 54
2, 268 2, 193 75	339 325 14	152 138 14	1,693 1,643 50	3,716 3,572 144	202 ,184 18	4, 400 4, 044 356	211 191 20	486 421 65	287 270 17	253 237 16	313 292 21	1,977 1,862 115	115 102 13	229 205 24	880 809 71	1,714 1,622 92	458 432 26	4,013 3,810 203	26 25 1	55 56 57
31 17 57 22 34	7 3 6 3 6	2 3 1 4	32 23 52 16 23	71 26 99 15 47	2 1 7 3 1	41 92 69 16 72	· 5 4 4 2 5	2 16 6 1 28	4 4 4 17	4 3 4 4 1	6 5 6 2 9	19 31 53 18 26	4 4 1 2	2 5 3 2 6	18 18 28 7 32	18 43 28 22 48	2 3 6 1 7	39 65 - 85 34 93	1	58 59 60 61 62

156247-20-14

Table 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[This table excludes the deaths of soldiers, sailors, and marines. Figures for white and colored are shown separately for minor subdivisions (except as indicated in the municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000

								DEATHS	FROM-	<del></del>			· · · · · · · · · · · · · · · · · · ·		
	AREA AND COLOR.	All causes.	Ty- phoid fever.	Mala- ria.	Small-pox.	Mea- sles.	Scarlet fever.	Whooping cough.	Diph- theria and eroup.	Influ- enza.	Ery- sipelas. (12)	Tuber- culosis of the lungs.	Tuber- culous menin- gitis.	Other forms of tuberculosis.	Rheu- ma- tism.
	REGISTRATION CITIES—Continued.									<del></del>					
	California—continued.														
1 2 3 4 5	Long Beach Los Angeles (total) White Colored Oakland	671 9,348 8,665 683 3,212	1 21 15 6 11	3 3		1 15 15 3	2 5 5 2	4 30 27 3 27	55 53 2 11	82 1,546 1,415 131 357	1 7 7	19 1,083 960 123 199	1 48 34 14 20	3 53 47 6 15	3 23 23 6
6 7 8 9 10	Pasadena. Pomona Redlands. Riverside (total). White Colored.	566 180 122 339 312 27	5 5		1 1	2 1 1	1	1 1	3 2 1 1	49 24 10 39 30	i i	67 16 22 50 47 3	2 2 1 7 6 1	3 2 2 2 2 2	2 1 1
12 13 14 15 16 17	Sacramento. San Bernardino. San Diego San Francisco (total). White Colored.	1,727 499 1,534 9,855 9,278 577	11 2 6 21 19 2	3 3		4 6 8 10 9	1 2 11 10 1	1 1 3 35 32 32	10 3 9 40 37 3	408 88 204 1,767 1,692 75	3 1 1 16 16	154 92 154 831 734 97	9 5 7 55 45 10	20 3 6 57 51 6	1 1 6 15 15
18 19 20 21 22	San Jose. Santa Barbara. Santa Cruz. Stockton. Vallejo.	587 250 195 1,347 246	1 3 10	1		2 8 1	3 1	4 1 3 12 2	3 2 6 1	85 27 11 228 56	1 5	32 21 17 111 8	4 1 2 8	3 1 10 1	1 1 3
	COLORADO.														
23 24 25	Registration cities (total)	7,470 7,214 256	41 40 1		3	11 9 2	10 10	38 37 - 1	39 39	1,310 1,280 30	17 17	1,151 1,086 65	44 43 1	29 28 1	18 16 2
26 27 28 29	Colorado Springs Denver Pueblo Trinidad	842 5,199 1,072 357	2 23 8 8		1	1 2 6 2	1 7 2	29 6 3	5 28 6	134 788 313 75	1 10 6	257 775 79 40	8 33 3	4 19 4 2	10 7 1
. :	CONNECTICUT.														
30 31 32	Registration cities (total)	19,962 19,391 571	52 49 3	3 3		67 65 2	28 26 2	205 195 10	159 158 1	4,318 4,245 73	35 34 1	1,174 1,103 71	149 145 4	89 80 9	35 33 2
33 34 35 36 37	Ansonia Bridgeport Bristol Danbury town Greenwich town.	318 2,981 304 490 377	6	1		· 1 16 1 5 3	3	3 40 9 3	35 3 2 2	83 475 78 78 92	4	14 188 20 27 27	1 33 1 2 2	2 6 2 2	1 2 1
38 39 40 41	Hartford	3,117 221 800 756	14 1 1			10 1 4 3	2 3 1	24 5 12 3	17 7 5	840 47 221 139	13 1	147 14 111 57	26 8 1	22 2 2 2 2	5 3
42 43 44 45	Naugatuck New Britain New Haven New London	248 1,112 3,343 586	2 7	1		2 9 1	4 3	3 20 41 3	3 13 27 4	77 355 694 98	5 1	9 56 191 23	1 4 30 4	1 2 18 1	4 6 1
46 47 48 49	Norwalk. Norwich town. Orange town. Stamford town.	559 765 248 794	7 1 1 2			2 8	6 1	3 5	4 7 9	102 157 39 148	2 1	25 92 11 32	3 1 2	4 6 1 6	1 3 2
50 51 52 53	Torrington town. Wallingford town. Waterbury. Windham town.	326 184 2,087 346	1 1 3 2	1		i	2 2	24 2	3 2 14 2	78 43 587 87	7	14 14 94 8	3 1 24 2	1 8 1	5
í	DELAWARE.1														
54 55 56	Wilmington (total)	2,606 2,271 335	37 33 4			16 15 1	2 2	8 6 2	19 19	387 343 44	6	136 113 23	13 11 2	9 7 2	2 2
57		9.090	44			30	10	43	40	1.396	9	673	29	40	20
58 59	Washington (total)	9,090 5,779 3,311	21			25 5	10	15 28	36 4	1,396 1,074 322	7 2	303	18	23 17	16

<sup>1</sup> No nregistration state; only those cities with satisfactory registration of deaths are shown.

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1918—Continued.

footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. The term "cities" indicates inhabitants or more in 1910) are omitted. Numbers under causes of death correspond to those of the abridged International List.]

		· · · · · · · · · · · · · · · · · · ·		<del></del>				D	EATHS :	том—		×				<u></u>				T
Can- cer and other malig- nant tumors.	Dia- betes.	Menin- gitis.	Cere- bral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron-chitis.	Pneu- monia (all forms).	Other respir- atory dis- eases.	Diarrhea and enteritis (under 2 years).	Ap- pendi- citis and typh- litis.	Her- nia, intesti- nal ob- struc- tion.	Cirrho- sis of the liver.	Acute nephri- tis and Bright's disease.	Puer- peral septi- cemia.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Vio- lent deaths (sui- cide except- ed).	Sui- cide.	All other defined diseases.	Un- known or ill- defined dis- eases.	1
16	(87)	17	18	19	20, 21	22,(28)	(23)	25	26	27	28	29	31	82	38	85	86	(37)	38	_
63 676 649 27 194 55 20 6	8 92 88 4 35 9	5 52 48 4 14 14	61 456 440 16 173 60 14 5 21 20 1	112 951 - 914 37 460 81 16 16 33 33	2 43 40 3 19 2 1 2 2	48 1,046 967 79 664 42 16 7 37 35	55 45 37 8 22 1 1 1 1	10 176 148 28 46 13 4 3 8 7	4 78 71 7 30 4 2	8 91 83 8 15 5 1	3 68 62 63 33 6 2 2 1	55 617 582 35 187 51 11 5 14	2 48 42 6 12 2	10 76 66 10 24 4	18 207 186 21 101 7 4 7 8 8	36 457 430 27 168 11 16 125 23	3 122 113 9 46 5	99 1,148 1,086 62 314 77 25 25 44 40	2 10 9 1 1	4
103 27 98 704 681 23 57	14 15 111 104 7	4 3 9 33 30 30 5	58 11 89 463 449 14	131 26 194 1,177 1,132 45 69	9 1 7 80 73 7	264 62 162 1,325 1,229 96	5 4 5 84 78 6	26 24 · 18 71 67 4	10 3 16 89 85 4	9 7 8 66 64 2	14 2 15 128 118 10	88 15 85 573 535 38 48	10 3 7 12 11 1	13 4 11 53 51 2	60 21 69 211 192 19	101 21 69 526 503 23	15 1 23 194 188 6	169 58 226 1,088 1,019 69	2 6 6	12 13 14 15 16 17 18 19
13 12 50 10	3333	1 8 2	50 18 15 41 12	53 67 35	1 13	25 10 305 46	4 1 2 5 2	12 12	1 8 4	2 9 5	6	13 54 5	3 1	8	12 3 27 7	36 10 8 53 17	3 2 2 18 1	49 32 250 25	2	20 21 22
373 365 8	56 56	33 32 1	230 226 4	477 463 14	47 42 5	1,342 1,298 44	86 83 3	137 134 3	91 88 3	60 59 1	32 32	343 323 20	43 40 3	51 51	227 221 6	263 251 12	66 63 3	792 770 22	10 9 1	23 24 25
43 292 30 8	8 43 3 2	19 10	22 169 30 9	54 367 - 42 14	32 13	1,025 184 41	8 73 5	3 56 60 18	9 59 10 13	7 44 5 4	3 22 5 2	28 255 31 29	2 34 4 3	7 31 7 6	20 156 37 14	20 167 47 29	3 52 8 3	90 575 96 31	3 4 3	26 27 28 29
892 878 14	183 178 5	118 113 5	919 895 24	1,447 1,398 49	162 155 7	3,547 3,440 107	85 81 4	674 661 13	123 119 4	139 138 1	100 98 2	938 903 35	45 42 3	163 161 2	995 969 26	971 942 29	145 144 1	1,939 1,881 58	63 59 4	30 31 32
15 122 13 35 20	1 24 7 10	5 19 3 4	8 119 19 44 20	15 206 17 54 35	5 18 2 3 2	72 652 . 50 71 51	16 1	22 117 8 13 15	19 1 2	25 6 4	10 2 2 2 1	11 142 8 25 10	8	33 4 3 3	17 169 18 17	7 181 6 23 27	3 26 3 7	19 246 33 52 36	10 20 2	33 34 35 36 37
153 15 38 26	30 4 5 1	14 1 1 3	141 11 49 40	227 23 53 70	17 3 6 6	515 27 97 154	17 1 2 4	116 11 21 12	30	23 1 4 2	15 3 4 2	154 7 23 38	13 2	18 2 1	194 15 32 11	154 5 29 25	29 5 4	330 23 57 141	7	38 39 40 41
39 165 32	1 9 35 8	2 8 28 5	7 31 155 35	17 53 301 48	13 31 4	60 174 514 114	1 3 21 2	8 61 81 16	3 23 2	7 31 4	8 23 2	15 26 178 50	5 4 1	8 25 5	17 59 150 22	5 43 179 35	7 24 5	16 92 336 60	8	42 43 44 45
37 39 15 32	10 3 2 6	2 1 3	37 29 19 55	38 57 26 61	12 9 4 7	120 109 35 145	2 1 2	11 22 16 22	16 5	3 5	2 3 3 4	24 36 14 47	2 1 1	3 10 2 11	18 42 17 42	26 43 11 28	3 6 2 5	51 59 23 101	3 1 2	46 47 48 49
15 8 61 8	3 2 19 3	18 1	17 19 54 10	17 24 85 20	2 1 13 4	81 16 403 87	1 8 2	18 5 69 10	17 1	3 17 2	4 1 7 2	13 9 91 17	5 1	3 25 5	11 9 115 11	14 9 107 14	2 11 2	23 16 185 40	1 8 1	50 <sup>-</sup> 51 52 53
84 76 8	10 8 2	17 15 2	120 106 14	180 158 22	13 10 3	722 615 107	21 13 8	123 110 13	13 13	6 5 1	6	118 103 15	9	10 10	130 122 8	156 140 16	12 11 1	213 178 35	8 6 2	54 55 56
410 304 106	69 56 13	42 29 13	547 369 178	942 643 299	73 38 35	1,534 839 695	70 44 26	219 111 108	47 33 14	71 41 30	30 26 4	672 400 272	25 14 11	49 33 16	351 238 113	368 231 137	68 58 10	1,163 722 441	6 2 4	57 58 59

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[This table excludes the deaths of soldiers, sailors, and marines. Figures for white and colored are shown separately for minor subdivisions (except as indicated in the municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000

=	mun	cipalities o	10,0001	nnabitai	its or m	ore m 18	710. M1	nor rura	ISUDOIVI	sions (com	161es, e2	consive o	i mumei	panties	10,000
								DEATHS	FROM			•			
	AREA AND COLOR.	All causes.	Ty- phoid fever.	Mala- ria.	Small- pox.	Mea- sles.	Scarlet fever.	Whooping cough.	Diph- theria and croup.	Influenza.	Ery- sipelas. (12)	Tuber- culosis of the lungs.	Tuber- culous menin- gitis.	Other forms of tuberculosis.	Rheu- ma- tism.
	REGISTRATION CITIES—Continued.														
1 2 3	FLORDA. <sup>1</sup> Registration cities (total) White Colored	4,194 2,344 1,850	60 43 17	22 9 13		12 8 4	1 1	29 18 11	14 10 4	824 501 323	2 2	330 148 182	9 9	6 2 4	9 4 5
4 5 6	Jacksonville (total)	2,049 939 1,110	23 17 8	8 4 4		3 3		11 7 4	7 6 1	381 190 191	2 2	160 45 115	2 2	3 3	5 1 4
7 8 9	Key West (total) White Colored.	387 272 115		2 1 1		1 1		6 2 4		26 23 3		47 27 20	2 2		1 1
10 11 12	Pensacola (total)	672 387 285	25 20 5	5 1 4		8 4 4	1	4 3 1	4 2 2	151 98 53		27 13 14			2. 1 1
13 14 15	Tampa (total) White Colored GEORGIA. <sup>1</sup>	1,086 746 340	12 6 6	7 3 4				8 6 2	3 2 1	266 190 76		96 63 33	5 5	3 2 1	1 1
16 17 18	Registration cities (total)	5,825 2,830 2,995	55 26 29	42 11 31	1	19 12 7	8 8	49 24 25	24 16 8	535 313 222	10 8 2	424 151 273	16 9 7	41 19 22	9 3 6
19 20 21	Atlanta (total) White Colored.	3,702 2,063 1,639	29 19 <b>10</b>	5 2 3	1	16 12 4	8	31 17 14	12 9 3	338 214 124	7 6 1	214 107 107	11 5 6	31 18 13	6 2 4
22 23 24	Brunswick (total)	278 111 167	7 4 3	5 2 3		2		3 2 1	1	19 12 7	2 1 1	32 4 28			
25 26 27	Savannah (total)	1,845 656 1,189	19 3 16	32 7 25		1	.]	15 5 10	11 7 4	178 87 91	1	178 40 138	5 4 1	10 1 9	3 1 2
28 29 30	ILLINOIS.  Registration cities (total)  White  Colored	63, 242 59, 753 3, 489	191 174 17	20 17 3		134 134	82	296 263 33	883 865 18	8, 839 8, 497 342	97 92 5	4,665 4,135 530	256 225 31	365 308 57	162 156 6
31 32 33 34	Alton Aurora Belleville. Bloomington	499 739 480 525	4 3 5 2	1			1	. 5	2	86 125 118 83	2 1 2	. 42 51 24 33	2 1 1 1	5 3 4	. 2
35 36 37 38 39	Cairo (total) White Colored Canton Champaign	396 245 151 256 265	4 2 2	6 4 2				. 1	3	76 54 22 74 57	1 1 1 1	. 21 29 10	2	6	1
40 41 42 43 44	Chicago (total). White. Colored. Chicago Heights. Cicero.	44,069 41,608 2,461 398 412	40 38 2 1		4	4 61 61	57	158 22	687 18	5, 491 5, 278 213 106 56	4	. 366	2	256 213 43 2	113 112 1 1 1
45 46 47 48 49	Denville Decatur East St. Louis (total) White Colored	1,216 1,002	9 3 14 9 5	3 2		i 3	· · · · · i	7 4 13 10 3	7 12 12		$\begin{bmatrix} 1\\2\\2 \end{bmatrix}$	104 69	2 2	. 2	
· 50 51 52 53	Elgin. Evanston Freeport. Galesburg.	491 366	1 1 2 8	1			1	. 4	2	52	5	.   20	$\begin{vmatrix} 2 \\ 1 \end{vmatrix}$	3 3 4	2 3
54 55 56 57	Granite Jacksonville Joliet Kankakee	. 1,061	3 8 7 3		1	- 1	7		1 15	47	1	. 42	6	1 2 3 5	2 4
58 59 60 61 62	La Salle Lincoln Mattoon Moline Oak Park	403 257 614 508	3 24 1				7	3	4 4 3 7	70 34 134 47	1 2 1	19 26	1	3 3	
63 64 65 66 67 68	Peoria. Quincy. Rockford. Rock Island Springfield	857 1,090 548 1,222	5 12				7	2 1 2 1	13 1 8 1 9	126 159 84 240	2	61 62	2	111	2 2
69	Streator   Waukegan	345 308	1 7			: ::::::			8 6		i	1 17	$\begin{bmatrix} 1 & 2 \\ 3 & 2 \end{bmatrix}$	1 2	2

Nonregistration state; only those cities with satisfactory registration of deaths are shown.

## DEATHS FROM PRINCIPAL CAUSES.

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1918—Continued.

footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. The term "cities" indicates inhabitants or more in 1910) are omitted. Numbers under causes of death correspond to those of the abridged International List.]

						· · · · · · · · · · · · · · · · · · ·		DI	eaths f	вом—	,		•	<del></del>						=
Can- cer and other malig- nant tumors.	Dia- betes.	Menin- gitis.	Cere- bral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respir- atory dis- eases.	Diarrhea and enteritis (under 2 years).	Ap- pendi- citis and typh- litis.	Her- nia, intesti- nal ob- struc- tion.	Cirrho- sis of the liver.	Acute nephri- tis and Bright's disease.	Puer- peral septi- cemia.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Vio- lent deaths (sui- cide except- ed).	Sui- cide.	All other defined diseases.	Un- known or ill- defined dis- eases.	
16	(37)	17	18	19	20, 21	22,(23)	(28)	25	26	27	28	29	31	32	33	85	36	(37)	38	
138 102 36	22 19 3	18 9 9,	128 62 66	244 136 108	30 12 18	546 289 257	31 17 14	175 118 57	31 27 4	28 15 13	31 17 · 14	279 156 123	15 7 8	46 32 14	137 93 44	212 91 121	32 31 1	631 323 308	102 33 ( <sup>69</sup>	1 2 3
54 39 15	12 11 1	9 3 6	71 20 51	142 72 70	· 11 · 10	314 116 198	14 6 8	53 32 21	18 16 2	11 5 6	13 6 7	141 68 73	8 3 5	24 16 8	62 35 27	108 45 63	19 18 1	306 135 171	54 15 39	5 6
19 14 5	, 1 1.	1	14 11 3	17 12 5	2 2	41 34 7	3 2 1	28 21 7	1 1		1	38 30 8	1	5 3 2	19 13 6	12 6 6	4	92 59 33	3 2 1	7 8 9
23 15 8	2 2	1	11 6 5	30 18 12	11 4 7	74 48 26	8 4 4	19 14	· 6	8 4 4	5 2 3	42 20 22	2 1 1	9 7 2	18 12 6	26 14 12	1 1	125 58 67	10 4 6	10 11 12
42 34 8	7 5 2	7 5 2	32 25 7	55 34 21	6 5 1	117 91 26	6 5 1	61 46 15	6 6	, 9 , 6 , 3	12 9 3	58 38 20.	· 3	8 6 2	38 33 5	66 26 40	8 8	108 71 37	35 12 23	13 14 15
194 148 46	39 32 7	61 33 28	271 129 142	432 188 244	37 10 27	\$98 360 538	56 31 25	166- 76 90	- 53. 33 20	· 61 37 · 24	· 22 9 13	451 239 212	31 15 16	60 34 26	221 135 86	304 144 160	20 17 3	1,043 489 554	172 71 101	16 17 18
137 107 30	28 24 4	43 25 18	182 95 87	284 133 151	15 5 10	588 265 323	29 18 . 11	87 50 37	38 28 10	· 41 28 · 13	14 7 7	- 313 192 121	29 15 14	41 26 15	140 91 49	196 102 94	12 11 1	645 365 . 280	131 57 74	19 20 21
7 5 2	1 1	1	19 9 10	8 3 5	1	50 19 31	2 1 1	12 5	1		1	18 6 12		1 1	6 5 1	21 8 13	1 1	44 18 26	13 4 9	22 23 24
50 36 14	10 7 3	17 8 9	70 25 45	140 52 88	21 5 16	260 76 184	25 12 13	67 21 46	14 4 10	20 9 11	7 2 5	120 41 79	2	18 8 10	75 39 36	87 34 53	7 5 2	354 106 248	28 10 18	25 26 27
3,354 3,258 96	690 670 20	302 283 19	2,058 1,967 91	5,996 5,634 362	708 664 44	10,595 9,899 696	500 477 23	3,432 3,343 89	.612 587 25	471 439 32	461 450 11	3,837 3,626 211	204 183 21	528 506 22	2,416 2,320 96	3,081 2,891 190	578 563 15	7,317 6,946 371	106 98 8	28 29 30
26 46 16 22	4 8 3 5	3 5 2 2	21 27 25 25	28 45 30 46	3 6 5 4	59 138 70 57	8 8 5 13	13 21 14 - 3	6 7 2 10	2 7 3 8	4 5 4 2	32 43 40 31	2 3 3 1	3 8 2 6	23 29 22 21	26 30 20 21	3 1 2	71 100 52 97	3 3 13	31 32 33 34
11 8 3 6 7	3 3 2 6	1	23 12 11 7 10	19 10 9 32 21	5 3 2 1 1	. 44 17 27 27 27 36	1 1· ·····2 2	10 4 6 2 2	10 10 5 4	4 3 1 1 2	5 3 2 1 3	19 13 6 7	3 3	2 2 3 4	11 9 2 15 15	20 15 5 15 25	1 1 4	47 36 11 25 39	1	35 36 37 38 39
2,421 2,349 72 10 13	494 475 19 4 5	1		1	539 508 31 4 6	1	1	2,996 2,933 63	374 358 16 2 2	200	329 323 .6 .6	2 825	142 127 15	352 336 16 5	1,633 1,574 59 21 29	2,051 1,941 110 27 12	446 436 .10 1	4,442 4,197 245 25 26	17 17	40 41 42 43 44
37 40 31 29 2	8 11 6 6	5 5 5 4 1		1	9 7 14 7 7	59 73 173 128 45	i i			l .	3 3 2 2	36 67 33 28	7	8 5 11 9 2	27 38 75 65 10	65 45 104 82 22	5 4 8 8	80 . 108 127 104 23	6 22 18 4	45 46 47 48 49
40 36 25 26	10 9 5 4	2 2	35 17		4 1 6	41 87 30 49	4	3 14 5	7 4 7 7	13 . 7 . 2 5	4 2 2 1	. 5 39 28 31 32	2 1 1	· 2 6 3 2	10 13 13 15	24 21 16 25	12 4 8	218 67	1 1	50 51 52 53
10 29 43 34	1 6 8 2	4 2 7 1		7 52 63 129	1 2 18 3	33 82 212 85	1	·	4 9 16 5	1 5 13 4	4 9 1	10 41 45 21	1	5 2 7 5	22	22 24 52 8	3 7 4 6	ì	2 1 5 1	57
8 15 12 26 38 89 53 55 55	2 5 4 4 12 16 12 11 3	4 4 8 15 4	11 9 11 33 28 42 48 41	18 13 22 31 61 149 108 79	6 2 2 6 5 5 19 7	64 46 20 89 76 193 85 225	3 1 3 6 2 20 10 6	7 8 5 3 18 7 35	7 22 15 7	6 6 13 10 8	3 7 3 9 12 7	46 53	3 2 1	11 7	15 38 25 61 31 51	33 78 34 55		60 211 136 159	2 1 6 1 3 4 2	60 61 62 63 64 65
33 64 19 13	3 13 1 3	3	27 30 9 10	52 84 30 20	6 5 5 1	74 145 33 71	15 2 2	29 4 11	6 19 5 3	3	3 13 2 1	24 73 22 7	3	14 2 4	10	11 16	3	43	2 2 2	68

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[This table excludes the deaths of soldiers, sailors, and marines. Figures for white and colored are shown separately for minor subdivisions (except as indicated in the municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000

					-			DEATHS	геом—				<del></del>		
	AREA AND COLOR.	All causes.	Ty- phoid fever.	Mala- ria.	Small- pox.	Mea-sles.	Scarlet fever.	Whoop- ing cough.	Diph- theria and croup.	Influenza.	Ery- sipelas.	Tuber- culosis of the lungs.	Tuber- culous menin- gitis.	Other forms of tuberculosis.	Rhen- ma- tism.
ľ	REGISTRATION CITIES—Continued.									<del></del>					
	INDIANA.														
1 2 3	Registration cities (total)	18,502 16,943 1,559	152 145 7	13 10 3	9 6 3	44 40 4	40 39 1	169 152 17	243 238 5	2,134 2,053 81	47 47	1,290 1,061 229	71 62 9	, 155 131 . 24	54 47 7
4 5 6 7 8	Anderson East Chicago Elkhart Elwood Evansville	409 735 418 212 1,444	6 12 5 1 13	1 6	1	4 1 1 2	1	4 10 5 1 15	4 9 3	27 115 57 59 173	1 1 5	34 37 12 9 105	3 2 1	8 3 2 2 14	1 2 1 5
9 10 11 12	Fort Wayne	1,213 1,098 777 197	11 5 16 2		1	2 4	1	6 10 7 2	10 40 11 1	83 200 114 19	10 1	83 44 29 5	2 2 1 1	7 3 5 1	5 3
13 14 15 16 17 18	Indianapolis (total). White. Colored. Jefferson ville (total). White. Colored.	5,241 4,435 806 212 162 50	20 20 2 1 1	2 1 1 1 1 1	4 3 1	10 7 3 2 2	22 21 1	46 39 7	90 87 3	373 342 31 38 29 9	10 10	449 322 127 26 14 12	24 17 7 1	54 41 13 2 1	15 14 1 1 1
19 20 21 22 23	Kokomo. Lafayette Laporte Logansport Marion	392 512 279 408 346	8 9 5 6	1 1	1	6	3	4 4 5 7	3 6 5 1 9	34 54 52 83 27	1 1 1	35 28 19 17 20	3 1 1 2	2 5 3 2 6	1 2 1 2
24 25 26 27 28	Michigan City Mishawaka Muncie New Albany Peru	314 252 429 430 186	2 5 2		1	1 1 2 1	1 2 3	6 4 4 2 2	1 2 8	25 53 26 78 19	2 2 2 1	30 12 21 45 12	3 2 3 2		2 2
29 30 31 32	Richmond. South Bend. Terre Haute. Vincennes.	409 1,085 1,164 340	12 8 2	1	1	1 2 3	1 1	4 5 11 5	4 9 12 2	51 183 160 31	1 5 2 3	21 75 92 30	2 4 2 2	5 6 9 7	1 2 7 1
33 34 35	KANSAS.  Registration cities (total)  White  Colored	6, 681 5, 837 844	82 66 16	5 3 2	6	71 69 2	26 26	44 37 7	38 33 5	1,122 1,022 100	17 17	298 211 87	11 10 1	32 26 6	20 17 3
36 37 38 39 40 41	Atchison (total). White Colored. Coffeeville (total). White Colored.	217 190 27 230 196 34	1 1 6 5 1	1 1	i 1	1 1 2 2	1 1 1 1	2 1 1 5 4 1	3 3 2 2	24 24 29 27 27		15 11 4 10 7		2 1 1	1
42 43 44 45 46	Fort Scott (total). White Colored Hutchinson Independence	226 202 24 395 210	5 4 1 4 7	1		9 8 1 3	3	5 4 1 1	1	16 14 2 90 46	3 3	15 13		1 1	1 1 1
47 48 49 50 51 52	Kansas City (total). White Colored. Lawrence (total). White Colored.	2,084 1,750 334 200 151 49	22 17 5 4 4		4 4	33 33	10 10 1 1	9	17 14 3	382 345 37 35 26	3	1 66		9 8 1	6 4 2
53 54 55 56 57	Leavenworth (total).  White Colored Parsons Pittsburg	388 316 72 275 272	3	1 1 1	1	3 2 1 4 4		6 3	4 4	59 44 15 38 65	3 3 1	10 8 2 18	1 1		1 1 3
58 59 60 61	Topeka (total). White. Colored. Wichita.	960 848 112 1,224	9 7 2 21	1		4 4 8	6	4	9 7 2	134 126 8 204	2	17	2	4 2 2 9	333

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1918—Continued.

footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. The term "cities" indicates inhabitants or more in 1910) are omitted. Numbers under causes of death correspond to those of the abridged International List.]

								נת	EATHS E	вом-		<del></del> .					•		:	Ī
Can- cer and other malig- nant tumors.	Dia- betes.	Meningitis.	Cere- bral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respir- atory dis- eases.	Diarrhea and enteritis (under 2 years).	Ap- pendi- citis and typh- litis.	Her- nia, intesti- nal ob- struc- tion.	Cirrho- sis of the liver.	Acute nephri- tis and Bright's disease.	Puer- peral septi- cemia.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Vio- lent deaths (sui- cide except- ed).	Sui- cide.	All other defined diseases.	Un- known or ill- defined dis- eases.	i i
16	(37)	17	18	19	20, 21	22,(23)	(23)	25	26	27 .	28	29	31	32	33	35	36	(87)	38	
936 886 50	184 168 16	93 87 6	836 781 55	1,649 1,465 184	149 130 19	3,096, 2,750 346	131 124 7	651 600 51	235 217 18	152 146 6	132 125 7	1,057 964 93	130 118 12	167 159 8	824 776 48	1,140 1,057 83	139 137 2	2,362 2,204 158	18 18	1 2 3
19 9 19 7 68	1 2 3 2 7	2 2 1 8	21 9 23 12 58	49 31 39 15 148	2 3 4 17	56 201 69 15 256	3 5 1 1 9	11 98 8 7 23	8 1 6 2 27	1 6 4 1 17	4 3 3 2 15	32 11 37 8 102	3 1 3 3 11	. 2 11 3 15	17 38 18 18 46	16 65 20 6 76	4 3 1 1 8	64 47 63 28 176	1 4	4 5 6 7 8
99 17 22 16	31 5 2	5 4 2	80 12 18 14	88 35 32 30	14 2 5	143 250 186 35	9 6 4 1	30 65 71 5	22 18 ·3 2	14 7 -6	6 3 8 1	72 32 24 8	14 7 4 2	8 14 8 2	64 69 31 9	80 170 101 11	14 9 4 1	196 73 56 22	3 1	9 10 11 12
278 248 30 4 4	65 56 9 3 3	29 25 4 1 1	241 209 32 14 12 2	550 439 111 22 19	45 38 7 4 4	975 804 171 21 15 6	48 44 4 5 5	149 123 26 4 3	72 62 10 1	30 29 1	35 35 1 1	305 252 53 17 13 4	27 22 5 2 2	32 28 4 5 4	210 155 55 7 5	242 208 34 6 2 4	42 42 2 2	746 691 55 20 17 3	1	13 14 15 16 17 18
29 33 17 28 26	2 9 7 4	1 5 1 4	26 36 18 20 14	27 44 26 18 46	1 6 4 1 2	66 53 29 40 41	1 2 1 3 3	21 9 7 6 3	2 13 4 5 2	2 4 6 1	1 7 1 2 7	28 16 21 47 20	1 6 1 1	5 9 4 6 3	18 26 12 14 • 11	19 31 6 27 12	3 3 4 2	48 84 39 56 66		19 20 21 22 23
20 11 25 19 12	2 1 4 7 1	2 2 2 4 3	16 7 26 19 12	27 18 38 43 21	1 2 7 7	60 23 56 48 19	1 4 4 1	8 10 10 5 5	3 3 5 4	3 5 3 1	2 1 3 1	24 22 31 28 8	1 3 4 6 1	3 3 2 1	14 15 30 18 10	21 12 21 13 9	5 1 5 3	34 37 82 53 38		24 25 26 27 28
22 56 67 13	6 11 9	3 2 9 1	30 42 55 13	52 120 98 32	4 9 9:	53 175 153 73	1 8 8 1	10 41 37 8	1 9- 15 7	3 9 15 9	1 13 12	30 41 69 24	4 6 18 1	2 8 7 6	12 58 48 11	17 52 89 18	1 8 11 4	63 113 125 33	2 1 2 2	29 30 31 32
345 325 20	54 50 4	41 39 2	332 302 30	471 393 78	50 43 7	965 820 <b>145</b>	60 50 10	151 131 20	98 92 6	69 63 6	26 24 2	413 339 74	50 40 10	60 52 8	280 251 29	329 284 45	44 43 1	1,040 927 113	31 26 5	33 34 35
13 12 1 10 10	3 2 1 3 3	1 7 7	11 11 16 15 1	17 14 3 18 16 2	3 3	22 20 2 23 16 7	4 4	3 3 9 8 1	4 4	5 4 1 2	2 1 1 2 2	18 17 1 8 7	2 1 2 1 1	1 1 1 1	14 14 9 6 3	8 7 1 17 15 2	2 2 1 1	40 32 8 34 28 6	2 1 3 2 1	36 37 38 39 40 41
12 12 29 7	7 7 3 2	1 2	17 14 3 30 3	11 7 4 18 5	1 1 3 1	32 30 2 46 23	4 2	4 4 12 11	4 4 5 7	3 3 4 2	2 2	18 15 3 24 5	5 4 1 4 2	2 2 5 4	10 9 1 16 7	17 14 3 12 11	1 1 1 1	34 32 2 57 40	1	42 43 44 45 46
87 78 9 17 14 3	11 10 1 1 1	18 17 1 1 1	85 73 12 13 12	129 97 32 29 21 8	24 21 3 1 1	356 297 59 18 12 6	19 14 5 1 1	56 47 9 2 2	23 21 2 2 1 1	9 8 1 2	3 3	129 101 28 8 3 5	18 12 6 4 3	17 13 4 4 4	67 60 7 7 6	125 102 23 10 9	18 18	268 223 45 28 23	1 3 1 2	47 48 49 50 51 52
15 15 9 12	5 3 2 1 1	2 2 1 1	34 30 4 11 16	41 34 7 21 12	5 2 3	55 45 10 47 33	1 3	5 3 2 7 3	4 4 1 1	8 8 3	3 3 1	25 19 6 19 27	3 3	2 1 1 4 4	23 16 7 16 15	8 8 17 14	5 5 1 1	60 50 10 40 35	2 4	53 54 55 56 57
55 54 1 79	 8 9	3 3 4	42 39 3 54	96 80 16. 74	4 4 7	138 119 19 172	11 8 3 15	22 22 17	11 9 2 36	15 15 16	7 6 1 4	62 47 15 70	6 6 4	10 10 6	43 40 3 53	30 26 4 60	7 - 6 1 6	175 158 17 229	8 8 3	58 59 60 61

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF [This table excludes the deaths of soldiers, sailors, and marines. Figures for white and colored are shown separately for minor subdivisions (except as indicated in the municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants)

<sup>&</sup>lt;sup>1</sup> Colored population less than 10 per cent of the total in 1910.

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1918—Continued.

footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. The term "cities" indicates inhabitants or more in 1910) are omitted. Numbers under causes of death correspond to those of the abridged International List.]

				·				, D	EATHS :	FROM-	•				:					=
Can- cer and other malig- nant tumors.	Dia- betcs.	Menin- gitis.	Cere- bral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respiratory diseases.	Diar- rhea and enter- itis (under 2 years).	Ap- pendi- citis and typh- litis.	Her- nia, intesti- ual ob- struc- tion.	Cirrho- sis of the liver.	Acute nephri- tis and Bright's disease.	Puer- peral septi- cemia.	Other puer-peral affections.	Con- genital debility and mal- forma- tions.	Vio- lent deaths (sui- cide except- ed).	Sui- cide.	All other defined diseases.	Un- known or ill- defined dis- eases.	
16	(87)	17	18	19	20, 21	22,(28)	(23)	25	26	27	28	29	31	32	83	85	36	(37)	38	
391 346 45	63 . 52	62 49 13	437 356 81	842 583 . 259	122 71 51	1,473 1,011 462	94 67 27	197 147 50	68 59 9	79 60 19	59 50 9	737 552 185	40 34 6	56 42 14	316 268 48	472 339 133	67 63 . 4	1,401 1,074 327	57 38 19	1 2 3
53 51 2 3 3	9 9 1 1	11 10 1 1	78 77 1 8 6	109 97 12 26 14 12	5 5 3	166 133 33 26 18 8	7 7 4 2 2	24 22 2 8 5	13 12 1 1 1	10° 9 1 2 2	7 6 1	79 70 9 21 10	5 5	4 4 3 1 2	43 42 1 3 2 1	58 51 7 16 11 5	5 5 1 -1	125 116 9 37 23 14	4 3 1 4 3 1	4 5 6 7 8 9
13 12 1 46 38 8	14 10 4	1 1 9 7 2	11 10 1 70 48 22	37 22 15 92 49 43	3 1 2 5 3 2	16 11 5 172 96 76	1 7 3 4	9 8 1 17 10 7	1 1 10 5 5	1 1 12 4 8	1 1 1 1	20 11 9 88 56 32	1 1 2 2	4 4 6 2 4	9 5 4 30 18 12	15 7 8 55 31 24	1 1 6 6	42 29 13 272 200 72	4 3 1 10 8 2	10 11 12 13 14 15
217 193 24 23 23	30 24 6 3 3	34 28 6	217 174 43 20 20	474 322 152 42 40 2	76 47 29 6 6	876 816 260 62 57 5	64 46 18 3 3	92 67 25 12 9 3	33 30 3	45 35 10 1 1	38 32 6 4 4	441 334 107 29 28 1	20 17 3 4 4	19 14 5 8 7 1	156 137 19 18 17 1	256 181 75 17 15 2	50 47 3 1 1	723 549 174 50 46	95455 5	16 17 18 19 20 21
17 14 3 19 12 7	5 4 1 1 1	2 1 1 4 2 2	17 13 4 16 8 8	26 23 3 36 16 20	8 5 3 16 4 12	39 22 17 116 58 58	2 2 6 4 2	16 12 4 19 14 5	1 1 9 9	2 2 6 6	5 5 3 1 2	25 19 6 34 24 10	3 2 1 3 3	3 2 1 9 8 1	24 23 1 33 24 9	24 20 4 31 23 8	2 1 1 1 1 1	63 56 7 89 55 34	2 2 19 9 10	22 23 24 25 26 27
463 333 130	73 62 11	61 42 19	442 307 135	1,111 609 502	93 55 38	1,884 1,101 783	61 32 29	378 219 159	138 87 51	102 63 39	110 69 41	1,008 574 434	66 37 29	85 54 31	349 197 152	618 362 256	62 54 8	1, 801 977 824	34 11 23	28 29 30
7 2 5 14 9 5	2 2		5 5 15 9 6	. 22 34 10		40 16 24 35 15 20	2 1 1	10 12	6 5 1 3 2 1	2 2 4 3 1	i	28 5 23 29 8 21	4 2 2 4 2 2	6 4 2 3 3	14 4 10 9 4 5	12	2 2 1 1	61 27 34 59 25 34	7 1 6	31 32 33 34 35 36
8 6 2 9 4 5	2		. 13 8 5 8 4 4	9 11 21 11	2 1 1	35 15 20 31 14 17	7 2 5 1	. 5	5 3	1 1 1	4 3 1 1	12	1	3 2 1 5 2 3	1 8	8 14 41	2 2 1 1	67 36 31 35 14 21	13 4 9 4 1 . 3	37 38 39 40 41 42
389 295 94 36 17	:   55	45 27 18 3	379 269 110 22 12 10	932 548 384 77 26 51	76 52 24 6	1, 647 994 · 653 96 47 49	40 23 17 7 2 5	289 181 108 23 9 14	81 58 23 41 17 24	78 48 30 16 9	101 66 35 3	.] 36	46 - 26 20 11 7 4	59 38 21 9 5	284 163 121 26 16 10	420 270 150 93 36 57	1 44	1,326 764 562 253 111 142	3 2 1 7 3 4	43 44 45 46 47 48
235 235	55 55	3 25 3 24 1	219 219	337 336 - 1	33 33	624 618 - 6	27 27	76 76	59 59	39 39	11	239 237 - 2	9	32 32	- 1			<u>- </u>	33 32 1	49 50 51
26 11 31 12 40 91	5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	5 7 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	1 77	222 47 75 23 34 2 115 21	3 4 3 1 8 13 13	23 81 106 58 92 219 45	1 6 3 6 8 8		2 18 6 16 13 4	2 3 6 4 9 14	1 1 3 3 5	- 18	1 2 2 4	. 12 77 33 38 . 8	9 11 26 20 23 38 15	8 12 25 13 27 62 8	2 8 3	37 89 129 40 93 195	1 2 13 3 1	52 53 54 55 56 57 58
70 62 7					229 160 69			*		_				I						59 60 61
633 560 77 33	8 116 6 100 2 1:00	9 88 7 74 2 14 4 3 3 1	809 633 176 19	1,460 3 1,078 3 382 9 39 7 38	216 3 149 2 67 4 3 3	3, 310 2, 531 779 165 153	70 50 20 5 5	795 614 181 16 16	80 62 18 13 12	105 85 20 13	65 55 10 4 4	1,146 880 260 37 34	46 28 18 3	89 78 11 8	690 568 112 34 32	755 3 575 2 177 4 58 2 55	97 91 63 64 42	1, 492 1, 145 337 73 71 2	20 16 4 1	62 63 64 65 66 67

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

This table excludes the deaths of soldiers, sailors, and marines. Figures for white and colored are shown separately for minor subdivisions (except as indicated in the municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000

===							<del></del>	DEATHS						-	or 10,000
	AREA AND COLOR.	All causes.	Ty- phoid fever.	Mala- ria.	Small-pox.	Measles.	Scarlet fever.	Whoop- ing cough.	Diph- theria and croup.	Influenza.	Ery- sipelas.	Tuber- culosis of the lungs.	Tuber- culous menin- gitis.	Other forms of tuberculosis.	Rheu- ma- tism.
	REGISTRATION CITIES—Continued.														<u> </u>
	. MARYLAND—continued.												,		
1 2 3	Frederick (total)	271 237 34	1 1					4 4		29 26 3		9 7 2	3 2 1	1	
4 5 6	Hagerstown (total)	532 495 37				1 1		3 2 1	3 3	88 84 4	1 1	38 34 4	-		2 1 1
	Massachusetts.														-
7 8 9	Registration cities (total). White	61,196 60,018 1,178	132 126 6			421 410 11	57 57	575 562 13	534 530 4	10,047 9,902 145	120 116 4	3,924 3,790 134	364 347 17	285 272 13	116 114 2
10 11 12 13	Adams town. Arlington town Attleboro. Beverly.	199 283 315 326	1 1 6			1 1 7		3 1 10 4	1 1	43 54 56 51	1 2	13 20 10 10	1 3 1 1	3 5 1	1
14 15 16 17 18	Boston (total). White Colored Brockton. Brookline town.	17, 267 16, 731 536 1, 192 519				116 112 4 1	. 24 . 24 . 1	180 176 4 6 2	214 211 3 2 2	2,536 2,473 63 303 99	42 39 3 1	1,209 1,144 65 56 32	115 112 3 3	73 65 8 4	16 15 1
19 20 21 22 23	Cambridge Chelsea Chicopee Clinton town Everett	2,266 852 514 283 563	1 1			29 10 1 1	1	32 9 2 1 3	12 3 10	299 133 71 60 61	6	223 44 51 23 35	12 2 9	12 3 3 1	7 1 1
24 25 26 27 28	Fall River. Fitchburg. Framingham town Gardner town. Gloucester.	2,858 786 391 333 544	1			7 13 1 1 5	1	29 10 2 5	27 5 1 1	564 145 108 36 128	3	228 45 9 15 20	15 3 4 2	9 2 1 2	2
29 30 31 32 33	Greenfield town Haverhill. Holyoke. Lawrence. Leominster.	299 853 1,272 2,030 349	10			1 7 2 74	2 1	6 5 15 22 7	1 9 6 18	81 49 170 325 41	1 2 8 1	3 39 71 145 24	3 5 17	2 2 3 10	3 1 8 2
34 35 36 37 38	Lowell	2, 466 1, 811 851, 277 505	2 1 1 5			16 6 1 4	4 2 3	20 22 6	18 8 23 1 6	288 394 158 39 77	4 2 3 1 2	160 104 36 13 27	29 6 5 3	12 9 6 2	12 4 2
39 40 41 42 43	Melrose. Methuen town. Milford town New Bedford. Newburyport.	282 214 325 2,895 351	1 2	1			3	2 3 4 30	2 . 1 20 5	26 30 77 583 51	1 2 1 1	8 12 15 221 17	1 2 1 27 3	2 3 3 15	4 2
47	Newton North Adams Northampton Peabody Pittsfield	750 419 586 351 959	1 2 3			1 2 1	1	3 1 2 4 2	8 3 5 5 2	164 50 90 71 219	1 5 2 2	34 22 67 13 51	6 4 3 7	6 3 2 1 4	3 2 1 2 3
52	Plymouth town Quincy Revere Salem Somerville	250 850 304 887 1,521	2 4 3 2			11 8 8	1	1 6 5 1 16	3 6 3 5 23	37 250 46 144 268	1 1 2 4	9 33 12 53 77	1 5 1 4	5 4 1 4 3	2 1
55	Southbridge town Springfield Taunton Wakefield town	208 2,534 951 173	1 4	1 1		13	3 2	32 14 2	31 1 2	29 378 155 28	3 1 1	16 128 93 20	16 5 2	1 12 3 1	12
58 59 60 <b>61</b>	Waltham. Watertown town. Webster town. Westfield town.	713 279 229 460	2 .	1		5 3 2 1	1 i	13 1 3 2	2 1 1 7	225 61 37 106	5	32 12 17 62	9	3 1 1	1 4
64	Weymouth town Winthrop town Woburn Woburn Worcester	272 180 291 3,758	1 . 6 . ed popula	ation less	than 1	1 1 2 7	t of the	3 1 5 6	21	30 17 49 457	1 1 5	8 3 18 206	1 2 21	1 2 27	5

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1918—Continued.

footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. The term "cities" indicates inhabitants or more in 1910) are omitted. Numbers under causes of death correspond to those of the abridged International List.]

	· · · ·						<del></del>	DE	ates f	вом—	-			, <u>, , , , , , , , , , , , , , , , , , </u>						=
Can- cer and other malig- nant tumors.	Dia- betes.	Menin- gitis,	Cere- bral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Ap- pendi- citis and typh- litis.	Her- nia, intesti- nal ob- struc- tion.	Cirrho- sis of the liver.	Acute nephri- tis and Bright's disease.	Puer- peral septi- cemia.	Other puerperal affections.	Con- genital debility and mal- forma- tions.	Vio- lent deaths (sui- cide except- ed).	Sui- cide.	All other defined diseases.	Un- known or ill- defined dis- eases.	
16	(37)	17	18	19	20, 21	22,(23)	(23)	25	26	27	28	29	81	32	38	35	36	(87)	88	•
13 13	3 3	2 2	11 10 1	31 28 3	5,	32 26 6	3 3	5 4 1	7 7	7 6 1	2 2	20 18 2	1 1	321	7 6 1	19 18 1 26		53 43 10 69	8	1 2 3
20 20	6	3 3	28 27 1	57 52 5	3 1	77 75 2	1	18 17 1		3 3		36 32 4	1	7 7	29 28 1	22 4	2 2	61 8	8	4 5 6
3, 176 3, 130 46	577 572 5	295 290 5	2,899 2,865 34	6, 157 6, 024 133	728 722 6	11, 306 11, 062 244	302 301 1	2, 470 2, 433 37	395 390 5	339 337 2	223 220 3	2, 599 2, 532 67	183 177 6	574 - 564 - 10	2,785 2,738 47	2,383 2,338 45	368 364 4	6, 584 6, 464 120	274 265 9	7 8 9
9 17 13 23	3 3 2	i	8 14 · 20 24	24 31 32 53	1 1 4 5	30 47 64 42	2 1 3	15 5 4 2	1 2 5	1 1 2	$\begin{bmatrix} 1\\ \dots\\ 1\\ 3 \end{bmatrix}$	8 16 19 13	3	2 5 5 4	16 13 12 19	5 13 11 11	1 2 3 1	13 31 32 30	1	10 11 12 13
956 934 22 70 49	144 144 16 5	120 117 3 6 2	674 656 18 56 37	1, 963 1, 895 68 89 74	124 124 4 5	3, 582 3, 471 111 179 75	69 69 7 3	475 464 11 14 5	133 131 2 8	109 107 2 4	62 61 1 4 1	642 617 25 55 32	56 53 3 3	176 170 6 11	754 737 17 62 6	803 776 27 51 11	114 113 1 10 5	1,720 1,656 64 156 70	47 46 1 3	14 15 16 17 18
140 44 11 24 32	26 8 4 3 6	7 2 3 1 4	107 55 14 14 25	235 97 30 23 61	46 11 14 2 6	427 175 87 35 131	19 9 4 2	60 10 61 8	18 4 4	7 2 1 1 5	9 2 1 1	93 37 22 7 28	9 5	22 6 6 3 10	84 36 39 13 31	84 42 14 15 20	9 5 7	228 85 50 41 72	10 2 1	19 20 21 22 23
105 34 19 15 31	19 5 4 4 13	1 1	91 32 20 18 19	256 78 35 19 56		396 184 49 83 111	15 4 8 2		6	2 3	9 2 2	149 26 26 28 23	7 3 1	13 7 5 4 5	144 30 22 21 18	70 23 20 15 21	6 5 2 1 4	231 77 41 31 50	32 4 3	24 25 26, 27 28
12 42 45 79 16	10 13 12 7	10	9 62 53 92 11	107	9 19	55 204 275 357 76	9 20 1	16 100 159	9 15 15	.13 14 4	5 13 8	11 41 73 88 19	1	1 9 18 27 2	87 70 15	15 38 50 . 68 . 9	2 6 7 11 3	26 121 102 189 47	10 10 40 2	29 30 31 32 33
110 99 56 12 42	4	5 2	. 26 45	1	22 9 5 8		14 13 4 1	33 18 6 4	13 10 3 .2	17 3 1	15 .8 1 . 2	94 101 39 9	9 4	21 19 12 4 5	30 12 20	108 . 76 25 . 19 16	3	305 213 80 39 68	1 15 2	34 35 36 37 38
21 11 16 97 29	6 24 6	1 3 8 2	24 94 14	20 22 151 47	6 1 56 6	36 72 464 52	15 15	407 10	5 3 5 2	10 10	12	23	1 10	.  .4	9 14 98	84 14	2	45	60 1	39 40 41 42 43
62 26 31 15 52	6 5 3 6	5   6	20 47 16 49	l	.i		ľ	13	1		¥ .	1		2 10					11	44 45 46 47 48
15 42 11 46 85	ŀ	) (	30 20 50 50 103	84 37 127 3 200	4 4 7 18 19 14 14 14 14 14 14 14 14 14 14 14 14 14	1	'[. *	1 1: 11 2: 2 2: 5 . 20	1			1	1	77 4 6 15	87	1 .	3 8 13		2	49 50 51 52 53
12 12 3	3   19	3   3	16 126 3 48 1 23	13 204 3. 105 3. 22	28 5 19 2 1	533 533 153		8	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	13	1 3 5	1	67	15	11 164 28 8	. 1 81	8	- 24	3	54 55 56 57
3: 1: 1: 1:	1	3	5 34 L 10 16 L 30	66 3 34 3 25 2 25	1 6 3 2	5 58 2 44 3 86	·	1	` <b>1</b>		1	- 22	2 2	1 2 3	1	, 18	3 1	87 32 23 28	1	58 59 60 61
2 1 2 20	3 10 5 10 2 4	4 0 5 2 2	27 1 17 1 23 0 177	7 3: 7 3: 3 2: 7 500	2 3 19 8 4	51 33 1 24 5 80	1	1 13	2 4 2	2 2		12		38		11 15 15	22	37 17 48 467	1 1	62 63 64 65

Table 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[This table excludes the deaths of soldiers, sailors, and marines. Figures for white and colored are shown separately for minor subdivisions (except as indicated in the municipalities 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants).

=						•	···	DEATHS	FROM-	· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·	******		10,000
š	AREA AND COLOR.	All causes.	Ty- phoid fever.	Mala- ria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diph- theria and croup.	Influenza.	Ery- sipelas. (12)	Tuber-culosis of the lungs.	Tuber- culous menin- gitis.	Other forms of tuberculosis.	Rheu- ma- tism.
	REGISTRATION CITIES—Continued.					<u> </u>									
	Michigan.														
1 2 3	Registration cities (total) White Colored	25, 455 24, 751 704	153 151 2	2 1 1	9 8 1	152 150 2	100 100	220 213 7	434 433 1	3,109 3,045 64	61 60 1	1,601 1,512 89	132 127 5	139 134 5	79 78 1
4 5 6 7	Adrian Alpena Ann Arbor Battle Creek	246 230 508 697	2 1 5	1		1 2 5	1 2	2 9	1 4 19	26 39 52 108	1 2	11 7 18 19	1 3 3	3 7 6	1 1
8 9 10 11 12	Bay City Detroit Escanaba Flint Grand Rapids	796 12,889 280 1,105 1,893	8 72 5 13	i	6	129	46 8 2	8 155 1 5 9	9 273 1 21 32	112 1,385 43 272 173	1 23 2 2 2 8	42 969 14 35 115	2 84 2 4 12	9 55 2 5 12	7 37 1 3 7
13 14 15 16 17	Holland Ironwood. Ishpening Jackson. Kalamazoo	146 215 158 899 1,088	1 2 2			1 1 1	3 1 24 1	1 8	2 3 8 6	20 62 22 142 102	1 6 8	16 8 5 43 68	1 1 2 6	1 2 2 9 6	1 1 3 1
18 19 20 21 22	Lansing Manistee Marquette Menominee Muskegon	722 141 217 170 621	5 2 4 3		2	2	3 5 1 1	3 2 5	21 2 4	106 7 27 32 84	1 1	17 14 7 14 35	2	4 1 1 5	1 1 1
23 24 25 26 27	Pontiac Port Huron. Saginaw. Sault Ste. Marie. Traverse City	601. 358 986 224 315	3 2 10 1 1			2 4 1 1	1 1	1 2 5 4	9 15 4	83 44 110 31 27	1 1 3	45 13 44 9 33	1 3 3	1 5 4	2 2 3
	MINNESOTA.														
28 29 30	Registration cities (total)	11,575 11,388 187	47 46 1		4 4	34 34	80 80	136 134 2	164 163 1	1,913 1,891 22	38 38	835 805 <b>3</b> 0	77 76 1	66 64 <b>2</b>	39 39
31 32 33 34	Duluth	1,390 276 5,392 275	4 1 31 2		4	2 26 1	33 1	8 1 79 9	11 1 88 1	211 41 776 87	6 16	87 10 426 10	16 1 31 1	12 2 21 2	5 14
35 36 37 38	St. Paul. Stillwater Virginia Winona	3,602 123 216 301	8 1			4 1	42	37 1 1	58 1 4	644 30 61 63	15 1	267 6 8 21	25 1 2	26 2 1	15 2 1 2
39	MISSISSIPPI,1  Registration cities (total)	2.000	40	_							ŀ			İ	
40 41	Colored	3,063 1,181 1,882	42 15 27	53 15 38	3 2 1	16 9 7	1 1	26 11 15	17 7 10	309 151 158	7 5 2	210 52 158	8 2 6	18 3 15	8 2 6
42 43 44 45 46 47	Hattlesburg (total) White- Colored. Jackson (total) White Colored.	374 194 180 1,057 376 681	3 1 2 14 7 7	7 2 5 11 7 4	1 1	4 3 1 6 2 4		9 4 5 10 3 7	2 2 14 5 9	39 17 22 93 46 47	3 2 1 1 1	23 4 19 68 12 56	1 1 1	1 1 11 1 10	3
48 49 50 51 52 53	Meridian (total) White Colored Natchez (total) White Colored	622 322 300 329 87 242	9 3 6 4	14 2 12 2	2 2	6 4 2	1	5 4 1 2		69 39 30 34 12	1	45 19 26 24 6	3	2 2 2 1	2 1 1
54 55 56	Vicksburg (total)	681 202 479	12 4 8	19 4 15					1	74 37 37	2 1 1	50 11 39	3 2 1	2	2
57	MISSOURI.  Registration cities (total)	05 071	400	_							}	_ [		1	.
58 59	Registration cities (total) White Colored	25,374 22,040 3,334	193 167 26	25 16 9	23 21 2	143 128 15	38 37 1	242 198 44	236 222 14	2,911 2,744 167	52 49 3	1,865 1,404 461	64 54 10	138 95 43	63 58 5
60 61 62 63 64 65	Hannibal (total). White Colored Jefferson City (total) White Colored.	419 355 64 237 207 30 Stration sta	3 .			3 3 2 2	1	2 2 1 1	5 5 1 1	67 62 5 25 23 2	1 1 1		1 1	2 1 1	3 3 1 1

 $<sup>^{1}</sup>$  Nonregistration state; only those cities with satisfactory registration of deaths are shown.

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1918-Continued.

footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. The term "cities" indicates inhabitants or more in 1910) are omitted. Numbers under causes of death correspond to those of the abridged International List.]

<u> </u>								D	EATHS F	вом—							======			=
Can- cer and other malig- nant tumors.	Dia- betes.	Menin- gitis	Cere- bral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respir- atory dis- eases.	Diarrihea and enteritis (under 2 years).	Ap- pendi- citis and typh- litis.	Her- nia, intesti- nal ob- struc- tion.	Cirrho- sis of the liver.	Acute nephri- tis and Bright's disease.	Puer- peral septi- cemia.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Vio- lent deaths (sui- cide except- ed).	Sui- cide.	All other defined diseases.	Un- known or ill- defined dis- eases.	
16	(37)	17	18'	19	20, 21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(87)	38	
1,272 1,258 14	248 246 . 2	132 129 3	1,135 1,115 20	2,259 2,192 67	304 296 8	3,736 3,548 188	204 191 13	976 961 15	305 296 9	212 207 5	147 142 5	1,087 1,063 24	139 135 4	295 288 7	1,637 1,618 19	1,321 1,285 36	164 160 4	3,634 3,553 81	57 56 1	1 2 3
21 . 14 . 63 49	3 5 8 9	2 2	23 7 . 26 44	24 19 35 84	2 11 2 3	23 35 32 54	3263	9 6 8 9	6 4 6 16	2 2 5 3	5 3 2 5	12 11 44 34	1 5 4	1 4 9	10 9 30 48	8 14 19 37	1 2 6	45 37 113 101	3 1 3	4567
52 553 10 34 113	5 107 3 8 · 18	2 84 5 8 4	39 437 18 49 96	77 982 23 62 265	20 127 13 31	2,377 44 154 206	5 12	19 658 5 43 66	11 125 8 12 21	7 107 5 8 24	11 74 4 1 9	22 455 13 37 129	74 74 1 10 11	7 152 7 13 22	37 947 16 79 92	49 709 15 47 77	2 79 2 3 17	119 1,499 29 145 299	3 16 1 5	8 9 10 11 12
10 8 13 45 49	2 10 13	3 1 4 2	4 7 4 46 46	13 13 20 75 116	3 14 11	12 24 14 104 115	2 4 15 9	3 2 2 16 26	3 2 14 13	7 8	1 2 2	9 6 7 43 72	1 2 7 3	2 1 1 11 10	12 12 12 28 60	2 26 13 46 47	1 14 13	24 25 19 152 266	1 3 1 1 4	13 14 15 16 17
51 5 21 11 21	7 4 2 4 8	1 7	47 9 13 12 50	78 22 23 12 48	10 4 3 3 8	88 8 20 16 90	6 1 1 5	17 3 5 4 13	10 2 7 11	1 3 5	3 1 2 4	38 13 9 8 8	3 2 2 1 1	7 1 3 2 14	40 2 18 11 42	38 6 15 8 27	1 1 2	106 31 27 20 82	3 1 5	18 19 20 21 22
23 14 71 6 15	3 5 12 4 4		43 17 62 9 27	46 · 61 117 27 17	4 7 14 4 3	65 18 92 30 18	10 3 7 1 2	16 11 25 7 3	6 5 14 5 4	1 4 9 5 4	4 10 4	18 17 29 16 12	4 1 2	<b>5</b> 5954	29 20 61 13 9	24 24 50 13 7	4 2 8 2	161 61 140 27 106	3 1 2	23 24 25 26 27
717 708 9	135 134 1	41 41	446 440 6	1,034 1,019 15	64 64	1,336 1,304 32	78 75 3	185 182 3	170 167 3	102 99 3	66 66	638 619 19	52 51 1	105 105	622 617 5	634 628 6	118 118	1,585 1,564 21	14 13 1	28 29 30
58 26 354 12	10 3 60 4	7 1 19 1	52 13 208 7	84 25 483 17	10 24 1	188 43 629 25	10 1 34 2	29 . 3 64 6	26 6 74 6	12 5 51 3	10 32 1	65 12 339 5	9 2 14 4	17 4 46. 3	94 11 284 14	126 15 276 11	17 2 59 2	200 47 792 35	2 5 2	31 32 33 34
238 7 5 17	49 4 3 2	3	132 10 2 22	359 10 13 43	22 2 3 2	385 8 31 27	26 2 1 2	77 1 4 1	51 2 2 3	27 2 2	17 1 2 3	202 3 3 9	22 1	27 2 5 1	183 8 18 10	166 8 17 15	32 2 3 1	435 13 19 44	1	35 36 37 38
110 51 59	15 13 2	8 5 3	92 51 41	226 69 157	· 8 5	280 113 167	17 7 10	65 31 34	56 22 34	40 14 26	15 9 6	240 95 145	17 8 9	15 7 8	90 42 48	184 77 107	8 7 1	765 263 502	94 · 20 74	39 40 41
16 10 6 36 18 18	3 2 1 7 7	3 3 1 2	12 10 2 18 13 5	22 13 9 52 14 38	2	45 22 23 82 30 52	4 1 3 2 1 1	20 7 13 11 5 6	27 14 13	4 3 1 17 4 13	1 1 6 4 2	20 11 9 90 37 53	1 1 8 4 4	5 2 3 2 1 1	22 15 7 23 8 15	32 18 14 56 17 39	4 3 1	59 32 27 349 107 242	8 5 32 4 28	42 43 44 45 46 47
25 11 14 16 5	2 2 2 1 1		19 12 7 26 9	32 16 16 27 11 16	3 1 2 2 2 2	56 27 29 32 9 23	5 3 2 1	20. 16 4 10 1 9	14 5 9 1 1	7 5 2 1	4 2 2 1 1	43 25 18 42 4 38	5 2 3	2 2 2	21 15 6 15 2 13	41 22 19 13 4 9	3 3 1 1	146 74 72 61 16 45	18 4 14 3	48 49 50 51 52 53
17 7 10	1		17 7 10	93 15 78	1	65 25 40	5 2 3	. 4 2 2	13 1 12	11 2 9	3 1 2	45 18 27	3 1 2	4 2 2	9 2 7	42 16 26		150 34 116	33 7 26	54 55 56
1,274 1,182 92	244 228 16	-	970 903 67	2,012 1,693 319	231 199 32	4,915 4,112 803	194 171 23	541 494 . 47	287 266 21	199 180 19	251 226 25	2,120 1,820 300	102 93 9	152 135 17	806 733 73	1,335 1,136 199	243 230 13	3,328 2,890 438	42 37 5	57 58 59
10 10 11 11	5 4 1		16 15 1 8 8	47 40 7 8 6	2 2 5 4 1		2 2 2 2	5 5 2 1 1	4 4 1 1	2 2 1 1	8 6 2 1 1	28 20 8 19 18 1	3	4 4 2 2	13 10 3 10 10	19 16 3 13 12 1	5 5 1 1	55 49 6 30 27 3	9 7 2 1	60 61 62 63 64 65

# MORTALITY STATISTICS.

Table 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[This table excludes the deaths of soldiers, sailors, and marines. Figures for white and colored are shownseparately for minor subdivisions (except a sindicated in the municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants)

=				<del></del>				<del></del>	FROM-	isions (cou	<u> </u>				
	AREA AND COLOR.	All causes.	Ty- phoid fever.	Mala-ria.	Small- pox.	Measles.	Scarlet fever.	Whooping cough.	Diph- theria and croup.	Influenza.	Ery- sipelas.	Tuber- culosis of the lungs.	Tuber- culous menin- gitis.	Other forms of tuberculosis.	Rheu- ma- tism.
	REGISTRATION CITIES—Continued.											•			
	MISSOURI—continued.														
1 2 3 4 5	Joplin Kansas City (total) White Colored Moberly	810 6,608 5,682 926 252	29 47 39 8 6	1 7 4 3	3 17 15 2	57 54 3	11 11 11	12 40 37 3 5	61 59 2 1	98 855 827 28 36	1 18 17 1	95 458 310 148 24	2 14 13 1	31 17 14 3	5 13 13
6 7 8 9	St. Joseph St. Louis (total) White Colored.	1,797 13,727 11,734 1,993	7 60 49 11	15 9 6	1	44 25 13 12	1 21 21	8 170 130 40	33 128 116 12	222 1,342 1,230 112	3 26 24 2	97 976 731 245	2 42 33 9	12 76 52 24	3 33 29 4
10 11 12 13 14	Sedalia (total)	447 379 68 827 250	9 3 6 15 11	1 1	1	6 6 3 1	1	3 1	1 1 3 3	68 64 4 174 24	2	27 21 6 67 56	1. 1 1	6 5 1 3 2	2
15 16 17	Registration cities (total) White. Colored.	3,212 3,138 74	6 6	2 2	3	2 2	34 34	6 6	17 17	947 941 6	7 7	153 149	10 10	13 13	7 5 2
18 19 20 21 22 23	Anaconda Billings Butte Great Falls Helena Missoula	211 317 1,455 603 288 338	1 4 1	2	1	1	8 20 5	3 3	10 7	26 107 477 168 65 104	4 2 1	7 10 93 18 7 18	1 5 3	1 3 4 2 2 1	1 6
24	·	4, 104	13	1	1	12	11	18	60	802	12	196	12	21	14
25 26	Registration cities (total)	4, 104 3, 876 228	12 1	1	1	12	11	18 17 1	56 4	776 26	12	151 45	9 3	31 27 4	14
27 <sup>,</sup> 28	LincolnOmaha	905 3,199	2 11	1	1	11	3 8	14	9 51	169 633	10	21 175	11	5 26	6 8
29 30 31	Registration cities (total)	4,493 4,482 11	14 14	1 1		23 23	6 6	53 53	20 20	1,008 1,005 3	5 5	193 192 1	22 22	25 25	4 4
32 33 34 35	Berlin. Concord. Dover. Keene.	338 682 277 275	1 1 1			8 1	2	4 3 6	4	110 152 35 59	2	8 28 7 9	6	2	1 1
36 37 38 39	Laconia.  Manchester  Nashua  Portsmouth	296 1,659 632 334	3 4	1		12 1 1	$\begin{bmatrix} 1 \\ 2 \\ 1 \end{bmatrix}$ .	25 11	13	75 350 163 64	2 1	9 86 31 15	11	2 13 3 1	1 1
40 41 42	NEW JERSEY.  Registration cities (total)	39, 142 36, 811 2, 331	113 103 10	5 5	1 1	384 366	33 33	341 289	292 288	5, 130 4, 932 198	53 52	2,360 2,168	195 184	158 136 22	108 102
43 44 45 46 47 48	Asbury Park (total) White Colored Atlantic City (total) White Colored	2,351 203 160 43 1,210 962 248	2 2	1 . 1 . 2 . 2 . 2		18 2 2		2 2 2 10 3 7	1 1	25 19 6 238 204	1	192 8	2 1 1 1	22 1 1 1 6 6	6 1 1 2 2
49 50 51 52 53	Bayonne. Bloomfield. Bridgeton Camden East Orange.	1,439 246 396 3,062 471	10 11 1			39 7 2 21	1	11 9 6 37 6	20 5 5 20	254 31 73 572 39	1 1 1	76 15 23 151 26	10 1 8 5	2 1 2 11 3	6
54 55 56 57 58	Elizabeth Garfield Hackensack Harrison Hoboken	1,846 251 434 225 1,182	5 2 - 6 .	1	1	21 8 1 3 14	1	16 4 3 3 8	13 1 2 6 21	142 40 70 29 65	12	97 14 7 9 95	15 2 11	8	8
59 60 61 62 63	Irvington. Jersey City Kearny Long Branch Millville.	302 6,081 438 379 317	7			40 10	10	1 58 2 4 4	61 2	36 642 38 18 93	2 9 1	17 399 24 10 16	1 22 1 2	1 31 2 2 2 2	1 16 2 2

<sup>&</sup>lt;sup>1</sup> Nonregistration state; only those cities with satisfactory registration of deaths are shown.

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1918-Continued.

footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. The term "cities" indicates inhabitants or more in 1910) are omitted. Numbers under causes of death correspond to those of the abridged International List.]

Imabita	105 01 111	0101111	910) are (	omitted.			20000		EATHS 1							··			, .	=
Can- cer and other malig- nant tumors.	Dia- betes.	Menin- gitis.	Cere- bral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respir- atory dis- eases.	Diarrhea and enteritis (under 2 years).	Appendicitis and typh-litis.	Her- nia, intesti- nal ob- struc- tion.	Cirrho- sis of the liver.	Acute nephri- tis and Bright's disease.	Puer- peral septi- cemia.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Vio- lent deaths (sui- cide except- ed).	Sui- cide.	All other defined diseases.	Un- known or ill- defined dis- eases.	
16	(37)	17	18	19	20, 21	22,(23)	(23)	25	26	27 <b>3</b>	28	29	31	32	33	35	36	(37)	38	
31 303 277 26 20	3 59 54 5 9	3 50 44 6 3	26 215 201 14 11	43 493 386 107 21	38 30 8	187 1, 345 1, 140 205 25	3 70 58 12	25 124 114 10 2,	8 71 64 7 3	4 53 49 4 4	7 45 41 4 2	45 454 371 83 21	4 32 27 5	5 51 <del>44</del> 7 1	31 218 203 15 11	45 425 346 79 12	3 65 61 4 3	80 856 745 111 22	4 12 11 1 3	1 2 3 4 5
70 763 704 59	17 131 122 9	3 69 59 10	102 532 490 42	97 1,221 1,036 185	12 169 147 22	295 2,721 2,235 486	10 99 91 8	31 319 290 29	66 115 102 13	16 106 95 11	12 168 151 17	122 1,324 1,143 181	12 43 39 4	13 65 55 10	56 408 357 51	90 652 552 100	21 136 129 7	319 1,769 1,497 272	3 3	6 7 8 9
21 18 3 43 2	5 5 10 1	1 1 1 2 3	12 11 1 34 14	15 13 2 53 14	1 1 2 2	96 77 19 104 33	5 5	11 9 2 11 11	4 4 4 14 1	1 1 10 2	4 3 1 3 1	58 49 9 39 10	2 2 2 5 1	4 4 7	14 12 2 34 11	25 21 36 18	7 1	36 8 133 20	3 3 2 5	10 11 12 13 14
97 95 2	27 27	32 32	56 55 1	169 164 5	10 10	563 546 17	16 15 1	51 50 1	68 66 2	16 16	17 15 2	113 103 10	28 28	37 37	130 127 3	218 214 4	34 32 2	307 297 10	16 14 2	15 16 17
2 5 30 21 17 22	1 4 11 5 5	3 6 12 6 1 4	5 2 22 9 11 7	9 14 64 26 32 24	1 6 1 1	61 49 263 111 38 41	2 9 1 1 3	7 5 20 15 2 2	15 21 17 7 8	2 6 6 1 1	1 8 4 4	12 9 42 22 17 11	2 5 9 5 4 3	6 4 13 8 4 2	7 19 46 31 15 12	17 17 104 39 19 22	4 6 11 9	24 29 126 56 31 41	4 5 3	18 19 20 21 22 23
255 245 10	41 38 3	20 20	148 142 6	263 255 8	18 14 4	674 625 49	23 23	79 76 3	89 89	50 49 1	22 21 1	191 182 9	20 20	33 32 1	167 161 6	206 190 16	34 33 1	580 555 25	8 7 1	24 25 26
64 191	14 27	6 14	, 41 107	60 203	4 14	136 538	4 19	10 69	21 68	9 41	6 16	60 131	9 11	13 20	47 120	39 167	8 26	129 451	8	27 28
192 192	36 36	30 30	240 239 1	376 376	55 55	702 698 4	25 25	142 142	33 33	32 32	22 22	197 196 1	9 9	29 29	229 229	147 147	32 32	581 580 1	10 10	29 30 31
9 - 40 - 19 16	1 8 6	5 2 1 1	4 64 13 16	17 104 22 22	1 1 1 1	69 55 59 42	1 1	. 8 1 4 2	6 3 2 5	1 3 3 2	1 3 1 2	6 31 18 27	2	5 1 1 3	15 12 16 10	12 20 10 9	3 10 1 2	35 128 39 40	1 3 1	32 33 34 35
17 58 24 9	11 4 2	5 6 7 3	14 82 24 23	25 130 31 25	39 5 3	262 101 73	1 16 2 3	79 36 8	2 6 7 2	2 13 4 4	1 6 6 2	14 66 23 12	3 2 1	5 10 3 1	10 118 33 15	10 40 27 19	3 10 1 2	41 183 77 38	3	36 37 38 39
1,573 1,531 42	380 370 10	233 209 24	1,633 1,549 84	3,301 3,110 191	430 392 38	9,589 8,923 666	244 229 15	1,632 1,561 71	235 217 18	242 224 18	230 220 10	2,416 2,243 173	131 121 10	300 288 12	1,720 1,626 94	2,009 1,898 111	206 199 7	3,410 3,192 218	55 50 5	40 41 42
10 9 1 50 41 9	1 1 17 17		. 15 15 69 55 14	26 8 129 108	1 4	30 23 7 190 127 63	7 4 3	33 28 5	2 2 10 8 2	10	1 1 10 8 2	19 15 4 110 90 20	3 3	7 7	6 4 2 27 22 5	10 7 3 70 62 8	1 1 12 11 1	26 21 5 135 104 31	1 1 2 2	43 44 45 46 47 48
33 7 16 87 41	8 1 4 11 5	16	. 16 27	31 44 220	17 1 1 17 5	425 38 66 845 87	8 1 1 15 2	75 19 7 156 2	6 2 5 1	2 1 21 2	1 12 2	74 15 23 181 55	3 2 18	7 3 21 3	61 6 13 133 19	73 8 16 168 7	9	86 29 47 201 44	1 1	49 50 51 52 53
81 3 16 4 57	16 3 7 1 23	7 5 3	84 5 18	130 11 43 24	15 2 3 6		9 1 2 2 6	Į.		16 6	16 1 3 3 6	67 11 20 12 56	8 2 1 4	12 2 1 4	97 18 27 10 48	110 9 31 13 58	2 2 6	143 7 47 16 94	1 1 1 2	54 55 56 57 58
20 241 24 13 12			16	37	1	10	36 1 4	264 10 9	١.,	١,	8 41 3 4 3	31 401 30 55	1 13 1 2	60 5	17 250 13 10 11	13 333 31 31 5	2 25 2 1 4	29 485 47 45 44	8 3	59 60 61 62 63

## MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[This table excludes the deaths of soldiers, sailors, and marines. Figures for white and colored are shown separately for minor subdivisions (except as indicated in the municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants)

==					<del></del>			DEATHS		sions (cou				-Louis 102	
			11	1	1	1	1	DEATHS	-EUM-				,		, <u> </u>
	AREA AND COLOR.	All causes.	Ty- phoid fever.	Mala- ria.	Small-pox.	Mea- sles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influ- enza.	Ery- sipelas. (12)	Tuber- culosis of the lungs.	Tuber- culous menin- gitis.	Other forms of tuberculosis.	Rheu- ma- tism.
	REGISTRATION CITIES—Continued.		I	<u> </u>	<u>- 184                                   </u>	l				<del></del>					
	NEW JERSEY—continued.														
1 2 3 4 5	Montclair (total)	301 257 44 407 893	3 7			1 1 1 5	1 4	3 2 1	1 1 3	31 25 6 73 155	1	22 13 9 9 69	1 1 3 5	2 1 1 1 6	2 1 1
6 7 8 9	Newark Orange Passaie Paterson	8,132 844 1,192 2,686	18 1 6			118 8 16 21	7 2 1	52 3 14 19	47 1 19 22	750 72 146 476	16 2 2	545 41 84 193	54 8 6 8	45 3 5 4,	17 7 2 10
10 11 12 13	Perth Amboy. Phillipsburg. Plainfield. Trenton	1,030 342 616 2,927	1 2 1 12	1		20 2 6	1 1	6 5 13 17	5 8 18	244 83 63 446	1 1 2 1	46 14 26 177	5 6 13	3 2 2 6	1 1 9
14 15 16 17	Union. West Hoboken West New York. West Orange.  NEW YORK.	265 493 350 182				2 1 9 1		1 6 7 3	1 6 3	35 63 63 25	2 1	26 31 26 18	1 3 1 1	2 1	3 3 1 1
18		145, 303	415	22	1	1,117	255	000	1 575	15 000		## 000			
19 20	Registration cities (total)		402 13	22	1	1,099	253 253 2	988 944 44	1,555 1,526 29	15,669 15,289 380	283 279 4	11,833 11,135 698	1,032 984 48	604 564 40	394 380 14
21 22 23 24 25	Albany. Amsterdam. Auburn. Batavia. Binghamton.	2,548 576 708 325 1,363	12 6 4 2			3 1 2	1 1 1 2	16 6 4	8 2 6	371 120 131 78 221	4	206 35 32 12 86	14 3 2	·10 4 4 1 9	7 2 2 2
26 27 28 29 30	Buffalo Cohoes Corning Cortland Dunkirk	10, 112 497 294 311 400	38 5			42 2 1	17	57 3 4 4	114 1 4	1, 273 61 65 43 96	15 1	752 36 6 11	55 1 2	38	30 2 1
31 32 33 34 35	Elmira Fulton. Geneva. Glens Falls. Gloversville.	868 311 258 428 526	8 3 4 2			2 1	6	4 4 2	5 1 2 10	90 55 41 98 88	1	41 10 11 13 22	1 2 2	3 1	4 1 2 2
36 37 38 39	Hornell. Hudson. Ithaca. Jamestown	282 292 317 572				2 2 4 1	1	1 1 2 10	1	63 81 35 81		5 10 8 34	3 3 5	5 3 1 2	2 1
40 41 42 43	Johnstown Kingston Lackawanna Little Falls.	188 691 494 257	4			1 2 9		9 18 2	1 6 9 2	31 121 47 29	3 2	7 58 11 9	5 5	1 3	1 2 1
44 45 46 47	Lockport. Middletown Mount Vernon New Rochelle	373 521 583 515	5 3 2 2			2 5 8	i	2 1 3	2 4	68 76 132 98	1	9 38 16 18	3 1 1 6	2 2 3 4	3 1 2
	New York (total).  Bronx Borough.  Brooklyn Borough.  Manhattan Borough.  Queens Borough.  Richmond Borough.	96, 989 10, 607 34, 010 42, 859 7, 011 2, 502	195 17 78 87 8 5	18 10 4 2 1	1	844 62 346 375 49 12	189 13 61 96 18	665 70 173 314 91 17	1,213 133 382 585 94 19	8, 258 945 2, 948 3, 437 720 208	212 36 56 108 10 2	8,951 1,022 2,714 4,325 589 301	777 -99 223 394 48 13	388 38 127 191 23 9	263 23 98 99 35
54 55 56 57 58 59	White. Bronx Borough. Brooklyn Borough Manhattan Borough Queens Borough Richmond Borough	93,088 10,478 33,043 40,237 6,909 2,421	189 17 75 84 8 5	18 1 10 4 2 1	1 1	831 62 339 369 49 12	187 13 61 94 18	628 68 167 287 91 15	1,184 132 380 559 94 19	7,986 931 2,872 3,275 715 193	208 36 55 105 10 2	8,352 1,004 2,597 3,885 577 289	735 98 215 363 46 13	362 38 119 174 23 8	252 22 98 90 34 8
60 61 62 63 64 65	Colored.  Bronx Borough  Brooklyn Borough.  Manhaitan Borough  Queens Borough.  Richmond Borough.	3,901 129 967 2,622 102 81	6 3 3			13 7 6	2	37 2 6 27	29 1 2 26	272 14 76 162 5 15	1 3	599 18 117 440 12 12	42 1 8 31 2	26 8 17	11 1 9 1
66 67 68 69 70	Newburgh Niagara Falls North Tonawanda Ogdensburg Olean	694 963 276 690 364	4 2 4 6 1			2 5	1	2 2 1 1	4 9 1	68 256 64 117 33	2 1 2	58 34 10 27 12	5 7 1 3 2	1 1 4 3 2	3

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1918-Continued.

footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. The term "cities" indicates inhabitants or more in 1910) are omitted. Numbers under causes of death correspond to those of the abridged International List.

nhabita	nts or m	ore in 1	910) are	omitted.	Numbe	ers under	causes of	death c	orrespo	nd to th	ose of t	ne abridg	ed Inte	rnational	List.					<del></del>
					•			D	EATHS I	ROM-										
Can- cer and other malig- nant tumors.	Dia- betes.	Menin- gitis.	Cere- bral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respir- atory dis- eases.	Diarrhea and enteritis (under 2 years).	Ap- pendi- citis and typh- litis.	Her- nia, intesti- nal ob- struc- tion.	Cirrho- sis of the liver.	Acute nephri- tis and Bright's disease.	Puer- peral septi- cemia.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Vio- lent deaths (sui- cide except- ed).	Sui- cide.	All other defined diseases.	Un- known or ill- defined dis- eases.	
16	(87)	17`	18	19	20, 21	22,(23)	(23)	25	26	27	28	29	31	32	33	∕85	36	(37)	38	
11 11 26 32	3 3 4 6	2 3	24 21 3 27 35	41 37 4 24 67	4 3 1 1 2	51 45 6 102 162	1 1 4 6	27 24 3 3 52	2 2	6 8	2 2 4 1	26 22 4 14 37	1 5	8 6	7 5 2 19 47	9 8 1 24 67	<b>22</b> 20 5	30 28 2 41 81	6	1 2 3 4 5
346 43 38 135	91 8 5 25	53 7 14 12	325 34 27 118	742 64 71 217	170 6 15 21	1,993 271 291 439	67 6 8 16	341 7 103 89	70 7 9 19	49 5 7 25	50 6 8 19	515 49 53 206	26 4 5 9	62 11 10 20	354 45 71 100	418 34 48 151	51 3 5 24	736 91 104 274	4 3 5	2 2 2 2
22 12 33 101	6 2 4 14	6 1 10 13	22 23 27 132	39 22 34 225	12 1 2 10	263 60 187 794	6 3 4 21	61 14 17 95	7 3 10	3 1 5 22	3 1 9	29 24 45 172	4 4 15	6 3 4 39	62 14 27 132	71 7 24 142	1 2 1 16	68 37 63 255	7 5 3	10 11 12 13
15 17 19 8	2 8 7 3	2 2	22 35 15 9	25 52 23 23	1 3 5	. 65 105 73 43	1 3 1 1	11 18 16 2	2	1	3 5 1 2	15 33 14 10		2 2	11 22 32 11	5 12 9 2	2 2 2 1	13 56 18 18	i	14 15 16 17
7,419 7,302 117	1,763 1,740 23	630 600 30	5, 966 5, 855 111	14,724 14,333 391	1,432 1,383 49	31,084 29,840 1,244	900 877 23	4,562 4,439 123	989 971 18	1,022 1,004 18	914 897 17	9,353 9,065 288	416 403 13	1,138 1,110 28	6,142 5,961 181	6,729 6,526 203	990 968 22	14,871 14,402 469	91 88 3	18 19 20
153 19 36 25 63	36 4 7 4 15	25 2 2 2 2 6	143 30 52 23 84	264 54 95 29 176	15 3 6 3 16	374 68 78 46 162	11 5 4 3 11	34 23 12 8 31	25 4 6 5 6	25 7 8 4 12	19 1 4 2 6	199 35 28 9 83	6 1 1 1 4	17 6 5 4 12	80 30 36 15 48	104 32 33 13 59	19 3 12 2 8	346 73 94 30 201	1 2 1 6	21 22 23 24 25
492 17 16 12 16	112 4 2 4 3	29 2 2 1 2	438 24 16 29 11	783 42 20 25 40	92 2 4 2 4	1,857 139 47 54 48	51 5 2	645 18 1 8 21	88 5 3 1	84 4 2 2	72 2 3 1	673 29 20 19 18	25 1	82 3 6 2 5	455 19 18 16 23	467 26 24 14 19	46 1 2 5	1,187 55 24 42 56	3 1 2	26 27 28 29 30
46 11 12 30 28	11 3 4 3	5 1 10	62 20 15 32 46	105 38 34 36 52	7 1 1 3 5	115 56 41 80 74	5 1 2 1 4	25 7 3 8 9	10 2 7 4	3 3 5 4	5 5 2	90 16 12 18 38	4 2 1 2 1	9 6 2 1 5	38 15 12 10 29	41 16 14 12 14	3 2 3 2 6	120 34 34 52 67	1 1	31 32 33 34 35
19 16 23 46	2 5 12	1 2 2	16 18 28 30	38 20 19 66	5 3 2 6	22 33 49 64	2 1 3 5	2 3 4 9	2 1 4 6	4 8	5 3	18 21 27 47	3 1 2	4 4 3 7	12 12 13 20	12 15 13 30	2 1 4 4	39 31 55 68	1 4 2	36 37 38 39
13 28 6 10	3 2 5 6	3 1 4 2	15 36 3 12	16 77 9 25	4 7 8	23 113 78 37	4 7 2 1	12 78 14	19 3	1 5 5 4	1 2 3 2	8 33 12 15	1 3	1 3	8 23 43 15	6 33 36 18	5- 2 4	78 94 31	1 1	40 41 42 43
9 31 30 23	11 3 7 4	1 4 1	28 44 31 20	55 46 60 67	5 9 1 6	48 69 72 85	1 ' 9 4	3 7 9 5	3 4 5 1	1 3 4	3 4 8 . 3	12 45 59 37	1 3 2	6 2 5 2	14 8 28 23	23 19 19 29	2 1 7 5	61 94 59 55		44 45 46 47
4,985 606 1,687 2,239 341 112	1,221 160 410 543 85 23	410 29 139 209 20 13	3,411 369 1,183 1,422 331 106	10,073 1,049 4,070 4,071 - 661 - 222	970 57 388 465 48 12	22,982 2,558 8,504 9,664 1,637 619	604 53 228 278 33 12	2,749 185 1,031 1,295 176 62	595 79 196 254 53 13	642 88 210 279 53 12	607 63 212 260 55 17	6,325 738 2,076 2,787 514 210	272 39 90 121 15 7	739 74 262 323 67 13	4,046 473 1,426 1,723 309 115	4,542 395 1,600 2,119 305 123	718 71 212 374 47 14	9,080 1,058 2,854 4,399 571 198	44 4 16 18 3 3	48 49 50 51 52 53
4,889 603 1,665 2,170 339 112	1,201 160 405 531 83 22	386 28 137 190 18	3,321 365 1,161 1,364 326 105	9,749 1,037 3,960 3,887 646 219	925 57 374 435 47 12	21, 887 2, 523 8, 221 8, 933 1, 613 597	586 52 225 265 33 11	2,641 182 1,004 1,222 173 60	580 79 189 246 53 13	629 88 206 271 52 12	597 63 211 252 54 17	6,092 728 2,011 2,640 506 207	259 39 90 110 14 6	713 73 259 302 66 13	3,895 471 1,389 1,615 308 112	4,374 391 1,552 2,016 298 117	697 69 205 363 46 14	8,693 1,044 2,776 4,118 565 190	41 4 15 17 2 3	54 55 56 57 58 59
96 3 22 69 2	20 5 12 2 1	24 1 2 19 2	90 4 22 58 5	324 12 110 184 15 3	45 14 30 1	1,095 35 283 731 24 22	18 1 3 13	108 3 27 73 3	15 7 8	13 4 8 1	10 1 8 1	233 10 65 147 8 3	13 11 1	26 1 3 21 1	151 2 37 108 1 3	168 4 48 103 7 6	21 2 7 11 1	387 14 78 281 6 8	3 1 1 1	60 61 62 63 64 65
37 34 7 31 18	3 4 5 5	4 7 1 1 2	51 24 10 39 23	67 66 20 78 26	9 4 4 2 5	131 161 45 136 98	7 12 3 1	24 65 24 8 9	8 4 2 5 11	6 7 3 2 2	2 2 2 4 1	74 34 12 37 16	2 3 1 3 2	6 12 6 8 6	21 55 13 25 24	29 51 17 17 22	5 7 2	60 87 27 123 42	1 3	66 67 68 69 70

156247---20-----15

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[This table excludes the deaths of soldiers, sailors, and marines. Figures for white and colored are shown separately for minor subdivisions (except as indicated in the municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000

								DEATHS	from—						
	AREA AND COLOR.	All causes.	Ty- phoid fever.	Mala-ria.	Small- pox.	Measles.	Scarlet fever.	Whooping cough.	Diph- theria and croup.	Influ- enza.	Ery- sipelas. (12)	Tuber- culosis of the lungs.	Tuber- culous menin- gitis.	Other forms of tuberculosis.	Rheu- ma- tism.
	REGISTRATION CITIES—Continued.														
	NEW YORK—continued.														
1 2 3 4 5	Ossining Oswego Peekskill Platisburg Port Chester	218 539 303 307 346	2 3 4			3 11 1 14	1 1	2 1 1	2 2 2 3 1	49 185 65 70 99	1 1 1	3 11 21 13 8	1 2 5	1 3 5 2	1
6 7 8 9 10	Poughkeepsie	744 174 4, 807 833 368	3 5 4 4			6 1 28	9 2	5 56 2 4	7 2 39 4	175 10 618 150 45	3	30 8 272 167 19	4 1 26 2	3 22 4 2	18 3 3
11 12 13 14	Schenectady. Syracuse. Troy. Utica.	1,600 3,278 2,105 2,062	12 18 8			2 54 1 20	1 4 4 1	14 27 11 11	9 24 7 12	327 367 239 266	4 7 6 3	66 153 155 103	10 16 13 16	9 16 10 13	4 8 4 5
15 16 17 18	Watertown. Watervliet White Plains Yonk, rs	853 296 310 1,574	7 4 1 2	1 1		14 13	2 8	3 3 2 15	5 16	197 47 53 218	1 5	36 28 16 <b>120</b>	3 4 1,5	6 1 1 4	3
	NORTH CAROLINA.								,						
19 20 21	Registration cities (total)	5,309 2,982 2,327	79 36 43	10 4 6		41 34 7	4 3 1	56 29 27	16 10 6	911 670 241	6 5 1	532 283 249	13 8 5	42 13 29	11 7 4
22 23 24 25 26 27	Asheville (total) White Colored Charlotte (total) White Colored.	752 564 188 1,039 607 432	7 7 25 12 13	1 1 3		1 1 12 12	2 2	4 3 1 16 11 5	2 1 1	114 98 16 177 118 59	i 1	203 171 32 54 17 37	2 1 1	4 4 4 2 2	2 1 1 2 2
28 29 30 31 32 33	Durham (total) White Colored Greensboro (total) White Colored	455 197 258 359 193 166	14 4 10 4 3 1	3 1 2 1 1		6 6 1 1	1	2 2 6 2 4	1 1 2 1	60 37 23 53 32 21	1 1 1 1	52 15 37 29 8 21	1 1 1	3 1 2 3 2 1	2 1 1 2 2
34 35 36 37 38 39	Raleigh (total).  White Colored.  Wilmington (total).  White Colored.	741 436 305 836 434 402	11 6 5	1 1		5 5 3	1	9 3 6 11 4 7	2 1 1	139 104 35 141 102 39	1	44 22 22 45 18 27	2 2	7 4 3 3 2 1	2 1 1
40 41 42	Winston-Salem (total)	1,127 551 576	18 4 14	1 1		13 9 4		8 4 4	9 6 3	227 179 48	2 2	105 32 73	7 3 4	18 2 16	1 1
	NORTH DAKOTA.1														
43 44 45	Fargo (total)	412 411 1	5 5					2 2	2 2	119 119	1	18 18	2 2	4 4	
	оніо,														
46 47 48	Registration cities (total)	51,264 47,860 3,404	347 312 35	14 10 4	8 5 3	105 91 14	65 64 1	340 298 42	320 313 7	7,822 7,531 291	69 65 4	3,810 3,317 493	279 254 25	360 317 43	127 123 4
49 50 51 52 53	Akron. Alliance Ashtabula Bellaire. Cambridge.	2,425 389 310 328 243	33 7 5 3 1	1	1	5 1 2	5 1 4	26 4 1 4	30 3 3	415 67 39 90 52	2	113 19 19 15 7	8 2 1	8 5 1 1 3	6 2 2
54 55 56 57 58	Canton Chillicothe. Cincinnati (total). White Colored.	1,261 321 8,591 7,582 1,009	7 5 19 16 3	6 4 2	1	1 2 18 15 3	1 2 3 3	63 49 14	7 4 44 42 2	201 51 1,233 1,163 70	12 10 2	54 27 863 689 174	6 6 53 41 12	4 1 46 37 9	3 22 20 2
59 60 61 62 63	Cleveland. Columbus (total). White Colored. Dayton.	13,043 4,164 3,659 505 2,544	41 20 17 3 12	2	i 1	16 7 5 2 2	11 2 2 2	54 39 30 9	107 7 7	1,926 422 393 29 347	12 8 6 2 3	1,050 315 251 64 188	73 21 18 3 16	76 62 55 7 19	30 7 7 7

<sup>&</sup>lt;sup>1</sup> Nonregistration state; only those cities with satisfactory registration of deaths are shown.

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1918-Continued.

footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. The term "cities" indicates inhabitants or more in 1910) are omitted. Numbers under causes of death correspond to those of the abridged International List.]

				omitted.					EATHS			e abridge			~					<u> </u>
Can- cer and other malig- nant tumors.	Dia- betes.	Menin- gitis.	Cerebral hemorrhage and softening.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respir- atory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Ap- pendi- citis and typh- litis.	Her- nia, intesti- nal ob- struc- tion.	Cirrho- sis of the liver.	Acute nephri- tis and Bright's disease.	Puer- peral septi- cemia.	Other puer-peral affections.	Con- genital debility and mal- forma- tions.	Vio- lent deaths (sui- cide except- ed).	Sui- cide.	All other defined diseases.	Un- known or ill- defined dis- eases.	
16	(37)	17	18	19	20, 21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	_
13 18 16 13 20	36543	4 1 1	12 39 13 12 13	21 67 27 37 23	1 4 6 3 1	32 53 28 32 68	233332	- 31 - 21 - 5 - 8 2	4 2	1333333	1 2 2	14 30 18 11 15	1 1 2 1 /2	299245	12 12 15 16	20 18 17 18 11	1 2	27 38 34 37 23	2 1	1
41 9 307 29 20	9 1 62 7	2 5 18 2 1	36 12 264 33 20	57 20 499 75 32	9 5 66 8 1	150 38 811 72 44	1 2 26 5 4	11 8 154 20 10	42 4 7	7 1 44 3 3	3 2 50 4 5	34 9 308 67 39	1 11 1	31 10 3	29 2 216 21 10	21 8 166 53 23	6 1 27 2 4	88 24 609 80 56	1	. 8
68 167 106 92	15 56 28 24	8 14 9 14	87 161 126 105	116 376 203 273	11 23 27 32	275 633 483 353	14 14 20 12	73 157 48 64	13 28 12 14	11 30 10 14	6 17 19 8	87 171 155 112	4 14 7 9	14 21 14 18	93 150 71 92	61 151 82 109	11 20 5 11	182 382 211 246	1 4 1 2	111
54 13 16 75	2 1 2 14	4 6 6	48 18 25 78	81 33 31 132	1 1 18	98 75 49 305	5 7	29 4 7 56	4 3 13	8 1 10	3 1 1 15	29 19 14 102	6 8	4 3 2 15	35 10 16 81	54 9 15 74	4 5 7	111 16 38 139	1	. 15
128 88 40	26 24 2	35 19 16	187 112 75	328 166 162	51 12 39	661 275 386	35 22 13	278 128 150	40 26 14	37 21 16	17 11 6	349 187 162	22 11 11	60 30 30	201 124 77	241 141 100	16 15 1	796 433 363	80 35 45	19 20 21
25 19 6 31 24 7	4 4 5 5	4 1 3 7 5 2	33 24 9 32 27 5	24 22 · 2 64 40 24	16 2 14 16 5 11	73 36 37 159 75 84	6 5 1 7 7	17 15 2 43 26 17	6 5 1 8 8	1 1 5 4 1	2 2 2 1 1	47 24 23 47 24 23	7 5 2 5 2 3	6 4 2 7 5 2	22 17 5 41 24 17	31 26 5 47 22 25	5 5 6 6	76 58 18 193 113 80	9 6 3 16 6 10	22 23 24 25 26 27
835972	4 4 3 3	6 5 1 2 1	14 10 4 8 3 5	34 20 14 27 14 13	9 1 7 1 1	41 13 28 42 20 20	1 1 2	37 13 24 12 6 6	2 2 2 2	3 1 2 1	3 1 2 1 1	27 14 13 32 14 18		5 1 4 6 4 2	18 11 7 15 8 7	12 6 6 29 19 10	I 1	74 19 55 55 32 23	12 5 7 8 5 3	28 29 30 31 32 33
11 6 5 27 14 13	6 5 1 1 1	3 2 1 5 3 2	43 29 14 35 14 21	53 21 32 76 31 45	5 2 3	82 36 46 93 34 59	75 26 15	16 6 10 50 29 21	. 10 4 6 6 6	13 7 6 9 6	3 2 1 3 1 2	52 38 14 91 46 45	- 1 3 2 1	6 2 4 11 7 4	20 11 9 28 20 8	42 20 22 40 23 17	1 1 1 1	152 95 57 125 57 68	4 3 1 8 3 5	34 35 36 37 38 39
17 15 2	3 2 1	8 2 6	22 5 17	50 18 32	5 1 4	171 61 110	6 4 2	103 33 70	6 3 3	5 2 3	3 3	53 27 26	4 2 2	19 7 12	57 33 24	40 25 15	2 1 1	121 59 62	23 7 16	40 41 42
20 20	3 3	1 1	16 16	20 20	3 3	41 41	5 5	7 7	11 11	4 4	5 3	14 14	2 2	3 3	30 30	10 10	1 1	60 59 1	5 5	43 44 45
2,562 2,472 90	449 439 10	270 261 9	2,538 2,406 132	4, 192 3, 897 295	406 375 31	8,099 7,397 702	267 252 15	1,707 1,623 84	461 438 23	412 392 20	370 352 18	2,549 2,354 195	264 252 12	456 431 25	2,393 2,298 95	3,297 3,034 263	377 - 367 10	6, 221 5, 842 379	308 278 30	46 47 48
59 22 21 13 9	15 2 4 3 3	21 2 1 4 2	83 18 16 9 18	182 29 30 26 17	16 1 1 3	448 50 30 43 32	16 3 1 1	111 17 14 16 5	26 6 6	26 4 2 2 3	5 1 2	69 5 9 12 9	28 2 2	32 7 4 6 4	170 21 21 15 14	173 48 32 27 12	17 1 3	268 44 42 24 30	7 5 2 2	49 50 51 52 53
65 18 533 505 28	8 4 93 89 4	7 5 35 33 2	76 12 458 427 31	· 123 28 831 • 746 85	77 66 11	246 33 1,163 964 199	6 2 52 43 9	31 6 173 151 22	13 2 62 59 3	9 5 77 74 3	7 2 78 72 6	27 27 672 593 79	9 1 41 39 2	6 1 50 45 5	73 14 298 273 25	119 16 416 346 70	12 1 71 69 2	134 43 1,023 894 129	3 5 5	54 55 56 57 58
601 231 222 9 152	96 41 41 31	61 12 12 12	444 305 275 30 128	872 365 302 63 273	140 20 14 6 15	2,556 541 434 107 420	68 24 23 1 11	597 67 57 10 50	93 51 47 4 22	80 39 34 5 23	92 34 32 2 14	639 150 141 9 158	57 18 17 1 16	103 40 40 28	602 201 188 13 115	855 268 215 53 157	81 30 29 1 22	1,410 811 741 70 272	198 5 4 1 4	59 60 61 62 63

<sup>2</sup> Colored population less than 10 per cent of the total in 1910.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[This table excludes the deaths of soldiers, sailors, and marines. Figures for white and colored are shown separately for minor subdivisions (except as indicated in the municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants)

								DEATHS	FROM-		- <del></del>				[
	AREA AND COLOR.	All causes.	Ty- phoid fever.	Mala- ria.	Small- pox.	Mea-sies.	Scarlet fever.	Whooping cough.	Diph- theria and croup.	Influenza.	Ery- sipelas. (12)	Tuber- culosis of the lungs.	Tuber- culous menin- gitis.	Other forms of tuberculosis.	Rheu- ma- tism.
	REGISTRATION CITIES—Continued.						<u>-</u>								
	оню—continued.														
1 2 3 4 5	East Liverpool Elyria Findlay Hamilton. Ironton	341	17 2 1 4 18					2 4 8 5	6 1 4 2	94 54 28 119 50	1 1	37 15 23 35 17	1 1 8	6 3 8 1	2 1 1 3
6 7 8 9 10	Lakewood Lancaster Lima Lorain Mansfield	407 200 670 675 414	1 2 4			1 1	2 2 2 1	8 7 9	2 9 4 1	72 27 66 205 72	1 1 2	29 22 47 18 19	2 1 6 1	3 2 10 1 1	3 5
11 12 13 14 15	Marietta. Marion Messillon Middletown Newark	231 393 261 408 524	3 10 2 3 2	1 1	1 1	4 1 3 1	1	1 10 1 1	3 1 1 6	29 57 34 97 64	1 1 1	13 27 8 25 38	2 2 4 9	5 . 4	1 1 5
16 17 18 19	Norwood Piqua Portsmouth Sandusky		2 9 3	i	2	6	1 1 5	1 2 10 1	1 4	37 29 111 70	2	21 12 55 19	3 1 11 1	1 4 4	2 2
20 21 22 23 24	Springfield (total). White Colored. Steubenville. Tiffin	1,014 855 159 655 257	8 5 3 6 3			7 4 3 2	2 2 1	13 10 3 2 12	4 4 7 1	136 124 12 156 23	1 1 1	65 49 16 33 <b>2</b> 5	5 4 1 3	13 9 4 2 4	3 3 2 1
25 26 27 28	Toledo Warren. Youngstown. Zanesville	4,038 444 2,815 612	26 9 49 10		1	5 8 1	16	15 4 16 4	28 3 15	475 106 663 105	13 4 1	370 13 110 44	14 2 15 1	24 7 25 4	10 1 3 2
	OREGON.										İ .				
29 30 31	Registration cities (total) White. Colored.	3,972 3,820 152	15 14 1	1		25 25	4	18 18	24 24	681 656 25	4	217 191 26	26 17 .9	31 26 5	15 14 1
32 33	Portland. Salem. PENNSYLVANIA.	3,760 212	15	i		25	4	17 1	23 1	667 14	4	204 13	23 3	30	14
34	· · · · · · · · · · · · · · · · · · ·	99,912	415	9		120	88	785	938	19 590	116	8 052	441	467	208
35 36	Registration cities (total) White Colored.	<u>-</u>	*381 34	6 3		438 426 12	86 2	765 679 86	920 18	18,589 17,771 818	111 5	6,053 5,252 801	409 32	405 62	208 197 11
37 38 39 40 41	Allentown. Altoona Beaver Falls. Bethlehem Braddock.	361	12 9 3 3 10			13 6 2 2	1	4 4 8 3 7	14 28 9 5 8	230 181 81 39 200	6 3	88 29 20 14 16	9 8 2 3 1	8 9 3 1 2	2 3 2 1
42 43 44 45 46 47	Bradford Butler Carbondale Carlisle (total). White Colored	286 519 501 279 251 28	6 1 1 1			1 3 1		1 4 2 1 1	9 5 9 9	37 132 151 55 48 7	1 2	10 22 10 12 10 2	2 2 2 2	2 3 1	3 3 1 1 1
48 49 50 51 52	Carnegie. Chambersburg. Chester (total). White. Colored.	239 284 1,473 1,219 254	2 1 8 7 1			1 1 4 4		2 4 15 10 5	7 7	31 74 373 329 44		11 12 86 72 14	2 7 7	1 2 8 6 2	1 3 3
53 54 55 56 57	Coatesville (total) White Colored Columbia Connellsville	264 38 294 268	5 4 1 3			1 1		6 6 3 3	1 1 3	52 43 9 95 59		10 9 1 18 10	4 3 1 1	5	1 1
58 59 60 61 62	Dubois Dunmore Duquesne Easton Erie	471 460 847	6 2 3 9			1 6 13 2 22	1 2	. 4	6	104 91 157 131 395	·····i	14 15 33	4 4	2	2 2 4
63 64 65 66 67	Farrell Greensburg Harrisburg Hazleton Homestead	364 1,693 851	11			1 1 6 25	·····i	.  2	1 8 10	88 49 392 194 109	1 2	. 19	1 1	1 9	1 2

## DEATHS FROM PRINCIPAL CAUSES.

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1918—Continued.

footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. The term "cities" indicates inhabitants or more in 1910) are omitted. Numbers under causes of death correspond to those of the abridged International List.]

				<u> </u>		" <del></del>		DE	aths f	rom—	·				×	- Sales	<del>,,</del>			=
Can- cer and other malig- nant tumors.	Dia- betes.	Menin- gitis.	Cere- bral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respir- atory dis- eases.	Diarrhea and enteritis (under 2 years).	Ap- pendi- citis and typh- litis.	Her- nia, intesti- nal ob- struc- tion.	Cirrhosis of the liver.	Acute nephri- tis and Bright's disease.	Puer- peral septi- cemia.	Other puer- peral affec- tions.	Congenital debility and malformations.	Vio- lent deaths (sui- cide except- ed).	Sui- cide.	All other defined diseases.	Un- known or ill- defined dis- eases.	
16	(87)	17	18	19	20, 21	22,(23)	(23)	25	26	27	28	29	31	32	88	85	36	(37)	38	
14 11 19 30 12	2 6 5 6	8 2 4 1	20 13 19 35 14	30 38 41 54 26	1 1 6 8	60 35 36 153 61	4 3 1 2 5	25 7 6 16 12	4 3 3 6 2	33632	7 1 3 12 4	14 18 16 30 10	2 6 1	95125	15 23 8 36 24	23 28 9 44 17	1 2 4 10 1	41 37 40 66 41	4 4 2 2	1 2 3 4 5
35 16 34 23 28	4 3 10 5 2	4 1 7 1	20 15 33 13 36	36 11 48 18 45	1 1 3	60 28 107 100 58	1 2 3 1 2	18 16 34 16	1 2 10 3 2	14 4	4 5 1	15 11 42 . 28 . 24	5 2	1 4 10 6	16 4 45 44 18	27 5 38 54 21	1 3 5 3 5	52 36 91 59 43	1 22	6 7 8 9 10
15 16 14 17 28	2 2 2 7 6	4 1 1 1 2	17 25 19 11 40	17 34 28 19 43	1 2 2 2	34 45 33 74 100	3 1 1 4	. 4 12 8 18 10	5 4 8 3 7	2 3 2 3 8	6 4 1 3	8 20 13 16 29	2 1 2 2 1	5 4 3 4 7	5 20 10 23 18	10 36 28 19 24	1 1 1 1 5	35 52 30 43 58	1 1 2	11 12 13 14 15
13 19 33 20	2 2 5 4	3 2 3	13 19 21 31	25 29 45 39	4 2 1 13	27 38 104 34	4	4 4 28 5	7 5 1	2 2 8 4	1 1 4 1	20 22 27 14	6 1 3	1 4 3 2	11 11 30 15	8 15 41 26 47	3 1 3 3 9	29 41 69 45	1	16 17 18 19 20
56 54 2 21 15	8 7 1 2 4	8 6 2 6	115 99 16 21 21	90 75 15 26 37	7 6 1 8 5	111 78 33 90 28	1 1 4	26 24 2 32 32	6 5 1 4 3	9 9 3 2	10 10 6	64 51 13 18 6	2 1 1 2	8 1 5 1	45 6 34 7	40 7 71 13	9 4 2	124 110 14 78 39	3 1 2 6	20 21 22 23 24
199 25 87 38	31 3 23 3	19 3 19 5	256 28 67 49	419 21 134 63	29 5 16 5	450 40 561 70	15 1 18 6	117 .21 168 10	50 3 27 6	35 3 15 3.	37 2 19 3	184 21 66 36	32 2 15 4	38 2 36 8	211 21 127 22	237 43 255 35	46 2 14 4	634 53 217 67	23 3	25 26 27 28
318 314 4	66 65 1	19 18 1	185 182 3	394 390 4	25 24 1	472 443 29	39 38 1	50 48 2	52 50 2	47 46 1	12 11 1	- 185 179 6	25 24 1	31 31	163 161 2	224 214 10	35 34 1	566 552 14	3 2 1	29 30 31
298 20	66	17 2	176 9	361 33	24 1	453 19	37 . 2	49 1	47 5	42 5	12	175 10	24 1	29 2	159 4	217 7	35	511 55	2 1	32 33
3,780 3,648 132	704 687 17	452 427 25	3,274 3,128 146	7,618 7,130 488	1,038 944 94	22,011 20,075 1,936	796 734 62	4,251 4,039 212	609 582 27	671 628 43	533 501 32	5,448 5,046 402	367 337 30	841 795 46	4,055 3,832 223	5,139 4,771 368	497 479 18	9,152 8,485 667	· 149 · 141 8	34 35 36
64 51 11 12 14	15 11 2 2 2 1	6 4 3 2 1	95 36 18 19 12	101 89 19 31 43	3 3 11	205 208 62 66 194	10 15 1 3 9	98 34 17 12 77	12 7 2 5	14 15 1 4	5 7 2	86 67 14 27 15	6 6 3	15 14 4 1 8	95 63 16 26 27	59	3 5	124 107 36 30 45	3 · 2 1	
21 22 21 17 17	6 4 6 1 1	2	23 11 21 22 20 2	31 33 28 28 27 1	1 2 4 4	29 74 86 34 27 7	8 4 6 5	5 19 11 2 2	2 7 2	2 5 6 3 3	2 6 3 1 1	22 23 24 25 22 3	1	2 12 5 1 1	18 34 21 5 5	25 24 36 10 10	2 1 1 3 3	39 47 47 36 32 4	1 1 1 1	45 46 47
2 12 39 36 3	8 7 1	7 7	5 11 42 39 3	7 24 87 66 21	3 2 13 10 3	106 38 304 227 77	$\begin{bmatrix} 2 \\ 11 \\ 7 \\ 4 \end{bmatrix}$		1 3 7 7	1 4 11 9 2	1 2 5 3 2	10 16 52 44 8	2 7 5 2	1 9 17 15 2	22 14 66 57 9		1 7 6 1	. 11 34 110 89 21	3 3	48 49 50 51 52
4 3 1 9 6	2 1 1 2	i 1	7 4 3 9	46	2	95 84 11 31 51	2 2 1 1	1 9	1 1 4	3	1 1 1	8 8	2 1	2 2 7 2	16 15 1 10 9	41	1	I	1	53 54 55 56 57
12 13 3 44 79	3 3 13 11		13 12 6 25 78		15	1	3 1 8 8	1	1	1 2 1 9 9	ł .	112	1		16 19 22 29 119	136	15	160		1
5 10 68 26	3 20 7 2	3 8 2 1	12 86 29 12	8 19 128 54 10	2 4 7 20 9	63 68 268 187 84	1 5 14 7 2	38 6 32 48 51	1 7 24 20 1	1 14 8	2 3 8 4 2	3 12 119 31 13	1 6 4 8	3 8 13 17 6	11 20 60 35 24	22 57 121 46 19	1 4 10 6 2	29 39 190 58 25	4 6 2 3	63 64 65 66 67

Table 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF .

[This table excludes the deaths of soldiers, sailors, and marines. Figures for white and colored are shown separately for minor subdivisions (except as indicated in the municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000

Ī		=======================================						DEATHS	from—						
	AREA AND COLOE.	All causes.	Ty- phoid fever.	Mala- ria.	Small- pox.	Measles.	Scarlet fever.	Whoop- ing cough.	Diph- theria and eroup.	Influenza.	Ery- sipelas. (12)	Tuber- culosis of the lungs.	Tuber- culous menin- gitis.	Other forms of tuberculosis.	Rheu- ma- tism.
	REGISTRATION CITIES—Continued.		<b></b>												
.	PENNSYLVANIA—continued.														
1 2 3 4 5	Johnstown Lencaster Lebanon McKees Rocks McKeesport	1,507 1,232 659 360 1,174	8 8 3 1 13			12 5 3	1 2 2	5 15 1 6 1	21 6 5 2 7	338 293 189 136 228	3 1 2	66 54 24 20 42	15 3 1	11 3 1 2 6	2 2 2
6 7 8 9 10	Mahanoy City Meadville Monessen Mount Carmel Nanticoke	415 286 482 406 665	i		[ l	1 9 1 5	1 1 1 1	2 1 1 2 5	22 8 4	119 46 207 170 192	5	6 13 16 18 26	3 3	1 1	1 1 2
11 12 13 14 15	New Castle Norristown North Braddock Oil City Old Forge	890 1,166 253 379 244	6 6 1 3	1		6 1 3	1	8 2 4 2	1 2 6	212 214 52 92 67	1 3	29 83 10 15 9	2 1 2	17	3 1 1 2
16 17 18 19	Philadelphia (total) White Colored Phoenixville		85 73 12 3	6 3 3		136 133 3	48 46 2	351 302 49	381 · 366 15 3	7,024 6,590 434 108	32 29 3 1	3,392 2,809 583 12	204 182 22	167. 132 35	90 86 4
20 21 22 23 24	Pittsburgh (total). White. Colored. Pittston. Plymouth	493 262	60 52 8 1 2	1		102 98 4 2	11 11 11	142 120 22	126 124 2 6 9	1,948 1,847 101 89 69	28 27 1 1	798 700 98 16 7	3	65 55 10 3 2	3 3
25 26 27 28 29	Pottstown Pottsville Reading Scranton Shamokin	409 789 2,223 3,092 475	4 4 12 9 9			2 5 2	1 7	1 2 18 26	7 4 24 29 21	66 326 414 707 127	2 5		9 8	2 2 13 16 1	6 3
30 31 32 33 34	Sharon Shenandoah South Bethlehem Steelton Sunbury	416 701 394 351 331	3 1 4					2 1 8 3	2 14 5 5 2	106 175 40 108 63	2	20 36	1	3 1 3	2
35 36 37 38 39 40	Uniontown. Warren Washington. West Chester (total). White Colored.	385 220 495 427 341 86	6 15 11 4			6	1 1	3 12 3	1 3 2 1 1	64 48 77 113 89 24	2	7 35 21 12	3 5 3	2 1 1 6 4 2	1 2
41 42 43 44	Wilkes-Barre. Wilkinsburg. Williamsport. York.  EHODE ISLAND.	523	4 5 9 11			3		8 4 3 11	18 4 4 7	490 83 123 166	3	. 20	2 2	9 2 3 4	2 4
45 46 47	Registration cities (total)	10,235 9,902 333	30 30		. 1	105 104 1		115 108 7	90 89 1	1,794 1,760 34	29 28 1	606	72	77 71 6	23
48 49 50 51 52	Central Falls. Cranston (exclusive of). State institutions. Cumberland. East Providence town.	419 474 178				16 2 1	. 1	3 6 4 4	1	106 66 15 38 53	2	58	3	- 8 1	3
53 54 55 56 57 58	Newport. Pawtucket Providence Warwick town. West Warwick town. Woonsocket	5,210 249 285	2 5 12 1 4 4		1	1 17 55 1	17 3	. 3	58 1 2	86 294 916 35 41 144	2	56 339 62 17	2 48 	44	8
59 60	SOUTH CAROLINA.  Registration cities (total)  White	4,623 2,066	67 26	23		30			18 15	589 325		336			8 8
61	Colored	2,557	41	21		. 15		46	3	264	4	248	3	17	7 4
62 63 64 65 66 67	Charleston (total). White. Colored. Columbia (total). White Colored.	706 1,229 1,709 860	35 13 22 13 8 5		-	5 7 9		10 20 18	8 2 3 3	107 256	11 7	27 110 121 44	1 6	10	1

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1918—Continued.

footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. The term "cities" indicates inhabitants or more in 1910) are omitted. Numbers under causes of death correspond to those of the abridged International List.]

		•						נת	EATHS F	ROM—										T
Can- cer and other malig- nant tumors.	Dia- betes.	Menin- gitis.	Cere- bral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respir- atory dis- eases.	Diarrhea and enteritis (under 2 years).	Ap- pendi- citis and typh- litis.	Her- nia, intesti- nal ob- struc- tion.	Cirrho- sis of the liver.	Acute nephri- tis and Bright's disease.	Puer- peral septi- cemia.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Vio- lent deaths (sui- cide except- ed).	Sui- cide.	All other defined diseases.	Un- known or ill- defined dis- eases.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	88	
41 71 15 6 51	9 11 7 1 4	3 7 2 1 7	43 70 30 2 32	67 126 29 12 44	9 7 4 3 14	260 160 130 61 298	16 6 8 2 12	79 54 20 34 53	22 12 3	14 11 4 2 13	11 5 4 2	63 77 27 4 51	14 1 4	14 7 9 4 12	81 43 29 23 48	139 42 34 13 94	7 5 2 2 4	129 131 68 16 102	3 1 1	1 2 3 4 5
3 16 6 10 7	2 3 1 2 3	5 1 3 5	16 6 9 11	19 29 10 16 29	4 1 7 2 6	101 32 61 44 127	11 1 4 2 10	25 9 33 26 31	2	2 5	2 1 3 2	. 14 20 7 6 23	2 1	22355	21 11 32 19 38	16 21 19 20 63	1 2 1	44 52 31 31 54	2 1	6 7 8 9 10
35 30 2 16 5	8 4 1 4 1	2 2 2 2 2	38 61 10 20 2	54 103 11 27 5	11 2 1 9	140 217 86 59 45	6 5 1 1 3	33 18 13 9 26	12 6 8	7 8 1 6 1	4 6 1 2 1	31 42 6 10 5	11 4 3 3	5 13 3 6 3	46 28 13 32 14	53 46 18 25 • 16	5 5 1	113 229 14 28 11	11 1 3 1	11 .12 13 14 15
1,793 1,702 91 14	327 317 10 3	185 164 21 1	1,292 1,205 87 3	3,999 3,688 311 21	461 397 64 2	9,238 8,217 1,021 46	323 280 43 3	1,575 1,441 134 13	183 169 14	281 254 27 1	227 213 14 2	2,915 2,642 273 20	127 105 22	293 264 29 4	1,548 1,408 140 16	1,752 1,563 189 13	230 221 9 2	3,783 3,349 434 25	31 27 4	16 17 18 19
494 479 15 7	69 65 4 1	78 77 1 3	432 406 26 16 4	869 797 72 12 13	205 187 18 7 8	5,150 4,631 519 135 28	110 103 7 4 4	691 658 33 31 25	99 92 7 2	85 81 4 3	93 85 8 4 1	597 546 51 25 12	56 52 4 3 2	104 97 7 5	589 554 35 19	897 816 81 47 9	73 70 3 1	1,335 1,256 79 44 43	17 15 2 2	20 21 22 23 24
16 22 84 111 13	2 6 33 22 4	3 7• 19 3	23 16 117 105 14	30 47 182 211 32	4 21 40 3	119 106 398 637 109	2 6 17 36 6	6 -17 120 156 23	8 11 18	8 24 17 1	4 3 15 15 3	10 50 111 137 16	1 3 10 10 1	5 7 24 28 2	19 16 106 117 23	29 39 72 196 7	2 5 15 14 1	40 48 230 266 35	1 2 3 1	25 26 27 28 29
15 14 11 9 14	3 1 3 1 3	3 7 1 2 3	10 11 11 12 14	18 9 11 14 28	4 2 8 1 4	72 207 68 77 56	5 12 3 1 4	19 41 60 17 11		5 2 1	1 7 1 1	9 33 15 15 24	4 1	68233	15 42 41 15 14	31 29 20 26 24	3 2 2 2	33 52 35 20 35	8 3 1	30 31 32 33 34
16 19 18 35 30 5	3 1 4 3 3	3 1 3 3	15 11 13 20 19	24 27 32 35 29 6	1 3 3 1 1	63 14 101 38 33 5	1 5 2	10 3 21 7 7	2 7 8 7	3 2 3 4 4	3 2	13 11 18 22 18 4	4 2 2	6 2 5 3 2	16 11 18 6 4 2	63 14 26 11 10 1	6 1 1 1	38 35 69 57 46	5	35 36 37 38 39 40
55 29 51 47	9 4 10 9	11 3 12 2	50 18 39 56	120 32 85 84	15 6 11 8	273 137 125 122	27 3 9 3	61 7 49 37	26 3 7 9	14 7 7 11	13 5 3	88 23 41 61	8 6 1 4	16 10 10 18	61 21 30 28	99 43 36 36	7 1 3 7	161 43 115 131	7 2 2	41 42 43 44
472 461 11	92 92	68 66 2	538 519 19	884 853 31	115 113 2	1,589 1,537 52	36 33 3	348 334 14	51 49 2	67 66 1	46 43 3	536 525 11	31 27 4	102 99 3	494 476 18	415 404 11	60 60	1,215 1,181 34	52 47 5	45 46 47
9 19 26 10 16	4 4 2 2	3	. 30 48 6 25	34 46 62 19 32	15 11 1 2	78 86 32 21 42	2 2 3 1 2	31 13 3 15 17	1 1	1 2	3 2 2 2	19 19 7 11 19	1	7 1 1 4	35 19 2 10 15	5 9 5 9 18	3 1 3 2	27 49 192 17 19	2 2 1 · 2	48 49 50 51 52
31 58 247 8 14 34	9 13 45 1 4 7	3 4 48 5 3	44 67 258 12 13 21	48 119 445 16 15 48	5 19 36 4 4 18	47 248 817 17 63 138	5 20 1	2 56 148 8 13 42	3 9 31	3 17 37 7	7 18 3 8	24 96 271 19 12 39	2 4 18 2 1	4 11 59 2 6 7	22 80 240 13 18 40	26 63 234 10 9 27	2 9 35 2 2 1	48 128 580 30 28 97	2 38 1	53 54 55 56 57 58
91 62 29	27 21 6	48 31 17	181 84 97	319 140 179	17 7 10	552 244 308	21 14 7	200 70 130	31 21 10	31 16 15	11 6 5	334 150 184	22 6 16	54 29 25	265 110 155	220 118 102	11 10 1	985 403 582	21 3 18	59 60 61
41 24 17 23 19 4	8 7 1 7 6	22 13 9 13 10 3	74 28 46 74 39 35	142 52 90 119 58 61	10 2 8 4 2 2	241 98 143 192 94 98	9 5 4 3 3	97 19 78 76 33 43	12 7 5 9 7 2	12 7 5 7 2 5	6 3 5 3 2	159 61 98 112 53 59	10 2 8 7 3 4	20 9 11 15 9 6	165 50 115 49 31 18	81 34 47 94 62 32	4 4 3 3	370 135 235 440 191 249	10 3 3	62 63 64 65 66 67

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTES) IN THE REGISTRATION AREA (EXCLUSIVE OF

[This table excludes the deaths of soldiers, sailors, and marines. Figures for white and colored are shown separately for minor subdivisions (except as indicated in the municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000

			======				<u>-</u> -	DEATHS 1	гвом—						
	AREA AND COLOR.	All causes.	T <b>y</b> - phoid iever.	Mala- ria.	Small- pox.	Mea- sles.	Scarlet fever.	Whooping cough.	Diph- theria and croup.	Influenza.	Ery- sipelas. (12)	Tuber- culosis of the lungs.	Tuber- culous menin- gitis.	Other forms of tuberculosis.	Rheu- ma- tism.
	REGISTRATION CITIES—Continued.  SOUTH CAROLINA—continued.  Greenville (total)	448	9			2		4	2	80		33		1	1
1 2 3 4 5 6	White. Colored. Spartanburg (total). White. Colored. TENNESSEE.	208 240 531 292 239	2 7 10 3 7	1 1		1 1 7 4 3		4 16 6 10	3 2 1	49 31 66 47		7 26 45		1 4 2 2	1 2 2
7 8 9	Registration cities (total)	10,000 5,831 4,169	99 69 30	72 19 53	1 1	51 42 9	9 9	68 48 20	35 30 5	1,398 971 427	14 13 1	937 365 572	26 16 10	111 47 64	33 12 21
10 11 12 13 14 15	Chattanooga (total). White Colored Jackson (total). White Colored.	1,533 809 724 373 204 169	7 4 3 10 5 5	6 1 5 3 2 1		7 5 2 1	1 1	15 10 5 2 1	5 5	252 155 97 56 41 15		134 48 86 37 18 19	4 1 3	11 5 6 4	2 1 1 1 1
16 17 18 19 20 21	Knoxville (total). White Colored. Memphis (total). White. Colored.	1,326 1,014 312 3,615 1,871 1,744	13 11 2 24 15 9	1 1 55 11 44	1	3 3 19 17 2	2 2 3 3	19 12 7 21 17 4	9 9 13 10 3	179 143 36 424 279 145	3 3 9 9	122 80 42 406 123 283	4 3 1 9 5 4	17 14 3 34 13 21	2 2 15 2 13
22 23 24	Nashville (total)	3,153 1,933 1,220	45 34 11	7 4 3		21 17 4	3 3	11 8 3	8 6 2	487 353 134	2 1 1	238 96 142	9 7 2	45 15 30	13 6 7
25 26 27	TEXAS.¹ Registration cities (total) White Colored	13,111 10,790 2,321	153 126 27	53 30 23	26 10 16	136 126 10	4 4	68 62 6	39 38 1	2, 151 1, 860 291	30 28 2	1,505 1,221 284	43 40 3	64 49 15	37 27 10
28 29 30 31 32 33	Beaumont (total) White Colored Cleburne (total) White Colored 2	238 209 29	15 7 8 5 4 1	8 3 5 1 1	21 5 16	10 5 5 14 13 1		3 1 2	4 3 1 1 1	139 89 50 64 59 5		61 17 44 13 5 8		2 2 1 1	3 2 1 1 1
34 35 36 37 38 39	Dallas (total). White. Colored. El Paso (total). White. Colored <sup>2</sup> .	2,339 1,810 529 2,498 2,438 60	17 15 2 27 26 1	, 9 5 4	3 3	12 11 1 14 14	1 1 1 1	16 14 2 33 33	8 8 7 7	375 309 66 507 500 7	2 2 9 9	171 109 62 433 425 8	12 10 2 16 15	13 8 5 14 12 2	9 5 4 5 5
40 41 42 43 44 45	Galveston (total). White Colored. Houston (total). White Colored.	839 575 264 2,374 1,605 769	6 3 3 12 8 4	19 6 13	2 2	2 2 15 12 3	1	3 1 2 5 5	9 9	118 98 20 377 272 105	1 1 8 6 2	124	2 2 4 4	5 4 1 8 3 5	1 1 8 3 5
46 47 48	San Antonio (total)	4,123 3,770 353	71 63 8	16 15 1		69 69	1	8	10 10	571 533 38	10 10	542 502 40	9	21 19 2	10 10
49 50 51	UTAH.  Registration cities (total)  White  Colored	2,363 2,294 69	15 15		3 3	10 10		19 19	28 28	504 489 15	5 5		6	9	15 13 2
52 53	Ogden. Salt Lake City. VERMONT.	583 1,780	6 9		1 2	3 7	2 18		2 26	151 353	5	. 18	1 5	3 6	6 9
54 55 56	Registration cities (total)	1,130	3 3			6		-	2 2	347 346 1		62	7	4 4	4 4
57 58 59	Barre. Burlington Rutland	304 560 267	2			5 1	i	1 4 7	2	155 149 43	3	27 20 15	2 4 1		1 1

<sup>&</sup>lt;sup>1</sup> Nonregistration state; only those cities with satisfactory registration of deaths are shown.

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1918-Continued.

footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. The term "cities" indicates inhabitants or more in 1910) are omitted. Numbers under causes of death correspond to those of the abridged International List.]

=									т	EATES	FROM.						·				==
-	Can-			Cere- bral	Organie dis-		Pneu-	Other	Diar- rhea and	Ap- pendi-	Her-	Cirrho-	Acute	Puer-	Other	Con- genital	Vio- lent		A11	Un- known	
:	other malig- nant umors.	Dia- betes.	Menin- gitis.	hemor- rhage and soften- ing.	dis- eases of the heart.	Bron- chitis.	monia (all forms).	respir- atory dis- eases.	enter- itis (under 2 years).	citis	intesti- nal ob- struc- tion.	sis of the liver.	nephri- tis and Bright's disease.	peral septi- cemia.	puer- peral affec- tions.	debility and mal- forma- tions.	deaths (sui- cide except- ed).	Sui- cide.	other defined diseases.	or ill- defined dis- eases.	
	16	(37)	17	18	19	20, 21	22,(23)	(23)	25	26	27	28	. 29	31	82	33	35	36	(37)	38	
	6	б	8	19	28	2	55	7	12	2	6		28	4	9	19	15	2	85	3	1
	4 21 17 4	6 3 6 5 1	4 4 5 4	19 7 12 14 10 4	28 14 14 30 16 14	2 2 1 1	55 25 30 64 27 37	7 4 3 2 2	12 7 5 15 11 4	2 1 1 8 6 2	2 4 6 5		28 15 13 35 21 14	4 1 3 1	6 3 10 5 5	8 11 32 21 11	15 8 7 30 14 16	1 1 2 2	85 37 48 90 40 50	35 5 3 <b>2</b> 1	1 2 3 4 5 6
	319 226 93	33 30 3	82 58 24	281 187 94	685 368 317	73 41 32	1,573 853 720	82 37 45	249 171 78	149 100 49	91 55 36	41 23 18	664 375 289	46 23 23	70 49 21	282 191 91	588 333 255	47 43 4	1,536 918 618	255 109 146	7 8 9
-	41 29 12 10 7	3 3 1 1	29 20 9	62 45 17 21 10	86 36 50 18	16 6 10 1	245 106 139 60 29 31	13 5 8 3 1 2	25 18 7 11 5	26 19 7 4 3	16 10 6 2 1	5 4 1	86 45 41 20 16 14	9 5 4 2 1	9 7 2 2 1	52 32 20 11 7 4	78 42 31 21 12 9	5 5	223 117 106 49 29 20	65 19 46 13 3	10 11 12 13 14 15
	3 43 36 7 136	6 6	15 14 1 16	11 42 32 10 70 50	9 81 62 19 202	6 4 2 25 15	146 112 34 549 278	15 4 11 30 15 15	53 45 8 82 53 29	21 18 3 60	1 9 6 3 44 25 • 19	2 1 1 14 11	110 75 35 272 147	6 6 20 8	11 9 2 25 12 13	42 34 8 76 42	81 61 20 238 111	5 5 21 17	234 182 52 586 300	23 19 4 109 42 67	16 17 18 19 20 21
	92 44 89 62	15 12	16 8 8 8 22 16	86 50	103 99 298 158 140	25 15 10	278 271 573 328 245	15 15 21 12 9	78 50 28	30 30 38 30 8	25 • 19 20 13 7	20 7 13	125 166 92 74	12 9 3 6	13 23 20 3	34 101 76 25	127 175 107 68	16 16	286 444 290 154	67 45 26 19	21 22 23 24
	27 450 402	65 57 8	63 55 8	36 352 296 56	576 439 137	149 135	1,729 1,371 358	88 67 21	844 777	. 118 113	125 96 29	108 80	594 441 153	77 56	107 93	564 497	525 404 121	113 107	1,934 1,555 379	221 128 93	25 26 27
	18 15 3 1	2 2	1 1	56 11 9 2 5	19 10 9	14 1 1	75 30 45	21 3 2 1 3	25 16 9	5 7 7	9 8 1	5 4 1	153 43 23 20 7 7	6 2 4	14 7 2 5	32 17 15	52 34 18	7 5 2	379 84 48 36 31	93 27 13 14 13 11 2	28 29 30 31 32 33
	1	2 2		5	. 4 2 2		47 44 3	3 3	10 9 1		1 1				1 1	15 7 7	6 6		26 5		1
	107 93 14 54 52 2	12 9 3 11 10 1	19 14 5 3 3	99 79 20 54 54	105 79 26 84 83	15 12 3 54 54	411 303 108 297 287 10	17 14 3 12 12	45 42 3 266 265	45 43 2 7 7	33 25 8 16 13	21 10 11 13 12 1	104 73 31 66 59 7	18 12 6 9	20 18 2 15 15	118 105 13 114 112 2	123 92 31 56 55	30 29 1 13 12 1	351 260 91 277 266 11	1 1 8 8 8	34 35 36 37 38 39
	55 40 15 91 79 12	5 5 16 13 3	1 1 7 5 2	24 19 5 70 47 23	82 48 34 125 - 76 49	6 5 1 15 7 8	99 73 26 257 169 88	16 7 9 19 12 7	19 13 6 80 51 29	2 2 24 21 3	8 4 4 34 26 8	4 3 1 27 19 8	71 54 17 151 107 44	4 4 19 12 7	9 5 4 26 26	30 17 13 57 46	30 20 10 133 87 46	12 11 1 23 22 1	147 92 55 365 244 121	159 82 77	40 41 42 43 44 45
	124 122 2	17 16 1	1		1	I .	1	18 17 1	•	1	24 20 4	38 32 6	152 118 34	21 17 4	29 26 3	206 193 13	125 110 15	28 28	679 619 60	13 13	46 47 48
	118 113 5	30 30	2	-1	-{		284 270 14	22 22	1	-[	24 24	7 7	125 124 1	13 13	32 32	124 121 3	123 116 7	9 7 2		71 69 2	49 50 51
	29 89	6 24	6 11	20 56	47 126	2 11	75 209	5 17	7 22	11 46	20 20	3 4	23 102	3 10	8 24	29 95	31 92	7	74 236	69	52 53
	43 43	9	3 3	47 47	90 90			5 5	25 25	11 11	6 6	3 3	66 66	1 1	5 5	77 77	56 56	6	125 125	1	54 55 56
	8 25 10	1 5 3	2 1	12 17 18	14 49 27	2 6 2	30 37 23	3 2	17 4	2 6 3	2 3 1	2 1	5 33 28	1	2 2 1	9 55 13	31 21	1 4 1	15 73 37	1	57 58 59

 $<sup>^{2}</sup>$  Colored population less than 10 per cent of the total in 1910.

Table 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[This table excludes the deaths of soldiers, sailors, and marines. Figures for white and colored are shown separately for minor subdivisions (except as indicated in the municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants).

_				·				DEASTIC	PROY			crusive o.		•	
			11	1	Γ	ı	1	DEATHS	FROM				<del>,</del>	,	
	AREA AND COLOR.	All causes.	Ty- phoid fever.	Mala- ria.	Small-pox.	Mea- sles.	Scarlet fever.	Whooping cough.	Diph- theria and croup.	Influenza.	Ery- sipelas.	Tuber- culosis of the lungs.	Tuber- culous menin- gitis.	Other forms of tuberculosis.	Rheu- ma- tism.
			ļ							<del></del>	(12)	15	14	19	(87)
	REGISTRATION CITIES—Continued.  VIRGINIA.														
1 2 3	Registration cities (total)	12, 114 6, 966 5, 148	79 50 29	15 5 10		48 31 17	4 4	166 62 104	26 21 5	2,031 1,426 605	22 18 4	900 427 473	49 36 13	61 28 33	37 20 17
4 5 6 7 8	Alexandria (total) White Colored Danville (total). White Colored	528 356 172 500 316	13 11 2 5 2			1 1		6 5 1 4 4	1	100 84 16 89 60	2 2	34 25 9 44 28	2 2 2 2	1 1 3 2	3
9 10 11 12 13 14 15	Colored.  Lynchburg (total).  White. Colored.  Newport News (total).  White.	786 476 310 817	3 5 5	1 1 1		1		14 8 6 7	1 1 1	29 141 96 45 179	1 1	16 54 28 26 52	3 2 1	3 3 2	1 1 1
	Norfolk (total)	369 448 2,713 1,425	2 5 13	1 1 4			2	3 4 59	2 4	101 78 438	1	. 16 36	1	2 16	1 2 7
16 17 18 19 20 21	White Colored. Petersburg (total). White. Colored.	1, 425 1, 288 852 397 455	7 6 8 4 4	4 1 1		9 3 7 1 6	2	12 47 14 4 10	4	320 118 150 76 74	i 	68 120 67 32 35	13 7 6 1 1	. 5 11 4 2 2	3 4 1 3
22 23 24 25 26 27	Portsmonth (total) White Colored Richmond (total) White Colored	854 428 426 3,812 2,225 1,587	6 3 3 12 7 5	5 2 2 2			1 1	23 4 19 22 8 14	2 2 13 9 4	156 95 61 608 454 154	1 1 9 6	68 30 38 298 139 159	23 17 6	7 2 5 16 10 6	1 1 12 9 3
28 29 30 31 32 33	Roanoke (total).  White Colored. Staunton (total).  White Colored.	871 635 236 381 339 42	5 4 1 5 5			6 5 1	1 1	15 13 2 2 1	1 1 2 2	143 120 23 27 20 7	3 3 4 4	62 36 26 33 25	2 2	8 3 5 1	5 4 1 1 1
	Washington.							_		·				-	
34 35 36	Registration cities (total)	8,717 8,359 358	48 46 2		1	27 26 1	24 24	22 20 2	45 44 1	1,542 1,473 69	18 17 1	404 362 42	67 56 11	64 61 3	28 28
37 38 39 40	Aberdeen. Bellingham. Everetf North Yakima.	187 373 317 364	1 1			3 1 1		1 1 2	4 2	21 71 64 104	1	10 21 13 23	1 2	2 5 2 3	1 1
41 42 43 44	Seattle. Spokane. Tacoma. Walla Walla. WEST VIRGINIA.	4,090 1,528 1,577 281				15 2 5	16 3 5	8 4 5 1	24 5 10	732 282 208 60	8 4 5	200 64 59 14	39 8 15 2	35 7 9 1	12 7 5 2
45 46 47	Wheeling (total)	1,030 981 49	24 19 5			5 5	3 3	7 6 1		177 168 9	1	36 32 4	4 4	9 8 1	1 1
48 49 50	Registration cities (total)	14, 140 14, 032 108			5 4 1	90 89 1	98 98	82 81 1	113 113	2,505 2,482 23	31 31	762 748 14	92 92	88 88	70 70
51 52 53 54 55	Appleton Ashland Beloit Eau Claire Fond du Lac	283 348 391 337 360	2			2 6	3 1 1	2 1 1	1 3 6 4	44 83 115 37 42	2 2 2 3	14 20 12 44 12	1 2 1 2	3 3 2 4	3 2 2 2
56 57 58 59 60	Green Bay Janesville. Kenosha. La Crosse. Madison	609 274 629 564 591	2 1 1			7 1 3	2 1 6	5 1 4 3 8	2 1 18 5 2	132 52 161 89 126	2 1	20 17 19 29 26	8 2 3 2	2 1 1 4 8	1. 2. 1. 4. 2.
61 62 63 64	Manitowoc Marinette. Milwaukee. Oshkosh	· 309 201 6,550 463	28 1		2	3 57	3 3 49 1	1 50 1	51 5	60 34 938 43	1 7 1	10 18 388 31	1 3 43 3	2 2 42 2	1 37 1
65 66 67 68	Racine Sheboygan Superior. Wausau	822 510 628 271	6			5 2 2	3 13 4 3	2 5 3	4 3 5 3	214 130 125 80	ii	48 19 26 9	9 7 1 4	4 6 2	. 2 2 4 5

 $<sup>^{1}</sup>$  Nonregistration state; only those cities with satisfactory registration of deaths are shown.

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1918—Continued.

footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. The term "cities" indicates inhabitants or more in 1910) are omitted. Numbers under causes of death correspond to those of the abridged International List.]

			•					D:	EATHS F	ком—				121101121				-	•	
Can- cer and other malig- nant tumors.	Dia- betes.	Menin- gitis.	Cere- bral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all iorms).	Other respir- atory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Ap- pendi- citis and typh- litis.	Her- nia, intesti- nal ob- struc- tion.	Cirrho- sis of the liver.	Acute nephri- tis and Bright's disease.	Puer- peral septi- cemia.	Other puer- peral affec- tions.	Congenital debility and malformations.	Vio- lent deaths (sui- cide except- ed).	Sui- cide.	All other defined diseases.	Un- known or ill- defined dis- eases.	
16	(37)	17	18 .	19	20, 21	22,(23)	(28)	25	26	27	28	29	31	32	33	35	36	(37)	38	
346 258 88	65 54 11	89 62 27	634 360 274	930 523 407	94 40 54	1,725 789 936	116 56 60	420 199 221	87 62 25	85 47 38	57 32 25	800 484 316	48 24 24	143 94 49	572 353 219	622 348 274	57 50 7	1,693 981 712	93 22 71	1 2 3
14 9 5 16 13 3	5 3 2	2 2 3 3	11 6 5 17 10 7	26 20 6 31 18 13	- 1 - 1 - 4 2 2	105 57 48 46 23 23	4 3 1 2	21 17 4 17 6 11	10 9 1	3 3 2 1	1 1 2 1 1	54 36 18 25 - 14	3 1 2 3 2 1	8 7 1 10 6 4	15 9 6 27 19	25 15 10 12 9 3	i	58 35 23 111 76 35	8 1 7 9 2 7	5 6 7 8 9
· 24 15 9 17 13	1 1 6 6	1 1 19 9	48 29 19 25 10	62 32 30 58 . 16 . 42	5 4 1 7	142 86 56 130 48 82	3 3 9 1	25 18 7 33 15 18	4 4 5	8 5 3 4 2	3 .3 .3 .2 1	35 15 20 39 14 25	4 5 3 2	9 5 4 9 8 1	26 17 9 43 27 16	36 25 11 59 24 35	5 5 3 3	109 65 44 76 35 41	11 2 9 3	10 11 12 13 14 15
81 61 20 16 11 5	13 12 1 4 2 2	10 27 19 8 7 4	156 76 80 51 22 29		23 6 17 2	429 176 253 102 47	29 15 14 7 4	92 36 56 63 22	12 6 6 2 2	30 12 18 6	13 10 3 3 1	142 87 55 80 34 46	8 4 4 3 1	36 19 17 8 6 2	101 60 41 41 22 19	178 93 85 42 25 17	14 12 2 4 3	324 156 168 92 40 52	3 4 2 2 1	16 17 18 19 20 21
18 11 7 131 100	5 2 3 25 22 3	10 8 2 14 12 2	44 26 18 234 146	47 22 25 299 187	2 11 4 7 34 17	55 115 55 60 497 177	3 11 6 5 39 21 18	31 10 21 86 42 44	2 34 25 9	3 6 4 2 18 10	2 1 1 23 11 12	46 39 20 19 296 199 97	15 6	7 6 1 37 21 16	42 35 7 222 124	52 22 30 150 85 65	5 4 1 18 16 2	52 118 45 73 580 330 250	1 12 3 9 37 8 29	21 22 23 24 25 26 27
20 17 3 9 8	3 4 4 2 2	6 4 2	29 20 9 19 15	52 32 20 50 47	17 7 5 2	320 93 60 33 66 60	18 8 6 2 3 2	51 32 19 1	9 12 10 2 2 2	8 6 5 1 1	6 5 1 1	97 67 44 23 23 21 21	9 5 5	16 15 12 3 4 4	98 53 39 14 2 1	58 41 17 10 9	5 5 2 2	250 115 93 22 110 106	29 8 4 4	28 29 30 31 32
622 613 9	121 117	42 40 2	404 397 7	728 712 716	43 42 1	1,160 1,099 61	69 62 7	110 100 10	125 120 5	74 71 3	37 36 1	481 477	1 48 45 3	80 79 1	398 383 15	526 490 36	88 82 6	1,230 1,199	41 37	33 34 35 36
16 35 28 11	1 3 5 5	3	11 22 11 8	24 . 35 21 31	2 1 3 5	13 22 31 30	1 4 1 1	6 2 10	3 5 10 6	3 5 5	2	5 27 18 18	1 4 3 1	2 3 4 5	11 24 13 20	25 12 25 14	2 3 2	23 66 45 50	1 1 5	37 38 39 40
288 117 101 26	52 28 27 2	23 5 10 1	210 53 75 14	369 102 124 22	18 7 7	509 226 309 20	32 12 14 1	41 24 21 6	43 34 . 19 5	32 16 10 3	18 7 8 2	232 87 84 10	20 7 12	31 13 15 7	173 . 81 . 62 14	· 253 70 116 11	47 12 19 3	577 226 199 44	21 1 11 11	41 42 43 44
53 51 2	6 6	9	31 31	66 61 5	6 6	206 194 12	15 13 2	31 31	16 16	16 16	7 7	46 43 3	4 4	6 6	39 39	76 75 1	6 6	117 113 4	7 7	45 46 47
837 830 7	148 148	97 97	599 595 4	874 869 5	194 194	2,110 2,093 17	134 133 1	396 395 1	184 182 2	147 147	79 79	596 592 4	50 50	102 102	802 798 4	621 612 9	119 119	2,013 2,000 13	42 42	48 49 50
21 15 21 18 34	4 1 . 5 . 6 2	3 3 1	23 16 19 19 22	26 29 15 40 34	2 3 2 3 4	20 43 51 23 35	4 4 3 2 3	5 4 3 2 8	8 10 8 9 9	3 3 1 7 5	2 1 1 2 2	18 5 11 8 18	3 2 1	2 7 2 4 1	19 21 19 18 21	11 13 20 15 17	3 3 3 5	. 41 35 56 61 65	11 2 1 1	51 52 53 54 55
37 20 16 48 52	3 3 4 6 8	3 1 4 4 3	24 15 18 31 15	29 26 31 43 39	1 3 5 3 1	58 27 128 79 83	6 2 3 7 . 7	21 4 41 2 6	23 8 12 13	4 4 3 6 14	1 3 6 1	28 17 18 23 22	6 3 2 2	4 2 7 5	44 · 8 35 26 31	18 16 23 25 26	2 3 3 3 3	109 46 61 93 88	5 4 1	56 57 58 59 60
15 12 370 45	4 4 74 . 3	1 1 55 4	28 10 221 38	21 11 364 54	7 130 7	36 23 1,167 50	· 4 3 · 66 4	7 6 ·· 240 • 2	6 1 57 6	1 1 59 9	1 1 47 2	12 6 294 15	1 1 19 1	4 1 37 3	18 17 373 26	19 7 291 16	1 68 7	42 31 919 80	3 1 7 1	61 62 63 64
40 29 28 16	7 4 10	. 6 2 6	30 27 27 16	42 23 32 15	7 12 2 2	99 64 89 35	2 6 6 2	23 11 9 .2	2 5 5 2	9 5 9 4	1 2 5 1	39 23 30 9	3 2 1	7 2 10 4	55 21 34 16	34 16 44 10	3 5 7	. 114 61 82 29	3 2	65 66 67 68

<sup>2</sup>Colored population less than 10 per cent of the total in 1910.

Table 6.—Deaths (exclusive of stillbirths) in the registration area (exclusive of hawaii), its main subdivisions, and in cities and rural districts of each registration state, from each cause and class of causes: 1918.

[This table excludes the deaths of soldiers, sailors, and marines. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910, smaller places being included in the "rural districts."]

		inci	uded in the	"rural dis	ricts.								
I Int.		Registra- tion	REGIST	RATION ST	ATES.	Regis- tration	A 37 mania	CALIF	DRNIA.	coro	RADO.	CONNE	CTICUT.
Detailed List No	CAUSE OF DEATH.	area (exclusive of Hawaii).	Total.1	Cities.1	Rural districts.	cities in non- registra- tion states.2	All regis- tration cities.1	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.
	All causes	1, 445, 158	1,404,116	741,187	662,929	41,042	782, 229	33,317	23,171	7,470	10,076	19,962	7,278
	1.—General diseases	521,903	506,717	253, 488	253, 229	15,186	268,674	12,910	8,991	3,268	4,680	7,669	2,654
1 2	Typhoid fever Typhus fever Relapsing fever Malaria Smallpox	10,167	9,684	3,279	6,405 2	483	3,762	99	97	41	99	52	· Es: 20
3	Relapsing fever												
4 5	Smallpox.	2,534 338	2,332 304	325 92	2,007 212	202 34	527 126	12 1	29 2	3	10	3	
6	Measles	0 000	7,968	3,846	4 122	255 33	4,101	69	94	11	39	67	22 9
8	Whooping cough	2,335 13,728	2,302 13,464	1,184 5,708	1,118 7,756 4,355	33 . 264	1,217 5,972	29 142	30 165	10 38	27 108	28 205	9 64
9 10	Scarlet fever Whooping cough Diphtheria and croup Influenza	11, 183 234, 290	10,987 228,120	6,632 109,583	4,355 118,537	196 6,170	6,828 115,753	164 5,537	67 4,138	39 1,310	2,816	159 4,318	45 1, 286
11	Miliary fever Asiatic cholera	201, 200	220,120	100,000	110,007	0,170	110,700	5,001	4,100	1,010	2,010	2,010	1,200
12 13	Asiatic cholera. Cholera nostras	299	291	64	227	8				1	4		
14 15	Dysentery Plague	4,720	4,445	970	3, 475	275	72 1,245	33	66	6	21	25	14
16	Yellow fever.												
17 18	Leprosv	94	23	11	12	1	12	3	2				
19	Erysipelas Other epidemic diseases	2,579 558	2, 498 535	1,275 173	1, 223 362	81 23	1,356 196	39 10	19 12	17 2	23	35 7	12 1
20 21 22 <b>2</b> 3	Purulent infection and septicemia Clanders Authrax	1,446	1,389	621	768	57	678	32	24	6	8	16	4
21 22	Authrax	34	32	3 17	1 15	2	3 19	1 2	1 1		i		i
	Rabies Tetanus	63	59	35	24	4	39		[ <u>-</u> -]	1			
24 25 26 27	MVCoses	46	1,176 44	552 22	624 22	100	652 24	17	27	3 1	1	15	4
26 27	Pěllagra Beriberi	3,741	3,126 11	930 10	2,196 1	615	1,545 10	16 4	2 6 1	2		4	<b></b>
	Tuberculosis (total).  Tuberculosis of the lungs. Acute miliary tuberculosis. Tuberculous meningitis. Abdominal tuberculosis	121,204	117,506	61,570	55, 936	3,698	65, 268	3,423 2,978		1,224	964	1,412	621
28 29	Acute miliary tuberculosis	103,966 3,636	100,718	51,564 2,131	49, 154 1, 407	3, 248 98	54,812	2,978 66	2,623 2,330 55	1,133	909 12	1,130 44	544 19
30 31	Tuberculous meningitis.  Abdominal tuberculosis	5,874 4,034	3,538 5,751	2,131 3,922 2,004	1,829 1,896	123 134	2, 229 4, 045	184	97 i	44	20 8	149	19
32			3,900 984	569	415	26	2,138 595	87 23 17	83 18	2	2 4	53 8	5
28 29 30 31 32 33 34 35	White swellings. Tuberculosis of other organs Disseminated tuberculosis	570 1,445	554 1,409	309 720	245 689	16 36 17	325 756	17 57	3 26	1,224 1,133 18 44 17 2 1	6	21 21 5	621 544 19 19 19 5 2 9
35 36	Rickets	i l	652	351	301	i I	368	11	11	2	3	,	
37	Syphilis	564 7,522	552 7, 044	332 4,650	220 2,394	12 478	344 5,128	5 244	1 104	31	38	8 64	3 14
38	Gonococcus infection  Cancer and other malignant tumors (total)	500	448	342	106	52	394	14	5	3		3	
39	Of the huccel covity	0 244	63,790 2,289	35,724 1,310	28, 066 979	1,492 55	37, 216 1, 365	2, 268 74	1,037 39	373 10	328 12	892 41	367 15
40 41	Of the peritoneum, intestines, rectum	24, 766 8, 630 9, 892	24, 279 8, 464	13,006 5,183	11, 273 3, 281	487 166	13, 493 5, 349	799 344	453 130	136 43	157 26	293 143	117 63
42 43	Of the stomach, liver Of the peritoneum, intestines, rectum Of the female genital organs Of the breast	9,892 6,040	9,555 [	5,619 3,360	3,936 2,571	337 109	5,956 3,469	339 212	114 77	59	26 40 24	139 95	63 50 64
44 45	Of the skin	2, 224 11, 386	5,931 2,178	836 6,410	1,342 4,684	46 292	882	47 453	29 195	38 12 75	10 59	15 166	13 45
46	Other tumors (tumors of the female cenital or		11,094	0,410	4,004	292	6,702	400	190	15	99	100	30
47	gans excepted). Acute articular rheumatism Chronic rheumatism and gout Scurvy	276 3,111	269 3,044	120 1,492	149 1,552	7 67	127 1,559	5 53	4 28	2 16	2 23	1 25	7
48 49	Chronic rheumatism and gout	1,033	1,009	393	616	24	417	17	22	2	4	ĩo	
50	Diabetes	12,880	12,642	48 7,076	5,566	2 238	7,314	339	1 196	56	64	183	81
51 52	Exophthalmic goiter	1,416 206	1,381	801 160	580	35 5	836	31	12	11	8	6	5 1 7
53 54	Leukemia Anemia, chlorosis	1,416	301 1,383	823	141 560	33	165 856	8 54	9 18	5 8	2 8	4 17	
55	Other general diseases	1,639	4,420 1,557	2,316	2,104	100 82	2,416	142 21	61	32	21 6	45 16	24 10
56 57	Alcoholism (acute or chronic)	2,193	2,145	1,306	839	48	1,354	64	75	7	6	48	20
58	Chronic lead poisoning. Other chronic occupation poisonings.	123 29	122 29	71 15	51 14	1	72 15	1	2 2		1 1	1	1 1
59	Other chrome poisonings	196	189	. 116	73	7	123	8	2	i	1	* <b>* * * * *</b> * *	
	II.—Diseases of the nervous system and of the organs of special sense	107,184	104,648	48,035	56, 613	2,536	50,571	2,454	1,928	388	528	1,325	692
60 61	Encephalitis Meningitis (total) Simple meningitis Cerebrospinal meningitis (undefined)	687	650	290	360	37	327	16	7	5	2	5	
OI.	Simple meningitis	7,500 3,180	7, 258 3, 098	3,775 1,474	3,483 1,624	242 82	4,017 1,556	152 59	100 46	33 22	41 18 13	118 52	30 14
	Cerebrospinal fever	1,963 2,357	1,897 2,263	833 1,469	1,064 795	66 94	899 1,562	32 61	30 24	9	13 10	31 35	14 11 5
62	Locomotor ataxia. Other diseases of the spinal cord (total).	1,857	1.822	968	854	35	1,003	65	36	10	11	21	
63	Acute anterior pollom velitis	4,998 954	4,892 939	2,330 374	2,562 565	106 15	2.436 389	129	76 11	29 3	22 6	59 7	12 22 3
64	Other diseases of the spinal cord <sup>3</sup> . Cerebral hemorrhage, apoplexy.	4,044 64,861	3,953 63,466	1,956 30,509	1,997 32,957	91 1,395	2,047 31,904	120 1,673	65 1,098	26 226	16 284	52 915	19 495
65	Softening of the brain. Paralysis without specified cause.	1,115	1,100	360	740	15	375	20	26	4	3	4	
66 67	Paralysis without specified cause. General paralysis of the insane. Other forms of mental alienation.	7,180 5,855	6,957 5,796	1,950 2,501	5,007 3,295	223 59	2,173 2,560	80 105	101 275	22 23	31 69	23 43	13 25 34
68	Other forms of mental alienation		1,842	644	1,198	127	771	27	51	5	8	25	5
69 70	Epilepsy Convulsions (nonpuerperal)	3,581 157	3,504 148	1,117 43	2,387 105	77	1,194 52	49	69 1	11	34	28 1	28
71 72	Convulsions of infants Chorea	2,680 113	2,619 112	1,048 41	1,571 71	61 1	1,109 42	18 1	22 6	3 1	5 2	30	9
73	Neuralgia and neuritis Other diseases of the nervous system	373	365	121	244	8	129	2	3	1	1	6	2
74 75 76	Diseases of the eves and their annexa	1 00 1	2,691 87	1,440 51	1, 251 36	83 5	1,523 56	77	43	7	12	26 1	2 15 2
76	Diseases of the ears	1,392			492	53	900	38	11	8	3	20	

<sup>&</sup>lt;sup>1</sup> Including District of Columbia.

<sup>2</sup> A list of these cities will be found on p. 11.

<sup>\*</sup> Exclusive of acute anterior poliomyelitis (infantile paralysis).

			[See note a	r Head of	ms table, j	). 200.j							
Int.		Registra-	REGIST	RATION ST	ATES.	Regis- tration cities	Allregis-	CALIFO	RNIA.	COLOI	RADO.	CONNE	CTICUT.
Detailed List No	CAUSE OF DEATH.	tion area (exclusive of Hawaii).	Total.1	Cities.1	Rural districts.	in non- registra- tion states.2	tration cities.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.
_	III.—Diseases of the circulatory system	161,217	158, 027	85,673	72,354	3,190	88,863	4,696	3,173	634	709	1,969	947
77 78 79 80 81	Pericarditis. Acute endocarditis. Organic diseases of the heart. Angina pectoris. Diseases of thearteries, atheroma, aneurism, etc.	913 6,656 124,514 6,037 19,013	891 6, 498 122, 071 5, 924 18, 673	384 4,560 65,822 2,877 9,796	507 1,938 56,249 3,047 8,877	22 158 2,443 113 340	406 4,718 68,265 2,990 10,136	20 182 3,716 177 476	21 81 2,434 126 420	6 20 477 41 64	3 37 513 29 101	9 83 1,447 123 245	2 32 727 52 105
82 83	Embolism and thrombosis. Diseases of the veins, (varices, hemorrhoids, phlebitis, etc.). Diseases of the lymphatic system (lymphangi-	2,754 469	2,676 460	1,497 297	1,179	78 9	1,575 306	93 12	74 9	21 1	17 2	43 11	25
84 85	Diseases of the lymphatic system (lymphangi- tis, etc.).  Hemorrhage; other diseases of the circulatory	475	464	314	150	11	325	15	4	3	3	7	1
	system	386 245,216	370 238, 443	126 148,791	244 89,652	16 6,773	142 155,564	4,813	2,985	1,475	1,637	3,794	3 1,169
86 87	<del>-</del>		339 758	31 322	308 436	4 20	35 342	11	1 11	7	1 9	11	2
86 87 88 89 90	Diseases of the nasal fossae.  Diseases of the larynx.  Diseases of the thyroid body.  Acute bronchitis.  Chronic bronchitis.	558 7,615 5,145	531 7,446 . 5,026	319 4,595 2,606	212 2,851 2,420	27 169 119	346 4,764 2,725	14 99 103	63 65	1 23 24	35 39	107 55	1 59 25
91 92	Bronchopneumonia. Pneumonia (total) Lobar pneumonia. Pneumonia (undefined) Pleurisy.	54,697 167,703 144,721 22,982	53,408 162,812 140,559 22,253	34,383 102,218 93,360 8,858	19,025 60,594 47,199 13,395	1,289 4,891 4,162 729	35,672 107,109 97,522 9,587	1,060 3,340 3,168 172	633 2,065 1,773 292	287 1,055 1,011 44	332 1,138 1,011 127	796 2,751 2,607 144	255 792 734 58 15
93 94	Pulmonary congestion, pulmonary apoplexy	3,179 1,480 287	3,090 1,430 280	2,008 664 147	1,082 766 133	89 50 7	2,097 714 154	80 37 13	33 35 8	18 8 3	15 10 2	39 17 3	15 8 5
95 96 97	Pulmonary congestion, pulmonary apoplexy Gangrene of the lung Asthma Pulmonary emphysema Other diseases of the respiratory system (tuber- culosis excepted)	2,108 173	2,043 167	959 81	1,084 86	65 6	1,024 87	41 3	41 3	36	20 2	1Ŏ	. 6
98	1		1,113	458	655	37	495	11	23	13	34	1	
99	V.—Diseases of the digestive system  Diseases of the mouth and annexa	740	106,639 724	58,076 292	48,563	4,366	62,442	2,178	1,518	488	722	1,360	463
100 101 102	Diseases of the pharynx Diseases of the esophagus Ulcer of the stomach Other diseases of the stomach	2,013 100 3,136	1,955 95 3,046	1,014 43 1,894	941 52 1,152	58 5 90	1,072 48 1,984	62 2 146	63	9 2 16	21	14 2 48	11
103	Other diseases of the stomach (cancer excepted).  Diarrhea and enteritis (under 2 years).	8,200 47,753	7,931 46,035	2,885 25,857	5,046	269 1,718	3,154 27 575	132 486 190	128 577	16 32 137	27 59 292	71 674	47 219
105 106 107	Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over) Ankylostomiasis. Intestinal parasites Appendicitis and typhlitis.	11,329 28 207	10,687 25 205	4,629 1 33	24	642 3 2	5,271 4 35	4	178	39	57	79 1	49
108 109	Appendicitis and typhlitis.  Hernia intestinal obstruction (total)	9,733 9,318	9,260 8,929	6,197 5,419	3.510	473 389	6,670 5,808	287 253	110 135	©1 60	95 70	123 139	31 29
110	Hernia, intestinal obstruction (total) Hernia Intestinal obstruction Other diseases of the intestines.	3,376 5,942 1,832	3,271 5,658 1,748	2,202 3,217 920	2,441	105 284 84	2,307 3,501 1,004	91 162 52	39 96 36	22 38 6	18 52 17	48 91 8	29 10 19 5
111 112	Acute yellow atrophy of the liver Hydatid tumor of the liver Cirrhosis of the liver Biliary calculi	303 31	298 31	137 21	161 10	5	142 21	11 3	3	1	1	4	1
113 114	Cirrhosis of the liver Biliary calculi	7,794 2,458	7,548 2,403	4,428 1,445	958	246 55	4,674 1,500 1,932	313 56 95	148 19 48	32 21 24	25 13 19	100 33 29	43 3
115 116 117	Other diseases of the liver	_1 18Z	3,348 178 1,765	1,741 68 772	110	191 4 93	1,932 72 865	5 33	2 22	2 2 13	1 22	2 19	1 4
118	Simple peritonitis (nonpuerperal) Other diseases of the digestive system (cancer and tuberculosis excepted)	j.	428	280	148	23	303	28	6	3	1	8	3
	VI.—Nonvenereal diseases of the genito- urinary system and annexa		88, 134	49,812	38,322	2,949	52, 761	2,340	1,303	431	431	1,083	425
119 120 121	Acute nephritis. Bright's disease. Chyluria.	5,953 73,239	5,659 71,168 1	3,142 39,974	2,517 31,194	294 2,071	3,436 42,045	1,837	78 1,047	37 306	· 40 316	72 866	22 371
122 123	Other diseases of the kidneys and annexa	1,885	1,814 451	993 282	821 169	71 21	1,064 303	56 19	24 7	11 4	11 2	24 8	1
124 125 126	Diseases of the bladder. Diseases of the urethra, urinary abscess, etc Diseases of the prostate. Nonvenereal diseases of the male genital organs Uterine hemorrhage (nonpulerneral)	1,357 303 3,385	1,311 273 3,300	500 220 1,763	53	46 30 85	546 250 1,848	25 7 121	35 1 61	3 3 27	13 1 23	13 4 42	11 9
127 128	Nonvenereal diseases of the male genital organs Uterine hemorrhage (nonpuerperal)	·1	84 58	48 27	36 31	3 3	51 30	3	2			1	
129 130	Uterine tumor (noncancerous)Other diseases of the uterus	1,467 804 611	1,374 732 583	990 476 382	256	93 72 28	1,083 548 410	41 22 15	16 9 9	14 6 5	7 7 3	22 2 9	6 1 1
131 132	Cysts and other tumors of the ovary Salpingitis and other diseases of the female genital organs Nonpuerperal diseases of the breast (cancer ex-	1	1,292	991	1	131	1,122	48	14	15	8	19	2
133	Nonpuerperal diseases of the breast (cancer excepted)	. 35	34	24	[		25	2					
104	VII.—The puerperal state		17,607	8,908	_	-	9,478	344	225	94	186	208 52	69 25
134 135 136	Accidents of pregnancy Puerperal hemorrhage Other accidents of labor Puerperal septicemia	4,250 1,249 3,271	4,144 1,214 3,191	2,052 591 1,483	1,708	35 80	1,563	72 32 49 115	28 38 60	6 18 43	12 36	17 42 45	6
137 138	Puerperal albuminuria and convulsions	. 5,250	5,042 3,516	2,775 1,755			2,983 1,890	64	45	10	1	43	9
139 <b>1</b> 40	Following childbirth (not otherwise defined)	- 410 - 83	404 83	198 44	39		. 44	10 1 1	6	2	. 5 1	7 1 1	5
141	Fuerperal diseases of the breast	.] 13	jl 13	]] 10	)	1 22 4 4 22	.'] 10	" 1 ————————————————————————————————————	•		•'•••••	1	

<sup>&</sup>lt;sup>1</sup> Including District of Columbia.

<sup>&</sup>lt;sup>2</sup> A list of these cities will be found on p. 11.

### MORTALITY STATISTICS.

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1918—Continued.

-		1	[See Hote	at head of t	ms table,	p. 236.]							
Int.		Registra- tion area	REGIST	FRATION ST	ATES.	Regis- tration cities	All regis-	CALIF	ORNIA.	COLO	RADO.	CONNE	CTICUT.
Detailed Int. List No.	CAUSE OF DEATH.	(exclusive of Hawaii).	Total.1	Cities.1	Rural districts.	in non- registra- tion states.2	tration cities.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.
	VIII.—Diseases of the skin and of the cellular tissue	3,416	3,307	1,634	1,673	109	1,743	65	44	19	9	44	18
142 143 144 145	Gangrene. Furuncle Acute abseess. Other diseases of the skin and annexa.	1,658 444 629 685	1,612 431 602 662	615 278 373 368	997 153 229 294	46 13 27 23	661 291 400 391	29 5 14 17	26 3 8 7	14 1 2 2	5 3 1	· 11 8 15 10	12 2 .4
	IX.—Diseases of the bones and of the organs of locomotion	2,041	1,958	1,275	683	83	1,358	73	27	8	. 12	33	4
146 147	Diseases of the bones (tuberculosis excepted).  Diseases of the joints (tuberculosis and rheuma-	1,742	1,668	1,121	547	74	1,195	65	22	7	12	25	2
148 149	tism excepted)	226 2 71	219 1 70	127 27	92 1 43	7 1 1	134 1 28	7 i	3 2	1		7 1	1
150	X.—Malformations Congenital malformations (stillbirths not	12,841	12,616	6,683	5,933	225	6,908	204	158	65	92	182	74
100	included) (total).  Hydrocephalus  Congenital malformations of the heart  Other congenital malformations	12,841 1,169 7,823 3,849	12,616 1,146 7,699 3,771	6,683 612 4,128 1,943	5,933 534 3,571 1,828	225 23 124 78	6,908 635 4,252 2,021	204 23 134 47	158 17 105 36	65 4 36 25	92 7 62 23	182 12 104 66	74 1 48 25
7.51	XI.—Early infancy.	62,190	60,519	31,501	29,018	1,671	33,172	867	703	203	372	1,052	321
151	Congenital debility, icterus, and sclerema (total) Premature birth. Congenital debility, "atrophy," "maras-	50,533 38,535	49,078 37,408	24,744 19,232	24,334 18,176	1,455 1,127	26,199 20,359	676 563	578 451	162 128	309 228	813 630	258 178
152 153	Congenital debility, "atrophy," "maras- mus," etc Other causes peculiar to early infancy (total) Injuries at birth Other causes peculiar to early infancy occupants Lack of care	11,998 11,456 6,149 5,307 201	11,670 11,261 6,046 5,215 180	5,512 6,683 3,701 2,982 74	6,158 4,578 2,345 2,233 106	328 195 103 92 21	5,840 6,878 3,804 3,074 95	113 187 97 90 4	127 121 73 48 4	34 40 12 28	81 63 22 41	183 232 142 90	80 60 41 19 3
	XII.—Old age	12, 251	11,916	3,175	8,741	335	3,510	175	175	58	69	64	50
154	Senility	12, 251	11,916	3,175	8,741	335	3,510	175	175	58	69	64	50
155 156 157 158	XIII.—External causes.  Suicide (total). By poison. By asphyxia. By hanging or strangulation. By drowning.	9,645 1,474 1,278 1,644 649	78,644 9,398 1,411 1,262 1,624 642	5,231 836 1,124 696 287	36,596 4,167 575 138 928 355	2,365 247 63 16 20 7	44,413 5,478 899 1,140 716 294	2,172 458 73 61 55 18	1,886 316 28 47 12 18	329 66 13 8 6	66 10 1 7	1,116 145 29 30 23 8	366 48 7 1 10 10
159 160 161 162 163	By firearms.  By cutting or piercing instruments  By jumping from high places  By crushing  Other suicides	3,350 780 281 84 105	3,241 758 276 81 103	1,560 425 238 30 35	1,681 333 38 51 68	109 22 5 3 2	1,669 447 243 33 37	188 40 20 2	161 35 3 3	29 4 1 1 2	41 3 1 2	31 18 4 2	14 5 1
164 165 166 167	Accidental or undefined (total). Poisoning by food Other acute poisonings Confiagration. Burns (conflagration excepted).	65,908 842 1,349 1,414 6,617	64,178 792 1,297 1,394 6,398	33,747 289 625 527 3,633	30,431 503 672 867 2,765	1,730 50 52 20 219	35,477 339 677 547 3,852	1,548 26 30 24 86	1,436 33 35 40 54	225 1 7 1 14	509 5 15 6 17	931 6 9 13 116	307 3 2 6 19
168 169 170 171	Absorption of deleterious gases (conflagration excepted).  Accidental drowning Traumatism by firearms. Traumatism by cutting or piercing instru-	3,338 5,464 2,013	3,267 5,366 1,925	2,492 2,134 621	775 3,232 1,304	71 98 88	2,563 2,232 709	102 107 35	24 196 72	9 11 11	16 49 29	93 62 9	8 63 7
172	ments Traumatism by fall.	186 10,273	179 10,080	91 5,968	88 4,112	7 193	98 6,161	3 297	2 154	1 37	1 59	5 158	1 57
173	Traumatism in mines and quarries (total) Traumatism in mines Traumatism in quarries Traumatism by machines	2,588 2,497 91	2,539 2,450 89	622 590 32	1,917 1,860 57	49 47 2	671 637 34	2 2	41 37 4	9	98 98	1	1
174 175	Traumatism by machines.  Traumatism by other crushing (total). Railroad accidents and injuries. Street-car accidents and injuries. Automobile accidents and injuries. Injuries by other vehicles. Landslide, other crushing.	2,360   21,031   8,491   2,326   7,424   2,198   592	2, 277 20, 456 8, 275 2, 247 7, 211 2, 155 568	1,429 11,721 3,798 1,746 4,903 1,039	848 8,735 4,477 501 2,308 1,116	83 575 216 79 213 43	1,512 12,296 4,014 1,825 5,116 1,082	68 663 163 117 296 61	35 552 189 29 237 84	7 97 20 6 63 8	15 131 45 2 56 28	1 47 322 80 45 160 32	1 7 94 45 11 23 13
176 177 178 179 180 181	Injuries by animals. Starvation Excessive cold. Effects of heat Lightning	656 40 508 1,136 407 754	645 37 498 1,112 402 732	235 193 14 202 643 31 364	333 452 23 296 469 371 368	24 11 3 10 24 5 22	259 204 17 212 667 36 386	26 12 1 7	13 24 1 6 28 2 32	2 1 1	12 1 4 12 12 17	5 4 12 7 3 12	2 3 5 6
185 186	Other external violence.  Homicide (total).	724 4,208 5,456	700 4,082 5,068	328 1,820 3,070	372 2,262 1,998	24 126 388	352 1,946 3,458	11 61 166	9 96 134	1 8 38	1 21 31	11 41 40	4 2 16 11
182 183 184	By firearms. By cutting or piercing instruments. By other means.	3,727 669 1,060	3,443 603 1,022	2,006 403 661	1,437 200 361	284 66 38	2,290 469 699	116 13 37	99 14 21	30 4 4	26 3	22 9 9	7 2 2
187	XIV.—Ill-defined diseases Ill-defined organic disease.	15,625 854	14,941 834	2,088	12,853 793	684	2,772	26	55	10	23	63	26
188 189	Sudden death Not specified or ill-defined (total). Ill-defined Not specified or unknown	1,047 13,724 5,140 8,584	1,023 13,084 4,834 8,250	168 1,879 985 894	793 855 11,205 3,849 7,356	20 24 640 306 334	61 192 2,519 1,291 1,228	23 16 7	3 1 51 38 13	3 7 7	20 13 7	10 51 36 15	1 3 22 12 10
	I Traditation District - 50-1	!							1			<u> </u>	

<sup>&</sup>lt;sup>1</sup> Including District of Columbia.

<sup>&</sup>lt;sup>2</sup> A list of these cities will be found on p. 11.

Int.			STRICT C	or	ILLIN	rois.	1	ANA.	KAN	SAS.			KENT	OCKY.		<del></del>
, Se	CAUSE OF DEATH.		1			_ :						Cities.		Rur	al distri	cts.
Detailed Ir List No.		Total.	White.	Col- ored.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Total.	White.	Col-/ ored.	Total.	White.	Col- ored.
1	All causes.  I.—General diseases  Typhoid fever	2,966	5,779 1,992	3,311 974 23	63, 242 21, 144 191	37,154 14,208 328	18,502 5,947 152	27,491 9,658 248	6,681 2,354 82	18,372 6,048 209	9,708 3,391 78	7,354 2,681 53	2,354 710 25	29,824 13,532 571	25,618 11,704 485	4,206 1,828 86
2 3 4 5	Typhus fever. Relapsing fever. Malaria. Smallpox.				20	61 9	13 9	20 13	5 6	16 20	13	5	8	96 12	77	19 1
6 7 8 9 10	Measles. Scarlet fever. Whooping cough. Diphthema and croup. Influenza.	30 10 43 40 1,396	25 10 15 36 1,074	28 4 322	134 82 296 883 8,839	183 67 400 259 6,330	44 40 169 243 2,134	100 85 334 188 3,419	71 26 44 38 1,122	185 45 176 74 2,951	41 117 44 1,237	36 3 82 42 1,089	5 1 35 2 148	303 42 774 281 5,912	293 42 669 269 5,299	105 12 613
11 12 13 14 15	Miliary fever Asiatic cholera Cholera nostras Dysentery Plague	1 6	1 2	4	3 78	5 130	2 39	10 95	26	9 79	1 36	1 27	9	24 287	23 263	1 24
17 18 19	Yellow fever Leprosy. Erysipelas Other epidemic diseases. Purulent infection and septicemia. Glanders. Anthrax	9 1	7 1 8	2	97 12 55	86 15 71	47 5 24	1 74 30 33	17 3 17	44 25 39	24 2 · 23	20 2 17	4	73 13 37	70 13 32	3 5
20 21 22 23 24 25 26 27	Tetanus Mycoses	9 1	5	4 1 4	1 41 3 8	1 44 2 18	23 1 3	36 2 9	13	1 26 14	2 12	2 8 25	4	1 24 120	1 22	2
27 28 29 30	Péllagra. Beriberi. Tuberculosis (total). Tuberculosis of the lungs. Acute miliary tuberculosis Tuberculous meningtis. Abdominal tuberculosis. Patts' disease.	742 641 32 29	344 293 10 18 11	398 348 22 11 9	5,286 4,466		1,516 1,231 59	2,532 2,126 63	341 280 18 11 17	686 593 14	1,099 938 28 65	748 640	351 298 17	3,645 3,195 73	2,885 2,518 49	760 677 24
31 32 33 34 35	Tuberculous meningitis Abdominal tuberculosis Potts' disease White swellings Tuberculosis of other organs Disseminated tuberculosis		18 11 4 4 4	11 9 2 4 2	256 180 62 33 66 24	3,293 2,951 75 72 91 33 16 41	71 91 17 7 18 22	113 139 27 17 30 17	11 17 3 10 2	18 29 7 5 10	65 43 3 8 11 3	54 23 2 7 8	11 20 1 1 3	123 152 20 10 34 38	108 126 17 7 28 32	15 26 3 3 6 6
36 37 38	Rickets	3 56	16 3	3 40 2 106	21 292 14	13 143 3 1,868	5 131 11	4 146 6	7 40 1	3 48 4	4 77 5	3 37 3	1 40 2	11 81 4	7 41 1	4 40 3
39 40 41 42 43 44 • 45	Cancer and other malignant tumors (total) Of the buccal cavity Of the stomach, liver. Of the peritoneum, intestines, rectum. Of the female genital organs. Of the breast. Of the skim. Of other organs or of organs not specified.	13 146 39 71 49 11 81	304 7 111 32 39 37 9 69	35 7 32 12 2 12	3,354 136 1,296 411 494 271 65 681	1,883 58 787 214 191 135 79 404	936 26 336 124 178 83 39 150	1,631 49 706 185 201 139 108 243	345 11 117 49 59 31 15 63	934 38 404 111 97 80 50 154	391 16 153 52 73 29 12 56	346 9 137 50 66 24 10 50	45 7 16 2 7 5 2 6	881 22 289 76 166 89 69 170	796 22 261 72 136 80 69 156	28 4 30 9
46 47 48 49 50	organs excepted). Acute articular rheumatism. Chronic rheumatism and gout. Scurry. Diabetes.	14 6 69	12 4 56	2 2 2	13 138 24 3 690	15 113 38 1 373	4 40 14 1 184	6 74 27 2 310	2 19 1 2 54	7 50 20 212	2 15 3 1 63	2 12 3 1 52	3 ii	4 67 24 3 115	4 55 19 2 97	12 5 1 18
51 52 53 54 55	Exophthalmic goiter Addison's disease Leukemia Anemia, chlorosis Other general diseases.	7 1 4 26 11	5 1 3 22 8	1 4 3	96 12 85 211 67	37 6 50 153 47	29 3 21 63 19	50 12 18 89 31	7 1 5 40 6	13 5 31 78 26	8 6 26 7	6 25 6	1 1 1	12 3 17 41 32	11 3 17 38 28	1 3 4
56 57 58 59	Alcoholism (acute or chronic). Chronic lead poisoning Other chronic occupation poisonings. Other chronic poisonings.		4		75 7 7	41 5	20 1	15 2 4	1	10 5 1 2	22 1	17	5	16 1 1 4	15 1 1 4	1
60 61	II.—Diseases of the nervous system and of the organs of special sense.  Encephalitis Meningitis (total). Simple meningitis.	748 5 42	502 4 29 10	246 1 13 5	3,649 24 302 157	3,319 20 198 117	1,334 12 93 38	2,803 16 181 94	565 11 41 14	1,866 19 101 28	781 5 62 32	623 4 49 27	158 1 13 5	2,016 31 360 165	1,714 28 326 149	302 3 34 16 8 10
62 63	Cerebrospinal meningitis (undefined) Cerebrospinal fever. Locomotor ataxia. Other diseases of the spinal cord (total) Acute anterior poliomyelitis.	21	15 8 16 8	2 6 2 3 1	101 109 210 45	58 23 72 203 70	24 31 28 58	51 36 48 139 16	13 30 2	36 37 22 94	16 14 9 27	10 12 7 17	6 2 2 10	111 84 21 120	103 74 21 107	13
64 65 66 67	Other diseases of the spinal cord 1  Cerebral hemorrhage, apoplexy  Softening of the brain  Paralysis without specified cause	10 537 10	363 6 7	174 4 3	2,036 2,036 22 177	133 1,629 49 397	51 819 17 90	123 1,689 47 264	28 315 17 53 21 9	. 9 85 1,060 62 178	8 19 429 8 63	5 12 348 8 42	3 7 81 21	45 75 765 40 302	41 66 634 38 251	4 9 131 2 51
68 69 70 71	General paralysis of the insane Other forms of mental alienation Epilepsy Convulsions (nonpuerperal) Convulsions of infants	13	34 7 8	22 2 5	281 72 110 2 56	334 63 124 3 73	73 13 36 2 19	169 47 91 1 18	21 9 7	90 49 ,60 4 34	69 25 44 1 13	54 20 39 1 9	15 5 5	96 52 91 7 57	75 41 77 6 44	21 11 14 1 13
72 73 74 75 76	Chorea.  Neuralgia and neuritis. Other diseases of the nervous system. Diseases of the eyes and their annexa. Diseases of the ears.	1 24 1	17	7 1 5	7 156 7 74	13 94 1 41	1 6 38 2 27	14 49 1 25	1 3 24 1	7 6 56 1 23	1 1 11 13	1 1 11	·····i	1 10 38 25	1 10 31	7

<sup>1</sup> Exclusive of acute anterior poliomyelitis (infantile paralysis).

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1918—Continued.

Int.			STRICT OLUMBI		ILLI	vois.	INTD	ANA.	KAN	isas.			KENTU	JCKY.		
r icq	CAUSE OF DEATH.					Rural		Rural		Rural	-	Cities.		Rur	al distri	ets.
Detailed Int. List No.		Total.	White.	Col- ored.	Cities.	dis- tricts.	Cities.	dis- tricts.	Cities.	dis- tricts.	Total.	White.	Col- ored.	Total.	White.	Col- ored.
	III.—Diseases of the circulatory system	1,297	869	428	7,598	4,330	2, 189	4,013	674	2,044	1,156	840	316	1,940	1,562	378
77 78 79 80 81 82	Pericarditis Acute endocarditis Organic diseases of the heart. Angina pectoris. Diseases of thearteries, atheroma, aneurism, etc. Embolism and thrombosis	7 146 942 32 137 24	5 61 643 27 107	2 85 299 5 30	42 416 5, 996 209 720 142	26 125 3, 499 89 482 62	16 83 1,649 84 309 32	19 82 3, 125 188 540 42	1 55 471 20 92 25	16 55 1,518 84 283 60	9 75 842 24 173	3 50 583 17 160 15	6 25 259 7 13	29 49 1,520 91 205 24	22 36 1,211 82 171 22	7 13 309 9 34 2
83 84 85	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.) Diseases of the lymphatic system (lymphangitis, etc.) Hemorrhage; other diseases of the circulatory	6 1	1	2	36 28	13 13	3 6	8 4	3 2	9 4	4	3 3	1	2	5	2 1
	system  IV.—Diseases of the respiratory system	1,677	921	756	9 11,803	21 4, 461	3,376	5 3, 191	1,075	2,309	7 1,689	1,149	1 540	14 3,633	3,069	1 564
86 87 88 89 90	Diseases of the nasalfossae Diseases of the larynx. Diseases of the thyroid body. Acute bronchitis. Chronic bronchitis. Bronchopneumonia.	6 5 38	6 4 10 28 219	1 28 7 232	3 25 52 457 251 2,766	4 26 21 124 177 732	1 16 17 95 54 818	1 15 12 65 110 714	2 3 3 19 31 238	4 10 6 36 80 476	7 5 44 78 373	6 5 23 48 267	21 30 106	8 23 6 92 105 765	8 20 5 72 88 643	3 1 20 17
92 93	Pneumonia (total).  Lobar pneumonia.  Pneumonia (undefined)  Pleurisy.	1,083 958 125 24	620 538 <b>82</b> 12	463 420 4 <b>3</b> 12	7,829 6,612 1,217 193	3,128 1,556 <b>1,572</b> 51	2,278 2,110 168 25	2, 148 1, 831 <b>317</b> 34	727 557 170 16	1,569 1,063 506 48	1,100 863 237 25	744 582 162 17	356 281 75 8	2, 465 1, 619 846 35	2,097 1,376 721 29	122 368 243 125 6
94 95 96 97 98	Pulmonary congestion, pulmonary apoplexy. Gangrene of the lung Astlima. Pulmonary emphysema. Other diseases of the respiratory system (tuberculosis excepted).	14 3 8 1	12 2 3 5	2 1 5 1	60 19 92 5	65 10 79 4 40	13 8 36 2	25 2 38 7 20	12 2 11 2	24 3 33 1	14 2 23 4	14 2 11 2	12 2 4	32 4 66 5	29 3 49 4	3 1 17 1 5
	V.—Diseases of the digestive system	579	338	241	6,516	2,678	1,693	2, 101	549	1,492	674	510	164	2,081	1,834	247
99 100 101 102 103 104 105	Diseases of the mouth and annexa.  Diseases of the pharynx  Diseases of the sophagus.  Ulcor of the stomach  Other diseases of the stomach (cancer excepted)  Diarrhea and enteritis (under 2 years).  Diarrhea and enteritis (2 years and over).	12 1 14 42 219 74	1 5 1 9 21 111 45	3 7 5 21 108 29	12 93 5 185 181 3,432 502	19 62 5 68 270 852 283	8 37 39 114 651 142	15 45 60 242 693 264	1 5 2 12 64 151 51	9 30 1 47 168 383 168	7 15 23 59 197 65	15 32 147 48	1 1 8 27 50 17	29 33 2 41 238 844 316	25 30 2 34 197 752 279	4 3 7 41 92 37
106 107 108 109	Ankylostomiasis. Intestinal parasites Appendicitis and typhlitis. Hernia, intestinal obstruction (total). Hernia.	1 47 71 26	1 33 41	14 30	3 612 471	203 248	235 152	122 184	98	3 167 169	68 79	59 60	9	15 117 129	15 102 117	15 12
110 111 112	Intestinal obstruction Other diseases of the intestines Acute vellow atrouby of the liver Hydatid tumor of the liver	45 14	14 27 7	12 18 7	197 274 97 6	71 177 73 20	52 100 26 4	51 133 40 10	18 51 9 2	46 123 38 6	36 43 18 3	28 32 14 2	8 11 4 1	33 96 23 9	29 88 21 9	4 8 2
113 114 115 116 117	Cirrhosis of the liver Biliary calculi Other diseases of the liver Diseases of the syleen Simple peritonits (nonpuerperal) Other diseases of the digestive system (cancer		1 26 9 18	4 1 7	1 461 146 192 4 86	1 229 90 139 4 99	132 46 72 1 25	196 72 102 1 44	26 23 22 1 11	104 47 91 6 46	59 11 38 2 26	50 10 30 2 19	9 1 8	80 41 97 3 59	68 39 85 3	12 2 12
118	and tuberculosis excepted)	4	3	1	27	13	9	5	2	9	4	2	2	3	3	
	VI.—Nonvenereal diseases of the genito- urinary system and annexa	767	458	309	4,462	2,501	1,279	2, 133	499	1,209	822	615	207	1,544	1, 267	277
119 120 121	Acute nephritis. Bright's disease Chyluria. Other diseases of the kidneys and annexa.	601	30 370	41 231	254 3,583	119 2,069	84 973	130 1,767	36 377	73 930	69 668	40 512	29 - 156	86 1,275	70 1,054	16 221
122 123 124	Calculi of the urinary passages  Diseases of the bladder	5	17 4 8	3 1 2	91 28 47	47 10 49	19 12 17	39 12 40	11 3 5	42 5 27	8 2 5	6 1 3	2 1 2	39 3 42	35 3 36	4
125 126 127 128	Diseases of the urethra urinary abscess, etc Diseases of the prostate Nonvenereal diseases of the male genital organs. Uterine hemorrhage (nonpuerperal).	3 21	8 1 13 1	2 8 1	17 150 4 3	122 122	58 1 2	2 81 2 2	5 22 1	1 72 1	9 21 2	3 20 2	6 1	42 7 40 2 2	30 4 33	3 7 2
129 130 131 132	Uterine tumor (noncancerous). Other diseases of the uterus. Cysts and other tumors of the ovary Salpingitis and other diseases of the female genital organs.	2	6 3 1 4	8 2 1	98 45 31	25 21 11	26 23 10	17 14 12	12 8 3	18 13 12	13 9 8	6 8 8	7 1	18 8 11	9 5 9	9 3 2
133	Nonpuerperal diseases of the breast (cancer excepted)			9	110	21 1	47	14	16	13	8	6	2	11	7	4
	VII.—The puerperal state		47	27	732	428	297	372	110	337	96	76	20	403	362	41
134 185 136 137	Accidents of pregnancy. Puerperal hemorrhage Other accidents of labor. Puerperal septicemia.	1 7 25	10 5 14	1 2 11	205 41 140 204	118 28 92 104	67 12 42 130	88 11 58 138	21 4 18 50	76 24 45 119	18 11 40	15 9 34	3 2 6	101 24 72 126	91 23 66 111	10 1 6 15
138 139 140	Puerperal albuminuria and convulsions.  Puerperal phlegmasia alba dolens, embolus, sudden death  Following childbirth (not otherwise defined).	1	16 1 1	9	128 11 3	80 5 1	39 7	67 8 2	17	65 7 1	24 2	17 1	7	70	63 4	7 2
141	Puerperal diseases of the breast	l	IJ <u>.</u> .		l		l				<u>1</u>	1	i	3 1	3 1	•••••

Detailed Int. List No.	CAUSE OF DEATH.	Total.	OLUMBL	1.	ILLIN	(010.		ANA.	KAN				KENTU			
		Total.	1	1 1					-		i —	Oition		72,22	al distri	oto.
		10001.	White.	Col- ored.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Total.	White.	Col- ored.		White.	Col- ored.
ļ	VIII.—Diseases of the skin and of the cellular tissue	23	11	12	115	101	28	80	14	, 63	21	14	7	. 60	52	8
143	Gangrene Furuncle. Acute abscess. Other diseases of the skin and annexa.	13 5 4 1	3 4 4	10 1	49 22 17 27	59 6 12 24	9 6 7 6	- 51 6 11 12	7 2 3 2	45 8 6 4	8 2 4 7	5 2 3 4	3 1 3	30 6 12 12	25 5 10 12	5 1 2
	IX.—Diseases of the bones and of the organs of locomotion	13	9	4	94	44	38	36	13	21	13	12	1	19	19	
- 1	Diseases of the bones (tuberculosis excepted). Diseases of the joints (tuberculosis and rheumatism excepted).	7 6	5 4	2 2	78 11	37 5	32 5	32 3	10	17 4	12	11	1	18	18	
148 149	AmputationsOther diseases of the organs of locomotion				5	2	i	i	2					1	·····i	
150	X.—Malformations	38	31 31	$\frac{7}{7}$	639 639	352 352	189 189	337	50 50	234	43	37	6	189	181	8 8
	Hydrocephalus. Congenital malformations of the heart. Other congenital malformations	3 22 13	17 12	i 5 1	65 383 191	28 222 102	10 133 46	18 230 89	36 12	20 143 71	26 15	1 21 15	1 5	10 99 80	9 97 75	8 1 2 5
151	XI.—Early infancy	382	251	131	2,480	1,574	782 635	1,080 854	276	936	316 273	265 231	51 42	1,598 1,436	1,440	158
	(total) Premature birth Congenital debility, "atrophy," "marasmus," etc.	OE4	164 43	90 16	1,777 1,439 338	1,284 918 366	541 94	720 134	150 80	552 225	191 82	163 68	28 14	1,165 271	1,059 240	106 31
152	Congenital debility, "atrophy," "maras- mis," etc.  Other causes peculiar to early infancy (total) Injuries at birth Other causes peculiar to early infancy <sup>1</sup> Lack of care	68 30 38 1	44 22 22	24 8 - 16 1	691 420 271 12	286 165 121 4	146 67 . 79	225 110 115 1	46 21 25	157 81 76 2	43 13 30	34 12 22	9 1 8	157 76 81 5	137 67 70 4	20 9 11 1
	XII.—Old age	84 84	<u>59</u>	25 25	245 245	529 529	53 53	159 159	98 98	407	110 110	92 92	18	439 439	385 385	54 54
	XIII.—External causes		289	147	3,659	2,227	1,279	1,479	373	1,136	539	402	137	1,385	1,164	221
155 156 157	Suicide (total) By poison By asphyxia. By hanging or strangulation By drowning.	68 12 12 7	58 11 10 6	10 1 2 1	578 74 187 62	252 39 4 55	139 55 7 10 5	202 46 4 49	44 9 2 6	162 36 1 32	67 11 1 14	63 11 1 13	1	119 18 25	109 16	10 2
158 159 160 161	By drowning.  By firearms.  By cutting or piercing instruments.  By jumping from high places.  By crushing.	6 23 5 3	19 3 3	4 2	33 152 38 20	18 101 15 5	46 10 2	14 70 15	18 5 1	10 67 9	6 27 4 3	26 3 2	1 1 1	7 54 9 4	6 49 8 4	1 5 1
162 163	Other suicides				6 6	7 8	3 1	3	i	2 5	1	1 296		2	2 957	
164 165 166 167	Accidental or undefined (total) Poisoning by food Other acute poisonings Conflagration. Burns (conflagration excepted).	312 2 9 1 37	211 2 7 1 21	101 2 16	2,767 12 46 16 253	1,870 28 32 12 144	1,061 12 20 7 97	1,238 35 34 10 102	282 4 8 9 20	920 19 38 5 55	386 5 9 7 32	290 5 6	90 3 7 12	1,114 21 19 32 169	18 19 13 150	157 3  19 19
168	Absorption of deleterious gases (conflagra- tion excepted)  Accidental drowning	36	31 8	5	302	, k <sub>207</sub>	54	22 95	12	22 71	11	8	3	32	25	7
169 170 171 172	Traumatism by irrearms Traumatism by cutting or piercing instruments.	20 3 1	8 2 1	12 1	130 65 7	77 4	48 19	42   3	16 13 3	52 3	32 24 3	25 13 2	7 11 1	64 90 3	53 73	11 17
172 173	Traumatism by fall  Traumatism in mines and quarries (total).  Traumatism in mines.	55 1 1	42 1 1	13	378 35 34	158 212 212	146 32 32	265 86 83 3	46 4 3 1	140 35 34	53 1 1	49 1 1	4	147 92 92	134 82 82	13 10 10
174 175	Traumatism in quarries.  Traumatism by machines	10 106	6 72	4 34	1 98 1,049	30 554	64 452	18	10 94	33 287	10 126	6 109	4 17	15 226	15 196	30
175	Traumatism by other crushing (total) Railroad accidents and injuries Street-car accidents and injuries. Automobile accidents and injuries. Injuries by other vehicles. Landslide other crushing.	6 28 54 14	6 17 35 12	11 19 2	382 181 386 86 14	392 28 78 41	243 63 99 35	187 38 78 67 12	40 16 30 7	114 7 99 61	46 11 50 14	40 , 9 43 14	6 2 7	150 2 42 28	132 2 35 25	18  7 3
176 177	Injuries by animals Starvation		2	2	20 1	15 26	12 10	30	2	6 25	5 2 1	, 2 , 1	2	4 14 1	12 1	2 2 8
178 179 180 181 185	Excessive cold Effects of heat Lightning Electricity (lightning excepted) Fractures (cause not specified) Other external violence	3 8 1 1 2	1 2 1 1 2	2 6	11 29 3 30 79	10 22 15 20 119	5 12 24 3	18 12 18 18	8 8 5	11 20 17 9 8	6 12 5 14	9 4 11	2 3 1 3	17 12 18 7 32	9 10 14 6 32	2 4 1
186	Other external violence.  Homicide (total)  By firearms.  By cutting or piercing instruments.  By other means.	16 56 37	10 20 13 3 4	6 36 24 5 7	205 314 181 35 98	152 105 66 9 30	56 79 49 11 19	57 39 27 2 10	16 47 34 4 9	70 54 40 1 13	33 86 67 12 7	21 43 33 7 3	12 43 34 5 4	103 152 120 13 19	92 98 76 8 14	11 54 44 5 5
.	XIV.—Ill-defined diseases	6	2	4	108	402	18	49	31	270	57	38	19	985	865	120
188	Ill-defined organic disease Sudden death Not specified or ill-defined (total) Ill-defined Not specified or unknown	5	2	3 1	102 62 40	28 3 371 271 100	18 6 12	1 1 47 20 27	1 30 13 17	19 15 236 95 141	3 1 53 22 31	1 1 36 16 20	17 6 11	59 56 870 204 666	51 51 763 184 579	8 5 107 20 87

			Įse		t head of	tms table	e, p. 286.						·		
Detailed Int. List. No.			~	LOUI	SIANA.			MAI	INE.			MARY			<u> </u>
ailec Ist. 1	CAUSE OF DEATH.		Cities.		R	ural dist		Cities.	Rural dis-		Cities.		Ru	ral distric	
P. J.		Total.	White.	Col- ored.	Total.	White.	Col- ored.	O112CS.	tricts.	Total.	White.	Col- ored.	Total.	White.	Col- ored.
	All causes	12,359	7,210	5,149	19,842	8,612	11,230	3,967	10,532	17,359	13,581	3,778	14,775	10,748	4,027
_	I.—General diseases.	4,468	2,575	1,893	8,679	3,466	5, 213	1,370	3,685	5,300	4,089	1,211	5,172	3,748	1,424
1 2	Typhoid fever Typhus fever	109	64	45	600	316	284	Ac 18	40	83	57	26	155 1	97 1	58
3 4	Typhus lever Tryphus fever Relapsing fever Malaria Smallpox	53	21	32 5	473	219	254		2	i	<u>i</u> -		5	4	ī
5 6	Mengles	20	2 22	5 10	211 318	209	6 109		<del>-</del> -	77					
7 8	Scarlet fever.	1 90	1 59	31	266	100		18.	81 12	9	62 7	15 2	61 11	45 11	16 110
9 10	Scarlet fever Whooping cough Diphtheria and croup Influenza	29 1,601	23 1,048	6 553	68	40	166 28	25 12	34 49	247	156 73	91 1	217 61	107 50	11
11	Miliary fever Asiatic cholera	1,001	1,048	553	3,711	1,458	2,253	622	1,891	2,020	1,712	308	2,417	1,819	598
12 13	Cholera nostras	1 1		1	8	3	5	2	2	2		2	4	3	1
14 15	Dysentery Plague	56	34	22	250	136	114	5	24	20	16	4	27	19	8
16 17	Yellow fever Leprosy		<b></b>												
18 19	Erysipelas Other epidemic diseases	13	12	1	9 24	8 24	1	9	17	18	15	3	11	10	····i
20	Purulent infection and septicemia	16	1 10	6	20 73	11 40	9 33	1 6	8	5 15	3 15	2	. 1	1 7	· • • • • • • • • • • • • • • • • • • •
21 22	Glanders Anthrax		1			4			i				ļ		
23 24	Rabies Tetanus	. 3	1	1 2	4 2	2			Į	·					
25 26	Mycoses		14	26	67	27	40	2	1 1	16	10	6	17	11	6
27	Pellagra Beriberi		23	77	163	37	126	10	6	5	3	2	13	11	2
28	Tuberculosis (total)	1,446 1,260	690 611	756 649	1,848 1,681	473 417	1,375 1,264	265 193	658 528	1,558 1,325	1,005 868	553 457	1,369 1,228	910	459 403 12
29 30 31 32 33 34	Acute miliary tuberculosis. Tuberculous meningitis Abdominal tuberculosis.	62	25 20	37	75 12	17 8	58	9 28	17 52	77	35	42 17	29	825 17	12
31 32	Pott/e dispass		13	5 20 3	50 4	19	31	17 3	36 2	34 11	58 21 7	13	40 7	29 22 4 5	18 3 1 5
33 34	White swellings Tuberculosis of other organs Disseminated tuberculosis	10 14	5 6	5	8 13	1 5	1 7 8	2 6	1	9	3 7	6 7	6	5	1
35			6	29	5	3	2	7	17 5	14 13	6	7	10 16	5 3	13
36 37	RicketsSyphilis	10 198	68 68	130	9 166	3 17	6 149	1 39	4 18	6 119	2 52	67	18 55	8 15	. 10 40
38	Gonococcus infection  Cancer and other malignant tumors (total)	16 463	5 333	11	7	1	6 177			25	9	16	2	1	1 1
39 40	Cancer and other malignant tumors (total) Of the buccal cavity Of the stomach, liver Of the perttoneum, intestines, rectum Of the female genital organs Of the breast Of the skin	32 134	24	130 8 36	411 16 112	234 14	2 41	235	606 28	701 28 265	629 24	72 4	496 18	432 16	64 2 30 7 12 4 2
39 40 41 42 43 44	Of the peritoneum, intestines, rectum Of the female genital organs	45 108	98 37 60	8 48	23 117	71 16 45 12	7 72	81 46	208 99	97 114	241 87	24 10	209	179 48	30 7
43 44	Of the breast Of the skin	35 12	22 12	13	34 24	12 20	22 4	41 20	99 61	72	101 61 13	13 11	60	48 38	12
45 46	Of other organs or of organs not specified	97	80	17	85	56	29	36	22 89	112	102	10	23 89	21 82	: 7
47	Other tumors (tumors of the female genital organs excepted).	2	2		7		7	1	3		<u> </u>		2	. 1	l . '
48 49	Acute articular rneumatism Chronic rheumatism and gout	31 8	17 6	14 2	42 6	16 5	26 1	10	18 11	39 9	20 9	19	22 13	16	6
50	Other tumors (tumors of the temale genital organs excepted). Acute articular rheumatism. Chronic rheumatism and gout. Scurvy. Diabetes.	73	62	1 11	1 38	1 29	9	1 53	3 114	1 132	1 119	13	4 104	12 2 87	1 6 1 2 17
51 52	Exophthalmic goiter Addison's disease. Leukemia	. 8	6	2	3	1	2	4	3	17	17		9	6	3
53 54	Leukemia Anemia, chlorosis	16 19	10 17	6	3	3	6	5	10 10	3 15	3 15		6	6	
55 56	Other general diseases	. 5	4	2	19 28	13 15	13	16 1	36 8	39 11	38 8	1 3	20 17	· 20	4
57 58	Alcoholism (acute or chronic). Chronic lead poisoning	. 5	8 4	2	20	12	8	6	11 6	26 4	25 4	1	25	21	4
59	Other chronic occupation poisonings. Other chronic poisonings.	1	i						$\frac{1}{2}$	2 1	2 1		1	1	
	II.—Diseases of the nervous system and							i							
60	of the organs of special sense Encephalitis	3	496	216	890	453	437	371	$\frac{1,022}{5}$	1,195	954	$\frac{241}{1}$	1,313	1,016	297 4
61	Meningitis (total)	21	42 5	19	25 97 49	64	33 19	25 14	57 36	96 11	82 10	14	66	50 30	16
	Cerebrospinal meningitis (undefined) Cerebrospinal fever	.1 12	6 31	6	33 15	23 11	10	8 3	11 10	9 76	9 63		14	11 9	*10 3 3
62	Locomotor ataxia	. 20	17	3	7	5	2	7	18	15	11	13 4	19.	17	2
63	Other diseases of the spinal cord (total)  Acute anterior poliomyelitis	. 2	29 2	11	26 11	20 10	6 1	18	38 5	48	41	7	42 11	.35 8	.3 4
. 64	Other diseases of the spinal cord <sup>1</sup> . Cerebral hemorrhage, apoplexy.	. 431	27 298	11 133	15 369	10 186	5 183	16 217	33 721	41 861	34 681	7 180	31 732	27 578	4 154
65 66	Softening of the brain. Paralysis without specified cause	40	9 22	2 18	11 129	7 58	4 71	2	12	6	6		15	14	
67 68	General paralysis of the insane. Other forms of mental alienation	37 16	26 14	11 2	37 33	19 10	18 23	21 38 10	55 19	42 37	32 23	10 14	185 . 73	· 146	. 1 39 15
69	Epilepsy	11	7	4	60	28	32	20	15 22	10	9	1	11 60	7 42	4 18
70 71	Convulsions (nonpuerperal) Convulsions of infants		1 4	6	9 47	4 12	5 35	2 3	2 18	19	15	4	7 56	. 33	23
72 73	Chorea Neuralgia and neuritis		2 2		2 5	3	2 2		7	6			2	1.	1
74 75	Neuralgia and neuritis. Other diseases of the nervous system. Diseases of the eyes and their annexa.	19 2	16	3 2	24	15	9	3	26	37	6 33	4	5 16	5 12	4
76	Diseases of the ears	6	5	ĺ	9	7	2	4	$\begin{vmatrix} 1 & 6 \end{vmatrix}$	10	8-	2	16		<u>5</u>

<sup>&</sup>lt;sup>1</sup>Exclusive of acute anterior poliomyelitis (infantile paralysis).

# CAUSES OF DEATH, URBAN AND RURAL.

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1918—Continued.

-					UISIANA.				INE.			MAR	YLAND.	<del></del> -	===
Int. No.	CAUSE OF DEATH.	:	Cities.		<u> </u>	ral distri	nte			_	Cities.		Rur	al distric	 ts.
Detailed List 1	. OROSE OF DEATH.	Total.	White.	Col-	Total.	White.	Col- ored.	Cities.	Rural dis- tricts.	Total.	White.	Col- ored.	Total.	White.	Col- ored.
-	III.—Diseases of the circulatory system	1,483	818	ored.	1,195	492	703	475	1,507	1,960	1,508	452	1,488	1,145	343
77 78 79 80 81 82	Pericarditis Acute endocarditis Organic diseases of the heart Angina pectoris Diseases of the arteries, atheroma, aneurism, etc.	3 87 1,111 48 203	2 35 609 39 109	1 52 502 9 94 2	20 45 1,010 30 68	5 12 411 24 27 8	15 33 599 6 41	1 25 337 22 72 72	5 19 1,116 97 235	13 50 1,587 83 188	9 · 37 1,198 64 167 20	13 391 19 21 2	12 32 1,228 71 118	9 27 922 64 99 20	3 5 306 7 19 2
83 84 85	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).  Diseases of the lymphatic system (lymphangitis, etc.).  Hemorrhage; other diseases of the circulatory system.	6 4 2	3 3 1	3 1 1	2 1 6	.2 1 2	 4	4 1 1	2 -1 8	11 4 2	11 <sup>'</sup> 2 2	2	2 3	1	1
	IV.—Diseases of the respiratory system.	2,038	1,188	850	2,485	1,149	1,336	684	1,446	3,892	3,004	888	2,464	1,748	716
86 87 88 89 90 91 92 93 94 95 96 97 98	Diseases of the nasal fossae.  Diseases of the larynx Diseases of the thyroid body. Acute bronchitis.  Bronchopneumonia. Pneumonia (total).  Lobar pneumonia. Pneumonia (undefined). Pleurisy.  Pulmonary congestion, pulmonary apoplexy. Gangrene of the lung. Asthma. Pulmonary emphysema. Other diseases of the respiratory system (tuberculosis excepted).	3 1 54 39 291 1,593 1,079 514 30 6 2 14	28 27 168 933 639 294 14 5 2	2 1 126 12 123 660 440 220 16 1	23 8 31 44 374 1,850 646 1,204 21 16 2 29 3	3 6 2 33 24 218 822 306 516 6 9 2 9 3	20 2 1 48 20 1,028 340 688 15 7	19 14 152 472 383 89 7 10 1 2	3 5 1 71 45 255 1,020 676 344 6 16 2 14	1 3 1 158 71 1,009 2,575 2,548 27 40 5 1 23 1	1 3 1 103 57 753 2,082 2,010 22 27 4	55 14 256 543 538 5 13 1 1	11 15 1 126 69 598 1,544 1,354 1,90 36 28 2 19 1	65 50 429 1,108 988 120 2 20 2 17 1	5 3 1 61 19 169 436 366 70 8 8
	V.—Diseases of the digestive system	1,082	639	443	1,815	971	844	288	614	1,447	1,143	304	1,282	893	389 .
99 100 101 102 103 104 105 106 107 108	Diseases of the mouth and annexa Diseases of the pharynx Diseases of the stophagus Ulcer of the stomach Other diseases of the stomach (cancer excepted) Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over) Ankylostomiasis. Intestinal parasites Appendictis and typhlitis.	7 28 38 378 150	15 19 219 77 87	13 19 159 73	19 31 231 886 254 3 41 72	7 6 106 509 141 3 11 41	12 25 7 125 377 113 30 31	5 20 76 33	7 8 14 77 230 64 2 57	4 12 1 28 36 834 143 	2 10. 1 21 27 651 104	2 2 7 9 183 39	19 113 769 128	5 13 15 79 522 93	3 5 4 34 247 35
109 110	Hernia, intestinal obstruction (total) Hernia Intestinal obstruction Other diseases of the intestines	102 30 72 23	63 16 47 13	39 14 25 10	82 18. 64 22	41 5 36 12	41 13 28 10	- 39 - 17 22 9	62 13 49 15	128 53 75 18	107 44 63 15	21 9 12 3	59 19 40 7	41 12 29 6	18 7 11 1
111 112 113 114 115 116 117 118	Acute yellow atrophy of the liver. Hydatid tumor of the liver Cirrhosis of the liver Biliary calculi Other diseases of the liver Diseases of the spleen Simple peritonitis (nonpuerperal). Other diseases of the digestive system (cancer and tuberculosis excepted).	110 21 57	1 69 17 44 7	1 41 4 13 13	71 19 43 1 23	38 13 21 1 14	33 6 22 9.	11 13 9 2 3	22 10 28 2 10 2 2	3 71 28 27 1 10	2 1 61 27 24 1 6	10 10 3	64 9 20 1 27	52 9 15 1 16	12 5 11
	VI.—Nonvenereal diseases of the genito- urinary system and annexa	1,205	670	535	874	403	471	297	666	1,349	1,058	291	1,084	779	305
119 120 121 122 123	Bright's disease	114 894 24 2	59 515 19 2	55 379 5	88 661 35 4	35 313 20 1	53 348 15 3	19 220 7 3	37 551 9 5	87 1,152 21 6	51 919 17 6	36 233 4	125 896 8 3	68 663 6	57 233 2
124 125 126 127 128	Diseases of the bladder. Diseases of the urethra, urinary abscess, etc. Diseases of the prostate Nonvenereal diseases of the male genital organs. Uterine hemorrhage (nonpuerperal).	14 18 41 1	12 3 29	2 15 12 1 1	36 3 22	18 1 10	18 2 12	9	15 1 28 1	5 3 35 2	5 2 31 2	1 4	17 15	13	7 2
129 130 131 132 133	Other diseases of the uterus.  Cysts and other tumors of the overy.  Salpingitis and other diseases of the female genital organs.	.[ 50	17	19 9 4 33	6 12 2 4	1 3 1	5 9 1 . 4	10 9 3 8	11 1 2 5	20 8 5 5	11 6 4 4	9 2 1 1	7 4 3 6	5 4 3 4	2
	VII.—The puerperal state	151	91	60	343	151	192	41	103	158	128	30	167	112	55
134 135 136 137 138 139	Other accidents of labor	17 10 18 66 38	13 37	8 2 5 29 16	55 32 82 78 90	27 16 40 25 40	42 53	9	28	38 12 18 51 37	36 10 17 33 31	1 18 6	58 13 24 35 32	46 7 14 23 18	12 6 10 12 14
140 141	sudden death. Following childbirth (not otherwise defined).	2	2		5 1	2 1	3	. 2	7 1	1	i	1	3 1 1	2 1 1	1

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1918—Continued.

iit.	1			LOUI	SIANA.			MA	INE.			MARY	LAND.		
Detailed Int. List No.	CAUSE OF DEATH.	•	Cities.		Ru	ral distric	ets.		Rural		Cities.		Rur	al distric	ets.
Deta	•	Total.	White.	Col- ored.	Total.	White.	Col- ored.	Cities.	dis- tricts.	Total.	White.	Col- ored.	Total.	White.	Col- ored.
	VIII.—Diseases of the skin and of the cellular tissue	. 32	17	15	42	18	24	9	36	36	31	5	39	27	12
,142 143 144 145	Gangrene. Furuncle. Acute abscess. Other diseases of the skin and annexa.	18 4 5 5	6 4 2 5	12 3	24 7 5 6	8 5 2 3	16 2 3 3	4 2 1 2	27 2 3 4	9 8 10 9	5 8 9 9	4 1	20 4 5 10	9 4 4 10	11 1
	IX.—Diseases of the bones and of the organs of locomotion	22	15	7	9	7	2	5	8	28	23	5	12 '	11	1
146 147	Diseases of the bones (tuberculosis excepted).  Diseases of the joints (tuberculosis and rheumatism excepted).	20 1	14 1	6	8 1	6	2	4 1	8	26 2	22 1	4 1	4	3	1
148 149	Amputations. Other diseases of the organs of locomotion  X.—Malformations.	1 93	43	1 50	97	63	34	20	76	178	143	35	1 128	100	28
150	Congenital malformations (stillbirths not included) (total).  Hydrocephalus. Congenital malformations of the heart. Other congenital malformations.	93 7 74	43 3 31 9	50 4 43 3	97 9 49 39	63 3 42 18	34 6 7 21	20 2 17 1	76 5 47 24	178 12 130 36	143 11 98 34	35 1 32 2	128 12 85 31	100 8 68 24	28 4 17 7
151	XI.—Early infancy.  Congenital debility, icterus, and sclerema (total)  Premature birth.  Congenital debility "atrophy" "marse.	309 256 207	192 154 123	117 102 84	759 669 441	433 385 266	326 284 175	154 122 80	459 387 256	719 572 442	613 491 386	106 81 56	633 529 333	437 359 233	196 170 100
152 153	Congenital debility, "atrophy," "maras- mus," etc. Other causes peculiar to early infancy (total). Injuries at birth. Other causes peculiar to early infancy <sup>1</sup> Lack of care.	49 51 21 30 2	31 38 18 20	18 13 3 10 2	228 79 43 36 11	119 47 29 18 1	109 32 14 18 10	42 32 21 11	131 72 34 38	130 146 63 83 1	105 121 58 63 1	25 25 5 20	196 100 48 52 4	126 77 39 38 1	70 23 9 14 3
154	XII.—Old age		39 39	11	570 570	194 194	376 376	43	252 252	105 105	92	13	138 138	103 103	35
155 156 157 158 159 160 161 162 163	XIII.—External causes. Suicide (total). By poison By asphyxia. By hanging or strangulation. By drowning By firearms. By cutting or piercing instruments. By jumping from high places By crushing Other suicides.	62 14 2 4 2	416 54 12 2 4 1 28 6 1	264 8 2 1 4	1,010 48 4 3 5 28 1 1 1 5	2 2 2 2 1 1 1 5	537 7 1 3 3	177 22 3 2 5 5	522 85 7 1 23 10 31 10 1 1	963 105 21 26 12 2 33 4 4	770 97 20 25 12 2 28 4 4	193 8 1 1 5	659 63 3 9 11 4 24 8 1	530 59 3 9 11 4 23 6 1	129 4 
164 165 166 167 168	Accidental or undefined (total) Poisoning by food. Other acute poisonings. Conflagration. Burns (conflagration excepted). Absorption of deleterious gases (conflagra-	495 13 8 2	308 7 8 2 34		746 20 30 15 95	372 · 11 · 8 · 6 · 41	374 9 22 9 54	152 5 5 2 11	430 5 4 20 36	791 8 9 5 90	645 5 7 3 74	146 3 2 2 2 16	570 14 9 7 45	458 10 3 3 29	112 4 6 4 ,16
169 170 171	tion excepted). Accidental drowning. Traumatism by firearms. Traumatism by cutting or piercing instru-	44 25	5 25 11	14	23 95 87	7 46 44	16 49 43	7 17 3	8 83 13	38 62 14	32 45 10	17 4	19 76 13	12 63 11	7
172 173	ments. Traumatism by fall. Traumatism in mines and quarries (total). Traumatism in mines	96	73	23 	3 54	30 30	24	28	3 73 3 1	3 150 6 3	1 139 5 3	11 1	76 16	65 16 16	ii
174 175	Traumatism in quarries Traumatism by machines.  Traumatism by other crushing (total) Railroad accidents and injuries Street-car accidents and injuries Automobile accidents and injuries Injuries by other vehicles, Landslide, other crushing,	24 153 55 24 47 15 12	13 97 29 16 35 10	56 26 8 12 5		21 75 32 1 21 12 9	14 50 33 1 8 3 5	8 45 19 3 17 4 2	2 23 89 44 1 24 14	3 36 260 62 52 117 26 3	2 22 228 56 42 102 25 3	1 14 32 6 10 15	16 9 184 100 14 44 22 4	8 160 85 12 39 21 3	15 2 5 1
176 177 178 179 180 181 185 186	Injuries by animals. Starvation. Excessive cold. Effects of heat. Lightning. Electricity (lightning excepted). Fractures (cause not specified). Other external violence. Homicide (total).	2 3 2 5 43	2	2 2 2 1 20	6 5 12 7 25 1 14 94	4 1 12 9 52 60	2 5 8 6 13 1 5 42	1 1 3 12	4 2 7 5 10 36	16 57 6 4 24 67	3 41 6 3 19 28	1 13	9 18 5 4 18 43	6 11 4 4 17 33 13	3 7 1 1 10
182 183 184	By firearms. By cutting or piercing instruments	. 94 14	37	57 8	159 26	43 7 10	116 119 21	1	5	37 15 15	15 2 11	22 13	18	6	11
187 188 189	Sudden death	3 6 25	10	3 5 15 6	99 871 380	339 22 36 281 148 133	735 82 63 590 232 358	7 26 17	7 16 113 37	26	25 23 9 14	1 3 3	196 6 6 184 - 79 105	99 3 3 93 47 46	3 3 91 32

<sup>1</sup> Exclusive of injuries at birth.

Int.		MASSAÇI	iusetts.	місн	IGAN.	MINNI	ESOTA.	MISS	ouri.	MONT	TANA.	NEW :	HAMP- RE.	NEW J	ERSEY.
Detailed Int. List No.	CAUSE OF DEATH.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.
	All causes	61,196	16,052	25,455	27,865	11,575	19,534	25,374	27,937	3,212	5,773	4,493	5,088	39,142	21,846
	I.—General diseases	21,366	5,589	8,329	8,660	4,617	7,813	8,162	10,842	1,399	2,603	1,669	1,853	11,652	7,423
1	Typhoid fever Typhus fever Relapsing fever Malaria	132	21	153	179	47	40	193	471	6	47	14	6	113	54
3	Relapsing fever.	1													
4 5	Malaria	4	1 1	2 9	6 7	4	1 6	25 23	253 60	3	3	1	1	5	6
6	Manalan	491	87	152	100	34	65	143	231	2	16	23	23 2	384	158
7 8	Scarlet fever	57 575	16 115	100 220	78 272	80 136	74 174	38 242	56 281	34 6	37 58 28	53	47	33 341	19 226
9 10	Scarlet fever. Whooping cough. Diphtheria and croup. Influenza.	534 10,047	56 2,447	434 3,109	251 3,273	164 1,913	124 3,807	236 2,911	229 4,114	17 947	28 1,707	1,008	17 991	292 5,130	206 3,247
11	Miliary fever														
12 13	Asiatic cholera	5	5	3	7	4	5	i	4		2		<sub>i</sub>	2	3
14 15	Cholera nostras.  Dysentery.  Plague.	50	24 )	30	63	8	38	l 30	220	2	9	4	11	25	32
16	Yellow fever														
17	Leprosy	120	30	61	72	38	68	52	73	7	15	5	8	53	21
19	Other epidemic diseases	18	5	5	17	38 8	11	5	23	1	1		1	4	5
20 21	Purulent infection and septicemiaGlanders		16	27	23	17	25	19	29	4	9	4	3	25	7
22 23	Anthrax Rabies	5		i	i			1 4	1					3	1
24	Tetanus	31	5	14	21	7	25	22	32	1	1	2	4	33	11
25 26	Mycoses Pellagra	1 15	1 6	1 7	$\begin{bmatrix} 1\\2 \end{bmatrix}$	2 2	1 2	2 11	1 45			1 2		2	
27	Beriberi	,	1 007					0.007						0.770	
28	Tuberculosis (total)	4,573 3,786 138	1,397 1,234	1,872 1,542	1,695 1,450	978 807	1,466 1,222	2,067 1,796	2,813 2,518	176 148 5	328 284	240 187	314 275 5	2,713 2,238	2,073 1,880 55
28 29 30 31 32 33 34	Acute miliary tuberculosis. Tuberculous meningitis. Abdominal tuberculosis	138 364	26 53	59 132	38 66	28 77	' 36 99	69 64	64.1	5 10	5 22	6 22	$\frac{5}{12}$	122 195	55 68
31	Abdominal tuberculosis Pott's disease	142 38	39 13	65 19	75 14	28 77 25 17	43 19	81 29	80 83 21	10 9 2	22 5 3	11	12 9	82 31	68 28 11 12 13
33	White ewellings	19	12 12	13 31	9 31	5	8 29	18	3	1	1 5	3 2 7 2	5	9 24	12
35	Tuberculosis of other organs Disseminated tuberculosis	. 26	8	.11	12	14 5	10	2	34 10	1	3	2	2 5	12	6
36 37	RicketsSyphilis	31 228	5 61	19 190	14 93	1 86	12 42	315	8 116	18	1 24	<sub>11</sub>	3	19 148	3 51
38	Gonococcus injection	6	2	15	4	13	1	14	2	1		1		10	
39	Cancer and other malignant tumors (total) Of the buccal cavity	3,176 119	924 30	1,272 43	1,624 61	717 26	$1,228 \ 42$	1,274 56	1,214	97 2	182	192 5	286 14 84	1,573 45	910 31
40 41 42	Of the stomach, liver	1,026 612	311 187	486 173	684 219	301 91	602 127	412 178	529 122	35 12 22	68 21	57 43	84 54	641 238	358 <b>4</b>
42	Of the stomach, liver Of the peritoneum, intestines, rectum Of the female genital organs Of the breast	446 352	141	201 121	196 116	90 67	89 81	222 104	144 98	22 8	24 21	43 33 16	54 44 23 11	234 133	144 93
43 44 45	Of the skin Of other organs or of organs not specified	80 541	78 34 143	37 211	68 280	15 127	36 251	46 256	91 182	4 14	9 33	3 35	11 56	31 251	34 134
46	Other tumors (tumors of the female genital		110	211	200	121	201	200	102	14	99	90	90	201	102
47	organs excepted)	· 7	1 14	15 61	8 81	3 35	2 64	4 52	5 68	7	2 8	1	4 6	7 89	4 44
48 49	Chronic rheumatism and gout	29	12	18	32 8	4	26 1	11 1	32		8	3	2	19 6	19
50	Diabetes	577	210	248	342	135	258	244	250	27	51	36	61	380	183
51 52	Exophthalmic goiter	29 16	7 2	36 4	32 11	34 5	56 5	25 4	30 2	••••	6 2	1	1 5	27	5 <b>4</b>
53 54	Leukemia. Anemia, chlorosis	54 241	8 59	27 134	38 226	18 76	37 109	36 81	32 83	1 6	6 17	1 24	32	42 79	12 53
55	Other general diseases	89	14	30	40	10	20	18	38	2	6	7	12	40	21
56 57	Alcoholism (acute or chronic)	157 2	31 5	54 3	33	36	19	47 1	21 1	30 1	30	6	8	40 4	36 5
58 59	Chronic lead poisoning. Other chronic occupation poisonings. Other chronic poisonings.	4	·····i	2	1 2	2	1	5	4	i	2 2	2		4 2 5	3 1
*	II.—Diseases of the nervous system and	-		-	-	, -	- i		-	-	- 1	_		1	_
	of the organs of special sense	4,119	1,596	1,916	3,080	713	1,493	1,724	2,232	120	307	390	524	2,376	2,049
60 61	Encephalitis	18 295	. 2 47	12 132	18 100	2 41	11 58	7 135	14 209	5 32 10	1 20	3 30	3 26	12 233 79	3 91 37
	Simple meningitis Cerebrospinal meningitis (undefined)	92 75	19 20	49 41	36	41 15 6	21 19	38 12	94 51	10 10	5 11	30 20 4	14 7 5	68 I	37 32
	Cerebrospinal fever	128	8	42	38 26	20	18	85	64	12	4	6		86	32 22
62 63	Locomotor ataxia. Other diseases of the spinal cord (total). Acute anterior poliomyelitis. Other diseases of the spinal cord.	80 181	29. 59	36 87	54 170	18 54	24 86	51 96	31 144	1 5	3 16	7 19	8 21 5 16	35 105	32. 71 7
	Acute anterior poliomyelitis	30 151	8 51	15 72	37 133	6 48	26 60	11 85	20 124	2 3 55	5 11	3 16	5		7 64
× 1	Cereptar neutrinage, apoptory	1 2,004	1,071	1,117	1,997	444	866	952	1,276		158	237	381	1,625	1,340
65 66	Softening of the brain	28 105	17 41	18 91	34 248	2 23 9	9 65	18 90	23 211	1 8 2	1 13	3 15 28	4 22	8 91	22 100
67 68	General paralysis of the insane. Other forms of mental alienation.	187 18	115 15	142 36	115 38	9 10	89 43	219 12	211 75 29	2 2	36 29	28 10	22 10 1	59 27	157 62
69	Enilepsy	60	130	54	116	8	80	60	89	i	11	18	16	31	101
70 71	Convulsions (nonpuerperal)	81	1 21	57	3 84	1 30	3 67	12	3 34	1	7 1		···ii	2 47	1 29
72 73	Chorea		3	1 7	3 17	1 3	3 8	3 4	1 11	1	1	2	2 2	3	1
74	Other diseases of the nervous system	117	32	84	57	36	57	34	46	3	9	6	12 2	63	31
75 76	Diseases of the eyes and their annexa	63	13	5 37	$\frac{2}{24}$	31	23	31	33	3	2	4	3	33	8

<sup>&</sup>lt;sup>1</sup> Exclusive of acute anterior poliomyelitis (infantile paralysis).

## MORTALITY STATISTICS.

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1918—Continued.

[See note at head of this table, p. 236.]

int.		MASSACE	USETTS.	місн	IGAN.	MINN	ESOTA.	MISSO	ouri.	MONT	IANA.		намр-	NEW J	ERSEY.
Detailed Int. List No.	CAUSE OF DEATH.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	RE. Rural dis- tricts.	Cities.	Rural dis- 5
-	III.—Diseases of the circulatory system	8,293	2,866	2,992	4,284	1,349	2,046	2,842	2,584	225	371	544	818	4, 121	2,677
77 78 79 80 81	Pericarditis	28 272 6,157 286 1,350	11 57 1,999 132 605	25 111 2,259 92 424	23 78 3,312 203 564	16 63 1,034 30 165	8 59 1,622 72 216	30 124 2,012 84 530	35 46 1,965 104 385	21 169 12 14	27 307 9 19	16 376 23 107	3 13 545 54 163	14 279 3,301 116 300	11 135 2,106 99 262
82 83	Embolism and thrombosis.  Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).	140 25	48 3	51 9	62 12	23 10	46 10	40 11	30 5	5	7 2	17 3	35 2	77 16	47 8
84	Diseases of the lymphatic system (lymphangitis, etc.)  Hemorrhage; other diseases of the circulatory	28	9	17	14	6	6	3	2	2		2	2	13	3
85	system	7	2	4	16	2	7	8	12	1			1	5	6
86	IV.—Diseases of the respiratory system  Diseases of the nasal fossae	12,336	2,575	4,244	3,405	1,478	2,183	5,340	4,351	589	782	782	677	10,263	4,315
87 88 89 90	Diseases of the larynx Diseases of the thyroid body Acute bronchitis Chronic bronchitis	30 15 492 236	100 77	12 18 187 117	16 11 238 151	2 8 7 29 35	11 19 71 97	9 17 120 111	19 12 117 128	3 2 3 7	3 1 10 9	5 1 42 13	1 1 26 22	1 10 9 319 111	2 5 1 151 66
91 92 93	Bronchopneumonia. Pneumonia (total). Lobar pneumonia Pneumonia (undefined). Pleurisy.	3,097 8,209 8,139 70 153	628 1,682 1,652 30 23	1,020 2,716 2,416 300 74	759 2,030 1,587 443 74	298 1,038 1,001 37 33	368 1,511 1,397 114 49	1,146 3,769 3,717 52 81	3,049 2,921 128 32	63 500 482 18 4	150 585 551 34 9	157 545 426 119 7	119 474 322 152 9	2,135 7,454 6,855 599 115	924 3,056 2,609 447 40
94 95 96 97 98	Pulmonary congestion, pulmonary apoplexyGangrene of the lungAstimaPulmonary emphysemaOther diseases of the respiratory system (tu-	34 5 37 6	27 3 12 4	19 11 52 2	35 5 53. 8	3 4 12 1	13 9 21 1	19 7 40 10	23 4 52 2	4	2 2 4 2	5 6 1	8 1 8	43 3 41 7	26 7 27
50	berculosis excepted)	21	5	16	19	8	7	11	27	3	5		4	15	·10
99	Diseases of the mouth and annexa.	4,458	918	2,373	2,228	847	1,264	1,868	2,005	230	$-\frac{366}{3}$	320	265	3,051	1,382
100 101 102 103	Diseases of the pharynx Diseases of the esophagus Ulcer of the stomach Other diseases of the stomach (cancer excepted)	67 3 147 154	22 2 32 70	64 2 73 179	66 1 78 229	53 59 27	41 3 49 66	24 3 68 100	. 56 208	8 9 6	19 12 18	4 1 9 18	13 34	34 1 79 122	18 1 26 121
104 105 106 107	Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over) Ankylostomiasis	2,470 308	432 123	976 179	746 267	185 72	337 144 1	541 136	688 298	51 21	105 44	142 30	75 32 1	1,632 249	741 141
108 109	Intestinal parasites Appendicitis and typhlitis	395 339	31	305	172	170	205	287	157	68	62	33	17	235	53
110	Hernia, intestinal obstruction (total)	152 187 56	55 22 33 16	212 85 127 49	205 71 134 52	102 41 61 22	119 56 63 34	199 85 114 45	161 43 118 51	16 6 10 8	37 11 26 4	32 11 21 4	24 3 21 3	242 132 110 44	81 · 37 <u>44</u> 23
111 112 113 114	Acute yellow atrophy of the liver Hydatid tumor of the liver Cirrhosis of the liver Billary calculi.	9 2 223 121	1 1 59 26	5 2 147 47	7 189 43	2 66 42	98 64	251 71	9 2 118 66	17 9	25 12	22 9	27 9	7 1 230 51	1 107 12
115 116 117	Other diseases of the liver.  Diseases of the spleen.	95 2 30	27 13	66 3 41	92 4	26	50 5	83	61 5	11	9	9 2 4	17 2 7	68 5	31 8
118	Simple peritonitis (nonpuerperal) Other diseases of the digestive system (cancer and tuberculosis excepted)	17	2	7	55 8	10	27 5	37	68	2	16	1	, , ,	18 13	6 1
	VI.—Nonvenereal diseases of the genito- urinary system and annexa	3,014	822	1,367	1,691	804	1,186	2,452	1,895	136	235	237	367	2,659	1,489
119 120 121	Acute nephritis. Bright's disease. Chyluria. Other diseases of the kidneys and annexa.	127 2,472	41 715	94 993	92 1,328	31 607	45 959	147 1,973	147 1,550	14 99	19 190	12 185	16 309	188 2,228	92 1,304
122 123	Other diseases of the kidneys and annexa Calculi of the urinary passages.	76 23	1 <u>4</u> 6	40 9	39 7	10 9	29 12	61 10	25 7	2 1	5	3	4 1	40 5	16 1
124 125	Diseases of the bladder Diseases of the urethra, urinary abscess, etc	29 12	7	23 10	57 4	13 4	22	20 6	45 5	1	2	3	7 1	28 7	14
126 127 128	Diseases of the prostate. Nonvenereal diseases of the male genital organs Uterine hemorrhage (nonpuerperal)	131 3 1	21 1 1	62 4 3	97 5	63	76 3 2	68 1 1	5 75 2	7	8	18	18 1	57 2	33 4 1
129 130 131 132	Uterine tumor (noncancerous). Other diseases of the uterus. Cysts and other tumors of the ovary. Salpingitis and other diseases of the female gen-	57 21 26	6 2 4	39 26 18	25 16 11	21 10 9	8 4 8	54 23 14	12 9 6	2 1 2	1 5	6 2 3	5 2 2	36 13 16	8 3 2
133	ital organs Nonpuerperal diseases of the breast (cancer ex- cepted)	34 2	4	46	10	27	18	73 1	12	7	4	4 1	1	36 3	9 2
	VII.—The puerperal state	757	125	434	348	157	281	254	394	65	119	38	37	431	144
134 135 136 137	Accidents of pregnancy Puerperal hemorrhage Other accidents of labor Puerperal septicemia	185 46 168 183	35 5 28 21	80 36 84 139	69 29 58 97	39 3 27 52	88 18 45 66	54 20 33 102	86 26 59 150	16 4 6 28	28 8 29 26	8 3 5 9	4 3 8 7	97 31 61 131	32 11 30 38
138 139	Puerperal albuminuria and convulsions Puerperal phleemasia alba dolens embolus	131	23	86	80	29	50	42	61	10	21	11	14	97	26
140 141	Following childbirth (not otherwise defined)	38 5 1	10 3	7 2	13 2	6 1	12 2	3	8 4	1	6 1	2	1	9 4 1	7

Int.		MASSAC	HUSETTS.	місн	IGAN.	MINN	ESOTA.	MISS	OURI.	MON	TANA.		HAMP-	NEW J	ERSEY.
Detailed In List No.	CAUSE OF DEATH.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.
	VIII.—Diseases of the skin and of the cellular tissue	145	36	78	105	/ 31	55	56	55	5	1.	5	17	99	36
142 143 144 145	Gangrene Furuncle Acute abscess. Other diseases of the skin and annexa	39 27 35 44	17 4 8 7	30 11 15 22	68 6 9 22	9 8 10 4	31 6 8 10	17 15 13 11	36 6 6 7	3 2	1	1	15 2	36 16 34 13	19 6 3 8
	IX.—Diseases of the bones and of the organs of locomotion.	118	13	50	37	25	30	32	33	7	7	6	5	51	17
146 147	Diseases of the bones (tuberculosis excepted) Diseases of the joints (tuberculosis and rheumatism excepted).	100 16	`11	·43	25 6	19 5	,28	28 4	28 3	7	6	6	4	49	13
148 149	Amputations Other diseases of the organs of locomotion	2			6	····i	2		2				1	2	
150	X.—Malformations  Congenital malformations (stillbirths not in-	'  -	149	363	344	124	217	187	236	27	59	37	38	353	169
,	cluded), (total).  Hydrocephalus.  Congenital malformations of the heart.  Other congenital malformations.	632 64 399 169	149 15 83 51	363 31 207 125	344 38 201 105	124 14 65 45	217 18 112 87	187 22 103 62	236 19 147 70	27 4 16 7	59 6 35 18	37 5 17 15	38 3 22 13	353 28 223 102	169 16 106 47
151	XI.—Early infancy Congenital debility, icterus, and selerema (total)	2,789 2,153	553	1,575	1,346	607 498	1,046 855	795 619	939	133	285	230 192	171	1,712	707 586
101	Premature birth. Congenital debility, "atrophy," "marasmus," etc.	1,680 473	332	1,045	829 273	425 73	655	533	762 177	76 27	177 50	146 46	87 62	1,367 1,043 324	409 177
152 153	Other causes peculiar to early infancy (total) Injuries at birth. Other causes peculiar to early infancy 1 Lack of care	632 363 269 4	112 64 48 2	299 156 143 2	241 124 117 3	108 58 50 1	190 102 88 1	175 84 91 1	180 93 87 3	30 18 12	56 34 22 2	37 15 22	20 6 14 2	337 185 152 8	118 64 54 3
	XII.—Old age	144	78	192	466	57	262	42	224	8	66	46	101	104	148
154	Senility XIII.—External causes	144 2,751	78 674	192 1,485	466 1,628	57 752	262 1,463	42 1,578	224 1,392	252	66 528	46 179	101 202	104 2,215	148 1,242
155 156 157 158	Suicide (total)  By poison  By asphyxia  By hanging or strangulation  By drowning	- 368 48 121 42 38	106 10 8 22 20	164 28 24 36 9	238 45 2 67 22	118 18 17 26 7	173 22 50 12	243 76 13 24 15	201 41 36 10	. 34 13 2 1	63 8 1 7 9	32 2 9 3 5	36 2 10 6	206 23 80 25 8	152 11 27 38 12
159 160 161 162 163	By firearms. By cutting or piercing instruments. By jumping from high places. By crushing Other suicides.	60	24 16 1 5	45 14 5	80 15 2	40 9	68 15 2 2 2	76 29 8 1	101 6 1 3	13 4 1	35 3	7 5 1	14 4	45 15 9	48 10 3 1
164 165 166 167	Accidental or undefined (total) Poisoning by food Other acute poisonings Conflagration Burns (conflagration excepted)	2,312 14 34 26 271	552 9 11 11 28	1,240 24 30 24 127	1,364 25 28 41 107	599 4 10 51 44	1,257 10 20 291 63	1,060 19 29 20 97	1,126 26 27 18 94	194 3 5 5 8	431 10 2 7 19	145 3 3 3 14	164 3 5 3 14	1,912 16 25 36 266	1,042 14 5 14 ,81
168 169 170 171	Absorption of deleterious gases (conflagra- tion excepted). Accidental drowning Traumatism by firearms. Traumatism by cutting or piercing instru-	280 154 21	19 110 9	71 69 24	34 179 48	42 34 13	21 142 45	28 23 29	25 93 61	- 8 1 3	6 61 26	9 12 2	5 26 6	196 127 9	51 165 18
172 173	ments	10 488 3	82 82	2 196 31	3 215	1 120	6 114 64	203 21	7 203	16 16	37 45	37	28	321 1	2 126
174	Traumatism in mines. Traumatism in quarries Traumatism by machines.	3 109	11	31	79 79 41	2 2 34	63 1 39	21 19 2 50	38 35 3 32	43 43 5	45	9	1 10		12 11 1 14
175	Traumatism by other crushing (total) Railroad accidents and injuries ! Street-car accidents and injuries Automobile accidents and injuries Injuries by other vehicles Landslide, other crushing	714 157 88 383 77	197 65 17 93 19	426 126 95 175 26	326 125 50 80 60 11	186 57 17 86 21 5	272 112 4 97 52 7	414 132 61 181 34 6	287 152 7 58 57 13	68 28 3 26 8	142 67 2 38 31 4	34 14 2 10 7	42 24 11 7	681 272 81 261 58	364 175 28 127 26 8
176 177 178 179 180 181 185	Injuries by animals. Starvation. Excessive cold. Effects of heat	8 8 18	4 8 4	3 2 6	23 1 22 21	6 1 2	26 2 12 5	12 5 41	37 1 13 21	3	17 6	2	3	7 13 52	5 11 37
180 181 185 186	Lightning Electricity (lightning excepted) Fractures (cause not specified) Other external violence Homicide (total)	18 12 122 71	13 4 27 16	21 1 20 29 79	14 18 26 113	5 44	10 16 99	3 5 58	36 16 4 87.	4 6 1 13 24	13 1 1 31 34	2 1 12 2	2 4 1 9	1 15 16 75	3 11 1 108
182 183 184	By firearms. By cutting or piercing instruments. By other means. XIV.—Ill-defined diseases.	39 11 21 274	. 8 1 7	81 52 8 21	26 15 2 ·9	35 28 1 6	33 19 4 10	275 196 27 52	65 47 6 12	14 5 5	25 3 6	2	1	51 14 32	48 28 4 16
187	Ill-defined organic disease	2	58	57 5	17	14	195	1	572 12	16	44	10	13 2 3	55 2 -	48
188 189	Sudden death  Not specified or ill-defined (total)  Ill-defined  Not specified or unknown	36 236 182 54	9 48 40 8	5 3 49 35 14	16 210 94 116	10 4 · 6	16 174 58 116	1 1 40 13 27	27 533 102 431	16 8 8	2 42 19 23	10 10	3 8 7 1	5 48 39 9	1 47 38 9

<sup>&</sup>lt;sup>1</sup> Exclusive of injuries at birth.

nt.		NEW Y			id of the		CAROLIN	A.		он	10.	ORE	GON.	PENNSY	LVANIA.
ed L	CAUSE OF DEATH.			Ì	Cities.		l R <sub>17</sub>	ral distri	ote			ļ			
Detailed Int. List No.		Cities.	Rural dis- tricts.	Total.	White.	Col- ored.	Total.	White.	Col- ored.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.
	All causes	46,065	45, 461 14, 650	5,300	2,982 1,346	2,327	36,965 14,518	21,925	15,040	51,264 17,909	41,092	3,972	5,707 1,958	99,912	88, 039 34, 450
1 2 3 4	Typhoid fever. Typhus fever Relapsing fever Malaria Smallpox	415	164	79	36	43	489 179	269 71	220 108	347	413	15	58	415	513
5 6 7 8	Measles Scarlet fever Whooping cough Diphtheria and croup	1 117	222 56 269	41 4 56	34 3 29 10	7 1 27	267 19 649	2 221 17 326	1 46 2 323	105 65 340	14 139 100 332	25 4 18	28 11 30	438 88 765	2 393 86 756
9 10 11 12	Diphtheria and croup. Influenza Miliary fever Asiatic cholera		196 6,234	16 911	670	6 241	235 7,037	192 4,124	2,913	320 7,822	195 5,720	24 681	8 883	938 18,589	846 20,712
13 14 15	Cholera nostras Dysentery	8 71	19 72	2 43	2 14	29	24 513	21 293	3 220	1 47	11 122	2	20	16 84	38 148
16 17 18 19	Yellow fever Leprosy. Erysipelas Other epidemic diseases.	2 283 28	59 14	6 2	5 2	1	62 29	53 25	9 4	69 11	93 24	4 2	14 6	3 116 31	113 28
20 21 22 23	Purulent infection and septicemia. Glanders. Anthrax Rabies	75	38	6	3	3	50	32	18 1	40 1 7	35 1 1	8	9	53 1 4	64 2 4
24 25 26 27	Tetanus. Mycoses. Pellagra. Beriberi.	47	30 3	20 143	6 71	14 72	52 553	22	30 264	39 2 3	32	1 1	3	76 4	55 2 3
28 29 30 31 32	Tuberculosis (total)	13,469 11,383 450	3,495 3,059 115	587 517 15	304 279 4 8	283 238 11	2,825 2,512 89	1,311 1,157 30	1,514 1,355 59	4,449 3,690 120	3,150 2,670 77	274 211 6	400 335 9	6,961 5,769 284	5, 983 5, 175 173
31 32 33 34	Tuberculous meningitis Abdominal tuberculosis Pott's disease White swellings Tuberculosis of other organs.	1,032 271 115 59 116	118 101 31 14 38	13 34 2 1 4	10 1 1 1	5 24 1	89 52 97 14 14	37 47 7 8	15 50 7 6	279 170 50 24	124 144 41 25	26 15 3 2 9	16 22 4 3 7	441 247 66 38 71	249 211 43 33 66
35 36 37	RicketsSyphilis	62 1,014	19 10 124	1 40	17	3 1 23	40 7 10 131	22 3 3 28	7 103	69 47 20 431	46 23 9 161	2 2 14	7 4 1 16	45 48 419	45 236 12
38 39 40	Gonococcus infection  Cancer and other malignant tumors (total)  Of the buccal cavity  Of the stomach, liver	237	2,489 95 919	1 128 5 31	88 4 23	40 1 8	944 31 294	695 26 243	249 5 51	2,562 100 970	2,235 82 903	318 14 125	328 5	34 3,780 171	2,917
41 42 43 44 45	Of the peritoneum, intestines, rectum Of the female genital organs Of the breast. Of the skin. Of other organs or of organs not specified.	1,200 1,004 713 139 1,403	342 342 270 114 407	6 44 14 2 26	6 23 8 1 23	21 6 1 3	56 212 120 63 168	42 124 78 58 124	14 88 42 5 44	337 454 204 66	264 311 232 124	44 38 28 6 6	165 40 31 15 16	1,408 482 638 368 83 630	1, 293 323 400 267 124
46 47 48	Other tumors (tumors of the female genital	18	6 90	3 8	3 5	3	7 100	4 48	3 52	431 3 97	319 7 102	ii	56 4 11	19 163 45	418 11 185
49 50 51	Acute articular rheumatism Chronic rheumatism and gout. Scurry. Diabetes Exophthalmic goiter	1,763	61 1 517 63	3 26 2	2 24 1	1 2 1	30 5 153 12	23 114 8	7 5 39 4	30 1 449 109	45 1 442 79	66 7	65 9	45 8 704 66	61 5 618 49
52 53 54 55	Addison's disease Leukemia. Anemia, chlorosis Other general diseases.	45 206 373	50 232 37	8 6	6 4	2 2	16 30 60	13 25 46	3 5 14	12 51 178 46	16 40 177 46	2 10 21 10	2 6 29 7	17 64 217 72	15 51 207 76
56 57 58 59	Alcoholism (acute or chronic) Chronic lead poisoning Other chronic occupation poisonings Other chronic poisonings	19	59 2 12	3	1 i	2	9	6	3	149 9 1 8	70 3	4 1 2	3	128 6 1	190 6 1 8
60	II.—Diseases of the nervous system and of the organs of special sense	8,840	5,041	350	210	140	2,593	1,743	850	3,787	4,553	286	645	5,275	6,666
61	Encephalitis. Meningitis (total). Simple meningitis. Cere brospinal meningitis (undefined). Cere brospinal fever.	245	157 82 57	5 35 12 11	19 7 3	16 5 8 3	25 217 108 76	168 168 86 59 23	9 49 22 17	23 270 104 52	17 183 80 60	19 7 5 7	6 28 18 7	36 452 215 62	35 379 184 71
62 63	Locomotor ataxia Other diseases of the spinal cord (total) Acute anterior poliom velitis	151 432 63	18 83 201 19	12 1 16 3	9 7 1	1 9 2	33 17 71 18	12 53 10	10 5 18 8	96 142 25	43 87 212 40	5 17 1	3 5 23 1	175 95 265 43	124 129 295 60
64 65 66	Other diseases of the spinal cord <sup>1</sup> .  Cerebral hemorrhage, apoplexy  Softening of the brain  Paralysis without specified cause.	5,924 5,924 42 230	3,421 72 212	13 181 6 46	6 106 6 24	7 75 22	1,301 32 467	43 906 26 305	10 395 6 162	2,511 2,511 27	3,072 73	16 182 3	22 358 10	3,231 43	235 4,084 67
67 68 69 70	Other forms of mental alienation	109	440 84 181	11 14 9	9 13 8	2 1 1	43 65 145	29 41 65	14 24 80	69 252 62 75	204 185 134 154	17 7 3 4	79 45 20 22	229 238 64 134	344 399 92 267
71 72 73	Convulsions (nonpuerperal) Convulsions of infants Chorea Neuralgia and neuritis	126 9	60 3 13	12 	1 2	10	8 95 3 10	4 42 3 5	53 5	105 5 9	6 58 12 30	6 1 1	17 1	10 215 3	324 3
74 75 76	Other diseases of the nervous system Diseases of the eyes and their annexa Diseases of the ears	287	82	7	7	1	72 3 19	51 1 16	21 2	69 2	85 4	13	17 10	21 140 3 96	· 138 · 138 · 70

<sup>1</sup> Exclusive of acute anterior poliomyelitis (infantile paralysis).

==					d or thi				<del></del>	ĭ	== -	1			====
ınt.		NEW Y	ORK.			NORTH	CAROLINA	١.		OH.	10.	ORE	GON.	PENNSY	LVANIA.
lled st N	CAUSE OF DEATH.		Rural		Cities.		Ru	ral distri	ets.		Rural		Rural	2	Rural
Detailed Int.	•	Cities.	dis- tricts.	Total.	White.	Col- ored.	Total.	White.	Col- ored.	Cities.	dis- tricts.	Cities	dis- tricts.	Cities.	dis- tricts.
*	III.—Diseases of the circulatory system	18,548	7,824	408	221	187	2,408	1,560	848	5,583	5,673	526	786	9,676	7,970
77	Pericarditis	44	36	2	1 10	1	18	7	11	26	*42	2	4	36	45
78 79	Acute endocarditis	1,027 14,724	151 5,924	20 328	10 166 20	10 162	2, 114	1,355	13 759	261 4, 192	107 4,398	30 394 28	15 588 52	634 7,618 273	283 6, 233 362
80 81	Angina pectoris. Diseases of the arteries, atheroma, aneurism, etc.	571	339	23	20 17	3 6	100	58	9	199 763	285 751	49	105	886	866
82	Embolism and thrombosis	1,738 306	1, 180 154	23 6	3	3	120 19	80 11	40 8	89	60	17	13	144	128
83 84	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	53	12				10	6	4	27	. 15	2	4	29	13
85	Diseases of the lymphatic system (lymphangitis, etc.).  Hemorrhage; other diseases of the circulatory	67	20	· 3	2	1	6	5	1	20	. 3	2	2	38	27
	system	18	8	3	2	1	9	6	3	6	12	2	.3	18	13
	IV.—Diseases of the respiratory system	33,416	6,494	747	309	438	4,031	2,314	1.717	8,772	5,293	536	522	23,845	14,930
86 87 88 89	Diseases of the nasal fossae	7 45	31 9	2 4	2	$\begin{bmatrix} 2\\2 \end{bmatrix}$	50 41 10	13 34 9	37 7	2 15 22	3 22 17	1 2 5	2 4 1	3 55 31	10 85 35
89 90	Diseases of the larynx. Diseases of the thyroid body. Acute bronchitis. Chronic bronchitis.	50 980 452	213 237	33 18	9 3	24 15	139 80	60 58	79 22	239 167	139 171	14 11	9 14	713 325	473 234
91	Bronchopneumonia	8,253	1,479	166	75	91	876	526	350	1.812	1,324	91	125	5,933	3,792
92	Pneumonia (total) Lobar pneumonia Pneumonia (undefined)	22,831 21,456	4,259 3,713	495 430	200 165	295 265 30	2,673 1,991	1,531 1,198	1,142 793	6,287 6,209	3,408 3,204	381 356	317 254	16,078 13,789	9,723 8,074
93	Pneumonia (undefined) Pleurisy	1,375 487	546 109	65 9	35 6	30	682 43	333	349 15	78 89	204 50	25 12	63 15	2,289 287	1,649 139
9 <u>4</u> 95	Pulmonary congestion, pulmonary apoplexy	83 22	59 14	7	5 1	2	20	14	6	29 7	37 10	7	8 2	142 23	100 16
96 97	Asthma Pulmonary emphysema	115 16	48 9	4	1	3	51 1	22 1	29	7 <u>4</u> 3	70 4	1 6 1	19 1	161 11	186 15
98	Other diseases of the respiratory system (tu- berculosis excepted)	75	27	4	3	1	47	18	29	26	38	4	5	83	122
	V.—Diseases of the digestive system	9,916	2,776	548	281	267	3,421	2,288	1,133	4, 142	2,963	281	351	8, 125	7,284
99 100	Diseases of the mouth and annexa.  Diseases of the pharynx	59 161	17 64	2 7	3	2 4	41 41	18 29	23 12	17 77	16 58	3 13	5	39 99	23 100
101 102	Diseases of the esophagus	356	100	12 37	1 7	5	16 48	14 34	2 14	151	90	13	1 14	177	3 73
103 104	Other diseases of the stomach (cancer use epted).  Diarrhea and enteritis (under 2 years)	326 4,562	268 908	37 278	13 128	24 150	328 1,719	216 1,118	112 601	250 1,707	342 1,015	14 50	33 77	494 4,251	651 4,167
105 106	Diarrhea and enteritis (2 years and over) Ankylostomiasis	665	428	61	36	25	570 6	406	164	266	362	22	40	644	745
107 108	Intestinal parasites Appendicitis and typhlitis	989	3 159	40	26	14	28 161	11 123	17 38	2 461	1 176	52 52	63	609	8 225
109	Hernia, intestinal obstruction (total)	1,022 482	261 104	37 9	21 5	16 4	159 37	105	54	412 167	225 75	47 24	46 9	671 243	354 105
110	Hernia. Intestinal obstruction. Other diseases of the intestines.	540 154	157 52	28 7	16	12 4	122 38	18 87 18	19 35 20	245 65	150 60	24 23 12	37 10	428 80	249 81
111 112	Acute yellow atrophy of the liver	24 5	3 1	3	2	1	3	1	2	5	9	1	1	21 3	25 2
113 114	Acute yellow atrophy of the liver Hydatid tumor of the liver Cirrhosis of the liver Biliary calculi	914 243	266 51	17 7	11 5	6 2	94 25	66 18	28 7	370 135	300 83	12 20	24 12	533 141	458 80
115	Other disasses of the liver	250	92	16	10	6	71	55	16	127	124	12	17	191	158
116 117 118	Diseases of the spleen. Simple peritonitis (nonpuerperal). Other diseases of the digestive system (cancer	14 99	77	20	13	7	68 68	1 45	23	8 69	45 37	1 5	7	108	103
110	and tuberculosis excepted)	54	13	2	2		4	4		18	20	2	. 1	. 47	26
	VI.—Nonvenereal diseases of the genito- urinary system and annexa	10,460	3,245	402	207	195	1,924	1,177	747	3,018	2,470	236	347	6, 155	4,074
119 120	Acute nephritisBright's disease	461 8,892	169 2,703	40 309	15 172	25 137	172 1,522	98 973	74 549	183 2,366	116 2,033	7 178	15 268	478 4,970	327 3,312
121 122	Other diseases of the kidneys and annexa	176	60	12	7	5	63	34	29	59	1 45	1	7	91	62
123 124	Calculi of the urinary passages  Diseases of the bladder	1	12 73	1 5	1 2	3	13 27	9 16	11	22 27	15	3	2 4	21 63	15 79
125 126	Diseases of the urethra, urinary abscess, etc Diseases of the prostate	. 34	3 149	3 9	6	. 3	6 43	3 22	3 21	12 129	139	18	29	29 159	79 5 150
127 128	Nonvenereal diseases of the malegenital organs. Uterine hemorrhage (nonpuerperal)	.] 7					3 4	1	. 3	4	1 1	Ĩ		6	3 4
129 130	Uterine tumor (noncancerous) Other diseases of the uterus	176	32	4 9	3	4 6	22 21	4 7	18 14	87 29	24 12	8 5	9 4	106 56	33 20 25
131 132	Cysts and other tumors of the ovary Salpingitis and other diseases of the female	55	18	3	<b>  </b>	. 3	8	6	2	42	11	. 2	i	. 54	25
133	Nonpuerperal diseases of the breast (cancer	130	15	7	1	6	20	. 4	16	57	16	9	8	115	38
	excepted)	.  5	377	82	41	41	733	449	284	720	486	56	86	1,208	1,096
134	_ <del>-</del>			.!	9	2	163	117	46	173	133	9	15	307	
135 136	Accidents of pregnancy Puerperal hemorrhage. Other accidents of labor Puerperal septicemia.	137 270	100 28 86 83	5 9	3 6	3	45 159	33 99	12 60	40 118	47 80	5	5 13	81 194	330 72 235 252
137 138		416	83 65	22 34	11 12		134 228	69 127	101	264 112	136 75	25	25 24	367 232	252 180
139	Puerperal phlegmasia alba dolens, embolus, sudden death	. 37	13	1		. 1	2	2		13	13	ż	2	20	22
140 141	Following childbirth (not otherwise delined).	.] 10	2	<b> </b>			$\frac{1}{2}$			1	2	.]	- <sup>2</sup>	7	1

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1918—Continued.

Detailed Int.	5	NEW :	YORK.			NORTH	CAROLIN	ra.	,	OF	по.	ORE	GON.	PENNS	YLVANIA.
iled st N	CAUSE OF DEATH.		Rural		Cities.		Ru	ıral distr	icts.		Rural	-	Rural		<u> </u>
Deta		Cities.	dis- tricts.	Total.	White.	Col- ored.	Total.	White.	Col- ored.	Cities.	dis- tricts.	Cities.	dis- tricts.	Cities.	Rural dis- tricts.
	VIII.—Diseases of the skin and of the cellular tissue	289	127	15	6	9	76	. 49	27	106	125	10	17	225	237
142 143 144	Furuncle	82 51 82	74 7 22	11 1 2	4 1 1	7	31 10 19	17 8 13	14 2	33 15	86 10	3 5	8 2	103 33 52	148 25 32 32
145	Other diseases of the skin and annexa	82 74	24	Ī	<del>.</del>	ī	16	11	6 5	19 39	10 19	2	5 2	37	32 32
146	organs of locomotion  Diseases of the bones (tuberculosis excepted)	281 266	41 30	8	6 5	2	47	38	9	92	50	6	10	130	87
147	Diseases of the joints (tuberculosis and rheu- matism excepted)	12	8	1	1	2	38 5	30	8	80 12	37 9	5	10	115	. 71 12
148 149	Amputations Other diseases of the organs of locomotion	3	3				4	4			4			3	4
150	X.—Malformations  Congenital malformations (stillbirths not in-	1,157	386	26	24	2	247	196	51	557	450	34	60	951	1,012
	cluded) (total) Hydrocephalus Congenital malformations of the heart	1,157	386 44	26 1	24	2	247 34	196 22	51 12	557 42	450 37	34 2	60 5	951 73	1,012 76
	Other congenital maliormations	657 364	239 103	11 14	10 13	1	88 125	80 94	8 31	351 164	282 131	22 10	39 16	654 224	76 693 243
151	XI.—Early infancy	6,614	1,503	199	115	84	1,785	1,242	543	2,299	1,644	166	217	3,848	3,827
	(total).  Fremature birth. Congenital debility, "atrophy," "marasmus," etc. Other course reculier to confer in the confer in the confer in the confer in the confer in the confer in the confer in the confer in the confer	4, 985 3, 784	1, 217 937	175 127	100 78	75 49	1,571 1,145	1, 107 846	464 299	1,836 1,507	1,315 972	129 101	175 134	3, 104 2, 355	3, 155 2, 339
<b>1</b> 52	mus," etc. Other causes peculiar to early infancy (total) Injuries at birth. Other causes peculiar to early infancy <sup>1</sup>	1,201 1,623	280 283	48 24	22 15	26 9	426 203	261 131	165 72	329 461	343 321	28 37	41 41	749 730	816
153	Other causes peculiar to early infancy 1 Lack of care.	919 704 6	186 97 3	9 15	6 9	3 6	84 119 11	62 69 4	22 50 7	289 172 2	164 157 8	19	23 18 1	410 320	657 320 337
154	XII.—Old age	353	399	32	25	7	584	316	268	297	492	41	179	14 306	15 573
IOI	Senility XIII.—External causes.	353 7,719	399 2,471	32 257	25	7 101	584	316	268	297	492	41	179	306	573
155	Suicide (total) By poison	990	305	16	156 15 1		1,350	810 7 <u>1</u>	12	3,674	2,754 322	259 35	486 65 10	5, 636 497	5,256 469
156 157 158	By asphyxia By hanging or strangulation By drowning	354 133	35 12 107	1 2	1 2		5 1 16	5 1 14	2	85 4 63	53 2 66	9 4 3 4	1 8	· 118	52 13 130
159 160	By firearms	56 157 72	32 93	9	8	1	9 42	7 35	2 7	20 170	38 131	4	10 28	19	27 189
161 162 163	By jumping from high places. By crushing Other suicides.	115 9	20 2 2	1	1		8	7	1	28 6 1	21	6	8	35 15	39 6
164	Accidental or undefined (total).  Poisoning by food.	6, 369	2, 122	203	130	73 1	2 1, 118	2 675	443	2,926	2,331	212	402	5 4,818	6 7 4 559
165 166	Other acute poisonings Conflagration	27 98 109	31 42 49	4 7 5	3 5	1 2 5	39 50 29	27 25 9	12 25 20	24 61 48	29 53 55	3 9	5 4 14	21 86	4,552 32 83 73 396
167 168	Burns (conflagration excepted)	712	146	21	14	7	256	140	116	285	160	1 13	17	53 657	396
169 170	tion excepted)	720 582 45	57 297 54	1 9 25	5 11	1 4	38 95	20 64	18 31	94 187	58 168	7 19	9 65 26	239 194	105 318 85
171 172	Traumatism by cutting or piercing instru- ments. Traumatism by fall.	15	6	1		14	73 5	44	29	58	56 6	5	1	54	85 8
173	Traumatism in mines and quarries (total). Traumatism in mines	1,254	394 8	22	18	4	93	74	19	516 20	410 146	50	31	865 385	600 764
174	Traumatism in quarries. Traumatism by machines.	238	7 1 42	11	7	4	33	3	13	19 1 142	141 5 69	8	2 1 1 7	373 12	743 21 150
175	Traumatism by other crushing (total) Railroad accidents and injuries	2,025 413	736 350	64	51 24 3	13 9	218	140	78	1,170	799		132	191 1,566	
]	Street-car accidents and injuries. Automobile accidents and injuries. Injuries by other vehicles.	352 997	47 243	33 3 21	19	9	102 5 58	61 3 44	$\begin{bmatrix} 41\\2\\14 \end{bmatrix}$	437 142 482	457 74 168	59 12 7 32 6	55 1 34	676 218 558	881 87
150	Landslide, other crushing	230 33	65 31	7	5	2	41 12	23 9	18	78 31	81 19	6 2	19 23	103	1,379 881 87 295 95 21
176 177 178 179 180 181 185 186	Injuries by animals Starvation Excessive cold	29	22				16 1	10	6	10	32	3	6	24	-
179 180	Tightning	38 89 3	23 20 14	3	2	1	13 19 23 10	1 8 16	12 11 7	19 76 4	21 57		1	22 149	33 32 98 33 63 2
185 186	Electricity (lightning excepted). Fractures (cause not specified). Other external violence.	42 74 261	20 38 121	3 4 21	3 2 9	2	6	8	$\frac{2}{3}$	53 15	21 25 28	1 5	2 6 15 59	7 50 9	.33 63 2
182	Homicide (total)	360	44	38	11	12	98	60 64	38 85	135 371	137	28	- 11	238 321	295
183 184	By cutting or piercing instruments.  By other means.	191 60 109	24 4 16	29 5 4	7 2 2	22	121 12 16	55 1 8	66 11 8	247 57	55 19	9	19 13 2	203 48	235 147 41
197	XIV.—Ill-defined diseases	91	127	80	35	2 45	3, 248	1,448	1,800	67 308	27 300	3	43	70 149	47 577
187 188 189	Ill-defined organic disease Sudden death Not specified or ill-defined (total)	3 3 85	4 12 111	1 13 66	7	6	154 265	79 158	75 107	13	10 32	·	1 3	4 2	26 36
	III-defined Not specified or unknown	64 21	74 37	66 17 49	28 8 20	38 9 29	2,829 458 2,371	1, 211 275 936	1,618 183 1,435	293 71 222	258 95 163	3 2 1	39 25 14	143 95 48	515 205 310
<u></u>		J	1]	1,		Ji_	- ()	I	<u> </u>	1				٠. ا	010

<sup>1</sup> Exclusive of injuries at birth.

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1918—Continued.

		RHODE	ISLAND.	lı .		SOUTH	CAROLINA	<del></del>		l		TENNE	SEE		
d Ind No.	<b>415-25</b>	l	r		Cities.			ral distri	ets.	<u> </u>	Cities.	* 1		al distric	
Detailed Int. List No.	CAUSE OF DEATH.	Cities.	Rural dis- tricts.	Total.	White.	Col- ored.	Total.	White.	Col- ored.	Total.	White.	Col- ored.	Total.	White.	Col- ored.
-	All causes	10,235	2,172	4,623	2,066	2,557	26,138	9,086	17,052	10,000	5,831	4,169	27,134	20,118	7,016
	I.—General diseases		888	1,713	752	961	11,569	3,653	7,916	3,654	2,157	1,497	12,743	9,291	3,452
1			1	67	26	41	516	178	338	99	69	30	600	430	170
2 3	Typhoid fever. Typhus fever. Relapsing fever Malaria. Smallpox.		i												
4 5	Malaria. Smallpox	i	1	23	2	21	503 2	93	410	72 1	19	53 1	253 15	151 11	102 4
6	36-007	า รถะ	20	30	15	15	260 4	100 4	160	51 9	42 9	9	356 35	327 35	29
8	measure Scarlet fever Whooping cough Diphtheria and croup Influenza	115 90	42 12	68 18	22 15	46 3	686 121	182 76	504 45	68 35 1,398	48 - 30	20 5	489 242	356 217	133 25 1,152
10 11	Influenza Miliary fever	1,794	396	589	325	264	5,375	1,720	3,655	1,398	971	427	4,883	3,731	1,152
12 13	Miliary fever. Asiatic cholera. Cholera nostras. Dysentery. Plague.			34			11	4	7				9	8	·····i
14 15	DysenteryPlague	16	9	34	18	16	634	235	399 ]	71	46	25	252	210	42
16 17	Yellow fever			i	<sub>i</sub>										
18 19	Other epidemic diseases			13	9	4	27 15	22 7	5 8	14 5	13 4	1	52 28	49 26	3 2
20 21 22	Purulent infection and septicemiaGlanders	11	1	10	8	2	36	20	16	14	6	8	35	32	3
22 23	Anthrax Rabies			<u>i</u>	1		2	2		2	1	1	5	5	
24 25	Tetanus Mycoses Pellagra	6	1	18	4	14	27	7	20	10	. 5	5	30 2	19	11
26 27	Rellagra Beriberi	7		273	97	176	468	179	289	144	77	67	532	345	187
28	Tuberculosis (total)	812 632	266 249	366 306	103 93	263 213	1,994 1,840	419 388	1,575 1,452	1,074 877	428	646	3,703 3,287	2,380 2,123	1,323 1,164
29 30	Acute miliary tuberculosis. Tuberculous meningitis. Abdominal tuberculosis.	27 76	2 8	30	4	30 30	52 20	5 6	1,452 47 14	L CO	11	523 49	3,207 79 81	30 61	49
31 32	Abdominal tuberculosis	43	4	11	4	7	46	13	33	26 75 9	29 7	10 46	136	88	48
31 32 33 34	White swellings Tuberculosis of other organs Disseminated tuberculosis	6	1	, 1 3 6	1 1	3 5 1	4 21	13 1 1 4 1	3 17	9 11	354 11 16 29 7 .2	2 7 8	21 16 73	88 18 7 45	20 48 3 9 28 2
35	Disseminated tuberculosis	12 5	2	2 1	1	1	8		3 6	. 7	6-	5	10	8	1:
36 37 38	Syphilis	53 1	4	61	7	54	148 10	2 8 1	140 9	91 10	32 6	59 4	123 5	44 3	79 2
39	Cancer and other malignant tumors (total) Of the buccal cavity. Of the stomach, liver	472 19	98 6	9 <u>1</u> 5	62	29 1	479 15	267	212	319	226	93	702	596 22	. 106
40	Of the stomach, liver Of the peritoneum, intestines, rectum	151	28 10	23	15 3 11	8	144	83 24	2 61	83	9 69 17	14	209	182 51	27
40 41 42 43	Of the female genital organs Of the breast	92 83 42	15 15	20 11 7	11 7	194	140 62	13 83 24 57 29 25	9 83 33 4	11 83 . 23 91 40	17 52 22 13	6 39 18	56 155 92	111	5 44 17
44 45	Of the skinOf other organs or of organs not specified	15 70	2 22	7 21	7 7 15	6	· 29	25 36	20 20	· 16	'13 44	, 3 11	49 117	75 48 107	10
46	Other tumors (tumors of the female genital organs excepted)	2		2	1	1	6	1	5	2	1	1	8	7	1
47 48	organs excepted). Acute articular rheumatism. Chronic rheumatism and gout. Scurvy. Diabetes.	21 2	1	8	4	4	38 15	10 5	28 10	29 4	11	18 3	90 34	68	22 12 1
49 50	Scurvy. Diabetes	92	17	27	21	6	2 86	57	2 29	33	30	3	125	104	21
51 52	Exophthalmic goiter	8				·····i	2		-2	10	8	2	9	9	
53 54	Anemia, chlorosis	25 8	1 6	2	i	1	31	· 15	2 16	9 24	9 21	3	14 46	12 41	2 5
55 56	Other general diseases	23	1 2	7	7		49	31	18	31 14	25 13	6. 1	40 6	34	6 3
57 58	Alcoholism (acute or chronic). Chronic lead poisoning. Other chronic occupation poisonings.	1		2	2										
59	Other chronic poisonings	2					6	4	2	6	6		. 7	5	2
	II.—Diseases of the nervous system and of the organs of special sense	. 818	190	362	171	191	1,432	641	791	582	369	.213	1,647	1,281	366
60 61	Encephalitis. Meningitis (total). Simple meningitis	68 68	6	1 48	1 31	17	8 114	3 64	5 50	8 82 19	5 58	. 3 24	29 225	190	7 35
	Cerebrospinal meningitis (undefined) Cerebrospinal fever	29 13	3	8	8	2 15	33 44	,2I 28	12 16	19 34 29	19 24	10	92 85 48	79 73 38	35 13 12 10
62	Locomotor ataxia.	26 14	1 2	34 5	19 2	3	37	15 2	22	10	15 7	14   3	17	17	ł
63	Locomotor ataxia.  Other diseases of the spinal cord (total).  Acute anterior poliomyelitis  Other diseases of the spinal cord <sup>1</sup>	39 4	10 1	10 2 8	2 5 1	5 1 4	35 16	18 8	17 8	41 4	19	22	88 29	63 22	25 7 18
64	Cerebrar memorrhage, apopiexy	587	9 142	179	82 82	97	19 635	10 316	9 319	37 269	16 178	21 91	59 584	41 478	106
65 66	Softening of the brain. Paralysis without specified cause.	1 23	3 7	2 43	2 16	27	9 393	5 163	230	12 71	9 42	3 29	27 332	24 249	83 14
67 68	Other forms of mental alienation.	49 17	3	29 6	8 3	21 3	16 13	6 3	10 10	16 17	10 9	6 8	. 50 . 40	36 27	13
69 70	Epilepsy Convulsions (nonpuerperal)	29 1	3	22 1	15	7 1	45 13	12 4	33 9	8	6	2	104 3	73 2	31 1 25
71 72	Chorea	ł	8	5 1	1	1	116 3	24 3	92	16	5	11	48 3	23 3	25
73 74	Neuralgia and neuritis. Other diseases of the nervous system	2 12	2 2	6	3		4 21	3 12	1 9	2 19	1 10	. 1	16 53	10 39	6 14
75 76	Other diseases of the nervous system.  Diseases of the eyes and their annexa.  Diseases of the ears.	6	<sub>2</sub> .	4		2		3		. 9	1 1	ĭ	3 25	2 23	1 2
		1 70													

<sup>&</sup>lt;sup>1</sup> Exclusive of acute anterior poliomyelitis (infantile paralysis).

### MORTALITY STATISTICS.

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1918—Continued.

=		RHODE	ISLAND.	,			CAROLIN					TENNE	SSEE.		
d Int.	CAUSE OF DEATH.				Cities.	-	Ru	ral distr	icts.		Cities.		[[	al distric	ets.
Detailed Int. List No.	CRUSE OF BEATH.	Cities.	Rural dis- tricts.	Total.	White	Col- ored.	Total.	White.	Col- ored.	Total.	White.	Col- ored.	Total.	White.	Col- ored.
	III.—Diseases of the circulatory system	1, 178	232	515	240	275	1,499	661	838	881	493	388	1,747	1,306	441
77 78 79 80 81	Pericarditis. Acute endocarditis Organic diseases of the heart. Angina pectoris Diseases of the arteries, atheroma, aneurism, etc.	1 61 884 38 166	1 9 164 15 38	25 319 8 155	15 140 8 74	10 179 81	26 88 1,217 48 88	5 31 526 37 48	21 57 691 11 40	8 60 685 34 69	3 23 368 30 54	5 37 317 4 15	31 26 1,433 65 152	22 20 1,054 59 122	9 6 379 6 30
82 83	Embolism and thrombosis.  Diseases of the veins (varices, hemorrhoids,	20	2	4		4	10	5	5	19	12	7	13	11	
84 85	phlebitis, etc.)  Diseases of the lymphatic system (lymphangitis, etc.)  Hemorrhage; other diseases of the circulatory	2 5	1	1		1	4	3	1	1 2	1	1	2	2	1
00	system	1	2	3	3		18	6	12	3	2	1	21	15	(.6
86	IV.—Diseases of the respiratory system  Diseases of the nasal fossae	1,740	302	590	2,65	325	3, 119	1, 117	2,002	1,728	931	797	3,466	2,525	941
86 87 88 89 90	Diseases of the farynx. Diseases of the thyroid body. Acute bronchitis. Chronic bronchitis.	1 78 37	21 10	2 2 11 6	1 1 3 4	1 1 8 2	9 5 47 31	5 2 25 15	100 4 3 22 16	7 4 29 44	3 3 16 25	1 13 19	8 7 10 62 98	6 9 44 76	1 1 18 22
91 92 93	Bronchopneumonia. Pneumonia (total). Lobar pneumonia. Pneumonia (undefined). Pleurisy.	330 1,259 1,048 211 15	70 197 123 74	94 458 387 71 8	51 193 165 28 7	43 265 222 43 1	298 2, 498 1, 276 1, 222 33	164 853 529 324 15	134 1,645 747 898 18	344 1,229 1,007 222 26	197 656 519 137	147 573 488 85 19	660 2,471 1,399 1,072 41	510 1,774 955 819 27	150 697 444 253 14
94 95 96 97	Pulmonary congestion, pulmonary apoplexy Gangrene of the lung Asthma	6 1 11	1	4 2 3	2 1 2	2 1 1	15	11	4	7	7	10	17 8 50	14 5 32	3 3 18
97 98	Pulmonary emphysema Other diseases of the respiratory system (tuber- culosis excepted)	2	2				32	Ĭ 5	27	15	5	10	31	3 19	12
;	V.—Diseases of the digestive system	724	174	412	164	248	2,112	784	1,328	887	560	327	1,913	1,537	376
99 100 101	Diseases of the mouth and annexa Diseases of the pharynx Diseases of the esophagus	$\begin{smallmatrix}2\\12\\1\end{smallmatrix}$	1 6	2 5	2	2 3	67 34 2	7 10	60 24 1	7 16 3	7 12 3	4	29 38 1	24 31 1	5 7
102 103	Other diseases of the stomach (cancer excepted).	28 35	4 22	11 29	5 11	6 18	15 386	1 8 104	282	24 113	16 41	8 72	42 256	29 204	13 52
104 105 106 107	Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over) Ankylostomiasis Intestinal parasites	348 65 1	92 19	200 61	70 11	130 50	1,048 217 5 25	417 87 4 2	631 130 1 23	249 93	171 64	78 29	701 301 2 13	569 251 2 8	132 50
108 109	Appendicitis and typhlitis.  Hernia, intestinal obstruction (total).  Hernia.	51 67 31	5 5 2	31 31	21 16	10 15	82 94	35 43	47 51	149 91	100 55	49 36 10	126 116	101 90	25 26
110	Intestinal obstruction Other diseases of the intestines	36 17	3 2	9 22 6	5 11 4	11 2	21 73 19	6 37 7	15 36 12	23 68 19	13 42 11	26 8	31 85 22	24 66 14	7 19 8
111 112 113 114	Acute yellow atrophy of the liver	3 46 20	8 1	1 11	6	5	7 32	16	3 16	5 41	23	1 18	9 70	7 53	<u>2</u> 17
115 116	Other diseases of the liver		2	8 8	8 6	2	8 44	4 24	20	17 37	14 30	3 7	46 95 3	42 81	. d. 14 1
117 118	Simple peritonitis (nonpuerperal) Other diseases of the digestive system (cancer and tuberculosis excepted)	8 2	6	7	4	3	26 1	10 1	16	20 1	1 8	12 1	41	2 27 1	14
	VI.—Nonvenereal diseases of the genito- urinary system and annexa	614	131	382	170	212	1,343	573	770	827	468	359	1, 140	831	309
119 120	Acute nephritis. Bright's disease.	35 501	8 111	33 301	7 143	26 158	125 1,034	47 483	78 551	92 572	34 341	58 231	78 910	46 673	32 237
121 122 123	Chyluria. Other diseases of the kidneys and annexa. Calculi of the urinary passages.	11 2	3	9	4	5	86 6	22 2	64 4	18 5	13 5	5	33 6	30 6	3
124 125 126	Diseases of the bladder. Diseases of the wrethra, urinary abscess, etc Diseases of the prostate Nonvenereal diseases of the malegenital organs.	3 1 27	2	3 1 16	8	3 1 8	20 1 22	3	17 1 18 (	7 15 29	3 6 25	4 9 4	26 3 33	21 1 25	5 2 8 1
127 128 129	Nonvenereal diseases of the malegenital organs. Uterine hemorrhage (nonpuerperal). Uterine tumor (noncancerous).	1 5	1 1 1	i		i	1 1		1	1		1 (	2	. 1	
130 131 132	Other diseases of the uterus	5 5	1	9 4 1	3 2 1	6 2	15 17 7	4 3 1	11 14 6	31 19 4	12 11 2	19 8 2	19 16 2	7 13	12 3 2
133	tal organs. Nonpuerperal diseases of the breast (cancer excepted)	15 1		3	1 1	2	8	2	6	.34	16	18	12	8	4
	VII.—The puerperal state	133	19	76	35	41	496	170	326	116	72	44	371	288	83
134 135 136	Accidents of pregnancy	40 13 17	7 4 3	7 2 11	6 2 6	1	66 29 125	27 10 43	39 19 82	18 4 16	11 3 12	7 1 4	102 27 71	80 23 55	22 4 16 32
137 138 139	Other accidents of labor Puerperal septicemia. Puerperal albuminuria and convulsions. Puerperal phlegmasia alba dolens, embolus,	31 31	2	22 34	6 15	16 19	130 138	33 54	97 84	46 31	23	23 9	109 56	77 48	32
140 141	sudden death Following childbirth (not otherwise defined) Puerperal diseases of the breast	1	1				8	3	5	1	1		5 1	4 1	1
						1]									

		RHODE I	SLAND.			SOUTH	CAROLIN	Α.				TENNES	SEE.		
ed Int No.	CAUSE OF DEATH.		Rural		Cities.		Rur	al distri	cts.		Cities.		Rura	l distric	ts.
Detailed Int. List No.		Cıties.	dis- tricts.	Total.	White.	Col- ored.	Total.	White.	Col- ored.	Total.	White.	Col- ored.	Total.	White.	Col- ored.
	VIII.—Diseases of the skin and of the cellular tissue	23	1	17	5	12	46	16	30	25	8	17	61	38	23
142 143	Gangrene Furuncle	7 7	1	11 1	1 1	10	20 7 11	8 4 3	12 3 8 7	16 1 4	5 1 2	11 2	33 8 8	17 7 4	16 1 4
144 145	Acute abscess Other diseases of the skin and annexa	7		3	3	2	8	1	7	4		4	12	,10	2
7.45	IX.—Diseases of the bones and of the organs of locomotion	11	1	11 10	9 9	2	- 7 5	4 3	$\frac{3}{2}$	28	21 16	7 6	36 27		10
	Diseases of the bones (tuberculosis excepted)  Diseases of the joints (tuberculosis and rheumatism excepted)		-	1		1	2	1	1	5	4	1	5	3	2
148 149	AmputationsOther diseases of the organs of locomotion	1								1	I aa		4	4	
150	X.—Malformations	96	10	24	18	6	111	58	. 53	42	32	10	125 125	113	12
	Hydrocephalus.  Congenital malformations of the heart	10 57	6	<u>ĩ</u> ĩ	11 7	6	26 37 48	6 29 23	20 8 25	20 18	2 15 15	2 5 3	14 62 49	9 58 46	5 4 3
	Other congenital malformations		4 89	7 260	100	160	1,986	688	1,298	280	187	93	880	771	109
151	Congenital debility, icterus, and sclerema (total)	398 241	67 35	241 121	92 73	149 48	1,845 1,423	629 500	1,216 923	240 157	159 112	81 45	773 571	676 505	97 66
152	Congenital debility, "atrophy," maras- mus," etc.	157 126	32 20	120	19 8	101 11	422 137	129 58	293 79	83 40	47 28	36 12	202 105	171 93	31 12
	Premature birth. Congenital debility, "atrophy," maras- mus," etc. Other causes peculiar to early infancy (total). In juries at birth. Other causes peculiar to early infancy 1.	81 45 1	13 7 2	19 10 9	6 2	4 7	41 96 4	15 43 1	26 53	21 19	15 13	6 6	53 52 2	47 46 2	6 6
153	Lack of care XII.—Old age		45	9	6	3	486	143	343	60	48	12	388	277	111
154	Senility	1	45	9	6	3	486	143	343	60	48	12	388	277	111
	XIII.—External causes	l	83	231	128	103	915	345 32 8	570	635	376 43	259 4	73	71	335
155 156 157	Suicide (total)  By poison  By asphyxia  By hanging or strangulation	- 19	1 2	1 2	1 2		10	8	2	15	14 3	1	11	11 13	
158 159	By drowning	- 4 - 17	2 11	7	6	1	5 22	3 14	2 8	3 3 22	20	1 2	30	30 9	1
160 161 162	By cutting or piercing instruments By jumping from high places. By crushing		3	1	1		5 2	4	1	2	2		10		1
163 164	Accidental or undefined (total)	401	64	180	105	75	741 18	283 8	458 10	453 10	2 279 4	174	937 20	656 12	281
165 168 167	Poisoning by food Other acute poisonings Conflagration Burns (conflagration excepted)	. 6	2	6 19 23	19 9	14	26 20 228	6 <del>7</del> 2	20 20 156	14 4 65	9 1 28	, 6 5 3 37	20 27 19 128	12 21 10 85	6 9 43
168	Absorption of deleterious gases (conflagra- tion excepted)	41	3	20	2		22	9	13	6	4	2	23	15	8
169 170 171	Accidental drowning Traumatism by firearms Traumatism by cutting or piercing instru-	23	1	6 17	3 8	3 9	59 72	25 24	34 48	32 32	18 18	14	57 74	40 49	17 25
172	Traumatism by fall.	: 80		20	12	8	62	33	1 29	60 60	1 45	1 15 2	6 133	5 114 19	1 19 6
173	Traumatism in mines and quarries (total) Traumatism in mines Traumatism in quarries									5 5	3 3	2	25 22 3	17 2	5 · 1 · 7
174 175	Traumatism by machines	. 115	16	62 25	38 21	3 24	31 112 59	11 55 25	20 57 27	13 171 91	11 111 56	60 35	23 242 159	16 150 88	92 71 1 8
	Street-car accidents and injuries Automobile accidents and injuries	62	3 2 6 4	1 28 8	13	1 13 4	52 3 30, 22 5		3 12 12	21 46 11	16 29 9	5 17 2	1 36 38	28 28	. 1 8 10
176	Injuries by other vehicles Landslide, other crushing Injuries by animals Starvation Excessive cold Effects of heat Lightning	2	i	ž		2	5 9	3	3	5	1 3	1 2	20	6 19	10 2 1
177 178 179	Starvation  Excessive cold  Effects of heat	5	5	2		<u>2</u>	1 8 3	2	6 2	10	3	10	1 9 8	6	1 1 3 2 4
180 181 185 186	Lightning Electricity (lightning excepted) Fractures (cause not specified) Other external violence	11 11 1			i		11 4	4	7		1 9	2	9 17 5 16	13 4	1 1
186	Homicide (total)	14	3	14 40	13	8 27	54 129	26 30	99	36 135	24 54	12 81	84 125	15 57 73 59	27 52 36
182 183 184	By firearms By cutting or piercing instruments By other means	8		. 6	8 2	21 4 2	114 7 8	1 2	89 5 5		43 6 5	61 15 5	95 12 18	59 7 7	5
	XIV.—Ill-defined diseases	52	7	21	3	18	1,017	233	784	255	109	146	1,482	1,034	448
187 188 189	Ill-defined organic disease Sudden death Not specified or ill-defined (total). Ill-defined Not specified or unknown	13 38 23	1 6	21	3 2	18	162 35 820	15 189	631	226	12 97 32 65	14 129	1,322	53 59 922 283	23 25 400 77
	Not specified or unknown	.15	5 1		1 2	17	617 203	129 60	488 143		85	15 114	360 962	639	323
				1 Exclu	sive of i	njuries	at birth.								

-			AH.	1	ONT.	l of this t			INIA.			WASHI	NGTON.	Wisco	NISTNI
I Int			i i	VERS	IONT.	İ	~~	VIIG		7 77		WASHI	NGTOIN.	W1300	
Detailed Int. List No.	CAUSE OF DEATH.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Total.	Cities. White.	Col- ored.	Total.	ral distri White.	Col- ored.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.
	All causes		3,809	1,131	5,672	12,114	6,966	5,148	29,158	17,721 7,518	11,437	8, 717 3, 266	8,120	14,140	20,852
1	Typhoid fever	15	26	3	27	79	50	29	323	196	127	48	50	60	·37
2 3	Relapsing fever								1	1					•••••
5	Typhoid fever Typhus fever Relapsing fever Malaria Smallpox	3	7		1	15	5	10	66 4	24 1	42 3	1	2 3	5	7
6 7 8 9 10	Measles Scarlet fever Whooping cough Diphtheria and croup Influenza	10 20 19 28 504	24 30 40 44 898	6 1 12 2 347	10 10 35 24 1,005	48 4 166 26 2,031	31 4 62 21 1,426	17 104 5 605	229 19 553 190 5,808	194 17 276 147 3,856	35 2 277 43 1,952	27 24 22 45 1,542	33 31 49 38 1,384	90 98 82 113 2,505	75 103 115 159 3,745
12 13	Asiatic cholera. Cholera nostras Dysentery Plague				2	3	2	i	10	8	2	i		4	9
14 15	Dysentery		3	1	7	99	80	19	272	170	102	وَ ا	6	14	27
16	Yellow fever														
17	Leprosy	1	23	4	12	22	18	4	37	32	5	18	16	31	43
18 19	Erysipelas Other epidemic diseases		3		2	2		2	13	9	4	1	7		8
20 21	Purulent infection and septicemia	4	5	1	5	17	12	5 1	40	27	13	13	6	13	28
20 21 22 23	Glanders Anthrax Rabies					2		i	2					2	
	Tetanus.	1	2	1		21	1 5	16	27	18	9	1	1	10	18
24 25	Mycoses	1				104			. 223	3	1			1	2 1
26 27	Pellagra Beriberi			1	4	102	76	28	225	103	120	4			
22	Tuberculosis (total)	87	122	73	295	1,010	491	519	3,083 2,747	1,469	1,614	535	806	942	1,489
28 29 30 31 32 33 34	Tuberculosis of the lungs. Acute miliary tuberculosis Tuberculous meningitis Abdominal tuberculosis	66 6	105 1	62	242 8	847	412 15	435 38 13	81	1,314 24	1,433 57	386 18 67	691 28 37	739 23	1, 294 32
30 31	Tuberculous meningitis Abdominal tuberculosis	6 3	3 7	7	20 17	49 38	36 14	13 24	77 108	45 53	32 55 8	67 34	37 24	92 55	65 50
32			4	1	3	3	4	2	17	53 9 5	8 2	9	5	55 14 2	14 9
34	White swellings. Tuberculosis of other organs. Disseminated tuberculosis.	1		1	2	12	6	6	38 8	16	22	16	15	12	20 5
35	Rickets		1		2	24	3	1 18	8 7	3 2	5 5	1 2	6 2	5 16	. 8
36 37 38	Syphilis. Gonococcus infection.	9	17	5	12	121 5	6 48 3	73 2	144 4	44 2	100	58 7	29 29 2	47 3	46 4
	Cancer and other malignant tumors (total)	118	111	43	322	346	258	88 3	877	645	232	622	372	837	1, 265
39 40	Of the buccal cavity	48	53 15	3 12	8 114	14 91	11 72	19	29 301	23 230	6 71	24 224	16 160	17 403	45 612
40 41 42 43	Of the stomach, liver Of the peritoneum, intestines, rectum Of the female genital organs Of the breast	12 21	15 11	7 7	47 61	40 90	35 51	5 39	66 180	54 99	12	83 109	43 38	113 97	158 123
43	Of the breast.	20	5	5	26	53 10	41	12	95	67	81 28 5	64	38 29 17	62. 16	158 123 88 32
44 45	Of the skin	15	3 20	2 7	12 54	48	39	9	47 159	130	29	11 107	69	129	207
46	Other tumors (tumors of the female genitalor-			ļļ				ļ							
47	gans excepted). Acute articular rheumatism.	1 14	17	2	ii	30	1 15	15	10 88	7 42	3 46	1 25	1 13	51	75 30
48 49	Chronic rheumatism and gout	. 1	6	2	4	7 2	5	2 2	26	20	6	3 2	9	19 1	30 1
50	Diabetes	30	34	9	69	65	54	11	125	97	28	121	101	148	252
51 52	Exophthalmic goiter	. 6	4		5 4	11 3	9 3	2	26 5	21	5	26 2	12 4	29 6	21 11
53	Leukemia	. 3	8	1	2	10 32	10		27	21	6	20	3	24	34
54 55	Anemia, chlorosis Other general diseases	13	9	1	30	27	27 24	5 3	37 29	29 23	8 6	46 12	24 12	75 17	125 28
56	Alcoholism (acute or chronic)	. 2	1	1	10	11	9	2	8	8		24	6	45 2	53
57 58	Chronic lead poisoning. Other chronic occupation poisonings.	.			1				1		1	1			1
59	Other chronic poisonings	1	1	ļ	2	1		1	1	1		1 2		2	•••••
٠,	II.—Diseases of the nervous system and of the organs of special sense.	. 132	186	72	591	1,016	590	426	2,359	1,471	888	608	791	1,027	2, 261
. 60	Encephalitis	. 2	1 1		4	7	4	3	27	13	14	4	3	10	12 124 70 30 24
61	Meningitis (total) Simple meningitis	. 10	14	3	. 22 17	89 20	62 16	27	192 80	151 59	41 21	42 21	40 19	97 64	70
	Cerebrospinal meningitis (undefined) Cerebrospinal fever	. 4	3 5	1 2	1 4	29 40	16 30	13 10	70 42	60 32	10 10	10	11 10	22 11	30 24
62	Locomotor ataxia		1	2 5	14	18	11	7	14	10	4	19	14	16	22
63	Other diseases of the spinal cord (total)	. 10	. 8		. 28	26 4	15 2	11	93 27	69 20	24 7	30	28	83 47	121 50
	Other diseases of the spinal cord :	. 10	6	5	27	22	13	9	66	49	17	29	22	36	22 121 50 71
64 65	Cerebral hemorrhage, apoplexy		114	47	428	617	352 8	265 9	1,173	738 25	435 10	402	403	593 6	1,311 15
66	Paralysis without specified cause	. 3	11	5	18	100	54	46	405	233	172	35	50	35	118
67 68	General paralysis of the insane Other forms of mental alienation	2	7 3	2	24 13	23	19 4	5	72 35	43 20	29 15	11 4	97 61	10 6	121 87
69	Epilepsy	. 3	1	1	12	20	10	10	109	64	45	13	46	13	103
70 71	Convulsions (nonpuerperal) Convulsions of infants		3		5	1 27	7	1 20	12 111	42	8 69	1 6	19	· 84	3 115
72	Chorea	. 1		.   1		1	<b>  </b> -	. 1	1		. 1	1		1	3
73 74	Neuralgia and neuritis. Other diseases of the nervous system	6	6	3	3 12	1 49	34	. 1 15	15 51	10	5 13	19		4 47	12 79 2 13
75 76	Diseases of the eyes and their annexa	. 1	1 3			2	1 0	1	13		. 1	17			2
10	Diseases of the ears	. 7	. 3	]] 1	3	9	1 9		.u 19	, 11	. 2	17	5	. 20	. 19

<sup>&</sup>lt;sup>1</sup> Exclusive of acute anterior poliomyelitis (infantile paratysis).

=			,	1					:			<del></del>	1	1	
Int.	•	UT.	AH.	VER	i	ļ		VIRG	INIA.	·····		WASHL	NGTON.	WISCO	NSIN.
Detailed Ir List No.	CAUSE OF DEATH.	Cities.	Rural dis-	Cities.	Rural dis-		Cities.		. Ru	ral distri	cts.	Cities.	Rural dis-	Cities.	Rural dis-
Det		Oldes.	tricts.	Cities.	tricts.	Total.	White.	Col- ored.	Total.	White.	Col- ored.	Ordes.	tricts.	Cities.	tricts.
_	III.—Diseases of the circulatory system	227	360	125	988	1,147	643	504	2,513	1,545	968	1,014	866	1,348	2,496
77	Pericarditis	1 12	2 14	2 2	8 25	7 45	15	7 30	23 51	8 25	15 26	6 121	4 33	9 154	23 119
78 79 80	Acute endocarditis Organic diseases of the heart	173 18	297 10	90 8	693 49	930 37	523 28	407 9	2,117 84	1,295 70	822 14	728 44	674 43	874 90	1,851
81	Angina pectoris.  Diseases of the arteries, atheroma, aneurism, etc.		26	19	172	. 97	54	43	189	114	75	84	94	157	325
82 83	Embolism and thrombosis.	1	8	3	36	24	17	. 7	26	21	5	21	14	39	. 58
84	phlebitis, etc.). Diseases of the lymphatic system (lymphan-		2			2	2		6	4	2	4	1	5	7
85	phlebitis, etc.). Diseases of the lymphatic system (lymphangitis, etc.). Hemorrhage; other diseases of the circulatory system.	1	. 1	1	3 2	1	3	. 1	3 14	. 5	9	. 2	1 2	20	12
	IV.—Diseases of the respiratory system	319	566	105	726	1,935	885	1,050	2,761	1,600	1, 161	1,272	902	2,438	2,472
86 87	Diseases of the nasal fossae	i	2 2		2 5	2			35 17	11 13	24 4	1 5	3	13	1 19
88 89	Diseases of the larynx. Diseases of the thyroid body. Acute bronchitis.	1 7	13	2 7 3	· 4	5 49	2 5 15 25	34	5 105	5 41	64	13 17	4 21	113	7 107
90 91	Chronic bronchitis.  Bronchopneumonia.	6	17		44 113	45 372	25 148	20 224	68 469	52 281	16 188	26 171	22 186	81 569	85 538
92	Programonia (total)	211	378 350	18 72 63	498 385	1,353 1,196	641 550	712 646	1,918	1,121	797 537	989 944	607	1,541 1,342	1,541 1,225
93	Lobar pneumonia. Pneumonia (undefined). Pleurisy.	10 12	28 8	9 2	113 15	157 28	91 11	66 17	559 40	299 23	260 17	45 23	63 15	199 46	316 44
94 95	Pulmonary congestion, pulmonary apoplexy Gangrene of the lung	2	1		2 3	26 2	16 1	10 1 20	27 6	16 5	11 1	5 1	16 1	27	70 2
96 97 98	Asthma Pulmonary emphysema	1 4	9	1	2	33 2	13 1	20 1	42	14	28 2	15	22	24° 2	34 5
98	Other diseases of the respiratory system (tuber- culosis excepted)	2	6		1	18	7	11	27	18	9.	6	5	15	19
	V.—Diseases of the digestive system		243	60	383	1,000	518	482	2,017	1,228	789	595 5	443	1,199	1,289
99 100 101	Diseases of the mouth and annexa.  Diseases of the pharynx  Diseases of the esophagus.	18 1	14	2	7	8 24	13	11	29	10 19 2	26 10 1	31 1	15	23	17 38 2 57
102 103	Ulcer of the stomach Other diseases of the stomach(cancer excepted).	11 6	12 12	$\frac{1}{2}$	18 28	30 73	17 19	13 54	24 237	12 141	12 96	40 22	29 38	52 89	57 126
104 105	Diarrhea and enteritis (under 2 years)	29 10	76 22	25 5	*127 46	420 108	199 64	221 44	931 313	570 178	361 135	110 54	120 49	396 112	328 136
106 107	l Infacting/naracitae	1							6 19	3 10	3 9				i
108 109	Appendicitis and typhlitis	24	38 36	11 6	52 41	87 85	62 47	25 38 7	80 122	45 82	35 40	125 74	52 37	184 147	138 165
	Hernia. Intestinal obstruction Other diseases of the intestines	12 12	10 26 5	3 3	19 22	26 59	19 28	7 31 6	122 30 92 29	19 63 22	11 29 7	31 43	11 26 13	40 107 18	54 111
110 111	Acute vellow strophy of the liver			1	8	12 1	6 1		9	7	. 2	15 3	2	5	30 6
112 113 114	Hydatid tumor of the liver. Cirrhosis of the liver. Biliary calculi.	7 8	8	3 2	13 14	57 22	32 13	25 4	69 26	45 23	24 3	37 30	42 15	79 34	133 34
115	Other diseases of the liver	4	2	2	17	51	26	25	38	28	10	26	13	42	54
116 117 118	Diseases of the spleen Simple peritonitis (nonpuerperal). Other diseases of the digestive system (cancer	2	9		7	15	6		38	1 24	1 14	12 12	1 11	8	3 15
110	and tuberculosis excepted)		<del>,</del>		2	7	5	2	6	6		6	3	3	6
	VI.—Nonvenereal diseases of the genito- urinary system and annexa	170	159	83	385	, 938	561	377	1,818	1,072	746	601	368	723	1,063
119 120	Acute nephritis Bright's disease	14 111	11 119	6 60	21 315	110 690	32 452	78 238	133 1,482	65 882	68 600	35 446	22 292	52 544	70 855
121 122 123	Chyluria Other diseases of the kidneys and annexa Calculi of the urinary passages	8 2	2 1	2	5 1	39 7	30 4	9 3	44 7	28 6	16 1	26 2	9	17 4	15 3
124	Diseases of the bladder. Diseases of the urethra, urinary abscess, etc		2	2 1 7	10	4 7	. 3		40 4	26 3	14	7 3	7	18	29
125 126 127	Diseases of the prostate.  Nonvenereal diseases of the male genital organs.	9	16	7	13	34 3	24 1	1 5 10 2	60	. 34 2	26	33	22	38	57 2
128 129	Uterine hemorrhage (nonpuerperal)			3	8	17	1	16	2 10	2	6	17	4	4 16	11
130 131	Other diseases of the uterus	3 6	3 2	i '	8 2 7	7 5	1 5 2	2 3	13 7	, 4 7 6	6	17 10 6	3	8 11	11 5 11
132	Salpingitis and other diseases of the female genital organs. Nonpuerperal diseases of the breast (cancer	11	2		3	15	5	10	14	7	7	16	4	. 13	5
133	excepted)	1											1		
101	VII.—The puerperal state.		80	6	54	191	118	73	484 116	301 84	183 32	128	125 23	152	211
134 135 136	Accidents of pregnancy Puerperal hemorrhage Other accidents of labor Puerperal septicemia	11 2 7	13 7 18 18	2 1 1 1	16 3 14	41 4 36	32 2 21 24	2 15	32 96	21 65	11 31	28 6 23 48	14 25	33 11 22 50	29 27 33 64
137 138	Puerperal albuminuria and convulsions	. 13 10	18	1	9	. 48 52	24 33	24 19	115 119	66 62	49 57	48 21	36 25	50 31	64 44
139	Puerperal albuminuria and convulsions Puerperal phlegmasia alba dolens, embolus, sudden death. Following childbirth (not otherwise defined)	1	4	 	1	9	5	4	6	3	3	1	2	4	13
140 141	Following childbirth (not otherwise defined). Puerperal diseases of the breast	1	1			1	1			]		1		1	1

nt.		( UT.	AĦ.	<u> </u>	iont.			VIRG	INIA			WASHI	NGTON.	wisco	onsin.
led E	CAUSE OF DEATH.		Rural		771		Cities.		Ru	ral distri	icts		771		D1
Detailed Int. List No.		Cities.	dis- tricts.	Cities.	Rural dis- tricts.	Total.	White.	Col- ored.	Total.	White.	Col- ored.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.
	VIII.—Diseases of the skin and of the cellular tissue	7	7	2	19	28	11	17	60	36	24	21	29	41	71
142 143 144 145	Gangrene Furuncle Acute abscess Other diseases of the skin and annexa	1 4 2	4 2 1	1 1	13 1 5	15 4 3 6	3 4 2 2	12 1 4	29 6 6 19	17 5 3 11	12 1 3 8	9 7 4 1	16 5 2 6	15 9 5 12	49 3 8 11
	IX.—Diseases of the bones and of the organs of locomotion	8	9	2	7	22	12	10	22	14	8	23	7	24	25
146 147	Diseases of the bones (tuberculosis excepted).  Diseases of the joints (tuberculosis and rheumatism excepted).	7	8	1	4 2	18	11	7	17 4	10	7	23	5 2	18 5	16 5
148 149	Amputations Other diseases of the organs of locomotion				i	3	1	2	i		1			1	4
150	X.—Malformations	<u> </u>	52	10	41	81	67	14	194	155	39	107	97	140	199
	cluded) (total) Hydrocephalus Congenital malformations of the heart Other congenital malformations	34 6 17 11	52 5 36 11	10 1 5 4	41 4 25 12	81 6 53 22	67 4 45 18	14 2 8 4	194 21 95 78	155 14 78 63	39 7 17 15	107 5 78 24	97 5 68 24	140 16 61 63	199 21 105 73
	XI.—Early infancy	112	273	71	206	576	343	233	1,442	968	474	361	384	809	1,117
151	Congenital debility, icterus, and sclerema (total) Premature birth Congenital debility, "atrophy," "marasmus," etc Other causes peculiar to early infancy (total).	90 80 10	222 198 24	67 45	173 132	491 358	286 229	205 129	1,228 824	822 614	406 210	291 241	309 249	662 542	906 724
152 153	Other causes peculiar to early infancy (total). Injuries at birth. Other causes peculiar to early infancy 1. Lack of care.	11	51 20 31	22 4 3 1	41 33 14 19	133 82 49 33	57 56 37 19	76 26 12 14	404 208 108 100	208 143 87 56 3	196 65 21 44	50 70 39 31	60 75 45 30	120 145 55 90	182 207 94 113
100	XII.—Old age	16	84	12	97	3 62	1 42	20	6 544	291	3 253	66	151	164	4 586
154	Senility	16	84	, 12	97	62	42	20	544	291	253	66	151	. 164	586
	XIII.—External causes	132	264	62	258 40	679 57	398 50	281 7	1,315	857 96	458 10	614 88	817 88	740	1,087
155 156 157	By poison By asphyxia By hanging or strangulation	1	3	2	3	11 3 1	11 3 1		16 2	16 2		21 2	11	19 14 37	28 1
158 159	By drowning By firearms	8	11	1	14 5 14	36	29	7	15 10 54	13 8 49	2 2 5	11 8 33	16 8 39	5 31	81 14
160 161 162	By cutting or piercing instruments. By jumping from high places. By crushing. Other suicides.	2	3	2		4	4		8	7	1	10 1	10 2	11 2	56 15 3
163			241	55	010	1	1		1	1		2	2		3
164 165 166	Accidental or undefined (total) Poisoning by food. Other acute poisonings Conflagration	3 7	5 9 4	2 5	212 4 7 6	510 4 18 6	316 3 10 3	194 1 8 3	1,069 16 25 32	696 11 18 9	373 5 7 23	497 10 10 7	703 11 12 10	593 2 5 11	863 13 16 18 50
167 168	Absorption of deleterious gases (conflagra-	13	11	4	12	45	. 27	18	180	101	79	38	34	61	
169 170 171	tion excepted) Accidental drowning Traumatism by firearms Traumatism by cutting or piercing instru-	5 3	7 17 15	3 2 3	7 33 5	26 39 26	16 18 11	10 21 15	25 97 77	15 66 42	10 31 35	21 31 10	10 105 31	28 64 17	29 128 40
172 173	ments. Traumatism by fall. Traumatism in mines and quarries (total).	9 6	26 43	8 5	55	75	60	1 15	140	109	31 31	97	60 60	. 87	111 111
	Traumatism in mines Traumatism in quarries	6	43	5	6	2 1 1	2 1 1		60 57 3	44 44	16 13 3	3 4	32 32		5 5
174 175	Traumatism by machines. Traumatism by other crushing (total)	7 41	7 63	1 20	38	27 155	15 110	12 45	26 227	14 167	12 60	43 166	36 261	29 217	40 258
	Traumatism by other crushing (total) Railroad accidents and injuries. Street-car accidents and injuries Automobile accidents and injuries	12 6 21	13 4 25	16 1	15 1 12	63 22 48	47 15 35	16 7 13	127 10 50	101 9 39	26 1 11	27 23 82	95 9 69	69 34 86	258 117 15 68 38 20
	Landslide, other crushing		17	3	8 2	15 7	11 2	4 5	33 7	14	19	16 18	30 58	22 6	38 20
176 177 178 179 180 181 185	Injuries by animals. Starvation. Excessive cold.		3	1	5	2	2		14 1	11	3	5	6	9	21 7
179 180	Effects of heat	1	8		1 3	9 35	16	9 19	13 27 22	1 12 18	12 15 4		2 1 3	3	7 12 13
181 185 186	Lightning Electricity (lightning excepted) Fractures (cause not specified) Other external violence	1 1 13	7 12	1	14	5 35	3	2	9 5 69	7 4 44	2 1 25	6 3 46	6 1 78	10 3 43	12 13 13 10 76
182 183 184	Homicide (total) By firearms. By cutting or piercing instruments.	5 3	3 2 1	1 i	6 2 1	112 95 7	32 27 1	80 68 6	140 117 8	65 53	75 64 3	29 22	26 21 1	28 16 1	22 16 2
184	By other means.  XIV.—Ill-defined diseases.	2	79	1	3 5	10	4	6	15	5 7	8	5	4	11	4
187 188	Ill-defined organic disease Sudden death		2 5	<u></u>	5	93	$\frac{22}{1}$	71	77	38 50	645 39	41	118	1 1 7	151 9
188 189	Not specified or in-defined (total)   Ill-defined   Not specified or unknown	69 66	72 53 19	1	5 1 4	88 59 29	19 14 5	69 45 24	1, 149 401 748	50 577 217 360	34 572 184 388	5 36 14 22	5 109 28 81	7 34 9 25	19 123 20 103
	· · · · · · · · · · · · · · · · · · ·	1	<u> </u>	<u>  </u>	1			]				<u> </u>	<u> </u>		

<sup>1.</sup> Exclusive of injuries at birth.

## MORTALITY STATISTICS.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[This table excludes the deaths of

o Int.						:	DEATHS AT	AGE OF-				
Detailed List No	CAUSE OF DEATH,	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	All causes.	1, 445, 158	193,855	55,059	26,929	17,408	12,892	306, 143	38,012	29,693	54, 503	81,024
	Males Females	779, 864 665, 294	109, 282 84, 573	28,832 26,227	13,759 13,170	8,688 8,720	6, 496 6, 396	167,057 139,086	19,575 18,437	14,745 14,948	28, 507 25, 996	36,692 44,332
	I.—General diseases	521,903	31, 234	22,325	13,155	9, 180	6,943	82,837	19,940	14,884	29,806	44,917
	Males Females	I	16,818	11, 298	6,472	4,506	3,440	42,534	9,634	6,482	14,777	20, 212
			14,416	11,027	6,683	4,674	3,503	40,303	10,306	8,402	15,029	24,705
1	Typhoid fever.	5,704 4,463	48 36	55 41	48 50	70 73	73 55	294 255	412 446	479 608	872 775	732 606
2	Typhus fever								1			
3	Relapsing fever.	1 2.12	147	79	72	37	27	362	113	57	84	48
4	F.	1, 292	133 31	73 5	52 2	51 4	34	343 46	112 11	80 11	88	102
5	<b>∂</b> F	118	31		Ĩ	2	2	36	8	3	Ž	.9
6	Measles. $\begin{cases} M \\ F \end{cases}$	4, 226 3, 997	1,077 876	1,246 1,081	512 469	274 256	158 159	3, 267 2, 841	336 365	108 165	156 116	86 81
7	Scarlet fever $\left\{ egin{aligned} \mathbf{M} \dots \\ \mathbf{F} \dots \end{aligned} \right.$	1, 210 1, 125	59 45	124 103	137 108	138 110	120 115	578 481	318 303	136 117	62 69	49 66
8	Whooping cough $F$	6, 192 7, 536 5, 863	3,148 3,414 510	1,517 1,913 841	576 881	334 458	193 285	5, 768 6, 951	312 455	48 64	18 9	8 9
9	Diphtheria and croup. \$\begin{align*} \text{M.} \\ \text{F.} \\ \text{M.} \\ \text{M.} \\ \text{M.} \\ \text{M.} \end{align*}\$	5,320	350 7,080	841 690 5,465	874 703 3, 266	749 651	608 552	3,582 2,946 19,687	1,530 1,482 4,630	360 435 3,498	130 117 8,996	54 90 11,115
10	Influenza $\{\mathbf{F}_{\mathbf{F}}^{\mathbf{M}}\}$	125,818 108,472	5,794	5,438	3,492	2,176 2,430	1,700 1,774	18,928	5,358	4,407	7,453	13,830
11	Miliary fever. $\begin{cases} M \\ F \end{cases}$										ļ	
12	Asiatic cholera $\begin{cases} M. \\ F. \end{cases}$											
13	Cholera nostras $M$ . $M$ .	143	31 23	11 9	7 6	5 3	4	58 42	11 7	2 4	3	1
14	Dysentery $\left\{ egin{aligned} \mathbf{M} \\ \mathbf{F} \end{aligned} \right.$	2,406	585 447	429 371	165 146	73 78	53 42	1,305 1,084	116 96	33 29	28 24	32 32
15	Plague $\begin{cases} M \\ F \end{cases}$											
16	Yellow fever									.		
17	Leprosy	15										
18	Erysipelas		390 381	30 37	9	4 8	4 4	437 439	15	14 17	26 21	22 25
19	Other epidemic diseases $M$ .	314 244	90 50	43	30 15	13 12	12	188 122	12 36 31	17 15 16	26 21 17 12	22 25 12 12
20	Purulent infection and septicemia. $ \begin{cases} M. \\ F. \end{cases} $	ł	116	15	9	10	7	157	35	28	43	30
21	Clandors (M.	617	60	11	10	11	4	96	31	18	39	56 1
22	A m+h-rorr	31							1		3	2
23	Rabies $F$ .	3 41 22	1		i	6 2	3 3	9 7	15 3	1 4 2	i	$\begin{bmatrix} 2\\1\\1\\2 \end{bmatrix}$
ŀ	·		212	6	5	12	12	247	137	103	60	35
24	Tetanus.	393 32	139	7	5		18	164 2	61	27	8	13
25	Mycoses	1,000	7	7	4	9	4	31	27	1 16	21	20
26 27	Penagra F. Beriberi F.	2,741	15 1	11	8	3	5	42	31	16 35	111	20 218 1 1
"' ]	·		3					3				1
	Tuberculosis (total) $\left\{ \begin{array}{ll} M \\ F \end{array} \right\}$	67,567 53,637	1,375 1,126	1,047 920	562 545	451 378	341 316	3,776 3,285	1,062 1,066	1,023 1,849	3,643 5,524	7, 211 8, 587
28	Tuberculosis of the lungs. $\mathbb{F}$	45,445	455 359 76	341 270	159 132	127 121	87 109 9	1,169 991	413 486	1,386	3,032 4,831 191	6,523 7,745
29	Acute miliary tuberculosis. $\begin{cases} M. \\ F. \end{cases}$	1,708	76 57 623	45 47 593	31 . 31 288	21 22 210	19 166	182 176 1 810	53 41 388	55 102 148	293 144	235 344 120
30	F.	2,766	530 120	528 503 77	305 41	177 45	145 37	1,810 1,660 320	355 103	148 177 72	134 137	113 147
31	Transfer to the following transfer to the first transfer to the first transfer to the first transfer to the first transfer to the first transfer to the first transfer to the first transfer to the first transfer transfer to the first transfer tran	1	85	59	38	26	23	231	94	87	161	236
32	Pott's disease ${M \choose F}$	. 406	10 8	13 6	14 10	22 11	17 10	76 45	40 43	41 33	51. 36	53 27
33	White swellings $\left\{egin{array}{ll} M \\ F\end{array}\right.$	386 184	9 8	7 2	6 5	6 7	9 3	37 25	43 26 15 31	33 36 19 43 32 11 13	25 15	53 27 41 17 68 55
34	Tuberculosis of other organs. $\left\{ egin{array}{ll} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	823 622	45 40	22 20 19	10 17	17	11 5 5	105 93	31 24	43 32	25 15 50 30 23 24	68 55
35	Disseminated tuberculosis. $\left\{egin{array}{l} M \\ F \end{array}\right.$	. 334	37 39	19 13	13 7	3 3	5 2	77 64	24 8 8	11 13	23 24	24 50
36	Rickets $\begin{cases} M. \\ F. \end{cases}$	318	161	85	35	13	1	295	10	3	2	
37	Synhilia jM.	4,915	1,110	66 72	26 37	8 22	15 15	221 1,256 1,032	27 27	30	61 62	147
38	Gonococcus infection $\begin{cases} F \\ M \\ F \end{cases}$	2,577 115 385	894 21 26	80	24	$\frac{24}{2}$	10	1,032 21 29	27	23	66 3 33	153 7 76

HAWAII), FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1918.

soldiers, sailors, and marines.]

					· ************************************	DEAT	THS AT AG	E OF—									nt.
25 to 29 years.	80 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.	Detailed Int.
104,578	100,589	85,059	66,926	64,957	64,508	66,788	72,861	76,160	77,238	67,178	47,943	25,390	8,925	2,200	733	3,750	
52, 416 52, 162	57,376 43,213	50,602 34,457	39,447 27,479	38,473 26,484	36,959 27,549	38,169 28,619	41, 137 31, 724	41,838 34,322	40, 814 36, 424	34,264 32,914	22,966 24,977	11,536 13,854	3,711 5,214	856 1,344	263 470	2,461 1,289	
57, 463 29, 106	53,573 30,960	41,888 25,175	29,844	26,258	23,501	21,629	20,428	18,664	15,190	10,399	5,804	2,516	746	169	60	1,387	-
29,106 28,357	22, 613 600	25,175 16,713	17,376 12,468	14,838 11,420	12,667 10,834	11,217 10,412	10,485 9,943	9,304 9,360	7,270 7,920	4,749 5,650	2,569 3,235	1,087 1,429	294 452	70 99	24 36	824 563	
660 468	315	458 255	313 189	287 153 2	210 108	118 89	94 60	75 52	38 - 34	23 25	8 4	5 4	2		1	25 15	} :
••••••															•••••		}
53 72 11 12	45 61 10 6	54 57 18 8	53 62 11 5	47 37 21 2	57 34 18 4	, 50 25 5 5	60 45 17 6	50- 49 6 2	47 32 5 3	28 33 10	11 29 5 . 1	10 14 1	8 7 1 1	•3	1 1	4 6 2	}
41 62 21 34 4 9 42 67 18,887 18,013	41 61 15 27 2 5 45 47 20,369 13,800	25 62 14 16 2 3 38 38 14,560 8,316	33 61 7 2	27 39 3 6 2 21 24 4,936 2,964	21 39 3 3 5	23 25 1	17 20	20 19	16 13	4 15	2 4	3	1			3 6 3	}
4 9 42	2 5 45	2 3 38		2 2 21	1 1	1	4	3	4 4 4	3	$\begin{smallmatrix}1\\2\\2\\1\end{smallmatrix}$	2				. 14	} {
18,887 18,013	20,369 13,800	36 14,560 8,316	2 14 18 7,540 4,277	4, 936 2, 964	17 16 2,985 2,432	1 9 16 2,038 1,787	4 9 1,679 1,487	1,473 1,412	1,194 1,322	1 4 816 1,110	1 549 719	259 379	1 96 147	15 45	7 20	. 14 7 5 489 266	<b>.</b>
• • • • • • • • • • • • • • • • • • • •							••••••										11
2 2 28 31	27 26	5 3 43 42	4 1 44 36	5 3 53 55	3 4 42 51	4 2 67 67	7 6 77 72	10 8 83 100	12 11 · 126 136	13 18 124 157	5 14 85 152	4 7 60 80	4 5 22 28	1 1 5 5	1 3	1 1 5 8	} 13 } 14
															••••••		} 15
3	4		i		2			2	3		••••••				••••••		16
30 41 6 8	4 3 46 41 8	· 44 35 6 1	68 47 4 5	82 46 4 3	75 72 3 7	92 51 5 3	101 62 3 4	101 55 2 3	3 2 84 68 2 3	73 54	56 44 1 3	35 24	9 7 1	2 2 2		1 3 1	15 18 19
30 <sup>°</sup> 55	44 46	46 32	45 40 2	42 27	52 31	50 23 1	51 28	51 27	48 30	36 18	24 9	8 7	2 1	2 1		5 2	} 20 } 21
2		3	6	4	3	1	$\begin{smallmatrix}2\\1\\2\\2\\1\end{smallmatrix}$	3		1							22
1	2	2	2	. 1	1 2			i	2 1								} 28
24 21	23 11 2	32 15 2	38 15 4	46 12 1	26 13 5	32 9 3	30 7 3	25 4 2	18 5 3	3 4 1	2 2	i	1			1 1	24
31 317 317 1	2 1 45 271	2 2 73 360 1	4 1 75 314 2	2 84 233	94 205	3 2 99 154	3 2 118 136 1	2 1 110 119	3 1 71 85	43 49	21 · 21	5 17	4 4	3 2	1 2	8 15	} 25 } 26 } 27
8,130 7,917 7,471 7,231 252 233 110 93 118 220	8,077 6,107 7,473 5,597 221 154 107 54 119 175	7,648 4,724 7,048 4,279 203 117 99 52 139 178	6, 455 3, 565 6, 009 3, 215 78 58 58 31 112 152	5,732 2,715 5,299 2,399 137 56 39 30 124 144	4,585 2,014 4,231 1,769 93 40 32 25 103 108	3,486 1,681 3,185 1,472 67 26 23 18 108 106	2,687 1,406 2,445 1,243 35 14 11 7 88 88	1,889 1,205 1,698 1,054 21 14 11 4 83 83	1,124 929 998 828 13 6 3 6 48 55	556 557 500 486 6 5 1 3 28 27	222 253 182 210 7 3 1 1 13 20	72 88 66 76 1	15 18 9 14	8 3 6 3	2 1 2 1	164 143 145 129 5 4 3	} 28 29 30 31
68 31 24 10 64 65 23 34	46 26 26 11 65 67 20 23	40 22 26 10 64 37 29 29	31 24 21 13 49 32 23 20	38 22 16 7 56 40 23 17	31 19 29 6 54 36 12 11	25 11 22 7 41 31 15 10	27 19 19 8 49 20 13 9	18 13 13 8 29 19 16 9	11 15 16 3 24 10 11	4 14 3 6 13 13 1 1	3 3 3 2 9 12 4 2	2 1 3 3	1 1 5 1	1		1 1 2 2 1 2	32 33 34 35
3 266 155 17 72	2 3 394 183 13 57	1 486 206 9 54	1 466 173 9 32	500 165 8 13	1 2 410 130 10 5	302 88 3 2	1 · 241 · 77 · 9 2	1 167 47 3 3	2 2 86 22 2 1	50 14	1 2 19 10	7 2 1	3	1		27 3	36 37 38

Table 7.—Deaths (exclusive of stillbirths) in the registration area (exclusive of

[This table excludes the deaths of

=							<del></del>		11111	s table ex	ciudes the	deaths of
Int.						1	DEATHS AT	AGE OF-				
Detailed In List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	I.—General diseases—Continued.									· · · · · · · · · · · · · · · · · · ·		
	Cancer and other malignant tumors (total) ${M \choose F}$	26, 663	32 27	38	40	35 37	27	172	71	72 52	107	160
39	Of the buccal cavity $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right\}$	38, 619 1, 896 448	27 2 2 5	21 4 1	39 1	37	33 2 1 2 1 1	157 10 6	69 7	52 · 4	109 5 6	206
40	Of the stomach, liver $\left\{ \frac{M}{R} \right\}$ .	12,661 12,105	5 6	5 4	5 5	1 2 7 8	2	24 24	8 8	5 7 7	10	26 36
41	Of the peritoneum, intestines, rectum $\left\{ egin{matrix} \mathbf{f} & \mathbf{f} \\ \mathbf{f} & \mathbf{f} \end{array} \right\}$	3,532 5,098	3 6	<u>î</u>	2 2	2 4	1 4	8 17	11 6	7 2	10 11 16 13	3 26 36 29 28
42	Of the female genital organsF	9,892	1		4		2	7	5	5	20	72
43	Of the breast $\begin{cases} M \\ F \end{cases}$	5,933 1,367	1 1	2	·····i			1 6	2 1 1	2 4	1 2	9 4
44 45	Of the Skin	857 7, 100	21	27	2	. 25 22	2 1 20	124	i	2	74 57	3 93
	Of other organs or of organs not specified $\cdots$ $\left\{ egin{array}{l} M \\ F \end{array} \right.$	4,286	11	15	31 26	22	24	98	47	52 34	57	55
46	Other tumors (tumors of the female genital organs M. excepted)	109 167	8	5		1	1	11 9	2	4 2	3 4	2 6
47	Acute articular rheumatism $\binom{M}{F}$ .	1,505 1,606	9 15	10 9	8 9	16 11	25 29	68 73	177 151	185 177	123 123	78 96 8
48	Chrome rheumatism and gout	400 633 44	29	3			ii	33	3	2 2	$\frac{1}{2}$	8
49 50	Scurvy	47 6,038	23 13	19	2 19	1 21	17	30	2 1 106	1 161		1 3
<b>9</b> 0	Diahetes $\left\{ egin{array}{ll} rac{M}{F} \end{array}  ight.$	6,842	8	îŏ	19 18	18	17	89 71	110	176	205 174	198 188
51	Exophthalmic goiter $ \begin{bmatrix} M \\ F \end{bmatrix} $	168 1,248	1	1				2	1	3 13	7 58 3	15 97
52	Addison's disease	151 155	1	1		1		3	1	1 2	3	4
53	Leukemia ${M \over F}$	853 563 2,038	26 10 83	23 8	16 6	8 10 5	13 12 8	86 46 142	44 15 24	2 45 16 15 29 22 26	3 34 18 27 42	42 29 26 65 13 25
54 55	Anemia, chlorosis	2,482 880	58 416	34 28 89 59	12 15 27 <b>43</b>	12 20 19	6	119 561	21 50	29	42 22	26 65
40	Other general diseases $\{egin{array}{cccccccccccccccccccccccccccccccccccc$	759	307	59	43	19	21	449	36		22 18	25
56	Alcoholism (acute or chronic) $ \left\{ egin{array}{c} M \\ F \end{array} \right. $	1,990 203			1		1	••••			3	21 4
57	Chronic lead poisoning M. F.	117	1					1				2
58	Other chronic occupation poisonings $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	26 3										4
59	Other chronic poisonings $\left\{egin{array}{l} M \ F \ \end{array}\right.$	118 78									3	1 <u>4</u> 6
	II.—Diseases of the nervous system and of the organs of special sense.	107, 184	4,846	1,710	1,033	682	505	8,776	1,733	1,321	1,439	1,514
	MalesFemales	56, 452 50, 732	2,794 2,052	935 775	578	353	266	4,926 3,850	936 797	723	888	843 671
		50, 732 389			455	329	239		ł	598	551	l :
60	Encephalitis	298 4,346	62 46 927	25 22 477	21 13 310	8 9	5 4 161	121 94 2,061	28 24 444	22 15 288	25 17 364	12 19 253 157
61		3, 154 1, 799	46 927 705 448	351 214	255 144	186 179 84	124 61	1,614 951	402 155	246 104	163 95	157 80
	Cerebrospinal meningitis (undefined) $F$ . $F$ .	1,381 1,162	365	160	127	75	47	774 526	145	72	5 4 122	52
	Combination 1.6	801 1,385 972	215 170 264 170	136 108 127	84 60 82 68	46 50 56 54	45 24 55 53	412 584	129 107 160	82 64 102 110	37 147	70 41 103 64
	(F		lì .	83	68	54	53	428	150		72	l
62	Locomotor ataxia.   Other diseases of the spinel and (total)   M.	1,390 467 2,681	103	80	72	49	·····	329	2	1	3 78	7 2. 56
63	other diseases of the spinar cord (total)	2,317 518		84 72	73 67 64	42 40	37	296 263	115 102 90	70 66	40 37	46 15
	Acute anterior poliomyelitis. $\left\{ egin{align*}{l} M \ldots \\ R \end{array} \right\}$ Other diseases of the spinal cord $^1$ . $\left\{ egin{align*}{l} M \ldots \\ R \end{array} \right\}$	436	66 69 48 34 18	80 84 72 72 72 8 12	64 60 9	42 40 29 9 13	24 37 18 33 6	242 66	75	43 42 27	] -	46 15 11 41 35
	·	2, 163 1, 881			9 7	1	4	54	25 27	24	1 2	35
64	Cerebral hemorrhage, apoplexy $\left\{ egin{array}{ll} rac{M}{F} & \dots & rac{M}{F} \end{array} \right.$	32, 181 32, 680	107 81	33 36	27 15	8 5	7 11	182 148	45 40	39 34	63 69	97 122
65	Softening of the brain.  Paralysis without specified causes (M	598 517 3,396	25	9	10		<u>-</u> -	52		1	1	97 122 1 1 1 18 29 29 15
66 67	Takery bis without specimen cathe	3, 784 4, 320	25 21	4	4	4 4	4 4	52 37	1 <u>4</u> 12	18 12	15 17 11	18 29
68	General paralysis of the insane $M$ . Other forms of mental alienation $M$ .	1.535 905							1	1	3 25 23	15 57
00	TF	1,064								3	i	51
69	Epilepsy $M$ .	2,133 1,448	72 59	20 16	14 4	13 19	17 14	136 112	72 57	134 83 10	192 116	220 128
70	Convulsions (nonpuerperal) $\left\{ \begin{array}{ll} M & \\ F & \\ \end{array} \right\}$	. 73	1 040	107			<u>-</u>		27 24	10	5 12	2 9
71	Convulsions of infants. $\left\{ egin{array}{ll} M_{-} \\ F \end{array} \right.$	1,543 1,137 41	1,242 869	187 173 1	62 49	38 31	14 15	1,543 1,137				
72 73	Onorea	72 152	$\frac{1}{2}$	1	1		1	3 4	5 1 1 1	6 7 2 1	3 16	3 12 2 1
73	Neuralgia and neuritis $\left\{egin{array}{ll} rac{M}{F} & . & . \\ \end{array} ight.$	221		2		٠٠٠٠٠٠		4	i	l i	1 4	1

1 Exclusive of acute anterior poliomyelitis (infantile paralysis).

HAWAII), FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1918—Continued.

soldiers, zailors, and marines.]

		-				DEAT	HS AT AGE	of—	-							Do-#7	it.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at un- known age.	υZ
255 461 9 7 58 76 59	406 936 18 9 138 136 76 116	738 1,723 38 16 311 288 137 191	1,210 2,848 84 27 559 549 194 316	1,841 3,908 127 26 967 898 241 424	2,785 4,417 187 40 1,456 1,200 369 506	3,422 4,856 233 43 1,794 1,503 438 645	3,888 4,871 306 43 2,023 1,763 517 670	3,903 4,725 270 52 1,961 1,907 516 690	3,405 3,986 229 58 1,647 1,686 446 607	2,318 2,797 180 48 1,037 1,125 267 449	1,234 1,591 105 41,454 600 134 246	500 636 57 17 134 223 47 75	104 184 9 5 22 40 14 18	27 27 6 1 4 7	6 7 2 2 1	39 53 2 21 17 4 7	} 39 } 40 } 41
181 5 44 10 9 114 76	388 3 158 5 8 166 121	726 7 319 21 16 224 167	1,080 8 569 25 13 340 294	1,444 9 739 58 9 19 439 358	1,389 9 789 85 41 679 452	1,309 8 790 107 53 842 513	1,106 12 725 134 70 896 494	883 6 574 164 96 986 523	618 16 475 201 108 866 434	374 14 360 216 137 604 304	193 8 221 168 134 365 156	57 2 106 112 90 148 68	18 31 29 44 30 28	3 4 12 6 3 2	3 2 3	14 11 3 2 9 2	45 44 44 44
4 6 65 84 12 5	10 7 60 68 19 12 1	4 8 76 81 13 16	3 10 74 61 21 24	8 78 82 18 36	9 12 88 84 21 34	9 14 81 79 42 55 2	8 17 103 87 39 66	7 16 75 83 50 96 2	8 18 51 91 54 106	8 9 59 85 47 74	6 11 36 55 34 56	2 5 14 30 12 26	3 5 9 1 15	3 2	2 2 1	2 4 3 2	} 46 47 } 48 } 49
232 193	292 184	236 224	302 263	3 412 396	516 584	649 860	719 1,008	738 942	1 573 744	359 449	168 189	6 <u>4</u> 66	13 11	4	 	6 6	50
13 80 11 9 56 31 38 76 16 20	14 123 11 12 52 52 49 97 13	17 135 19 20 61 61 79 154 17	18 141 18 14 56 39 183 156 21 25	11 151 20 13 48 45 158 218 7	23 140 13 21 84 53 215 272 11	15 124 8 23 72 53 287 285 23 17	15 70 18 15 69 37 248 313 26	6 62 11 6 50 25 266 258 21 19	4 37 6 8 32 22 170 178 15	2 8 3 13 15 91 127 20 17	3 2 2 7 3 45 45 11 7	1 2 2 16 20 4 10	148118	3 1	1	3 1 3 5	51 52 53 54 55
83 23 5	198 23 6	318 37 15	296 32 15	302 32 11	255 27 12	189 10 21 1	127 6 14 3	82 5 6	46 1 6	. 35 1 4 1	10 2	7				16	} 56 } 57
3 23 9	· 3	2 10 6	1 1 13 6	5 1 11 7	2 5 7	1 7 3	2 2 3	6 6	8 9	5 5	.2		i			1	} 58 } 59
1,757	2,411	3,221	4,000	5,206	6,976	8,376	10,384	11,755	13,149	11,615	8,047	3,864	1,126	220	54	240	
1,024 733	1,497 914	1,961 1,260	2,288 1,712	2,854 2,352	3,627 3,349	4,530 3,846	5,728 4,656	6,199 5,556	6,676 6,473	5,684 5,931	3,703 4,344	1,654 2,210	464 662	91 129	13 41	143 97	
30 14 169 98 53 36 60 31 56 31	27 19 151 67 56 36 41 19 54	23 14 152 83 64 35 26 21 62 27	17 15 124 68 54 36 35 13 35	24 15 89 60 49 32 12 14 28	10 15 84 56 38 32 22 22 9 24	14 15 46 43 20 19 13 12 13 12	11 7 41 32 25 13 9 10 7	8 4 33 18 25 14 5 2 3	5 17 16 12 10 5 3	9 2 12 13 10 9 2 2 2	1 6 8 3 6 2 1 1	2 3 5 5 4 4	1			7 4 1 1 2 5	} 60 } 61
12 10 68 56 11 7 57	39 10 87 39 15 6 72 33	72 21 74 55 8 3 66 52	83 41 88 93 4 5 84 88	137 55 115 110 6 7 109	202 43 153 167 5 4 148 163	220 74 201 201 3 5 198	206 63 256 214 4 5 252 209	184 63 326 231 2 2 2 324 229	121 40 301 259 5 2 296 257	61 30 205 178 2 1 203 177	26 10 99 110 4 95 110	9 2 48 35 48 35	2 9 14 9 14	1	1 1 1	3 1 1 2 1	$\left. iggreap 62 63  ight.$
174 147 4 3 20 33 125 47 66	321 273 3 4 39 36 394 126 77	496 513 6 4 54 64 642 158 98	823 865 6 6 68 97 687 175 76	1,405 1,451 16 120 121 606 161 89	2,159 2,341 15 24 148 219 512 171 74	3,099 2,886 42 33 236 209 375 121 79 97	4,206 3,587 67 33 365 326 286 129 75 80	4,627 4,442 89 56 490 430 223 93 58 62	5,150 5,109 109 87 601 636 168 118 53	4, 489 4, 741 113 116 527 607 134 94 33	2,966 3,471 77 71 378 500 73 65 18	1,328 1,737 38 39 152 287 29 40 9 16	372 517 13 18 51 80 7	71 111 1 3 13 9 1	9 24 2 2 2 1 7	60 .52 1 16 16 18 8 16	64 65 66 67 68
240 143	216 119 4 5	100 179 128 5 7	103 162 115 3 4	118 127 100 3 4	104 103 61 1 4	97 90 66	75 56 1 2	62 64 56 3	46 42 6 2	30 27	22 22 22 1	7 8 1	2 1		1	16 7 1	69 70
1 4 7	4 6 11	2 10 5	3 4 9 15	3 5 11	2 4 5 12	4 17 19	3 3 16 32	1 2 18 26	4 7 20 22	3 1 17 16	1 6 18	1 8 7	3 6	1 2	1	i	71 72 73

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF [This table excludes the deaths of

Int.						r	EATHS AT	age of—				
Detailed I	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	II.—Diseases of the nervous system and of the organs of special sense—Continued.											
74	Other diseases of the nervous system $\{M_F\}$	1,451 1,323 50	112 87 7	33 33 2	28 19 2	24 17 2	16 13 2	213 169 15	78 67 6	65 61 1	46 46 3	54 57 3
75 76	Diseases of the eyes and their annexa. $ \begin{cases} M \\ F \end{cases} $ Diseases of the ears. $ \begin{cases} M \\ M \end{cases} $	42 803	4 135	68 68	31	21	2 15	14   270	3 99	1 65	2 53	29 22
10	III.—Diseases of the circulatory system	589 161, 217	111 1,316	51 313	23 202	21 175	15 171	221 2,177	63 1,334	1,898	23 2,187	2,756
	Males. Females.	84, 457 76, 760	750 566	173 140	115 87	78 97	82 89	1,198	655 679	819 1,079	1,006 1,181	1, 145 1, 611
	Pericarditis. {M {F.	76, 760 513	8	4	6	2	1	21	13	13	28 11	15
77 78	$ \begin{array}{c} \mathbb{F} \\ \mathbb{A} \\ \text{cute endocarditis.} \end{array} $	400 3,433 3,223	7 175 129	6 28 31 98	2 23 22	11 28	17	254 254 228	17 108 120	13 109 148	121	10 139 182
79	Organic diseases of the heart $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	63,952 60,562	349 281	79	62 52	51 60		618 529	496 512	665 895	170 820 960 8	944 1,331 12
80	Angina pectoris. $\begin{cases} M \\ F \end{cases}$	3,819 2,218 10,699	2 1 4	1 1	. 1			4 2 5	3	2 2 3	9 4	19
81	Diseases of the arteries, atheroma, aneurism, etc. $\{\frac{M}{F}\}$	8,314	2		. 1	l '		5		. 3	2	13 12
82	Embolism and thrombosis. $\left\{ egin{array}{ll} M \\ F \end{array} \right.$ Diseases of the veins (varices, hemorrhoids, phle- $\left[ M \right]$ .	1,337 1,417 213	29 14 5	4 4 1	4 2		5 2	45 23 6	14 12 2	10 9 2	14 20 1	15 38
83 84	bitis, etc.). F  Diseases of the lymphatic system (lymphangitis, M. etc.). F	256	3 155	1 33	14			213	1 15	2 8	1 5	11 4
85	etc.).  Hemorrhage; other diseases of the circulatory M. system.	. 207	111 23 18	16 3 3	5	1		141 32 23	10 6 4	7	5 4	3 3 5
	IV.—Diseases of the respiratory system	Į.	31,242	14,888	1		2,598	59,185	6,626		10,983	18, 123
•	Males. Females.	136, 795 108, 421	17,561 13,681	7, 884 7, 004	3, 404 3, 333	1,805 1,915	1,271 1,327	31,925 27,260	3,359 3,267	2,287 2,750	6,070 4,913	8,662 9,461
86	Diseases of the nasal fossae $egin{cases} M & & \\ F & & \\ \end{array}$	190	98	19	. 6	. 2	4	129 103	11 2	4	7	7 3
87	Diseases of the larynx $F$ .	153 448 330	81 91 55	15 67 59	36	33	23	250 189	50 37	14	5	5 11
88	Diseases of the thyroid body $\left\{egin{array}{c} M. \\ F. \end{array}\right\}$	- 88 470	9 6	1 2		-	1	11 9		1 8	6	36 36
89	Acute bronchitis	3,801	2,072 1,767 58	1 499	204	82	2 56	2,873 2,608 107	77 60 36	22	18 21 21 20 20	5 36 15 24 33 37
90	Chronic bronchitis	1 /	52	29	l l	.   1	9 5	104	29	10	1	790
91	Bronchopneumonia.		9,274 7,162 5,713	1 3.562	2   1,479	698 799 3 92°	9 471	15,769 13,473 12,179 10,314	885 955 2,198	448	539	949 7,616
92	Pneumonia (total). $\begin{cases} M \\ F \end{cases}$ Lobar pneumonia. $\begin{cases} M \\ F \end{cases}$	. 71,506 83,567	4,360 3,964	2,716 2,529	$\begin{bmatrix} 1,540 \\ 5 \end{bmatrix}$	95	2 746 7 565	8,995	1.781	2,193	4, 197 4, 657	8,249 6,776
	Pneumonia (undefined) $\begin{cases} M \\ F \end{cases}$		2,963 1,749 1,397	710	3 1,201 369 3 339	9 i 20	0   156	7,560 3,184 2,754	1,712 417 378	7 304	670	7,398 840 851
93	Pleurisy		93	128	5 5	7 5	$\begin{bmatrix} 2 \\ 2 \\ 0 \end{bmatrix} = \begin{bmatrix} 120 \\ 30 \\ 20 \end{bmatrix}$	357 243	77	7   46	554 90 66	851 120 83
94	Pulmonary congestion, pulmonary apoplexy $\left\{egin{matrix} M \\ F \end{array}\right\}$	- 702 778 - 207	98 83 3	1.	ōl :	8   .	7 4 6 3	133 120	13	3   5	7	14
95	Gangrene of the lung	.[ 80	11	-([	1   :	1	1 1 1 3	3		1 1 1 3 7 7	7 6 6 1	18 8 6
96 97	Asthma. F.	- 1982 109	17	1	2	5 2	4 5	43		6 4	1	18
98	Other discours of the requiretent system (tuber (M.	780	31	:	6	6	1 9 2 3 2		1)	4   ] 7   5	7 26	33
	V.—Diseases of the digestive system	1	1	- 11	· {	1	1	II.	- !!			
	Males. Females.		23,397	-11	9 1,79	5 87	1 548	33,040	1,41	6 1,024 0 86	5 1,031 5 1,000	976 1,155
99	OM	(	153	3 1	7	4	5 7 3	186	1	9   8	7 4	7 11
100	Diseases of the pharynx $\left\{egin{array}{c} M \\ F \end{array}\right\}$	1,049 964	94	<b>∔</b>    5	0 4	$\begin{bmatrix} 9 & 6 \\ 0 & 3 \end{bmatrix}$	54 49 87 41	306	14 16	7   9	5 63 67	62 81
10	OM.	48	5		1	2	3	. 6 4 23	1 1	2		1 45
103	F. Otter of the Stomach	1,101	1.59	2    1    23	1 12	4 5 6	2   1 34   38	20 2,048	9	4 10	0 2	62
	Over	1	]] '	1)	1	14 (	50 48	1,533	11	0 3	5 48	02
10	Diamboo and enteritie (2 years) M	21,423 5,618	3 16,32	5,10	1,4		38 300	21,423	41			72
100	\mathred{\text{r}}		2	i	1,25	55 55 11	24 23	8	34	3 8 5 5	1. ]	91

HAWAII), FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1918—Continued.

soldiers, sailors, and marmes.]

The color of the																		===
25 10 10 20 10 10 10 10 10 10 10 10 10 10 10 10 10							DEĂT	HS AT AG	e of—									nţi
Section   Sect					45 to 49 years.											years and	at un- known	<u>_</u> z
3,460 4,187 5,582 6,485 6,077 9,881 12,386 16,160 18,815 21,281 19,482 14,881 7,811 2,482 886 127 251 14,881 1,785 1,985 1,985 11,685 12,881 1,985 11,685 12,881 1,985 11,685 12,881 1,985 12,881 1	60 2 2 31	92 1 35	87 2 40	85 1 1	108 2 1 29	107 2 1 35	64 20	71 3	63 2	64 2 4 7	47 3 4	39 • 4 1 7	21 3 2	9	2 2		1	} 74 } 75 } 76
1 17 18 29 18 18 29 18 18 18 29 18 18 18 29 18 18 18 29 18 18 29 18 18 18 29 18 18 18 29 18 18 18 29 18 18 18 29 18 18 18 29 18 18 18 29 18 18 18 29 18 18 18 29 18 18 18 29 18 18 18 29 18 18 18 29 18 18 18 29 18 18 18 29 18 18 18 29 18 18 18 18 18 18 18 18 18 18 18 18 18		1	ł	i	1	i	1	í	ĺ	1	ì	1	}	ł	566	127	1	
11	1,427 2,033	1,955 2,242	2,599 2,653	3,311 3,145	4,337 3,740	5,542 4,419	7,098 5,238	9,124 7,036	10,589 8,226	11,439 9,792	10,216 9,406	7,041 7,350	3,513 3,998	1,011 1,411	210 356	56 71	166 115	
\$\frac{2}{2} \begin{tabular}{cccccccccccccccccccccccccccccccccccc	17 155 232 1,175 1,683 24 25 23	18 196 254 1,579 1,818 47 54 52	15 20 271 241 1,997 2,186 102 62	22 15 326 278 2,578 2,578 2,598 151 67 160	21 13 386 314 3,323 3,089 244	44 21 488 327 4,196 3,592 300 134 357	55 25 505 382 5,390 4,198 488 216 487 287	52 37 107 76 7,309 5,968 567 288 897	49 32 87 63 8,406 6,762 593 372 1,252	43 41 79 68 8,795 7,877	40 30 51	21 36 30 43 4,923 5,345 195	10 11 21 2,278 2,717 75 70	4 6 3 13 611 871 10 15	3 4 1 107 195 4 7 90	43	3 3 126 96 6 3 24	} 77
13, 916	39 5 11 5 2 2 2	46 9 15 5 3 2 10	69 12 27 3 1 14 14	69 14 17 1 2 8 14	87 17 23 2 2 2 1 14 15	101 24 25 4 3 12 7	1 18 10	122 23 16 4 1 24 11	152 29 19 4 2 13	160 25 17 2 4 18	164 9 18 4 12 11	113 8 11 1 3 12 11	69 3 4 2 5 5	24 2 5	1	*******	1 1	} 82 } 83 } 84 } 85
1		_/			6,487									415	97	<u> </u>		
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	22 1 44 75 48 13 45 29 45	3 6 8 7 6 41 21 31 33 41	1 3 8 5 5 42 35 22 53	1 3 11 6 4 37 39 26 64	. 3	4 4 10 9 48 34 24 111	1 22 10 6 8 41 58 39 159	3,198 6 3 6 22 61 58 167	3 19 9 3 18 71 81 222	4 3 14 3 15 98 118 318	5 12 5 2 19 108 159 370	3 6 4 3 5 119 201 317	1,674 3 4 6 3 79	1 2 1 1 37 74 67	1 10 13 16	1	1 5	\  86 \ 87 \  88 \ 89 \  90
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	80	782 116 62	10,009 5,212 9,058 4,669 951 543 138 77	6,402 3,106 5,793 2,779 609 327 118 74	423 5,293 2,459 4,733 2,165 560 294 146 62	405 4,022 2,242 3,615 1,968 407 274 125 43	473 3,428 2,076 3,055 1,785 291 123 60	3,231 2,118 2,840 1,843 391 275 105 64	747 2,785 2,204 2,413 1,876 372 328 105 69	917 2,335 2,176 1,968 1,786 367 390 67	966 1,667 1,804 1,327 1,443 340 361 43 52	1,070 1,245 821 926 249 319 28 31	479 501 632 369 443 132 189 7	186 150 220 106 149 44 71 5	40 · 32 · 49 · 26 · 37 · 6 · 12	9 23 9 15	249 101 156 35 2	} 91 } 92 } 93
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	11 16 9 15 26 4 3 34 28		16 21 8 47 40 2	14 15 4 56 48 6		18 21 3 110 70 5	22 17 3 123 65 5	23 13 3 122 89 16	58 11 4 121 101 12 2	65 7 4 127 123 16 9 33 29	90 10 1 104 112 15	120 2 68 78 3	86 2 25 35 4 2	40 9 10	13 1 2		1 1 5 4 1	94 95 96 97 98
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$																		
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		6 16 51 50 1	19 14 38 37 1	1	19 18 29 26 3	18 10 31 25 5 2 201 96 147 123	17 14 30 27 5 3 237 109 167	13 19 27 17	13 16 22 17 8	13 7 19 13 4	7 6 13 9 4		1 5 5 1	1 3 1	2		2 2 2 1 3 1 7	} 99 }100 }101 }102 }103
	106 115 1 2	144 127	169 131	154 138 1	; 209 537 185	185 181	205 154	230 269	265 310	264 359 1	322 409	229 372	146 205	41 93	12 27	11	26 15	104 105 106

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

Ħ.							DEATHS AT	AGE OF—	<del></del>			
Detailed In List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 'o 14 years.	15 to 19 years.	20 to 24 years.
	V.—Diseases of the digestive system—Continued.											
107 108 109		112 95 5,444 4,289 4,813 4,505 1,864 1,512 2,949	12 9 32 7 759 439 159 40 600	25 23 36 12 145 98 28 4 117	18 15 43 28 77 63 6 4 71	14 10 64 55 64 36 4 2 60	12 6 60 75 43 28 3	81 63 235 177 1,088 664 200 50 888	19 20 453 410 114 88 9 5	1 593 501 64 54 6 1	608 542 97 64 18 4 79 60	1 474 445 106 127 26 8 80
110	Other diseases of the intestines $\begin{cases} \mathbf{H} & \mathbf{H} \\ \mathbf{F} & \mathbf{H} \end{cases}$	2,993 929 903	399 84 55	94 21 15	59 17 16	34 11 7	28 7 4	614 140 97	83 28 21	58 58 53 21 17	18 17	119 20 30
111	Acute yellow atrophy of the liver $^{M}$	144 159	5 6	1 1	2	1 1	1 2	10 10	4 2	3 2	4 7	5 19
112	Hydatid tumor of the liver. $\left\{egin{array}{ll} \mathbf{M} & \mathbf{K} \\ \mathbf{F} & \mathbf{K} \end{array}\right\}$	18 13							1	1		
113	Cirrhosis of the liver	5, 261 2, 533	9	7	5	3 6	3	23 30	13 7	12 12	10	26 25
114	Biliary calculi $\left\{egin{array}{l} M \\ F \end{array} ight.$	690 1,768							2	. 2	1 4	9 27
115	Other diseases of the liver	1,574 1,965	63 45 9	14 15 5	13 7	16 8		115 80	33 26	16 14	33 30	46 56
116	Diseases of the spleen $\mathbb{F}_{-}$	120 62	1 1	4	4	5		25 5	6 2	5 5	3 4	7 5
117 118	Simple peritonitis (nonpuerperal) M. Fr  Other diseases of the digestive system (cancer and M. tuberculosis excepted) Fr.	832 1,026 229 222	82 55 3 2	25 · 21	19 15 1	17 14 1	13 11 1	156 116 6 2	60 63 1 3	60 44 3 4	62 82 7 10	46 102 9 8
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	91,083	784	359	282	194	172	1,791	616	567	978	1,545
	Males. Females.	50,002 41,081	460 324	173 186	160 122	110 84	84	987 804	328 288	279	418 560	502 1,043
119	Acute nephritis. $\left\{egin{array}{ll} \mathbf{M} & \mathbf{K} \\ \mathbf{F} & \mathbf{K} \end{array}\right.$	3, 192 2, 761	231 152	86 75 65	99 62	52 46	45 47	513 382	160 119	93 87	118 117	115 141
120	Bright's disease $\mathbb{F}$	40, 576 32, 663	95 78	65 68	54 44	52 29	35	301 257	154	174	276 309	338 526
121	Chyluria	1							2 110			
122 123	Other diseases of the kidneys and annexa. $M$ .  Calculi of the urinary passages. $M$ .	1,042 843 329 143	87 76 3	19 37	6 13			118 138 3 1	11 16	7	. 3	24 45 5 2
124	Diseases of the bladder $egin{cases} M & M & M & M & M & M & M & M & M & M $	1,097 260	11 7	3	1 2		3	15 12	2 3	1	1 2	2 2
125	Discases of the urethra, urinary abscess, etc ${\bf K}$	289 14	2	1	. 1	1		3 1			. 2	11
126 127 128	Diseases of the prostate. M. Nonvenereal diseases of the male genital organs. M. Uterine hemorrhage (nonpuerperal). F.	3,385 87 61	27	2		i		30	i	2	2 5 8	6 1 7
129 130 131 182	Uterine tumor (noncancerous). F. Other diseases of the uterus. F. Cysts and other tumors of the overy. F. Salpingitis and other diseases of the female genital	1,467 804 611			-			1		1 4 2		16 60 28
133	organs. F  Nonpuerperal diseases of the breast (cancer M. excepted). F	1,423 5 30	4 10	. 2				2 4		3	57	215
	VII.—The puerperal state.	18,177	10		-			10		. 29	1,596	4,264
134 135	Accidents of pregnancy F. Puerperal hemorrhage F	4, 250							<b> </b>	-	292	1,038
136 137	Other accidents of labor. F. Puerperal septicemia. F.	3 271							.ll	5 8	32 242 495	767
138 139	Puerperal albuminutia and convulsionsF. Puerperal phlegmasia alba dolens, embolus, sudden	3,651	ļ	.			·-			- 11	512	877
140 141	death F Following childbirth (not otherwise defined) F Puerperal diseases of the breast F	83									17 5 1	16
	VIII.—Diseases of the skin and of the cellular tissue.	3,416	585	56	32	2 27	7 14	714	45	5 29	49	67
	MalesFemales	1 966	342 243		18 14		5 7	413	25	2 20	28	33
142	Gangrene M.	919	18	. 8	i e	3   3	9 4	45	1 ,	5 a	1	7
143	Eurunele M.	310	14 55	1 6	1			29 62	14		5 8	12 12
144		134 385 244	28 86 75	11	7	,	1 2	31 111	14	1 11	12	10
145	Other diseases of the skin and annexa $\left\{ \begin{matrix} \mathbf{H} \\ \mathbf{F} \end{matrix} \right\}$	352 333	183 126	) 6	1 4			95 195 146		ij 8		10 17 4 8

HAWAII), FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1918—Continued. soldiers, sailors, and marines.]

				· · · · · · · · · · · · · · · · · · ·	,	DEATHS AT	AGE OF-										Int.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	S0 to S4 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at un- known age.	Detailed In List No.
1 1 453 404 131 165 37 21 94 144 41 65	2 1 1 440 385 139 196 41 30 98 166 59 50	3 3 478 301 196 216 77 59 119 157 44 68	1 391 255 190 245 76 86 114 159 50	355 210 241 276 102 104 139 172 70 49	2 1 30 303 189 279 319 155 170 124 149 66 62	199 160 336 314 172 151 164 163 48 65	1 165 113 388 350 183 197 205 153 59 40	127 63 384 383 198 196 186 187 55 56	89 62 388 390 198 182 190 208 72 64	2 43 40 321 329 177 139 144 190 58 57	19 19 217 192 116 58 101 134 40 48	7 9 90 82 49 31 41 51 26 29	25 34 13 16 12 18 7 5	2 1 4 9 4 2 7 5 2	4 2 2 2	8 3 11 6 5 2 6 4 2 2	}107 }108 }109
77 18 2 555 41 18 50 63	6 18 3 1 142 83 21 72 78	17 4 3 11 266 140 31 113	5 7 3 402 168 51 135	1	6 7 1 2 652 228 77 205	15 9 1 1 728 302 85 242 147	14 7 2 1 718 288 95 213	11 8 2 674 303 84 196	9 9 1 469 258 66 145	107 10 1 2 314 223 47 112	150 134 19 63	1 3 43 57 14 17 27	2 11 11 1 1 4 8 16	2	i 1	3 9 4 1 1 8 3	}111 }112 }113 }114 }115
63 73 8 3 48 111 3 21 2,305	78 92 6 3 56 93 21 20 2,896	99 117 5 3 52 82 39 20	96 119 4 26 73 21 23 4,681	135 150 9 3 39 50 24 15	131 174 - 2 1 36 33 20 33, 6,735	7,890	134 213 10 6 39 22 15	119 188 8 2 31 23 10 13	112 167 5 7 35 28 12 8	95 135 8 1 24 29 4 5	78 87 2 4 15 18 3 3 6,251	3,045	930	186	53	3	}11.6 }11.7 }118
821 1,484 152 174 594 740	1,107 1,789 177 184 850 918	1,661 2,304 225 182 1,325 1,362	2,060 2,621 189 195 1,738 1,639	2,856 2,908 225 193 2,423 2,135	3,611 3,124 209 161 3,171 2,597	4,564 3,326 220 175 4,028 2,928	5,526 3,732 176 136 4,816 3,393	6,297 4,211 169 152 5,309 3,852	6,692 4,330 167 136 5,490 4,009	6,102 3,844 141 88 4,834 3,574	3,752 2,499 82 77 2,904 2,315	1,716 1,329 39 42 1,299 1,239	520 410 11 10 386 377	94 92 3 4 73 85	18 35 1 15 35	91 60 7 6 78 44	}119 }120 }121
32 42 14 4 6 6 12	34 56 16 17	53 45 13 12	46 65 20 14 20	76 58 32 11	57 50 26 18 41 7	78 46 27 14 35 9 34	81 68 37 10 74 11 32	99 55 34 14 129 25 26	99 46 33 13	103 50 36 7 221 55 16		42 6 7	7 8 2 47	11 1		3 1	122 122 123 124
7 4 4	5 2 15 1 6 4 6	9 8 24 5 11 1 9	20 10 29 2 16 2 8	25 6 28 4 41 6 6	69 4 4	136 6 1	306 4	526 5 3	173 27 18 708 4	749 2 3	506 3	22 1 219 2 1	10 66 1	6	2	3	125 126 127 128
62 92 59 298	125 72 260 2	224 123 68 264	330 114 68 173	272 92 56 74	152 54 42 38 1 1	60 35 39 19	47 29 29 9	. 47 16 38 4	42 13 44	32 9 22 3 1	20 7 13	7 ·3 ·8	1 2	1		3 1 2	129 130 131 132 }133
4,679 1,305 240 906 1,268 825	3,695 888 300 667 1,056 670	2,701 532 316 469 785 509	1,022 157 153 177 285 214	22 21 28 42 27	9 2 3 3 . 1	1										35 10 2 7 11 5	137 138
105 28 2 64	66	75 13 2 76	34 2 114	1 122 81	. 156	158	190	216	316	330	331	242 126	93	16	15	7	139 140 141
33 31 8 7 8 4 12 10 5	1	48 28 12 5 15 15 12 6 6	68 46 22 18 18 7 25 8 3 13	41	95 61 33 26 29 15 17 12 16 8	101 57 30 23 30 11 27 10 14	73 52 43 25 7 25 8 15	132 84 82 54 19 8 21 10 10	180 136 126 107 21 3 21 8 12	196 134 147 107 15 3 10 10 24 14	173 158 147 129 10 1 6 6 10 22	116	49 39 43 2 1 1 2 5	5 9	7 8 7 7	1 1 1 1 1	}142 }143 }144 }145

\* Table 7.—Deaths (exclusive of stillbirths) in the registration area (exclusive of [This table excludes the deaths of

Int.						]	DEATHS A	f AGE OF-				
Detailed In List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	IX.—Diseases of the bones and of the organs of locomotion	2,041	169	81	49	36	46	381	205	185	130	96
	Males Females	1,248 793	110 59	45 36	31 18	14 22	25 21	225 156	122 83	. 108 77	87 43	• 58 38
146	Diseases of the bones (tuberculosis excepted) $M$ .	1,090 652	96 52	43 35	29 17	14 20	24 21	206 145	116 79	102 70	78 39	57 36
147 148	Diseases of the joints (tuberculosis and rheuma-{M.tism excepted)	119 107 2	9 5	2 1	2		1	14 6	3	6 6	6 1	1 1
149	Amputations $\{F, M, M, M, M, M, M, M, M, M, M, M, M, M,$	37	5 2			2		5 5	2	·····i	<u>2</u>	1
	X.—Malformations.	34 12,841	11,887	353	1 144	84	38	12,506	154	71	60	23
	Males Females.	7,321 5,520	6,784 5,103	197 156	92 52	47 37	18 20	7,138 5,368	87 67	35 36	34 26	14 9
150	$ \begin{array}{lll} \text{Congenital malformations (stillbirths not included)} \left\{ \begin{matrix} M & & \\ F & & \\ F & & \\ \hline & & \\ Hydrocephalus & & \\ \hline & & \\ Congenital malformations of the heart & & \\ \hline \\ & & \\ \hline \\ \hline$	7,321 5,520 617 552 4,605 3,218 2,099 1,750	6,784 5,103 432 423 4,376 3,024 1,976 1,656	197 156 74 49 73 65 50 42	92 52 42 21 32 17 18	47 37 12 13 25 15 10	18 20 7 6 4 10 7	7,138 5,368 567 512 4,510 3,131 2,061 1,725	87 67 30 19 40 34 17	35 36 5 8 26 26 4 2	34 26 9 6 16 16 9	14 · 9 1 3 7 3 6
	XI.—Early infancy	62,190	62,190					62,190				
	Males Females	35,850 26,340	35, 850 26, 340					35, 850 26, 340				
151	$ \begin{array}{cccc} \text{Congenital debility, icterus, and sclerema (total)} & & & \\ \hline \text{Premature birth.} & & & & \\ \hline \text{Congenital debility, "atrophy," "marasmus,"} & & \\ \hline \text{Etc.} & & & \\ \hline \text{F.} & & & \\ \hline \text{F.} & & & \\ \hline \text{E.} & & & \\ \hline \text{F.} & & & \\ \hline \text{E.} & & $	28, 894 21, 639 21, 977 16, 558 6, 917 5, 081	28, 894 21, 639 21, 977 16, 558 6, 917 5, 081					28, 894 21, 639 21, 977 16, 558 6, 917 5, 081				
152 153	$ \begin{array}{ll} \text{Other causes peculiar to early infancy (total)} & & \begin{bmatrix} M \\ F \end{bmatrix} \\ \text{Injuries at birth} & & \begin{bmatrix} M \\ F \end{bmatrix} \\ \text{Other causes peculiar to early infancy }^1 & & \begin{bmatrix} M \\ F \end{bmatrix} \\ \text{Lack of care.} & & \begin{bmatrix} M \\ F \end{bmatrix} \\ \end{array} $	6, 829 4,627 3,797 2,352 3,032 2,275 127 74	6, 829 4, 627 3, 797 2, 352 3, 032 2, 275 127 74					6,829 4,627 3,797 2,352 3,032 2,275 127 74				
	XII.—Old age	12,251			<del>.</del>				 			
	MalesFemales	5,232 7,019										
154	Senility	5,232 7,019										
	XIII.—External causes	81,009	2,065	1,813	1,602	1,477	1,286	8, 243	4,374	3,569	4,984	5,267
	MalesFemales	60,479 20,530	1,136 929	1,049 764	919 683	783 694	699 587	4,586 3,657	2,879 1,495	2,854 715	4,040 944	4,126 1,141
155 156 157 158	Suicide (total)         \$\begin{align*} M. & F. & M. & F. & M. & F. & M. & F. & M. & F. & M. & F. & M. & M	7,111 2,534 763 711 764 514 1,288 356 382 267							i	19 18 3 3 8 1 1	150 157 23 76 9 19 20 4 6 13	365 273 52 125 30 40 37 13 18
159 160 <b>1</b> 61 162 163	$ \begin{array}{c} \mathbb{B} \text{y firearms.} & \left\{ \begin{matrix} \mathbb{M} \\ \mathbb{F} \end{matrix} \right. \\ \mathbb{F} \\ \mathbb{B} \text{y cutting or piercing instruments.} & \left\{ \begin{matrix} \mathbb{M} \\ \mathbb{F} \end{matrix} \right. \\ \mathbb{F} \\ \mathbb{F} \\ \mathbb{B} \text{y jumping from high places.} & \left\{ \begin{matrix} \mathbb{M} \\ \mathbb{F} \end{matrix} \right. \\ \mathbb{F} \\$	2,964 386 670 110 155 126 67 17 58								7 6	86 33 1 2 1 6 1 2 2 3 2	204 60 11 4 7 14 2

1 Exclusive of injuries at birth.

HAWAII), FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1918—Continued. soldiers, sailors, and marines.]

					•	DEATHS AT	AGE OF	-			17	•				Deaths	Int.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at un- known age.	Detailed
101	93	109	106	80	100	109	80	. 66	78	69	33	15	2			3	
65 36	61 32	77 32	64 42	55 25	66 34	64 45	44 36	36 30	44 34	41 28	21 12	7 8	1			2 1	
61 29 4 7	55 29 4 3	67 29 8 3	55 29 6 10*	47 20 8 4	57 28 8 5	50 34 9 9	36 22 6 10	28 20 8 8	30 19 7 13	25 12 13 11	13 8 5 3	5 3 1 4	1			2 1	}1 }1
<del>-</del>	2	2				1											}1
			3	1	1	4 2	2 4	2	7 2	3 5	3 1	1				-;	}1
15 7 8	3 1 2	1 3	3		1		1										
	1	1	1 2		1		1				 						h.
7 8 1 2	1	1 3 1 1	1 2				1										} <sup>1</sup>
4 5 2	Î	2			1												
1			1														
																	-
												-3					
																	: }
																	  }
																	1
		·	-										-				: }
	<u></u>	11		. 4	18	60	177	380	1,234	2,065	3,172	2,720	_[	521	278	46	-1
		i		4	9	27 33	96 81	171 209	578 656	1	1,405 1,767			189 332	100 178	14 32	1
	-	1	1	4	1	27 33	96 81	171 209	578 656	1	ì	1		189 332	100 178	14 32	}
5,810 4,721	6,162 5,204		-	-	4,637	4,104 3,318	3,677 2,841	3,202			1,973	1,224	_	120	22	619 530	-1
4,721 1,089	5, 204 958	1	1	ì		3,318 786	2,841 836	1	1	1			t		8 14	530 89	1
313 72	280 89	252 87	273 92	231 88	199 71	169 52	150 51	83 37	66	37 12	19	36 4 3 2 2	6 2 1	3		43 4 3	}
54 54	80 48	70 79 46	77 66	95 47	. 89	81 40	64 40	49 17	16 21 19	23 11	9 2	2				1	را٠
592 313 72 112 54 54 85 29 25 27	748 280 89 76 80 48 104 25 35	856 252 87 70 79 46 115 31 46 26	755 273 92 62 77 66 121 50 48 16	750 231 88 46 95 47 135 51 44 28	662 199 71 40 . 89 60 118 42 25	638 169 52 27 81 40 142 28 31	556 150 51 28 64 40 127 30 28 18	417 83 37 19 49 17 100 19 24 10	264 66 20 16 21 19 79 14 14	176 37 12 4 23 11 55 11 13	77 19 7 4 9 2 18 5 3	10 2 2	1 2	1		1 12 1 7	}
1	ľ	1		1		1	1			ŀ			1			14	ľ
43	76 13	105	78 9	77 14	66 12	75 14	222 10 51 9 5	31 8	24	51 2 14 1 7	10 2	5				3	1
288 61 43 9 16 13 7 1	327 55 76 13 26 17 7 4 4 4	370 48 105 11 34 12 15 35	307 47 78 9 19 15 7	289 26 77 14 16 12 6	264 12 66 12 4 4 9	234 21 75 14 7 10 5 3 11	5 9 3	164 31 8 3 2 3	98 1 24 1 3 3	7	3 2	3	. i	2		. 1	- 1
1 2	4	5	3 6 5		. 1	11	5 6				-	-				2	-
l 7	, 4	:   5	) i 5	1 7	1 3	J . 2	; 6	ı 5		-!	ا-	-l	-1	-J	-1	.	ا ا-

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

							DEATHS A	T AGE OF-				deaths of
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	8 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 1 years.	20 to 24 years.
	XIII.—External causes—Continued.											
	Accidental or undefined (total) $\left\{ egin{align*} M \ldots \\ F \ldots \end{array} \right.$	48,992 16,916	1,064 860	1,039 755 39	911 680	779 684	688 576	4,481 3,555	2,841 1,476	2,772 666.	3,608 670	3,234 677
164	Poisoning by food $\left\{egin{array}{c} M_{\cdot\cdot\cdot} \\ F_{\cdot\cdot\cdot} \end{array}\right.$	435 407	52 44 66	39 32	680 29 25 72 64 40 27	17 21	18 11	155 133	31 27	25 20	22 16	14 15 23 54 21 21 113 134 111
165	Other acute poisonings	795 554 840	30 31	32 145 92 21 22 401	64	53 26	32 17	368 229	42 19	18 15	14 19	23 54
166.	Conflagration $\begin{cases} M & \\ F & \end{cases}$	574 2,909	26	22	27	34 25	24 27	150 127	71 80	41 37	24 28	21 21
167 168	Burns (conflagration excepted) $\left\{ egin{align*} \mathbf{M} \\ \mathbf{F} \\ \mathbf{A} \end{array} \right.$ Absorption of deleterious gases (conflagration $\left\{ egin{align*} \mathbf{M} \\ \mathbf{M} \end{array} \right.$	3,708 2,333	117 122	287 20	414 334	310 400	158 324	1,400 1,467	217 592	64 124	90 133 72	113 134
	excepted)	1,005 4,721	357 289 25 11	20 20 120	8 9 86	15 4 44	6 5 67	406 327 342	31 21	41 18 603	72 26 746	61
169	Accidental drowning	743 1,701	11	80 11	43 12	31	11 24	176 66	510 64	91 397	115	61 419 72 168 23
170 171	Traumatism by firearms $\mathbb{F}$ .  Traumatism by cutting or piercing instru- $\mathbb{F}$	312 145	3 5 3	8	13 2	31 16 25 4 2	9 2	60 12	155 60 6	48	379 40	23
	ments	41 5,894	1 3	2 98	1 68	2	1 69	9	200	9 1 190	10 3 179	3 172
172	Traumatism by fall	4,379	91 58	84	53	64 27	30	388 252	92	33	39	23
173	Traumatism in mines and quarries (total) $\left\{ egin{matrix} M \dots \\ F \dots \end{smallmatrix} \right\}$	2,584 4		1				1	2	12	208 1	281
	Traumatism in mines ${ m M} \{ { m M} \}$	2,493 4							1	11	200	275
	Traumatism in quarries $\left\{egin{array}{c} M \\ F \end{array}\right\}$	91		1				1	1	1	8	6
174	Traumatism by machines	2,265 , 95	2	3	3	6 1	5 1	16 8	39 4	82 6	260 12	194
175	Traumatism by other crushing (total) $egin{cases} M \dots \\ F & \end{bmatrix}$	17,670	43	59	113	169	235	619	1,279	1,010	1,191	1,305
	Railroad accidents and injuries $\{M_{F}^{M}\}$	3,361 7,668	31 12	59 52 15	57 14	94	115 18	349 68 37	439 171	209 258	203 562	1,305 217 720
	/Street-car accidents and injuries $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right]$	1,836	4 2	8 11 7	6 24	6 25 19	13 22	84 60	45 82	65 51	60 93	62 103
	Automobile accidents and injuries $\left\{ egin{array}{c} M \\ F \end{array} \right]$	$\binom{5,703}{1,721}$	19 17	20 23 11	24 17 52 24	95	158	344	839	9 546	28 375	28 304
	Injuries by other vehicles $\left\{egin{array}{c} K \\ K \\ F \end{array}\right\}$	1,898	9 8	11 14	21 9	57 38 12	18 13 22 17 158 70 34 12	191 113	304 175 42	113 144	99 132 14	113 114
	Landslide, other crushing $\left\{egin{array}{c} M_{-} \\ F_{-} \end{array}\right\}$	565 27	1 2	2	2	2	3 3	55 10 6	12 1	19 11 3	29 2	12 64 2
176	Injuries by animals $egin{cases} M \dots \\ F \dots \end{cases}$	590 66	2 3	5	15	13	13	48	50	56	36	21
177	Starvation $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right\}$	25 15	3 4 4	5 1	3		5	19 5 4	7	8	2	1
178	Excessive cold $\left\{egin{array}{c} \widetilde{M} \\ \widetilde{F} \end{array}\right]$	395 113	67	2				6 10	1 1 2	6 2	8	7 3
179	Effects of heat $\left\{egin{array}{c} M_{-} \\ F_{-} \end{array}\right]$	745 391	118 99	14 14	2 3	2 3	1 2 1	138 120	8 2	7 3	15 2	12 3
180	Lightning $\left\{egin{array}{ll} M \\ F \end{array}\right\}$	338 69	1				2	3	20 11	32	37	38 9
181	Electricity (lightning excepted) $\{M_{F}^{M_{-}}\}$	746 8					i		16 2	5 46 1	82 82	96
185	Fractures (cause not specified) $\left\{ egin{align*} M \\ F \end{array} \right\}$	369 355	3 2	2	1		i	7 3	9 2	6 2	15 2	11
186	Other external violence $\left\{egin{array}{cccccccccccccccccccccccccccccccccccc$	3,492 716	140 126	101 52	48 45	32 22	30 15	351 260	154 47	127 43	220 23	221 29
	Homicide (total) $\left\{ egin{matrix} M. \\ F \end{matrix} \right.$	4,376 1,080	72 69	10 9	8	4 10	11 11	105 102	38 18 11	63	282	527 191
182	By firearms $\{F_{-}\}$	3,126 601	69 3 5 2 7	$\begin{bmatrix} 1 \\ 2 \end{bmatrix}$	4	3	6	17 9	11 8	63 31 47 17	282 117 213 75 36	527 191 416 130
183	By cutting or piercing instruments $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right\}$	510 159	2 7	1	·····i	1	2 2 3	6	8 6 5	3 5	36 18	67 15
184	By other means $\{F\}$	740 320	67 57	8 6	2	9	3 6	82 80	21 5	13	33 24	44 46
	XIV.—Ill-defined diseases.	15, 625	5,849	1,149	344	205	116	7,663	289	212	260	321
1	MalesFemales	8,545 7,080	3,280 2,569	618 531	175 169	106	56 60	4,235	137	113	128	121
187	III-defined organic disease. ${M \over F}$	423 431	7 5	9 2	5 4	99 4 2	2 5	3,428 27 18	152 7 4	99 5 6	132 5 12	200 7 8
188	Sudden death $M$ .	599 448	138 105	16 10	4 3	4 2	1	163 120	3 10	5	7 8	8 6 14
189	Not specified or ill-defined (total) $\left\{\begin{matrix} M \\ F \end{matrix}\right\}$ .	7,523 6,201	3,135 2,459	593 519	166 162	98	53 55	4,045 3,290	127	103	116 112	108
	III-defined $egin{cases} M \cdot . \\ F \cdot . \end{cases}$	2,847 2,293	615 508	368 318	91 71 75	95 47 33 51 62	53 55 22 20 31 35	1,143 950	138 60 52	89 39 31	39 46	36 64 72
}	Not specified or unknown $\left\{egin{array}{c} M \dots \\ F \dots \end{array}\right\}$	4,676 3,908	2,520 1,951	225 201	75 91	51 62	31 35	2,902 2,340	52 67 86	64 58	77 66	72 114
	}	]							}			

HAWAII), FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1918.

soldiers, sailors, and marines.]

						DEATHS A	T AGE OF-	-								Dooths	Int.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at un- known age.	Detailed List No
3, 473 603 12 24 30 42 34 27 133 100 139 45 332 38 109 22	3,791 540 13 16 58 31 49 17 124 115	4,030 584 13 28 41 32 54 23 122 101 173 89 280 33 375 15	3, 481 576 20 27 44 28 49 24 127 111 177 42 290 23 55	3,472 556 22 16 37 17 38 14 91 49 231 49 238 19	2, 928 614 24 16 34 20 41 25 74 99	2,533 607 15 10 22 18 39 23 82 79 175 34 142	2, 211 673 21 19 30 9 44 17 70 98 135 50 93 13	1, 864 763 24 21 13 6 27 23 59 110 106 56 70 8	1, 437 923 12 4 12 3 27 17 51 116 87 53 45	1,064 1,042 5 5 3 6 34 14 101	699 1,176 3 6 4 2 14 14 26 91 44 37	443 738 2 2 1 2 7 5 19 35 19	144 314 1 5 5 4 10 2 5	41 74 1 1 5	8 14 	442 75 2 2 1 71 30 5 9	}164 }165 }166 }167 }168
332 38 109 22 1 1 274 48	174 36 302 39 105 13 6 - 316 51	280 280 33 75 15 11 1 389 64 409	290 23 55 5 13 4 406 56	238 19 61 9 14 1 409 90	166 51 211 18 39 4 11 380 112	142 16 34 6 10 370 136	93 13 20 4 15 2 381 213	70 8 20 1 7 3 383 311	55 6 5 5 4 358 485	59 42 25 3 8 5 2 384 655	31 3 2 1 2 1 331 829 2	1 249 576	1 1 94 242	28 58	2 5	1 51 5 3 1 1 1 9	169 170 171 172
333 1 10 248 11	391 13 249 8	399 10 254 7	275 6 210 4	1 245 1 15 191 7	148 9 167 5	1 104 1 6 128 4	58 2 106 5	29 2 65 4	10 1 34	12 1 313	3 1 137	2	18	4		9 5	}173 }174
1,370 192 748 51 118 28 344 95 105 107	1,477 170 821 57 130 33 342 73 118 5 66	1,630 182 849 66 180 28 419 71 112 15 70	1,357 189 700 72 159 28 337 78 108 10 53	1, 358 203 625 66 172 24 373 91 130 21 58	1, 198 198 578 48 124 29 328 99 132 20 36 2	1,002 214 437 44 118 35 291 115 114 18 42 2	873 163 346 315 34 293 81 98 12 21	752 129 285 28 117 22 204 65 127 14	539 128 180 35 86 26 178 57 90 9	88 104 26 56 17 104 38 44 . 6 5	56 40 14 23 6 46 30 27 6	13 25 2 13 7 20 2 8 2	, 6 , 1 3	2		111 143 8 7 1 10 2 6	175
16 10 19 8	30 1 14 4 45 10	18 2 41 12	31 2 32 4 58 10 20	i	32 5 1 2 30 7 49 14	42 2 3 1 - 37 6 49 16	44 3 1 1 49 8 54 23	46 2 2 1 36 8 45 30	33 2 5 2 47 15 45 25	22 5 3 1 27 9 40 30	9 1 19 13 24 33	2 2 9 7 20 20	3 2 6 12	1 1 2	2 4 1	2 5 1	}176 }177 }178 }179
38 8 110 16 1 239 34	117 15 2 267 22	7 117 2 26 1 316 34	4 44 1 25 10 242 32	4 49 1 32 1 289 23	20 16 243 19	26 13 213 213 26	18 20 172 25	30 22 142 28	19 42 92 19	25 59 59 21	34 68 30 19	21 56 20 7	8 27 3 2	2 6 1		4 1 91 3	181 185 186
656 173 506 102 86 33 64 38		1	470 68 337 42 58 9 75 17	326 45 223 28 27 8 76 9	210 29 140 18 21 5 49 6	147 10 90 6 15 1 42 3	1	67 8 36 3 5 26 5	22 8 13 2 1 2 8 4	9 3 3 1 2 4 2 628	1	1 1 1	1	1 1 49		45 10 31 4 3 2 11 4 199	}182 }183 }184
324 131 193 3 8 11 9 117 176 42 64 75 112	158 168 9 16 13	235 180 12 17 22 14	218 188 16 29 16 112 186 147 90 71 96 76		462 258 204 35 211 31 16 192 167 98 95 94 72	523 323 200 29 29 44 250 147 143 83 107 64	654 273 32 39 59 277 290 207 174 121 116 86	435 317 45 53 53 400 337 224 220 131 117 93	426 318 54 40 50 40 322 238 178 122 144 116	333 295 46 41 29 34 258 220 134 114 1124 106	244 220 24 29 29 29 25 191 166 94 72 97	301 146 155 28 24 18 17 100 114 38 41 62 73	53 59 5 4 6 4 42 51 23 17 19 34		23 8 15 2 1 1 1 5 14 4 4 10	130 69 3 3 2 2 3 125 63 31 14 94 49	}187 }188 }189

TABLE 7A.—DEATHS OF WHITE PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

===									[Thi	s table ex	cludes the	e deaths of
Int.							DEATHS A	T AGE OF-	-			
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	All causes	1, 287, 425	170,984	47, 405	23,272	15,138	11,277	268,076	32,992	25,153	44,946	68, 531
	MalesFemales	698,424 589,001	96,873 74,111	24,868 22,537	11,914 11,358	7,605 7,533	5,715	146,975	17,215 15,777	12,655	23,853	31,094 37,437
	I.—General diseases	460,190	26,248	19,347	11,426	7,946	5,562 6,038	71,005	17,009	12,498	21,093	37,437
	Males. Ferneles	241,785 218,405	14,187 12,061	9,791 9,556	5,643 5,783			ļ				
			łf	i		3,926 4,020	3,006 3,032	36,553 34,452	8,298 8,711	5,351 6,774	12,110 11,985	17,191 20,626
1 2	Typhoid fever	4,664 3,468 3	38 21	39 32	41 35	52 55	64 44	234 187	314 328	355 457	666 591	600 451
3	Typhus fever. $M$ . Relapsing fever. $M$ . $M$ . $M$ . $M$ . $M$ . $M$ . $M$ .					•			1			
4	Malaria F.	655	65	30 38	40	21	8	164	53	29	35	29
5	Smallpox. $ \begin{cases} M \\ F \end{cases} $	655 633 177	65 63 30 30	38 4	18 1	21 26 3	11 3	156 41	43 10 8	39 9	40 5	29 33 6 6
6	Measles $M$ .	101 3.885	981	1,155	1 479	2 251	1 148	34 3,014	_	2 100	120	
7	Scarlet fever $F$	3,885 3,665 1,197	794 58 45	1,011	439	232 135	148 119	2,624 569	305 335 316	136 134	130 97 62 66	69 49
٠ 8	$ \begin{array}{c} \mathbb{F} \\ \mathbb{M}. \\ \mathbb{F} \end{array} $ Whooping cough	1,113 4,983 6,104	2,612	102	133 107 444	251 232 135 109 257 349 732 639 1,890 2,102	115	478 4,678	300 222	115 33	16	74 69 49 65 6 52 89 10,042
9	Diphtheria and croup	5,635	2,819 449	1,222 1,580 811	697 849	349 732	143 209 592 536	5,654 3,433	351 1,480	43 346	8 124	6 52
10	Influenza	5,135 114,557 97,033	303 6,076 4,956	667 4,846 4,783	690 2,845 3,029	1,890	1,466 1,547	2,835 17,123 16,417	1,441 4,009 4,526	420 2,980 3,733	7,760 6,431	10,042 12,405
11	Miliary fever $\left\{ egin{array}{l} M \ . \\ F \ . \end{array} \right.$					2,102		10, 111	1,020	0,100	0, 101	12, 100
12	Asiatic cholera. $M$ .											
13	Cholera nostras	144 124	26 17	1 <u>1</u>	7 6	5 3 61	4 1	53 35	9	2 3	3	
14	Dysentery $\left\{ egin{array}{ll} \mathbf{M} & \mathbf{K} \\ \mathbf{F} & \mathbf{K} \end{array} \right\}$	1,807 1,720	389 293 ·	11 8 288 259	130 113	61 59	49 32	917 756	94 72	24 20	21 10	$\begin{array}{c c} 1 \\ 22 \\ 19 \end{array}$
15	Plague $\left\{egin{array}{c} M. \\ F. \end{array}\right.$											
16	Yellow fever $\{rac{M}{F}\}$				· · · · · · · · · · · · · · · · · · ·	•••••						
17	Leprosy $\{M\}$	10									i	
18	Frysipelas $M$ .	1,360 1,117	382 368	29 36 37 28	9 9	3 8	3 3	426 424	15 12	13 16	25 20	17 23 10
19	Other epidemic diseases $\prod_{{ m F}}$ .	284 222	83 44	37 28	26 15	$\begin{array}{c} 12 \\ 12 \end{array}$	9 13	167 112	35 27	14 14	16 11	10 10
20	$\begin{array}{ccc} \text{Purulent infection and septicemia.} & & \left\{\begin{matrix} M \\ F \end{matrix}\right. \\ \text{Glanders.} & & \left\{\begin{matrix} M \\ M \end{matrix}\right. \\ \end{array}$	733 541	104 58	12	9	8 10	6	139 89	31 27	27 16	34 29	25 48
21	Glanders $M$ .	3										
22	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	28 3							1	1	2	2 1 1
23	Rabies $\left\{egin{array}{ll} M_{-} \\ F_{-} \end{array}\right.$	· 33 19			1	5 2	3 3	8 6	10 2	2 2	1	1
24	Tetanus $\left\{egin{array}{cccc} \mathbf{M}_{-} \\ \mathbf{F}_{-} \end{array}\right.$	702 286	119 86	5 6	5 5	12 5	11 8	152 110	122 52	89 18	49	26 9
25	Mycoses	30 14	1	1				2		18 2 1		2
26 27	Pellagra. M. F	1,302 1	9	2 2	3	7 1	3 1	17 16	16 9	8	6 22	10 64
24	Beriberi $\left\{egin{array}{cccc} M_{-} & & \\ F_{-} & & \\ \end{array}\right.$					•••••						
	Tuberculosis (total) $F$	56,836 43,176	1,205 972	867 77 <b>7</b>	455 455	349 286	268 242	3,144 2,732	779 771	674 1,239	2,622 3,969	5,612 6,552
28	Tuberculosis of the lungs $egin{cases} M & . \\ F & . \\ M & .$	49,240 36,361	361 274	231   183	113 89	286 74 76	58 64	837 686	228 287 37	354 888 35	2,622 3,969 2,182 3,442	5,088 5,924 164
29	Acute miliary tuberculosis	1,475 1,202 2,800	68 46 582	231 183 39 37 483 477	25 25	15 10	5 11	152 129	37 25 351	57	202	243
30	Tuberculous meningitis $M$ .  Abdominal tuberculosis $M$ .	2,545 1,494	500 110	477 66	455 113 89 25 25 255 285 34 27	189 155 35	148 132 24 20	1,657 1,549 269	351 320 80	129 162 46	122 122 70	106 101 106
,	. (+ ••	1,760	79	66 53		35 21		200	69	46 55	124	170
32	Pott's disease	535 367 318	8 7 9	9 4 6	12 7 5	21 11	15 7	65 36	33 38	35 31	47 31	45 23
33 34	Tuberculoric of other expers	157 694	7 40	18	6	5 6 8 6	9 3 7	34 20 79 67	33 38 23 12 19	30   15   35	19 12 30	31 12 54
35	Discominate d trakeness and	518 280	30 27	14 15	13 5 5	2 1	4 2	51	15 8 5	15 35 22 10	31 19 12 39 19 17	45 23 31 12 54 44 18
-	٠ (٣٠٠)	266 235	29 133	9 55	5 20	1 7	1	45		9	_	35
36 37	Rickets. $\{M, K\}$ Syphilis. $\{M, K\}$	177 3,638	91 860	42 41	14 28	4 15	1 2 9	216 153 953	7 4 17 15	$\begin{bmatrix} 2\\3\\19 \end{bmatrix}$	2 1 34	66
38	Ganacoccurs infection M.	1,743 79	654 17	45	15	15	4	953 733 17	Î5	14	34 28 1	66 74 5 52
- [	F.	274	i 21. J	1 1		2		24		2	21	52

(EXCLUSIVE OF HAWAII) FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1918.

soldiers, sailors, and marines.]

						DEATHS AT	r age of—	<u> </u>						<del></del>			ot.
25 to 29 years.	80 to 84 years.	85 to 89 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at un- known age.	Detailed In List No.
92,701	89, 969	73,969	58,138	56, 816	57,073	61,180	67, 240	71, 245	72,706	64,043	45, 593	24,070	8,114	1,822	299	2,749	
46,971 45,730	51, 767 38, 202	44, 536 29, 433	34,714 23,424	33,722 23,094	32,988 24,085	35,111 26,069	38,066 29,174	39,200 32,045	38,310 34,396	32,524 31,519	21,783 23,810	10,907 13,163	3,361 4,753	702 1,120	118 181	1,852 897	
51, 155	48,386	36,884	26,326	23, 279	21,209	20, 111	19,074	17,625	14,453	9,940	5,493	2,358	673	134	24	1,015	
26,346 24,809	28,326 20,060	22,531 14,353	15,598 10,728	13, 150 10, 129	11,501 9,708	10,418 9,693	9,772 9,302	8,767 8,858	6,931 7,522	4,522 5,418	2,430 3,063	1,029 1,329	267 406	58 76	9 15	627 388	
567 363	529 264	385 201	262 149	236 134 2	180 87	106 77	82 58	69 48	33 31	21 24	5 4	4 4	i			16 9	$\begin{cases} 1 \\ 2 \end{cases}$
																	} 3
27 36 6 10	25 30 9 5	29 22 12 5	29 32 9 3	25 16 10 2	25 24 15 2	33 17 4 5	39 26 17 4	39 34 6 2	31 24 4 2	22 25 9	8 21 4 1	8 10	4 3 1 1			1 2 2	$\begin{cases} 4 \\ 5 \end{cases}$
40 55 21 - 34 3 9 41 64	40 56 15 27 1 4	22 57 · 14 16	31 59 7 2	26 39 3 6 1 2 21 23 4,477 2,654	21 38 3 3	22 25 1	16 20	20 17	15 11	15	2 4	3	1			3 5 3	$\begin{cases} 6 \\ 7 \end{cases}$
3 9 41	1 4 44	2 3 36 30	1	1 2 21	4 1 15 16	1 9	3 4	4 3 4	2 4 3	3 1	1 2 1	2				10 7	} 8 } 9
17, 775 16, 628	19,279 12,820	30 13,482 7,524	1 14 18 . 6,999 3,798	23 4,477 2,654	2,719 2,150	16 1,883 1,648	4 9 1,547 1,350	1,360 1,303	1,115 1,225	760 1,032	505 668	1 241 341	1 86 130	14 38	3 9	10 7 5 398 203	10
																	$\begin{cases} 11 \\ 12 \end{cases}$
2 1 18 18	1 17 10	3 2 31 27	· 1 36 26	5 3 38 32	3 3 32 35	3 1 47 44	7 5 60 58	10 7 66 87	12 11 115 117	12 18 111 142	5 13 78 135	4 6 54 76	4 4 19 26	1 3 2	2	1 1 4 6	13
								-									} 15 } 16
29 39 6 7	. 3	41 33 5 1	64 42 4 4	79 • 43 • 4 3	70 67 3 7	87 51 5 3	2 98 58 3 4	96 53 2 3	3 2 83 67	71 52	56 44	35 24	9 7 1	2 2		1 2	} 17 } 18
27 49		37 28	39 31	37 23	47 26	45 21	51 23	3 43 26	2 3 44 29	33 18	1 3 21 7	1 7 7	2 1	1 1 1		4 2	} 19 } 20
2		2	5	4	3	1	2	3		1							21 22
i	_	2	2	1	1 2		2 1 2 1	1	2								23
24 14	18 10 2	26 13 1	31	42 8	20 11	30 5 3	30	23	14 4	3 4 1	2 1	1	1			1	} 24 } 25
1 14 100	. 2 1 19 123	1 2 47 176	39 161	1 2 47 119	66 118	3 2 72 110	3 2 79 91	2 1 86 73	3 1 58 56	27 34	12 10	2 6	1	1	1	4 4	26 27
6,804 6,357 6,290 5,820 190 171 92 81 86 167	6,877 5,051 6,389 4,636 164 112 93 46 93	6,521 3,822 6,031 3,478 151 75 90 46 105	5,600 2,970 5,234 2,681 120 55 49 27 91 128	4,937 2,327 4,566 2,052 116 42 33 27 108 123	4,087 1,721 3,767 1,504 83 34 30 24 91 93	3,151 1,513 2,877 1,324 57 19 20 17 100	2,421 1,265 2,197 1,113 34 12 10 7 82 78	1,698 1,114 1,514 1,517 973 18 11 10 4 82 79	1,016 2,859 900 766 11 6 3 8 43 50	504 510 456 443 6 4 1 3 23 24	194 230 159 190 7 3 1 1 11	66 76 61 65	12 13 6 9	5 1 3 1		112 84 98 79 4 1 3 1 5	28 29 30 31
57 28 17 9 52 51 20 30	11 60 60 17 22	1	27 22 14 10 43 29 22 18	34 21 10 7 49 40 21	29 18 25 6 51 32 11	24 11 20 6 39 29 14 8	25 19 17 7 43 20 13	17 12 13 8 26 18 15 9	11 14 15 3 22 9 11	14 14 2 6 11 13 1 3	3 3 2 2 7 11 4 2	1 3 3 3	1 1 5 1	1		1 1 1 1	32 33 34 35
3 159 87 13 48	2 3 277 111 7 42	1 349 131 5 38	1 356 120 6 · 23	382 125 3 11	321 91 8 5	239 73 2 1	1 189 56 6 2	, 1 136 38 3 3	2 73 20 2 1	39 14	1 2 13 9	6 2 1	3	i		7 1	36 37 38

Table 7A.—DEATHS OF WHITE PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[This table excludes the deaths of

_			,						[ + 1111	s table exc	audes the	deaths of
Ħ,						1	DEATHS A	T AGE OF-				
Detailed List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	8 years.	4 years.	Under years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	I.—General diseases—Continued.											
	Cancer and other malignant tumors (total) $\{ \mathbf{M}_{\mathbf{F}_{\mathbf{F}_{\mathbf{G}}}} $	25, 780 36, 379	30 27	38 20	39 38	33	24 30	164	65 63	68	98 100	145 169
<b>3</b> 9	Of the buccal cavity $\overset{F}{\underset{F}{\prod}}$	1, 835 417	1 2	1 4	1	33 33 1		148 8 6	63 6	68 48 2	100 5 6	5
40	Of the stomach, liver $\left\{egin{array}{c} \mathbf{M} & \mathbf{K} \\ \mathbf{F} & \mathbf{K} \end{array}\right\}$	12,208 11,637	4 6	1 5 3	5 5	2 7 7	1 1 1 1	22	7 8	5 7	9 10	23
41	Of the peritoneum, intestines, rectum $\cdots$ $F$ .	3, 445 4, 950	3 6	i	2 2	2 4	1 4	22 8 17	11 6	7 2	14 12	2 23 32 26 25
42	Of the female genital organsF	8, 873 99	1		4		1	6	4	5	19	53
43	Of the breast	5,568 1,351	1	<u>2</u>	1		2	1 6	2 1	2 4	2	4 3 2
44 45	Of the skin	833 6,842	21	27	2 30	1 23 19	1 19	120	1 40	2 50	68	88 I
•	·	4, 101	11	15	25	19	22	92	42	30	52	88 51
46	Other tumors (tumors of the female genital organs M. excepted)  A cute ortical or the symmetric of M.	103 143	7 3 6	2 4 9			1	10	2	3 2	3	2 5 63 77 7
47	F.	1,317 1,401 365	11	8	8 7	15 11	24 28	62 65	167 145 3	179 170	111 109	63 77
48	omome medicalism and godi	600 37	26	2			1	29	3	2 1	$\begin{bmatrix} 1\\2\\1 \end{bmatrix}$	7
49 50	M   M   F   M   F   M   M   M   M   M	31 5,810	18 12	1 18	19	20 18	17	19 86 68	104	1 158	191	1 188 178
51	(F)	6, 597 161	8	10	18	18	14	68	107	171	170	- 1
52		1,193 150	i	1		1		3	1	12 1 2	7 57 2	15 92 4
53	Leukemia F.	151 822	25	22	16	8	13	84	41	44	2 3 32	40
54	Anemia, chlorosis.	549 1,995	9 70 55	8 34 25	6 10	10 5	12 8	45 127	15 23	15 14	17 25	29 25 58 12
55	Other general diseases. $\left\{ egin{array}{c} F_{-} \\ \end{array} \right\}$	2,419 801 698	379 285	25 85 55	14 27 39	11 19 15	4 9 20	109 519 414	15 23 19 46 32	24 19 26	25 38 17 17	58 12 21
56	Alcoholism (acute or chronic) $\begin{bmatrix} M \\ F \end{bmatrix}$	1,897	200				20	717	32	20	3	15
57	Chronic lead poisoning $\begin{array}{cccc} & & & & & & & & & \\ \mathbb{F} & & & & & & & & \\ \mathbb{F} & & & & & & & & \\ \mathbb{F} & & & & & & & \\ \mathbb{F} & & & & & & & \\ \mathbb{F} & & & & & & & \\ \mathbb{F} & & & & & & & \\ \mathbb{F} & & & & & & & \\ \mathbb{F} & & & & & & \\ \mathbb{F} & & & & & & \\ \mathbb{F} & & & & & & \\ \mathbb{F} & & & & & & \\ \mathbb{F} & & & & & & \\ \mathbb{F} & & & & & & \\ \mathbb{F} & & & & & & \\ \mathbb{F} & & & & & & \\ \mathbb{F} & & & & & & \\ \mathbb{F} & & & & \\ \mathbb{F} & & & & & \\ \mathbb{F} & & & & \\ \mathbb{F} & & & & & \\ \mathbb{F} & & & \\ \mathbb{F} & & & & \\ \mathbb{F} & & & & \\ \mathbb{F} & & & & \\ \mathbb{F} & & & & \\ \mathbb{F} & & & & \\ \mathbb{F} & & & & \\ \mathbb{F} & & & & \\ \mathbb{F} & & & & \\ \mathbb{F} & & & \\ \mathbb{F} & & & \\ \mathbb{F} & & & \\ \mathbb{F} & & & \\ \mathbb{F} & & & \\ \mathbb{F} &$	185 114										1 2
58	Other chronic occupation poisonings $\begin{array}{c} F \\ M \\ F \end{array}$	6 23	1					1			3	4
59	Other chronic poisonings $\left\{ egin{array}{c} F_{-} \\ F_{-} \end{array} \right\}$	3 104 71			• • • • • • • • • • • • • • • • • • • •				•••••		····· <u>2</u>	13
	II.—Diseases of the nervous system and of the organs of special sense	98, 074	4,267	1,535	934	623	447	7, 806	1,580	1,164	1 000	
	MalesFemales	51,957	2,478	840	529	321	236	4,404	863	636 528	754	711
Ì		46, 117	1,789	695	405	302	211	3,402	717	1	475	551
60	Encephalitis $M$	348 254 3,942	57 38 868	22 19 445	20 11 288	8 8 172	4 145	111 80	26 20 408 355	18 12 254 211 93	23 13 305	11 13
61		2,859 1,667	651 415	326 201	236 138	169 79	110	1,918 1,492 889	355 145	211	144 85	210 140 75
	Simple meningitis. $\begin{cases} M & \cdot \\ F & \cdot \end{cases}$ Cerebrospinal meningitis (undefined). $\begin{cases} M & \cdot \\ F & \cdot \end{cases}$	1,269 1,043 724	343 203	146 127	115 77	70 41 50	40 36	714	135	เล	47 104	47
	Cerebrospinal fever F.	1,232	155 250	102 117	55 73	50 52 49	22 53 48	484 384 545	117 94 146	69 54 92 92	32 116 65	53 35 82 58
	·	866 1,324	153 1	78	66	49	48	394 1	126	92		
62	Locomotor ataxia (M. F. )	434 2,523	93	73	68	46	19	299	107	66	2	5 1
63	Other diseases of the spinal cord (total) $\begin{bmatrix} M & . \\ F & . \end{bmatrix}$ Acute anterior poliomyelitis $\begin{bmatrix} M & . \\ F & . \end{bmatrix}$	2,147 484	l Ai	72 67	60 61	40	34 14	267 241	99 1	59 41 40	38	41
	Other diseases of the spinal cord $^{1}$ . $^{1}$	$\frac{402}{2,039}$	61 43 32 18	63 6 9	53 7 7	38 27 8 13	31 5	217 58	85 74 22 25	25	75 38 37 19 38	1 48 41 14 11 34 30
64	Cerebral hemorrhage, apoplexy $F$ .	1,745 30,133	98 71	29	25 13	7	3 6	50 165	42	19 31	48	ł
65	Softening of the brain $F$ .	30, 140 568	71	35	13	4	8	131	36	31 28 1	57 1	77 89 1
66	Paralysis without specified cause. $\begin{cases} \mathbf{F} \\ \mathbf{M} \\ \mathbf{F} \end{cases}$	483 2,829 3,112	20 16	8	9 3	3 4	4 3	44 30	13 9	13	11	11
67	General paralysis of the insane $\left\{ egin{array}{c} F \\ \end{array} \right\}$	3,961 1,383				2		au		11	11 12 11 2 18	20 22
68	Other forms of mental alienation	769 934								2	18 19	11 20 22 12 47 39
69	Epilepsy $\left\{ egin{array}{c} M \\ F \end{array} \right.$	1,859 1,289	53	17	9	9	15	103	64	112	159	190
70	$\begin{array}{ccc} F & F \\ Convulsions (nonpuerperal) & F \\ F & F \end{array}$	56	40	13	4	16	14	87	49 21	74	101	108
71	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	1,287 929	1,045 713	148 146	51 36	31 24	12 10	1,287 929	20	5	6	5
72	Chorea	37 66	2	140	1	2/4	10	929	4 1 1	67	3	3 9
73	Neuralgia and neuritis. $\left\{ egin{array}{c} M \\ F \end{array} \right]$	142 208	1	2	1			4	1 1	6 7 2 1	15 1 4	2
•		dra of part	•	•	•			- n	- 1	- 1	~ 1	•

Exclusive of acute anterior poliomyelitis (infantile paralysis).

						DEATHS A	T AGE OF-	_									int.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at un- known age.	102
242 389 9 7 56 64 55 60	374 822 17 7 121 122 72 111	670 1,511 34 14 278 261 131 179	1, 134 2, 551 83 520 505 181 290	1,744 3,605 123 24 904 836 232 410	2,664 4,121 178 35 1,390 1,132 361 487	3,321 4,618 223 \$40 1,787 1,450 431 629 1,208	3,776 4,675 298 41 1,966 1,707 503 658	3,819 4,546 263 49 1,915 1,855 509 680	3,342 3,860 224 55 1,614 1,654 441 597	2,277 2,749 179 47 1,016 1,111 265 444	1,219 1,551 105 39 450 584 132 246	489 613 54 16 130 216 46 71	104 177 9 5 22 -39 14 18	26 23 6 1 4 7	5 3 2 2 1	34 37 2 17 14 4	39 40 41
5 36 9 8 108 72	326 3 139 3 8 158 109	290 20 15 201 148	520 7 523 25 11 318 279	692 57 18 419 342	1, 251 7 747 85 36 643 433	743 106 52 816 496	1,029 12 691 132 68 865 481	544 544 162 93 966 504	575 15 447 199 108 849 424	363 13 351 213 134 591 299	182 8 216 168 134 356 150	2 103 112 87 145 65	27 29 44 30 28	2 12 6 2	1 1 1	9 7 3 1 8 2	42 43 44 45
6 51 67 12 5	9 2 50 52 17 12	4 6 65 68 12 15	3 9 60 53 20 23 1	8 5 69 64 15 32	9 10 74 71 18 30	9 12 73 72 40 49 2	8 16 84 80 37 65	6 16 65 72 42 93 2	8 16 47 75 51 105	7 9 50 78 44 72	5 11 29 49 31 51	2 5 12 26 11 25	3 4 7. 1 13	1 ;1 ;1		1 1 1	} 46 } 47 } 48
225 184	. 279 170	1 225 212	285 242	3 388 378	1 490 548	1 624 828	697 970	1 718 932	1 564 727	352 444	2 161 185	59 64	11 11	3		5 5	} 49 } 50
. 11 . 77 11 . 9 . 52 . 29 . 35 . 75 . 14 . 18	13 120 11 12 52 50 46 92 11 12	15 130 19 19 57 - 60 - 75 142 14 16	17 132 18 14 54 37 132 153 19 23	11 143 20 13 46 44 154 214 5	22 133 13 20 82 53 210 271 8	15 116 8 22 68 53 286 283 19 12	15 69 18 15 68 36 248 312 25	6 59 11 6 50 24 265 258 19 18	4 37 6 8 32 21 170 178 15 15	2 8 3 12 15 91 124 19 17	3 2 2 2 6 3 45 44 11 6	2 1 2 2 16 20 3 10	1 4 2	3 1	1	1 2 5 1	51 52 53 54 55
78 20 5	190 20 6	299 35 14	288 27 15	284 30 10	245 27 12	182 10 21 1	120 6 13 3	80 5. 6	46 1 6	34 1 4	9 2	7				15	} 56
23 7.	3 10 7	8 6	1 1 9 5	5 1 10 7	2 3 6	1 5 2	2 2 3	1 6 6	8 8	1 5 5	2		1			1	} 57 } 58 } 59
1,506	2,077	2,749	3,427	4,549	6, 083	7,636	9,567	11,013	12,455	11,132	7,735	3,692	1,042	188	20	162	
908 598 27 12 155 79 51 27 53 20	1,313 764 20 18 138 62 54 34 37 18 47	1,724 1,025 21 11 136 73 62 31 25 18	2,009 1,418 17 12 108 62 47 33 31 12 30	2,524 2,025 18 14 82 55 44 30 12 14 26 11	3,216 2,867 9 14 77 53 33 31 21 8	4,173 3,463 13 15 42 43 17 19 13 12 12	5,325 4,242 11 6 35 32 20 13 9	5,886 5,127 6 4 32 16 24 13 5 1	6, 329 6, 126 5 4 15 14 10 9 5	5,458 5,674 9 2 12 12 10 9 2 1	3,557 4,178 1 1,6 7 3 6 2	1,570 2,122 2 3 5 5 4 4 4	423 619	76 112	6 14	92 70 4 3 1 1 1 2 2	} 60 } 61
26 11 8, 65, 50 11 6 54 44	10 35 6 79 34 14 5 65 29	24 68 17 66 48 8 2 58 40	. 83 37 . 83 87 4 5 79 82	11 126 49 99 96 5 7 94 89	14 192 42 145 143 5 3 140 140	216 73 190 190 3 4 187 186	9 196 59 245 204 4 5 241 199	2 175 59 315 217 1 2 314 215	2 117 38 232 245 5 1 287 244	2 59 30 197 172 2 1 195 171	1 24 10 95 108 4 91 108	9 2 48 34 34	2 8 11	1 2 1 2		2	} 62 } 63
145 113 4 2 12 23 106 33 57 64	254 211 3 4 25 24 362 111 67 70	409 376 4 4 39 37 597 145 75	699 671 6 4 32 69 637 156 62 90	1,229 1,236 9 . 11 87 78 556 143 80 110	1,912 2,004 12 20 98 150 460 153 66 96	2,862 2,599 41 31 184 152 345 111 70 91	3,945 3,296 64 30 311 251 261 116 63 . 73	4,431 4,138 86 52 419 351 214 87 54 57	4, 931 4, 883 103 84 524 562 154 105 48 52	4,349 4,581 109 111 476 534 128 94 28 43	2,874 3,366 73 70 342 458 66 60 18 19	1,269 1,688 36 38 133 254 26 40 9	348 491 12 18 39 70 5 6 1	61 98 1 2 9 7	1 1 1	48 38 7 9 10 7 6	64 65 66 67 68
215 127 2	195 104 4 2	155 118 3 3	138 108 2 3	112 95 3 3	91 54 1 3	87 61 1	67 54 1 2	63 51 2	41 40 6 2	25 26	22 20 1	7 8 1	2			11 4 1	} 69 } 70
4 6		2 10 4 7—20—	3 4 7 15	3 5 10	2 4 5 11	4 16 19	3 3 14 31	.1 2 17 22	4 7 18 22	3 1 15 15	1 6 17	1 8 7	<b>3</b> 6	1 2	1	1	} 71   72   73

Table 7A.—Deaths of white persons (exclusive of stillbirths) in the registration area

Int.							DEATHS AT	AGE OF-				
Detailed In List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
74 75 76	II.—Diseases of the nervous system and of the organs of special sense—Continued.  Other diseases of the nervous system.  Diseases of the eyes and their annexa.  M.—F.  Diseases of the ears.  F.	1,363 1,232 43; 36 <u>£</u> 773 554	105 84 27 74 131 108	32 29 2 1 64 47	28 16 2 4 29 20	22 16 2 2 2 21 19	15 12 2 2 14 14	202 157 15 13 259 208	77 64 5 3 94 59	62 58 1 63 59	41 41 2 1 51 22	53 52 2 2 29 20
	III.—Diseases of the circulatory system	147,695	1,240	281	175	164	161	2,021	1,244	1,771	1,991	2,354
	Males Females	77,437 70,258	711 529	151 130	104 71	73 91	79 82	1,118 903	610 634	761 1,010	927 1,064	978 1,376
77 78 79 80 81	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	430 333 3,064 2,845 58,239 55,174 3,703 2,112 10,070 7,872	8 6 171 127 330 260 1 1 1 4	3 5 24 29 86 72 1	6 2 21 . 19 . 55 40 1 1	2 2 10 26 48 56	1 6 17 17 55 52	20 21 243 218 574 480 3 2 4 4	13 15 104 114 458 476	13 11 101 137 621 840 1 2 3	24 9 111 154 760 866 7 6 4	121 158 812 1,138 10 17 9
82 33 84 85		1, 287 1, 349 200 233 265 182 179 158	29 13 4 2 145 106 19 13	4 4 1 1 31 16 1 3	3 2  14 4 4 4 2	10 5	5 2 1 4	44 22 5 3 201 135 24 18	14 12 2 1 14 9 5	8 9 2 2 8 7 4	10 19 1 1 5 4 5 4	13 30 10 4 2 3 3
	IV.—Diseases of the respiratory system	218,369	27,334	12,941	5,821	3,261	2,261	51,618	5,718	4,319	9,273	15,637
	Males	121,579 96,790	15,407 11,927	6,872 6,069	2,930 2,891	1,588 1,673	1,106 1,155	27,903 23,715	2,912 2,806	1,963 2,356	5,131 4,142	7,353 8,284
86 87 88 89 90	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	86 54 412 301 85 447 3,341 3,365 2,216 2,518	39 24 75 43 9 5 1,833 1,560 48	5 6 64 55 1 2 415 424 25 19	1 2 34 29 142 171 6 9	1 32 27 63 64 3 6	22 15 1 36 45 5	47 33 227 169 11 8 2,489 2,264 87 79	4 1 49 37 1 1 66 50 27 24	14 6 1 8 14 16 11 7	2 4 3 6 18 16 14 8	5 1 4 11 5 35 9 17 25 26
91 92 93	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	26, 011 23, 434 85, 100 63, 594 74, 766 55, 133 10, 334 8, 461 1, 726 1, 114	8,325 6,408 4,862 3,671 3,532 2,608 1,330 1,063 85	3,410 3,094 2,810 2,362 2,254 1,847 556 515 117 76	1,302 1,299 1,361 1,322 1,072 1,068 289 254 56 44	624 706 803 830 653 646 150 184 49 28	386 408 619 655 497 541 122 114 26 18	14,047 11,915 10,455 8,840 8,008 6,710 2,447 2,130 333 229	799 824 1,872 1,790 1,563 1,506 309 284 71	321 394 1,538 1,873 1,295 1,597 243 276 44 34	470 454 4,508 3,553 4,021 3,156 487 397 76 53	692 853 6, 455 7, 227 5, 817 6, 585 638 642 104 68
94 95 96 97 98	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	649 726 192 75 984 817 100 54 677	86 75 3 15 12 4 5 23 20	13 15 1 8 7	756184 1164	3 4 1 4	3 3 1 3 5	115 103 11 2 37 32 5 7 39 34	4 11 4 3 6 3 2 2 7 5	6 5 1 3 5 3 5 3	12 7 7 4 3 8 1 1 18 14	11 12 16 8 3 9 2 2 22 22
ĺ	V.—Diseases of the digestive system	99,434	37,560	10,314	2,879	1,425	894	53,072	2,389	1,715	1,753	1,774
	Males	53,947 45,487	21,200 16,360	5,555 4,759	1,539 1,340	770 655	492 402	29,556 23,516	1,270 1,119	942 773	914 839	841 933
99 100 101 102 103	Diseases of the mouth and annexa. $ \begin{cases} M \\ F \end{cases} $ Diseases of the pharynx. $ \begin{cases} M \\ F \end{cases} $ Diseases of the esophagus. $ \begin{cases} M \\ F \end{cases} $ Ulcer of the stomach $ \begin{cases} M \\ F \end{cases} $ Other diseases of the stomach (cancer excepted). $ \begin{cases} F \\ F \end{cases} $	296 263 967 868 48 40 1,910 984 3,585 3,229	97 76 86 72 3 2 12 12 1,423 953	11 9 44 34 1 1 190 189	1,340 4 5 42 33 1 1 3 3 100 80	3 4 62 34 1 2 2 48 38	7 3 47 38 1 1 1 27 30	122 97 281 211 5 3 22 19 1,788 1,290	11 16 141 157 1 2 9 4 70 69	6 3 88 63 1 9 9 26 23	3 3 59 57 1 1 20 22 20 30	533 6 11 58 73 1 42 47 29 36
104 105 106	$\begin{array}{lll} \text{Diarrhea and enteritis (under 2 years)} & & & \begin{cases} M & \\ F & \end{cases} \\ \text{Diarrhea and enteritis (2 years and over)} & & \begin{cases} M & \\ F & \end{cases} \\ \text{Ankylostomiasis} & & \begin{cases} M & \\ F & \end{cases} \\ \end{array}$	23,655 19,025 4,956 4,966 10	18,597 14,673 1 1	5,058 4,352	1,216 1,085 1	474 456	271 204	23,655 19,025 1,961 1,745 2	355 283 4 5	82 71 1 2	50 59	60 61

		12			·	:	DEATHS A	AGE OF	•							Desthe	Int.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at un- known age.	Detailed   List No
75 55 2 2 30 22	89 85 1 35 21	100 78 2 39 19	97 80 1 34 20	86 104 2 1 27 27	112 99 2 1 32 20	87 61 20 12	28 19	54 62 1 16 9	62 59 2 4 7 5	46 42 1 4 1 7	19 37 4 1 6	15 19 2 2 2 6	5 8 1	. 1		1 4 1	} 74 } 75 } 76
2,920	3,506	4, 231	5, 283	6, 829	8,602	11,167	14,937	17,674	20, 148	18,883	13,862	7,238	2,250	501 181	76 36	207	
1, 193 1, 727	1,603 1,903	2,051 2,180	2,704 2,579	3,658 3,171	4,845 3,757	6, 468 4, 699	8,477 6,460	9,966 7,708	10,832 9,316	9,797 9,086	6,786 7,076	3,393 3,845	928 1,322	320	40	125 82	ļ 
12 14 130 192 981 1,437 20 20 15	19 15 166 221 1,296 1,537 41 44 33	13 11 227 202 1,581 1,807 92 48 76 16	13 11 274 228 2,095 2,129 139 62 115 60	19 8 333 269 2,772 2,619 227 77 197 84	36 15 428 273 3,635 3,047 287 117 310 178	49 18 465 3,50 4,855 3,739 474 206 459 257	42 30 104 72 6,734 5,448 562 282 848 487	41 30 84 60 7,874 6,317 6,317 363 1,186	38 37 76 66 8,287 7,462 595 345 1,626 1,217	33 28 50 56 7,248 7,033 377 261 1,949 1,517	21 35 27 41 4,723 5,134 194 163 1,700 1,567	11 8 11 20 2,187 2,592 72 70 1,065 1,076	4 6 3 11 542 811 10 14 357 453	89 170 4 7 81 135	24 24 24 12 16	2 1 3 3 91 68 4 3 21	77 78 79 80 81
24 36 5 9 4 2 2	32 45 9 15 5 3 2 8	41 59 9 25 2 1 10 11	48 62 12 14 1 7 12	82 77 17 21 1 2 10 14	113 94 20 23 4 3 12 7	126 91 20 27 3 1 17	138 114 23 15 3 1 23 11	152 147 28 17 4 2 13	168 156 25 16 2 4 15	116 164 9 17 3 12 10	100 113 8 10 1 3 12 10	41 69 3 3 3	10 23 2 3	3 6 -1		1	} 82 } 83 } 84 } 85
23,539 12,502 11,037	22,119 13,597 8,522	15,659 10,208 5,451	9,992 6,643 3,349	5,634 2,854	7,198 4,565 2,633	6,903 4,262 2,641	7,101 4,143 2,958	7,285	7,367 3,644 3,723	3,066 3,543	2,178 2,860	2,773 1,150 1,623	1,013 392 621	221 85 136	11 29	332 127	
2 6 4 46 9 33 17 21	3 1 8 5 40 17 26 21 31	1 16 55 39 22 19 44 21	3 8 5 4 33 30 19 52 35	7 12 10 57 21 28 75 54	2 1 10 9 8 47 32 19 97 77	10 5 8 39 53 38 140 91	6 3 6 18 55 50 159 164	3,380 3 1 18 9 3 18 66 78 212 243	3 3 14 3 3 14 96 116 304 378	4 1 12 5 2 18 105 158 357 430	3 6 4 3 4 116 196 310 420	3 6 3 79 135 187 262	1 1 1 36 72 66 106	10 12 14 33	4 2 4	1 1	\  86 87 88 89 90
1, 137 1, 185 11, 166 9, 622 10, 219 8, 825 947 797 104 65	1,305 918 12,069 7,372 11,089 6,693 980 679 97 57	1,048 637 8,855 4,601 8,051 4,163 4,163 438 113 69	710 405 5,596 2,713 5,086 2,452 510 261 102 70	636 384 4,577 2,180 4,123 1,931 454 249 119 51	515 370 3,567 1,985 3,225 1,762 223 111 38	566 436 3, 162 1, 893 2, 820 1, 639 342 254 112 50	612 583 2,972 1,956 2,622 1,711 350 245 93 59	660 721 2,601 2,067 2,258 1,768 343 299 99 62	755 884 2,179 2,063 1,858 1,698 321 365 66 48	742 940 1,582 1,715 1,270 1,379 312 336 42 50	517 810 1,018 1,188 787 882 231 306 27 30	308 469 473 602 353 421 120 181 7	107 181 140 205 100 140 40 65 5	20 37 28 41 23 32 5 9	3 10 3 8 3 7 7	41 24 284 100 .175 76 109 24	} 91 } 92 } 93
9 10 15 9 10 19 3 1 25 20	14 17 10 8 17 26	17 12 20 8 34 21 2 41 18	14 12 14 4 44 37 6 1 63 12	17 15 19 7 82 49 7 4 64 13	15 16 20 3 100 55 3 2 85	16 20 15 3 110 57 4 2 65 7	37 21 12 3 112 - 79 - 16 3 63 19	43 56 11 4 115 95 12 2 62 24	53 63 6 3 119 111 15 8 32 29	75 89 9 1 93 104 14 8 29	94 119 2 64 70 3 7 15 9	53 86 2 21 31 4 2 9 7	30 38 6 7 1	11 11 1 1 1	3	3 1	94 95 96 97 98
2,045	2,354	2,729	2,850 1,563	3,301	3,474	3,772 2,135	3,884	3,788	3,606	3,138	2,178 974	1,040	362	97	14	99	
1,009 1,036 15 9 48 54 3 2 93 49 36 42	1, 210 1, 144 6 15 45 47 1 1 124 52 46 53	1,510 1,219 17 11 35 33 167 81 69 61	1,563 1,287 10 10 81 35 2 3 199 81 78 67	1,871 1,430 19 17 26 22 2 2 4 204 93 101 87	1, 956 1, 518 16 8 27 22 4 2 185 85 113 82	2,135 1,637 16 10 28 22 4 3 225 101 138 103	2, 163 1, 721 13 16 24 17 2 1 187 78 175 149	2,014 1,774 13 13 21 14 8 3 142 86 185 185	1, 815 1, 791 12 6 19 11 4 5 119 80 207 241	1,516 1,622 7 5 12 9 4 1 89 57 298 249	974 1, 204 4 11 12 13 5 2 47 24 164 232	464 576 1 5 5 1 22 9 90 130	125 237 1 3 1 2 6 30 70	2 	1 12	2 2 2 3 1 3	} 99 }100 }101 }102 }103
96 89 1 2	126 89	138 96	135 105 1	179 151	155 149	187 142	214 235	233 287	249 338 1	307 387	216 357	143 194	39 87	11 26	5	20 10	}104 }105 }106

Table 7A.—DEATHS OF WHITE PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA [This table excludes the deaths of

o Int.					·	1	DEATHS AT	AGE OF-				
Detailed In List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	1 5 years.	2 years.
	V.—Diseases of the digestive system—Continued.											
107	Intestinal parasites. ${M - {F \over F}}$	56 57	4 5	11 14	6 7	7 7	8 4	36 37	10 11	1		
108	Appendicitis and typhlitis $\left\{egin{align*}{c} \mathbf{M} & \mathbf{M} \\ \mathbf{F} & \mathbf{M} \end{array}\right\}$	5,048 3,944	30 7	33 12	41	63 54	57 72	224 172	430 386	558 467	560 492	417 395
109	Hernia, intestinal obstruction (total) $\left\{ \begin{array}{ll} M & \dots \\ F & \dots \end{array} \right\}$	4,381 4,119	705 407	137 91	27 73 58	61 29	42 26	1,018 611	104 76	56 45	82 46	89 98
	Heraia $\left\{egin{array}{c} M \\ F \end{array} ight.$	1,677 1,436	138 38	24	4	4	3	173 45	7 5	4	15 2 67	395 89 98 18 6 71
	Intestinal obstruction $F$	2,704 2,683	567 369	113 88	69 54	57 29	39 26	845 566	97	52 44	44	l 92
110	Other diseases of the intestines $\left\{ egin{array}{c} M. \cdot \\ F \cdot . \end{array} \right.$	834 808	80 48	19 13	15 14	10 7	6 4	130 86	26 20	18 15	16 15	16 27
111	Acute yellow atrophy of the liver	136 144	5 5	1	2	1	1 1	10	4 2	3 2	4 6	5 15
112	Hydatid tumor of the liver. $F$ .	18 12							i	ı		
113	Cirrhosis of the liver. $\left\{ egin{array}{ll} M \dots \\ F \dots \end{array} \right\}$	4,906 2,336	9 5	6 7	2 5	3 5	$\frac{1}{2}$	21 24	12 5	11 11	7 12	22 15
114	Biliary calculi $\left\{ egin{array}{ll} M_{-} \\ F_{-} \end{array} \right]$	658 1,729							2	Î	1 2	15 7 26
115	Other diseases of the liver $\prod_{F}$	1,414	61	13	12	13	8	107	28	16	25	34
116	Diseases of the spleen $ \begin{cases} M \\ F \end{cases} $	1,823 114	41 8	13 5	7 4	6 5	5 2	72 24	22 6	14 5	19 3	41 7
117	Simple peritonitis (nonpuerperal) $M$ .	60 735	76	4 23	16	16	13	5 144	2 56	57	4 56	41 7 5 40 75
118	Other diseases of the digestive system (cancer and [M]	858 220	50 3	18	15	13 1	11 1	107	55 1	37 3	63 7	75 9
1	tuberculosis excepted)(F VI.—Nonvenercal diseases of the genito-urinary	208	2					2	3	4	8	5
İ	system and annexa.	80,733	685	267	221	162	153	1,488	523	474	791	1,252
	MalesFemales	44,608 36,125	396 289	122 145	126 95	92 70	78 75	814 674	282 241	229 245	345 446	406 846
119	İ	2,601	202	60	76	46	40	424	144	73	94	1
120	Acute nephritis.	2,190 36,340	130 77	54 45	48 13	37 40	38 34	307 239	98 129	71 146	90 230	88 105 285
121	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	29, 237	66	51	33	24	35	209	129	161	251	451
122	Other diseases of the kidneys and annexa $\begin{cases} \mathbf{K} \\ \mathbf{F} \end{cases}$	1 912	76	14	6	5	i	102	8	8	9	20
123	Calculi of the urinary passages $\{M, \dots, M\}$	751 310	76 1	34	11	9	2	132 1 1	11	4	11 3 1	41 5
	·	136	1					1	1	1		2
124	Diseases of the bladder	1,003 229 191	9 6 2	3	$\frac{1}{2}$			13 11	2	1 1	$\begin{array}{cc} 1\\1\\2\end{array}$	į <u>į</u>
125 126	Diseases of the urethra urinary abscess, etc. $\mathbb{F}^{M}$ . Diseases of the prostate. $\mathbb{F}$ .	3,175	2	1	i	l <b></b> .		3 1				5
127 128	Nonvenereal diseases of the male genital organs M Uterine hemorrhage (nonpuerperal)	71 49	25	2		1		28	1	1 1	2 4 8	3
129	Uterine tumor (noncancerous)F	1,136						1		*	3	
130 131	Other diseases of the uterus	674 556		1				1		2 2	21 17	11 45 22
132	Salpingitis and other diseases of the female genital organsF	1,127		2				2		2	43	160
133	Nonpuerperal diseases of the breast (cancer $M$ . excepted) $\{F$ .	, 5 28	10 10					10		ļ		
1	VII.—The puerperal state	16,038					1		ĺ	1 1	1,196	3,710
134	Accidents of pregnancy F.	3,901 1,139						l		2	255	941
135 136 137	Puerperal hemorrhage. F Other accidents of labor F Puerperal septicemia F	2,910		1	1				1		29 185	167 683
138	Puerperal albuminuria and convulsionsF	4,529	H			1			M	1 1	349	1,093
130	Puerperal phleomasia alba dolene ombolue	3,093 372					1		li	1 1	355	. 734
140 141	sudden death F. Following childbirth (not otherwise defined) F. Puerperal diseases of the breast F.	82 12									17 5 1	70 16 6
	VIII.—Diseases of the skin and of the cellular										*	۳
	tissue	3,057	554	50	31	25	13	673	39	23	45	56
	MalesFemales	1,770 1,287	326 228	28 22	18 13	14 11	6 7	392 281	21 18	15 8	27 18	27 29
142	Gangrene $\begin{cases} M \\ F \end{cases}$	807	15	8	6	9	4	42	5	2	1	4
143	Furuncle. $ \begin{cases} M \\ F \end{cases} $	637 302	14 54	6	3 1	5	2	28 61	11 2	3 3 3 8	8	$\frac{2}{12}$
144	Acute abscess	127 338 220	27 81 68	9 6	7 7	4 4	1	30 102	1 13	8	3 11	2 12 7 8 14 3 6
145	Other diseases of the skin and annexa $\begin{cases} \mathbf{F} \\ \mathbf{F} \end{cases}$ .	323 303	176	5 10	4	1 2	1 1 3	86 187 137	3 1 3	1 2 1	8 7 3	14

					-	DEATHS AT	AGE OF-	-								Deaths	nit.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at un- known age.	Detailed List N
1 1 411 341 101 132 34 17 67 115 37	2 1 401 345 122 156 38 22 22 84 134 47 41	1 3 434 271 167 178 66 56 101 122 34 56	1 359 235 162 214 67 77 95 137 43 60	331 206 203 249 86 98 117 151 57	2 1 286- 178 254 299 143 164 111 135- 61 57	. 2 193 154 313 296 159 145 151 43 59	1 160 111 360 329 167 187 193 142 53 35	121 61 350 363 181 187 169 176 53 52	85 60 371 385 185 181 186 204 67	1 41 38 309 324 169 138 140 . 186 56	18 19 202 190 104 56 98 134 39 46	7 9 83 81 43 30 40 51 25 29	23 33 11 16 12 17 7	2 1 4 9 4 2	1 2 1	837 321 522 2	}107 }108 }109 }110
6 18 2 42 32 17 49	17- 3 1 129 75 18	16 4 3 1 231 123 30 108	5 6 3 3 367 152 45 127	, 5 7 1 1 505 188 63 164	5 7 1 2 604 198 75 204	14 8 1 1 682 278 82 240	14 7 2 1 679 272 91 206	11 8 1 639 286 82 195	8 9 1 450 245 63 144	10 9 1 2 303 218 46 108	145 131 19 62	1 3 	2 8 11 1 1	2		3 	}111 }112 }113 }114
50 60 8 3 39 85 3	66 83 5 3 46 78 19	80 99 4 3 46 68 37 20	80 105 3 4 21 60 19 22	114 144 7 3 32 39 22 14	120 163 2 1 26 27 20 33	140 170 7 3 37 29 23	123 208 10 6 34 34 22 15	112 185 8 2 26 21 10 12	109 163 5 6 33 28 12 8	91 130 8 1 22 27 4 5	76 85 2 4 14 18 3	27 39 4 3	8 16 1 2 1	1 3	I	7 1	}115 }116 }117 }118
1,863	2,342	3,148	3,825	4,835	5, 680	7,044	8,354	. 9,691	10, 185	9,373	5,899	2,855	846	145	23	97	
676 1,187	914 1,428	1,346 1,802	1,697 2,128	2,395 2,440 179	3,062 2,618	4,093 2,951	4,975 3,379	5,791 3,900	6,142 4,043	5,705 3,668	3,519 2,380	1,596 1,259	475 371	80 65 2	10 13	56 41	1
120 126 495 616	130 135 715 744	166 143 ·1,094 1,096	152 136 1,437 1,343	140 2,042 1,794	154 121 2,723 2,172	190 143 3,632 2,612	143 114 4,360 3,081	142 132 4,880 3,580	141 118 5,033 3,755	129 80 4,509 3,422	79 75 2,719 2,204	40 1,203 1,175	*11 9 351 340	3 61 59	8 13	2 4 1 49 30	}119 }120 · }121
25 34 14 4	31 49 16 17	48 36 12 10	41 59 20 13	67 53 32 11	47 46 25 17	67 43 25 12	70 58 <b>3</b> 5 10	90 51 29 14	91 41 32 12	88 44 35 7	1 54 23 17 3	39 5 7	6 7 2	1 1		2	121
3 4 8	10 10	6 7 11 4	17 9 16 1 13 1 6	22 4 18 4 31	31 4 25 52	31 5 23	63 10 22 279	117 23 21 1 507	164 26 11 667	209 51 10	162 36 4	101 20 1	46 10	11 1 5	1	1 1 1	}124 }125
7 4 4	7 6 2 4	4 8 1 5		5	4	3	3	5 2·	3	723 2 2	3	1 1	58 1	:			126 127 128
35 71 54	94 108 64	148 97 56	252 102 64	228 79 52	138 43 40	50 32 35	40 28 29	42 15 35	37 13 41	30 8 21	· 6 13	6 3 8	·2	<u>i</u>		2 1	129 130 131
238 1	209	198 2	140 3	69 1	32 1 1	19	9	1		2 1	i	<u>1</u>	2			1	132 }133
4,267	3,375	2,401	915	124	9	1										29	
. 1,216 222 831 1,144	830 273 611 943	482 285 414 694	145 142 157 251	18 19 22 37	2 3 3	i										10 2 4 10	134 135 136 137
730 95	613 85	. 68	185 33	2 <u>4</u> 3	1											3	138 139
28 1	85 19 1	12 2	2	i													140 141
50	57	61	96	103	128	143	159	193	280	303	312	232	81	11	6	6	
25 25	33 24	39 22	. 58 38	66 37	79 49	94 49	101 58	116 77	161 119	182 121	163 149	120. 112	38 43	3 8	5 1	5 1	
5 4 8 4 10 9 2 8	9 4 10 9 10 8 4 3	8 1 15 5 11 11 5 5	15 12 18 6 22 7 3 13	23 11 15 11 23 8 5	24 16 27 14 14 12 14 7	28 20 28 11 25 9 13	39 32 24 6 24 8 14 12	70 49 19. 7 18 10 9	112 95 21 3 18 6 10 15	136 94 15 3 9 10 22 14	137 122 10 1 6 5 10 21	105 84 4 1 4 4 7 23	34 37 1 1 1 2 5	3 7	5 1	1 1 1 3	142 $143$ $144$ $145$

Table 7A.—DEATHS OF WHITE PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA
[This table excludes the deaths of

į.						1	EATHS AT	AGE OF-				
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	IX.—Diseases of the bones and of the organs of locomotion.	1,919	160	81	44	33	45	363	196	181.	120	90
	MalesFemales	1,165 754	103 57	45 36	27 17	12 21	25 20	212 151	119 77	104 77	80 40	55 35
146 147	Diseases of the bones (tuberculosis excepted) $\{M, F\}$ .  Diseases of the joints (tuberculosis and rheumatism excepted) $\{M, F\}$ .	1,032 618 100 105 1	90 50 8 5	43 35 2 1	26 16 1	12 19	24 20 1	195 140 12 6	113 73 4 3	99 70 5 6	72 37 6	54 34 1 1
148	Amputations	32	5					5	2		2	
149	Other diseases of the organs of locomotion $\left\{ \begin{array}{ll} M & \dots \\ F & \dots \end{array} \right\}$	31	2		1	2		5	í	1	3	
	X.—Malformations	12,263	11,388	328	129	77	34	11,956	140	64	56	21
	Males. Fernales.	6, 989 5, 274	6,503 4,885	180 148	79 50	43 34	15 19	6,820 5,136	79 61	33 31	32 24	13 8
150	Congenital malformations (stillbirths not in- [M F Hydrocephalus. [M F M M M M M M.	6,989 5,274 560 516 4,425 3,083 2,004	6,503 4,885 397 396 4,213 2,900 1,893	180 148 65 45 67 62 48	79 50 35 21 29 17 15	43 34 10 12 24 14 9	15 19 7 6 3 9 5	6,820 5,136 514 480 4,336 3,002 1,970	79 61 27 16 37 32 15	33 31 5 7 24 24 4	32 24 9 6 15 14 8	13 8 1 3 7 3 5
1	Other congenital malformations $egin{cases} M_{ ext{-}} \\ F_{ ext{-}} \end{cases}$	1,675	1,589	41	12	8	4	1,654	13		4	ž
	XI.—Early infancy.	56,084	56,084					56,084				
	Males. Females.	32,479 23,605	32, 479 23, 605					32,479 23,605				
151 152 153	$ \begin{array}{llllllllllllllllllllllllllllllllllll$	26,050 19,228 20,029 14,911 6,021 4,317 6,338 4,328 2,602 2,736 2,082 91 49	26,050 19,228 20,029 14,911 6,021 4,317 6,338 4,328 3,602 2,736 2,736 2,082 91					26,050 19,228 20,029 14,911 6,021 4,317 6,338 4,328 3,602 2,246 2,736 2,082 91				
	XII.—Old age	10, 419										
	Males Females	4,449 5,970										
154	Senility $\begin{cases} M \\ F \end{cases}$	4, 449 5, 970										
	XIII.—External causes	73, 182	1,754	1,627	1,413	1,305	1, 163	7,262	4,006	3,193	4, 289	4,418
	MalesFemales	54, 652 18, 530	970 784	· 945 682	820 593	703 602	643 520	4,081 3,181	2,694 1,312	2,557 636	3,466 823	3,469 949
	Suicide (total) $\left\{egin{array}{ll} rac{M}{F_{-}}. \end{array} ight.$	6,861								. 18	140	338
155	By poison	2,460 744 689			•••••				1	18 3 3	149 22	258 49
156	By asphyxia $\begin{cases} \mathbf{M} \\ \mathbf{F} \end{cases}$	744								.	22 72 8 19	29
157	By hanging or strangulation $\left\{ egin{array}{c} F \\ F \end{array} \right\}$	506 1,264 348								. 3 8 1	19	118 29 38 36 11
158	By drowning $F$ .	359 264								1 5	5 12	15 16
159 160 161		2,848 367 637 102 146 123 63								6 6	80 30 1 2 1 6	186 58 10 3 7 13
162	By crushing	17 56									2 3	4

<sup>1</sup> Exclusive of injuries at birth.

						DEATHS A	T AGE OF-	<del></del>			<u> </u>						nt.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	S0 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	Jears and over.	Deaths at un- known age.	Detailed I
93	88	107	100	73	88	100	74	60	71	64	32	14	2		-	. 3	
. 61 32	57 31	75 32	. 58 42	50 23	58 30	57 43	40 34	31 29	41 30	38 26	20 12	6 8	1 1			2 1	
58 25 3 7	52 28 3 3	66 29 7 3	51 29 5	44 18 6	50 24 7	47 33 6	33 21	27 19	28 16 7	24 10 12	12 8	5 3			•••••	2	1
3 7	3 3	7 3	5 10	6 4	7 5	6 8 1	6 9	4 8	7 13	12 11	5 3	4	1				14
	2	2	2 3	1	1 1	3 2	1 4	2	6 1	2 5	3 1	1					14
15	3	4	2		1		1										-
7 8	1 2	1 3	1 1		1		1										-
J	$\frac{1}{2}$	1 3	1		1		1						•••••				}150
7 8 1 2 4 5	1 1	. 1	î 				1									*******	
2	i	2			1				•••••••						••••••		:
1			1				••••••							••••••	•••••		1
															••••••		\ }151
															•••••		\ \}191
															•••••		
															•••••		152
										•••••					•••••		
											••••••				•••••	••••••	}153
		1		4	14	49	140	301	1,009	1,833	2,780	2,447	1,328	393	88	32	
		1		4	5 9	20 29	76 64	139 162	471 538	783 1,050	1,231 1,549	1,014 1,433	526 802	137 256	37 51	10 22	
		i		4	5 9	20 29	76 64	139 162	471 538	783 1,050	1,231 1,549	1,014 1,433	526 802	137 256	37 51	10 22	}154
5,084	5,489	5,728	5,047	4,947	4,303	3,896	3,483	3,036	2,586	2,252	1,901	1,179	446	110	5	522	
4,164 920	4,627 862	4,903 825	4,230 817	4,188 759	3,525 778	3,147 749	2,703 · 780	2,237 799	1,631 955	1,195 1,057	740 1,161	456 723	145 301	39 71	2 3	453 69	
558 300 67	714 272 87	818 245 84	726 265 90	736 228 87 45 95 47 133 51 42 27	648 196 71 40 87 59 117 41 34	630 167 52 27 80 40 141 28 30 24	541 149 49	407 80 37 19 47 17 97 19 23 10	257 64 20	172 37 12	76 18 7 4 9 2 18 5	36 4 3	6 2 1	1 3		39 4 3	
. 108 54 52	74 80 48	67 77 45	62 71 66	45 95 47	40   87 59	27 80	28 62	19 47	15 19	4 22 11	9	4 3 2 2	1				}155 }156
300 67 108 54 52 82 28 21	272 87 74 80 48 103 24 33	245 84 67 77 45 112 30 40 25	265 90 62 71 66 120 48 47	133 51	117 41	141 28	149 49 28 62 39 125 30 28	97 19	64 20 15 19 18 77 14 14	37 12 4 22 11 53 11 13 4	18	10 2 2	1	1		1 11 11 6	<b>}</b> 157
			16							j	3	•	2	i	•		}158
272 56 37	308 53 70	353 47 102	294 1 42 73	282 26 76 13 15	260 12 63	232 20 73 14 7 10	217 10 47 9 5	160 3 31 5 3 2 3	96 1 23 1 3 3	51 2 13 1 7	27 1 10 1	11 5	1			12 3	159
9 16 12	12 22 16	11 32 12	9 18	13 15	11   4	14   7	95	5 3	1 3	7	1 2	3				3 1 1.	}160 }161
272 56 37 9 16 13 7	308 53 70 12 22 16 7 4 4	353 47 102 11 32 12 13 3 5	294 422 73 9 18 14 7 3 6 5	6	260 12 63 11 4 4 7 1	3					2		1	2		•••••••	162
6	3	5	6 5	7	5 3	10	5 6	6 5	3	1						2	}163

TABLE 7A.—DEATHS OF WHITE PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA [This table excludes the deaths of

164 165 166 167 168 169 170 171 172 173	XIII.—External causes—Continued.  cidental or undefined (total)	All deaths.  44, 908 15, 384 15, 384 377 350 688 482 743 485 2, 554 697 1, 419 228 127 34 5, 570 4, 222 2, 487 4 2, 405 4 82 2, 044 83 16, 471 3, 190	Under 1 year.  9099 723 49 41 60 26 23 16 909 909 24 4 3 3 72 45	935 675 35 28 129 80 114 19 360 256 18 17 112 2 8 8 74 1	813 590 25 5 23 58 55 53 1 20 372 278 8 8 81 41 41 9 9 9 1 1 5 1 1 1 1 1 1 1 1 1 1 1 1 1			Under 5 years.  3,990 3,091 141 119 320 197 118 97 1,239 1,254 350 274 323 164 51 12 9 338 222 1	5 to 9 years.  2,661 1,295 31 25 35 17 62 193 491 27 17 484 61 1136 51 5 4 195 83 2	2,500 594 22 15 16 111 36 34 58 100 41 117 528 87 341 179 31 12	15 to 19 years.  3, 191 607 16 13 13 17 222 28 73 113 59 26 656 107 30 9 1 159 37 195 1 188 1 7	20 to 24 years.  2,843 596 11 12 17 46 18 18 16 95 115 100 59 369 67 126 18 7 7 1 155 21 273 267
164 165 166 167 168 169 170 171 172 173	Configuration   State   Stat	15, 364 377 350 688 482 743 485 2, 554 3, 127 2, 156 926 4, 254 697 1, 419 228 34 5, 570 4, 222 2, 487 4 2, 405 4 82 2, 544 82 2, 544 82 2, 544 82 82 82 82 83 84 84 84 84 84 84 84 84 84 84 84 84 84	723 49 49 41 60 23 16 6 99 103 240 2 2 4 3 3 72 45	675 35 35 35 32 38 129 800 144 199 3600 2566 18 17 112 2 88 88 74 1 1 2 3 3 3	25 5 23 25 58 55 55 58 55 58 55 58 55 58 55 58 59 59 59 59 55 51 59 55 51 59 55 51 59 55 51 59 55 51 59 55 51 59 51 59 51 51 59 51 51 51 51 51 51 51 51 51 51 51 51 51	593 14 14 24 31 20 268 338 15 4 40 29 14 18 2 56 23	510 18 9 28 12 19 22 140 279 6 6 5 66 11 18 6 2 1 1 63 29	3, 091 141 119 320 197 118 97 1, 239 1, 254 350 274 323 164 42 12 12 9 338 222 1	25 35 17 63 62 193 491 27 17 484 61 136 51 14 195 2	222 155 16 111 36 34 58 100 41 17 528 87 341 37 8 87 179 31 11	607 16 13 13 17 22 28 28 28 73 113 59 26 656 107 30 9 1 159 37 77 11 159 37 11 159	100 59 369 67 126 16 7 1 155 21 273 267
164 165 166 167 168 169 170 171 172	Poisoning by food. $ \begin{cases} M \\ F \\ \\ F \\ \end{cases} $ Other acute poisonings. $ \begin{cases} M \\ F \\ \\ F \\ \end{cases} $ Conflagration $ \begin{cases} M \\ F \\ \\ F \\ \end{cases} $ Burns (conflagration excepted). $ \begin{cases} M \\ F \\ \\ F \\ \end{cases} $ Absorption of deleterious gases (conflagration $M \\ F \\ \end{cases} $ Accidental drowning. $ \begin{cases} F \\ F \\ \end{cases} $ Accidental drowning. $ \begin{cases} F \\ F \\ \end{cases} $ Traumatism by firearms. $ \begin{cases} F \\ F \\ \end{cases} $ Traumatism by cutting or piercing instru- $M \\ F \\ \end{cases} $ Traumatism by fall. $ \begin{cases} M \\ F \\ \end{cases} $ Traumatism in mines and quarries (total). $ \begin{cases} M \\ F \\ \end{cases} $ Traumatism in mines. $ \begin{cases} M \\ F \\ \end{cases} $ Traumatism in quarries. $ \begin{cases} M \\ F \\ \end{cases} $ Traumatism by machines. $ \begin{cases} M \\ F \\ \end{cases} $ Traumatism by other crushing (total). $ \begin{cases} M \\ F \\ \end{cases} $	377 350 688 482 743 485 2,554 3,127 2,156 697 1,419 228 127 34 5,570 4,222 2,487 4,245 4,244 2,044 82	49 41 60 26 23 16 99 103 303 32 240 24 9 2 2 4 3 3 72 45	35 28 8 129 80 14 19 360 256 18 18 17 112 74 8 5 1 1 2 2 88 74	25 5 23 25 58 55 55 58 55 58 55 58 55 58 55 58 59 59 59 59 55 51 59 55 51 59 55 51 59 55 51 59 55 51 59 55 51 59 51 59 51 51 59 51 51 51 51 51 51 51 51 51 51 51 51 51	14 18 45 24 31 20 268 338 15 4 40 29 14 18 2 2 2 2 3 2 3 3 3 3 3 3 3 3 3 3 3 3 3	18 9 9 28 12 19 22 140 279 6 5 66 11 18 8 6 2 2 1 163 29	141 119 320 197 118 97 1, 239 1, 254 350 274 323 164 22 12 9 338 222 1	25 35 17 63 62 193 491 27 17 484 61 136 51 14 195 2	222 155 16 111 36 34 58 100 41 17 528 87 341 37 8 87 179 31 11	16 13 13 13 17 17 122 28 28 59 26 656 107 310 30 1 159 37 159 159 159 158 188 188	100 59 369 67 126 16 7 1 155 21 273 267
165 166 167 168 169 170 171 172 173	$ \begin{array}{c} M \\ F \\ \hline Conflagration \\ \hline \\ & \\ \hline \\ \\ & \\ \hline \\ \\ & \\ \hline \\ \\ & \\ \hline \\ \\ & \\ \hline \\ \\ & \\ \hline \\ \\ \\ \hline \\ \\ & \\ \hline \\ \\ \\ \\$	688 482 743 485 2,554 3,127 2,156 926 4,234 697 1,419 228 127 34 5,570 4,222 2,487 2,405 4 2,044 82	60 266 233 166 99 103 3033 240 24 4 3 3 72 45	129 80 80 14 19 360 256 18 17 112 74 8 5 1 1 2 2 88 74	20 372 278 8 8 81 41 9 9 2 1 59 51	45 44 31 20 268 338 15 4 4 4 0 0 29 14 18 18 2 56 23	28 119 122 140 279 6 5 66 11 18 6 2 2 1 6 3 29	320 197 118 97 1, 239 1, 254 350 274 323 164 51 42 12 9 338 222 1	17 62 193 491 27 17 484 61 136 51 51 54 195 83 2	16 11 36 34 58 100 41 11 17 528 87 341 37 8 87 179 31	13 17 22 28 73 113 599 26 656 607 310 1 30 9 9 1 1 159 159 159 159 159 159 159 159	100 59 369 67 126 16 7 1 155 21 273 267
166 167 168 169 170 171 172 173	$ \begin{array}{c} M \\ F. \\ Burns (conflagration excepted). & F. \\ M \\ F. \\ Absorption of deleterious gases (conflagration M \\ Excepted). & F. \\ Accidental drowning. & F. \\ Traumatism by firearms. & F. \\ Traumatism by eutting or piercing instru- M \\ Excepted & F. \\ Traumatism by fall. & F. \\ Traumatism in mines and quarries (total). & F. \\ Traumatism in mines. & F. \\ Traumatism in quarries. & F. \\ Traumatism by machines. & F. \\ Traumatism by other crushing (total). & M \\ F. \\ Traumatism by other crushing (total). & M \\ F. \\ Traumatism by other crushing (total). & M \\ F. \\ Traumatism by other crushing (total). & M \\ F. \\ \end{array} $	743 485 2,554 3,127 2,156 926 4,234 697 1,419 128 127 34 5,570 4,222 2,487 4 2,405 4 82 2,044 83 16,471	99 103 303 240 9 22 4 3 72 45	14 19 360 256 18 17 112 12 88 74 1 1 1 2 88 74	20 372 278 8 8 81 41 9 9 2 1 59 51	20 268 338 15 4 40 29 14 18 2 56 23	19 22 140 279 6 5 66 11 18 6 2 1 1 63 29	118 97 1, 239 1, 254 350 274 323 164 51 42 12 9 338 222	63 62 193 491 227 17 484 61 136 51 195 83 2	528 87 341 37 8 179 31 12	22 28 73 113 59 26 656 107 310 30 159 17 159 188 11 188	100 59 369 67 126 16 7 1 155 21 273 267
167 168 169 170 171 172	Burns (conflagration excepted).	2,554 3,127 2,156 926 4,254 697 1,419 228 127 34 5,570 4,222 2,487 4 2,405 4 82	99 103 303 240 9 22 4 3 72 45	360 2566 188 17 1122 74 8 8 5 1 1 2 88 74 1	278 8 8 81 41 9 9 2 1 59 51	338 15 4 40 29 14 18 4 2 56 23	140 279 6 5 66 11 18 6 2 1 63 29	1, 239 1, 254 350 274 323 164 51 42 12 9 338 222 1	193 491 27 17 484 61 136 51 5 4 195 83 2	528 87 341 37 8 179 31 12	310 30 9 1 159 37 195 188	100 59 369 67 126 16 7 1 155 21 273 267
168 169 170 171 172	Absorption of deleterious gases (conflagration $M$ $K$	2, 156 926 4, 254 697 1, 419 228 127 34 5, 570 4, 222 2, 487 4 2, 405 4 82 2, 044 83 16, 471	303 240 24 9 2 4 3 72 45	18 177 112 74 8 5 1 1 2 88 74 1	8 8 81 41 9 9 2 1 59 51	15 40 29 14 18 4 2 56 23	6 5 66 11 18 6 2 1 63 29	350 274 323 164 51 42 12 9 338 222	484 61 136 51 5 4 195 83 2	528 87 341 37 8 179 31 12	310 30 9 1 159 37 195 188	100 59 369 67 126 16 7 1 155 21 273 267
170 171 172 173	$ \begin{array}{c} A \text{ccidental drowning.} & \left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ F \\ \hline T \\ T \\ T \\ T \\ T \\ T \\ T \\ T \\ T \\$	4, 254 697 1, 419 228 127 34 5, 570 4, 222 2, 487 2, 405 42 82 2, 044 83 16, 471	24 9 2 4 3 3 72 45	112 74 8 5 1 2 88 74 1	81 41 9 9 2 1 59 51	40 29 14 18 4 2 56 23	66 11 18 6 2 1 63 29	323 164 51 42 12 9 338 222 1	484 61 136 51 5 4 195 83 2	528 87 341 37 8 179 31 12	310 30 9 1 159 37 195 188	126 16 7 1 155 21 273 267
171 172 173	$ \begin{array}{c} Traumatism \ by \ firearms & \left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ F \end{array} $ $ \begin{array}{c} Traumatism \ by \ cutting \ or \ piercing \ instru-\left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ Traumatism \ by \ fall & \left\{ \begin{matrix} F \end{matrix} \right. \\ F \end{matrix} $ $ \begin{array}{c} Traumatism \ in \ mines \ and \ quarries \ (total) & \left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ Traumatism \ in \ mines & \left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ Traumatism \ in \ quarries & \left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ Traumatism \ by \ machines & \left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ Traumatism \ by \ machines & \left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ Traumatism \ by \ machines & \left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ Traumatism \ by \ other \ crushing \ (total) & \left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ Traumatism \ by \ other \ crushing \ (total) & \left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ Traumatism \ by \ other \ crushing \ (total) & \left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ Traumatism \ by \ other \ crushing \ (total) & \left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ Traumatism \ by \ other \ crushing \ (total) & \left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ Traumatism \ by \ other \ crushing \ (total) & \left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ Traumatism \ by \ other \ crushing \ (total) & \left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ Traumatism \ by \ other \ crushing \ (total) & \left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ Traumatism \ by \ other \ crushing \ (total) & \left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ Traumatism \ by \ other \ crushing \ (total) & \left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ Traumatism \ by \ other \ crushing \ (total) & \left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ Traumatism \ (total) & \left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ Traumatism \ (total) & \left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ Traumatism \ (total) & \left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ Traumatism \ (total) & \left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ Traumatism \ (total) & \left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ Traumatism \ (total) & \left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ Traumatism \ (total) & \left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ Traumatism \ (total) & \left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ Traumatism \ (total) & \left\{ \begin{matrix} M \\ F \end{matrix} \right] \\ Traumatism \ (total) & \left\{ \begin{matrix} M \\ F \end{matrix} \right] \\ Traumatism \ (total) & \left\{ \begin{matrix} M \\ F \end{matrix} \right] \\ Traumatism \ (total) & \left\{ \begin{matrix} M \\ F \end{matrix} \right] \\ Traumatism \ (total) & \left\{ \begin{matrix} M \\ F \end{matrix} \right] \\ Traumatism \ (total) & \left\{ \begin{matrix} M \\ F \end{matrix} \right] \\ Traumatism \ (total) & \left\{ \begin{matrix} M \\ F \end{matrix} \right] \\ Traumatism \ (total) & \left\{ \begin{matrix} M \\ F \end{matrix} \right] \\ Traumatism \ (total) & \left\{ \begin{matrix} M \\ F \end{matrix} \right] \\ Traumatism \ (total) & \left\{ \begin{matrix} M \\ F \end{matrix} \right] \\ Traumatism \ (total) & \left\{ \begin{matrix} M \\ F \end{matrix} \right] \\ Traumatism \ (total) & \left\{ \begin{matrix} M \\ F \end{matrix} \right] \\ Traumatism \ (total$	1, 419 228 127 34 5, 570 4, 222 2, 487 4 2, 405 4 82 2, 044 83	2 4 3 3 72 45	8 5 1 2 888 74 1 1	9 9 2 1 59 51	14 18 4 2 56 23	18 6 2 1 63 29	51 42 12 9 338 222 1	136 51 5 4 195 83 2 1	341 37 8 179 31 12	310 30 9 1 159 37 195 188	126 16 7 1 155 21 273 267
172	ments $\cdot$ $\cdot$ $\cdot$ $\cdot$ $\cdot$ $\cdot$ $\cdot$ $\cdot$ $\cdot$ $\cdot$	127 34 5,570 4,222 2,487 4 2,405 4 82 2,044 83 16,471	3 72 45	1 2 88 74 1	2 1 59 51	4 2 56 23	2 1 63 29	12 9 338 222 1	195 83 2	179 31 12	9 1 159 37 195 1 188	155 21 273 267
173		5,570 4,222 2,487 4 2,405 4 82 2,044 83 16,471	45	88 74 1	59 51	56 23	29	338 222 1	195 83 2 1	31 12 11	159 37 195 1 188 1	155 21 273 267
	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	2,405 4 82 2,044 83 16,471		1 3	2	6	5	i	1	11	188	267
174	Traumatism in nines $\begin{cases} F \\ M \end{cases}$ Traumatism in quarries. $\begin{cases} M \\ F \end{cases}$ Traumatism by machines. $\begin{cases} M \\ F \end{cases}$ Traumatism by other crushing (total). $\begin{cases} M \\ F \end{cases}$	2,405 4 82 2,044 83 16,471		1	2	6	5		ı i	-\	188	6
174	Traumatism by machines	2, 044 83 16, 471		3	2	6	5			1	7	
174	Traumatism by other crushing (total) $\left\{ egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	83 16,471		1	3			15				
- 1	Traumatism by other crushing (total) $\left\{\begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix}\right\}$	16,471 3,190	40			_	1 1	8	35 4	68 5	229 10	161
175	$\alpha$		اا مَمَ	55	109	162	224	590	1,221	931	1,091	1,171
	Railroad accidents and injuries $\left\{egin{array}{c} M \ \\ F \ \end{array}\right\}$	7,068	29 12	51 15 8 9	52 13 5	90	113 18 13	335 67	413 165	202 234	194 513 56	204 632
	Street-car accidents and injuries $\begin{cases} M \\ F \end{cases}$	758 1,730	$\frac{4}{2}$	9 7	23 17	23	20 15	36 77	42 79 45	62 44 9	82 27 350	95 97
	Automobile accidents and injuries $\prod_{\mathbf{F}} \mathbf{M}$	477 5,409 1,651	19 16	19	50	23 18 90 54 38 12	149 70 34	57 327 185	803 286	508 112	350 95	632 57 95 27 286 107
	Injuries by other vehicles $egin{cases} M & \dots & M \\ F & \dots & \dots & \dots \end{cases}$	1,763	7 7	10 13	21 8	38	34 12	110	162 39	135	122 14	104 11
	Landslide, other crushing $\dots \qquad \stackrel{\text{M.}}{\underset{\text{F.}}{\dots}}$	501	2	. 2	2	2	3 3	52 9 5	12	10	24	54
176	Injuries by animals	559 60	2 2	5			13	47 18	<b>4</b> 5	53	31	18
177	Starvation $\left\{ egin{array}{ll} \mathbf{M} & \mathbf{K} \\ \mathbf{F} & \mathbf{K} \end{array} \right\}$	18	∭ 3 3	1				4 3		-	-	·
178	Excessive cold $F_{-}$	299	4 5		-		i	4 7	1	. 1	1	. 4 1 7
179	Effects of heat $egin{cases}  ext{M} \cdot &  ext{F} \cdot &$		103 85	13 12		. 2	: 1	120 103	8 2	7	. 15	2 1
180	Lightning $\left\{egin{array}{ll} \mathbf{M} \\ \mathbf{F} \end{array}\right.$	- 59	1		-	-	2	3 1	15 10	)   5	5	6
181	Electricity (lightning excepted) $\left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right\}$	724			-		. i	i	14	1	. <b> </b>	-
185	Fractures (cause not specified) $\left\{ \begin{array}{ll} \mathbf{M} & \\ \mathbf{F} & \\ \end{array} \right.$	- 337 - 349	3	:			1 1	7 3	8 2	5 2	! 2	1
186	Other external violence $\left\{egin{array}{cccccccccccccccccccccccccccccccccccc$	3,132 640	116	93	41 43	30 21	27	307 234	143		189 20	179 24
E	Homicide (total)	2, 883 706	61			, ,	9 10	91 90	33 16			
182	By firearms. $M$ .							90 14 7	108	243 7   27 7   13	7 97	220
183	By cutting or piercing instruments $\begin{cases} M \\ F \end{cases}$	304		3   3				1 6	1 5	;	20	39
184	By other means. $M$ .	. 580 269	1 5	7   8	3 4		2	12 71 71	20	)   12	2   18	29 34
	XIV.—Ill-defined diseases	1	]]		}	1		1	148	. )	l	
	Males	1	2,11	3 33	99	6:	3 29	2,643	67	7 64	1 67	50
187 I	Ill-defined organic disease	1		2	4 3	3	3 1	13		2		
188 8	Sudden death $\begin{cases} Y_{F} \\ Y_{F} \end{cases}$	439	9	1	1   3	4	1 2 4 1	109		ه ا ه	4 3	
189 1	Not specified or ill-defined (total) $egin{array}{c} (F) \\ M \\ F \end{array}$	4,948 3,822 2,022	2,02	32	6 95	2 5	6 27	2,521	11 6	2 1 5	2 62	2 46
	Ill-defined $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right\}$	2,022	2,02 1,52 40 32 1,61	2 28 8 21 9 19	6 95 8 94 8 55 2 3	4 5 8 2 7 2 4 2	2 37 7 10 2 13	721	3.	2 5 3 4 5 2 2 1	4 20	2 81 19
	Not specified or unknown. $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{bmatrix} \right\}$	1,558 2,926 2,264	1,61 1,19	2 10	8 34	4   2	9 17	1,800	2	7   3	4 42	1 3 1 6 2 46 1 81 0 19 7 34 2 27 7 47

						DEA	THS AT AG	e of—									fit.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at un- known age.	70
3,191 529 9 16	3,477 487 9 13	3,653 505 9 27	3,169 508 18 24	3,212 499 19 13	2,720 556 17	2,403 572 12 10	2,102 621 20 17 27 9	1,776 712 21 19	1,355 884 11 3	1,016 1,017 5 4 3 6	662 1,143 3 6	419 718 2 2	139 299	38 67	2 3	389 61 1 1	}16
40 · 33 22 117 87	27 43 14 108 97	26 44 22 106 76	3,169 508 18 24 38 26 43 21 110 92 164 41 255 22 24	36 11 36 11 83 65	18 39 23 64 80	12 10 20 16 36 22 73 69 171	9 41 14 59 80	1,776 712 21 19 11 5 24 20 56 93 103 103 66 6	1,355 884 11 3 12 3 25 16 44 100 85 51 41 6 4	30 13 32 88 57 42 23 3	4 2 11 11 21 83 43 37	1 1 6 5 15 29 19	1 4 4 4 5	4		71 30 4 6	}16 }16 }16
3,191 529 9 16 25 25 24 117 87 130 29 29 117 89 296 34 14 1 1 25 24 24 3	13 50 27 43 14 108 97 158 33 266 38 85 85	27 34 26 44 22 106 76 157 38 243 31 59 11 8 1 358 57	255 22 44 1	3,212 499 19 13 33 31 43 65 201 48 216 18 55 7	2,720 556 111 29 18 39 23 64 80 155 50 199 198 18 35	171 34 134 16 32 4 10	41 14 59 80 130 • 47 12 19 11 11 2 363 205	55 66 6 20			37 14 3 2 1	11 6 1	2 5 1	1 1		3 1 42 3 3 1	}16 }16 }17
	287 46 394	358 57 400	1 11 2 383 48 266	385 81	361 105	360 128	2 363 205 59	3 375 295	4 4 350 479	5 2 372 652	326 818	1 244 570	1 91 237	26 55	2 3		}17 }17
331 1 321 1 10	381	391	261 5	248 1 235. 1 13	148 142 6	105 1 100 1 5	59 57 2	28 28	11 10	3	2					7	. }17 -
226 9 1,275	228 6 1,386	224 6 1,505	188 4 1,250	170 7 1,259	158 5 1,124	123 4 942	104 5 843	62 4 712	32 511	12 1 302	3 1 129	58	18 6	4			}17 }17
1, 275 177 695 43 112 27 327 90 90 16 51	1,386 163 761 53 126 32 325 72 114	1,505 165 777 56 166 26 398 68 103	1,250 175 640 67 154 27 314 71 97 10	1, 259 191 573 59 162 24 353 87 118 20 53	1,124 186 536 44 119 28 317 94 122 18 30 2	942 208 410 42 111 35 275 112 108 17 38	843 155 332 34 112 34 287 77 93	712 128 275 27 107 22 194 65 120 14 16	511 128 168 35 34 26 169 57 83 9	86 101 25 54 17 99 37 43 6 5	129 53 40 12 22 6 42 30 24 5	58 12 21 22 12 7 17 18 2	8 4 1 2	2		149 8 120 6 7 1 10 1	
51 1 16	60 1 28	61 1 25	27 27	. 1	30 2 31 4	1	19	45 2 2	1		9	2 2 2	2	1		6	- 317
9 1 16 7 36 8	12 4 37 10 24 3	12 2 31 7 29 5	·	1	2 25 4 41 13 11 3 31	42 2 2 1 35 5 46 14 15 2 18	40 3 1 1 42 5 45 20 15 2	28 4 42 28 4	33 2 4 1 30 10 40 20 8 2	22 4 3 1 17 7 38 29 2	1 10 9 23 31 1	7 5 18 18	2 1 6 11	2		1 3 1	17
109 13 1 208 29	114 15 2 228 22	. 115	43 1 18 10 219 26	267 20	31 19 15 222 16	26 13 201 23	10 17 19 165 24	28 22 138 27	19 42 89 17	24 59 58 20	33 66 26 19	21 55 19 6	8 27 3 1	2 6 1		3 1 84 2	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
415 91 321 45 48 11 46 35	436 103 335 61 53 13 48 29	432 75 307 39 48 9 77 27	335 44 236 28 39 4 60 12	240 32 165 22 16 2 59 8	157 26 103 15 14 5 40 6	114 10 70 6 9 1 35	60 10 38 5 2 3 20 2	54 7 27 3 3	19 7 11 2 1 1 7 4	7 3 2 1 1	1	1		1		25 4 17 1	
	i	1	1	1	ı			24 4	ļ		1	1		i		. 8 . 3	18
80 84	-	267 148 119	275 153 122	284 186 98	284 175 109	358 244 114	290 176	579 348 231	546 313 233	516 262 254	363 185 178	242 109 133	71 41 30	12 10	3	118 84 34	_{-{
2 3 6 5 72 76 26 40 46 36	2 . 76 6 7 78 73 38 31 40 42	12 8	4 10 11 9 138 103 68 48 70 55	9 9 21 10 156 79 78 46 78 33	20 5 24 9 131 95 69 61 62 34	14 15 35 16 195 83 119 55 76 28	17 21 51 18 222 137 142 89 80 48	25 38 48 27 275 166 194 107 81	35 27 38 29 240 177 147 101 93 76	25 35 24 28 213 191 117 99 96	15 18 23 18 147 142 74 60 73 82	21 16 9 13 79 104 31 33 48 71	3 6 3 32 24 20 11 12 13	2 1 10 9 5 5 5 4	3 2	l	}1

Table 7B.—DEATHS OF COLORED PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

=			[				DIFA MYYO	D 407 07				
o Int					<del> </del>	1	DEATHS A.	r age of-	· ·	1		,
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	, All causes	157,733	22,871	7,654	3,657	2,270	1,615	38,067	5,020	4,540	9,557	12,493
	Males Fomales	81,440 76,293	12,409 10,462	3,964 3,690	1,845 1,812	1,083 1,187	781 834	20,082 17,985	2,360 2,660	2,090	4,654	5,598
	I.—General diseases	61,713	4,986	2,978	1,729	1,234	905	11,832	2,931	2,450	4,903 5,711	$=\frac{6,895}{7,100}$
	Males	29,869 31,844	2,631 2,355	1,507 1,471	829	580	434	5,981 5,851	1,336 1,595	1,131 1,628	2,667 3,044	3,021
	Females	31,844 1,040	2,355	1,471	900	654 18	471 9	5,851	1,595	1,628		4,079
1 2	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	995	15	9	15	18	11	68	118	151	206 184	132 155
3	Relapsing fever F.			· · · · · · · · · ·								
4	Malaria (M. F	587	82 70	49 35	32 34 1	16	19	198 187	60 69	28	49	19
5	Smallpox (M.	659 43 17	1 1	1	1	25 1	23 1 1	5 2	1	28 41 2 1	48 1	69 3
6	Measles	341 332	96 82	91 70	33 30	23 24	10 11	253 217	31 30	8 29	26 19	12 12
7 8	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	13 12 1 209	536	1 295	1 132	3 1 77	1	1.090	2 3 90 104 50 41	2 2 15 21 14	3 2	1
9	Whooping cough $F$ . Diphtheria and croup $F$ .	1,209 1,432 228	536 595 61 47	295 333 30 23 619	132 184 25 13	77 109 17 12	50 76 16 16 234	1,090 1,297 149	104 50	21 14	1 6	3 2
10	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	185 11,261 11,439	1,004 838	23 619 655	13 421 463	12 286 328	16 234 227	2,564 2,511	621 832	15 518 674	1,236 1,022	$1,073 \\ 1,425$
11	Miliary fever \\ \frac{\mathbb{M}}{F}.	11,400			±05	026		2,011	002	014	1,022	1,420
12	Asiatic cholera $F$ .											
13	Cholera nostras. $M$ . $F$ .	12 19	5 6	i				5 7	2 1	i	i	
14	Dysentery $\left\{egin{array}{ll} \mathbf{M} \\ \mathbf{F}_{-} \end{array}\right\}$	599 594	196 154	141 112	35 33	12 19	4 10	388 328	22 24	9	7 14	10 13
15	Plague $\left\{egin{array}{ll} egin{array}$											
16	Yellow fever											
17	Leprosy	5										
18	Erysipelas $F$ .	53 49 30 22	8 13	1 1		1	1 1	11 15		1 1	1	5 2
19	Other epidemic diseases $\left\{egin{array}{c} M \\ F\end{array}\right.$	30 22	8 13 7 6	6 3	4	1	3 1	15 21 10	1 4	1 1 2	1	2 2
20 21	Purulent infection and septicemia. $ \begin{cases} M \\ F \end{cases} $ Glanders $ \begin{cases} M \\ S \end{cases} $	96 76 1	12 2	3 3	1	2 1	1	18 7	4 4	1 2	9 10	5 8
22	Anthror (M.	3									i	
23	Rabies F.	8 3				1		1	5 1	2		
	•	181	93	1			1	95		14	11	9
24 25		107 2	53	1				54	15 9	9	5	4
26	Pellagra. (F	373 1,439	5	5	1 5	2	1	14	11	12 27	15 89	10 154
27	Beriberi	6	6 1 3	9	5	2	4	26 1 3	22	27	89	154 1 1
	Tuberculosis (total)	10,731 10,461 9,281 9,084 453 506 308 221		180 143	107 90	102 92	73 74	632 553 332	283 295	349 610	1,021	1,599
28	Tuberculosis of the lungs $\mathbb{F}$	9,281 9,084	94 85	110 87	90 46 43 6	53 45	29 45	332 305	283 295 185 199 16	263 498	850 1.389	1,435 1,821
29	Acute miliary tuberculosis $\left\{ egin{align*} M \\ F \end{array} \right.$	453 506	8 11	6 10	6	6 12	4 8	305 30 47	16 16	20 45	65 91	71 101
30	Tuberculous meningitis ${M \over F}$	308 221	170 154 94 85 8 11 41 30	110 87 6 10 40 26	6 33 20 7 11	92 53 45 6 12 21 22 10	73 74 29 45 4 8 18 13 13	153 111 51 31	16 37 35 23 25	263 498 20 45 19 15 26	1,021 1,555 850 1,389 65 91 22 12 57 37	1,599 2,035 1,435 1,821 71 101 14 12 41 66
31	Abdominal tuberculosis $$	369 411	10	11 6	7 11	10 5	13 3	51 31	23 25	26 32	57 <b>37</b>	66 66
32	Pott's disease $\left\{egin{align*} \mathbf{M}.\\ \mathbf{F} \end{array}\right.$	69 39	2	4 2 1	2 3	1	2 3	11 9	7 5	6 2 6	4 5	8 4
33	White swellings $\{M, F\}$	68 27	<u>i</u>	1 2	1 1	1 1		3 5	5 3 3 12 9	6 4	5 6 3 11	8 10 5 14 11
34	Tuberculosis of other organs. $M$ .	129 104	5 10 10 10	2 4 6 4 4	1 1 4 4 8 2	9 5 1	4	26 26 26 19	12 9	4 8 10	11	14   11
35	Disseminated tuberculosis $\left\{egin{align*} \mathbf{M} \\ \mathbf{F} \end{array}\right.$	54 69	10 10	4	8 2	1 2	3 1	26 19	3	1 4	6 7	6 15
36	Rickets $\left\{ egin{align*} M. \\ F. \end{array} \right.$	83 69	28 28	30 24	15 12	6 4		79 68	3	1	<u>i</u> -	
37	Syphilis	1,307 834	250 240	31 35	9	7 9	6	303 299	10 12	11 9	27 38 2 12	81 79 2 24
38	Gonococcus infection $\mathbb{M}$ .	36 111	5					5	3		2 12	$\frac{2}{24}$

(EXCLUSIVE OF HAWAII) FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1918.

soldiers, sailors, and marines.]

						DEAT	THS AT AG	e of—				•				<b>D</b>	Int.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at un- known age.	Detailed
11,877	10,620	11,090	8,788	8,141	7,435	5,608	5,621	4,915	4,532	3,135	2,350	1,320	811	378	434	1,001	
5,445 6,432	5,609 5,011	6,066 5,024	4,733 4,055	4,751 3,390	3,971 3,464	3,058 2,550	3,071 2,550	2,638 2,277	2,504 2,028	1,740 1,395	1,183 1,167	629 691	350 461	154 224	145 289	609 392	
6,308 2,760	5,187	5,004	3,518	2,979	2,292 1,166	1,518 799	1,354 713	1,039 537	737	459 227	311 139	158 58	73 27	35	36 15	372 197	
2,760 3,548	2,634 2,553	2,644 2,360 73	1,778 1,740	1,688 1,291	1,126	719	641	502	339 398	232	172	100	46	. 12 23	21	175	
93 105	71 51	54	51 40	51 19	30 21	12 12	12 2	6 4	5 3	2 1	3	1	1		1	9 6	}
• • • • • • • • • • • • • • • • • • •																	{
26 36 5 2	20 31 1 1	25 35 6 3	24 30 2 2	22 21 11	32 10 3 2	17 8 1	21 19 2	11 15	16 8 1 1	6 8 1	3 8 1	2 4	4 4	3	1 1	3 4	}
1 7	1 5	3 5	2 2	1	1	1	1	2	1 2							i	}
i	ii			i i	1		1		2							3	}
<u>1</u> 3	1 1 3	2 6	1	1	2				····i	i						4	}
1,112 1,385	1,090 980	1,078 792	541 479	459 310	266 282	155 139	132 137	113 109	79 97	56 78	44 51	18 38	10 17	1 7	11 11	91 63	} 1 } 1
· · · · · · · · · · · · · · · · · · ·																	1
1 10 13	10 16	2 1 12 15	8 10	15 23	1 10 16	1 1 20 23	1 17 14	1 17 13	11 19	1 13 15	1 7 17	1 6 4	1 3 2	1 2 3	1 1	1 2	} 1 } 1
•••••																	} 1
i	2				1			1									} 1 } 1
i	3 3 2 1	3 2 1	4 5	3 3	5 5	5	3 4	5 2	1 1	2 2		,				1 1	} 1
1 3 6	5 6	9 4	6 9	5 4	5 5	5 2	5	8 1	4	3	3 2	1		1		1	} 1 } 2
		i	1														2
······																	2
······································	5 1	6 2	7	4 4	6 2	2 4	2	2	4 1		1					1	2
17 217	26 148	26 184	36 153	37 114	28 87	27 44	39 45	24 46	13 29	16 15	9 11	3 11	3 4	2	1 1	4 11	$\left. \right  \left  \left  \left  \left  \left  \left  \left  \left  \left  \left  \left  \left  \left $
1,326 1,560	1,200 1,056 1,084 961 57 42 14 8 26	1,127 902 1,017 801 52 42 9 6	855 595	795 388 722	498 - 293 464	335 168 308	266 141	191 91	108 70 98	52 47 44	28 23 23 23 20	6 12 5 11	3 5 3	3 2 3	2 1 2 1	52 59 47 50	} 2
1,326 1,560 1,181 1,411 62 62 18 12 32 53	7,961 57	801 52	855 595 775 534 32 23 9	795 388 733. 347 21 14 6	265 10	148	248 130 1	181 81 3 3 1	62	43	20		5	2	ı	1	$\left.\right\} 2$
62 18 12	14 14 8	42 9 6	23 9 4	6 3	6 2 1	10 7 3 1 8	1 2 1			1		1				3	}
		1	21 24	16 21	12 15	7	6 8	1 5	5 5	5 3	2 2	1				2 2	} a
11. 3 7 1 12 14 3 4	6 2 5	2 3 2 1 8	4 2 7 3 6 3	1 6	2 1 4	1 2	2	. 1	i 1	i	i					2	} 3
1 12	5 7	8	3 6	7	3 4	2 1 2 2 2	2 1 6	3 1 1	2	2	2			-		2	} 3
3 4	3 1	2 3 7	1 2	2 2		1 2		i	i							1	·  }
107		100	140	110		20			40								: }:
107 68 4 24	117 72 6 15	137 75 4 16	110 53 3 9	118 40 5 2	89 39 2	63 15 1 1	52 21 3	31 9	13 2	11	6					20 2	}

Table 7B.—DEATHS OF COLORED PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

CADES OF BOLIVES   CADES OF BO	=			Dr.						·			deaths of
L—General diseases—Continued.	Int.	•						DEATHS A	r age of—	-			
L—General diseases—Continued.	led 1	CAUSE OF DEATH.						Ţ		1	T		
L—General diseases—Continued.	etai Lis		deatns.		1 year.	2 years.	3 years.	4 years.	Under 5 years.				
Canner and other multigenest currents (total)   Mail   M	н						'					•	
Of the breed carry		I.—General diseases—Continued.										-	
Of the breed carry		Cancer and other malignant tumors (total) $\{ M : F : A = \{ $	883 2 240	2		1	2	3	8		4	9	15
Of the female gential organs	39	Of the buccal cavity $\left\{egin{array}{l} \mathbf{M} \\ \mathbf{F} \end{array}\right\}$	61	1					2	ı	2		3
Of the female gential organs	40	Of the stomach, liver. $egin{array}{c} M & \dots \\ F & \dots \end{array}$	453	1				1		i			3
Of the female gential organs	41	Of the mention area interesting to the Mark	87									2	3
O'Très bresst.   7		Of the female genital organsF	1,019					1	1	1		_	
Additional disease   Additio		\r	365 365									1	1
Additional disease   Additio		οι οπο sam	24										1 1
Acute articular incumatism   1	45	F.	258 185			l	3	1 2		4 5			5 4
Authorite characterism	46	Other tumors (tumors of the female genital organs M. excepted)		1					ļ		1		
Exponential politics	47	A cute ortionlar rhoumation M	188	3	į				6		6	12	15
Exponential politics	48	Chronic rheumatism and gout	35						8		······································	14	19
Exponential politics	49		7		1 2				4	1			1
Exponential politics	50	Diabetes $\{M,, F\}$	228				î	3		2 2	3 5		10
Addison's diseases	51	Exophthalmic goiter fM	7									1	
Selection   Manual		Addison's disease	1	1					1		1	1 1	5
A nemis, chlorosis	53	Leukemia.	31	î	·····i					1 3	1		2
Section   Company   Comp	54	Anemia, chlorosis M.	43	13		2	<b></b>		15	·····i	1		1
Alcoholism (acute or chronic)   M	55	Other general diseases \\ \frac{\frac{r}{M}}{M}.	79	3 37		1	1		10 42	2 4	5 3	5	
Chronic lead poisonings	50	· ·		22	4	4	4	1	35	4		1	4
Other chronic occupation poisonings	ľ	Chronicles designing	18										3
The possibility of the nervon system and of the organs of special sense.	1	Other chronic competion rejection											
II.—Diseases of the nervous system and of the organs of special sense.	- 1	Other chronic poisonings (M.)				[ • • • • • • - •							
Males	35	· ·	7									т.	i
Males	-	organs of special sense	9,110	579	175	99	59	58	970	153	157	210	252
Encephalitis	- 1	Males	4,495	316	95	49	32	30	522	73			132
Meningitis (total)		,	•	263			27						120
Cerebrospinal meningitis (undefined)	i	Encephalitis	44	8	3	2	1	. <b></b>	14	4	3	4	6
Cerebrospinal meningitis (undefined)	61	Meningrus (total)	295 139	54	25	19	10	14	122	36 47	34 35	59 19	43 17
Cerebrospinal fever.   M.   153   14   10   9   4   2   33   14   10   5   6			112	22 12	14	12	5	7	62 60	10	7	10 7	5
Common at a comm		occosiospinar monnigrais (undenned)	77	15	6	7. 1		2	28 28	13	10	18 5	6
Other diseases of the spinal cord (total)	ĺ	,	106	17	5	2	5	5	34	24	18	7	6
Acute anterior poliomyelitis. \$\frac{M.}{F.}\$ \$\frac{34}{34}\$ \$\frac{8}{5}\$ \$\frac{1}{9}\$ \$\frac{7}{7}\$ \$\frac{2}{2}\$ \$\frac{3}{2}\$ \$\frac{2}{3}\$ \$\frac{2}{2}\$ \$\frac{1}{2}\$ \$\frac{2}{3}\$ \$\frac{2}{2}\$ \$\frac{1}{	62	Locomotor ataxia $\left\{ egin{array}{c} M_{-} \\ F_{-} \end{array} \right]$	66 33							1	1	1	
Cerebral hemorrhage, apoplexy	63		170	10 5	7 12	5 7	3 2	5 3	29	8	47	3	8
Cerebral hemorrhage, apoplexy			34	8 5	5 9	3 7	$\frac{2}{2}$	4 2	22 25	5	2		
66 Paralysis without specified cause		Other diseases of the spinal cord $^1$ $^{M}_{F}$ .	136		2 3		1	1	8	1 3	5	2	7 5
66 Paralysis without specified cause	64	(F	2,540		4	2 2		1 3	17 17	3 4	8	15	20 33
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	ì	(* · · i	34								·····i		
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	-	Paralysis without specified cause	672				1		8 7	1 3	5 1	. 5	7 9
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	1	General paralysis of the insane.	152										7 3
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	68	Other forms of mental alienation $F$ .	136 130		•••••						1		10 12
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	69	Epilepsy $\left\{ {rac{M}{R}}  ight.$	274	19	3	5	4		33	8	22	33	30
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	70	Convulsions (nonpuerperal)	17	19	ه د		3		25	6	3	15	20
72 Chorea $\left\{ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	71	Convulsions of infants $\begin{cases} \frac{M}{T} - 1 \end{cases}$	256		39	11	7	2	256	4		6	4
73   Neuralgia and neuritis $\left\{ \begin{matrix} M. \\ F. \end{matrix} \right]$ $\left[ \begin{matrix} 10 \\ 13 \end{matrix} \right]$ $\left[ \begin{matrix} 10 \\ 13 \end{matrix} \right]$ $\left[ \begin{matrix} 10 \\ 13 \end{matrix} \right]$ $\left[ \begin{matrix} 10 \\ 13 \end{matrix} \right]$	72	Chorea $M$ .	4		1			1		1			
	73	Neuralgia and neuritis $\left\{ egin{array}{c} M \\ F \end{array} \right]$	10										ر

<sup>&</sup>lt;sup>1</sup> Exclusive of acute anterior poliomyelitis (infantile paralysis).

(EXCLUSIVE OF HAWAII) FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1918—Con.

soldiers, sailors, and marines.]

	25 to 29   30 to 84   35 to 39   40 to 44   45 to 49   50 to 54   55 to 59   60 to 64   65 to 69   70 to 74   75 to 79   70 to 79															Deaths	int.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.									85 to 89 years.	90 to 94 years.	95 to 99 years.	years and	at un- known age.	Detailed Int.
	32 114 1 2 17	68 212 4 2 33	76 297 1 4 39	97 303 4 2 63	121 296 9 5 66	101 238 10 3 57	112 196 8 2 57	84 179 7 3 46	5	48 1 1	40 2	23 3 1 4		1 4	1 4	5 16 4 3	} 39 } 40
4 8 39	62	12	160 1	161	138	101	- 77	٠.	1	2 5 11	11	1 4 2	2			3 5	\begin{cases} 41 \\ 42 \\ 43 \end{cases}
1	8 12	29 1 1 23 19	ĺ	1 1		1	34 2 2 31 13	20 19	17	3 3 13 5	9 6	3 3	4			4 1 1	44 45
14 17	1 5 10 16 . 2	13	1 14 8 1 1	18	2 14 13 3 4	2 8 7 2 6		10 11	1	9 7 3	7 6 3	4		2 1	2 2 1	1 3 3 1	} 46 } 47 } 48 } 49
		í	1				22 38		9 17		4	5 2	2	1		1 1	50 51
4				2 1	, 1/2	1 4	1		1		1						$\begin{cases} 51 \\ 52 \\ 53 \end{cases}$
1 2 2	ł	1			1 3 1	2 4 5	1	2 1		1	····i	1	1 1		1 	1	} 54 } 55
3	8 3		5	18 2 1	10	. 7	1	2			1					1	56 57 58
							-17			400	010	150		20		78	} <i>5</i> 9
116 135	184 150	237 235		330 327	411 482	357 383		313 429				<u> </u>		·		51 27	
3 2 14 19 2 9 7 5	7 13 5 2 2 2 4	1 3	3 16 6 7 3 4	1 7 5 5 2	1 7 3 5 1			1 2 1 1 1		1	1					3 1	} 60 } 61
5 5 1 2 3 6	7 2 4 4 8 5 5	13 7 3 4 4 8 7	* 15 2 4 5 6	2 3 11 6 16 14	10 10 1 8 24	1 4 1 11 11	10 4 11 10	- 9 4 11 14 1	1 4 2 9 14	2 8 6	2 , 4 2	i	1 3		1 1	1	} 62 } 63
1 3 5 29 34	1 1 7 4 67 62	1 8 6 87 137 2	5 6 124 194	15 14 176 215	1 8 23 247 337 3	1 11 10 237 287 1	11 10 261 291		1 9 13 219 226 6	8 6 140 160 4 5 51 73	4 2 92 105 4	1 59 49 2 1 19 33 33	1 3 24 26 1	10 13	1 1 5 14	12 14 1	} 64 } 65
1 8 10 19 14 9 21	14 12 32 15 10 18	15 27 45 13 23 10	. 2 36 28 50 19 14 13	5 33 43 50 18 9	1 8 23 247 337 3 4 50 69 522 18 8 8	1 11 10 237 287 1 2 52 52 57 30 10 9	11 10 261 291 3 3 54 75 25 13 12	10 14 196 304 3 4 71 79 9 6 4 5	13 219 226 6 3 77 74 • 14 13	5 51 73 6	2 92 105 4 1 36 42 7 5	1 19 33 3	12 10 2 1	1 4 2	1 1 6 2	12 14 1 9 7 8 1 10	66 67 68
25 16	21 15 3	· 24 10 2 4	24 7 1 1	15 5	12 7	3 5	8 2	1 5 1	5 2	5 1	2		1		1	5 3	} 65 } 70 } 71
1	1 2	1	2	i	1	1	2 1	1 4	2	2 1	I						} 72 } 73

Table 7B.—DEATHS OF COLORED PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA [This table excludes the deaths of

Int.							DEATHS A	T AGE OF-	-			
Detailed I	CAUSE OF DEATH.	All deaths:	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 o year	4 years.
	II.—Diseases of the nervous system and of the organs of special sense—Continued.			-								
74	Other diseases of the nervous system ${ m M} { m M}$	88 91	7 3	1 4	3	. 2	1 1	11 12	1 3	3	5	1
75	Diseases of the eyes and their annexa. $egin{cases} M \\ F \end{cases}$	7 6		1					1	3 1	5 1 1	5   Mar. 1
76	Diseases of the ears $\left\{egin{array}{ll} \mathbf{M} \ldots \\ \mathbf{F} \ldots \end{array}\right\}$	30 35	4 3	4	2 3	2	1 1	11 13	5 4	2 2	2	2
	III.—Diseases of the circulatory system	13,522	76	32	. 27	11	10	156	90	127	196	402
	Males Females	7,020 6,502	39 37	22 10	11 16	5 6	3 7	80 76	45 45 45	58 69	79 117	167 235
77	Pericarditis	83 67	1	1			i	1 3	2	<u>-</u>	4 2	9
78	Acute endocarditis $\left\{egin{array}{c} M \ . \\ F \ . \end{array}\right\}$	369 378	4 2	2	2 3	1 2	i	11 10	4 6	8	10 16	18 24
79	Organic diseases of the heart. $F$ .  Angine people $M$ .	5,713 5,388 116	19 21 1	12 7	7 12	3 4	3 5	44 49	38 36	44 55	60 94	132 193
80 81	Angina pectoris. $\{ egin{array}{l} rac{M}{F}. \\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $	106 629		1				1 1	1	1	3	18 24 132 193 2 2 4 3
or	F	442	1					i		1	. 1	3
82 83	Embolism and thrombosis. $F$ . Diseases of the veins (varices, hemorrhoids, phle. $M$ .	50 68	1		1			1		2	4	2 8
84	bitis, etc.)   M.   Diseases of the lymphatic system (lymphangitis, M.	13 23 19	1 10	2				1			••••••	·····i
85	etc.)	9 28	5 4	2	1	1		12 6 8	1 1	3	•••••	i
	system\F	21	5					5	ļ <u>.</u> .		••••••	2
	IV.—Diseases of the respiratory system	26,847	3,908	1,947	916	459	337	7,567	908	718	1,710	2,486
	Males. Fernales	15, 216 11, 631	2, 154 1, 754	1,012 935	474 442	$\frac{217}{242}$	165 172	4,022 3,545	447 461	324 394	939 771	1,309 1,177
86	Diseases of the nasal fossae $\{M,\}$	104 99	59 57	14 9	5 3	2	2	82 70	7 1	2 4	5 2	2 2
87	Diseases of the larynx $\mathbb{R}^{M}$ .	36 29	16 12	3 4	2 1	1 2	1 1	23 20	î		1 2	í
88	Diseases of the thyroid body	3 23 473	1					i				·····i
89 90	Acute bronchitis.	436 206	239 207 10	88 75 4	42 33 4	7 18	8 11 2	384 344	11 10 9	3 6 4	5 7 12	6 7
80	Chronic bronchitis	205	11	8	2	3	1	20 25	5	3	9	8
91	Bronchopneumonia. $\left\{ egin{array}{ll} \mathbf{M} & \\ \mathbf{F} & \\ \end{array} \right\}$	2,762 2,490	949 754	162 468	193 180	74 93	44 63 102	1,722 1,558	86 131	41 54	. 72 . 85	98 96
92	Pneumonia (total)	11,097 7,912 8,801	851 689	425 354 271	222 218	124 122	102 91 68	1,724 1,474	326 300	266 320	819 644	1,161
	$ \begin{array}{cccc} \text{Lobar pneumonia} & & & \underbrace{M} & \\ F & & & \\ \text{Pneumonia (undefined)} & & & \underbrace{M} & \\ F & & & \\ \end{array} $	6,021 2,296	432 355 419	221 154	142 133 80	74 82 50	59 34	987 850 737	218 206 108	205 243 61	636 487 183	959 813
93	Plaurier M.	1, 891 213	334 8	133	85 1	40 3	32 4	624 24	94 6	77 2 3	157. 14	959 813 202 209 16
	(4	126	5	4	1	2	2	14	5	3	13	Ĩš
94	Pulmonary congestion, pulmonary apoplexy\biggreen \	53 52 15	12 8	5	2 3	1	1	18 17	2	3		1 2
95 96	Gangrene of the lung $\left\{ egin{array}{ll} M \ . \\ F \ . \\ \end{array} \right\}$ Asthma. $\left\{ egin{array}{ll} M \ . \\ \end{array} \right\}$	5 142	2	3	2		1	1 7	1 1	2	2 3	2
97	Pulmonary emphysema.	165 9	2 5	5	1 1			11 2	3	ĩ	2	9
98	Other diseases of the respiratory system (tuber- M. culosis excepted)	10 103 79	8	1 2	<b>-</b>	5	1	2 16	2	<u>i</u>	8	11
	V.—Diseases of the digestive system.	11,571	4,128	2 1,698	470	1 203	109	6,608	307	3 176	5   278	12
ļ	Males. Females.	5,916		874	256	101	56		146	83	117	357 135
ĺ		5,655	2,197 1,931	824	214	102	53	3,484 3,124	161	93	161	222
99	Diseases of the mouth and annexa. $\begin{cases} \frac{M}{F} \\ \frac{M}{F} \end{cases}$	79 102	56 58	6	<u>5</u>	2 3		64 72	3 3 6	1 2 7	1	1
100	Diseases of the example on the first Mark Mark Mark Mark Mark Mark Mark Mark	82 96 7	8 4	6 5	7 7 1	3	3	72 25 22 1	12	10	4 10	8
101	Diseases of the esophagus	5 125			î	1		1 1 1	1 1		3	
103	Other diseases of the stomach (cancer excepted). $\begin{array}{c} F \\ M \\ F \end{array}$	117 638	168	43	1 25	i6	8	1 260	23 26	1 6	2 10	3 15 13 26
1	,	748	163	41	14	12	13	243	26	12	18	26
1	Diarrhea and enteritis (under 2 years)	2,675 2,398 662	1,888 1,649	787 749	199	64	35	2,675 2,398 298				
	Diarrhea and enteritis (2 years and over) $\begin{bmatrix} M \\ F \end{bmatrix}$ Ankylostomiasis $\begin{bmatrix} M \\ F \end{bmatrix}$	745 2		1	170	68 68	28	298 266 1	57 60 1	18 12	17 23	12 30
100	F	$\bar{2}$	J							i	····i	

(EXCLUSIVE OF HAWAII) FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1918—Con.

soldiers, sailors and marines.]

				··		DEATHS AT	AGE OF-		•								nt.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at un- known age.	Detailed I
4 5	8 7	8 9	7 5	5 4	10 8	4 3	9 5 1	2 1 1	4 5	. 1 . 5 2	2	1 2 1	1 1	1 1		2	} 74 } 75
1 2		1	5	2 1	3	i	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1	1	739	1 1 529	273	172	65	51	74	76
234 306	691 352 339	1,021 548 473	1,173 607 566	1,248 679 569	1,359 697 662	1,169 630 539	1,223 647 576	1,141 623 518	1,083 607 476	419 320	255 274	120 153	83 89	29 36	20 31	41 33	
2 3 25 40 194 246 4 5 8	8 3 30 33 283 281 6 10 19	2 9 44 39 416 379 10 14 63	9 4 52 50 483 469 12 5 45	2 5 53 45 551 470 17 14 47 22	8 60 54 561 545 13 17 47	6 7 40 32 535 459 14 10 28	10 7 3 4 575 520 5 6 49 30	8 2 3 3 532 445 9 9 66 51	5 4 3 2 508 415 5 4 77 45	7 2 1 33 332 264 9 3 68 46	1 3 2 200 211 1 3 51 55	1 91 125 3 22 24	2 69 60 1 14 22	1 2 1 1 18 25	12 19 8 12	35 28 2	} 77 } 78 } 79 } 80 } 81
3 2 1	6 1	5 10 3 2 1	3 7 2 3	10 2 1	4 7 4 2	4 1 2	3 8 1 1	4 5 1 2	6 4 1	1 1 1	i	1 1	1 2			1 1 1	} 82 } 83 } 84
2,611	2,299	3	1 2 1,431	1,228	901	629	579	1 459	3 1 398	1 285	1 171	95	1 53	29	32	194	85
1,414 1,197		2,064 1,338 726	944 487	853 375	561 340	371 258	339 240	259 200	221 177	147 138	79 92	44 51	23 30	12 17	10 22	144 50	
1 1 2 1	5	2 2	. 1 3 1	3 1 2	3	2		1	1	1		1	2		i	1	} 86 } 87 } 88
· 2 4 12 12 24	1 1 4 5 12 10	3 13 3 9 16	4 9 7 12 15	1 6 1 14 13	1 1 2 5 14 10	2 5 1 19 9	4 6 8 8 11	5 3 10 14	1 2 2 2 . 14 9	1 3 1 13 6	1 3 5 7 5	2 6 3	1 2 1 1	1 2 2	3	1 4 1	89 90
118 109 1,240 1,015 1,055 1,052 849 188 166 16	97 87 1,259 752 1,116 649 143 103 19	113 59 1,154 611 1,007 506 147 105 25	75 46 806 393 707 327 99 66 16	64 39 716 279 610 234 106 45 27	50 35 455 257 390 206 65 51 14	47 37 286 183 235 146 31 37 11	35 34 259 162 218 132 41 30 12	38 26 184 137 155 108 29 29 6 7	32 33 156 113 110 88 46 25 1	28 26 85 89 57 64 28 25 1	11 12 52 57 34 44 18 13 1	6 10 28 30 16 22 12 8	6 10 15 6 9 4 6	6 3 4 8 3 5 1 3	2 3 6 15 6 8 7	15 2 121 36 74 25 47 11 2	} 91 } 92 } 93
4 1 1	1 1 2	1 4 1	2 2 1	4 6 1	2 2 1	3 2 2	2 2 1	2 2	3 2 1 1	3 1 1	1		1 2	2	2	1 1	} 94 } 95
	11 8 1	13 19	12 11	13 15	10 15 2	13 8 1	10 10	6 6	1 9 12 1	11 8 1	4 8	4 4	3 3	1		2 4	} 96 } 97
5 7 1 2 9 8	9 7	7	7 4	1 7 4	8 7	4 3	6 4	7 5	1	3	1	1	1			1 2	98
405 156	395	474 237	398 204	405 239	379 206	298 159	288 149	270 149	183 106	141 70	90 49	22 22 22	24 12 12	6 2 4	15 6 9	30 14 16	
249 4 11 5	224 1 6 3	237 . 2 3 3 4	194 3 1 2 4 1	166 1 3 4	173 2 2 4 3	139 1 4 2 5 1	139 3 3	121 3 1 3	77	71	41	22	12	4	9	10	} 99 }100
3 9 10 13 38	1 10 15 26 39	18 14 33 49	14 11 33 40	1 16 8 39 42	16 11 34 41	1 12 8 29 40	5 6 26 35	5 5 20 36	5 3 31 21	3 2 17 15	1 1 10 13	2 2 2 8 3	1 4 4	2	1 2 1	1 1 4	}101 }102 }103
10 26	, 18 38	31 35	19 33	30 34	30 32	18 12	16 34	32 23	15 21	15 22	13 15	3 11	2 6	1 1	1 6	6 5	}104 }105 }106

Table 7B.—DEATHS OF COLORED PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[This table excludes the deaths of DEATHS AT AGE OF-Detailed Int. List No. All deaths. CAUSE OF DEATH. Under 1 year. Under 5 to 9 15 to 19 20 to 24 years. 1 year. 2 years. 3 years. 4 years. 10 to 14 5 years. V.—Diseases of the digestive system—Continued. 9 3 Intestinal parasites..... 24 10 12 50 17 29 8 2 Appendicitis and typhlitis..... 34 8 9 50 15 18 3 2 12 16 2 386 187 32 21 70 53 27 5 43 Hernia, intestinal obstruction (total)..... 310 12 30 Intestinal obstruction 27 Other diseases of the intestines..... 95 15 Acute yellow atrophy of the liver..... Hydatid tumor of the liver Cirrhosis of the liver..... 2 1 39 Biliary calculi 142 15 Other diseases of the liver..... 8 1 11 Diseases of the spleen..... ....<sub>2</sub> Simple peritonitis (nonpuerperal)..... 27 Other diseases of the digestive system (cancer and M tuberculosis excepted). 14 ...2 VI.-Nonvenereal diseases of the genito-urinary system and annexa..... 10,350 5,394 4,956 35 41 27 13 130 43 114 197 571 4, 236 14 11 9 12 5  $\frac{24}{27}$ Acute nephritis 36 53 75 28 19 Bright's disease.... 48 3,426 Chyluria ii Other diseases of the kidneys and annexa..... · . . Calculi of the urinary passages...... Diseases of the bladder..... Diseases of the urethra, urinary abscess, etc..... Uterine tumor (noncancerous).
Other diseases of the uterus.
Cysts and other tumors of the ovary.
Salpingitis and other diseases of the female genital organs
Nonpuerperal diseases of the breast (cancerface). 130 15 55. VII.—The puerperal state..... Accidents of pregnancy. F Puerperal hemorrhage. F Other accidents of labor F Puerperal septicemia F 135 136 137 110 3 57 146 18 84 203 139 Puerperal albuminuria and convulsions. Puerperal phlegmasia alba dollens, embolus, sudden death. Following childbirth (not otherwise defined). Fuerperal diseases of the breast. F VIII.—Diseases of the skin and of the cellular в 15 20 5 Gangrene..... i Furuncle..... i ï 29 30 Other diseases of the skin and annexa...... 

(EXCLUSIVE OF HAWAII) FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1918—Con.

soldiers, sailors, and marines.]

						DEATHS A	T AGE OF-	-								Donth.	ا
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at un- known age.	s
		2								<u>1</u>					<i>:</i>		-
63 30	39 40 17	30 29	20 20 28	24 4 38	17 11 25	6 23	2 2 28	2 . 34	· 2 17	2 2 12	1 15	7	2		3	4	
42 63 30 . 33 4 27 29 4 16	39 40 17 40 3 8 14 32 12	44 30 29 38 11 3 18 35 10	32 20 28 31 9 19 22 7	24 4 38 27 16 6 22 21 13 8	17 11 25 20 12 6 13 14 5	6 6 23 18 13 6 10 12 5	5 2 28 21 16 10 12 11 6	6 2 34 20 17 9 17 11 2 4	4 2 17 5 13 1 4 4 5 3	2 2 12 5 8 1 .4 4 2 6	15 2 12 2 3	7 1 6 1 1	2 1 2 i		1. 2	4 3 1 1 2	IJ
4 16	12	10 10	7	13	5 5	5 6	6 5	2 4	5 3	2 6	$\begin{array}{c} 1 \\ 2 \end{array}$	1	i	1			
1	2 1	1	i	1 2	1	· 1			1	i	1						-
13 9 1 1	13 8 3 2	35 17 1 5	35 16 6 8	39 15 3 3	48 30 2 1	46 24 3 2	39 16 4 7	1 35 17 2 1	19 13 3 1	11 5 1 4	5 3	1 2	3		1	2 1	
13 13	12 9 1	. 19 . 18 1	16 14 1	21 6 2	11 11	7 9	11 5	7 3	3 4	4 5	2 2	2		1		1 2	;
9 26	10 15 2 3	6 14 2	5 13 2 1	7 11 2 1	10 6	4 3 1 1	5 5	5 2	1 2	2 2	i	1					
	554	817	856	929	1,055	846	904	817	837	573	352	190	84	41	30	54	
442 145	193 361	315 502	363 493	461 468	549 506	471 375	551 353	506 311	550 287	397 176	233 119	120 70	45 39	14 27	8 22	35 19	_
297 32 48 99 124	47 49 135	59 39 231 266	37 59 301	46 53 381 341	55 40 448	30 32 396	· 33 22 456 312	27 20 429 272	287 26 18 457 254	176 12 8 325 152	3 2 185 111	70 2 2 96 64	39 	1 1 12	<sub>7</sub>	5 2 29 14	5
124	174	266	296	341	425	316	312	272	254	i	111	64	37	26	22	14	
. 8 8	3 7	5 9 1 2	5 6	9 5	10 4 1 1 10 3	11 3 2 2	11 10 2	9 4 5	8 5 1 1 9 1	15 6 1	3	3 1	1 1			1 1	
3 2 4	1 5 1	1 2 3 1 13	1 3 13 13 1 3 1 2	3 2 10	10 3 8	4 4 11	11 1 10	12 2 5	9 1 7	12 4 6	10 3	6 2	1				
	2 2	3 4	3 1 2	10 2 1	17	14 , 3 1	27 1	19 1	41 1	26 1	25	12 1	8,	1	1		
27 21 5	52 17 8	76 26 12	78 12 4	44 13 4	14 11 2	10 3 4	7	5 1 3	5	2 1 1	2 1	1				1	
60	51	. 66	33	5	в			3		1						1	Ĺ 
2 412	320	300	107	22							.:					6	••
89 18 75 124	58 27 56 113	50 31 55 91	12 11 20 34	4 2 6 5												3 1	- :- L
95	57	65	29	3											 	2	ŝ
10 1	9	7	1	2													
14	9	15	18	19	28	15	31	23	36	27	19	10	12	5	. 9	1	Ł
8	6 3	9	10 8	15 4	16 12	7 8	16 15	16 7	19 17	14 13	10 9	6 4	6	2 3	2 7	. i	-
3 3	2 2	4 4	7 6	3 3 1 1 6	. 10 2	2 3 2	13 11 1 1 1	12 5	14 12	11 13	10 7	6 3	5 6 1	2 2		i	i.
2 1 3	3 1 1	4 1 1	1 3 1	1 6 5	. 10 2 1 3		i	1 3 1 1	3 2 2 2	1 2	1	1		i			

Table 7B.—DEATHS OF COLORED PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA [This table excludes the deaths of

Int.	·						DEATHS A	r age of—	4			
Detailed   List No	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	IX.—Diseases of the bones and of the organs of locomotion.	122	9		5	3	1	18	9	4	10	6
	Males Fomales	83 39	7 2		4	2 1	1	• 13 5	3 6	4	7 3	3 3
146 147	Diseases of the bones (tuberculosis excepted) $\prod_{F}^{M}$ . Diseases of the joints (tuberculosis and rheuma- $\prod_{F}^{M}$ . Is m excepted) $\prod_{F}^{M}$ .	58 34 19 2	6 2 1		3 1 1	2 1	1	11 5 2	3 6	3	6 2	3 2
148	Amputations $\left\{egin{array}{ll} \mathbf{M} & \mathbf{K} \\ \mathbf{F} & \mathbf{K} \end{array}\right\}$	1									1	
149	Other diseases of the organs of locomotion $\left\{ egin{array}{c} M_{-} \\ F_{-} \end{array} \right\}$	5 3									1	1
	X.—Malformations.	578	499	25	15	7	4	550	14	7	4	2
	MalesFemales	332 246	281 218	17 8	13 2	4 3	3 1	318 232	8 6	2 5	2 2	1 1
150	$ \begin{array}{lll} \text{Congenital malformations(stillbirths not included)} & \mathbf{M}. \\ \text{(total)} & & \mathbf{F}. \\ \mathbf{M}. \\ \text{Hydrocephalus.} & & \mathbf{M}. \\ \mathbf{F}. \\ \text{Congenital malformations of the heart.} & & \mathbf{M}. \\ \mathbf{F}. \\ \text{Other congenital malformations.} & & \mathbf{F}. \\ \end{array} $	332 246 57 36 180 135 95 75	281 218 35 27 163 124 83 67	17 8 9 4 6 3 2	13 2 7 3 3 2	4 3 2 1 1 1 1	3 1 1 1 2	318 232 53 32 174 129 91 71	8 6 3 3 3 2 2 1 1	2 5 1 2 2	2 2 1 2 1	1 1
	XI.—Early infancy	6,106	6,106					6, 106	 			
	MalesFemales	3,371 2,735	3,371 2,735					3,371 2,735				
151	$ \begin{array}{c} \text{Congenital debility, icterus, and sclerema (total)} \cdot \left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ \text{Premature birth.} \\ \text{Congenital debility, "atrophy," "marasmus,"} \right\} \\ \text{etc.} \\ \end{array} $	2,844 2,411 1,948 1,647 896 764	2,844 2,411 1,948 1,647 896 764					2,844 2,411 1,948 1,647 896 764				· · · · · · · · · · · · · · · · · · ·
152	$\begin{array}{c} \text{Other causes peculiar to early infancy (total)} &  \begin{cases} M_{} \\ F_{} \end{cases} \\ \text{Injuries at birth} &  \begin{cases} M_{} \\ F_{} \end{cases} \\ \text{Other causes peculiar to early infancy } 1 &  \begin{cases} M_{} \\ F_{} \end{cases} \end{array}$	491 299 195 106 296 193	491 299 195 106 296 193					491 299 195 106 296 193				
153	Lack of care $\left\{egin{array}{c} M_{-} \\ F_{-} \end{array}\right.$	36 25	36 25					36 25				
	XII.—Old age	1,832										
	MalesFemales	783 1,049										
154	Semility. $\begin{cases} M \\ F \end{cases}$	783 1,049			•••••							
	XIII.—External causes	7,827	311	186	189	172	123	981	368	376	695	849
	Males Females.	5,827 2,000	166 145	104 82	99	80 92	56 67	505 476	185 183	297 79	574 121	657 192
	Suicide (total) $\left\{egin{array}{ll} M_{-} & \left\{egin{array}{ll} _{-} & \left\{B_{-} & \left$	250							100	1	10 8	
155	By poison	74 19									1	27 15 3 7
156	M	22 20									4	7
1	70 N	8 24									<u>-</u> -	1 2 1 3
157 158	By hanging or strangulation	8 23									1	3
159	By firearms $M$ $M$ $M$ $M$	3 116 19								1	6 3	. 18 2
160	By cutting or piercing instruments. $\prod_{F}$	33 8									ļ	1
161	By jumping from high places $\mathbb{R}^{M}$ .	9										1
162	By crushing $\left\{ egin{array}{c} \mathbf{F} & \mathbf{F} \\ \mathbf{F} & \mathbf{F} \end{array} \right.$	. 3										1
1	ረእ <i>ና</i>	2										•••••
163	Other suicides $\left\{ egin{array}{c} \mathbf{F} \ . \end{array} \right]$	3		1		1			II			

<sup>1</sup> Exclusive of injuries at birth.

					,	DEATHS A	T AGE OF-	-								7047	Tit.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at un- known age.	Detailed I
. 8	5	2	6	. 7	12	9	6	6	7	5	1	1	,		، د.		
4 4	4 1	2	6	5 2	8 4	7 2	, 4	. 1	3 4	3 2	1	1					-
3	. 3	1	4	3		3	3	1	2 3	1	1						}14
4 1	1 1	1	1	2 2	. 7 4 1	- 3 1	1 1	1 4	3	2 1		i					14
•••••																	14
			1			· · · · · · · · · · · · · · · · · · ·	i		1	····i							14
	~		1						•						-,		·l
			1													·	-  `
																	:
			1									ļ					}15
			i														
															•••••		-
																	.]
							•••••		• • • • • • • • • • • • • • • • • • • •								1
																	15
															7		
																	15
									• • • • • • • • • • • • • • • • • • • •		••••••				•••••		ľ
							**********										Ι,
••••••																	
																	15
					4	11	37	· 79	225	232	392	273	247	128	190	14	
					4	7 4	20 17	32 47	107 118	112 120	174 218	112 161	96 151	· 52 76	63 127	4 10	
					4	7	20 17	32 47	107 118	112 120	174 218	112 161	96 151	52 76	63 127	4 10	}15
726	673	773	576	433	334	208	194	166	134	79	72	45	21	10	17	97	
557 169	577 96	649 124	476 100	360 73	270 64		138 56	111 55	92 42	54 25	38 34	25 20	5 16	3 7	6 11	77 20	İ
		38 7	29 8		14	8	15 1	10 3	7	4	. 1					4	
34 13 5 4	34 8 2 2	7 3	8 2	14 3 1	3	2	1 2	3	2		1						}15
4	2	3		.1		·····i		2	1 2	·····i					• • • • • • • • • • • • • • • • • • • •		K .
2		1 1	1		2		2 1	3	2 1 2	2							}15
2 3 1 4	1	3 1	1 2 1	2	1 1 1	1	2									1	15
4 	2	6 1	1	2 1	1	1		1								1	]}15
16	19	17	13	7	4	2	5	4	2			ļ				2	h
16 5 6	19 2 6	1 3	5 5	1	3	1 1 2	4	ļ	<u>-</u>	1							}15
	1			1 1	i	<sup>2</sup>		3			1						}16
	1	2	1 1	1							ļ <u>1</u>						}16
• • • • • • • • •		2			2												}16
i					1	1 1											}16

TABLE 7B.—DEATHS OF COLORED PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA.

[This table excludes the deaths of

Int.						1	DEATHS AT	AGE OF-				
Detailed In List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	XIII.—External causes—Continued.			•								
	Accidental or undefined (total) $\left\{ egin{array}{c} M \\ F \end{array} \right.$	4,084 1,552	155 137	104 80	98 90	80 91	54 66	491 464	180 181	272	417	391
164	Poisoning by food	58 57	3 3	4	4 2	3 3	2	14 14 14		272 72 3 5 2 4 5 3 6	417 63 6 .3	81 3 3
165	Other acute poisonings $\mathbb{T}$	107 72	6	16 12	14 9	8	4 5	48 32 32	2 7 2	2	1 2	6
166	Conflagration. $\left\{egin{array}{c} \widetilde{M} & \\ \widetilde{F} & \end{array}\right\}$	97 89	8 10	7 3	9 7	8 2 3 5	5 5	32 30	2 8 18	5	2	3
167	Burns (conflagration excepted) $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	355 581	18 19	41 31	42 56	42 62	18 45	161 213	24 101	6 24	17 20	6 8 3 5 18 19
168	Absorption of deleterious gases (conflagration) $M$ .	177 79	54 49	2 3				56 53 19	4		13	11- 2 50
169	Accidental drowning $F$	467 46	1 2	8 6	1 5 2	4 2	1.	19 12	l 26	1 75 4	90 8	50
170	Traumatism by firearms $\left\{egin{array}{c} M \\ F \end{array}\right\}$	282 84	l ĩ	3 3	3	2 7	6 3	15 18	3 19 9	56 11	69 10	5 42 7
171	Traumatism by cutting or piercing instru- $\{M_{\mathbb{R}},\}$	18							ĭ	1	1 2	
172	$egin{array}{c} \mathbf{ments} & \{\mathbf{M}, \\ \mathbf{Traumatism} \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$	324 157	19 13	10 10	7 2	8 4	6 1	50 30	5 9	11 2	20 2	17 2
173	Traumatism in mines and quarries (total) ${M \choose F}$	97							<i>-</i>		13	8
	Traumatism in mines $X$	88									12	8
	Traumatism in quarries $M$ .	9									1	
174	Traumatism by machines $\left\{ egin{matrix} M \\ F \end{array} \right\}$	221 12			1			1	4	14 1	31 2	33 4
175	Traumatism by other crushing (total) $\left\{ egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	1,199 171	3 2	4	4 5	7	11	29	58	79	100	134
110	Postmond aggridants and internion (M.)	171 600	2	l 1 	5	4	2	14	26 6	7 24	49	13
	Street-car accidents and injuries. $\begin{cases} F \\ M \end{cases}$	65 106		2	1 1	2	2	1 7	3	3 7	4 11	13 88 5
	Automobile accidents and injuries $\begin{bmatrix} F \\ M \end{bmatrix}$	13 294		i	2	1 5	2 9	3 17	2 36	38	1 25	1 1
	Injuries by other webieles	70 135	1 2	·····i	2	3		6 3	18 13	1 9	10	18 6 10
	Landslide, other crushing $F$ .	19 64	1	1	1			3	3	3	5	10
176	Injuries by animals. $\frac{M}{F}$ .	4 31			1	1		1	5	3	5	3
177	Starvation.	6 7	1 1					1 1	i	ĺ		
178	F Excessive cold. $F$	4 96	1 2					1 2	1		5	3
179	Effects of heat $F$ .	41 96	2 15	1	2			18	1	ī	ĭ	2 5
180	Lightning F.	54 38	14	2		1		17	5	. 3	1 9	2 5 1 5 3
181	Electricity (lightning excepted) $\begin{bmatrix} F \\ M \end{bmatrix}$	10 22							1 2	3	3	3 4
185	Fractures (cause not specified) $\frac{F}{F}$ .	32							·····i	·i	1	4
186	Other external violence. $\frac{F}{M}$ .	360 360	24	8	7 2	2	3	44	11 3		31	42
	Homicide (total) $\begin{cases} M \\ F \end{cases}$	76 1,493	16	4	. 1	1	3	26 14	5		3 147	239
182	By firearms $F$ .  By $F$ .	374 1,127 244	8	2		1	1	12	2 3	24 7 20	50 116	96 196
183	By cutting or piercing instruments. $\begin{cases} F \\ M \end{cases}$	206	2					3 2	1 1	4	31	72
184	By other means $\begin{array}{c} F \\ M \\ \end{array}$	79 160 51	10	2			. 1 1	1 11	1	3	16 10 15	28 12 15
	XIV.—III-defined diseases	5,657	2,139	515	1	88		9 2,935	1 141		9 152	12 181
	Males Females.	<u> </u>	1,167	279 236	76 69	-		1,592 1,343	70 71		61	71
187	Ill-defined organic disease $\begin{cases} \frac{M}{F} \end{cases}$	203	5	5	2	1	1	14	5	4	91	110
188	Sudden death $F$ .	195 160	3 47	7	1	1	3	9 54	2	2	. 9	5
189	Not specified or ill-defined (total) $F$ .	145 2,575	32 1,115	267	74	. 1 42	26	37	4 65	45	4 54	8
200	Ill-defined	825	937	231 150	68 33			1,524 1,297 422	65 25 20	46 15	78 19	62 97 17
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1,750	179 908	126 117	68 33 34 41	43 20 11 22 32	7 14 11	357 1,102	} <b>4</b> 0	30	78 19 19 35	17 30 45
	(F.,	1,644		105	34	32	11	940	45	32	59	67

					· · · · ·	DEATHS AT	r age of-					•				Deaths	Int.
25 to 29 years.	30 to 34 years.	85 to 89 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at un- known age.	Detailed List No
. 282 74 3 8	314 53 4 3 8 4 6	377 79 4 1 7	312 - 68 - 2 3 6	260 57 3 3	203 58 7 5 5	130 35 3	109 52 1 2	88 51 3	. 82 39 1 1	48 25 1	37 33	24 20	5 15	3 7	6 11	53 14 1 1	164
282 74 3 8 5 2 1 16 13 9 6	4 6 3 16 18 16 3 36 1 20	6 10 1 16 25	312 68 2 3 6 2 6 3 17 19 13 1 35 1	260 57 3 4 3 2 2 3 8 12 10 12 2	2 2 2 10 19 11	2 3 1 9 10 4	3 3 11 16 5 3 2	2 1 3 3 3 17	2 1 7 16 2 2	1 2 13 2	3 3 5 8 1	1 1 4 6	1 1 5	1 1 1	2 3 3	1 1 3 1	}168 }168 }168
36 4 20 . 8	5 1	1 37 2 16 4 3	35 1 11 4 2 2 2 2 23 8	6 2 3	12 4 1	8 2 2	1 3 4	1 4 2	1 1	2					;	9 2	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
, 22 , 5 , 12	29 5 10	81 7 9 8	23 8 15	24 9 12	19 7 9	10 8 5	18 8 1	1 1 1		12 3	11	5 6	3 5	3	2	2 3 2	}172 }173
22 2	21 2 91	30 1	1 22 107	21	9	1 5 60	2 30	3	2	11	8	1 8				28	}174
95 15 53 8 6 1 17 5 15	7 60 4 4 · 1 17	125 17 72 10 14 2 21	1	99 12 52 7 10	74 12 42 4 5 1	6 27 2 7	8 14 2 3	10 10 10 10 10	12 2 · 7	11 2 3 1 2	3 2 1	1 3	1			23 3 23 2	}175
5 15 1 4	1 4 6 1	3 9 1 9 1	23 7 11 8 1	12 12 1 5	5 10 2 6	3 6 1 4	. 5 2 2	7	7	1	3 1	1				1	
1	2		5 2	1 1 1 6 1	1 1 1 5 3 8	1 2 1 3	7 3 9	1 1 8 4 3	1 1 17 5 5	10 2 2	9 4 1	2 2 2 2 2 2 2	1 1	i	2 4 1	1 2	}176 }177 }178
3 1 2 1	8 2 - 2 3	10 5 4 2 2	5 2 12 2 1 1 1 1	6 1 6 5 5 5	1	1	3	2	5	1	1	2	1	1		1	179 180 181
31 5 241	39 229 35	45 7 234	23 6 135	5 1 22 3 86	1 1 21 3 53	12 3 3	1 7 1 14 2	2 4 1 13	3 2 3 1	1 1 2	2 4	1 1 1	1			7 1 20	}185 }186
82 185 57 38 22 18	35 179 23 32 8 18 4	38 173 25 39 9 22 4	24 101 14 19 5 15	13 58 6 11 6 17 1	3 37 3 7	20 6 7	3 9 3	1 9 2 2 1	1 1	1		1	1			6 14 3 3 2 3 1	}182 }183 }184
160	153	148	131	214	178	165	188	173	198	112	101	. 59	41 12 29	27	20 8 12	81 46 35	
51 109 1 5 4 45 100 16 24 29 76	72 81 7 9 7 1 1 58 71 22 24 36 47	87 61 10 10 6 72 45 20 16 52 29	65 66 12 19 5 3 48 44 22 23 26 21	121 93 13 17 10 8 98 68 39 18 59	83 95 15 16 7 7 . 71 29 34 32 32 38	79 86 15 14 9 8 55 64 24 28 31	91 97 15 18 8 9 68 70 32 32 36 38	87 86 20 15 5 13 62 58 26 24 36 34	113 85 19 13 12 11 82 61 31 21 21 40	71 41 21 6 5 6 45 29 17 15 28 14	59 42 9 11 6 7 44 24 20 12 24 12	37 22 7 8 9 • 4 21 10 7 8 14 2	1	13 14 5 3 8 11 6 3 2 8	2 1	35 2 3 1 1 43 31 12 5 31 26	}187 }188 }189

Table 8.—Deaths (exclusive of stillbirths) in the registration area (exclusive of hawaii), all registration states, and each registration state, from each cause and class of causes, by age of decedent: 1918.

[This table excludes the deaths of soldiers, sailors, and marines.]

o Int.									DE	ATHS A	r age (	or—							ge.
Detailed List No	. CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.		5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	89	90 to 99 years.	100 yrs. and over.	Deaths at un known age.
H1	T	HE RI	EGIST	RAT	ION	ARE	IA (I	XCI	usr	ZE OI	F HA	WAII)	<u> </u>			!	·		
_	All causes	1,445,158	193,855	55,059	26, 929	17,408	12,892	38,012	84, 196	185,602	185,648	131,883	131,296	149,021	144,416	73, 333	11, 12	733	3,750
,	I.—General diseases	521,903	31,234	22,325	13, 155	9,180	6,943	19,940		102,380	95,461	56, 102	45, 130	39,092	<u> </u>			·  -	1,387
1 2 4	Typhoid fever	2,534	280 62	96 152	98 124	143 88	128 61	858 1 225	309	2,466 275 38	1,628	942 2 199 39	525 166 32	281 204 31	120 140 18	64	<u>1</u>		40 10
5 6	SmallpoxMeasles	8,223	1,953	i i	981	530	317	701	545	270	1	160	108						3
7 8 9 10 13	Scarlet fever. Whooping cough. Diphtheria and croup. Influenza. Cholera nostras.	2,335 13,728 11,183 234,290 299	6,562 860 12,874 54	1,531 10,903	245 1,457 1,577 6,758	792   1,400	235 478 1,160 3,474	767 3.012	384 139 1,042 24,354 13	l 253	166	6 77	58 9,242	6,051	4.44	1,900	30	1 1 3 27	21 12 755 2
14 17 18 19	Dysentery Leprosy Erysipelas. Other epidemic diseases.	2.4	771	67	311 18 45	151  12 25	95 	2	.) 1	118	166	243	2	332 319 12	27	5 9 · · · · · · · · · · · · · · · · · · ·	9 2	0 4	13 4 1
20 21 22 23	Purulent infection and septicemia	1,446 4 34 63		26	19 1					171 1 5 4		3 10	: 1			1 4	-	6	7
24 25 26 27	Pellagra Beriberi Beriberi	3,741 - 3,741	22	18	12	12		5	183	586	74	7 70	552 2	48	8 3 24 1	5 8 6	-	3 3	
28 29 30 31 32	Acute miliary tuberculosis	3,636 - 3,636 - 5,874 - 4,034 - 1,016	814 3 133 4 1,153 4 206	611 92 3 1,026	291 62 5 593 79	248 48 387	196 3 2 7 31 6 6	6 89 8 9 1 74 0 19	4 64 3 60 7 44 3 16	28,970 1 1,064 3 436 7 72:	69 6 31 1 •61 9 13	5 42 2 15 1 53 4 11	3 226 8 - 98 2 428	7 6,44 8 8 8 3 5 34	0 2,81 4 3 1 1/	2 53 30 1 38 3	4 3 3 	1 2	307 274 9 5 10 2
33 34 35 36	White swellings Tuberculosis of other organs Disseminated tuberculosis Rickets	1,444 669	17 5 85 70 4 28	5 42 5 32 0 15	2 27 2 20 1 60	1 13 7 28 0 6	3 1 3 1	6 5 7 1 3 1	1 9. 5 15. 6 7. 4 1	5 95 5 25 1 13	2 7 2 23 1 10	3 5 3 17 1 8	7 64 7 162 3 4	2 11 8 4	7 :	28 30 21 4	6 7 7 3	2	3
37 38	Gonococcus infection  Cancer and other malignant tumors (tota	1) 65,28	2 5	7 : 9 5:	9 79	9 7	2	0 14	18 3 3 0 34 7 1		2 13	3 6	$\begin{vmatrix} 2 & 2 \\ 7 & 15,48 \end{vmatrix}$	0 17,38	.7 37 12.5	3 06 3,96	1 31 3	42 13 21 2	30 1 3 92
39 40 41 42 43 44	Of the stomach, liver Of the peritoneum, intestines, rectured the female genital organs	24,760 8,630 9,800	6 1 0 2	1 9 1 1		0 14 4	3 5 6	3 1 5 1	6 3 7 3 5 2	2 10	คเ 87	3 2,97 0 1,17 4 2,52 7 1.32	4 5,95 5 1,95 4 2,69 5 1.59	3 7,65 8 2,39 8 1,98 6 1,31	5,4 3 1,7 39 9	69 5 92 2 85 3	02 50 37	73 38 21 35	3 38 - 11 - 14 3 11
44 . 45 46	Of other organs or of organs not specified.	11,38	6 3	2 4:		7 4	7 4		21	7 33	8 67	78 <b>1,</b> 43	2,48	6 2,89	9 2,2	08 7		91 63 4	5 11 2
47 48 49 50 51	Acute articular rheumatism Chronic rheumatism and gout	3,11 1,03	1 2 35	4 1	7	7 2	7 5	i 35	28 60 3	8 32 7 3	23 28 33 6 4	35 29 50 9	33 99 15	32 32 4 32 4	48 2 51 2	86 1 81 1	35 28 2	19 16	4 7 1 2
51 51 - : 53 54	Addison's disease	1,41	6 6 8	2 1 6 3		2 1	i	25	16 71 1 8 1 59 11 45 11	31 20 9 2 3 18	)5 28 28 6 58 25	36 1,33 39 33 32 6 26 18 79 66	35 6 38 <b>2</b> 6	12 1 15 1 15 1	53 50 81	51 20	87 7 3 14 26	28	3
· 56	Other general diseases.  Alcoholism (acute or chronic) Chronic lead poisoning	1,63	9 72 3		8 7	0 3			36 8	5 13	74 6 31 5	52 6 76 6 21 2	71 6 32 48 26 3	30 31 2 34	77 20 23	67	32 19	5	1 6
58 59	Other chronic poisonings	19				<b>:::::</b>					52	34		3	17	27	2	'i	i
	II.—Diseases of the nervous system and of the organs of specia sense.	1	4,84	6 1,71	0 1,03	3 68	32 51	05 1,7	33 2,76	30 3,27	71 5,6	32 9,2	06 15,38	52 22,1	39 24,	764 11,9	11 1,	346	54 240
. 6	Meningitis (total)	7,50 3,18	1,63 80 81	3 82 3 37	8 56 4 27	5 36 1 <b>1</b> 5	59 1	85 8 08 3	46 1,06	31 67 25 25	$\begin{bmatrix} 77 & 4 \\ 21 & 1 \end{bmatrix}$	53 3 91 1	41 2: 71 1:	29 1 09	30 24 77	21 58 41	7 24 17	1	11 2 3
6	Cerebrospinal meningitis (undefine Cerebrospinal fever 2 Locomotor ataxia	1,96 2,38	38 37 43	1	.0 15	50 11	10 1	08 3	36 30 10 43 2 17 25	31 2. 4	54 1 31 1	55 42 3	96 6 16 5	64 39 - 5	26 21 516	12 5 252 343	47 47 292	3	2 3
6	Acute anterior poliomyelitis Other diseases of the spinal cord:	4,04	54 13 14 <i>t</i>	17 14 52 2	4 12 0 1	24 6 16 2	59 22	51 1 10	65 1. 52 1.	13 13	44 82 2	32 23 3	84 . 7	05 1,0	13	10 933	288	26	2 2
6 6 6 6	5   Softening of the brain 6   Paralysis without specified cause 7   General paralysis of the insane	7, 18 5, 85	15 30 55	16 1	3 1		8		26 (	3 32 1 15 2	40 1,6 9 00 1 16 1,3 59 3	17  93  4	37 1 06 8	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	345 311 2, 731	$\frac{425}{371}$ 1,	225  1	071 35 153 15 5	33 112 4 1 8 32 2 26 2 17
6: 7: 7:	9 Epilepsy 0 Convulsions (nonpuerperal) 1 Convulsions of infants.	3,50	31 13 57	31 3 11 36	36 1	ii		 29	29 5 51	25 33	31 6 14	42 5 21	04 3 14	20 ±	251 6	145 8	59 2	3	1 23 1 1
7: 7: 7-	2   Chorea 3   Neuralgia and neuritis 4   Other diseases of the nervous system	2,7	13  73  74  1	3  1 99 (	2	- 1	41	1	2 45 2	8 18 2	50 3	32 84 3	40 88 3	1	l l	15 75 224	2 39 95	12	1 7
7 7		1,3	92 2 92 2 1 Exclus							•			5 091	3 88	6 76	13 21	8 19	2	
							- P-041		(			-,,							

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

it.	<u> </u>		ms tabi								T AGE (	)F—	*				-		un-
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	9 60 9	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	89	99	100 yrs. and over.	Deaths at un- known age.
!	THE I	REGIS	TRAT	ION	ARI	EA (E	XCL	USI	7E O	F HA	WAII	)Cont	inued.						
	III.—Diseases of the circulatory system	161,217	1,316	313	202	175	171	1,334	4,085	6,216	9,449	14,533	22,297	34, 975	40,853	21,902	2,988	127	281
77 78 79 80 81	Pericarditis. Acute endocarditis Organic diseases of the heart Angina pectoris Discases of the arteries, atheroma, aneu-	6,037	15 304 630 3	10 59 177 1	114 2	39 111	8 35 115	30 228 1,008 4	21	56 708 5, 133 80		ŀ	145 1,702 17,376 1,138	170 333 28,445 1,820 3,476	154 257 31,549 1,599 6,545	105 15,263 506	1,784 36		3 6 222 9
82 83	rism, etc Embolism and thrombosis Diseases of the veins (varices, hemor- rhoids, phlebitis, etc.)	"19,013 2,754 469	6 43 8	. 8 2		1 4	1 7	26 3	12 53 6	67 116 27	248 199 63	595 293 71	98	571 87	615	324	43		6
. 84 85	Diseases of the lymphatic system (lym- phangitis, etc.). Hemorrhage; other diseases of the circu- latory system.	· 475	266 41	. 49 6	19 7	15 1	5	25 10	24 16	14 15	12 40	· 7 51	11 47	11 62	10 55		2		1
	IV.—Diseases of the respiratory sys- tem	245,216	31,242	14,888	6,737	3,720	2,598				42, 141	21,139		15,424		7	-	72	653
86 87 88 89 90 91	Diseases of the nasal fossae Diseases of the larynx Diseases of the thyroid body Acute bronchitis Chronic bronchitis Bronchopneumonia Pneumonia (total) Lobar pneumonia	7,615 5,145 54,697	179 146 15 3,839 110 16,436 10,073 6,927	1,002 56 7,434 5,951 4,593	388 21 2,974 3,123 2,415	152 12 1,497 1,879 1,455	100 12 901 1,467 1,165	137 65 1,840 4,288 3,493	13,521 11.640	94 97 144 4,288 38,908 35,119	28 94 109 164 4,264	270 2,359 17,260		271 821 2,709 10,338	39 483 1,511 3,440 7,985 6,524	19 11 536 1,200 2,143 2 3,448 4 2,559	134 134 225 365 451	9 18 32	1 6 3 82 541 350 191
93 94	Lobar pneumonia Fneumonia (undefined) Pleurisy Pulmonary congestion, pulmonary apo-	0,110	3,146 161	1,358	708 102	424 82	302 50	795 137 17	1,881 239	3,789 403	393 67	1,790 400 72	76	343 165	1,455 213 285 2	84	9!	1	3 2
95 96 97 98	plexy. Gangrene of the lung Asthma. Pulmonary emplysema. Other diseases of the respiratory system (tuberculosis excepted).	1,150	34 10 55	23	15 3	7		8	33 17 27 3 61	122	49 149 3 135	263 19 174	368 14 190	433 •33 190	46 4	206 9 17 8 42	22	1	1 9 1 4 129
99	V.—Diseases of the digestive system  Diseases of the mouth and annexa	740	207	12,012	14	75	<u> </u>	33	20			61	59	63	3	-	3	1	
100 101 102 103	Diseases of the pharynx. Diseases of the esophagus Ulcer of the stomach Other diseases of the stomach (cancer excepted).	2,013 100 3,136	170 5 24		5 7	101	90	316 4 14	298 3 66	261 268	481	13 626	15 643	15 514	35	8 10	8 1		1 1 4 15
104 105 106 107 108 109	Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over). Ankylostomiasis. Intestinal parasites Appendicitis and typhlitis Hernia, intestinal obstruction (total) Threstinal obstruction	207 207 9,733 9,318	21 36 1,198	4 4 3 24	2,670 1 2 3 33 3 71 3 140 2 10	24 119 100	18 135 135	2 30	2,244 2,244 279	1,776	1,604 747 2 207 7 540	1 1,211 7 952 7 368 0 584	851 1,248 648	468 1,500 774 73	23 5 1,42 4 69	1 3 4 5 8 58 6 25 2 32	4 1 7 4 3 7 3	5 2 5 7	11 17 7 10
110 111 112 113 114 115	Other diseases of the intestines. Acute yellow strophy of the liver Hydatid tumor of the liver. Cirrhosis of the liver. Biliary calculi Other diseases of the liver.	1,832 303 31 7,794 2,458 3,539	139	3 1	33 2 2 4 2 9 20	3 18 2 3 7 9	1	1 48 3 6 5 20 4 59	16 16 17 18 18 18 18 18 18 18 18 18 18 18 18 18	1 14' 7 14' 9 10 3 23	9 41 2 63 4 23 8 38	1,317 1,317 1,317 1,317 1,317 1,317	1,910 609 609	1,98 1,98 1 65	3 5 3 1,26 8 37 4 50	8 2 4 38 0 11 9 23	0 4 3	9 2 4 5	13 2 1 11
116 117 118	Diseases of the spleen	. 451	13		6 3	4 3:	1 2	2	3 249	8 30	7 28	3 189	3 145	2 13	2 1	6 4	6	3	3
	genito-urinary system and		78	4 35	9 28	2 19	4 17	_	1,54	-	<del> </del>	1 10,44	-	-	6 20,96				
119 120 121 122	Acute nephritis. Bright's disease Chyluria Other diseases of the kidneys and annexe	73,23	17		3 9	8 8	1 7	2 279 3 300 4 2	93	9 2,19	8 4,45	5 7,93	12,72	4 17,37	0 17,90	32 7,75 98 13	1 1 32 1	5	122
123 124 125	Calculi of the urinary passages	1,35	1	4 8	3	3				6 1	5 5 6 2	4 6	1 9		9 4			2 39	1 2
126 127	Diseases of the prostate	3,38	5	-	2	1	1	-	1	2 1 7	3 4 3 1	7 5 5	7 20	5 83	9 1,4	57 7: 6	25 5	72	2 3
128 129 130 131 132	organs. Uterine hemorrhage (nonpuerperal) Uterine tumor (noncancerous) Other diseases of the uterus. Cysts and other tumors of the ovary. Salpingitis and other diseases of the	1,46 80 61	1 7  1	-	1				3 2	9 1 5 2 1 18 2 8	11 1 78 37 52 24 57 14	5 1 0 60 8 20 0 12	4 2 2 6 8 4 8		3 94 15	3 74 22	1 27 10 21	2 2	i
133	female genital organs Nonpuerperal diseases of the breast (cancer excepted) VII.—The puerperal state	. 3	5 1	.4	4				1,62		4	4	4	2	4	1	2	-,	35
134 135 136 137 138 139	Accidents of pregnancy Puerperal hemorrhage. Other accidents of labor Puerperal septicemia. Puerperal albuminuria and convulsions Puerperal phlegmasia alba dolens, em- bolus, sudden death.	4,25 1,24 3,27 5,25 3,65	0						29 3 24 50 52	2,33 32 42 47 1,6 03 2,5 23 1,7 18 1	1,42 25 61 73 1,13 64 1,8 02 1,13	20 17 16 17 36 20 41 32 79 24	79 74 05	2 3 4					10 2 7 11 5
141	defined)		3	<u> </u>	-			-	-	5	44 8	32 3	2	: ::::			:: ::::		:: :

<u></u>					<del></del>				DE	THE AT	r AGE O	· · · · · · · · · · · · · · · · · · ·					,		==
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	8 years.	4 years.	5 to 9 years.	10 to	20 to 29 years.	30 to 39 years.	40 to	50 to 59 years.	60 to 69 years.	70 to 79 years.	89	99	100 yrs. and over.	Deaths at u known age
	THE	REGIS	TRAI	NOL	ARI	CA (E	XCI	USI	VE O	FEA	WAII	)Cont	inued.				,	!	
-1	VIII.—Diseases of the skin and of the cellular tissue	3,416	585	56	32	27	14	45	78	131	142	236	314	406	646	573	109	15	
142	Gangrene	1,658	32	12	9	15	6	19	12	24	34	80	112	231	487	474	96	14	
143 144	Furuncle Acute abscess	629	83 161	18 18	1 15	9	1 3	3 18	35	31 49 27	39 49	53 70	85 66	59 64	42 49	17 20	3 2		2 1
145	Other diseases of the skin and annexa  IX.—Diseases of the bones and of the	685	309	18		3	4	5			20	33	51	52	68	62		1	3
146	organs of locomotion Diseases of the bones (tuberculosis ex-	2,041	169	81	49	36	46	205	<del>-</del>	197	202	186	209	146	147	48			3
147	cepted)	1,742	148	78 3	46 2	34	45 1	195 7	_	183 13	180 18	151 28	169 31	106 32	86 44	29 13			.3
148 149	Amputations. Other diseases of the organs of locomotion	2 71	7		1	<sub>2</sub>		3	1 7	1	4	7	1 8	8	17	6			
	X.—Malformations	12,841	11,887	353	144	84	38	l	131	38	7	3	1	1					
150	Congenital malformations (still births not included) (total)	12,841	11,887 855	353 123	144	84	38 13	154 49	131 28	38 7	7	3	1	1		• • • • • • • • • • • • • • • • • • • •			
	Congenital malformations of the heart Other congenital malformations		7,400 3,632	138	63 49 32	25 40 19	14	74	84	19	4		i						
4 64	XI.—Early infancy	62,190			<u></u>														
151	Congenital debility, icterus, and scle- rema (total)	50,533 38,535	50, 533 38, 535														ļ:		
	Congenital debility, "atrophy," "marasmus," etc. Other causes peculiar to early infancy	11,998	11,998			l	ļ		1		1				l .				
152	Other causes peculiar to early infancy (total)	. 11.456	11,456					ļ								<b> </b>			
	Other causes peculiar to early-in- fancy <sup>1</sup>	5,307	11			l	ı	1											
153	Lack of care XII.—Old age	. 201	201								1	4	78		3,299	5.892	2,096	278	46
154	Senility										1	4	78		<u> </u>	<u> </u>	<del> </del>		
	XIII.—External causes		11	1,813	1,602	1,477	1,286	4,374	\ <u>'</u>	11,077	·	11,003	\	6,879	<u></u>	\ <u></u>	-1		-
155	Suicide (total)	9,645 1,474 1,278	1						105	361	322	2,009 288	1,668	1,206 135 170	543 52 74	136 16 13	12 2 3		47
155 156 157 158	By asphyxia By hanging or strangulation By drowning								1 31 - 33 - 25	164	l 275		270 330 115 531	276	159	35	5 2	3	13 8
159 160	By firearms By cutting or piercing instruments	3,350 780							132	613	800 7 205	669 178	167	լ 99	152 40	17	1		14
161 162 163	By firearms By cutting or piercing instruments. By jumping from high places. By erushing. Other suicides.	. 281 - 84 - 105							37	50 10 14	29	16	18	3  €	2		3		1 2
	Accidental or undefined (total) Poisoning by food.	65,908	(1	1,794 71	1,591	1,46	1,26	4,31	7,716	7,987	8,945	8,085	6,677	5,511	4,466	3,056	573	22	517
164 165 166	Other acute poisonings Conflagration	- 1,349 - 1,414	N 96	237	136	5 79	29 49 51	9 6:	1 66	149	162	126	94	1 58	3 24	1 9	9) 1	2	101
167 168	Burns (conflagration excepted) Absorption of deleterious gases (con-	6,617	239	688	748	710	48	80	9 411	480	462	406	334	1	302	17:	1 20	0 6	
169 170	flagration excepted)	- 5,469	36	200	129	78	5 78	3 57	4 1,555	86	1 654	1 570	387	7 184	1 79	9 24		2	5 56 4
171	Traumatism by cutting or piercing instruments	186	3 6	3		3 (	3	3 1	0 23	1:	2 18	3 32	2 21	1 2	7 10	3 4	4 :		1
172 173	Traumatism by fall Traumatism in mines and quarries	10,273	li .	182	119	91	L 9:		]	1	1	1	1	1 1	1 '	1 '	5 42	2 7	20
	(total)	2 40	711						$egin{array}{cccc} 2 & 221 \ 1 & 212 \ 1 & 9 \end{array}$		9 790 8 21	3 21	258	9: 8: 8:	1 14 7 13	3 :	2		. 9
174 175	Traumatism in quarries Traumatism by machines Traumatism by other crushing(total Railroad accidents and injuries.	2,360 21,03	7	111	170	26	35	$\begin{bmatrix} 4 \\ 0 \\ 1,71 \end{bmatrix}$	3 360 8 2,613	46 3,08	1 518 4 3,459	3 412 3 3 107	304 2,612	180 2 1,91	1,06	7 27	B3	o	183
•	Street-car accidents and injuries Street-car accidents and injuries Automobile accidents and in-	2,320		23 2 18	3 4	1 4	5 4 3	1 21 9 12	6 948 9 181	1,58 27	1 1,793 7 37	3 1,463 383	3 1,10	7  69.	5 34	5 4	9	9 5	. 151 - 8
	juries	7,42	4 30 8 12	3 43 7 25 3 2	3 70 5 30	6 15: 5 5		6 21	3 1,133 7 309	24	81 250	5 879 0 269	289	4 25		5 9: 9 4:	8 1:	2 4	12
176 177	Landslide, other crushing	- 595 656	3)) (	10	1	3 5	2 6 1	6 1 8 5	3 43 7 102	12	2 146 8 5	9 113	8 8	2 40	0 14 5 6	2 1	4	i	6
178 179	Starvation  Excessive cold  Effects of heat	1 7 72	8) 13	3 2	3		5	i 3 1	1 3 1 0 2	7 2	1 3	8l 6:	8 8	0 10	5 · 1 1 9 2 14	8 4	1 8 2	6 . 6	. 2 6 6 1 1
180 181	Lightning. Electricity (lightning excepted). Fractures (cause not specified).	40	7   :			-	-	$\begin{bmatrix} 3 & 3 \\ 1 & 1 \end{bmatrix}$	1 79	9	3 7	1 5	8 3	4 2 1 1	$egin{array}{cccccccccccccccccccccccccccccccccccc$	3	i	1	. 1
185 186	Fractures (cause not specified) Other external violence	4,20			9	1 3 5	4 4	2 1 5 20	1 2	5 2	9 4	4 6	8 7	5 9	0 14	5 17 1 7	9 4 6	3 6	- 4 - 5 - 94
182	Homicide (total) By firearms By cutting or piercing instruments.	5, 45 3, 72	7	8 8	3	4	3	8 1	.9 353	2 1,15	4 1,14	2 63	0 25	4 9	4 1	9	5	2	. 55 - 35
183 184	By other means	1,06	0 12	14	1	1	9	5 1 9 2	1 62	2 20	1 21 2 22	1 10: 9 17	2 4 7 10	$\begin{bmatrix} 2 & 1 \\ 0 & 5 \end{bmatrix}$	0 8 1	5 8	1 2	2	. 15
187	XIV.—III-defined diseases	<u>-</u>		- <del> </del> -	·(	<del></del>	-(	_(		-		-		-\- <u>-</u> -	-[— <u>-</u>	-	-\		-
187 188 189	Sudden death   Not specified or ill-defined (total)	1,04	7 24		3 '	7	6	7 1 1 1 8 26	3 2	1 4	0 5	7 7	7 11	5 17	9 15	3 8	9 1	.0	2 6 2 5 9 188
•	Ilî-defined Not specified or unknown	13,72 5,14 8,58	00 - 1.12	3 686	5 16	2 8	0 4	2 11	2 15	5 20	6 26	5 34:	2 41	9 64	6 54	8 24	[5] 5	<b>9</b>	5 · 45
<del>6.1.</del>			<u></u>		•	luciva	<del></del>	<del>'</del>		<del></del>	<del></del>	<del>'</del>	ــــــــــــــــــــــــــــــــــــــ	<del>'</del>		<u>'</u>		<del></del>	<del></del>

<sup>&</sup>lt;sup>1</sup> Exclusive of injuries at birth

Int.			[		<del></del>				DE	ATTS A	T AGE (	)E			<del></del>			<del>  </del>	<u>.</u>
Detailed In List No.	CAUSE OF DEATH.	An	ļ	<del></del>		1				AIDS A	I AGE (	) <u>F</u>		1		1	ī	1700	at un• n age.
etaile List	CAUSE OF DEATH.	deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 vears.	5 to 9 years.	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	. 99	yrs. and	Deaths a known
<u> </u>				l				<u> </u>		years.	years.	years.	years.	years.	years.	years.	years.	over.	Ä
<del></del> i		i i	1 .	- 1			TION		r		· .		·			1	1	1	
	1		188,771			=													3,606
1	I.—General diseases	506, 717 9,684	30,391	93	98			19,381 814	2,600	99,159 2,332	92,438 1,547	54,239 901	43,857 504	38,088 275	25,070 114	<u> </u>	<del> </del>	56 1	1,338 38
2 4	Typhoid fever. Typhus fever. Malaria. Smallpox Measles.	l 131	269		122	79		1 216	289	240	187	168 30		182	133	61	17	2	9
5 6	Smallpox Measles	2,332 304 7,968	61 1,911	2,258	3	508		17 667	24 532	30 260	35	30 156	30 107	31	17 48	7	2		. 8
7 8	Scarlet fever	2,302 13,464	102 6, 451	224 3, 353	241 1,424	242 775	233 467	610 758	382 135	. 169 29	71 12	17 6	7 6	11	11	5	1		3 21
9 10	Whooping cough Diphtheria and croup Influenza Cholera nostras	2,302 13,464 10,987 228,120	102 6,451 851 12,548	1,503 10,643	1,554 6,584	1,374 4,496	1 130	2,955 9,715	1,027 23,817	249 60, 255	164	77 19,117	56 8,933	5.875	4.327	3 1,864	1 293	<u>2</u> 5	12 731
13		291	52	20 763	12 296	143	5	18 202	13 105	110	9 124	13 167	12 205		52 515			4	2 13
17 18	Dysentery Leprosy Erysipelas Other epidemic diseases	4,445 23 2,498 535	.754	65 73	18 42			25	1 76	3 111	7 156	1 234	2 284	308	5 272				3
19		<i>)</i> 1	1			1		65	59	32	. 22	15	17	12	6	5	. 2	••••	1
20 21 22	Purulent infection and septicemia Glanders Anthrax	1,389 4 32	173	26	19	21			124	158 1 5		. 143 2 10	1		131				
23	Rables	59	i		1	7	5	17	. 7	4	2 4	4	. 3	4	2				
24 25 26	Tetanus Mycoses Pellegra	1,176 44 3,126	1 1	· 12	10				189 3	84 3	7	108	10	8	30		1		2
27	Beriberi	11	16 4						155	476 3	1	581 2		1	209			1	21
28 29	Tuberculosis (total)	117,506 100,718 3,538	2,449 797 132	1,916 586 90	1,082 277	809 239 43	192	864	11, 598 9, 495 624 587 426 158 94	30,762 27,968 1,033	25, 681 23, 601 673	17, 915 16, 415 408 154 521 110 54 171 82	11,493 10,412 221	7,021 6,294 83 33 329 74 . 47	3,108 2,757 30	622 526 10	30		295 262 9
28 29 30 31 32 33 34 35	Acute miliary tuberculosis Tuberculous meningitis Abdominal tuberculosis	3,538 5,751 3,900	1,130	1,007 133	62 585 78 24 11 26 19	378 70	27 303 59 27 12 15	· 729	587 426	425	304 580	154 521	95 412	33 329	13 156	36	··· <u>ź</u>		5
32 33	l Pott/g digease	1 984	18 17 83 73	18 9	24 11	378 70 32 13 28	27 12	729 191 82 40 54 16	158 94	698 174 88	304 580 129 70 228 96	110 54	412 84 62	74 47	44 28 59 21	8 5	2		10 2 2
	White swellings. Tuberculosis of other organs. Disseminated tuberculosis.			41 32	ı	1	1 .	1 ~~			96 96	171 82	62 159 48	114 47	59 21	27	7		3
36 37 38	Rickets Syphilis Gonococcus infection	552 7,044 448	277 1,894 44	144 140	56	21 43 2	3 24		10 160 34	661 661		1,224 59	. 893 20	500 500		37 37	3		27
00	Cancer and other malignant tumors			1			1						İ		ļ	2 27 4	000		
39 40	(total) Of the buccal cavity Of the stomach, liver	. 2.289	58 4 11	58 4 9	76 1 10	. 3	3	136 7 15	15	1,027 25 182	79	9,515 258 2,890	15,120 491 5,835	653	12,303 506 5,417	3,914 215 1,392	SI 21	13 2 3	91 2 37
41	Of the peritoneum, intestines, rec-	8 464	,	1	4	6	1 -	l		175	498	ł				1	38		11
42 43 44	Of the female genital organs Of the breast Of the skin	9,555 5,931 2,178	1		4		2	16 4 2 2	38 23 3 8	237 57 26	1,071 473	1,139 2,420 1,303 112	1,917 2,610 1,561	2,357 1,940 1,295 451	962 854	4 334	21 34		14
45	Of other organs or of organs not	1	11	42			1	1			49	1	1	Į.	1		1		
46	specified. Other tumors (tumors of the female genital organs excepted).	269	<b>!</b>	1		1		2		17		28	1	*	43			1	2
47 48	Acute articular rheumatism Chronic rheumatism and gout. Scurvy.	3,044						323 3	599 7	313 31	273 59	285 98	326 147	342 244	281 274	132 127	19 7 16		7 2
49 50	Diabetes	. 12,642	50 20	7 29	35 35	39	34	212	698 78	1 4	913	1,347	2,561	3,339	2,102	481			12
51 52 53	Exophthalmic goiter	1,381 301 1,383	1	1 1 31		18 18	25	1 1	78 8 110	197 28	277 61 220 366	64	296 64	153 49	50 20	2 14		••••	3
54 55	Anemia, chlorosis	4,420 1,557	141 700	61 127	26	17	25 14 27	58 45 83	110 85	28 152 201 70	366	186 651 69	64 256 1,033 58	176 1,056	20 82 561 66	122	2 11	1	4
56 57	Alcoholism (acute or chronic)	2,145	<u>i</u>						3			648	473 33	214 23	83	3 18	3		15
58 59	Other chronic occupation poisonings Other chronic poisonings	29 189	11						3 2	7	ไ 5	33	3 22	17	:		2 1		i
	II.—Diseases of the nervous system and of the organs of special																		
60	Sense	1	ll———	1,675 46	<del></del>	·	-	·		3,124	<u> </u>	<del> </del>	<u> </u>	21,713	·	<u> </u>	8 1,330	51	222
61	Encephalitis	7,258 3,098	1,596 794	817 367	552	357 357	277 106	293	1,012	65 644 216	435 186	322 160	219 105	121	57	7 29			2
	Simple meningitis.  Cerebrospinal meningitis (undefined Cerebrospinal fever.	1,897	375 427	il 242	139	95	69 7 102	228 298	312 291 409	242	186 105 144	91	52 62	25 21 21	12	5 3	4		2
62 63	Locomotor ataxia Other diseases of the spinal cord (total) Acute anterior pollomyelitis	1,822 4,892	162	163 143	138 122	90	61	214	1 4	30 216	140	309 401	536 699	501	928	5 46 5 288		···i	. 3
٠.	Other diseases of the spinal cord 2	. 3,953	49	20	16	3 22			Į.	174	207	379			913	5 284			
64 65 66	Cerebral hemorrhage, apoplexy Softening of the brain	63,466 1,100					3 16		3	9	16	1 35	10,153 109 770	242	19,186 425	2l 224	41 34	32 4 8 2 1	109 1 31 24 11
. 67 68	Paralysis without specified cause General paralysis of the insane Other forms of mental alienation	6,957 5,796 1,842		10	1.			1	15 48	210 241	1.318	1.618	1,164	721	2,32 50 18	1 1,290 4 200 3 64	5 14	2	24
69 70	Epilepsy	3,504	128	35	18	32	2 29	126 51	1	711	623	492	316	249	14	4 59			23
71 72	Convulsions (nonpuerperal) Convulsions of infants Chorea	2,619 112	2,064	31 2	: 1	6	7 29	·····	31	16		10	10		1		2		
73 74	Chorea Neuralgia and neuritis Other diseases of the nervous system		193	1	1		7 . 28	i		243	362	378	370	277	21	7 93	3 19	1	. 7
75 76	Diseases of the eyes and their annexa  Diseases of the ears	1,339		118	5	1 4	30		195		112		5 8	3 ( 4 72	1 2	2 1 1	7 3		1 1
	1 Including District o		ia.			· •	Exclu	sive of	acute	anterio	r polion	yelitis	(infanti	le paral	ysis).				

<sup>&</sup>lt;sup>1</sup> Including District of Columbia.

<sup>&</sup>lt;sup>2</sup> Exclusive of acute anterior poliomyelitis (infantile paralysis).

[This table excludes the deaths of soldiers, sailors, and marines.] DEATHS AT AGE OF-All deaths Detailed List N CAUSE OF DEATH. 30 to 39 years. 40 to 49 years. 50 to 59 years. 60 to 69 years. 10 to 19 20 to  $^{70 \text{ to}}_{79}$ 80 to 90 to Under 5 to 9 vears. years. years. years. over. REGISTRATION STATES 1-Continued. III .- Diseases of the circulatory sys-158,027 1.309 4,000 9,084 14,020 21,716 6.002 34,390 40, 351 21, 682 tem.... 2,949 Pericarditis
Acute endocarditis
Organic diseases of the heart
Angina pectoris
Diseases of the arteries, atheroma, aneurism, etc.
Embolism and thrombosis
Diseases of the veins (varices, hemornhois, phlebitis, etc).
Diseases of the lymphatic system (lymphangitis, etc.)
Hemornhage; other diseases of the circulatory system. 328 27,977 1,795 253 31,184 1,581 6.498 7,304 251 122, 071 5, 924 15,111 503 36 9 531. 1,113 18,673 2,676 5,499 322 41 8 111  $\frac{225}{185}$ 6,444 604 48 1,068 IV .- Diseases of the respiratory sys-238, 443 30, 515 14 6,552 3,609 2,540 6, 415 15, 15,222 15,062 42,853 40,861 14,374 7,950 1,300 Diseases of the larynx.
Diseases of the larynx.
Diseases of the thyroid body. 87 28 12 882 89 131 267 801 Diseases of the difficult body.
Acute bronchitis.
Chronic bronchitis.
Bronchopneumonia 12 , 457 3,757 108 16,102 7,446 5,026 53,408 7,271  $\begin{array}{ccc}
61 & 58 \\
1,792 & 1,827
\end{array}$ 1,496 3,385 2,891 1,184 2,105 4,163 4,139 2,285 2,003 2,651 Pneumonia (total)

Lobar pneumonia

Pneumonia (undefined) 162, 812 9,778 6,692 3,086 5,813 4,487 1,326 ,435 ,138 297 4,141 13,088 3,377 11,275 764 1,813 35,580 32,322 3,258 16,712 14,994 1,718 10,089 8,765 1,324 336 7,792 6,355 1,437 37,671 34,061 3,392 2,514 311 132 18 8 11,477 140, 559 22, 253 3, 090 10,167 79 3,610 · 390 1,310 Pleurisy. Pulmonary congestion, pulmonary apo-29 428 33 20 459 1,430 16 23 50 59 11 13 136 13 255 200 2,043 167 Asthma. Pulmonary emphysema. Other diseases of the respiratory system (tuberculosis excepted). 10 3 1,113 V.—Diseases of the digestive system. 106,639 40, 438 11 3,180 2.580 3,721 4,248 5,577 7,594 7,957 6,913 3,290 Diseases of the mouth and annexa..... 101 304 123 110 53 12 86 89 289 168 Diseases of the pharynx.

Diseases of the esophagus
Ulcer of the stomach
Other diseases of the stomach (cancer 1,955 95 22 5 3,046 excepted).... 7,931 2,667 Diarrhea and enteritis (under 2 years)...
Diarrhea and enteritis (2 years and over)...
Ankylostomiasis...
Intestinal parasites...
Appendictis and typhlitis...
Hernia, intestinal obstruction (total)...
Hernia 46,035 10,687 35,667 10,368 2.518 1,010 1.315 68 135 39 133 67 3 64 8 9,260 8,929 3,271 5,658 1,748 114 94 5  $\frac{46}{237}$ 2,150 1,661 1,510 1, 191 1,460 761 699 248 320 140 1.151 Hernia
Intestinal obstruction
Other diseases of the intestines 555 216 722 244 35 33 17 201 134 97 218 8 '40 1,919 45 235 350 113 227 1,854 Biliary calculi.
Other diseases of the liver..... 2,403 3,348 54 86 460 634 10 Diseases of the spleen
Simple peritoritis (nonpuerperal)
Other diseases of the digestive system
(cancer and tuberculosis excepted) 234 278 267 180 130 127 113  $\frac{2}{24}$ 39 33 VI.-Nonvenereal diseases of the genito-urinary system and annexa. 88, 134 1.483 3,632 6, 489 9, 961 14,096 19,211 20,490 9, 151 1.098 . 141 Acute nephritis.
Bright's disease... 5,659 71,168 79 2,124 17,510 7,618 12,304 16,906 Chyluria ..... Other diseases of the kidneys and annexa. 1,814 Calculi of the urinary passages.

Diseases of the bladder.

Diseases of the urethra, urinary abscess, 232 466 14  $\frac{58}{21}$ 54 83 1,311 Diseases of the urethra, urinary abscess, etc.
Diseases of the prostate.
Nonvenereal diseases of the male genital organs.
Uterine hemorrhage (nonpuerperal).
Uterine tumor (noncancerous)
Other diseases of the uterus.
Cysts and other tumors of the ovary.
Salpingitis and other diseases of the female genital organs
Nonpuerperal diseases of the breast (cancer excepted). 3,300 ĩã 14 565 43 64 203 21 129 83 22 65 1.374 ·á 9 130 ī 1,292 cer excepted)..... VII.—The puerperal state..... 17,607 1,553 8,643 6,222 1.146 Accidents of pregnancy
Puerperal hemorrhage
Other accidents of labor
Puerperal septicemia.
Puerperal albuminuria and convulsions.
Puerperal phlegmasia alba dolens, embolus, sudden death
Following childbirth (not otherwise defined).
Puerperal diseases of the breast 2,282 409 1,631 2,454 1,634 1,391 599 1,111 172 202 2 6 4.144 238 501 1,780 1,139 237 

1

<sup>1</sup> Including District of Columbia.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Int.									DE	ATHS A	T AGE	or—			~	<del>,-</del> -			at un .
Detailed In List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 vears.	5 to 9	10 to 19	20 to 29	30 to 39 years.	40 to 49	50 to 59 years.	60 to 69 years.	70 to 79	80 to 89	90 to	100 yrs. and	Deaths at known a
Ā			]							years.		years.	years.	years.	years.	years.	years.	over.	Ă"
-	VIII.—Diseases of the skin and of			1										Ι	<u> </u>	Ī	1		
142	the cellular tissueGangrene	3,307 1,612	575 32	55 11	31 9	27 15	$\frac{14}{6}$		$\frac{73}{11}$	123 22 30	131 32 35	223 75 51	299 107	393 222	477	466	95	13	- 6 - 1
143 144 145	Furuncle	431 602 662	32 83 157 303	18 18	1 14 7	9 3	3	18 3 17 5	11 17 33 12	30 46 25	35 46 18	51 65 32	82 61 49	58 62 51	41 48 63	17 20 60	3 2 8		1 1 3
	IXDiseases of the bones and of the	1.	164	76		-	46		302		191	179		طي <u>ة:</u> نوا	1			1	3
146	organs of locomotion  Diseases of the bones (tuberculosis	1,958	143	74			45		277							1			3
147	excepted) Diseases of the joints (tuberculosis and rheumatism excepted)	1,668 219	145	2		32	1		18	175 13	18	1		i					3
148 149	Amputations Other diseases of the organs of locomo-	. 1											1						
	tionX.—Malformations	70 12,616	11,685	345	140	82 82	38	3 151	7 126	37	7	3	8	. 1	17				
150	Congenital malformations (stillbirths not included) (total)	12,616	11,685	345	140	82	38	151	126	37	7	3 2	1	1		<u> </u>			
	Hydrocephalus	1,146	840	120		1	1		27 81	7	3	2		1		·	;		
	heart Other congenital malformations	7,699			32	19	11	72	18	19 11		ī							
151	XI.—Early infancy	60,519	60,519	<u> </u>															
	rema (total).  Premature birth.  Congenital debility "atrophy."	37,408	49,078 37,408																
152	Premature birth Congenital debility, "atrophy," "marssmus," etc. Other causes peculiar to early infancy	11,670	11,670				<b></b> -									·			
	Injuries at birth	6,046	11,261 6,046													•			
153	Other causes peculiar to early infancy?	5,215 180	5,215 180													-			
	XII.—Old age	11,916	i								1	4	74		-			262	
154	SenilityXIII.—External causes	78,644		1,764	1,551	1,442	1,259	4,270	8, 247	10,604	12, 212	10,686	74 8,544		4,95	3,15		1	45 612
155	Suicide (total)	1.411						1	328 100	1,481 330	2,073 311	279	1,637	7 1,192 5 133	3( 5)	8 13. 2 10	6 2		46 3
156 157	By asphyxia By hanging or strangulation By drowning	. 1,024							27 31 24	176 162	5 248	348	3 327	9 170 7 276 1 79	15	4 13 9 3	3 1		3 2 13 8
158 159 160	By firearms.	3,241							128	589	766	649	3 570	ଜା ବହା	al 14:	39 9 1	9 1		14
161 162	By cutting or piercing instruments. By jumping from high places By crushing Other suicides	. 276 . 81							2	50 10	89	71 18	24	99	3) ;	7			1
163	Accidental or undefined (total)	64,178	1,868	1,746	1,54	1,428	1,23	4,213	7,470	7,717	8,674	7.872	6,528	5,39	4.37	9 3,01	561	20	512
164 165 166	Poisoning by food. Other acute poisonings.	1, 792 1, 297	:II 89	231	133	3 78	3 4	56 7 56	63	62 139	155	123	58	2  56		5 1	9		2
166 167 168	Conflagration  Burns (conflagration excepted)  Absorption of deleterious gases (con-	. 6.398	234	676	67 71	7 57 8 689	7 5: 9 47:	153 2 790	128 398	102 452	140 437	122 391	127 320	7 10° 0 32°		1 3 2 16	9 11 7 19	5	101 13
169	flagration excepted)	3,267 5,366	i∥ 38	38 198	3 12	9 74	1 7	7 566	1,526	844	ll 635	559	382	2 18	il 7	7 11 9 2	4 2		5 55
170 171	Traumatism by firearms Traumatism by cutting or piercing	1,925	1	19		5 39	3		836	297	1			1	1	2	3		4
172 173	instruments. Traumatism by fall. Traumatism in mines and quarries	10,080		179	11			28	22 3 426	502	798	939	978	0 1,27	1,84	6 4 1,96	41.5	6	19
110	(total)	2,539	)		L		<u> </u>	:		597	7 77	7 51	L 248	8 8	6 1		2		9
174 175	Traumatism in quarries Traumatism by machines Traumatism by other crushing	2, 277			3	5	ğ	6 4	348	3 16 3 441		3 39	0 18 7 299	9 17	4 8 4		6		5
175	(total)	_  20.400	70	10	7 16 3 1	5 260 8 1	0 34 5 2	1,676 8 21:	2,513	2,988 1,533	3,364 3,744	3,030 1,430	2,55	1,87 6 68	1,04	2 26 7 7		9	181 150
	Automobile accidents and in-	2,24	11	2 1	İ	1 4	3 3	1	172	2 268	359	370	29	9 27	9 17		7 8		8
	juries	7,211 2,155 568	3	7 2	5 2	4 150 9 50	0 4	6 21:	RI 1298	3 239	24	1 26	5 28	0 24	8 14	9 4		1	11 6 6
176 177 178	Landslide, other crushing Injuries by animals	648	511 4	4	2 8 1	8 1	5 1	8 5	10	37	3 13. 7 5	7	8 8	0 9	3 6	2 1		i	
179	Ellects of near	1.113	21.	5 2	2	4	5 :	i :	1!	21 6 41	L 30	6 6 5 14	7 7	al 10	0 9 9 13	8 4	6 8	5 6 9 1	
180 181	Lightning. Electricity (lightning excepted). Fractures (cause not specified). Other external violence.	400 730 700	2	1				3 3	7 12	8 93 6 200	3 7. 22	6 9	3 5	$\begin{bmatrix} 2 & 2 \\ 1 & 1 \end{bmatrix}$	2	2			1 4
185 186			25	1	4			2 19	6 40	490	61	7 57.	L 49:	1 35	4 19	0 7		B	94
182	Homicide (total)  By firearms  By autting or pierging instruments	5,060 3,440	3	6 1 8	3	9 1	4 2	0 5 7 1 5 1	9 32	1, 1, 049	9 1,05	2 59	2 24	3l 9	0 1	8	1	²	. 54 34
183 184	By firearms. By cutting or piercing instruments. By other means.	1,02	2 11	9 1	3	5 1	9	8 2	8 7		3 22	1 17.	1 9	8 5	7 1	8		2	15
187	XIV.—Ill-defined diseases	93	4 1	2 1	1	9	6	7 1	1 2	8 2	5 5	2 8	8 10	6 16	6 18	10	5 20	0 2	6
188 189	Sudden death	1,02	3 23 4 5,43	9 2 8 1,06	6 6 31	6 18	6 5 10	1 1 3 24	2 2 7 39	4 40 7 · 529	0 5 9 56	4 7. 3 65	1 11: 5 70:	2 17 1 1.00	6 15 6 99	3 8 8 55	B 10	nl o	2 5 7 180
	Not specified or unknown	4,83 8,25	1,07 0 4,36	2 65 6 41	4 15 2 16	3 10	9 6	0 10 3 14	0 14. 7 25:	5 186 2 345	6 23 3 32	4 31 9 34		5 61 6 39	0 51 6 47	9 23	6 129 8 59 8 75	7 5 2 12	138
_	1 Includin	20											ries et h						

<sup>&</sup>lt;sup>1</sup> Including District of Columbia.

<sup>&</sup>lt;sup>2</sup> Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

<u></u>		T .	nis tadi			10 (1011)													<u> </u>
I Int. No.		All	l				1	<del>,</del>	DE	CATHS A	T AGE	OF			·				at un.
Detailed In List No.	CAUSE OF DEATH.	deaths.	Under 1 year.		2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	00	100 yrs. and over.	Deaths a
		<u>'                                     </u>	······································			CALI	FOR	NIA.						1	!	<u>,                                      </u>	1		
	All causes	56,488	4,666	1,127	601	465	330	1,054	2,544	6,908	9,180	6,519	6, 229	6,641	6,338	3,335	485	35	31
	I.—General diseases	21,901	750	481	302	227	165	560	1,373	4, 191	5, 234	2,987	2,216		1,176	<u> </u>	.33		<u> </u>
1	Typhoid fever	196 41	2 4	2	2	3	2		45	41	36	36	10	4	3				
4 5	Malaria Smallpox Measles	3 163	36	3	14	1		2	1 1 13	1	1		3	8	4	2			
6 7	Scarlet fever	59	1	45 3	5		12 4	18 20	8	4 9	6 4								
8	Whooping cough	307 231	158 13	76 14	24 32	22 26	6 26	15 68	2 30	1 8	5	4	1 3	2	, 1	1			
10 13	InfluenzaCholera nostras	9,675 1	282	232	162	105 1	72	249	740	2,599	3,303	1,105	422	212	123	50	8		. 11
14	Dysentery	99	23	11	6	8	2	5)		4	4	6	5		11	9	1		
17 18 19	Leprosy	5 58 22	12	1 3					2 1	3	7 2	9	11	1 4	5	3	i		
20 21	Other epidemic diseases. Purulent infection and septicemia Glanders.	56 2	7	2	· • • • • • • • • • • • • • • • • • • •			4	6	6	6	7	6	в	6				
22	Anthrax	3							1			2							
24 25 26 27	Tetanus	44 3	8				1	6	$\hat{7}$	7	4	4 2	2	. 5					
26 27	Mycoses. Pellagra. Beriberi.	22 5	2			1				1 2	7	1	6	3 1	3				
28	Tuberculosis (total)	6,046 5,308	· 91 · 28 3	77 19	45 8	11	30 11	125 48 7	451 365 24	1,355 1,252 31	1,445 1,347	1,069 1,003	.655 <b>613</b>	429 394	188 166	43 39		1 1	1
28 29 30	Acute miliary tuberculosis Tuberculous meningitis Abdominal tuberculosis	121 281	3 45	4 45	30 30		13	45	24 31	31 10 3 <sub>2</sub>	22 20	12 11	8	, 5 3					
31 32 33 34	Pott's disease	170 41 20	7	6 1	1	2	4	20 1	31 14 3 5	9	26 9	20 6	16 6	13 2	7	$\frac{2}{1}$			
34 35	White swellings Tuberculosis of other organs Disseminated tuberculosis.	83 22	4 4	į	2		2	3	8 1	17	3 14 4	12 3	4	2 2 8 2	3 7 2	1			
36	Rickets	6	5							2	1								
37 38	Syphilis. Gonococcus infection.	348 19	70 1	4	2	4	2	2	8	26 3	57 9	65 1	55	22 5	23	6	2		•••••
	Cancer and other malignant tumors (total).	3,305	4	1	4	2	4	3	16	42	202	502	797	871	635	205	16	1	
39 40 41	Of the buccal cavity Of the stomach, liver Of the peritoneum, intestines rectum	113 1,252 474		i		ĩ			1	8	6 50 24	6 165 71	23 298 105	37 392 129	26 272 92	11 60 34			
40 41 42 43 44	Of the stomach, liver. Of the peritoneum, intestines, rectum Of the female genital organs. Of the breast	453 289							1	12 1	58 25	102	127 81	94	46	12 18	1		
44 45	Of other organs or of organs not	76					1				1	72 7	4	12	29 27	20	4		•••••
46	Specified Other tumors (tumors of the female	648	1		3	1	2	1	10	12	38	79	159	147	143	50	2	•••••	
47	genital organs excepted)	9 81		1		1		11	1 10	. 2 10	1 7	11	1 5	<u></u> 8	2 11	7			
48 49	Chronic rheumatism and gout Scurvy	39 2	i							1	4	5	7	10 1	10	2			
50 51	Diabetes Exophthalmic goiter Addison's disease	535 43 17 72	1	2	2		1	10	22 2 1 2 2	35 3	39 10	52 15	98 6	133 6	104 1	. 34	2		
52 53 54	Leukemia	72 203	1 7	3 1	1 1	;	2	1 1 3	2	3 5	3 16 14	1 9 26	6 18 57	4 10 53	5 27	į			
55 56	Other general diseases	. 27			î			3		2	3		1	1	1				
57 58	Chronic lead poisoning Other chronic occupation poisonings	139 2 3								9	34	36	35 1	15 1	9				
59	Other chronic poisonings	, 10								2	2	2	3		i				
	II.—Diseases of the nervous system and of the organs of special															•	,		
80	Sense	4,382	104	41	26	12	18	66	89	124	269	452	701	892		521	53	4	1
60 61	Encephalitis  Meningitis (total)  Simple meningitis	23 252 105	5 38 21	23 9	15	8	11 4	1 34	32 7	4 34 14	16 7	2 22 12	5 7 2	5 3	24 3	3 2			
-	Simple meningitis. Cerebrospinal meningitis (undefined) Cerebrospinal fever	252 105 62 85	6 11	8	6	1	2 5	12 7 15	10 15	9 11	. 4	5 5	ĩ	. 2	1	1			
62 63	Locomotor ataxia Other diseases of the spinal cord (total)	101 205	7	2	2	<sub>1</sub>			10	2 3	6. 8	24 21	29 41	25 38	10 58	3 10	2		
ļ	Acute anterior pollomyelitis Other diseases of the spinal cord 1	20 185	4 3,	2	2	ī		4 3 1	6	1 2		20	41	38	58	i0			
64 65	Cerebral hemorrhage, apoplexy	2,771 46	10	2	2			4	8	23 1	63 1	180 5	453 5	716 10	822 12	439 11	44 1	4	1
66 67	Softening of the brain.  Paralysis without specified cause.  General paralysis of the insane.  Other forms of mental alienation.	181 380	2						1 2	î 11	5 109	$\frac{12}{122}$	21 83 17	41 31	12 58 16	35 5			
68 69	Epilepsy	78 118	1					4	14	8 29	15 24	17 17	17 12	10 2	6 8	5 6			
70 71	Convulsions (nonpuerperal)	1 40	28	9		i	2	*		20		i				و مهم			• • • • • •
72 73 74	Chorea Neuralgia and neuritis	7 5	1						2		·····i	2 1		2	i	1 1			
75	Other diseases of the nervous system  Diseases of the eyes and their annexa	120 5	5 1	1	2		4	10 1	9	в	17	21	22	11	10 2	2			
76	Diseases of the ears	49	6 Exclusiv	3	5	-		8	8	2	4	5	6			]	y		••••

1 Exclusive of acute anterior poliomyelitis (infantile paralysis).

Ht.				, .					DE	ATHS A	T AGE	OF							ge m
Detailed In List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	·2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	100 yrs. and over.	Deaths at un- known age.
		<del>,</del>		C	ALI	FOR	NIA-	-Conti	nued.	,				,	,	<del>,</del>		,	<del></del>
	III.—Diseases of the circulatory system	7,869	29	7	4	6	5	36	129	213	423	698	1,136	1,754	2,042	1,186	185	14	2
77 78	Pericarditis	41 263	2 6	3	i	;	1	1 6	3 16	1 27	3 53	4 51	4 64	. 15	10	3 1	3		
78 79 80 81	Organic diseases of the heart	6,150	12	ĭ	1 1	3 	1 3	27	105	27 176 3	320 11	549	899 58	1.426	1,629	873	115	9	2
81 82	Diseases of the arteries, atheroma, an- eurism, etc. Embolism and thrombosis	896 - 167	1 2		1				4	1	· 18	45 13	84 21	157 35		255	65	5	
83 84	Diseases of the veins (varices, hemor- rhoids, phlebitis, etc.).  Diseases of the lymphatic system (lym-	1								1	2	5	6	4	8	3			
85	Dhangitis, etc.) Hemorrhage; other diseases of the circu-	19	6	3	1	2		1	1					1	1	1			
	IN.—Diseases of the respiratory sys-	9						1			1	1		3	2	2 1			
86	tem		1	270	135	102	61	145	426	1,255	1,689	841	-561	590	560	337	53	4	3
· 87 88 89	Diseases of the last losse Diseases of the larynx Diseases of the thyroid body Acute bronchitis Chronic bronchitis Bronchopneumonia	22 18 162							1	1 4	3		<u>4</u> 7	1 4 9	20	L			
90 91	Chronic bronchitis Bronchopneumonia	168 1,693	59 1 414	12 1 119				2 51	5 47	151	· 1		. 12	27 117	58	3 48	8		
92	Pneumonia (total). Lobar pneumonia. Pneumonia (undefined).	E 405	מינים	131 104	62 54	50	32	76	330	1,062 1,023	1,380	625	411 365	339	239	122 92	21 15	4	3 3
93 94	Pulmonary congestion pulmonary an-	113	67 2	27 5	8	7 3	3	10 2	29 6	39 21	19	46 13	46 14	38 18	31		6		
95 96	oplexy. Gangrene of the lung Asthma Pulmonary emphysema.	. 72 21 82	7						3	1	7	5 3 12	1 4	9 1 16	20 22 22	2			
97 98	Other diseases of the respiratory system		1				ļ <u>.</u>			i	8	1	12 1 7	1	. 1	j			
	(tuberculosis excepted)		H :	228	79	63	34	93	113	169	_		439			132	18	1	1
99 100	Diseases of the mouth and annexa Diseases of the pharynx	93	8 2	3	2	6		13		4 16	12	11		3		3			
101 102 103	Diseases of the esophagus	209		<sub>î</sub>					3	13	20	53	1 57	35 35		3			
104	excepted)	_ 260	11	8 202		4	2	7	2	7	11	19	22	33	41	1 24	4		
105 107 108	Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over) Intestinal parasites.	368			59					l i	1 9	1	1 1				2		
109	Appendicitis and typhlitis. Hernia, intestinal obstruction (total) Hernia	388	39	1				12	7	20 3 17 12	73 34	48 48 18 30 13		29 68 29 39	11. 54. 22. 23.	25	2	1	
110	Intestinal obstruction Other diseases of the intestines	- 88		10		1		11	3	17 12		ł	Į.	. 9	20	7 14 0 13	1		
111 112 113	Acute yellow atrophy of the liver Hydatid tumor of the liver Cirrhosis of the liver	- 3 461		2					i	4 3	39		l i		6	6 14	5		i
114 115	Other diseases of the liver	. 75 143	3			jj		i	5	10 10	14	17		34	19	1	.) 1		
116 117 118	Diseases of the spleen. Simple peritonitis (nonpuerperal) Other diseases of the digestive system	55		····i			2		4	9	.1	3	. 1	. §		2			
	(cancer and tuberculosis excepted) VI.—Nonvenereal diseases of the	. 34			] 3	1	l	·····	. 1	1	7	4	10	2	:	3 4	<b>t</b>		
	genito-urinary system and annexa	1	24	9	10	•	6	18	53	139	293	409	580	744	86	9 432	50	3	:
119 120	Acute nephritis Bright's disease Other diseases of the kidneys and annexa	218 2,884	12	6	. 6	8		3 10	34		31 195	302	36 505 10	634 634	1 19 1 720	9 15	41	1	
122 123	Other diseases of the kidneys and annexa Calculi of the urinary passages. Diseases of the bladder.							. 2	2	9		1 '	3	. 6	5 8	5 5	2		
$\frac{124}{125}$	Diseases of the bladder Diseases of the urethra, urinary abscess, etc	1										1	9	[	7 2	8 18	3 2		
126 127	Diseases of the prostate	- 182										2	9	-	5 7	8 4	5 2		
128 129	organs. Uterine hemorrhage (nonpuerperal) Uterine tumor (noncancerous)	- 57			******				2	1	15 16	33				4	i		
130 131 132	Other diseases of the uterus.  Cysts and other tumors of the ovary.  Salpingitis and other diseases of the fe-	31							1	2	10	8			5	1	j		
133	Male genital organs	- 62				-		-	. 8	19	26		1	3		·	·		
	(cancer excepted)		11						49	292	192	36	1						
134 135	Accidents of pregnancy Puerperal hemorrhage	. 60	2						. 2	70	36	3 7	<u> </u>						
136 137 138	Other accidents of labor Puerperal septicemia Puerperal albuminuria and convulsions	. 17:	5						17 14	70 2 29 3 47 88 51	22 22 62 63								
139	Puerperal phlegmasia alba dolens, em- bolus, sudden death	16								. 6	1	1							
140 141	Following childbirth (not otherwise defined)		<b> </b>							1						<u> </u>			<b> </b>
	· · · · · · · · · · · · · · · · · · ·				,						•								

BLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued. TABLE 8.-

[This table excludes the deaths of soldiers, sailors, and marines.] ģ DEATHS AT AGE OF **A**11 Deaths at known a CAUSE OF DEATH. deaths. 20 to 30 to to 50 to to 70 to 80 to 90 to 10 to Under 5 to 9 years 1 year. CALIFORNIA-Continued VIII.—Diseases of the skin and of the cellular tissue..... 143 144 145 Gangrene
Furuncle
Acute abscess
Other diseases of the skin and annexa 22 24 IX.—Diseases of the bones and of the organs of locomotion.... Diseases of the bones (tuberculosis ex-X.—Malformations..... 40 83 heart....Other congenital malformations.... 1,570 XI.—Early infancy..... 1.570 Congenital debility, icterus, and sclerema (total).

Premature birth.

Congenital de bility, "atrophy,"

"marasmus," etc.

Other causes peculiar to early infancy 1,014 1,014 (total) Injuries at birth. Other causes peculiar to early infancy a ack of care. 138 138 XII.—Old age..... . . . . XIII.—External causes..... 4,058 12 15 16 6 23 10 Spicide (total) cide (total).

By poison.

By poison.

By hanging or strangulation.

By drowning.

By firearms.

By cutting or piercing instruments.

By crushing.

By crushing.

Other suicides. 26 14 10 2 60 104 29 12 1 5 51 12 2 2 2 22 163 10 Accidents of undefined (total).

Poisoning by food.
Other acute poisonings.
Confiagration.
Burns (confiagration excepted).
Absorption of deleterious gases (confiagration excepted) accidental drowning.
Traumatism by firearms.
Traumatism by cutting or piercing instruments. 10 7 4 14 4 7 10 15 59 65 64 7 5 8 1 7 7 13 18 43 16 40 12 55 9 303 42 21 9 12 43 instruments.
Traumatism by fall
Traumatism in mines and quarries 15 62 49 173 Traumatism in mines and quarries (total).
Traumatism in mines.
Traumatism in quarries.
Traumatism by machines.
Traumatism by other crushing (total).
Railroad accidents and injuries.
Street-car accidents and injuries.
Automobile accidents and in-14 2 38 175 65 21 17 6 57 30 1,215 12 3 146 11 20 18 19 4 6 17 3 juries.
Injuries by other vehicles.
Landslide, other crushing.
Injuries by animals. 6 18 12 9 22 13 1 3 1 1 3 Injuries by animals
Starvation
Excessive cold
Effects of heat
Lightning.
Electricity (lightning excepted)
Fractures (cause not specified)
Other external violence. 178 179 186 12 30 29 ī 75 42 6 8 20 Homicide (total).....  $\frac{25}{19}$ 45 By firearms.
By cutting or piercing instruments.
By other means. 58 12 12 ï XIV.—III-defined diseases...... 188 189 Ill-defined organic disease..... . . . . . 

Not specified or unknown

<sup>1</sup> Exclusive of injuries at birth.

<u>ن</u> د				1.	<del></del>		50. ···		DE	A THE A	T AGE (	)F	<del></del>						-m- -0,
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1	'2 years.	3 years.	4 years.	5to9 years.	10 to 19 years.	20 to	30 to 39 years.	40 to	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	, au
		•			,	COL	ORA	DO.			1							,	
	All causes	17,546	1,900	450	240	171	134	399	1,197	3,225	3,029	1,793	1,506	1,500	1,286	540	79	7	90
	I.—General diseases		319	175	109	96	73			2,099	1,907	927	610	408	254	52	7	1	66
1 6 7 8	Typhoid fever Smallpox Messles Scarlet fever Whooping cough	146	' 78	12 2 37	5 11 11 3 11	7 1 2 7 6	1 2 4 3	1 5 12 10	7 1	38 1	19 3 1	9 1 3	5 1 1	4					2
9 10 13 14	Diphtheria and croup	27	f I	90 1	12 58 1	10 50 2	42		9 441 1		1,137	431 2	176 1 2	95 1 1	60 2 3		2	i	54
18 19 20 22	Erysipelas. Other epidemic diseases. Purulent infection and septicemia. Anthrax	40 5 14 1	17 1	2		2		1	i	3	2	G 1	5 1	$\begin{bmatrix} & & 3 \\ & & 2 \\ & 1 \end{bmatrix}$	4	1 1			
23 24 25 26	Rabies. Tetanus. Mycoses. Pellagra	1 4 2 2 2	1 24	16				1	1 114	774		335	i	2					
28 29 30 31 32 33 34 35	Tuberculosis (total) Tuberculosis of the lungs. Acute miliary tuberculosis Tuberculous meningitis. Abdominal tuberculosis. Pott's disease	2,188 2,042 30 64 25	2	3 11 1		6	2	ĩ	101 3 6 1	774 743 9 11 4	624 10 5	328 2	148 2 2	58 3 1 2					6
33 34 35 36 37	White swellings. Tuberculosis of other organs. Disseminated tuberculosis. Rickets.	13 5 5 2	i	1			î	1	1 1	3 2 1	5		2 1	1 1					
37 38	Syphilis. Gonococcus infection.	69 3	29 1	3					1	6 2	6	10	9	4					
39 40 41 42 43 44 45	Cancer and other malignant tumors (total).  Of the buccal cavity.  Of the stomach, liver.  Of the peritoneum, intestines, rectum of the female genital organs.  Of the breast.  Of the skin.	701 22 293 69 99 62 22						2	1	15 5 5 2	44 3 14 5 11 1	97 4 26 6 28 17 1	5	2	61	9	1 1		1 i
46	specifiedOther fumors (tumors of the female genital organs excepted)	134		2			1	2	4  13	3 1	10	15	33 2	29 1					
47 48 50 51 52 53 54	Acute articular rheumatism. Chronic rheumatism and gout. Diabetes. Exophthalmic goiter Addison's disease. Leukemia.	120 19 7		i 1	1		1	5		13 3	13 3 2 2		23 23 3 4 - 5 20	20 4	17 17	4			i
55 56 57 58	Anemia, chlorosis Other general diseases. Alcoholism (acute or chronic) Chronic lead poisoning Other chronic occupation poisonings	13 1 1		1					2	i 1	1 4	2	20 1 4	1	2				1
59	Other chronic poisonings.  II.—Diseases of the nervous system and of the organs of special sense.	916	l	10	9	3		5 17		33				201	183	72	9	1	2
60 61	Encephalitis Meningitis (total) Simple meningitis Cerebrospinal meningitis (undefined) Cerebrospinal fever.	22 12	19		7	1	4 2 2	1 8 2 6	10 5 4 1		. 5	2	6 5 1	1					
62 63	Locomotor ataxia Other diseases of the spinal cord (total) Acute anterior poliomyelitis Other diseases of the spinal cord <sup>1</sup>	42	2	4	1 1	]	]		2 1 1		2 4 20	4	13	7	149	1 -	i		1
64 65 66 67 68	Cerebral hemorrhage, apoplexy Softening of the brain Paralysis without specified cause General paralysis of the insane Other forms of mental alienation	92						2	2	1 1 3	20 1 27 4	1	10	12 12	1				i
69 71 72 73 74	Epilepsy Convulsions of injants Chorea Neuralgia and neuritis Other diseases of the nervous system	8 3 1 19	1	1				· · · · · · · · · · · · · · · · · · ·	2	1	1 -	1	_						
76	Diseases of the ears		Exclusi	! 2 ve of a	cute a	nterio	polio	•	s (infa	,	.  1 ralysis)	•	.] 1	.] ]	J		.]		

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

h Int									D.F	A TOTAL A	T AGE	`					<del></del>		
Detailed In List No.	CAUSE OF DEATH.	All deaths.	Under i year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to	20 to 29 years.	80 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	89	90 to 99 years.	100 yrs. and over.	Deaths at un- known age.
					COL	ORA	DO-	-Conti	ued.					<u> </u>	I	)	<u>I</u>	1	1
	III.—Diseases of the circulatory system	1,343	12	4	1	2	5	31	82	79	97	131	185	279	282	131	17	1	4
77 78 79 80 81	Pericarditis. Acute endocarditis. Organic diseases of the heart Angina pectoris Diseases of the arteries, atheroma, aneu-	9 57 990 70	8	3	i	1 1	2 3	2 29	10 67	1 10 58 1	2 5 85 1	13 98 5	2 8 131 20	3 3 · 201 23	1 1 207 16	1 83 3	1 10 1	i	4
82 83	rism, etc Embolism and thrombosis Diseases of the veins (varices, hemor- rhoids, phlebitis, etc).	165 38 3							3 1	3 5	1 3	7 6 1	15 7	39 9	52 4	43 1	5		
84 85	Diseases of the lymphatic system (lymphangitis, etc.) Hemorrhage; other diseases of the circulatory system	6		1					1	1			1	1					
ne	IV.—Diseases of the respiratory system		374	123	53	37	24	63	212	611	526	314	227	230	203	91	12	1	11
86 87 88 89	Diseases of the nasal fossae.  Diseases of the larynx  Diseases of the thyroid body  Acute bronchitis	1 16 1 58	1 39	2 5		1 2	i	3	2 1	••••••		2 1	1	2	3	1 i	 1		
90 91 92	Chronic bronchitis Bronchopneumonia Pneumonia (total) Lobar pneumonia	63 619 2,193 2,022	248 84 73	74 39	23		12	1 23 35 30	19 187 168	2 44 549	49 455 425	9 19 252	10 16 170 156	171	16 37 126 114	7 15 54	3 3 5	1 	11
93 94	Pneumonia (undefined) Pleurisy Pulmonary congestion, pulmonary apoplexy	, 171 33 18	11 1	38 1 2	1	3		5	19 2	513 36 8	30 4	238 14 2	14 5	11	12 6	47 7 1	2		8 3
95 96 97 98	Gangrene of the lung. Asthma Pulmonary emphysema. Other diseases of the respiratory system	56 56 2					i		1	2 2	7	12 1	2 14	11	6 1	3			
	(tuberculosis excepted) V.—Diseases of the digestive system.	47 1,210	401	109	36	13	8	31	58	4 76	5 94	14 84	9 91	10 105	3 73	2 27	3		1
99 100 101 102	Diseases of the mouth and annexa Diseases of the pharynx Diseases of the esophagus. Ulcer of the stomach.	2 30 2 43	4	3		2		5	1 1 3	5 7	3	2 2 2 8	3	1	1 1				
103 104 105	Other diseases of the stomach (cancer excepted).  Diarrhea and enteritis (under 2 years).  Diarrhea and enteritis (2 years and over).	91 429 96	39 337	4 92	4 26	1	1	1	2	3	7	2	3		8	7	1		
108 109	Appendicitis and typhlitis Hernia, intestinal obstruction (total) Hernia Intestinal obstruction	186 130 40 90	1 17 1 16	1 7 1 8	3 2	3	2 1	13 2	42 2 1	33 6	38 12 7 5	10 22 19 8	8 10 16	27 9	14 2 13 4	5 2 5 3	1 1 1		
110 111 113	Other diseases of the intestines  Acute yellow atrophy of the liver Cirrhosis of the liver	23 2 57	2	•••••				í	1	3 1 1	4 1 4	11 1 10	11 5 12	18 2 17	9 5	2 1			
114 115 116 117	Biliary calculi. Other diseases of the liver. Diseases of the spleen. Simple peritonitis (nonpuerperal)	34 43 3 35	1	i			;			4 1	5	1 5	12 10 1	8	6	2			
•118	Other diseases of the digestive system (cancer and tuberculosis excepted) VI.—Nonvenereal diseases of the	4									6 2	1		1		1			
110	genito-urinary system and annexa	862		5		2	<u></u>	5		40	60	113	123	188	202	75	7	1	4
119 120 122	Acute nephritis Bright's disease Other diseases of the kidneys and annexa	77 622 22		2 2	5 1	2		2 3	7 11 1	6 18 1	9 30 2	8 78 4	7 103 5	15 142 3	11 159 3	2 59	6	····i	1 2
123 124 125	Calculi of the urinary passages.  Diseases of the bladder  Diseases of the urethra, urinary abscess, etc.	6 16		i								2 1	1	3 6	6				
126 129 130 131	Diseases of the prostate. Uterine tumor (noncancerous). Other diseases of the uterus. Cysts and other tumors of the ovary.	50 21 13								3 3	 8 1	 8 6	2 2 1 2	1 16	1 19 1 1	12	i		
132	Salpingitis and other diseases of the female genital organs  VII.—The puerperal state.								2 29	2 7 139	1 9 97	4		2	1				1
134 135	Accidents of pregnancy	66 18							11	33 10 27	20 5	14 2 2							
136 137 138 139	Other accidents of labor. Puerperal septicemia. Puerperal albuminuria and convulsions. Puerperal phlegmasia alba dolens, embolus, sudden death.	54 110 24							- 1 5 9 2	27 51 13	18 44 8	3 6 1	1					:	
T- <del>1</del> 0	embolus, sudden death. Following childbirth (not otherwise defined).	7 1							1	5	1 1			·····					•••••

o. Int.			<u>.</u>							ATHS A		of—		•					% H
Detailed Int. List No.	. CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at known a
	•		, ,		COI	ORA	, DO-	-Conti	nued.		'	· · · · · · · · · · · · · · · · · · ·			•		1	,	
	VIII.—Diseases of the skin and of the cellular tissue.	28	4		1				1		2	. 4		3	8	4	1		
142 143	Gangrene.	19	2		1				1		1	2		1	6	4	1		
144 144 145	Furuncle	1 5 3	1 1							•••••	1	1		2	<u>2</u>				
	IX. Diseases of the bones and of the organs of locomotion	20	4				1	. 1	2	3	1	2	4	1	1				
146	Diseases of the bones (tuberculosis excepted):	19	4					1	2	3	1	2	4	1	1				
147	excepted): Diseases of the joints (tuberculosis and rheumatism excepted) X.—Malformations	1 157	142	6	3	1	. 1	2	3				•••••				<b> </b>		
150	Congenital malformations (stillbirths				<u> </u>												<del></del>		
	not included) (total) Hydrocephalus. Congenital malformations of the	1	142 6	6 3	3 2	1		2	3 			•••••	• • • • • • • • • • • • • • • • • • • •						
	neartOther congenital malformations		89 47	3	1	1		1	3 										
151	XI.—Early infancy  Congenital debility, icterus, and sele-	575	575																
]	rema (total)	356	471 356									}	l		l	ŧ			
152	Congenital debility, "atrophy," "marasmus," etc. Other causes peculiar to early infancy (total).	115	115 103																
	(total)		34 69														•		
153	Lack of care.  XII.—Old age.	. 1	1								1		1	4	32	67	20	 2	
154	Senility	127									1		1	• 4	32	67	20	2	
	XIII.—External causes	1	22	13	21	16	17	52	109	145 20	164 34	116 28	111 21	78 10	45	21	3		2
155 156 157	By poison	23							4	5 3 1	9 2 2	3 2 3	1 2 2	i	3				
158 159 160 161	By hanging or strangulation. By drowning. By firearms.	70							5	9	18	18	3	5	3	1			
161 162 163	By cutting or piercing instruments. By jumping from high places. By crushing. Other suicides.	7 1 2									1	2	1 1	$\frac{2}{1}$					
163 164	Accidental or undefined (total)	734	22	13	21	16	17	52	94	101	112	78	79	67	38	20	3		1
165 166 167	Poisoning by food Other acute poisonings Conflagration.	22	i	1	3	2	1 1 1	4	.2 .2	1	3	1	2 2	2 2					
168	Burns (conflagration excepted).  Absorption of deleterious gases (conflagration excepted).	31	10	2	3	5	3	4	2	1 4	1 4	1 2	1 2	5 2	1				
169 170 171	Accidental drowning Traumatism by firearms Traumatism by cutting or piercing	60 40	3	6	5 2	2 1	3	6	16 17	8 6	2 4	4 1	2 2	1	1				
172 173	instruments.  Traumatism by fall  Traumatism in mines and quarries	96				···· <u>2</u>	3	3	1 15	5	7	6	1 5	10	20	17	3		
	(total)	107						<u>-</u> -	7 7	24 24	37 37	24 24	10 10	3		1			1
174 175	Traumatism by machines Traumatism by other crushing (total)	228	2	1	4	3	4	23	3 17	33	. 38	23	38	28	12	. 2			
	Railroad accidents and injuries. Street-car accidents and injuries. Automobile accidents and in-	. 8	1	1	1	•••••	ī	2	2	9	12 1	11	14	8 2	5	1			
176	juries Injuries by other vehicles Injuries by animals	119 36	1		1	1	1 2	15 6 1	15 	21 2 1	· 4 · 2	9 2 2	16 8	11 7 3	3 2	1			
176 177 178	Starvation	2 5	· 1						6	3			2	2	ĩ				
180 181 185	Lightning. Electricity (lightning excepted). Fractures (cause not specified).	23						1	2	9	7	1 4 1	i						
186 182	Homicide (total)	69	2	2	2			2	1 4 1	2 24 18	18 16	10 9	11 10	5 1	1				1
183 184	By firearms By cutting or piercing instruments. By other means	6							1 2	18 4 2	2	<u>1</u>	10 1						1
187	XIV.—Ill-defined diseases		5	5	1	1	1		2		3	3	4	3	5				
188 189	Sudden death	3 27	5	5 5	1	1 1	1		i		$\frac{1}{2}$	3	1 2	3	4				
	Ill-defined Not specified or unknown	. 20	1 4	5	1	1	1				1 1	2 1	2	3	. 3				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

d Int.	•								ю	EATHS A	T AGE	of—						·	% III-
Detailed List N	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	g years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	100 yrs. and over,	Deaths at un- known age.
					C	ONN	ECTI	CUT	•			•							
	All causes	27, 240	3,964	1,011	450	284	228	626	1,280	3,822	3,767	2,538	2,442	2,648	2, 561	1,357	223	4	35
	I.—General diseases	10,323	689	464	247	157	120	309	691	2,262	2,059	1,115	875	714	444	141	18		18
1 4	Typhoid fever	72 3						5	12 1	18	15	12	5 1	4	1				
6 7	Measles Scarlet fever	89 37	30 2	25 2	16 5	5 2	2 5	14	4 5	<u>2</u>	1		1	1	1				
8 9	Whooping cough	204	144 19	71 26	20 27	12 20	25	59	1 16	5	3	2		1		1			1
10 13	Cholera nostras	5,604	312	267	151	92	54	163	434	1,642	1,484		247	136	79	29 1	7		11
14 18	Dysentery. Erysipelas.		13 21	4	1	2	· · · · · ·		i	2	2 4	1 5	1 6	3 4	· 3	5 1			
19 20	Other epidemic diseases. Purulent infection and septicemia	8 20	6 4		<u>i</u>			1 2	4	3	3			i			1		
22 24	Anthrax Tetanus	1 19				i		····· <u>ż</u>	1	2	i	3		4	3				····i
26	Pellagra Tuberculosis (total)	2,033	68	 59	 21	 19	····· 21	34	1 176		431	2 325	1 194	99		7	•••••	••••	3
28 29 30	Tuberculosis (total) Tuberculosis of the lungs. Acute miliary tuberculosis Tuberculous meningitis. Abdominal tuberculosis	2,033 1,674 63	15 2	9 2	1	3	5 1	13	146 11		431 390 11	302 9	177	90	35	7			3
31 l	Tuberculous meningitis Abdominal tuberculosis	168 72	38 9	43 4	15 3	11 3 1	12 3	13 4 4	13 2	9 11 5	เ 61	3 7	4 7	1 5	2				
32 33 34	Pott's disease. White swellings. Tuberculosis of other organs		ii					4	2 1	5 6	1			i	'				
35	Disseminated tuberculosis	9	2	1	2	1			1	6 5	1	3 1	3	2	1				
36 37	Rickets Syphilis Gonococcus infection	11 78	7 35	2	····i			1 2	i	3 1	1 12	<sub>13</sub>	9	i	i				
38	Cancer and other malignant tumors	3	1		• • • • • • • • • • • • • • • • • • • •				• • • • • •	1,			1						
39	(total). Of the buccal cavity	1,259 56	1		2	3	2	1	5	13	51	185 12	308 14 99	352 13	249 13 89	76 4	9		2
40 41	Of the stomach, liver. Of the peritoneum,intestines, rectum. Of the female genital organs.	410 206				1		····i	i	1 2 4 1	11 7	50 20	54	132 54	52	26 10	1 2		<u>ż</u>
42 43 44	Of the breast. Of the skin	189 159 28							1	1	15 8	45 30 2	47 45	50 37	15 30	10 5	3		
45	U l ot ner organs or of organs not speci-	211			2	7	2		3	4	10	26	45	5 61	11 39	3 18			
46	fied Other tumors (tumors of the female gen- ital organs excepted)	1	1	1	]				2	1	1	1	30	. 01	- 00	1			
47 48	Acute erticular rhaumetism	2/1		1				7	7	3	3	3	4 2	2	2 1	1	1		
50 51	Chronic rheumatism and gout Diabetes Exophthalmic goiter Addison's disease	264 11		2	1		1	4	12	17	14	29	51	$7\overline{7}$	43 1	13			
53	Leukemia	2.1	····i					····i	3	3 1 4	1 5	2 6	1 1 5	2	i				
54 55	Anemia, chlorosis. Other general diseases.	69 26	6 17	2 2	i				3 1	1	5 1	6	20	15 2	8	3 1			
56 57	Alcoholism (acute or chronic)	68 2								3	19	26	16	2	2	<i>:</i>			
58	Other chronic occupation poisonings II.—Diseases of the nervous system	1											1						
	and of the organs of special sense	2,017	63	31	18	8	10	39	42	45	72	180	283	430	492	278	26		n _
60	Encephalitis						1 8					1							
61	Simple meningitis	1 66	21 9	20 9	13 2	3	6	8			11 6			4 2		1			
62	Cerebrospinal meningitis (undefined) Cerebrospinal fever. Locomotor ataxia	40	7 5	6 5	7 4	1 3	2	4 5	8 3 5	4	4	4 3 7 9 2 7	1 2	2					
63	Other diseases of the spinal cord (total). Acute anterior poliomyelitis	33 81 10	3		2	· · · · · · ·		$\begin{vmatrix} \cdots & 4 \\ 2 \end{vmatrix}$	4	3 4	4	9	5 16		5 12	3 5			
	Other diseases of the spinal cord 1	71	2		i			2	2 2	4	4	1		1 17	12	5			
64 65 66	Cerebral hemorrhage, apoplexy Softening of the brain Paralysis without specified cause	1,410 17 48	2	1				;	2	6	21	97	209 1	3	5	232 8			
67 68	General paralysis of the insane Other forms of mental alienation	48 77 30		· · · · · · ·				<sup>1</sup>		1	14 3	26	20		4	15 6			
69	Epilepsy	56	2	1			1	3	11	9	7	6	3	3 4	5 4	1			
70 71 73	Convulsions (nonpuerperal) Convulsions of infants Neuralgia and neuritis	39	30	6	·····à	1		<sup>1</sup>		<b>-</b>					 				
73 74	Other diseases of the nervous system	41	2	i				5	3	l l	6			3	1 2	2 5			
75 76	Diseases of the eyes and their annexa  Diseases of the ears	20 20	3	2			l	····· <sub>4</sub>	1 4	1	<sub>2</sub>	1 2	<u>.</u>						

<sup>1</sup> Exclusive of acute anterior poliomyelitis (infantile paralysis).

Int.									DI	EATHS A	T AGE	of—.							at un-
Detailed In List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years	. years	4 years	5 to 9 years	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	eaths
				C	ONN	ECT	ICU:	r—Cor	tinue	1.			)				,		
_	III.—Diseases of the circulatory system	2,916	16			1 1	2 :	2 21	64	114	179	257	411	595	758	416	70	2	5
77 78 79 80	Pericarditis Acute endocarditis Organic diseases of the heart Angina pectoris	11 115 2,174 175	ě			2		1 16	14	4 17 91 1	18 138 7	18 209 15	317	3 5 460 46	5 561	274 13	44 2	2	5
81 82 83	Diseases of the arteries, atheroma, aneurism, etc Embolism and thrombosis Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	350 68 11			,						5 7 2	7 4 3	19 11 2	62 16 2	114 19 2	121 8	22 2	••••	
84 85	Diseases of the lymphatic system (lymphangitis, etc.). Hemorrhage; other diseases of the circulatory system.	8	1		]					1	1	1		1	1				
67	IV.—Diseases of the respiratory system	4,963	\\	282	131	69	38	108	265	950	886	441	320	314	265	177	42		4
. 87 88 89 90 91	Diseases of the thyroid body. Acute bronchitis. Chronic bronchitis. Bronchopneumonia	166 80	96 1	12 5 135	61		13	1 1 40	i 18	2 2 2 47	,2 3 56	2 5 38	1 8 36	1 10 18 58	1 13 17 76	11 17 65	8 8 11		1
92 93	Pneumonia (total) Lobar pneumonia Pneumonia (undefined) Pleurisy	3,543 3,341 202 54	171 23	125 115 10 3	54	39 37 2	1 20	62	243 232 11 2	892 861 31 3	820 785 35 3	379 358 21 8	257 246 11 10	210 192 18 9	145 134 ·11 2	75 61 14 2	11 10 1		3
94 95 96 97	oplexy congestion, pulmonary apoplexy Gangrene of the lung	25 8 16	3	1					1	- i	1	2 3	1 2 4	2 1 4	6 2 2	6 1	4		· · · · · ·
97 98	Pulmonary emphysema. Other diseases of the respiratory system (tuberculosis excepted). V.—Diseases of the digestive system.	1 1,823	828	173	20	13	15	32	38	55	89	1 1 121	124	130	114	66	5		·····
99 100 101 102	Diseases of the mouth and annexa Diseases of the pharynx. Diseases of the esophagus.	7 25 2 58	3 1	1	3	i	1	1 4	1 4	5	1 12	2	1	1	1 3	1 			
103	Ulcer of the stomach Other diseases of the stomach (cancer excepted) Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over)	118 893 128	52 735	7 158		1	3	2	1	2	4	4	8	8	12	11	2		•••••
105 107 108 109	Appendicitis and typhlitis  Hernia, intestinal obstruction (total)	154 168 58 110		3	16	1 2	2	10 11 2	23 3	22 6 3	38 9 4 5	13 17 21 7	20 14 4	14 32 19	19 5 28 13				•••••
110 111 113	Hernia	110 13 5 143	27 1	1		2		2	3	3 2 2	5 7	14 2 29	10 2	13 2 31	15 3 28	13		.	•
114 115 116	Biliary calculi	36 35 3	1					i	1 1	2 2	2 2	5 4	38 8 11	9 5	8 4	1 3	1		
117	Diseases of the spleen Simple peritonitis (nonpuerperal) Other diseases of the digestive system (cancer and tuberculosis excepted) VI.—Nonvenereal diseases of the	23 11	3	•••••	•••••				1		1	4	2	2	1				
119	genito-urinary system and annexa.  Acute nephritis.	1,508 94	13 7	6 5	2	1	4	3	18	60 13	120 15	184	261	303	350 6	157			2
120 122 123 124	Bright's disease. Other diseases of the kidneys and annexa. Calculi of the urinary passages. Diseases of the bladder.	1,237 25 9 24	6	1	2	2		4	11	38 3 1	77 3 1	141 2 1	234 5 1	271 2 2 4	314 3 1 9	125 2 8	····- - · -		2
125 126 127	Diseases of the urethra, urinary abscess, etc.  Diseases of the prostate Nonvenereal diseases of the male geni-	4 51								1	1	1	15	14	1 15	15	i		
128 129 130	tal organs Uterine hemorrhage (nonpuerperal) Uterine tumor (noncancerous) Other diseases of the uterus	1 28 3 10		•••••							6 2	14	1 4						
131 132	Cysts and other tumors of the overy Salpingitis and other diseases of the female genital organs  VII.—The puerperal state	10 21 277					•••••		12	4 137	12 111	2 4 17	1			2			
134 135 136	Accidents of pregnancy Puerperal hemorrhage Other accidents of labor Puerperal servicement	77 23 56							3 1 2	40 5 32	28 13 20								
137 138 139	Puerperal septicemia. Puerperal albuminuria and convulsions. Puerperal phlegmasia alba dolens, embolus, sudden death. Following childbirth (not otherwise	55 52 12							4 2	26 29 4	24 19 7	1							
140 141	following childbirth (not otherwise defined)	1					•			1		i	]						

int.									DE	ATHS A	T AGE	of—							t un
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 rears.	3 rears.		Tours	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	00	100 yrs. and over.	Deaths at un- known age.
		,		Ċ	ONN	ECT	ıcu	T—Co	ntinu	ed.	<u>'                                    </u>				\	·	·	<u></u>	
	VIII.—Diseases of the skin and of the cellular tissue	62	17	2	2		1	1	2	4	3	2	1	6	ļ. ,	9 8	3	1	
142	Gangrene	23								<u>-</u>		1		3		3 7	3		
143	Furuncle	17 14	9	·····ż	1 1		····i	i	1 	$\frac{2}{1}$	1		1	1 1		·			
145	IX.—Diseases of the bones and of the organs of locomotion	37	6	4			1	2	5	2	1	2	6			4 2	2		,
146	Diseases of the bones (tuberculosis ex-	27	4	4			1	2	5	2	1	2	3	1		1			
- 1	cepted). Diseases of the joints (tuberculosis and rheumatism excepted).	8	1										. 3	1		2 :	L		
149	Other diseases of the organs of locomotion.	2	Į.					ļ					.]			1			
4	X.—Malformations	256	241	6	1			5	2		1				<u></u>				<u>- </u>
150	Congenital malformations (stillbirths not included) (total)	256 13	241 8		1 1			5					- - 						-
	heartOther congenital malformations	152 91	142 91					. 4	2			١					-		-
	XI.—Early infancy	1	1,373											-	-				<u></u>
151	Congenital debility, icterus, and sclerema (total)  Premature birth	1,071 808	1,071 808											-					-
152	Congenital debility, "atrophy," "marasmus," etc	263	263						.		-	-	-	-				-	-
152	(total)	. 292 183	292 183									-	-	-	-			:	-
	Other causes peculiar to early in-	109						-			-	-	-	-				.	-
153	Lack of careXII.—Old age		11								-	·			1		8 3	3	1
154	Senility		11					-			-	-	-	1	ì	- 1	8 3		1
	XIII.—External causes		⊪——	37	24	32	3	10:		-1	-	-		_				9	-
155 156	Suicide (total).  By poison.  By asphyxia	.  36						-		3 1	1	1 4 7 9 1	8	3	5	6	2	-	-
157 158	By hanging or strangulation By drowning	-} 33									8	5 5	8		3	1			-
159 160	By firearms By cutting or piercing instruments.	- 45 - 23								_} _	2 1	1	9 2	8 2	6 3	2	1		-
$\begin{array}{c} 161 \\ 162 \end{array}$	By jumping from high places By crushing	- 2		1				-			-	3 1	-	i				-	
164	Accidental or undefined (total). Poisoning by food. Other acute poisonings.	1,238		. 1		ļ <sub>s</sub>				-	1		1	1	4	88		9	-
165 166 167	Conflagration  Burns (conflagration excepted)	.) 18		21	1 9	1		_	i		3	5	2 4 8 1	1	1	2	7	-	
168	Absorption of deleterious gases (con- flagration excepted).	. 101		7 2		1	İ	1	1	6 1	3 1	6 1	-		.1	5	3	İ	
169 170	Accidental drowning Traumatism by firearms	. 16		2	4	1		1 2	2 4 3	1 1		0 1	.5	8	1	4	1	-	
171 172	Traumatism by cutting or piercing instruments. Traumatism by fall.	.  6		i	1 3			1	 5	6		1 9 1	3 7	a		45	37	9	
173	Traumatism in mines and quarries	١ .	2	-			<u>.</u>	_	Ĭ	.]		1	1				<u> </u>		
174	Traumatism in quarries Traumatism by machines	. 5								9	7 1		1	9	3	2			
175	Traumatism by other crushing (total)	. 410			6		3 1			8 7	72 3			16 15	36 8	17 5	5		
	Street-car accidents and injuries Automobile accidents and in-	50	3		. 2	2	1	3	2	2	9 1	12	8	7	7	3	1	·	
	juries	. 4	5	:		3 6				9	6	6	3	20 1 4	4	5 4	3		
176 178	Landslide, other crushing Injuries by animals Excessive cold		7	: ; i					i	i		2 1 1	4	2	7		1		
179 180	Effects of heat	. 1	2	4					1	2		3	2						
181 185	Fractures (cause not specified)	11	3				-	··	1	6 2 4	2 1 7	1 4 2	3	2	·:				
186	Other external violence	5	1	3	2				2	3	9 :	17 :	10 12	4	7	3	2		
182	By firearms. By cutting or piercing instruments.	1	9	i			-		1	1	2	4	10	2 1	1				
184	By other meansXIV.—III-defined diseases	1	!!	9	5 1		1		1	3	3	3 14	14	7	8	5	5	1	
187 188	Ill-defined organic disease	1	3	i			-	-				- 	2	-;	1 1	2			-
189	Not specified or ill-defined (total)	4	3 1 8	8	2 4 4	i i		1	1	3	3 2	12 8	12 9	2 5 5	6	2 2	1		
	Not specified or unknown.	2	5 1	ŏ	.	.	<u> </u>			1	2	4	3		2		3		

<sup>&</sup>lt;sup>1</sup> Exclusive of injuries at birth.

<u></u>		1	1											<del></del>	<del></del>				_
š.					•		•		DE	ATHS A	T AGE	of—		•					age.
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	89	90 to 99 years.	100 yrs. and over.	eaths g
	,	*************				ILL	INO	s.					·				<u> </u>		
	All causes	100,396	13,109	3,620	1,916	1,316	952	2,827	5,302	12,599	13,070	9,276	9,857	10,386	9,816	5,305	770	37	- 238
	I.—General diseases	35,352	1,611	1,273	884	685	491	1,484	2,741	6,825	6,680	3,860	3,401	2,793	1,809	670	62	2	81
1 4 5	Typhoid fever	519 81	3 8 1	2	3 6	8	11	43 4 2	120 5	128	86 9	53 11	35	17 11	7	1 6		1.	1
6	Malaria Smallpox Measles Scarlet fever	15 317	67	1 85 19		32	11	28	3 18 24	3	1 13	53 11 2 7	35 2 1 4	3		Ĭ			····i
7 8	,		329			13 45		35 47	24 14	12	4								<u>1</u>
8 9 10	Whooping cough Diphtheria and croup Influenza Cholera nostras	1,142 15,169	56 668 2	166 143 701	160 497	158 352	114 243	344	114	· 24 4, 033		9 1, 212	1 4 610		1 301	153	21		2 35
13	1		2	1	1								2			2			
14 18 19	Dysentery Erystpelas Other epidemic diseases Purulent infection and septicemia	208 183 27	44 41 7	16 4 5		1 2	2	6. 3 2. 7	3 6 2	. 5 10		15 18 2	17 15 1	27	22 23	27 14	3		· 2
20		1	14	1				7	8	3 16	1 15	16	15		9	9	1		ī
23 24	Rabies	2 85	16	i		i	1	17	13	<u>7</u>	7	11	5	4	1	<u>2</u>			••••
25 26	Mycoses. Pellagra	5 26								1	1 8	3 7	2		5				
28 29	Tuberculosis (total) Tuberculosis of the lungs Acute miliary tuberculosis Tuberculous meningitis Abdominal tuberculosis Fott's disease.	. 8,579 7,417 274	149 61	91 26	58 17 2 29	48 15 5 15	11	142 78 5	776 638 36 40 23	2,279 2,050 85 33 . 64	2,118 1,932 58	1,316 1,203	831 737	462 414	204 180 2	33	4 2		22 20
30 31	Tuberculous meningitis. Abdominal tuberculosis	328 271 95	61 14 56 7	52 1	6	15 6	18 2 . 2	31 10	40 23	33 . 64	22 51	1,203 34 19 32	737 14 8 39 9	3 17	2 9				2
28 29 30 31 32 33 34 35	Pott's disease. White swellings. Tuberculosis of other organs. Disseminated tuberculosis.	95 49	3	1	1 1	2	. 2	10 3	9	10	18	6	5		4 1				••••
	Disseminated tuberculosis		1	3				1	8 5	15 10	22 4	· 13	13 6	10 2	5 1	1	2		
36 37 38	Syphilis Gonococcus infection	34 435 17	109	14 6		2 1	1	4	6	32 5	73	83	62 1	41	10	3			ï
	Cancer and other malignant tumors		,		1		9	14	24	67	300	700	1,352	1,346	944	332	24	7	10
39 40	(total). Of the buccal cavity. Of the stomach, liver.	5,222 194 2,083	1						3	2 9	300 4 75	790 31 252 93	1,552 47 549	57	30 426	18	1 7		1 4
41 42	Of the peritoneum, intestines, rectum Of the female genital organs. Of the breast.	625 685				 		2	$_{1}^{2}$	11 12	39 83 40 1	93 174 89	141 213	629 173 111	124 71	39 15	2		1 -
40 41 42 43 44 45	Of other organs or of organs not	406 144			i					1	40 1	5	132 20	73 34	53 43	14 34	5		
46	Other tumors (tumors of the female	1,085	3	. 2	3	6	2	12	17	28	58	146	250	269	197	82	6	1	3
47	genital organs excepted)  Acute articular rheumatism	28 251	1	1 1	1	1	6	2 30	, 60	· 23	3 17	3 20	4 37	6 25 15	13	2 14			1
48 49 50 51 52 53 54 55	Chronic rheumatism and gout. Scurvy. Diabetes	62 4 1,063	3		i	····;			1 	1	3	6	15		14	7			•••••
51 52	Exophthalmic goifer Addison's disease	133 18		1				15	54 8 1 9	77 29 2	88 27 1	126 26 · 6	219 23 4	267 12 2	169 7 2	40	2		ĭ
53 54	Leukemia. Anemia, chlorosis.	135 364	1 12 59	3 2	3 1		4 3	7 2	9	16 15	20 34 9	24 53	22 90	17 88	7 44	2 8	3		
56	Other general diseases. Alcoholism (acute or chronic)	114 116	59	4	4	3		2	1	6 10	9 3 <u>4</u>	29	2 23	4 11	8 4	4	2		
57 59	Chronic lead poisoningOther chronic poisonings	12 7	1			· · · · · · ·				1	5 3	1	2	1					ĭ
	II.—Diseases of the nervous system and of the organs of special																		
60	sense	6,968	311	101	80	55	33	137	196 10	265 5	470	678	1,043	1,358	1,416	720 2	74	- 3	28
61	Encephalitis  Meningitis (total)  Simple meningitis  Cerebrospinal meningitis (undefined)	500 274	110 62 22	3 48 30 9	41 23 6	29 16 8 5	16 7	55 27 9	64 27 21 16	47 18	46 33 7	18 14	10 6	9 6	3	3 2			1 1
62		1241	22 26	9	6 12	5	3 6	9 19	21 16	47 18 11 18 3	6	2 2	2	1 2 42	1	<u>i</u>			
63	Locomotor ataxia. Other diseases of the spinal cord (total). Acute anterior poliomyelitis.	181 413 115	13	14 12	17 14	10 8	9 8	35 27	35 25 10	24 6	24 15 2	18 14 2 2 34 32 3 29	59 53	63	15 67	26			1
64	Other diseases of the spinal cord 1	298 3,665	4 20	12 2	3	2	ĭ		10 12	18 37	13 102	29 291	53 657	62	67 1,017	26 516	57		14
65 66	Carebral hemorrhage, apoplexy Softening of the brain Paralysis without specified cause General paralysis of the insane Other forms of mental alienation	71 574	20 4	4	2	·····i		1		2 8	ii	291 26 164 25	10 49 112	929 18 139 77 16	25 199	12 118	13	i.	····i
67 68	Other forms of mental alienation	615 135	·		]			<u>ī</u>	3 1 3	35 25	152 32		21		44 10	22 2	1		6
69 70	Epilepsy Convulsions (nonpuerperal) Convulsions of infants	234 5	12	4	4	4	3	9	30	42 1	41	40 1	23	9	5	4			4
71 72 73	Convulsions of infants Chorea Neuralgia and neuritis	129 9 20	106 1	14	4	5		1	1 1	2		i		1 8	2				
73 74 75	Other diseases of the nervous system  Diseases of the eyes and their annexa	250	19	5	4	2	2	10	15 1	23 1	35	31	35	38	21 1	8	···i		i
76	Diseases of the ears	115	18	9	3	2	2	14	20	91	······································	10	<u>-</u> 9l	8	i	3		<u> </u>	

1 Exclusive of acute anterior poliomyelitis (infantile paralysis).

Table 8.—Deaths (Exclusive of Stillbirths) in the registration area (Exclusive of Hawaii), all registration states, and each registration state, from each cause and class of causes, by age of decedent: 1918—Continued.

This table excludes the deaths of soldiers, sailors, and marines. t un-age. Ħţ. DEATHS AT AGE OF Detailed List No. CAUSE OF DEATH. 20 to 29 30 to 39 40 to 49 50 to 59 60 to 70 to 80 to 89 90 to 10 to 19 Under 5 to 9 1 year. years. years. years vears. vears vears, years, years ILLINOIS-Continued. III.—Diseases of the circulatory system.... 1,162 11,928 1,675 2,469 2,798 1.609 Pericarditis.
Acute endocarditis.
Arganic diseases of the heart
Ongina pectoris
Diseases of the arteries, atheroma, an-1 2,238 77 6  $\frac{633}{15}$ 19 1,322 2,093 91 Diseases of the arteries, attended, are eurism, etc.

Embolism and thrombosis.

Diseases of the veins (varices, hemornhoids, phlebitis, etc.).

Diseases of the lymphatic system (lymphatic strice at a control of the c 33 20 14 29 1,202 204 phangitis, etc.).
Hemorrhage; other diseases of the circulatory system. IV .- Diseases of the respiratory sys-2,834 2,711 1,025 1,018 1,319 1,090 16,264 2,084 1,048 Diseases of the nasal fossae..... 73 581 428 3,498 26 Diseases of the larynx.
Diseases of the thyroid body.
Acute bronchitis.
Chronic bronchitis. 89 90 91 12 137 161 107 143 267 109 1,064  $\frac{2}{532}$ Bronchopneumonia..... 10,957 8,168 2,789 244 506 203 22 Pneumonia (total)
Lobar pneumonia
Pneumonia (undefined) 280 389 13 217 75 16 549 186 23 2,486 2,080 406 2,353 1,976 377 34 1,086 659 329 129 155 5 15 48 15 Pleurisy Pulmonary congestion, pulmonary ap-oplexy......Gangrene of the lung..... 6 14 1 171  $\frac{2}{51}$  $\frac{4}{37}$ Asthma.
Pulmonary emphysema.
Other diseases of the respiratory system
(tuberculosis excepted). 97 V.-Diseases of the digestive system. 9,194 3,739 Diseases of the mouth and annexa.

Diseases of the pharyux.

Diseases of the esophagus. 5 3 52 4 2 50 2 1 1 Ulcer of the stomach
Other diseases of the stomach (cancer
excepted) Diarrhea and enteritis (under 2 years)... Diarrhea and enteritis (2 years and over). Intestinal parasites. Appendicitis and typhlitis. Hernia, intestinal obstruction (total)... 4,284 785 3,395 i 719 268 38 75 22 53 26 10 23 66 42 18 15 Hernia.
Intestinal obstruction..... 55 23 32 14 42 21 Other diseases of the intestines..... Acute yellow atrophy of the liver.
Hydatid tumor of the liver.
Cirrhosis of the liver.
Biliary calculi.
Other diseases of the liver. 1 117 12 27 331 40  $\frac{62}{62}$  $\frac{38}{42}$ 50 Diseases of the spleen
Simple peritonitis (nonpuerperal).
Other diseases of the digestive system (cancer and tuberculosis excepted).
VI.—Nonvenereal diseases of the genito-urinary system and annexa. 117 11 14 ï  $2\overline{7}$ 6.963 1,150 1,431 1,528 13 12 7 1 639 Acute nephritis Bright's disease Other diseases of the kidneys and annexa 11 15 22 Calculi of the urinary passages.

Diseases of the bladder.

Diseases of the urethra, urinary abscess, 29 9 11 Diseases of the trethra, trinary abscess, etc.

Diseases of the prostate.

Nonvenereal diseases of the male genital organs.

Uterine hemorrhage (nonpuerperal).

Uterine tumor (noncancerous).

Other diseases of the uterus.

Cysts and other tumors of the ovary.

Salpingitis and other diseases of the female genital organs.

Nonpuerperal diseases of the breast (cancer excepted). 68 19 19 11  $\frac{24}{10}$ <del>1</del>1 10 (cancer excepted)..... VII.—The puerperal state..... Accidents of pregnancy.
Puerperal hemorrhage.
Other accidents of labor.
Puerperal septicemia.
Puerperal albuminuria and convulsions.
Puerperal phlegmasia alba dolens, embolus, sudden death.
Following childbirth (not otherwise defined) 1 124 169 105 83 97 28 19 

Int.									DE	ATHS A	T AGE (	)F—							ge.
Detailed In List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	8 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	100 yrs. and over.	Deaths at un- known age.
		•	,		ILI	INO	rs-C	ontinu	eđ.			·		· · · · · · · ·	<u> </u>	,			<del></del>
	VIII.—Diseases of the skin and of the cellular tissue.	216	41	2			,	. 1	3	5	5	16	23	29	42	42	5	í	<u> </u>
142 143	Gangrene Furuncle	28					1		i		1 3	7 3	7 7 2 7	20 2 4 3	32 2			1	
144 145	Acute abseess Other diseases of the skin and annexa. IX.—Diseases of the bones and of the organs of locomotion	51	7 22 9	1	1	2		14	1 1 14			5 1 15	2 7 15	4 3 11		7	1		
146	Diseases of the bones (tuberculosis excepted).	115	8	6	1	2	5	13	10	14	17	11	13	9	6				
147 149	rheumatism excepted)Other diseases of the organs of locomotion	16 7	1					<sub>i</sub>	4	2	1	2 2	2	1	3 2	1			
150	X.—Malformations	991	913		11	9		<del></del>	8	3	1								<u>-</u>
	not included) (total)  Hydrocephalus  Congenital malformations of the heart	991 93 605	913 71 573	29 9 10	4	9 2 3 4	5 1 3	12 3 5	8 1 6	3 1 1	1 1								
	Other congenital malformations XI.—Early infancy	293 4,054	269 4,054	10	3	4	i	4	1	1		•••••							
151	Congenital debility, icterus, and sclerema (total)	3,061 2,357	3,061 2,357																:
152	rema (total).  Premature birth. Congenital debility, "atrophy," "marasmus," etc. Other causes peculiar to early infancy	704	704																
102	(total)	977 585 392	977 585 392				<b>-</b>												
153	Lack of careXII.—Old age	16 774											2	35	213	374	140	6	4
154	SentilityXIII.—External causes		99	119	109	92	87	287	550	773	976	821	2 753	. 35 548	213 363	374 231	140 39	6	4 39
155									25			166	183	105	40	11			1
156 157 158	Suicide (total) By poison By asphyxia. By hanging or strangulation By drowning.		1 1						8 3 1 3	123 21 22 14 11 42 4	27 38 13 11 60	25 36 29 10 46 12	18 55 29 6		4 11 3 7 2 4	3			i
155 156 157 158 159 160 161 162 163	By firearms By cutting or piercing instruments. By jumping from high places. By crushing. Other suicides.							:	9		60 14 8	46 12 4	54 13	26 16 7 33 7 2 1	7 2 4	2 1 1			· · · · · ·
162 163	By crushing Other suicides Accidental or undefined (total)	13 14 4,637	91	115				279	498	5 2 2 539	4 1	4 3 1	1 2 5 535	4	1 316	220	39		29
164 165	Poisoning by food Other acute poisonings. Conflagration.	4,037 40 78 28	4	2 15	4 8	`88 2 2 1	5	1	198 1 1	3 10	681 2 10	582 3 10	555 4 7	432 3 2 3	310 2 2 6	1			
165 166 167 168	Burns (conflagration excepted) Absorption of deleterious gases (conflagration excepted)	397 349	11 25	38 4		39	34		23 16	1 26	35 45	3 18 60	24 58	13 49	25 34	13 13	1		1
169 170 171	Accidental drowning Traumatism by frearms Traumatism by cutting or piercing instruments.	337 142 11	3	13 1		3 1 4	4	31	105 66	31 55 15	53 18	26	20 4 4	11 2 2	3				5 1
172 173	Traumatism by fall. Traumatism in mines and quarries (total)	536 247	7	16	11	6	3	1	19 19	23 67	51 59	67 56	67 32	85 11	75	81	11		1
174 175	Traumatism in mines Traumatism in quarries Traumatism by machines	246 1 126			i	i		2 1 1	19 11	67	59	56	32 19	11 15	4				Ĩ
175-	Traumatism by other crushing (total) Railroad accidents and injuries. Street-car accidents and injuries. Automobile accidents and in-	1,603 774 209	3 1 1	6	3	20 1 3	5 1	17 11	179 92 9	21	37	232 131 24	215 101 43	154 64 32	74 27 19	23 11 3	3		17 16 1
	juries Injuries by other vehicles Landslide, other crushing	127	1	3 2	6	12 4	21 3	12	62 14 2	46 14 5 4	50 18 10	53 21 3	49 19 3 2	43 11 4	21 5 2	5 4	3		
176 177 178 179	Injuries by animals Starvation Excessive cold	21 21	1	1	1	2	2	5 1	6 i	4	2 3	9 2		8 1 3	3 1 5				i
180 181	Effects of heat Lightning Electricity (lightning excepted)	18	8	2		1		1 2	1 3 13	1 3 6 2 41	5 3 19	4 3 7	3 7 2 3	<u>3</u>	7 2	6	4		1
185 186	Fractures (cause not specified) Other external violence Homicide (total)	198 357	19 19 8	1 14 4	9	6 4	i	19	32 27	2 41 111	6 51 119	5 44 73	15 49 35	24 41 11	52 19 7	71 10	19		1 1 0
182 183 184	By firearms. By cutting or piercing instruments. By other means.	247 44	1 7			1 3		8 1 1 6	13 4 10	77 9 25	84 15 20	40 7 26	35 22 3 10	7	, 2 1				4 1 4
•	XIV.—Ill-defined diseases	508	85	28	, -	4	5	20	18	12	30	41	40	82	76	38	9	2	15
187 188 189	Ill-defined organic disease Sudden death Not specified or ill-defined (total)	473	1 84	28	<u>š</u>	4	5	1 18 2 16	18	1 11	29	39	2 38	6 76	14 62	4 1 33 24	1 8 6	2 2	15
	Ill-defined Not specified or unknown	333 140	23	28 22 6	3	3 1	4	16	8 10	11 8 3	14 15	39 25 14	38 28 10	63 13	62 54 8	24 9	2	2	9 6 ——

. Int									DE.	ATHS A'	r AGE C	·F							at un-
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	100 yrs. and over.	Seaths knowi
						INI	DIAN	Ά.											
	All causes		5,603		754	504	397		2,803	4,833	4,745	3,551	4, 210		<u> </u>		433	19	93
1 4 5 6 7	I.—General diseases.  Typhoid fever Malaria Smallpox Measles Scarlet fever.	400 33 22 144	875 2 1 4 28 5		354 5 2 		230 5 1 6 13	32 2 2 19	124 1	2,616 88 2 3 7 4	2, 287 54 5 2 1	1,452 34 2 1 7 1	20 6 1 3	12 3 4	37	3	48		16 2
8 9 10 13 14	Whooping cough Diphtheria and croup Influenza Cholera nostras Dysentery	5,553 12 134	264 23 332 2 21	47 286	29 .49 185 1 9	31 52 123	13 44 112 1 1	140 266	48 673	14 1,322	6 1,196 1	392 1	2 207 4	191 191 16	2	2	16 2 4		4
17 18 19 20	Leprosy Erysipelas Other epidemic diseases Purulent infection and septicemia	121 35	23 6 6		1 1	2	2	9 2	6	1 3 6	6 2 4	13	17 4	23 1 10			2		
22 24 25 26	Anthrax Tetanus. Mycoses. Pellagra. Tubarrulosis (fotal)	59 3 12	11	1	34	27	17	10			5 4 744	516	3 3	3			2		3
28 29 30 31 32 33 34 35	Tuberculosis (total) Tuberculosis of the lungs. Acute miliary tuberculosis Tuberculous meningitis. Abdominal tuberculosis. Pott's disease. White swellings. Tuberculosis of other organs. Disseminated tuberculosis.	122 184 230 44 24 48 39	22 9 30 5 1	4	11 3 14 4 1 1	12			324 26 27 25 7 1 5	926 26 15 36 12 3	661 19 8 35 5 3	445 13 5 27 6 3	350 9 6 30 4 3	328 2 2 29 1 5	18	38 2 1 4 3 4			i i
36 37 38	Rickets. Syphilis. Gonococcus infection Cancer and other malignant tumors	17	46	6	2	1			1 10 2	21 3	47 6	47 4	50 1	25	17	3		••••	<u>2</u>
39 40 41	(total) Of the buccal cavity Of the stomach, liver. Of the peritoneum, intestines, rectum.	2,567 75 1,042			3	3 1 1		2 9	4	36 7	3	. 5 86	17 227	344 344	267	7 72			<del>-</del> 3
42 43 44 45	Of the female genital organs Of the breast. Of the skin. Of other organs or of organs not specified	379 222 147						i	3	10 2 1 7	36 12 1 1	98 41 8	105 61 19	82 43 34	40 40 40	6 21 9 29	1 1 6		1
46 47 48 49 50 51 52 53	Other fumors (tumors of the female genital organs excepted). Acute articular rheumatism. Chronic rheumatism and gout. Scurvy. Diabetes. Exophthalmic goiter. Addison's disease. Leukemia.	. 10 114 - 41 3 - 494 - 79 - 15	1	2	1		2	3 13		27 10	33 19	40 14 4 6	81 19	5 12 5 5 5 1 137 9 5	2 1 7 10	2 19	2		
54 55 56 57 59	Anemia, chlorosis. Other general diseases. Alcoholism (acute or chronic). Chronic lead poisoning. Other chronic poisonings. II.—Diseases of the nervous system	152 50 35	13	3 8	4			1 3	2		9	. 3	27	7 38 3 4 9 6	3 3	7 4 2 4			1
	and of the organs of special sense.		113	3 55	45	2 29	1	5 6	92	2 84	162	298	58	874	1,15	9 558	64	1	. 2
60 61	Encephalitis Meningitis (total) Simple meningitis. Cerebrospinal meningitis (undefined)	. 274 132 75	50 31 31	3 6 5 29 2 7	25 7 17	3 19 7 9	9	8 3 3 1 2 1	4 3: 2 16	3 20 5 8	3 3	3 11 3	2	8 4		1 5 3 4 3 1			
62 63	Cerebrospinal fever. Locomotor ataxia. Other diseases of the spinal cord (total). Acute anterior polomyeltius. Other diseases of the spinal cord '.	. 76 . 197		4	3	5 5		i 1	2 4	3 3			3	2 2 2 4 2	9 4	3 19			
64 65 66 67 68 69	Cerebral hemorrhage, apoplexy Softening of the brain Paralysis without specified cause. General paralysis of the insane Other forms of mental alienation Epilepsy	2,508 - 64 - 354 - 242 - 60		4	1	1	1	1	i :	11	4	1 138 1 16 5 51 7 14	344 2 3 3 4 4 4 1	0 63 3 1 4 7. 8 3 1 1	1 85 1 2 5 14 7 3	9 400 5 18	51 3 4 7 2		1
70 71 72 73 74 75	Convulsions (nonpuerperal) Convulsions of infants. Chorea Neuralgia and neuritis Other diseases of the nervous system Diseases of the eyes and their annexa.	. 37 . 37 . 20 . 87	3	6	i :	3	2	2	1 3	3 10		7 1	1 2 1	2 1	3	9	1 3 2		

<sup>1</sup> Exclusive of acute anterior poliomyelitis (infantile paralysis).

i i		.					•		, DE	ATHS AT	r age c	)F—					<del></del>		i e
Detailed Ir List No.	CAUSE OF DEATH.	All deaths.	Under	1	2	3	4	5 to 9	10 to	20 to	30 to	40 to	50 to	60 to	70 to		90 to	100 yrs. and	hs at
Detai			1 year.						19 years.	29 years.	39 years.	years.	years.	69 years.	79 years.	years.	99 years.	and over	Deat
		·		<u>'</u>	IN	DIAN	T.A.—C	ontinu	ed.		<u> </u>					•			
$\Box$	III.—Diseases of the circulatory sys-	6,202	52	8	6	3	4	52	168	173	254	414	735	1,352	1,837	1,017	115	6	6
77	tem Pericarditis	35						2	5 23			5 27	5 41	3	4	3			<u>_</u>
77 78 79 80 81	Acute endocarditis Organic diseases of the heart Angina pectoris	165 4,774 272	6 41	2 5	5	3	2	5 44	137	5 10 148 4	2 19 208 10	345 17	600 35	1,090 94	1,381 89	693 23	66	2	4
81 82	Diseases of the arteries, atheroma, aneurism, etc Embolism and thrombosis.	849 74								<u>1</u> 5	5 5	14 6	35 13	137 13	330 16	277 14	44 2	4	2
83	Diseases of the veins (varices, hemor-	11									1		4	3	1	1	1		
84 85	rhoids, phlebitis, etc.) Diseases of the lymphatic system (lymphangitis, etc.) Hemorrhage; other diseases of the circu-	10	. 5	1	1	· · · · · ·		1	1	•••••			2	3	1	1			
	latory system	6,567	833	339	182	110	67	205	495	1,050	999	462	380	481	557	343	59	3	2
86	Diseases of the nasal fossae	2		iō	1	;	2		1	-,					i				
87 88 89	Diseases of the larynx. Diseases of the thyroid body Acute bronchitis. Chronic bronchitis.	29	1 57	10	8	2	1	4	3 7 3	4 1	4 5 4 98	7 2 5	2 7 5 10	9	2 19 58	20 48	9	î	
90 91	Chronic bronchitis Bronchopneumonia. Pneumonia (total)	1,002	467 290	172 140	84 83		21	58	65	92 938			55 280	22 81 330	132 299 255	88 163	16 25		2
92	Pneumonia (undefined)	ى 941.	923	124	83 69 14	52 38 14	39 35 4 2	134 116 18	398 358 40 10	938 871 67	873 806 67 7	380 350 30	257 23 8	290 40 8	255 44 8	126	21 4		2
93 94	Pleurisy. Pulmonary congestion, pulmonary apoplexy	38	ll .	2	,				2	3	1	1	1	5	5	12	1.		
95 96 97	Gangrene of the lung		2	····i				i 1	İ	1	4	7 1	8	19 1	20 3		i		
98	Other diseases of the respiratory system (tuberculosis excepted)		11		104		1		4 151	2 140	3 204		3 296	3 353	9 - 363		24	3	1
99	V.—Diseases of the digestive system  Diseases of the mouth and annexa	23	<u></u> -		104	45					204				3			<u>_</u>	
100 102 103	Diseases of the pharynx	. 99		2	1	4	3	. 1	17 2	4	22	8	20		20	3	_		
104	excepted)	1,344	1,006	I							8	20							
105 107 108	Diarrhea and enteritis (2 years and over) Intestinal parasites. Appendicitis and typhlitis.	357	4	i	88	28	17 1	1 29	87	1 58		1			6	3			
109	Hernia, intestinal obstruction (total) Hernia Intestinal obstruction	103 103 233	6 37			5		4 3			13	18	18 26	59 24 35	27 35	13 12	1 2	<u>i</u>	i
110 111	Other diseases of the intestines  Acute yellow atrophy of the liver	14	1					3	1	2	2		1		13 5	1			
112 113 114	Hydatid tumor of the liver	.  328				j			3	3	15 • 6	21	66 27	101 27	73	18		1	
115 116	Biliary calculi. Other diseases of the liver. Diseases of the spleen.	. 2		1				3	6	9									
117 118	Simple peritonitis (nonpuerperal)	- 69	1	2		]		. 2	11	9	17	6	5	5	. 1	2			
	VI.—Nonvenereal diseases of the genito-urinary system and														200				
119	annexa	3,412	·	-		,	·	1 7		17	15	<u> </u>			34	14	2		1
120 122	Bright's disease. Other diseases of the kidneys and annexa	. 2,744	3 8		1	1		1 12	35	54 5	i} 5	5 10	7		13	6			
123 124 125	Calculi of the urinary passages Diseases of the bladder Diseases of the urethra, urinary abscess,	57	1								. 3		1	7	22	18	. 3		
126 127	etc Diseases of the prostate	139						-		·····	ļ <u>-</u>		1	33			5	i	
128	organs			\ - -				-	2	.) 2	i  <u>i</u> ;	[ 1 [ 14	. 1			·  i j			i
129 130 131	Other diseases of the uterus	- 2	7						]	1 2	2 17	7 13	3 2	j		2			
132 133	male genital organs. Nonpuerperal diseases of the breast (can-	: 6.	1		·		-	-	]	1		1 16	5 2				ļ		-
,	cer excepted)	·-  '	9	2			-	-	61		2 239	9 48							
134 135	Accidents of pregnancyPuerperal hemorrhage	2	3							1 8	7 59 5 13 8 3	9				-			
135 136 137 138	Puerperal albuminuria and convulsion	26 s. 10	8						10 22 22	1 42 3 12 2 49	5 10: 9 2:	1 19	7						-
139 140	Puerperal phlegmasia alba dolens, em bolus, sudden death	1	5		-	.				1	9 4	4	2				·		
140	fined)		2	.J	٠		.l	.1	.] :	1) :	1	.	.l	.	.	.	·l	.]	.)

Int.									DE	ATHS A	T AGE	of—						ĺ	un- go.
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at un- known age,
					INI	DIAN	<u>'</u> Г <b>∆</b> —С	ontinu	eđ.					<u> </u>	<u> </u>	<u> </u>	<u></u>		
	VIII.—Diseases of the skin and of the cellular tissue	108	17			[	1		3	4	2	5	6	11	27	27	5		
142	Gangrene	60	1				1					2	3	6	19	23	4		
143 144 145	Furuncle. Acute abscess Other diseases of the skin and annexa	12 18 18	9 7	••••					1 2	2 2	1	1 1 1	1 2	3	3 5	2 1 1	1		••••
	IX.—Diseases of the bones and of the organs of locomotion	74	4	4	2		1	9	14	7	8	. 3	7	5	7	3			
146	Diseases of the bones (tuberculosis	<u> </u>		3			1	8			7	2	<del>`</del>		6	1			
147	excepted).  Diseases of the joints (tuberculosis and rheumatism excepted).	64 8	4	1	2		1		14	6	1	1		3	8	2			
149	Other diseases of the organs of locomotion	2						1							1				
150	X.—Malformations.	526	509	7	5	1		1		1									
150	Congenital malformations (stillbirths not included) (total)	526 28	509 23	7 3	5 2	1		1	2	1									
	heartOther congenital malformations	363 135	355 131	2 2	2	1		1	2	i									
151	XI.—Early infancy Congenital debility, icterus, and scle-	1,862	1,862	<u></u>															
101	rema (total)	1,489 1,261	1,489 1,261	- · · · · · ·															
150	Congenital debility, "atrophy," "marasmus," etc Other causes peculiar to early infancy	228	228				•••••												
152	(total)	371 177	371 177																
	Other causes peculiar to early infancy 1	194	194																
153	Lack of careXII.—Old age	2 212	2				 			 			1	7	56	105	40	3	
154	SenilityXIII.—External causes	212 2,758	68	64	45	35	36					240	1 297	7	56 217	105 163	40 27	3	
,,,,	Suicide (total)	341			40			110	326 23	324	387 72	78	55	256 49	15	5	1		
155 156 157 158	By poison'. By asphyxia. By hanging or strangulation	101 11 59							12 2	16 1	22 2 10	21 3 15	11 2 10	$\begin{array}{c c} 14 \\ 2 \\ 12 \end{array}$	3 1 5	1 i			1
159	By drowning By firearms	19 116							6	4 2 15	3 26	23	4 23	2 17	2 3	2	i		2
160 161 162	By cutting or piercing instruments By jumping from high places	25 2 4								1	9	8 1	4	2	1 	1			
163	By crushingOther suicides	4							1	1		3 2	1						
164 165	Accidental or undefined (total)	2,299 47 54	64 4 6	64 4 12	45 1 9	35 2	36 3	109	297 6 4	256 2 5	281 2 6	238 3 2	229 5 4	203 7 4	201	158 1 1	25		
165 166 167	Conflagration Burns (conflagration excepted)	17	1 7	1 25	1 15	3 15	13	1 22	15	2 14	1 14	1 14	1 15	1 11	2 10	8	1		
168	Absorption of deleterious gases (con- flagration excepted)	76	22		1	1		. 1	7	_8	6	7	12	1	6	4			<u>.</u>
169 170 171	Accidental drowning Traumatism by firearms Traumatism by cutting or piercing	143 61	1	9	5 1	3	1	13 2	55 36	25 6	11 6	8 1	5 2	3	2	1			2
172 173	instruments. Traumatism by fall Traumatism in mines and quarries	411 411	5	4	2	3	1	10	14	13	20	13	28	49	101	127	21		
	(total) Traumatism in mines Traumatism in quarries	118 115 3							15 15	25 25	33 31 2	22 21 1	13 13	7	1 1				2 2
174 175	Traumatism by machines Traumatism by other crushing	82				i	1		12	16	17	17	8	7	3				
	(total)	834 430 101	3	3 1	7 1 3	6 1 1	13 4 2	38 6 8	105 47 4	107 55 15	136 79 12	126 73 14	103 50 15	78 39 16	48 17 9	2 1	3 1 1		54 54
	Automobile accidents and in- juries.	177	$\frac{1}{2}$		1	1 2	5	15	39	24	28 12	20	21	9	11 10	1	1		
176	Injuries by other vehicles Landslide, other crushing Injuries by animals	102 24 40	2	2	2	1	1 1	9 4	14 1 7	11 2 2	5 3	11 8 3	16 1 5	10 4 4	1 1 8	2			
178 179	Excessive cold Effects of heat	13 30	5					1	3	$\frac{1}{2}$	i	2	5 2 4	4 7	3 4	1 2			
180 181 185	Lightning. Electricity (lightning excepted) Fractures (cause not specified)	12 42						3	2 8	111	3 9	8	1 4	2	2				
186	Other external violence	113	9	6	2	1		7	8	15	13	10	17	13	9		1		
182 183	Homicide (total)	118 76 13	4					1	6 2 1	28 20 5	34 23 3	24 17 3	13 9 1	3	1		1		2 2
184	By other means.  XIV.—Ill-defined diseases.	29	4 27	3	2		1	1	3 2	3 4	8 2	4 5	3	1 7	1 6	1	i		2
187 188	Ill-defined organic disease	1	21				1		2		1								
189	Sudden death.  Not specified or ill-defined (total) Ill-defined.:	1 26	27 8	3 2	2 2		1		2	4 1	1	5 2	3 3	6 4	6 3	1			2
	Not specified or unknown	39	19	ĩ			1		2	3	1	3			3	2			2

<sup>1</sup> Exclusive of injuries at birth.

e it						<del> </del>		=1	DE	ATHS A	T AGE (	OF—	twister						at un-
Detailed In List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39. years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at known ag
	,		•			KA	NSA	s.											
	All causes	25,053	3, 111	685	393	222	191	663	1,687	2,997	2,800	1,834	2,009	2,742	3,518	1,875	255	11	55
	I.—General diseases	8,402	449	265	191	117	102	338	844	1,640	1.477	724	670	690	635	226	22		12
1 4	Typhoid fever. Malaria. Smallpox Messles.	291 21 26 256	1 1	2	2	4	2	2	75 1 5	76 2	44 4	26 2	18 2 1	8	5 2	3			1
4 5 6	Smallpox Measles	. 256	4 54	1 34	33	2 11	12	1	5 34	4 14	3 12	5	1 2	3 2	2 1 1	1			
7 8	Confort forces	71	5	4	6	5	3	17	17	9	4		1						
9	Whooping cough Diphtheria and croup Influenza.	71 220 112 4,073	125 3	32 17 130	22 12 88	11 12	7 19	17 22 29	1 12	5	3		700						
10		4,073	166		88	62	49	152	519	1,159	1,014	293	138	105	119 2	66	8		5
13 14 18 19	Cholera nostras Dysentery	105	17	1 18	10			3	2	5	2	2	7	9	19	10 10	1		
18 19	Dysentery Erysipelas Other epidemic diseases	61 28	16 6		1 3	i	3	1 6	····i	i	1		1	1	7				
	Purmlant infection and senticemia	56	4					3	8	4	2	4	4	11 1	13	3			
20 22 24 26	Anthrax. Tetanus. Pellagra.	1 39	1 4	<u>-</u> 2			i	6	11	5 2	4 10	2	3 4	1 3					
26	Pellagra	22 1,027	10		3	6	1	11	94			157	121	79	31	4	1		3
28	Tuberculosis (total) Tuberculosis of the lungs. Acuto miliary tuberculosis Tuberculous meningitis Abdominal tuberculosis.	873	3			ì	î	5	94 75 6	270 233 14 5 9	230 206 6	157 139 3	101 1	<b>7</b> 6	26 1	2			3
28 29 30 31 32 83 34 35	Tuberculous meningitis.	29 46	7	î	2	4		3 3	3	5 9	3 7	6	1 10	2	<u>-</u> 2				
32		10	,					ļ	2	3 1	2	ĭ	1		1				
34	White swellings. Tuberculosis of other organs. Disseminated tuberculosis.	20 12		i	ī	ī			1	3	3	2	1 5		1	1	1		
	Rickets	10	6	2		1						1							
36 37 38	Syphilis. Gonococcus infection.	88	15	1				i	1	14 1		14 1	14	11	3				
	Cancer and other malignant tumors	7 070			}			,	10	22	77	144	245	247	323	93	7		,
39	(total)	1 49	11							23 1 4	2 17	144 2 43	9	12	12 168	11 36			
40 41	Of the stomach, liver	521	11	2	1			1 1	;	3		12	!		39	1			
42	tum. Of the female genital organs	156			i					6	11 15 14	36 18	44 29 3	34 26 16	12 20 27	į			i
43 44	Of the breast	.[ 65									1	5	3	16	27	12			i
45	Of other organs or of organs not specified.	217	/	1	. 1				8	8	17	28	36	53	45	18	2		
46	Other tumors (tumors of the lemale genital organs excepted)	. 9	] 1	ļ				ļ	_1			ļ <u>.</u>	3		1				
47 48	of their organs of of organs are specified. Other tumors (tumors of the female genital organs excepted). Acute articular rheumatism. Chronic rheumatism and gout.	69		1				. 1	17	4	9	5	9		7	į			
49 50	Scurvy. Diabetes Exophthalmic goiter Addison's disease	266		2	·····j			i i	18	21	13	27	48		53	25	2		
51 52	Exophthalmic goiter	20	3						2	4 1 3	2 2	27 5 1 2	5	. 1					
53	Lenkemia	. 00	3   1	2	2				5	3 5	5 12	17 3	22 1	26 26 2			i		
54 55	Anemia, chlorosis. Other general diseases.	. 32	11	··	. 2		-	4 2	5	4	1			3					1
56 57	Alcoholism (acute or chronic)									ì		2	. 2		]				
58 59	Other chronic occupation poisonings Other chronic poisonings	1 1	<b> </b>							i	i		i						
	II.—Diseases of the nervous system and of the organs of special				1														
	sense	. 2,43			1	7	3 :	8 55						·		320	35	2	2 4
60 61	Maningitie (total)	. 30 142		5 13		3	3	2 2 1 1	3 3	28 28 8 12	10		3 4	2					·
-	Simple meningitis. Cerebrospinal meningitis (undefined Cerebrospinal fever	45	2   :	7	3] :	2		1	2 28 5 5 7 13	8	2	8	.l i	ll					
62	Cerebrospinal fever	. 50	3   8	5	2 3	2	2	10	10	12	4		12	2 4		5			
63	Other diseases of the spinal cord (total)	124	4   - 8	5	3	2		-	3 3		4	2	17	31	38	1			
	Acute anterior poliomyelitis Other diseases of the spinal cord 1	113	3∥ :	ւ  :	i				2 1	. 4		1	1				1		
64 65	Cerebral hemorrhage, apoplexy	1,37	9		4		: ;	2	2 10	17 1 3	34 2 3	6	167	310	3	22	) 2		1 2
66 67	Cerebral hemorrhage, apoplexy. Softening of the brain. Paralysis without specified cause. General paralysis of the insane. Other forms of mental alienation.	- 23 - 11	1				ا.	1		3	16	5) 28	19	316 15 9 54 7 17	499 31 71	5	3		
68			III		<b>-</b> }	-	-	1	. ] 4 11	13	11	1 '	1	7 14 1 1		5	3		
69 70	Epilepsy Convulsions (nonpuerperal)		4				<b>:</b>		2 1		<u></u>		[]	·		Ĭ	-		
71 72 73	Convulsions of infants. Chorea Neuraleia and neuritis.	4	8	<u>-</u>			<b></b> -	:	i ;	i	i ;		į	1		1			-
79	Neuralgia and neuritis Other diseases of the nervous system	. 8	9	7		i	-	i	6	6	12		-	1		8	i :	i	
74	Other diseases of the nervous system	1																	
74 75 76	Diseases of the eyes and their annexa	- 3	2	4	3	<u>- </u>	<u>-]</u>	-	1		;  <u>;</u>	i	] :	l 2			1	]	: :::::

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

Int.									D	EATHS .	AT AGE	or—							at un-
Detailed Int.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years	4 years	5 to 9 years.	10 to 19 years	29	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	eaths
_					KA	INSA	s-c	ońtinu	ed.									-	
	III.—Diseases of the circulatory system	2,718	30	8		2	2	23	60	100	132	198	302	571	828	401	49	3	9
77 78 79	Pericarditis. Acute endocarditis.	37 110	8	1		1		4	11	1 15	2 11	2 19	1 30	2 6	5 3	3			
80 81	Organic diseases of the heart. Angina pectoris. Diseases of the arteries, atheroma, aneurical the control of th	104	18	4			2	18	48	76 3	102	152 7	212 20	447 37	608 24	259 7	35 1		8
82 83	rism, etc Embolism and thrombosis. Diseases of the veins (varices, hemor- rhoids, phlebitis, etc.).	375 85 12	1	1		····i				3	5 3	6 10	23 12	57 16	153 29	118	12		···i
84 85	Diseases of the lymphatic system (lymphangitis, etc.)  Hemorrhage; other diseases of the cir-	6	2	1				1		1	3		1 1	3	3	2			
	rv.—Diseases of the respiratory	20	1					- <b></b>		1	2	2	2	3	5		1		
86	system Diseases of the nasal fossae	3,384	373 2 3	160	85	52	34	103	274	550	482	252	202	256	317	208	27		9
87 88 89 90	Diseases of the larynx. Diseases of the thyroid body Acute bronchitis Chronic bronchitis	13 9 55 111	1 17	<u>2</u>	<u>5</u>	2 3	<u>1</u>		' 1 	1	1 1 5	1	1 1 3 7	2	1 1 4	1 7	1 6		
91 92	Bronchopneumonia Pneumonia (total)	714 2, 296	174 171	76 70	2 35 41	13 33	12 19	2 22 69	31 237	69 461	49 405	30 202	34 137	18 39 164	34 65 174	28 52 100	11 6		<u>2</u> 7
93 94	Lobar pneumonia. Pneumonia (undefined). Pleurisy.	1,620 676 64	101 70	39 31 3	30 11 2	20 13 1	14 5	39 30 6	179 58 3	364 97 9	232 123 8	154 48 6	100 37 4	122 42 11	116 58 7	52 48 4	2 4		6
95 96	Pulmonary congestion, pulmonary apoplexy. Gangrene of the lung. Asthma.	36 5	4				   <u>-</u> -	<u>i</u>	1	1 1	3	1	2	3	10	8	3		
97 98	Pulmonary emphysema. Other diseases of the respiratory system (tuberculosis excepted).	44 3 28					1	2			1	1	8	9	16 1	6			
•	V.—Diseases of the digestive system.	2,041	540	169	55	18	17	62	1 115	122	131	122	3 151	7 199	243	83	13	·	1
99 100 101 102	Diseases of the mouth and annexa Diseases of the pharynx Diseases of the esophagus	10 35 3	3	5		1 1	2	1 3	8	2 4	3 2	$\frac{2}{2}$	1	2 4	i				
103	Ulcer of the stomach. Other diseases of the stomach (cancer excepted)	59 232	79	1 17	7	1	1	2 4	3	2 5	10 8	9	12 21	9 13	9 41	4 18	4		1
104 105 107	Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over) Intestinal parasites. Appendicitis and typhlitis.	534 219 3	395 2	139	37 1	11	9	15	10	10	6	7	16	29	46	18	5		
108 109	Hernia, intestinal obstruction (total) Hernia	265 238 64	· 38	 ô 2	4	$\frac{1}{2}$	4	27 6 1	76 3 1	58 14 5	36 17 4	23 21 6	15 25 9	13 40 15	6 47 10	2 14 7	2		
110 111	Intestinal obstruction Other diseases of the intestines Acute yellow atrophy of the liver	174 47 8	35 5	3 1	4	1		5	2 1	9 5 1	13 4 1	15 2	16 2 1	25 5 1	37 11 3	7 6	2 1		
113 114 115	Cirrhosis of the liver	130 70 113	8		1			2 1	3	2 2 7	11 8 11	14 11 15	22 12 18	30 20 25	38 10 22	7 6 5	î		
116 117 118	Diseases of the spleen. Simple peritonitis (nonpuerperal) Other diseases of the digestive system	7 57	5	1.	····i	1	1	····i	9	1 9	2 10	5	1 2	1 5	1 6	1			
	(cancer and tuberculosis excepted) VI.—Nonvenereal diseases of the	11									2	2	3	2	2				• i
119	genito-urinary system and annexa	1,708	18	7 3	1	1	1	10	42	69	90	148	228	339	490	241	22		1
120 122	Other diseases of the kidneys and annexa.	1,307	9	3 1	1	<sub>1</sub>		4 6	15 18 3	15 38 1	8 43 5	10 104 7	13 192 6	286 8	14 400 8	9 194 3			i
123 124 125	Calculi of the urinary passages.  Diseases of the bladder.  Diseases of the urethra, urinary abscess,	8 32	i				i			1		1	·····i	4	13	1 9	2		
126 127	etc. Diseases of the prostate. Nonvenereal diseases of the male genital organs.	6 94		- 1	i						1	1	3	2 18	47	23	····i		
129 130 131	Uterine tumor (noncancerous). Other diseases of the uterus. Cysts and other tumors of the overy.	2 30 21 15							2	3	8 9	13	5 4	3	i	···· <sub>I</sub> ·			
132	Salpingitis and other diseases of the fe- male genital organs. Nonpuerperal diseases of the breast	29			l i				2 1	3 8	2 14	5	2 1	3	2				·····
	(cancer excepted)	2 447	1						52	205	156	1 34							
134 135 136	Accidents of pregnancy Puerperal hemorrhage. Other accidents of labor	97 28							9	52 7 35	34 14	2 6							
137 138 139	Puerperal septicemia.  Puerperal albuminuria and convulsions.  Puerperal phlegmasia alba dolors am	169	·····- - ·····- -						6 23 12	35 75 30	19 61 28	10							•••••
140	bolus, sudden death  Following childbirth (not otherwise defined)	7							1	5		1							

i it			115 64016								AGE O	r—							-in-
Detailed List No	CAUSE OF DEATH.		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at un- known age.
					IK.	ANS.	AS-C	ontin	ied.					,					
	VIII.—Diseases of the skin and of the cellular tissue	77	5		2	1			2	4		2	3	-11	19	26	1		1
142 143 144 145	Gangrene. Furuncle. Acute abscess Other diseases of the skin and annexa IX.—Diseases of the bones and of the	52 10 9 6	1 1 3	1	2	i		5	2 5	1 2 1		1 1 5	3	6 3 2	15 2 1 1	25 1	1		i
146 147 149	organs of locomotion  Diseases of the bones (tuberculosis excepted) Diseases of the joints (tuberculosis and rheumatism excepted) Other diseases of the organs of locomotion X.—Malformations.	27 5 2	1 267	14	1	2		4 1	4	4		4	4	3 2	1				
150	Congenital malformations (stillbirths not included) (total)  Hydrocephalus.  Congenital malformations of the heart Other congenital malformations  XI.—Early infancy	284 22 179	267 15 174 78 1,212	4 1 3	3 1 2	2 2		. 3	4 2 2 2										
151 152	Congenital debility, icterus, and sclerema (total).  Premature birth Congenital debility, "atrophy," "marasmus," etc. Other causes peculiar to early infancy	1,007 702 305 203	1,007 702 305 203							]									
153	(total). Injuries at birth. Other causes peculiar to early infancy 1 Lack of care. XII.—Old age.	102	102 101 2	i .	l .										i			5	
154	Senility		47	36	37	23		61	208	202	203	176	146	22 136	145 99	1	68 16	5 1	13
155 156 157 158 159 160 161 162 163	Suicide (total).  By poison.  By asphyxia  By hanging or strangulation.  By drowning.  By drearms  By cutting or piercing instruments.  By jumping from high places.  By crushing.  Other suicides.	38 12 85 14 1							12 3 1 7	35 10 1 4 2 17	48 14 6 2 18 6 1	42 5 1 12 1 19 3	29 5 4 2 14 3	1	32 1	1			1
164 165 166 167 168	Accidental or undefined (total)	23 46 14 75	2 2 2 2 2 20	36 1 14 4	6 2 7	8	2 3 7	2 1 3	182 2 6	140 4 7 1 10	10 2	115 1 5 1 6	110 1 2 1 3	2 3	3	1 3	1 1		7
169 170 171	Accidental drowning Traumatism by firearms Traumatism by cutting or piercing	- 65	1	6		3	1 2	8 7	31 31 2	15	6 9	3 5	3	1		1	-		
172 178 174 175	instruments. Traumatism by fall. Traumatism in mines and quarries (total). Traumatism in mines. Traumatism in quarries. Traumatism by machines.	. 186 . 39 37 2 43	3	2	2	1	2	. 3		9 8	11 11	15 6 5	5 5		38	52	11		1
175	(total) Railroad accidents and injuries. Street-ear accidents and injuries Automobile accidents and injuries Juries Injuries by other vehicles	381 154 23 129 68			. i	-	1 2 1 4	11 5	19 12	20 4	15 4	1 13 5	21 5 17 13	17 8	1 8	3			3 1
176 178 179 180 181 185 186	Landslide, other crushing Injuries by animals Excessive cold Effects of heat Lightning Electricity (lightning excepted) Fractures (cause not specified) Other external violence	27 15 28 17 17 17 13 86	3	i	i	2		2 2 3 3 1	- 1 1 2 3	4 2 7 3	2 1 2 2 4 10	1 2 2 4 5 1 2 9	3 2 1 9	- 4 2 6 1 2 1 9	3	3 4 5 5 2 6 7 1	1		1 5
182 183 184	Homicide (total). By firearms By cutting or piercing instruments. By other means. XIV.—III-defined diseases.	74 5 22	3 3 86	1	6	. 1		i 5	10 1 3 7	21 2 4 13	2	16 3 15	20	1 2 37	51	24			1 5
187 188 189	Sudden death	266 108	83 11	1 9 7 2	12	1 1		1 4 3 1	6 4	12	11 4	3 1 11 6 5	17 17 10	30 30 18	20	22	5		5 4 1

<sup>1</sup> Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

Int.					· · · · · · · · · · · · · · · · · · ·				DF	EATHS A	T AGE	0 <b>F</b> -							å,
Detailed In List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	8 years.	4 years.	5 to 9 years.	10 to 19 years	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to .59 years.	60 to 69 years.	70 to 79 years.	89	90 to 99 years.	100 yrs. and over.	
		•	,	·	KE	NTU:	CKY	(TOT	AL).	1	1	1	J	I		<u> </u>	<u> </u>	<u>ı !</u>	
	All causes	39,532	5,816	1,903	1,042	691	482	1,384	3,250	4,823	4,143	3,054	2,940	3,640	3,741	1,804	302	37	480
	I.—General diseases	16,923	1,367	916	574	412	297	851	2, 043	3,043	2,424	1,395	1,122	1,172	779	260	41	3	224
1 4 5 6	Typhoid fever	649 109 12 344	5 7 1 86	7 5 62	7 4 2 22	11 4 	11 1 10	57 3	199 19 40	137 9 2 22	98 8 17	46 8 1 10	28 11 2 11	20 19 1 13	13 5 3 4	1 4 1	i		9 1 2
7 8 9 10	Scarlet fever. Whooping cough Diphtheria and croup. In quenza.	46 891 325 7,149	7 385 59 523	6 221 53 411	105 43 313	63 45 226	30 38 159	12 59 67 478	3 15 14 1,121	5 1 3 1,489	3 1 1,192	453	1 1 220	191	168	77	12	3	7 1 113
13 14 18 19	Cholera nostras. Dysentery. Erysipelas. Other epidemic diseases.	25 323 97 15	5 45 26 2	.57 2 1	1 19 2	8 2	3 13 1	26 3 1	. 1 21 6 5	4 7 2	2 8 5	1 15 3 1	13 6	1 24 18	43 13 1	1 19 4	1 6 1		2 2
20 23 24 26	Purulent infection and septicemia. Rabies Tetanus Pellagra.	60 3	4 5 1	3	22	2	1 1	4 6 5	5 2 5 2	10 2 17	10 3 35	2 1 4 21	8 3 26	7 2 19	4 3 10	1			1 2
28 29 30 31 32 33 34	Tuberculosis (total) Tuberculosis of the lungs Acute miliary tuberculosis Tuberculous meningitis Abdominal tuberculosis Pott's disease White swellings Tuberculosis of other organs.	4,744 4,133 101 188 195 23 18 45	129 65 3 47 6	75 34 33 4 1 1 2	33 13 14 3 1	26 14 8 1 1 1	22 11 1 9	76 44 1 13 5 2	548 466 26 17 21 5 5	1,243 1,156 23 20 22 1 3	890 824 19 9 25 1	579 523 12 5 29 2	420 371 7 5 26	379 323 3 2 39 4 2	212 189 2 1 10 3 1	40 35 1	4 3 1		68 62 2 
35 36 37 38	Disseminated tuberculosis	15 158 9	3 6 51 2	1 2	3 2	1	1	3 2	5 1 3	9 15 5	7 29 1	24 1	5 16	4 3	3	1			i 6
39 40 41	Cancer and other malignant tumors (total) Of the buccal cavity Of the stomach, liver Of the peritoneum, intestines, rec-	1,272 38 442	1 1	2	7			4	7	26 4	82 16	164 1 42	271 9 107	361 12 154	238 7 89	88 7 22	13 1 4		 1
42 43 44 45	tum. Of the female genital organs. Of the breast. Of the skin Of other organs or of organs not speci-	128 239 118 81			1			2	1	3 7 2 1	9 28 14	22 54 18 5	19 62 29 7	41 47 27 12	26 28 16 30	4 7 9 22	2 4		2 4 1
46	fied Other tumors (tumors of the female genital organs excepted).	226 6		2	5	•••••		1	5	9	15 1	22 1	38	68	42 1	17 1	2		••••
47 48 49 50	Acute articular rheumatism Chronic rheumatism and gout. Scurvy Diabetes	82 27 4 178	2 1	······································	1 1	1	1	7	7	8 1 19	3 1	8 3	13 5	14 7 58	13 7 	3	3		
51 52 53 54 55	Exophthalmic goiter Addison's disease Leukemia. Anemia, chlorosis Other general diseases.	20 3 23 67 39	3 11	5	1	1 1		1	1 2 5 2	2 3 3	6 1 2 4	4 2 3 7	3 8 13	3 3 16	i 9 3	1 4			2
56 57 58 59	Alcoholism (acute or chronic) Chronic lead poisoning. Other chronic occupation poisonings. Other chronic poisonings.	38 1 1 5								1 5 1	7 1	1 12	3 10	7 2 1 2	1	1			
	II.—Diseases of the nervous system and of the organs of special sense.		210	87	55	<b>3</b> 6	24	83	104	124	144	224	320	500	571	242	26	4	43
60 61	Encephalitis Meningitis (total) Simple meningitis Cerebrospinal meningitis (undefined) Cerebrospinal fever.	197	14 110 57 36 17	50 27 16 7	2 38 18 9	1 22 7 7 8	19 6 6 7	5 46 19 14 13	53 22 10 21	2 36 16 15 5	1 19 10 5 4	5 10 7 2 1	. 6 1 3	6 5 1	2 1	1			4 1 2
62 63	Locomotor ataxia.  Other diseases of the spinal cord (total).  Acute anterior poliomyelitis.  Other diseases of the spinal cord 1	30 147 53 94	8 5 3	15 14 1	10 10	8 6 2	4 4	14 10 4	5 3 2	3	2 7 1 6	4 5 5	6 14 14	9 23 23	1 7 24 24	2 5 5	1	i .	1
64 65 66 67 68	Cerebral hemorrhage, apoplexy	1,194 48 365 165 77	3	2		1		5	11 4 4	19 1 7 8 5	42 1 8 21 14	111 1 17 30 11	189 5 32 30 14	282 13 94 28 12	351 22 112 30 15	145 4 67 13	16 1 7 1	1 1	16 12 4 1
69 70 71 72 73	Epilepsy. Convulsions (nonpuerperal). Convulsions of infants. Chorea. Neuralgia and neuritis.	135 8 70 2 11	6 54	10	4	1	1	6	15 3	27 1 2	22	19	14	12 1 1 3	6	2			3 1
74	Other diseases of the nervous system  Diseases of the ears	49 38	6 5	4		3		1 5	3 6	7 6	5	2 5 4	6	12 4	1	2			î 1
		1)	Exclusiv	e of a	cute a	aterior	polior	nyelitis	s (infa	atile pa	ralysis)	•							

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

i i		 							DEA	ATHS AT	r AGE C	F	·					Ī	un- 89.
Detailed D List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at un known age.
<u>-                                    </u>		!		KEI	VTU(	CKY	(TOI	'AL)-	Contin	ued.							<u>'</u>		
	III.—Diseases of the circulatory system	3,096	30	8	5	1	3	26	79	101	189	319	430	667	810	349	40	6	33
77 78	Pericarditis Acute endocarditis	38 124	5	1	2		2	6	. 15	14	3 19	3 24	31 342	5 3 549	13 4 620 28	3 1 206	$\begin{bmatrix} 2 \\ \\ 25 \end{bmatrix}$	4	1 26
77 78 79 80 81	Organic diseases of the heart	2,362	15 2	5	3	1	1	18	58 1	14 77 5	147 6 5	265 9	18	39	28 131	125	13	2	1 2
82 83	rism, etc	378 42 6						1	1	2	5	8 7 1	22 7	3	111	1			1
84	rhoids, phlebitis, etc.) Diseases of the lymphatic system (lymphangitis, etc.)		5	2	1						2								1
85	phangitis, etc.). Hemorrhage; other diseases of the circulatory system	21	3	<b></b> -				1	1	1	2	2	5	2	1	3			
	IV.—Diseases of the respiratory sys- tem	5,322	767	337	201	120	83	203	469	771	620	403	311	329	383	216	45	2	62
86 87	Diseases of the nasal fossae Diseases of the larynx Diseases of the thyroid body	_ 30	7 6	7	4	i	1	4	i	1	$\begin{pmatrix} 1\\2\\1 \end{pmatrix}$	3	1 2	1 2	1	-			i
88 89 90	Acute bronchitis	136 183	68 2 357	18 3	7 2 82	5 1 40	23	1 4 48	7 50	1 9 73	11 71	12 42	3 11 34	24 50	11 46 69	42	8 12	1 1	8.
91 92	Bronchopneumonia Pneumonia (total)	3,565	317	131 172 96	103 48	68 40	56	140 95	400 276	667	509 407	309 240	230 170	215 166	209 150	103	17		50 30
93	Lobar pneumonia Pneumonia (undefined) Pleurisy	טס ן_	155	76 1	55 1	28	33 23	45	124	505 162 8	102	69 10	60 8	49 6	59 4	50	6		20
94 95	Pulmonary congestion, pulmonary ap- oplexy Gangrene of the lung	_  0	1			. 1		. 2	2	3 2		3	2		10		.		1
96 97	Asthma Pulmonary emphysema	- 89	3	5	1	2				2 2		. 13 2	1		23		3		
98	Other diseases of the respiratory system (tuberculosis excepted)	· 41	786	430	1 123		30		. 5 123	107	i i	155	171	ł	196	1	11	3	23
99	Diseases of the mouth and annexa	36	12	2	1 4	2		4	-	. 2	3 2	1 5	1 4	5		2			i
100 101 102	Diseases of the pharynx. Diseases of the esophagus. Ulcer of the stomach.	2		1				<u>:</u>		5				. 1					1 1
103	excepted)	297	75	1	10	4	3	8	11	10	15	24	19	37	31	19	6	1	3
104 105 106	Diarrhea and enteritis (under 2 years)  Diarrhea and enteritis (2 years and over  Ankylostomiasis	381	649		97	26	12	26 1		8	15	15	21	40			3	2	9
107 108	Appendicitis and typhlitis	185	27	-1		.) 2		. 15	53	. 29	25 14	18 16	20 20	11	3	3   3			2 2
109	Hernia, intestinal obstruction (total).  Hernia Intestinal obstruction	139	23	<u>ż</u>	.				- 2	6	10	10	10 10	27 25	33 14 19			-	: ·····ż
110 111	Other diseases of the intestines  Acute yellow atrophy of the liver  Cirrhosis of the liver	41	1		-	-		2	<u>-</u>		3	: 1	2	. 1		<u></u>			2
113 114 115	Cirrhosis of the liver	139 52 135				-	1	1	- 1	. 2	3 i 3	10	9		13				- 2
116 117		. 5 85		.					10	20			5			1 3			-
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	7	·	.					·-	. 2	2 1	. 2	:	1	.  :	1			
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1	20	7		3 9	, (	3 18	3 46	77	7 149	249	350	484	61.	4 265	2 39	5	25
119 120	Acute nephritis	155		2 4	2		5 5	2 1	22	51	լ 99	22	7   306	3   439	3 53	4 22	3 30		20
122 123	Other diseases of the kidneys and annex	a 47	5	i 1				-	1			1			- 1			<u>;</u>	
124 125	Diseases of the bladder. Diseases of the urethra, urinary abscess	ريا وا	1		. ]			-				1 4		3 :	3	1			
126 127	Diseases of the prostate	61	·		·•			•	•			. 1		1	2	7 1	5	2	1
128 129	organs Uterine hemorrhage (nonpuerperal) Uterine tumor (noncancerous)	31								:	I.	i :	2	3	3	3		::	. 2
130 131	Other diseases of the uterus	. 17		-		-		::	:-	2   3	3   3	1 4	1 8	3	i   ''''	3	i		i
132	male genital organs.  VII.—The puerperal state	19		·-				-	. 66		- 1		4						. 9
134	Accidents of pregnancy	. 119	9	_	-				1		7 3		6					-	. 2
138 136 13	6   Other accidents of labor	- 8 16	3   6						31	8 4	3 2	9	8						4 2
13: 13:	3   Puerperal abuminuria and convusion 5   Puerpera: phlegmasia aiba dolens, en	s. 9	4    8						1		3 2	<sup>6</sup>	6						
14	fined)	e-	3									2							
14		!	2	!		'		1	!	1	# J	!	1	!	!		;		,

143 Au 144 Au 145 Ot 147 Dir 149 Ot 150 Co 1 151 Co 152 Ot 153 La	VIII.—Diseases of the skin and of the cellular tissue.  angrene. bruncle. cute abscess. IX.—Diseases of the skin and annexa. IX.—Diseases of the bones and of the organs of locomotion biseases of the bones (tuberculosis excepted). iseases of the joints (tuberculosis and rheumatism excepted). ther diseases of the organs of locomotion.  X.—Malformations. ongenital malformations (stillbirths	81 38 8 16 19	5	year.		KY (			years.		30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at un- known age.
143 Au 144 Au 145 Ot 147 Dir 149 Ot 150 Co 1 151 Co 152 Ot 153 La	the cellular tissue  angrene. bruncle. cute abscess. ther diseases of the skin and annexa.  IX.—Diseases of the bones and of the organs of locomotion biseases of the bones (tuberculosis excepted). biseases of the joints (tuberculosis and rheumatism excepted).  ther diseases of the organs of locomotion.  X.—Malformations.	38 8 16	5	KEN	1		TOT	<b>AL</b> )—	-Conti	nued.		· · · · · ·	· · · · · ·			· · · · · · ·	······		
143 Au 144 Au 145 Ot 147 Dir 149 Ot 150 Co 1 151 Co 152 Ot 153 La	the cellular tissue  angrene. bruncle. cute abscess. ther diseases of the skin and annexa.  IX.—Diseases of the bones and of the organs of locomotion biseases of the bones (tuberculosis excepted). biseases of the joints (tuberculosis and rheumatism excepted).  ther diseases of the organs of locomotion.  X.—Malformations.	38 8 16			1														
143 Au 144 Au 145 Ot 147 Dir 149 Ot 150 Co 1 151 Co 152 Ot 153 La	angrene. uruncle. cute abscess. ther diseases of the skin and annexa.  IX.—Diseases of the bones and of the organs of locomotion. diseases of the bones (tuberculosis excepted). iseases of the joints (tuberculosis and rheumatism excepted). ther diseases of the organs of locomotion.  X.—Malformations.	8 16				2	1	3	2	3	3	6	8	9	18	17	1	1	,
144 Ac 145 Ot 146 Dir 147 Dir 149 Ot 1 150 Co 1 1 151 Co 1 152 Ot 1 153 La	cute abscess. ther diseases of the skin and annexa.  IX.—Diseases of the bones and of the organs of locomotion. diseases of the bones (tuberculosis excepted). seems of the joints (tuberculosis and rheumatism excepted). ther diseases of the organs of locomotion.  X.—Malformations.	16				2		1		1		3	1 2	5	13	10	1	<u> </u>	
146 Dig 147 Dig 149 Ot 150 Con 151 Con 152 Ot 153 La	IX.—Diseases of the bones and of the organs of locomotion  diseases of the bones (tuberculosis excepted)  diseases of the joints (tuberculosis and rheumatism excepted)  ther diseases of the organs of locomotion  X.—Malformations		1 4		1		·····i	1 1	2	2	2 1	3	3 2	2 1 1	$\begin{array}{c} 1 \\ 2 \\ 2 \end{array}$	3 4			7
147 District 149 Ot to to to to to to to to to to to to to	iseases of the bones (tuberculosis excepted). iseases of the joints (tuberculosis and rheumatism excepted). ther diseases of the organs of locomotion. X.—Malformations.	32	4		1	1	1	3	6	6	3	3		3	1			,	
147 Dir 149 Ot 150 Co. 151 Co. 152 Ot 153 La	iseases of the joints (tuberculosis and rheumatism excepted)ther diseases of the organs of locomotionX.—Malformations.	30	3		1	1	1	3		6	3								
149 Ot t 150 Co 1 151 Co 1 152 Ot ( 153 La	ther diseases of the organs of locomo- tion	1					1		6	ь	٥,,,,,	3		3	1				
151 Co	•	1	1												-				
151 Co		232	219	5	3			•1	4										
152 Ot (	not included) (total)	232 12	219 11	5	3 1			1	4	•••••					<b>-</b>				
152 Ot (	Congenital malformations of the heart	125	120	3					2										
152 Ot (	XI.—Early infancy	95 1,914	1,914	2	2			1	2										
152 Ot	ongenital debility, icterus, and sclerema (total)	1,709	1,709																
153 La	Premature birth. Congenital debility, "atrophy," "marssmus," etc. "ther causes peculiar to early infancy	1,356	1,356						• • • • • •						<b>-</b>				
153 La	(total)	353 200	353 200																
	Injuries at birth	89	89																
154 Ser	fancy <sup>1</sup> ack of care	111	111 5																
10± 1 DG	XII.—Old age	549 549	<u> </u>									1	3	40 40	158	253	76	11	
ļ	XIII.—External causes.	1	82	51	41	40	29	91	266	317	260	214	158	126	158 133	253 74	76 14	11	2
155	uicide (total)By poison	186 29							9 2	24 3	36 8	38 8	34 7	24	16	1	1 1		
156 157	By asphyxia.  By hanging or strangulation	39							····i	<u>4</u>	 8 3		<sub>11</sub>	1 4	5				
158 159 160	By drowning	81							6	15	10	1 19 1	10 3	13 3	6 3				
161 163	By jumping from high places Other suicides	7									3 4	1 2 2	·····i			1			
164	ecidental or undefined (total)	26	81 8	51 3	41	39	29 1 2	91 1	238 5 2	218 2	154 2	136 1	109 1	94	113	72	12	1	2
165 166 167	Other acute poisonings Conflagration Burns (conflagration excepted)	28 39 201	2 3 8	7 2 23	5 24	1 3 26	$\begin{vmatrix} 2\\2\\11 \end{vmatrix}$	2 7 25	1 1 19	2 1 16	4 2 7	1 5 9	3 1	1 1 6	2	1 2	2		
168	Absorption of deleterious gases (con- flagration excepted)	1	33	20	24	20	11	25	2	7		1	10	6	10	4	2		
169 170 171	Accidental drowning. Traumatism by firearms.	. 114	2 1	4	2 1	1 2	2 5	9 10	28 42	19 24	7 10	12 9	3 7	8	2 1				
172	Traumatism by cutting or piercing instruments.  Traumatism by fall.	. 16	5	4	5		<u>i</u>	8	2 17	1 9	14	2 17	13	1 14	41	41	5		
173	Traumatism in mines and quarries (total)	. 93							16	31	20	18	4	3	]				
174 175	Traumatism in mines Traumatism by machines Traumatism by other crushing							1	16 5	31 7	20 3	18 3	1	3 4	1				
	(total)	- 196		1			4	16 5	62 30	76 54	59 37	29 15	41 22	28 12	18 11	5 2	1 1		
	Street-car accidents and injuries Automobile accidents and injuries		1		· · · · · ·	1	1 2	2		1	1	1	3	2		. 1			
	Injuries by other vehicles Landslide, other crushing	. 42	1			2		5 3 1	25 6 1	18 2 1	12 5 4	10 2 1	10 5 1	10	3 4	1			'
176 177	Injuries by animals Starvation	16	1	-	1		1		î	1		3	1	6	1	1			
178 179 180	Excessive cold Effects of heat Lightning	. 24	4	·		• ••••• •		1 1	1 4	1 3	1 1	1 2	1 2	5	8			1	 -
181 185	Electricity (lightning excepted) Fractures (cause not specified)	. 12 . 46						1	2	5 1	$\begin{array}{c c} 4\\1\\2\end{array}$	2 2	1 2	1 7	16	12	2		
186 H	Other external violence	. 136 . 238	10	1	3			9	28 19	12 75	17 70	15 40	13 15	12 8	5 4		1		
182 183	Homicide (total)	187				î			14	57 11	59 4	27 7	14	7	4				
184	By firearms. By cutting or piercing instruments.	1 2	11						. 2				1 4						
187 III	By firearms	. 26	1 412		32	28	8	25	42	7 45	7 49	6 51	67	65	78	42	9	1	2
188 Su 189 N	By firearms.  By cutting or piercing instruments. By other means.  XIV.—Ill-defined diseases.  Il-defined organic disease.	26 1,042	412	62	3	2	1		42	45	49 5	51 7	67	65 10	78	42	1	1	2
	By firearms.  By cutting or piercing instruments. By other means.  XIV.—Ill-defined diseases.	. 26 . 1,042 . 62 . 57 . 923	412 15 397	62 1 61 21	3 2 27	2 3 23 4	1	2 23	42		49	51	67	65	78	42 7 6 29 8	1	1	·

Int.					T				DE	ATHS A	T AGE	or—			•			-	е В е
Detailed In List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years	90 to 99 years.	100 yrs. and over.	
		·			KEN	TUC	KY (	WHI	TE).	•	<u> </u>	1					1	jo v ci i	<del></del>
	All causes.		<u> </u>	1,645	912	601	429	1,203	2,657	3,905	3,330	2,318	2,307	3,112	3,295	1,620	246	11	324
1	I.—General diseases		1,201	810 5	513	363	271 10	752 44	1,652 164	2,512	2,039	1,149	935	1,043	710	241	30	2	162
1 4 5 6	Typhoid fever Malaria Smallpox Measles	1	5 1 81	60	3 1 19	4 14	1 9,	28	13 39	7 2 22	81 7 16	37 6 1 10	24 9 2 11	13 1 13	3 4	<u>4</u> 1	1		·····2
7 8 9 10	Scarlet fever Whooping cough Diphtheria and croup Influenza	45 751 311 6,388	7 329 55 477	6 190 51 373	94 41 285	44 43 207	5 21 37 148	12 50 65 438	2 12 14 981	5 1 2 1,347	3 1 1,079	381	1 186	168	145	69	10	2	7 1 92
13 14 18 19	Cholera nostras Dysentery Erysipelas Other epidemic diseases	24 290 90 15	5 44 25 2	2 47 2 1	1 19 2	8 2	3 13 1	25 3 1	20 6 5	4 7 2	1 7 3	1 12 2 1	6 5	1 24 17	39 12 1	1 18 4	1 3 1		2 1
20 23 24	Purulent infection and septicemia. Rabies Tetanus	49	3		2	2		4	5 2	9	6	1 1	6	6	4				1
24 26	Peliagra	135	1 107	3 57	2 22	2	1 1 19	5 5	5 2 5 2	2 14 906	30 692	3 21 459	2 25	1 17	3 9 191	3 37	2		2
28 29	Tuberculosis (total) Tuberculosis of the lungs. Acute miliary tuberculosis Tuberculous meningitis Abdominal tuberculosis Pott's disease	3,158 60	47 2 45	- 25	8	18 .9	8 1 9	48 22 1	349 299 13	845 12 17	645 10	418 6	351 308 7	334 281 3 2	171	34 1	1		41 37 2
28 29 30 31 32 33 34	Abdominal tuberculosis Pott's disease	162 149 19	6	27 2 1	10 2 1	6 1 1	<u>9</u> 1	14 4 1	14 10 3	17 17 1 2	8 18 1	22 1	22	36	8	1			i
33 34 35	White swellings. Tuberculosis of other organs. Disseminated tuberculosis.	14 36 35	3 3	2	1	1		3 1 2	3 3 4	2 8 4	3 7	6 2	1 3 5	4 2 2 4	1 4 2	i			i
36 37 38	Rickets Syphilis Gonococcus infection	10	3 31 1	1	2 1	i	1	3 2	1	3 3	12	14	8	1	2	1			i
39	Cancer and other malignant tumors (total) Of the buccal cavity Of the stomach liver	1 21	1	2	7				7	22	65 12	145 1	230 4 90	332 11	228 7 87	83 6			5
39 40 41 42 43 44	of the stomach, liver. Of the peritoneum, intestines, rectum of the female genital organs. Of the breast	122 202			1 1			1 2	1 1	4 3 5	8 21	1 33 22 49 16	18 54 27	143 38 39 23 12	25 25	21 4 6	4		1 2 1
43 44 45	Of other organs or of organs not speci-	13								2 1	10	4	6	•	16 30	9 22	4		1
46	fied. Other tumors (tumors of the female genital organs excepted).	206		2	5			1	5	7	. 1	20 1	31	66 1	38	15 1	2		
47 48	Acute articular rheumatism. Chronic rheumatism and gout. Scurvy.	67 22 3	2			1	1	6	6	8 1	3 1	6 2	9	10 6	12 6	4 3	1.		
48 49 50 51 52 53 54 55	Diaberes Exophthalmic goiter Addison's disease	149 18	ī	1	1 1			3	8 1	17 1	10 6	17 4	23 3	48 2	16 1	4			
53 54	Anemia, chlorosis	23 63	2	•••••• •••••		<u>-</u>	•••••	1	2 5	3 3	$\begin{array}{c}1\\2\\4\end{array}$	2 3 7	8 13	3 15	8	1 4	••••		i
56	Other general diseases.  Alcoholism (acute or chronic)	32	10	5	•••••	1		2	2	1	5	1 11	1 9	7 2	3	1			
57 58 59	Chronic lead poisoning Other chronic occupation poisonings Other chronic poisonings	1 1 5						•••••		·····i	1			1 2	<u>2</u>				•••••
	II.—Diseases of the nervous system and of the organs of special sense	2,337	181	75	51	36	20	77	91	94	112	158	250	421	511	212	24	1	23
60 61	Encephalitis Meningitis (total) Simple meningitis	32 375 176	13 100	3 44 25 13	2 36 18 8	1 22 7 7	15	5 43	49	1 29	1 15	4 8	2 4	4	2	1			3
00	Cerebrospinal meningitis (undefined) . Cerebrospinal fever.	113 86	52 35 13	13 6	18 8 10	7 7 8	4 4 7	43 18 14 11	20 10 19	14 11 4	8 3 4 2	5 2 1	2 2	3	1 <u>1</u>				1 2
62 63	Locomotor ataxia Other diseases of the spinal cord (total). Acute anterior pollomyelitis. Other diseases of the spinal cord 1.	28 124 46 78	7 4 3	13 12 1	8 8	8 6 2	4 4	13 9 . 4	5 3 2	2 2	4	3 2 2	11 11	8 19 19	7 23 23	2 4 4	1		
64 65 66	Cerebral hemorrhage, apoplexy Softening of the brain Paralysis without specified cause	982 46 293	3	2		i		4	9	9 1 5	30 7	79 1 8	144 5 23	235 13 78	317 21 93	127 4 61			8 5
67 68	General paralysis of the insane Other forms of mental alienation	129 61							3	6 3	17 8	22 9	23 23 13	24 11	27 13	9		1	1
69 70 71	Epilepsy Convulsions (nonpuerperal) Convulsions of infants	116 7 53	6 39	<u>2</u> 8	1 4	i	i	5 1	12 2	23 1	21	14	11	10 1	6 1				3 1
72 73 74	Chorea.  Neuralgia and neuritis.  Other diseases of the nervous system	2 11 42	6					i	2	2	2 5	2 3	1 1 6	1 3 10	1				· · · · · · · · · · · · · · · · · · ·
76	Diseases of the ears	1 1	5 Exclu	3	a and a	3		5	6	6		3		4					1
	156247—20——21		- water	STAG OI	acute	CHINGLI(	w bom	virt A 611	no (IIII)	опи <b>19</b> ј	araiysi	s).							

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

Int.									DI	EATHS A	T AGE	of—							age.
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	8 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	80 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	and	eaths a
-		<b></b>	:	KEN'	TUC:	KY (	WHI	TE)—	Contir	ued.									
	III.—Diseases of the circulatory system.	2, 402	27	7	3	1	2	22	65	73	116	204	293	535	703	304	28	2	17
77 78 79 80 81	Pericarditis	25 86 1,794 99	5 14 1	5	2	1	2	5 15	1 12 49 1	10 54 4	1 12 88 3	3 13 172 6	4 23 224 16	3 1 433 36	9 3 533 28	1 173 4	17	2	13
82 83 84	rism, etc. Embolism and thrombosis Diseases of the veins (varices, hemor- rhoids, phlebitis, etc.) Diseases of the lymphatic system (lym-	331 37 3						1	1	2 2	4 4	3 5	16 5 1	57 3	116 11 2	119 4			2 1 
85	phangitis, etc.).  Hemorrhage; other diseases of the circulatory system.  IV.—Diseases of the respiratory system.	8 19 4,218	4 3 611	263	165	94	72	1 166	382	1 587	2 2 479	2 284	231	282	1 335	3	35	••••	42
. 86 87 88 89 90	Diseases of the nasal fossae Diseases of the larynx Diseases of the thyroid body Acute bronchitis Chronic bronchitis	8 26 10 95 136	7 6 50 2	5 8 2	4 6 2	1	1 2	4 1	i 	1 1 1 2	1 1 1	3 1 4	1 2 2 2 6	1 2 3 22	9 42	7 38	27		
91 92 93	Bronchopneumonia Pneumonia (total) Lobar pneumonia Pneumonis (undefined) Pleurisy	910 2,841	284 256 127 129 2	102 142 80 62	65 85 41 44 1	29 55 30 25 2	18 51 29 22	112 80 32 2	38 333 227 106	59 510 392 118	394 308 308 86	34 222 167 55 6	23 177 131 46 5	181 139 42 6	188 133 55 4	41 89 45 44 3	11 11 7		6 35 22 13
94 95 96 97	Pulmonary congestion, pulmonary apo- plexy	43 5 60 6	1	4	1 1	1 2		1 1	2	3 1 2	3	3 1 5 2	2 1 8	7 1 8	9 20 3	7 5	3		
98	Other diseases of the respiratory system (tuberculosis excepted)	32 2,344	2 673	386	1 110	36	30	67	4 109	1 80	3 96	3 114	4 145	7 215	6 172	83	10	1	1 17
99 100 101 102 103	Diseases of the mouth and annexa Diseases of the pharynx. Diseases of the esophagus. Ulcer of the stomach. Other diseases of the stomach (cancer ex-	49	12 2	2 2 1	1 4	1 4	1 4 	3 7	5	1 1 1	2 1 8	1 2 11	1 4 10	4 6 1 9	5				
104 105 106 107	cepted).  Diarrhee and enteritis (under 2 years).  Diarrhee and enteritis (2 years and over).  Ankylostomiasis.  Intestinal parasites.  Appendicitis and typhlitis.	1 2	66 548 1 2	18 351 	9 85 2	22	3  12 3	22 1 3	22	7	9	15	16	30 35	39	34	6 3	1 	9
108 109 110	Hernia, intestinal obstruction (total) Hernia Intestinal Obstruction Other diseases of the intestines	177 57 120 35	25 4 21 5	2 2	2	2 4 4	1 4 4	14 6 6 2	50 8 1 7 2	23 3 3 3	20 11 2 9 2	15 10 5 3	17 16 9 7 4	10 46 21 25 3	6 31 13 18 7	1 8 2 6 4			2 1 1
111 113 114 115 116	Acute yellow atrophy of the liver	118 49 115	1 2 5	1 4	4		1		1	2 2 9 2	3 5 3 11	1 14 9 9	1 36 9 15	1 32 13 22	18 13 21	5 10 1	i	1 1	i
117 118	Simple peritonitis (nonpuerperal) Other diseases of the digestive system (cancer and tuberculosis excepted) VI.—Nonvenereal diseases of the genito-urinary system and	70 5	4	2	3				9	15	10	2	4	1,	3				
119 120	annexaAcute nephritisBright's disease	1,882 110 1,566	14 6	5 2 2	3 1	9 5 4	5 1 4	14 6 7	16 20	57 6 39	102 10 72	160 8 127	253 14 226	403 9 357	530 17 467	238 7 201	33		14
122 123 124 125	Other diseases of the kidneys and annexa.  Calculi of the urinary passages.  Diseases of the bladder  Diseases of the urethra, urinary abscess.	41 4 39	3 5	1					1		3 1	1 1 5	2 1	8 1 8	8	9			
126 128 129 130 131 132	etc. Diseases of the prostate. Uterine hemorrhage (nonpuerperal). Uterine tumor (noncancerous). Other diseases of the uterus Cysts and other tumors of the ovary. Salpingitis and other diseases of the fe-	53 4 15							1	1 2 3	1 1 2 5 1	1 2 5 4 4	3 2 3 2 3	3 14 2	23	13	1		1 1 1
102	male genital organs.  VII.—The puerperal state.	1				1	1	1	 55	6 206	6 140	1 29							8
134 135 136 137 138 139	Accidents of pregnancy. Puerperal hemorrhage. Other accidents of labor. Puerperal septicemia. Puerperal albuminuria and convulsions. Puerperal phlegmasia alba dolens, em-	23 75 145 80							9 8 24 14	62 6 40 58 36	28 12 19 52 24	i							2 1 4 1
140 141	bolus, sudden death Following childbirth (not otherwise defined)	5								2 1 1	3 2								

i it									DI	EATHS A	T AGE	of—	<u> </u>						
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	89	90 to 99 years.	100 yrs. and over:	Deaths at un- known age.
			. :	KEN	TUC	KY (	war	TE)—	Conti	nued.	·								
	VIII.—Diseases of the skin and of the cellular tissue	66	5		1	2	1	3	2	3	1	5	7	9	11	14		1	1
142 143	Gangrene. Furuncie	30 7				2		1		1		2 3	1 1 3	. 5 . 2 1	9 1 1	8		1	
144 145	Acute abscess. Other diseases of the skin and annexa IX.—Diseases of the bones and of the	· 13	1 4		1		1	1	2	2	1		2	. 1		2 4			
146	organs of locomotion  Diseases of the bones (tuberculosis ex-	31	4				1		6	6	3	3		2	1				
147 149	cepted) Diseases of the joints (tuberculosis and rheumatism excepted). Other diseases of the organs of locomo-	29 1	3		1		1		6	6		3		2	1				
145	X.—Malformations.	1 218	1 206	5	2	•••••		1	4										
150	Congenital malformations (stillbirths not included) (total).  Hydrocephalus	218 10	20,6	. 5	2 1	:		1	4										
	Congenital malformations of the heart. Other congenital malformations	118 90	113 84	3 2	••••			1	2 2										
151	XI.—Early infancy	1,705	1,705								·			<del></del>					
	rema (total)	1,530 1,222	1,530 1,222		•••••						•••••		1		1				
152	Congenital debility, "atrophy," "marasmus," etc. Other causes peculiar to early infancy (total).	308 171	308 171		•••••						•••••			1	1				
153	Injuries at birth. Other causes peculiar to early infancy <sup>1</sup> . Lack of care	79 92 4	79 92 4																
	XII.—Old age.	477										1	3	34 34	133	231	68 68	4	3
154	Senility		65	43	30	33	21	76	216	246	204	174	134	109	119	69	11		16
155 156	Suicide (total) By poison By asphyxia	172 27 1							8 2 1	23 3	32 7	33 7 5	33 7 	23 1	16 5	1	1		2
155 156 157 158 159 160	By hanging or strangulation. By drowning. By firearms. By cutting or piercing instruments	37 12 75 11							5	4 2 14	293	1 16	10 2	3 13 2	6				2
161 163	By cutting or piercing instruments. By jumping from high places. Other suicides.	6 3		43	30	32	21	76	201	186	4 125	1 1 2 112	1 94	80	99	1 67	10		13
164 165 166	Accidental or undefined (total)  Poisoning by food. Other acute poisonings Confluention	1,253 23 25 13	64 7 2	45 3 6		2	1 2 1 8	1 1 2 1	4 2 1	2 2	2 4	1 4	1 2	i		1			
167 168	Conflagration.  Burns (conflagration excepted).  Absorption of deleterious gases (conflagration excepted)	170 33	8 24	19	21 	2 23		22	16 2	12 6	6	7	9	4	1 8	4	2		1
169 170 171	Traumatism by firearms  Traumatism by cutting or piercing	78 86	2	4 1	1	1	2 2	8 8	22 33	16 17 1	4 9	11 5 2	3 7	3	1				1.
172 173	instruments. Traumatism by fall. Traumatism in mines and quarries (total)	183 83	5	3	3		1	7	1 15 15	9	11 20	16 16	12 3	1Î   1	40	41	5		1
174 175	(total). Traumatism in mines Traumatism by machines. Traumatism by other crushing(total)	305	4	1		4	3	1 16	15   2 54	27 27 7 67 48	20 3 46 30	16 2 26 14 1	3 1 35	1 4 26	1 16	3	1 1		<u>;</u>
,	Railroad accidents and injuries. Street-car accidents and injuries. Automobile accidents and in-	172 11	2	1		1	1	5 2	26	1	30 1 11	14 1 8	. 3	12 1 3	9 3	1	1		, <u>2</u>
150	juries. Injuries by other vehicles. Landslide, other crushing.	78 39 5 14	1	•••••		2	2 1	5 3 1	21 6 1	. 2 . 1 1	4	2 1 2	9 3 1 1	10	4 1	i i			ī
176 177 178 179	Injuries by animals. Starvation Excessive cold. Effects of heat.	2 13 19	1		1			i	i	i	i	2 1	1 4	1 4	3 6	1 2			
180 181 185	Lightning. Electricity (lightning excepted) F tures (cause not specified) Other external violence.	14						i	3 2 • 1	2 5	1 2 12	1 1	2 11	6	1 16	12	2		···i
186 182	Homicide (total)	141 109	6	6	2	1 1		8	26 7 5	11 37 26	47 39	13 29 20	7 7	11 6 5	5 4 4	1 1 1			1 1 1
183 184	By cutting or piercing instruments. By other means. XIV.—Ill-defined diseases.	15 17	1 365	51	31	26	6	22	1 1 35	7 4 41	2 6 38	5 4 37	56	1 59	70	38	7		21
187 188 <b>1</b> 89	Til-defined organic disease	52	13 352	1	3 2	2 3	1		1 1		2 1 35	6 2 29 8	10 7 39	9 6	9 10 51	7 5 26			1 20
189	Sudden death Not specified or ill-defined (total) Ill-defined. Not specified or unknown.	799 200 599	352 63 289	50 17 33	26 5 21	21 3 18	5 1 4	20 3 17	33 5 28	41 5 36	35 11 24	29 8 21	39 17 22	28 16	10 51 21 30	26 7 19	- 1		20 3 17

<sup>&</sup>lt;sup>1</sup> Exclusive of injuries at birth.

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

Int.									DE	ATHS A	T AGE (	or—							t un-
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths a
				K	ENT	UCK	Y (C	OLO:	RED)	).									
-	All causes	6,560	759	258	130	90	53	181	593	918	813	736	633	528	446	184	56	26	156
	I.—General diseases	2,538	166	106	61	49	26	99	391	531	385	246	187	129	69	19	11	1	62
1 4	Typhoid fever	1 27	1 2	2	1		1	13	35 6	23 2	17 1	9 2	4 2	2 6	2				3 1
5 6 7	Smallpox Measles Scarlet fever	1 15	5	2	1 3 		1	2	 1 1		i								
8	Whooping cough	140 14	56 4	31 2	11 2	19 2	9	9 2	3	<sub>i</sub> .			1		1				
10 13	Influenza	. 761	46	<b>3</b> 8	28	19	11	40	140	142	113	72	34	23	23	8	2	1	21
14	Dysentery	. 33	1	10				. 1	1		1	3	7		4	1	3		1
18 20 24	Erysipelas. Purulent infection and septicemia. Tetanus.	6	1 1 1					1		1 3	2 4 1 5	1 1 1	1 2 1	1 1 1 2	1	i			
26	PellagraTuberculosis (total)	1,111	22	18	11	8	3		199	337	198	120	69	45	21	3	2		27
28 29 30	Tuberculosis (total). Tuberculosis of the lungs	975	18	9	5	5	3		167 13	311 11	179	105	63	42	18		2		25
31	Abdominal tuberculosis	26 46 4	2	6 2	1	2		1 1	3 11 2	3 5	1 7	7 1	4	3	2	2			i
32 33 34 35	Pott's disease. White swellings. Tuberculosis of other organs. Disseminated tuberculosis.	9	i	i	i	i			2	1 1 5	2		2						i
36 37 38	Rickets Syphilis Gonococcus infection	. 5 80	3 20 1	1	1 1			-	3	12 2	17	10	8	2	i				5
	Cancer and other malignant tumors									4	17	19	41	29	10	5	2		. 3
39 40 41	Of the buccal cavity Of the stomach, liver. Of the peritoneum, intestines, rec-	7									4	9	5 17	11	2	. 1			
42 43	of the female genital organs	.1 6						-		2	1 7	5	8	3 8	3				3
44	Of the skin	. 2		-							. 4	2	1	4			2		
45	Of other organs or of organs not specified	_ 20				.	.			. 2	1	2	7	2	4	2			
47 48	Acute articular rheumatism  Chronic rheumatism and gout	. 15 - 5							1			2	4 2	4	1		. 2		
48 49 50	Scurvy	. 29						-	<sub>i</sub>	2		3	7	10	·i	· · · · · i	1::::		
51 54	Exophthalmic goiter	. 4	ii	-						1					····i				i
55 56	Other general diseases	1	1		1			. 1		1	2	1	2		. 1				
	II.—Diseases of the nervous system and of the organs of special sense.		29	12	4	<u> </u>	. 4	. 6	13	30	32	66	70	79	60	30	2	3	20
60	Encephalitis	. 4	1	1				-		. 1		. 1					-	-	-
61	Meningitis (total)	. 21		2	2		. 2	1		7 2	2	2 2		2 2					1
20	Cerebrospinal meningitis(undefined Cerebrospinal fever	14	1 4	3	1 1		2	2	2	1 4	2		. 1				-	-	i
62 63	Other diseases of the spinal cord (total).  Acute anterior poliom velitis	23	1								. 1		3	1 4			-	1	
64	Other diseases of the spinal cord 1 Cerebral hemorrhage, apoplexy	. 212	1					1	2	10	12	32	3 45	47	34	18	1	F	8
65 66	Softening of the brain	72	1			-	-			2	1	9		16		6		: ···i	7 3
67 68	General paralysis of the insane Other forms of mental alienation	. 16			:	-			. 1	. 2	6	2	1	1	8		1	-	3
69 70	EpilepsyConvulsions (nonpuerperal)	. 19						. 1		4	1	5	3	2			-		-
71 74	Convulsions of infants	. 17	15	2								. 2			-	:  j			
76	-	1	<b>  </b>	.] 1						.	.	.] 1		.]	_]			.	.

<sup>&</sup>lt;sup>1</sup> Exclusive of acute anterior poliomyelitis (infantile paralysis).

Int.					•				D	EATHS A	AT AGE	of—	<del></del>			*************			ф.,
Detailed in List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years	4 years	5 to 9 years	10 to 19 years	20 to 29 years.	39	49	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	yrs.	
			. 1	KEN'	ruci	KY (	COL	OREI	)—Co	ntinue	ī.			<u> </u>	-			,	<u></u> -
	III.—Diseases of the circulatory system	694	3	1	2		1	4	14	28	73	115	137	132	107	45	12	4	16
77 78 79 80 81	Pericarditis Acute endocarditis Organic diseases of the heart Angina pectoris Diseases of the arteries, atheroma,	13 38 568 16	1 1	1	2		1	1 3	3 9	23 1	. 2 7 59 3	11 93 ,3	8. 118 2	2 2 116 3	4 1 87	2 1 33 2	2 8	2	13
82 83 84	aneurism, etc. Embolism and thrombosis. Diseases of the veins (varices, hemor- rhoids, phlebitis, etc.). Diseases of the lymphatic system (lym-	47 5 3							1		1	5 2 . 1	6 2	9	15	1	2	2	, 1
85	Dianguis, etc.)  Hemorrhage; other diseases of the circulatory system  IV.—Diseases of the respiratory	2	1						1				1						1
87	system Diseases of the larynx	1,104	156	74 2	36	26	11	37	87	184	141	119	80	47	48	26	10	2	20
88 89 90 91 92	Diseases of the thyroid body. Acute bronchitis. Chronic bronchitis. Bronchopneumonia. Pneumonia (total).	1 41 47 228 724	18 73 61	10 1 29 30	1 17 18	1 1 11	1 5 5	1 2 5 28 15	6 12 67	7 14 157	4 5 12 115	1 8 8 8	1 5 11 53	1 2 6 34	1 2 4 15 21	4 6 14	1 1 6	1 1	2 15
93 94	Lober pneumonia.  Lober pneumonia (undefined)  Pleurisy Pulmonary congestion, pulmonary apoplexy Gangrene of the lung.	524 200 14 3	35 26 1	16 14 1	11 	10 3	1 	13	49 18 1	113 44 3	99 16 1	73 14 4	39 14 3	27 7	17 4 1	8	4 2 ,		, 7. <b>1</b>
95 96 97 98	Asthma. Pulmonary emphysema. Other diseases of the respiratory system (tuberculosis excepted)	29 3 9	1	1					1	1 1 1	1 2	8	6 1	3 1	3 1	2	2		1 
99	V.—Diseases of the digestive system.  Diseases of the mouth and annexa	411	113	44	13	6 1		13		27 1	45 1	41	26	30	24	6	1	2	6
100 102 103	Diseases of the pharynnx. Ulcer of the stomach Other diseases of the stomach (cancer excepted)	15 68	9	3	1	1		4	4	1 3	1 6 6	3 1 9	2 7	1 7	2 9	1 3		1	1
104 105 108 109	Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Appendicitis and typhitis. Hernia, intestinal obstruction (total). Hernia intestinal obstruction.	142 54 24 31 12 19	101 2	41	12	4		4 1 1	2 3 3 1 2	1 6 3	6 5 3 2 1	4 3 6 1 5	5 3 4 1 3	5 1 6 6	8 2 2 1 1	2		1	1 1
110 111 113 114 115	Other diseases of the intestines  Acute yellow atrophy of the liver Cirrhosis of the liver Biliary calculi Other diseases of the liver	6 1 21 3 20						1	1	6	2 6 5	2 6 1 3	1 3	1 3 2 3	1		1		····· 2
117 118	Simple peritonitis (nonpuerperal) Other diseases of the digestive system (cancer and tuberculosis excepted) VI.—Nonvenereal diseases of the genito-urinary system and	15 2	1					1	1	5 1	3 1	3	1						
119	annexa	484	6	2	1		1	4	6	20	47	89	97	81	84	24	6	5	11
120 122 123	Bright's disease Other diseases of the kidneys and annexa Calculi of the urinary passages Diseases of the bladder	377 6 1	5	2			1	4		12	27 1 1	60	11 80 1	76 1	67 3	22	5	5	1 9 
124 125 126 127	Diseases of the nature.  Diseases of the prostate.  Nonvenereal diseases of the male genital	8 9 8									3	4	3 1 1	1	3 1 4	2	1		 
129 130 131 132	organs. Uterine tumor (noncancerous). Other diseases of the uterus. Cysts and other tumors of the ovary Salpingitis and other diseases of the female genital organs.								1	1 1 2	5 2	1 7 1		1	i i				····i
	VII.—The puerperal state	61							11	23	21	5							1
134 135 136 137 138 139	Accidents of pregnancy Puerperal hemorrhage Other accidents of labor Puerperal septicemia Puerperal albuminuria and convulsions Puerperal phlegmasia alba dolens, embolus, sudden death.	1 8 21 14							6 3	5 -3 6 7	5 7 2	····· <sub>2</sub> ·							i
141	Puerperal diseases of the breast	ΪIJ								î	اآ								••••

Int.				<del></del>					DE	ATHS A	T AGE (	)F—							t un-
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at known a
<u>'</u>			F	ŒNT	UCE	CY (C	COLO	RED	)—Cor	itinued.					•	<i>,</i>	·		
	VIII.—Diseases of the skin and of the cellular tissue	15									2	1	1		7	3	1		<u> </u>
142 143 144 145	Gangrene. Furuncle. Acute abscess Other diseases of the skin and annexa	8 1 3 3									1	1			1. 1. 2.	2 1	1		
	IX.—Diseases of the bones and of the organs of locomotion	1									·			1					
146	Diseases of the bones (tuberculosis excepted)	1 14	13		1									1					
150	Congenital malformations (stillbirths not included) (total).  Hydrocephalus.  Congenital malformations of the	14 2	13 2		1												·		
	heartOther congenital malformations  XI.—Early infancy	7 5 209	7 4 209		1														
151	Congenital debility, icterus, and scle- rema (total)	179 134	179 134														1	Į	
152	Premature birth Congenital debility, "atrophy," "marasmus," etc. Other causes peculiar to early infancy (total). Injuries at birth. Other causes peculiar to early in-	45 29 10	45 29 10							}					1	1			
153	fancy 1 Lack of care XII.—Old age	19 1 72	19 1											6	25	22	8	7	
154	Senility XIII.—External causes	72 358	17	8	11	7	8	1	50	71	56	40	24	6 17	25 14	22 5	8 3	7 1	11
155 157 158 159 160 161	Suicide (total)  By poison  By hanging or strangulation  By drowning,  By firearms  By cutting or piercing instruments.  By jumping from high places.	14 2 2 1 6 2							1	1	4 1 1 1 1	3 1	1 i	1					. 1
164 165 166	Accidental or undefined (total)	247 3 3 26	17 1	8	11	7	8	15	37	32	29 2	24 1 1	15 1 1	14	14	5	2	1	8
167 168 169 170	Conflagration  Burns (conflagration excepted)  Absorption of deleterious gases (conflagration excepted)  Accidental drowning  Traumatism by firearms	31 10 18 28	9			3	3	3	3 6 9	1 3 7	3 1	2 1 4	1	2	2				,
171 172 173	Traumatism by cutting or piercing instruments.  Traumatism by fall.  Traumatism in mines and quarries	1 17							1		3	1	1	1	i				
174 175	(total) Traumatism in mines Traumatism by machines Traumatism by other crushing (total) Railroad accidents and injuries Street-car accidents and injuries	10 10 4 47 24 2					1		3 8 4	9 6	13 7	2 2 1 3 1	6 3	2	2 2				
176 178 179	Automobile accidents and injuries  Dijuries by other vehicles.  Landslide, other crushing  Injuries by animals.  Excessive cold.  Effects of heat	3 4 2 10								3	1 1 4	1 2	1 2	1 1		i			
180 181 185 186	Lightning Electricity (lightning excepted) Fractures (cause not specified) Other external violence Homicide (total)	4 2 3 23						. 1		1 1 1 38	5 23	1 1 1 2 11	1 2 8	1 1			1	í	
182 183 184	By firearms By cutting or piercing instruments By other means. XIV.—Ill-defined diseases.	. 78 10 9			1	2		3	9 2 1	31 4 3 4	20 2 1 11	7 2 2 2	7 1 11	2			i		
187 188 189	Ill-defined organic disease Sudden death. Not specified or ill-defined (total) Ill-defined. Not specified or unknown.	5 124 26	45 2	4			2 1 1	3		4	3 8 2 6	1 1 12 4 8	4 1 6 2 4	5	7 2	. 1	2		-

 $<sup>^{\</sup>mbox{\tiny 1}}$  Exclusive of injuries at birth.

Ett.		1							ות	CATES A	ም ልፍፑ	OF-					•		nn-
Detailed Ir List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to	50 to 59	60 to 69	70 to 79	80 to 89	90 to	100 yrs.	eaths at un known age.
<u> </u>			<u> </u>			.a.	<i>(</i> -		٠.	years.	years.	years.	years.	years.	years.	years.	years.	over.	Ā
	,		1	<u>.</u>	LOUI	SIAI	NA (I	COTA	.lu)•		г					1	,	-	<del></del>
	All causes	32,201	4,415	1,320	701	455	298		2,745	4,931	4,145	3, 235	2,588	2,590	2,123	1,100	290	90	154
1	I.—General diseases	709	983	489 14	316 8	228	148 7	530 63	1,590 228	2,912	2,194	1, 422 55	931	727	427 5	150	30	6	- 64 - 3
4 5 6 7	Typhoid fever	526 18 350 5	72 2 73 1	39 55 1	31 25 1	18 15	7 15 1 10	53 31 1	228 87 1 47	168 63 2 29 1	88 38 3 21	55 23 3 17	28 22 3 11	16 25 2 7	23 1 4	10 2	4		· 3
·8 9 10 13 11	Whooping cough Diphtheria and croup Influenza. Cholera nostras. Dysentery	356 97 5,312 9 306	183 23 324 3 53	70 9 207	32 20 156 1 13	28 9 115	17 9 66	17 19 242	6 3 7 <u>44</u> 3 17	1,397 16	3 1,059 19	2 443 18	196 1 26	149 1 30	1 121 34	54 15	9	3	2 27 1
17 18 19 20	Leprosy. Erysipelas Other epidemic diseases. Purulent infection and septicemia.	11 37 21 89	9 2 4	3 2 4		2		· 2 1 5	1 1 7 10	1 16	5 3 2 16	4 2 11	1 5 1 6	1 4 2 5	3 5 1 6	1 2	1		<u>-</u>
22 23 24 26	Anthrax Rabies Tetanus. Pellagra	6 5 107 263	70	.1	1 1	 2	i i	1 8 7	3 10 26	1 3 58	2 46	3 1 41	6 24	1 1 5 25	13	  7	4		 4
28 29 30 31 32 33 34	Tuberculosis (total). Tuberculosis of the lungs. Acute miliary tuberculosis Tuberculous meningitis. Abdominal tuberculosis.	3, 294 2, 941 137 37 83	45 14 1 6 3	31 15 1 7	21 · 7 2 4	18 10 3	12 8	43 29 5 3 2	343 301 18 7 6	1,022 937 47 6 17	687 634 32 2 14	- 528 490 16 2 14	300 276 7	159 146 5 1 7	56 49 2 1 2	12 11	1	1	15 13
35	Pott's disease		1 20 9	2 2 4	2 6	1 1 2	1 1 1 1	1 2 1	3 4 4	2 4 4 5	2 3	3 3	1 1 4 1		1 1	1			···i
36 37 38	Syphilis Gonococcus infection	364 23	69 2	6 6	1 2	2 6		1 2	21	60 9	69 3	60 5	45 2	16 2	6	i			i
39 40 41	Cancer and other malignant tumors (total) Of the buccal cavity Of the stomach, liver Of the peritoneum, intestines, rec-	874 48 246	1		1		2	5 1	5 1	35 1 8	88 4 16	169 7 40	196 12 55	213 12 79	115 9 36	36 1 9	3 1	1	<sub>1</sub>
42 43 44 45	tum. Of the female genital organs. Of the breast. Of the skin.	68 225 69 36					1			15 3	6 40 4	11 63 22 3	14 51 16 6	20 33 9 10	8 18 9 10	3 4 5 7	1 		i
46	Of other organs or of organs not specified. Other tumors (tumors of the female genital organs excepted).	182 9	1		1	 	1	4	4	4	18 2	23 2	42 1	50 1	25 1	7	1	1	·····
47 48 49 50	A cute articular rheumatism Chronic rheumatism and gout. Scurvy. Diabetes	73 14 2 111	2					5 1	8 8	10 1 8 3	9	5 2 8	7 2 30	13 5	12 2 16	3 1 4	1		
51 53 54 55	Exophthalmic goiter Leukemia. Anemia, chlorosis. Other general diseases.	11 19 38 33	1 5 10	1 5	2	i	i	1 1 6	1 2 5 2	4 3 1	3 3 4	2 4 5 1	3 8 1	2 1 5	1				
56 57 59	Alcoholism (acute or chronic).  Chronic lead poisoning.  Other chronic poisonings.  II.—Diseases of the nervous system	30 5 1								1	10 1	6 1 1	4 2	7	1	1			
	and of the organs of special sense	1,602	95	31	10	18	16	49	81	75	105	200	253	273	256	116	16	2	5
60 61	Encephalitis. Meningitis (total). Simple meningitis. Cerebrospinal meningitis (undefined) Cerebrospinal fever.	28 158 54 45 59	5 27 13 7 7	1 11 2 2 5	1 6 3	4 9 2 1 6	5 3 1	2 24 8 8 8	33 10 13 10	18 3 6 9	1 6 2	5 10 3 2 5	1 4 2 2	3 2 1 1	1 3 2 1				
62 63	Locomotor ataxia.  Other diseases of the spinal cord (total).  Acute anterior poliomyelitis.  Other diseases of the spinal cord 1	27 66 13 53	4 3 1	3 2 1	i i	1 1	4 2 2	5 3 2	4 1 3	ĭ 1 1	4 5 2 2	10 10	6 11 11	7 10 10	2 8 8	1 2 2			
64 65 66 67 68	Cerebral hemorrhage, apoplexy	800 22 169 74 49	3	2 1	1		2	3	3	17 4 5 8	41 2 8 11 11	99 1 19 26 13	170 7. 22 12 4	181 • 4 42 12 5	173 5 43 7 6	84 2 19 1 2	13	1	2 1
69 70 71 72 73 74	Epilepsy Convulsions (nonpuerperal) Convulsions of infants Chorea Neuralgia and neuritis Other diseases of the neurons are the	71 10 57 4 7	3 41 1	1 8 1	i	3	4	5 5	19 4 1	15	10	7	3	1 3 2	4 1	1			2
74 75 76	Other diseases of the nervous system  Diseases of the eyes and their annexe  Diseases of the ears	. 43 2 15	1 2 Exclusi	1 2 ve of a	cute an	terior	polion	1 1 yelitis	6 <u>5</u> (infan	4 2 tile par	9 alysis).	5 	10	1	2	3			·····

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

o.									DI	CATHS A	T AGE	or—							at un-
Detailed In List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	yrs. and over.	Deaths at known ag
		· · · · · · · · · · · · · · · · · · ·		LOU	ISIA	NA (	тот	AL)-	-Conti	nued.									
	III.—Diseases of the circulatory system	2,678	19	3	7			15	58	127	227	376	448	547	526	240	60	15	10
77 78 79 80	Pericarditis Acute endocarditis Organic diseases of the heart Angina pectoris	2,121	5 12	2	5 1			3 11	1 10 44	1 17 102	2 14 192 5	5 33 299 11	9 40 341 22	2 6 457 19	2 2 417 13	1 2 176 7	44	10	9
81 82 83	Diseases of the arteries, atheroma, aneurism, etc. Embolism and thrombosis Diseases of the veins (varices, hemornhoids, phlebitis, etc.).	271 32 8		1					1 2	1 4	9 4	21 2 3	27 8	51 8 4	86 3	54	15	5	1
84 85	Diseases of the lymphatic system (lymphangitis, etc.)  Hemorrhage; other diseases of the circulatory system	5 8	1		1			1		1	1	2	1		1		1		
	IV.—Diseases of the respiratory system		660	242	154	85	52	189	434	902	706	411	231	203	145	76	16	3	14
86 87 88 89 90 91	Diseases of the nasal fossae Diseases of the larvux Diseases of the thyroid body Acute bronchitis Chronic bronchitis Bronchopneumonia	11 4 135 83	10 2 76 8 222	5 1  14 1 74	2 9 1 41	5 25	2 1 13	1 4 2 4 33	1 39	1 2 4 69	1 2 6 43	1 2 3 9 27	1 4 8 19	1 3 4 27	5 21 18	7 13 ·12	2 2 3	1	
92 93	Pneumonia (total). Lobar pneumonia Pneumonia (undefined). Pleurisy.	3, 443	330 108 222 6	144 48 96 1	101 44 57	53 24 29 2	32 12 20 2	143 49 94 1	385 167 218 2	794 444 350 10	636 368 268 8	348 198 150 6	180 107 73 4	146 86 60 8	88 38 50 1	41 18 23	8 6 2	1	13 8 5
94 95 96 97	Pulmonary congestion, pulmonary ap- oplexy. Gangrene of the lung Asthma Pulmonary emphysema.	22 4 43 3	3	2			1	1	2	3 3 1	1 3 4	1 10	1 8	4 6	1 	3	1	1	i
98	Other diseases of the respiratory system (tuberculosis excepted)		1,002	402	138	63	1 35	103	3 112	13 156	2 177	4 182	6 176	4 154	3 133	49	5	1	9
99 100 102 103	Diseases of the mouth and annexa. Diseases of the pharynx. Ulcer of the stomach Other diseases of the stomach (cancer excepted).	22 38 39 269	17 6 1 52	1 1 	2 2 11	18	34	17	1 1 1 8	8 5 13	1 13 16	1 7 29	2 3 22	2 7 28	32	2 2 12	3		1
104 105 106 107 108	Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over). Ankylostomiasis Intestinal parasites	404 3 43	893 2	371	107 9 1	36 5 1	19 4 2	39	17 1	20 2	26 20	23	19	37	41 1	14	2		4 
109	Appendicitis and typhlitis Hernia, intestinal obstruction (total). Hernia. Intestinal obstruction Other diseases of the intestines	136 45	26 26 1	2 2 1	3 3 1	5	2 2	19 5 1 4 1	57 10 2 8 4	53 17 5 12 4	30 19 3 16 12	19 22 8 14 8	17 25 10 15 5	7 20 4 16 3	18 10 8 4	2 8 4 4 1		1	i
111 112 113 114 115	Acute yellow atrophy of the liver	181 40	1	2	2	2 4		15	1 3	1 9 3 8	23 7 17	36 9 24	1 49 10 16	30 4 13	23 5 6	7 1			
116 117 118	Diseases of the spleen Simple peritonitis (nonpuerperal) Other diseases of the digestive system (cancer and tuberculosis excepted)	1 43 4	1 2			i 	i	3	5	12 1	6	3	5 2	2 1	2			 	i
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	2,079	16	18	11	7	7	23	57	142	221	303	365	430	305	146	19	3	6
119 120 122 123	Acute nephritis Bright's disease Other diseases of the kidneys and annexa. Calculi of the urinary passages.	202 1,555 59	8 4 3	9 6 3	5 6	J 6	4 2 1	10 11 1	20 32 2	23 79 4	38 125 6	28 237 5	25 312 7	20 365 6 3	7 239 14	108 7 2	17	3	3
124 125	Diseases of the urethra, urinary abscess, etc.	50 21						1		1 2	3	4	4	13 3	15 4	ıî	2		
126 127	Diseases of the prostate	63								2 1		3	6	13	24	15			
128 129 130 131 132	organs. Uterine hemorrhage (nonpuerperal) Uterine tumor (noncancerous). Other diseases of the uterus Cysts and other tumors of the ovary Salpingitis and other diseases of the female genital organs.	29 26 11 54							1 2	1 5 2 22	12 9 4 20	10 6 1	4 3	i 2 2 2	2				1
134 135 136 137 138 139	VII.—The puerperal state.  Accidents of pregnancy. Puerperal hemorrhage. Other accidents of labor. Puerperal septicemia. Puerperal albuminuria and convulsions. Puerperal phlegmasia alba dolens, embolus, sudden death. Following childbirth (not otherwise defined).	100 144 128 7							89 12 2 15 22 37	231 42 14 46 66 63	141 15 22 29 46 24 5		1						3  2 1

Int.								•	DI	EATHS A	T AGE	ог—				·			um ge.
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at un known age.
•				LOU	ISIA	NA (	тот	'AL)-	-Conti	nued.									
	VIII.—Diseases of the skin and of the cellular tissue	74	10	1				1	. 4	7	4	6	7	14	7	10	2	1	
142 143 144 145	Gangrene. Furuncle. Acute abscess. Other diseases of the skin and annexa. IX.—Diseases of the bones and of the organs of locomotion.	42 11 10 11	2 1 1 6	1				1	2 1 1	3 2 2 2	1 1 2 5	3 1 1 1 3	3 3 1 4	11 1 2	6	10	2	1	
146 147 149	Diseases of the bones (tuberculosis excepted). Diseases of the joints (tuberculosis and rheumatism excepted). Other diseases of the organs of locomotion X.—Malformations.	28 2 1 . 190	176	3	1	2		6	5	2	4	2	4	1					
150	Congenital malformations (stillbirths not included) (total).  Hydrocephalus.  Congenital malformations of the heart. Other congenital malformations.  XI.—Early infancy.	190 16 123 51	176 13 118 45 1,068	3 1 1 1	1	2		5 2 1 2	3 2 1										
151	Congenital debility, icterus, and sclerema (total).  Premature birth.  Congenital debility, "atrophy," "marasmus," etc.	925 648 277	925 648 277																
152	Other causes peculiar to early inlancy (total).  Injuries at birth. Other causes peculiar to early infancy inf	130 64 66	130 64 66																
153 154	Lack of careXII.—Old ageSenility											1	6	33	175	224	113	56 56	$\frac{7}{7}$
201	XIII.—External causes	1,690	47	40	36	33	27	76	260	312	292	230	99	118	54	35	10	1	20
155 156 157 158 159 160 161 162 163	Suicide (total)  By poison  By asphyxia  By hanging or strangulation  By drowning  By firearms  By cutting or piercing instruments.  By crushing  Other suicides.	18 2 7 7 60 7 2							1	24 6 1 1 1 13 2	25 2 1 17 1 1 1	25 6 1 3 2 12 1	17 2 1 8 1 1 1 1 3	11 1 8	1 1 2	1			
164 165 166 167 168	Accidental or undefined (total). Poisoning by food. Other acute poisonings. Conflagration. Burns (conflagration excepted). Absorption of deleterious gases (conflagration excepted)	33 38 17 159 29	45 3 1 6	39 5 11 1 9	35 1 6 2 15	33 2 4 1 16	27 4 4 9	75 4 2 2 2 18	214 1 2 2 6	184 - 2 1 17	171 3 1 3 17	144 1 1 12 2	65 1 9	97 3 2 1 13	49 1 2 4	34 1 6	10	1	18 1 1
169 170 171	Accidental drowning. Traumatism by firearms Traumatism by cutting or piercing instruments.	139 112 5	1	2	1 2	1 2	1 1 1	8 10	51 37	25 23 1	13 19	21 9 2	1 4	6 4	3 1				5 1
172 174 175	instruments. Traumatism by fall. Traumatism by machines. Traumatism by other crushing (total).	150 59 278	10 2	5 1	4	3	4	6 1 15	18 13 50	13 20 38	13 9 52	14 12 40	• 13 2 19	19 2 28	11	17 4	7		1 4
	Railroad accidents and injuries Street-car accidents and injuries Automobile accidents and in-	120 26			2	<u>-</u> 1	1 1 2	3 1 8	22 2	15 2 11	29 8 9	23 2	10 3	28 6 3	7 2	ī	1		3
176 177 178 179 180 181 185	juries Injuries by other vehicles. Landslide, other crushing. Injuries by animals. Star vation. Excessive cold Effects of heat. Lightning. Electricity (lightning excepted). Fractures (cause not specified) Other external violence.	26 9 5 14 10 25	1	1	1	2	3	1 1 1 6	15 7 4 3 1 6 1	11 2 8 1 2 8 1 3 24	6 1 2 3 7	1 1 2 2 26	3 1 2 1 1 1 1 1 10	12 5 2 2 1 3 2 	1 4 1	2 1 2 1 2 1	i	1	1 j
182 183 184	Homicide (total).  By firearms.  By cutting or piercing instruments.  By other means.  XIV.—Ill-defined diseases.	339 253 40 46 1,108	2 1 1 335	1 1 91	1 1 28	19	13	1 1 24	43 29 10 4 52	104 80 11 13 65	96 78 10 8 72	61 48 6 7 72	17 10 1 6 67	10 6 4 89	95	54	14	2	2 1 1 16
187 188 189	III-defined organic disease Sudden death Not specified or ill-defined (total) III-defined Not specified or unknown	105 896 392	2 31 302 74 228	2 89 58 31	27 17 10	18 9 9	13 6 7	2 22 10 12	7 4 41 19 22	7 7 51 18 33	7 13 52 28 24	12 7 53 24 29	20 6 41 22 19	18 10 61 41 20	16 15 64 37 27	11 6 37 21 16	10 5 5	1 1	1 1 14 3 11

<sup>1</sup> Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Int.									D	EATHS A	T AGE	ог—							at un-
Detailed Ir List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.		29	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	79	89	90 to 99 years.	100 yrs. and over.	eaths
					LOU	ISIA	NA (	(WHI	TE).		·	<u> </u>		,		<i>I.</i>			
	All causes	15,822	2, 271	654	357	219	153	457	1,060	2,105	1,970	1,567	1,415	1,554	1,260	610	97	12	61
_	I.—General diseases		439	222	154	91	70	200	543	1,205	1,053	677	543	456	267	85	13	1	. 22
1 4 5 6 7	Typhoid fever. Malaria Smallpox Measles Scarlet fever.	240 7 231	14 30 2 50 1	7 18 35 1	7 16  14 1	3 8 7	4 4 7	27 20 21 1	113 44 21	94 28 20 1	53 14 16	22 9 2 16	19 13 2 10	13 15 1 6	3 15 4	5 2			1 1 2
. 9 10 13 14	Whooping cough Diphtheria and croup Influenza Cholera nostras Dysentery	2,506	81 8 142 1 26	35 5 79 17	15 18 64 1 7	12 7 42 4	7 9 29	3 14 74 7	249 1 6	704	1 614 10	1 229 10	100	76 22	60	30	4		1 10
17 18 19 20	Leprosy Erysipelas Other epidemic diseases Purulent infection and septicemia	36 12 50	8 1	3 1 2				2 4	1 1 4 6	12	4 3 1 9	4 1 6	1 5 1 4	1 4 2 1	3 5 1 5	i 			î
22 23 24 26	Anthrax Rabies Tetanus. Pellagra Tuberculosis (total).	3 41 60	27	12	18		4	1 3 2	2 3 3	1 6 285	1 12 237	$ \begin{array}{c}     2 \\     1 \\     11 \\     227 \end{array} $	2 8 172	1 1 3 9 86	7	1	1		
28 29 30 31 32 33 34	Tuberculosis of the lungs Acute miliary tuberculosis Tuberculous meningitis Abdominal tuberculosis Pott's disease	1,028 42 28 32	17 4 1 6	4 1 6	2 2 1	4 1	3	9 5 1 3	60 49 1 5	285 264 13 4	218 9 1 6	208 6 10	172 157 4 5	77 3	30 26 2 1 1	3			4
36	White swellings. Tuberculosis of other organs. Disseminated tuberculosis. Rickets	6 11 9 7	1 5 3	2	2 1	1		1	1 2	2	2 1	2 1	4 1						
37 38	Syphilis Gonococcus infection	85 6	17 1	1				1	2	8	14 1	20 1	13 1	1	5				
39 40 41	Cancer and other malignant tumors (total) Of the buccal cavity Of the stomach, liver. Of the peritoneum, intestines, rectum	567 38 169						1	2	20 1 6	39 4 6	93 5 21	133 9 36	162 10 61	85 8 30	26 6	2 1	1	i
42 43 44 45	Of the female genital organs. Of the breast. Of the skin. Of other organs or of organs not specified.	34 32								7	13	7 24 13 3	13 28 9 5	18 18 7 8	7 11 3 9	1 4 2 7			
46	Other fumors (tumors of the female gen- ital organs excepted)	2							2	4	12	20 1	33	40 1	17	6	1		
47 48 49 50 51	Acute articular rheumatism. Chronic rheumatism and gout. Sourvy. Diabetes. Exophthalmic goiter.	11 1 91 7	1					3 1	6 7 1	2 1 8 3	5 6 2	1 1 5 1	$\begin{array}{c} & 4 \\ 2 \\ & 24 \end{array}$	7 4 25	3 1 12	2 1 3	1		
53 54 55 56 57	Leukemia. Anemia, chlorosis Other general diseases. Alcoholism (acute or chronic) Chronic lead poisoning	19 20	1 2 6	1 3			1	1 1 3	1 3 2	3 2 1	1 3 1 5	2 4 1 5	3 8 1 3	· 1 5 ·····5	i	1			
59	Other chronic poisonings  II.—Diseases of the nervous system and of the organs of special sense.	1	46	10	е	11		20			1	1	2	450	1				
60 61	Encephalitis. Meningitis (total)	949 17 106	46 3 18	19 1 7	6 4	11 4 6	93	32 1 16	50 3	31	57	117 2	152	176 2 2	159	75	4	1	
62 63	Simple meningitis. Cerebrospinal meningitis(undefined). Cerebrospinal fever. Locomotor ataxia Other diseases of the spinal cord (total).	35 29 42 22 49	5 4	2 1 4 2	2 2 1	1 5 1	1 1 1 3	6 6 4	21 6 8 7	13 3 3 7	3 1 2 4 1	8 2 1 5 4 8	3 1 2 6 7	1 1 1 6 8	1 1 1 1 6	1 2			
64 65 66	Acute anterior poliomyelitis. Other diseases of the spinal cord i Cerebral hemorrhage, apoplexy. Softening of the brain Paralysis without specified cause.	12 37 484 16 80	5	1 1	1	1	2 1 1	3 1 3	1 2 1 1	1 2 2	1 22 1 2	8 51	7 102 4 8	8 121 3 19	6 113 5 20	2 55 2 11	4	i	2
67 68 69 70	General paralysis of the insane Other forms of mental alienation Epilepsy Convulsions (nonpuerperal)	45 24 35 5 16	2	1				2 2	11 2	3 5	6 7 3	19 7 4	6 3 1	8 3 1	3 3 3 1	1			2
71 72 73 74 76	Convulsions of infants	2 5 31	10 1 2	4 2			2	1 ·	1 3 4	3 2	8	3	3 7 · 1	1 2	1				

<sup>1</sup> Exclusive of acute anterior poliomyelitis (infantile paralysis).

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

o. It									DE	ATHS A	T AGE	of—			·				ge.
Detailed List No	. CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	100 yrs. and over.	Deaths at un- known age.
•				LOU	ISIA	NA (	WHI	TE)-	Conti	nued.							1	•	_
	III.—Diseases of the circulatory system	1,310	11	3	3			. 9	31	· 40	59	135	200	323	323	144	24	2	3
77 78 79 80 81	Pericarditis. Acute endocarditis. Organic diseases of the heart. Angina pectoris. Diseases of the arteries, atheroma, aneurism, etc.	7 47 1,020 63	4 6	2	1 1			3 5	5 23	· 35	1 4 46 3	2 8 105 6	17 138 21	2 268 . 16	1 261 11	1 1 107 5	20	1	2
82 83	Embolism and thrombosis  Diseases of the veins (varices, hemor-	. 25		i					1 2	3	1 4	11 2	15 6	- 28 6	44 3	30	4	1	1
84 85	Diseases of the lymphatic system (lymphangitis, etc.)	. 4	1		1			1				1	1		1				
	latory system		348	121	77	51	28	85	166	445	378	217	131	126	96	52	10	1	5 .
86 87 88 89 90	Diseases of the nasal fossae. Diseases of the larynx. Diseases of the thyroid body Acute bronchitis. Chronic bronchitis.	7 2 61 51	1 1 33 2	1 1 6	1 2	2		4 1 17		1 1	12	1 6	1 2 6	1 3 1	4 18	5 13	2 1		
91 92 93	Bronchopneumonia. Pneumonia (total). Lobar pneumonia. Pneumonia (undefined). Pleurisy.	1,755 945 810	139 166 50 116 3	38 75 30 45	22 52 28 24	17 31 16 15 1	9 18 8 10	62 25 37	16 148 73 75 1	35 400 236 164 2	20 348 213 135 2	15 184 105 79 3	15 98 62 36 3	17 90 55 35	15 52 26 26	9 22 11 11	2 5 4 1		4 3 1
94 95 96 97 98	Pulmonary congestion, pulmonary apoplexy. Gangrone of the lung. Asthma. Pulmonary emphysema. Other diseases of the respiratory system	14 4 19 3	1 2				1	1	i	2 1 1	1 3	1 5	1 3	3 4	3 1	3		1	i
	(tuberculosis excepted)	. 12	557	241	84	38	20	55	58	2 64	76	100	104 	98	85 85	22	2		6
99 100 102 103	Diseases of the mouth and annexa Diseases of the pharynx Ulcer of the stomach Other diseases of the stomach (cancer excepted)	11 19	7 1 1 24	1 9	1 1 7	5	2	2 10	1	2 2 2	1 4 4	4 12	2 10	6 16	16	3			1
104 105 106 107	Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Ankylostomiasis. Intestinal parasites.	728 218 3 11	502	226	71	21	9	16	3 1	7 2	9	14	10	23	25	6	2		2
108 109 110	Appendicitis and typhlitis. Hemia, intestinal obstruction (total) Hemia Intestinal obstruction. Other diseases of the intestines.	104 21 83	18 18 1	i 1	$\begin{bmatrix} 1\\2\\ \dots\\2 \end{bmatrix}$	1 4 4	2 2	15 3 3	37 4 4 3	25 7 7 3	14 5 5 6	12 10 3 7 3	12 16 8 8 4	13 2 11 2	14 7 7 2	1 5 1 4 1			
111 112 113 114 115	Acute yellow atrophy of the liver.  Hydatid tumor of the liver.  Cirrhosis of the liver.  Biliary calculi.  Other diseases of the liver.	1 107 30		2	·····i	1 3		12	·····i	4 2 3	12 6 10	20 7 17	1 30 7 10	16 4 11	17 4 5	6			
116 117 118	Diseases of the spleen. Simple peritoritis (nonpuerperal) Other diseases of the direstive system (cancer and tuberculosis excepted)	. 3	1 1			i	1	3	4	3 1	3	<u>1</u>	2	1	2				i
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1	10	5	2	4	6	10	24	48	98	151	194	251	182	78	6		4
119 120 122 123	Acute nephritis Bright's disease Other diseases of the kidneys and annexa Calculi of the urinary passages. Diseases of the bladder	828 39	4 2 3 1	1 2 2			3 2 1		14 8 2	9 27 3	17 61 2	14 124 4	12 169 5	10 217 4	141 7	57 6	5		1 3 
124 125 126	Diseases of the urethra, urinary abscess, etc.  Diseases of the prostate.	. 4		1						<u>-</u>	1 2 	3 1	3	9	10 1 20	5	1		
126 129 130 131 132	Uterine tumor (noncancerous). Other diseases of the uterus Cysts and other tumors of the ovary. Salpingitis and other diseases of the female genital organs.	5 8 6								1 7	2 3 3 8	1 2 2	1	2 1					
134 135 136 137 138 139	VII.—The puerperal state.  Accidents of pregnancy. Puerperal hemorrhage. Other accidents of labor. Puerperal septicemia. Puerperal albuminuria and convulsions. Puerperal phlegmasia alba dolens, embolus, sudden death. Following childbirth (not otherwise defined).	36 24 53 62 62 62							35 6 1 7 6 14	20 8 22 31 30	76 10 12 18 18 15 3	3 4 6 3 1	1						1 1

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

Int.									DI	EATHS A	T AGE	OF-							ge.
Detailed In List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	g years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	89	90 to 99 years.	100 yrs. and over.	Deaths at known a
				LOU	ISIA	NA (	whi	TE)–	-Conti	nued.	<u>'                                    </u>	<u> </u>	,		·	· · · · · · · · · · · · · · · · · · ·			·—
	VIII.—Diseases of the skin and of the cellular tissue	35	6						4	2	3	4	3	6	1	6			
142 143 144 145	Gangrene Furuncle. Acute abscess Other diseases of the skin and annexa. IX.—Diseases of the bones and of the	14 9 4 8	1 1 4						2 1 1	2	1 1	2 1 1	1 1 1	4 1 1	1	6		• • • • •	
146	organs of locomotion  Diseases of the bones (tuberculosis ex-		2					5	5	1	4	1	2	2					
147	cepted). Diseases of the joints (tuberculosis and rheumatism excepted). X.—Malformations.	20 2 106	99	2		1		5 3	5 1	1	3	1	2	1 1					
150	Congenital malformations (stillbirths not included) (total).  Hydrocephalus.  Congenital malformations of the heart. Other congenital malformations.  XI.—Early infancy.	106 6 73 27 625	99 4 70 25 625	2 1		1			1										
151	Congenital debility, icterus, and sclerema (total).	,579 389	539 389																
152	Congenital debility, "atrophy," "marasmus," etc. Other causes peculiar to early infancy (total). Injuries at birth. Other causes peculiar to early in-	150 85 47	150 85 47					1							•				
153	fancy 1 Lack of care XII.—Old age	38 1 233	38 1										1	12	71	107	32	7	
154	Senility XIII.—External causes	233 889	23	17	19	13	16	51	129	143	146	129	1 64	12 68	71 37	107 22	32 5	7	3 7
155 156 157 158 159 160 161 162 163	Suicide (total).  By poison. By asphyxia By hanging or strangulation. By drowning. By firearms. By cutting or piercing instruments. By jumping from high places. By crushing. Other suicides.	95 16 2 6 3 53 7 2					 		2 1	21 5 1 1 12 2	20 2 1 1 14 1 1	21 5 1 3 1 10 1	15 2 7 1 1 1 3	11 1 8	1 1 2				
164 165 166 167 168	Accidental or undefined (total).  Poisoning by food. Other acute poisonings. Conflagration. Burns (conflagration excepted). Absorption of deleterious gases (conflagration excepted). Accidental drowning.	680 18 16 8 75	23 2 6 6 1	17 3 5 1 2	18 1 7	13	16 3 2 5	51 2 12	116 1 1 1 1 23	97 3 2 1 14	89 2 1 2 5 3 5	79 1 6 1	5	55 1 1 1 2	32 1 1 1 1 1	21 1 2	i		7 1
170 171 172 174	Traumatism by firearms Traumatism by cutting or piercing instruments. Traumatism by fall Traumatism by machines	55   2 103 34	2	2	1	2	1	6	21 	7   6 9	9 <sub>12</sub> 4	5 1 9 7	12	15 1	9	13			
175	Traumatism by other crushing (total) Railroad accidents and injuries. Street-car accidents and injuries. Automobile accidents and in	172 61 17	2	1	4	2	2 1	10 2	29 11 1	24 7 1	28 14 5	23 10 1	1 11 6 3	21 2 2	11 7 2				2 1
176 178 179 180 181 185 186 182 183 184	Automobile accidents and injuries Injuries by other vehicles. Landslide, other crushing Injuries by animals Excessive cold Effects of heat Lightning. Electricity (lightning excepted) Fractures (cause not specified) Other external violence. Homicide (total) By firearms By cutting or piercing instruments. By cither means. XIV.—Ill-defined diseases.	56 22 16 6 4 2 12 2 13 75 114 80 13 21	4	2	2 2 1 1 3 1	1	1	1 1 6 7	10 5 2 1 1 3 11 11 7 3 1	9 7 1 4 1 11 25 17 2 6 15	6 3 3 3 3 3 3 9 37 27 4 6 6 6 6 6 6 	1 1 1 14 29 21 3 5	1 1 1 7 8 5	11 5 1 1 1 1 2 4 2 2	1 1 1 1 1 1 39	2			1  1  5
187 188 189	Ill-defined organic disease	22 37 291 154 137	9 96 24 72	24 19 5	1 11 8 3	10 5 5	4 3 1	1 6 5 1	1 2 11 7 4	3 1 11 7 4	2 18 12 6	3 2 14 9 5	4 3 13 6 7	3 6 27 20 7	4 8 27 17 10	3 3 13 9 4	1		5 2 3

<sup>&</sup>lt;sup>1</sup> Exclusive of injuries at birth.

Int.		·						•	DE	ATHS A	T AGE (	)F—	······						un-    ge.
Detailed List No	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.		90 to 99 years.	yrs. and over.	Deaths at un- known age.
		·	-	L	OUIS	SIAN	'A. (C	OLO:	RED)	).	,			•	•				
	Åll causes	16,379	2, 144	666	344	236	145	564	1,685	2,826	2,175	1,668	1,173	1,036	863	490	·193	78	93
	I.—General diseases		544	267	162	137	78	330	1,047	1,707	1,141	745	388	271	160	65	17	5	42
1 4 5 6	Typhoid fever	329 286 11 119	6 42 23	7 21 20	1 15 	3 10 8	3 11 1 3	36 33 	115 43 1 26	74 35 2 9	35 24 3 5	33 14 1 1	9 9 1	3 10 1 1	2 8 1	5	4		2 2 1
8	Whooping cough	197	102	35	17	16	10	14	1						1				ī
9 10 13 14	Diphtheria and croup Influenza. Cholera nostras. Dysentery	2,806 6 136	15 182 2 27	128 14	92 6	73 2	37 2	168 8	3 495 2 11	693 11	2 445 9	214 8	96 1 14	73 1 8	61 8	24 5	5	3	17 1
17 18 19 . 20	Leprosy. Erysipelas. Other epidemic diseases. Purulent infection and septicemia.	1 1 9 39	1 1 4	1 2		2		 1 .1	3 4	1 4	1 1 7	1 5	2	4	i	2	1		
22 23 24 26	Anthrax Rabies Tetanus Pellagra	.  2	43	1 4	i	<u>2</u>	1 1	5 5	1 7 23	3 52	1 34	30	4 16	2 16	6	6	3		4
	Tuberculosis (total) Tuberculosis of the lungs Acute miliary tuberculosis Tuberculous meningitis	2,131 1,913 95	28 10	19 11	13 5	11 6 2	8 5	34 24 4	283 252 17 2	737 673 34	450 416 23 1	301 282 10 2	128 119 3	73 69 2 1	26 23	9 8		1	10 9
28 29 30 31 32 33 34 35	Abdominal tuberculosis. Pott's disease. White swellings. Tuberculosis of other organs. Disseminated tuberculosis.	51 4 12 16	3	1 2 4	3	1 2	1 1 1 1	1 2 1	6 1 3 2	17 4 4 3	8 2	$\frac{\overline{4}}{1}$	5 1	1 	1 1 1	1			i
36 37 38	Rickets Syphilis Gonococcus infection	12 279	6 52 1	4 5	1 2	1 6		1	19	52 8	55 2	40 4	32 1	12 1	1	1			i
39 40 41	Cancer and other malignant tumors (total)Of the buccal cavityOf the stomach, liverOf the peritoneum, intestines, rec-	10 77	1				1	4	3 1	15	49 10 2	76 2 19	63 3 19	51 2 18	30 1 6	-10 1 3	1	1	2
42 43 44 45	tum Of the female genital organs Of the breast Of the skin Of other organs or of organs not speci-	120 35 4								2 8 3	27 4	39 9 	23 7 1	15 2 2	7 6 1	3	1		1
46	fied Other tumors (tumors of the female gen- ital organs excepted)	46	1 				1	4	1	8	6 2	. 3 1 4	9	10	8 1 9	1	1	.1	
47 48 49 50 51 53	Acute articular rheumatism. Chronic rheumatism and gout. Scurvy. Diabetes.	. 3	i						2 1	8	1	1 3	6	6 1 4	1 4	1			
51 53 54	Schry Diabetes Exophthalmic goiter Leukemia. Anemia, chlorosis. Other general diseases	6 8	3		1				1 2	1 1	$\frac{1}{2}$	1 2 1		2					
55 56 57	Other general diseases.  Alcoholism (acute or chronic) Chronic lead poisoning	10	4	2		1		3		1	3 5	1 1	1	2					1
	II.—Diseases of the nervous system and of the organs of special sense.		49	12	4	7	7	17	31	44	49	83	101	97	97	41	12	1	1
60 61	Encephalitis Meningitis (total) . Simple meningitis. Cerebrospinal meningitis (undefined)	11 52 19 16	4	4 2 1		3	2 2		1 12 4 5	5	1 3 1	3 2 1 1	· · i	1	1 1				
62 63	Cerebrospinal fever. Locomotor ataxia Other diseases of the spinal cord (total) Acute anterior poliomyelitis.	- 17 - 5 17	2 3 2 1	·i	1	i	1	. 4	3	. 2	2 1 1	1 2	4	1 2	1 2				
64 65 68	Other diseases of the spinal cord 1  Cerebral hemorrhage, apoplexy  Softening of the brain  Paralysis without specified cause.	- 16 - 316	3	1 1			1		1 2	15	1 19 1 6	2 48 1 8	68 3 14	60 1 23	60 23	29	9	1	i
67 68 69	Other forms of mental alienation  Epilepsy	29 25 36							8	2 8 10	. 7	7 6 3	6 1 1	2	4 3 1	1			
70 71 72 73	Cônvûlsions (nonpuerperal) Convulsions of infants Chorea Neuralgia and neuritis	- 41 - 2 2	1	1						1	i		3	2					
74 75 76	Other diseases of the nervous system  Diseases of the eyes and their annexa  Diseases of the ears	2 3			<u> </u>	ļ			i					. 1	i	. 1			
		1 17	Exclusiv	e of ac	aree an	Lector	horron	TAGUETE	(misi	rene bar	alysis).								

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

Int.									DE	ATHS A	T AGE (	)F							ge.
Detailed In List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	jear.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	yrs. and over.	Deaths at un- known age.
<del>'</del>		······································	L	ouis	SIAN	A (C	oro:	RED)	-Con	tinued.									
	III.—Diseases of the circulatory system	1,368	8		4			6	27	87	168	241	248	224	203	96	36	13	1
77 78 79 80 81	Pericarditis.  Acute endocarditis.  Organic diseases of the heart  Angina pectoris.  Diseases of the arteries, atheroma, aneu-	1, 101	1 6		4			6	1 5 21	1 15 67	10 146 2	25 194 5	23 203 1	. 1 4 189 3	1 156 2 42	1 69 2 24	24 11	9	7
82 83 84	rism, etc Embolism and thrombosis. Diseases of the veins (varices, hemor- rhoids, phlebitis, etc.). Diseases of the lymphatic system (lym- phaneitis, etc.).	3							•••••	1	8	1	12 2	2 2		24			
85	phangitis, etc.).  Hémorhage; other diseases of the circulatory system  IV.—Diseases of the respiratory sys-		1						<b></b>	1	1	1		 			1		
86	Discourse of the mosal forms	20	312	121	77	34	24	104	268	457	328	194	100	77	49	24	6	2	9
86 87 88 89 90 91	Diseases of the laryux Diseases of the thyroid body Acute bronchitis Chronic bronchitis Bronchopneumonia Pneumonia (total) Lobar pneumonia. Pneumonia (undefined)	1,688 780	1 43 6 83 164 58	8 1 36 69 18	7 1 19 49 16	3 8 22 8	2 1 4 14 4 10	2 3 16 81 24 57	23 237 94	1 1 3 34 394 208	1 23 288 155	2 3 12 164 93 71	2 2 4 82 45 37	3 10 56 31	1 3 3 36 12	19 7	1 1 3 2 1	1	9 5
93 94	Pulmonary congestion pulmonary apo-	31	106 3	51 1 2	33	14	10 2	57 1	143 1	186 8	133 6	3	1	25 3	24 1		1		4
96 98	plexy. Asthma. Other diseases of the respiratory system (tuberoulosis excepted) V.—Diseases of the digestive system	. 24	445	161	54	25	1 15	48	3 54	11 92	1 101	5 2 82	5 4 72	2 2 56	48	27	3	1	3
99 100 102 103	Diseases of the mouth and annexa. Diseases of the pharynx. Ulcer of the stomach Other diseases of the stomach (cancer excepted).	27 20	10 5 28	1	1 1 4	1 3	1 3	2	1 3 1	6 3 10	1 9 12	1 3 17	2 1 12	2 1 12	16	. 2	3		
104 105 107 108 109	Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over). Intestinal parasites Appendicitis and typhlitis Hernia, intestinal obstruction (total) Hernia Intestinal obstruction	536 186 32 82 82 80 27 53	391 1 8	9 1 1	36 9 1	15 3 1	10 1	23 6 4 2 1 1	20 6 2 4	13 28 10 5 5	17 2 16 14 3 11	9 7 12 5 7	9 5 9 2 7	14 1 7 2 5	16 1 4 3	. 1 3 3		1 1	2 i i
110 111 113 114 115	Other diseases of the intestines.  Acute yellow atrophy of the liver. Cirrhosis of the liver. Biliary calculi. Other diseases of the liver.	74 10 35	i	1	1	1			1 1 2	1 5 1 5 5	6 2 11 1 7	5 1 16 2 7	19 3 6	14	6 1				
117 118	Simple peritonitis (nonpuerperal) Other diseases of the digestive system (cancer and tuberculosis excepted)	- 1	1						1	9	3	2	5	1		-			
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.		6	13	9	3	1	13	33	94	123	152	171	179		_	13	3	2
119 120 122 123		727	2	8 4 1	5			5 6 1	6 24	14 52 1	21 64 4	14 113 1	13 143 2	10 148 2 2	98	51 1		3	1
124 125	Diseases of the urethra, urinary abscess, etc.	. 17					ļ	1		2 1	1 4	1 2	1 4 3	3 6	3	6	i		
126 127 128 129		. 1								. 1	10	2 9	3	1	4				
130 131 132	Other diseases of the uterus Cysts and other tumors of the ovary	. 18 5				-			2	1 5 1 15	12	1 1 5	2	1 2					1
134	VII.—The puerperal state  Accidents of pregnancy	252							54	120	65 5	12							1
135 136 137 138 139	Puerperal hemorrhage. Other accidents of labor. Puerperal septicemia. Puerperal albuminuria and convulsions	18 47 82 66							1 8 16 23	24	10 11 28 9	1 3 3 1				-			i

<sup>1</sup> Exclusive of injuries at birth.

# CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

io Int									DE	ATHS AT	AGE O	<b>r</b> —							at un-
Detailed List No	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	80 to 89 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	yrs. and over.	Deaths at
		· · · · · · · · · · · · · · · · · · ·	L	OUIS	SIAN	A (C	oro	red)	Con	tinued.									
	VIII.—Diseases of the skin and of the cellular tissue	39	4	1				1		5	1	2	4	8	6	4	2	1	
142 143	Gangrene	. 2	2							3		1	2 2	7	6 •	4	2	1	- <b></b>
144 145	Acute abscess. Other diseases of the skin and annexa IX.—Diseases of the bones and of the	. 3	2	1						<u>2</u>	i			1				<b>.</b>	
146	organs of locomotion  Diseases of the bones (tuberculosis ex-							1		1	1	2							
149	cepted) Other diseases of the organs of locomotion	8	2					1		1	1	1	2					<b>.</b>	<b>.</b>
150	X.—Malformations  Congenital malformations (stillbirths not		77	1	1	1		2	2										
	included) (total)	. 84 . 10	77 9 48	1 i	1	1		. 2	$\begin{bmatrix} 2 \\ \cdots \\ 1 \end{bmatrix}$					<b>-</b>					
	Other congenital malformations XI.—Early infancy	. 24	20 443		1	1		1	1										<b>-</b>
151	Congenital debility, icterus, and sclerema (total)	386	386																
	Premature birth. Congenital debility, "atrophy," "marasmus," etc	. 259	259 127						1		1		i	i					
152	Other causes peculiar to early infancy (total)	- 45	45 17																
	Other causes peculiar to early in- fancy 1	. 28	28					<u> </u>					 						
153	Lack of careXII.—Old age	1	12									1	5	21	104	117	86	49	4
154	Senility	j.	24	23	17	20	11	25	131	169	146	1 101	5 35	21 50	104 17	117 13	86 5	49 1	13
155	Suicide (total)	. 15							1	3	5	4 1	2						
157 158 159	By hanging or strangulation By drowning By firearms	. 1							1	1 1	13	1 2	1 1						
162	By crushing	. 561	22	22	17	20	11	24	98	87	82	65	24	42	17	13	5	1	11
164 165 166	Poisoning by food. Other acute poisonings. Conflagration.	15 22	11	6	5	3 1	1 2	24 2 2 2	1 1 1	1	1	1	i	1	i				1
167 168	Burns (conflagration excepted) Absorption of deleterious gases (conflagration excepted)	. 84	11	7	8	10	4	6	5	3	12	6	4	11	3	4			. 1
169 170	Accidental drowning	. 68		1		1		4 2	28 16	11 16	8 10	11 4	1 2	1 4	i	-			
171 172	Traumatism by cutting or piercing instruments.  Traumatism by fall.	3 47	8	3		· · · · i				1 7	1	. 1	1	4	2	4	3		:
174 175	Traumatism by machines  Traumatism by other crushing (total Railroad accidents and injuries	) 106 . 59					2	. 5	21 11	11 14 8	24 15	5 17 13	1 8 4	7	3	2	1		
	Street-car accidents and injuries Automobile accidents and injuries.	9		·		-	1		5	1 2		1	2	1	2	2			
176	Injuries by other vehicles Landslide, other crushing	. 8		-				. 1	. 2	1		1		1					
177 178	Starvation	5						:		i		-	1	1 2	1	2		- 1	
179 180 181	Lightning.	13	11						. 3					2	. 1	1	i		
185 186	Fractures (cause not specified) Other external violence	62	i	-	2				. 9	13	12	1	1	5	1				
182 183	By cutting or piercing instruments	173	1		l	-		1	. 22	63	51	27	5	4				4	
184	By other means	25	1	1				17	3	7	'   2	2	3		1			ł	- 1
187 188	Sudden death	68	3 22				1	. · · · · i		:   ē	11	. 5	3	4	'	7   8	3	. 1	
189	Not specified or ill-defined (total) Ill-defined Not specified or unknown	605	206	6.9	5 16	)	3 9	16	30 12	11	34	39 15	16	21	3 2 1	0   13	2 4		

<sup>1</sup> Exclusive of injuries at birth.

Int.									ומ	EATHS A	AT AGE	of					<u> </u>		r ag
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years	3 years	4 years.	5 to 9 years	10 to 19 years	29	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	89	90 to 99 years	yrs.	) ja
		<u> </u>		1	,	M.	AINE	i.	1	1	<u> </u>	<u> </u>	<u> </u>	J	1	J	<u></u>	1	<del></del>
	All causes	14,499	1,700	357	151	112	70	297	801	1,525	1, 497	988	1, 204	1,907	2,242	1,381	208	6	53
	I.—General diseases	5,055	285	173	73	55	38	155	452	914	897	466	433	554	380	145	15		20
1 4 6	Typhoid fever Malaria. Measles	58 2 99	29	 25		3	1	2	13	13	12 1 3	6	5	4	2 1 1				
7	Scarlet fever	12	29	12	7 2		1	2	3	2		1	5 1		•	1			
8 9 10 13	Whooping cough Diphtheria and croup Influenza Cholera nostras	61 2,513 4	7 162	11 97	4 3 43	6 7 31	5 5 18	14 90	290 1	625	620	190	91	113 1	81 2	39	8		15
14 18 19 20	Dysentery Erysipelas Other epidemic diseases Purulent infection and septicemia.	29 26 3 14	2 5 2	3 1 2	2 1	1	2	8		1 1	1 3	3 3 1	1 1 4	<sub>2</sub> .	$ \begin{array}{c} 1\\7\\\cdots\\1 \end{array} $	5 2		••••	
22 24 25 26	Anthrax Tetanus.	1 3						<u>.</u>		i				1	• • • • • • •				
26 26	Mycoses. Pellagra.	1 16								·····i	2	3	5	3	····· <u>2</u>			••••	
28	Tuberculosis (total)  Tuberculosis of the lungs	923 721 26	22 4	20	8 1	6	6 3	19 4 2	105 78	228 193	180 156	111 94	99 90	72 59	36 30	7 6		•••••	2
28 29 30 31 32 33 34	Acute miliary tuberculosis. Tuberculous meningitis. Abdominal tuberculosis.	80	15 1	19	7	1 4	2 1	12	1 8 11	$\begin{array}{c} 7 \\ 6 \\ 12 \end{array}$	7 1 8	5 2 6	. 1 . 1 3	1 1 7	1 4				1
32 33	Pott's disease	5 3							1 1	2 2	1	1			•				
34 35	Tuberculosis of other organs	23 12	2	····i				1	3 2	4 2	7	2 1	3 1	1 3	1	1			
36 37	Rickets. Syphilis	5 57	5 14	····i						····· <u>2</u>	10	<sub>ii</sub> .	<sub>ii</sub> .	7	••••••	i		•	••••
	Cancer and other malignant tumors (total)	841						1	4	8	41	93	147	272	192	75	7		1
39 40 41	Of the buccal cavity. Of the stomach, liver. Of the peritoneum, intestines,	35 289							1 1	1	8	26	3 51	14 102	10 79	20 20	1	•	
42	rectum Of the female genital organs Of the breast	145 140							1	·····5	4 19	10 33 7	23 31	45 39	42 9	17	3	••••	
43 44 45	Of the skin. Of other organs or of organs not	81 26	•							····i	6	7	19 1	29 11	11 4	9 6	····i	•	····i
46	other tumors (tumors of the female genital organs excepted).	125 4	<b></b>					1	1	••••••	4	15 1	19 1	32	37 1	15	1	••••	•
47	Acute articular rheumatism	28	1					2	7	1 2	2	2	4	4	2	2		•	•
48 49 50	Chronic rheumatism and gout. Scurvy	13 4 167	2					6	 1 11	1 8	7	••••••	1	$\frac{2}{42}$	6 30	4			••••
51 52	Diabetes Exophtbalmic goiter Addison's disease	7							'n	•	4	19 1	36 1	2				•	
53 54	Anemia, chlorosis.	15 52	3		1			i	2 1	3 4	5	<u>2</u>	4 9	3 10	1 10	<sub>2</sub> .			•
55 56	Other general diseases.  Alcoholism (acute or chronic)	9 17	2		2			1	1	1	3	1	1 4	1 2	1			- <b></b>	•
57 58	Chronic lead poisoning Other chronic occupation poisonings	6 1								i		ĭ	2	ĩ	2				
59	II.—Diseases of the nervous system	2							1	1	••••••		••••	••••	•••••			•	•
	and of the organs of special sense		55	12	7	4	2	15	33	22	41	79	157	285	390	269	20	<u></u>	2
60 61	Encephalitis Meningitis (total) Simple meningitis. Cerebrospinal meningitis (undefined)	6 82	1 24	6	4	<u>i</u>	i	2 8	15	6	8	····· <sub>1</sub>	1 4	2	3				
	Simple meningitis. Cerebrospinal meningitis (undefined)	50 19	18 3	3 2	3	<u>i</u>	<u>i</u> -	5 2	8	3 1 2	3 4	1	3		3		ļ		
62 63			3	1				1	3		1	····· <u>2</u>	1 6	9	6	2		• • • • • •	•
UĐ.	Locomotor ataxia Other diseases of the spinal cord (total) Acute anterior pollomyelitis. Other diseases of the spinal cord <sup>1</sup>	7 49	1		1				4	1	3 1 2	6	3 3	17  17	13		<u>.</u>	•	
64	Cerebral hemorrhage, apoplexy	938	7	1	1				2		10	39	105	213	13 314	227	17	••••	2
65 66 67	Cerebral hemorrhage, apoplexy. Softening of the brain. Paralysis without specified cause. General paralysis of the income.	14 76	····i	2					· · · · · · · ·	<u>1</u>	3	1 3	8	8	31 31	19		•	•
68	General paralysis of the insane. Other forms of mental alienation		•						i	2 	3	16 2	13 6	15 6	3 5	3 2	1		•
69 70	Epilepsy. Convulsions (nonpuerperal). Convulsions of infants.	42	1			2	1	2	4	9	9	2 3	5	1	1 1	5			<b></b>
71 73 74	Neuralgia and neuritis.  Other diseases of the nervous system	1 7	17	2	1					•		•	į	3	····· <u>2</u>	i	 		
75	Diseases of the eyes and their anners	1 1	1					1	2	3	1	4	4	7	6 1	ı			1
76	Diseases of the ears	] 10	2 Exclusi	•		nterior		•		tila na	nlygie)		l <b></b> -	l <b></b>	•••••	ļ <u>.</u>		••••	
		-			a	x401	POHOD	-) orrer	- ferrest	-eno par	ه ( هنده کومت								

d Int.									DEATI	A TA SE	GE OF-	<del></del>							at un-
Detailed List N	CAUSE OF DEATH.	All deaths.	Under 1 year.		years.	g years.	4 years	5 to 9 years	10 to 19 years.	29	20 to 89 years.	49	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	yrs.	eaths
					М	AINI	E—Co	ntinue	đ.					· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	·			•
	III.—Diseases of the circulatory system	1,982	13	2		1		5	19	30	45	95	188	453	692	386	47	2	4
77 78 79 80 81	Pericarditis.  Acute endocarditis.  Organic diseases of the heart.  Angina pectoris.  Diseases of the arteries, atheroma, aneu-	44	3 6	1 1		i			1 1 17	23	40	1 10 73 2	8 149 12	1 4 347 38	1 5 499 49	3 266 15	23 3	······ 2	 2
82 83 84	Embolism and thrombosis Diseases of the veins (varices, hemorrholds, philebitis, etc.). Diseases of the lymphatic system (lymphatic system (lymphatic system)	307 36 6	2							2 	i	3 1	10 5 1	49 9 3	128 9	96 5	18 1	••••••	<sup>2</sup>
85	phangitis, etc.).  Hemorrhage; other diseases of the circulatory system.  IV.—Diseases of the respiratory system	2 9 2,130	1 1 257	90	41	20	13	46	133	1 329	297	1 122	3	1 200	1 239	1 168	31		
86 87 88 89	Diseases of the nasal fossae Diseases of the larynx. Diseases of the thyroid body. Acute bronchitis. Chronic bronchitis	3 7 1 90 59	2 1 27 27	9 1	1 4	1	1	2	3 1	1	1	3	1	1 4 7	1 12 21	1 1 16	8		
91 92 93	Bronchopneumonia Pneumonia (total) Lobar pneumonia Pneumonia (undefined) Pleurisy	407	126 96 48 48 1	40 39 24 15	16 20 8 12	6 12 7 5	3 8 4 4	7 37 28 9	12 115 92 23	1 13 310 228 82	13 275 212 63	7 16 89 68 21	20 104 88 16	34 144 105 39	46 147 96 51	15 49 76 41 35	1 5 14 8 6		1 6 2 4
94 95 96 97	Pulmonary congestion, pulmonary apoplary Gangrene of the lung Asthma Pulmonary emphysema Other disease of the respiratory system	26 3 16 1	2			1	1		1	1	2 2 1	3 1	1 2 3	3 2 4	6 3 1	1 6 3	2 1		1
98	V.—Diseases of the digestive system.  Diseases of the mouth and annexa.	12 902 8	314	49	17	17	11	28	44	3 82	3 44 1	3 49	2 71 1	1 81 2	90	42	10		3
100 102 103	Diseases of the pharynx. Uleer of the stomach Other diseases of the stomach (cancer excepted). Diarrhea and enteritis (under 2 years).	14 19 97 306	27 264	 8 42	1	1		4	3 2	2 2 1	4 2	5	1 4 3	1 4 17	2 20	1 2 6	4		i 1
105 107 108 109	Diarrhea and enteritis (2 years and over). Intestinal parasites. Appendicitis and typhitis. Hernia, intestinal obstruction (total) Hernia	97 3 116 101 30	1 9 2	1 2 1	11 1 1 1	18 2	11	5 11	1 32 1	3 14 6	6 14 3	11 11 3	10 14 15 9	8 17 7	16 5 20 8	8 2 14 1	3		i
110 111 113 114	Other diseases of the intestines  Acute yellow atrophy of the liver Cirrhosis of the liver Billary calcult.	71 24 5 33 23 37	7 5 1		1	i		2	1 2	6	3 2 3 8	8 4 1 3 3	1 8 7	10 3 8 5	12 3 1 10 3	13 1 1 2	1		
115 116 117 118	Other diseases of the liver  Diseases of the spleen.  Simple peritoritis (nonpuerperal)  Other diseases of the digestive system (cancer and tuberculosis excepted)	37 2 12 5	2					1 2	1 1	2 1	, 4 i	3 1 2	6	6 1 1	8 2	3 2	2		
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	963	5	3	1	2		3	3	29	49	78	184	227	287	122	14	1	5
119 120 122 123	Acute nephritis. Bright's disease Other disease of the kidneys and annexa- Calculi of the urinary passages.	56 771 16 8	1 2 1	1 2	i	2		2 1	2 1	3 19 2	8 28 1	7 47 1	8 115 4 2	192 3	10 245 3	101 101	13	1	1 3 1
124 125 126	Diseases of the bladder Diseases of the urethra, urinary abscess, etc. Diseases of the prostate	24 1 37								i			1	7	11 13	4 1 10			
127 129 130 131 132	Nonvenereal diseases of the male genital organs. Uterine tumor (noncancerous). Other diseases of the uterus. Cysts and other tumors of the overy. Salpingitis and other diseases of the fe-	1 21 10 5									2 2 2 1	11 5 2	2 2	3 1 2	3				
134	Male genital organs VII.—The puerperal state	13 144		·····		, ,			18	72	6 47	4 12							
134 135 136 137 138 139	Accidents of pregnancy.  Puerperal hemorrhage.  Other accidents of labor.  Puerperal septicemia.  Puerperal abuminuria and convulsions.  Puerperal phlegmasia alba dolens, em-	26 8 39 21 39							2 1 3 4 3	18 3 14 10 23	6 4 17 6 10	5 1 3							
	bolus, sudden death. Following childbirth (not otherwise defined).	8								4.	2 2	2 1							

Int.			his tabl	=				oldiers,		CATHS A				_		<del></del>			at un-
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	eaths
			·	•••	м	AIN	<b>Ξ</b> —Сог	tinue	1.		<u>-</u>	<u> </u>							<del></del>
,	VIII.—Diseases of the skin and of the cellular tissue	45	3									1	8		12	18	3		
142 143 144	Gangrene. Furuncle Acute abscess	31 4 4	2									i	3 3		10	15	3		
145	Other diseases of the skin and annexa  IX.—Diseases of the bones and of the organs of locomotion	6	1										1		1	3			
146	Diseases of the bones (tuberculosis ex-	13	2	1					1	2			1 1	1	4				
147	cepted) Diseases of the joints (tuberculosis and rheumatism excepted) X.—Malformations.	1 96	 88	3	2				2	1					4				
150	Congenital malformations (stillbirths not included) (total).	96	88	3	2				2	1_									
	Hydrocephalus. Congenital malformations of the heart.	7 64	6 58	1	2				2	1				 					
	Other congenital malformations XI.—Early infancy	25 613	613	1															
<b>1</b> 51	Congenital debility, icterus, and sclerema (total).  Premature birth.  Congenital debility ((stronby?)	509 336	509 336	• • • • • •					•••••				 				· · · · · · ·		
152	Congenital debility, "atrophy," "marasmus," etc. Other causes peculiar to early infancy (total)	173 104	173 104	•••••															
	Injúries at birth Other causes peculiar to early infancy 1.	55 49	55 49																
154	XII.—Old age	295 295											1	7	66	164	55 55	2	
	XIII.—External causes	699	17	13	9	13	6	43	98	88	70	77	60	70	62	50	13	1	. 9
155 156 157	By poison By asphyxia. By hanging or strangulation	107 10 3 28							8 1 3	16 3 1 3	18 2	20 1 2 3	12 1 5	16 3	12 2 6	$\begin{bmatrix} 2 \\ \dots \\ 2 \end{bmatrix}$	1		2 
158 159 160	By drowning By firearms By cutting or piercing instruments	10 39 13							ž 1	1 5 3	2 2 10 2	1 9 3	3 2	9	1 2 1		1		i
161 162 163	By jumping from high places By crushing Other suicides	2 1 1							i			1	1	<u>1</u>					
164 165 166	Accidental or undefined (total) Poisoning by food Other acute poisonings	582 10 9	15	13 2 1	9 1 1	13	6	43 2	89 1 1	70 1	50 1	56 1 2	46 1 1	54	50 2	48 1	12	1	7
167 168	Conflagration Burns (conflagration excepted) Absorption of deleterious gases (conflagration excepted)	22 47 15	3 2 6	1 5	4	1 4	2 1	3 5 1	2 2 2	1 4 1	1 6	3 3 2	1 1 2	3	3	4	1		
169 170 171	Accidental drowning Traumatism by firearms Traumatism by cutting or pieroing	100 16	i		2	2	1	16	36 8	21	9 5	5	2 1	3	1 1 1				<u>2</u>
172 173	instruments. Traumatism by fall Traumatism in mines and quarries (total).	101 3	····i	i			<u>2</u>	···i	3	3	4	3 4	8	1 18	13	32	10	···i	
174 175	Traumatism in mines Traumatism in quarries Traumatism by machines	1 2 31				·····i		2	1 1 3	1 1 6	5	5	1 1 1	5	······································	i			
175	(total)	134 63		1	1	- 		11 2	22 10	23 13	13 8	19 8	14 8	16 9	9 4	3			2 1
	Street-car accidents and injuries. Automobile accidents and injuries. Juries. Lujuries by other vehicles.	41 18	 	1	 	 		1 6 2	 8 3	1 8 1	3 1	7	2 1	3	1 2 2	1			•••••
176 178	Injuries by animals. Excessive cold	8 8 4							1		1 1	2 1 1	3 3 1	3 1 1	2 2 1		•••••		i i
176 178 179 180 181 185 186	Effects of heat	3 7 6	1	•••••				i	3	1 1 1	1 1	2 1	i		1 1				
	Fractures (cause not specified) Other external violence Homicide (total)	13 48 10	1 2	2		4		i	4	1 5 2	3 2	5 1	1 7 2	7	5 6	2	1		1
182 184	By firearms. By other means. XIV.—III-defined diseases	6 4 169	2 48	11	1			2	3	1 1 5	<sub>7</sub>	1 9	2 15	29	20	i7			2
187 188 189	III-defined organic disease Sudden death Not specified or ill-defined (total)	7 23 139	3 45	11	i			1 1	3	2 3	7	1	2 3 10	1 8 20	2 2 16	1 3 13			 i 1
	Il-defined Not specified or unknown	54 85	5 40	8 3	i			·	3	1	2 5	8 2 6	10 7 3	14 6	8 8	4 9			1

<sup>1</sup> Exclusive of injuries at birth.

[This table excludes the deaths of soldiers, sailors, and marines.]

nt.			nis tadi							EATHS A	<del></del>								ė a
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	years.	4 years.	5 to 9 years.	10 to 19 years.	29	80 to 89 years.	49	50 to 59 years.	69	70 to 79 years.	80 to 89 years.	99	100 yrs. and over.	
				•	MAR	YLA	ND (	тот	AL).		<del></del>	<del></del>	d		·				
	All causes	32, 134	4,790	1,439	638	351	283	822	1,995	4, 192	3,815	2,738	2,993	3, 221	3, 107	1,428	196	14	112
,	I.—General diseases	,	661	513	307	174	152		1,063	2, 121	1,774	1,049	896	723	459	123			31
1 2 4 6 7	Typhoid fever Typhus fever Malaria Measies. Scarlet fever	238 1 6 138 20	32 2	39 1	2 24 4	4 9 3	2 8 1	22 1 13 5	82 1 8 1	51 2 4 2	27	21	8	9	4 1 1	2	1		1
8 9 10 13 14	Whooping caugh Diphtheria and croup Influenza. Cholers nostras. Dysentery	6	191 16 268 1 13	121 19 260 1 6	60 18 161	30 21 81 2	17 15 80	39 28 219	6 12 515	1,194	973 2	286 286	173	1 105 3	79 2 6	24 2 2 2	3 1	i	15
18 19 20 24 26	Erysipelas Other epidemic diseases Purulent infection and septicemia. Petalus Pellagra.	29 6 22 33 18	4 7 1	1 2	i	1 		1 5	1 5 7	3 1 4 1	2 2 2 3	4 2 4 2	2 1 4 1	3 1 3	1 2 2	4		•••••	
28 29 30 31 32 33 34 35	Tuberculosis (total) Tuberculosis of the lungs. Acute miliary tuberculosis Tuberculous meningitis Abdominal tuberculosis	2,927 2,553 106 108 74	48 16 4 21 6	46 20 7 15	31 12 3 9 3	18 6 1 5	26 9 4 12	65 34 9 15	365 312 20 9 12	762 687 27 11 19	625 585 15 4 8	407 377 11 2 8	282 258 5 3 8	172 162	60 57	11 10 11		1 1	8 7
33 34 35 36 37	Pott's disease. White swellings Tuberculosis of other organs. Disseminated tuberculosis Rickets. Syphilis.	24 29 24	16 34	1 1 1 1 5 6	1 3 1 1	1 	1	1 1 2	3 4 2 3 1 5	2 1 6 9	1 3 3 6	2 1 2 4	1 5 1 28	3 2 1 1	1				1
38 39 40	Conococcus infection  Cancer and other malignant tumors (total)  Of the buccal cavity  Of the stomach, liver	1,197 46	2	1	1	2 1		5 2 1	12 1	22 1	63 1 17	205 7 71	281 11 113	303 16 131	232 5 103	62 2 33	3	••••	3
41 42 43 44	Of the peritoneum, intestines, rec- tum	152							i	5 5	11 18 8	19 57 34	43 46 22 1	38 26 30 10	28 22 18 14	8 2 8	2		
46 47	Of other organs or of organs not specified. Other tumors (tumors of the female genital organs excepted)		2	1	1	1		2	10	11	8	17	45	52 1	<b>42</b> 5	9		••••	
48 49 50 51 52	Chronic rheumatism and gout. Scurvy. Diabetes. Exophthalmic gotter. Addison's disease.	22 5 236 26	2	i	1	1	i	5 1 3	15 11	7 1 18 3	1 11 5	9 5 30 7	5 3 53 6	69 4 1	30 1 1	2 2 8			i
53 54 55 56	Anemia, chlorosis. Other general diseases. Alcoholism (acute or chronic).	21 59 28 51	3 15	i	1 1	1 1	1 1		2 3 6	2 1 1 3	3 3 3	1 3 6 8	1 4 15	4 9 3	11 1 2	4			
57 58 59	Chronic lead poisoning Other chronic occupation poisonings  II.—Diseases of the nervous system	4 2 2								1 1		1 i	2 1		i			••••	
-	and of the organs of special sense		118	38	19	15	10	41	54	72	104	213	381	558	566	272	37	1	9
60	Encephalitis Meningitis (total) Simple meningitis Cerebrospinal meningitis (undefined) Cerebrospinal fever.	162 51 23 88	2 41 18 5 18	18 6 2 10	12 5 2 5	10 4 1 5	1 5 1	1 15 1 4 10	2 21 4 3 14	15 3 1 1	3 8 1 1 6	7 4 1 2	4 1 3	4 2 2	2 2				
62 63 64	Other diseases of the spinal cord (total).  Acute anterior poliomyelitis Other diseases of the spinal cord <sup>1</sup> Cerebral hemorrhage, apoplexy.	90 18 72 1,593	3 3 2	2 2	1 1	2 2	1 1	6 6	5 1 4 5	15	3 41	5 8 1 7 133	10 8 8 284	10 19 2 17 446	27 27 425	1 5 208	3 3 30		1 3
65 66 67 68 69	Softening of the brain.  Paralysis without specified cause.  General paralysis of the insane.  Other forms of mental alienation.	21 227 110 15	3					1	3 11	4 8 1	3 21 2 14	10 24 3 11	2 32 18 6	47 18 2	10 78 13 1	4 44 7	1 3	1 	2
70 71 72 73	Epilepsy. Convulsions (nonpuerperal). Convulsions of infants. Chorea. Neuralgia and neuritis. Other diseases of the province and converse.	7 75 2 11	56	14	3	1	1 1	<u>4</u>	1	i	1	i	2	2	1 1 2	2			
74 76	Other diseases of the nervous system Diseases of the ears	,	5 1 Evol	1	3	2	1	5	2	8 3	3	8 3	6	3	2	1			

<sup>1</sup> Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE S.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

Int.									DE	ATHS A	T AGE	of—							un- ge.
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 89 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	89		100 yrs. and over.	Deaths at un- known age.
			:	MAR	YLA	ND (	тот	AL)	-Conti	nued.						·			,
	III.—Diseases of the circulatory system	3,448	24	5	5	3	4	21	74	136	229	347	553	730	852	401	49	3	12
77 78 79 80 81	Pericarditis. Acute endocarditis. Organic diseases of the heart. Angina pectoris. Diseases of the arteries, atheroma, aneu-	25 82 2,815 154	3 16	1 1 3	2 1	3	4	1 3 17	2 6 64 1	2 6 124 2	1 11 198 9	1 14 295 18	2 26 444 41	7 4 588 47	5 3 711 29	2 3 301 7	32	3	ii
82 83	rism, etc. Embolism and thrombosis Diseases of the veins (varices, hemor-	30,6 44	i		<u>i</u>					1	6 3	9 6	30 7	70 12	91 8	83 5	16		····i
84 85	rhoids, phlebitis, etc.). Diseases of the lymphatic system (lymphangitis, etc.). Hemorrhage: other diseases of the circulatory system.	11 6 5	3	•••••	1	•••••			1	1	1	4	1 2	1	3 1 1				
00	IV.—Diseases of the respiratory system.	6,356	804	476	188	97	75	178	491	1,278	1,065	476	384	350	301	148	20	1	24
86 87 88 89 90 91	Diseases of the nasal fossae Diseases of the larynx Diseases of the thyroid body Acute bronchitis Chronic bronchitis Bronchopneumonia Pneumonia (total)	284 140 1,607	141 5 463 175	2 46 2 276 144	20 1 103 56	2 7 2 42 40	5 1 31 37	5 4 5 66 92	1 1 2 2 74 402	1 6 5 123 1,134	1 3 2 88 953	7 4 53 391	1 6 19 57 282	1 1 11 29 84 194	12 34 84 147	11 25 42 56	2 3 10 4	1	i i 11 12
93 94	Lobar pneumonia. Pneumonia (undefined). Pleurisy Pulmonary congestion, pulmonary apoplexy.	3,902 217 76	129 46 3	117 27 4	51 5 2	34 6 3	35 2 1	85 7 5	389 13 5	1,101 33 5	928 25 8	378 13 14 2	270 12 8	185 9 10	136 11 8	52 4 1	2 2 1		10 2
95 96 97 98	Gangrene of the lung. Asthma. Pulmonary emphysema. Other diseases of the respiratory system (tuberculosis excepted).	3 42 2			*******					1	2 1	3	1 7	15 1	11	4			
•	V.—Diseases of the digestive system.	18 2,729	1,384	332	77	23	16	47	64	70	3 114	129	135	3 146	127	59	4		2
99 100 101 102 103	Diseases of the mouth and annexa. Diseases of the pharynx. Diseases of the esophagus. Ulcer of the stomach. Other diseases of the stomach (cancer	47	2	1 1 i	1 1 i.		2	8 	4	6	1 1 7	1 2 11	1 4 8	4	6	1			
104 105 107 108 109	excepted) Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Intestinal parasites. Appendicitis and typhlitis. Hemia, intestinal obstruction (total)		1,300 3 21	303 1 8	61	14 11 1	10 2 2	11 1 11 11 4	1 10 30 8	3 7 22 17	9 22 22 18	13 16 21 18	14 16	16 36 5 27	15 46 4 25	12 17 18	4		i
110 111 112	Herma. Intestinal obstruction Other diseases of the intestines Acute yellow atrophy of the liver. Hydatid tumor of the liver	72 115 25 4	6 15 4	3 5	1 5	i i	<u>2</u>	4	6	16 16 1	3 15 3	5 13 9	24 18 6 2 1	13 14 2	15 10	5 3 4			
113 114 115 116 117 118	Cirrhosis of the liver. Biliary calculi. Other diseases of the liver. Diseases of the spleen. Simple peritoritis (nonpuerperal). Other diseases of the digestive system (cancer and tuberculosis excepted).	135 37	1 2 4	2	3	1		1 i	2 8 1	2 3 4	12 5 7 1 4	19 5 6 6	32 10 9	39 9 7	18 5 6	9 3 2			1
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	2,433	17	10	7	4	8	14	35	92	174	259	441	535	574	228	30	1	4
119 120 122 123 124 125	Acute nephritis Bright's disease Other diseases of the kidneys and annexa. Calculi of the urinary passages. Diseases of the bladder Diseases of the urethra, urinary abscess,		6	9 1		3 1		6 5 2	15 18	26 52 1	27 131 3 1 1	24 213 4 1	29 390 2 4 4	30 483 3 1 4	17 512 5 1 8	3 206 1 1 4			3
126 128 129 130 131 132	etc. Diseases of the prostate. Uterine hemorrhage (nonpuerperal). Uterine tumor (noncancerous). Other diseases of the uterus. Cysts and other tumors of the ovary. Salpingitis and other diseases of the female genital organs.	50 2 27 12 8				   			ii	1 1 5 1 1	1 3 2 2 2	8 5 1	1 4 3 2 1	3	25 4 1 1	i			
104	VII.—The puerperal state	325							40	167	101	17			ļ	-			
134 135 136 137 138 139	Accidents of pregnancy Puerperal hemorrhage Other accidents of labor Puerperal septicemia Puerperal albuminuria and convulsions. Puerperal phlegmasia alba dolens, embolus, sudden death	25 42							10 2 2 12 14	61 5 22 41 33	23 16 16 28 16	2 2 5 6							
140 141	fined)	2								2 1								ļ	

ë ë									DEATH	S AT AG	E OF-								t un-
Detailed In List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		<b>2</b> y <b>ear</b> s.	8 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	80 to 89 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	89	90 to 99 years.	100 yrs. and over.	Deaths at un- known age.
				MAR	YLA	ND (	тот	AL)	-Conti	nued.									
	VIII.—Diseases of the skin and of the cellular tissue	75	14	2		1		3	2	2	3	6	5	17	8	9	2		1
142 143 144 145	Gangrene Furuncle Acute abscess Other diseases of the skin and annexa IX.—Diseases of the bones and of	15 19	4 2 8	2		i		1 1 1	1 1	2	1 1 1	1 1 2 2	2 2 1	10 2 5	2	5 1 3	2		1
146 147	the organs of locomotion  Diseases of the bones (tuberculosis excepted)  Diseases of the joints (tuberculosis and rheumatism excepted)	33 6	5	2	3		2	1 1	5 	2 1	5	8 6 2	1 2		1				
149	Other diseases of the organs of locomotion X.—Malformations.		1 280	11	4	1	1	3	4	2			<del>.</del>						
150	Congenital maiformations (stillbirths not included) (total).  Hydrocephalus.  Congenital maiformations of the heart.	306 24 215	280 14 203	11 2 5	4 2 2	1	1	3 2 1	4 2 2	2 1	 [								
151	Other congenital malformations  XI.—Early infancy  Congenital debility, icterus, and scle-	1	1,852	4								<b>-</b>	<u></u>						
152	rema(total) Premature birth Congenital debility, "atrophy," "marssmus," etc. Other causes peculiar to early infancy	775 326	1, 101 775 326							<b>·</b>									•
153	(total) Injuries at birth. Other causes peculiar to early infancy 1. Lack of care.	111 135 5	246 111 135 5								l								
154	XII.—Old age  Senility  XIII.—External causes	243	47	25	26	32	15	95	161	241	239	223	179	9 140	78 78 110	119 119 58	30 30 11	4	20
155 156 157 158 159	Suicide (total).  By poison.  By asphysia.  By hanging or strangulation.  By drowning.  By drowning.	168 24 35 28 6							5 2 1	34 6 6 6 1 12	36 2 5 5 2 16	33 8 9 5	34 5 7 4 1 9	19 1 4 2 1 7	5 2 1				
160 161 163 164 165	By outting or piercing instruments. By jumping from high places. Other suicides. Accidental or undefined (total). Poisoning by food. Other acute poisonings.	1,361	46 2 1		26 2 1	82 1	15	95	150	178 3 5	1 1 175 2 3	1 1 174 2 1	137 2 1	1 1 117 2 1	104	58	11		1
166 167 168 169	Conflagration  Burns (conflagration excepted)  Absorption of deleterious gases (conflagration excepted)  Accidental drowning.	12 135 57 138	1 2 12 1	1	14	20 1	2	17 10	9 2 28	11 6 33	6 4 16	7 9 16	11 6 14	10 7 10	1 7 2	3 4			
170 171 172 173	Traumatism by firearms Traumatism by cutting or plercing instruments. Traumatisms by fall Traumatism in mines and quarries	228	5	4	2	3	1	4	12 15 5	14	2 24 4	25 6	28	1 2 25	38	33	8		
174 175	(total) Traumatism in mines Traumatism in quarries Traumatism by machines Traumatism by other crushing (total) Railroad accidents and injuries. Street-car accidents and injuries. Automobile accidents and in	19 3 45 444 162	2			5		47 9 3	1 10 55 20 7	3 1 12 66 34 5	8 74 35 11	5 1 10 67 30 9	3 45 12 10	35 10 8	29 3 8	4 1 2			
176 178 179 180	juries Injuries by other vehicles. Landslide, other crushing. Injuries by animals. Excessive cold. Effects of beat.	. 161 48 7 7 25	38	1 1	2	4		28 7	22 5 1 1	23 4 1 3 2	19 7 2 2 13 2	1 4 11	15 6 2 1 14	11 5 1 3 10	12 6 1 10 12	2	1		
181 185 186	Lightning Electricity (lightning excepted) Fractures (cause not specified) Other external violence.  Homicide (total) By firearms By outting or piercing instruments.	93	8	1	i		i	1 4	1 1 7 6 5	5 1 9 29 18	3 1 7 28 20	2 11 16 6	3 5 8 5	1 9 4 1	1 2 1	. 8 1	2		
183 184	By cutting or piercing instruments .  By other means .  XIV.—Ill-defined diseases	23 225	1 83	1	2	1		. 2	1 2	4 7 8	7	6	1 2 16	3 13	1 31 2	11	5	2	-
187 188 189	ili-defined organic disease Sudden death. Not specified or ill-defined (total). Ill-defined. Not specified or unknown.	. 9 210 91	82 9	24 18	2			2 1 1	1	8 4 4	7 5 2	1 10 7 3	12 10	1 11 9	3 26 17 9	11 5	4 2	2 1 1	

<sup>1</sup> Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES; BY AGE OF DECEDENT: 1918—Continued.

o. Intr									DI	EATHS A	T AGE	OF					-		at un-
Detailed Ir List No.	CAUSE OF DEATH.	deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	29	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	89	90 to 99 year.	100 yrs. and over.	saths
					MAR	YLA	ND (	WHI	TE).	<i>)</i>	<u> </u>		1	1	•	<u> </u>	<u> </u>	<u> </u>	
	All causes	24,329	3,468	976	410	243	187	556	1,300	3,207	2,915	1,953	2,272	2,669	2,692	1,263	150	4	64
	I.—General diseases		428	347	192	117	101	256	644	1,617	1,409	811	723	644	415	109	8		16
1 2 4	Typhoid fever Typhus fever Malaria Measles	154	1	2	· · · · · ·	3	2	15 1	45	30	21	16	6	8	3		1		1
6 7	Measles Scarlet fever	107 18	29 2	30 1	17 3	8 3	 8 1	7	3 1	2 4 2	······i				1	2			
8 9	Whooping cough.	263 123	117 13	71 17	33 18	15 21	8 15	17 25	2 9										
10 13	Whooping cough Diphtheria and croup Influenza Cholera nostras	3,531	180	189	102	52	51	145	379	1,023	835	234	139	95	71 2	23 1	3		10
14 18	Dysentery Erysipelas	35 25	8 3	6		2		1	1	3 2	3	2 4	1	3 2	4	2 4	1		
19 20 24	Other epidemic diseases. Purulent infection and septicemia. Tetanus.	22	4	1	1	1			5	·····i	2		1 4	3	<u>*</u>				
26	Pellagra	14	4	••••				5	5	2 1	2	<u>2</u>	5	1 3	$\frac{\bar{2}}{2}$				1
28	Tuberculosis (total) Tuberculosis of the lungs Acute miliary tuberculosis	1,915 1,693 52	30 5	26 7 5	15 4	8	13 4	25 7	150 128	488 447	441 422	307 287	212 195	144 135	46 43	8 7			$\frac{2}{2}$
28 29 30 31 32 33 34	Tuberculous meningitis Abdominal tuberculosis.	87 43	17 5	13	8 2	5	8	13	10 8 1	15 7	8 2 5	5 1	3			····i·			
32 33	White swellings	11 8				3	i	1		11 1 1	5 1 1	8 1 1	5 1 1	4 3 1	<u>1</u>				• • • • •
35	Tuberculosis of other organs Disseminated tuberculosis	12	1	····i					2 1	3 3	1 1	2 2	4	<u>i</u>					••••
36 37 38	Rickets. Syphilis.	10 67	9 10	1		 		1		6	5	19	14		3				•••••
98	Gonococcus infection	10	1	•••••	•••••				2	2	ĭ	4							
39 40 41	Of the buccal cavity. Of the stomach, liver	1,061 40 420	2	1	1	1		4 2	10 1	21	52 11	163 7 56	248 9 102	279 13 121	218 5 97	57 2 30	3 1		1. i
42	Of the peritoneum, intestines, rec- tum. Of the female genital organs.	135 149								5	10	12	38	37	26	7			
43 44	Of the breast Of the skin	99 34							1	4	16 8	45 27	41 18 1	23 27 10	20 17 13	2 7	2		
45 46	Of other organs or of organs not specified. Other tumors (tumors of the female genital organs excepted)	184	2	1	1			2	8	11	7	16	39	48	40	9			
47	Acute articular rhaumaticm	1 36				i					1								
48	Senryy	21	2					4	14	1	3	3 5	1 3	5 4	2 7	2 1			
49 50 51 52	Diabetes Exophthalmic goiter Addison's disease	206 23					1	2	8	15 3	10 5	24 6	48 4	63 4	29 1	5			i
53 54	Denkernia.	เ ดาเ	2	•••••	•••••	····i			2	2	3	1 3	1 4	1 4	1 2				
55 56	Anemia, chlorosis Other general diseases.	ا مد	11	1	1 1	1 	1		3 5	1	3	6	15	9	11	4			, 
57 58	Alcoholism (acute or chronic) Chronic lead poisoning Other chronic occupation poisonings Other chronic poisonings	46 4 2		•••••			•••••			2 1	17	7	13 2	5	2				
59	Other chronic poisonings.  II.—Diseases of the nervous system	2		•••••						1		····i	1		····i				
	and of the organs of special sense.	1,970	91	28	14	11	6	31	40	52	71	139	272	449	498	240	26		2
60 61	Encephalitis Meningitis (total)	7 132	36	14	9	8	1 4	13	2 18	2 9	2 6								
	Cerebrospinal meningitis (unda-	40	16	5	5	8		1	3	1		5 2	4	2	2 2				• • • • •
62	fined)	20 72	16	2 7	3	1 4	4	3	3 12	1 7	1 5	1 2 5	1 3	2					
63	Locomotor ataxia Other diseases of the spinal cord (total) Acute anterior poliomyelitis	28 76 15	3 3	2 2	1 1	1 1		5 5	4 1		2	5 6 1	7 7	8 15	26 26	5			1
64	Other diseases of the spinal cord 1	61 1, 259	2	•••••				•	3			5	7	1 14	26	5			
65 66 67	Cerebral hemorrhage, apoplexy Softening of the brain Paralysis without specified cause	20 178						i	3	2	25	78 5	201 2 21	361 4 34	372 9 68	180 4 41	23		.1.
68	General paralysis of the insane Other forms of mental alienation	81 11								4 1	14 2	17 2	12 4	17 1	11 1	6	- 1		
69 70 71 72	Epilepsy Convulsions (nonpuerperal)	51 3	3	1				1 2	8	11	10	10	5	2	i				
72 73	Convulsions of infants. Chorea Neuralgia and neuritis	48	36	9	2	1													 
74	Other diseases of the nervous system  Diseases of the ears	11 45	6	1	••••	····i	1	5	1	8	5	1 8	2 6	2 1	1	2			
	Transpool of and assistantial	19    1E:	5   xclusive	of act	2   ite ant	erior n	oliomy	2 ! elitis (	l   infanti	2 l le naral	3   veis)	2	1	<sup>1</sup>	ا۔۔۔۔۔ا		······)		••••
		-				P				Parai	J 020 Jq								;

			IIIo valor								istines.								<u></u>
o. Int.									DE	ATHS A	T AGE	o <b>r</b> —			,				at un 1 age.
Detailed List No	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	8 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	<b>30</b> to <b>89</b> years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	yrs. and over.	Deaths a
				MAR	YLA	ND (	WHI	TE)-	-Conti	nued.				1	1	1	1	Т	
	III.—Diseases of the circulatory sys-	2, 653	16	3	4	2	2	18	57	90	136	210	397	600	726	349	35	1	7
77 78 79 80 81	Perloarditis	64	3 11	1 2	1 1	2	2	1 2 15	2 5 49	3 85 1	1 8 119 3	11 169 15	23 306 32	5 3 473 44 63	3 2 599 26 83	2 3 258 7	20	1	6
82 83 84	rism, etc. Embolism and thrombosis Diseases of the veins (varices, hemorrholds, phiebitis, etc.) Diseases of the lymphatic system (lymphatic system (lymphatic system)	266 40 11	1		1				1	1	1	5	24 7 1	10	3	5			1
85	phangitis, etc.).  Hemorrhage; other diseases of the circulatory system.  IV.—Diseases of the respiratory system.	1	1 541	317	1 121	63	45	123	339	1,009	855	334	2 295	276	264		19	1	14
86 87 83 89 90 91	Diseases of the nasal fossae.  Diseases of the laryux.  Diseases of the thyroid body.  Acute bronchitis.  Chronie bronchitis.  Bronchopneumonia.	7 15 1 168 107 1,182	83 2 326 118	1 24 1 187 99	8 66 42	3 2 27 25	22 23	3 2 45 65	1 1 1 49 281	3 4 95 901	1 1 1 74 764	3 3 43 272	1 6 12 46 218	73 145	12 32 72 126	9 24 42 49	10	1	5 9 7
93 94 95 96	Lobar pneumonia. Pneumonia (undefined). Pleurisy Pulmonary congestion, pulmonary apoplaxy. Gangrene of the lung.	2,998 142 55 24 2 37	96 22 3 3	85 14 4 1	38 4 2	23 2 3	22 1	60 5 4	273 8 3	880 21 2	743 21 4 3 2 1	261 11 8 2	206 12 5	9		7	1		2
97 98	Other diseases of the respiratory system (tuberculosis excepted)	13 2,036	1,022	235	49	1 18	l.	32	45	2 45	1	2 94	107	1	116	i	-		2
99 100 101 102 103	Diseases of the mouth and annexa Diseases of the pharynx. Diseases of the esophagus Ulcer of the stomach. Other diseases of the stomach (cancer excepted).	23 1 36	28		1			7	4	3 2 2	5	9	6	4		1			
104 105 107 108 109	Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over Intestinal parasites. Appendicitis and typhlitis. Hernia, intestinal obstruction (total). Hernia. Intestinal obstruction.	197 2 103 148 56	16	2	37 6 1	1	2 2	8 3	22	15 11	14 11 1 10	18 14 4	11 23 17	5 19 9	24 14 16	1 7			1
110 111 112 113 114 115	Other diseases of the intestines.  Acute yellow atrophy of the liver.  Hydatid tumor of the liver.  Cirrhosis of the liver.  Biliary calculi.  Other diseases of the liver.	3 1 113 36	1		1	. 1				. 1	10	14	. 1 25	35	1	5 8	3		
116 117 118	Diseases of the spleen	222			i			1	7					1			i		-
119 120	genito-urinary system and annexa.  Acute nephritis.  Bright's disease	1,837	2	5	5 7 4 5 1 ]	5	3	3	3 20 3 6 3 13	3 19	9 1	1 10	10	6 2 39	1 43	9 18	3	_  [	-
122 123 124 125	Other diseases of the kidneys and annex Calculi of the urinary passages Diseases of the bladder Diseases of the urethra, urinary abscess	22 18	5	3								1	1	1	1 2	6	1		
126 128 129 130 131 132	Uterine hemorrhage (nonpulerperal) Uterine tumor (noncancerous) Other diseases of the uterus Cysts and other tumors of the ovary	10	2							 i 	i	2	35	3 2	3 2	4 1 1			
13 <b>4</b> 135	VII.—The puerperal state  Accidents of pregnancy	244 8	0 2 7							8 5	1 2	1 9	3 2 2					-	
135 136 137 138 139	Other accidents of labor  Puerperal septicemia.  Puerperal afbuminuria and convulsion  Puerperal phlegmasia alba dolens, en  bolus, sudden death.  Following childbirth (not otherwis	5 1s. 4	1							2 3	0 2	2	5						
141	defined) Puerperal diseases of the breast		î								1 '		!		'	'	'	'	••'••

E E					•			<del>::</del>	DE	CATES A	T AGE (	)F—							t un-
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	yrs. and over.	Deaths at un- known age.
				MAI	YLA	ND	(WH)	TE)-	-Conti	nued.									
	VIII.—Diseases of the skin and of the cellular tissue	58	14	2		1		3	2	2	1	4	4	13	4	8			
142 143 144	Gangrene Furuncle Acute abscess	14 12 13	4 2	2		i		1 1 1	i			i	1 2 1	6 •2 5	2	.			
145	Acute abscess Other diseases of the skin and annexa IX.—Diseases of the bones and of the organs of locomotion.	19 34	8	2	2		2	2	1 4	3	1 5	2 5	3		2	3			
146	Diseases of the joints (tuberculosis excepted).  Diseases of the joints (tuberculosis and	29	5	2	2		2	1	4	2	5	5	1						
147   149	Diseases of the joints (tuberculosis and rheumatism excepted)	4	<u>i</u> -					1		1			2						
150	X.—Malformations	243	225	8	3	1			4	2									
	included) (total)	19	225 11 160	8 2 2	3 2	1			2 2	1	1	1		1	1	ì	1		
	heart Other congenital malformations XI.—Early infancy.	58	54 1,050	4											-				
151	Congenital debility, icterus, and sclerema (total).  Premature birth	850 619	850 619																
152	Congenital debility, "atrophy," "marasmus," etc. Other causes peculiar to early infancy (total)	231 198	231 198											1	1		1		
	Injuries at birth Other causes peculiar to early in- fancy 1	97 101	97 101										]		<u>.</u>				
153	Lack of careXII.—Old age	. 2	2											5	62	99	_(	-{	2
154	SenilityXIII.—External causes	1	28	20	17	25	14	83	127	190	177	168	156	. 5 120	94	55	1	2	15
155 156	Suicide (total) By poison By asphyxia	23			.				2	5	5	33 8 9	32 5 7	16 1 4 2					
156 157 158 159 160	By hanging or strangulation. By drowning. By firearms. By cutting or piercing instruments.	51							2	10 2	[ 13	5 9 1	1 9 3	1 6					
161 163	By jumping from high places Other suicides	5 4	27			25		-			. 1	127	119	1 1	. ]			-	13
164 165 166	Accidental or undefined (total)	15	2	. 1	2	20	1 1 2 6	83 2	.[		2	1 1	2						
167 168	Conflagration Burns (conflagration excepted). Absorption of deleterious gases (conflagration excepted)	. 44	5 1	10	8	18	. 1	1	6 2	6	3	5 7	5	7		3 3 1 4			
169 170 171	Accidental drowning Traumatism by firearms Traumatism by cutting or piercing	. 21	1	2	2	. 3		. 1	20		12 2	7 2		. 1					
172 173	instruments. Traumatism by fall. Traumatism in mines and quarries (total).	. 21	3	3	1		i	4	. 5	4	4	21 5	2	24		3 32	8		
174 175	Traumatism in mines Traumatism in quarries Traumatism by machines	19 2 30	i	-			i	-	. 4 1 5	3		5 6	.						1
179	Traumatism by other crushing (total).  Railroad accidents and injuries. Street-car accidents and injuries	. 388 . 141	2		2	3			19	29		56 23 8		10	2	3   1		-	
	Automobile accidents and injuries. Injuries by other vehicles.	141	1	. 1	. 2	1	1	27	19 5	20	16 6	19 6	5	1	5	2			1
176 178 179	Landslide, other crushing Injuries by animals Excessive cold Effects of heat	. 4	1 5	- 1			-	3	1		1 1 7	2 5			2	i	· · · · · · · · · · · · · · · · · · ·		
180 181 185	Lightning. Electricity (lightning excepted) Fractures (cause not specified)	10 20						1		. 5	1 3 1		-		i	i	B 2		
186 182	Other external violence	52 41	5 1	1	1		i		3	11	9	8	5	i   8	9		1		-
183 184	By firearms By cutting or piercing instruments By other means. XIV.—III-defined diseases.	- 17	1 39	-	1				·;	3	2	- 4	1 2		- 1	1	9 8		G, 0
187 188	Ill-defined organic disease	3	<sub>i</sub>	i	-			-			4	-	-		_    	1	2	ı	- 48
189	Sudden death. Notspecified orill-defined (total). Ill-defined. Not specified or unknown.	118 56 60	38	8 7	1 1	1 1			- i	. 2	! 2	5 1	5	1		5	9 2 4 1 5 1	2 1 1	

<sup>1</sup> Exclusive of injuries at birth.

		1	11																
d Int.		All				1	1		D)	EATHS A	AT AGE	OF—		·			,		at un-
Detailed List N	CAUSE OF DEATH.	deaths.	Under 1 year.		2 years.	g years.	4 years.	5 to 9 years.	10 to 19 years.	29	30 to 89 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	yrs. and over.	Deaths at un- known age.
				1	MAR	YLAI	ND (	COLC	REI	•).	·			<u> </u>		1 -			
	All causes	7,805	1,322	463	228	108	96	266	695	985	900	785	721	552	415	165	46	10	48
	I.—General diseases	2,635	233	166	115	57	51	160	419	504	365	238	173	79	44	14		2	15
1	Typhoid fever	84		1	2	1		7	37	21	6	5	2	1	1	-			
1 4 6	Malaria	31	3	9	7	1		в	1 5										
7 8	Scarlet fever	201	74	50	27 27	15	9	1 22	<u>.</u> .										
9	Diphtheria and croup	12	3	2			 	3	3		1	l							
10 13	Diphtheria and croup	906 3	88 1	71 1	59	29	29	74	136	171	138	52	34	10	8	1		1	5
14	Dysentery	12	5		<b></b>	<b></b>	<b> </b>		1				4		2	ļī.			
18 19	ErysipelasOther epidemic diseases	4 2	1	····i	<b>-</b>			····i		1	1		1						
24 26	Pellagra	12	3 1						2	2	3	4	1						
28	Tuberculosis (total). Tuberculosis of the lungs.	1,012 860	18	20 13	16	10	13	40	215	274	184	100	70	28	14	3		1	6
28 29 30 31 32 33	Acute miliary tuberculosis	54	11 2	2 2 2	8 2	6	5 4	27 5 2 2 1	184 10	240 12	163	90	63 3	27	14			1	5
31	Abdominal tuberculosis. Pott's disease	31	1		1	2	4	2	11	4 8	3	1	3					[:::::	
33	White swellings	7	••••	1				1	3 2	1	2	1		i					
34 35	Tuberculosis of other organs	12 20		1	3	1			1 3	3 6	5	2	1	•••					1
36 37	RicketsSyphilis	14 107	7 24	4 6	1			1	1 5	17	15	17	;;-			ļ	<b></b>		
38	Gonococcus infection	17		·····				1	2	6	3	4	14	5	1				2
	Cancer and other malignant tumors (total)	136			ļ	1		1	2	1	11	42	33	24	14	5			2
39 40	Of the buccal cavity Of the stomach, liver	6 54						····i		• • • • • • • • • • • • • • • • • • •	6	15	2 11	3 10	6	3			2
41	Of the peritoneum, intestines, rectum. Of the female genital organs	17			ļ						1	7	5	1	2	1			i
42 43 44	Of the breast	15								1	2	12 7	5 4	3	2				
45	Of the skin. Of other organs or of organs not speci-	2	• • • • • • •	· · · · · ·	· • • • • • •		· <b>··</b> ··	· • • • • • • • • • • • • • • • • • • •	•••••	•••••		·····	•••	•••	1	1			
46	fiedOther tumors (tumors of the female geni-	17				1			2		1	1	6	4	2			• • • • •	
47	tal organs excepted)	25	••••	• • • • • •	1			1	1	в	1	6	4	1 2	3				
48 49	Chronic rheumatism and gout	1									<b></b>			2		1			••••
50 51	Diabetes. Exophthalmic goiter			1					3	1 3	i	6	5 <b>2</b>	6	1	3			
54 55	Anemia, chlorosis. Other general diseases.	1 7	1 4						1			1							
56	Alcoholism (acute or chronic)	5		<b></b>						1	1	1	2	2					
	II.—Diseases of the nervous system																		
	and of the organs of special sense	538	27	10	5	4	4	10	14	20	33	74	<b>10</b> 9	109	68	32	11	1	7
60 61	Encephalitis Meningitis (total)	5 30	2 5	1 4	3	2	····i	1 2	3	6	1 2	2							••••
	Simple meningitis	11 3	2 1	1	·i-	ī	ī	····i	ĭ	ž	ī	2					- <b></b>		
62	Cerebrospinal fever Locomotor ataxia	16 6	2	3	2	1		î	2	4	1		3	2					
63	Other diseases of the spinal cord (total) Acute anterior poliomyelitis	14				1 1	1	i 1	1		·····	2	i	4	i		2		
	Other diseases of the spinal cord 1	11				····	1		1			2	1	3	1		2	•••••	
64 65 66	Cerebral hemorrhage, apoplexy	334 1	• • • • • • • • • • • • • • • • • • •						2	3	16	55	83	85	53 1	28	7		2
67	General paralysis of the insane	49 29								2 4	7	5 7	11 6	13 1	10 2	3	2	····i	2
68 69	Other forms of mental alienation Epilepsy	4 19	••••						3	4	4	1	2 3	1	<del>-</del> -	<u>-</u> -			
69 70 71	Convulsions (nonpuerperal)	4 27	20	5	····i		1	2	1	4	1								3
72 74	ChoreaOther diseases of the nervous system	1					i		••••	•••••									
76	Diseases of the ears	7			1	1		3	3 1	1		1		2	1			•••	••••
		ı I	Exclusiv	e of a	cute a:	nterior	polio				aralysis								
							-	-		•	•								

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

Int.									DH	EATHS A	T AGE	of							um- ge.
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at un- known age.
			М	ARY	LAN	D (C	OLO	RED	)—Con	tinued	•								
	III.—Diseases of the circulatory system	795	8	2	1	. 1	2	3	17	46	93	137	156	130	126	52	14	2	5
77 78 79 80 81	Pericarditis	7 18 697 26	5	1 1	1	1	<u>2</u>	1 2	1 15 1	2 3 39 1	3 79 6	1 3 126 3	3 138 9	2 1 115 3	2 1 112 3	43	12	2	5
82 84	rism, etc Embolism and thrombosis. Diseases of the lymphatic system (lymphangitis, etc.).	40 4 3	3							1	4 1	3 1	6	7 2	8	9	2	····	
	IV.—Diseases of the respiratory sys- tem	1,604	263	159	67	34	30	55	152	269	210	142	89	74	37	12	1		10
86 87 88 89 90	Diseases of the nasal fosse Diseases of the larynx Diseases of the thyroid body Acute bronchitis Chronic bronchitis Bronchopneumonia	5 3 1 116 33 425	58 3 137	1 22 1 89	12 1 37	4	5 1 9	1 1 3 21	1 1 1 25	3 1 28	2 1 14	4 1 10	7 11	1 1 10 11	2 12	2 1			1 6
92 93 94	Pneumonia (total). Lobar pneumonia. Pneumonia (undefined). Pleurisy. Pulmonary congestion, pulmonary apo-	979 904 75 21	57 33 24	45 32 13	14 13 1	15 11 4	14 13 1	27 25 2 1	121 116 5 2	233 221 12 3	189 185 4 4	119 117 2 6	64 64 3	49 44 5 1	21 20 1 1	7 7	1		3 3 
95 96 97 98	plexy. Gangrene of the lung. Asthma. Pulmonary emphysema. Other diseases of the respiratory system (tuberculosis excepted).	9 1 5 1	2	1	3		1	1	1	1		2	1 1 2	1	1	1 1			
	V.—Diseases of the digestive system.	693	362	97	28	5	2	15	19	25	35	35	28	27	11	3	1		
99 100 102 103	Diseases of the mouth and annexa.  Diseases of the pharynx.  Ulcer of the stomach.  Other diseases of the stomach (cancer excepted).	5 7 11	13	12	1			1 1 1	1	1 4 1	2	2	1 4 2 7	4	1	1			
104 105 108 109	Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Appendictis and typhitis. Hernia, intestinal obstruction (total) Intestinal electrostics	430 74 32 39 16	339 1 5 2	91 1 1	24	5	2 	6 3 1	4 8 4 2	3 7 6 1 5	8 8 7 2 5	6 3 4 1 3	3 2 1 1	9 8 4 4	2 1 1	1 1 1	1		
110 111 113 114 115	Intestinal obstruction Other diseases of the intestines Acute yellow atrophy of the liver Cirrhosis of the liver Biliary calculi Other diseases of the liver	23 4 1 22 1 8	1					1 1	1	1	2 2	2 1 5 1	7	i 4	3				
117 118	Simple peritonitis (nonpuerperal) Other diseases of the digastive system (cancer and tuberculosis excepted) VI.—Nonvenereal diseases of the	15 1	1	2	2			1	1	2	1	4			1				
	genito-urinary system and annexa	596	9	5	<u></u>		5	6	15	31	73	90	133	105	85	26	10	1	2
119 120 122 124	Acute nephritis Bright's disease Other diseases of the kidneys and annexa. Diseases of the bladder	466 6	6 3	5			2 2 1	3 2 1	9 5 	7 19	16 52 1	14 69	13 117 2	9 91 1 2	8 73 2	24	10	i	i
125 126	Diseases of the urethra, urinary abscess, etc	1 6											·····i	1 1	2	2			
129 130 131 132	Other diseases of the uterus Cysts and other tumors of the overy Salpingitis and other diseases of the fe- male genital organs	11 2 1 3							1	1	1 1	5 1 1							
134	VII.—The puerperal state.  Accidents of pregnancy.	14			-				23	10	24	4							
135 136 137 138 139	Puerperal hemorrhage Other accidents of labor Fuerperal septicemia Fuerperal albuminuria and convulsions. Fuerperal phlegmasia alba dolens, embolus, sudden death.	8 11 30 20							1 1 10 9	3 11 8 2	7 7 6 2								

<u>ة</u>									DEATHS	S AT AG	E OF-								ġ,
List No	CAUSE OF DEATH,	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	80 to 89 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	100 yrs. and over.	Deaths at un-
			M	RY	LANI	) (C(	LOF	ED)-	-Centi	nued.		'			-				<u></u>
	VIII.—Diseases of the skin and of the cellular tissue	17									2	2	1	4	4	1	2		
42 44	Gangrene	15 2									1 1	1 1 3	1	4	4 1	1	2		
6	the organs of locomotion  Diseases of the bones (tuberculosis excepted)  Diseases of the joints (tuberculosis and	4			1				1			1			1				
	rheumatism excepted)	1	55	3	1		1	3	•••••			<u></u>	•••••						
0	Congenital malformations (stillbirths not included) (total)  Hydrocephalus  Congenital malformations of the	. 5	55 3	3	1		1	3 2				<i></i>				1			
	heart. Other congenital malformations XI.—Early infancy	49 9 302	43 9 302	3	1			1											
1	Congenital debility, icterus, and sclerema (total)	I tan	251 156																
2	Congenital debility, "atrophy," "marasmus," etc. Other causes peculiar to early infancy (total). Lujuries at birth.	48 14	95 48 14																
3	Other causes peculiar to early infancy <sup>1</sup> .  Lack of care.  XII.—Old age.	34	34											4	16	•	5	2	
4	Senility XIII.—External causes	48	19	5	9	7	1	12	34	51	62	55	23	4 20	16 16		5	2	
5	Suicide (total). By polson. By asphyxia. By firearms.	1 1 6								1 1 2	3		2	3					
3	Other suicides	258	19	5	9	7	1	12	31	29	40	47	2 18	16	16				
4 5 6 7 8	Poisoning by food. Other acute poisonings. Confiagration Burns (confiagration excepted) Absorption of deleterious gases (confiagration excepted)	1 6	i	2 1		1 1 1 2	1	2 5	3	3	1	1	1 2	2 1 3	1 1 1				-
9 '0 '1	(conflagration excepted)	. 30	11	1	. i			1	8 3	2	1 4 2	9	1 2	1	1				-
3	Traumatism in mines and quarries (total)	1		i	i				3	1	2	. 1	4	1	2	1			-
4 5	Traumatism in quarries Traumatism by machines Traumatism by other crushing (total) Railroad accidents and injuries	- 15		-		2		2	5 8 1	8 5	2 13 4	11 7	4	5	1				
	Street-car accidents and injuries Automobile accidents and injuries. Injuries by other vehicles.					2		1	3	3	4	i 3	1 1	1	1				
76 78 79	landslide other crushing	1 3 16 23	2						i	1	6	6	1 2	1 2	7 2	2			
5 6	Other external violence	15 52	3					i	. 3	5	19	2 2 8	3						
32 33 34	By firearms. By cutting or piercing instruments. By other means. XIV.—Ill-defined diseases.	33 13 6						2	3	10 4 4 5	6	. 3			7	2	2	2	
37 38 39	Ill-defined organic disease	3	44	16	1			2 1		5 2 3	3		5		. 2	. 2	. 1	1	١.

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAW'AII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

		[]	his tabl	le exch	ides th	ie deat	hs of s	oldiers	, sailor	s, and r	narines	.]				/			
o Int.							•		מ	EATHS .	AT AGE	of—			1	<u> </u>			un-
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 89 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	89	90 to 99 years.	yrs.	Deaths at un- known age.
					MA	.SSA	CHU	SET'	rs.		•				•	···.			<del></del>
	All causes	77, 248	10,780	2,983	1,274	845	631	1,719	3,360	9,588	10, 197	7,245	7, 261	8, 483	8,016	4, 122	694	21	29
	I.—General diseases		1,546	1,276	656	476	341	873	1,689	5, 210	5, 209	3,103	2,539	2,156	1,374	443	56		8
1 2	Typhoid fever Typhus fever	. 1	1	3			1	5	28	37	, 43	19 1	13	2	\ 1				
4 5 6	Maiaria Smallpox Measles	5 1 508	134	208	69	35	20	25	8	1	4	2	1 1	1	, ,1				
78	Scarlet fever. Whooping cough.	73	306	10 200	8 74	4 40	16 31	16 34	7	5 2	1 1	2	1		i				
9 10	Diphtheria and croup Influenza	590 12,494	48 604	73 583	75 331	83 220	52 157	178 451	53 969	12 3,461	3,391	1,146	530	345	212	71	17		6
13 14 18	Cholera nostras  Dysentery	10 74	16	9	5	1 2	1	2		2	2	1 2	6	9.	9	1 6	1		
19 20	Erysipelas. Other epidemic diseases. Purulent infection and septicemia.	. 23	61 11 14	6 1	1		1	3 2		4	11	13	17 1 9	17	14 14	2	2		
22 24	Anthrax Tetanus		7		i	1	2	9	6 1 3	1 3	1 1	2 4	2	4		1			• • • • • • • • • • • • • • • • • • • •
25 26	Mycoses. Pellagra.	2 21							1	i	2	9	1 3	3	2 <sub>1</sub>	1			
28	Tuberculosis (total) Tuberculosis of the lungs	5,970 5,020	155 46	149 44	69 8 6	73 15	35 5	104 32 3	515 421	1,504 1,379	1,366 1,261	974 892	589 533	300 270	109 90.	24 22	2		2 1
28 29 30 31 32 33	Acute miliary tuberculosis Tuberculous meningitis A bdominal tuberculosis	164 417 181	9 82 11	8 75 16	47	5 43 5	20 6	52	24 34 19	41 27 33	29 17 19	18 11	9 7	5 2	5				1
32 33	Pott's disease White swellings Tuberculosis of other organs	1 51		1 1	1 1 1	3	3	10 3 1	6 6	8	6 4	28 7 4	16 6 7	10 3 4	4 4 1				
34 35	Dissemmated indereniosis	34	6 1	2 2	1	i		2 1	3 2	12 3	18 12	8	9 2	5 1	3 2	2	1		
36 37 38	Rickets Syphilis Gonococcus infection	36 289 8	15 77 2	11 4	3	2	1	4	8 1	1 16 1	2 41 2	57	50	21 2	2	1			
39	Cancer and other malignant tumors	4,100	3	4	6	4	. 9	5	14	56	178	626	981	1,095	807	280	32		
40 41	Of the buccal cavity. Of the stomach, liver. Of the peritoneum, intestines, rec-	149 1,337		1	1	2		1,	 	8	35	23 180	35 347	43 383	299	76	2 4	- 1	
42	Of the female genital organs	799 587	1		i		1	<u>î</u>	3 1	7 10	31 57	101 147	173 164	236 122	169 61 71	70 21	7 2		
43 44 45	Of the breast Of the skin Of other organs or of organs not	430 114			• • • • • • • • • • • • • • • • • • • •		····i			1	20 1	87 8	102 15	109 28	71 30	36 ·22	3 8		
46	Other tumors (tumors of the female gen-	684	2	2	4	2	7	3	10	28	30	80	145	174	144	47	6		
47 48	ital organs excepted)  Acute articular rheumatism Chronic rheumatism and gout.	101	2		1		7	6	22	7	1 10	1 13	11	10	1 9	2 2	1		
49 50	Diabetes.	41 3 787	2 2	2		4	4	10	42	46	1	5	2 <sub>162</sub>	12 	14	8 34	·····i		
51 52 53	Exophthalmic goiter Addison's disease	36 18		ĩ					1	8 1 7	42 5 6	88 8 1 10	6 2	6 3.	1,	0.2			
54 55	Leukemia. Anemia, chlorosis. Other general diseases.	62 300 103	8 73	3	4 1 2	2 2 3	1 1 2	2 7 5	3 3 1	7 13 3	9 21 1	10 53 2	· 83 4	9 70 1	31· 2	2 4 1			
56 57	Alcoholism (acute or chronic)	188						ļ <u>.</u>	ļ	9	52	52	45 3	22	6	2			
59	Other chronic poisonings. II.—Diseases of the nervous system	5								1	2		ĭ		1				
	and of the organs of special sense	5, 715	235	92	43	35	11	66	108	137	231	461	805	1,300	1,358	723	108	1	1
60 61	Encephalitis Meningitis (total)	20 342	5 100	2 50	2 25	18	1 7	2 33	39	1 27	2 15	3 11	2 11	5	i				
	Simple meningitis Cerebrospinal meningitis(undefined). Cerebrospinal fever	111 95	41 25	18 19	25 9 7	7 4 7	2 1	8 9	7 15	27 3 8 16	4 2 9	5 3 3	4 1	5 3	i				••••• ·
62 63	Other diseases of the spinel and (total)	136 109 240	34	13 7	9 5	4	4 1	16 7	17 8	16 2 17	6 15	11 31	6 34 22	33 58	18 43	5 12			••••
	Other diseases of the spinal cord 1	38 202	7 2	6 1	5	3	i	5 2	3 5	5 12	15	1 30	22	57	43	11	····i		
64 65 66	Cerebral hemorrhage, apoplexy Softening of the brain Paralysis without specified cause	3,942 45	5	2	2	2	<b>-</b>	2	2	20	57	241 1	591 4	1,095 12	1,179	648 5	94 4	1	1
67 68	General paralysis of the insane. Other forms of mental alienation	146 302 33			1	•••••		1	3	3 11 2	65 3	5 97 11	15 66 9	26 31 5	19 53 25 2	29 7 1			
69 70	Epilepsy Convulsions (nonpuerperal)	190	3	2		2	1	8 3	32	36	35	24	19 1	19	2	7			
71 73 74	Neuralgia and neuritis	102	76	21	3	2					2			2	2	1			•••••
74 75 76	Other diseases of the nervous system  Diseases of the eyes and their annexa	149 6	10		1	2 1	1	8	17 1	10	21	24	22	2 9	13	1 6	2		••••
úo 1	Diseases of the ears	76	26	4	4 ]		•••••	1	6	8	6	2	6	. 5	1	2	1		••••

 $<sup>^{1}\</sup>mathrm{Exclusive}$  of acute anterior poliomyelitis (infantile paralysis).

o Int.									DEAT	HS AT A	GE OF-	-							age.
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	8 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	80 to 89 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	100 yrs. and over	Deaths at known ag
			ή····	МА	SSA	CHU	SETT	rs—c	ontinu	ed.									
	III.—Diseases of the circulatory sys- tem	11, 159	73	23	8	8	11	76	221	352	5 <b>73</b>	953	1,500	2,489	2,882	1,698	283	7	2
77 78 79 80 81	Pericarditis	8,156 418	11 82	1 4 13	 1 5	1 7	4 5	3 16 55	4 19 196	37 298 3	4 49 485 12	63 790 32	9 97 1, 163 79	5 14 1,920 114	2,013 122	1,023 52	1 148 4	2	i
82 83	rism, etc. Embolism and thrombosis. Diseases of the veins (varices, hemor- rhoids, phiebitis, etc.).	1,955 188 28	2			•••••		1	1	4 6 1	8 7 6	39 18	113 32 7	388 43 5	678 49	594 24	124 5	5	1
84 85	Diseases of the lymphatic system (lymphangitis, etc.)  Hemorrhage: other diseases of the circu-	37	25	5	2		2	1		1		1							 
	latory system.  IV.—Diseases of the respiratory system.	14,911	1,883	993	370	171	137	295	774	2,760	2,856	1,335	968	953	872	452	84	5	3
86 87 88 89 90	Diseases of the nasaf fossae Diseases of the larynx Diseases of the thyroid body Acute bronchitis Chronic bronchitis Bronchopneumonia	38 20 592 313 3,725	329 4 1,136	9 99 5 585	30 1 184	7 1 95	4 51	5 11 1 95	2 2 2 2 2 2 84	2 3 5 6 203	1 2 3 6 7 286	1 5 6 8 179	4 4 11 32 152	1 1 13 50 210	1 1 33 103 275	1 29 76 153	7 15 36	2 1	
92 93 94	Pneumonia (total). Lobar pneumonia. Pneumonia (undefined). Pleurisy. Pulmonary congestion, pulmonary apo-	9,791 100 176	381 368 13 11	276 272 4 18	143 140 3 9	63 61 2 1	81 80 1 1	176 174 2 5	669 661 8 11	2,518 2,503 15, 15	2,517 2,506 11 23	1,082 1,072 10 32	724 715 9 21	643 640 3 12	425 412 13 11	172 167 5 5	16 15 1	2 2 	3
95 96 97 98	plexy Gangrene of the lung Asthma. Pulmonary emphysema. Other diseases of the respiratory system (tuberculosis excepted).	8 49 10 26	3 2 1		i				2	2 3	3 5 2	5 2 10 2	5 9 6	1 9 2	10 8 2	12 2 1	9		
•	V.—Diseases of the digestive system.	5,376	2,688	436	95	61	40	101	142	154	225	313	342	357	271	125	25		1
99 100 101 102 103	Diseases of the mouth and annexa.  Diseases of the pharynx.  Diseases of the esophagus.  Uler of the stomach.  Other diseases of the stomach (cancer axcepted).	89 6	12 10 1	3	4	6	5	13 4	1 12 6 3	1 7 1 15	3 6 25	1 7 39 17	11 11 2 42	2 4 25 20	18 16	1 1 1 9	6		•••••
104 105 107 108 109	Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over) Intestinal parasites Appendicitis and typhlitis. Hernia, intestinal obstruction (total) Hernia	431 1 426 394	2,500 55 11	1 1 18 3	75 4 4 1	47 2 3	21 9 2	25 44 5	88 8	18 66 12 6	24 72 14 3	39 55 37 17	30 42 62 30	53 26 75 46	51 1 13 71 41	30 2 25 13	11 2 3 2		
110 111 112 113	Hernia. Intestinal obstruction Other diseases of the intestines. Acute yellow atrophy of the liver. Hydatid tumor of the liver. Cirrhosis of the liver.	220 72 10 3 282	44 2	15 1	3	3 1	2	5 2 1	1 7 2 4	6 7	11 9 2 1	20 10 3 1 53	32 12 3 1 51	29 7 2	30 13	12 5 	  2		i
114 115 116	Biliary calculiOther diseases of the liver	147 122	3	1				1	3	2 9 7	28 17 10	23 18	37 22	39 23	17 22	11			
117 118	Diseases of the spleen Simple peritoritis (nonpuerperal) Other diseases of the digestive system (cancer and tuberculosis excepted) VI.—Nonvenereal diseases of the	43 19	4		2		_ 2 		7	3 2	6	6 4	6		3 1		•••••		····-
	genito-urinary system and annexa	3,836	50	10	12	6	10	21	54	144	270	494	623	842	890	360	47	2	1
119 120 122	Acute nephritis. Bright's disease. Other diseases of the kidneys and annexa.	3, 187 90	20 13 13	3 4 3	8 4	3 3	6 4	12 8 1	9 41	14 106 4	21 201 7	20 398 14	13 563 7	19 735 17	16 759 16	307 8	39 	2	1
123 124 125	Calculi of the urinary passages	36	i							1	3	3 2	4 4	9 8 3	11 3	11	1		·····
126 1 <b>2</b> 7	Diseases of the prostate Nonvenersal diseases of the male genital organs	152	3		• • • • • •							2 1	10 	40	72	23	5		•••••
128 129 130 131	Uterine hemorrhage (nonpuerperal) Uterine tumor (noncancenous) Other diseases of the uterus. Cysts and other tumors of the overy	63 23							1 1 2	2 1 1	14 4 7	29 7 10	10 4 2	2 4 3	5	1 1 2			·····•
132 133	Salpingitis and other diseases of the fe- male genital organs. Nonpuerperal diseases of the breast (can- cer excepted)	38								15	12	8	2	1	•••••				•••••
	VII.—The puerperal state	882							36	446	341	58	1	1					
134 135 136 137	Accidents of pregnancy Puerperal hemorrhage Other accidents of labor	. 196							6 1 12	119 12 99	82 30 72 76	13	• • • • • • • • • • • • • • • • • • •						- · - · •
138 139	Puerperal septicemia Puerperal albuminuria and convulsions Puerperal phigmasia alba dolens, em- bolus, sudden death.	48							10 3	113 71 25	76 62 17	11 11 3							
140 141	following childbirth (not otherwise de- fined)	8								6	2				<b></b>	<u></u>			

Int.		. [	I IIIS GAL							· · · · · ·	r age c								4 p. 236.
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 89 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at un- known age.
			t	MA	SSA	CHU	SET'	rs-C	Continu	ied.									
	VIII.—Diseases of the skin and of the cellular tissue.	181	46	7	2	3		5	3	5	10	8	17	15	27	28	5		
142 143 144 145	Gangrene Furuncle. Acute abseess Other diseases of the skin and annexa. IX.—Diseases of the bones and of the	56 31 43 51	9 13 24	1 2 4	2	2		2 2 1	1 1 1	3 2	1 2 4 3	3 1 2 2	6 6 4 1	4 5 2 4	18 2 3 4	15 1 5 7	1		
146	organs of locomotion  Diseases of the bones (tuberculosis ex-	131	9	7	4	2	6	8	17		18	18	13	8	9	4		••••	
147 149	cepted) Diseases of the joints (tuberculosis and rheumatism excepted) Other diseases of the organs of locomotion X.—Malformations	111 18 2 781	718	30	8	1 1 4	6	10	15 2 10	8	16 2	3	9 4	4	3	4			
150	Congenital malformations (stillbirths not included) (total).  Hydrocephalus.  Congenital malformations of the heart Other congenital malformations.  XI.—Early infancy.	79 482	718 57 453 208 3,342	30 10 15 5	8 6 1 1	4 2 2	1	10 4 4 2	19 2 7 1										
151	Congenital debility, icterus, and sclerema (total).  Premature birth. Congenital debility, "atrophy," "marasmus," etc.	2,592 2,012	2,592 2,012			1		i i			!					1			
152	"marasmus," etc. Other causes peculiar to early infancy (total). Injuries at birth. Other causes peculiar to early infancy infancy.	580 744 427 317	580 744 427																
153	Lack of care. XII.—Old age.	6	317 6											8	42	114	53	 5	
154	SenilityXIII.—External causes	1	86	88	64	74	73	262	301	358	450	469	421	8 318	42 258	114 161	53 30	5 1	11
155 156 157 158 159 160 161 162 163	Suicide (total).  By poison. By asphyxia. By hanging or strangulation. By drowning. By firearms. By cutting or piercing instruments. By jumping from high places By crushing. Other suicides.	129 64 58 92 50						1	16 4 5 1 1 4 1	74 15 17 11 7 15 7 2	104 18 24 10 12 19 14 5	78 4 21 12 14 14 8 3	92 9 27 13 13 19 8 1	70 5 23 10 5 15 11	31 10 6 5 6 5 7	8 2 1 1 1 1 2			
164 165 166 167 168	Accidental or undefined (total) Poisoning by food. Other acute poisonings Conflagration Burns (conflagration excepted). Absorption of deleterious gases (con-	2,864 23 45 37 299	79 1 3	87 2 9 4 35	63 10 2 29	73 2 1 1 31	72 4 1 21	259 3 2 51	277 1 2 11	264 5 3 14	322 8 4 15	379 3 2 5 16	323 4 2 8 17	245 6 1 3 21	227 1 1 19	153  10	30	1	10 i
169 170 171	flagration excepted) Accidental drowning Traumatism by firearms Traumatism by cutting or piercing	299 264 30	38 1	7 6 2	6	6	1 11	3 47 6	14 61 13	32 31 6	32 32 1	57 29 1	37 19	39 5 1	23 5	12 1			2 4
172 173	instruments. Traumatism by fall. Traumatism in mines and quarries (total).	11 570 3	5	9	8	7	7	1 14	2 14	1 17	2 43 1	1 60	67 67	73 1	108	112	25	<sub>1</sub> -	
174 175	Traumatism in quarries. Traumatism by machines Traumatism by other crushing (total). Railroad accidents and injuries.	3 120 911 222	2	1 2 2	3	24	25	124	19 117 24	17 112 36	1 29 111 37	15 149 55	25 112 27	1 11 66 17	3 53 13	1 ,	1		3 3
150	Street-ear accidents and injuries. Automobile accidents and injuries. Injuries by other vehicles. Landslide, other crushing	105 476 96 12	2		2	18 4	1 22 2	102 10 10	70 17 1	54 13 1	23 43 5 3	21 56 15 2	18 56 11	16 26 7	26 5 3	3 3 1	1		
176 178 179 180 181 185	Injuries by animals  Excessive cold  Effects of heat  Lightning  Electricity (lightning excepted)  Fractures (cause not specified)  Other external violence	16 22 6 31 16 149	6	2	1		i	1 5	2 2 7 12	1 2 10 13	3 1 1 10 3 26	1 4 3 2 1 30	2 4 1 1 2 20	1 1 12	2 3 2 3 4	3 5 2	2 1		
182 183 184	Homicide (total).  By firearms.  By cutting or piercing instruments.  By other means.  XIV.—Ill-defined diseases.	47 12 28	7 7 104	1 121	1 1 12	1 5	1	2 1 1 2	8 4 1 3 5	20 12 4 4 14	24 12 5 7	12 9 1 2	6 4 2 32	3 2 1 37	33	14	3		1 i 2
187 188 189	Ill-defined organic disease. Sudden death. Not specified or ill-defined (total). Ill-defined. Not specified or unknown.	3 45 284	6 98 60 38	21 21 20 1	2	5 5	1 1	2 1 1	1 4 2 2	3 11 8 3	3 11 10 1	9 24 21 3	7 25 21 4	2 8 27 27	5 28 28 23 5	1 1 12 12 12	3 3		

<sup>1</sup> Exclusive of injuries at birth.

								MOTORS	SALIUI	s, and n	441 11103	·J							
No.		4.55					,	I	EATHS	AT AG	E OF—		<i>i</i>						t un-
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 89 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at un known age.
						MIC	HIG	AN.										·	
	All causes		8, 105	1,777	856	579		1,389	2,689	5,789	5, 640	3,958	4,712	6, 154	6,904	3, 584	522	14	158
1	I.—General diseases		1,092	694	423	308	249	719	70	3,052 75	2,756	1,599	1,563	1,557	1,148	365	30		<u>54</u>
1 4 5 6 7	Malaria Smallpox Measles Scarlet fever	8	8 79 7	1 65 10	26 18	20 14	10 17	33 57	1 1 10 32	3 13	1 3 8	38 2 1 2	i	$\frac{1}{2}$	1	1	1		1
8 9 10 13	Whooping cough Diphtheria and croup Unfluenza Cholera nostras	492 685 6,382 10	265 43 392 2	106 66 341 1	56 91 186	27 83 117	12 65 104	17 187 260 2	6 93 665 1	$^{1}_{20}$ $^{1}$ $^{1}$	1 18 1,481	13 441	3 221	1 2 175	155 3	88	7	 	1 29
14 18 19 20	Dysentery Erysipelas Other epidemic diseases. Purulent infection and septicemia.	93 133 22 50	34 35 10	7 3	4 1 1	6 1 1	1 2 1	1 2 3 2	4 2 5	1 8	3 5 1 8	3 10 1 3	6 20 1 3	18	17 15	4 11	1		1 1
23 24 25 26	Rabies	2 35 2	3 1					11	6	4	1 3	1	4	8 1 3	1	3			
28 29 30 31 32 33 34	Pellagra. Tuberculosis (total). Tuberculosis of the lungs Acute miliary tuberculosis. Tuberculous meningitis. Abdominal tuberculosis. Pott's disease. White swellings. Tuberculosis of other organs.	3,567 2,992 97 198 140 33 22 62	70 16 6 38 8	58 7 8 32 6	25 7 15 3	24 6 2 12 2	26 9 11 4 2	66 23 1 30 7 1 1 2	372 291 22 25 15 6 1	1 1,032 936 28 18 22 10 4 14	3 771 705 13 10 22 3 3 12	1 474 424 9 5 23 1 4	342 306 9 1 11 4 3 6	1 182 157 2 11 4 3 5	100 88 1 3 2 2 2 2	16 10 3			9 7 1 1
35 36 37 38	Disseminated tuberculosis	33 283	18 66	9 5	3 2	i	2	1	10	5 1 26 7	3 1 53 6	3 42 3	2 1 27 3	32	11 	3		••••	<u>2</u>
39 40 41	Cancer and other malignant tumors (total) Of the buccal cavity Of the stomach, liver Of the peritoneum, intestines,	2,896 104 1,170	2	2	3	2		5	19	35 2 8	161 1 39	373 7 126	673 19 263	799 34 362	619 27 288	177 13 72	19 1 3		<del>.</del> 5
42 43 44 45	Of the peritoneum, intestines, rectum. Of the female genital organs. Of the breast. Of the skin. Of other organs or of organs not	392 397 237 105	1	1	1			1 	1 1	7 6 4	33 38 20 2	51 77 50 2	84 118 69 17	116 87 50 27	78 52 32 24	15 15 10 27	3 1 1 6		i
46 47	specified. Other tumors (tumors of the female genital organs excepted). Acute articular rheumatism.	491 23 142		1	2	2	3	2  15	14  24	8 1 19	28  15	60 1 10	103 5 10	123 8 22	118 3 16	25 5 3	4		
48 49 50 51 52 53 54 55	Chronie rheumatism and gout. Sourvy Diabetes. Exophthalmic golter. Addison's disease Leukemia. Anemia, chlorosis. Other general diseases.	50 9 590 68 15 65 360 70	6 1 3 15 28	1 2 1 6 5	1	1 2 1	1 1	1 18 2 3 3	40 4 1 4 6 3	1 47 10 2 4 8 2	53 13 3 9 27 2	63 10 3 14 56 5	96 14 2 14 67 4	148 11 3 5 98 8	101 5 1 7 54 6	18 18 1			1
56 57 58 59	Alcoholism (acute or chronic)	6		l					1	<u>4</u> <u>1</u>	34 1 	22 1 1 1	1 <b>8</b> 1 	6 2	2 1 2			••••	
	and of the organs of special sense.	4,996	205	82	35	21	23	63	83	136	229	341	659	1,076	1,356	616	56		15
60 61 62 63	Encephalitis. Meningitis (total). Simple meningitis. Cerebrospinal meningitis (undefined) Cerebrospinal fever Locomotor ataxis. Other diseases of the spinal cord (total). Acute anterior poliomyellitis.	232 85 79 68 90	5 47 18 15 14	3 35 12 12 11 11	2 21 9 10 2	13 3 5 5 2 2	8 2 2 4	3 29 11 7 11  15 13	1 26 5 13 8 	1 22 8 6 8 1 14 3	2 9 5 3 1 3 15 4	4 7 5 1 1 9 15	3 7 3 2 2 24 31	4 6 3 3 3 63 1	2 1 1 18 41	1 1 2 20			2
64 65 66 67 68	Other diseases of the spinal cord \(^1\). Cerebral hemorrhage, apoplexy Softening of the brain.  Paralysis without specified cause.  General paralysis of the insane  Other forms of mental alienation	205 3,114 52 339 257 74	3 5 1	4		1		3 1	3 1 2	11 20 5 8 7	11 61 2 6 55 16	14 167 1 16 53 16	31 438 3 35 63 12	62 801 11 74 35 8	1,069 23 129 28 11	20 492 11 64 12 2	42 1		1 8
69 70 71 72 73 74	Epilepsy Convulsions (nonpuerperal). Convulsions of infants. Chorea Neuralgia and neuritis.	3 141 4 24	117	17	5	2	1	2	17 1	1	37 1 1	24	15 1 1 4	16 7	8 1 6	4		• • • • •	
74 75 76	Other diseases of the nervous system  Diseases of the eyes and their annexa  Diseases of the ears	61	7 1 10 Exclusi	3 1 8	1 1	1	3 5	5 1 4	7 1 10	11 1 5	13	26 3	20 <sub>2</sub>	18 3	16 1 2	6		••••	1

<sup>1</sup> Exclusive of acute anterior poliomyelitis (infantile paralysis).

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

o Int.									DE	CATHS A	T AGE	of	<del></del>						un- ge.
Detailed In List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	g years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	80 to 89 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	89	99	yrs.	
		,			MIC	CHIG	AN-	-Conti	nued.		·			1	1	1	<u> </u>	!	
	III.—Diseases of the circulatory system.	7,276	76	13	10	13	10	51	150	226	309	484	872	1,596	2,130	1,174	144	2	16
77 78 79 80	Pericarditis. Acute endocarditis. Organic diseases of the heart Angina pectoris.	48 189 5,571 295	9 40 1	5 7	4 3	1 10	1 1 8	1 10 36	3 18 124	26 183 4	27 256 11	26 403 18	11 40 676 49	10 9 1,279 108	9 12 1,649 75	6 1 807 24	2 79 3		11 2
81 82 83	Diseases of the arteries, atheroma, aneurism, etc. Embolism and thrombosis. Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	988 113 21	7		i	<u>i</u> -		<sub>i</sub> .	1 3	2 8 2	2 11	15 12 2	67 19	166 17 3	356 20	317 11 5	57 2	2	3
84 85	Diseases of the lymphatic system (lymphangitis, etc.). Hemorrhage; other diseases of the circulatory system.	31 20	18	1	1	1		3	1	1	1	1 3	4 2 4	2 2	1 4	3	1		••••
	IV.—Diseases of the respiratory system	7,649	1,185	475	173	86	84	187	456	1,259	1,146	553	467	513	603	377	62		23
86 87 88 89 90 91	Diseases of the nasal fossae Diseases of the larynx Diseases of the thyroid body Acute bronchitis Chronic bronchitis Bronchopneumonia	28 29 425 268 1,779	202 4 620	1 1 53 2 225	3 19 70	3 8 31	1 4 38	13 3 54	4 4 1 51	2 3 7 4 126	1 5 7 112	4 8 3 7 68	1 6 7 12 61	3 2 9 42 79	5 29 88 154	1 2 52 81 70	1 9 17 15		i 5
92 93 94	Pneumonia (total). Lobar pneumonia Pneumonia (undefined) Pleurisy. Pulmonary congestion, pulmonary apo-	4,746 4,003 743 148	335 242 93 2	186 142 44 6	75 64 11 4	42 31 11 2	38 32 6 1	110 90 20 4	373 323 50 20	1,089 955 134 19	979 859 120 21	427 368 59 17	343 301 42 16	320 258 62 17	265 210 55 14	134 99 35 4	14 14 1		16 15 1
95 96 97 98	plexy. Gangrene of the lung. Asthma. Pulmonary emphysema. Other diseases of the respiratory system (tuberculosis excepted).	54 16 105 10	9 2 1 3	i	2		1 1	1	1 1	1 1 4 3	2 6 9 1	1 4 11 3	3 10 8	6 1 29 1	15 23 1 7	16 1 11 4	1		i
44	V.—Diseases of the digestive system.	4,601	1,699	368	120	78	54	152	175	192	240	240	292	377	396	187	22	1	8
99 100 101 102 103	Diseases of the mouth and annexa.  Diseases of the pharynx.  Diseases of the esophagus.  Ulcer of the stomach Other diseases of the stomach (cancer excepted).	27 130 .3 151 408	5 5 1 1	1 7  22	6	6 1	1. 6	20 20	17 4	19 14	3 14 15	3 3 18	<sub>27</sub>	2 7 1 34	3 6 27	1 5 10	1		1 :
104 105 107 108 109	Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Intestinal parasites. Appendicitis and typhlitis. Hernia, intestinal obstruction (total). Hernia. Intestinal obstruction	1,722 446 3 477 417 156	1,415 1,3 57 12 45	307 1 4 14 2 12	91 2 5	48 	20	38 56 10	102 10 10 1	82 22 6	73 26 9	20 64 36 11 25 8	12 22 1 35 31 15	25 70 38 32 17	52 70 8 83 41 42	27 46 3 39 19	9 3	1	······ 2
110 111 112 113 114 115	Other diseases of the intestines Acute yellow atrophy of the liver. Hydatid tumor of the liver. Cirrhosis of the liver. Biliary calculi. Other diseases of the liver.	101 12 2 336	*8 7	3	5 2	5 4	5 2 3	9 5 1	9 2 2 2	16 8 5 1 4	17 6 1 20 15 11	25 8 1 34 13 17	16 12 2 89 13 28	78 27 27 26	74 16 3 74 16 31	20 10 2 28 5 11	1		1 i
116 117 118	Diseases of the spleen. Simple peritoritis (nonpuerperal). Other diseases of the digestive system (cancer and tuberculosis excepted) VI.—Nonvenereal diseases of the	7 96 15	9	3	2	1 2	2	6	13 1	2 13 3	1 15 5	11 2	1 4 4	1 10	1 6				
	genito-urinary system and annexa		38	16	10	9	6	36	44	127	220	304	458	661	791	301	36		1
119 120 122 123	Acute nephritis  Bright's disease Other diseases of the kidneys and annexa.  Calculi of the urinary passages.	2,321 79 16	14 10 12	8 5 3	5 4 1	<b>{</b>	4 2 	20 16	10 27 1	14 68 4	15 134 9	22 213 10 1	27 381 10	10 576 12	24 617 11 5	9 236 5 2	27		i
124 125	Diseases of the bladder. Diseases of the urethra, urinary abscess, etc.	80 14			1		• • • • • •			1	2	3 1	3 1 4	12 4	36 2	23	4		
126 127	Diseases of the prostate.  Nonvenereal diseases of the male genital organs.	9	2		ł	l.		i		1	2	3	10 3	32	86 2	22	3		
128 129 130 131 132	Uterine hemorrhage (nonpuerperal) Uterine tumor (noncancerous). Other diseases of the uterus. Cysts and other tumors of the ovary. Salpingitis and other diseases of the female genital organs.	3 64 42 29 56							3 1 2	1 11 5 18	15 9 9	2 26 12 1	10 5 4	5 1 5	4 1 3	i	1		
134 135 136 137 138 139	VII.—The puerperal state.  Accidents of pregnancy Puerperal hemorrhage Other accidents of labor Puerperal septicemia Puerperal albuminuria and convulsions. Puerperal phlegmasia alba dolens, embolus, sudden death Following childbirth (not otherwise	782 149 65 142 236 166 20							6 8 13	77 26 80 114 70	58 29 44 94 59	9 15 19 1							3 · 1 1 1 1 · · · · · · · · · · · · · · ·
138 139	Puerperal albuminuria and convulsions. Puerperal phlegmasia alba dolens, embolus, sudden death	166					•••••		18	70	59	19							

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

Int.	5						<u>-</u>		D:	EATHS .	AT AGE	of—							ė III
Detailed Int.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years	3 years	4 years	5 to 9 years.	10 to 19 years	29	39	49	50 to 59 years.	69	70 to 79 years.	89	90 to 99 years.	yrs.	Deaths at un- known age.
					MIC	HIG	AN-	Contin	ued.										
	VIII.—Diseases of the skin and of the cellular tissue	183	29	3	4		1	1	4	7	3	6	17	18	43	39	8		
142 143 144 145	Acute abscess	17 24	2 2 5 20	1 1 1	1 2 1		1	1	1 1 1 2	1 3 1 2	3	3 2	4 5 4 4	10 2 2 4	34 1 3	36 2	8		
	IX.—Diseases of the bones and of the organs of locomotion	87	6	3	5	1	2	5	11	7	10	7	10	11	8	1			•••••
146 147	Diseases of the bones (tuberculosis excepted) Diseases of the joints (tuberculosis and rheumatism excepted)	68	5	2	5	1	2	4	11	7	7	6	8	8	2				
149	Other diseases of the organs of loco- motion	13 6	1		•••••			1	· · · · · · · ·		1	1	2	3	5 1	1			·····
150	X.—Malformations	707	663	18	7	3	5	6	4	1				- 4					
	not included) (total).  Hydrocephalus.  Congenital malformations of the heart.	707 69 408	663 56 392	18 6 4	7 2 2	3 1	5 2 2	6 1 4	4 1 2	1 1	1								
	Other congenital malformations  XI.—Early infancy	230 2,921	215 2,921	8		1	1 	1	1										
151	Congenital debility, icterus, and sclerema (total)	2,376 1,874	2,376 1,874		•••••														
152	Congenital debility, "atrophy," "marasmus," etc. Other causes peculiar to early infancy (total) Injuries at birth	502 540 280	502 540 280																· • • • • • • • • • • • • • • • • • • •
153	Other causes peculiar to early infancy \(^1\) Lack of care. XII.—Old age	260 5 658	260 5										1	20	172	320	129		
154	SenilityXIII.—External causes	658 3,113	106	82	66	60	55	162	328	398	417	350	3 337	20 287	172 172 236	320 172	129	11	3 3 24
155 156 157 158 159 160 161 163	Sulcide (total).  By poison.  By asphyxia.  By hanging or strangulation.  By drowning.  By firearms.  By cutting or piercing instruments.  By jumping from high places.  Other sulcides.	402 73 26 103 31 125 29 7					!		13 4 2 4 1 1	61 19 4 10 1 22 4	84 10 6 18 8 30 5	64 11 5 18 3 18 8	62 10 5 19 6 15 4	66 12 2 24 5 19 3	33 4 2 8 2 15 2	10 2 1 1 1 4 1			6 3 1 1 1
164 165 166 167 168	Accidental or undefined (total).  Poisoning by food Other acute poisonings. Conflagration. Burns (conflagration excepted). Absorption of deleterious gases	2,604 49 58 65 234	102 4 4 3 11	81 6 12 2 28	65 6 2 2 2 28	60 3 4 8 23	55 1 1 1 15	160 3 2 10 15	306 5 3 5 10	304 4 5 6 23	302 4 11 6 21	277 4 6 3 8	2 265 1 6 6 14	1 216 3 3 2 15	202 5 7 12	162 2 9	1		17  1 1
169 170 171	(conflagration excepted) Accidental drowning Traumatism by firearms Traumatism by cutting or plercing instruments	105 248 72	36	12	8	8	8	33 5	82 34	12 34 13	16 7	13 15 5	11 14 5	6 9 1	9 2	5	1		<u>3</u>
172 173	Traumatism by iall Traumatism in mines and quarries (total)	411 110	8	8	4		8	6	20 9	17 38	19	1 26 19	1 35 12	44	92	102	21		i
174 175	Traumatism in mines Traumatism by machines Traumatism by other crushing (total).	110 96 752	2	7	8	8	15	5 63	9 5 96	38 23	31 14 111	19 21 109	12 16 93	10	1 .	18	2		1 1 1
	Railroad accidents and injuries. Street-car accidents and injuries. Automobile accidents and injuries.	251 145 255	1	2 2 2	1 2 4	1 5	11	5 9 44	29 17 43	41 19 26	26 25	45 21 28	40 12 20	29 13 27	6 18	5 4 7			6 4 
176 177 178 179	Injuries by other vehicles Landshide, other crushing Injuries by animals Starvation Excessive cold Effects others	86 15 26 3 28	1	1	1	2	2	2	4	1 1 3	12 4 3	12 3 3 3	16 5 4	14 1 3 1 7	3 1 1	1 .	1		i 
180 181 185 186	Effects of heat. Lightning. Electricity (lightning excepted) Fractures (cause not specified). Other external violence.	42 15 38 55 192	14	4	6	5	3	1 1 1 1 12	2 3 3 17	1 2 12 1 1 17	3 1 15 3 26	4 4 6 23	2 3 2 8 29	5 1 6 16	9	3 . 14 4 .	4		1 2
182 183 184	Homicide (total).  By firearms. By cutting or piercing instruments. By other means.  XIV.—Ill-defined diseases.	107 67 10 30 300	3 85	1 1 23	- 1		1	2 2 7	9 6 1 2 5	33 24 3 6 8	31 21 3 7 16	9 5 1 3	10 5 2 3	5 3	1	32	2		1  i 11
187 188 189	Ill-defined organic disease. Sudden death Not specified or ill-defined (total). Ill-defined. Not specified or unknown.	22 19 259 129 130	4 81 14 67	1 22 16 6	3 .		1 1	7 4 3	1 4 3 1	8 6 2	2  14 10 4	2 12 8 4	2 28 21 7	6 5 27 22 5	2 2 17 10 7	8 2 22 9 13			11 2 9
	1562472023			1	Exclu	sive of	inhei	es at bi	rth.		<del></del>		<u>-</u>	<del></del>					

[This table excludes the deaths of soldiers, sailors, and marines.]

i t				<del></del>	•				DE	ATHS AT	AGE O	F	:_:						un-
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	80 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	89	90 to 99 years.	100 yrs. and over.	Deaths at known age
						MIN	NES	ОТА	•										
	All causes	31,109	3,968	821	473	297	238	837	2,074	4,095	4,081	2,629	2,906	3,087	3, 144	1,975	349	7	128
	I.—General diseases		700	404	270	154	130	449	1, 150	2,604	2,312	1,218	1,081	990	697	238	18	1	14
1 4	Typhoid fever Malaria	87 1					2	2	10	27	23	10	6	6		i			1
4 5 6	Malaria Smallpox Measles	10 99	32	21	13	6	4	9	10 10	3	1	1		1	1				•••••
7 8 9 10	Scarlet fever. Whooping cough Diphtheria and croup Influenza	154 310 288 5,720	160 11 314	19 74 20 198	13 37 22 140	19 16 19 58	10 7 20 67	33 14 85 201	37 53 699	15 28 1,717	3 18 1,437	1 5 426	5 186	1 128	1 1 95	1 38	7	1	8
13 14 18 19	Cholera nostras.  Dysentery Erysipelas. Other epidemic diseases.	46	1 11 36 4	1 4 4 3	3	4	3	5	1 1 4 1	1 8	1 9 1	1 1 7	1 2 7	1 2 13 1	1 3 11	1 4 6 1	2 1		
20 24 25 26	Purulent infection and septicemia Tetanus. Mycoses. Pellagra.	42 32 3	7 5	1	1	1	2 1	2 4	3 5 1	6 2 1	5 3 2	5 4	3 2	2 1	5 1 1	2			
28 29 30 31 32 33 34 35	Tuberculosis (total).  Tuberculosis of the lungs. Acute miliary tuberculosis. Tuberculous meningitis. Abdominal tuberculosis Potr's disease. White swellings. Tuberculosis of other organs. Disseminated tuberculosis.	2,444 2,029 64 176 68 36	50 11 9 27	36 10 2 222 1 1	28 6 2 17	1		3 6	228 176 6 19 14 8 2 2	674 613 14 17 14 3 3 6 4	579 519 13 18 6 7 2 11	340 298 10 5 10 4 1 10 2	230 206 5 2 9 1 1 6	137 120 2 1 6 2 2 2 2 2 2	1 43 40 1 1 1	9 5			4 4
36 37	Rickets	. 13	5 39	4 5	1	1	1 -	. 1	2		20	25		9	3				
38	Syphilis Gonococcus infection Cancer and other malignant tumors		ı "î						í	8	20	20				-			
39 40 41 42 43 44 45	(total). Of the buccal cavity Of the stomach, liver. Of the peritoneum, intestines, rectun Of the lemale genital organs. Of the breast. Of the skin.	1,945 68 903 218 179 148	2		1			10	. 1	32 2 4 6 2 1	101 28 19 17 15	247 9 87 28 40 34 2	48	520 16 295 47 43 23 6	414 19 218 61 21 17	53 15 3 9	1		
46	Of other organs or of organs not spec- ified. Other tumors (tumors of the female geni-	378	2		. 2	2		. 8	7	17	20	47	82	90	69	30	2		
47	tal organs excepted)	- 5			-		-	8	24	. 2 14	11	. 1		8	. 1		1	·	
48 49	Chronic rheumatism and gout	30	1				-		24	3	3	3			7	8			
50 51 52 53 54	Scurvy. Diabetes Exophthalmic goiter Addison's disease Leukemia Anemia, chlorosis	- 10 - 55 - 185	4			1 1	i	. 1	3		13 13	12 33	. 17 . 3 . 8 . 53	91 7 1 8 44	25	1			
55 56 59	Other géneral diseases	- 55		9	2	2		3		3 1	14	17		4	. 1	1			1
	II.—Diseases of the nervous system and of the organs of special sense		131	32	20	12	7	35	66	79	134	172	345	388	453	3 291	. 39		2
60 61 62	Encephalitis Meningtis (total) Simple meningtis Cerebrospinal meningtis (undefined Cerebrospinal fever Locomotor ataxia	99 36 25 38	23 10 4 9	6 2 3	12 3 4	2		. 5 1	3 6	6 3 1	7 1 2	1 1 2	3 1 1	2					
63	Other diseases of the spinal cord (total).  A cute anterior poliomyelitis Other diseases of the spinal cord 1	140 32 108	4 3 1	2				. 6	- 11	9	10 1 9	11 11	31 30	20	10	36 16	3		
64 65 66 67 68	Cerebral hemorrhage, apoplexy Softening of the brain Paralysis without specified cause. General paralysis of the insane Other forms of menta alienation	11 88 98 53	1					2	i i	1 5 11	3 27 14	3 34 12	23 11 23 10	22 22 4 3	3	5 2 0 15 2 2 1 1			
69 70 71 72	Epilepsy. Convulsions (nonpuerperal). Convulsions of infants. Chorea.	97	79		2	2		2	11 1		23		9	1		3   1 			
73 74 75	Neuralgia and neuritis. Other diseases of the nervous system. Diseases of the eyes and their annexa	11 93	7	. 1	ı		2	ě	8	ii		8	13	3 6		1 2	2 i		
76	Diseases of the ears	ŀ	Evelusia	j	1	1	j	ı	1	l	1	]	9 5	4		1	•	-	-

<sup>1</sup> Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

E tt									DE	EATHS A	T AGE	)F							jė.
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years	3 years	4 years	5 to 9 years.	10 to 19 years.	29	80 to 89 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	00	I VIS.	Deaths at un-
		,	·	<u> </u>	MIN	NES	ОТА	-Cont	inued.		!		1		I	!	1	<u> </u>	1
	III.—Diseases of the circulatory system	3,395	20	7	4	4	3	28	123	144	206	255	450	634	853	553	105		
77 78 79	Pericarditis	24 122 2,656	4 8	3	1 3	1 2		3	8	8	6 21	25	1 32	4 7	3 9	3	1 1		i
80 81	Diseases of the arteries, atheroma, aneurism, etc	381					3	24 1	107	125 1	163 3	201 9 7	357 16 24	543 21 48	660 37 123	382 12 144	71 1 29		4
82 83 84	Embolism and thrombosis Diseases of the veins (varices, hemor- rhoids, phlebitis, etc.) Diseases of the lymphatic system (lym-	69 20		1					1	5 1	6	7 4	17 3	6 2	17	8	2		
85	phangitis, etc.) Hemorrhage: other diseases of the circulatory system	12 9	8	2		1			1		1	2		3			<u>.</u>		ļ
	IV.—Diseases of the respiratory sys- tem.	3,661	474	161	58	36	34	84	254	590	602	300	262	251	268	232	51	1	3
86 87 88	Diseases of the nasal fossae.  Diseases of the larynx.  Diseases of the thyroid body.	8 19 26	2 4 ·1	1 5	i	2	i	1 3	····i	3	15	1 6	1 7	1 2	<u>2</u>	1	1		
89 90 91	Chronic bronchitis Bronchopneumonia	100 132 666	44 1 295	13 	20	3 11	1 11	17	1 2 13	2 16	1 5 22	1 4 14	1 9 22	7 15 29	5 32 52	16 51 56	1 11 16	i	
92	Pneumonia (total)  Lobar pneumonia.  Pneumonia (undefined)	2,549 2,398 151	123 98 25	63 53 10	35 31 4	19 16 3	19 17 2	55 52 3	231 219 12	555 539 16	553 542 11	257 241 16	199 189 10	180 166 14	155 148 7	88 73 15	14 12 2		3 2 1
93 94 95	Pleturisy. Pulmonary congestion, pulmonary apoplexy. Gangrene of the lung.	82 16 13	1	8			1	3	6	11 3	11 1 2	11	9		1	5 6	7		
96 97 98	Pulmonary emphysema. Other diseases of the respiratory system	33 2									1	1	4 4	2 5	$\begin{array}{c} 1\\12\\2\end{array}$	9	1		
	V.—Diseases of the digestive system.	15 2, 111	1 514	127	65	48	1 25	1 84	140	131	174	4 176	6 187	185	2 155	86	12	1	1
99 100 101 102	Diseases of the mouth and annexa.  Diseases of the pharynx.  Diseases of the esophagus.  Ulcer of the stomach.	19 94 3 108	11 	3	3	1 4	3 1	17 17	19 2 1	11 11	2 6 15	1 8 21	5 22		2 1 1 12	i	·····		
103	Other diseases of the stomach (cancer excepted)	93 522	44	7	3	1		1	2		3	2	2	8	9	6 10	1	••••	
105 107 108	Diarrhea and enteritis (2 years and over). Intestinal parasites	216 1 375	1	107 1 2	36	28 7	12 6	14 40	4 96	9 51	17 5 <b>6</b>	16	16 31	16	24	20	4		
109	Hernia, intestinal obstruction (total) Hernia Intestinal obstruction. Other diseases of the intestines	221 97 124	28 4 24	2 1 1	9	3 3	1 1	3 3	5 1 4	17 2 15	21 6 15	21 12 9	24 19 5 8	31 20 11	38 25 13	15 6 9	3 1 2		
111 113	Acute yellow atrophy of the liver Cirrhosis of the liver	56 8 164	5 1 1		1	•••••		1	3 1	6 2 5	9 3 14	<sub>20</sub>	1 35	45	7 1 30	13	1		1
114 115 116	Biliary calculi. Other diseases of the liver Diseases of the spleen.	106 76 5		3	1 1		1 1	2	3	4 5	7 11 2	19 8	30 12 1	25 15	10 9	11 3	2 ·	1	
117	Simple peritonitis (nonpuerperal) Other diseases of the digestive system (cancer and tuberculosis excepted)	37 7		1		4	•••••	5	2	8	3 5	1		1	2	1			
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,990	10	5	4	. 2	3	12	28	67	145	209	293	413	473	280	44	2	
119 120 122	Acute nephritis.  Bright's disease.  Other diseases of the kidneys and annexa.	76 1,566 39	4 1 4	2 2 1	3	2	2 1	4 7 1	6 16 1	9 35	9 92 3	9 154 6	9 258 5	5 353 8	9 376 3	229 7	38	2	
123 124 125	Calculi of the urinary passages	21 35			1				1	2	2	3	5 1	2 9	3 8	10	1 2		•••••
128 127	Diseases of the prostate Nonvenereal diseases of the male genital	139					- 1			····i	1	4	2 4	32	70	25	3		
128 129 130	organs	3 2 29 14							1	1	6	1 19 1	3 2	1	·····i	1			••••
131 132	Cysts and other tumors of the ovary Salpingitis and other diseases of the fe- male genital organs	17 45	•••••	•••••			•••••		2	1 15	23	3 5	2 2	2	2	2			•••••
134	VII.—The puerperal state	438 127							19	221 75	163 45	33 . 2							
135 136 137 138	Puerperal hemorrhage. Other accidents of labor. Puerperal septicemia. Puerperal albuminuria and convulsions.	21 72 118							5 5	10 30 56	8 29 45	3 8 11							····i
138 139 140	Puerperal phlegmasia alba dolens, em- bolus, sudden death	79 18		•••••	•••••	•••••		•••••		43 6	25 9	3							
	fined)	3								1	2 .								••••

اق									DEATH	S AT A	GE OF-					<del>,</del>	,		at un-
List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	yrs. and over.	Deaths at un-
			i		MIN	NESC	)TA-	-Cont	inued.										
	VIII.—Diseases of the skin and of the cellular tissue	86	16	2		<b> </b>		1	1	3	7	5	10	7	12	20	2		••••
2 3 4 5	Gangrene. Furuncle. Acute abscess. Other diseases of the skin and annexa. IX.—Diseases of the bones and of the	18 14	5 4 7	2				1	1	1 2	2 2 1 2	2 2 1	3 4 3	2 1 3 1	10 2	18 1 1	2		
6	organs of locomotion  Diseases of the hones (tuberculosis ex-	55	4			1		9	12	4	6	6	5	3	4	1			
7	cepted) Diseases of the joints (tuberculosis and rheumatism excepted). Other diseases of the organs of locomotion X.—Malformations.	47 5 3 341	310	13	3	1	1	3	12 9	3	1 1	1	3 2	1	1	1			
0	Congenital malformations (stillbirths not included) (total).  Hydrocephalus.  Congenital malformations of the heart Other congenital malformations.  XI.—Early infancy	341 32 177 132 1,653	310 25 159 126 1,653	13 4 8 1	3 2 1	2 1 1	1	3 1 2	9 7 2										
1	Congenital debility, icterus, and sele- rema (total) Premature birth	1,353 1,080	1,353 1,080									• • • • • • • • • • • • • • • • • • • •	İ						
2	Congenital debility, "atrophy," "marasmus," etc. Other causes peculiar to early infancy (total). Injuries at birth. Other causes peculiar to early in-	273 298 160	273 298 160																
3	faney <sup>1</sup> Lack of care. XII.—Old age.	138 2 319	138 2											17	71	168	57	2	
4	Senility	319 2,215	35	61	48	37	35	131	272	246	321	246	4 256	17 184	71 135	168 91	57 19	2	
5 6 7 8 9 0 1 2 3	Suicide (total)  By poisom  By asphyxia.  By hanging or strangulation  By drowning  By firearms  By cutting or piercing instruments  By jumping from high places  By crushing  Other suicides	40 17 76 19							6 2 1 3	40 8 4 3 2 21 2	63 5 3 11 5 35 35 3	49 10 6 14 1 12 4	61 7 3 18 6 18 7 1	48 6 1 16 4 15 5	20 2 12 4 1 1	1 1 2			
1 5 7 8	Accidental or undefined (total).  Poisoning by food. Other acute poisonings. Confiagration. Burns (conflagration excepted). Absorption of deleterious gases (conflagration excepted).	1,856 14 30 342 107	32 1 2 9 2	61 5 6 6 14	48 1 3 11 11	36 1 5 6 12	34 9 6	124 3 1 38 11	261 1 1 49 13	196 4 19 5	234 1 1 24 9	186 3 13 10	191 2 21 6	135 1 1 27 3	114 10 4 5	87 1 3 1	19		
9 0 1	Accidental drowning Traumatism by firearms Traumatism by cutting or piercing instruments Traumatism by fall	58		10 3	1	1	1 1	15 6	67 25	27 10	21 3	17 4	7 2 1	1 2	1	i			
2 3	(total). Traumatism in mines and quarries (total). Traumatism in mines. Traumatism in quarries. Traumatism by machines.	234 66 65 1 73	3	3 i	2	2	2	2	8 2 2 11	13 18 17 1 1 12	28 28 28 	17 13 13 9	22 4 4 		45	58	15		
5	Traumatism by other crushing (total) Railroad accidents and injuries. Street-ear accidents and injuries. Automobile accidents and injuries. juries.	458 169 21 183	2	2 1 1	7 2 1	8 5	8 3 4	30 5 1 15	52 22 5	64 27 1 30	71 31 6	68 26 6	61 23 1 24	41 16 12	29 6 15	11 6	2		
6789016	Injuries by other vehicles Landslide, other crushing Injuries by animals Starvation Excessive cold Effects of heat Lightning Electricity (lightning excepted) Other external violence	73 12 32 3 14 5 10 21	1	10	1	ă 1	1 1 4	3 1 7	1 1 1 1 3 17	1 1 1 4 12	6 6 5 5 4 11 22	8 1 3 3 2 14	11 2 6 1 4 1 1	12 1 2 1 3 1	7 1 3 1 2 1	1 1 2			
32 33 34	Homicide (total).  By firearms. By cutting or piercing instruments. By other means.	68 47 5 16	3			1	1	7 3 2 2	5 4 1	10 9 1	24 18 2 4	11 8 3	4 4	1	1	15	2		
17 18 18 19	XIV.—Ill-defined diseases	5 20 184 62	101 6 95 9 86	9 6 3		1		1		5	11 10 7 3	9 1 8 3 5	13 1 12 9 3	15 2 13 7 6	8	2 3 10 6 4	1 1		.1

<sup>&</sup>lt;sup>1</sup> Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

o Int.					-				DI	CATHS A	T AGE	of—				•			un- ge.
Detailed In List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	g years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	89	90 to 99 years.	100 yrs. and over.	Deaths at un- known age.
						MIS	sot	RI.				,			····	*			
	All causes	53,311	5,937	1,784	956	656	440	1,500	3,475	6,680	6,475	4,922	4,883	5,996	5,993	2,950	421	26	217
	I.—General diseases	<u> </u>	1,085	757	480	362	263	822	1,793	3,459	3,051	1,981	1,672	1,640	1,116	394	55	5	69
1 4 5 6 7	Typhoid fever. Malaria Smallpox Measles Scarlet fever.	664 278 83 374 94	7 30 14 73 11	59 9	8 15  83 10	12 1 26 11	12 8 3 19 7	75 32 7 39 22	184 19 6 58 18	132 23 8 30 5	107 19 11 9	57 31 10 14	34 15 10 8	19 22 6 3	11 18 4 3	3 9 1	2 1		3 1 1 1
8 9 10 13 14	Whooping cough Diphtheria and croup Influenza Cholera nostras Dysentery	7,025 5 250	232 41 382 1 43	123 54 345 55	66 59 222	39 45 173	18 42 117	30 156 340 4	8 52 832	3 8 1,794	5 1,485	1 515 6	1 1 241	227 4 13	1 197 41	102	23	2	1 1 28 1
18 19 20 22	Erysipelas. Other epidemic diseases. Purulent infection and septicemia. Anthrax	125 28 48 1	21 9 4	2 3 2	2 1	3 1	1	2 2	11 6 7	9 1 7	6	9	23 4	12 7	16	15 1 1	1		
23 24 25 26	Rabies. Tetanus. Mycoses. Pellagra.	5 54 3 56	1 11			1 2	1	2 7	10	4	1 4 2 14	5 1 11	6	2 9	2				i
28 29 30 31 32 33 34 35	Tuberculosis (total). Tuberculosis of the lungs. Acute miliary tuberculosis. Tuberculous meningitis. Abdominal tuberculosis. Pott's disease. White swellings. Tuberculosis of other organs. Disseminated tuberculosis.	133 144 164 50 11 52	70 29 4 26 3 1 2 4	63 27 1 30 3 1	29 10 3 8 6 1	28 7 1 15 3 1	24 12 3 9	62 28 4 13 9 2 1	476 407 21 15 14 10 1 6	1,223 1,131 36 8 28 8 1 10	1,086 1,007 28 8 21 13 2 7	734 674 20 4 21 8 2	477 433 7 2 24 3	370 332 4 3 23 1	183 172 1 1 5 1 2	32 24 1 3	1 1		19 18
36 37 38	Rickets. Syphilis. Gonococcusinfection	13	7 100	6	3 4	1 1	2	4	1 8 2	1 37 8	71 3	91 1	58 2	39	9				i
39 40 41 42 43 44 45	Cancer and other malignant tumors (total).  Of the buccal cavity.  Of the stomach, liver.  Of the peritoneum, intestines, rectum of the female genital organs.  Of the breast.  Of the skin.  Of other organs or of organs not speci-	2,488 104 941 300 366 202 137	3 2	1	3	1		6 2 1	16 3 3 1	66 3 14 10 15 4 2	128 4 21 18 30 19 5	363 13 99 39 104 46 4	578 23 211 63 104 53 24	692 33 305 89 77 37 28	461 18 219 62 30 33 40	154 10 60 15 3 8 30	9 2 1 1 1 4	1	6 3 1 1
46	fied Other tumors (tumors of the female geni- tal organs excepted)	438 9	1	1	3	1		3	9	18	31 1	58	100 4	123	59 2	28	1	1	1
47 48 49	Acute articular rheumatism Chronic rheumatism and gout. Scurvy.	120 43 1	2 1			3	1	14	26 1	11 5	10 2	9 6	15 3	14 5	11 14	4	3		• • • • • •
49 50 51 52 53 54 55	Diabetes. Exophthalmic goiter. Addison's disease. Leukemia. Anemia, chlorosis. Other general diseases.	494 55 6 68 164 56	2 3 17	2 3	2 2	1 1	2 1 1	11 3 3	23 4 6 8 6	41 7 1 7 9	35 8 2 11 15	43 8 9 25 3	89 16 1 13 33 6	126 9 5 35 7	95 3 1 6 17 5	23 1 8 1	3	1	3
56 57 59	Alcoholism (acute or chronic). Chronic lead poisoning. Other chronic poisonings.	68 2 9								6 3	10	26 1 1	12 2	11 1	2 2	<b>-</b>	 1		1
	II.—Diseases of the nervous system and of the organs of special sense.	3,956	156	62	38	20	21	93	118	149	230	309	547	813	968	377	35	4	16
60 61 62 68	Encephalitis  Meningitis (total)  Simple meningitis  Carebrospinal meningitis (undefined)  Cerebrospinal fever  Locomotor ataxia  Other diseases of the spinal cord (total)  Acute anterior poliomyelitis.	21 344 132 63 149 82 240 31	3 72 35 13 24 8	2 35 13 8 14 6	1 25 15 3 7	11 4 4 3	13 7 3 3	3 52 13 11 28 	2 47 15 8 24 	1 24 7 4 13 1 11	3 22 6 3 13 2 9	17 7 3 7 19 16	1 13 4 2 7 24 34	4 11 6 5 21 50	1 1 1 13 53	1 1 2 14			
64 65 66 67 68	Other diseases of the spinal cord 1.  Cerebral hemorrhage, apoplexy Softening of the brain Paralysis without specified cause. General paralysis of the insane. Other forms of mental alienation.	209 2,228 41 301 294 41	2 2	3 1	1	1	1	7 4 3	8 9 3	11 32 1 10 6 8	9 52 1 10 71 8	16 133 2 4 75 9	34 342 5 34 69 3	50 593 6 60 40 4	53 733 15 110 17 7	14 277 10 58 12	28 1 4	4	8
69 70 71 72 73	Epilepsy Convulsions (nonpuerperal). Convulsions of infants. Chorea Neuralgia and neuritis.	149 3 46 4	6 34	9	1	2 1	1 1	1 1	16 2	36	32 1	22 	8	14	91				2 
74 75 76	Other diseases of the nervous system  Diseases of the eyes and their annexs  Diseases of the ears	15 80 3 64	6	1 4 1	1 i	 4	1 1	5	10 1 12	4 8 1 5	11 6	9	112	3 6 1	2 4	1 2			i
•	• •		Exclusi	ve of a								•		,			,	•	

<sup>1</sup> Exclusive of acute anterior poliomyelitis (infantile paralysis).

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

Int											T AGE (	)F—						1	- Н е
Detailed In List No.	CAUSE OF DEATH.	All		1					10 to	20 to	30 to	40 to	50 to	60 to	70 to	80 to	90 to	100	Deaths at un known age.
Detail	VII. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	deaths.	Under 1 year.	year.	years.	years.	4 years.	5 to 9 years.	19 years.	29 years.	39 years.	49 years.	59	69	79	89 years.	99	yrs. and over.	Death
		<u> </u>			MIS	SOU	RI-	Contin	ued.					<u>,, , , , , , , , , , , , , , , , , , ,</u>		<u>i                                      </u>	<u> </u>	<u>;                                    </u>	
	III.—Diseases of the circulatory system	5,426	36	10	. 5	3	10	56	144	240	311	488	693	1,139	1,399	766	106	5	15
77 78	Pericarditis	65	3 5	1 2	1 1		4	4	4 15	3 22	7 9	3 28 393	12 23	13 26	10 19 970	4 6			
79 80	Acute endocarditis Organic diseases of the heart Angina pectoris	3,977	27	4 	3 	3	6	10 39 1	121	209	264 10	393 18	23 543 32	26 875 51	970 57	450 16	55 2	2	13
81 82	Diseases of the arteries, atheroma, aneurism, etc	915 70						1	1	4	13 4	34 9	64 11	150 17	321 16	274 12	49	3	2
83 84	Diseases of the veins (varices, hemor- rhoids, phlebitis, etc.)	16					ļ			1	2	1	5	3	3	1			
85	phangitis, etc.).  Hemorrhage; other diseases of the circulatory system	5 20	1	3				1	2	1	2	2	3	4	3	1 2			
	TV.—Diseases of the respiratory system.		945	453	215	130	87	288	747	1,733	1,598	848	634	732	748	422	55	2	54
86 87	Diseases of the nasal fossae	. 28	1 8	<u>i</u>	3	4		3	····i		2	2			3	- 1			
88 89 90	Diseases of the thyroid body	29 237	96 7	29	11 1	4	1	4	4 2	6 6 5	5 3 4	3 9 12	3 4 22	12 39	5 26 71	19 61	4 9	i	1 1
91 92	Chronic bronchitis	6,818	518 305	264 151	98 97	59 59	27 56	88 181	80 649	143	1,403	72 714	93 478	127 500	167 426	116 187 179	18 21 19	1	47 47
93	Lobar pneumonia. Pneumonia (undefined) Pleurisy	180	281 24 5	143 8 5	92 5 3	54 5 3	55 1 3	177 4 2	630 19 6	1,517 27 17	1,385 18 14	698 16 16	467 11 13	486 14 13	408 18 8	8	2		
94 95	Pulmonary congestion, pulmonary apo- plexy Gangrene of the lung	. 42	3	1				. 2	2	1 2	1 3	3 1 8	3 1	5 1	8	1 1	2		
96 97 98	Gangrene of the lung Asthma Pulmonary emphysema Other diseases of the respiratory system	. 12	1		2			-	1	3	4	. 8	12	21 4	25 3	15 1			
00	(tuberculosis excepted)	. 38	1 1,023	1 401	137	- 1 46		100	193	5 188	5 275	6 290	314	5 345	345	1	1	1	9
99 100	Diseases of the mouth and annexa Diseases of the pharynx	. 57	8 5	1 3	6	2	- 3	. 5	1 14	3 4	3 4	2 2	1 1	6 2	2	. 2	-		
101 102 103	Diseases of the csophagusUlcer of the stomachOther diseases of the stomach (cancer	. 124	1	1	. '''i					5	19	23	1 22	18	23	10		1	i
104	excepted)	. 308	85 866	14 363	1				6	11	16	11	17	38	43				13
105 107 108	Diarrhea and enteritis (2 years and over) Intestinal parasites. Appendicitis and typhlitis Hernia, intestinal obstruction (total)	434 4 444		2 3	3	e	1 2	39	120	15 72	82	23 45	23	52 18 51	20	5	-	-	
109	Hernia, intestinal obstruction (total)   Hernia   Intestinal obstruction	. 128	34 7 27	8 2 6	1	3			15	22 2 20	8 27	18 29	24	30	58 23 35	5   8	1		i
110 111	Other diseases of the intestines	. 96 . 14	1	4	1		3	4	. 5 . 1	5 2	1		17	13 4	12	2 8 1	1	-	. 1
112 113 114	Hydatid tumor of the liver. Cirrhosis of the liver. Biliary calculi. Other diseases of the liver.	. 369			-			1	. 1	6	18	19	91 29	34	23	3 6			i
115 116	Other diseases of the liver  Diseases of the spleen  Simple peritonitis (nonpuerperal)	- 5	1 14		l.	. 1		3		10 1 18		. 1		19			. 1		
117 118	Other diseases of the digestive system (cancer and tuberculosis excepted)	6		ļ <sup>2</sup>		ļ		5		. 10	1		1	2	1				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	[ ]	27	13			. 4	1 21	64	188	309	489	622	958	1,057	7 506	65	i 4	11
119 120	Acute nephritis	294	11	:   8	2		_	1 6	44	103	182	365	553	32 848	910	6 428	49	4	3 7
122 123	Other diseases of the kidneys and annexs Calculi of the urinary passages Diseases of the bladder	86	9	2					. 2		. 10	20	2	8			1		i
124 125	Diseases of the urethra, urinary abscess	, 11							. 1		. 3	2	1			3 1	. [		
126 127	organs	1 3						1					7	. 35					
128 129 130	Uterine hemorrhage (nonpuerperal) Uterine tumor (noncancerous) Other diseases of the uterus	1 66 32								. 6	10	)   11	. 2	3		2 2			
131 132	Cysts and other tumors of the ovary Salpingitis and other diseases of the fe male genital organs	20			-			-		. 1	. 6	6 4	2	1		2 1	l	-	
133	Nonpuerperal diseases of the breast (can cer excepted)	1							-					. 1			.		
134	VII.—The puerperal state.  Accidents of pregnancy	140	-							77	45	5 9			-		_	_	1
135 136 137	Puerperal hemorrhage. Other accidents of labor.	46 92							7	- 17 52	7   25	i 4							
138 139	Puerperal albuminuria and convulsions	103 -							22	44	31	1 6						··	·-
140		-									1	1							

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

. Int									, DE	EATHS A	T AGE	of—				· <u></u> 2	<del></del> .		at un-
Detailed In List No.	CAUSE OF DEATH,	All deaths.	Under 1 year.		2 years	8 years	4 years	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	yrs. and over.	eaths
		<u>'</u>	·		MIS	SOU	RI-	Contin	ued.			· · · · · · · · · · · · · · · · · · ·							
	VIII Diseases of the skin and of the cellular tissue	111	18		1	3		3	2	5	3	8	14	18	19	12	5	<b></b>	
142 143	Gangrene	53 21	1 6			2		3	.1	1	2	2 3	6 2 3	10 2	10	10 1	5		
144 145	Acute abscess	19 18	4 7		1	1			1	3 1		3	3 3	2 4	2 1	····i			
	IX.—Diseases of the bones and of the organs of locomotion	65	5	4		2	2	5	7	9	5	6	7	6	4	3			
146	Diseases of the bones (tuberculosis excepted)	56	5	4		2	2	5	6	8	4	6	5	5	2	2			
147	rheumatism excepted)	7		ļ	<b></b> .				1	1	1		2	1	1				
149	Other diseases of the organs of locomotion	2			<b> </b> -										1	1	••••		
150	X.—Malformations	423	393	10	4	5	2	3	3	2									
	not included) (total)	423 41	393	10 7	2	5 1	1	3 2	3	2			1				· · · · · · ·		
	heartOther congenital malformations	250 132	240 125	1 2	2	3	1	<sub>i</sub>	2 1	2			1						
	XI.—Early infancy	1,917	1,917	<u></u>				<u></u>					<u></u>			<u></u>			
151	Congenital debility, icterus, and scle- rema (total)	1,558 1,295	1,558 1,295	ļ															
	Congenital debility, "atrophy," "marasmus," etc.	263	263																
152	Other causes peculiar to early infancy (total)	355	355									<b></b>		<b>-</b>					
	Injuries at birth Other causes peculiar to early infancy 1	177 178	177 178						••••								• • • • • •	••••	
153	Lack of care	266	4										1	10	60	147	43	3	1
154	XII.—Old age	266										1	1	10	60	147	43	3	$\frac{1}{1}$
	XIII.—External causes	2,970	78	51	60	75	22	105	326 16	359 79	454 80	109	346 75	274 59	216	130	21	1	28
155 156	By poison								6	23 2	26 3 7	32 1	14 2	10 2	6 2				
157 158	By hanging or strangulation By drowning	60 25 177							1	8 5	6	20 5	9 4	13 3 21	1 1 8		• • • • • • • • • • • • • • • • • • •		
159 160 161	By firearms  By cutting or piercing instruments.  By jumping from high places								7	37 2 1	25 7 2	44 5 1	32 13 1	6 2	2	1 1			<u>i</u>
162 163	By crushing Other suicides.	4								·i·	3	1		····· <u>2</u>					
164	Accidental or undefined (total)	45	75 4	51 4	60	73	20	102	276 5	197 3	271 7	249 8	246 5	202	194 1	127	21	1	21
165 166	Other soute poisonings	) 56	8 1	4	1 5 2	7	1	3 3	2	3 7 2	7 3	3 4	6 8	2 5 9	3 10	1 4 10			3
167 168	Conflagration Burns (conflagration excepted). Absorption of deleterious gases (conflagration excepted)	191	11 22	14	28	31	8	9	13 2	12 4	11 2	13	9	2	4	10			
169 170	Traumatism by firearms	90	1	7	3	1 3	1	10 12	35 36	18 14	16 10	5 2	14 4	3 4	1 3				1 1
171	Traumatism by cutting or piercing instruments.  Traumatism by fall	. 10	2 6			2 3	2				1 24	2 32	1 47	50	1 88	1 86	19		i
172 173	Traumatism in mines and quarries	59		0	4	3		6	15	17	21	14	11		1				
	Traumatism in mines	54							2	9	19 2	13 1	10		1				
174 175	Traumatism in quarries. Traumatism by machines Traumatism by other crushing	82	3	4	5	9	1 4	39	103	12 70	9 116	17	93	73	5 55	7			11
	(total)	284 68		2	1	3		4	38	36	66	43 13	43 11	29 6	13 12	i			10
	Automobile accidents and inju- ries. Injuries by other vehicles	1	1	2	2	5	2	29	39	23	27	34	24	28	18	3	1		
176	Injuries by other vehicles Landslide, other crushing Injuries by animals	91 19 49	2		1 1	2	2	. 1 8	18 3 13	7 1 2	11 2 1	16 2 3	9 6 1	9 1 10	10 2 5	·			
176 177 178	Starvation Excessive cold	18		1							····i	· · · · · · · · · · · · · · · · · · ·		5	2	3	} 	i	1
179 180	Effects of heat Lightning	62	9	1		1		2	9	1 6	8	10	4 3 5 3	14	6 2	7	1		
181 185 186	Electricity (lightning excepted) Fractures (cause not specified) Other external violence	. 9	8	8	10	4	1	16	1  17	1 1 15	8 1 18	1 1 18	3 4 14	1 2 12	7	6			i
182	Homicide (total)	340	3	ļ		. 2	2	1	34 29	83 65	103 77	66 47	25 11	13	2				4 3
183 184	By firearms  By cutting or piercing instruments.  By other means.	. 33	3			1	1	1	4	5 13	12	5	11 2 12	2 4	i				i
	XIV.—Ill-defined diseases	614	254	23	-1	_ 1	ł	1 .	10	24	26	36	32	61	61	38	9	_1	13
187 188 189	Ill-defined organic disease	. 28	1 5 248		10	. 1	5		10	2	1 2 23		1 3 28	1 7 53	4 5 52	2 3 33	9	1	13
103	Ill-defined	. 115	13 235	8	1	4	1	1	2	2 22 5 17	6 17	)	10 18	22	22 30	6 27	3	1	1
		1 200	! 200	1 10	١	1 _*	1 -	1 ,	<u> </u>	1	<u> </u>	1	1	1	1	1	1	1	1

<sup>1</sup> Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY MICE AGE OF DECEDENT: 1918—Continued.

Int.										E A MITTO	AT AGE	OT.				·····		····	
Detailed In List No.	CAUSE OF DEATH.	All deaths.		Ī	1		<u> </u>	<u> </u>	10 to	1	1	1	70.4-	00.4-	70.4-	00.4-	00.4-	100	Deaths at un- known age.
Detai Lis		deatins.	Under 1 year.		years.	years.	years	5 to 9 years	1 10	29	30 to 39 years.	49	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	yrs. and over.	Death
		<u>!</u>	!!	1	!	MO:	NTA:	NA.	<u>'</u>	<u> </u>	<u> </u>	1	<u> </u>	<u> </u>	1	<u> </u>	<u> </u>		
	All causes	8,985	1,027	201	125	103	79	224	554	1,542	1,919	1,064	776	685	438	198	22	1	27
	I.—General diseases	4,002	171	75	61	53	39	108	295	960	1,123	491	296	218	83	10	1	1	17
1 4 5	Typhoid fever	2	1		1	1	2	2	15	15	9	3	4 1						
5 6 7	Smallpox Measles Scarlet fever	6 18 71	5	3	 1	5		3	1	1	1 8	1							
8	Whooping cough	64	3 48	8	6 5	8	5	18	11	8	8								
9 10 13	Diphtheria and croup Influenza	2,654	73	42	37	6 27	21	12 55	208	5 813	915	276	104	1 40	21	5	1	1	15
14	Cholera nostras	11	2	2									2	2	3	2			
18 19 20	Erysipelas. Other epidemic diseases.		7	1	1				1	1	1	3	3 1	4	1				
20 24	Purulent infection and septicemia Tetanus	2	1		1		1			1 	1	1	4	2	2				
28 29	Tuberculosis (total)	504 432 10	6 4	10 2	3 1	3	2	11 2	38 24	92 88 1	115 108 1	100 90 2	66 60 2	48 47	8 6				2 2
28 29 30 31 32 33 34 35	Tuberculous meningitis	32 14	2	6	2	3	1	8	2 7 3	1 1	2	1 4	1 2						
32 33	Pott's disease	5 2 6							1		2	1	1		1 1				
35 36	Disseminated tuberculosis	3		1			1		1	1	1 1	1		1					
37 38	Rickets	1 42 1	13	1		1	1			4	7	7	5	····i	2				
	Cancer and other malignant tumors (total)	279			1		1	1	2	6	22	59	- 771	82	31				
39 40	Of the buccal cavity	103									1 6	2 18	71 1 26	3 36	1 16	3			
41 42	Of the peritoneum, intestines, rectum	33 46		····	ļ				1	2	5	5	11	6	3				
43 44	Of the breast	29 13									1 1	20 8 2	10 10 2	9 8 6	3 2 1	ii			
45	Of other organs or of organs not specified				1		1	1	1	3	4	4	11	14	5	2			
46	Other tumors (tumors of the female genital organs excepted)	2		<b>.</b>					ļ <b>.</b> .		1	ļ			1				
47 48 50	Acute articular rheumatism Chronic rheumatism and gout Diabetes	15 3 78						3	4	1	3	2	1		1 2				
51 52	Exophthalmic goiter	6 2				1			5 2	6	12 1 1	13 1 1	12 2	20	8			••••	
53 54	Leukemia. Anemia, chlorosis.	7 23	1				1	1		2	2 1	7	1 7	5	1				
55 56	Other general diseases	8 60	5							3	1 19	15	11	1 11	1				
56 57 58 59	Chronic lead poisoning. Other chronic occupation poisonings Other chronic poisonings	1 2										2			1				
	II.—Diseases of the nervous system										1		1	1					
	and of the organs of special sense	427	17	13	2	4	4	4	18	21	54	56	67	74	64	29			
60 61	Encephalitis Meningitis (total)	6 52	6	11	1	1 3	1 2	2	8	6	4 7	3	2	1					
	Simple meningitis Cerebrospinal meningitis(undefined).	15 21	2 2	4 6	1	3		i	2	2 1	4 3	1	1	î					
62 63	Cerebrospinal fever	4	2	$\begin{bmatrix} & 1 \\ \cdots & 1 \end{bmatrix}$	······ 1		2	1	6	3	2	1	<sub>i</sub> .		· · · · · · · · · · · · · · · · · · ·				
	Acute anterior poliomyelitis Other diseases of the spinal cord 1	7		i	i			1	$\begin{bmatrix} 1 \\ \cdots \\ 1 \end{bmatrix}$	$egin{array}{c} 2 \ 1 \ 1 \end{array}$	3 2 1	3 1 2		3 3	5 5	1 1			
64 65	Cerebral hemorrhage, apoplexy Softening of the brain	213 2	2							1	11	27	40	57	49 1	26			
66 67	Paralysis without specified cause General paralysis of the insane	21 38		· · · · · ·	 					1	2 11	1 12	6	4 5	5 4	2			
68 69	Other forms of mental alienation Epilepsy	31 11	1						5	7	10	8	3	2					
69 70 71 72 73 74	Convulsions (nonpuerperal) Convulsions of infants Chorea	1 8 1	7	1							1								
73 74	Neuralgia and neuritis. Other diseases of the nervous system	1 1 12	1						3	$\begin{bmatrix} 1 \\ \cdots \\ 1 \end{bmatrix}$	1 1		4	1					
76	Diseases of the ears	5					l	1	1	1.		1	1			1			
		1	Exclusi	ve of a	cute a	nterio	noling	nveliti	ic (info	ntile no	ro lucie)	١							

<sup>&</sup>lt;sup>1</sup> Exclusive of acute anterior poliomyelitis (infantile paralysis),

o Int									ĎI	EATHS A	T AGE	o <b>F</b> —		4.4					at un-
Detailed List N	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	eaths know
					мо	NTA	NA(	Contin	ued.						-				
	III.—Diseases of the circulatory system	596	6		1	2	2	12	27	<b>3</b> 5	61	69	108	108	102	56	5		2
78 79 80 81	Acute endocarditis. Organic diseases of the heart Angina pectoris. Diseases of the arteries, atheroma, aneu-	48 476 21	1 4		1	1	1	4 8 	23	3 28 2	8 51 1	12 47 7	10 80 6	2 91 3	92 2	46	3	 :::::	1
82 83	rism, etc. Embolism and thrombosis Diseases of the veins (varices, hemor-	33 12 3								1 1	1	1	7 5	8 <b>3</b>	5 <b>3</b>	9 1	2		
84 85	Diseases of the lymphatic system (lymphangitis, etc.). Hemorrhage; other diseases of the circulatory system.	2	1									1	•••••	1					,
	IV.—Diseases of the respiratory system	1,371	135	43	18	9	9	31	78	249	346	178	113	86	48	23	2		3
87 88 89 90 91	Diseases of the larynx Diseases of the thyroid body Acute bronchitis Chronic bronchitis Bronchopneumonia	16 213	1 9 1 78	1 2 24	1 1 6	1	6	1 3	3	2 1 18	2	1 1 17	1 1 3 6	1 8	7 9	1 11	1		
92 93 94	Pneumonia (total)	13	45 36 9	15 13 2 1	10 8 2	8 8	2 2 1	27 24 3	70 67 3 4	225 216 9	319 310 9 1	155 149 6	96 91 5 3	70 67 3 3	30 30	9	1		3 2 1
95 96 97 98	piexy. Gangrene of the lung. Asthma. Pulmonary emphysema. Other diseases of the respiratory system.	2 2 8 2	1						1	1 1		8	1 1	1 1	2	1	•••••		
-	V.—Diseases of the digestive system.	596	157	38	22	19	14	30	46	38 	59 	59 	38	45 ————	22	8	1		
99 100 102 103	Diseases of the mouth and annexa.  Diseases of the pharynx.  Ulcer of the stomach.  Other diseases of the stomach (cancer excepted).	3 27 21 24	2 4 1	i i			i	7	3 1	2 5 2	4 2	2 5	1 4	3	3				
104 105 108 109	Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over). Appendicitis and typhlitis Hernia, intestinal obstruction (total)	156 65 130 53 17	126 11	30 1 4	20 1 1	13 3 1	6 6 1	5 12 2	39 1	20 20 3	2 22 6	6 17 7	2 5 6	7 4 5	1	1 1			
110 113 114	Hernia. Intestinal obstruction. Other diseases of the intestines. Cirrhosis of the liver. Biliary calculi.	36 12 42	9 1	2 2 1	1	1 1	1	2	1 1	1 2 1	1 5 3	3 4 3 10 2	3 3 1 8 6	2 3 1 12 5	2 2 8 1	1 			•••••
115 117 118	Other diseases of the liver.  Simple peritonitis (nonpuerperal)  Other diseases of the digestive system (cancer and tuberculosis excepted)	21 20 20 20	1	1		1		4	1	1	6 5 2	4 2	2	1	i 1	2 2			
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	371	6	4	3	3	1	3	12	17	32	49	65	83	67	25	1		
119 120 122	Acute nephritis	33 289 7	2 2 1	1 3 	1 2	2 1	1	1 2	3 5	9	2 21 1	5 36 1	4 57 1	5 69	58 3	23	i		
123 124 126 128 129 130	Calculi of the urinary passages Diseases of the bladder Diseases of the prostate Uterine hemorrhage (nonpuerperal) Uterine tumor (noncancerous) Other diseases of the uterus	1 3 15 1 3 6	1						2	1	1 1 1 1	1 1 2 1	1	8	1 4				
131 132	Cysts and other tumors of the ovary Salpingitis and other diseases of the fe- male genital organs VII.—The puerperal state	2 11 184							2 11	3 97	2 3 65	2 11	1				•••••		
134 135 136 137 138 139	Accidents of pregnancy Puerperal hemorrhage. Other accidents of labor. Puerperal septicemia. Puerperal albuminuria and convulsions. Puerperal phlegmasia alba dolens, em-	35							3 6 1	24 5 21 28 16	16 4 12 19 12	1 3 2 1 2							
140	bolus, sudden death. Following childbirth (not otherwise defined)	6 2							1	2 1	2	1							•••••

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Int.				·					DE	A SETA	T AGE (	OF							
Detailed Int. List No.	CAUSE OF DEATH,	All deaths.	Under 1 year.		2 years.	g years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	89	90 to 99 years.	yrs.	
					мо	NTA	NA-	Contin	ued.			·		•			,	·	<u> </u>
	VIII.—Diseases of the skin and of the cellular tissue	6	1									1		1	1	2			
142 144 145	Cangrene. Acute abscess. Other diseases of the skin and annexa IX.—Diseases of the bones and of the	3 2 1	i									1		1	1	2			
146	organs of locomotion  Diseases of the bones (tuberculosis ex-	14	2	1				1	1	2	3	1	1	2					
147	cepted) Diseases of the joints (tuberculosis and rheumatism excepted) X.—Malformations.	13 1 86	2  77	1 3	2			1	1 1	2	3	1	1	2					
150	Congenital malformations (stillbirths not included) (total)	86 10	77	3 1	2			1	1 1	2							· · · · · · · · · · · · · · · · · · ·		- <u></u>
	heart Other congenital malformations XI.—Early infancy.	51 25 418	48 22 418	2 	1			1		1 1									
151	Congenital debility, icterus, and scle- rema (total).  Premature birth. Congenital debility, "atrophy," "marasmus," etc	330 253	330 253																
152	Other causes peculiar to early infancy (total)	77 86 52	86 52																:
153	fancy 1 Lack of care. XII.—Old age.	34 2 74	34 2									1	1	9	28	27	8		
154	SenilityXIII.—External causes	74 780	22	19	15	11	10	33	64	120	173	1 144	1 82	9 46	28 16	27 17	1 8 3		 5
155 156 157 158 159 160 163	Suicide (total) By poison By asphyxia. By hanging or strangulation By drowning. By drearms. By cutting or piercing instruments. Other suicides.	97 21 1 9 10 48 7							1 1 2	21 10 1 2	18 3 2 2 2 10 1	29 3 3 4 15	15 4 1 2 5 3	6 1 5	1	1	1		i
164 165 166	Accidental or undefined (total)	625 13 7 12	22 2 1 2	19 2 1	15 1 1 2 5	11 1	8	31 2 1	58 2	86 1	135 4 4	1 104 1	62 I 1 1	38	15	16	2		3
167 168 169 170	Burns (conflagration excepted) Absorption of deleterious gases (con- flagration excepted). Accidental drowning. Traumatism by firearms Traumatism by cutting or piercing	27 14 62 29	6 1 1	6 4 1	5 1	3 2 2 2	1	8 3	3 1 15 5	1 7 3	1 3 7 6	2 1 9 4	2 5 2	2 1	1	1			
172 173	instruments Traumatism by fall. Traumatism in mines and quarries	1 53	2	••••	i		1	<sub>1</sub>	1 8	····- <del>7</del>	3	3	····ii	2	3	9	1		<u>i</u>
174 175	(total). Traumatism in mines Traumatism by machines Traumatism by other crushing (total).	88 88 12 210	2	2	1	2	1	8	1 1 2	24 24 2 2	28 28 5 5	25 25 1 43	5 5 1 22	2 2 1 24	2 2 5	4	1		1
	Railroad accidents and injuries. Street-car accidents and injuries. Automobile accidents and injuries. Injuries by other vehicles.	95 5 64 39	1 1	 1	1	1		2	3 5 2	10 8	29 1 21 7	20 2 13	13 7 2	12 1 3	3 1	1	i		i
176 178 180 181 185 186	Landslide, other crushing Injuries by animals Excessive cold Lightning. Electricity (lightning excepted). Fractures (cause not specified) Other external violence.	7	5	2	1	1	1 1 1	1 4	23	3 3 2 3 2	1 1 5 2	7 1 2 5 1 1 6	5 2 2 2	8 2 4	1 1 1	1 1 1			
182. 183 184	Homicide (total).  By firearms. By cutting or piercing instruments. By other means.  XIV.—III-defined diseases	58 39 8 11 60	15	5	1	2	2	2 1 1	2 2 1	13 13 1	20 11 6 3	11 8 1 2 4	5 3 1 1 5	1 1 13	7	1	1		1 i
188 189	Sudden death	2 58 27 31	2 13 2 11	5 2 3	1 1	2 2		1	1 1	1 1	3 2 1	4 1 3	5 3 2	13 8 5	7 4 3	1 1	1 1		

1 Exclusive of injuries at birth.

, E						·	-		DEATE	IS AT A	GE OF-				<del></del>				- e e
Detailed List No	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	80 to 39 years.	40 tq 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	yrs. and over.	Deaths at known a
					NE	wн	AMP	shi	RE.										
	All causes	9,581	1,094	272	117	94	71	171	480	1,190	1,070	730	782	1,154	1,335	814	130	3	74
	I.—General diseases	<del>-</del>	191	137	66	50	45	93	273	749	656	340	290	280	225	84	8		35
1 4	Typhoid fever	2		;;			12	;	6	<u>4</u>	2 1 3	3 1	2	1					
6 7 8	Measies Scarlet fever Whooping cough	8	8 47	14 1 22	3 1 11	5 1 7	4	4 3 9	1	1					1				
9 10	Diphtheria and croup	37	1 97	7 77	3 43	5 24	7 25	11 47	2 199	559	501	1 166	92	56	55	24	5		29
13 14	Cholera nostras	1 15	3	1				. 1					1	4	2				
18	Erysipelas	13							1		1	2	4	2	3				
19 20 24	Other epidemic diseases Purulent infection and septicemia	1 7				i				2		1 2				2			
25	Tetanus	. 1		1							1	1	1	2	1				
26	PellagraTuberculosis (total)	. 554	19	9	5		5	6	53	156	111	73	57	29	19				3
28 29 30 31 32 33 34	Tuberculosis of the lungs	. 11	5	1		2			1	133	104	66	52						
30 31	Abdominal tuberculosis Pott's disease	. 20	7 3	í	4		1	. 1	1	5 4 1	1 1 1	2	4	1					1
33 34	White swellings	. 3	1 2							1 3	1	1	1	2					
35	Tuberculosis of other organs Disseminated tuberculosis	t	ĩ						1	3	2	2	2						
37 38	Syphilis	- 1	8			1	-			2	1	2	2			.			
	Cancer and other malignant tumors (total)	. 478		. 1					1	8	20	67	90	142	100		2	ļ	. 1
39 40	Of the buccal cavity	. 141						-			1 4	12	28 28	50	33				1
41 42	tum	.1 97						. 1			3 9	15 16	16 15	26	22	11			
43 44	Of the breast	. 39	1		-			-		. 1		10	8	22 7 3	7	5			
45	Of other organs or of organs not spec- ified	91	1	1 .	İ					1	2	11	16	27	22		1	1	
46	Other tumors (tumors of the female gen- ital organs excepted)		<b> </b>		·									. 1	2		. 1		
47 48	Acute articular rheumatism	. 5							1		1	3	2	1	. 1				
49 50	Scurvy. Diabetes	. 97						. 3		7	5	8	18	21	23	4			
51 52	Exophthalmic goiter	.1 5								. 1	1	2							
53 54	Leukemia. Anemia, chlorosis Other general diseases.	. 56		1 3	-	2				. 3	4	4 2	3 13	16	9	1 4			.] 1
55 56	Alcoholism (acute or chronic) Other chronic poisonings			.	-1					. 1		1	1	3	3	ı			. 1
59	II.—Diseases of the nervous system		<b> </b>						1		1			. 1	1				1
	and of the organs of special sense	914	35	22	7	10	) a	3 7	19	11	26	57	102	184	272	143	10		. 6
60 61	Encephalitis				·	1		2 1	1 4		. 1		ii	2	. 1				
01	Simple meningitis.  Cerebrospinal meningitis (unde	34							. 2					. ī					
	fined)	11	3					1	1 -		1						-		
62 63	Other diseases of the spinal cord (total)	). 40	2				i			·····i		. 6	5 3		13			1	-
	Acute anterior poliomyelitis Other diseases of the spinal cord 1.	32				1			1 ~				3	8	1	3 8	1	-	
64 65	Softening of the brain		' II		-			- 1						. 2		3 2			
66 67	Paralysis without specified cause General paralysis of the insane	] 38	3								. 4	11		8	1	7   3			-
6 <b>8</b> 69	Epilepsy	34	ı∥ 2	2		2		3		ì	1		1			2		.]	
71 72	Cônvulsions of infants	. 19	11	1		2	1	i	. 1			1	-			1		: ::::	
73 74	Neuralgia and neuritis			:  i			i		1			1		1 4		i l			
75 76				.   <sub>i</sub>				<u> </u>	· · · · · i	·		· · · · · i	· · · · · · i	-		1		1	1
	,	•	Exclus		•	•	•				•			•	-	-			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

I Int.									DI	EATHS A	T AGE	of—			-				t un-
Detailed List N	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	100 yrs. and over	Deaths at un- known age.
				NE	w B.	AMP	зни	re—c	ontinu	eđ.			•						
	III.—Diseases of the circulatory system	1,362	8	1				6	16	22	36	82	141	322	416	261	38	1	12
77 78 79 80 81	Pericarditis Acute endocarditis Organic diseases of the heart Angina pectoris Diseases of the arteries, atheroma, aneu-	3 29 921 77	2 3	1				6	1 1 13	1 2 19	22 7	8 58 4	8 101 11	239 239 26	1 1 286 20	154 5	13 2		1 6 2
82 83 84	rism, etc Embolism and thrombosis Diseases of the veins (varices, hemor- rhoids, phlebitis, etc.). Diseases of the lymphatic system (lym-	270 52 5							1		1 2	5 4 3	8 13	46 9	95 11 1	88 12 1	23	1	 
85	phangitis, etc.).  Hemorrhage; other diseases of the cir- culatory system.  IV.—Diseases of the respiratory sys- tem.	1	159	63	26	19	10	35	97	268	217	93	85	118	1	95	21		12
86 87 88 89 90	Diseases of the nasal fossae Diseases of the laryux Diseases of the thyroid body Acute bronchitis Chronic bronchitis	9 2 68 35	26 1	9	3	1		3			1	1 1	2 2	1 3 6	1 1 1 8 7	11 13	4		
91 92 93	Bronchopneumonia Pneumonia (total) Lobar pneumonia Pneumonia (undefined) Pleurisy	1,019 748 271 16	82 43 23 20 1	35 17 13 4 2	9 14 10 4	5 •12 9 3	3 3 1	8 22 12 10 1	90 66 24 1	20 244 195 49 2	18 192 143 49 5	76 56 20	9 69 51 18	14 90 69 21 1	29 87 63 24	22 41 21 20 1	8 5 3		1 11 9 2
94 95 96 97 98	Pulmonary congestion, pulmonary apoplexy Gangrene of the lung. Asthma. Pulmonary emphysema. Other diseases of the respiratory system (tuberculosis excepted).	13 1 14 1 4	12				1 i		1	1	1	2	1 1	2 1	3	3	1		
100 101 102	V.—Diseases of the digestive system.  Diseases of the pharynx.  Diseases of the esophagus.  Ulcer of the stomach.	585 7 1 22	216	33	9	9	7	12	1	14	26 1 2	37	48 1 5	55 1 6	57	33	5		3 i
103 104 105 107 108	Other diseases of the stomach (cancer excepted). Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over) Intestinal parasites. Amendiatis and traphitis		17 192	3 25	7 	5 1	1 3 2	2 3 5	1 1	1 8	6	2 4 8	4 3	13 2	4 11	8	3		1 i
109 110 111	Appendictis and typhiltis Hernia, intestinal obstruction (total) Hernia Intestinal obstruction Other diseases of the intestines Acute yellow atrophy of the liver	56 14 42 7	3 3 1	î 1 1		1 1	í i	1 1	1 	3 1 2	5 2 3	6 1 5 1	10 5 5	10 2 8 2	9 3 6 1	5 5 1			
113 114 115 116 117	Cirrhosis of the liver. Biliary calculi Other diseases of the liver. Diseases of the spleen. Simple peritonitis (nonpuerperal)	49	1	1				ī	2	2	3 2 1	5 4 1	11 3 5	7 5 4	15 3 7	7 1 4	i		
118	Other diseases of the digestive system (cancer and tuberculosis excepted) VI.—Nonvenereal diseases of the genito-urinary system and	1	1									1	69		157	83			3
119 120	Acute nephritis Bright's disease	28 494	6 4	1 i				22	10 17	6 18	36 5 22	5 44	2 64	143 3 124	2 138	66	5	<u>                                     </u>	····i
122 123 124 125	Other diseases of the kidneys and annexa. Calculi of the urinary passages	7 1 10	2									1	1	22	1 3	4	i		
126 128 129 130 131	etc Diseases of the prostate Uterine hemorrhage (nonpuerperal) Uterine tumor (noncancerous) Other diseases of the uterus Cysts and other tumors of the ovary	1 36 1 11 4 5								í	1 1 1 3 2	7 1 1	1	11	11	11			2
132	Salpingitis and other diseases of the fe- male genital organs.  Nonpuerperal diseases of the breast (cancer excepted).  VII.—The puerperal state.	5 1 75		<b>-</b>						1	1 27	1							
134 135 136 137 138 139	Accidents of pregnancy Puerperal hemorrhage Other accidents of labor Puerperal septicemia Puerperal albuminuria and convulsions Puerperal phlegmasia alba dolens, embolus, sudden death	12 6 13 16 25							1	5 2 8 13 12 2	6 4 5 3 9								

[This table excludes the deaths of soldiers, sailors, and marines.]  $\begin{tabular}{l} \end{tabular} \label{table}$ 

nt.			1						נמ	EATHS A	T AGE	OF—	<del>-</del>						e in-
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	100 yrs. and over.	Deaths at unknown age.
				NE	w H.	AMP	SHII	EE-C	ontinu	æd.									
_	VIII.—Diseases of the skin and of the cellular tissue	22	2						1		1			3	8	7			
142 144	Gangrene Acute abscess	3	1 1						····i		1			2 1	8	7		<b>.</b>	
	IX.—Diseases of the bones and of the organs of locomotion	11	1	1					2	1	2		1	1		2			
146 148	Diseases of the bones (tuberculosis excepted).  Amputations	10 1	1	1					2	1	2		<u>i</u>	1		2			
150	X.—Malformations	75	68	4	1					1		<u></u>		1					
	not included) (total)  Hydrocephalus  Congenital malformations of the	75 8	68 6	1	1					1				1				<b>-</b>	
	heart Other congenital malformations XI.—Early infancy.	39 28 401	35 27 401	3	1					1				<b>-</b>					
151	Congenital debility, icterus, and sele- rema (total)	341	341																
	Premature birth Congenital debility, "atrophy," "marasmus," etc. Other causes peculiar to early infancy	233 108	233																•••••
152	(total). Injuries at birth.	57 21	57 21		3														
153	Other causes peculiar to early in- fancy <sup>1</sup>	36 3	36 3								i								
154	XII.—Old age Senility	147 147												2 2	25 25	80 80	38	$-\frac{2}{2}$	
101	XIII.—External causes	381	5	9	7	6	4	14	39 2	54	42 11	56	44 13'	39 8	31 5	24	4		3
155 156	Suicide (total) By poison By asphyxia	68 4 9								13 2 3	1 1 2	15 2 2	13 1 1 3	4	2				
156 157 158 159 160	By hanging or strangulation.  By drowning.  By firearms.  By entring or planeing instruments.	13 11 21 9							<u>1</u> ,	1 3 3	2 4 1	3 5 3	2 4 1	1 1 2	2 1				i
161	By cutting or piercing instruments. By jumping from high places Accidental or undefined (total)	309	5	9	7	6	4	14	37	39	31	40	1 31	30	26	24	4		2
164 165 166	Poisoning by food. Other scute poisonings Conflagration	6 8 6		····2	1 1 5	i	1	1	1	i	1 1	1	<u>i</u>	· 1		1 1			i
167 168	Conflagration. Burns (conflagration excepted). Absorption of deleterious gases (conflagration excepted). Accidental drowning.	28 14	1	2		2		3	13	4 7	4 3	2 1 4	3 3 3	2	1 1	2			
169 170 172 173	Traumatism by firearms Traumatism by fall Traumatism in mines and quarries	38 8 65		3 		····i	1	1	15 4 2	1 3	<u>i</u>	<u>-</u> 11	.7	1 8	10	18	4		
	(total)	1 1 19							 2	1 1 5	4	<u>2</u>	i	3	i	i		<b>-</b>	
174 175	Traumatism by other crushing (total).  Railroad accidents and injuries.	76 38	1	1 1		2	1	5	4 2	14 8	11 8	12 7	7	7 6	10 2				1
	Street-car accidents and injuries . Automobile accidents and in-	2 21	1			1	1	3	2	3	<sub>2</sub>	3	1	1	3				
176	juries. Injuries by other vehicles. Landslide, other crushing Injuries by animals.	14 1 5				1	i	2	·····2	3	1	1 1 1	2	i	3				1
179 180 181 185 186	Effects of heat Lightning Electricity (lightning excepted)	4 2 6	1						·····2	2	1 2		1 	1	1				
185 186	Fractures (cause not specified) Other external violence Homicide (total)	2 21 4	i	1				1	4	1 2	2	5 1	1 3	1 3 1					<b>.</b>
182 184	By firearms  By other means	3								2		1	2	1 6	3	2			
187	XIV.—Ill-defined diseases	23 2 3	2	1	1			<u>2</u> 		2	1	1			1				
188 189	Sudden death Not specified or ill-defined (total) Ill-defined Not specified or unknown	18 17	2 2	1 1	1 1			2 2		2 2	1		2 2	2 4 4	2 1 1	2 2			
	Not specified or unknown	1			1 Excl						1				l <sub>T</sub>				

<sup>1</sup> Exclusive of injuries at birth.

[This table excludes the deaths of soldiers, sailors, and marines.]

Int.									D	EATHS A	T AGE	or—	•				<u></u>		age.
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	00	90 to 99 years.	100 yrs. and over.	ths
					3	NEW	JER	SEY	•										
	All causes	60,988	8,371	2, 681	1, 281	761	602	1,610	3,106	8, 265	8, 252	5, 797	5,745	6,039	5,534	2,526	352	12	54
	I.—General diseases	19,075	1,140	999	576	359	269	718	1,357	3,671	3,599	2,184	1,746	1,390	815	225	21	2	4
1 4 5	Typhoid fever	167 11	1	1	1 1	1	1	10	36 1	58 1	31 1	9	14 - 3	4 3		1			
5 6 7	Smallpox Measles	$\frac{1}{542}$	1 145	206	93 3	37	23	24	<u>4</u>	3 5	3	3		i					
8	Scarlet fever	52 567	244	6 157	80	10 31	6 24	10 27	6	5	1			•••••	,				
9 10 13	Whooping cough Diphtheria and croup Infinenza Cholera nostras	498 8,377 5	24 429 1	80 441	78 249	56 173	58 123	149 357	28 745	10 2,284	2, 168 1	679	1 1 328	210 	138 1	44 2	5	i	3
14 18 19	Dysentery. Erysipelas.	57 74 9	17 30 3	7	1		3	1	2	2	2	3 7	3 9	7 8	9 7	5 3			
20	Other epidemic diseases	32	11	2	1			4	1	2	1 2	3	2	4	1 2	i			
22 23	Anthrax Rabies	1 3				1		i		1		i							
24 26	Tetanus. Pellagra.	44 2	10				1	1 8	10	2	2	6	2 1	2	1. 1				
28	Tuberculosis (total)	4,786 4,118	103 36	74 13	53 11	39 7	22 4	81 19	449 363	1,170 1,068	1,071 1,002	895 825	492 459	247 233	71 63	16 14	3		
28 29 30 31 32 33 34	Acute miliary tuberculosis Tuberculous meninguis	177 263	36 2 51 9	1 50	36	1 24	16	34	363 30 22 10	60	35	825 32 5	12 5	1 1	Ĭ				
31 32	Abdominal tuberculosis	110 42	9 2	7	3 2	4 2	···· <u>·</u> 2·	11 9 2 3	6	20 5 2	14 2	16 6	7 2	7 3	1	1			
33 34 35	White swellings Tuberculosis of other organs Disseminated tuberculosis	21 37	2	2 1		····i		2 3 2	8 6	2 4 1	5 3	5	3	1 1	1 3	i	1		
36	Rickets	18	13	5	1	1			1		1	4	2						
37 38	Syphilis. Gonococcus infection.	199 10	62 5	4	2	1	1	2	1	17 2	29	34 1	32	9	5 1				
20	Cancer and other malignant tumors (total)	2, 483		5	2	3	1	4	8	41	169	391	624	654	449	121	9	1	1
$-{}^{39}_{40}$	Of the peritoneum intestines rec-	76 999		1						9	3 54	8 143	22 259	20 286	17 202	5 42	1	i	····i
42 43	tum Of the female genital organs Of the breast	354 378 226							1 2	9 8 1	26 43 18	30 99	87 103	104 73	72 39	23 11			
44 45	Of the skin. Of other organs or of organs not	65								<u>.</u>	3	48	50 14	57 13	40 13	11 15	3		
46	Other tumors (tumors of the female geni-	385		4	2	3	1	4	5	14	22	59	89	101	66	14	1		
47	tal organs excepted)		1	3	3	4	1	23	28	16	7	3 12	1	2 14	9	1 2	1		
48 49	Acute articular rheumatism Chronic rheumatism and gout Scurvy	6	6						1	2	3	4	5	9	8	4	2		
50 51	Diabetes Exophthalmic goiter Addison's disease	563 32			2	2	1 	5	17	26 3	49 9	61 6	144 7	154 3	85 1	16 2	1		
52 53 54	Leukemia. Anemia, chlorosis.	54	1 2	3 I 4	1			4	8 5	4 10	1 6 9	3 8 18 2	1 10 29	6	3				
55 56	Other general diseases	61	29	4	3		4	5	2	3	2		3	32 2	17	6			
57 58	Alcoholism (acute or chronic) Chronic lead poisoning Other chronic occupation poisonings	76 9 5							1	1 1	14 1	25 3 2	19 2	12 2	1	1			
59	Other chronic poisonings  II.—Diseases of the nervous system	6								3		í	2	1					
	and of the organs of special sense.	4, 425	166	90	39	23	24	64	82	120	183	384	653	995	1,053	491	56	2	
60 61	Encephalitis Meningitis (total).	15	1	1	1				1	1	4	2	1	1	2				
91	Simple meningitis Cerebrospinal meningitis (undefined)	116	82 33 21	61 25 19	23 10 6	12 3 4	13	40 11 14	27 5 11	28 10 11	13 3 3 7	10	8 1 4 3	3 1	3 3	1			
62	Cerebrospinal fever		28	17	7	5	2 5	15	11	7	7 9	4 4 2 7	3	1 1 21	9	2			
63	Other diseases of the spinal cord (total).  Acute anterior poliomyelitis	176 16	2	2 1	3 2	5 5	3	1 1	4	8 2	13 1	16	19 29 1	47	29	14			
64	Other diseases of the spinal cord <sup>1</sup> Cerebral hemorrhage, apoplexy	160	1 9	î 1	1 2	1	2	6	3 6	6	12 59	16 225	28 493	47	29	14	51	••••	
65 66	Softening of the brain	30 191		i		2			2	2	1	1 1 13	18	816 10 33	873 10 68	401 9 45		2	
67 68	General paralysis of the insane Other forms of mental alienation	216							2 2	8 15	35 11	59 10	44 16	34 17	68 29 14	5 4			
69 70	Epilepsý. Convulsions (nonpuerperal).	3	4	2		1	1	4	23 1	32 1	23	22	12	6	1	ı			
71 73	Convulsions of infants   Neuralgia and neuritis	76 4	52	17	4	1	2			<u> </u>		1	1	i				[	•••••
74	Other diseases of the nervous system  Diseases of the eyes and their annexa	94	12	ļ	2		2	6	7	6	9	14	8 1	Ĝ	14	ł			
75 7 <b>6</b>	Diseases of the ears	41	Exelusi		•		•	•	•			4			i	1			

<sup>1</sup> Exclusive of acute anterior poliomyelitis (infantile paralysis).

<u>-</u>	•		1							s, and m								1	<u></u>
Detailed Int. List No.	CAUSE OF DEATH.	All							DE	ATHS A	,	ı .				ı	ı	100	Deaths at un- known age.
etaile List	CAUSE OF DEATH.	deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 vears.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 vears.	99	yrs. and	eaths
4				7	vew	JER	SEY-	-Conti	•		1	• • • • • • • • • • • • • • • • • • •		,	•		["	over.	<del></del>
	III.—Diseases of the circulatory sys-						[					<u> </u>							
77	tem	6,798	56		8	9	9	76	210	316	475	696	1,004	1,385	1,609	806	113	3	2
78 79 80	Pericarditis Acute endocarditis Organic diseases of the heart Angina pectoris Diseases of the arteries of the rease	5,407 215	31 16	8 9	3 5	4 4	8	10 60	40 159	47 248	77 367	66 569	90 803	17 1,153 69	16 1,330	599	2 73	2	2
81	Diseases of the arteries, atheroma, aneurism, etc. Embolism and thrombosis	562		1						3	9	17 22	35 47	109	66 167	16 168	35	1	•••••
82 83	Diseases of the veins (varices, hemor-	124 24	2	1				2	5 1	9	8	16 1	21 3	24 6	24 2	12	2		• • • • •
84 85	Diseases of the lymphatic system (lymphangitis, etc.).  Hemorrhage; other diseases of the circu-	16	7	2		1		1	2	1			1	1					••••
33	latory system  IV.—Diseases of the respiratory sys-	11					<b></b> -	2	1		1	2		2	2	1			
86	tem		1,784	1,035	467	242	178	406	879	3,083	2,742	1,234	878	719	602	286	40	. 2	1
87 88	Disagras of the larger	1.5	5 2	1	2	1		2	1 2 5	2	 1 5	2 3		1	1	1			
89 90 91	Diseases of the thyroid body. Acute bronchitis Chronic bronchitis Bronchopneumonia	470 177 3,059	265 7 810	457	17	5 1 106	7 2 71	1 103	5 124	3 4 340	5 9   <b>30</b> 5.	3 11 144	6 16 86	18 27 118	29 58 121	26 36 65	3 5 12		
92	Pneumonia (total) Lobar pneumonia Pneumonia (undefined) Pleurisy	10,510 9,464	669 538	488 409	234 200	121 100	95 86 9	288 258 30	730 672	2,704 2,506	2,389 2,202	1,048 949	712 659	519 464	361 304	133 105	16 9	2 2	1
93 94	Pneumonia (undefined)  Pleurisy  Pulmonary congestion, pulmonary and	1,046	131	79 11	34 12	21 8	3	30 7	58 11	198 18	187 24	99 11	53 21	55 10	57 6	28 3	7		
95 96	Pulmonary congestion, pulmonary apo- plexy Gangrene of the lung Asthma	69 10 68	14	2	2			<u>í</u>	. 1	2 2 3	1 4	1 2 11	· 7	10 1 9	10 1 12	16	2		
97 98	Other diseases of the respiratory system	1 '	<b> </b>	i	1					1				3	1.				
	(tuberculosis excepted)	25	2,126	415	1 101	58	44	79	2 110	4 140	3 180	266	8- 277	294	2 232	98	13		•••••
99 100	Diseases of the mouth and annexa	52	7 9	3	1 3	1 3	3	4	···`à	4 7	4	5 4	$\begin{pmatrix} 2\\4 \end{pmatrix}$	2 4	2	1			
101 102 103	Diseases of the esophagus Ulcer of the stomach Other diseases of the stomach (cancer	105	1		1	i			4	ii	17	1 24	17	17	11	2			
104	excepted)	2,373	83 1,980	11 393	5	1	3	4	3	6	9	17	21	23	26 	26	5		
105 107 108	Diarrhea and enteritis (2 years and over) Intestinal parasites Appendicitis and typhlitis	288		i	87 1	43	23 1 7	30 1 29	11 71	9 55	23 34	18 43	20 20 20	33	55 4	33	5		•••••
109	Hernia, intestinal obstruction (total) Hernia Intestinal obstruction	323	37 5 32	1 3	1 1 1		5 1 4	5	4 1 3	55 17 6 11	26 8 18	43 45 24 21	41 28 13	69 47 22	55 38 17,	12 8 4	2 1 1		
110 111	Other diseases of the intestines	67	5		1 1	2	<u></u>	Ĭ	4	4 3	7	111	ii 1	4. 2	Ĩ3\	4			
112 113 114	Acute yellow atrophy of the liver	337 63							2	6	31 5	64 11	95 21	91 13	40. 10	3 8			
115 116	Biliary calculi Other diseases of the liver Diseases of the spleen		1	2			1 1	3 1	3	2 8 3	13	12 2	22 1	15 3	îĭ	9	1		
117 118	Simple peritonitis (nonpuerperal) Other diseases of the digestive system (cancer and tuberculosis excepted)	24	1	1				1	4	1	5 4	3 5	1	2 i	2	}			
	VI.—Nonvenereal diseases of the genito-urinary system and	ļ	_								1	ľ		_					•••••
710	annexa	4,148	42	8	9	<sup>7</sup> 5	8	33 12	77 20	180 27	322 29	472	760	904 29	914 25	379	33		
119 120 122	Acute nephritis Bright's disease Other diseases of the kidneys and annexe	3,532 56	6 6	3 1	<u>-</u> -	2	4	20	54 1	119 7	254 4	376 6	685 7	828 8	811 11	342	28		
123 124	Calculi of the urinary passages		'i								1	2 2	3	2 5	1 21	9	/A.		
125 126	Diseases of the urethra, urinary abscess, etc. Diseases of the prostate	.  90									1	2 1	3 5	25	1 39	17	3	<u>;</u>	
127 128	Nonvenereal diseases of the male genital organs Uterine hemorrhage (nonpuerperal)	6	4						<u>i</u> -	2								7	
129 130 131	Uterine tumor (noncancerous) Other diseases of the uterus Cysts and other tumors of the ovary	16							<u>-</u> -	4 3 5	11 7 3	14 1 3	12 1 2	2 2 2	2 2	1			
132	Salpingitis and other diseases of the female genital organs	45							ļ <sup>*</sup> .	13	12	19	1	ļ					
133	Nonpuerperal diseases of the breast (cancer excepted)	. 5	3						25	285	238	27		1	1				ļ
134	Accidents of pregnancy	129				-,			4	79	42	4							
135 136 137	Puerperal hemorrhage Other accidents of labor. Puerperal septicemia	.1 91							1 10	12 38 83 64	25 49 65 48	3 11						••••	
138 139	Puerperal septicemia. Puerperal albuminuria and convulsions. Puerperal phigmasia alba dolens, em- holus, sudden death.	123							7 2	64	`48 6	1							
140	Following childbirth (not otherwise defined)	1				ļ			. <i>.</i>	1	3	ļ <sup>1</sup>							
141	ruerperal diseases of the breast	.1 1	II	J	1	!	1			1	!	l	1		1		1	I	i

o Int.						-			DI	EATHS A	T AGE	OF							at un- n age.
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	29	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	yrs.	eaths
					NEW	JER	SEY	Cont	inued	•	·		<u> </u>		<del>'</del>	·			
	VIII.—Diseases of the skin and of the cellular tissue	135	29	3	1		1	3	1	8	4	14	18	21	20	11	1		
142 143 144	Gangrene. Furuncle.	55 22	1 3 12	1	1		1	1		1 2	1	4 2	7 6	10 5	16 2,	10	1		
145	Acute abscess. Other diseases of the skin and annexa IX.—Diseases of the bones and of	37 21	13	2				1	1	1	2	7	4 1	2	·····2	1			
146	the organs of locomotion  Diseases of the bones (tuberculosis ex-	68	7	4	1	4	2	8	10	5	7	7	8	2	1	2		<u></u>	
147	cepted)	62	6	4	1	3	2	8	10	5	6	5	7	2	1	2			
149	rheumatism excepted). Other diseases of the organs of locomotion.	2	1			1					1	1	1	·····					
150	X.—Malformations	522	486	17	2	4	<u></u>	7	6		<u></u>								
100	not included) (total)  Hydrocephalus.  Congenital malformations of the	522 44	486 32	17 6	2 2	4		7	6 2										
	Congenital malformations of the heart	329 149	312 142	6 5		3		6	2 2							1	- 1		
151	XI.—Early infancy	2,419	2,419			<u></u>				<u></u>		<u></u>							
101	rema (total)	1,953 1,452	1,953 1,452		· · · · · ·														
152	Congenital debility, "atrophy," "marasmus," etc Other causes peculiar to early infancy	501	501			<b></b>		••••		<b>-</b>				<b>-</b>					
	(total)	455 249	455 249																
153	fancy 1.  Lack of care.	206 11	206 11																
154	XII.—Old age Senility	252 252		<u></u>								<u></u>	$\frac{2}{2}$	19	73	108	48	_2	
	XIII.—External causes	3,457	83	68	70	54	67	212	347	454	499	508	394	305	204	119	26	1	46
155 156 157	By poison	34 107		•••••• •••••					10 1 3	68 5 19	59 9 12	78 6 18	62 6 27	54 5 20	20 2 8	6			1
157 158 159	By hanging or strangulation By drowning By firearms	63 20 93							$egin{array}{c} 2 \ 1 \ 2 \end{array}$	6 5 26	13 2 18	12 10 22	9 1 11	15 8	4 4	1			
160 161 162	By cutting or piercing instruments. By jumping from high places By crushing.	25 12							····i	6	3 2	4 5	6 1	5 1	i	21			•••••
163	Other suicides	2 2 2 2	74	68	68	 58	66	208	907			1	1		1				i
164 165	Poisoning by foodOther acute poisonings	2,954 30 30	1 2	4	5 3	<u>i</u> -	<u>2</u>	2	327 3 3	347 1 3	401 4 6	407 7 3	323 1 3	245 3	183 1 1	113	26	1	44
166 167 168	Conflagration  Burns (conflagration excepted)  Absorption of deleterious gases (con-	50 347	9	34	33	2 26	30	7 41	11 27	6 31	4 29	7 37	6 11	1 20	3 13	2 6			•••••
169 170	flagration excepted)	247 292	27 1	3 5 1	1 4	<u>i</u>	<u>4</u> -	2 38	18 76	31 53	33 37	35 39	37 25	32 5	17 2	8	3		<sub>i</sub>
171	Traumatism by cutting or piercing instruments	27 6	1		1			6	14	3	2	1	1	1 2					·····
172 173	Traumatism by fall. Traumatism in mines and quarries (total).	447 13	3	8	10	4	4	10	9	29 3	34 7	60 2	61	57 1	75	64	18	1	•••••
174	Traumatism in mines Traumatism in quarries Traumatism by machines	12 1 65		•••••						3 7	6 1 22	2	· · · · · · · · ·	1					
175	Traumatism by machines Traumatism by other crushing (total). Railroad accidents and injuries.	1,045	1	8	7	16	21	95	12 142	140	174	8 162	8 126	6 84	1 50	16	1		<sub>2</sub>
	Street-car accidents and injuries.  Automobile accidents and inju-	109		3	3	4	3	16 4	54 11	74 9	88 16	87 17	68 13	36 18	16 5	4 5	1		····i
	ries Injuries by other vehicles Landslide, other crushing	388 84	1	2 3	3 1	11 1	15 3	67 8	65 11	44 8 5	49 16	46 10	31 10	23 7	24 5	6			1
176 178	Injuries by animals  Excessive cold	17 12 24	1			2	1 	2	<sub>1</sub>	5 1 1	5 1	10 2 2 2 5	4 2 7	1 4	3	····i	i		•••••
179 180 181	Effects of heat	89 4 26	25	3		· · · · · ·	····i	i	1 1 2	3 1 9	5 11	12	8	13 2	8	11			
185 186	Other external violence	17 183	3	2	3	1	3	3	7	2 23	31	1 2 24	3 23	1 12	4 5	1 2	3		41
182 183	Homicide (total)  By firearms  By cutting or piercing instruments	145 79 18	9		2 1	1	1	4 2	10 9	39 22	39 25	23 14	9	6 1	1				;
183 184	By other means.  XIV.—Ill-defined diseases.	48 103	9	21	1 7	1 1		2 4	1 2	8 9 3	10 3	3 6 5	1 5 5	1 4 5					
187 188	Ill-defined organic disease	2	<del></del>					1			1				11	1	1		
189	Sudden death. Not specified or ill-defined (total). Ill-defined.	6 95 77	2 31 23	21 19	7 7	<u>i</u>		3 3	2 1 1	3 1	2	1 4a 4	5 5	1 4 4	11 7	1	1		i
	Not specified or unknown	18	8	2	•••••				ī	2					4				i

<sup>1</sup> Exclusive of injuries at birth.

[This table excludes the deaths of soldiers, sailors, and marines.]

		, . 	his table	- OACIO		o deadi	15 01 50	diois,	341013	, auu m	armes.j								
Int.	·			•					DE	ATHS A	T AGE	OF							age.
Detailed In List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at un- known age.
PR-101	•		11			NEV	v xo	RK.	!	I	<u> </u>	<u> </u>	1	1	1	<u></u>	<u>!</u>		<u> </u>
	All causes	190,764	23,452	7,072	3, 148	2,119	1,535	4,425	9,115	23,463,	24,094	18,726	20,333	22, 121	19,966	9,590	1,418	39	148
	I.—General diseases	60,715	3,356	2,768	1,462	993	740	1,896	4,072	11,019	10,775	7,425	6,683	5,376	3,089	917	97	3	44
1 4	Typhoid fever	579 35	3 4	5 2	5 2	7	3	40 2	124 4	163 4	97 1	72 5	34	14 5	11 5	i			1
5 6 7	Malaria Smallpox Measles Scarlet fever	1,339 311	307 7	557 51	177 40	93 49	43 34	77 74	36 34	16 11	15 7	1 6 3	6 1	1 4	1 	1			
8 9 10 13	Whooping cough. Diphtheria and croup. Influenza Cholera nostras. Dysentery	1,257 1,751 21,903 27	617 120 1,127 5 28	334 355 1,042 2	123 276 581 1	62 233 365 1 4	43 163 297	61 427 794 3	12 111 1,934	28 6,106	1 16 5,492	7 1,836 1	10 979 8	2 2 648 3 9	1 458 6	1 1 191 2 17	27 3 3	i	1 25
14 17								3	1	8 1	7	5			26			1	
18 19 20 21	Leprosy Erysipelas Other epidemic diseases Purulent infection and septicemia Glanders	342 42 113 1	148 13 15	8 6 2	1 4 3	1 2	2 1 	3 	8 1 8	15 4 14	30 2 14	25 1 10 1	35 3 15	40 2 14	17 11	10 4	2 1		
22 24 25 26	Anthrax Tetanus Mycoses Pellagra	77 4 21	13	1	i	2	2	10	11 1	1 3	1 5 7	2 12 2 5	8	9 4.	1 1				
27	Beriberi	2 16,964	369	321	200	142	107	278	1,519	4,114	3,826 3,569	3,015 2,821	1,862	870	287	43	1 1		10
28 29 30	Tuberculosis (total). Tuberculosis of the lungs Acute miliary tuberculosis Tuberculous meningitis. Abdominal tuberculosis.	14,442 565 1,150	67 33 235	51 15 227	33 9 138	23 8 81	16 3 68 8 5 5	80 15 137	1,201 95 96	4,114 3,751 174 67	3,569 92 55	65	1,726 42 16	792 12 3	265 2	37	1		9
31 32			16	15 4	8 6	81 14 10	8 5	137 21 14	51 27	67 52 21 13 22	62 17	25 55 15 3	3 <del>4</del> 11	27 11	2 7 4	· 1			i
28 29 30 31 32 33 34 35	White swellings Tuberculosis of other organs Disseminated tuberculosis	73 154 62	2 8 8	5 4	2 2 2	2 3 1	1 1	5 5 1	19 22 8	13 22 14	6 23 2	21 10	7 22 . 4	7 12 6	$\frac{2}{4}$	4			
36 37 38	Rickets Syphilis Gonococcus infection	72 1,138 64	37 371 6	18 18	- 8 3	4 3 1	- 1	4	1 14 6	66 18	178 18	239 12	1 150 2	1 70	1 15 1	1 5			i
20	Cancer and other malignant tumors	9,908	8	7	8	10	7 1	15	37	139 2	578	1,572	2,609 74	2,639	1,703	523 29	49	1	3
39 40 41	Of the buccal cavity Of the stomach, liver Of the peritoneum, intestines, rec- tum Of the female genital organs	332 3,642 1,542	1	2	1 1	2 2		1 1 4	4 2 8	. 26 30	11 122 83	49 488 227	966 411	92 1,127 411	66 705 282	189 77	3 8 4	i	1
42 43 44 45	Of the female genital organs Of the breast Of the skin	1,346 983 253		<u>1</u>	·····i			i	3 <u>1</u>	23 9 4	146 93 9	327 218 12	369 278 32	301 199 50	145 128 76	28 49 54	4 8 13		
46 46	Of other organs or of organs not specified Other tumors (tumors of the female genital organs excepted)	1,810	6	4	5	6	6	8	19	45 1	114 4	251 5	479 6	459 2	301 5	. 97 . 1	9		1
47 48	Acute articular rheumatism Chronic rheumatism and gout	391 154	3	3	1	6	14	51 1	75 2	50 2	36 10	32	45 22	36 40	22 46	16 15	1 1		
49 50	Scurvy	1 19	2 3	3 5	5	4	3	27	84	1		15 2 248	553 49 11	1 1	362	56			i
47 48 49 50 51 52 53	Exophthalmic goiter Addison's disease Leukemia	2,280 214 51 256	7	1 6	<u>4</u>	2	8	6	10 1 19	94 26 5 30	143 46 12 48	248 54 10 29	49 11 51	686 23 7 32	4 3 11	2 1 3			
54 55	Anemia, chlorosis	605 232	9 134	6	1 7	1	3 6	6 12	8 10	30 15	6 <u>4</u> 8	80 9	13 <u>4</u> 9	173 7	71 3	17 4	2 1		
56 57 58	Alcoholism (acute or chronic)	21							,	21	89 4	94 6	62 6	24 3	11 2	1			2
58 59	Other chronic occupation poisonings Other chronic poisonings	62							ī	28 28	2 12	8	2 4	5	3	1			•••••
	II.—Diseases of the nervous system and of the organs of special sense	13,881	418	173	98	76	47	178	284	390	705	1,274	2,202	3,055	3,223	1,557	186	2	13
60 61	Encephalitis. Meningitis (total)	46 787	1 167	1 94	1 48 17	1 40	1 26	88 88	8 96	7 82	4 51	8 42	5 29	4 14	2 7 5	1 3			
	Simple meningitis. Cerebrospinalmeningitis(undefined) Cerebrospinal fever.	327 224	81 33 53	94 37 37 20	17 12 19	40 18 10 12	26 10 9 7	88 29 22 37	28 31 37	82 32 21 29	20 19 12	24 15 3 41	14 9 6	9 4 1	5 2	3			
62 63	Locomotor ataxia Other diseases of the spinal cord (total)	234 633	16	<u></u>	16	5			28	29 4 22	19 39 3	62	67 107	72 153	25 106	6 33	2		
	Locomotor ataxia Other diseases of the spinal cord (total) Acute anterior poliomyelitis. Other diseases of the spinal cord !	82 551	9 7	14 2	13 3	3	6 3 3	22 16 6	14 14	4 18	36	61	2 105	153	105	33	2		
64 65	Cerebral hemorrhage, anoplexy	9.345	11	3	5 <del>-</del>	1		3	14 5	52 1	182	654 2 21	1,612 12 45	2,482 31 110	2,799 43 134	1,355 21 96	162 5 13	2	i
66 67 68	Softening of the brain. Paralysis without specified cause. General paralysis of the insane. Other forms of mental alienation.	442 864 193	2	1	1			1	. 2 11	34 30	228 36	261 40	45 181 39	87 21	45 12	22 3	2		$\frac{1}{2}$
69 70	Epilepsy	397	4	2	2	4	2	13 2	55 1	95 1	67	57	39	37 1	14	6			
71 72	Convulsions of infants	186	155	20	5	5	1		4	4			1 5	1 8	2 5				
73 74	Chorea Neuralgia and neuritis Other diseases of the nervous system		21	···ii	ii.	12	4	26	1 29	38	52	5 63 1	47	26	24 24	3 4			
75 76	Diseases of the eyes and their annexa Diseases of the ears	213	39	25		8	6	20	30	18 18	15	17	13	7	3	4	i		•••••

<sup>1</sup> Exclusive of acute anterior poliomyelitis (infantile paralysis).

Int.							·				T AGE (	)F—							ge.
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	80 to 89 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at un- known age.
		<u> </u>	,		NEW	YO	RK	Contin	ued.	!									
	III.—Diseases of the circulatory system	26, 372	208	52	37	40	35	230	701	989	1, 434	2,325	3,725	5,873	6,663	3, 521	509	8	22
77 78	Paricardia	80 1,178 20,648	88 59	10 30	9 26	1 8 28	1 6 25	2 35 181	5 93 593	102 853	161	5 242 1,842	10 340 2,867	14 39	16 27 5, 284	12 16 2, 503	1 2 308	6	1 18
79 80 81	Acute endocarditis. Organic diseases of the heart Angina pectoris. Diseases of the arteries, atheroma, ancu-	1 1							1	8	1,159	108	187	4,866	213	78	5		
82 83	rism, etc	2,918 460	3	2			1	5	3	8	35 24	80 40	218 76	550 109	1,008 103	827· 78	186 7	2	3
84	rhoids, phlebitis, etc.)	65 87	51	10	2	3	1	3	2 4	2 3	12 3	7	18 3	10 1	8	5 2			
85	Hemorrhage; other diseases of the circulatory system	26	3				ļ	3			6	1	6	4	3	ļ			··· <b>··</b>
86	TV.—Diseases of the respiratory system	7	4,510	2,663	1,061	630	397	1,056	2,390	7,826	7, 249	3,496	2,739	2,472	2, 127	1,093	174	9	18
87 88 89	Diseases of the laryux Diseases of the thyroid body Acute bronchitis Chronic bronchitis Bronchopneumonia	76 59 1, 193	658	16	1 49	9	1 1 12	5 19	3 5 10	6 9 14	3 8 17	7 16 13	5 11	2 4 31	5 5 82	83	17		
90 91	Chronic bronchitis	9,732 27,090	$\begin{bmatrix} 10 \\ 2,592 \end{bmatrix}$	1,383	526	265	158	3 334	342	16 967	17 904	44 432	22 78 427	116 507	200 538	156 308 458	30 46 67	1	2
92	Pneumonia (total).  Lobar pneumonia.  Pneumonia (undefined).	27,090 25,169 1,921	1,173 987 186	1,039 948 91	457 409 48	314 288 26	212 196 16	659 604 55	1,992 1,879 113	6,728 6,379 349	6, 194 5, 861 333	2,843 2,667 176	2,074 1,927 147	1,689 1,557 132	1,171 1,035 136 33	366 92	48 19	3	16 15 1
93 94	Pulmonary congestion pulmonary ano-	990	41 10	63 1	21	24	10	30	26 1	69	65 5	84	56 7	50 14	38	23 43	12	1	
95 96 97	plexy Gangrene of the lung Asthma Pulmonary emphysema Other diseases of the respiratory system	36 163 25	3 2	1 1				2	1	3 2	7 14	10 20 2	4 36 3	32 7	39 8	14 2	i		
98	Other diseases of the respiratory system (tuberculosis excepted)	102	8 4,959	4 1,066	247	1 154	91	3 244	4 372	11 473	15 725	18 934	15 1, 173	13 1,005	5 813	5 375	56	2	3
99 100	Diseases of the mouth and annexa	76 225	18 19	5 6	1 15	16	2 6	1 32	1 28	4 34	8 24	9 14	12 11	9 4 3	3 9	3 5	2		
101 102 103	Diseases of the esophagus Ulcer of the stomach Other diseases of the stomach (cancer ex-	456	3					1	6	36 36	74	107	100	63	51 51	13	2		
104 105	cepted) Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over).	594 5,470 1,093	205 4,499	29 971	12	103	55	56	2 18	10	15 71	39	42  105	61	142	67	16	1	
106 107 108	Ankylostomiasis	. 1	1 2 5	6	9	1 15	17	98	228	202	213	142	131	50	28	4			
109	Appendicitis and typhlitis.  Hernia, intestinal obstruction (total).  Hernia.  Intestinal obstruction.	.1 586	160 35 125	34 4 30	19	7	1 1 3	24 4 20	22 5 17	51 10 41	99 46 53	123 57 66	212 133 79	223 138 85	206 113 93	87 33 54	11 6 5	11	
110 111	Other diseases of the intestines	206	18	3	2	ž		5	11 5	16 5	19 3 2	22 2	37	26 6	31	11	3		
112 113 114	Hydatid tumor of the liver Cirrhosis of the liver. Biliary calculi.	1,180 294	1	2	1	2		1 2	7 2	13 8	97 27	238 55	332 83 71	276 72	1 155 35	51 12	1		2
115 116 117	Other diseases of the liver Diseases of the spleen Simple peritonitis (nonpuerperal)	. 18	9	2 2 6	2		3	13	8 4 27	22 2 16	30 2 34	57 3 13	71 2 14	80	44 2 13	1		-	
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	. 67			3		°	. 2	3	8	6	18	16	8	6			-	
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1	84	37	25	18	14	56	171	480	974	1,657	2,479	3, 194	3,028	1,311	166	4	7
119 120 122	Acute nephritis	. 11,595	43 14 15	14 13 8		10	7	27	42 112 6	60 330 16	98 674 32	95 1,337 40	2, 231 27	70 2,893 34	2,668 33	1, 116	143	4	7
123 124	Calculi of the urinary passages	. 75 159	1 2	l		.		-	. 1	3 4	12 2	17 8	15 14	13 30	11 51	2			
125 126	Diseases of the urethra, urinary abscess, etc.  Diseases of the prostate	. 37 . 451				-	-		1 1		5 3	6 8	12 23	10 119	192		9	-	-
127 128 129	Nonvenereal diseases of the male genital organs. Uterine hemorrhage (nonpuerperal)	7 3	5								i		1	1	. 1	-  <u>.</u>			-
130 131	Other diseases of the uterus.  Cysts and other tumors of the overy	80 73					-		. 2	11 8	1 23	83 18 20	32 13 13	12 6 4	1 6				
132 . 133	Salpingitis and other diseases of the female genital organs	. 145	-	. 1	ļ		-		- 5	44	1.	25	10	2				-	
	cer excepted) VII.—The puerperal state	1,931	<u> </u>						- 96	993		125		·		-		<u> </u>	<u></u>
134 135 136	Accidents of pregnancy Puerperal hemorrhage Other accidents of labor	. 165 356						. : <b>.</b>	- 2 - 15	199	82	26 18		-	-				
137 138 139	Puerperal septicemia. Puerperal albuminuria and convulsions. Puerperal phlegmasia alba dolens, embo	499 378		-					. 21 - 40	254 192	184 124	40 22				-			
140	lus, sudden death Following childbirth (not otherwise de fined)	50	1			-	-	-	. 1	24	1	Į.		1		1	1	-	
141	Puerperal diseases of the breast			-}	-1			1	.		2		.,	1	3				1

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

Int.		·						****	DE	EATHS A	T AGE	of—	<del></del>						ge.
Detailed In List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at un- known age.
		1	11,	1	NEW	YO	RK-	Contin	ued.	1	<u> </u>	1	1	<u>'</u>	1	!	1 1	<del>,</del>	
	VIII.—Diseases of the skin and of the cellular tissue	416	93	5	4	1	2	5	10	23	21	30	43	44	60	61	14		
142 143	Gangrene Furuncle	156 58	3	1	3		1 1	1	1.	3 5	4 4	5 10	11 11	25	38	49	11		
144 145	Acute abscess Other diseases of the skin and annexa	104 98	17 28 45	3 1		1		4	7	9 6	10 3	9	11 10	- 8	12 7	2 8	3		•••••
	IX.—Diseases of the bones and of the organs of locomotion	322	32	16	10	9	7	40	58	28	30	29	.30	12	16	4			1
146 147	Diseases of the bones (tuberculosis ex- cepted)	296	29	. 16	10	9	7	37	52	28	29	28	28	8	11	. 3			1
149	rheumatism excepted) Other diseases of the organs of locomo-	20	3					3	3			1	2	4	3	1			
	tionX.—Malformations	1,543	1,417	41	22	11	2	21	3 19	6	1 2	2			2 				
150	Congenital malformations (stillbirths not included) (total) Hydrocephalus. Congenital malformations of the	1,543 180	1,417 138	41 17	22 10	11 2	2	21 7	19 2	6 2	2	2		·					
	Congement manormations of the heart. Other congenital malformations. XI.—Early infancy.	896 467 8,117	834 445	17 7	8 4	5 4	1 1	11 3	16 1	3 1	1	1							
151	Congenital debility, icterus, and sclerema (total)	٠,	6, 202																
	Congorital debility ((attached)	6, 202 4, 721	4,721				•••••	•••••											•••••
152	"marasmus," etc. Other causes peculiar to early infancy (total)	1,481 1,906 1,105	1,481						•••••										•••••
	(total) Injuries at birth Other causes peculiar to early in-	1,105	1,906 1,105 801																
153	fancy <sup>1</sup> Lack of care XII.—Old age	9 752	9										3	32	199	921	147	10	•••••
154	Senility	752											3	32	199	361 361	147	10	
	XIII.—External causes Suicide (total)	1,295	205	213	171	184	198	697	937	1,228	1,457 277	1,425	1, 242 257	1,023 146	726 85	378 18	66	1	<u>39</u>
155 156 157	By poison. By asphyxia By hanging or strangulation	127 366 240		•••••					7 8 2	26 60 28	25 73 41	26 82 44 21 57	21 85 55	16 34 32 11 32	21 30	1 3 6	1		1
158 159	By hanging or strangulation By drowning By firearms	88 250 92							2	28 11 34	41 23 49 23 35	21 57	. 13	11 32	. 15	1 5			<u>i</u>
160 161 162	By cutting or piercing instruments. By jumping from high places. By crushing.	117							1 5	11 24 2	23 35 6	17 29 1	24 8 2	11 9	4 5	1	1		
163	Accidental or undefined (total)	8,491	186	209	169	184	194	689	872	930	2 1,058	1,085	956	1 863	639	359	64	1	33
164 165 166	Poisoning by food	58 140	8 8 7	17 2	3 8 5	1 4 5	1 4 3	1 4 17	4 6	4 19 13 61	8 17	11 24 17	2 15	9 8 19		2 2 2			•••••
167 168	Conflagration Burns (conflagration excepted) Absorption of deleterious gases		27	92	90	73	83	125	8 36		27 59	45	17 46	. 67	13 37	15	3		i
169 170	(conflagration excepted) Accidental drowning Traumatism by firearms	777 879 99	72 6	6 12 2	8	2 4 5	10 1	8 97 13	23 232 37	. 123 18	120 121 8	129 128 7	123 83 6	104 . 35 1	71 13	26 4 1	2		3
171	Traumatism by cutting or piercing instruments Traumatism by fall	21	1	1		1		1	2	4 89	2	2	1	2	2	1	1		
172 173	Traumatism by itili Traumatism in mines and quarries (total) Traumatism in mines	1,648 12 9	12	42	31	24	31	82	69 3	4	140 5	176	161	216	286	240	47		1
174 175	Traumatism in quarries Traumatism by machines	280		•••••		•••••		2	2 1 46	4 57	3 2 58	42	44	23	7	1			
175	Traumatism by other crushing (total)	2,761 763	7 3	16 1	12	55	54	309 20 18	350	382 152	389 145	385 131	345 100	283 84 47	134	28 5 7	1	ً إ	11 7
	Street-car accidents and injuries. Automobile accidents and injuries.	399 1,240	3	2 9	1 2 6	3 5 37	2 3 43	18 233	81 35 193	70 99	64 135	68	52 141	119	28 25 60	7 13			í
1770	Injuries by other vehicles Landslide, other crushing Injuries by animals	295 64	1	4	3 1	10	6	38	37 4	46 15	30 15	29 9 6 2	41	27	19 2 5	3			2
176 177 178	Starvation Excessive cold	6 61	4					1	3	5	7 <sub>.</sub> 5	2 7	11 1 11	9 1 13	2 14	4	•••••		i
178 179 180 181	Effects of heat Lightning. Electricity (lightning excepted)	109 17 62	18	2		2		2 2 4	1 11	7 6 10	8 1 19	14 4 11	1 11 19 2 6	14	13	6			i
185 186	Fractures (cause not specified) Other external violence	112 382	2 14	1 12	7	6	1	4 17	36	41	7 57	15 60	13 50	19 39	20 18	18 9	5	-	15
182	Homicide (total)	404 215	19	4 1	2		4 2	8 2	32 18	101 64	122 68	63 34	29 18	14 6	2	1			. 3
183 184	By cutting or piercing instruments. By other means. XIV.—Ill-defined diseases.	64 125	19 53	3	2		2	1 5	10	18 19	24 30	· 12	8	8	1	1			i
187	Ill-defined organic disease	218	53	38	11	3	2	2	5	8	5	4	14	35 1	22	12 3	1		1
188 189	Sudden death.  Not specified or ill-defined (total).  Ill-defined	196 138	47 l	37 36	11 11	3	1 1	2 2	5 4	8 3 5	5 3 2	4 3 1	14 12	30 24	2 19 16	1 8 8	1 .		<u>i</u> 1
	Not specified or unknown	58	36	1	]		1		1	5	2	1	2	6	3	1	- 1		

<sup>&</sup>lt;sup>1</sup> Exclusive of injuries at birth.

[This table excludes the deaths of soldiers, sailors, and marines.]

Int.									DE	ATHS A	r age c	r—							. um-
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	100 yrs. and over.	Deaths at un known age.
				NOF	TH.	CAR	OLIN	TA (I	OTA	<b>L</b> ).									
	All causes	42,274	7,686	2,894	1,244	727	467	1, 478	3,396	5,141	4,335	2,924	2,742	3,474	3,374	1,641	342	62	347
	I.—General diseases	16,673	1,496	1,008	550	380	256	848	2,032	3, 174	2,583	1,462	997	889	568	223	46	4	157
1 4 5 6	Typhoid fever	189	4 29 1 57	5 12 57	7 4 36	10 6 15	11 5 12	57 17 30	165 19 31	130 28 18	90 17 1 11	48 8	23 13 9	11 6 15	17 1 8	3	3	i	2 1 
7 8 9 10	Scarlet fever. Whooping cough. Diphtheria and croup. Influenza.	ļ į	356 66 667	3 142 33 527	78 40 300	3 35 29 231	3 21 18 147	53 41 493	1 10 15 1,187	5 2 1,668	1,418	1 2 526	264	201	127	67	20	1	4 1 104 %, is
13 14 18 19	Cholera nostras. Dysentery. Erysipelas Other epidemic diseases.	556	124 22 9	1 141 4 6	3 39 2 2	1 15 2 1	11 <sub>2</sub>	26 2 2 2	1 7 3 4	1 9 4 1	1 14 2 1	23 6	1 22 5	3 40 9 2	4 47 5	1 34 1 1	2 2 1	1	1
20 23 24 26	Purulent infection and septicemia. Rabies. Tetanus. Pellagra.	4 72 696	3 47 1	1 4	1 2 2	1	1 1 1 2	3 1 5 12	7 6 32	5 3 127	3 4 132	5 1 139	8 2 1 93	99	6 1 35	11	12		2 1 4
28 29 30 31 32 33 34	Tuberculosis (total) Tuberculosis of the lungs Acute miliary tuberculosis Tuberculous meningitis Abdominal tuberculosis Pott's disease	104 65 131 16	35 19 13 1 2	37 22 1 7 3	18 13 2 2	17 8 1 3 3	12 7 3	65 38 5 8 10	477 416 19 10 15 4	1,060 966 43 6 31 3	713 655 14 7 26 3	436 404 9 1 17 2	251 223 5 4 10	163 150 3	82 71 8	17 11 1 1 2	4		25 22 1
35 36	White swellings. Tuberculosis of other organs. Disseminated tuberculosis. Rickets	15 44 8 10	2 42	4 8	1 3 1	2	i 1	1 1	3 7 3	5 2	3 4 1	3	1 7 1 15	1 5 11	1	1			1
37 38 39	Syphilis. Gonococcus infection Cancer and other malignant tumors (total). Of the buccal cavity	1,072	1	3	2	5 1	3	4	17	28	28 5 81 4	185	228	263	177	62	7	1	6
· 40 41	Of the stomach, liver. Of the peritoneum, intestines, rectum.	325			1	1			1	2 4	15 6	58 8	69 14	96	63 11				1
42 43 44 45	Of the female genital organsOf the breastOf the skinOf other organs or of organs not	256 134 65					1		1	10 3 3	29 14 1	68 27 3	73 32 7	45 33 15	21 19 16	6 4 16	1 1 2		2
46	other tumors (tumors of the female geni- tal organs excepted)		3	3	1	2	2	4	13	6	12	18	29	51	38	10	3	1	1.
47 48	Acute articular rheumatism Chronic rheumatism and gout	108	1	2			1	7		12	14	9	13 5	9	17	7	1 1		1
49 50 51 52 53	Scurvy Diabetes Exophthalmic goiter Addison's disease Leukemia	5 179 14 2	1	1	i			8	18	17 2 1 1 2	20 4 1 3	17 6 3	27 2	35	25	5			i
54 55	Anemia, chlorosis. Other general diseases.	38	4 19	12	4	5	2	. 1	5	6	1 2	4 2	9 3	3	1 2		2		1
56 59	Alcoholism (acute or chronic)Other chronic poisonings	12 6								4	6	1 3			1				1
	II.—Diseases of the nervous system and of the organs of special sense	2,943	214	57		21	21			98	156	230	353	622	609		47	8	24
60 61		252 120	6 74 42 25	27 17	12	11 5		34 15	30 10		10 2 4	1 6 1	2 8 6	2	1 1	2			
62 63	Cerebrospinal fever Locomotor ataxia	45 18 87 21	9 4 5	2	3	1	$\begin{bmatrix} 2 \\ 2 \\ 2 \end{bmatrix}$	6 1 3 1 2	13 6 1 5		7	4 2 5 2 3	3 7 1	1 6 18 2	12	6	1	-	
64 65 66 67 68	Softening of the brain Paralysis without specified cause. General paralysis of the insane Other forms of mental alienation.	38 513 54 79	3	4		1	2			. 1		26 4 12	246 2 50 7 12	10 129 13	156 14	84 7	17	3	8 2 2
69 70 71 72 73	Convulsions (nonpuerperal) Convulsions of infants. Chorea Neuralgia and neuritis	11 107 3 10	17 94	6		3		3 3	3	1	1	1	1	4	1 3	i			
74 75 76	Other diseases of the nervous system Diseases of the eyes and their annexa	. 79	34	7 1 4	ì	.	ii	. 1	1		8	1		13	.	1		-	1

<sup>1</sup> Exclusive of acute anterior poliomyelitis (infantile paralysis).

Int.									DEATE	S AT AC	E OF		-						ge.
Detailed In List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at un- known age.
			NOI	RTH	CAR	OLI	7. A.V.	rot2	L)—(	Continu	ed.								
	III.—Diseases of the circulatory system	2,816	28	4	7	7	2	24	72	138	182	244	\$ 354	669	755	277	34	4	15
77 78 79	Pericarditis	20 65 2,442	1 1 21	4	1 6	2 5	1 1	4 20	1 4 64	1 9 119	2 17 147	1 13 211	2 11 302	6 1 597	5 1 661	242	1 26	3	13
80 81	Diseases of the arteries, atheroma, aneurism, etc.	. 90	21						1	3	4	13	18	25 29	30 47	6 25	5	1	2
82 83	Embolism and thrombosis  Diseases of the veins (varices, hemor- rhoids phlebitis etc.)	25				;			ĩ	3	3	ĩ	3 2	6 2	6	2,	2		,
84 85	Diseases of the lymphatic system (lym- phangitis, etc.)————————————————————————————————————	9	5						1		1			1	1				
	culatory system.  IV.—Diseases of the respiratory system.		868	419	192	121	72	170	465	723	525	319	2 242	223	3 243	116	21	4	55
86 87 88	Diseases of the nasal fossae Diseases of the larynx	45	39 7	4 11	5	4	1 5	4	1		1 2	2 1	<u>i</u>	3	12	3	2		
88 89 90 91	Diseases of the thyroid body Acute bronchitis Chronic bronchitis Bronchopneumonia	14 172 98 1,042	96 2 391	27 2 193	13 	8 1 40	5 15	1 6 33	4 2 48	7 13 43	4 1 5 36	6 24	4 1 9 29	2 3 10 27	30 47	10 24	1 6	i	1 1 4
. 92	Pneumonia (total) Lobar pneumonia Pneumonia (undefined)	2 162	317 147 170	173 115 58	89- 62 27	65 40 25	45 30 15	119 87 32	399 339 60	637 521 116	459 406 53	261 216	182 148 34	161 140 21	145 97 48	63 · 42 21	6 4 2	2 1 1	45 26 19 2
93 94	Pleurisy Pulmonary congestion, pulmonary apoplexy Gangrene of the lung Asthma	52	170	2	2 1	25	1	4	5	3	6	45 8 1	4 3	2 2	1	1 4	1 3		2
95 96 97 98	Gangrene of the lung Asthma Pulmonary emphysema	1 55 1	3	2	1			i	1	5	6	1 6	3		····10	7	2		i
98	Pulmonary emphysema. Other diseases of the respiratory system (tuberculosis excepted).  V.—Diseases of the digestive system.	51	6 1,192	4 1,051	287	1 88	49	1 121	3 139	7 136	5 141	9 130	6 174	5 187	3 163	80	12	3	1 16
99 100	Diseases of the mouth and annexa Diseases of the pharynx.	43 48	22 8	4 3	1 8	1 5		4 7	2	3 5 1	2 4	1	3 3 3	1 1	1 3				····i
101 102 103	Diseases of the stomach Other diseases of the stomach (cancer	18 60 365	1 95	35	112	6	3	1 19	3 14	1 5 16	2 11 21	4 10 19	3 11 33	3 11 33	6 34	1 1 19	3	1	2
104 105 106	excepted)  Diarrhea and enteritis (under 2 years)  Diarrhea and enteritis (2 years and over)	1,997 631	1,013	984	244	<u>57</u> -	34	42	25	24 2	14	i8	31	45	51	33	3		10
107 108 109	Ankylostomiasis Intestinal parasites Appendicitis and typhlitis Hernia, untestinal obstruction (total)	28 201 196	3 1 32	8 11	6 4 3	5 2 3	2 3 5	3 4 19 10	55 12	44 10	. 26 11	1 1 14 23	11 20	10 26		2 7	1 2	 <u>2</u>	i
110	Hernia Intestinal obstruction Other diseases of the intestines	46 150	32 9 23 5	1 10 1	3 2	3 1		10	12 2	10 2	2 9 5	19 4	10 10 4	10 16 8	7 11 4	7 4	2 <u>1</u>	2	1
111 113 114	Acute yellow atrophy of the liver Cirrhosis of the liver Biliary calculi.	111		ī	3		i		 2 1	1 3 2 7	2 10 5 12	10 4	1 21 6	29 6	1 25 7 5	1 5 1	i		
115 116 117	Biliary calculi. Other diseases of the liver Diseases of the spleen. Simple peritonitis (nonpuerperal).	. 1	6	4	1 2	5 1 2		1	4 17	7 11	12 14	10 11	15 11	13		6	1		1
118	Other diseases of the digestive system (cancer and tuberculosis excepted) VI.—Nonvenereal diseases of the	6							1		2	1	1	1					
	genito-urinary system and annexa	2,326	31	33	22	10	5	33	72	113	192	210	341	500	515	192	34	6	17
199 120 122	Acute nephritis Bright's disease Other diseases of the kidneys and annexa.	1.831	14 11 3	18 11 4	9 12 1	4 4 2	1 4	12 19 2	24 33 3	18 65 . 8	27 128 5	21 164 2	32 279 6	450 15	15 443 16	159 6	28 2	5	1 16
123 124 125	Calculi of the urinary passages.  Diseases of the bladder.  Diseases of the urethra, urinary abscess,	32	1	<b></b>		1			<u>-</u> i		3	2	· 4	2 5	13	6	1		
126 127	etc. Diseases of the prostate. Nonvenereal diseases of the male genital	• 52									3	3	3	10	19	13	3	1	••••
128 129 130	organs. Uterine hemorrhage (nonpuerperal). Uterine tumor (noncancerous). Other diseases of the uterus	26.	1						5	2 8	2 9 6	5 8	1 5 3 3	5	1				
131 132	Cysts and other tumors of the ovary Salpingitis and other diseases of the female genital organs	27			•••••				1 5	10	1 8	ž 1	3 1	1	1	1			
134	VII.—The puerperal state.  Accidents of pregnancy.	815 174						<del></del>	130	375 91	238 51	66 10							6
135 136 137	Accidents of pregnancy Puerperal hemorrhage. Other accidents of labor Puerperal septicemia	174 50 168 156							20 25	91 18 75 83	17 56 40	13 15 7							<u>.</u> 2 1
138 139	Puerperal albuminuria and convulsions. Puerperal phlegmasia alba dolens, em- bolus, sudden death	262							63	105	74	19 2							l
140	Following childbirth (not otherwise defined).									2					.,		ļ	<u>-</u>	.,

#   		,,									T AGE					·			ė.
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.		5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	,99	100 yrs. and over.	Deaths at un- known age.
		·	NOF	TH.	CAR	OLI	NA ()	COTA	L)—(	Continu	ed.				-	1	J		
	VIII.—Diseases of the skin and of												l .						
142	the cellular tissue	91	10	6 3		1		1	6	2	5	3	6 2 2	13	16	12	3 2	3	
143 144	Furuncle	11 21 17	1 3 4	3				i	1 3 1	2	3 1	$\frac{1}{2}$	2 2	3 3	1 4 1	1 2	1		
145	Other diseases of the skin and annexa  IX.—Diseases of the bones and of the organs of locomotion	55	4		4	3		15	7	6	1.	2	4	4	3	2			
146	Diseases of the bones (tuberculosis excepted)	45	4		3	3		14	7	6	1	1	3	2	1				
147	Diseases of the joints (tuberculosis and rheumatism excepted)	6			1			1				1	1			2			
149	Other diseases of the organs of locomotion	4 273	237	17	5	4	1	5	3	1				, 2	2				
150	Congenital malformations (stillbirths									<u> </u>									
	not included) (total)	273 35	237 24	17 6	5 1	1	1	5 2	3										
	heartOther congenital malformations	99 139	88 125	6 5	2 2	3	1	$\frac{1}{2}$	···· <u>·</u>	1									
<b>1</b> 51	XI.—Early infancy	1,984	1,984		<u></u>			<b>:</b>											
	rema (total) Premature hirth	1,746 1,272	1,746 1,272																
152	Congenital debility, "atrophy," "marasmus," etc Other causes peculiar to early infancy	474	474			<b></b>		i	ļ	1		l .	1	.					
j	(total)	227 93	227 93																· · · ·
153	fancy <sup>1</sup> Lack of care.	134 11	134 11																
154	XII.—Old age	616											12	36 36	170	268 268	105	21	4
194	XIII.—External causes	1,607	97	76	68	53	39	143	247	240	177	136	94	77	77	55	8	3	17
155	Suicide (total)  By poison  By academic	99 6 2							5	18	22 1	20	13 2	13 1	5	2			1
156 157 158	By asphyxia By hanging or strangulation. By drowning	18 9								$\frac{1}{2}$	2 2	1 2 3	5 1	6	1				
159 160 163	By firearms. By cutting or piercing instruments. Other suicides.	51 9 4							5	11	14 1 2	8 3 2	5	. 5	1	2			1
164	Accidental or undefined (total) Poisoning by food.	1, 321	92 6	75 2	68 4	53 4	38	142 3	217	156 4	113	97 2	70 1	57 4	70 1	53	8	3	9 2
165 166 167	Other acute poisonings. Conflagration. Burns (conflagration excepted)	57 34	8 2 23	8 2 41	11 4 40	2 2 37	3 22	4 9 43	8 2 5	5 1 10	1 1 12	3	2		2 18	1 6	· · · · · · · · · · · · · · · · · · ·	1	1
168	Absorption of deleterious gases (con- flagration excepted)	39	30	2				3		1	2	1							
169 170 171	Accidental drowning Traumatism by firearms Traumatism by cutting or piercing	104 98		7	3	3	1 2	13 15	37 44	21 17	7 4	4 4	3 5		1 2				1
172 173	instruments. Traumatism by fall Traumatism in mines and quarries	115	5	2				7	1 5	6	3 5	1 6	2	4	28	38	7		
174	(total) Traumatism in mines Traumatism by machines	3 3 44						3	1 1 11	1 1 8	6	1 11	2	3					
175	Traumatism by other crushing (total)	282	3	3 1			5	22	59 24	51 30	44 27	36	27 13	17	12	2 2			1
	Street-car accidents and injuries. Automobile accidents and in-	8					1			2	2	16	2	1					
	juries	79 48 12	$\frac{1}{2}$	2			3	10 5	20 12 3	11 5 3	12 2 1	8 8 3	6 5 1	6	5 1				
176 177 178	Injuries by animals	16 1	i	1 i		1	1	3 1 1	3		3	1	3	. 2	1				
179 180	Effects of heat	22 23	2	î			1		1 2	1 6	1 1 3	6 3	3 6	4	i	i		i	····i
181 185 186	Electricity (lightning excepted) Fractures (cause not specified) Other external violence	10	12	5	3	3	3	14	5 24	18	1 13	3 5 4	1 7	2 6	3	2 3			i
182	Homicide (total) By firearms	187 150	5 2	1			1	1	25 22	66 57	42 33	19 16	11 8	7 5	2 2				7 5
183 184	By cutting or piercing instruments. By other means	17 20	3	1	70		1	1	1 2	6 3	5 4	3	1	2					1
· 187	XIV.—Ill-defined diseases	155	1,525	223	78	39	22	53 4	119	135	135	119	165 21	34	255 36	133		1	35
188 189	Sudden death Not specified or ill-defined (total) Ill-defined	278 2,895 475	56 1,466 133	4 7 212 57	77 15	37 5	21 4	47 8	109 18	10 122 16	11 115 16	13 93 25	34 110 38	62 158	51	21 99	2 24	1 4	33
<del></del>	Not specified or unknown	2,420	1,333	155	62	32	17	39	91	106	99	68	72	95	133	69	19		26

<sup>1</sup> Exclusive of injuries at birth.

at.				•	,		···········		DE	ATHS A	T AGE	of—							— ₫.g.
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to . 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		100 yrs. and over.	Deaths at un known age.
Η	<u>,                                      </u>	<u> </u>	<u> </u>	NOT	suna.	CAR	OLI	JA (T	V HTT							1	<b>J</b>	0,61.	
		1	1		<u></u>	ī	ſ	<u> </u>	· ·	1			1	1 0 100	0.450		170	11	
	All causes	24,907 9,641	4, 424 799	1,662 577	765 343	213	255 140	811 446	938	2,662 1,678	2,530 1,570	1,685	1,697 673	2.436 676	2,479 453	1,133 166	172	11	157 76
1	Typhoid fever	305	1 12	.1	2 2	5 . 4	9 2	30	61 5	72 9	59 6	34 1	19	9	2 11	<u>i</u>	i		1
1 4 5 6	Malaria Smallpox Measles	75 2 255	1 47	42	33	9	8	28	26	14	1 9	8	9	14	7	1			
7 8 9 10	Scarlet fever. Whooping cough. Diphtheria and croup. Influenza.	20 355 202 4,794	185 45 358	2 74 29 300	5 34 36 175	1 13 27 125	3 10 16 74	8 32 30 240	1 3 13 628	3 1 1,026	2 963	2 342	196	145	104	46	14	1	1 1 57
13 14 18 19	Cholera nostras. Dysentery Erysipelas Other epidemic diseases.	23 307	2 48 20 7	1 76 4 5	3 28 2 1	1 11 1 1	5 2	16 2 2	1 6 3 4	1 2 4 1	1 3 1	1 15 4	11 3	3 26 8 2	31 5	26 1 1	2 1		i
20	Purulant infaction and santicamic	35	3	. 1	1		1	2	3	2	1	2	6 2	6	5		1		.1
23 24 26	Rabies Tetanus Pellagra	28 360	13		1	i	<u>i</u>	4 5	6	39	74	67	63	69	1 25 63	7	i		i
28 29	Tuberculosis (total). Tuberculosis of the lungs	1,615 1,436 34	17 4	14 6	12 8 2	3	3 2	20 5 4 6	128 104 5	456 426 15 3 8	354 329 3	241 228 3	157 137 1	123 115 1	53	14 9	1		8
30 31 32	Tuberculous meningitis Abdominal tuberculosis Pott's disease	45 57 8	11 1 1	6 1	2	2	·····i	6 4	. 5 6 3	3 8 1	6 8 1	1 7	4 8	2	7	1 2 1			i
28 29 30 31 32 33 34 35	White swellings. Tuberculosis of other organs. Disseminated tuberculosis.	9		1				i	2 2	3	3 3 1	2	. 5	1 4	2 1	····i			
36 37 38	Rickets. Syphilis. Gonococcus infection.	3 45 7	16 · 1	1	1				2 1	4 3	7 2	5	6	3	1				
39 40 41	Cancer and other malignant tumors (total) Of the buccal cavity. Of the stomach, liver Of the pertfoneum, intestines,	783 30 266		3	<u>1</u>	4 1 1	1	3	14 1	14 2	48 2 10	113 3 36	154 4 61	215 10 81	151 7 56	54 3 17	6		2
42 43 44 45	rectum	48 147 86				1			1 1	2 4 1	3 15 9	5 34 19	11 38 17	11 35 23	11 14 14	3 5 3	i		
44 45	Of the skin	. 59		3		1	1	3	11	1 4	8	3 13	5 18	14 41	16 33	16 7	2 3		1
46	specified. Other tumors (tumors of the female genital organs excepted).	1	2	ļ		 		<b> </b>			1			2	1	1			•••••
47 48 50 51	Acute articular rheumatism. Chronic rheumatism and gout. Diabetes	53 25 138	1	1 1	i	2	11	1 7	11  15	1 13	6 4 13	3 2 12	5 3 17	7 5 29	11 5 22	2 4 5	i		•••••
52	Exophthalmic goiter Addison's disease Leukemia	9 2				1				1 1 1 5	3 1 3	5 2	2						
53 54 55	Anemia, chlorosis Other general diseases.	31	1 4 14	1 4 12	3	4	2	1 1 3	1 1 2	5 1	i	2	9 2	3 1	$\frac{1}{2}$	2	1		····i
56 59	Alcoholism (acute or chronic)Other chronic poisonings	7 4			ļ					2	1	2			1	ļ			1
	II.—Diseases of the nervous system and of the organs of special sense.	1,953	126	36	24	18	12	43	53	, 55	79	135	234	432	456	203	33	1	13
60 61	Encephalitis Meningitis (total) Simple meningitis Cerebrospinal meningitis (unde-	93	3 64 35	19 11	1 16 11	3 9 4	6 2	1 22 10	17 7	2 12 4	2 7 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 5 1	2 6 4	2 1	2 1 1.	1 1		•••••	•••••
62	Cerebrospinal fever	62 32	23 6	6 2	1	1	3 1	8 4	3 7	5 3	3 3	4 2	C2 5	4	4				••••
63	Other diseases of the spinal cord (total).  A cute anterior poliomyelitis.  Other diseases of the spinal cord 1	12 60 11 49	7 2 5	2 2	· 2 1	1		1	2 1 1	2 2	5 1 4	3 1 2	5	14 2 12	9	5	1		
64 65	Cerebral hemorrhage, apoplexy	1 012	2				2	4	7	11	27 2	76	165 2	279 10	286 14	130	19	1	3
65 66 67 68	Softening of the brain. Paralysis without specified cause. General paralysis of the insane. Other forms of mental alienation.	. 38	2	3	2		2	1	1 3	1 4	7 5 9	15 3 8	28 4 9	89 9	111 10 8	50 6 3	12		5 1 1
69 70	EpilepsyConvulsions (nonpuerperal)	73 5	3	1		2	1	1 3	12	17	10	11 2	2	5	3	3			2
71 72	Convulsions of infants. Chorea. Neuralgia and neuritis.	44	38	3	1	2					1 1	1 1		2	1 1	-			
73 74 75	Other diseases of the nervous system  Diseases of the eyes and their annexa	58	3	6	1			5	3	5	3	6	9	9	. 6				1
76	Diseases of the ears	.i 19	Exch	2 Isive o		anter		iomye	litis (ir	1 fantile	paralys	. 1 is).				.1 1		l	١
					-		-	-	•		•	-							

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

Int.									DE	ATHS A	T AGE	of—							un-
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at un known age.
			NOF	TH	CAR	OLIN	VA (V	vær	' <b>E</b> )C	ontinu	ed.								
	III.—Diseases of the circulatory system	1,781	21	1	2	4	2	17	35	67	86	116	190	459	566	189	14	1	11
77 78 79 80 81	Pericarditis. Acute endocarditis. Organic diseases of the heart. Angina pectoris. Diseases of the arteries, atheroma, aneurism, etc.	8 42 1,521 78	1 16	1	2	1 3	1 1	4 13	1 3 29	6 58 2	1 9 69 2	1 8 94 2	7 157 13	3 1 399 25 22	2 1 490 29	167 5 15	12	1	10
82 83 84 85	Embolism and thrombosis. Diseases of the veims (varices, hemor- rhoids, phlebitis, etc.). Diseases of the lymphatic system (lym- phangitis, etc.). Hemorrhage: other diseases of the cir-	14 6 7	4						1	1	1 3	i , 	i	2 1	5 1 1				
-	culatory system	2,623	435	216	109	69	37	90	224	353	297	189	134	162	186	94	7	1	20
86 87 88 89 90 91 92	Diseases of the nasal fossae Diseases of the larynx Diseases of the thyroid body Acute bronchitis. Chronic bronchitis. Bronchopneumonia Pneumonia (total) Lobar pneumonia. Pneumonia (undefined) Pleurisy. Pulmonary congestion, pulmonary apo-	36 . 13 . 69 . 61 . 601 . 731 . 1,363 . 368 . 34	10 4 1 38 1 215 159 81 78 1	10 10 1 106 84 61 23	3 5 43 56 41 15 2	3 6 20 39 24 15 1	5 10 20 13 7	5 17 58 46 12 4	1 20 197 165 32 3	1 18 324 274 50 5	258 225 33 3	2 1 3 16 153 131 22 5	1 4 5 22 96 78 18 2	3 2 1 8 22 115 102 13 2	1 25 38 107 75 32 4	2 4 9 22 49 33 16 1	ī	1	1 4 15 13 2
95 96 97 98	plexy Asthma. Pulmonary emphysema. Other diseases of the respiratory system (tuberculosis excepted). V.—Diseases of the digestive system.	19 1 23 1 21 2,569	2 732	1 2 674	206	55		1 1 83	1 1 85	3 1  79	3 3 89	1 3 5 87	1 1 2 112	2 4 1 2 132	3 120	-	8	1	7
99 100 101 102 103	Diseases of the mouth and annexa. Diseases of the pharynx. Diseases of the esophagus. Ulcer of the stomach Other diseases of the stomach (cancer excepted).	18 32 15 41 229	7 5 1 65	1 3 24	5	4	2	3 6 1	2 6	2 2 1 2	1 2 2 7	1 3 8	2 2 3 8	1 2 8	3 3 24	1 1 1	2	1	1 
104 105 106 107 108 109	Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Ankylostomiasis. Intestinal parasites. Appendicitis and typhlitis. Hernia, intestinal obstruction (total). Hernia. Intestinal obstruction.	442 6 11 149 126 23 103	1 22 5 17	630 4 9 1 8	176 1 3 3 3	33 2 2 2 3	21 1 2 5	30 3 3 13 7	14 41 6	15 2 32 6	17 9 1 8 2	14 1 13 11	23 9 13 6 7	33 8 13 5 8	45 43 13 4 9	2 5	2 1 1 1		3 1
110 111 113 114 115	Other diseases of the intestines.  Acute yellow atrophy of the liver. Cirrhosis of the liver. Biliary calculi. Other diseases of the liver.	3 77 23 65	6	i	3	4	1		1	1 1 2	1 8 3 10	6 3 9	12 4 9	22 6 10	17 5 5	. 1 5 1	1		
116 117 118	Diseases o the spleen. Simple peritonids (nonpuerperal). Other diseases of the digestive system (cancer and tuberculosis excepted). VI.—Nonvenereal diseases of the	58	5	2	2	1 2		7	9	8	9	6	8	1					
119	genito-urinary system and annexa	1,384	13	13	10	4.	1 3	24 11	25 13	38	86	197	196 21	340	371	4	20		8
120 122 123 124 125 126 128 129 130 131	Bright's disease. Other diseases of the kidneys and annexa Calculi of the urinary passages. Diseases of the bladder. Diseases of the urethra, urinary abscess, etc Diseases of the prostate. Uterine hemorrhage (nonpuerperal). Uterine tumor (noncancerous). Other diseases of the uterus. Cysts and other tumors of the ovary. Salpingitis and other diseases of the female genital organs.	1,145 41 10 18 3 28 1 4 10 6	6 2	3	6	1 2		12 1	10	25 2	60 4 3	88 1 2 1 1 1	158 4 1 2 1 2 2 2 3	11 1 3 7		2 8			8
134 135 136 137 138 139	VII.—The puerperal state.  Accidents of prognancy. Puerperal hemorrhage. Other accidents of labor. Puerperal septicemia. Puerperal albuminuria and convulsions. Puerperal phlegmasia alba dolens, embolus, sudden death. Following childbirth (not otherwise defined).	126 36 105 80							60 14 1 1 9 10 26	67 14 47 42 60	34 12 39 24 42	9 9 9 9 4 10 2							1 1

ند			<u> </u>								arines.								<del></del>
No. I	CAUSE OF DEATH.	All						<u> </u>	1		T AGE							100	at ur n age.
Detailed Int. List No.	CROSE OF DEATH.	deaths.	Under 1 year.		2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	yrs. and over.	Deaths at un- known age.
	,		NOI	TH.	CAR	OLI	TA (	wei:	re)—	Contint	æd.								
	VIII.—Diseases of the skin and of the cellular tissue———————————————————————————————————	55	7	6		1			4	2	5	4	3	7	8	6		1	1
142 143 144 145	Gangrene Furuncle Acute abscess Other diseases of the skin and annexa	21 9 14 11	2 2 3	3		1			1 1 1	2	1 3 1	3	2 1	2 3 2	5 1 2	1 1		1	
	IX.—Diseases of the bones and of the organs of locomotion	44	4		4	3		12	6	3	1	1	2	4	3	1			
146	Diseases of the bones (tuberculosis excepted. Diseases of the joints (tuberculosis and rheumatism excepted).	35 5	4		3	3		11	6	3	1	1	1	2	1	1			
149	Other diseases of the organs of locomotion.  X.—Malformations	220	197	12	2	3	1	2	2	1				2	2				
150	Congenital malformations (stillbirths not included) (total)  Hydrocephalus.  Congenital malformations of the	23	197 14	12 4	2 1	3 1	1	2 2	2 1	1		]		]					
ļ	heart. Other congenital malformations XI.—Early infancy.	90 107 1,357	1,357	5 3	1	2	1		i	1	1	1	l .		1	1			
151	Congenital debility, icterus, and sclerema (total)  Premature birth Congenital debility "attemby"	1,207 924	1,207 924																
152	Congenital debility, "atrophy," "marasmus," etc. Other causes peculiar to early infancy (total).	283 146	283 146																
153	Injuries at birth. Other causes peculiar to early infancy <sup>1</sup> Lack of care.	68 78 4	78 4																
154	XII.—Old age	341 341											8	18 18	104 104	161 161	45 45	2	<u>3</u>
	XIII.—External causes Suicide (total)	966 86	42	51	38	29	20	82	144	126 10	112	91	62	58 13	57 5	43	5		6 1
155 156 157 158	By poison By asphyxia By hanging or strangulation By drowning	6 2 16								1 1 2	1 2 1	1 1 2 2	5 1	1 6	1 1				
159 160 163	By firearms By cutting or piercing instruments Other suicides	43 8 4							5	5 , 1	12 1 2	8 3 2	5	5 1	2 1	1			i
164 165 166	Accidental or undefined (total)	805 30 30 9	41 4	51 2 5	38 3 5 1	29 2	20	82 3 1 3	135 5 4 1	·91 2 3	74 2 4	62 2 2	41 1 3	40 3 1	51 1	42	5		3
167 168 169	Conflagration Burns (conflagration excepted) Absorption of deleterions gases (conflagration excepted) Accidental drowning	154 20 69	10 14	26 2 6	24	21 2	11 1 1	24 1 10	3 22	5 1 16	7 2 3	1 2	1 3	4	11	4			2
170 171 172	Traumatism by firearms. Traumatism by cutting or piercing instruments Traumatism by fall	55 3 92	i	i	1	1	1	9 1 5	24 5	7	2 2 3	3 5	4 2	2 4	1 23	34	5		
173	Traumatism in mines and quarries (total) Traumatism in mines Traumatism by machines	3 3 27						3	1 1 7	1 1 4	3	1 1 6	2	2					
175	Traumatism by other crushing (total) Railroad accidents and injuries Street-car accidents and injuries.	191 85 6		3 1			3 1	14 6	39 13	31 16 1	33 19 1	27 13 1	17 7 2	14 5 1	10 4				
	Automobile accidents and injuries Injuries by other vehicles Landslide, other crushing	63 28 9		2			1	6 2	17 7	9 2 3	12 1	5 5 3	5 3	3 5	5 1				
176 178 179 180	Injuries by animals  Excessive cold  Effects of heat  Lightning	10	1	i			i i	1	2 2 2	4	3 1 2	3	ļ	2 2 1	1	1			
181 185 186	Electricity (lightning excepted) Fractures (cause not specified) Other external violence	11 5 69	7	4	i	3	<u>-</u> -	7	4 16	3 10	1 6	3 2 4	,5 2	1 4	2	2 1			
182 183 184	Homicide (total)  By firearms  By cutting or piercing instruments.  By other means	75 62 3 10	1						4 4	25 22 1 2	19 16 1 2	10 8 2	8 6 1 1	5 3 2	1				2 2
187	XIV.—III-defined diseases	1,483	691	76	27	12	.6	12	41	28	54	49	83	148	155	80	11	2	8
188 189	Sudden death  Not specified or ill-defined (total)  Ill-defined  Not specified or unknown	165	1 32 658 84 574	2 3 71 26 45	1 26 8 18	1 11 3 8	6 1 5	1 1 10 2 8	3 35 12 23	2 1 25 6 19	3 7 44 12 32	3 8 38 11 27	12 22 49 23 26	19 40 89 43 46	24 32 99 29 70	6 11 63 19 44	3 6 2 4	1 1	8 2 6

<sup>&</sup>lt;sup>2</sup> Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

Fig.									D	EATHS A	AT AGE	or—							die.
Detailed In List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	29	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	89	99	yrs. and over.	Deaths at un- known age.
			ı	OR	ги с	ARO	LIN	A (C	oroi	RED).	-	í		·	,	·	<u>,                                     </u>	'	
	All causes	17,367	3,262	1,232	479	316	212	667	1,779	2,479	1,805	1,239	1,045	1,038	895	508	170	51	190
	I.—General diseases	<u> </u>	697	431	207	167	116	402	1,094	1,496	1,013	599	324	213	115	57	17	3	81
1 4 5 6	Typhoid fever. Malaria. Smallpox Measles.	263 114 1 53	17 10	4 8 	5 2 3	5 2 6	3 4	27 14 2	104 14 5	58 19 4	31 11 2	14 7	5 	2	2 6 1 1	1 2 	2	1 :::::	1
7 8 9 10	Scarlet fever. Whooping cough. Diphtheria and croup. Influenza.	350 49 3,154	171 21 309	1 68 4 227	44 4 125	2 22 2 106	11 2 73	21 11 253	7 2 559	2 1 642	2 455	1 184	68	56	23	21	6		3 
13 14 18 19	Cholera nostras.  Dysentery Erysipelas.  Other epidemic diseases.	3 249 10 4	76 2 2	65 1	11 1	4 1	6	10	1	7	11 2	8 2	1 11 2	14 1	16	8	2	1	
20 23 24 26	Purulent infection and septicemia Rabies Tetanus Pollagra	21 1 44 336	34 1	4	1	1	 1 1	1 1 1 7	4 3 26	3 1 88	2 2 58	$\begin{array}{c} 3 \\ 1 \\ 72 \end{array}$	2 30	30	1 10	1	1		1  1 3
28 29 30 31 32 33 34	Tuberculosis (total) Tuberculosis of the lungs Acute miliary tuberculosis Tuberculous meningitis Abdominal tuberculosis	1,797	18 15 2	23 16 1	6 5	14 7 1 3	9 5 3	45 33 1 2 6	349 312 14 5	604 540 28	359 326 11 1 18	195 176 6	94 86 4	40 35 2	19 18	3 2 1	3 3		16 14 1
35	Pott's disease White swellings. Tuberculosis of other organs. Disseminated tuberculosis	8 6 21 5	1	3	1	2	1	3	1 1 5 2	23 2 4 2 2 2	1	10 2 1	2	1	1				i
36 37 38	Rickets Syphilis. Gonococcus infection	7 126 8	1 26	3 7	2 1		1	1 1	4 1	29 3	21 3	17 1	9	8					2
39 40 41 42	Cancer and other malignant tumors (total) Of the buccal cavity Of the stomach, liver Of the peritoneum, intestines, rectum. Of the female genital organs	289 6 59 14 109			1	1	2	1	3 1	14 2 6	33 2 5 3 14	72 22 3 34	74 8 3 35	48 1 15 1 10	26 2 7	8 2 1 1	1	1	4 1
43 44 45	Of the breast Of the skin. Of other organs or of organs not speci- fied. Other tumors (tumors of the female gen-	48 6 47			1	1	1	1	2	2 2 2	5 4	8 5	15 2 11	10 1 10	5 5	3	1	1	1 1 1
47 48	Acute articular rheumatism.		1	1				3	3	11	8	6	8	1 2	1 6	5	1		1
49 50 51 53 54	Chronic rheumatism and gout	8 5 41 5 3					1	1 1	3	4 1 1	7	2 1 5 1	2 1 10 2	1 1 6	3	2 2 			i
54 55 56 59	Anemia, chlorosis Other general diseases Alcoholism (acute or chronic) Other chronic poisonings	7 16 5 2	5		1	1		1	4 2	1 2 1	2 2	2 2 1 1	1				1		
	II.—Diseases of the nervous system and of the organs of special sense	990	88	21	7	3	9	22	51	43	77	95	119	190	153	80	14	7	11
60 61	Encephalitis Meningitis (total) Simple meningitis Cerebrospinal meningitis(undefined).	9 65 27 25 13	3 10 7 2	8 6 2	2 1 1	2 1 1	1 4 3	2 12 5 5	13 3 4	2 4 3	3 1 1	1	2 2	1 2 1		1			i
62 63	Cerebrospinal fever.  Locomotor ataxia. Other diseases of the spinal cord (total). Acute anterior poflomyelitis. Other diseases of the spinal cord <sup>1</sup>	13 6 27 10 17	1 2 2	3 3			1 2 2	2 1 2 1 1	6 4	i 	2 2	2 1 1	1 2 1	1 2 4	2 3	1			
64 65 66 67 68	Cerebal hemorrhage, apoplexy Softening of the brain. Paralysis without specified cause. General paralysis of the insane. Other forms of mental alienation.	470 6 184 16 25	1 2	1			1	1	8 2	7 1 3 1 6	38 12 1 1 6	63 11 1 4	81 22 3 3	126 40 4 2	89 2 45 4	39 1 34 1	8 1 5	2 1 3	5 3 1 1
69 70 71 73 74	Epilepsy. Convulsions (nonpuerperal) Convulsions of infants. Neuralgia and neuritis. Other diseases of the nervous system.	81 6 63 5 21	14 56	1 3	3	1	1	2  2	16 3	18	9 1	8	2 1	3 2 4	3	2		1	
75 76	Diseases of the eyes and their annexa Diseases of the ears	2 4	Exclusiv	1 2					<u>i</u> -			1	1						•••••

<u>:</u>									DE.	ATHS A	r AGE (	)F—							<u>₩</u>
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2. years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at un- known age.
· <u>·</u>			NORT	н с	ARO	LIN	A (C	OFOE	ED)-	Conti	nued.								
	TII.—Diseases of the circulatory system	1,035	7	3	5	3		7	37	71	96	128	164	210	189	88	20	3	4
77 78 79 80 81	Pericarditis	921 12	1 5	3	1 4	1 2		7	1 35	1 3 61 1	1 8 78 2	5 117 2	2 4 145 5	3 198 7	3 171 1 12	75 1	1 	3	3
82 83 84	rism, etc. Embolism and thrombosis Diseases of the veins (varices, hemorrhoids, phlebitis, etc.). Diseases of the lymphatic system (lymphangitis, etc.).	46 11 4 2	1						1	2	1		2 2	2		1	2		
85	Hêmorrhage, other diseases of the circulatory system.  IV.—Diseases of the respiratory system.		433	203	83	52	35	80	241	1 370	228	130	108	61	57	22	14	3	35
86 87 88 89 90 91	Diseases of the nasal fossae.  Diseases of the larynx.  Diseases of the thyroid body.  Acute bronchitis.  Chronic bronchitis.  Bronchopneumonia.  Pneumonia (total).  Lobar pneumonia.  Fneumonia (undefined).	39 9 1 103 37 441 1.437	29 3 58 1 176 158 66 92	17 17 87 89 54 35	38 33 21 12	1 2 1 20 26 16 10	3 5 25 17 8	1 1 16 61 41	1 28 202 174 28 2	6 12 25 313 247 66 3	1 2 4 12 201 181 20	3 8 108 85 23 3	1 4 7 86 70 16	2 2 2 5 46 38 8	1 5 9 38 22 16	1 2 14 9	3 5 3 · 2	1 2 1 1	30 13 17
93 94 96 98	Pleurisy. Pulmonary congestion, pulmonary apoplexy. Asthma. Other diseases of the respiratory system (tuberculosis excepted). V.—Diseases of the digestive system.	18 8 -32 -30	1 3 4 460	1 1 2 377	1 1 81	. 1	16	1	2 1 2 54	4 7 57	3 · 2 52	3 1 3 · 4 43	2 2 2 4 62	3 3 55	43	 -	2 2	2	1 1 9
99 100 101 102 103	Diseases of the mouth and annexa Diseases of the pharynx. Diseases of the sophagus. Ulcer of the stomach. Other diseases of the stomach (cancer excepted).	16 3 19	30	11	1 3 1			9	1 1 8	1 3 3 11	1 2 4 11	1 2 10	1 1 3 16	1 1 3 9	. i	-	1		
104 105 107 108 109	Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over) Intestinal parasites Appendicitis and typhlitis. Hernia, intestinal obstruction (total).  Hernia intestinal obstruction.	52 70 23	397 3 10 4 6	2	68 5	24 3	13 1 1	. 1	11 14 6	9 12 4 2	. 1	1 12 4 8 2	8 2 7 4 3	12 2 13 5 8	4 5 3 2	2	. 1	2	7
110 111 113 114 115 117	Other diseases of the intestines.  Acute yellow atrophy of the liver. Cirrhosis of the liver. Biliary calculi. Other diseases of the liver. Simple peritonitis (nonpuerperal)	24 3 34 9 22	1	1		1		1 3	2 1 1 1 1 8	3 1 5 3	. 1 2 2 2 2	4 1 1	3 1 9 2 6 3	7 3	- 1 8 2				i
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	942	18	20	12	e e	]	. 9	47	75	-	-	-	-	-		-	5	9
119 120 122 123	Other diseases of the kidneys and annexs Calculi of the urinary passages	686 34 4	1	1	'			1 7 1		11 40 6		76 1	11 121 2	1	113	52 4 1	11	4	8
124 125 126	Diseases of the bladder. Diseases of the urethra, urinary abscess etc. Diseases of the prostate.	. 14 . 6 24	<b></b>	-	-				1		3	3				i		i	.2
127 128 129 130 131 132	Nonvenereal diseases of the male genta. organs. Uterine hemorrhage (nonpuerperal). Uterine tumor (noncancerous). Other diseases of the uterus. Cysts and other tumors of the ovary	3 3 22 20 5							4 1	2 6 2	6	. 5 1	1	4		. 1			
134	VII.—The puerperal state	325	<u> </u>						- 70 - 6 1	24	17	1							2
135 136 137 138 139	Puerperal hemorrhage. Other accidents of labor. Puerperal septicemia. Puerperal albuminuria and convulsions Puerperal phlegmasia alba dolens, em bolus, sudden death.	63 76 123							11 15 37	28 41 45	l l	3							1

Int.								******	DEATH	S AT A	GE OF-			<del></del>					
Detailed In List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	ı year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	100 yrs. and over.	Deaths at un- known age.
			NORT	CHE C	ARO	LINA	4 (C	oroi	RED)	—Conti	nued.								
	VIII.—Diseases of the skin and of the cellular tissue	36	3					1	2			2	3	6	8	6	3	2	
142 143 144 145	Gangrene. Furuncle Acute abscess Other diseases of the skin and annexa IXDiseases of the bones and of the organs of locomotion	21 2 7 6	1 1 1					13	2	3		2 1	1 2 2	5 1	5 2 1	5 1	2 1	2	
146 147	Diseases of the bones (tuberculosis excepted). Diseases of the joints (tuberculosis and rheumatism excepted). X.—Malformations.	10 1 53	40	5	3	1		3	1	3		1	2			1			
150	Congenital malformations (stillbirths not included) (total).  Hydrocephalus. Congenital malformations of the heart. Other congenital malformations.  XI.—Early infancy.	53 12 9 32 627	40 10 5 25 627	5 2 1 2	3 2 1	1		3 1 2	1										
151	Congenital debility, icterus, and sole- rema (total)	539 348 191	539 348 191			1	1	1											
152 153	Other causes peculiar to early infancy (total). Injuries at birth. Other causes peculiar to early infancy! Lack of care.	81 25 56 7	81 25 56 7					<u> </u>											
154	XII.—Old age	275 275											4	18	66 66	107 107	60 60	19	1
157 158 159 160	XIII.—External causes:  Suncide (total)  By hanging or strangulation  By drowning.  By firearms  By cutting or piercing instruments.  Accidental or undefined (total)	8 1 516	55	25	30	24	19	61	103	8 2 6	65 3 1 2	1 1 1	32	19	20	12	3	3	11
164 165 166 167 168	Poisoning by food. Other acute poisonings. Conflagration. Burns (conflagration excepted). Absorption of deleterious gases (conflagration excepted). Accidental drowning.	13 27 25 123	2 4 2 13	3 2 15	1 6 3 16	2 2 2 16	3 11	3 6 19 2 3	2 4 1 2	2 2 1 5	1 1 5	1 4 1 2	1 1 1 3	3		1 2	i	1 1	1
170 171 172 174- 175	Traumatism by firearms.  Traumatism by cutting or piercing instruments.  Traumatism by fall.  Traumatism by machines.  Traumatism by other crushing	3 23 17	4		2		ì	2	20	10 2 4	1 2 3	1 1 1 5	1	1	5	4			
	(total) Railroad accidents and injuries. Street-car accidents and injuries. Automobile accidents and injuries. Lujuries by other vehicles.	91 50 2 16 20	3 1 2					8 1 4 3	20 11 3 5	20 14 1 2 3	11 8 1	9 3 3 3	10 6 1 2	3 2	2 2	2			1
176 1\$7 178 179 180 181 185	Landslide, other crushing Injuries by animals Starvation Excessive cold Effects of heat Lightning Electricity (lightning excepted) Fractures (cause not specified) Other external violence	3 6 1 14 12 7 2 5 50	1 1	i	2	1	1	1 1 7	1 1 2 1	8	1 1 7	1 3 2	3 2 1	2 2 2	1	2		1	i
182 183 184	Homicide (total).  By firearms  By cutting or piercing instruments.  By other means.  XIV.—Ill-defined diseases.	88 14 10 1,845	2 834	1 1 147	51	27	1 16	i	21 18 1 2 78	5	23 17 4 2 81	9 8 1 70	3 2 1 82	106	100		21	4	-
187 188 189	III-defined organic disease Sudden death. Not specified or iII-defined (total) III-defined Not specified or unknown.	113 1,656 192	2 24 808 49 759	2 4 141 31 110	51 7 44	26 2 24	1 15 3 12	37 6	1 3 74 6 68	9 97 10	6 4 71 4 67	10 5 55 14 41	9 12 61 15 46	69	12 19 69 6 63	10 36 11	18	3	

<sup>1</sup> Exclusiv cof injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

All causes  I.—General diseases  phoid fever aria. allpox siles rlet fever  cooping cough hitheria and croup uenza. lera nostras sentery sipelas er epidemic diseases ulent infection and septicemia thrax boies anus coses lagra berculosis (total) Tuberculosis of the lungs. Acute miliary tuberculosis Tuberculosis of the lungs. Acute miliary tuberculosis Tuberculosis meningitis Abdominal tuberculosis	760 24 22 24 165 672 515 13,542 12 169 162 35 72 8 71 2	11,727 1,682 6 1 7,66 6 333 200 749 1 27 49 7	1 year.  2,840  1,195  5 1  62 15  183 55 667  15	1,377 644 6  28 12 58 72 368	901 489 12 2 14 16 34 67 267	668 355 5 10 20 20 53	•		20 to 29 years.  11,180  6,186  181  3 1 6	11,751 5,867 136 12 23	8,599 3,538 77 3	8,455 2,830 33 4 3 5	10,488 2,699 28 5 3 2	1	5,712 629	90 to 99 years.	100 yrs. and over.	Deaths at un
I.—General diseases  phoid fever.  aria.  allpox  siles.  clet fever.  cooping cough  htheria and croup  uenza.  ulera nostras.  sentery  sipelas  ter epidemic diseases  ulent infection and septicemia.  thrax  beies  anus  coses  lagra.  bereulosis (total)  Tuberculosis of the lungs.  Acute miliary tuberculosis	31,748  760 24 22 244 165 672 13,542 169 169 169 2 8 71 2 7	1,682 6 17 64 6 333 20 749 1 27 49 7	1,195 5 1 62 15 183 55 667 15	644 6 28 12 58 72 368	901 489 12 2 14 16 34 67 267	5 10 20 53	2,098 1,105 61 1 22 48	2,468 200 2 2 2 200	6,186 181 3 1 6	5,867 136 1 2	3,538 77 3	2,830 33 4 3	2,699 28 5 3	1,985	629 1 1 1	61		<u></u>
I.—General diseases  phoid fever.  aria.  allpox  siles.  clet fever.  cooping cough  htheria and croup  uenza.  ulera nostras.  sentery  sipelas  ter epidemic diseases  ulent infection and septicemia.  thrax  beies  anus  coses  lagra.  bereulosis (total)  Tuberculosis of the lungs.  Acute miliary tuberculosis	31,748  760 24 22 244 165 672 13,542 169 169 169 2 8 71 2 7	1,682 6 17 64 6 333 20 749 1 27 49 7	1,195 5 1 62 15 183 55 667 15	644 6 28 12 58 72 368	12 2 14 16 34 67 267	355 5 10 20 20 53	1, 105 61 1 22 48	2,468 200 2 2 2 200	6,186 181 3 1 6	5,867 136 1 2	3,538 77 3	2,830 33 4 3	2,699 28 5 3	1,985	629 1 1 1	61		<u></u>
choid fever	760 24 22 24 165 672 515 13,542 12 169 162 35 72 8 71 2	6 1 1 7 64 6 333 20 749 1 1 27 49 7	5 1 62 15 183 55 667 15 4 7	58 72 368	12 2 14 16 34 67 267	5 10 20 20 53	61 1 22 48	200 2 2 2 20	181 3 1 6	136 1 2	77	33 4 3	28 5 3	9	1 1 1		1	14
aria. alilpox. siles. clet fever. coping cough witheria and croup uenza. lera nostras sentery sipelas er epidemic diseases ulent infection and septicemia. khrax bies. anus. coses. lagra. berculosis (total) Tuberculosis of the lungs. Acute miliary tuberculosis	24 22 244 165 672 515 13,542 12 169 162 35 75 2 8 71 2 7	1 7 64 6 6 3333 20 7499 1 27 10	1 62 15 183 55 667 15 4 7	28 12 58 72 368	14 16 34 67 267	10 20 20 53	1 22 48	2 2 20	3 1 6	1 2	3	4 3	5 3		1		 	
clet fever  coping cough  htheria and croup  uenza  lera nostras  sentery  sipelas  ter epidemic diseases  ulent infection and septicemia  thrax  bies  anus  coses  lagra  berculosis (total).  Tuberculosis of the lungs  Acute miliary tuberculosis.	165 672 515 13,542 12 169 162 35 75 2 8 71 2	6 333 20 749 1 27 49 7 10	15 183 55 667 15 4 7	58 72 368	16 34 67 267	20 20 53	48							1 1				
resipelas.  ter epidemic diseases.  ulent infection and septicemia.  thrax  bies  anus.  coses.  lagra.  berculosis (total)  Tuberculosis of the lungs.  Acute miliary tuberculosis	162 35 75 2 8 71 2	20 749 1 27 49 7 10	55 667 15 4 7	72 368	67 267	53	25		13	7	ż			ļ <u>.</u>				
ner epidemic diseases.  ulent infection and septicemia.  chrax  pies.  anus.  coses.  lagra.  berculosis (total).  Tuberculosis of the lungs.  Acute miliary tuberculosis	35 75 2 8 71 2 7	10	7	1	6	182	148 561	3 69 1,221	3,624 1 2	1 11 3,458 1 4	1 1,152 1 9	485 7	3 6 346	307 4 33	128 1 36	21 3 2		6
anus. coses. lagra  berculosis (total).  Tuberculosis of the lungs. Acute miliary tuberculosis	71 2 7			3 2		2 1	1 5 4	2 4 3	10 6 10	7 12	17 7	15 1 9	21 7 1	15 7 1	18	3		
perculosis (total)	. 7	8				1 4	3 13	1 12	2 6	5	8	1 10 1	3 1	1		1		
Pott's disease White swellings Tuberculosis of other organs	6,360 197 403 314 91 49 115	160 40 4 81 14 2 1 4	3	2 2 2	51 17 1 21 4 3 2 3	37 6 20 5 2 1 1	1 147 64 4 53 12 4 6 2 2	717 568 34 45 34 14 4 10 8	2,006 1,788 52 33 74 19 6 20	3 1,625 1,466 33 32 45 12 7 21 9	1,101 984 34 13 35 7 4 20	732 657 17 3 23 6 8 13	487 421 4 1 30 12 3 10 6	6 4 4	1 1 1	4 3		4 4
ekets	29 592 69	11 144 7	10	2	4		. 2	1 11 3	61 24	103 20	113	1 69 5	1 53 1		. 1			
otal) Of the buccal cavity Of the stomach, liver	4,797	3	7	6	7	3	6	26 1 3	76 4 22	249 5 60	705 16 195	1,053 33 403	1,266 50 580	1,051 49 477	22	23 2 5	1	2 i
tum. Of the female genital organs. Of the breast. Of the skin. Of other organs or of organs not speci-	765 436 190	1 1		. i	1	1	R	1 2	14 13 5 1	35 88 21 8	89 202 97 9	136 189 102 23	174 167 105 28	122 82 73 65	23 32 41	11	A	
ner tumors (tumors of the female								13	1	2		107	2	2	1			
conic rheumatism and gout	75	3 i			1	6	15	48	23 2	15 7	21 6	15 14 1	25 22			1		
ophthalmie goiter dison's disease ukemia emia, chlorosis	188 28 91 355	1 1 14	10	1	2 3	2	7 2 2	58 9 2 9 10	57 25 1 7 6	62 31 5 12 20	38 7 9 62	170 46 6 14 81	240 30 5 17 82	7 1 6 55	1 1 1 6	1		1
coholism (acute or chronic) ronic lead poisoning ner chronic occupation poisonings	219 12 1							1	15	58 2	79 2 1 3	38 4	18 2	9 2	1			
II.—Diseases of the nervous system and of the organs of special sense		297	101	70	44	33	93	175	182	432	709	1,209	1,741	2, 144	1,006	102	1	1
Simple meningitis	. 184		50	37	25 12	22 6		3 69 19	32 12	7 31 9	6 19 7	14 6	1 7 4					
fined)	. 112 157 . 183 . 354 . 65	27	17	7 12 10	10	5 5	13 13 12		6 14 2 12	8 14 14 8 3 5	5 7 32 29 3 26	59 53 2 51	47 81	26 75 1	19	3	·	
rebral hemorrhage, apoplexytening of the brainralysis without specified causeeral paralysis of the insaneher forms of mental alienation	5,583 100 273 437	3	i				3	21	37 1 3 11	99	367 4 12 124 41	861 5 27 77 43	1,385 17 61 56	1,808 39 90 49	851 30 57 16 10	79 2 11 3	1	1
nvulsions (nonpuerperal)	. 11	133	22	6		1	. 5 . 2	4		1	34	26 1 3	1 2	2				.
ner diseases of the nervous system	. 154	1i 2	1	i			. 1	1		. 1	3 29	9	8					
	Acute miliary tuberculosis. Tuberculous meningitis. Abdominal tuberculosis. Pott's disease. White swellings. Tuberculosis of other organs. Disseminated tuberculosis. Stets. Disseminated tuberculosis. Rets. Disseminated tuberculosis. Stets. Disseminated tuberculosis. Stets. Disseminated tuberculosis. Stets. Disseminated tuberculosis. Stets. Disseminated tuberculosis. Stets. Disseminated tuberculosis. Stets. Disseminated tuberculosis. Stets. Disseminated tuberculosis. Stets. Disseminated tuberculosis. Stets. Disseminated tuberculosis. Stets. Disseminated tuberculosis. Of the buccal cavity. Of the peritoneum, intestines, rectum. Of the female genital organs. Of the breast. Of the breast. Of the breast. Of the skin. Of other organs or of organs not specified. Stets of the skin. Of the remails and gout. Dissemination of the condition of the skin. Of the female genital organs excepted). Stets of the female genital organs excepted). Stets of the female genital organs excepted. Stets. Disseminated goiter. Diss	Acute miliary tuberculosis   197 Tuberculous meningitis   403 Abdominal tuberculosis   314 Pott's disease   91 White swellings   49 Tuberculosis of other organs   115 Disseminated tuberculosis   70 kets   29 shillis   592 cococcus infection   69 cococcus infection   69 cococcus infection   69 cococcus infection   70 feer and other malignant tumors of the buccal cavity   182 Of the stomach, liver   182 Of the peritoneum, intestines, rectum   601 Of the female genital organs   765 Of the breast   601 Of the female genital organs   765 Of the breast   601 Of the reast   601 Of other organs or of organs not specified   750 cer tumors (tumors of the female enital organs excepted)   10 cate articular rheumatism   199 conic rheumatism and gout   75 civy   2 conic lead poisoning   188 dison's disease   28 shemia   190 conic lead poisoning   12 conic lead poisoning   13 conic lead poisoning   13 conic lead poisoning   13 conic lead poisoning   13 conic lead poisoning   13 conic lead poisoning   13 conic lead poisoning   13 co	Acute miliary tuberculosis. 197	Acute miliary tuberculosis. 197	Acute miliary tuberculosis	Acute miliary tuberculosis	Acute miliary tuberculosis.   197	Acute miliary tuberculosis. 197	Acute miliary tuberculosis   197	Acute miliary unberculosis.   197	Acute miliary tuberculosis	Acute miliary tuberculoiss	Acute miliary tuberculosis.    197	Acute millary tuborculosis.	Acute miliary tuberculosis.	Acute millary tuberculosis. 197 4 6 4 1 2 0 52 3 3 34 17 4 2 2 2 Tuberculosis memingitis. 403 51 65 6 2 2 0 52 4 5 3 3 3 34 17 4 2 2 2 Tuberculosis memingitis. 403 51 65 6 2 2 0 52 4 5 2 3 3 3 3 3 3 3 3 2 2 1 7 1 1 2 1 2 3 2 2 1 6 4 4 1 9 1 2 7 6 1 2 7 6 1 2 7 6 1 2 7 6 1 2 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	Acute military tuberculosiss	Acute millary tuberculois:

<sup>&</sup>lt;sup>1</sup> Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES; BY AGE OF DECEDENT: 1918—Continued.

Int.						**			DI	ATHS A	T AGE	of—							un-
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at un- known age.
					О	ню	-Cont	inued											andre errole
	III.—Diseases of the circulatory system	11,256	78	15	7	8	10	72	227	352	551	932	1, 458	2,485	3, 101	1,737	217	4	2
77 78 79 80 81	Pericarditis. Acute endocarditis Organic diseases of the heart Angina pectoris Diseases of the arteries, atheroma, aneu-	68 368 8,590 484	19 36	1 1 11	2 1 3	1 5	2 7	11 57	4 25 192 1	2 46 285 6	3 53 443 22	7 75 754 42	15 77 1,158 86	12 23 2,016 125	10 18 2,350 146	10 13 1,148 52	2 3 122 4	1	2
82 83	rism, etc Embolism and thrombosis Diseases of the veins (varices, hemor-	1,514 149	4			1	1	3	3	6 4	13 10	35 12	92 17	265 34	526 40	493 17	80 4	3	
84	rhoids, phlebitis, etc.). Diseases of the lymphatic system (lymphangitis, etc.)	42 23	14	2	1	1		1	1	3	5	4	11	6	9	2	2		
85	Hemorrhage; other diseases of the circulatory system	18	5	ļ <u>.</u>	ļ <u>.</u>			<u>.</u>	1		2	2	1	3	2	2			
	IV.—Diseases of the respiratory system	14,065	1,787	734	336	175	123	305	787	2,443	2,533	1,270	844	987	1,074	584	73	5	5
86 87 88 89 90 91	Diseases of the nasal fossae Diseases of the larynx Diseases of the thyroid body Acute bronchitis Chronic bronchitis Bronchopneumonia Pneumonia (total)	39 378 338	1 8 2 152 10 1,017 577	1 2 45 1 377 298	16 1 133 177	8 1 74 85	1 4 48 65	11 11 86 203	5 3 2 2 91 664	2 6 2 3 174 2,218	5 4 13 210 2,273	3 8 8 19 131 1,060	2 8 13 17 118 630	3 4 22 62 186 635	1 3 2 46 109 288 542	1 3 1 37 85 178 238	8 13 19	1 3	3
93 94	Lobar pneumonia. Pneumonia (undefined) Pleurisy Pulmonary congestion, pulmonary apoplexy	9,413 282 139 66	534 43 4	292 6 6	170 7 2	82 3 1	63 2 3	194 9 2	639 25 15	2,218 2,192 26 20	2,242 31 14	1,044 16 13	606 24 15	602 33 24	506 36 16	220 18 3	28 25 3 1	1	î :
95 96 97 98	Gangrene of the lung Asthma Pulmonary emphysema Other diseases of the respiratory system	17 144 7	3	····i	2	1	1		3	2	3	14 1	3 5 23 1	29 29 2	44 2	16	2 1 1		i
	(tuberculosis excepted)	7,105	2,508	600	174	73	43	1 145	223	8 314	376	6 480	9 562	10 645	590	8 314	52	2	4
99 100 101 102 103	Diseases of the mouth and annexa.  Diseases of the pharynx.  Diseases of the esophagus.  Ulcer of the stomach.  Other diseases of the stomach (cancer ex-	33 135 2 241	8 11	3	5	3	1	21	22	20 20 27	3 . 14 . 22	7 9 51	1 10 1 44	1 5 1 51	4 6 32	3 5 7	3		
104 105	cepted)	592 2,722 628	204 2,176	17 546	137	7  42	5	10 31	6	14	32	26 35	32	63	88	86	15 <sub>17</sub>	1	
107 108 109	Intestinal parasites. Appendicitis and typhlitis. Hernia, intestinal obstruction (total). Hernia. Intestinal obstruction	637 637 242 395	2 72 18 54	1 3 20 1 19	9 5 5	7 5	7 4	48 16 1 15	129 18 1 17	126 32 6 26	1 103 49 15 34	82 57 32 25 12	57 86 40 46	31 98 49 49	25 120 55 65	7 47 21 26	6 2 4	1	1 2 1 1
110 111 113 114 115	Other diseases of the intestines  Acute yellow atrophy of the liver Cirrhosis of the liver Biliary calculi Other diseases of the liver	125 14 670 218 251	8 1 1	1	3	1 4	1	1 1	5	1 13 10 14	29 22 21	12 2 105 43 32	11 153 53 53	17 6 200 46 43	24 1 116 30 37	15 43 13 16	1 2 1 3		i
116 117 118	Diseases of the spleen Simple peritonitis (nonpuerperal). Other diseases of the digestive system (cancer and tuberculosis excepted).	53 106 38	5 8	2	2 1	1 2	1 1	4 5	11 1	6 21 2	3 21 9	4 10 5	2 6 10	10 6	10 7	2 5			
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	5,488	46	17	8	14	7	27	75	206	349	611	810	1,229	1,361	655	73		
119 120	Acute nephritis Bright's disease	4.399	21 16	7 6	4 2	7 4	3 4	12 14	21 46	23 127	34 216	47 447	32 698	37 1,076	35 1,151	11 534	5 58		
121 122 123	Chyluria Other diseases of the kidneys and annexa. Calculi of the urinary passages	1 104 37	8	3	2	2		1	1	3 3	11	8 5	17	20	16 9	11 1	<u>i</u> -		1
124 125	Calculi of the urinary passages.  Diseases of the bladder.  Diseases of the urethra, urinary abscess, etc.	80		1	 		į i			2 2	1 1	5 7	5	7 2	31	26	3		
126 127	Diseases of the prostate  Nonvenereal diseases of the male genital organs	268	1							2	î	4	18	64	108	65 1	6		
128 129 130 131 132	Uterine hemorrhage (nonpuerperal). Uterine tumor (noncancerous). Other diseases of the uterus. Cysts and other tumors of the ovary. Salpingitis and other diseases of the fe-	111 41 53							1 1 1		26 18 8	51 11 11	13 3 10	8 1 5	5	3 2			
133	male genital organs. Nonpuerperal diseases of the breast (cancer excepted).	1	II .						2	22	25 1	15	7	2					
134	VII.—The puerperal state  Accidents of pregnancy	<del></del>	i						83 23	569 167	485 108	69 8	<del> </del>				ļ		
135 136 137 138 139	Puerperal hemorrhage. Other accidents of labor Puerperal septicemia Puerperal albuminuria and convulsions. Puerperal phlegmasia alba dolens, embo-	87 198							11 31 16	22 96 190 80	51 82 160 72	12 9 19 19							
140	lus, sudden death	26 2								13 1	11	2	ŀ		l	Į	l .	1	

int.									DE	ATHS A	T AGE (	)F							un- 30.
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	100 yrs. and over.	Deaths at un- known age.
		•			0	HIO	Cont	inued	•										
	VIII.—Diseases of the skin and of the cellular tissue	231	41	1				1	5	. 4	10	20	19	27	50	42	10	1	
142 143	Gangrene Furuncle	119 25	1						1 1	1	2	6 8	6 5	17	43 1	35 1	8	1	
144 145	Acute abscessOther diseases of the skin and annexa	25 29 58	8 32	,1				1	2	$\frac{2}{1}$	2 4 4	6 8 3 3	4	1 2	1 2 4	1 2 4	2		
	IX.—Diseases of the bones and of the organs of locomotion	142	9	3	5	1	2	9	23	20	14	12	8	10	16	8	1	<u> </u>	1
146 147	Diseases of the bones (tuberculosis excepted)	117	8	3	5	1	2	9	21	18	13	9	7	7	. 8	5			1
149	Diseases of the joints (tuberculosis and rheumatism excepted). Other diseases of the organs of locomo- tion.	21	. 1						2	2	1	.1	1	3	5 3	3	1		
•	X.—Malformations	1,007	923	25	14	6	7	16	10	5	1								
150	Congenital malformations (stillbirths not included) (total)  Hydrocephalus	79	923 60	25 5	14. 4	6 3	7 4	16 2	10 1 7	5	1		ļ						•
	Congenital malformations of the heart Other congenital malformations	295	590 . 273	11 9	6 4	3	1 2	11 3	7 2	$\frac{3}{2}$	1								
151	XI.—Early infancy	3,943	3,943									• • • • • • • • • • • • • • • • • • • •							
	rema (total).  Premature birth Congenital debility, "atrophy,"	3,151 2,479	3,151 .2,479																• • • • •
152	"marasmus," etc	672 782	672 782																•
	(total)	453	453																
153	fancy¹ Lack of care	329 10 789	329 10										3		000	396	121	7	
154	XII.—Old age Senility	789											3	26	236 236	396	121	7	
	XIII.—External causes Suicide (total)	699	. 162	116	111	86	83	318	592	107	1,093	910 154	110	586 83	426 45	312	64		<u>11</u> 4
155 156 157	By poison. By asphyxia. By hanging or strangulation.	129	-2						2 4	43 2 6 7	38 2 14	22 2 30	13 32 11	11 25	13	3			<u>-</u>
158 159	By drowning	- 301							15	45	13 81 10	9 69 18	11 42 10	25 8 29 7	13 8 15 3	3	1		1 2
160 161 162	By cutting or piercing instruments. By jumping from high places By crushing.	6 11							1	1 2 1	1 3	2 2	2	1 2					
163	Accidental or undefined (total)	5,257	151	114	111	84	81	311	541	656	768	674	523 3	494	377	302 1	63		7
164 165 166	Poisoning by food	. 114	11 3 5	16 5	13 6	2 7 5	3 4 7	1 11 10	3 5 10	3 9 6	5 7 7	14 12	8	11 10	3 5 9	1 2	1		
167 168	Conflagration  Burns (conflagration excepted)  Absorption of deleterious gases (conflagration excepted).		11 48	36	53	1	22	41	29	50 20	39 24	36 20	25 13	21 6	22	15 1	3		
169 170	Accidental drowning Traumatism by firearms	114	1 1	14	. 3 5 2	3 4	5 2	41 12	114 45	20 49 22	56 8	28 11	13 23 2	13 3	1 2	1			i
171 172	Traumatism by cutting or piercing instruments. Traumatism by fall.	15 926	16	9	6	3	6	21	28	44	77	1 84	87 87	6 122	4 175	201	46		<u>i</u>
173	Traumatism in mines and quarries (total)	166		<u></u>					15 15	37 35	48 46	32 31	19 18	12 12	2 2				1 1
174	Traumatism in quarries Traumatism by machines Traumatism by other crushing (total	] 6	7		2		30	5 151	28	35 2 43 307	2 49	1 41	1 20 249	16 200	6 84	1	3		3
175	Railroad accidents and injuries. Street-car accidents and injuries.	. 894 216	1	16 2 4	13 1 5	16 2 1	4	18 13	201 77 15	180 25	349 200 32	304 163 45	119 26	71 31	38 11	14	ľ		3
	Automobile accidents and in- juries	650	6	8	5 2	11 2	17 6	103 14	85 23	71 23	85 20	71 10	78 20	68 26	27 8	13 4			
176	Landslide, other crushing Injuries by animals	50		i			i	. 3	11	23 8 1	12	15 6	6 7	4 5	4	2	-		
177 178 179	Starvation Excessive cold Effects of heat	. 40 133	1 1	3				1	3	2 4 7	14	5 19	7	8 23	11 11 18	3	4		
180 181	Lightning. Electricity (lightning excepted) Fractures (cause not specified)	25 78 43					1	$\frac{1}{2}$	1 1	22	26			- 3	1 5	16	3		
185 186	Other external violence	272	27	9 2	4	1 2		13 7	21	1 29 123	45 162	41	29	24	20	6			i
182 183	By firearms. By cutting or piercing instruments	302	2	· ····i			. 1	1 3	2	123 87 21	112 22	58 15	39 20 6	1 2	1 1				
184	XIV.—Ill-defined diseases	608	251	33 33		5	1	7	12	13	40	48	40	53	54	29	<del>-</del>	1	5
187 188 189	Ill-defined organic disease Sudden death Not specified or ill-defined (total) Ill-defined	12 45	14	2 31	8	5	5		1 10	2	1 2 37	2 46	- 1 5 34	1 4	q	23	2	1	5
103	Ill-defined. Not specified or unknown.	166	31	18	1 6	'   3	3 2	3	73	10	12	19	1 10	21	23 21	12	1		5
	<u></u>	,	1	<u> </u>		<del></del>	<del></del>	wise of		•	·	<del>'.</del>	•		-	·-	•		<del></del>

<sup>1</sup> Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

Int.						· · ·			DI	EATHS A	T AGE	of—							ė.
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	100 yrs. and over.	Deaths at un- known age.
					,	О	REG	ON.											-
	Ali causes	9,679	907	197	100	84	49	220	528	1,137	1,237	983	1,047	1,236	1,189	640	79	3	43
	1.—General diseases	3,490	107	77	41	37	25	109	282	667	718	420	381	329	216	53	8	1	19
1 4	Typhoid fever	73 1			1	1		4	15	. 14	20 1	10	5	3					
1 6 7 8	Measles Scarlet fever Whooping cough	53 15	9 23	11 1 15	4 1 5	2 2 3	3 1 1	11 2 1	5 5		2 2	2 1	1	2	1				
9	Diphtheria and croup	32	1	2		6	1	17	3	2									
10 14	Dysentery	1,564	41 4	32 2	20	15 1	13	50 1	165 1	439 1	460	168	65 2	36 4	34 3	13 2	2 1	1	10
18 19	Erysipelas Other epidemic diseases	8	1	2			1	1	1 2		1	3	1 1	3	3	<u>i</u>			
20 24 25 26	Purulent infection and septicemia. Tetanus.	17 3	2					<u>i</u> -		2 2	4	4	1	2	1				1
25 26	Mycoses Pellagra	1 2										1	1 1						
28	Tuberculosis (total). Tuberculosis of the lungs. Acute miliary tuberculosis Tuberculous meningitis.	674 546	7 3	9	6 2	3	4 2	15 3	62 48	184 158	157 134	91 75	65 55	48 44	19 16				4 3
29 30	Acute miliary tuberculosis Tuberculous meningitis	15 42 37	3	3 1 5	2 2	1 2	<sub>2</sub>	8	3 5	3 5	1 6	2 2	2						····i
31 32	Pott's disease	7						2	2	9 2	9	6 2	5	1	3				
28 29 30 31 32 33 34 35	White swellings Tuberculosis of other organs Disseminated tuberculosis	5 16 6	····i					1	1 1	5 2	7	3	1 1	1 2		•••••			
36 37	Rickets	3	2		1														
38	Syphilis. Gonococcus infection.	2	4			1				3	5 1	8	6	1	1	1			
39	Cancer and other malignant tumors (total)	646 19			2	1			5	6	37	97	164	178	121	29	4		2
40	Of the buccal cavity Of the stomach, liver. Of the peritoneum, intestines, rectum Of the female genital organs.	290 84							1	3	3 9	36 13	7 73 21	5 89 22	2 64 20	13 4	i		i
41 42 43 44	Of the breast	84 69 43 22			l					1	8 2 1	16 18	26 8 3	12 7	4 7	2 1			
44 45	Of other organs or of organs not	22					•••••					2		4	6	4	2		
46	specified. Other tumors (tumors of the female genital organs excepted).	119			1	1			4	2	10	11	26	39	18	. 5	1		1
47	Acute articular rheumatism	22					1	3	3	1	1	1 2	1	2 8	1 2				
48 50 51 52 53 54 55	Chronic rheumatism and gout  Diabetes  Exonythalmic goiter	131 16				i-	•••••	2	<u>i</u> i	9	13	13 13	26 26	2 29	1 22	3	1		····· <sub>2</sub>
52 53	Diabetes Exophthalmic goiter Addison's disease Leukemia	16 16		·····i					<u>1</u>	1	6	13 2 2 3	6 1 5	1	1	•••••			
54 55	Anemia, chlorosis Other general diseases	50 17	1 8	2	<u>i</u> -	<sub>1</sub> -			<u>î</u> -	2	3	8	2 <u>1</u>	8	5	2 1			
56 57	Alpoholism (soute or abronia)									i	2	2	2	1					
59	Chronic lead poisonings. Other chronic poisonings.	2									1		1						
	II.—Diseases of the nervous system and of the organs of special sense	931	38	12	5	6	1	12	15	33	47	86	143	209	206	111	5		2
60 61	Encephalitis	10 47	2	1					1		2		3	1	•				
OI	Meningitis (total) Simple meningitis. Cerebrospinal meningitis (undefined)	25 12 10	9 6 1	6 4 2	3	4		5 2 1	3 1 2	7 3 2	5 3	3	1	1 1					
62	Cerebrospinal fever	1 10	2		3			2		2	2	1 1 3	1 4	2	1				
63	Locomotor ataxia Other diseases of the spinal cord (total) Acute anterior poliomyelitis	2							3 1	4 1		5	9	9	7	3			
64	Other diseases of the spinal cord 1 Cerebral hemorrhage, apoplexy	38 540	5				•••••	2	2 1	3 5	13	5 35	98	9 143	7 155	3 78	4		1
65 66	Softening of the brain  Paralysis without specified cause	13 96	<u>i</u> -						2		3	1 3	3 6	5 26	3 30	1 23			
67 68	General paralysis of the insane Other forms of mental alienation	52 23								2 5	9	20 10	5 2	10 3	2 2	3			1
69 71	Epilepsy Convulsions of infants	26 23	17	3	1	<u>2</u>	1	2	3	7	1	2	3	2	3	1			
72 73 74	Chorea	2 5			<u>-</u> -	•••••					1		<u>1</u>	3	·····i				
75	Diseases of the eyes and their annexa	30	1		1 			1	1	3 	7	3		3	2	2			
76	Diseases of the ears	,	2	2	J			1	1	l	5	1	1		l		l		

 $<sup>^{\</sup>rm 1}$  Exclusive of acute anterior poliomyelitis (infantile paralysis).

Int.	•						•		DEATE	IS AT A	GE OF-	-		1 394	•				ш-
Detailed In List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years	4 years	5 to 9 years	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at un- known age.
	L				OR	EGO	N-C	ontinu	eđ.			-			•	•	,		
_	III.—Diseases of the circulatory system.	1,312	7	1	1	2		9	33	42	49	128	176	324	343	172	23		2
77 78 79 80 81	Pericarditis. Acute endocarditis. Organic diseases of the heart. Angina pectoris. Diseases of the arteries, atheroma, aneu-	6 45 982 80	2 2	1	1	2		3 6	8 21	2 39	6 39	2 7 95 13	1 10 141 9	2 6 245 30	258 23	118 4	1 12 1		2
82 83 84	rism, etc. Embolism and thrombosis. Discovery of the rains (vertices homor	154 30 6				' 			1 2	i	2 2	4 3 2	9 5 1	32 6 2	53 7 1	44 4	9		
85	rhoids, phlebitis, etc.  Diseases of the lymphatic system (lymphangitis, etc.)  Hemorrhage; other diseases of the circulatory system  IV.—Diseases of the respiratory sys-	4 5	3						1			2		1		2			
86	tem	1,058 3 6	126 1	43	20	11	10	26 1	61	166	166	93	85	95	89	58	. 5	<u></u>	4
87 88 89 90 91	Diseases of the larynx, Diseases of the thyroid body. Acute bronchitis. Chronic bronchitis. Bronchopneumonia	6 23 25 216	1 10 62 51	3 20 20	1 1 8 9	1	4 6	4 18	1  10 44	. 1 1 1 17 137	1 19 141	2 10 71	2 5 5	1 1 4 18 60	1 12 15	3 3 21 22	1 3		i 3
93 94	Pneumonia (total).  Lohar pneumonia. Pneumonia (undefined) Pleurisy Pulmonary congestion, pulmonary apoplexy Gangrene of the lung Asthma Pulmonary emphysems.	610 88 27	34 17	14 6	9 8 1 1	8 1 1	2 4 	16 2 2 2	38 6 5	132 5 5	128 13 5	71 65 6 3	64 59 5 2	54 6 1	43 32 11 1	17 5 1	1		3
95 96 97 98	Other diseases of the respiratory system (tuberculosis excepted)	9	1							1 1 1		1 3 2	3	1 7 1	9 1 2	2			
99	V.—Diseases of the digestive system.  Diseases of the mouth and annexa	632	128	41 1	17	12	6	26	34	29	43	60	76 1	55	72	27	5		1
100 101 102 103	Diseases of the pharynx. Diseases of the sopphagus. Ulcer of the stomach. Other diseases of the stomach (cancer excepted).	18 1 27 47	16	3	12	2		2	2 1	1	1 1	1 1 9	1 8 5	4 3	4 8	4	1		
104 105 107 108 109	Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over). Intestinal parasites. Appendictis and typhlitis Hernia, intestinal obstruction (total)	115	96 13	31 2 3	12 1	8	2 2 1	6 11 1	27 1	1 15	1 2 14 6	6 14 10	6 16 12	2 8 12	11 5 19	5 1 6	2		
110 111	Hernia. Intestinal obstruction. Other diseases of the intestines. Acute yellow atrophy of the liver.	93 33 60 22 2.	13	3	i	ĩ	i	1	1	1 3 1 2	6 3	3 7 5	6 6 3	4 8 5	14 5 4	3 3 1 1 2	1 1		
113 114 115 116 117	Cirrhosis of the liver	1	i	1				1 1		2	6 2 1	1 6 3 1	12 7 3	3 11 4	9 6 6	5			i
118	Other diseases of the digestive system (cancer and tuberculosis excepted) VI.—Nonvenereal diseases of the genito-urinary system and	3	1	•••••					1		2	1	1	3		1		•••••	
119	annexa	583 22	1	1	1	1		1	12	30	38	59	92	137	134	70	5		1
120 122 123	Bright's disease. Other diseases of the kidneys and annexa. Calculi of the urinary passages Diseases of the bladder	446 8 6				1		1	8	17 1	21 1	43 1	76 2	115 1 1	110 4 2	50	3		i
124 126 127	Diseases of the bladder. Diseases of the prostate Nonvenereal diseases of the male genital organs Uterine tumor (noncancerous).	7 47 1							1		1		1 3	2 14 1	1 13	2 15	1		
129 130 131 132	Uterine tumor (noncancerous) Other diseases of the uterus Cysts and other tumors of the ovary Salpingitis and other diseases of the female genital organs	17 9 3		•••••						1 1 7	3 4 1 5	7 3 4	3 1 1	1	1 1	1			
*0.1	VII.—The puerperal state	142					,		6	71	49	16	•••••						
134 135 136 137 138 139	Accidents of pregnancy Puerperal hemorrhage Other accidents of labor Puerperal septicemia Puerperal albuminuria and convulsions. Puerperal phlegmasia alba dolens, embolus, sudden death	24 9 18 50 35				2			1 · 1 3 1	7 4 14 24 19	10 4 2 17 14	6 1 1 6 1	••••••						
140	bolus, sudden death Following childbirth (not otherwise defined)	. 2								1	1						- 1	j	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

Int.									DE	CATHS A	T AGE (	)F							at un-
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	yrs. and over.	Deaths at
					OR	EGO	N-C	ontinu	ed.							·			
	VIII.—Diseases of the skin and of the cellular tissue	27	2	1					2		3	1	5	5	4	4			
142 143	Gangrene Furuncle	11 7		1					1		1 1	1	1 2	3 1	2	2 1			
144 145	Acute abscess	7 2	1								1		2	1	1	1			
146	organs of locomotion  Diseases of the bones (tuberculosis ex-	16	2	1					8		<u></u>	3	1		1		<u></u>		
147	cepted).  Diseases of the joints (tuberculosis and rheumatism excepted).	15 1	2	1					8			3	1	<b></b>	1		ļ		
	X.—Malformations.	94	83	6	2			1		2					<u> </u>				
150	Congenital malformations (stillbirths not included) (total).  Hydrocephalus.  Congenital malformations of the	94 7	83 3	6 2	2 2			1	 	2	 		 		 		 		
į	heart Other congenital malformations	61 26	57 23	3				<u>i</u> -		1							ļ <u>.</u>		
151	XI.—Early infancy	383	383			-													
	rema (total)  Premature birth  Congenital debllity, "atrophy," "marasmus," etc.	304 235	304 235																
152	Other causes peculiar to early infancy (total) Injuries at birth.	78 42	69 78 42	<b></b>															
153	Other causes peculiar to early infancy 1 Lack of care.	36 1	36 1																
	XII.—Old age	220											2	2	76	113	24	2	1
154	Senility	220 745	16	13	13	13	7	34	75	96	123	115	2 82	72	76 42	113 30	24	2	12
155 156	Suicide (total).  By poison.  By asphyxia	100 19 5							4 3	18 5 2	23 5 1	24 2	15 3 1	9 1	4	1	1		1
157 158 159	By hanging or strangulation By drowning By firearms	11 14 37							1	3 6	38	2 1 2 8 8	1 7	2 5	2	1	i		1
160	Accidental or undefined (total)	14 614	15	13	13	13	7	34	67	73	6 92	3 84	3 63	1 61	38	29	1		11
164 165 166 167	Poisoning by food. Other acute poisonings Configgration Burns (configgration excepted)	8 13 15 30	2	1 1 4	1 2	1 1	3	1 5 2	1 16	1 1 1	2 1	1 4 1 2	·····i	3 2 2					i
168 169	Absorption of deleterious gases (con- flagration excepted) Accidental drowning	16 84	9	3	7	3	2	12	3 18	 	3 8	1 10		1 4	1	2			;
170 171	Traumatism by firearms Traumatism by cutting or piercing instruments.	31						3	12	6	1	ĭ	3	i					]
172 173	Traumatism by fall Traumatism in mines and quarries (total)	81						1	5 1	6	13 1	4	9	13	12	17	i		
174	Traumatism In mines Traumatism in quarries Traumatism by machines	1 1 15						·····i	1	2	1 3	3	·····i	2					
175	Traumatism by other crushing (total)	191 67 8		1	1 1	5 1	1	7 1	13 8	24 6 2	36 13	38 17	26 7	20	13 3	1			5 4
	Automobile accidents and injuries	66				3		4 2	3 2	7 2	1 12 2	111	13 4	8 2	1 4	1			
176 179	Landslide, other crushing Injuries by animals Effects of heat	25 9		 		İ	ii			7	8	4   5   1	2 2 1	2 3	5 1	1		 	
180 181 185	Lightning Electricity (lightning excepted) Fractures (cause not specified)	2 7							1 1	3	3 1		1	13					1
186	Other external violence	87 31	3	3	2	2	i	î	4	15 5	12 8	18 7	15 4	6 2	3	2			
182 183 184	By firearms'. By cutting or piercing instruments. By other means.	3	1						3 1	5	6 1 1	5 2	1 1 2	2					
187	XIV.—Ill-defined diseases	1	14	1		2		2		1	1	2	4	8	6	2	2		1
188 189	Sudden death Not specified or ill-defined (total) Ill-defined	3	12 4	1		2		2		1	1 1	2 2	4 4	7	1 5 4	2 1	2 1 1		i
	Not specified or unknown	15	8	1		i		î			ļ <u>.</u>	ļ <u>"</u> .	4	J <u>'</u> -	1	i	1		····;

[This table excludes the deaths of soldiers, sailors, and marines.]

Int.					•		-1		DE	ATHS A	T AGE	OF—	,						age.
Detailed In List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	69	70 to 79. years.	80 to 89 years	90 to 99 years	100 yrs. and over.	eaths
					PI	ENNS	YLV	ANL	<b>A.</b>			•	•	•			<u>·                                     </u>		
	All causes	187, 951	28, 299	8,362	4, 134	2,531	1,911	4,983	10,019	26, 192	27, 014	17, 718	15, 701	16,894	15,555	7,558	1,002	23	60
	I.—General diseases	68,833	<u> </u>	3,308	2,054	1,354	1,038	2,624	5,165	14,533	14,010	7,564	5,315	4,177	2,567	803	64	2	16
1 4 5 6 7	Typhoid fever	928 18 2 831 174	227 10	285 11	9 1 114 20	10  49 16	10 1 34 18	72 45	225 2 	, 246 2 13 13	179 2 4 8	89 4	44 3 1 3	29 3	10 5				
8 9 10 13 14	Whooping cough. Diphtheria and croup. Influenza. Cholera nostras. Dysentery.	232	707 105 2,193 10 54	427 245 1,957 4 24	182 303 1,186 1 19	75 264 798 2 9	52 202 604	66 457 1,556 1 9	7 140 3,363 2 4	35 10,570 1 5	15 10,094 1 8	7 3,730 5 4	9 1,665 2 8	1 861 5 19	1 1 518 13 28	172 7 29	24		10
17 18 19 20 22	Leprosy. Erysipelas. Other epidemic diseases. Purulent infection and septicemia. Anthrax.	3 229 59 117 3	74 15 26	2 7	3 9 4	3 8	3 3	1 9 7	9 3 7	1 6 3 7	18 2 10	.27 3 16	26 2 7 2	18 11 11	33 8	3			
23 24 25 26	Rabies Tetanus Mycoses Pellagra	131 2 7	17	5	1	2 2	1 2	28 	21	11 - 1	11 1	15 3	6 1 1	1 7	5 1				
28 29 30 31 32 33 34 35	Tuberculosis (total) Tuberculosis of the lungs. Acute miliary tuberculosis. Tuberculous meningitis. Abdominal tuberculosis. Pott's disease. White swellings. Tuberculosis of other organs. Disseminated tuberculosis.	137 137 78	410 134 17 162 68 4 9 12 4	257 81 12 126 27 2 3	150 37 7 84 11 3 2 4	83 29 4 39 6 2 2 1	73 22 31 12 1 2 2	214 82 10 81 17 10 7	1,115 874 76 65 57 14 9 13	3, 209 2, 901 136 48 57 19 11 26	2,800 2,559 106 26 56 13 6 18 16	2,093 1,928 43 14 63 15 6 14 10	1,341 1,216 29 10 40 14 6 18 8	817 742 10 26 7 5 13 12	309 275 4 1 14 4 2 7	68 60 1 4 1 1	2 2		3 2 1
36 37 38	Rickets Syphilis Gonooccus infection Cancer and other malignant tumors	93 655 46	51 227 13	23 9 1	9 9	4 7 1	1 2	1 3 	10 4	62 17	114 6	100	52	37 1	18	5			
39 40 41 42 43 44 45	(total). Of the buccal cavity Of the stomach, liver. Of the peritoneum, intestines, rectum Of the female genital organs. Of the breast. Of the skin. Of other organs of organs not speci-	207	12 4 2 1	9 2	10 2 2 2	1	11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	12. 2 2 1	31 2 3 2 2 3	119 3 21 22 27 6 1	412 11 97 55 130 40 7	1,018 20 344 117 254 140 6	1,577 54 667 156 294 165 30	1,772 76 823 213 199 152 45	1,258 66 580 178 97 83 56	420 24 150 49 33 43 51	28 3 6 5	1	3 1 1 1
46 47	fied.  Other tumors (tumors of the female genital organs excepted).  Acute articular rheumatism.	1,048 30 348	5- 1 2	6 2 1	6	4	7	7	18 3 70	39 1 28	72 34	137 5 44	211 6 30	264 6 34	198 4 •35	70 2 12	5 2	1	
48 49 50 51 52 53 54	Chronic rheumatism and gout. Scurry. Diabetes Exophthalmic goiter Addison's disease Leukemia. Anemia, chlorosis	106 13 1,322 115 32 115 424 148	10 3	3 1 12 16	5 7 5	6	2 1 2 4	12 5 3	1 55 6 3 13	28 3 1 82 15 4 17 41	91 33 7 20 39	8 1 150 28 8 11 72 6	296 19 10 17 83	38 352 9 2 20 91	28 217 4 1 6 42	9 47 1 2 10	1		
55 56 57 58 59	Other general diseases. Alcoholism (acute or chronic) Chronic lead poisoning. Other chronic occupation poisonings. Other chronic poisonings.	* 318 12 2 9	50	16	5	5	4	10	10	4 9 1 2	8 79 3 1 2	110 3	83 3	8 29 2	12 8 1	4			
	II.—Diseases of the nervous system and of the organs of special sense	11,941	737	258	150	87	76	163	264	313	600	959	1,596	2,433	2, 798	1,358	146	2	1
60 61 62 63	Encephalitis: Meningitis (total). Simple meningitis. Cerebrospinal meningitis(undefined). Cerebrospinal fever. Locomotor ataxia Other diseases of the spinal cord (total). Acute anterior poliomyelitis. Other diseases of the spinal cord 1.	71 831 399 133 299 224 560 103 457	8 179 88 31 60 1 17 11 6	9 108 57 17 34 20 20	8 69 41 7 21 17 16 1	2 48 24 10 14 13 8 5	2 43 15 7 21 6 6	4 80 33 15 32 1 16 12 4	5 112 39 18 55 2 21 12 9	9 61 26 11 24 2 27 4 23	11 45 24 4 17 18 32 4 28	6 48 24 7 17 36 38 2	4 21 15 4 2 67 88 2 86	2 11 7 2 2 59 113 2 111	34 116 2 114	4 34 2 32	2		
64 65 66 67 68 69 70	Cerebral hemorrhage, apoplexy. Softening of the brain Paralysis without specified cause. General paralysis of the insane. Other forms of mental alienation. Epilepsy Convolisions (nonpuerperal).	7,315 110 573 637 156 401	31 6 12	11	1	3	2	5 1 15 9	15 6 2 7 55 3	49 9 23 17 77	174 3 12 161 25 59 2	456 4 27 184 32 70 2	1,119 10 58 109 33 37 2	1,922 20 133 82 21 32 1	2, 263 49 202 56 12 20	1,133 21 108 18 8 4	124 2 10 2 1	I .	1
71 72 73 74 75 76	Convulsions of infants Chorea Neuralgia and neuritis Other diseases of the nervous system Diseases of the eyes and their annexa Diseases of the ears.	21 539 6 45 278 8 166	29 1 38	75 10 17	29 6	5 1	2	1 14	1 2 15 1 17	2 22 1 13	6 38	1 5 40	1 4 36	6 20	2 11 25 1	8 13 2 4	1 3 1		

<sup>1</sup> Exclusive of acute anterior poliomyelitis (infantile paralysis).

i i									DE	ATHS A	T AGE (	)F—							. in
Detailed In List No.	CAUSE OF DEATH.	All deaths.							10 to	20 to	30 to	40 to	50 to	60 to	70 to	80 to	90 to	100	Deaths at un- known age.
Detail			Under 1 year.	year.	ears.	gears.	4 years.	TAGTO	19 years.	29	39 years.	49 years.	59	69 years.	79 years.	89	99	and over.	Death kmo
<u> </u>		i li		PE	NNS	YLV.	ANIA	Cor	ıtinue	1.				1					
	III.—Diseases of the circulatory sys-		· 												4 204	0.40=			<del>``</del>
77	temPericarditis	17,646	215	53	29	23	19	164	492	715	1,185 7	7	2,499	3,856	17	2,187	263	4	2
77 78 79 80	Acute endocarditis Organic diseases of the heart Angina pectoris	917 13,851 635	43 119	9 35 1	18 1	6 15	11	24 123	62 407 5	90 587 10	137 946 41	194 1,289 65	262 1,927 141	3,209 173	32 3,379 150	10 1,624 46	157 2	3	····2
81	Diseases of the arteries, atheroma, aneurism, etc.	1,752 272							1	5	21	55	117	359	631	465	97	1	
82 83	Embolism and thrombosis	272 42	11 2	1	1		2	6	9	15 4	22 11	30 7	31 5	48 7	62 5	27	7		
84	Diseases of the lymphatic system (lymphangitis, etc.)	65	38	7	4	2	1	6	2			1	1	1	1	1			
85	Hemorrhage; other diseases of the circulatory system	31	2					1				11	3	6	4	4			
	IV.—Diseases of the respiratory sys- tem		5,388	2,583	ι, 199	615	422	1,028	2, 264	6,902	7,080	3,703	2,513	2,235	1,816	866	143	2	16
86 87	Diseases of the nasal fossae	13 140 66	5 21	1 28 1	20	$\frac{1}{12}$	10	19	1 1 6	3 3 6	6 12	4	7 15	1 4 4	1 3 1	2 3			
88 89 90	Diseases of the thyroid body	1,186 559	613 19	155 13	63 3	28 2	16 2	19 9	10 3	12 15	19 16	18 26 34	27 60	53 106	60 155	69 107	16 15		
91 92	Bronchopneumonia	9,725	2,997 1,642	1,365 975	551 540	255 297	143 242	327 627	310 1,884	829 5,955	832 6,082	475 2,980 2,631	373 1,828 1,568	1,406	514 935	261 344	45 52	1	3 12
	Pneumonia (undefined)	21,863 3,938 426	1,178 464 30	710 265 34	397 143 12	222 75 15	177 65 8	497 130 15	1,606 278 34	5,214 741 39	5,370 712 47	2,631 349 54	1,568 260 49	1,212 194 48	766 169 33	263 81 6	41 11 2		11 1
93 94	Pleurisy Pulmonary congestion, pulmonary apoplexy	242	49	9	2	3	1	6	5	14	12	12	11	28	33	45	110	1	1
95 96 97	Gangrene of the lung Asthma Pulmonary emphysema	39 347 26	1 3	i	В	1		$\begin{array}{c} 2 \\ 1 \\ 2 \end{array}$	3 <u>1</u>	9 6 1	9 27	57 4	86 3	83 7	55 5	19	2		
98	Other diseases of the respiratory system (tuberculosis excepted)	205	8	1	2	1		1	6	10	18	32	50	50	18	7	1		
99	V.—Diseases of the digestive system  Diseases of the mouth and annexa	15,409	7,438	1,747	407	183	135	286	367	454	575 2	751 5	844	949	787	409	73	2	2
100 101	Diseases of the pharynx	199	23 1 3	14	7	9	13	29	29	23	16	11	13	8	2	2 2			
102 103	Ulcer of the stomach	250	380	74	23	12	10	20	6 22	23 29	50	43 64	47 95	47 112	26 133	95	25	1	
104	excepted)	8,418	6,804	1,614	344	127	82		31	41	51	77	69	132	170	132	33	1	
105 107 108	Intestinal parasites	1 15	2 3	2 2	4	1 12	8	98 2 71	188	164	133 75	126 109	76 139	1 28	16 155	4			
109	Hernia, intestinal obstruction (total) Hernia Intestinal obstruction	. 348	146 20 126	22 2 20	18 18	12 12	10	24 2 22	34 3 31	50 10 40	75 16 59	109 44 65	67	166 86 80	155 66 89	57 27 30	7 4 3		1
110	Other diseases of the intestines	. 161	20 1	4	1	6	1	5 3	6 3	11 9	15	14	72 22 5	23	17	15	i		
111 112 113	Acute yellow atrophy of the liver Hydatid tumor of the liver Cirrhosis of the liver	. 5	3	2	1	1	1	3	4	1 23	80	189	225	266	140	48			
114 115	Biliary calculi	221 349	9	3	1	i	2	10	1 5	10 22	27 36	40 33	55 68	47 70	31 62		2		
116 117	Diseases of the spleen	. 13 211	1 13	5	3	2	5	16	2 29	3 29	24	20	14	21	22				
118	(cancer and tuberculosis excepted) VI.—Nonvenereal diseases of the	. 73	2						. 4	7	14	16	12	12	5	1			
	genito-urinary system and annexa		107	36	36	20	20	80	173	451	792	1,236	1,672	2,230	2,294	986	93	3	
119 120	Acute nephritis Bright's disease Other diseases of the kidneys and annexa	805 8,282	65 19		20 15	13	8 11	45 32			115 533	113 944	1,454	1,983	1,983	18 846	77	3	
122 123	Other diseases of the kidneys and annexa Calculi of the urinary passages Diseases of the bladder		15			3				. 15 . 1	17 5 2	20 3 6	6	10	10	1			
124 125	Diseases of the urethra, urinary abscess, etc.	1	2		1				1	. 7	6	7	8	28		42	6		
126 127	Diseases of the prostate Nonvenereal diseases of the male genital	309			- <b>-</b>				1	1	1	6	ļ'	70	ł	66	6		
128 129	organs Uterine hemorrhage (nonpuerperal) Uterine tumor (noncancerous)	. 8	4							2 9		63 25		1 1		· · · · i	· · · · i	-	
130 131	Other diseases of the uterus	. 76							. 4		21 17	25 15	11 11	3 9					
132 133	Salpingitis and other diseases of the fe- male genital organs	. 153		. 1	ļ			.	. 5	62	44	1	8	2	1			- <del> </del>	.
200	cer excepted)	. 4	2						203	1,157	- 1 794				-			<u> </u>	
134 135	Accidents of pregnancy Puerperal hemorrhage	637							. 54	363	198	21	1			-		-	
136 137	Other accidents of labor	. 429		.]					. 24 . 57	228 287	151 226	25 48	1		-	-	-	-	
138 139	Puerperal septicemia. Puerperal albuminuria and convulsions. Puerperal phlegmasia alba dolens, em-			·				·	58	199					·				
140	bolûs, sudden death. Following childbirth (not otherwise de- fined)	1 11								. 7								.	.
141	Puerperal diseases of the breast	.] 1		.1	1	1	.	.]	.  i		-		J			.1		.1	

Int.											E OF		·						. n.
Detailed In	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at un- known age.
_				PI	ENNS	YLV	ANI	A.—Coi	tinue	d.					`				
	VIII.—Diseases of the skin and of the cellular tissue	462	85	5	10	8	2	4	7	15	20	23	38	51	103	81	10		
142 143 144	Gangrene Furuncle Acute abscess Other diseases of the skin and annexa	251 58 84	4 17 31	1 1 1 2	2 5	5 2 1	1	4	2 1 3 1	3 3 5 4	4 8 7	7 4 11	16 11 7	32 7 6	89 5 4 5	·71 1 2 7	10		
145	Other diseases of the skin and annexa  IX.—Diseases of the bones and of the organs of locomotion	217	33 26	7	1	4	7	23	38	18	21	16	4 18	15	19	4		•••••	
146 147	Diseases of the bones (tuberculosis excepted)  Diseases of the joints (tuberculosis and	186	22	7	1	4	7	23	36	16	16	9	15.	13	15	2		••••	•
149	rheumatism excepted) Other diseases of the organs of locomotion. X.—Malformations.	24 7 1,963	3 1 1,864	33	15	13	5	,21	9	. 2.	4 1 1	6 1	2 1	2	3° 1	2			
150	Congenital malformations (stillbirths not included) (total).  Hydrocephalus.  Congenital malformations of the heart Other congenital malformations.  XI.—Early infancy.	1,963 149 1,347 467 7,675	1,864 111 1,303 450 7,675	33 9 16 8	15 8 2 5	13 3 8 2	, 5 3 2	21 10 9 2	9 3 6	2 1 1	1 1								
151	Congenital debility, icterus, and sclerema (total)  Premature birth Congenital debility, "atrophy," "marasmus," etc.	6,259 4,694	6,259 4,694																
152	"marasmus," etc. Other causes peculiar to early infancy (total) Injuries at birth.	1,565 1,387 730	1,565 1,387 730														•••••		
153	Other causes peculiar to early infancy Lack of care	657 29 879	657 29										5	59	231	429	147	8	
154	Senility XIII.—External causes	879 10,892	279	246	217	221	182	579	1,026	1,617	1,899	1,608	5 1,135	59 816	231 595	429 392	147 59	8	21
155 156 157 158 159 160 161 162	Suicide (total).  By poison.  By asphyxia.  By hanging or strangulation.  By drowning.  By firearms.  By cutting or piercing instruments.  By jumping from high places.  By crushing.  Other suicides.	1 370							31 12 3 2 3 11	149 24 7 19 3 82 4 6	235 23 31 41 12 96 22 5	210 17 40 47 10 74 17	155 15 20 35 9 52 18 2	119 8 18 37 7 36 9 2	51 3 9 17 1 15 2 3.	15 1 2 5 1 4 2			1 i
163 164 165 166 167 168	Other suicides. Accidental or undefined (total). Poisoning by food. Other acute poisonings. Conflagration. Burns (conflagration excepted). Absorption of deleterious gases (conflagration excepted) are according to the conflagration excepted).	9,370 53	254 8 20 5 38	244 2 30 5 125	217 3 16 2 118	221 3 15 3 133	181 4 8 5 83	578 7 8 11 137	969 2 4 11 63	3 1,295 21 21 11 75	1,495 2 14 19 63	1,292 7 14 20 76	943 6 12 16 43	2 687 4 4 7 46	541 1 3 4 36	375 2 7 14	59		19 1
169 170 171	Traumatism by firearms  Traumatism by cutting or piercing	139	55 1	5 14 1	13 13	11 2 1	3 6 3	53 · 21	3 140 66	46 91 18	48 62 14	57 54 7	33 40 4	38 16 2	29 9	13 2			
172 173	instruments Traumatism by fall Traumatism in mines and quarries (total)	1, 465 1, 149	19	32	11	9 	9	30	57 89	73 270	1 126 389	3 143 235	147 123	2 202 36	278 6	276 1	53		
174 175	Traumatism in mines. Traumatism in quarries. Traumatism by machines. Traumatism by other crushing (total). Railroad accidents and injuries.	į .	1 13 3	10	37	34	47 5	4 262 49	87 2 57 389	265 5 59 486 324	383 6 90 503 350	225 10 62 453 277	. 115 8 41 355	35 1 21 227 109	5 1 6 102 39	23	2	•••••	2 2 2
	Street-car accidents and injuries.  Automobile accidents and injuries.	305 853	6	, 3 , 2	11 14	13 13	8 33	27 159	180 31 150	33 95	45 84	49 99	202 34 83	29 67	16 38	3	2		1
176 177 178 179 180 181 185 186	Injuries by other vehicles. Landslide, other crushing Injuries by animals. Starvation Excessive cold. Effects of heat. Lightning. Electricity (lightning excepted) Fractures (cause not specified) Other external violence Homicide (total)	32 57 6 54 247 40 113 11 533	3 2 3 58 30 25	1 8 11 2	2	1 1 1 4	1 2 1 1 9	27 3 1 4 3 25 1	26 2 6 1 4 9 19 2 45	24 10 2 4 9 8 40 1 78	18 6 3 7 21 8 30 95 169	22 6 13 8 35 4 12 4 85 106	83 29 7 10 1 7 25 2 8 1 67	21 1 8 12 26 2 1 33	9 1 11 30 1 2 20 3	5 1 1 3 24 1 6	2		16
182 183 184	By firearms By cutting or piercing instruments. By other means XIV.—Ill-defined diseases.	350 89 117	2 1 22 246	2 86	16	3	1 5	1  11	26 22 3 1	173 120 34 19 15	110 28 31 37	65 16 25 48	22 5 10 62	7 3 73	1 1 1 64	2 43	4		i 2
187 188 189	Ill-defined organic disease Sudden death Not specified or ill-defined (total) Ill-defined Not specified or unknown.	38 658 300	11 235 39 196	1 85 70 15	16 11 5	3 3	5 4 1	11 8 3	1 10 4 6	1 14 6 8	2 3 32 19 13	1 2 45 28 17	3 6 53 34 19	6 7 60 32 28	10 4 50 25 25	7 2 34 17 17	3		2

<sup>1</sup> Exclusive of injuries at birth.

[This table excludes the deaths of soldiers, sailors, and marines.]

Int.									DI	CATHS A	T AGE	OF—							at un-
Detailed In List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years:	3 years.	4 years.	5 to 9 years.	10 to 19 years.	29	30 to 39 years.	40 to 49 years	59	60 to 69 years.	70 to 79 years.	80 to 89 years	90 to 99 years.	yrs.	eaths knowi
					RI	HOD	e is	LANI	).										
_	All causes	12,407	1,947	542 255	289	160	108	315 175	539 301	1,459	1,489	1,178	1,148	1,438	1, 122	573 67	87	3	10
1 4 5 6 7-	Typhoid fever. Malaria. Smallpox Measles. Scarlet fever.	34 1 1 125 25	1 39 2	37	1 20 2	13 1	2 4	10 9	6 3 3	12 1	8	2 1	1	3	1				
8 9 10 14	Whooping cough Diphtheria and croup Inducata Dysentery	157 102 2,190 25	79 8 139 13	36 10 125 2	21 12 64	14 13 45	3 13 28	4 36 83 1	5 171 1	1 558 1	572	223 1	3 84	55 2	1 29 1	11 2			i
18 20 24 26	Erysipelas. Purulent infection and septicemia. Tetanus. Pollagra.	7	13 4 2	2 1	1 I			1	2 1	1 1	1 1 1	1 1 1 2	2 2 1 2	5 1 1	3	1			
28 29 30 31 32 33 34 35	Tuberculosis (total) Tuberculosis of the lungs Acute miliary tuberculosis Tuberculous meningitis Abdominal tuberculosis Pott's disease White swellings Tuberculosis of other organs. Disseminated tuberculosis.	29 84 47 9 6	36 11 1 15 5	36 4 1 25 5	30 5 3 14 6 2	11 2 6 2 1	5 1 3	27 10 12 4 1	96 86 4 4	290 267 5 5 5 1 1 2	210 190 9 8 1	162 148 6 4	101 88 7 1 2 2	50 48 1	17	1			3 2
36 37 38	Rickets Syphilis Gonococcus infection.	9 57	30	2	1	1		1	<sup>2</sup>	1	3 1	9	7	3	1 2				
39 40 41 42 43 44 45	Cancer and other malignant tumors (total). Of the buccal cavity. Of the stomach, liver. Of the peritoneum, intestines, rectum. Of the female genital organs. Of the breast. Of the skin. Of other organs or of organs not specified.	179 102 98 57 17	1						3 1 1	7 4 1 1	20 1 6 2 5 5	91 7 26 15 22 12 1	135 6 47 16 25 15 1	168 6 60 35 31 9 2	104 3 32 23 7 9 7	40 2 7 6 7 4			
46 47 48 50 51 52 53 54 55	Other fumors (tumors of the female genital organs excepted). Acute articular rheumatism. Chronic rheumatism and gout. Diabetes. Exophthalmic goiter. Addisor's disease. Leukemia. Anemia, chlorosis. Other general diseases.	2 22 2 109 8 3	1	1		1		1 1 1	3 1 1 1 1	2 7 3 4 1	1 3 1 5	1 1 15 1 2 7 2	6 18 3	4 37 1	20 20	1 1 6	1		
56 57 59	Alcoholism (acute or chronic)	1								1	5 1	6	7	6 1					
60	and of the organs of special sense	<del></del>	47	19	19	8	6	8	12	18	40	88	147	272	211	101	12		
60 61 62 63	Encephalitis Meningitis (total) Simple meningitis. Cerebrospinal meningitis (undefined) Cerebrospinal fever. Locomotor ataxia. Other diseases of the spinal cord (total). Acute anterior poliomyelitis. Other diseases of the spinal cord 1.	74 31 16 27 16 49	20 9 2 9	12 3 4 5	1 11 6 2 3 2 1				5 3 2 1	2 1 1 2 3	1 1 2 2 2	6 2 1 3 4 5	1 1 6 7	3 16	4				
64 65 66 67 68 69		30 52 17 32	2	1		1		1 1	2	1 2 6	13 	2 14 2 5		3	185 3 11 4 1 2	<i>-</i>	4		
70 71 73 74 76	Convulsions of infants  Neuralgia and neuritis  Other diseases of the nervous system	26 4 14	11	1 1 1	i		2					4	2	1	1	i			

 $^{\mbox{\tiny 1}}$  Exclusive of acute anterior poliomyelitis (infantile paralysis).

nt.							- <del></del>		D	EATHS A	AT AGE	OF—							ii .
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years	3 years	4 years	5 to 9		29	39	49	59	69	79	89		ove	Deaths at un-
_	9	<u>,                                      </u>		RB	ODE	isi	AND	-Con	tinued			· <u>'</u>			<u>.</u>		_		
	III.—Diseases of the circulatory system	1,410	9	1	3	3		11	33	. 42	68	137	213	347	325	192	.24		2
77 78 - 79 80 81 82 83	Pericarditis. Acute endocarditis. Organic diseases of the heart. Angina pectoris. Diseases of the arteries, atheroma, aneurism, etc. Embolism and thrombosis. Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).	2 70 1,048 53 204 22	1 2 4 1		2	1 1		3 8	6 26	4 33 1 1 2	1 11 53 1 1	8 119 4 3 2	25 161 6 15 4	289 24 22 7	2 226 14 77 4	1 120 3 68	6 17 1		1 1
84 85	Diseases of the lymphatic system (lymphangitis, etc.). Hemorrhage; other diseases of the circulatory system.  IV.—Diseases of the respiratory system.	6 3 2,042	349	168	75	23	22	54	100	305	302	176	1 136	1 146	1 1 121	52	12		1
87 88 89 90 91	Diseases of the larynx Diseases of the thyroid body Acute bronchitis Chronic bronchitis Bronchopneumonia Pneumonia (total) Lobar pneumonia Pneumonia (undefined) Pleurisy	99 47 400	59 1 139 145 92 53	14 1 58 93 67 26	8 30 37 31	1 5 17 15	1 9 11 10 1	1 2 9 40 32 8 2	1 2 95 76	2 28 275 245 30	2 3 18 275 236 39	2 19 152 129	1 2 4 13 110 95 15	1 10 23 108 80	3 10 31 71 46 25	4 12 13 21 14 7	2 1 3 5 2 3		1
93 94 95 96 98	Pileurisy. Pulmonary congestion, pulmonary apoplexy. Gangrene of the lung. Asthma. Other diseases of the respiratory system (tuberculosis excepted). V.—Diseases of the digestive system.	285 15 7 11 11 4 898	1 1 410		21	11	1	16	19 1	29	2 2 2	23 1 1 1 63	15 1 3 3 1 68	28 1 1 2 67	3 1 1 1 47	1 20	1		
99 100 101 102 103	Diseases of the mouth and annexa. Diseases of the pharynx. Diseases of the esophagus. Ulcer of the stomach. Other diseases of the stomach (cancer excepted).	3 , 18 1 32 57	3 24	4	1	i	2	1 1 1	1	2	2 5 3	3 1 10 2	5	1 3 6 7	1 2 7	4			
104 105 107 108 109	Diarrhea and enteritis (2 years) Diarrhea and enteritis (2 years and over). Intestinal parasites Appendicitis and typhlitis. Hernia, intestinal obstruction (total) Intestinal obstruction. Other diseases of the intestines	440 84 1 56 72 33 39 19	373 1 6 1 5	67 3 1 2 1	18 2 1 1	7 1	5	1 7 1	13 2 2	10 3 1 2 2	7 10 5 3 2 5	7 5 5 3 2 1	5 20 11 9 3	5 3 13 5 8 3	9 11 5 6 2	12 1 1 1	1		
111 113 114 115 116 117 118	Acute yellow atrophy of the liver  Cirrhosis of the liver  Biliary calculi.  Other diseases of the liver  Diseases of the spleen.  Simple peritonitis (nonpuerperal).  Other diseases of the digestive system (cancer and tuberculosis excepted).	3 54 21 20 1 14 2	3					3		1 1 2 2	1 3 2	14 7 5	15 4 4 1	11 7 6	10 1 1 1	2			
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	745	6	3	2	1		4	10	27	62	. 91	127	191	154	60	6		1
119 120 122 123 124 125	Acute nephritis Bright's disease. Other diseases of the kidneys and annexa. Calculi of the urinary passages Diseases of the bladder. Diseases of the urethra, urinary abscess,	43 612 14 3 5	4 · · · · · · · · · · · · · · · · · · ·	2 1						6 14 1	[	8 70 1	3 116 1	171 5	130 3 2 2	2 48 1	6		i
126 127 128 129 130 131 132	etc. Diseases of the prostate. Nouvenereal diseases of the male genital organs. Uterine hemorrhage (nonpuerperal). Uterine tumor (noncancerous). Other diseases of the uterus. Cysts and other tumors of the ovary. Salpingit	1 30 2 1 6 7 5	1						i		2	1 4 2 3	1 2	7 1 1	13	8			
133 134 135	male genital organs.  Nonpuerperal diseases of the breast (cancer excepted).  VII.—The puerperal state.  Accidents of pregnancy.  Puerperal hemorrhage. Other accidents of labor.	15 1 152 47 17							7	5 1 72 23 8	66 20 8	$\begin{array}{c} 1 \\ \hline 7 \\ \hline 2 \\ 1 \end{array}$							
136 137 138 139 140	Other accidents of labor. Puerperal septicemia. Puerperal albuminutia and convulsions. Puerperal phlegmasia alba dolens, embolus, sudden death. Following childbirth (not otherwise defined).	20 33 33 1							1 2 2	6 19 16	8 11 12 14	1							

. Int.						···			DEA	THS AT	AGE OF	_		====					at un-
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years.		5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at known a
				RI	todi	e isi	LANI	<b>D</b> —Co	ntinue	a.`							·		
	VIII.—Diseases of the skin and of the cellular tissue	24	6	1						1	2	2	2	4	3	1	2		<u>.</u>
142 143 144 145	Gangrene Furuncle Acute abscess Other diseases of the skin and annexa IX.—Diseases of the bones and of the organs of locomotion.	8 7 2 7	1 3 2	1	1			2	2	1	1	1	1 1 1	1 1 1 1	3	1	1		
146	Diseases of the bones (tuberculosis excepted)X.—Malformations.	12 106	99	1 2	1 1	1	1	2	2 1.			2	1	2		1			
150 -	Congenital malformations (stillbirths not included) (total). Hydrocephalus. Congenital malformations of the	106 10	99 8	2 2	1	1	1	1	1										
4	heart. Other congenital malformations. XI.—Early infancy.	63 33 614	59 32 614		i 		1	1	1										
151	Congenital debility, icterus, and sclerema (total). Premature birth. Congenital debility, "atrophy,"	465 276 189	465 276 189					1			-								
152	"marasmus," etc. Other causes peculiar to early infancy (total) Injuries at birth Other causes peculiar to early	146 94	146 94																
153	infancy 1 Lack of care. XII.—Old age	52 3 124	52											8	41	48	23	3	1
154	Senility	1	12	9	12	12	16	42	54	68	70	78	65	8 54	41 33			3	, 1
155 156 157 158 159 160 161	Suicide (total)  By poison.  By asphyxia.  By hanging or strangulation.  By drowning.  By firearms.  By cutting or piercing instruments.  By jumping from high places.	10 19 8 6 28							5 2 1 1		20 3 8 1 6 2	14 1 1 3 2 7	10 1 3 3 3	10 3 1 1 2 3	1				
164 165 166 167	Accidental or undefined (total) Poisoning by food. Other acute poisonings. Conflagration Burns (conflagration excepted).	465 3 8 7	12 1		12 1	12	16 1		48 1 1 3	46	49	60 4 5	54	43	31 1		1		1
168 169 170 171	Absorption of deleterious gases (con- flagration excepted). Accidental drowning. Traumatism by firearms. Traumatism by cutting or piercing instruments.	44 41 5	4		1	i	1 3	1 3 1	1 10 3	4 6 1	7 7	,6 6	6 2	9 1	1	1			1
172 174	Traumatism by fall	89 21	1	1	1	1		2	- 7		3 3	13 5	15	. 11	10	23			
175	Traumatism by other crushing (total) Raulroad accidents and injuries Street-car accidents and injuries Automobile accidents and injuries ries	- 25 - 26			1		$\begin{bmatrix} & 7\\ & 2\\ & 5 \end{bmatrix}$	2 2	1	13 6 3	17 3 5	13 1 4	20 4 4 9	10 1 2	64	- ····i	-		
178 179 180 181 185 186 182 183 184	ries. Injuries by other vehicles. Landslide, other crushing. Excessive cold Effects of heat. Lightning. Electricity (lightning excepted). Fractures (cause not specified). Other external violence Homicide (total). By firearms. By cutting or piercing instruments. By other means.	3 10 3 11 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 2	i				1 1 2	1 1 4 1 1 1	1 2 6 6 3 2 1	3 1	2 4 4 2 1	2. 2 1 1	3 1 1	1 1 1 1 6	1			
187 188 189	XIV.—Ill-defined diseases.  Ill-defined organic disease Sudden death Not specified or ill-defined (total) Ill-defined. Not specified or unknown	1 14 44	15 6	2 6 5	2				i 1	2 3 3	1	5 2 3 1 2	7 2 5 3 2	1 , 4 4	2	i	-		

<sup>&</sup>lt;sup>1</sup> Exclusive of injuries at birth.

int.				<del></del>				D	EATHS	AT AGE	or—				•			*	du .
Detailed Int. List No.	CAUSE OF DEATH.	All deaths	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to '19 years.	20 to 29 years.	30 to 39 years.	40 to - 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
. —				sou	TH (	CAR	OLIN	A (T	OTA:	L).				•	·	<u>,                                     </u>	/w	<u> </u>	
	All causes	30, 761	6,031	2, 013	938	563	415	1,216	2,915	3,979	3, 273	2,392	1,846	2,100	1,806	883	210	69	112
	I.—General diseases		1,553	899	505	326	237		1,796	2,439	1,848	1,117	667	549	339	146	27	8	50
1 5 6 7	Typhoid fever	526	11 77 1 87 1	5 44 69 1	7 34 28	18 12 1	10 16 10	' 66 66 15	176 68 26 1	131 50 13	66 38 11	50 28 11	31 30 3	13 27 3	17 2	1 8 1	1 3	i	3
8 9 10 13	Whooping cough Diphtheria and croup Influenza. Cholera nostras.	754 139 5,964 11	368 31 572 4	174 17 326	81 25 230	41 16 166	30 17 122 1	40 25 415 3	12 4 1,015	2 2 1,250	945 1	2 443	1 1 174	1 134 1	1 82 1	45	9	4	32
14 177 18 199 202 233 224 26 28 299 300 331 332 334 44 44 45 50 55 55 55 55 55 55 55 57	Dysentery Leprosy. Leprosy. Erysipelas Other epidemic diseases. Purulent infection and septicemia. Rabies. Tetanus. Pellagra. Tuberculosis (total). Tuberculosis of the lungs. Acute miliary tuberculosis. Tuberculosis entire tuberculosis. Pott's disease. White swellings. Tuberculosis of other organs. Disseminated tuberculosis. Rickets. Syphilis. Gonococcus infection Cancer and other malignant tumors(total) of the buccal cavity. Of the stomach, liver. Of the female genital organs. Of the female genital organs not specified. Other fumors (tumors of the female genital organs excepted). Acute articular rheumatism and gout. Scurvy. Diabetes Exophthalmic goiter Leukemia. Anemia, chlorosis. Other idead poisoning.	156 466 3 3 455 741 2,360 2,146 2,146 277 8 77 8 77 160 209 100 167 373 366 466 415 22 113 31 566	210 6 6 5 5 10 36 228 3 3 4 67	182 2 1 2 2 34 4 42 33 3 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		30 2 2 3 16 10 3 3 2 2 1 1 1 1 1 1 3 3 2 2 1 1 1 1 1 1	122 6 22 1 3 3	35 1 222 70 522 5 6 6 4 3 3 3 1 1 1 4	14 5 1 9 852 365 338 16 2 2 7 7 6 1 1 1 1 1 1 1 2 2	13 3 131 760 709 22 3 14 4 23 3 27 4 21 9 5 2 9	13 2 146 478 438 23 21 1 46 67 4 20 3 20 11 1 8 8	12 3 3 5 264 245 3 1 19 110 2 23 3 7 5 19 2 3 3 7 5 19 2 3 7 5 19 2 3 7 5 19 6 4 19 19 19 19 19 19 19 19 19 19 19 19 19	9 7 6 143 135 2 1 2 1 10 127 10 41 11 2 17 17 17 17 17 17 17 17 17 17	22 14 2 75 106 96 2 3 3 8 112 7 38 6 19 19 19 19	35 7 2 1 43 33 31 1 1 85 3 24 4 8 15 10 17 18 14	21 1 3 3 7 7 7 1 27 10 1 24 7 7 3 4	3 4 4 7 1 1		1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
59 59	Other chronic poisonings.  II.—Diseases of the nervous system and of the organs of special sense.	- 6		23	26	19	12	36	88	79	126	182	273	347	308	111	14	4	8
60 61	Encephalitis Meningitis (total) Simple meningitis Cerebrospinal meningitis(undefined) Cerebrospinal fever.	9 162 39 52 71	1 25 11 4	6 2 3	12 2 6	19 6 1 3 2	6 2 2	1 22 2 6 14	50 12 18 20	1 13 1 6 6	1 13 3 2 8 2 4	1 5 1 1 3	1 4 2 -1 1					*	
62 63	Other diseases of the spinal cord (total).  Acute anterior poliomyelitis.  Other diseases of the spinal cord 1.	7 - 45 - 18 - 27	3	2 2	4 4	2 2	1 1	1 1	2 1 1	5 1 4	3	7	1 3	3 3	1 6 1 5	, 1			
64 65 66 67 68	Cerebral hemorrhage, apoplexy Softening of the brain Paralysis without specified cause. General paralysis of the insane. Other forms of mental alienation	19	1 6			1		2	6 4 1 15	19 13 5 5 16	22 7 3 13	50 17 2 2	175 2 74 4 2	221 4 101 4 4	172 2 116 7 1	1	5 1 8	1	2
70 71 72 73 74	Epilepsy Convulsions (nonpuerperal) Convulsions of infants Chorea Neuralgia and neuritis Other diseases of the nervous system	- 4 -4 -27	93	12 1	7	7			2		5		1	1 3	1	7			
76	Diseases of the ears		] 2 1 Exclu		acute:	anterio	r polic	.l myelit	2 is (inf	intile p	.  2 aralysis			1					<b> </b>

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

o Int.					- nr				DI	EATHS A	T AGE	OF							at un-
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	100 yrs. and over.	Deaths at known ag
			sot	тн	CAR	OLII	VA (I	ота	<b>L</b> )—C	ontinue	ed.						•	·	·
	III.—Diseases of the circulatory system	2,014	18	5	4	1	1	15	49	132	196	226	312	459	370	<b>.</b> 172	41	6	7
77 78 79 80 81	Pericarditis. Acute endocarditis. Organic diseases of the heart. Angina pectoris. Diseases of the arteries, atheroma, ancu-	26 113 1,536 56	4 7	1 1 3	3	1	1	13	1 10 33 2	3 24 100 2	3 22 156	2 22 173 6	5 20 248 8	4 4 363 24	5 3 276 13	1 127 127	25,	3	1 4
82 84 85	rism, etc. Embolism and thrombosis Diseases of the lymphatic system (lymphangitis, etc.). Hemorthare; other diseases of the circu-	243 14 5	3		1			1		1	11 2	18	28 2	56 3	70 3	39	15 1	3	2
	IV.—Diseases of the respiratory system	3,709	646	269	138	77	57	148	3 462	638	465	4 297	151	5 134	138	60	8	5	16
86 87 88 89 90 91 92	Diseases of the nasal fossae Diseases of the larynx Diseases of the thyroid body Acute bronchitis Chronic bronchitis Bronchopneumonia Pneumonia (total) Lobar pneumonia Pneumonia (undefined) Pleurisy	121 11 7 58 37 392 2,956 1,663 1,293 41	57 3 35 1 133 406 128 278 2	13 3 8 47 189 79 110 3	7 1 8 40 76 37 39 4	2 2 2 14 54 27 27 1	3 11 42 18 24	6 1 14 124 61 63 1	10 1 2 24 413 249 164 5	5 1 1 28 581 386 195 6	5 2 4 15 429 271 158 3	4 1 6 20 253 174 79 4	5 1 4 9 126 83 43 3	1 1 3 11 102 58 44 6	3 8 16 99 58 41 2	3 7 9 38 20 18	1 5 3 2	3 1 2	16 10 6
94 95 96 97 98	Pulmonary congestion, pulmonary apoplexy Gangrene of the lung Asthma. Pulmonary emphysema. Other diseases of the respiratory system (tuberculosis excepted). V.—Diseases of the digestive system.	19 2 32 1 32 2,524	4 948	3 2 1 587	1 1 167	1 61	1	1 80	3 94	3 1 3 8 90	2 5 96	2 4 3 87	1 2 78	1 5 4 90	1 6 1 1 64	1	1	1	
99 100 101 102 103	Diseases of the mouth and annexa Diseases of the pharynx. Diseases of the csophagus. Uter of the stomach. Other diseases of the stomach (cancer excepted).	69 39 2 26 415	53 4 1	3 1	3 4	2 1	4	3 7	2 4	1 2 1	3 3 25	2 4 24	2 4 11 19	2 4 28	1 3	1			<u></u>
104 105 106 107 108 109	Diarrhea and enteritis (under 2 years) Diarrhee and enteritis (2 years and over). Ankylostomiasis Intestinal parasites. Appendicitis and typhlitis. Hernia, intestinal obstruction (total) Hernia	1, 248 278 5 26 113 125 30	716 4 1 24 2	532	122 5 1	40	16 1 4 1	22 2 7 11 3	8 1 1 39 8	9 1 23 14	11 19 15	9 8 14	6	10 4 17	24 8 1 5	3 1		1	1 1
110 111 113 114 115	Intestinal obstruction. Other diseases of the intestines. Acuto yellow atrophy of the liver. Cirrhosis of the liver. Biliary calculi. Other diseases of the liver.	95 25 8 43 16 52	22 4 1 2	2	4	1	1	1 1 1 1 3	1 7 2 3	14 4 3 1 1 5	3 12 4 4 3 4	10 1 2 8 2 11	10 3 7	9 8 1 7 5	3 2 1 7	1	} .		
117 118	Simple peritonitis (nonpuerperal) Other diseases of the digestive system (cancer and tuberculosis excepted) VI.—Nonvenereal diseases of the genito-urinary system and annexa.	33 1 1,725	19	19				2	6	* 8	4   1	2	2	3	3	1			
119 120	Acute nephritis Bright's disease Other diseases of the kidneys and anneva.	158 1,335	7 8	6	13 9 3	18 8 9	6	22 11 7	55 10 37	106 20 58	176 22 121	234 16 187	247 15 201	366 14 309	310 9 273	105 5 88	18		<sub>7</sub>
122 123 124	Calculi of the urinary passages	95 6 23	2	8 5	1			4	4	9	7	12 2 2	-ĭī	21 1 7	13	3	1		i 1
125 126 127	Diseases of the urethra, urinary abscess, etc	2 38								2	1	1 2	9	10	11				
128 129 130 131 132	organs.  Organs.  Organs.  Organs.  Organs.  Organs.  Organs.  Other the termor (noncancerous).  Other diseases of the uterus.  Cysts and other tumors of the ovary.  Salpingitis and other diseases of the female genital organs.  Nonpuerperal diseases of the breast	1 2 24 21 8	1 .						······ .	3 5 3 5	1 9 7 3	8 3 1	2 3 1	$\frac{1}{2}$		1			
	(cancer excepted)	1 572							94	243	189	44	1			1.			2
134 135 136 137 138 139	Accidents of pregnancy Pucrperal hemorrhage. Other accidents of labor Pucrperal septicemia. Pucrperal albuminuria and convulsions. Pucrperal phlegmasia alba dolens, embolus, sudden deuth.	73 31 136 152 172							10 25 24 35	37 7 58 68 72	24 21 38 47 53	15 12 11							1 1

=		<u>,</u>	his table		1065 611		15 01 50	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	5011013	, апс п									<del></del>
No.								<del>,</del>	DE	CATHS A	À AGE	of— '	,	<del></del>					at unage.
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	· 30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	89	90 to 99 years.	yrs. and over.	
			sou	TH (	CAR	OLIN	'A. (T	ота	<b>L</b> )—C	ontinue	d.					_			
	VIII.—Diseases of the skin and of the cellular tissue	63	9	4	2			1	3	6	4	11	5	9	. 8	1			
142 143 144 145	Gangrene	31 8 13 / 11	2 2 5	2 1 1	1			1	3	. 2 . 3	3 1	6 2 1 2	4 1	4 2 2 1	6	1			
	IX.—Diseases of the bones and of the organs of locomotion	18	4		<u></u>		1	1	3		2	2	1	3	1				
146 147	Diseases of the bones (tuberculosis excepted) Diseases of the joints (tuberculosis and rheumatism excepted) X.—Malformations	15 3 135	3 1 117	5	3	 1	1 <u>.</u>	1	2 1 2	2	2	2	1	2 1	1		 		
150	Congenital malformations (stillbirths not included) (total)	135 26	117 17	5 3	3 3	1 1	2	3 1	2 1	2									
	Other congenital malformations XI.—Early infancy	54 55 2,246	51 49 <b>2,24</b> 6	1 1			2	2	1	1 1									
151	Congenital debility, icterus, and sclerema (total).  Premature birth Congenital debility, "atrophy," "marasmus," etc Other causes peculiar to early infancy	2,086 1,544 542	2,086 1,544 542																
152	Injuries at birth	156 51	156 51																
153	fancy 1. Lack of careXII.—Old age	105 4 495	105 4										2	18	153	195	90	37	
154	SenilityXIII.—External causes	495 1,146	63	<b>5</b> 5	48	41	47	101	201	175	′ 120	121	2 51	18 44	153 39	195 21	90 4	37 5	10
155 156 157 158 159 160 162 163	Suicide (total)  By poison  By asphyxia  By hanging or strangulation  By drowning  By firearms  By cutting or piercing instruments  By crushing  Other suicides	56 10 1 2 5 29 6 2			7				6	14 6	10 1 1 1 4 1 2	11 2 6 3	1 1 3 2	3	1				1 1
164 165 166 167 168	Accidental or undefined (total) Poisoning by food. Other acute poisonings Conflagration. Burns (conflagration excepted). Absorption of deleterious gases (con-	921 19 32 39 251	60 5 1 1 20	55 4 11 2 20	48 1 5 4 25	41 2 30	47 2 3 30	100 1 1 4 43	165 2 3 6 20	108 . 4 3 7 13	76 3 3 9	79 2 1 1 10	35 3 3	35 3 8	35 1 9	21 7	4 2	5  1 2	
169 170 171	flagration excepted) Accidental drowning Traumatism by firearms Traumatism by cutting or piercing instruments	24 65 89	15 2 2	7 2	2 4	2	4	3 5 11	30 44	10 7	1 1 8	3 2 3	1 1 2	2	1				
172 174 175	instruments Traumatism by fall Traumatism by machines Traumatism by other crushing (total) Railroad accidents and injuries	82 38 174 77	5	2	1 4 2	2	4	5 1 19 2	8 6 28 9	5 12 34 15	23 14	7 10 27 15	3 1 14 6	7 3 7 4	15 8 6	8 1 1 1	2		
	Street-car accidents and injuries.  Automobile accidents and injuries.  Injuries by other vehicles.  Landslide, other crushing.	- 56 30 7			2	1	2 2	9 8	1 14 4	10 4 2	6 2 1	4 7 1	5 1 2	2 1	2				
176 177 178 179 180 181 186	Injuries by animals Starvation Excessive cold Effects of heat Lightning Electricity (lightning excepted) Other external violence	9 1 8 5 11	9	1	2	1	2	2	1 5 1 9	2 2 1 6	1 1 2 3 9	1 1 1	1 1 1 4	1 4	1	3		2	
182 183 184	Homicide (total).  By firearms By cutting or piercing instruments. By other means.  XIV.—III-defined diseases.	169 143 13 13	3 3 270	147	32	19	15	1' 1 33	30 21 6 3 68	53 50 2 1 69	34 29 3 2 51	31 26 2 3 71	8 7 1 59	5 5 	2 2 76	33	7	1	
187 188 189	Ill-defined organic disease Sudden death Not specified or ill-defined (total) Ill-defined Not specified or unknown	35 841	3 15 252 180 72	1 142 122 20	30 24 6	1 18 16 2	11 9 2	31 20 11	10 58 43 15	11 1 57 35 22	12 2 37 25 12	, 24 4 43 26 17	19 40 31 9	21 9 51 44 7	29 2 45 41 4	16 1 16 14 2	3 4 4	1	

<sup>1</sup> Exclusive of injuries at birth.

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Int.									DE	CATHS A	T AGE	)F—							gen-
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	89	99	100 yrs. and over.	Deaths at un- known age.
		,		sol	UTH	CAR	OLI	NA (V	VHIT	E).		1		ı	1	1	<u> </u>	<u>'</u>	<b>_</b>
	All causes		1,959	718	297	189	118	344	779	1,189	1,195	904	814	1,088	1,021	440	54	4	39
	I.—General diseases		408	291	151	100	65	210	460	680	701	441	312	286	202	75	6		17
1 4 6 7	Typhoid fever Malaria Measles Scarlet fever	204 95 115 4	1 10 23 1	$\begin{array}{c} 2 \\ 2 \\ 26 \\ 1 \end{array}$	1 15	2 3 4 1	5 1 4	28 13 2	45 13 10 1	44 10 5	26 12 10	26 6 9	16 8 3	5 9 3	2 5 1	2			
8 9 10 13	Whooping cough Diphtheria and croup Influenza Cholera nostras	204 91 2,045 4	107 13 143	51 9 107	16 19 56	10 13 43	5 13 27 1	18 113 113	4 4 282	2 1 419	429	193	1 1 75	1 71 1	46 1	25	i		15
14 17	Dysentery	253	56	69	30	11	6	12	4	4	4	5	3	10 1	25	14			
18 19	Erysipelas Other epidemic diseases	31 7	5 3	1 1	1	2	<sub>1</sub>	i	5 1		2	2	4	i i	7	i			
20 23	Purulent infection and septicemia Rabies. Tetanus	28 3	4			2 2		1	6	2	2	2	4	1	2	2			
24 26	Pellagra	276	7 3	<u>i</u>	····i	····· <u>2</u>		5	9	1 26	51	1 58	51	37	1 25	5			i
28 29 30	Tuberculosis (total)	4.81	9 8	9 6	3 1	1	2 <sub>1</sub>	1	54 52	142 135 2	119 113 1	70 61	56 55	36 30	16 16	3			1
31	Acute miliary tuberculosis Tuberculous meningitis Abdominal tuberculosis	10 17	i	1	1	1	i	1	1	2 2	1 4	1 6	i	1 1					
32 33 34	Pott's disease White swellings Tuberculosis of other organs. Disseminated tuberculosis	1 1 5		i					1	<u>,</u> i			<del>-</del>	3					
35 36	Disseminated tuberculosis	2 2	2									î		ĭ					
37 38	Syphilis. Gonococcus infection	15 1	6	1						2	5 1			1					
39 40 41	Cancer and other malignant tumors (total) Of the buccal cavity Of the stomach, liver Of the peritoneum, intestines, rec-	17		1 1		1		2	4 i	10	32 3 10	52 2 14	71 1 24	79 7 27	53 2 15	20 7	4 1		
	tumOf the female genital organs	68							1	1 5	2 7	5 18	8 20	3 9	6 6	1 2	i		
42 43 44 45	Of the skin Of other organs or of organs not	32								i	6	7 2	7 6	9	4 6	2 7	1		
46	specified Other tumors (tumors of the female genital organs excepted)	2	<b>.</b>	 		1		2	2	3 1	4	4	5	15	14	1			
47 48 50	Acute articular rheumatism Chronic rheumatism and gout Diabetes	14 5 78						1	7	1		1	1	2 2	1 1	<sub>i</sub>			
53 54	Leukemia. Anemia, chlorosis	15		1	2	<u>1</u>		4	7 1 1	6 <u>2</u>	$\frac{4}{2}$	10	10 5	23	12	1			
55 56	Other general diseases	38	15	9	5			2	1	1	 1	$1 \\ 2$	ī 1	2		i			
57 59	Chronic lead poisoning. Other chronic poisonings.	2 4								1	1	2			·····ż				
	II.—Diseases of the nervous system and of the organs of special sense	812	48	10	12	8	6	12	35	28	46	61	113	187	175	63	5		3
60 61	Encephalitis Meningitis (total) Simple meningitis.	4 95	1 17	5	8	1 5	<u>5</u>	10	1 26	9	7	1	1 2						
	Cerebrospinal meningitis (undefined) Cerebrospinal fever	36	6 3 8	1 3 1	6	1 2 2	2 1 2	2 4 4	7 9 10	1 5 3	3 1 3	1	1 1					·	
62 63	Locomotor ataxia Other diseases of the spinal cord (total). Acute anterior pollomyelitis	23 9	2 2	1 1	2 2	1 1				$ \begin{array}{c}     3 \\     2 \\     1 \end{array} $	1 2 1	3	$\frac{1}{2}$	3	1 4	i			
64	Other diseases of the spinal cord 1 Cerebral hemorrhage, apoplexy	398	3				1	1	1	1. 5	1 13	3 30	1 74	3 127	102	1 37	2		2
65 66 67	Softening of the brain  Paralysis without specified cause.  General paralysis of the insane	179	<del>.</del>	:						i 1	5 2	18	$\begin{array}{c}1\\27\\2\end{array}$	$\frac{2}{47}$	2 59	1 19	$\frac{1}{2}$		<u>i</u>
68 69	Other forms of mental alienation  Epilepsy	27	2					1	3	2 8	1 8	5 1 1	• • • • • • •	1 3	3 1 1	1	:		··
70 71	Convulsions (nonpuerperal)	4 25	21	2	·····i	1				8	3				1				
72 73 74	Chorea	3	i	1 1	 1				2 <sub>2</sub>			2	1	1	1				
76	Diseases of the ears		1			 	· · · · · · ·			<b>.</b>	2 2		1	$\frac{2}{1}$	ļ	4			

<sup>1</sup> Exclusive of acute anterior poliomyelitis (infantile paralysis).

Et.									DE	ATHS A	T AGE	of—			-		:	1	age.
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 yéars.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at known ag
			sot	TH	CAR	OLI	NA (1	WHIT	·E)—(	Continu	ied.		'		<u> </u>	•			
	III.—Diseases of the circulatory system	901	14	i	2	1		6	. 14	35	44	64	127	249	232	90	17	2	3
77 78 79 80 81	Pericarditis. Acute endocarditis. Organic diseases of the heart. Angina pectoris. Diseases of the arteries, atheroma, aneu-	46 666	4 6	1	2	1		5	5 7	1 7 26 1	7 34	8 46 6	1 7 99 4	1 3 191 21	2 3 164 12	69 1	12	2	1 2
82 ,84	Embolism and thrombosis  Diseases of the lymphatic system (lymphangitis atc.)	122 5 3	1 2					1			2	3	15	29 1	48 3	20	1		
85	Hemorrhage; other diseases of the circulatory system  IV.—Diseases of the respiratory system		1 208	122	53	33	15	43	2 112	216	1 188	1 106	1 68	73	92	45	4	1	3
86 87 88	Diseases of the nasal fossae  Diseases of the larynx  Diseases of the thyroid body	15 6 3	10 1	1 3	1	1	1		1	1	1				2				
90 91 92	Acute bronchitis Chronic bronchitis Bronchopneumonia Pneumonia (total) Lobar pneumonia Pneumonia (undefined)	19 215	16 70 107 45 62	25 83 40	22 22 15 7 2	9 21 14	3 10 4	1 7 35 18 17	9 98 72	16 194 150	1 7 177 128	2 13 86 70	1 4 59 39 20	1 2 6 58 37	6 14 65 43 22	3 6 9 26 16	1 2 2		3
93 94 95	Pulmonary congestion, pulmonary apo- plexy Gangrene of the lung	13	62 2 1	43 2 3	7 2 1	1	6	17	26 2	44 2 3	49 2	16 2	2	21 4	22 1 1	10 1	1	1	2
95 96 97 98	Pulmonary emphysema. Other diseases of the respiratory system (tuberculosis excepted).	5	1	1	1	1	1		1			2 1	1 1	1	1 1				
99 100	V.—Diseases of the digestive system.  Diseases of the mouth and annexa.  Diseases of the pharynx.	1 70	313 4 1	247	56	20	13 2	28 1 2	33	28	32	40	1 2	39	30	21	1		3
101 102 103	Diseases of the esophagus. Ulcer of the stomach Other diseases of the stomach (cancer excepted).	13	1 32	12	9	5	1	3	5	4	1 2	1 9	6	2 8	1. 2	1 8			1.
104 105 106 107	Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Ankylostomiasis.	487 98 4	255	232	40	14	5 1	6 1 1 7	1 1	3 1	2	3	3	3	6	10	1		i
108 109 110	Appendicitis and typhlitis. Hernia, intestinal obstruction (total) Hernia Intestinal obstruction Other diseases of the intestines	48	1 15 2 13 2	2	3 1 2 2		4	7 2 1 1	19 2 2 2 2	8 4 4 1	8 4. 4 2	4 7 1 6	4 3 1 2	4 7 3 4	5 2 3 1	1			1
111 113 114 115	Acute yellow atrophy of the liver. Cirrhosis of the liver. Biliary calculi. Other diseases of the liver	1 4	-: 1					1	2	1 1 1	3 3	1 3 1 8	8 3 5	4 3 8	1 2 1 2				
117 118	Simple peritonitis (nonpuerperal) Other diseases of the digestive system (cancer and tuberculosis excepted)		1					2	1	3	3	1	. 1		1	1			
***	VI.—Nonvenereal diseases of the genito-urinary system and annexa	743	8	3	4	6	3	2	27	30	40	92	101	188	- 178	54	3		4
119 120 122 123	Acute nephritis Bright's disease Other diseases of the kidneys and annexa. Calculi of the urinary passages	26	5 2 1		3 1 	3 2 1	2 1	1	7 17 1	20 3	32 1	10 74 2	5 88 3	7 169 5	163 5	2 49 2	3		4
123 124 126 129 130 131	Calculi of the urinary passages Diseases of the bladder Diseases of the prostate Uterine tumor (noncancerous) Other diseases of the uterus	14								1 3	2 1	3	3 1	2 4	7				
132	Other diseases of the uterus, Cysts and other tumors of the ovary. Salpingitis and other diseases of the fe- male genital organs. Nonpuerperal diseases of the breast (can- cer excepted).	3					b		2	1	1	1							
104	VII.—The puerperal state	205			J		<u> </u>	ļ	23	90	75	15							2
134 135 136 137 138 139	Accidents of pregnancy Puerperal hemorrhage Other accidents of labor Puerperal septicemia Puerperal albuminuria and convulsions Puerperal phlegmasia aiba dolens, em-	49 39 69							5 6 4 8	21 3 20 18 28	7 7 16 13 29	2 7 3 3							::::: i i
	bolus, sudden death	3	]				J	l			3						ļ	[ <u>-</u>	i

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Int.						-			DEATH	S AT AG	E OF—								 
Detailed In List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at known ag
			so	UTH	CAF	OLI	NA (	whi'	re)	Continu	ied.								
	VIII.—Diseases of the skin and of the cellular tissue	21	4	2	1				1	2	1	4	1	3	2.				
142 143 144 145	Gangrene Furuncle Acute abscess Other diseases of the skin and annexa IX.—Diseases of the bones and of	9 5 3 4	2	2	1				1	2	i	1 1 1 1	1	1 1 1	2				
146	the organs of locomotion Diseases of the bones (tuberculosis ex-	13	2				1	1	1		2	2	1	3	<u></u>				
147	cepted) Diseases of the joints (tuberculosis and rheumatism excepted) X.—Malformations	12 1 76	72					1 <sub>2</sub>	1 1	1	2			1					
150	Congenital malformations (stillbirths not included) (total)	76 6 40 30 788	72 6 38 28 788					2	1	- 1									
151	Congenital debility, icterus, and sclerema (total).  Premature birth. Congenital debility, "atrophy," "marasmus," etc.	721 573	721 573																
152	"marasmus," etc. Other causes peculiar to early infancy (total). Injuries at birth. Other causes peculiar to early infancy fancy 1.	148 66 21 45	148 66 21 45																
153	Lack of careXII.—Old age	1 149	1											2	61	68	16	1	
154	SenilityXIII.—External causes	149 473	29	17	12	19	13	36	65	65	56	61	1 31	2 27	61 24	68 12	16 2	1	4
155 156 -57 158 159 160 162 163	Suicide (total).  By poison.  By asphyxia.  By hanging or strangulation.  By drowning.  By firearms.  By cutting or piercing instruments.  By crushing.  Other suicides.	1 2 3							4	8 4	9 1 1 1 2	9 2 5 2	8 1 1 3 2	3 1	1				
164 165 166 167 168	Accidental or undefined (total).  Poisoning by food. Other acute poisonings. Conflagration. Burns (conflagration excepted). Absorption of deleterious gases (con-	388 9 8 19 81	27 2 1	17 2 4 3	12 1 7	19 1 13	13 1 1 6	36 1  12	57 4 5	53 3 1 6 4	36 1 2 4	39 1 7	18	21 2 3	22 1 2	12	1		4
169 170 172 174 175	flagration excepted) Accidental drowning Traumatism by firearms Traumatism by fall Traumatism by machines Traumatism by other crushing (total) Railroad accidents and injuries Automobile accidents and in	11 28 32 45 15 93 46			1 1	2	1 1 3	3 6 5 6	12 15 3 10 2	1 5 2 6 20 11	1 3 4 1 12 9	2 2 6 14 7	1 2 11 5	5 2 5 3	13 6 5	7			1 3 3
176 178 179 180 181 186 182 183	juries Injuries by other vehicles Landslide, other crushing Injuries by animals Excessive cold Effects of heat Lightning Electricity (lightning excepted) Other external violence Homicide (total) By firearms By cutting or piercing instruments. By other means. XIV.—Ill-defined diseases.	31 14 22 3 2 1 4 5 32 43 33 4 6	4 2 2 65		1	1 1 1	1 1 2	2 3 1 2 2 2 4	7 1 3 1 3 4 1 2 1 7	1 3 4 4 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 1 3 5 11 9 1 1	2 4 1 5 13 11 1 1 18	5 1 1 5 4 1 15		1	1			
187 188 189	III-defined organic disease Sudden death Not specified or ill-defined (total) III-defined Not specified or unknown	29 15 192 131 61	61 31 30	1 24 20 4	1 5 4 1	1 1 1	2	4 2 2	7 5 2	2 1 11 6 5	3 1 6 4 2	2 1 15 10 5	13 9 4	5 6 20 17 3	6 1 18 17 1				

<sup>1</sup>Exclusive of injuries at birth.

int.				•					DEA	THS AT	AGE O	F	· · ·				<u>(</u>		Ħġ.
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years.	4. years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at un- known age.
		<u> </u>	s	OUT	нс	ARO	LINA	(CC	LOR	ED).						•	,		
	All causes	19,609	4,072	1,295	641	374	297	872	2,136	2,790	2,078	1,488	1,032	1,012	785	443	156	65	73
	I.—General diseases		1,145	608	354	226	172	566	1,336	1,759	1,147	676	355	263	137	71	21	8	33
1 4 5 6	Typhoid fever Malaria Smallpox	379 431 2	10 67 1	3 42	5 33	6 15	. 15	38 53	131 55	87 40	40 26	24 22	15 22	8 18	12 12	1 6 1	1 3	ï	3 1
6	Measles Whooping cough	175 550	64 261	43 123	13 65	8 31	6 25	13 34	16 8	8	1 1	2 1			1				i
9 10	Diphtheria and croup	3,919 7	18 429	8 219	6 174	3 123	4 95	7 302	733	831	516	250	99	63	1 36	20	8		<sub>17</sub>
13 14 18	Cholera nostras	415 9	154 1	113	29	19	3	2 23	10	9	1 9	7 1	6 3	12 3	10	7	3	ĭ	
19 20	Other epidemic diseases Purulent infection and septicemia	8 18	3 1	<u>.</u> .	1.		2	2	3	2 2 2	1	3	·;··· <u>2</u>	<u>i</u>		<u>i</u> -			1
24 26	Tetanus. Pellagra	34 465	22 7	3	2	i		17	7 43	105	95	80 80	· 39	38 38	18	14	3		
28	Tuberculosis (total) Tuberculosis of the lungs Acute miliary tuberculosis	1,838 1,665 77 17	27 20 2 2	33 28 3 1	19 11 3	15 10	10 6 1	69 52 5 5	311 286 16	618 574 20	359 325 22	194 184 2	87 80 2	70 66	17 15	4			5 4 1
30 31	Tuberculous meningitis Abdominal tuberculosis	40	2		3	1	1 2	5 4	6	1 12	1 7	3 1	ĩ	1 2	···i				<del>-</del>
28 29 30 31 32 33 34 35	Pott's disease White swellings Tuberculosis of other organs	7 6 22	3	1	<u>-</u>	<u>3</u>		3	1 2	. 2	3	1 2 2	<u>2</u> 1	i	1				
35 36	Disseminated tuberculosis	4 7	2	3	2					3	ĭ								
37 38	Syphilis. Gonococcus infection	194 9	61	10	4	2	4	2	7	25 4	41 5	19	10	7		1			1
39	Cancer and other malignant tumors (total) Of the buccal cavity	3					1	1	2	11	35 1 10	58	56	33	32 1 9	7	3		2 · ····i
39 40 41 42 43 44 45	Of the stomach, liver Of the peritoneum, intestines, rectum Of the female genital organs	69 10 92								4 4	1 13	9 2 33 12	22 2 21	11 3 10	2 9		-1 1		<u>-</u> i
43 44 45	Of the skin.	92 37 4							1	·····i	5 1	12	5 1	5	6 1	2	1		<b></b> -
46	Of other organs or of organs not specified Other tumors (tumors of the female genital organs excepted)	26						1	1	2	4	2	5	4	4	2	1		······
47	Acute articular rhoumatism	22	2	1			1		1 4	1 8	6	2	2	3		5		1	i
48 49 50	Chronic rheumatism and gout. Scurvy. Diabetes	25		1				γí	1 2	3	2 4	8	7	6	3 2	1		1	
51 53 54	Exophthalmic goiter Leukemia. Anemia, chiorosis. Other general diseases.	2 3 16	1								2	3	1 2		 1 1				<b></b> -
55 56	Other general diseases.  Alcoholism (acute or chronic)	18	3 7	3	1	1 2	1	2	1	3 1	1	1							
59	Other chronic poisonings	2											1		1	•••••			
	II.—Diseases of the nervous system and of the organs of special sense	982	90	13	14	11	6	24	53	51	80	121	160	160	133	48	9	4	
60 61	Encephalitis Meningitis (total)	5 67	8	i	4	i	<u>i</u>	1 12	1 24	1 4	1 6	1 4	<u>2</u>						
	Simple meningitis	14	5	i		<u>î</u>	<u>i</u>	2	5 9	<u>i</u>	i	1	2						
62 63	Cerebrospinal fever.  Locomotor ataxia  Other diseases of the spinal cord (total)	37. 3 22	<u>2</u>	i	4		i	10	10 2	3 3	5 1 2	3 1 4	<u>2</u>	1	2				
	Locomotor ataxia Other diseases of the spinal cord (total) Acute anterior poliomyelitis. Other diseases of the spinal cord 1.	13	i	î	2	1	î	1	î	3	2	<u>4</u>	2		1				
64 65	Cerebral hemorrhage, apoplexy Softening of the brain Paralysis without specified cause.	416	1		1	1	1		5	14	36	64	101 1 47	94	70	21	3	2	2
66 67 68	Paralysis without specified cause   General paralysis of the insane   Other forms of mental alienation	.1 31	1			1		2	4 1	· 12	17 5 2	32 12 1	47 2 2	· 54	57 4	$\begin{vmatrix} 22 \\ 1 \end{vmatrix}$	6	1	1
69 70	EpilepsyConvulsions (nonpuerperal)	40 10	4	1		1		5 3	12 2		5 2	1		1		ļ		<u>i</u> -	2
71 72 73	Convulsions of infants Chorea Neuralgia and neuritis	.i 96	72	10	6	6	2 1												
73 74 76	Other diseases of the nervous system	. 12	2 1		i				2		1 2	1	3	1					
70	Diseases of the ears		n r xelusiv	e of act	ıte ant	erior p	oliomy	elitis (	•	le paral	ysis).	, 1	1 <del>-</del>	' <b></b>			l	, ,	

j,									DE	ATHS A	T AGE (	)F—							at un-
Detailed In List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at known a
			sot	J <b>TH</b>	CAR	OLI	VA (	COL	OREI	)—Cor	tinued						,	<u>, , , , , , , , , , , , , , , , , , , </u>	
	III.—Diseases of the circulatory system.	1,113	4	4	2		1	9	35	97	152	162	185	210	138	82	24	4	4
77 78 79 80 81	Pericarditis	21 67 870 11	i	13	i		1	1 8	1 5 26 2	2 17 74 1	3 15 122	2 14 127	13 149 4	3 1 172 3	3 112 1	1 2 58	13	1	
82 84	rism, etc Embolism and thrombosis Diseases of the lymphatic system (lym-	121 9 2	1		1					i	9 2	15 1	13 2	27 2	22	19	1	3	2
85	phangitis, etc.).  Hemorrhage; other diseases of the circulatory system.  IV.—Diseases of the respiratory sys-	12	2						1	1	1	3		2		2			•••••
86	Diseases of the nasal fossae	2,327	438	147	85	44	42	105	350 9	422	277	191	83	61	46	15	4	4	13
87 88 89 90 91	Diseases of the larynx Diseases of the thyroid body Acute bronchutis Chronic bronchitis Bronchopneumonia	5 4 30 18 177	19 1 63	5	4	1 2 5	8	6	1 2 15	5 1 1 12	5 1 3 8	1 4 7	5 1 3 5	1 1 5	1 2 2	1	/	1	: :
92 93 94	Pneumonia (total).  Lobar pneumonia.  Pneumonia (undefined).  Pleurisy.  Pulmonary congestion, pulmonary apo-	1,910 969 941 19	299 83 216	106 39 67 1	54 22 32 2	33 13 20	32 14 18	89 43 46 1	315 177 138 3	387 236 151 4	252 143 109 1	167 104 63 2	67 44 23 1	44 21 23 2	34 15 19	12 4 8 1	. 3 1 2	3 1 2	13 9 4
95 96 98	plexy. Gangrene of the lung. Asthma. Other diseases of the respiratory system (tuberculosis excepted).	6 1 24 27	3	i		1		 1 1	3 2	1 3 8	2 5	2 2 2	i	4 4	5 1	i	i		
	V.—Diseases of the digestive system.	1,576	635	340	111	41	23	52	61	62	64	47	34	51	34	18		2	1
99 100 101 102 103	Diseases of the mouth and annexa Diseases of the pharyux Diseases of the esophagus. Ulcer of the stomach. Other diseases of the stomach (cancer excepted)	62 27 1 13	49 3 	2 1  32	3 3  15	2  11	2	2 5	2 4	1 1 1	3	1 3	1 2 5	2	1				
104 105 106 107	Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over). Ankylostomiasis Intestinal parasites.	761 180 1 24	461	300	82	26 	11 	14  16 1 6	14 7	13	23	6	11 3	7	16 2	6 4		1	1
108 109 110	Appendicitis and typhlitis. Hernia, intestinal obstruction (total) Hernia Intestinal obstruction Other diseases of the intestines.	57 66 19 47 14	9 9 2		2 2 2 2	1	1	1 1 1 1	20 6 1 5	15 10 10 3	11 11 3 8 2	4 7 3 4	5 2 3 2	10 6 4 1	1	5 4 1			
111 113 114 115	Acute yellow atrophy of the liver	21 4 22	1 1			1	i	1 1	1-1-1	2 1 4	1 1	1 5 1 3	2 2	3 2 · 1	5 1 5	1 2			
117	Simple peritonitis (nonpuerperal) VI.—Nonvenereal diseases of the genito-uninary system and annexa.	982	11	16	9	12	4	20	5 28	76	136	142	146	3 178	132	51	15	1	5
119 120 1 <b>2</b> 2	Acute nephritis. Bright's disease. Other diseases of the kidneys and annexa	104 709 69	2 6 1	5 8 3	6 2 1	5 7	4	10 6 4	3 20 3	18 38 6	19 89 6	6 113 10	10 113 .8	7 140 16	6 110 8	3 39 1	14 1	i	 3 1
$123 \\ 124 \\ 125$	Calculi of the urinary passages.  Diseases of the bladder.  Diseases of the urethra, urinary abscess,	20 20	i						<u>1</u>	1	1	1 2	4	5	1 3	3			1
126 127	etc. Diseases of the prostate. Nonvenereal diseases of the male genital organs.	24 1	1	1			ĺ			2	1	1 2	6	6	4	4			
128 129 130 131 132	organs.  Organs.  Otherine hemorrhage (nonpuerperal).  Uterine tumor (noncancerous).  Other diseases of the uterus.  Cysts and other tumors of the ovary.  Salpingitis and other diseases of the lemale genital organs.	17 16 6							1	2 2 3 4	1 7 6 2	5 2	1 3 1			i			
104	VII.—The puerperal state	367							71	153	114	29							
134 135 136 137 138 139	Accidents of pregnancy. Puerperal hemorrhage. Other accidents of labor. Puerperal septicemia. Puerperal albuminuria and convulsions. Puerperal phlegmasia alba dolens, embolus, sudden death.	87 113 103							19 20 27	16 4 38 50 44	17 14 22 34 24	2 1 8 9 8							

Int.					•				DE	ATHS A	r age c	)F <del>-/</del>							go.
Detailed In List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	100 yrs. and over.	Deaths at un- known age.
		-	sou	тн (	CAR	OLIN	A (C	ого	RED)	Cont	inued.								
	· VIII.—Diseases of the skin and of the cellular tissue	42	5	2	1			1	2	4	3	7	4	6	6	1			ļ
142 143 144 145	Gangrene Furunele. Acute abseess. Other diseases of the skin and annexa	22 3 10 7	2 3	1 1	1			1	2	3	3	5 1 1	4	3 2 1	4 2	1			
	IX.—Diseases of the bones and of the organs of locomotion	5	2						2						1				
146 147	Diseases of the bones (tuberculosis excepted) Diseases of the joints (tuberculosis and rheumatism excepted) X.—Malformations	3 2 , 59	1 1 45	5	3	1	2	1	1 1 1	1					1				
150	Congenital malformations (stillbirths not included) (total).  Hydrocephalus.  Congenital malformations of the heart.  Other congenital malformations.	14	45 11 13 21	5, 3	. 3	1 1	22	. 1	1 1	1									
	XI.—Early infancy	25 1,458	1,458	<u>.</u>							•••••							,	
151	Congenital debility, icterus, and sclerema, (total)	1,365 971 394	1,365 971 394													 	•••••		
152	(total). Injuries at birth. Other causes peculiar to early infancy 1	90 30 60	90 30 60						•••••										
153	Lack of care. XII.—Old age.	3 346	3	•••••									1	16	92	127	74	36	
154	Senility	1	34	38	36	22	34	65	136	110	64	60	1 20	16 17	92 15	127 9	74 2	36 5	6
155 158 159 160	Suicide (total)  By poison.  By drowning.  By firearms.  By cutting or piercing instruments.	2 2 9 1							2	6 2 1 3	1	2 1 1		1 1	1 1				1
164 165 166 167 168	Accidental or undefined (total).  Poisoning by food. Other acute poisonings Conflagration Burns (conflagration excepted). Absorption of deleterious gases (conflagration excepted).	10 24 20 170.	33 3 1 9	38 2 7 2 17	36 5 4 18	22 	34 2 2 2 24	64 1 4 31	108 2 3 2 15	55 1 2 1 9	40 2 1 5	. 40 2 1	17 1 3	14 1 5	13 7	9 4	2 1	5 1 2	3
169 170 171	Accidental drowning Traumatism by firearms Traumatism by cutting or piercing instruments	57 57	8 1 1	3 2	1 3	2	3	3 2 5	18 29	5 5 1	1 5	1 2 1	1 1 1	1	· 1				i
172 174 175	Traumatism by fall. Traumatism by machines. Traumatism by other crushing (total). Railroad accidents and injuries.	81 81 31	5	2	3 2	2	1 1	13 13	5 6 18 7	5 6 14 4 3	11 5	5 4 13 8	, 1 , 3 1	, 1 2 , 1	2 2 1	1 1 1	1		
170	Street-car accidents and injuries Automobile accidents and injuries juries Injuries by other vehicles Landslide, other crushing	. 25 16 5			.1		1	7 5 2	7 3 2	3 2 3 2 1	4 1 1	2 3	2	1	1				
176 177 178 179 180 186	Injuries by animals Starvation Excessive cold Effects of heat Lightning Other external violence	1 6 . 4 7 36	5	3	1		1	2	2 2 6	2	1 1 2 4	1 1 1 6	1	1 1	1	2		2	2
182 183 184	Homicide (total)  By firearms  By cutting or piercing instruments  By other means  XIV.—Ill-defined diseases	126 110 9 7	1 1 205	122	26	17	13	1 1  29	26 20 4 2 61	49 46 2 1 55	23 20 2 1 41	18 15 1 2 53	3 3 	2 2 2 50	1 1 51		7	1	2 2 6
187 188 189	Ill-defined organic disease Sudden death Not specified or ill-defined (total) Ill-defined Not specified or unknown	133 20 649 505	3 11 191 149 42	.4 118 102 16	25 25 20 5	17 17 15 2	11 9 2	27 18 9	10 51 38 13	9 46 29 17	9 1 31 21 10	22 3 28 16 12	17 27 22 5	16 3 31 27 4	23 1 27 24 3	11 1 9 9	3 4 4	1	6 2 4
-					17	Exclus	ive of i	ninrios	ot hir	+ħ			<del></del> -	··					

[This table excludes the deaths of soldiers, sailors, and marines.]

Int.							<del>,</del>		, DE	ATHS A	T AGE (	of—							ge.
Detailed In List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at un known age.
					PENI	ness	SEE	(тот	AL).										
	All causes	37,134	4, 761	1,793 853	921 519	624 374	463 290	1,352	3,327 2,010	4,905 2,967	4, 104 2, 260	3,150 1,568	2,899	3,332 1,066	3, 202	1,526	233	40	502
1 4 5 6 7	Typhoid fever. Malaria Smallpox Measles Scarlet fever	699 325 16 407	6 29 2 72 6	7 14 62 4	11 13 35 5	14 11 25 4	9 10 8 7	65 23 1	227 49 46 7	148 32 1 28 1	86 29 2 19	51 27 1 25	44 27 3 23	14 29 3 9	7 16 2 11	2 11 1	3		8 2 1 1 1
8 9 10 13	Whooping cough Diphtheria and croup Influenza Cholera nostras	557 277 6, 281 9	227 46 455 2	134 63 394 1	73 37 260	33 28 198	26 42 146	48 42 456	13 12 908	1 3 1,193	1 1 939	469	2 251	215	222	94 2	7	4	70
14 18 19 20	Dysentery Erysipelas Other epidemic diseases. Purulent infection and septicemia.	66 33 49	40 16 5 2	60 1 3 4	29 4	14 1 3	6	. 22 2 3 2	10 4 3	15 3 2 3	8 3 4 5	10 3 1 6	17 8 2 6	26 14 1 5	41 12 7	17 2 4			4
23 24 25 26 28	Rabies Tetanus. Mycoses. Pellagra. Tuberculosis (total) Tuberculosis of the lungs.	40 2 676 4,777 4,164	12 7 1 79 36 3	1 79 49	2 34 15	1 2 1 30 16	26 12	5 84 57	1 9 29 633 540	1 94 1,333 1,217	1 1 121 864 786	123 578 520 10	1 120 427 382	1 1 93 303 269	58 210 182	16 47 38	2 2		7 48 43
28 29 30 31 32 33 34 35	Acute miliary tuberculosis. Tuberculous meningitis Abdominal tuberculosis. Pott's disease. White swellings. Tuberculosis of other organs. Disseminated tuberculosis.	139 107 211 30 25 84	3 26 4 9	49 2 16 7	3 12 3	1 4 4 1 1 3	2 4 2 2	. 3	30 15 19 9 4 14 2	43 7 36 4 5 19 2	22 6 29 2 5 9	1 4	9 2 27 1 1 4 1	20 3 1 2 2	19 1 2 3	4			2 2 1
36 37 38	Rickets Syphilis Gonococcus infection	214	5 39	6 5	3	1 2	í	2	7 2	38 7	42 4	28	22	15 1	3	2	i		<u>4</u>
39 40 41	Cancer and other malignant tumors (total). Of the buccal cavity. Of the stomach, liver. Of the peritoneum, intestines, rec-	1,021 35 292	1 1				::::::		. 8 1 1	26	_	181 4 41	216 4 57	247 11 90	187 9 69	14	i	. . <i></i>	7
42 43 44 45	tum. Of the female genital organs. Of the breast. Of the skin. Of other organs or of organs not specified.	246 132 65				ļ				. 4	34 20 2	30 6	9	17 46 22 11	22	7 2 12	1	1	2 4 1
46 47 48	Other tumors (tumors of the female gen- ital organs excepted).  Acute articular rheumatism. Chronic rheumatism and gout.	10 119 38	3 2			. 1		6		9	. 3		14	8	: ] 8	1	1 2	1	1 2 1
49 50 51 52 53 54 55	Scurry. Diabetes Exophthalmic goiter Addison's disease. Leukemia. Anamia, chlorosis. Other general diseases. Alcoholism (acute or chronic).	. 158 19 . 4 . 23 . 70	8	2	2	-		4	1 3	. 2	5 2 3 5 3	38	6 1 3 15	1 8 17 2	23	2	2		2
59	Other chronic poisonings  II.—Diseases of the nervous system and of the organs of specia sense.	13		59	34			9 74	114	.  8	3 1		1			7 16	7 30	) 2	15
60 61	Encephalitis Meningitis (total) Simple meningitis, Cerebrospinal meningitis (undefined	37 307 111 l) 119	9 70 35 22	3	19	2	5 1	3 37 5 8 7 19	3 59 3 14 9 19	i 2 31 1 8	2 4 1 12 8 6 4 3	2 1	1 6	1 3 2 1		3			
62 63		27 129	9		2	1	3	1 10 3 2 1	1 4		9 6 3	3	5 18 1	120	2				- 1
64 65 66 67 68	Softening of the brain Paralysis without specified cause General paralysis of the insane Other forms of mental alienation	39 402 66	3 4						4 8	5	1 5 9 2 10 3 13	30	1 6 0 43 4 13 7 9	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	9 2 3 13 8 8	0 7	1 18	l	
70 71 72 72 74	Convulsions (nonpuerperal)	6	51		i				1			i	·	1	4	4		i	
78 76	Diseases of the eves and their annexa.	_	5	2-	i-	1	i -		6	8		3	5-			- 1	1		-

1 Exclusive of acute anterior poliomyelitis (infantile paralysis).

Int.					* * * * * * * * * * * * * * * * * * * *				DE	ATHS A	T AGE	or—							at un-
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	100 yrs. and over.	aths know
				TEN	NESS	SEE (	TOT	'AL)-	-Conti	nued.				•	<u> </u>	<u> </u>	1	<u>i                                     </u>	
	III.—Diseases of the circulatory system	2,628	19	7	5	1	5	18	76	135	205	266	396	583	586	271	27	5	23
77 78 79 80 81	Pericarditis	2,118	2 7	3	3	I	1 4	1 4 12 1	3 4 67	2 18 105 2	2 20 165 5	2 13 222 10	7 18 338 14	12 4 476 31	4 2 469 29	203 5	20	3	1 21 , 1
82 83	aneurism, etc	221 32							1	4	5 4	. 13 . 3	14 5	50 6	71 6	56 3	5 1	2	
84 85	rhoids, phlebitis, etc.). Diseases of the lymphatic system (lymphangtis, etc.). Hamorrhage; other diseases of the circulatory system. IV.—Diseases of the respiratory		1 3 6	.1 3	2				1		4	1 2		2	1 4				
86	system	5,194	621	277	156	99	79	180	514	865	670	386	295	329	329 2	166	23	1	204
87 88 89 90 91	Diseases of the larynx. Diseases of the thyroid body. Acute bronchitis. Chronic bronchitis. Bronchopneumonia. Praumonio (total)	14 14 91 142 1,004	46 2 265 286 108	1 10 2 110 148	6 54 94 43	3 35 57 32	2 1 24 47 27	1 2 1 39 134 88	4 . 11 . 71 . 415 . 284	1 2 1 9 86 736 538	6 85 553 413	2 3 5 8 34 307 211	1 7 33 233 186	25 45 226 165	3 43 53 204 114	1 3 25 37 78 45	2 5 7 8 5	. 1	26 173 67
93 94	Lobar pneumonia. Pneumonia (undefined) Pleurisy Pulmonary congestion, pulmonary apo-	2,406 1,294 67	108 178 1	80 68 1	51 1	25 1	20	46	131	198 18	140 7	96 10	47 6	61	90 4	33 1	3	1	106
95 96 97 98	Pulmonary congestion, pulmonary apoplexy Gangrene of the lung Asthma. Pulmonary emphysema. Other diseases of the respiratory system (tuberculosis excepted).		3	3 2	1	1	1	1	1 2 2	1 3 1	2 1 5	1 8 1 6	1 7 6	12 6	12 1 3	12 3	1	-,	1 2 2
	V.—Diseases of the digestive system.	2,800	706	449	115	53	20	94	164	151	181	176	171	224	190	82	13	1	10
99 100 101 102 103	Diseases of the mouth and annexa Diseases of the pharynx Uiseases of the esophagus Uicer of the stomach Other diseases of the stomach (cancer	66	15 3.	4 2	1 2 1 1	1 3 	1	11 1 1	16	6	1 10	3 2 11	4 2 11	4 3 1 10	2 1 8	1 5			1
104 105 106 107	excepted). Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over). Ankylostomiasis Tatostrian parasites	950 394 2	97 542	18 408 5	13 88	3 34 4	9	31 1 3	23 1	13 . 12 . 1	34 20.	29 24	24 24	47 37	48 45	18 36	9	1	2
108	Appendicitis and typhlitis Hernia, intestinal obstruction (total) Hernia Intestinal obstruction Other diseases of the intestines	275 207 54 153	38 6 32 3	2 4 4 1	1 2 5 5	1 6 1 5	4	21 6 6 2	83 13 	55 22 4 18 4	42 18 2 16 7	29 18 5 13 5	19 23 11 12 4	12 26 10 16 4	19 9 10 3	5 4 1 3	1 1		3 1 2
111 113 114 115	Acute yellow atrophy of the liver	14 111 63 132	1 3	3			1	2	2 1 2	5 4 3 11	2 13 4 17	19 11 17	1 25 10 20	2 26 18 29	19 13 20	1 2 3 7	1		1
116 117 118	Diseases of the spleen. Simple peritonicis (nonpuerperal) Other diseases of the digestive system (cancer and tuberculosis excepted) VI.—Nonvenereal diseases of the	61	3	<u>2</u>		<u>i</u>	2	6	7	8 1	10 1	7 1	4	1 4	6	i			
	genito-urinary system and		17	10	12	6	8	20	58	110	173	203	295	424	433	158	18	3	19
119 120 122	Acute nephritis. Bright's disease. Other diseases of the kidneys and annexa	1,482	7 7 3	4 5 1	6 4 2	՝ 1 5	4 4	6 13	13 36	20 46 5	24 92 5	23 136 6	27 237 4	17 362 9	13 366 9	136 7	1 14	3	1 16
123 124 125	Calculi of the urinary passages.  Diseases of the bladder.  Diseases of the urethra, urinary abscess,	33			<b> </b>			1	i	2	3	1	2 2	3 8	11	1 4	<sub>1</sub>		····i
126 127	etc Diseases of the prostate Nonvenereal diseases of the male genital	62								4	3	2 1 1	4 3 1	19	31	6	2		1
129 130 131 132	organs. Uterine tumor (noncancerous). Other diseases of the uterus. Cysts and other tumors of the ovary. Salpingitis and other diseases of the female genital organs.	50 35 6							1 1 5	8 5 20	19 10 4 12	12 13 1 6	8 4 3	1	1 1	1			
134	VII.—The puerperal state.  Accidents of pregnancy	120				<u></u> ,			72	224 61	146 34	39							3
135 136 137 138 139	Puerperal hemorrhage. Other accidents of labor. Puerperal septicemia. Puerperal albuminum and convulsions. Puerperal phlegmasia alba dolens, embolus, sudden death.	31 87 155 87							12 26 22 1	11 45 67 38.	16 21 50 22	4 8 10 5							1 2
140	fined)		J	J	l	l		.l	J	1	i	·	l	l	l	.l	.1	l	l

ë Et									DH	ATHS A	T AGE (	OF	,						at un-
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	29	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	nn.	yrs.	ths
				TEN:	NESS	STETE	(TOT	'AL)-	-Conti	nued.	,								
	VIII.—Diseases of the skin and of the cellular tissue	86	9	2		1	2	6	5	3	5	8	11	5	17	9		2	1
142 143 144 145	Gangrene Furuncle. Acute abscess Acute abscess Other diseases of the skin and annexa.	49 9 12 16	3 1 2 3	1		1	1 1	3	2 2 1	2 1	4 1	4 1 1 2	5 3	3 1 1	13 2 2	6 2 1		2	
	IX.—Diseases of the bones and of the organs of locomotion	64		2	1	1	3	7	13	6	3	3	12	4	7	1			1
146 147 149	Diseases of the bones (tuberculosis excepted)	49 10 5		2	1	1	3	7	11 1	· 5	2	2	7 4 1	1 2 1	5 1	1			1
110	X.—Malformations	167	153	6	1	2		4	1										
150	Congenital malformations (stillbirths not included) (total).  Hydrocephalus.  Congenital malformations of the heart Other congenital malformations.  XI.—Early infancy.	167 18 82 67 1,160	153 10 76 67 1,160	6 2 4	1	2 1 1			1										
151	Congenital debility, icterus, and sclerema (total)	1,013 728	1,013 728								-								
152	"marasmus," etc.  Other causes peculiar to early infancy (total).  Injuries at birth Other causes peculiar to early infancy fancy 1	285 145 74 71	285 145 74 71										l						
153	Lack of careXII.—Old age	2 448	2											18	126	218	64	15	7
154	SenilityXIII.—External causes	448 1,770	58	32	44	38	23	87	252	284	265	212	146	18 119	126 96	. 218 . 72	64 12	15 1	7 29
155 157 158 159 160 163	Suicide (total).  By poison.  By hanging or strangulation.  By drowning.  By firearms.  By cutting or piercing instruments.  Other suicides.	120 26 16 10 52 12 4							7 3 2 2	20 3 1 1 13 13 1	26 5 3 2 13 1 2	18 6 1 2 5 3 1	21 2 5 1 10 3	16 3 5 2 6	6 1 3 2	5 3			1
164 165 166 167 168	Accidental or undefined (total). Poisoming by food. Other acute poisonings Conflagration. Burns (conflagration excepted) Absorption of deleterious gases (conflagration excepted).	30 41	53 1 1 1 5	32 2 4 1 14	44 5 1 25	38 2 25	23	87 1 2 2 26 -	213 6 4 3 15	187 2 6 2 11	173 6 10 2 14	152 3 4 1 10	109 3 1 1 7	91. 2 4 4 8	89 3 12	67	12	1	19  '1
169 170 171	Accidental drowning. Traumatism by firearms Traumatism by cutting or piercing instruments	61 106 8	1	2 1	2 1	2 1 1	1	3 4 9 2 7	21 41 2	11 29	6 8	4 11 1	2 3	21	1	2			2
172 173	Traumatism by fall Traumatism in mines and quarries (total). Traumatism in mines Traumatism in quarries.	193 30 27 3	6	3		1	3	7	12 6 6	7 4 3 1	12 6 5 1	10 9 9	8 4 3 1	26	42 1 1	45	8		
174 175	Traumatism by machines. Traumatism by other crushing(total) Railroad accidents and injuries. Street-car accidents and injuries. Automobile accidents and in-	36 413 250 22		2 1	1	3 1	1 2 1	3 16 1	5 59 33 3	3 86 56 4	11 66 47 2	9 67 37 7	3 52 34 2	1 25 14 1	13 9	5 2	1		15 15
176 177 178 179 180 181 185 186	juries Injuries by other vehicles Landslide, other crushing Injuries by animals Starvation Excessive cold Effects of heat Lightning Electricity (lightning excepted) Fractures (cause not specified) Other external violence	17 6 27 120	1 1 1 1	2		2	1	12 2 1 2 2	11 9 3 7 1 3 3 3 22	13 11 2 3 1 1 1 1 2 3 13	10 6 1 3 3 3 3 3 3	12 8 3 	13 3 2 3 1 1 1 17	1 2 1 4 10	2 2 2 6 1	1 2 1 2 1	1		
182 183 184	Homicide (total)  By firearms  By cutting or piercing instruments  By other means  XIV.—Ill-defined diseases	199 33 28	5 2 3 765	96	34	24	14	30	32 22 3 7 48	77 63 9 5	66 46 11 9 63	42 38 2 2 2	16 13 3 68	12 9 2 1 158	1 1 1 148	97	19	3	9 7 1 1 23
187 188 189	Ill-defined organic disease	79 110 1,548 407	1 20 744 136 608	1 4 91 37 54	34 12 22	23 3 20	14 2 12	1 29 9 20	2 46 9 37	2 3 54 14 40	7 6 50 13 37	9 13 66 24 42	5 11 52 19 33	24 14 120 52 68	16 14 118 51 67	10 17 70 20 50	1 3 15 3 12	3 1 2	2 2 19 2 17

<sup>&</sup>lt;sup>1</sup> Exclusive of injuries at birth.

Int.										<del></del>	T AGE	OR		•			- Acres		-ig -ig-
Detailed In List No.	CAUSE OF DEATH.	All deaths.	<u></u>		_ [	_			10 to	20 to	30 to	40 to	50 to	60 to	70 to	80 to	90 to	100	Deaths at un known age.
Detail Lis	,	uealiis.	Under 1 year.	year.	years.	g years.	4 years.	5 to 9 years.	19	29 years.	39 years.	49 years.	59 years.	69 years.	79	89	99	yrs. and over.	Death
		<u> </u>	<u>!</u>		TÉN	NES	SEE	(WH	ITE).			·		,		<u>t_,</u>	<u> </u>		<del></del>
_	All causes	25,949	3,618	1,343	697	464	344	958	2,058	2,977	2,623	1,987	1,948	2,554	2,675	1,224	147	.8	324
•	I.—General diseases	<u> </u>	822	643	397	283	211	586	1,201	1,852	1,533	1,068	911	864	721	229	21	3	103
1 4 5 6 7	Typhoid fever. Malaria. Smallpox Messles. Scarlet fever.	170 11 369	3 17 2 68 6	6 10 55 4	8 6 30 5	6 6 	6 3 7 7	46 9 1 35 9	162 22 39 7	102 18 1 26 1	68 13 17	35 9 25	33 17 1 22	11 . 19 3 9	5 10 2 , 10	· 2 9	2		6 1 1
8 9 10 13	Whooping cough Diphtheria and croup Influenza Cholera nostras		178 -34 341 2	90 60 308 1	57 33 , 195	21 27 157	17 40 107	30 37 331	10 10 629	3 877	731	349	188	171 2	186	72 2	6		52
14 18 19 20	Dysentery Erysipelas Other epidemic diseases Purulentinfection and septicemia	1 62	33 15 4 2	50 1 3 3	28 3	12 1 3	5 · 1 1	22 2 3 2	7 4 1	11 3 1 3	2 3 4 3	6 3 1 3	· 7 7 2 4	19 14 1 4	35 10 7	14 2 4	2 1 1		3
23 24 25 26	Rabies. Tetanus. Mycoses. Pellagra.	422	10		1 2	$\frac{1}{2}$	2	3 6 5	4 . 13	52	<u>1</u> .69	75	80	1 1 69	41	1 10		1	2
28 29 30 31 32 33	Tuberculosis (total).  Tuberculosis of the lungs. Acute miliary tuberculosis. Tuberculous meningitis. Abdominal tuberculosis.	117 117	51 20 2 21 21 2	35 16 2 11 3	17 6 1 9	12 6 3 3	12 3 4 2	29 16 6 2 2	253 215 6 10 7	700 658 11 5 12 3	514 476 4 5 14	378 345 3 2 17 1	317 288 4 1 19	246 217 5	180 155 2 17	40 33 1 3	1		23 22
35	Pott's disease. White swellings. Tuberculosis of other organs. Disseminated tuberculosis. Rickets.	4	5 1 3	3	i		3	<u>2</u>	5 1	, 9 1	1 3 7 4	7 3	3 1	3 1 2	1 2 3	2			
36 37 38	Syphilis	76 9	17	<u>2</u>		1			3 1	9 5	16 2	11	8	6 1	1	1	1		
39 40 41	(total). Of the buccal cavity. Of the stomach, liver Of the peritoneum, intestines, rec-		1 1		1 	3	-,		5 1 1	15 3	53 9 4	- 124 4 28	163 2 49 15	216 10 80	180 8 67	51 5 13			6
42 43 44 45	tum. Of the female genital organs. Of the breast. Of the skin. Of other organs or of organs not spec-				1	2			1	3 1 1	20 14 · 1	41 20 3	39 23 9	36 16 11 48	17 18 22 30	12 12			2 3 1
46	other tumors (tumors of the female geni- tal organs excepted).	8	3			1		6		3	1 5					1 9	1 2		1
47 48 49 50 51 52	Acute articular rheumatism. Chronic rheumatism and gout. Scurry. Diabetes. Exophthalmic goiter. Addison's disease.	79 23 1 134 17 4	1		2	1	2	3	12 11	1 13 2	17 5	7 1 3 2 3 8	9 6 15 6	27 1 8	16 6 22 1	7	2		i
53 54 55 56 59	Leukemia. Anemia, chlorosis. Other general diseases. Alcoholism (acute or chronic). Other chronic poisonings.	21 62 59 16 11	6 24	12 12			1	4 3	1 2 5	1 3 2	1 2 2 1 1	3 8 1 6 4	3 15 4 1	8 16 2 2	2 3	1	~~~~		2 . 3
•	II.—Diseases of the nervous system and of the organs of special sense.	1,650	118	46	28	21	17	61	· 77	63	81	128	176	309	363	139	17		6
60 61	Encephalitis  Meningitis (total)  Simple meningitis  Cerebrospinal meningitis(undefined)  Cerebrospinal fever.	98 97 53	7 62 32 18 12	2 23 8 11 4	1 18 10 7 1	13 4, 4 5	11 5 5	3 31 7 17 7	3 39 11 14 14	22 7 10 5	3 10 6 1 3	3 8 3 5	1 6 2 4	1 2 1	3 3				
62 63	Locomotorataxia. Other diseases of the spinal cord (total). Acute anterior poliomyelitis. Other diseases of the spinal cord 1	25 57	6 5 1	6 5 1	4 4	3 2 1	3 2 1	3 3	4 1 3	5 1 6 2 4	3	3 2	5 8 1 7	11 14 14	18	2			
64 65 66 67 68	Cerebral hemorrhage, apoplexy Softening of the brain Paralysis without specified cause. General paralysis of the insane Other forms of mentalalienation	33 291 46 36	3	4  2	1	1	2	11 3 2	6 4 12	9 1 1 2 11	18 7 7 8 17	12 10 5	93 6 22 10 7 6	185 6 56 12 4	180 18 111 6 6	68 62 3	7		1
69 70 71 72 73 74	Epilepsy. Convulsions (nonpuerperal). Convulsions of infants. Chorea. Neuralgia and neuritis. Other diseases of the nervous system.	79 2 28 3 11 49	5 21 1 6	4 1 3	2	1 1		1	1 3	5	1	12 1 1 5	1 2 9	2 4	38	1	1		
75 76	Diseases of the eyes and their annexa Diseases of the ears	. 32	2 Exclusi	<u>i</u>	1 1 cute an	····i	polion	1 6 yelitis	5	4	. 3	5		3		1			

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALE REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

Int.									DE.	ATHS AT	AGE	)F			-	<u>-</u>			un- ge.
Detailed In List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.		5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	49	59	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at un known age.
		<u>'</u> '		TENN	TESS	EE (	WHI	TE)-	-Conti	aued.		<del></del>				·	<u> </u>	_ <del></del> .	
	III.—Diseases of the circulatory system	1,799	13	6	. 5	1	5	13	56	73	91	131	229	432	499	219	12	2	12
77 78 79 80 81	Pericarditis	1,422 89	2 6	2	3	1	4	1 4 8	2 4 49	1 7 58 1	6 75 3	1 6 107 8	3 8 194 12	7 4 342 30 41	4 1 395 29 63	160 5 47	7 1	1	ii 
82 83 84	rism, etc. Embolism and thrombosis. Diseases of the veins (varices, hemorrhoids, phlebitis, etc.) Diseases of the lymphatic system (lymphangitis, etc.)	23 2	2	1					1	3	2   	2	10 2	5	5	3	ĭ		
85	Hémorrhage; other diseases of the circulatory system  IV.—Diseases of the respiratory system	17	3 444	3 192	108	72	54	120	319	48,3	3 416	238	183	2 240	277	144	14		152
86 87 88 89 90 91	Diseases of the nasal fossae Diseases of the larynx Diseases of the thyroid body Acute bronchitis Chronic bronchitis Bronchopneumonia Pneumonia (total) Lobar pneumonia Pneumonia (undefined)	9 12 60 101 707 2,430 1,474 956	36 191 203 72	3 1 75 109 60	3 42 62 27 35	27 42 22 20	1 16 34 20 14	25 90 55		1 2 1 2 45 417 291 126	5 59 339 235 104	1 2 1 3 17 197 125 72	1 21 144 115 29	3 21 31 169 119 50	3 40 46 166 88 78	1 1 2 23 35 67 36 31	2		23 129 44 85
93 94 95 96 97 98	Pleurisy Pulmonary congestion, pulmonary apoplexy Gangrene of the lung Asthma Pulmonary emphysema Other diseases of the respiratory system (tuberculosis excepted) V.—Diseases of the digestive system	21 5 42 3 1 24	3	2	98	1	i	-	2	7 1 1 2 1 3 90	2 1 1 5 104	5 1 4 112	3 1 1 2 6 111	5 2 7 2 2 174	991222166	2			7
99 100 101 102 103	Diseases of the mouth and annexa.  Diseases of the pharynx  Diseases of the esophagus  Ulcer of the stomach.  Other diseases of the stomach (cance excepted).	31 43 45 r	13	4 1	1 2 1 1 1	<del>  1</del>	i	10	13	4	7	3 2 8 10	7	3 1 1 7	2 1	1 3			i
104 105 106 107 108 109	Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over Ankylostomiasis. Intestinal parasites. Appendicitis and typhlitis. Hernia, intestinal obstruction (total). Hernia.	201	30	3 1 4			2	- 1 1	66	33	29	21 9	15 18 11 6	30 11 19 8	17	1 7	1		1 2 1
110 111 113 114 115	Intestinal obstruction Other diseases of the intestines. Acute yellow atrophy of the liver Cirrhogis of the liver Biliary calculi. Other diseases of the liver.	108 25 25 76	3 2	3 4	1			2	1 1	12 1 4 1	10 3 2 6	7 5 14 8	5 2 1 16 9	11 3 2 20 17	11	9 1 2 1 5 2 2 3			1
116 117 118	(cancer and tuberculosis excepted)	n 3	5	32		- i	i	2	3		3	5	1	. I		5			
	VI.—Nonvenereal diseases of th genito-urinary system an annexa	d	9 1	1 6	8	4	<u> </u>	7 12	2 33	52	95	100	181	307	34	0 12	0 10	) 1	12
119 120 122 123	Bright's disease. Other diseases of the kidneys and annex Calculi of the urinary passages.	a. 1,01	4 3 1	5 1 3 4 3 1	4	: 1			3 7 9 19		54	66 5	148 4 2	261	1 28 7 3	9 10 8 1	2 3 6 	i	10
124 125 126	Diseases of the urethra, urinary abscess	s,	7		-				1	. 1	. 1		. 2	. 2	2		4		1
127 127 130 131 132	Nonvenereal diseases of the male genits organs. Uterine tumor (noncancerous) Other diseases of the uterus. Cysts and other tumors of the ovary.	al 1 2	1							i 2	3	2 10	6 2			1		1	
134 135 136 137 138 138	VII.—The puerperal state	36 9 26 10 1s. 7	0   1   26						48 (	8 173 6 55 10 9 38 5 43 7 33	1 110 1 23 2 15 5 17 3 3	26 3 8 4 2 7 6 3 4	3						

i it									DE	ATHS A	T AGE	0F—						-	at un-
Detailed In List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at known a
	•		•	ren)	ness	SIEIE (	(WHI	TE)-	-Conti	nired.			•		-	-	-	-	
	VIII.—Diseases of the skin and of the cellular tissue.	46	6	2			1	4	2	2	1	2	6	3	11	5	· 		1
142 143 144 145	Gangrene. Furuncle. Acute abscess Other diseases of the skin and annexa.	22 8 6 10	3 1 2	1 1			1	1 3	2	1. 1	1	1 1	2 3 1	1 1 1	$\frac{7}{2}$	3 1 1			····i
	IX.—Diseases of the bones and of the organs of locomotion	47	<u></u>	2	1	1	3	6	11	4	2	2	8	3	. 3				1
146 147 149	Diseases of the bones (tuberculosis excepted) Diseases of the joints (tuberculosis and rheumatism excepted) Other diseases of the organs of locomotion.	35 7 5		2	1	. 1	3	6	. 9 1	3 1	1	1	. 3 1	1 1 · 1	2 <sub>.</sub>				1
150	X.—Malformations	145	134 134 5	5 5	1	1		3	1										
	Hydrocephalus Congenital malformations of the heart. Other congenital malformations XI.—Early infancy	145 11 73 61 958	5 68 61 958	3	i	i		3	1										
151	Congenital debility, icterus, and sclerema (total)	835 617	835 617														:		
152	"marasmus," etc	218 121 62	218 121 62																
153	fancy 1.  Lack of care  XII.—Old age	59 2 325	59 2											11	96	167	44	2	5
154	SenilityXIII.—External causes	325 1,176	35	23	31	21	20	63	164	161	165	132	101	11 98	96 78	167 64	44 9	2	5 11
155 157 158 159 160 163	Suicide (total)  By poison  By hanging or strangulation  By drowning  By firearms  By cutting or piercing instruments.  Other suicides	25 16 8 50							6 3 1 2	18 2 1 1 12 1 1	24 5 3 1 12 1 2	18 6 1 2 5 3	21 2 5 1 10 3	16 3 5 2 6	5 1 3 1	5 3			1
164 165 166 167 • 168	Accidental or undefined (total)	935 16 30 11 113	30 1 1 1	23 1 3 11	31 3 4 1 14	21 1 12		63 1 2 2 17	144 1 4 2 8	112 1 4	110 4 4 1 6	91 2 4 5	70 1 2	73 1 4 3 5	72 1 8	59 3	9		7
169 170 171	flagration excepted). Accidental drowning Traumatism by firearms Traumatism by cutting or piercing instruments.	67	14	1 2 1	2 1	1 1	1 1	3 4 2	16 29	1 5 17	4 4	3 6	. 2	2	1	2			i
172 173	Traumatism by fall. Traumatism in mines and quarries (total) Traumatism in mines	22 20	4	1	2		. 3	4	10 4 4	6 4 3	9 5 4	6 6 6	2	23	38	42	6		1
174 175	Traumatism in quarries. Traumatism by machines. Traumatism by other crushing (total) Railroad accidents and injuries. Street-car accidents and injuries Automobile accidents and in-	27 261 144 16	,	i 1	i	. 1	1	i	1	1 2 52 32 2		8 37 20 5	1	1	11 8	1	1		4 4
176 178 179 180 181 185	juries.  Injuries by other vehicles.  Landslide, other crushing.  Injuries by animals.  Excessive cold.  Effects of heat.  Lightning.  Electricity (lightning excepted).  Fractures (cause not specified).  Other external violence.	37 7 22 6 9 - 13 - 24 - 24 - 81	5	2	1		1	1 1	2 2 2 2 12	2 2 6	1 3 2 2 2 3 1 13	1 7	3 1 1 1 14	1 4 9	1	1 2 1 4 1	2		
182 183 184	Homicide (total)  By firearms  By cutting or piercing instruments, By other means.  XIV.—Ill-defined diseases.	102 13 12	3	-	20	14	10	21	. 14 9 . 2 . 3	28 2 1	3 3	i	3	. 1			11		3 3
187 188 189	III-defined organic disease. Sudden death. Not specified or iII-defined (total). III-defined. Not specified or unknown.	53 71 1,019 315	12 521 106	. 1 2 53 . 24 29	20	13 13 13	10	: 1 7	23	. 1 2 23 8 15	4 3 18 8 10	36 15	3 5 34 16 18	1 82	13 12 96 46 50	6 11 53 53 17 36	1 1		1 8 1 7

<sup>1</sup> Exclusive of injuries at birth.

Int.									DE	ATHS A	T AGE (	)F—							t un-
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	80 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	100 yrs. and over.	Deaths at un known age.
	•	· · · · · · · · · · · · · · · · · · ·		T	ENN:	essi	EE (C	ого	RED	).						<del></del>			***************************************
	All causes		1,143	450	224	160	119	394	1, 269	1,928	1,481	1,163	951	778	527	302	86	32	178
1	I.—General diseases		261	210	122	91	79	246	809	1,115 46	727	500 16	338	202	122	56	6	4	61
4 5 6 8	Malaria Smallpox Measles Whooping cough	5 38	12 4 49	4 	3 7 5 16	5 1 12	3 7 1 9	14 7 18	65 27 7 3	14 2 1	16 2 2	18	10 2 1	10	6 1	2	1		2 i
9 10 13 14 18	Diphtheria and croup Influenza Cholera nostras Dysentery Erysipelas	1,579	12 114 7 1	3 86 10	65 1	$\frac{1}{41}$	2 39 1	5 125	2 279 3	316 4	208	120	63 10 1	44	1 36 1 6 2	22	1 . 2	2	18
19 20 23 24	Other epidemic diseases. Purulent infection and septicemia. Rabies Tetanus.	3 11 1 16	12	1	1			1	2 1 5	1	2	3	2 1	1	2				
28 29 30 31 32 33 34 35	Pellagra. Tuberculosis (total) Tuberculosis of the lungs. Acute miliary tuberculosis Tuberculous meningitis Abdominal tuberculosis Pott's disease. White profilings	1,969 1,687 98 30 94 5	1 28 16 1 5 2	1 44 33 5 4	17 9 2 3 3	18 10 1 1 1 1 1	2 14 9 2	55 41 2 5 4 1	16 380 325 24 5 12	633 559 32 2 24 1	52 350 310 18 1 15 1 2 2	48 200 175 7 2 12 1 1	110 94 5 1 8	24 57 52 1 2	17 30 27 1	5	1 1		5 25 21 2 2
34 35 36 37	White swellings Tuberculosis of other organs Disseminated tuberculosis. Rickets Syphilis	36 3 8	2 2 22	1 1 5 3	3	3	1	1	4 9 1	10 1	2 1 26	17	1 1 14	2	2	i	·		
38 39 40	Gonococcus infection.  Cancer and other malignant tumors (total)  Of the buccal cavity.	199							3	29 2 11	28	57	53 2 8	31 1 10	7 1 2	7		1	1
41 42 43 44 45	Of the stomach, liver. Of the peritoneum, intestines, rectum. Of the female genital organs. Of the breast Of the skin. Of other organs or of organs not	11 83 35 4							1	1 3 3	1 14 6 1	2 26 10 3	25 7	10 6	1 1 1	3		i	i
46	specified Other tumors (tumors of the female genital organs excepted)	21							2	1	2 2	3	7	2	1	3			
47 48 49 50 51 53 54 55	Acute articular rheumatism. Chronic rheumatism and gout. Scurvy. Diabetes. Exophthalmic goiter. Leukemia. Anemia, chlorosis. Other general diseases. Alcobolism (acute or chronic). Other chronic poisonings.	40 15 1 24 2 2 2 8 12	2	.					4	1 2 2	2 1 3 1 1 1	2 2 2 1	5 7 4 3	7 2 1 5	1	2	1	. 1	2
59	II. — Diseases of the nervous system and of the organs of special sense.	579	52	13	6	4	2	13	37	38		73	80	93	64	28	13	2	9
60 61	Encephalitis.  Meningitis (total) Simple meningitis Cerebrospinal meningitis (unde-	59	2 8 3	1 4 1		2		. 1	20 3		2	3							i
62 63	fined) Cerebrospinal fever. Locomotor ataxia. Other diseases of the spinal cord (total). Acute anterior pollomyelitis. Other diseases of the spinal cord¹.	24 3 47 8	3 3	3		. 1		1 1	5 12	-	1 3	7	10	1 6			.]		i
64 65 66 67 68	Softening of the brain Paralysis without specified cause. General paralysis of the insane.	6 112 20 21	1 2			2		1	.	4 1 1	2 3 5	18 4 2	21 3 2	6	1	9	8	. 1	i
70 71 73 74 75 76	Convulsions (nonpuerperal) Convulsions of infants Neuralgia and neuritis Other diseases of the nervous system Diseases of the eyes and their annexa.	1 36 7 23	30	3				2		2	1 1 5	1 3	2	2 2			i		i

<sup>1</sup> Exclusive of acute anterior poliomyelitis (infantile paralysis).

· · · · · · · · · · · · · · · · · · ·		-							DE	ATHS AT	r AGE C	r—							ge.
Detailed List No	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.		20070	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at unknown age.
		,	TE	NNE	SSE	E (C(	DLOI	RED)	-Cont	inued.									
	III.—Diseases of the circulatory system	829	6	1				5	20	- 62	114	135	167	151	87	52	15	. 3	. 11
77 78 79 80 81	Pericarditis	14 43 696 10	1	1			·	4 1	1 18	1 11 47 1	2 14 90 2	1 7 115 2	10 144 2 4	5 134 1 9	. 1 74 8	43	13	2 1	10 1
82 83 84	rism, etc. Embolism and thrombosis Diseases of the veins (varices, hemorrhoids, phlebitis, etc.). Diseases of the lymphatic system (lymphangitis, etc.).	45 9 3 2	1							i 	2	1 1	3	1 1	1				
85	Hemorrhage; other diseases of the cir- culatory system  IV.—Diseases of the respiratory sys- tem.	7 1,738	3 177	85	48	27	25	60	1 195	382	1 254	148	112	89	2 52	22	9	1	 52
86 87 88 89 90 91 92	Diseases of the nasal fossae Diseases of the larynx. Diseases of the thyroid body. Acute bronchitis. Chronic bronchitis. Bronchopneumonia. Pneumonia (total). Lobar pneumonia. Pneumonia (undefined). Pleurisy. Pulmonary congestion, pulmonary apo-	3 5 2 31 41 297 1,270 932 338 33	3 4 10 2 74 83 36 47 1	7 1 35 39 20 19	3 12 32 16 16	1 8 15 10 5	1 1 8 13 7 6	1 14 44 33 11 1	2 8 20 159 123 36 3	7 41 319 247 72 11	3 26, 214 178 36 36	1 1 4 5 17 110 86 24 4	3 12 89 71 18 3	1 4 14 57 46 11 4	3 7 38 26 12	1 2 2 2 11 9 2	1 1 4 2 1	1	3 44 23 21
95 96 98	plexy. Gangrene of the lung. Asthma. Other diseases of the respiratory system (tuberculosis excepted). V.—Diseases of the digestive system	28 22	162	87	17	2 7	1 4	25	1 2 42	1 3 61	4 3 77	1 3 2 64	5 60	5 4 50	3 1 24	5 1 15	1 4	1	1 2 2 3
99' 100 102 103	Diseases of the mouth and amexa Diseases of the pharynx. Ulcer of the stomach. Other diseases of the stomach (cancer excepted).	21	20	3	2		1	1	3 1 5	2 3 6	3 26	3 19	2 2 4 12	1 2 3 16	2 5	2	1	1	1
104 105 ,107 108 109	Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over) Intestinal parasites Appendicitis and typhlitis. Hernia, intestinal obstruction (total) Hernia. Intestinal obstruction. Other diseases of the intestines	74 62	131 	79	14	4 1 1 1 1	2	10 2 7 1	3 17 4 4 3	2 1 22 8 2 6 3	6 13 6 4	10 8 9 3 6	9 1 12 5 7 2	7 1 7 2 5	5 1 2 1 1	2 2	3		i i i
. 111 113 114 115	Acute yellow atrophy of the liver Cirrhosis of the liver Biliary calculi Other diseases of the liver	3 35 7 21		1			i		1	1 3 1 3	7	5 3 5	9 1 3	6 1 2	4 1 2				
116 117 · 118	Diseases of the spleen	- 2	1					1	4	5	7	2	3	3	. 1				
	genito-urinary system and	668	6	4	-	2	1		25	58	-	103	114	117	93	_	8		7
119 120 122 124	Acute nephritis Bright's disease Other diseases of the kidneys and annexa Diseases of the biadder	468 8	4			2	i	3 4	6 17	15 17 1	13 38 1	70	89	101 2 3	777	33	6		6
125 126 127		- 11 12					-	-		. 3	2	2	2 1	2 2	6	2	ī		
129 130 131 132	organs. Uterine tumor (noncancerous). Other diseases of the uterus. Cysts and other tumors of the ovary.	31 11 4							1	6 2 12	. 3	2	2 2		1	i			
134	VII.—The puerperal state	127							24	53 10	11	13					-		1
135 136 137 138 139	Puerperal hemorrhage Other accidents of labor Puerperal septicemia	5 20 55 17							. 3		15 4	5							i

Ë							<del></del>		DE	ATHS A	T AGE	of—	•						t un-
Detailed In List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at un known age.
			T	ENNI	essi	EE (C	oro	RED	)—Con	tinued	•								<del>,</del>
	VIII.—Diseases of the skin and of the cellular tissue	40	3	<u></u>		1	1	2	3	1	4	6	5	2	6	4		2	
142 143	GangreneFuruncle	27 1				1		2		1	3	4	3	2	. 6	3 1		2	
144 145	Acute abscessOther diseases of the skin and annexa	6	2		 		1		$\frac{2}{1}$		1	2	2						
	IX.—Diseases of the bones and of the organs of locomotion	17				 	ļ	1	2	2	1	1	4	1	4	1			
146	Diseases of the bones (tuberculosis ex-	14						1	2	2	1	1	3		3	1			
147	cepted). Diseases of the joints (tuberculosis and rheumatism excepted).	3											1	1	1				
}	X.—Malformations	22	19	1		1		1		<u></u>	<u></u>	<u> </u>					<u></u>		
150	Congenital malformations (stillbirths notincluded) (total)	22 7	19 5	1		1		1 1				ļ							
	Congenital malformations of the heart. Other congenital malformations	9	8 6	1						 									
	XI.—Early infancy		202									<u></u>				,			
151	Congenital debility, icterus, and sclerema (total)	178 111	178 111										   		 				
110	Congenital debility, "atrophy," "marasmus,"etc. Other causes peculiar to early infancy	67	67		ļ		.											<b></b>	
152	Injuries at birth	24 12	24 12										 						
	Other causes peculiar to early in- fancy 1	12	12	ļ			.	. <b> </b>					ļ						
	XII.—Old age	123	<u> </u>											7	30	51 51	20	13	$\frac{2}{2}$
154	Senility	594	23	9	13	17	3	24	88	123	100	80	45	21	18	8	3	1	18
155	Suicide (total)	6							1	2	2				1				
158 159	By poison By drowning By firearms	.1 2					-	:	1	i	1								
160	Accidental or undefined (total)	455	23	9	13	17	3	24	69	75	63	61	39	18	17	8	3	1	12
164 165	Poisoning by food	. 11	i	1 1	1	<sub>1</sub>			5	$\begin{bmatrix} 1\\2\\2 \end{bmatrix}$	6 1		1 1				-		
166 167 168	Conflagration Burns (conflagration excepted) Absorption of deleterious gases (con-	12 80	1	3	11	13	3	9	7	4	8	1 5	5	3	4	3		1	
169	flagration excepted)	. 17	8			:i	-	i	5	6		· · · · · i							· i
170 171	Traumatism by firearms. Traumatism by cutting or piercing instruments.	39	1			-		. 5	12	12	4	5		1	-	-	-	,	
172 173	Traumatism by fall	- 34	2	2		1		. 3	2 2	1	3	4 3	4 2		4	3	2		
	Traumatism in mines	7			.]				2		î	3	. 1						
174 175	Traumatism by machines Traumatism by other crushing			İ.	1	   		ĺ	18	į		i		ì	·····			•	. 13
	(total). Railroad accidents and injuries. Street-car accidents and injuries Automobile accidents and in-	106							13		21	17	16	2		. 1		.	. 13
	juries Injuries by other vehicles	- 25 - 12							4			. 3		. 1					
176 177	Landslide, other crushing Injuries by animals Starvation	. 3	i			-)			i	· i		3		. i		-1	-	-	
178 179	Excessive cold	. 13							i		. i	3							
180 181	Lightning Electricity (lightning excepted) Fractures (cause not specified)	1 4		: :	-		:-		- 1			. 1			-	:-		-	
185 186	Other external violence	- 39	8		-					1 7	5	4	ì	1					
182 183	Homicide (total).  By firearms.  By cutting or piercing instruments.	. 97		:	-	-				35	21	. 16	6						
183	By other means	. 16		-					. 4	4	₩ 6	5 1							
187	XIV.—Ill-defined diseases	ļ	-	-	14	10	0 4	9	24	33	_		<b>-</b>		3 3	3 4		3	_
188 189	Sudden death Not specified or ill-defined (total) Ill-defined Not specified or unknown	39 529 92	223 30	38 13	14	3   1	1	1 9	1 23 1 22	31	32	3 6 2 30 5 9	18	3   1	2	2 17	3 2 7 6 3 1	: 1 3	1

<sup>1</sup> Exclusive of injuries at birth.

Int.	•				•	***			DE	ATHS A	T AGE	OF-	•	-				٠,	ей. •
Detailed D List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	jear.	2 years.	3 years.	4 years.	5 to 9 years.	10 to -19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 tò 79 years.	80 to 89 years.	99	100 yrs. and over.	Deaths at un- known age.
		<u>[</u>			1	יס:	ГАН		1		<u></u> ]		J				·!		<del>.</del> .
_	All causes	6,172	926	186	112	73	51	239	524	955	892	496	468	504	418	286	40	1	1
;	I.—General diseases	2,351	134	79	55	34	23	115	240	551	503	213	185	119	73	23	3		1
1 5 6 7 8	Typhoid fever Smallpox Measles Scarlet fever Whooping cough	10 34 50	2 5 2 38	9 1 18	1 4 7 . 1	1 5 4 1	1 2 4	5 1 3 18 1	12· 1 2 6	11 1 2 6	2 1	5 2 1	2	2 2					
9 10 14 18	Diphtheria and croup Influenza Dysentery Erysipelas	1,402 3 28	3 48 1 12	5 39 4	5 32	5 12 2	7 6	25 44	19 155	466 	2 401 1	112	49 4	21	11	4 1 4	1 1 1		i
19 20 23 24	Other epidemic diseases. Purulent infection and septicemia. Rabies. Tetanus.	4	1 2		1		1	2 1 2	. 1	1	1	2 1	1 31	10	1				
28 29 30 31 32 33 34 35	Tuberculosis (total) Tuberculosis of the lungs. Acute miliary tuberculosis. Tuberculous meningitis Abdominal tuberculosis Pott's disease. White cyallings	9 10 6	2		1 1	1 1	1	1 2 1	16 12 1 1 1 1	40 32 3 1 2 1	53 45 2 1 2 1	39 35 35 3	28 1	10 1 1	4	i			
34 35 37 38	White swellings. Tuberculosis of other organs. Disseminated tuberculosis. Syphilis. Gonococcus infection.	26 4	1 3·						1	3 2	6 1	6	3	5					
39 40 41	Cancer and other malignant tumors (total) Of the buccal cavity Of the stomach, liver. Of the peritoneum, intestines, rectum.	229 4 101	2 1	2	1	1			3	6 1 1	14 3 3	29 1 10 2	61 30 8	60 28	40 2 23 8	10 3 2			
42 43 44 45	Of the female genital organs	32 25 5	1	2	1				2	1	3 3	2 4 6 6	10 7 5	12 6 2 9	1 2	3 2			
46 47 48	Other tumors (tumors of the female gen- ital organs excepted)	3 31 7			1			. 9	9	3 1	. 1 .3 1 4 2	1 1 4 3	1 3 1	2 10	1 1 11	1 2			
50 51 53 54 55	Diabetes. Exophthalmic goiter. Leukemia. Anemia, chlorosis. Other general diseases.	22	i 11	i		1			11 1 2 1	4 1 2 1	2	3 1 3 1	18 2	1 1 3	2 1				
56 57 59	Chronic lead poisoning	1 1									1	1	2						
	and of the organs of special sense	318	11	8	2	3	5	7	18	14	21	22	44	71	62	27	3	<u> </u>	-
60 61	Simple meningitis. Cerebrospinal meningitis(undefined) Cerebrospinal fever	31 16 7 8		2	1	. 1	. 1	$\begin{vmatrix} 2\\1 \end{vmatrix}$	5 3	1	3	1	2	i i					
62 63	Other diseases of the spinal cord (total).  Acute anterior poliomyelitis  Other diseases of the spinal cord 1	18 2 16		1				2 1 1	1	1 1 1	i	2 2 12	4,	2 63	3 3 54	1 21	3		
. 64 . 66 . 67 68	Paralysis without specified cause	17			-		· .		. 1	1 3	1	. 2	1 3 1	2	5	31	-		
71 72 74 75	Convolsions of infants. Chorea. Other diseases of the nervous system. Diseases of the eyes and their annexa.	6 1 12 12					1		1 2	i	.	. 1	1	.		i			-
76	Diseases of the ears	10	Exclus	•					-			I	-j	-1 2		-	-1	-1	

TABLE S.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

Int.	•								DI	EATHS A	T AGE	OF—		•					at un-
Detailed Int- List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	8 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 89 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	yrs. and over.	Deaths at known a
	,				1	UTAI	EI—Co	ntinue	đ.	-			•			· · · · · · · · · · · · · · · · · · ·		<u> </u>	<u> </u>
	III.—Diseases of the circulatory system	587	7				3	22	65	54	40	47	71	109	96	71	2		
77 78 79 80 81	Pericarditis. Acute endocarditis. Organic diseases of the heart. Angina pectoris. Diseases of the arteries, atheroma, aneurism, etc.	3 26 470 28	2 4				1 2	1 2 19	6 58	1 49	3 34 1	43 2	7 51 8	1 1 85 15	1 1 77	2 48 2			
82 83 84 85	Embolism and thrombosis Diseases of the veins (variees, hemor- rhoids, phlebitas, etc.) Diseases of the lymphatic system (lym- phangitis, etc) Hemorrhage; other diseases of the circu-	· 2	1				ź			1	1	2	î	2 1	17	18 1			
	latory system.  IV.—Diseases of the respiratory system.	1 885	153	32	26	14	8	21	74	157	149	71	1 34	64	41	35	6		••••
86 87 88 89 90 91	Diseases of the nasal fossae.  Diseases of the larynx  Diseases of the thyroid body  Acute bronchitis.  Chronic bronchitis.  Bronchopneumonia  Pneumonia (total)  Lobar pneumonia  Pneumonia (undefined)	2 3 1 20 23 202 589 551 38	2 1 14 1 100 35 24 11	1 22 7 7	1 1 11 12 8 4	5 8 8	1 2 5 5	1 3 15 14 1	9 64 60 4	6 148 143 5	6 140 137 3	1 3 58 55 3	1 25 23 2	7 9 39 35 4	1 5 8 20 20	2 6 13 13 12 1	2 4		
93 94 96 97 98	Pleurisy. Pulmonary congestion, pulmonary apoplexy. Asthma. Pulmonary emphysema. Other diseases of the respiratory system (tuberculosis excepted). V.—Diseases of the digestive system.	20 3 13 1 8 429	95	1 35	12	11	6	31	31	32	2 1	2 3 28	3 1 3 46	3 1 28	1 4 1 24	1	1		
99 100 101 102 103	Diseases of the mouth and annexa.  Diseases of the pharynx  Diseases of the esophagus  Ulcer of the stomach  Other diseases of the stomach (cancer excepted).	3 32 1 23	6	1 		1 3 1		1 8	7	5 1 2	2 2	1 1 3	8	3	1 1 2	2 2			
104 105 108 109	Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over). Appendicitis and typhlitis Hernia, intestinal obstruction (total) Intestinal obstruction Other diseases of the intestines	105 32 95 60 22 38 12	73 13 4 9	32 2	9 3 3	2 3	1 2 1	2 15 3	1 20 1		3 13 7 1 6	5 9 3 3	6 11 6 4 2 2	4 2 1 1 2	11 6 5 2	1 5 2 3 2	1 1		
113 114 115 117	Cirrhosis of the liver. Biliary calculi, Other diseases of the liver. Simple peritonitis (nonpuerperal) VI.—Nonvenereal diseases of the	15 16 6 11	3					1	1	1 2	1 2 1	2 2	5 6 1	3 3 2	2 2 1	1 2 1			
119	genito-urinary system and annexa	329 25	4 3		3		1	6	9	14	32	33	47	72	66	37	5		
120 122 123 124	Bright's disease. Other diseases of the kidneys and annexa. Calculi of the urinary passages. Diseases of the bladder.	230 10 3 4	i 		2		1	3		1 7 1 1	17 2	2 20 1 1	35 3	56 3	52 1 3	25	3		
125 126 129 130 131 132 133	Diseases of the urethra, urinary abscess, etc. Diseases of the prostate. Uterine tumor (noncancerous). Other diseases of the uterus. Cysts and other tumors of the ovary. Salpingtis and other diseases of the female genital organs. Nonpuerperal diseases of the breast (cancer excepted).	1 25 3 6 8				<u>-</u>				4	2 2 2 5	3 3 1 2	1 4	1 6 1	9	8	2		
134	VII.—The puerperal state	125							10	63	39	13							
135 136 137 138 139 140	Puerperal hemorrhage. Other accidents of labor. Puerperal septicemia. Puerperal albuminuria and convulsions. Puerperal phlegmasia alba dolens, embolus, sudden death. Following childbirth (not otherwise defined).	9 25 31 29 5							1 4 3	2 12 16 14 3	5 10 8 8 8	1 2 3 4 1							

Int.				×2	<del></del>			•	נס	EATHS A	T AGE	of—	4		,			<u>-</u>	age.
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79. years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at known s
					· 10	ТАН	—Coñ	tinued	•		*		,	•		,			
	'VIII.—Diseases of the skin and of the cellular tissue	. 14	4	-		1	1	1	4	2	,	1	<u> </u>	1	3	1			
142 143 144 145	Gangrene Furuncle Acute abscess Other diseases of the skin and annexa IX.—Diseases of the bones and of the organs of locomotion	4 1 6 3	2 2 1	1	1	i	1	1	4	1. 1. 2		1	2	1	1 2	1			
146 147	Diseases of the bones (tuberculosis excepted).  Diseases of the joints (tuberculosis and rheumatism excepted).  X.—Malformations.	15 2 86	1 79	1	12			1	4	2		4	2		1			•••••	
150	Congenital malformations (stillbirths not included) (total)	86 11. 53 22	79 8 50 21	3 1 1	2 1 1		, B	2 1 1	,										
151	XI.—Early infancy	278	385 312 278 34																
152	Other causes peculiar to early infancy (total)  Injuries at birth Other causes peculiar to early infancy  XII.—Old age	31	73 31 42										2	6	23	54	14	1	
154 .	Senility XIII.—External causes	100 396	9	23	9	9	2	31	70	56	67	50	2 27	6 17	23 12	54 12	14 2	1	
155 157 159 160	Suicide (total)  By poison  By hanging or strangulation  By firearms  By cutting or piercing instruments  Accidental or undefined (total)	3 17 5	8	23	9	9	. 2	30	1 68 1	7 3 1 3 49 3	5 2 ,55 1	5 1 43	5 1 3 . 1 22	1 1 16	1 1 11	12	2		
164 165 166 167 168	Poisoning by food. Other acute poisonings. Conflagration. Burns (conflagration excepted). Absorption of deleterious gases (conflagration excepted). Accidental drowning.	24 7 22	1 1 3	6	3	1 1 1	-	2 4	3 2	3 1 1	2 4 1 1	1	2 2 1	1		1			
170 171 172 173	Traumatism by firearms. Traumatism by cutting or piercing instruments. Traumatism by fall Traumatism in mines and quarries	. 35	1			1		. 5	11 7	2	1 1 2	2	2	3	5	7	1		,
174 174 175	(total) Traumatism in mines Traumatism by machines Traumatism by other crushing (total) Railroad accidents and injuries.	49			. 3	3	1	8 1	2 2 5 24	12 12 4 14 7	19 19 1 12 5	12 12 1 20 7	3 3 1 6 2	1 2 6 1	5 1	1	1 1		
. 176	Street-car accidents and injuries. Automobile accidents and injuries. Injuries by other vehicles. Landslide, other crushing.	10 46 19 4			2	1 2	1	. 1 4 2	14 4 3 1	4 3	5 1	8 2 1 1	2 2	3 2	1 2 1	1			
176 178 179 180 181 185 186	Excessive cold. Effects of heat Lightning. Electricity (lightning excepted). Fractures (cause not specified) Other external violence.	3 1 8 11 1 25	1	4		ī	i	1 1 1 1 2	1 2 2	1 2 1	2 4	1 3	1 2 2	1		1			
182 183 184	Homicide (total) By firearms By outting or piercing instruments. By other means XIV.—III-defined diseases	5 1 2	1 1  44	5	2	1	2	1 3	3	10	3 1 8	1 1 14	10	17	17	10	4		
187 188 189	Ill-defined organic disease Sudden death Not specified or ill-defined (total) Ill-defined Not specified or unknown	141 119	1 . 43 30 13	5 5	2 1 1	1	2 2	3 3	1 2 2	1 9 6 3	8 8	14 12 2	10 9 . 1	1 1 15 14 1	1 1 15 15	2 8 7 1	4 4		

<sup>1</sup> Exclusive of injuries at birth.

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

Contract of the performant, intestines, recomposition   Contract of the performant   Contract   Contr	Int.						•			DI	CATHS A	T AGE	OF							E e
All causes	Detailed List No	CAUSE OF DEATH,								19	29	89	49	59	69	79	89	90 to 99 years.	100 yrs. and over.	Deaths at known ag
Typicid fever.   2, 622   114   02   20   24   23   64   207   431   445   209   221   232   172   76   12   1   1   1   1   1   1   1   1							VEF	RMO	NT.		-		·				, <u>.</u>	·		_
Typhodal feree											725	704	534	619	881	1,099	677	105	4	7
Mindaria	_		<u> </u>	114	62	29	24					<u> </u>				172		12	1	7
10   Indiquents	4 6 7	Malaria Measles Scarlet fever	1 16 11	1			1 1	<sub>i</sub> .	2 4	<u>1</u>		1	4		2					
18   Styphenic diseases	9 10	Influenza	1,352				19			146	384	340		57	43	38	26	5		<u>-</u> 5
Telegrams	14 18	Dysentery	8							1	1				1 3	1 3	3	······		•••••
Pellagra	19 20 24	Other epidemic diseases	2 6 1	i	1					1	<u>-</u> i				<u>2</u>					
Tuberculosis of the lumps:  904 Act of milary tuberculosis  915 Act of milary tuberculosis  916 Act of milary tuberculosis  917 Act of milary tuberculosis  918 Act of milary tuberculosis  919 Act of milary tuberculosis  910 Act of milary tuberculosis  911 Act of milary tuberculosis  912 Pott's disease  913 Act of milary tuberculosis  914 A 1	26	Pellagra Tuberculosis (total)	5 368	10	6	3	3	2	6	33	74	67		]	1	1		1		
Syphilis.	28 29	Tuberculosis of the lungs	304					1	3	23 2	70	62	55	35 1		15	2			i 
Syphilis.	31 32	Pott's disease	i 4							2	1		1 2	5 1	2					•••••
Syphilis	33 34 35	Tuberculosis of other organs								1	····i									•••••
(total)	37		17	3		, 1			1	1	1	2	4	1	1	<del>-</del>				
2	40	(total) Of the buccal cavity Of the stomach, liver Of the peritoneum, intestines, rec-	11 126							1			10	1	4	2	2		1 1	i
Section   Sect	43	Of the female genital organs Of the breast	68 31							1	1 2		11	19 11	16 7	9 8		i		
42   Acute articular rheumatism and gout.   6   6   2   1   1   1   1   5   2   2   1   1   1   1   5   2   2   1   1   1   5   2   2   1   1   1   5   5   2   2   1   1   5   5   5   5   5   5   5   5	44 45	Of other organs or of organs not							1		1	3	4	1	_			1		
Dispetes   78	48	Acute articular rheumatism Chronic rheumatism and gout	13 6							. 2			1	1	5	2	2	1		
Leukemia   3	51	Exophthalmic goiter	5			1			2			2	7			13	3	1		
Alcoholism (acute or chronic)	53 54	Leukemia. Anemia, chlorosis	3 34	i								ī			1		1			
Other chronic poisonings	56	Alcoholism (acute or chronic)	11		•••••						1	1	l .		1					
and of the organs of special sense. 663 16 3 2 2 1 3 13 14 19 41 89 138 199 108 15  Encephalitis. 4 1 2 2 1 3 13 14 19 41 89 138 199 108 15  Encephalitis. 5 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Other chronic poisonings	2													2				
Meningitis (total)		and of the organs of special	663	16	3	2	2	1	3	13	14	19	41	89	138	199	108	15		
Cerebrospinal meningitis(undefined)   2		Meningitis (total)	25	9	<u>1</u>	<u>i</u>			<u>i</u>				2		1					
62		Cerebrospinal meningitis (undefined).	2			<i>-</i>	1		1	2		2		1	1	1				
64 Cerebral hemorrhage, apoplexy         475         2         2         3         5         8         7         5         5         6         Cerebral hemorrhage, apoplexy         475         2         7         15         72         108         167         90         14         14         14         2         2         4         4         10         3         3         1         1         2         2         4         4         10         3         3         3         6         6         3         4         5         5         5         5         6         3         4         5         5         5         6         3         4         5         5         5         6         3         4         5         5         5         6         3         4         5         5         5         6         3         4         5         5         5         6         3         4         5         5         5         5         6         3         4         5         5         5         6         3         1         1         1         1         1         1         1         1         1         1		Other diseases of the spinal cord (total)	33													2 7	5			
Softening of the brain	64	Other diseases of the spinal cord 1 Cerebral hemorrhage, apoplexy	32							2		2	1		1	1	I .	1		ì
68 Other forms of mental alienation	65 66	Paralysis without specified cause	5 23								2		4		1 4	2 10	2 3			
71 Convulsions of infants. 5 3 1 1 1 1 2 1 72 Chorea 1 1 1 1 1 2 1 74 Other diseases of the nervous system 13 1 1 1 1 1 3 2 3 1 1 1 1 1 3 1 1 1 1	68	Other forms of mental alienation	14							I	4	1	3		4					
74 Neuraigna and neuritis 6 1 1 1 1 1 3 1 2 1 74 Other diseases of the nervous system 13 1 1 1 3 2 3 1 2 3 1 2	71 72	Convulsions of infants	5 1	3	i			1	1		2	4	3				1			•
10   Diseases of the ears	73 74	Neuralgia and neuritis Other diseases of the nervous system	6 13		1		1		i						3		2	i		
<sup>1</sup> Exclusive of acute anterior poliomyelitis (infantile paralysis).	76	Diseases of the ears		_ '	ve of a	ute ai	nterior	polior	' nyeliti	s (infa:	: 1 ntile pa:	ralysis).	 ,	1	1	·····	l	l	•••••	l

i it			,		·				DE	ATHS A	T.AGE	or—					•		un- ge.
Detailed Int. List No.	CAUSE OF DEATH.	All ! deaths.	Under 1 year.	year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	89	90 to 99 years.	100 yrs. and over.	Deaths at un- known age.
		······································			VER	MOI	NT-C	ontin	ied.										
	III.—Diseases of the circulatory system	1,113	11	. 3			1	3	• 17	21	26	56	123	236	360	234	22		
77 78 79 80 81	Pericarditis	57	1 4	1 2			i	1 2	2° 15	2 18	3 3 18	6 38 6	1 6 92 11	3 1 179 15	2 3 255 17	1 1 148 8	11		
82 84	rism, etc.  Embolism and thrombosis.  Diseases of the lymphatic system (lymphangitis, etc.).  Hemorrhage; other diseases of the circu-	. 191 . 39 . 4	1							i	2	3	6 7	30 7	71 12	70 6	11		
85	Hemorrhage; other diseases of the circulatory system  IV.—Diseases of the respiratory system	2 831	1 73	30	5	6	6	15	55	120	129	54	67	1 75	111	73	12		
86 87 88 89 90 91	Diseases of the nasal fossae Diseases of the larynx. Diseases of the thyroid body. Acute bronchitis. Chronic bronchitis. Bronchopneumonia.	5 6 44 47 131	1 1 19 29	5	1° 2	2	2	3 1 2	1	2	1 1 2 2	1 3	1 2 4 4	2 6 14	1 5 14 32	6 16 18	1 1 6 1		
92 <sup>1</sup> 93 94	Pneumonia (total) Lobar pneumonia Pneumonia (undefined) Pleurisy Pulmonary congestion, pulmonary apo-	448 122	23 13 10	12 8 . 4	2 1 1	3	4 2 2	8 6 2 1	49 40 9 1	114 102 12 4	118 103 15 1	48 44 4 1	54 38 16 1	51 42 9 2	50 30 20 5	31 15 16 1	3 1 2		
95 96 98 <sub>.</sub>	Pulmonary congestion, pulmonary apoplexy Gangrene of the lung. Asthma. Other diseases of the respiratory system (tuberculosis excepted). V.—Diseases of the digestive system.	1	142	35	14	5	4	6	18	22	1 16	1 36	1 38	42	1 37	25	3		
99 100 102 103	Diseases of the mouth and amnexa Diseases of the pharynx. Ulcer of the stomach. Other diseases of the stomach (cancer excepted).	2 9	1 16	2	1		i	1	2	1 1	1 2	1 6	1 2 3	1 1 4	3 2	1 3			
104 105 108 109	Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Appendicitis and typhlitis. Hernia, intestinal obstruction (total). Hernia Intestinal Obstruction.	152 51 63 47 22	120 1 1	32	10 2 2 2	5	1 2	2 3	1 13	1 8 3 1 2	2 7 2 1 1	4 9 4 3 1	2 8 3	6 7 9 3 6	6 4 14 7 7	11 1 6 4 2	3		
110 111 113 114 115	Other diseases of the intestines	8 2 16 16 19	2		1				1 1	1 1 1 4	1	3 2 3	. 1 1 5 · 6 4	4 2 5	1 · 2 4 1	1 1			
117 118	Simple peritoritis (nonpuerperal) Other diseases of the digestive system (cancer and tuberculosis excepted) VI.—Nonvenereal diseases of the	7 2	1	1							. · 1	1	2	2		-	-		
119	genito-urinary system and annexa	468			2	ļ	. 4	1	3	7	17	39	59 4	119	143	-			
120 122 123 124	Bright's disease Other diseases of the kidneys and annexa.	375 7						î	ĩ	1 4	11	24 2	48	107 1	124 3	54	1		
125	Calculi of the urinary passages	20										1	1	1	5				
127 129 130 131 132	Nonvenereal diseases of the male genital organs. Uterine tumor (noncancerous). Other diseases of the uterus. Cysts and other tumors of the ovary. Salpingitis and other diseases of the female genital organs.	1 11 3 7								. 2	2	$\begin{array}{c} 1\\3\\2\\2\\1\end{array}$	1 2	2 1	i	1			
134 135 136 137	VII.—The puerperal state.  Accidents of pregnancy. Puerperal hemorrhage. Other accidents of labor. Puerperal septicemia. Puerperal albuminuria and convulsions.	. 60 . 18 . 4 . 15							3	9 5	6 4	3 1 2				-			
138 139	Puerperal phlegmasia alba dolens, em- bolus, sudden death	1								, ,		1				]			

Int.									DE	CATHS A	T AGE (	of—			. <del>:</del>	- ""	-		± 6.0 € 6.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1
Detailed In List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at un- known age.
					VEF	EMOI	NT(	Contin	ued.	,					-				
	VIII.—Diseases of the skin and of the cellular tissue	21	5		 					1		1	1	2	3	6	1	1	
142 143 144 145	Gangrene Furuncle Acute abscess Other diseases of the skin and annexa	14 1 1 5	1 4							1 		1	1	2	3	5 1	1	1	
146	IX.—Diseases of the bones and of the organs of locomotion  Diseases of the bones (tuberculosis ex-	9	1	1				1	1			1			2	2			
147 149	cepted. Diseases of the joints (tuberculosis and rheumatism excepted). Other diseases of the organs of locomotion.	5 3 1	1	1	 			1	1		[	1			1	1			 
150	X.—Malformations	51	49	1	<u></u>	<u></u>			1										
	Congenital malformations (stillbirths not included) (total).  Hydrocephalus.  Congenital malformations of the heart.  Other congenital malformations.  XI.—Early infancy.	51 5 30 16 277	49 4 29 16 277	1					1										::::: :::::
151	Congenital debility, icterus, and scle- rema (total).  Premature birth Congenital debility. "atrophy."	240 177 63	240 177 63																
152	"marasmus," etc. Other causes peculiar to early infancy (total) Injuries at birth. Other causes peculiar to early in- fancy 1	37 17 20	37 17 20										 						
154	XII.—Old age  Senility  XIII.—External causes	109 109 320	6	4	9	 5	3	13	38	27	32	43	1 1 20	2 32	23 23 49	58 58 26	23 23 13	2	
155 156 157 158 159 160	Suicide (total) By poison. By asphyxia. By hanging or strangulation By drowning By firearms. By cutting or piercing instruments.	46 3 2 14 6 15							1	1 1 1	4 1 3	9 1 1 2 3 1 1	8 1 1 2 4	9 3 6	8 1 5 1	3 1 1 1			
164 165 166 167 168	Accidental or undefined (total) Poisoming by food. Other acute poisonings. Confiagration. Burns (confiagration excepted) Absorption of deleterious gases (confiagration excepted).	267 4 9 11 16	5	4  2	9 3 1 4	5 1 1	3 1	13 1 1	37 1 2	23 1 1 2	27 1	33 1 2 2	11 2 1	22 1 1 1 1	38 1 3	23 1	13		
169 170 172 173	Accidental drowning Traumatism by firearms Traumatism by fall Traumatism in mines and quarries (total).	35 8 63		1		i	2	5	1 15 5 1	2 5 2	1 1 2 1	3 3	1	1 1 4 2	21	19	13		
174 175	Traumatism in quarries. Traumatism by machines. Traumatism by other crushing (total) Railroad accidents and injuries. Street-car accidents and injuries. Automobile accidents and in	31 1		1				5 3	2 6 2	6 3	1 2 16 11	3 7 4 1	6 3	2 1 4 1	6 4				
176 178 179 180 181	juries Injuries by other vehicles Landslide, other crushing. Injuries by animals. Excessive cold Effects of heat. Lightning. Electricity (lightning excepted) Other external violence.	1 1 3 4				1		2	1	1 2	1	2 1 2	1 2	2 2 2	1 2 1	1 1			
186 182 183 184	Other external violence.  Homicide (total). By firearms. By cutting or piercing instruments. By other means.  XIV.—Ill-defined diseases.	15 7 2 2 2 3 6	1							2	1 1 1 1 1 1	5 1 1 1	1	1 1 1	3				
189	Not specified or ill-defined (total) Ill-defined Not specified or unknown	6 1 5	4								1 1	1							

<sup>1</sup> Exclusive of injuries at birth.

I Int		1							DE	ATHS A	T AGE	or—							m. ge
Detailed In List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	100 yrs. and over.	Deaths at un- known age.
			,		VII	RGIN	TA (	тот	AL).			,		***************************************	·	t			
-	All causes	41,272	6, 491	1,877	987	586	402	1,231	3,134	5,450	4,636	3,365	3,268	3,841	3,723	1,799	337	62	83
1 7	I.—General diseases		1,357	884	528 1	363 8	263 9	. 774	1,948	3,364	2,634	1,549 28	1,020	985	689	241	25	4	37
2 7 4 1 5 8 6 1	Typhoid fever. Typhus fever. Malaria Smallpox. Measles.	1 81, 4 277	4 66	2 55	6	3 17	4	7 24	7 1 30	10 1 17	9 1 14	28 1 8 10	7	11 1 6	3 4				
7 8 7 9 1 10 1 13 0	Scarlet fever. Whooping cough Diphtheria and croup Influenza. Cholera nostras.	* 23 719 216 7,839 13	328 46 571 2	1 169 35 443 2	76 36 301 2	3 41 19 235	1 27 12 164	5 58 33 472	11 23 1,125 1	3 5 3 1,909	1 2 3 1,462	1 2 521 1	1 242	1 1 173 2	123	72· 2	5	2	1 2 19
14 I	Dysentery Erysipelas Other epidemic diseases. Purulent infection and septicemia. Glanders	371 59 15 57	91 16 3 6	76 2 3 2	29 1	5 1	8 1	15 1 3	13 1 3 7	10 4 3 5	. 9 1 1 10	21 5 5	18 6 3	21 7 1 8	27 9 4	24 6	3		1
23 I 24 7 25 7	Rabies Tetanus Mygoses	1 48 48 4 327	ii	1	1	1		2 7	9	1 2 4 1 35	5 1 82	5	1 49	2 2 52	1 23	4	•••••		
	Pellagra. Tuberculosis (total). Tuberculosis of the lungs. Acute miliary tuberculosis. Tuberculous meningitis Abdominal tuberculosis.	4,093 3,594 134 126 146	90 47 4 30 4	63 37 1 21 1	35 17 2 13 1	1 15 6 2 4	24 10 2 7 4	85 47 3 18 11	526 450 35 10 19	1,122 1,025 41 11 25	797 737 26 7 19	547 507 9	325 297 6 1 14 2	258 228 3 1 18	155 140	40 37	4 3		7 6
	Pott's disease. White swellings Tuberculosis of other organs. Disseminated tuberculosis. Rickets.	21 10 50 12 31	-3 1 13	1 2 8	1 1 7	2 1 2	1	1 4 1	10 10	6 3 9 2	1 2 3 2	16 3 2 6 1	1 3 1	3 1 4	1 1 2		i		i
37 S	SyphilisGonococcus infection	265 9	68	9	<u>3</u>	4		5 1	10	39 ,2	43 3	28 2	23	21 1	7	3			2
39 40 41 42 43 44 45	Cancer and other malignant tumors(total) Of the buccal cavity. Of the stomach, liver. Of the peritoneum, intestines, rectum Of the female genital organs. Of the breast. Of the skin.	1,223 43 392 106 270 148 57	1	1		3	2	3	12 3 2 1	23 1 4 1 6 1 2	91 17 7 38 18	215 6 47 17 85 35 2	236 10 75 22 62 27 3	294 4 107 35 49 36 10	260 16 120 19 22 19 21	66 4 12 1 6 8 17	11 3 1 3	.1	3 1 1 1
46	Of other organs or of organs not speci- fied. Other tumors (tumors of the female geui- tal organs excepted)	207 11		1		1	,2 1	3	6	8	9	23 · 2	37 2	53 1	43 1	18 1	3		<b>-</b>
	Acute articular rheumatism	118 33 2	3	1 1				, 5	17	13	7 1	11 3	19 5	20 11	13 9 31	7 4 9		1	1
48   0 49   8 50   1 51   1 52   2 53   1 54   4 55   0	Diabetes Exophthalmic goiter Addison's disease Leukemia	190 · 37 8 37	1	1		,1 1 1	1	5 5 1	8 2 7 3 2	14 3 6	16 7 1 4 8	28 12 1 6 11	26 11 2 3 12	49 1 1 2 15	$\begin{array}{c c} & 1\\ & 1\\ & 2 \end{array}$		1		
56 A	Leukemia. Anemia, chlorosis. Other general diseases. Alcoholism (acute or chronic). Chronic lead poisoning. Other chronic poisonings.	69 56 19 1	7 26	5	1 3	1	2 1	1 2	2	3 4 3	3	7	12 2 2	15 5 2 1 1	5 4 2				
	II.—Diseases of the nervous system and of the organs of special sense.	3,375	213	56	54	25	18	57	117	126	163	318	526	672	700	282	37	7	4
60 I	Encephalitis Meningitis (total) Simple meningitis Cerebrospinal meningitis (undefined)	991	61 27 20 14	6 18 8 7 3	28 15 11	14 8 4 2	15 7 2 6	33 12 16	6 46 9 16 21	3 30 4 13 13	13 2 5	3 13 3 3 7	2 6 3 1 2	1 3 2 1	1 1				
62 I	Cerebrospinal fever Locomotor ataxia Other diseases of the spinal cord (total) Acute anterior pollomyelitis. Other diseases of the spinal cord 1	82 32 119 31 88	5 5	8 7 1	8 7 1	5 3 2		5 6 4 2	1 5 3 2	6 6	6 3 3 1 2	6 15 1 14	3 11 11	7 19 19	9 22 	1 5 5	1		
65   S 66   I 67   C	Cerebral hemorrhage, apoplexy Softening of the brain. Paralysis without specified cause. General paralysis of the insane Other forms of mental alienation.	1.790	3 5	1	2	3		3	14 2 1	31 · 4 · 2 · 8	64 13 17 9	178 4 33 27 10	354 8 81 22 8	480 8 118 3 5	447 19 164 19 2	179 12 73 4.	. 25 1 6 1	5 2	1
69 1 70 0	Epilepsy. Convulsions (nonpuerperal) Convulsions of infants Chorea Nouralgia and newitis	129 13 138 2	11 105	21	10	1 2	2	5 2	21 3 1	25 3	24 1 1	13 2	13	4 1	6	2 1	2		
75 ]	Neuralgia and neuritis. Other diseases of the nervous system Diseases of the eyes and their annexa Diseases of the ears	3	10 1 6	2	. 2		1	6	14 3	10 1	1 10	7 3	1 15 2	5 14 2 2	3 6 2	1 2 1	ī		i

Int.				<del></del>	· ·		<del>;</del>		DF	CATHS A	T AGE	OF					-		g.
Detailed In List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	89	90 to 99 years.	100 yrs. and	eaths at known ag
-		<u> </u>	1	· VIF	GIN	TA ("	l rota	\ \ T.)(	Contin			•	,		,	-	, , , , , ,	over.	A_
	III.—Diseases of the circulatory																		<del></del>
77	system	3,660	23	10	8	2	1	41	94	171	274	373 5	582	788	865	365	53	3	7
78 79 80 81	Acute endocarditis Organic diseases of the heart Angina pectoris Diseases of the arteries, atheroma, ancu-	96 3,947 121	1 16	8	3	2	i	5 34	11 74 1	11 151 2	20 221 10	16 310 11	21 491 21	4 3 673 37	729 - 29	284 9	. 1 43 1	3	6
82 83	rism, etc. Embolism and thrombosis Diseases of the veins (varices, hemor-	286 50							I	4 1	10 7	19 10	31 10	56 12	90 7	66 3	8		1
84 85	rhods, phlebtis, etc.). Diseases of the lymphatic system (lymphangitis, etc.). Hemorrhage; other diseases of the circulatory system	8 7 15	1 3 2	2	1			2	2		3	, 1	1 3	1 2	3				
	IV.—Diseases of the respiratory system.	4,696	724	320	152	61	51	127	399	811	672	324	283	295	278	152	26	9	12
86 87 88 89 90 91	Diseases of the nasal fossae Diseases of the larynx Diseases of the thyroid body Acute bronchitis. Chronic bronchitis Bronchopneumonia	35 19 10 154 113	22 4 2 74 5	6 2 30 4	2 2 7 2	1		3	1 2 6 3	2 6 6	2 5 5	15	1 2 3 7	4 1 5 16 35	1 2 1 5 34	1 7 23	2 3		
92	Pneumonia (total)  Lobar pneumonia  Pneumonia (undefined)  Pleurisy  Pleurisy	841 3,271 2,555 716 68	329 276 111 165 2	165 194 65 39	48 89 56 33	38 20 18 1	39 23 16	16 101 78 23 3	24 344 294 50 12	48 720 644 76 13	30 588 525 63 11	22 272 237 35 6	26 212 164 48 7	206 158 48 5	33 178 122 56	30 75 39 36 1	5 13 7 6	5 3 2	11 9 2
94 95 96 97	Pulmonary congestion, pulmonary apoplexy. Gangrene of the lung. Asthma. Pulmonary emphy sema.	53 8 75 4	7	5	i	2	1	i	2 2	2 3 5	6 1 17	5 1 6	5 14	3 12	99	8 4	1	2	i
98	Other diseases of the respiratory system (tuberculosis excepted)	45	2	1	1			1	3	1 5	7	6	6	8	1 2	3			
99	V.—Diseases of the digestive system.  Diseases of the mouth and annexa	3,017	1,102	436	130	64	24	77	99	136	153 3	189	175	196	149	74	8	2	3
100 101 102 103	Diseases of the pharynx.  Diseases of the esophagus.  Ulcer of the stomach  Other diseases of the stomach (cancer excented).	53 3 54 310	87	2  22	12	5 2 7	3	7 1	6 6	4 1 7	7	1 13 25	3 8 29	1 8 28	2 2 4 32	2 3 16	3		
104 105 106 107	Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over). Ankylostomiasis Intestinal parasites.	1,351 421 6 19	954 1	397 1 5	110	35 5	13 1	27 1 5	14 3	17	29	33	31	42	33 1	30	3	2	·····2
108 109 110	Appendicitis and typhlitis. Hernia, intestinal obstruction (total) Hernia Intestinal obstruction. Other diseases of the intestines	167 207 56 151 41	17 3 14 6	4 1 3 1	1 5 1 4	1 5 5	1	13 4 4 1	44 8 8 2	36 24 3 21 1	29 23 4 19 6	19 26 6 20 7	12 21 8 13 4	7 31 11 20 5	28 13 15 4	9 4 5 4	1		i i
111 113 114 115	Acute yellow atrophy of the liver	10 126 48 89	4	1		1 2		·	3	1 7 2 9	2 8 2 11	21 12 19	2 29 11 16	35 14 14	3 17 7 6	5 3	1		
116 117 118	Diseases of the spleen Simple peritoritis (nonpuerperal) Other diseases of the digestive system (cancer and tuberculosis excepted) VI.—Nonvenereal diseases of the	53 13	1	•••••		1		8	5	9	8	8	2 4	1 7 2	1 3 2	1 1			
	genito-urinary system and annexa	2,756	19	21	16	4	7	19	56	109	195	298	414	635	652	265	37	4	5
119 120 122	Acute nephritis	243 2,172 83	10 4 4	9 6 5	10 2 4	4	4 3	9 9 1	21 29 2	24 55 3	29 135 5	37 222 7	24 351 17	37 536 14	15 560 14	9 220 7	1 31	<u>4</u>	5
123 124 125	Calculi of the urinary passages	14 44 11	1	1			1			1	2	2	5 2	1 10	1 18	1 10	2		
126 127	Diseases of the prostate Nonvenereal diseases of the male genital organs	94		•••••		• • • • • •		1		1	3	4 2	2 5	28	38	18	3		
128 129 130	Uterine hemorrhage (nonpuerperal) Uterine tumor (noncancerous). Other diseases of the uterus.	5 2 27 20							I	<u>1</u>	6	1 12	1 4	1 4					
131 132	Cysts and other tumors of the ovary. Salpingitis and other diseases of the female genital organs.  VII.—The puerporal state.	12 29							2	5 3 14	10	2	1		2				•••••
134 135	Accidents of pregnancy Puerperal hemorrhage	157							101	97	205 38	38	1						
136 137 138	Other accidents of labor Puerperal septicemia. Puerperal albuminuria and convulsions	36 132 163							2 17 24	16 66 78	15 41 52	3 8 8	i						
139	Puerperal phlegmasia alba dolens, em- bolus, sudden death.	171			•••••				43	67 5	52 7	9 3							
140	Following childbirth (not otherwise defined)	1		]						1							]		

Tat.								******	DE	ATHS A	T AGE	of—		,					un- ge.
Detailed In List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	100 yrs. and over.	Deaths at un- known age.
				VIR	GIN	[A (]	COT#	<b>7.17)</b> —(	ontinu	ied.								٠.	
	VIII.—Diseases of the skin and of the cellular tissue.	88	11	2		3		2	1	. 5	2	6	9	14	14	ıi	6	2	
142 143	Gangrene Furuncie	44 10	1 1			2		····i		4	1 1	3 2 1	2 3 1	10 1 1	10	7 2	4	1	
144 145	Acute abscess.  Other diseases of the skin and annexa.  IX.—Diseases of the bones and of the organs of locomotion	9 25 44	3	1	2	. 1	1	1 3	5	9	4	1 2	3 7	1 2 4	3	2	2	1	
146 147	Diseases of the bones (tuberculosis excepted).  Diseases of the joints (tuberculosis and	35	1		1	1	1	3	3	9	4	· . 2	7	. 2	1				
149	rheumatism excepted Other diseases of the organs of locomotion X.—Malformations	5 4 275	1 1 256	4	1 6	1		3	1 1 3	1		1	·····	2	1				
150	Congenital malformations (stillbirths not included) (total)	275	256	4	6	1		3	3										
	Hydrocephalus.  Congenital malformations of the heart Other congenital malformations	27	20 141 ·95	<u>2</u>	3 1 2	····i		3	2 1	î		î							
7.57	XI.—Early infancy	2,018	2,018						<u></u>										
151	Congenital debility, icterus, and sele- rema (total)	1,719 1,182	1,719 1,182																
152	Congenital debility, "atrophy," "marasmus," etc. Other causes peculiar to early infancy (total)	537 290	537 290	•••••									• •						
	Injuries at birthOther causes peculiar to early infancy <sup>1</sup>	157 133	157 133	•••••	••••				•••••					•••••					
153	Lack of careXII.—Old age,	606	9									•••••	8	29	150	279	111	28	1
154	Senility XIII.—External causes	606 1,994	85	49	58	46	33	103	285	353	296	207	8 155	29 117	150 108	279 73	111 16	28 1	1 9
155	Suicide (total)	163 27							8 5	40	25 5	. 36 . 6	22 1	19 1	11 2				2
156 157 158 159	By asphyxia By hanging or strangulation By drowning.	5 16 10								1 1 2	1 1	2 6 2	2 2 1	2 2	4 1		-,		i
160 161 162	By firearms By cutting or piercing instruments. By jumping from high places	90 12 1							3	27 2	16 1 1	14 5	14 1	14	2 2				i
164	By crushing	1,579 20	83	49 1	58 1 3	46	33 1	103 2	240 4	225 1	201 2	1 135	1 120 2	92 2	97 1	73	16	1	7
165 166 167	Other acute poisonings Conflagration	43 38 225	4 7 6	· 7	3 .3 40	2 3 31	1 1 12	2 37	2 3 17	3 4 10	9 3 14	8 3 6	2 1 9	1 3 6	<u>1</u> 8	1 3 9	1 1	1	
168 169 170 171	Absorption of deleterious gases (con- flagration excepted). Accidental drowning. Traumatism by firearms.	51 136 103	30	1 6 2	2 2	2	3	. 7 10	6 40 50	3 37 15	3 22 10	2 7 5	2 6 4	3 2 2	<u>2</u>	i			1 2
172 173	Traumatism by cutting or piercing instruments. Traumatism by fall. Traumatism in mines and quarries	5 215	7	3	<u>i</u> -	4	6	1 12	2 5	16	15	7	1 13	26	1 45	43	11		<sub>i</sub>
	(total)	58							9 9	13 12 1	17 16 1	14 13	6 5	2 2					1
174 175	Traumatism by machines. Traumatism by other crushing (total) Railroad accidents and injuries.	53		2	5	2	6	· 23	14 59 23	14 . 74 . 47	70 47	1 7 46 25	1 7 43 25	4 27 12	1 17 6	6 2			·····2
	Street-car accidents and injuries. Automobile accidents and injuries.	. 32		. 1	1 3	1	1 5	13	20	14 14	3 15	. 3	5 7	5 5	3	1 .2			1
176	Injuries by other vehicles Landslide, other crushing Injuries by animals	48		ī	i	ī		5	10 2 6	4, 5	3 2 2	7 2	,1 ,1	5 3	63	1			i
177 178 179	Starvation Excessive cold Effects of heat	1 22 62	15	<u>i</u>					 2	2 1	1 6	1 2 11	<u>4</u> 8	3 5	5 8	4 4	1 1		: 
180 181 185	Lightning. Electricity (lightning excepted) Fractures (cause not specified)	22 14 5	i					2	5	1 7 7	3 5 1	. 2	2 i		1	1			
186	Other external violence Homicide (total) By firearms	104 252	10 2	8	1	2	3	6	16 37 29	18 88 80	12 70 - 61	12 36 26	13 11	3 6 5	3	1	1		
182 183 184	By cutting or piercing instruments By other means		1 1	0.5		***			4	4 4 35	. 5	26 1 9	1 1 88	106	115	57	18	2	5
187 188	XIV.—Ill-defined diseases	i	680	95	33	16	1	25 1 1	26 3 4	35 2	38 2 3	10	9 13	20 12	I	11 10	18		
189	Sudden death. Not specified or ill-defined (total) Ill-defined Not specified or unknown.	78 88 1,237 460 777	658 122 536	94 67 27	31 12 19	15 6 9	3 1 2	23 10 13	19 11 8	33 22 11	33 19 14	43 27 16	66 44 22	74 44 30	18 11 86 54 32	36 13 23	16 6 10	2	5 2 3

[This table excludes the deaths of soldiers, sailors, and marines.]

Et.				•					DEATH	S AT A	e of—		-						di di
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	89	90 to 99 years.	100 yrs. and over.	Deaths at un known age.
		,			VIR	GIN	IA (T	viei.	DE).					<u> </u>	!		·	<u></u>	
	All causes	24,687	3,743	1,056	581	341	236	704	1,634	3,173	2,688	1,840	1, 805	2,556	2,794	1,315	175	3	43
	I.—General diseases	10,274	757	538	328	220	158	456	1,014	2,025	1,682	`944	667	707	553	188	19		18
1 2	Typhoid fever	1	1	1	1	3	7	10	67	75	31	$^{22}_{1}_{5}$	12	13	3		· · · · · · ·		••••
4 5 6	Malaria Smallpox Measles	1	46	44	3 19	1	6	3 <sub>23</sub>	1 <sub>21</sub>	3 1 14	4 14	9-	1 6	5	3 4	· · · · · · · · · · · · · · · · · · ·			
7	Scarlet fever	21		1	3	3 17		5	4 5	3	1	1							
8 9 10	Whooping cough Diphtheria and croup Influenza	168	165 30 332	75 29 286	33 31 194	16 16 148	9 9 108	29 28 295	15 702	1,394	$\frac{1}{2}$ 1,051	337	161	1 119	88	53	4		2 10
13	Cholera nostras	10	1	2	2			· • • • • • • • • • • • • • • • • • • •	1			1		2		1	ļ		
14 18 19	Dysentery	50	46 13 2 5	55 2 1	19	1	7	12	8 1 2	7 2 2	5 1	12 5	14 6	14 5 1	22 8	21 6			1
20	Other epidemic diseases	į.	5	2	i			1	5	3	5	5	1	7	2	1	1		
23 24 25	Rabies	23	5		i	ï		3	4	$\begin{bmatrix} & 1 \\ 2 \\ 1 \end{bmatrix}$	2	3	<b>-</b>	2 2					<b>-</b>
26	Pellagra	179	1 45	27	16	1 4	7	28	4 135	14 442	37 427	35 297	32 192	33 188	20 118	30			3
28 29	Tuberculosis of the lungs	1,726	16 1	11	4 2	2	2	9	114	414 12	401 9 5	276 3	177 2	162 2	108	27			3
30 31	Tuberculous meningitis. Abdominal tuberculosis. Pott's disease	81 67 13	22 2 1	13	8 1 1	2		12 4	7 4 1	5 5 2	7	2 8 2	1 7 2	1 16 3	8 1	3		••••	
28 29 30 31 32 33	White swellings Tuberculosis of other organs	6 22	2	····i				3	2	$\begin{bmatrix} \frac{2}{2} \\ 1 \end{bmatrix}$	2 2	1 4	2	1 3	i				
35 36	Disseminated tuberculosis	6 8	1 4	1 4						1	1	1	1						
37 38	SyphilisGonococcus infection	92 5	35	1	2	2				8	13 2	9 2	8	8	3	3			
	Cancer and other malignant tumors (total)	903	1	1		2	1	3	9	14	50	142	168	221	221	58	10		2
39 40 41	Of the buccal cavity Of the stomach, liver Of the peritoneum, intestines, rec-		1						3	3	11	33 33	6 51	83	15 102	10	3		
42	tumOf the female genital organs	150							2	2	5 16	13 51	19 38	30 22	18 15	1 4	1		i
43 44 45	Of the breast	. 108								2	11	24 2	21 3	28 7	14 19	8 16	1		
46	other tumors (tumors of the female geni-	169	<b>-</b>	1			1	3	3	6	5	17	30	47	38	15	3		
47	tal organs excepted)	. 57		1			1	. 4	12	4	2	3	13	7	9	3			
48 50 51	Chronic rheumatism and gout.  Diabetes.  Exophthalmic goiter.	. 151		1				4	7	12 1	1 15 7	17 9	18 10	7 41 1	8 28 1	7			
52 53	Addison's disease Leukemia	7 31	i			. 1		4	7	6	1 3	1 4	3	1	1 2				
54 55	Anemia, chlorosis	. 47	5 19	5	3	. 1	. 1	2	$\frac{1}{2}$	3 4	4	10 -2	11 2	15 3	5 4				
56 59	Alcoholism (acute or chronic) Other chronic poisonings	17								2	2	7	2	. 2	2				
•	II.—Diseases of the nervous system and of the organs of special																		,
60	sense	2,061	112	31	33	18		44	76	65	78	149	254	412	530		-	-	1
61	Meningitis (total). Simple meningitis.	- 213	51	14	20 9	11 6	14 7	23 8	33	19	10	3 11 2	1 4 3	2	i				
•	Cerebrospinal meningitis (undefined)	76	16 12	6 2	9 2	3 2	1	12 3	11	9	5 3	. 3	<sub>i</sub>	· · · · · i					
62 63	Locomotor ataxia Other diseases of the spinal cord (total). Acute anterior poliomyelitis		. 3	5						4	2	10 10	7	12	9 21	3		-  -	
64	Other diseases of the spinal cord 1 Cerebral hemorrhage, apoplexy	1.090	3	ļ	1	. ī		- L	2	13	1 18	9 72	7 167	12 295	21 346	3 146			
65 66	Softening of the brain Paralysis without specified cause	33	1	1					i	2	5	11	33	7 65	13	8 50	1 5	2	
67 68	General paralysis of the insane Other forms of mental alienation	62							1	3	12 5	4	12 5	4	1	1		-	
69 70 71	Epilepsy	. 1	37				2	-	12	12 1	18	5	8	. 4		. 1			
73 74	Neuralgia and neuritis Other diseases of the nervous system	. 10	6	í	4	1		6	11	7	1 5	2 6	1 8	3 12		1		-	
75 76	Diseases of the eyes and their annexa Diseases of the ears	. 1	1					i				3	2						

 ${\bf ^1}$  Exclusive of a cute anterior poliomyelitis (infantile paralysis.)

Int.	•								DE	ATHS A	T AGE	of—	•						un-
Detailed In List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at un known age.
		<u> </u>		VIR	GIN	IA (Y	VHII	'E)—C	ontin	ied.									<del>-,</del>
	III.—Diseases of the circulatory system	2,188	15	. 6	4	2	1	23	55	81	106	157	288	519	636	269	23		. 3
77 78 79 80	Pericarditis	8. 40 1,818 98	i1	6	1 2	2	i	2 19	6 48	5 73 1	9 . 88 	132 7	1 8 237 16	2 437 33	2 2 542 26	201 9	1 19		2
81 82	Angina pectoris Diseases of the arteries, atheroma, aneurism, etc. Embolism and thrombosis	168 38								2	<u>i</u>	. 7	13 10	33 11	57 6	· 53	2		1
83 , 84	Diseases of the veins (varices, hemor- rhoids, phlebitis, etc.). Diseases of the lymphatic system (lym- phangitis, etc.).	6	3		1			2			3		1	· 1	1				
85	Hemorrhage; other diseases of the circulatory system  IV.—Diseases of the respiratory system	,6 2,485	1 344·	134	66	28	17	 51	1 203	455	343	150	2 135	2 196	216	124	17	1	<u>-</u> 5
86 87 88	Diseases of the larynx Diseases of the larynx Diseases of the thyroid body	11	6 2 2	2 1	2	2			1	2	2	1	2	3 1	1 2 1 4	i			
89 90 91	Acute bronchitis Chronic bronchitis Bronchopneumonia	429	27 4 171	8 2 71	1 1 19	8	i	1 5	11 11	22	2 20	2 6	11	3 1 2 10 26 , 135	32 27 135	6 22 26 56	. 3	i.	
92	Pneumonia (total) Lobar pneumonia. Pneumonia (undefined) Pleurisy	1,762 1,372 390 34	127 56 71 1	46 24 22 2	23 18	16 9 7 1	15 11 4	43 30 13 1	174 151 23 6	419 379 40 .6	304 263 41 3	129 112 17 4	· 110 · 78 32 3	101 34 3	98 37 2	29 27 1	3 1		1
94 95 96	Pulmonary congestion, pulmonary apo- plexy. Gangrene of the lung. Asthma.	32 6 27	3	i	i	1	1		2 1	2 2 2	3 1 4	2 1	4	2 9	6 4 1	7	1		
97 98	Pulmonary emphysema. Other diseases of the respiratory system (tuberculosis excepted) V.—Diseases of the digestive system.	25 1,746	1 597	1 264	1 88	36	17	1 49	2 55	2 57	4 68	5 107	99	5 134	1 111	2 57	5		2
99 100 101	Diseases of the mouth and annexa.  Diseases of the pharynx.	13 32 2	5 2	2		i	4	. 5 1	1 3	1 2	2 4	1 2 1 8	2 2	1	1 2	2			
102 103	Ulcer of the stomach Other diseases of the stomach (cancer excepted)	. 160 . 769	49 525	12 244	7	3	1	4	4	6	3 7	, ș 10	5 9	14	3 21	12	1		
104 105 106 107	Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over) Ankylostomiasis Intestinal parasites	242 3 10	520	3	75 1 1	21 3 1	10 1	17 1 2 10	7	6	8	11 13	13 7	29	19 1	22	2		2
108 109	Appendicitis and typhlitis Hernia, intestinal obstruction (total) Hernia Intestinal obstruction Other diseases of the intestines	38 91	10 1 9 3	2	4	4		3 1	25 6 6	19 9 2 7	5 1 4 5	16 5 11 4	14 6 8 4	24 8 16 4	23 11 12 3	8 3 5 3	1		
110 111 113 114	Acute yellow atrophy of the liver Cirrhosis of the liver Billary calculi.	8 77 41		1					1	1 3 2 1	2 4 2 2	12 9	2 13 10 12	23 11	2 15 7	4	i		
115 116 117 118	Other diseases of the liver  Diseases of the spleen  Simple peritonitis (nonpuerperal)  Other diseases of the digestive system	54 1 30	3			2		4	1 <sub>3</sub> .	1 <sub>3</sub>	5	13 	12	10 1 4	6 <u>2</u>				
110	(cancer and tuberculosis excepted) VI.—Nonvenereal diseases of the genito-urinary system and		1							2			4	2	486	180	20		
119 120	annexa Acute nephritis Bright's disease Other diseases of the kidneys and annexa.	97	3 3	10 2 3	7 2 1		. 3	6 4 2	16 4 10	9 22	84 11 60	129 16 97	209 10 178	13 366	. 12 416 12	8	-		4
122 123 124 125	Other diseases of the kidneys and annexa. Calculi of the urinary passages. Diseases of the bladder Diseases of the urethra, urinary abscess,	10	3			J				1	1	5 2	11 3	10 1 6	1 1 15	1 . 5	2		
126 127	etc	58									1	1	1 1	19 19	26	10	i		
128 129 130 131	organs. Uterine hemorrhage (nonpuerperal). Uterine tumor (noncancerous) Other diseases of the uterus. Cysts and other tumors of the ovary.	2 5 12									2	1 1 3 1	1 1 1	1 3 3	2 2				
132	Salpingitis and other diseases of the fe- male genital organs  VII.—The puerperal state-	. 12							46	5 217	5 130	1 25	1						
134 135 136	Accidents of pregnancy Puerperal hemorrhage Other accidents of labor	116 23 86							11 2 8	73 10 48	26 8 26 34	6 3 4					-		
137 138 139	Puerperal septicemia. Puerperal albuminuria and convulsions. Puerperal phlegmasia alba dolens, em- bolus, sudden death.	90 95 8							18	42 40 3	34	3							
, 140	Following childbirth (not otherwise defined)									1	1			ļ:		.l			ļ

int.				-					DE	ATHS A	T AGE	of—							t um-
Detailed In List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years	99	100 yrs. and over.	Deaths at un- known age.
				VIR	GIN	IA (1	VIEUV	CE)(	Contin	ued.									
	VIII.—Diseases of the skin and of the cellular tissue.	47	5	1		2		1		3	1	4	5	6	8	9	2		
142 143 144 145	Gangrene Furuncle Acute abstess Other diseases of the skin and annexa IX.—Diseases of the bones and of the	20 9 5 13	5	1				1		2	1	1 2 1	3 1 1	3 1 1 1	3	5 2 2	1 , 1		
140	organs of locomotion	26	2				1	1	3	7	4	1	4	2	1				
146 147 149	Diseases of the bones (tuberculosis excepted)	21 4 1 222	1 1 212	3	2	1	1	1	1 1	7 1		1	4		1				
150	Congenital malformations (stillbirths not included) (total) Hydrocephalus Congenital malformations of the heart Other congenital malformations	222 18 123 81	212 14 120 78	3 1 2	2 1 1	1		1	1	1 1	)				1		J		į
151	XI.—Early infancy	1,311	1,311													.			
151 4 152	Congenital debility, icterus, and sclerema (total) Premature birth Congenital debility, "atrophy," "marasmus," etc. Other causes peculiar to early infancy	1,108 843 265	1,108 843 265	ļ		ļ													
153	(total) Injuries at birth Other causes peculiar to early infancy <sup>1</sup> Lack of care.	75	199 124 75 4								   <b>-</b>				1				
154	XII.—Old age	333						1					2	10 10 83	93 93 79	178 178 56	49	1	7
155 156 157 158 159 160 161	XIII.—External causes.  Suicide (total).  By poison.  By asphyxia.  By hanging or strangulation.  By drowning.  By firearms.  By cutting or piercing instruments.  By jumping from high places.	146 27 5 14 8 78 11							8 5	205 34 7 1 1 1 22 2	177 21 5 1 1 12 1 1	148 33 6 2 5 2 13 4	105 22 1 2 2 2 1 14 14	16 1 1 1 1 13	10 2		10		2
164 165 166 167	By crushing  Accidental or undefined (total) Poisoning by food. Other acute poisonings. Conflagration Burns (conflagration excepted)	1,012 14	41 3 3 1 2	32	44 1 2 3 32	27 1 2 17	21	62 2	139 3 2 1	142 2 2 2 5	132 1 3 7	93 5 2 5	1 74 1 5	64 2 1		1 1			5
168 169 170 171	A bsorption of deleterious gases (con- flagration excepted). Accidental drowning. Traumatism by firearms. Traumatism by cutting or piercing instruments	31 84 53	16	1 5 1	1 2	i	i	5 6	3 24 20 1	2 22 6	12 8	2 6 3	2 2 4		1	i			1
172 173	Traumatism by fall. Traumatism in mines and quarries (total). Traumatism in mines. Traumatism in quarries.		5				4	10		10 10 9 1	11 16 16	5 9 9	6 3 3	2			8	.	
174 175	Traumatism by machines. Traumatism by other crushing(total) Railroad accidents and injuries. Street-car accidents and injuries. Automobile accidents and in-	29 277 148 24		1	3	2	i	. 3	18	6 53 34 3	3 52 38 2	35 19 3	4	11 5	11 4 1	i			,
176 178 179 180 181 185	juries. Injuries by other vehicles Landslide, other crushing Injuries by animals. Excessive cold: Effects of heat. Lightning. Electricity (lightning excepted). Fractures (cause not specified).	6 13 1 28 18 10 4	1	1				1	5	10 3 3 3	3 2 3	6 1 2	1 1 4 2	3	3 4 1	1 2			
186 182 183 184	Other external violence.  Homicide (total)  By firearms  By cutting or piercing instruments  By other means  XIV.—Ill-defined diseases.	97 80 6 11	1 1 1 336	37	9	5			8 6 1 1	13 29 25 2 2 2	8 24 18 2 4 15	7 22 19 3 25	9	3 3		-	6		
187 188 189	III-defined organic disease. Sudden death. Not specified or iII-defined (total). III-defined. Not specified or unknown.	52 596 231	12 324 66 258	37 22 15	9 2 7	5 2 3	1	. 5	4	13 10 3	1 14 10 4	3 5 17 10 7	7 25 18	10 8 46 30 16	58 39	7 22 9	1 5 3		. 3

<sup>&</sup>lt;sup>1</sup> Exclusive of injuries at birth.

<u></u>	. 1340.4		<u></u>						DE	ATHS A	T AGE (	)F—	<del>-</del>						un-
Detailed · Int. List No.	CAUSE OF DEATH.	All déaths.	Under 1 year.		2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at un- known age.
لــــــــــــــــــــــــــــــــــــــ		<u> </u>		7	TIRG	INL	(C(	OLOR	ED).										
	All causes	16,585	2,748	821	406	245	166	527	1,500	2,277	1,948	1,525	1,463	1,285	929	484	162	59	40
	I.—General diseases	6,391	600	346	200	143	105	318	934	1,339	952	605	353	278	136	53	6		19
1 4 5	Typhoid fever	156 52	4	2 2	3	5 2	2 4	23 4	48 6 1	43 7	18 5 1	6 3	6 6	$\begin{array}{c} 1 \\ 6 \\ 1 \end{array}$	1				
5 6 7	Smallpox Measles Scariet fever	, 3 52 2	20	11	3	3	i	1	9	3		1		<u>ī</u>					
8			163 16	94 6	43 5	24 3	18	29 5	6 8	. 1	1		<u>1</u>	1		19	1	<u>2</u>	1 
10 13	Whooping cough. Diphtheria and croup. Influenza Cholera nostras. Dysentery	2,557 3 121	239	157	107	87	56	177	423 5	515 1 3	411 4	18 <del>4</del>	81	54 7	35 5	1 3			
14	Dysentery	121	45 3	21	10		1			2				2	1		ļ		
18 19 20 21 23	Erysipelas Other epidemic diseases Purulent infection and septicemia Glanders	9 6 18	1	2				2	1 2	1 2 1	5		2	i	2	1			
21 23	Radies	1 2						i		ĩ									
24 25 26	Tetanus	25 1	6	1				4 1	5 	21	3 1 45	2 31	1 17	19	1 3	2			i
26	Pellagra Tuberculosis (total	148 2,133	45	36	19	11	17	57	301	680 611	370	250 231	133 120	70 66	37 32	10 10	3		4 3
28 29	Tuberculosis (total Tuberculosis of the lungs Acute miliary tuberculosis	2,133 1,868 95 45	31 3 8	26	13	. 4 2 2	8 2 4 2	38 3 6	336 28 3 15	29 6 20	336 17 2 12	6 1	4	1					;·
31 32	Tuberculous meningitis Abdominal tuberculosis Pott's disease	, 79 8	2	ĭ			. 2	. 7	15 1	20	12	8 1	7	2	3				
28 29 30 31 32 33 34 35	White swellings. Tuberculosis of other organs	28	·····i	i		2	i	1 1	8	1 8 1	1	2	i	i	ī				1
35 36 37	Rickets	23	9	4 8	7 1	2		1 5	10	31	30	19	15	13	4				2
37 38	Syphilis	. 4	33	8		····"	-	ĭ		2	ĭ				-		-		
20	Cancer and other malignant tumors (total)	320				_ 2	1		3	9	41	73 4	68 4	73	39		1		1
40 41	Of the stomach, liver	90 17						-		1	6 2 22	14 4 34	24 3 24	24 5 27	18 1 7				i
39 40 41 42 43 44 45	Of the female genital organs	120		-	-	-	-			1	7	11	6	8 3	5 2		. 1	1	
44 45	Of the skin Of other organs or of organs not speci-					. 1	1		. 3	2	4	6	7	6	5	3		.	
46	Other tumors (tumors of the female geni- tal organs excepted)	٠ ،								-	1 6	2 8	6	13	4	4	.		1
47 48	Acute articular rheumatism. Chronic rheumatism and gout. Scurvy.	61 8	3		<b>:</b>	-	-	1	- 5	9	0		. î	4	1	_ 2			
49 50 51	ScurvyDiabetes	39 7	·····		-			i	1 1		1	11 3	8	8	3	2	1	.	
52 53	Diabetes Exophthalmic gotter Addison's disease Leukemia.	1 6		. i				.  <u>i</u>	· · · · · · · · · · · · · · · · · · ·		1 4	2	1	i					
54 55	Other general diseases	. 9	. 7		-						ļ <u>.</u>		-	: 2			-	-	
56 57	Alcoholism (acute or chronic) Chronic lead poisoning	- 1					-				-		i					-	
59	Other chronic poisonings	1			-			.,,		,									
	and of the organs of specia sense.	1	101	25	5 2	L .	7 :	2 13	_	-	_	_	_			64	13	- 7	3
60 61	Menincitis (total)	17 68	10	) l 4		3   3	3	i	13	11								-	
-	Simple meningitis. Cerebrospinal meningitis (undefined	5. 23		1 1	L i		2	i 4	2 5 2 6	3	ւ՝ 3	· · · · · · i	1					-	-
62 63		_ 1 35				4	2		. j	. 2		. 2			7		2		
U	Acute anterior poliomyelitis Other diseases of the spinal cord 1	26	1 1		L i	3	i	-		2	2   1	.   5	ì			1	2 / 1	3 8	
64 68 60	Carabral hamorrhage anonleyy	700		;-		1   ;-		-			46		187 1 48 2 48	E   :	1	$\begin{bmatrix} 6 \\ 3 \end{bmatrix}$ 2	3	::	
66 67 68	Softening of the brain. Paralysis without specified cause. General paralysis of the insane. Other forms of mental alienation.	218 33 20		4						:	2   8	5   9	9   10	3	i	4 1		L	-
69 70		55	5   1	9			1			1			8 8		i	3		L	-
70 71 72	Convulsions of infants.	89	6	8 1	4	6	1			i		1		-	2	i			
73 74	Neuralgia and neuritis	2	3	4	i		•			3	3		1	· I	2			i	
78	Diseases of the eyes and their annexa.		2.	i		-		i			:: :::::	-		::					
			1 Excl	usiye c	of acut	anter	ior pol	iomyeli	itis (m	antile p	aralysis	).		٠			•		,1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

Int.					,			= =	DE.	ATHS AT	r age (	)F—							t un-
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	yrs. and over.	Deaths at un known age.
			v	IRG	INIA	. (Co	LOR	(ED)-	-Conti	nued.									
	III.—Diseases of the circulatory system	1,472	8	4	4			18	39	90	168	216	294	269	229	96	30	3	4
77 78 79 80 81	Pericarditis. Acute endocarditis. Organic diseases of the heart. Angina pectoris. Diseases of the arteries, atheroma, aneu-	23	1 5	2	2 1			3 15	5 26 1	2 6 78 1	3 11 133 5	12 178 4	3 13 254 5	236 4	187 3	83	24	3	4
82 83 84	rism. etc. Embolism and thrombosis. Diseases of the veins (varices, hemorrhoids, phlebitis, etc.). Diseases of the lymphatic system (lymphopolitis etc.)	118 12 2	1						1	2 1	10 6	12 3 1	18	23	33	13	6		
85	phangitis, etc.).  Hemorrhage: other diseases of the circulatory system  IV.—Diseases of the respiratory system.	9	380	2 186	1 86	33	34	76	1 196	356	329	174	1 148	99	3 62	28	9	8	7
86 87 88 89 90 91	Diseases of the nasal fossae. Diseases of the larynx. Diseases of the thyroid body. Acute bronchitis. Chronic bronchitis. Bronchopneumonia	98 36 412	16 2 47 1 158 149	22 2 94 58	6 1 29 48	1 9 22	10 24	1 2 11 58	3 2 13 170	6 6 26 301	3 5 10 284	3 16	1 2 7 15 102	3 6 9 71	1 2 6 43	1 1 4 19		1 5	6
93 94	Pneumonia (total).  Lobar pneumonia.  Pneumonia (undefined).  Pleurisy.  Pulmonary congestion, pulmonary apoplexy.  Gangrene of the lung.	1,183 326 34	55 94 1	41 17 1	33 15	111	12 12	48 10 2	143 27 6	265 36 7	264 262 22 8	143 125 18 2	86 16 4	57 14 2	24 19 1	10 9	3	2	5 1
95 96 97 98	Cangrene of the fung Asthma Pulmonary emphysema Other diseases of the respiratory system (tuberculosis excepted) V.—Diseases of the digestive system.	. 48	1 1 505	172	42	28	7	1 1 28	1 44	1 3 1 3 79	13 3 85	1 82	10 6 76	3 62	5 1 38	1	i	2	1
99 100 101 102 103	Diseases of the mouth and annexa Diseases of the pharynx. Diseases of the esophagus. Ulcer of the stomach. Other diseases of the stomach (cancer ex-	31 21	23 2	3	5	4 1 4	2	2	31	1 2 1 5	1 3 4	2 5	1 1 3 20	1 4 14	1 11	1 4	2		
104 105 106 107 108	cepted). Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Ankylostomiasis. Intestinal parasites. Appendicitis and typhlitis.	582 179 3 9	429	153 1 2	35	14	3	10	7 2	11	21	22	18	13	14	8	i	2	
109 110 111 113	Hernia, intestinal obstruction (total)  Hernia  Intestinal obstruction Other diseases of the intestines.  Acute yellow atrophy of the liver Cirrhosis of the liver.	18 60 13	7 2 5 3	2 1 1 1		1		1 1	2 1	15 1 14 1 1	18 3 15 1	10 1 9 3	5	3 4 1 12	5 2 3 1 1 2	i		7	1
114 115 116 117 118	Biliary calculi. Other diseases of the liver. Diseases of the spleen. Simple peritonitis (nonpuerperal). Other diseases of the digestive system	7 35 1 23	1			1		1	2	8	9	3 6	1 4	3 4	. 1				
	(cancer and tuberculosis excepted) VI.—Nouvenereal diseases of the genito-urnary system and annexa		10	11	9	2	3	13	40	65	111	169	205	212	166	85	1	4	1
119 120 122 123	Acute nephritis Bright's disease Other diseases of the kidneys and annexa Calculn of the urinary passages Diseases of the bladder.	- 838 - 25	7 1 1 1	1				7	17 19	15 33 3	. 2	21 125 2	14 173 6	24 170 4	2	68	3 14		i
124 125 126 127	Diseases of the urethra, urinary abscess, etc. Diseases of the prostate Nonvenereal diseases of the male genital	6 36					-			1	2	3 1	1 4	9	12	8			
129 130 131 132	Other diseases of the uterus.  Cysts and other tumors of the overy.  Salpingitis and other diseases of the fe male genital organs.	22 8 4 17					-		2	1 1 2 9	5	1	3	1	. 1				
134 135 136 137 138 139	Puerperal hemorrhage. Other accidents of labor. Puerperal septicemia. Puerperal albuminuria and convulsions	41 13 46 73 76							9 17 25	24 6 18 36 27 2	12 7 15 18 18	4 2							

[This table excludes the deaths of soldiers, sailors, and marines.]

ا ند						· _	***			ATHS A									mun-
ed Int.	CAUSE OF DEATH.	All deaths.		. [			. 1		10 to	20 to	30 to	40 to	50 to	60 to	70 to	80 to	90 to	100	Deaths at un known age.
Detailed Ir List No.			Under 1 year.	year.	2 years.	3 years.	4 years.	5 to 9 years.	19	years.	39 years.	49	59 years.	69 years.	79 years.	99 years.	99 years.	yrs. and over.	Deat
<del></del>			7	7IRG	INI	(CC	LOI	RED)-	-Cont	inued.	, .	-							
	VIII.—Diseases of the skin and of the cellular tissue.	41	6	1		1		1	. 1	. 2	. 1	2	4	8	6	2	4	2	
142 143	GangreneFuruncle	24 1	<u>i</u>							2		2	2	7	5	2	. 3	ſ	
143 144 145	Acute abscessOther diseases of the skin and annexa	12	1 1 4	····i		1		1	1		1		2	ī	1		1	1	
-	IX.—Diseases of the bones and of the organs of locomotion	18	1		2	1		2	2	2		1	3	2	2				
146	Diseases of the bones (tuberculosis excepted)	14	1		1	1		2	1	2.		1	3	1	1				
147	Diseases of the joints (tuberculosis and rheumatism excepted)													1.					
149	Other diseases of the organs of locomo-	3			1	 			1						. 1				
150	X.—Malformations	53	44	1	4			2	2										
150	Congenital malformations (stillbirths not included) (total)	. 9	44 6	1	4 2			2	2							.			
	Hydrocephalus Congenital malformations of the hear Other congenital malformations	25 19	21 17		2			2	2				 وزا	*		-			
	XI.—Early infancy	707	707																
151	Congenital debility, icterus, and sele- rema (total)	611	611 339									<u>-</u>							
	Premature birth Congenital debility, "atrophy" "marasmus," etc. Other causes peculiar to early infancy	272	272										4						
152	(TOTAL)	91	91	ļ			.					<b> </b>				.  <u>-</u>			
	Injuries at birth. Other causes peculiar to early infancy <sup>1</sup>	33	33 58																
153	Lack of careXII.—Old age	-  5	5										6	19	57	101	62	27	1
154	Senility												6	19	57	191	62	. 27	1
	XIII.—External causes		42	17	14	19	12	41	130	148	119	59	50	34	29	_	6		2
157	Suicide (total)  By hanging or strangulation	- 2			-					6	4	1		1 1		-			
158 159 160	By drowning. By firearms By cutting or piercing instruments.				-					5	4	1		1	1				
. 164	Accidental or undefined (total)	. 567	42	17	14	19	. 12 -1	41	101	83 1 1	69 1	42	46	28	28	17	6		2
165 166	Poisoning by food. Other acute poisonings. Conflagration.	. 15 . 26	1 6		. 1	1	1 13	2 22		1 2 5	6 3 7	3 1 1	1 1	3 3	1 6	2 4			
167 168	Conflagration  Burns (conflagration excepted).  Absorption of deleterious gases (conflagration excepted).  Accidental drowning.	- 97 - 20	14		8	14	3	22	. 3	1	1	<u> </u>	4	- 1			م. نـ ا		
169 170	Trailmansin by incarins	- 00		1	1	1	2	. 2 4	16	15 9	10 2	1 2	4		. 1		-  <u>-</u>	ļ	
171	Traumatism by cutting or piercing instruments.	. 2		<sub>a</sub>	-  <sub>i</sub>	<u>,</u>	ļ <sub>5</sub>	. 1	1	6			7	6	····- <u>2</u>	2	-  <u>;</u>	-	i
, 172 173	Traumatism by lall. Traumatism in mines and quarries (total)	46 16			<u> </u>				. 3	3	1	5	3						1
•	(total)	12				-			3	3	. 1 3 18	1 1 2 11	1 2		i			-	1
174 175	Traumatism in quarries. Traumatism by machines. Traumatism by other crushing(total Railroad accidents and injuries. Street-car accidents and injuries	24 ) 105 42	ļ	. i	2		i	5		21	18 9	11 6	11 4	7	2	3 2		-1	
•	Street-car accidents and injuries Automobile accidents and injuries				-			1	3	1	1		. 1		1	·		-	
	ries Injuries by other vehicles	24 23		: i	1 · · · · i		1	$\begin{vmatrix} -\frac{1}{3} \end{vmatrix}$		1 2		1 2 2	4						
176 177	Landslide, other crushing Injuries by animals: Starvation	. 3		-			:::::	i			1	1		1					
176 177 178 179	Excessive cold Effects of hear	. 21 34		-			-	-	2	2	3	5	. 4	2	4				
180 181	Lightning Electricity (lightning excepted) Fractures (cause not specified) Other external violence	4						1	-	1 2		1							
185 186			4	3	i	:	i	i	8 29	5 59	46	5 14	1 4	1	1	1	1		
182 183	Homicide (total)	132							. 23	55	43	7 1 6	1 2					: ::::	
184	By other means.  XIV.—III-defined diseases	. 14	11	58	24	11	3	15	. 3	2		1	1		1	21	12	2	2
187	Ill-defined organic disease	. 39	<b>-</b>	<u> </u>	. 2	-	1			-	-		5	10	_		1		
188 189	Sudden death    Not specified or ill-defined (total)	641	334	57	22	10	1 2	13	12	2 20 12 8	19 9	26	6 41 26	28	28	3   14	11		.) 1
	Ill-defined Not specified or unknown		278	45 12	į	6	i		5	8	10	9	15	. 14	î	10	i] š		<u> </u>

1 Exclusive of injuries at birth.

Int.									DE.	ATHS AT	AGE O	F							um-
Detailed Int. Last No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at un- known age.
	·				7	WAS1	HINO	TOI	٠ ٧.	<u></u> '	·							<u>'</u>	
	All causes	16,837	1,769	327	172	149	113	435	1, 127	2,323	2, 433	1,636	1, 761	1,917	1,673	815	117	3	67
	I.—General diseases	6, 288	239	127	76	67	61	214	641	1,327	1, 249	715	625	528	314	79	10		16
1 4 5 6	Typhoid fever. Malaria Smallpox Measles	2 4	1 5	12	1 4	7	·····i	11  10	20  13	22 1 6	19 1 1	13 1	8 1	3 1 1					
7 8 9 10	Scarlet fever. Whooping cough Diphtheria and croup Influenza.	83	2 34 2 123	3 18 4 66	4 5 6 40	2 7 5 31	1 6 31	18 5 30 78	13 20 349	11 4 859	3 807	2 1 1 269	1 125	1 72	41	21	3		i
13 14 18 19	Cholera nostras.  Dysentery  Erysipelas. Other epidemic diseases.	15 34	3 9	1		1 1	i	2	·····i	3 1	1	6	3 5	1 4	2 4	1 2			
20 23 24	Purulent infection and septicemia Rabies. Tetanus	19 1 2						1	i	3	5	4	3	2 1		1			
28 29 30 31 32 33 34 35	Beriberi. Tuberculosis (total). Tuberculosis of the lungs. Acute miliary tuberculosis Tuberculous meningitis Abdommal tuberculosis Pott's disease White swellings.	104 58 14	31 11 16 1	15 4 1 9	11 1 2 6 1		15 6	39 10 2 22	182 136 17 20 5	365 324 8 8 19	292 256 8 5 10 5	1 157 132 6 2 7 3	123 104 1 4 9 1	69 56 1 1 5	i	3 2			1 1
34 35 36 37	Disseminated tuberculosis	31 7 4	2 1 2 10	1 1 2	1 1 1			2 1	1 2	5 1	5 2	6	3	3	1	1			
38	Syphilis. Gonococcus infection Cancer and other malignant tumors (total)	9	3	1	1	3	3	1 5	3	7 3 13	14 3 49	16 1 179	238	276	174	41	3		2
39 40 41	Of the buccal cavity Of the stomach, liver. Of the peritoneum, intestines, rec- tum.	126	1			l				2 1	1 11 7	5 46 22	9 98 30	14 134 31	9 69 28 17	2 20 5	i		
42 43 44 45	Of the female genital organs Of the breast Of the skin Of other organs or of organs not specified	93 28	2	1						8	10 4 16	55 25 5 - 21	42 29 3 27	20 21 6	11 8 32	1 3 6	2		
46	Other tumors (tumors of the female gen- ital organs excepted)	2	ļ							1					1				
47 48 49 50 51 52 53 54 55	Acute articular rheumatism. Chronic rheumatism and gout. Scurvy. Diabetes. Exophthalmic goiter Addison's disease. Leukemia. Anemia, chlorosis. Other general diseases. Alcoholism (acute or chronic). Chronic lead poisoning	12 2 222 38 6 23 70 24	1		2	1	1	2	15 3 3 3 3	13 3 2 3 2 1 1	1 21 7 1 2 7 2 7 2 12	6 1 22 11 2 5 7	6 2 48 8 5 24	48 4 1 3 16 3 4	1 40 1 1 9 2	4.			
<b>57</b> 59	Other chronic poisonings.  II.—Diseases of the nervous system and of the organs of special	2									i			1					
40	sense	1,399	53	11	6	9	5	14	36	59	85	126	223	290	326	139	13		4
60 61	Meningitis (total) Simple meningitis Cerebrospinal meningitis(undefined). Cerebrospinal fever	82 40 21	19 11 6 2	6 5	3 1 2	3 1	3 2 1	6 3	12 4 5 3	1 9 2 3 4	10 2 5 3	1 4 3 1	1 5 3 1			. 1			
62 63	Locomotor ataxia Other diseases of the spinal cord (total). Acute anterior pollomyelitis. Other diseases of the spinal cord 1.	33 58 7	2	1 1	1 1	1 1		<u>2</u>	1 1	6 6	i	2 8 1 7	12 8 1 7	14 12 12	13	3			
64 65 66 67 68	Cerebral hemorrhage, apoplexy Softening of the brain. Paralysis without specified cause. General paralysis of the insane. Other forms of mental alienation Epilepsy.	6 85 108 65	5 1 2	1	1			2	2 1 9	3 14 12	13 3 23 13	50 4 32 10	132 1 11 29 9	226 2 9 11 7	9	20 3 1	4	-	2
70 71 72 73 74 76	Convulsions (nonpuerperal). Convulsions of infants. Chorea Neuralgia and neuritis Other diseases of the nervous system	3 25 1 5 35	21			1 2	j 1		12	1 5 2	6 5	1 7 2	5	1 3					

<sup>1</sup> Exclusive of acute anterior poliomyelitis (infantile paralysis).

E E									DE	ATHS A	T AGE (	of—					· · · · · · · · · · · · · · · ·		-i eg
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to '49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	89.	90 to 99 years.	100 yrs. and over.	Deaths at un- known age.
			7	W	/ASE	IING	TON	Con	tinued	•							,		
	III.—Diseases of the circulatory system	1,880	13	4	1	2	. 1	17	45	82	1,05	172	314	457	419	222	20	1	5
77 78 79 80	Pericarditis. Acute endocarditis. Organic diseases of the heartAngina pectoris.	10 154 1,402 87	6	3	1	1 1	1	7 9	1 9 35	9 69 2	9 86 4	1 24 131 7	2 30 237 25	30 350 21	20 310 14	13 149 12	11 11		3 2
81 82 83	Diseases of the arteries, atheroma, aneurism, etc. Embolism and thrombosis. Diseases of the veins (varices, hemor-	178 35	· . 1	i						1	2 4	5 4	12 7	43 8	65 7	43 2	6	1	
84 85	rhoids, etc.) Diseases of the lymphatic system (lymphangitis, etc.) Hemorrhage; other diseases of the cir-	. 5	4						<i>:</i>	· 1			1	2	2			·····	·
	culatory system	2,174	233	76	31	25	14	60	153	397	431	180	146	145	154	101	16		12
86 87 88 89	Diseases of the nasal fossae Diseases of the larynx Diseases of the thyroid body Acute bronchitis	17	i	4	3 ∵. i	1		i	1	2 1	6	2 2	3	3 1	2	5	3		
90 - 91 92	Chronic bronchitis	48 357 1,596	130 . 80 . 59	34 32 25	13 13 13 12	11 12 10	1 12 9	1 11 . 40 35 5	1 5 137	25 359 349	3 21 390 377	3 15 151	120 120 113	19 99 89	2 15 32 92 86	12 24 42 37	3 2 4 5 5		 12 11
93 94	Lobar pneumonia. Pneumonia (undefined) Pleurisy Pulmonary congestion, pulmonary apo- plexy	108 108 38 21	21 3	7	1 1	2	3 1	5 6	127 10 2	10 9	13 5	144 7 3	. 1	10 3	6 2	5 3	2		î
95 96 98	Gangrene of the lung Asthma Other diseases of the respiratory system (tuberculosis excepted)	. 2				1		i	3 2	1	1 2 2	2 2	4	12 2	1 4	8			
99	V.—Diseases of the digestive system.  Diseases of the mouth and annexa	1,038	223	62	29	17	15 1	44	•68	69	99	92	91	119	76	30	4		<del></del>
100 101 102 103	Diseases of the pharynx. Diseases of the esophagus. Ulcer of the stomach Other diseases of the stomach (cancer	46 1 69	2	1	1		2	10	9	11 1 5	17	3 11	3 11	16	7				
104 105 108	excepted)  Diarrhea and enteritis (under 2 years)  Diarrhea and enteritis (2 years and over)  Appendicitis and typhlitis  Hernia, intestinal obstruction (total)	60 230 103 177	23 177 1	53	21 3	11 3	6	7 20	2 3 38	1 2 28	7 28	3 9 27	1 7 16	10 11 7	4 9 5	8	1 2		
109	Hernia, intestinal obstruction (total) Hernia. Intestinal obstruction Other diseases of the intestines	69	14 2 12 2	- 4 - 2 2	2 2 1	3 1 1	3	2	9 1 8 1	28 3 3 4	28 14 4 10 8	7 4 3 4	15 10 5 4	19 10 9 2	15 9 6 2	3			
111 113 114 115	Acute yellow atrophy of the liver	. 45					1		2	1 5	6 7 5	1 8 7 5	15 10 6	3 29 9 7	15 7 7	5 , 4 2	1		
116 117 118	Diseases of the spleen	5 23	2		i			2	1 3	1 7	1 2	3	1 2	2 1 3	1				
	(cancer and tuberculosis excepted) VI.—Nonvenereal diseases of the genito-urinary system and annexa	969	10	3	1	3	1	9	19	33	86	109	161	201	227	93	10		3
119 120 122	Acute nephritis. Bright's disease Other diseases of the kidneys and annexa	57 738 35	5 1 3	1 2	i	1 2		. 6	11 2	4 18	11 54 3	72 8	8 134 5	171 5	5 186 6	73 2	1 5		· · · 3
123 124 125	Diseases of the bladder	. 14									i	1	1	3	1 5	1 4	1		
126 129 130 131	Other diseases of the uterus	55 21 13							1	$\begin{smallmatrix} 1\\ 2\\ 1\end{smallmatrix}$	3 5 3	1 13 3 1	6 4 1 1	10 1 3	24	12	2		
132	Salpingitis and other diseases of the fe- male genital organs	. 20	1						1	7	6	4	1				1		
134	VII.—The puerperal state	253							17	124 25	89 18	.21 Ĝ	2			·			
135 136 137	Puerperal hemorrhage Other accidents of labor Puerperal septicemia	20 48 84							1 3 7	28 45	9 17 29 15	6 1 7							
138 139 140	Puerperal phlegmasia alba dolens, em- bolus, sudden death	. 3							4 . In	20 1 1	1	1							
		7				1		]	1	l . *	1	1		1	1				1

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

Int.						·		-		EATHS A	T AGE				-				ge mi-
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years	3 years	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years	90 to 99 years.	100 yrs. and over.	Deaths at un- known age.
			,,	V	VASI	HING	TON	—Con	tinued	•	1				<u>.                                    </u>	<u> </u>	<u>)</u>	'	
	VIII.—Diseases of the skin and of the cellular tissue.	50	3	2		. 1				1	2	5	3	8	10	14	1		
142 143 144 145	Gangrene Furunole. Acute abseess. Other diseases of the skin and annexa. IX.—Diseases of the bones and of the	25 12 6 7	1 2	1		1				1	2	3 2	1 1 1	3 2 1 2	5 3 2	14	1		
146 147	organs of locomotion  Diseases of the bones (tuberculosis excepted) Diseases of the joints (tuberculosis and	28		1			1	5	6	2	3		5 5	3	1	1			
150	rheumatism excepted)X.—MalformationsCongenital malformations (stillbirths	204	188	4	3	3	1	1	3	1				1		1		 	
100	not included) (total).  Hydrocephalus. Congenital malformationsoftheheart. Other congenital malformations.  XI.—Early infancy.	204 10 146 48 745	188 6 136 46 745	4 2 2	3	3 2 1	1	1	3 1 1 1	1 1									
151	Congenital debility, icterus, and sclerema (total).  Premature birth. Congenital debility, "atrophy," "marasmus," etc. Other causes peculiar to early infancy	600 490	600 490																
152	Other causes peculiar to early infancy (total)  Injuries at birth Other causes peculiar to early infancy	110 145 84 61	110 145 84 61																
154	XII.—Old age  Senility XIII.—External causes	217 217 1,431	22	30	21	16	13	66	135	215	278	209	3 3 173	16 16 132	63 63 66	98 98 30	34 34 6	2	1 1 19
155 156 157 158 159 160 161 162 163	Suicide (total).  By poison.  By asphyxia.  By hanging or strangulation.  By drowning.  By firearms.  By cutting or piercing instruments.  By jumping from high places.  By crushing.  Other suicides.  Accidental or undefined (total).	176 32 2 27 16 72 20 3 2 2					13	66	6 2 3 1 1 124	24 4 4 6 2 10 1 1	8 2 16 7	37 8 1 6 3 11 5 1	23 3 5 10 2	31 7 1 3 3 15 2	9 1 5 3	1 1			3 1 1
164 165 166 167 168 169	Poisoning by food. Other scute poisonings. Conflagration Burns (conflagration excepted). Absorption of deleterious gases (conflagration excepted). Accidental drowning. Traumatism by firearms.	21 22 17 72 31 136 41	1 4 1 1 12	1 2 14 6	3 1 5	1 7	1 1 2	2 10 15	2 1 6 2 22	3 1 4 6 18	220 2 4 6 6 5 20	161 1 3 1 2 1 1	145 4 1 2 4 2 14	99 1 1 7 2 7	57 1 4 1	3	6		16
171 172 173	Traumatism by cutting or piercing instruments.  Traumatism by fall.  Traumatism in mines and quarries	5 157		1 1		1 1		3	18	4 1 19	7 25	5 1 19	1 1 18	2 1 20	18	18	4		i
174 175	(total).  Traumatism in mines Traumatism by machines Traumatism by other crushing (total).	35 35 79 427	2		3	1	4	1 26	1 1 9 43	9 17 69	13 13 16	10 10 15	2 2 12	8	1				
	Railroad accidents and injuries. Street-car accidents and injuries. Automobile accidents and injuries. juries.	122 32 151	2	1 1 1	i 1	1	i	1 3 16	13 3 19	20 3 23	28 5	24 5	62 13 3	34 8 3	23 8 4	4 1 3	2 1 1		6 4
176 178 179 180 181 185 186 182 183 184	Injuries by other vehicles Landslide, other crushing Injuries by animals Excessive cold Effects of heat Lightning Electricity (lightning excepted) Fractures (cause not specified) Other external violence Homicide (total) By firearms By cutting or piercing instruments By cutting or piercing instruments By cutting or piercing instruments By cutting or piercing instruments By cutting or piercing instruments By cutting or piercing instruments By cutting or piercing instruments	146 76 11 2 1 3 12 4 124 55 43 3 9	1 1 1 40	1 1 1 7	2	6	1	5 5	1 6 5 5 5	25 18 1 1 1 1 1 1 1 1 3 9 1 3 12	23 2 2 30 17 14 1 2	17 14 3 1 5 16 111 9 9 1 1	27 63 13 1 1 19 5 4	14 6 3 2 1 1 1 10 2 2 2	2 2 1 5	8	3		4
187 188 189	Ill-defined organic disease	4 10 145 42 103	2 38 3 3 35	7 3 4	4 1 3	6 2 4	1 1	5 1 4	4 1 3	12 3 9	6 2 4	1 1 5 2 3	1 14 5 9	1 2 14 9 5	1 3 13 4 9	1 1 6 1 5			7 2 5

<sup>1</sup> Exclusive of injuries at birth.

[This table excludes the deaths of soldiers, sailors, and marines.]

Int.		<u> </u>						<del></del>	DI	EATHS A	T AGE	OF							mp.
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	100 yrs. and over.	Deaths at un- known age.
		!		<u> </u>	·	wis	CON	SIN.	<u> </u>	<u>,</u>	<u>,</u>		,		·	٠,	<i>)</i>		
	All causes	<u> </u>	4,810	987 425	541 260	364 183	326 188	872 486	2,024 1,174	4,013	4, 119	2,712	3,135	3,836	4, 105 836	2,571	415	7	155.
. 5			2	2			1	8	23	28	2,376 16 3	12	1,215 5 2	1,166	1 1	200			
67	Typhoid fever Smallpox Measles Scarlet fever.		46 7	40 16	19 24	13 24	13 23	14 57	13 32	4 11	2 4	1 1 1	····						i
8 9 10 13	Whooping cough Diphtheria and croup Influenza Cholera nostras	197 272 6,250 13	113 10 303 4	42 26 245 1	12 22 146	10 26 75	5 29 98	. 12 85 219 1	1 46 720 1	7 1,739	11 1,582	4 466	2 262	162 4	1 134 2	61	1 9		. 2 2 29
14 18 19 20	Dysentery Erysipelas Other epidemic diseases Purulent infection and septicemia	, 41 74 8 41	9 18 3 6	2 1	2	1		2 1	1 2 2	3 2 9	8 4	2 9 1 9	11 5	1 8 3	9 9 1	6 8 1	1		
23 24 25 26	Rabies Tetanus. Mycoses Pellagra	2 28 3 2	3		1			5 1	8	1	2 1 1	4	2 2	2 1	1				
28 29 30 31 32 33 34 35	Tuberculosis (total) Tuberculosis of the lungs Acute miliary tuberculosis. Tuberculous meningitis Abdominal tuberculosis Pott's disease White swellings Tuberculosis of other organs, Disseminated tuberculosis.	2,431 2,033 55 157 105 28 11 32	46 14 1 20 5 2	30 8 1 18 2	21 6 12 1	18 4 1 12 1	11 1 1 8 1	43 7 2 26 4 1 1 2	243 195 9 19 12 2 2 2	646 581 16 18 22 2 2 3 4	518 473 10 13 15 1 2 2 2	334 292 7 6 17 6	266 234 5 2 11 7 2 5	166 144 1 3 8 4	68 57 1 5 3	10 7			11 10
36 37 38	Rickets. Syphilis. Gonococcus infection.	24 93 7	14 27	7 1	2 4	1	i	1	1 3 1	7 5	16	9	15	5	2				<u>i</u>
39 40 41	Cancer and other malignant tumors (total) Of the buccal cavity Of the stomach, liver. Of the peritoneum, intestines, rectum.	2,102 62 1,015	2	2	1	2	, 4	5 1	11	19 1 1	102 27	236 3 80	457 17 218	609 17 333	478 14 269	149 9 72	14 1 . 7		<del>7</del>
42 43 44 45	Of the female genital organs Of the breast	271 220 150 48				1		1	3	2 5	19 26 11 1	35 47 29 3	49 61 40 · 10	79 44 34 5	63 32 22 11	17 5 11 15	1 2 2		1 1
46	Of other organs or of organs not speci- fied. Other tumors (tumors of the female gen- ital organs excepted)	336 4	2	2	1	1	4	2	8	10	18	39	62	97 2	67	20	1		2
47 48 49 50 51 52 53 54 55 56 57 58	Acute articular rheumatism Chronic rheumatism and gout. Scurry. Diabetes. Exophthalmic goiter Addison's disease Leukemia. Anemia, chlorosis Other general diseases. Alcoholism (acute or chronic) Chronic lead poisoning Other chronic occupation poisonings. Other chronic poisonings.	126 49 2 400 50 17 58 200 45 98 3	2 1 2 2 2 26	1 1 1 6	1 1	1 1 2 2	1	11 1 2	25 1 28 3 1 4 2 2	12 1 24 10 2 6 7 1 4	10 6 32 5 6 11 17	39 12 4 3 27 2 34 2	11 5 67 13 2 13 53 1 20	12 13 100 5 2 10 54 4 1	12 9 63 1 27 2 10	24 1 4 1	1 1 3		1 1
	II.—Diseases of the nervous system and of the organs of special sense.		243	67	41	30	12	72,	108	88	. 182	227	424	623	705	399	. 53		14
60 61	Encephalitis Meningitis (total) Simple meningitis Cerebrospinal meningitis (unde-	134	3 · 45 31	23 14	1 19 10	1 6 3	4 3	3 22 12	2 42 18	4 14 10	2 18 11	3 7 6	2 11 8	4 4	3 1	1 2 2	1 1		
62 63	fined)  Cerebrospinal fever  Locomotor ataxia  Other diseases of the spinal cord (total)  Acute anterior poliomyelitis.  Other diseases of the spinal cord <sup>1</sup>	52 35 38 204	10 4 14 14	6 3 11 11	5 4 10 10	3 9 9	1 5 5	6 4 24 23 1	11 13 19 14 5	2 2 5 5	6 1 4 13 5 8	1 7 11	2 1 13 17 1 16	8 35	1 6 21	6	3		i
64 65 66 67 68	Cerebral hemorrhage, apoplexy Softening of the brain Paralysis without specified cause. General paralysis of the insane Other forms of mental alienation Epilepsy	1,904 21 153 - 131	6	1	1 2	1	1	5	4 1 19	14 2 2 7 7	40 3 40 11 24	100 5 42 18 12	287 5 21 24 20	472 5 31 16 23	584 3 58 6 6	346 5 26 1 6	41 3 3		9
70 71 72 73 74	Convulsions (nonpuerperal)	199 4 16	161	26	6	5	1	3	2		1 2	1 1 2 13	2 14	1 5,	4 5		1		
74 75 76	Other diseases of the nervous system  Diseases of the eyes and their annexa  Diseases of the ears	2	5	6	1 •••• <u>1</u>	1 3	1	12 3	18 1	17	22 ····2	13 5	14	13		1	1		•••••

<sup>1</sup> Exclusive of acute anterior poliomyelitis (infantile paralysis).

Detailed Int. List No.			ł						DEATE	IS AT A	GE OF-						1		st un- n age.
ă	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	g years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	100 yrs. and over.	Deaths at known a
!	······································	<u>.</u>	·		wis	CON	SIN-	Conti	nued.	<u> </u>	<u>'</u>	<u> </u>	<u>'</u>	•	<del>,</del>			<u> </u>	
	III.—Diseases of the circulatory system	3,844	48	8	8	4	4	26	77	107	137	271	- 464	843	1,060	686	84	1	. 16
77 78 79 80	Pericarditis Acute endocarditis Organic diseases of the heart Angina pectoris	32 273 2,725 188	8 18	2 2 1	1 3 3	. 1	2 2	1 10 10	1 21 51	3 20 74 1	1 31 89 7	1 54 176 15	4 81 305 28	6 20 640 67	9 14 802 53	3 6 490 16	50 1	,	13
81 82 83	Diseases of the arteries, atheroma, aneurism, etc Embolism and thrombosis Diseases of the veins (varices, hemor-	482 97	3			2		3	3	1 5	2 6	8 15	27 15	89 16	161 18	159 9	33	1	1 2
84	rhoids, phlebitis, etc.). Diseases of the lymphatic system(lymphangitis, etc.).	12 23	1 16	3	1			1 1		1 2			2	3	3	1			
85	Hemorrhage; other diseases of the circulatory system.  IV.—Diseases of the respiratory system.	12 4,910	714	262	105	52	58	120	297	679	700	349	2 325	404	473	304	49	2	
86 87	Diseases of the nasal fossae	1 32	8	6	i	1	4	5			2		1 2	2		1		<del></del>	
88 89 90 91 92	Diseases of the thyroid body. Acute bronchitis. Chronic bronchitis. Bronchopneumonia Pneumonia (total)	14 220 166 1,107 3,082	101 4 357 229	1 19 3 134 96	5 43 51	19 24	2 1 21 27	2 2 36 70	3 2 41 240	3 4 1 63 593	3 1 78 595	4 4 50 266	6 7 7 37 224	12 24 58 254	22 53 86 261	24 56 72 117	6 8 11 19	2	1 16
93 94	Lobar pneumonia. Pneumonia (undefined). Pleurisy. Pulmonary congestion, pulmonary apo-	2,567 515 90	162 67 3	71 25 1	38 13 5	18 6 2	21 6 3	56 14 2	201 39 5	527 66 11	502 93 11	240 26 7	192 32 19	211 43 14	217 44 4	90 27 2	10 9 1		11 <u>k</u> 5
95 96 97 98	plexy. Gangrene of the lung. Asthma. Pulmonary emphysema. Other diseases of the respiratory system	97 2 58 7	10	1		1		1	3	1	5	8	9	18 2 16 1	18 2	24 5 2	2		
-	(tuberculosis excepted).  V.—Diseases of the digestive system.	2,488	771	141	69	51	29	66 66	3 112	131	145	173	219	217	217	122	15		10
99 100 101 102 103	Diseases of the mouth and annexa Diseases of the pharynx. Diseases of the esophagus. Ulcer of the stomach. Other diseases of the stomach (cancer excepted).	22 61 2 109 215	2 110	9	2 2 8	2	3	1 7 1	1 1	3 13 1 7	3 8 24	1 5 17	24 11	1 3 1 14	1 1 15	1 4 20	1		
104 105 107 108 109	Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over). Intestinal parasites. Appendicitis and typhlitis.	724 248 1 322	607	117	48	30	14	20 1 24	4 79	9 59	12	14 35	16 30 47	20	26 5 56	27 27 40	6	• • • • • •	2
110 111	Hernia, intestinal obstruction (total) Hernia Intestinal obstruction Other diseases of the intestines Acute yellow atrophy of the liver	312 94 218 48	35 7 28 4	4 4	2 1	4	3	7 7 3	4 2 1	16 2 14 8 2	21 6 15 '3	24 6 18 7	19 28 4 2	41 16 25 3	25 31 5	10 30 3	5 2 3 1		3 1 2
112 113 114 115 116	Hydatid tumor of the liver Cirrhosis of the liver Billary calculi Other diseases of the liver Diseases of the spleen	212 68 96	5	i	1				3	3 3 4	15 2 3	33 7 16	44 16 16	52 18 20	50 16 19	10 6 8	i i		3 <u>1</u>
117 118	Simple peritonitis (nonpuerperal) Simple peritonitis (nonpuerperal) Other diseases of the digestive system (cancer and tuberculosis excepted) VI.—Nonvenereal diseases of the	23 9		i		1		1	3		7	3	1	3	i		i		
110	genito-urinary system and annexa	ļ	14	7 2	6	-	7	11	27	65	126	180	244	349	472	243	28	1	5
119 120 122 123 124	Acute nephritis. Bright's disease. Other diseases of the kidneys and annexa. Calculi of the urinary passages.	32	8 3 3	2 2			6			9 32 6 1	3	12 137 6 1 2	13 216 3 2 2	13 297 2 1	389 4	11 188 3	23	1	5
125 126	Diseases of the bladder Diseases of the urethra, urinary abscess, etc. Diseases of the prostate	47 2 95										2	2	7 . 1 25	16	17			
127 129 130 131 132	Nonvenereal diseases of the male genital organs. Uterine tumor (noncancerous). Other diseases of the uterus. Cysts and other tumors of the ovary Salpingitis and other diseases of the fe-	27	 	1						6 4	9 2 6	13 1 4	4 2	1 2	1 1 4	i			
-54	male genital organs								20	7 156	7 159	4 28			1				
134 135 136 137 138 139	Accidents of pregnancy. Puerperal hemorrhage Other socidents of labor. Puerperal septicemia. Puerperal albuminuria and convulsions. Puerperal phlegmasia alba dolens, embolus, sudden death. Following childbirth (not otherwise	38 55 114 75								24 11 26 55 34 5	33 18 23 37 37 37	3 7 3 11 3							

nt. j			his tabi								T AGE (							•	-tn-
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at v known ag
		·			wise	CONS	SIN-	-Conti	nued.					·	<u> </u>	,			
	VIII.—Diseases of the skin and of the cellular tissue	112	24	. 2	1		1		1	3	1	4	5	11	27	21	·10		1
142 143 144 145	Gangrene Furuncle Acute abscess Other diseases of the skin and annexa IX — Diseases of the bones and of the organs of locomotion	64 12 13 23	2 3 3 16	2 1	i	1	1	6	i - 6	1 2 2	1 7	2 2 4	2· 1 1 1	6 .2 2 1	22 1 1 3	20 1	9 1		1
146 147 149	Diseases of the bones (tuberculosis excepted).  Diseases of the joints (tuberculosis and rheumatism excepted).  Otherdiseases of the organs of locomotion.  X.—Malformations.	34 <u>.</u> 10 5	2 1 317	1 14	1	1	1	5 1 2	5 1 2	2	7	3	3 1	3	2 5 1	1			
150	Congenital malformations (stillbirths not included) (total).  Hydrocephalus. Congenital malformations of the heart. Other congenital malformations  XI.—Early infancy.	339 37 166 136 1,926	317 30 159 128 1,926	14 4 6	1	1 1	1	2	2 1	1 1									
151 152	Congenital debility, icterus, and sclerema (total).  Premature birth. Congenital debility, "atrophy," "marasmus," etc. Other causes peculiar to early infancy (total). Injuries at birth.	1,568 1,266	1,568 1,266 302 352		.:					,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,									
153	Injuries at birth. Othercausespeculiartoearly infancy Lack of care. XII.—Old age.	149. 203 6 750	149 203 6											16	169	430	126	3	5
154	Senility		36	51	48	37	24	78	194	221	280	234	1 223	16 178	169 120	430 67	126 17	3	5 19
155 156 157 158 159 160 161 162 163	Suicide (total).  By poison. By asphyxia By hanging or strangulation. By drowning. By firearms. By cutting or piercing instruments. By jumping from high places. By crushing. Other suicides.	15 118 19 87 26 5							8 3 1 1	36 12 3 6 2 9 2 1	73 11 2 26 4 22 6 1 1	59 9 2 25 4 13 5 1	65 4 4 24 6 21 5 1	52 7 3 19 2 14 6	19 1 10 1 5 1	4			3
164 165 166 167 168	Accidental or undefined (total) Poisoning by food Other acute poisonings Conflagration Burns (conflagration excepted) Absorption of deleterious gases (con-	15 21 29 111	32 · 2 1 2	51 2 4 1 18	48 1 5 2 21	37 1 2 13	24 2 1 8	77 1 2 4 9	184 1 1 5	171 1 1 2 . 7	192 1 1 5	172 2 6	151 4 4 7	123 2 1 5 5	100 1 1 1 4	61 1 2	17		16 1 1
169 170 171	flagration excepted) Accidental drowning Traumatism by firearms Traumatism by cutting or piercing instruments Traumatism by fall	192 57	13 1	14	7	5		16 3	51 29	6 24 6 1	9 22 6	15 2 1	14 14 5	8 4 5	11	2 2			4
172 173 174 175	(total)	5 5	1	5	1	5 1 6	1	3	3 7	13 14 66	22 4 4 11	13 1 1 15	21	19	35	40	12		1
175	Traumatism by machines. Traumatism by other crushing (total) Railroad accidents and injuries. Street-car accidents and injuries. Automobile accidents and injuries.	475 186 49	3 2 1	3 1 2	1	6 1 2	10 1 1 5	3 28 5 3	51 17 2 ·21	66 28 5	11 82 43 5	79 41 9	56 22 5 20	39 12 6	30 9 6	9 2 1	1		8 3 2 2
176 178 179 180 181 185 186 182 183 184	Insuries by other vehicles Landslide, other crushing Injuries by animals Excessive cold Effects of heat Lightning Electricity (lightning excepted) Fractures (cause not specified) Other external violence Homicide (total) By firearms By cutting or piercing instruments By other means	134 26 30 9 15 13 23 13 119 50 32 3 15	6 4	4	1	3 3	2	1 1 4 1 1	8 3 5 1 1 4 5 1 1 2 2 2 2	6 5 1 1 5 7 2 14 10 1 1 3	22 9 3 2 1 1 3 19 15 12 12 2	9 5 7 1 2 5 2 17 3 2	5 4 2 2 3 3 13 13 7 5 5	8 2 7 3 3 2 1 1 13 3 3 1 2	1 7 1	1 3	1 1		1
187 188 189	XIV.—III-defined diseases	10 26 157	5 63 4 59	1 8 4 4	1	4 1 3	2 1 1	1 3 1	5 5	11 1 10 1 9	6 1 1 4 2 2	9 1 1 7 1 6	11 4 7 2 5	23 3 5 15 6 9	1 3 14 3	13 2 2 9 9 2 7	$\begin{array}{ c c }\hline 2\\\hline 1\\\hline \\\hline 1\\\hline \\\hline 1\\\hline \end{array}$		1 3 3

<sup>1</sup> Exclusive of injuries at birth.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1918.

nt.	able excludes the deaths of soldiers, sailor 10 per cent of the total, or number	1			· · · · · · · · · · · · · · · · · · ·	····					AGE		COTOLEC		Der ect 1	.633 (114			<del></del>
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to	20 to 29	30 to	40 to	59	60 to 69 years.	79	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
			В	IRM	ING	нам	, A.L.	A. (T	ота	L).									
	Alleauses	4,346	480	198	87	63	49	154	337	800	707	531	365	268	193	71	14	7	22
$\checkmark_2^1$	Typhoid fever Typhus fever	62		1		1		5	17	21	7	5	3	1					1
√3 √4	Malaria	21		1				1		3	7	6	1	1	1	•••••			
<b>∀4</b> 5	Smallpox	2							1	Ĭ									
6	Measles	28 3	1	10	3 1	1	4	3	2			1		• • • • • •					
7 8	Whooping cough	52	17	18	6	5	4	2											
9	Diphtheria and croup Induenza	9 617	48	1 27	$\frac{1}{22}$	11	3 9	1 30	1 53	163	125	65	33	18	9	i	1		2
10 11	Asiatic cholera Cholera nostras															ļ <u>.</u>			
12	Other epidemic diseases	$\frac{1}{24}$	5	1			1		2	·····ī	5	2	1	2	1 4				
13 14	Tuberculosis of the lungs	310 13		2		1	1	7	49	99	74 2	42	16	14	. 4	1			
15	Other forms of tuberculosis	39	1	1	1		1	အအ	1 8 1	3 7	10	1 3	2	2	····i				
16 17	Cancer and other malignant tumors Meningitis	100 29	<u>i</u>	1	2 2	<b></b>	3	 5	1 6	6 5	18 1	22 4	22	16	11	1			
18	Cerebral nemorrnage and softening	146						1	1	4	14	18	1 34	32	26	14	2		1
19 20	Organic diseases of the heart Acute bronchitis	273 11	4 5	2	2			2	3	20	35 1	55 1	56	47	30	13	5		3
21 22	Unronic pronchitis	3											1	2					•••••
23a	Pneumonia Bronchopneumonia	699 137	23 30	9 20	8 11	11 4	5 5	31 13	73 7	203 12	151 12	94 8	36	24	17 3	5 . 2	1	2	6
23b	Other diseases of the respiratory system.  Diseases of the stomach	34		2				3	5	4 2	8	6		3 4 1 2 3 2 2	1	<b>#</b> 1			
25(37)	Diarrhea and enteritis	30 186	65	2 73	1 8	9	2 4	1 4	4	4	3 2	4 2	7 3	$\frac{1}{2}$	2. 3	3			1
26 27	Appendicitis and typhlitis  Hernia, intestinal obstruction	. 69			1	1		4	11	17	11	12 5	6	3	2			,	1
28	Cirrhosis of the liver	28 21	1 1		1	1	1	1	1	· 5	6 1	5	2 9	2 2	2				
29 30	Acute nephritis and Bright's disease Diseases of the female genital organs	189 44	2	1	2	•••••			7	10 12	18 18	33	37	33	35	8	1	1	1
31	Puerperal septicemia	25							3	12	9	5 1	6	1		1			
31 32 33	Other puerperal affections	53 200	196	<sub>1</sub>	<u>2</u>				6 1	35	12	•••••					·		
34 35	Senility	17													6	7	3	1	
36	Sincide	322 16	8	7	8	6	5	16	39 1	75 4	72 4	43 4	18 2	9	9 1	5	1	1	
(37) 38	All other defined diseases	515 18	61 3	13 4	3 1	7	1	15 2	33	72	81	82 2	58 4	49	25	8		2	5 1
			В	IRM	ING)	EAM	, AL	A. (W	HIT	E).							<u> </u>	<u> </u>	<u> </u>
	All causes	2,056	247	103	48	35	27	67	128	339	315	208	167	174	141	47	7		
,															141			===	
$\frac{1}{2}$	Typhoid fever Typhus fever	23		<b>-</b>		1	•••••	3	6	7	3	1	1	1					
3 4	Malaria. Smallpox	4		••••		•••••		••••	• • • • • •	•••••	1	1	1		1				
5	Measles	20		6	3	3	3	3	1	1		1							
6 7	Scarlet fever. Whooping cough.	3 31	12	9	1 5	1 2	3	1	• • • • • •					•••••	• • • • •			• • • • • •	
8	Diphtheria and croup Influenza	7 370		1 15		ī	3 4	1 15	1	;;;					••••				
10	Asiatic cholera		17		11		4	19	40	100	92	42	19	14	8		1		
11 12	Cholera nostras Other epidemic diseases	1 11	2		•••••	• • • • • •			·····i			2	i	;-	$\frac{1}{2}$				• • • • • • • • • • • • • • • • • • • •
13	Tuberculosis of the lungs	79		1 1					6	24	22	12	3	8	2	1			
14 15	Tuberculous meningitis Other forms of tuberculosis	5 7	1	1	•••••			1	3	ļ		1 1	i	•••••	1				
16 17	Cancer and other malignant tumors	79		1	2				1	5	1 13	16	17	13	10	i			
18	Meningitis Cerebral hemorrhage and softening	13 69	1		1		2	3	1 1 3	2 2	1 4	1 8	1 13	15	17	7	i	•••••	
19 20	Organic diseases of the heart	114	3					1		4	11	10	21	29	22	9	ī		
21	Chronic bronchitis.	3	2		1								1	2					
22 23a	Pneumonia Bronchopneumonia	286 50	6 13	2 10	3 6	6 2	2 3	12 1	32	83 2	66 4	30 3	14 1	16 1	11 2	2			1
23b	Other diseases of the respiratory system.	15		ž				$\hat{2}$	1 2	1		2		4	1	î			
24 25(37)	Diseases of the stomach Diarrhea and enteritis	7 101	35	 43	<u>-</u>	6	1	2	····i	1	1	1	1 2	2	3	2			
26 27	Appendicitis and typhlitis Hernia, intestinal obstruction	44		••••	1	i		4	8	7	6	7	4 [	3	2				1
28	Cirrhosis of the liver	18 10	3		<b></b>			1		3	6	2	1 6	2	2				
29 30	Acute nephritis and Bright's disease Diseases of the female genital organs	94 18			2				1	3	5	11	18	22	26	5	1		
31	Puerperal septicemia	10							1	6 5	5 4	3	3		•••••	1			
01	Other puerperal affections	35				- <b></b>			4	22	9								
32	Concentral debility and malformations	194	[21]														1 '		
32 33 34	Congenital debility and malformations Senility	124 10	121	1	1				1						3	5	2		
32 33 34 35 36	Senility Violent deaths (suicide excepted) Suicide		4	2	3	3	3	8	14	32 2	27 3	16 3	9 2	7	9	5 3	2 1		
32 33 34 35	Sepility	10 141				3	3 1	8		32 2 26	27 3 30	16 3 33 1		7					

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1918—Continued.

	,		;	1000	1000 00	, <u> </u>	01 0220		p. 432.	, 									
·Ħ.	-								DEAT	HS AT	AGE (	)F							Dantha
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	. 1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	29	30 to 39 years.	49	50 to 59 years.	60 to 69 years.	79	80 to 89 years.	99	100 years and over.	Deaths at un- known age.
•			ви	RMIN	(GH	AM,	ALA.	(CO	LOR	ED).		ı		,			•		
`	All causes	2, 290	233	95	39	28	22	87	209	461	392	323	198	94	52	24	7	7	19
1	Typhoid fever	39		1				2	11	14	4	4	2						1
3	Typhus fever	17 1		1				1		3	6	5		1					••••••
. 4 5	Measles Scarlet fever	8	i	4		1	i		î		:	-;							
. 8	Whooping cough Diphtheria and croup Influenza	21 2	5 1	9	1	3	1	2											
10	A siatic cholera		31	12	11	6	5	15	27	63	33	23	14	4	1				2
11 12	Cholera nostras Other epidemic diseases	13	3	1					1	<sub>i</sub> .	4			<sub>i</sub>	2				
11 12 13 14	Cholera nostras Other epidemic diseases Tuberculosis of the lungs Tuberculous meningitis	231 8		1	i	1	1	. 7	43 1	75 2 7	52 2	30	13	6	2				
15 16	Cancer and other malignant tumors	21		1	1		1	3	5	1	9 5	2 6	1 5	2 3	i				
17 18 19	Meningitis Cerebral hemorrhage and softening	16 77			1		1	2	5	3 2	10	3 10	21 35	17	9	7	<u>i</u>		1
20	Organic diseases of the heart Acute bronchitis Chronic bronchitis	159 8	3	<u>2</u> -	i			1		16	24 1	45 1		18 <sup>-</sup>	8	4	4		
21 22 23 <i>a</i>	Pneumonia	413	17	7	5	5	3	9	41 6	120	85	64 5	22 6	8 2	6 1	3 1	1	2	5
23b	Bronchopneumonia. Other diseases of the respiratory system.	87 19	17	10	5	2		12 1 1	3	10 3 1	8 8 2		6						
24 25(37)	Diseases of the stomach Diarrhea and enteritis	23 85 25	30 30	30	4	3	3	2	3 3	10	2 5	432535 5	1 2			i			
26 27	Appendicitis and typhlitis  Hernia, intestinal obstruction  Circhosis of the liver		i		1	i	ī			2		3 5	1 3						
29 20	Cirrhosis of the liver	95 26	2	1					6	7 6	13 13	22 2 1	19	11	9	3		1	1,
31 32	Puerperal septicemia. Other puerperal affections. Congenital debility and malformations.	15 18							2 29	7	5 3	ī		ļ <u>.</u>					
28 29 30 31 32 33 34	Congenital debility and malformations Senility	76 7	75		1										3	2	····i	····i	
35 ·	Senility Violent deaths (suicide excepted) Suicide All other defined diseases.	181 4	4	5	5	3	2	8	25	43	45 1	27	9	2		2		1	•••••
(37) 38	All other defined diseases	285 10	36 2	6 2		3		7 2	21	46	51	49 1	32 3	16	10	1		$\begin{vmatrix} 2 \\ \cdots \end{vmatrix}$	
	•	,	· FO	S A	NGE	LES,	CAL	ALIF' (	тот	AL).			,			·	-		
	All causes	9,348	683	150	97	79	63	182	402	1,298	1,571	1,130	1,057	1,112	980	487	.51	3	3
1 2	Typhoid fever	21				:		2	5	6	6	2							
3 4	Malaria Smallpox	3								1			1						
5 6	Measles Scarlet fever	15	3		3	4	1	2 2 2	1 1	····i	····i	1							••••••
. 7	Whooping cough Diphtheria and croup Influenza.	30 55	12	8 3	6	3 4	6	23 39	7 104	1 2	599	159	1 65	1 23	17	9			
. 10	Asiatic cholera	1,546	38	33	24	20	12	39		480	522	109				ļ			
11 12 13	Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs.	24 1,083	4 5	2	1 2	3	1 3	1 9	78	281	286	209	101	$\begin{array}{c} 3 \\ 72 \end{array}$	4 26	2 4			
14 15	Tuberculous meningitis. Other forms of tuberculosis.	48 53	11	4 6	2 5	4	3 3 3	9 7 2	78 1 2 1 6	281 1 11	4 9	8	1 7	1 6	3				
16 17	Cancer and other malignant tumors Meningitis	676	9	3	3		2 3	8	1 6		46	99 6	183	177	116 1	39	2		
14 15 16 17 18 19 20	Cerebral hemorrhage and softening Organic diseases of the heart	456 951	1 2 6	1		i	1 1		18	4 49	9 51	30 102	78 152	122 205	132 225	71 125	. 11	1	<u>í</u>
21	Acute bronchitis	22 21	1 1	2	2	1	.		1				152 1 1 45 17	1 3	3 5	3			
22 23a	Pneumonia Bronchopneumonia	698 348	26 77	17 20	17	7 10	6 4	11 12	43 20	155	204 53	87 28 6	17	38 15	40 21	10 14			1
23b 24	Other diseases of the respiratory system. Diseases of the stomach	93	. 6	2	. 1			1 5	1	5	6 7	23	3 15 5	13 5	13 6	5 7	3		
25(37) 26	Diarrhea and enteritis.  Appendicitis and typhlitis.  Hernia, intestinal obstruction.	235 78	147	29		.]	44	5	13	14 3	13 6	1 14	10	i 7	10				
27 28	Cirrhosis of the liver	. 68	99	2		1		<u>-</u> -		1	1	15 16 74	19 120	22 17 149	150	41			
28 29 30 31 32 33 34 35 36	Acute nephritis and Bright's disease Diseases of the female genital organs Puerperal septicemia.	53	2	3	1	.			11 2 2 3	6 27	19 17	18	4	4					
32 32	Other puerperal affections	. 76	200	2	i		2			40	31	2				-			
34 25	Senility Violent deaths (suicide excepted)	64	6	10	4	6	5	15	41	49	88	68	54	6 41		28 27	13 6	1	
36 (37)	Suicide	. 122	···iii	3	-				. 3 29	25	30 100	35 110	14	166	5 137	80	7		
(37) 38	Unknown or ill-defined diseases					3 1	····	·			3	2		1	2				
	· · · · · · · · · · · · · · · · · · ·													_		-	-		

Table 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1918—Continued.

Int.										HS AT	AGE O								<del></del>
Abridged Is List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19	20 to	30 to	40 to	50 to 59 years.	60 to 69 years.	79	80 to 89 years.	99	100 years and over.	Deaths at un- known age.
		I	LO	S AI	GEI	LES,	CAL	<b>IF.</b> (	wHI	TE).	1	1	1	1	·	k	<u> </u>	, <u> </u>	J
	All causes.	8,665	597	133	89	72	58	171	379	1,162	1,425	1,039	989	1,061	958	477	50	2	3
1 2	Typhoid fever	15						2	4	3	5	1				•••••			
3 4	Malaria Smallpox	3								1		1	1						
5 6 7	Measles Scarlet fever Whooping cough	15 5 27	3	8	$\frac{3}{2}$	<u>4</u>	$\frac{1}{2}$	2 2 2	1	1	i	1							
8 9	Whooping cough Diphtheria and croup Influenza	53 1,415	2 36	3 28	6 21	4 20	6 11	22 33	6 99	439	474	145	1 62	1 22	17	7			
10 11	Asiatic cholera																		
12 13 14	Other epidemic diseases. Tuberculosis of the lungs. Tuberculous meningitis.	960 34	3 5 7	2 4 3	2 5	3	3	1 9 6	67 1	238	255 3	191 4	93 1	60 1	26	2 4			
15 16	Other forms of tuberculosis	47 649	2				3 2	2	2 1	8 11	8 43 3	8 90	7 177	170	3 114	39	2		
17 18 19	Meningitis Cerebral hemorrhage and softening Overnia discount of the heart	48 440	8 1	$\frac{2}{1}$	3		2		6	7 4	8	6 28	73	117	130	70 70	3	····i	
20 21	Organic diseases of the heart Acute bronchitis Chronic bronchitis	914 20 20	2 5 1	2	2	i	1	7	17 1 1	47	46	94	144 1	198 1 2	222 3 5	123 3 9	11		1
$\frac{22}{23a}$	Pneumonia Bronchopneumonia	654 313	22 64	17 19	7 16	6 9	6 4	9 12	42 19	142 39	190 43 5	83 26	43 14	38 14	37 20	10 14	·í		1
23b 24 25(37)	Other diseases of the respiratory system.  Diseases of the stomach.  Diarrhea and enteritis.	37 86 203	5 124	24	1 1 6	10	······································	1 5	1 1	8 4 2	5 5 1	5 21 5	14 5	13	13 6	3 5 7	3		
26 27	Appendicitis and typhlitis  Hernia, intestinal obstruction	203 71 83 62	8	2		10		5	12	13 3	11	13 14	8 14	$\begin{array}{c c} 4\\7\\22\end{array}$	2 9	5			
28 29	Cirrhosis of the liver	582	2	3	1			····i	11	15	4 9 43	15 65	16 114	16 141	6 145	38	3		
30 31 32	Diseases of the female genital organs Puerperal septicemia Other puerperal affections	49 42 66							2 2 3	6 25 34	17 13 27	17 2 2	3	4					
33 34	Congenital debility and malformations Senility	186 64	180	1	1		2 		2					6	16	28 27	13	i	
35 36 (37)	Violent deaths (suicide excepted) Suicide All other defined diseases	430 113 928	100	9	3	5	<u>5</u>	15	40 3 29	43 22	84 29	62 31	51 13	38	36 5	3	6		
38	Unknown or ill-defined diseases	9		3	9	3 1	4	26		44	95 3	104 2	.127	164	134 2	79	7		
			Los	AN	GELE	es, c	ALI	F. (C	oro:	RED	).			÷				·	
-	All causes	683	86	17	8	7	5	11	23	136	146	91	68	51	22	10	1	1	
1 2	Typhoid fever. Typhus fever. Malaria Smallpox	6							1	3	1	1		;					
3 4 5	Malaria Smallpox Measles						•••••												
6 7	Scarlet fever		1			2	••••		· · · · · · · ·										
8 9	Whooping cough Diphtheria and croup Influenza	131	2	5	3		<u>i</u>	1 6	1 5	41	48	14	3	1		2			
· 10   11   12	Asiatic cholera	2	1				••••		· · · · · · ·						•••••				
13 14	Tuberculosis of the lungs	123 14	4	3		····i	3	1	11	43 1	31 1	18	8	12					
15 16 17	Other forms of tuberculosis	6 27 4	······i							3	1 1 3	9	6	2 7	2	•••••			
18 19	Cerebral hemorrhage and softening Organic diseases of the heart	16 37	· · · · · · ·	1			1		i	<u>2</u>	1 5	2 8	5 8	5 7	1 2 3	1 2		1	
20 21	Acute bronchitis	2	1				 					1		1					
22 23α 23b	Pneumonia Bronchopneumonia. Other diseases of the respiratory system.	44 35 8 7	13	····i	····i	1 1		2	1	13	14 10	2	3	1	3 1				
24	Diseases of the stomach Diarrhea and enteritis.	7 32	3 1 23	5	·····i	<u>-</u> -				1	$\frac{1}{2}$	$\frac{1}{2}$	1	1		1			
25(37) 26 27	Appendicitis and typhlitis Hernia, intestinal obstruction	32 7 8	1						1	1	$\frac{\hat{2}}{2}$	1 1	2 2 3		<u>i</u>		ì		
28 29 30	Cirrhosis of the liver Acute nephritis and Bright's disease Diseases of the female genital organs	6 35 4					••••	•••••		···· <u>·</u> 2	1 2 1 2 2 1 2 2 2	1 9 1	6	1 8	<u>5</u>	3			
31 32 33 34	Puerperal septicemia Other puerperal affections	6 10								2 6	4 4		1						
33 34 35	Congenital debility and malformations Senility	21	20	1															
36 (37)	Violent deaths (suicide excepted)	27 9 49	ii	1	1			i	1	6 3 7	4 1 5	6 4 6	3 1 13	3 2	3	·····i			
38	Unknown or ill-defined diseases	ı			1					ļ					•••••				

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1918—Continued.

nt.	·				······································	· · · · · · · · · · · · · · · · · · ·			DEAT	HS AT	AGE O	F							
Abridged Int. List No.	CAUSE OF DEATH.	· All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	49 .	50 to 59 years.	60 to 69. years.	79	89	99	100 years and over.	Deaths at un- known age.
	•		,		OAK	LĄN	D, C	ALII	r.			,	·		•	·	•	•	<del></del> -
	All causes	3,212	274	62	31	31	29	57	151	359	523	342	333	394	383	206	31	6	
1 2 3	Typhoid fever Typhus fever Malaria	11		1			1		2	2	2	2	1						
3 4 5	Malaria Smallpox Measles	1 3	i					1	<u>i</u>				1					•••••	
6 7	Scarlet fever	27 11	20	3	·····2	$\begin{smallmatrix}1\\2\\2\\1\end{smallmatrix}$			1										
8 9 10	Whooping cough Diphtheria and croup Influenza Asiatic cholera	357	1 7	8	11	1 5	4	6 13	2 29	95	119	35	12	11	5	3			
10 11 12 13	Cholera nostras Other epidemic diseases. Tuberculosis of the lungs.	1 3 199		<u>.</u>		1	· · · · · · · · · · · · · · · · · · ·		70		52	32	1 18	17	1 8	1			
14 15	Other forms of tuberculosis	15	3 3	î	1	3	1	2 4	19 1 5	47 4 2 3	2 1		2	<u>2</u> -					
16 17 18	Cancer and other malignant tumors  Meningitis Cerebral hemorrhage and softening	194 14 173	2	2		1	•••••	1	1 4 1	3 2 1	14 1 5	28 1 12	57 30	44 43	31 52	14 26	2		
19 20 21	Organic diseases of the heart	460 12	5	2	1			• 2	4	6 	21	41	59	120	126 2 1	67 2	11	3	,
$\frac{22}{23a}$	Chronic bronchitis Pneumonia Bronchopneumonia	554 110	23	11 19	5 7	12	9	9 1	36 1	130	179 8	62 7	1 19 2	25 6	22 7	10 12	2 1		
23b 24 25(37)	Other diseases of the respiratory system.  Diseases of the stomach.  Diarrhea and enteritis.	22 29 55	3 40	6	····i	1 1		1	2	1	3 3	, 3 7	2 3 2 4	$\begin{bmatrix} 3 \\ 2 \end{bmatrix}$	5 4 · 1	6 1	1		
26 27	Appendicitis and typhlitis Hernia, intestinal obstruction	30 15	i	i	1 1		1		8	2	1 7 3	6 2 9	3	1 5	i	<u>i</u> -	i	····i	
26 27 28 29 30	Cirrhosis of the liver	33 187 12	1			1		1	2	1 8	13. 3	27 5	9 28 3	7 39	6 44 1	20	3		······
31 32 33	Puerperal septicemiaOther puerperal affections	12 24							.4	5 12	5 6	<u>2</u>							
34 35	Congenital debility and malformations. Semility. Violent deaths (suicide excepted)	101 9 168	100	2		1	5	5	 17	16	29	20	26	19	1 14	6	1 1	1 1	
36 (37) 38	Suicide. All other defined diseases. Unknown or ill-defined diseases.	46 294 1	28	2 1	2	1	4	···ii	1 8	14 14	17 27	9 32	7 45	6 42	2 49	24	5		
			SAN		ANC	rsco	, CA	LIF.	(TO	ral)	•								
	All causes	. 9,855	567	148	74	72	47	149	319	1,168	1,839	1,412	1,398	1,190	979	423	66	1	3
1 2	Typhoid fever Typhus fever Malaria	21							5	4	6	5			1				
3 4 5	Malaria Smallpox Measles	3 10	3	3	i			1		1	i	1	. 1			· · · · · · ·			
6 7	Scarlet fever Whooping cough Diphtheria and croup Influenza	11 35	15	···ii	3 2	.3	1	2 3		3		1			1				•••••••
8 9 10	Diphtheria and croup Influenza Asiatic cholera	1,767	3 24	30 30	· 6 22	12 18	3 11	32	9 <u>4</u>	461	683	231	90	43	19	10	1		
11 12 13	Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs.	28	4	1	3			1 7		2 170	3	4 195	5	3	3	2			••••••
14	Tuberculous meningitis Other forms of tuberculosis	831 55 57	3 5 3	15 	4 2	3 7	2 1 1	7 7 2 1 3	37 8 7	2 14	232 6 10	8	111 5	52	10 3	2			
16 17 18 19	Cancer and other malignant tumors Meningitis	704 33 463	6	1	1 2	1	2 3	3	5 4 1	11 3 6	10 51 3	130 5 43	190 98	186 1 124	101 1 123	22 44			
19 20 21 22	Organic diseases of the heart	1,177 38	.7	3 1			1	3	15	31	16 80	131 4	204 4	261 2 9	297 7	132 6	20		
21 22 23a 23b	Chronic bronchitis. Pneumonia Bronchopneumonia Other diseases of the respiratory system. Diseases of the stomach.	1,074 251	29 61 2 9	19 21	8	10 5	6 3	15 6	58 3	206 21	304 27	152 20 9	123 16	87	14 42 27	9 12 11	$\frac{2}{2}$		
24	Other diseases of the respiratory system.  Diseases of the stomach.	251 84 79 114	2 9 57	3 14	1 1 1		·····i	15 6 3 2	2 2	206 21 8 6	304 27 10 7 5	9 15	123 16 19 18 6	22 10 10 6	14 42 27 8 7 5	5. 2 1	4		
25(37) 26 27	Diarrhea and enteritis. Appendicitis and typhlitis. Hernia, intestinal obstruction.	89 66	8	<u>4</u>	2	1	2	4 7 3	16 1	11 5 1	16 7	15 11	12 10 39	6	2 9	2			
27 28 29 30	Cirrhosis of the liver. Acute nephritis and Bright's disease Diseases of the female genital organs	128 573 26	4	1 1	3	1	1	4	4	19 5	16 57 .12	15 13 15 11 25 65	39 123 1	31 112	9 117	4 58	2		
31 32	Puerperal septicemia	12 53							2 2	6 30	3 15	1 6							
31 32 33 34 35	Congenital debility and malformations Senility	211 41 526	203	3	<u>1</u>	1 3	5	4 19	23		96	108	99	2 49	10 33 8	20 28	9 1		
36 (37)	Suicide All other defined diseases Unknown or ill-defined diseases	194 1,013 6	115	6	<u>.</u>	4 1	4	15	23 1 26	52 26 59	60 110 1	47 153	34 187	15 151	8 121 1	20 28 3 50		i	
38																			

Table 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1918—Continued.

		·	D66 H0	16 at 11	eau or	this ta	ble, p.	432.]										
			~	· · · · · ·				DEA	THS AT	AGE	of—							Deaths
CAUSE OF DEATH,	All deaths.			2 years.	3 years.	4 years	5 to 9 years.	19	29	39	49	59	69	79	. 89	99	100 years and over.	at un-
1	·	SAN	FR.	ANC	sco	, CA	LIF.	(W)	(ITE)	•	1	1	<u> </u>		<u> </u>		<u> </u>	!
All causes	9,278	516	135	65	63	40	140	298	1,077	1,745	1,321	1,301	1,133	953	422	65	1	3
Typhoid fever Typhus fever Malaria	19							5	2	6	5			1				
Smallpox Measles Scarlet fever	9	3	3		1	i	1 2			1	<sub>i</sub> -							
Whooping cough	32 37	14 3 23	9 4 27		3 10	3	3 4	4		2	1	1		1				
Asiatic cholera. Cholera nostras													 					
Tuberculosis of the lungs	734 45	4	14	3 4 2	1 5	1	5 5	33 6 7	149 2	212 5	172	93	48	8	2 			
Cancer and other malignant tumors Meningitis	681 30	6	1	1 2	1	2 3	1 3	5 4	11	49	122	184	179 1	101 1	22	2		
Organic diseases of the heart.  Acute bronchitis.  Chronic bronchitis.	1,132 34	2 5	3			1	3	14	26	78	125 2	192 4	250	290 7	132 6	19		
Pneumonia. Bronchopneumonia. Other diseases of the respiratory system.	1,003 226 78	29 51 2	18 18	6 6 1	8 5	4 1	15 5 3	51 3 2	183 18	288 24 10	145 19	118 16	82 21	41 26	12 11	2 2		1
Diarrhea and enteritis	108 85	7 54	13	$\begin{array}{c c} 1\\ 1\\ 2 \end{array}$	i	2	2	2		5 5	11 13	17 5	10 6	6 5	2 1			
Hernia, intestinal obstruction Cirrhosis of the liver Acute nephritis and Bright's disease	118 535	8 4	3 <u>1</u>	i	i	ii	3	1 3	5 1 19	7 15 51	11 25 61	9 36 111	6 26 106	9 110	2 4 58	2 4		
Puerperal septicemia. Other puerperal affections.	11 51							2 2	5 6 29	12 2 15	8 1 5	1						
Violent deaths (suicide excepted)	41 503	184	<sub>3</sub> .	1 i	<u>3</u>	5	4 19	23	48	90	100	94	2 49	10 33	20 28	9		······ <u>2</u>
All other defined diseases. Unknown or ill-defined diseases.	952 6	105	6	4	4 1	4	14	26 	25 55 1	104 1 1	144 2	169 	14 141	7 119 1	3 49	7	i	
		SAN I	FRAI	vcis	co,	CAL	IF. (	COL	OREI	),		1						
All causes	577	51	13	9	9	7	9	21	91	94	91	97	57	26	1	1	·····	
Typhoid fever	2								2									
Smallpox. Measles	i			1														
Whooping cough Diphtheria and croup	3	1	2	1	2													
Asiatic cholera Cholera nostras																		
Tuberculosis of the lungs.  Tuberculous meningitis	97 10	·····i	1		2 2	1	2 2	4 2	21	20 1	23	18	4	2				
Cancer and other malignant tumors Meningitis	23 3								<u>î</u>	2	8 2 1	6	7 á					
Organic diseases of the heart	45 4	2						1 ;	5	2	6 2	12	11			1		
Pneumonia Bronchopneumonia Other diseases of the respiratory system.	71 25 6	10	1 3	2	2	2 2	1	7	23 3 2	16 3	7 1	5	5 1	1				
Diseases of the stomach  Diarrhea and enteritis  Appendicitis and typhlitis	10 6 4	3	i			i				2 1	4	1 1 2		1				
Cirrhosis of the liver	2 10 38		1 1	2				1		1 6	 4	$\begin{array}{c} \bar{1} \\ 3 \\ 12 \end{array}$	5 6	7				
Puerperal septicemia. Other puerperal affections.	1 2								1	i	1						1	
Senility	23	19							4	6	8	5						
All other defined diseases	61	10					i		1 4	6	3 9	18	1 10	1 2	1	,		
	All causes.  Typhoid fever Malaria. Smallpox Measles. Scarlet fever. Whooping cough. Diphtheria and croup. Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculous meningitis. Other forms of tuberculosis. Cancer and other malignant tumors. Meningitis. Cerebral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis. Pneumonia. Bronchopneumonia Other diseases of the respiratory system. Diseases of the stomach. Diarrhea and enteritis. Appendicitis and typhlitis. Hernia, intestinal obstruction. Cirrhosis of the liver. Acute nephritis and Bright's disease. Diseases of the female genital organs. Puerperal septicemia. Other puerperal affections. Congenital debility and malformations. Senility. Violent deaths (suicide excepted). Suicide. All causes.  Typhoid fever. Typhus fever. Malaria. Smallpox Measles. Scarlet fever. Whooping cough. Diphtheria and croup Influenza. Asiatic cholera Cholera nostras. Other epidemic diseases. Tuberculous meningitis. Other forms of tuberculosis. Cancer and other malignant tumors. Meningits. Cerebral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis. Phoenulosis of the lungs. Tuberculous meningitis. Other forms of tuberculosis. Cancer and other malignant tumors. Meningits. Cerebral hemorrhage and softening. Organic diseases of the female genital organs. Puerperal septicemia. Bronchopneumonia Other diseases of the female genital organs. Puerperal septicemia. Bronchopneumonia Other diseases of the puerperal septicemia. Congenital debility and malformations. Senility. Violent deaths (suicide excepted) Suicases of the female genital organs. Puerperal septicemia. Other diseases of the female genital organs. Puerperal septicemia. Ocongenital debility and malformations. Senility. Violent deaths (suicide excepted) Suicace. All other defined diseases.	All causes. 9,278 Typhoid fever. 19 Typhus fever. 3 Malaria. 3 Smallpox 4 Messles. 9 Scarlet fever. 10 Whooping cough. 32 Diphtheria and croup. 37 Influenza. 1,692 Asiatic cholera. 25 Tuberculosis of the lungs. 734 Tuberculous meningitis. 46 Other forms of tuberculosis. 51 Cancer and other malignant tumors. 681 Meningitis. 30 Cerebral hemorrhage and softening. 449 Organic diseases of the heart. 1,132 Acute bronchitis. 33 Pneumonia. 1,003 Bronchopneumonia. 226 Other diseases of the respiratory system. 51 Carle and entertitis. 108 Appendicitis and typhilitis. 85 Hernia, intestinal obstruction. 64 Cirrhosis of the liver. 118 Acute nephritis and Bright's disease. 535 Diseases of the female genital organs. 26 Fuerperal septicemia. 110 Coher pierperal affections. 51 Concenital debility and malformations 52 Suicade. 188 All causes. 577 Typhoid fever. 1 Typhoid fever. 1 Typhoid fever. 1 Typhoid fever. 1 Typhoid fever. 1 Typhoid fever. 1 Typhoid fever. 1 Typhoid fever. 1 Typhoid fever. 1 Typhoid fever. 1 Typhoid fever. 1 Typhoid fever. 1 Typhoid fever. 1 Typhoid fever. 2 Typhoid fever. 2 Typhoid fever. 1 Typhoid fever. 1 Typhoid fever. 1 Typhoid fever. 1 Typhoid fever. 1 Typhoid fever. 1 Typhoid fever. 2 Typhoid fever. 2 Typhoid fever. 1 Typhoid fever. 1 Typhoid fever. 1 Typhoid fever. 1 Typhoid fever. 1 Typhoid fever. 1 Typhoid fever. 1 Typhoid fever. 2 Typhoid fever. 2 Typhoid fever. 1 Typhoid fever. 1 Typhoid fever. 1 Typhoid fever. 2 Typhoid fever. 1 Typhoid fever. 2 Typhoid fever. 1 Typhoid fever. 1 Typhoid fever. 1 Typhoid fever. 1 Typhoid fever. 2 Typhoid fever. 2 Typhone fever. 1 Typhoid fever. 2 Typhoid fever. 1 Typhoid fever. 1 Typhoid fever. 1 Typhoid fever. 1 Typhoid fever. 1 Typhoid fever. 1 Typhoid fever. 1 Typhoid fever. 1 Typhoid fever. 1 Typhoid fever. 1 Typhoid fever. 1 Typhoid fever. 1 Typhoid fever. 1 Typhoid fever. 1 Typhoid fever. 2 Typhoid fever. 1 Typhoid fever. 1 Typhoid fever. 1 Typhoid fever. 1 Typhoid fever. 1 Typhoid fever. 1 Typhoid fever. 1 Typhoid fever. 2 Typhoid fever. 1 Typhoid fever.	All causes	All causes	CAUSE OF DEATH.	CAUSE OF DEATH.	CAUSE OF DEATH	Catalogue   Cata	CAUSE OF DEATH.	CAUSE OF DEACH.	CAUSE OF DEATH.	CAUSE OF ORALIS.   Check   Typic   Year	CAUSE OF DEATH.	CAUSH OF DEATH.	CAUSE OF PRATH.    Sample	CAUSE OF DRAYEL    Cause   Cau	CAUSH OF DEATH.	CAUSE OF DEATH

TABLE 9:—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT:—1918—Continued.

int.					<del></del> :	,		,	DEAT	HS AT	AGE (	)F	<del></del>				===		
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
<del></del> ;				·	DE)	NVE	R, C	DLO.	· · · ·		•	<u> </u>	· · · · ·		!	·	!	<u> </u>	
	All causes	5,199	418	70	44	40	26	90	289	971	914	586	588	506	439	189	21		8
1 2	Typhoid fever	23				1	·	2	6	.8	3	1	1	1					
3 4	Typhus fever Malaria Smallpox																		
5 6	Measles Scarlet fever	7	1		   <u>-</u> -	2	2	<u>.</u> 1	<u>2</u> -			1							
7 8	Scarlet fever Whooping cough Diphtheria and eroup Influenza.	29 28 788	14 2 13	9 <u>8</u> -	5 4 9	5 6	1 2 3	13	2 67										
10 11	ASIRTIC CHOIPER	700		<u>-</u> -	ļ		ļ°.	15		259	217	106	50 	22	11				
11 12 13 14	Cholera nostras. Other epidemic diseases Tuberculosis of the lungs. Tuberculous meningitis	14 775	7 2			i	i		38	302	235	121	1 55	1 12	2 7				1
14 15	Other forms of tubercujosis	775 33 19	9	7 1	2	3	<u>i</u> -		$\begin{array}{c} 38 \\ 2 \\ 1 \end{array}$	. 3	235 3 5 19	$\frac{1}{2}$		1 2		i			
15 16 17	Cancer and other malignant tumors Meningitis Cerebral hemorrhage and softening	.292 19 169	7	1	<u>î</u> -		1.	····i	1 2 2 1	6	19 1 9	38	2 94 3	71	43	15	2		
18 19 20	Organic diseases of the heart  Acute bronchitis  Chronic bronchitis	1 367 1	1 8	$\frac{1}{2}$	$\frac{1}{2}$	1		12	26	3 22	35	38	31 57	47 69	48 73 1	20 27	4		1
21 22	Pretimonia	13 19 806	19 59	8	6	5	5	8	63	. 207	2 180	94	5 72 9	3 75 10 5	4	20	2		
23a 23b	Bronchopneumonia Other diseases of the respiratory system. Diseases of the stomach	219 •73	59 1	15	5	8	3	8 7 1	7 3	28 5 3	180 28 10 3 2	94 8 13 2 2 8 5	9 16	10	41 26 11	20 5 5	1		
25(37) 26	Disarhea and enteritis.  Appendicitis and typhilitis  Hernia, intestinal obstruction	.73 34 78 59	50	2 6	3	3 1	<u>i</u>	1 1 5	1 	3 9	2	2 2	16 2 2 4 8 .7	4 2 7	5	3 2	1		
27 28	Hernia, intestinal obstruction. Cirrhosis of the liver.	44 22	6	1					i	4	10 5 2	5	.7	8 4	1 5 3	î			
29 30	Cirrhosis of the liver. Acute nephritis and Bright's disease. Diseases of the female genital organs	255 31 34	4					2	$\begin{array}{c} 5 \\ 1 \\ 2 \end{array}$	5 7	20 12	31 8	47 1	.56	58 2	24	2		1
31 32	Puerperalsepticemia. Other puerperal affections. Congenital debility and malformations.	31		,					2 1	16. 17	14 10	2 2	i						
27 28 29 30 31 32 33 34 35	Senility Violent deaths (suicide excepted)	156 41 167	155	i	<u>2</u>	$\frac{1}{1}$	2	14	16	20	30			$\frac{1}{21}$	12 11 2	23 4	5	-5	
36 (37) 38	Suicide. All other defined diseases.	52 496	49			i		7	4 24	10 30	14 44	19 10 55 1	23 9 87	3   81	69	37	1		2
`38	Unknown or ill-defined diseases	4		<b></b> -			<u> </u>		1		1	1	,1			<u> </u>			
				В	RIDO	EPC	RT,	CON	N.										
	All causes	2,981	492	141	69	38	31	69	126	461	462	295	297	242	168	73	10		7
1 2	Typhoidfever Typhus fever Malaria Smallpox Measles	6						1	2	1	1	1							
3 4	Malaria Smallpox	1											1						
5 6		16 3 40	4	4	5	1  ;-	1 1 2 7		1 2										
8	Whooping cough Diphtheria and croup Influenza	35 475	18 3 19	15 9 22	8 14	1 4 7	2 7	1 4 14	3 25	1 147	134	46	<u>25</u>	1 7	4	2			2
10 11	Asiatic cholera Cholera nostras																		
12 13 14	Other epidemic diseases  Tuberculosis of the lungs	188 33	5 2 10	9	····i		3		18	57 3 2	51	$\begin{vmatrix} 1\\ 32\\ 1 \end{vmatrix}$	16	6	i				ii
15 16	Tuberculous meningitisOther forms of tuberculosisCancer and other malignant tumors	6 122	10		<u>i</u> -	6		2	· 1·	2 1	51 1 2 6	1	45	29	13	3	1		
15 16 17 18 19 . 20	Meningitis Cerebral hemorrhage and softening Organic diseases of the heart	19 119	3		3	1	1	4	1 2	3 1	<sub>i</sub>	23 2 9	19		26 46				
. 19 . 20	Acute pronchitis	15	1 8	····i	····i	 	1	····i	7	6	14	21	40 1	47 48	. 1	15 15 2	1 4		3
21 22	Chronic bronchitis Pneumonia	524 100	32 54	19 22	10	7		13 5	33	152	129	50 2	38 2	20 6	14 4	6 3	1 1		
23a 23b 24	Bronchopneumonia. Other diseases of the respiratory system. Diseases of the stomach	128 16 16	4 2	I	ı	<u>-</u> -	1		ī	5 3 1	7 <u>ž</u> -	3 3	3 2	3	1				
25(37) 26	Diarrhea and enteritis	119	90	2 27	2			2	3	5		1 6	2 2 3	i					
25(37) 26 27 28 29 30 31 32 33	Appendicitis and typhlitis Hernia, intestinal obstruction Cirrhosis of the liver Acute nephritis and Bright's disease Diseases of the famela grapital organs	19 25 10	3	2					3 1	1	5 2 1	1	5	3	3 2	1			
29 30		142 16 8			1		2	1	1 1 1	.1 .3	17 10	23 4 1	36	23	25	5			
32 33	Puerperal septicemia. Other puerperal affections. Congenital debility and malformations.	33 169	168		1				i	16	3 14	2							
35	Senility Violent deaths (Spicide excepted)	5 181	3	4	7	4	6	16	12	20	27	29 9	27	13	10	3	1		
36 (37)	All other defined diseases	26 231	61 1	3 2	<u>i</u> -		4	5	9 1	6 17 1	9 24 2	16	28 28 2	32 1	13	17	1		
38	Unknown or ill-defined diseases	20	1	2		1	J		1	1	2	. 9	] <sup>2</sup>	<u> </u>	1 1				<u> </u>

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1918—Continued.

CAUSE OF DEATH.	All deaths.	ļ																75 15.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	29	39	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known- age.
	·		N	ŒW	HAV	EN,	CON	N.				·						·
causes	3,343	440	152	83	36	27	67	159	477	410	326	319	361	328	139	18		1
ever	7								2	2	2		1					
£	1 1	3′	-2	3	1													
g cougha and croup	3 41 27	19	14 2	5 3	1 3	3	6	2	2		····i							
holera	694	23	31	29	9	8	18	61	243	167	51	30	16	7	1			
losis of the lungs	191	6 5	3 3	1		;	2	21	50	2 34	44	18	9	1 4	1 1			
ms of tuberculosisad other malignant tumors	18 165	1	 		2	<u>i</u> -	2	<sub>2</sub> .	4	10	21	35	2 49	39	8			
diseases of the heart	155 301	2		1	z		3	9	1 12	3 19	14 29	30 44	37 80	47 64	20 34	1 6		
oronchitis	11 361	33	2	11	6	5	4	17	72	58	2 31	33	32	3 27	9	1		
pneumonia seases of the respiratory system. of the stomach	21	39 2 3	22 2	12	6		6	$\frac{2}{1}$	10 2 2	8 2 3	4	5 2 4	1 2	12 2 1	9	$\begin{vmatrix} 2\\1 \end{vmatrix}$		
and enteritiscitis and typhlitis	89 23 31	62	19	1				4	5	2 3	4 4	1 4 4	3 2	2	1			
of the liverphritis and Bright's disease	23 178		1					3	4	13	8 21	36	6 39	5 49	···ii	····i		
l septicemiaerperal affections	4 25	148						i	3 15	8	····i							
leaths (suicide excepted)	3 179	2	7	2	5	8	12	17	22	22	25	19	19	1 9	1 9	1		1
defined diseases	327 8	62	5	4	1		6	9	15	28 2	39 1	44	36 1	46	29	3		
	!	W	ASE	UNG	TON	, D.	C. (1	OTA	LL).	!	!	J		<u></u>	<u> </u>		,	<del>'</del>
causes	9,090	911	230	116	. 68	70	188	464	1,282	1,376	963	946	979	1,020	423	49	5	
ever	44				1	1	2	9	14	12	3	1		1				
C	30	····- <u>2</u>	12	4		5	5			2								
ng cough	43	18	9	8 7	1 3 6	1 4 7	4 9	1 1 6				1						
holera	1,396	32	39	21	10	13	44	106	450	445	121	49	30	28	7	1		
idemic diseaseslosis of the lungs	16 673	2 3 6	6	3	3	1 2	8	1 82 5	187	1 171	6 99	62	2 27	3 15	6			
ms of tuberculosisnd other malignant tumors	40 410	1	1	1 1		1	1	7	8 5	8 28	5 71	111	89	72	29	1		
hemorrhage and softening diseases of the heart	547 942	1 5	1			1	·i	1 15	41	14 77	47 106	88 122	150 231	167 239	69 93	5 8	3	
bronchitis nia	1,083	34	19	15	10	····	27	77	1 298	255	124	3 82	71	12 49	6 14	1		
seases of the respiratory system.	. 70	120 1 3	60 3 3	28 1 2	9	2 1	1	16 2 2	45 8 9		13	19 10 10	1 4	35 8 9	7 2	$-\frac{2}{i}$		
and enteritis	293 47 71	188		1	9	3	5 1 2	3 9 3	10	9 9	6 9	5	9 4 15	9 2 6	6	1		
of the liver phritis and Bright's disease of the female genital organs	30 672 34	· · · · · · · · · · · · · · · · · · ·	1	i	1	i	1 4	8		1 2	3 94 5	11 106 2	7	3	3 54	10		·
al septicemia	25 49	344	,	1	1			1 5	14 26	15	1 3							
deaths (suicide excepted)	84 368	9	6	5	7	10	20	49	38		42	51 16	3 29	28 21 4	44 15	5 1	ii	
r defined diseases	. 1 996	116	11 3	3	2	2	18	35		112					50	10	i	
	sver	fever	fever	fever	fever.	fever.	fever	Fever	fever	fever.	fever	fever	Server	fever.	Server	force:	Fever	Green

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1918—Continued.

Int.									DEAT	HS AT	AGE (	)F						<del></del> -	
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	13	29	39	49	59	60 to 69 years.	79	89	90 to 99 years.	years	Deaths at un- known age.
			• M	ASE	UNG	TON	, D.	C. (V	VHIT	Œ).	, <u>,</u>	·	·	<u> </u>	•	·	<u> </u>	·	•
	All causes	5,779	509	124	55	37	39	122	238	819	869	500	568	676	810	379	33	1	
·1 2 3	Typhoid fever. Typhus fever Malaria Smallpox							1	3-	5	 8	3			1				
4 5 6			2	10 3 3	4	1	5 1	3 4	i		1 1								
·7 8 9 10	Scarlet fever. Whooping cough. Diphtheria and croup Influenza. Asiatic cholera.	15 36 1,074	8 21	3 4 21	2 7 12	6 5	6 9	9 30	4 78	354	370	87	37	21	· 22	6	<sub>i</sub>		
11 12 13	Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculous meningitis	1 10 303	1	i	i			3	1 21	84	75	4 44	38	2 17	1 2 13				
14 15 16	Cancer and other malignant tumors	304	5	1 5 1	1	 	1	2 1	2 4 1	1 4 1	2 6 16	<u>4</u> 39	1 87	67	65	26	1 1		
17 18 19	Meningitis Cerebral hemorrhage and softening Organic diseases of the heart	643	5 1 5 2	3 1	1	1	1	. 1	11	26	<u>4</u> 38	2 18 45	2 42 73	97 162	1 137 195	65 83	4 4		
19 20 21 22 23 <i>a</i>	Acute bronchitis Chronic bronchitis Pneumonia Bronchopneumonia	10 28 620 219	16 47	13 22	6	1 4 4	3 1	1 15 11	35 3	2 187 25	2 1 158 22	51 10	3 37 10	6 47 15	1 10 35 26	6 12 13	1 1 1		
23b 24 25(37)	Other diseases of the respiratory system	44 30 156	1 1 93	3 2 18	1 1 2	1 6	1 1 1	2 1	2 1 2	25 7 3 2 7	22 2 2 1 7	5 3 4	5 5 4	4 1 6	6 7 8	6 2 6	1 1		
24 25 (37) 26 27 28 29	Diarrhes and enteritis. Appendicitis and typhlitis. Hernia, intestinal obstruction Cirrhosis of the liver. Acute nephritis and Bright's disease.	33 41 26 400	2	1 1	·····		1	1 1 1 4	3. 1	7 3 14	7 3 1 18	10 5 4 5 5 3 37	10 10 52	4 9 6 101	2 4 2 111	1 3 49	1		
30 31	Diseases of the female genital organs Puerperal septicemia. Other puerperal affections. Congenital debility and malformations.	14 14 33							3	3 9 16	5 5 11	3,7	2	1	1	49			
33 34 35	Violent deaths (suicide excepted)	238 59 231	232	2 4	1 4	4	7	ii	2 28	1 17	39	26	1 38	3 20	18 16	32 14	4 1	1	
36 (37) 38	Suicide. All other defined diseases. Unknown or ill-defined diseases.	58 642 2	62	4 2	2	2	1 1	16	20 	9 35	12 60	11 87	14 93	83 	122 	1 49	6		
	•		WA	SHII	7GT	on,	D. C.	(CO	LOR	ED).				<del>.</del>			·		
	All causes	3,311	402	106	61	31	31	66	226	463	507	463	378	303	210	44	16	4	
1 2 3 4 5	Typhoid fever. Typhus fever. Malaria Smallpox Measles	23				1	1	1	6	9	4		1		•••••				
				2			;-	<u>2</u>			····i								
6 7 8 9	Whooping cough Diphtheria and croup Influenza Asiatic cholera	28 4 322	10 11	6 18	6 9	<u>1</u> 5	4 1 4	14	1 2 28	96	75	34	12	9	6	i			· · · · · · · · · · · · · · · · · · ·
11 12 13	Cholera nostras Other epidemic diseases Tuberculosis of the lungs	6 370	$\frac{1}{2}$	5	2 2	3	i	5	61	103	1 96	2 55	1 24	10	1 2	1			
14 15 16 17 18 19	Tuberculous meningitis. Other forms of tuberculosis. Cancer and other malignant tumors. Meningitis.	11 17 106 13	2 1 1	····i	2	2 	2 1 1	1 3	3	4 4	2 12	1 32	24	22	1 7	3			
18 19 20	Cerebral hemorrhage and softening Organic diseases of the heart Acute bronchitis	178 299 28	1 10	5	6		i	1	1 4	4 1 4 15	1 10 39 2 2 97	1 29 61	. 46 49	53 69 1	30 44	10 1	1 4	3	
20 21 22 23 <i>a</i>	Chronic bronchitis Pneumonia Bronchopneumonia	463	18 73	6 38	9	6 5	4 3	12 8	42 13	1 111 20	18	1 73 9	45 9	1 24 5 5	2 14 9	 2 2			
23b 24 25(37) 26	Other diseases of the respiratory system. Diseases of the stomach. Diarrhea and enteritis. Appendicitis and typhlitis.	232 26 26 26 137 14	. 95	13	1 2 1	3	2	3	1 1 6	1 6 2 3	2	9 8 5 3 1 4	45 9 5 7	5 3 3	2 2 1	1			
27 28 29	Hernia, intestinal obstruction	30 4 272	3		1	1		1	2	3 9	2 2 6 1 38	4 57	1 3 1. 54	6 .1 53	2 1 46	5			
31	Diseases of the female genital organs Puerperal septicemia Other puerperal affections	20 11 16							3 1 2	4 5 10	8 4 4	3		2	20				
35	Congenital debility and malformations Senility Violent deaths (suicide excepted)	113 25 137 10	7	2	i	3	3	9	21 3	21	26 1	16	2 13	9	10 5	12 1	·- <b>:</b> - ·		
(37)	SuicideAll other defined diseasesUnknown or ill-defined diseases	354 4	54 1	7	1		1	·····	15	31	52 1	$\begin{bmatrix} 62 \\ 1 \end{bmatrix}$	73	26	24	1	4	1	
	• .				<del></del>		<u>-</u>					·	··		<u>'</u>				

Table 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1918—Continued.

				[See	note a	t head	of this	table,	p. 432.	)									
o.									DEA	THS AT	AGE	OF			<del></del>				
Abridged In List No.	CAUSE OF DEATH,	All deaths.	Under 1 year.	1 year.	2 years	3 years	4 years	5 to 9	'  19	20 to 29 years.	39	49	5.9	69	79	80	00	years	Deaths at un- known age.
•		<u> </u>	11	AT	LAN'	TA, (	GA.	(TOT	'AL).		<u> </u>	,	<u> </u>	<u> </u>	<u>.                                    </u>	<u> </u>		Joven.	<u> </u>
	All causes	3,702	418	141	84	45	23	91	220	491	550	472	424	000	070	. 50	T		
1 2	Typhoidfever Typhusfever Typhusfever	29				2		5	5	5	7	2	2	363	276	79	11	9	
3 4 5	Malaria Smallpox	5								2 .	1	1		1	1	· · · · · ·			
6 7	Measles Scarlet fever Whooping cough	. 8	$\begin{bmatrix} 2 \\ \cdots \\ 14 \end{bmatrix}$	69	4 2 3	2 2 2		2 4								 			
8 9 10	Diphtheria and croup	12 338	18	10 	11	3 6	1 4	1 4 18	2 1 27	66	79	44	16	15	19	3		2	
10 11 12 13 14	Cholera nostras Other epidemic diseases Tuberculosis of the lungs Tuberculous meningitis Other forms of tuberculosis.	28 214	5 2 1	2 2 1	1 2	13	1	1 2 2	24	3 69	. 1 56	3 31	4 12	2 8	2 7	3			
15 16 17 18 19	Other forms of tuberculosis.  Cancer and other malignant tumors  Meningitis  Cerebral hemorrhage and softening.	137 43	3 2	1	2	2	3	12	1 6 7	1 7 3 4	7 14 5	2 27 3	4 41 2	33	14	4	1		
$\frac{20}{21}$	Organic diseases of the heart	8 7	3	1				1	10 3	18 1 2	14 37 1	36 62 3	52 58	35 47	27 39 1	8 9	1 1		2
22 230 230 24		388 200 29 43	17 58 1 3	14 31 1	7 14	3 5 1	3 2	10 6 1	44 6 2	95 13 4 8	93 20 3	37 16 1	23 6 8	26 9 3	11 10 2	3 4 1	1	2	· · · · · · · · · · · · · · · · · · ·
25(37) 26 27 28	Diarrhea and enteritis Appendicitis and typhlitis Hernia, intestinal obstruction Cirrhosis of the liver	147 38 41	47 5	40 1	14	4	1	2 2 2	3 4 4	10 13	7 5 12 5	11 4 2 6	4 1 9	7 10 2 3	2 2 2	1			• • • • • • • • • • • • • • • • • • • •
29 30 31	Acute nephritis and Bright's disease  Diseases of the female genital organs  Puerperal septicemia	14 313 34 29	3		4			2	7	3 12 9 14	19 14 10	1 49 9 2	8 69 2	71	58	16	1	1	1
32 33 34	Congenital debility and malformations Senility	41 140 21	138		1				1	20	16								· · · · · · · · · · · · · · · · · · ·
35 36 (37)	Violent deaths (suicide excepted) Suicide All other defined diseases	196 12 500	60	2	6	6	3	4	29	42 2 48	31 3 71	25 6	15	10	16	, 8 6	1	2	
38	Unknown or ill-defined diseases	131	30	4	4	ĭ	3 2	5	3	10	19	69 19	67 15	64	49 5	12	1	1	1
				ATI	LANT	ra, c	¥ <b>A.</b> (	WHI	TE).										
1	All causes	2,063	232	91	51	25	15	50	94	221	270	224	226	251	235	66	9		3
2 3	Typhoid fever Typhus fever Malaria	19						3	5	3	5	1	1	1					
4 5 6	Smallpox Measles Scarlet fever	12	1	4	4 2	1 2		2											
7 8 9	Whooping cough Diphtheria and croup Influenza	17 9	7	5 2	2	1 2	1	4 1 3	1										
10 11	Asiatic cholera	214	11	8	8	3	3		15		50	27		8	17	2			
12 13 14	Other epidemic diseases Tuberculosis of the lungs. Tuberculous meningitis	16 107 5	····i	1	1	2	1	1	5	28	30	20	2 7	2 6	2 7	3			
15 16 17	Other forms of tuberculosis	18 107	2					1	1	2	5 11	20	4 29	29	14	3	1		
18 19	Cerebral hemorrhage and softening Organic diseases of the heart	25 95 133	3	1	2	i	1	6	4	4 1 7	2 1 10	20 2 8 22	29 2 25 23	25 25	24	7	1		
20 21 22	Acute bronchitis. Chronic bronchitis. Pneumonia	3 2 173	8	.1	3	3	2				1	1			31 1 1	8	1		2
23a 23b 24	Bronchopneumonia. Other diseases of the respiratory system. Diseases of the stomach.	92 18	28 1	16	8	2	2	6	16   2   1	35 2 2	42 9 3	20 3	6 3 4	13 7 2 2	9 5 2	2 4 1			
25(37) 26	Appendicitis and typhlitis	15 80 28	1 21	29	10	4		1 2	3	2 3 11	7	3 1 1	1 1 1 7	2 8 2	2 -	1		:	
27. 28 29	Hernia, intestinal obstruction  Cirrhosis of the liver  Acute nephritis and Bright's disease	28 7 192	4 3	1	1 .			î	4	3 1 .	2	3	4	$\begin{vmatrix} 1 \\ 2 \end{vmatrix}$ .	1 1				
30 31 32	Diseases of the female genital organs. Puerperal septicemia. Other puerperal affections.	15 15							3	3 5 7	9 6 5	$\begin{array}{c c} 22 \\ 2 \\ 1 \end{array}$ .	38 2 .	48	51	13			
33 34	Congenital debility and malformations	26 91 17	89		1 .				1 .	15	8	- Î  .							
35 36 (37)	Violent deaths (suicide excepted) Suicide All other defined diseases	102 11 304	3	8	1 .		3	2	11	18	14 3	13 5 .	9	7 1	6 14	7 5	7 1		• • • • • • • • • • • • • • • • • • • •
`38′	Unknown or ill-defined diseases	57	32 15	8	1	1 .	2	3	13	22 2	37 5	41	37	52 7	41 5	9 .		•••••	1

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1918—Continued.

. Int									DEA	THS AT	AGE	of—			<del></del>				
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.		29	39	40 to 49 years.	50 to 59 years.	60 to 69 years.	79	89	90 to 99 years.	100 years and over.	Deaths at un- known age.
<u> </u>		<u>'</u>		ATL	ANT	A, G	A. (C	OLC	RED	).		<u>.</u>	1	1	<u>'                                     </u>	<u> </u>	<u> </u>	<u> </u>	<u></u>
	All causes.	1,639	186	50	33	20	8	41	126	270	280	248	198	112	41	13	2	- 9	,
1 2	Typhoid fever	10				2		2		2	2	1	1						<u></u>
3 4	Malaria Smallpox	3 1								1	i	1							
5 6	Measles Scarlet fever	4	1	2		Ţ		•••••							1				
7	Whooping cough	14	7	4	1	i,i.			1								•••••		
8 9	Diphtheria and croupInfluenza	124	7	2	3	3	<u>i</u> -	1 7	12	27	29	17	4	7	2	i		2	
10 11	Asiatic cholera Cholera nostras																		·····
12 13	Other epidemic diseases Tuberculosis of the lungs	12	5 1	1		1		<u>i</u> -	19	41	26	3	2 5	<u>-</u> 2	ļ		••••		
13 14 15	Tuberculosis of the lungs.  Tuberculous meningitis.  Other forms of tuberculosis.	6 13	. 1		i	1		ī	1 5	1 5	2								
16 17	Cancer and other malignant tumors Meningitis	30 18				2	2	6	3	3	3 3	7	12	4		1			
18 19	Cerebral hemorrhage and softening Organic diseases of the heart	87 151						i	2 6	3 11	13 27	28 40	27 35	10 22	3	Ţ			
20	Acute bronchitis	5	1						3	1									
21 22	Chronic bronchitis Pneumonia	215	9	6	4		i	4 5	28	60 60	51	17	1 17	13	2	1		····· <u>2</u>	
23a 23b	Bronchopneumonia Other diseases of the respiratory system.	. 108 . 11	30	15	6	3 1		5	4	11 2	11	13	3 4	2	5			••••	
24 25(37)	Diseases of the stomach Diarrhea and enteritis	28 67	2 26	1 11			····i	i	3	6	3 5	1 8 3 1	3 3	5 2	····i			•••••	
25(37) 26 27	Appendicitis and typhlitis Hernia, intestinal obstruction	10 13	<sub>i</sub> .				e	i	1	2	5 3	1 3	2	2	1			•••	
28	Cirrhosis of the liver	7 121						2	4	2 9	10	27	4 31	23	7				
29 30	Diseases of the female genital organs	19			ž.					4	8	7		25		3	1	1	i
31 32	Puerperal septicemia. Other puerperal affections.	14 15							1 2	7 5	5 8	1							
33 34	Congenital debility and malformations. Senility	49 4	49										1			1		2	
35 36	Violent deaths (suicide excepted) Suicide	94 1	1	1	5	2		2	18	24	17	12	6	3	2	1	• • • • • •		
(37)	All other defined diseases	100																	
38	Unknown or ill-defined diseases	196   74	.28 15	5 1	4 3	2	1 2	4 2	9	26 8	. 34	28	30 7	12 4	8	3	1	1	•••••
	Unknown or ill-defined diseases	74	,28 15	5 1	3	2	2	2	9 2	26 8	. 34 . 14	28 14	30 7	12 4	8	3	1	1	i
	Unknown or ill-defined diseases		,28 15	1	ICAC		2		2	8	34 14	28	30 7		8	3	1		1
	Unknown or ill-defined diseases	74	6,597	1	3		LL.	(TOT	2 (AL).	8	14	28 14	7			1,300	176		15
38	All causes	74	15	CH.	ICAC	30, I	LL.	(TOT	2 (AL).	8	14	28 14	7	4				1	15
1 2 3	All causes Typhoid fever	44,069	15	CH.	ICAC	30, I	LL.	( <b>TO</b> 1	1,936 6	5,958	6,173	4,557	7	4				1	15
1 2 3 4 5	All causes	44,069	6,597	1 CH 1,982	994 	<b>80, 1</b> 680	470	1,363 2	1,936 6	5,958	6,173	4,557	7	4,282				1	15
1 1 2 3 4 5 6 7	All causes	44,069	6,597 1 22 1 78	1 CH 1,982	994 	80, I 680  6 8 12	470 470 4 12	1,363 2 	1,936 6 1	5,958	6,173	4,557	7	4,282				1	15
1 2 3 4 5 6 7 8 9	All causes	44,069 40 44,069 40 61,57 180,705	6,597	1 CH 1,982	994 	8 <b>O</b> , I	470 470	1,363 2 2 2 9	1,936 6 1 4 2 46	5,958	6,173	4,557	7	4,282				1	15
1 2 3 4 5 6 7 8 9 10 11	All causes	44,069 40 461 57 1805 5,491	6,597 1 22 18 39 252	1,982 1,982 24 13 46 107 298	994 	680 680 680 680 121 107 152	470 470 412 67	1,363 2 2 9 11 203	1,936 6 1 4 2 46	5,958	6,173	4,557 4,557 12	4,709 5	4,282	2,860	1,300	176	1	15
1 2 3 4 5 6 7 8 9 10 11 12	All causes	44,069 40 40 61 57 180 705 5,491	6,597 22 1 78 39 252 	1 CH 1,982 24 13 46 107 298	994 	680 680 6 8 12 107 152	470 470 412 67 93	1,363 2 2 9 111 203 289	1,936 6 1 2 46 366	5,958 15 15 1,509	6,173 8 1 3 1,403	4,557 4 1 2 	4,709 5 1 218	4,282	2,860	1,300	176	1	2
1 2 3 4 5 6 7 8 9 10 11 12 12	All causes	44,069 40 44,61 57 180 705 5,491	15 6,597 1 22 1 78 39 252 34 32 36 4	1 1,982 24 13 46 107 298 5 199 33	994 	680 680 6 8 12 107 152	470 470 412 67 93	1,363 2 2 9 111 203 289	1,936 6 1 2 46 366	5,958 15 15 1,509	6,173 8 1 3 5 1,403 4 941 1248	4,557 4 1 2 	4,709 5 1 218	4,282 	2,860	1,300	176	1	2
1 2 3 4 5 6 7 7 8 9 9 10 11 12 12 13 14 15 16	All causes	44,069 40 44,661 57 180 705 5,491 	15 6,597 1 22 1 78 39 252 34 32 36 4	1 1,982 24 13 46 107 298 5 199 33 6	994 	680 680 12 107 152	470 470 42 67 93 18 13,	1,363 2 2 9 111 203 289	1,936 6 1 2 46 366 305 25 29 19	5,958 15 1,509 1,000 27	6,173 8 1 3 5 1,403 4 941 1248	4,557 4 1 2 	7 4,709 5 1 218 7 286 5 299 712	4, 282 1 130 7 110 3 14 620	2, 860 	1,300	176	1	2
38 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18	All causes.  Typhoid fever. Typhus fever. Typhus fever. Malaria. Smallpox Measles. Scarlet fever Whooping cough Diphtheria and croup Induenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculous meningitis. Other forms of tuberculosis. Cancer and other malignant tumors. Meningitis Meningitis Cerebral hemorrhage and softening	44,069 40 44,61 57,180 705 5,491 	6,597 	1 1,982 24 13 46 107 298 5 19 33 6	994 	680 680 68 12 107 152 8 11 18 2	470 470 412 67 93 13, 3	1,363 2 2 9 11 203 289 4 34 212 8 8 24	1,936 6 1 2 4 26 366 305 25 29 12 23 5	5,958 15 1,509 1,000 27 64 1,000 27 64 29	6,173 8 1 3 5 1,403 4 941 128 167 20 47	4,557 -4 -5 494 -1561 -9 266 434 9138	7 4,709 5 1 218 7 286 5 5 29 712	4, 282 	2,860 	1,300 	176 	17	2
12 23 44 56 78 90 111 12 13 14 15 16 17 18 19 20	All causes.  Typhoid fever. Typhus fever. Malaria. Smallpox. Measles. Scarlet fever. Whooping cough. Diphtheria and croup. Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculous meningitis. Other forms of tuberculosis. Cancer and other malignant tumors. Meningitis. Cerebral hemorrhage and softening. Organic diseases of the heart. Cerebral hemorrhage and softening.	44,069 40 40 41 61 57 1805 5,491 217 226 2,421 1,290 4,423 378	6,597 1 22 1 78 39 252 36 4 3 4 3 4 3 9	1 CH 1,982 24 13 46 107 298 5 19 33 6	994 	680 680 12 107 152	470 470 42 67 93 18 13,	1,363 2 9 11 203 289 4 34 34 22 18 8 24 24 10	1,936 6 1 2 46 366 305 25 29 19	5,958 15 1,509 1,000 27 64 1,000 27 64 29	6,173 8 1 1,403 4,403 167 247 385	4,557 4,557 1 2 5 494 11,561 9 26 434 138 529	7 4,709 5 1 218 286 5 29 712 295 729 729	4,282 1 130 14 620 341 983 13	2,860 	1,300 23 23 3 3 92 121 396 121 396	176 	17	2
1 2 3 4 5 6 7 7 8 9 9 10 11 12 13 14 15 16 17 18 19 19 19 19 19 19 19 19 19 19 19 19 19	All causes Typhoid fever Typhus fever Malaria Smallpox Measles Scarlet fever Whooping cough Diphtheria and croup Influenza Asiatic cholera Cholera nostras Other epidemic diseases Tuberculous meningitis Other forms of tuberculosis Cancer and other malignant tumors Meningitis Cerebral hemorrhage and softening Organic diseases of the heart Acute bronchitis Chronic bronchitis Chronic bronchitis Chronic bronchitis	44,069 40 40 41 57 1805 5,491 217 256 2,421 197 1,290 4,423 3,847 217 5,714	6,597 1 22 1 78 39 252 36 4 32 36 4 4 193 29	1 CH 1,982 24 13 46 107 298 15 19 33 6 11 61 2 12 12 13 13 14 14 15 15 16 17 17 18 18 18 18 18 18 18 18 18 18 18 18 18	994 	680 680 680 680 122 1077 1552 881 111 88 2 2 100 88 14	470 470 4 12 67 79 93 88 13 3 2 7 6 6 16 65 65	1,363 2 2 9 111 203 2289 4 34 24 22 18 8 8 8 10 11 11 15 15	1,936 6 1 4 2 4 6 366 22 9 12 23 5 5 185 3 333 333 338	5,958 15 17,1,509 41,000 27,64 36 19,20 295 2 2 1,532	6,173 8 3 1,403 4 941 12 48 167 7385 4 47 385 48 147 385 48 148 148 168 178 188 188 188 188 188 188 18	4,557 4,557 1 2 5 494 111 561 9 26 434 529 2 2 122 650	7 4,709 5 1 218 7 286 5 299 712 3 295 729 86	4,282 1 130 7 110 3 3 44 620 3 341 983 30 318,30 318,80	2, 860 	1,300 23 23 3 3 92 121 396 121 396	176 4 4 17 4 17 2 6 3	17	2
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 22 23 22 22 22 22 22 22 22 22 22 22	All causes.  Typhoid fever. Typhus fever. Malaria. Smallpox. Measles. Scarlet fever. Whooping cough. Diphtheria and croup. Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculous meningitis. Tuberculous meningitis. Other forms of tuberculosis. Cancer and other malignant tumors. Meningitis. Cerebral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis. Chronic bronchitis. Chronic bronchitis. Proeumonia. Bronchopneumonia.	44,069 40 40 41 57 1805 5,491 217 256 2,421 197 1,290 4,423 3,347 217 256 2,421 197 1,290 4,423 161 5,714	6,597  22 1 78 39 252 36 4 32 46 2 8 193 199 665 18	1 CH 1,982 24 13 46 107 298 15 19 33 6	994 7 10 18 200 5 9 20 4 2 14 1 14 1 111 172	680 680 680 122 107 152 107 152 10 8 14 75 107 2	470 470 4 112 2 67 693 3 2 7 6 65 54	1,363 2 2 9 11 203 289 4 4 22 18 8 8 24 2 2 5 9 10 11 10 10 10 10 10 10 10 10	1,936 6 6 1 4 2 46 366 3 3 3 5 2 5 2 9 1 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	5,958 15 17,1,509 41,000 27,64 36 19,20 295 2 2 1,532	6,173 8 1 1 3 5 1,403 4 941 122 48 167 20 47 385 4 8 1,406 194	28 14 4,557 4 4,557 1 2 5 494 111 561 9 9 138 529 2 12 650 89 46	7 4,709 5 5 218 7 286 5 5 7712 28 29 29 8 20 462 667	130 	2, 860 	1,300 	176 4 11, 4 11, 41, 26, 36,	17	2
11 22 3 4 5 6 7 8 9 10 111 112 113 114 115 116 117 118 119 20 211 22 22 22 23 24 22 22 23 24	All causes.  Typhoid fever. Typhois fever. Malaria. Smallpox. Measles. Scarlet fever Whooping cough Diphtheria and croup Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases Tuberculosis of the lungs. Tuberculosis of the lungs. Tuberculosis of the lungs. Tuberculosis meningitis. Other forms of tuberculosis. Cancer and other malignant tumors. Meningitis. Cerebral hemorrhage and softening Organic diseases of the heart Acute bronchitis. Chronic bronchitis. Pneumonia. Bronchopneumonia. Other diseases of the respiratory system. Diseases of the stomach. Disarbea and entertifis.	44,069 40 41 41 61 57 180 705 5,491 217 256 2,421 1,290 4,423 1,290 4,423 1,290 2,241 5,714 1,519 205	6,597  1 22 1 78 39 252 34 34 46 4 2 199 665 187	1,982 24 13 466 107 298 33 6 6 11 7 7 18 12 18 6 27 29 8 3 372 9 3 372 9 3 372	994 994 116 200 5 9 20 4 4 2 1 4 3 1 111 172 10 1	680 680 680 107 152 107 152 10 107 152 107 28 81 11 107 27 107 21	470 470 4 122 6 6 1 6 6 5 5 4 3	1,363 2 2 2 9 11 203 289 11 203 289 10 4 4 22 18 8 8 24 25 10 11 11 12 12 13 14 14 15 16 16 17 17 17 17 17 17 17 17 17 17	1,936 6 6 3366 25 25 29 12 23 338 69 18	5, 958 15 15 1, 509 1, 509 1, 532 2, 3 1, 532 1, 532 1, 532 1, 532 1, 532 1, 532 1, 532 1, 532	6,173 8 1 1 3 5 1,403 4 941 122 48 167 20 47 385 4 8 1,406 194	28 14 4,557 4 4,557 1 2 5 494 111 561 9 9 138 529 2 12 650 89 46	7 4,709 5 5 218 7 286 5 5 7712 28 29 29 8 20 462 667	130 	2,860 	1,300 	176 4 4 17 41 12 6 6 3 6 2 2	17	2
38 1 2 3 4 5 6 7 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 23 23 23 25 26 27 27 27 27 28 28 28 28 28 28 28 28 28 28	All causes.  Typhoid fever. Typhus fever. Malaria. Smallpox. Measles. Scarlet fever. Whooping cough. Diphtheria and croup. Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculous meningitis. Other forms of tuberculosis. Cancer and other malignant tumors. Meningitis. Cerebral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis. Chronic bronchitis. Proeumonia. Bronchopneumonia. Other diseases of the respiratory system. Diseases of the stomach. Disarrhea and entertis. Appendictits and typhlitis.	44,069 40 44 41 57 1805 5,491 217 256 2,421 197 1,290 4,423 161 5,714 2,241 319 205 3,368	6,597  1 22 11 78 39 252 36 4 32 36 4 193 29 193 665 187 2,398	1,982 24 13 46 107 298 33 6 1 7 61 2 186 372 9 3 598	994 994 116 200 5 9 20 4 2 14 4 2 11 172 10 1 148 8	680 680 680 107 152 2 8 111 18 2 2 100 107 152 107 107 107 107 107 107 107	470 470 48 122 67 93 13, 3, 2, 7 66 65 54 3	1,363 2 2 2 9 11 203 289 11 203 289 10 4 4 22 18 8 8 24 25 10 11 11 12 12 13 14 14 15 16 16 17 17 17 17 17 17 17 17 17 17	1,936 6 6 2 4 2 46 366 25 25 21 22 23 3 5 18 3 3 3 1 10 6 8	5, 958 15 1, 509 1,000 27 64 36 19 20 29 2 2 3 1,532	6,173 8 1 1 3 5 1,403 4 941 122 48 167 20 47 385 4 8 1,406 194	28 14 4,557 4 1 1 2 5 494 118 561 9 9 434 9 138 529 2 12 650 89 463 33 20 54	7 4,709 5 5 218 7 286 5 5 7712 28 29 29 8 20 462 667	4,282 11 130 31 4620 3341 983 301 318,66 355 810	2,860 	1,300 23 33 33 92 121 266 49 33 20 20 4 6 2	176 4 4 17 41 12 6 3 6 8 2 2 2 2 2	17	2
11 22 3 4 5 6 6 7 7 8 9 10 111 12 13 14 15 16 17 18 19 20 21 22 23 23 24 25 (37) 26 27 27 28 28 29 29 20 20 20 20 20 20 20 20 20 20 20 20 20	All causes.  Typhoid fever. Typhoid fever. Malaria. Smallpox Measles. Scarlet fever Whooping cough Diphtheria and croup Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases Tuberculosis of the lungs Tuberculosis of the lungs Tuberculosis of the lungs Tuberculosis of the lungs Tuberculosis meningitis Other forms of tuberculosis. Cancer and other malignant tumors. Meningitis Cerebral hemorrhage and softening Organic diseases of the heart Acute bronchitis Chronic bronchitis Pneumonia. Bronchopneumonia. Other diseases of the respiratory system. Diseases of the stomach. Disarhea and enteritis Appendicitis and typhilitis	44,069  40  44  61  57  1805  5,491  216  227  3,347  217  1,290  4,423  318  161  319  205  3,368  374  288  329	6,597  1 22 18 39 252 36 4 32 36 655 193 29 665 18 37 2,398 1 43 1	1,982 24 13 466 107 298 33 6 6 18 1 7 7 6 18 1 7 6 18 1 8 1 7 7 1 8 1 8 1 8 1 7 6 1 8 1 8 1 8 1 8 1 8 1 8 1 8 1 8 1 8 1	994 994 7 10 18 116 200 200 4 2 14 11 172 10 11 148 3 3	680 680 688 8 12 107 152 8 2 10 75 107 2 8 8 14	470 470 4 12 67 93 1 8 13, 3 2 2 7 6 16 65 54 3 3 27 7 1	1,363 2 2 9 11 203 289 11 203 289 107 17 17 14 4 4 152 107 17 17 14 10 39 51 11 12 13 15 16 17 17 18 18 18 18 18 18 18 18 18 18	1,936 6 6 305 225 222 23 5 185 3 338 69 18 110 68 5 2	5,958 15 15 1,509 1,000 27 64 36 19 20 29 29 31 1,532 18 10 10 11 14 4	6,173 8 8 1 1,403 941 112 20 47 385 4 941 112 20 47 385 48 1,403 112 20 27 20 27 27 27 27 27 27 27 27 27 27	28 14 4,557 4 4 5 494 11,561 526 2650 89 138 529 12 1650 89 46 43 44 40 69	7 4,709 5 5 218 286 5 295 712 295 729 8 205 67 32 462 67 32 33 11 47 88	4,2822 130 130 14620 3 341 983 301 318,665 25 8 10 44 481	2,860 58 2 29 1 1 298 781 166 41 166 51 33 49 15 5 36 36 36 37 38 38 38 38 38 38 38 38 38 38	1,300 233 3 3 92 121 122 26 49 33 32 20 4 6 2 2 10 11	176 4 4 17 41 12 6 3 6 2 2 2 2	17 17 2 2 6 6 1 1 1 1	2
11 22 3 4 5 6 6 7 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 23 25 24 27 27 28 29 29 29 29 29 29 29 29 29 29 29 29 29	All causes.  Typhoid fever. Typhoid fever. Malaria. Smallpox. Measles Scarlet fever. Whooping cough Diphtheria and croup Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases Tuberculosis of the lungs. Tuberculosis of the lungs. Tuberculosis of the lungs. Tuberculosis of the lungs. Cancer and other malignant tumors. Meningitis. Cerebral hemorrhage and softening Organic diseases of the heart Acute bronchitis. Chronic bronchitis. Preumonia. Bronchopneumonia Other diseases of the respiratory system. Diseases of the stomach Diarrhea and enteritis. Appendicitis and typhlitis. Hernia, intestinal obstruction Cirrhosis of the liver. Acute nephritis and Bright's disease Diseases of the Bright's disease Diseases of the Bright's disease	44,069  40  44,61  57  180  705  5,491  223,347  217  256  2,421  197  1,290  4,423  378  15,714  2,241  319  205  3,368  374  288  329  2,835	6,597  1 22 1 78 39 252 34 32 34 34 36 2 199 665 18 39 252 199 67 2,398	1,982 24 13 46 107 298 33 6 1 7 61 2 186 372 9 3 598	994 994 116 200 5 9 20 4 2 14 4 2 11 172 10 1 148 8	680 680 107 152 107 152 10 107 152 10 105 107 107 107 107 107 107 107 107 107 107	470 470 48 122 67 93 13, 3, 2, 7 66 65 54 3	1,363 2 2 2 9 11 203 289 11 203 289 10 4 4 22 18 8 8 24 25 10 11 11 12 12 13 14 14 15 16 16 17 17 17 17 17 17 17 17 17 17	1,936 6 6 366 305 255 29 12 23 5 185 338 69 18 1 10 68 5 2 2 4 4 4 4 4 6 6 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	5,958 15 15 1,509 1,000 27 64 36 19 20 295 2 3 1,532 18 10 10 11 4 4 4 14 5 5 5 5 1 1 1 1 1 1 1 1 1 1 1 1 1	6,173 8 1 1,403 8 1,403 4 941 12 48 167 20 47 38 4 8 1,406 194 194 194 194 194 194 194 194	28 14 4,557 4 4 5 49 11 561 9 26 434 434 40 22 1650 89 399 49 49 399 49	7 4,709 5 5 218 7 286 5 5 7712 28 29 29 8 20 462 667	4,282 1 130 7 110 3 341 420 620 33 341 33 341 63 52 52 58 10 10 10 10 10 10 10 10 10 10	2,860 	1,300 23 3 3 3 3 3 3 121 396 122 26 49 33 20 4 6 2 2 10	176 4 4 17 41 12 6 3 6 8 2 2 2 2 2	17	2
11 22 3 4 5 6 6 7 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 23 25 24 27 27 28 29 29 29 29 29 29 29 29 29 29 29 29 29	All causes.  Typhoid fever. Typhois fever. Malaria. Smallpox. Measles. Scarlet fever Whooping cough Diphtheria and croup. Influenza. Astatic cholera. Cholera nostras. Other epidemic diseases Tuberculosis of the lungs. Tuberculosis of the lungs. Tuberculosis of the lungs. Tuberculosis meningitis Other forms of tuberculosis. Cancer and other malignant tumors. Meningitis. Cerebral hemorrhage and softening Organic diseases of the heart Acute bronchitis. Chronic bronchitis. Pneumonia. Bronchopneumonia. Other diseases of the respiratory system. Diseases of the stomach Diarrhea and enteritis. Appendicitis and typhlitis Hernia, intestinal obstruction Cirrhosis of the liver. Acute nephritis and bright's disease Diseases of the female genital organs. Puerperal septicemia.	92 3,347 1,226 2,421 1,220 4,423 1,121 2,241 2,241 2,241 2,241 3,368 3,3	6,597  22 1 78 39 252 34 32 36 4 31 46 28 199 665 18 37 2,398 28	1,982 24 13 46 107 298 15 15 17 61 2 186 372 186 5 5 8 15 15	994	680, I 680 688 8 12 107 152 8 14 75 107 2 2 8 14 75 107 115 115 115 116 117 117 118 119 119 119 119 119 119 119	470 470 412 667 93 13,32 27 661 655 543 327 71	1,363 2 9 111 1203 289 289 4 34 22 2 18 8 8 24 4 107 1 1 40 40 30 3 51 31	1,936 6 6 1 4 2 46 366 365 25 29 112 23 5 185 3 3 388 699 18 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	5,958 15 17,7,509 1,000 207 24 19,200 295 2 3 1,532 188 10 171 14 4 145 54 91 186	6,173 8 8 1 1,403 941 112 20 47 385 4 941 112 20 47 385 48 1,403 112 20 27 20 27 27 27 27 27 27 27 27 27 27	28 14 4,557 494 511 561 12 2 650 89 46 63 320 54 40 69 89 99 89 89 89 89 89 89 89 89 89 89 89	4,709 5 1 218 286 59 712 3295 729 462 462 467 329 319 311 47 89 91 91 91 91 91 91 91 91 91 9	1 130 110 3 341 620 3313 30 3183, 66 35 25 8 8 100 44 81 637	2,860 	1,300 223 33 3 3 121 226 49 33 20 4 6 2 20 10 11 11 224	176 4 4 17 41 2 2 2 2 2	17 17 2 2 6 6 1 1 1 1	2
11 23 44 5 67 8 9 100 111 122 134 145 151 161 177 189 220 223 223 224 225 227 228 229 229 229 230 231 231 241 251 261 271 282 283 283 283 283 283 283 283 283 283	All causes.  Typhoid fever. Typhus fever. Malaria. Smallpox. Measles. Scarlet fever. Whooping cough. Diphtheria and croup. Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculous meningitis. Other origidemic diseases. Tuberculous meningitis. Cancer and other malignant tumors. Meningitis. Career and other malignant tumors. Meningitis. Cerebral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis. Proumonia. Bronchopneumonia. Other diseases of the respiratory system. Diseases of the stomach. Diarrhea and entertis. Appendicitis and typhlitis. Hernia, intestinal obstruction. Cirrhosis of the liver. Acute nephritus and Bright's disease. Diseases of the female genital organs. Puerperal septicemia. Other puerperal affections.	44,069  40  44 61 57 180 705 5,491  256 62,421 197 1,256 62,421 197 1,241 2,314 2,31	6,597  1 22 18 39 252 34 32 34 46 28 193 29 665 18 32 398 13 43 45 28 398 15 39	1 CH 1,982 24 13 46 107 298 15 17 61 17 17	994 	680, I 680 8 12 107 152 8 11 11 11 12 8 14 75 107 107 107 107 107 107 107 107	470 470 412 67 93 13, 32 7 7 16 655 54 3 27 7 7	1,363 2 2 9 11 1203 2289 24 4 4 34 222 18 8 8 24 4 152 2 107 117 1 40 39 9 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1,936 6 6 2 46 366 366 366 3 3 3 3 3 3 3 8 6 9 12 2 2 3 3 7 7 15 2 2	5,958 15 17,7,509 44,000 207 646 369 295 295 23 1,532 1,89 35 114 44 145 54 91 186 1	6,173 8 1 3 3 3 5 1,403 4 941 12 48 167 20 47 38 4 8 8 11 12 12 48 8 167 194 194 194 194 194 194 194 194	28 14 4,557 4 4 1 1 2 2 2 434 434 434 434 434 434 434 434 4	7 4,709 5 5 218 7 286 5 5 29 712 3 295 67 729 8 8 462 462 462 39 9 19 131 47 89 559 17 17	4,2822 130 7 110 3 341 4620 983 13 345 13 346 635 25 83 10 44 81 637 10	2,860 	1,300 	176 4 4 17 41 2 2 2 2 2 2 2 2 36	17 17 2 2 6 6 1 1 1 1	2
11 22 3 4 4 5 6 6 7 8 9 10 111 12 123 14 115 116 117 118 119 221 222 232 236 227 228 300 311 322 333 334 335 336	All causes.  Typhoid fever. Typhus fever. Malaria. Smallpox. Measles. Scarlet fever Whooping cough Diphtheria and croup Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases Tuberculosis of the lungs Tuberculosis of the lungs. Tuberculosis of the lungs. Tuberculosis of the lungs. Tuberculosis of the lungs. Tuberculosis of the lungs Tuberculosis of the lungs Tuberculosis of the lungs Tuberculosis of the lungs Tuberculosis of the lungs Tuberculosis of the lungs Tuberculosis of the lungs Tuberculosis of the lungs Tuberculosis of the lungs Tuberculosis of the lungs Tuberculosis of the lungs Tuberculosis of the lungs Tuberculosis of the seases of the seases of the seases of the seases of the seases of the respiratory system Diseases of the stomach Diarrhea and entertis. Appendictis and typhlitis. Hernia, intestinal obstruction Cirrhosis of the liver Acute nephritis and Bright's disease Diseases of the female genital organs. Puerperal septicemia. Other puerperal affections. Congenital debility and malformations Semility Violent deaths (suicide excepted).	44,069  40  44  61  57  180  5,491  217  256  2,421  1,290  4,423  1,290  2,421  319  205  3,368  374  228  339  2,335  142  2,352  1,633  48  2,051	6,597  1 22 1 78 39 252 34 34 46 46 2 88 193 21 199 665 187 2,398 1 43 1 43 1 43 1 43 1 43 44 1 599 42	1 1,982 24 13 46 107 298 33 6 1 7 61 22 186 5 8 15 15 17 7 57	994 994 116 200 188 202 4 2 14 43 11 172 10 1 148 3 3 15	680, I 680 688 8 12 107 152 8 14 75 107 2 2 8 14 75 107 115 115 115 116 117 117 118 119 119 119 119 119 119 119	470 470 412 667 93 13,32 27 661 655 543 327 71	1,363 2 2 9 11 203 289 289 289 289 100 117 17 1 40 39 9 5 1 31 31 1 6 6 164	1,936 6 6 3365 25 212 23 35 185 5 110 688 3 7 7 15 2	5, 958 15 17, 1,509 1,509 1,000 20,205 22,2 23,1,532 1,532 1,189 35,532 1,189 35,189 36,189 1,189 1,186 1	6,173 8 8 1 1,403	28 14,557 4,557 494 11,561 12,26 29,26 434 434 434 434 434 434 434 43	4,709 5 5 1 218 286 5 9 712 295 729 820 462 462 462 462 462 17 89 19 11 17 17 89 17 17 17 17 17 17 18 19 10 10 10 10 10 10 10 10 10 10	4,2822 130 130 7,110 3,341 983 301 303 318,66 35 25 8 0 10 44 481 637 10 10 10 10 10 10 10 10 10 10	2,860 58 2 29 1 1 324 1 190 155 5 36 33 9 155 5 36 33 444 6 6	1,300 	176 4 4 17 41 12 6 3 6 2 2 2 2 2	17 17 2 6 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 2 1 3 1
11 22 34 45 66 7 89 910 112 123 14 115 116 117 118 120 221 223 223 223 223 223 223 223 223 223	All causes.  Typhoid fever. Typhus fever. Malaria. Smallpox. Measles. Scarlet fever. Whooping cough. Diphtheria and croup. Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculous meningitis. Other origidemic diseases. Tuberculous meningitis. Cancer and other malignant tumors. Meningitis. Career and other malignant tumors. Meningitis. Cerebral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis. Proumonia. Bronchopneumonia. Other diseases of the respiratory system. Diseases of the stomach. Diarrhea and entertis. Appendicitis and typhlitis. Hernia, intestinal obstruction. Cirrhosis of the liver. Acute nephritus and Bright's disease. Diseases of the female genital organs. Puerperal septicemia. Other puerperal affections.	44,069  40  44,61  57  180  5,491  226  3,347  217  226  4,423  197  1,290  4,423  378  161  161  205  3,368  374  288  329  2,835  203  3142  3,633  48  48	6,597  1 22 18 39 252 34 32 34 46 28 193 29 665 18 32 398 13 43 45 28 398 15 39	1 CH 1,982 24 13 46 107 298 15 17 61 17 17	994 	680, I 680 8 12 107 152 8 11 11 11 12 8 14 75 107 107 107 107 107 107 107 107	470 470 412 67 93 13, 3, 2, 7, 6 16 65, 54, 3, 7, 7, 7	1,363 2 2 9 11 1203 2289 24 4 4 34 222 18 8 8 24 4 152 2 107 117 1 40 39 9 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1,936 6 6 1 4 4 2 46 306 25 5 25 185 3 3 3 3 8 6 9 11 10 6 8 8 5 2 11 10 10 10 10 10 10 10 10 10 10 10 10	5,958 15 17,7,509 44,000 207 646 369 295 295 23 1,532 1,89 35 114 44 145 54 91 186 1	6,173 8 1 1,403 1,403 1,403 1,406 1,4	28 14 4,557 494 5529 22 12 650 89 46 63 33 99 49 4 20	7 4,709 5 5 218 286 5 5 29 712 3 295 729 8 205 67 32 32 462 67 32 31 47 32 462 67 32 462 67 32 462 67 32 462 67 32 47 32 47 32 47 47 47 47 47 47 47 47 47 47 47 47 47	4,2822 130 7 110 3 341 4620 983 13 345 13 346 635 25 83 10 44 81 637 10	2,860 	1,300 	176 4 4 17 41 2 2 2 2 2 2 2 2 36	17 17 2 6 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 2 3 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1918—Continued.

		<del>,</del>		[200]		пева с			7. 102.,					: <del></del>			=15		<del></del>
Int.									DEA:	ta set	AGE (	or-							n
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	29	39	40 to 49 years.	59	60 to 69 years.	79	80 to 89 years.	99	and	Deaths at un- known age.
-	,	•		СН	ICAC	30, I	LL.	(WH)	TE).			<u> </u>	<u>'                                    </u>		<u> </u>	·	<del></del>		·
	All causes.	41,608	6,350	1,880	931	658	447	1,290	1,782	5, 530	5,714	4, 163	4,449	4, 131	2,800	1,284	171	15	13
$\frac{1}{2}$	Typhoid fever Typhus fever	1						2	6	14	8	3	5						
3 4	Malaria Smallpox	4	1								1	1		1					
5 6	Measies Scarlet fever	61 57	22 1 73	24 13 41	7 10 14	8	4	9 8	4	5	3					 			
7 8 9	Whooping cough Diphtheria and croup Influenza	158 687 5, 278	39 234	106 290	114 186	11 107 150	10 65 87	196 276	43 344	1 6 1,464	3 1,355	5 471	3 209	126	58	23	4		·····i
10 11	Asiatic cholera   Cholera nostras											 							
12 13	Other epidemic diseases	2,981	34 31	5 16	5 8	2 7	7	27 27	255 255	868	857	51 <u>1</u>	262	102	25 25	3			2
14 15 16	Tuberculous meningitis Other forms of tuberculosis Cancer and other malignant tumors	213	36 4 3	31 4	17 1 2	9 8 2	13 3 2	17 16 7	21 22 12	22 50 35	10 40 152	7 23 412	26 693	3 14 •607	1 1 324	91	1		3
17 18	Meningitis. Cerebral hemorrhage and softening	182 1,235	40	17	14 1	10 	6	24 2	21 5	16 18	18 44	9 125	3 276	333	1 290	121	16	1	
19 20	Organic diseases of the heart	351	7 179	1 6 54	30 30	8 12	5 15	57 10	174 3	271	339 4	454 2	673	941 13	763 6	390 12	39	6	1
$\begin{array}{c} 21 \\ 22 \\ 23a \end{array}$	Chronic bronchitis. Pneumonia Bronchopneumonia	5,327 2,099	185 620	171 347	1 107 153	74 102	63 51	140 97	311 66	1,442 183	7 1,298 183	12 584 81	25 433 66	30 307 62	160 50	25 48 32	6 3 6		i
23b 24	Other diseases of the respiratory system.  Diseases of the stomach	307 195	18 36	8 3	9	2	3	17	17 1	34 17	36 27	41 32	32 37	34 25	33	20 4	2	1	
25(37) 26	Diarrhea and enteritis	3, 294 358	2,351	582 5	145 3	51 8	27 7	39 38	10 67	10 66	12 65	18 52	17 30	8 9	15 5 36	6 2	2		1
27 28	Cirrhosis of the liver	263 323	42 1 24	5	3	1		4 1 30	4 2 46	10 4	20 37	35 68 349	85 85	43 81	36 32 434	10 11 222		1	
29 30 31	Acute nephritis and Bright's disease Diseases of the female genital organs Puerperal septicemia	2,657 173 127		13	14	10	7		3 3	135 43 84	212 52 37	42	518 17	605 10	6		36		
32 33	Other puerperal affections	336 1,574	1,542	15	3	3	2	6	$\frac{13}{2}$	178	125	20							
34 35	Senility	1,941	38	55	44	49	45	158	146	224	311	271	277	7 179	17 88	18 47	5 8	1	i
36 (37) 38	SuicideAll other defined diseasesUnknown or ill-defined diseases	3,967 17	781 3	60 6	36	13	24	97 1	170	59 260 1	97 355 3	88 433 2	107 591	53 529	20 384 	191 1	36	5	2
				CHIC	CAGO	), IL	L. (C	oro	RED	).		·	'	I	<u> </u>	<u>'</u>	<u> </u>	<u>!</u>	
	All causes.	2,461	247	102	63	22	23	73	154	428	459	394	260	151	60	16	5	2	2
1 2	Typhoid fever	2								1		1							
3 4	Malaria. Smallpox	4							····i			2	····i						
5 6	Measles Scarlet fever	22	5	5	4		2	3						 					
8	Whooping cough Diphtheria and croup Influenza	18 213	18	1 8	2 14	$\begin{bmatrix} 1 \\ 2 \end{bmatrix}$	2 6	7 13	2 3 22	1 45	48	23	9	4					····i
10 11	Asiatic cholera		[  		 									   <u>-</u> -		   <b></b>			
12 13 14	Other epidemic diseases	366 26	i	3 2	1 3	1 2	1	7 5	50	132 5	84 9	50 50	24 1	8	4				
15 16	Other forms of tuberculosis	43 72 15		2	3			2	4 7	14	2 8 15	2 3 22	3 19	13		i			1
17 18	Meningitis. Cerebral hemorrhage and softening	l 55 l	6	1			1		2	1 3 2	2 3	····í3	19		8		····i	····i	
19 20 21	Organic diseases of the heart	286 27	1 14	1 7	$\frac{1}{2}$	2	1	2		24	46	75	56 1	42	18	6	2		
22 23a	Pneumonia. Bronchopneumonia.	387 142	14 45	15 25	4 19	1 5	<u>2</u> 3	12 10	27 3	90	108 11	66 8	1 29 1	11 4	6 1	1 1		i	
23b 24	Other diseases of the respiratory system.  Diseases of the stomach	12 10	i	ĩ	1				ĭ	1	2 4	5 1	2	1			·····i		
25(37) 26	Diarrhea and enteritis	74 16	47	16	3	3		1	1	5	5 7	2 2	2 1	i					
27 28 29 30	Hernia, intestinal obstruction	25 6 178	1 4	3 <sub>2</sub> .	i	<sub>1</sub>		$ \begin{array}{c} 1 \\ \dots \\ 1 \end{array} $	1 2	4 10	722	5 1 50	1 4 41	1 32	1 10	 2	<b>-</b>		
31	Diseases of the female genital organs Puerperal septicemia	30 15							4	11 7	12 3	7 1	*1						
32 33 34	Other puerperal affections	16 59	57	2					2	8	6 : 	<u>.</u> .						 	
34 35 36	Senility. Violent deaths (suicide excepted) Suicide	110 10	4	2	3	i	2	6	8	27 5	27 3	9	9	6 1	2 1	3	ī		
(37) 38	All other defined diseases	213	29	6	2	2	i	1	3	25	37	44	36	18	8	1			

. Et							,		DEAT	HS AT	AGE C	)F	,						Deaths
Abridged Int. List No.	CAUSE OF DEATH,	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	19	20 to 29 years.	39	40 to 49 years.	50 to 59 years.	60 to 69 years.	79	89	99	100 years and over.	at un- known age.
			.IN	DIA	NAP	olis	, IN	D. (T	ОТА	. <b>L</b> ).									
	All causes	5,241	575	142	77	64	38	162	305	645	641	549	648	610	541	218	24	2	
1 2 3	Typhoid fever. Typhus fever. Malaria.	20				1	1		9		. 3	. 5	1						
3 4	SmallDox	2 4						2	 		<u>i</u>	1	1						
4 5 6 7		10 22 46	6	3 1 16	1 4	1 4	4 1	5 2	5		1	1							
8 9	Scarlet fever. Whooping cough Diphtheria and croup Influenza.	90 373	23 3 19	7 13	10 13	11 11	9 8	37 21	7 33	3 98	1 97	1 28	1 15	8	7	2			
10 (	ASIATIC Cholera				<i>3</i>									2	3		2		 
12 13	Cholera nostras Other epidemic diseases. Tuberculosis of the lungs. Tuberculous memingitis	12 449 24	3 3 3	2	3 2	1 3	1	8 3	44 7	144	97	64 1	50	21	10	ī			
15 16	Other forms of tuberculosis	278		2 1	2 1 1	1		4 3	9	9 4	8 10	1 9 48	7 89	3 69	2 42	ii			
17 18	Meningitis Cerebral hemorrhage and softening	29 241	7	3 1	3	3		3	2 18	1 2 25	1 12 31	25 72	.37 108	60 112	71 123	.28 48	4 2	ī	
19 20 21 22	Organic diseases of the heart Acute bronchitis Chronic bronchitis	550 26 19	5	2 2	2			7 1	3		1 1	48 22 72 1 70 12 7	108 2 3 61 21 7	1 7	7 3	1 2			
23a	Pneumonia	679 296	14 74	18 29 3	7 15	8 10	3	17 13	59 14	179 28 6	166 23	70 12	61 21	48 19 5 3	25 22 8	13	1		
23b 24	Other diseases of the respiratory system. Diseases of the stomach Diarrhea and enteritis.	199 72 30	1 5 123	1 26	1 <sub>7</sub> -	<u>2</u>	3	1 1	5 1	1	1 4 1	3 6	5 4	3 7	. 3	2 5	1 1		
26 27	Appendicitis and typhlitis  Hernia, intestinal obstruction.	72	120	2			2	4 3 1	11 1	· 13	14	14 5 8	4 9 8 7	4 6	-· 3	i			
28 29	Cirrhosis of the liver	35 305	2		1			<u>í</u>	7	13	3 16 13	46 17	67 2	10 67 1	6 55	29	1		
30 31	Diseases of the female genital organs. Puerperal septicemia. Other puerperal affections.	41 27 32							3 1	8 17 17	6	1 2							
25 (37) 26 27 28 29 30 31 32 33 34 35 36	Congenital debility and mallormations	210	210											. 1	1	1			
35 36	Senlity Violent deaths (suicide excepted) Suicide	242 42 793	6	4 6	4	6	4	16 9	35 4 27	30 7 33	36 10 71	25 9 65	29 2 109	18 8 128	17 2 120	10	2		
(37) 38	All other defined diseases	1 1	62		2	1												ļ	
			II	NDIA	NAP	OLIS	s, IN	D. (T	v <b>H</b> I?	ce).				•				•	
	All causes	4, 435	490	124	59	51	33	140	235	514	547	432	543	547	495	203	21	1	
1 2 3	Typhoid fever	20				1	1		9		3	5	1						
4	Malaria Smallpox Measles	1 3 7	3	3		1		i			1		1.						
5 6 7	Scarlet fever	21 39	22	1	3	4	4	5 2	5		1	i							
8 9	Diphtheria and croup Influenza	87 342	3 16	12 7 13	10 10	10 10	9	36 19	7 32	2 87	91	1 25	1 15	8	7	2			
10 11 12	Asiatic cholera Cholera nostras Other epidemic diseases	12	3						 		1			····· <sub>2</sub>	3	i	2		
13	Tuberculosis of the lungs Tuberculous meningitis	322	3 3	$\frac{1}{2}$	1	2		3 2 3	23 5 2	103 1 7 3	75	43 1 8	42	20	7				
14 15 16 17 18 19 20 21 22 23a	Other forms of tuberculosis	. 248	<u>-</u>	1.	1	1 3		3	2 i	. 3	7 8	8 44 2 16	76	62 2	2 40	10			
17 18	Meningitis Cerebral nemorrhage and softening Organic diseases of the heart.	25 209 439	6	3 1	2			3 <sub>7</sub> -	13	2 21	1 9 23	16 44	31 81	53 88	67 112	27 44	3 2		
20 21	Acute bronchitis	21	4 4	2 1 16	2			1			1	44 1	1 3	53 88 1 7 44 18 5 2	112 7 3 19	1 2			
	Pneumonia. Bronchopneumonia. Other diseases of the respiratory system.	556 248	10 60	16 25 3 1	10	5 7	2 2	14 12	11 11	142 · 23 6	142 19	54 11	54 17	18	19 21 6	12 2	i		
23b 24	Diseases of the stomach	. 23	1 5 102	1 21	1 	i	2	1 1 2	5 1	1 1	1 1	2 4	3	2 7	3 9	4			
25(37) 26 27	Diarrhea and enteritis	62 29	i	2	 	ļ <u>-</u>	2	3	7	10 2 1	12	54 11 6 2 4 13 5 8	76 2 31 81 1 3 54 17 6 3 3 9 7	4	2 3	i			
26 27 28 29 30	Cirrhosis of the liver	. 252			1			<u>i</u>	. 6	11 6	3 13 12 6	32 14	54 2	58 1	51		1		
30	Diseases of the female genital organs Puerperal septicemia Other puerperal affections	22 28							3	12 15	6 10	1 2	2						
33 j	Paret Portario Contraction and a second	183	183	1	l				l		.					-	.		
31 32 33 34	Congenital debility and malformations.		·   <b></b>									-		1 1	1 ,±	10			
32 33 34 35 36 (37)	Congenital debility and malformations. Senility Violent deaths (suicide excepted) Suicide All other defined diseases.	208	55	4	2	_5		12	30 4 25	7	32 10 59	20 9 60	29 2 88	16 8 121	15 2 109		2	1	

Table 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1918—Continued.

CAUSE OF DEATH.   All deaths.   Under   1   2   3   4   5 to 9   10 to 19   29   39   49   49   49   49   49   49   4	59 69	79 rs. years	89	99 years.	years	Deaths at un- known age.
All causes. 806 85 18 18 13 5 22 70 131 94 117  1 Typhoid fever.	105 63	3 46	15	<u>'</u>		<u>'                                      </u>
1 Typhoid fever.	105 63	3 46	15	Ī		
2 Typhus fever. 3 Malaria 1 1 1 4 Smallpox 1 1 1 5 Measles 3 3 3				3	1	
4 Smallpox 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						
0   0   0   0   0   0   0   0   0   0						
6   Scarlet fever						
8 Diphtheria and croup. 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						••••••
10 Asiatic cholera. 11 Cholera nostras. 12 Other epidemic diseases. 12 Other epidemic diseases.						
13 Tuberculosis of the lungs. 127 1 2 1 1 5 21 41 22 21	8 1	i 3				
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	13 7	7 2	i			
18 Cerebral hemorrhage and softening 32 9	6 7 27 24		1	····i	1	
20   Acute bronchitis.	1	4 11				••••••
22 Pneumonia	7 4 4 1	1 1	····i			
24 Diseases of the stomach 4 1 1 25(37) Diarrhea and enteritis 35 21 5 1 1 2	11 11	i2				
26 Appendicities and typinities 10 4 3 2 1	1					· · · · · · · · · · · · · · · · · · ·
29 Acute nephritis and Bright's disease 53 2	13 9	9 4	5	•••••		
31 Puerperal septicemia. 5 5 5 2 2						
35   Violent deaths (suicide excepted) 34   1   2   1   4   5   8   4   5	2	2 2				• • • • • • • • • • • • • • • • • • • •
35) Suicide. (37) All other defined diseases 74 7 1 1 2 4 12 5	21 7		2	1		
38 Unknown or ill-defined diseases.						·····
LOUISVILLE, KY. (TOTAL).						
All causes 5,083 491 134 99 54 43 124 266 689 634 597	603 599		205	32	3	10
1 Typhoid fever 36 16 14 9 4 2 Typhus fever 2 2 2	1 1	1				
4 Smallpox. 5 Measles. 17 3 6 3 2 2	1				•••••	
6 Scarlet fever. 1 7 1 7 1 7 1 7 1 7 1 7 1 7 1 7 1 7 1						
9 Influenza. 552 16 19 13 13 7 28 56 166 130 50 10 Asiatic cholera. 552 16 16 19	26 21	i	3			· · · · · · · · · · · · · · · · · · ·
11   Cholera nostras.	3 10	0 4	····i	2		
13   Tuberculosis of the lungs.	34 30		1			2
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	50 61	38	9	i		
18     Cerebral hemorrhage and softening     217     1     5     8     27       19     Organic diseases of the heart     474     4     1     2     15     16     39     72       20     Acute bronchitis     24     6     4     3     1     1     1     2     1	2 41 61 87 123 1 1	3 88	12 <sup>-</sup> 24 2	3		1
20   Actite pronentis   24   6   4   3     1   1     1   2   1	$\begin{array}{c c} 4 & 7 \\ 50 & 29 \end{array}$	3 27	8 14	2 3		3
001 041 - 322 441 441 4 1 44 1 44 1	14   8	10 3 5 3 2	3 1 2	1 1 1		
250 Other diseases of the freprinterly system   64   3   2   1   1   4   8   6   10	$\begin{array}{c c} 3 & 2 \\ 3 & 2 \end{array}$	2 4	4			
26 Appendicitis and typhilitis. 33	$ \begin{array}{c cccc} 7 & 11 \\ 16 & 9 \\ 101 & 110 \end{array} $	9 2	3 28	2		
31 Puerneral senticemia	3		20			1
33 Congenital debility and malformations 156 156 156 156 156						
36 Suicide	31 13 12 5	5 5	36 6	2	2	2
(37) All other defined diseases	84 76	95	48	6 1	1	1

Table 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1918—Continued.

Int.	<del></del>			<del>.</del>			<del>-</del>	<del></del>			AGE (	)F		<u></u>		<del></del>			Deaths
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	19	29	30 to 39 years.	49	50 to 59 years.	60 to 69 years.	79	80 to 89 years.	90 to 99 years.	100 years and over.	at un- known age.
	, ,	<u>'</u>		LOU	isvi	LLE,	KY.	(WE	LTE	).		<u> </u>	<del>' ,</del>	·	1	Į.			·
	All causes	3,822	373	105	76	38	34	, 102	194	523	438	406	425	480	415	188	21	1	3
1 2 3 4 5	Typhoid fever. Typhusfever Malaria Smallpox Measles	24 1 16	3	6	3	2			4	9	6	3	1	1		 			
6 7 8 9	Scarlet (ever Whooping cough Diphtheria and croup Influenza. Asiatic cholera	1 25 27	15 <sup>-</sup>	6	3 3 11	1 1 6 10	5 5	9 25	1 49	1 147	1 113	37	1 22	19	2	3			
11 12 13 14 15	Cholera nostras. Other epidemic diseases Tuberculosis of the lungs Tuberculous meningitis Other forms of tuberculosis.	1 288 1	3 2 9 2	1 2 1	1,	2	1	2 6	2 23 2 2 2	93	2 64 1	3 53 1 3	1 22	10 22 4	2 4	1 1	1		1
16 17 18 19	Cancer and other malignant tumors Meningitis Gerebral hemorrhage and softening Organic diseases of the heart Acute bronchitis	193 28 174 322	3 1 4 2	2	3	1	i	1 3 2	3	14 2 14 1	14 2 6 24	29 3 16 43	40 2 33 48	58 50 86	37 1 53 66 1	8 11 21 2	$\begin{smallmatrix}1\\2\\1\end{smallmatrix}$		
21 22 23 <i>a</i> 23 <i>b</i>	Chronic bronchitis Pneumonia. Bronchopneumonia. Other diseases of the respiratory system.	34 455 161 46	38 40 2 2	16 23 1	19 19 19	6 4	9 4	21 8 1	27 3 3	115 115 18 6	1 74 11 5 2	1 41 10 6	3 33 6 10	1 6 22 8 7 2	11 20 4 4 2	8 12 2	1		2
24 (37) 26 27 28	Diseases of the stomach Diarrhea and enteritis. Appendicitis and typhlitis Hernia, intestinal obstruction Cirrhosis of the liver.	81 30 35 32	3	23 1 1	3		i	2	, 8 1 1	1 5 1	1 8 2	3 3 3 5 35	5 2 6 14	2 2 7 8	7 2	3	1		
28 29 30 31 32 33	Acute nephritis and Bright's disease. Diseases of the female genital organs. Puerperal septicemia. Other puerperal affections. Congenital debility and malformations.	15 17 14 137	137		2		1	2	8 3 2	7 2 6 9	12 7 7 2	35 3 1 1	69	86	80	27	2		
34 35 36 (37) 38	Senility. Violent deaths (suicide excepted) Suicide. All other defined diseases. Unknown or ill-defined diseases.	47 460	5 41	, 3	1	2 2	3	11 9	23 16	29 3 38	17 10 43 1	35 13 53 1	1 24 12 60 1	2 12 4 61	19 13 5 79	34 5 46	5 1	1	
		<u> </u>	IL.	OUI	SVIL	LE, I	EX.	COL	ORE	D).	l !		<u> </u>		l ·				
	All causes	1,261	118	29	23	16	9	22	72	166	196	191	178	119	85	17	11	2	7
1 2 3	Typhoid fever. Typhus fever. Malaria Smallpox	12						1	2	· 5	3	1							
. 67	Measles Scarlet fever Whooping cough Diphtheria and croup	15 2	7	1	2	4	2		1										••••••••
9 10 11 12	Induenza Asiatic cholera Cholera nostras Other epidemic diseases	9	1	3	2	3	2	3	7	19	17	. 13 2	2	2	2		i		
13 14 15 16 17	Tübercülosis of the lungs. Tuberculous meningitis. Other forms of tuberculosis. Cancer and other malignant tumors Meningitis.	7 9 24 6	1	2	2 1		1	3 1	28 1 3	40 1 1 1 2	37 2 3	24 5	12 2 10	3	3	1			
18 19 20 21 22	Cerebral hemorrhage and softening	43 152 11 18	4 11	2	4	1 3	1 1	1 1 3	3 3 7	3 2 5 44	2 15 2 1 38	11 29 4 31	8 39 1 1 17	11 37  1 7	$\begin{array}{c c} 5 \\ 22 \\ & \\ & \\ \hline & 1 \\ 7 \end{array}$	1 3	1 2 3		1
23a 23b 24 25(37) 26	Broachopneumonia Other diseases of the respiratory system Diseases of the stomach Diarrhea and enteritis. Appendicitis and typhilitis	78 18 15	28 1 2 22	8 1 1 3	62	3		ĭ	1 2	44 8 2 2 2	3 1 5 2	4 4 1 1	8 4 1 1	2 1 1	6 1 2	1 1			
27 28 29 30 31	Hernia, intestinal obstruction Cirrhosis of the liver. Acute nephritis and Bright's disease. Diseases of the female genital organs. Puerperal septicemia.	10 6 107 5	1					2	1	1 2 1 1	1 9 2 1	2 2 24 2 2	1 2 32	4 1 24	11	1			. 1
32 33 34 35 36	Other puerperal affections. Congenital debility and malformations. Senility Violent deaths (suicide excepted). Suicide.	5 19	19 2	2	1	. 1	2	2	8	14	3  18 1	11 1	, 7	1 1	5 1	2 1	2	1	2
(37) 38	All other defined diseases Unknown or ill-defined diseases.	139 4	16	1	1			3 1	4	8	28 	19	24 1	15	16	2	1	′1	1

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1918—Continued.

Int.									DEATE	IS AT	AGE OF	<del>-</del>							Deaths
Abridged Int. List No.	CAUSE OF DEATH,	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	19	29	30 to 39 years.	49	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	at un- known age.
	,		N	EW	ORL	EANS	S, L	. (T	OTA:	L).									
	. All causes	9,756	946	251	152	94	51	184	558	1,497	1,521	1, 272	1, 137	1,043	672	302	51	7	18
1 2 3	Typhoid fever	76 17	1		1	2		2 1	$ \begin{array}{c} 22 \\                                  $	23 5	92	9 2	5 2	1	1				
4 5 6	Measles	22	9	5	5			2	1										
8 9 10	Whooping cough Diputheria and croup Influenza Asiatic cholera	70 18 1,158	35 2 49	24 4 35	3 3 38	6 1 17	2 16	5 26	1 101	331	312	105	55	38	19	13			3
11 12 13 14	Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculous meningitis.	45 1,088 24	5 4 6	4 4	 1 1	1 4	1	· 7	1 73 5	311 3	9 260 2	208 1	6 136	6 62	10 12 1	$\frac{1}{2}$			3
15 16 17	Other forms of tuberculosis	24 82 389 45 379	19 9	6 2	8 1 1	3	2	1 1 5	73 5 3 2 7	12 14 11 9	6 34 3 22	9 79 2 51	8 104 1	103	1 40 1 71	1 12			
18 19 20 21	Cerebral hemorrhage and softening Organic diseases of the heart Acute bronchitis Chronic bronchitis	932 44 32	1 17 1	3	1 3	1	2	3	18 	41 1	85	140 2 4	84 157 4 6	97 215 3 2	178 3	40 73 3 6	18 2 1	2	
22   23a 23b 24	Pneumonia Bronchopneumonia Other diseases of the respiratory system. Diseases of the stomach.	1,408 239 40 43	82   65   1   1	47 25	37 10 1	19 11 1 1	9 5	52 12 2 2	126 6	363 34 4 6	327 23 10 10	157 7 9 8	86 11 4 5	57 17 6 6	25   9   1   2	13 4 2	4		4
25(37) 26 27	Diarrhea and enteritis Appendicitis and typhlitis Hernia, intestinal obstruction	410 81 78	218 11	71 1	21 1	6	1 1 1	12 8	5 20 6	10 17 10	15 17 4	12 5	9 8 15	13 5 7	13 8 8	3			î
28 29 30 31	Cirrhosis of the liver Acute nephritis and Bright's disease Diseases of the female genital organs Puerperal septicemia.	101 856 59 46	1 3	3	2	2	2	1 5	19 3 5	52 18 23 32	12 91 21 15	22 145 9 3	31 187 3	16 197 3	97 1	4 46	3	1	1 1
32 33 34 35	Other puerperal affections. Congenital debility and malformations. Senility Violent deaths (suicide excepted)	59 284 31 420	280	1	9	1 	6	1 1	71	32 56	18  79	 78	29	1 28	7 17	15 11		1	2
36 (37) 38	Suicide	1,128 3	122	11 1	4	4	3	19	50	92 	13 122	11 181	8 173	150 1 150	133	49	10	3	2
'			N	ŒW	ORL	EAN	3, L	4. (W	ніт	E).				· /				,	
	All causes	6,029	567	160	78	61	30	93	297	851	888	737	737	726	515	232	43	2	12
1 2 3	Typhoid fever	50 9	1		1	1		1	18 2	3	6	5 1	4 1	1					
4 5 6	Smallpox Measies Scarlet fever	16	9	4	3													,	
8 9 10	Whooping cough Diphtheria and croup Influenza Asiatic cholera	52 15 797	28 1 32	17 3 23	3 3 15	1 10	2 10	5 10	61	233	241	68	40	26	13	12			3
11 12 13 14	Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculous meningitis.	31 583 20	3 3 6	4 3 1	1 1	1 2	1	4 1	22 4	145 3	6 123 1	1 122	5 99	5 45	9 10 1	1			2
15 16 17 18	Other forms of tuberculosis.  Cancer and other malignant tumors  Meningitis  Cerebral hemorrhage and softening	31 295 27	4	1 1	2 1	1 3		1	4 4	3 6 9 2	17 2 12 27	52 2	81 1	91 	37	10			
19 20 21	Organic diseases of the heart	269 548 25 27	1 7	3	1			1	12 	19 1	27	31 61 1 3	57 73 2 5 48	73 137 3 1 42 12	59 139 3 11	30 62 3 6	15 2 1		
22 23 <i>a</i> 23 <i>b</i> 24	Pneumonia Bronchopneumonia Other diseases of the respiratory system Diseases of the stomach	846   148   23 28	44   43   1	29 13	15 6	15 8 1 1	5 2	23 7 2 1	65 3	230 21 1 3	209 11 3 3	3 89 2 5 6	48 9 3 4	12 12 4 6	19 9 1 2	7 2 2	4		2
25(37) 26 27 28	Diarrhea and enteritis.  Appendicitis and typhlitis.  Hernia, intestinal obstruction  Cirrhosis of the liver.	240 58 48 66	134	47	14	3	1 1 1	4 5 1	17 3	10 2 3	3 5 8 2 8 50	6 4 5	, 8 10 20	9 5 4 10	8 8 6	4 4			······································
29 30 31 32	Acute nephritis and Bright's disease Diseases of the female genital organs Puerperal septicemia	504 22 26 38	3		1	1	2	3	7	19 5 14	10 8	14 83 3 2	111 2	125 2	64	31 	3		i
33 34 35	Other puerperal affections. Congenital debility and malformations. Senility Violent deaths (suicide excepted)	163 27 270	160	1 3	8	1 6	3	$\begin{array}{c} & & 1 \\ & & 1 \\ & & 12 \end{array}$	37	20 36	14 	1 47	21	1 21	4 15	14 10	7 2	1	1
36 (37) 38	Suicide All other defined diseases. Unknown or ill-defined diseases	681 2	71	7	2	2	2	11	34 	7 38	61	11 105	6 116	95 	95	34	5	1	2

  . it	į.							•	DEA	THS AT	AGE (	DF—					·		Doodh
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	29	30 to 39 years.	49	50 to 59 years.	60 to 69 years.	79	89	99	100 years and over.	Deaths at un- known age.
		,	NE	w o	RLE	ANS,	LA.	(CO	LÓR	EID).		•							
	All causes	3,727	379	91	74	33	21	91	261	646	633	535	400	317	157	70	8	5	6
1	Typhoid fever Typhus fever Malaria	26		•••••	·	1		2	4	9	3	4	1	1	1				
1 2 3	Malaria Smallpox	8							2	2	2	1	1						
4 5 6	Modelog	6		i	2			2	1										
7 8	Scarlet fever. Whooping cough Diphtheria and croup.	18 3	7 1	7 1		2		2	i										
9 10	A sigtic cholors	301	17	12	23	7	6	16	40	98	71	37	15	12	6	`1			
. 11 . 12	Cholera nostras Other epidemic diseases Tuberculosis of the lungs	14	2			<b></b> -			1		3		1	<u>:</u>	<u>i</u>				
13 14	Tuberculous meningitis	4 1	1	<u>į</u>		2		3	51 1 2	166	137 1 2	86 1 2	37	17	2	2			1
15 16	Other forms of tuberculosis	51 94 18	15 5	5 1	6	3	2	<u>1</u>	2 3	9 8 2	17	27	23	12	3 1	2			
17 18 19	Meningitis  Cerebral hemorrhage and softening  Organic diseases of the heart	110 384			1			2	<u>-</u> -	7 22	10 58	20 79	27 84	24 78	12 39	10 · 11	3	2	
20	Acute bronchitis	19	10		3	i	2					I' 1	2						
21 22 23a	Pneumonia Bronchopneumonia	5 562 91	38 22	18 12	22 4	4 3	4 3	29 5	61 3	133 13	118 12	68 5 4 2 6	38	15 5	6	6 2			2
23b 24	Other diseases of the respiratory system.  Diseases of the stomach	17 15			<sub>i</sub> -			i	•••••	3	7 7	4 2	1	2					
25(37) 26 27	Diarrhea and enteritis	170 23 30	84	24	7	3		8 3	5 3	6	10	6 1 5	4	4   <u>-</u> -	5	3			1
27 28	Hernia, intestinal obstruction	30 35 352	1	1	1				3	8 3	2 4	8	5 11 76	3 6	33				
29 30	Diseases of the female genital organs	352 37 20		3	1			2 	12 3 3	33 13 9	41 11 7	62 6 1	l "i	72	1	15		ļ	i
28 29 30 31 32 33 34 35	Puerperal septicemia. Other puerperal affections.	21 121	120						4	12	4	i							
34 35	Congenital debility and malformations Senility Violent deaths (suicide excepted) Suicide	150	20	····i	····i	4	3	3	33	20	33	. 31	8	7	3 2	• 1			1
36 (37)	Suicide All other defined diseases	5 447	51	4	····-2		<u>i</u> -	8	16	1 54	61	76	2 57	55	38	15	5	2	
38	Unknown or ill-defined diseases				<i>-</i>									1					
				BAL	TIM	ORE,	MD	. (TC	TAI	a).									-
	All causes		2,256	762	315	163	136	366	810	2,115	2,015	1,552	1,706	1,618	1,353	542	79	6	16
1 2	Typhoid fever Typhus fever Malaria Smallpox	. 73		3	1			7	27	16	7	5	4	3					
3 4	Malaria Smallpox	. 1													1				
5 6	Scorlet fever	1 '4	19	22	14	7 2	5	5 2	3	1									
7 8	Whooping cough Diphtheria and croup Influenza	237	83	80 15	33	14 12	10 9	15 10	2 2			1		1	34				
9 10	Asiatic cholera Cholera nostras		103	109	, 60	33	31	92	136	520	386	87	83	51		11	1		
11 12	Other epidemic diseases	. 39	9	2	12	2	12	1 25	151	323	315	6 211	142	2 75	2 28	3 6	1		
13 14 15	Tuberculous meningitis. Other forms of tuberculosis.	. 70 . 77	11 13 2 1	16 8 3	8 5	1 4 1 5	12 10 1	25 9 4 2 6	151 5 11	8 15 14 11	3 9 48 6	211 2 9 131	142 2 8 164	6	. 1				
15 16 17	Cancer and other malignant tumors	. 638	1 18	9	6	1 5	3	2 6	. 15	14 11	48 6	131	164		97	11	1		
. 18	Meningitis. Cerebral hemorrhage and softening Organic diseases of the heart	. 1,460	5	1			i	.	33	59 54 715 60 .1	24 132	199	165 273	241 297	185 329 7 13 57 51	103	13 14	2	3
. 20 21 22 230 231	Acute bronchitis. Chronic bronchitis.	.l 66	. 5 73 1	24 1 72	14	1	1	9 1 2 41 34	2	4	1 2	2 2	2 12 185 34 9 10	8 9	13	16	2		1
22 230	Pneumonia Bronchopneumonia	. 943	69 280 5 3	176	26 62 2	16 24	20 11	34	203 38 3	60	589 57	35	34	99 52 15	51	24 20	1 4		5
24	Diseases of the Stomach	.l 50	3 634	3 1 161	1 29	2 2 9	5	1 1 8 4	6	. 2	8 9	11	10	15	3 13	3 7	2		1
25(37) 26 27	Diarrhea and enteritis. Appendicitis and typhlitis. Hernia, intestinal obstruction.	. 80	10	7	3	1	<u>i</u>	4	14	15 7 1 40	10 15 12	5 89 199 3 2 249 35 8 11 11 16 12 13	8 16	3 15	3 14	i			ļ
- 28	Cirrhosis of the liver Acute nephritis and Bright's disease	65	4	2	1	<sub>1</sub>	<u>î</u>		16	1 40	93	145	240	14 256	4	93	12	i	i
29 30 31	Diseases of the female genital organs Puerperal septicemia	32			····				5	7 26	8 12	7 3	2	3	5				
32 33	Other puerperal affections	- 89 - 680	666	8	3	1			8	53 1	26	2							
31 32 33 34 35 36	Senility   Violent deaths (suicide excepted)	97 755	16	11	12	13	10	62	72	104	-iii	102	86 17	5 68	61	48 21	11 6	3	
(37)	All other defined diseases	1,314	213	23	10	7	4	21	3 44	23 68 2	19 102	20 168	204 204	12 201	163	76	9		i
38	Unknown or ill-defined diseases	. 20	8	1 5						1 2	1 .1		1 2		1		. 1		1

Table 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1918—Continued.

. ====		ī	li .			пеас с			. 102.,										<del></del>
o Int									DEA	THS AT	AGE	OF						•	Dootha
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	19	29	30 to 39 years.	49	50 to 59 years.	60 to 69 years.	79	80 to 89 years.	99	100 years and over.	Deaths at un- known age.
			····	BAL	TIMO	ore,	MD	. (WI	HTE	1).	,		!		<del>'</del>				<u> </u>
	All causes	12,143	1,756	545	213	119	96	261	559	1, 621	1,481	1 063	1, 282	1,354	1,215	496	70	3	
1	Typhoid fever	49	=	2				6	19	7	5	5	2	3					====
3	Typhus fever	i													1				
4 5 6	Smallpox Measles	61 7	18	18	8	···· <sub>7</sub> ·	····5	2	····· <u>à</u>	····i		:							
7 8	Scarlet fever. Whooping cough. Diphtheria and croup.	147 65	56 9	49 14	3 23 7	2 8 12	4 9	1 6 10	1 2			······ 1		1					
9 10	Influenza   Asiatic cholera	1,444	7Š	87	41	22	22	68	114	459	333	64	66	48	29	11	1		1
11 12	Cholera nostras. Other epidemic diseases.	30	6	1 8	1	2				2	3	6	1	2	2	3	1		
13 14 15	Tuberculosis of the lungs. Tuberculous meningitis Other forms of tuberculosis. Cancer and other malignant tumors.	840 54 41	6 11 1	8 6 1	5 7 2	1 2	4 7 1	6 7	59 4	189 5 10	212 2 3 40	155 1 7	106 2 7	63 	$\frac{22}{1}$	5	· · · · · ·		
16 17	Meningitis	566 74	1 17		4	4	3	2 5	2 4 13	13 7	40 5	104	146	148	96	11	1		
18 19 20	Cerebral hemorrhage and softening   Organic diseases of the heart	633 1,078	2	<u>i</u>			····i	7	<u>2</u> 8	5 42	14 77	51 107	115 179	191 243	170 287	74 91	12 10	1	$\frac{1}{2}$
20 21 22	Acute bronchitis Chronic bronchitis Pneumonia	97 52 1,839	49 1 54	14 56	6	1 1 11		1 31	1	3 3 577	1	1 170	2 8 141	6	7 12	5 16	1 2		
23a 23b	Other diseases of the respiratory system	692 50	192	118	41 2	17 2	15 8	24 1	155 25 1	51	463 46 5	27	27 4	74 48 14	48 43	20 20	1 4	• • • • • • • • • • • • • • • • • • • •	i
$24 \\ 25(37) \\ 26$		34 706	498	116	1 18	2 6	5	1 4	3	3	5 4 7	7 6	7 7	4 11	11 3 13	1 3 6	2		1
27 28	Diarrhea and enteritis. Appendicitis and typhlitis. Hernia, intestinal obstruction. Cirrhesis of the liver	62 85 55	9	7	3	1	1	$\frac{3}{1}$	$\frac{10}{4}$	12 6 1	9 6 5	13 9 9	7 15 16	3 9 13	3 13	1 2 6			
29 30	Cirrhosis of the liver.  Acute nephritis and Bright's disease.  Diseases of the female genital organs	886 20	2	2	î	1		3	12	27 2	54 4	97 4	164 2	216 3	211 5	85	10		1
31 32 33	Other puerperal affections.	28 78 568		<b>.</b>			 		1 5	17 47	9 24	1 2							
34 35	Congenital debility and malformations. Senility. Violent deaths (suicide excepted).	85 578	558	<sub>9</sub>	2 10	1 10	9	55	1 54	$\frac{1}{72}$	71	70	73	3 56	27 55	43 19	10	2	
36 (37)	Suicide	91 1,031	166	15	5	6	2	17	3 36	20 38	16 61	20 119	17 164	12 171	3 148	74	8		i
`38′	Unknown or ill-defined diseases	16	7	5			•••••		•••••	1	1				1		1		
			В.	ALT	MOI	RE, N	1D. (	(COL	ORE	<b>D</b> ).									
	All causes	3,667	500	217	102	44	40	105	251	494	534	489	424	264	138	46	9	3	7
1 2 3	Typhoid fever Typhus fever Malaria	24		1	1			1	8 	9	2	· · · · · · ·	2				••••		
4 5	Smallpox Measles	15	1	4	6		•••••	3	1	•••••		· · · · · · ·					•••••		
6 7	Scarlet fever	90	27	31	10	6	6	1 9	í										
8 9 10	Diphtheria and croup Influenza Asiatic cholera	295	25	$\frac{1}{22}$	19	···ii	····ġ·	24	22	61	53	23	<sub>17</sub> .	3	5	•••••			·····i
11 12	Cholera nostrasOther epidemic diseases	9	3	i				<sub>1</sub>			·····i		3						
13 14	Tuberculosis of the lungs Tuberculous meningitis	491 16	3 5 2	1 8 2	7	4	8	19 2	92 1 9	134 3	103 1	56 1	36	12	6	i			
15 16 17	Other forms of tuberculosis. Cancer and other malignant tumors Meningitis.	36 72 14	1 1	$ \begin{array}{c} 2 \\ \dots \\ 1 \end{array} $	3	2 1 1		4 1	9 1 2	5 1 4	6	2 27	1 18	1 15	i			 	
18 19	Cerebral hemorrhage and softening Organic diseases of the heart	176 382	3					2		3 17	1 10 55	38 92	50 94	50 54	15 42	9 12	1 4	1	
20 21	Acute bronchitis	53 14	24	10	8		1	1 1	5 1	2 1	1	3 1	4	1 · 3 25	··i·	ĩ			· 1
22 23a 23b	Pneumonia Bronchopneumonia Other diseases of the respiratory system.	528 251 20	15 88 2	16 58	21 21	7	5 3	10 10	48 13 2	138	126 11	79 8	44 7	4	9 8	4			4
24 25(37) 26	Diseases of the stomach	16 219	136	1 45	11	3		4	3	1 2 1	3 5 3 6	5 4 5	5 3 3	1 4	• • • • • • • • • • • • • • • • • • • •				
26 27 28	Appendicitis and typhlitis	18   20	····i					î	1	3	6	3	1	6	i				
28 29 30	Cirrhosis of the liver	10 260 12	2				i		4	13	39	48	76	1 40	<u>2</u> 6	8	···· <u>2</u>	····i	
31 32 33	Puerperal septicemia. Other puerperal affections.	18 11							4 3	5 9 6	4 3 2	3 2							
34	Congenital debility and malformations Senility	112 12	108	3	1									2	3	5	·····i	1	
35 36 (37)	Violent deaths (suicide excepted) Suicide	177 6 283	7 47	<u>2</u> <u>8</u>	5	3 <sub>1</sub>	$\frac{1}{2}$	<sub>4</sub> .	18 8	32 3 30	40 3 41	32	13		6	2			
38	Unknown or ill-defined diseases	4	1					*		1	*1	49	40 2	30	15	2	1	•••••	••••••
												. '	<del></del>				<del>'</del>	<u>'</u>	<del></del>

. it							······································		DEAT	THS AT	AGE (	)F—						<u> </u>	
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	29	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
	•	<del>'</del> '	<u> </u>	Bos	TON	, MA	ss.	(TO	CAL).			,		<u> </u>	•			•	•
	All causes!	17,267	2,298	738	339	228	151	410	758	2,197	2,488	1,910	1,847	1,838	1,403	562	94	4	2
. 2	Typhoid fever. Typhus fever. Malaria. Smallpox.	19	1						5	4	4	3 1	1	1					
3 ( 4	MalariaSmallpoxMeasles	110						;-	<u>2</u>										
5 6 7	Scarlet fever	116 24 180	31 70	54 3 60	14 4 21	9 12 31 54	2 5 10 17	5 7	2	2	i								
7 8 9	Whooping cough Diphtheria and croup Influenza	214 2,536	23 84	29 118	21 28 78	31 54	17 22	54 91	17 182	7 713	721	3 252	128	63	19	7	4	<b></b>	
10 11 12	Asiatic cholera	1 52	$\begin{array}{c} 1 \\ 24 \end{array}$	4	·····2	<u>-</u>				2	3	5	4	4	3				
13 14	Tuberculosis of the lungs Tuberculous meningitis	1,209 115	20 17	26 19 3	17 1 1	1 7 8 4 2	1 6 2 2	6 15 6	91 12	. 291 . 8	305 5 11	233 5 8	153 1 8	52 2 4	$\begin{array}{c} \cdot 15 \\ \cdot \cdot \cdot \cdot 2 \end{array}$	4	1		
15 16 17	Other forms of tuberculosis Cancer and other malignant tumors Meningitis	73 956 120	4 1 40	1 12	1 8	2 5	2 1	4 14	12 12 7 13	13 13	60	168 4	255 5	244 1	153	38	7		
18 19 20	Meningitis Cerebral hemorrhage and softening Organic diseases of the heart Acute bronchitis	1,963 80	1 5 46	2 14	1 2 6	····i	3 1	9 1	60	95 1	11 121	, 252 1	120 344	209 473 4	176 399	167 2	. 30		
21 22	Chronic bronchitis	2.742	112	1 94	1 51	23	26 12	<u>54</u>	173	666	1 2 674 48	358 358	1 5 198	183 42	12 98 56	12 29 37	3 1	2	
. 23a 23b 24	Bronchopneumonia Other diseases of the respiratory system Diseases of the stomach:	840 69 61	306 7	163 11	46 2	18	12	19	14 2 2 1	25. 6 4	10	1 358 27 11 11 7 10	198 21 10 15	8	5	1 37	6 1	•••••	
25(37) 26	Diarrhea and enteritis    Appendicitis and typhlitis	133	404	71 1	14	10 2	5 5	18 1	31 31	2 23 3	3 -23 7 9	7 10 6	12	4 7 5	4 2 17	1 5			
27 28 29	Hernia, intestinal obstruction  Cirrhosis of the liver.  Acute nephritis and Bright's disease	109 62 642	14 10	$\frac{5}{2}$	····i	3	<u>2</u>	3	31 3 1 11	21	9 52 9	. 16 90 21	20 21 126	26 11 140	135	43	4		
30 31.	Acute nephritis and Bright's disease. Diseases of the female genital organs. Puerperal septicemia. Other puerperal affections.	.] 00							2 6	32 75	19 85	21 3 10	· 4	2	1	1			
28 29 30 31. 32 33 34 35	Congenital debility and malformations	754	736	9	1	2		5	1					1	2	6	2 4	i	
35 36 (37)	Violent deaths (suicide excepted) Suicide	. 114	22 	16 19	19 14	21 13	21 7	59 30	60 7 41	71 17 75	108 31 147	135 13 194	98 25 262	76 14 251	2 67 5 225	24 2 97	<del>1</del> 9	<u>i</u>	2
(37) 38	Unknown or ill-defined diseases	47	. 19	1	3			····		3	3	4	6	6	1	ì	·····		•••••
				воя	TON	, M.	ass.	(WB	ITE)	).		<del></del>				,			
	All causes	16,731	2,226	712	324	222	148	406	742	2,133	2,393	1,834	1,781	1,786	1,372	555	92	3	2
1 2	Typhoid fever	19	1						5	4	4	3	1	1					
3 4 5	Smallpox	112	31	51 3	14	8	2 5	4 5	2										
6 7 8	Scarlet fever. Whooping cough Diphtheria and croup Influenza Asiatic cholera	24 176 211	67 21	60 29	20 28	12 31	· 10 17 22	5 7 54	2 <sub>17</sub>	6	3	3	2						
9 10	Influenza. Asiatic cholera	2,473	80	114	28 73	54	22	91	179	702	701	243	122	62	19	7	4		
11 12 13	Cholera nostras Other epidemic diseases Tuberculosis of the lungs.	49 1,144	22 20 17	3 25	2 4 16	1 6 7	····i	6	84	2 277	3 288	5 221	4 143	4 49 2	3 15	4	1		
14	Tuberculous meningitis Other forms of tuberculosis Cancer and other malignant tumors	112	17 4 1	25 18 2 1 12	16	7 4 2 5	1 6 2 2	15 3 4	84 12 11 6	277 8 8 13 13	288 5 10 57	221 5 6 163	1 8 249	2 4 239	2 151	38	7		
15 16 17 18	Meningitis Cerebral hemorrhage and softening	117	39 1 5	12 2	1 8 1 2 6	j .		14	12 12		11 113	55 236 1	249 4 115 333	1 1	172 388	.	12 29		
19 20 21 22	Organic diseases of the heart Acute bronchitis Chronic bronchitis	1,895 80 44	46	14 1	6	1	1	9	60	94	113	236 1 1	1 5	5	1 2	1 2	3		
23a	Pneumonia Bronchopneumonia	2,669 802	108 291	93 151	49 41 2	23 17	26 11	53 19	171 14	647	654 48 8 10	345 26	194 21 10	180 41 8	12 96 55 1 5	27 36 1	. 6	2	
23b 24 25(37)	Diseases of the stomach	- 59 - 525	7 7 395	69	14	10	5 5	1	2	3 2	10	345 26 11 10 7 10 6	15 2	4 7	5 4	1 2			
25(37) 26 27 28	Appendicitis and typhlitis  Hernia, intestinal obstruction  Cirrhosis of the liver	. 131 . 107	14	5		2	5 2	18 1	14 2 2 1 31 31 3	3 2 23 2 1 21	3 21 7 8 48	10 6 16	15 2 12 20 21 120	4 7 5 26 11	16 3	5			
29	Acute nephritis and Bright's disease Diseases of the female genital organs	- 617 - 42	10	2	i	3	i	3	11	21	8	16 86 20	120 4	136 2	129 1	42	4		
30 31 32 33	Other puerperal affections	. 170 170	720	9	i	i		5	6 1	31 72	17 82	3 10							
33 34 35	Sentility Violent deaths (suicide excepted) Suicide	776	22	16	18	20	20	59	60	.	102	131	96	69	65 65	6 24 2	2 4	i	2
36 (37) 38	All other defined diseases	1,631	· 279 18	19 1	14 3	13	7	30	40	68 17 68 3	30 141 3	13 189 4	96 25 247 6	246 6	223 1	97	18		
	156947—90——29	1 .	1)	J	i	1	1	<u> </u>	1	1	1	l	1	<u> </u>	1	1		<u> </u>	1

Table 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1918—Continued.

+ <u>+</u>		T T		1200		head o	JI (JIII)		<del></del>										1
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under		2	3	4	5 to 9	10 to	20 to	30 to	40 to		60 to	70 to		90 to	100 years	Deaths at un- known
Abr			1 year.	year.	years.	years.	years.	years.	1 10	years.	39 years.	49 years.	59 years.	69 years.	years.	89 years.	99 years.		age.
			1	Bosi	ON,	MAS	ss. (	COL	OREI	<b>)</b> ).		· <del></del>		· — · · ·		·	<u> </u>	<b>'</b>	<u> </u>
	All causes.	536	72	26	15	6	3	4	16	64	95	76	66	52	31	7	2	1	
1 2	Typhoid fever Typhus fever																		
3	Malaria Smallpox																		
5 6	Measles	. 4		3		1													
7	Scarlet fever Whooping cough	4	3		1														•••••
8 9	Diphtheria and croup Influenza	63	2 4	4	5				3	11	20		6	i	· · · · · ·	••••			
10 11	Asiatic cholera	1	·····i·																
12 13	Other epidemic diseases Tuberculosis of the lungs	3	2	1															
14	Tuberculous meningitis Other forms of tuberculosis	3		1	1	$\begin{bmatrix} 1\\1 \end{bmatrix}$			7	14	17	12	10	3					•••••
15 16	Cancer and other malignant tumors	22		1				3	1		1 3	2 5	6	5	2				
17 18	Meningitis Cerebral hemorrhage and softening	3 18	1					ļ	1		<u>-</u> -	3	1 5	5	4				
19 20	Organic diseases of the heart Acute bronchitis	1 68					ī			i	8	16	11	17	11	2	i		••••••
21 22	Chronic bronchitis		;-																
23a	Pneumonia Bronchopneumonia		15	12	2 5	1	<u>i</u> .	1	2	19 	20	13 1	4	3	2 1	$\frac{2}{1}$			
$\frac{23b}{24}$	Other diseases of the respiratory system. Diseases of the stomach	2								<sub>i</sub> .		1							
25(37) 26	Diarrhea and enteritis	11	9	2							2								
27 28	Hernia, intestinal obstruction	2								1					1				• • • • • • • •
29 30	Cirrhosis of the liver. Acute nephritis and Bright's disease	25									1 4	4	6	4	6	1			••••••
30   31	Diseases of the female genital organs Puerperal septicemia	4 3								2	$\frac{1}{2}$	1							
32 33	Other puerperal affections	6 17	16			1				3	3								
34 35	Senility Violent deaths (suicide excepted)	1 27												1					• • • • • • • • • • • • • • • • • • • •
36	SuicideAll other defined diseases	1				1				3	6 1	4	2	7	2				• • • • • • • •
(37) 38	Unknown or ill-defined diseases	57 1	14	· • • • • • • • • • • • • • • • • • • •			 		1	7	6	5	15	5	2	• • • • • • •	1	1	
		l	<u> </u>		. !	1								!				!	
		· · · · · · · · · · · · · · · · · · ·	1 .		CAMI	BRID	GE,	MAS	·s.				1	1			<u>-</u>		
	Alleauses	2,266	285	114	44	30	19	52	101	269	295	220	239	269	219	101	9		
$\frac{1}{2}$	Typhoid fever Typhus fever	4		1					1			1	1						•••••
3 4																			
5	Measles Scarlet fever	29	6	14	3	2	2	i			i								
7 8	Whooping cough	32	12	10	5 2	2		3											
9	Diphtheria and croup Influenza	$\frac{12}{299}$	16	16	11	5	7	5 13	$\begin{vmatrix} 3\\27 \end{vmatrix}$	66	74	35	16	12	····i				<b></b>
11	Asiatic cholera Cholera nostras	2										;-	····¡·						
12 13	Other epidemic diseases	9 223	$\frac{1}{3}$		1			$\begin{bmatrix} 2\\2 \end{bmatrix}$	18	63	2 55	31	2 33	<sub>12</sub>					• • • • • • • •
14 15	Tuberculous meningitis Other forms of tuberculosis	12 12	2			4	2 2	1	1	1	1				3				
16	Cancer and other malignant tumors	140						1	4	1	1 4	$\frac{2}{22}$	35	43	28	7			
19	Meningitis. Cerebral hemorrhage and softening	7 107	1   1	2		i i			2	1	2	1 6	15	36	28	<u>i</u> 8			
19 20	Organic diseases of the heart	235 29	2 19	1 6	2	1		4	5	12	19	25	28	53	61	23			
21 22	Chronic bronchitis. Pneumonia	17 281	8	1 8					22	67	75	2 31	3 29	5	4	1			• • • • • • • • • • • • • • • • • • •
23a	Bronchopneumonia	146	43	31	9	8	1	5	5	7	8	6	2	7	15 9	3 4			 
24	Other diseases of the respiratory system.  Diseases of the stomach.	19 9	2					1		1	3	6	2	14 7 1	1	$\frac{1}{2}$	i		
25(37) 26	Diarrhea and enteritis. Appendicitis and typhlitis.	70 18	49	11	1	2	<sub>i</sub> .	3	2	3	3	2	2	2 2 3	2 2		1.		••••••
27 28 29 30	Cirrhosis of the liver	7 9	1								2	$\tilde{1}$		3 3	1 2	i			• • • • • • • • • • • • • • • • • • •
29 30	Acute nephritis and Bright's disease.  Diseases of the female genital organs	93		···i				···i	3		6	13	26	18	15	1			
31	Puerperal Septicemia.	5 9								5	3 3	····i			1				• • • • • • • • • • • • • • • • • • •
32 33 34	Congenital debility and malformations	22 84 2	83	····i						11	10	1							• • • • • • • •
35	Violent deaths (suicide excepted)	2 84	2	4	2	2		6	4	8	14	8	7	1 14	1 5	6			
36 (37)	All other defined diseases	230	32	4	2	2	<sub>1</sub>	2	4	5	2 7	20	2 34	1 41					
38	Unknown or ill-defined diseases	200		*							'.			*1	39		4		<del>-</del> -
	·		<u> </u>										!	1			ı		

Table 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1918—Continued.

100 years and over.	age.
	1
	1
	1
	1
	1
	1
	1
	1
	1
	1
	- 1
<u>l                                    </u>	<u> </u>
1	
ļ	
	-
	-
	.
1	
	1

Table 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1918—Continued.

Int.						, neau (	,				AGE (	OF		·			······································		
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years.	4 years.	5 to 9 years.	19	29	39	40 to 49 years.	59	60 to 69 years.	79	89	99	100 years and over.	Deaths at un- known age.
		-	***************************************	v	vore	CEST	ER,	MAS	s.			<u> </u>			<u> </u>		<b>'</b>	•	
	Allcauses	3,758	507	120	47	35	30	74	143	476	500	426	402	422	393	159	23		1
1 2 3	Typhoidfaver Typhusfever Malaria Smallpox	6					1			1		2	2						
4 5 6	Smallpox Measles Scarletfever	7 2	····i	····ż	···· <u>ż</u>		1	1		i			1						
7 8	Whooping cough	6	5 2 30	1 4 27	11	2 3	3 9	5 13	4 22	119	108	62	1 25	14	10	3			••••••
10 11 12	Influenza Asiatic cholera Cholera nostras Other epidemic diseases	7	3									2							••••••
13 14 15	Tuberculosis of the lungs. Tuberculous meningitis Other forms of tuberculosis.	206	2 5 1	1 1 5 3	3	2 6 1		2 2	13	60 5	48	46 4	14	10	5 1	1			
16 17 18	Cancer and other malignant tumors Meningitis. Cerebral hemorrhage and softening	203 20 177	2	3	1 3	·····2·		2	2	6 3	12 2 7	30 1 11	52 36	52 51	44	6	2		
19 20 21	Organic diseases of the heart. Acute bronchitis. Chronic bronchitis.	506 29 16	15	3	1	1		6 1	9	18 1	35 2	61	83 1 3	107	123	58 2	5 1 2		
22 23 <i>a</i> 23 <i>b</i>	Pneumonia Bronchopneumonia Other diseases of the respiratory system Diseases of the stomach	616	8 54	22 17	6 6 1	3 6 1	3	$^{12}_{\ 6}_{\ 1}$	38 1	176 11 2	150 22 2	71 14 3	44 9	40 17	32 19 2	9 6	1		
24 25(37) 26	Diseases of the stomach Diarrhea and enteritis. A poendicitisand typhlitis. Hernia, intestinal obstruction	19 165 28	114	18	7	····ż	·····2	2	1 2 8	1 2 5	<u>2</u>	5 5 3	3 1 4 7	3 2 4 1	3 3	3			
27 28 29	Hernia, intestinal obstruction Cirrhosis of the liver Acute nephritis and Bright's disease	25 10 110	3	2				ī 1	1 3	1 5	13	1 1 13	7 1 21	3 3 20	5 3 26	1 1 7			
30 31 32	Diseases of the female genital organs Puerperalsepticemia. Other puerperal affections	9 9 38							 1 3	2 4 17	1 4 16	2	2	1 	1				
33 34 35	Congenital debility and malformations. Senility. Violent deaths (suicide excepted)	184 9 154	183	6	1 <u>ż</u>	3	4	13	20	17	19	16	17	1 14	12	6 5	2 2		
36 (37) 38	Suicide	22 442	72	5	····i	3	3	4	1 12	14 14	3 42	6 63	5 66	73 71	53	26	6		1
	•		1		DET	roi	т. м	тсн				]		]	1		l	]	
	All causes	12,889	2,713	611	282	189	171	400		1,774	1,692	1,106	1,095	1,038	799	360	63		29
1 2	Typhoid fever	72	===	1		1	2	1	17	17	22	7	3		1				
3 4 5	Malaria Smallpox Measles	1 6 129	3 49	1 41	11	····· 8	3 7	14	i		i	1 1							i
6 7 8	Scarlet fever Whooping cough Diphtheria and croup	46 155 273	73 28	3 39 26	5 24 46	4 8 47	5 28	15 4 65	5 1 15	<u>5</u> <u>8</u>	1 1 7	·····2							1
9 10 11	Asiaticcholera	1,385	108	101	53	34	24	73	70	411	319	92	47	28	16	5	1		3
12 13 14	Other epidemic diseases Tuberculosis of the lungs Tuberculous meningitis	969 84	24 9 19	1 7 17	1 2 6	1 5 6	3 6	1 8 9	91 9	336 4	248 6	133	87 	27 27	10		1	· • • • • • • • • • • • • • • • • • • •	3 1
15 16 17	Other forms of tuberculosis. Cancer and other malignant tumors. Meningitis.	55 553 84	1 2 23 2	1 1 14	1 1 6	1 4	5 5	4 6	9 5 6	10 7 10	9 47 2	99 3	170 2	126 2	68	22 1	3	· · · · · · · · · · · · · · · · · · ·	2
18 19 20	Cerebral hemorrhage and softening Organic diseases of the heart Acute bronchitis	437 982 76	6 35	1 1 14		4	4 1	3 13 4	41 	63 	16 91 1	123	105 134 1	117 225 4	105 195 3	37 66 6	3 14 2		ż
21 22 23 <i>a</i> 23 <i>b</i>	Chronic bronchitis. Pneumonia. Bronchopneumonia Other diseases of the respiratory system.	51 1,739 638	138 274	74 94	32 30	18 10	15 16	1 43 24	104 14 8	1 434 46 6	387 36 18	180 21	136 15 8	12 92 21 13	20 51 26	10 29 8	1 1 2		5 1
250 24 25(37) 26	Diseases of the tesphantry system.  Diseases of the stomach.  Diarrhea and enteritis  Appendicitis and typhlitis	92 102 729 125	3 41 567	4 3 91	1 5 23	1 <sub>7</sub> .	2 5	5 3 3 11	2 2 24	7 1 28	18 6 10 29	13 5 1 9	5 3 10	12	6 10 6	3 4	3		i
27 28 29	Hernia, intestinal obstruction Cirrhosis of the liver Acute nephritis and Bright's disease	107 107 74 455	16	1 9 3	1	1	4 1	6	24 2 11	10 1 26	12 7 37 23	13 13 69	10 11 19 80	17 17 17 104	11 13 78	1 5 3 25	3	•••••	·····i
30 31 32	Diseases of the female genital organs Puerperalsepticemia Other puerperal affections	66 74 152							1 5 9	15 35 90	23 32 42	19 2 10	4	1	2	1		•••••	
33 34 35	Congenital debility and malformations. Senility. Violent deaths (suicide excepted)	947 79 709	936	4 24	2 17	1 18	<u>2</u> <sub>23</sub>	1 57	63	1 99	114	83	67	5 51 5	21 42	37 23	16 2	•••••	
36 (37) 38	Suicide	79 1,303 16	320	30 5	10	8	10	26	2 47	14 84 1	114 24 137 3	19 130 2	12 167 2	5 143 2	107	68 1	11		5
		<u> </u>	1	l	1	'					<u> </u>		l	<u> </u>	<u> </u>	<u> </u>			

Et .									DEA!	THS AT	AGE (	OF—							
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	1.0	20 to 29 years.	39	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	89	90 to 99 years.	100 years and over.	Deaths at un- known age.
	· ·	!	11	GR	AND	RA	PIDS	, MI	CH.	<u>'</u>	<u> </u>	<u> </u>	<u> </u>		!	<u> </u>	1	<u> </u>	
	. All causes	1,893	245	- 62	22	18	15	49	95	191	188	147	191	255	258	132	22		3
1 2	Typhoid fever	10				1		,1		2	3	3							
3 4	Typhus lever Malaria Smallpox																		
5	Measles Scarlet fever	$\frac{1}{2}$		1				2 1											
. 7 8 9	Whooping cough Diphtheria and croup Influenza	9 32 173	4	3 4 5	5 5	$\begin{bmatrix} 1\\2\\6 \end{bmatrix}$	3	11 9	6 20	49	37	1 8	10	8					
10	Asiatic cholera								20					0,					
11 12 13	Cholera nostras. Other epidemic diseases Tuberculosis of the lungs. Tuberculous meningitis.	12 115	5	2 2			1	<sub>2</sub>	17	2 32	1 23	16	1 14	5	· 3	1			
· 14   · 15   16	Other forms of tuberculosis.  Cancer and other malignant tumors	, 12 , 12 113	3	2			1	2	3	1 2 2	1 2 6	1 1 20	1 30	34	15				
17	Meningitis. Cerebral hemorrhage and softening	96		2				i		1 1	2	5-	10	28	28	20	2		
19 20	Organic diseases of the heart	265 20 11	3 7	3	2		1	2	5 1	9	17	15 1 1	33	61 1	84	32 3	2 3 1		
21 22 23a	Chronic bronchitis Pneumonia Bronchopneumonia	128 78	7 24	5 9	2 2	1	2	1 3	6 1	28 7	32 6		9	13 9	1 3 7 4	5 3 2			2
23b 24	(Ither diseases of the resultatory system	12 24		<sub>i</sub> -				<sub>i</sub> -	î	1 1	1 2 3	12 5 3	4 2 5	3	1 4	ĩ			
25(37) 26	Diseases of the stomach Diarrhea and enteritis. Appendicitis and typhlitis. Hernia, intestinal obstruction	128 78 12 24 87 21 24	49	17	3	1	i	2 2	3 2	1 4		1 5	222		1	2			
28 29	Cirrnosis of the liver	9 129						i		1 1 5	2 1 7	11	27 27	· 2 23	6 1 31	21	3		
30 31	Diseases of the female genital organs Puerperal septicemia	7 11							1	<u>.</u>	.5	1 1	1	i					
25 (37) 26 27 28 29 30 31 32 33 34 35	Other puerperal affections	92 92	88	4				•••••	1	10	8	3				8	;-	•••••	
35 36	Senility Violent deaths (suicide excepted) Suicide	15 77 17	6	i	i		i	5	iì	9 3 15	3 6	5 1	1 7 2	9 3 48	13 1 45	3	4 3		
(37) 38	All other defined diseases	253	28	3 		1	2	3	17	15	16	26	24	48	45	18	5		
•		<u>'</u>	' .	M	INNI	EAP	olis,	MI	NN.	<u>'</u> '		''		<u>'</u>	•	<u> </u>	<u></u>		
<u></u>	All causes	5,392	633	162	73	56	44	139	256	759	750	545	591	565	501	262	- 53	2	, 1
1 2 3	Typhoid fever	31							1	11	10	5	3	1					
3 4	Malaria Smallpox	4	2								1			1					
5 6 7		26 33 79 88	29	10 4 30	3 3 7	2 4 7	1	10 5	8	2	1	1							
8	Whooping cough Diphtheria and croup Influenza	88 776	35	11 22	13	2   11	1 9 13	21 25	13 53	· 8 254	9 221	1 73	3 27	16	8	3	1	i	
10 11 12	Asiatic cholera Cholera nostras Other epidemic diseases	1 22						;-					i		;-				
13 14	Tuberculosis of the lungs	426 31	7 5	4	5	3 6	1	1 3	34 3 5	145 3	105 3	55 1	37	29	1 5	i			
15 16	Other forms of tuberculosis	21 354		1	1			1 3 2 3	]:.	145 3 8 2	- 1	61	101	87	59	14			
17 18 19	Meningitis  Cerebral hemorrhage and softening  Organic diseases of the heart	19 208 483	3			2		3 6	1 	2 1 34	21 2 3 38	23 49	37 77	2 52 109	53 93	32 44	7		
20 21	Acute bronchitis	9 15	2 2	1 2							<u>1</u>		<u>.</u>	2 2		3 6	2		1
22 23a 23b	Pneumonia Bronchopneumonia Other diseases of the respiratory system	485	19 61	10 16	9	3	4 2	10 6	33 1	98 6	104	73 2	41 5	2 2 39 7	3 28 13	12 9	2		
24	Diseases of the stomach Diarrhea and enteritis	34 46 91	3 5 47	2 17	5	1		2		7	5 1	10	8	1 4 5	3 2 2	2 3	- 1		
26 27	Appendicitis and typhlitis  Hernia, intestinal obstruction	74 51	6	í	2 2	2 1 1	1 2	4	14	98 6 5 7 2 18 7 2 9	9 5 1 15 10	73 2 6 10 1 8 5 5 23 10	41 5 7 8 4 3 8 7	7	2	1			
		32				·····		· · · · · · · · · · · · · · · · · · ·	4	2 9	2' 20 13	5 23		9 70 1	. 5 . 82 1	2 47	10	····i	
28 1	Cirrhosis of the liver	339																	
28 29 30	Diseases of the female genital organs Puerperal septicemia Other puerperal affections	339 37 14							2	7 8 25	4	2	3						
28 29 30 31 32 33 34	Diseases of the female genital organs Puerperal septicemia. Other puerperal affections. Congenital debility and malformations.	339 37 14 46 284 22	279	3					2 2	25 	19	2	1	1	7	9	4		
28 29 30	Diseases of the female genital organs Puerperal septicemia Other puerperal affections	339 37 14 46 284		3 12	5	6	6	13 17	2	8 25	4	2				9 20 1 50	4 6		

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1918—Continued.

Int.								===	DEAT	нѕ лт	AGE O	)F							
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	39	49	50 to 59 years.	69	70 to 79 years.	80 to 89 years.	99	100 years and over.	Deaths at un- known age.
	<u>'</u>	'			st.	PAU	L, M	INN.		·	·	<u></u>							
	All causes	3,602	449	94	55	39	31	92	205	506	536	329	390	391	302	164	19		
1 2 3 4	Typhoid fever Typhus fever Malaria Smallpox	8							1	3	3		1						
5 6 7 8 9	Measles Scarlet fever Whooping cough Diphtheria and croup Influenza	42 37 58 644	17 1 25	1 4 9 2 23	3 2 6 7 15	6 2 4 8	5 1 6 6	7 2 22 16	8 9 47	9 6 219	1 190	50	19	1 13	10	3			
10 11 12 13 14	Asiatic cholera Cholera nostras Other epidemic diseases Tuberculosis of the lungs Tuberculous meningitis	1 17 267	8 3 3	1 2 1 5	 2		2 1	1 4	1 19	77	1 71 7	49	28	1 13	 3 3	1			
15 16 17 18 19	Other forms of tuberculosis. Cancer and other malignant tumors. Meningitis Cerebral hemorrhage and softening Organic diseases of the heart	25 26 238 10 132 359	1 1 4 1		i 1	î i	î i	3 1 1 4	3 1 15	3 2 17	1 21 1 2 28	1 5 32 1 5 27	69 32 62	56 41 78	37 38 84	18 37	3		
20 21 22 23a 23b	Acute bronchitis Chronic bronchitis Pneumonia Bronchopneumonia	9 13	14 36 1	8 9 3	5 2	2 2 1	2 i	5 1 1	1 22 1 3	1 67 2 4	72 3 3 5	22	2 25 25 2 4	1 31 9	7 17 5	2 12 4 2	2		
24 25(37) 26 27	Diseases of the stomach Diarrhea and enteritis. Appendicitis and typhlitis Hernia, intestinal obstruction	304 81 26 22 94 51 27	63 7	14	1 1 2 .1	2 1	1 1	4	2 13 1	2 6 3 2	5 4 9 3	1 1 4 2 7 2 1	1 1 3 1 5	3 6 7	1 2 2 2 1 1	1	i		
28 29 30 31 32 33	Cirrhosis of the liver Acute nephritis and Bright's disease. Diseases of the female genital organs. Puerperal septicemia. Other puerperal affections. Congenital debility and malformations.	202 14 22 27 183 20	182	1		1			2 i	3 11 18	13 5 10 8	35 4 1	37	54 1	31	22	3		
34 35 36 (37) 38	Senility Violent deaths (suicide excepted) Suicide All other defined diseases Unknown or ill-defined diseases	20 166 32 423	69	4 5	4	2	2	9	26 1 28	16 2 24	18 8 48	28 9 39	17 8 70	1 16 2 52	15 2 40 1	10 7 26	1		
		<u> </u>	<u>                                     </u>	KAN	SAS	CIT	<u> </u> У, м	) O. (1	COTA	LL).	1	!	<u> </u>	<u> </u>		<u>                                     </u>	<u> </u>	<u> </u>	<u> </u>
<del></del>	All causes.	6,608	635	157	99	75	37	168	398	1, 085	1, 054	824	652	666	479	246	24	1	
1 2	Typhoid fever Typhus fever Malaria Smallpox	47	1						10	14	13	4	2	3					
3 4 5 6 7	Scarlet fever	57	10 1 21	8	6 1 2 7	3 2 4	1	1 4 2 2	12 2	$\begin{bmatrix} 1\\12\\2 \end{bmatrix}$		4	4	1	1				
8 9 10 11	Whooping cough Diphtheria and croup Influenza Asiatic cholera Cholera nostras Other epidemic diseases	855 24	36	21 21	26	9 18	6 7	21 34	12 83	282	211	76	28	18	11	3	ii		
13 14 15 16 17	Tuberculosis of the lungs. Tuberculous meningitis Other forms of tuberculosis. Cancer and other malignant tumors Meningitis.	14 31 303	3	4	1 11	1 1 1	1	2 2 1 1 12	5		8	2 45 6	1 2		35	3 1 19			
18 19 20 21 22	Cerebral hemorrhage and softening. Organic diseases of the heart Acute bronchitis Chronic bronchitis Pneumonia	215 493 22 16	5 6 1 46	4	1 10		4	5 1 27	17	. 35 . 1	61 1	14 72 3	1 4		81	. 2	4		
23a 23b 24 25(37) 26 27	Bronchopneumonia. Other diseases of the respiratory system. Diseases of the stomach. Diarrhea and enteritis. Appendicitis and typhlitis.	285 70 34 162 71	70 2 1 87	30 2 37	14 2 1 7	7 2	. 1	15 1 1 1 2	13 2 9	26 8 1 4 15	29 10 6 4 18	14 4 7 13	17 8 4 3 6	22 9 7 3 5	3	1 1	3		-
28 29 30 31 32	Hernia, intestinal obstruction Cirrhosis of the liver. Acute nephritis and Bright's disease. Diseases of the female genital organs. Puerperal septicemia. Other puerperal affections.	45 454 56 32	5	i	1	i	i	1	.	23 13 16	35 24 11	74 13 1	16 84 2	9	81	37 37	6		
33 34 35 36 (37) 38	Congenital debility and malformations Senility Violent deaths (suicide excepted) Suicide All other defined diseases Unknown or ill-defined diseases	218 8 425 65 786	212 2 108 1	1 4 11	3 3 8 1			17	50	59 12 66	91 10	70 18 119	54 13 91	130	85 85	14	j		

Table 9.—Deaths (exclusive of stillbirths) in each city of 100,000 population or more in 1910, by Cause of Death (abridged international list) and by age of decedent: 1918—Continued.

Int.				:					DEA	THS AT	AGE	0F—							Deaths
Abridged Ir List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	39	40 to 49 years.	50 to 59 years.	60 to 69 years.	79	₹89	99	100 years and over.	at un- known age.
_			I	CANS	SAS	CITY	r, M(	). (W	нт	E).									
	All causes	5,682	564	137	82	71	34	152	340	936	843	645	559	609	444	238	21		
1 2 3 4 5 6	Typhoid fever Typhus fever Malaria Smallpox Measks	39 4 15 54	1	7	5	3	1	1	8	12 1 12	9 4 2	4 3	2 4	3					
6 7 8 9	Scarlet fever. Whooping cough Diphtheria and croup Influenza. Asiatic cholera	11 37 59	1 19 3 32	8 1 18	1 2 7 25	2 3 9 18	2 5 7	1 4 2 2 21 31	11 80	272	2 208	75	28	18	1 11	3	1		
11 12	Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs Tuherculous meningitis. Other forms of tuberculosis.	21 310 13 17	2 2 4	2 4		1 1	2 1	2 2 2	25 4	2 74 1 7	1 84 3	1 57	3 . 33 1	2 17	6 9	3 3			
13 14 15 16 17 18 19 20 21 22	Cancer and other malignant tumors Meningitis Cerebral hemorrhage and softening Organic diseases of the heart Acute bronchitis.	277 44 201	2 4 4	5	3 1	1		1 11 	2 2 15	12 8 6 24 1	20 2 4 44 1	. 35 5 12 41 3	72 1 29 64	82 4 53 76 1	35 56 69	18 36 41 2	4 3		
21 22 23a 23b 24	Chronic bronchitis. Pneumonia Bronchopneumonia Other diseases of the respiratory system. Diseases of the stomach.	15 900 240 58 27	1 40 56 1 1	14 25 2	6 9 2	9 7 1	4 4 1	23 11 1 1	74 13 2	270 18 8	187 26 8	113 8 8 8 8	1 60 13 7 2 2 6	3 52 22 8 7 3 5	6 33 10 6 5	1 14 15 4 2	3		1
22 23a 23b 24 25 (37) 26 27 28 29 30	Diarrhea and enteritis. Appendicitis and typhlitis Hernia, intestinal obstruction Cirrhosis of the liver. Acute nephritis and Bright's disease.	147 64 49 41 371	79 6 3	35	1	4 1 1	1	1 2 2 1	8 4 5	11 2 17	4 3 16 5 4 26 20	6 13 9 . 9 . 54 12	6 14 68	79	2 1 3 4 74	1 1 1 1 36	1 1 4		
32 33 34	Diseases of the female genital organs. Puerperal septicemia. Other puerperal affections. Consenital debility and malformations. Senility.	49 27 44 203 8	197	1	3	1			2 2 2	11 16 27 1	13 	1 2	2	2	3	4	1		
35 36 (37) 38	Violent deaths (suicide excepted) Suicide All other defined diseases Unknown or ill-defined diseases	346 61 691 11	95	9	6 1	3	2 4	15	40 4 21 2	46 12 59	66 9 63 1	53 17 95 1	44 11 82 1	26 4 121 1	26 4 80	37	3		1
			K.A	NSA	s ci	TY,	мо.	(CO:	LOR	ED).									
	All causes	926	71	20	17	4	3	16	58	149	211	179	93	57	35	8	3	1	
1 2 3 4 5 6 7 8 9 10 11	Typhoid fever	8 3 2 3 3 2 28	1 2	1	1	1	1	3	1 3	10	4 2 1	1					3		
12 13 14 15 16 17 18 19 20 21 22 23a	Other epidemic diseases Tuberculosis of the lungs Tuberculous meningitis Other forms of tuberculosis. Cancer and other malignant tumors Meningitis. Cerebral hemorrhage and softening Organic diseases of the heart Acute bronchitis	3 148 1 14 26 6 14 107	1 2	3	1	1	2	1	1 17 2	41 1 1	41 1 5 6 2 3 17	32 2 10 1 2 31	1 10 1 4 1 3 16	2 4 3 11	3 12	1 4			
23b 24 25 (37)	Chronic bronchitis. Pneumonia Bronchopneumonia Other diseases of the respiratory system. Diseases of the stomach Diarnhea and enteritis. Appendicitis and typhiltis. Hernia, intestinal obstruction.	1 160 45 12 7 15 7	6 14 1	3 5	4 5	1		4 4	10	39 8 1	52 3 2 2 1 2	22 1 6 1 1	1 9 4 1 2 · 1	5 1	5 1 1	1			
27 28 29 30 31 32 33 34 35 36 (37)	Cirrhosis of the liver. Acute nephritis and Bright's disease. Diseases of the female genital organs. Puerperal septicemia. Other puerperal affections. Congeintal debility and malformations. Senility	83 7 5 7 15	2						3	· 6 2	9 4 3 2	20 20 1	2 16	16	7	1	2		
35 36 (37) 38	Violent deaths (suicide excepted) Suicide All other defined diseases Unknown or ill-defined diseases	79 4 95 1	. 13	2	2	1		2 / 1	10 4	13 7	25 1 18	17 1 24	10 2 9	9	5	1	[		

Table 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1918—Continued.

it.							. ——		DEA'	THS AT	AGE	OF		<u>i</u>					
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	29	39	40 to 49 years.	50 to 59 years.	69	79	80 to 89 years.	99	100 years and	Deaths at un- known age.
<u> </u>				em	LOI	TTE	MO	(TO)										over.	
			11		1			(10)	A.1.).	· 		1	i	1		<u> </u>	· ·		
1	All causes	13,727	1,367	407	210	157	104	317	622	1,617	1,887	1,624	<u> </u>	1,738	1,343	585	75	4	4
2 3	Typhoid fever Typhus fever Malaria		i	1 i	2		1	3	14 1	18	9 4	5 4	5 1		2	1			······
4 5 6	Smallpox Measles Scarlet fever	25 21	6	 8 2	5 3	1 3		2 5	2 4				1	<b>-</b> -					
7 8	Whooping cough Diphtheria and croup	170 128	68 7	40 18	31 16	14 11	2 5 12	8 40	2 11	$\begin{vmatrix} & \ddot{2} \\ & 1 \end{vmatrix}$	1	<u>i</u>							
9 10 11	Influenza Asiatic cholera Cholera nostras	1,342	51 1	55	33	36	27	41	95 	326	349	130	91	60	30	15	2	1	
12 13	Other epidemic diseases	43 976	6 8	1 3	$\frac{2}{3}$	4 7	1 3	8	5 111	5 240	2 259	3 163	97	2 58	2 19	6	1		
14 15 16	Tuberculous meningitisOther forms of tuberculosis	42 76 763	5 4	3 3 1	3 1		2	4 7 3	8 8 3	11 18 3 9	3 16 49	11 140	6 204	1 5 210	105	2 26	<sub>2</sub>		<u>1</u>
17   . 18 19	Meningitis   Cerebral hemorrhage and softening   Organic diseases of the heart	69 532 1,221	14 3 2	$\begin{array}{c c} & 6 \\ 1 \\ 2 \end{array}$	2	3 1	4	6 2 16	8 3 8 3 42	3 9 84	16 96	5 49 157	7 108 188	152 280	138 219	45 119	6 9	1	
20 21	Acute bronchitis Chronic bronchitis	88 81	36 1	14	1 3 1	1	3	4 2	1	2	1	3 6		3 16	11 19	6 15 33	, 6		
22 23a 23b		2,030 691 99	68 173 3	112 4	29 36	16 20	20 7 1	51 26 1	124 14 4	462 37 12	500 55 9	255 37 14	11 181 38 12 17	147 51 17	101 50	33 31 4	2 4 1		1
$24 \\ 25(37) \\ 26$	Diseases of the stomach Diarrhea and enteritis Appendicitis and typhlitis	91 384 115	15 261	58	12	4 2	3	3 4 7	4	5 4 22 7	13 9 18	11	17 4 8	9 6 5	50 17 7 5 5	2 1	1		
27 28 29	Appendicitis and typhlitis. Hernia, intestinal obstruction Cirrhosis of the liver Acute nephritis and Bright's disease	106 168	13	2	3	1		2	30 3 1	9	13 22 86	16 16 30	13 48	14 33	14 18 267	5			
30 31	Diseases of the female genital organs Puerperal septicemia	1,324 71 43		1		1		2	17 2	56 14 23	86 26 15	178 22 3	273 3	314 4	267	108	19	2	
32 33 34	Other puerperal affections Congenital debility and malformations Senility	65 408 10	398	4		3	1		7 1	32	25	ı i							
35 36	Violent deaths (snicide excepted)	652 136	14	10	13	22	5	32	49	84 21	94 26	107 35	73 21	70 20	50 6	3 26 2	2		1
(37) 38	All other defined diseases	1,678 3	197	14	6	7	6	37	42	103	163	212	246	255 1	253	121	16		·······
				ST.	LOU	ıs,	мo.	(WE	(TE).	,								<u> </u>	
	All causes	11,734	1,170	326	150	121	85	250	518	1,321	1,545	1,333	1,442	1,589	1,258	555	65	2	4
· 1 2 3	Typhoid fever Typhus fever	49			1		1	1	12	16	7	5	5			1			
4 5	Malaria Smallpox Measles	9 13	3	1 5	3				1		3	1	i		2				
6 7 8	Scarlet fever Whooping cough Diphtheria and croup Influenza	21 130 116	57 14	32 15	3 23 14	3 9 11	2 3 12	5 4 37	4 1 10	1 1 1	i	i							
. 9 10	Asiatic cholera	1,230	42	47	28	30	21	33	92	299	333	119	81	58	29	15	2	1	
11 12 13	Cholara nostras Other epidemic diseases Tuberculosis of the lungs	38 731	1 5 7	1 1	1 2	1	2	3	5 75	173	2 191	127	7 78	2 54	2 17	6	1		
14 15 16	Tuberculous meningitis. Other forms of tuberculosis. Cancer and other malignant tumors	33 52	5 7 5 4	3 3	2 2 1	5	1 	3 3 2 3 6	75 5 4 2 8 2 38	173 2 8	10	8	5	1 5	1	2			
17 18	Meningitis Cerebral hemorrhage and softening	59 490	9 3 2	1 6 1	1 2	1	4	6 1 15	8 2	14 3 6 67	39 7 9	127 4 40	189 7 97	200 2 147	102	24	1 5		1
19 20 21	Organic diseases of the heart Acute bronchitis Chronic bronchitis	1,036 76 71	31 1	11	3	1	3	15 3	38 1 1	67	61	117 2 4	149 2 8	255 3 15	202 11 19	115 6 15	8 1 6		1
22 23a 23b	Pneumonia Bronchopneumonia	1,679 556	60 134	35 77	20 19	13 12	16 5	40 21	102 12	387 34 10	417 52	201 35 14	149 30	119 48	87 46	30 29	2 2		1
24 25(37)	Diseases of the stomach Diarrhea and enteritis	71 345	2 13 238	4 2 52	9	3	3	1 2 3	4	10 3 3 17	7 8 9	14 8 3	11 14	17 7 6	15 6 5	6 2	1 2 1		
26 27 28	Appendicitis and typhlitis  Hernia, intestinal obstruction  Cirrhosis of the liver	95	13	ĭ	3	3 2	3 1	3 7 2	27 3	17 5 7	12	15	8 13 43	12	5 14	1 4	<del>-</del> -		
29 30	Acute nephritis and Bright's disease Diseases of the female genital organs	1,143 53		1		1		2	16 16	41	18 61 16	28 138 17	229 3	30 288 4	18 249 1	101	15	i	
31 32 33	Puerperal septicemia Other puerperal affections Congenital debility and malformations	55 357	348	4		3	1		6	21 26	14	2							
34 35 36	Senility. Violent deaths (suicide excepted) Suicide.	8 552	12	9	10	20	5	26	41	60 17	72	91	1 67	62	3 49	3 25	2		i
(37) 38	All other defined diseases Unknown or ill-defined diseases	1.446	164	9	5	5	4	30	35 	80	25 131		21 219	20 228 1	233	114	16		
	1	1	II	1	i	1	1	Ł	1	i	1	1	1	1	1	1	1	t	1

CAUSE OF DEATH.    Under   1   2   3   4   5 to 9   19   20 to   30 to   40 to   50 to   60 to   70 to   80 to   90 to   years.														Deaths				
		Under 1 year.						19	29	39	49	59	69	79	89	99	years and	at un- known
	. ,	. s	T. L	OUI	з, м	o. (c	oro	RED	),							1.		
All causes	1,993	197	81	60	36	19	67	104	296	342	291	224	149	85	-30	10	2	
Typhoid fever	11	1	1	1			2	2 1	2	2								
Smallpox	12.	3	3	2	i		2	<u>î</u> .										
Whooping cough	40 12	11 3	8 3	8 2	5	2	. 3	1	1		17	70						
Asiatic cholera																		
Tuberculous meningitis	245 9	1	2	2	3 2	1 1	5 1	36 3	67	68	36	19	4	2 				
Cancer and other malignant tumors Meningitis	59 1 10	5		2	2			1	4	10	13 1	15	10	3	2	i		
Organic diseases of the heart	185 12	5	3	1			1 1	4	17	35 1	40		25	17	4	i	1	
Chronic bronchitis Pneumonia Bronchopneumonia	10 351 135	8 39	5 35	1 9 17	3 8	4 2	11 5	22 2	75	83	54 2	32 8	28 3	14 4	3 2	2		
Diarrhea and enteritis	39	1 2 23	6	3	1		1 1		2 2 1	5	3 4	, 1	2	1	i			
Appendicitis and typhlitis  Hernia, intestinal obstruction  Cirrhosis of the liver	11 17		i		i		i		2	1 4	3 2	-5	3		1			
Puerperal septicemia	18								2	1	40 5 1	44	26	18	7	4	1	
Other puerperal affections	10 51 2	50						1					i			1		 
All other defined diseases	232	33	1 5	1	$\frac{2}{2}$	2	7	8 1 7	24 4 23	1 32	16 1 39	27	8 27	20	7			
				O	/AH	4, NJ	EBR.	1	J	]	1	<u> </u>	1	!	1	<u> </u>	<u>                                      </u>	<u>)</u> ·
All causes	3,199	362	97	48	35	31	111	178	489	507	327	339	320	239	99	13	1	
Typhoid fever	11	2						2	4	1	1	1			-			
Smallpox	11	3 2	i	1		i	3	2	i						-		-	
Whooping cough	14 51	3 2	3 4 30	5 4	1 6 11	6	21	6	2	182	39	28	10	4	3	-		
Asiatic cholera	i		2		1			<u>i</u>				1			- i	-		
Tuberculosis of the lungs Tuberculous meningitis.	. 11	2	3		1	1	2 2	12 1 2	54	. 1	34	20		·i				
Cancer and other malignant tumors Meningitis	. 14	4					. 2			14	46	51	50 31	17	13	<sub>i</sub>		-
Organic diseases of the heart	203	4 7	1	1			3	7		22	19	40	41 1	35	16	3		
Pneumonia	. 431 . 107	17 40	10 11	$\begin{vmatrix} 2\\4 \end{vmatrix}$	6 1	3	9 2	22 4 2	132	7	51 2 1		26	24	6			
Diseases of the stomach Diarrhea and enteritis	13 82 68	51	1 18 1	5	2	2	1 5	17	16	1 11	3 1 8	3	1 1 2	2		-	-	
Hernia, intestinal obstruction	1 16	II		i		-	1 1	. 2	4	5	10	32	28	29			-	-
Diseases of the female genital organs Puerperal septicemia	. 31 11 20			-				2	3 12	6 5	11 2 1	1	4					
Senility   Violent deaths (suicide excepted)	120 34 167	119			4	i	8	27	17		18	15	12	14			i	
Suicide	388	39	2		-			17	23	6 44	53 53	66	68	1		3		
	Typhoid fever. Typhus fever. Malaria. Smallpox Measles. Scarlet fever. Whooping cough Diphtheria and croup. Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculosis of the lungs. Tuberculosis of the lungs. Tuberculosis of the lungs. Tuberculosis of the lungs. Tuberculosis of the lungs. Tuberculosis of the lungs. Cancer and other malignant tumors. Memingitis. Caronic bronchitis. Chronic bronchitis. Chronic bronchitis. Chronic bronchitis. Chronic bronchitis. Chronic bronchitis. Pneumonia. Bronchopneumonia. Other diseases of the respiratory system. Diseases of the stomach Diarrhea and enteritis. Appendicitis and typhitis. Hernis, intestinal obstruction. Cirrhesis of the liver. Acute nephritis and Bright's disease. Diseases of the female genital organs. Puerperal septicemis. Other puerperal affections. Congenital debility and malformations. Semility. Violent deaths (suicide excepted). Suicide. All other defined diseases. Unknown or ill-defined diseases.  Typhoid fever. Typhus fever. Malaria. Smallpox. Measles. Scarlet fever. Whooping cough. Diphtheria and croup. Influenza Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculous memingitis. Other forms of tuberculosis. Cancer and other malignant tumors. Meningitis. Cerebral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis. Proumonia. Bronchopneumonia. Other diseases of the respiratory system Diseases of the stomatic. Appendicitis and typhlitis. Hernia, intestinal obstruction. Cirrhosis of the liver. Acute nephritis and dispirt's disease. Diseases of the female genital organs. Preumonia. Bronchopneumonia. Other dense of the respiratory system Diseases of the female genital organs. Preumonia diseases of the respiratory system Diseases of the female genital organs. Preumonia diseases of the female genital organs. Preumonia diseases of the female genital organs. Preumonia deaths (suicide excepted). Suicide. All other defined diseases.	Typhoid fever	Typhoid fever	Typhoid fever	Typhoid fever.	Typhoid fever	Typhoid fever	Typhoid fewer	Typhoid fever	Typhoid fever	Typhiod fever	Typhoid fever	Typhoid fever	Typhoid fever	Typhoid fewer	Typhoid fever	Typing   T	Typhoid fever.

Int.		-		tentor e a					DEAT	THS AT	AGE C	)F—		<del> </del>		<del></del>			Deaths
Abridged Int. List No.	CAUSE OF DEATH.	All deaths	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	39	40 to 49 years.	59	60 to 69 years.	79	89	99	100 years and over.	at un- known age.
				J	ERS	EY (	CITY	, N.	J.										
	All causes	6,081	893	284	156	79	65	187	311	852	811	638	645	562	386	182	28		2
1 2 3	Typhoid fever Typhus fever	16		••••				1	4	5	4	1	1						
4	Malaria Smallpox Measles														 			 	
5 6 7	Scarlet fever	40 10 58	12 22	14 2 17	2 10	3 3 3	2 2 2	4		1									
8 9 10	Diphtheria and croup Influenza Asiatic cholera	61 642	3 i 57	10 42	15 38	10 11	. 5	13 44	52 52	149	129	1 49	28	16	10	2	i	 	
11 12	Cholera nostras Other epidemic diseases	14	7		 		1			····i	1	2	I	1					
13 14 15	Tuberculosis of the lungs Tuberculous meningitis Other forms of tuberculosis	399 22 31	$\begin{array}{c c} 1\\ 4\\ 2 \end{array}$	1 4	1 5 1	$\begin{array}{c c} 1\\ 1\\ 3 \end{array}$		3	46 4 4	103	103 2 6	80 1 5	42	14	6				
16 17 18	Cancer and other malignant tumors Meningitis	241 51 224	11	10	2	1 4	1	8	9 1	4 2 1	19 2 5	41 1 23	78 1 44	60 59	32  55	6 31	5		
19	Organic diseases of the heart	543 61	1 40	13		i	1	8	17	37	38	65 1	91	127 3	102	48 3	7		
20 21 22 23a	Chronic bronchitis	18 1,144 426	58 97	52 52	15 35	13 13	1 5 11	29 17	69 18	330 61	259 62	1 130 20	1 90 13	3 53 10	5 29 11	11 6	1		
23b 24 25(37)	Other diseases of the respiratory system. Diseases of the stomach Diarrhea and enteritis	36 23 306	3 2 216	1 48	10	7	1 3	7	3	1 2 8	5	4 6	6	, 4 , 2 4	3 3 2	1	<u>i</u>		
26 27	Appendicitis and typhlitis	46 34	3	1		í	1	5	16	1	2 5 2	1 7 6	1 1 6	1 8	1 5	1			
`26` 27 28 29 30	Cirrhosis of the liver	41 401 18	4			 	1	3	9	21 21 2	4 40 4	10 58 8	13 104 3	11 81 1	59	20	1		
31 32 33 34	Puerperal septicemia Other puerperal affections Congenital debility and malformations	13 60 250	248	1	·····i					6 29	6 27	1 4							
35	Senility   Violent deaths (suicide excepted)	19 333 25	15	<u>1</u>	7	3	9	29	37	45	46	49	31	1 24	9 15	4 9	5 2		2
36 (37) 38	Suicide. All other defined diseases. Unknown or ill-defined diseases.	467 8	85 1	5 1	5	ī	5	12	17	23 2	3 35 1	58 1	7 76 1	5 73 1	37	31	4		
		1	11	<u></u>	NE	WAF	ek, i	1. J.	1	<u> </u>	ł	!		<u></u>		1	1	1	1
	All causes	8,132	1,204	417	201	118	97	186	364	1,138	1,141	809	863	760	549	253	30	1	1
1 2	Typhoid fever Typhus fever Malaria	18				1		1	4	3	4	3	1			1			
3 4 5	Smallpox Measles		31	44	20	11	7	3	1	1									
6 7 8	Scarlet fever. Whooping cough. Diphtheria and croup	7 52	23	13	12	1 7	2 2 9	1 10	1		1								
9 10	Influenza Asiatic cholera	750	41	42	33	21	11	34	66	189	182	52	33	30	12	4			
11 12 13	Cholera nostras. Other epidemic diseases Tuberculosis of the lungs. Tuberculous meningitis	1 22	14 2	2	2	1	1	4	1 47	131	117	122	72	2 36	2 5	2	· · · · · i		
14 15 16	Tuberculous meningitis Other forms of tuberculosis Cancer and other malignant tumors	45	13 4	2 7 2 2	6 2	8	5 2	· 4 2	9	1 5	3 26	1 5	2 4 99	3 84	1 47				
17 18	Meningitis Cerebral hemorrhage and softening	53 325	12	17	4	2 1	3	1 7	2	. 4	4 5	59 2 35 96	66	90	83	13 35	5		
19 20 21	Organic diseases of the heart Acute bronchitis Chronic bronchitis	137	80 1	28	9	1 1	3	7 2 1	22 1	38	60	96 1 1	144 2 4	151 2 6	139 5 12	72 2 7	7		
22 23a 23b	Pneumonia Bronchopneumonia	1,564 429	62 94 7	66 96 7	40 24	18 19 2	12 14 1	26 12 2	102 14	493 61 6	392 38 9	156 13 5	106	59 18 7 3	25 11	8 3	1	·	
24 25(37)	Diseases of the stomach Diarrhea and enteritis	47 390	13 294	47	2 15	1 5	2	3	3 2 1	3 2	5 5 7	3 13	9 4 2	1 5	1 2 5	6			
26 27 28	Appendicitis and typhlitis  Hernia, intestinal obstruction  Cirrhosis of the liver	. 49	3	1		1	4	9	14 1 1 5	16 3	11 8	13 4 13	6 11 12	1 4 12	1 4 4	2	1		
29	Cirrhosis of the liver. Acute nephritis and Bright's disease Diseases of the female genital organs Puerperal septicemia.	29	4	1	1	1	2	5	5 1 1	19 5	45 11	62 8	124 4	115	93	35	3		
30 31 32 33 34 35 36	Other puerperal affections	62 354	349	3		2			1	11 29	12 30	2 2							
34 35 36	Senility	418	12	11	12	7	11	28	34 2	48 10	85 8	57 13	$\begin{array}{c} 1 \\ . \ 52 \\ 9 \end{array}$	30	18 4	9	1 3	1	i
(37) 38	All other defined diseases Unknown or ill-defined diseases	699	141 1	15 1	7	4	2	18	22	47	70	13 77	88	95 1	70	39	4		
	<u> </u>	<u></u>	<u> </u>	1	!	1		!	1	<u></u>	1	1	<u> </u>	1		!	1	<del></del>	<u></u>

Int.									DEAT	THS AT	AGE (	)F—							
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	ę years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	29	30 to 39 years.	40 to 49 years.	59	69	79	80 to 89 years.	99	100 years and over.	Deaths at un- known age.
	, '	·	;		PAT	ERS	on,	N. J.							<u>,                                    </u>		J		'
	All causes	2,686	325	90	38	29	20	55	150	371	375	251	304	301	254	106	17		
1 2 3	Typhoid fover	6						1	, 3	1			1						
4	Malaria Smalipox Measles	l	3	13	<u>-</u>	<sub>1</sub>	i						: <u>:</u> -				•••••		
5 6 7 8	· Scarlet fever	1 1	8		3 1			1											
9	Whooping cough Diphtheria and croup Influenza Asiatic cholera		1 5	15	6	10	, 4 4	6 14	2 47	151	137	45	22	14	5	i		::::::	
10 11 12 13 14	Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculous meningitis.	193	1 2	• • • • • • • • • • • • • • • • • • •	 				1 15	49	53	31	26	14	i	1			
14 15 16	Other forms of tuderculosis	4	$\begin{bmatrix} 2\\3\\1 \end{bmatrix}$	1 2	i	1		ĩ	2										
17 18 19	Cancer and other malignant tumors Meningitis. Cerebral hemorrhage and softening Organic diseases of the heart	135 12 118	3	1 1	3				1 1	$\frac{1}{2}$	10 1 3	22 9	39 14	31 37	22 38	6 1 16			
20	Organic diseases of the heart	217 13 8	6	i	1 1		1	1	7 1	13	18 1	30	37	40	55	11 3 2	3		
21 22 23a	Pneumonia. Bronchopneumonia.	334 105	23 38	12 12	7 3	5 3	1	7 4	28 6	76 10	65 7	32 4	34 4	2 25 6	3 12 4	6 2	1 1 1		
23b 24 25(37)	Other diseases of the respiratory system. Diseases of the stomach. Diarrhea and enteritis	16 14 106	1 4 75	1 14	1		$\frac{1}{2}$		i	3 1 1	2	4 2 1 1 2 3	1 2 3	1 3 1	2 1 3	$\frac{1}{2}$	1	•••••	
26 27	Appendicitis and typhlitis  Hernia, intestinal obstruction  Cirrhosis of the liver	19 25	3			·····	î		4	4 2	3 2	. 1	5 1 8	7	1 7	····i			
, 28 29 30	Acute nephritis and Bright's disease Diseases of the female genital organs	19 206 5	3			1		2	4	7	1 11	14 3	34 1	55 1	3 48	24	3	••••	
31 32 33 34	Puerperal septicemia	9 20 100	99	i						2 11	7 9			,					
34 35 36	Senility Violent deaths (suicide excepted) Suicide	ع ا	3	2	3	1	2	13	15	·15	18	21 2	21 7	1 17	2 10	3 7	2 3		
36 (37) 38	All other defined diseases	263	42 1	3 2	3		2	5	12	5 14	6 19	28 28	7 44	.39	1 32 2	18	2		
·	<u>.</u>		ll!	:	AI	BAN	Y, N	r. <b>Y.</b>	ł	<u> </u>	,	ļ:		l	<u> </u>	<u> </u>			<u></u>
	All causes		247	81	19	21	9	45	102	294	347	278	291	343	319	134	16	1	1
. 2	Typhoid fever Typhus fever Malaria	12				1		2	1	`4 	1	2	1						
4 5	Smallpox   Measics	3	1	i 1		1													
6 7 8	Scarlet fever Whooping cough Diphtheria and croup Influenza	1 16 8	7 3	5 1	3	1 2	····i	2									 		
9 10 11 12	ASIATIC Cholera	371	17	12	4	6	3	2 7	32	106	118	28	17	14	7				
13	Cholera nostras Other epidemic diseases Tuberculosis of the lungs	7 206	1 3	2					16	50	1 48	46	1 23	2 12	<u>5</u>	1 1	-,	1	
14 15 16	Tuberculous meningitisOther forms of tuberculosis	14 10 153	3	2 6 2 1	1,	1	1	1	2			1 29	2 33	1 49			2		
16 17 18 19	Meningitis Cerebral hemorrhage and softening	25 143	4	2	2	1	1	1	4	1 5 1 6	2 8 1 3 7	6	1 29 38	2 37	18 42	12	2 2 2		
20 21 22	Organic diseases of the heart	264 10 5	5	2 2				2	8	6		19 		67 1 2	83 2	30	2		
22 23 <i>a</i> 23 <i>b</i>	Pneumonia. Bronchopneumonia. Other diseases of the respiratory system.	275 99	14 30	15 15	5	2 2 1	2	9 1	16 3	59 6	64 16	35 5	1 22 3 2 2	19 5 1	12 6	6 2			
24 25(37)	Diseases of the stomach	16 45	3 27	15 1 1 7	3		·····	1		2 1	2 2	3 4 2		<u></u> -	1 1 2	i			
26	Appendicitis and typhlitis	25 25 19		····i				1 3 1	4	1 3 1	5 2 1	1 35 5 3 4 2 4 4 5 18	4 5 6	· 4 4	5 2	·····2			
27 28 29 30 31 32 33 34 35	Acute nephritis and Bright's disease Diseases of the female genital organs	199 12	2					. 4	1	7	20 2	18 8	33	48	48 1	17	3		
31 32 33	Puerperal septicemia Other puerperal affections Congenital debility and malformations	6 17 80	79	i						11	2 6							:	
34 35 36	Senility	3 104	····i	<u>1</u>		2	i	7	10	5 6	13	19	17	<u>ii</u>	11	2 5	1		
(37) 38	Suicide	19 344 1	48 1	3	i			4	4	16 	20 	34 	47	60	71	30	5		i
		<u> </u>	11		<u> </u>	1	1		<u> </u>	<u> </u>	1		•		1	1	]		

Table 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1918—Continued.

nt.			1						DEA	THS AT	AGE	or-		<del></del>					
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	g years.	4 years	5 to 9	10 to	20 to	30 to	40 to	50 to 59 years.	69	79	89	99	100 years and over.	Deaths at un- known age.
			,,		BU.	FFAI	LO, I	۱. Y.	1		•	1	!	<b>!</b>	<u>                                     </u>	1	,	L	
<u> </u>	All causes	10,112	1,690	486	189	119	98	259	474	1,370	1,295	948	1,066	1,016	737	308	54	` 1	2
1 2 3 4	Typhoid fever Typhus fever Malaria Smallpox								5	7	12	5	6	2	1				
5 6 7 8 9 10	Measlès. Searlet fever Whooping cough. Diphtheria and croup Influenza Asiatic cholera Cholera nostras.	17 57 114 1,273	10 1 23 8 83	19 1 18 28 92	7 1 7 18 38	3 5 4 15 22	1 2 1 14 24	2 4 2 25 57	1 1 3 105	1 385	I 284	1 1 92	56	1 21	12	2			
12 13 14 15 16 17 18 19 20 21 22 23 23 24 25 (37) 26 27 28 29 30 31 32 33 34 35 36 (37)	Other epidemic diseases. Tuberculosis of the lungs. Tuberculosis of the lungs. Tuberculous meningitis. Other forms of tuberculosis. Cancer and other malignant tumors Meningitis. Cerebral hemorrhage and softening. Organic diseases of the heart Acute bronchitis. Chronic bronchitis. Pneumonia Bronchopneumonia Other diseases of the respiratory system. Diseases of the stomach. Diarrhea and enteritis. Appondicits and typhlitis. Hernia, intestinal obstruction. Cirrhosis of the liver. Acute nephritis and Bright's disease. Diseases of the remale genital organs. Puerperal septicemia. Other puerperal affections. Congenital debility and malformations. Senility Violent deaths (suicide excepted) Suicide. All other defined diseases. Unknown or ill-defined diseases.	28 752 555 388 498 29 29 28 648 783 51 57 722 88 87 72 673 27 27 25 82 467 467	8 33 59 163 3 16 516 13 4 516 7	1 5 9 9 3 2 11 3 3 8 3 9 9 2 3 2 12 9 4 4 10 12	2 2 2 1 1 11 35 1 26 1 1 1 3 3 1 1 1 2 9	1 2 4 1 1 3 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 1 1 1 1 1 1 1 1 1 1 1 1 2 8 8	6 5 4 2 3 6 1  34 24 24 3 7 2 5	69 12 6 3 3 2 31 1 1 2 92 31 1 30 1 4 4 4	241 27 88 30 1 384 23 77 34 19 56 14 46	1 198 3 7 43 11 13 54 1 2 324 37 6 4 5 11 5 12 32 13 7 7 7 8 9 10 11 12 12 12 13 14 15 15 15 15 15 15 15 15 15 15 15 15 15	2 111 2 81 48 87 5 147 7 5 8 10 8 15 73 8 1 6	3 76 5 128 93 104 1 103 27 6 6 14 7 8 8 20 140 7 93 104 103 27 5 6 14 103 104 104 105 105 105 105 105 105 105 105 105 105	1139 125 183 3 6 6 68 26 7 2 11 15 170 1 1 15 170 1	2 8 72 1 111 188 5 6 6 37 7 21 3 6 6 3 123 1 1	2 3 37 86 4 4 16 13 55 1	1	1	1
		1		NEV	v yo	RK,	N. 7	7. (T	OTA)	L).			·			J			
,	All causes			4,287	1,888	1,289	894				<u> </u>		11,081		7,407	2,714	349	9	16
1 2 3 4 5 6 7 8 9 10	Typhoid fever Typhus fever Malaria Smallpox Measles Scarlet fever Whooping cough Diphtheria and croup Influenza Asiatic cholera Cholera nostras	195 18 1 844 189 665 1,213 8,258	201 3 307 88 389	389 38 202 276 396	1 114 29 67 199 240	60 32 35 164 154	25 24 18 110 119	12 37 47 31 291 323	8 12 3 56 646	62 4 6 1 1 14 2,567	33 1 3 1 7 2,014	22 5 1 1 2 716	11 1 6 357	3 2 1  207	99	27	3		1
12 13 14 15 16 17 18 19 20 21 223a 23b 24 25(37) 28 29 30 31 32 33 34 35 36 37 38 38 38 38 38 38 38 38 38 38 38 38 38	Other epidemic diseases. Tuberculosis of the lungs. Tuberculosis of the lungs. Other forms of tuberculosis. Cancer and other malignant tumors. Meningitis. Cerebral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis. Chronic bronchitis. Pneumonia. Bronchopneumonia. Other diseases of the respiratory system. Diseases of the stomach. Diarrhea and enteritis. Appendicitis and typhilitis. Hernia, intestinal obstruction. Cirrhosis of the liver. Acute nephritis and Bright's disease. Diseases of the temale genital organs. Puerperal septicemia. Other puerperal affections. Consenital deblity and malformations. Semility. Violent deaths (suicide excepted) Suicide All other defined diseases. Unknown or ill-defined diseases.	256 8, 951 777 3, 411 10, 073 686 284 16, 841 6, 141 6, 141 6, 141 675 3, 082 595 274 272 739 4, 046 275 4, 271 272 739 4, 94 271 272 739 4, 94 4, 94 9, 324	124 66 66 8 87 3 21 418 6 7,65 1,602 2,275 3 89 1 21 	7 39 163 11 5 46 11 11 98 963 55 56 47 47 5 16 1 10 1 1 28 128 23	3 27 90 111 3 20 3 16 32 3 346 360 17 1 10 17	3 23 57 16 7 20 1 13 8 226 189 21 21 2 12 12 12	3 13 13 53 66 55 15 15 17 6 3 146 102 9 9 1 119 9 1 119 556 1	24 87 24 87 24 9 9 43 11 122 111 439 228 24 2 22 25 10 1 28 	50 72 21 49 6 400 6	19 2, 224 43 60 81 81 48 24 45 857 6 6 4, 303 751 10 20 20 20 395 54 43 145 551 2 123 125 54 2	23 2, 150 37 56 332 30 95 712 9 10 3, 817 646 66 51 121 58 452 92 98 269 1 	20 41 935 25 339 1,172 9 23 1,815 272 81 86 27 84 61 632 183	19 800 1,587 13 47 1,280 242 69 66 26 70 122 186	23 461 1 26 1,288 6 955 2,420 15 58 954 243 55 30 28 123 137 1,516 11 11 19 440 54 1,259 2	5 113 2 3 653 2 2 838 2,071 25 73 206 45 25 32 9 86 51 1,226 4 249 366 901	2 13 142 214 814 814 814 166 6 90 26 9 91 1 1 1 2 2 17 421 5 77 106 3 3 372 1	30 106 3 5 16 14 3 3 3 4 1 44 44 1 106	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	4 1 1 3 3 1 2 2

Int.								<del></del>	DEA	THS ÁT	AGE (	OF			<u>~</u>				Deaths
Abridged List No	CAUSE OF DEATH.	All deaths.	Under 1 year.	1' year.	2 years.	3 years.	4 years.	5 to 9 years.	19 .	29 .	30 to 39 years.	49	59	69	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	at un- known age.
_'	•	<u> </u>	]	NEW	YOI	RK, I	N. Y.	(WE	HTE	).		<u>'</u>					,		· · ·
•	All causes	93,088	12, 035	4, 104	1,814	1,232	863	2, 471	4,512	12,340	12,195	10,275	10,756	10,155	7,298	2,676	340	8	14
. 1	Typhoid fever Typhus fever	189	1	3	1	2	1	12	43	59	31	22	11	3					
3 4 5	Malaria Sinallpox Measles	18 1 831	197	384	1 	60	24	1 ; 37	2 8	4 6	$\frac{1}{1}$	5 1 1	1	$\frac{2}{1}$					
6	Scarlet fever	187 628 1,184	3 293 85	38 189 272	29 63 198	31 30 160	24 18 106	46 30 281	12 3 54	1 1 14	3 1 6	2	6						
8 9 10	Diphthería and croup Influenza. Asiatic cholera.	7,986	372	387	234	151	117	316	626	2,486	1,936	686	346	201	97	27	3		1
11 12 13	Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs.	250 8.352	1 122 55	7 32	3 23	3 13	3 9	2 41	702	18 2,043	23 2,007	1 17 1,792	21 1,070	22 441	108	2 12			4
14 15 16	Tuberculous meningitisOther forms of tuberculosis	735 362	155 26	159 9 5	23 85 10 3 18	13 50 15 7	52 4 5	82 23 8 42	48 65 21	57 79	33 51 314	17	10 32	$\begin{array}{c} 1 \\ 26 \\ 1,272 \end{array}$	2 3 648	141	11	·····i	<u>i</u> 1
17 18	Cancer and other malignant tumors Meningitis Cerebral hemorrhage and softening	386	83 83 3	41 10	18 3 15	19	14	1	48	40 21 556	29 88 655	903 25 322 1,096	1,462 19 777	932 2,377	825 2,040	311 797	30	<u>î</u> -	<del>-</del>
19 20 21 22	Organic diseases of the heart	9,749 647 278	393 6	10 91 1	15 28 2	12 8	17 6 3	122 10	393 6 1	6	8	93	1,532 13 46	· 14 57	25 73	27 47	. 103 3 5		
22 23 <i>a</i> 23 <i>b</i>	Acute bronchitis. Chronic bronchitis. Pneumonia. Bronchopneumonia. Other diseases of the respiratory system.	16,015 5,872 586	731 1,508 42	742 898 52	336 340 17	217 181 21	139 99 9	431 222 24	1,172 230 26	4,050 720 59	3,581 628 65	1,706 263 77	1,229 236 67	933 241 52	569 203 45	162 89 26	16 14 3	i	
94	Diseases of the Stomach	2 968	2.185	6 456 5	70	35	18	2 22 55	4 7 85	27 17 107	49 29 117	84 27 81	65 26 70	35 30 27	24 32 9	9 11 1	3		
25(37) 26 27 28	Appendicitis and typhlitis Hernia, intestinal obstruction Cirrhosis of the liver.	629 597	87 87	15 1	10	11 2 2	8 4	10	13	18	58 58	61	121 184	122 135	82 51	22 17	4		
29 30 31	Acute nephritis and Bright's disease Diseases of the female genital organs Puerperal septicemia	6,092	21	10 1	16	11	9	28	83 3 7	217 40 138	415 81 95	852 75 19	1,288 32	1,478 11	1,204 4	414 5	44	1	
32 33	Other puerperal affections	713	3,820	27	12	, 6	1	14	28 10	381 4	262 1	42		17	71	76	34	3	
32 33 34 35 36	Sentity Violent deaths (suicide excepted) Suicide	4,374	84	119	103	120	. 118	410	445 20	479 118	587 159	604 179	511 128	431 53	246 36	106 3	10		1
(37) 38	All other defined diseases	8,955 41	1,671	122 22	7 <u>4</u> 7	62	53 1	198	334	518 2	812	1,107	1,453	1,232 2	893	370 1	55		
	•		N	EW :	YOR	K, N	. Y.	(COI	ORI	ed).						•			
	All causes	3,901	576	183	74	57	31	77	205	716	740	540	325	218	109	38	9	1	2
1 2	Typhoid fever	6							1	3	2					-			
3 4 5	Smallpox	13	4	5	3		1												
6 7 8	Scarlet fever. Whooping cough. Diphtheria and croup.	37 29	14	13 4	4 1	1 5 4	4	1 1 10	2		1								
9 10 11	InfluenzaAsiatic cholera	. 272	17	9	6	3	2	7	20	81	78	30	11	6	2				
12 13	Other epidemic diseases	. 6 - 599	2 11	7	4 5	10 7	4	13	70 70	181	143	92 3	38	1 20	5	1			
14 15 16	Tuberculous meningitis. Other forms of tuberculosis. Cancer and other malignant tumors	. 26 96	7	2	1	1	1 2	13 5 1 1	7		18	1	3 21	16	5	·, · i			
15 16 17 18 19 20 21 22 23	Meningitis Cerebral hemorrhage and softening Organic diseases of the heart	24 90	4	5 1 1	2		1	1	1 7	. 3	7	17 76	23 55	23 43	13 31	3 17	3		
20 21	Acute bronchitis Chronic bronchitis	. 39	25	7	. 4			1			$\begin{array}{c c} & 1 \\ 2 \end{array}$		i	1 1 21		. i	-		
22 23a 23b		269°	2	26 65 3	20	9 8	3	8	48 3 1	31	18	9	51 6 2 1	2	3	1		1	
24	Diseases of the stomach	114	90 90	18	3 1	· i	1 1		2	3	1 4		1	i	. 1				
27 28	Hernia, intestinal obstruction Cirrhosis of the liver	- 13	2	1					. 1	$\begin{bmatrix} 2\\1 \end{bmatrix}$	1	. 4			1				
2£ (37) 26 27 28 29 30 31 32 33 34 35	Acute nephritis and Bright's disease Diseases of the female genital organs Puerperal septicemia.	13			1				3	37	11 3	53 8 1			22		-		1
32 33	Other puerperal affections. Congenital debility and malformations.	- 26 - 151	147	i	i	ī			. 5	14	7	i	1	<u>-</u>		<sub>i</sub>	3		
36	Suicide	. 168 . 21	5	4			1	15	17 1	5	9		11	9	3				i
(37) 38	All other defined diseases	. 369	110	. 6	1	1	3	7	11	36	54	. 62	36	27	8	2	- 3		<b> </b>
	· · · · · · · · · · · · · · · · · · ·		···					-		-			•				-	* ***	

				10001		nead o							_						
Int.				_		<u>=</u>		,	DEAT	HS AT	AGE O	F							Deaths
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	19	20 to 29 years.	30 to 39 years.	49	50 to 59 years.	69	79	80 to 89 years.	90 to 99 years.	100 years and over.	at un- known age.
	,		NEW	YO	RK,	N. Y	. (В	RONZ	к во	ROU	GH).								
	All causes	10,607	1, 262	380	177	113	97	291	602	1,659	1,455	ι, 120	1, 220	1, 105	868	284	30		4
1 2 3	Typhoid fever Typhus fever	17	1	1				3	2	4 1	6								
4 5 6 7	Smallpox Measles Scarlet fever Whooping cough	62 13 70	17 30	28 2 20	9 1 9	2 3 4	2 2 3	3 5 4		1									
8 9 10 11	Diphtheria and croup Influenza Asiatic cholera Cholera nostras	945	7 23	32 30	22 16	17 16	13 10	34 42	87 	331 	234	84	39	20	11	2			
12 13 14 15	Other epidemic diseases. Tuberculosis of the lungs. Tuberculous meningitis. Other forms of tuberculosis.	1.022	22 5 22 1	3 22 1	4 11 2	$\begin{bmatrix} 1 \\ \cdots \\ 7 \\ 2 \end{bmatrix}$	1 2 5	1 2 11 1	106 12 7	291 5 7	219 3 7	213 1 4	3 111 4	53 2	11	2			
16 17 18 19	Cancer and other malignant tumors Meningitis Cerebral hemorrhage and softening Organic diseases of the heart	606 29 369	4 4 1 3	1 5 3	1 3	1 5	2 1	4	1 4 53	8 1 2 57	13 80	105 4 28 118	171 1 95 162	170 89 227	79 94 229	16 44 92	1 3 5		1
20 21 22 23 <i>a</i>	Acute bronchitis Chronic bronchitis Pneumonia Bronchopneumonia	30 27 2,016	19 2 69 144	72 75	33 27	18 16	16 11	48 23	160 25	$627 \\ 72$	1 462 53	2 195 18	2 153 14	6 93 25	5 7 51 28	6 16 11	2		ī
23b 24 25(37) 26	Other diseases of the respiratory system Diseases of the stomach Diarrhea and enteritis Appendicitis and typhlitis.	53 53 220	5 11 153	32 2	1 5	2	1 4 1	23 2 1 2 12	5 2 1 14	4 4 3 12	3 11 2 16	6 9 5 9	6 5 1 9	7 6 5 2	6 3 4	1			
27 28 29 30	Hernia, intestinal obstruction Cirrhosis of the liver Acute nephritis and Bright's disease Diseases of the female genital organs.	88 63 738	17	3	3	1 2	1	2	9	5 1 30 7	6 8 58	15 102 8	20 16 173 2	16 16 181 1	8 4 142	1 2 34	1 2		2
31 32 33 34	Puerperal septicemia. Other puerperal affections. Congenital debility and malformations.	39 74 473	458	4	3			3	1 3	24 36 2	10 34	5 3		1	12	11	5		
35 36 (37) 38	Senility Violent deaths (suicide excepted) Suicide	395 71 1,091	15 227	14 18 3	11	9 5	13	38 35	55 1 44	40 15 63	50 20 98 1	45 14 122	36 16 181	35 147	12 19 . 4 91	13	$\begin{bmatrix} 2\\1 \end{bmatrix}$		
		EW Y	ORK,	N. 3	Y. (B	ROO	KLY	N BO	ORO	ngh	1	TAL)				1			<u> </u>
	All causes		4,463	1,609	735	491	334	907	1, 732	4, 496	4, 288	3,585	3, 771	3,670	2,761	1,029	136	3	
$\frac{1}{2}$	Typhoidfever Typhusfever	78		1			1	5	18	23	12	12	5	1					
3 4	Malaria Smallpox	. 10		155				1	1	2	1	2		. 2			-		
5 6 7	Measles Scarlet fever Wheeping cough	346 61 173	79 2 73	155 13 59	50 10 16	22 8 9	14 8 4	19 16 10	3	1		1							
8 9 10	Whooping cough Diphtheria and croup Influenza Asiatic cholera	382 2,948	19 149	83 170	69	61 69	34 49	87 132	21 258	860 	651	231	131	91	33	7	1		
11 12 13 14 15	Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculous meningitis. Other forms of tuberculosis.	2,714	22 22 54 9	3 6 51 3	5 26	2 8 11 5	3 16 2	18 27 7	250 9 21	6 682 13 23	670 9 21	541 3 11	337 3 10	125 10	3 41 1	6			
16 17 18 19	Cancer and other malignant tumors  Meningitus Cerebral hemorrhage and softening Organic diseases of the heart	1,687 139 1,183	37 1	13 1 5	10	4 4	1 7 i0	15 15	9 20	23 23 14 6 230	106 7 22	319 6 106 477	10 493 4 246 638	441 1 343 967	228 1 325 854	117	13 41	1	
20 21 22 23 <i>a</i>	Acute bronchitis Chronic bronchitis Pneumonia Bronchopneumonia	289 . 99 . 6,065	166 2 272 640	43 1 279 422	14 1 127	7	3 2 57 40	165	464	1.537	4 4	623 92	14 475	7 16 351	5 27	14 21 56	1 2 4		
23b 24 25(37) 26	Other diseases of the respiratory system. Diseases of the stomach Diarrhea and enteritis. Appendicitis and typhlitis	228 111 1,147	10 15 845 3	14 1 186	12	6	9 5	. 12	9 1 2	288 29 10 6 43	23	24 31 6 29	84 29 26 8 20	10	10	10 3 3	1		
27 28 29 30	Hernia, intestinal obstruction Cirrhosis of the liver Acute nephritis and Bright's disease Diseases of the female genital organs.	210 212 2,076	25	1 3	1		5	2	3 1 34 1	4 2 78	23 23 128	14 49 305 26	40 71 439 18	45 42 479	32 17 411	10 5 146	19	1	
31 32 33 34	Puerperal septicemia. Other puerperal affections. Congenital debility and malformations. Semility.	90 262 1,426	1,404	10	3			4	3 14 3	48 149	33 85	6 14						i	
35 36 (37) 38	Violent deaths (suicide excepted) Suicide. All other defined diseases Unknown orill-defined diseases.	1,600 212 2,946	29 577	30 8	19	25	17		152 5 117	31	47		186 40 439	18	11 338	1	19		.

Int.	•			-10			·		·DEA	THS AT	AGE	or—							<u>-</u>
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	29	39	49	50 to 59 years.	69	79	80 to 89 years.	99	100 years and over.	Deaths at un- known age.
	N	EW Y	ork,	N. 7	(B)	ROO	KLY.	N BC	ROT	JGH,	wje	TTE)	•	,		-		1	J
	All causes	33,043	4,327	1,562	719	474	325	891	1,691	4,320 -	4,126	3,457	3,691	3,595	2,719	1,011	132	3	<u> </u>
. 1 2 3	Typhoid fever Typhus fever Malaria	75		1			1	5 1	17 1	22	11	12	5	1 2					
4 5 6	SmallpoxMeasles	339	77	152 13	48	22	14	19	4		<u>1</u>	2 1		1	1				
8	Scarlet fever	61 167 380	72 19	56 83	10 16 69	8 7 61	8 4 33	16 10 87	3	1 3	1 1 2	1	<u>-</u>					,	
· 10	Influenza. Asiatic cholera Cholera nostras.	2,872	144	167	113	68	47	129	252	836	637	223	127	90	31	7	1		
12 13 14	Other epidemic diseases	2,597 215	22 19 52 9	3 5 50	1 5 26	2 7 9	3 16	16 25	239 9	640	6 648 9	524 3	331 2	5 116	39 1	2 5			
15 16 17	Other forms of tuberculosis	215 119 1,665 137	9 2 36	3 12	10	4 4	1 1 7	25 7 1 15	19 9 20	13 22 23 14	20 101 7	310 6	9 492	10 436 1	227 1	55	4		
18 19	Cerebral hemorrhage and softening Organic diseases of the heart Acute bronchitis	1,161 3,960 276	1 157	4 41	1 5 13		10	1 46	1 173	6 223	21 268	104 454	241 621	335 951	320 838	117 321	13 40	1	
21 22 23a	Chronic bronchitis	98 5,852	2 266	267	1 125	*80	3 2 55 39	164	452	1,468	4 1,298	3 8 598 88	8 14 461 83	7 16 344	5 27 215	14 20 55 28	1 2 4		
$\frac{23b}{24}$	Bronchopneumonia. Other diseases of the respiratory system. Diseases of the stomach.	2,369 225 110	610 10 15	410 14 1	157 12	86 6	4	97 12 1 7	101 8 1	1,468 283 29 10	241 23 10	23 31	29 25	78 20 10	63 23 3	10 3	5 1	1	
25(37) 26 27	Diarrhea and enteritis. Appendicuts and typhlitis. Hernia, intestinal obstruction.	1,117 189 206	823 3 24	181 4	27 5	11 7	. 9 5 2	7 20 2	1 2 28 2 1	6 41 4	14 26 23	6 27 14 49	8 20 40 70	8 9 44	10 3 · 31	3 10	$\frac{2}{1}$		
26 27 28 29 30	Cirrhosis of the liver.  Acute nephritis and Bright's disease  Diseases of the female genital organs	98	6	1 3	9	4	5	8	34 1	2 74 16	26 23 23 120 30	49 294 23	70 421 18	42 467 4	17 404 2	5 143 4	1 19		
31 32 33	Puerperal septicemia. Other puerperal affections. Congenital debility and malformations.	90 259 1,389	1,367	10	3			4	3 14 3	48 147 1	33 84 1	6 14							
34 35 36	Senility Violent deaths (suicide excepted) Suicide	76 1,552 205	28	43	37	45	41	120	152 4	192 29	198 46	245 57	181 40	7 138 17	22 86 11	31 40 1	15 6	1	
(37) 38	All other defined diseases	2,873 15	561	30 7	. 19 . 3	25 2	15	70	115 	154	213 1	313	434	435 1	336	136 1	17		
	NE	w <sub>x</sub> oı	RK, N	. Y.	(BR	юк	LYN	BOR	ουσ	æ, c	COLC	REI	).			•	•	•	
	All causes	967	136	47	16	17	9	. 16	41	176	162	128	80	75	42	18	4		٠,
1 2 3	Typhoid fever	3							1	1	1								
4 5 6	Smallpox Measles Scarlet fever	7	2	3	2						•••••								
7 8	Whooping cough Diphtheria and croup	6 2	1	3.		2	1				1								
9 10 11	Influenza. Asiatic cholera Cholera nostras.	76	5	3	3	1	2	3	6	24	14	8	4	1	2			•••••	· · · · · · · · ·
12 13 14	Other epidemic diseases.  Tuberculosis of the lungs.  Tuberculous meningitis.	117 8	3 2	1		$\frac{1}{2}$		2 2	1 11	42	22	17	6	9	2	1			
15 16 17	Other forms of tuberculosis	8 22 2	1	1	1	1	1		2	1	1 5	9	î	5	1	i			
18 19 20	Cerebral hemorrhage and softening Organic diseases of the heart Acute bronchitis	110 13	9	1 2	1				2	7	1 18	2 23	5 17	8 16	5 16	9	i		
21 22 23a	Chronic bronchitis Pneumonia Bronchopneumonia	1 213 70	6 30	12 12	2	5 3	2	1 1 2	12	69	55	25	14	7	2	ī			
23b 24	Other diseases of the respiratory system.  Diseases of the stomach	3 1		[	4		1	2	1	5	5	1	1 1	1	2				
. 26	Diarrhea and enteritis. Appendicitis and typhlitis Hernia, intestinal obstruction.	30 7 4	22 1	5	1	1			1 1	2	1	2	•••••	1 1	·····i				
28 29 30	Cirrhosis of the liver	1 65 5			i	i				4	8 2	11 3	1 18	12	7	3			
31 32 33	Puerperal septicemia. Other puerperal affections. Congenital debility and malformations.	3 37	37							2	,1						:::::: :		
34 35	Senility Violent deaths (suicide excepted) Suicide	1 48 7	1	1	1			5	1	11 2	11 1	 8 2	5	- 3	2				
(37)	All other defined diseases. Unknown or ill-defined diseases	73 1	16	1			2		2	2 6	14	13	5	9	2	. 2 2	2		
<del>'</del>			·		1	!	1	<del>-</del> 1	1					- 1		I	- 1	1	

Int.				.:.		•			DEA	THS AT	AGE	OF							
Abridged List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	29	39	49	50 to 59 years.	69	70 to 79 years.	80 to 89 years.	99	100 years and over.	Deaths at un- known age.
	N	ew yo	PRK,	n. Y	. (M	ANH	ATTA	N B	oro	UGE	τ, το	TAL	ı) <b>.</b>			·	<del>(</del>		
	All causes	42, 859	5,720	1, 941	811	564	366	1,053	1,851	5,585	5,915	5,153	5,039	4, 593	3,032	1,075	148	5	8
1 2 3	Typhoid fever	87		1	1	2		3	23	31	12	9	3	2					.,
4 5	Malaria Smallpox Measles	375	88	182	46	31	9	12	1 4	2		1	<u>i</u>						
6 7 8	Scarlet fever	96 314 585	1 148 55	21 94 149	16 33 99	18 16 71	13 7 45	21 14 129	3 2 19	1 8	2 4	······ ····i	 5		 			 	
9 10 11	Influenza Asiatic cholera	3,437	159	143	82	52	46	81	209	1,118	918	320	161	79	52	15	1		1
12 13	Cholera nostras Other epidemic diseases Tuberculosis of the lungs	136 4,325	76 38	4 29	2 16	12	2 8	28	337	1,003	10 1,027	966	11 561	1 12 241	2 53	5			i
14 15 16	Tuberculous meningitis Other forms of tuberculosis. Cancer and other malignant tumors	394 191 2, 239	76 12 2	79 6 4	50 4 1 7	30 9 2	29 3 2	42 15 7	24 36 11	19 24 47	23 23 154	15 24 440	6 19 678	13 555	2 276	53	6	i	i
17 18 19	Meningitis Cerebral hemorrhage and softening Organic diseases of the heart	209 1,422 4,071	41 2 10	22 3	7 1 5	9 1 6	 5	22 49	21 5 141	29 16 244	22 52 292	13 165 498	357 652	4 410 1,012	304 796	96 302	13 53	i	<u>.</u>
20 21 22	Acute bronchitis	326 139	208	48	14 2	1	$\frac{2}{1}$	2	1	1 4	4 4	10°	28	7 34	13 32	12 19	2 2 7		
23 <i>a</i> 23 <i>b</i>	Pneumonia Bronchopneumonia Other diseases of the respiratory system.	6,946 2,718 278	373 688 24	360 390 33	153 135 3	99 75 11	56 41 1	168 88 8	445 92 12	1,670 351 25	1,568 316 33	818 144 49	515 129 29	397 123 23 16	245 96 13	71 46 13	4		
24 25(37) 26	Appendicitis and typhlitis	169 1,437 254	32 1,086	209 2	$\begin{array}{c} 1\\32\\1\end{array}$	17 3	5 2	8 15	31 31	11 8 38	24 13 64	33 12 40	28 11 38	16 13 14	14 14 6	6 6			
27 28 29	Hernia, intestinal obstruction Cirrhosis of the liver Acute nephritis and Bright's disease	279 260 2,787	39 1 9	6 5	2 <sub>6</sub> .	<sub>4</sub>	2	5 1 17	8 4 28	10 5 96	24 23 225	33 61 402	53 77 583	48 63 700	39 19 513	8 6 180	2 <sub>17</sub>		
30 31	Diseases of the female genital organs Puerperal septicemia Other puerperal affections	127 121 323							1 4 15	18 60 163	47 48 123	43 9 22	10	5	2	1			
32 33 34 35	Congenital debility and malformations	1,723 74	1,687	12	7	5	1	6	3	1		1	1	9	26	24	12	<u>2</u>	
36 (37)	Violent deaths (suicide excepted) Suicide	2,119 374 4,499	37 825	54 70	51 38	59 29	51 26	227 85	204 15 144	210 67 294	301 94 464	285 94 631	256 61 751	216 25 570	121 16 378	43 2 167	2 26		i
38	Unknown or ill-defined diseases	18		11	3		1			1	1	1			• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •			
	N	EW YO	RK,	N. Y	. (M.	ANH	ATTA	N B	ORO	UGE	t, W1	HITE	i) <b>.</b>	1	1	1	1		<del></del>
1	All causes	40,237	5,311	1,818	760	527	346	998	1,715 23	5, 112	5,389	4,774	4,824	4,469	2,980	1,060	143	4	
2 3	Typhus fever Malaria	4	····i						i	1		i		z					· · · · · · · · · · · · · · · · · · ·
4 5 6	Smallpox Measles Scarlet fever	369 94	86 1	180 21	45 16	31 17	8 13	12 20 13	4 3	2 1	2	1	1						
7 8 9	Whooping cough Diphtheria and croup Influenza	287 559 3,275	135 52 149	87 146 138	30 98 80	13 67 50	7 42 46	13 119 78	17 199	8 1,072	860	1 304	5 154	76	52	15	i		. 1
10 11 12	Asiatic cholera Cholera nostras Other epidemic diseases	2 131	74	4	2		2			8	10	1 6	11	1 11	2		ļ		
13 14	Tuberculosis of the lungs	3,885 363	31 71 12	23 77	19	3 25	1 4	17 39	285 22 32	879 18 22	917 19	894 13 23	534 5	230 1	50	5			1
15 16 17	Other forms of tuberculosis. Cancer and other malignant tumors. Meningitis	2,170 190	38	4 4 19	45 4 1 5	9 2 8	28 2 2 2 7	14 6 21	11 20 5	45 23	19 142 21	417 13	660 11	13 545 4	273	53	6	i	
18 19 20	Cerebral hemorrhage and softening Organic diseases of the heart Acute bronchitis	1,364 3,887 301	2 9 192	3 43	1 4 11	1 6 1	5 2	49 2	137 4	13 225 1	256 3	151 451 4	342 622 4	397 987 7	298 783 13	94 296 12	13 51 2	1	2
21 22 23a	Chronic bronchitis Pneumonia Bronchopneumonia	134 6,398	351 628	347 340	1 146 121	95 71	51 40	163 85	1 416 90	1,506 327	1,403 303	10 737 140	27 485 124	33 384 122	32 238 95	19 69 45	2 7		
$\frac{23b}{24}$	Other diseases of the respiratory system.  Diseases of the stomach	265 163	22 29	30 4	3	11	1	8	12	24 11	32 23 13	46 31	28 28 11	21 16	13 14	13 6	1		
25(37) 26 27	Diarrhea and enteritis Appendicitis and typhlitis Hernia, intestinal obstruction	246 271	1,024 38	198 2 5	31	17 3 2	1	15 5	30 8	37 8	61 23	12 39 33	38 52	13 14 48	14 6 37	68	2		
28 29 30	Cirrhosis of the liver   Acute nephritis and Bright's disease   Diseases of the female genital organs	252 2,640 110	9	5	6	4	2	17	26 1	92 15	23 198 38	58 363 38	76 544 10	61 678 5	19 502 2	177 1	17		
, 31 32 33	Other puerperal affections	302	1 600						10	55 152	45 118	8 22		<u>-</u>					
$\frac{34}{35}$	Congenital debility and malformations. Senility Violent deaths (suicide excepted)	2,016	1,583 34	11 	50	58	1 51	219	190	189	278	268	250	7 212	24 120	23 43	10 2	2	·····i
36 (37) 38	Suicide	363 4,232	736	64 11	36 2	27	25 1	78	15 138	266 1	87 430 1	92 587 1	61 721	25 556	16 375	167	25		i
				1	1	<u> </u>	<u> </u>				1	l	1	<u> </u>		1	1		

	· · · · · · · · · · · · · · · · · · ·	<u> </u>	Ī						D71.5		LOT C					<del>.</del>			
No.		All	· .						DEAT	BS AT	AGE C	).E—			,	·	i	1 400	Deaths at un-
Abridged Int. List No.	CAUSE OF DEATH.	deaths.	Under 1 year.	1 year.	2 years.	g years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	39	40 to 49 years.	50 to 59 years.	60 to 69 years.	79	80 to 89 years.	99	years and over.	known age.
<u>-</u>	NEW	YOR	K, N.	¥. (	MAN	HAT	TAN	во	ROU	GH,	COL	ORE	D).					•	· ·
	All causes	2,622	409	123	51	37	20	55	136	473	526	379	215	124	52	15	5	1	1
· 1	Typhoid fever	3								2	1								
3	Typhus fever																		
5 6	Magsiag	6 2	2	2	1	i	1	····i											
7 8	Scarlet fever. Whooping cough. Diphtheria and croup.	27 26	13 3	7 3	3 1	3	3	1 1 10 3	2										
.10	A siatic cholera	162	10	5	2	2		3	10	46	58	16	7	3					
11 12	Other epidemic diseases	5	2							1		1		1					
13 14	Tuberculous meningitis	440 31	7 5	6 2	5	9 5	1	11 3	52 2	124 1 2	110	72 2	27 1	11	3				
15 16 17	Cancer and other malignant tumors	17 69		2			1	1 1 1	4 i	2 6	12 1	23	18	10	3				
17 18	Meningitis Cerebral hemorrhage and softening	19 58	3	3 	$\frac{2}{1}$	1	. 1		4	3	5 36	14 47	15 30	13 25	6 13	2	2		-,
18 19 20	Organic diseases of the heart	184 25 5	16	5	3				٠ <u>.</u>		1 2		<u>i</u> -			ļ			
21 22	Chronic bronchitis	548 183	22 60	13 50	7	4 4	5	5 3	29 2	164 24	165 ·13	81 4	30 5	13	7	$\frac{2}{1}$		1	
23a 23b 24	Bronchopneumonia Other diseases of the respiratory system Diseases of the stomach	13	2 3	3					···	ī	1	3 2	1	2					
25(37) 26	Diarrhea and enteritis	75 8	62	11	1 1		1		1	1	3	i							
27	Hernia, intestinal obstruction	8	1	1				3		2	1	3	1	2	2				
28 29 30	Acute nephritis and Bright's disease Diseases of the female genital organs	147 17							2	3	27	39	39	22	11	3			
31 32	Puerperal septicemia Other puerperal affections, Congenital debility and malformations.	11 21							2 5	11	5								
33 34	Congenital debility and malformations. Senility Violent deaths (suicide excepted)	108	104	1	1	1						17	1 6	2 4	2	i	2		
35 36	Violent deaths (suicide excepted)	103 11	3 89	3	1	1 2	i	8	14	21 2 28	23 7 34	2 44	30	14	3		1		
(37) 38	Suicide	267 1			1			·											
		N	TEW 3	ORI	c, N.	Y. (	QUE	ENS	вог	ROUG	э <b>н</b> ).								
	All causes	7,011	882	273	135	90	71	236	402	933	928	713	779	754	576	218	19	1	1
1	Typhoid fever Typhus fever	8						. 1	1	2	1	1	2						
3	Malaria. Smallpox Measles	2			i							1							
4 5 6		49 18	14	21 2 22 12	7 2	3	i	1 5	5	. 3									
7 8	Whopping cough Diphtheria and croup Influenza	91 94	49 6	22 12	7 2 9 9	3 5 12	1 3 15	32	7	1									
9 10	Influenza Asiatic cholera	720.	37	36	20	9	10	58	73	199	169	64	24	14	3	3	1		
11 12	Cholera nostras	1 13 589	3					į		i	2	2	1 1	33			-		i
13 14	Tuberculosis of the lungs	48	11 8	8	3	3 5	2	1 4 6	50 5 5	153 5 5 3 4	152 2 5	106 1 1 52 2 33 64 2 2 141	78 3 1	1	5		-		
15 16	Other forms of tuberculosis Cancer and other malignant tumors	23 341	11	4	i	i		- 1	1	- 3	21	52	103	1 97	53	10			-
17 18	Meningitis Cerebral hemorrhage and softening	20 331 661	3		1 2 1	i				-1	.1 7	33 64	77 98	89 158	83 144	40 60	1 4		
19 20	Organic diseases of the heart	. 32	20	3	í		1		-	- 1	1	2 2	2	- 1	1 7	1 2	<b> </b>	-	
21 22 23a	Chronic bronchitis	1,269	37 107	42 63	25 33	17 9	1 7	40 18	111 15 1 1	318 33 2	305 24 7	141 14 1	93 13 3 5	78 14	12	12	3		
23b 24	Other diseases of the respiratory system.	33	4 3	1 1 37	1	3	2	1	. 1	2	7	1 13	3 5	3	1 1	1		-	
25(37) 26	Diarrhea and enteritis Appendicitis and typhlitis Hernia, intestinal obstruction	208	11 139	.	. 1		.) 1	6	1 10	12	12	13 3 6 8 10	4 3 7	1 3	4				
27 28	Hernia, intestinal obstruction Cirrhosis of the liver	53 53 55	5				. 2	.			. 3	10	16 110	15	. 9	2		-	-
29 30	Cirrhosis of the liver  Acute nephritis and Bright's disease  Diseases of the female genital organs	514 14	11 2	1		1		2			30 30 6	6	110	109			1	1	
31 32	Puerperal septicemia. Other puerperal affections. Congenital debility and malformations.	15 67	11						. 3	42	20					-			-
33 34	Congenital debility and malformations. Senility Violent deaths (suicide excepted)	309 19 305	306	.	-	- 7	-1	28			47	31	35	1 35	11 13	7			
35 36	Suicide	305 47 591	11							.  6	6	13	9	∣ 8	63				
(37) 38	All other defined diseases	3		. 8	5	5	ļ <u>.</u>					-				-		-	-
	156247—20——30	•		·		·			·										

-								DEAT	THS AT	AGE C	)F							D
CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	39	49	59	60 to 69 years.	70 to 79 years.	89	99	100 years and over.	Deaths at un- known age.
	NE	w yo	RK,	N. Y	. (RI	CHM	10NI	р во	ROU	GH).	,		·				<u> </u>	<u> </u>
All causes	2,502	284	84	30	31	26	61	130	383	349	244	272	251	230	108	16		;
Typhoid fever	5								2	2		1						
Malaria	1										1							
Measles	12 1	3	3	2			2	i										
Whooping cough.  Diphtheria and croup	19	1			3	3	9	3						· · · · · · ·	• • • • • •			
Asiatic cholera	]	21			8	4				42								
Other epidemic diseases	301	i					2	29	95	82	1 58	21	9	3				
Tuberculous meningitis	13	2	$\frac{3}{1}$		4	1	1	3	1		i	····i		1				
Cancer and other malignant tumors Meningitis.	112 13	3	2	1 2	····i		····i	····i·		1		1	1		7			
Organic diseases of the heart	222.	4		····i			2	3	9	, 13	7 15	37	56	48	17 30	3		<u>-</u>
Chronic bronchitis	. 3							40	151	120	1	1	1					
Bronchopneumonia	74	23	13	4		3			7	7	4	2 2	2	5	2	2		
Diseases of the stomach	11 70	1 52	10	2	i				2	2	1	2 2	····i	4		····i		
Hernia, intestinal obstruction	13 12	3	1				2	3	5	2	2	2	1	1	<u>i</u>			 
Acute nephritis and Bright's disease	210	2	1	1	1	····i	i	3	7	11	25	42	47	2 47	17	5		
Puerperal septicemia	. 7							i	5 5	1	·····i							
Congenital debility and malformations	115	112	1		í		1						1	3	7	····i		
Violent deaths (suicide excepted) Suicide	123 14	2	5	1	1	2	7	16	21 4	17 1	18 3	9	13 3	8	3			
Unknown or ill-defined diseases	197	27	2	l l		2	3	7	7	22	27	30	26 1	31		1		
		-		ROC	HES'	rer,	N. 7	Υ.	·		·					<del>'</del>	·	<del>'</del>
All causes	4,807	633	188	86	43	47	96	212	491	623	428	528	604	541	253	32	1	
Typhoid fever	5							1	3		1							
Malaria. Smallpox																		
Scarlet fever	. 9	1	1		2 2	<u>-</u>	3	1								:		
Diphtheria and croup	. 39	2	4	7	4	3	8	8	138	175	27		21	13				
Asiatic cholera		40							100									
Other epidemic diseases	10 272	3	1 3	2		1	1	25	63	75	1 42	33	17	<sub>ii</sub>	1 1			
Other forms of tuberculosis	. 22	1	1	3	1 2	1	6	3	3	3	4	1	2		16	-		
Meningitis	. 18	3	3	2	2		2	4	1		1					-		
Organic diseases of the heart	499	2 22	2	1 3		1 2	3	10	14	18	38	74	126	136	68	8		
Chronic bronchitis		1 20				6	11	49	1 153		1 62	40	37	7 23	8		i	
Bronchopneumonia	. 194	59 2	27	. 1	3	3	5 2	6	7	9	15 7	8 2	20	15 1	1	1 2		
Diarrhea and enteritis	. 194	132	22	6	i	3	2			3	3	8	6	8				
Hernia, intestinal obstruction	. 44	7	4	i			1		4	4	6	3	6	4 8	4			
Acute nephritis and Bright's disease  Diseases of the female genital organs.	. 308	4	2		1	1	2	2	11 3	22	32 2	61	72	63		6		
Puerperal septicemia.	. 11							1 3	6	4	2	.						
Other puerperal affections	. 31	11							1 -	1		1	1	1	1			1
Other puerperal affections. Congenital debility and malformations. Senility.	. 216	214	1															
Other puerperal affections Congenital debility and malformations	216 166 27	214 5	2	3	5	6	12	13	17 7 28	22	18 2 64	14 5 92	14 5 100	21 4 96	12			
	All causes.  Typhoid fever Typhus fever Malaria Smallpox Measles Scarlet fever Whooping cough Diphtheria and croup Influenza Asiatic cholera Cholera nostras. Other epidemic diseases Tuberculous meningitis Other forms of tuberculosis. Cancer and other malignant tumors Meningitis Cerebral hemorrhage and softening Organic diseases of the heart Acute bronchitis Pneumonia Bronchopneumonia Other diseases of the respiratory system Diseases of the stomach Diseases of the stomach Diseases of the stomach Disrahea and enteritis. Appendicitis and typhilitis Hernia, intestinal obstruction Cirrhosis of the liver Acute nephritis and Bright's disease Diseases of the female genital organs. Puerperal septicemia. Other puerperal affections. Concenital debility and malformations Semility Violent deaths (suicide excepted) Suicide. All other defined diseases Unknown or ill-defined diseases Unknown or ill-defined diseases Tuberculosis of the lungs Tuber closers Cholera nostras. Chole	All causes 2,502  Typhoid fever 5 Typhus fever 5 Typhus fever 1 Smallpox 6 Measles 12 Scarlet fever 1 Diphtheria and croup 19 Influenza 208 Asiatic cholera 208 Asiatic cholera 300 Cher epidemic diseases 2 Tuberculous meningitis 13 Other forms of tuberculosis 9 Cancer and other malignant tumors 112 Meningitis 13 Other of tuberculosis 9 Cancer and other malignant tumors 112 Meningitis 13 Other of tuberculosis 9 Cancer and other malignant tumors 112 Meningitis 13 Other of tuberculosis 9 Cancer and other malignant tumors 112 Meningitis 13 Other of tuberculosis 9 Cancer and other malignant tumors 12 Meningitis 13 Other of tuberculosis 9 Cancer and other malignant tumors 12 Meningitis 13 Cerebral hemorrhage and softening 106 Organic diseases of the heart 222 Acute bromchitis 9 Chronic bronchitis 9 Chronic bronchitis 7 Other diseases of the respiratory system 12 Diseases of the stomach 11 Disarrhea and entertitis 70 Appendicitis and typhilitis 13 Hernia, intestinal obstruction 12 Cirrhosis of the liver 17 Acute nephritis and Bright's disease 210 Diseases of the female genital organs 1 Puerperal septicemia 7 Congenital debility and malformations 12 Semility 12 Violent deaths (suicide excepted) 123 Suicide 14 All other defined diseases 10 Tuberculosis of the lungs 272 Typhoid fever 5 Typhus fever 9 Whooping cough 56 Diphtheria and croup 39 Influenza Asiatic cholera Cholera nostras 10 Cholera nostras 10 Cher forms of tuberculosis 22 Chere forms of tuberculosis 22 Chere roms of tuberculosis 22 Chere roms of tuberculosis 22 Tuberculous meningitis 26 Chere forms of tuberculosis 22 Tuberculous meningitis 26 Chere forms of tuberculosis 22 Tuberculous meningitis 26 Chere of the lungs 272 Tuberculous of the lungs 272 Tuberculous of the lungs 272 Tuberculous of the lungs 272 Tuberculous of the lungs 272 Tuberculous of the lungs 272 Tuberculous of the lungs 272 Tuberculous of the lungs 272 Tuberculous of the lungs 272 Tuberculous of the lungs 272 Tuberculous of the lungs 272 Tuberculous of the lungs 272 Tuberculous of the lungs 2	NEW YO   NEW YO   NEW YO	CAUSE OF DEATH.	NEW YORK, N. Years.   View YORK, N. Years.   View YORK, N. Years.   View YORK, N. Years.   View YORK, N. Years.   View YORK, N. Years.   View YORK, N. Years.   View York, N. Years.	NEW YORK, N. Y. (RU   Var.		NEW YORK, N. Y. (RICHMONI   1   2   3   4   5 to 9   1   1   1   1   1   1   1   1   1	CAUSE OF DEATH.	CAUSE OF DEATH.	CAUSE OF DEATH.	CAUSE OF DEATH.	CAUSE OF DEATH.	CAUSE OF DEATE.	CAURE OF DEATH	CAUSE OF DEATH.	CAUSE OF DEATH.   Adolfs.   Under 1   2   3   4   5100   10 to 5	Authorities

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1918—Continued.

int.									DEA!	THS AT	AGE (	or—			٠,				<u> </u>
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	39	40 to 49 years.	50 to 59 years.	69	79	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
					SYR	ACU	se,	n. Y	•			ſ	·	<u> </u>	<u> </u>	<u> </u>	<u> </u>	over.	
	All causes.	· 3,278	518	144	55	32	22	64	121	388	389	295	341	395	345	151	18	l	
1 2	Typhoid fever	12		<del></del>	1				4	2	2	2	1						
3 4	Typhus fever	1	1						•••••										
5 6 7	Measles Scarlet fever	54 4 27	14	25	6	6	1	$\frac{2}{1}$	<u>2</u>	····i									
8	Whooping cough Diphtheria and croup Influenza	24 367	16 2 26	5 6 25	2 6 15	3 3 5	1 7	2 14	$\begin{array}{c} 1 \\ 22 \end{array}$	2 91	105	29	1 15	4		2			
10 11 12	Asiatic cholera						ļ												
13 14 15	Other epidemic diseases. Tuberculosis of the lungs. Tuberculous meningitis.	10 153 16	2 1 1	 2	3			2	1 19 4	49 4	35	2 27	14	7	····i	•••••	1	•••••	
16	Cancer and other malignant tumors	16 167		. 2			1	2 2	1 3	4 2	2 9	22	$\begin{array}{c}2\\42\end{array}$	1 43	1 33	12	i		
17 18 19	Meningitis Cerebral hemorrhage and softening Organic diseases of the heart	14 161 376	1 1 2		1		1	1 5	$\frac{2}{7}$	1 2 16	<u>2</u> 9	1 17 29	30 52	43 97	. 50 106	1 14 47	1 5		
20 21	Acute bronchitis	15 8	8	1 1		1 3	•••••			1		···· <sub>1</sub> ·		1	2 2	1 2	1		
22 23a 23b	Pneumonia Bronchopneumonia Other diseases of the respiratory system	465 168 14	60 60	12 21	5 8	3 5 1	2 3 2	7 2	19 4 1	129 17	117 14 2	56 8 3 7	37 3	36 6 2	13 10	8 5	2		
24 25(37).	Other diseases of the respiratory system. Diseases of the stomach. Diarrhea and enteritis	21 179	6 128	29	2	2	<u>²</u> .	1 2 2		, 1 1	$\frac{1}{2}$	7 2	33125	1 3	3 2	3			
26 27 28	Appendicitis and typhlitis.  Hernia, intestinal obstruction.  Circhesis of the liver	28 30 17	6	····i	1	 	1	2 1	3 1	6 1	3	4	. 3	2 7	2 4	2			
29 30	Cirrhosis of the liver	171 . 8		i		1		1	1	4	14 1	6 13 4	3 40 2	3 48	27 1	2 19	2		
· 31	Other puerperal affections	14 21				,				4 13	10 7	<u>i</u>							
· 31 32 33 34 35 36	Congenital debility and malformations. Senility. Violent deaths (suicide excepted)	150 10 151	149	3	2	<u>2</u>	<u>-</u>	 <sub>11</sub>	18	16	1 14	26	1 17	14	4 19	3 3			
36 (37) 38	All other defined diseases	20 382	69	<u>6</u> -	<u>i</u> -			8	7	2 16	7 28	3 32	2 63	$\frac{2}{72}$	3 52	27			
36	Unknown or ill-defined diseases	4		2						1				1					·····
			C	INC	INNA	ATI,	OHI	O (T	OTA)	<b>L).</b>			1	. 1		1	. 1		
-	All causes	8,591	823	211	112	71	48	148		1,112	1,241			1,070	908	411	. 60	2	2
1 2 3	Typhoid fever Typhus fever Malaria Smallpox	6	1			i			5 1	6	2	3	2	1					 
4 5 6	Measies	701	5	<u>-</u> -	2	2	2	2	<u>-</u> -			1							• • • • • • • • • • • • • • • • • • •
. 8	Whooping cough.  Diphtheria and croup	63 44	24 1	20 4	10	3 9	2 1 1 5	5 14	<u>1</u> 3		1							•••••	· · · · · · · ·
9 10 11	Scarlet fever. Whooping cough Diphtheria and croup Influenza. Asiatic cholera.	1,233	41	36	18	15 	 7	27	86	354	379	138	45	36	40	10	1		
12 13	Other epidemic diseases	19	3 2	10	1 5	<u>2</u>	ii	12	 72	222	1 221	4 159	98	4 45	3 14	1			
14 15 16	Tuberculous meningitis. Other forms of tuberculosis.	863 53 46	2 8 2	8	5 5	2 4 2	4	10 2 1	72 5 11	222 3 8	221 3 4	159 3 5	5	4	i	1			
17 18	Cancer and other malignant tumors Meningitis	533 35 458	4 1	2 1	1 2	1	4	6	6 6 2	12 2 4	26 2 16	86 3 40 89	134 4 80	136	108	21 54			· · · · · · · · · · · · · · · · · · ·
19 20 21 22	Organic diseases of the heart Acute bronchitis Chronic bronchitis	831 47	1 23	6		2	····i	4	19	28	63	1 [	89 137 1	129 192 3 7	190 !	93 5 5	13		• • • • • • • • • • • • • • • • • • •
23a	Pneumonia	30 927 236	1 31 79	29 34	14 15	1 6 2	7 • 4	16 10	54 2	230	215 16	112	4 73 9	71	3 11 44 26	23 11			í
23b 24	Bronchopneumonia. Other diseases of the respiratory system. Diseases of the stomach.	927 236 52 54	$\begin{bmatrix} 2\\7 \end{bmatrix}$	<u>2</u> .	1	1		1	3 3	230 8 7 5	16 5 10	112 8 4 9	.8	11 7 4	6 6	23 11 4 1 4	~		• • • • • • • • • • • • • • • • • • •
25(37) 26 27	Diarrhea and enteritis	214 62 77	134	39	10 1	4	1	4 7 2	12	1 9	4 5 7	9	2 10 17	3 8 14	5 10	4 1 6	1	1	
28 29 30	Cirrhosis of the liver	78   672	<u>.</u>			<u>î</u>		2	2 1 3	3 4 22 3	38	9 15 84	16 143	27 164	9 142	62			
30 31 32	Diseases of the female genital organs Puerperal septicemia Other puerperal affections	- 31 41 50						•••••	. 2	3 16 22	38 8 19 22	11 4 4	3	4	1	1			
31 32 33 34 35 36	Congenital debility and malformations.	298 14	291			1	2	i	2		1	*		1		9			
35 36 (37)	Violent deaths (suicide excepted) Suicide	416 71 991	7 	<sub>7</sub>	12	<u>3</u>	3	<u>19</u>	34 2 26	66 11 65	63 18 90	55 10	43 19	41 7	31 3 134	20	5		
38	Unknown or ill-defined diseases	5	3	'	. 6 1		4 1			0	90	115	151	151	154	74	17	1	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE 1N 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1918—Continued.

				1 890]	tote at	пева	or this	table,	p. 432.	! =:									
nt.									DEAT	THS AT	AGE C	F—							
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	29	30 to 89 years.	49	59	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	100 years and over.	Deaths at un- known age.
		·	c	INC	INNA	TI,	оні	) (W	HIT	E).									
	All causes	7,582	700	174	91	61	42	123	311	948	1,051	820	914	1,0,16	878	398	53	1	1
1	Typhoid fever Typhus fever	16	1						2	6	2	3	2						
2 3	Malaria	4				····i			···i				i	i					
4 · 5	Smallpox Measles	15	4	3	2	····i	2	2	1										
6 7	Scarlet fever. Whooping cough.	3 49 42	20	i8	6	3 9	1	2	1		ļ <u>.</u> .								
8 9	Whooping cough Diphtheria and croup Influenza	1,163	1 34	3 32	7 17	14	5 7	14 21	81	341	362	127	43	34	39	10	i		
10 11	Asiatic cholera Cholera nostras	17																	
12 13	Other epidemic diseases. Tuberculosis of the lungs. Tuberculous meningitis.	689	3 1 7	5	4 3	1 4	3	9 7	49	174	173	132	86	3 42	13				
14 15	Other forms of tuberculosis	37	1	8		<u>*</u>		2	10	6	3 22	4 80	5 128	3 132	105	1 21			
16 17 18	Cancer and other malignant tumors Meningitis	505 33 427	3	2 1	1 2	ļ	4	6	6 6 2	3 6 7 2 4	1 12	3	1 4	126	118	53	3		
19 20	Organic diseases of the heart	746	1 1	l		2		2	17	26	47	134 70	¥ 117	179	186	90	9 2		
20 21 22	Acute bronchitis. Chronic bronchitis. Pneumonia	36 30 772	16 1 20	5 24	19	1	1 <sub>7</sub> -	12	47	192	180	1	4 64	7 68	3 11 40	, 5 5 23	1		
23a 23b	Bronchopneumonia Other diseases of the respiratory system.	192 43	60 2	24	13	4 2 1	3	9	2 3		12	79 7	8 7	11 7	25	11 4	1 2		
24 25(37)	Diseases of the stomach  Diarrhea and enteritis	49 185	7 119	32	8	3	····i	4	3	4 5 4 1 8	3 8 2 5 7	2 8 1 8	7 2	4	5 5	1 4			
25(37) 26 27	Appendicitis and typhlitis.  Hernia, intestinal obstruction	59 74	5		î			7 2	ii	8 3	5	8 8	10 17	4 2 8 14	10	1 6	ļ		
28 29	Cirrhosis of the liver	72 593	3			1		2	1 1 3	3 16	1 29	14 61	15 126	26 154	8 134	4 56			
30 31	Diseases of the female genital organs	26 39				1		2			5 18	10	3	4	154	1	9		
32 33	Puerperal septicemia. Other puerperal affections.	45	000				2	1	2 2 2	18	$\frac{10}{22}$	3							
34 35	Congenital debility and malformations Senility	273 13 346	266	8	ii	1	3	17	27	49	42	47	38	1 37	30	9 20	1 5		
36 (37)	Violent deaths (suicide excepted) Suicide All other defined diseases	69 874	117	6	.		2	2	23	10	17 73	10 98	19	7 144	130	71	17		
38	Unknown or ill-defined diseases	5	3		1		ĩ								-		-  <del></del> -		
			CI	NCI	NNA.	rı, o	ню	(co	LOR	ED).						4			
	All causes	1,009	123	37	21	10	6	25	55	164	190	162	110	54	. 30	13	7	1	
1 2	Typhoid fever Typhus fever	3							. 3										
3	Malaria Smallpox	. 2								. 1		····i	. 1						
5 6	Measles Scarlet fever	3	1	1		. 1											-		
7 8	Whooping cough. Diphtheria and croup.	14	4	. 2	4		1	3		-									
9 10	Asiatic cholera	70	7	4	1	1		6	5	· 13	17	11	2	2	1				
11 12	Cholera nostras	2								-			i	· · · · i	-		1		
13 14	Tuberculosis of the lungs Tuberculous meningitis	. 12		5	$\begin{array}{c c} & 1 \\ 2 \end{array}$		. 1	3 3	2		. 2	27 1					-	-	
15 16	Other forms of tuberculosis Cancer and other malignant tumors	. 28	1			2			- 1	- 5	4	6		1 4		-		-	
17 18	Meningitis   Cerebral hemorrhage and softening	. 31	1						: ::::;		. 1	6							
19 20	Organic diseases of the heart Acute bronchitis	. 11	7	i	-		: ::::::	$\begin{bmatrix} 2\\1 \end{bmatrix}$		2	16	. 19	. 20			3	- 4		
21 22	Chronic bronchitis	155	11	5		2		4						3	4				
23a 23b	Bronchopneumonia Other diseases of the respiratory system	. 9			. 2		11	1		- 4	2	2	1			.	: i		
24 25(37) 26	Diseases of the stomach	. 29	15	7	2	i		-  -	:::: <u>:</u>	- 1	. 2			. i	· ¹		: :::::	-  <u>-</u> i	
27	Appendicitis and typhlitis Hernia, intestinal obstruction	.  3							1			1 1			: :::::			::::::	:
28 29 30	Cirrhosis of the liver	.1 79			-				1	- 6	9		17		8	6		.	
30 31 32	Diseases of the female genital organs Puerperal septicemia	.  2			: :::::				: :::::	- 1	. 1			:	: :::::	:::::		: :::::	-
33	Other puerperal affections	. 25	25			-		-		- 4		. 1		: :::::	: :::::	: ::::		: :::::	
34 35	Violent deaths (suicide excepted)	. 70	) 2		: i	2		2	7				5	4	- i	1	1		-
36 (37) 38	Suicide All other defined diseases	. 117	28	i	2	-	2	1	. 3	16			17	7	4	3	-	-	-
38	Unknown or Hi-denned diseases				·	1		1	1	1			<u> </u>	<u> </u>	1	<u> </u>	<u>- </u> -	<u> </u>	·
38	Unknown or ill-defined diseases		<u> </u>	· ····	· ····	·	-	1	<u> </u>	<u> </u>	-	· ····	<u> </u>	·····	1	<u> </u>	<u> </u>	<u> </u>	-

			11 .						p. 432.										
d In	' .	All			<u> </u>	<del></del>	1		DEAT	THS AT	AGE (	O.F.—`				· · ·	i		Deaths at un-
Abridged Int. List No.	CAUSE OF DEATH.	deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	29	30 to 39 years.	49	59	60 to 69 years.	79	80 to 89 years.	90 to 99 years.	years and over.	known age.
				(	CLEV	ÉLA	ND,	оні	0.					,					
	All causes	13,043	2,026	479	245	134	102	360	531	1,988	2,125	1,458	1,232	1,108	854	344	53	2	2
1 2	Typhoid fever	41						2	8	13	11	5	2						••••••
3 4 5	Typhus fever Malaria Smallpox Measles	2								2,									
6			4 2 22	8 2	2 1 5 21	1 1 2	1	2 2	1	i		1							
7 8 9	Whooping cough Diphtheria and croup	54 107 1,926	22 4 87	21 17 81	21 48	14 38	1 2 12 24	28 86	4 110	2 581	3 560	1 174	1 78	37	12	7	1		••••••
10 11	Seariet lever. Whooping cough Diphtheria and croup Influenza. Asiatic cholera. Cholera nostrias. Other epidemic liseases. Tuberculosis of the lungs. Tuberculosus meningitis	1,820							1.10										
12 13	Other epidemic liseases Tuberculosis of the lungs	1,0 <u>50</u>	9	11	10	<u>2</u>	1 2 3	1 11	89	312	268	192	97	2 35	1 10	2			,
14 15 16	Tuberculous meningitis Other forms of tuberculosis. Cancer and other malignant tumors	76	21 7 1	3	1	1 2	3	5 3	5 9 6	5 21 12	13 40	11 120	5 163	135	92	28	1	 	
17	Meningitis Cerebral hemorrhage and softening	61	18	5	4	2	4	11	5	3	15 71	3	97	106	124	41	6		
18 19 20 21	Organic diseases of the heart	872	2 31	17	<u>5</u>	3	3 1	10 2	32	56 		47 100 3 5	141	213	177	56 4 11	9		
21 22 23α	Pnenmonia	1 2.046	120 182	68 . 69	. 56 27	$\begin{array}{c} 17 \\ 12 \end{array}$	13	48 18	90 12	545 37 6	530 530	244	139 24 10	13 97 21 9	12 61 21 6	16	2 2 2		••••••
23b 24	Bronchopneumonia Other diseases of the respiratory system Diseases of the stomach Diarrhea and enteritis.	68 85	8 21	4	2	ĩ	8 2	1	5	6 9	530 39 1 9	244 34 9	10	9 12	6	4. 5 3	3		
25(37) 26	Appendicitis and typnutis	93	502	95 1	16 2	5 3	2 1	2 10	12	5		3 17 10	8 6 10	12 7	3	1			 
27 28	Hernia, intestinal obstruction Cirrhosis of the liver	80 92	12	<sub>5</sub>	-:·	3	$\frac{1}{2}$	8	3	15 4 3 28 2	18 8 9 49	10 22 78 24	13 25 111	10 22 171	10 9 116	4 2 48	6		••••••
29 30 31	Acute nephritis and Bright's disease Diseases of the female genital organs Puerperal septicemia	639 50 57	4						10 2 3	25 25	15 25	24	5	ı'i	110	1			 
32	Other puerperal affections	103 602	582	5	3		1	6	5	25 56 2	40	4 2							 
33 34 35	Violent deaths (suicide excepted)	855	21	17	19	16	9	69	67 2	122 16	180 19	126 23	88 9	56 7	11 38 1	19 22 3	6 5 1	1	
36 (37) 38	Suicide	1,296 198	251 102	17 9	10 2	6 1	6 1	31 4	42 6	93 4	.161 19	171 14	179 12	140 7	120 10	61 6	8	1	
	• .		c	ото	мвт	ıs, c	ж	(ТО	TAL	).			•						
•	All causes	4, 164	449	83	48	38	21	80	202	476	590	496	482	542	435	194	27		1
1 2	Typhoid fever Typhus fever	20						2	5	3	5	2	2	1					· · · · · · · · · · · · · · · · · · ·
1 2 3 4 5	Smallpox	1 7	2	3	····i			1					1						 
6 7		9	17	12	1	4	$\frac{1}{2}$	1 3											
8 9	Scarlet lever. Whooping cough. Diphtheria and croup. Induenza	422	14	20	12	4	3	2 14	31	1 108	134	<b>35</b>	23	2 15	9				
10 11 12	Asiatic cholera Cholera nostras. Other epidemic diseases.	11								1		2	1		3	3			· · · · · · · · · · · · · · · · · · ·
13 14	Tuberculous meningitis	315 21	1 2 5	1	1 2	2	1	3 2	28 4 7 2	88 1 15	77 1 7	2 58 2 7 43	31 1 5 66	16 1	3 7	1			:::::::
15 16	Other forms of tuberculosis Cancer and other malignant tumors	62 231	12	1			1	3	7 2 3	15 4	9	43	66	1 3 62	38	7			
17 18	Meningitis Cerebral hemorrhage and softening Organic diseases of the heart	12 305 365	2			1	1	2	7	4 3 1 11 2 88 10	9 1 12 27	24 59	69 73	1 88 79	81 76	27 26	3.		· · · · · · · · · · · · · · · · · · ·
19 20 21	Acute bronchitis	9 11	2 1			1				1.2	1	2		1	81 76 2 3 12 14 2	1	. 1		
22 23α	Bronchopneumonia	391 150	20 43	5 19	6 5	5 7	1 3	8 7	27	88 10	111	43	25 5	34 11	12 14	5 9	1		1
23b	Other diseases of the respiratory system. Diseases of the stomach Diarrhea and enteritis	24 33 92	1 3 56	11	1 5	1		1 1	1 1	2 1	7 1 2 3 8 5 3 12	5 2	25 5 3 2 2 6 5 11 37	1 34 11 6 8 3 9	3 2	3 4 3			
25(37) 26 27	Appendicitis and typhlitis Hernia, intestinal obstruction	51 39	3			Î I	1	2 2	7 1	13	8 5	8 5	6 5	3	3	5			
28 29	Cirrhosis of the liver	34 150	2		,î	,			5	7	3 12	43 7 5 2 8 5 25 12	11 37	9 28 1	24 24	6	3		
30 31 32 33 34 35	Diseases of the female genital organs  Puerperal septicemia	43 18 40							1 3	9 8 20	14 9 15	2	7	1					· · · · · · · · · · · · · · · · · · ·
32 33	Other puerperal affections	201 90	198	1	1			1						5	33	40			
	Violent deaths (suicide excepted) Suicide	268 30	8	2	4	5	4	19	33	32 7	46 4 75	40 7	18	28 6	14 3	12			· · · · · · · · · · · · · · · · · · ·
(37) 38	All other defined diseases	665 5	54	3	7	1	3	6	31	40	75	94	86	121	97	40			
			<u> </u>									!	1		!	1			

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1918—Continued.

4:																			
To.									DEAT	THS AT	AGE (	)F			,		<u> </u>		Deaths
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	29	39	40 to 49 years.	59	60 to 69 years.	79	80 to 89 years.	90 to 99 years.	years and over.	at un- known age.
	<u> </u>		''	COL	TMB	ms. 4	THIC	(100/)	HITE	<u>.                                    </u>	1	1	<u>'                                     </u>	!	<u>'</u>	'	!	1	<u> </u>
<del></del> ,	7		· · · · · · · · · · · · · · · · · · ·							· · · ·	(		,		·			1	1
l	All causes	3,659	392	64	37	31	17	62	166	403	497	413	439	511	414	189	24		
1 2	Typhoid fever Typhus fever	17						2	5	3	3	1	2	1			<b></b> -		
3 4	Malaria Smallpox		 													 			
5 6	Measles	2	1	2	1		i	1									<i></i> -		
7 8 9	Whooping cough	7	12	11	1 12		<u>1</u>	2	2	i.	105			2	<del>-</del> -				
10 11	Asiatic cholera. Cholera nostras.		14	17 	12	4			29	101	125	33		15	8				
12 13	Other epidemic diseases	9	2			i i		1	15	67	61	53	1 27	16	3 6	3			
14 15	Tuberculous meningitisOther forms of tuberculosis	18	5 11	1	2	<u>.</u> .	1 1	2 3	1 6	1 12	1 7	53 2 5	1 5	1 3	i				
16 17 18	Cancer and other malignant tumors Meningitis	12	<u>.</u>		 	<sub>i</sub> .	i		3	3 3	7	39	66	61	37	7			
18 19 20	Cerebral hemorrhage and softening Organic diseases of the heart	275 302	3			i		····i	5	9	18	17 39	62 58	82 71	75 71 2	26 25	3		
20 21 22	Acute bronchitis Chronic bronchitis Pneumonia	8	1 1 14	4	4			7	21	1 	95	31	10	1 1	3 11	1 <sub>5</sub>	1		
$\frac{22}{23a}$ $\frac{23}{23b}$	Bronchopneumonia. Other diseases of the respiratory system.	120	31	10	3	3 7	2	5	1 1	10	6	6 6	19 5 3 2 2 5	28 11 6	14 2	9			
24 25(37)	Diseases of the stomach Diarrhea and enteritis.	30 78	1 2 1 49	8	1 4	i			1	2	1 2 3	4	2 2	8 3 3 9	4	3			
26 27	Appendicitis and typhlitis	34	2			1	1	2 1	6	12	3 7 4	8 3	5	9	3 2 3				
26 27 28 29 30	Cirrhosis of the liver. Acute nephritis and Bright's disease	32 141	····· <u>·</u>						5	6	10	5 23	11 36	8 27	3 23	6	3	:	
31	Diseases of the female genital organs Puerperal septicemia	17							1	7	12	10	7	1					
32 33 34	Other puerperal affections	188	185	····i	····i			····i	3	20	15	2		4	31	39	10		
35 36	Senility   Violent deaths (suicide excepted)   Suicide	215	8	1	3	3	3	15	29	22	31	27	17	27	14	12	3		
		1 29	1					l .			1 4	1 7	. 3	1 6	1 3	1			1
(37) 38	All other defined diseases	29 612 4	46	4 3	5	4	3	5	28	6 36	63 63	7 88	80 80	115	3 95	38	2		
(37)	All other defined diseases	612		]		1				36						38	2		
(37)	All other defined diseases	612		]		1			LORI	36						38	2	1	
(37)	All other defined diseases Unknown or ill-defined diseases  All causes	505		]		1				36	93	88	43			38	3		
(37) 38	All causes.  Typhoid fever.  Typhois fever.	505	C:	OLU:	MBU	s, o	ню	(CO)	LORI	36 E <b>D</b> ).	63	88	43	115	95		1		
(37) 38 1 2 3 4	All other defined diseases Unknown or ill-defined diseases  All causes.  Typhoid fever. Typhus fever. Malaria Smallnox	505	57	OLU:	MBU	s, o	ню	(CO)	LORI	36 E <b>D</b> ).	93	88	43	115	95		1		
(37) 38	All causes.  All causes.  Typhoid fever. Typhns fever. Malaria. Smallpox Measles. Scarlet fever. Whoming cough	505	C:	19 19	MBU	s, o	H10	(CO)	LORI	36 E <b>D</b> ).	93	88	43	115	95		1		
(37) 38 	All causes.  All causes.  Typhoid fever. Typhns fever. Malaria. Smallpox Measles. Scarlet fever. Whoming cough	505	57 1	OLU:	MBU	s, o	ню	(CO)	LORI	36 E <b>D</b> ).	93	88	43	115	95		1		
1 2 3 4 5 6 7 8	All other defined diseases Unknown or ill-defined diseases  All causes Typhoid fever Typhns fever Malaria Smallpox Measles Scarlet faver	505	57 1	19 19	MBU	s, o	4 	18	36	36 ED).	93 2	83	43	115	21		1		
1 2 3 4 5 6 7 8 9 10 11 12 12	All other defined diseases Unknown or ill-defined diseases  All causes  Typhoid fever. Typhus fever Malaria Smallpox Measles Scarlet fever Whooping cough Diphtheria and croup Influenza Asiatic cholera Cholera nostras Other epidemic diseases. Tuberculosis of the lungs.	505 3 1 2 9 29	57 1	19 19	MBU	s, o	4 	18	36 36 2	36 ED).	93 2	83	43	115	21		3		
1 2 3 4 5 6 6 7 8 9 10 11 12 13 11 15	All causes.  All causes.  Typhoid fever. Typhnis fever. Malaria. Smallpox Messles. Scarlet fever. Whooping cough. Diphtheria and croup. Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculous meningitis. Other forms of the broupoists.	505 3 1 2 9 29 29 64 3 7	57 1	19 19	11 11	s, o	4	18 18 11 1 1 1 3	36	73 73 1 21 3 3	93 2	88	43	31	21	5	3		
(37) 38 1 2 3 4 5 6 6 7 8 9 9 10 11 11 12 13 14 15 16 16 17	All causes.  All causes.  Typhoid fever. Typhus fever. Malaria. Small pox. Measles. Scarlet fever. Whooping cough. Diphtheria and croup. Influenza. A static cholera. Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculous meningitis. Other forms of tuberculosis. Cancer and other malignant tumors. Meningitis.	505 3 12 9 29	57 1 5	19 19	11 11	s, o	4	18 18 11 1 1 1 3	36 2 2 13 3 3 3 3	73 7 7 1 21	93 2	88	43	31	21	5	3		
(37) 38 1 2 3 4 5 6 7 8 9 9 10 112 13 14 15 16 17 18 19	All causes.  All causes.  Typhoid fever. Typhus fever. Malaria Smallpox Measles Scarlet fever Whooping cough Diphtheria and croup Influenza A siatic cholera Cholera nostras Other epidemic diseases. Tuberculosis of the lungs. Tuberculous meningitis Other forms of tuberculosis. Cancer and other malignant tumors Meningitis Cerebral hemorrhage and softening Organic diseases of the heart	505 3 1 2 9 29 29 64 37 9 30 63 83	57	19 19	11 11	s, o	4	18 18 11 1 1 1 3	36 2 2 13 3 3 3 3	73 73 1 21 3 3	93 2 16 2 2 3 9 9	88 83 1 2 5 4 7 20	43	31	21	5	3		
1 2 3 3 4 5 6 7 7 8 9 9 10 11 12 13 14 15 16 16 19 19 19 20 22 22 22 22 23 24 24 25 26 26 27 28 28 28 28 28 28 28 28 28 28 28 28 28	All causes.  All causes.  Typhoid fever. Typhnis fever. Malaria. Smallpox Measles. Scarlet fever. Whooping cough Diphtheria and croup. Influenza. A static cholera. Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculosis of the lungs. Tuberculosis of the lungs. Cancer and other malignant tumors. Meningitis. Cerebral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis. Chronic bronchitis.	505 3 1 2 9 29 29 64 37 9 30 63 33 77	57 1 1 1 1 1 6	19 19 11 11 11 11 11 11 11 11 11 11 11 1	11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 2 2 1 1 1 1 1 2 2 1	4	18 18 11 3 3 11 11 11 11 11 11 11 11 11 11 11	36   36   37   37   37   37   37   37	77 21 22 22	93 2 2 16 16 2 2 2 3 3 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	88 83 1 1 2 2 2 4 4 4 7 20 112 12 12 12 12 12 12 12 12 12 12 12 12	43 	31	21 1 1 6 5	5	3		
(37) 38 1 2 3 4 5 6 6 7 8 9 9 10 112 13 14 15 16 16 17 18 19 20 21 22 23 23 23 24 24 25 26 26 27 28 28 28 28 28 28 28 28 28 28 28 28 28	All causes.  All causes.  Typhoid fever. Typhus fever. Malaria Smallpox Measles. Scarlet fever. Whooping cough Diphtheria and croup Influenza Asiatic cholera Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculos meningitis. Other forms of tuberculosis., Cancer and other malignant tumors Meningitis. Cerebral hemorrhage and softening. Organic diseases of the heart Acute bronchitis. Chronic bronchitis Pneumonia Bronchopneumonia. Other diseases of the respiratory system.	505 3 1 2 9 29 29 64 64 3 7 9 30 30 31 1	57 1 1 1 1 1 6 12	19 19 11 11 11 11 11 11 11 11 11 11 11 1	11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 2 2 1 1 1 1 1 2 2 1	4 4 1	18 11 3 3 1 1 1 1 1 2 2 1 1 1 2 2 1 1 1 2 2 1 1 1 2 2 1 1 1 2 2 1 1 1 1 2 2 1 1 1 1 2 2 1 1 1 1 2 2 1 1 1 1 2 2 1 1 1 1 1 2 2 1 1 1 1 1 1 2 1 1 1 1 1 2 1	36   36   37   37   37   37   37   37	73	93 2 2 16 16 2 2 2 3 3 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	88 83 1 1	43 	31	21 1 1 1 6 5 5 1 1 1 1 1 1 1 1 1 1 1 1 1	55	3		
(37) 38 	All causes.  All causes.  Typhoid fever. Typhus fever. Malaria Smallpox Measles Scarlet fever Whooping cough Diphtheria and croup Influenza A siatic cholera Cholera nostras Other epidemic diseases Tuberculosis of the lungs. Tuberculosis of the lungs. Tuberculosis of the lungs. Cancer and other malignant tumors Meningitis Cerebral hemorrhage and softening Organic diseases of the heart Acute bronchitis Chromic bronchitis Pneumonia Bronchopneumonia Other diseases of the respiratory system Diseases of the stomach	505 3 1 2 9 29 29 64 33 77 9 30 13 14	57 1 1 1 1 1 6	19 19 11 11 11 11 11 11 11 11 11 11 11 1	11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 2 2 1 1 1 1 1 2 2 1	1 1	18 18 11 3 3 11 11 11 11 11 11 11 11 11 11 11	2 2 13 3 3 1 1 2 2 2 6 1 1	73	93 2 2 16 16 17 16 17 16 17 16 17 16 17 16 17 16 17 16 17 16 17 17 16 17 17 17 17 17 17 17 17 17 17 17 17 17	88 83 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	31	21 1 1 1 6 5 5 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1	3		
(37) 38 38 1 2 3 4 4 5 6 7 8 8 9 100 111 12 13 13 115 16 167 18 19 20 22 23 22 23 22 23 25 25 (37) 26 27	All causes  Typhoid fever Typhoid fever Typhoid fever Typhoid fever Typhoid fever Malaria Smallpox Measles Scarlet fever Whooping cough Diphtheria and croup Influenza A siatic cholera Cholera nostras Other epidemic diseases. Tuberculosis of the lungs. Tuberculosis of the lungs. Tuberculous memingitis. Other forms of tuberculosis. Cancer and other malignant tumors Memingitis. Cerebral hemorrhage and softening. Organie diseases of the heart Acute bronchitis Pneumonia Bronchopneumonia Other diseases of the respiratory system Diseases of the stomach Diarrhea and enteritis. Appendicitis and typhilis.	505 3 1 2 9 29 29 30 63 3 77 30 13 44 45	57 1 5 1 1 1 1 6 12	1 1 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1	18 11 3 3	2 2 2 2 6 1 1	73	93 2 2 16 16 17 16 17 16 17 16 17 16 17 16 17 16 17 16 17 16 17 17 16 17 17 17 17 17 17 17 17 17 17 17 17 17	88 83 1 1 2 2 2 4 4 4 7 20 12 1 1 1 1 1 1 2 2 2 1 1 1 1 1 1 1 1	43 43 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	31 31 66 88 66	21 1 1 6 5 1	1 1	3		
(37) 38 	All causes.  All causes.  Typhoid fever. Typhoid fever. Typhins fever Malaria Smallpox Measles Scarlet fever Whooping cough Diphtheria and croup Influenza A siatic cholera Cholera nostras Other epidemic diseases Tuberculous meningitis Other forms of tuberculosis. Cancer and other malignant tumors Meningitis Cerebral hemorrhage and softening Organic diseases of the heart Acute bronchitis Pneumonia Bronchopneumonia Other diseases of the respiratory system Diseases of the stomach Disarhea and enteritis. Appendicitis and typhlitis Hernia, intestinal obstruction Cirrhosis of the liver. Acute nephritis and Bright's disease.	505 3 1 2 9 29 30 63 3 77 9 30 63 3 1 4 4 5 9	57 1 1 1 1 1 6 12 17	1 1 1 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 2 2	1	18 1 1 3 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 2 2 2 6 1 1	73	93 2 2 3 3 9 9 1 16 6 1 1 1 1 1 2 2 2	88 83 1 1 2 2 2 4 4 7 20 12 1 1 1 1 1 2 2 2 2 2 2 2 2 3 3 4 4 3 4 5 4 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	43 	31 31 	21 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1	3		
(37) 38 1 2 3 4 5 6 7 8 8 9 10 111 12 13 13 14 15 16 17 18 19 20 22 23 22 23 24 25 27 28 29 20 21 21 22 23 23 23 24 25 26 27 28 29 20 20 20 20 20 20 20 20 20 20	All causes.  All causes.  Typhoid fever. Typhnis fever. Malaria. Smallpox Measles. Scarlet fever. Whooping cough. Diphtheria and croup Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculous meningitis. Other forms of tuberculosis. Cancer and other malignant tumors. Meningitis. Carborah hemorrhage and softening. Organic diseases of the heart. Acute bronchitis. Chronic bronchitis. Pneumonia. Bronchopneumonia. Other diseases of the respiratory system. Diseases of the stomach. Diarrhea and enteritis. Appendictis and typhlitis. Hernia, intestinal obstruction Cirrhosis of the liver. Acute hephritis and Bright's disease. Diseases of the female genital organs.	505 3 1 2 9 29 30 63 3 3 7 9 30 63 1 4 4 5 2 9 4 1	57 1 1 1 1 1 6 12 17	1 1 1 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	11 1 1 2 2 2 2 2 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 2 2	1 i	18 1 1 3 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 2 2 2 6 1 1	73	93 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	88 1 1 2 2 4 4 7 20 1 1 1 1 1 2 2 2 2 2 2 2 2	43 	31 31 	21 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1	3		
(37) 38 	All causes.  Typhoid fever. Typhoid fever. Typhois fever. Malaria Smallpox Measles Scarlet fever Whooping cough Diphtheria and croup Influenza A siatic cholera Cholera nostras Other epidemic diseases. Tuberculous meningitis. Other forms of tuberculosis. Cancer and other malignant tumors Meningitis. Carebral hemorrhage and softening. Organic diseases of the heart Acute bronchitis Pneumonia Bronchopneumonia Other diseases of the respiratory system Diseases of the stomach Diarrhea and enteritis. Appendicitis and typhilitis Hernia, intestinal obstruction Cirrhosis of the liver. Acute nephritis and Bright's disease. Diseases of the temale genital organs Puerperal septicemia. Other puerperal affections. Congenital debility and malformations	505 3 1 2 9 29 29 30 63 3 77 30 63 3 14 4 5 2 9 4 1 1 1 1 1 1 1 1 1 1 1 1 1	57 1 1 1 1 1 6 12 17	1 1 1 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	11 1 2 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 2 2	1 1 1	18 1 3 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	36   36   37   37   37   37   37   37	73	93 2 2 3 9 16 16 1 1 1 1 1 2 2 2 2 2 2	88 1 1 2 2 2 2 2 2 2 2 2 2 3 3 4 4 4 4 4 4 4 4	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	115	21	1 1	3		
(37) 38 	All causes.  Typhoid fever. Typhoid fever. Typhins fever Malaria Smallpox Measles Scarlet fever Whooping cough Diphtheria and croup Influenza Asiatic cholera Cholera nostras Other epidemic diseases Tuberculous meningitis Other forms of tuberculosis. Cancer and other malignant tumors Meningitis Cerebral hemorrhage and softening Organic diseases of the heart Acute bronchitis Pneumonia Bronchopneumonia Other diseases of the respiratory system Diseases of the stomach Diarrhea and enteritis. Appendicitis and typhlitis Hernia, intestinal obstruction Cirrhosis of the liver. Acute nephritis and Bright's disease Diseases of the female genital organs. Puerperal septicemia Other puerperal affections. Congenital debility and malformations Senility Violent deaths (suicide excepted)	505 3 1 2 9 29 30 63 3 77 9 4 4 4 4 5 2 9 4 1 1 3 3 1 1 3 1 1 3 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 6 12 1 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	11 1 2 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 2 2	1	18 11 3 3	36   36   36   37   37   37   37   37	77 1 21 22 2 18 18 11 1 1 1 1 1 1 1 1 1 1	93 2 2 3 3 9 9 1 16 6 1 1 1 1 2 2 2 2 1 15	88	43   43   43   44   4   4   4   4   4	31 31 31 31 31 31 31 31 31 31 31 31 31 3	21 1 1 6 5 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1	3		
(37) 38 1 2 3 4 5 6 6 7 8 9 9 10 112 13 14 15 16 17 18 18 19 20 21 22 23 24 25 (37)	All causes.  Typhoid fever. Typhois fever. Typhois fever. Malaria Smallpox Measles. Scarlet fever. Whooping cough Diphtheria and croup Influenza Asiatic cholera Cholera nostras Other epidemic diseases. Tuberculosis of the lungs. Tuberculosis of the lungs. Tuberculosis of the lungs. Cancer and other malignant tumors Meningitis Cerebral hemorrhage and softening. Organic diseases of the heart Acute bronchitis Chronic bronchitis Fneumonia Bronchopneumonia Other diseases of the respiratory system. Diseases of the stomach. Diarrhea and enteritis. Appendicitis and typhlitis. Hernia, intestinal obstruction Cirrhosis of the liver. Acute nephritis and Bright's disease. Diseases of the female genital organs. Puerperal septicemia. Other puerperal affections. Congenital debility and malformations Senility Violent deaths (suicide excepted).	505 3 1 2 9 29 64 3 77 9 30 33 377 30 11 4 4 5 2 9 1 1 1 1 1 1 1 1 1 1 1 1 1	57 1 5 1 1 1 1 1 1 1 1 1 1 1 1	19 11 11 3 3 3	11 1 1 1 1 2 2 2 2 1 1 1 1 1 1 2 2 2 1 1 1 1 1 1 1 2 2 2 1	1 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1	18 1 3 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	36   36   36   37   37   37   37   37	73	93 2 2 3 3 9 9 1 16 6 1 1 1 1 2 2 2 2 1 15	88 83 1 1 2 2 4 4 7 20 2 2 2 2 2 2 2 3 1 3 3	43   43   43   44   4   4   4   4   4	31 31 31 31 31 31 31 31 31 31 31 31 31 3	21 1 1 6 5 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1	3		

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1918—Continued.

			<del></del> =	[1000]	note at		01 01113		p. 432.	<u> </u>		<u>.                                    </u>						•	
it.									DEAT	THS AT	AGE (	of—							Deaths
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	19	20 to 29 years.	39	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	at un- known age.
	•				DA	YTO:	N, O	HIO.											
			i 1			1	1	1		ï	1	ı		1	Γ	ı	1		<del></del> .
	All causes	2,544	286	61	32	30	17	64	111	347	374	291	273	272	234	135	16		
1 2 3	Typhoid fever	12	1					1	3	3	1	1		2			ļ		
3 4 5	Malaria Smallpox	1		····							1 								
6 l	Measles Scarlet fever	2 4		1		i	1	1   · 1	1										
7 8	Scarlet fever. Whooping cough Diphtheria and croup Influenza.	9 12 347	6 1 22	1 13	1 1 10	1 4 10	8	5 12	1 24	85	91	38	16	9	9	1			
9 10	Asiatic cholera	947																	
11 12 13 14	Other enidemic diseases	8 188	4	····i	1	2		i	14	49	52	26	18	:   13	2 9	2		 	
14 15	Tuberculosis of the lungs	16 19	1 2	2	Ī	2	1	1	1	8	1	2	1 4	1					*
16 17	Cancer and other malignant tumors	152 15	1	1	1 2		1	i	4	2 1 1	10	23	39	41	25	10			
18 19	Cerebral hemorrhage and softening	128 273	<u>i</u>					i	6	18	9 13	13 39	23 41	24 59	39 55	16 36	4		
20 21	Acute bronchitis	9	1	1				1		72	1 1 78	1	1 25	14	1 3 9	2 5	····i		
22 23a 23b 24	Pneumonia. Bronchopneumonia Other diseases of the respiratory system.	282 138	11 29	14 2	6	3	1 2	8 5	15 8	23	18	32 7	3 3	. 8	š	8	ī		
250 24 25(37)	Diseases of the stomach	21 62	5 44	1 6	2		1	1			2 2	5 2 3	1 <u>4</u>	1	1	1 3			
26	Appendicitis and typhlitis  Hernia, intestinal obstruction	22	i	<u>i</u> -				4	6	6	2 4	2	4	1 5	3		1		
27 28 29 30 31 32 33	Cirrhosis of the liver	14 158	<b> </b>	2		1			1	1 7	17	24	21	. 40	29	15	i		
. 30 31	Diseases of the female genital organs	13 16								8	8	5		1					
32 33	Other puerperal affections	115	114			;	1		2	18	8				3	8	4	1	
34 35	Sensity	157	6	7	3	2	2	13	16 1	17 4	13 5	23 10	23 2	15	8	8	ì		
36 (37) 38	Suicide. All other defined diseases. Unknown or ill-defined diseases.	241 4	33 1	3	3	1		6	6	16	26	30	44	29	27	16	1		
	4		11		то	LED	0, 0	шо.		-			1	•	٠.	·	•	<u>,                                     </u>	
	All causes	4,038	519	100	49	38	31	96	174	534	552	445	447	454	407	164	26	1	:
1	Typhoid fever. Typhus fever. Malaria	26				1		1	5	8	4	2	4		. 1				
2 3 4	Smallnov	1									-	i							
5	Measles	. 5 16	2	1	$\frac{1}{2}$	1 2	2	4	1	-	2				-	-			
7	Whooping cough	15 28	8	3	1 4	7	2 7	8	3		1	-							
9 10	Influenza Asiatic cholera	475	39	33	16		.	21	30	142	117	23				2			
11 12	Other epidemic diseases	16 370	3 3	2	1	1		4	37		. 1 94			2 16	3 6				
13 14 15	Tuberculosis of the lungs Tuberculous meningitis Other forms of tuberculosis	14	3	2	1 2	1		3 2	2 3	2 4				·i					
16 17	Cancer and other malignant tumors.	. 199	3	2	2	. 1	1 1	1	. 1	4	15	35 3	48 1	52	35				
18 19	Cerebral hemorrhage and softening Organic diseases of the heart	256 419	2	1				. 5	6	17	- 4 27	60	73	100	73	43	3		
18 19 20 21 22	Acute bronchitis	19	12	2						<u></u>		1	1	. 2		3	1.		
23a	Pneumonia Bronchopneumonia	. 118	18 32	10	3 4	1	5 4	10	. 21	72 13 2 7	88 12 1 4	38 8 3	7	21 10 3	7	2		1	
23b 24	Other diseases of the respiratory system.  Diseases of the stomach	. 36	8 94	23	8	2	1	1	ļ <u>.</u>	7 2	4	4 6	5	4	1 2	1			
25(37) 26 27	Diarrhea and enteritis	. 50	3	20	ı		. 2	. 4	11	. 8	8 5	4 2	5	6	8	1 1		-	1
28 29 30	Cirrhosis of the liver	- 37 - 184	4				1	1	1	- 7	13	9 31	30	11 43	3	4			
30 31	Diseases of the female genital organs	13							<sub>i</sub>	. 1 16	15	6	2						
31 32 33 34	Other puerperal affections	38 211	211				: :::::	-		_ 20	. 12	3	-				-		
35	Senility	. 237	4	3	3	4	3	16	25				38	16 3	11	. 4			
36 (37)	Suicide All other defined diseases Unknown or ill-defined diseases	. 547	68	5		2	2	5	18	10 37			83		69	29	4		
38	Ouknown of in-defined diseases	-] 2			1	1	-1	1	]	1	1	1	-1	-	1 . "	1	1	1	

Int.									DEA'	THS AT	AGE (	or—							<del></del>
Abridged In List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	19	20 to 29 years.	39	40 to 49 years.	50 to 59 years.	69	70 to 79 years.	89	99	100 years and over.	Deaths at un- known age.
				3	or.	CLAN	ю, с	REC	<b>}.</b>		<u> </u>	<u> </u>			<u>'                                    </u>			<u></u>	
	All causes	3,760	363	82	42	43	18	89	181	513	558	415	449	482	324	181	14	ļ	6
1 2	Typhoid fever	15							2	4	4	3	2						
3   4	Malaria Smallpox Measles	25	7	 7	2	2	 2	2	1		i	i							
5 6 7	Scarlet fever	4 17	io	4	<u>.</u> .	$\frac{1}{2}$			2		1								
8 9 10	Whooping cough Diphtheria and croup Influenza Asiatic cholera	23 667	14	1 15	9	6 10	7	12 19	2 54	199	217	66	29	13	8	3	2		2
11 12	Cholera nostras	6	1				····i		1					1	2		*		
13 14 15	Tuberculosis of the lungs	204 23 30	1 1	2 5	2	1 2	2	1 6 1	19 2	65	49 2 6	23 1 7	18	3	5 1				i
16 17	Cancer and other malignant tumors Meningitis Cerebral hemorrhage and softening	298 17 176	3	2	2 1	1		<u>1</u>	2	4 4 3	18 3 7	44 1 12	79 1 37	87 53	46 36	14 27	1		1
18 19 20	Organic diseases of the heart	361 13	6	1 2	1	1		3	10	21 1	18	43	64	82	81	34	$\frac{2}{1}$		
21 22 23 <i>a</i>	Chronic bronchitis Pneumonia Bronchopneumonia	367 86	21 29	10 8	6 3	6	i	12	17	90 8	83	42	32 2	3 29 5	12 1	5 7	<u>-</u> -		i
23b 24	Other diseases of the respiratory system.  Diseases of the stomach	37 27	6	<u>.</u>	1 1			1	ĭ	1	3 2	6 8 4	7 7	5	3 3	3	î		
25(37) 26 27	Diarrhea and enteritis. Appendicitis and typhlitis. Hernia, intestinal obstruction	70 47 42	39	10 	3	$\begin{bmatrix} 2 \\ \cdots \\ 1 \end{bmatrix}$	1	6	10	7 3	6	5 3	8 5	2 7	6 2 11	2	1		
28 29 30	Cirrhosis of the liver	12 175 18			1		 	<u>i</u> -	5	7	3 10 4	22 9	38 2	52	25 2	13	1		
31 32	Puerperal septicemiaOther puerperal affections	24 29							3	9 16	8 11	4 2							
33 84 35	Congenital debility and malformations. Senility Violent deaths (suicide excepted)	159 34 217	156	3	4	3	·····i	11	17	27	31	38	19	29	6 11	26 13	2 1		ii
36 (37) 38	Suicide	35 489 2	58	7	3	4	2	9	2 25	8 14	50 1	11 56	3 86	88 1	57	1 29	····i		
			P	HIL	ADEI	_ _PHI	А, Р	A. (T	OTA	L).	1	1	]		,	]	<u> </u>	<u> </u>	
	All causes	42,479	5,380	1,755	886	517	449	1,074	2, 123	6,409	6, 206	4,366	4, 161	4, 257	3, 213	1,484	191	4	4
1 2 3	Typhoid fever Typhus fever	85	1		1	1	1	6	22	23	15	11	3		1				
3 4 5	Malaria Smallpox Measles	126	32	54	21	10	7	12	1	1	1		1	1	1				
6 7	Scarlet fever. Whooping cough.	48 351 381	1 145 29	110 53	14 42 79	3 19 57	8 16 41	14 18 94	3	3 1 2			2		·····i				
9 10	Scarlet fever Whooping cough Diphtheria and croup Influenza Asiatic cholera	7,024	291	297	185	106	111	309	593	2, 215	1,761	592	298	165	77	21	2		1
11 12 13	Cholera nostras	70 3,392	1 12 25	28	2 9	3 8	2 6	4 23	3 258	889	5 807	8 667	6 390	1 6 220	8 52	1 10			3
14 15 16	Tuberculous meningitis. Other forms of tuberculosis. Cancer and other malignant tumors	204 167 1,793	25 55 6 2	28 36 4 2	26 4	8 7 5	9 4 4	21 6 3	258 22 25 10	889 15 31 28 15	5 25 118	6 22	15 474	17 449	3 278	87			2
17 18	Meningitis Cerebral hemorrhage and softening	1.292	40 4	18	12	5 1 4 9	10	16	24	5	19	21 99	251	360	359	171	18		3
19 20 21	Organic diseases of the heart Acute bronchitis Chronic bronchitis	3,999 312 149	21 147 2	48 3	9 22	9	5 9	39 7 3	121 2 1	217 6 6	351 8 3	411 6 8	590 5 16	948 14 33	815 12 43	415 12 29	45 5 2		ļ
22 23 <i>a</i>	Pneumonia Bronchopneumonia	6,438	271 738	261 381	147 158	68 73 9	67 43	143 102	476 123	1,687 329	1,546 335	721	471 109	329 104	185	58 45	12		. 2
23b 24 25(37)	Diseases of the stomach Diarrhea and enteritis	263 1,846	32 61 1,295	17 13 280	10 5 57	9 1 27	24	12 3 24	17 4 4	28 12 11	11	23	32 34 17	34 36 26	26 23 26	15 5 18	6		
26 27	Appendicitis and typhlitis. Hernia, intestinal obstruction Cirrhosis of the liver	183 281	29	3	1	5 3	1 4	10	37 11	35	28 16	39	21 48	6 60 65	28	1 16 7	2		
28 29 30	Acute nephritis and Bright's disease Diseases of the female genital organs	2,915	17	7	8		4	18	. 5	107 29	228 37	350 40	560 14	708 3	587 4	253	21		
31 32 33	Puerperal septicemia. Other puerperal affections. Congenital debility and malformations.	293	1,524	4	5	5		5	16 16 4	164	49 95	4	i						
33 34 35	Senility	114	62	50	38	. (	46	. (	150	213	232	239	181	10 168	25 123	54 62	8	i	
36 (37) 38	Suicide All other defined diseases Unknown or ill-defined diseases	3,378 31	531 4	61 9	25 3	24 3	23	54	104 104	209		403	520	468	386 1		29	i	
-	<u> </u>	<u> </u>		1	<u> </u>	1		1	1		1	1	1	J	<u> </u>	<u> </u>		1	<u> </u>

o.								-385	DEAT	TAS AT	AGE (	)F						,	
Abridged In List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.		5 to 9 years.	19	29	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
		,	:	PHIL	ADE	LPH	IA, I	P.A. (	wæi	TE).		,							
	All causes	38,377	4,827	1,548	781	468	402	977	1,881	5,693	5,441	3,801	3, 793	4,040	3,098	1,438	182	4	3
123456789	Typhoid fever	73 3 133 46	30 1	53	1 21 13	1 10 3 17	7 8 12	12 14	20 1 2	20	12	8	3		1 1				
	Whooping cough Diphtheria and croup Influenza Asiatic cholera Cholera nostras Other epidemic diseases	302 366 6,590 2 61	129 27 271 1 10	96 51 278	34 77 169	57 99	41 100	14 . 88 289 4	19 552	2,099 5	1 1,645	556 7	2 283 6	152 1 6	1 74	20	2		1
10 11 12 13 14 15 16 17 18	Tuberculosis of the lungs Tuberculous menincitis Other forms of tuberculosis. Cancer and other malignant tumors Menincitis Cerebral hemorrhage and softening Organic diseases of the heart	2,809 182 132 1,702 164 -1.205	22 51 5 2 37 4 21	22 34 4 2 18	1 6 25 2 11 2 9	3 7 4 4	2 2 7 2 4 8	13 18 5 2 13	196 21 16 10 20 3 112	716 9 22 24 13 4 193	656 3 22 105 13 14 307	574 5 18 302 19 81 346	343 2 13 450 4	201 16 434 3	8 47 3 275 1 351 781	87 161 406	5 16 43		
20 21 22 23 <i>a</i> 23 <i>b</i> 24 25(37)	Acute bronchitis Chronic bronchitis Pneumonia Bronchopneumonia Other diseases of the respiratory system Diseases of the stomach Diarrhea and enteritis	3,688 253 144 5,721 2,496 280 232 1,675	117 1 243 634 26 55 1,186	8 36 3 224 319 15 9 255	18 126 133 10 4 48	59 68 7 1 24	58 41 4	126 95 12 12 12	2 1 428 115 14 4 3	1, 495 304 23	1,359 308 28 28 25 7	3 7 620 116	226 528 5 16 428 100 31 30	343 888 13 33 313 101 32 35 25 6 57	781 11 42 177 105 25 22 24	12 29 58 43 14 5	5 2 7 12 3 6	i	2
26 27 28 29 30 31 32 33 34 35	Appendicitis and typhlitis Hernia, intestinal obstruction Cirrhosis of the liver. Acute nephritis and Bright's disease Diseases of the female genital organs. Puerperal septicemia. Other puerperal affections.	169 254 213 2,642 103	2 27	1 3 7	1 8	5 3 4.	1 3 4	13	34 9 37 4 10 13	9 12 12 6 87 20 48 152	26 11 21 183 29 44 84	35 23 20 31 35 41 291 32 3 14	31 30 16 20 44 53 500 11	6 57 63 665 3	28 20 561 2	1 16 7 247 1	2 1 20	i	
33 34 35 36 (37) 38	Congenital debility and malformations Senility Violent deaths (suicide excepted) Suicide Other defined diseases. Unknown or ill-defined diseases	1,408	1,385 52 469 4	45 45 47 8	34 22 1	5 51 20 2	42	5 118 51	133 4 92 1	1 178 34 166	191 55 280	210 56 345 2	2 163 34 476 2	10 163 20 454 3	24 115 16 378 1	51 60 2 191 2	21 8 26	i 1	
			<b>1</b> P3	ETTLA	DEL	PHI,	, PA	(CC	DLOI	RED)									
	All causes	4,102	553	207	105	49	47	97	242	716	765	565	368	217	115	46	9		1
1 2 3 4 5 6	Typhoid fever	3 3 2	2	1	i			1	1	3 1	3 1	3		i					
7 8 9 10 11 12	Whooping cough Diphtheria and croup Influenza. Asiatic cholera Cholera nostras. Other epidemic diseases.	49 15 434 9	16 2 20 	14 2 19	8 2 16	7	11	4 6 20	2 41 1	1 1 116	116	36	15	13	3	1			
13 14 15 16 17 18	Tuberculosis of the lungs. Tuberculous meningitis. Other forms of tuberculosis. Cancer and other malignant tumors. Meningitis Cerebral homorrhage and softening	583 22 35 91 •21 87	3 4 1 3	6 2	3 1 2 1	5 1 1 1	2 2 2	10 3 . 1 1 3	62 1 9	173 6 9 4 2	151 2 3 13 3 5	93 1 4 31 2 18 65 3	47 2 24 25	19 , 1 15 17	3	10	2		
18 19 20 21 22 23a 23b	Organic diseases of the heart. Acute bronchitis. Chronic bronchitis. Pneumonia. Bronchopneumonia. Other diseases of the respiratory system.	311 59 5717 304	30 1 28 104 6	12 37 62 2	4 21 25	9 5 2	1 9 2	17 7	48 8 8	1 24 2 1 192 25 5	5 44 2 1 187 27 13 8	65 3 1 101 22 7	62	16 3 2	34 1 1 8 3 1	9 2 1			1
25 (37) 26 27 28 29 30	Diseases of the stomach Diarrhea and enteritis. Appendicitis and typhlitis Hernia, intestinal obstruction Cirrhosis of the liver. Acute nephritis and Bright's disease.	31 171 14 27 14 273	109 2 3	25	1 9 1.	3	1	1 5 1 1	1 3 2	2 6 •4 3 20	8 4 2 5 1 45 8	101 22 7 4 3 1 4 59		1 1 3 2 43	1 2 26	.2	1		
30 . 31 32 33 34 35 36	Diseases of the female genital organs Puerperal septicemia. Other puerperal affections Congenital debility and malformations Senility Violent deaths (suicide excepted)	31 22 29 140 5 189	139	5	4	6	4	5	1 6 3 1 17	9 10 12 35	5 11  41	8 1 3 29	18	5	1 8	3 2	1		
36 (37) 38	SuicideAll other defined diseasesUnknown or ill-defined diseases	338 4	62	14 1	3 2	4 1	1 	3	12	43 	61 	58 	2 44 	14	8	8	3		

Table 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1918—Continued.

[See note at head of this table, p. 432.]

o.	•	į							DEA	TA SHT	AGE	of—							Deaths
Abridged List No	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	19	20 to 29 years.	39	49	59	60 to 69 years.	79	89	90 to 99 years.	100 years and over.	at un- known age.
			:	PITT	SBU	RGB	[, PA	. (T	OTAI	۱).				•					
	All causes	15,433	2,213	770	411	224	188	474	796	2,268	2,416	1,779	1,415	1,272	854	307	39	1	
1 2 3 3 4 4 5 5 6 6 7 8 9 10 11 12 13 14 4 15 6 17 8 19 20 1 22 a 23 b 24 25 (37) 28 29 30 31 2 2 3 3 3 3 4	Typhoid fever. Typhus fever Malaria. Smallpox Measles Scarlet fever. Whooping cough. Diphtheria and croup Influenza. Asiatic cholera Cholera nostras. Other epidemic diseases. Tuberculousis of the lungs. Tuberculous meningitis. Other forms of tuberculosis. Cancer and other malignant tumors Meningitis. Cerebral hemorrhage and softening Organic diseases of the heart Acute bronchitis Chronic bronchitis Pneumonia. Other diseases of the respiratory system Diseases of the stomach Diarrhea and enteritis. Appendicitis and typhlitis Hernia, intestinal obstruction. Cirrhosis of the liver Acute nephritis and Bright's disease Diseases of the female genital organs. Puerperal septicemia. Other puerperal affections. Congenital debility and malformations	1 102 111 142 142 15 1,948 80 65 99 99 99 99 99 99 99 99 99 99 99 99 99	28 56 6 135 12 20 10 5 1 13 1 1 6 5 5 1 1 1 5 5 1 1 1 8 2 2 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	344 1 1 477 144 134 134 134 134 134 135 2 2 107 153 15 2 2 107 153 15 2 2 107 153 15 2 2 107 153 15 2 2 107 153 15 2 2 107 15 15 15 15 15 15 15 15 15 15 15 15 15	13 19 19 19 79 11 3 3 16 6 82 2 2 2 2 2	1	1	8 111 2 4 4 38 90 111 5 7 1 10 4 1 115 45 3 2 8 4 1 1	8 1 2 1 1 1 9 9 158 1 1 1 2 1 1 1 2 1 1 1 2 1 1 2 1 1 2 1 1 2 1 1 1 2 1 1 1 2 1 1 1 1 5 8 8 1 1 1 1 1 5 8 8 1 1 1 1 1	3 3 2211 4 481 11 14 40 2 2 9366 1100 8 7 2 2 15 6 6 6 1 1 288 7 7 266 61 1	10 1 1 2066 6 7 48 6 6 6 19 12 14 14 5 4 4 200 13 14 23 35 5	1 2 2 197 4 151 122 83 83 5 47 77 100 6 6 221 110 223 938 17 2 2	104 166 766 140 2 2 700 162 6 9 339 61 16 9 7 7 9 6 26 114 4	59 1 1 137 225 63 12 24 7 7 7 3 18 113 3 8	32 32 5 7 1 60 114 140 17 12 103 53 10 9 14 57 1115 2	2 1 19 34 54 6 6 7 3 3 5 2 2 2 2 2 4 32	1 3 3 3 2 2 3 3 2 1 1 5 5	1	2
35 36 (37) 38	Violent deaths (suicide excepted) Suicide All other defined diseases Unknown or ill-defined diseases	897 73 1,123 17	23 ' 246 4	18 22 4	21 16 1	24	24	58 28	80	139 17 88 1	148 20 121	152 17 131	103 9 121 3	4 44 8 155 1	9 42 2 104	19 18 37 2	7 3 4		1

#### PITTSBURGH, PA. (WHITE).

	<u> </u>			. —														_	
	All causes	14, 208	2,069	723	383	207	171	438	716	2,056	2, 189	1,589	1, 296	1, 202	826	300	36	1	6
1	Typhoid fever Typhus fever	52				1	1	7	6	17	9	5	4	1	1				
3	Malaria	i				[													
4	Smallpox								1										
5	Measles	98	27	33	13	7	5	11	1			1							
6	Scarlet fever	11		1		1	2	2	1	3	1								
7	Whooping cough	120 124	47	41 14	17	8	3	4											
å	Diphtheria and croup Influenza	1,847	6 130	$\frac{14}{132}$	19 78	12 48	20 29	37	9	4	11	2		=					
10	Asiatic cholera	1,04/	190	132	18	48	29	84	149	457	372	186	90	55	32	4			1
ĩĭ	Cholera nostras	2												<u>ī</u>					• • • • • • • • • • • • • • • • • • • •
12	Other epidemic diseases	41	12	3	1				2	3	4	3	6		5	2	1		
13	Tuberculosis of the lungs	700	17	11 15	1 2 13	1	2	5	42 9	193	185	134	72	30	5	l ĩ			
14	Tuberculous meningitisOther forms of tuberculosis	77	10	15	13	8	1	5 10	9	4 8	5		2			<del>.</del> .			
15 16	Other forms of tuberculosis	55	5	2	3		2	4	3	8	6	11	6	4	1				
17	Cancer and other malignant tumors Meningitis	479 77	1 13		1 6	1 5	1	· · · · <u>· ·</u> ·		12	48	79	136	124	58	17	1		
18	Cerebral hemorrhage and softening	406	15	8	0	0	6	7	11	7	6	5	2	1 1	:::-				
19	Organic diseases of the heart	797	6	6	2	····i	2	1 10	1 39	1	15 72	44 111	67 138	129 182	109 134	32 53	3	1	
20	Cerebral hemorrhage and softening Organic diseases of the heart Acute bronchitis	131	43	22	15	4	3	4	2	38 1	12	4	199	102	7	55 6	0		
21	Chronic bronchitis.	56	5	1	1 1	ī		î	ĩ	2	ĺ	2	š	11	12	7	2		
22	Pneumonia	3,585	137	100	62 73 2 2	27	32	105	243	829	912	480	305	215	99	35	ĭ		3
23a 23b	Other discount of the remire term	1,046	234	141	73	33	18	38	29	104	115	69	56	61	52	20	3		
230	Bronchopneumonia Other diseases of the respiratory system Diseases of the stomach	103 85	10 16	6	2	$\frac{2}{2}$		3	3 2	8 7	12	16	14	12	9	3	2		1
25(37)	Diarrhea and enteritis.	764	521	137	35	11	10	2 8	3	7	3	9	8	14 6	9	5	1		· · · · · · · · ·
26	Appendicitis and typhlitis	92	321	191	30	71	10	2	25	2 14	3 18	5 18	7   9	3	14	2			• - • • • •
27	Appendicitis and typhlitis  Hernia, intestinal obstruction	81	19	2	2		1	1	4	6	12	8	6	13	5	2			•••••
28	Cirrhosis of the liver	85							î	i	10	20	25	17	7	4			
29	Acute nephritis and Bright's disease	546	8	1	2	1	1	4	12	28 6	54 13	80	25 103	105	111	32	4		
30 31	Diseases of the female genital organs	42 52							1	6	13	15	2	3	2				
32	Puerperal septicemia. Other puerperal affections.	97							5 8	25 56	20	2							
23	Congenital debility and malformations	554	544	3		;-	2	3	8	50 1	33				:				
34	Senility	39	944			*	- 1	0		1				4	9	19	7		
35	Senility Violent deaths (suicide excepted)	816	20	16	21	21	21	55	74	123	126	140	95	43	42	17	2		
		70								17	19	15	9	8	2				
(37)	All other defined diseases. Unknown or ill-defined diseases	1,062	233	19	13	10	8	28	29	78	112	125	116	149	101	37	4		
38	Ourmound of in-defined diseases	15	4	3			• • • • • •			1			3	1		2			1
			!	1			J		!				!	1	J				

[See note at head of this table, p. 432.]																			
Int fo.	CAUSE OF DEATH.	All deaths.																Deaths	
Abridged Int. List No.			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	29	30 to 39 years.	49	50 to 59 years.	60 to 69 years.	79	80 to 89 years.	90 to 99 years.	100 years and over.	at un- known age.
<u> </u>			PI	TTS	BUR	GH,	PA.	(COI	ORE	: :DD).	,					,			<u>'</u>
			1 1	*	,	- I	f		1	· ·		-			· ·	1		•	<del></del>
.	All causes	1,225	.144	47		17	17	36	80	212	227	190	119	70	28	- 7	3		
1 2	Typhoid fever	8						1	2 	4 	1								
ŭ 4	Malaria	4	····i	i															
5 6 7	Scarlet fever	·····22	9	<u>.</u> .	2	3	2												
8	Influenza	2 101	5	<u>2</u> .	i	3 1 2, 5	4	1 6	. 9	24	16	<sub>ii</sub> .	14	<u>-</u> -					
10 11	Asiatic cholera Cholera nostras Other epidemic diseases					ž													
12 13	Other epidemic diseases.  Tuberculosis of the lungs.	98	3	2 1	····i			4	14	28	21 1	17	4	3	2				
14 15 16	Tuberculosis of the lungs. Tuberculous meningitis. Other forms of tuberculosis. Cancer and other malignant tumors.	3 10 15					2	ì	2	3 2	i	1 4	4	1	2	2			
17 18	Cerebral hemorrhage and softening	1 26							i	····i	4	3	3	····8	5	2			
19 20 21 22	Organic diseases of the heart	72 14	7	<u>2</u> -	1				2	2 1	9	14 2	24	13 1	. 6	1			
21 22	Pneumonia	435	18	1 7	, <u>4</u> 9	3	2 3	10 7	31 5	107	107	86	34· 5	1 20 2	4	1	i		
23a 23b 24	Bronchopneumonia Other diseases of the respiratory system. Diseases of the stomach	84 7 5	20 · 1	12				<del>-</del> -		ļ	9 2 2	5 1 1 3 2	2 1	2	i				
25(37)	Diarrhea and enteritis.  Appendicitis and typhlitis  Hernia, intestinal obstruction	42 7	27	6					1	<sub>1</sub> -	1 2 1 2	1 3		1					
26 27 28 29 30	Hernia, intestinal obstruction Cirrhosis of the liver Acute nephritis and Bright's disease	4 8	1								1 2	2 3 13	1	<u>i</u>					
29 30	Diseases of the female genital organs	51 6		1			1	1	2	<u>i</u> -	9	13 2	11 2	8	4		1		
31 32 33 34 35 36	Puerperal septicemia. Other puerperal affections Congenital debility and malformations	4 7 35	34							5	3 2								
	Senility Violent deaths (suicide excepted)	81	3	2		3	3	3	6	16	22	12	8	<u>i</u> -		1	i		
36 (37)	All other defined diseases	3 61	13	3	3	i			2	10	1 9	6	5	···6	3				
38	Unknown or ill-defined diseases	2.		1	1					}		<u> </u>		••••					ļ
SCRANTON, PA.																			
	All causes		444	127	66	31	24	75	141	423	516	401	314	252	188	75	15		
1 2	Typhoid fever Typhus fever Malaria	9							4	3		1	1						
· 3	Smallpox				2											.			
5 6	MeaslesScarlet fever	. 7	14	7	1	1	ii	3 2 7	2										
8	Whooping cough Diphtheria and croup Influenza	26 29 707	1 27	20	6 ·10	9	1 5 5	7 14	2 46	178	246	97	40	9	6				
10 11	Asiatic cholera Cholera nostras	2		<u>-</u>								1			i	-			
12 13 14	Other epidemic diseases Tuberculosis of the lungs.	122 8	3 1 2	1				2	16 1 1	27	23	27	21	5					
15	Tuberculous meningitis Other forms of tuberculosis. Cancer and other malignant tumors	16 111	í	1 2					1	27 2 2 2 3 1	23 2 5 7	2 27	.2 27	23	17	6	<u>1</u>		
, 16 17 18	Meningitis Cerebral hemorrhage and softening	19 105	3 2	3	₩ 4	1		4	2		1 3 17	9	16	30	32 41	11	·····2		
19 20 21 22 23 <i>a</i>	Acute bronchitis	211 29	1 19	. 2	i			2	2	11		39 1	29	52	. 3	14	1		
21 22	Chronic bronchitis	1 474	33	15	15	3	4	5	24	91	108	71 16	56 56	30	13 11	1 4 4	2		
235	Bronchopneumonia Other diseases of the respiratory system Diseases of the stomach	163 36	49	24	8	3	1		24 2 1	91 15 3 2 2	2 2	9 2	7 4 4	30 8 6 4	2 2	2	i		
24 25(37) 26	Diseases of the stomach Diarrhea and enteritis. Appendicitis and typhlitis Eernia, intestinal obstruction	179 18	125	31 31	7	1	2	2 4	1	2 3	108 13 2 2 2 2 2	2	2 4	1 2	ĺ	2	ļ <u>.</u>		
27	Hernia, intestinal obstruction.	17. 15	3		1						· · · · · · · · · · · · · · · · · · ·	3	3	5	. 3	2			
28 29 30 31 32	Cirrhosis of the liver.  Acute nephritis and Bright's disease.  Diseases of the female genital organs	137	1			1		1	3	12	13	19 1	31 1	26	21	8	1		
31 32	Puerperal septicemia Other puerperal affections Congenital debility and malformations	10 28					-	i	1 1		6 8	5			<b> </b>	-			
33 34 35 36	Congenital debility and malformations     Senility     Violent deaths (suicide excepted)	117 8 196	115	7	4	6	4	20	15	29	34	38	14	14	4 6	3 2	1 2		
36 (37)	Suicide	14 224	40	2	3	1	.	7	11	17	16	23	4 39	3 28	19	13	3		
(37) 38	Unknown or ill-defined diseases			·	·	<u> </u>	<u> </u>	·····	· ·····	<u> </u>	<u> </u>		2	ļ	·	1			
	<u> </u>	<u> </u>	И	3	1	!	<u> </u>	<u> </u>	<u> </u>	<del></del>	1	<u>.                                    </u>	1	<u> </u>		Ι	1		•

Table 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1918—Continued.

Int.									DEA?	res at	AGE (	)F—							Deaths
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	29	30 to 39 years.	40 to 49 years.	59	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	100 years and over.	at un- known age.
				:	PRO	VIDE	ENCE	, R.	ı.					*					
	All causes	5, 210	788	238	135	69	47	137	211	630	667	577	515	579	382	197	34		4
1 2 3 4 5	Typhoid fever. Typhus fever. Malaria. Smallpox Measles	12 1 55	17	16	1	3	1	5	2	6	2	1							
6 7 8 9	Searlet fever. Whooping cough Diphtheria and croup Influenza. Asiatic cholera	17 68 58 916	1 30 5 52	16 7 51	2 10 4 22	3 1 9 6 17	4 1 6 4	5 2 24 25	2 51	252	264	117	3 35	18	1 6	2			
11 12 13 14 15 16 17 18 19 20 21 22 23 23 25 35 36 27 28 30 31 31 32 33 33 34 35 36 37 38 38 38 38 38 38 38 38 38 38 38 38 38	Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculous meningitis. Other forms of tuberculosis. Cancer and other malignant tumors. Meningitis. Cerebral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis. Chronic bronchitis. Chronic bronchitis. Pneumonia. Bronchopneumonia Other diseases of the respiratory system. Diseases of the stomach Diarrhea and entertis. Appendicitis and typhlitis. Hernia, intestinal obstruction Cirrhosis of the liver. Acute nephritis and Bright's disease. Diseases of the female genital organs. Puerperal septicemia. Other puerperal affections. Congenital debility and malformations. Senility. Violent deaths (suicide excepted). Suicide. All other defined diseases. Unknown or ill-defined diseases.	23 339 48 44 247 48 2258 445 20 0 16 643 174 20 24 175 31 137 18 271 22 22 23 43 59 240 21 23 33 33 33 33 33 34 34 35 36 36 36 37 37 38 38 38 38 38 38 38 38 38 38 38 38 38	12 5 4 6 1 1 13 1 4 9 53 66 3 4 123 2 236 4	2 4 115 5 2 9 9 411 27 2 2 5 5 5 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6	1 5 7 6 5 5 18 18 13 13 1 1 1 10 6 6 2	2 3 3 2 1 1 2 2 2	1 2 1 3 3 4 4 4 1 1 1 1 9 9 3 3 3 4 1	1 8 4 4 5 5 4 4 1 1 1 1 18 8 1 1	333 4 2 3 3 10 1 1 1 1 1 2 2 3 3 2 2 2 3 3 12 2 1 2 3 3 12	85 5 8 6 1 1 12 1 12 6 6 2 1 1 3 3 3 9 9 24 2 2 2 8 8 2 5 4	1 82 82 83 8 1 66 266 6 1 1 1 1 1 5 6 6 3 3 3 3 6 6 9 9 31 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	69 3 40 5 55 1 1 80 6 2 2 7 3 3 2 4 4 4 3 8 7 7	1 33 5 65 1 141 79 2 2 2 58 8 6 2 2 2 4 4 3 11 5 1 1 5 1 1 5 1 1 5 1 1 1 5 1 1 1 1	3 16 1 66 1 88 119 5 5 48 13 3 2 2 1 2 6 6 4 7 3 2 2 7 7 7 3	39 63 90 1 2 24 13 2 1 1 3 47 1 7 1 4 1 5 2	1 2 2 20 33 45 1 3 10 6 2 2 1 1 19	5 1 1 3 2 1 1 4 4 5 5 13		1 1
<u>-</u>	All causes	3,615	298	93	43	43	28	. (TO	286	640	617	455	352	327	182	97	8	4	62
1 2	Typhoid fever Typhus fever	24		1			1	1	3	7	7	2	1						1
3 4 5 6	Malaria Smallpox Measles Scarlet fever	55 19 3	3 3 1	4 2 1	1	4	2	3	10	11 2	7	6	4	3					1
7 8 9 10	Whooping cough Diphtheria and croup Influenza. Asiatic cholera Cholera nostras.	21 13 424	9 1 19	13	3 2 10	10	1 4 6	3 26	39 	95	1 97	53	18	13	13	3		1	8
12 13 14 15 16 17	Other epidemic diseases. Tuberculosis of the lungs. Tuberculous meningitis. Other forms of tuberculosis. Cancer and other malignant tumors. Meningitis.	43 406 9 34 136 16	2 4 1	4 2 2 2	1 1	5 1 1	1	4 3	52 1 6 2 6	2 150 1 7 8 3	5 94 2 5 12	1 49 5 33	9 26 1 2 34	9 13 1 31	1 5 14	1 1 1	1 1		3 1 1 2
18 19 20 21 22 23a	Cerebral hemorrhage and softening Organic diseases of the heart Acute bronchitis Chronic bronchitis Pneumonia	70 202 14 11 454	3 1 15	1 9	1	2	12	1 2 . 13	4 1 2 47 3	20 2 127	26 104	16 36 3 1 55	16 35	14 37 1 25 5	10 28 2 13 3	6 12 1 3 3	1		7
23 <i>b</i> 24 25 (37) 26 27 28	Other diseases of the respiratory system. Diseases of the stomach. Diarrhee and enteritis. Appendicitis and typhlitis. Hemia, intestinal obstruction. Cirrhosis of the liver.	95 30 51 110 60 44 14	26 4 4 55	27	3 2 5	3 2 2	1	6 3	3 3 2 16 5	14 1 5 14 6	16 5 11 2 13 3	4 3 10 4 6 5	4 1 6 2 1 6 2	5 4 5 3 4 2	3 1 3 3	3 2 4 4	1		3
29 30 31 32 33 34	Acute nephritis and Bright's disease Diseases of the female genital organs Puerperal septicemia. Other puerperal affections Congenital debility and malformations Seuility	272 47 20 25 76	75		1	1		2	9 4 2 5 1	16 14 8 12	35 17 10 6	35 7 1	53 4	59°	40	14			1
35 36 (37) 38	Violent deaths (suicide excepted ). Suicide. All other defined diseases. Unknown or ill-defined diseases.	238 21 438 109	37 27	4 4 4	3	5 4	1	5	29 2 22 22 2	49 4 50 10	46 6 64 12	41 2 56 15	21 3 70 6	15 2 61 15	3 1 29 5	7 5 19 6	2	1 1 1	4 1 11 6

Table 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1918—Continued.

Int.				,			*******=	•	DEAT	HS AT	AGE O				<del></del> ;			<u></u>	
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	19	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 tò 59 years.	69	79	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
			·	MEM	PHI	s, T	ENN.	(WE	IITE	).							,	·	
	All causes	1,871	169	44	26	24	18	45	117	265	279	200	214	231	133	69	· 2.	<u>.:</u> ,	35
1 2	Typhoid fever	15					1	1	. 2	3	4	2	1						1
3 4	MalariaSmallpox	11	1	1				1	1	3	2	1	1						
5 6	Measles Scarlet fever	17	3	1		4	1 1	1	2	1	1	1		2					,
7 8 9	Whooping cough Diphtheria and croup Influenza	17 10 279	9	6	2 2 8	15	4 3	2 14	$\begin{array}{c} 1 \\ 22 \end{array}$	68	1 71	35	12	11	10	1			······································
10 11	Asiatic cholera Cholera nostras	415																	
12 13	Other epidemic diseases. Tuberculosis of the lungs. Tuberculous meningitis	28 123	2	4	1	4	1		8	2 42	3 24	19	4 16	6 9	1 2	1 1			ì
14 15	Other forms of tuberculosis	5 13	1	,1	1			2	2	1 5	3	1	1 2	1					i
16 17	Cancer and other malignant tumors Meningitis Cerebral hemorrhage and softening	92 8 50		1	 		ı	 	1 4	5	5 2 3	17	21 10	28	13 9	1			
. 18 19 20	Organic diseases of the heart Acute bronchitis	103	3		1			<u>2</u>	1	7	5	11 9	24	11 25 1	20	11 1			í
21 22	Chronic bronchitis   Pneumonia	232	9-	2	1	<sub>1</sub>	····i	<u>-</u>	1 19	1 61	60	21	15	16	2 9	3 2 3			5
23a 23b	Bronchopneumonia. Other diseases of the respiratory system.	46 15	13	2	2	2	i	1	1	5	7	1 2 4 1 4 2 4	3	1 4 2	3 2	2			2
24 25(37)	Diseases of the stomach Diarrhea and enteritis	71	37	16	3	2			1 1 9	3	6	1	1 1	2 3	3	2 4	1		
27 28	Appendicitis and typhlitis  Hernia, intestinal obstruction  Cirrhosis of the liver	25 11	5			1		. 2	2	5 3	1 1	2 4	3 2	4	$\frac{2}{2}$				
29 30	Cirrhosis of the liver	147 17			1	1			6 3	1	15 5	11 4	30 4	42	28	7			2
31 32	Puerperal septicemia. Other puerperal affections	12							1 2	7	3 3								
25(37) 26 27 28 29 30 31 32 33 34 35	Congenital debility and malformations. Seniity. Violent deaths (suicide excepted) Suicide	42 9 111	41	2					1						3	6			
36 (37)	Suicide	17 231	1 24	2	1 2	$\frac{1}{2}$	3	2 5	13 1 12	18 2 15 3	22 5 20 3	17 2 24	13 3 42	11 2 43 6	1 1 17	13	1		1
38	Unknown or ill-defined diseases		9		·					3	3	24 7	42 5	6	4	3			ž
	,		11/2	ŒMI	PHIS	, TE	NN.	(COI	ORE	D).									•
•····,·····	All causes		129	49	17	19	10	35	169	375	338	255	138	96	49	. 28	6	4	. 27
1 2	Typhoid fever Typhus fever Majaria Smallpox	9		1					1	4	3								
3' 4	Malaria Smallpox	44	2	3	1		2	2	9	8	5	5	3	3					1
5 6 7	I Meggies								1	1									
8	Scarlet fever Whooping cough Diphtheria and croup Influenza	3 145	1 12	2	2	<u>1</u>	3	1 12	17	27	26	18	6	2	3	2		i	
10 11 12	Asiatic cholera	120																	
12 13 14	Other epidemic diseases.  Tuberculosis of the lungs	15 283	2	2		1		· · · 4	44	108	70	30	5 10	. 4	3	-	1		4
14 15	Tuberculous meningitis. Other forms of tuberculosis.	. 21				i	·{	i	44 1 4 1	6 3 3	1 2 7	4				i			<u>2</u>
17 17	Cancer and other malignant tumors Meningitis Cerebral hemorrhage and softening	.18		1					2	1 3	1 1	16	13	3	.[	2			i
15 16 17 18 19 20 21 22 23	Organic diseases of the heart Acute bronchitis	99		i			<u>-</u> -	i	3 1 1	13	1 21	5 27 3	11	12	8	í	i		i
21 22	Chronic bronchitis Pneumonia	222	6	7 5	4	· · · · i	1	3	28	66	44	34 34 3	12	9	4	i	9		2
237	Other diseases of the respiratory system	. 15	13 2	5		. 2	i		28 2 3 2 1 7 3	9	9	3 1 6	1 1 6	4	i				1
24 25(37)	Diseases of the stomach Diarrhea and enteritis Appendicitis and typhlitis Hernia, intestinal obstruction	35 39 30	18	ii	1 2				1 1	9	10 2 7 2	3	1	3		- 2			
20 27 28	Hernia, intestinal obstruction	19	i		1		1	1	1		2	2 3 1	3	1	i				1
27 28 29 30 31 32 33 34	Cirrhosis of the liver	125	1					2	3 1 1 3	12 13	20 12	24 3	23	17	12	7	2		2
31 32	Puerperal septicemia Other puerperal affections	. 12 . 13							3	4 5	7	····i							i
33 34	Congenital debility and malformations. Senility Violent deaths (suicide excepted)	- 34	34							1						į		1	
36	Violent deaths (suicide excepted)   Suicide   All other defined diseases	127 4 207		2	$\frac{2}{2}$	4	- 1	4	16 1 10	1 , 0	24 1 44	24	8	4		1	1		3
(37) 38	Unknown or ill-defined diseases	67	13 18	4		2	-		2		9	32 8	28 1	18 9	12	. 6		1	4
	<u> </u>	<del></del>	<del></del>	<del></del> -		<del></del>	<del></del>	<del></del>	*	<del></del>	<del>-</del>	<del></del>	<del></del>	·	·	<del>'</del>	·	<del></del>	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1918—Continued.

=		7	1			t nead	-					-				<del></del>			1
Int o									DEA	THS AT	AGE	OF							Deaths
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	g years.	4 years.	5 to 9 years.	10	20 to 29 years.	39	49	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	years	at un- known age.
			"	YASI	4V11.	LE, T	PENT	V. (T	OTA	r.).		1	J	1	<u> </u>		<u> </u>	1	<u> </u>
	1	1	11		1	1		1	ŀ	 I	<del></del>	i	1	•			· · · · · ·		,
	All causes	3, 153	305	121	75	38	34	102	254	455	399	369	331	324	207	114	17	4	<u>'</u>
2 3	Typhus fever	45 				1	1	3		17	7		1						
4 5	SmallpoxMeasles	<sub>21</sub> .	4	3	1		·····ż	<sub>i</sub> .	2	······		;			2	1			
o 6	Searlet ferror		2	1 3	1 3	1 2		i		2	2	1							
8 9	Whooping cough Diphtheria and croup Influenza	8 487	21	1 39	2 24	2 11	1 10	1 36	1 1 55	100	81	46	21	21	14				
10 11	Asiatic cholera Cholera nostras Other epidemic diseases																		
12 13		14 238	2 3	2	1	1		<u>ż</u>	42	1 84	38	1 26	4 24	2 11	4 4				
14 15	Tuberculous meningitis. Other forms of tuberculosis. Cancer and other malignant tumors.	9 45	2	1 1	1 1	1	1	<sub>2</sub> .	2 11	1 10	1 10 9	1 1	1 5						
16 17	Meningitis	22	2					···· <u>.</u>	1	7	2	21 1	18 1	1 25	12	1			
18 19 20	Cerebral hemorrhage and softening Organic diseases of the heart Acute bronchitis	86 298 7	1 5		····i		1		7	3 11	31	20 43	15 69	18 65	15 39	10 23	1 7		
21 22	Chronic bronchitis Pneumonia	18 443	24	1 11	14	1 7	 5	1 17	41	3 100		3 45	2 42	3	5		····i		
23a 23b	Bronchopneumonia. Other diseases of the respiratory system	130 21	33	12	8	4	10	8	7	13	83 5 4	4 3	5	3 27 8 3	18 5 1	7 5 2	2	1	i
24 25(37)	Diseases of the stomach Diarrhea and enteritis	47 109	9 50	1 28	7	3	i	·····ż	1	3	4 7 3	11 3	5 3	5 3	1	1 5			
26 27	Appendicitis and typhlitis. Hernia, intestinal obstruction	38 20	3		1			4	12	3 1	6 2	5 2	4	3 4	4				
28 29 30	Cirrhosis of the liver	20 166 23	i	···· <u>2</u> ·			····i	1	4	9	3 6 2 5 8 7	4 25	8 32	1 47	1 21	14		····i	
31 32	Puerperal septicemia. Other puerperal affections.	23 9 23							2 1 3	5	2	7	2						· · · · · · · · · · · · · · · · · · ·
33 34	Congenital debility and malformations Senility	101	100					1		14	4	2		······ 2	i2	14			
35 36	Violent deaths (suicide excepted) Suicide	175 16	4	3	4	3		4	21 1	32 1	32 8	26 3	19 2	11	8	6	2		
(37) 38	All other defined diseases. Unknown or ill-defined diseases.	329 45	26 10	8	5 1	1	1	13	17 2	24 1	35 3	51 5	39 5	59 4	34 3	$^{13}_{7}$	2	1	
			N	ASH	(VIL)	LE, T	ENN	, (W:	HITI	E).				<u> </u>				1	
	All causes	1,933	202	86	47	27	26	73	149	252	233	186	168	216	167	88	10	1	2
1 2	Typhoid fever. Typhus fever. Malaria	34					1	3	9	12	6	3							
2 3 4	Smallpox	4							2						2		· · · · · · ·		· · · · · · · · · · · · · · · · · · ·
5 6	Measles	17 3	4	3	1	1	1	1	3	2	1	1							••••••
7 8	Scarlet fever	8 6	2	1	2	2 2	1	i	1										
9 10 11	Influenza. Asiatic cholera. Cholera nostras.	353	13	31	15	9	9	27	44	69 	66	29	12	12	12	4		1	
12 13	Other epidemic diseases Tuberculosis of the lungs.	10 96	2	i						1		i	i	2 8	3				
14 15	Tuberculous meningitis Other forms of tuberculosis.	7 15	2	î	i	1	i		7 2 4	34 1 1	13				4				• • • • • • • •
16 17	Cancer and other malignant tumors Meningitis	62 16	2					4	2	1 5	4 6 1	11	2 12	20	12				•••••
18 19	Cerebral hemorrhage and softening Organic diseases of the heart	50 158	<u>i</u>		1		1			6	1 2 12	11 12	1 7 28	11 36	13 34	5 18	1 3		•••••
20 21 22	Acute bronchitis.	11	4									1 26	<i></i>				i		
23a 23b	Pneumonia Bronchopneumonia Other diseases of the respiratory system	248 80	16 15	10 7	6	3	6	10 5	19	49	43	4	1 21 2	3 20 5	13	5			`1 1
24 25(37)	Diseases of the stomach Diarrhea and enteritis	80 12 22 70 30	1 7 30	1 20	5	3	1	<u>.</u>	1	3 2	3	3	2	1	3	1			· · · · · · · · · · · · · · · · · · ·
26 27	Appendicitis and typhlitis  Hernia, intestinal obstruction	30 13	3		ĭ			4	11	1	43 3 2 3 2 2 1	1 4 1	4	3 2	1				• • • • • • • • • • • • • • • • • • •
28 29	Cirrhosis of the liver	7 92 12	1					1	····ż	1 6	1 6	10	3 10	31	1 1.	10			••••••
30 31	Diseases of the female genital organs Puerperal septicemia	12							1	3 2	4 1	3	ĩ						• • • • • • • • • • • • • • • • • • • •
32 33 34	Other puerperal affections. Congenital debility and malformations Sendity.	3 20 76 21 107	75					····i	3		4	1	• • • • • • • • • • • • • • • • • • •				]	]	
35 36	Violent deaths (suicide excepted)	107	3	2	····2			3	12	21 1	18 8	12	11 2	10	5	12 6	1 2		- · · · · · · · · · · · · · · · · · · ·
(37) <b>3</b> 8	All other defined diseases Unknown or ill-defined diseases	16 224 26	16 4	6	5	i	1	10	1 12 1	10	21 2	30 2	29 4	45 3	24 2	12 6	2		• • • • • • • • • • • • • • • • • • • •
		13			- 1	1	- 1			- 1	- 1	- 1	-	-	- 1	- 1.			

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1918—Continued.

H.	•								DEÁ:	THS AT	AGE (	OF						, ,	Deaths
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.		5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	at un- known age.
			N.A	SHV	ILLI	E, TI	enņ.	(CO	LOR	ED).					•			-	
	All causes	1,220	103	35	28	11	8	29	105	203	166	183	163	108	40	26	7	3	2
1 2 3	Typhoid fever	11				1			2	5	1	1	1						
4	Malaria Smallpox	3										2				1 			
5 6	Measles Scarlet fever				1		1		1		1								
7 8	Whooping cough Diphtheria and croup	. 2		2	1 1				····i										
9 10	Influenza Asiatic cholera	134	8	8	9	2	1	9	11	31	15	17	9	9	2	1			2
11 12 13	Cholera nostrasOther epidemic diseases	4											3		1				
14	Tuberculosis of the lungs. Tuberculous meningitis.	. 2	2	1	1			2	35	50	25	13	10 1	3					
15 16	Other forms of tuberculosis	. 27		′1	1			2	7	9	6 3	10	3 6	5		<u>î</u>			
17 18	Meningitis Cerebral hemorrhage and softening	. 36				 		1	2	3	1 2	9	8	7	2	5	;-		
19 20	Organic diseases of the heart  Acute bronchitis	.) 3	i	i		ī			1	5	19	31	41		5	5	4		
21 22 23a	Chronic bronchitis. Pneumonia Bronchopneumonia	. 195	8	į	7	3	į	1 7	22	3 51	40	19	21	7	5	2		1	
230 230 24	Other diseases of the respiratory system. Diseases of the stomach	. 9	. 18 2 2	5	2	1	4	3	1	6 1 1	2 2 4	] i	3	3 2		1	2		• • • • • • • • • • • • • • • • • • • •
25(37) 26	Diarrhea and enteritis	. 39	20.	8	2				<u>1</u>	2	1 4	1 8 2	3	5 1	1	2			•••••
27	Hernia, intestinal obstruction Cirrhosis of the liver	. 7									1 4	1 1 3	3 5	2 1					
28 29 30	Acute nephritis and Bright's disease.  Diseases of the female genital organs	. 74		2			i		2	3 2	2 3	15	$\begin{vmatrix} 22 \\ 1 \end{vmatrix}$	16	6	4		1	
31 32	Puerperal septicemia. Other puerperal affections.	. 6							î	I 2	Ĭ.	3 1							
31 32 33 34	Congenital debility and malformations.	. 25	25											2	4	2	····i		,
35 36	Violent deaths (suicide excepted)	- 68	1	1	2	3		1	9	11	14	14	8	2 1	3				
(37) 38	All other defined diseases	105	10 6	2 3	1			3	5 1	14	14 1	21 3	10 1	14 1	10 1	1		1	
		<u> </u>	,	RIC	HMC	ond,	VA.	(TO	l TAL)	).	<u> </u>		1 -			1	<u> </u>		
	All causes	3,812	563	134	80	40	, 22	64	225	518	534	376	375	387	347	134	13		
1 2	Typhoid fever:	12					1			8	2	1							
2 3 4	Malaria Smallpox	. 2						1					ļ		1				
5	Measles Scarlet fever	. 8	. 3	i	2				2										
7 8	Whooping cough Diphtheria and croup	. 22	11 3	3 2	2 2	1 1	2	2 4	<u>i</u>		i								
9 10	Influenza Asiatic cholera	. 608	39	29	23	11	7	20	68	. 170	148	47	22	12	5	6	1		
11 12	Cholera nostras		7			<u>-</u> -				i	i	i	2	····i	1		1		
13 14	Tuberculosis of the lungs	. 23	6	2	3	2	2	3	40	91 3	67	51	16	13	8	1			
15 16	Other forms of tuberculosis Cancer and other malignant tumors	. 131	1		1		1	1	2	3 3 1 4	3 7 2	1 23	37	4 25	29	5			
17 18	Meningitis Cerebral hemorrhage and softening	. 234	1.		]:		1		3	1 4	l 8	1 1 26	46	71	52	24			
19 20	Organic diseases of the heart Acute bronchitis	. 10	3	1	1	<u>;</u> -		2	6	19	35	40	50	54 1	. 67	25 1	! 1		
20 21 22	Chronic bronchitis Pneumonia	. 360	22	2 15	10	6	2	8	30	83 83	86 86	39	2 27	21	7 8	3			
230 237	Other diseases of the respiratory system.	. 39	56 1 6	32	8	1	2	8 1 1	5 2	5	9 7	3	4 6 6 7	5 5 5	. 3				
24' 25(37)	Diseases of the stomach Diarrhea and enteritis	- 130	6 71	15	5	2	3	1	1	2 83 7 5 4 7	1 4	5 9	6 7	4	3 2	3			
`26` 27	Appendicitis and typhlitis Hernia, intestinal obstruction	- 18.	i		1		1	2	9		8 7	39 3 7 5 9 3 3	1	5					
28 29	Cirrhosis of the liver Acute nephritis and Bright's disease	296	1	ī	4	i			4	9	28 6	30	57 57	65 65	68	26	2		
30 31	Diseases of the female genital organs Puerperal septicemia	-  15							3	7	5 12	3	1	1					
32 33 34	Other puerperal affections.  Congenital debility and malformations.	. 222	222			·			4	18		3							
35 36	Senility   Violent deaths (suicide excepted)   Suicide	150 18	8	3		5		8	21. 1	20 5 34	24 2	18	10	6 14	9 12	12			
(37) 38	All other defined diseases	.  485	83 12	12 9	11 3	4		4	17 2	34 1	51 1	18 5 48 4	67 3	67 1	65	18			
	Chanown of in-defined diseases	7 "	11 -2	1	1 3	1		1 -	- "	1 ^	1 -	1 <del>*</del>			١	1		l	1

Table 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1918—Continued.

nt.					·····				DEAT	TAS AT	AGE (	)F—	•						
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	19	20 to 29 years.	39	40 to 49 years.	59	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	100 years and over.	Deaths at un- known age.
				RIC	нмо	ND,	VA.	(WH	(TE).				····						
	All causes	2, 225	276	59	35	18	12	38	119	287	295	189	205	262	300	120	· <b>1</b> 0		
1	Typhoid fever	7					1			3	2	1							•••••
2 3 4	Typhoid fever Typhus fever Malaria Smalloox	2						1							1				
5 6	Measles Scarlet fever	. 5	2		1				2										
7 8	Whooping cough	8 9	5 1	2	$\frac{1}{2}$			4	i										
9 10	Influenza Asiatic cholera	454	21	18	14	5	4	16	52	138	115	39	12	10	4	5	1		
11 12	Cholera nostrasOther epidemic diseases	.  10	6			····i				<u></u> -		<u>i</u>			<u>i</u>		····i		
13 14	Tuberculosis of the lungs. Tuberculous meningitis.	. 17	5	1	2 2	1	2	2	8 2	35	38	23	13	9	8 	1			
15 16	Other forms of tuberculosis	100	1				;-	1	2 2	1 2 1	2 2 3 2	17	25	20 1	26	5			
17 18 19	Meningitis Cerebral hemorrhage and softening Organic diseases of the heart	146	1 1				I	;	4	2 8		8 14	22 27	40 38	48 59	24 24	i		
20 21	Acute bronchitis Chronic bronchitis	. 4						i				i		3	7	1 1	1		
22 23a	Pneumonia Bronchopneumonia	132	4 15	4 5	2 1	1	1	1	12 1	35 5	29 8	9	13	11 2	6 2	3	2		
23b 24	Other diseases of the respiratory system.  Diseases of the stomach	21	1 2	1		1		1 	2	1	1	3 2	3	3	3	<u>i</u>			
25 (37) 26	Diarrhea and enteritis. Appendicitis and typhlitis.	. 25	30	12	5	2	1	2	4	2 4	7	5 3 1	2 2 1	3	1	2			
27 28	Hernia, intestinal obstruction Cirrhosis of the liver.	. 11	1		1					6	2 1 14	1 12	31	4 2 49	5 61	1 24	2		
29 30 31	Acute nephritis and Bright's disease Diseases of the female genital organs Puerperal septicemia	. 5								1 2	2 4	ĩ		ı					
32	Other puerperal affections	21	124						2	10	6	3							
33 34 35	Senility Violent deaths (suicide excepted)	. 17	3	2		3		4	11	11	12	12	4	1 9	10	11 4	1		
36 (37)	Suicide	16 298	47	7	3	2		4	1 12	12	30	27	5 40	49	51	13	····i		
`38' ———	Unknown or ill-defined diseases	. 8	2	3					1	. 1	,	1							
			F	RICE	IMON	vd, v	7A. (	COL	OREI	o).	,		<b>,</b>	<del>,</del>				<del></del>	<del></del>
	All causes		287	75	45	22	10	26	106	231	239	187	170	125	47	14	3		
1 2 3	Typhoid fever Typhus fever									5									
3 4 5	Malaria Smallpox Measles	.	1	·····i	i														
6 7	Scarlet fever. Whooping cough.		6		·i	1	2	2			ii								
8	Diphtheria and croup Influenza	.] 4	18	11		1 6	3	4	16	32	33	8	10	2	1	····i			
10 11	Asiatic cholera Cholera nostras																		
12 13	Other epidemic diseases	. 159	1	····i		i		4	32	56	29	28	3	1 4					
14 15	Tuberculous meningitis Other forms of tuberculosis	. 6	11		1 1		i	1		56 2 2	1 1 4	6	1 12	5	3				
16 17	Cancer and other malignant tumors  Meningitis Cerebral hemorrhage and softening	.] 2							1 1	2		1 18			4				
18 19 20	Organic diseases of the heart	. 112	3	i	i	i		1	2	11	24	26		16	8	1			
21 22	Chronic bronchitis.	. 11	18	11		4	i	7	18	2 48	3 57	30	2 14	1 10	2				
236 238	Bronchopneumonia	92	41	27	7	3	2		4	48 2 3	1 6	3 4	1						
24 25 (37)	Diseases of the stomach	27 62	41	4 3	1		i	1	···· <u>i</u>	4 2 3	1 2 1	3 4	5 5	4	····i	· · · · i		1	
26 27	Appendicitis and typhlitis	. 9							5		- 5	2		<u>i</u>	·				
28 29	Acute nephritis and Bright's disease	97	1	····i	4	· ····i	1		4	3	14	18	26	16	7	2			
30 31	Diseases of the female genital organs Puerperal septicemia.	.  9			-				3 2	3 5 8	1 6		1		: ::::::				
32 33	Other puerperal affections. Congenital debility and malformations.	- 98	98						2	°				. 5	5	1		-	
34 35 36	Senility   Violent deaths (suicide excepted)   Suicide	. 65	5	1		2		. 4	10	9		6				3			
(37) 38	Suicide	. 187	36	5 6	8 3	2		1	5 1	22		21	27	18 1	14	5	3		
		1	11	1	l í		1	1	1	1	J	1	1	1	1	ı	1	<u> </u>	<u> </u>

Table 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1918—Continued.

<u>ـــــ</u>		<u></u>	<u> </u>						DF	VIIIC : -	1.07	77						<u> </u>	<del></del>
bridged Int. List No.		All		<u>,                                     </u>			1	<del></del>	DEAT	HS AT	AGE C	, <u>,,,</u>	1	<del></del>	<u> </u>			· · · · ·	Deaths at un-
ridge List	CAUSE OF DEATH.	deaths.	Under 1 year.	1	2 years.	3	4	5 to 9		20 to	30 to 39	40 to	50 to 59	60 to	70 to	80 to	90 to	100 years	known
Ab			i year.	year.	years.	years.	years.	years.	years.	years.	years.	years.	years.	years.	years.	years	years.	and over.	
	٠,				SEA	TTL:	E, W	ASH.	,				•	•	•			•	
		1		l			1	1	T	I		1	1	1	<u> </u>	1	i .	<u> </u>	1
1	All causes	4,090	363	60	39	35	31	101	223	590 4	684	457 2	479	483	371	151	20	1	2
2 3	Typhoid fever Typhus fever Malaria										•••••								
4 5	Smallpox   Measles	15 16	<u>i</u> -	3-	2 1	2		5		2 4									
5 6 7	Scarlet fever Whooping cough Diphtheria and croup	16 8 24	1 4	. 1	1	1 1 2		3	. 5	2	····i	i							
8 9 10	A siatic cholera	732	19	10	6	5	8	15	65	234	239	73	33	14	7	2			2
11 12	Cholera nostras Other epidemic diseases Tuberculosis of the lungs	8	2									3		2 8	<u>i</u>				
13 14	Tuberculosis of the lungs. Tuberculous meningitis Other forms of tuberculosis.	200 39	2 5 1	4	4 2		3	9 2	31 8 3	68 2	51 2 7	16 2 9	18	<u>1</u> -	6				
15 16 17	Meningitis	200 39 35 288 23 210 369	4	, 1	2	<u>î</u>	i	4	3	68 2 6 5 3	20 3 7	61 2	72 2	75	41	7	1		
18 19	Cerebral hemorrhage and softening Organic diseases of the heart	210 369	2 2 3					5	10	2 24	7 33	14 40	42 69	60 90	55 65	24 30	1		
20 21 22 23 <i>a</i> 23 <i>b</i>	Acute bronchitis Chronic bronchitis Pneumonia	6 12 441	3 18	1 6		5	4	10	26	96	130	59	1 36	1 29 5	3 22	2 2 6	2		
23a 23b	Bronchopneumonia Other diseases of the respiratory system. Diseases of the stomach	12 441 68 32 33 62 43 32 18	18	11	1 1 2	2 2	i	2	3	7	2 6 7	52 2 3 1	1	5 4	9 2	5 3	2		
25(37) 25(37) 26	Diambas and enteritie	33 62	2 35	6	3	1	3	1		4 5	1	1 4	1 4	4 8 2 2	4 1	1	1		 
26 27 28	Appendicitis and typhlitis.  Hernia, intestinal obstruction Circhosis of the liver	32 18	1 5	1	1 1	2 :	1	5	1 5 1	4 3	7 7	10 10 3.	4 5 1	4 7	1 2 7	2			
29 30	Disasses of the famale cenital argans	232 20 20 20 31	2	1		1	1	2	2 1	5 3	19 5	27 7	39 1	53 3	52	27	1		
27 28 29 30 31 32 33 34 35	Puerperal septicemia Other puerperal affections Congenital debility and malformations	20 31 173		<u>2</u>	· 2	•••••			2 2	12 17	6 8	4							
34 35	Senility Violent deaths (suicide excepted)	24 253	164 5	···· <del>·</del> 7	5	<u>3</u>	3	1  15	23	29	56	42	31	1 21	11 9	8 4	4		
(37)	Senility Violent deaths (suicide excepted) Suicide. All other defined diseases:	47 543	57	2 1	4 1	i	3	9	2 21	29 8 37	56 14 48 2	42 6 71 1	9 100	21 6 87	72	. 26	4.	····i	
38	Unknown or ill-defined diseases	21	7	1	1	2	•••••	1	•••••	2	2	1	4						
	•				SPO	KAN:	e, w	ASH	•		•			•	•			•	
	All causes	1,528	168	25	11	10	8	49	113	185	237	173	176	181	128	61	1		. 2
1 2 3	Typhoid fever Typhus fever	14						2	1		7	3	1						
4	Malaria Smallpox											• • • • • • • • • • • • • • • • • • •							
5 6 7	Measles Scarlet fever Whooning cough	2 3 4	3			1 1		···i	1	1		····i				•••••			•••••
8	Whooping cough Diphtheria and croup Influenza	5 282	14	9	5	î 1	4	1 11	3 36	66	82	30	14	5	4	<sub>1</sub>			
10 11	Asiatic cholera Cholera nostras	1				···i						· · · · · ·			 	 			
13	Other epidemic diseases. Tuberculosis of the lungs. Tuberculous meningitis	64 8	<u>4</u>	····i			<u>1</u>	<sub>1</sub>	4 3	18	17	8	10	5	2	<b></b> -			:
14 15 16 17 18	Other forms of tuberculosis	7 117	····i				i	î		1	1 5	1 28	2 21 1	1 25	30	5			 
17 18	Meningitis Cerebral hemorrhage and softening	5 53 102	3	• • • • • • • • • • • • • • • • • • •					1			5	13	19 37	8	8			
20 21	Organic diseases of the heart	. 102 . 2	3	2				1	. 4	6	5	10	· 13	37	18	<sub>1</sub>			1
20 21 22 23 <i>a</i>	Pneumonia Bronchopneumonia	197 29	7 16	1	2	1	1	4	22 1	47	56 1	18	13	6 1	14 2				
235	Other diseases of the respiratory system. Diseases of the stomach. Diarrhea and enteritis.	12 9 33	10					1	ī	1	2	2 2	2 3	2	<u>ī</u>	2			· · · · · · · · · · · · · · · · · · ·
25(37) 26 27	Appendicitis and typhlitis.  Hernia, intestinal obstruction	34 16	18	6	3	1		1 4	5 2	3	10	1 5 4	4 3 1	. 2	1 1 1				
28 29 30	Cirrhosis of the liver	7 87	2					ī	3	2	6	8	26	5 19	12	8			
30 31	Diseases of the female genital organs	10 7								2 6	2	3	3						• • • • • • • • • • • • • • • • • • • •
31 32 33 34 35 36	Other puerperal affections. Congenital debility and malformations. Senility	13 81 3	81							8	4	1				····.			
35 36	Senility Violent deaths (suicide excepted) Suicide	70 12	í	3		1	1.	7	9	8	9	9	7 2	8 3	4	2	1		
(37)	All other defined diseases	226 1	14	2	i	1	2	11	17	12	23	. 32	33	35	28	16			i

Table 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1918—Continued.

Int.									DEA'	THS AT	AGE (	of—							Deaths
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years.		5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	49	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	100 years and over.	age.
					MIL	WAU:	KEE,	wis	s.										
	All causes	6,550	1,174	301	142	93	74	177	295	829	849	519	619	651	547	242	34	2	2
1 2	Typhoid feverTyphus fever	28		2				1	6	13	3	3							
23 4 5 5 6 7 8 9 10 112 13 14 15 16 17 18 22 22 22 23 333	Malaria. Smallpox Messles. Scarlet fever. Whooping cough. Diphtheria and croup Influenza. Asiatic cholera Cholera nostras. Other epidemic diseases. Tuberculous meningitis. Other forms of tuberculosis. Cancer and other malignant tumors. Meningitis. Cerebral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis. Pneumonia. Bronchopneumonia	13 388 43 42 370 55 221 364 83 47 808 359	25 26 26 2 6 4 16 2 2 6 4 16 2 3	20 5 12 6 38 2 9 1 1 1 8	8 8 6 6 33 	3 6 2 8 14 1 1 6 1	2 6 18 3 1 1 1	3 8 1 1 2 19 11	1 6 6 62 38 3 3 10 1 11 11 1	285 126 4 6 5 4 3 15 1 1 182	1 262 1 84 20 3 8 12 2 181 20	1 58 2 48 1 1 8 50 29 2 2 66 14	44 47 6 97 2 50 56 3 1 68 8	25 1 28 4 107 1 52 100 3 8 65 14 11	16 2 7 3 60 67 98 8 15 35 21 7	23 23 40 23 12 17	1 2 1 2 2 2 2	1	1
24 25(37) 26 27 28 29 30 31 32 33 34 35 36 (37) 38	Other diseases of the respiratory system. Diseases of the stomach. Diarrhea and enteritis Appendict and typhilitis. Hernia, intestinal obstruction. Cirrhosis of the liver. Acute nephritis and Bright's disease. Diseases of the female genital organs. Puerperal septicemia. Other puerperal affections. Congenital debility and malformations. Senility. Violent deaths (suicide excepted). Suicide All other defined diseases.	76 293	369 7 176 2	1 4 41 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	11 12	11 10	3 5 1 2 2 7	1 18 28	11 2 6 1 1 1 25 1 39	4 4 3 17 4 2 7 5 13 19 32 6 55	7 10 7 10 8 6 30 8 5 15 	6 4 3 6 7 8 41 1 2 2 49 12 79	10 8 5 11 12 38 1  22 14 115	11 3 3 1 6 11 71 1 1 21 13 99 2	7 3 8 1 9 7 66 15 4 89	25 4 1 3 25 25 37	1 10 10 7	i	

[This table excludes the deaths of soldiers, seilors, and marines. The cities are arranged alphabetically by states; those in which the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910, are shown by color, except when the deaths for colored numbered less than 500.]

.	10 per cent of the total, or numbered 10,000								CURRING		•			<del>.</del>
Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	Janu-	Febru-	March.	April.	Мау.	June.	July.	Au-	Sep-	Octo-	Novem-	
· Ab			ary.	ary.	<u>.</u>	]		, 4440.	""	gust.	tember.	ber.	ber.	ber.
			1	SUMM	IARY.		•		<del>,</del>		1	1	·····	
	THE REGISTRATION AREA. (Exclusive of Hawaii.)		:			] .			1.					
1	All causes		<u> </u>		107, 778	108,030	91,599	89,588	82,418	85,010	89,561	289,399		147,872
1 35 6 7 8 9 13 14–15 22 (23) 25 (37) (33) 35 36	Typhoid fever Malaria. Measles. Scarlet fever Whooping cough Diphtheria and croup Influenza. Tuberculosis of the lungs. Other forms of tuberculosis. Meningitis. Bronchitis. Pneumonia. Bronchopneumonia. Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Congenital debility 1 Violent deaths (suicide excepted). Suicide. All other causes.  REGISTRATION STATES.2	12,760	450 807 313 843 1,292 1,673 9,199 1,080 1,597 11,255 5,5,256 1,775 544 889 6,234 702 59,985	403 403 1,057 251 1,057 920 1,548 8,911 1,098 808 1,402 9,667 4,901 1,712 787 5,228 773 53,521	11,484 308 1,417 987 1,593 11,381 1,380 1,381 1,381 1,381 2,040 875 5,515 2,040 875 5,424 875 59,357	535 190 1,553 346 1,643 2,067 10,786 1,390 1,390 15,194 2,192 683 866 5,339 807 57,955	536 536 271 1,346 774 9,522 1,453 702 9,522 1,453 702 9,522 1,453 702 9,522 1,230 708 5,735 798 5,735 5,735 53,519	736 310 758 140 1,211 297 8,339 1,228 5,533 615 2,612 1,507 4,027 1,094 833 5,978 833 5,978 848,944	1,080 326 424 109 1,214 547 200 7,596 1,100 519 2,131 1,309 6,811 1,364 927 6,735 796 48,703	1,480 431 213 90 925 519 162 7,193 1,124 378 1,654 9,822 1,162 7,391 1,162 7,391 48,320	1,438 348 121 72 843 843 4,448 6,922 960 450 450 5,925 1,853 8,128 1,239 1,239 5,448 47,540	1,788 263 208 171 1,7532 117,255 10,391 1,672 63,532 63,532 4,488 4,988 1,497 6,037 6,037 6,037 6,037 6,037 6,037	727 84 154 124 1,113 58,668 8,770 851 461 461 462 22,028 2,394 6,208 2,394 1,123 6,028 804 51,630	476 . 777 . 140 . 607 . 1, 158 . 45, 463 . 8, 942 . 891 . 1, 146 . 17, 734 . 5, 883 . 490 . 1, 082 . 490 . 5, 787 . 796 . 55, 007
	A11 common	1,404,116	101,305	91,746	104,897	104,664	88,718	77,881	80,001	82,645	87,283	281,699	159,757	143,520
1 3 5 6 7 7 8 9 13 14-15 17 20-21 22 (25) (27) (33) 335 36	Typhoid fever Malaria. Measles Measles Whooping cough Diphtheria and croup Influenza. Tuberculosis of the lungs Other forms of tuberculosis. Meningitis. Bronchitis. Bronchitis. Bronchopneumonia. Bronchopneumonia. Bronchopneumonia tisrrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Congenital debility 1. Violent deaths (suieide excepted). Suicide All other causes. CITIES IN REGISTRATION STATES.3	741,187	430 70 760 309 8 27 1, 268 1, 589 8, 863 1, 051 1, 553 10, 740 5, 095 1, 714 503 8, 883 682 58, 340 54, 140	389 76 989 989 1,021 905 1,482 8,623 1,065 1,370 9,277 4,742 1,634 500 745 500 745 500 745 500 745 500 48,559	494 105 1,436 304 1,384 1,545 10,682 1,350 1,551 1,551 1,551 1,551 5,385 1,945 5,288 × 832 57,843	513 175 1,507 342 1,617 926 1,977 10,486 1,345 1,353 1,353 1,353 615 782 56,293	502 205 1,321 1,352 735 870 9,214 1,422 1,422 5,865 2,952 2,461 734 734 757 5,574 878 51,980	661 283 749 140 1,181 6005 287 8,056 1,187 595 2,539 1,474 3,764 995 804 5,811 47,439	999 305 419 108 1,192 534 193 7,359 1,068 502 502 507 1,282 6,624 1,294 6,854 6,778 47,297	1,412 403 212 88 906 512 156 6,988 1,907 368 1,602 965 1,815 1,120 745 48,876	5,718 940 445 528 1,821 7,996 1,670 1,200 5,292 736 46,184	1,727 240 206 167 1,718 1,749 113,940 10,025 1,658 1,650 12,814 4,359 1,469 1,469 60,638	703 79 154 123 8502 8,502 8,502 8,502 446 959 21,513 6,086 2,284 1,095 5,787 50,267	464 70 96 135 595 1,136 44,111 8,683 481 1,121 17,118 5,724 1,622 467 95,552 781 53,519
30	Typhoid fever Malaria. Measles. Scarlet fever Whooping cough Diphtheria and croup Influenza Tuberculosis of the lungs Other forms of tuberculosis. Meningitis. Bronchitis Pneumonia. Bronchopneumonia. Bronchopneumonia. Diarrhea and enteritis (under 2 years).	3,279 325 3,846 11,184 5,708 6,632 109,883 53,995 7,875 7,201 102,218 34,383 25,857 4,629 5,512 36,817 5,231 323,437	162 15 374 166 387 749 4,651 610 344 5,956 2,961 1,103 247 336 3,355 441 30,698	165 6 461 115 475 563 4,524 610 362 7,283 5,267 2,836 1,031 245 3,749 242 28,999	208/ 18/ 694 170 692 622 704 5,733 813 464 47,440 3,281 1,250 304 2,847 466 30,360	199 25 27 710 1792 599 891 85,386 773 8,276 468 4773 8,276 292 292 440 29,101 48,158	184 300 662 122 618 489 34,738 868 377 513 3,381 1,710 1,246 22,842 455 26,389 43,049	217 34 397 76 472 392 392 4,137 735 279 339 1,541 1,741 336 2,961 396 23,775	317 45 223 72 22 512 347 79 3,653 622 280 274 1,28 1,381 3,863 413 3,153 413 23,665	427 427 428 102 44 403 298 649 248 205 939 398 245 373 398 23, 228 40, 915	442 46 58 33 364 41 3,163 3,889 540 229 287 4,324 1,225 4,016 578 2,767 406 23,014	604 29 76 88 625 828 61,868 5,240 607 42,199 9,419 2,494 430 3,067 476 32,311	202 211 38 52 188 52 22,265 4,222 504 214 564 3,899 1,382 280 527 3,366 451 25,754	152 133 51 61 61 61 61 61 61 61 824 4,436 510 236 663 8,608 1,088 1,088 4726 3,126 467 28,143
1 3 5 6 7 8 13 14–157 20–21 22 22 (33) (37) (33) 35 36	Typhoid fever Malaria Measles Scarlet fever Whooping cough Diphtheria and croup Influenza Tuberculosis of the lungs Other forms of tuberculosis Bronchitis Bronchitis Bronchitis Bronchitis Bronchopneumonia Bronchopneumonia Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over) Congenital debility¹ Violent deaths (suicide excepted) Suicide All other causes Excluding premature birth, ² Includes District	6, 405 2, 007 4, 122 1, 118 7, 756 4, 355 118, 537 50, 561 5, 375 3, 483 5, 271 60, 594 19, 025 20, 178 6, 058 6, 158 32, 429 4, 167 305, 330	268 555 386 143 440 519 963 4,212 411 310 659 4,784 2,134 671 2,634 241 27,642	224 70 528 134 546 338 899 4,099 4,010 1,906 603 255 424 2,266 323 25,092	286 87 742 134 602 357 841 4,959 537 403 647 4,081 2,104 2,2104 2,217 472 2,2472 2,2472 2,366 27,483	314 150 797 163 825 327 1,059 5,100 538 375 580 4,563 1,983 772 323 440 2,315 342 27,192	318 175 659 145 734 246 4,476 554 308 412 2,485 1,242 1,215 408 430 2,732 25,591	444 249 352 64 709 213 1,915 3,915 452 241 255 998 560 2,023 438 2,850 243 235 642 438 2,850 235 642	682 260 196 36 680 187 114 3,706 446 222 243 783 461 2,762 461 3,412 3,365 23,632	985 350 110 44 553 214 95 3,402 448 254 163 321 4,100 1,072 599 3,507 347 23,648	948 275 61 37 465 3,221 3,329 400 216 236 1,502 616 3,990 1,069 622 2,535 330 23,170	1,123 211 130 7 1,093 665 52,072 4,857 418 284 604 201 9,701 3,395 1,865 2,812 2,812 385 28,327	501 68 116 71 654 505 35,301 4,280 323 232 232 232 232 232 24 569 2,187 902 2,487 903 2,489 2,489 2,489	312 57 45 68 415 4027 4,222 363 245 458 2,116 564 2,164 21,26 2,465 314 25,376

Table 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1918—Continued.

[See note at head of this table, p. 483.]

			II											
ed Int No.		All					DEA	THS OCC	URRING :	n,—				
Abridged Int. List No.	AREA AND CAUSE OF DEATH.	deaths.	Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	Au- gust.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
		· · · · · · · · · · · · · · · · · · ·	SUM	MARY	7—Conti	nued.					,		<u>'</u>	<u>'</u>
	REGISTRATION CITIES IN NONREGISTRATION STATES.													
	All causes	41,042	3,357	2,886	2,881	3,366	2,881	2,707	2, 417	2,365	2,278	7,700	3,852	4,352
1 3 5 6 7 9 13 14–15 20–21 22	Typhoid fever Malaria Measles Searlet fever Whooping cough Diphtheria and croup Influenza Tuberculosis of the lungs Other forms of tuberculosis Meningitis Bronchitis Preumonia.	288	20 4 47 4 16 24 89 336 29 35 39 515	14 10 68 2 14 15 66 288 33 53 32 390	24 7 48 4 33 8 48 339 30 35 26 289	22 15 46 4 26 16 90 300 45 19 36 452	34 28 25 4 34 9 41 308 31 17 22 203	75 27 9 30 9 10 283 41 13 20 73	81 21 5 1 22 13 7 237 32 17 10 69	68 28 1 2 19 7 6 205 27 10 10 52	48 27 2 2 14 16 44 204 20 5 19	61 23 2 4 39 39 3,315 294 22 11 20 1,632	24 5 1 5 18 1,102 268 24 15 29 510	12 7 2 5 12 22 1,352 284 18 12 25 616 159 23 35 205 1,488
(23) 25 (37) (33) 35 36	Preumonia. Bronchopneumonia. Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Congenital debility 2. Violent deaths (suicide excepted). Stricide. All other causes.  ALL REGISTRATION CITIES.8	1,289 1,718 642 328 2,118 247 17,978	161 61 41 26 245 20 1,645	159 78 24 19 163 28 1,430	130 99 43 16 156 32 1,514	122 214 68 21 183 25 1,662	53 251 86 23 461 12 1,539	33 263 99 29 167 21 1,505	27 187 70 33 179 18 1,406	27 164 64 28 181 22 1,444	32 132 47 39 156 16 1,356	264 99 39 31 158 21 1,626	122 110 38 28 173 17 1,363	159 60 23 35 205 15 1,488
	All causes	782,229	57,497	51,445	60,218	59,872	48,550	41,944	43,036	44,095		170,115	80,397	7.7,001
1 3 5 6 7 8 9 13 14–15 17 20–21 22 (23)	Typhoid fever Malaria. Measles. Scarlet fever Whooping cough Diphtheria and croup. Influenza. Tuberculosis of the lungs. Other forms of tuberculosis. Benonchitis. Pneumonia. Bronchopneumonia.	3,762 4,101 1,217 5,972 6,828 115,753 57,041 8,227 4,017 7,489 107,109 35,672	182 19 421 170 403 773 715 4,987 639 379 938 6,471 3,122	179 16 529 117 489 582 649 4,812 643 415 780 5,657 2,995	232 25 742 174 725 630 752 6,072 843 499 910 7,729 3,411	221 40 756 183 818 615 1,008 5,686 852 487 809 8,728 3,211	218 58 687 126 652 498 421 5,046 899 394 535 3,584 1,763	292 61 406 76 502 401 122 4,420 776 292 359 1,614	398 66 228 73 534 360 86 3,890 654 297 284 1,348	495 81 103 46 422 305 67 3,791 676 258 215 991 667	490 73 60 35 378 435 3,207 3,593 560 234 306 4,423 1,237	665 52 78 92 664 867 65,183 5,534 629 285 1,070 43,831 9,683	226 16 38 53 193 608 23,367 4,490 528 229 595 12,454 4,021	164 20 53 72 192 754 20,176 4,720 528 248 688 10,279 3,767
(37) (33) 35 36	Other forms of tuberculosis.  Meningitis.  Bronchitis.  Pneumonia.  Bronchopneumonia.  Diarrhea and enteritis (under 2 years).  Diarrhea and enteritis (2 years and over).  Congenital debility 2.  Violent deaths (snicide excepted).  Suicide.  All other causes.		1,164 288 422 3,600 461 32,343	1,109 269 363 2,962 450 28,429	1,349 347 403 3,093 498 31,874	1,420 360 426 3,024 465 30,763	1,497 412 362 3,003 467 27,928	2,004 452 395 3,128 417 25,280	4,049 630 466 3,323 431 25,071	5,632 807 563 3,884 420 24,672	4,148 648 617 2,913 422 24,370	2,593 469 761 3,225 497 33,937	1,492 318 555 3,539 468 27,117	1,118 271 507 3,331 482 29,631
		KJ	EGIST	HATI	ON S.	ra tres	· · · · · · · · · · · · · · · · · · ·	1	1				ı	<del></del>
	CALIFORNIA. All causes	56,488	3,737	3,577	3,915	3,807	3,647	3,441	3,104	3,134	3,063	8,686	9,558	6,819
1 3 5 6 7 8 9 13 14–15 20–21 22 (23) 25; (37) (33) 35 36	Typhoid fever.  Malaria.  Measles. Scarlet fever. Whooping cough. Diphtheria and croup. Influenza. Tuberculosis of the lungs. Other forms of tuberculosis. Meningitis. Preumonia. Bronehopneumonia. Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Congenital debility <sup>2</sup> . Violent deaths (suicide excepted). Suicide. All other causes.	196 41 163 307 237 237 25, 429 5, 425 1, 693 1, 693 368 240 3, 284 240, 361	10 2 9 5 12 26 30 409 31 1 20 38 279 155 52 26 17 265 65 2,286	16 1 20 10 27 18 17 428 46 20 45 253 125 53 23 23 23 25 2,178	14 2 33 7 7 22 19 25 501 71 126 35 295 295 153 47 26 8 8 245 245 27 28 29 153	16 3 31 10 32 18 35 514 60 27 31 269 104 80 29 14 25 65 2,220	16 2 29 6 6 45 19 22 448 7 0 16 23 192 80 86 39 15 64 2,210	18 4 26 2 44 19 13 390 48 18 20 125 65 129 41 247 68 2,105	21 6 5 3 3,5 13 7 372 40 24 15 9 40 137 37 214 284 1,904	222 3 5 4 4 26 10 4 4 379 47 24 10 94 49 110 21 122 305 61 1,948	19 6 2 19 19 11 362 54 13 117 65 83 41 23 23 23 24 1,863	26 9 1 3 18 21 3,115 535 1,726 1,726 239 131 35 27 284 82 2,330	10 2 2 4 21 23 4,268 33 1,337 355 103 294 41 294 67 2,379	9 1 1 5 6 26 2, 128 551 57 20 32 2623 52 21 33 287 69 2,625
1	All causes	17,546	979	968	1,125	1,220	1,040	968	924	919	864	2,575	3,361	2,603
3 5 6 7 8 8 9 13 14–15 120–21 22 (23) 25 (37) (33) 35	Typhold fever Malaria. Measles. Scarlet fever Whooping cough Diphtheria and croup Influenza. Tuberculosis of the lungs. Other forms of tuberculosis. Meningitis. Bronchitis. Bronchothis. Pneumonia. Bronchopneumonia. Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Congenital debility 2 Violent deaths (suicide excepted). Suicide. All other causes	50 37 146 81 4,126 2,072 116 121 2,193 429 96 96 115 803 132 6,196		2 8 5 17 148 8 8 118 126 44 117 1 6 48 10 505	7 7 10 0 7 19 180 144 6 155 134 555 13 566 13 566 13 566 144 13 566 15 144 15 15 15 15 15 15 15 15 15 15 15 15 15	17 9 26 14 27 181 14 7 17 189 722 16 4 4 7 58 16 544	10 4 17 11 15 139 16 12 11 15 57 16 6 8 68 13 518	4 4 4 199 133 3 1466 190 5 7 41 227 43 8 100 97 15 508	1 4 12 5 5 114 11 6 8 8 25 17 85 9 9 9 6 7 4 9 2	15 10 5 10 2 117 12 3 10 16 7 89 24 7 93 14 489	5 3 3 5 145 6 8 4 4 38 111 665 65 6 9 10 448	27 11 2 11,065 218 3 6 8 8 510 80 34 8 2 20 75 11 488		7 21,249 268 8 331 844 10 5 11 50 6 6 552

1 A list of these cities will be found on p. 11. 2 Excluding premature birth. 3 Includes District of Columbia and municipalities of 10,000 inhabitants or more in 1910.

	Int.	•						DEA	THS OCC	URRING	IN—	1	<u> </u>		•
,	Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	Au- gust.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
	<del>.'. '</del>		REGI	ștra'	TION	STAT	ES—Co	ntinued.			•	``			;
		CONNECTICUT. All causes	27,240	1,877	1;723	2,004	1,823	1,484	1,284	1,413	1,434	1,780	7,463	2,547	2,408
	1 3 5 6 7 8 9 13 14–15 17 20–21 22 (23) 25 (37) (33) 35 36	Typhoid fever	72 3 8 9 204 5,604 1,737 296 148 296 3,543 1,051 128 283 11,175 100,396	13 1 26 20 30 173 30 17 31 210 113 32 7 12 142 1,003	3 7 7 29 12 47 138 20 13 41 189 127 35 19 5 19 927	4 30 24 4 25 111 29 292 131 35 4 20 112 110 1,056	4 1 11- 11- 43 8 8 44 169 31 260 96 33 4 1 931 931	10 426 13 9 156 34 147 12 106 57 33 6 17 92 14 877	4 1 1 6 3 18 10 6 6 117 29 12 13 40 35 53 12 110 14 788	4 1 1 21 9 2 116 20 14 7 7 32 26 154 19 120 155 835	9 1 4 2 21 111 3 105 17 8 6 6 6 6 29 201 24 122 17 794	17 4 14 18 186 114 21 7 9 173 39 173 19 24 24 95 11 856	15 6 4 27 28,865 188 27 10 .33 1,532 193 86 13 49 111 1,255	2 6 9 22 781 140 18 10 16 6 365 91 34 4 6 29 902	5 2 5 2 5 28 593 157 24 10 18 308 114 9 19 119 18 951
	1			<u> </u>	38		20					78	80	39	32
	13 5 6 6 7 8 9 13 14-15 17 12 22 23 25 37 35 36	Typhoid fever Malaria Measles Scarlet fever Whooping cough Diphtheria and croup Influenza Tuberculosis of the lungs Other forms of tuberculosis Meningitis Bronchitis Bronchitis Pneumonia Bronchopneumonia Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over) Congenital debility¹ Violent deaths (suicide excepted) Suicide All other causes	195 696 1,142 15,169 7,691 888 500 1,009 10,957 3,498 4,284	25 3 22 28 48 146 97 647 77 51 93 704 239 32 403 57 4,306	4 222 65 105 613 644 47 104 640 262 2225 43 387 70 3,849	23 3 42 22 76 100 98 787 133 851 330 294 58, 67 392 79 4,340	26 60 23 33 94 14 857 82 366 275 55 77 77 373 62 4,235	34 8 8 111 688 833 7162 102 466 886 497 234 411 441 441 441 3,884	31 70 88 58 66 67 601 70 35 43 150 38 199 38 43 399 61 3,303	36 12 14 5 53 61 11 524 72 35 125 60 415 60 415 70 70 3,339	83 14 4 4 44 45 53 9 50 778 37 37 37 37 37 37 116 55 775 136 55 56 3,366	110 5 2 411 777 1199 524 36 345 108 630 121 630 121 76 3,457	7, 306 664 7, 306 664 4, 162 1, 035 4, 162 1, 035 4, 421 4, 421	39 12 13 58 102 3,673 646 74 27 287 47 48 48 451 77 3,687	3 13 6 31 91 3,543 605 45 33 1,602 386 196 42 44 401 72 3,954
		INDIANA. All causes	45,993	3,722	3,375	3,836	4,061	3,292	2,727	2,773	2,915	2,801	5,828	5,058	5,605
	1 3 5 6 7 8 9 13 14–15 20–21 22 (23) 25 (37) (33) 35	Typhoid fever Malaria Massles Scarlet fever Whooping cough Diphtheria and croup Influenza Tuberculosis of the lungs Other forms of tuberculosis Meningitis Bronchitis Pneumonia Bronchopneumonia Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over) Congenital debility Violent deaths (suicide excepted) Suicide All other causes.  KANSAS.	400 33 144 125 503 4,79 569 274 4,426 1,532 1,344 4,26 228 2,417 341 23,464	18 1 12 25 46 60 -67 288 44 20 49 377 176 61 26 20 175 20 2, 237	17 13 17 56 42 61 299 552 35 289 141 80 23 19 186 31 2,008	24 1 30 188 455 556 557 43 311 102 20 222 232 2, 186	27 1 34 18 110 47 100 399 70 39 480 172 27 76 27 21 196 33 2,173	30 11 60 25 55 301 60 24 35 192 113 63 20 22 190 2,043	24 4 13 8 34 14 10 291 44 18 16 51 30 56 18 12 252 25 1,807	24, 7, 4, 2, 20, 3, 245, 41, 29, 144, 47, 29, 143, 48, 16, 244, 41, 791	47 7 7 4 14 25 7 7 232 49 25 11 48 17 244 72 16 249 25 16 249 1,822	48 2 3 14 31 36 36 212 46 15 11 98 35 261 76 25 182 27 1,679	81 5 22 4 29 37 1,684 45 16 30 1,077 206 153 31 153 31 1932	44 8 15 45 1,624 279 33 14 16 742 189 17 125 175 1,766	28 4 2 7 15 40 1,851 313 26 25 734 244 46 17 20 162 23 2,020
		All causes	25,053	2,011	1,792	2,078	1,885	1,688	1,455	1,388	1,636	. 1,320	3,317	2,794	3,689
	1 3 5 6 7 8 9 13 14–15 17 20–21 22 (23) 25 (37) (33) 35	Typhoid fever  Malaria Measles Scarlet fever Whooping cough Diphtheria and croup Influenza Tuberculosis of the lungs Other forms of tuberculosis Meningitis Bronchitis Pneumonia Bronchopneumonia Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over) Congenital debility  Violent deaths (suicide excepted) Suicide All other causes.	291 21 256 71 220 112 4,073 905 122 142 166 2,296 71 4,534 219 305 1,303 207 1,303 13,097		10 1 44 12 9 7 47 47 47 10 10 19 84 18 11 122 9 14 1,095 ding pre	10 66 14 34 122 93 11 122 13 206 82 26 14 26 106 10,270	6 3 65 13 38 13 38 12 14 17 26 190 89 27 17 93 14 1,125 9irth.	.10 22 48 5 21 10 23 79 11 8 15 96 43 33 8 15 122 17 1,122	13 2 12 12 5 18 · 3 12 59 13 5 11 14 58 13 25 14 58 12 20 1,023	34 3 1 2 20 1 6 63 12 7 5 14 9 84 108 108 108 108 108 108 108 108 108 108	47 3 2 1 14 1 2 62 5 5 1 23 23 8 112 49 20 135 1,131	37 2 1 1 8 8 8 7 55 9 6 4 4 15 60 31 . 18 98	58 1 2 5 13 1,240 82 82 8 9 19 474 78 46 10 10 23 1,076	29 .2 .2 .3 .1,014 .69 .7 .13 .17 .333 .56 .27 .10 .33 .111 .21	18 1 3 2 19 17 1,569 95 11 10 18 482 127 21 6 42 85 17 1,146

[See note at head of this table, p. 483.]

<u> </u>			l Hote at					THS OCC	URRING I	N				
Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	Au- gust.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
<u>v 1</u>		REGIS	STRAT	NOI	STATI	ES—Cor	itinued.	ll	!		1			
	KENTUCKY (TOTAL).													
1 3 5 6 7 8 9 13 14–15 20–21 22 (22) (23) (33) 35 36	All causes.  Typhoid fever Malaria Measles Scarlet fever Whooping cough Diphtheria and croup Influenza Tuberculosis of the lungs Other forms of tuberculosis Meningitis. Bronchitis. Preumonia. Bronchopneumonia. Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over) Congenital debility ' Violent deaths (suicide excepted) Suicide All other causes.	39,532 649 109 344 46 891 325 7,149 4,234 4,234 4,234 1,138 1,138 1,381 353 1,381 186 16,132	2,962 30 4 27 4 58 42 22 384 41 36 36 32 2299 125 24 160 15 1,563	2,821 17 8 53 4 85 26 6 58 377 52 52 52 38 82 98 158 225 17 27 141 1,371	3,088 29 6 77 3 68 311 52 476 60 50 289 143 31 15 1,500	2,914 35 11 70 6 64 14 59 437 50 47 321 119 131 13 15 1,425	2,325 31 7 41 5 48 9 32 374 57 116 39 15 21 1,268	2,079 41 11 17 2 53 9 9 349 44 27 14 14 22 22 22 21 21 17 1,113	2,308 58 9 14 65 8 8 275 40 25 11 44 29 195 30 134 13 1,295	2,521 104 12 10 3 65 298 40 31 11 254 81 36 169 20 1,305	2,350 118 20 5 7 7 55 42 22 15 63 30 17 17 124 16 1,249	6,739 92 10 9 2 154 57 3,026 32 954 176 113 31 35 119 1,469	5,585 63 8 17 17 18 110 46 2,489 341 20 35 21 1674 158 27 27 135 135 135 135 135 135 135 135	3,840 31 3 4 2 66 1,304 36 20 20 20 20 21 1,304 11 12 23 16 16 16 16 17 18 19 19 19 19 19 19 19 19 19 19
:	KENTUCKY (WHITE). All causes	32,972	2,467	2,308	2,555	2,308	1,847	1,640	1,845	2,095	1,976	5,857	4,799	3,275
1 3 5 6 7 8 9 13 14–15 17 20–21 (23) 25 (37) (33) 35 36	Typhoid fever Malaria. Masies. Scarlet fever Whooping cough Diphtheria and croup. Influenza. Tuberculosis of the lungs. Other forms of tuberculosis. Meningitis. Pneumonia. Bronchopneumonia. Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over). Congenital debility 1 Violent deaths (suicide excepted). Suicide. All other causes.	3,218 415 375 231 2,841 910 899	24 3 3 25 4 51 42 65 297 30 24 251 104 27 16 22 114 15	17 6 52 4 71 25 44 42 282 43 44 42 28 231 131 15 21 111 14	25 66 75 3 59 29 40 372 37 56 6 222 116 29 138 14 1,257	29 64 64 64 13 42 327 40 34 219 86 24 10 16 113 13 1,180	23 6 40 5 30 9 266 267 49 27 10 80 24 29 12 16 128 19 1,047	17	44 5 13  54 8 8 180 27 21 7 36 18 173 48 27 107 107 13 1,056	87 9 9 3 3 56 20 4 4 221 27 30 6 29 16 222 67 32 131 17 1,109	103 14 5 7 51 41 131 173 42 221 110 50 24 158 45 42 103 13 1,042	70 8 9 2 134 53 2,729 30 32 26 815 139 98 98 30 31 100 12 1,227	110 10	30 3 4 2 58 20 1,166 270 31 18 23 337 99 18 13 34 120 15
	KENTUCKY (COLORED). All causes	6,560	495	513	533	606	478	439	463	426	374	882	786	565
1 3 5 6 7 8 9 13 14-15 17 20-21 22 (23) 25 (37) (33) 35 36	Diarrhea and enteritis (2 years and over)   Congenital debility !   Violent deaths (suicide excepted)   Suicide   All other causes	10 140 144 761 1,016 95 47 88 724 228 142 54 45 344	7 87 7 6 8 48 21 1 2 2 46	. 1 14 95 9 8 10 67 27 4 2 6 30	9 2 12 100 9 4 14 67 27 4 2		7 . 36 13 10 3 5 27	11 11 3 1000 8 4 8 13 2 23 100 5 33	13 4 4 8 11 22 7 3 27	177 3 1 1	4 1 4 57 9 1 4 13 6 13 6 5 21 2	22 2 2 297 67 6 139 37 15 1 4 19 1 242	1 11 3 2622 73 1 1 29 25 6 3 4 25 3	1 138 50 5 2 8 95 21 5 3 2 25
	LOUISIANA (TOTAL), All causes	32,201	2,639	2,111	2,068	2,333	2,338	2,473	2,245	1,952	1,762	6,354	3,605	2,321
1 3 5 7 8 9 13 14–15 20–21 22 23 25 (37 (33 35 36	Diphtheria and croup. Influenza Tuberculosis of the lungs. Other forms of tuberculosis. Meningitis. Bronchitis. Pneumonia. Bronchopneumonia. Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Congenital debility 1 Violent deaths (suicide excepted).	526 350 5 356 97 5,312 3,078 216 218 218 3,443 665 1,264 404 277 1,580 110	11 61 4 14 114 115 284 12 31 30 361 93 53 14 17 161	18 78 19 11 94 2422 291 13 30 15 15 17 110 110	19 60 5 36 279 20 18 15 161 56 60 18 17 130	51 33 17 28 331 17 13 25 173 63 105 38 32 124	30 1 30 277 23 8 21 128 43 189 55 32 121	88 25 47 5 10 267 20 9 15 66 23 249 68 30 155 11	89 17 1 50 4 10 247 24 13 13 151 188 48 31 144	213 17 9 6 50 12 136 33 25 159	73 4 22 9 24 205 9 3 14 52 23 77 29 16 122 8	118	12 138 148 149 149 149 149 149 149 149 149 149 149	11 7 4 563 227 15 8 20 268 47 27 23 19 123

1 Excluding premature birth.

[See note at head of this table, p. 483.]

o.					·	<u></u>	DEA	ATHS OCC	URRING	IN—	·			<del></del>
Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	Janu- ary.	Febru-	March.	April.	May.	June.	July.	Au- gust.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
	<u> </u>	REGI	STRA	TION	STAT	ES-Co	ntinued.		,	<del>!</del> _	•	·	.!	<u> </u>
	LOUISIANA (WHITE). All causes.	15,822	1,430	1,151	1,020	1,098	1,098	1,170	1,047	938	855	3,136	1,626	1,253
1	Typhoid fever Malaria		13	12	14	15	32	62	49	68	36	42	22	15
3 5 6	Measies	231	6 47 4	12 53	13 52	21 29	25 24	34 10	38 9 1	32	42 4	9	4	1 1
7 8 9 13	Whooping cough Diphtheria and croup. Influenza Tuberculosis of the lungs. Other forms of tuberculosis.	5 159 63 2,506 1,070	6 9 60 116	12 9 64 103	6 2 23 102	14 8 7 112	9 1 12 77	23 3 6 82 10	28 3 4 55	17 3 6 67	11 8 9 74	13 5 1,396 106	16 9 612 87	4 3 307 89 7
14-15 17 20-21	Dan disia	1 100	6 27 17	7 25 11 167	11 9 6	10 7 9	77 8 3 7	10 7 8	12 6 7	4 5 5	1 7	10 7 8	6 4 10	1 5
22 (23) 25 (37) (33) 35	Pneumonia, Bronchopneumonia. Bronchopneumonia. Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over). Congenital debility <sup>1</sup> Violent deaths (suicide excepted). Suicide.	1,755 386 728 218 150 794 95	205 62 30 6	167 54 15 10 7 55	73 36 23 11 7 57	75 26 68 25 16 61	54 24 110 31 16 61	24 12 158 32 16 72 9 602	27 9 108 30 22 81	28 7 76 16 12 88	22 14 43 15 7 59	752 72 38 18 12 58	178 44 43 14 13 58	17 150 26 16 10 13 68
. 36	Suicide All other causes	95 6,731	76 10 721	13 522	10 565	5 590	10 594	602	6 552	499	493	8 581	5 501	511
	' LOUISIANA (COLORED).							•						
٠	All causes	16,379	1,209	960	1,048	1,235	1,240	1,303	1,198	1,014	907	3,218	1,979	1,068
1 3 5 6	Typhoid fever Malaris. Measles. Scarlet fever		11 5 14	15 6 25	16 6 8	18 25 22	29 38 22	40 54 15	65 51 8	59 42 5	. 33 . 31	29 13	11 8	. 3
7 8 9 13 14–15	Whooping cough. Diphtheria and croup. Influenza. Tuberculosis of the lungs. Other forms of tuberculosis. Meningitis.	197 34 2,806 2,008 123 52 106	8 5 55 168 6 4	7 2 30 139 6 5	14 3 13 177 9	19 9 21 219 7 6	21 18 200 15	24 2 4 185 10	22 1 6 192 12 7 6	21 2 3 146 13	11 15 131 7	30 3 1,516 173 17	17 5 869 140 13	256 138 8
20-21 22 (23) 25 (37) (33) 35 36	Bronchitis. Preumonia. Bronchopneumonia. Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Congenital debility 1. Violent deaths (suicide excepted).	106 1,688 279 536 186 127 786	13 156 31 23 8 8 85	124 27 16 3 10 55	9 88 20 37 7 10 73	16 98 37 37 13 16 63 4	15 5 14 74 19 79 24 16 60	2 7 42 11 91 36 14 83	24 9 76 18 9 63	4 1 22 5 60 17 13 71 2	2 7 30 9 34 14 9 63	1 18 617 60 39 22 6 57	4 8 295 30 33 11 10 58	8 3 3 118 21 11 13 6. 55
	All other causes	6,702	609	486	548	605	605	681	、626	528	510	616	467	421
	All causes	14,499	1,057	965	1,141	1,145	962	836	802	817	1,067	2,736	1,386	1,585
1 3 5 6 7 8 9 13 14–15	Typhoid fever Malaria. Measles Scarlet fever. Whooping cough. Diphtheria and croup. Influenza. Tuberculosis of the lungs. Other forms of tuberculosis. Meningitis.	58 2 99 12 59 61 2,513 747 176 82	19 2 2 10 12 50 23 8	5 17 3 6 7 16 76 13 6	17 1 3 4 24 66 20	5 10 1 9 6 51 78 13	2 11 4 1 24 70 18 7	8 58 21 7	2 1 7 2 4 6 58 10	3 3 6 1 40 14 14	2 2 3 83 50 15	11 1 3 18 15 1,305 14 83	1 3 443 51, 7	2 5 540 67 8
20-21 (23) (25) (37) (33) 35 36	Bronchitis. Preumonia. Bronchopneumonia. Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Congenital debility¹ Violent deaths (suicide excepted). Suicide. All other causes.	149 1,492 407 306 97 173 592 107 7,367	16 103 37 10 7 12 37 5 700	13 88 42 2 5 12 36 4 614	20 130 60 4 6 18 38 9 707	15 172 51 4 4 15 43 11 646	9 55 27 8 8 54 8 656	11 37 23 10 5 10 60 15 552	3 21' 13 26 7 77 8 545	6 10 4 97 23 14 67 9 509	4 54 17 105 25 24 59 14 596	22 457 54 22 6 22 56 13 625	12 , 141 , 35 , 9 , 5 , 14 , 38 , 7 , 608	18 224 44 9 5 17 27 4 609
	MARYLAND (TOTAL). All causes	32, 134	2,345	2,175	2,381	2,103	1,922	1,614	1,909	2,031	1,823	9,030	2,470	2,331
6 7 8 9 13 14-15 17 20-21	Typhoid fever  Malaria.  Measles Scarlet fever Whooping cough Diphtheria and croup. Influenza. Tuberculosis of the lungs Other forms of tuberculosis. Meningitis. Bronchitis. Pneumonia. Bronchopneumonia. Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over) Congenital deblity! Violent deaths (suicide excepted). Suicide. All other causes.	238 6 138 20 464 135 4,437 2,659 268 162 4,119 1,607 1,603 1,271 1,603 1,454 13,635	11. 10 3 24 12 29 236 17 13 236 160 31 20 22 131 22 1,315	8 10 1 13 208 212 12 223 183 28 11 112 112 112 112 11,190	8 30 2 57 49 306 28 23 46 231 146 41 15 121 109 17 1,244	28 27 14 22 248 25 248 25 248 25 23 165 132 77 11 1,180	9 38 4 4 8 8 13 221 37 16 33 88 81 40 21 19 130 10 1,106	10 2 13 2 45 2 7 196 27 11 16 43 112 23 17 109 937	14 1 7 7 1 51 6 6 2 193 24 11 20 30 36 314 36 28 128 128 129 996	34 1 1 23 5 3 174 20 18 15 24 402 45 30 206 14 1,001	20 6 32 148 15 8 19 65 57 301 38 49 105 13	64 1 35 3,412 333 20 15 -2,558 524 190 20 1,547	11 13 12 455 213 20 7 7 25 237 117 82 15 36 118 14 1,095	16 1 1 8 15 392 183 14 4 5 5 30 222 112 27 14 19 130 21 1,121

<sup>1</sup> Excluding premature birth,

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1918—Continued.

d Int.							DEA	THS OCC	URRING			<del></del>		
Abridged Int. List No.	AREA AND CAUSE OF DEATH,	All deaths.	Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	Au- gust.	Sep- tember.	Octo- ber.	Novem-	Decem- ber.
		REGI	STRAT	rion	STATI	ES—Cor	itinued.	,	<u>'</u>				1	1
	Maryland (white). All causes	24,329	1,748	1,652	1,710	1,517	1,405	1,167	1 410	1 449	1 000	2.105		
1 3	Typhoid fever Malaria	154	4	5	6	6	8	5 2	1,419 9 1	1,443 23 1	1,350	7, 195 44	1,885	1,838
5 6 7 8 9	Measles Scarlet fever Whooping cough Diphtheria and croup Influenza Tuberculosis of the lungs	107 18 263 123 3,531 1,745	8 3 15 11 22 149	10 1 29 11 14 144	26 42 5 31 200	22 2 31 12 12 161	29 4 29 8 9 131	9 2 26 2 3 130	3 1 24 6	10 4 2 106	12 5 28 86	4 34 32 2,769 238	6 12 333 149	1 5 15 308 135
14-15 17 20-21 22 (23) 25 (37) (33) 35	Other forms of tuberculosis  Meningitis  Bronchitis  Pneumonia  Bronchopneumonia  Diarrhea and enteritis (under 2 years)  Diarrhea and enteritis (2 years and over)  Congenital debility <sup>1</sup> Violent deaths (suicide excepted)	170 132 275 3,140 1,182 1,173 197 231 1,144	13 12 33 169 115 25 14 15 98 20	13 10 39 159 139 23 11 13 85 13 933	17 19 35 132 100 25 10 17 81	17 16 30 111 86 23 8 5 60	20 12 18 52 53 27 12 16 107	20 10 10 21 33 72 15 6 88 2	13 11 20 22 228 26 22 108	12 15 9 15 8 277 34 16 157	9 5 13 46 31 236 28 34 80	13 13 38 2,086 415 142 14 43 72	14 6 15 158 88 72 13 27 98	9 3 24 171 92 23 12 17
30	All other causes	10, 583	1,022		950	904	861	711	11 787	13 741	12 701	$\substack{17\\1,220}$	13 874	879
1	All causes  Typhoid fever	7,805	597 7	523 3	671	586 5	517 1	447 5	490	588 11	473	1,835	585 4	493
3 5 6 7 8 9 13 14–15 17	Malaria. Measles. Scarlet fever. Whooping cough. Diphtheria and croup. Influenza. Tuberculosis of the lungs. Other forms of tuberculosis. Meningitis.	1 31 2 201 12 906 914 98 30	9 1 7 87 4 1	14 2 7 64 8 2	4 2 16 2 18 106 11 4	26 2 10 87 8 7	9 19 4 90 17 4	19 4 66 7	27 27 77 11	13 1 1 68 8	8 1 4 62 6	40 3 643 95 7	7 122 64 6	3 84 48 5
20-21 (23) 25 (37) (33) 35 36	Bronchitis Pneumonia Bronchopneumonia Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over). Congenital debility <sup>1</sup> Violent deaths (suicide excepted). Suicide All other causes	149 979 425 430	20 67 45 6 6 7 33 2 293	18 64 44 5 27 257	11 99 46 16 5 4 28 3 294	19 54 46 12 3 8 17	15 36 28 13 9 3 23 1 245	16 19 10 40 8 11 21	9 10 14 86 10 6 20	3 6 9 8 125 11 14 49 1 260	3 6 19 26 65 10 15 25 1	2 23 472 109 48 8 8 27 3 327	1 10 79 29 10 2 9 20 1 221	2 6 51 20 4 2 2 20
	MASSACHUSETTS. All causes	77,248	5,374	5,180	5,456	5,529	4, 427	3,971	4,216	4,205	9,099	17,020	5 552	7 910
13 56 67 89 13 14–157 20–21 22 22 (33) (35) (35) (35) (35) (35)	Typhoid fever Malaria. Measles. Scarlet fever Whooping cough Diphtheria and croup Influenza Tuberculosis of the lungs. Other forms of tuberculosis. Meningitis Bronchottis Pneumonia. Bronchopneumonia. Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Congenital debility¹ Violent deaths (suicide excepted). Suicide. All other causes.	153 5 5 508 733 690 12, 494 5, 184 6, 184 342 9, 891 3, 725 9, 891 3, 725 2, 902 431 580 2, 951 434, 564	8 1 39 14 34 90 35 412 63 22 119 481 351 99 145 293 34 3,215	8 47 8 43 511 612 118 514 84 200 28 8 3, 050	6 1 164 101 54 86 456 71 35 106 522 413 111 28 28 227 3,148	80 9 56 64 69 550 82 41 11 88 622 376 92 25 46 206 44 3,071	8 102 3 53 40 24 439 72 29 55 264 188 109 30 34 226 48 2,703	12 2 2 77 6 51 11 395 68 22 45 122 122 123 183 285 2,508	11 48 3 45 30 5 371 57 27 32 100 113 520 56 52 271 42 2,433	17 17 3 46 29 4 346 63 18 24 51 53 643 86 54 276 43 2,432	25 12 4 111 35 2,883 422 61 26 8 1,979 318 515 72 61 231 42,752	35 18 4 147 59 7,298 505 55 33 144 3,731 762 291 34 97 255 491 3,511	5,553	7,218  4 5 31 7 1,605 455 62 30 83 947 378 103 15 43 259 30 3,086
1	All causes Typhoid fever	53,320	4,213	3,929	4,253	4,871	3,939	3,217	3,269	3,210	3,240	6,993	5,803	6,383
3 5 6 7 8 9 13 14–15 17 20–21 22 (23) 25	Aypnoid lever Malaria. Measles. Scarlet fever. Whooping cough Diphtheria and croup Influenza. Tuberculosis of the lungs Other forms of tuberculosis. Meningitis. Bronchitis. Pneumonia. Bronchopneumonia. Diarrhea and enteritis (lunder 2 years). Diarrhea and enteritis (2 years and over). Congenital debility 1. Violent deaths (suicide excepted). Suicide. All other causes	332 8 252 178 492 685 6,382 3,089 478 232 693 4,746 1,779 1,722 446 502 2,711 402 28,191	26 17 25 44 45 55 257 90 313 181 69 30 30 43 214 214 2,674	16 129 26 477 59 277 41 25 73 297 171 90 111 204 204 22,435	30 18 52 68 38 318 51 18 81 303 200 90 25 258 258 25 87	35 1 40 34 64 131 346 41 33 81 636 232 89 23 44 219 29 2,741	58 25 60 42 61 293 46 29 46 257 136 82 34 43 212 43 212 444	33 11 32 35 15 257 42 26 37 110 93 26 28 39 238 22, 124	21 5 38 47 14 232 37 19 30 72 37 176 36 31 298 31 298 22 21 27	33 2 6 6 27 28 6 6 205 43 11 17 43 35 327 70 45 293 31 1, 982	31 1 1 2 22 37 19 185 33 14 24 75 47 369 99 43 182 22 22,029	65 1 7 8 8 53 80 2,073 255 39 18 7 1,185 221 178 206 2,407	10 11 34 74 205 36 10 65 717 212 47 196 29 2, 165	14 4 7 19 259 24 14 79 738 257 81 28 43 191 2,466

lint.							DEA	THS OCC	URRING :	N—		······································		
Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	Janu- ary.	Febru-	March.	April.	May.	June.	July.	Au- gust.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
	1	REGI	STRA	TION !	STATE	ES—Con	tinued.	<u> </u>	,		,		!,	·
	MINNESOTA. All causes	31, 109	2,012	1,892	2,194	2,587	2,323	1,809	1,674	1,608	1,790	4,274	5,066	3,880
1 3	Typhoid fever	87	-4	4	21	11	5	2	6	9	9	7	5	4
5 6 7 8 9 13 14–15 17 20–21 22 (23) 25 (37) (33) 35 36	Measles Scarlet fever Whooping cough. Diphtheria and croup. Influenza Tuberculosis of the lungs Other forms of tuberculosis. Meningitis. Bronchitis. Preumonia. Bronchopneumonia Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 year and over). Congenital debility 1. Violent deaths (suicide excepted). Suicide. All other causes.	1 99 154 310 288 5,720 2,093 351 99 232 2,549 522 216 666 522 216 273 1,924 291 15,234	4 12 10 10 13 169 30 6 31 159 67 37 16 18 104 18 1,295	4 18 15 17 16 28 6 29 141 65 33 7 14 110 27 1,198	14 28 34 27 16 186 30 10 175 63 41 14 28 28 27 1,361	23 26 54 18 38 226 37 12 20 352 114 34 109 26 1,445	19 35 46 29 21 205 49 12 20 139 85 33 10 27 151 31 1,406	12 7 24 23 7 171 122 8 12 63 50 42 22 13 22 181 28 1,122	13 10 19 3 139 28 4 7 7 53 19 36 16 14 165 20 1,103	120 29 9 125 125 33 33 25 176 18 1,048	1 2 12 23 8 140 25 8 15 54 22 90 90 46 25 125 1,161	5 2 2 26 41 1,433 157 27 7 9 28 508 508 44 31 246 27 1,403	1 5 22 2.582 210 210 6 6 17 543 51 44 23 140 20 1,327	2 6 20 24 1,587 206 20 10 22 337 60 31 8 25 129 24 1,365
-	All causes	53,311	4,158	3,785	4,414	4,141	3,455	3,048	3,198	3,285	2,960	7,027	6,492	7,348
1 35 66 7 7 8 9 13 14–15 17 20–21 22 (23) 25 (37) (33) 35	Typhoid fever Malaria Measles Scarlet fever Whooping cough. Diphtheria and croup Influenza. Tuberculosis of the lungs. Other forms of tuberculosis Meningitis. Bronchitis. Pneumonia. Bronchopneumonia. Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over) Congenital debility 1. Violent deaths (suicide excepted) Suicide. All other causes.	664 278 374 94 523 465 7,025 4,447 433 344 476 6,818 2,030 1,229 1,484 263 2,526 4,444 24,444	25 111 18 22 25 7 103 385 32 44 73 7 559 231 35 9 227 38 227 38 227 38 227 38 227	21 8 75 9 40 39 79 398 38 38 51 • 473 177 41 16 196 43 2,030	34 177 86 12' 48 64 465 52 37 7547 215 215 20 20 190 25 2,410	29 21 21 21 16 88 85 72 451 44 42 37 461 161 161 29 21 40 2,252	20 20 55 11 60 27 390 42 258 137 45 19 210 43 1,984	47 255 3 45 18 14 373 19 19 41 130 44 14 248 44 1,840	74 36 7 2 44 17 6 308 30 23 12 25 51 46 254 25 221 44 1,925	90 54 34 13° 5 294 21 14 64 36 253 97 25 245 37 1,952	98 36 2 15 37 10 262 27 18 15 59 63 171 206 32 1,788	115 28 4 6 45 66 2,038 383 25 54 1,550 303 119 28 28 157 31 2,027	70 12 5 5 33 2,104 23 21 4 1,223 26 1,223 25 22 20 29 1,942	41 10 1 6 33 44 2,503 399 27 31 45 1,483 360 24 19 208 38 2,062
	MONTANA. All causes	8,985	494	428	593	612	529	433	420	399	443	1,538	1,958	1,138
1 3 5 6 7 8 9 13 14–15 20–21 22 (23) 25 (37) (33) 35 36	Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over) Congenital debility <sup>1</sup> . Violent deaths (suicide excepted) Suicide. All other causes.	71 64 45 2,654 442 62 52 29 1,085 213 213 156 65 77 683	3 1 2 16 1 1 4 4 2 •44 6 6 6 4 4 1 1 10 4 1 1 2 2 2 4 4 4 1 1 1 1 1 1 1 1 1 1 1	32 6 6 3 34 19 3 1 8 41	6 1 5 9 7 2 6 6 6 4 9 6 20 9 3 2 2 7 12 2 2 2 3 2 4 7 12 12 12 12 12 12 12 12 12 12 12 12 12	2 3 9 8 6 6 7 41 7 7 9 5 133 26 6 7 4 5 49 6 285	5 5 7 7 10 10 10 2 2 40 31 21 10 2 2 6 53 6 305	2 12 2 1 1 38 5 4 4 1 24 5 5 11 3 7 7 81 8 8 224	3 2 4 6 3 3 1 1 1 18 7 7 10 2 2 72 11 241	3 1 2 23 12 23 3 2 26 13 2 2 72 10 200	3 8 24 3 3 5 6 6 31 1 9 7 6 6 4 230	22 2 1 787 31 3 3 1 286 311 287 4 4 4 5 111 272	1 4 2 4 1,232 45 3 3 3 247 30 8 8 8 6 6 6 306	3 2 4 606 33 3 5 4 112 23 8 2 11 13 254
	NEW HAMPSHIRE.	9,581	632	587	668	704	560	497	492	497	1,010	2,524	642	768
1 3 5 6 6 7 8 9 9 13 14–15 17 20–21 (23 25 (37 (33 35 5 36	Ocception   Congenital debility   Violent deaths (suicide excepted)	8 100 37 1,999 473 81 56 103 1,019 276 217 62 108 313 68	4 1 6 3 9 29 7 5 9 61 17 12 3 14 24 426	12 25 11 8 12 62 32 8 4 5 19	12 41 9 4 10 57 39 6 4 12 23	2 1 7 3 3 3 11 153 5 6 1 189 225 7 4 7 26 6 438	2 1 11 2 6 2 6 4 4 11 145 18 13 3 5 25 26 348	7 1 2 1 2 40 8 8 4 1 21 1 6 8 8 9 9 34 2 342	5 7 2 1 37 9 2 4 11 6 19 1 9 31 4 343	88 1 2 227 4 1 1 5 1 5 1 9 6 41 1 9 322	4	25 4 1,362 61 4 8 8 16 16 423 75 23 6 18 15 8 473	24 8	1 7 7 177 36 6 1 5 12 62 23 23 10 2 5 28 28 28 28 28 28 28

Lexcluding premature birth.

Table 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1918—Continued.

[See note at head of this table, p. 483.]

Int.		<u> </u>	1				DE,	ATHS OCC	URRING	IN—		<u> </u>		· · · · ·
Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	Janu- ary.	Febru-	March.	April.	May.	June.	July.	Au- gust.	Sep- tember.	Octo- ber.	Novem-	Decem- ber.
		REGI	STRAT	FION (	STATI	ES-Co	ntinued.	1	1	1	1	,	,	1
	NEW JERSEY.	00.000												
1	All causes. Typhoid fever.	60,988	4,371	3,838	4,678	4,204	3,410	3,048	3,347	3, 584 25	3,552	17,049 40	5,041	4,866
3 5 6 7 8 9 13 14–15 20–21 22 (23) 25 (37) (33) 35 36	Malaria. Measies. Searlet fever. Whooping cough. Diphtheria and croup. Influenza Tuberculosis of the lungs. Other forms of tuberculosis. Meningitis. Bronchitis. Pneumonia. Bronchopneumonia. Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Congenital debility ¹ Violent deaths (suicide excepted). Suicide. All other causes.	11 542 52 567 498 8,377 4,295 491 324 647 10,510 3,059 2,373 390 501	12 - 75 - 75 - 53 - 57 - 53 - 343 - 47 - 30 - 83 - 583 - 243 - 81 - 17 - 17 - 17 - 18 - 286 - 286 - 2, 345	54 6 47 41 52 368 37 23 59 467 237 74 21 23 197 24 2, 109	2 104 8 8 81 149 78 470 51 31 699 736 229 104 21 41 199 42 2,350	10 116 10 70 70 41 54 427 49 45 67 604 195 101 20 31 228 2, 101	82 4 64 33 24 362 52 43 305 127 89 19 33 226 33 21,882	262 466 283 38328 45 244 266 154 77 148 32 29 221 200 1,788	29 4 55 28 301 44 25 30 139 72 420 38 31 277 28 1,812	10 10 11 35 19 3 308 34 19 18 52 554 77 62 350 350 351 351	30 33 126 282 28 18 308 308 86 378 60 46 266 32 1,814	40 4 3 62 62 6, 232 463 37 26 1, 163 207 40 84 325 432 2, 635	7 9 48 1,011 308 32 19 52 900 286 102 23 40 262 22 1,914	10 2 15 59 736 340 35 21 166 750 290 115 22 51 262 26 2,066
	All causes	190, 764	14,565	12,956	16,126	14,521	11,946	10,448	10,641	10,886	10,852	44,085	18,320	15,418
1 3 5 6 7 8 9 13 14-15 17 20-21 22 (33) 25 (37) (33) 36	Typhoid fever Malaria. Measles. Scarlet fever Whooping cough Diphtheria and croup Influenza Tuberculosis of the lungs. Other forms of tuberculosis Meningitis. Bronchitis. Preumonia. Bronchopneumonia. Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over) Congenital debility! Violent deaths (suicide excepted). Suicide. All other causes.	579 35 1,339 311 1,257 1,751 21,903 15,007 1,957 787 787 787 787 1,882 27,990 1,093 1,481 8,895 1,295 88,900	28 4 142 49 116 171 171 170 177 63 255 1,479 751 253 50 103 78 105 8,582	21 1 165 33 318 150 135 1,302 164 65 222 1,324 716 221 62 80 658 106 7,413	34 4 267 39 190 178 232 2, 665 206 100 214 2, 421 891 244 54 94 667 121 8, 505	29 1 269 39 168 200 185 1,417 204 76 195 1,869 808 250 61 116 615 102 7,917	42 7 188 41 131 144 193 1,286 193 83 141 874 450 243 54 94 701 118 7,078	31 11 131 28 90 130 1,124 1990 64 79 444 241 2213 74 74 77 74 197 6,587	53 4 73 20 83 93 19 1,013 151 49 82 220 685 133 122 896 108 6,469	58 5 37 6 6 74 77 77 156 61 1,002 156 61 274 213 1,272 202 136 95 6,233	75 3 18 7 56 83 194 944 129 54 75 644 238 951 193 177 688 103 6,170	140 3 25 21 149 14, 694 1, 544 150 74 257 12, 692 3, 117 551 109 199 743 120 9, 302	35  12 9 51 133 3,957 1,215 106 48 147 2,837 1,209 1,209 1,209 1,209 1,57 842 1,07 845 1,07 847 1,07	33 2 12 19 31 187 2,221 1,125 50 160 1,868 828 239 249 704 105 7,539
	NORTH CAROLINA (TOTAL). All causes	42, 274	3,129	2,823	2,823	2,869	2,989	3,210	2,947	2,758	2,353	8, 504	4, 220	3,649
1 3 5 6 7 8 8 13 14-15 17 20-21 (23) 25 (37) (33) 35 36	Typhoid fever Malaria. Measles. Scarlet fever Whooping cough Diphtheria and croup. Influenza. Tuberculosis of the lungs. Other forms of tuberculosis. Meningitis. Bronchitis. Pneumonia. Bronchopneumonia. Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Congenital debility 1. Violent deaths (suicide excepted). Suicide. All other causes.	568 189 308 23 705 795 251 7, 948 3, 133 279 252 270 3, 168 1, 042 1, 997 474 1, 508 99 19, 429	11 5 49 1 1 1 29 39 75 273 20 36 43 313 156 36 14 4 33 160 6 1,830	12 9 66 15 55 17 81 258 24 28 38 317 138 25 20 30 30 11 1,560	12 11 72 1 1 64 10 54 314 24 29 34 241 127 29 17 40 121 8 1,615	10 13 51 2 87 14 68 324 21 28 305 119 46 19 30 104 1,592	15 14 14 31 77 12 18 33 26 24 17 133 90 241 72 28 119 11 1,727	80 4 9 256 34 18 24 50 24 532 165 59 116 15 1,746	106 18 8 2 65 3 9 212 24 19 18 39 35 384 131 63 137 10 1,664	144 45 3 3 43 14 7 199 19 18 6 6 36 25 29 25 29 1,602	100 28 22 3 49 29 64 179 15 13 13 13 55 36 193 93 107 107 107 107 107 107 107 107 107 107	74 19 4 3 8 8 50 4,519 302 23 22 20 987 143 116 24 39 47 1,980	21 5 2 3 3 3 6 38 1,666 250 22 9 13 390 75 69 20 37 133 6 1,425	17 6 6 2 4 32 232 1,378 232 14 15 16 302 74 34 14 22 23 1,308
	NORTH CAROLINA (WHITE). All causes	24,907	1,930	1, 736	1,649	1,610	1,722	1,881	1,689	1,574	1,361	4,949	2,532	2, 274
1 3 5 6 7 8 9 13 14–15 17 20–21 22 (23) (33) (33) 35	Typhoid fever Malaria.  Measles. Scarlet fever Whooping cough Diphtheria and croup Influenza Tuberculosis of the lungs Other forms of tuberculosis. Meningitis. Bronchpitis. Preumonia. Bronchopneumonia. Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over) Congenital debility 1 Violent deaths (suicide excepted). Suicide.	305 75 255 202 355 202 4, 794 1, 470 145 187 130 1, 731 601 1, 246 442 283 880 11, 700	5 1 43 1 1 19 30 56 134 10 28 29 180 102 23 8 8 20 8 3 1,153	6 4 60 1 1 40 14 55 127 14 19 17 178 87 14 16 23 64 11 986	8 5 5 5 7 1 32 8 8 32 158 14 20 15 123 80 15 12 19 63 8 979	6 1 43 2 41 8 34 141 14 14 16 137 59 25 14 17 67 67 2 969	7 8 22 34 10 14 149 9 20 6 68 47 144 57 16 71 19 1,031	17 6 13 42 2 4 114 18 16 11 26 9 324 124 29 71 11 1,044	51 6 7 1 129 2 5 85 11 11 18 8 17 251 85 42 82 82 967	77 22 1 3 19 9 3 80 80 11 15 5 3 18 18 18 18 9 9 9 9 9 9 9 9 9 9 9 9 9 9	50 11 1 2 20 23 37 87 10 12 4 33 18 136 136 18 793	51 2 4 3 46 45 2,670 153 11 16 7 75 75 15 23 58 6 1,120	16 5 2 2 2 11 32 1,010 122 15 7 3 211 49 39 14 26 73 6 889	11 4 2 2 4 22 19 874 120 8 8 9 111 171 41 18 6 6 18 8 8

<sup>1</sup> Excluding premature birth.

[See note at head of this table, p. 483.]

· 註		•				•	DEA	THS OCC	URRING I	N—				
Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	Janu- ary.	Febru- ary.	March.	'April.	May.	June.	July.	Au-	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
		REGIS	TRAT	ion s	TATE	S-Cont	inued.						•	<u> </u>
	NORTH CAROLINA (COLORED).													
_	All causes		1,199	1,087	1,174	1,259	1,267	1,329	1,258	1,184	992	3,555	1,688	1,375
1 3 5	Typhoid fever Malaria Measles Scarlet fever	263 114 53 3	6 4 6	6 5 6	4 6 15	12 8	8 6 9	29 10 3	55 12 1	67 -23 4	50 17 1	23 17	5 1	6 2
7 8 9 13 14–15	Scarlet fever Whooping cough Diphtheria and croup Influenza Tuberculosis of the lungs Other forms of tuberculosis	350 49 3,154 1,663 134	10 9 19 139 10	15 3 26 131 10	32 2 22 156 10	46 6 34 183 20	43 2 4 185 17	38 2 5 142 16	36 1 4 127 13	24 5 4 119 8	29 6 27 92 5	42 5 1,849 149 12	25 6 656 128 7	10 2 504 112 6
17 20–21 22 (23)	Bronchitis.	140	8 14 133 54 13	9 21 139 51 11	9 19 118 47 14	7 12 168 60	4	2 13 24 15	8 10 22 14	3 3 18 12	1 9 22 18 57	6 13 418 68 41	10 179 26	6 5 131 33 16
(37) (33) · 35 36	Enonchopneumonia. Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over). Congenital deblity <sup>1</sup> . Violent deaths (suicide excepted). Suicide	628 13	6 13 77 1	4 7 69	5 21 58	21 5 13 37	11 65 43 97 15 12 48 2	208 41 30 45 4 702	133 46 21 55 2	110 25 22 58	21 12 35 2	41 9 16 26 1	30 6 11 60	16 6 13 60 1
	All other causes	7,729	677	574	636	623	696	702	697	679	587	860	536	462
	All causes	92,356	6,962	6,116	7,057 43	7,368	5, 883 41	4,939	5, 163 38	5,831 78	5,761 110	14,053	11,866	11,357
1 3 5 6 7 8 9 13 14–15 17 20–21 22	Malaria Measles Scarlet fever Whooping cough Diphtheria and croup Influenza Tuberculosis of the lungs Other forms of tuberculosis	24 244 165 672 515 13,542 6,557 1,042	7 16 49 62 109 585 78 35 91 693	21 15 54 56 96 549 68 43 52 516	30 24 85 52 94 702 123 59 81 631	4 67 15 90 35 192 699 112 45 84 927	1 41 20 63 34 71 604 114 40 48 338 167	4 36 8 49 23 12 511 89 33 31 130	1 15 7 63 16 17 458 87 23 36 116	5 8 4 44 23 14 423 81 44 26 106	3 3 7 32 43 401 75 36 32 170	181 5 22 44 61 4,705 524 85 33 106 2,802	2 4 10 60 52 4,412 - 540 57 37 59 1,806	37 17 39 58 3,786 73 25 70 1,460
(23) 25 (37) (33) 35 36	Memigitis. Bronchopneumonia. Bronchopneumonia. Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Congenital debility 1 Violent deaths (suicide excepted). Suicide. All other causes.	11,000	349 87 23 51 469 43 4,171	339 102 27 50 397 56 3,639	351 110 34 47 413 60 4,115		114 35 45 437 73 3,597	73 113 30 42 438 64 3,219	70 326 64 41 526 52 3,207	56 655 123 75 636 47 3,383	101 646 129 72 469 53 3,345	475 261 60 98 497 61 4,032	407 101 42 53 485 69 3,604	106 26 55 512 62 4,056
1	All causes	<u> </u>	640	589	741	799	664	673	627	531	591	1,242	1,396	1,186
1 3 , 5 6 7 8 9 13 14–15 17 20–21 22 (23) 25 (37) (33) 35 36	Typhoid fever Malaria. Measles. Scarlet fever Whooping cough Diphtheria and croup. Influenze. Tuberculosis of the lungs. Other forms of tuberculosis. Meningitis. Bronchitis. Preumonia. Bronchopneumonia. Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Congenital debility 1 Violent deaths (snicide excepted). Suicide. All other causes.	53 15 48 32 1,564 561 113 47 48 698 216	2 1 1 6 6 1 7 4 6 6 1 1 1 4 3 3 3 5 5 7 7 5 4 5 9 4 3 0	22 33 35 50 44 44 43 19 42 24 36 407	7 68 133 53 66 111 533 8 8 22 40 470	16 2 8 2 8 59 9 6 3 60 26 6 6 5	3 9 1 5 3 8 50 9 5 1 13 3 2 2 4 52 434	9 22 3 1 7 45 14 2 44 12 9 72 14 418	9 3 1 6 44 14 13 6 11 2 9 76 9 415	9 1 3 1 2 1 30 10 2 1 1 17 7 13 5 6 58 363	2 2 3 2 23 7 4 19 4 33 13 8 62 9 , 397	3 4 4 398 54 111 2 3 3 165 38 21 8 5 63 10 451	17 1 1 1 6 5 652 56 6 7 5 110 26 9 5 40 4 440	7 2 9466 36 5 4 10 96 16 5 3 7 48 9 461
	All causes	187,951	12,419	10,821	12,428	12,713	10,209	8,415	9,399	10,477	10,687	48, 329	25,135	16,919
1 3 5 6 7 8 9 13 14–15 20–21 22 (23) 25 (37) (33) 35 36	Typhoid fever Malaria. Measles. Scarlet fever. Whooping cough Diphtheria and croup Influenza. Tuberculosis of the lungs. Other forms of tuberculosis. Meningitis. Pneumonia. Bronchopneumonia. Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (years and over) Congenital debility 1 Violent deaths (suicide excepted). Suicide. All other causes.	18 831 174 1,521 1,784 39,301 11,401 1,543 831 1,745 25,801 9,725 8,418	49 3 3 555 19 119 117 178 1,001 106 69 211 1,558 852 274 62 - 64 6,564	51 1 60 23 111 131 164 899 105 79 181 1,212 711 272 86 99 784 76 5,776	119 20 175 154 173 1,172 151 101 241 1,487 900 310 59 99 740 74	148 23 182 128 295 1,066 159 88 185 2,019 842 282 79 93 770 87	51 1 168 187 171 103 102 939 170 87 790 464 323 323 .77 90 841 88 5,602	44 1 68 3 121 110 110 33 810 61 72 330 251 494 94 99 785 786 4,881	80 1 59 8 123 85 15 768 136 49 70 322 227 1,167 171 114 856 80 5,068	85 43 44 84 74 166 61 136 61 148 2115 266 149 1,124 5,065	130 3 15 5 93 136 221 750 105 55 58 646 279 1,857 177 704 5,078	199 3 37 20 187 22,238 1,323 130 68 256 11,147 2,859 711 122 228 785 83 7,660	62 1 45 13 91 192 10,794 954 83 87 152 4,009 1,273 393 61 178 864 97 5,816	39 14 19 64 201 5,012 120 56 146 2,070 255 67 138 806 806 87 5,996

Excluding premature birth

Table 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1918—Continued.

[See note at head of this table, p. 483.]

1 Int.							DEA	THS OCC	URRING	IN—		<del></del>		***********
Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	Janu- ary.	Febru- ary.	March.	April.	Мау.	June.	July.	Au- gust.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
		REGI	STRA'	TION	STAT	ES—Co	ntinued.	<del></del>	·,,,	·	·		·!	<del>'</del>
	RHODE ISLAND.	12,407	867	774	942	967	698	662	743	725	912	3,045	979	1,093
1	Typhoid feyer	· 34	1	4	3	3	1	1	1	4	6	5	1	4
3 5 6 7 8 9 13 14-15 17 20-21 (22) (23) 25 (37) (33) 35 36	Malaria. Measles. Searlet fever. Whooping cough. Diphtheria and croup. Influenza. Tuberculosis of the lungs. Other forms of tuberculosis. Meningitis. Bronchittis. Preumonia. Bronchopneumonia. Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over). Congenital debility 1. Violent deaths (suicide excepted) Suicide. All other causes.	146	2 4 2 14 7 79 15 96 37 11 19 65 65 65 7 484	12 2 2 7 8 8 12 275 12 755 19 78 300 5 4 4 9 9 43 7 7 439	15 3 5 11 16 66 87 18 10 00 26 118 49 14 5 25 42 7 488	20 2 10 13 26 95 18 7 7 16 133 51 14 7 7 11 41 6 494	25 4 4 14 8 1 72 11 6 6 6 15 58 20 0 6 5 1 1 29 10 400	12 10 11 62 13 8 9 30 17 37 37 37 38 88 93 38	1 12 4 4 12 3 3 	8 1 18 3 3 17 7 25 33 6 359	24 4 128 67 14 7 4 112 15 73 13 19 27 5 389	4 31 7 1,542 96 18 9 12 573 83 4 4 25 44 8 547	11 9 2222 78 9 6 6 10 89 31 18 5 14 48 5 423	1 2 11 12 235 70 11 12 130 44 15 1 8 30 5
	All causes	30,761	2,048	1,820	1,882	2,069	2,465	2,277	2,013	1,992	1,882	6,113	3,629	2,571
1 3 5 6 7 8 9 13 14-15 - 17 20-21 (23) 25 (37) (33) 35 36	Typhoid fever Malaria.  Measles. Scarlet fever Whooping cough Diphtheria and croup. Influenza. Tuberculosis of the lungs. Other forms of tuberculosis. Meningitis. Bronchitis. Preumonia. Bronchopneumonia. Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Congenital debility! Violent deaths (suicide excepted) Suicide. All other causes.	583 526 290 4 754 139 5,964 2,228 132 162 2,955 2,956 278 278 278 278 278 278 278 278 278 278	5 16 35 1 11 19 9 9 55 162 10 15 16 8 301 78 31 10 49 140 49 140 140 140 140 140 140 140 140 140 140	7 16 45 27 6 58 175 18 47 8 251 69 25 25 24 3 90 3 920	14 18 58 53 7 33 221 10 00 29 12 188 55 32 7 40 91 1,011	15 32 35 72 8 8 44 214 8 23 13 202 40 89 23 37 83 37 83 41 1,127	27 41 44 89 7 7 23 237 14 5 3 122 23 259 59 51 83 7 1,380	69 61 24 125 5 5 183 11 5 72 4 248 248 6 56 81 1,265	106 56 19 1 108 6 5 154 11 6 6 43 43 39 39 83 39 81 1,153	136 100 12 2 53 15 4 174 10 6 3 3 31 142 288 66 90 90 1,115	86 76 3 21 22 160 111 4 12 87 8 103 14 53 77 8 1,082	777 82 7 106 3,021 2224 8 5 11 966 57 81 20 43 74 3 1,293	25 17 3 42 11 1,727 171 9 9 3 422 29 46 10 36 93 1 984	16 11 5 9 961 153 10 8 6 271 18 37 10 29 105 27 105 29 105 29 105 29 105 29 105 20 20 20 20 20 20 20 20 20 20 20 20 20
	All causes	11, 152	855	767	688	729	880	742	679	689	693	2,259	1,187	984
1 3 5 6 7 7 8 9 14-15 17 20-21 22 (23) 25 (33) 35 36	Typhoid fever Malaria Measles. Scarlet fever Whooping cough Diphtheria and croup Influenza Tuberculosis of the lungs Other forms of tuberculosis Meningitis. Bronchotis Pneumonia. Bronchopneumonia Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over) Congenital deblitty Violent deaths (suicide excepted) Suicide All other causes.	204 95 115 4 204 91 2,045 486 95 47 1,046 215 487 98 148 431 42 5,263	3 1 20 1 4 7 17 38 3 3 10 13 122 49 11 12 2 11 5 6	3 3 25 12 3 19 49 6 6 4 106 41 8 8 6 10 41 2	2 3 22 18 6 11 51 51 55 58 22 2 11 27 3 426	20 4 17 36 1 13 5 5 68 17 27 10 7 27 27 4 452	18 3 8 46 5 4 40 111 106 19 12 41 3 533	23 9 6 	35 8 4 1 1 26 5 1 1 28 2 4 2 10 7 61 14 10 26 429	48 25 3 2 15 8 2 3 4 4 2 3 3 61 6 28 36 24 40 40 40 40 40 40 40 40 40 40 40 40 40	27 11 1 15 13 10 0 32 3 2 4 27 6 6 43 8 8 8 12 37 4	34 17 1 36 26 1,112 61 4 371 36 35 6 11 26 6 1,112 37 1	11 5 1 14 8 491 47 1 1 3 13 13 18 2 2 2 13 39 1 385	77 3 1 1 7 5 5 6 3 9 3 5 6 8 8 8 16 3 8 40 0 5 5 3 8 4
	SOUTH CAROLINA (COLORED).							1						
1 3 5 6 7 8 9 13 14-15	All causes.  Typhoid fever Malaria Measles Scarlet fever Whooping cough Diphtheria and croup Influenza Tuberculosis of the lungs. Other forms of tuberculosis	19,609 379 431 175 550 48 3,919 1,742 96	1,193 2 15 15 15 2 38 124 7	1,053 4 13 20 15 3 39 126 12	1, 194 12 15 36 35 1 22 170 10	1,340 12 26 23 52 4 27 178 7	1,585 19 37 25 71 4 15 191 9	1,535 46 52 18 106 2 4 158	71 48 15 82 1 4 126 9	1,303 88 · 75 9 38 7 2 140 7	1, 189 59 65 2 34 8 18 128 8	3,854 43 65 6 70 9 1,909 163	2,442 14 12 2 28 3 1,236 124	1,587 9 8 4 12 4 605 114
20-21 22 (23) 25 (37) (33) 35 36	Meningitis.  Bronchitis.  Proeumonia.  Bronchopneumonia.  Bronchopneumonia.  Diarrhea and enteritis (under 2 years).  Diarrhea and enteritis (2 years and over).  Congenital debiuty 1.  Violent deaths (suicide excepted)  Suicide.  All other causes.	67 48 1,910 177 761 180 394 659 14 8,059	5 3 179 29 20 8 38 85 2 614	12 21 4 145 28 17 6 33 49 1	10 16 7 130 33 24 5 29 64	10 8 134 23 62 13 30 56	9 1 3 82 12 144 40 39 42 4 847	8 5 3 54 2 155 26 41 45 1 809	9 2 4 33 1 103 25 29 57	81 22 38 54	8 2 8 60 2 60 6 41 40 4 644	7 595 21 46 14 32 48	287 16 28 8 23 54	183 10 21 7 21 65 2 512

<sup>1</sup> Excluding premature birth.

IInt.		<del>, · · , · · ; · ·</del>	'		<u> </u>	-	DEA	THS OCC	URRING		<del></del>			<del></del>
AbridgedInt. List No.	AREA AND CAUSE OF DEATH.	All deaths.	Janu-	Febru-	March.	April.	May.	June.	July.	Au-	Sep-	Octo-	Novem-	Decem-
IA.	· ·		ary.	ary.				-	July.	gust.	tember.	ber.	ber.	ber.
	•	REGI	STRA!	LION ,	STAT	ES—Cor	atinued.							
	tennessee (total);								'					
	All causes	37, 134	2,765	2,524	2,682	2,745	2,211	2,291	2,575	2,419	2,230	7,295	3,926	3,471
1 3 5 6	Typhoid fever Malaria. Measles. Scarlet fever	699 325 407 44	27 3 55 9	20 6 65 2	21 13 72 5 38 11 50 439 45 37 26 292 100 25 26	29 23 64	28 30 37	36 . 42 15	91 49 15	125 63 9	114 42 19	128 36 30	53 8 15	27 10 11
7 8	Whooping cough Diphtheria and croup Influenza Tuberculosis of the lungs Other forms of tuberculosis	557 277	. 34 28 87	45 11	38 11	2 42 10	4 26 12 38 386 54 28 18 150 42 33 29 15 109	2 44 5	59 . 6	3 40 17	32 38 36	7 117 63	. 2 48 48	32 32
9 13 14–15	Thuenza. Tuberculosis of the lungs. Other forms of tuberculosis	6,281 4,303 474	353 28	45 11 78 363 45 35 21	50 439 45	65 430 40	38 386 54	14 355	354 48	11 291	254 254	3, 171 376	1,532 372	2 32 28 1,188 330 24 23 13 366
17 20–21	Bronchitis.	233	353 28 23 39	35 21	37 26	42 21	28 18	38 26 13	48 22 14 57	48 17 · 10	254 37 21 22 76 32	28 14 21	39 19 15	24 23 13
22 (23) 25 (37) (33)	Preumonia. Bronchopneumonia. Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Congenital debility <sup>1</sup> Violent deaths (suicide excepted). Suicide. All other causes.	3,700 1,004 950	353 116 25	271 93 18	100 25	40 42 21 305 101 32 15	150 42 33	51 30	57 23 215	45 18 191	76 32	21 1,375 252 71	359 81	
(37) (33)	Diarrhea and enteritis (2 years and over) Congenital debility <sup>1</sup>	394 285 1,650	25 20 23 155	20 18	21 26	18	29 · 15	145 64 21 133 12	23 215 54 · 21 242	49 38	133 47 20	39	38 21 30	24 15 32
35 36	Suicide Suicide Suicide Suicide Suicide	1,650 120 15,124	155 6 1,381	152 10 1,251	107 7 1,347	153 10 1,343	109 17 1,155	133 12	15	153 7	101 12	23 105 7	110	130 11
	TENNESSEE (WHITE).	10,124	1,001	1,201	1,021	1, 540	7, 100	1,245	1,278	1,284	1,189	1,432	1,130	1,089
	All causes	25,949	1,960	1,748	1,885	1,815	1,463	1,493	1,710	1,661	1,575	5,207	2,882	2,550
1 3	Typhoid fever Malaria	499 170	17 3 52	´ 14 3	12 7	19 14	17 14	21 18	60 27 11	93 29	91 19	91	43 5	01
5 6 7	Measles Scarlet fever Whosing cough	369 · 44 404	) a	3 61 2 38	66 5	55 2 29	14 32 4	21 18 14 2 28 5	11	8 3	19	· 25 27 7	14 2 36	6 10 2 20 25 919
8	Measies. Scarlet fever. Whooping cough. Diphtheria and croup. Influenza. Tuberculosis of the lungs. Other forms of tuberculosis. Meningitis. Branchitis	247 4,702	31 23 76	9 56	32 11 33	8 35	20 11 23	28 5 9	.38 .5 .8	35 16 8	21 32 30	76 58 2,318 222	36 44 1,187	20 25
13 14–15 17	Tuberculosis of the lungs Other forms of tuberculosis	2,518 290 248	218 16	223 27 24 16	250 30	247	209 33	178	200 35	155 25	158 22	222 16	244   29	214
20-21 22	Bronchitis. Pneumonia	2, 430	18 29 239 80	16 169	31 17 199	17 30 16 152	4 20 111 23 209 33 24 10 77 30 20 20 10 77	21 24 7 31 15 99 47 13 93 12 856	200 35 19 7 37 16 165 48 18	14 8 24	158 22 17 16 56	16 12 12 951	13	19 19 10
(23) 25 (37) (33) 35	Bronentis. Pneumonia. Bronchopneumonia. Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Congenital debility <sup>1</sup> . Violent deaths (suicide excepted). Suicide.	707 740 315	18	169 73 16 15 16 91	. 67 20 17	57 26	30 20	15 99	16 165	9 156	113	191	238 60 30	257 85 19 12 25 79
(33) 35	Congenital debility 1 Violent deaths (suicide excepted)	218 1,062	14 19 97	16 91	22 73	9 13 106	20 10 77	47 13 93	48 18 131	44 29 104	40 13 68 11	58 32 17 73	17 23 70	12 25
, 36	Suicide All other causes	10,711	996	10 885	986	10 970	16 816	12 856	14 870	7 894	11 820	7 1,014	5 806	10 . 798
	TENNESSEE (COLORED).	11 105	005		505							,		
1	All causes	11,185	805	776 6	797	930	748	798 15	865	758	655	2,088	1,044	921
3 5 6	Typhoid fever Malaria Measles. Scarlet fever	155 · 38	3	· 3	6	9 9	16 5	· 24	31 22 4	34 1	23 23	37 11 3	10 3 1	6 4 1
7 8	Whooping cough Diphtheria and croup	153 30	3 5	7 2	6	13 2	6 1	16	21	5	ii	41	12	12
9 13 1415	Whooping cough Diphtheria and croup. Influenza Tuberculosis of the lungs Other forms of tuberculosis.	1,579 1,785 184	11 135 12 5	22 140 18	17 189 15	30 1	15	5 177	1 3 154 13	1 3 136	6 96 15	853 154 12	345 128	3 269 116
17 20–21	Bronchitis	59 72	10	11	6	183 23 12 5	177 21 4 8	17 2	13 3 7	23	15 4 6	12 2	128 10 3	5 4
22 (2 25	Pneumonia Bronchopneumonia Didrehot and enteritis (under 2 press)	1,270 297 210	114 36	102 20 2 5	93 33 5	153 44	73 12	20	20 7 50	21 9 35	20 8	· 424 61	121 21	109 31
(37) (33) 35	Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Congenital debility 1.	79 67	7 6 4	5 2	4 4	6 6 5	13 9 5	46 17 8	50 6 3	35 5 9	20 7 7	61 13 7	` 8 4 7	31 5 3
35 36	Violent deaths (suicide excepted)	588	58 1	61	34	47	32 1	.40	111	49	33	6 32	40	. 3 7 51 1
	TITATE	4,413	385	366	361	373	339	389	408	390	369	418	.324	291
_	All carrses	. 6, 172	421	394	436	. 449	413	345	295	335	284	924	1,104	772
1 3 5	Typhoid fever	41 34	3 2	1 3	1 7	2	3	6	2	6	4	9	2	2
6 7	Scarlet fever	50 59	6	6	4	11	6 3 12	4 2	1 2 6	2 4 6	1 5	6	2 4	1 3
8 9 13	Diphtheria and croup. Influenza Tuberculosis of the lungs Other forms of tuberculosis	72 1,402 178	7 7 14	7 3	4 5 7	8 13 21 3	. 5 6	4 2	5	4 2	6	6 386	613	7 359
14-15 17	Meningitis	31 31	1	13 2 4	18 7 6	21	11	11 4 3	13 3 1 1	12 4 2	10	386 22 1 2	· 19	
20-21	Bronchitis	43 589	4 58	6 41	30 23	11 57	39 39	12	17	2 9	4 2 10	161	1 3 106	2 2 59
22 (23) 25 (37) (33) 35	Diarrhea and enteritis (under 2 years).  Diarrhea and enteritis (2 years and over).	202 105 32	22 8 1	13 9 1	23 6 2	27 3 2	31 7 4	18 5 1	7 5 12	3 11	14	13 18 7	23 8	18 4
(33)	Bronchopneimonia.  Diarrhea and enteritis (under 2 years).  Diarrhea and enteritis (2 years and over).  Congenital debility 1.  Violent deaths (suicide excepted).	34 367	3 29	1 23	2 27	. 23	37	3 29 1	1 36 2	3 5 43	7 4 21	7 4 37	1 4 31	14 5 2 29 18 4 2 3
36	Suicide	2,873	252	2 255	6 277	241	239	236	196	215	185	247	270	260
•	·		1 Exclud	ling pren	nature bi	rth.								

Table 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1918—Continued.

Int.			1		Ji tills ta			ATHS OCC	TIPPIPI	TNI-		· · · · · · · · · · · · · · · · · · ·		
Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.			<del></del>		DE.		OKKING		1			
Abri Li			Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	Au- gust.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
,		REG	STRA	TION	STAT	res—c	ontinue	l.	<i></i>	,	<u>,                                     </u>	1	<u> </u>	<u> </u>
	VERMONT.	4 200											[.	
1	All causes	6,803	500	426	491	482	458	398	391	377	524	1,697	516	543
3 5	Malaria Measles	1 16	2		2		·····i	1	1	43	7	5 . 4	2	1
6 7 8	Scarlet fever Whooping cough. Diphtheria and croup	11 47 26	1 3 4	$\begin{smallmatrix}1\\2\\1\end{smallmatrix}$	10	· 1	2 7 3	1 1	2 3 2	4	1 2	7	2 2	1 2
9 13	Tuberculosis of the lungs	1,352 312	9 27	10 23	2 13 23	15 32 7	7 37	2 2 28	3	2 2 18	2 74 26	950 32	124 23	1 2 2 143 19
14–15 17 20–21	Other forms of tuberculosis.  Meningitis.  Bronchitis.	56 25 91	7 2 11	3 2 9	9 2 12	7 1 8	4 4 6	8 1 5	24 2 2	3 2	4 3	2 3	3	4
22 (23) 25	Pneumonia	570 131	40 21	33 15	44 16	53 15	24 13	10 7	5 13 5	1 3 5	2 25 6	15 246 16	7 29 4	10 50
(37) (33)	Diarrhea and enteritis (under 2 years)	152 51 63	6 3 4	8 2 8	7 1 2	2 2 4	5 1 8	3 4	8 4	32 10	51 14	18 5	8	8 4 2 7 16
35 36	Violent deaths (suicide excepted)	274 46	21 1	21 3	20 2	23 5	32	28 7	2 31 9	8 16 4	7 20 4	9 24 4	22 1	7 16
	All other causes	3,549	336	285	323	307	301	289	273	260	275	354	277	5 269
	All causes	41,272	3,077	2,728	2,980	2,902	2,504	2,490	2,676	2,848	2,570	8,639	3,537	4.00*
1 3	Typhoid fever	402 81	14	18	12	23	21	25	42	72	61	69	27	4,321
5 6	Measles	277 23	36 2	49 2	59 5	56 4	8 38 1	10 15	10 6 1	12 6 3	13 4 2	9 6 1	4 2 2	6
7 8 9	Whooping cough Diphtheria and croup Influenza	719 216 7, 839	29 33 63	2 25 16	41 22 57	66 8	65 7	74 4 5	83 5 10	81 6	50 26 107	120 49	45 26	40 14
13 14–15	Tuberculosis of the lungs Other forms of tuberculosis.	3,728 365	309 32	54 316 29	385 26	64 364 33	24 313 34	298 38	281 35	10 232 36	107 244 27	4,517 405 24	1,241 251 22	1,687
17 20–21	Meningitis. Bronchitis. Pneumonia.	281 267	35 33	29 31 27	37 37	41 27	15 25	14 15	22 14	232 36 19 11	15 15	24 24 18	16 18	29 12 27 334
(23) 25	Bronchopneumonia	3,271 841 1,351	317 142 28	284 128 22 12	306 125 28	253 95 24	108 45 46	43 22 216	37 26 281	37 11 320	108 25 201	1,238 94	16 18 206 63	334 65
(37) (33)	Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over) Congenital debility 1	421 537	18 48	38	19 43	19 38	23 27	58 32	69 50	71 67	65 58	114 31 52	43 19 42	65 28 17 42 162
35 36	Violent deaths (suicide excepted). Suicide All other causes.	1,831 163 18,659	181 11 1,744	123 9 1,545	143 17 1,617	109 17 1,655	151 14 1,539	131 20 1,470	151 11 1,542	238 18 1,598	126	152 13	164	11
	VIRGINIA (WHITE).		-,,	1,010	2,021	1,000	1,000	1,470	1,042	1,000	1,416	1,703	1,331	1,499
1	All causes.	24,687	1,839	1,586	1,673	1,711	1,428	1,401	1,481	1,627	1,543	5, 461	2,220	2,717
3 5	Typhoid fever Malaria Measles	246 29 225	10 1 28	39	7	15 2 49	15 4 32	16 3 12	26 3 5	40 3 5	29	39 2	20	15 4
6 7	Scarlet fever	21 338	$\frac{2}{12}$	2	5 22 16	27	1 36	27	$\begin{bmatrix} 1\\42 \end{bmatrix}$	3	1 1 19	4 1 64	2 1 24	20
. 8 9 13	Influenza. Tuberculosis of the lungs	168 5, 282 1, 765	27 39 156	10 33 157	16 29 179	7 40	9	2 2	3 6	37 5 6	19 19 83 110	3 050	22 861 113	11 1,124
4–15 17	Other forms of tuberculosis	195 213	19 25	18 24	17 17 24	164 16 32	134 11 12	142 20 12	111 17 15	96 21 14	110 14 11	223 13 22	113 13 12	180 16
20-21	Bronchitis. Pneumonia. Bronchitis	133 1,762	22 156	137	17 130	$\frac{12}{125}$	12 54 21	20	17	4 21	8 18 12	692	11 124	10 14 205
(23) 25 (37)	Bronchopneumonia.  Diarrhea and enteritis (under 2 years).  Diarrhea and enteritis (2 years and over).	769 242	93 17 12	64 12 7	64 17 7	47 13	21 15 11	7 115 32	6 147 41	199 48	12 135 36	47 61 17 30	34 26	14 205 29 12
(33) 35 36	Violent deaths (suicide excepted).	265 1,109	20 106	13 73	19 86	13 13 19 63	13 96	15 92	28 98	33 147	31 80	30 89	9 26 101	9 18 78
30	Suicide	146 11,350	1,085	954	17 969	1,046	934	17 856	902	926	862 7	12 1,048	807	18 78 11 961
	VIRGINIA (COLORED). All causes	16,585	1,238	1,142	1,307	1,191	1,076	1,089	1,195	1,221	1,027	3,178	1,317	
1 3	Typhoid fever	156 52	4 1	4	5	8	6	9	16	32	32	30	7	1,604
5 6	Measles	52 2	8	10	11	7	6	7 3	7	9	9 3 1 .	$\begin{bmatrix} 7 \\ 2 \end{bmatrix}$ .	1	2
7 8 9	Whooping cough Diphtheria and croup Influenza	381 48	17 6 24	17 6	19	39	29 3	47	41 2	44 1	31 7	56 9	21	20 3
13 14-15	Tuberculosis of the lungs. Other forms of tuberculosis	2,557 1,963 170	153 13	21 159 11	28 206 9	24 200 17	15 179 23 3 13	3 156 18	170 18	136 15	24 134	1,467 182 11	380 138	563 150
20-21	Meningitis	68 134	10	7 14	13 20	9 15	13	2	7 1	5 7	. 13	2	9 4 7	13 2 13
(23) 25	Pneumonia. Bronchopneumonia. Diarrhea and enteritis (under 2 years).	1,509 412 582	161 49 11	147 64 10	176 61 11	128 48 11	24	23 15 101	10 20 20	16	27 13	546 47	82 29	129 36
(37) (33)	Congenital debility 1	179 272	6 28	5 25	12 24	6 19	31 12 14	26 17	134 28 22 53	121 23 34	66 29 27	53 14 22	82 29 17 10 16	16 8 24
35 <sup>°</sup> 36	Violent deaths (suicide excepted). Suicide. All other causes.	722	75 2	50	57	46	55	39	2	91 4	46	63 1	63	84
,	Outer Causes	7,309	659   1 Exclud	591   ling pres	648   nature bi	609   irth.	605	614	640	672	554	655	524	538

1 Excluding premature birth.

Int.							DEA	THS OCC	URRING :	IN				<del></del>
Abridged Int. List. No.	AREA AND CAUSE OF DEATH.	All deaths.	Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	Au- gust.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
	REGISTRATION CIT	TES OF	F 100,00	00 POI	PULAT	CION	or M	ORE I	N 1910	-Conti	nued.			
	BIRMINGHAM, ALA. (COLORED).													
	All causes	2,290	190	165	166	256	182	155	160	175	135	241	198	267
1 3	Typhoid fever Malaria	39 17	1	1	1 1	2	2	4	12 2	4 4	9 2	4 2	1	i
5 6 7	Measles Scarlet fever Whooping cough	8 21	2	4	3	2	4	3	i	······i	2	·····i		
8 9	Diphtheria and croupInfluenza	2 247	9	8	3	9	5	1		<u>1</u>		72	55	86
/13 14–15 17	Tuberculosis of the lungs. Other forms of tuberculosis. Meningitis.	231 40 16	19 3 2 1	11 4 1 1	30 7 7	25 5 1	25 3 2	15 4 2	23 7	24 1	16 3	21 1	7 2	15 i
20-21 22 (23)	Bronchitis Pneumonia	8 413 87	36 8	$\begin{array}{c} 1\\41\\7\end{array}$	1 4	2 83 13	27	1 12	6	7	2 8 2	50	43	66
25 (37)	Bronchopneumonia Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over)	60 25	1 3		34 5 1 1	4 1	3 10 5	1 13 5	3 8 3	6 11 1	3	8 3	15 3 4	16 3 2 2
(33) 35 36	Violent deaths (suicide excepted)	31 181	4 19	4 13	16	14	2 18	5 3 14	17	9	3 15	2 13	18	2 15
30	Suicide. All other causes.	860	81	67	52	92	75	2 73	74	102	70	64	50	60
	LOS ANGELES, CALIF. (TOTAL).	0.240	627	600	640	<b>504</b>	600	500		~~.		1 004		
1	All causesTyphoid fever	9,348	1		640 1	594 1	628	562	537	554 4	515 3	1,384	1,515	1,164
3 5 6	Malaria. Measles	3 15	i	····i	<u>2</u>		5	4	2		1	1		Ī
7 8	Scarlet fever	5 1 30 55 1,546	2 1 2	1 5	1 5	2 2 2	1 3 4	4 3 2	4 4	6 2 1	2 6	1 1 6	1 4 8	9
9 13 14–15	Influenza. Tuberculosis of the lungs. Other forms of tuberculosis.	1,546 1,083 101	82 2 5	90 6	106	3 96 10	100 13	81	1 85 3 2	65 13	70 9 4	451 106 10	708 107 6	370 95
17 20-21	Meningitis. Bronchitis	52 43	1 4 1	. 4	8 5 6	7 3	5 1	8 4 2	2 3	6	2	3 7	2 5	5 4
22 (23) 25	Pneumonia. Bronchopneumonia Diarrhea and enteritis (under 2 years)	698 348 176	39 19 9	35 22 12	31 17 2 3 2 43 5	26 13 8	29 16	11 9 21	3 13 7 34	$\begin{array}{c} 12 \\ 7 \\ 21 \end{array}$	19 6 15	275 55 15	117 115 11	13 5 4 91 62 13 4 1 43 8 443
(37) (33)	Diarrhea and enteritis (2 years and over)	59 28	4 2 56	3	3 2	2	15 7 3	7 3	8	3 1	$\begin{bmatrix} 7\\2 \end{bmatrix}$	9 5	2 7	4
35 36	Violent deaths (suicide excepted) Suicide All other causes	457 122 4,506	56 12 386	28 11 398	43 5 402	41 10 368	30 15 376	35 11 357	34 14 321	$\frac{40}{11}$ $\frac{362}{11}$	37 4 327	33 14 389	37 7 377	43 8 443
	LOS ANGELES, CALIF. (WHITE).	2,000							942	002		322		210
	All causes	8,665	582	587	600	569	585	519	501	514	474	1,283	1,373	1,078
1 3 5	Typhoid fever Malaria Measles	15 3			1 2	1	3 · 5		1 2	2	1 1	3 1	1	2 1
6 7	Scarlet fever. Whooping cough Diphtheria and croup.	15 5 27	1 1	1 i		2 2	1 3	4 4	4	6	·····i	1 1	1 3 7	
8 9 13	Diphtheria and croup Influenza Tuberculosis of the lungs	53 1,415 960	1 2 73 2	1 5 4 79	1 5 1 97 5	2 3 86	4 2 85	3 2 69	4 1 77 2	2 1 57	1 5 1 64	6 412 101	644	9 342 80 11
14-15 17	Other forms of tuberculosis Meningitis.	81 48	2 3	3 3	5	9 7	13 4	6	2 2	1:1 6	6 4	8	92 5 2	11 5
20-21 22 (23)	Bronchitis. Pneumonia Bronchopneumonia	40 654 313	37 16	5 33 19	5 30 15	3 25 12	1 29 15	11 6	3 10 7	11 6	2 15 5	259 50	106 102	88 60
25 (37)	Diarrhea and enteritis (under 2 years)	148 55	16 7 4 2	9	30 15 2 3 2 39 5	7 2	14 7	16 7 3	10 7 33 8	17 1	11 6	50 14 8	9 2	88 60 9 4 1 38 7 417
(33) 35 36	Congenital debility <sup>1</sup> .  Violent deaths (suicide excepted).  Suicide	430 113	51 12	$\begin{array}{c} 1 \\ 26 \\ 9 \end{array}$	39 5	41 10	30 15	32 10	1 29 14	$\begin{array}{c} 1 \\ 40 \\ 11 \end{array}$	2 37 4	5 32 10	5 35 6	38 7
	All other causes	4, 265	366	386	382	357	352	340	303	342	309	362	349	417
	LOS ANGELES, CALIF. (COLORED).  All causes	683	45	41	40	25	43	43	36	40	41	101	142	86
1 3	Typhoid fever Malaria	6	1							2	2			
5 6	Measles. Scarlet fever													
. 7	Whooping cough Diphtheria and croup.	2	1		••••••					••••••	1 1	39	1 1 64	28
13 14–15	Influenza Tuberculosis of the lungs Other forms of tuberculosis	123 20	9	11 3	9 3	10 1	15	12 2	8	8 2	6 3	5 2	15	15 2
20-21 22	Meningitis. Bronchitis. Pneumonia	4 3	2	1 1 2	1 1	·····i	1		3	i	4	16	i	3
(23) 25	Bronchopneumonia Diarrhag and enteritis (under 2 veers)	44 35 28	3 2	3 3	2	î 1	1 1	3 5	i	1 4	1 4	5 1	13 2	2 4
(37) (33) 35	Diarrhea and enteritis (2 years and over)  Congenital debility  Violent deaths (suicide excepted)	4 3 27	5	2	4		1	3	5	2	1	1 i	2 2	
36	Suicide	9 241	20	$\begin{bmatrix} \frac{2}{2} \\ 12 \end{bmatrix}$	20	11	24	1 17	18	20	18	$\frac{1}{4}$	28	1 26
		·	1 Exclu	iding pre	mature l	birth.			,		,			

Table 10.—Deaths (exclusive of stillbirths) in the registration area (exclusive of Hawaii), Registration states, and cities of 100,000 population or more in 1910, from important causes, By Month of Death: 1918—Continued.

Int					· · · · · · · · · · · · · · · · · · ·		DEA	THS OCC	URRING	IN—			<del></del>	<del></del>
Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	Janu- ary.	Febru- ary.	March.	April.	Мау.	June.	July.	Au- gust.	Sep- tember.	Octo- ber.	Novem-	Decem- ber.
•	REGISTRATION CIT	ries o	" F 100,0	000 PO	PULA'	TION	OR M	ORE	IN 191	.0—Cont	inued.		· .	
<u>··</u>	OAKLAND, CALIF.			1				] .	]	<u> </u>	<u> </u>	]	1	
	All causes	3,212	204	171	266	204	182	173	182	173	181	611	493	372
1	Typhoid fever	11 1		1			1	1.	2 1	1	3	1	ī	
3 5 6	Malaria Measles Scarlet fever	3 2			1	1				i				i
. 7	Whooping cough Diphtheria and croup	27 11		6	3	2	4 1	$\frac{1}{2}$	3 1	1	2	• 3 1	2 2	2
13	Influenza. Tuberculosis of the lungs.	357 199 35	16 3	14	18 5	. 19 8	16 4	15	12 1	12 2	1 10 2	162 25 4	101 22 2	84 20 2
14-15 17 20-21	Other forms of tuberculosis Meningitis Bronchitis	14 19	2 1	2 1 4	1	1 1		1	i	í	2	2 3	1 5	2 2 2
· (23)	Pneumonia	554 110	12 12	12 6	32 20	25 6	10 3	6 4	8	8 2	. 6	221 21	167 15	.47 12
(37)	Bronchopneumonia.  Diarrhea and enteritis (under 2 years).  Diarrhea and enteritis (2 years and over).	46 9 17	4 i	2	4 1 1	3 2	1	· 1 2	<u>i</u> -	4 2	4 2 2	6 2	12	2 2 3
(33) 35 36	Congenital debility <sup>1</sup> . Violent deaths (suicide excepted). Suicide	168 46	9 2	8 3	18	10 4	12	11	9	· 23	15	17 7	20 6	16 6
- 00	All other causes	1,583	141	111	156	116	127	122	134	112	122	136	135	171
	SAN FRANCISCO, CALIF. (TOTAL).		200	017	733	684	611	700	500	496	499	1,974	1 017	1 000
1	All causes	9,855	660	617	5	1	011	562	502	3	3	2	1,317	1,200
. 3	Malaria	3 10		Î 1	2	4		2		1	Ĭ		ī	· · · · · · · · · · · · · · · · · · ·
6	Scarlet fever	11 35	. 3	8	5	2	<u>4</u>	1 4 5	3			v 1 3	<u>i</u>	<del>3</del>
. 8 9 13	Whooping cough. Diphtheria and croup. Influenza Tuberculosis of the lungs	1, 767 831	4 1 58	5 75	1 2 79	2 8 86	5 3 61	5 2 66	4 1 52	3 53	4 3 54	859 86	554 66	· 4 334 95
14-15 17	Other forms of tuberculosis	112 33	58 8 3 10	14	79 12 4 12	8	61 9 3 6	8	6 4 3	6	10 3	10 1	9	95 12 2
20-21 22	Bronehitis. Pneumonia	80 · 1,074	49	9 49	67	10 72	6 37 11	3 33	19	3 18	1 23	429	10 161	9 117
(23) 25 (37)	Bronchopneumonia. Diarrhea and enteritis (under 2 years)	251 71 43	24 4	18 6 5	34 5 3	21 7 4	5 7	2 66 8 3 33 16 4 5	11 7 4	5 4 4	11 3 1	41 13	29 7 1	30 6 4
(33) 35	Diarrhea and enteritis (2 years and over) Congenital debility 1 Violent deaths (suicide excepted)	17 526	.4 1 56	1 49	35	35	44	2 35 14	1 45	. 50	1 37	1 1 42	43 15	3 55 23 503
36	Violent deaths (suicide excepted) Suicide	194 4, 736	16 416	15 359	23 441	17 395	9 407	14 358	12 326	10 335	17 327	23 456 .	15 413	23 503
	SAN FRANCISCO, CALIF. (WHITE).					ì								
	All causes	9,278	620	584	694	630	568	534	473	460	470	1,879	1,243	1,123
1 3	Typhoidfever Malaria. Measles	19 3 9	1	1 1	5	3		$\frac{1}{2}$	3	3 1	3 1	1 	1	
5 6 7	Sparlet fever	10 32	1 3		1 5	2 4	4	$\frac{1}{2}$	1 3			1 3	1	3
8 9	Whooping cough Diphtheria and croup. Influenza	37 1,692	3		1 2	2 7	5	4 2	3 1	3	4 2	. 2	535 535	31 <u>5</u>
14-15	Tuberculosis of the lungs. Other forms of tuberculosis Meningitis.	734 96 30	50 7 3	69 13 1	70 10 4	2 7 75 7	54 6 2	58 7 2	. 6	. 3	· 48 9 3	824 76 9 1	55 8 1	87 11 2
20-21 22	Bronchitis	73	10 45	1 6	12 67	l th	6 33	3 31	4 3 19	3 16	1 23 10	4	7 145	8 108
(23) 25	Bronchopneumonia. Diarrhea and enteritis (under 2 years)	226 67	20	48 15 5 5	29	66 20 7	10 4 7	15 4	19 10 7	, 4 3 1	10 3	402 39 12 1	27	27 6
(37) (33) 35	Diarrhea and enteritis (2 years and over)  Congenital debility 1  Title debility 1	41 16 503	4 1 55	1 1	3 2 34	<del>4</del> 35	43	5 2 34	4 1 44 12	3 1 44	1 34	1 39	1 3 40	4 3 53
36	Suicide All other causes	188 4,499	15 397	48 15 343	23 419	17 364	382*	14	12 309	317	16 312	23 441	13 398	22 470
	SAN FRANCISCO, CALIF. (COLORED).													
	All causes	、 577	40	33	39	54	43	28	29	36	29	95	74	77
1 3	Typhoid fever	2				1						1		
5.	Macelee	1	i			1								
7 8	Scarlet fever Whooping cough Diphtheria and croup	3	i	1				. 1	····i				19	19
9 13 14–15	Influenza. Tuberculosis of the lungs Other forms of tuberculosis.	75 97 16	8	6 1	9 2	11	7 3	8	9	4 3	1 6 1	10	111	, 8
17 20-21	Meningitis	37		3		1	1	Ī					3	·····i.
22 (23) 25	Dnormania	71	4 4	1 3	5	6 1	1	2	i	2 1	i	27 2	16 2	9
25 (37) (33) 35	Bronchopneumonia. Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Congenital debility 1. Violent deaths (suicide excepted).	. 4		1			1			i	i	1	1	
35 36	Suicide	, 0	1 1		1		1	1	1	6	3 1.	3	3 2	2 1
	All other causes		19	16	ng prema			11	17	18	1 15	15	15	33
	156247—20——32		-		~º Nroma									

[See note at head of this table, p. 483.]

in .					••		DEA	THS OCC	URRING 1	IN				
Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	Au- gust.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
	REGISTRATION CIT	TES OF	7 100,0	00 PO	PULAT	rion	OR M	ORE I	N 1910	Conti	nued.			
	DENVER, COLO.													
	All causes	5,199	287	317	378	413	303	302	288	285	255	728	755	888
1 3	Typhoid fever Malaria	23			1			1		3	5	6	3	4
5	Measles. Scarlet fever.	2 7	····i		i	3	1	1	· į					-,
7 8	Whooping cough	29 28	3	1	3	3 5	2 4	6 6	4 2	2 3		3 2	3	2
9 13	Diphtheria and croup Influenza Tuberculosis of the lungs	788 775	1 53	2 50	3 76	72	3 43	51	1 53	39	1 1 47	194 94	228 89	351 108
14–15 17	Other forms of tuberculosis	52 19	2 2	5	7 5	6 2	6	4 1	4 3	6	3	1 2	5	3 2
20-21 22	Bronchitis. Pneumonia.	32 806	36	2 42	4 46	6 68	38 15	1 13	6 8	2 6	1 18 3 7	3 212	173	146
(23) 25	Bronchopneumonia. Diarrhea and enteritis (under 2 years)	219 56	9	13 4	18	18 5	2	5 2	6 7	2 19	3 7	33 1	49	48 2
(37) (33)	Diarrhea and enteritis (2 years and over)  Congenital debility 1	22 18	1		3	1 2	$\frac{1}{2}$	2	1 3	1	2	3 5	5	1 1
35 36	Violent deaths (suicide excepted)	167 52	3	9	5	14 5	12	18	12 5	27 7	16	15 3	12 3	11
	All other causes.	2,104	164	186	194	199	163	183	171	164	147	151	176	206
	BRIDGEPORT, CONN. All causes	2,981	207	225	294	219	160	130	101	150	100	004	nór.	005
1	Typhoid fever.	2,981	201	220		719	100	130	161	152	139	664	395	235
3 5	Malaria. Measles	1 16	2	2	1	2	1	3		1		2	2	
6 7	Scarlet fever Whooping cough	3 40	4	1 6	1 11	1 7	5	·····i	1	2		i	·····-	1
8	Diphtheria and croup    Influenza	35 475	2	4	6 2	1 3	4	2	1 1	1	2 5	276	127	3 60
13 14–15	Tuberculosis of the lungs. Other forms of tuberculosis.	188 39	22 4	17 1	18 7	16 3	15	12 5	14 2	11 1	1 7	19 5	19 4	14 3
17 20–21	Meningitis   Bronchitis	18	3 2	1 2	2 2	2 3		2	6	1	$\frac{2}{1}$	1 1	2	1 3
$\binom{22}{(23)}$	Pneumonia. Bronchopneumonia	128	20 8	28 20	65 16 7	35 11	13 6	6	7	8 9	2	189 29	112 14	36 6
(37)	Diarrhea and enteritis (under 2 years).  Diarrhea and enteritis (2 years and over)	2	1	5		2	6	7	32	27	. 19	5	4	2
(33) 35 36	Congenital debility 1. Violent deaths (suicide excepted). Suicide.	181	25	10	22 22	12	10	22 22	6 8	13	9	17	16	17
90	All other causes.	$\frac{26}{1,134}$	111	122	128	115	96	60	81	73	72	102	89	3 85
	NEW HAVEN, CONN.													Ì
	All causes		246	217	236	260	220	169	184	e 148	178	788	375	322
1 3	Typhoid fever Malaria		1	1						1	1	2	1	
5 6	Measles Scarlet fever	š	1	1						2	3	i	1	. 1
7 8 9	Whooping cough Diphtheria and croup	27	3	3	. 4	14	. 9	5	3	1 2		5	3	5
13 14–15	Influenza. Tuberculosis of the lungs. Other forms of tuberculosis.	191	3 14	19	17	21	19	10	17	13	10	429 25	142 12	104 14
17 20–21	Meningitis. Bronchitis	28	5	3	5 2			3 4	2 2	3		1 3	3 2	6 2
22	Pneumonia.	361	36 15	5 26 14	35 18	51 10	3 21 11	1 4 4	1 3 5 13	2 2 1	1 8	118 23 11	26 26	31
(23) 25 (37) (33)	Diarrhea and enteritis (2 years and over)	81 8	3	4	5	6	4		13	12	11	11		1 1 31 27 2 2 2 1 1 12 2 111
(33) 35	Congenital debility <sup>1</sup> . Violent deaths (suicide excepted)	27 179	1 19	8 13	1 15	4 15	13	17	1 21	1 12	1	9	3	1 12
36	Suicide All other causes	24 1,431	3 137	111	125	1 123	123	111	1114	91	1	3 148	5	111
	WASHINGTON, D. C. (TOTAL).	.,								-				
	All causes	9,090	687	588	770	678	531	505	572	510	512	2,177	607	953
1 3	Typhoid fever Malaria	44	4	2	1	1		7	11	5	4	3		6
5	Measles Scarlet fever	30 10	1	5	5 3	11 3	7	1				i		
7 8	Whooping cough Diphtheria and croup	43 40		2 4	2 1	3	3 3	4 4	9	3 1		12/3	2 4	3
9 13	Influenza	1 206	19 60	10 47	12	11 56	3 64		. 1 1 56	62	23 41	994 68		
14-15 17	Tuberculosis of the lungs Other forms of tuberculosis. Meningitis.	69 42	6 2	6 10	78 7 8	9 6	3 4	4		7	3	9 2	4	
20-21 22	Bronchitis. Pneumonia	73 1,083	9 97	8 76	13	3	4		2 9	2 11	36	15 471		7 131
(23) 25	Bronchopneumonia. Diarrhea and enteritis (under 2 years)	451 219	40 6	40	53	43	28 29 5	13 14	14	62	16	103	32	61 8
(37) (33)	Diambas and antonitia (2 manus and amount	F-4	5 4	5 4	4	5	7	9	8 7	6	12	5 6	6	2 7
35 36	Congenital debility 1.  Violent deaths (suicide excepted).  Suicide.	1 00	38 7	22 3	4	6	27 6	30	29	34 4	25 6	25 6	41 8	40 8
i	All other causes	4,348	383	340	434					294				384

<sup>1</sup> Excluding premature birth.

ALEA AND CAOME OF JUNEAU PROPERTY   March   April   Mary   Fame   Folly   Age   Conference   December	dInt.	•				· · · · · ·		DEA	THS OCC	URRING :	IN—				<del></del> .
All connects of the control of the c	Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths			March.	April.	Мау.	June.	July.					
All contents		REGISTRATION CIT	IES OF	100,0	00 POI	PULAT	ION (	OR M	ORE I	N 1910	-Conti	nued.		<u>,</u>	
1		Washington, d. c. (White).			<u> </u>										
\$ project from the control of the co		All causes	5,779	426	354	466	430	310	289	333	311	324	1,505	406	625
\$\frac{6}{5}\$ Septical forwards.\$\$ 120   1   2   3   1   1   3   6   1   1   3   6   1   1   1   3   6   1   1   1   1   1   3   6   1   1   1   1   1   1   1   1   1	1 3	Typhoid fever	21	4	1	1			. 1	2	3	3	2		·4
Description   Description	5		25 10	i	4	3	11 3		1		1		1		
Description   Description	7 8	Whooping cough Diphtheria and croup	15 36			1			2 4				2 3	4	1
Description   Description	9 13	Influenza Tuberculosis of the lungs	1,074 303	10 29	6 17	6	22	1 25	19		32	21 18	748 34	75 26	198
Description   Description	14–15 17	Other forms of tuberculosis	41 29	2	8		3	3	2 3	. 3	1	2		4	2
Second Second	22	Du arres amia	600	54	35	48	28	12	1 5	3	6	2 24	7 310	27	68 68
All other causes.	(23) 25	Bronchopneumonia. Diarrhea and enteritis (under 2 years)	219 111	4	25	21 2		3	5	33	27	16	6	5	3
All other causes.	(37) (33)	Diarrhea and enteritis (2 years and over) Congenital debility 1	45 43	4	3	1 2	5	1 -	1	3 2	1 7	3	5	5	. 6
MARINGOTON, D. C. (COLORED).  All causes.  3, 311  Typhod fove.  222  1 1 1 1 2 5 6 9 2 1 1 1 2 2 2 2 1 2 2 2 2 2 2 2 2 2 2	35 36	Duiciue		26	3	4	1 6	6		20 8	3	4	4	25	28
All causes. 3,311 551 284 806 248 521 216 520 100 188 672 201 338    Typhoid fever		, ·	2,860	245	224	301	289	. 211	218	. 227	196	197	304	210	238
Typhoid fave		• • • •	0 011	001	69.4	201	040	001	010	900	100	100		604	960
Semicia (Property of Semicia) (Property of Semicia (Property of Semicia (Property of Semicia) (Property of Semicia (Property of Semic	7			=====		304		221						201	528
Searche Ever	3	Maiaria													
Titherenicis of the image		Sparlet fewer	i										10		
13   Tuberculosis of the lumps			322	1 9				l					l	17	3
Membertist		Tuberculosis of the lungs	370	31	30	38	34	39	31 2	36		92	34		26
Broneloppeumonis   232   18   15   52   22   18   9   28   3   8   50   20   27   27   27   28   28   28   28   28	17	Meningitis	13 35		$\hat{2}$	4 6	3	Î	$\frac{2}{2}$			}	1 1		
Discription and enteritis (under 2 years)   168   2   2   4   3   2   2   2   3   3   11   5   2   2   1   3   3   3   4   9   5   8   3   2   2   2   1   3   3   3   4   9   5   8   3   2   2   2   1   3   3   3   4   4   9   5   8   3   5   2   2   1   3   3   3   3   3   3   2   2   2   3   3	22	Programonia	463	43 18	41	61 32	24 22	16 18	9	6	5	12	161 50	24 20	63
Conference   Con	`25 (37)	Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over)	108 29	2	2 2	4	3	. 2	9	28 5	35	11	5 2	2 2	. 1
All other causes	35	I Congenical depility	1 10	12	. 1	10		1 7	13	5		10	10	16	12
All causes	. 36	SuicideAll other causes	10 1,488	138	116	133	136	125	127		98	113			
All causes.   3,702   383   290   258   347   291   278   249   217   217   462   325   385		ATLANTA, GA. (TOTAL).													
Measles		All causes	3,702	11	290	258	347	291	278	249	217	217	462	325	385
Measles		Typhoid fever		1	1				2	8	3	5	4 2	2	3
Whooping cough	5	Monelog	16	3	3				1	2	······	ļ	' 1		1 3
The content of the lungs	7	Whooping cough.	31 12	4	2 3		·····i	3	6	2	2	2	8	<u>i</u>	1
17   Meningitis	9 13	Tuberculosis of the lungs	214	7 33	10 22	3 21	13 31	3 22	1 15	3 10	11	9	127 11	66 19	
Companied debility   Compani	17	Meningitis	43	10	111	8	6	4	4			2	2	4 9	1
Companied debility   Compani	20-21 22	Bronchitis    Pneumonia	15 388	3 44	1 26	17	62	21	1 3	1 10	5	1 9	1 86	. 47	1 58
Congenital debility   1   28   28   29   14   13   22   18   19   11   21   12   11   14   19   15	(23) 25	Bronchopneumonia. Diarrhea and enteritis (under 2 years)	200 87	4	4	. 4	4	3	6 23	5 13	10		31 5	22	17
ATLANTA, GA. (WHITE).  All causes.  2,063 206 170 144 169 170 152 139 108 101 274 192 238  1 Typhoid fever.  19	(37) (33)	Diarrhea and enteritis (2 years and over)	60 28				. 2	4	1 6	4		. š	2	1 2	. 5
ATLANTA, GA. (WHITE).  All causes.  2,063 206 170 144 169 170 152 139 108 101 274 192 238  1 Typhoid fever.  19	35 36	Violent deaths (suicide excepted).	196 12		. 3	2		.  1	'5	1	. 1				l
All causes		1111 001101 00100032223	1,978	201	. 158	155	175	186	170	171	144	159	165	140	154
Typhoid fever			9.000		1770	.,,	100	170	150	100	100	101	07,	100	
6       Scarlef fever.       8       1       1       1       0       1       3       2       1       5        1         7       Whooping cough.       17       2       1       1        0       1       3       2       1        5        1         8       Diphtheria and croup.       9       4       2        1       1        1       1        1       1        1       1        1       1        1       1        1       1        1       1        1        1        1        1        1        1        1        1         1           1            1		l .		200	=		709	170	:	<del></del>		: <del> </del>		=	
6       Scarlef fever.       8       1       1       1       0       1       3       2       1       5        1         7       Whooping cough.       17       2       1       1        0       1       3       2       1        5        1         8       Diphtheria and croup.       9       4       2        1       1        1       1        1       1        1       1        1       1        1       1        1       1        1       1        1        1        1        1        1        1        1        1         1           1            1	3	Malaria Macala	2						<u>.</u>		· 1	ļ			
20-21   Bronchitis   20   1   1   2   2   2   2   2   2   2   2		Scarlet fever.	8	1	1								2		. 3
20-21   Bronchitis   20   1   1   2   2   2   2   2   2   2   2	8	Diphtheria and croup	9	ll 4	9		. ' 1		·				. 1		1 73
20-21   Bronchitis   20   1   1   2   2   2   2   2   2   2   2		Tuberculosis of the lungs	107	11	13	10	13	15	8 2		5,	3	5	12	7
22	17 20–21	Miching of S.	20	4	. 5	[		2	i				[ <u>.</u>	. 1	1
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	22 (23)	Pneumonia Bronchopneumonia	173 92	18	10	5 11	29	7 2	3	2	ļį	2		22 11	29 9
36 Suicide. 11   123   3   2   113   97   101   80   81   100   89   90   90   113   123	25 (37)	Diarrhea and enteritis (under 2 years)	50 30	3	. 4	4	2	8	10	~ 7	3 3	2 3	4	1 2	1 3
36 Suicide. 11   123   3   2   113   97   101   80   81   100   89   90   90   113   123	(33) 35	Congenital debility 1.  Violent deaths (spicide excepted)	13					. 1	4	3			1	1	12
	. 36			11	. 3			.  1	1 4		.  1				
	•			•	-	•	•		-	–			- '-	•	. ,

Int.			-:				DEA	THS OCCU	TRRING I	N—				
Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	Au- gust.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
	REGISTRATION CIT	IES OF	100,00	0 POI	PULAT	ION (	OR M	ORE I	N 1910	-Conti	nued.			_
	ATLANTA, GA. (COLORED).													
	All causes	1,639	177	120	114	178	121	126	110	109	116	188	133	147
1	Typhoid fever	10 3	1				i	1	2	1	2	1	2	
3 5	Measles. Scarlet fever.	. 4		i				·····i	2					
6 7	Whooping cough	14	2	I 1			·····ż	3.		i	2	3	<sub>i</sub>	
8	Diphtheria and croup Influenza	3 124	5	4 9	<u>2</u>	9 18	····· <u>2</u>	1 7	2 5	6	6	44	23	32
13 14–15	Tuberculosis of the lungsOther forms of tuberculosis	107 19	5 22 2 6	3	1	3	2	í	2	2	2		i	
$\frac{17}{20-21}$	Meningitis Bronchitis	18 10	2	6	1	1	1	i	1	1	. i	1	2	
$\begin{array}{c} 22 \\ (23) \\ 25 \end{array}$	Pneumonia. Bronchopneumonia.	215 108	26 19	16 10	12 17	33 11	14 1 3	1 3 3 13	6 3	3	7 7	40 15	11	29 8
25 (37)	Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over)	37 30	1 4		i	3	3 4 3	13 6 2	6	7 6		$\begin{bmatrix} 1 \\ 2 \end{bmatrix}$		1
(33) 35	Congenital debility <sup>1</sup> .  Violent deaths (suicide excepted).	15 94	9	6	4	$\begin{vmatrix} 2 \\ 12 \end{vmatrix}$	3 6	1 10	1 6	13	. 2	1 7	8	3 7
36	Suicide All other causes	827	78	63	.)	83	73	1 73	70	64	- 78	65	51	64
	CHICAGO, ILL. (TOTAL).	021	,,,	"	"				1					
			0.000	0.700	3,638	3,582	2,810	2,193	2,297	2,552	2,680	10,323	3,986	4,136
	All causes		3,080	2,792	=		3	2,195	3	7	=  <del></del>	-		1
1 3	Malaria	40		4	. 1		.	-	1	3				- 2
5 6	Measles Scarlet fever	. 57	18	3 5 19	4	) 6		6 3	1 2	3	1	.) 8	6	4
7 8	Whooping cough Diphtheria and croup	705	14 93	64	60	27 57	9 55	45	12 41	13 33	41	103	56	57
9 13	Influenza   Tuberculosis of the lungs	3,347	20 266	13 271	340	389	322 322	264	2 219	223	243	300	256	254
14-15 17	Other forms of tuberculosis	473	35 25	35	i 28	26		46 17	33 19	40	: 13	12	2 7	11
20-21 22	Bronchitis. Pneumonia.	. 539	42 244	47 241	72	81	48	21	9 71	15 44		2,710	) 494	503
(23) 25	Bronchopneumonia Diarrhea and enteritis (under 2 years)	2, 241	128 184	131	211	234	102	: 48	31 264	1 36	65	789	9. 215	251
(37) (33)	Diarrhea and enteritis (2 years and over)	- 372	17	28	33	29	21	12	22	521 58 13	41	. 58	5 35	26
35	Violent deaths (suicide excepted)	2,051	172	164	162	151	183	154	167	183	157	197	7 208	153
36	Suicide		1,768	1,544					1,352	1,324				1,668
	CHICAGO, ILL. (WHITE).													
	All causes	41,608	2,906	2,59	3,390	3,358	2,621	2,054	2,144	2,404	2,523	9,86	8 3,796	3,948
1 3	Typhoid fever	38		;	3 5		. 7	3 4	. 2		7 7	7	2 ] 1	2
5	Measles.	- 61	6	1	3 4	1   1	1	6 3	1	1	3		3 3	
7	Whooping cough	. 158	11	1.	5 2	3 23	3 3		11	10	15	3 2	4 4	1 5
9	Influenza	- 5,278	18	1	3   2	9   52	2   19	5	2		3   49	$\begin{array}{c c} 3, 40 \\ 7 & 26 \end{array}$	4 809	9   875
13 14–15	Tuberculosis of the lungs. Other forms of tuberculosis.	- 404	29	2	9 4:	2   38	3 48	3   38	183 31	3	20,	9 3	9 2	3 20 7 10
17 20-21	Bronchitis.	- 508	40	4	3 6	8 7	3 4:	3   19	8	1	5 10	ล เล	2 1 4:	3 42
22 (23	)  Bronchopneumonia	2,099	119		7   19.	2 21	5 9	0 47	' 31	.   3:	2 18 3 5 8 37	2,59 8 74	7   21.	1 239
`25 (37	Diarrhea and enteritis (under 2 years)	2,933			3 I 3	2 2	7   2	0] 11	. 21	. 1 5	7 4	0:1 5	4 3	2 160 5 25
(33	) Congenital debility 1. Violent deaths (suicide excepted). Suicide.	174 1,941	:    · · · g	1	6 2	0   2	3	9   13	3   18	3] 1	3 1		8 1	6 143
36	Suicide	17, 979	i∥ 36	il 3	1 4	4 4	0 i 3	6 36	3   27	7 2	5 4	1   3	5 4 8 1,44	5 { 40
	CHICAGO, ILL. (COLORED).	1,,,,,	1,0	1,10	,	,,,,,	2,10	1,23	1,7.0		-   -,	-	'	
	All causes	2,46	174	1 19	16 24	8 22	4 18	9 139	9 158	3 11	8 15	7 45	55 19	0 188
1	Typhoid fever			=	1					l				
3	Malaria- Measles													
	S   Scarlet fever.   Whooping cough			<sub>3</sub> -[	4	3	4	i l			3	ž		;:
;	R   Dinhtheria and crown	1 1	3	2	2		1	3	2	5	;······		$3\hat{2} \mid 3$	34 3
1: 14-1:	Tuberculosis of the lungs	36	6    14	3   3	32   3	1 3	9 3	1 2	8 3	8 2	27   3 7	6	37   8	$\begin{bmatrix} 2 \\ 3 \end{bmatrix}$
14-1. 20-2	/   Meningitis	18	5   :	í   2	1	4	2	1	1 [		1	3		i
2	2 Pnoumonia	28	7   3	0   8	38 I 8	59   5	3   3	30 l		6	3	8 1	16 1	9 2
(2 2	5 Diarrhea and enteritis (under 2 years)	14	3 ∦ :	3	2	5	3 1	4 1	0	7   1	13	8	4	2
(3	3)  Congenital debility 1	1	7	l   		- 1		1	1 :	1		6	2	1 1
3	o   Suicide	L	0	1		l			1   :	2	1		2	14 3 2 2 3 3 1 9 4 4 1 1 2 1 1 1 7 7 1 1 7 7
	All other causes	99					35 1 7	/8 I 7	6 1 7	7 1 8	30 7	ا ا 8 ا	99   8	и. I У
	•		1 Ex	cluding	prematu	re birth.								•

# CAUSES OF DEATH, BY MONTH OF OCCURRENCE.

Table 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1918—Continued.

[See note at head of this table, p. 483.]

Int.							DEA	THS OCC	URRING 1	01—				
Abridged Int. List No.	AREA AND CAUSE OF DEATH.,	All deaths.	Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	Au- gust.	Sep- tember.	Octo- ber.	November.	Decem- ber.
	REGISTRATION CIT	TES OF	100,00	00 POI	PULAT	CION	OR M	ORE I	N 1910	Conti	nued.	•		*
	INDIANAPOLIS, IND. (TOTAL).				,		. ′			•				
	All causes	5,241	451	355	436	523	409	298	323	322	317	705	588	514
1 3 5 6 7 8 9 13 14–15 17 20–21 22	Typhoid fever Malaria Measles Scarlet fever Whooping cough Dipthheria and croup Influenza Tuberculosis of the lungs Other forms of tuberculosis. Meningitis Bronehittis Pneumonia	22 46 90 373 449 78 29 45 679	3 2 11 3 33 9 1 11 47 29	2 3 5 6 1 28 10 2 1 32 34	3 5 11 4 1 47 6 4 5 38	3 8 10 9 6 53 11 6 6 68 34	1 2 1 8 11 4 45 12 4 8 30	1 6 1 33 5 2 4 12 7 6	5 1 4 7 26 7 4 4 4 4 6	36 55 1 26 4	2 1 1 4 5 31 3 1 17 9	1 11 156 39 5 1 1 184 38	1 2 5 114 39 3 2 1 137 45	7 82 39 2 2 1 104
22 (23) 25 (37) (33) 35 36	Bronchopneumonia.  Diarrhea and enteritis (under 2 years)  Diarrhea and enteritis (2 years and over).  Congenital debility¹  Violent deaths (suicide excepted).  Suicide  All other causes.  INDIANAFOLIS, IND. (WHITE).	149 50 25 242 42 2,594	29 4 255	32 24 2 4 1 23 4 205	38 29 8 7 2 21 3 241	14 3 4 20 4 264	15 5 231	4 21 21 3 189	24 7 3 23 5 192	22 5 3 24 2 199	21 6 2 16 1 197	38 22 3 1 18 2 • 221	7 2 ·1 12 3 213	54 7 1 2 20 6 187
	All causes		380	286	366	434	324	. 244	281	256	274	626	524	440
1 3 5 6 7 8 9 13 14-15 20-21 22 (23) 25 (37) (33) 35	Typhoid fever Malaria. Measles. Scarlet fever. Whooping cough Diphtheria and croup. Influenza. Tuberculosis of the lungs. Other forms of tuberculosis. Meningitis. Bronchitis. Pneumonia. Bronchopneumonia. Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over). Congenitial debility¹ Violent deaths (suicide excepted). Suicide. All other causes.	7 21 39 87 342 322 322 58 25 38 556 248 123 41 18	3 1 11 11 13 23 3 3 	20 19 62 20 19 .2 2 2 1 16 4 178	1 2 4 10 4 1 1 36 6 4 5 5 27 23 5 7 2 20 206	2 8 8 8 8 5 36 9 4 6 6 27 111 2 4 18 4 226	1 2 1 7 11 4 28 9 4 7 21 12 4 4 2 2 2 14 5 190	1 1 25 1 25 2 2 2 2 2 3 6 6 2 2 19 3 158	1 2 2 3 3 4 20 7 7 3 20 5 171	20 20 2 1 2 5 3 16 3 2 19 2 168	13 4 4 25 3 3 19 19 5 2 15 1 171	1 11 144 28 5 1 1 158 32 21 3 3 201	9 3	773 33 22 2 1 84 44 6 6 1 6 6 163
	All causes	806	71	69	. 70	89	. 85	54	42	66	43	79	64	74
13 55 67 8 9 13 14–15 20–21 22 • (23) 25 (37) (33) 35 36	Typhoid fever Malaria. Measles. Scarlet fever Whooping cough Diphtheria and croup. Influenza. Tuberculosis of the lungs. Other forms of tuberculosis Meningitis. Bronchitis. Pneumonia. Bronchopneumonia. Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Congenital debility¹ Violent deaths (suicide excepted). Suicide. All other causes.	3- 1 7 3 31 127 20 4 7 123 48 26 9 7	10 6 1 1 1 7 1 2 2	1 9 4 1 12 5 5 7 7	1	$\begin{array}{c c} & 3\\ 1\\ & 2 \end{array}$	177 3 1 9 5 4 1 1 2 2 1 41	2 4 1 2 2 2 2	3	2 1 5	1 6 1 4 2 1	12 11 11 26 6 1 1 2	16 4 13	20 10 1
	All causes	E 000	490	405	413	426	332	255	297	309	283	895	492	536
1 3 5 6 7 7 8 9 13 14–15 17 20–21 25 (23) 25 (37) (33) 35 36	Typhoid fever Malaria. Measles. Scarlet fever. Whooping cough Diphtheria and croup. Influenza. Tuberculosis of the lungs Other forms of tuberculosis. Meningitis. Bronchitis. Pneumonia. Bronchopneumonia. Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Congenital debility 1	36 2 17 1 40 299 552 445 64 76 637 - 239 92 24 39 256 50	33 33 226	5 5 5 6 6 47 1 6 6 100 100 100 100 100 100 100 100 1	22 4 5 49 4 4 7 7 37 20 21 22 24 24 24	1 1 1 1 3 3 9 45 5 9 72 19 7 7 2 1 1 14 4 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 22 3 55 41 100 1 2 188 9 9 7 2 2 2 2	3 3 1 1 1 2 5 6 6 3 3 7 3 3 6 6 5 1 5 2 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	28 3 28 3 10 10	28 66 4 1 21 5 5	1 1 1 7 14 4 2 6 15 2 16 3	8 1 1 4 4 4 3 3 1 2 5 3 6 6 1 1 7 7 4 5 5 5 5 5 5 5 6 6 6 6 6 6 6 6 6 6 6 6	2 2 4 4 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	2 2 1 9 99 28 3 2 2 2 43 4 4 5 5

1 Excluding premature birth.

[See note at head of this table, p. 483.]

1 Int.							DEA	THS OCC	URRING :	ın—	<del></del>	****		
Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	Janu- ary.	Fébru- ary.	March.	April.	May.	June.	July.	Au- gust.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
	REGISTRATION CIT	ries oi	100,0	00 PO	PULAT	TION	or M	ORE I	N 1910	)—Cont	inued.			
-	LOUISVILLE, KY. (WHITE).													
	All causes	3,822	332	305	303	283	245	188	216	219	216	724	378	413
1 3	Typhoid fever	24 1		1	1	1		2	4	3	7	3 1	2	
5 6	Measles. Scarlet fever.	16 1	3 1	6	4	1			2					
7 .	Whooping cough Diphtheria and croup	25 27	2 5	3 2	4	1 2	1 3	2	4 1	7	. 1 . 4 7	3	1 3	<u>i</u>
9 13	Influenza Tuberculosis of the lungs.	473 288	8 24	3 32	30	26 26	27	27	20	13	7	272 42	88 19	86 21
14-15 17 20-21	Other forms of tuberculosis Meningitis. Bronchitis.	48 28 47	6 3 4	1 5 6	2 4 4	8 3 4	9 1 2	3 4	$\begin{bmatrix} 2 \\ \dots \\ 1 \end{bmatrix}$	3 1 1	3 1 5	4 2 10	5 2 5	21 2 2 4
22 (23)	Pneumonia. Bronchopneumonia.	455 161	35 18	34 17	26 15	43 10	12/3	5 2	10 6	1 1	10	137 28	61 26	81 34
(37)	Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over)	67 14	4	2 2	3 1	4	3 1	6	8 2	13 1	12 1	8	2	81 34 2 2 4
(33) 35	Congenital debility !	35 181	4 21	<sub>11</sub>	1 14	10	1 21	9	2 11	15	7 16	8 15		15
36	Suicide All other causes.	1,884	190	177	186	163	155	123	139	8 148	132	183	134	5 154
	LOUISVILLE, KY. (COLORED).													1
	All causes	1,261	88	120	110	143	87	67	81	90	67	171	114	123
1 3	Typhoid fever Malaria	12			1	····i	1	2	2		1	5		
5 6	Measles. Scarlet fever. Whooping cough		2		1	2					-			
8	Whooping cough Diphtheria and croup. Influenza	2		23	2	1 5	1	1	1	2		40	1 11	13
13 14–15	Tuberculosis of the lungs. Other forms of tuberculosis	157	13	15	19 2	19	14	15 -2	8	15		11 2	14	7
17 20–21	Meningitis Bronchitis	6 29	i	1 4	3	2 5		2 2	<u>-</u>	3	. 1	4		5
22 (23)	Pneumonia. Bronchopneumonia.	. 78	17 4	18	11 5	29	6	2 1	3 4	1	- 5 1	37 15		31 9
(37) (33)	Diarrhea and enteritis (under 2 years)  Diarrhea and enteritis (2 years and over)  Congenital debility. 1	10		2		3	1		2 1	8 4 1		1 1 1		
35 36	Violent deaths (suicide excepted)	75	12	4	8	4 2	2	6	3	8	3	6		10
	All other causes		36	54	57	59	50	34	55	45	37	47	47	45
	NEW ORLEANS, LA. (TOTAL).	0.750	aro	0.55	21.5	270	200					0.000		
1	All causes.  Typhoid fever.	9,756	852	657	615	678	682	652	603	557		2,309	-	822
3 5	Malaria   Measles	17 22		4	. î		3 7	1 3	3	2	2	4	1	
6 7	Scarlet fever	70	i	· · · · · · i	-	5	4	7	14	16		4		2
8 9	Whooping cough. Diphtheria and croup. Influenza.	18 1,158 1,088	30	32 96	11	1 7	13	3	5	3	. 3	797	147	109
13 14–15 17	Tuberculosis of the lungs. Other forms of tuberculosis. Meningitis.	.  106	109 5 2	5	10	120 7 3	89 12 3	84 11 4	72 13 5	76 9 5	) 4	98 13 6	8	105 9 2
20-21 22	Bronchitis. Pneumonia.	. 76	10 90	8	3	7 49	3 43	4	3 17	1 13	. 4	10 826	120	17 108
(23) 25	Bronchopneumonia. Diarrhea and enteritis (under 2 years)	239 289	24 14	83 32 12	12 25	17 25	8 34	5 38 10	6 32	5 41 7	9	59 24	35 25	27
(37) (33)	Congenital debility 1	. 31	3	4	. 6	11 3	11 2	1	13 6	1	.   2	18	1 5	4 12 2 40 5 378
35 36	Violent deaths (suicide excepted)	. 49	42	26	6	34	26	3	37	39	4	3	2	40 5
	All other causes	4,523	505	339	356	382	407	423	356	318	317	399	343	378
	All causes.	6,029	550	408	379	379	391	374	339	313	313	1,518	524	541
1	Typhoid fever	. 50	2	2	1	2			7			5	2	1
3 5 6	Malaria.   Measles.   Scarlet fever	. 16			1	1	7	3	1	2	$\begin{bmatrix} 1 \\ 3 \end{bmatrix}$	2		
7 8	Whooping cough Diphtheria and croup.	. 52	1 3	1		4	2		12 2	11		3 2		2
9 13	Influenza Tuberculosis of the lungs	. 797 583	20 62	21	8	3 56	5 37	1	30	33	38	555 63	97	84 52
14-15 17	Other forms of tuberculosis	. 51 . 27	4 2	4 5	6 2	5	4	7 3	7	2 2	1	3 5	2 3	52 6 1
20-21 22	BronchitisPneumonia.	. 52 846	8 55	50	3 16	2 2 18	18	1 4	2 6	1 6	2 4	533	5	15 71
(23) 25 (37)	Diarrhea and enteritis (under 2 years)	.] 181	17 11 2	4	12	10 17 7	24	26	2 21 7	28	3 9	12	26 14	17
(33)	Diarrhea and enteritis (2 years and over)	. 22	2 2 29		. 3	2 19	2		. 4	1 23	. 1	2	5 3 20	2 200
36	Suicide All other causes	. 44	7	6	5	228	4	3	2	2	3 4	3	20 235	4
		•	.,	ding ne	•		•							~

1 Excluding premature birth.

Int.							DEA	THS OCC	URRING :	IN—	·		<del></del>	<del></del>
Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	Janu- ary,	Febru- ary.	March.	April.	May.	June.	July.	Au- gust.	Sep- tember.	Octo- ber.	Novem- ber.	Decem-
	REGISTRATION CIT	ries oi	F 100,0	00 PO	PULA:	CION	or M	ORE I	N 1910	Conti	nued.	·	·	<u> </u>
	NEW ORLEANS, LA. (COLORED).								•	1	Ţ .			
	All causes	3,727	302	249	236	299	291	278	264	244	194	791	298.	281
1 3	Typhoid fever Malaria	26 8			1	1	3 2	3	7 2	7	1	2 2	1	
· 5	Measles- Scarlet fever-	6		4					1	1				
7 8 9	Whooping cough Diphtheria and croup.	18 3 361	i	1	1	.1	2	1	2	5	2	1	3	<u>i</u>
13 14-15	Westers Scarlet fever Whooping cough Diphtheria and croup, Influenza. Tuberculosis of the lungs Other forms of tuberculosis.	505 55	10 47 1	11 37 1	3 41 4	64	. 8 52	37	42 6	43 7	26 26 3	242 35 10	50 28 6	25. 53 3 1 2 37 . 10
17 20–21	Bronchitis	18 24	II	2	3	2 1 5 31	2 2	1 1 3	4	3	. 1	1 1	1	1 2
22 (23) 25	Phanmonia	569	35 7	33	18 4	31 7 8	8 2 2 25 6 10	3 12 5 12	1 11 4	7 3	12556	293 22 12	55 9	37 . 10
25 (37) (33)	Bronchopneumonia. Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over) Congenital debility <sup>1</sup> .	108 62	3 2	8	13 2	4	10 3	5	11 6 2	13 6	6	11	11 8	1 8
(33) 35 36	Violent deaths (suicide excepted) Suicide	· 9.	13	ii.	7	1 15	7	12	. 13	16	17	1 12	15 15	12
50	All other causes	1,716	180	131	138	1 154	. 161	179	2 146	133	116	143	108	127
	BALTIMORE, MD. (TOTAL).		l		 								<u> </u>	
_	All causes	15,810	1,198	1,160	1,296	1,110	990	799	971	926	799	4,537	1,032	992
3	Typhoid fever Malaria. Measles.	73 1 76	2	3	2	5	3	2	5	14 1	11	19	1	6
5 6 7	Scarlet fever.	237	4 1 12	5 25	18 2 42	14	19 1 27	9 2 25	5 34	9	'2 9	2 23	2	1 1
8	Diphtheria and croup	66 1,739	6 21	7 15	5 21	28 8 12	6		5	1	ii	12 1,464	92	9
13 14–15	Tuberculosis of the lungs Other forms of tuberculosis	1,739 1,331 147	115 9	107 10	164 13 16	-141	131 22	2 98 18	89 13	89 13 7 8	67 7	159 11	88 13	92 83 8
20-21	Searlet fever Whooping cough Diphtheria and croup Influenza. Tuberculosis of the lungs Other forms of tuberculosis Meningitis. Bronchitis.	88 216	6 25	6 32	16 27 132	10 16 25 88 84	131 22 12 15 36 47	7 8 25 28 62 12	6 9	7 8	3 10	· 6	13	2 13
22 (23) 25 (37) (33) 35 36	Pneumonia. Bronchopneumonia. Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over)	2,307	127 80	130 117	85	88 84	36 47	25 28	15 23	12 11	30 23 124	1,566 326	100 59	106 60
(37) (33)	Diarrhea and enteritis (2 years and over)	795 130 118	15 9 8 69	18 4 10	23 10 10	16 6 4	25 12 11	12 6	23 185 18	174 18 7	18 12 48	97 10 18 47	40 5 12	16 · 8 6
35 36	Congenital debility 1. Violent deaths (suicide excepted). Suicide.	118 755 97	·69	63 11	63	32 9	69	6 53 2	14 49 6	115 6	48	47 13	74	73 · 11 497
	All other causes	6,622	11 678	597	652	612	3 544	440	494	440	417	733	518	497
	BALTIMORE, MD. (WHITE). All causes	12,143	889	881	924	804	717	- 593	725	671	604	3,737	805	793
1	Typhoid fever	49	1		2	1	3	2	3	10	5	16	1	5
· 3	Malaria	1 61	3	5	17	i2	15	6	3	ĭ				••••••
6 7	Scarlet fever. Whooping cough Diphtheria and croup.	7 147	.9	16	29	16	1 18	2 18	15	<u>4</u>	9	2 11	2	
8 9 13	Dipatheria and croup Influenza Tuberculosis of the lungs	65 1,444 840	6 16 68 6	6 10 75 7	5 11 103	8 7	5	1	5	1	'10 88	12 1,239	69 69	9 76 63 5
14-15 17	Other forms of tuberculosis	95 74	6	7 5	103 10 15	89 7	5 77 11 8	58 14 6	49 7 6	49 7	- 4 2 8	108, 8 6	. 63 9	5 1
20-21	Bronchitis Pneumonia	- 149 - 1.839	17	21	20 67	12 16 62 51 9	8 8 19	7	5	. 6	8 20 15	1,305 264	8 74	12
(23) 25 (37) (33)	Bronchopneumonia	692 614	88 53 13 6	89 83 15 4	56 13 7	51 9	19 32 15 6 10 55	15 23 46 7 3 47	11 12 148 12	6 128	15 103	77	49 34	83 48 13 6 6 62 11 392
(37) (33) 35	Diarrhea and enteritis (2 years and over)  Congenital debility   Violent deaths (suicide excepted)	92 94	5	7	l 8	4	6 10	3	12 12 37	128 13 5 88	103 13 10	10 18	9	6
36	Violent deaths (stilede excepted)	578 J 91 5,211	10 532	49 11 478	47 8 506	21 9 479	3 425	336	37   6   394	88 5 337	32 6 329	32 13 594	59   7   409	62 11 202
, •	BALTIMORE, MD. (COLORED).	الملطورة	002	410	. •	- 419	420	330	. 094	291	329	957	409	092
(	All causes	3,667	309	279	372	306	273	206	246	255	195	800	227	199
1'	Typhoid fever	24	1	3		4			2	4	6	3		1
3 5	l salsoaM	15	i		1	2	4	3	2		2			••••••
6 7 8	Scarlet fever Whooping cough Diphtheria and croup.	90 1	3	9	2 13	12	9	7	19.	5		12		····i
, 13	Influenza	295 491	5 47	1 5 32	10 61	5 52	2 54	1 40	1· 40	1 40	1 29	225 51	23 25	16 20
14-15 17	Tuberculosis of the lungsOther forms of tuberculosis	52 14	3	32 3 1	3	3 4	71 1	4 1	6	6 1	3	3	4	3 1
20 21	Dromohitia	67 1	8 39	· 11 · 41	1 7 65	9 1	4 7 17 15 10	1 1 10	4	3 6	. 2	9 261	5 26	· 1 23
(23) 25 (27)	Bronchopneumonia. Diarrhea and enteritis (under 2 years)	251 181	27 2 3	34 3	65 29 10	26 33 7 2	15 10	5 16 5 3	11 37	. 5 46	. 8 21	62 20	10	1 23 12 3 2
(37) (33) 35	Preumonia. Bronchopneumonia. Bronchopneumonia. Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Congenital debility 1. Violent deaths (suicide excepted).	528 251 181 38 24 - 177	. 3 . 3 20	3 14	3 2 16	2 3 11	6 1 . 14	5 3 6	6 2 12	5 2 27	5 2 16	15	1 3 15	2 11
36	Violent deaths (suicide excepted)	1,411	1 146	119	16 3 146	133	119	104	100	1 103	1 88	139	109	105
j		-, ;			mature		10		, 200	100	, ասլ	_00	. 200 ]	200

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1918—Continued.

d Int.		4 77		······································			DEA	THS OCC	URRING 1	n—	· · · · · · · · · · · · · · · · · · ·			
Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	Au- gust.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
	REGISTRATION CIT	TES OF	100,0	00 PO	PULAT	TION	OR M	ORE I	N 1910	-Cont	inued.		1	
i	BOSTON, MASS. (TOTAL). All causes	17,267	1,304	1,269	1,236	1,178	1,008	865	914	835	2,658	3,375	1,033	1,592
1 3	Typhoid feverMalaria.	19	3	2			2	1	3	1	2	4	1,000	1
5 6 7 8	Measics Scarlet fever. Whooping cough Diphtheria and croup. Influenza.	116 24 180 214 2,536	11 8 13 38	9 4 11 24	20 4 8 13	27 1 21 24	23 2 18 15	10 2 13 14	12 13 13	1 15 9	30 12	2 1 30 18	2 6	1 1 6 28
13 14-15 17 20-21	Tuberculosis of the lungs Other forms of tuberculosis Meningitis Bronchitis	2,536 1,209 188 120 124	113 16 4 23	108 12 9 14	104 18 14 13	123 17 13 9	121 16 15	94 13 11	74 19 14	87 17 7	748 110 14 6 15	1,331 103 14 9	100 83 19	331 89 13 9
22 (23) 25 (37) (33)	Pneumonia Bronchopneumonia Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over)	2,742 840 475 61	152 95 12 5	167 108 14 2 7	142 88 23 4	151 65 14 3	16 15 7 82 37 16	30 27 25 4	5 32 35 61 13	7 2 15 16 86 8	813. 130 92 8 9	22 851 136 62 2	90 38 36 4	28 331 89 13 9 7 217 65 34 3 9 81
35 36	Congenital debility <sup>1</sup> . Violent deaths (suicide excepted). Suicide All other causes	123 803 114 7,379	11 100 9 687	74 9 689	6 71 11 689	53 9 638	6 67 14 562	6 62 10 538	17 70 11 522	19 44 10 498	57 9 602	16 60 9 705	13 64 6 559	9 81 7 690
	BOSTON, MASS. (WHITE).													
1 3	All causes Typhoid fever Malaria		1,265	1,225	1,189	1,128	974	835	878	809	2,574	3,299 4	999	1,556
5 6 7 8 9	Measles. Scarlet fever Whooping cough Diphtheria and croup Influenza	112 24 176 211 2,473	11 8 13 37 4	8 4 11 24 6	20 4 8 13 8	27 1 20 24 6	22 2 17 15	8 2 13 14 2	12 12 12	1 14 9	30 12 728	2 1 30 18 1,301	2 6 98	1 1 6 27 320
13 14-15 17 20-21 22	Tuberculosis of the lungs. Other forms of tuberculosis Meningitis. Bronchitis. Preumonia.	1,144 177 117 124 2,669	106 14 4 23 151	100 12 9 14 159	100 17 14 13 138	116 16 11 9 143	114 15 15 7	92 11 10 3 29	70 18 14 5 31	82 17 7 2 15	728 100 12 6 15 791	98 14 9 22 832	79 18 9 4 86	87 13 9 7
(23) 25 (37) (33) 35 36	Bronchopneumonia.  Diarrhea and enteritis (under 2 years).  Diarrhea and enteritis (2 years and over).  Congenital debility 1.  Violent deaths (suicide excepted).  Suicide.  All other causes.	802 464 61 122 776 113	94 12 5 11 94 9	104 14 2 7 72 9 668	82 22 4 6 67 11	62 14 3 4 52 9	78 35 15 5 6 65 13	27 25 4 6 61 10	29 60 13 17 67 11	16 83 8 19 44 10	126 90 8 9 54 9	128 59 2 16 58	37 36 4 13 63 6	27 320 87 13 9 7 216 62 34 3 8 79 675
	BOSTON, MASS. (COLORED).	7,147	666	008	662	611	548	517	504	481	581	696	538	675
•	All causes	536	39	44	47	50	34	30	36	26	84	76	34	36
1 3 5	Maiaria Measles						l							
6 7 8	Scarlet fever. Whooping cough. Diphtheria and croup.	4 3				·····i	<sub>i</sub> .		i	· 1				
13 14-15 17 20-21	Influenza Tuberculosis of the lungs Other forms of tuberculosis Moningitis Bronchitis	63 65 11 3	7 2	8	4	7 1 2		2	4	5	20 10 2	30 5	2 4 1	1Î 2
22 (23) 25 (37) (33)	Pneumonia. Bronchopneumonia. Diarrhea and enteritis (under 2 years). Diarrhea and onteritis (2 years and over). Congenital debility <sup>1</sup> .	73 38 11	1	8 4	4 6 1	8 3	4 2 1	1	1 6 1	3	22 4 2	19 8 3	4 1	1 3
35 36	Violent deaths (studide excepted). Suicide All other causes.	1 27 1 232	6 21	21	4 27	1 27	2 1 14	1 21	3	17	3 21	9	1 21	1 2 . 15
	CAMBRIDGE, MASS. All causes	0 066	100	100		***	100							
1 3	Typhoid fever	2,266	192	193	141	161	122	128	118	110	325	420	139	217
5 6 7	Measles. Scarlet fever. Whooping cough.	29 32	3	4 3	7	2	7	4 3	2	3	10	7		
13 14-15 17	Diphtheria and croup. Influenza. Tuberculosis of the lungs. Other forms of tuberculosis.	12 299 223 24	3 1 23	3 26 4	1 2 15 1	22 5	1 19 1	18 3	18 18	15 2	103 14 2	1 139 16	2 12 14 2	38 23 3 1
20-21 22 (23) 25	Meningitis. Bronchitis. Preumonia. Bronchopneumonia. Diarrhea and enteritis (under 2 years).	7 46 281 146 60	3 13 15 2	1 10 23 16 4	5 10 12 2	1 2 17 15 3	1 2 10 8 1	4 3 6 3	2 3 2 5	1 1 1 9	1 4 64 21 14	2 7 102 31 12	5 7 9	1 28 10 2
(37) (33) 35 36	Diarrhea and enteritis (2 years and over).  Congenital debility 1  Violent deaths (suicide excepted)  Suicide  All other causes	10 7 84 9 993	14 1 1 112	1 6 1	8	1 4 4	1 3 1	1 2 5	1 6 1	2 1 11	1 8 1	2 6	5	8
,		993		91 ding pre	mature 1	85   birth.	65	1 74	73	64	80	93	80	102

## CAUSES OF DEATH, BY MONTH OF OCCURRENCE.

Table 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1918—Continued.

Malaria.   7	T OR MORE II	July.         Au-gust.         Sep-tember           N 1910—Continued.         176         261           1         1         3           1         1         1           3         1         6           20         14         25           2         2         3           3         1         45           20         14         20           3         1         2           2         2         37           78         73         86           2         2         2           6         7         7           69         67         87           136         162         251           1         1         1           1         1         1	844 175 199  5 1  1
REGISTRATION CITIES OF 100,000 POPULATION	3	197 176 261  1 1 3  1 1 1 1  3 1 6 5 1 4 20 14 2 3 3 3 3  2 2 2 3 3 1 1 1 8 78 73 36 6 2 2 2 7 1 1 36 6 2 2 2 7 1 1 1 8 78 73 36	5 1  1
All causes	3	1 1 3 1 1 6 5 1 45 20 14 45 20 2 3 3 2 1 2 2 37 1 1 8 73 86 6 2 2 2 7 1 1 8 73 86 6 7 7 1 69 67 87 136 162 251	5 1  1
1         Typhoid fever.         18         1         1         3           Malaria.         7         1          6           Scarlet fever.         29         4         1         3          1           1	3	1 1 3 1 1 6 5 1 45 20 14 45 20 2 3 3 2 1 2 2 37 1 1 8 73 86 6 2 2 2 7 1 1 8 73 86 6 7 7 1 69 67 87 136 162 251	5 1  1
6       Scarlet fever       29       4       1       3         7       Whotoping cough       27       8       1       4         8       Diphtheria and croup       564       3       2       5         9       Influenza       228       12       15       24       2         13       Tuberculosis of the lungs       228       12       15       24       2         14-15       Other forms of tuberculosis       24       2       2       2       2         17       Meningitis       10       1       2       2       2         20-21       Bronchitis       62       11       11       3       9       7       9       8         22       Pneumonia       135       15       10       20       14         23       Bronchopneumonia       135       15       10       20       14         25       Diarrhea and enteritis (under 2 years)       308       15       6       13       11         (37)       Diarrhea and enteritis (2 years and over)       15       15       0       20       14         (33)       Congenital debility 1       24       2	1 1 2 1 1 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1	3 1 6 1 4 20 20 14 20 3 3 1 2 2 2 2 2 3 3 36 6 2 2 2 2 6 7 7 7 7 6 9 67 87 136 162 251	6 2 39 4 29 17 1 1 1 1 2 3 162 9 1 2 2 1 2 2 1 2 5 1 8 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
The company course   The company course   The company course   The company course   The course	3	5	2 426 39 47 11 11 12 3 162 9 17 36 36 30 12 2 15 8 6 11 119 80 8 587 127 20
222   Pneumonia   261   9   7   9   12   15   15   10   20   15   15   10   20   15   15   10   20   15   15   10   20   15   15   10   20   15   15   10   20   15   15   10   20   15   15   15   10   20   15   15   15   10   20   15   15   15   15   10   20   15   15   15   15   15   15   15   1	2	2 2 2 37 1 1 8 78 73 86 2 2 2 2 7 7 1 69 67 87 136 162 251	12 3 162 9 36 5 30 12 2 1 8 6 119 80 8 587 127 20
22	19 9 2 10 13 15 2 1 1 4 4 2 1 2 04 79 74  03 159 136  1 1 1 1	1 1 8 8 73 86 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	36 5 30 12 5 1 6 1 8 6 1 119 80 8
LOWELL, MASS.  All causes	4     4     2       1     2     74       04     79     74       003     159     136       1     1     1       1     1     2	1 69 67 87  136 162 251  1 1 1  2 4 4 2  1 1 2	8 1 119 80 8 587 127 20
LOWELL, MASS. All causes	1 1 1 2	1 1 1 2 4 4 2 1 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	3 1 6 1
	1 1 1 2	1 1 1 2 4 4 2 1 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	3 1 6 1
3 Malaria	1 1 2	2 4 4 2	3 1
5 Measles 16 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1 1 1	
8     Diphtheria and croup     18     2     1     4       9     Influenza     288     1     1     1       13     Tuberculosis of the lungs     160     10     11     8     2       13     Tuberculosis of the lungs     41     7     3	24 15 12 5 4 4	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$egin{array}{c c c c} 198 & 17 & 1 \ 3 & 21 & 7 \ 3 & 2 & 2 \ \end{array}$
20 21   Dionomonia 10   10   1	1 2 10 4 2 17 8 6 17 14 3	4 2 5 39 10 11 11 11 11 11 11 11 11 11 11 11 11	2 15 2 107 4 1
(37) Diarrhea and enteritis (2 years and over) 15 1	9 7 8 3 5 3 10 8 13	33 54 27 5 5 6 11 1	7 16 7 3 8 4 4 4
36 Suicide 7 976 85 86 68 9	99 90 80	62 - 58 79	
All causes	316 218 193	182 225 34	
1 Typhoid fever 6	1		i i i i i i i i i i i i i i i i i i i
7 Whooping cough 6 21 3 2 2 2 3 1 3 2 5 5 1 3 1 2 1 1 2 2 5 5 1 3 1 2 2 5 5 1 3 1 2 2 5 5 1 3 1 2 2 5 5 1 3 1 3 2 5 5 1 3 1 3 2 5 5 1 3 1 3 2 5 5 1 3 1 3 2 5 5 1 3 1 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	3 2 4 1 1 20 18 15	18 16 7 4	
17-13 Other forms of tubblections 20 2 2 1	4 5 4 9 3 3 4 3 3 54 19 8 25 12 7	4 3 7 9	1
25 Diarrhea and enteritis (under 2 years)	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	25   32   2	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
36 Suicide 22 2 3 163 163 163 163 163 163 163 163 163 1	15 10 7 3 2 1 168 135 133	$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	1 3 2
All causes 12,889 991 926 1,071 1,2	295 916 695	760 716 69	1,957 1,370 1,4
1 Typhoid fever 72 11 3 5	8 4 2		5 15 2
1 Typhoid fever. 72 11 3 5 5 1 1 1 5 Malaria. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	17 33 15 8 8 3 18 16 11	11 3 3 4	2 1 1 1 3 12 19 5
5 Messles.     129     8     21     17       6 Scarlet fever.     46     6     3     3       7 Whooping cough.     155     10     16     22       8 Diphtheria and croup.     273     28     31     23       9 Influenza.     1,385     10     4     6       Tuberculosis of the lungs     969     62     89     120     1       14-15 Other forms of tuberculosis     139     13     9     17       Monorigities     84     5     8     5	18   19   8	3 4 8 1 16 8 1 2 2 2 74 58 5 8 15 1	7 39 22
13   Tuberculosis of the lungs   969   62   89   120   1   14-15   Other forms of tuberculosis   139   13   9   17   17   Meningtis   84   5   8   5   8   5   20-21   Bronchitis   127   23   9   14	110 94 75 12 13 15 14 15 10	6 3	الم الد او
20-21 Bronchitis. 127 23 9 14 20-21 Bronchitis 129 2		8 3 24 10 2 10 19 1 100 120 13	3 13 15 25 478 231 2 16 88 77 17 65 33 10 6 3
(37) Diarrhay and enteritis (2 years and over) 71 2	15 5 .4 286 61 32 74 47 13 23 29 49 3 8 5 8 12 8 65 47 58	100 120 13 10 12 1 7 10 1	17 65 33 10 6 3 10 9 16
(33) Congenital debility 1	8 12 8 65 47 58 9 7 4 585 491 380	4 2	10 9 16 41 59 52 7 7 8 8 8 32 488 433 5

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1918—Continued.

o Int			[				DEA	THS OCC	URRING 1	N—				
A bridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	Au- gust.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
	REGISTRATION CIT	ies or	7 100,0	00 POI	PULAT	TION	OR M	ORE I	N 1910	Conti	nued.		1	<u> </u>
	GRAND RAPIDS, MICH.			1		<u> </u>		1			Ī			
	All causes	1,893	156	136	147	193	146	116	115	110	126	165	200	283
1	Typhoid fever	10	1	1	1	3		2	1		1			
3 5	Malaria. Measles	i							i					
6 7	Scarlet fever	2 9	i	1	2	<u>.</u>	3	1					1	i
8	Whooping cough Diphtheria and croup.	32 173	4	4	5	3	3 2	1	4	1	2	2 25	1 52	89 89
9 13	Influenza. Tuberculosis of the lungs	115	8	10	14	11	10	13	13	9	8	4 2	7	8 2
14-15   17	Other forms of tuberculosis	24 4	i	2	2	1	1	5	2	2 	2		3	
20-21 22	Bronchitis. Pneumonia.	31 128	4 11	1 7	6	17	8	3	1 4	ii	2	17	6 24	3 28 22 5 1
(23) 25	Bronchopneumonia	78 66	6 6	6 4	8	12	5	3	<u>.</u>	14	19	10	9 2	22
(37) (33):	Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over)	21 8	ı i	î	1	1 1	. 2	2	Ī	3	7	1	<u>i</u>	1
`35	Congenital debility 1. Violent deaths (suicide excepted). Suicide.	77	5	3	4	11	3 2	7	8	7	6 2	8	7	8
36	All other causes	17 1,097	102	1 94	98	3 116	104	77	77	70	75	1 85	86	113
	MINNEAPOLIS, MINN.			}	1		1		1					1
	All causes	5,392	371	361	418	584	437	337	294	254	311	739	599	687
1	Typhoid fever	31		3	11	7	1	ļ			3	3	1	
3	Malaria			.									.	
5	Measles. Scarlet fever	26 33	1	3	1 2	8	10	2	5		. 1	1		į
7 8	Whooping cough Diphtheria and croup. Influenza	79 88 776	1 6	6	10 10	30	15 9	6 3	3 7	7		15	12	1 3
9 13	Tuberculosis of the lungs	426	32	36 36	37	5 10 57	7 46	35	31	20	29	285 29	229 29	241 45 2
14–15 17	Other forms of tuberculosis	52 19	6 2 5	3	5	3	7 3	3	8	4 2	5 2	3	2	2
20-21 22	Bronchitis Pneumonia	24 485	5 31	1 29	3 31	108	1 27	1 13	7	3	1 1	100	2 65	3 55
$(\tilde{2}\tilde{3})$ 25	Bronchonneumonia	144	9	1 12	14	31	18	10 9	4 7	1	16 9 7 1	14	8 4	14
(37)	Diarrhea and enteritis (under 2 years).  Diarrhea and enteritis (2 years and over)	64 27 29	9 8 2 3 18	3 2 3 18	1 1		6 2 2	3 4	2	6 4 2	i	3 5 1	5 1	
(33) 35	Congenital debility	276			27	3 24	19	25	19	25	18	25	27	31
36	Suicide	59 2,754	3 244	228	5 253	279	9 249	211	194	172	5 203	5 243	208	9 270
	ST. PAUL, MINN.													
	All causes	3,602	249	191	287	293	275	204	213	186	206	415	635	448
1	Typhoid fever	8	1		. 3					1		. 2	1	
3 5	Measles	4			1	i			. 1					i
6 7	Scarlet fever	42 37 58	2	. 1	14 5	9 8	1	3	$\begin{vmatrix} 2 \\ 6 \end{vmatrix}$	$\begin{vmatrix} 1\\4 \end{vmatrix}$	4	4	. 3	i
8 9	Whooping cough Diphtheria and croup Influenza	58 644	1		. 5	5 2	7 3	1		4	2	.) 118	334	185 22 3 1
13 14-15	Tuberculosis of the lungs Other forms of tuberculosis	267	32	23	24	27	20	19	18 6	12 6		23 4	30	22
17 20–21	Meningitis. Bronchitis	10	1		4	1		1 2	Ĭ			. 2	1 2	1
22	Pneumonia	304	21 5	10	29	46 14	16	6	6	5	6	52	66	41 8
(23) 25	Diarrhea and enteritis (under 2 years)	77	6	9	8	4	3	3	4	13		5	7	3
(37) (33)	Congenital debility 1	81 77 17 21	1		. 3		. 1	3	1 3	4 2 6	1 4	1 1	3	1
35 36	Suicide	166	15	3	2	2	6	3	1	1	. 5	1 2	2	3
	All other causes	1,761	153	112	164	156	173	127	142	127	130	166	151	160
	KANSAS CITY, MO. (TOTAL).													
	All causes		502	450	588	488	413	395	394	323	305	1,001	736	1,013
. 1	Typhoid fever	47 7		1	. 5			2	6	6			5	
5 6	Measles	57	17		10	7	. 8					. 1	-	. i
7 8	Whooping cough	40		.   2	1 5 9	10	5	3		1		5	1	1
9	Influenza.	855	10		7	10	4	1	2			. 233	195	388
13 14–15	Other forms of tuberculosis	855 458 45 50	32	28	45 6	2	41 7	6	5	36	3	1		. 3
17 20-21	Bronchitis.	50 38		2	7	1	3	1	1	5		. 7	4	1 3
22	Pneumonia	285	66	53	117	66	29 15	5	3 6	4	13	44	: 38	62
(23) 25 (37)	Diarrhea and enteritis (under 2 years)	1 38	4	. 4	4 5	7	3 2	14	27	29	13	1 11	. 5	3
(37) (33) 35	Congenital debility 1. Violent deaths (suicide excepted).	26 425	2	:   1	. 2	:   2	4	1	4	1	. 3	1 2	1	3 49
36	Suicide	ા છ		; [6	4	. 2	:  8	5	6	6	1 4	250	: 6	8
	All other causes	. 2,916		•	i] 297 p <b>rem</b> atur		228	235	247	186	182	250	239	1 200
			- 12.8		VALERO LE L	*								

All c  Typhoid fe  Malaria  Measles  Scarlet fev  Whooping  Diphtheria  Influenza.  Tuberculos  Proemtoid  13 Tuberculos  Proemtoid  13 Tuberculos  Proemtoid  22 Froumoni  (23) Bronchopr  23 Froumoni  (23) Bronchopr  24 Froumoni  (23) Bronchopr  25 Diarrhea a  (37) Diarrhea a  (37) Diarrhea a  (37) Diarrhea a  (37) Diarrhea a  (37) All other c	REGISTRATION CIT  KANSAS CITY, MO. (WHITE).  auses.  Ever.  er cough  and croup  sis of the lungs.  so of tuberculosis.  a.  a.eumonia.  and enteritis (under 2 years)  and enteritis (2 years and over)  debility 1.  aths (sucide excepted).  auses.	5,682 39 4 54 111 37 59 827 310 30 44 30 900 240 114 33 26	Janu- ary.  100,00  413  1  17 3 14 10 19 19 18 8 7 52 22	381 1 11 2 5 4 20 6	472 3 10 15 9 5	415 1 6	337 2 6 4	June.  331 2	July.  N 1910  325		September.  nued.  258	October.	November.	December.
All c.  1 Typhoid fe 3 Malaria 5 Measles 6 Scarlet fev. 7 Whooping 8 Diphtheria 17 Tuberculos 14-15 Other form 17 Meningitis 22 Preumoni (23) Bronchopr 25 Diarrhea a (37) Diarrhea a (37) Diarrhea a (38) Congenital 35 Violent de 36 Suicide All other c	EANSAS CITY, MO. (WHITE).  auses	5,682 39 4 54 111 37 59 827 310 30 44 30 900 240 114 33 26	413 1 17 3 1 4 10 19	381 1 11 1 2 5 4 20	3 3 10 15 9	415 1 6	337	331	325	267	258	5		
All c.  1 Typhoid fe 3 Malaria 5 Measles 6 Scarlet fev. 7 Whooping 9 Diphtheria 13 Tuberculos 14-15 Other form 17 20-21 Seronehop 23 Bronchop 25 Diarrhea a (37) Diarrhea a (33) Congenital 35 Violent de Suicide All other c	auses	39 4 54 11 37 59 827 310 30 900 900 114 33 26	17 3 1 4 10 19	1 11 1 2 5 4 20	. 3 10 1 5 9	1 6 10	2	2				5		
1 Typhoid fe 3 Malaria 5 Measles 6 Scarlet few 7 Whooping 8 Diphtheris 9 Influenza. 13 Tuberculos 14-15 Other form 120-21 Froemoni (23) Bronchopr 25 Diarrhea a (37) Diarrhea a (33) Congenital 35 Volcent de Suicide All other o	er cough a and croup sis of the lungs. ss of tuberculosis  a. a. a. a. a. a. a. a. a. a. a. a. a.	39 4 54 11 37 59 827 310 30 900 900 114 33 26	17 3 1 4 10 19	1 11 1 2 5 4 20	. 3 10 1 5 9	1 6 10	2	2				5		
Malaria  Measles  Searlet few Whooping Diphtheria Influenza Is Tuberculos Cother form IT Meningitis Prouching 22 Pracumoni (23) Bronchori (23) Bronchori (23) Bronchori (23) Bronchori (24) Bronchori (25) Diarrhea a (37) Diarrhea a (37) Diarrhea a (37) Diarrhea a (37) All other c  All other c	er cough a and croup sis of the lungs ss of tuberculosis  a. a. a. a. a. a. a. a. a. a. a. a. a.	4 54 11 37 59 827 310 30 900 240 114 33 26	17 3 1 4 10 19	11 1 2 5 4 20	10 1 5 9	6	6		5	6	. 5		4	1 4
6 Scarlet few. 7 Whooping 8 Diphtheria 13 Tuberculos 14-15 Other form 17 Meningitis 22 Preumoni (23) Bronchopr 25 Diarrhea a (37) Diarrhea a (33) Congenital 35 Violent de 36 Suicide All other of	er cough to and croup sis of the lungs. sis of tuberculosis  a. leumonia. Ind enteritis (under 2 years). Ind enteritis (2 years and over) debility 1. aths (suicide excepted).	54 111 37 59 827 310 44 30 900 240 114 33 26	3 1 4 10 19	1 2 5 4 20	1 5 9	10		4						2
8 Diphtheria 9 Influenza. 13 Tuberculos 14-15 Other form 17 Meningitis 20-21 Bronchitis 22 Pneumoni (23) Bronchopr 25 Diarrhea a (37) Diarrhea a (37) Diarrhea a (37) Violent de 36 Suicide All other c	cough a and croup sis of the lungs so tuberculosis  a	310 30 44 30 900 240 . 114 33 26	1 4 10 19	20	5 9							i	<b></b>	i
14-15 Other form 17 Meningitis 20-21 Bronchitis 22 Preumoni (23) Bronchopr 25 Diarrhea a (37) Diarrhea a (37) Violent de 36 Suicide All other c	as of the lungs. s of tuberculosis  eumonia. ind enteritis (under 2 years) ind enteritis (2 years and over) debility 1 aths (suicide excepted).	310 30 44 30 900 240 . 114 33 26	10 19	20			4	3	5	<u>i</u>	1	$^{1}\frac{1}{12}$	4	. Î
14-15 Other form 17 Meningitis 20-21 Bronchitis 22 Preumoni (23) Bronchopr 25 Diarrhea a (37) Diarrhea a (37) Violent de 36 Suicide All other c	as of the lungs. s of tuberculosis  eumonia. ind enteritis (under 2 years) ind enteritis (2 years and over) debility 1 aths (suicide excepted).	310 30 44 30 900 240 . 114 33 26	19 1 8 7 52			. 7	4 4,	· 1	2 2		4	226	189	379
(23) Bronchopr (25) Bronchopr 25 Diarrhea a (37) Diarrhea a (33) Congenital 35 Violent de Suicide All other c	a. neumonia. .nd enteritis (under 2 years). .nd enteritis (2 years and over). 	240 . 114 . 33 . 26	8 7 52		30 4	27 1	23 4	38	24 4	25 2	15 2	. 27	30	32
22) Fneumoni (23) Bronchopr 25 Diarrhea a (37) Diarrhea a (33) Congenital 35 Volcat de Suicide All other c	a. neumonia. .nd enteritis (under 2 years). .nd enteritis (2 years and over). 	240 . 114 . 33 . 26	52	6	6	7	$\hat{2}$	38 2 3 1	2 1 2	4		4	. 1	1 3
(23) Bronchopt 25 Diarrhea a (37) Diarrhea a (33) Congenital 35 Violent de 36 Suicide All other c	neumonia	. 114 33 26		1 44	6 84	59	23 14	7	2	3 2	15	316	139	156
(33) Congenital 35: Violent de Suicide All other o	aths (suicide excepted)	20	23	44 22 3	19 4	11 6	14 3	3 13	5 22	28 28	12 13	38 10	, 38	156 53 . 3
(33) Congenital 35: Violent de Suicide All other o	aths (suicide excepted)	20	2	1	5 2	4 2	. 2	3	22 6 4	28 7 1	4 1	1 2	i	
All other o	eauses		29	27	21	23 2	4 34	39	26	27	3 22	23	31	3 44
All o	auses	2,517	227	6 220	254	2 240	. 7 196	205	6 209	5 156	3 159	215	212	224
All o		2,011	22.	220	201	. 220	200	,						
	KANSAS CITY, MO. (COLORED).				]							***	72	
1 Typhoid fo	causes	926	· 89	69	116	73	76	64	69	56	47	104		91
	ever	8 3	1		2		1		1		1 1	1	1 1	
						1	2							
		3					····i					1	ii	
8 Diphtheric	er cough a and croup sis of the lungs	28			2	3	2					7	6	
9 Influenza. 13 Tuberculo	sis of the lungs	148	13 2	8		11	18	18 4	11	11	9	16	9	9
14-15   Other form	ns of tuberculosis	1 6	li	1 2	2 2	1	3	4	1	1	1		:	
20-21   Bronchitis	B	ا. 8	2 14	8 1 2 1 9	1 33	1 7	2 6	3	i		3	33	23	27
(23) Bronchop	neumonia	45	7	4	10	2	ľ	2	1 5	2	ĭ	6		
(37) Diamhea s	and enteritis (under 2 years) and enteritis (2 years and over)	. 5		1		1.2			ı	1 1	i	1		
(33) Congenita 35 Violent de	l debility <sup>1</sup> eaths (suicide excepted).	79	13	6	5	7	6	6	10	8	6	3	4	5
36 Suicide	serus (surcide exceptent)	. 4	13 1			37	1 32	30	38	30	23	35	.  <i>-</i>	32
All other o	causes	. 399	36	36	43	31	52	30	90	. 30	20	33	"	32
	st. louis, mo. (total).													
	causes		1,083	1,003	1,172	1,112	925	763	805	860	728	1,525	=	2,040
1 Typhoid f	ever	. 60	1	2	1	3 1	2	4 3	8 2	9	10	4	12	. 4
5 Manalan		1 25	3	3	4	4	4	6	í					.
			6	12	22	4 42	34	23.	13	3 10	1 1	4	3	3 2
7   Whooping 8   Diphtheri	g cough a and croup	128 1,342	16	13	14	16	9	23. 7 7	13 8 3 65	7 3	1 8 3	15 296	1 7 402	13 548
9 Innueliza.	roje of the lungs	976	14 83 8	12 13 16 98 9	22 14 20 104 13 8	16 21 97 16	· 89	76	65	63 13	63	76	73	2 13 548 89 8
14-15   Other form	ns of tuberculosis	118	8 5 23	9 5	13	1 9	6 12	76 7 6	5 9	3	5	6 4	5	4
				1 17	19	11		7	3 25	12 26	1 8	16 358		21 515
22 Pneumon (23) Bronchop	ianeumonia	2,030	· 134 · 81	133 .58 12	76	55	52	21	25 20 62	26 25 70	32 16 37	79	90	515 118
25 Diarrhea (37) Diarrhea (	and enteritis (under 2 years)	319 65	9 2		12	15	19	20	1 6	9	6	7	412 90 22 7	· 10
(33) Congenita	neumonia. and enteritis (under 2 years). and enteritis (2 years and over). Il debility <sup>1</sup> eaths (suicide excepted).	40 652	5 58	1 60	141 76 12 3 3 63 8	162 55 15 7 6 57	68 52 19 6 4 40 13 541	21 26 7 3 54	4 50	1 65	2 45	358 79 25 7 2 45 7 579	63	52 52 52 16 629
as I spicide .		* TOO	13	10	8	1 7.7	13	15 467	12	14	i 8	7	573	16
All other	causes	6,701	622	552	659	572	541	467	509	523	475	919	918	028
	ST. LOUIS, MO. (WHITE).				1				Ì	}		-	1	1
All	causes	. 11,734	919	815	965	949	780	619	696	723	613	1,278	1,532	1,845
Typhoid	[ever	. 49	1	2	1		1		4	7	9	4	11	
3. Malaria	lever	- 9 - 13		2	2	1 3	3	3	1	.	.  <i></i>		-	. 1
5 Measles 6 Scarlet fee	ver	21 130	4	. 2	17	33	25	18	10	. 3	1 1	24	. ) 1	3 2 13 515 74 8
7 Whooping 8 Diphtheri	ver. g cough. is and croup. osis of the lungs. ms of tuberculosis.	116	15	l ii	2 2 17 12 15 71 8	15	25 3	4	7	9 7 2 40	1 8 3 48	15 258 56	6 374	13
9 Influenza 13 Tubercule	osis of the Jungs	1,230 731	13 69	69	1 12	75	9 67	51	3 50	40	48	56	61	74
14-15 Other form	ms of tuberculosis	. 85	5	8	8	12	18	5 4	8	1 6	3 4	3	5 5	8
17 Meningiti 20–21 Bronchiti	S	. 59 147	21	15	16	1 11	11	6	1 3	12	6	13	15 367	18
22 Pneumon	iia	1,679 556	5 5 -21 103 63	2 2 6 11 12 69 8 3 15 96 42 12	103 53 9 3	33 15 21 75 12 8 11 125 47	11 49 41	2 <u>1</u> 13	· 19	20	6 22 16	293 59	83 21	463 104
25 Diarrhea	and enteritis (under 2 years)	290	8 2 5	12	9	14	18	24 5	56	64	32 6	23	21	.] 9
(23) Bronchop Diarrhea (37) Diarrhea (33) Congenitz 35 Violent d	and enterms (2 years and over)al debility 1	556 290 55 32 552	5		. 2	5	1 2	1 3	4	1	Į į	1 2	5 50	. 1
35 Violent d 36 Suicide	S.  S.  iia.  ineumonia.  and enteritis (under 2 years).  and enteritis (2 years and over).  al debility 1.  eaths (suicide excepted).	. 552 129	53 13	.   9	.   55	149	12	48 15	11	12	8	7	6	14
	causes	5,851		475	582	503								
· .				•	prematu	•	419	391	456		408	492	513	

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1918—Continued.

d Int.				<del></del>			DEA	THS OCC	URRING	IN—				
Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	Au- gust.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
	REGISTRATION CIT	TIES O	F 100,0	00 POI	PULAT	NOI	OR M	ORE I	N 1910	-Conti	nued.			<u> </u>
	ST. LOUIS, MO. (COLORED).							]					[	
	All causes	1,993	164	188	207	163	145	144	109	137	115	247	179	195
1	Typhoid fever	11					1		4		1	=		1
3 5	Malaria. Measles.	6 12	3	····-i	2	i	<sub>i</sub> .	3 3	1	2				
6 7	Scarlet fever	40		6	5	9		5	3	i				
8	Diphtheria and croup. Influenza.	12	I I	2 4	2 5	ĭ	ĭ	3 2	1	<u>î</u>			i	
13 14–15	Tuberculosis of the lungs Other forms of tuberculosis	245 33	14 3	29 1	33 5	22	22	25	15	23	15	38 20	28 12	· 33 15
17 20–21	Meningitis	10	2	2	2	4 1	3	2 2	1 1	7 1	1	3	3	
22	Bronchitis. Pneumonia.	22 351	31	2 37	3 38	37 8	1 19	1 3 8	6	8	2 10	3 65	5 45 7	3 52
(23) 25	Bronchopneumonia Diarrhea and enteritis (under 2 years)	135 29	18 1	16	23 3	. 1	11 1	8 2	5 6	5 6	5	20 2	7 1	14 1
(37) (33)	Diarrhea and enteritis (2 years and over)	10 8		i	i	2		2	3	2	1		1 2	
35 36	Suicide	100	5	9	8	8	7	6	8 1	10 2	12	9	13	1 5 2
	All other causes	850	83	77	77	69	66	76	53	67	67	87	60	68
	OMAHA, NEBR.													
	All causes	3,199	176	168	187	252	160	183	201	182	174	568	380	568
1 3	Typhoid fever Malaria	11			2		3	2			1	3		
5	Measles	11		3	3	2	i				2			
7	Scarlet fever Whooping cough	8 14	1		1 2	2	1 1		i	3	$\begin{array}{c c} 1 \\ 2 \end{array}$	4	i	2
8	Diphtheria and croup. Influenza	51 633	5	2 2	2 2	6 3	4	4	5	3	4	8 245	132	4 248
13 14 <b>–</b> 15	Tuberculosis of the lungs Other forms of tuberculosis	175 37	17 2	15 4	16 2	11 4	12	22	12 4	10 6	$\frac{12}{3}$	11	10	27
17 20–21	Meningitis Bronchitis	14 14	3	1	2	2	1 4	i	2			2 2	ı	i
22 (23)	Pneumonia Bronchopneumonia	431 107	14 5	19 12	23 14	46 17	$1\overline{1}$ $1\overline{2}$	8	3 3	2	8	134	65	98 13
25 (37)	Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over)	69 13	I I	5	3		6	7	14	1 13	3 9	19 5	7 5	13
(33)	Congenital debility 1 Violent deaths (suicide excepted)	23	3	1 2	2	1		2	1 2	2	2	1 4	3	······ż
36	Suicide	167 26	19 3	3	5	11 5	11 1	13 2	19 4	17 3	16	13 2	19	20
	All other causes	1,395	102	94	105	137	92	116	131	121	107	111	130	149
	JERSEY CITY, N. J.  All causes	2 001	407	000	0									
1	Typhoid fever		427	366	558	415	344	314		357 ————	350	1,674	538	442
3 5	Malaria	16	1		3	3	1		2	1	1	2		2
6	Measles Scarlet fever	40 10	10 1	7 2	8 2	6 1	8	1	2					
8	Whooping cough. Diphtheria and croup	58 61	7 5	6 11	7 7	7 3	$\frac{5}{2}$	3 4	1 3	3 1	5 2	11 9	1 8	2 6
9 13	Influenza Tuberculosis of the lungs	642 399	38	4 24	11 63	5 37	2 30			39	7 26	478 31	94 33	38 28 2
14-15 17	Other forms of tuberculosis Meningitis	53 51	10	3	6	4	5 8	25 5 6	25 7 1	5	1 4	3 5	. 3	20
20–21 22	Pneumonia.	79 1,144	10	10	10 94	10 71	2 30	3 21	3 24		37		10	4
(23) 25	Bronchopneumonia. Diarrhea and enteritis (under 2 years).	426	57 29 5	42 20 12	29 14	29 10	20 10	9 20	10	1 7 5	13 43	192	41	29
(37) (33)	Diarrhea and enteritis (2 years and over) Congenital debility <sup>1</sup> .	42 48	1	2 1	5 7	4 2	2	6	46 2	57 3	4	16 595 192 23 8	98 41 12 3 8	68 29 12 2 6
35 36	Violent deaths (suicide excepted)	333	24	25 2	27	21	39 3	1 20	21	6 35	4 24	*8 32 2	34	$\begin{smallmatrix}6\\31\\2\end{smallmatrix}$
00	All other causes	25 2,390	1 220	194	5 256	4 189	173	188	. 149	$\frac{2}{189}$	1 178	2 259	188	$\frac{2}{207}$
	NEWARK, N. J.													
	All causes:	8,132	597	551	687	639	500	392	450	426	414	1,937	819	720
1	Typhoid fever.	18	1			$===_{2}=$			==	<del></del> 3	3			1
3 5	Malaria Measles	118	4	7	26	34		14	3	i		<u>i</u> -		,,i
6 7	Scarlet fever. Whooping cough.	7 52	6	<u>.</u> 5	1 3	2 6	2	1 3	5	1 6	2			
8 9	Influenza	47	2 5	5 7 6	4 12	5 9	3 3	2		2	7 8	5 5 456	3 4	6 91
13 14-15	Tuberculosis of the lungs Other forms of tuberculosis .	545 99	54 4	68 10	61	58 17	51 9	41 12	32	23 3	25	456 54	159 39	35
17 20-21	Meningitis Bronchitis	53 170	4	3 10	5 5 24	9	8	12 2 7	14 4 7	6	2	9	5	39 7 3 15 153
22	Pneumonia Bronchopneumonia	1,564	27 55	48	139	18 79	50 50	29	19	4 7	. 17	$\frac{29}{777}$	18 191	15 153
(23) 25 (37)	Diarrhea and enteritis (under 2 years)		30 16	41 11	38 15	31 13	10 13	15 21	11 70	70	12 45	148 32	33 11	54 24
(33)	Diarrhea and enteritis (2 years and over)  Congenital debility  Violent deaths (suicide excepted)	49 71	3	2 5	5 7	3 5	. 5 1	1 4	2 9	6 5	9 4	5	7	6 14 38
35 36	Building	51	44	29 4	21 7	44 5	26 3	25 2	33 3	36 2	39 3	44 5	39 4	38 9
J	All other causes	3,350	337	295	314	299	274	211	238	244	231	351	299	257
			- Exch	ang pre	emature	birth.								

Table 10.—Deaths (exclusive of stillbirths) in the registration area (exclusive of Hawaii), Registration states, and cities of 100,000 population or more in 1910, from important causes, By Month of Death: 1918—Continued.

÷.							DEA	THS OCCI	URRING I	м—			•	
Abridged Int- List No.	AREA AND CAUSE OF DEATH.	All deaths.	Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	Au- gust.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
7 1	REGISTRATION CIT	IES OF	100,00	0 PO	PULAT	rion (	OR M	ORE I	N 1910	Conti	nued.			
	PATERSON, N. J.													
	All causes	2,686	231	169	193	177	156	134	121	185	162	645	262	251
1	Typhoid fever	6				1	1	1		1	. 1	1		
3 5	Measles Scarlet fever	21 1	4	1	7	3	2	3	1					
6   7 8	Whooping cough Diphtheria and croup Influenza	19 22	2 2 1	1 1	3 2	5 1	3	2 2	1 2	2	2	2	2	3
9 13	Trabarculosis of the lungs	476 193	1 19	2 15	2 21	16	1 14	17	14	16	18	319 14	84 16	67 13
14–15 17	Other forms of tuberculosis	12 12	3		1	1	3	2 1 3	1 1	1 2	1	1 1 8	1 2	3 1 4
20-21 22	Bronchitis	21 334	20	28	23 7	26	13	5 2	1 2	4 4	13	124	39 12	38 11
(23) 25	Bronchopneumonia Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over)	105 89 17	. 2	5 1		8	4 3 2	6 1	10	23 7	. 31	124 35 5 2	. 2	- 5
(37) (33)	Concenital debility 1	17 23 151	1 2 23	. 16	1 10	1 8	1 10	11	1 10	8 9	1 3 9	18 18	3 10	17
35 36	Violent deaths (suicide excepted). Suicide	24 1,160	138	1 97	10 2 112	3	3 92	1 77	76	106	· 3 74	111	2 87	8.8
	All other causes	1,100	100				"							· •
	All causes.	2,548	191	165	202	202	159	144	152	134	125	673	207	194
1	Typhoid fever				1.	3	1			1	1	4		1
3 5	Malaria Measles Scarlet fever	. 3			2				1 1					
6 7 8	Whooping cough	1 16 . 8	1	1 1	2	i	3	1	<u>i</u>	3 1	1	3	1	
9 13	Influenza. Tuberculosis of the lungs	371 206	2 21	15	. 1 25	1 18	1 17	24	14	15	1- 6	304 23	42 14	19 14
14-15 17	Tuberculosis of the lungs Other forms of tuberculosis Meningitis.	· 24 25	1 2	1 2	6 4	2	2 4	3 2	3 4	3	1	5 2	i	
20-21 22	Bronchitis. Pneumonia.	15 275	15	15	18 11	2 15	2 6 2 5	5	1	4 4	1 2 9	147 30	2 22 8	1 18 10
(23) 25	Bronchopneumonia   Diarrhea and enteritis (under 2 years)   Diarrhea and enteritis (2 years and over)	99 34	3 3	10 1	3	1 1	5	3 1 1	1 5 1	4	5 1	. 3	2	ĭ
(23) 25 (37) (33) 35 36	Diarrhea and enteritis (2 years and over)	1 8	1	6	37	8	2 2 8	9		9	6	1 8	1	10
35 36	Violent deaths (suicide excepted)	19 1,317	12 2 128	110	2	1	104	. 1	2	86	91	136	2	5
	BUFFALO, N. Y.	1,01.						-					-	
	All causes	.10,112	684	619	705	733	632	558	587	679	631	2,640	846	798
1	Typhoid fever Malaria	38	2	1	4	3	4	1		1	4	14	3	1
3 5 6	Measies	42	3	4	5	3	7	$\frac{7}{2}$		5	1 3	6 3	2	1
. 7	Whooping cough	57	1 6	1 4	1 8	4	7 5	5	1 4	5 6	5	14 18	. 11	20
9 13	Tuberculosis of the lungs	752	II 5	62	6 74	80	72	- 65 5 2 5	3 45 9	57 10	42	74	56	56
14–15 17	Other forms of tuberculosis	93	69	1 2	4	1	1	2	3 4	2 2	1 2	1 9	38	2
20-21 22	Preumonia	1,334	12 . 53 44 27	13 52	13 71 43 31	101 57	47	25 11	32	15 10	- 26		104	111
(23) 25	) Bronchopneumonia Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (under 2 years)	645	27	52 50 13	31	25	25 26 1	25 11 32 5	73 7	170	107 17	71	35	4
(23) 25 (37 . (33) . 35	Diarrhes and enteritis (2 years and over) Congenital debility Violent deaths (suicide excepted). Suicide	92 92 1,334 523 645 77 33 467	2 35	44	1 3	31	1 49		39	2 47	5 26	39	48	45
36	Suicide All other causes	. 46	0	1 1	. 5	i   3	1 1	. 6		3 328				
	NEW YORK, N. Y. (TOTAL).				,									
	All causes	96,989	7,951	6,841	9,167	7,536	5,949	5, 137	5,112	5, 122	5,096	22, 328	9,261	7,489
1	Typhoid fever	1 12	6 2		. 1 . 2	}   <b>_</b>	_1 4		32	34 1	1	3		
. 3 5	5   Measles	18 844 189	107	111	189	163 25 108 156	118 30	)   22	32 3 31 16 42 69	18	9	11	1 8	: 1 9
7	7   Whooping cough	665 1,213	110	101	132 138	108	73 106	108	42 69	29 49	1 46	1 129	9   81	120
13	f   IIIII(161128	8,258 8,951	58 864	796	1,093	8   69 845	31 755	633	t09 l≲	568	568	5, 715 881 79	1,431	635
. 14-15 17	/ Meningitis	1,165 410	109 29	99	119	5   54	116	115 25 37	78 23 32	90 33	1 26	28 139	62 3 23 9 67	27
20-21 22	Bronchitis	16 841	944	856	3   1,778	il 87	81	271	. 1 208	176	~ 423	l-7, 690	)   1,770	1,046
(23	Bronchopneumonia	6,141	438 157	'   120	133	139	137	147	s I 360	584	383	2,157 298 34	164	134
(37 (33 35	7)  Diarrhea and enteritis (2 years and over)	333 943	II 60	52	2   60	139 18 18 18	133 21 55 335	25 5 5 345	72 5 361	86	i 103	126	1 21 3 11 5 48	120 698 635 2 85 27 83 1,046 3 537 1 134 15 85 3 366
`35 36	}   Spicide	4,542 718	440 72 4,290	1 68	5 73	3 5	3,20	3,011	3 55	55	il 55	7	7   5	58 1 3,566
	All other causes	.J 41,844	•		mature		ا الكرك ا	-		, 100	, .,	,		,
			10000											

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1918—Continued.

ged Int. t No.						,	DEA	THS OCC	URRING )	m—				
Abridge	AREA AND CAUSE OF DEATH.	All deaths.	Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	Au- gust.	Sep- tember.	Octo- ber.	Novem-	Decem- ber.
	REGISTRATION CIT	TIES OF	F 100,00	00 PO	PULAT	CION	or M	ORE I	N 1910	Conti	nued.	<u> </u>		1
	NEW YORK, N. Y. (WHITE).	00.000									1			
1 3 5 6 7 8 9 13 14-15 17 20-21 (23) 25 (37) (33) 33 36	All causes Typhoid fever Malaria Measles Scarlet fever Whooping cough Diphtheria and croup Influenza Tuberculosis of the lungs Other forms of tuberculosis Meningitis Bronchitis Preumonia Bronchopneumonia Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over) Congenital debility <sup>1</sup> Violent deaths (suicide excepted) Suicide All other causes	189 18 831 187 628 1,184 7,986 8,352 1,097 386 925 16,015 5,872 2,641 327 899 4,374 697 40,480	7,642 5 2 105 29 68 107 55 810 106 29 139 903 414 152 17 59 423 69 4,150	6,557 8 110 21 61 99 42 752 94 37 116 802 353 117 22 47 356 63 3,457	8,716  13 3 187 18 128 123 133 86 1,018 114 62 107 1,635 495 129 21 60 357 71 4,079	7,256 6 159 25 107 153 66 799 135 428 1,073 428 1,073 428 13 18 71 3006 52 3,594	5,724 8 4 116 29 70 105 30 723 107 36 499 235 134 21 55 319 53 3,104	14,925 121 46 105 8 598 101 23 34 254 137 137 24 254 354 2914	4,875 31 3 31 16 39 64 99 99 92 22 30 192 114 346 47 68 351 55 2,847	4,901 33 1 1 8 4 27 5 522 86 86 80 24 165 124 553 84 419 54 2,652	28 1 9 1 1 9 44 44 102 521 7 390 154 37 9 335 54 2,591	21,509  22 3 8 8 11 50 129 5,523 830 22 25 132 7,411 2,075 283 31 122 353 373 4,356	8,895 13 2 3 15 80 1,388 649 23 66 1,694 828 103 406 54 3,273	7, 209  8 11 7 9 8 118 678 5583 80 27 87 287 87 87 880 27 87 87 880 37 880 37 880 380 380 380 380 380 380 380 380 380
1	All causes Typhoid fever		309	284	451	280	225	212	237	221	217	819	366	280
1 35 6 7 8 9 9 14–15 17 20–21 225 (25) (37) (33) 35 36	Typhold lever Malaria. Measles. Scarlet fever Whooping cough. Diphtheria and croup. Influenza. Tuberculosis of the lungs. Other forms of tuberculosis. Meningitis. Bronchitis. Pneumonia. Bronchopneumonia. Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Congenital debility '. Violent deaths (suicide excepted). Suicide. All other causes.	13 2 37 29 272 599 68 24 45	2 3 3 5 4 41 24 5 1 1 7 3 140	5 2 2 44 5 4 5 5 4 7 7 7 3 16 16 2 119	2 4 5 2 75 5 3 8 143 25 4 160	4 3 3 3 46 6 5 72 19 5 4 16 1 95	2 1 3 1 1 32 9 4 35 12 3 2 16 10 103	2 1 1 3 1 35 14 2 3 37 10 8 8 10 5 97	1 3 5 5 4 9 1 1 2 2 16 6 14 10 110	1 2 2 1 4 4 4 3 2 11 11 31 2 17 18 7	2 6 2 4 47 4 2 33 6 13 5 10 0 1 82	55 192 51 7 3 7 279 82 10 3 4 12 12	1 1, 43, 63, 3, 76, 35, 6	1 1 2 20 52 5 5 149 222 6 6 7 12 103
	NEW YORK, N. Y. (BRONX BOROUGE).													
1 3 5 6 7 7 8 9 9 13 13—15 20-21 22 22 (33) 35 36	All causes Typhoid fever Malaria. Measles Scarlet fever Whooping cough Diphtheria and croup Influenza Tuberculosis of the lungs Other forms of tuberculosis. Meningitis. Bronchitis Pneumonia. Bronchopneumonia. Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Congenital debility ¹ Violent deaths (suicide excepted). Suicide. All other causes.  NEW YORK, N. Y. (BROOKLYN BOROUGH, TOTAL).	17 62 13 70 70 133 945 1,022 137 29 57 2,016 542 185	869 6 7 14 5 105 11 2 9 89 35 5 12 2 6 41 5 5 5 5 5 5 5 6 6 6 6 6 6 7 8 9 8 8 9 8 8 8 8 8 8 8 8 8 8 8 8 8	692 1 6 2 5 11 3 91 10 2 4 84 32 11 5 2 17 5 401	926 1 14 1 13 100 9 99 99 99 91 8 6 181 488 2 2 3 37 4 461	33 18 4 14 11 9 101 18 5 4 121 40 7 4 6 30 33 432	624 8 2 8 12 1 87 9 3 7 7 53 3 19 9 3 3 1 3 2 5 5 3 6 6 6 6 7 8 7 8 7 8 7 8 7 8 7 8 8 7 8 7	583 5 1 6 13 3 71 17 1 4 26 10 2 2 2 13 41 8 363	548 3 4 6 11 68 8 1 2 2 2 15 13 4 7 7 36 8 8 347	537 1 1 5 1 66 14 1 1 3 18 15 41 4 3 26	2 558 2 2 55 12 77 9 1 5 37 13 33 9 4 13 37 6 6 296	2,630 4 1 7 14 653 108 7 1 6 1,092 181 122 1 9 30 10 483	1,049 1 2 9 177 80 5 2 3 199 96 8 8 1 1 1 2 3 4 4 417	761 1 2 18 75 69 8 8 2 4 101 40 11 12 11 30 9 378
	All causes	34,010	2,792	2,364	3,171	2,643	2,033	1,811	1,713	1,763	1,805	8,010	3,313	2,592
1 3 6 6 7 8 9 13 14–15 20–21 22 (23) (23) (33) 35 36	Typhoid fever Melaria Measles Scarlet fever Whooping cough Diphtheria and croup Influenza Tuberculosis of the lungs Other forms of tuberculosis. Meningitis. Bronchitis. Preumonia. Bronchopneumonia Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over) Congenital debility 1 Violent deaths (suicide excepted) Suicide All other causes.	2,948 2,714 350 139 388 6,065 2,439 1,031 116 302	5 2 69 9 9 20 411 31 281 281 328 162 60 5 17 146 16 1,509	577 100 211 273 285 366 200 433 2992 1511 344 415 1411 1, 232 1, 232	4 1 94 97 32 51 39 300 35 22 46 591 234 54 6 16 118 23 1,498	59 6 25 50 27 266 43 17 27 439 194 51 6 106 1, 288 birth.	3 2 35 5 9 31 14 2222 41 135 177 98 47 5 23 128 23 1,124	8 17 7 7 12 36 2 197 34 10 11 105 62 55 55 10 0 22 105 13 1,105	13 1 3 3 7 25 1 180 25 7 7 7 12 84 35 135 25 135 21 114 16 1,006	17 1 2 1 13 14 3 154 25 7 10 54 49 202 12 22 22 974	13 1 2 1 6 11 51 194 24 112 23 144 59 150 14 32 110 939	6 2 2 6 17 44 1,997 274 28 9 67 2,769 876 112 15 38 134 2,594	5 1 2 8 1 9 538 212 13 4 4 26 680 323 77 9 40 204 11,141	2 5 4 3 3 33 2222 199 233 8 8 27 402 196 54 54 54 14 1,246

Int.		-		• .				THS OCC	URRING 1	DV—		···		
Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	Janu- ary.	Febru-	March.	April.	Мау.	June.	July.	Au- gust.	Sep-	Octo- ber.	Novem-	Decem- ber.
¥	REGISTRATION CI	ries, o	F 100,0	000 PO	PULA	TION	OR M	ORE	IN 191		<u> </u>			
	NEW YORK, N. Y. (BROOKLYN BOROUGH, WHITE).				ĺ			1	<u> </u>					
	All causes	33,043	2,711	2,299	3,061	2,571	1,964	1,754	1,654	1,723	1,752	7,812	3,213	2,529
1 3 5 6 6 7 8 9 9 1 1 4 - 1 5 1 7 20 - 21 (23) 25 5 (37) (33) 35 6 7 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Typhoid fever.  Malaria.  Measles. Scarlet fever.  Whooping cough.  Diphtheria and croup.  Influenza.  Tuberculosis of the lungs. Other forms of tuberculosis.  Meningitis.  Bronchitis.  Freumonia.  Bronchopneumonia.  Diarrhea and enteritis (under 2 years).  Diarrhea and enteritis (2 years and over).  Congenital debility 1.  Violent deaths (suicide excepted).  Suicide.  All other causes.  NEW YORK, N. Y. (BROOKLYN BOROUGH, COLORED).	75 10 339 61 167 380 2,872 2,897 374 5,839 1,004 13 289 1,552 205 14,813	4 2 2 67 9 19 19 41 30 268 268 268 157 59 17 138 15 15,471	57 10 21 22 21 224 36 20 42 282 146 84 4 13 13 11,207	4 13 7 31 37 283 33 22 45 557 225 53 6 16 116 22 1,454	57 6 25 50 27 253 43 17 288 418 188 50 4 23 15 1,265	3 2 34 5 5 8 8 31 13 216 6 93 166 93 46 6 5 23 121 20 1,094	8- 16 7 12 36 1 192 31 10 10 99 60 52 10 21- 10 10 10 10 10 10 10 10 10 10	13 3 3 7 24 10 100 35 100 35 123 21 112 112 977	17 1 1 14 2 148 · 25 7 8 8 52 48 192 300 167 21 957	11 1 1 1 1 1 1 1 1 1 22 11 23 138 14 31 10 19 922	6 2 2 2 6 6 15 44 1,948 266 25 2,700 856 111 120 1,556	5 1 2 8 19 525 201 12 4 26 654 311 75 9 36 201 10 1,114	2 5 4 3 33 218 191 22 27 388 192 52 7 7 7 22 120 14 1,221
	All causes	967	81	65	110	72	69	57	59	40	53	198	100	63
1 3 5 6 7 7 8 9 13 14–15 20–21 22 (23) 25 (37) 35 36	Typhoid fever Malaria. Measles. Scarlet fever Whooping cough. Diphtheria and croup Influenza. Tuberculosis of the lungs. Other forms of tuberculosis. Meningitis. Bronchitis. Pneumonia. Bronchopneumonia. Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (zyears and over). Congenital debility. Violent deaths (suicide excepted). Suicide. All other causes. NEW YORK, N. Y. (MANHATTAN BOROUGH, TOTAL).	7 6 2 76 117 16 2 14 213 70 27	1 1 13 2 10 5 1 6 1 38	1 2 11 10 5 5 7 7 1 25	1 2 12 2 2 34 9 1	13 1 21 2 6 1 1 3 1 23	1 1 1 6 4 2 1 1 5 1 7	1 5 3 1 6 2 3 1 3 1 30	10 10 1 1 2 2 4 7 2 2 29	1 6 2 2 1 4 4 1 5 1 17	2 13 2 13 1 4 4 13	2 49 9 2 2 69 20 1 1 1 2 3	13 11 1 26 12 2 2 4 3 1 27	4 8 1 14 4 2 2 25
	All causes	42,859	3,514	3,086	4,183	3,387	2,748	2,276	2,338	2,314	2,264	9,382	3,951	3,416
1 3 5 6 7 8 9 13 14–15 17 20–21 22 (23) (37) (33) 35 36	Typhoid fever.  Malaria.  Measles. Scarlet fever. Whooping cough. Diphtheria and croup. Influenze. Tuberculosis of the lungs. Other forms of tuberculosis. Meningitis. Preumonia. Broncholneumonia. Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Congenital debility 1 Violent deaths (suicide excepted). Suicide.	87 4 375 96 314 585 3,487 4,825 585 209 465 6,946 2,718 1,205	21 16 34 48 21 383 366 15 65 420 192 70 8 30 219 42 1,863	36 5 31 54 15 36 18 6 6 18 410 142 9 27 176 34 1,581	7 68 8 73 72 36 560 52 30 60 846	75 14 49 84 30 409 62 26 51 486 182 68 8 10 38 159 30 1,613	5 66 23 40 57 13 387 57 18 349 112 6 6 8 8 9 23 140 22 1,423	55 14 24 55 7 305 52 12 22 114 67 67 67 10 16 167 21 1,263	13 1 24 24 26 21 26 22 299 42 15 65 65 167 18 35 169 124 1,298	15 15 2 11 11 29 44 24 24 24 22 42 29 61 290 290 290 290 191 290 191 290 190 190 190 190 190 190 190 1	5 22 33 255 43 9 8 197 79 166 111 517 28 1,182	11 6 2 17 51 2,416 409 38 14 59 2,955 971 136 68 163 45 2,006	8 1 1 5 42 545 356 37 14 675 384 675 384 64 10 477 212 34 1,482	51 2 2 2 4 51 318 305 43 14 446 66 63 4 45 183 29 1,621
	NEW YORK, N. Y. (MANHATTAN BOROUGH, WHITE).  All causes	40,237	3,318	2,888	3,863	3,198	. 2,603	2,135	2,177	2,149	2,122	8,8 <u>44</u>	3,715	3,225
1 3 5 6 7 8 9 9 13 14-15 17 20-21 22 (23) 25 (37) (33) 35	Typhoid fever Malaria. Measles. Scarlet fever Whooping cough Diphtheria and croup. Influenza. Tuberculosis of the lungs. Other forms of tuberculosis. Meningitis Bronchitis. Pneumonia. Bronchopneumonia. Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Congenital debility ¹ Violent deaths (suicide excepted). Snicide. All other causes.	84 4 369 94 287 559 3,275 3,885 537 190 435 6,398 2,535 1,222 140 425 2,016 2,363	211 16 300 45 19 345 64 15 60 393 175 67 67 29 210 1,780	35 57 53 15 338 45 15 59 368 131 62 24 170 3,494	7 67 8 70 67 36 500 50 27 743 181 61 10 33 173 40	73 14 48 81 27 378 62 21 47 439 171 64 149 35 149 1,548	5 2 65 22 38 36 13 361 18 32 229 105 67 97	54 13 23 52 7 277 41 100 200 60 63 9 16 162	12 1 1 24 9 9 18 23 2 261 34 15 15 15 15 15 160 160 160 162 17 18 18 18 18 18 18 18 18 18 18 18 18 18	14 15 2 9 9 21 1 253 40 21 21 20 21 21 20 21 21 21 21 21 21 21 21 21 21	12 2 20 31 224 41 8 8 173 74 159 111 47 152	111 6 22 15 51 2,299 371 34 122 2,773 916 127 14 66 1555 42 1,896	7 1 1 4 41 520 308 35 14 33 3631 363 601 43 197 34	5 1 2 2 3 49 306 5269 39 14 43 33 385 59 4 40 176 289 1,551

- it		DEATHS OCCURRING IN—												
Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	Janu- ary.	Febru- ary.	March.	April.	Мау.	June.	July.	Au- gust.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
	REGISTRATION CIT	ies oi	F 100,0	00 PO	PULAT	NOI!	OR M	ORE I	N 1910	-Cont	inued.		-	·
	NEW YORK, N. Y. (MANHATTAN BOROUGH, COLORED).													
	All causes.		196	198	320	189	145	141	161	165	142	538	236	191
1 3	Typhoid fever Malaria	3							1	1			. 1	
5.1	Maggleg	6	4	1	1	2	$egin{array}{c} 1 \ 1 \ 2 \end{array}$	1 1	3	<u>.</u>	3			
8	Scarlet fever Whooping cough Diphtheria and croup	27 26 162	3 2	1	3 5	3 3	1	3	3	2	2 2	117	.l ī	13
13 14-15	Influenza Tuberculosis of the lungs Other forms of tuberculosis	440 48	38	29 4	60	31	26 5	28 11	38 8	37 4	31 2	38	25 48 2	36
17 20–21	Meningitis Bronchitis	19 30	5	3 4	3 6	5 4	2	2 2		3	ī	2 5	<u>ı</u>	<b></b>
(23)	Pneumonia. Bronchopneumonia.	548 183	27 17	42 11	103 16	47 11	20 7	9	11 6	8 10	24 5	182 55	44 21	1 31 17
25 (37)	Diarrhea and enteritis (under 2 years)	73 2	3	3	3	4	i	4	7	24	7	9 1	4	4
(33)	Congenital debility 1	27 103	1 9	3 6	10	3 10	1 9	5	4 7	12	4 5	2 8	15	5
36	Pneumonia.  Bronchopneumonia.  Diarrhea and enteritis (under 2 years)  Diarrhea and enteritis (2 years and over)  Congenital debility <sup>1</sup> .  Violent deaths (suicide excepted).  Suicide  All other causes	11 912	83	87	1 107	65	69	62	73	62	1 55	110	69	70
	NEW YORK, N. Y. (QUEENS BOROUGH).													1
	All causes	7,011	571	478	630	506	419	344	385	366	352	1,653	742	565
1	Typhoid fever	8		2	1	1			2	1		1		
5	Malaria Measles	2 49	8	10	9	<u>i</u> į	7	3	1		i		·	
6 7	Weakles Scarlet fever Whooping cough. Diphtheria and croup. Influenza. Tuberculosis of the lungs Other forms of tuberculosis. Moningitie	18 91	12	8	12 5	1 19	14	4	6	4	1 7	10		i
8 9	Influenza	94 720	5 1	5 2 60	1 4	7	6 2	4	7	6 1 40	27	14 494	140	73
13 14–15	Other forms of tuberculosis	589 71	53 6	3 1	70 8	48 11	43 8	47	44 2	6	2 4	61 4 2	6	8
20-21	Bronchitis.	48	9	1 6	3	2 4	3	1	2 11	2 17	1 1	6	4	. 1 18 73 46 8 2 8 93
(23) 25	Pneumonia. Bronchopneumonia.	1,269 368	80 43	51 36 8	114 32 6	72 25 8	39 14	21 8 16	5 27	8 31	26 7 21	578 109 18	51	30
(37)	Diarrhea and enteritis (under 2 years)  Diarrhea and enteritis (2 years and over)	176 32 70	13 1 6	3 6	3 5	<del>.</del> .	12 3 9	2 2	2 8	6		2 9	1	5 2 4
(33) 35 36	Bronchopneumonia.  Diarrhea and enteritis (under 2 years).  Diarrhea and enteritis (2 years and over).  Congenital debility 1  Violent deaths (suicide excepted).  Suicide.  All other causes.	305 47	26 8	26	19	$\begin{array}{c c} & 4 \\ 24 \\ 2 \end{array}$	27 5	22 .3	26 7	3 25 3	32 2	28 2	29	21
30	All other causes	3,034	294	245	329	266	227	204	231	213	205	313		250
1	NEW YORK, N. Y. (RICHMOND BOROUGH).													,
	All causes		205	221	257	170	125	123	128	142		653	206	155
1 3	Typhoid fever	5 1			i			1	1		. 3			.
5 6	Measles Scarlet fever	1 7	3	2	4		2	1		····i				
8	Whooping cough. Diphtheria and croup. Influenza. Tuberculosis of the lungs.	17 19	<u>2</u>	. 1	2	1 4	2	1	2	1		6	1	
9 13	Influenza Tuberculosis of the lungs	208 301	42		64	2 21	1 16	,	10	18	· 8	155 29	14	16
14-15 17 20-21	Meningitis.	13	3		3 2	1 4	1 1	5 1	1	. 1		2 2 1	1	. 3
22 I	Bronchitis. Pneumonia.	545	27	19	46	27	16	5	3	1 4 2	19	296	49	
(23) 25	Bronchopneumonia. Diarrhea and enteritis (under 2 years)	74 62	6 2 1 1	9 2	9	· 6	1	5	16	13	7	20 5	4	1
(37) (33) 35	Diarrhea and enteritis (2 years and over) Congenital debility Violent deaths (suicide excepted).	8 31	1 1	1 2	3	3	1 1 8	1 3 10	1 16		1	1 2	4	2
36	Suicide. All other causes.	. 14	10 1 104	2	1	3 2 90	68	1						
	ROCHESTER, N. Y.	1,034	104	117	108	90	0.0	10	15	10	51	120	/ 04	'-
İ	Allcauses	4,807	363	334	368	393	300	253	284	282	282	876	504	56
1	Typhoid fever		=====		1						1		====	=
3 5	Malaria. Measles.		4	2	3		5	2	7		·····i	)		
6 7	Scarlet fever	.  9		1	1	3 13	4	5	4	4	6		·····i	
7 8 9	Whooping cough Diphtheria and croup Influenza	. 39 618	6 3	5	1 4	4 2	5 2		. 2	4 2	$\frac{1}{2}$	v 261	154	18
13 14-15	Influenza Tuberculosis of the lungs Other forms of tuberculosis	.1 48	25 5	21	31 3	28 4	22	6	14	23	22	28	3 17 4 6	3 2
17 20–21	Meningitis Bronchitis	18	1 9	1 4	11	. 1	1 3	1 2	1 3		3	1 8	9 9	,
22 (23)	l Pnonmonie	617	20 19	22 20	41 21	61	17	11 7	6 7	4	7 8	33	9 83 7 15	99
O.F	Diarrhea and enteritis (under 2 years)	154	10	9	5	8	4	5	28	32	21	19		[ ]
25 (37)	Diarrhea and enteritis (2 years and over)	_ 40			. 2	5			10			٠, ١		
(37) (33) 35	Bronchopneumonia. Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Congenital debility 1. Violent deaths (suicide excepted).	166	10	16	15	. 5 14	2 11	11	16	- i	15	10	6 11	1
(37) (33)	Diarrhea and enteritis (2 years and over). Congenital debility 1. Violent deaths (suicide excepted). Suicide. All other causes.	166 27	100	16	15	. 5 14 2	11 4	11 2	16	15	15	10	6 11	

Int.							DEA	ATES OCC	URRING	IN				
Abridged Int. List No.	AREA AND CAUSE OF DEATH,	All deaths.	Janu- ary.	Febru- ary.	March.	April.	Мау.	June.	July.	Au- gust,	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
<del></del>	REGISTRATION CIT	ries of	F 100,0	00 PO	PULAT	LION	OR M	ORE I	IN 191	0—Cont	inued.	<u>.                                    </u>		
	SYRACUSE, N. Y.				<u> </u>							,		
	All causes	3,278	211	220	234	311	199	174	226	215	190	855	232	211
1 3	Typhoid fever Malaria	12 1		1	1		1			1		4		- 5
5 6	Scarlet fever	54 4	6	22 1	9	12 1	5	i			1			
7 8	Whooping cough Diphtheria and croup. Influenza	27 24	7	4	2	3	6	2	4 2	3 1	2	4	1 2	1 2
9 13	Tuberculosis of the lungs	367 . 153	10	15	1 17	21	18	<u>8</u>	5	10	5 8	310 18	31 16	14 7
14-15 17	Meningitis	32 14	3 3 2		1 1 .2	2 1	6 1 2	5 1		2 2	2	6 2	1	1
20-21 22 (23)	Proumoia.	23 465 168	21 9	17 9	29 19	3 49 15	13	8	6	, 4 3	- 25- 8	260 63	3 14 15	19 7
25 (37)	Diarrhea and enteritis (under 2 years)	157	4	7	4	5 3	13 4	. 3 . 3	27 5	44	23 4	13	13	6
(33)	Congenital debility   Violent deaths (suicide excepted)	22 19 151	7	7	1 10	2 13	16	4 - 14	5 17	5 3 5	10	4 20	. 12	20
36	Suicide	20 1,565	3 135	2 132	136	1 172	110	117	150	131	96	145	3 117	124
•	CINCINNATI, OHIO (TOTAL).	2,000							200					
	All causes.	8,591	737	612	728	728	561	466	425	505	468	1,334	938	1,089
1	Typhoid fever	19	1	2	1	1 2		1		3	3	5	2	
3 5	Measles	18 18	i	3	1 1 5	. 2	1 4	1 4		1		• • • • • • • • • • • • • • • • • • • •	••••••	
67	Whooping cough	63 63	7	9	- 1 14	9	5	4	1 3	2 3	1 7	4	·····i	. 4
89	Influenza	1,233	12 12	6 18 72	5 11 104	2 18	5 2 5	3 70	3	2		2 473	3 305	· 386
13 14–15	Other forms of tuberculosis	863 99	92 5 3	6 2 4	14	106 7	64 14	5	61 2	53 11	, 57 8 1	69 11 1	50 - 7	65 9
17 20–21		35 77 927	10 76	40	. 9	- 5 10	1 27	5 5 13	2 2 2 9	5 6 6 4	3	6	3 5 144	13 161
(23) 25	) Bronchonneumonia	236 173	10 76 35 5	25 7 5	70 31 12 3	93 24 11	11	4 8 5	1 27	4 31	23 6 25	32 20	29	- 34 13
(37 (33)	)  Diarrhea and enteritis (2 years and over)	41 17	1 4	1 2	3 1	î	9 5 1	5 1	4	7	3 1	256 32 20 2	3	34 13 2 5 27 7
35 36	Violent deaths (suicide excepted)	416 71	49 6'	36 7	35 4	30 9	47 6	3 <del>4</del> 1	27 3	45 7	27	35 8	24 10	27 7
•	All other causes	4,250	426	359	399	399	359	302	. 279	319	300	406	346	356
	CINCINNATI, OHIO (WHITE).			,					2-1		, ,,,,		240	4 004
	All causes	7,582	636	533	620	633	481	398	354	445	407	1,220	849	1,006
1 3		· 16 4 15	1 1	3	1 1 '4	1 1 1	3	1 1 3		1	2	*	2	
5 6 7	Speriat favor	3	6		1 11	9		3	1 1	i		``i	1	1 3
8	Whooping cough Diphtheria and croup. Influenza Tuberculosis of the lungs.	42 1,163	10	* 6 14	5 9	2 17	3 2 5	3	1 1	3 2	1 6	2 443	288	5 373
13 14–15	Tuberculosis of the lungs Other forms of tuberculosis	7689 78	74 5	55 5	89	91 5	47 10	53 4	2 41 2	40 10	40 7	59 9	45 5	55 9
17 20–21	Meningitis	33 66	10	2 4	7 8	5 6	·····i	4 5 4	2	5 6	1 3	. 17	3 5	10
22 (23) 25	Pneumonia Bronchopneumonia	-772 192	57 27	41 23 5	44 26 7	69 19	17 6	8 3 7	2 5 1	4 1	20 5	237 28 20	127 23	143 30
(37) (33)	Diarrhea and enteritis (2 years and over)	151 34	1	5	2	10 1	6 8 5 1	4	24 4	29 4	21 2	20 2 1	4 2	30 12 2
35	Violent deaths (suicide excepted)	. 13 346	4 41	1 31 7	1 33	24	42	1 27	22	37	1 21	25 8	. 20	3 23 7
36	Suicide	69 3,847	6 383	321	360 360	8 364	6 325	270	3 243	292	274	373	312	330
	CINCINNATI, OHIO (COLORED).										-			
,	All causes	1,009	101	79	108	95	80	68	71	60	61	114	89	83
1 3	Typhoid fever Malaria	3 2		1		i	i				\ 1	1		
5 6	Measles Scarlet fever	3			1		1	1						
7 8	Whooping cough Diphtheris and cropp	14	1				2	1	2	1	i	3		1
9 13	InfluenzaTuberculosis of the lungs	70 174	2 18	4 17	2 1 <u>5</u>	. 15	17	17	1 20	13	17	30 10	17 5	13 10
14-15 17	Meningitis	2	i	1	7	2	4	1		1	1	2	2	••••••
20-21 22	Pneumonia	155	19	8	1 26	24	10	1 5	4	2	3	2 19	17	3 18
(23) 25	Bronchopneumonia. Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over).	44 22 7	8 1	2 2	5	5 1	5 1	1	3	2 3 2 3	1 4 1	4 	6 1 1	4 1
(37) (33)	// Congeinesi depintey	4 70	8	1 5	, ř	6		1 <del>7</del>	5	8	6	10	1 4	2 4
35 36	Suicide	2		38	39	1 35	5 34	32	36		26	33	1 34	26
•	All other causes	, 300	•	•	emature		. 04	. 02	. 50	, 44	, 20		, 02	U.
	156247—20——33													

I Int. 0.		DEATHS OCCURRING IN-												
Abridged Int. List No.	AREA AND CAUSE OF DEATH,	All deaths.	Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	Au- gust.	Sep- tember.	Octo- ber.	Novem- ber,	Decem- ber.
	REGISTRATION CIT	TES OF	F 100,00	00 PO	PULAT	CION	OR M	ORE I	N 1910	Conti	nued.		·	
	CLEVELAND, OHIO.	70.049	897	758	002	7 000	800	401	700	ann	200			
1 3	All causes	13,043 41 2	3	2	923	1,062	800 5	601 1 1	733	4	662 4 1	2,136	2,039	1,655
5 6 7 8 9 13 14–15 17 20–21 22 (23) (33) (33) 35 36	Measles Scarlet lever Whooping cough Diphtheria and croup Influenze. Tuberculosis of the lungs Other forms of tuberculosis. Bronchitis. Bronchitis. Bronchitis. Bronchopneumonia Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Congenital debility ' Violent deaths (suicide excepted). Suicide. All other causes COLUMBUS, OHIO (TOTAL).	16 11	2 5 13 9 9 11 5 122 5 5 30 1 3 3 5 9 7 468	8 8 95 95 33 12 75 75 33 21 2 4 53 7 407	3 1 4 5 10 118 20 0 36 24 3 4 74 6 6 495	3 2 11 7 24 108 19 6 13 198 38 26 4 9 70 4 518	1 1 4 7 10 99 20 4 9 68 22 22 22 5 5 1 70 7445	1 1 5 4 7 7 5 27 15 19 1 3 43 7 367	7 6 1 82 16 4 4 26 20 94 6 6 2 70 12 378	2 4 4 4 4 4 4 4 4 22 11 160 10 12 89 5 361	2 1 5 1 48 10 4 5 25 13 93 10 6 79 2 353	1 1 13 714 71 11 14 29 578 81 51 6 8 75 6 480	1 13 688 102 7 7 9 17 512 90 33 77 10 466	2 1 3 12 460 79 7 3 15 295 96 24 1 5 8 543
	All causes	4,164	332	288	338	334	279	234	249	286	245	559	501	519
1 3 5 6 7 7 8 9 9 13 14-15 17 20-21 22 (23) 25 (37) (33) 33 36	Typhoid fever.  Malaria.  Measles. Scarlet fever.  Whooping cough. Diphtheria and croup. Influenza.  Tuberculosis of the lungs. Other forms of tuberculosis.  Meningitis. Bronchitis. Bronchopneumonia. Bronchopneumonia. Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Congental deaths (suicide excepted). Suicide. All other causes.	7 29 39 7 422 315 83 12 20 391	1 25 4 4 3 30 12 2 1 1 3 23 2 2 222	3 1 5 1 27 3 1 2 22 24 3 20 3 170	7 1 42 13 1 22 14 2 2 5 20 5 202	3 11 6 30 3 2 1 1 42 19 3 1 1 2 25 1 1 185	2 2 3 1 1 26 8 8 14 11 3 3 4 13 7 185	25 9 1 2 4 1 1 1 2 13 4 170	14 4 4 7 5 6 30 2 168	1 3 20 10 1 5 2 17 8 8 29 1 179	3 1 1 16 2 3 9 7 14 4 4 7 17	2 116 27 13 1 4 117, 22 7 4 4, 7 22 1 208	2 2 148 31 7 1 1 59 16 3 4 27 2 195	1 147 32 7 1 63 18 5 5 29 2 209
	COLUMBUS, OHIO (WHITE). All causes	2 650	290	255	299	274	049	900	610	046	010	400	151	ACH
1 3 5 6 6 7 8 9 13 14-15 17 20-21 22 (23) 25 (37) (33) 35 36	Typhoid fever Malaria. Measles. Scarlet fever Whooping cough. Diphtheria and croup. Influenza. Tuberculosis of the lungs Other forms of tuberculosis. Meningitis. Bronchitis. Bronchitis. Bronchopneumonia. Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Congenital debility 1. Violent deaths (suicide excepted). Suicide. All other causes.	3,659 17 5 2 30 7 393 251 73 14 314 120 57 21 52 22 24 29 20 20 20 20 20 20 20 20 20 20	1 18 3 4 4 3 25 100 2 2 201	255 2 1 1 1 1 26 2 1 1 20 22 22 3 3	299 2 7 1 33 12 16 10 1 2 5 5 191	274 	243 1 2 3 1 21 6 	1 17 7 1 1 4 2 13 3 4 149		246  1 2 1,16 9 1 1 17 7 22 1 163	218 3 1 1 11 2 2 3 7 5 13 4 7 15	2 107 20 122 1 3 101 14 7 4 6 20 1 192	2 2 136 26 7 1 51 13 3 4 24 2 2 178	1 139 27 7 1 15 5 5 4 19 9 2 196
	COLUMBUS, OHIO (COLORED).	***	40			-								
1 3 5 6 7 8 9	All causes Typhoid fever Malaria Measles Scerlet fever Whooping cough Diphtheria and croup Influenza Tuberculosis of the lungs	29 64	42	33 1 1	39	1 4	1 5	1 8	1	1 1	1	9 7	1 1 1 12 5	52 
14-15 17 20-21 22 (23) 25 (37) (33)	Other forms of tuberculosis.  Meningitis. Bronchitis. Pneumonia. Bronchopneumonia. Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Congenital debility \( \).	10 6 77 30 10 4	5 2	1 2 2	1 1 6 4 1	20 1 1 1	4 3	1	1 1 1	1 1 1 6 1	2 2 1	1 1 16 8	1 8 3	12
35 36	Violent deaths (suicide excepted). Suicide All other causes.	3 53 1 204	5 21 1 Exclu	6 1 17 iding pr	6 11 emature	5 20 birth.	3	21	20	1 7 16	2	16	3 17	10 10 13

Excluding premature birth.

555

1.376

1.356

1.095

1,089

2,170

1,388

1.758

16,660

Suicide All other causes....

Table 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1918—Continued.

[See note at head of this table, p. 483.]

	1	i	1	- 11.000	· mstan	, p	,				•			
No.		All					DEA	THS OCC	URRING 1	N—				
Abridged Int. List No.	AREA AND CAUSE OF DEATH.	deaths.	Janu- ary.	Febru- ary.	March.	April.	Мау.	June.	July.	Au- gust.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
	REGISTRATION CIT	TES OF	· 100,0	00 PO	PULAT	NOI	OR M	ORE I	N 1910	Cont	inued.			
	PHILADELPHIA, PA. (WHITE).	,												
	All causes	38,377	2,944	2,346	2, 753	2,312	2,114	1,783	2,001	1,888	2,111	13, 727	2,189	2, 209
1 3 5 6 7 8 9 13 14–15 22–21 22–23 (33) (33) 35 36	Typhoid fever Malaria Measles Scarlet fever Whooping cough Diphtheria and croup Influenza Tuberculosis of the lungs Other forms of tuberculosis Meningitis Bronchitis Pneumonia Bronchopneumonia Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over) Congenital debility  Violent deaths (suicide excepted) Suicide All other causes	207	6 7 22 51 11 33 279 11 17 56 365 198 67 10 25 167 18 18 1,606	5 1 12 8 23 26 35 232 21 14 34 269 70 22 21 122 122 1,271	13 8 46 45 28 311 22 27 56 345 176 68 11 20 136 11,426	6 1 29 4 33 29 23 255 44 17 28 236 139 52 12 13 123 1,250	6 3 49 25 12 205 38 19 29 143 100 56 104 26 1,232	8 15 1 25 37 3 208 41 6 17 73 62 124 18 23 106 22 994	11 6 5 27 13 4 196 30 7 15 55 59 289 49 22 120 2,070	5 1 12 10 4 192 31 11 7 7 43 34 268 30 27 175 10 1,025	7 23 162 165 12 13 9 286 89 161 18 29 108 14 993	9 1 3 8 47 47 5,969 345 29 16 3,580 1,216 136 115 23 2,032	3 1 32 212 197 15 6 24 137 132 101 13 21 154 21 1,119	3 28 105 224 20 11 36 189 142 49 14 19 133 15 1,220
	PHILADELPHIA, PA. (COLORED).	10,200	_,,,,,	1,2,1	1,120	-,	,		2,0.0	.,		,	,,	, , ,
	All causes		370	321	390	283	290	228	293	248	253	970	221	235
1 3 5 6 7 8 9 13 14-15 17 20-21 25 (37) (33) 35 36	Typhoid fever Malaria. Measles. Scarlet fever. Whooping cough Diphtheria and croup. Influenza. Tuberculosis of the lungs. Other forms of tuberculosis. Meningitis. Bronchitis. Preumonia. Bronchopneumonia. Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Congenital debility! Violent deaths (suicide excepted). Suicide. All other causes.	3 2 49 15 434 583 57 21 64	3 1 54 3 6 6 8 74 29 29 4 3 3 25	1 3 15 2	5 1 2 77 7 1 100 107 29 4 1 4 4 0 101	1 2 4 3 7 50 3 6 34 27 7 1 3 9 1 126	5 3 2 53 11 3 4 24 25 6 5 4 17 2 2	1 5 2 48 6 6 2 1 13 13 4 4 4 11	12 2 1 1 46 4 2 2 15 17 38 6 5 18	2 51 6 1 1 11 10 25 7 3 26 101	1 15 39 5 1 7 36	5 2 3522 49 3 3 287 83 13 10 166	2 1 28 24 1 7 15 18 4 1 3 18	15 36 36 10 5
	PITTSBURGH, PA. (TOTAL).										İ			
1 3 5 6 7 8 9 13 14-15 17 20-21 (23) 25 (37) (33) 35 36	Meningitis.  Bronchitis. Pneumonia. Bronchopneumonia. Diarrhea and enteritis (under 2 years).  Diarrhea and enteritis (2 years and over).  Congenital deblity 1  Violent deaths (suicide excepted).	60 1 102 111 142 126 1,948 798 145 78 205 4,020 1,130 691 115 72 897 73	72 31 7 6 74 9	6 51 9 5 14 168 60 19 5 66 4	1 14 8 10 85 24 6 25 186 88 34 7 6 6 6 5	1,365  8	878 21 19 4 9 80 12 14 124 43 46 7 7 7 4 7 7 7 7 7 7 7 7 7 7 7 7 9 80 80 80 80 80 80 80 80 80 80	55 2	713 4 7 15 7 1 47 8 7 57 27 100 112 2 2 73 6 333	810 9 22 9 6 11 61 18 133 13 4 118 7 7 369	8 17 5 600 100 4 6 51 30 113 111 62 3	83 12 3 38 1,317 303 71 15 7 60	1 2 5 13 713 711 12 4 23 256 28 6 9 9 105 4	1,303 1 1 1 1 3 16 235 59 10 3 12 321 100 6 67 8 418
	PITTSBURGH, PA. (WHITE). All causes.	14 202	986	809	911	1 105	780	500	644	746	709	2 114	2 510	1,234
1	Typhoid fever		280			1,185	5	580	644	6		3,114	=	1,204
3 5 6 6 7 8 9 13 14–15 17 20–21 22 (23) 25 (37) (33) 35 5 6	Malaria.  Measles. Scarlet fever.  Whooping cough Diphtheria and croup. Influenza.  Tuberculosis of the lungs. Other forms of fuberculosis Meningitis.  Bronchitis. Pneumonia. Bronchopneumonia. Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over)	1 98 111 120 124 1,847 700 132 77 187 3,585 1,046 658 106 67 816	9 13 5 65 11 8 18 223 66 31 7 6 68 8 439	10 9 8 4 44 44 13 141 56 18 8 8 5	20 1 13 8 9 78 23 6 21 143 82 31 7 6 61 5	15 3 25 5 8 24 58 13 13 25 5 370 91 40 0 3 2 68 8 413	17 14 9 72 2 11 12 12 103 39 44 5 6 61 7	10 6 6 45 13 6 12 46 23 40 13 6 55	7 12 7 1 42 23 95 5 12 2 6 5 5 305	9 22 66 11 488 9 7 7 7 155 127 127 123 3 106 66 7 7 348	8 17 4 54 5 45 28 107 12 10 57 3	3 2 9 19 885 75 10 3 36 1,233 2800 13 7 7	1 2 5 12 678 65 8 4 22 906 244 28 6 8 99	1 1 2 16 221 54 10 3 11 303 99 31 8 6 61

<sup>1</sup> Excluding premature birth.

<sup>1</sup> Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1918—Continued.

Int.	,						DEA	THS OCCU	JRRING I	N—				
Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	Au- gust.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
	REGISTRATION CIT	TIES OF	F 100,00	00 PO	PULAT	TION	OR M	ORE I	N 1910	Conti	nued.			
	memphis, tenn. (white).									,		4770	100	140
	All causes	1,871	155	129	147	132	104	98	119	117	113	472	136	149
1	Typhoid feverMalaria	15 11	2			i	1	i	2 3	3	1	3 2	1	2
3 5	Measles		5 1	10	1 1	ĩ						i		
6 7	Scarlet fever Whooping cough Diphtheria and croup		3	5	1	2		i	2	1	2	Ī		
8 9	Diphtheria and croup Influenza	10 279	<sub>i</sub>	1 3	3	2				1	1	221	20	30
13	Tuberculosis of the lungs Other forms of tuberculosis		9 2	13 2	103	10 2	9	9	12	9	5	14 1	13	10
14-15 17	Meningitis	[ 8	1	1	2				2		2			i
20-21 22	Bronchitis Pneumonia	232	23	6	14	5	9	2	3	2	4 3	128 12	13	23 2
(23) 25	Bronchopneumonia	.] 53	7 2	2 2	5 3	6	$\frac{1}{2}$	5	3 9	10	12	2	4	2
(37) (33)	Diarrhea and enteritis (2 years and over) Congenital debility <sup>1</sup>	.  18	1	<sub>i</sub>	. 2	·····i	3	1 1	3	2	1 1	·····i	. 2	·····i
`35	Violent deaths (suicide excepted)	. 111	ii	10	5	17	3 2	12	10	13	9	8	7	6
36	Suicide	17 870	82	69	94	79	71	61	63	70	70	73		71
	MEMPHIS, TENN. (COLORED).		1		1	1	1						]	Ì
l	All causes.	1 744	152	144	145	140	119	139	120	138	116	263	119	149
_	Typhoid fever		(I	144	140	170		1	2	2	2	1		<b></b>
3	Malaria	. 44	1		ii	1	5	9	6	10	8	3	1	
5	Measles Scarlet fever			1		1	ļ							
7	Whooping cough	. 4				$\frac{1}{1}$	····i		1	1	1			,
8	Diphtheria and croup   Induenza	.  145	4	8 27	1	4	4	i	2	]	1 15	89 22		16 21
13 1 <b>4–15</b>	Tuberculosis of the lungs	. 25	29 2	1	33	21 3	28 4	22	24 1	24	3	1		2
17 20–21	Meningitis   Bronchitis	-  8	1 4	1	<sub>i</sub>	. 5		i	2	. 1		i		i
22 (23)	Pneumonia	. 222	24 9	18	23	22	9	4	6	2 5	·····i	69		25
25	Diarrhea and enteritis (under 2 years)	. 29	2	4	. - <b></b>	.]°	. 4	7	9	2	3	) ž		
(37) (33)	Congenital debility 1	. 13	1	1	. 1		. 2	) 4	·····i	1 4	1			i
35 36	Violent deaths (suicide excepted)	. 127	18	15	9	6	9	7	9	14	8	7		16
•	All other causes		56	68	69	67	49	79	55	69	71	61	51	62
	NASHVILLE, TENN. (TOTAL).													
	All causes	-	213	185	222	280	195	=	215	221	182	=	=	237
1 3	Typhoid fever	- 45 - 7	1	i	-	1 1		2	. 9					.]
5	Measles Scarlet fever	. 21	3			5		2		·····i	. 2	1		1 1
7	Whooping cough Diphtheria and croup	11	i		. ····i			i	- :	.] 2	1		2	.
8 9	Influenza	- 487	5	1 4	2	1 8	5	3	-	11	. 2	346	6 49	6
13 14-15	Tuberculosis of the lungs Other forms of tuberculosis	. 238	18	26	18	23	16	21	17	19	17	22	4   2	1 :
17	Meningitis Bronchitis	- 22	2	4	2	2	3		1 2	1	1		1	
20-21 22	Pneumonia	- 25 - 443	36	31	27	73	27	17			1 6	148	8 23	3
(192)				1 22	21	1 10	1 2			1 -1		1 37	7 17	
(23) 25	Bronchopneumonia Diarrhea and enteritis (under 2 years)	.1 130	9	11	17	13	4		16	16	17	37	7 17 7 6	1 :
(37) (33)	Diarrhea and enteritis (under 2 years)  Diarrhea and enteritis (2 years and over)  Congenital debility 1	130 78 31	9	11	- 17 3 1	13	3		16	16 16	17 3	37	$\begin{bmatrix} 7 & 17 \\ 7 & 6 \\ 3 & 4 \end{bmatrix}$	
(37) (33)	Diarrhea and enteritis (under 2 years)  Diarrhea and enteritis (2 years and over)  Congenital debility 1	130 78 31 35 175	9 2 3 19	11 1 3 13	17 3 1 3 7	13 1 3 12	3 3 4 1 10	6 8 2 2 3 17	1 16 4 2 24	1 16 10 4 13	5 17 3 4 15	37	$\begin{bmatrix} 7 & 17 \\ 7 & 6 \\ 3 & 4 \\ 7 & 12 \end{bmatrix}$	. 10
25 (37)	Diarrhea and enteritis (under 2 years)  Diarrhea and enteritis (2 years and over)  Congenital debility 1	130 78 31 35 175	9 2 3 19	11 1 3	17 3 1 3 7 2	13 1 3 12	3 3 1 10 10	6 8 2 3 177 1	1 16 4 2 24 2	1 16 10 4 13	5 17 3 4 15	37 37 38 4 17	7 17 7 6 3 4 4 7 12	10
(37) (33)	Diarrhea and enteritis (under 2 years).  Diarrhea and enteritis (2 years and over).  Congenital debility 1.  Violent deaths (suicide excepted).  Suicide	130 78 31 35 175	9 2 3 19	11 3 13 3	17 3 1 3 7 2	13 1 3 12	3 3 1 10 10	6 8 2 3 17 1 1	1 16 4 2 24 2	1 16 10 4 13	5 17 3 4 15	37	$egin{array}{c cccc} 7 & 17 & 6 \ 3 & & 4 & 4 \ 7 & 12 \ 1 & & & & \end{array}$	10
(37) (33)	Diarrhea and enteritis (under 2 years)  Diarrhea and enteritis (2 years and over)  Congenital debility 1  Violent deaths (suicide excepted)  Suicide  All other causes  NASHVILLE, TENN. (WHITE).	130 78 31 35 175 16 1,324	9 2 3 19 1 105	11 3 13 3 78	17 3 1 3 7 2 128	13 1 3 12 125	4 3 4 1 10 10 10 10 10 10 10 10 10 10 10 10 1	6 8 2 3 17 1 115	1 16 4 2 24 2 120	1 16 10 4 13 1 124	5 17 3 4 15 2 96	37 38 37 17 140	7   17 7   6 3	10
25 (37) (33) 35 36	Diarrhea and enteritis (under 2 years).  Diarrhea and enteritis (2 years and over).  Congenital debility 1.  Violent deaths (suicide excepted).  Suicide  All other causes.  NASHVILLE, TENN. (WHITE).	. 130 78 31 35 175 16 1,324	2 3 19 1 105	11 3 13 3 78	17 3 1 3 7 2 128	13 12 125	4 3 4 1 10 107	6 8 2 3 17 1 115	1 16 4 2 24 2 120	1 16 10 4 13 1 124	5 17 3 4 15 2 96	37 38 17 11 140 524	7 17 7 6 3 4 4 12 1 0 98 4 146	114
25 (37) (33) 35 36	Diarrhea and enteritis (under 2 years).  Diarrhea and enteritis (2 years and over).  Congenital debility 1.  Violent deaths (suicide excepted).  Suicide.  All other causes.  NASHVILLE, TENN. (WHITE).  All causes.  Typhoid fever.  Malaria.	130 78 31 . 35 . 175 . 16 . 1,324 . 1,933	9 2 3 19 1 105 1 105	11 3 13 3 78	17 3 1 3 7 2 128	13 12 125 138	107 1111 1 107	120 120	1 16 4 24 22 120 117 6 1	1 16 10 10 4 13 11 124 133 10 10	5 17 3 4 15 2 96	1140 524	7	14
25 (37) (33) 35 36	Diarrhea and enteritis (under 2 years).  Diarrhea and enteritis (2 years and over).  Congenital debility 1.  Violent deaths (suicide excepted).  Suicide.  All other causes.  NASHVILLE, TENN. (WHITE).  All causes.  Typhoid fever.  Malaria.  Measles Scarlet fever.	130 78 31 35 175 16 1,324 1,933	9 2 3 19 1 105 137 1	11 3 13 3 78	17 3 1 3 7 2 128	13 12 125 138	107	120 120	1 16 4 24 22 120 117 6 1	1 16 10 4 13 1 1 124 133 10 10 11	5 17 3 4 15 2 96 124	524	7 17 6 3 4 4 7 12 1 0 98 4 146 4 4 2 1 4	14
25 (37) (33) 35 36	Diarrhea and enteritis (under 2 years).  Diarrhea and enteritis (2 years and over).  Congenital debility 1.  Violent deaths (suicide excepted).  Suicide.  All other causes.  NASHVILLE, TENN. (WHITE).  All causes.  Typhoid fever.  Malaria.  Measles.  Scarlet fever.  Whooping cough  Diphtheria and croup.	130 78 31 315 16 1,324 1,933 34 4 17 3 8	9 2 3 19 105 105 137 1	11 3 13 3 78	17 3 1 3 7 2 128	13 12 125 138	107	120 120	1 16 4 24 22 120 117 6 1	1 16 10 4 13 1 124 133	55 177 34 15 296 96	37 12 14 524	7   17   6   8   4   4   4   4   4   4   4   4   4	14
25 (37) (33) 35 36 1 3 5 6 7 8 9	Diarrhea and enteritis (under 2 years).  Diarrhea and enteritis (2 years and over).  Congenital debility 1.  Violent deaths (suicide excepted).  Suicide.  All other causes.  NASHVILLE, TENN. (WHITE).  All causes.  Typhoid fever.  Malaria.  Measles.  Scarlet fever.  Whooping cough. Diphtheria and croup. Influenza.	130 78 31 35 175 16 1,324 1,933 34 4 177 3 8 6 6 353	9 2 3 19 105 105 137 1 1 1	11 1 3 13 3 78 105	177 3 1 1 3 7 2 128	138 125 138 138 138	107 107 107	120 120 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 16 2 24 22 120 117 6 1	1 16 100 100 11 11 12 12 12 12 12 12 12 12 12 12 12	55 177 3 4 155 96 124	37 7 17 140 522 28	7	14
25 (37) (33) 35 36 1 3 5 6 7 8 9 13 14–15	Diarrhea and enteritis (under 2 years).  Diarrhea and enteritis (2 years and over).  Congenital debility 1.  Violent deaths (sucide excepted).  Suicide.  All other causes.  NASHVILLE, TENN. (WHITE).  All causes.  Typhoid fever.  Malaria.  Measles.  Scarlet fever.  Whooping cough. Diphtheria and croup. Influenza.  Tuberculosis of the lungs. Other forms of tuberculosis.	130 78 31 135 175 16 1,324 1,933 34 177 3 8 8 96 22	9 2 3 3 19 9 1 1 105 137 1 1 1 1 1 1 4 9 1 1 1	11 13 13 13 78 105	177 3 1 1 3 7 7 2 128 131 	138 125 125 138 138 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	107	115 120 120 1 1 19 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 16 22 24 24 120 117 66 1 1 5 5 1 1	1 16 16 10 10 11 12 12 12 12 12 12 12 12 12 12 12 12	55 177 3 4 155 96 124 5 5 1 1 2 2	524 524 2661	7	14
25 (37) (33) 35 36 36 7 8 9 13	Diarrhea and enteritis (under 2 years).  Diarrhea and enteritis (2 years and over).  Congenital debility 1.  Violent deaths (suicide excepted).  Suicide.  All other causes.  NASHVILLE, TENN. (WHITE).  All causes.  Typhoid fever.  Malaria.  Measles.  Scarlet fever.  Whooping cough Diphtheria and croup. Influenza.  Tuberculosis of the lungs. Other forms of tuberculosis.  Meningitis. Bronchitis.	130 78 31 31 175 16 1,324 1,933 34 4 177 3 8 6 353 96 6 22 21 15	9 2 3 19 1 105 1105 11 1105 11 11 11 11 11 11 11 11 11 11 11 11 11	11 13 13 13 78 105 	177 3 131 77 2 128 131 131	138 125 125 138 138 138 138 138 138 138 138 138 138	107	120 120 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 16 4 2 2 2 4 2 2 1 2 0 1 2 0 1 1 1 7 6 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 16 16 10 14 13 11 124 133 10 10 11 12 11 11 11 11 11 11 11 11 11 11 11	55 177 3 4 4 155 96 96	524 524 524 524 524 11	7 7 63 3 4 4 4 4 7 122 10 98 4 146 4 4 4 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	114
25 (37) (33) 35 36 1 3 5 6 7 8 9 13 14–15 20–21 22 (23)	Diarrhea and enteritis (under 2 years).  Diarrhea and enteritis (2 years and over).  Congenital debility 1.  Violent deaths (suicide excepted).  Suicide.  All other causes.  NASHVILLE, TENN. (WHITE).  All causes.  Typhoid fever.  Malaria.  Measles.  Scarlet fever.  Whooping cough.  Diphtheria and croup.  Influenza.  Tuberculosis of the lungs.  Other forms of tuberculosis.  Meningitis.  Bronchitis.  Pneumonia.  Bronchopneumonia.	130 78 31 315 175 16 1,324 1,933 34 4 4 117 3 8 6 353 96 22 16 15 248 80	9 2 3 199 1 105 137 1 1 1 1 1 1 1 1 2 4 4 9 1 2 7 7 7	11 13 13 13 3 78 105 	177 3 3 128 128 131 - 2 2 2 2 2 2 2 2 2 2 17 9 9	138 125 138 138 138 138 138 138 24 25 26 26	111111111111111111111111111111111111111	1 120 120 1 1 1 2 2 2 2 2 2 3 3 9 9 9 9 9 9 9 9 9 9 9 9	1 164 22 24 22 120 117 6 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 166 160 160 160 160 160 160 160 160 16	55 177 3 4 155 2 96 124 5 1 1 2 2 1 1 1 3	522 261 11 12 29 22 22	7 7 63 3 4 4 4 4 7 122 1 0 98 4 146 4 4 4 4 4 1 1 1 1 1 1 36 3 1 1 1 36	114 88 144 44 44 44 44 44 44 44 44 44 44 44 44
25 (37) (33) 35 36 1 3 5 6 7 7 8 9 13 14–15 17 20–21 22 (23) 25	Diarrhea and enteritis (under 2 years).  Diarrhea and enteritis (2 years and over).  Congenital debility 1.  Violent deaths (sucide excepted).  Suicide.  All other causes.  NASHVILLE, TENN. (WHITE).  All causes.  Typhoid fever.  Malaria.  Measles.  Scarlet fever.  Whooping cough.  Diphtheria and croup.  Influenza.  Tuberculosis of the lungs.  Other forms of tuberculosis.  Meningitis.  Bronchitis.  Preumonia.  Bronchopneumonia.  Diarrhea and enteritis (under 2 years).	130 78 31 135 175 16 1,324 1,933 34 4 4 17 3 8 6 6 22 2 16 115 1,324	9 2 3 3 19 9 1 105 137 1 1 1 1 2 2 4 4 2 7 7	11 13 13 13 3 78 105 105 114 14 14 15 114 17	177 3 1 3 7 2 128 128 131 2 2 2 2 2 2 2 7 9 9 3 3 3 2 9 9 3 3	138 125 138 138 138 138 138 138 138 138 138 138	1111 1111	120 120 1 120 1 120 1 1 15	1 16 4 2 2 24 2 120 117 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	55 177 3 4 155 2 96 124 1 124 1 11 3 3	37 11 14 524 261 12 261 12	7	114 88 144 44 44 44 44 44 44 44 44 44 44 44 44
25 (37) (33) 36 36 1 3 5 6 7 8 9 14–15 17 20–21 22 (23) 25 (37) (33)	Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Congenital debility 1. Violent deaths (suicide excepted). Suicide. All other causes.  NASHVILLE, TENN. (WHITE).  All causes.  Typhoid fever. Malaria. Measles. Scarlet fever. Whooping cough Diphtheria and croup. Influenza. Tuberculosis of the lungs. Other forms of tuberculosis. Meningitis. Brouchitis. Pneumonia. Brouchopneumonia. Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over).	130 78 78 31 155 16 1,324 1,933 34 177 3 8 6 6 6 15 248 80 20 20 20 21	9 2 3 3 19 1 105 137 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	11 13 13 13 3 78 105 	177 3 1 3 7 2 128 131 2 2 2 2 177 9 9 3 1 1 2 2 2 177	138 125 125 138 138 14 1 1 1 1 2 2 2 2 2	111111111111111111111111111111111111111	100 115 120 120 120 120 120 120 120 120 120 120	1 166 44 22 244 22 1200 1117 66 1 1 1 1 4 4 1 1 1 1 1 1 1 1 1 1 1 1	1 166 169 169 169 169 169 169 169 169 16	55 177 3 4 4 155 2 96 124 5 1 1 2 2 1 1 1 3 3 4 4 4 4 2 4 4 4 4 2 4 4 4 4 4 4 4 4	524	7	14 4 4 2
25 (37) (33) 36 36 36 1 3 5 6 6 7 8 9 13 14–15 20–21 22 (23) 25 (37)	Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Congenital debility 1. Violent deaths (suicide excepted). Suicide. All other causes.  NASHVILLE, TENN. (WHITE).  All causes.  Typhoid fever. Malaria Measles. Scarlet fever. Whooping cough. Diphtheria and croup. Influenza. Tuberculosis of the lungs. Other forms of tuberculosis. Meningitis. Brouchitis. Brouchitis. Pneumonia. Bronchopneumonia. Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Congenital deaths (suicide excepted).	130 78 31 31 175 16 1,324 1,933 34 4 177 3 8 6 353 96 222 16 15 248 80 20 20 21 107 116	99 23 199 11 105 137 1 1 1 1 24 27 27 27 27 1 1 1 1 1 1 1 1 1 1 1 1 1 1	11 13 13 33 78 105 	177 33 37 22 128 131 	138 125 138 138 14 1 1 1 3 3 9 3 3 3 2 2 2 2 5 2 5 1 7 7	111111111111111111111111111111111111111	120 120 115 120 120 1 1 1 1 1 5	1 16 4 2 2 2 1 2 2 1 2 2 1 2 2 1 2 2 1 2 2 1 2 2 1 2 2 1 2 2 1 2 2 2 1 2 2 2 1 2 2 2 1 2	1 166 169 169 169 169 169 169 169 169 16	55 177 3 4 4 155 2 96 124 5 1 1 1 1 1 3 3 4 4 1 4 2 3 5 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	37 11 11 14 522 261 11:	7	14 4 4 2

[See note at head of this table, p. 483.] .

+3		[	•								· · · · · · · · · · · · · · · · · · ·			1
bridged Int. List No.	AREA AND CAUSE OF DEATH.	All		Ī	1	1	DEA	THS OCC	URRING	IN	1	ı		
Abridg List	The man of the second of the s	deaths.	Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	Au- gust.	Sep-, tember.	Octo- ber.	Novem- ber.	Decem- ber.
	REGISTRATION CIT	TES OI	f 100,0	00 POI	PULAT	CION	OR M	ORE I	N 1910	-Conti	inued.			
	NASHVILLE, TENN. (COLORED).													
	All causes	1,220	76	80	91	142	84	89	98		58	218	106	90
3	Typhoid fever	11 3 4	<u>2</u>	1 .		1 1	1	1	3	2 1	2	2		
6	Scarlet tever				1	1	1	·····i						
8 9	Whooping cough Diphtheria and croup Influenza	134	1	4	1	5	2	····· <u>·</u>			1	1 85	1 13	20
13 14–25	Tuberculosis of the lungs	142 32 6	9	12 4 1	13 2	14 4	12 4	12 4	12 5	14 3	6	· 9	19 2	20 10 1
20-21 22	Meningitis. Bronchitis. Pneumonia.	10 195	3 9	17	2 10	1 44	1 1 19	· 1	1 1 6	8	1 1 2	52	1	13
(23) 25	Bronchopneumonia.  Diarrhea and enteritis (under 2 years)  Diarrhea and enteritis (2 years and over)	50 28 11	2	4	8	11 1	2	8 5 6	1 6	8 1 7	1 3	9 1	3 3	3 1
(37) (33) 35	Congenital debility	. 14 . 68	1 2 8	1 5	1 4	2 5	1	1 1 5	2 13	2 1 3	1 1	4	1 7	1 1
36	Violent deaths (suicide excepted)	507	39	31	49	52	39	42	48	46	33	48	49	31
	RICHMOND, VA. (TOTAL).											,		
r	All causes	3,812	289	269	272	246	245	247	265	260	207	775	293	444
. 1	Typhoid fever Malaria	12 2				1	1 2 3	3		5	1	1		
5 6	Measles	8 22	2	2	1 2	1	3 1	2	1	2		3		
. 8	Whooping cough Diphtheria and croup Influenza	13 608	2 2 31	1 2	2 2	2	3		2 3	i	1 1 4	. 362	74	1 153
13 14–15	Tuberculosis of the lungs	298 39	31 2 1	24 1	34	21 1	23	29 6	20	23 7	16 2	31 1	15 1	31
20-21 22	meningitis. , , , , , , , , , , , , , , , , , , ,	14 34 360 137	4 21	1 5 33	2 7 30	2 3 17 12	2 2 11	1 6	2 3	1 3 3	2 10	1 159	1 20	2 6 47
(23) . 25	Bronchonneumonia	137 86	15 2 3	33 23 2	15	12 2 4	. 11 . 3 5	5	7 29	3 15	5 9	15 3	18 3	: 16
(37) (33) 35	Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over) Congenital debility 1 Violent deaths (suicide excepted)	44 76 150	3 7 19	3 6 10	3 7 9	1 1 8	3 4 9	13 5 5	9 4 15	8 10 25	4 7 12	15 9	1 5 17	5
36	Violent deans (shelde excepted) Suicide All other causes	18 1,891	175	154	1 153	1 169	3 164	3 163	167	154	133	· 169	133	11 2 157
·	RICHMOND, VA. (WHITE).	,			,		,					.,		
	All causes	2,225	163	146	159	149	143	144	144	146	102	455	175	299
. 1	Typhoid fever	7 2					1 2	1		4		. 71		
5 6 7	Measles:	5 8		2	1	1	1 1	2	1	1	i		1	ļ <b></b>
8 9	Diphtheria and croup Influenza	9 454	2 1	1	1 2	2 7	1		2		1 3	267	1 53	1 123
13 14–15	Tuberculosis of the lungs	139 27	16	14	14 4	7	6 3 2	13 3	7 2	11 6	. 6	17 1	7	21
20-21 22	Meningus. Bronchitis. Pneumonia	17 132	1 6	1 2 14	3 8	2 7	6	i	i	2 2	1 6	51	1 9	5 21
(23) 25 (37)	Pneumonia. Bronchopneumonia. Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Congenital debility 1 Violent deaths (suicide excepted).	45 42	. 8	8	5	$\frac{2}{2}$	2	1 9	12	1 7	5	. 4	7 2	. 2
(37) (33) 35	Diarrnea and ententis (2 years and over)	26 27 85	1 3 9	2 4	1. 2 5	. 3 1 6	· 2	3 2 3	4 2 10	6 5 13	. 2 4 10	, 3	1 3 8	6
36,	Suicide	16 1,172	112	1 96	1 111	1 112	3 105	2 104	101	87	62	2 101	79	102
	RICHMOND, VA. (COLORED).	,								,				I
İ	All causes	1,587	126	123	113	97	102	103	121	114	105	320	/ 118	145
1 3	Typhoid fever	5				1		2		1	1			
5 6 7	Measies. Scarlet fever	3 14	2	1	2	1	2	•••••		1		<u>1</u>	1	4
8 9	Diphtheria and croup. Influenza. Tuberculosis of the lungs		i	1 1	1		2		2	1	, 1	2 95	21	30
13 14–15	OTHER IOTHS DI DI DEFCHIOSIS	159 12 2	15 2	10	20	14	17 3	16 3	13	12 1	10	14	8	10 1
20-21 22	Meningitis. Bronchitis. Pneumonia	17 228	3 15	3 19	1 4 22	1 10	2 5	1 5	. 2	1 1	1 4	108	11	1 26
(23) 25 (37) (33)	Bronchopneumonia.  Diarrhea and enteritis (under 2 years).  Diarrhea and enteritis (2 years and over).	92 44	15 7 1 2	15 2	10	10	2 5 3 1 2	4 2	. 2 7 17	2 8	5 4	11 3	11	7
(37) (33)	Diarrhea and enteritis (2 years and over)	18 49 65	2 4 10	1 6 6	2 5 4	<u>1</u>	1 2 3	2 3 3	5 2 5	2 5 12	2 3 2	12 4	2 9	5 5
35 36	Suicide	2	1	58	42	57	59	1 59	66	67			54	55

1 Excluding premature birth.

bridged Int List No.		,,,				•	DE	ATHS OCC	URRING	IN-				
Abridge List	AREA AND CAUSE OF DEATH.	All deaths.	Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	Au- gust.	Sep- tember.	Octo- ber.	Novem-	Decem-
	REGISTRATION CIT	IES OF	100,00	00 POE	PULAT	ION (	OR MO	DRE I	N 1910	Contin	nued.	<u> </u>		<u> </u>
	SEATTLE, WASH.							<u> </u>	[	Ī			T	т <del></del>
	All causes	4,090	245	244	312	313	252	233	245	214	263	627	482	660
1 3	Typhoid fever	12		1			2	2	3	1	1	2		====
5 6	Malaria Measles Scarlet fever	15 16			9	2 4	4							
7 8	Scarlet fever. Whooping cough. Diphtheria and croup.	8 24	i		1 1		····i	3	1			3 1		5 4
9 13	Influenza Tuberculosis of the lungs Other forms of tuberculosis	732 200	1 17	3 19		4 19	2 19	1 1		1		7 226	5 177	4 6 317
14-15 17	Meningitis	74 23 18	3 3	5	6 2	9 2	9 5	14 7 2	16 4	8 7	18 8 1	18 3	18 7	317 17 6
20-21 22		18 441	18	1 17	3 27	47	3 22	12 12	2		l l	2 7	3	6 1 2 45 10
(23) 25	Bronchopneumonia Diarrhea and enteritis (under 2 years)	68 41	6	5	5 4	11 3	7 1	3 2	15 2 3	10	15 2	148 13	65 3	45 10
(37) (33)	Brouentis. Bronchopneumonia. Branchopneumonia. Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Congenital debility <sup>1</sup> . Violent deaths (suicide excepted).	21 17	2	4 3 1	3	1	2 1	1 1	3	3 1 2	8 3	6	1	6 1
35 36		253 47	18 6	18	24	21 4	13 3	24 3	24 3	20 6	27	2 18	1 21	6 25 6
,	All other causes	2,080	169	164	206	185	158	154	169	152	5 175	167	2 178	203
	SPOKANE, WASH.													
	All causes	1,528	89	108	113	97	96	92	89	56	83	179	275	251
1 3	Typhoid fever	14		2		1		1	2		2	4	2	•••••
5 6	Measles. Scarlet fever.	2 3		1					i		i	i		••••••
8	Diphtheria and croup	4 5	2			3 2	1			i				• • • • • • • • • • • • • • • • • • • •
9 13	Measies. Scarlet fever. Whooping cough. Diphtheria and croup. Influenza. Tuberculosis of the lungs. Other forms of tuberculosis	282 64	1 3	2 10	7	3 6	8	1 1	6	2	2	7 34	122	119
14-15 17		15 5		1	2	2	5	4 1	ĭ			5 1	6 1	8
20-21	Bronchitis Pneumonia Bronchopneumonia	7 197	1 12	1 9	1 11	6	1 5	î 4			3	1	<u>i</u>	1 38
(23) 25	Diarrhea and enteritis (under 2 years)	29 24	3 3	2 2	4	4	5 2	3 2	1	1 2	1 4	48	59 1	38 3 1
(37) (33)	Diarrhea and enteritis (2 years and over)  Congenital debility 1	9 13	1 1	2	1	2			2	4	1	5 1 3	2	1
35 36	Congenital debility 1. Violent deaths (suicide excepted). Suicide.	70 12 773	3	5	1 7 1	4	5 3	2 7	6 3	6 2	6	8	6	7
	An other causes	773	59	69	78	63	61	65	66	36	61	67	74	74
	MILWAUKEE, WIS. All causes	6,550	404	411	-01							į		
1	Typhoid fever	28	1	2	501	631	457	366	342	381	423	870	681	1,083
3 5	Malaria	57	<u>i</u> -	2	ii		16		1	1	1	4		
6 7	Scarlet fever Whooping cough Diphtheria and croup. Influenza. Tuberculosis of the lungs Other forms of tuberculosis.	49 50	9	, 3	6	15 5 5	5 7	6	3 4 2	1	1 2	5	3	1 5
8	Diphtheria and croup Influenza	51	9 2	3 1	3	3	4 3	6	6	3	10 4	8 5	4	5 7
13 14–15	Tuberculosis of the lungs	938 388 85	22 4	21	35	41	46	30	$\begin{bmatrix} 3 \\ 32 \\ 7 \end{bmatrix}$	32	13 26	333 28 1	185 30	383 45
17 20-21	Bronchitis	55 130	2 6	6 2 8	35 7 5 13	3 10 41 13 8 16	13 12 17	5 8 9	4 7	32 9 5 5	9 2 9	3 !	5 1	6
22 (23)	Pneumonia.	808 359	46	39 19	44	123 53 21	47	15 13	16 17	9	20	12 153 38	13 124	15 172
25 (37)	Diarrhee and enteritis (under 2 years)	240 53	12 17 3	29 1	44 38 23 7 3	21 4	32 11	4	14	5 46	14 42	9	41 11	6 3 15 172 77 13
(33) 35 36	Congenital debility 1. Violent deaths (suicide excepted). Suicide.	68 291	3 20	5 29	3 20	1 22	2	7	4 4 30	46 8 9	9 12	6	3 10 22	5
36	Suicide. All other causes	68 2,832	243	235	5 272	277	18 7 215	24 6 224	30 7 181	28 2 213	38	15	22 5 220	25 7 308
		-,002					210	224	191	215	208	236	220	308

<sup>&</sup>lt;sup>1</sup> Excluding premature birth.

# DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918:

[The cities included in this table are arranged alphabetically by states; those in which the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910, are shown by color, except when the deaths for colored at all ages numbered less than 500.]

. Int	.*	Total					•	, τ	EATHS A	T AGE O	F	•				
Abridged Int. List No.	AREA AND CAUSE OF DEATH.	deaths under 1 year of age.	Less than 1 day.	day.	g days.	3 to 6 days.	Less than 1 week.	í week.	weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	1	•	<del>'</del> '			SUMM	IARY.		'			····	'	<i>.</i>		·
,	THE REGISTRATION AREA (exclusive of Hawaii).	193,855	29,106	9,554	6,829	12,645	58, 134	11,750	8,292	6,572	84,748	16,278	13, 238	31,503	26,111	21,977
5 6 7 7 8 9 9 (122) -(37) 13 14 15 (37) 17 (37) 19 22 (23) 24 25 (33) (33,37) 35 38	Measles. Scarlet fever. Whooping cough Diphtheria and croup Influenza. Dysentery Erysipelas. Tetamus Tuberculosis of the lungs Tuberculous meningitis. Other forms of tuberculosis Syphilis. Meningitis. Convulsions. Organic diseases of the heart Acute bronchidis. Pneumonia. Bronchopneumonia. Diseases of the stomach Diarrhea and enteritis. Malformations. Premature birth. Congenital debility Injuries at birth External causes. All other causes.	1,155 401 2,004 1,632 2,111 630 3,839 10,073 16,436 2,731	4 3 89 3 15 2 201 4 63 12 10 45 33 2,630 18,930 2,927 2,947 137 86 139	2 3 61 4 4 2 77 6 110 2 16 49 61 19 57 1,262 5,125 1,225 1,235 1,235 1,109	2 61 1 1 1 1 2 2 1 54 11 164 7 28 75 108 2,720 1,096 2,720 1,096 2,720 1,096 2,720 1,108	8 15 17 224 8 9 102 24 8 6 2 127 42 127 42 1253 359 131 131 439 4,890 2,922 2,262 1562	16	445 3 3 42 424 454 43 184 160 761 266 76 212 369 536 536 186 1924 3,363 1,363 1,363 1,363 675	44 2 2 106 21 340 223 29 90 24 4 14 8 8 37 126 37 264 1130 675 1,788 1,204 1117 768 347 474	40 23 252 13 3 97 7 7 16 5 14 103 28 86 36 220 309 628 156 1,187 459 1,008 868 86 459 1,008	145 5 426 111 1,481 69 240 336 76 31 30 848 202 1,156 212 241 707 1,447 2,419 707 3,865 11,411 6,089 640 3,286 2,536	93 10 874 77 796 95 222 4 4 4 51 337 1,76 85 509 897 1,750 4027 4,027 4,027 39 233 635 1,005	86 5 695 57 779 81 82 4 4 82 52 51 218 123 76 434 856 1,424 389 4,161 1,311 16 189 439 693	291 18 1,612 2,918 2,918 2,238 256 114 381 407 308 118 118 118 118 118 118 118 1	554 25 1,531 181 3,539 238 2248 382 248 382 130 417 204 74 64 2,436 3,756 361 7,957 388 69 668 81 310 410 1,411	784 41 1, 424 3, 361 262 262 262 262 262 262 262 262 262 2
5 6 7 8 9 (12) 13 13 15 (37) 17 (37) (37) (37) (24) 22 (23) 24 25 (33) 33 (33,37) (33) 35 38	Erysipelas Tetanus Truberculosis of the lungs Tuberculosis of the lungs Tuberculous meningitis Other forms of tuberculosis Syphilis Meningitis Convulsions: Organic diseases of the heart Acute bronchitis Pneumonia Bronchopneumonia Diseases of the stomach Diarrhea and enteritis Malformations Premature birth Congenital debility Injuries at birth External causes Unknown or ill-defined diseases All other causes CITIES 2 IN REGISTRATION STATES.	6,451 851 12,548 972 754 303 99 1,130 1,894 1,596 2,064 1,596 2,064 1,685 3,757 16,102 2,689 35,667 11,685 37,408 17,065 6,046 6,004 5,689 8,371	28,408  4 3 86 6 3 15 2 194 4 63 3 12,594 18,409 2,859 2,985 134 852 137	8 1,237 4,972 1,199 891 54 385 106	6,656  2  3 2 61 11 11 2  11 49 91 11 159 6 27 75 106 22 98 1,065 2,634 1,092 686 71 281 180	12,269  8  15 17 201 7 9 83 8 6 22 122 42 344 345 135 241 345 137 522 200 979 129 603 547	56,630 16 27 25 429 11 10 101 29 8 5 436 62 671 59 168 405 547 174 605 6,797 7,350 5,438 2,121 970	45 45 40 441 177 442 159 160 4 4 152 269 261 4 898 1, 225 3, 260 90 515 658	8,089  44 22 103 23 388 6 61 122 39 106 345 681 1,108 670 1,729 1,162 114 72 337 465	53 73 244 388	82,565 144 51 421 108 1,444 62 235 288 73 31 29 808 1,124 205 852 1,407 2,368 602 3,767 9,100 35,767 9,100 35,767 9,100 35,767 9,100 35,767 9,100 35,767 9,100 35,767 9,100 35,767 9,100 35,767 9,100 35,767 9,100 35,767 9,100 35,767 9,100 35,767 9,100 36,767 9,100 9,1	15,840 91 100 864 77 773 92 217 4 50 321 126 175 184 499 874 1,705 384 1,705 389 1,823 969 1,823 636 636 636 636 636 636 636 6	181 - 424 678	30, 656  280 188 1,587 142 2,833 265 105 2 237 249 110 350 395 304 831 2,213 3,719 10,603 677 250 1,849 374 726 1,765	25, 457  548 24 1, 501 1 181 3, 464 206 2 2 244 375 80 0 127 197 407 197 3, 659 3, 679 3, 659 3, 679 3, 650 1, 379 1, 379	-21, 360  763 40 1,388 287 3,278 388 381 70 86 347 142 2,078 3,242 2,078 3,242 2,078 3,242 2,078 3,042 2,078
5 6 6 7 7 8 9 9 (122 (377 117 117 119 22 (233 24 25 33 (33 ,37 ) 35 38 38	Scarlet fever Whooping cough Diphtheria and croup Influenza Dysentery Erysipelas Tetamus Tuberculosis of the lungs Tuberculous meningitis Other forms of tuberculosis Syphilis Meningitis Convulsions Organic diseases of the heart Acute bronchitis Pneumonia Bronchopneumonia Diseases of the stomach Diarrhea and enteritis Malformations Premature birth Congenital debility Injuries at birth External causes	991 43 2,581 415 5,247 224 431 106 461 773 234 1,410 787 820 2,752 5,130 10,008 1,012 21,021 6,201 19,232 8,568 8,768 8	118,875 2 2 2 23 1 7 7 148 2 2 1 2 2 5 17 17 17 13 1,305 9,009 1,781 47 77 70	•	-	6,075  6 2 78  2 2 28 4 4 10 10 1124 114 714 70 108 196 35 224 968 1,958 1,105 638 638 638 638 838 838	28, 284 10 10 4 138 2 2 2 334 188 255 18 180 318 325 3, 458 15, 121 3, 668 3, 337 165 165 526	5,470 3 2 144 77 140 244 53 55 6 2 108 33 30 124 301 70 507 1,691 850 219 39 39 317	4,085 6 1 244 7,7 120 53 7,7 4 4 4 4 3 93 19 93 6 142 160 401 64 651 373 935 53 935 53 935 53 935 53 935 936 937 937 938 938 938 938 938 938 938 938 938 938	70 9 98 2 55 3 8	606 82 416 77 517 612 1,371 237 2,184 4,741 18,287 5,455 3,665 268 297 1,281	24 20 30 248 53 64 42 316 400 975 148 2,383 426 558 928 22 22 85 67 460	6,809  24' 11 241 19 271 245 45 34 31 36 149 58 80 444 461 392 2,479 694 111 78 56 328	118, 227  118 5 612 60 1, 106 7 7 131 162 262 198 198 127 421 421 421 421 421 421 421 421 421 421	13, 949 319 138 1, 502 43 1, 502 209 43 216 81 35 35 35 35 35 35 4, 21 4, 21 4, 21 41 344 344 35 35 35 35 35 35 35 35 35 35	11, 714  489 16 650 183 1, 605 20 2 212 273 42 533 1800 72 3, 939 326 2, 159 122 172 172 122 322 559

<sup>1</sup> Including District of Columbia.

<sup>&</sup>lt;sup>2</sup>Including District of Columbia and municipalities of 10,000 inhabitants or more in 1910.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAIF), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

Int.		Total					01 01113 683		····	AT AGE O	F			·		
Abridged In List No.	AREA AND CAUSE OF DEATH.	deaths under 1 year of age.	Less than 1 day.	day.	days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	8 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
				<del>'</del>	SUM	IMAR	<b>Y</b> —Conti	nued.			·I		<u> </u>	1	1	<u> </u>
. 5 6	RURAL PART OF REGISTRATION STATES. All causes Measles.: Scarlet fever.	91,026 920 59	14,533	4,408	3,211	6,194	28,346	5,958	4,004	3,189	41,497	7,862	6,084	14,429 162	11,508	9,646
7 8 9 (12) (12) (37)	Whooping cough. Diphtheria and croup. Influenza. Dysentery. Erysipelas. Tetanus. Tuberculosis of the lungs.	3,870 436 7,301	2 1 63	3 3 42 2	3 2 43 1 5	9 15 143 7 7 7 55	17 21 291 9 8 65	38 33 301 17 18 106	1 79 14 210 15 35 14	169 13 146 9 40	303 81 948 50 101 189	5 593 59 506 77 87	439 37 485 55 34	13 975 82 1,727 194 46	11 812 73 1,962 177 37	24 748 104 1,673 195 18
13 14 15 (37) 17 (37) 19 20 22 (23) 24 (25) (33) (33) (33,37) (37) 35 38	Tuberculosis of the lungs. Tuberculous meningitis. Other forms of tuberculosis Syphilis. Meningitis. Convulsions. Organic diseases of the heart. Acute bronchitis. Pneumonia. Bronchopneumonia. Diseases of the stomach. Diarrhea and enteritis Malformations. Premature birth. Congenital debility Injuries at birth. External causes. Uninown or ill-defined diseases. All other causes.	357 156 484 809 1,244 336 1,405 4,648 6,094 1,677 14,646 5,484	2 46 2 42 10 5 5 24 20 3 3 20 1,289 9,400 1,479 1,177 87 780 67	16 5 67 2 4 27 18 59 2,232 2,232 586 351 27 349 47	12 67 4 13 40 42 23 42 525 1,220 525 258 41 251 72	4 2 2 28 32 220 225 45 134 149 95 1824 1,824 1,824 68 545 2258	14 2 3 102 45 416 67 225 229 128 3,293 14,682 2,127 2,233 1,925 444	11 4 2 44 36 166 44 82 224 223 114 391 568 1,568 1,567 137 517 478 341	8 4 4 3 3 29 20 700 702 22 99 185 280 120 457 794 623 35 39 300 2013	8 8 3 6 6 6 27 15 6 56 21 87 161 265 220 1 445 445 23 42 217 202	411 1202 1116 708 708 705 795 997 458 1,583 1,583 1,583 1,583 1,583 2,322 2,322 2,325 2,920 1,200	33 24 20 73 73 1111 42 183 474 730 249 1,511 372 439 895 16 140 569	2 45 19 15 53 62 30 154 442 552 224 108 570 103 368 350	106 87 50 88 197 72 300 1,070 1,451 401 4,241 282 103 874 1 209 629 892	116 106 29 35 191 116 1,025 1,281 217 3,182 27 307 1 166 344 620	127 108 28 33 167 70 00 186 186 186 2,549 15 178 175 257
•	REGISTRATION CITIES: IN NONREGISTRATION STATES. All causes	5,084	698	257_	173	376	1,504	322	203	154	2, 183	438	345	847	654	617
5 6 7 8 9 (12) (12) (37) 13 14	Measles Scarlet fever Whooping cough Diphtheria and croup. Influenza Dysentery Erysipelas Tetanus Tuberculosis of the lungs. Tuberculosis meningitis.		3		1	3 1	1 6 1 20	2 13 4 1 25 1	3 10 2 3 2	1 1 1 8 2 2 2	5 3 37 7 5 48 3	23 3 5	15 1 23 2 2 3	25 3 85 22 1	75 12 30 4 7	21 1 ,26 2 83 14
15 (37) 17 (37) 19 20 22 (23) 24 25 (33) (33) (33,37)	Other forms of tuberculosis.  Syphilis. Meningitis. Convulsions Organic diseases of the heart. Acute bronchitis. Pneumonia. Bronchopneumonia. Diseases of the stomach. Diarrhea and enteritis. Malformations. Premature birth. Congonital debility	11 110 36 47 15 82 295 334 42 1,140 202 1,127 441	7 4 1 36 521 68	2 2 2 1 2 25 153 29	5 1 1 2 1 4 31 86 17	5 1 15 3 2 11 8 1 20 35 140 66	23 1 25 4 3 17 13 3 26 127 900 180	8 2 5 4 11 12 2 19 20 103 42	1 4 2 1 3 2 14 4 22 5 59 42	5 1 10 12 3 31 5 23	1 40 4 32 7 15 40 51 12 98 157 1,085	1 16 2 1 10 23 45 133 12 32	16 3 1 2 14 22 35 5 102 10 6	31 · 12 · 4 · 3 · 18 · 74 · 78 · 12 · 319 · 14 · 2	2 3 10 7 11 64 77 6 261	5 7 3 4 5 2 14 72 48 2 227 4 11
(37) 35 38	Injuries at burth.  External causes. Unknown or ill-defined diseases. All other causes.  ALL REGISTRATION	103 61 160 222	39 3 13 2	22 1 6 3	13 1 5	12 1 18 15	86 6 42 20	12 2 15 17	42 3 4 8 9	25 1 5 4 9	289 102 17 69 55	48 1 8 19 36	41 8 15 15	35 12 26 48	17 6 13 32	10 18 36
_	CITIES.2 All causes	102, 829	14, 573	5,146	3,618	6, 451	29, 788	5,792	4,288	3,383	43,251	8,416	7, 154	17,074	14,603	12,331
(33) (33) (33) (33,37)	Measles Scarlet fever Whooping cough Diphtheria and croup. Influenza Dysentery. Erysipelas Tetanus Tuberculosis of the lungs Tuberculosis of the lungs Tuberculosis of the lungs Content of tuberculosis Syphilis Meningitis Convulsions Organic diseases of the heart Acute bronchitis Preumonia Bronchopneumonia Diseases of the stomach Diarrhea and enteritis Malformations Premature birth Congenital debulity Injuries at birth External causes Unknown or ill-defined diseases All other causes	1,033 45 2,692 424 5,573 284 448 154 479 79 79 785 1,520 867 204 4,2434 2,434 22,161 6,403 20,339 9,3804 917 762 4,482	3 2 26 26 21 1 7 7 21 1 5 5 2 21 1 2 5 5 21 1 3 1 1,341 9,530 1,448 1,770 85 72	194 15 1 2 2 61 14 43, 43, 44 344 344 344 349 610 2, 893 642 28 48 48 48 48 48 48 48 48 48 48 48 48 48	18 18 1 7 2 42 5 77 7 3 15 66 10 60 571 1,500 584 131 315 315 315	6 2 2 81 1 2 47 4 4 4 1 1 139 17 7 72 2 119 204 36 4 2,098 1,109 650 650 650 660 304	11 44 34 2 56 55 6 15 5 6 2 2 104 197 331 3,585 16,021 3,585 16,021 238 546	3 2 2 14 9 153 425 788 66 12 116 35 130 145 313 72 526 677 1,794 822 331 41 52 334	6 1 1 27 7 7 130 8 555 100 6 4 4 97 199 38 15 162 415 653 378 82 37 45 261	71 100 106 4 57 3 8 8 76 13 30 0 15 133 30 148 363 588 732 258 563 423 423 36 31 195	19 3 3 30 533 19 139 147 35 18 16 646 86 44 532 1, 422 2, 282 4, 898 19, 372 5, 744 7, 747 3, 767 3, 764 1, 336	25 5 5 5 18 290 18 135 20 31 264 423 43 326 423 1,023 1,023 2,516 438 590 976 978 983 986 496	25 256 200 294 266 48 8 2 37 33 366 165 61 61 46 280 414 872 163 2,581 294 414 193 735 11 86 71 87 87 87 87 87 87 87 87 87 87 87 87 87	129 637 63 1, 191 93 60 2 132 169 64 293 210 145 545 546 6, 681 409 1, 217 2, 346 6, 681 409 1, 217 2, 346 1, 217 2, 346 3, 346 3, 346 4, 347 1, 3	325 14 719 108 1,577 61 46 11 132 276 53 95 226 8 8 8 6 1,411 2,475 230 42 361 44,775 230 42 361	510 177 678 185 67 20 21 117 280 45 57 185 57 185 77 308 2,207 79 3,326 131 132 50 595

 $<sup>^{\</sup>rm 1}$  A list of these cities will be found on p. 11.

<sup>&</sup>lt;sup>2</sup> Including District of Columbia and municipalities of 10,000 inhabitants or more in 1910.

. İt		Total														
Abridged D List No.	AREA AND CAUSE OF DEATH.	deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	nonth.	2 months.	8 to 5 months.	6 to 8 months.	9 to 11 months.
				В	egis'	TRATI	ON S	TATE	s.	•						
	CALIFORNIA.															
,	, All causes	4,666	816	230	174	301	1,521	274	190	132	2,117	396	347	782	551 	. 473
5 6 7 8	Measles. Scarlet fever Whooping cough Diphtheria and croup. Influenza	36 1 158 13 282	5	1		5	11	1 9	3	1 8 5	12	1 14 9	. 1 15	3 49 2	32 4	15 1 36 6
(12) (12)	Dysentery Erysipelas Tetanus Tuberculosis of the lungs	23 12						·····i			34	3 5	22 3	79 4 1	66 7, 2	36 6 72 6
(37) 13 14 15	Tetanus. Tuberculosis of the lungs. Tuberculous meningitis. Other forms of tuberculosis. Syphilis.	8 31 45 15 70				2	. 2	5 2	i		7 1 2	. 2	5 3	1 9 9 5	10 13 3	4
(37) 17 (37) 19	Syphilis. Meningitis. Convulsions. Organic diseases of the heart.	70 38 . 28 12	9 2 1	3	1 3	5	17 12 1	6 4 2 4	7	1	31 4 14 · 7	5 1 1	7 5 3	20 14 3 2	3 7 3	4 7 4
20 22 (23) 24 25	Acute bronchitis	277 414	4	1 3 1	1 2 3 3	1 10 12 2	17 18 6	15 16 3	25 4	2 9 16 1	12 49 - 75 14	13 33 53 12	7 28 39 9	10 77 106 21	11 52 75 8	16 7 47 4 2 6 38 66 5 116 8 2
(33) (33)	Diarrhea and enteritis Malformations Premature birth	861 322 1,014	72 549	1 34 125	3 5 33 56	9 57 90	15 196 820	27 32 77	24 12	24 7 28 14	90 247 971	117 - 24 - 27	120 15 7	243 18 4	175 10 3	116 8 2
(33,37) (37) 35 38	Congenital debility Injuries at birth External causes Unknown or ill-defined diseases All other causes	78	87 79 4	25 30 1	30 24 5 3 5	59 23 6 16	201 156 16 3 28	38 5 1 1 21	46 28 3	14 2 1	281 166 18 5 73	31 3 8	20 ·1 6 2 28	37 17 5 43	15 2 29	11 9 31
	COLORADO.		266	. 81	58	125	530	138	106	69	843	171	112	299	248	227
5	Measles Scarlet fever	9										3		1	2	. 3
6 7 8	Whooping cough. Diphtheria and croup Influenza	78 4 134					3	1 ,	3 1	2	6	4 11	9	22 2 36	18 29	1 19 2 38 3
(12) (12) (37)	Erysipelas. Tetanus	17 1				2	2	1	2	i	5 1	1	1	2 5	2 2	
13 14 15 (37)	Tuberculosis of the lungs. Tuberculous meningitis. Other forms of tuberculosis. Syphilis.	15	2			·····i	3	1	1	3	1 8	2	7	1 4 1 8	1 5 1	. 4 5
(37) 19	Meningitis. Convulsions. Organic diseases of the heart.	19 8 8			i	i	2 1	2 4 1 2	1 1 1		3 7 3	2 1	i	3 1	5 . 1	4 6 2
20 22 (23) 24	Acute bronchitis. Pneumonia. Bronchopneumonia. Diseases of the stomach. Diarrhea and enteritis.	39 84 248 39	2 1	2 2	i	1 2 10 3	1 5 14 4	2 4 12 · 3	8 4 18 3	1 4 15	12 17 59 11	4 9 · 38 5	1 4 21 2	6 19 40	10 20 46 7	6 15 44 2 50
, 25 (33) (33)			33 175	1 13 46	17 15	3 21 45	4 84	8 16 40	19 5 16	1 9 10 5 12	40 115 342	46 6 9	31 7	12 95 · 7	75 4	50 3
· (33, 37) (37) 35	Premature birth. Congenital debility Injuries at birth External causes.	185 34 22	34 . 17	13 3	15 17 6 1	25 3 1	281 89 29 2	26 4 1	17 1	12 1 1	144 34 5	18 4	4 6	1Î 	6 3	4
. 38	Unknown or ill-defined diseases. All other causes	69	2			4	6	, 3	4	2	15	· 2	9	17	11	12
	CONNECTICUT.	3,964	583	253	140	. 216	1,192	218	208	140	1,758	313	.278	652	524	190
. 5	All causes	30		200				210	3	140	3	. 1	218	652	8	439 12
6 7 . 8	Scarlet fever. Whooping cough Diphtheria and croup.	144 19							2	4	6	17 1	21	34 6	$\begin{array}{c} 1\\37\\2\end{array}$	1 29
(12)	Dysentery	312	3	3	1	3	10	13	16 1	7	46 1	17	16 1	68 6	86 2	29 10 79 2
(12) (37)	Dysentery Erysipelas Tetanus Tuberculosis of the lungs	21 1				i	1	1	ž	4	1 7 1	1 11	i	ĭ	1	
13 14	Tuberculosis of the lungs Tuberculous meningitis	17 38										2	1	6 5	6 15	. 17 ·
(37)	Other forms of tuberculosis Syphilis	35	6	2	1	3 1	12	2	2	[  	16	2 6	4	4 6	2	1 1 7 3
(12) (37) 13 14 15 (37) -17 (37) -19	Meningitis Convulsions Organic diseases of the heart.	30 6			2	2 1	1 4 1	2 1	3	1 3	12 2	1 5 1	. 1	6	5 3 , 1	
22	Pneumonia	194	1	2	<sub>i</sub>		1 2 57 81 1 7	7	6 5	9 4	2 21 21 51	14 19	10 . 18	23 43	15 51	13 42
(23) 24	Bronchopneumonia.  Diseases of the stomach	54	1	1	1	51	81	11	20 3	12 3 25	51 11 81	40 9 78	45 10	90 14	76 6	65 4
25 (33) (33) (33,37)	Diarrhea and enteritis Malformations Premature birth	241 808	41 356	29 150	3 19 65	3 51 14 4 36 78 48 18	125 649	19 25 67	30 21 · 38	25 9 26	81 180 780	78 15 18	86 12 3	236 17 5	151 9 2	103 8
(33,37) (37)	Congenital debility Injuries attoirth External causes	382 183 28	61 103	150 31 30 2	65 16 21	48 18	156 172	- 40 4	38	21 3	255 183	32	32	38	16	9
35 38	External causes. Unknown or ill-defined diseases. All other causes.	19	3 4	$egin{array}{c} 2 \\ 2 \\ 1 \end{array}  $	$\begin{bmatrix} & 3 \\ & 7 \end{bmatrix}$	1· 1 10	9 7 22	2 14	2 1 11	1 2 6	12 12 53	2 1 19	1 10	6 3 27	2 1 22	6 1 24

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

H.		Total		· · · · · · · · · · · · · · · · · · ·				r	EATHS .	AT AGE O	r—					
Abridged Int. List No.	AREA AND CAUSE OF DEATH.	deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	weeks.	3 weeks but less than 1 month.		month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
				REGI	STRA'	TION	STAT	ES—Co	ntinued			'	<u></u>			<u>'                                    </u>
	ILLINOIS. All causes	13, 109	2,079	646	465	869	4,059	789	566	483	5,897	1,024	798	2, 143	1,759	1,488
5 6 7 8 9 (12) (12) (37)	Measles. Scarlet fever. Whooping cough. Diphtheria and croup. Influenza. Dysentery. Erysipelas. Tetanus Tuberculosis of the lungs.	67 4 329 56 668 44 41 16 75	1 8	2 1	3	11 3 1	1 24 1 7 2	1 1 12 17	3 14 2 3	13 2 15 1 3 2	5 18 3 65 4 7 16 3	6 1 51 4 27 3 14	2 41 1 31 4 4	74 10 158 13 8	15 1 64 12 199 12 5	25 2 81 26 188 8 3
134 15 (377) 19 20 22 (233) (33) (33,37) (37) 35 38	Tuberculous meningitis. Other forms of tuberculosis Syphilis. Meningitis. Convulsions. Organic diseases of the heart. Acute bronchitis. Pneumonia. Bronchopneumonia. Diseases of the stomach. Diarrhea and enteritis. Malformations. Premature birth. Congenital debility Injuries at birth. External causes. Unknown or ill-defined diseases. All other causes.	56 18 109 110 106 43 300 1,064 1,73 3,395 2,357 1,112 585 99 85 615	1 18 5 3 4 2 5 233 1, 199 238 324 2 2 26 9	11 11 11 105 100 11 11 105 88 73 2 4 10	2 2 2 8 8 5 1 22 2 80 144 103 51 4 5 5 22	7 6 21 5 10 14 23 10 56 136 245 172 89 3 11 46	1 38 8 45 13 30 42 14 954 1,898 601 11 46 87	13 5 16 2 20 20 21 36 18 117 89 208 208 32 3 7 57	1 5 2 3 3 15 26 40 111 149 46 104 84 10 4 7	1 3 2 4 1 16 31 40 10 140 137 66 51 4 4 4 4 27	3 3 17 68 11 164 108 158 158 505 726 2, 276 856 583 22 64 202	1 177 8 7 39 64 86 22 22 403 50 477 77 77 2 10 9 9 66	11 23 35 55 55 21 55 89 20 330 36 14 60	13 11 6 19 26 14 14 77 136 287 40 958 46 15 82	20 12 5 36 4 1 165 230 26 716 35 1 24 24	25 30 4 4 17 7 5 5 5 141 234 12 483 20 483 20 13
	All causes	5,603	937	364	233	410	1,944	382	244	188	2,758	445	336	843	692	529
5 6 7 7 8 9 9 9 (12) (12) (337) 13 14 15 15 (37) — 19 20 22 22 (23) (33) (33,37) (37) 35 6 38	Measles. Scarlet fever Whooping cough. Diphtheria and croup. Influenza. Dysentery. Erysipelas. Tuberculosis of the lungs. Tuberculosis of the lungs. Tuberculosis of the lungs. Tuberculosis of the lungs. Tuberculosis of the lungs. Other forms of tuberculosis Syphilis. Meningitis Convulsions Organic diseases of the heart. Acute bronchitis. Pneumonia. Diseases of the stomach. Diarrhea and enteritis Malformations. Premature birth. Congenital debility Injuries at birth. External causes. Unknown or ill-defined diseases. All other causes.	28 5 264 23 332 21 13 30 7 46 56 31 41 41 57 290 467 132 1,006 509 1,261 424 177 68 68 68 68 77 77 77 78 78 78 78 78 78 7	1 3 3 1 2 135 609 86 86 86 3 5	1 3 4 1 2 1 190 52 26 3 3 9 2	1 5 3 1 4 8 3 3 5 48 8 85 22 2 2 6	10 3 3 1 3 8 8 2 2 3 9 13 15 80 150 50 27 3 3 3	13 4 1 7 4 18 5 5 5 6 22 23 33 1,03 4 25 6 11 11 17 31	2 5 3 3 3 4 4 16 16 16 18 11 12 26 26	2 8 1 2 1 3 2 1 1 5 13 25 14 38 19 58 19 58 13	11 8 2 1 1 1 1 1 3 5 5 1 9 22 8 8 31 11 18 27 16 16 16 17 18 18 18 18 18 18 18 18 18 18 18 18 18	22 38 7 11 1 3 9 9 25 15 15 15 15 25 17 428 177 428 177 19 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	2 14 48 6 21 3 9 4 2 2 8 5 5 6 7 24 24 25 24 24 26 24 21 26	21 36 21 1 2 1 3 2 3 47 20 100 18 4 4 3 2 2 7 2 2 7	4 11 62 3 83 4 4 2 10 7 5 8 8 12 2 9 9 13 705 105 109 109 109 109 109 109 109 109 109 109	10 1 54 92 7 2 2 14 1 1, 7 15 74 95 21 215 215 215 215 35	7 11 1 3 15 2 3 4 43 80 9 157 6 6 1 7 13 13
	KANSAS.	3, 111	665	214	120	247	1, 246	226	151	93	1,716	222	177	380	331	285
5 6 7 7 8 9 9 (12) (12) (13) (13) (14) 14 15 (15) (15) (15) (15) (15) (15) (15) (	Tetanus Tuberculosis of the lungs Tuberculosis of the lungs Other forms of tuberculosis Syphilis Meningitis Convulsions Organic diseases of the heart Acute bronchitis Proumonia Bronchopneumonia Briseases of the stomach Disarbae and enteritis Malformations Premature birth Congenital debility	54 55 125 3 166 177 18 4 3 3 7 15 15 15 15 17 174 174 177 2267 702 408 102 47 77	1 3 1 80 404 116 46 2 2 9	1 1 4 2 2 2 1 1 35 92 42 23 1 1 8	1 1 5 1 2 2 1 17 37 29 10 10 1 5 8	3 3 3 2 2 5 7 10 9 9 9 46 53 53 16 2 2 2 8 8	1 1 5 5 20 3 1 1 9 10 13 12 12 178 588 95 6 6 40 26	1 3 3 3 3 3 1 1 7 7 9 9 16 30 30 585 48 42 2 2	4 4 5 1 3 2 1 1 8 8 6 14 7 27 26 4 6 11	10 13 3 11 11 11 22 75 55 85 111 15	11 16 16 10 20 11 16 6 4 4 4 5 30 4 4 5 31 32 33 50 220 63 33 50 11 11 11 11 12 13 13 13 13 13 13 13 13 13 13	15 22 5 2 2 1 1 1 1 2 1 2 1 1 1 2 2 1 1 1 2 2 1 1 1 2 1 2 1 2 1 3 1 3	5 1 18 8 2 2 3 1 1 2 3 5 1 14 17 17 18 10 10 10 10 10 10 10 10 10 10 10 10 10	8 31 33 5 5 3 6 1 4 7 40 42 20 101 9 7 23 8 4 4 28	8 1 24 1 48 6 2 2 3 3 1 1 3 2 1 1 8 6 4 2 1 1 1 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	18 2 2 2 1 42 1 1 25 4 4 73 6 6 8 8 21

===			ī				1 00113 000									<del></del> -
o Int	* ,	Total						D	EATHS A	T AGE O	,			٠.		•
Abridged Int. List No.	AREA AND CAUSE OF DEATH.	deaths under, 1 year of age.	Less than 1 day.	day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
·	,	· · · · · · · · · · · · · · · · · · ·	<u>'</u>	REGI	STRA'	TION	STAT	ES—Cor	ntinued.	<u> </u>	<u> </u>	<u> </u>	·	<u> </u>	<b>,</b>	<u>'</u>
	KENTUCKY (TOTAL).													Î		<del>-</del>
	All causes	5,816	1,052	264	183	356	1,855	379	262	178	2,674	497	346	829	773	. 697
5 6	Measles	86		1	1	1	3	5	6	4	18	10	8 2	16	21	. 13
7	Whooping cough	385 59	*******		i	1 4	1 5	6 7	12	13 2	32 14	62 10	37 4	1 97 12	78 6	13 3 79 13 120
9 (12)	Influenza Dysentery	523 45	6	3 1	3	11	23 1	· 29 1	9	17	78 2 9	42 4 7	/29 2	92 12	162 , 8	$\frac{120}{17}$
(12) (37)	Measies Scarlet fever. Whooping cough Diphtheria and croup. Influenza. Dysentery Erysipelas Tetamus Tuberculosis of the lungs. Tuberculous meninetiis.	45 26 5 68 47 14 51	5		····i	2 1	3	3 2 4	5 1	1	9 5 14		2 4	₩ 4 ••••	4	
13 14 15	Other forms of tuborgulosis	1.4						1			1 1	6 5 3	2	18 13 2	14 14 4	$^{12}_{12}$
(37) — 17	Syphilis	51 110	5 1 8	2 1	3 1	3 4	13 7	. 2 5	2 4	$\begin{array}{c c} 1 \\ 2 \end{array}$	18 18	13 16	3 8	9 20	5 29	, 3 19
— (37) — 19	Convulsions. Organic diseases of the heart	110 54 15 68.	2	, 4 1	7	8 2	27 5 3	7 1	. 1		36 7	5 2 9	3 1 7	1 3	· 6	3
20 22 (23)	Pneumonia Bronchopneumonia	317 357	1 5	1	·····2 2	2 8 4	16 7	, 10 13	25 12	12 14	19 63 46	26 47	-35 36	11 66 64	11 66 88	11 61 76
24	Pneumonia Bronchopneumonia Diseases of the stomach Diarrhea and enteritis	75 649	1		1 17	5 10 25	5 12 128	4 15	6 12	4 13	19 52	12 61	9 53	17	6. 144	12 162
(33)	Malformations. Premature birth. Congenital debility Injuries at birth. External causes Unknown or ill-defined diseases.	219 1,356	66 753 80	20 152	91	125	128 1,121 210	27 104	13 56	11 20 19	179 1,301	13 28 38 1	9 10	. 12	5 2	1
(33,37) (37) 35	Injuries at birth	. 469 89 82	43 8	35 11 3 24	27 13	68 13 5	80 16	54 4 5	43 2 3	19 1 4 22	326 87	38 1 11	35 1 4	45 13	16 12	9
3,8	Unknown or ill-defined diseases. All other causes.	412 228	61 7	24 4	11 2	39 15	135 28	45 19	2 3 25 16	22 11	28 227 74	40 25	26 16	66 44	30 40	14 23 29
	KENTUCKY (WHITE).													,		
	All causes	5,057	964	233	158	306	1,661	334	233	156	2,384	440	291	689	653	600'
5 6	Measles Scarlet fever	81		1	1	1	3	5	6	4	18	10 1	8 2	14 1	19	12 3 63 13 113
7 8 9	Whooping cough Diphtheria and croup	329 55 477	6		1 3	4 11	5 23	5 7 29	11	13 2 15	29 14 75	59 10 36	31 3 26	83 11 81	64 4 146	63 13
(12)	Measies Scarlet fever. Whooping cough Diphtheria and croup. Influenza Dysentery Erysipelas Tetanus	44 25		3 1			1	1 2	5	i	2 8	4 7	20 2	. 11	8 4	17
(12) (37) 13	Tuberculosis of the lungs	<b>⊿</b> ō	4		1	1 1	2 5	2 2	i	<u>2</u> -	10	6	4	13	11	5
14 15 (37)	Tuberculous meningitis. Other forms of tuberculosis Syphilis Meningitis	45 13 31 100	3	2		1	7	1 1 2	1		1 1 10	. 4 3	2	12- 1 7	14 4 2	12 4 2
(37)	Meningitis Convulsions	100 39	1 8	· 2	· 1 7	47	7 26	3 4	. 3 1	2	15 31	16 4	7	15	28 1	. 19 2
19 20	Convulsions Organic diseases of the heart Acute bronchitis	14 50	2	1		1	1	1 4	1 5	4	6 14	2 7	6	. 3	2 8	8'
22 (23) 24	Pneumonia Bronchopneumonia Diseases of the stomach Diarrhea and enteritis	50 256 284 66	5	1 1	2	8 2 5	14 5 5	9 13 3	24 11 6	12 11 3	14 59 40 17	23 42 11	22 30 8	52 44 15	51 67 5	49 61 10
25 (33)		548 206 1,222 404	66	19	î 16	ያ !	10 123	12 26 94 39	. 0	3 10 9	41 168	50 13	49 8	. 11	122 5	139
(33) (33,37)	Premature birth Congenital debility Injuries at birth	1,222 404	692 74	136 29 9	16 81 22 10	22 102 58	1,011 183 72	94 39	10 52 39	9 17 16	1,174 277	24 34	9 32	13 40	1 13	1 1 8
(37) 35 38	External causes Unknown or ill-defined diseases.	79 65 365	41 5 51	2 20	10 9	12 5 38	72 12 118	4 4 44	1 2 23	1 3 21	78 21 206	1 11 34	3 20	9 59	9 26	12 20
•	All other causes	199	5	3	2	14	24	17	23 14	10	65	20	13	36	39	26
	KENTUCKY (COLORED). All causes	759	88	31	25	50	194	45	29	22	290	57	55	140	120	97
5	Measles	5		21		====	154	====			250			2	$=\frac{120}{2}$	======================================
6 7	Scarlet fever	56				·····i	i	····i	·····i`		3,	3	6	14	14	16
(19) 8	Diphtheria and croup Influenza Dysentery	4 46							1	<u>2</u>	3	6	$\frac{1}{3}$	11 1	2 16	7
(12) (12) (37) 13	Ervsipelas	1 1 1				1	1	1			1					
14 )	Tetanus Tuberculosis of the lungs Tuberculous meningitis	19 2	1				1	2		1	4	1		5 1	3	7.
(37)	Other forms of tuberculosis Syphilis	1 20 10	2		·····à	2	6		î 1	i	8	5	1 1	1 2	3	i
17 (37) 19	Meningitis Convulsions Organic diseases of the heart	15				1	1	2 3	1		3 5 1	i	2	5 1	1 5	i
20	Acute bronchitis Pneumonia	1 18 61	1		2	1	2 2	1 1	2 1		5 4	2 3	1 13	4 14	3 15	.3 12 15
(23) 24	Bronchopneumonia. Diseases of the stomach. Diarrhea and enteritis.	73 9				2	2	i	1	3 1 3	6 2	5 1	6	20 2 30	21 1 22	15 2 23
25 (33) (33)	Malformations Premature birth	101 13 134	61	1 16	 1 10	2 3 23	2 5 110	3 1 10	3 4	3 2 3	11 11 127	11 4	4 1 1	30 1 1	1	
(33,37)	Congenital debility Injuries at birth	65 10	6 2 3	6	5 3	23 10 1	27 8	15	1	3	49	4	3 1	5	3	i
(37) 35 38	External causes	17 47	10	2 1 4	2	1 1	17	i	1 2	1 1 1	7 21	ģ	1 6	4 7 8	3 4	2 3
	All other causes	29	2	1	•••••	1 ]	4	2	2	1	9	5	3 ]	8	1	3

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

Int.		Total						D	EATHS A	T AGE O	F—					
Abridged In List No.	AREA AND CAUSE OF DEATH.	deaths under 1 year of age.	Less than 1 day.	1 day.	days.	8 to 6 days.	Less than 1 week.	1 week.	2 weeks.	8 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	8 to 5 months.	6 to 8 months.	9 to 11 months.
				REGI	STRA	TION	STAT	ES—Cor	ntinued.							
	LOUISIANA (TOTAL).															
5	All causes	4,415	505	162	125	257	1,049	269	164	126	1,608	376	331	874	667	559 18
5 6 7 8	Scarlet fever. Whooping cough Diphtheria and croup.	1 183 23						······	2 1	6 1		25 4	23	52 4	37 4	38
9 (12)	Influenza Dysentery Srysipelas	324 53 9	1	4	4	9 1	18 1	19 2	15 1	8 2	60 5	31 2 2	21 6 2	69 14	76 12	67 14
(12) (37) 13	Tetanus Tuberculosis of the lungs	70 15	1	1	5	25 1	32	34 1	i 	i	67 3	2	1 2	3	3	1
14 15 (37)	Tuberculous meningitis Other forms of tuberculosis Syphilis	6 24 69	1	<u>1</u>	1	1 5	1 8	2 5	1 6	2	4 21	2 10	4 8	5 20	3 6 7	3 3 3
(37) 19	Meningitis. Convulsions Organic diseases of the heart	27 41 12	2	2	1	1 8 1	1 13 1	4 3	3	1 1	2 21 4	3 1	2 2	9 5 3	11 6 1	, <u>4</u> , 1
20 22 (23)	Acute bronchitis. Pneumonia. Bronchopneumonia.	76 330 222	1 1 1	3 1	2 5 2	2 5 4	8 12 7	4 8 5	5 15 3	4 8 6	21 43 21	5 40 26	9 31 20	19 93 66	12 73 49	10 50 40
(23) 24 25 (33)	Diseases of the stomach Diarrhea and enteritis Malformations	53 893 176	1 26	3 16	1 2 17	2 12 20	3 18 79	3 13 20	15 12	3 17 8	11 63 119	5 66 21	10 94 10	9 265 13	206 7	4 199 6
(33) (33) (33,37)	Premature birth	648 356 64	343 52 31	87 21 7	38 18	56 34 12	524 125	54 30	19 31 2	17 17	614 203	$\frac{22}{34}$	34	6 51	1 26	8
(37) 35 38	External causes Unknown or ill-defined diseases.	47 335	1 40	11	6 1 19	4 34	56 7 104	4 1 32	2 12	1 1 7	63 11 155	1 11 37	4 17	8 64	5 38	8 24
	All other causes	285	1	4	3	20	28	22	12	9	71	23	14	79	52	46
	All causes	2,271	306	95	66	102	569	125	77	72	843	196	164	439	323	306
5 6 7	Measles. Scarlet fever. When ping gough	50 1	2				2	2	3	5	12	3	4 1 12	8	9	14
8 9	Whooping cough Diphtheria and croup Influenza	81 8 142	1	·····i	1	7	10	4	1 11	1 1 2	1 27	13 2 16	2 5	21 24	18 1 35	15 2 35
(12) (12) (37)	Dysentery Erysipelas. Tetanus	26 8 27		í	2	3	6	18	1	1	$\begin{array}{c} 1\\1\\24\end{array}$	2 2	3 2 1	9 3	2	11
13 14 15	Tuberculosis of the lungs Tuberculous meningitis Other forms of tuberculosis	5 6 6								1	1 1		1	2 3	3	1 3 1
(37) 17 (37)	Syphilis Meningitis Convulsions	17 18 10		1	1	3 1 2	3 I 4	1	ž		6 1 5	4 1	1	5 6	7 2	Î 4 1
19 20 22	Organic diseases of the heart Acute bronchitis Pneumonia.	6 33 166	1	i	<u>ı</u>	1	1 3	1 4	2	4	13 24	1 2 25	1 5	2 5	3	5
(23) 24	Bronchopneumonia	139 25			3 1	1 2 1	4 3 1	6 5 2	8 3 2	6 5 3	16 8	16 3	14 14 5	44 38 4	30 26 5	29 29
25 (33) (33) (33,37)	Diarrhea and enteritis Malformations Premature birth	502 99 389	18 216	11 57	$\begin{array}{c} 1 \\ 11 \\ 22 \end{array}$	3 12 21	5 52 316	4 8 30	6 5 11	5 5 10	20 70 367	35 12 14	48 4 4	160 8 4	124 2	115 3
(33,37) (37) 35	Congenital debility Injuries at birth External causes	189 47 23	26 23	13 4	11 5	14 10 3	64 42 3	14 2	9 1	12 1	99 46 3	19 1 4	20 1 7	34 6	13 3	
38	Unknown or ill-defined diseases. 'All other causes	105 143	18	4 2	5 2	12 6	39 10	9 14	4 7	3 7	55 38	9 12	7 7	15 38	11 29	19 19
	LOUISIANA (COLORED).  All causes.	2,144	199	67	59	155	480	144	87	54	765	180	167	435	344	253
5 6	Measles	23				199	400	1	. 1	1	3	160	107	6	9	4
7 8	Scarlet fever Whooping cough Diphtheria and croup.	102 15							1 1	5	6 1	12 2	11 4	31 4	19 3	23 1
9 (12) (12) (37)	Influenza Dysentery Erysipelas	182 27 1		3	3	2 1	8 1	15 2	4	6 1	33 4	15 2	16 3	45 5	41 10	1 32 3 1
(37) 13 14	Tetanus Tuberculosis of the lungs Tuberculous meningitis	43 10	1		3	22 1	26 1	16 1	1		43 2		i	1	3	3
15 (37) 17	Other forms of tuberculosis Syphilis Meningitis.	18 52 9	1	1	1	$\frac{1}{2}$	1 5	2 4	4	2	3 15 1	2 6	3 7	2 15 3	6 7	2 2
(37) 19	Convulsions	31 6	2	1		6	9	3 2	3	1	16 2	2	1	5 1	4	1 3 1
20 22 (23)	Acute bronchitis Pneumonia Bronchopneumonia	43 164 83	1	2	1 2 1	2 4 2	5 8 4	2	3 7	2 1	8 19 5	3 15 10	17 6	14 49 28	9 43 23	3 1 5 21 11
24 25 (33)	Diseases of the stomach Diarrhea and enteritis Malformations	28 391 77	8	3 5	1 1 6	1 9 8	2 13 27	1 9 12	9 7	12 3	3 i 43 49	31 9	5 46 6	5 105	9 82 5	4 84 3
(33) (33,37) (37)	Premature birth. Congenital debility. Injuries at birth.	259 167 17	127 26 8	30 8 3	16 7 1	35 20 2	208 61 14	24 16 2	8 22 1	7 5	247 104 17	8 15	1 14	. 5 2 17	1 13	4
35 38	External causes. Unknown or ill-defined diseases. All other causes.	24 230 142	1 22 1	1 7 2	1 14 1	1 22 14	4 65	1 23 8	2 8 5	1 4 2	100 33	7 28 11	3 10 7	2 49 41	2 27 23	2 16 27

#								D	EATHS A	T AGE O	F—					
Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	Less than 1 day.	day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
		,		REGI	STRA!	TION	STAT	ES—Co	ntinued.	i						
	MAINE.	1,700	151	162	74	108	495	97	67	55	714	165	141	295	205	180
5	Mageles	29				1	1				1		4	4	7	13
6 7 8	Scarlet fever Whooping cough Diphtheria and croup Influenza	29 7									2	5	1	6 2	10 1	7 1
(12)	Influenza. Dysentery.	1,62 2 5	1		1	2	4	1 6	5	3	18	14	10	39 2 2	44	37
(12) (37)	Dysentery Erysipelas Tetanus Tuberculosis of the lungs	5 4										3	·····i	<u>2</u>		
(12) (37) 13 14 15 (37) 17 (37)	Other forms of tuberculosis	1 15									,	4 1	î	6 1	1	3
~(37) ~17	Syphilis Meningitis	3 14 24 17	2	2	1 1	$\frac{1}{2}$	4 2 4	2 3	·····i	1	7 2 9	3 5	1 2 2	3 4	4	7
19 20	Convulsions Organic diseases of the heart Acute bronchitis	27	1	····i	<u>1</u>	1	4	1	<u>-</u>		1 10	1 1 4	1 3	3 1 3	1	1 6
22 (23)	Pneumonia	96 126	1			3	4	3 3	3 7 2 5	2 5 1	1 10 15 11 7 22 71	10 22 6	9 11	20 33 7	23 26 1 59	19 23 2
24 25 (33)	Diseases of the stomach Diarrhea and enteritis Malformations	27 264 88	12	18	12	3	3 53	5 11	5 4	3 9 3	22 71	25 2	35 5	87 7	59 2	36 1
7331	Premeture hirth	88 336 222 55 17	86 26 17	104 16	12 30 15 8	36 21 9	256 78 47	28 21	18 11 2	13 10	315 120	13 33	. 28	30	7	4
(33,37) (37) 35 38	Injuries at birth External causes Unknown or ill-defined diseases	· 17		13 1 6	<u>\$</u>	2 5	3 19	4 6	<u>²</u>	1	54 3 27 19	1 2 4	2 2	6 9	3	1 3
•	All other causes	48 77	4 1		1	9	11	3	4	1	19	4 3	11	19	10	15
	MARYLAND (TOTAL). All causes	4,790	621	220	123	237	1,201	239	164	120	1,724	407	334	961	765	599
5	MeaslesScarlet fever	32							1	1	2	2	2		11 1	14
6 7 8	W hooping cough Diphtheria and croup. Influenza	191 16	1				1	1	2	6	10	23 1	14	52 2	48 4	44 9
(12)	Influenza Dysentery Erysipelas Tetanus	268 13	4		2	4	10	5 3	1 1	2	21 1 3	14	11 1	63 2	77 8	82 1
(12) (37) 13	Tuberculosis of the lungs	1 1 20		1		3	3 1	2 <sup>,</sup>			, 5	1	i	9	3	1 6
· 15	Tuberculous meningitis Other forms of tuberculosis Syphilis	20 21 7 34	2	i	i		<u>5</u>	4			15	1	1	8 5 7	5 1 4	6 1 1
-(37) -(37) (37)	Meningitis	41 56	2	3		1 1 9	1 14	1 14	1 1 4	5 1 1	4 33	2 5	3 2 3	12 4	16 6	5 5
- 19 20 22	Organic diseases of the heart Acute bronchitis Pneumonia	141-	1			1 2 5	5 2 2	3 6 5	10	5 3 11	8 23 15 47	11 18	20 10	36 34	27 51	3 24 47
(23) 24	Bronchopneumonia Diseases of the stomach	463	2	5	2	5 2 2	14 2	7	15 4	11	1 9	18 50 5	12	106	120	107
25 (33) (33) (33,37)	Diarrhea and enteritis	280	50 204	39 107	21 54	2 40 71	150 626	16 30 70	28 20 30 20 1 1	28 14	78 214 740	123 28 23 65	152 10	463 15 7	287 7 2	197 6
(33,37) (37)	I minries at dirth	466 111	394 83 58	37 15	21 54 19 11	46 20	626 185 104	53 2	20	14 15 2	273 109	1	3 33 1	62	. 21	12
`35´ 38	External causes Unknown or ill-defined diseases All other causes	47 83 178	6 13	8	3 6 4	9 13	13 36 21	5 12	1 5 11	2 1 6	16 47 50	. 5 9 15	4 5 10	11 10 42	. 8 8 41	
	MARYLAND (WHITE).				1					,		100				20
	All causes		500	151	93	177	921	179	121	79	1,300	295	231	656	560	426
` 5 6	Measles	2							1		1	2	1	1 1	10 1	14 28
7 8 9	Whooping cough. Diphtheria and croup Influenza	13	3		1	4	8	 3	2 3	5 1	· 8	16 1 9	8 8	28 30	29 3 59	28 9 59
(12)	Dysentery	8 3						3			3			2	Š	1
(12) (37) 13 14	Tetanus Tuberculosis of the lungs Tuberculous meningitis	1 7				1		2			3		1	4 7	1 5	1 2 4
15 (37) 17	Other forms of tuberculosis	10			1		i	1		3	5		1	5	1 1	
' (37)	Convulsions	. 36	įį	2		1 5 3	1 8 4	1 11 2	1 2	1	21 6	2 3	1 3	11 2	14	4
19 20 22	Organic diseases of the heart Acute bronchitis Pneumonia	. 118	i			1 1	2 1	5 4	7 4	4 1 5	18 10	8 13	. 10 4	20 23 72	17 35	4 2 10 33 76
20 22 (23) 24	Bronchopneumonia Diseases of the stomach	326 30	1 2	3	1	5 2	10 2 4	7 9	12 2 19	1 1	34 5 49	39	25 9 112	6	80 7	76 148
25 (33) (33) (33,37)	Diarrhea and enteritis Malformations Premature birth	225 619	43 319 71 50	26 80 21 13	18 44	35 53	122 496	26 55	17 24	18 9 12	174 587	92 22 20	7 3	340 13 7	220 5 2	. 4
(37)	Injuries at dirth	334 97	71 50		10 11	1 1 5 2 35 53 32 16 1 7	134 90 6	39 2	2 18 17 24 13 1 1 4	10 2 2 1	196 95 9	. 49 1	24 1	43	16	6
35 38	External causes Unknown or ill-defined diseases All other causes		3	4 2	1 4 2	7 8	18	9	4 9	1 4	23 34	. 3 . 9	2 2 7	5 4 28	7 5 34	2 2 17
	•			-		,						•		٠.		•

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

i lit.		Total						D	EATHS A	T AGE O	r—					=
Abridged Int. List No.	AREA AND CAUSE OF DEATH.	deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
				REGI	STRA	TION	STAT	ES—Co	ntinued.				· · · · · · · · · · · · · · · · · · ·		·	<u> </u>
	MARYLAND (COLORED).															
_	All causes	1,322	121	69	30	60	280	60	43	41	424	112	103	305	205	173
5 6 7	Measles. Scarlet fever. Whooping cough	3 74						i	• • • • • • • • • • • • • • • • • • • •	1 1	$\frac{1}{2}$	7	6	24	1 19	16
8 9	Diphtheria and croup Influenza	3 88	1		1		2	2	i	i		<u>.</u>	3	2 33	1 18	23
(12) (12) (37)	DysenteryErysipelasTetanus	5				2	2		1 		1 2	1 1	1		3	
13 14	Tuberculosis of the lungs Tuberculous meningitis	13 4		1			ĩ				l î	1	i	5 1	2	4 2
(37)	Other forms of tuberculosis Syphilis	1 24	2	1		1	4	3	i	2	10	4	2	4	3	1
17 (37) 19	Meningitis	5 20 5	1	1		4 1	6 1	3 1	2	i	12 2	2	1 1	1 2	2 3 1	1
20   22	Acute bronchitis Pneumonia Bronchopneumonia	58				<u>i</u>	ii	1	3	1 2	5 5	3 5	10	16 11	10 16	1 1 14 14 31
(23) 24 25	Diseases of the stomach Diarrhea and enteritis	137 13 339	1	2	1		4		3 2 10	6 2 10	13 4 29	$\begin{array}{c} 11 \\ 2 \\ 31 \end{array}$	8 3 40	34 2 123	40 1 67	31 1 49
(33)	Malformations	55 156	2 7 75	13 27	3 10	5 18	28 130	4 15	3 6	5 2 5	40 153	6 3	3	2	2	2
(33, 37)	Congenital debility Injuries at birth External causes	132 14	12 8 2	16 2	9	14 4 3	51 14 7	14	7 ·	5	77 14	16	9	19	5	6
35 <sup>*</sup> 38	Unknown or ill-defined diseases. All other causes.	19 44 49	10	$\frac{4}{2}$	2 2 2	2 5	18 9	5 3	$\frac{1}{2}$	2	7 24 16	2 6 6	2 3 3	6 6 14	1 3 7	$\begin{array}{c} 1\\2\\3 \end{array}$
	massachusetts.															
	All causes	<del></del>	1,447	484	353	661	2,945	517	446	391	4,299	934	768	1,854	1,584	1,341
5 6 7	Measles Scarlet fever Whooping cough	134 3 306		<b>-</b>	<b></b>	i	i	1 1	i	14	1 17	1 32	34	11 2 60	43 76	79 87
8 9	Measies Scarlet fever Whooping cough Diphtheria and croup Influenze Dysentery Erysipelas Tetanius	48 604	·i	·····i	3	7	12	3 13	Î 14	3 12	7 51	6 29	2 25	5 129	9 173	19 197
(12) (12) (37)	Dysentery Erysipelas Tetanus	16 61 7				2	2	3	10	12	1 25	17	1 8	6 6	3	4 2
13 14	Tuberculosis of the lungs Tuberculous meningitis Other forms of tuberculosis	55 82						4	1 2		<sup>7</sup>	2 5	1 4	14 19	18 26	20 26
15 (37)	Other forms of tuberculosis Syphilis Meningitis	77	6	i	2	4	13 2	10	3	4	1 30	2 12	1 12	4 11	26 7 6	20 26 3 6
$- \binom{17}{(37)}$	Convulsions Organic diseases of the heart Acute bronchitis.	100 76 32	2	1	1 8	1 13 1	24 1	5 2	2 3 2	2 3 1	8 35 6	9 2 1	4 7 5	31 11 7	25 9 7	23 12 6
20	Pnaumonia.	221	1	i		6 4	6 6	9 5	16 5	20 10	51 26	32 25	30 29	72 86	76 114	68 101 251
(23) 24 25	Bronchopneumonia.  Diseases of the stomach.  Diarrhea and enteritis.  Malformations.	1,136 101 2,500	1	ii	6 4	14	21 19	26 11 43	33 9 63	39 6 80	· 119 26 205	118 20 323	84 10 328	258 28 808	306 11 505	251 6 331
		2,012	126 931	62 276	55 150	127 225	370 1,582	70 166	51 113	80 39 57	530 1,918	65 58	35 21	47 12	30	11
(33,37) (37) 35	Congenital debility Injuries at birth External causes	903 427 86	151 203 3	69 56 3	61 48 2	118 84 3	399 391 11	84 22 5	58 8 5	52 2 4	593 423 25	101	71	94 1	34	10
38	Unknown or ill-defined diseases. All other causes.	104 464	12 10	3 10	3 10	5 32	23 62	4 28	8 37	4 26	39 153	12 18 41	11 10 35	16 22 94	8 12 79	14 3 62
	MICHIGAN.															
_	All causes	احتضد	1,495	420	312	607	2,834	513	352	264	3,963	584	547	1,288	976	747
5 6 7	Measles	79 7 265	1				1	4	3 6	3	7 15	1 37	4 26	17 1 65	16 2 64	35 3
8	Whooping cough Diphtheria and croup Influenza.	43 392	2	3	1	6	12	15	2 12	2 5	44	18	1 1 18	8 98	14 110	35 3 58 16 104 9
(12) (12) (37) 13	Dysentery	34 35				3	3	1	1 3	1 3	3 10	4 13	4	10 6	3	9 2
13 14	Tuberculosis of the lungs Tuberculous meningitis.	3 22 38						3			3	1	4 1	 8 9	7 13	2 14
15	Other forms of tuberculosis	10 66	4	3	1	7	15	4	2	7	28	2 11	1 5	3 15	3 5	2 14 1 2 13 13 13 24
- (37) - (37) - (37) - 19	Meningitis. Convulsions. Organic diseases of the heart.	47 117 40	6	7	10	$\begin{array}{c} 1 \\ 21 \\ 2 \end{array}$	2 44 3	6 10 5	7 5	1 8 4	9 69 17	4 8 7	3 3 8	8 11 6	10 13	13 13
20	Acute bronchitis	202. 335	1 4		4 5	5 10	6 18	8 15	13 15	17 10	44 58	24 33 59	20 27	6 47 78	1 43 76	63
22 (23) 24 25 (33) (33)	Bronchopneumonia	620 188 1,415	2 1	5 4	. 1	11 8 24	23 9 32	17 21 41	26 16 49	26 4 53	92 50 175	59 25 135	67 23 183	78 153 49 456 37	136 31	113 10 174
(33) (33)	Malformations Premature birth	663 1,874	151 1,018	68 221	71 109	113 187	403 1,535	58 159	39 64	19 42	519 1,800	35 39	23 21	8 1	292 30 5	19
(33, 37) (37) 35	Congenital debility	767 280 106	143 133 3	49 40	57 35 3	118 52 7	367 260	91 16	55 3 6	33   1 7	546 280 35	63	56	77	5 20	1 5
38	Unknown or ill-defined diseases. All other causes.	85 372	18	5 7 8	7	8 24	18 40 43	4 8 26	4 21	11	54	10 47	11 5 32	24 10 84	12 5 61	17 1 47

it l		m.+.1					<del></del>	D	EATHS A	T AGE OF	· ;					
Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	days.	3 to 6 days.	Less than 1 week.	week.	2 weeks.	3 weeks but less than 1 month.		month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
		•		REGI	STRA'	FION	STAT	ES—Co	ntinued.						_	•
9	minnesota.												000	400	900	0.1
	All causes	3,968	913	199	156	334	1,602	282	183 2	152	2,219	328	226	490	388	317
5 6 7	Scarlet fever. Whooping cough Diphtheria and croup. Influenza.	160				1	1		3	5	11 2	22 1	<u>i</u> 8	1 51	30 4	11 2 28 2 75
8 9 (12)	Diphtheria and croup Influenza	11 314 11	3		2	6	11 1	11	1 10	10	42 1	18	26	64 64	.89	1
(12) (37)	Dysentery	36 5			, 1	2	1 2	3 2	6	6	· 16	10	1	4	4	10
13 14 15	Other forms of tuberculosis	27				<u>-</u> -						1	6	7 4 7 2 7	8	10
$-^{(37)}_{17}_{(37)}$	Syphilis Meningitis Convulsions	39 23 79	5	1 3	1 9	5 2 11	12 2 26	2 11	2 2 2	1 1 3	15 7 42	10 1 6	1 6	6 15	3 5	1 5 5 2 6
19 20	Organic diseases of the heart	8	1 1			3 3 7	4 4	3 5	1 7	2 2 6	10 22	7	. 6 9	6 27	5 2 9 23	2 6 20
22 (23) 24	Pneumonia.  Bronchopneumonia.  Diseases of the stomach.  Diarrhea and enteritis	123 295 44	1	2	5 1	3	15 4	4 2	14 4	13	46 13 75	22 54 9	32 7 36	63 9 127	23 54 5 71	20 46 1 49
· 25 (33) (33)	Diarrhea and enteritis	415 310 1,080	59 638	24 115	31 50	10 54 84	13 168 887	21 41 81	13 22 41	13 28 13 29 17	244 1,038	57 16 33 . 28	14 5	16 4	11	9
(33,37) (37) 35	Injuries at birth	413 160 35	91 69 4	26 22	22 18	81 33 2	220 142 7	52 12	33	2	322 159 10	. 28	29	24	6	5
35 38	External causes. Unknown or ill-defined diseases. All other causes.	101 176	31 6	1 5	10 4	11 . 14	57 24	9 19	13	1 4 6	72 62	17	10 12	3 7 30	5	5
	MISSOURI.					`-				ĺ		100	907	010	707	000
5	All causes		973	347	238	437	1,995	438	269	200	2,902	488	397	813	· 20	630
6 7	Scarlet fever. Whooping cough	73 11 232 41				1,	1	2	7	6	16	44	22 5	2 47 4	55 13	3 48 15
8 9 (12)	Influenza	382 43	3	5	4	9 2	21 2	21 1	6 3	4	52 6	20 8	30 4 2	81 12	89	110
· (12) · (37) 13	Searlet fever Whooping cough Diphtheria and croup. Influenza Dysenfery Erysipelas. Tetamus Tuberculosis of the lungs Tuberculous maningitis.	21 11 33	2			4	4 2	6 2	1		10 7	2	1	10	- 1	6
14 15	Other forms of tuberculosis	.] îi	10				24	8	1 6	1 4	2 42	3	13	1 4 2 11	3	3
(37) 17 (37)	Convulsions	- 34	2	5 1 4	1 2	, 5 1 7	3 15	8	4	1 2	12	7		. 3	20	14
19 20 22	Organic diseases of the heart Acute bronchitis Pneumonia	. 305	1 2		3	3 6 9	4 6 14	3 9 14	9 12 21	1 4 7	28 10 28 47	15 28		20 77	12 66	63
(23) 24	Bronchopneumonia.  Diseases of the stomach.  Diarrhea and enteritis	518 - 86 - 866	4	1	. 5	7	33 9 20	29 6 33	1 5	11	107	15	47 13 96	13 231	11	. 3
25 (33) (33)	Malformations Premature birth	. 393 1,295	74 678	52 173 39 45	2 42 81 39 21	17 53 130 70 33	1.062	33 41 119	46	20	310 1,247	24 26	19 16 23	5	1	7
(33,37) (37) 35	Congenital debility   Injuries at birth   External causes	.] 177	678 81 61 6	39 45 3	39 21 1	2	229 160 12	1 8	39 5 4	21 2 4	353 175 28 178	1 7	1 7		14	-
38	Unknown or ill-defined diseases All other causes	254	4 <u>1</u> 8	18	. 23	38 17	120 33	30 20	18	10 16	178 90	50 50	37			32
	MONTANA. All causes	1,027	198	74	37	84	393	77	45	41	556	104	72	114	111	. 70
, 5	Measles	- 5						<u></u> -					. 1	=	3 1	1
6 7 8	Whooping cough Diphtheria and croup	- 48 1							1		2			5	i   9	4
(12)	Influenza  Dysentery	73					1	4	3	2	3			15 2 1		17
(12) (37) 13	Tetanus Tuberculosis of the lungs	. 1				. 1	1				. 1			. i	2	
14	Tuberculous meningitis			·····i		-	2		2				1		· · · · · i	
(37)	Meningitis	. 7		-		2	2	$\frac{2}{1}$		1 1			-		3	
15 (37 17 (37) 19 20 22 (23) 24	Acute bronchitis	. 9 45	1	-		. 1 6		1 5	2	1 2	3 15	5		3	1 9	4
(23) 24 25	Bronchopneumonia Diseases of the stomach Diarrhea and enteritis	12		-		1	-	- 2	1	6	17	3	1 12	28	35	18
25 (33 (33 (33,37	Malformations. Premature birth.	253	23 122 25 20	9 37 11	16	13 28 17	. 203 61	27	12	1 6	248	11	1 11	.		
(33,37 (37) 35 38	) Injuries at Dirth	52	1 1		3	8 2	44 3 7	6			- 50		1 2	1	3	
, 38	Unknown or ill-defined diseases All other causes		4	2	i	1 1	4	1 4		3 3	1 14		1 8		5) 6	3-

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

nt.		Total						D	EATHS A	T AGE O						
Abridged Int. List No.	AREA AND CAUSE OF DEATH.	deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	t month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
				REGI	STRA	TION	STAT	ES-C	ontinued	l.			·		·	
	NEW HAMPSHIRE.															
	All causes		151	59	41	64	315	55	42	29	441	103	92	181	161	116
5 6 7	Measles Scarlet fever	8 47									1		1	2	2	3 ii
8 9	Whooping cough Diphtheria and croup Influenza	1 97	ii	1		<sub>1</sub>	3	i		2	6	5 7	5	23 1	13 1 31	25
(12) (12) (37)	Dysentery Erysipelas Tetanus	3										1		1	1	
13   14	Tuberculosis of the lungs Tuberculous meningitis. Other forms of tuberculosis	5									1 1		1	1 3	1 2	i 1
(37) (37)	Other forms of tuberculosis Syphilis Meningitis	8					1	1 1	3	1	1 4	$^{2}_{1}$	2	$\frac{1}{2}$	1 4	3
(37) - 19	Convulsions Organic diseases of the heart	11 3	1	1	1	i	2 2		1	1	3 2	1	1	4	2	
20 22 (23)	Acute bronchitis Pneumonia Bronchopneumonia	26   43 82	2	ii		i	3	2	1 2 1	1 2 1	7 3	3 3 4	3 5 8	8 8 15	5 8 33	3 12 10
24	Diseases of the stomach Diarrhea and enteritis	17 192				1	1 1	3	6	1 8	18	$\frac{1}{27}$	37	5 49	3 40	19 2 21
(33) (33) (33,37)	Malformations. Premature birth. Congenital debility	68 233 147	103 103 15	6 36 10	9 15 10	8 30 14	38 184 49	7 18 15	12 11	1 8 1	50 222 76	6 6 31	6 1 14	5 3 20	1 3	13
(37)	Injuries at birth External causes Unknown or ill-defined diseases	21 5	12	3	2	3	20		î		21	1	1		<u>i</u>	2
38	All other causes	2 45	2	1	4	1 2	8	5		1	2 14	4	3	10	8	6
	NEW JERSEY. All causes	8,371	1,017	329	252	481	2,079	465	351	292	3,187	630	674	1,534	1,270	1,076
5	Measles	145		==			2,013	3	301	1	4	2	8	15	54	62
6 7 8	Scarlet fever. Whooping cough. Diphtheria and croup.	2 244 24						1 1	$\frac{1}{2}$	10	1 13 1	18	35 1	63 4	65 6	50 12
9 (	Dysentery	429 17	1	3			9	12	11	9	41 1	25 1	32	93 5	121	117 5 1
(12) (12) (37) 13	Erysipelas. Tetanus Tuberculosis of the lungs	30 10 38		i		2	2	4 7	2 1	5 1	11 10 2	7 4	3	2 10	6 5	<u>ii</u>
14 15	Tuberculous meningitis Other forms of tuberculosis	51 14				1	1	1	Ĩ	2	3 2	<u>i</u>	3	9 2	20	16 5
(37) 17 (37)	Syphilis Meningitis. Convulsions	62 82 52	5	i	7 1	5 4	17	3 5 6	6 4 3	4 2 3	30 11 19	10 3 8	5 7 7	14 25 9	3 17 6	19
19 20 22	Organic diseases of the heart	16 265 669	3	i	3 2	1 10	2 13	1 19	17	1 18	4 67	5 26 49	2 41	2 55	3 37	39
(23) 24	Pneumonia. Bronchopneumonia. Diseases of the stomach. Diarrhea and enteritis.	810	2	Ī	8	12 9 2	18 20 2	17 23 7	17 32 4	14 37 6	.66 112 19	72 9	57 59 19	147 193 25 635	176 196 8	174 178 4 303
25 (33) (33)	Mallormations	1,980 486 1,452	102 642	2 45 181	36 122	15 85 178	22 268 1,123	40 71 141	62 37 80	59 23 37	183 399 1,381	179 29 46	256 20 10	635 20 13	424 16	303 2 2 2 18
(33, 37) (37)	Premature birth	718 249	107 132	46 39	30 26	92 27	275 224	54 16	44 5	36	409 248	85	68	106	32	
35 38	External causes Unknown or ill-defined diseases All other causes	83 33 326	7 7 5	$\frac{2}{4}$	7 1 6	7 5 22	23 17 35	4 3 26	1 2 19	2 3 15	30 25 95	8 3 40	4 4 26	21 1 63	12 55	8 47
	NEW YORK.			•-												
_	All causes		3,614	1,034	830	1,432	6,910	1,277	995	778	9,960	2,043	1,553	3,730	3,275	2,891
5 6 7	Measles Scarlet fever Whooping cough	307 7 617		i		1	1 5	3 1	7	<u>2</u>	6 30	8 71	68	31 1 140	101 3 164	157 3 144
8 9	Whooping cough Diphtheria and croup. Influenza.	1,127	12	1 4	3	14	1 33	37	3 22	19	6 111	2 63	2 57	18 236	29 331	63 329 5 6
(12) (12) . (37)	Dysentery Erysipelas Tetanus	28 148 13	1	<sub>1</sub>		2	2 3	1 5 9	1 14 1	23	2 44 13	3 42	18	11 25	7 13	6
13 14	Tuberculosis of the lungs Tuberculous meningitis	100 235 34	4			1 2	5 2	1 2	3	2	10 7	3 4 3	7 10	22 52 13	28 88	30 74 6 15 42 10 14 69
$-{}^{(37)}_{17}$	Other forms of tuberculosis Syphilis Meningitis	371 167	45	19 1	6	27 1	97 2	25 8	27 4	23 3	172 17	63 12	3 31 14	69 43	8 21 39	15 42
- <sup>(37)</sup> - <sup>19</sup> 20	Convulsions Organic diseases of the heart Acute bronchitis	155 59 658	1 1 1	3 1	15 6	32 2 20	51 3 28	19 3 42	7 1 57	2 7 32	79 14 159	14 4 115	12 8 84	27 12 130	13 7 101	10 14
22 (23)	Pneumonia. Bronchopneumonia.	1,173 2,592	4 2	5 8	13	25 51	36 74	28 75	31 93	19 73	114 315	73 260	79 204	240 581	303 621	364 611
24 25 (33)	Diseases of the stomach Diarrhea and enteritis Malformations	208 4,499 1,417	3 345	2 137	5 11 113	6 34 210	11 50 805	17 111 114	20 145 93	13 151 50	61 457 1,062	40 550 107	35 489 62	1,327 96	1,002 51	13 674 39
(33) (33) (33,37)	Congenital debility	4,721 2,291	2,214 359	576 121	384 120	469 254	3,643 854	406 206	240 137	157 117	4,446 1,314	167 293	48 212	42 310	14 100	4 62
(37) 35 38	Injuries at birth  External causes  Unknown or ill-defined diseases.	1, 105 205 53	567 19 14	126 8 3	117 5 7	195 6 2	1,005 38 26	60 15 3	17 3 2	8 8 4	1,090 64 35	8 24 6	7 20 4	41 6	28 1	28
35	All other causes			17	23	73	135	86		45	331	108	75	217	183	128

· ht.		Total		1	. :			n	EATHS A	T AGE O	F—					
Abridged In List No.	AREA AND CAUSE OF DEATH.	deaths under 1 year of age.	Less than 1 day.	day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	month.	2 months.	3 to 5 months.		9 to 11 months.
	:	,	:	REGIS	STRAT	LION	STATI	esCo	ntinued.	•						-
	NORTH CAROLINA (TOTAL).															
5	All causes	7,686	1,156	353	212	488	2,209	486	329	287	3,311	720	480	1,199	1,009	- 967
6 7 8 9 (12) (12) (37)	Scarlet fever Whooping cough Diphtheria and croup. Induenza Dysentery. Ervisinelas	356 66 667 124 22 47 19	3	1 1 4	2	2 13	1 3 22	4 6 30 4	.3 3 22 1 1 6	17 4 12 2 2 2	25 16 86 7 3 47	64 7 53 15 5	37 6 46 8 5	78 22 149 26 3	87 6 176 28 4	65 9 157 40
14	Tefanus Tuberculosis of the lungs Tuberculous meningitis Other forms of tuberculosis	19 13 3												7 6 . 2	8 1	4 6 1
(37) 17 (37) 19 20 22 (23) 24 25 (33) (33) (33) (33) (33) (33) (33) (33	Syphias  Convulsions Organic diseases of the heart. Acute brouchitis. Pneumonia. Bronchopneumonia. Diseases of the stomach. Diarrhea and enteritis. Malformations. Premature birth. Congenital debility Injuries at birth External causes. Unknown or ill-defined diseases. All other causes.	42 74 94 21 96 317 391 96 1,013	5 1 3 1 1 1 44 675 107 40 6 5 265	2 2 255 140 31 20 2115 4	4 1 1 5 5 16 82 28 10 2 5 4 2	19 19 1 2 5 4 4 1 11 32 126 74 7 7 3 156 18	7 1 31 1 3 9 10 117 1,023 240 77 13 590 28	2 4 22 2 7 10 12 2 21 24 107 56 10 2 114	7 11 12 6 23 16 56 43 3 1 17	2 2 6 1 7 8 12 3 24 25 36 36 36 36 36 36 36 20	15 11 4 24 38 38 46 12 87 172 1, 222 375 91 20 858 84	5 5 5 12 4 14 31 400 87 23 32 70 1 1 124 31	6 4 26 33 10 83 14 5 45 45 1 10 106 26	11 22 14 5 21 87 104 27 232 17 12 27 69	2 18 6 6 20 71 89 13 241 3 28 18: 106 62	1 14 14 11 12 64 79 14 283 8 1 25 21 84 53
	NORTH CAROLINA (WHITE).  All causes	4,424	821	220	132	236	1,409	250	202	. 189	2,050	394	275	631	518	556
55 66 77 8 9 (12) (37) 119 129 222 (33) (33,7) (33,7) (33,7) (33,7) (33,7) (33,7) (33,7) (33,7) (33,7) (33,7) (33,7)	Measles. Scarlet fever Whooping cough Diphtheria and croup. Influenza. Dysentery Erysipelas. Tetanus. Tuberculosis of the lungs. Tuberculosis meningitis Other forms of tuberculosis Syphilis. Meningitis. Convulsions Organic diseases of the heart. Acute bronchitis. Pneumonia. Bronchopneumonia. Diseases of the stomach. Diarrhea and enteritus Malfornations. Premature birth. Congenia debility Injuries at birth External causes. Unknown or ill-defined diseases. All other causes.	185 45 358 48 20 13 41 21 664 38 16	1 3 1 1 40 577 28 28 2 132 2	1 1 24 916 16 16 156 1	1 4 4 3 3 14 57 14 8 1 1 24 2	1 2 2 12 1 1 25 60 42 4	1 10 2 2 21 1 1 1 5 6 103 748 144 278 14	1 24 16 36 37 7 7 4 6 1 1 2 4 5 2 6 6 32 8 8 8 9	2 2 9 9 1 4 1 5 10 2 9 9 13 44 27 1 1 49 11	3 3 11 2 2 3 3 4 10 3 3 14 27 27 27 27 3 38 9	7 18 100 46 45 3 13 13 1 10 18 18 18 150 888 227 66 8 413 43	5 41 52 23 4 4 8 18 19 10 10 10 10 10 10 10 10 10 10	23 3 24 1 5 5 2 4 1 1 124 6 6 48 8 13 3 23 17 51 15	32 16 76 12 2 2 2 17 3 3 9 9 43 18 131 13 8 8 87 37	14 39 5 96 9 4 3 15 1 5 8 26 42 8 15 42 8 15 42 8 15 42 8 15 3 3	15 32 68 93 19 2
	NORTH CAROLINA (COLORED).  All causes	3,262	335	133	80	252	800	236	127	98	1,261	326	205	568	491	411
5 6 7 8 8 9 (122) (122) (137) 114 115 (137) 129 (22) (23) (23) (23) (23) (23) (23) (23)	Measles. Scarlet fever. Whooping cough Diphtheris and croup. Influenze. Dysentery. Erystpelas. Tetanus. Tuberculosis of the lungs. Tuberculosis of the lungs. Other forms of tuberculosis Syphilis. Meningitis. Meningitis. Ocnvulsions Organic diseases of the heart. Acute bronchitis. Pneumonia. Bronchopneumonia. Diseases of the stomach. Diarrhea and enteritis Malformations. Premature birth. Congenited debility Injuries at birth External causes. All other causes.	10 171 21 309 76 2 2 34 16 26 10 56 56 58 158 176 30 397 40 348 25 55 55 834 149	2 2 2 2 2 1 138 35 12 4 138 35 12	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 2 2 2 2 2 2 2 2 3 3 0	2 8 8 10 7 1 1 3 1 10 7 66 82 33 3 90 9	2 12 10 10 2 4 4 275 96 21 9 312	22 14 1 20 20 16 15 67 7 15 4 38 24 22 166 10	2 2 2 3 6 6 2 4 4 4 12 12 13 11 13 11 13 11 13 11 13 11 13 11 13 14 14 15 16 16 16 16 16 16 16 16 16 16 16 16 16	1 1 2 2 3 1 4 4 2 2 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	34 34 30 20 14 52 22 334 148 25 125 125	23 22 30 122 1 1 3 3 6 13 13 4 36 8 8 7 7 32	14 3 22 7 7 4 4 9 9 9 4 35 1 22 22	3 46 66 73 14 1 1 6 1 1 2 12 43 43 51 101 4 4 27 8 100 32	2 48 1 80 19 19 12 2 3 5 1 12 45 45 45 45 1 12 74 27	33 64 21 21 1 1 2 1 2 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 1 2 1 1 1 1 2 1

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100.000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

nt.		Total						D	EATHS A	T AGE O	F					
Abridged Int. List No.	AREA AND CAUSE OF DEATH.	deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
		·	<del>'</del>	REGI	STRA	TION	STAT	ES—Co	ntinued.					•	<b>'</b>	·
	ощо.			i					,							
ا ي	All causes		1,819	636	516	846	3,817	719	517	415	=5,468 ======	909	797	1,853	1,534	1,166
5 6 7 8 9 (12) (12) (37)	Measles Scarlet fever Whooping cough Diphtheria and croup Influenza Dysentery Erysipelas Tetanus	64 6 333 20 749 27 49 8	1 2 5	1	1 4	11	2 2 2 21	1 3 2 26	5 21 3 9	16 8 6	26 4 76 3 18 7	40 3 39 3 9	31 1 41 3 5	8 2 80 3 167 10 6	75 4 212 4 8	23 4 81 5 214 4 3
13 14 15 (37) -17 (37) -19 20 22	Tuberculosis of the lungs Tuberculous meningitis Other forms of tuberculosis Syphilis Meningitis Convulsions Organic diseases of the heart Acute bromchitis Pneumonia	44 81 35 144 100 133 36 152	15 1 5 1 1 2	1 5 10 2 1	3 18 1 3 8	11 1 24 2 6 21	34 2 57 4	12 4 14 6 6 8 23	1 14 1 5 4 9 24	1 2 1 8 8 1 10 22	3 4 1 68 7 82 15 37 101	2 1 7 32 10 11 7 23 51	4 4 10 16 9 4 4 17	16 15 5 12 24 18 6 36 141	11 22 4 10 28 14 1 26 124	35 8 6 22 4 3 13
(23) 24 25 (33) (33) (33,37) (37) 35	Bronchopneumonia. Diseuses of the stomach. Diarrhea and enteritis. Malformations. Premature birth. Congenital debility Injuries at birth. External causes. Unknown or ill-defined diseases. All other causes.	923 2,479 1,011 453 162 251	1 204 1,203 141 186 7 32	6 92 330 73 81 6 16	5 1 3 105 174 85 60 11 17	20 11 25 153 245 145 85 18 35 31	32 33 12 31 554 1,952 444 412 42 100 67	43 13 44 89 213 117 28 7 20 41	43 11 67 48 125 70 9 4 13 28	54 11 77 33 61 49 1	173 47 219 724 2,351 680 450 59 145 166	101 26 193 52 70 112 3 18 27 60	92 26 273 38 28 67 17 19	250 54 639 64 26 105 25 35	235 40 523 32 3 34 25 18 64	22 4 3 13 112 166 12 329 13 1 13 15 7 62
	OREGON.	402	10	10	10	91	01	41	20	30	100	00	34	100	04	1
	All causes	907	183	61	49	91	384	66	34	31	515	77	47	115	. 90	63
5 6 7 8 9 (12) (12) (37) (37) 19 22 (23) (24) 25 (33) (33,37) (37,37) (37,37) (37,37) (37,37) (37,37) (37,37) (37,37) (37,37) (37,37) (37,37) (37,37)	Measles. Scarlet fever. Whooping cough Diphtheria and croup. Influenza. Dysentery. Erysipelas. Tetanus. Tuberculosis of the lungs Tuberculous meningitis. Other forms of tuberculosis Syphilis. Meningitis. Convulsions. Organic diseases of the heart. Acute bronchoftis. Pneumonia. Bronchopneumonia. Diseases of the stomach Diarrhea and enteritis. Malformations Premature birth. Congenital debility. Injuries at birth.	23 1 1 1 1 4 4 4 4 4 9 9 177 12 2 16 62 16 62 16 83 2235 106 42 2	12 134 17 14		12	5 1 2 4 1 1 23 199 18	2 8 1 1 3 5 1 193 193 588	1 1 1 2 4 4 14 17 10 3	1 2 2 4 2 11 100	2 2 1 1 4 4 2 2 2 4 1 6 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4		1 2 5 14 2 7 5 4 12	133 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	22 13 22 11 1 22 13 8	6 10 1 16 1
35 38	External causes. Unknown or all-defined diseases All other causes.  PENNSYLVANIA.	. 16 14 . 55	2 1	1 2		5 1 4	9 7	5	. i	. 1	. 10 13		1 2	13		7
-	All causes		3,210	1,255	922		7,007		<del></del>		-					
5 6 7 7 8 8 9 (12) (12) (37) 14 15 15 17 17 17 17 19 20 22 (23) (23) (23) (33) (33,37) (35) 35 38	Erysipelas Tetamus Tuberculosis of the lungs Tuberculous meningitis Other forms of tuberculosis. Syphilis Meningitis. Convulsions Organic diseases of the heart Acute bronchitis. Pneumonia Bronchopneumonia. Diseases of the stomach Diarrhea and enteritis Malformations. Premature birth Congenital debility	10 707 105 2,193 74 174 151 162 97 227 119 613 1,642 2,997 383 6,804 4,994 2,251 730 279 246	1 4 1 5 373 2,101 295 329 20 20	11 204 693 149 108	1 7 2 16 3 20 17 8 20 170 385 124 88 10 15	1 33 33 33 1 6 3 3 2 2 16 16 17 77 77 16 89 3111 16 462 2124 18 19 19	3,641 820 639 51 71	27 5 35 19 33 69 106 26 25 456 250 60 15	7 1 53 53 53 53 53 54 54 54 54 55 56 56 56 56 56 56 56 56 56 56 56 56	25 28 38 31 31 11 44 42 43 43 44 42 42 43 44 42 42 43 44 43 42 43 44 43 43 43 44 43 44 44 45 47 47 47 47 47 47 47 47 47 47	1 38 38 38 38 38 38 38 38 38 38 38 38 38	75 75 122 20 133 144 145 144 145 149 149 149 149 149 149 149 149	2 1 1 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 148 168 168 168 168 168 168 168 168 168 16	1 183 243 243 243 243 243 243 243 243 243 24	3 187 46 598 14 3 2 25 14 3 3 47 15 4 41 37 9 86 14 330 640 640 640 1,057 24 6 7 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5

nt.		<u> </u>	[			<del></del>			CATHS A	r age of	<del></del>	<del></del>		•		
Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1. month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
		<u> </u>	, •	REGI	STRA'	TION	STAT	ES—Co	ntinued.		u .	<u>.                                    </u>	1	<u>'</u>	I	
	RHODE ISLAND.															
	All causes	1,947	234	99	65	95	493	80	72	. 70	715	152	163	342	317	258
5 6 7	Measles Scarlet fever Whooping cough	39 2 79	1	2			3	1	1	2	7	1 3	8	2 23	15 1 24	22 14
8 9	Diphtheria and croup Influenza. Dysentery.	139 13		1	2	1 4	1 7	$\frac{1}{2}$	1	3	3 12	6 1	8 2	$\begin{smallmatrix}1\\26\\3\end{smallmatrix}$	$\begin{array}{c} 2 \\ 41 \\ 2 \end{array}$	. 2 46 5
(12) (12) (37) 13	Erysipelas Tetanus	13 2		•••••				$\begin{smallmatrix}2\\1\end{smallmatrix}$	2 1	2	6 2	5		1	1	
14	Tuberculosis of the lungs Tuberculous meningitis Other forms of tuberculosis	12 15 9	1				1	•••••	ii	1	1 2			, 2 3 3	3 6 2	6 6 2
15 (37) 17 (37) 19	Syphilis Meningitis Convulsions	30 20 19	5		3 4	2 2	10	1 4	i	1	11 1 11	6	3	6 5 3	2 6 2	. 5 1
20	Organic diseases of the heart Acute bronchitis Pneumonia	59			1 3	3	4	2 1 4	4 3	1 3	10 14	9	10	1 14 37	8 43	1 8
22 (23) 24	Bronchopneumonia	145 139 24			2	<u>1</u>	2 1	2 1 7	7 2	4 2 13	15	16 2 37	. 10 . 11 . 4 52	31 6	34 1	6 2 1 5 1 8 33 32 5 51 2
25 (33) (33) (33,37)	Diarrhea and enteritis	373 99 276	24 113	1 9 55	11 19	1 15 24	2 59 211	12 22 14	12 2 13	11	6 34 81 257 123	37 4 10	52 4 4 37	115 6 3	8 <u>4</u> 2 2	
(3/)	Congenital debility	244	24 62	17 13	10 7 1	27 8 2	78 90 3	14 1	18 1	13	92	31 1	37 1 1	27 5	19 i	7
35 38	External causes. Unknown or ill-defined diseases. All other causes.	20 58	3 1	1	<u>2</u>	. 2	7 4	2	3	1 2 3	4 9 12	3 7	1 3	3 16	3 13	1 7
	SOUTH CAROLINA (TOTAL).		-													20.5
. 5	All causes	6,031	779	294 1	202	452	1,727	422 5	237	207	2,593	556 7	416 8	1,016	825 26	625
. 7	Scarlet fever. Whooping cough Diphtheria and croup	368 31		i		4 4	5 5	3 5	11 1	12 1	31 12	54	35	104	86 11	1 58
8 9 (12)	Influenza Dysentery Erysipelas	572 210		3 1	1 3	22 1	28 2	22 4	16 3	· 10	76 10	3 55 20	53 22	161 47	130 56	58 2 97 55 2
(12) (12) (37) 13	Tuberculosis of the lungs	6 29 30				6	6	$\overset{21}{\overset{2}{2}}$	2		29 2	1 1	2 1	1 11	7	
13 14 15 (37) 17	Tuberculous meningitis Other forms of tuberculosis Syphilis	29 30 3 3 67	9	1		2	13	8	5	1	27	6	9	1 1 12	2 8	2 5
(37)	Meningitis	25 93		<u>4</u>	1 1 7	17	1 29	17	2	5	53	5 10	1 4	9 12	10 10	5 4
19 20 22	Organic diseases of the heart Acute bronchitis Pneumonia.	35 406	1	·····i	1	3	4 11	2 1 18	17	1 1 11	3 6 57 20	3 7 41	5 38	1 8 114	6 106	3 50
(23) 24 25.	Bronchopneumonia Diseases of the stomach Diarrhea and enteritis	133 137 716	1	1 4	1 1	5 13 16	5 15	4 1 24	5 3 10	6 5	20 24 79	19 15 62 12	16 21 61	33 32 179	· 28 · 22. 185	3 50 17 23 150
(33) (33)	Malformations	117 1,544	19 636 69	10 208 40	13 121 35	13 212	22 55 1,177	24 10 154	5 91	23 7 52	77 1,474	12 53 90	7 5 48	9 7 100	7 3 29	5 2 24
(33,`37) (37) 35	Congenital debility Injuries at birth External causes	651 51 63	59 24 5	40 9	35 5	81 7 2	225 45 7	68 5 2	31 1 1	36	360 51 12	8	6	100 10 47	14	13
38	Unknown or ill-defined diseases. All other causes	270 376	13	· 8	8 4	21 21 14	~ 50 21	$\frac{17}{29}$	19 11	9 22	95 83	35 49	30 43	47 98	26 59	37 44
	SOUTH CAROLINA (WHITE). All causes	1,959	341	93	73	131	638	126	81	76	921	181	131	279	241	206
5	Measles	23	9#1	90		101		3			3	2	3	3	6	6 1
6 7 8	Scarlet fever	1 107 13				2 3	2	2 1	7 1	4	13 5 12	23 1	15 1	21	21 5	14
(12) (12)	Influenza. Dysentery. Erysipelas.	143 56 5		1	1 	3 1	2	1 1	5	2 1	12 4	14 7 1	5 4 1	38 13	41 11	1 33 17 2
(12) (37) 13 14 15	Tetanus Tuberculosis of the lungs Tuberculous meningitis	. 7				. 1	1	6 1			7	·····i		2 1	2	2
15 (37)	Other forms of tuberculosis Syphilis	1 6	2				2	1	2		5					·····i
(37) 17 (37) 19	Meningitis	17 21 6	i	2	$\frac{1}{2}$	5	1 10	3 2	, 1	1 1	1 15 3	5 2 2	1	5 1	3 2	2 1
· 20 22 (23)	Acute bronchitis Pneumonia Bronchopneumonia	16		1	1	3 4 5	4 5 5	5 2	6 4	1 4 5	5 20 16	3 11 11	2 10 9	2 30	4 21 9	15 11
24	Diseases of the stomach	70 33 255 72		1 7		4 5 3 4 9	.3 5	5	1 1 5	1 8	5 19	1 18	7 21	14 17, 62	6 74	15 11 7 61 1
(33) (33) (33,37) (37) 35	Malformations. Premature birth. Congenital debility. Injuries at birth.	573	9 284 27	65 10	11 42 9	9 55 19	36 446 65 19	55 20	5 30 10	5 21 12	51 552 107	9 16 28	6 1 22	5 3 24	7	1 6
(37) 35 38	Injuries at birth External causes. Unknown or ill-defined diseases.	29	9 2 6	3	1	55 19 6 1	19 3 19	2 5	4	1 2	21 4 30	2 13	4 5	5 13	6 3	8 1 15
90	All other causes	110	i i	l	. 4	4	6	6	4	. 6		11	13	29	20	15

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

Int.		Total						DI	EATHS A	r age of						<del></del>
Abridged Int. List No.	AREA AND CAUSE OF DEATH.	deaths under 1 year of age.	Less than 1 day.	1 day.	days.	3 to 6 days.	Less than 1 week.	1 week.	weeks.	3 weeks but less than 1 month.	than 1	month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
			F	EGIS	TRAT	ion s	TATE	S—Cont	inued.							
	SOUTH CAROLINA (COLORED).															
5	All causes	4,072	438	201	129	321	1,089	296	156 3	131	1,672	375	285	737	584 20	419 12
6 7	Scarlet fever	261		i		4	5	1	4	8	18	31	20	83	65	44
$\begin{pmatrix} 8 \\ 9 \\ (12) \end{pmatrix}$	Diphtheria and croup Influenza Dysentery	18 429 154		3	1 2	19	3 24	21 3	11 3	, 8	64 64	2 41 13	48 18	123 34	6 89 45	1 64 38
(12) (37)	Erysipelas Tetanus	1 22 22				5	5	15	2		22		1			
13 14 15	Tuberculosis of the lungs Tuberculous meningitis Other forms of tuberculosis	22 2 3						1		. ,	1		1	9	2	6 2
(37) 17	Syphilis Meningitis Convulsions	61 8	7	1	1	2	11	7.	3	1	22	6	9	12 4	8 1	4 3
(37) 19 20	Organic diseases of the heart Acute bronchitis	72 1 19		2	5	12	19	14 1	1	4	38	8 1 4	3	6	8 2	3
22 (23)	Pneumonia	299 63	1			5	6	13 2	11	7	37 4	30 8	28 7	84 19	85 19	3 35 6 16 89
24 25 (33)	Diseases of the stomach Diarrhea and enteritis Malformations	104 461 45	1 10	1 3 3	$\frac{1}{1}$	10 12 4	12 17 19	1 19 5	9	15 2	19 60 26	14 44 3	14 40 1	25 117 4	16 <sup>1</sup> 111 7	16 89 4
(33) (33) (33,37)	Premature birth	971 457	352 42	143 30	79 26	157 62	731 160	99	61 21	31 24	922 253	37 62	4 26	4 76	3 22	1 18
(37) 35 38	Injuries at birth External causes Unknown or ill-defined diseases	30 34 205	15 3 7	6 5	4	1 1 15	26 4 31	48 3 2 12	1 1 15	1 7	30 8 65	6 22	25	5 34	8 23 39	5 36
	All other causes	266		2	3	10	15	23	7	16	61	38	25 30	69	39	36 29
	All causes	4,761	599	250	147	303	1,299	328	213	198	2,038	427	325	765	659	547
5	Measles Scarlet fever	72	1			1	2	7 1	3	2	14	4	7	12	16	19
6 7 8	Scarlet fever Whooping cough Diphtheria and croup Influenza	46	1			2	3	5 3	6 2	11 1	22	29 8	18. 6 32	58 5	56 12	44 6
9 (12)	Dysentery	455 40 16	3	4	3	7	17 1	13 i	17 2 1	12	59 3 3	33 1 6	3	112 12 1	125 4 3	94 17 1
(12) (37) 13	Tuberculosis of the lungs	12 39	i		1	3	4 1	4 1	3		1 <u>1</u>		1 3		is	4
14 15 (37)	Tuberculous meningitis Other forms of tuberculosis Syphilis	14	1		2	3	1 7	<u>i</u>	ii	3	2 12	1 3 6	3 2 7	8 4 7	7 3 5	$\frac{7}{2}$
(37)	Meningitis   Convulsions	70 51	·····i	2	2	9	4 14	3 11	3	1 1	10 29	7	6 3	16 9	14 4	17 2
`19´ 20 22	Organic diseases of the heart Acute bronchitis. Pneumonia	. 46	1	2	2	3 8	1 3 13	3 1 14	1 3 17	6 7	5 13 51	6	3	1 14 60	6 74	4 51
(23) 24	Bronchopneumonia Diseases of the stomach	265 97		1 2	3	3	8	9 3	18 6	14 9	48 26	23 29 14	22 12	60 57 27	56 10	51 53 8
25 (33) (33)	Malformations	. 153	1 40 361	3 20 104	10	24	13 94 585	23 8 74	11 7 26	16 9 20	63 118 705	10	8	145 6	116 6 1	117 5 2
(33, 37) (37)	Congenital debility	358	69 29	28 16	23	42 9	162 61	40	26 23 3 1	22	247 73	36	14	33	17	11
35 38	External causes Unknown or ill-defined diseases All other causes	. 765	5 77 7	60 3	39	83	14 259 25	72 22	50	4 44 13	20 425 67	96 30	68	96 62	14 45 46	3 35 41
	TENNESSEE (WHITE).										1					
	All causes	<u> </u>	521	190	115	222	1,048	265	165	-	1,637	=		532	472	413
5 6 7	Scarlet fever	.) 6	1		-		1	7 1 3		.]	13 1 17		.]	11 1 43	16 1 39	17 3 37
8 9	Diphtheria and croup Influenza	. 34 . 341	1	4	3	6	3 14	13	14	]	51	7	3 26	3 77	94	69
(12 (12 (37	) Erysipelas	. 15			i	3	1	1 3	$\begin{bmatrix} 1\\1\\3 \end{bmatrix}$	1	3	5		7		17
13 14	Tuberculosis of the lungs Tuberculous meningitis	22 21	1				i				ì	4	. [ 3	4 7	5	5
15 (37 17	) Syphilis	. 17			i	1 4	2	$\frac{1}{2}$		2	5	i 3	4	. 2 1 15	4	
(37 19	) Convulsions	. 21	i	2	i	. 2	6	6 2	1	1	14   4		1	. 3	3	
20 22 (23	Pneumonia	. 203	i		2		8 3	1 11 9	10	1 7	11 36 40	17	, 14	41	60	
(23 24 25	Diarrhea and enteritis	. 77 . 411	ii	1 2	2	2	5 7	17	3	10	17	13	10	20 108	9 84	8 94
(33 (33 (33,37	) Premature birth	. 617	38 323 57	80	42	57	86 502 125	8 62 37	19	15	598 199	9 14	$\begin{bmatrix} 1 & 4 \\ 1 & 2 \end{bmatrix}$	1	1	. 3 2 6
(37	) Injuries at birth External causes	. 62	26 4	13	7	6	52 9	7	2	1 4	62	?   t	i i	5	······8	2
38	Unknown or ill-defined diseases All other causes		63 3		25	59 11	194 18		39		320		16 3   16			

nt.									EATHS .	AT AGE C						=
Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
		,		REGI	STRA!	LION	STAT	ES-Co	ntinued.		<u>u_,</u>		,	<u> </u>	-	
	TENNESSEE (COLORED).							1		1						
	All causes	1,143	78	60	32	81	251	63	48	39	401	96	92	233	`187	134
5 6	Measles Scarlet fever	49				1	1	<u>2</u>	 1	2	, 1 5	•••••		1 15	17	2
8	Whooping cough Diphtheria and croup Influenza	12 114	2			1	3	î	3	1 2	8	3 1 9	2 3 6	2 35	3 31	7 1 25
(12) (12) (37) 13	Dysentery Erysipelas Tetanus	7 1 2							1		<u>1</u>	····i	1	5		
14	Tuberculosis of the lungs Tuberculous meningitis	17 5						î			1	1	2	3 1	9 2	1 2
(37) 17	Other forms of tuberculosis Syphilis Meningitis	6 22 8	1	.1	i	2	1 5	1	1	1	1 7 1	1. 3	2 3	2 6 1	1 2	2 1
(37) 19	Convulsions. Organic diseases of the heart Acute bronchitis	30 1 10		••••••	1,	o 7	8 1	1 5 1	2 1		15 1 2 15	4	2	6	1	2
20 22 (23)	Pneumonia	83 74 20 131		2 1	.1 1	3 2	5 4	3	7	1	15 8 9	2 6 10	1 13 3 2	19 16 7	14 21	16 16
(23) 24 25 (33)	Diseases of the stomach Diarrhea and enteritis Malformations		2	1 1 3	1	1 4 2	. 6 8	1 6	3 3 2	2 6	20	1 8 1	, 11 4	37 3	$\begin{bmatrix} 1 \\ 32 \\ 1 \end{bmatrix}$	23
(33) (33,37)	Premature birth	111 79 12	· 38 12 3	24 9 3	1 7 5	14 11 3 3	83 37 9	12 3	7 4 1	5 4 1	107 48 11	3 9	3	- 9	1 5	·····5
(37) 35 38	External causes	23 232	1 14	1 13	14	24	5 65	19	11	10	105 18	26 26 2	2 2 <u>4</u>	6 39	6 23 15	1 1 15 11
-	All other causes	71	4	1	,	2	Y	7		4	18	. 2	7	. 18	15	; 11
	All causes	926	251	48	36	71	406	66	49	47	568	76	49	91	85	57
5 6	Measles Scarlet fever	5 2							1						. 2	3
6 7 8 9	Whooping cough Diphtheria and croup Influenza	38 3 48	2			ī	3	<u>1</u>	·····i	3	9	7 2 5	5	10	10 1 11	2
(12) (12)	Dysentery Erysipelas Tetanus	· 12							2	1	3	5	2	1	1	••••••
(12) (12) (37) 13 14 15	Tuberculosis of the lungs	2													2	
$-^{(37)}_{17}$	Other forms of tuberculosis Syphilis Meningitis	1 3 5	1				i		• • • • • • • • • • • • • • • • • • • •		i			1 1	1	<u>1</u>
(37) 7 19 20 22	Convulsions Organic diseases of the heart Acute bronchitis	5 4 14		1		2 1	3	i	1	4	3 1 8	1	1	3	<u>i</u>	1
22 (23)	Pneumonia Bronchopneumonia	35 100	1		1	1 4	3 4	1 6	14	13	37	3 13	8	7 16	6 16	11 10
(23) 24 25 (33) (33)	Diseases of the stomach Diarrhea and enteritis Malformations	6 73 79	22	10	1 8	9	1 1 49	2 4 9	5 3	1 4 2 6	14 63 268 64	1 8 8 7	8 3	18 5	17	8
(33, 37)	Premature birth	278 76 31	179 23 14	10 20 7 6	16 4 4	26 14 3	241 48 27	13 9 3	3 8 3 1	6 4	268 64 31	7 2	5	5	1	•••••
(37) 35 38	External causes	9 44	1 7	3	<u>1</u>	2 3	3 14	_ 1	1 4 5	1 3 3	6 26 22	1 5 7	1 5	1 3 9	1 6 5	3 4
	All other causesvermont.	52	1		1	5	7	7	3	٥	22	'		9	٥	4
	All causes	698	126	42	24	43	235	39	30	32	336	67	52	97	78	68
5 6 7	Measles Scarlet fever Whooping cough	5 1 22			•••••					····i	····i	5	4	2	5	3 1 5
8	Diphtheria and croup Influenza	66 66				1	1	3	3	·····i	8	4	2	15	18	19
(12) (12) (37) 13	Dysentery Erysipelas Tetanus	3								••••••		i	ī	1		······
13 14 15	Tetanus Tuberculosis of the lungs Tuberculous meningitis Other forms of tuberculosis	4 5 1							1	1	2		····[	1	e 1/2	2
(37)	Syphilis	3 9		i		1	1 1			1	1 2	2	1	2	3	1
- (37) - 19 20	Convulsions Organic diseases of the heart Acute bronchitis	, 3 4 19							i	1	1 2	5	1· 3	1 1	2 2	3
20 22 (23) 24	Pneumonia Bronchopneumonia	23 29 16		i		1	2	1	, 1	····i	3 1 3	3 6	5 2	9	7 5 3	10 · 3
25	Diseases of the stomach Diarrhea and enteritis Malformations	16 120 49 177	15	6	5	1 2 6	1 2 32	1 2 6	3	5 1	13 42	19 1 8	16 2	32	24 1	16 1
(33) (33) (33,37)	Premature birth	177 83 17	91 11 7	27 5 2	5 2	14 10 3 2	141 31 14	16 6 1	3 7 1	5 11 1	165 55 17	8 7	11	2 9	1	
(37) 35 38	External causes	6 4 27	i		2 1 1 1	2 2	4 2 3	3	î 5	2	5 2 13	4	1	1 2 3	2	
	All other causes	4( )	********			ا ط.	اد	9 )	0 1	, L	· ·	¥ )	. +1	• 1	٠ (	4

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

o.		Total						r	EATHS /	AT AGE O	F					
Abridged List No	AREA AND CAUSE OF DEATH.	deaths under 1 year of age.	Less than 1 day.	day.	2 days.	8 to 6 days.	Less than 1 week.	1 week.	weeks.	3 weeks but less than 1 month	Less than 1 month.	month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
			-	REGIS	STRAT	CION	STAT	ES—Co	ntinued.							
	VIRGINIA (TOTAL).															
5	All causes	6, 491	1,014	288	245	432	1,979	382	253	204	2,818	510 4	442	1,070	891	760
5 6 7 8	Scarlet fever Whooping cough Diphtheria and croup.	328 46			1	1 3	2	1 6	3	15	21	39 7	36 7	82	67 4	1
9 (12)	Influenza Dysentery Erysipelas	571 91	3	1 1	4	14     1	22	17 2	19	12	13 70 4	43	33 7	137 26 2	156 23	83 8 132 22 1
(12) (37) 13	Tuberculosis of the lungs	16 11 51	1		1	3	1 3 2	7	2		3 10 3	5	22	, 6	3 20	l .
14 15 (37)	Tuberculous meningitis Other forms of tuberculosis Syphilis	30 9 68	2	i	1	1 4	1 8	6	. ,5	3	1 22	1 5	3 16	9 2 14	11 3 7	18 7 2 4
7 17 (37)	Meningitis Convulsions Organic diseases of the heart	61 105 16	1 1	3	8	1 16	1 28 1	2 14	1 4	2 3	48 5	3	7	17 17 4	23 15	10 7 4
20 22	Acute bronchitis Pneumonia	74 · 276	1	1 3		10	3 14	1 4 14	3 7	5 9	15 44	1 9 29 29	10	11	1 18 66	11 50 61
(23) 24 25	Bronchopneumonia Diseases of the stomach Diarrhea and enteritis	329 87 954	1	1	2	3 5 6	6 5 7	- 10 6 17	10 2 22	11 8 29	37 21 75	80	30 25 12 85 12	57 88 22 286	89 12 225	11 203
(33) (33) (33,37)	Malformations Premature birth Congenital debility	256 1,182 679	58 618 118	139 46	17 99 45	54 117 73	151 973 282	27 81 51	13 56 41	30 38	196 1,140 412	19 27 64	12 5 64	15 10 83	39	7
(37) 35 38	Injuries at birth. External causes. Unknown or ill-defined diseases.	157 85	79 11 114	16 1 46	28 1 32	21 8 79	144 21 271	9 5 83	3 6 38	2 21	156 34 413	1 8 74	5 50	21 76	8 39	9 28
-	All other causesvirginia (white).	263	6	7	5	ğ	27	16	111	ĩî	65	31	24	61	43	39
	All causes	3,743	709	169	155	247	1,280	215	144	113	1,752	301	242	564	465	419
5 6 7	Measles	46						3	2		5	2	2	6	10	21
7 8 9	Whooping cough Diphtheria and croup Influenza	165 30 332		1 1	3	2 9	1 3 15	1 2 13	1 1 12	9	12 6 45	25 6 17	26 5 19	41 5 79	27 1 91	34
(12)	Dysentery Erysipelas	46 13										6 5	4 2	11 2	10	81 15 1
(37) 13 14	Tetanus. Tuberculosis of the lungs. Tuberculous meningitis	5 17 22				1	1	4			5	2	3	2 6	8 10	5 3
15 (37) 17	Other forms of tuberculosis Syphilis Meningitis	6 35 51	1		i	1 2	1 4	1 2	3	3	1 11 3	1 3 3	11 4	2 5 10	1 4 22	1 1 9
(37) 19 20	Convulsions Organic diseases of the heart Acute bronchitis	37 11 27		1	7	4	12	3 1	4	2 3	19 3 8	5 1 5	12	8 3 5	3 1 6	1 3 1
22 (23) 24	Pneumonia Bronchopneumonia	127 171	1	2	1	2	5 2	8 6	6 8	6	23 22	15 20	14 12	22 48	31 42	22 27
25 (33)	Diseases of the stomach Diarrhea and enteritis Malformations	49 525 212	47	18	14	45	124	4 4 23	8 12	12 4	9 24 163	7 43 14	5 48 10	16 159 13	125 5	5 126 7
(33) (33, 37) (37)	Premature birth	843 344 124	465 59 62	87 20 11	66 24 23	84 33 17	702 136 113	54 25 8	40 18 3	19 22	815 201 124	18 42	3 <sup>1</sup>	9 40	14	10
`35´ 38	External causes	43 336 126	6 65 1	1 24 3	13 2	5 35 5	12 137	4 40 6	1 16 6	1 11 8	18 · 204 31	4 43 14	- 4 23 9	8 35 29	5 19 20	12 23
	VIRGINIA (COLORED).	120	1	9		9	11			·	91	14		20	20	20
	All causes	2,748	305	119	90	185	699	167	109	91	1,066	209	200	506	-	341
5 6 7	Measles   Scarlet fever   W hooping cough	20 163			1	1	1		2	6	1 9	14	10	10		5
8 9 (12)	Diphtheria and croup Influenza Dysentery	16 239 45	1		1	1 5 1	1 7	4	7	7	7 25	1 26 3	2	58 15	65 65	51 7
(12) (37)	Erysipelas Tetanus	3 6				1 2	1 1 2	3	. 2		4 3 5			. i		
13 14 15	Tuberculosis of the lungs Tuberculous meningitis Other forms of tuberculosis	8	1		1		2		1		3		2	. 3	$\frac{1}{2}$	4
(37) 17 (37)	Syphilis	10	1	1	1	2 1 12	4 1 16	5 11	2	2	11 1 29	2 6	- 5 6	9 7 9	3 1	3 1
19 20 22	Organic diseases of the heart Acute bronchitis Pneumonia.	5 47	Îî	1		2	1 3	1	·····i	$\frac{1}{2}$	2 7	4	1 8	1 6	12	- 10
(23) 24	Bronchopneumonia	158 38	1	1	1	8 2	9 4 4	6 4 2	2 2	5 4	21 15 12 51	14 9 2 37	1 13	40	47	6
25 (33) (33)	Diarrhea and enteritis  Malformations  Premature birth	44 330	11 153	1 4 52	33	6 9 33	7 27 271	13 4 27	14 1 16		51 33 325 211	37 5 9	2 4	2	2	
(33, 37) (37) 35	Congenital debility	335	153 59 17 5	26 5	33 21 5 1	33 40 4 3	146 31 9	26 1 1	23	16	211 32 16	1	27	43	25	
38	Unknown or ill-defined diseases. All other causes.	344 137	49	22 4	19	44	134	43 10	22	10 3	209	31	27	41	20	16

# DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

Int.		Total						D	EATHS A	T AGE O	F— .					,
Abridged Int. List No.	AREA AND CAUSE OF DEATH.	deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	month.	months,	3 to 5 months.	6 to 8 months.	9 to 11 month,
		l I	ır.	EGIST	TRATI	on s	rates	—Conti	nued.	1			<u> </u>			<u>.                                    </u>
	Washington.															Ī ,
5	All causes	1,769	396	99	86	167	748	135	88	63	1,034	131	103	208	156	137
6 7	Scarlet fever	34 2		••••••				1 1	i	i	3 2	5	6	4	8	8
.9 (12)	Dysentery	1 3	i	1		4	6	4	4	2	16	7	7	29	32 2	32 1
(12) (37) 13	Erysipelas Tetanus Tuberculosis of the lungs	9						1	2	1	4		2	<u>1</u>	1	1
14 15	Tuberculous meningitis Other forms of tuberculosis	16 4										2 2	2 1	4	4	6 1
ー <sup>(37)</sup> 17 (37)	Syphilis Meningitis Convulsions	10 19 21		1	1 4	1 3 5	2 4 9	2 2	2	1	4 5 14	3	· 1 2 2	1 5 1	1 3 2	1 1 2
~ 19 20	Organic diseases of the heart Acute bronchitis Pneumonia	6		::		i	i	2 4	4 3	5	2 5 13	17	3 12	3 2 19	4 7	1 2
22 (23) 24	Diseases of the stomach	130	1		2	1 7 1	10	4· 1	10 ,5 9	6	30 8	18	16 4	23	28 4	12 15 1
25 (33) (33)	Diarrhea and enteritis.  Malformations.  Premature birth.	188	43 276	1 22 43	17 34	5 37 45	6 119 398	4 17 52		10 5 · 14	29 149 476	22 6 9	18 10 2	55 16 2	29 6	24 1
(33,37) (37) 35	Congenital debility Injuries at birth	171 84	33 31	16 14	12	45 25 21 2 5	398 86 75	52 28 5	12 16 3	8	138 84	13	6	9	$\frac{\overline{2}}{2}$	3
35 38	External causes	22 40 82	3 7 1	·····i	9 2 2 3	2 5 4	7 14 9	1 2 4	3 5	1 6	· 8 · 20 24	3 6 14	2 7	· · · · · · · · · · · · · · · · · · ·	1 16	4 9
•	wisconsin.													25.	40-	
5	All causes	46	1,008	258	207	373	1.846	328	196	176	2,546	396	298	674	10	15
6 7 8	Scarlet fever	113 10						1	1 1	4	1 6 1	1 2	13	1 40	15 15	15 2 18 3 84 2
9 (12)	Influenza	. 303	5	1	2	4	12	10	11 2	. 8 1 3	41 1 6	16	16 1	72 4 4	74	84 2 1
(12) (37) 13	Tuberculosis of the lungs	3 15				1	·····i	1 2	2	i	2 2	2	1	1	5	4
14 15 (37)	Tuberculous meningitis. Other forms of tuberculosis. Syphilis.	20	<sub>2</sub>		·····i	1	4	2	3	2	2 10	2 2 10	3	3 1 4	8	6 3 2
—`17 <sup>°</sup> (37)	Meningitis	45 161	3	8	17	31	59	18	10	8	95 2	1 4	9 12	11	7 17	3 2 13 5
19 20 22	Organic diseases of the heart Acute bronchitis	. 101	i	1	4	2 8	2 14	1 8 13	5 7	7 13	22 47 64 30	12 18	3 11 26	19 3 25 39 95 29 195	6 16 54	45
(23) 24	Bronchopneumonia Diseases of the stomach	- 357 - 112		1	5	12	18 11 25	15	17 6 26	14 7	64 30 104	12 18 33 16 70 25 23 67	22 15 75	95 29	79 • 14 105	8
25 (33) (33)	M Premature birth	1,266	2 87 705	3 23 155	35 73	17 38 114	183 1,047	29 36 97	18 41	11	248 1,217	25 23	9	16 10	10 5	9
(33,37)	Congenital debility	511 149	101 76 3	36 19	44 14 3	85 23 2 8	266 132 9	47 10 1	1	24 4	147	1	29 1 7	35		8
. 35 . 38	External causes Unknown or ill-defined diseases All other causes	68 251	19 4	6 3	2 4	17 17	35 28	5 24	5 15	3 9	12 48 76	7 33	5 19	2 49	3	-3
	)	REGIST	RATIO	N CITI	ES OF	100,00	o POP	ULATIO	ON OR	MORE	IN 19	10.		•		
	BIRMINGHAM, ALA. (TOTAL).					000	700			100	237	40	31	70	54	48
5		. 1	94	33	- 11	28	166	31	24	16	237	40		1		48
6 7 8	Whooping cough	- 17						i	-		ii			5		
(12) (12)	Influenza Dysentery	. 48						1	i		3		1 . 1	18		- 11
(37) 13 14	Tetanus	1						i			i					
15	Other forms of tuberculosis		4			1	6	· · · · i	ļ <sub>i</sub>	i	9	2	3	6		
(37 17 (37		1 5	ļ	2		i	3				4	-		. 1	. i	
(37 19 20 22 (23 24 25 (33 (33,37 (37,37	Organic diseases of the heart Acute bronchitis	. 5						2		· i	3	2	. 2	1 6	: 1	1 4
(23 24	) Bronchopneumonia	30			1	1	2				- 6			_  1	. 2	. 1
25 (33 (33	Diarrhea and enteritis) Malformations Premature birth	20 128	70	19	8	9	12 106	7	<del>6</del>	5	. 15 124	1 4	1	1		2
(01	) III (III ) III (III	. 58 13	8			8	. 22 10	. 2		1	- 12	1 2		.		
35 38		3.	.   1		1	1 2	2 2			i	.   3	4				2

Table 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

Int.		Total		<del></del>				1	DEATHS .	AT AGE (	)F					
Abridged Int. List No.	AREA AND CAUSE OF DEATH.	deaths under 1 year of age.	Less than 1 day.	day.	2 days.	3 to 6 days.	Less than 1 week.	week.	weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGIS	STRATI	ON CIT	TES O	F 100,0	000 PO	PULAT	ON OF	R MOR	E IN 1	<b>910</b> —Co	ntinued.		<u> </u>	<u> </u>	1
	BIRMINGHAM, ALA. (WHITE).			1				,		<u> </u>	1					
	All causes	247	63	16	7	11	97	15	16	9	137	21	19	23	21	26
5							<b></b>									====
6 7	Whooping cough	12										2		2	i	<sub>7</sub>
8 9 (12)	Diphtheria and eroup	17						<u>-</u>	2			<u>i</u>		4	5	5
(12) $(37)$	Erysipelas	2							i				i			
13 14	Tuberculosis of the lungs Tuberculous meningitis.															
15 (37)	Other forms of tuberculous													1		
(37)	Meningitis	1 3											1	1		
19 20	Organic diseases of the heart Acute bronchitis	. 3,					2		1 1		1				i	i
22 (23)	Pneumonia	6 13						i	1	2	1 4	1	;-	2 2	1	i
24 25	Diseases of the stomach Diarrhea and enteritis	35								<u>î</u> .	4		4	8	9	<u>;</u>
(33) (33)	Malformations	18 86	4 53	3 10	4	4 3	11 70	2 6	4	3	13 83	$\frac{4}{1}$	5 1	î .	9	2
(33,37) (37) 35	Injuries at birth	21 7	1 5	1 1	4 2	ĭ	5 6	3	5	2	15	i	4	i		· · · · · · · · ·
35 38	External causes. Unknown or ill-defined diseases.	4 I						1			ĭ	2	i		,	
	All other causes	. 12				2	2	1		1	4	2	2		. 2	2
	BIRMINGHAM, ALA. (COLORED).															
5	All causes	233	31	17	4	17	69	16	8	7	100	19	12	47	33	22 
6 7	Scarlet fever	1 <u>-</u> -												1		
8	Whooping cough. Diphtheria and croupInfluenza.	5 1 31						1			····i			3	2	
(12) $(12)$	Dysentery Erysipelas	1										4	1	14	5	6 1
(37) 13	Tetanus Tuberculosis of the lungs	1						1 .			····i	· · · · · · · · · · · · · · · · · · ·		1		
14 15	Tuberculous meningitis															
(37) 17	Syphilis	17	4	i		i	6	i	····i	····i		1	2	5 .		
(37) 19	Organic diseases of the heart	$\frac{2}{1}$		i			1				···i				i	
20 22	Acute bronchitis Pneumonia.	3 17										1	$\frac{1}{2}$ .	4		į
(23) 24	Diseases of the stomach	17 4				1	1	ī .			$\tilde{2}$	2	ĩ	3	7 2	2 1
25 (33)	Diarrhea and enteritis  Malformations	30		····i	· · · · · · · · · · · · · · · · · · ·	1	1	····i	1 .		$\begin{bmatrix} 2\\2 \end{bmatrix}$	4	3	7	6	8
(33)	Premature birth. Congenital debility	42 37	17 6	9 4	4	7	36 17	1 4	2 3	2 2	41 26	1 3	····i	3	4	
(37) 35	Injuries at birth  External causes.	6 4	3	1  .			4	2 .		····i	6		····i	2		
38	All other causes.	8	1			1	2	2	····i		$\begin{bmatrix} 2\\3 \end{bmatrix}$ .	2		2	i	
	LOS ANGELES, CALIF. (TOTAL).															
	All causes	683	109	36	· 23	49	217	38	25	16	296	49	48	113	95	82
5 6	Measles. Scarlet fever.	3													2	1
7 8	Whooping cough. Diphtheria and croup.	12								i	i	i	i	4	2	3 1
9 (12)	Influenza. Dysentery.	38		1 .			i .		1	i	3	2	4	9	10	$10 \\ 2$
(12)	Erysipelas. Tetanus.	1 2						1							1.	
13 14	Tuberculous of the lungs. Tuberculous meningitis	5 11						i	i  .		î  .		i	1 .		2 , 4
(37)	Other forms of tuberculosis Syphilis	20	4		i	i	6	i			7		· · · · · i	1 8	1 -	2
(37) 19	Convulsions	9	····i		:		·····i	î			i   .		2	ă	$\begin{bmatrix} \tilde{2} \\ 1 \end{bmatrix}$ .	ž
20 22	Organic diseases of the heart	6	:::	::								1 .	i	1	3.	i
(23)	Pneumonia. Bronchopneumonia. Diseases of the stomach.	26 77		:::::::		2 4	2 -	3		3	17	9	2 6	9 22 3	$\frac{7}{12}$	4 11
25	Diarrhea and enteritis  Malformations.	6 147		: :		3	3	1 2	2	4	11	20	18	39	1 34	25
(33)	Premature birth. Congenital debility	37 135 58	5 69 17	19	10	7 9	107 107	6 14	2 6	4	30 131	3	2		1	$\frac{2}{1}$
35	External causes.	28 6	12	8	1	12 7	$\begin{bmatrix} 37 \\ 28 \end{bmatrix}$ .	2	4	1	28	3	4	4	1	;
38	Unknown or ill-defined diseases.  All other causes.	43			····i	4	6	6	2	i	15	2	1	5	$\begin{bmatrix} 2 \\ 7 \end{bmatrix}$	8
,	***************************************	11	- 1		+ (	#	0 1	υj	2	¥  [	15	4	4	9	( )	ð

÷;			1	<u> </u>				т	EATHS A	AT AGE O	)F					
H .		Total deaths			1		11	1	i .	3 weeks	1	· .	1	1	1	<del>                                     </del>
Abridged Int. List No.	AREA AND CAUSE OF DEATH.	under 1 year of age.	Less than 1 day.	1 day.	days.	3 to 6 days.	Less than 1 week.	1 week.	weeks.	but less than 1 month.		month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRA	TION	CITIE	s of	100,00	00 PO	PULAT	NOI	or M	ORE	IN 191	0—Cont	inued.			
	LOS ANGELES, CALIF. (WHITE).															
-	All causes	597	100	31	21	45	197	34	22	13	266	36	45	95	84	71
5 6	MeaslesScarlet fever	3													2	1
7 8	Whooping cough Diphtheria and croup	11 2								1	1	1	1	4	1 1	3 1
(12)	Intilenza	1 30 1		1			1		1	1	, 3	2	. 4	8	9	10
(12) (37)	Dysentery. Erysipelas. Tetanus. Tuberculosis of the lungs.	1 21						i			i			<u>i</u>	1	
13 14	Tuberculosis of the lungs Tuberculous meningitis Other forms of tuberculosis	5 7 2						i	1		1		1	$\begin{smallmatrix} & 1\\ & 2\\ & 1\end{smallmatrix}$	2	2-
15 (37)	Other forms of tuberculosis Syphilis	16 8	. 3	-,	· 1	1	5	·····i			5		1	7 3	1 1 2	. 2
(37) 19	Syphilis Meningitis Convulsions Organia diseases of the heart	4 2	1				1				ī		2		í	<u>.</u>
20 22	Organic diseases of the heart Acute bronchitis Pneumonia.	5 22				2	····· <u>2</u>			1	3		$\frac{1}{2}$	1 8	3 6	3
(23)	Bronchopneumonia Diseases of the stomach	64 5				4	4	. 2	6	Ī	13 1	8	6	18 3	11	8
25 (33)	Malformations	37	5	4	6	3 7	3 22	,6	2 2	4	10 30	13 2	17	29	32	23 2
(33) (33,37)	Premature birth	118 51 27	62 16 12	15	9 3 1	7 10	93 33 27	14	6 3	3	116 38 27	2 2	4	4	1	2
(37) 35 38	Injuries at birth External causes Unknown or ill-defined diseases.			:		7						2	1		2	i
38	All other causes	37	1		1	4	6	6	1	1	14	3	2	5	6	7
	LOS ANGELES, CALIF. (COLORED).			_				١,								
5	All causes		- 9	5	2	4	20	4	3	3	30	13	3	18	11	11
6 7	Scarlet fever				i .						11					
8 9	Whooping cough Diphtheria and croup Influenza	2												i	<u>i</u>	
(12) (12)	Dysentery Erysipelas Tetanus	1														1
(37) 13	Tuberculosis of the lungs															
14 15	Tuberculous meningitis Other forms of tuberculosis		i				i							·····i		2
(37) 17 (27)	Syphilis Meningitis Convulsions	1												i	1	
(37) 19 20	Organic diseases of the heart	i										i				
22 (23)	Pneumonia Bronchopneumonia	13									4	1		1 4	1	1 3
24 25	Diseases of the stomach	23									1 i	7	·····i	10	1 2	······································
(33) (33) (33,37)	Malformations Premature birth.	1 17	7	4	i 1	2	14	·····i		1	15	1			.	i
(33,37) (37)	Congenital debility Injuries at birth External causes	í	1	1		2	1	ļ <u>.</u>	11		6	1				
38 38	Unknown or ill-defined diseases. All other causes	6							1		1	1	2		i	i
	OAKLAND, CALIF.								-		_	1			*	
	All causes	274	43	. 10	13	21	87	12	13	12	124	13	· 23	60	28	26
5 6	Measles Scarlet fever												1			
7 8	Whooping cough Diphtheria and croup	20									2	1		8	5	4
9 (12)	Influenza. Dysentery.						II						2	3	1	1
(12) (37)	Erysipelas Tetanus Tuberculosis of the lungs	. 1						i			i					
13 14	Tuberculous meningitis	.  3												1	i	į
· 15 (37) 17	Other forms of tuberculosis Syphilis Meningitis	.  6									i	1		4		
(37) 19	Convulsions															
20 22	Pneumonia	5 23	i				i	1 1		i	2 4	i	1 2	1 8	5	1 3
(23) 24	Bronchopneumonia	. 33	1	. i	-		1	1		1	7	4		5	9	. 5
25 (33)	Malformations	. 21	2	·i	1 4	6		3	3 2		18	4	8 1	15 2	4	5
(33) (33,37)	Congenital debility	. 23	34 2 3	2		5	11	3 2	1	. 3	59 16 5	, 2	2	1 4	1	
(37) 35 38	External causes	.  3			. i	i	5 2				2					i
٥٥	All other causes		]	]		.]				2	2		3	4	i	2

TABLE 11.—DÉATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

o. Entr		Total				<u> </u>		I	EATHS A	T AGE C	F					
Abridged List No	AREA AND CAUSE OF DEATH.	deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.		1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRA	TION	CITIE	s of	100,00	0 POP	ULAT	ION (	OR MO	ORE I	N 1910	-Contir	ued.		<u> </u>	<u> </u>
	SAN FRANCISCO, CALIF. (TOTAL).															
	All causes	567	118	29	20	40	207	27	33	20	287	48	47	84	51	50
5 6	Measles. Scarlet fever	3										1			2	
7 8	Whooping cough	15 3								1	1	1	3	5	3 2	2 1
(12) (12)	Influenza Dysentery Trywineles	24 1								1.	2		2	5	7	8
(37) 13	Erysipelas. Tetanus. Tuberculosis of the lungs.	3									1				1	
14 15	Tuberculous meningitis. Other forms of tuberculosis.	5											1	2	1 1 1	2 2
(37) 17	Syphilis Meningitis	16 6	2			3	5		3	1	9	3	2 2	1 2		į
(37) 19	Convulsions. Organic diseases of the heart	8 2			1	1	2	1 1			3 1		ĩ	2		2
20 22	Acute bronchitis. Pneumonia.	7 29			i	i	2	<b></b>	2	2	6	. 3	1 2	1 7	1 5	1 1
(23) 24 25	Bronchopneumonia.  Diseases of the stomach.  Diarrhea and enteritis	61 9		1		1 1	1	1	4	. 3	10 2 7	7 2	7	20 3	11 1	6
(33) (33)	Malformations	120	8 79	2 18	6 4	1 5 12	1 21 113	1 1 9	4 9	5	26	10 4	9	17 7	7 2	7 4
(33,37)	Congenital debility. Injuries at birth.	46 36	11 17	3 5		7	24 31	7 3	5 1	2	133 38 35	4 2	1 4 1	1	I	1
35 38	External causes. Unknown or ill-defined diseases.	4	î				î				1	1		2		
	All other causes	41	···		• • • • • • • • • • • • • • • • • • • •	3	3	3	4	2	12	5	6	8	4	6
	SAN FRANCISCO, CALIF. (WHITE). All causes	516	110	29	16	36	191	25	28	90	064	40	40		,,,	
5	Measles	3					191	20	20	20	264	42	43	75	45 2	47
6 7	Scarlet fever	14								······································	i		3	5		
8	Influenza	23	[			1				1	2		2	5	6	1 8
(12) (12)	Dysentery. Erysipelas.	$\begin{bmatrix} 1 \\ 2 \end{bmatrix}$							1		1				1	i
(37) 13 14	Tetanus. Tuberculosis of the lungs. Tuberculous meningitis.	3											····i	·····i	1	
15 (37)	Other forms of tuberculosis Syphilis	2 13	. <i></i>			2	3	:::::::	<u>2</u>				2	2	1	1 2
(37)	Meningitis. Convulsions	6				2			4			3	2 2 1	1 2 1	1	
19 20	Acute bronchitis	2 5						î			1	2	1	1		í
22 (23)	Pneumonia. Bronchopneumonia.	29 51		1	1	1	2 2	i	2 4	2 3	6 10	5 6	2 5	7 15	5 9	4 6
24 25	Diseases of the stomach Diarrhea and enteritis	7 54				1	1	·····i		1 5	2 7	2 9	1 9	1 16	1 6	7
(33) (33) (33,37)	Malformations. Premature birth.	43 125	8 72	18	3	5 12	19 105	1 8	4 6	2 2	24 121	4 2	3 1	7 1	1	4
(37)	Congenital debility Injuries at birth External causes	44 34 4	11 17 1	3 5	2 5	7 3	23 30	7 2	5 1	2	37 33	2	3 1		1	1
38	Unknown or ill-defined diseases. All other causes.	38		• • • • • • • • • • • • • • • • • • • •		2	1	3	3	2	10	1 5	6	8		
	SAN FRANCISCO, CALIF.					-	_	·		_ ~	10			0	. 4	5
	(COLORED). All causes.	51			,				_							
5	Measles.				4	4	16	2			23	6	4	9	6	3
6 7	Scarlet fever Whooping cough	i									1					
8	Diphtheria and croup		1 1								II .	1	1 1			
(12) (12) (37)	Influenza Dysentery Erysipelas															
13	Tuberculosis of the lungs	• • • • • • • • • • • • • • • • • • • •				•••••									•••••	
14 15	Other forms of tuberculosis	i						• • • • • • • •							;-	1
(37) 17 (37)	Syphilis Meningitis Convulsions	3	1			1	1		1		3					
19 20	Organic diseases of the heart. Acute bronchitis				······	1	1				1			1	•••••	
22 (23)	Pneumonia Bronchopneumonia	10										1				1
24 25	Diseases of the stomach Diarrhea and enteritis	2 3												5 2 1		
(33)	Malformations.  Premature birth	4 14	7		2		2	1	<b></b>		2		i		1	
(33, 37)	Congenital debility	2 2			1	1					1					
35 38	External causes. Unknown or ill-defined diseases.															
}	All other causes	3		• • • • • • • •	••••••	1			1		2					

. Int		Total			•		-	n	EATHS A	LT AGE O	F— .					:
Abridged Int. List No.	AREA AND CAUSE OF DEATH.	deaths under 1 year of age.	Less than I day.	day.	days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRA	TION	CITIE	s of	100,00	00 POI	PULAT	CON	OR M	ORE	IN 191	0Cont	inued.			
	DENVER, COLO.										1					
	All causes	418	54	31	15	29	129	37	21	12	199	37	22	65	. 48	47
5 6	Measles	1											·····			1
. 8	Scarlet fever. Whooping cough. Diphtheria and croup	14 2										2		3 1	4	5
9 (12)	Influenza Dysentery	13						1			1	1	3	î	4	3
(12) (37)	Erysipelas	1 6										1	1	3	î	
13 14	Tuberculosis of the lungs Tuberculous meningitis	2 9											-,	3	2	2 4
15 (37)	Other forms of tuberculosis Syphilis	1 1											4	1 4		
17 (37)	Meningitis Convulsions	9 7 1						2	1		3	2		<u>i</u> .		Ž
19 20	Organic diseases of the heart Acute bronchitis	1 1					1	·····i	1	1	4	i			<u>i</u>	1 1
22	Pneumonia	19	1			3	4	· 2 5	3	1 2 3	4 15	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	1 3	5 5	15	12
(23) 24 25	Diarrhea and enteritis	7 50						1 1	3	1 2	1 5	2 7	4	22	1 7	1 5
(33) (33)	Malformations Premature birth	40 97	8 35	20	3 6	7 9	23 70	5 16	3	2	30 91 30	7 1 3	3 2	1	3	2
(33, 37)	Congenital debility   Injuries at birth	1 9	6 3	4 2	2	5 1	19 8	$\frac{2}{1}$	8	1	30 9	3		4		
` (37) 35 38	External causes. Unknown or ill-defined diseases.	3												2		1
	All other causes	22	1	·····		3	4		2		6	2	. 1	5	5	. 3
	BRIDGEPORT, CONN.															
	All causes		54	39	18	34	145	25	25	16	211	37	30	78	70	66
5 6 7	Scarlet fever	18									1			1	1	1
. 9	Whooping cough Diphtheria and croup Influenza	3 19					II			.   <b></b> .	1			8	1 6	1
(12)	Dysentery Erysipelas	2 3		1						1 2	3			.1		i
(12) (37) 13	Tetanus Tuberculosis of the lungs	2								ļ <u>"</u> .						
14 15	Tuberculous meningitis Other forms of tuberculosis	10												. 1	4	5
(37) 17	Syphilis	1 7		1		. 2	3		· 1		4	1 1		1	1	
(37) 19	Meningitis Convulsions Organic diseases of the heart	4				. 1	î				ī	2	1		1	
20 22	Acute bronchitis Pneumonia	32				i	i	i	1	1	1 4	3	1 2	3 8	8	1 7
$\binom{23}{24}$	Bronchopneumonia. Diseases of the stomach Diarrhea and enteritis.	l 54			1	1	2	2	1 1	1	6 1 7	5	. 4	9	, 13	17
25 (33) (33)	Diarrhea and enteritis	l 4∩	5	4	4	8	21	2 4	3 6	2	32	9 3	10	23 2	25 2	16
(33) (33,37) (37)	Premature birth Congenital debility Injuries at birth	99 45 19	37 4	25 5	8	10	80 15	5 6	7 2	2 2	94 25	3 5	8	5	1 2	
(37) 35	External causes	19	8	3	5	2	18		1	. i	19 1			1	i	
38	Unknown or ill-defined diseases. All other causes.	22				2	2	4	1	i	8	3	1		. 2	2
	NEW HAVEN, CONN.													<b>.</b>		1
	All causes	440	58	27	12	24	121	29	21	18	189	• 40	31	- 69	57	54
5 6	Measles Scarlet fever	3												1		. 2
· 7 8	Whooping cough	. 19 5					,			. 1	1	5	2	5 2	. 1	3 2
9 (12)	Influenza	.  23						2	1		3	1	1	$\frac{1}{3}$	4	11
(12) (37)	Ervsipelas	.  4				ii	·····i			1	1 1	2	1			
`13´ 14	Tuberculosis of the lungs Tuberculous meningitis	5 7								-				3 2	2 2	3
15 (37)	Other forms of tuberculosis Syphilis	1 11	3			<u>i</u>	4		i	-	5	·i	2	2	. 1	
17 (37)	Meningitis Convulsions	3 5						1	i	·····i	1 2		1		. 1	i
19 20	Organic diseases of the heart Acute bronchitis	10										2	2	·2	4	
22 (23)		. 39						3	1 4	2	8	3	.5	9	7	10 10
`24´ 25	Diseases of the stomach Diarrhea and enteritis	. 62			-	1	i	·····i	6	·	8	7	8	17	, 16	6
(33)	Premature birth	. 100	38	20		3 8	73	15 15	2		10 96	3 . 4	.3	2		
(33,37) (37)	n injuries at pirth	. 16	9 7	3	1	2 4	13 15	3	. 3		23 16	4	2	9	2	
35 38	External causes. Unknown or ill-defined diseases.	.  3		1	2	1 3	1 1 5				1 1 8	1	2	1 6	····i	. 1
	All other causes	.1 24	11	-	., 2	1 5	ų Đ	1 1	1	, 1	ji 8	4.	, Z	, 0	, 1	1 9

====		<del></del>														
Int.		Total						1	DEATHS A	AT AGE O	F—					
Abridged List No	AREA AND CAUSE OF DEATH.	deaths under 1 year of age.	Less than 1 day.	1 day.	days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRA	TION	CITIE	s of	100,00	00 PO	PULAT	NOI	or M	ORE 1	N 191	0—Cont	inued.			
	WASHINGTON, D. C. (TOTAL).														***************************************	
	All causes	911	150	72	31	62	315	50	25	23	413	78	47	161	122	90
5 6	Measles Scarlet fever	2													1	1
7 8	Whooping cough	18										3	i	5	5	4
9 (12)	Influenza	32		1			1	1			2	3	3	6	6	12
(12) $(37)$	Erysipelas													2		
13 14	Tuberculosis of the lungs Tuberculous meningitis	3 6											1		2	
15 (37)	Other forms of tuberculosis Syphilis	1 22										4		6	2	1
(37)	Meningitis Convulsions	6				1	i				1 1			1	3	1 2
19 20	Organic diseases of the heart Acute bronchitis		1			<b></b>	4	·····i	1		1 6	3 1			1 1	3
$\binom{22}{(23)}$	Pneumonia	120				1 5	1 6	4	2	4	3 18	2 8	2 8	6 40	15 25	$\overset{\overset{\circ}{6}}{_{21}}$
24 25	Diseases of the stomach Diarrhea and enteritis	188			1		i	4	2.	6	13		20	2 59	1 43	31
(33)	Malformations Premature birth	31 254	10 103	4 51	1 20	$\begin{array}{c} 5 \\ 27 \end{array}$	20 201	$\frac{2}{22}$	2 7	2 3	26 233	2 15	2	2 4	ĩ	
(33,37) (37) 35	Congenital debility Injuries at birth	98 30	16 16	9 5	6	10 5	41 29	9	4	6	60 30	12	3	18		1
38	External causes Unknown or ill-defined diseases All other causes	9 1 29	1	•••••	• • • • • • • • • • • • • • • • • • • •	1	1	2	· · · · · · · · · · · · · · · · · · ·	1	4		1	2	1	1 1
	WASHINGTON, D. C. (WHITE).		1		•••••	2	3	3	1	1	8	3	3	5	8	2
	All causes	509	104	50	23	21	198	33	16	10	257	51	27	79	59	36
5	Measles	2													1	
6 7	Scarlet fever	8 1				l l								2	2	•••••••••••••••••••••••••••••••••••••••
8 9	Whooping cough Diphtheria and croup Influenza	21		····i	· · · · · · · · ·		····i	·····i	· · · · · · · · · · ·		2	3	2	4	3	····
(12) (12)	Dysentery	1		• • • • • • • • • • • • • • • • • • • •										1		
(37) 13 14	Tetanus. Tuberculosis of the lungs	į													i	
15 (37)	Tuberculous meningitis Other forms of tuberculosis Syphilis						i i			- 11	1		-		2	1
(37)	Meningitis Convulsions	5				1	1				1  -	1	1		3	·····i
19 20	Organic diseases of the heart Acute bronchitis	5						1	····i		1 1	3			1	
22	Pneumonia.	16 47				<i></i> .		4	1	3	1 9	1 4	1 4	2 18	8	3
24 25	Bronchopneumonia	1					1	3		1		12		1 26	$\begin{array}{c c} 5 \\ \hline 25 \end{array}$	
(33)	Malformations	25 164	9 72	3 37	1 14	2 9	$\begin{array}{c c} 15\\132\end{array}$	2 11	2 6	$\begin{bmatrix} \frac{1}{2} \\ 1 \end{bmatrix}$	21 150	10	12	3 .	1	13
(33,37)	Premature birth	65 22	12	4 5	3	3 4	23 21	6	2	3	34 22	Ĩ2	3	14	2	
35 38	External causes	2				1	1				1				1	******
	All other causes	19	1 .		• • • • • • • •	1	2	3	1		6	3	2	4	4	••••••
	All causes	402	46	22	8	41	117	17	9	13	156	27	20	82	63	**
5	Measles			24				17			190	21	20	02	03	54
6 7	Scarlet fever	10										2		3	3	
8 9	Diphtheria and croup	11											1	2	3	5
(12) $(12)$	Dysentery						.							1  -		
(37) 13 14	Tetanus	$\begin{bmatrix} 1 \\ 2 \end{bmatrix}$				:							·····`i- -		1	
15	Other forms of tuberculosis	1 1									.					1 · 1
$-\frac{{}^{(37)}_{17}}{{}^{(37)}_{(37)}}$	Syphilis.  Meningitis.  Convulsions	18 1 3			.						5	3	1	6 1.	2	,1
\	Convulsions	10										:::::: :	::::: .	1		2
22	Pneumonia. Bronchopneumonia.	18 73				2 1 5	- I		1		5 2 9	1	1 1	4	7	2 3
24	Diseases of the stomach Diarrhea and enteritis	95						·····i	2	1		4	4	22 1 33	20 1	14
(33)	Malformations	6 90	1 31	1 14	6	3 18	5 69			5	8 5 83	10 1 5	8		18	18
(33,37) $(37)$	Congenital debility	33	4	5	2	7	18 8 .	3	2	3	26 8		1	4	2	i
35	External causes. Unknown or ill-defined diseases.	7						2 .		1			1	2		1
1	All other causes					1	1  .			1	2].		1	i	4	1
																2

AREA AND CAUSE OF DEATH.    Company	44 33
ATLANTA, GA. (TOTAL).   418   73   22   17   32   144   31   11   15   202   35   33   71	
All causes	
Massles	
Searlet fever.   1	
S.   Appendicts and a Coup.   18	5   '-
1	5 7
Columbia   Columbia	4
15   Other forms of tuberculosis   3   2   2   1   3   3   2   5   5	1 1
37   Convulsions   6	1
20   Acute bronchitis.	1 . 1
Case   Bronchoppeumonia	
25   Diarrhea and enteritis.	12 4
(33, 7) Congenital debility	9 4
Second Company   Seco	2
All other causes. 31	
All causes 232 46 14 11 20 91 19 3 7 120 16 23 37    Measles	$\begin{bmatrix} 3 \\ 1 \end{bmatrix}$
5   Measles   1	·   ·
6 Scarlet fever.	20 16
Influenza	
(12)       Dysentery.	$\begin{array}{c c} 2 & 3 \\ 1 & 3 \\ \end{array}$
Telegraphic   Tuberculosis of the lungs   1	
15	1
Convulsions	i
19   Organic diseases of the heart   20   Acute bronchitis   3   1   1   1   2   1   4   3   5   8   8   22   1   1   1   1   1   1   1   1	i
23  Bronchopmeumonia   28    1	
25   Diarrhea and enteritis   21	$\begin{bmatrix} 1 \\ 6 \end{bmatrix}$ $\begin{bmatrix} 2 \\ 2 \end{bmatrix}$
(33) Premature birth. 61 28 7 6 6 1 47 6 1 4 58 3 3 1	3 2
Injuries at birth	1
All other causes. 20 3 3 3 1 7 5 3 4  ATLANTA, GA. (COLORED). All causes. 186 27 8 6 12 53 12 8 9 82 19 10 34  5 Measles. 1 1 1 1 1	
All causes	1
5 Measles 1 1 1 1 1	
6 Scarlet fever	
	3 4
8   Diphtheria and croup	2 1
(12) Dysentery 3	
(12)       Erysipelas.       3       1       1       2       3         (37)       Tetanus.       3       1       1       2       3         13       Tuberculosis of the lungs.       1       1       2       3         14       Tuberculous meningitis.       1       1       1	1
15 Other forms of tuberculosis.	
17 Meningitis 1	1
19 Organic diseases of the heart	
(23) Bronchopneumonia 30 1 1 1 1 1 3 3 3 13	$\begin{bmatrix} 3 \\ 6 \end{bmatrix}$ $\begin{bmatrix} 2 \\ 2 \end{bmatrix}$
25   Diarrhea and enteritis   26       1   3   4   1   2   7   2   1   8	6 2
(33) Premature birth	1
(37) Injuries at Dirta	
38 Unknown or ill-defined diseases. 15 1 2 3 2 5 4 2 1 All other causes. 17 1 2 2 1 1 3 2 2 2 2 2 1 1 1 1 1 1 2 1 2	1 2 2

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

H. H		Total						p	EATES A	T AGE O	F					
Abridged Int. List No.	AREA AND CAUSE OF DEATH.	deaths under 1 year of age.	Less than 1 day.	1 day.	days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTR.	ATION	CITI	ES OI	f 100,0	00 PO	PULA'	TION	OR 1	10RE	IN 19	10—Con	tinued.	······		<del>1</del>
	CHICAGO, ILL. (TOTAL). All causes	6,597	846	310	223	415	1,794	370	287	220	2,671	524	398	1,178	1,012	814
5 6 7	Measles. Scarlet fever	22					1,101	1		13	2	1	5	310	5 23	11
8 9 (12) (12)	Whooping cough Diphtheria and croup Influenza Dysentery Erysipelas	39 252				4	4	1 3	4 1 2	4	1 15 1 3	10 10 1 4	6	7 58 6 4	9 90 3 4	73
(37) 13 14 15	Tetanus. Tuberculosis of the lungs Tuberculous meningitis. Other forms of tuberculosis	32 36 4	1			1	1	3 1		1	4 1 1	2	3	6 9 1	8 7	19
(37) 17 (37) 19	Syphilis Meningitis. Convulsions Organic diseases of the heart.	49 46 28 8	11	3 4	1 1	5 1 7	21 2 13	3 1 5 1	2	2	27 5 18 2	3 3	$\begin{array}{c c} 3\\2\\1\\3\\\end{array}$	9 9 4 1	21	33
20 22 (23) 24 25	Acute bronchitis Pneumonia. Bronchopneumonia. Diseases of the stomach Diarrhea and enteritis.	193 199 665 37 2,398	3	1 4 8	1 2 3 1 14	8 3 11 4 37	9 6 21 5 64	13 3 18 5 86	10 26 2 105	7 11 22 3 100	37 30 87 15 355	27 15 50 4 293	9 11 49 3 246	57 30 176 6 669	26 57 144 5 518	56 159 31'
(33) (33) 3,37) (37)	Malformations Premature birth Congenital debility Injuries at birth	420 998 402	95 458 96 168	50 149 38 45	34 61 53 36	66 109 77 55	245 777 264 304	43 93 47 22	17 60 27 8	17 23 11 2	322 953 349 336	18 32 12 2	24 6 13	30 7 19	19	31,
35 38	External causes Unknown or ill-defined diseases. All other causes	42 3 271	1 7	6	3	25	7	20	1 14	10	10 93	5 26	8	51	13 2 52	4
.	CHICAGO, ILL. (WHITE). All causes	6,350	809	298	216	403	1,726	360	281	217	2,584	501	385	1,124	969	78
5 6 7 8	Measles Scarlet fever Whooping cough Diphtheria and croup	22 1 73 39						1		3	2 3 1	1 6 2	5 1	3 10 7	5 <sup>1</sup> 21 9	1 2 1 6
9 (12) (12) (37)	Whooping cough Diphtheria and croup Influenza. Dysentery Erysipelas Totanus	1 4	i			3	3	3	3 1 2	1	13 1 3 4	10 1 4	6	51 6 4	85 3 4	6
13 14 15 (37) 17	Tuberculosis of the lungs Tuberculosis meningitis Other forms of tuberculosis Syphilis	36 4 41	8	3	i	1	17	1 3	1	1 1	1 1 1 22	5	3	6 9 1 8	8 7	1
(37) 19 20 22	Meningitis. Convulsions Organic diseases of the heart. Acute bronchitis.	26 7 179	i i	4	1 1 2	1 6 1 8 3	12 12 9 6	1 5 1 13 3		7	5 17 2 37 29	25 14	2 1 2 8 11	8 3 1 51 27	19 24 52	3 5 14
(23) 24 25	Pneumonia. Bronchopneumonia. Diseases of the stomach. Diarrhea and enteritis. Malformations	620 36 2,351	3 5 90	8 48	3 1 14 33 59	10 4 36 65	20 5 63 236	18 5 84 41	24 2 104	3 99	84 15 350 311	47 4 284 18	47 3 240 23	161 6 655 29	132 5 506 18	14 31
(33) (33) 33,37) (37) 35	Premature birth. Congenital debility Injuries at birth External causes Unknown or ill-defined diseases.	962 389 333 38	436 91 166	142 37 44 2	59 51 35 3	107 77 54 1	744 256 299 7	90 45 22	17 60 27 8	99 17 23 11 2 1	917 339 331 10	32 11 2 4	6 11	19	4 12	
38	Unknown or ill-defined diseases. All other causes CHICAGO, ILL. (COLORED).	258	7	5	ii	21	44	19	13	9	85	25	8	48	51	4
5	All causes		37	12	7	12	68	10	6		87	23	13	54	43	2
6 7 8 9	Scarlet fever Whooping cough Diphtheria and croup Influenza	5				1	1				2	i		7	2	
(12) (12) (37)	Dysentery. Erysipelas. Tetanus Tuberculosis of the lungs.						1	••••••				.	-			
13 14 15 (37) 17	Tuberculous meningitis. Other forms of tuberculosis Syphilis Meningitis.	8 6	3		1		, 4		i		5	2 2		1 1		-
(37) 19 20 22	Convulsions Organic diseases of the heart Acute bronchitis. Pneumonia.	2 1 14 14				1	1			1	1	2		. 3	2 5	
(23) 24 25 (33)	Diseases of the stomach.	45 1 47 14	5	2 7	1 2		1 9 9 99	1 2	1	i	5 11 26	9		14	12	
(33) (33) 33,37) (37) (37) 35 38	Premature birth. Congenital debility Injuries at birth External causes Unknown or ill-defined diseases	- 13	22 5 2	7 1 1			33 8 5	3 2			36 10 5	i	-	2	1	-

4:							·		EATHS /	LT AGE O						<del></del>
Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1	<del>,</del>	1 month.	2 months.	3 to 5 months.	6 to 8 months	9 to 11 months.
<u> </u>		<u>l</u>	i	-						month.	<u> </u>				<u> </u>	<u></u>
	REGISTRA	ATION	CITI	es òi	F 100,0	00 PO	PULA'	TION	OR I	MORE	IN 19	10Con	tinued.			
	INDIANAPOLIS, IND. (TOTAL).								•	.	ł					
	All causes	575	97	29	25	43	194	35	21	26	276	50	41	88	. 62	58
5	Measles	6											1	3	1	1
8	Whooping cough	23 3									2	3 2		3	7	6 2
· (12)	Influenza Dysentery Erysipelas	19 3										2	<b>3</b>	6		5
(12) (12) (37) 13	Tetanus	3 3								1	1	1			1	
14 15	Other forms of tuberculosis				 									2		1
(37) 17	Syphilis	, 9, 7	] 			1	<u>2</u>				2	1 1	2	2	2	1 2
(37) 19 20	Convulsions Organic diseases of the heart Acute bronchitis	4 5		i			i	i	1		1	2 2		1		
22 (23)	Pneumonia Bronchopneumonia	14 74				3	3	1	2	1	2 2 7	3 8	10	21 21	3 12	3 16
24 25	Diseases of the stomach Diarrhea and enteritis	5 123 52	14		3	1 8	1 32	3	2 4	7 5	2 15 45	14 2	1 14 1	38	27	15
(33) (33) 3,3	Malformations Premature birth Congenital debility	133 57	67 12	117	15 6	17	110 34	12 7	7 3	3	132 49	1 4				
(37) 35 38	Injuries at birth.  External causes Unknown or ill-defined diseases.	8	. 3	1	1	1	6	2			8	2				3
38	Unknown or ill-defined diseases. All other causes	16		1		3	3		i	i	1 5	2	5	4		
	indianapolis, ind. (white).															
	All causes	490	89	26	23	35	173	31	15	22	241	41	36	72	52	48
5 6	Measles	3								-	2	3		1	1	1
7 8 9	Scarlet fever. Whooping cough Diphtheria and croup Influenza.	22 3 16									2	<del>-</del> 3	2	3	6	6 2 5
(12)	Dysentery Erysipelas	3								.				*	4	
(12) (37) 13	Tuberculosis of the lungs	3								i	1	····i			1	
14	Other forms of tuberculosis	3	1				2				2	. 1	2	$\frac{2}{1}$		1
15 (37) 17 (37) 19	Syphilis	. 6				1					1	î		i	1 2	2
20	Convulsions Organic diseases of the heart Acute bronchitis	.1 4		. 1			i	1			1	2 2		1 1		
22 (23) 24	Pneumonia	10 60				2	2	1	2 2		· 2 5 2	1 5	10		9	13
24 25 (33	Diseases of the stomach Diarrhea and enteritis Malformations	.102	14		2	1 8	1 31	3 7	) 3	6		12 2	14	30	22	
25 (33) (33,37) (33,37)	Premature birth	115	61	7	14 6	13	31 96 31	10	6	2	114	3		.		2
35	External causes	7 5	. 2		-	1	5	. 2			.   1	2			-	: :······· <u>à</u>
38	Unknown or ill-defined diseases. All other causes.	12	<b></b>	1	-	2	. 1			1	1 3	2	3	4		
	INDIANAPOLIS, IND. (COLORED).	}											-			
_	All causes		8	-	=	-	21	======	===	=  <del></del>	-	9	<u>-</u>		=	10
5 6 7	Measles Scarlet fever Whooping cough							-			.		1			-
8 9	District and and aroun		11				11				11		1			1
(12)	Dysentery							-					-			
(37 13	Tuberculosis of the lungs															
(37 13 14 15 (37	Tuberculous meningitis Other forms of tuberculosis	1	<del>}</del> ]	1	1	ł	11	ì	1	i i	li	1	ì	i	1	11
17 (37 19	Syphilis   Meningitis   Convulsions	. í											. 1		-	
`19 20	Organic diseases of the heart	:i	.	[2]			.		: i	:	:  i		-		-	• • • • • • • · · · ·
20 22 (23 24 25 (33 (33,33 (33,37	Pneumonia. ) Bronchopneumonia. Diseases of the stomach	- 14				. i	-∥i	1			2	3		3	; ] 8	3
24 25 (33	Diseases of the stomach  Diarrhea and enteritis  Malformations	21			1		.   <u>-</u>		-\ 3		. 1) 2	2		. 8	3   3	
(33 (33,37	Premature birth	- 18 9	1 6	i   8	1	4	14	2			15					
35	External causes	1 1		<u> </u>			1				- 11					
38	All other causes	4				. i	i			i				2		
	1569479035															

Table 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

nt.		Total						10	EATHS A	AT AGE O	r—					
Abridged Int. List No.	AREA AND CAUSE OF DEATH.	deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	8 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	8 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTR	ATION	CITI	es o	F 100,0	000 PC	PULA	TION	OR I	MORE	IN 191	0-Cont	inued.			
	LOUISVILLE, KY. (TOTAL).															
	All causes.		73	11	18	30	132	25	20	7	184	= 44	41	92	$\frac{72}{2}$	58
5 6	Measles	3													6	
. 8	Whooping cough	22 1						1			2		2	1 2	10	
(12)	Influenza Dysentery	16 2											í	1		
(12) (37)	Erysipelas. Tetanus. Tuborovlosis of the lungo	1 2			i		i			1	i				1	
13 14 15	Tetanus Tuberculosis of the lungs Tuberculous meningitis Other forms of tuberculosis	9												2	3	1
(37) 17	Syphilis Meningitis	10 1				1	1	i		İ	. 1	4	1	3		
(37) 19	Convulsions Organic diseases of the heart	5 4	i		1	1	1				3		i	1	1 1	
20 22	Acute bronchitis	6	1			1	i	1	5 2	······i	2 6 5	6 10	8 9	8	8 14	13
(23) 24	Pneumonia Bronchopneumonia Dieases of the stomach	68					2	2 2				1 1 4	2 3	1		
25 (33)	Diarrhea and enteritis	21	3 56	2 7	1 2 11	1 3 11	10 85	3 6	2 2	1		1 2	2		1	
(33) (33,37) (37)	Premature birth Congenital debility Injuries at birth.	60	11 1	2		6 3	20 5	6	3		29 5 2	9	6			
35 38	External causes. Unknown or ill-defined diseases.	ž			1				1			1				
50	All other causes	26				3	3	2	3	1	9	5	3	3	2	1
	LOUISVILLE, KY. (WHITE).				10	- 00	107	19	15	4	145	34	29	67	53	4!
	All causes	373	64	8	13	22	107									-
5 6 7	Scarlet fever	3								1	1		i	6	3	
8	Whooping cough Diphtheria and croup Influenza	14											······ <u>2</u>	······2	· ·····.	
$\binom{12}{12}$	Dysentery Erysipelas	1 2							i		ii		1	i		
(37) 13	Tetanus Tuberculosis of the lungs	1 2					1				1			1 1	i	
14 15	Tuberculous meningitis Other forms of tuberculosis	2									•		ii		.] 1	
(37) 17	Syphilis Meningitis Convulsions	3						i			1 2		.  <i>.</i>			
(37) 19 20	Organic diseases of the heart.	4 2	1				. î				ī		. 1	1	. 2	
22 (23)	Pneumonia Bronchopneumonia	. 58				-  -	1	2	- 1		·11 🝹	5	4	. 9		
`24 25	Diseases of the stomach Diarrhea and enteritis	2 44			· · · · · i		:  ·····i				2		- 2	18		
(33) (33)	Malformations Premature birth	. 83	3 51		8	9		6	2		.   81	1	1	12	.	-
(33,37) (37)	Injuries at birth	. 4	8		. 1	5 2	14 4			i	. 4		.			
35 38	External causes Unknown or ill-defined diseases All other causes	21				2	2	2			.					
	LOUISVILLE, KY. (COLORED).	1 21											1			
	All causes	. 118	9	3	5	8	25	6	Į .	3	39	10	12	25	19	1
5	Measles													-		
6. 7 8	Scarlet fever Whooping cough	. 7					:	i					. 1		8	
8 9 12)	Diphtheria and croup Influenza Dysentery	. 2						-								
12) (37)	Erysipelas	.	.													
13 14	Tuberculosis of the lungs Tuberculous meningitis	.] 1								1	i					
15 (37)	Other forms of tuberculosis					i i	i				:  i	2				
(37)	Meningitis Convulsions	2	·	:		-	:	. i			:  ····i	1				
19 20 22	Organic diseases of the heart	4	i		-		:  ·····i	· i				· ;				i
(23)	Pneumonia	. 28		:			:::::::		1 :	i				ś	6	š   
24 25	Diarrhea and enteritis	.1 22				. 1		i		i	4 2				3	
(33) (33) (33,37)	Premature birth	. 13	5 3		3	2	12				. 12	1				i: :::::::
(37) 35	Injuries at birth External causes	. 1		1	1	i				i	1				i	
38	Unknown or ill-defined diseases		.H				-			i	2	· · · · · · i	· ;	· · · · · · · ·	:-	

±;			[				<del></del>	т	EATHS A	T AGE O	F					
Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	weeks.	3 weeks but less than 1 month.	Tona	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
<u> </u>	REGISTR	ATTON	CTTT	750 0	77. 100	000 <b>D</b>	DTT A	mron.	679	1 .	TST 14	)			l	<u> </u>
	KEGISTR	ATION	CITI	JES U.	E. 100,	000 P	JPULA	TION	OR.	MORE	TTM TS	10-0	nunueu.	<del></del> -		<del></del>
	NEW ORLEANS, LA. (TOTAL):													•		
	All causes	946	106	40	34	53	233	40	. 40	27	340	86	89	195	138	98
5	Measles. Scarlet fever. Whooping cough.	9						<i>:</i>				2	2	2	2	1
. 7 8 9	Diphtheria and croup Induenza	35 2 49								1	1	4	2	14 1 9	5 15	9
	Dysentery Erysipelas	2 3	l					1			3	4	5   1 1	1		13 1
(37)	Tetanus Tuberculosis of the lungs	17 4			2	7	9	7			16	•	1 1	2	·····i	
(12) (12) (37) 13 14 (37) 17 (37) 19 20 22	Tuberculous meningitis Other forms of tuberculosis	6 19				i	i	2	·····i		4	1	3	5	3 5	3 1
(37) 17	Syphilis Meningitis Convulsions	30			1	1	2		2	1	5	7	3	9	4 5	2. 1
(37) 19	Organic diseases of the heart	1 1		1		1	2				2		1	2	1	1
20 22	Acute bronchitis	82	1	2	2 2	i	3	1	2 5		. 8	9	1 12	6 25	16	1 11
(23) 24	Bronchopneumonia	1 1				2	2	į	1 	3	6	7	10	16	12	14
(33)	Malformations	77	9 84	6 25	1 8 11	1 9 17	2 32 137	2 8 12 2	5 8 6	4 4 7	13 52 162	22 10 7	28 6 2	79 5 1	44	32
(33,37)	Premature birth Congenital debility Injuries at birth	58 17	6 5	3 3	6	7 5	22 13	2 1	4 2	5	33 16	7	5	5	6	2,
(23) 24 25 (33) (33) (33,37) (37) 35 38	External causes	4											2		2	
	All other causes	42	1	•••••	1	1	3	2	1	2	8	4	2	10	13	5
	NEW ORLEANS, LA. (WHITE).	500	0=	0.5			405			,	***	40		***	ļ	
5	All causes	567	67	25	21	=====	135	20	23	18	196	48	43	129	84	67
6 7	Scarlet fever										ii	4	2	10	5	1 6
8 9	Diphtheria and croup Influenza	32		l					2		2	2	2	6	ii	1 9
(12) (12) (37)	DysenteryErysipelas	2							1				i	1		
13	Tetanus Tuberculosis of the lungs	3			[		2				6		1	2		
14 15 (37)	Tuberculous meningitis Other forms of tuberculosis Syphilis	4				1	·····i		į		1,	3		3 5	3	3
17 (37)	Meningitis Convulsions	4		1			2				2		1	i	. 3	
19 20	Organic diseases of the heart Acute bronchitis.	1	i				2	1	2		5		ĩ	1		i
22 (23) 24	Pneumonia Bronchopneumonia	43			1	2	1 2	. 1	4 1	·····3	6 6	4 3	5 6	14 10	8 6	7 12
25	Diseases of the stomach Diarrhea and enteritis	134			····i	5	i	1	·····i	2	1 4	13	····· <u>·</u>	58	31	19
(33) (33) (33,37)	Premature birth	36 102 39	49 6	16 2	4 6 5	4 3	20 75 16	1 8 1	3 5	1 5 4	25 93 21	3 6 5	. 3 . 2 4	3 1 4	2	
(33,31) (37) 35	Injuries at birth External causes	14	4			5	ii	i	i	***************************************	13	ı	<u>*</u> .		4	ļ <del>.</del>
. 38	Unknown or ill-defined diseases. All other causes:	32			1	1	2	2	1	2	7	2	2	8	8	5
	NEW ORLEANS, LA. (COLORED).				_			_	_	_		-	_			
	All causes	379	39	15	13	31	98	20	17	9	144	38	46	66	54	31
5 6	Measles'													• •,• • • • •		
7 8	Whooping cough Diphtheria and croup	. 7												\$ 4 1		3
9 (12)	Influenza Dysentery	17						1			1	2	· 3 1	3	4	4
·(12)	Erysipelas Tetanus.	1 10				7-	7	3			10					i
13 14	Tuberculosis of the lungs Tuberculous meningitis	1													1	
(37) 17	Other forms of tuberculosis Syphilis	19			i	1	1	2	1	i	3 3	1 4	3	2.	5 4	1 1
(37) 19	Meningitis. Convulsions.	3												2 2	2	1
20 20	Organic diseases of the heart Acute bronchitis Pneumonia.	. 10		2	1		3 2				3 3	1 5	1 7	5		
20 22 (23) 24	Bronchopneumonia Diseases of the stomach	22				1	2		1			4	4	11 6	. 8	2
. 25 (33)	Diarrhea and enteritis Malformations Premature birth	84 41	2	2	4	1 4	1 12	2 7	, <u>4</u> 5	2 3	9 27	9 7	19 3	$\frac{21}{2}$	13 2	13
(33,37)	Congenital debility	.] 19	35	9	5 1	13	62 6	1 1	1 4		69 12	i	i	<u>-</u> -	2	
(37)	Injuries at birth External causes	3 2	1	1			2		Ī		3		i	<u> </u>	i	
38	Unknown or ill-defined diseases All other causes		1		J	J	<u></u>			J	i	····· <u>2</u>		2		

Table 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

Int.		Total						I	EATHS A	T AGE O						
Abridged Int. List No.	AREA AND CAUSE OF DEATH.	deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months
	REGISTRA	TION	CITIE	s of	100,00	0 POI	PULAT	NOI	OR M	ORE I	IN 191	0—Cont	inued.			<u> </u>
	BALTIMORE, MD. (TOTAL).															
	All causes,	2,256	318	114	57	99	588	101	69	48	806	174	146	443	395	292
5 6 7 8 9 (12)	Measles. Scarlet fever Whooping cough Diphtheria and croup Influenza Dysentery	83 9 103			i		1 3		12	1	3 10 1	8	1 2 3 1	23 24 1	9 1 25 3 29 2	9 22 6 31 1
(12) (37) 13 14 15	Dysentery Erysipelas Tetanus Tuberculosis of the lungs Tuberculous meningitis Other forms of tuberculosis Syphilis	1 11 13 2					i	1 1	. <i>.</i>	1	1	1	1	6 5 1	2 4	3 4 1
(37) 17 (37) 19 20 22 (23)	Meningitis Convulsions Organic diseases of the heart Acute bronchitis Pneumoma Bronchopneumonia	18 10 5 73 69				1	1	2 1 2 2 2 4		2 2	6 2 2 8 6 34	1 1 1 6 2 26	2 2 9	16 17 67	4 8 2 1 19 28 74	3 2 15 19 60
24 25 (33) (33) (33,37) (37) 35	Diseases of the stomach Diarrhea and enteritis Malformations Premature birth Congenital debility Injuries at birth External causes Unknown or ill-defined diseases.	8 634 146 402 194 59	1 27 213 48 23 2 1	17 53 23 13	10 28 8 6	15 36 22 12	1 69 330 101 54 4	5 13 34 23 2	1 13 9 11 7	8 9	1 27 100 382 134 57 5	63 18 13 20 1 2	19 2 77 7 2 11 1 2	213 11, 4 22 2	155 4 1 4 4	99 6 3
	All other causes BALTIMORE, MD. (WHITE).	73	î	2	2	5	10	3	4	3	20	4	2	20	20	7
5 :	All causes		278	83	44	82	487	85	54		660	141	106	331	293	225
6 7 8 9 (12) (12)	Measles. Scarlet fever Whooping cough Diphtheria and croup Influenza. Dysentery. Erysipelas.	1 56 9 78 4 2				.,2	2	3	1	1	6	7		12 17 1	9 1 15 3 23 2	9 18 6 26 1
(37) 13 14 15 (37)	Tetanus Tuberculosis of the lungs Tuberculous meningitis Other forms of tuberculosis Syphilis Meningitis.	6 11 1 6 17						1		1			i	4 4 1 2	4 1 7	2 3 3
(37) 19 20 22 (23) 24	Convulsions Organic diseases of the heart Acute bronchitis Pneumonia Bronchopneumonia Diseases of the stomach	2 49 54 192 2		2			5	2 2 2 4	3 1 10 1	2 1 5	24 1	5 2 20	1 6 1 14	13 14 43	12 18 50	6 15 41
25 (33) (33) (33,37) (37) 35 38		116 348 151 54 9	23 187 42 22 1	11 41 14 12 2	5 6	31 16 9 1	49 2 4	10 29 21 2	11 5	5 6 3 1 1	20 78 329 106 52 3 5 14	51 17 12 17 1 1 1	5 2 7 1 1	i	3	
	BALTIMORE, MD. (COLORED).															
5 6 7 8	Scarlet fever	27				-	=[	-	= ====	-		33	. 1			
9 (12) (12) (37) 13	Influenza. ) Dysentery. ) Erysipelas. ) Tetanus. Tuberculosis of the lungs.	25 2 1		-	1				. 1		.   1		. 1	2	2	i
14 15 (87 17 (37 19	Other forms of tuberculosis. Syphilis Meningitis. Oconvulsions Organic diseases of the heart.	. 1 9 . 1 . 1		-		i	i	-1	-		ii		i	1	3 1	. i
20 22 (23 24 25 (33	Pneumonia ) Bronchopneumonia Diseases of the stomach Diarrhea and enteritis	. 15 88 . 1 . 136	i4		i		13	. 1	. 1	$\begin{bmatrix} 1\\4\\ 2\end{bmatrix}$	10 10 7	12	1 5 5 1 1 18	3 24	24 36	19
(33 (33 (33,37 (37 35 38	) Congenital debility ) Injuries at birth External causes	54 - 43 - 5 - 7	28 6 1 1	12 9 1	3	563	47 24 5 2	5 2	2	1	53 28 - 5 - 2	1	4	ē	j	i

Table 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

43	777000	1						ri	EATHS A	T AGE O	== F		-			
Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTR	ATION	CITII	es or	r. 100,0	00 PO	PULA'	CION	OR M	ORE	IN 19	LOCont	inued.			
	BOSTON, MASS. (TOTAL).			,		. [										
i	All causes	2, 298	294	117	80	155	646	104	97	84	931	184	168	379	316	320
5	Measles	31										1			9	21
6 7 8	Scarlet fever	70 23						2	1	4 2	4 5	4 2	$\frac{4}{2}$	14 3	21 5	23 6
9	Influenza	84.				1	1	2	2	1	6	3	6	17	24	28
(12) (12) (37)	Dysentery Erysipelas Tetanus	. 24						2	4	5	11	7	5		1	
13 14 15 (37) 17	Tuberculosis of the lungs Tuberculous meningitis	20 17										····i	3	5 5	3 2	. 5
15 (37)	Other forms of tuberculosis  Syphilis	21	4	· · · · i	i	1 1	7		1 1	i	9	5 4	2 2	3 14	2 8	10
(37) 19	Meningitis Convulsions Organic diseases of the heart	40 7 5				3	3				2 3 1		1	1 1		2 2
20 22	Acute bronchitis	46 112		i		1 1	1 2	3	1 5 2	8 1	17 5 32 1	7 6	5 10	. 5 23 67	33	2 2 5 35 81
(23) 24	Bronchopneumonia. Diseases of the stomach	306			3	5	8	5	10	9	32	25 1 47	14 1 56	67 2 141	87 2 74	62
. (33)	Diarrhea and enteritis	404 141	24	11	10	1 25 61	3 70	4 13	4 9 33	13	24 95 444	22 16	8 7	8 5	5	3'
(33) (33–37)	Premature birth. Congenital debility Injuries at birth External causes.	472 192 112	193 24 45	69 16 16	35 12 16	22 22 22 2	358 74 99	41 17 7	7 5	12 10 1 3	108 112	15	22	34	10	3
(37) 35 38	External causes. Unknown orill-defined diseases.	22 19	1			2 1	3	i	ĭ	3 3	8 4	3 5	4 2	2 5	2 2	3
•00	All other causes	119	. 3	2	2	8	15	. 6	10	8	39	10	13	24	13	20
	BOSTON, MASS. (WHITE).	. 04.000	288	113	80	148	629	101	93	81	904	181	166	367	302	306
. 5	All causes	2,226	288	110	80	140		101	- 30			1			9	21
6 7	Scarlet fever Whooping cough Diphtheria and croup	67								4	· . 4	4	4	13	20	22
8	innuenza	. 80 1			[:	·····i	i	2 2	1 2	2	5 6	3	6	3 15	5 23	27
(12) (12) (37)	Dysentery Erysipelas:	22						2	3	. 5	10	7	4		i	
(37) 13 14	Tetanus Tuberculosis of the lungs Tuberculous meningitis	20 17										i	3	5 5	6 3	9 5
15	Other forms of tuberculosis Syphilis	17	3		ī	i	5		1		1 5	<u>5</u>	2	3	2 2	1
(37) 17 (37) 19	Meningitis Convulsions	39 7				3	1 3		1		2 3 1	4	2 1	13 1 1	8	10 2 2 5
20	Acute bronchitis	46		i		1	1 2	3	5 2	8	17 5	7	1 5 10	5	7 31	34
22 (23) 24	Pneumonia. Bronchopneumonia.	.) 291			. 3	5	. 8	5 1	10	8	31	23	14 1	22 64 2	82 2	77
25 (33)	Diseases of the stomach Diarrhea and enteritis Malformations	395	24	11	1 . 10	1 25	3 70	4 13	4 9	13 3	24 95	46 22 16 15	56 8 7	139 8	69 5	71
(33) (33,37)	Premature birth	458 188	189 24	68 14	35 12	25 55 . 22 . 22	347 72 98	13 40 16 7	31 7 5	12 10 1	430 105 111	15	21	5 34	10	3
(37) 35	External causes	. 22	44 1	16	16	22 1	3	í	ı	3	8 3	3 5	4 2	2 5	2 2	3 1
. 38	Unknown or ill-defined diseases. All other causes	18 112	3	. 2	2	7	. 14	5	10	8	37	10	13	22	13	17
	BOSTON, MASS. (COLORED).					_	17	3	4	3	27	3	2	12	14	14
_	All causes		6	. 4		7				_	21					
5 6 7	Scarlet fever Whooping cough.	.  <i></i>						-,						1 1	·····i	
8	Diphtheria and croup Influenza	.  2												. 4	1	2
(12) $(12)$	Dysentery	2							ī		ii		1			
(37) 13	Tetanus Tuberculosis of the lungs	.									.					
14 15		.l					2		;	1	4				.	
(37) 17 (37)	Meningitis.	1 1	11		-1	.)			-)	-]				1		
19 20	Organic diseases of the heart Acute bronchitis				-					-						
. 22 (23)	Pneumonia	15			-					i	i	2		.  3	5	1 4
24 25	Diseases of the stomach Diarrhea and enteritis	9							-			ii		.  2	5	1
(33)	Premature birth	_ 14	4	1 2			11 2		1		14					
(33, 37 (37) 35	Congenital debility Injuries at birth External causes	. 1	i				í				ĭ		1			
38	Unknown or ill-defined diseases All other causes	. 1			-	i	····i		-	. 1	1 2			2	-	3

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

Int.		Total		•					DEATHS A	AT AGE C	)F					
Abridged Int. List No.	AREA AND CAUSE OF DEATH.	deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRA	TION	CITIE	s of	100,0	00 PO	PULAT	TION	OR M	ORE :	IN 191	0—Cont	inued.	<u> </u>	<del>'</del> -	<u>'</u>
	CAMBRIDGE, MASS.															
	All causes	285	42	10	9	22	83	16	11	13	123	16	12	37	54	43
5 6	Measles Scarlet fever	6									:				2	4
7	Whooping cough	12											2	3	4	3
8	Diphtheria and croup Influenza	16	l		l		<sub>-</sub>				i)	1		2	7	6
$\binom{12}{12}$ $\binom{37}{37}$	Dysentery Erysipelas	1								1	1					
(37) 13 14	Tetanus Tuberculosis of the lungs	1 3			l				l			1		1	<sub>1</sub>	
15	Tuberculous meningitis Other forms of tuberculosis	2													1	1
(37) 17	Syphilis Meningitis	1						- · · · · · · ·								·····i
(37) 19	Convulsions Organic diseases of the heart	1														1 1
20 22	Acute bronchitis	19									į, i	2		4 9	10	2
(23)	Pneumonia. Bronchopneumonia. Diseases of the stomach.	43				2	3		1	2	6	3	4	9	12	2 9
(33)	Diarrhea and enteritis	49	5	2		5	14	1 6	5 2	3	9 24	4 2	5 1	9	10	12
(33)	Premature birth	48 17	25	$\begin{vmatrix} \tilde{4} \\ 2 \end{vmatrix}$	4		40	4	2		47			i		
(33,37) (37)	Injuries at birth	i 11	4 8	1	1		10	2		2	13 11	2				
35 38	External causes. Unknown or ill-defined diseases.						<u>-</u> -							2		
	All other causes	14		1	1	5	7	2	1		10			1	2	1
;	FALL RIVER, MASS.		-													
	All causes		70	24	6	31	131	16	29	:	• 197	61	49	142	107	101
5 6	Measles. Scarlet fever	1														1
7	Whooping cough	. 4								. 1	1 4	1		1	4	6 3
9 (12)	Influenza Dysentery	. 1	1			2	3			1	4	3			11	12
$\binom{12}{37}$	Erysipelas Tetanus												1			•••••
13 14	Tuberculosis of the lungs Tuberculous meningitis	4 2														3
15 (37)	Other forms of tuberculosis	3		l									2			
17 (37)	Meningitis Convulsions	. 2	11										[  <b></b>	1	î	2
19 20	Organic diseases of the heart Acute bronchitis	.   5				.				-		3	1 2	7	. 2	1 2
22 (23)	Pneumonia	. 16				. 1	i	1		. 1	2 2	1 4		4	17	12 5 12
24	Bronchopneumonia.  Diseases of the stomach.  Diarrhea and enteritis.	6							1 1		1	2	1	1		1 1 37
25 (33)	Malformations	31	5	6		3 2	3 15	1	8 3	5	20 24	3	2		49	31
(33) (33,37)		- 34	42 3	3		. 7	67 13	5 3	10	1	20	1 4	2	5	2	i
(37) 35	Injuries at birth External causes Unknown or ill-defined diseases	. 6		2		2	14		1 1		15 1	2		·····i		i
38	Unknown orill-defined diseases All other causes		9	2	1		12	. 1	·····i	·····i	13	2 2	1	3	3 2	1 1
	LOWELL, MASS.															
	All causes	524	56	26	15	21	118	22	17	6	163	53	45	100	96	67
5	Measles													1	3	2
6 7	Scarlet fever. Whooping cough. Diphtheria and croup	9						1			i			2	4	2
8	Influenza	. 25					i		1	-	2	1		1 4	9	1 9
(12)	Dysentery Erysipelas	1 2		·		-			,		i			.	i	. 1
(12) (37) 13	Tetanus Tuberculosis of the lungs	.				-								1		ii
14 15	Tuberculous meningitis	. 8								-				ŝ	2	3
$(\overset{1}{37})$		. 3							1		i	1				i
(37)	Convulsions	. 3				. 1	1	i			2			1 1	1	1
19 20	Acute bronchitis	. 37							1	i 1	2	2	3	7	9	14
22 (23)	Pneumonia	. 53				. 1	1	3	1	-	5	7	4	3 12	6 15	10
24 25	Diseases of the stomach	. 162						3	. 1	4	1 11	17		51	39	18
(33)	Malformations	22	7 32			4	17 53	3	1	1	. 22 58	2				
(33, 37)	Congenital debility	- 74 9	10 7	10		7	35 8	6	4	ļ <u>.</u>	45	12		8	2	
(37) 35 38	External causes Unknown or ill-defined diseases	4	<b> </b>									1	2	1		
	All other causes	17	1	,		2	2	•••••	1		3	3	2	1	5	3

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR, MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

		1 I	1	·					<del></del>	X2111			-			
Ė,		Total						D	EATHS A	T AGE O	F					
Abridged Int. List No.	AREA AND CAUSE OF DEATH.	deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months:	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRA	TION	CITIES	s of	100,00	0 POP	ULAT:	ION (	OR M	ORE I	N 1910	Conti	nued.			
	WORCESTER, MASS.	Ī		1												
	All causes	507	. 93	29	20	37	179	34	26	16	255	38	41	66	65	42
5	Measles.			<del></del>												
6	Scarlet fever	1 5			•••••			1		1 2	1		2		<sub>i</sub> -	2
8	Whooping cough Diphtheria and croup	2							2	1 2	1 4	2		7	3	1 14
(1Ž)	Influenza Dysentery										·			2	ļ <u>-</u>	i
(12) (37)	Erysipelas Tetanus	. 2			 			· 1	1		2					
13 14	Tuberculosis of the lungs Tuberculous meningitis	.! 5												1	2	2
15 (37)	Other forms of tuberculosis Syphilis Meningitis	1 4					,	i			1	1	. 1		į	
17 (37)	Convulsions												1			
19	Organic diseases of the heart Acute bronchitis	. 15				i	i	1	2	1	5	2	2	2 2	2	<u>2</u>
(23) 24	Pneumonia. Bronchopneumonia	. 54						6	2 1	1	9	3	1 7	16	16	3
25	Diarrhea and enteritis	. 114						4	6	1 2 2	12 12	19	19 2	27 2	23	14
(33) (33)	Malformations	. 125	62	18	9	6 14	103	3 12	2 5	. 2	21 122	2 2 5	1	3	4	
3 3, 37) (37)	Congenital debility	. 31	13 16	. 3	3	8 7	103 27 29	3 1	1	2	36 31		3	<u>3</u>		
`35 38	External causes	4		<u>1</u>			1			2	1 7	·····ż	1 i	2	5	
•	All other causes	. 17		2	1	1	*	1			'		_ *	_	ľ	
	DETROIT, MICH.	0.570	452	145	99	216	912	157	111	73	1,253	156	171	459	397	277
	All causes	2,713	452	145	98	210	312	101	1	<u> </u>	1,200			11	16	21
5 6	Measles Scarlet lever	. 1						1	<u>.</u>	3	5	2	3	15	1 26	22
7 8	Whooping cough Diphtheria and croup	. 28	1			2	4		Î	1	2 10		. 1	6 24	9 38	1 10
(12)		. 12							2		2	1 1 5	ī	2	3	31 5 1
(12) (37) 13		- 1						i			ī	ļ	i	3	4	i
14 15	Tuberculous meningitis Other forms of tuberculosis	. 19										1	i	3	8	7
(37) 17	Syphilis Meningitis.	. 31	2	1		4	7	2 5	1	1	11 5	6 2	3 2	. 9	1 6	1 6
. (37) 19	Convulsions. Organic diseases of the heart	21	·,····i	2	1 1	2 1	6 2	4	i	1	11 4		1 1	3	3	3
20 22	Acute bronchitis	35	i			1 2	1 3	1 6	3 5		6 18	3 12 22	11 11	9 42	10 33 58	5 22 50
$\frac{1}{24}$	Pneumonia. Bronchopneumonia. Diseases of the stomach. Diarrhea and enteritis.	274 41		4	2	6 3	12	8	12 3		18 43 12	1	32 7	69 8	9	4
25 (33)	Diarrhea and enteritis	567 184	44	2 18	3 16	15 39	3 20 117	11 12	18 11 22 19	. 17	66 146	52 . 10	67 4	191 10	131 10	60 4
(33, 37)	Premature pirth	.l 636	322 34	86 15	41 20	32	523 101	11 12 52 24	22 19	14	611 154	10 14	9 11	20	5	3
(37)	Injuries at birth External causes	. 24	45 1	11 3	13	27	96 7	8	. 2	1	106 9	3	1	3	4	4
38	Unknown or ill-defined diseases All other causes	110	····i	3	ii	5	10	11	7	2	30	11	9	24	20	16
	GRAND BAPIDS, MICH.						,							ŀ	•	
	All causes	. 245	27	20	11	19	77	12	8	9	106	19	30	40	24	26
5		-														
. 7	Whooping cough	- 4				-				-	.	i		i		2
. 8	Influenza	- 9						.			.		2	. 2 1	i	. 6
(12) (12) (37)	Dysentery Erysipelas	. 2				- - <sub>6</sub>							ī			
13	Tuberculosis of the lungs	. 1											1	1		i
14 15	Other forms of tuberculosis	. 3								1	····-i	1	·	1	ī	<u>i</u>
(37 17	Syphilis Meningitis					-							-		-	
(37 19	Organic diseases of the heart	. 3			-					i	i	2	i	1		· · · · · · i
20 22	Acute bronchitis	. 7					i		2	1	I 4	1	1	1 1	2	. 1
(23 24 25	) Bronchopneumonia Diseases of the stomach	. 8		-		: t		3			.	. 3	. 2 2 10	3		
(33	) Malformations	28	3 19	6 8		6 7	19 38	1	1	.   2		i	. 1	2		
(33 (33,37	Premature birth	19	5		2	2	11	2			14	1	2	. 1	1	
(37 35 38	Injuries at birth External causes Unknown or ill-defined diseases	6		: °	-  <del>-</del>	. 1	ı			. 1	2	i	1			
90	All other causes			.  ' i	]	]	.lj i	1	1		i	1,	. 1	2	1	2

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

Int.		Total						'n	EATHS A	T AGE O	F					
Abridged Int. List No.	AREA AND CAUSE OF DEATH.	deaths under 1 year of age.	Less than 1 day.	1 day.	days.	3 to 6 days.	Less than 1 week.	1 weekt.	2 weeks.	3 weeks but less than 1 month.	thon	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTR	ATION	CITI	es of	F 100,0	000 PO	PULA	TION	or 1	ORE	IN 19	10—Con	tinued.			
	minneapolis, minn.															
	All causes	633	175	30	22	39	266	32	28	23	349	54	38	71	59	62
5	Measles	6			,	1									2	4
7 8	Scarlet fever. Whooping cough. Diphtheria and croup.	29 5					.,	2			2	4	4	9	5 1	5 2
9 (12)	Influenza Dysentery Erysipelas	35							Î		ī	i	4	Ĝ	10	13
(12) (37)	Erysipelas Tetanus Tuberculosis of the lungs	4							1	1	2 1 1 2	1	1			
13 14 15	Tuberculosis of the lungs Tuberculous meningitis Other forms of tuberculosis	5												2	. 3	2 3
(37) 17	Syphilis. Meningitis	19	4	1		3.	8		····i		9	6	2 1	2 1		
(37) 19	Convulsions Organic diseases of the heart	14	1	ii		2	4		····i	·i	5 1	1	i	4	I 1	·····ż
20 22	Acute bronchitis	2 19		l		1				2	4	1 5	i	1 4	3	
(23) 24	Bronchopneumonia. Diseases of the stomach.	61 5			2	2	4		3	3	10	13	8 1 4	9	10	11
25 (33) (33)	Diarrhea and enteritis Malformations Premature birth	25	17	2	5	1 6	30		1 4	4	8 45	6	1 2	16 2	5 3	8 3
(33,37)	l consemial depitity	192 48 27	126 14 12	3	3	6 8 7 6	159 27 25	12 5 2	6 5	7	184 37	5	1 4	4	2	
(37) 35 <b>38</b>	External causes     Unknown or ill-defined diseases	3			l				i		27 1 3					i
	All other causes	39	1		î	3	3 5	2	1 i	1	9	3	3	7	11	6
	ST. PAUL, MINN. All causes															
. 5	Measles		86	18	16	37	157	36	20		237	36	25	57	55	39
6 7	Scarlet fever Whooping cough														5	
8 9	Diphtheria and croup Influenza	1 25				1	i				1	1	3	·····i	10	
(12) (12)	Erysipelas	7								2	2	3				
(37) 13 13	Tetanus Tuberculosis of the lungs Tuberculous meningitis	3				. 1	1				1			2	·····i	
15 (37)	Other forms of tuberculosis	1 6				:							2	1	1	1
(37)	Meningitis	¥ 5		i		3	4	ī	i		2 1			. 3	1	
19 20 22	Organic diseases of the heart Acute bronchitis	1 4											ii	i	$\frac{1}{2}$	
(23) 24	Pneumonia. Bronchopneumonia. Diseases of the stomach.	36				i	II		3	1 3	1 7	2 5	2	. 5 7	9	2 6
25 (33) (33)	Diarrhag and antaritie	63	6					3	·····i	1 5	9	10	6	17	12	
(33,37)	Congenital debility	30 43	66 10	12	5	11 9	14 94 26	13		6	21 121	. 3 6 3	2 2	1		
(37) 35	Injuries at birth External causes	. 17	3	2	2	ő	13	3		. i	33 17					
38	Unknown or ill-defined diseases. All other causes	29	i			2	3	5	4	3	15		2	7	4	i
	KANSAS CITY, MO. (TOTAL).															1
	All causes	635	85	53	28	40	206	45	36	17	304	64	48	90	71	58
5 6	Measles Scarlet fever	10 1												1	5 1	
7 8 9	Diphtheria and croup	. 3								. 1	1	. 4	2	4		
(12) (12)	Dysentery Ervsipelas	2				1	2	1	1		5	. 3	1	. 9	9	9
(37) 13	Tetanus	2				-								.		
14 15	Tuberculous meningitis	4											1		3	i
(37) 17	Meningitis	. 3	1	2	1	2	6	1	1	2	9	10	2	2	3	i
(37) 19 20	Organic diseases of the heart Acute bronchitis	. 5						2			2	·····i	i	. 1		: i
22 (23)	Pneumonia	46				1 1 3	1 1	2 1 5	i	. 1	3	2	6	. 2	8	
24 25	Diseases of the stomach	. 1		1		3	4	5	5	1 3	16	13			. 1	
(33)	Malformations	57	7 59	12 21	5 8	4 13	28 101	6 9	6 9	3	43 120	6	4	18 1	14 2	
(33,37) (37) 35	Injuries at birth	. 34	5 12	6 10	6 4	9	26 29	8	2 2		38 32	6	3	i		
38		. 1		1	. 1		1				1					i
		-1 98	(1	1	.  2	1	2	] 4	3	1 2	11	4	. 4	12	5	1 3

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

Ħ		Total						DE	ATHS AT	AGE OF	_					
Abridged Int. List No.	AREA AND CAUSE OF DEATH.	deaths under 1 year of age.	Less than 1 day.	day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	8 weeks but less than 1 month.		1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRA	TION	CITIE	s of	100,0	00 PO	PULAT	TON	OR M	ORE :	IN 191	.0—Cont	inued.		·	
	KANSAS CITY, MO. (WHITE).									-						
	All causes.	564	82	43	22	35	182	, 39	34	17	272	60	43	76	63	50
5 6	Measles. Scarlet fever.	9												1	5 1	3
7 8 9	Whooping cough. Diphtheria and croupInfluenza.	3						1		1	1	1	2	3	3	6 1
(12) (12)	Dysentery. Erysipelas. Tetanus. Tuberculosis of the lungs.	2				1	2	1		1	5	.3	1	9 1	6	8 :
(37)	Tetanus Tuberculosis of the lungs	2										1	1			
14 15 (37)	Tuberculous meningitis. Other forms of tuberculosis Syphilis	4 26	i	<u>2</u>	i				<u>i</u>		9	10	2		3	1
(37) 17 (37)	Meningitis	2						1		·	1	10	z	2 1	1	
(37) 19 20 22	Convulsions Organic diseases of the heart Acute bronchitis	4				i	1	1		1	1 3	1	1	····i		1
(23) 24	Pneumonia Bronchopneumonia Diseases of the stomach	40 56 1				1 2	1 2	1 3	6	i	3 12	2 6	5	16 13	8 14 1	.7
25 (33)	Malformations	79 53		10	3	2 4	2 24	5 6	5 6	3	15 39	12 6	11 4	17 1	12 2	12 1
(33) (33,37)	Congenital debility	118 43	57 5	16 4	7 5	12 7 3	92 21	8	9 2	1 2	110 33	3 6	3	1 1		
(37) 35 38	External causes Unknown or ill-defined diseases.	31 2	11	10 1	4	3	28 1	1	1		30 1		1			i
	All other causes	32			2		2	3	2	2	9	4	4	9	4	2
	KANSAS CITY, MO. (COLORED).  All causes.	71	3	10	6	5	24		۰		20	4	_			
5	3.5.	====	<b> </b>					6	2		32	<u> </u>	5	14		8
6 7	Scarlet fever Whooping cough	2												1	1	
8 9 (12)	Influenza Dysentery	4												••••••	3	i
(12) (37)	Measles. Scarlet fever. Whooping cough Diphtheria and croup. Influenza. Dysentery. Erysipelas. Tetanus. Tuberculosis of the lungs. Tuberculosis meningitis. Other forms of tuberculosis.															••••••
13 14 15	Tuberculosis of the lungs Tuberculous meningitis															
(37) 17	Other forms of tuberculosis Syphilis Meningitis.	1													1	
(37) 19	Convulsions	- ;									1					
20 22 (23)	Acute bronchitis Pneumonia. Bronchopneumonia.	. 6						1			1		2	1		3
(23) 24 25	Diseases of the stomach	8			1	1 1	2	2			2	2	2	6 1	2	2
(33) (33)	Malformations. Premature birth. Congenital debility	1 7	2	2 5	2	<sub>1</sub> -	4 9	1			10	1	<u>-</u>		4	
(33,37) (37) 35	Congenital debility Injuries at birth External causes	. 3	1	2	1	2	5 1		1		5 2	i				
38	Unknown or ill-defined diseases. All other causes	1 7			1		i	1	1		1 2			3	1	1
	ST. LOUIS, MO. (TOTAL).							_	•		_		,		1	
	All causes		204	83	48	85	420	76	48	49	593	108	115	213	191	147
5 6	Measles Scarlet fever	ĭ												2	3	1 1 11
7 8 9	Whooping cough Diphtheria and croup Influenza	68 17 51							2	1	3	10	6	18 1 7	20 6	1 6
(12) (12) (37)	Dysentery Ervsipelas	2 3						4 	1		5 1	1 1	6	<del>7</del>	15 	17 1
13	Tunerculosis of the lungs	5 8	1			2	2 1	3 1			5 2			3	2	i
14 15 (37)	Tuberculous meningitis. Other forms of tuberculosis. Syphilis.	4	5	3	<u>-</u>	2	10						1	2	1 2	2 1
(37) 17 (37)	Meningitis. Convulsions Organic diseases of the heart	14				2	12	6 2	2	2 1	22 4	11 1	8 1	5 2	1 7 ·1	3
19 20	Acute bronchitis	36						3	4	1	8	7	1 5	7	1 5	4
22 (23) 24	Pneumonia Bronchopneumonia Diseases of the stomach	173	. 1		1 2	2 8 1	3 11	1 4	3 3	2 4	· 22	5 17	2 19	23 40	12 40	17 35
25 (33) (33)	Diarrhea and enteritis.  Malformations.	261 71	14	11	1 11	1 1 9	1 2 45	9 5	7 4	3 17 4	35 58	6 27 2	37 3	68 4	1 57 2	37 2
(33, 37)	Congenital debility	287 101	134 29	49	18 9	33 15 7	234 63	28 8	6 7	4 6 3	274 81	8 3	3 5	2 8	4	
(37) 35 38	Injuries at birth  External causes  Unknown or ill-defined diseases.	14	17 3	iŏ	4	7	38 4	1	1	1	41 5	·····i	3	3	2	
0.5	All other causes			[i		3	3	1	6	4	14	6	11	14	9	5

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

Et .		Total						Di	EATHS A	T AGE OF	<del></del>					<del></del>
Abridged Int. List No.	AREA AND CAUSE OF DEATH.	deaths under 1 year of age.	Less than 1 day.	1 day.	days.	8 to 6 days.	Less than 1 week.	week.	weeks.	3 weeks but less than 1 month.		1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTR	ATION	CITI	ES O	F 100,	000 PC	PULA	TION	OR :	MORE	IN 19	10Cor	itinued.			
	ST. LOUIS, MO. (WHITE).															
_	All causes		175	70	43	71	359	69	45	41	514	94	94	187	156 2	125
5 6 7	MeaslesScarlet fever Whooping cough	3 1 57							2	1	3	9	5	14	17	1 9
8	Diphtheria and croup Influenza	14 42							<u>î</u> .		5	1 1	3 4	1 5	6 13	3 14
(12) (12)	Dysentery Ervsipelas	3					2	2	1		1 4	1		1		
(37) 13 14	Tetanus Tuberculosis of the lungs Tuberculous meningitis	4 7 5					1	1			2			3 2	1 1	$\frac{1}{2}$
15 (37)	Other forms of tuberculosis Syphilis	4 34	1	1	1		3	3	2	2	10	10	7	5	2 	1 2 2
17 (37)	Meningitis Convulsions Organic diseases of the heart	5				····i	····i	2	 	1	4	1	1	2	4 1 1	2
19 20 22	Acute bronchitis	31				1	2	3	3 2	1 2	7 7	6 5	4 2	7 21	3 10	4 15
(23) 24	Bronchopneumonia	134 13			2	7 1	10	4	2	2 2	18 3 30	14 5	14	31	29 1 49	28
(33)	Diarrhea and enteritis Malformations Premature birth	68	12 114	11	1 11 16	1 9 29	2 43 199	8 5 28	7 4 6	13 4 5	56 238	26 1 5	33 3 3	64 4 2	2	36 2
(33) (33,37) (37)	Congenital debility	81 39	26 17	40 8 10	8 3	11 6	53 36	6	7	3	69 39	2	3	4	3	
35 38	External causes Unknown or ill-defined diseases.	12	3	 		1	4		1		5		2	3	9	
	All other causes	55				2	2	1	6	4	13	6	8	14	9	
•	All causes	197	29	13	5	14	61	7	3	8	79,	14	21	26	35	22
5	Measles	3												1	1	1
6 7 8	Scarlet fever Whooping cough Diphtheria and croup	11 3							L .		11	1 7	1	4	3	2 3
9 (12)	Influenza   Dysentery	9											2	2	2	3
(12) (37)	Erysipelas   Tetanus	1														
13 14 15	Tuberculosis of the lungs Tuberculous meningitis Other forms of tuberculosis	1				1	II .		į.	1						
(37) 17	Syphilis   Meningitis	16	4	2			9			.l		1	. 1			1
(37) 19	Convulsions Organic diseases of the heart Acute bronchitis												·····i			
20 22 (23)	Pneumonia	. 8	II			. 1	1		ļ	2	2 4	3		2 9	. 11	
24 25	Bronchopneumonia Diseases of the stomach Diarrhea and enteritis	. 23						i		. 1	1 5	1 1		4		·····i
(33)	Malformations	. 39	20 30	9 2	2	4	35			: **·i	36 12			4		
(33, 37) (37) 35	Congenital debility Injuries at birth External causes	. 2			1	1	10 2				2					
38	Unknown or ill-defined diseases All other causes	4				. i	1				1		. 3	-		
•	OMAHA, NEBR.															
_	All causes		55	20	13	20	108	21	13		160	24	24	67	47	====
5 6 7	Measles. Scarlet fever. Whooping cough.	. 2										-	-	2	i	1 1
8	Diphtheria and croup	. 2								2	5	2	3	1 9	13	1 8
(12) (12) (37) 13	Dysentery Erysipelas	- 2		.		-					·i		:i	1	1	
(37) 13	Tetanus Tuberculosis of the lungs Tuberculous meningitis	1 2			.   <b></b>	-				-	1			-		
14 15 (37)	Other forms of tuberculosis	. 2					i	·		-' -'	i	2	2	1	i	
(37)	Meningitis Convulsions	. 4			·····i	. 1				-[	I 1		. 1	. 2	····i	
19 20	Organic diseases of the heart	. 4			. 1	-	. 1	. 1		2	. 1		2	. 1	3	5
22 (23) 24	Bronchopneumonia	- 40	1			1	2	. 1	1 2		6	5	3	13	7	
25 (33)	Diarrhea and enteritis Malformations	51 21	4	5	5				1	2	5 17	5	. 4	18		
(33,37)	Premature birth	. 37	42 5	9 5	1	11 6	17	4	2	3	72 26	3			i	i
(37) 35 38	External causes	5 6 1	2	1				i	.  2		5 3 1	2				. 1
00	All other causes	23	i		.	.	:  ·····i			2				. 4	6	6

· Table 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

Int.		Total			,			, <b>1</b> 0	EATHS A	T AGE O	F—					
Abridged List No	AREA AND CAUSE OF DEATH.	deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	8 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTR	ATION	CITI	es oi	F 100,	000 BC	PULA	TION	or i	MORE	IN 19	10—Con	tinued.			
	JERSEY CITY, N. J.								+							
	All causes	893	119	26	25	· 41	211	53	38	31	333	69	74	161	145	111
5 6 7	Measles Scarlet fever	12											1	1	5	5
8	Whooping cough Diphtheria and croup Influenza	22 3 57				i	·····i		 4	2		3	6	8	3	2
(12) $(12)$	Dysentery Erysipelas	. 5			:					1		4 1	2 1	19	14 2 1	17
(37) 13	Tetanus Tuberculosis of the lungs	1	,						·	1 1	ī			1		
.14 15 (37)	Tuberculous meningitis Other forms of tuberculosis Syphilis	4 2 2												1	1	2
(37)	Meningitis Convulsions	11 7	1	1			2	1 1	1	2	2 5	1	1	1 2	4 1	2
19 20	Organic diseases of the heart Acute bronchitis	1 40			1		i	1 5	4	4	1 14	5	6	7	6	2
(23)	Pneumonia Bronchopneumonia Diseases of the stomach	58 97 2			. 2	2	2 2	3	3 ,5	1 3	7 13	10	5 7	11 25	16 22	16 20
25	Diarrhea and enteritis	216 47	8	4	·····i	ii	24	3	. 6	4 1	13 38	23 2	28 3	67	49 3	36
(33) (33) (33,37)	Premature birth Congenital debility Injuries at birth	153	77 13 20	13 4	15 2 3	17 5	122 24	15 4	8 2	2 8	147 38 37	2 8	1 9	3 10	5.	
(37) 35 38	External causes Unknown or ill-defined diseases	37 15		3 1	3	2 2	28 2 1	8	1		2	2		4	3	4
. 30	All other causes	27			i	1	2	1	1	1	1 5	5	3	6	7	ī
	NEWARK, N. J.								•							
. 5	All causes	1,204	141	43	37	78	299	79	51	31	460	89	93	215 4	183	164
67	Scarlet fever	23								1	1	1		10	7	16 4
8 9	Diphtheria and croupInfluenza	2 41										4	6	·····9	9	2 13
(12) (12) (37)	Dysentery Erysipelas Tetanus	6 8 1						1		2	3 1	1 2	·· <b>-</b> 1	1	$\frac{1}{2}$	3
13 14	Tuberculosis of the lungs Tuberculous meningitis	2 13											<i></i>	<u>.</u>	6	2. 5
15 (37) 17	Other forms of tuberculosis Syphilis	9			1		1		2		3	i	<u>ī</u>	<u>:</u>	1	3
(37) 19	Meningitis	12 4 1				i	1	····i			2	·····i	2 1	5	2	3
20 22	Acute bronchitis	80 62				.3	3	7 1	5	6	21 1	2 4	14 3	21 13	9 22	13 19
(23) 24 25	Bronchopneumonia Diseases of the stomach Diarrhea and enteritis	94 13	1				1	5 1	5 1 7	2 1 5	13	2	5 4	13 25 3	24 2	25 1 43
(33) (33)	Malformations Premature birth	294 53 225	93	8 22	1 21	3 11 31	3 29 167	9 9 29	· 4	3 6	24 45 217	32 3 8	37	87 2	71 1	43
(33, 37)	Congenital debility	113 \37	93 21 14	22 6 6	21 5 6	14 6	46 32	29 7 2	7 2	2 1	62 37	16	12	13	5	5
35 38	External causes Unknown or ill-defined diseases All other causes	12 1 63	. 2 1	1	3	1 8	5 1 10	1	$ \begin{array}{c} 1 \\ \dots \\ 2 \end{array} $		7 1 19	2	* 1	2		
	PATERSON, N. J.	, 3		_		٥	10	5		2	19	10	3	14	10	7
	All causes	325	45	13	10	, 23	91	22	11	7 -	131	29	16.	54	46	49
5	MeaslesScarlet fever	3										1	1		1	
8	Whooping cough	8										1		4	3	i
9 (12) (12)	Influenza Dysentery Erysipelas	5 1												1	2	2
(37)	Tetanus Tuberculosis of the lungs	2										ii				
14 15	Tuberculous meningitis Other forms of tuberculosis	3													2	1
(37) 17	SyphilisMeningitis	7 3			1		. 1		1	1	3	1		2 2	1	
(37) 19 20	Convulsions Organic diseases of the heart Acute bronchitis	1							i	1	····· <del>3</del>				 1	
22 (23) 24 25	Pneumonia Bronchopneumonia	23 38				1 1	1 1	1 3			2 4	2 4	$\overset{1}{2}$	4 6	6 6	1 7 18
24 25	Diseases of the stomach Diarrhea and enteritis	75				1	i	1	4	1	7	1 6	2 6	26	18	1 12
(33)	Malformations Premature birth Congenital debility	. 65 33	32 3	1 8 1	2 3 2	1 8 7	5 51 13	8	1	1	9 61 20	2 4				
(37)	External causes	13	ğ	2 1	1 1	1	13 2	4	2	1	20 13 2	5	3	3	1	1 1
38	Unknown or ill-defined diseases. All other causes	1 18				1 1	1	2	1		1 4	1	1	5	3	

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

ا ئد				····					71.077							<del></del>
No.		Total deaths		Γ	1	T	11		EATHS A	T AGE O	<u> </u>	1	ı <u>.</u>	1	1	I
Abridged Int. List No.	AREA AND CAUSE OF DEATH.	under 1 year of age.	Less than 1 day.	day.	days.	3 to 6 days.	Less than 1 week.	week.	weeks.	8 weeks but less than 1 month.	Less than 1 month.	month.	months.	3 to 5 months.		9 to 11 months.
	REGISTR	ATION	CITI	ES O	F 100,	000 PC	PULA	TION	or :	MORE	IN 19	)10—Cor	ntinued.	I		<u> </u>
	ALBANY, N. Y.															
	All causes	<del></del>	41	9	14	14	78	13	8	11	110	16	15	34	39	33
5 6	Measles. Scarlet fever. Whooping cough.	1												1 3	i	
8 9	Diphtheria and croup Influenza	3 17						·····i			i			i		· 3
(12) (12)	Dysentery Erysipelas	1													1	
(37) 13 14	Tetanus Tuberculosis of the lungs Tuberculous meningitis	3											1	1	1 1	i
15 (37)	Tuberculous meningitis Other forms of tuberculosis Syphilis	8						i			1	····· <sub>2</sub>	<u>i</u> -	2	·····i	<u>i</u>
(37) 19	Meningitis. Convulsions Organic diseases of the heart	4					1			1	1			2		1
20 22	Acute bronchitis	5			 	1	1	1 1	i		3	1 1	1	, 1 , 3	5	3
(23) 24	Bronchopneumonia	. 30		1			1	1	1	1	3		2	7 2	10	8
25 (33) (33)	Diarrhea and enteritis	27 20 51	3 25	<u>2</u>	2 9	2 2	9 39	3 1	<u>1</u>	2 4	2 15 46	3 1 2	1 1	5 2 1	6 1 1	
(33,37) (37)	Congenital debility Injuries at birth	17 20	3 10	l <b></b>	3	3	7 18	1 1	2 1		10 20	3	2	2		
35 38	External causes. Unknown or ill-defined diseases. All other causes.	1 1 11		·····i		<u>2</u>	1 2	2		1	1 5		1	····i	3	i
	BUFFALO, N. Y.					_		_				_		_		_
	All causes	1,690	293	68	46	90	497	81	73	60	711	147	110	272	258	192
5 6	Measles. Scarlet fever.	10												3	1 1	6
7 8 9	Scarlet fever Whooping cough Diphtheria and croup. Influenza.	23 8 83							1	1	1 3	4	15	5 1 18	6 2 24	4 29
(12) (12)	Dysentery	5	11	1	1			1			3			1	1	2
(37) 13 14	Tetanus Tuberculosis of the lungs Tuberculous meningitis	9											i	4 2	2 5	3 1
15 (37)	Other forms of tuberculosis Syphilis	42	3			4	7	2	3	5	17	<u>i</u> i	2	9	<u>2</u>	i
(37) 19	Meningitis. Convulsions Organic diseases of the heart.	8			2	6	8	2 1		i	10 10		i 1	3	2	1
20 22	Acute bronchitis	1 23		1 1	1 1	····i	1 3	1 1	3 1	2	7 6			6 16	9 14	1 13
(23) 24 25	Pneumonia. Bronchopneumonia. Diseases of the stomach Diarrhea and enteritis.	163 16		11		. 1	2	3	6 3	5 2	16 5 69	8	959	38 135	43 3 120	37 73
(33) (33)	Malformations	95 322	26 186	5 40	1 4 23	3 14 28 17	49 277	19 11 18	23 2 13	23 3 8 2	65 316	7	5	7	7	4
(33, 37) (37)	Congenital debility	76 99	11 64	9	2	17 9	39 92	10	5	. 2	/ 99	7	6	4	2	1
35 38	External causes	7 1 87	3	1 2	2	7	1	4	11	4	33	11	1 1	2 1 15	3	8
	NEW YORK, N. Y. (TOTAL).			-						-					1	
	All causes		1,684	572	440	758	3,454	689	562	402	5,107	1,099		2,021	1,842	1,700
5 6	Measles. Scarlet fever. Whooping cough	. 3				2				. 2	2	3		13 68	74 2 86	108
7 8 9	Diphtheria and croup Influenza	. 88 389	3			2	2	15	1 2 9	5 1 6	9 2 39	32 1 21	1 1	11 67	24 116	76 49 129
(12) (12)	Dysentery Erysipelas	9 111				i	1	3	1 12		30	1 35	1	17	10	129 1 4
(37) 13 14	Tetanus Tuberculosis of the lungs Tuberculous meningitis	. 66	4	11		1	1 4 1	2	1 2	2	8 3	1 2	3 5	14 35	22 65	, 18 51
15 (37)	Other forms of tuberculosis	. 26 223	38	16	4	17	75	17	18 2	11	1 121	3	15	10 35	6 12	18 51 5 7 23 3 6 45 267
(37) 19	Convulsions	. 64			5	6	11 1	9 2	3	1 1 2	5 24 6	8	1 9	23 15 2	17 5 3	23
20 22	Acute bronchitis	418 765	1 4	1 2		11 17	16 24	26 16	39 18	16 11	97 69	74 37	55 41	89 139	58 212	45 267
(23) 24 25	Bronchopneumonia Diseases of the stomach	1,602		5	. 11	33 2	49 3 27	47	62	41	199 13 211	149 11	120 11	352 16	382	400
(33) (33)	Malformations Premature birth	. 628 2,396	126 1,003	59 325	54 201	92 247	331 1,776	45 53 231	43 142	21 93	2,242	41 88	36 31	668 54 25	511 25 8	346 24 2 45
(33,37) (37) 35	Congenital debility	1,491	219 257	85 65	79 60	149 115	532 497	132 33	86 12	71 5	821 547	187	138	224	76	45
38 38	Unknown or ill-defined diseases All other causes.		11 18	11			16 78	43	35	.	28 177			.	108	
											-					•

Table 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

ht.		Total						r	EATHS A	T AGE O	F—					
Abridged In List No.	AREA AND CAUSE OF DEATH.	deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than i month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTR	ATION	CITI	ES·O	<b>100,</b> 0	00 PO	PULAT	TION	OR M	ORE	IN 191	LO—Con	tinued.			
	NEW YORK, N. Y. (WHITE).	40.00												,		
5	All causes	12,035	1,615	. 545	. 426	720	3,306	656	536	384	4,882	1,060	815	1,913	1,755 74	1,610
6 7 8	Scarlet fever. Whooping cough. Diphtheria and croup.	3 293				2	2		2	5	9	32	35	65	2 80	72
9	l Inninenza	85 372 9	3			6	9	15	1 7 1	1 6,	37 1	1 19 1	16	11 63 4	21 112 2	49 125 1
(12) (12) (37) 13	Dysentery Erysipelas Tetanus Tuberculosis of the lungs	109 4 55		1		1	1	3 2	1 <u>1</u> 1 2	14	29	34	15	17	10	4
1/	Other forms of tuberculosis	155 26				1	.1	2		1	5 3	1 3 3	2 5 1	12 33 10	21 63 6	14 48 5 6
15 (37) 17 (37) 19	Syphilis Meningitis Convulsions	155 26 183 83 61	28	12	4 5	13 6	57 11	14 2 8	15 2 3	1 7 1	93 5 23	29 9	14 8 8	33 10 31 22 14	10 16 5	6 23 3 6
19 20	Organic diseases of the heart	20 393 731	1	<u>į</u>	2	1 10	14	25 25 15	39	15	6 93	8 2 74	2 51	2 83	2 51	6 41
20 22 (23) 24	Pneumonia Bronchopneumonia Diseases of the stomach Diarrhea and enteritis	1,508 59	4	2 5	· 11 1	16 32 2	22 48 3	15 46 4	17 58	10 40 3	64 192 12	37 144 11	116 11 11	. 323 . 16	205 357 5	41 253 376 4
25 (33) (33)	Diarrhea and enteritis Malformations Premature birth	2,185	124	2 58	4 54	20 89	26 325	45 52	66 42	68 21	205 440	282 41	240 36	638 52	497 25	323 23 2
(33,37) (37) 35	Congenital debility Injuries at birth	2,304 1,417 535	972 210 243	58 310 82 61	194 75 59	236 141 112	1,712 508 475	216 123 33	138 79 12	90 67 5	2,156 777 525	85 182 5	29 132 5	25 212	7 71	43
35 38	External causes. Unknown or ill-defined diseases. All other causes.	84 547	10 18	11	4 13	1 31	15 73	7 42	2 35	3	27 171	12	8	17	10	10 70
	NEW YÖRK, N. Y. (COLORED).	011	1	**	10	31	10	#2	99	21	111	43	39	121	103	10
	All causes	576	69	27	14	38	148	33	26	.18	225	39	27	108	87	90
5 6 7	Measles Scarlet fever	4 14										1	1	2		
8	Scarlet fever. Whooping cough Diphtheria and croup. Influenza	3 17							2		2	2	1	3 4	6 3 4	<del>4</del>
(12) (12) (37) 13	Dysentery Erysipelas Tetanus	<u>2</u>					11				i	<u>i</u>		••••••		
14	Tuberculosis of the lungs Tuberculous meningitis	117	2			•••••	2			i	3		1	2 2	1 2	4 3
15 (37) 17	Other forms of tuberculosis Syphilis	40 4	10	4		4	18	3	3	4	28	4	1	4	2 1	i
· (37) 19 20	Convulsions Organic diseases of the heart Acute bronchitis.	3 1						1			1		1	î	<u>i</u>	
22 (23)	Pneumonia	25 34 94			1	1 1	$\begin{smallmatrix}2\\2\\1\end{smallmatrix}$	1 1	1,	1 1	5 7	5	4	6 8 29	7 7 25	$\begin{array}{c} 4 \\ 14 \\ 24 \end{array}$
24 25 (33)	Diseases of the stomach Diarrhea and enteritis Malformations	90 11				1 3	<u>1</u> 6		3	1 2	1 6	13	4	30	14	23
(33) (33) (33,37)	Premature birth	92	31 9	1 15 3	7 4	11 8	64 24 22	1 15 9	1 4 7		. 8 86 44	3 5	2 6	,2 12	1 5	1 2
(37) 35 38	Injuries at birth   External causes   Unknown or ill-defined diseases.	22 5	· 14	4	1	3	22 1				22 1	1		····i	i	i
00	All other causes	20				5	5	1			6	3		1	, 5	5
	NEW YORK, N. Y. (BRONX BOROUGH) All causes	1,262	193	76	57	98	- 424	91	69	45	601	00	20	100	,,,	*00
. 5	Measles	1,202	190		31	90	424	91	09	47	631	99	83	162	151	136
6 7 8	Scarlet fever. Whooping cough. Diphtheria and croup.	30							i	1	2 1	4	3.	. 7	7	7
9	Influenza	23				3	3	1	1		6	2		1	7	6 7
(12) (37) 13	Erysipelas Tetanus Tuberculosis of the lungs	22						1		3	4	9	1	3 i	3	2
14 15	Tuberculous meningitis. Other forms of tuberculosis	22 1				i	1				1		1	5 1	9	2 6
(12) (12) (37) 13 14 15 (37) 17 (37) 19	Syphilis Meningitis Convulsions		2	3		3	8	3	3	1	15	. 3	$\begin{array}{c c} & 1\\ 1\\ 2 \end{array}$	4 1	1 2	2
19 20	Organic diseases of the heart Acute bronchitis	3 19				1	1	i	2		4	4	1 1	2 4	2	3
20 22 (23) 24	Pneumonia. Bronchopneumonia. Diseases of the stomach.	11		2		3 5	. 7	6.2	7	3 3 1	· 23	11 2 13	1 3	11 29 2	16 32	24 32 2 10 2 2 2 5
25 (33)	Diarrhea and enteritis  Malformations  Premature birth	1.53	26	11	5 5	3 10	5 52	2	6 9	9	- 23 3 22 69	13 2 9	1 4	2 47 5	40 3	10 2
25 (33) (33) (33,37) (37)	Premature birth   Congenital debility   Injuries at birth	162 80	111 21 27	35 14 11	29 7 12	27 17 18	202 59 68	35 24 6	21 7 1		267 97 77	20 2	11	2 21	1 8	
35 38	External causes Unknown or ill-defined diseases All other causes	15	3				3	1			4	1	3	2	4	1
	THE OWNER COURSESSESSESSESSESSESSESSESSESSESSESSESSES	74	]]- 3	J	.]	7	12	. 3	1 5	. 3	]] 23	10	5	12	11	13

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

nt.		Total	,					I	EATHS A	AT AGE O	F—					
Abridged Int. List No.	AREA AND CAUSE OF DEATH.	deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	t week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 menths.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRA	TION	CITIE	s or	100,0	00 PO	PULAT	CION	OR M	ORE	IN 191	. <b>0</b> —Con	tinued.			
	NEW YORY, N. Y. (BROOKLYN BOROUGH, TOTAL).															
	All causes	4,463	578	174	173	302	1,227	252	200	130	1,809	386	261	718	647	642
5 6 7	Measles Scarlet fever	79 2								1	1	1		7	31 1	39 1
8 9	Whooping cough Diphtheria and croup Influenza	73 19 149				2	2	8	······································	2 2	4 14	7	5 9	14 1 29	21 6 44	1 22 12 46
(12) $(12)$ $(37)$	Dysentery Erysipelas Tetanus	3 18 1						i	3 1	3	7 1	1 3	5	2	2	1
13 14 15	Tuberculosis of the lungs Tuberculous meningitis Other forms of tuberculosis	22 54 9						ĭ			1	2	1 1	4 14 3	19 2	. 19
(37) 17 (37)	Syphilis Meningitis Convulsions	51 37 33	8	4	5	7	19	5 2 6	5 1 1	2	31 3 16	5 5 2	2 1	8 9 11	5 8 2	2 2 10 1
19 20 22	Organic diseases of the heart Acute bronchitis Pneumonia	1 166			1	5	6	9 7	15	7	37	35	1 1	28	22 80	24
(23) 24	Bronchopneumonia Diseases of the stomach	272 640 15	1	1	4 1	. 16 1	11 20 2	19 1	25 1	20 1	25 84 5 70	12 59 4	20 13 40 2	43 141 4	144	99 172
25 (33) (33)	Diarrhea and enteritis	845 240 862	43 372	18 106	18 81	7 39 98	7 118 657	17 24 84	24 14 45	1 22 8 27	164 813	115 23. 32	89 12 7	254 22 10	182 10	135 9
(33,37) (37) 35	Congenital debility Injuries at birth External causes	479 171 29	71 76 1	24 17	31 20 4	60 38	186 151 5	40 10	33 6 1	21 2 2	280 169 8	54 1 6	37 1 2	64	$\frac{27}{2}$	17
. 38	Unknown or ill-defined diseases. All other causes	193	6	4	8	14	32	18	19	7	76	12	13	42	30	20
	NEW YORK, N. Y. (BROOKLYN BOROUGH, WHITE).															
5	All causes	4,327	560	172	169	291	1,192	248	197	126	1,763	376	255	690 5	633	610
5 6 7 8	Scarlet fever Whooping cough Diphtheria and croup	72 19				2	2			2	4	7	5	14 1	21, 6	1 21 12
9 (12)	Influenza Dysentery Erysipelas	144 3 18				2	2	8	2	2	14	6 1 3	9	28 2	44 2	43
(12) (37) 13	Tetanus Tuberculosis of the lungs	1 19							3 1	3	i		1	4	9	5
14 15 (37) 17 (37)	Tuberculous meningitis Other forms of tuberculosis Syphilis	52 9 48	8	3		6	17	1 5	5	2	1 29	2 5	1	13 3 7	19 2 5	18 2 2
19	Meningitis Convulsions Organic diseases of the heart	36 32 1			5	4	9	2 6	1		3 16	4 2	2 1 1	9 10	8 2	10
20 22 (23)	Acute bronchitis	157 266 610	1	1	1 4	5 9 15	6 11 19	9 7 18	15 4 25	7 3 19	37 25 81	35 12 58	19 13 38 2	26 41 131	19 78 140	. 21 97 162
22 (23) 24 25 (33) (33)	Diseases of the stomach Diarrhea and enteritis Malformations	15 823 236	42	18	1	7 36	2 7 114	1 17 24	1 22 14	1 22	5 68 160	111	88 12	250 22	180 10	126
(33) (33,37) (37)	Premature birth	842 464 165	361 70 71	18 105 24 17	18 79 29 20	96 60 37	641 183 145	83 38 10	45 32 6	8 27 18 2	796 271 163	23 30 54 1	6 36 1	10 61	25	17
35 38	External causes. Unknown or ill-defined diseases All other causes.	28	1		4		5 29		1	2	73	6 	<u>2</u> <u>13</u>	7	29	3
	NEW YORK, N. Y. (BROOKLYN BOROUGH, COLORED).	188	6	4	8	11	29	18	19	(	,,,	11	15	42	25	20
	All causes	136	18	2	4	11	35	4	3	4	46	10	6	28	14	32
5 6 7	Measles Scarlet fever Whooping cough	2 1							1					2		1
8 9 (12)	Diphtheria and croup Influenza											, 1		1		3
(12) (37) 13	Erysipelas															
14 15	Tuberculous meningitis Other forms of tuberculosis													1		1
(37) 17 (37)	Syphilis Meningitis Convulsions	3 1 1		1		1	2				2	1		1		
19 20 22	Organic diseases of the heart Acute bronchitis. Pneumonia	9									,		1	2 2	3 2	3 2
(23) 24 25	Bronchopneumonia. Diseases of the stomach Diarrhea and enteritis.	30				1	1	1			3	1	2	10	4	10
(33) (33)	Malformations Premature birth	4 20	1 11	·····i	2	3 2	16	1	2		17	2	1 1	4	2	9
(33, 37) (37) 35	Injuries at birth External causes	6	1 5		2	1	3 6	2	1	3	9 6		1	3	2	
<b>3</b> 8	Unknown or ill-defined diseases. All other causes		<b> </b>	]:		3	3				3	·····i			i	

Table 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

mt.		Total						I	DEATHS A	AT AGE (	)F—			····		<u></u>
Abridged Int. List No.	AREA AND CAUSE OF DEATH.	deaths under 1 year of age.	Less than 1 day.	day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.		nonth.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRA	TION	CITIE	s of	100,0	00 PO	PULAT	TION	OR M	ORE	IN 191	l <b>0</b> —Cont	inued.	·		':
	NEW YORK, N. Y. (MANHATTAN BOROUGH, TOTAL).															
. 5	All causes	5,720	721	271	162	291	1,445	286	232	180	2,143	534	417	960	895 32	771
6 7	Scarlet fever	1 148							i	i	2	12	19	32 8	1 44	49 39
8 9 (12)	Diphtheria and croup Influenza Dysentery	55 159 5	3				3	2	- 1 5	·····i	1 11 1	1 10	1 6	8 27 2	17 50 1	27 55 1 1
(12) (37)	Erysipelas Tetanus	68				1	1 1	$\begin{smallmatrix}1\\2\end{smallmatrix}$	8	8	18 3	21	9	14	5	
13 14 15	Tuberculosis of the lungs Tuberculous meningitis Other forms of tuberculosis	38 76 12	4				4	i	1	2	7	3 1	2 3 1	8 13 3	13 34 4	8 22 3 3
(37) 17 (37)	Syphilis Meningitis Convulsions	139 41 22	25	9	4	7	45	9	10 1 1	8 1	72 2 6	24 5	. 14 . 5	· 20	6 7	11
19 20	Organic diseases of the heart Acute bronchitis	10 208	1	1 1	2	<u>2</u> 5	2	. 1 15	1 19	7	u 9	.5 1 32	5 31	4 52	1 28	2 6 15
22 (23) 24	Pneumonia Bronchopneumonia Diseases of the stomach	373 688 32	3	2	6	5 10 1	10 18 1	6 20	9 19 1	5 13	50 30 70	18 66 5	20 52 5	77 157 9	103 · 179	125 164 2
25 (33) (33)	Diarrhea and enteritis	1,086 233	43	1 24.	1 20	8 -33 -94	10 120	21 17 95 59	31 16	2 31 8	5 93 161	144 13	108 16	321 20	251 . 11	169 12
(33,37) (37) 35	Premature birth Congenital debility Injuries at birth	1,002 719 227 37	406 116 105	155 40 30	72 33 21	94 64 48	727 253 204	95 59 14	55 36 4	46 34 1	923 382 223	43 102 1	19 77 3	12 106	5 34	18
35 38	External causes\ Unknown or ill-defined diseases. All other causes	37 250	6	<del>-</del> 7	<u>2</u>	1	30	4 16	i	1 10	13	4 21	2 18	8 52	60	7 32
	NEW YORK, N. Y. (MANHATTAN		,	•	. 2	12		10		. 10		21	10	02	00	32
	BOROUGH, WHITE). All causes	5,311	674	247	152	265	1,338	257	210	167	1,972	507	399,	889	825	719
5 6	Measles Scarlet fever	86 1										1		4	32	49
7 8 9	Whooping cough Diphtheria and croup Influenza Dysentery Erysipelas	135 52 149					3	 2	1 1 3	1 1	2 1 9	12 1 9	18 1 . 5	29 8 25	38 14	36 27 55 1 1
(12) (12)	Dysentery_ Erysipelas_	5 66				····i	<u>i</u>	i	1 7	8	1 17	20	9	20 2 14	46 1 5	35 1 1
(37) 13 14	Tuberculosis of the lungs	31	2	1			1 2	2 1	i	: <u>1</u>	· 4	3	1 3	7 12	12 32	7
(37) 17	Tuberculous meningitis. Other forms of tuberculosis Syphilis Meningitis	102	15	6	4	4	29	6	7	4	46	1 20	1 13	3 17	4	20 3 2 11 2 6
(37) 19 20	Convulsions. Organic diseases of the heart Acute bronchitis.	38 20 9				2	2	i I	1 1 1	1	2 5 2	5 5 1	4 4	10 4	6	11 2
20 22 (23)	Acute bronchitis Pneumonia Bronchopneumenia	192 351 628	1 3	$\begin{array}{c} 1 \\ 1 \\ 2 \end{array}$	1	4	7 8	. 5	19 8	6 4	46 25	. 18	28 20	48 73	24 100	14 115 150
24 25	Diseases of the stomach Diarrhea and enteritis Malformations	29 1,024		1	`6	10 1 7	18 1 9	20 1 21	16 1 30	. 13 1 29	67 4 89	63 5 135	51 5 106	139 9 298	158 4 239	150 2 157 11
(33) (33) (33,37)	Malformations Premature birth Congenital debility	932 664	42 387 108	23 141 37 27	20 67 31	33 85 56	118 680 232 192	16 81 52	, 15 51	8 44 33	157 856	13 42	16 18	18 12	11 4 32	ii i7
(37)	Injuries at birth External causes	215 34	99 5	27	20	· 46	192	14 4	30 4 1	1	347 *211 12	97 1 4	73 3 2	98	2	6
38	Unknown or ill-defined diseases. All other causes	236	9	7	- 2	····ii	29	15	11	10	65	19	18	51	56	27
	NEW YORK, N. Y. (MANHATTAN BOROUGH, COLORED).						.							Ì		
5	All causes Measles	409	47	24	10	26	107	29	22	13	171	. 27	18	71	70	52
6 7 8	Scarlet fever	13											i	3	6	3
ğ.	Diphtheria and croup Influenza. Dysentery.	3 10				•••••			2		2	i	ī	2	3 4	
(12) (12) (37)	Erysipelas Tetanus	2 7							1		1	1				••••••
13 14 15 (37)	Tuberculosis of the lungs Tuberculous meningitis Other forms of tuberculosis	5	2				2			1	3		1	1	2	1 2
(37) 17 (37)	Syphilis Meningitis Convulsions	, 37 3 2	10	3		3	16	3	3	4	26	4	1	3	2 1	1
19 20	Organic diseases of the heart Acute bronchitis	16		•••••	1	····i	2	i		·····i	1 4		3	4	1 4	i
19 20 22 (23) 24	Pneumonia. Bronchopneumonia. Diseases of the stomach.	22 60 3			1	1	2	1	3	1 1	5 3	3	i	18	21 21	10 14
25 i	Diarrhea and enteritis	62	1	<u>i</u>		1	1 2	1	1	2	4 4	9	2	23 2	12	12 1
(33) (33) (33,37) (37)	Premature birth	70 55 12	19 . 8 6	14 3 3	5 2 1	9 8 2	47 21 12	14 7	4 6	2	67 35 12	5	1 4	8	1 2	····i
35 38	External causes Unknown or ill-d_fined diseases	3	, ĭ·				1				1				1	1
i	All other causes	14	ll			1	1	1			2	2 1.		1 ]	4	5

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

Int.		Total				•		I	EATHS A	AT AGE O	F—					
Abridged 1 List No.	AREA AND CAUSE OF DEATH.	deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	8 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.		9 to 11 months
<u></u> !	REGISTRA	TION	CITIE	s of	100,00	00 POI	PULAT	CION	OR M	ORE	IN 191	0—Cont	inued.			
	NEW YORK, N. Y. (QUEENS BOROUGH).		1						1							
	All causes	882	145	29	39	57	270	49	43	34	396	63	63	128	117	115
5 6	MeaslesScarlet fever	14									1				5	8
7 8	Whooping cough Diphtheria and croup	49 6									1	7	9	13 1	13 1	6 4
9 (12)	Dysentery	1				1	1	2	1	<b></b> .	5	2	.  <i></i>	3	10	15
(12) (37)	Erysipelas Tetanus	2										2				
13 14	Tuberculosis of the lungs Tuberculous meningitis	8											-	2 2	2	4
(37) 17	Other forms of tuberculosis Syphilis Meningitis	4 6 2	3				3				3	1		2		
$\binom{37}{19}$	Convulsions Organic diseases of the heart	3 3									3				3	
20 22	Acute bronchitis	20 37						1 2	2	2	5 2	3 2		2 6		
(23) 24	Bronchopneumonia Diseases of the stomach	107			1	2	3	.	9	5	19	11	. 2	21	. 23	
25 (33)	Malformations	139 56	10	4	8	10	32	7	3		18 43	18	4	33 4	27	
(33)	Premature birth	180 94	83 9	15 4	17 6	23 6 11	138 25 62	14 9 2	14 7	8 6	174 47 64	2 7 1		1 23	2 5	
(37) 35 38	Injuries at birth  External causes  Unknown or ill-defined diseases	65 6	39 1	6	6		1			-	3	i			1	
90	All other causes	39			1	3	4	2		1	7	3	2	12	6	9
	NEW YORK, N. Y. (RICHMOND BOROUGH).															
	All causes		47	22	9	10	88	11	18		128	17	18	53	32	
5 6	Measles. Scarlet fever.														i	
7 8 9	Whooping cough Diphtheria and croup Influenza	.) 1					1	.			3		-	1 7	5	-
(12) $(12)$	Dysentery								. i							
(37) 13	Tetanus			-	-								.1			
14 15	Tuberculous meningitis Other forms of tuberculosis		i					-1		-					- 1	-
$\frac{(37)}{17}$	Syphilis Meningitis	. 3			.	-		-			.		1 1	î		. i
(37) 19 20	Convulsions Organic diseases of the heart Acute bronchitis	. 4					1				i	i		. 3	. 2	
22 (23)	Pneumonia	. 14						. 1			. 2		2 3	2 4	2 4	6 7
24 25	Diseases of the stomach Diarrhea and enteritis	. 1 . 52		<sub>i</sub>	·····i	2			i		8		6		11	9
(33)	Premature birth	. 67	31	14	2	5		3		3	65	. 2		3	-	
(33,37 (37)	Injuries at birth	37 14	10		$\frac{2}{1}$		. 12		3		- 15 14		4	10	2	, <u>2</u>
35 38	External causes	11		-				4			4		ii	4		i
	ROCHESTER, N. Y.	"													1	
	All causes	. 633	113	29	29	36	207	37	25	30	299	41	1 40	104	88	61
5													-	. 2	! 1	1 2
6 7 8	Scarlet fever	. 30											2 5	10		
(12	Influenza	- 40	4	. 1		. 1	Ji 2	2   1	l	1					14	
(12 (37 13	Erysipelas	. 1				-		:: j	i		:  ·····i					. 1
14	Tuberculous meningitis	.  9					-11			1	. 1					3
15 (37 17	Other forms of tuberculosis ) Syphilis	. 3					.						í	1		
(37 19	) Convulsions		.										i i			
20 22	Acute bronchitis	. 22				1		i		1 5	2	i 2	2 2	2 2	5   (	2 3 6 4
(23 24	) Bronchopneumonia Diseases of the stomach	. 59				2	-11		i	3 2	8	3		1		
25 (33	Diarrhea and enteritis	132	15	5	5 4		29	<b>∌</b>		4 1	. 37	7   .	5			1 18
(33 (33, 37	) Congenital debility	. 29	·    7		2   8	5   5	19	9 :		$\begin{bmatrix} 0 & 4 \\ 2 & 2 \end{bmatrix}$		5   :	$\begin{bmatrix} 3 & 2 \\ 2 & 1 \end{bmatrix}$	i	·	i
(37 35 38	External causes	5			3	4 6		i	·		31			i		2 1
, 30	All other causes	34		:: ::::::		i l'''i		2	5	2	i	3	3		3	7 3

Table 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

<del></del>		Γ	11							<del></del>						
d Int. No.	•	Total deaths			,	,	11	,	DEATHS A	AT AGE O	F—		,			
Abridged List No	AREA AND CAUSE OF DEATH.	under 1 year of age.	Less than 1 day.	day.	2 days.	3 to 6 days.	Less than 1 week.	week.	weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRA	ATION	CITII		100,0	00 PO	PULA:	rion	OR M	ORE	IN 191	! LO—Con	tinued.	I	ı	<u> </u>
	SYRACUSE, N. Y.	-	,		1.	<u> </u>	1					Ι				
	All causes.	518	72	22	14	18	126	36	24	22	208	50	34	91	72	63
5 6	Measles Scarlet fever												1	1	3	9
7 8 9	Whooping cough Diphtheria and croup Influenza	16								. 1	1	1	1	6	6	$\frac{2}{1}$
(12) (12)	Dysentery Erysipelas	26	1			1	11				5	i	3	5	3	9`
(37) 13	Tuberculogic of the lumes		>							1	1		• • • • • • • • • • • • • • • • • • • •		1	
14 15	Tuberculous meningitis Other forms of tuberculosis	1								1						1
(37) 17	Syphilis	10 1							2		2	3	2	3		••••••
(37) 19	Meningitis Convulsions Organic diseases of the heart	1 21						1		1	1 1	1		Î		1
20 22 (83)	Pneumonia.	8 21				1	1		i		I I	3	1	3 4	1 6	2 7
(23) 24 25	Bronchopneumonia. Diseases of the stomach Diarrhea and enteritis					1	1	2	<u>î</u>	1	1	, 10	6	13 1	. 2	9
(33) (33)	Promotinations.	28	3 50	4 10	3 4	3 6	13	2 3	6 1 6	9 4 3	17 21 93	13 2	9	44 3	<b>2</b> 6	19 1
(33,37) (37)	Congenital debility Lipiuries at birth External causes Unknown or ill-defined discovery	32 30	6 12		2 4	3 2	70 11 24	14 5 4	2 2		18 30	. 5	3 5	1 2	2	•••••
35 38	External causes. Unknown or ill-defined diseases.	4'		ĭ			Ĩ	î			2		• • • • • • • • • • • • • • • • • • • •	1	1	
	All other causes	21		1	1	1	3	4	2		9	4	2	2	3	i
	CINCINNATI, OHIO (TOTAL). All causes															·,
٠ 5	Maaslaa	823 5	152	45	40	46	283	53	<u>26</u>	21	383	84	59	118	94	85
67	Scarlet fever Whooping cough Diphtheria and croup. Influenza.	24								i		2			2	
8	Diphtheria and croup Influenza	1 41				i	i I			i	2 2	2	2	$\begin{bmatrix} 7 \\ 7 \end{bmatrix}$	$\frac{2}{14}$	9 1 15
(12) (12)	Ervsineles	3									1	<sub>1</sub>	····-i			
(12) (37) 13	Tuberculosis of the lunes	2													2	
14 15	Other forms of the barrel	8 2											1		$\tilde{4}$	4 1
(37) 17 (37)	Meningitis	24 4 8	4			. 1	5	2	2	2	11	3	3	3 2	4	······ <u>2</u>
19	Convulsions Organic diseases of the heart Acute bronchitis	23			2	i	2	2	-4		4	2			2	1
20 22 (23)	Bronghopposim emi-	31			i	2	2 2	. 2	3	1 3	. 5 10	5 16	7 7	7 4 18	5 7 15	1 3 13
24 25	Diarrhea and enteritie	7 134						4			10	18	2 20	2 46	1 21	1 1 19
(33)	Premature hirth	196	9 103	5 22 5	11 10	9 16	34 151	13 18 · 2	2 3 9	4 2 3 2 1	52 181	. 9	4 6	5 2	4	4 1
(33,37)	Injuries at birth	39 54 7	8 24	, 5 10	3 7	7 6	23 47	· 2 5	2	1	29 54	4	1	2	2	ī
35 38	Unknown or ill-defined diseases	3	i	1 2		2	2 2	····i			3	2	1	2		
	All other causes.  CINCINNATI, OHIO (WHITE).	49	2	2	5	1	10	2	1	1	14	8	1	11	9	6
,	All causes.	700	131	39	37	40	247	51	20	20	338	73	51	91	73	74
5	Messles	7.		- 50			2/21		20		330	10		91	1	3
6 7	Whooping cough	20							1	1	2	2	2	5	2	······ <del>'</del>
9	Influenza	1 34				·····i	i			····i	2	····i	····i	3	13	1 14
(12)	Erysineles	3									i	····i	i .			
(12) (12) (37) 13 14 15	Tetanus Tuberculosis of the lungs Tuberculous meningitis	1 7								:					1	
15	Other forms of tuberculosis Syphilis	1 16								2			1 3		3	4
(37) 17 (37) 19	Meningitis Convulsions	3 8			2		2	2		z	6	2		2	32	2
19	Acute bronchitis	1 16			<sub>i</sub> -	i	2	4			4	5	2		4	1 1
20 22 (23) · 24	Pneumonia. Bronchopneumonia.	20 60			····i·	2	2 1	2 2	3	.1	5 9	3 14	5 4	12	10	1 11
-25	Diseases of the stomach	119						4	2	4	10	1 15	2 18	2 42	18	1 16
(33)	Malformations	75 178 30	9 92	5 20	11 9	8 15	33 136	13 17	2 8	2	50 164	9	5	$\begin{bmatrix} 5 \\ 2 \end{bmatrix}$ .	3	· 1
	Congenital debility	46	8 18	4 8	2 7	6	18 39	5	1	1	22 46	3	1	2	1	1
38	External causes. Unknown or ill-defined diseases.	5 3	1	i 1		1	1 2 8	1		::::::	3	1 8	1	2		
- 1.	All other causes	. 42	. 2 ]	1	41	1	8 1	. 21		1	11	8 1	1	9	7	6

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

Int.		Total						1	EATHS A	AT AGE O	F					
Abridged In List No.	AREA AND CAUSE OF DEATH.	deaths under 1 year of age.	Less than 1 day.	1 day.	days.	8 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.		9 to 11. months.
	REGISTRA	ATION	CITI	es oi	F 100,0	00 PO	PULA'	TION	OR M	ORE	IN 19	10Con	itinued.			
	CINCINNATI, OHIO (COLORED).															
	All causes	123	21	6	3	6	36	2	6	1	45	11	8	27	21	11
5 6	Measles. Scarlet fever.				k .		1									
7 8	Scarne lever Whooping cough Diphtheria and croup Influenza Dysentery Erysipelas Tetanus	4												2		2
9 (12)	Influenza	7										1		4		1
(12) $(37)$	Erysipelas. Tetanus			•••••											•••••	
13 14	Tuberculous meningitis	1									•••••				i	
(37)	Other forms of tuberculosis Syphilis	8	3	 		] ]	3	1	i		5	1		1	1	
17 (37) 19	Meningitis. Convulsions Organic diseases of the heart			l	<b></b>											
20 22	Acute bronchitis  Pneumonia	7							1		1	2	2		1 3	2
(23) 24	Bronchopneumonia Diseases of the stomach	19	1				1				1	2	3	6	5	2
25	Diarrhea and enteritis Malformations	15				1			i		2	3	2	4	3	3
(33) (33) (33,37) (37) 35	Premature birth Congenital debility	18 9	11	2 1	1 1	1			1		17	1	1			
(37)	Injuries at birth  External causes	8 2	6	2		·····i	8				8 1					
38	Unknown or ill-defined diseases. All other causes	····- <del>7</del> ·		1	1		2	l	i		3			2	····· <u>·</u>	
	CLEVELAND, OHIO.											}				
	All causes	2,026	279	128	89	133	629	1111	87	68	895	141	117	333	311	229
5	Measles	4												1		3 2 6
6 7 8	Scarlet fever	2 22		<b></b>								5	i	3 1	7	6
9	Influenza	87	1		.l. <i></i>	1	i	2	1 1	2	6	4	3	18	34	22
(12) (12)	Erysipelas. Tetanus	5					II			. 1	î	3	i	î		
(37) 13 14	Tuberculosis of the lungs Tuberculous meningitis	9					·····i			. 1	1	·····i	ī	3	3 8	8
15 (37)	Other forms of tuberculosis Sypbilis	7 28	1	2		3	7,	2	2		14	4	2 4	······ <u>2</u>	3 2	2 2
17 (37)	Meningitis Convulsions	18	i	2		7		3	i		17		i	6 4	8	1
19	Organic diseases of the heart	2				2	3		3	3		4	1 2 9	. 10	2	4
22 (23)	Pneumonia	120 182		1 3	1 2	1 2	3 7	6	6	5 4	18 21	13	14	48	25 47	23 39 3
24 25	Diseases of the stomach Diarrhea and enteritis	502			·	9	9	15	1 16	19	3 59 76	3 47	52 52		6 131	78
(33) (33)	Malformations Premature birth	107 415	22 191	12 69	11 32 13	12 40	57 332	7 36	9 20	8	76 396	13	6	5	7 5	2
(33,37) (37)	Injuries at birth	106 95	14 38	8 20	13	18 18	53 89	15 4	8 2	6	396 82 95	7	5			
35 38	External causes	21 102	10	7	1 11 3	14	1 42	3	<u>6</u>	4	56 56	2 8 9	9 2	17 14	9 7	3 18
	All other causes	84	1	2	3	6	12	8	7	6	34	9		14	<b>'</b>	10
	COLUMBUS, OHIO (TOTAL) All causes	449	72	19	17	38	146	. 28	15	23	212	48	38	68	49	34
5	Measles		<u> </u>								-				1	1
6 7 8	Scarlet fever. Whooping cough Diphtheria and croup.	17										3	2	2	6	4
9	Influenza	14				· ····· <u>2</u>	3				3	i	2	· ····i	3	4
(12) (12)	Dysentery Erysipelas.	1			-									i		
. (37) 13	Tetanus. Tuberculosis of the lungs	2 5										i		: i		
14 15	Tuberculous meningitis Other forms of tuberculosis	12			-					: '''i'	i	4	5 2	2		4
(37) 17	Syphilis	1 2	1				1				1	1 1 2	2	1	. 1	
(37) 19	Organic diseases of the heart	3	2	1	1		4	. 1	;		5 1 1		. i	·	. 1	
20 22 (23)	Acute bronchitis	20				į	1 1		2	2 2	3 6	2	3	4 12	8 9	3 8
(23) 24 25	Bronchopneumonia Diseases of the stomach Diarrhea and enteritis	43 3 56						1	1		3		13	. 1	1 12	1
(33) (33)	Malformations	37	5 47	2 8 5	3 8	7	17 76	7 10	1 8	.   2	27 101	3 2	3 2	2	2	
(33, 37)	Premature birth Congenital debility Injuries at birth	74 11	12 5	5 3	4		31 10	6	2		44 11	12	3			i
(37) 35 38	External causes. Unknown or ill-defined diseases.	8	∥ <b>.</b>		-	2	2				. 2	2			. 2	
•00	All other causes	17	11		]		J	j		. 2	3	2	2	6	2	2

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

<u>+i</u>		· · ·	Ī					D.	CATHS A	r age of		<del></del>				<del>-</del> =
Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	days.	3 to 6 days.	Less than 1 week.	1 week.	.2	3 weeks but less than 1 month.	Tare	1 month.	months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTR	ATION	CITI	ES O	F 100,0	000 PC	PULA	TION	or 1	ore	IN 19	<b>10</b> Con	tinued.			
	COLUMBUS, OHIO (WHITE).		,											,		
	All causes		67	18	15	35	135	25	13	21	194	45	35	51	37	30
5 6	Measles Scarlet fever	1	1		}		11		 	]		 				1
8	Whooping cough Diphtheria and croup Influenza	12 14				2						3	1 2	1 i	3	3
(12) (12)	Dysentery															
(37)	Tetanus Tuberculosis of the lungs													;		
14 15	Tuberculous meningitis Other forms of tuberculosis	5 11						• • • • • • • • • • • • • • • • • • • •					4	<u>.</u>	1	4
(37) 17	Syphilis	4 2	i								î	<u>-</u> -	2	í		
(37)	Convulsions	7 3	2	1			3	1 1			4	2	1	1	<u>i</u> -	
(37) 19 20 22	Acute bronchitis	1			l		1			2	3	$\frac{1}{2}$		3	5	
(23) 24	Bronchopneumonia	31 2				ļ	ļ <u>.</u>	i	2	ĩ	4	5	3	6 1	5 1	8
25 (33)	Diarrhea and enteritis Malformations	1 40	5	2	3	7	17	7	. 1	2 2	3 27	6 3	12 3	12 2	12	4
(33) (33,37) (37) 35 38	Premature birth	35 98 68	44 10	l 8	3 7 4	13	17 72 27	8	7 2	6 5	93 40	2 11	2	1 13		i
(37)	Injuries at birth External causes	10	5	2		. 2	9 2	ĭ			10	2		••••••	2	2
38	Unknown or ill-defined diseases. All other causes.	15								2	2	<u>-</u> -	2	6	2	2
,	COLUMBUS, OHIO (COLORED).						,	,								
	All causes	57	5	1	. 2	3	′ 11	3	2	2	18	3	3	17	12	4
5	Meagles	1	=												1	
6 7	Scarletfever Whooping cough	5							,-				I	i	. 2	i
8	Diphtheria and croup Influenza															
(12) (12) (37)	Dysentery Erysipelas Tetanus	i i		•••••			•••••							<u>i</u>		
13	Tuberculosis of the lungs															
14 15	Tuberculous meningitis Other forms of tuberculosis	1											1			
(37) 17	Syphilis	1								•••••						
(37) 19	Convulsions Organic diseases of the heart Acute bronchitis	{							Í						•••••	
20 22 (23)	Pneumonia	6			l				 	i				1 6	3	2
24 25	Bronchopneumonia Diseases of the stomach Diarrhea and enteritis	17			<i>-</i> -							••••••		6	*	i
(33) (33) (33,37)	Malformations	2					4		1						2	
(33,37)	Congenital debility	6	2	i		2	4				4	1		1		
(37) 35 38	External causes. Unknown orill-defined diseases.							••••••								
00	All other causes	2		*******				` i			1	1				
	DAYTON, OHIO.			}			ļ '									1
	All causes		57	22	17	14	110	13	10	8	141	19	14	53	37	22
- <b>5</b>	Measles Scarletfever											••••••			••••••	
7	Whooping cough Diphtheria and croup	6		<i>:</i>						·····		••••••	1	4	1	1
9 (12)	Influenza	22 3	1				1				1	3	1	6 2	5	7
(12) (12) (37)	Erysipelas Tetanus											*			1	
13 14	Tuberculosis of the lungs	1											1			i
15 (37)	Other forms of tuberculosis.	2 3		i			i				i	1				1
(37) 17 (37) 19	Meningitis Convulsions	1 1			i		·····i	••••••	•••••		1	 		1		
19 20	Organic diseases of the heart Acute bronchitis	1							•••••			1		1	••••••	
20 22 (23) 24 25 (33) (33) (33,37)	Pneumonia Bronchopneumonia	11 29	1			1 1	2 1	i	• • • • • • • • • • • • • • • • • • • •	1 2	3	2	i	· 3	7	3 4
24 25	Diseases of the stomach Diarrhea and enteritis	5 44			<u>i</u>	1 2	.3		2	·	5	14	4	2 15	14	1 2
(33)	Malformations Premature birth	24 71 26 14	7 36	2 12 2	5	3 2	17 55	3 8	3	2 2	22 68 14	1	1	1	1	•••••
(33,37) (37)	11111111111111111111111111111111111111	26 14	5 7	1	2 3	3	9 14	1	4		14	4	4	3	. 1	••••••
(37) 35 38	External causes. Unknown or ill-defined diseases.	6 1		1		1	2				2		1	3	1	
i	All other causes	į 11 j	]	j 3 j		[ <u>-</u>	1 3	• • • • • • • • • • • • • • • • • • • •	1	] 1	] 5			1	4	j 1

Table 11.—Deaths (Exclusive of Stillbirths) in the registration area (Exclusive of Hawaii), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

Int.		Total						נס:	EATHS A	r age of					,	
Abridged Int. List No.	AREA AND CAUSE OF DEATH.	deaths under 1 year of age.	Less than 1 day.	1 day.	days.	3 to 6 days.	Less than 1 week.	1. week.	'2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
<u> </u>	REGISTR.	ATION	CITI	es o	F 100,	000 PC	PULA	TION	OR I	MORE	IN 19	<b>10</b> —Con	tinued.			
	TOLEDO, OHIO.															
	All causes	519	116	20	15	34	185	41	23	19	268	42	36	81	48	44
5 6	Measles	2			<b></b> .								1		1	
7 8	Whooping cough	8								1	1	2		1	2	2
9	Diphtheria and croup Influenza	39	1				i	1			2		2	9	12	14
$(12) \\ (12)$	Dysentery Erysipelas	$\begin{bmatrix} 1\\2 \end{bmatrix}$							1		1	i				
(37) 13	TetanusTuberculosis of the lungs	3						i			i			1		i
14	Tuberculous meningitis	3 1											1	1		1
$\frac{15}{(37)}$	Other forms of tuberculosis	14				1	i	1	3		5	6	2	î		
17 (37)	Meningitis	3 2				1	1				i			1		
19 20	Organic diseases of the heart Acute bronchitis	1 12						i	1	1	1 2	4	3	1	2	
22	Pneumonia	18 32				· · · · · · i	[]i	3	1	3 2	6 5	$\frac{2}{1}$	4	3 9	2 6	5 7
(23) 24	Bronchopneumonia Diseases of the stomach	8				ī	1			. 1	2 11	12	. 2	32	2 15	iö
25 (33)	Diarrhea and enteritis	94 58	23	4	4	1 5	36	7	5 3	1	47	3	2	4	2	
(33) (33) (33,37)	Premature birth	126 44	69 13	10	4 2	16 2	99 20	12 4	6 2	3	120 29	1 6	2	3 7		i
(37)	Injuries at birth	20	îŏ	ĭ	4	1 1	16 1	3	1	i	20 2			2		
35 38	External causes	4											2	3	3	1
	All other causes	24		2	'1	4	7	3		2	12	3	2	*	•	
	PORTLAND, OREG.		, a	07	07		140	90	16	11	198	35	22	44	33	31
	All causes	363	61	27	21	39	148	23	10	-	190			4	90	2
5 6	Measles Scarlet fever					-						3	2	2	1	2
7 8	Whooping cough Diphtheria and croup	10														
9 (12)	Influenza	14	" 1			-	1	1			3			3	4	3
(12)	Erysipelas	1				•	.					. 1				
13	Tuberculosis of the lungs												-	· [;		.
14 15	Tuberculous meningitis Other forms of tuberculosis	1 1													. i	
(37)	Syphilis	4 3			-	-					1			-	.\i	2
(37) 19	Convulsions	. 5		. 1		- 3	4		-	. 1	5					-
20 22	Acute bronchitis	. 6				-				1	·····i	. 2	1 3	1 5	2 5	4
(23)	Pneumonia Bronchopneumonia	.  29			. i	3	4		2	1	9 2	4	1	6	4	5
24 25	Diseases of the stomach Diarrhea and enteritis	.  39						. 1	3	1 1	5	5	3	9	9	8
(33 (33	Malformations	31 97	3 49			10		7 4	]ē	4	. 24 91	3	: 1	1	1	-
(33, 37	Congenital debility	. 46	4	6	8	8	26	3	3	1	33		$\begin{bmatrix} 2 \\ 1 \end{bmatrix}$		1	1
(37 35	External causes	. 8		-	. 1	3	4				. 4	2			-	
38	Unknown or ill-defined diseases All other causes					i	i	2			:∥3	1	1	4	4	4
	PHILADELPHIA, PA. (TOTAL).															Ì.
	All causes	5, 380	528	236	180	303	1, 247	297	223	161	1,928	=				
5 6				-					-		:	. 1	1	. 4		
7	Whooping cough	- 145		-				. 1		3	4	15	10		36	48 16
8 9	Influenza	. 291	1		2	3 4	9	9	·   · · · · · · ;	6	29	) is		62	2   78	103
(12 (12		. 3			::	· -				2 1	-∦€	3	2 / 1	[	2   1	
(37 13	) Tetanus				· •   • • • • • •				-	.: i		2	[·]·····i	:-	;-	6
14	Tuberculous meningitis	. 55		. j	i	. 1	.   2	1			-∥ -					21
15 (37	) Syphilis	.  79	7		5		20					1		18	3 4	1
17 (37		- 44				$\begin{bmatrix} 1 \\ 2 \end{bmatrix}$ . $\begin{bmatrix} 1 \\ 3 \end{bmatrix}$	5	[ ]	5	i   2			3   1		9   1	10
`19 20	Organic diseases of the heart	. 21							3	1 9 10 7 7	3	L   13	7   17	3 3	3 2	21 21 22 24 26 24 26 24 26 24 26 24 26 27 26 27 26 27 27 27 27 27 27 27 27 27 27 27 27 27
22	Pneumonia	. 271			1   :	3 6	6    13	3   3	5   '		'	2 [ 10	6 1 12	2   69 9   159	9   19:	1 76 1 174
(23 24	Diseases of the stomach	- 61				1	1		l	2 1	1 1	باء	7 15	2 ] 2:	1 10 28	)   {
25 (33		1,295	: 11 - 66	3 39	3 2	5 59	)   188	3   39	3	9 11	26 80	2 150 7 2' 2 2 7 5	7 2 3	3 2	71 1	3   5
(33,37	) Premature birth	- 849	333	133 25 3 25	2 9:	1 89 1 44	648	5 85	5 5	0 24 7 18	80 22	2 2 2 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	$\begin{bmatrix} 3 & 1 \\ 6 & 4 \end{bmatrix}$	5 6	7 5 3	
(37,37	Injuries at birth	. 161	.    68	3 2	3 1'	7 32			2	9 39 9 11 0 24 7 18 6 2	16	5	5	4 1	2i	i3 13
38 38	3   Unknown or ill-defined diseases	1. 4	:   1	l			1	į <u> </u>	<u> </u>		-li	2   1	1	1		5 2
	All other causes	-1 216	11		11 :	8   18	3    2	7   13	. 1.	9 11	. 11 6	v ( 3	* 1 L	. 4	. 0	. 4

Table 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

Int.		Total		, ,	,			Di	EATHS AT	AGE OF	`_				,	ı
Abridged Int. List No.	AREA AND CAUSE OF DEATH.	deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.		1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months
l	REGISTRA	ATION	CITII	ës of	100,0	00 PO	PULAT	CION	OR M	ORE	IN 19	10Con	tinued.			
	PHILADELPHIA, PA. (WHITE).															
	All causes		485	214	161	281	1,141	271	202	152	1,766	427	. 360	845	747	682
5 6	Measles Scarlet fever Whooping cough	30 1 129						1		3	4	1 13	1 10	4 25	8	17 43
8	Diphtheria and croup Influenza	27 271	1	·····2	i	4	8	9	5	6	28	14	7	2 57	34 9 69	15 96
(12) (12) (37)	Dysentery Erysipelas Tetanus	1 8							2	i	3	2	1	2	1	
13 14	Tuberculosis of the lungs Tuberculous meningitis Other forms of tuberculosis	22 51	1	i		i	$\begin{array}{c} 1 \\ 2 \end{array}$	1		1	2 3	1 2	1 4	7 5	5 16	, 6 21
15 (37) 17	Syphilis	54 54 37 41	4	4	1 1	4 1	13 2	10 1	3 1	2	28 4	9 2	5 1	1 10 9	2 1 9	2 1 12
(37) 19	Convulsions Organic diseases of the heart Acute bronchitis	41 21 117		i	2	3 2 5	· 5	6 2 4	1 1 8	8	14 5 26	4 3 17	3	9 2 24	4 3 17	12 8 5 19 68 142
20 22 (23) 24	Bronchopneumonia.	243 634 55 1,186			3 1	6 12	13 16	4 19	6 29	7 18	30 82 8	14 61	14 10 55 11	58 135	63 159	68 142
24 25 (33) (33)	Diseases of the stomach Diarrhea and enteritis Malformations	1,186 354	65	2 36	4 25	1 12 58 80	1 18 184	· - 4 33 39	2 36 28	39 11	126 262	7 141 26	147	19 343 26	254 12	175 5
33,37)	Premature birth Congenital debility	765 374	304 42 65	118 22 19	77 20	40	579 124	74 37	28 45 21 5	23   17	721 199	22 49	23 11 40	6 51	5 28	······ <sup>7</sup>
(37) 35 38	Injuries at birth External causes Unknown or ill-defined diseases.	152 52	2 1	19 1	17 1	31 4	132 8 1	12 2 1	. 1	3	151 14 2	1 5 1	2	10	9	12
	All other causes PHILADELPHIA, PA. (COLORED).	193		1	8	. 17	26	12	8	8	54	32	10	40	31	26
	All causes	553	43	22^	19	22	106	26	21	9	162	32	37	130	103	. 89
5 6	Measles Scarlet fever	<u>-</u>													1	1
. 7	Whooping cough Diphtheria and croup Influenza	16 2					i					2		7 1	2	. 5 1
(12) (12) (37)	Influenza Dysentery Erysipelas	20 2			1		1				1	1		5 2	6	
13 1	Tuberculosis of the lungs	3												2 2	1	
14 15 (37)	Tuberculous meningitis Other forms of tuberculosis Syphilis	4 1 25			i		7	2		1	10	2	2	8	1 3	• • • • • • • • • • • • • • • • • • • •
(37)	Meningitis Convulsions	3								o		Ī			1	$\frac{1}{2}$
19 20 22 (23) 24 25 (33) (33)	Organic diseases of the heart Acute bronchitis Pneumonia	30 28.				1	1	1 1	1 1	2 1	5 2	2	3 2	12 6	5 8	5 8
(23) 24 25	Bronchopheumonia. Diseases of the stomach. Diarrhea and enteritis	104 6 109			1	2	3	$\frac{2}{1}$		1	<sub>.</sub> 8	4	4 1 16	24 2 32	32 2 26	32 1 20
(33) (33)	Malformations Premature birth	8 84	1 29		14	1 9	4 66		1 5	1 1	5 81	1	·····i	1	1	
(33,37) (37) 35	Congenital debility Injuries at birth External causes	61 9 10	7 3	4	i	1	12 8 1	9	6		28 9 1	7	5	14	3	í
38	Unknown or ill-defined diseases. All other causes.	23			·····-	1	i	·····i	i	3	6	2	i	9	4	i
ĺ	PITTSBURGH, PA. (TOTAL).				*				۱						250	000
5	All causes	2,213	306	77	67	96	546	84	84	70	784	212	172	384	352 9	309 14
6 7	Scarlet fever Whooping cough Diphtheria and croup.	56								5	5	3		16 1	18	16
8 9 (12)	Influenza Dysentery	6 135 6	ï	1	1	. 1	4	3	4 1	i	12 1	9	3 2 7 1	26 2	39 1	16 1 42 1 1 2
(12) (37)	Erysipelas Tetanus Tuberculosis of the lungs	6 2 20				i	i	1		1	2	1		1 6	3	· 1 2 4
15 14 15	Tuberculous meningitis Other forms of tuberculosis	10										2	·····i-	7 1	4 2	í
(37) 17 (37)	Syphilis Meningitis Convulsions	42 13 16	5		1	2	. 8	. 5	i	3	16 1 5	, 10 1	4	2 5 3 4	6 2 1	$\frac{1}{6}$
19 20	Organia disasses of the heart	6 50				·····i	1 5	2 2	4	1 3	8	2	6	2 8 27	1 12 49	6 2 1 11 41
(12) (12) (37) 13 14 15 (37) 17 (37) 19 20 22 (23) 22 (23) (33) (33)	Acute bronchitis	155 254 16	1	1	1 4	2 7 1 7	12 1 9	10	4 8 2 15 7 28 6	6	14 36 4	13 27 4	25	50 3	55 3	61
25 (33)	Diarrhea and enteritis.  Malformations.  Premature birth	548 141 365	1 41 191	7 43 11	1 9	14	9 71 981	1 4 14 26	15 7 28	10 11 14	38 103 349	74 11 9	76 6 4	171 10	110 9. 2	79 2 1
(33, 37)	Congenital debility	144 72 23	35 29	11 12	23 13 9 1 1 3	24 14 12 3	71 281 73 62	26 7 4	2	14 5 3 1	91 71	19 1	4 5	20	5	<u>4</u> 3
35 38	External causes. Unknown or ill-defined diseases. All other causes.	23 4 90	2		1 1 3		. 9	3	1 1	1 3	8 2 16	17	1 10	5 1 16	5 19	

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

nt.		Total					····	D	EATHS A	T AGE O	r—					
Abridged Int. List No.	AREA AND CAUSE OF DEATH.	deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	°S to 5 months.		9 to 11 months.
	REGISTRA	ATION	CITII	es of	100,0	00 PO	PULA'	rion	OR M	IORE	IN 191	L <b>0</b> —Cor	ntinued.			
	PITTSBURGH, PA. (WHITE).															
_	All causes		285	74	61	89 	509	79	77	63	728	203	162	361	329	286
5	Measles Scarlet fever	27										<u>.</u>		3	9	14
7 8 9	Whooping cough Diphtheria and croup	47 6 130	1						;.		3	3 1 9	3 2 6	12 1 26	12 1 36	14
$(12) \\ (12)$	Influenza Dysentery Erysipelas	6 6					4		1	1	12 1 2		1	20 2 1	1 1	1
(37)	Tetanus.	2 17							l. <i></i>				2	6	3	1 4L 1 1 2 3
14 15	Tuberculous meningitis Other forms of tuberculosis	10 5										ĩ	i	1	4 2	4
(37) 17	Syphilis Meningitis.	41 13	5		1	1	7	5	····i	3	15 1	10	4	5 3	6 2	1 6
(37) 19	Convulsions Organic diseases of the heart	16 6		1		1.	II	1			5	$\begin{array}{c c} & 1\\ & 1\\ & 2 \end{array}$	3	4 2	1	2
20 22	Acute bronchitis	43 137	i		i	1 2	1 4	2 2	3 4	1 3	7 13	5 12	5 10	6 23	10 44	2 1 10 35 54
(23) 24	Bronchopneumonia Diseases of the stomach	234 16	i	1	2	6 1 7	9 1 9	8 1 4	7 2	6	30	25 4	25 2	48	52 3	54 76
25 (33) (33)	Diarrhea and enteritis Malformations Premature birth	521 135 342	39 180	6 43	1 9 20	14 21	68 264	14 24	14 6 25	9 10 14	36 98 327	70 11 9	72 6 3	162 10	105 8 2	2 1
(33,37)	Congenital debility Injuries at birth	133	31 26	10 12	12 9	13 11	66 58	7	6 2	3 3	82 67	18 1	4	20	5	4
(37) 35 38	External causes. Unknown or ill-defined diseases.	20	ĩ		i	3	5		1	1	7 2		2	5	3	3
	· All other causes	84			3	6	9	3	1	2	15	16	10	15	18	10
	PITTSBURGH, PA. (COLORED). All causes	144	21	3	6	7	37	5	7	7	56	g	10	23	23	23
5	Measles	<del></del>	====					<b></b> -						1	:====	
6 7	Coomlet ferror														1	2
8	Scarte tever Whooping cough Diphtheria and croup Influenza Dysentery Erysipelas Tetanus Tuberculosis of the lungs Tuberculous meningitis Other forms of tuberculosis	5											i		3	i
(12) (12) (37) 13	Dysentery. Erysipelas															
13 14	Tuberculosis of the lungs	3						i			·····i		i			i
15	Other forms of tuberculosis															
(37) 17 (37)	Other forms of tuberculosis. Syphilis. Meningitis. Convulsions Organic diseases of the heart.		0													
(37) 19 20	Acute brouching.	1 1				l	11		1				i	2	1 2	i
22 (23)	Pneumonia. Bronchopneumonia. Diseases of the stomach.	18		1	2	·····i	1 3	2	·····i		1	<u>i</u>	Î	4		6 7
24 25	Diarrhea and enteritis	27							1	·····i	2	4		.		3
(33)	Malformations. Premature birth.	23	, 11		3	3	17	2	1 3		5 22 9	ii	i		1	
(33,37) (37) 35	Congenital debility Injuries at birth	4	4 3 1	1	1	1 1	7 4 1			. 2	9	1	1			
38	External causes. Unknown or ill-defined diseases. All other causes.	6					<b></b>			1		i		i	$\frac{1}{1}$	
	SCRANTON, PA.									1				1 *	-	1
	All causes	444	46	23	13	28	110	21	17	12	160	38	38	87	71	50
5 6	Measles															
7 8	Whooping cough Diphtheria and croup	14										2	2	4	4	2
9 (12)	Influenza Dysentery	27			1		1 1		1		2		. i			9
(12) (37) 13	Erysipelas. Tetanus	2						·····i				1			1	
14	Tuberculosis of the lungs Tuberculous meningitis	1 2									II. <b></b> .		-	-	1	
(37) 17	Other forms of tuberculosis Syphilis	1					11				II		<u>-</u>	-	. 1	
(37) 19	Convulsions	11	2		2		4				4	i			$\frac{1}{2}$	1
20 22	Organic diseases of the heart Acute bronchitis Pneumonia	19		····i		1 2	2 2	2	2 1	<u>í</u>	7	3		5	2 6	4
(23) 24	Bronchopneumonia Diseases of the stomach.	49				2	i	1	I I	4	4 6 2	8		8 13	9	
25 (33)	Diarrhea and enteritis  Malformations	1 125			1	4 5	4 6	5 3	3 3	4	16 '	12		35	29	. 21
(33) (33,37) (37)	Premature hirth	23	37 2	17 1	7	7 3	68 7	4 2	3 1	1	76 11	3 1	1	1 6	1 2	
35	External causes	14	5	3		4	12 1	ĩ	î		14 1					
38	Unknown or ill-defined diseases. All other causes.	13	<b>  ::::::</b>		ļ	i		i			····· <u>2</u>	<u>2</u>		6	i	······ <u>2</u>
																4

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

o.	<i>,</i>	Total				*	<del></del>	<del>-,</del>	DEATHS	AT AGE	or—	:				
Abridged D	AREA AND CAUSE OF DEATH.	deaths under 1 year of age.	Less than 1 day.	day.	days.	3 to 6 days.	Less than 1 week.	1 week.	weeks.	3 week but les than 1 month	than 1	. 1 month.	2 months	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRA	TION	CITIE	s of	100,00	00 PO	PULA:	LION	OR M	ORE	IN 191	0—Conti	nued.			
	PROVIDENCE, R. I.					-										
	All causes		138	29	26	29	222	26	17	30	295	<u>60</u>	60	128	136	109
' <u>5</u>	Scarlet fever	1													6 1	. 11
. 8 9	Diphtheria and croup	30 5 52				1 1	i 1	1		2	3 1 1	1	2	5 1	12	$\begin{array}{cc} & 7 \\ 2 \\ 21 \end{array}$
(12)	) Dysentery	3 9					1				3	2	3	6 1 1	19 1 1	1
(12) (37) 13	Tuberculosis of the lungs	i š							î		ı i				i	2
13 14 15	Other forms of tuberculosis	6												1 2	$\begin{bmatrix} \tilde{1} \\ 2 \end{bmatrix}$	· 2 2 2
(37) 17	) Syphilis Meningitis	18	5			-,	6			í,	6	3	3	3 5	$\begin{bmatrix} 2 \\ 4 \end{bmatrix}$	· 1
(37) 19 20	Organic diseases of the heart Acute bronchitis	4 4 9		•••••	2		2	1 2			2	1		1		1 1
22	l Phanmonia	1 53			<u>1</u>		1 i	2 1		1 3 2	2 5 5	2 2 9	. 2	1 12 17	18 14	14 13
(23) 24 25	Diorrhag and antaritie	123		1			i	2	1 2	4	1 9	1 13		39	26	19
25 (33 (33,37 (37,37) 35 38	Mailormations. Premature birth Congenital debility Injuries at birth External causes. Unknown or ill-defined diseases.	43 125 92 55	16 63 10	2 18	4 5	8 8	30 94	9	1 5	5 6	36 114	. í	2 3	Ĭ'	1 2	2
(33,37) (37)	Congenital debility Injuries at birth	92 55	10 42	4 3	5 5	7 2	26 52	6	2 1	2	36 53	11	13 1	17	14	1
38 38	Unknown or ill-defined diseases. All other causes	13 29	2	·····i	1	2	1 5 1	i	2	' 1 1 1	2 6 5	2	1 2-	. 2	2 8	i 5
	MEMPHIS, TENN. (TOTAL).	25					1		_	_	١	1	2		°]	3
	All causes	298	27	18	5	16	66	16	15	10	107	28	24	65	37	37
5 6	Measles Scarlet fever	3 1													1	<u></u>
7 8	Whooping cough	9					lf .					i	2	3	1	2
(12)	)  Dysentery	19 1							2		2		i	11	2	4
(12) (37)	Ervsineles								I							· · · · · · · ·
13 14	Tuberculosis of the lungs Tuberculous meningitis	4 1												1	3 .	i
15 (37) 17									i	····i	2	3	3		····i	····i
(37) 19	Meningitis Convulsions Organic diseases of the heart	5			<i>i</i>	1	i	i			2			1	1	ī
20 22	Pneumonia	3 15				····i				1	1 3	i.	2	1	2	3
(23) 24	Pneumonia. Bronchopneumonia. Diseases of the stomach.	26 4			1		i	1	î		3 2	5	3	6 2	4	<u>š</u>
25 (33) (33)	Diarrhea and enteritis	55 14	2	3	2	3	10	3		1 1 1	12 .	6	6	19	13	· 7
(33, 37)	Premature birth. Congenital debility.	40 30	17	9	2	, 5 3	. 33	2 2	2 4	2	39 15	5	3	3-	2	·····ż
(37) 35 38	Injuries at birth External causes Unknown or ill-defined diseases.	1	2	1		1 2	3				1 .					
30	All other causes	27 25	ı i				6 1	3	1	2	5	2	2	7	5	4
	MEMPHIS, TENN. (WHITE).  All causes	169	16	5	3	10	24	,,	8	7	60	16	14	38	19	22
5 6	Measles-		10	<del></del>			34	11			60				19	2
7		3													- 1	1
8 9	Scarlet fever	3 1 9										1	2	3	i	2
44.5	Scarlet fever Whooping cough Diphtheria and croup Influenza	<sup>1</sup> 9 <sub>7</sub>							1		i .	1		·····5	i	<u>2</u> i
(12) (12)	Scarlet fever Whooping cough Diphtheria and croup Influenza Dysentery Erysipelas	1 9 7							1		1	1		5		
(12) (12) , (37) 13	Scarlet fever. Whooping cough Diphtheria and croup Influenza Dysentery Erysipelas Tetanus Tuberculosis of the lunes	7							1		1	1		5	2	
(12) (12) (37) 13 14 15	Scarlet fever. Whooping cough Diphtheria and croup Influenza. Dysentery Erysipelas. Tetanus Tuberculosis of the lungs. Tuberculors meningitis Other forms of tuberculosis.	1 9 7							1		1	1		5	2	
(12) (12) (37) 13 14 15	Scarlet fever. Whooping cough Diphtheria and croup Influenza. Dysentery Erysipelas. Tetanus Tuberculosis of the lungs. Tuberculors meningitis Other forms of tuberculosis.	1 9 7							1		1	1	3 .	5	2	
(12) (12) (37) 13 14 15	Scarlet fever. Whooping cough Diphtheria and croup Influenza. Dysentery Erysipelas. Tetanus Tuberculosis of the lungs. Tuberculors meningitis Other forms of tuberculosis.	1 9 7 2 1 6							i	1	1	1	3 .	5	2	i
(12) (12) (37) 13 14 15	Scarlet fever. Whooping cough Diphtheria and croup Influenza. Dysentery Erysipelas. Tetanus Tuberculosis of the lungs. Tuberculors meningitis Other forms of tuberculosis.	1 9 7 2 1 6							1	i	1 .	2	3 .	5	2	
(12) (12) (37) 13 14 15	Scarlet fever. Whooping cough Diphtheria and croup Influenza. Dysentery Erysipelas. Tetanus Tuberculosis of the lungs. Tuberculors meningitis Other forms of tuberculosis.	1 9 7 2 1 6 1 3 9 13 13 137						1	1	1	1	2	3 .	1 3 4 1 13	2	i i i
(12) (12) (37) 14 15 (37) 17 (37) 19 20 22 (23) 24 25 (33) (33)	Scarlet fever. Whooping cough. Diphtheria and croup. Influenza. Dysentery. Erysipelas. Tetanus. Tuberculosis of the lungs. Tuberculosis of the lungs. Other forms of tuberculosis Syphilis. Meningitis. Convulsions Organic diseases of the heart. Acute bronchitis. Pneumonia. Bronchopneumonia. Diseases of the stomach. Diarrhea and enteritis. Malformations. Premature birth.	1 9 7 7 2 1 1 3 3 9 13 1 3 3 7 9 9 4	13			3 3	6 19	1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	1	2 2 3 4 1 1	3 .	1	2	i i i
(12) (12) (37) 13 14 15 (37) 19 20 22 (23) 24 (33)	Scarlet fever. Whooping cough. Diphtheria and croup. Influenza. Dysentery. Erysipelas. Totanus. Tuberculosis of the lungs. Tuberculosis meningitis. Other forms of tuberculosis Syphilis. Meningitis. Convulsions. Organic diseases of the heart. Acute bronchitis. Pneumonia. Bronchopneumonia. Diseases of the stomach. Diarrhea and enteritis. Malformations. Premature birth. Congenital debility	1 9 7 2 1 6 1 3 9 13 13 7 9		2	1	3	6	1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1	1 1 1 1 1 2 2 2 2 1 8	2 2 3 4	3	1 3 4 1 13	2	i i i

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

o.		Total						D	EATHS A	T AGE O	F—					
Abridged Int. List No.	AREA AND CAUSE OF DEATH.	deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	month.	2 months.	8 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRA	TION	CITIE	s or	100,0	00 PO	PULAT	CION	OR M	ORE	IN 191	t <b>0—</b> Cont	inued.			
	memphis, tenn. (colored).															
	All causes		11	13	2	6	32	5	7	3	47	12	10	27	18	15
5 6	MeaslesScarlet fever								,							
8	Whooping cough Diphtheria and croup															
9 (12)	Induenza	12	1				II		1 7		1			6	2	3
(12) (37)	Erysipelas												1		• • • • • • • • • • • • • • • • • • • •	
13 14	Tuberculosis of the lungs	2			<b>.</b>									1	i	
15 (37)	Tuberculous meningitis Other forms of tuberculosis	4								<u>-</u>			 			
17 (37)	Syphilis	4									1	1 			1	1
19 20	Convulsions Organic diseases of the heart Acute bronchitis					1	1				2			1		1
22 (23)	Pneumonia. Bronchopneumonia	6				1	1				1		2	2	·····i	
`24	Diseases of the stomach	3			1 		1			1	1 2	2	1	$\frac{2}{1}$	3	4
25 (33) (33)	Diarrhea and enteritis Malformations	18 5	2	1	1		4	2		1	- 3	2	2	6	5	
(33,37)	Premature birth. Congenital debility	16 17	1	8 4		2	14 6		1 2	1	16 8	2	2	2	2	
(37) 35	Injuries at birth External causes															
38	Unknown or ill-defined diseases. All other causes	18	, 3			1	4 1	<sub>1</sub> .	2		6 2	4	1 1	3	1	3
	NASHVILLE, TENN. (TOTAL).										-	-	_	Ů	1	1
	All causes	305	38	14	8	18	78	16	10	6	110	29	22	53	47	44
5	Measles	4								<u>_</u>		====		1	1	
6 7	Scarlet fever	2											•••••			
8 9	Diphtheria and croup Influenza	21							l		·····i					
$\binom{12}{12}$	Dysentery Erysipelas	2					<b></b>					<u>'</u>	1	4	2	6
(37) 13	Tetanus Tuberculosis of the lungs								<i></i>							
14 15	Tuberculous meningitis Other forms of tuberculosis										1				2	
(37) 17	Syphilis	7			1		1				1	1	·····i		1 3	
(37)	Convulsions Organic diseases of the heart	3			• • • • • • • • • • • • • • • • • • •				<sub>i</sub> .		1	1		1	1	·····i
19 20	Acute bronchitis	5				1 1	1 1	i	i		1 3				·····i	
(23)	Pneumonia. Bronchopneumonia	33				i	·····i	2	3	[i-	5	4 2	3 2	3 8	6 10	3 8
24 25	Diseases of the stomach Diarrhea and enteritis	9 50						1			i	5	2 3	2 18	1 11	3
(33) (33)	Malformations Premature birth.	. 7	1 28	1 8	1 3	1 6	4 45	8	1	1	5 54	<u>3</u>		1	i	13
(33,37) (37)	Congenital debility	58 39 2	7	3	2	1	16 2	î	2	3	22	5	1 4	1 4	2	2
35 38	External causes. Unknown or ill-defined diseases.	4 10	2	î			Ī				2	1		1	1	
	All other causes	17				3	3	1		·····i	4 5	1	2 2	2 3	$\begin{vmatrix} 1\\3 \end{vmatrix}$	4
1	nashville, tenn. (white).											·				
	Àll causes	202	31	11	5	12	59	10	7	2	78	18	12	29	33	32
5 6	Measles Scarlet fever	4												1	1	2
7 8	Whooping cough Diphtheria and croup	2										· · · · · · · · ·		2	<b></b>	
9 (12)	Influenza	· 13	2		• • • • • • • • • • • • • • • • • • •				i		·····i	4		2	i	5
(12) (37)	Dysentery. Erysipelas.	2	4										1	• • • • • • • • • • • • • • • • • • • •		1
13	Tuberculosis of the lungs	1														
14 15 (37)	Tuberculous meningitis Other forms of tuberculosis	2														
17 !	Syphilis Meningitis.	4 2									[			i	3	1
(37) 19	Convulsions Organic diseases of the heart	<u>i</u> -														
20	Acute bronchitis	16				1	1	1	i		2	· · · · · · · · · · · · · · · · · · ·			1	i
22 (23) 24	Bronchopneumonia Diseases of the stomach	15 7						1	1		2 1	3	1 1	2 2	6 5	, 2 6 3
25 (33)	Diarrhea and enteritis	30						1	• • • • • • • • • • • • • • • • • • •		1	3	1 1	1 10	1 8	3 8
(33) (33,37)		6 48	1 25	1 6	1 3	1 6	4 40	4	1	i	4 5 45	i	1	i	ĭ	
(37)	Injuries at birth	1 1	4	2 1	1	2	9	i	.2	î	13	4	4	2		1
35 38	External causes. Unknown or ill-defined diseases.	1 3 4	·····i	1			1	1			1 2	1 1		1		
,	All other causes	13	······			2	2	, 1			3		2	1 2	3	]3

# DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

int.		Total						D	EATHS A	T AGE O	F—		•			
Abridged Int. List No.	AREA AND CAUSE OF DEATH,	deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months
	REGISTR	ATION	CIŢII	es of	100,0	00 PO	PULAT	CION	OR M	ORE	IN 191	10—Con	tinued.			<del></del>
	NASHVILLE, TENN, (COLORED).									•						
	All causes		7	3	3	6 	19	6	3	4	32	= 11	10	24	14	1.
5 6	Measles															
7 8 9	Diphtheria and croup	· · · · · · · · · · · · · · · · · · ·										3	i	2	i	·····i
(12)	Dysentery															
(37) 13 14	Measles Scarlet fever Whooping cough Diphtheria and croup Influenza Dysentery Erysipelas Tetanus Tuberculosis of the lungs Tuberculos meningitis Other forms of tuberculosis Syphilis	2						·····i			i				1	
15	Other forms of tuberculosis	3			i		i				i		i	i		
17	Meningitis	1			l. <i></i>						i	i				i
(37) 19 20	Convulsions Organic diseases of the heart Acute bronchitis	. 1				i	ī				1	i	2	i		· · · · · i
22 (23) 24	Pneumonia Bronchopneumonia. Diseases of the stomach	. 18				i	i	1	2	i	2	• 2	î	6	5	2
25	Diarrhea and enteritis Malformations	.  20								.		2	2	8	3	5
(33) (33) (33,37)	Premature birth	10 15	3 3	1	i	2	5 7	4		2	9 9 1	1		2	2	i
(33,37) (37) 35 38	Injuries at birth External causes Unknown or ill-defined diseases	. 1	i		·····i	1	1				2		2	····i	1 1	
38	All other causes					i	Ĩ			1	2			. 1		1
	RICHMOND, VA. (TOTAL).						1.0	23	23	19	224	. 41	37	99	98	64
5	All causes	3	76	24	29	30	159	23	20	15	1	- 1		-		2
6 7 8	Scarlet fever Whooping cough Diphtheria and croup Influenza	ii							i		i	ii	i	2	3 3	3
9	Diphtheria and croup Influenza	39			[			····i	2	i	4	3	3	8	10	ii
(12) (12) (27)	Dysentery Erysipelas	5									1	2			1	1
(37) 13 14	Tetanus Tuberculosis of the lungs Tuberculous meningitis	ا⊾ 6			1		1				1		: '····i	1	3	i
. (37) . (37) . (37)	Other forms of tuberculosis	- 1		i		i	2			-	3	1		6	5 2	i
· (37)	Meningitis Convulsions Organic diseases of the heart	5 1				i	i				1	2		i	2	
20	Acute bronchitis. Pneumonia. Bronchopneumonia.	د ا۔								-		1 2	1		6 24	
(23) 24	Diseases of the stomach	.  6							1	$-\frac{3}{3}$	4		. 3	1 1	2	
25 (33)	Diarrhea and enteritis	. 26	·4	2 14	3	7 9	16 90	2 2 11	2 - 10	] 1	21 117	1		2 1	1	1
(33) (33,37) (37)	Congenital debility	87	52° 8 12	5 2	15 3 5	8 3	24 22		4		34 23			.		
35 38	External causes Unknown or ill-defined diseases	8 12			ii	1	2	1 2		1	2 5		3 2	. 5 2 6	2 2 9	I 6
	All other causes	- 28			1		_			-			,			
	All causes		53	13	14	16	96	12	11	9	128	19	12	45	43	<u> </u>
5 6	Measles												·  <u>-</u>			2
6 7 8 9	Whooping cough Diphtheria and croup	5						i	. 1				. 1		- 1	6
(12)	Influenza.  Dysentery.  Erysipelas.	2	11				1	.				2		. î	<sub>i</sub>	1
(37)	Tetanus Tuberculosis of the lungs			-												
(12) (12) (37) 13 14 15 (37) 17	Tuberculous meningitis Other forms of tuberculosis	. 5 1			<u>-</u>				<b>.</b>			::::::	1	. 1	3	
(37) 17	Syphilis Meningitis	10 4							<sup>1</sup>		1	i	13	. 1	) ž	
(37) 19 20	Organic diseases of the heart Acute bronchitis	1				·								i		
20 22 (23) 24	Pneumonia Bronchopneumonia	15							.		ii	1 2		3	7	, 2
24 25	Diseases of the stomach Diarrhea and enteritis	2		-	-				: ;	1	1 18		:	13		8
(33)	Malformations	74	38	1 9 1	6	4	57	6	5	4		: [ 1		.] 1		
25 (33) (33,37) (37) 35)	Congenital debility Injuries at birth External causes	] 19	10	2							19			: i	· · · · · i	
38	Unknown or ill-defined diseases All other causes	s. 2			·····i	-	ii	- i	-	: i	·   <sub>3</sub>	11		1 3		

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

Int.		Total			.,			1	DEATHS A	AT AGE (	)F—			· · · · · · · · · · · · · · · · · · ·		
Abridged List No	AREA AND CAUSE OF DEATH.	deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	weeks.	3 weeks but less than 1 month.	Less than 1 month.	nonth.	2 months.	8 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRA	TION	CITIE	s of	100,00	00 PO	PULAT	NOL	OR M	ORE	IN 191	l0Cont	inued.	<u> </u>	,	<del>'</del>
	RICHMOND, VA. (COLORED).												<u> </u>	ĺ	1	[
	All causes.	287	23	11	15	14	63	11	12	10	96	22	25	54	55	35
5 6	Measles Scarlet fever	1			1		1								/	
7 8	Scarlet fever Whooping cough Diphtheria and croup.	6 2				i i						1		i	2 2	2
(12) (12)	Influenza. Dysentery. Erysipelas.	18							2		2	3	1		3	5
(37) 13	Tuberculosis of the lungs	·····									1					
14 15	Tuberculous meningitis. Other forms of tuberculosis	1														i i
(37) 17	Syphilis Meningitis.			1		I	2				2	1	i	3	2	i
(37) 19 20	Convulsions Organic diseases of the heart Acute bronchitis							- · · · · · · · ·			1	2		;-	2 	
22 (23)	Pneumonia	18									3	1	1 1 3	3 10	5 17	 8 1
24 25	Diseases of the stomach Diarrhea and enteritis	4 41						3		2	5	5	2 3	10	1 8	10
(33) (33) (33,37)	Maltormations. Premature birth. Congenital debility	3 46 52	14	1 5	9	1 5	33	5	5	2	3 45	<u>i</u>				
(37)	Congenital debility Injuries at birth External causes.	52 4 5	7 2	4	2' 1	4 1	17 4	2	2	3	24 4	2	8	13	5 i	
38	Unknown or ill-defined diseases. All other causes.	10 15				1	1	l L		i	2 2	1	3 2	4 1 3	2 5	1 3
	SEATTLE, WASH.															
	All causes	363	89	20	22	32	163	24	14	16	217	27	20	45	29	25
5 6	Measles. Scarlet fever.	1 1												1		i
7 8	Diphtheria and croup	4								1	1		2	1		· · · · · · · · · · · · · · · · · · ·
(12) (12)	Influenza Dysentery Erysipelas	2				1	1		1		2	4	1	4	2	6
(12) (37) 13	Tuberculosis of the lungs	2									1		1			••••••
14 15	Other forms of tuberculosis	5 1			[							i	1	, î	i	<u>2</u>
(37) 17 (37)	Syphilis Meningitis Convulsions	2 4								i	·····i	·····i-	1	1	i	·····i.
20	Acute bronchitis	2 3												····i		<u>į</u>
(23)	Preumonia.	18 18			i	i	1 1	3 1		i	5 3	4	1 2	6 5	1 5	. 1
20 1	Diseases of the stomach Diarrhea and enteritis Malformations	35 35				·····i	1	····- <u>i</u> ·	2	····i	5	5	3	1 12	1 6	4
(33, 37)	Premature birth	43 104 34	13 61 8	7	7 7 2	10 5	28 85 19	2 9 2	1 1 3	1 4 4	32 99	2 3 2	3 1 1	3 1 2	3	
(37) 35	External causes	25 5	6	4 5	ã	8	22	2 1	ĭ	4	28 25 2			2		
38	Unknown or ill-defined diseases. All other causes.	7 26			2	2	4	1 1	3	1	4 9	1 4	2	2	8	2 1
ľ	SPOKANE, WASH.		'	1										ŀ	۱ '	
ا	All causes	168	38	9	8	18	73	8	8	6	95	12	17	24	12	8
5 6 7	Measles. Scarlet fever.															
8	Whooping cough. Diphtheria and croup. Influenza	3 14											1		1	1
(12) $(12)$	Dysentery. Erysipelas.	1							1	·····i	2		3	5	$\begin{bmatrix} 2\\1 \end{bmatrix}$ .	2
13 1	Tuberculosis of the lungs						.									
15.1	Tuberculous meningitis. Other forms of tuberculosis. Syphilis.	1														ii
17	Meningitis Convulsions	. 3		i .			1 .				····i.	1		2	:::::: :	
19 20	Organic diseases of the heart	3														
(23)	Pneumonia. Bronchopneumonia.	7 16			i	2	3.			1 1	1 4	1 2	5	2 2	1 2	i
25	Diseases of the stomach Diarrhea and enteritis Malformations	18 20		;: :		1	····; <u>i</u> - :	<u>-</u>	····i		2	3	<sub>i</sub>	6		<u>ż</u>
(33)	Premature birth Congenital debility	48 16	5 28 4	4	1 3 1	5 4 3	15 39 8	1 3 4	2 2	$\frac{1}{2}$	17 46 14	2.		2	:	• • • • • • • • • • • • • • • • • • • •
(37)	Injuries at birth	4			i	i	3 .		í		4.			<u>i</u>		······ ,
38	Unknown or ill-defined diseases. All other causes.	9-			····i		2	:::::: [:			2	2	····i	2	1 -	i

Table 11.—DEATHS EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

Column   Part						foce non	o at Head	. 01 01115 0		, <u>,,,,</u>						<u>;                                    </u>	
MILWAUREE, WIS.   All causes.   1,174	hrt.		Total			-			E	EATHS A	T AGE O	F					
MILWAUKEE, WIS.   All causes.   1,174   183   60   53   86   382   52   36   40   510   80   83   211   159	Abridged List N	AREA AND CAUSE OF DEATH.	under 1 year	than 1				than 1		2 weeks.	but less than 1	than 1	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
All causes.   1,174   183   60   53   86   382   52   36   40   510   80   83   211   159		REGISTRA	TION	CITIE	s of	100,000	POP	ULAT:	ON C	R MO	ORE I	N 1910	-Contin	ued.	,	, .	`
Searlet fever.   Sear		•										,	1			7.50	107
Searlet fever.   Comparison of table rules   Converge of the storage of the sto	į	All causes	1,174	183	60	53	86	382	52	36	40	510	80				131
The color of the region of the lungs   2   2   3   1   1   1   1   1   1   1   1   1	5	Measles							<b></b>					1	3	5	9
9   Influenza	7	Whooping cough	25										4	i	10	6	4
(12) Dysentery.       4         (12) Erysipelas.       2         (37) Tetanus.       2         13 Tuberculosis of the lungs.       2         14 Tuberculosis meningitis.       6         6          (37) Syphilis.       10         (37) Syphilis.       10         17 Meningitis.       16         (37) Convulsions.       26         1 3 1 5 10       2 3 15 1         19 Organic diseases of the heart.       26         20 Acute bronchitis.       46         22 Pneumonia.       46         23 Preumonia.       64         24 Diseases of the stomach.       35         25 Diarrhea and enteritis.       199         1 0 6 7 6 3 3 3 19 17 28 78 37         23 Malformations.       57 18 4 6 7 35 7 1 4 4 47         22 Premounlar birth       24 11 2 3 2 2 2 2 2 1 1 2 3 3         23 Malformations.       57 18 4 6 7 35 7 1 4 4 47         24 Premounlar birth       24 17 35 23 28 20 20 20 20 20 20 20 20 20 20 20 20 20	8	Diphtheria and croup	2 46				i	i		3	i	5	2	2		16	· 4 2 . 13
Tuberculosis of the lungs   2		Dysentery	4	1	l		1 '							]	2		2
Tuberculous meningitiss		Totomin	i e									ļ <sup>*</sup>				<u>-</u>	
(37) Syphilis. 10 2 1 1 4 3 3 2 1 1		Tuberculosis of the lungs	2 6											i	1		2
Meningitis	15	Other forms of tuberculosis	, š						l		1			2			
Organic diseases of the heart		Maningitis	16								, 1		ı	3	5	2	. 5
22 Preumonia. 64 22 2 1 1 6 9 6 8 11 17 (23) Bronchopneumonia. 130 1 3 2 6 3 6 4 19 7 6 33 36 24 Diseases of the stomach. 35 2 2 1 1 3 7 5 7 9 6 25 Diarrhea and enteritis. 199 1 6 7 6 3 3 19 17 28 78 37 (33) Malformations. 57 18 4 6 7 35 7 1 4 47 2 1 2 3 (33) Malformations. 57 18 4 6 7 35 7 1 4 47 2 1 2 3 (33) Parametric high 244 117 35 23 28 28 203 18 6 7 234 5 1 2 2		Convulsions	26	1	3	1	5	10	2	3		15	1		4	4.	2
25 Diarrhea and enteritis 199 1 6 7 6 3 3 19 17 28 78 37 (33) Malformations 57 18 4 6 7 35 7 1 4 47 2 1 2 3 (33) Pages 19 19 19 19 24 117 35 23 28 203 18 6 7 234 5 1 2 2	20	Acute bronchitis	46						1	1	3	6		8	15		8 13 29
25 Diarrhea and enteritis 199 1 6 7 6 3 3 19 17 28 78 37 (33) Malformations 57 18 4 6 7 35 7 1 4 47 2 1 2 3 (33) Parametric high 244 117 35 23 28 203 18 6 7 234 5 1 2 2		Bronchopneumonia	130		1	3.	2			6	4	19	7	6	33	36	29
(33) Malformations. 57 18 4 6 7 35 7 1 4 47 2 1 2 3 (33) Premotive birth 244 117 35 23 28 28 28 28 28 3 28 3 28 3 28 3 2	`24	Diseases of the stomach	35				2	2	1 . 6	1 2			5	7 28			1 20
(33) Premature birth. 244 117 35 23 28 203 18 6 7 234 5 1 2 2 (33,37) Congenital debility 140 36 10 14 22 82 7 8 3 100 15 10 12 3 (37) Injuries at birth 25 10 4 4 5 23 1 24 1 1	(33)		. 57	18	4		7	35	7	1	4	47	2	1	2		2
(37) Injuries at birth 25 10 4 4 5 23 1 1 24 1 1 25 External causes	(33)	Premature birth	244 140	117	35	23	28	203		8	7 3	234 100			12	3	
	(37)	Injuries at birth	25	10	4	4	5	23			Ĭ	24	ļ				3
33 Unixnown or ill-defined diseases. 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	35 38	Unknown or ill-defined diseases.	7			ļ <u>.</u> .		1				1		i			
All other causes		All other causes	64		4	1	5	7	4	2	. 2	15	7	3	12	11	16

# SUPPLEMENT

HAWAII SOLDIERS, SAILORS, AND MARINES ADDITIONAL DEATHS

### HAWAII.

In Hawaii the number of deaths from all causes (exclusive of deaths of soldiers, sailors, and marines) during the year 1918 is 3,885 and the population as estimated by the Bureau of the Census is 223,419, making the death rate 17.4 per 1,000 population in 1918 as against a rate of 16.9 in 1917. The deaths are tabulated by sex, age, race, cause of death, and month of death.

The small number of deaths for each of the last four months of 1918 as compared with the corresponding months of 1917 is in striking contrast with figures for the rest of the registration area where the pandemic of influenza was raging in the latter part of 1918.

The total increase in the number of deaths in 1918 is only 175, accounted for principally by increased mortality from pneumonia (all forms), influenza, and whooping cough. Most of this increase occurred among children under 5 years of age, the age periods 15 to 44 actually showing fewer deaths in 1918 than in 1917, although the mortality from pneumonia (all forms) in these age periods is considerably greater than in 1917.

Table 1.—Population of the Territory of Hawaii, by Race and County, According to the Census of 1910.

			POPULAT	ION APR.	15, 191	0.	
RACE.	Hawaii Terri- tory.	Hono- lulu city.	Hono- lulu County (exclu- sive of Hono- lulu city).	Hawaii Coun- ty.	Kala- wao Coun- ty.	Kauai Coun- ty.	Maui Coun- ty.
Total	191,909	52, 183	29,845	55,382	785	23,952	29,762
Hawanan Part Hawanan Caucasian-Hawanan Asiatic-Hawanan Caucasian Portuguese Porto Rican Other Caucasian Chinese Japanese Korean Filipino All others	26, 041 12,506 8,772 3,734 44,048 22,301 4,890 16,857 21,674 79,675 4,533 2,361 1,071	7,910 5,613 4,233 1,380 15,992 6,147 387 9,458 9,574 12,093 460 87 454	2,657 1,103 752 351 5,620 2,632 963 2,025 4,150 15,035 696 477 107	7,156 2,768 1,802 966 12,104 7,100 2,060 2,944 2,995 27,237 1,619 1,251	520 104 79 25 81 25 2 54 46 26 3	2, 208 798 556 242 4, 663 2, 643 743 1, 277 2, 312 12, 541 969 372 89	5,590 2,120 1,350 770 5,588 3,754 735 1,099 2,597 12,743 786 173 165

Table 2.—Deaths (Exclusive of Stillbirths) in the Territory of Hawaii and its Subdivisions, by Race: 1918.

[This table exc	ludes the	deaths o	f soldiers	, sailors,	and ma	arines.7	
	NUMI	BER OF I	EATHS (				THS)
RACE.	Hawaii Terri- tory.	Hono- lulu city.	Hono- lulu County (exclu- sive of Hono- lulu city).	Hawaii Coun- ty.	Kala- wao Coun- ty.	Kauai Coun- ty.	Maui Coun- ty.
Total	3,885	1,419	503	956	66	367	574
Hawaiian	886	336	85	201	45	62	157
Part Hawaiian	272	173	18	24	13	9	35
Caucasian-Hawaiian Asiatic-Hawaiian	180	128 45	13 5	13 11	10	0	16 19
Caucasian	186 86 593	233	57	151	10 3 5	47	100
Portuguese	305	87	26	99	4	6 3 47 25	64
Porto Rican	89	15	17	29		29	19
Other Caucasian	199	131	14	23 25	1	13 21	ĨŽ
Chinese	332	217	34	25	1 2	21	34
Japanese	1,363	356	230	427	2	154	194
Korean	61	21	11	11		.8	10
Filipino	362	73	68	114		65 1	· 42
All others	16	10		3		1	2

Table 3.—Deaths (exclusive of stillbirths) in the territory of hawaii and its subdivisions, by sex and by month of death: 1918.

	A 23					DEA	THS OCC	URRING	IN—				
AREA AND SEX.	All deaths.	Jan- uary.	Feb- ruary.	March.	April.	Мау.	June.	July.	August.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
Total for the territory	3,885	386	346	359	370	348	,295	369	286	273	264	283	306
MaleFemale	2,259 1,626	215 171	195 151	213 146	220 150	209 139	176 119	214 155	169 117	156 117	150 114	168 115	174 132
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	867 552 278 225 547 409 39 27 189 178 339 235	70 62 27 17 53 40 3 3 17 19 45 30	82 44 20 16 43 41 2 11 17 37 33	71 53 34 20 54 32 4 1 15 24 35	79 44 22 26 51 36 4 1 21 13 43 30	70 44 21 19 52 29 5 4 24 18 37 25	64 38 29 23 43 29 3  10 17 27 12	91 55 21 21 56 43 3 23 16 20	76 40 19 19 35 30 4 1 12 12 23 15	60 37 21 17 46 28 2 5 11 12 16 18	67 41 14 14 35 26 4 4 11 12 19	70 44 21 9 37 37 2 3 18 12 20	67 50 29 24 42 38 3 2 16 6 17

Table 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE TERRITORY OF HAWAII AND ITS SUBDIVISIONS, BY CAUSE OF DEATH: 1918.

[This table excludes the deaths of soldiers, sailors, and marines. Numbers under causes of death correspond to those of the abridged International List (see p. 19).]

•		•				DE	THS FROM	<u>5—</u> -					
ARBA.	All causes.	Typhoic fever.	Malaria	Sma		Measles.	Scarlet fever.	Who ing	)p-	Diph- theria and croup.	Influenza.	Erysip- elas.	Tuber- culosis of the lungs.
Haylor 12 - 1		1	, 3	4		5	6	7		8	9	(12)	13
Total for the territory	3,885	45	i	·-		9			95	18	109	9	40
Ionolulu city	1,419 503 956 66	14 5 17	i			, 5 3			19 18 25	7 1 6	41 29 20	2	21 3 7
Jalawao County auai County aui County	367 574	3				í		-	11 22	. 2	5   14	7	2
		•		•		. 101	EATHS FRO	м—					
AREA.	Tuber- culous menin- gitis.	Other forms of tuber-culosis.	Rheum:	Can and o malig	ther nant	Diabetes.	Menin- gitis.	Cereb hemo rhas an soften	or- d	Organic liseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory diseases
•	14-	-15	(37)	16		(37)	17	18		19	20, 21	22,(23)	(23)
Total for the territory	25	42		5	153	18	. 32	:	142	170	128	506	
fonolulu city	9 1 9	25 2 8		2	65 19 35	13 4	11	1	56 13 35	78 8 45 1	49 15 48	154 87 114	:
Kalawao County Kauai County Maui County	3 3	1		i	17	i	3		20 18	17 21	9 7	42 109	
. '	*					DI	EATHS FRO	м—				•	
AREA.	Diarrhea and enteritis (under 2 years).	dicitis and	Hernia, intes- tinal obstruc- tion.	Dirrhosis of the liver.	Act nepl tis a Brig dise	hri- nd se ht's se	ral pu poti- nia. cio	er- cal de	ongen- ital bility and alfor- ations.	Violer death (suicide excepte	s le Suicid	All other defined diseases	dofine
	25	26	27	28	29	9 3	3	2	33	35	36	(87)	38
Total for the territory	475	29	34	35		155	30	48	196	1	93 4		
Ionolulu city Ionolulu County (exclusive of Honolulu city) Lawaii County Kalawao County	115 87 146 3	13 1 9	14 3 5	19 1 5		62 19 28 1	12	16 5 18	74 <b>2</b> 7 53 2		56	5 76 6 15 5	3 6 5
Kauai County	48 76	2 4	7 5	2 8		19 26	5	6	20 20	1	25 21	5 5 9 10	

Table 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE TERRITORY OF HAWAII, BY RACE AND AGE OF DECEDENT: 1918.

							DEATHS	AT AGE	OF				,	
RACE.	All ages.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.	30 to 34 years.	35 to 39 years.
Total for the territory	3,885	1,280	195	98	62	49	1,684	95	66	121	170	182	163	175
Hawaiian Part Hawaiian Caucasian-Hawaiian Asiatic-Hawaiian Caucasian Portuguese Porto Rican Other Caucasian Chinese Japanese Korean Filipino All others	886 272 186 86 593 305 89 199 332 1,363 61 362	191 122 76 46 175 112 30 33 60 538 18 175	33 13 6 7 27 16 6 5 8 95 1 17	15 8 6 2 16 6 5 5 3 45 1 10	7 6 6 3 1 1 2 30 1 11	9 2 2 7 5 2 2 24	255 151 96 55 230 142 44 47 75 732 21 218 2	24 3 2 1 17 9 1 7 7 37	23 6 3 3 8 3 1 4 6 22	39 11 8 3 16 11 3 2 6 42 1 6	33 16 11 5 14 6 3 5 10 40 40	50 12 8 4 - 25 14 5 6 9 52 4 28 2	44 10 7 3 23 13 3 7 5 51 11 18 1	49 14 11 3 20 8 7 5 7 70 6 8
						DEATH	S AT AGE	OF						Deaths
RACE.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.
Total for the territory	186	184	183	188	162	107	61	60	44	28	10	. 9	4	3
Hawaiian Part Hawaiian Caucasian-Hawaiian Asiatic-Hawaiian Caucasian Portuguese Porto Rican Other Caucasian Chinese Japanese	1	47 11 9 22 28 7 3 18 31 59	8 7 1 19 5 3 11 32 77	50 111 8 3 33 14 4 15 45 47	64 4 2 2 35 14 3 18 27 27	35 20 3	22 2 2 2 16 6 1 9 14 4	22 3 3 3 24 11 1 1 12 10	23 13 5 8 5	11 14 6 1 7	2 2	6 2 2 1	4	I I
Korean. Filipino.	7	3		1			. 2	1	1 2					i

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE TERRITORY OF HAWAII, BY RACE AND CAUSE OF DEATH: 1918.

[This table excludes the deaths of soldiers, sailors, and marines.]

<u> </u>			1	<del> </del>						•					
Detailed Int. List No.	,	•		TD:-	t Hawai	iom		Cauca	RACE.					,	
led Int.	CAUSE OF DEATH.	All deaths.	Ha- waiian.	Par	Cauca-	Asiatic-		]	<u> </u>	Other	Chi- nese.	Japa- nese.	Ko- rean.	Fili- pino.	All others.
Detai		,		Total.	sian- Ha- waiian.	Ha- waiian.	Total.	Portu- guese.	Porto Rican.	Cauca- sian.					
	All causes	3,885	886	272	186	86	593	305	89	199	332	1,363	61	362	16
	I.—General diseases	1,230	312	94	65	29	157	64	22	71	115	416	26	104	6
1 6	Typhoid fever Measles	45 9	13 4	1	1		2 1	1		1 1 6	1	25 4		3,	
8 9	Whooping cough Diphtheria and croup Influenza	95 18 109	22	13	8	5	18	7 3	5 · 1	6	$\frac{1}{2}$	24 8	2	15	
10			40	7	3	4	, 11	9	ī	4 1	10	31		10	
14 15 17	Dysentery Plague Leprosy	. 12	5				2 1	2		·····i	` 1	3 1	1		
17 18	Erysipelas	62 9	40	10	8	2	7	6		1	2	3 6		<u>2</u>	,
19	Other epidemic diseases	5					' 1					3		1	
20 22 24	Purulent infection and septicemia Anthrax	9 1		1	1		3 1	2 1		1	2	. 2		1	
26	Tetanus Pellagra	14 1 80	1	1	1	 	1		1		1	11			
27	Beriberi		124	36	23	13	38	14			67	64 140	3	13 50	4
28	Tuberculosis (total) Tuberculosis of the lungs. Acute miliary tuberculosis Tuberculous meningitis Abdominal tuberculosis.	403	108	31	20 1	11	31	14 12	6 5	18 14	60	109	16 16	45	3
28 29 30 31 32 33	Tuberculous meningitis	25 32	3 10	1 1 3	2	1	2 2	1 1	1	1	. 4	15 11		4	
32	Pott's disease	2					í			1	.د	1 2		ī	1
34	White swellings. Tuberculosis of other organs.	2.	2				2			2					
36 37 -38	Rickets Syphilis Gonococcus infection	63 7	22 2	12	9	3	6	2	1	3	3 1	3 15 4	1	3	i i
00	Cancer and other malignant tumors (total)	153 4	35	5	4	1	41	13	4	24	10	55 2	2	4	1
40	Of the stomach, liver	91 19	21 8	1	1 1		21 7	9 2	1	11 4	1 9	35 3	1	2	1,
39 40 41 42 43 45	Of the buceal cavity Of the stomach, liver Of the peritoneum, intestines, rectum. Of the female gential organs. Of the breast. Of other organs or of organs not specified.	20	1 2	. 2	ī	i	6 2	2		4		11			
45	Of other organs or of organs not specified.	15	2	1	, 1		5		2	2 3		4	1	2	
47 48 50	Acute articular rheumatism. Chronic rheumatism and gout. Diabetes.	4 1 18,	3	4	4		1 1 6	1	1	1 5	1	1 4	1	. 1	
51 53 54	Exophthalmic goiter Leukemia. Anemia, chlorosis. Other general diseases.	2 5		1	1					í		1 3		<u>i</u>	
54 55	Anemia, chlorosis	7 5		3	2	1	1 5	2	1	2	1			ļ <u>.</u>	
56	Alcoholism (acute or chronic)	4					2	1	1		1	1			
59	Other chronic poisonings	12						ļ			11	ī			
	II.—Diseases of the nervous system and of the organs of special sense.	224	60	16	16		47	21	7	19	32	. 58	2	8	1
60 61	Encephalitis	2 32 22	2	1 4	1 4		4	1		3	2 2	1 20			
	Simple meningitis Cerebrospinal meningitis (undefined)	1 9		2	2		2	1		1	2	16 1 3			
	Cerebrospinal fever.	3	2	2	2		2			. 2		1			
62 63	Locomotor ataxia Other diseases of the spinal cord (total)	12 1	3	1	i		2	ī		1	3	2 2	1		
64	Acute anterior pollomyelitis Other diseases of the spinal cord <sup>1</sup> Cerebral hemorrhage, apoplexy	11 142	3 47	1 6	1 6		2 37	1 18	6	13	1 2 23	2 23	1 1	4	i
66 67	Paralysis without specified cause General paralysis of the insane	• 5	1 2	<u>i</u> -			1 2	·····i		1 1	. 1	1			
68 69	Other forms of mental alienation  Epilepsy	1	<u>.</u>	<u>-</u>	1							1		1 1	
71	Convulsions of infants		<b></b>	ļ <u>.</u>			. 1		1			3		1	
72 74	Chorea: Other diseases of the nervous system	5 1 5	1								2			1	
76	Diseases of the ears	8	3	•	2	•	(1-4		.]		.]	3	J		
		* Exclu	sive of ac	cute ante	rior polic	omyelitis	(inianti	e paraly:	SIS).						

156247--20---37

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE TERRITORY OF HAWAII, BY RACE AND CAUSE OF DEATH: 1918—Continued.

									RACE.				<del></del> :		
ListN				Par	t Hawai	ian.		Cauca	isian.						
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Ha- waiian.	Total.	Cauca- sian- Ha- waiian.	Asiatic- Ha- wajian.	Total.	Portu- guese.	Porto Rican.	Other Cauca- sian.	Chi- nese.	Japa- nese.	Ko- rean.	Fili- pino.	All others.
_	III.—Diseases of the circulatory system	233	83	12	10	2	49	29	1	19	33	46	1	6	3
77 78 79 80	Pericarditis. Acute endocarditis. Organic diseases of the heart Angina pectoris.	3 18 170 7	1 6 61 1	2 7 1	2 5 1	2	1 40 2	1 24	1	15 2	1 2 22	1 6 32 3	1	\ 1 4	3
81 82 83 84	Diseases of the arteries, atheroma, aneurism, etc.  Embolism and thrombosis.  Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).  Diseases of the lymphatic system (lym-	30 2 1	13 1	2	2		5 1	3 1		2	8	2		1	
	phangitis, etc.)  IV.—Diseases of the respiratory system	683	• 182	47	26	21	81	43	18	20	48	237	10	76	2
87 88 89 90 91	Diseases of the larynx. Diseases of the thyroid body. Acute bronchitis. Chronic bronchitis. Bronchopneumonia.	6 1 117 11 298	2 1 20 1 66	4 1 26	3 1 13	1 13	7 3 33	2 4 2 17	1 9	2 1 7	15 3 14	2 63 3 115	7	8	
92 93 94	Pneumonia (total) Lobar pneumonia. Pneumonia (undefined) Pleurisy. Pulmonary congestion, pulmonary apoplexy	208 204 4 23 1	80 77 3 4	14	7 7	7 7	33 33 2	15 15 2	8 8	10 10	11 11 1	39 38 1 12	2 2 1	28 28 3 1	1
95 96 97 98	Gangrene of the lung Asthma. Pulmonary emphysema. Other diseases of the respiratory system (tuberculosis excepted).	1 13 ,2 2	8	2	2		1	1			4	1 1 1			
	V.—Diseases of the digestive system	730	128	46	28	18	129	79	24	26	40	276	12	. 97	2
99 100 102 103	Diseases of the mouth and annexa. Diseases of the pharynx Ulcer of the stomach Other diseases of the stomach (cancer excepted).	4 5 19	3	1		1	2 1 3	1 1	1	2	2 3	1 4 11 8		3	
104 105 107 108	Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Intestinal parasites. Appendicitis and typhlitis.		81 16 2	36 5 2	22 3 2	14 2	89 8 2 5	60 6 2 2	16 1	13 1	19 4	168 28 18	7 11	73 13	2
109 110	Hernia, intestinal obstruction (total)	9 25 4	9 5 4 1	1		1	6 1 5 2	2	. l <i></i>	3 1 2 2	4 2 2	11 1 10 1	1	2	
111 113 114 115	Acute yellow atrophy of the liver Cirrhosis of the liver Biliary calculi Other diseases of the liver	35 4 14	12	1	i		8	3	3	2	5	5 6 4 7	1	3	
117 118	Simple peritonitis (nonpuerperal). Other diseases of the digestive system (cancer and tuberculosis excepted).	1									1	3			
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	164	41	4	2	2	33	16	5	12	26	54	1	5	
119 120 122 126 129 130 132	Acute nephritis. Bright's disease Other diseases of the kidneys and annexa. Diseases of the prostate Uterine tumor (noncancerous) Other diseases of the uterus Salpingitis and other diseases of the female genital organs	1 2	5 35 1	3	2	1	2 29	1 13	5	1	25 1	13 37	i	1 4	
	VII.—The puerperal state	1	14	, 7	5	2	12	6	4	2	5		1	6	
134 135 136 137 138 139	Accidents of pregnancy. Puerperal hemorrhage Other accidents of labor Puerperal septicemia. Puerperal albuminuria and convulsions. Puerperal plagmasia alba dolens, embolus, sudden death Following childbirth (not otherwise defined)	10 8 30 21	3 3 1 4 3	5 2	4 1	1	2 1 2	1 1	1 3	1	1 2 1	3 4 4	1	1 1 1	

HAWAII.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE TERRITORY OF HAWAII, BY RACE AND CAUSE OF DEATH: 1918—Continued.

No.								:	RACE.						
List]	,			Por	t Hawaii	ion		Cauca	oian						<u> </u>
dInt	. CAUSE OF DEATH.	All deaths.	Ha-		<del>,</del>			1 Cauca	l ,	·	Chi-	Japa-	Ko-	Fili-	All .
Detailed Int. List No.			waiian.	Total.	Cauca- sian- Ha- waiian.	Asiatic- Ha- waiian.	Total.	Portu- guese.	Porto Rican.	Other Cauca- sian.	nese.	nese.	rean.	pino.	others.
:	VIII.—Diseases of the skin and of the cellular tissue	21	6				3	2		1	2	5		5	
142 143 144 145	Gangrene Furuncle Acute abscess Other diseases of the skin and annexa	5 7 8 · 1	2 1 3				1 1 1	1 1		i	1	1 3 1		2 2 1	
;	IX.—Diseases of the bones and of the organs of locomotion	8	2	2	2	,	2	2				2			
146 147	Diseases of the bones (tuberculosis excepted) Diseases of the joints (tuberculosis and rheu- matism excepted)	6	1	1	1		2	2				2			
	X.—Malformations	42	3	7	5	2	12	9	. 1	2	1	16		3	
150	Congenital malformations (stillbirths not included) (total).  Hydrocephalus.	42	3 1	7	5	2	12	. 9	1	2	1	16		3	
	Hydrocephalus. Congenital malformations of the heart. Other congenital malformations.	4 25 13	1 2	5 2	4 1	<u>1</u>	7 5	5 4	i	1	1	3 7 6		3	
	XI.—Early infancy	211	19	23	14	9	29	16	3	10	8	93	3	36	
151	Congenital debility, icterus, and sclerema (total)	154 102	13 5	14 12	9 7	5 5	23 19	13 11	2 1	8 7	7 3	72 49		25 14	
152	Congenital debility, "atrophy," "ma- rasmus," etc. Other causes peculiar to early infancy (total) Injuries at birth.	52 56 12	8 6	2 9 1	2 5	4	4 6	2 3 2	1 1	1 2 1	4 1 1	23 21	3	11 10 1	
153	Other causes peculiar to early infancy 1 Lack of care	44 1	6.	8	1 4	4	3 3	í	1	i		. 17	2 1	9 1	
	XII.—Old age	15	9				4	1		3	2	<b>:</b>			
154	Senility	15	9				4	1		、 3	2				
	XIII.—External causes	239	26	13	13		35	17	4	14	20	124	5	14	2
155	Suicide (total)  By poison  Py housing or strongulation	· .7	1 1	3	3		12	4	1	7	9 2	18 4	2	1	
155 157 158 159 160	By hanging or strangulation  By drowning  By firearms	20 2 11		3			3 1 6	<u>z</u>	. 1	1 5	7	8			
160	By firearms. By cutting or piercing instruments	1			3		2	1		1		3	1		
164 165	Accidental or undefined (total)	179 8 14	24 1 1	9 3 2	9 3 2		20	11 1	3	6	10	98 4 4	3	13	2
165 167 168	Other acute poisonings. Burns (conflagration excepted). Absorption of deleterious gases (conflagration excepted).	. 13	i				2	2			1	9 2		ĩ	
169 170	Accidental drowning Traumatism by firearms Traumatism by fall	45 2	6				1		1			34	2	2	
$\frac{172}{174}$	Traumatism by fall. Traumatism by machines	21 6	4 1				1	2	·····i	2	3	8 4		2	
175	Traumatism by other crushing (total) Railroad accidents and injuries	. 48 10	5	3	3		7 2	5 1		2	5	23 5	1 1	4 2	
	Street-car accidents and injuries Automobile accidents and injuries	2 19	2	1	ii		3	2		<u>î</u>	1 2	10		<u>î</u>	
	Injuries by other vehicles	10 7	2 2 1	2	. 2		2	2			2	3		i	
176 181 186	Injuries by animals Electricity (lightning excepted) Other external violence	4 2 11	1 3	i	1		2	i		i		3 1 4		i	ii
182	Homicide (total)	14 11	1	1	1 1		3 2	2 1		1	1 1	8			
182 183 184	By cutting or piercing instruments By other means	1 2	<b> </b>		<b> </b>		i	i				Ĭ			ļ
	XIV.—Ill-defined diseases	7	1	1	<b></b>	1						. 3		2	<u></u>
189	Not specified or ill-defined (total)	7 4	1			1						3 2		2 2	
_	Not specified or unknown	3	1	1		1						. 1		<u> </u>	<u> </u>

<sup>1</sup> Exclusive of injuries at birth.

### ${\tt Table} \ {\tt 7.--DEATHS} \ ({\tt EXCLUSIVE} \ {\tt OF} \ {\tt ST(LLBIRTHS)} \ {\tt IN} \ {\tt THE} \ {\tt TERRITORY} \ {\tt OF} \ {\tt HAWAII},$

Int.							DE.	ATHS AT AG	E OF					
Detailed In List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.	
	All causes	3,885	1,280	195	98	62	49	1,684	95	66	121	170	182	l
	MalesFemales	2,259 1,626	676 604	95 100	47 51	28 34	30 19	876 808	46 49	39 27	58 63	82 88	101 81	
	I.—General diseases.	1,230	208	47	28	19	14	316	36	23	69	100	92	1
	Males	690	90	22 25	10	5 14	7	134	17	12	32 37	52 48	45 47	
	Females	540	118	25	18	14	7	182	19 2	11		48		
1	Typhoid fever \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	22 23 3	1	2			1	3	3	1	1 2	3	5 3	ļ.
6 8	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	6 29	2	7	1 2	1	$\frac{1}{2}$	6	3					
9	Whooping cough. $F$ . Diphtheria and croup. $F$ .	66 10	15 36 2	12	9	5	3	26 65 9	1					
10	Influenza	65	1 17	5 2 2 2	1 3		1	5 23 20	3 2 2	1		2 3	2	Ì
	(E	44 6	15 1	2		$\begin{vmatrix} 2 \\ \cdot 1 \end{vmatrix}$	1	20	2	1	1	3	2	
14 15	$\begin{array}{ccc} \text{Dysentery} & & & \begin{cases} \text{M} & \dots \\ \text{F} & \dots \\ \text{Plague} & & \text{M} & \dots \\ \end{cases}$	6	i			i i		2						
17	Leprosy $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right\}$	39 23								$\frac{1}{2}$	3 2	4 2		
18	Erysipelas	4 5	3 3					3 3			1	1		
19	Other epidemic diseases	1 4	1	i	····i		1	1 3			1			
20	Purulent infection and septicemia $\qquad \qquad \begin{cases} M & \dots \end{cases}$	6	3	1				4					i	
22 24	AnthraxM	1 7	3					3		$\frac{1}{2}$				
26	Tetanus F.	7	4				1	5						
27	Beriberi	44 36	29 29					29 29			ii	5 4	2	
	Tuberculosis (total) $\begin{cases} M \\ F \end{cases}$	291	2	4 3	2	2 5	2	12 15	9	5	25 · 27	34	29 32	
28	Tuberculosis of the lungs $M = \{M, \dots, M\}$	184 247 156	4		3	$\frac{5}{2}$	1	15 1 6	9 2 4	6 3 5	20 25	34 33 31 31	. 28 28 28	
29	Acute miliary tuberculosis	3 2	3		1				1	ļ	1	1 1	20	
30	Tuberculous meningitis	14	2	2 3	2 1	2		6 7	$\frac{2}{1}$		î		1	1
31	Abdominal tuberculosis $\left\{ egin{matrix} M \ . \ . \end{matrix} \right.$	21 11		2		2		4	3	2	3 1	2	1 2	
32 33	Pott's disease	4 2							1 1				ii	1
34	Tuberculosis of other organs $\left\{egin{array}{c} M \\ F \end{array}\right.$	2 2			1		1	1			1			
36	RicketsF	3			. 3			3	<b></b>					
37	Sypnins	35 28 1	12 16	3		. 1		14 19						-
38	Gonococcus infection $\{F\}$	6									1		. 2	
	Cancer and other malignant tumors (total) $\left\{ egin{matrix} M \dots \\ F_{-} \dots \end{array} \right\}$	93 60	·····i					1			1	2	2	
39	Of the buccal cavity $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F}_{-} \end{array}\right\}$	3												:
40	Of the stomach, liver $\left\{ egin{array}{ll} rac{M}{F} & \cdots & \cdots \end{array} \right.$	67 24	1					i					-	:
41 42	Of the peritoneum, intestines, rectum $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$ . Of the female genital organs	10									. 1 			-
43	Of the breast $\begin{cases} M \\ F \end{cases}$	20			-						-	2	1	-
. 45	Of other organs or of organs not specified ${f .}_{{f F}}^{{f M}}$	13 2				-					-		. i	1
47	Acute articular rheumatism $ \binom{M}{F} $	. 1										. 1		
48	Chronic rheumatism and gout												. 1	-
50	Diabetes $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right.$	. 12								: i				
51 53	Exophthalmic goiter F.  Leukemia M.	2				. i	-	i		-	1	1 1		:
	(F	1			-	-	-	-		-	1			1
54	Anemia, chlorosis $F$ .	5	1	····i	-			1 2	i	11				:
55 56	Other general diseases $\{M, K\}$ Alcoholism (acute or chronic) $M$	. 3	3		1		-	2 3		-		-	-	-
59		11					-			-		-		-
	, (E	., 1	11	-,	-,		-	. 11	11		-,	-1		-1

# FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1918.

1				;		DEATHS	S AT AGE (	OF,—							Deaths	d Int.
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over	at un- known age.	Detailed In List No.
163	175	186	184	183	188	162	107	61	60	44	28	,10	9	4	3	
89 74	98 77	125 61	130 54	145 38	137 51	112 50	71 36	43 18	41 19	29 15	18 10	5 5	7 2	4	3	
77	84	•73	76	79	71	59	36	11	13	7	6		2			-
44 33	45 · 39	51 22	55 21	62 17	47 24	44 15	25 11	8 3	7 6	3	2		2			:
1 4	2 4	3 2	1		1		 									} 1
	2															} 6
																8
5	3 4	3	5 1	3	2 1	4	1	2	3	1	2		1			} 9  } 10
2	4	1	1	1	1	2 1	2		1	1	• • • • • • • • • • • • • • • • • • • •		· 1			- [
1	1	1							i	2			<del>-</del>			14
, 6	6 5	4	2 2	1	3	1	2 1			1						17
	1							·····					• • • • • • • • • • • • • • • • • • • •			} 18 } 19
																} 19
			1	'	1											} 20 22
	1	i	i	1												24
1 2	·····i	4		1 1	i											26
1 1	23	22	32	31	16	13	8	3	2			••••••				1
27 16 24 15	23 12 20 10	22 10 20 10	32 8 30 7	31 7 28 7	16 6 16	. 13 1 11	, 1 8	1 3	2							} 28
15	10	10	7	7 1	5	1	1 <i>i</i>	1 							••••••	29
1	·····i	1	1	i	i	1									••••••	30
2 1	3 1		1													31
		1		1		1						••••••				32
			1										*********			34
3	4 5	3	i	4	<u>2</u>	3 1		•••••						••••••		36 } 37
1 i	i	i				i		•••••							•••••	38
1	. 4	7	10	18	15	20	10 3	2 1	1 3		2					
2	5 1		8	4	13   1	8 1	. 1	1	3	1	1	••••••				} 39
1	2 2 1	6	8 2	14 2 1	. 10 4 1 4	. 16	8 2	1	1 2	i	1					40
	1 1 2	4	<u>1</u>	1 1 1	1   4	. 3 1 1	1				·····``i					} 41 42
1	2	\	5		$ \begin{array}{c} 2 \\ 2 \\ 2 \end{array} $	1 1		i								} 43
1			2	3	4	[		i			1					45
·																} 47
		1	1	·····i	i	i	1 1									48 50
			, 1	ī	1	3	z	1.								51
							1		••••••							53
i							i									} 54
																} 55
	1	3	1	1	1 4		ī	1	,	1						1 50

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE TERRITORY OF HAWAII, [This table excludes the deaths of soldiers, sailors, and marines.]

o Et					<u> </u>		DEA	THS AT AGE	OF—				
Detailed List N	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	II.—Diseases of the nervous system and of the organs of special sense.	224	21	7	4	3	2	37	6	6	1	3	6
	Males Females	145 79	11 10	2 5	2 2	2	1	18 19	3	5 1	1	3	2 4
60 61	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	2 17 15 10 12 1 6 3	1 5 6 4 6	2 3 2 2 2	1	1 1	1 1 1 1	2 11 12 9 11 2 1	2 2 1 1 1 1	3 1 3 1	1		
62 63 64	$ \begin{array}{cccc} Locomotor \ ataxia. & M. \\ Other \ diseases \ of the spinal cord \ (total). & M. \\ & & M. \\ A \ cute \ anterior \ poliomyelitis. & M. \\ & & M. \\ & & M. \\ & & M. \\ & & M. \\ & & M. \\ & & M. \\ & & M. \\ & & M. \\ & & M. \\ & & M. \\ & & M. \\ & & M. \\ & & M. \\ & & & M. \\ & & & \\ & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & \\ & & \\$	3 8 4 1 7 4 97 45				1		1		1		1	1
66 67 68 69	$ \begin{array}{lll} \text{Paralysis without specified cause} & & \left\{\begin{matrix} M \\ F \end{matrix}\right. \\ \text{General paralysis of the insane.} & & M \\ \text{Other forms of mental alienation.} & & F \end{matrix}\right. \\ \text{Epilepsy} & & \left\{\begin{matrix} M \\ F \end{matrix}\right. \\ \text{F} \end{matrix}\right. $	1 3 5 1 3			-				1			1	1 1
71 72 74 76		.[ 1	3 1 2 1 2	i				2	1	1		. 1	
	III.—Diseases of the circulatory systom  Males Females		5			-	. 1		3 3	-l		. 2	3
77 78	Pericarditis	1 16	3				i i	4				1	1
79	Acute endocarditis. $\{F\}$ Organic diseases of the heart. $\{M\}$ Acute endocarditis. $\{M\}$ $\{M\}$ $\{M\}$	97 78	1	-				1	3 2		5	1 2	2
80 81	Angina pectoris	. 3						-					
82 83 84	etc. IF. Embolism and thrombosis	5 2 1	1					. 1					
	gitis, etc.). \big(F).  IV.—Diseases of the respiratory system	ļ.		3 5	0 2	8 2:	2 15	443	16		8 10	) 19	25
	MalesFemales	. 299	156	5 2	2 1		0	3   211	12		6 6	1 1	18 7
87 <b>5</b> 8 89	Acute bronchitis.  Chronic bronchitis.  M F  Chronic bronchitis.  F	65	4' 2 4' 3 3	7 4 2	2	4 2 1		1 4 2 57 1 50 3 137			i		1
91	D. Drawm min (fatel)	14	8 9	3 1		8	2	131 2 28		β   1	5	5	i
92	Lobar pneumonia. F  Pneumonia (undefined). F  From the preumonia of the pr	7 12 7	9 1 1 2 1	i	5 6 5	1	2	2 28 1 20			1 5 1	3	7 6 9 14 7 6
99 94	1.	1	3 0 1	1	2	1		1 3		1			. 1
98 98	3 Asthma	1	3						-				. 1
9			1	1									

 $<sup>\</sup>ensuremath{^{1}}$  Exclusive of a cute anterior poliomyelitis (infantile paralysis).

# FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1918—Continued.

						DEATHS	S AT AGE	OF							Deaths	5 F
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known	Datailed In
1	10	11	14	17	29	24	15	13	12	10	4	. 2	. 1		2	- - ;
1	5 5	8	11 3	11 6	23 6	16 8	10 5	6 7	9 3	9 1	. 2	2	1		2	2
														-2		-}
										- · · · · · · · · · · · · · · · · · · ·						-
												 	 			١
			1	1	1							,			<b></b>	
	·····i·	i		·····i		2	2 1	1		1						-[]
						. 1 1										1
	1 5	1 6		1			2 1 8	1		1						
	3	1	8 2	10 5	19 6	13 7	. 4	5 5	9 3	8	, 2	2	1		2	}
		1				. 1		1								: }
· · · · · · · · · · · · · · · · · · ·	i	1	1		2	1										
		1														: }
			 		,											ŀ
								:								ا]:
			1													: }
i			1		1											:K
i								1					• • • • • • • • • • • • • • • • • • • •			-
7	10	20	17	27	20	29	29	13	19	6	4	1	3	2		-
3	4 6	11 9	9 8	19 8	16 4	19 10	17 12	11 2	13 6	3 3	4	1	3.	2		
		1			1										<del>-</del>	-
i		1		2	2	1	1		1			1	1	1		-[}
4 2	3 6	8 7	8	15 8	10 4	15 9	12 10	6. 1	6	2 3	3					- {
• • • • • • • • • • • • • • • • • • • •	Ĭ				î	ĭ	ĩ									1
		1	• •					. 5					2			ľ
		i	1	1	2	, 2 1	3 2	5	6	1	. 1		2   			: }
			1	1												-
											.,					- }
23	17	18	20	14	22	11	11	7	6 ِ	7	3	2	1		· · · · · · · · · · · · · · · · · · ·	ار. ا
12 11	12 5	13 5	13 7	12	13	8				6			1			-
11	5	5	7	2	9	3	8	. 4	, 3	ĭ	1 2	1			•••••	-
					•••••										• • • • • • • • • • • • • • • • • • • •	- }
					1											ľ
T 1					1		1			2		1	1			: }
	1	··			2	1	·····i	1	1							1
1 2	1	2 1	$\frac{2}{2}$		1		<u>1</u>		1	1 1	2				••••••	:  <u> </u>
	0	9		, , ,		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		i i							• • • • • • • • • • • • • • • • • • • •	1
9 7 9	9 5 9	9 4 9	9	8 2 8	8 5 8	7 2 7	5	1 3	$\begin{bmatrix} 1\\2\\1 \end{bmatrix}$			1			• • • • • • • • • • • • • • • • • • •	}
9 6	9 5	9 4	9 4	8 2	8 5	$\begin{bmatrix} 7 \\ 2 \end{bmatrix}$	4	1 3	$egin{array}{c} 1 \\ 2 \end{array}$	3		·······i				1
i							1								••••••	
ī		2		2	;-										· · · · · · · · · · · ·	1
1					1										:	ľ
	·			<u>                                     </u>												
			$\begin{smallmatrix}2\\1\end{smallmatrix}$	2	1		$\begin{smallmatrix}2\\1\end{smallmatrix}$	1	1		1					1
								1								K

#### Table 7.—Deaths (exclusive of still births) in the territory of Hawaii,

Detailed Int.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	V.—Diseases of the digestive system	730	444	66	23	13	9	555	11	10	8	11	16
	MalesFemales	426 304	251 193	35 31	. 8 15	6 7	6 3	306 249	4 7	5 5	5 3	5 6	11 5
99 100	Diseases of the mouth and annexa $M$ .  Diseases of the pharynx $M$ .	4 3	2	ii			1 1	3 2	1				
102	Ulcer of the stomach. $F$	, 13 6	1					2	,				1
103	Other diseases of the stomach (cancer ex M cepted).	13 6	8 3 236	1 1				9	1 1	i		ļ	i
104	Diarrhea and enteritis (under 2 years) $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	266 209	236 181	30 28				266 209					
105	Diarrhea and enteritis (2 years and over) ${M \choose F}$	35 40		 	7 15	6 7	4 3	17 25	2 3	1	2	1	<sub>i</sub> .
107	Intestinal parasites $F$ .	1	i		1			1 1					
108	Appendicitis and typhlitis $\left\{egin{array}{c} M \ \cdot \end{array}\right\}$	16 13		3				3	·····i	3	1	2	3 1
109	Hernia, intestinal obstruction (total)	23 11	5 7					5 7		2 1		1	2 1
	Herms F.	8 1	1			l <i>.</i>		1					1
110	F	15 10 2	6					6		1			i
110	The diseases of the intestines	2				,			1	1			
111 113	Acute yellow atrophy of the liver	6 30										1	2
114	Biliary calculi. $F$ .	5 2 2											
115	Other diseases of the liver $\left\{ egin{array}{ll} \mathbf{M} \dots \\ \mathbf{F} \dots \end{array} \right.$	9									1	2	. 1
117	Simple peritonitis (nonpuerperal) $M$ .	5 2		1								1	1
118	Other diseases of the digestive system (cancer M. and tuberculosis excepted).	2							1				1
	VI.—Nonvenereal diseases of the genito- urinary system and annexa.	164	2	2	3	ż	3	12	3	6	6	3	5
	Males. Females	107 57	<u>2</u>	1	2	1 1	2	6 6	$\frac{1}{2}$	5	3 3	3	3 2
119	Acute nephritis	15 6	2	1	2	1 1		6 4		1 1	3 1		1
120	Bright's disease	87 47			i		i 1	2	$\frac{1}{2}$		. 2	3	$\begin{vmatrix} 2 \\ 1 \end{vmatrix}$
122 126 129	Other diseases of the kidneys and annexa. M. Diseases of the prostate. M. Uterine tumor (noncancerous). F.	3 2											
130 132	Other diseases of the uterus	2											
102	genital organs.	1											1
104	VII.—The puerperal state	78		-				<u> </u>			. 6	-	12
134 135 136	Accidents of pregnancy F. Puerperal hemorrhage F. Other accidents of labor F.	7 10									. 1	1 2	3
137 138	Puerperal septicemia F. Puerperal albuminuria and convulsions F.	8 30 21											3 2
139	Puerperal phlegmasia alba dolens, embolus, F. sudden death.	î										5	. 1
140	Following childbirth (not otherwise defined)F VIII.—Diseases of the skin and of the cellular	1			ļ	1		II			-	·	-
	tissue.	21	5	2				8		. 1	<u> </u>	1	2
	Males. Females	13 8	1 4				1	4 4		i	-		1 1
142	Gangrene. $\left\{egin{array}{l} \mathbf{M} \\ \mathbf{F} \end{array}\right.$	. 4	<b></b>				. 1	1					
143	Furuncle $\left\{ egin{array}{ll} \mathbf{M} & \mathbf{M} \\ \mathbf{F} & \mathbf{M} \end{array} \right.$	5 2			. . <i>.</i>								. 1
144	Acute abscess $M$ .	4 4		2				. 3					
145	Other diseases of the skin and annexaF.	1	į i		-			1			-{ <i>,</i>	<u>,</u>	
	IX.—Diseases of the bones and of the organs of locomotion.	8	1						1	1	2	•••••	
	Males. Females.	4 4						1	i	1			
146	Diseases of the bones (tuberculosis excepted). ${M \choose F}$	3 3	1					. 1			. 2		-
147	Diseases of the joints (tuberculosis and rheu-M. matism excepted).	3		:	. (	.	.		1		-l	.l	
	, <u>p</u> ,- (#	1	11		-1	,,	-	.[[				•j	

#### HAWAII.

# FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1918.—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

	<u>r</u>		<del></del>	•	· · · · · · · · · · · · · · · · · · ·	DEATHS	AT AGE C	·a—	· ·		٠.		i .	1	Deaths at un-	Jatailad Int
0 to 84 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 . years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	known age.	( Date:
15	13	16	17	14	15	11	4	5	4	2	1	1	<u></u>	1		
8	. <u>4</u>	14 2	1 <u>4</u> 3	· 12	· 12	5 6	4	4 1	3 1	2	1	1		1		:
		1														-
		1														: }
2	2	1	3 1	2	3	1										: }
					i		1									: }
																: }
2			7		2	2	*	1 1	1	1		1	<u> </u>	1		. }
			2	1	2 2	3		. 1	1							- {
			2													- }
$\frac{2}{2}$		,2	z	1												: }
1		2	1	. 1	3	1		2	. 1	1						. }
·····i	2				2			2	i	i						."
		2	i	i	·····i	i										:
1	2			<del>-</del> -							i					-  <sub>}</sub>
											<del>-</del> -					녞.
1	1 2	1 6		. 6											·····	-
1 1	2	6	6	. 6	1	1 3	3	1	1							: }
	2	·····i														: }
	1	1	1		2										   <b>-</b>	ĥ
2																: }
				2												: }
					1			- <i>-</i>								₹
5	10	10	12	14	21	21	11	5	6	5	. 6	1	- 1	1		-
4 1	4 6	4 6	7 5	12 2	16 5	15 6	6 5	5	6	2 3	5 1	1	1	1		-
1		. 1		1	. 1							 				-
<u>-</u>	-	.	8	1	ľ	14	5	5	6	2	5	·i	· · · · · · i			- {
<u>ء</u>	. 6	3 6	6 3 1	11 2	1 <u>4</u> 5	6	. 5			2 3	5 1					: }
					i		i									-
i	-		:													
								-	·				-	·	·	1
17	11	8	4													-
1	3		1													
1 3 2	2	1														
		3			1	1					1		-			
	1 1	1 4	2										.			
5 5	1	3 4	ı										-	-		- 1
	1	4	i													
5 5					1	1	-									-
5 5 1 1	1	. 2	2	2			<u> </u>									
5 5	1	. 2	2	2	1	1	<u> </u>									-
5 5 1 1	1	2	2 1 1	2 2	1	1										
5 5 1 1	1	2	2 1 1 1 1 1 1	2 2	1	1										
5 5 1 1	1	2	2 1 1 1 1 1 1	2 2	1	1										
5 5 1 1	1	2 1 1	2	2 2 1 1	1	1										
1 1	1	2 1 1 1	2	2 2 1 1	1	1										
1 1	1	2 1 1 1	2	2 2 1 1	1	1										
5 5 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	2 1 1 1 1 1 1 1 1 1	2	2 2 1 1	1	1					. 1		. 1			
5 5 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		2 1 1 1 1 1 1 1 1 1	2	2 2 1 1	1	1							. 1			
5 5 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		2 1 1 1 1 1 1 1 1 1	2	2 2 1 1 1	1	1					. 1		. 1			

# TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE TERRITORY OF HAWAII, [This table excludes the deaths of soldiers, sailors, and marines.]

Int.							DE	CATHS AT A	GE OF—				·
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	X.—Malformations	42	40	1	1			42					
	Males Females	22 20	21 19	1	1			22 20					
150	Congenital malformations (stillbirths not in-(M		21	1	1			22					
ļ	cluded) (total).	22 20 2	19 2		1			20			• • • • • • • • • • • • • • • • • • • •		
	Hydrocephalus	2 2 13 12	12	1				1 2					
	Congenital manormations of the heart	12 7	11 7		1			13 12 7					
	other congenital manormations(F	6	6					6					
	XI.—Early infancy	211	211					211					
	Males Females	117 94	117 94					117 94					
151	Congenital debility, icterus, and sclerema(M		84					84					
	(total). (F	84 70 55 47 29 23 33 23	70 55					70 55	[				
	Premature birth	47	47 29					47 29					
	mus," etc.	23	23 33					23 33 23					
152	Other causes peculiar to early infancy (total). $\{F_{ij}^{M}\}$	23 23	23					23					
	Injuries at birth $\{F_{-}\}$	7 5	7 5					7 5					
	Other causes peculiar to early infancy $^1 \dots \left\{ egin{matrix} M & \dots \\ F & \dots \end{smallmatrix} \right\}$	26 18	26 18					26 18					
153	Lack of care	1	1					ı î			· ; · · · · · · · ·		
	XII.—Old age	15											
	Males Females	7 8			,								
154	Senility $$ $$ $$ $$ $$ $$ $$	7 8											
	XIII.—External causes	239	15	15	11	3	4	48	16	10	14	. 8.	21
	Males	191	7 8	7	8		3	27	14	6	9	8	20
	Females	48	8	8	3	1	1	21	2	4	5		1
ŀ	Suicide (total) $\{F_{-}\}$	· 7								1	$\frac{1}{2}$	3	5
155	By poison $\{egin{array}{cccccccccccccccccccccccccccccccccccc$	3 4									2	1	
157	By hanging or strangulation $\left\{ egin{matrix} \widetilde{\mathbf{M}} & \mathbf{K} \\ \mathbf{F} & \mathbf{K} \end{array} \right\}$	17 3										1	2
158 159	By drowning M. By firearms M.	2 11											į
160	By cutting or piercing instrumentsM	6										''''i	1
	Accidental or undefined (total) $\left\{ egin{matrix} M \dots \\ F \dots \end{array} \right\}$	141 38	7 8	7 8	8	1	3 1	26 21	14	6	7 2	5	13
164	Poisoning by food $\left\{egin{array}{c} M \\ F \end{array}\right]$	5 3	3				ī	4		ļ	ļ <u>.</u> .		
165	Other scute poisonings (M	7		$\frac{1}{2}$	2								3
167	Burns (configuration executed)	7	2	2	1		1	6 2	2				
168	Absorption of deleterious gases (confla-(M	6 2	3 1		1			4 1					
1	gration excepted). \{\vec{F}\}	. 3 37	2	5	4		1	3	8				
169	Accidental drowning	8		4		1		10 5		3 2	3	1	3
170	Traumatism by firearms $\left\{egin{array}{c} M \\ F \end{array}\right\}$	1							1				
172	Traumatism by fall. $\mathbb{F}$	17 4	2	1				$\frac{2}{1}$	1				1
174	Traumatism by machines	6 42					•••••		1			2	
175	Traduction by other crushing (total) F_ [	6			1	1		1	2 1	3	1	2	5
	Railroad accidents and injuries $\dots$ $M$ . Street-car accidents and injuries $\dots$ $M$ .	10 1								1	2	1	2
	Automobile accidents and injuries $\left\{egin{array}{c} \mathbf{F} \\ \mathbf{F} \end{array}\right]$	1 15			 	· · · · · · · · · · · · · · · · · · ·		1	1	·····i	·····i	í	i
	Injuries by other rehieles (M	4 9			1			ī	1	Î	Ĩ		······i
	Injuries by other vehicles $\begin{cases} \mathbf{M} & \mathbf{F} \\ \mathbf{F} & \mathbf{I} \end{cases}$ Landslide, other crushing	ž								<del>-</del> -			i
176		4			1			1			1		1
181 186	Injuries by animals	2 11	i	1				2	• • • • • • • • • • • • • • • • • • • •				
	Homicide (total) $M = {M \choose F}$	11	<b></b>	ļ. <i>.</i>		1		1			1		2
182	By froorms M	3 9				i		i			1 1		1 2
183	By cutting or piercing instrumentsM.	2									Ĩ		
184	By other means $\left\{egin{array}{c} M \\ F \end{array}\right\}$	î											
	XIV.—Ill-defined diseases	7		5				5					1
	Males	5		3				3					
	Females	2		2				2					
189	Not specified or ill-defined (total) $\left\{egin{array}{c} M \\ F \end{array}\right\}$	5 2		3 2				3 2					
	Ill-definedM_	4		3				3					
	Not specified or unknown ${ m M \cdot \atop F}$ .	2		2				2					
		l	<u> </u>	l		<u></u> i		1	1	J	<u> </u>		

<sup>1</sup> Exclusive of injuries at birth.

# FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

. I'⊆	Deaths at un-	1	•				<del>,,</del>	· .	IS AT AGE			<del></del>	<del></del>			
Detaile		100 years and over.	95 to 99 years.	90 to 94 years.	85 to 89 years.	80 to 84 years.	75 to 79 years.	70 to 74 years.	65 to 69 years.	60 to 64 years.	55 to 59 years.	50 to 54 years.	45 to 49 years.	40 to 44 years.	35 to 39 years.	30 to 34 years.
:: }										•••••						
::																
				•••••												
														<del></del>		
[]																
ij																,
<sup> </sup>																
::																
						<u>-</u>					[ <sup>]</sup>					
=		-		3	3	5		3	1							
				1 2	1 2 1 2	3		1 2	. 1							
				2 1 2	Įį	3 2 3 2		1 2	į							
	1			· *		2		4		6	çı	16	21	28	19.	16
		-					<del></del>	·			ļ					
1	1					2		4		4 2	(1	15 1	19 2	23 5	18 1	14 2
1	1	-  <i></i>						3		1	l ti	3 1	4	5	4	4
												1	1	1	] 1	
i								2			······	3	·····i	1 3	1 1	•••••
1		-						·				. 3	.			1
													2	1	1	1 1
		-						1 1		. 3	.4	12	19	16	1 14	1 8
		-				2				2			12	4		î
• • •														i		
•-•														1 1		
		-				.		•	• • • • • • • • • • • • • • • • • • • •	`	1-	- 1	-			1 1
														1		
•								1				3	1	1	1	2
		-											. î		.	
								-							1	 
• • •						2					1	4	3	. 2		1
• • •	-			-		-		-				Ł	- 1		2	
	-									. 2	2	2		7		3
	-	-		-		-		-		-	-		1	î	i	···i
	-		.	-	.	-				-		-		i	-	
•••	-													3		
										-		. 1		2		1
	-		-		·	-	-		.	:	-		•		2	j
			:									-		1 1		
	-			-	-	-		-							2	
•••													3	. 2		4
	-			-	-	-		-		-	-		. 3	. 1		
•••	-						-									
									-	-				1		
•••			.									.	. 1		. 1	
_	1		<u> </u>									_	1		1	
	-		-	-	-	-				-		·-		•	·-	
	-		-		-					1			. 1		. 1	
•••	-		.	-	-							. ]	i	-		
		1 .		-1	-1	-1				1				1	1	1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE TERRITORY OF HAWAII, FROM IMPORTANT CAUSES, BY MONTHS: 1918.

[This table excludes the deaths of soldiers, sailors, and marines.]

lged st No.		All					DEA	THS OCC	URRING	IN				
Abridged Int. List No.	CAUSE OF DEATH.	deaths.	Janu- ary.	Febru- ary.	March.	April.	Мау.	June.	July.	August.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
	All causes.	3,885	386	346	359	370	348	295	369	286	273	264	283	306
1 3	Typhoid fever Malaria	45	3	6	6	2	6	1	8	4	1	3		5
5 6	Measles Scarlet fever	9					1	1	4	••••••	1	1	1	
7	Whooping cough.	95	7	3	14	18	7	7	12	8	7	8	2	2
8 9 13 14–15 17	Diphtheria and croup. Influenza. Tuberculosis of the lungs. Other forms of tuberculosis. Meningitis.	18 109 408 67 32	3 2 45 6 2	6 25 4 1	8 32 3 1	3 4 28 5 4	2 5 29 7 2	1 2 34 10 5	2 37 45 7 5	1 17 40 6 2	2 7 28 4	. 1 8 32 4 4	2 3 34 3 4	1 10 36 8 2
20-21 22 (23) 25 (37)	Bronchitis. Pneumonia. Bronchopneumonia. Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over)	128 208 298 475 75	24 25 31 40 11	7 23 37 50 4	17 15 34 55 5	14 20 35 56 5	8 25 24 38 6	12 9 17 37 9	7 33 22 28 5	9 17 21 33 8	3 9 13 34 7	8 2 16 39 5	12 14 25 42 4	7 16 23 23 6
(33) 35 36	Congenital debility <sup>1</sup> . Violent deaths (suicide excepted) Suicide All other causes.		7 13 1 166	\$ 11 6 155	8 13 5 143	6 14 3 153	4 24 5 155	3 23 7 117	2 22 6 124	3 13 2 102	4 17 3 133	15 2 115	$\begin{array}{c} \frac{4}{7} \\ 7 \\ 4 \\ 122 \end{array}$	2 21 2 142

<sup>1</sup> Exclusive of premature birth.

Table 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE TERRITORY OF HAWAII, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918.

			<del></del>													<del></del> ,
o. Int.	,	Total						DEATHS	S AT AGE	OF—						
Abridged I List No.	CAUSE OF DEATH.	deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months
	All causes	1,280	71	23	40	*69	203	62	50	57	372	197	151	262	195	103
5 6	Measles Scarlet fever	3													2	1
7	Whooping cough	51 3						1		2	3	6	9	13 1	9	11
, 9	Influenza	32	•••••			1	1			2	3	2	2	8	12	5
(12) (12) (37)	Dysentery. Erysipelas.	2 6 7				1 4	I 4	3	1		1 1 7	3	1	1	1	
13 14	Erysipelas. Tetanus Tuberculosis of the lungs. Tuberculous meningitis.	3 3				4	4	3			7	<u>2</u>	1	1	1 1	
15 (37) 17 (37) 19	Other forms of tuberculosis Syphilis. Meningitis. Convulsions. Organic diseases of the heart	28 11 4 1				1 1	3	3	1	3 1	10 1 3	4 3 1	3 1 1	7 3	3 2	1 1
20 22 (23) 24	Acute bronchitis Pneumonia Bronchopneumonia Diseases of the stomach	91 30 195 11		1 1 1	i	4	1 2 5	5 1 3 2	10 1 9	4 6 2	20 4 23 4	19 2 22 3	14 5 20 3	21 . 6 . 59 1	15 5 41	2 8 30
25 (33) (33) (33,37)	Diarrhea and enteritis	417 40 102 97	1 9 37 17	1 2 10 7	3 5 15 10	14 3 15 15	19 19 77 49	10 5 11 12	9 1 6 5	. 18 1 2 4	56 26 96 70	83 7 5 7	56 2 1 10	107 2 6	80 1 3	35 2 1
(37) 35 38	Injuries at birth External causes Unknown or ill-defined diseases	12 15	6		1	4 1	11	1 1		i	12 3	2	3	4	3	
	All other causes	116	1		1	5	7	4	7	11	29	26	19	22	15	5

# SOLDIERS, SAILORS, AND MARINES.

The deaths of soldiers, sailors, and marines include those reported to the Bureau of the Census from the entire registration area, and are shown separately for the registration area (exclusive of Hawaii) and for the Territory of Hawaii. The deaths are tabulated by color and age of decedent and by important causes.

Table 1.—DEATHS OF SOLDIERS, SAILORS, AND MARINES IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII)
AND REGISTRATION STATES, BY COLOR AND AGE OF DECEDENT: 1918.

			•		·			DEATHS	AT AG	e of—				-			at un-
AREA AND COLOR.	All deaths.	15 to 19 years.	20 to 24 years.	25 to 29 years.	30 to 34 years.	35 to 89 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	Deaths at   known ag
SUMMARY.						·											`
The registration area (exclusive of Hawaii) (total) White. Colored.	26, 209 23, 206 3, 003	1,364 1,297 67	12, 145 10, 471 1, 674	8,906 7,953 953	2,723 2,485 238	386 362 24	155 148 7	107 100 7	54 47 7	35 35	17 16 1	14 13 1	6 6	5 5	2 2	1	289 265 24
Registration states <sup>1</sup> (total)	25,963 22,968 2,995	1,340 1,274 66	12,054 10,381 1,673	8,829 7,879 950	2,685 -2,449 236	379 356 23	151 144 7	105 98 7	54 47 7	35 35	16 15 1	14 13 1	6 6	. 5 5	2 2	, 1 1	287 263 24
Cities in registration states <sup>t</sup> (total) White	7,426 6,937 489	614 598 16	3,236 2,972 264	2,305 2,156 149	766 728 38	186 179 7	90 87 3	59 54 5	36 33 3	25 25	11 11	8 8	. 4	3 3	2 2	1 1	80 76 4
Rural part of registration states (total) White	18,537 16,031 2,506	726 676 50	8,818 7,409 1,409	6,524 5,723 801	1,919 1,721 198	193 177 16	61 57 4	46 44 2	18 14 4	10 10	5 4 1	6 5 1	2 2 	2 2			207 187 20
Registration cities in nonregistration states (total). White. Colored	246 238 8	24 23 1	91 90 1	77 74 3	38 36 2	7 6 1	4 4	2 2			1						2 2 
All registration cities <sup>1</sup> (total)	7,672 7,175 497	638 621 17	3,327 3,062 265	2,382 2,230 152	804 764 40	193 185 8	94 91 3	61 56 5	36 33 3	25 25	12 12	8 8	4	3 3	2 2	1 1	82 78 4
REGISTRATION STATES.		ļ	<u> </u>		ļ	· ·		·									
California (total) White Colored	1,144 1,141 3	87 87	492 490 2	340 340	147 147	31 30 1	20 20	11 11	7 7	3 3	2 2		2 2				2 2
Colorado (total)	162 160 12 2	32 32	65 65	38 37 1	16 16	5 4 1	4 4					1					1
Connecticut (total).  White.  Colored.	135 122 13	8· 7 1	53 48 5	44 41 3	15 12 3	5 5	1	3 3		2 2							3 1
Illinois (total)	2,406 2,034 372	167 165 2	1,320 1,096 224	707 597 110	168 138 30	9 7 2	77	. 4 3 1	1	1	1						21 18 3
Indiana (total)	352 351 1	14 14				4	3 3	1									49 49
Kansas (total)	1,512 1,316 196	29 29	763 651 112	486	123	11 10 1	3		1	1				-			13 10 3
Kentucky (total)	1,295 1,201 94	58 54 4	568	455 429 26	113	16		1		3		-	-			ļ	17 14 3
Louisiana (total)	162 159	. 9		40 38	16					-							
Maine (total)	119 118	23	48 48	29 28	11	77		, }		-					-	-	

Table 1.—DEATHS OF SOLDIERS, SAILORS, AND MARINES IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND REGISTRATION STATES, BY COLOR AND AGE OF DECEDENT: 1918—Continued.

								DEATH	S AT AC	e of—							t un-
AREA AND COLOR.	All deaths.	15 to 19 years.	20 to 24 years.	25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	Deaths at un
REGISTRATION STATES—continued.																	
faryland (total)	1,505 1,283 222	37 36 1	617 494 123	609 535 74	172 155 17	15 14 1	10 9 1	2 2	3 2 1	3 3	2 1 1		1				
[assachusetts (total)	1,595 1,451 144	70 70	691 627 64	568 502 66	167 154 13	20 19 1	7 7	8 8	2 2	6 6	1						5 5
(ichigan (total) White. Colored.	1,027 989 .38	26 26	444 420 24	427 415 12	117 116 1	7 6 1	1		 								
innesota (total)	234 234	16 16	116 116	80 80	14 14	5 5	2 2			1 1							
issouri (total)	373 366 7	37 35 2	168 166 2	107 106 1	40 40	11 10 1	2 2	1 1			2 2	2 1 1					
ontana (total). White Colored.	38 37 1	6 6	13 12 1	11 11	5 5	2 2											
ew Hampshire (total)	28 28	2 2	15 15	2 2	5 5	2 2		1 1									
ew Jersey (total)	1,926 1,669 257	49 47 2	809 677 132	775 685 90	251 220 31	26 24 2	7 7	4 4	3 3			1					
ew York (total). White. Colored.	2,908 2,751 157	196 188 8	1,145 1,073 72	1,069 1,010 59	355 344 11	56 52 4	34 33 1	20 19 1	9 8 1	4 4	4 4	3 3	1	2 2		1	
orth Carolina (total)	661 429 232	26 24 2	339 195 144	204 136 68	58 42 16	7 6 1	4 4	2 2		1							
hio (total). White. Colored.	1,576 1,291 285	26 25 1	858 689 169	526 439 87	130 108 22	6	6 5 1	4 3 1	2 2	1 1							
regon (total). White. Colored.	109 108	10 10	36 35 1	50 50	10 10							1					-
ennsylvania (total)	891 854 37	68 65 3	428 409 19	256 249 7	101 97 4	15 15	5 5	6 3	5 4 1	4 4							
hode Island (total). White. Colored	. 20	1 1	8 8	7 7	2 2	2 2											
outh Carolina (total). White. Colored	1,585 1,248 337	70 68 2	880 648 232	463 377 86	137 121 16	18 18	7 7	5 5	1 1								
ennessee (total). White. Colored	65	4 4	25 25	22 22	10 10	2 2											
tah (total). White. Colored.	40	7 7	15 15	12 12	5 5												. .
ermont (total). White. Colored	62	1	23 23	31 31	4 4		1 1										-
rirginia (total)	2,098	167 130 37	1,262 982 280	875 689 186	224	44 38 6	7 5 2	12			-	2		. 2			-
Washington (total). White. Colored.	. 806 799	50 50	367 364 3	269 266 3	88		4 4		3								-
Visconsin (total). White. Colored.	. 85 . 85	15 15	37, 37	23 23	3					;		1 1	1 1		-		

TABLE 2.—DEATHS OF SOLDIERS, SAILORS, AND MARINES IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND REGISTRATION STATES, FROM IMPORTANT CAUSES OF DEATH: 1918.

[Numbers under causes of death correspond to those of the abridged International List (see p. 19).]

		···.					D	EATHS F	ROM-			,		<u> </u>	•	
AREA.	All causes.	Ty- phoid fever.	Mala- ria.	Small- pox.	Mea- sles.	Scar- let fever.	Whoop- ing cough.	Diph- theria and croup.	Influ- enza.	Ery- sipe- las.	Tuber- culosis of the lungs.	Tuber- culous menin- gitis.	Other forms of tuber-culosis.	Rheu- ma- tism.	Cancer and other malig- nant tu- mors.	Dia- betes.
		[1	3	4		6	7	8	9	(12)	13-		15	(37)	16	(37)
SUMMARY.																
The registration area (exclusive of Hawaii)	26, 209	43	10	1	583	145	,		10,391	21	763	36	37	16	58	47
Registration states <sup>1</sup>	25,963 7,426 18,537	43 19 24	10 4 6	1 1	578 180 398	145 33 112		97 49 48	10,318 2,843 7,475	21 9 12	- 757 284 473	35 11 24	36 18 18	16 8 8	58 39 19	47 18 - 29
Registration cities in nonregistration states. All registration cities 1	246 7,672	. 19	<u>4</u>		5 185	33		49	73 2,916	9	6 290	1 12	1 19	8	39	18
REGISTRATION STATES.														_		_
California. Colorado. Connecticut. Illinois. Indiana.	1,144 162 135 2,406 352	1	i		34 3 37	9 19 4		8	441, 56, 69 829 181	1	· 38 29 36 8	3 4	3 3 7 1	3	3 3 4 1	1 1 5
Kansas Kentucky Louisiana Maine Maryland	1,512 1,295 162 119 1,505	1 2 1 4	3		65 69 2 20	9 3 <sub>.</sub> 1 4		8 1 2	342 586 97 42 732	1 2 1	22 23 6 3 28	1 1 4	3 1	2	1 1 2	3 2 3
Massachusetts Michigan Minnesota Missouri Montana	1,595 1,027 234 373 38	2 1	1		15 18 1 4	2 2 4 15		10	421 343 126 130 28	1 3 1	31 21 2 11 2	2	2	1	7 2 1	2 3 2
New Hampshire New Jersey New York. North Carolina Ohio	. 2,908	6 2 2	1		40 30 52 25	14 11 2 , 9		20 31 2 3	19 896 922 76 966	2 2 1 1	2 26 138 63 34	2 8	3 3	1 3	1 2 10 1 3	4 6 2
Oregon Pennsylvania. Rhode Island. South Carolina. Tennessee	109 891 20 1,585	6	2		5 4 63	4		4	36 466 2 341 25	1	20 2 32 9	2 1	2	2	i 1	1 4
Utah Vermont Virginia Washington Wisconsin	40 62 2,669 806 85	5	2	1	39 30 2	1 21 2		1 3 1	20 44 1,633 260 22	4	1 73 26 8	4 3	1	2	1 2 2	4 2

<sup>&</sup>lt;sup>1</sup> Including District of Columbia.

Table 2.—DEATHS OF SOLDIERS, SAILORS, AND MARINES IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND REGISTRATION STATES, FROM IMPORTANT CAUSES OF DEATH: 1918—Continued.

[Numbers under causes of death correspond to those of the abridged International List (see p. 19).]

,							DEA	THS FRO	м						
AREA.	Menin- gitis.	Cere- bral hemor- rhage and soften- ing.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respiratory disteases.	Appendicitis and typhlitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Acute nephri- tis and Bright's dis- ease.	Con- genital debility and mal- forma- tions.	Violent deaths (suicide ex- cepted).	Suicide.	All other defined dis- eases.	Un- known or ill- defined dis- eases.
•	17	18	19	20, 21	22, (28)	(28)	26	27	28	29	88	35	36	(87)	88
SUMMARY.										/	ļ .				
The registration area (exclusive of Hawaii)	564	43	154	23	10,386	335	179	32	14	151	1	1,048	292	717	. 22
Registration states <sup>1</sup>	559 141 418	41 17 24	151 68 83	23 18 5	10,301 2,601 7,700	333 109 224	177 72 105	31 17 14	14 10 4	150 63 87	1	1,007 367 640	287 138 149	705 284 421	21 6 15
Registration cities in nonregistration states. All registration cities 1	5 146	2 19	3 71	18	85 2,686	2 111	2 74	1 18	10	1 64		41 408	5 143	12 296	ਪੂ 7
REGISTRATION STATES.															•
California. Colorado. Connecticut Illinois. Indiana	22 3 52 2	5 1 1	9 1 2 5 3		342 42 17 1,243 122	14 1 24 3	l6 3 1 l4	2	1	9 6 3		111 1 7 56 10	38 2 1 13 5	41 39 7	i
Kansas Kentucky Louisiana Maine Maryland	33 40 2 2 34	3	4 7 1 5	i	911 441 26 49 563	27 34 4 5	7 5 1 1 5	1 1		7 5 2 3 3	i	23 17 18 5 54	7 11 5	34 36 3 3 21	2 3 i
Massachusetts Michigan Minnesota Missouri Montana	23 7 1 7	1 1	11 5 5 6 1	2	919 516 74 139 3	21 17 1 2	9 11 2 3	1 1	1 1	8 2 2 3		52 45 8 25 1	18 5 2 9	36 21 4 13 1	1 1
New Hampshire. New Jersey. New York North Carolina Ohio	30 35 20 6	3 6 2	7 32 6 6	2 2 14	704 1,302 365 369	18 23 3 16	10 30 8 6	3 7 1 3	1 4	7 31 5 7		3 73 137 16 52	12 30 8 19	45 97 11 46	1 2 2
Oregon Pennsylvania. Rhode Island. South Carolina. Tennessee	93 2	2 4	1 5 1	i	49 280 4 834 6	7 31	7 1 .15	i	1	10 1 16 1		10 33 7 61 20	2 11 2 15 1	3 24 1 49	i
Utah. Vermont Virginia Washington Wisconsin	102 24	6 1	14 6		14 11 521 307 30	3 55 7	9 6 1	3 2	1 1	12 5		3 84 50 7	1 2 26 17 5	1 1 63 31 4	3 1

<sup>&</sup>lt;sup>1</sup> Including District of Columbia.

Table 3.—DEATHS OF SOLDIERS, SAILORS, AND MARINES IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), FROM EACH CAUSE AND CLASS OF CAUSES: 1918.

Detailed Int.	CAUSE OF DEATH.	Number of deaths.	Detailed Int. List No.	CAUSE OF DEATH.	Number of deaths.	Detailed Int. List No.	CAUSE OF DEATH.	Number of deaths.
	All causes	26, 209		III.—Diseases of the circulatory system.	240		VIII.—Diseases of the skin and of the cellular tissue	26
	I.—General diseases	12,452	77		7	142	,	3 7
1	Typhoid fever	43 10	78 79	Acute endocarditis.	38 154	143 144	Gangrene Furuncle Acute abscess Other diseases of the skin and annexa.	. 15
4 5	Maisria Smallpox	. 10 1. 583	80 81	Angina pectoris	Ĝ	145		1
, 6	Measles	145		Pericarditis Acute endocarditis Organic diseases of the heart Angina pectoris Diseases of the arteries, atheroma, aneurism, etc. Embolism and thrombosis Diseases of the vens (varices, hemor-	14 14		IX.—Diseases of the bones and of the organs of locomotion	66
10	Influenza	97 10,391	· 82 83	Diseases of the veins (varices, hemor-	1	146	Diseases of the bones (tuberculosis	
10 14 18 19 20 22	Dysentery Erysipelas	5 21	84	Diseases of the veins (variees, hemorrhoids, phlebitis, etc.).  Diseases of the lymphatic system (lymphangitis, etc.).  Hemorrhage; other diseases of the circulatory system.			excepted) Diseases of the joints (tuberculosis and	, 62
19 20	Other epidemic diseases Purulent infection and septicemia	21 23 22 9	85	Hemorrhage; other diseases of the cir-	4	147	rheumatism excepted) Other diseases of the organs of locomo-	3
22	AnthraxTetanus	. 5			2	149	tion	1
<b>2</b> 5	Typhoid fever	1		IV.—Diseases of the respiratory system	10,744		X.—Malformations	1
	Tuberculosis (total) Tuberculosis of the lungs Acute miliary tuberculosis. Tuberculous meningitis Abdominal tuberculosis. Pott's disease. White swellings Tuberculosis of other organs Disseminated tuberculosis.	836 667	86	Diseases of the nasal fossae.  Diseases of the larynx.  Diseases of the thyroid body.  Acute bronchitis.  Chronic bronchitis.  Bronchopneumonia.  Pneumonia (total).  Lobar pneumonia  Pneumonia (undefined).  Plenrisy.  Pulmonary congestion, pulmonary apoplexy.  Gangrene of the lung.  Asthma.  Other diseases of the respiratory system (tuberculosis excepted).	2	150	Congenital malformations (total) Congenital malformations of the heart	1
28 29	Acute miliary tuberculosis	96 36 20	87 88	Diseases of the larynx	4 1		heart	1
28 29 30 31 32 33 34	Abdominal tuberculosis	20	87 88 89 90	Acute bronchitis	19 4		XIII.—External causes	1,340
32 33	White swellings	2 3 10	91	Bronchopneumonia Pneumonia (total)	2, 269 8, 117		Suicide (total)	292
34 35	Disseminated tuberculosis	2		Lobar pneumonia Pneumonia (undefined)	7,821 296 311	155 156	By poison By asphyxia	40 14
37	Symbilie	. 82	93 94	PleurisyPulmonary congestion, pulmonary	311	156 157 158 159	Suicide (total) By poison By asphyxia. By hanging or strangulation By drowning By firegrees	40 7
38	Gonococcus infection.	7	95	apoplexy	, 5 5 1	159 160	By firearms. By cutting or piercing instruments.	132 47
00	(total)	58 3	96 98	Asthma	1	161 162	By jumping from high places By crushing	4 6 2
39 . 40 41	Of the stomach, liver	17 12	"	tem (tuberculosis excepted)	6	163	Other suicides	2 996
41 44 45	Of the skin	1		V.—Diseases of the digestive sys- tem		164 165	Poisoning by food	996 12 30
	Syphilis Gonococcus infection Cancer and other malignant tumors (total). Of the buccal cavity. Of the stomach, liver. Of the peritoneum, intestines, rectum. Of other organs or of organs not specified. Other tumors.	25			391	166 167	By drowning. By firearms By cutting or piercing instruments. By jumping from high places. By crushing. Other suicides. Accidents or undefined (total). Poisoning by food. Other acute poisonings. Conflagration. Burns (conflagration excepted). Absorption of deleterious gases (conflagration excepted). Accidental drowning. Traumatism by firearms. Traumatism by cutting or piercing instruments.	4 21
46	Other tumors	1	99 100	Diseases of the mouth and annexa Diseases of the pharynx	1 25 25	168	Absorption of deleterious gases (con-	33
47	Acute articular rheumatism	15 1	102	Ulcer of the stomach Other diseases of the stomach (cancer	25	169	Accidental drowning	33 169 108
48 49 50	Scurvy	1 1 47	105	excepted)	5 27	170 171	Traumatism by cutting or piercing	5
52	Addison's disease	5 9	108	Diseases of the mouth and annexa Diseases of the pharynx Ulcer of the stomach. Other diseases of the stomach (cancer excepted) Diarrhea and enteritis. Appendicitis and typhlitis. Hernia; intestinal obstruction (total).	27 179 32 16	172	Traumatism by fall	57 11
53 54	Anemia, chlorosis.	5 5		Hernia Intestinal obstruction Other diseases of the intestines		174 175	Traumatism by other crushing	416
55 56 59	Acute articular rheumatism. Chronic rheumatism and gout: Scurvy Diabetes. Addison's disease Leukemia. Anemia, chlorosis. Other general diseases. Alcoholism (acute or chronic). Other chronic poisonings.	23	110	Other diseases of the intestines	16 11	}	Traumatism by cutting or plareing instruments.  Traumatism by fall.  Traumatism by machines.  Traumatism by other crushing (total).  Railroad accidents and injuries.  Street-car accidents and injuries.  Automobile accidents and injuries.  Injuries by other vehicles.  Landslide, other crushing.  Airplane accidents and injuries.  Injuries by animals  Excessive cold.  Effects of heat.  Lightning.	119 40
59			111 113	Acute yellow atrophy of the liver	3 14	ļļ	Automobile accidents and injuries.	, 101
	IT.—Diseases of the nervous sys- tem and of the organs of special sense		114 115	Biliary calculi	20 20		Landslide, other crushing	, 101 39 16 101
	special sense	750	116 117	Diseases of the spleen	1 42	176	Injuries by animals	6
60 61	Encephalitis	10 564	118	Other diseases of the digestive system	2	178 179	Excessive cold Effects of heat	10
02	Simple meningitis	564 60 96	ļ	(cancer and tubercurous excepted)		180 181	Lightning. Electricity (lightning excepted). Fractures (cause not specified). Other external violence. Homicide (total).	6
63	Cerebrospinal fever	408 16	1.	VI.—Nonvenereal diseases of the genito-urinary system and		185 186	Fractures (cause not specified) Other external violence	33 78
oo	Acute anterior poliomyelitis	2 14		annexa	177	182	Homicide (total) By firearms	6° 20 10 5 6 33 78 52 38 2 12
64	Cerebral hemorrhage, apoplexy	43	119 120	Acute nephritis:	37 114	183 184	By firearms. By cutting or plercing instruments. By other means.	12
66 67	Encephalitis  Meningitis (total).  Simple meningitis.  Cerebrospinal meningitis (undefined) Cerebrospinal fever.  Other diseases of the spinal cord (total) Acute anterior poliomyelitis.  Other diseases of the spinal cord ¹  Cerebral hemorrhage, apoplexy.  Paralysis without specified cause.  General paralysis of the insane.  Other forms of mental alienation.	35 15	122	Acute nephrius Bright's disease. Other diseases of the kidneys and annexa. Calculi of the urinary passages. Diseases of the bladder. Diseases of the urethra, urinary abscess,	12		XIV.—III-defined diseases	
68 69	Other forms of mental alienation Epilepsy	15 15 1	.123	Calculi of the urinary passages	8 2	188		
70 73	Convulsions.  Neuralgia and neuritis.  Other diseases of the nervous system.	1 1	124 125	Diseases of the urethra, urinary abscess,	2	189	Sudden death Not specified or ill-defined (total) Ill-defined Not specified or unknown	3 19 5 14
70 73 74 76	Other diseases of the nervous system Diseases of the ears	10 37	126	etc	3 1		Not specified or unknown	14
		ı	11	l	1	)(	<u> </u>	!

<sup>&</sup>lt;sup>1</sup> Exclusive of acute anterior poliomyelitis (infantile paralysis).

Table 4.—DEATHS OF SOLDIERS, SAILORS, AND MARINES IN THE TERRITORY OF HAWAII; BY COLOR AND AGE OF DECEDENT: 1918.

AGE PERIOD.		IN THE		AGE PÉRIOD.		IN THE	
1	Total.	White.	Colored		Total.	White.	Colored
All ages.		7	61	35 to 39 years	1		1
15 to 19 years 20 to 24 years 25 to 29 years 30 to 34 years	2 27 22 10	2 3	25	45 to 49 years. 50 to 64 years. 55 to 59 years. 60 to 64 years.	1 1	1 1	1

TABLE 5.—DEATHS OF SOLDIERS, SAILORS, AND MARINES IN THE TERRITORY OF HAWAII, FROM EACH CAUSE AND CLASS OF CAUSES: 1918.

[The numbers in parentheses after causes of death correspond to those of the abridged International List (see p. 19).]

Detailed Int. List No.	CAUSE OF DEATH.	Deaths in the Terri- tory of Hawaii.	Detailed Int. List No.	CAUSE OF DEATH.	Deaths in the Terri- tory of Hawaii.	Detailed Int. List No.	CAUSE OF DEATH.	Deaths in the Terri- tory of Hawaii.
61	All causes  I.—General diseases  Measles (5) Influenza (9) Anthrax (37) Tuberculosis (total) Tuberculosis of the lungs (13)  II.—Diseases of the nervous system and of the organs of special sense  Meningitis (total) (17) Cerebrospinal fever  III.—Diseases of the circulatory system Angina pectoris (37) Diseases of the arteries, atheroma, aneu-	14 14 1 1 8 8 8 8	119, 120	IV.—Diseases of the respiratory system.  Pneumonia (total) (22)	7 11 13 11 1 3 11 1	155 159 165 169 170 172 175	XIII.—External causes  Suicide (total) (36).  By poison.  By firearms Violent deaths (suicide excepted) (35).  Accidental or undefined (total).  Other acute poisonings.  Accidental drowning.  Traumatism by firearms.  Traumatism by other crushing (total).  Railroad accidents and injuries.  Automobile accidents and mipuries.  Airplane accidents and injuries.  Other external violence.  Homicide (total).  By firearms.  By cutting or piercing instru-	21 11 16 32 3 5 1 3 12 5 2
81	Diseases of the arteries, atheroma, aneurism, etc. (37)	1	119 120	Acute nephritis Bright's disease	1 2	183 184	ments.  By other means.	2

ADDITIONAL DEATHS, BY SEX, AGE, AND

Note.—This table is based upon 3,403 transcripts of death certificates which were received too late to be included in the text and general tables, and 72 others from 1,478,795, leaving the death rate unchanged at 18 per 1,000 population. These additional decedents numbered 2,768 whites and 707 colored,

		<u> </u>	TOTAL DEATHS.		CALI- FORNIA.		CONNECTI-		ILLINOIS.		Kansas.		KENTUCKY.		LOUISIANA.		MAINE.		MAS	SSA- ETTS.
		ALL DEATHS AND AGES.	Males.	Fe- males.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
	1	All causes	_ ′	1,502	1		2	1	686	261	14	7	174	187	260	235	7	10	, 21	23
	2 3 4 5 6	Typhoid fever (1).  Malaria (‡).  Measles (6).  Scarlet fever (7).  Whooping cough (8).	18 8 7 3 11	19 6 7 3 14					2 4 1	3 1 2	1		2 2 3	3 2 3	5 3 1	4 5 1			1	
	7 8 9 10	Diphtheria and croup (9) Influenza (10) Cholera nostras (13) Dysentery (14) Erysipelas (18)	708 1 12 1	9 457 1 9 2	1	******			332 1	70 1	÷	1 	66 1 4	68 1 1	97 2	98 2		3	1	2
٠.	12	Other epidemic diseases (3-11, 15, 16, 17-19).	1															•••••	1	
2	13 14 15 16	Tetanus (24) Tuberculosis of the lungs (28, 29) Tuberculous meningitis (30) Other forms of tuberculosis (31-35)	1	97 4			•••••		2 16 3	10		i 	12 2	15 2	2 21 	13	1		1	2
	18 19 20	Syphilis (37). Cancer and other malignant tumors (39-45). Meningitis (61)	9 42 6	6 58					5 9 3	2 14 1	····i		6	1 9 4 2	·····2	5 	i		i	i
\ ;	- 1	Cerebral hemorrhage and softening (64, 65). Organic diseases of the heart (79)	52 101	93			1	1	9 28	6 26	1	2	3 5	6	7	1 8		1	3	2
	22 23 24 25 26	Acute bronchitis (89). Chronic bronchitis (90). Pneumonia (92). Bronchopneumonia (91).	177	3 132					1 2 46	30	i	·····i	16	1 <u>17</u>	32	23		<u>1</u>		1
	26	Other diseases of the respiratory system (86-88, 93-98).	58 13	39 8				•••••	24 3	11 1			2	3 1	3	2		1	1	
	27 28 29	Diseases of the stomach (102, 103) Diarrhea and enteritis (under 2 years) (104). Diarrhea and enteritis (2 years and	10 44	8 38					1 13	····i0			4	3 3	4 3	3 5			i	
	30 31	over) (105).  Appendicitis and typhlitis (108)  Hernia, intestinal obstruction (109)	13 9 7	8 5					1	•••••	1		1	3	1	1			1	1
8	32 33	Cirrhosis of the liver (113)	9 63	51					1 5 25	2 10	2		3	3	1 5	8		•••••		12
	34	Diseases of the female genital organs		2						1	ļ	1								
	35 36	Puerperalsepticemia (137). Other puerperal affections (134–136, 138–141).		7 51			•••••			6				3 5	::::::	2 5				8
1	37 38 39 40 41	Congenital malformations (150). Premature birth (151A). Congenital debility (151B, 152B, 153). Injuries at birth (152A). Senility (154).	4 36 27 8 15	10 43 8 1 27			i		8 5 2 2	10 11 1	i		1 3 2 2	4 1 2	1 8 4 2	2 2 3 5			2	
	42	Violent deaths (suicide excepted)	182	51 ,					94	22	<b> </b> -		10	4	16	4	4	2	2	1
,	43 44 45	Suicide (155–163). Unknown or ill-defined diseases (187, 188, 189). All other causes.	24 63 106	78 87					11 3 19	2 2 12	i	1	9	12	1 14 9	 19 11	i	1	1 3	2
Marie	46	All ages	1 1, 972	1,502	1		2	1	686	261	14	7	174	187	260	235	7	10	21	23
	47 48 49 50	Under 1 year 1 year. 2 years. 3 years.	69 45 21	189 54 37 33 22			1		52 8 7 8	35 7 4 7	1	1	23 13 11 5	25 11 5 6	38 5 7 3	22 5 7 3		1	7 1 1	1
	51 52 53 54 55	4 years Under 5 years 5 to 9 years 10 to 14 years	381 65 44	335 70 50			1		81 9 8	60 18 6	1 1 1	1	54 10 8	53 7 6	55 13 11	40 12 8	i	1	9	2
	56 57	15 to 19 years	242	76 129 148	1				50 170 68	12 17 38	2 2		17 13 7	11 17 17	11 22 19	14 26 28	2	<sub>2</sub>	1	3 3 5
	58 59 60 61	35 to 39 years	140 115 81 89	107 80 51 60				i	53 29 38 41	13 11 10 14	1	i	8 10 6	11 13 5 6	17 24 12 13	19 20 9 12	i	î 1		1
	62 63 64 65 66 67	50 to 54 years 55 to 59 years 60 to 64 years 65 to 69 years 70 to 74 years 75 to 79 years	81 94 75	43 48 39 53 62 53			i		24 28 29 29 13 5	9 8 6 10 10 6	2	3	4 2 6 4 12 5	3 3 5 5 9	7 12 8 7 9	2 8 7 4 11 5	i	2	1 3 1 1	1 2 1
	68 69 70 71 72 73	80 to 84 years 85 to 89 years 90 to 94 years 95 to 99 years 100 years and over Unknown age	18 6 2	45 21 10 3 4					2 1 2	5 4 3	1		4 2	5 1	2 4	4 1 1		2	1 1	
			<u> </u>	15 Eveluei					6	1			2	7	7	3	1			1

 $<sup>^{1}</sup>$  Exclusive of one Chinese, aged 53, who died by violence in Hawaii.

# ADDITIONAL DEATHS.

### PRINCIPAL CAUSES, FOR SEVERAL STATES: 1918.

Wilson County, N. C., which, owing to an oversight, were not included. The corrected total number of deaths in the registration area (including Hawaii) is, therefore, and included 265 soldiers. The numbers in parentheses after causes of death correspond to those of the detailed International List (see p. 19).

MICHIGAN.		MINNE- SOTA.		MISS	ouri.	MON	rana.	NEW '	YORK.	NO: CARO	RTH LINA.	ORE	GON.	SOU	TH LINA.	TT.	LH.	VIRG	INIA.	WASHI	NGTON.	wisco	onsin.	Ī
Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males,	Females.	
94	81	21	17	41	41	91	67	164	131	192	227	18	18	12	23	22	16	85	98	5	7	62	52	
1 1 1 1	1			1	2	1 2	1		1 i	4 1 5	2 5		2	. 1			1	2 	1 1 2	1				
17	1 21	3	4	16	18	16	1 20	32	1 32	53 5	2 46	6	2	4	7	4	4	1 27	1 33	1	1	27	27	1
	1 			1 			1				4										i			. 1
4	4	2	3		1	1 	3	13 2	7	14 2	20		i	3				4 1 1	11			5	6	111111
3	3	1 1	····i			<u>2</u>	5	3	1 8 1	1 4	4	<u>;</u> 1	3,			1	i	<u>4</u> 1	2		L	3	1	1
9	5 8 1	1	1		3 1	5	3	8 17	8	. 6 2	5 16		1	1	. 1	3		, 9	7		2	3	1	. 2
1 8 1 1	6 4 1	2 1	2 2	8 3	6 1	15 2 1	3 1	26 11 3	18 7	8 3 1	11 4	i	2	2	3	4 1	i	4 1	4			8 2	4 3 1	22222
. 1 2	1				i	2 1 3	2		1 1	<sub>15</sub>	11 3			1	1.	2	1	3	3	1		1		2 2
3 1		1	1			2 2		1	1	1	1				••••••	1	2				,		1	3
5 	4			4		1 4	3	1 4	8	10	8				2		1		1		1	1		3
	3					1	2 2	1	**************************************		7								7					3
1 3	3	1 3 1		i	1	1 1 2 2 2	2 3 2 2	6 3	i	2 2 2	11 8	1 1	1			1 1	1	1 2 1 1	3		1	1 1	2	- 3 - 3 - 4
5 2 1	1	1		4		15 2 2	2	15 7	1	5, 22	7 34	12			1 1 3	2	2	3 <sub>7</sub>	4 7	2		2	i	- 4 - 4
12	8	1	1	3	7	6	, 6	1,0	11	12	. 11	2	1		.2	1.	1	11	•5			6	j	4
94 9 4 2 1	81 8 3 2 1	21 7 1	2 1	5 3 1	3 2 1 2 1	91 9 1 1 1	11 1 1 2	164 12 6 3	131 6 4 2 1	192 38 18 8	227 47 12 8 7 2	2	3	12	23 3 2 3	22 4	16 2 1	85 14 6 2 1 2	98 15 4 2 2 2	5 1	1	9 2 2	52 4 1 1	44455
	15 2 3 6	8	3 1	10 1	9			21 3		3 67 7		2 3 1	3 1 1	1	8	4	3 2			1	. 1	13 6		- 1
16 5 1 3 5	5	, ,	2 2	3 4	1 1 3	12 2 1 2 13	15 2 1 2 5		13, 3 3, 7 12	67 7 4 16 4	*'	•••••	*			2 2 1	3 2 2 2		25 4 5 7 8	1	1	13 6 3 4 1	7 4 4 1 9	
4 6 3 4	7 6 1 2 3	3 1 2 2	4	2 3 1 1	5 5 1 1		5 11 5 1	23 19 11 14 6	12 10 7 3 9	12 10 12 5 6	4	5 1	1 1 1	1 2	1 3 2	1 1 2 1	2	9 2 3 2 3	6 4 3 8	1	1 1 1	1	3 4 3 2 2	5 6 6
4 4 9 10 8	7 3 5 3 7	1	1 1 2	6 1 2	1 2 1	7 10 7 4 1 4	- 4 1 3 2	7 9 11 4 10 9	7 6 6 12 6 7	2 10 9 7 6 6	7 5 3 . 6 10 12	1 2 2	1 2 2 1 1	i	1 1 1 1	1 1 1 1 2	1 1 1	2 4 3 4 2	· 2 2 2 2	1	1,	4 1 3 2 3 4	3 1 1 2	55 56 66 66 66 66 66
3 2 2	3 3				1		1	4 1		4 1 1 1		1	_	1					7	1	1	1	3	6677

Abdominal tuberculosis, deaths from, 114, as contributory cause, 51, 53, 55; by age, 258, 294; by color, 270, 282; by sex, 258; in cities and rural districts, 236.

Abscess, acute, deaths from, 116, as contributory cause, 80, 82, 84; by age, 264, 296; by color, 276, 288; by sex, 264; in cities and rural districts, 238.

Absorption of deleterious gases (conflagration excepted), deaths from, 117, as con-

tributory cause, 86, 88, 90; by age, 268; 296; by color, 280, 292; by sex, 268; in cities and rural districts, 238.

Accidental or undefined causes, deaths from, 117, as contributory cause, 86, 88, 90; by age, 268, 296, by color, 280, 292; by sex, 268; in cities and rural districts, 238 sex, 268; in cities and rural districts, 238.

Accidents and injuries, automobile, rail-road, and street-car, deaths from, 45, 117, as contributory cause, 86, 88, 90; by age, 268, 296; by color, 280, 292; by sex, 268; in cities and rural districts, 238.

in cities and rural districts, 238.

Addison's disease, deaths from, 114, as contributory cause, 57, 59, 61; by age, 260, 294; by color, 272, 284; by sex, 260; in cities and rural districts, 236.

Age, deaths by, 11, 144, 170, 258, 294, 432.

Alcoholism (acute or chronic), deaths from, 114, as contributory cause, 57, 59, 61; by age, 260, 294; by color, 272, 284; by sex, 260; in cities and rural districts, 236. 260; in cities and rural districts, 236.

Amputations, deaths from, 116, as contributory cause, 80, 82, 84; by age, 266, 296; by color, 278, 290; by sex, 266; in cities and rural districts, 238.

Anemia, chlorosis, deaths from, 114, as contributory cause, 57, 59, 61; by age, 260, 294; by color, 272, 284; by sex, 260; in cities and rural districts, 236.

Aneurism. See Arteries, diseases of, etc. Angina pectoris, deaths from, 115, as con-

Angina pectoris, deaths from, 115, as contributory cause, 63, 65, 67; by age, 262, 295; by color, 274, 286; by sex, 262; in cities and rural districts, 237.

Ankylostomiasis, deaths from, 115, as contributory cause, 69, 71, 73; by age, 262, 295; by color, 274, 286; by sex, 262; in cities and rural districts, 237.

Anthrax, deaths from, 35, 114; by age, 258, 294; by color, 270, 282; by sex, 258; in cities and rural districts, 236.

Apoplexy. See Genebral hemogrhage, etc.

Appelexy. See Cerebral hemorrhage, etc. Appendicitis and typhilitis, deaths from, 115, as contributory cause, 69, 71, 73; by age, 264, 295; by color, 207, 276, 288; by sex, 264; in cities and rural districts, 237;

in each city of 100,000 population or over in 1910, 432.

death rate, 119.

Arteries, diseases of, atheroma, aneurism, etc., deaths from, 115, as contributory cause, 63, 65, 67; by age, 262, 295; by color, 274, 286; by sex, 262; in cities and rural districts, 237.

Asiatic cholera, deaths from, 114; by age and sex, 258; by color, 270, 282; in cities and rural districts, 236; in each city of 100,000 population or over in 1910, 432.

Asthma, deaths from, 115, as contributory cause, 68, 70, 72; by age, 262, 295; by color, 274, 286; by sex, 262; in cities and rural districts, 237.

Atheroma. See Arteries, diseases of, etc. Atrophy. See Congenital debility, etc. Australian Commonwealth, death rates of,

Austria, death rates of, 15. Automobile accidents and injuries, 45. See also Accidents, etc. Belgium, death rates of, 15

Beriberi, deaths from, 114; by age, 258, 294; by color, 270, 282; by sex, 258; in cities and rural districts, 236.

Biliary calculi, deaths from, 115; as contributory cause, 69, 71, 73; by age, 264, 295; by color, 276, 288; by sex, 264; in cities and rural districts, 237.

Bladder, diseases of, deaths from, 116; as contributory cause, 74, 76, 78; by age, 264, 295; by color, 276, 288; by sex, 264; in cities and rural districts, 237.

Bones, diseases of (tuberculosis excepted), deaths from, 116; as contributory cause, 80, 82, 84; by age, 266, 296; by color, 278, 290; by sex, 266; in cities and rural districts, 238.

Bones and organs of locomotion, diseases of, deaths from, 116; as contributory cause, 80, 82, 84; by age, 266, 296; by color, 278, 290; by sex, 266; in cities and rural districts, 238.

Breast, nonpuerperal diseases of (cancer excepted), deaths from, 116; as contributory cause, 75, 77, 79; by age, 264, 295; by color, 276, 288; by sex, 264; in cities and rural districts, 237.

Breast, puerperal diseases of, deaths from, 116; as contributory cause, 75, 77, 79.

116; as contributory cause, 75, 77, 79; by age, 264, 295; by color, 276, 288; in cities and rural districts, 237.

Bright's disease and nephritis, deaths from 116; as contributory cause, 74, 76, 78; by age, 264, 295; by color, 207, 276, 288; by sex, 264; in cities and rural districts, 237; in each city of 100,000 population or over in 1910, 432. death rate, 20, 43, 119.

Bronchitis (acute and chronic), deaths from, 115; as contributory cause, 68, 70, 72; by age, 262, 295; by color, 207, 274, 286; by days, weeks, and months, 521; by month of death, 483; by sex, 262; in cities and rural districts, 237; in each city of 100,000 population or over in 1910, 432. death rate, 119.

Broncho-pneumonia, deaths from, 115; as contributory cause, 68, 70, 72; by age, 262, 295; by color, 274, 286; by days, weeks, and months, 521; by month of death, 483; by sex, 262; in cities and rural districts, 237; in each city of 100,000 population or over in 1910, 432.

Bulgaria, death rates of, 15.

Burns (conflagration excepted), deaths from, 117; as contributory cause, 81, 83, 85; by age, 268, 296; by color, 280, 292; by sex, 268; in cities and rural districts,

Calculi of the urinary passages, deaths from, 116; as contributory cause, 74, 76, 78; by age, 264, 295; by color, 276, 288; by sex, 264; in cities and rural districts, Cancer and other malignant tumors, deaths 58, 60; by age, 260, 294; by color, 207, 272, 284; by sex, 260; in cities and rural districts, 236; in each city of 100,000 population or over in 1910, 432.

— death rate, 20, 39, 118.

Cause of death, 19, 114; by age, 258, 294; by color, 206, 270, 282; by sex, 258; in cities and rural districts, 236; in each city of 100,000 population or over in 1910,

- death rate, 20, 114, 118.

Cellular tissue, diseases of. See Skin, etc. Cerebral hemorrhage, apoplexy, deaths from, 115; as contributory cause, 62, 64, 66; by age, 260, 294; by color, 272, 284; by sex, 260; in cities and rural districts, 236.

death rate, 20. Cerebral hemorrhage and softening, deaths from, 115, as contributory cause, 62, 64, 66; by age, 294; by color, 207; in each city of 100,000 population or over in 1910, 432. death rate, 119. See also Softening of the brain.

Cerebrospinal fever, deaths from, 114, as contributory cause, 62, 64, 66; by age, 260, 294; by color, 272, 284; by sex, 260; in cities and rural districts, 236.

Cerebrospinal meningitis (undefined), deaths from, 114, as contributory cause, 57, 59, 61; by age, 260, 294; by color, 272, 284; by sex, 260; in cities and rural districts,

Ceylon, death rates of, 15.

Childbirth, deaths following, 116, as contributory cause, 75, 77, 79; by age, 264, 295; by color, 276, 288; in cities and rural districts, 237.

Children. See Infancy, etc. Chile, death rates of, 15.

Chinese population, deaths of, 13; by age, 170; by sex, 11, 170.

Chlorosis. See Anemia, etc. Cholera. See Asiatic cholera.

Cholera nostras, deaths from, 114, as contributory cause, 50, 52, 54; by age, 258, 294; by color, 270, 282; by sex, 258; in cities and rural districts, 236; in each city of 100,000 population or over in 1910, 432.

Chorea, deaths from, 115, as contributory cause, 63, 65, 67; by age, 260, 294; by color, 272, 284; by sex, 260; in cities and rural districts, 236.

Chyluria, deaths from, 116; by age, 264; by color, 276, 288; by sex, 264; in cities and rural districts, 237.

Circulatory system, diseases of, deaths from, 115; by age, 262, 295; by color, 274, 286; by sex, 262; in cities and rural districts, 237. See also Hemorrhage, etc.

Cirrhosis of the liver, deaths from, 115, as contributory cause, 69, 71, 73; by age, 264, 295; by color, 207, 276, 288; by sex, 264; in cities and rural districts, 237; in each city of 100,000 population or over in 1910,

death rate, 119.

Cities in registration states, deaths in, 94; by age, 144, 172; by cause, 206, 236; by color, 13, 133, 144, 172, 206; by days, weeks, and months, 521; by month of death, 123, 483; by nativity, 133, 172; by sex, 172.

See also Registration cities.
Cities of 100,000 population or over in 1910, deaths in, by age, 432; by cause, 432; by days, weeks, and months, 521; by month

of death, 483. Cities with considerable colored population,

death rate of, 13.

Cold, excessive, deaths from, 117; as contributory cause, 87, 89, 91; by age, 268, 296; by color, 280, 292; by sex, 268; in cities and rural districts, 238.

Color, deaths by, 11, 133, 144, 170, 206. Colored population, deaths of, 13, 94, 133; by age, 144, 170, 282; by cause, 206, 282; by sex, 11, 282; in cities and rural dis-tricts, 94.

death rate, 12.

Conflagration, deaths from, 117; as contributory cause, 81, 83, 85; by age, 268, 296; by color, 280, 292; by sex, 268; in cities and rural districts, 238.

Congenital debility, deaths from, by days, weeks, and months, 521; by month of death, 483.

death, 483.

Congenital debility, "atrophy," "marasmus," etc., deaths from, 116; as contributory cause, 80, 82, 84; by age, 266, 296; by color, 278, 290; by sex, 266; in cities and rural districts, 238.

Congenital debility, icterus, and sclerema, deaths from, 116; as contributory cause, 80, 82, 84; by age, 266, 296; by color, 278, 290; by sex, 266; in cities and rural districts, 238.

districts, 238.
Congenital debility and malformations, deaths from, by color, 207; in each city of 100,000 population or over in 1910, 432.

— death rate, 119.
Congenital malformations (stillbirths not included), deaths from, 116; as contributory cause, 80, 82, 84; by age, 266, 296; by color, 278, 290; by sex, 266; in cities and rural districts, 238.

Congenital malformations of the heart, deaths from, 116; as contributory cause, 80, 82, 84; by age, 266, 296; by color, 278, 290; by sex, 266; in cities and rural districts, 238.

Contributary causes, 50-91 Convulsions (nonpuerperal), deaths from, 115; as contributory cause, 62, 64, 66; by age, 260, 294; by color, 272, 284; by sex, 260; in cities and rural districts, 236.

Convulsions (puerperal). See Puerperal al-

buminuria, etc.

Convulsions of infants, deaths from, 115; as contributory cause, 63, 65, 67; by age, 260, 294; by color, 272, 284; by days, weeks, and months, 521; by sex, 260; in cities and rural districts, 236.

Croup. See Diphtheria, etc.
Crushing. See Landslide, etc.
Cysts and other tumors of the ovary, deaths from, 116; as contributory cause, 75, 77, 79; by age, 264, 295; by color, 276, 288; in cities and rural districts, 237

Death rates, 12; by cause, 20, 114, 118; in foreign countries, 15; Australia, England and Wales, 17.

and Wales, 17.
Deaths, by age, 11, 144, 170, 258, 294; by cause, 114, 206, 236, 258, 294; by color, 11, 133, 144, 170, 206; by days, weeks, and months, 521; by month of death, 123, 483; by nativity, 11, 133, 170; by sex, 11, 170, 258; in cities and rural districts, 94, 236; in each city of 100,000 population or over in 1910, 432. over in 1910, 432. Denmark, death rates of, 15.

Diabetes, deaths from, 114; as contributory cause, 57,59, 61; by age, 260, 294; by color, 207, 272, 284; by sex, 260; in cities and rural districts, 236.

— death rate, 119.

Diarrhea and enteritis (under 2 years), deaths from, 42, 115; as contributory cause, 69, 71, 73; by age, 262, 295; by color, 207, 274, 286; by days, weeks, and months, 521; by month of death, 483; by sey 262; in cities and rural districts 227. sex, 262; in cities and rural districts, 237; in each city of 100,000 population or over in 1910, 432.

death rate, 20, 42, 119.

Diarrhea and enteritis (2 years and over), deaths from, 115; by age, 262, 295; by color, 274, 286; by month of death, 483; by sex, 262; in cities and rural districts, 237; in each city of 100,000 population or over in 1910, 432.

Digestive system, diseases of, deaths from, 115; as contributory cause, 74, 76, 78; by age, 262, 295; by color, 274, 276, 286, 288; by sex, 262; in cities and rural districts,

Diphtheria and croup, deaths from 26, 114; as contributory cause, 50, 52, 54; by age, 258, 294; by color, 206, 270, 282; by days, weeks, and months, 521; by month of death, 483; by sex, 258; in cities and rural districts, 236; in each city of 100,000 populations. ulation or over in 1910, 432.

death rate, 20, 118.

Disseminated tuberculosis, deaths from, 114; as contributory cause, 56, 58, 60; by age, 258, 294; by color, 270, 282; by sex, 258; in cities and rural districts, 236.

Drowning, accidental, deaths from, 117; as contributory cause, 86, 88, 90; by age, 268, 296; by color, 280, 292; by sex, 268; in cities and rural districts, 238.

Dysentery, deaths from, 114; as contributory cause, 51, 53, 55; by age, 258, 294; by color, 270, 282; by days, weeks, and 521; months, by sex, 258; in cities and rural districts, 236.

Ears, diseases of, deaths from, 115; as contributory cause, 63, 65, 67; by age, 262, 294; by color, 274, 286; by sex, 262; in cities and rural districts, 236.

Flectricity (lightning excepted), deaths from, 117; as contributory cause, 87, 89, 91; by age, 268, 296; by color, 280, 292; by sex, 268; in cities and rural districts,

Embolism and thrombosis, deaths from, 115; as contributory cause, 63, 65, 67; by age, 262, 295; by color, 274, 286; by sex, 262; in cities and rural districts, 237.

Embolus. See Puerperal phlegmasia alba dolens. etc.

Encephalitis, deaths from, 114; as contributory cause, 57, 59, 61; by age, 260, 294; by color, 272, 284; by sex, 260; in cities and rural districts, 236.

Endocarditis, acute, deaths from, 115; as contributory cause, 63, 65, 67; by age, 262, 295; by color, 274, 286; by sex, 262; in cities and rural districts, 235.

— death rate, 20.
England and Wales, death rates of, 15, 17.

Enteritis. See Diarrhea, etc. Epidemic diseases, deaths from, 34, 114; as contributory cause, 51, 53, 55; by age, 258, 294; by color, 270, 282; by sex, 258; in cities and rural districts, 236; in each city of 100,000 population or over in 1910,

Epilepsy, deaths from, 115; as contributory cause, 62, 64, 66; by age, 260, 294; by color, 272, 284; by sex, 260; in cities and rural districts, 236.

cause, 51, 53, 55; by age, 258, 294; by color, 206, 270, 282; by days, weeks, and months, 521; by sex, 258; in cities and rural districts, 236.

death rate, 17, 118.

— death rate, 17, 118.
Esophagus, diseases of, deaths from, 115; as contributory cause, 69, 71, 73; by age, 262, 295; by color, 274, 286; by sex, 262; in cities and rural districts, 237.
Exophthalmic goiter, deaths from, 114; as contributory cause, 57, 59, 61; by age, 260, 294; by color, 272, 284; by sex, 260; in cities and rural districts, 236.
External causes deaths from 116; as con-

Erysipelas, deaths from, 114; as contributory

External causes, deaths from, 116; as contributory cause, 87, 89, 91; by age, 266, 296; by color, 280, 292; by days, weeks, and months, 521; by sex, 266; in cities and rural districts, 238.

Eyes and their annexa, diseases of, deaths from, 115; as contributory cause, 63, 65, 67; by age, 262, 294; by color, 274, 286; by sex, 262; in cities and rural districts,

Female genital organs, diseases of. See Salpingitis, etc. Finland, death rates of, 15.

Foreign countries, death rates of, 15. Foreign-born white population, deaths of, 133; by age, 170; by sex, 11, 170. Fractures, deaths from, 117; as contributory

cause, 87, 89, 91; by age, 268, 296; by color, 280, 292; by sex, 268; in cities and rural districts, 238.

France, death rates of, 15.

Furuncle, deaths from, 116; as contributory cause, 75, 77, 79; by age, 264, 296; by color, 276, 288; by sex, 264; in cities and rural districts, 238.

Gangrene, deaths from, 116; as contributory cause, 75, 77, 79; by age, 264, 296; by color 276, 288; by sex, 264; in cities and rural

districts, 238.

Gangrene of the lung, deaths from, 115; as contributory cause, 68, 70, 72; by age, 262, 295; by color, 274, 286; by sex, 262; in cities and rural districts. 237.

General diseases, deaths from, 114; as contributory cause, 57, 59, 61; by age, 258, 294; by color, 272, 284; by sex, 260; in cities and rural districts, 236.

Genito-urinary system and annexa, non-venereal diseases of, deaths from, 116; as contributory cause, 75, 77, 79; by age, 264, 295; by color, 276, 288; in cities and rural districts, 237.

German Empire deeth rates of 15

German Empire, death rates of, 15. Glanders, deaths from, 34, 114; by age, 258, 294; by color, 270, 282; by sex, 258; in cities and rural districts, 236.

Goiter. See Exophthalmic goiter.

Gonococcus infection, deaths from, 114; as contributory cause, 56, 58, 60; by age, 258, 294; by color, 270, 282; by sex, 258; in cities and rural districts, 236.

Gout. See Rheumatism, chronic, etc. Hawaii, deaths in, and death rates of, 574.

Heart, organic diseases of, deaths from, 41, 115; as contributory cause, 63, 65, 67; by age, 262, 295; by color, 207, 274, 274, 286, 295; by days, weeks, and months; 521; by sex, 262; in cities and rural districts, 237; in each city of 100,000 population or over in 1910, 432

— death rate, 41, 119.

Heat, effects of, deaths from, 117; as contributory cause, 87, 89, 91; by age, 268, 296; by color, 280, 292; by sex, 268; in cities and rural districts, 288.

Hemorrhage, other diseases of the circulatory system, deaths from, 115; as contributory cause, 63, 65, 67; by age, 262, 295; by color, 274, 286; by sex, 262; in cities and rural districts, 237. Hemorrhoids. See Veins, etc., diseases of, |

Hernia, deaths from, 115; as contributory cause, 69, 71, 73; by age, 264, 295; by color, 207, 276, 288; by sex, 264; in cities and rural districts, 237; in each city of 100,000 population or over in 1910, 432. death rate, 119.

Homicide, deaths from, 117; as contributory cause, 87, 89, 91; by age, 268, 296; by color, 280, 292; by sex, 268; in cities and rural districts, 238.

Hungary, death rates of, 15. Hydatid tumor of the liver, deaths from, 115; by age, 264, 295; by color, 276, 288; by sex, 264; in cities and rural districts, 237.

Hydrocephalus, deaths from, 116; as contributory cause, 80, 82, 84; by age, 266, 296; by color, 278, 290; by sex, 266; in cities and rural districts, 238.

Icterus. Sec Congenital debility, etc. Ill-defined diseases, deaths from, 46, 117; by age, 268, 296; by color, 207, 280, 292; by days, weeks, and months, 521; by sex, 268: in cities and rural districts, 238; in each city of 100,000 population or over in 1910, 432. death rate, 119.

Indian population, deaths of, 13; by age, 170; by sex, 11, 170.

Infancy, early, deaths in, 47, 116; as contributory cause, 81, 83, 85; by age, 266, 296; by color, 278, 290; by days, weeks, and months, 521; by sex, 266; in cities and rural districts; 238.

Infantile paralysis. See Poliomyelitis. etc.

Influenza, deaths from, 27, 28, 32, 114; as contributory cause 50, 52, 54; by age, 258, 294; by color, 206, 270, 282; by days, weeks, and months, 521; by month of death, 483; by sex, 258; in cities and rural districts, 236; in each city of 100,000 population or over in 1910, 432.

— death rate, 34, 118

death rate, 34, 118. Injuries. See Accidents, etc.

Injuries at birth, deaths from, 116; as contributory cause, 81, 83, 85; by age, 266, 296; by color, 278, 290; by days, weeks, and months, 521; by sex, 266; in cities and rural districts, 238.

Injuries by animals, deaths from, 117; as contributory cause, 87, 89, 91; by age, 268, 296; by color, 280, 292; by sex, 268; in cities and rural districts, 238.

Intestinal obstruction, deaths from, 115; as contributory cause, 69, 71, 73; by age, 264, 295; by color, 207, 276, 288; by sex, 264; in cities and rural districts, 237; in each city of 100,000 population or over in 1910,

- death rate, 119.

Intestinal parasites, deaths from, 115; as contributory cause, 69, 71, 73; by age, 264, 295; by color, 276, 288; by sex, 264; in cities and rural districts, 237.

Intestines, diseases of, deaths from, 115, as contributory cause, 69, 71, 73; by age, 264, 295; by color, 276, 288; by sex, 264; in cities and rural districts, 237.

Ireland, death rates of, 15. Italy, death rates of, 15. Jamaica, death rates of, 15. Japan, death rates of, 15.

Japanese population, deaths of, 13; by age, 170; by sex, 11, 170.

Joints, diseases of (tuberculosis and rheu-matism excepted), deaths from, 116; as contributory cause, 80, 82, 84; by age, 266, 296; by color, 278, 290; by sex, 266; in cities and rural districts, 238.

Kidneys and annexa, diseases of, deaths from, 116; as contributory cause, 74, 76, 78; by age, 264, 295; by color, 276, 288; by sex, 264; in cities and rural districts, 237.

Lack of care, deaths from, 116; as contributory cause, 81, 83, 85; by age, 266, 296; by color, 278, 290; by sex, 266; in cities and rural districts, 238.

Landslide, other crushing, deaths from, 117; as contributory cause, 87, 89, 91; by age, 268, 296; by color, 280, 292; by sex, 268; in cities and rural districts, 238.

Larynx, diseases of, deaths from, 115; as contributory cause, 63, 65, 67; by age, 262, 295; by color, 274, 286; by sex, 262; in cities and rural districts, 237.

Lead poisoning, chronic, deaths from 114; as contributory cause, 57, 59, 61; by age, 260, 294; by color, 272, 284; by sex, 260; in cities and rural districts, 236.

Leprosy, deaths from, 114; by age, 258, 294; by color, 270, 282; by sex; 258; in cities and rural districts, 236.

Leukemia, deaths from, 114; as contributory cause, 57, 59, 61; by age, 260, 294; by color, 272, 284; by sex, 260; in cities and rural districts, 236.

rural districts, 236.
Lightning, deaths from, 117; by age, 268, 296; by color, 280, 292; by sex, 268; in cities and rural districts, 238.
Liver, diseases of, deaths from, 115; as contributory cause, 74, 76, 78; by age, 264, 295; by color, 276, 288; by sex, 264; in cities and rural districts, 237.

See also Cirrhosis of the liver and Hydatid tumor of the liver

tid tumor of the liver.

Lobar pneumonia, deaths from, 115; as contributory cause, 68, 70, 72; by age, 262, 295; by color, 274, 286; by sex, 262; in cities and rural districts, 237.

Locomotor ataxia, deaths from, 115; as contributory cause, 62, 64, 66; by age, 260, 294; by color, 272, 284; by sex, 260; in cities and rural districts, 236.

Lymphangitis. See Lymphatic system, dis-

eases of, etc.

Lymphatic system, diseases of (lymphangitis, etc.), deaths from, 115; as contributory cause, 63, 65, 67; by age, 262, 295; by color, 274, 286; by sex, 262; in cities and rural districts, 237.

Malaria, deaths from, 23, 114; as contributory cause, 50, 52, 54; by age, 258, 294; by color, 206, 270, 282; by months of death, 483; by sex, 258; in cities and rural districts, 236; in each city of 100,000 population tion or over in 1910, 432.

death rate, 23, 118.

Male genital organs, nonvenereal diseases of, deaths from, 116; by age, 264, 295; by color, 276, 288; in cities and rural districts,

Malformations, deaths from, 116; as contributory cause, 80, 82, 84; by age, 266, 296; by color, 278, 290; by days, weeks, and months, 521; by sex, 266; in cities and rural districts, 238.

See also Congenital debility, etc. Marasmus. See Congenital debility, etc. Marines. See Soldiers, sailors, and marines.

Measles, deaths from, 24, 114; as contributory cause, 50, 52, 54; by age, 258, 294; by color, 206, 270, 282; by days, weeks, and months, 521; by months of death, 483; by sex, 258; in cities and rural districts, 236; in each city of 100,000 population or over in 1910, 432.

— death rate, 20, 24, 118.

Meningitis, deaths from, 114; as contributory cause, 57, 59, 61; by age, 260, 294; by color, 207, 272, 284; by days, weeks, and months, 521; by month of death, 483; by sex, 260; in cities and rural districts, 236; in each city of 100,000 population or over in 1910, 432

death rate, 119. Mental alienation, deaths from, 115; as contributory cause, 62, 64, 66; by age, 260, 294; by color, 272, 284; by sex, 260; in cities and rural districts, 236. Miliary fever, deaths from, 114; as contributory cause, 50, 52, 54; by age and sex, 258; by color, 270, 282; in cities and rural districts, 236.

Miliary tuberculosis, acute, deaths from, 114; as contributory cause, 51, 53, 55; by age, 258, 294; by color, 270, 282; by sex, 258; in cities and rural districts, 236.

Mouth and annexa, diseases of, deaths from, 115; as contributory cause, 69, 71, 73; by age, 262, 295; by color, 274, 286; by sex, 262; in cities and rural districts, 237.

Mycoses, deaths from, 114; as contributory cause, 51, 53, 55; by age, 258, 294; by color, 270, 282; by sex, 258; in cities and rural districts, 236.

Nasal fossae, diseases of, deaths from, 115; as contributory cause, 63, 65, 67; by age, 262, 295; by color, 274, 286; by sex, 262; in cities and rural districts, 237.

Native white population, deaths of, 133; by

Native white population, deaths of, 133; by age, 170; by sex, 11, 170.

Nativity, deaths by, 11, 133, 170.

Negro population, deaths of, 133; by age, 170; by sex, 11, 170.

Nephritis. See Bright's disease, etc.

Nervous system and organs of special sense, diseases of, deaths from, 114; as contributory cause, 63, 65, 67; by age, 262, 294; by color, 274, 286; by sex, 262; in cities and rural districts, 236.

Netherlands, death rates of, 15.

Neuralgia and neuritis, deaths from, 115; as contributory cause, 63, 65, 67; by age, 260, 294; by color, 272, 284; by sex, 260; in cities and rural districts, 236.

Neuritis. See Neuralgia, etc.

Neuritis. See Neuralgia, etc. New Zealand, death rates of, 15. Nonresidents, deaths of, 14.

Norway, death rates of, 15.
Occupation poisonings, chronic, deaths from, 114; as contributory cause, 57, 59, 61; by age, 260, 294; by color, 272, 284; by sex, 260; in cities and rural districts, 236.

Old age, deaths from, 116; as contributory cause, 81, 83, 85; by age, 266, 296; by color, 278, 290; by sex, 266; in cities and rural districts, 238.

Ontario, Province of, death rates of, 15. Organs of locomotion, diseases of. See Bones, etc.

Organs of special sense, diseases of. See Nervous system, etc.

Paralysis of the insane, deaths from, 115; as contributory cause, 62, 64, 66; by age, 260, 294; by color, 272, 284; by sex, 260; in cities and rural districts, 236.

Paralysis without specified cause, deaths from, 115; as contributory cause, 62, 64, 66; by age, 260, 294; by color, 272, 284; by sex, 260; in cities and rural districts, 236.

Parent nativity, deaths by, 11, 133, 170. Pellagra, deaths from, 36, 114; as contributory cause, 51, 53, 55; by age, 258, 294; by color, 270, 282; by sex, 258; in cities and rural districts, 236.

Pericarditis, deaths from 115; as contributory cause, 63, 65, 67; by age, 262, 295; by color, 274, 286; by sex, 262; in cities and rural districts, 237.

Peritonitis, simple (nonpuerperal), deaths from, 115; as contributory cause, 74, 76, 78; by age, 264, 295; by color, 276, 288; by sex, 264; in cities and rural districts, 237.

Pharynx, diseases of, deaths from, 115; as contributory cause, 69, 71; 73; by age, 262, 295; by color, 274, 286; by sex, 262; in cities and rural districts, 237.

Phlebitis. See Veins, diseases of, etc. Plague, deaths from, 114; by age, 258; by color, 270, 282; by sex, 258; in cities and rural districts, 236.

Pleurisy, deaths from, 115; as contributory cause, 68, 70, 72; by age, 262, 295; by color, 274, 286; by sex, 262; in cities and rural districts, 237.

156247--20----39

Pneumonia, deaths, from 27, 28, 32, 41, 115; by age, 30, 262, 295; by color, 207, 274, 286; by days, weeks, and months, 521; by month of death, 483; by sex, 262; in cities and rural districts, 237; in each city of 100,000 population or over in 1910, 432.

death rate, 20, 42, 119.

Pneumonia (undefined), deaths from, 115; as contributory cause, 68, 70, 72; by age, 262, 295; by color, 274, 286; by sex, 262; in cities and rural districts, 237.

Poisoning by food, deaths from, 117; as contributory cause, 81, 83, 85; by age, 268, 296; by color, 280, 292; by sex, 268; in cities and rural districts, 238.

Poisonings, acute, deaths from, 117; as contributory cause, 81, 83, 85; by age, 268, 296; by color, 280, 292; by sex, 268; in cities and rural districts, 238.

Poisonings, chronic, deaths from, 114; as contributory cause, 57, 59, 61; by age, 260, 294; by color, 272, 284; by sex, 260; in cities and rural districts, 236.

Poliomyelitis, acute anterior (infantile paralysis), deaths from, 40, 115; as contributory cause, 62, 64, 66; by age, 260, 294; by color, 272, 284; by sex, 260; in cities and rural districts, 236.

Pott's disease, deaths from, 114; as contributory cause, 51, 53, 55; by age, 258, 294; by color, 270, 282; by sex, 258; in cities and rural districts, 236.

Pregnancy. accidents of, deaths from, 116; as contributory cause, 75, 77, 79; by age. 264, 295; by color, 276, 288; in cities and rural districts, 237.

Premature birth, deaths from, 116; as contributory cause, 80, 82, 84; by color, 278, 290; by days, weeks, and months, 521; by sex, 266; in cities and rural districts,

Prostate, diseases of, deaths from, 116; as contributory cause, 74, 76, 78; by age, 264, 295; by color, 276, 288; in cities and rural districts, 237.

Prussia, death rates of, 15.

Puerperal albuminuria and convulsions, deaths from, 116; as contributory cause, 75, 77, 79; by age, 264, 295; by color, 276, 288; in cities and rural districts, 237.

Puerperal fever, deaths from, by color, 207; in each city of 100,000 population or over in 1910, 432.

death rate, 119.

Puerperal hemorrhage, deaths from, 116; as contributory cause, 75, 77, 79; by age, 264, 295; by color, 276, 288; in cities and rural districts, 237.

Puerperal phlegmasia, alba dolens, embolus, sudden death, deaths from, 116; as contributory cause, 75, 77, 79; by age, 264, 295; by color, 276, 288; in cities and rural districts, 237

Puerperal septicemia, deaths from, 116; as contributory cause, 75, 77, 79; by age, 264, 295; by color, 207, 276, 288; in cities and rural districts, 237; in each city of 100,000 population or over in 1910, 432.

· death rate, 119.

Pulmonary apoplexy. See Pulmonary con-

gestion, etc.

Pulmonary congestion, pulmonary apoplexy, deaths from, 115; as contributory cause, 68, 70, 72; by age, 262, 295; by color, 274, 286; by sex, 262; in cities and rural districts, 237.

Pulmonary emphysema, deaths from, 115; as contributory cause, 68, 70, 72; by age, 262, 295; by color, 274, 286; by sex, 262; in cities and rural districts, 237.

Purulent infection and septicemia, deaths from, 114; as contributory cause, 51, 53, 55; by age, 258, 294; by color, 270, 282; by sex, 258; in cities and rural districts, 236.

Rabies, deaths from, 36, 114; by age, 258, 294; by color, 270, 282; by sex, 258; in cities and rural districts, 236.

Railroad accidents and injuries. See Accidents, etc.

Registration area, 9, 10; deaths in, 9, 94; by age, 11, 144, 170, 258, 294; by cause, 19, 114, 236, 258, 294; by color, 11, 13, 133, 144, 170, 206, 282; by days, weeks, and months, 521; by month of death, 123, 483; by nativity, 11, 133, 170; by sex, 11, 170, 258; population of 10, retotes included in 10 of, 10; states included in, 10. deáth rate, 9, 17, 118.

Registration cities, deaths in, 94, 96; by age, 146, 174; by cause, 208, 236; by color, 94, 146, 174, 208; by days, weeks, and months, 521; by month of death, 123, 483; by na-

tivity, 133, 174; by sex, 174.

Registration cities in nonregistration states, deaths in, 11, 94; by age, 146, 174; by cause, 206, 236; by color, 13, 146, 174, 206; by days, weeks, and months, 521; by month of death, 123, 484; by nativity, 133, 174; by sex, 174.

Registration states, 10; deaths in, 94; by age, 144, 297; by cause, 206, 236, 297; by color, 13, 144, 170, 176, 206; by days, weeks, and months, 521; by month of death, 123, 483; by nativity, 133, 176; by sex, 176.

— death rate, 12, 118.

Relapsing fever, deaths from, 114; as contributory cause, 50, 52, 54; by age, 258; by color, 270, 282; by sex, 258; in cities and rural districts, 236.

Respiratory system, diseases of, deaths from, 115; as contributory cause, 69, 71, 73; by age, 262, 295; by color, 207, 274, 286; by sex, 262; in cities and rural districts, 237; in each city of 100,000 population or over in 1910, 432.

death rate, 119.

Rheumatism, acute articular, deaths from, 114; as contributory cause, 57, 59, 61; by age, 260, 294; by color, 206, 272, 284; by sex, 260; in cities and rural districts, 236.

Rheumatism, chronic, and gout, deaths from, 114; as contributory cause, 57, 59, 61; by age, 260, 294; by color, 206, 272, 284; by sex, 260; in cities and rural districts, 236.

death rate, 118.

Rickets, deaths from, 114; as contributory cause, 56, 58, 60; by age, 258, 294; by color, 270, 282; by sex, 258; in cities and rural districts, 236.

Roumania, death rates of, 15.

Rural part of registration states, deaths in, 94; by age, 144, 172; by cause, 206, 236; by color, 133, 144, 172, 206; by days, weeks, and months, 522; by month of death, 123, 483; by nativity, 133, 172; by sex, 172.

Russia (European), death rates of, 15.

Sailors. See Soldiers, sailors, and marines. Salpingitis and other diseases of the female genital organs, deaths from, 116; as contributory cause, 75, 77, 79; by age, 264, 295; by color, 276, 288; in cities and rural districts, 237; in each city of 100,000 population or over in 1910, 432.

Scarlet fever, deaths from, 25, 114; as contributory cause, 50, 52, 54; by age, 258, 294; by color, 206, 270, 282; by days, weeks, and months, 521; by month of death, 483; by sex, 258; in cities and rural districts, 236; in each city of 100,000 population or ever in 1910, 422. population or over in 1910, 432.

death rate, 20, 25, 118.

Sclerema. See Congenital debility, etc.
Scotland, death rates of, 15.
Scurvy, deaths from, 114; as contributory cause, 57, 59, 61; by age, 250, 294; by color, 272, 284; by sex, 260; in cities and rural districts, 236.

Senility, deaths from, 116; as contributory cause, 81, 83, 85; by age, 266, 296; by color, 278, 290; by sex, 266; in cities and rural districts, 238; in each city of 100,000 populations. lation or over in 1910, 432.

Septicemia. See Puerperal septicemia and

Purulent infection, etc.
Serbia, death rates of, 15.
Sex, deaths by, 11, 170, 258.
Skin and cellular tissue, diseases of, deaths from, 116; as contributory cause, 80, 82, 84; by age, 264, 296; by color, 276, 288; by sex, 264; in cities and rural districts, 238.

Smallpox, deaths from, 24, 114; as contributory cause, 50, 52, 54; by age, 258, 294; by color, 206, 270, 282; by sex, 258; in cities and rural districts, 236; in each city of 100,000 population or over in 1910, 432.

— death rate, 24, 118. Softening of the brain, deaths from, 115; as contributory cause, 62, 64, 66; by age, 260, 294; by color, 272, 284; by sex, 260; in cities and rural districts, 236.

See also Cerebral hemorrhage, etc. Soldiers, sailors, and marines, deaths of, 48; by cause, 591, 593; by age, 589; by color,

Spain, death rates of, 15.

Spinal cord, diseases of, deaths from, 115; as contributory cause, 62, 64, 66; by age, 260, 294; by color, 272, 284; by sex, 260; in cities and rural districts, 236.

Spleen, diseases of, deaths from, 115; as contributory cause, 74, 76, 78; by age, 264, 295; by color, 276, 288; by sex, 264; in cities and rural districts, 237.

Starvation, deaths from, 117; as contributory cause, 87, 89, 91; by age, 268, 296, by color, 280, 292; by sex, 268; in cities and rural districts, 238.

States. See Registration states. Statistics, accuracy of, 48.

Stomach, diseases of (cancer excepted), deaths from, 115; as contributory cause, 69, 71, 73; by age, 262, 295; by color, 274, 286; by days, weeks, and months, 521; by sex, 262; in cities and rural districts, 237; in each city of 100,000 population or over

Street-car accidents and injuries. See Accidents, etc.

Sudden deaths, number of, 117; by age, 268, 296; by color, 280, 292; by sex, 268; in cities and rural districts, 238.

- See also Puerperal phlegmasia alba dolens, etc.

Suicide, deaths from, 44, 116; as contributory cause, 81, 83, 85; by age, 266, 296; by color, 207, 278, 290; by month of death, 483; by sex, 266; in cities and rural districts, 238; in each city of 100,000 population or over in 1910, 432.

death rate, 44, 119. Sweden, death rates of, 15. Switzerland, death rates of, 15.

Syphilis, deaths from, 114; as contributory cause, 56, 58, 60; by age, 258, 294; by color, 270, 282; by days, weeks, and months, 521; by sex, 258; in cities and rural districts,

Tetanus, deaths from, 114; as contributory cause, 51, 53, 55; by age, 258, 294; by color, 270, 282; by days, weeks, and months, 521; by sex, 258; in cities and rural districts,

Thrombosis. See Embolism, etc.

Thyroid body, diseases of, deaths from, 115; as contributory cause, 68, 70, 72; by age, 262, 295; by color, 274, 286; by sex, 262; in cities and rural districts, 237.

Traumatism, deaths from, 117; as contributory cause .86, 88, 90; by age, 268, 296; by color, 280; 292; by sex, 268; in cities and rural\_districts, 238.

Tuberculosis, deaths from, 37, 114; as contributory cause, 51, 53, 55; by age, 258, 294; by color, 206, 270, 282; by days, weeks, and months, 521; by month of death, 483; by sex, 258; in cities and rural districts, 236; in each city of 100,000 population of covering 1010, 462 lation or over in 1910, 432.

—— death rate, 20, 38, 118. Tuberculosis of the lungs, deaths from, 38, 114; as contributory cause, 51, 53, 55; by age, 258, 294; by color, 206, 270, 282; by days, weeks, and months, 521; by month of death, 483; by sex, 258; in cities and rural districts, 236; in each city of 100,000 population or over in 1910, 432

death rate, 38, 118. Tuberculous meningitis, deaths from, 114; as contributory cause, 51, 53, 55; by age, 258, 294; by color, 206, 270, 282; by days, weeks, and months, 521; by sex, 258; in cities and rural districts, 236; in each city of 100,000 population or over in 1910, 432. death rate, 118

Tumors (tumors of the female genital organs

Tumors (tumors of the female genital organs excepted), deaths from, 114; as contributory cause, 57, 59, 61; by age, 260, 294; by color, 272, 284; by sex, 260; in cities and rural districts, 236.

Tumors, malignant. See Cancer, etc.

Typhlitis. See Appendicitis, etc.

Typhoid fever, deaths from, 22, 114; as contributory cause, 50, 52, 54; by age, 258, 294; by color, 206, 270, 282; by month of death, 483; by sex, 258; in cities and rural districts, 236; in each city of 100,000 population or over in 1910, 432. lation or over in 1910, 432.

Typhoid fever, death rate, 20, 23, 118. Typhus fever, deaths from, 114; by age, 258, 294; by color, 270, 282; by sex, 258; in cities and rural districts, 286; in each city of 100,000 population or over in 1910, 432.

Ulcer of the stomach, deaths from, 115; as contributory cause, 69, 71, 73; by age, 262, 295; by color, 274, 286; by sex, 262; in cities and rural districts, 237.

Undefined causes, deaths from. See Acci-

dental, etc., causes.

Urethra, etc., causes.
Urethra, diseases of, urinary abscess, etc., deaths from, 116; as contributory cause, 74, 76, 78; by age, 264, 295; by color, 276, 288; by sex, 264; in cities and rural districts, 237.
Urinary abscess See Urethra, etc.

Uterine hemorrhage (nonpuerperal), deaths from, 116; as contributory cause, 75, 77, 79; by age, 264, 295; by color, 276, 288; in cities and rural districts, 237.

Uterine tumor (noncancerous), deaths from, 116; as contributory cause, 75, 77, 79; by age, 264, 295; by color, 276, 288; in cities and rural districts, 237.

Uterus, diseases of, deaths from, 116; as contributory cause, 75, 77, 79; by age, 264, 295; by color, 276, 288; in cities and rural districts, 237.

Varices. See Veins, diseases of, etc.

Veins, diseases of (varices, hemorrhoids, phlebitis, etc.), deaths from, 115; as contributory cause, 63, 65, 67; by age, 262, 295; by color, 274, 286; by sex, 262; in cities and rural districts, 237.

0

Violent deaths (excluding suicide), number of, 44; by age, 268, 296; by color, 207, 280, 292; by month of death, 483; by sex, 268; in cities and rural districts, 268; in each city of 100,000 population or over in 1910, 432.

— death rate, 119. Wales. See England, etc.

White population, deaths of, 94, 133; by age, 144, 170, 270; by cause, 206, 270; by nativity, 133, 170; by sex, 11, 170, 270; in cities and rural districts, 94. See also Foreign-born white population and Native white population.

death rate, 12.

White swellings, deaths from, 114; as contributory cause, 51, 53, 55; by age, 258, 294; by color, 270, 282; by sex, 258; in cities and rural districts, 236.

Cities and rural districts, 236.

Whooping cough, deaths from, 25, 114; as contributory cause, 50, 52, 54; by age, 258, 294; by color, 206, 270, 282; by days, weeks, and months, 521; by month of death, 483; by sex, 258; in cities and rural districts, 236; in each city of 100,000 population or over in 1910, 432.

— death rate, 20, 21, 26, 118.

Yellow atrophy of the liver, acute, deaths from, 115; as contributory cause, 69, 71,

from, 115; as contributory cause, 69, 71, 73; by age, 264, 295; by color, 276, 288; by sex, 264; in cities and rural districts,

Yellow fever, deaths from, 114; by age, 258; by color, 270, 282; by sex, 258; in cities and rural districts, 236.