DEPARTMENT OF COMMERCE
BUREAU OF THE CENSUS
W. M. STEUART, DIRECTOR

MORTALITY STATISTICS

1921

TWENTY-SECOND ANNUAL REPORT

PRICE, $1.75
Sold only by Superintendent of Documents, Government Printing Office
Washington, D. C.

WASHINGTON
GOVERNMENT PRINTING OFFICE
1924

LETTER OF TRANSMITTAL.

DEPARTMENT OF COMMERCE,
BUREAU OF THE CENSUS,
Washington, D. C., July 14, 1923.

SIR:

I transmit herewith the annual report on Mortality Statistics for 1921, which is the twenty-second annual compilation of such statistics prepared by the Bureau of the Census. It is based on transcripts of death certificates received from the registration area for deaths, which, in 1921, had an estimated population of 88,933,402, or 82.3 per cent of the total estimated population of the United States and the Territory of Hawaii.

The total number of deaths returned from this death registration area for the calendar year 1921 was 1,035,933, corresponding to a death rate of 11.6 per 1,000 population.

Populations were estimated and diagrams were prepared by C. S. Sloane, geographer of the Bureau of the Census.

This report was prepared under the direction of Dr. William H. Davis, chief statistician for vital statistics, assisted by John B. Mitchell, expert chief of division.

Acknowledgment is made of the efficient service rendered in the preparation of this report by Clyde D. Williams, John O. Spain, and Clarence E. Batschelet.

Respectfully,

W. M. STEUART,
Director of the Census.

Hon. HERBERT HOOVER,
Secretary of Commerce.

CONTENTS.

TEXT.

	Page.
INTRODUCTION	9
Extent of the registration area in 1921	9
Growth of the registration area: 1880 to 1921	9
Deaths and crude death rates	10
Deaths by color, nativity, parent nativity, age, and sex of decedent	10
Death rates by months	12
Adjusted rates	12
Death rates of the registration area	17
Death rates of the registration States	17
Death rates of large cities	18
Deaths of Negroes	18
Deaths of colored populations other than Negro	19
Deaths of Indians	20
Deaths of Japanese	20
Deaths of nonresidents	20
Death rates of foreign countries	21
CAUSES OF DEATH	23
Detailed and abridged International Lists	23
Changes in the detailed International List	23
Death rates from certain important causes of death in the registration area and in the registration States of 1900 for the years 1900 and 1910 to 1921	32
Typhoid and paratyphoid fever	34
Malaria	36
Smallpox	38
Measles	39
Scarlet fever	40
Whooping cough	42
Diphtheria	43
Influenza and pneumonia (all forms)	44
Acute anterior poliomyelitis	46
CAUSES OF DEATH—Continued.	
Lethargic encephalitis	47
Other epidemic and endemic diseases	48
Glanders	49
Anthrax	49
Rabies	50
Mycoses	50
Tuberculosis (all forms)	51
Tuberculosis of the respiratory system and acute disseminated tuberculosis	53
Syphilis	54
Cancer	55
Pellagra	67
Diabetes mellitus	68
Alcoholism and cirrhosis of the liver	69
Diseases of the heart	71
Pneumonia (all forms)	72
Diarrhea and enteritis (under 2 years)	74
Acute and chronic nephritis	75
Puerperal causes	77
Old age	85
Suicide	85
Homicide	87
Accidental or undefined external causes	88
Automobile accidents	89
Unknown or ill-defined diseases	93
ADJUSTED AND SPECIFIC RATES FOR WHITE AND COLORED	94
DEATHS OF CHILDREN UNDER 1 YEAR OF AGE	96
ACCURACY OF STATISTICS OF CAUSES OF DEATH	97
THE RELATION OF THE FOREIGN POPULATION TO THE MORTALITY RATES OF BOSTON	109

SUMMARY AND RATE TABLES.

TABLE IA.—Population, deaths (exclusive of stillbirths), and death rates per 1,000 estimated population, in the registration area (exclusive of Hawaii), its main subdivisions, and each registration State, by cities and rural districts: 1921 120

TABLE IB.—Population, deaths of nonresidents in relation to total deaths, and death rates per 1,000 estimated population in each city and each rural unit in the registration area (exclusive of Hawaii): 1921 123

TABLE II.—Deaths and death rates per 100,000 population, from each cause and certain groups of causes, for the registration area (exclusive of Hawaii): 1921 and 1920 156

TABLE III.—Death rates per 100,000 estimated population in the registration area (exclusive of Hawaii) and certain subdivisions, by color of decedent and cause of death: 1921 160

TABLE IV.—Death rates per 100,000 estimated population in the registration area (exclusive of Hawaii), its main subdivisions, and in each registration State, by cities and rural districts, from each cause and class of causes: 1921 196

GENERAL TABLES.

TABLE 1.—Deaths (exclusive of stillbirths) in the registration area (exclusive of Hawaii) and certain subdivisions, by month of death: 1921 246

TABLE 2.—Deaths (exclusive of stillbirths) in the registration area (exclusive of Hawaii) and certain subdivisions, by color, general nativity, and parent nativity of decedent: 1921 257

TABLE 3.—Deaths (exclusive of stillbirths) in the registration area (exclusive of Hawaii) and certain subdivisions, by color and age of decedent: 1921 270

TABLE 4.—Deaths (exclusive of stillbirths) in the registration area (exclusive of Hawaii), its main subdivisions, and each registration State, by age, sex, color, and nativity of decedent: 1921 298

Page.

TABLE 5.—Deaths (exclusive of stillbirths) in the registration area (exclusive of Hawaii) and certain subdivisions, by color of decedent and cause of death: 1921 ... 312

TABLE 6.—Deaths (exclusive of stillbirths) in the registration area (exclusive of Hawaii), its main subdivisions, and in cities and rural districts of each registration State, from each cause and class of causes: 1921 ... 342

TABLE 7.—Deaths (exclusive of stillbirths) in the registration States (including District of Columbia) from each cause and class of causes, by sex and age of decedent: 1921 ... 360

TABLE 7A.—Deaths of white persons (exclusive of stillbirths) in the registration States (including District of Columbia) from each cause and class of causes, by sex and age of decedent: 1921 ... 372

TABLE 7B.—Deaths of colored persons (exclusive of stillbirths) in the registration States (including District of Columbia) from each cause and class of causes, by sex and age of decedent: 1921 ... 384

TABLE 8.—Deaths (exclusive of stillbirths) in the registration area (exclusive of Hawaii), all registration States, and each registration State, from each cause and class of causes, by age of decedent: 1921 ... 396

TABLE 9.—Deaths (exclusive of stillbirths) in each registration city of 100,000 population or more in 1920, by cause of death and age of decedent: 1921 ... 534

TABLE 10.—Deaths (exclusive of stillbirths) in the registration area (exclusive of Hawaii), its main subdivisions, registration States, and registration cities of 100,000 population or more in 1920, from important causes, by month of death: 1921 ... 574

TABLE 11.—Deaths (exclusive of stillbirths) in the registration area (exclusive of Hawaii), its main subdivisions, registration States, and registration cities of 100,000 population or more in 1920, from important causes, for certain subdivisions of the first year of life: 1921 ... 619

MAP.

GROWTH OF THE REGISTRATION AREA FOR DEATHS: 1880 TO 1921 ... 8

DIAGRAMS.

DIAGRAM 1.—Percentages which the population and land area of the registration area formed of the total population and land area of the United States for the years 1880, 1890, and 1900 to 1921, inclusive ... 10

DIAGRAM 2.—Per cent of deaths in the registration area (exclusive of Hawaii) by color, by nativity of white persons, and by parent nativity of the native white: 1921 ... 11

DIAGRAM 3.—Number of deaths in the registration area (exclusive of Hawaii) at all ages, under 1 year of age, and from 1 to 4 years of age, for each of the years 1900 to 1921 ... 11

DIAGRAM 4.—Per cent of deaths in the registration area (exclusive of Hawaii) under 1 year of age, from 1 to 4 years, and 5 years and over, for each of the years 1900 to 1921 ... 12

DIAGRAM 5.—General death rates of the United States (registration area) and certain foreign countries for each of the years from 1900 to 1921 ... 22

DIAGRAM 6.—Death rates from certain important causes of death in the registration area of the United States for the years 1900 and 1910 to 1921 ... 33

DIAGRAM 7.—Boston death rates from all causes per 1,000 white population, at specified ages, by sex, for those of mothers born in the United States, and for those of mothers born in Ireland: 1920, 1910, 1900 ... 111

DIAGRAM 8.—Boston death rates from tuberculosis of the lungs per 1,000 white population, at specified ages, by sex, for those of mothers born in the United States, and for those of mothers born in Ireland: 1920, 1910, 1900 ... 112

DIAGRAM 9.—Boston death rates from pneumonia (all forms) per 1,000 white population, at specified ages, by sex, for those of mothers born in the United States, and for those of mothers born in Ireland: 1920, 1910, 1900 ... 113

SUPPLEMENT.

HAWAII ... 681

APPENDIX.

TABLE 1.—Number of deaths, crude and adjusted death rates at all ages, and specific death rates in 13 age groups, by sex, from all causes and certain specified causes, in the registration States of 1920, for 1920 and 1921, and the difference in the rates for 1920 when computed on an estimated population, and when computed on an enumerated population ... 694

TABLE 2.—Crude and adjusted death rates at all ages, and specific death rates in 13 age groups, from all causes and certain specified causes per 100,000 enumerated population, by sex, in each registration city of 100,000 population or more in 1920: 1920 ... 704

TABLE 3.—Enumerated population, deaths (excluding nonresidents), and death rates per 1,000 population, in Boston, from certain causes of death by color, sex, and age, and by sex and age for white persons of mothers born in the United States and of mothers born in Ireland: 1900, 1910, and 1920 ... 744

TABLE 4.—Death (exclusive os stillbirths) in the registration States, from each cause and class of causes, by color and sex: 1921 ... 764

MORTALITY STATISTICS

1921

GROWTH OF THE REGISTRATION AREA FOR DEATHS: 1880 TO 1921.

NOTE.—In addition to the registration States, the registration area, in each year, included certain cities in nonregistration States.



ORIGINAL REGISTRATION STATES, 1900

STATES ADDED SINCE 1900

STATES NOT IN REGISTRATION AREA

MORTALITY STATISTICS: 1921.

INTRODUCTION.

The present report presents mortality statistics for the death registration area of the United States. The area for 1921 is identical with that for 1920, so that for these two years the rates are really comparable.

Because of the distant location of Hawaii and the peculiar constitution of its population, deaths from this part of the registration area are not included in the general tables but are shown in special tables. Data presented in both the text and the general tables are based on all deaths in the registration area, exclusive of Hawaii.

All death rates are based on total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Caution should always be exercised in drawing deductions from crude death rates, for due allowance must first be made for deaths of nonresidents, and for the peculiar composition of the population as regards age and sex distribution, color, and nativity, as well as for other factors.

To refine all death rates so that they would be strictly comparable and would truly represent the relative healthfulness of different localities is impossible from the data at hand. Certain partial refinements, however, have been attempted in the present report, and, it is believed, have made some of the rates more nearly comparable and therefore of greater value. These partial refinements will be found as adjusted rates, based on the standard million population of England and Wales, 1901, and as corrections indicated for deaths of nonresidents.

EXTENT OF THE REGISTRATION AREA IN 1921.

The registration area in 1921 includes 34 States, the District of Columbia, and 16 cities in nonregistration States. These States and cities were added to the area on the basis of approximately complete registration of deaths (at least 90 per cent of all deaths) and when the data at hand showed that the deaths were recorded properly under State law, or, for cities, under municipal ordinances. The States included in the registration area for 1921 are:

California.	Louisiana.	Nebraska.	Rhode Island.
Colorado.	Maine.	New Hampshire.	South Carolina.
Connecticut.	Maryland.	New Jersey.	Tennessee.
Delaware.	Massachusetts.	New York.	Utah.
Florida.	Michigan.	North Carolina.	Vermont.
Illinois.	Minnesota.	Ohio.	Virginia.
Indiana.	Mississippi.	Oregon.	Washington.
Kansas.	Missouri.	Pennsylvania.	Wisconsin.
Kentucky.	Montana.		

The entire registration area comprises not only the States named but also the District of Columbia, Territory of Hawaii, and the following cities in nonregistration States:

Birmingham, Ala.	Savannah, Ga.	El Paso, Tex.
Mobile, Ala.	Fargo, N. Dak.	Galveston, Tex.
Montgomery, Ala.	Oklahoma City, Okla.	Houston, Tex.
Atlanta, Ga.	Beaumont, Tex.	San Antonio, Tex.
Augusta, Ga.	Dallas, Tex.	Wheeling, W. Va.
Brunswick, Ga.		

GROWTH OF THE REGISTRATION AREA: 1880 TO 1921.

The first mortality statistics published by the Federal Government related to 1850 and were based on data collected at the decennial census of that year and covered the entire United States. The decennial collection of vital statistics by census enumerators was continued through 1900, but for the census year 1880 there was established a registration area from which transcripts of deaths were received in addition to enumerators' returns. So also for the census years 1890 and 1900 transcripts of death certificates were received from the States and cities included in the registration area.

The annual collection of mortality statistics for that part of the United States known as the registration area began with the calendar year 1900.

Table A shows the States which were included in the registration area of the United States from 1880 to 1921, with the year when each was added; in each year the registration area also included qualified cities in nonregistration States.

Table A

STATE.	Year.	STATE.	Year.	STATE.	Year.
Massachusetts	1880[1]	Colorado	1906	Virginia	1913
New Jersey		Maryland		Kansas	1914
Dist. of Columbia [2]		Pennsylvania		North Carolina [6]	1916
Connecticut	1890[1]	South Dakota [4]		South Carolina	
Delaware [3]		Washington	1908	Tennessee	1917
New Hampshire		Wisconsin		Hawaii	
New York		Ohio	1909	Illinois	1918
Rhode Island		Minnesota	1910	Louisiana	
Vermont		Montana		Oregon	
Maine	1900[1]	North Carolina [5]		Delaware	1919
Michigan		Utah		Florida	
Indiana	1900	Kentucky	1911	Mississippi	
California	1906	Missouri		Nebraska	1920

[1] Census year ending May 31.
[2] Included in registration States.
[3] Dropped from the registration area in the census year 1900.
[4] Dropped from the registration area in 1910.
[5] Included only municipalities having a population of 1,000 or more in 1900.
[6] The remainder of the State of North Carolina was added to the registration area in 1916. (See note 5.)

Table B, on page 10, shows the growth of the registration area in both population and land area from 1880 to 1921, inclusive.

The percentages which the population and land area of the registration area, exclusive of Hawaii, formed of the corresponding totals for the United

States in 1880, 1890, and 1900 to 1921, inclusive, are presented in Diagram 1.

Table B — CALENDAR YEAR.	CONTINENTAL UNITED STATES.		REGISTRATION AREA.[1]			
			Estimated population, July 1.		Land area.	
	Estimated population, July 1.	Land area (square miles).	Number.	Per cent of total.	Square miles.	Per cent of total.
1921	107,833,284	2,973,774	88,667,602	82.2	1,726,012	58.0
1920	106,418,175	[2] 2,973,774	87,486,713	82.2	1,726,012	58.0
1919	105,003,065	2,973,890	85,166,043	81.1	1,649,281	55.5
1918	103,587,955	2,973,890	81,333,675	78.5	1,546,166	52.0
1917	102,172,845	2,973,890	74,984,498	73.4	1,349,629	45.4
1916	100,757,735	2,973,890	71,349,162	70.8	1,307,819	44.0
1915	99,342,625	2,973,890	67,095,681	67.5	1,228,704	41.3
1914	97,927,516	2,973,890	65,813,315	67.2	1,228,644	41.3
1913	96,512,407	2,973,890	63,200,625	65.5	1,147,039	38.6
1912	95,097,298	2,973,890	60,359,974	63.5	1,106,777	37.2
1911	93,682,189	2,973,890	59,183,071	63.2	1,106,734	37.2
1910	92,267,080	[3] 2,973,890	53,831,742	58.3	997,978	33.6
1909	90,691,354	2,974,159	50,870,518	56.1	765,738	25.7
1908	89,073,360	2,974,159	46,789,913	52.5	725,117	24.4
1907	87,455,366	2,974,159	43,016,990	49.2	603,151	20.3
1906	85,837,372	2,974,159	41,983,419	48.9	603,066	20.3
1905	84,219,378	2,974,159	34,052,201	40.4	212,744	7.2
1904	82,601,384	2,974,159	33,345,163	40.4	212,744	7.2
1903	80,983,390	2,974,159	32,701,083	40.4	212,762	7.2
1902	79,365,396	2,974,159	32,029,815	40.4	212,762	7.2
1901	77,747,402	2,974,159	31,370,952	40.3	212,770	7.2
1900	75,994,575	[5] 2,974,159	30,765,618	40.5	212,621	7.1
1900 [4]			28,807,269	37.9	176,878	5.9
1890 [4]	62,947,714	2,973,965	19,659,440	31.2	90,695	3.0
1880 [4]	50,155,783	2,973,965	8,538,366	17.0	16,481	0.6

[1] Exclusive of Hawaii.
[2] The net reduction of 116 square miles as compared with area stated by census of 1910 was due to irrigation projects.
[3] The net reduction of 269 square miles as compared with area stated by census of 1900 was due to drainage of lakes and swamps in Illinois and Indiana, building of the Roosevelt and Laguna Reservoirs, and overflow of the Colorado River into the Salton Sea in California.
[4] Census year ending May 31.
[5] The increase of 194 square miles as compared with area stated by census of 1890 was due to the reclamation of part of Potomac River Flats in the District of Columbia and of part of Lake Tulare in California.

DIAGRAM 1.—PERCENTAGES WHICH THE POPULATION AND LAND AREA OF THE REGISTRATION AREA FORMED OF THE TOTAL POPULATION AND LAND AREA OF THE UNITED STATES FOR THE YEARS 1880, 1890, AND 1900 TO 1921, INCLUSIVE.



DEATHS AND CRUDE DEATH RATES.

The total number of deaths returned from the registration area of the United States, exclusive of Hawaii, for the calendar year 1921, is 1,032,009, as reported to the Census Bureau by the State and municipal registration offices. The death rate is 11.6 per 1,000 population, based on an estimated midyear population of 88,667,602, or 82.2 per cent of the total estimated population of the United States. The rate for 1921 is much lower than that for any year since the publication of the annual reports beginning in 1900.

Table C shows the number of deaths and death rates per 1,000 population for the census years ending May 31, 1880, 1890, and 1900, and for the calendar years 1900 to 1921.

Table C — CALENDAR YEAR.	DEATHS FROM ALL CAUSES,[1] REGISTRATION AREA.[2]		CALENDAR YEAR.	DEATHS FROM ALL CAUSES,[1] REGISTRATION AREA.[2]	
	Number.	Rate per 1,000 population.[3]		Number.	Rate per 1,000 population.[3]
1921	1,032,009	11.6	1908	691,574	14.8
1920	1,142,558	13.1	1907	687,034	16.0
1919	1,096,436	12.9	1906	658,105	15.7
1918	1,471,367	18.1	1905	545,533	16.0
1917	1,068,932	14.3	1904	551,354	16.5
1916	1,001,921	14.0	1903	524,415	16.0
1915	909,155	13.6	1902	508,640	15.9
1914	898,059	13.6	1901	518,207	16.5
1913	890,848	14.1	1900	539,939	17.6
1912	838,251	13.9	1900 [4]	512,669	17.8
1911	839,284	14.2	1890 [4]	386,212	19.6
1910	805,412	15.0	1880 [4]	169,453	19.8
1909	732,538	14.4			

[1] Exclusive of stillbirths.
[2] Exclusive of Hawaii.
[3] Estimated as of July 1.
[4] Census year ending May 31.

DEATHS BY COLOR, NATIVITY, PARENT NATIVITY, AGE, AND SEX OF DECEDENT.

Table D shows, for the registration area, exclusive of Hawaii, the deaths in 1921, classified according to sex, color, nativity, and parent nativity of decedent.

Table D — COLOR, NATIVITY, AND PARENT NATIVITY.	DEATHS FROM ALL CAUSES[1] IN THE REGISTRATION AREA:[2] 1921.					
	Number.			Distribution per 1,000.		
	Total.	Male.	Female.	Total.	Male.	Female.
Aggregate	1,032,009	545,152	486,857	1,000.0	1,000.0	1,000.0
White	910,573	483,369	427,204	882.3	886.7	877.5
Native	692,750	362,271	330,479	671.3	664.5	678.8
Both parents native	408,685	210,993	197,692	396.0	387.0	406.1
One or both parents foreign born	197,406	103,541	93,865	191.3	189.9	192.8
Parentage unknown	86,659	47,737	38,922	84.0	87.6	79.9
Foreign born	205,185	111,885	93,300	198.8	205.2	191.6
Unknown	12,638	9,213	3,425	12.2	16.9	7.0
Colored	121,436	61,783	59,653	117.7	113.3	122.5
Negro	116,922	58,782	58,140	113.3	107.8	119.4
Indian	1,734	854	880	1.7	1.6	1.8
Chinese	1,366	1,233	133	1.3	2.3	0.3
Japanese	1,335	838	497	1.3	1.5	1.0
Other colored	79	76	3	0.1	0.1	(3)

[1] Exclusive of stillbirths.
[2] Exclusive of Hawaii.
[3] Less than one-tenth of 1 per 1,000.

The 1,032,009 deaths in the registration area, exclusive of Hawaii, are distributed between the sexes and between white and colored as follows: Males, 52.8 per

cent; females, 47.2 per cent; white, 88.2 per cent; colored, 11.8 per cent. Of the colored, the great majority, 96.3 per cent (equivalent to 11.3 per cent of the total for all races), are Negroes.

DIAGRAM 2.—PER CENT OF DEATHS IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) BY COLOR, BY NATIVITY OF WHITE PERSONS, AND BY PARENT NATIVITY OF THE NATIVE WHITE: 1921.



The age distribution of decedents is shown in Table E.

Table E DEATHS FROM ALL CAUSES,[1] REGISTRATION AREA:[2] 1921.

AGE OF DECEDENT.	Number.			Distribution per 1,000.		
	Total.	Male.	Female.	Total.	Male.	Female
All ages	1,032,009	545,152	486,857	1,000.0	1,000.0	1,000.0
Under 1 year	160,011	90,840	69,171	155.0	166.6	142.1
1 year	28,907	15,294	13,613	28.0	28.1	28.0
2 years	13,895	7,457	6,438	13.5	13.7	13.2
3 years	9,923	5,335	4,588	9.6	9.8	9.4
4 years	7,952	4,238	3,714	7.7	7.8	7.6
Under 5 years	220,688	123,164	97,524	213.8	225.9	200.3
5 to 9 years	26,058	14,145	11,913	25.2	25.9	24.5
10 to 14 years	18,205	9,839	8,366	17.6	18.0	17.2
15 to 19 years	25,989	13,028	12,961	25.2	23.9	26.6
20 to 24 years	34,937	16,718	18,219	33.9	30.7	37.4
25 to 29 years	37,040	17,973	19,067	35.9	33.0	39.2
30 to 34 years	36,654	18,363	18,291	35.5	33.7	37.6
35 to 39 years	42,281	22,452	19,829	41.0	41.2	40.7
40 to 44 years	42,628	23,142	19,486	41.3	42.5	40.0
45 to 49 years	48,371	26,544	21,827	46.9	48.7	44.8
50 to 54 years	54,813	30,117	24,696	53.1	55.2	50.7
55 to 59 years	58,057	32,067	25,990	56.3	58.8	53.4
60 to 64 years	71,240	39,033	32,207	69.0	71.6	66.2
65 to 69 years	73,785	39,719	34,066	71.5	72.9	70.0
70 to 74 years	76,621	40,097	36,524	74.2	73.6	75.0
75 to 79 years	70,598	35,641	34,957	68.4	65.4	71.8
80 to 84 years	51,409	24,384	27,025	49.8	44.7	55.5
85 to 89 years	28,398	12,744	15,654	27.5	23.4	32.2
90 to 94 years	9,778	4,002	5,776	9.5	7.3	11.9
95 to 99 years	2,371	933	1,438	2.3	1.7	3.0
100 years and over	910	334	576	0.9	0.6	1.2
Unknown	1,178	713	465	1.1	1.3	1.0

[1] Exclusive of stillbirths. [2] Exclusive of Hawaii.

Table F and Diagrams 3 and 4 show for each of the years 1900 to 1921, inclusive, the number of deaths in the registration area at all ages, under 1 year of age, and under 5 years of age, and the percentages which the deaths under 1 and under 5 form of the total.

Table F DEATHS [1] FROM ALL CAUSES IN THE REGISTRATION AREA.[2]

CALENDAR YEAR.	All ages.	Under 1 year.		Under 5 years.	
		Number.	Per cent of total.	Number.	Per cent of total.
1921	1,032,009	160,011	15.5	220,688	21.4
1920	1,142,558	174,710	15.3	248,432	21.7
1919	1,096,436	161,621	14.7	229,813	21.0
1918	1,471,367	193,855	13.2	306,143	20.8
1917	1,068,932	171,024	16.0	243,708	22.8
1916	1,001,921	164,660	16.4	234,081	23.4
1915	909,155	148,561	16.3	203,223	22.4
1914	898,059	155,075	17.3	214,120	23.8
1913	890,848	159,435	17.9	225,129	25.3
1912	838,251	147,455	17.6	204,639	24.4
1911	839,284	149,322	17.8	209,482	25.0
1910	805,412	154,373	19.2	217,319	27.0
1909	732,538	140,057	19.1	196,534	26.8
1908	691,574	136,432	19.7	189,865	27.5
1907	687,034	131,110	19.1	183,774	26.7
1906	658,105	133,105	20.2	186,978	28.4
1905	545,533	105,553	19.3	147,384	27.0
1904	551,354	102,880	18.7	145,902	26.5
1903	524,415	96,857	18.5	139,940	26.7
1902	508,640	98,575	19.4	143,515	28.2
1901	518,207	97,477	18.8	141,678	27.3
1900	539,939	111,687	20.7	164,137	30.4

[1] Exclusive of stillbirths. [2] Exclusive of Hawaii.

In 1900 the deaths under 1 year of age formed 20.7 per cent, and those under 5 years 30.4 per cent, of the total deaths at all ages, but in 1921 the corresponding percentages are 15.5 and 21.4. The very large decreases in these percentages are undoubtedly due, in large part, to the better care which children now receive.

DIAGRAM 3.—NUMBER OF DEATHS IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AT ALL AGES, UNDER 1 YEAR OF AGE, AND FROM 1 TO 4 YEARS OF AGE, FOR EACH OF THE YEARS 1900 TO 1921.



DIAGRAM 4.—PER CENT OF DEATHS IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) UNDER 1 YEAR OF AGE, FROM 1 TO 4 YEARS, AND 5 YEARS AND OVER, FOR EACH OF THE YEARS 1900 TO 1921.



DEATH RATES BY MONTHS.

Table G shows for the registration area and for the registration States of 1900, for the years 1900, 1910, 1920, and 1921, the annual death rate from all causes per 1,000 estimated population, by months.

Table G — ANNUAL DEATH RATE FROM ALL CAUSES [1] PER 1,000 POPULATION.

MONTH OF DEATH.	Registration area.				Registration States of 1900.[2]			
	1921 [3]	1920 [3]	1910	1900	1921	1920	1910	1900
Total	11.6	13.1	15.0	17.6	12.2	13.8	15.6	17.2
January	12.8	15.1	15.5	17.9	13.6	16.6	16.2	17.0
February	13.0	24.8	15.9	19.1	13.9	26.6	16.6	18.4
March	12.7	15.7	16.7	21.3	13.6	16.0	17.7	21.0
April	12.1	13.0	15.4	21.2	12.9	14.2	16.5	20.8
May	11.6	12.3	14.1	17.6	12.0	13.4	14.7	17.0
June	10.9	11.1	13.8	15.0	11.0	11.5	14.2	14.4
July	11.0	10.4	15.3	18.2	11.1	10.6	16.3	18.0
August	10.8	10.5	15.3	17.8	11.2	11.0	15.9	18.1
September	10.6	10.7	14.5	16.7	11.2	11.3	15.1	17.2
October	11.3	10.9	13.7	15.4	11.6	11.3	14.2	15.3
November	11.3	11.5	14.3	15.0	11.7	11.8	14.5	14.4
December	11.8	11.8	15.4	15.8	12.4	12.5	16.0	15.2

[1] Exclusive of stillbirths.
[2] Includes Connecticut, Indiana, Maine, Massachusetts, Michigan, New Hampshire, New Jersey, New York, Rhode Island, Vermont, and District of Columbia.
[3] Exclusive of Hawaii.

In the registration area the highest annual rate from all causes in 1921, by month of death, is for February (13); this rate is 11.8 lower than the corresponding rate (24.8) in 1920, the decrease being due to the great reduction in deaths from influenza and pneumonia. The lowest annual rate in 1921 (10.6) is for September.

The only months which show slightly higher rates in 1921 than in 1920 are July, August, and October.

ADJUSTED RATES.

For a comparison of mortality rates of different areas or divisions of the population, adjusted rates are much better than crude rates. Many of the adjusted rates have been brought together in Tables H and I, and they will serve as a ready check against unwarranted conclusions which might be drawn from some of the other rates.

Table H — DEATH RATE PER 100,000 ESTIMATED POPULATION IN THE REGISTRATION STATES.

CAUSE OF DEATH AND YEAR.	Both sexes.		Males.		Females.	
	Adjusted rate.	Crude rate.	Adjusted rate.	Crude rate.	Adjusted rate.	Crude rate.
TOTAL.						
All causes [1] 1921	1,122.0	1,158.1	1,176.5	1,203.7	1,071.3	1,111.0
All causes [1] 1920	1,265.8	1,299.4	1,315.6	1,339.5	1,219.0	1,257.9
Typhoid and paratyphoid fever 1921	9.0	8.9	9.9	9.7	8.2	8.0
Typhoid and paratyphoid fever 1920	7.7	7.6	8.5	8.4	7.0	6.9
Measles 1921	4.5	4.2	4.8	4.4	4.3	4.0
Measles 1920	9.4	8.8	9.6	8.9	9.2	8.7
Scarlet fever 1921	5.7	5.4	5.5	5.2	5.8	5.6
Scarlet fever 1920	4.9	4.6	4.8	4.5	5.0	4.7
Whooping cough 1921	9.8	9.1	8.9	8.2	10.8	10.1
Whooping cough 1920	13.4	12.5	12.2	11.3	14.6	13.7
Diphtheria 1921	18.8	17.8	19.1	18.0	18.4	17.6
Diphtheria 1920	16.2	15.4	16.8	15.8	15.6	14.9
Tuberculosis (all forms) 1921	95.9	98.3	98.2	101.8	94.1	94.8
Tuberculosis (all forms) 1920	110.4	113.2	112.7	116.7	108.6	109.5
Cancer and other malignant tumors 1921	80.4	86.2	66.4	72.3	92.9	100.5
Cancer and other malignant tumors 1920	78.3	83.4	64.4	69.6	90.8	97.6
Diabetes mellitus 1921	16.1	16.8	13.7	14.6	18.0	19.1
Diabetes mellitus 1920	15.5	16.2	13.6	14.4	17.0	18.0
Diarrhea and enteritis 1921	53.9	50.8	57.8	54.1	49.9	47.5
Diarrhea and enteritis 1920	56.5	53.6	61.5	57.8	51.5	49.2
Acute and chronic nephritis 1921	78.5	84.9	81.9	87.3	76.2	82.5
Acute and chronic nephritis 1920	82.4	88.8	87.8	93.1	78.4	84.4
Puerperal septicemia 1921	7.2	6.7	.....	.....	13.7	13.7
Puerperal septicemia 1920	6.9	6.5	.....	.....	13.2	13.3
Other puerperal causes 1921	10.5	10.0	.....	.....	20.1	20.2
Other puerperal causes 1920	13.1	12.4	.....	.....	25.1	25.3
Violent deaths (suicide excepted) 1921	73.3	76.4	108.4	110.0	40.5	41.7
Violent deaths (suicide excepted) 1920	74.8	77.8	110.2	111.4	42.0	43.0
WHITE.						
All causes [1] 1921	1,069.4	1,120.0	1,129.3	1,168.7	1,013.8	1,069.7
All causes [1] 1920	1,207.5	1,256.2	1,262.3	1,209.0	1,156.1	1,211.9
Typhoid and paratyphoid fever 1921	7.7	7.7	8.7	8.5	6.9	6.8
Typhoid and paratyphoid fever 1920	6.6	6.6	7.4	7.3	5.9	5.8
Measles 1921	4.6	4.3	4.8	4.5	4.4	4.1
Measles 1920	9.9	9.3	10.0	9.3	9.8	9.2
Scarlet fever 1921	6.1	5.8	5.9	5.5	6.3	6.0
Scarlet fever 1920	5.3	5.0	5.2	4.8	5.4	5.1
Whooping cough 1921	8.7	8.1	7.8	7.2	9.6	9.0
Whooping cough 1920	12.6	11.7	11.5	10.7	13.7	12.8
Diphtheria 1921	19.6	18.5	19.9	18.7	19.3	18.3
Diphtheria 1920	16.9	16.0	17.6	16.5	16.3	15.5
Tuberculosis (all forms) 1921	82.3	85.3	85.5	89.7	79.7	80.7
Tuberculosis (all forms) 1920	96.2	99.5	99.4	104.1	93.5	94.7
Cancer and other malignant tumors 1921	81.4	89.4	68.5	75.9	93.1	103.3
Cancer and other malignant tumors 1920	79.4	86.5	66.5	73.3	90.9	100.3
Diabetes mellitus 1921	16.5	17.6	14.2	15.3	18.4	20.0
Diabetes mellitus 1920	15.9	16.9	14.0	15.0	17.4	18.8
Diarrhea and enteritis 1921	52.1	49.2	56.2	52.7	47.8	45.6
Diarrhea and enteritis 1920	54.8	52.0	59.9	56.4	49.6	47.4
Acute and chronic nephritis 1921	74.6	82.5	78.1	84.6	72.3	80.3
Acute and chronic nephritis 1920	78.8	86.7	84.0	90.6	74.9	82.7
Puerperal septicemia 1921	6.7	6.3	.....	.....	12.9	12.8
Puerperal septicemia 1920	6.5	6.1	.....	.....	12.4	12.4
Other puerperal causes 1921	9.7	9.2	.....	.....	18.6	18.7
Other puerperal causes 1920	12.3	11.6	.....	.....	23.4	23.6
Violent deaths (suicide excepted) 1921	70.4	73.9	104.1	106.1	39.0	40.7
Violent deaths (suicide excepted) 1920	71.8	75.1	105.7	107.4	40.1	41.7
COLORED.						
All causes [1] 1921	1,727.9	1,579.8	1,712.8	1,594.9	1,739.7	1,564.4
All causes [1] 1920	1,931.4	1,774.8	1,918.5	1,789.3	1,941.5	1,760.0
Typhoid and paratyphoid fever 1921	22.4	22.6	23.4	23.1	21.5	22.0
Typhoid and paratyphoid fever 1920	19.5	19.7	20.9	20.9	18.2	18.4
Measles 1921	3.6	3.4	4.0	3.7	3.3	3.2
Measles 1920	4.3	4.1	5.1	4.8	3.5	3.4
Scarlet fever 1921	1.1	1.1	1.1	1.1	1.2	1.2
Scarlet fever 1920	0.8	0.8	0.7	0.7	1.0	1.0

[1] Exclusive of stillbirths.

Table H—Con.

CAUSE OF DEATH AND YEAR.		DEATH RATE PER 100,000 ESTIMATED POPULATION IN THE REGISTRATION STATES.					
		Both sexes.		Males.		Females.	
		Adjusted rate.	Crude rate.	Adjusted rate.	Crude rate.	Adjusted rate.	Crude rate.
COLORED—continued.							
Whooping cough	1921	22.1	20.7	21.3	19.7	22.9	21.7
	1920	21.8	20.6	19.5	18.3	24.0	23.1
Diphtheria	1921	10.4	10.2	10.6	10.2	10.1	10.2
	1920	8.7	8.6	8.6	8.3	8.9	8.9
Tuberculosis (all forms)	1921	242.5	243.2	240.3	237.5	245.4	249.0
	1920	263.0	263.5	259.7	256.6	266.9	270.5
Cancer and other malignant tumors	1921	61.3	50.2	34.8	31.5	84.7	69.2
	1920	59.7	48.7	32.2	29.1	84.1	68.6
Diabetes mellitus	1921	9.8	8.3	8.0	7.2	11.4	9.4
	1920	9.6	8.0	7.8	7.2	11.1	8.8
Diarrhea and enteritis	1921	75.0	69.1	76.3	70.0	73.4	68.2
	1920	76.3	71.2	79.5	73.9	72.8	68.6
Acute and chronic nephritis	1921	130.9	111.7	132.7	116.5	130.7	106.9
	1920	131.1	111.5	138.1	120.0	126.7	103.0
Puerperal septicemia	1921	11.4	11.5	.....	.....	21.8	23.3
	1920	11.2	11.4	.....	.....	21.6	23.0
Other puerperal causes	1921	18.1	18.3	.....	.....	34.7	37.0
	1920	21.3	21.6	.....	.....	41.0	43.6
Violent deaths (suicide excepted)	1921	103.6	103.6	155.9	153.7	55.5	52.6
	1920	107.5	107.1	158.9	155.8	60.3	57.6

NOTE.—These adjusted rates for 1920 may differ from those in the report of Mortality Rates, 1910-1920, since an estimated population is used for one, and an enumerated population for the other.

The adjusted and specific rates for the registration States have been computed by using estimated populations. (See p. 694.) For the adjusted rates full corrections have been made for the deaths and populations at unknown age—the sum of the deaths in the standard million population, based on the specific rates, having been multiplied by the corrective factor R_d/R_p, where R_d is the ratio of total deaths to deaths at known age and R_p, the ratio of total population to population at known age.

In Table 2 of the Appendix, the adjusted and crude rates are shown, as well as the specific rates, based on the enumerated population of 1920. In computing these rates, data of unknown age are included in rates for all ages, both crude and adjusted, but they have not been distributed for the specific rates. See in preceding paragraph explanation for corrections to include unknown age. As it is a big task to estimate, for many units, the populations by sex and age and then to compute specific and adjusted rates, and as the sex and age distribution of a given population does not usually change much in the first few years following a census enumeration, it has been assumed in the computation of the following adjusted rates for 1920 and 1921, that the ratio of the adjusted to the crude rate each year was the same as the ratio of the adjusted and crude rates based on deaths and enumerated populations of 1920. In other words, the ratio of the adjusted rate to the crude rate (based on the enumerated population of 1920) has been applied to the crude rates of 1920 and 1921 (based on estimated populations) to obtain adjusted rates. Discussion of some of these rates will be found farther on in the text under the various causes of death.

Table I

AREA AND YEAR.		DEATH RATE PER 100,000 ESTIMATED POPULATION FROM—													
		All causes.[1]		Typhoid and paratyphoid fever.		Tuberculosis (all forms).		Cancer and other malignant tumors.		Acute and chronic nephritis.		Puerperal septicemia.		Other puerperal causes.	
		Adjusted rate.	Crude rate.	Adjusted rate.	Crude rate.	Adjusted rate.	Crude rate.	Adjusted rate.	Crude rate.	Adjusted rate.	Crude rate.	Adjusted rate.	Crude rate.	Adjusted rate.	Crude rate.
REGISTRATION STATES.															
California	1921	1,203.5	1,320.1	4.3	4.3	137.2	151.1	87.7	111.7	73.5	94.5	6.2	6.0	8.3	7.8
	1920	1,236.2	1,355.9	4.8	4.8	144.9	159.6	85.8	109.2	73.3	94.3	5.3	5.1	10.4	9.8
Colorado	1921	1,232.0	1,235.6	10.3	10.1	173.8	184.6	72.3	74.7	67.7	68.8	8.7	8.0	10.9	10.0
	1920	1,444.5	1,448.7	9.4	9.2	212.2	225.4	70.6	73.0	75.4	76.6	9.0	8.3	15.3	14.0
Connecticut	1921	1,081.2	1,137.2	3.5	3.6	92.7	95.9	88.5	96.9	70.2	76.8	5.4	5.3	7.5	7.4
	1920	1,289.8	1,356.6	4.0	4.1	115.4	119.4	91.9	100.6	80.5	88.1	5.6	5.5	11.4	11.2
Delaware	1921	1,236.9	1,313.0	11.9	11.5	136.2	140.5	66.9	79.1	117.2	139.3	7.1	6.6	8.2	7.5
	1920	1,372.6	1,457.1	11.6	11.2	141.5	146.0	74.8	88.4	105.9	125.9	8.6	8.0	13.7	12.5
Florida (total)	1921	1,211.5	1,175.3	18.0	17.9	96.2	95.7	55.4	51.3	93.4	91.2	9.1	8.6	19.8	18.8
	1920	1,338.5	1,298.5	14.7	14.6	104.7	104.1	56.3	52.1	98.5	96.2	7.3	6.9	19.4	18.4
White	1921	1,021.0	1,050.9	17.2	16.8	61.9	62.4	61.1	63.2	79.1	85.2	5.9	5.2	19.1	17.1
	1920	1,136.3	1,169.6	13.6	13.3	66.6	67.1	57.2	59.2	88.4	95.2	5.2	4.6	18.7	16.7
Colored	1921	1,614.8	1,424.4	20.2	20.1	159.7	162.5	36.4	27.6	124.4	103.4	14.4	15.3	21.1	22.2
	1920	1,757.9	1,550.6	17.3	17.2	173.7	176.8	50.0	38.0	118.0	98.1	10.8	11.5	20.6	21.7
Illinois	1921	1,097.8	1,109.8	6.0	6.0	81.0	84.8	88.0	93.0	80.9	85.2	6.5	6.5	7.8	7.7
	1920	1,246.9	1,260.5	5.8	5.8	96.1	100.6	86.8	91.8	86.2	90.8	6.5	6.5	11.1	11.0
Indiana	1921	1,071.6	1,187.5	12.7	12.3	89.8	92.9	74.2	92.2	74.1	95.9	8.6	7.8	8.7	8.0
	1920	1,209.3	1,340.1	10.0	9.7	105.1	108.8	72.4	89.9	81.6	105.6	9.7	8.8	11.3	10.4
Kansas	1921	929.2	1,016.4	8.7	8.6	42.3	43.3	69.3	79.3	62.8	78.4	7.4	6.7	9.1	8.3
	1920	1,044.8	1,142.9	8.1	8.0	47.1	48.2	63.3	72.4	65.8	82.2	8.5	7.7	12.2	11.1
Kentucky (total)	1921	1,048.1	1,053.6	26.3	25.9	136.6	131.2	55.7	54.4	74.9	76.5	9.2	8.1	10.4	9.2
	1920	1,172.6	1,178.8	20.5	20.2	159.2	152.9	57.6	56.3	77.2	78.9	8.2	7.2	10.7	9.5
White	1921	969.2	976.0	24.8	24.4	115.6	109.9	55.3	53.7	69.0	69.9	8.6	7.5	10.0	8.7
	1920	1,089.2	1,096.9	19.4	19.1	137.1	130.3	57.5	55.8	70.4	71.3	7.7	6.7	10.8	9.4
Colored	1921	1,797.9	1,791.3	40.6	40.5	326.1	333.1	57.8	61.2	126.0	139.2	13.6	13.4	14.7	14.7
	1920	1,949.7	1,942.6	30.3	30.2	356.2	363.8	57.2	60.5	136.1	150.4	12.6	12.4	10.7	10.7
Louisiana (total)	1921	1,231.6	1,104.3	18.0	17.9	128.4	122.4	67.6	53.6	109.3	89.6	8.5	8.2	15.8	15.2
	1920	1,331.0	1,193.5	15.6	15.5	148.2	141.2	62.0	49.2	106.0	86.9	7.8	7.5	17.8	17.1
White	1921	1,031.8	924.0	14.5	14.1	73.8	69.5	73.3	59.3	95.5	78.3	6.6	6.2	14.3	13.2
	1920	1,092.4	978.2	12.0	11.7	86.0	80.9	64.6	52.3	92.0	75.4	5.9	5.5	15.6	14.4
Colored	1921	1,554.1	1,392.9	23.8	24.0	213.7	207.2	57.9	44.3	131.7	107.7	11.2	11.3	18.0	18.3
	1920	1,710.2	1,532.8	21.3	21.5	243.6	236.2	57.8	44.2	128.5	105.1	10.5	10.6	20.8	21.2
Maine	1921	1,127.6	1,401.0	7.5	7.6	79.1	82.2	80.8	116.5	63.2	96.9	5.2	4.4	14.6	12.6
	1920	1,242.0	1,543.2	8.9	9.0	99.9	103.8	84.9	122.4	72.8	111.7	4.1	3.5	18.1	15.6
Maryland (total)	1921	1,330.4	1,356.0	10.3	10.3	132.4	135.5	85.3	93.1	122.8	134.1	6.3	5.9	11.3	10.8
	1920	1,438.0	1,465.6	6.9	6.9	143.3	146.7	86.2	94.1	128.0	139.8	6.4	6.0	13.4	12.8
White	1921	1,181.3	1,233.8	7.4	7.4	97.9	102.1	86.9	98.1	110.5	124.8	5.3	5.0	10.1	9.5
	1920	1,275.9	1,332.6	5.6	5.6	105.8	110.4	87.7	99.0	114.8	129.7	4.7	4.4	12.3	11.6
Colored	1921	2,099.1	1,963.0	24.1	24.7	299.6	301.8	74.6	68.5	192.3	180.3	10.6	10.5	16.9	17.0
	1920	2,268.9	2,121.8	12.7	13.0	324.2	326.6	76.3	70.0	202.5	189.8	13.9	13.8	18.6	18.7

[1] Exclusive of stillbirths.

Table I—Con.

AREA AND YEAR.	DEATH RATE PER 100,000 ESTIMATED POPULATION FROM—													
	All causes.[1]		Typhoid and paratyphoid fever.		Tuberculosis (all forms).		Cancer and other malignant tumors.		Acute and chronic nephritis.		Puerperal septicemia.		Other puerperal causes.	
	Adjusted rate.	Crude rate.	Adjusted rate.	Crude rate.	Adjusted rate.	Crude rate.	Adjusted rate.	Crude rate.	Adjusted rate.	Crude rate.	Adjusted rate.	Crude rate.	Adjusted rate.	Crude rate.
REGISTRATION STATES—con.														
Massachusetts 1921	1,138.9	1,216.7	3.0	3.1	94.6	98.6	99.6	118.0	61.4	71.5	5.1	5.1	10.0	10.2
Massachusetts 1920	1,291.5	1,379.7	2.4	2.5	109.2	113.8	97.3	115.3	64.9	75.5	5.6	5.6	11.8	12.0
Michigan 1921	1,105.9	1,161.1	7.8	7.7	70.9	72.5	81.2	87.8	57.6	64.0	8.4	7.8	10.4	9.6
Michigan 1920	1,322.5	1,388.5	8.0	7.9	81.7	83.6	77.2	83.5	62.6	69.5	9.2	8.5	16.1	14.8
Minnesota 1921	917.4	936.5	3.5	3.6	75.3	77.0	85.7	89.4	55.7	58.3	6.6	6.1	8.0	7.4
Minnesota 1920	1,048.4	1,070.3	2.9	3.0	87.5	89.5	91.4	95.4	63.0	66.0	7.2	6.7	12.5	11.6
Mississippi (total) 1921	1,210.8	1,114.1	18.6	18.6	120.4	111.1	52.4	41.8	91.9	78.9	8.4	8.0	17.7	16.6
Mississippi (total) 1920	1,337.9	1,231.1	18.6	18.6	138.5	127.8	48.0	38.3	97.0	83.3	9.7	9.2	18.7	17.5
White 1921	903.8	857.8	13.3	12.6	55.7	49.5	52.6	45.1	75.3	67.6	7.0	6.1	15.3	13.6
White 1920	973.5	924.0	12.1	11.5	53.8	47.8	47.4	40.6	77.6	69.6	5.4	4.7	17.4	15.5
Colored 1921	1,500.6	1,347.9	23.4	24.0	177.8	167.2	52.0	38.9	107.6	89.1	9.7	9.7	19.1	19.3
Colored 1920	1,684.9	1,513.4	24.5	25.1	214.0	201.2	48.4	36.2	115.7	95.8	13.4	13.4	19.8	19.4
Missouri 1921	1,033.6	1,083.6	13.2	12.9	89.0	93.1	74.0	84.8	86.0	101.5	8.0	7.6	7.4	7.0
Missouri 1920	1,192.8	1,250.5	10.2	10.0	102.2	106.9	67.3	77.1	83.3	98.4	7.5	7.1	7.3	6.9
Montana 1921	872.8	815.3	3.4	3.5	56.5	61.8	65.9	54.7	61.2	48.5	8.2	7.3	9.1	8.2
Montana 1920	1,015.1	948.2	4.7	4.8	68.7	75.1	60.9	50.6	61.7	48.9	8.4	7.5	12.3	11.1
Nebraska 1921	890.5	915.6	5.0	5.0	36.6	37.0	79.4	82.4	52.8	56.8	7.2	6.6	10.4	9.6
Nebraska 1920	969.5	996.8	4.5	4.5	42.5	43.0	73.9	76.7	48.4	52.1	6.3	5.8	12.0	11.1
New Hampshire 1921	1,094.5	1,371.2	3.7	3.6	76.8	78.9	80.4	119.8	67.5	100.4	4.3	3.8	11.4	10.3
New Hampshire 1920	1,216.7	1,524.4	7.0	6.8	94.4	97.0	78.8	117.4	67.7	100.7	3.3	2.9	14.5	13.1
New Jersey 1921	1,178.4	1,166.5	4.5	4.5	89.9	93.6	92.7	93.3	99.0	98.2	5.9	5.8	8.2	8.2
New Jersey 1920	1,309.7	1,296.4	3.3	3.3	109.4	114.0	86.0	86.6	106.3	105.4	6.2	6.1	10.0	10.0
New York 1921	1,208.0	1,232.3	3.6	3.6	96.3	102.4	96.0	105.7	93.5	100.9	5.5	5.6	8.3	8.6
New York 1920	1,356.0	1,383.2	3.6	3.6	113.6	120.9	91.8	101.0	102.4	110.4	5.0	5.1	10.0	10.4
North Carolina (total) 1921	1,192.2	1,126.9	12.0	12.0	117.7	104.8	53.7	42.9	91.5	77.8	7.2	6.4	21.1	18.5
North Carolina (total) 1920	1,340.4	1,267.0	12.5	12.5	130.8	116.5	49.4	39.5	87.9	74.7	7.5	6.7	28.4	24.9
White 1921	1,027.1	990.4	8.8	8.6	77.8	69.3	52.9	44.6	79.6	70.3	5.5	4.7	18.3	15.8
White 1920	1,164.2	1,122.6	9.5	9.3	92.9	82.8	50.5	42.6	78.1	69.0	6.3	5.4	25.5	22.0
Colored 1921	1,594.4	1,444.4	19.3	19.8	211.1	187.4	53.7	38.8	123.5	95.3	10.8	10.4	27.2	24.7
Colored 1920	1,766.5	1,600.3	19.4	19.9	218.8	194.2	44.5	32.1	114.2	88.1	10.0	9.6	34.9	31.7
Ohio 1921	1,055.9	1,134.9	9.1	9.2	85.0	89.1	77.7	89.8	61.5	72.7	7.8	7.4	8.8	8.4
Ohio 1920	1,190.3	1,279.4	7.4	7.5	98.0	102.8	77.0	89.0	64.5	76.2	7.7	7.3	10.1	9.6
Oregon 1921	962.4	1,037.4	5.5	5.9	72.9	76.0	80.2	94.8	49.1	59.0	6.3	5.7	9.3	8.6
Oregon 1920	1,087.0	1,171.7	4.6	4.9	85.4	89.1	78.7	93.0	54.4	65.4	7.0	6.3	12.5	11.5
Pennsylvania 1921	1,221.0	1,237.4	7.4	7.4	90.7	92.3	84.1	85.4	94.5	95.9	8.0	7.5	10.8	10.1
Pennsylvania 1920	1,359.6	1,377.9	5.7	5.7	103.2	105.0	82.1	83.4	97.3	98.8	7.4	6.9	13.5	12.6
Rhode Island 1921	1,216.1	1,263.3	2.6	2.8	104.2	108.0	97.4	110.4	87.7	97.2	7.8	7.5	9.3	9.3
Rhode Island 1920	1,377.8	1,431.3	2.6	2.8	126.7	131.3	88.0	99.7	87.3	96.8	5.8	5.6	14.2	14.2
South Carolina (total) 1921	1,323.7	1,191.8	26.5	26.0	124.9	111.2	47.6	34.4	115.1	85.9	8.4	7.7	23.1	21.3
South Carolina (total) 1920	1,559.7	1,404.3	22.8	22.4	134.8	120.0	45.5	32.9	112.3	83.3	8.6	7.9	28.9	26.6
White 1921	1,054.2	976.8	17.3	16.8	58.1	52.4	54.8	43.6	101.4	81.2	5.9	5.2	20.4	18.1
White 1920	1,231.8	1,141.4	16.4	15.9	72.6	65.5	51.4	40.9	98.1	78.6	6.0	5.3	23.3	20.6
Colored 1921	1,597.9	1,399.5	35.2	35.0	192.1	168.0	38.7	25.5	128.2	90.5	10.4	10.0	25.4	24.4
Colored 1920	1,889.4	1,654.8	28.8	28.6	196.7	172.0	38.4	25.3	125.6	88.7	10.7	10.3	33.6	32.3
Tennessee (total) 1921	1,100.8	1,067.9	26.0	26.1	148.4	139.9	51.9	47.1	70.8	67.9	9.0	8.3	12.5	11.6
Tennessee (total) 1920	1,247.8	1,210.5	18.4	18.5	174.6	164.6	51.4	46.6	68.4	65.6	8.2	7.6	13.8	12.8
White 1921	960.3	942.6	22.6	22.5	114.2	106.6	51.5	47.3	59.2	57.4	7.5	6.7	12.8	11.5
White 1920	1,087.3	1,067.3	16.5	16.4	138.5	129.3	52.1	47.8	56.3	54.6	6.6	5.9	12.7	11.4
Colored 1921	1,697.7	1,602.2	40.7	41.5	284.8	282.0	52.3	46.4	120.8	112.6	15.0	15.4	11.4	11.8
Colored 1920	1,920.5	1,812.4	26.8	27.3	315.7	312.6	47.2	41.9	120.1	112.0	14.2	14.6	17.9	18.6
Utah 1921	1,086.0	1,037.2	9.0	9.1	41.3	39.9	77.1	63.3	69.8	59.0	10.6	9.3	15.9	13.7
Utah 1920	1,200.6	1,146.7	6.7	6.8	40.5	39.1	67.1	55.1	79.0	66.8	7.1	6.2	21.5	18.5
Vermont 1921	1,111.1	1,418.4	5.7	5.4	65.9	69.5	77.2	113.5	67.5	105.6	6.4	5.7	12.8	10.8
Vermont 1920	1,231.1	1,571.6	11.0	10.5	77.6	81.8	85.7	126.0	71.0	111.0	4.5	4.0	12.8	10.8
Virginia (total) 1921	1,255.9	1,215.5	16.2	16.1	140.7	133.4	62.2	56.6	94.5	89.1	7.5	6.9	15.4	14.0
Virginia (total) 1920	1,357.9	1,314.2	11.3	11.2	150.8	142.9	61.5	55.9	96.0	90.5	7.0	6.4	19.9	18.1
White 1921	1,051.5	1,041.9	14.2	13.9	90.6	86.1	64.0	60.9	78.6	77.1	6.0	5.3	12.8	11.4
White 1920	1,136.5	1,126.2	9.8	9.6	99.8	94.8	61.2	58.2	84.2	82.6	6.0	5.3	17.5	15.6
Colored 1921	1,756.8	1,628.9	21.3	21.6	258.3	245.9	55.7	46.4	136.0	117.7	11.6	10.9	20.9	20.0
Colored 1920	1,894.6	1,756.7	14.7	14.9	269.1	256.2	60.9	50.7	126.1	109.1	9.7	9.1	24.9	23.8
Washington 1921	946.5	953.7	5.3	5.4	79.4	82.7	79.6	85.8	56.6	59.6	7.8	7.0	8.9	8.3
Washington 1920	1,100.4	1,108.7	5.5	5.6	94.4	98.4	76.2	82.1	58.6	61.7	5.0	4.5	14.7	13.7
Wisconsin 1921	966.4	1,028.8	2.9	3.0	73.9	75.1	85.9	97.6	52.0	59.5	5.8	5.2	9.0	8.2
Wisconsin 1920	1,052.9	1,120.9	2.4	2.5	84.2	85.6	77.7	88.2	54.1	61.8	5.1	4.6	11.3	10.3
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920.														
Akron 1921	913.1	750.4	5.9	6.2	47.0	46.9	73.8	48.0	60.5	37.4	8.6	8.6	9.9	9.6
Akron 1920	1,380.4	1,134.4	3.5	3.7	57.7	57.6	62.9	40.9	55.6	34.4	17.6	17.6	14.4	13.9
Albany 1921	1,380.3	1,513.8	3.4	3.5	109.3	117.4	117.3	149.5	105.8	133.0	5.4	6.1	11.3	13.9
Albany 1920	1,428.7	1,566.9	4.3	4.4	132.3	142.2	113.0	144.0	129.9	163.3	0.8	0.9	4.3	5.3
Atlanta (total) 1921	1,671.3	1,483.6	14.2	14.0	111.0	119.0	93.0	81.9	177.8	147.5	10.8	13.0	15.6	19.3
Atlanta (total) 1920	1,934.9	1,717.6	14.0	13.8	101.1	108.4	97.4	85.8	191.9	159.2	13.1	15.8	17.9	22.2
White 1921	1,386.8	1,225.6	8.7	8.4	62.2	65.0	104.7	93.7	155.1	126.5	8.6	9.8	15.4	18.2
White 1920	1,644.7	1,453.5	17.0	16.5	80.9	84.6	107.2	96.0	181.0	147.6	12.5	14.3	18.1	21.5
Colored 1921	2,302.3	2,056.3	21.8	26.4	208.5	239.0	58.6	55.9	213.0	194.0	15.4	20.2	15.7	21.7
Colored 1920	2,574.1	2,299.1	6.5	7.9	140.5	161.0	66.2	63.1	202.6	184.6	14.4	18.9	17.2	23.7
Baltimore (total) 1921	1,404.0	1,382.4	5.1	5.3	130.7	139.5	98.5	105.1	139.1	144.2	6.4	6.5	9.3	9.7
Baltimore (total) 1920	1,559.6	1,535.6	4.5	4.7	140.1	149.5	104.5	111.4	139.2	144.3	6.8	6.9	11.5	12.0
White 1921	1,260.1	1,266.9	4.4	4.5	89.6	96.3	102.2	111.9	128.3	136.1	5.2	5.3	9.2	9.4
White 1920	1,386.5	1,393.9	3.6	3.7	105.4	113.3	104.7	114.6	125.9	133.5	5.1	5.2	11.5	11.7
Colored 1921	2,314.5	2,047.6	8.9	9.9	364.6	388.1	68.6	65.7	212.2	190.9	12.2	13.5	10.4	11.7
Colored 1920	2,657.5	2,351.0	9.9	11.0	335.5	357.1	97.3	93.2	229.4	206.4	14.8	16.4	12.2	13.7
Birmingham (total) 1921	1,707.5	1,464.0	17.8	18.3	139.9	145.1	92.0	66.6	98.9	75.8	10.2	11.8	19.5	22.6
Birmingham (total) 1920	1,919.0	1,645.3	14.5	14.9	155.3	161.0	81.5	59.0	126.7	97.1	8.5	9.9	22.8	26.5
White 1921	1,350.2	1,137.8	12.1	13.3	55.8	52.2	99.8	76.1	93.7	70.8	11.0	12.4	14.3	15.9
White 1920	1,467.7	1,236.8	4.1	4.5	70.9	66.3	84.6	64.5	102.1	77.2	8.9	10.0	23.7	26.4
Colored 1921	2,283.5	1,968.3	25.3	26.0	262.7	288.6	73.9	52.0	107.6	83.4	9.6	10.9	27.3	32.8
Colored 1920	2,641.1	2,276.5	30.1	30.9	280.0	307.6	71.9	50.6	164.9	127.8	8.6	9.8	22.2	26.7

[1] Exclusive of stillbirths

Table I—Con.

AREA AND YEAR.	DEATH RATE PER 100,000 ESTIMATED POPULATION FROM—													
	All causes.[1]		Typhoid and paratyphoid fever.		Tuberculosis (all forms).		Cancer and other malignant tumors.		Acute and chronic nephritis.		Puerperal septicemia.		Other puerperal causes.	
	Adjusted rate.	Crude rate.	Adjusted rate.	Crude rate.	Adjusted rate.	Crude rate.	Adjusted rate.	Crude rate.	Adjusted rate.	Crude rate.	Adjusted rate.	Crude rate.	Adjusted rate.	Crude rate.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—continued.														
Boston 1921	1,356.7	1,349.7	2.8	3.2	109.8	116.4	125.8	139.6	59.6	62.8	8.0	8.4	11.7	12.4
Boston 1920	1,552.6	1,544.6	1.3	1.5	121.7	129.1	116.9	129.8	57.9	61.0	9.1	9.5	14.3	15.2
Bridgeport 1921	1,129.1	1,047.0	2.4	2.8	95.3	99.0	109.1	91.3	63.6	55.7	6.7	7.0	7.4	7.7
Bridgeport 1920	1,385.7	1,284.9	1.8	2.1	101.1	105.0	110.7	92.7	88.5	77.6	6.6	6.9	13.1	13.7
Buffalo 1921	1,313.2	1,257.9	4.2	4.2	103.1	110.7	101.8	102.6	93.1	87.8	6.2	6.4	8.0	8.5
Buffalo 1920	1,527.1	1,462.7	4.9	4.9	104.1	111.7	96.5	97.3	120.5	113.7	5.7	5.9	11.7	12.5
Cambridge 1921	1,223.6	1,256.7	.....	.....	117.0	125.0	128.5	146.7	48.3	54.3	6.5	7.2	13.0	13.6
Cambridge 1920	1,448.8	1,488.0	2.7	2.7	124.4	132.9	144.1	164.6	71.2	80.0	5.0	5.5	13.0	13.6
Camden 1921	1,339.6	1,282.7	7.5	7.5	77.2	81.1	94.0	87.7	139.2	124.5	11.2	10.9	16.9	16.7
Camden 1920	1,539.5	1,474.1	7.7	7.7	77.1	81.0	94.9	88.6	151.3	135.4	9.7	9.4	18.9	18.7
Chicago 1921	1,207.7	1,108.3	1.2	1.2	79.0	85.0	104.9	96.5	104.1	88.4	5.5	5.9	6.6	7.2
Chicago 1920	1,392.0	1,277.4	1.1	1.1	90.5	97.4	103.6	95.3	114.1	96.9	6.0	6.5	8.6	9.4
Cincinnati 1921	1,346.5	1,412.9	3.4	3.7	139.2	152.7	101.1	126.9	105.2	125.7	7.4	8.2	8.5	8.9
Cincinnati 1920	1,439.8	1,510.8	2.9	3.2	147.7	162.0	105.6	132.6	102.1	122.1	7.7	8.5	9.7	10.2
Cleveland 1921	1,168.6	1,046.4	3.1	3.4	91.4	97.9	93.8	77.1	92.2	71.0	9.1	9.7	7.9	8.4
Cleveland 1920	1,379.5	1,235.3	2.7	3.0	101.9	109.2	100.4	82.6	94.8	73.0	7.5	8.0	7.8	8.3
Columbus 1921	1,268.4	1,281.5	4.4	4.4	87.5	93.2	88.6	100.9	55.7	61.7	7.7	8.5	8.0	8.9
Columbus 1920	1,463.6	1,478.7	2.9	2.9	109.2	116.3	90.0	102.6	71.2	78.8	6.4	7.1	11.2	12.5
Dallas (total) 1921	1,366.7	1,191.9	13.1	12.6	79.2	86.5	88.4	72.7	102.3	86.5	13.3	16.8	13.1	15.6
Dallas (total) 1920	1,541.9	1,344.7	14.9	14.3	102.2	111.7	95.8	78.8	115.4	97.5	4.9	6.2	12.5	14.9
White 1921	1,267.5	1,099.6	11.3	11.3	53.1	54.8	91.3	77.4	91.1	74.6	11.5	14.1	13.9	16.2
White 1920	1,400.6	1,215.0	11.0	11.0	68.6	70.8	100.0	84.8	95.5	78.2	4.1	5.8	10.6	12.4
Colored 1921	1,973.8	1,729.2	24.3	20.5	228.2	270.4	66.3	45.1	174.5	155.7	24.1	32.8	9.7	12.3
Colored 1920	2,372.1	2,078.1	39.2	33.1	289.4	342.9	66.8	45.4	231.6	206.6	6.1	8.3	22.8	28.9
Dayton 1921	1,100.5	1,096.6	5.9	5.1	84.9	89.8	101.5	110.7	70.3	74.6	7.1	7.0	9.3	9.5
Dayton 1920	1,223.8	1,219.5	8.2	7.1	88.3	93.3	98.0	106.9	69.6	73.8	7.9	7.8	10.8	11.0
Denver 1921	1,383.5	1,411.7	4.4	4.6	188.9	219.2	87.9	104.9	76.2	87.0	8.1	8.4	12.3	12.5
Denver 1920	1,698.6	1,733.2	5.2	5.4	274.1	318.1	91.6	109.4	83.6	95.5	9.4	9.7	12.2	12.4
Detroit 1921	1,184.8	1,045.2	5.7	5.7	85.1	89.9	96.7	69.9	66.9	49.1	10.0	10.7	9.0	9.7
Detroit 1920	1,523.6	1,344.1	5.4	5.4	94.4	99.7	86.9	62.8	68.9	50.6	9.0	9.7	14.8	15.9
Fall River 1921	1,466.0	1,422.9	2.4	2.5	95.1	96.9	98.9	99.4	116.2	111.9	5.8	5.8	10.8	10.8
Fall River 1920	1,514.5	1,470.0	4.8	5.0	102.6	104.5	102.4	102.9	103.3	99.5	5.0	5.0	16.6	16.6
Grand Rapids 1921	1,039.9	1,089.3	4.4	4.2	61.1	63.7	87.9	100.6	67.4	77.9	7.3	7.8	7.6	7.8
Grand Rapids 1920	1,255.7	1,315.4	2.3	2.2	69.0	72.0	87.4	100.1	86.0	99.4	4.7	5.0	12.7	13.0
Hartford 1921	1,367.3	1,324.3	6.8	8.0	70.9	73.9	126.2	126.8	96.8	92.7	9.3	10.1	8.6	9.4
Hartford 1920	1,692.6	1,639.4	6.0	7.1	96.5	100.6	140.7	141.4	141.0	135.0	10.5	11.4	18.2	20.0
Houston (total) 1921	1,445.4	1,274.9	10.6	11.7	103.5	114.4	96.9	82.7	108.3	95.7	7.1	8.3	9.7	11.7
Houston (total) 1920	1,570.9	1,385.6	12.2	13.5	100.0	110.5	76.8	65.6	120.2	106.2	6.6	7.8	14.2	17.1
White 1921	1,278.9	1,134.3	8.9	10.0	87.4	93.3	97.5	86.1	101.1	90.7	4.1	4.5	9.6	10.9
White 1920	1,387.3	1,230.5	9.2	10.4	76.0	81.1	82.4	72.7	112.6	101.0	7.7	8.5	15.0	17.0
Colored 1921	1,989.8	1,719.4	15.7	17.2	144.3	180.5	86.5	71.6	127.3	111.8	14.0	20.1	10.1	14.3
Colored 1920	2,157.6	1,864.4	21.3	23.3	160.7	201.0	52.8	43.7	139.2	122.3	4.0	5.8	12.3	17.5
Indianapolis (total) 1921	1,284.4	1,264.9	6.6	7.1	118.8	124.7	91.9	102.6	91.3	99.5	6.9	7.1	9.9	10.7
Indianapolis (total) 1920	1,480.2	1,457.8	5.3	5.7	124.2	130.4	87.8	98.1	103.0	112.3	10.9	11.3	8.7	9.4
White 1921	1,212.0	1,215.5	5.6	6.2	95.2	101.1	92.3	105.6	88.3	98.7	6.4	6.6	9.8	10.4
White 1920	1,374.1	1,378.1	3.8	4.2	96.0	101.9	88.5	101.2	97.9	109.4	9.6	9.9	8.3	8.8
Colored 1921	1,887.2	1,653.0	13.9	13.6	298.8	310.0	95.6	78.8	115.3	106.0	10.5	10.9	10.6	13.6
Colored 1920	2,389.6	2,093.1	17.3	16.9	345.3	358.3	88.9	73.3	147.3	135.4	21.8	22.6	11.0	14.1
Jersey City 1921	1,297.7	1,189.3	3.9	4.0	84.9	86.9	102.1	88.2	110.9	92.1	9.4	9.9	11.6	11.9
Jersey City 1920	1,537.0	1,408.6	3.9	4.0	112.2	114.8	106.2	91.8	122.1	101.4	7.6	8.0	13.6	14.0
Kansas City, Kans. 1921	1,265.5	1,210.0	6.0	5.8	111.2	119.4	88.6	84.7	119.1	110.7	15.2	15.4	5.7	5.8
Kansas City, Kans. 1920	1,514.3	1,447.9	7.1	6.9	101.3	108.7	83.0	79.3	133.8	124.4	8.7	8.8	10.6	10.8
Kansas City, Mo. 1921	1,450.4	1,384.5	12.3	11.6	88.0	99.7	103.5	113.0	115.3	121.4	6.9	7.7	7.0	7.7
Kansas City, Mo. 1920	1,684.5	1,607.9	8.4	7.9	99.3	112.4	93.7	102.3	104.8	110.3	9.3	10.4	6.1	6.7
Los Angeles 1921	1,305.5	1,398.4	2.5	2.6	155.6	173.4	96.8	131.0	87.2	115.6	7.3	7.9	9.0	10.0
Los Angeles 1920	1,313.0	1,406.4	2.4	2.5	165.6	184.5	100.0	135.3	78.2	103.7	6.0	6.5	8.5	9.5
Louisville (total) 1921	1,398.2	1,403.7	7.7	7.6	123.3	131.7	87.2	102.5	115.9	127.9	8.2	9.3	7.7	8.5
Louisville (total) 1920	1,516.4	1,522.4	5.6	5.5	132.6	141.6	91.9	108.0	117.1	129.2	7.8	8.9	8.9	9.8
White 1921	1,256.0	1,281.9	4.4	4.1	93.2	98.9	91.1	108.6	103.7	116.8	7.3	8.2	7.7	8.2
White 1920	1,351.7	1,379.5	5.5	5.1	109.1	115.8	93.3	111.2	107.8	121.4	6.0	6.7	9.6	10.2
Colored 1921	2,129.0	2,001.6	18.0	25.0	265.3	292.7	57.2	72.6	176.8	182.6	11.3	15.0	7.3	10.0
Colored 1920	2,359.7	2,218.5	5.4	7.5	242.0	267.0	72.7	92.3	161.9	167.2	15.1	20.0	5.5	7.5
Lowell 1921	1,298.6	1,287.8	5.1	5.3	80.2	82.7	96.4	102.9	48.0	51.0	4.2	4.4	8.2	8.8
Lowell 1920	1,579.2	1,566.0	2.6	2.7	103.0	106.2	82.8	88.4	69.0	73.4	4.2	4.4	17.4	18.6
Memphis (total) 1921	1,883.6	1,735.1	13.4	12.1	159.1	168.9	91.1	85.7	175.6	164.8	10.0	12.1	14.9	16.9
Memphis (total) 1920	2,160.6	1,991.4	9.5	8.6	194.3	206.8	85.9	80.8	176.6	165.8	10.6	12.8	22.1	25.1
White 1921	1,461.9	1,369.3	8.1	7.7	76.8	80.8	103.5	100.0	153.6	147.1	6.8	7.7	15.2	17.3
White 1920	1,668.3	1,562.6	4.1	3.9	103.4	108.8	95.4	92.1	141.1	135.2	4.3	4.9	19.0	21.6
Colored 1921	2,661.3	2,354.7	22.7	19.5	294.2	317.8	60.5	61.6	218.6	194.6	14.6	19.5	14.5	16.2
Colored 1920	3,056.7	2,704.5	19.0	16.3	342.4	369.8	60.8	61.9	243.4	216.7	19.5	26.1	27.8	31.0
Milwaukee 1921	1,034.8	977.8	2.0	1.9	67.4	70.0	98.1	94.2	63.2	60.8	4.9	5.3	11.2	11.9
Milwaukee 1920	1,243.3	1,174.9	2.3	2.2	83.7	87.0	97.8	93.9	71.5	68.8	7.2	7.8	10.0	10.6
Minneapolis 1921	1,104.1	1,091.9	1.1	1.3	75.1	84.7	102.7	106.9	72.8	72.6	5.4	6.4	10.5	12.2
Minneapolis 1920	1,238.9	1,225.2	2.3	2.6	95.7	107.9	110.6	115.2	68.3	68.1	7.4	8.8	8.9	10.4
Nashville (total) 1921	1,681.3	1,620.8	21.5	21.3	149.7	159.0	92.1	96.7	118.4	121.3	12.7	14.7	19.1	22.1
Nashville (total) 1920	1,875.7	1,808.2	10.2	10.1	196.5	208.8	95.4	100.2	128.2	131.4	10.9	12.6	13.8	16.0
White 1921	1,416.4	1,360.2	18.7	19.8	90.9	95.6	90.9	94.4	93.4	94.4	11.4	12.8	19.0	21.0
White 1920	1,618.1	1,553.8	6.8	7.2	124.5	131.0	105.3	109.4	95.2	96.2	9.6	10.8	15.2	16.8
Colored 1921	2,305.7	2,237.7	27.5	24.8	285.2	309.0	92.1	102.1	175.4	184.9	15.9	19.3	19.3	24.8
Colored 1920	2,475.3	2,402.3	18.7	16.9	360.4	390.5	71.0	78.7	202.6	213.5	13.9	16.9	10.9	14.0
New Bedford 1921	1,156.9	1,107.1	3.8	4.0	122.2	124.0	70.9	70.4	51.9	50.4	3.8	4.0	11.1	12.0
New Bedford 1920	1,488.7	1,424.7	6.1	6.5	132.7	134.7	78.2	77.6	69.9	67.8	7.7	8.2	6.0	6.5
New Haven 1921	1,159.5	1,157.4	4.3	4.8	77.9	80.9	114.3	116.8	78.6	73.4	9.5	9.6	9.6	9.6
New Haven 1920	1,450.6	1,447.9	6.0	6.7	85.2	88.5	119.3	121.9	89.8	89.6	6.6	6.7	6.7	6.7
New Orleans (total) 1921	1,740.8	1,638.9	9.4	9.1	173.9	189.8	111.6	106.9	172.7	165.2	11.5	12.9	15.7	17.2
New Orleans (total) 1920	1,872.2	1,762.6	7.1	6.9	191.2	208.7	110.7	106.0	180.2	172.4	11.0	12.3	14.8	16.2
White 1921	1,432.9	1,373,7	8.3	7.9	125.4	136.2	111.5	111.1	146.4	143.7	9.3	9.9	12.9	13.4
White 1920	1,515.7	1,453.1	6.9	6.6	144.7	157.1	109.9	109.5	149.4	146.6	6.2	6.6	13.7	14.2
Colored 1921	2,667.8	2,389.0	13.6	12.6	304.9	341.4	105.9	95.1	258.6	226.0	16.8	21.3	23.2	28.1
Colored 1920	2,944.6	2,636.9	8.5	7.9	316.4	354.3	107.1	96.2	280.7	245.3	20.5	28.5	17.8	21.6

[1] Exclusive of stillbirths.

Table I—Con.

AREA AND YEAR.	DEATH RATE PER 100,000 ESTIMATED POPULATION FROM—													
	All causes.[1]		Typhoid and paratyphoid fever.		Tuberculosis (all forms).		Cancer and other malignant tumors.		Acute and chronic nephritis.		Puerperal septicemia.		Other puerperal causes.	
	Adjusted rate.	Crude rate.	Adjusted rate.	Crude rate.	Adjusted rate.	Crude rate.	Adjusted rate.	Crude rate.	Adjusted rate.	Crude rate.	Adjusted rate.	Crude rate.	Adjusted rate.	Crude rate.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—continued.														
New York	1921.. 1,244.7	1,123.2	2.0	2.2	98.5	104.3	107.9	97.7	116.8	96.9	5.3	5.8	7.8	8.7
	1920.. 1,436.0	1,295.8	2.3	2.5	120.7	127.8	104.1	94.3	128.7	106.8	4.9	5.4	8.9	9.9
Bronx Borough	1921.. 1,052.7	895.9	1.6	1.8	83.6	86.6	107.1	87.3	103.7	75.3	3.4	4.0	7.8	8.9
	1920.. 1,242.2	1,057.2	1.3	1.5	104.7	108.4	112.3	91.5	120.9	87.8	3.4	4.0	7.9	9.1
Brooklyn Borough	1921.. 1,170.9	1,067.7	2.2	2.2	84.8	88.3	95.5	86.5	121.9	103.2	5.5	5.8	8.7	9.2
	1920.. 1,378.1	1,256.7	2.6	2.6	106.3	110.7	94.1	85.2	142.0	120.2	4.9	5.2	10.1	10.7
Manhattan Borough	1921.. 1,413.0	1,268.7	2.1	2.3	118.9	128.0	121.2	112.9	113.1	93.8	5.6	6.5	7.4	8.5
	1920.. 1,589.3	1,427.0	2.3	2.5	139.7	150.4	112.1	104.4	119.0	98.7	5.4	6.3	7.8	9.0
Queens Borough	1921.. 1,114.1	1,011.1	2.0	2.2	74.2	77.5	100.9	90.8	126.4	108.7	5.2	5.6	7.5	8.2
	1920.. 1,266.5	1,149.4	2.8	3.1	108.5	113.3	97.0	87.3	124.0	106.6	4.1	4.4	10.3	11.3
Richmond Borough	1921.. 1,266.6	1,259.4	3.7	4.1	145.2	154.2	98.3	98.1	143.8	137.7	3.8	3.3	4.5	4.1
	1920.. 1,516.6	1,508.0	6.1	6.8	151.5	160.9	98.4	98.2	158.3	151.6	5.8	5.1	11.3	10.2
Newark, N. J.	1921.. 1,191.2	1,091.6	2.8	2.8	77.8	81.1	112.2	99.1	97.0	83.3	7.2	7.5	10.1	10.6
	1920.. 1,402.4	1,285.2	1.9	1.9	92.5	96.4	102.1	90.2	119.0	102.2	8.6	8.9	10.0	10.5
Norfolk (total)	1921.. 1,470.2	1,290.6	9.2	9.9	99.8	105.6	87.3	70.1	97.5	81.6	10.8	11.5	13.3	14.8
	1920.. 1,726.1	1,515.2	13.4	14.9	162.3	171.8	88.9	71.4	115.8	96.9	7.2	7.7	16.7	18.7
White	1921.. 1,133.7	1,001.4	7.1	7.9	49.6	51.5	94.0	80.7	86.3	72.8	5.3	5.3	8.7	9.3
	1920.. 1,340.0	1,183.6	11.0	12.2	90.5	93.9	99.9	85.7	119.4	100.7	4.1	4.1	14.1	15.0
Colored	1921.. 2,018.7	1,769.4	12.7	13.1	174.6	194.8	64.9	52.6	101.1	96.4	18.6	21.9	19.9	24.1
	1920.. 2,359.2	2,067.9	17.5	18.1	270.2	301.5	58.8	47.6	95.1	90.7	11.5	13.6	20.6	24.9
Oakland	1921.. 1,019.5	1,040.3	0.8	0.9	70.6	73.3	86.9	103.3	57.1	68.4	3.4	4.0	4.3	4.0
	1920.. 1,153.3	1,176.8	5.3	5.9	96.2	99.8	83.9	99.7	74.4	89.2	2.3	2.7	10.8	10.0
Omaha	1921.. 1,400.6	1,318.6	4.6	5.1	71.8	77.1	121.9	120.2	74.7	73.6	9.7	10.1	9.8	10.7
	1920.. 1,521.7	1,432.6	7.1	7.8	79.5	85.3	127.4	125.6	61.9	61.0	6.4	6.7	13.8	15.0
Paterson	1921.. 1,335.9	1,270.2	6.6	5.8	93.5	101.9	104.2	105.5	97.5	91.7	6.1	6.5	14.5	15.3
	1920.. 1,346.2	1,280.0	0.8	0.7	108.9	118.7	102.1	103.4	98.3	92.4	7.6	8.1	5.6	5.9
Philadelphia	1921.. 1,289.3	1,269.8	2.3	2.4	107.7	115.7	103.9	109.4	131.4	131.2	7.5	7.9	10.1	10.6
	1920.. 1,464.5	1,442.4	3.3	3.4	127.8	137.3	93.5	98.5	141.6	141.4	6.1	6.4	11.1	11.6
Pittsburgh	1921.. 1,503.5	1,410.7	4.4	4.5	99.3	102.5	103.9	94.8	85.9	76.7	10.2	10.6	11.1	11.6
	1920.. 1,745.2	1,637.5	5.5	5.6	116.2	120.0	97.0	88.5	90.1	80.4	14.1	14.7	14.6	15.2
Portland, Oreg.	1921.. 1,063.2	1,091.9	2.2	2.6	60.0	64.2	108.5	126.9	55.3	63.4	5.7	5.7	7.0	7.6
	1920.. 1,182.8	1,214.7	3.0	3.5	76.8	82.2	105.0	122.9	63.3	72.6	5.0	5.0	8.5	9.2
Providence	1921.. 1,307.3	1,329.0	3.0	3.3	95.1	98.0	117.5	133.1	89.7	96.0	10.7	10.4	12.9	13.4
	1920.. 1,524.1	1,549.4	3.4	3.8	110.4	113.8	103.7	117.5	97.3	104.1	9.5	9.2	21.9	22.7
Reading	1921.. 1,272.6	1,316.8	13.0	12.8	72.6	72.4	77.4	89.8	104.8	120.0	20.2	20.2	13.1	12.8
	1920.. 1,396.6	1,445.1	6.6	6.5	83.3	83.1	86.8	100.7	123.5	141.4	8.3	8.3	14.2	13.9
Richmond (total)	1921.. 1,567.9	1,461.1	5.3	5.7	135.8	145.2	88.0	86.5	133.6	121.8	7.2	8.5	18.5	21.6
	1920.. 1,765.9	1,645.6	6.0	6.4	146.5	156.6	84.1	82.7	152.1	138.7	9.8	11.6	17.8	20.8
White	1921.. 1,274.8	1,229.1	6.8	7.4	85.5	91.5	99.4	101.4	130.6	127.8	3.6	4.1	9.5	10.7
	1920.. 1,384.6	1,334.9	5.4	5.9	107.0	114.5	78.4	80.0	147.1	143.9	7.4	8.4	13.5	15.2
Colored	1921.. 2,230.0	1,978.6	1.8	1.8	238.3	264.9	54.6	53.3	135.6	108.5	14.4	18.4	36.2	46.0
	1920.. 2,622.2	2,326.6	7.2	7.4	224.1	249.1	90.7	88.6	159.1	127.3	14.5	18.5	26.1	33.2
Rochester	1921.. 1,183.5	1,200.1	3.0	3.3	63.8	67.8	103.1	114.7	98.6	104.5	7.7	7.9	7.5	7.9
	1920.. 1,242.2	1,259.6	0.9	1.0	75.2	80.0	102.8	114.4	114.6	121.4	4.2	4.3	9.5	10.0
St. Louis	1921.. 1,270.6	1,222.0	4.5	4.3	78.9	87.4	105.4	115.9	132.3	137.1	6.4	6.9	6.5	7.3
	1920.. 1,462.2	1,406.2	2.7	2.6	89.1	98.7	99.7	109.6	130.9	135.7	6.7	7.2	6.7	7.5
St. Paul	1921.. 1,095.2	1,074.5	8.0	7.6	91.6	98.8	112.1	114.8	80.5	80.3	7.1	8.4	7.8	8.8
	1920.. 1,279.0	1,254.8	2.2	2.1	104.9	113.2	118.9	121.8	106.8	106.5	5.0	5.9	11.7	13.2
Salt Lake City	1921.. 1,265.3	1,236.1	5.9	5.8	57.9	61.7	102.7	99.5	79.8	74.8	13.4	14.0	11.2	11.5
	1920.. 1,462.5	1,428.7	7.6	7.5	69.1	73.7	88.3	85.5	98.3	92.2	6.4	6.7	24.6	25.2
San Antonio	1921.. 1,721.2	1,562.6	17.1	17.5	237.3	251.5	84.2	75.3	80.9	72.4	7.5	8.2	13.0	14.0
	1920.. 1,780.8	1,616.7	9.5	9.7	259.4	275.0	110.1	98.4	90.9	81.4	12.7	14.0	13.0	14.0
San Francisco	1921.. 1,339.9	1,350.7	3.6	4.0	109.1	124.5	132.2	152.7	98.3	111.4	6.0	6.0	8.8	9.0
	1920.. 1,408.3	1,419.7	2.6	2.9	116.8	133.4	130.9	151.2	94.4	107.0	5.3	5.3	10.9	11.1
Scranton	1921.. 1,524.8	1,402.1	6.1	6.5	74.9	77.0	98.4	87.0	134.9	115.8	14.9	15.1	10.1	10.1
	1920.. 1,618.7	1,488.5	1.3	1.4	72.5	74.5	106.5	94.1	88.6	76.0	6.4	6.5	20.2	20.3
Seattle	1921.. 938.1	900.4	1.6	2.2	68.7	70.7	101.4	106.2	74.5	75.5	5.3	5.7	5.5	6.0
	1920.. 1,109.8	1,065.2	1.6	2.2	87.6	90.2	102.0	106.8	65.8	66.7	6.4	6.9	10.1	11.0
Spokane	1921.. 1,254.7	1,259.1	5.1	4.8	61.8	64.2	100.3	118.7	86.9	93.8	13.1	13.4	11.8	12.4
	1920.. 1,413.1	1,418.1	7.1	6.7	68.1	70.8	101.9	120.6	78.9	85.2	7.5	7.7	19.2	20.1
Springfield, Mass.	1921.. 1,142.1	1,134.8	4.5	4.4	73.2	76.5	100.3	104.5	103.8	108.9	4.0	4.4	13.8	14.0
	1920.. 1,306.0	1,297.6	4.7	4.6	76.4	79.8	95.5	99.5	125.2	131.4	4.2	4.6	6.7	6.8
Syracuse	1921.. 1,178.9	1,205.0	3.8	3.9	67.3	69.9	93.9	107.6	61.4	69.9	4.4	4.5	7.1	7.3
	1920.. 1,486.4	1,519.3	3.9	4.0	69.2	71.9	82.3	94.4	85.5	97.3	3.9	4.0	17.8	18.4
Toledo	1921.. 1,226.2	1,201.0	8.7	8.7	114.6	125.3	86.4	90.3	56.8	56.4	13.8	14.2	8.5	8.7
	1920.. 1,412.7	1,383.6	7.7	7.7	124.2	135.8	86.9	90.8	78.8	78.2	10.2	10.5	11.9	12.2
Trenton	1921.. 1,370.6	1,311.5	8.5	9.0	86.5	90.5	102.2	96.1	130.5	119.7	4.9	4.9	21.0	21.2
	1920.. 1,636.3	1,565.8	7.8	8.3	121.4	127.0	81.1	76.3	149.4	137.0	7.5	7.5	23.0	23.2
Washington, D. C. (total)	1921.. 1,425.5	1,383.8	6.3	6.6	114.4	126.6	105.5	117.9	109.7	121.1	5.7	6.9	11.3	13.9
	1920.. 1,502.6	1,458.7	6.2	6.5	120.6	133.4	87.0	97.3	99.3	109.7	4.6	5.6	9.7	12.0
White	1921.. 1,193.7	1,213.1	4.7	5.2	66.1	75.2	104.1	123.0	88.7	102.5	4.8	6.1	10.6	13.2
	1920.. 1,235.6	1,255.7	4.9	5.4	74.8	85.0	89.6	105.9	79.1	91.4	2.8	3.6	7.2	9.0
Colored	1921.. 2,116.8	1,887.8	10.7	10.8	258.9	278.2	104.9	103.0	186.0	176.1	7.6	9.0	12.9	16.3
	1920.. 2,312.5	2,062.3	9.8	9.9	257.8	277.1	73.0	71.7	173.3	164.1	9.9	11.7	16.3	20.6
Wilmington, Del.	1921.. 1,221.8	1,200.1	6.1	6.2	102.7	106.7	76.3	76.7	123.7	125.2	12.2	12.3	11.8	11.5
	1920.. 1,430.5	1,405.0	14.1	14.4	106.4	110.6	91.2	91.7	106.6	107.9	11.6	11.7	11.1	10.8
Worcester	1921.. 1,263.3	1,290.5	3.6	3.8	97.5	102.7	108.4	114.6	43.0	44.9	10.3	10.3	15.4	16.2
	1920.. 1,439.0	1,470.0	1.6	1.7	108.4	114.1	114.7	121.2	58.6	61.2	7.2	7.2	19.9	20.9
Yonkers	1921.. 1,022.0	929.1	(2)	3.9	97.9	102.6	86.3	76.5	87.9	75.5	6.9	7.7	10.5	11.6
	1920.. 1,252.9	1,139.0	.....	.....	134.8	141.3	98.1	86.9	96.7	83.0	1.8	2.0	11.6	12.8
Youngstown	1921.. 1,311.3	1,174.1	15.9	18.9	74.0	80.1	111.4	76.3	63.8	47.6	16.3	16.6	13.0	13.6
	1920.. 1,440.8	1,290.1	9.3	11.1	77.5	83.9	88.9	60.9	51.8	38.6	16.0	16.3	10.6	11.1

[1] Exclusive of stillbirths.
[2] No deaths in 1920, therefore, there is no factor to apply to the 1921 crude rate. See p. 728.

NOTE.—These adjusted rates for 1920 may differ from those in the report of Mortality Rates, 1910–1920, since an estimated population is used for one, and an enumerated population for the other.

DEATH RATES OF THE REGISTRATION AREA.

The death rates from all causes in the registration area and its main subdivisions, for the years 1916 to 1921, are shown in Table J.

Table J — AREA.	DEATH RATE FROM ALL CAUSES,[1] PER 1,000 POPULATION.					
	1921	1920	1919	1918	1917	1916
The registration area [2]	11.6	13.1	12.9	18.1	14.3	14.0
Registration States [3]	11.6	13.0	12.8	18.0	14.1	13.9
Cities in registration States [3]	12.3	14.1	13.9	19.9	15.3	15.1
Rural part of registration States	10.9	11.9	11.9	16.3	13.0	12.9
Registration cities in nonregistration States	15.1	17.0	15.6	23.0	16.4	15.5
All registration cities [3]	12.4	14.2	13.9	20.0	15.5	15.2

[1] Exclusive of stillbirths.
[2] Exclusive of Hawaii.
[3] Including the District of Columbia.

The rates for all the subdivisions of the registration area are lower in 1921 than in any other year shown and in every year the rates for the rural part of the States are much lower than those for cities.

In view of the many changes which have taken place in the extent of the registration area since 1900, rates for the area usually are not strictly comparable year after year; therefore, in Table K, rates are presented for the years 1916 to 1921 for the registration States of 1900—the "original registration States:" Connecticut, Indiana, Maine, Massachusetts, Michigan, New Hampshire, New Jersey, New York, Rhode Island, and Vermont, and the District of Columbia.

Table K — AREA.	DEATH RATE FROM ALL CAUSES,[1] PER 1,000 POPULATION.					
	1921	1920	1919	1918	1917	1916
Registration States of 1900 [2]	12.2	13.8	13.5	18.9	15.0	15.0
Cities [3]	11.8	13.7	13.5	19.3	15.2	15.2
Rural districts	12.9	14.0	13.4	18.1	14.6	14.6

[1] Exclusive of stillbirths.
[2] Including the District of Columbia.

The 1920 and 1921 total rates (13.8 and 12.2, respectively) for the States of 1900 are higher than those for the States of 1920 (13 and 11.6, respectively), and these differences are almost entirely accounted for by the much higher rates in the rural part of the States of 1900. For these States the rates for the rural districts in 1920 and 1921 are higher than those for the cities, but from 1916 to 1919 they are lower.

DEATH RATES OF THE REGISTRATION STATES.

Table L shows for the years 1920 and 1921, adjusted death rates, and for 1914 to 1921, crude death rates for the registration States:

Table L — STATE.	DEATH RATE FROM ALL CAUSES [1] PER 1,000 POPULATION.									
	Adjusted.		Crude.							
	1921	1920	1921	1920	1919	1918	1917	1916	1915	1914
Registration States [2]	11.3	12.7	11.6	13.0	12.8	18.0	14.1	13.9	13.3	13.5
California	12.0	12.4	13.2	13.6	13.7	17.7	13.3	13.1	13.3	13.3
Colorado	12.3	14.4	12.4	14.5	12.9	19.3	11.9	11.2	12.1	11.8
Connecticut	10.8	12.9	11.4	13.6	13.3	20.4	15.9	15.8	14.5	14.8
Delaware	12.4	13.7	13.1	14.6	15.5	(3)	(3)	(3)	(3)	(3)
Florida (total)	12.1	13.4	11.8	13.0	12.4	(3)	(3)	(3)	(3)	(3)
White	10.2	11.4	10.5	11.7	11.3	(3)	(3)	(3)	(3)	(3)
Colored	16.1	17.6	14.2	15.5	14.3	(3)	(3)	(3)	(3)	(3)
Illinois	11.0	12.5	11.1	12.6	12.0	16.2	(3)	(3)	(3)	(3)
Indiana	10.7	12.1	11.9	13.4	12.7	16.0	13.8	13.4	12.5	12.8
Kansas	9.3	10.4	10.2	11.4	10.8	15.1	11.9	11.5	10.5	10.1
Kentucky (total)	10.5	11.7	10.5	11.8	12.8	17.0	13.8	12.7	12.3	12.9
White	9.7	10.9	9.8	11.0	11.8	15.8	12.6	11.7	11.1	11.8
Colored	18.0	19.5	17.9	19.4	21.2	27.7	24.0	21.5	22.2	22.7
Louisiana (total)	12.3	13.3	11.0	11.9	12.9	18.2	(3)	(3)	(3)	(3)
White	10.3	10.9	9.2	9.8	10.6	14.9	(3)	(3)	(3)	(3)
Colored	15.5	17.1	13.9	15.3	16.4	23.3	(3)	(3)	(3)	(3)
Maine	11.3	12.4	14.0	15.4	14.6	19.1	15.4	16.0	15.9	15.8
Maryland (total)	13.3	14.4	13.6	14.7	15.3	23.6	16.7	16.1	15.5	15.6
White	11.8	12.8	12.3	13.3	13.8	21.7	14.7	14.4	13.8	14.0
Colored	21.0	22.7	19.6	21.2	22.3	33.0	25.9	24.6	23.3	23.3
Massachusetts	11.4	12.9	12.2	13.8	13.6	20.9	15.2	15.3	14.6	14.8
Michigan	11.1	13.2	11.6	13.9	12.6	15.4	13.7	13.7	12.4	12.5
Minnesota	9.2	10.5	9.4	10.7	10.5	13.4	10.4	10.7	10.2	10.6
Mississippi (total)	12.1	13.4	11.1	12.3	12.7	(3)	(3)	(3)	(3)	(3)
White	9.0	9.7	8.6	9.2	9.6	(3)	(3)	(3)	(3)	(3)
Colored	15.0	16.8	13.5	15.1	15.4	(3)	(3)	(3)	(3)	(3)
Missouri	10.3	11.9	10.8	12.5	11.8	15.9	13.5	13.1	12.2	12.4
Montana	8.7	10.2	8.2	9.5	10.7	17.3	13.1	11.9	10.8	10.7
Nebraska	8.9	9.7	9.2	10.0	(3)	(3)	(3)	(3)	(3)	(3)
New Hampshire	10.9	12.2	13.7	15.2	14.7	21.8	17.0	16.3	16.2	16.4
New Jersey	11.8	13.1	11.7	13.0	13.1	20.6	14.6	15.1	13.9	14.2
New York	12.1	13.6	12.3	13.8	13.9	19.0	15.3	15.3	15.0	15.1
North Carolina (total)	11.9	13.4	11.3	12.7	12.2	17.1	13.8	12.9	[4]17.3	[4]19.0
White	10.3	11.6	9.9	11.2	10.6	14.6	12.0	11.2	13.6	15.4
Colored	15.9	17.7	14.4	16.0	15.9	23.0	17.8	16.8	24.3	25.7
Ohio	10.6	11.9	11.3	12.8	12.7	16.8	14.0	13.8	12.5	12.5
Oregon	9.6	10.9	10.4	11.7	11.4	12.8	(3)	(3)	(3)	(3)
Pennsylvania	12.2	13.6	12.4	13.8	13.4	22.1	15.2	14.9	14.0	14.1
Rhode Island	12.2	13.8	12.6	14.3	14.2	20.9	16.3	16.3	15.5	15.3
South Carolina (total)	13.2	15.6	11.9	14.0	13.8	19.5	14.5	13.9	(3)	(3)
White	10.5	12.3	9.8	11.4	10.6	15.6	11.5	10.7	(3)	(3)
Colored	16.0	18.9	14.0	16.5	16.7	23.2	17.2	16.7	(3)	(3)
Tennessee (total)	11.0	12.5	10.7	12.1	12.2	16.1	13.4	(3)	(3)	(3)
White	9.6	10.9	9.4	10.7	10.8	14.0	11.7	(3)	(3)	(3)
Colored	17.0	19.2	16.0	18.1	18.4	24.6	20.6	(3)	(3)	(3)
Utah	10.9	12.0	10.4	11.5	11.0	14.2	10.8	10.7	10.1	10.3
Vermont	11.1	12.3	14.2	15.7	14.4	19.4	15.5	16.1	15.0	15.3
Virginia (total)	12.6	13.6	12.2	13.1	13.7	19.3	14.1	14.5	14.0	13.9
White	10.5	11.4	10.4	11.3	11.5	16.9	11.6	12.0	11.4	11.4
Colored	17.6	18.9	16.3	17.6	18.8	24.9	19.8	20.1	19.7	19.4
Washington	9.5	11.0	9.5	11.1	10.7	13.3	9.4	9.2	9.5	9.3
Wisconsin	9.7	10.5	10.3	11.2	10.7	13.6	11.4	11.7	10.7	11.0

[1] Exclusive of stillbirths.
[2] Including District of Columbia.
[3] Not added to registration area until a later date.
[4] Includes only municipalities having a population of 1,000 or more in 1910.

NOTE.—These adjusted rates for 1920 may differ from those in the report of Mortality Rates, 1910–1920, since an estimated population is used for one, and an enumerated population for the other.

Crude death rates by no means tell the whole story regarding the healthfulness of different localities.

Race stock, occupations of the inhabitants, the sex and age distribution of the population, and the relative number of deaths of nonresidents are factors which must be considered before it can be determined that one city or State is more healthful than another. For example, adjustments simply for the differences in the sex and age distribution of the population in the States, give Montana in 1921 the lowest adjusted rate (8.7), and the highest adjusted rate (13.3) is for Maryland.

DEATH RATES OF LARGE CITIES.

Table M shows for the years 1920 and 1921, adjusted death rates, and for the years 1914 to 1921, crude death rates for registration cities which had 100,000 population or more in 1920.

Table M — DEATH RATE FROM ALL CAUSES [1] PER 1,000 POPULATION.

CITY.	Adjusted.		Crude.							
	1921	1920	1921	1920	1919	1918	1917	1916	1915	1914
Akron	9.1	13.8	7.5	11.3	10.9	12.9	12.3	10.6	8.3	8.5
Albany	13.8	14.3	15.1	15.7	16.4	23.0	18.5	18.7	19.5	18.9
Atlanta (total)	16.7	19.3	14.8	17.2	15.8	19.1	16.8	15.8	15.5	16.9
White	13.9	16.4	12.3	14.5	13.3	15.6	13.6	12.0	11.8	13.3
Colored	23.0	25.7	20.6	23.0	21.2	26.8	23.6	23.9	23.3	24.4
Baltimore (total)	14.0	15.6	13.8	15.4	15.7	25.7	18.5	17.6	16.7	17.7
White	12.6	13.9	12.7	13.9	14.3	23.6	16.2	15.6	14.9	15.8
Colored	23.1	26.6	20.5	23.5	23.5	36.5	30.1	27.8	25.9	27.9
Birmingham (total)	17.1	19.2	14.6	16.5	16.6	25.2	22.9	15.7	17.2	19.0
White	13.5	14.7	11.4	12.4	12.7	19.7	14.1	11.5	12.8	14.2
Colored	22.8	26.4	19.7	22.8	22.7	33.8	36.5	22.2	23.8	26.3
Boston	13.6	15.5	13.5	15.4	15.7	23.6	17.4	17.6	16.7	16.6
Bridgeport	11.3	13.9	10.5	12.8	14.0	21.8	17.1	18.3	14.7	14.4
Buffalo	13.1	15.3	12.6	14.6	14.9	20.5	15.8	15.8	14.6	15.3
Cambridge	12.2	14.5	12.6	14.9	13.4	20.9	14.8	14.1	13.6	13.6
Camden	13.4	15.4	12.8	14.7	14.8	27.2	17.3	16.2	15.1	16.9
Chicago	12.1	13.9	11.1	12.8	12.5	16.9	14.8	14.4	14.2	14.1
Cincinnati	13.5	14.4	14.1	15.1	15.9	21.6	17.2	17.0	16.1	16.4
Cleveland	11.7	13.8	10.5	12.4	12.6	17.2	14.7	14.0	12.8	12.3
Columbus	12.7	14.6	12.8	14.8	14.1	18.6	15.2	15.4	13.9	14.6
Dallas (total)	13.7	15.4	11.9	13.4	11.5	18.1	13.0	12.9	(2)	(2)
White	12.7	14.0	11.0	12.2	10.4	16.6	11.6	11.4	(2)	(2)
Colored	19.7	23.7	17.3	20.8	17.1	25.7	20.7	20.3	(2)	(2)
Dayton	11.0	12.2	11.0	12.2	11.7	17.4	14.3	13.9	12.6	12.9
Denver	13.8	17.0	14.1	17.3	14.7	20.9	13.1	12.5	14.2	14.0
Detroit	11.8	15.2	10.5	13.4	11.7	14.1	13.6	13.9	11.9	12.3
Fall River	14.7	15.1	14.2	14.7	14.4	23.8	17.6	18.1	16.8	18.1
Grand Rapids	10.4	12.6	10.9	13.2	11.5	14.1	13.2	12.3	12.6	13.0
Hartford	13.7	16.9	13.2	16.4	15.7	23.6	20.2	18.3	16.0	16.2
Houston (total)	14.5	15.7	12.7	13.9	13.5	19.4	14.0	(2)	(2)	(2)
White	12.8	13.9	11.3	12.3	12.3	17.7	11.7	(2)	(2)	(2)
Colored	19.9	21.6	17.2	18.6	17.1	24.6	20.7	(2)	(2)	(2)
Indianapolis (total)	12.8	14.8	12.6	14.6	13.4	17.5	15.6	15.1	14.3	15.5
White	12.1	13.7	12.2	13.8	12.8	16.6	14.7	14.3	13.7	14.9
Colored	18.9	23.9	16.5	20.9	18.5	24.5	22.8	21.9	19.5	20.9
Jersey City	13.0	15.4	11.9	14.1	14.7	20.8	15.6	15.6	15.3	14.4
Kansas City, Kans. (total)	12.7	15.1	12.1	14.5	14.0	21.2	15.2	14.4	14.5	13.6
White	(3)	(3)	11.1	13.5	12.8	20.7	13.8	13.3	13.4	12.3
Colored	(3)	(3)	17.9	20.6	21.1	24.4	24.0	22.0	21.6	22.0
Kansas City, Mo	14.5	16.8	13.8	16.1	15.3	21.3	16.4	14.5	14.7	14.0
Los Angeles	13.1	13.1	14.0	14.1	13.6	17.4	13.0	12.7	12.6	13.1
Louisville (total)	14.0	15.2	14.0	15.2	17.3	26.8	17.0	15.4	15.3	16.8
White	12.6	13.5	12.8	13.8	15.6	25.4	15.1	13.5	13.3	15.0
Colored	21.3	23.6	20.0	22.2	25.9	33.5	26.4	24.7	24.9	25.0
Lowell	13.0	15.8	12.9	15.7	15.2	22.1	17.5	17.7	16.6	16.2
Memphis (total)	18.8	21.6	17.4	19.9	21.4	24.6	20.7	(4)	20.4	21.3
White	14.6	16.7	13.7	15.6	16.2	20.2	15.6	(4)	14.6	14.8
Colored	26.6	30.6	23.5	27.0	30.6	32.1	29.4	(4)	30.0	31.7
Milwaukee	10.3	12.4	9.8	11.7	11.0	14.7	12.5	12.9	11.6	11.9
Minneapolis	11.0	12.4	10.9	12.3	11.7	14.7	12.3	12.8	11.8	12.3
Nashville (total)	16.8	18.8	16.2	18.1	18.5	27.0	16.7	(4)	17.4	18.6
White	14.2	16.2	13.6	15.5	16.0	23.9	14.2	(4)	14.2	14.5
Colored	23.1	24.8	22.4	24.0	24.3	34.1	22.4	(4)	24.4	27.5
New Bedford	11.6	14.9	11.1	14.2	13.5	24.7	15.6	16.1	15.7	16.4
New Haven	11.6	14.5	11.6	14.5	13.0	21.2	16.8	16.7	15.5	15.9
New Orleans (total)	17.4	18.7	16.4	17.6	18.9	26.1	20.1	18.5	21.2	20.6
White	14.3	15.2	13.7	14.5	16.2	22.0	15.8	14.4	16.5	16.6
Colored	26.7	29.4	23.9	26.4	26.7	37.5	32.0	30.0	34.5	31.9
New York	12.4	14.4	11.2	13.0	13.3	17.9	14.6	14.7	14.6	14.6
Bronx Borough	10.5	12.4	9.0	10.6	11.5	15.9	12.9	12.4	12.8	12.7
Brooklyn Borough	11.7	13.8	10.7	12.6	12.9	17.6	14.1	14.4	14.2	14.0
Manhattan Borough	14.1	15.9	12.7	14.3	14.4	18.8	15.6	15.6	15.7	15.7
Queens Borough	11.1	12.7	10.1	11.5	11.6	16.0	13.3	14.0	12.8	13.5
Richmond Borough	12.7	15.2	12.6	15.1	15.9	22.8	16.2	16.2	14.8	15.3
Newark, N. J.	11.9	14.0	10.9	12.9	12.9	20.2	15.0	15.7	13.7	15.0
Norfolk (total)	14.7	17.3	12.9	15.2	16.6	24.7	14.6	16.2	16.6	17.7
White	11.3	13.4	10.0	11.8	12.6	21.1	10.3	11.2	12.0	12.3
Colored	20.2	23.6	17.7	20.7	23.3	30.8	21.7	24.2	23.8	26.0
Oakland	10.2	11.5	10.4	11.8	12.5	15.6	11.0	10.9	11.7	11.9
Omaha	14.0	15.2	13.2	14.3	12.8	17.5	12.7	13.7	11.7	13.2
Paterson	13.4	13.5	12.7	12.8	13.3	20.1	14.8	15.2	13.7	13.9
Philadelphia	12.9	14.6	12.7	14.4	14.3	24.1	16.9	16.1	15.5	16.0
Pittsburgh	15.0	17.5	14.1	16.4	16.1	26.8	18.6	17.7	15.5	15.9
Portland, Oreg.	10.6	11.8	10.9	12.1	13.1	15.0	9.7	9.7	9.8	10.4
Providence	13.1	15.2	13.3	15.5	14.9	22.2	17.1	17.3	15.8	16.2
Reading	12.7	14.0	13.2	14.5	13.2	20.9	15.1	15.6	14.1	14.6
Richmond (total)	15.7	17.7	14.6	16.5	15.7	22.8	17.8	19.1	18.3	19.1
White	12.7	13.8	12.3	13.3	13.4	19.6	14.1	15.0	14.8	14.2
Colored	22.3	26.2	19.8	23.3	20.6	29.6	25.5	27.4	25.4	28.5
Rochester	11.8	12.4	12.0	12.6	12.5	17.5	15.1	14.1	13.7	14.2
St. Louis	12.7	14.6	12.2	14.1	13.3	18.1	15.4	15.2	14.0	15.3
St. Paul	11.0	12.8	10.7	12.5	11.9	15.9	11.9	12.2	11.5	12.0
Salt Lake City	12.7	14.6	12.4	14.3	13.6	16.0	12.5	12.4	11.2	10.9
San Antonio	17.2	17.8	15.6	16.2	14.8	27.3	22.4	17.4	19.6	19.8
San Francisco	13.4	14.1	13.5	14.2	16.0	20.4	14.8	15.1	15.6	15.2
Scranton	15.2	16.2	14.0	14.9	13.8	22.7	16.6	15.7	15.8	16.7
Seattle	9.4	11.1	9.0	10.7	11.0	13.7	8.6	8.5	8.8	9.3
Spokane	12.5	14.1	12.6	14.2	11.4	14.6	11.1	10.1	11.2	11.2
Springfield, Mass.	11.4	13.1	11.3	13.0	13.7	20.7	15.8	15.1	13.7	14.3
Syracuse	11.8	14.9	12.1	15.2	12.9	20.8	15.0	14.8	12.9	14.5
Toledo	12.3	14.1	12.0	13.8	13.4	17.4	15.9	16.4	14.1	14.4
Trenton	13.7	16.4	13.1	15.7	15.6	25.3	16.8	17.7	16.2	18.2
Washington, D. C. (total)	14.3	15.0	13.8	14.6	14.7	22.7	16.3	16.3	16.8	15.5
White	11.9	12.4	12.1	12.6	12.7	19.9	13.4	13.4	13.7	12.7
Colored	21.2	23.1	18.9	20.6	20.6	30.7	24.6	24.2	25.1	23.2
Wilmington, Del.	12.2	14.3	12.0	14.1	14.4	24.9	18.3	17.9	15.5	15.1
Worcester	12.6	14.4	12.9	14.7	14.8	21.6	16.3	17.3	15.0	15.5
Yonkers	10.2	12.5	9.3	11.4	10.7	16.3	12.6	13.2	12.4	12.5
Youngstown	13.1	14.4	11.7	12.9	14.5	22.5	17.9	16.5	12.7	13.0

[1] Exclusive of stillbirths. [2] Not added to registration area until a later date. [3] Not computed. [4] Transcripts of deaths not received.

NOTE.—These adjusted rates for 1920 may differ from those in the report of Mortality Rates, 1910–1920, since an estimated population is used for one, and an enumerated population for the other.

The adjusted as well as the crude rates from all causes in 1921 are lower than those in 1920 for every city except Los Angeles, for which the adjusted rates are equal. The lowest adjusted rates in 1921 are for Akron (9.1) and Seattle (9.4), and the highest are for Memphis (18.8), New Orleans (17.4), San Antonio (17.2), and Birmingham (17.1).

For only 16 of the 66 cities shown, are the adjusted rates, in both years, lower than the crude, and not one of the 13 cities shown by color is included.

DEATHS OF NEGROES.

The deaths of Negroes in the registration States in 1921 numbered 109,597, with a rate of 15.8 per 1,000 population against a corresponding rate of 17.7 in 1920. Oregon is the only State which shows a higher rate in 1921 than in 1920 (16.5 against 15.2). The distribution of these deaths is shown in Table N.

Table N

STATE.	DEATHS [1] OF NEGROES. Number. 1921	Number. 1920	Rate per 1,000 population. 1921	Rate per 1,000 population. 1920
Registration States [2]	109,597	121,956	15.8	17.7
California	729	779	17.6	19.6
Colorado	297	303	26.3	26.8
Connecticut	413	491	18.8	23.0
Delaware	595	668	19.7	22.1
Florida	4,749	5,134	14.3	15.5
Illinois	3,497	3,925	18.1	21.1
Indiana	1,535	1,802	18.3	22.0
Kansas	1,027	1,189	17.5	20.5
Kentucky	4,157	4,560	17.9	19.4
Louisiana	9,722	10,722	13.9	15.3
Maine	18	31	13.8	23.7
Maryland	4,836	5,198	19.6	21.2
Massachusetts	843	993	18.1	21.7
Michigan	1,119	1,529	16.8	24.5
Minnesota	140	188	15.4	21.1
Mississippi	12,608	14,092	13.5	15.1
Missouri	3,390	3,761	18.7	21.0
Montana	27	41	16.6	24.9
Nebraska	211	228	15.0	16.9
New Hampshire	7	11	11.1	17.6
New Jersey	2,322	2,460	19.1	20.8
New York	3,734	3,938	17.9	19.5
North Carolina	11,199	12,315	14.5	16.1
Ohio	3,695	4,010	18.7	21.1
Oregon	37	33	16.5	15.2
Pennsylvania	5,525	6,065	18.5	21.0
Rhode Island	205	270	20.3	26.8
South Carolina	12,168	14,338	14.0	16.6
Tennessee	7,184	8,169	16.0	18.1
Utah	27	29	18.1	19.8
Vermont	4	6	7.0	11.6
Virginia	11,282	12,130	16.3	17.6
Washington	134	143	19.1	20.6
Wisconsin	81	116	14.6	21.8
District of Columbia	2,080	2,289	18.9	20.7

[1] Exclusive of stillbirths.
[2] Including the District of Columbia.

DEATHS OF COLORED POPULATIONS OTHER THAN NEGRO.

Deaths of colored, other than Negro, in the registration States, numbered 4,483 in 1921, and constituted 3.9 per cent of the deaths of the total colored in the same area. The distribution is shown in Table O.

Table O

AREA.	DEATHS FROM ALL CAUSES [1] IN 1921. Indian.	Chinese.	Japanese.	Other colored.
Registration States [2]	1,725	1,353	1,327	78
Cities in registration States [2]	131	1,027	730	39
Rural part of registration States	1,594	326	597	39
California:				
Cities	34	547	468	20
Rural districts	207	262	442	18
Colorado:				
Cities	3	7	17	
Rural districts	23		26	7
Connecticut:				
Cities	1	7		
Rural districts	1	2		
Florida:				
Cities		1	2	
Illinois:				
Cities	2	49	3	2
Rural districts	2	1		1
Kansas:				
Cities	8	1		
Rural districts	19			
Louisiana:				
Cities		10	2	
Rural districts	12	2		

Table O—Con.

AREA.	DEATHS FROM ALL CAUSES [1] IN 1921. Indian.	Chinese.	Japanese.	Other colored.
Maine:				
Cities	1			
Rural districts	7			
Maryland:				
Cities		8	1	
Massachusetts:				
Cities	2	28	4	1
Rural districts	3	7		
Michigan:				
Cities	12	2	5	
Rural districts	158			
Minnesota:				
Cities	2	9		
Rural districts	119	2	1	
Mississippi:				
Cities		1		
Rural districts	13	3		
Missouri:				
Cities	1	13	1	2
Rural districts	2	1		
Montana:				
Cities	9	11	1	
Rural districts	240	13	8	2
Nebraska:				
Cities	3	2	2	
Rural districts	93	3	1	
New Hampshire:				
Rural districts		1		
New Jersey:				
Cities	1	9		
Rural districts	1	2		
New York:				
Cities	12	143	32	3
Rural districts	49	1	1	
North Carolina:				
Rural districts	155			
Ohio:				
Cities	2	20	1	
Oregon:				
Cities	9	65	29	1
Rural districts	54	15	17	1
Pennsylvania:				
Cities	1	37	1	3
Rural districts	2	2	1	
Rhode Island:				
Cities	1	2		1
South Carolina:				
Rural districts	3			
Tennessee:				
Cities	3			
Utah:				
Cities	2	8	25	
Rural districts	57		26	2
Vermont:				
Cities		1		
Rural districts	2			
Virginia:				
Cities		1	1	1
Rural districts	17	1	5	1
Washington:				
Cities	12	35	135	3
Rural districts	199	7	69	7
Wisconsin:				
Cities	9	3		
Rural districts	156	1		
Washington, D. C	1	7		2
CITIES IN REGISTRATION STATES. [3]				
Fresno, Calif		17	38	1
Los Angeles, Calif	2	49	170	5
Oakland, Calif	3	45	18	
Riverside, Calif	10	3	4	
Sacramento, Calif	2	40	68	4
San Diego, Calif	2	11	8	1
San Francisco, Calif	2	293	90	3
San Jose, Calif		16	9	
Stockton, Calif		50	40	4
Denver, Colo		7	14	
Chicago, Ill	1	45	3	2
New Orleans, La		10	2	
Boston, Mass		18		
New York, N. Y	1	142	31	8
Portland, Oreg	1	52	24	
Philadelphia, Pa	1	17		3
Pittsburgh, Pa		13	1	
Ogden, Utah		6	10	
Salt Lake City, Utah		2	15	
Seattle, Wash	3	26	116	3
Tacoma, Wash	1		11	

[1] Exclusive of stillbirths.
[2] Including District of Columbia.
[3] The only cities shown are those which reported 10 or more deaths of either Indians, Chinese, Japanese, or other colored.

DEATHS OF INDIANS.

The number of deaths of Indians in the registration States in 1921 is 1,725, with a rate of 17.5 per 1,000 population against a corresponding rate of 23.1 in 1920. The rates are crude and therefore of limited value.

Table P shows the States in which most of the deaths of Indians occurred.

Table P

STATE.	DEATHS [1] OF INDIANS.			
	Number.		Rate per 1,000 population.	
	1921	1920	1921	1920
Registration States [2]	1,725	2,289	17.5	23.1
California	241	343	13.8	19.7
Michigan	170	166	32.0	30.1
Minnesota	121	222	13.9	25.4
Montana	249	241	22.7	22.0
Nebraska	96	153	34.4	53.6
North Carolina	155	149	12.5	12.4
Oregon	63	164	14.0	35.9
Utah	59	55	22.3	20.4
Washington	211	342	24.1	38.2
Wisconsin	165	209	17.3	21.8
All other States	195	245	12.5	15.5

[1] Exclusive of stillbirths. [2] Including the District of Columbia.

For the total registration States, the very much lower rate in 1921 (17.5) than in 1920 (23.1) is probably due to the reduction in deaths from influenza and pneumonia; nevertheless, the rate for 1921 is still high, and is largely to be attributed to deaths from tuberculosis and from diseases of the respiratory system. Among those showing lower rates, the greatest decreases appear for Oregon (from 35.9 in 1920 to 14 in 1921), Nebraska (from 53.6 to 34.4), and for Washington (from 38.2 to 24.1).

Four of the 10 States shown have only slightly higher rates in 1921 than in 1920.

DEATHS OF JAPANESE.

In the registration States in 1921 the deaths of Japanese numbered 1,327, with a rate of 11.8 per 1,000 population against a rate of 14 for the corresponding area in 1920. The rates are crude and therefore of limited value.

Table Q shows the distribution of most of these deaths by States.

Table Q

STATE.	DEATHS [1] OF JAPANESE.			
	Number.		Rate per 1,000 population.	
	1921	1920	1921	1920
Registration States [2]	1,327	1,508	11.8	14.0
California	910	1,006	11.9	13.7
Colorado	43	46	17.3	18.6
Oregon	46	58	10.8	13.8
Utah	51	42	16.6	14.1
Washington	204	266	11.3	15.1
All other States	73	90	9.8	12.5

[1] Exclusive of stillbirths. [2] Including the District of Columbia.

DEATHS OF NONRESIDENTS.

Deaths of nonresidents have long been known to be an important factor in the crude death rates of certain places. In health resorts, for example, the number of deaths of nonresidents may be very large, and the same may be true of a city which offers hospital accommodations to an entire State or other large area. Some idea of the relative importance of this factor in the various cities and rural units in the registration area in 1921 may be obtained from Table I B.

Residence has been determined in each case exactly as it was by the census enumerators in taking the population census in 1920.

Briefly stated, the principal points to be considered are as follows:

"Residents" indicates decedents whose "usual place of abode" was in the specified area, whether death occurred there or elsewhere in the registration area. As a rule the "usual place of abode" is the place where a person regularly sleeps.

Nonresidents, therefore, include—

Persons visiting a town.

Transient boarders or lodgers who have some other usual or permanent place of abode.

Students and children living or boarding in towns in order to attend some school or college, but not regarding the place as their home.

Servants or other persons working in town, but not sleeping there.

Decisions for special cases—

(*a*) Civilian employees of the United States are treated as resident at the place where they regularly sleep. For example, employees in the Government offices in Washington who regularly sleep in Washington are treated as resident at Washington, even though they may have "legal residence" elsewhere.

(*b*) Any person who was formerly a resident of the town, but has since become an inmate of an *out of town* asylum, almshouse, home for the aged, reformatory or prison, is treated as resident at the town in which the asylum or prison is located.

(*c*) Persons having an unknown residence should be treated exactly as those having no permanent home or usual place of abode and should be counted as residents of the place in which they die.

(*d*) Inmates of medical or surgical hospitals are usually there only for temporary treatment and are therefore treated as resident at their home towns.

In Table I B (p. 123) the term *transferable nonresidents* refers to deaths of nonresidents which can be transferred to place of residence, i. e., to places within the registration area.

The term *nonresidents not transferable* refers to deaths of nonresidents which can not be transferred to place of residence because the place of residence was outside the registration area.

In the second column are given total deaths including deaths of nonresidents. The figures of the fourth column have been obtained by deducting from the figures of the second column deaths of persons who resided outside the registration unit in which they died, but whose residence was still within the registration area. The figures of the fifth column

have been obtained by adding to those in the fourth column deaths of residents who died elsewhere in the registration area. The figures in column 6 represent those who resided outside the registration unit in which they died and also outside the registration area.

It is a very simple matter to determine from the figures shown what per cent of the total number of deaths in 1921 in any place was due to deaths of nonresidents and how much this nonresident percentage would be reduced if deaths of persons whose residence was in that place, but who died elsewhere in the registration area, were credited to that place.

For example, in Long Branch, N. J., there were 191 deaths of transferable nonresidents, or 53 per cent of the total number of deaths, which is reduced to 49 per cent by crediting to Long Branch 14 deaths of Long Branch residents who died in registration territory outside. It is apparent, however, that this per cent probably would have been reduced somewhat more were it possible to credit to Long Branch deaths of residents dying in nonregistration territory. In Englewood, N. J., there were 76 deaths of transferable nonresidents, or 39 per cent of the total number; this is reduced to 29 per cent if Englewood is credited with 19 deaths of residents who died in registration territory outside. On the other hand, in East Orange, N. J., there were 25 deaths of transferable nonresidents, but 135 residents died in registration territory outside, which, if credited to East Orange, would increase the original total 29 per cent. In Everett, Mass., 14, or 4 per cent of the total number of deaths, were those of transferable nonresidents, but the number of Everett residents who died in registration territory outside was 142, which, if credited to Everett, makes the net total 37 per cent higher than the original total.

If desired, still other calculations can be made by deducting also the deaths given in column 6, and percentages are shown in the last column based upon such more complete corrections.

The last column of the table shows the per cent of the original death rate which must be added or deducted, as the case may be, to obtain the death rate in the registration area of residents only. Extreme caution should be used in interpreting the figures in the table for places near nonregistration territory where residents may have died.

Taking the figures as they stand, it is interesting to note that to correct partially the original rate in this way a reduction of 62 per cent is needed for Rochester, Minn., 39 per cent for St. Petersburg, Fla., and a reduction of 30 per cent or more for such places as Gadsden County, Fla., Ashland, Wis., Shelby County, Ill., and Adams County, Miss.

On the other hand, to correct partially the original rate of Douglas County, Wis., an addition of 48 per cent is needed; and an addition of 35 per cent or more is needed for New Rochelle, N. Y., Revere, Mass., Sarpy County, Nebr., Tonawanda, N. Y., Montclair, N. J., Watertown town, Mass., West Hoboken and Bloomfield, N. J.

Corrections for deaths of nonresidents are needed, not only for the white population, but for the colored as well. For example, for Winn Parish, La., an addition of 29 per cent is needed, and for Gadsden County, Fla., a reduction of 29 per cent, to correct partially the original rate for the colored.

DEATH RATES OF FOREIGN COUNTRIES.

Table R presents the latest available death rates per 1,000 population for the principal European countries and for certain other countries for the specified five-year periods from 1881 to 1915 and the calendar years 1919, 1920, and 1921.

Table R — ANNUAL CRUDE DEATH RATE [1] PER 1,000 POPULATION.

COUNTRY.	1921	1920	1919	1911 to 1915	1906 to 1910	1901 to 1905	1896 to 1900	1881 to 1885	Decrease per cent between 1881 to 1885 and 1911 to 1915.
United States (registration area*)	11.6	13.1	12.9	13.9	15.1	16.2	(2)	(2)	(2)
Australia	9.9	10.5	12.7	10.7	10.7	11.7	12.7	15.7	31.8
Austria	(2)	(2)	20.3	20.4	22.3	24.2	25.6	30.1	32.2
Belgium	(2)	13.5	15.0	14.6	15.9	17.0	18.1	20.6	29.1
Ceylon	31.2	29.6	37.6	30.6	30.8	26.7	27.0	(2)	(2)
Chile	(2)	30.8	34.1	28.9	31.3	30.2	28.8	26.9	[3] 7.4
Denmark	(2)	12.9	13.0	12.9	13.7	14.8	16.4	18.4	29.9
England and Wales	(2)	12.4	13.7	14.3	14.7	16.0	17.7	19.4	26.3
Finland	(2)	15.9	18.9	16.1	17.4	18.6	19.0	22.2	27.5
France	(2)	[4]17.7	[4]19.1	18.7	19.2	19.6	20.7	22.2	15.8
Germany	(2)	[5]15.1	[5]15.5	17.7	17.5	19.9	21.2	25.3	30.0
Ireland	(2)	14.8	17.6	16.8	17.3	17.6	18.1	18.0	6.7
Italy	(2)	(2)	19.0	19.3	21.0	21.9	22.9	27.3	29.3
Jamaica	(2)	25.3	22.2	22.4	24.4	22.6	22.1	(2)	(2)
Japan	(2)	(2)	22.8	20.0	21.0	20.9	20.7	(2)	(2)
Netherlands	11.1	12.0	13.2	12.8	14.3	16.0	17.2	21.4	40.2
New Zealand	8.7	10.2	9.5	9.2	9.8	9.9	9.6	10.9	15.6
Norway	(2)	(2)	17.1	13.3	13.8	14.5	15.6	17.2	22.7
Ontario, Province of	(2)	13.9	11.9	12.3	14.0	13.0	11.6	11.4	[3] 7.9
Scotland	13.6	14.0	15.6	15.7	16.1	17.0	18.0	19.6	19.9
Spain	(2)	[7]23.2	23.3	22.1	24.0	25.9	28.8	32.6	32.2
Sweden	[7]12.4	[7]13.3	[7]14.5	14.0	14.3	15.5	16.1	17.5	20.0
Switzerland	(2)	14.4	14.2	14.3	16.0	17.5	18.1	21.3	32.9
United Kingdom	(2)	12.8	14.3	14.7	15.1	16.3	17.8	19.2	23.4

* Exclusive of Hawaii. [1] Exclusive of stillbirths. [2] Figures not available.
[3] Increase. [4] Figures relate to 77 "departements," not invaded.
[5] Exclusive of that part of the province of Posen surrendered to Poland; also of the district of Memel, Republic of Danzig, surrendered to Poland, and of the territory surrendered to Czechoslovakia, Denmark, and Belgium.
[6] Exclusive of that part of the province of Posen surrendered to Poland.
[7] The figures are provisional.

NOTE.—The rates for 1919 to 1921, are taken from the following reports: Australia, 1919 to 1921—Commonwealth Demography, Australia, 1921; Austria, 1919—Statistical Year Book, Austria, 1921; Belgium, 1919 and 1920—Annuaire Statistique, Belgium, 1919; Ceylon, 1919 to 1921—Annual Report of the Registrar-General, Ceylon, 1921; Chile, 1919 and 1920—Anuario Estadistico, Vol. 1, Demografia, Chile, 1920; Denmark, 1919 and 1920—Annuaire Statistique, Denmark, 1921; England and Wales, Ireland, and the United Kingdom, 1919 and 1920—Annual Report of the Registrar-General, England and Wales, 1920; Finland, 1919 and 1920—Annuaire Statistique, Finland, 1922; France, 1919 and 1920, and Italy and Norway, 1919—Statistique Annuelle du Mouvement de la Population, France, 1920; Germany, 1919 and 1920—Statistical Year Book, Germany, 1922; Jamaica, 1919 and 1920—Annual Report of the Registrar-General, Jamaica, 1920; Japan, 1919—Mouvement de la Population, Empire of Japan, 1919; Netherlands, 1919 to 1921—Statistick van de Sterfte, 1920, and Statistick van den loop der bevolking, Netherlands, 1921; New Zealand, 1919 to 1921—Official Year Book, New Zealand, 1923; the province of Ontario, 1919 and 1920—Report Births, Marriages, and Deaths, Ontario, 1920; Scotland, 1919 to 1921—Annual Report of the Registrar-General, Scotland, 1921; Spain, 1919 and 1920—Anuario Estadistico, Spain, 1920; Sweden, 1919 to 1921—Annuaire Statistique, Sweden, 1922; and Switzerland, 1919 and 1920—Annuaire Statistique, Switzerland, 1921.

Table S presents the crude death rates per 1,000 population for the registration area of the United States and for certain countries for 1900 and for each year from 1903 to 1921. These rates are shown in Diagram 5.

Table S

COUNTRY.	DEATH RATE [1] PER 1,000 POPULATION.																			
	1900	1903	1904	1905	1906	1907	1908	1909	1910	1911	1912	1913	1914	1915	1916	1917	1918	1919	1920	1921
United States (registration area*)	17.6	16.0	16.5	16.0	15.7	16.0	14.8	14.4	15.0	14.2	13.9	14.1	13.6	13.6	14.0	14.3	18.1	12.9	13.1	11.6
Australia	11.8	12.2	11.1	10.9	10.9	11.0	11.1	10.3	10.4	10.7	11.2	10.7	10.5	10.6	11.0	9.7	10.0	12.7	10.5	9.9
Austria	25.4	23.8	23.8	25.1	22.6	22.7	22.5	22.9	21.2	21.9	20.5	20.2	18.1	21.3	20.9	22.9	26.4	20.3	[2]	[2]
Chile	35.6	26.2	27.8	34.9	32.7	29.6	31.6	31.2	31.0	31.1	29.7	30.1	27.8	26.0	26.3	27.7	27.5	34.1	30.8	[2]
England and Wales	18.2	15.5	16.3	15.3	15.5	15.1	14.8	14.6	13.5	14.6	13.3	13.8	14.0	[3] 15.7	[3] 14.4	[3] 14.4	[3] 17.6	13.7	12.4	[2]
France	21.9	19.2	19.4	19.6	19.9	20.2	18.9	19.1	17.8	19.6	17.5	17.7	[4] 19.6	[4] 19.1	[4] 18.1	[4] 18.6	[4] 24.0	[4] 19.1	[4] 17.7	[2]
Germany	22.1	20.0	19.6	19.8	18.2	18.0	18.1	17.2	16.2	17.3	15.6	15.0	19.1	21.4	19.2	[5] 20.5	[5] 24.8	[6] 15.5	[7] 15.1	[2]
Ireland	19.6	17.5	18.0	17.1	16.9	17.6	17.5	17.1	17.1	16.5	16.5	17.1	16.3	17.6	16.3	16.6	17.9	17.6	14.8	[2]
Italy	23.8	22.4	21.2	22.0	20.9	20.9	22.8	21.7	19.9	21.4	18.2	18.7	17.9	20.4	19.7	19.2	32.3	19.0	[2]	[2]
Japan	20.4	20.0	21.2	21.9	20.0	21.0	20.9	21.9	21.1	20.3	19.9	19.4	20.5	20.1	21.5	21.4	26.8	22.8	[2]	[2]
New Zealand	9.4	10.4	9.6	9.3	9.3	11.0	9.6	9.2	9.7	9.4	8.9	9.5	9.3	9.1	9.6	9.6	14.8	9.5	10.2	8.7
Scotland	18.5	16.8	17.1	16.2	16.4	16.6	16.6	15.8	15.3	15.1	15.3	15.5	15.5	17.1	14.6	14.3	16.0	15.4	14.0	13.6
Spain	28.9	24.8	25.5	25.6	25.8	24.2	23.5	23.6	22.9	23.3	21.1	22.1	22.0	22.0	21.3	22.3	33.1	23.3	[8] 23.2	[2]
Sweden	16.8	15.1	15.3	15.6	14.4	14.6	14.9	13.7	14.0	13.8	14.2	13.7	13.8	14.7	13.6	13.4	[8] 17.9	[8] 14.5	[8] 13.3	[8] 12.4
United Kingdom	18.4	15.8	16.6	15.6	15.7	15.5	15.3	15.0	14.0	14.8	13.8	14.3	14.4	[9] 16.0	[9] 14.6	[9] 14.7	[9] 17.4	14.3	12.8	[2]

*Exclusive of Hawaii.
[1] Exclusive of stillbirths.
[2] Figures not available.
[3] Based upon civilian deaths and estimated civilian population.
[4] Figures relate to 77 "departements," not invaded.
[5] Exclusive of Alsace-Lorraine.
[6] Exclusive of that part of the province of Posen surrendered to Poland.
[7] Exclusive of that part of the province of Posen surrendered to Poland; also of the district of Memel, Republic of Danzig, surrendered to Poland, and of the territory surrendered to Czechoslovakia, Denmark, and Belgium.
[8] The figures are provisional.
[9] Including only civilian deaths and population as regards England and Wales.

NOTE.—The rates are taken from the following reports: Australia, 1911 to 1921—Commonwealth Demography, Australia, 1921; Austria, 1913—Annuaire Statistique, France, for 1919 and 1920; Austria, 1914 to 1919—Statistical Year Book, Austria, 1921; Chile, 1915 to 1920—Anuario Estadistico, Vol. 1, Demografia, 1919 and 1920; England and Wales, Ireland, and the United Kingdom, 1900 to 1920—Annual Report of the Registrar-General, England and Wales, 1920; France, 1913 to 1920, and Italy, 1917 to 1919—Statistique Annuelle du Mouvement de la Population, France, 1920; Germany, 1913 to 1920—Statistical Year Book, Germany, 1922; Italy, 1911 to 1916—Annuario Statistico, Italy, 1915, and 1917–1918; Japan, 1911 to 1919—Résumé Statistique, 1921, and Mouvement de la Population, Empire of Japan, 1919; New Zealand, 1900 to 1921—Official Year Book, New Zealand, 1919, and 1923; Scotland, 1900 to 1921—Annual Report of the Registrar-General, Scotland, 1921; Spain, 1900 to 1920—Movement of Population, 1915, and Annuario Estadistico, Spain, 1920; Sweden, 1900 to 1921—Annuaire Statistique, Sweden, 1922; and Australia, Italy, and Japan, 1900 to 1910, Austria, France, and Germany, 1900 to 1912, and Chile, 1900 to 1914—Annual Report of the Registrar-General, England and Wales, 1915.

DIAGRAM 5.—GENERAL DEATH RATES OF THE UNITED STATES (REGISTRATION AREA) AND CERTAIN FOREIGN COUNTRIES FOR EACH OF THE YEARS FROM 1900 TO 1921.



CAUSES OF DEATH.

Rate Tables II, III, and IV, and General Tables 5 to 11 present statistics of causes of death, the data covering the principal factors of area, age, sex, color, and month of death.

DETAILED AND ABRIDGED INTERNATIONAL LISTS.

The International List of Causes of Death is made up of (1) a detailed list which serves as a basis for the specific presentation of deaths from disease and violence, and (2) an abridged list in which many of the titles are consolidations of the headings of the detailed list.

In some instances, where the title headings are identical in the two lists, the causes of death included are not the same. An example of this is title No. 25 of the detailed list, "Other epidemic and endemic diseases." Used in this sense "Other epidemic and endemic diseases" includes only those epidemic and endemic maladies which are not shown separately in titles 1 to 24 of this detailed classification; but when the same expression, "Other epidemic and endemic diseases," is used in reference to the abridged list it signifies a heading of that list which includes titles 3, 4, 12, 13, and 16 to 25 of the detailed list.

Table T shows the distribution of the 1921 deaths by the causes of the abridged list, together with corresponding rates and percentages. In parentheses after each title of the abridged list appears the number, or numbers, corresponding to the included title or titles of the detailed International List.

CHANGES IN THE DETAILED INTERNATIONAL LIST.

The title numbers of the third revision (1921) of the detailed International List are given in the first column of Table U. In the second column are the 1921 revised titles, in the third column, as nearly as can be given, the corresponding 1910 list numbers, and in the fourth column the changes from the inclusions in the Second Reprint of the 1910 Manual. In the fourth column the terms transferred to a title are indicated by plus (+) and followed by the 1910 list numbers, and the terms transferred from a title are indicated by minus (−) and followed by the 1921 list numbers.

For example, the data regarding 1921 title No. 84, Other diseases of the nervous system, shows that this title in the 1921 revised list corresponds to title No. 74 of the 1910 list, with certain exceptions; for example, "Paralysis agitans," which in 1910 was classified under title No. 63, has been transferred to this title, and the term "Hydatid of brain," which was included under this title in 1910, has been transferred to title No. 116 of the 1921 list.

Table T

Abridged Int. List No.	CAUSE OF DEATH.[1]	DEATHS IN REGISTRATION AREA [2]: 1921. Number.	Rate per 100,000 population.	Per cent.
	All causes [3]	1,032,009	1,163.9	100.0
1	Typhoid and paratyphoid fever (1)	8,007	9.0	0.8
2	Typhus fever (2)	12	(4)	(5)
3	Malaria (5)	3,229	3.6	0.3
4	Smallpox (6)	641	0.7	0.1
5	Measles (7)	3,790	4.3	0.4
6	Scarlet fever (8)	4,718	5.3	0.5
7	Whooping cough (9)	8,070	9.1	0.8
8	Diphtheria (10)	15,683	17.7	1.5
9	Influenza (11)	10,193	11.5	1.0
10	Asiatic cholera (14)			
11	Cholera nostras (15)	232	0.3	(5)
12	Other epidemic and endemic diseases (3, 4, 12, 13, 16 to 25)	10,713	12.1	1.0
13	Tuberculosis of the respiratory system (31)	76,298	86.0	7.4
14	Tuberculosis of the meninges and central nervous system (32)	4,281	4.8	0.4
15	Other forms of tuberculosis (33 to 37)	7,556	8.5	0.7
16	Cancer and other malignant tumors (43 to 49)	76,274	86.0	7.4
17	Meningitis (71)	3,684	4.2	0.4
18	Cerebral hemorrhage and softening (74, 83)	74,111	83.6	7.2
19	Diseases of the heart (87 to 90)	139,264	157.1	13.5
20	Acute bronchitis (including unspecified under 5 years of age) (99a, 99c)	4,182	4.7	0.4
21	Chronic bronchitis (including unspecified 5 years and over) (99b, 99d)	3,832	4.3	0.4
22	Pneumonia (101)	43,374	48.9	4.2
23	Other diseases of the respiratory system (tuberculosis excepted) (97, 98, 100, 102 to 107)	43,619	49.2	4.2
24	Diseases of the stomach (cancer excepted) (111, 112)	10,921	12.3	1.1
25a	Diarrhea and enteritis (under 2 years of age) (113)	37,192	41.9	3.6
25b	Diarrhea and enteritis (2 years and over) (114)	8,645	9.7	0.8
26	Appendicitis and typhlitis (117)	12,809	14.4	1.2
27	Hernia, intestinal obstruction (118)	9,509	10.7	0.9
28	Cirrhosis of the liver (122)	6,598	7.4	0.6
29	Acute and chronic nephritis (128, 129)	75,696	85.4	7.3
30	Noncancerous tumors and other diseases of the female genital organs (137 to 141)	5,049	5.7	0.5
31	Puerperal septicemia (146)	6,057	6.8	0.6
32	Other puerperal accidents of pregnancy and labor (143 to 145, 147 to 150)	8,970	10.1	0.9
33	Congenital debility and malformations (159, 160, 161)	69,251	78.1	6.7
34	Senility (164)	10,938	12.3	1.1
35	Violent deaths (suicide excepted) (175 to 203)	68,441	77.1	6.6
36	Suicide (165 to 174)	11,136	12.6	1.1
37	Other diseases (26 to 30, 38 to 42, 50 to 70, 72, 73, 75 to 82, 84 to 86, 91 to 96, 108 to 110, 115, 116, 119 to 121, 123 to 127, 130 to 136, 142, 151 to 158, 162, 163)	134,850	152.1	13.1
38	Unknown or ill-defined diseases (204, 205)	14,184	16.0	1.4

[1] Abridged International List of Causes of Death. The title or titles of the detailed International List that are included under each heading are indicated by numbers in parentheses.
[2] Exclusive of Hawaii.
[3] Exclusive of stillbirths.
[4] Less than one-tenth of 1 per 100,000 population.
[5] Less than one-tenth of 1 per cent.

CHANGES IN THE DETAILED INTERNATIONAL LIST OF CAUSES OF DEATH.

[Some subdivisions of the 1910 title numbers shown below do not appear in the Manual, but have been used by the Census Bureau.]

List number, 1921.	Table U — REVISED TITLE, 1921.	Corresponding list number, 1910.	CHANGES IN INCLUSIONS. [Terms transferred to a title are indicated by plus (+) and are followed by old title numbers in parentheses. Terms transferred from a title are indicated by minus (−) and are followed by new title numbers in parentheses.]
1	Typhoid and paratyphoid fever.	1	
	(a) Typhoid fever	1	Part of.
	(b) Paratyphoid fever	1	Part of.
2	Typhus fever	2	+Mexican typhus (19). +Tabardillo (19).
3	Relapsing fever (spirillum obermeieri).	3	−Malta fever (new title) (4).
4	Malta fever (new title)	3	Part of.
5	Malaria	4	+Malarial cirrhosis (113). +Congestive chill (in malarial regions) (189a).
6	Small-pox	5	
7	Measles	6	
8	Scarlet fever	7	
9	Whooping-cough	8	
10	Diphtheria	9	
11	Influenza	10	
	(a) with pulmonary complications specified.	10	Part of.
	(b) without pulmonary complications specified	10	Part of.
12	Miliary fever	11	
13	Mumps (new title)	19	Part of.
14	Asiatic cholera	12	
15	Cholera nostras	13	
16	Dysentery	14	+Amebic abscess of liver (115). +Tropical abscess of liver (115).
	(a) amebic	14	Part of.
	(b) bacillary	14	Part of.
	(c) unspecified or due to other causes.	14	Part of.
17	Plague	15	
	(a) bubonic	15	Part of.
	(b) pneumonic	15	Part of.
	(c) septicemic	15	Part of.
	(d) unspecified	15	Part of.
18	Yellow fever	16	
19	Spirochetal hemorrhagic jaundice (new title).	111	Part of.
20	Leprosy	17	
21	Erysipelas	18	
22	Acute anterior poliomyelitis (new title).	63a	+Acute ascending spinal paralysis (63b). +Essential paralysis of infancy (63b). +Polioencephalitis (63b).
23	Lethargic encephalitis (new title).		[New term. Not in 1910 Manual].
24	Meningococcus meningitis (new title).	61c	
25	Other epidemic and endemic diseases.	19	+Kala-azar (54). +Negro lethargy (55). +Sleeping sickness (trypanosomiasis) (55). +Trypanosomiasis (55). −Mexican typhus (2). −Tabardillo (2). −Mumps (new title) (13). −Chyluria (filariasis) (42). −Exanthematic fever (42). −Filariasis (42). − of lymphatic gland (42). − vessel (42). − skin (42). −Frambesia (42). −Yaws (42). −Hemoglobinuric fever (131). −Hemoglobinuric fever (nonmalarial) (131)
	(a) Chicken-pox	19	Part of.
	(b) German measles	19	Part of.
	(c) Others under this title	19	Part of.
26	Glanders	21	
27	Anthrax	22	
28	Rabies	23	
29	Tetanus	24	
30	Mycoses	25	+Aspergillosis of lung (98). +Saccharomycete infection (98). +Aphthæ (thrush) (99). +Black tongue (99). +Muguet (99). +Oidium albicans (99). +Parasitic disease of mouth (99). + tongue (99). + stomatitis (99). +Sprue (thrush) (99). +Stomatomycosis (99). +Thrush (99). +California disease (107). +Coccidioidal granuloma (107). +Psilosis (110). +Sprue (psilosis) (110).
31	Tuberculosis of the respiratory system.	28	+Acute bronchopneumonic tuberculosis (29). + phthisis (29). + pneumonic phthisis (29). + tuberculosis (29). + pulmonary miliary tuberculosis (29). + tuberculosis (29). + tuberculosis (29). + tuberculous disease (29). + inflammation (29). + pneumonia (29). + ulcerative tuberculosis (29). +Galloping consumption (29). + phthisis (29).
31	Tuberculosis of the respiratory system.	28	+Galloping tuberculosis (29). +Malignant tuberculosis (29). +Miliary phthisis (29). + tuberculosis of lung (29). +Pernicious tuberculosis (29). +Phthisis florida (29). +Quick consumption (29). +Tuberculosis florida (29). +Typhoid tuberculosis (29). +Lupus of fauces (34). + pharynx (34). +Tuberculosis of fauces (34). + nasal passage (34). + nasopharynx (34). + pharynx (34). + tonsil (34). +Tuberculous pharyngitis (34). + tonsillitis (34). −Plastic bronchitis (99).
32	Tuberculosis of the meninges and central nervous system.	30	+Tuberculosis of medulla (34). + spinal cord (34). +Tuberculous degeneration of spinal cord (34).
33	Tuberculosis of the intestines and peritoneum.	31	−Tuberculosis of the stomach (36). −Tuberculous gastritis (36).
34	Tuberculosis of the vertebral column.	32	
35	Tuberculosis of the joints	33	+Tuberculous rheumatism (48).
36	Tuberculosis of other organs.	34	+Tuberculosis of stomach (31). +Tuberculous gastritis (31). −Lupus of fauces (31). − pharynx (31). −Tuberculosis of fauces (31). − nasal passage (31). − nasopharynx (31). − pharynx (31). − tonsil (31). −Tuberculous pharyngitis (31). − tonsillitis (31). −Tuberculosis of medulla (32). − spinal cord (32). −Tuberculous degeneration of spinal cord (32).
	(a) Tuberculosis of the skin and subcutaneous cellular tissue.	34	Part of.
	(b) Tuberculosis of the bones (vertebral column excepted).	34	Part of.
	(c) Tuberculosis of the lymphatic system (mesenteric and retroperitoneal glands excepted)	34	Part of.
	(d) Tuberculosis of the genitourinary system.	34	Part of.
	(e) Tuberculosis of organs other than the above.	34	Part of.
37	Disseminated tuberculosis	35	+Acute disseminated tuberculosis (new subtitle) (29).
	(a) acute	29	Part of.
	(b) chronic or unspecified	35	
38	Syphilis	37	
39	Soft chancre (new title)	38	Part of.
40	Gonococcus infection	38	−Soft chancre (new title) (39).
41	Purulent infection, septicemia.	20	+Emphysematous gangrene (142). −Cowpox (42). −Vaccinia (42). −Infected wound (202).
42	Other infectious diseases (new title).	19 20	Part of. +Infectious disease (189a).
43	Cancer and other malignant tumors of the buccal cavity.	39	−Cancer of submaxillary gland (49).
44	Cancer and other malignant tumors of the stomach, liver.	40	+Cancer of fauces (45). + gullet (45). + throat (45).
45	Cancer and other malignant tumors of the peritoneum, intestines, rectum.	41	
46	Cancer and other malignant tumors of the female genital organs.	42	−Hydatid mole (143c). −Hydatidiform mole (143c).
47	Cancer and other malignant tumors of the breast.	43	+Paget's disease of nipple (133).
48	Cancer and other malignant tumors of the skin.	44	+Cancer of eye-lid (45). − nasopharynx (49).
49	Cancer and other malignant tumors of other or unspecified organs.	45	+Cancer of submaxillary gland (39). + nasopharynx (44). +Myelomatosis (146). −Cancer of fauces (44). − gullet (44). − throat (44). − eye-lid (48).
50	Benign tumors and tumors not returned as malignant (tumors of the female genital organs excepted).	46	+Adrenal adenoma (52). +Cyst of adrenal (52). +New growth of adrenal (52). +Tumor of adrenal (52). +Lymphadenoma of lymphatic gland (53). +Cerebrospinal tumor (63b).

CHANGES IN THE DETAILED INTERNATIONAL LIST OF CAUSES OF DEATH—Continued.

[Some subdivisions of the 1910 title numbers shown below do not appear in the Manual, but have been used by the Census Bureau.]

List number, 1921.	Table U—Con. REVISED TITLE, 1921.	Corresponding list number, 1910.	CHANGES IN INCLUSIONS. [Terms transferred to a title are indicated by plus (+) and are followed by old title numbers in parentheses. Terms transferred from a title are indicated by minus (—) and are followed by new title numbers in parentheses.]
50	Benign tumors and tumors not returned as malignant (tumors of the female genital organs excepted).	46	+Intraspinal tumor (63b). +New growth of membrane of spinal cord (63b). + spinal cord (63b). +Spinal tumor (63b). +Tumor of spinal cord (63b). + meninges (63b). +Neuroma (74). +New growth of nerve (74). +Tumor of nerve (74). +Exostosis of ear (76). +New growth of ear (76). +Polypus of ear (76). +Tumor of ear (76). +New growth of pericardium (77). +New growth of heart (79). +Venous angioma (83). +Chyle cyst of mesentery (84). +Cyst arising in lymphatic space (84). + of lymphatic gland (84). + vessel (84). + thymus gland (84). +New growth of lymphatic gland (84). + vessel (84). + thymus gland (84). +Tumor of thymus gland (84). +Ecchondrosis of nose (86). +Exostosis of nose (86). +Fibroma of nasal fossa (86). +Nasal growth (86). + polypus (86). +Nasopharyngeal fibroma (86). + growth (86). + polypus (86). + tumor (86). +New growth of nasopharynx (86). + nose (86). +Polypus of nasal fossa (86). + nasopharynx (86). + nose (86) +Tumor of nasal fossa (86). + passage (86). + nose (86). +Fibrous tumor of larynx (87). +Growth in larynx (87). +New growth of larynx (87). +Papilloma of larynx (87). +Polypus of larynx (87). +Tumor of epiglottis (87). + larynx (87). +Thyrolingual cyst (88). +Tumor of parathyroid gland (88). +Cyst of bronchi (90). +New growth of bronchi (98). + lung (98). + pleura (98). + trachea (98). +Pulmonary tumor (98). +Tumor of bronchi (98). + lung (98). + pleura (98). + trachea (98). +Angioma of mouth (99). +Cyst of lip (99). + mouth (99). + salivary gland (99). + tongue (99). +Epulis (99). +Gaseous tumor of parotid (99). +Lingual hematoma (99). +New growth of gum (99). + mouth (99). + salivary gland (99). + tongue (99). +Odontoma (99). +Parotid tumor (99). +Tumor of gum (99). + lip (99). + mouth (99). + parotid gland (99). + salivary gland (99). + tongue (99). +New growth of fauces (100). + pharynx (100). + tonsil (100). +Specific growth in throat (100). +Tumor of fauces (100). + pharynx (100). + throat (100). + tonsil (100). + uvula (100). +New growth of esophagus (101). +Tumor of esophagus (101). +New growth of stomach (103). +Tumor of stomach (nonmalignant) (103). +New growth of anus (110). +New growth of rectum (110).
51	Acute rheumatic fever	47	—Multiple lymphoma (65). —Rheumatic arthritis (52). —Schönlein's disease (69).
52	Chronic rheumatism, osteoarthritis, gout.	48	+Rheumatic arthritis (47). +Arthritis (147). +Polyarthritis (nonvertebral) (147). —Tuberculous rheumatism (35).
53	Scurvy	49	—Werlhoff's disease (69).
54	Pellagra	26	
50	Benign tumors and tumors not returned as malignant (tumors of the female genital organs excepted.)	46	+Polypus of rectum (110). +Tumor of anus (110). + intestine (110). + rectum (110). +Cyst of gall-bladder (115) + gall-duct (115). + liver (115). +Fibroid tumor of liver (115). +New growth of gall-bladder (115). + gall-duct (115). + liver (115). +Tumor of bile-duct (115). + gall-bladder (115). + gall-duct (115). + liver (115). +Cyst of spleen (116). +Fibroid growth of spleen (116). +New growth of spleen (116). +Cyst of mesentery (117). + peritoneum (117). +Tumor of peritoneum (117). +Cyst of pancreas (118). +New growth of pancreas (118). +Tumor of pancreas (118). +Cyst of kidney (122). + ureter (122). +New growth of kidney (122). +Paranephric tumor (122). +Perinephric tumor (122). +Renal cyst (122). +Tumor of kidney (122). +Fibroma of bladder (124). +New growth of bladder (124). +Papilloma of bladder (124). +Tumor of bladder (124). +Villous tumor of bladder (124). +New growth of urethra (125). +Tumor of urethra (125). +Cyst of epididymis (127). + testicle (127). +Dermoid cyst of testicle (127). +Malassez's disease (127). +New growth of penis (127). + scrotum (127). + spermatic cord (127). + testicle (127). +Tumor of penis (127). + scrotum (127). + spermatic cord (127). + testicle (127) +Cyst of breast (133.) + mammary gland (133). +New growth of breast (133). + mammary gland (133). + nipple (133). +Tumor of breast (133). + mammary gland (133). + nail (145). + skin (145) +Cyst of bone (146). + jaw (146). +Exostosis (146). +New growth of accessory sinus (146). + bone (146). + jaw (146). + spine (146). +Osseous tumor (146). +Osteochondroma (146). +Osteoma (146). +Sacrococcygeal tumor (146). +Symmetrical exostosis (146). + osteoma (146). +Tumor of accessory sinus (146). + bone (146). + cranium (146). + jaw (146). + skull (146). + spine (146). +Cyst of joint (147). +New growth of joint (147). +Tumor of joint (147). +Bursal cyst (149). +New growth of bursa (149). + tendon (149). +Tumor of bursa (149). + cartilage (149). + fascia (149). + tendon (149).

CHANGES IN THE DETAILED INTERNATIONAL LIST OF CAUSES OF DEATH—Continued.

[Some subdivisions of the 1910 title numbers shown below do not appear in the Manual, but have been used by the Census Bureau.]

List number, 1921.	Table U—Con. REVISED TITLE, 1921.	Corresponding list number, 1910.	CHANGES IN INCLUSIONS. [Terms transferred to a title are indicated by plus (+) and are followed by old title numbers in parentheses. Terms transferred from a title are indicated by minus (—) and are followed by new title numbers in parentheses.]
55	Beriberi	27	
56	Rickets	36	—Angular curvature of spine (155). — deformity of spine (155). —Anterior curvature of spine (155). —Curvature of spine (155). —Hypertrophic osteoarthropathy (155). —Kyphoscoliosis (155). —Kyphosis (155). —Lateral curvature of spine (155). —Lordosis (155). —Mollities ossium (155). —Osteoarthropathy (155). —Osteomalacia (155). —Posterior curvature of spine (155). —Pulmonary osteoarthropathy (155). —Scoliosis (155). —Softening of bone (155).
57	Diabetes mellitus	50	—Acetonemia (69).
58	Anemia, chlorosis	54	—Kala-azar (25). —Griesinger's disease (115).
	(a) Pernicious anemia	54	Part of.
	(b) Other anemias and chlorosis.	54	Part of.
59	Diseases of the pituitary gland (new title).	55 74	Part of.
60	Diseases of the thyroid gland.	51 88	+Cretinism (74).
			—Thyrolingual cyst (50). —Tumor of parathyroid gland (50).
	(a) Exophthalmic goiter.	51	+Hyperthyroidism (88).
	(b) Other diseases of the thyroid gland.	88	+Cretinism (74). —Thyrolingual cyst (50). —Tumor of parathyroid gland (50). —Hyperthyroidism (60a).
61	Diseases of the parathyroid glands (new title).	74	Part of.
62	Diseases of the thymus gland (new title).	84	Part of. +Congenital enlargement of thymus (150c).
63	Diseases of the adrenals (Addison's disease).	52	—Adrenal adenoma (50). —Cyst of adrenal (50). —New growth of adrenal (50). —Tumor of adrenal (50).
64	Diseases of the spleen	116	—Cyst of spleen (50). —Fibroid growth of spleen (50). —New growth of spleen (50). —Hydatid cyst of spleen (116).
65	Leukemia and Hodgkin's disease.	53	+Multiple lymphoma (46). —Lymphadenoma of lymphatic gland (50). —Leukocytosis (205a).
	(a) Leukemia	53	Part of.
	(b) Hodgkin's disease	53	Part of.
66	Alcoholism (acute or chronic).	56	+Alcoholic wet brain (64). +Wet brain (64).
67	Chronic poisoning by mineral substances (new title).	57 58 59	Part of.
	(a) Chronic lead poisoning	57	
	(b) Others under this title.	58 59	Part of.
68	Chronic poisoning by organic substances (new title).	58 59	Part of.
69	Other general diseases	55	+Schönlein's disease (47). +Werlhoff's disease (49). +Acetonemia (50). +Peliosis rheumatica (145). +Hemophilia of joint (147). —Negro lethargy (25). —Sleeping sickness (trypanosomiasis)(25). —Trypanosomiasis (25). —Acromegaly (59). — of jaw (59). —Gigantism (59).
70	Encephalitis	60	—Traumatic encephalitis (202). — inflammation of brain (202).
71	Meningitis	61a 61b	+Myelomeningitis (63b). +Hematoma of dura mater (64). +Hemorrhagic pachymeningitis (64). +Bell's mania (68). [NOTE.—1910 subtitle number 61c becomes new title 24, Meningococcus meningitis.]
	(a) Simple meningitis	61a	+Myelomeningitis (63b). +Hematoma of dura mater (64). +Hemorrhagic pachymeningitis (64). +Bell's mania (68).
	(b) Nonepidemic cerebrospinal meningitis.	61b	
72	Tabes dorsalis (locomotor ataxia).	62	—Degeneration of lateral and posterior columns of spinal cord (73). —Posterior lateral sclerosis (73). —Posterolateral sclerosis (73). — of spinal cord (73). —Taboparalysis (76). —Taboparesis (76).
73	Other diseases of the spinal cord.	63b	+Degeneration of lateral and posterior columns of spinal cord (62). +Posterior lateral sclerosis (62).
73	Other diseases of the spinal cord.	63b	+Posterolateral sclerosis (62). + of spinal cord (62). +Ataxic paraplegia (66). +Polioencephalitis inferior (74). +Idiopathic muscular atrophy (149). —Acute ascending spinal paralysis (22). —Essential paralysis of infancy (22). —Poliocencephalitis (22). —Cerebrospinal tumor (50). —Intraspinal tumor (50). —New growth of membrane of spinal cord (50). — spinal cord (50). —Spinal tumor (50). —Tumor of spinal cord (50). — meninges (50). —Myelomeningitis (71a). —Acute superior polioencephalitis (84). —Cerebrospinal sclerosis (84). —Disseminated cerebrospinal sclerosis (84). — sclerosis (84). — of spinal cord (84). —General sclerosis (84). —Insular sclerosis (84). —Multiple cerebrospinal sclerosis (84). — sclerosis (84). — of spinal cord (84). — spinal sclerosis (84). —Paralysis agitans (84). —Parkinson's disease (84). —Sclerosis in plaques (84). —Shaking palsy (84). —Shaking paralysis (84). —Trembling paralysis (84). [Note.—1910 subtitle number 63a becomes new title 22, Acute anterior poliomyelitis.]
74	Cerebral hemorrhage, apoplexy.	64	+Cerebral embolism and thrombosis (new subtitle) (82). —Alcoholic wet brain (66). —Wet brain (66). —Hematoma of dura mater (71a). —Hemorrhagic pachymeningitis (71a). — encephalitis (84). —Atheroma of brain (91). —Cerebral atheroma (91).
	(a) Cerebral hemorrhage.	64	—Alcoholic wet brain (66). —Wet brain (66). —Hematoma of dura mater (71a). —Hemorrhagic pachymeningitis (71a). — encephalitis (84). —Atheroma of brain (91). —Cerebral atheroma (91).
	(b) Cerebral embolism and thrombosis.	82	Part of.
75	Paralysis without specified cause.	66	—Ataxic paraplegia (73).
	(a) Hemiplegia	66	Part of.
	(b) Others under this title.	66	Part of.
76	General paralysis of the insane.	67	+Taboparalysis (62). +Taboparesis (62). +Juvenile paresis (74). —Alcoholic paralysis (82). —Chronic alcoholic paralysis (82). —General alcoholic paralysis (82).
77	Other forms of mental alienation.	68	—Bell's mania (71a). —Traumatic psychosis (202).
78	Epilepsy	69	
79	Convulsions (nonpuerperal; 5 years and over).	70	
80	Infantile convulsions (under 5 years of age).	71	
81	Chorea	72	
82	Neuralgia and neuritis	73	+Alcoholic paralysis (67). +Chronic alcoholic paralysis (67). +General alcoholic paralysis (67). +Catalepsy (74). +Hemicrania (74). +Migraine (74). +Paralysis of diaphragm (74). + gastric nerve (74). + phrenic nerve (74). + pneumogastric nerve (74). + vagus (74).
83			+Somnambulism (74).
84			+Vasomotor paralysis (74).
	Softening of the brain	65	
	Other diseases of the nervous system.	74	+Acute superior polioencephalitis (63b). +Cerebrospinal sclerosis (63b). +Disseminated cerebrospinal sclerosis (63b). + sclerosis (63b). + of spinal cord (63b). +General sclerosis (63b). +Insular sclerosis (63b). +Multiple cerebrospinal sclerosis (63b). + sclerosis (63b). + of spinal cord (63b). + spinal sclerosis (63b).

CHANGES IN THE DETAILED INTERNATIONAL LIST OF CAUSES OF DEATH—Continued.

[Some subdivisions of the 1910 title numbers shown below do not appear in the Manual, but have been used by the Census Bureau.]

List number, 1921.	Table U—Con. REVISED TITLE, 1921.	Corresponding list number, 1910.	CHANGES IN INCLUSIONS. [Terms transferred to a title are indicated by plus (+) and are followed by old title numbers in parentheses. Terms transferred from a title are indicated by minus (—) and are followed by new title numbers in parentheses.]
84	Other diseases of the nervous system.	74	+Paralysis agitans (63b). +Parkinson's disease (63b). +Sclerosis in plaques (63b). +Shaking palsy (63b). + paralysis (63b). +Trembling paralysis (63b). +Hemorrhagic encephalitis (64). +Myotonia congenita (149). +Thomsen's disease (149). —Neuroma (50). —New growth of nerve (50). —Tumor of nerve (50). — hypophysis (59). — pituitary body (59). —Cretinism (60b). —Diseases of the parathyroid glands (new title) (61). —Poliocencephalitis inferior (73). —Juvenile paresis (76). —Catalepsy (82). —Hemicrania (82). —Migraine (82). —Paralysis of diaphragm (82). — gastric nerve (82). — phrenic nerve (82). — pneumogastric nerve (82). — vagus (82). —Somnambulism (82). —Vasomotor paralysis (82). —Cysticercus of brain (116). —Hydatid of brain (116). —Bends (202). —Caisson disease (202). —Divers' palsy (202). — paralysis (202). —Erichsen's disease (202). —Traumatic epilepsy (202). — neurasthenia (202). — neurosis (202). —Cephalalgia (205a).
85	Diseases of the eye and annexa.	75	
86	Diseases of the ear and of the mastoid process.	76 146	Part of.
	(a) Diseases of the ear	76	—Exostosis of ear (50). —New growth of ear (50). —Polypus of ear (50). —Tumor of ear (50). —Foreign body in ear (202).
	(b) Diseases of the mastoid process.	146	Part of.
87	Pericarditis	77	—New growth of pericardium (50). —Chronic mediastinitis (107b). —Mediastinitis (107b).
88	Endocarditis and myocarditis (acute).	78	+Ulceration of valve of heart (79). —Endocarditis (unqualified 45 to 59 years of age) (90). —Endopericarditis (unqualified 45 years and over) (90). —Inflammation of myocardium (unqualified 45 years and over) (90). —Mitral endocarditis (unqualified 45 years and over) (90). —Myocarditis (unqualified 45 to 59 years of age) (90). —Myoendocarditis (unqualified 45 to 59 years of age) (90). —Myopericarditis (unqualified 45 years and over) (90). —Periendocarditis (unqualified 45 years and over) (90). —Valvular endocarditis (unqualified 45 years and over) (90). —Vegetative endocarditis (unqualified 45 years and over) (90).
89	Angina pectoris	80	
90	Other diseases of the heart	79	+Endocarditis (unqualified 45 to 59 years of age) (78). +Endopericarditis (unqualified 45 years and over) (78). +Inflammation of myocardium (unqualified 45 years and over) (78). +Mitral endocarditis (unqualified 45 years and over) (78). +Myocarditis (unqualified 45 to 59 years of age) (78). +Myoendocarditis (unqualified 45 to 59 years of age) (78). +Myopericarditis (unqualified 45 years and over) (78). +Periendocarditis (unqualified 45 years and over) (78). +Valvular endocarditis (unqualified 45 years and over) (78). +Vegetative endocarditis (unqualified 45 years and over) (78). +Adams-Stokes' disease (85). +Arhythmia cordis (85). +Brachycardia (85). +Bradycardia (85). +Cardiac palpitation (85). +Functional disease of heart (85).
90	Other diseases of the heart	79	+Heart-block (85). +Irregular action of heart (85). +Palpitation of heart (85). +Paroxysmal tachycardia (85). +Stokes-Adams' disease (85). +Tachycardia (85). +Imperfect heart (1 year and over) (150b). + valve (1 year and over) (150b). —New growth of heart (50). —Ulceration of valve of heart (88). —Cardiac arteriosclerosis (91). —Cardiovascularrenal disease (129). —Congenital cardiac insufficiency (1 year and over) (159b).
91	Diseases of the arteries	81	+Atheroma of brain (64). +Cerebral atheroma (64). +Cardiac arteriosclerosis (79). —Hyperpiesis (96).
	(a) Aneurysm	81	Part of.
	(b) Arteriosclerosis	81	Part of.
	(c) Other diseases of the arteries.	81	Part of.
92	Embolism and thrombosis (not cerebral).	82	+Air embolism (186). —Cerebral embolism and thrombosis (new subtitle) (74b).
93	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).	83	+Portal phlebitis (115). —Venous angioma (50). —Varix of bladder (133).
94	Diseases of the lymphatic system (lymphangitis, etc.).	84	+Abscess of cervical gland (144). +Infection of axillary gland (189a). —Chyle cyst of mesentery (50). —Cyst arising in lymphatic space (50). — of lymphatic gland (50). — vessel (50). — thymus gland (50). —New growth of lymphatic gland (50). — vessel (50). — thymus gland (50). —Tumor of thymus gland (50). —Diseases of the thymus gland (new title) (62).
95	Hemorrhage without specified cause.	85	Part of. —Hemorrhage of nose (under 1 month) (162).
96	Other diseases of the circulatory system.	85	Part of. +Hyperpiesis (81). —Adams-Stokes' disease (90). —Arhythmia cordis (90). —Brachycardia (90). —Bradycardia (90). —Cardiac palpitation (90). —Functional disease of heart (90). —Heart-block (90). —Irregular action of heart (90). —Palpitation of heart (90). —Paroxysmal tachycardia (90). —Stokes-Adams' disease (90). —Tachycardia (90).
97	Diseases of the nasal fossæ and their annexa.	86 146	Part of.
	(a) Diseases of the nasal fossæ.	86	—Ecchondrosis of nose (50). —Exostosis of nose (50). —Fibroma of nasal fossa (50). —Hematoma of nasal septum (202). —Nasal growth (50). — polypus (50). —Nasopharyngeal fibroma (50). — growth (50). — polypus (50). — tumor (50). —New growth of nasopharynx (50). — nose (50). —Polypus of nasal fossa (50). — nasopharynx (50). — nose (50). —Tumor of nasal fossa (50). — passage (50). — nose (50). —Adenoid vegetations (new subtitle) (109a). —Foreign body in nose (202).
	(b) Others under this title.	146	Part of.
98	Diseases of the larynx	87	—Fibrous tumor of larynx (50). —Growth in larynx (50) —New growth of larynx (50). —Papilloma of larynx (50). —Polypus of larynx (50). —Tumor of epiglottis (50). — larynx (50).
99	Bronchitis	89 90	+Plastic bronchitis (28). —Cyst of bronchi (50). —Capillary bronchitis (new subtitle) (100b). —Asthmatic catarrh (105).
	(a) acute	98	Part of.
	(b) chronic	90	Part of.
	(c) unspecified (under 5 years of age).	89	Part of.
	(d) unspecified (5 years and over).	90	Part of.

CHANGES IN THE DETAILED INTERNATIONAL LIST OF CAUSES OF DEATH—Continued.

[Some subdivisions of the 1910 title numbers shown below do not appear in the Manual, but have been used by the Census Bureau.]

List number, 1921.	Table U—Con. REVISED TITLE, 1921.	Corresponding list number, 1910.	CHANGES IN INCLUSIONS. [Terms transferred to a title are indicated by plus (+) and are followed by old title numbers in parentheses. Terms transferred from a title are indicated by minus (−) and are followed by new title numbers in parentheses.]
100	Bronchopneumonia	91	+Capillary bronchitis (new subtitle) (89, 90).
	(a) Bronchopneumonia	91	
	(b) Capillary bronchitis	89, 90	Part of.
101	Pneumonia	92	−Traumatic pneumonia (202).
	(a) lobar	92a	+Acute pleuropneumonia (92b). +Apex pneumonia (92b). +Apical pneumonia (92b). +Double pleuropneumonia (92b). +Intermittent pneumonia (92b). +Migratory pneumonia (92b). +Peripneumonia (92b). +Pleuroperipneumonia (92b). +Pleuropneumonia (92b). +Pneumococcus pneumonia (92b). +Pneumopleurisy (92b). +Pneumopleuritis (92b). +Splenopneumonia (92b).
	(b) unspecified	92b	−Acute pleuropneumonia (101a). −Apex pneumonia (101a). −Apical pneumonia (101a). −Double pleuropneumonia (101a). −Intermittent pneumonia (101a). −Migratory pneumonia (101a). −Peripneumonia (101a). −Pleuroperipneumonia (101a). −Pleuropneumonia (101a). −Pneumococcus pneumonia (101a). −Pneumopleurisy (101a). −Pneumopleuritis (101a). −Splenopneumonia (101a). −Traumatic pneumonia (202).
102	Pleurisy	93	
103	Congestion and hemorrhagic infarct of the lung.	94	
104	Gangrene of the lung	95	
105	Asthma	96	+Asthmatic catarrh (90).
106	Pulmonary emphysema	97	
107	Other diseases of the respiratory system (tuberculosis excepted).	98	+Diseases of the mediastinum (new subtitle) (77, 144). −Aspergillosis of lung (30). −Saccharomycete infection (30). −New growth of bronchi (50). − lung (50). − pleura (50). − trachea (50). −Pulmonary tumor (50). −Tumor of bronchi (50). − lung (50). − pleura (50). − trachea (50). −Cysticercus of lung (116). −Hydatid cyst of lung (116). − of lung (116). − tumor of lung (116).
	(a) Chronic interstitial pneumonia, including occupational diseases of the respiratory system.	98	Part of.
	(b) Diseases of the mediastinum (new subtitle)	77, 144	Part of.
	(c) Others under this title.	98	Part of.
108	Diseases of the mouth and annexa.	99	+Angina ludovici (100). +Ludwig's angina (100). + disease (100). −Aphthæ (thrush) (30). −Black tongue (30). −Muguet (30). −Oidium albicans (30). −Parasitic disease of mouth (30). − tongue (30). − stomatitis (30). −Sprue (thrush) (30). −Stomatomycosis (30). −Thrush (30). −Angioma of mouth (50). −Cyst of lip (50). − mouth (50). − salivary gland (50). − tongue (50). −Epulis (50). −Gaseous tumor of parotid (50). −Lingual hematoma (50). −New growth of gum (50). − mouth (50). − salivary gland (50). − tongue (50). −Odontoma (50). −Parotid tumor (50). −Tumor of gum (50). − lip (50). − mouth (50). − parotid gland (50). − salivary gland (50). − tongue (50).
109	Diseases of the pharynx and tonsils (including adenoid vegetations).	86, 100	Part of.
	(a) Adenoid vegetations	86	Part of.
	(b) Others under this title.	100	−New growth of fauces (50). − pharynx (50). − tonsil (50). −Specific growth in throat (50). −Tumor of fauces (50). − pharynx (50). − throat (50). − tonsil (50). − uvula (50). −Angina ludovici (108). −Ludwig's angina (108). − disease (108). −Foreign body impacted in pharynx (202).
110	Diseases of the esophagus	101	−New growth of esophagus (50). −Tumor of esophagus (50). −Foreign body in esophagus (202).
111	Ulcer of the stomach and duodenum.	102, 104, 105	Part of.
	(a) Ulcer of the stomach.	102	
	(b) Ulcer of the duodenum.	104, 105	Part of.
112	Other diseases of the stomach (cancer excepted).	103	−New growth of stomach (50). −Tumor of stomach (nonmalignant) (50). −Obstruction of pylorus (under 6 months) (159c). −Pylorospasm (under 6 months) (159c). −Stenosis of pylorus (under 6 months) (159c). −Stricture of pylorus (under 6 months) (159c). −Hematemesis (under 1 month) (162). −Foreign body in stomach (202).
113	Diarrhea and enteritis (under 2 years of age).	104	−Ulcer of the duodenum (new subtitle) (111b). −Flagellate diarrhea (116).
114	Diarrhea and enteritis (2 years and over).	105	−Ulcer of the duodenum (new subtitle) (111b). −Flagellate diarrhea (116).
115	Ancylostomiasis	106	+Griesinger's disease (54).
116	Diseases due to other intestinal parasites.	107	+Cysticercus of brain (74). +Hydatid of brain (74). +Cysticercus of lung (98). +Hydatid cyst of lung (98). + of lung (98). + tumor of lung (98). +Flagellate diarrhea (104) (105). +Cysticercus cellulosæ (112). +Hydatid cyst of spleen (116). + kidney (122). + breast (133). −California disease (30). −Coccidioidal granuloma (30).
	(a) Cestodes (hydatids of the liver excepted).	107	Part of.
	(b) Trematodes	107	Part of.
	(c) Nematodes (other than ancylostoma).	107	Part of.
	(d) Coccidia	107	Part of.
	(e) Other parasites specified.	107	Part of.
	(f) Parasites not specified.	107	Part of.
117	Appendicitis and typhlitis.	108	+Foreign body in appendix (110).
118	Hernia, intestinal obstruction.	109	+Adhesion of intestine (110). −Congenital hernia (159c). − inguinal hernia (159c). − rupture (159c).
	(a) Hernia	109a	−Congenital hernia (159c). − inguinal hernia (159c). − rupture (159c).
	(b) Intestinal obstruction.	109b	+Adhesion of intestine (110).
119	Other diseases of the intestines.	110	−Psilosis (30). −Sprue (psilosis) (30) −New growth of anus (50). − rectum (50). −Polypus of rectum (50). −Tumor of anus (50). − intestine (50). − rectum (50). −Adhesion of intestine (118b). −Foreign body in appendix (117). −Melena (under 3 months) (162). −Foreign body in alimentary canal (202). − intestine (202). − rectum (202).
120	Acute yellow atrophy of the liver.	111	−Spirochetal hemorrhagic jaundice (new title) (19).
121	Hydatid tumor of the liver.	112	−Cysticercus cellulosæ (116).
122	Cirrhosis of the liver	113	+Hypertrophic hepatitis (115). −Malarial cirrhosis (5).
	(a) specified as alcoholic	113	Part of.
	(b) not specified as alcoholic.	113	Part of.

CHANGES IN THE DETAILED INTERNATIONAL LIST OF CAUSES OF DEATH—Continued.

[Some subdivisions of the 1910 title numbers shown below do not appear in the Manual, but have been used by the Census Bureau.]

List number, 1921.	Table U—Con. REVISED TITLE, 1921.	Corresponding list number, 1910.	CHANGES IN INCLUSIONS. [Terms transferred to a title are indicated by plus (+) and are followed by old title numbers in parentheses. Terms transferred from a title are indicated by minus (−) and are followed by new title numbers in parentheses.]
123	Biliary calculi	114	
124	Other diseases of the liver	115	−Amebic abscess of liver (16). −Tropical abscess of liver (16). −Cyst of gall-bladder 50). − gall-duct (50). − liver (50). −Fibroid tumor of liver (50). −New growth of gall-bladder (50). − gall-duct (50). − liver (50). −Tumor of bile-duct (50). − gall-bladder (50). − gall-duct (50). − liver (50). −Portal phlebitis (93). −Hypertrophic hepatitis (122).
125	Diseases of the pancreas (new title).	118	Part of.
126	Peritonitis without specified cause.	117	+Abdominal abscess (118). +Abscess of abdomen (118). +Subdiaphragmatic abscess (118). +Subphrenic abscess (118). −Cyst of mesentery (50). − peritoneum (50). −Tumor of peritoneum (50). −Metroperitonitis (nonpuerperal) (141). −Foreign body in peritoneum (202). −Traumatic peritonitis (202).
127	Other diseases of the digestive system (cancer and tuberculosis excepted).	118	−Cyst of pancreas (50). −New growth of pancreas (50). −Tumor of pancreas (50). −Diseases of the pancreas (new title) (125). −Abdominal abscess (126). −Abscess of abdomen (126). −Subdiaphragmatic abscess (126). −Subphrenic abscess (126).
128	Acute nephritis (including unspecified under 10 years of age).	119	+Croupous nephritis (120). +Postoperative nephritis (120). + uremia (120). +Unspecified under 10 years of age: Albuminous nephritis (120). Albuminuria (120). Albuminuric retinitis (120). Bright's disease (120). Catarrhal nephritis (120). Diffuse interstitial nephritis (120). nephritis (120). Epithelial nephritis (120). Exudative nephritis (120). Hemorrhagic nephritis (120). Inflammation of kidney (120). Interstitial nephritis (120). Nephritis (120). Parenchymatous nephritis (120). Renal albuminuria (120). asthma (120). dropsy (120). retinitis (120). Tubal nephritis (120). Tubular nephritis (120). Uremia (120). Uremic aphasia (120). apoplexy (120). coma (120). convulsions (120). delirium (120). dementia (120). dropsy (120). dyspnea (120). eclampsia (120). fever (120). intoxication (120). mania (120). paralysis (120). poisoning (120). toxemia (120). vomiting (120).
129	Chronic nephritis (including unspecified 10 years and over).	120	+Cardiovascularrenal disease (79). −Croupous nephritis (128). −Postoperative nephritis (128). − uremia (128). −Unspecified under 10 years of age: Albuminous nephritis (128). Albuminuria (128). Albuminuric retinitis (128). Bright's disease (128). Catarrhal nephritis (128). Diffuse interstitial nephritis (128). nephritis (128). Epithelial nephritis (128). Exudative nephritis (128). Hemorrhagic nephritis (128). Inflammation of kidney (128). Interstitial nephritis (128). Nephritis (128). Parenchymatous nephritis (128). Renal albuminuria (128). asthma (128). dropsy (128). retinitis (128).
129	Chronic nephritis (including unspecified 10 years and over).	120	−Unspecified under 10 years of age: Tubal nephritis (128). Tubular nephritis (128). Uremia (128). Uremic aphasia (128). apoplexy (128). coma (128). convulsions (128). delirium (128). dementia (128). dropsy (128). dyspnea (128). eclampsia (128). fever (128). intoxication (128). mania (128). paralysis (128). poisoning (128). toxemia (128). vomiting (128). −Purulent nephritis (131). −Septic nephritis (131).
		121	− uremia (131).
130	Chyluria		
131	Other diseases of the kidneys and annexa.	122	+Hemoglobinuric fever (19). + (nonmalarial) (19) +Purulent nephritis (120). +Septic nephritis (120). + uremia (120). −Cyst of kidney (50). − ureter (50). −New growth of kidney (50). −Paranephric tumor (50). −Perinephric tumor (50). −Renal cyst (50). −Tumor of kidney (50). −Hydatid cyst of kidney (116).
132	Calculi of the urinary passages.	123	
133	Diseases of the bladder	124	+Varix of bladder (83). −Fibroma of bladder (50). −New growth of bladder (50). −Papilloma of bladder (50). −Tumor of bladder (50). −Villous tumor of bladder (50). −Foreign body in bladder (202).
134	Diseases of the urethra, urinary abscess, etc.	125	−New growth of urethra (50). −Tumor of urethra (50). −Foreign body in urethra (202). −Traumatic stricture of urethra (202). − urethral fever (202).
	(a) Stricture of the urethra.	125	Part of.
	(b) Others under this title.	125	Part of.
135	Diseases of the prostate	126	
136	Nonvenereal diseases of the male genital organs.	127	+Phimosis (150c). −Cyst of epididymis (50). − testicle (50). −Dermoid cyst of testicle (50). −Malassez's disease (50). −New growth of penis (50). − scrotum (50). − spermatic cord (50). − testicle (50). −Tumor of penis (50). − scrotum (50). − spermatic cord (50). − testicle (50). −Circumcision (ritual) (184). −Traumatic orchitis (202).
137	Cysts and other benign tumors of the ovary.	131	
138	Salpingitis and pelvic abscess (female) (new title).	130 132	Part of.
139	Benign tumors of the uterus	129	
140	Nonpuerperal uterine hemorrhage.	128	
141	Other diseases of the female genital organs.	130 132	Part of. +Metroperitonitis (nonpuerperal) (117). −Traumatic metritis (202).
142	Nonpuerperal diseases of the breast (cancer excepted).	133	−Paget's disease of nipple (47). −Cyst of breast (50). − mammary gland (50). −New growth of breast (50). − mammary gland (50). − nipple (50). −Tumor of breast (50). − mammary gland (50). −Hydatid cyst of breast (116).
143	Accidents of pregnancy	134	+Hydatid mole (42). +Hydatidiform mole (42). +Chorea of pregnancy (138).
	(a) Abortion	134	Part of.
	(b) Ectopic gestation	134	Part of.
	(c) Others under this title.	134	Part of.
144	Puerperal hemorrhage	135	

CHANGES IN THE DETAILED INTERNATIONAL LIST OF CAUSES OF DEATH—Continued.

[Some subdivisions of the 1910 title numbers shown below do not appear in the Manual, but have been used by the Census Bureau.]

List number, 1921.	Table U—Con. REVISED TITLE, 1921.	Corresponding list number, 1910.	CHANGES IN INCLUSIONS. [Terms transferred to a title are indicated by plus (+) and are followed by old title numbers in parentheses. Terms transferred from a title are indicated by minus (−) and are followed by new title numbers in parentheses.]
145	Other accidents of labor	136	
	(a) Cesarean section	136	Part of.
	(b) Other surgical operations and instrumental delivery.	136	Part of.
	(c) Others under this title.	136	Part of.
146	Puerperal septicemia	137	
147	Puerperal phlegmasia alba dolens, embolus, sudden death.	139	
148	Puerperal albuminuria and convulsions.	138	−Chorea of pregnancy (143).
149	Following child-birth (not otherwise defined).	140	
150	Puerperal diseases of the breast.	141	
151	Gangrene	142	+Ainhum (149). −Emphysematous gangrene (41).
152	Furuncle	143	
153	Acute abscess	144	−Abscess of cervical gland (94). − mediastinum (107b). −Acute mediastinitis (107b).
154	Other diseases of the skin and annexa.	145	+Infection of scalp (189a). −Tumor of nail (50). − skin (50). −Peliosis rheumatica (69). −Ivy poisoning (177). −Chilblain (193). −Pernio (193).
155	Diseases of the bones (tuberculosis excepted).	146	+Angular curvature of spine (36). + deformity of spine (36). +Anterior curvature of spine (36). +Curvature of spine (36). +Hypertrophic osteoarthropathy (36). +Kyphoscoliosis (36). +Kyphosis (36). +Lateral curvature of spine (36). +Lordosis (36). +Mollities ossium (36). +Osteoarthropathy (36). +Osteomalacia (36). +Posterior curvature of spine (36). +Pulmonary osteoarthropathy (36). +Scoliosis (36). +Softening of bone (36). −Myelomatosis (49). −Cyst of bone (50). − jaw (50). −Exostosis (50). −New growth of accessory sinus (50) − bone (50). − jaw (50). − spine (50). −Osseous tumor (50). −Osteochondroma (50). −Osteoma (50). −Sacrococcygeal tumor (50). −Symmetrical exostosis (50). − osteoma (50). −Tumor of accessory sinus (50). − bone (50). − cranium (50). − jaw (50). − skull (50). − spine (50). −Diseases of the mastoid process (new subtitle) (86b). − nasal fossæ annexa (new subtitle) (97b). −Foreign body in accessory sinus (202). − antrum (202). − of Highmore(202). − frontal sinus (and other sinuses) (202). − maxillary sinus (202).
156	Diseases of the joints (tuberculosis and rheumatism excepted).	147	−Cyst of joint (50). −New growth of joint (50). −Tumor of joint (50). −Arthritis (52). −Polyarthritis (nonvertebral) (52). −Hemophilia of joint (69).
157	Amputations	148	
158	Other diseases of the organs of locomotion.	149	−Bursal cyst (50). −New growth of bursa (50). − tendon (50). −Tumor of bursa (50). − cartilage (50). − fascia (50). − tendon (50). −Idiopathic muscular atrophy (73). −Myotonia congenita (84). −Thomsen's disease (84). −Ainhum (151). −Traumatic ossifying myositis (202).
159	Congenital malformations (still-births not included).	150	+Congenital cardiac insufficiency (1 year and over) (79). +Obstruction of pylorus (under 6 months) (103). +Pylorospasm (under 6 months) (103). +Stenosis of pylorus (under 6 months) (103). +Stricture of pylorus (under 6 months) (103). +Congenital hernia (109a). + inguinal hernia (109a). + rupture (109a). − enlargement of thymus (62). −Imperfect heart (1 year and over) (90). − valve (1 year and over) (90). −Phimosis (136).
	(a) Congenital hydrocephalus.	150a	
	(b) Congenital malformations of the heart.	150b	+Congenital cardiac insufficiency (1 year and over) (79). −Imperfect heart (1 year and over) (90). − valve (1 year and over) (90).
	(c) Others under this title.	150c	+Obstruction of pylorus (under 6 months) (103). +Pylorospasm (under 6 months) (103). +Stenosis of pylorus (under 6 months) (103). +Stricture of pylorus (under 6 months) (103). +Congenital hernia (109a). + inguinal hernia (109a). + rupture (109a). − enlargement of thymus (62). −Phimosis (136).
160	Congenital debility, icterus, and sclerema.	151b	+Defective development (151a). +Deficient development (151a). +Faulty development (151a). +Incomplete development (151a). +Insufficient development (151a). +Lack of development (151a). +Nondevelopment (151a) +Poor development (151a). +Puerperal eclampsia (child) (151a). +Undeveloped (151a). +Anasarca (under 1 year) (187). +Dropsy (under 1 year) (187). +Hydrops (under 1 year) (187). +Universal hydrops (under 1 year) (187)
161	Premature birth; injury at birth (new title).	151a 152a	−Defective development (160). −Deficient development (160). −Faulty development (160). −Incomplete development (160). −Insufficient development (160). −Lack of development (160). −Nondevelopment (160). −Poor development (160). −Puerperal eclampsia (child) (160). −Undeveloped (160).
	(a) Premature birth (not still-born).	151a	−Defective development (160). −Deficient development (160). −Faulty development (160). −Incomplete development (160). −Insufficient development (160). −Lack of development (160). −Nondevelopment (160). −Poor development (160). −Puerperal eclampsia (child) (160). −Undeveloped (160).
	(b) Injury at birth (not still-born).	152a	
162	Other diseases peculiar to early infancy.	152b	+Hemorrhage of nose (under 1 month) (85). +Hematemesis (under 1 month) (103). +Melena (under 3 months) (110).
163	Lack of care	153	
164	Senility	154	
165	Suicide by solid or liquid poisons (corrosive substances excepted).	155	Part of.
166	Suicide by corrosive substances (new title).	155	Part of.
167	Suicide by poisonous gas	156	
168	Suicide by hanging or strangulation.	157	
169	Suicide by drowning	158	
170	Suicide by firearms	159	
171	Suicide by cutting or piercing instruments.	160	
172	Suicide by jumping from high places.	161	
173	Suicide by crushing	162	
174	Other suicides	163	
175	Poisoning by food	164	
176	Poisoning by venomous animals (new title).	165	Part of.

CHANGES IN THE DETAILED INTERNATIONAL LIST OF CAUSES OF DEATH—Continued.

[Some subdivisions of the 1910 title numbers shown below do not appear in the Manual, but have been used by the Census Bureau.]

List number, 1921.	Table U—Con. REVISED TITLE, 1921.	Corresponding list number, 1910.	CHANGES IN INCLUSIONS. [Terms transferred to a title are indicated by plus (+) and are followed by old title numbers in parentheses. Terms transferred from a title are indicated by minus (—) and are followed by new title numbers in parentheses.]
177	Other acute accidental poisonings (gas excepted).	165	+Ivy poisoning (145). —Poisoning by venomous animals (new title) (176). —Poisoned wound (202).
178	Conflagration	166	
179	Accidental burns (conflagration excepted).	167	
180	Accidental mechanical suffocation (new title).	168	Part of.
181	Accidental absorption of irrespirable, irritating, or poisonous gas.	168	—Accidental mechanical suffocation (new title) (180).
182	Accidental drowning	169	
183	Accidental traumatism by firearms (wounds of war excepted).	170	
184	Accidental traumatism by cutting or piercing instruments.	171	+Circumcision (ritual) (127). +Puncture by foreign body (186). + of vein (186).
185	Accidental traumatism by fall.	172	
186	Accidental traumatism in mines and quarries.	173	
	(a) Mines	173a	
	(b) Quarries	173b	
187	Accidental traumatism by machines.	174	
188	Accidental traumatism by other crushing (vehicles, railways, landslides, etc.).	175	
	(a) Railroad accidents	175a	
	(b) Street-car accidents	175b	
	(c) Automobile accidents	175c	
	(d) Aeroplane and balloon accidents.	175h	
	(e) Motorcycle accidents.	175g	
	(f) Injuries by other vehicles.	175d, 175f	
	(g) Landslide, other crushing.	175e	
189	Injuries by animals (not poisoning).	176	
190	Wounds of war (new title)	186	Part of.
191	Execution of civilians by belligerent armies (new title).	186	Part of.
192	Starvation (deprivation of food or water).	177	
193	Excessive cold	178	+Chilblain (145). +Pernio (145).
194	Excessive heat	179	
195	Lightning	180	
196	Other accidental electric shocks.	181	
197	Homicide by firearms	182	—Infanticide (by firearms) (200).
198	Homicide by cutting or piercing instruments.	183	—Infanticide (by cutting or piercing instruments) (200).
199	Homicide by other means	184	—Infanticide (other and unspecified) (200).
200	Infanticide (murder of infants less than 1 year of age) (new title).	182, 183, 184	Part of.
201	Fracture (cause not specified).	185	
202	Other external violence	186	+Infected wound (20). +Traumatic encephalitis (60). + inflammation of brain (60). + psychosis (68). +Bends (74). +Caisson disease (74).
202	Other external violence	186	+Divers' palsy (74). + paralysis(74). +Erichsen's disease (74). +Traumatic epilepsy 74). + neurasthenia (74). + neurosis (74). +Foreign body in ear (76). + nose (86). +Hematoma of nasal septum (86). +Traumatic pneumonia (92b). +Foreign body impacted in pharynx (100). + in esophagus (101). + stomach (103). + alimentary canal (110). + intestine (110). + rectum (110). + peritoneum (117). +Traumatic peritonitis (117). +Foreign body in bladder (124). + urethra (125). +Traumatic stricture of urethra (125). + urethral fever (125). + orchitis (127). + metritis (130). +Foreign body in accessory sinus (146). + antrum (146). + of Highmore (146). + frontal sinus (and other sinuses) (146). + maxillary sinus (146). +Traumatic ossifying myositis (149). +Poisoned wound (185). —Air embolism (92). —Puncture by foreign body (184). — of vein (184). —Wounds of war (new title) (190). —Execution of civilians by belligerent armies (new title) (191). —Violent deaths of unknown causation (203).
203	Violent deaths of unknown causation.	186	Part of.
204	Sudden death	188	
205	Cause of death not specified or ill-defined.	189	+Leukocytosis (53). +Cephalalgia (74). +Ill-defined organic disease (old title discontinued) (187). —Congestive chill (in malarial regions) (5). —Infectious disease (42). —Infection of axillary gland (94). — scalp (154). —Anasarca (under 1 year) (160). —Dropsy (under 1 year) (160). —Hydrops (under 1 year) (160). —Universal hydrops (under 1 year) (160).
	(a) Ill-defined	189a	+Leukocytosis (53). +Cephalalgia (74). +Ill-defined organic disease (old title discontinued) (187). +Lack of medical attention (189b). —Congestive chill (in malarial regions) (5). —Infectious disease (42) —Infection of axillary gland (94). — scalp (154). —Anarsarca (under 1 year) (160). —Dropsy (under 1 year) (160). —Hydrops (under 1 year) (160). —Universal hydrops (under 1 year) (160).
	(b) Not specified or unknown.	189b	—Lack of medical attention (205a).

DEATH RATES FROM CERTAIN IMPORTANT CAUSES OF DEATH IN THE REGISTRATION AREA AND IN THE REGISTRATION STATES OF 1900 FOR THE YEARS 1900 AND 1910 TO 1921.

Rates from 14 important causes or groups of causes of death in the registration area, exclusive of Hawaii, for the years 1900 and 1910 to 1921 are shown in Table V and in Diagram 6.

Table V

Detailed Int. List No., 1920.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION IN THE REGISTRATION AREA.[1]												
		1900	1910	1911	1912	1913	1914	1915	1916	1917	1918	1919	1920	1921
	All causes[2]	1,755.0	1,496.2	1,418.1	1,388.8	1,409.6	1,364.6	1,355.0	1,404.3	1,425.5	1,809.1	1,287.4	1,306.0	1,163.9
1	Typhoid and paratyphoid fever	35.9	23.5	21.0	16.5	17.9	15.5	12.4	13.3	13.5	12.6	9.2	7.8	9.0
7	Measles	12.5	12.3	10.0	7.0	12.8	6.8	5.4	11.1	14.3	10.8	3.9	8.8	4.3
8	Scarlet fever	10.2	11.6	8.9	6.7	8.7	6.6	3.6	3.3	4.2	3.0	2.8	4.6	5.3
9	Whooping cough	12.1	11.4	11.3	9.3	10.0	10.4	8.1	10.2	10.5	16.9	5.5	12.5	9.1
10	Diphtheria	43.3	21.4	18.9	18.2	18.9	17.9	15.7	14.5	16.6	13.9	14.7	15.3	17.7
11,101	Influenza and pneumonia	181.5	115.1	105.0	95.6	95.6	87.6	99.2	115.1	117.2	517.0	174.5	153.7	60.4
31–37	Tuberculosis (all forms)	201.9	160.3	159.1	149.7	147.9	147.2	146.4	142.1	147.0	150.0	125.7	114.2	99.4
43–49	Cancer and other malignant tumors	63.0	76.2	74.4	77.1	79.0	79.6	81.4	82.1	82.0	80.3	80.5	83.4	86.0
57	Diabetes mellitus	9.7	14.9	14.9	15.0	15.3	16.2	17.5	17.1	17.0	15.9	14.9	16.1	16.8
74, 83, 92	Cerebral hemorrhage and softening, embolism and thrombosis (not cerebral)	75.5	79.4	80.0	81.0	79.9	83.7	85.2	86.9	88.0	84.6	82.2	86.4	85.1
88, 90	Acute endocarditis and myocarditis; and other (organic) diseases of the heart	123.1	150.4	148.7	151.4	147.4	151.2	156.8	160.0	162.7	161.5	138.0	149.7	147.0
100, 99 a, c	Bronchopneumonia and acute bronchitis (including unspecified under 5 years)	48.3	60.5	55.5	58.2	59.6	58.6	59.6	58.6	60.3	79.4	55.3	62.4	44.1
113	Diarrhea and enteritis (under 2 years)	108.8	100.8	77.5	70.4	75.3	66.1	59.8	65.8	64.3	58.7	44.2	44.0	41.9
128, 129	Acute and chronic nephritis	89.0	99.1	97.7	103.2	103.0	102.6	105.1	105.6	107.9	97.6	88.1	89.4	85.4

[1] Exclusive of Hawaii.

[2] Exclusive of stillbirths.

In Table W corresponding data to those shown for the registration area are presented for the registration States of 1900 (Connecticut, Indiana, Maine, Massachusetts, Michigan, New Hampshire, New Jersey, New York, Rhode Island, and Vermont and the District of Columbia); these represent more than one-third of the entire population of the registration area, exclusive of Hawaii.

Table W

Detailed Int. List No., 1920.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION IN THE REGISTRATION STATES OF 1900.												
		1900	1910	1911	1912	1913	1914	1915	1916	1917	1918	1919	1920	1921
	All causes[1]	1,719.5	1,562.4	1,500.2	1,458.0	1,471.3	1,442.5	1,428.8	1,497.3	1,496.4	1,887.3	1,348.7	1,379.0	1,215.1
1	Typhoid and paratyphoid fever	31.3	18.0	15.3	13.2	12.6	10.8	9.2	8.8	8.1	7.0	4.8	5.0	5.3
7	Measles	13.4	12.6	9.3	9.0	11.5	7.4	6.6	10.6	10.4	12.1	3.7	10.4	4.3
8	Scarlet fever	9.6	12.2	8.9	6.2	8.3	6.6	4.0	2.9	3.8	3.2	3.0	5.2	6.4
9	Whooping cough	12.2	10.7	10.6	8.0	9.0	8.8	8.9	9.1	8.8	15.3	4.9	11.9	8.3
10	Diphtheria	40.4	22.5	18.5	16.8	19.2	18.4	15.8	15.1	18.2	16.4	17.7	17.4	17.9
11,101	Influenza and pneumonia	179.4	121.8	114.0	103.8	103.3	95.1	107.2	124.3	126.4	517.2	165.0	144.6	59.6
31–37	Tuberculosis (all forms)	195.2	164.7	159.0	149.8	148.7	148.6	146.7	143.8	147.1	151.0	124.9	112.0	93.1
43–49	Cancer and other malignant tumors	64.0	83.0	83.9	86.0	88.8	89.2	92.0	93.9	95.0	94.7	95.8	98.9	102.6
57	Diabetes mellitus	11.0	17.6	17.7	17.7	18.6	19.4	21.5	20.7	21.7	20.2	19.2	20.4	20.8
74, 83, 92	Cerebral hemorrhage and softening, embolism and thrombosis (not cerebral)	80.7	92.3	94.5	93.7	93.0	99.4	98.3	101.9	105.6	102.7	99.4	102.2	99.4
88, 90	Acute endocarditis and myocarditis; and other (organic) diseases of the heart	128.1	171.7	172.5	170.8	171.5	179.7	183.5	195.1	198.8	199.7	172.4	186.2	181.4
100, 99 a, c	Bronchopneumonia and acute bronchitis (including unspecified under 5 years)	49.1	68.3	64.3	65.5	68.0	66.3	67.5	68.7	68.0	97.7	65.8	75.6	49.7
113	Diarrhea and enteritis (under 2 years)	115.9	103.1	81.2	74.2	75.5	68.4	64.7	63.9	61.8	58.6	43.8	46.5	39.8
128, 129	Acute and chronic nephritis	88.7	107.3	109.8	113.9	113.1	114.5	113.1	117.7	118.8	107.1	96.3	97.6	90.0

[1] Exclusive of stillbirths.

For the registration area (exclusive of Hawaii) and also for the registration States of 1900, 4 of the 14 causes or groups of causes of death have, in 1921, record low rates; that is, lower for 1921 than for any year since the publication, in 1900, of the first annual report. These 4 are influenza and pneumonia, tuberculosis (all forms), bronchopneumonia and acute bronchitis (including unspecified under 5 years), and diarrhea and enteritis (under 2 years). For the registration area a record low rate also appears for acute and chronic nephritis.

On the other hand, the trend of mortality from cancer is decidedly upward, and hows a remarkable increase since 1900. For the registration area the rate is 86 per 100,000 population in 1921 against 63 in 1900, and the increase is continuous from 1917; for the States of 1900 the rate is 102.6 in 1921 against 64 in 1900, and since then has continuously increased in every year of the series shown except 1918; in each of these years the rates for these States are higher than those for the registration area. For both of these areas an upward trend is also shown in the rates from scarlet fever, diphtheria, and diabetes mellitus; the first 2 of these causes in 1921 have their highest rates since 1914, and diabetes mellitus, its highest, since 1917.

DIAGRAM 6.—DEATH RATES FROM CERTAIN IMPORTANT CAUSES OF DEATH IN THE REGISTRATION AREA OF THE UNITED STATES FOR THE YEARS 1900 AND 1910 TO 1921.



* AND PARATYPHOID FEVER ** INCLUDING UNSPECIFIED (UNDER 5 YEARS)

For the registration area the rates in 1921 from typhoid and paratyphoid fever and from whooping cough are higher than those for the States of 1900, but, for these States, in every year shown, the rates from cerebral hemorrhage and softening, embolism and thrombosis (not cerebral), and from acute endocarditis and myocarditis and other (organic) diseases of the heart, are much higher than those for the registration area.

When comparisons of the rates for the earlier years are made with those of recent years, both areas show marked decreases for typhoid and paratyphoid fever, measles, diphtheria, influenza and pneumonia, tuberculosis (all forms), and diarrhea and enteritis (under 2 years).

TYPHOID AND PARATYPHOID FEVER.

The number of deaths from typhoid and paratyphoid fever in 1921 is 8,007, corresponding to a crude death rate of 9 per 100,000 population; this is higher than the rate for 1920 (7.8) which was the record low rate in the period of 21 years from 1900 to 1920, inclusive.

Table X shows adjusted rates per 100,000 population for the years 1920 and 1921, and crude rates from 1914 to 1921; rates of 40 and higher are printed in bold-faced type.

Table X — DEATH RATE FROM TYPHOID AND PARATYPHOID FEVER PER 100,000 POPULATION. [Rates of 40 or more in bold-faced type.]

AREA.	Adjusted.		Crude.							
	1921	1920	1921	1920	1919	1918	1917	1916	1915	1914
SUMMARY.										
The registration area [1]	(2)	(2)	9.0	7.8	9.2	12.6	13.5	13.3	12.4	15.5
Registration States [3]	9.0	7.7	8.9	7.6	9.1	12.2	13.4	13.3	12.1	15.2
Cities in registration States [3]	(2)	(2)	5.8	5.5	6.1	8.7	10.2	10.8	10.9	13.4
Rural part of registration States	(2)	(2)	11.9	9.6	11.8	15.4	16.2	15.6	13.4	16.9
Registration cities in non-registration States	(2)	(2)	16.4	15.5	13.6	26.9	15.0	14.0	15.8	19.2
All registration cities [3]	(2)	(2)	6.1	5.9	6.4	9.6	10.9	11.2	11.6	14.2
REGISTRATION STATES.										
California	4.3	4.8	4.3	4.8	5.4	6.0	6.9	6.9	9.4	13.1
Colorado	10.3	9.4	10.1	9.2	8.5	15.4	10.3	13.2	13.6	18.0
Connecticut	3.5	4.0	3.6	4.1	4.0	5.4	9.0	7.2	12.1	9.0
Delaware	11.9	11.6	11.5	11.2	17.6	(4)	(4)	(4)	(4)	(4)
Florida (total)	18.0	14.7	17.9	14.6	18.3	(4)	(4)	(4)	(4)	(4)
White	17.2	13.6	16.8	13.3	17.7	(4)	(4)	(4)	(4)	(4)
Colored	20.2	17.3	20.1	17.2	19.4	(4)	(4)	(4)	(4)	(4)
Illinois	6.0	5.8	6.0	5.8	5.9	8.2	(4)	(4)	(4)	(4)
Indiana	12.7	10.0	12.3	9.7	11.4	13.8	17.2	21.2	14.7	21.0
Kansas	8.7	8.1	8.6	8.0	7.3	16.6	18.8	14.9	10.7	19.6
Kentucky (total)	26.3	20.5	25.9	20.2	26.9	27.2	35.1	31.1	30.5	41.8
White	24.8	19.4	24.4	19.1	24.7	25.0	31.6	29.1	27.8	38.6
Colored	40.6	30.3	40.5	30.2	47.2	46.2	65.9	48.1	52.8	68.2
Louisiana (total)	18.0	15.6	17.9	15.5	22.8	39.9	(4)	(4)	(4)	(4)
White	14.5	12.0	14.1	11.7	20.3	35.4	(4)	(4)	(4)	(4)
Colored	23.8	21.3	24.0	21.5	26.6	46.7	(4)	(4)	(4)	(4)
Maine	7.5	8.9	7.6	9.0	5.7	7.7	10.8	11.3	13.6	16.2
Maryland (total)	10.3	6.9	10.3	6.9	11.8	17.0	18.2	19.0	23.2	23.6
White	7.4	5.6	7.4	5.6	9.4	13.3	15.8	16.1	18.2	21.1
Colored	24.1	12.7	24.7	13.0	23.7	35.0	29.4	32.8	47.2	35.3
Massachusetts	3.0	2.4	3.1	2.5	2.7	4.1	4.9	4.7	6.8	7.7
Michigan	7.8	8.0	7.7	7.9	7.6	9.4	11.3	12.8	10.8	12.4
Minnesota	3.5	2.9	3.6	3.0	3.3	3.7	4.3	5.5	6.8	10.1
Mississippi (total)	18.6	18.6	18.6	18.6	20.3	(4)	(4)	(4)	(4)	(4)
White	13.3	12.1	12.6	11.5	15.3	(4)	(4)	(4)	(4)	(4)
Colored	23.4	24.5	24.0	25.1	24.9	(4)	(4)	(4)	(4)	(4)
Missouri	13.2	10.2	12.9	10.0	12.5	19.6	20.8	19.5	15.6	24.1
Montana	3.4	4.7	3.5	4.8	7.2	10.1	15.7	10.9	12.2	14.6
Nebraska	5.0	4.5	5.0	4.5	(4)	(4)	(4)	(4)	(4)	(4)
New Hampshire	3.7	7.0	3.6	6.8	3.4	4.5	6.1	5.0	7.8	8.7
New Jersey	4.5	3.3	4.5	3.3	3.2	5.5	6.7	7.1	6.7	8.2
New York	3.6	3.6	3.6	3.6	3.6	5.7	5.9	6.2	7.8	9.1
North Carolina (total)	12.0	12.5	12.0	12.5	17.5	22.8	29.5	28.9	**40.8** [5]	**56.5** [5]
White	8.8	9.5	8.6	9.3	14.4	17.6	23.0	22.1	31.3	44.6
Colored	19.3	19.4	19.8	19.9	24.5	34.4	44.2	44.0	**58.6**	**78.8**
Ohio	9.1	7.4	9.2	7.5	8.0	13.6	12.6	14.2	13.5	17.5
Oregon	5.5	4.6	5.9	4.9	4.9	9.5	(4)	(4)	(4)	(4)
Pennsylvania	7.4	5.7	7.4	5.7	7.1	10.9	10.7	13.9	12.6	13.2
Rhode Island	2.6	2.6	2.8	2.8	3.3	5.7	5.8	7.2	10.6	8.4
South Carolina (total)	26.5	22.8	26.0	22.4	28.3	35.5	31.9	34.2	(4)	(4)
White	17.3	16.4	16.8	15.9	16.0	26.0	22.6	27.6	(4)	(4)
Colored	35.2	28.8	35.0	28.6	35.9	44.3	40.3	40.1	(4)	(4)
Tennessee (total)	26.0	18.4	26.1	18.5	28.0	30.2	38.3	(4)	(4)	(4)
White	22.6	16.5	22.5	16.4	24.6	26.8	35.1	(4)	(4)	(4)
Colored	40.7	26.8	41.5	27.3	42.2	43.9	51.4	(4)	(4)	(4)
Utah	9.0	6.7	9.1	6.8	9.4	9.4	13.7	10.7	9.7	16.2
Vermont	5.7	11.0	5.4	10.5	3.1	8.5	7.1	6.5	13.3	11.9
Virginia (total)	16.2	11.3	16.1	11.2	15.5	17.9	20.8	24.8	23.4	27.0
White	14.2	9.8	13.9	9.6	13.1	15.7	15.2	20.6	19.2	22.6
Colored	21.3	14.7	21.6	14.9	21.3	23.0	33.4	34.2	32.7	36.6
Washington	5.3	5.5	5.4	5.6	4.2	7.4	9.4	6.2	9.5	12.2
Wisconsin	2.9	2.4	3.0	2.5	3.1	3.8	5.2	7.9	4.8	6.5
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920.										
Akron	5.9	3.5	6.2	3.7	8.4	17.6	19.0	13.8	17.7	19.6
Albany	3.4	4.3	3.5	4.4	8.0	10.8	11.8	7.3	12.2	17.1
Atlanta (total)	14.2	14.0	14.0	13.8	10.6	15.0	21.7	22.8	16.1	47.4
White	8.7	17.0	8.4	16.5	6.6	14.3	19.4	21.5	18.0	46.5
Colored	21.8	6.5	26.4	7.9	19.3	16.3	26.6	25.4	12.1	49.3
Baltimore (total)	5.1	4.5	5.3	4.7	8.2	12.0	15.1	17.6	20.2	22.1
White	4.4	3.6	4.5	3.7	8.1	9.8	14.1	17.6	16.7	21.9
Colored	8.9	9.9	9.9	11.0	9.3	23.6	20.1	17.4	38.7	23.5
Birmingham (total)	17.8	14.5	18.3	14.9	18.6	35.9	60.9	48.6	39.8	43.1
White	12.1	4.1	13.3	4.5	12.1	22.0	23.6	39.5	31.3	38.7
Colored	25.3	30.1	26.0	30.9	28.7	**57.5**	**118.4**	62.5	53.0	49.7
Boston	2.8	1.3	3.2	1.5	2.4	2.6	3.1	3.6	5.4	9.3
Bridgeport	2.4	1.8	2.8	2.1	3.5	4.4	7.5	8.6	4.8	3.3
Buffalo	4.2	4.9	4.2	4.9	6.6	7.7	9.9	10.7	9.3	16.1
Cambridge	.....	2.7	.....	2.7	1.8	3.7	4.6	1.9	1.9	1.9
Camden	7.5	7.7	7.5	7.7	9.5	9.7	16.3	20.3	9.4	14.4
Chicago	1.2	1.1	1.2	1.1	1.3	1.5	1.9	5.2	5.3	6.6
Cincinnati	3.4	2.9	3.7	3.2	3.0	4.8	4.0	3.3	7.6	6.4
Cleveland	3.1	2.7	3.4	3.0	2.7	5.4	7.2	5.1	7.5	7.8
Columbus	4.4	2.9	4.4	2.9	3.0	8.7	7.6	12.9	13.2	13.1
Dallas (total)	13.1	14.9	12.6	14.3	10.8	13.0	19.8	28.0	(4)	(4)
White	11.3	11.0	11.3	11.0	9.0	13.6	16.1	25.6	(4)	(4)
Colored	24.3	39.2	20.5	33.1	20.9	9.7	39.4	39.9	(4)	(4)
Dayton	5.9	8.2	5.1	7.1	6.0	8.2	13.3	17.9	16.2	10.6
Denver	4.4	5.2	4.6	5.4	3.5	9.2	5.7	7.9	6.8	9.5
Detroit	5.7	5.4	5.7	5.4	5.2	7.9	12.7	10.8	10.2	11.2
Fall River	2.4	4.8	2.5	5.0	3.3	15.0	18.3	11.7	15.8	10.0
Grand Rapids	4.4	2.3	4.2	2.2	5.1	7.5	12.9	16.5	28.0	27.7
Hartford	6.8	6.0	8.0	7.1	4.4	10.6	17.2	15.3	17.5	24.2
Houston (total)	10.6	12.2	11.7	13.5	17.6	9.8	22.0	(4)	(4)	(4)
White	8.9	9.2	10.0	10.4	16.6	8.8	22.8	(4)	(4)	(4)
Colored	15.7	21.3	17.2	23.3	20.8	12.8	19.6	(4)	(4)	(4)
Indianapolis (total)	6.6	5.3	7.1	5.7	4.5	6.6	10.5	25.2	13.9	25.1
White	5.6	3.8	6.2	4.2	4.0	7.4	10.2	23.1	11.8	22.2
Colored	13.9	17.3	13.6	16.9	8.8	.....	12.7	43.1	31.3	51.0
Jersey City	3.9	3.9	4.0	4.0	2.4	5.5	3.8	7.7	6.0	7.8
Kansas City, Kans. (total)	6.0	7.1	5.8	6.9	9.0	22.4	14.5	14.8	16.2	23.1
White	(3)	(3)	4.5	5.7	5.8	20.1	13.2	14.6	14.9	18.9
Colored	(3)	(3)	13.1	13.6	28.2	36.5	22.8	15.8	24.7	51.6
Kansas City, Mo	12.3	8.4	11.6	7.9	10.9	15.0	12.1	11.4	9.7	16.4
Los Angeles	2.5	2.4	2.6	2.5	4.8	3.9	6.0	2.7	5.8	7.9
Louisville (total)	7.7	5.6	7.6	5.5	10.7	16.3	16.3	13.8	14.3	26.5
White	4.4	5.5	4.1	5.1	9.8	13.4	14.5	11.5	12.6	24.2
Colored	18.0	5.4	25.0	7.5	14.9	29.8	24.8	24.7	22.2	36.9
Lowell	5.1	2.6	5.3	2.7	4.4	1.8	6.3	11.8	16.4	11.0

See notes at end of table.

Table X—Con. DEATH RATE FROM TYPHOID AND PARATYPHOID FEVER PER 100,000 POPULATION. [Rates of 40 or more in bold-faced type.]

AREA.	Adjusted.		Crude.							
	1921	1920	1921	1920	1919	1918	1917	1916	1915	1914
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—continued.										
Memphis (total)	13.4	9.5	12.1	8.6	62.8	16.2	26.1	(6)	27.5	43.7
White	8.1	4.1	7.7	3.9	48.3	16.1	25.1	(6)	25.0	36.0
Colored	22.7	19.0	19.5	16.3	88.0	16.6	27.7	(6)	31.7	56.1
Milwaukee	2.0	2.3	1.9	2.2	3.7	6.3	6.2	15.5	5.2	8.2
Minneapolis	1.1	2.3	1.3	2.6	3.2	8.4	6.7	5.7	7.9	12.8
Nashville (total)	21.5	10.2	21.3	10.1	16.1	38.5	23.3	(6)	37.6	51.9
White	18.7	6.8	19.8	7.2	14.6	41.9	22.4	(6)	25.5	43.8
Colored	27.5	18.7	24.8	16.9	19.6	30.8	25.1	(6)	63.8	69.2
New Bedford	3.8	6.1	4.0	6.5	2.5	9.4	7.8	7.1	21.9	12.1
New Haven	4.3	6.0	4.8	6.7	5.6	4.4	10.3	8.5	19.4	15.1
New Orleans (total)	9.4	7.1	9.1	6.9	13.3	20.0	23.5	23.3	20.6	21.9
White	8.3	6.9	7.9	6.6	12.3	17.8	20.3	20.5	19.7	18.9
Colored	13.6	8.5	12.6	7.9	15.9	26.1	32.6	30.9	22.9	30.6
New York	2.0	2.3	2.2	2.5	2.2	3.6	4.2	4.1	6.3	6.6
Bronx Borough	1.6	1.3	1.8	1.5	1.7	2.5	4.4	3.7	4.4	5.0
Brooklyn Borough	2.2	2.6	2.2	2.6	2.2	4.0	4.0	4.1	7.9	7.0
Manhattan Borough	2.1	2.3	2.3	2.5	2.3	3.8	4.2	3.8	5.6	6.8
Queens Borough	2.0	2.8	2.2	3.1	2.2	2.0	4.0	5.2	5.0	5.8
Richmond Borough	3.7	6.1	4.1	6.8	5.2	4.5	6.4	8.5	7.8	6.0
Newark N. J.	2.8	1.9	2.8	1.9	2.2	4.5	4.3	6.4	2.9	7.7
Norfolk (total)	9.2	13.4	9.9	14.5	13.2	11.8	13.1	27.2	24.2	32.4
White	7.1	11.0	7.9	12.2	16.9	10.2	10.6	26.9	24.7	27.5
Colored	12.7	17.5	13.1	18.1	7.0	14.3	17.2	27.7	23.3	40.0
Oakland	0.8	5.3	0.9	5.9	3.3	5.3	2.5	4.2	7.0	6.7
Omaha	4.6	7.1	5.1	7.8	5.3	5.9	4.4	2.9	5.9	4.3
Paterson	6.6	0.8	5.8	0.7	3.7	4.5	12.8	4.5	4.6	4.6
Philadelphia	2.3	3.3	2.4	3.4	4.3	4.9	6.3	7.5	6.7	7.6
Pittsburgh	4.4	5.5	4.5	5.6	6.5	10.7	12.2	9.1	10.5	15.2
Portland, Oreg.	2.2	3.0	2.6	3.5	5.1	6.0	6.9	5.8	6.0	7.9
Providence	3.0	3.4	3.3	3.8	3.8	5.1	6.8	5.6	8.6	11.7
Reading	13.0	6.6	12.8	6.5	7.5	11.3	7.6	20.1	19.4	33.1
Richmond (total)	5.3	6.0	5.7	6.4	3.5	7.2	6.7	22.8	11.9	13.7
White	6.8	5.4	7.4	5.9	4.3	6.1	3.6	15.6	5.6	8.8
Colored	1.8	7.2	1.8	7.4	1.9	9.3	13.1	37.5	24.5	23.1
Rochester	3.0	0.9	3.3	1.0	3.4	1.8	3.0	4.9	5.9	10.1
St. Louis	4.5	2.7	4.3	2.6	6.6	7.9	8.4	9.6	7.0	12.2
St. Paul	3.0	2.2	7.6	2.1	3.4	3.5	2.6	6.2	7.5	11.6
Salt Lake City	5.9	7.6	5.8	7.5	6.0	7.9	19.8	10.2	7.6	10.6
San Antonio	17.1	9.5	17.5	9.7	11.4	46.9	26.3	15.9	19.8	21.7
San Francisco	3.6	2.6	4.0	2.9	3.0	4.3	4.5	3.4	8.8	12.5
Scranton	6.1	1.3	6.5	1.4	1.5	6.6	6.6	6.7	13.4	9.8
Seattle	1.6	1.6	2.2	2.2	3.2	4.0	6.1	3.8	2.9	8.1
Spokane	5.1	7.1	4.8	6.7	.....	13.4	11.5	2.9	13.4	16.3
Springfield, Mass.	4.5	4.7	4.4	4.6	4.7	3.2	5.9	5.2	9.9	20.6
Syracuse	3.8	3.9	3.9	4.0	7.1	9.0	6.1	11.9	5.8	9.9
Toledo	8.7	7.7	8.7	7.7	4.2	11.2	8.0	20.1	21.0	34.3
Trenton	8.5	7.8	9.0	8.3	7.6	10.4	13.2	6.3	13.8	17.8
Washington, D. C. (total)	6.3	6.2	6.6	6.5	3.7	11.6	12.2	11.8	11.1	11.1
White	4.7	4.9	5.2	5.4	3.4	7.7	4.9	8.5	7.7	5.8
Colored	10.7	9.8	10.8	9.9	4.5	23.1	32.8	20.9	20.3	25.5
Wilmington, Del.	6.1	14.1	6.2	14.4	14.9	35.2	35.0	27.8	17.2	23.8
Worcester	3.6	1.6	3.8	1.7	2.8	3.4	5.8	3.6	5.5	3.7
Yonkers	(7)	.....	3.9	.....	1.0	2.1	6.3	2.2	8.8	4.5
Youngstown	15.9	9.3	18.9	11.1	17.7	39.1	29.2	32.9	29.8	37.8

[1] Exclusive of Hawaii.
[2] Not computed.
[3] Including District of Columbia.
[4] Not added to registration area until a later date.
[5] Includes only municipalities having a population of 1,000 or more in 1910.
[6] Transcripts of deaths not received.
[7] No deaths in 1920, therefore there is no factor to apply to the 1921 crude rate. See page 728.

NOTE.—These adjusted rates for 1920 may differ from those in the report of Mortality Rates, 1910–1920, since an estimated population is used for one, and an enumerated population for the other.

In 1921 no State shows an adjusted rate even approaching 40. South Carolina shows the highest adjusted rate (26.5), followed by Kentucky (26.3), Tennessee (26), and Mississippi (18.6). The States showing the lowest adjusted rates are Rhode Island (2.6), Wisconsin (2.9), Massachusetts (3), and Montana (3.4). There are 22 States with higher adjusted rates in 1921 than in 1920. The differences between the adjusted and the crude rates for States in 1921 are generally very slight, and in 9 States these rates are equal. The greatest increase (0.5) in an adjusted rate over a crude rate is shown for South Carolina, and the greatest decrease (0.4) is shown for Oregon.

Among the registration cities of 100,000 population or more in 1920, 35 have higher adjusted rates in 1921 than in 1920. Those showing the highest adjusted rates are Nashville (21.5), Birmingham (17.8), San Antonio (17.1), and Youngstown (15.9). Cities with the lowest adjusted rates are Oakland (0.8), Minneapolis (1.1), Chicago (1.2), and Seattle (1.6). For cities shown by color, Nashville has for colored the very high adjusted rate of 27.5.

As the amount of typhoid fever in an area is regarded as an index of the effectiveness of public health work, refinements of death rates from this cause seem especially desirable. The extent to which typhoid fever mortality rates would have been changed by corrections for deaths of nonresidents is indicated in Table Y.

Note, for example, that the rate for Birmingham, Ala., would have been reduced from 18.3 per 100,000 population to 9.1, and that Cambridge, which had no deaths from typhoid fever, would have been credited with 2 deaths from this disease outside of Cambridge.

Table Y DEATHS IN 1921 FROM TYPHOID AND PARATYPHOID FEVER.

AREA.	Including nonresidents.		Excluding all nonresidents and including residents who died elsewhere in registration area.		
	Number.	Rate per 100,000 population.	Number.	Rate per 100,000 population.	Increase (+) or decrease (−) in rate.
REGISTRATION STATES.					
California	153	4.3	151	4.2	−0.1
Colorado	97	10.1	95	9.9	−0.2
Connecticut	51	3.6	52	3.7	+0.1
Delaware	26	11.5	26	11.5	.....
Florida (total)	179	17.9	171	17.1	−0.8
White	112	16.8	105	15.7	−1.1
Colored	67	20.1	66	19.8	−0.3
Illinois	396	6.0	403	6.1	+0.1
Indiana	366	12.3	362	12.2	−0.1
Kansas	153	8.6	150	8.4	−0.2
Kentucky (total)	632	25.9	(1)	(1)	(1)
White	538	24.4	(1)	(1)	(1)
Colored	94	40.5	(1)	(1)	(1)
Louisiana (total)	326	17.9	323	17.7	−0.2
White	158	14.1	155	13.8	−0.3
Colored	168	24.0	168	24.0	.....
Maine	59	7.6	59	7.6	.....
Maryland (total)	152	10.3	150	10.2	−0.1
White	91	7.4	89	7.3	−0.1
Colored	61	24.7	61	24.7	.....
Massachusetts	122	3.1	122	3.1	.....
Michigan	292	7.7	293	7.7	.....
Minnesota	88	3.6	86	3.5	−0.1
Mississippi (total)	333	18.6	333	18.6	.....
White	108	12.6	109	12.8	+0.2
Colored	225	24.0	224	23.9	−0.1
Missouri	443	12.9	446	13.0	+0.1
Montana	20	3.5	22	3.8	+0.3
Nebraska	66	5.0	64	4.9	−0.1
New Hampshire	16	3.6	16	3.6	.....
New Jersey	147	4.5	148	4.6	+0.1
New York	386	3.6	378	3.6	.....

[1] Returns incomplete.

Table Y—Con.

AREA.	DEATHS IN 1921 FROM TYPHOID AND PARATYPHOID FEVER. Including nonresidents. Number.	Including nonresidents. Rate per 100,000 population.	Excluding all nonresidents and including residents who died elsewhere in registration area. Number.	Rate per 100,000 population.	Increase (+) or decrease (−) in rate.
REGISTRATION STATES—continued.					
North Carolina (total)	314	12.0	315	12.1	+0.1
White	158	8.6	158	8.6	.....
Colored	156	19.8	157	20.0	+0.2
Ohio	542	9.2	539	9.1	−0.1
Oregon	47	5.9	47	5.9	.....
Pennsylvania	653	7.4	658	7.4	.....
Rhode Island	17	2.8	17	2.8	.....
South Carolina (total)	445	26.0	446	26.1	+0.1
White	141	16.8	141	16.8	.....
Colored	304	35.0	305	35.1	+0.1
Tennessee (total)	617	26.1	615	26.0	−0.1
White	431	22.5	430	22.5	.....
Colored	186	41.5	185	41.2	−0.3
Utah	42	9.1	40	8.7	−0.4
Vermont	19	5.4	19	5.4	.....
Virginia (total)	379	16.1	380	16.2	+0.1
White	229	13.9	229	13.9	.....
Colored	150	21.6	151	21.7	+0.1
Washington	75	5.4	74	5.3	−0.1
Wisconsin	81	3.0	80	3.0	.....
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920.					
Akron	13	6.2	10	4.8	−1.4
Albany	4	3.5	3	2.6	−0.9
Atlanta (total)	29	14.0	26	12.5	−1.5
White	12	8.4	10	7.0	−1.4
Colored	17	26.4	16	24.8	−1.6
Baltimore (total)	40	5.3	31	4.1	−1.2
White	29	4.5	21	3.3	−1.2
Colored	11	9.9	10	9.0	−0.9
Birmingham (total)	34	18.3	17	9.1	−9.2
White	15	13.3	7	6.2	−7.1
Colored	19	26.0	10	13.7	−12.3
Boston	24	3.2	21	2.8	−0.4
Bridgeport	4	2.8	4	2.8	.....
Buffalo	22	4.2	17	3.3	− 0.9
Cambridge	.....	.....	2	1.8	+ 1.8
Camden	9	7.5	6	5.0	− 2.5
Chicago	34	1.2	37	1.3	+0.1
Cincinnati	15	3.7	13	3.2	−0.5
Cleveland	28	3.4	28	3.4	.....
Columbus	11	4.4	8	3.2	−1.2
Dallas (total)	21	12.6	15	9.0	−3.6
White	16	11.3	11	7.7	−3.6
Colored	5	20.5	4	16.4	−4.1
Dayton	8	5.1	6	3.8	−1.3
Denver	12	4.6	9	3.4	−1.2
Detroit	57	5.7	57	5.7	.....
Fall River	3	2.5	3	2.5	.....
Grand Rapids	6	4.2	5	3.5	−0.7
Hartford	11	8.0	11	8.0	.....
Houston (total)	17	11.7	16	11.0	−0.7
White	11	10.0	10	9.1	−0.9
Colored	6	17.2	6	17.2	.....
Indianapolis (total)	23	7.1	23	7.1	.....
White	18	6.2	18	6.2	.....
Colored	5	13.6	5	13.6	.....
Jersey City	12	4.0	12	4.0	.....
Kansas City, Kans. (total)	6	5.8	4	3.9	−1.9
White	4	4.5	2	2.3	−2.2
Colored	2	13.1	2	13.1	.....
Kansas City, Mo	39	11.6	39	11.6	.....
Los Angeles	16	2.6	16	2.6	.....
Louisville (total)	18	7.6	(1)	(1)	(1)
White	8	4.1	(1)	(1)	(1)
Colored	10	25.0	(1)	(1)	(1)
Lowell	6	5.3	6	5.3	.....
Memphis (total)	20	12.1	15	9.1	−3.0
White	8	7.7	6	5.8	−1.9
Colored	12	19.5	9	14.6	−4.9
Milwaukee	9	1.9	8	1.7	−0.2
Minneapolis	5	1.3	6	1.5	+0.2

Table Y—Con.

AREA.	DEATHS IN 1921 FROM TYPHOID AND PARATYPHOID FEVER. Including nonresidents. Number.	Including nonresidents. Rate per 100,000 population.	Excluding all nonresidents and including residents who died elsewhere in registration area. Number.	Rate per 100,000 population.	Increase (+) or decrease (−) in rate.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—continued.					
Nashville (total)	26	21.3	24	19.7	−1.6
White	17	19.8	15	17.5	−2.3
Colored	9	24.8	9	24.8	.....
New Bedford	5	4.0	5	4.0	.....
New Haven	8	4.8	8	4.8	.....
New Orleans (total)	36	9.1	18	4.6	−4.5
White	23	7.9	13	4.5	−3.4
Colored	13	12.6	5	4.8	−7.8
New York:					
Bronx Borough	14	1.8	14	1.8	.....
Brooklyn Borough	45	2.2	43	2.1	−0.1
Manhattan Borough	52	2.3	50	2.2	−0.1
Queens Borough	11	2.2	10	2.0	−0.2
Richmond Borough	5	4.1	3	2.5	−1.6
Newark, N. J.	12	2.8	9	2.1	−0.7
Norfolk (total)	12	9.9	11	9.1	−0.8
White	6	7.9	5	6.6	−1.3
Colored	6	13.1	6	13.1	.....
Oakland	2	0.9	3	1.3	+0.4
Omaha	10	5.1	9	4.6	−0.5
Paterson	8	5.8	6	4.4	−1.4
Philadelphia	45	2.4	44	2.4	.....
Pittsburgh	27	4.5	23	3.8	−0.7
Portland, Oreg	7	2.6	7	2.6	.....
Providence	8	3.3	4	1.7	−1.6
Reading	14	12.8	13	11.9	−0.9
Richmond (total)	10	5.7	9	5.1	−0.6
White	9	7.4	8	6.6	−0.8
Colored	1	1.8	1	1.8	.....
Rochester	10	3.3	8	2.6	−0.7
St. Louis	34	4.3	33	4.2	−0.1
St. Paul	18	7.6	16	6.7	−0.9
Salt Lake City	7	5.8	2	1.6	−4.2
San Antonio	30	17.5	26	15.2	−2.3
San Francisco	21	4.0	17	3.3	−0.7
Scranton	9	6.5	7	5.0	−1.5
Seattle	7	2.2	7	2.2	.....
Spokane	5	4.8	4	3.8	−1.0
Springfield, Mass	6	4.4	2	1.5	−2.9
Syracuse	7	3.9	8	4.5	+0.6
Toledo	22	8.7	20	7.9	−0.8
Trenton	11	9.0	5	4.1	−4.9
Washington, D. C. (total)	29	6.6	21	4.8	−1.8
White	17	5.2	11	3.4	−1.8
Colored	12	10.8	10	9.0	−1.8
Wilmington, Del	7	6.2	6	5.3	−0.9
Worcester	7	3.8	8	4.3	+0.5
Yonkers	4	3.9	4	3.9	.....
Youngstown	25	18.9	21	15.9	−3.0

[1] Returns incomplete.

MALARIA.

The number of deaths from malaria in 1921 is 3,229 corresponding to a rate of 3.6 per 100,000 population, the same rate as that shown for 1920. The death rate from this cause was 7.9 in 1900, but after that year there was a continued decrease until 1910, for which year the rate was 2.2; from 1910 to 1919 the rate ranged between 2.2 and 3.8.

Table Z shows the rates per 100,000 population for the years 1912 to 1921, rates of 10 and higher being printed in bold-faced type.

Table Z

DEATH RATE FROM MALARIA PER 100,000 POPULATION. [Rates of 10 or more in bold-faced type.]

AREA.	1921	1920	1919	1918	1917	1916	1915	1914	1913	1912
SUMMARY.										
The registration area [1]	3.6	3.6	3.8	3.1	3.2	3.0	2.3	2.2	2.5	3.1
Registration States [2]	3.6	3.4	3.7	2.9	3.0	2.9	1.7	1.9	2.1	2.6
Cities in registration States [2]	0.9	0.9	0.9	0.9	1.0	0.7	0.7	0.8	1.0	1.1
Rural part of registration States	6.1	5.9	6.2	4.8	4.9	4.8	2.8	2.9	3.2	4.1
Registration cities in non-registration States	8.4	12.2	9.7	11.2	5.0	5.6	8.9	6.6	7.1	8.5
All registration cities [2]	1.2	1.2	1.3	1.3	1.5	1.4	1.9	1.6	1.9	2.2
REGISTRATION STATES.										
California	0.8	0.7	0.7	1.3	1.3	1.3	1.8	1.8	2.1	3.1
Colorado	.....	0.2	0.5	.....	0.2	0.6	0.2	.....	.....	0.1
Connecticut	0.2	0.4	0.2	0.2	0.7	0.6	1.4	1.0	1.3	2.0
Delaware	0.4	0.4	1.4	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Florida (total)	23.7	35.1	43.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	18.6	30.1	38.4	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	33.9	45.0	53.5	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Illinois	1.2	1.2	1.4	1.3	(3)	(3)	(3)	(3)	(3)	(3)
Indiana	1.0	0.7	0.8	1.2	1.2	1.4	2.1	2.5	2.6	2.
Kansas	0.7	0.7	1.1	1.2	2.3	2.1	1.6	2.3	(3)	(3)
Kentucky (total)	3.6	2.5	3.0	4.7	5.7	6.5	6.4	7.0	8.1	9.6
White	3.3	2.2	2.6	3.9	4.5	5.5	5.5	5.7	6.5	8.0
Colored	6.5	5.1	7.2	11.7	16.5	15.1	13.7	18.3	21.3	21.9
Louisiana (total)	23.4	32.5	26.6	29.6	(3)	(3)	(3)	(3)	(3)	(3)
White	20.5	28.4	21.0	22.4	(3)	(3)	(3)	(3)	(3)	(3)
Colored	28.0	38.8	35.2	40.6	(3)	(3)	(3)	(3)	(3)	(3)
Maine	0.1	0.3	0.1	0.3	.....	0.1	0.1	0.9	0.7	0.4
Maryland (total)	0.3	0.3	0.7	0.4	0.9	1.2	1.1	1.0	1.7	1.8
White	0.2	0.1	0.7	0.4	0.3	0.7	0.6	0.7	1.3	1.4
Colored	0.4	1.2	0.8	0.4	3.3	3.7	3.3	2.5	3.8	3.8
Massachusetts	.....	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.4	0.2
Michigan	0.2	0.2	0.1	0.2	0.2	0.2	0.4	0.7	0.5	0.8
Minnesota	.....	.....	0.1	(4)	0.1	(4)	.....	0.1	(4)	0.1
Mississippi (total)	49.9	38.2	36.5	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	35.4	22.2	24.3	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	63.2	52.9	47.4	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Missouri	5.6	4.0	6.4	8.2	10.5	11.1	11.6	10.9	12.8	19.2
Montana	.....	.....	.....	0.4	.....	0.2	.....	.....	0.2	.....
Nebraska	0.2	0.1	(4)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
New Hampshire	0.2	.....	.....	0.5	.....	0.2	0.5	0.9	.....	0.2
New Jersey	0.3	0.2	0.1	0.4	0.2	0.3	0.5	0.3	0.5	1.2
New York	0.2	0.2	0.2	0.3	0.3	0.3	0.4	0.5	0.4	0.5
North Carolina (total)	6.9	8.1	7.9	7.6	10.9	13.9	[5] 13.9	[5] 21.8	[6] 18.6	[6] 34.1
White	4.4	4.7	4.6	4.4	6.8	9.0	7.5	12.6	11.1	24.1
Colored	12.7	16.2	15.5	14.9	19.9	24.7	26.1	39.1	32.3	52.4
Ohio	0.2	0.2	0.3	0.4	0.3	0.4	0.5	0.6	0.9	0.7
Oregon	0.4	0.1	0.5	0.1	(3)	(3)	(3)	(3)	(3)	(3)
Pennsylvania	0.1	0.2	0.1	0.2	0.2	0.2	0.4	0.2	0.4	0.5
Rhode Island	0.3	0.3	0.2	0.2	0.5	0.7	0.2	0.9	0.7	0.4
South Carolina (total)	27.9	28.8	31.7	31.9	34.3	39.1	(3)	(3)	(3)	(3)
White	9.6	11.7	13.3	12.2	12.4	16.0	(3)	(3)	(3)	(3)
Colored	45.5	45.0	49.0	50.1	54.3	59.8	(3)	(3)	(3)	(3)
Tennessee (total)	14.4	7.8	10.3	14.0	19.2	(3)	(3)	(3)	(3)	(3)
White	10.7	5.5	7.2	9.1	14.7	(3)	(3)	(3)	(3)	(3)
Colored	30.3	17.5	23.2	34.1	37.4	(3)	(3)	(3)	(3)	(3)
Utah	.....	.....	.....	.....	.....	0.2	.....	0.2	1.0	.....
Vermont	0.3	.....	0.3	0.3	.....	.....	0.8	0.3	0.6	0.3
Virginia (total)	1.8	2.2	3.0	3.7	5.5	6.5	7.0	7.8	7.1	(3)
White	1.1	1.0	1.3	2.0	2.7	3.6	2.8	3.6	4.2	(3)
Colored	3.6	5.1	7.0	7.6	11.8	13.0	16.3	16.9	13.3	(3)
Washington	0.3	0.1	0.2	0.2	0.3	0	0.3	0.1	0.1	0.1
Wisconsin	(4)	.....	(4)	.....	(4)	(4)	(4)	0.1	0.3	0.4
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920.										
Akron	.....	.....	0.5	0.5	0.6	.....	0.7	0.8	.....	1.0
Albany	.....	.....	.....	.....	1.8	.....	0.9	1.9	.....	.....
Atlanta (total)	1.4	3.0	2.0	2.6	1.6	2.2	3.3	5.7	7.0	6.7
White	1.4	3.6	1.5	1.5	1.5	1.6	2.5	4.2	6.1	3.6
Colored	1.6	1.6	3.2	4.9	1.7	3.4	5.2	8.8	9.0	12.9
Baltimore (total)	0.1	0.1	0.7	0.2	0.6	0.3	0.2	0.7	1.5	1.6
White	0.2	0.2	0.6	0.2	.....	0.2	0.2	0.6	1.0	1.4
Colored	.....	.....	0.9	.....	4.0	1.0	.....	1.1	4.4	2.3
Birmingham (total)	3.8	2.8	6.2	12.2	13.1	11.1	17.1	10.4	18.9	34.9
White	2.7	.....	3.7	3.8	5.9	5.1	3.1	2.2	5.6	19.5
Colored	5.5	7.0	10.0	25.1	24.3	20.3	38.6	23.2	39.4	58.4
Boston	.....	.....	.....	.....	.....	0.1	.....	.....	.....	0.1
Bridgeport	.....	.....	.....	0.7	.....	.....	1.6	1.7	0.9	0.9
Buffalo	.....	.....	.....	.....	.....	.....	0.2	0.7	0.2	.....
Cambridge	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.9
Camden	.....	.....	.....	.....	.....	.....	.....	.....	.....	3.0
Chicago	0.1	0.2	0.3	0.2	0.2	0.2	0.4	0.4	0.3	0.2
Cincinnati	0.2	0.2	0.5	1.5	0.5	0.5	0.3	0.8	0.8	0.3
Cleveland	0.2	.....	0.1	0.3	.....	.....	.....	0.2	0.2	0.2
Columbus	.....	0.4	0.4	.....	.....	0.5	.....	.....	.....	0.5

Table Z—Con.

DEATH RATE FROM MALARIA PER 100,000 POPULATION. [Rates of 10 or more in bold-faced type.]

AREA.	1921	1920	1919	1918	1917	1916	1915	1914	1913	1912
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—continued.										
Dallas (total)	6.6	13.7	5.7	6.9	6.3	12.3	(3)	(3)	(3)	(3)
White	6.3	13.9	3.0	4.5	4.7	9.8	(3)	(3)	(3)	(3)
Colored	8.2	12.4	20.9	19.4	14.8	25.0	(3)	(3)	(3)	(3)
Dayton	.....	.....	.....	0.7	.....	0.7	.....	.....	0.8	0.8
Denver	.....	0.4	0.8	.....	.....	0.4	.....	.....	.....	0.4
Detroit	.....	0.2	0.1	0.1	0.1	0.1	0.3	0.1	0.3	0.3
Fall River	.....	.....	.....	.....	.....	1.7	0.8	.....	.....	.....
Grand Rapids	.....	.....	0.7	.....	.....	.....	0.8	1.6	0.8	0.8
Hartford	.....	.....	.....	.....	.....	.....	0.8	.....	0.9	.....
Houston (total)	16.5	22.8	18.3	15.5	13.5	(3)	(3)	(3)	(3)	(3)
White	9.1	15.1	10.7	6.6	4.6	(3)	(3)	(3)	(3)	(3)
Colored	40.1	46.6	41.6	41.7	39.3	(3)	(3)	(3)	(3)	(3)
Indianapolis (total)	0.9	0.3	1.0	1.0	0.7	1.1	.....	1.1	1.5	1.6
White	0.7	.....	1.1	0.7	0.8	1.2	.....	0.8	0.4	0.9
Colored	2.7	2.8	.....	3.0	.....	.....	.....	3.5	11.5	8.1
Jersey City	.....	0.7	.....	.....	0.3	0.7	0.4	.....	0.4	0.4
Kansas City, Kans. (total)	.....	.....	1.0	.....	3.1	.....	2.2	3.3	1.1	4.6
White	.....	.....	.....	.....	2.4	.....	2.5	2.5	.....	1.3
Colored	.....	.....	7.0	.....	7.6	.....	.....	8.6	9.0	28.4
Kansas City, Mo.	0.9	0.3	1.6	2.2	2.3	1.7	2.1	2.8	1.1	1.1
Los Angeles	0.5	.....	.....	0.6	0.8	0.2	0.2	0.2	0.2	1.3
Louisville (total)	2.1	1.3	2.1	2.1	2.6	1.3	3.0	3.9	3.5	4.4
White	1.5	0.5	1.5	1.6	1.6	.....	1.0	.....	.....	1.6
Colored	5.0	5.0	5.0	5.0	7.4	7.4	12.3	22.1	19.6	17.3
Lowell	.....	0.9	0.9	.....	.....	.....	.....	.....	0.9	.....
Memphis (total)	47.1	22.0	31.4	37.2	38.4	(7)	76.2	56.6	79.2	82.6
White	26.0	6.9	12.6	11.3	21.8	(7)	38.6	23.2	32.2	47.2
Colored	82.7	47.2	64.2	81.0	66.5	(7)	137.9	110.4	152.2	137.7
Milwaukee	.....	.....	.....	.....	.....	.....	.....	.....	0.5	0.3
Minneapolis	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.3
Nashville (total)	3.3	0.8	2.5	6.0	6.0	(7)	6.1	11.4	12.4	13.4
White	1.2	.....	1.2	4.9	6.2	(7)	2.5	7.7	3.9	1.3
Colored	8.3	2.8	5.6	8.4	5.6	(7)	13.9	19.4	30.4	38.5
New Bedford	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
New Haven	.....	.....	.....	.....	1.3	1.3	3.4	1.4	0.7	3.6
New Orleans (total)	3.0	1.0	4.4	4.5	3.5	7.0	9.9	8.9	6.8	8.0
White	1.0	1.4	2.8	3.2	1.8	4.0	5.9	6.0	3.8	4.7
Colored	8.7	.....	8.9	8.0	8.1	15.4	20.9	16.9	15.0	17.3
New York	0.1	0.2	0.2	0.3	2.0	0.3	0.3	0.4	0.3	0.5
Bronx Borough	.....	.....	0.1	0.1	0.3	0.2	0.3	.....	0.6	.....
Brooklyn Borough	(4)	0.2	0.2	0.5	0.1	0.4	0.4	0.6	0.3	0.8
Manhattan Borough	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.2	0.2	0.3
Queens Borough	0.2	.....	0.2	0.5	0.7	0.7	0.8	0.3	0.9	1.5
Richmond Borough	0.8	0.8	.....	0.9	.....	0.9	.....	2.0	.....	.....
Newark, N. J.	.....	.....	.....	.....	.....	.....	0.3	.....	0.3	0.3
Norfolk (total)	1.6	3.4	3.5	3.6	11.3	11.7	10.1	14.6	21.7	17.0
White	1.3	4.1	.....	.....	7.6	6.3	4.9	3.4	18.0	9.4
Colored	2.2	2.3	9.3	9.5	17.2	20.2	18.1	32.9	27.5	28.3
Oakland	.....	0.9	.....	0.5	0.5	.....	0.5	1.1	0.6	.....
Omaha	0.5	.....	.....	.....	.....	.....	1.8	.....	.....	0.8
Paterson	0.7	.....	.....	.....	.....	0.8	0.8	.....	.....	.....
Philadelphia	0.1	0.1	0.1	0.3	0.3	0.2	0.2	0.5	0.4	0.4
Pittsburgh	0.2	0.2	0.2	0.2	.....	0.4	0.5	.....	0.4	0.4
Portland, Oreg.	1.1	0.4	0.4	.....	.....	0.4	2.2	.....	0.5	.....
Providence	.....	0.4	.....	.....	.....	0.4	.....	1.3	1.3	.....
Reading	.....	.....	.....	.....	0.9	.....	1.0	.....	.....	.....
Richmond (total)	0.6	1.7	0.6	1.2	2.4	0.6	.....	0.7	.....	2.2
White	0.8	1.7	0.9	1.8	2.7	0.9	.....	.....	.....	3.5
Colored	.....	1.8	.....	.....	1.9	.....	.....	2.1	.....	.....
Rochester	.....	0.3	0.3	.....	0.4	.....	.....	0.4	.....	.....
St. Louis	1.0	1.7	2.3	2.0	1.6	1.6	2.6	3.0	4.1	5.5
St. Paul	.....	.....	.....	.....	0.4	.....	.....	.....	.....	0.5
Salt Lake City	.....	.....	.....	.....	.....	.....	.....	.....	1.0	.....
San Antonio	9.9	12.1	10.1	10.6	14.5	19.6	14.5	13.6	9.3	9.0
San Francisco	0.4	0.8	0.6	0.6	0.4	0.8	0.4	0.9	1.1	2.1
Scranton	.....	.....	.....	.....	0.7	.....	.....	.....	.....	0.8
Seattle	0.3	.....	.....	.....	0.3	.....	.....	0.4	0.4	.....
Spokane	.....	.....	1.0	.....	.....	.....	.....	.....	.....	.....
Springfield, Mass	.....	.....	.....	0.8	.....	.....	.....	0.9	1.0	.....
Syracuse	.....	0.6	.....	0.6	.....	.....	.....	.....	.....	0.7
Toledo	.....	.....	.....	.....	.....	.....	1.0	0.5	1.6	.....
Trenton	0.8	.....	0.8	0.9	.....	.....	.....	.....	.....	.....
Washington, D. C. (total)	0.9	0.2	1.4	.....	1.2	1.3	0.5	1.3	2.2	1.7
White	0.6	.....	1.6	.....	0.3	1.4	.....	1.5	1.9	1.6
Colored	1.8	0.9	0.9	.....	3.8	1.0	1.9	1.0	3.0	2.0
Wilmington, Del	.....	.....	0.9	.....	1.0	.....	2.0	.....	.....	.....
Worcester	.....	.....	.....	.....	.....	.....	.....	.....	0.6	0.7
Yonkers	.....	1.0	.....	1.0	.....	1.1	1.1	1.1	2.3	1.2
Youngstown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

[1] Exclusive of Hawaii.
[2] Including District of Columbia.
[3] Not added to registration area until a later date.
[4] Less than one-tenth of 1 per 100,000 population.
[5] Includes only municipalities having a population of 1,000 or more in 1910.
[6] Includes only municipalities having a population of 1,000 or more in 1900.
[7] Transcripts of deaths not received.

States having rates above 10 per 100,000 population in 1921 are Mississippi (49.9), South Carolina (27.9), Florida (23.7), Louisiana (23.4), and Tennessee (14.4). Other States with rates well above that for the registration area as a whole (3.6 per 100,000) are North Carolina (6.9) and Missouri (5.6). Five States (Colorado, Massachusetts, Minnesota, Montana, and Utah) and 37 of the 66 cities show no rate from malaria for 1921. For cities the highest rates are for Memphis (47.1), Houston (16.5), and San Antonio (9.9). Although Memphis has the highest rate shown, special attention is called to the remarkable decline in its rate in late years; in 1904 its rate was 149.8. In 1921 the rate for the colored is very high in Mississippi (63.2), South Carolina (45.5), and Florida (33.9), and the highest rates shown in registration cities of 100,000 population or more in 1920 are for Memphis (82.7) and Houston (40.1).

SMALLPOX.

Not for many years has smallpox been an important cause of death in this country.

Since 1900, the year for which the first annual report was published, smallpox has never reached a rate as high as 7 per 100,000 population for the registration area. The highest rate from this cause in any year from 1900 to 1920 is 6.6 in 1902; in 1903 it is 4.2; in 1901, 3.5; 2.1 in 1904; and 1.9 in 1900. With the exception of these five years the rate for the registration area has never reached 1 per 100,000 population.

The danger of smallpox, however, among an unvaccinated population must not be lost sight of, and the high rate (78.7) in 1921 for the colored of Kansas City, Kans., and the high total rate (47.3) for Kansas City, Mo., should serve as a warning.

Table AA shows the rates per 100,000 population for 1912 to 1921.

Table AA — DEATH RATE FROM SMALLPOX PER 100,000 POPULATION.

AREA	1921	1920	1919	1918	1917	1916	1915	1914	1913	1912
SUMMARY.										
The registration area [1]	0.7	0.6	0.4	0.4	0.3	0.2	0.3	0.3	0.2	0.3
Registration States [2]	0.7	0.6	0.4	0.4	0.2	0.1	0.1	0.2	0.2	0.2
Cities in registration States [2]	0.8	0.6	0.2	0.2	0.2	(3)	0.1	0.1	0.1	0.3
Rural part of registration States	0.6	0.6	0.6	0.5	0.3	0.2	0.2	0.3	0.3	0.2
Registration cities in non-registration States	1.4	0.7	0.6	1.9	0.8	0.9	1.6	1.5	0.2	0.7
All registration cities [2]	0.8	0.6	0.2	0.3	0.3	0.1	0.3	0.3	0.1	0.3
REGISTRATION STATES.										
California	0.6	0.3	0.2	0.1	0.5	0.4	0.1	(3)	0.6	0.6
Colorado	4.7	1.1	0.5	1.4	0.1	0.2	.....	0.1	.....	0.1
Connecticut	.....	.....	.....	.....	0.2	.....	.....	.....	0.1	.....
Delaware	.....	0.9	.....	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Florida (total)	1.5	0.2	.....	(4)	(4)	(4)	(4)	(4)	(4)	(4)
White	0.9	.....	.....	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Colored	2.7	0.6	.....	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Illinois	0.4	0.2	0.1	0.2	(4)	(4)	(4)	(4)	(4)	(4)
Indiana	0.7	0.6	0.5	0.8	0.5	(3)	0.4	0.3	0.4	0.4
Kansas	2.8	0.2	0.1	1.5	0.4	0.2	0.6	0.5	(4)	(4)
Kentucky (total)	0.7	0.9	0.7	0.5	0.1	0.2	(3)	0.8	0.2	0.1
White	0.8	1.0	0.7	0.5	0.1	0.2	(3)	0.7	0.2	0.1
Colored	.....	.....	0.4	0.4	0.4	.....	.....	1.6	.....	.....

See notes at end of table.

Table AA—Con. — DEATH RATE FROM SMALLPOX PER 100,000 POPULATION.

AREA	1921	1920	1919	1918	1917	1916	1915	1914	1913	1912
REGISTRATION STATES—Con.										
Louisiana (total)	3.2	9.2	9.8	1.0	(4)	(4)	(4)	(4)	(4)	(4)
White	2.2	5.3	2.4	0.7	(4)	(4)	(4)	(4)	(4)	(4)
Colored	4.7	15.4	21.2	1.6	(4)	(4)	(4)	(4)	(4)	(4)
Maine	.....	.....	0.3	.....	.....	.....	.....	0.3	0.3	0.5
Maryland (total)	.....	.....	.....	.....	0.1	.....	.....	0.6	0.1	0.1
White	.....	.....	.....	.....	0.1	.....	.....	0.1	0.1	0.1
Colored	.....	.....	.....	.....	.....	.....	.....	2.9	0.4	.....
Massachusetts	.....	0.1	0.1	(3)	0.3	.....	0.3	(3)	.....	0.1
Michigan	0.3	0.3	0.3	0.5	0.3	0.1	0.2	(3)	0.1	0.1
Minnesota	1.1	0.7	0.4	0.4	0.9	(3)	0.3	0.3	0.6	0.2
Mississippi (total)	0.5	2.5	0.4	(4)	(4)	(4)	(4)	(4)	(4)	(4)
White	0.4	2.8	.....	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Colored	0.6	2.3	0.9	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Missouri	5.6	0.8	0.5	2.5	0.9	0.3	0.4	0.5	0.3	0.4
Montana	0.5	0.4	1.7	1.1	1.2	0.4	0.2	1.1	0.7	0.5
Nebraska	0.7	1.7	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)
New Hampshire	.....	.....	.....	.....	.....	0.2	.....	.....	0.5	0.5
New Jersey	.....	.....	.....	(3)	.....	.....	(3)	(3)	.....	0.1
New York	(3)	(3)	.....	(3)	(3)	(3)	.....	(3)	(3)	0.1
North Carolina (total)	0.8	1.1	0.4	0.1	0.5	0.5	[5] 1.2	[5] 2.1	[5] 2.5	[5] 1.0
White	0.6	1.2	0.3	0.1	0.4	0.3	1.3	1.0	3.1	0.8
Colored	1.1	0.9	0.4	0.1	0.9	1.1	1.2	4.3	1.4	1.5
Ohio	0.3	0.3	0.2	0.4	0.2	0.1	0.1	0.3	0.1	(3)
Oregon	0.7	1.3	0.3	.....	.....	.....	.....	.....	.....	.....
Pennsylvania	(3)	(3)	(3)	(3)	.....	.....	.....	(3)	0.1	0.5
Rhode Island	.....	.....	.....	0.2	.....	0.2	.....	.....	.....	.....
South Carolina (total)	0.6	0.1	0.2	0.1	.....	0.2	(4)	(4)	(4)	(4)
White	0.1	0.1	0.2	.....	.....	.....	(4)	(4)	(4)	(4)
Colored	1.1	0.1	0.2	0.2	.....	0.5	(4)	(4)	(4)	(4)
Tennessee (total)	0.5	0.5	0.6	0.7	0.2	(4)	(4)	(4)	(4)	(4)
White	0.3	0.5	0.6	0.6	0.2	(4)	(4)	(4)	(4)	(4)
Colored	1.1	0.7	0.9	1.1	0.2	(4)	(4)	(4)	(4)	(4)
Utah	2.2	2.9	0.9	2.3	0.9	.....	.....	0.5	1.5	1.8
Vermont	0.3	.....	.....	.....	.....	0.3	0.3	.....	.....	0.3
Virginia (total)	0.4	0.5	0.4	0.2	0.1	(3)	0.2	0.8	0.4	(4)
White	0.5	0.6	0.3	0.1	0.1	0.1	0.1	0.4	0.1	(4)
Colored	0.1	0.4	0.6	0.6	.....	.....	0.4	1.8	1.0	(4)
Washington	0.6	1.3	0.6	0.3	0.1	0.1	0.1	0.2	0.2	0.1
Wisconsin	0.8	0.4	0.2	0.5	0.1	0.1	0.2	0.2	0.1	0.2
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920.										
Akron	.....	0.5	.....	0.5	0.6	.....	.....	.....	.....	.....
Albany	.....	.....	.....	.....	0.9	.....	.....	.....	1.0	.....
Atlanta (total)	1.4	0.5	1.5	0.5	.....	.....	.....	0.6	0.6	.....
White	.....	0.7	0.7	.....	.....	.....	.....	.....	.....	.....
Colored	4.7	.....	3.2	1.6	.....	.....	.....	1.8	1.8	.....
Baltimore (total)	.....	.....	.....	.....	.....	.....	.....	0.5	.....	0.2
White	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.2
Colored	.....	.....	.....	.....	.....	.....	.....	3.2	.....	.....
Birmingham (total)	0.5	1.7	.....	1.2	.....	.....	0.6	0.7	.....	.....
White	0.9	2.7	.....	1.0	.....	.....	1.0	.....	.....	.....
Colored	.....	.....	.....	1.5	.....	.....	.....	1.7	.....	.....
Boston	.....	0.1	.....	.....	.....	.....	.....	.....	.....	.....
Bridgeport	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Buffalo	0.2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cambridge	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Camden	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Chicago	0.1	(3)	.....	0.2	0.1	.....	.....	(3)	.....	0.3
Cincinnati	0.2	.....	.....	0.3	.....	.....	.....	0.5	.....	.....
Cleveland	.....	.....	0.1	.....	0.3	.....	.....	.....	.....	0.2
Columbus	.....	.....	0.4	0.4	.....	.....	.....	.....	.....	.....
Dallas (total)	.....	.....	.....	.....	0.8	.....	(4)	(4)	(4)	(4)
White	.....	.....	.....	.....	.....	.....	(4)	(4)	(4)	(4)
Colored	.....	.....	.....	.....	4.9	.....	(4)	(4)	(4)	(4)
Dayton	0.6	.....	.....	.....	.....	.....	.....	.....	.....	.....
Denver	14.1	0.4	.....	.....	.....	.....	.....	.....	.....	.....
Detroit	0.2	0.4	0.2	0.7	0.1	0.1	0.1	0.1	0.2	.....
Fall River	.....	.....	1.7	.....	.....	.....	.....	.....	.....	.....
Grand Rapids	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Hartford	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Houston (total)	0.7	0.7	0.7	1.6	5.9	(4)	(4)	(4)	(4)	(4)
White	.....	.....	.....	2.2	3.4	(4)	(4)	(4)	(4)	(4)
Colored	2.9	2.9	3.0	.....	13.1	(4)	(4)	(4)	(4)	(4)
Indianapolis (total)	0.6	.....	.....	1.3	0.7	.....	.....	.....	.....	.....
White	0.3	.....	.....	1.1	0.4	.....	.....	.....	.....	.....
Colored	2.7	.....	.....	3.0	3.2	.....	.....	.....	.....	.....
Jersey City	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Kansas City, Kans. (total)	17.3	.....	.....	4.1	1.0	.....	.....	1.1	.....	.....
White	6.8	.....	.....	4.7	1.2	.....	.....	.....	.....	.....
Colored	78.7	.....	.....	.....	.....	.....	.....	8.6	.....	.....
Kansas City, Mo.	47.3	0.9	0.9	5.4	0.7	.....	0.3	1.8	0.4	0.4

Table AA—Con.

AREA.	DEATH RATE FROM SMALLPOX PER 100,000 POPULATION.									
	1921	1920	1919	1918	1917	1916	1915	1914	1913	1912
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—continued.										
Los Angeles	.....	.....	.....	.....	.....	0.4	.....	.....	.....	2.6
Louisville (total)	.....	0.4	.....	.....	.....	.....	.....	.....	.....	.....
White	.....	0.5	.....	.....	.....	.....	.....	.....	.....	.....
Colored	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Lowell	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Memphis (total)	.....	.....	.....	.....	.....	(7)	.....	.....	.....	.....
White	.....	.....	.....	.....	.....	(7)	.....	.....	.....	.....
Colored	.....	.....	.....	.....	.....	(7)	.....	.....	.....	.....
Milwaukee	.....	.....	.....	0.4	.....	.....	.....	.....	.....	.....
Minneapolis	1.0	0.3	0.8	1.1	0.3	.....	0.3	.....	.....	.....
Nashville (total)	.....	.....	.....	.....	.....	(7)	.....	.....	.....	.....
White	.....	.....	.....	.....	.....	(7)	.....	.....	.....	.....
Colored	.....	.....	.....	.....	.....	(7)	.....	.....	.....	.....
New Bedford	.....	.....	.....	.....	.....	.....	9.1	.....	.....	.....
New Haven	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
New Orleans (total)	9.9	34.4	1.6	.....	.....	1.1	1.4	.....	0.6	.....
White	5.5	15.6	1.1	.....	.....	0.4	0.7	.....	0.8	.....
Colored	22.3	87.3	3.0	.....	.....	3.1	3.1	.....	.....	.....
New York	(3)	.....	.....	(3)	.....	.....	.....	.....	.....	0.1
Bronx Borough	0.1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Brooklyn Borough	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.1
Manhattan Borough	.....	.....	.....	(3)	.....	.....	.....	.....	.....	.....
Queens Borough	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Richmond Borough	.....	.....	.....	.....	.....	.....	.....	.....	.....	2.2
Newark, N. J.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Norfolk (total)	.....	.....	.....	.....	.....	.....	.....	4.2	.....	.....
White	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Colored	.....	.....	.....	.....	.....	.....	.....	10.7	.....	.....
Oakland	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Omaha	1.5	2.1	0.5	.....	.....	.....	.....	0.7	.....	.....
Paterson	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Philadelphia	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.1
Pittsburgh	.....	.....	.....	.....	.....	.....	.....	0.2	.....	6.2
Portland, Oreg.	0.4	0.8	.....	.....	.....	.....	0.4	.....	0.9	0.5
Providence	.....	.....	.....	0.4	.....	.....	.....	.....	.....	.....
Reading	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Richmond (total)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Colored	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Rochester	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
St. Louis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
St. Paul	1.3	.....	0.4	.....	.....	.....	0.4	.....	.....	0.5
Salt Lake City	0.8	4.2	0.9	1.8	.....	.....	.....	.....	.....	1.0
San Antonio	1.2	.....	.....	.....	15.9	12.3	9.1	.....	.....	3.6
San Francisco	0.2	.....	0.2	.....	1.7	.....	.....	.....	.....	0.2
Scranton	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Seattle	0.3	0.6	0.3	.....	.....	.....	.....	0.4	.....	.....
Spokane	1.0	3.8	.....	.....	.....	.....	.....	.....	.....	.....
Springfield, Mass.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Syracuse	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Toledo	.....	0.4	.....	0.4	0.4	.....	.....	.....	.....	.....
Trenton	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Washington, D. C. (total)	0.2	0.2	.....	.....	.....	.....	.....	.....	.....	.....
White	0.3	0.3	.....	.....	.....	.....	.....	.....	.....	.....
Colored	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Wilmington, Del.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Worcester	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Yonkers	.....	.....	.....	.....	5.3	.....	.....	1.1	.....	.....
Youngstown	.....	0.7	1.5	.....	.....	.....	1.8	.....	.....	.....

[1] Exclusive of Hawaii.
[2] Including District of Columbia.
[3] Less than one-tenth of 1 per 100,000 population.
[4] Not added to registration area until a later date.
[5] Includes only municipalities having a population of 1,000 or more in 1910.
[6] Includes only municipalities having a population of 1,000 or more in 1900.
[7] Transcripts of deaths not received.

Of the 66 cities presented only 24 show rates for 1921 and 10 of these have rates of 1 or more.

MEASLES.

The number of deaths from measles in 1921 is 3,790, or 4.3 per 100,000 population. This is less than half the rate (8.8) for 1920 and only slightly higher than that for 1919 (3.9), which was the lowest rate from this cause on record in the annual mortality reports, the first of which was published in 1900.

Table AB shows the rates per 100,000 population for the years 1912 to 1921, with rates of 20 and higher in bold-faced type.

Table AB

AREA.	DEATH RATE FROM MEASLES PER 100,000 POPULATION. [Rates of 20 or more in bold-faced type.]									
	1921	1920	1919	1918	1917	1916	1915	1914	1913	1912
SUMMARY.										
The registration area [1]	4.3	8.8	3.9	10.8	14.3	11.1	5.4	6.8	12.8	7.0
Registration States [2]	4.2	8.8	3.9	10.7	14.2	11.5	5.3	6.9	13.0	7.3
Cities in registration States [2]	4.1	10.3	4.3	10.7	10.4	12.9	7.1	7.7	13.6	9.5
Rural part of registration States	4.4	7.4	3.6	10.8	17.6	10.3	3.4	6.1	12.3	5.0
Registration cities in non-registration States	6.5	7.8	2.9	14.5	15.7	5.7	7.7	5.4	11.2	4.3
All registration cities [2]	4.2	10.2	4.2	10.9	11.1	11.9	7.2	7.4	13.2	8.7
REGISTRATION STATES.										
California	4.0	6.3	0.7	6.0	7.2	2.2	5.3	5.9	5.7	5.4
Colorado	8.4	10.3	0.6	5.8	15.9	4.2	2.4	9.9	4.1	1.9
Connecticut	3.0	9.7	7.6	6.6	9.8	11.7	4.9	11.7	8.3	10.0
Delaware	0.9	16.1	0.9	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Florida (total)	0.8	1.3	5.4	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	0.9	1.7	6.5	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	0.6	0.6	3.3	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Illinois	4.7	7.6	4.8	5.6	(3)	(3)	(3)	(3)	(3)	(3)
Indiana	2.8	11.8	2.7	5.0	19.9	7.2	2.4	5.4	16.0	2.5
Kansas	4.3	4.5	0.8	18.3	16.8	9.0	4.2	4.4	(3)	(3)
Kentucky (total)	7.3	11.1	9.8	17.2	40.3	8.0	3.6	11.6	17.0	2.3
White	7.9	11.8	10.2	18.5	41.5	8.4	3.8	12.2	18.3	2.4
Colored	1.7	5.1	6.3	6.2	29.7	4.1	1.6	6.4	6.3	1.2
Louisiana (total)	6.1	2.4	2.2	19.7	(3)	(3)	(3)	(3)	(3)	(3)
White	7.3	3.1	2.5	21.5	(3)	(3)	(3)	(3)	(3)	(3)
Colored	4.1	1.3	1.7	16.9	(3)	(3)	(3)	(3)	(3)	(3)
Maine	10.6	3.9	0.5	13.2	20.0	2.0	2.4	5.7	8.3	7.8
Maryland (total)	3.2	6.4	3.3	11.1	8.5	7.7	2.5	1.8	14.9	2.6
White	3.3	6.8	3.5	10.6	8.0	7.9	2.2	1.3	14.0	2.9
Colored	2.4	4.9	2.0	13.6	10.8	7.1	3.8	3.8	19.4	1.3
Massachusetts	4.7	9.2	4.9	13.8	10.1	12.9	7.5	5.6	14.1	11.3
Michigan	1.8	11.8	5.2	7.6	8.0	10.4	3.2	5.6	8.2	3.8
Minnesota	1.3	6.6	4.0	4.3	5.6	12.7	3.9	3.6	9.5	1.0
Mississippi (total)	1.6	1.0	2.3	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	2.0	0.6	3.1	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	1.2	1.4	1.7	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Missouri	2.1	8.4	3.6	11.2	25.4	15.8	4.6	12.4	13.2	1.7
Montana	6.1	4.8	3.0	3.4	9.1	7.4	1.5	6.0	12.5	1.4
Nebraska	2.1	9.3	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
New Hampshire	2.7	9.0	0.7	10.4	11.6	10.7	2.1	8.5	12.4	4.4
New Jersey	3.5	9.6	2.1	19.0	4.8	13.2	7.8	8.2	7.8	11.1
New York	4.9	11.3	3.6	13.4	9.3	10.3	9.1	8.8	11.7	10.9
North Carolina (total)	5.6	2.4	4.9	14.4	42.3	7.0	[4] 0.6	[4] 10.8	[5] 26.5	[6] 10.8
White	6.3	2.8	6.6	17.6	45.9	6.8	0.9	12.9	31.7	11.5
Colored	4.1	1.4	1.2	6.9	33.9	7.6	.....	6.7	16.9	9.5
Ohio	2.5	12.9	3.5	4.8	10.4	15.1	4.1	4.6	13.3	8.1
Oregon	5.2	3.8	0.4	7.6	(3)	(3)	(3)	(3)	(3)	(3)
Pennsylvania	5.4	13.1	5.8	9.8	6.2	18.5	6.9	6.8	19.7	10.7
Rhode Island	13.4	11.4	2.7	21.0	12.6	24.7	10.4	10.0	12.6	21.0
South Carolina (total)	5.1	3.3	3.2	21.3	40.3	4.6	(3)	(3)	(3)	(3)
White	6.9	4.2	3.2	22.1	53.2	4.8	(3)	(3)	(3)	(3)
Colored	3.4	2.4	3.2	20.6	28.6	4.4	(3)	(3)	(3)	(3)
Tennessee (total)	3.4	10.7	7.1	17.6	34.0	(3)	(3)	(3)	(3)	(3)
White	3.7	12.3	8.0	19.8	35.2	(3)	(3)	(3)	(3)	(3)
Colored	2.2	3.5	3.3	8.3	29.3	(3)	(3)	(3)	(3)	(3)
Utah	20.0	3.5	0.4	7.8	24.4	8.8	1.0	3.0	32.1	3.8
Vermont	4.0	5.1	4.5	4.5	22.1	6.8	0.8	1.1	20.6	7.3
Virginia (total)	7.5	4.0	3.2	13.9	15.9	18.3	2.6	5.3	16.9	(3)
White	7.9	4.2	3.8	15.8	17.3	16.2	2.5	5.8	17.3	(3)
Colored	6.5	3.6	1.9	9.6	12.8	23.1	2.9	4.3	16.2	(3)
Washington	1.8	5.5	1.4	6.8	15.4	6.6	1.4	4.1	8.9	1.3
Wisconsin	1.9	8.8	2.7	6.5	2.9	11.6	2.1	5.9	7.6	5.2
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920.										
Akron	1.0	16.7	4.5	2.7	28.8	26.9	1.4	6.3	3.5	7.0
Albany	1.7	1.8	5.3	2.7	29.0	23.8	1.9	1.9	6.7	5.8
Atlanta (total)	13.0	9.4	2.0	8.8	23.8	1.6	1.1	14.3	5.3	7.3
White	13.3	8.6	2.9	9.8	20.9	0.8	1.6	10.1	6.1	9.9
Colored	12.4	11.0	.....	6.5	29.9	3.4	.....	22.9	3.6	1.8
Baltimore (total)	3.6	6.5	1.0	12.3	8.8	5.3	3.3	1.0	19.7	1.2
White	3.9	6.7	1.1	11.9	8.1	5.3	3.2	1.2	18.3	1.4
Colored	1.8	5.5	.....	14.8	12.1	5.1	4.2	.....	27.3	.....
Birmingham (total)	5.4	0.6	3.9	16.2	52.5	.....	7.0	9.8	7.4	11.8
White	0.9	0.9	4.6	19.1	31.5	.....	6.3	12.9	7.8	13.8
Colored	12.3	.....	2.9	11.8	85.0	.....	8.0	5.0	6.8	8.8

See notes at end of table.

Table AB—Con.

AREA.	DEATH RATE FROM MEASLES PER 100,000 POPULATION. [Rates of 20 or more in bold-faced type.]									
	1921	1920	1919	1918	1917	1916	1915	1914	1913	1912
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—continued.										
Boston	5.0	9.5	3.9	15.7	14.8	15.2	5.7	8.4	10.9	16.1
Bridgeport	0.7	7.6	9.9	11.7	12.0	14.8	6.4	27.5	13.0	6.3
Buffalo	5.6	8.4	7.0	8.5	2.1	15.5	10.7	2.2	15.7	15.1
Cambridge	3.6	12.7	1.8	26.6	13.8	7.4	5.6	11.2	9.4	8.5
Camden	5.0	15.3	3.5	18.6	10.8	.....	19.8	5.8	18.7	.....
Chicago	5.0	3.5	7.7	2.3	9.7	5.4	10.7	3.2	11.8	5.3
Cincinnati	3.5	18.9	2.5	4.5	6.0	15.9	3.8	.....	18.4	8.9
Cleveland	2.9	9.9	6.0	2.2	7.1	8.4	10.4	4.4	15.9	5.6
Columbus	.....	12.1	.....	4.4	30.0	15.6	6.6	11.6	4.5	11.8
Dallas (total)	3.6	2.5	0.6	9.2	10.3	0.8	(3)	(3)	(3)	(3)
White	4.2	2.9	.....	10.0	9.4	1.0	(3)	(3)	(3)	(3)
Colored	.....	.....	4.2	4.9	14.8	.....	(3)	(3)	(3)	(3)
Dayton	0.6	12.3	4.0	1.4	11.2	1.4	2.2	5.3	3.9	12.0
Denver	6.5	9.7	0.4	0.8	9.8	2.1	1.3	4.3	4.4	0.4
Detroit	4.0	8.6	8.4	14.1	6.9	13.2	6.8	6.0	16.8	8.8
Fall River	23.2	14.9	47.3	5.8	59.1	32.5	15.0	2.5	61.0	1.7
Grand Rapids	0.7	17.3	2.2	0.7	26.6	2.4	.....	4.1	9.2	.....
Hartford	3.6	4.3	12.5	7.6	6.3	33.1	1.7	4.3	19.7	9.3
Houston (total)	.....	5.0	2.2	12.3	5.9	(3)	(3)	(3)	(3)	(3)
White	.....	6.6	2.9	13.2	8.0	(3)	(3)	(3)	(3)	(3)
Colored	.....	.....	.....	9.6	.....	(3)	(3)	(3)	(3)	(3)
Indianapolis (total)	0.9	8.8	1.9	3.3	19.0	9.5	.....	7.9	6.2	6.4
White	1.0	8.8	2.2	2.6	19.4	9.0	.....	6.7	6.4	7.1
Colored	.....	8.5	.....	9.1	15.9	13.3	.....	18.2	3.8	.....
Jersey City	9.6	16.0	3.0	13.6	9.3	6.3	18.7	4.6	10.8	5.5
Kansas City, Kans. (total)	.....	15.7	.....	33.6	29.0	5.3	3.2	5.5	19.1	1.1
White	.....	14.9	.....	39.0	20.4	4.9	3.7	6.3	20.5	1.3
Colored	.....	20.4	.....	.....	33.5	7.9	.....	.....	9.0	.....
Kansas City, Mo.	5.1	9.1	9.7	18.2	18.7	14.1	2.1	1.1	22.3	0.4
Los Angeles	4.4	6.1	0.4	2.8	6.4	2.0	4.1	1.4	13.4	0.3
Louisville (total)	3.8	3.0	6.0	34.7	42.9	2.2	.....	8.7	6.1	0.4
White	4.1	3.1	6.2	41.4	39.0	2.6	.....	8.4	5.8	0.5
Colored	2.5	2.5	5.0	2.5	61.9	.....	.....	9.8	7.4	.....
Lowell	9.7	38.9	6.2	14.3	8.1	26.3	0.9	11.0	19.4	53.8
Memphis (total)	7.8	0.6	7.3	12.9	32.9	(6)	2.8	5.7	11.6	3.0
White	8.7	1.0	8.4	18.2	40.4	(6)	3.4	4.6	10.7	3.6
Colored	6.5	.....	5.5	3.7	20.3	(6)	1.9	7.5	13.2	1.9
Milwaukee	1.3	11.9	0.2	12.8	3.2	28.1	4.3	9.1	6.4	11.3
Minneapolis	0.8	5.7	2.1	7.1	3.1	21.0	3.8	2.7	6.1	3.4
Nashville (total)	1.6	4.2	11.9	18.0	21.5	(6)	0.9	7.0	22.1	0.9
White	1.2	6.0	14.6	20.9	26.2	(6)	1.3	6.4	27.4	.....
Colored	2.8	.....	5.6	11.2	11.2	(6)	.....	8.3	11.0	2.8
New Bedford	.....	18.8	12.5	21.3	23.5	15.1	37.3	3.7	34.4	5.9
New Haven	0.6	20.7	7.5	5.7	21.9	5.3	12.1	21.2	1.4	18.5
New Orleans (total)	8.6	3.6	1.0	5.8	16.5	3.5	0.8	2.2	9.9	0.6
White	11.0	4.9	0.7	5.7	16.6	3.3	1.1	3.0	10.3	0.8
Colored	1.9	.....	2.0	6.0	16.3	4.1	.....	.....	8.6	.....
New York	4.6	14.2	4.1	15.5	10.8	10.5	12.7	11.2	14.3	14.2
Bronx Borough	1.7	8.8	1.1	9.0	5.7	5.8	7.1	6.6	13.2	8.6
Brooklyn Borough	1.7	12.5	2.9	17.7	5.4	5.2	7.1	6.9	8.0	11.3
Manhattan Borough	9.2	19.4	6.3	16.5	17.5	17.6	19.4	16.7	20.0	17.8
Queens Borough	1.4	6.1	2.0	11.1	7.4	3.7	5.7	6.3	8.4	13.2
Richmond Borough	1.6	11.9	6.1	13.4	7.4	1.9	20.5	4.0	17.7	14.0
Newark, N. J.	3.1	13.4	1.9	29.2	1.8	26.9	5.2	18.9	4.9	14.9
Norfolk (total)	4.9	4.3	0.9	10.9	5.6	10.7	12.1	5.2	12.0	1.1
White	6.6	2.7	1.4	13.2	3.0	14.2	13.2	5.2	18.0	.....
Colored	2.2	6.8	.....	7.2	9.8	5.0	10.4	5.3	2.7	2.8
Oakland	1.3	10.0	0.9	1.5	8.5	.....	2.7	15.7	.....	3.0
Omaha	2.5	7.8	5.3	5.9	14.2	1.7	7.6	1.4	0.7	0.8
Paterson	1.5	11.7	0.7	15.6	5.3	18.9	0.8	10.0	0.8	21.1
Philadelphia	1.3	9.6	2.3	7.7	4.7	6.5	11.2	4.4	12.4	3.3
Pittsburgh	4.6	17.8	2.1	17.6	11.5	24.1	13.1	9.5	27.7	27.1
Portland, Oreg	2.3	5.0	.....	9.9	7.3	3.3	1.7	9.2	2.7	0.5
Providence	19.2	10.9	1.7	23.4	14.9	27.5	9.9	16.1	16.6	34.7
Reading	5.5	0.9	14.9	4.7	.....	23.9	6.8	.....	18.2	6.1
Richmond (total)	2.3	5.8	2.3	4.8	3.6	25.3	.....	0.7	19.1	0.7
White	2.5	5.9	2.6	4.4	0.9	14.7	.....	1.1	18.0	1.2
Colored	1.8	5.5	1.9	5.6	9.3	46.9	.....	.....	21.1	.....
Rochester	0.7	10.0	3.1	10.1	14.8	8.0	3.1	5.2	3.4	11.2
St. Louis	0.8	11.8	4.9	3.3	18.6	9.0	7.5	9.7	15.9	2.5
St. Paul	0.4	7.2	7.7	1.7	5.7	7.9	5.3	1.3	8.1	0.5
Salt Lake City	19.7	5.0	.....	6.2	11.7	12.0	.....	4.8	12.9	4.1
San Antonio	18.7	1.2	1.9	45.6	42.8	2.9	6.9	6.4	2.5	12.6
San Francisco	1.7	5.9	2.0	3.2	7.4	1.3	4.7	10.3	1.8	11.2
Scranton	1.4	15.9	1.5	1.5	8.8	3.7	6.0	7.5	3.0	15.9
Seattle	.....	5.3	2.2	4.9	5.8	4.2	.....	0.4	12.5	0.4

Table AB—Con.

AREA.	DEATH RATE FROM MEASLES PER 100,000 POPULATION. [Rates of 20 or more in bold-faced type.]									
	1921	1920	1919	1918	1917	1916	1915	1914	1913	1912
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—continued.										
Spokane	1.0	12.4	1.0	1.9	10.5	15.3	.....	8.6	1.0	6.7
Springfield, Mass.	2.2	8.4	1.6	10.5	4.2	13.9	3.6	8.4	10.8	7.1
Syracuse	3.9	13.2	1.2	32.4	9.2	.....	6.4	2.6	15.5	4.1
Toledo	.....	14.6	5.0	2.1	3.5	30.7	4.4	3.5	7.3	13.6
Trenton	3.3	1.7	8.5	5.2	4.4	17.1	18.4	2.8	13.4	9.8
Washington, D. C. (total)	3.4	0.7	0.5	11.9	4.4	2.0	1.8	0.3	7.4	2.0
White	3.7	0.9	0.6	14.4	5.3	1.7	2.1	.....	7.1	1.6
Colored	2.7	.....	.....	4.6	1.9	2.9	1.0	1.0	8.0	3.0
Wilmington, Del	0.9	12.6	1.9	15.2	4.9	25.8	3.0	15.5	14.8	2.2
Worcester	10.3	1.7	13.5	4.0	7.6	33.4	1.2	11.2	10.2	9.8
Yonkers	1.0	8.9	.....	13.3	1.1	8.6	.....	18.1	17.3	2.4
Youngstown	8.3	3.7	12.3	6.4	5.8	38.1	1.8	12.3	46.7	23.5

[1] Exclusive of Hawaii.
[2] Including District of Columbia.
[3] Not added to registration area until a later date.
[4] Includes only municipalities having a population of 1,000 or more in 1910.
[5] Includes only municipalities having a population of 1,000 or more in 1900.
[6] Transcripts of deaths not received.

Comparing the rates for the registration States in 1921 and 1920, decreases are shown for 24 of the 34 States, the largest appearing for Delaware (from 16.1 to 0.9), Ohio (from 12.9 to 2.5), Michigan (from 11.8 to 1.8), Indiana (from 11.8 to 2.8), and Pennsylvania (from 13.1 to 5.4).

Among the registration cities of 100,000 population or more in 1920, only 1, Fall River (23.2), shows a rate in 1921 in excess of 20. Those showing the lowest rates are St. Paul (0.4), Dayton and New Haven (each 0.6), and Bridgeport, Grand Rapids, and Rochester (each 0.7).

SCARLET FEVER.

The number of deaths from scarlet fever in 1921 is 4,718, corresponding to a rate of 5.3 per 100,000 population, which is the highest rate since 1914.

Twenty States have higher rates in 1921 than in 1920. Those showing the highest death rates from scarlet fever in 1921 are Michigan (9.1), Wisconsin (9), Minnesota (7.8), and Ohio (7.4); those showing the lowest rates are Louisiana (0.6), South Carolina (0.8), Mississippi (0.9), and Florida (1.1).

Among the registration cities of 100,000 population or more in 1920 the highest rates are for Youngstown (21.9), Bridgeport (16), Cleveland (14.4), and Minneapolis (14). The lowest rates are for Richmond (0.6), New Bedford and New Orleans (each 0.8), and Reading (0.9). Of the 14 cities showing deaths by color 3 had no deaths from scarlet fever in 1921 and 7 others had no deaths among the colored.

Table AC shows the rates per 100,000 population for 1912 to 1921, rates of 20 and higher being in bold-faced type.

Table AC — DEATH RATE FROM SCARLET FEVER PER 100,000 POPULATION. [Rates of 20 or more in bold-faced type.]

AREA.	1921	1920	1919	1918	1917	1916	1915	1914	1913	1912
SUMMARY.										
The registration area [1]	5.3	4.6	2.8	3.0	4.2	3.3	3.6	6.6	8.7	6.7
Registration States [2]	5.4	4.6	2.8	3.1	3.5	3.2	3.6	6.6	7.7	6.0
Cities in registration States [2]	6.4	5.4	3.2	3.2	4.1	3.5	4.1	8.3	9.7	7.5
Rural part of registration States	4.4	3.9	2.4	2.9	3.0	2.8	3.1	4.9	5.6	4.5
Registration cities in nonregistration States	2.5	1.9	2.8	1.8	12.9	5.2	3.7	6.5	20.7	13.8
All registration cities [2]	6.2	5.2	3.2	3.2	5.4	3.8	4.0	8.1	11.3	8.5
REGISTRATION STATES.										
California	3.3	2.6	1.7	1.8	1.9	1.4	2.2	3.4	3.3	1.6
Colorado	5.9	4.4	4.2	5.0	2.0	4.2	6.6	11.0	18.0	10.3
Connecticut	7.1	5.4	3.5	2.8	1.7	2.6	3.0	6.7	9.6	7.2
Delaware	4.0	14.7	1.8	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Florida (total)	1.1	0.9	0.4	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	1.5	1.4	0.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	0.3	.....	.....	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Illinois	6.2	5.7	3.5	2.6	(3)	(3)	(3)	(3)	(3)	(3)
Indiana	5.5	7.2	3.0	4.5	4.9	3.6	3.6	4.1	7.2	4.1
Kansas	7.0	6.3	3.1	4.6	3.3	3.6	1.9	1.9	(3)	(3)
Kentucky (total)	2.6	2.6	2.2	2.0	2.1	2.4	2.3	2.6	2.4	2.8
White	2.8	2.7	2.3	2.2	2.3	2.5	2.5	2.8	2.7	3.1
Colored	1.3	0.9	0.8	0.4	0.4	0.8	1.2	1.6	.....	1.2
Louisiana (total)	0.6	0.3	0.3	0.3	(3)	(3)	(3)	(3)	(3)	(3)
White	0.9	1.3	0.4	0.5	(3)	(3)	(3)	(3)	(3)	(3)
Colored	0.1	0.1	0.1	.....	(3)	(3)	(3)	(3)	(3)	(3)
Maine	2.8	3.0	1.4	1.7	0.8	0.5	1.7	2.3	2.3	2.1
Maryland (total)	2.1	2.5	4.0	1.7	1.7	3.7	5.2	5.6	5.1	2.6
White	2.2	3.0	4.6	1.9	1.9	4.2	5.7	6.0	5.9	3.0
Colored	1.6	.....	0.8	0.8	0.8	1.7	2.5	3.4	1.3	0.8
Massachusetts	4.8	5.6	3.2	2.0	3.1	3.5	5.5	7.1	8.8	3.8
Michigan	9.1	8.2	5.0	5.1	10.0	5.2	3.4	5.6	9.1	6.1
Minnesota	7.8	4.8	3.9	6.8	4.0	5.3	6.5	15.1	8.5	4.8
Mississippi (total)	0.9	1.3	0.7	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	0.9	1.9	0.7	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	0.9	0.9	0.7	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Missouri	4.3	4.6	3.4	3.2	4.9	5.4	2.2	6.3	4.3	4.4
Montana	1.7	3.9	10.6	13.8	17.1	3.9	3.4	7.3	27.5	6.3
Nebraska	7.2	4.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
New Hampshire	4.9	2.0	2.5	1.8	1.8	1.4	1.6	5.7	3.0	2.3
New Jersey	7.3	3.5	2.5	2.2	1.9	2.5	3.5	8.7	8.4	5.4
New York	6.7	4.5	2.7	3.2	2.8	2.1	4.4	7.5	9.3	8.6
North Carolina (total)	1.7	1.5	0.9	1.0	1.7	2.5	[4]1.6	[4]0.6	[5]2.7	[5]2.6
White	2.2	2.1	1.2	1.3	2.2	3.4	2.5	0.6	3.4	3.2
Colored	0.6	0.3	0.4	0.4	0.5	0.5	.....	0.6	1.4	1.5
Ohio	7.4	6.6	2.4	3.1	3.6	3.9	4.2	4.5	6.3	7.9
Oregon	1.7	1.8	2.3	2.0	(3)	(3)	(3)	(3)	(3)	(3)
Pennsylvania	7.3	5.7	2.8	2.0	2.7	2.8	3.7	10.6	11.4	7.0
Rhode Island	2.3	4.4	2.5	4.2	4.9	5.3	4.7	8.1	3.7	7.5
South Carolina (total)	0.8	0.6	0.6	0.5	1.3	2.4	(3)	(3)	(3)	(3)
White	1.5	0.8	0.7	1.0	1.7	3.9	(3)	(3)	(3)	(3)
Colored	.....	0.5	0.5	.....	0.9	1.1	(3)	(3)	(3)	(3)
Tennessee (total)	1.8	2.3	2.4	1.9	2.1	(3)	(3)	(3)	(3)	(3)
White	2.0	2.5	2.8	2.4	2.5	(3)	(3)	(3)	(3)	(3)
Colored	0.7	1.3	0.7	.....	0.7	(3)	(3)	(3)	(3)	(3)
Utah	4.3	1.5	2.5	11.4	8.8	5.9	2.9	3.4	3.8	4.6
Vermont	6.5	4.3	2.3	3.1	5.4	3.7	1.1	3.4	5.1	2.5
Virginia (total)	2.5	1.4	1.5	1.1	0.8	1.3	1.1	1.8	2.6	(3)
White	3.3	1.7	1.9	1.4	1.0	1.8	1.4	2.6	3.5	(3)
Colored	0.7	0.7	0.4	0.3	0.3	0.3	0.4	.....	0.4	(3)
Washington	2.2	4.3	2.9	5.7	1.6	1.0	0.6	2.0	2.6	1.7
Wisconsin	9.0	9.7	5.8	7.8	9.8	5.0	3.6	8.8	8.1	11.8
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920.										
Akron	6.7	26.9	3.5	2.7	2.9	2.5	5.7	5.5	7.1	20.1
Albany	2.6	1.8	.....	0.9	.....	.....	2.8	7.6	1.9	.....
Atlanta (total)	4.3	3.0	4.5	4.1	1.1	1.6	0.6	1.1	.....	1.2
White	4.9	4.3	5.9	6.0	1.5	1.6	0.8	0.8	.....	1.8
Colored	3.1	.....	1.6	.....	.....	1.7	.....	1.8	.....	.....
Baltimore (total)	1.5	1.9	4.8	1.4	1.8	5.1	5.5	5.4	7.5	3.8
White	1.6	2.2	5.3	1.3	2.1	6.1	5.9	5.0	8.5	4.3
Colored	0.9	.....	1.9	2.0	.....	.....	3.1	7.5	2.2	1.1
Birmingham (total)	1.6	3.3	2.3	1.7	1.2	1.2	13.9	4.6	0.7	1.4
White	2.7	5.5	3.7	2.9	2.0	2.0	22.9	6.5	1.1	2.3
Colored	.....	.....	.....	.....	.....	.....	.....	1.7	.....	.....
Boston	6.7	9.5	4.0	3.2	6.1	5.4	11.5	9.3	10.8	4.6
Bridgeport	16.0	4.8	2.8	2.2	3.8	3.1	7.2	15.8	25.9	17.0
Buffalo	11.7	4.3	5.2	3.4	6.2	6.1	5.3	5.7	3.3	5.4
Cambridge	1.8	3.6	.....	.....	2.8	1.9	3.7	1.9	.....	1.9
Camden	5.8	1.7	1.7	0.9	1.8	0.9	1.9	1.9	10.8	3.0
Chicago	7.1	7.0	4.6	2.2	24.6	6.4	3.4	10.0	39.0	27.1
Cincinnati	3.5	7.7	3.5	0.8	3.8	0.5	1.0	4.8	5.4	10.7
Cleveland	14.4	8.5	0.9	1.4	2.0	5.8	10.6	7.7	18.8	17.0
Columbus	6.1	5.8	2.1	1.7	3.6	2.3	1.4	1.5	4.5	3.1
Dallas (total)	.....	1.2	2.5	0.8	.....	0.8	(3)	(3)	(3)	(3)
White	.....	1.5	3.0	0.9	.....	.....	(3)	(3)	(3)	(3)
Colored	.....	.....	.....	.....	.....	5.0	(3)	(3)	(3)	(3)

Table AC—Con. — DEATH RATE FROM SCARLET FEVER PER 100,000 POPULATION. [Rates of 20 or more in bold-faced type.]

AREA.	1921	1920	1919	1918	1917	1916	1915	1914	1913	1912
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—continued.										
Dayton	11.4	6.5	0.7	2.7	4.2	10.0	6.6	6.8	3.9	1.6
Denver	3.8	2.7	1.6	2.8	1.6	1.2	3.8	11.2	23.3	7.6
Detroit	12.0	10.1	7.4	5.0	17.1	6.7	3.5	7.6	17.6	10.2
Fall River	1.7	3.3	2.5	.....	2.5	1.7	5.0	10.0	22.6	7.5
Grand Rapids	1.4	2.9	0.7	1.5	1.5	1.6	0.8	17.9	18.3	0.8
Hartford	8.7	2.9	11.0	1.5	3.1	1.6	0.8	4.3	12.5	28.8
Houston (total)	.....	.....	0.7	.....	0.8	(3)	(3)	(3)	(3)	(3)
White	.....	.....	1.0	.....	1.1	(3)	(3)	(3)	(3)	(3)
Colored	.....	.....	.....	.....	.....	(3)	(3)	(3)	(3)	(3)
Indianapolis (total)	6.4	4.1	1.0	7.3	3.7	4.6	2.9	6.4	5.0	4.0
White	6.6	4.6	1.1	7.8	3.8	3.9	3.3	6.7	5.2	4.0
Colored	5.4	.....	.....	3.0	3.2	9.9	.....	3.5	3.8	4.0
Jersey City	3.0	2.7	3.7	3.4	3.1	4.2	5.3	7.8	14.8	9.5
Kansas City, Kans. (total)	.....	3.9	4.0	10.2	9.3	14.8	5.4	7.7	3.4	.....
White	.....	4.6	4.7	11.8	10.8	14.6	5.0	8.8	3.8	.....
Colored	.....	.....	.....	.....	.....	15.8	8.2	.....	.....	.....
Kansas City, Mo.	3.3	5.2	4.7	4.2	11.2	27.6	1.4	1.4	2.2	5.3
Los Angeles	5.9	0.8	1.4	0.9	1.9	1.4	2.1	1.2	3.2	2.1
Louisville (total)	4.2	2.1	2.6	1.7	1.3	0.4	0.9	5.2	3.5	4.0
White	5.1	2.6	2.6	2.1	1.6	0.5	0.5	5.8	4.2	4.3
Colored	.....	.....	2.5	.....	.....	.....	2.5	2.5	.....	2.5
Lowell	.....	1.8	6.2	3.6	2.7	5.4	.....	1.8	3.7	5.6
Memphis (total)	1.8	1.8	2.0	2.0	4.1	(6)	4.9	2.1	8.7	0.7
White	2.9	2.0	3.2	3.2	6.5	(6)	6.8	3.5	11.9	1.2
Colored	.....	1.6	.....	.....	.....	(6)	1.9	.....	3.8	.....
Milwaukee	12.4	6.3	5.1	11.2	17.6	11.1	7.1	22.8	15.8	16.3
Minneapolis	14.0	6.8	6.6	9.0	3.1	4.5	3.2	26.8	19.2	4.7
Nashville (total)	2.5	0.8	2.5	2.6	0.9	(6)	1.7	.....	.....	.....
White	3.5	1.2	3.6	3.7	1.2	(6)	2.5	.....	.....	.....
Colored	.....	.....	.....	.....	.....	(6)	.....	.....	.....	.....
New Bedford	0.8	2.4	3.3	2.6	.....	1.8	8.2	28.0	2.9	.....
New Haven	7.8	4.3	3.1	1.9	0.6	6.6	3.4	4.8	8.4	5.7
New Orleans (total)	0.8	2.1	0.8	.....	0.5	0.3	0.5	0.6	0.6	2.6
White	1.0	2.4	1.1	.....	0.7	0.4	0.7	0.8	0.4	3.5
Colored	.....	1.0	.....	.....	.....	.....	.....	.....	1.1	.....
New York	7.4	4.3	2.6	3.6	2.6	2.3	5.9	9.5	11.3	12.7
Bronx Borough	7.8	2.1	3.1	1.9	2.6	1.3	4.2	7.1	8.9	12.2
Brooklyn Borough	5.6	3.5	2.2	3.2	1.7	1.6	6.1	6.6	11.3	12.9
Manhattan Borough	9.3	5.8	2.8	4.4	2.8	3.0	6.2	12.2	11.6	13.6
Queens Borough	7.2	3.3	2.6	4.1	6.2	3.2	7.0	11.3	12.7	6.7
Richmond Borough	.....	4.2	0.9	1.8	.....	1.9	2.9	3.0	13.5	10.8
Newark, N. J.	4.2	2.6	2.9	1.7	0.5	1.3	0.5	7.2	5.7	1.9
Norfolk (total)	4.1	.....	0.9	1.8	.....	.....	1.0	2.1	.....	.....
White	6.6	.....	1.4	2.9	.....	.....	1.6	3.4	.....	.....
Colored	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Oakland	1.3	2.7	1.9	1.0	0.5	.....	0.5	2.8	1.2	.....
Omaha	4.6	6.2	3.7	4.3	5.5	32.2	13.5	12.2	10.3	3.8
Paterson	5.1	2.2	.....	0.7	0.8	2.3	.....	0.8	3.1	7.0
Philadelphia	5.7	6.6	3.4	2.7	2.0	2.5	1.6	8.1	10.5	7.6
Pittsburgh	8.3	3.6	1.5	1.9	2.3	3.7	9.8	33.7	26.6	10.8
Portland, Oreg.	1.1	1.2	1.6	1.6	2.0	0.8	0.4	2.2	4.5	3.2
Providence	2.9	5.9	5.5	7.2	6.8	6.9	8.2	8.7	5.7	12.3
Reading	0.9	.....	2.8	0.9	1.9	9.6	5.8	6.0	9.1	.....
Richmond (total)	0.6	.....	1.8	.....	0.6	1.8	0.6	1.4	3.7	0.7
White	0.8	.....	1.7	.....	0.9	2.8	0.9	2.2	4.5	.....
Colored	.....	.....	1.9	.....	.....	.....	.....	.....	2.1	2.1
Rochester	7.9	9.4	3.4	3.3	13.7	0.8	2.7	10.9	8.8	12.1
St. Louis	5.6	3.2	2.6	2.8	7.5	6.5	3.0	19.3	6.2	6.5
St. Paul	8.4	6.4	6.4	18.6	3.5	3.5	13.3	20.6	8.1	4.1
Salt Lake City	3.3	1.7	1.7	15.9	9.0	6.5	1.9	2.9	.....	2.0
San Antonio	1.2	0.6	.....	0.7	.....	.....	.....	0.8	1.7	5.
San Francisco	1.2	1.8	2.4	2.2	3.3	1.7	1.9	1.1	4.0	0.4
Scranton	2.9	9.4	2.2	5.1	6.6	2.2	3.0	3.0	10.6	6.7
Seattle	1.0	4.1	1.9	5.3	0.3	.....	0.4	1.1	2.3	0.8
Spokane	3.8	2.9	8.6	2.9	1.9	1.0	2.9	1.9	7.7	8 1.9
Springfield, Mass.	2.2	16.7	2.4	2.4	5.9	3.5	0.9	0.9	2.9	2.0
Syracuse	6.8	9.2	4.7	3.0	7.4	0.6	.....	7.9	12.8	6.9
Toledo	2.8	9.7	7.5	6.9	12.4	3.7	3.9	1.0	6.3	9.2
Trenton	7.3	2.5	0.8	0.9	.....	2.7	3.7	26.3	26.9	2.0
Washington, D. C. (total)	2.1	2.0	0.9	4.3	2.4	1.5	2.3	0.3	3.8	1.1
White	2.4	2.4	1.2	5.8	3.3	1.7	2.8	0.4	4.9	1.6
Colored	0.9	0.9	.....	.....	.....	1.0	1.0	.....	1.0	.....
Wilmington, Del.	5.3	24.3	1.9	1.9	3.9	1.0	2.0	2.1	13.8	.....
Worcester	6.5	12.1	2.2	1.1	4.1	1.8	1.8	4.4	7.6	7.2
Yonkers	10.6	3.0	2.0	8.2	6.3	6.5	2.2	4.5	4.6	5.9
Youngstown	21.9	16.3	0.8	.....	1.7	6.1	4.5	3.8	10.6	38.0

[1] Exclusive of Hawaii.
[2] Including District of Columbia.
[3] Not added to registration area until a later date.
[4] Includes only municipalities having a population of 1,000 or more in 1910.
[5] Includes only municipalities having a population of 1,000 or more in 1900.
[6] Transcripts of deaths not received.

WHOOPING COUGH.

The number of deaths from whooping cough in 1921 is 8,070, with a death rate of 9.1 per 100,000 population, against a rate of 12.5 in 1920.

Table AD shows the rates per 100,000 population for 1912 to 1921, rates of 20 and higher being in bold-faced type.

Table AD

AREA.	DEATH RATE FROM WHOOPING COUGH PER 100,000 POPULATION. [Rates of 20 or more in bold-faced type.]									
	1921	1920	1919	1918	1917	1916	1915	1914	1913	1912
SUMMARY.										
The registration area [1]	9.1	12.5	5.5	16.9	10.5	10.2	8.1	10.4	10.0	9.3
Registration States [2]	9.1	12.5	5.5	16.9	10.6	10.6	8.3	10.3	10.3	9.3
Cities in registration States [2]	7.7	11.7	4.8	15.1	9.4	9.8	8.0	9.2	9.4	8.2
Rural part of registration States	10.5	13.2	6.2	18.5	11.5	11.4	8.6	11.4	11.3	10.4
Registration cities in non-registration States	6.9	15.7	6.2	14.7	9.1	4.4	5.7	10.8	6.4	9.7
All registration cities [2]	7.7	11.8	4.8	15.1	9.4	9.1	7.7	9.4	8.9	8.4
REGISTRATION STATES.										
California	5.6	11.8	2.4	9.4	6.4	6.9	4.5	10.3	4.3	6.8
Colorado	10.2	26.4	5.0	15.9	6.4	5.1	10.1	9.1	7.8	12.0
Connecticut	9.4	15.6	4.3	20.1	7.9	12.1	11.4	11.2	7.5	9.9
Delaware	15.5	13.4	6.3	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Florida (total)	7.3	7.0	5.0	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	5.5	6.8	4.3	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	10.8	7.5	6.4	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Illinois	7.5	8.5	4.2	11.0	(3)	(3)	(3)	(3)	(3)	(3)
Indiana	12.6	10.6	2.6	17.4	9.5	9.2	5.8	10.1	11.6	8.4
Kansas	6.0	12.0	2.9	12.5	7.3	5.3	10.4	8.8	(3)	(3)
Kentucky (total)	11.7	15.9	9.0	37.2	20.8	13.4	8.4	14.9	23.3	15.0
White	10.9	14.8	8.3	34.8	19.6	12.1	7.6	13.6	21.7	13.5
Colored	18.5	26.8	16.0	58.3	30.9	24.4	15.7	25.9	37.1	27.3
Louisiana (total)	8.6	10.2	6.5	20.0	(3)	(3)	(3)	(3)	(3)	(3)
White	7.5	8.4	4.9	14.8	(3)	(3)	(3)	(3)	(3)	(3)
Colored	10.4	13.0	9.1	28.0	(3)	(3)	(3)	(3)	(3)	(3)
Maine	8.8	16.4	13.6	7.7	5.9	16.5	10.6	12.6	5.2	7.2
Maryland (total)	16.9	9.9	5.2	32.5	9.6	12.4	6.7	14.3	15.2	10.9
White	11.9	6.9	4.0	22.2	6.9	7.5	4.7	9.1	9.9	7.2
Colored	41.7	24.8	11.1	82.7	22.7	35.8	16.3	39.1	40.1	28.0
Massachusetts	5.2	13.8	8.5	18.3	6.3	10.9	12.9	8.4	8.6	9.7
Michigan	8.5	13.8	5.2	13.9	10.6	6.8	7.2	9.1	8.9	8.2
Minnesota	6.4	12.4	4.1	13.3	4.1	9.7	7.4	8.7	6.6	9.8
Mississippi (total)	13.1	8.8	8.7	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	7.8	5.8	6.9	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	17.8	11.5	10.3	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Missouri	7.7	9.0	5.8	15.4	9.7	11.2	8.2	12.8	9.3	12.5
Montana	12.0	9.1	2.4	12.3	8.5	16.2	7.7	4.0	10.6	13.5
Nebraska	5.0	18.9	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
New Hampshire	8.1	8.1	14.7	22.7	12.5	12.1	11.0	11.9	9.4	9.7
New Jersey	10.2	13.0	3.0	18.5	9.8	9.3	8.7	9.5	12.9	7.2
New York	7.6	10.2	3.0	12.3	9.0	8.0	7.9	7.3	8.0	6.6
North Carolina (total)	14.7	13.9	8.6	28.1	22.8	16.5	[4] 14.3	[4] 16.5	[5] 28.2	[5] 24.3
White	12.4	11.4	7.6	20.4	17.6	10.5	10.0	12.3	22.9	17.4
Colored	20.1	19.5	10.9	45.8	34.5	30.0	22.5	24.4	38.0	37.1
Ohio	8.7	14.5	4.4	12.0	10.8	12.6	6.7	7.2	13.3	8.7
Oregon	4.5	6.0	0.8	6.3	(3)	(3)	(3)	(3)	(3)	(3)
Pennsylvania	8.8	13.6	5.8	17.8	10.5	12.4	7.0	11.6	11.2	10.2
Rhode Island	9.3	15.1	15.6	26.4	8.3	8.1	19.6	14.4	7.1	9.7
South Carolina (total)	16.3	22.0	13.3	45.5	12.4	17.2	(3)	(3)	(3)	(3)
White	10.8	18.0	9.1	25.6	3.7	9.8	(3)	(3)	(3)	(3)
Colored	21.6	25.8	17.1	63.9	20.3	23.9	(3)	(3)	(3)	(3)
Tennessee (total)	12.1	12.6	8.4	24.1	17.8	(3)	(3)	(3)	(3)	(3)
White	10.7	11.5	8.0	21.7	15.9	(3)	(3)	(3)	(3)	(3)
Colored	18.1	17.3	9.9	33.6	25.6	(3)	(3)	(3)	(3)	(3)
Utah	31.7	24.7	2.5	13.5	3.7	7.6	20.8	12.1	10.0	17.9
Vermont	7.7	7.7	8.5	13.3	8.8	12.7	6.5	10.2	11.3	6.8
Virginia (total)	19.3	19.9	12.7	31.7	22.0	19.8	14.5	31.4	13.2	(3)
White	14.0	16.3	8.0	21.4	13.7	13.5	9.3	18.2	12.3	(3)
Colored	31.8	28.6	23.5	55.4	41.1	34.1	26.1	60.1	15.0	(3)
Washington	3.7	7.5	3.7	5.4	8.7	5.9	3.4	4.5	8.5	5.9
Wisconsin	6.1	11.3	4.8	7.6	8.2	7.0	7.7	5.7	7.4	8.3

Table AD—Con.

AREA.	DEATH RATE FROM WHOOPING COUGH PER 100,000 POPULATION. [Rates of 20 or more in bold-faced type.]									
	1921	1920	1919	1918	1917	1916	1915	1914	1913	1912
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920.										
Akron	5.8	9.3	9.4	13.9	10.9	27.5	1.4	2.4	17.6	9.0
Albany	7.0	7.0	4.4	14.3	1.8	11.9	14.1	4.8	9.6	16.5
Atlanta (total)	6.7	28.6	3.0	16.0	11.1	2.7	17.8	13.3	18.2	13.9
White	4.9	32.3	2.2	12.8	7.0	2.4	9.0	8.4	10.4	4.5
Colored	10.9	20.5	4.8	22.9	20.0	3.4	36.3	38.7	34.1	33.1
Baltimore (total)	14.0	7.6	2.9	38.0	5.8	9.9	3.5	14.0	6.7	7.5
White	12.8	5.2	2.3	28.2	5.2	7.3	2.6	8.2	4.9	4.9
Colored	20.7	21.0	6.5	88.6	9.0	23.6	8.4	44.9	16.4	21.2
Birmingham (total)	8.1	16.0	10.7	30.1	33.4	4.3	8.2	28.1	16.2	27.2
White	5.3	10.9	4.6	29.6	9.8	2.0	1.0	21.5	17.8	10.3
Colored	12.3	23.9	20.1	31.0	69.8	7.8	19.3	38.1	13.7	53.1
Boston	4.2	20.1	8.3	24.4	5.2	10.1	15.4	6.6	13.7	10.9
Bridgeport	10.4	16.5	.....	29.2	3.0	11.7	18.5	17.5	6.9	9.0
Buffalo	15.4	8.8	2.6	11.5	10.7	8.6	4.5	16.3	6.0	5.4
Cambridge	10.0	21.8	11.0	29.4	3.7	10.2	12.1	9.4	9.4	6.6
Camden	15.9	11.9	4.3	32.8	9.0	16.6	6.6	19.2	25.6	4.0
Chicago	5.5	5.8	5.4	6.9	7.8	4.0	2.7	9.2	4.0	6.0
Cincinnati	10.2	6.0	3.7	15.8	9.1	10.9	3.8	11.2	11.5	8.9
Cleveland	5.8	9.7	3.9	7.1	16.7	6.0	10.9	6.6	9.7	5.2
Columbus	5.6	11.3	0.9	17.1	2.2	13.3	4.7	6.8	12.5	2.1
Dallas (total)	3.0	5.0	5.7	12.3	.....	8.2	(3)	(3)	(3)	(3)
White	1.4	5.8	6.8	12.7	.....	8.9	(3)	(3)	(3)	(3)
Colored	12.3	.....	.....	9.7	.....	5.0	(3)	(3)	(3)	(3)
Dayton	8.2	16.2	8.6	6.1	10.5	5.0	6.6	11.3	2.3	12.8
Denver	6.5	19.7	4.3	11.6	0.8	1.2	6.8	3.9	5.7	11.6
Detroit	11.2	13.2	5.1	16.9	17.7	8.1	10.1	12.3	15.9	13.8
Fall River	25.7	11.6	9.1	24.1	18.3	14.2	22.5	18.4	11.7	5.0
Grand Rapids	2.8	17.3	4.4	6.7	9.1	4.7	1.6	4.9	0.8	1.7
Hartford	10.9	8.6	8.1	18.2	10.2	17.8	9.2	7.8	7.2	9.3
Houston (total)	5.5	4.3	7.3	4.1	7.6	(3)	(3)	(3)	(3)	(3)
White	6.3	4.7	5.8	5.5	4.6	(3)	(3)	(3)	(3)	(3)
Colored	2.9	2.9	11.9	.....	16.4	(3)	(3)	(3)	(3)	(3)
Indianapolis (total)	9.5	8.8	1.0	15.2	7.1	8.8	6.2	6.0	13.9	1.2
White	6.9	7.8	1.1	14.4	4.6	5.9	5.7	3.8	13.7	0.9
Colored	29.9	16.9	....	21.3	28.6	33.2	10.4	25.5	15.3	4.0
Jersey City	10.9	19.0	4.0	19.8	10.0	5.6	13.7	4.3	13.3	13.1
Kansas City, Kans. (total)	14.4	23.5	6.0	9.2	20.7	5.3	14.0	13.2	11.2	12.6
White	12.4	21.8	2.3	10.6	14.4	4.9	12.4	10.1	5.1	11.7
Colored	26.2	33.9	28.2	.....	60.7	7.9	24.7	34.4	54.0	18.9
Kansas City, Mo.	1.2	11.6	2.2	12.8	16.1	2.7	3.8	11.7	8.8	4.5
Los Angeles	1.3	9.0	2.5	5.5	3.7	10.0	2.6	2.5	6.8	10.1
Louisville (total)	9.7	10.2	6.4	17.1	12.0	11.2	4.8	7.4	17.4	12.3
White	9.2	7.2	3.6	12.9	9.3	8.9	4.2	7.4	10.1	12.9
Colored	12.5	25.0	19.9	37.2	24.3	22.2	7.4	7.4	51.5	9.9
Lowell	5.3	18.6	3.6	17.9	6.3	10.0	17.3	8.2	4.6	13.0
Memphis (total)	3.6	6.7	7.3	14.2	24.0	(6)	0.7	9.3	9.4	3.7
White	3.8	5.9	5.3	18.2	19.6	(6)	.....	4.6	7.1	3.6
Colored	3.2	8.1	11.0	7.4	31.4	(6)	1.9	16.8	13.2	3.8
Milwaukee	3.8	13.2	5.1	11.2	12.5	8.8	12.5	3.4	3.4	18.6
Minneapolis	4.6	12.5	2.9	21.4	5.0	7.7	4.9	13.1	4.6	2.8
Nashville (total)	21.3	26.1	5.9	9.4	6.9	(6)	2.6	21.1	8.9	33.9
White	18.6	22.9	7.3	9.9	3.7	(6)	3.8	14.2	7.8	21.1
Colored	27.6	33.7	2.8	8.4	14.0	(6)	.....	36.0	11.0	60.6
New Bedford	6.4	10.6	15.8	25.5	11.3	15.1	18.2	21.4	6.7	7.8
New Haven	12.0	18.3	1.2	25.9	9.7	12.5	6.7	4.8	7.7	12.8
New Orleans (total)	6.3	5.4	3.1	18.4	5.9	3.8	4.9	5.3	3.1	2.0
White	5.5	4.9	2.1	18.6	4.3	3.3	3.3	4.9	1.9	0.8
Colored	8.7	6.9	6.0	18.1	10.2	5.1	9.4	6.3	6.4	5.4
New York	6.6	11.4	3.0	12.1	9.3	7.3	7.6	5.1	7.9	5.4
Bronx Borough	3.9	9.2	2.5	10.2	9.0	6.3	6.8	3.0	8.5	3.0
Brooklyn Borough	5.1	9.8	3.3	8.8	8.8	4.9	4.6	4.2	7.3	4.9
Manhattan Borough	9.1	13.5	3.0	13.7	10.2	9.5	10.1	6.3	7.8	6.3
Queens Borough	4.2	10.9	2.8	20.7	7.8	6.5	8.4	4.7	10.1	6.4
Richmond Borough	11.5	14.4	3.5	15.2	4.6	8.5	5.9	6.0	10.4	3.2
Newark, N. J.	6.1	14.1	1.5	12.9	14.3	6.7	9.1	6.1	11.6	5.2
Norfolk (total)	18.1	6.0	7.0	53.5	8.4	16.5	8.1	37.6	9.8	7.9
White	14.6	4.1	4.2	17.5	4.6	11.1	6.6	24.1	1.8	3.8
Colored	24.1	9.1	11.6	112.2	14.7	25.2	10.4	58.7	22.0	14.2
Oakland	5.7	5.0	3.3	13.1	3.5	2.6	10.2	15.7	1.2	9.7
Omaha	1.0	22.7	1.1	7.5	12.1	1.7	10.0	7.2	2.2	13.6
Paterson	4.4	3.7	0.7	14.1	7.5	2.3	6.9	5.4	8.5	2.3
Philadelphia	8.3	5.4	1.6	19.7	9.3	7.4	2.5	14.7	6.4	5.9
Pittsburgh	7.1	14.2	8.7	24.5	10.5	19.2	8.0	9.1	15.6	10.4
Portland, Oreg	3.0	8.1	0.4	6.8	1.2	3.3	1.3	1.3	4.5	8.7

See notes at end of table.

Table AD—Con. DEATH RATE FROM WHOOPING COUGH PER 100,000 POPULATION. [Rates of 20 or more in bold-faced type.]

AREA.	1921	1920	1919	1918	1917	1916	1915	1914	1913	1912
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—continued.										
Providence	3.3	14.3	12.7	28.9	2.1	5.2	17.3	10.4	7.0	10.1
Reading	12.8	10.2	....	16.9	9.5	7.7	5.8	13.0	9.1	3.1
Richmond (total)	21.1	23.1	11.2	13.1	26.7	29.0	6.3	49.7	11.0	3.7
White	18.1	6.7	9.5	7.0	12.6	12.9	.....	19.7	7.9	2.3
Colored	27.6	59.0	14.8	26.0	56.0	61.9	13.8	107.0	16.9	6.4
Rochester	13.8	7.4	1.7	20.3	7.0	9.1	9.4	2.4	11.7	4.7
St. Louis	8.3	4.4	.....	22.4	4.3	10.0	3.4	12.2	3.8	9.1
St. Paul	0.8	11.0	0.9	16.0	2.2	7.5	5.8	4.0	5.9	5.5
Salt Lake City	14.0	13.4	0.9	14.1	2.7	1.8	.....	5.8	4.9	16.3
San Antonio	6.4	11.5	5.1	5.3	13.1	5.8	19.0	5.6	2.5	18.9
San Francisco	5.0	5.9	2.2	7.1	5.8	3.8	4.5	12.1	3.6	5.0
Scranton	6.5	12.3	1.5	19.0	5.9	3.7	3.7	15.8	3.3	9.1
Seattle	1.9	6.3	3.9	2.6	4.1	6.3	1.8	3.7	9.1	2.3
Spokane	7.7	9.6	....	3.8	2.9	4.8	14.4	.....	3.6	5.7
Springfield, Mass	2.2	13.7	2.4	25.9	5.9	2.6	18.0	1.9	2.9	13.2
Syracuse	12.4	5.8	2.9	16.2	5.5	14.4	5.8	12.5	4.7	11.0
Toledo	5.1	10.5	3.8	6.4	10.2	5.5	11.7	6.6	4.2	14.1
Trenton	11.4	7.5	8.5	14.7	10.6	11.7	2.8	21.6	7.7	2.9
Washington, D. C. (total)	4.1	4.1	4.6	10.2	4.1	9.3	4.9	5.0	4.6	17.7
White	2.4	3.6	0.9	4.8	2.6	4.4	2.8	2.2	1.1	8.2
Colored	9.0	5.4	15.5	25.9	8.4	22.9	10.6	12.8	14.0	42.6
Wilmington, Del	7.9	5.4	6.5	7.6	15.5	8.9	7.1	16.6	7.4	17.4
Worcester	5.4	6.1	17.4	3.4	18.1	5.4	12.8	8.1	5.7	10.4
Yonkers	4.8	13.9	2.0	15.5	7.4	10.8	13.2	6.8	13.9	2.4
Youngstown	12.8	11.9	6.2	12.8	10.8	29.5	2.7	2.8	22.3	4.5

[1] Exclusive of Hawaii.
[2] Including District of Columbia.
[3] Not added to registration area until a later date.
[4] Includes only municipalities having a population of 1,000 or more in 1910.
[5] Includes only municipalities having a population of 1,000 or more in 1900.
[6] Transcripts of deaths not received.

Of the 34 States, 24 show lower rates in 1921 than in 1920. The highest rates appear for Utah (31.7), Virginia (19.3), Maryland (16.9), and South Carolina (16.3). The lowest are shown for Washington (3.7), Oregon (4.5), Nebraska (5), and Massachusetts (5.2). Of the 66 cities shown, 21 have higher rates in 1921 than in 1920; the highest rates in 1921 are for Fall River (25.7), Nashville (21.3), and Richmond (21.1); the lowest are for St. Paul (0.8), Omaha (1), Kansas City, Mo., (1.2), Los Angeles (1.3), and Seattle (1.9).

The rates for the colored are, for the most part, higher than for the white populations. Among the areas which show by color rates of more than 20 in 1921 appear for the colored in 4 of the 9 States and in 6 of the 14 cities.

DIPHTHERIA.

As diphtheria is primarily a disease of childhood, the age constitution of populations must be considered in the study of the crude rates. Of the deaths from this cause in 1921, those of children under 5 years of age represent 53.9 per cent of the total.

The total number of deaths from diphtheria in 1921 is 15,683, corresponding to a rate of 17.7 per 100,000 population. In 1900 the death rate from this cause in the registration area was 43.3. If we assume that these figures measure the reduction in the death rate from this cause in the United States since 1900, then in round numbers there is a saving of about 28,000 lives in 1921 to be credited to the advancement made in the treatment and prevention of this disease.

Table AE shows the rates per 100,000 population for the years 1912 to 1921, rates of 40 and higher being printed in bold-faced type.

Table AE DEATH RATE FROM DIPHTHERIA PER 100,000 POPULATION. [Rates of 40 or more in bold-faced type.]

AREA.	1921	1920	1919	1918	1917	1916	1915	1914	1913	1912
SUMMARY.										
The registration area [1]	17.7	15.3	14.7	13.9	16.6	14.5	15.7	17.9	18.9	18.2
Registration States [2]	17.8	15.4	14.8	13.9	15.7	14.0	15.3	17.3	18.2	17.6
Cities in registration States [2]	19.3	18.9	19.0	17.7	19.6	16.6	17.6	21.0	21.7	19.6
Rural part of registration States	16.4	12.1	11.2	10.5	12.3	11.7	12.9	13.8	14.7	15.5
Registration cities in non-registration States	11.0	12.8	10.5	10.9	28.1	21.0	21.2	25.1	26.5	25.2
All registration cities [2]	19.0	18.7	18.7	17.4	20 8	17.2	18.2	21.6	22.4	20.5
REGISTRATION STATES.										
California	17.8	13.2	7.9	7.1	6.6	9.5	10.7	9.3	6.6	5.8
Colorado	24.8	14.6	6.8	8.8	5.9	4.6	5.9	7.6	7.8	6.7
Connecticut	12.4	17.0	18.9	15.2	18.0	14.9	15.6	19.2	18.8	16.9
Delaware	6.2	12.0	17.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Florida (total)	6.9	7.1	5.7	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	9.0	8.3	7.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	2.7	4.8	2.1	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Illinois	22.3	17.3	16.2	18.1	(3)	(3)	(3)	(3)	(3)	(3)
Indiana	23.8	12.3	11.3	14.9	15.6	13.7	10.8	13.9	18.5	19.1
Kansas	20.9	13.9	10.7	6.8	8.6	11.1	13.7	9.7	(3)	(3)
Kentucky (total)	25.9	17.5	13.9	13.6	15.2	17.2	24.4	22.0	24.7	31.9
White	26.8	18.4	14.9	14.4	16.2	17.7	25.8	23.2	26.3	34.8
Colored	17.7	9.8	5.5	5.8	6.6	12.6	12.9	12.0	11.4	8.6
Louisiana (total)	6.0	6.1	6.4	5.5	(3)	(3)	(3)	(3)	(3)	(3)
White	6.7	6.7	6.9	6.0	(3)	(3)	(3)	(3)	(3)	(3)
Colored	4.9	5.3	5.7	4.8	(3)	(3)	(3)	(3)	(3)	(3)
Maine	14.2	8.3	6.5	8.0	9.6	7.6	11.2	11.4	11.7	13.2
Maryland (total)	12.4	13.2	15.6	9.6	9.7	12.2	13.3	13.0	15.1	15.2
White	12.2	14.9	17.3	10.6	10.7	13.5	14.6	14.2	15.7	16.8
Colored	13.0	4.5	7.4	4.9	5.0	5.8	7.1	7.1	12.2	7.6
Massachusetts	15.7	15.1	15.4	15.9	22.4	16.9	20.2	18.3	17.7	14.3
Michigan	25.0	23.8	20.8	19.4	24.9	14.9	11.0	16.1	21.9	15.5
Minnesota	9.0	10.3	12.9	12.3	10.9	7.5	8.6	16.2	10.1	7.8
Mississippi (total)	19.2	15.9	7.3	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	22.7	19.7	10.5	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	16.0	12.3	4.5	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Missouri	23.0	18.9	17.8	13.7	17.6	16.0	20.4	20.7	17.6	18.1
Montana	8.2	5.7	7.6	8.6	7.9	7.8	4.5	8.0	5.3	3.1
Nebraska	11.1	8.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
New Hampshire	16.9	11.7	9.0	8.4	10.9	10.9	7.3	10.3	12.9	19.8
New Jersey	18.5	17.8	18.5	16.9	14.9	15.8	17.6	21.9	21.3	18.6
New York	16.2	18.5	20.0	17.5	17.4	15.4	17.9	21.1	19.9	17.5
North Carolina (total)	14.2	11.6	10.7	10.1	12.8	16.9	[4] 11.7	[4] 18.0	[5] 12.6	[5] 13.8
White	16.3	13.6	12.2	11.7	14.6	19.6	15.4	20.4	11.8	15.0
Colored	9.5	6.9	7.1	6.5	8.7	10.7	4.7	13.4	14.1	11.6
Ohio	18.4	11.2	11.4	9.2	13.6	11.6	12.7	15.1	20.7	22.0
Oregon	14.0	5.7	6.6	4.2	(3)	(3)	(3)	(3)	(3)	(3)
Pennsylvania	22.3	19.8	21.4	20.9	23.9	19.8	19.8	23.7	26.2	25.8
Rhode Island	13.0	21.2	20.0	17.1	26.2	24.4	17.2	19.0	25.0	24.6
South Carolina (total)	12.3	11.9	9.7	8.4	9.6	8.5	(3)	(3)	(3)	(3)
White	15.2	15.6	13.4	11.4	12.0	11.6	(3)	(3)	(3)	(3)
Colored	9.4	8.3	6.1	5.6	7.5	5.7	(3)	(4)	(3)	(3)
Tennessee (total)	16.4	16.6	13.8	12.0	14.7	(3)	(3)	(3)	(3)	(3)
White	18.2	18.2	14.7	13.3	16.2	(3)	(3)	(3)	(3)	(3)
Colored	8.7	9.8	9.9	6.6	8.5	(3)	(3)	(3)	(3)	(3)
Utah	13.4	7.3	9.0	16.5	10.0	14.9	11.8	9.6	8.3	5.9
Vermont	7.9	6.8	4.0	7.4	8.2	6.8	11.3	10.7	9.9	5.9
Virginia (total)	17.0	14.4	12.1	9.6	9.8	14.2	17.0	15.7	14.1	(3)
White	19.8	17.2	13.6	10.7	11.4	16.7	18.9	17.8	16.4	(3)
Colored	10.4	7.7	8.5	7.0	6.3	8.8	12.9	11.0	9.1	(3)
Washington	8.9	9.2	9.7	6.5	3.8	2.9	3.2	3.8	3.5	6.0
Wisconsin	14.9	14.5	11.2	10.6	13.7	9.1	8.5	13.1	12.3	12.5
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920.										
Akron	15.8	17.2	12.4	16.0	40.8	17.5	9.2	6.3	23.8	38.1
Albany	19.1	10.5	8.0	7.2	9.1	11.0	16.9	12.4	22.1	28.2
Atlanta (total)	12.0	11.3	8.1	6.2	8.5	15.7	8.3	10.8	13.5	15.8
White	14.7	12.9	8.8	6.8	11.6	19.9	10.7	7.6	15.7	19.9
Colored	6.2	7.9	6.4	4.9	1.7	6.8	3.5	17.6	9.0	7.4
Baltimore (total)	11.7	13.7	19.9	10.6	9.4	10.0	12.8	14.5	14.7	15.6
White	11.9	15.4	22.4	12.5	11.0	10.8	14.9	15.7	16.4	17.3
Colored	10.8	3.7	5.6	1.0	1.0	6.2	2.1	8.6	5.5	6.7
Birmingham (total)	5.4	6.6	9.6	5.2	7.8	5.5	11.4	9.8	2.0	10.5
White	6.2	10.0	11.1	6.7	9.8	4.1	10.4	10.8	2.2	12.6
Colored	4.1	1.4	7.2	2.9	4.6	7.8	12.9	8.3	1.7	7.1

See notes at end of table.

Table AE—Con. DEATH RATE FROM DIPHTHERIA PER 100,000 POPULATION. [Rates of 40 or more in bold-faced type.]

AREA.	1921	1920	1919	1918	1917	1916	1915	1914	1913	1912
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—continued.										
Boston	19.8	19.7	20.4	29.7	37.8	25.6	30.3	23.6	22.6	15.6
Bridgeport	20.9	30.2	29.7	25.5	18.8	17.9	24.9	36.7	19.9	14.4
Buffalo	28.7	60.1	59.1	23.1	22.7	14.5	16.4	14.6	9.5	14.5
Cambridge	10.9	6.4	4.6	11.0	14.8	14.8	26.1	15.9	13.2	24.5
Camden	20.9	15.3	20.0	17.7	28.0	26.7	28.2	23.1	39.3	50.3
Chicago	24.5	23.1	22.9	26.9	47.8	31.3	27.3	32.0	41.0	41.1
Cincinnati	17.6	13.2	13.7	11.0	12.8	15.9	12.2	18.6	13.3	15.9
Cleveland	22.9	16.2	24.1	14.0	20.9	17.8	23.6	24.5	35.2	26.7
Columbus	16.5	7.1	3.0	3.1	10.8	8.7	10.9	8.7	10.5	20.5
Dallas (total)	8.4	14.9	15.3	6.1	7.9	4.1	(3)	(3)	(3)	(3)
White	8.4	16.1	15.8	7.3	9.4	3.9	(3)	(3)	(3)	(3)
Colored	8.2	8.3	12.5	.....	.....	5.0	(3)	(3)	(3)	(3)
Dayton	12.0	10.4	5.3	8.2	9.8	15.0	14.0	16.6	33.5	40.1
Denver	14.8	23.2	10.6	11.2	8.6	1.7	3.4	4.3	8.3	5.8
Detroit	33.8	37.0	32.0	29.8	47.8	32.5	15.6	23.0	47.6	32.3
Fall River	18.2	32.4	20.8	22.4	30.8	16.7	27.5	21.7	28.4	26.8
Grand Rapids	31.2	28.1	8.1	23.9	26.6	7.1	12.0	26.9	44.1	12.7
Hartford	18.1	20.0	17.6	12.9	29.7	18.6	16.7	15.5	26.8	39.0
Houston (total)	9.6	10.0	8.1	7.4	8.4	(3)	(3)	(3)	(3)	(3)
White	10.0	12.3	10.7	9.9	8.0	(3)	(3)	(3)	(3)	(3)
Colored	8.6	2.9	.....	.....	9.8	(3)	(3)	(3)	(3)	(3)
Indianapolis (total)	25.8	8.5	17.1	29.7	38.0	19.3	7.7	10.9	18.5	14.4
White	26.7	9.6	17.0	32.2	37.2	20.0	8.2	11.7	19.8	15.1
Colored	19.0	.....	17.6	9.1	44.4	13.3	3.5	3.5	7.7	8.1
Jersey City	26.1	23.7	33.7	20.8	21.0	15.0	20.8	32.4	26.6	15.7
Kansas City, Kans. (total)	15.4	16.7	24.0	17.3	12.4	28.5	33.4	15.4	11.2	11.5
White	18.1	17.2	27.9	16.5	13.2	30.5	37.2	16.4	9.0	10.4
Colored	.....	13.6	.....	21.9	7.0	15.8	8.2	8.6	27.0	18.9
Kansas City, Mo	24.4	14.0	12.2	19.5	28.9	28.6	24.6	24.2	12.8	10.2
Los Angeles	15.6	12.2	5.1	10.2	7.6	3.9	8.4	6.9	10.0	6.2
Louisville (total)	16.1	13.6	21.7	12.4	11.6	6.9	6.1	7.4	15.2	11.5
White	16.3	12.8	23.7	14.0	12.5	7.8	6.8	8.4	16.9	13.4
Colored	15.0	17.5	12.4	5.0	5.0	2.5	2.5	2.5	7.4	2.5
Lowell	32.5	18.6	22.2	16.1	24.3	39.8	23.7	23.8	32.3	15.8
Memphis (total)	13.9	12.2	15.4	8.8	17.2	(6)	13.4	15.8	10.2	10.3
White	15.4	11.8	12.6	10.7	21.8	(6)	17.0	12.8	8.3	7.3
Colored	11.4	13.0	20.2	5.5	9.2	(6)	7.5	20.6	13.2	15.1
Milwaukee	19.6	26.9	22.5	11.4	23.3	18.1	23.4	33.7	35.7	24.8
Minneapolis	13.2	11.4	18.1	23.9	18.9	19.6	18.3	43.2	17.1	14.1
Nashville (total)	11.5	10.1	11.0	6.8	2.6	(6)	8.7	9.7	7.1	7.1
White	16.3	13.2	15.8	7.4	3.7	(6)	8.9	11.6	9.1	9.2
Colored	.....	2.8	.....	5.6	.....	(6)	8.3	5.5	2.8	2.8
New Bedford	21.6	26.1	18.3	17.0	14.8	9.8	23.7	19.6	32.5	18.6
New Haven	14.4	11.6	9.9	17.1	16.8	15.8	22.8	19.2	16.1	12.1
New Orleans (total)	3.5	5.4	4.4	5.0	8.3	10.0	31.0	31.1	31.8	16.6
White	3.4	6.3	4.9	5.7	7.6	10.3	29.7	28.3	31.4	19.0
Colored	3.9	2.9	3.0	3.0	9.2	9.3	34.4	39.1	33.1	9.7
New York	15.3	18.8	22.2	22.6	21.5	19.6	24.3	29.3	26.9	22.8
Bronx Borough	13.7	13.1	24.1	19.4	17.0	16.8	24.0	32.2	27.1	18.8
Brooklyn Borough	16.8	18.7	21.1	20.5	19.0	19.6	23.3	25.7	26.2	22.9
Manhattan Borough	14.0	19.4	22.9	25.8	25.4	21.0	26.2	33.2	28.3	24.3
Queens Borough	16.5	23.2	21.3	21.3	18.8	16.7	20.1	23.6	24.6	18.4
Richmond Borough	20.6	26.2	20.9	17.0	19.3	15.2	18.6	9.1	13.5	19.4
Newark, N. J	7.5	11.2	9.7	11.6	6.5	9.7	5.7	11.4	18.7	14.3
Norfolk (total)	3.3	7.7	7.9	3.6	3.8	1.0	3.0	8.4	4.3	7.9
White	5.3	10.9	11.3	5.8	3.0	1.6	3.3	10.3	5.4	9.4
Colored	.....	2.3	2.3	.....	4.9	....	2.6	5.3	2.7	5.7
Oakland	19.9	11.8	9.4	5.3	2.5	13.0	9.7	13.4	14.0	9.1
Omaha	44.6	25.3	10.5	27.4	9.9	20.1	21.7	40.9	15.5	8.3
Paterson	24.7	21.3	16.3	16.4	12.8	14.4	14.5	16.1	10.1	21.1
Philadelphia	17.4	22.6	24.3	21.6	25.4	22.6	18.9	19.3	21.4	23.6
Pittsburgh	21.4	20.1	17.6	21.8	24.4	22.2	27.4	28.3	36.9	31.5
Portland, Oreg	20.0	5.8	7.8	9.1	4.0	2.9	7.3	11.4	5.9	6.4
Providence	7.5	29.0	32.5	24.6	34.2	32.6	23.8	25.6	31.0	33.9
Reading	35.7	16.6	27.0	22.5	17.1	10.5	9.7	32.1	39.4	42.8
Richmond (total)	9.7	11.6	8.8	7.8	5.5	3.1	3.8	2.9	5.9	6.0
White	10.7	13.5	11.2	7.9	7.2	4.6	4.7	3.3	9.0	7.0
Colored	7.4	7.4	3.7	7.4	1.9	.....	1.9	2.1	.....	4.2
Rochester	27.5	27.8	16.1	14.1	19.3	9.1	7.1	11.7	17.2	27.1
St Louis	21.1	31.0	33.4	16.9	29.7	21.3	26.7	35.2	29.5	21.4
St. Paul	15.6	24.6	33.4	25.0	17.8	9.7	13.3	30.9	19.4	10.9
Salt Lake City	18.1	9.2	9.4	23.0	7.2	14.8	29.3	13.5	5.9	4.1
San Antonio	12.3	14.6	10.8	6.6	10.4	11.6	11.4	18.4	4.2	15.3
San Francisco	27.1	17.8	10.4	8.3	14.9	27.6	24.7	19.1	6.5	6.6
Scranton	28.1	16.6	16.0	21.2	29.5	18.5	29.8	24.0	33.2	25.8
Seattle	7.0	10.6	13.8	7.9	2.4	2.4	0.7	2.6	4.9	4.7
Spokane	14.4	12.4	1.9	4.8	5.7	1.0	7.7	4.8	1.0	5.7
Springfield, Mass	16.9	12.1	19.6	25.1	52.9	16.5	9.9	12.2	15.6	16.3
Syracuse	45.6	17.3	14.7	14.4	20.9	13.2	10.3	10.5	14.1	17.2
Toledo	36.3	20.7	11.3	12.0	16.4	15.6	15.1	16.7	22.0	32.1

Table AE—Con. DEATH RATE FROM DIPHTHERIA PER 100,000 POPULATION. [Rates of 40 or more in bold-faced type.]

AREA.	1921	1920	1919	1918	1917	1916	1915	1914	1913	1912
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—continued.										
Trenton	13.0	6.6	11.9	15.5	11.5	17.1	24.8	22.5	26.9	11.8
Washington, D. C. (total)	13.0	14.2	27.8	9.7	8.5	8.8	7.0	7.7	7.4	4.2
White	15.6	14.8	28.2	11.8	8.9	9.2	7.0	8.3	8.6	5.8
Colored	5.4	12.6	26.4	3.7	7.5	7.6	6.8	5.9	4.0	.....
Wilmington, Del	6.2	14.4	24.2	18.1	12.6	9.9	11.1	18.7	8.5	10.8
Worcester	15.7	7.7	11.2	12.0	24.0	14.3	13.4	11.8	22.9	21.5
Yonkers	12.6	22.7	12.1	16.5	25.3	16.2	9.9	30.5	39.3	34.3
Youngstown	9.8	8.2	16.9	12.0	17.5	5.2	7.2	18.9	45.6	57.0

[1] Exclusive of Hawaii.
[2] Including District of Columbia.
[3] Not added to registration area until a later date.
[4] Includes only municipalities having a population of 1,000 or more in 1910.
[5] Includes only municipalities having a population of 1,000 or more in 1900.
[6] Transcripts of deaths not received.

The rate from diphtheria in 1921 (17.7) is the highest recorded since 1914 (17.9). In 24 States the rates are higher in 1921 than in 1920. The highest rates are for Kentucky (25.9), Michigan (25), Colorado (24.8), Indiana (23.8), and Missouri (23). Very low rates are shown for Louisiana (6), Delaware (6.2), Florida (6.9), and Vermont (7.9).

Among the registration cities of 100,000 population or more in 1920, the highest rates in 1921 are for Syracuse (45.6), Omaha (44.6), Toledo (36.3), Reading (35.7), and Detroit (33.8). The first three of these cities have higher rates in 1921 than in any other year shown. The cities with low rates are Norfolk (3.3), New Orleans (3.5), Birmingham (5.4), Wilmington (6.2), and Seattle (7). Five cities, New Orleans, Wilmington, Providence, New York, and Philadelphia, show lower rates in 1921 than in any other year of the series.

Of the 9 states and 14 cities shown by color all but 2 have lower rates in 1921 for the colored than for the white.

INFLUENZA AND PNEUMONIA (ALL FORMS).

The mortality rate from influenza and pneumonia (all forms) for the registration area in 1921 is 99.8 against 208.3 in 1920.

For the States the highest rates in 1921 are found for Pennsylvania (146.9), Maine (130.5), Colorado (130.4), and Delaware (124.7), and the lowest rates are for Florida (61.5), Kansas (68.8), Washington (70.7), Minnesota (71.7), and Nebraska (72.6).

For the cities the highest rates in 1921 appear for Pittsburgh (274.4), Scranton (180.6), Denver (179.7), Camden (175.4), and Youngstown (164), and the lowest are for Grand Rapids (60.2), Dayton (60.7), Seattle (62.5), Rochester (69.7), St. Paul (74.4), and Houston (75.1).

For the areas shown by color, the rates for the colored are far in excess of those for the white.

Table AF shows the rates per 100,000 population for the years 1912 to 1921.

Table AF — AREA.	DEATH RATE FROM INFLUENZA AND PNEUMONIA (ALL FORMS) PER 100,000 POPULATION.									
	1921	1920	1919	1918	1917	1916	1915	1914	1913	1912
SUMMARY.										
The registration area [1]	99.8	208.3	222.3	587.0	167.8	164.3	149.1	136.4	144.8	142.7
Registration States [2]	99.5	207.3	221.8	584.6	165.8	164.7	147.2	133.7	141.6	138.6
Cities in registration States [2]	110.7	229.7	234.7	667.6	192.1	185.6	168.7	157.2	165.3	160.1
Rural part of registration States	88.6	186.3	210.5	509.8	142.7	145.7	125.8	110.7	117.7	116.3
Registration cities in nonregistration States	120.5	261.0	250.1	696.0	192.4	158.4	173.4	170.8	182.8	187.0
All registration cities [2]	111.1	230.7	235.2	668.9	192.1	181.9	169.4	159.1	167.9	164.3
REGISTRATION STATES.										
California	95.5	164.5	214.7	537.8	115.7	112.7	102.4	95.9	116.2	117.7
Colorado	130.4	287.1	253.5	766.5	142.8	122.2	170.5	125.6	130.5	130.3
Connecticut	103.1	221.5	224.5	767.7	226.4	229.1	169.2	164.5	165.2	158.2
Delaware	124.7	207.1	289.7	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Florida (total)	61.5	164.4	164.7	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	50.6	153.5	146.1	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	83.3	185.9	200.2	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Illinois	87.6	213.2	187.9	498.8	(3)	(3)	(3)	(3)	(3)	(3)
Indiana	88.2	211.7	213.7	408.1	146.2	147.1	126.1	113.5	111.0	118.8
Kansas	68.8	180.5	188.1	474.4	144.7	128.2	116.7	79.2	(3)	(3)
Kentucky (total)	87.1	197.6	284.6	537.3	144.7	152.7	118.0	123.5	116.1	117.4
White	80.0	185.1	267.1	514.2	131.4	142.4	103.8	112.0	104.3	106.3
Colored	155.5	313.6	445.3	744.4	262.1	242.5	239.5	219.3	213.9	207.0
Louisiana (total)	83.2	158.8	229.7	537.2	(3)	(3)	(3)	(3)	(3)	(3))
White	68.8	137.8	210.4	444.7	(3)	(3)	(3)	(3)	(3)	(3)
Colored	106.2	192.1	259.6	678.0	(3)	(3)	(3)	(3)	(3)	(3)
Maine	130.5	228.6	229.2	589.4	190.6	189.8	166.0	160.7	169.6	154.6
Maryland (total)	116.4	200.7	238.4	803.6	205.6	202.1	171.0	166.7	159.5	143.0
White	100.1	175.6	204.4	758.5	162.2	167.5	140.3	138.9	130.7	115.0
Colored	197.3	324.6	404.9	1023.3	415.3	367.5	316.8	297.9	294.8	272.6
Massachusetts	107.5	197.0	207.8	726.7	184.4	193.4	170.7	162.8	165.1	159.7
Michigan	79.5	233.6	192.2	389.3	139.5	133.6	111.9	95.9	104.5	100.3
Minnesota	71.7	148.8	166.9	390.5	105.6	104.2	100.3	102.3	89.7	75.3
Mississippi (total)	78.8	161.3	261.8	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	69.5	130.8	189.7	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	87.3	189.3	327.1	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Missouri	94.6	261.2	206.1	476.6	181.4	167.9	144.2	120.4	132.0	131.3
Montana	80.1	157.8	225.4	762.7	145.9	122.1	117.7	107.8	124.2	97.3
Nebraska	72.6	143.1	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
New Hampshire	111.0	199.0	231.6	751.6	193.7	177.1	153.2	145.9	164.1	145.8
New Jersey	108.0	191.9	226.5	769.4	189.7	203.5	163.4	161.6	160.2	152.5
New York	109.0	205.4	233.7	598.2	195.2	187.4	185.2	167.5	185.7	183.9
North Carolina (total)	89.4	218.1	234.4	503.1	122.1	129.6	[4]148.4	[4]168.5	[5]135.6	[5]150.1
White	79.7	195.2	190.0	423.9	102.2	105.9	102.2	121.9	87.5	96.8
Colored	111.7	271.0	336.4	683.1	167.2	182.6	235.7	256.7	224.2	248.1
Ohio	94.7	201.4	222.0	494.3	160.3	161.9	135.2	114.5	122.5	121.2
Oregon	79.2	168.8	189.1	334.5	(3)	(3)	(3)	(3)	(3)	(3)
Pennsylvania	146.9	251.4	236.5	883.1	211.1	202.2	168.9	157.6	167.0	156.8
Rhode Island	109.2	223.0	239.2	681.2	211.9	195.8	185.8	157.2	164.4	169.1
South Carolina (total)	94.7	247.3	291.5	632.6	137.4	131.9	(3)	(3)	(3)	(3)
White	82.8	197.4	215.8	528.0	106.4	104.5	(3)	(3)	(3)	(3)
Colored	106.2	294.8	362.6	729.5	165.8	156.5	(3)	(3)	(3)	(3)
Tennessee (total)	94.9	220.0	234.8	476.0	135.3	(3)	(3)	(3)	(3)	(3)
White	83.1	194.3	207.1	423.4	114.9	(3)	(3)	(3)	(3)	(3)
Colored	145.1	328.1	349.8	691.1	217.5	(3)	(3)	(3)	(3)	(3)
Utah	116.0	252.4	270.8	508.8	123.6	128.6	119.5	121.3	116.7	110.1
Vermont	117.8	236.8	228.9	597.2	205.2	205.0	150.0	134.8	177.9	164.4
Virginia (total)	92.5	202.9	267.2	621.1	145.4	157.5	131.1	117.0	103.1	(3)
White	72.1	169.6	210.8	581.2	110.6	117.6	102.0	88.5	80.4	(3)
Colored	141.1	281.7	398.4	712.8	224.4	246.7	195.7	179.5	152.3	(3)
Washington	70.7	175.7	187.9	411.5	76.5	81.2	78.4	62.1	72.7	59.2
Wisconsin	82.1	178.1	178.5	405.6	134.8	137.9	119.6	101.8	99.6	92.4
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920.										
Akron	81.0	318.1	274.9	560.9	156.5	135.6	103.5	80.9	104.0	114.4
Albany	93.0	181.6	244.8	679.1	187.4	191.2	187.1	140.7	152.8	203.1
Atlanta (total)	134.0	311.5	291.4	478.4	171.2	161.1	165.7	164.4	182.9	224.9
White	90.9	222.9	208.8	362.2	85.2	76.6	99.3	94.6	88.8	120.2
Colored	229.7	506.5	471.9	730.3	355.8	340.7	305.5	309.8	376.8	437.8

See notes at end of table.

Table AF—Con. — AREA.	DEATH RATE FROM INFLUENZA AND PNEUMONIA (ALL FORMS) PER 100,000 POPULATION.									
	1921	1920	1919	1918	1917	1916	1915	1914	1913	1912
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—continued.										
Baltimore (total)	137.4	228.7	230.6	836.5	251.9	249.6	207.1	216.6	210.8	187.8
White	119.2	197.5	202.5	787.8	188.5	203.3	169.3	177.2	166.1	145.5
Colored	242.2	408.3	392.0	1086.9	580.5	492.1	406.0	426.6	451.1	417.7
Birmingham (total)	155.9	304.6	319.1	843.6	334.7	168.4	158.1	198.3	168.6	214.7
White	100.9	200.0	218.3	676.3	140.6	98.3	114.7	131.3	66.7	136.8
Colored	240.8	466.2	494.9	1101.8	634.3	276.6	225.0	301.8	325.2	334.5
Boston	127.3	247.1	256.3	844.7	228.0	231.5	214.6	199.6	205.9	210.2
Bridgeport	104.5	240.9	272.3	825.4	304.0	357.7	206.0	189.9	185.7	166.9
Buffalo	77.2	183.9	206.2	637.5	184.0	173.5	168.7	147.3	152.3	155.9
Cambridge	96.9	201.0	180.0	676.5	164.2	177.0	157.3	171.1	185.0	157.6
Camden	175.4	251.2	290.8	1259.0	288.2	261.8	245.7	245.2	202.5	173.9
Chicago	91.2	223.9	191.5	516.6	201.7	168.4	172.7	181.4	209.5	216.6
Cincinnati	111.3	189.1	253.2	605.4	171.3	178.5	163.4	153.1	168.0	168.3
Cleveland	94.3	203.1	260.5	590.9	198.5	187.8	155.1	112.6	127.8	111.8
Columbus	98.9	243.1	213.5	451.9	168.1	187.2	136.5	121.2	121.6	124.8
Dallas (total)	85.9	199.3	170.8	615.8	119.6	81.4	(3)	(3)	(3)	(3)
White	73.8	172.4	145.9	572.8	97.3	67.9	(3)	(3)	(3)	(3)
Colored	155.7	351.1	308.7	845.8	236.3	149.8	(3)	(3)	(3)	(3)
Dayton	60.7	176.2	154.6	525.2	157.8	150.5	142.7	102.1	130.0	123.4
Denver	179.7	348.3	228.5	727.7	134.4	143.6	184.8	147.8	116.8	134.9
Detroit	94.7	316.7	242.4	413.4	194.7	179.6	148.1	137.7	175.5	160.5
Fall River	151.6	186.7	216.8	799.7	229.7	286.5	213.5	248.8	277.4	209.1
Grand Rapids	60.2	147.0	93.8	282.7	89.6	80.1	100.0	81.6	69.9	52.6
Hartford	126.0	272.0	319.8	876.5	337.6	289.7	211.9	194.2	224.4	177.1
Houston (total)	75.1	194.6	204.0	519.7	109.9	(3)	(3)	(3)	(3)	(3)
White	65.3	143.5	185.2	485.8	98.0	(3)	(3)	(3)	(3)	(3)
Colored	106.0	352.5	261.2	618.5	143.9	(3)	(3)	(3)	(3)	(3)
Indianapolis (total)	100.1	240.9	240.6	459.4	156.6	153.7	146.7	142.8	127.5	136.9
White	86.6	218.0	218.5	440.6	136.3	140.9	132.9	133.7	117.7	117.3
Colored	206.7	423.2	419.0	615.2	326.8	261.9	264.5	222.4	214.4	314.9
Jersey City	133.1	233.9	317.0	756.6	221.8	211.3	211.2	179.4	202.3	180.2
Kansas City, Kans (total)	104.0	289.0	246.7	750.6	205.1	163.8	246.6	150.5	182.7	161.5
White	97.0	277.0	242.0	758.5	180.0	142.7	216.9	134.7	169.0	138.1
Colored	144.3	359.8	274.7	701.6	364.4	300.5	445.2	258.2	279.2	331.0
Kansas City, Mo.	113.4	353.6	301.1	718.1	205.0	138.7	176.1	125.1	125.4	118.2
Los Angeles	76.7	118.8	186.8	484.5	93.3	90.0	87.4	80.5	119.0	117.2
Louisville (total)	105.4	197.2	357.8	1012.9	209.5	185.2	156.5	172.7	163.7	145.0
White	82.1	161.3	310.9	1012.3	162.1	147.2	111.2	134.3	121.2	106.2
Colored	220.2	371.8	585.0	1015.5	435.9	365.7	369.6	351.5	360.5	323.2
Lowell	123.1	224.6	198.4	696.1	183.6	197.4	191.3	155.8	148.5	157.8
Memphis (total)	137.6	311.4	340.6	666.1	219.0	(6)	179.3	178.3	192.6	210.9
White	92.3	216.6	261.5	608.0	124.5	(6)	111.4	91.6	112.6	134.4
Colored	214.1	469.2	478.6	766.0	379.0	(6)	290.7	318.2	319.4	330.2
Milwaukee	83.8	216.1	187.7	474.1	186.3	172.2	158.9	122.6	129.6	133.5
Minneapolis	97.0	191.4	169.4	387.7	126.3	124.1	121.6	128.7	109.6	94.9
Nashville (total)	154.9	304.9	301.0	910.2	188.6	(6)	179.9	197.0	170.0	213.1
White	117.7	238.1	223.7	844.0	147.0	(6)	130.0	127.6	114.7	121.3
Colored	242.8	460.8	479.1	1060.4	281.8	(6)	288.7	346.0	287.1	404.8
New Bedford	108.0	244.1	222.6	895.1	228.0	211.8	195.7	193.0	216.7	174.1
New Haven	102.4	270.6	212.3	768.0	236.0	258.4	207.9	197.1	197.7	231.1
New Orleans (total)	130.0	221.9	333.7	768.6	178.5	144.9	245.8	219.2	185.1	170.0
White	93.6	159.2	296.8	679.7	116.8	88.8	165.1	148.6	115.9	112.6
Colored	232.8	399.4	437.9	1019.0	352.0	302.8	472.3	417.1	378.5	330.4
New York	122.1	224.9	265.8	582.5	204.5	200.0	212.1	191.4	205.7	202.8
Bronx Borough	101.4	177.5	241.4	540.7	166.1	147.9	181.5	150.9	168.3	160.8
Brooklyn Borough	117.0	217.0	268.6	600.2	211.5	215.9	209.8	186.1	205.7	203.3
Manhattan Borough	140.0	257.4	278.3	580.1	214.4	205.9	231.6	213.0	220.9	217.8
Queens Borough	97.4	183.7	222.0	537.0	181.1	174.8	162.6	155.1	164.5	158.5
Richmond Borough	105.6	198.1	294.8	760.3	193.3	194.3	183.7	145.1	191.5	200.1
Newark, N. J.	88.0	214.4	213.3	680.4	184.0	187.0	146.6	197.3	151.2	165.7
Norfolk (total)	99.0	249.9	344.9	795.1	180.1	220.4	179.2	171.4	161.9	168.6
White	53.0	161.9	257.9	739.8	83.5	94.8	98.8	70.4	71.9	99.8
Colored	175.2	396.8	488.4	885.6	335.9	420.8	305.8	328.2	299.6	272.2
Oakland	76.8	182.1	238.2	496.9	96.3	86.7	98.6	91.2	126.7	119.8
Omaha	118.2	225.9	191.8	660.8	207.1	182.7	150.9	131.3	120.8	149.1
Paterson	122.9	188.5	235.7	683.6	192.2	226.3	159.4	157.6	172.1	179.8
Philadelphia	135.8	239.2	222.9	932.5	228.0	194.4	189.2	176.4	153.7	140.8
Pittsburgh	274.4	437.1	431.8	1243.6	380.4	364.3	260.1	249.8	295.1	273.0
Portland, Oreg.	77.0	162.8	246.4	448.2	72.4	77.4	69.6	74.5	90.6	65.7
Providence	120.6	252.2	253.3	737.4	221.7	219.0	191.4	179.1	176.7	179.4
Reading	116.4	211.6	162.1	762.8	195.3	199.9	99.8	100.2	113.2	106.0
Richmond (total)	137.7	238.8	269.5	661.0	199.5	207.0	209.9	194.4	174.7	186.4
White	72.5	143.1	175.3	555.8	107.7	112.0	131.5	100.8	101.3	113.6
Colored	283.2	448.4	472.4	883.4	390.2	401.2	367.0	373.6	312.0	319.8

Table AF—Con. AREA.	DEATH RATE FROM INFLUENZA AND PNEUMONIA (ALL FORMS) PER 100,000 POPULATION.									
	1921	1920	1919	1918	1917	1916	1915	1914	1913	1912
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—continued.										
Rochester	69.7	126.1	152.8	522.7	151.7	128.3	121.8	143.0	156.9	152.5
St. Louis	129.8	262.9	202.3	536.5	227.0	200.4	156.7	164.6	152.5	167.0
St. Paul	74.4	176.9	145.9	480.6	112.0	97.6	127.8	124.4	89.9	83.9
Salt Lake City	89.7	270.8	256.6	522.9	119.0	146.1	109.6	108.2	99.0	128.6
San Antonio	92.2	194.3	168.3	735.9	216.2	112.3	127.1	139.6	140.6	169.7
San Francisco	98.0	195.6	283.3	647.7	126.4	130.1	130.6	120.6	137.7	124.8
Scranton	180.6	311.9	247.5	985.7	240.9	226.1	223.7	254.4	226.4	211.9
Seattle	62.5	157.6	189.8	425.5	58.9	61.2	74.7	64.0	77.4	59.0
Spokane	138.8	251.8	210.7	487.4	102.5	89.0	91.9	83.3	93.9	74.7
Springfield, Mass.	100.9	172.4	235.3	751.5	185.5	195.7	163.3	150.9	161.2	127.3
Syracuse	83.9	246.3	155.9	704.6	155.2	141.8	120.5	141.5	187.2	144.8
Toledo	75.3	166.6	181.9	401.0	152.4	159.6	126.8	107.5	94.7	113.6
Trenton	120.6	230.8	224.3	1071.6	209.7	321.1	218.6	229.9	226.4	186.4
Washington, D.C. (total)	122.7	234.0	225.9	758.0	166.8	171.8	189.8	139.4	135.7	153.4
White	78.0	176.2	172.6	694.3	114.0	118.6	129.9	95.8	79.7	96.2
Colored	254.7	406.2	382.1	942.0	316.9	320.9	354.9	257.4	284.6	302.4
Wilmington, Del.	134.0	235.5	282.3	1058.5	304.9	258.8	219.0	190.7	167.5	174.7
Worcester	132.5	241.8	248.9	727.1	192.3	239.3	188.9	171.2	182.0	193.3
Yonkers	81.3	163.0	191.7	542.1	172.7	187.4	159.8	119.6	178.0	165.8
Youngstown	164.0	329.6	410.8	977.8	356.5	293.8	221.4	108.7	263.3	226.9

[1] Exclusive of Hawaii.
[2] Including District of Columbia.
[3] Not added to registration area until a later date.
[4] Includes only municipalities having a population of 1,000 or more in 1910.
[5] Includes only municipalities having a population of 1,000 or more in 1900.
[6] Transcripts of deaths not received.

NOTE.—From 1912 to 1920, inclusive, excludes capillary bronchitis.

ACUTE ANTERIOR POLIOMYELITIS.

The number of deaths from acute anterior poliomyelitis in 1921 is 1,597, corresponding to a rate of 1.8 per 100,000 population against a rate of 0.9 for the same area in 1920. In striking contrast to these stands out the high rate (10) for 1916.

Table AG shows the rates per 100,000 population for the years 1912 to 1921, rates of 2 and higher being printed in bold-faced type.

Table AG AREA.	DEATH RATE FROM ACUTE ANTERIOR POLIOMYELITIS PER 100,000 POPULATION. [Rates of 2 or more in bold-faced type.]									
	1921	1920	1919	1918	1917	1916	1915	1914	1913	1912
SUMMARY.										
The registration area [1]	1.8	0.9	0.9	1.2	1.6	10.0	1.0	1.1	1.4	2.0
Registration States [2]	1.8	0.9	0.9	1.2	1.4	10.6	1.1	1.1	1.4	2.0
Cities in registration States [3]	1.8	0.9	0.6	1.0	1.1	15.0	0.9	0.9	1.2	1.9
Rural part of registration States	1.9	0.9	1.1	1.4	1.7	6.5	1.2	1.3	1.6	2.1
Registration cities in non-registration States	0.5	0.5	1.2	0.8	4.1	2.2	0.7	0.9	0.6	1.1
All registration cities [2]	1.7	0.9	0.7	1.0	6.5	13.3	0.9	0.9	1.1	1.7
REGISTRATION STATES.										
California	1.5	0.8	0.3	0.6	0.7	0.9	0.8	1.2	1.1	4.5
Colorado	0.8	0.6	0.9	1.0	0.3	0.4	0.7	0.9	0.1	0.5
Connecticut	1.8	1.2	0.6	0.7	1.3	18.6	1.0	0.5	0.7	0.8
Delaware			1.4	[3]	[3]	[3]	[3]	[3]	[3]	[3]
Florida (total)	0.3	0.6	0.6	[3]	[3]	[3]	[3]	[3]	[3]	[3]
White	0.3	0.5	0.8	[3]	[3]	[3]	[3]	[3]	[3]	[3]
Colored	0.3	0.9	0.3	[3]	[3]	[3]	[3]	[3]	[3]	[3]
Illinois	2.3	0.9	1.2	1.8	[3]	[3]	[3]	[3]	[3]	[3]
Indiana	1.3	0.5	1.0	0.8	1.1	1.9	0.7	1.2	1.6	1.7
Kansas	2.0	0.6	1.1	0.6	1.0	1.4	1.2	0.8	[3]	[3]
Kentucky (total)	0.9	0.8	1.0	2.2	1.7	2.1	1.0	1.2	2.2	1.6
White	1.0	0.7	0.9	2.1	1.7	2.1	1.0	1.2	2.1	1.6
Colored	0.4	1.7	1.7	2.9	1.6	2.0	0.4	0.4	3.2	1.6

Table AG—Con. AREA.	DEATH RATE FROM ACUTE ANTERIOR POLIOMYELITIS PER 100,000 POPULATION. [Rates of 2 or more in bold-faced type.]									
	1921	1920	1919	1918	1917	1916	1915	1914	1913	1912
REGISTRATION STATES—continued.										
Louisiana (total)	0.3	0.8	0.6	0.7	[3]	[3]	[3]	[3]	[3]	[3]
White	0.4	0.7	0.7	1.1	[3]	[3]	[3]	[3]	[3]	[3]
Colored	0.1	0.9	0.4	0.1	[3]	[3]	[3]	[3]	[3]	[3]
Maine	2.2	1.2	0.3	0.9	0.7	3.7	0.8	1.1	1.9	1.2
Maryland (total)	2.5	0.9	2.6	1.3	1.2	8.0	1.5	1.1	1.4	2.3
White	2.7	0.6	2.8	1.3	1.1	7.5	1.1	0.7	1.4	2.5
Colored	1.6	2.4	1.6	1.2	1.7	10.4	3.8	2.9	1.2	1.7
Massachusetts	1.2	3.9	0.4	1.0	1.3	12.6	1.1	1.4	1.9	1.4
Michigan	3.0	0.9	2.2	1.5	1.2	4.5	1.1	1.1	1.3	1.4
Minnesota	3.9	0.7	0.8	1.4	0.8	4.7	1.3	0.7	1.7	1.3
Mississippi (total)	0.9	0.9	1.1	[3]	[3]	[3]	[3]	[3]	[3]	[3]
White	1.3	1.4	1.1	[3]	[3]	[3]	[3]	[3]	[3]	[3]
Colored	0.6	0.5	1.1	[3]	[3]	[3]	[3]	[3]	[3]	[3]
Missouri	1.7	0.9	1.1	0.9	1.5	1.4	1.2	1.1	1.4	2.3
Montana	0.3	0.9	0.6	1.3	1.6	4.9	0.2	0.9	1.8	2.6
Nebraska	2.2	0.8	[3]	[3]	[3]	[3]	[3]	[3]	[3]	[3]
New Hampshire	0.4	2.5	0.7	1.8	2.0	5.7	2.1	2.1	4.8	1.8
New Jersey	1.5	0.6	0.5	0.5	1.4	41.2	0.8	0.7	1.1	1.0
New York	2.6	0.6	0.6	0.8	1.2	33.9	0.7	0.9	1.4	2.4
North Carolina (total)	1.0	0.9	0.7	0.8	1.4	2.0	[4] 1.2	[4] 2.5	[5] 1.7	[5] 0.8
White	1.0	1.1	0.9	0.6	1.5	2.1	0.3	1.9	1.5	1.2
Colored	0.9	0.4	0.3	1.3	1.2	1.7	3.0	3.7	2.1	
Ohio	1.4	0.8	0.7	1.2	2.3	2.4	1.8	1.1	1.2	3.5
Oregon	2.5	0.6	0.3							
Pennsylvania	0.9	0.6	0.6	1.2	1.7	8.0	1.0	0.8	1.2	1.5
Rhode Island	0.5		0.2	0.8	1.2	7.4	1.2	1.6	2.3	1.3
South Carolina (total)	1.0	0.7	1.1	1.1	1.0	1.8	[3]	[3]	[3]	[3]
White	1.1	0.7	1.2	1.3	1.3	2.0	[3]	[3]	[3]	[3]
Colored	0.9	0.7	0.9	1.0	0.8	1.8	[3]	[3]	[3]	[3]
Tennessee (total)	1.3	0.8	0.9	1.4	1.2	[3]	[3]	[3]	[3]	[3]
White	1.2	0.7	0.7	1.3	1.2	[3]	[3]	[3]	[3]	[3]
Colored	1.8	1.1	1.3	1.8	1.1	[3]	[3]	[3]	[3]	[3]
Utah	1.1	0.2	0.7	0.5	0.2	0.7	0.7	1.2	1.8	1.5
Vermont	2.8	0.9		0.3	4.2	3.4	5.1	15.2	1.7	2.5
Virginia (total)	1.2	1.1	1.7	1.4	3.0	3.1	1.7	1.9	2.1	[3]
White	1.2	1.2	1.9	1.4	3.5	3.7	1.4	1.6	1.9	[3]
Colored	1.2	0.9	1.3	1.3	2.0	1.6	2.3	2.6	2.4	[3]
Washington	3.8	0.3	0.7	0.5	0.5	0.9	0.6	0.9	0.9	0.6
Wisconsin	2.6	0.7	1.9	3.8	1.0	2.7	0.5	0.8	1.2	1.3
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920.										
Akron	3.4		1.0	0.5	10.9	4.4	11.3	3.1		2.0
Albany			0.9		0.9	3.7	0.9	1.9	1.9	
Atlanta (total)			2.0	0.5	0.5	0.5	1.1	0.6	0.6	1.2
White			1.5	0.8	0.8			0.8	0.9	0.9
Colored			3.2			1.7	3.5			1.8
Baltimore (total)	3.1	0.7	3.8	0.8	0.2	11.5	1.0	0.7	0.7	2.8
White	3.0	0.3	4.0	1.0	0.2	9.4	0.8	0.8	0.6	3.1
Colored	3.6	2.7	2.8			22.6	2.1		1.1	1.1
Birmingham (total)		0.6	2.8	0.6	0.6	1.2	1.3	2.6	2.7	1.4
White			2.8			1.0		1.1	1.1	1.1
Colored		1.4	2.9	1.5	1.5	1.6	3.2	5.0	5.1	1.8
Boston	1.7	6.5	0.5	1.4	0.5	23.3	0.7	1.4	1.3	1.3
Bridgeport	2.8	0.7	0.7		0.8	17.9	1.6	1.7	2.6	1.8
Buffalo	1.0		0.2	1.0	0.2	1.0	1.1	0.7	0.7	10.2
Cambridge		6.4		1.8	0.9	3.7		0.9	2.8	
Camden					1.8	22.1	0.9		2.0	1.0
Chicago	1.1	0.7	0.8	1.1	7.5	2.0	0.6	0.9	0.3	1.0
Cincinnati	0.7	0.5	0.2	1.0	1.5	1.3	0.5	0.3	0.8	1.8
Cleveland	0.7	0.4	0.3	0.7	0.7	1.5	2.0	0.8	1.7	4.1
Columbus	1.6		0.4	2.6	0.9	1.8	0.5	0.5	1.0	1.5
Dallas (total)			0.6	1.5	0.8	2.5	[3]	[3]	[3]	[3]
White				1.8		2.0	[3]	[3]	[3]	[3]
Colored			4.2		4.9	5.0	[3]	[3]	[3]	[3]
Dayton	2.5	0.6	1.3		2.1	2.9	0.7	1.5	0.8	9.6
Denver	1.1	0.8	0.4	0.8		0.4	0.4	0.9		0.4
Detroit	2.3	0.6	0.4	0.7	0.6	2.0	0.1	0.6	1.3	0.2
Fall River				0.8	0.8	1.7		2.5	1.7	0.8
Grand Rapids	0.7	0.7		2.2	0.8	5.5		2.4		1.7
Hartford	2.9	2.1	1.5	0.8	1.6	12.9			0.9	
Houston (total)	1.4	0.7	1.5	0.8			[3]	[3]	[3]	[3]
White	1.8		1.9				[3]	[3]	[3]	[3]
Colored		2.9		3.2			[3]	[3]	[3]	[3]
Indianapolis (total)	0.3	0.3	0.6		0.3	2.1	0.4	1.1	1.2	1.2
White	0.3	0.4	0.7		0.4	2.3	0.4	1.3	1.3	0.9
Colored										4.0
Jersey City	1.3	0.7	0.3	0.7	0.7	12.2	0.4		1.4	0.7
Kansas City, Kans. (total)	1.0		1.0	2.0	2.1	1.1	2.2		1.1	1.1
White	1.1		1.2	1.2	2.4	1.2	2.5		1.3	
Colored				7.3						9.5
Kansas City, Mo.	3.0	0.9	0.9	0.6	2.6		1.0	0.4	0.7	1.1

See notes at end of table.

Table AG—Con.

AREA.	DEATH RATE FROM ACUTE ANTERIOR POLIOMYELITIS PER 100,000 POPULATION. [Rates of 2 or more in bold-faced type.]									
	1921	1920	1919	1918	1917	1916	1915	1914	1913	1912
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—continued.										
Los Angeles	1.1	0.8	0.5	0.2	1.4	1.0	1.3	0.5	1.0	13.7
Louisville (total)	0.4	1.3	0.4	0.4	1.3	0.4	.....	0.4	0.4	0.9
White	0.5	1.0	0.5	.....	1.6	0.5	.....	0.5	0.5	1.1
Colored	.....	2.5	.....	2.5	.....	.....	.....	.....	.....	.....
Lowell	.....	5.3	2.7	3.6	1.8	3.6	1.8	2.7	2.8	3.7
Memphis (total)	.....	0.6	.....	0.7	0.7	(6)	2.1	.....	0.7	0.7
White	.....	.....	.....	.....	1.1	(6)	.....	.....	1.2	.....
Colored	.....	1.6	.....	1.8	.....	(6)	5.6	.....	.....	1.9
Milwaukee	1.5	0.2	3.3	6.7	0.7	0.7	0.7	0.2	0.5	1.5
Minneapolis	2.5	0.8	0.5	0.5	0.6	3.1	0.6	0.9	0.6	1.6
Nashville (total)	0.8	.....	.....	1.7	.....	(6)	1.7	.....	1.8	1.8
White	.....	.....	.....	2.5	.....	(6)	1.3	.....	1.3	2.6
Colored	2.8	.....	.....	.....	.....	(6)	2.8	.....	2.8	.....
New Bedford	.....	.....	0.8	.....	.....	0.9	0.9	0.9	2.9	2.0
New Haven	1.8	0.6	0.6	1.3	0.6	27.0	1.3	0.7	.....	.....
New Orleans (total)	0.3	0.5	0.3	0.5	0.5	0.5	.....	0.3	.....	0.3
White	0.3	0.7	.....	0.7	0.7	0.4	.....	0.4	.....	.....
Colored	.....	.....	1.0	.....	.....	1.0	.....	.....	.....	1.1
New York	2.5	0.7	0.4	0.7	1.3	46.3	0.5	0.7	1.3	1.5
Bronx Borough	3.3	0.8	0.3	0.6	2.4	28.4	0.8	2.1	2.6	1.4
Brooklyn Borough	2.3	0.8	0.5	0.8	1.1	61.3	0.5	0.6	0.7	1.2
Manhattan Borough	2.2	0.4	0.4	0.6	1.0	31.8	0.5	0.5	1.5	2.0
Queens Borough	3.2	1.3	0.2	1.1	1.7	84.5	0.5	0.8	0.6	0.3
Richmond Borough	0.8	0.8	.....	.....	.....	55.9	.....	.....	2.1	.....
Newark, N. J.	1.4	1.4	0.7	1.0	2.5	87.4	0.3	.....	1.4	0.8
Norfolk (total)	.....	.....	1.8	.....	.....	.....	1.0	2.1	1.1	1.1
White	.....	.....	1.4	.....	.....	.....	.....	1.7	1.8	.....
Colored	.....	.....	2.3	.....	.....	.....	2.6	2.7	.....	2.8
Oakland	1.8	.....	.....	0.5	0.5	.....	.....	1.1	0.6	2.4
Omaha	2.0	0.5	.....	1.6	2.2	.....	.....	1.4	0.7	2.3
Paterson	3.6	.....	.....	.....	0.8	17.4	0.8	1.5	.....	2.3
Philadelphia	0.4	0.3	0.2	0.8	1.0	18.1	0.5	0.7	0.7	0.7
Pittsburgh	1.7	0.2	0.3	1.2	1.0	2.5	0.7	0.4	1.3	0.5
Portland, Oreg.	1.1	0.4	0.4	0.4	.....	1.2	.....	.....	0.9	1.4
Providence	.....	.....	.....	0.4	0.9	8.6	0.4	.....	1.3	0.9
Reading	0.9	1.8	.....	.....	.....	.....	1.9	1.0	.....	1.0
Richmond (total)	0.6	.....	0.6	1.8	0.6	1.8	0.6	0.7	1.5	.....
White	.....	.....	0.9	0.9	0.9	2.8	.....	.....	2.3	.....
Colored	1.8	.....	.....	3.7	.....	.....	1.9	2.1	.....	.....
Rochester	0.3	0.3	.....	1.1	.....	1.1	1.2	0.4	0.4	1.7
St. Louis	2.9	1.0	1.0	1.1	0.3	0.5	1.2	0.4	0.3	1.3
St. Paul	1.7	.....	0.4	0.9	0.4	3.5	0.4	.....	0.9	0.9
Salt Lake City	3.3	0.8	.....	.....	0.9	.....	.....	1.9	4.0	4.1
San Antonio	.....	.....	1.3	1.3	.....	2.9	2.3	.....	0.8	.....
San Francisco	2.1	0.2	.....	0.6	0.2	0.8	0.2	1.3	0.7	0.9
Scranton	.....	1.4	0.7	0.7	2.2	3.0	0.7	2.3	1.5	.....
Seattle	4.1	.....	.....	.....	1.0	1.0	.....	0.4	1.1	.....
Spokane	17.2	1.0	1.0	1.0	.....	.....	.....	.....	1.0	1.0
Springfield, Mass.	0.7	0.8	.....	0.8	6.7	20.0	2.7	1.9	1.0	10.2
Syracuse	1.1	0.6	0.6	.....	0.6	40.8	.....	3.9	0.7	0.7
Toledo	0.8	1.2	1.3	1.3	1.3	11.4	2.0	1.0	1.6	1.1
Trenton	0.8	.....	0.8	.....	0.9	34.2	0.9	0.9	1.0	1.0
Washington, D. C. (total)	1.8	0.2	.....	2.4	0.7	1.5	1.0	0.3	0.5	1.1
White	2.1	0.3	.....	2.6	0.7	1.7	.....	.....	0.8	.....
Colored	0.9	.....	.....	0.9	0.9	1.0	3.9	1.0	.....	4.1
Wilmington, Del.	.....	.....	.....	.....	2.9	20.8	3.0	1.0	1.1	1.1
Worcester	.....	.....	.....	0.6	1.2	2.4	0.6	0.6	3.2	0.7
Yonkers	1.9	1.0	2.0	2.1	.....	46.3	.....	.....	.....	1.2
Youngstown	2.3	.....	0.8	.....	0.8	3.5	2.7	0.9	.....	4.5

[1] Exclusive of Hawaii.
[2] Including District of Columbia.
[3] Not added to registration area until a later date.
[4] Includes only municipalities having a population of 1,000 or more in 1910.
[5] Includes only municipalities having a population of 1,000 or more in 1900.
[6] Transcripts of deaths not received.

Twenty-seven of the 34 States show higher rates in 1921 than in 1920; those showing the greatest increases are Washington (from 0.3 to 8.8); Minnesota (from 0.7 to 3.9); Michigan (from 0.9 to 3.0); and New York (from 0.6 to 2.6).

Of the 66 registration cities of 100,000 population or more in 1920, 40 have higher rates in 1921 than in 1920 and 17 have rates of 2 or more, Spokane showing a record high rate of 17.2. Sixteen show no deaths from this cause in 1921 against 23 with no deaths in 1920.

LETHARGIC ENCEPHALITIS.

The number of deaths in 1921 from lethargic encephalitis is 1,355 against 1,070 in 1920. Besides these there are 354 deaths in 1921 in which lethargic encephalitis appears as a contributory cause against 435 in 1920; about half of these contributory causes were returned in combination with influenza, bronchopneumonia or pneumonia.

Table AH gives for the registration area and its subdivisions all deaths when lethargic encephalitis was given either as a primary or a contributory cause of death.

Table AH

AREA.	NUMBER OF DEATH CERTIFICATES GIVING AS CAUSE OF DEATH LETHARGIC ENCEPHALITIS; 1920 AND 1921.					
	Total.		Primary cause.		Contributory cause.	
	1921	1920	1921	1920	1921	1920
SUMMARY.						
The registration area [1]	1,709	1,505	1,355	1,070	354	435
Registration States [2]	1,684	1,476	1,334	1,049	350	427
Cities in registration States [2]	1,161	1,100	924	811	237	289
Rural part of registration States	523	376	410	238	113	138
Registration cities in nonregistration States	25	29	21	21	4	8
All registration cities [2]	1,186	1,129	945	832	241	297
REGISTRATION STATES.						
California:						
Cities	51	39	37	22	14	17
Rural districts	33	18	29	10	4	8
Colorado:						
Cities	8	8	6	5	2	3
Rural districts	5	6	5	4	.....	2
Connecticut:						
Cities	33	33	26	26	7	7
Rural districts	3	7	3	5	.....	2
Delaware:						
Cities	3	.....	3	.....	.....	.....
Florida:						
Cities	2	4	1	3	1	1
Rural districts	9	10	6	7	3	3
Illinois:						
Cities	78	66	61	37	17	29
Rural districts	44	26	30	10	14	16
Indiana:						
Cities	34	22	25	16	9	6
Rural districts	23	13	16	6	7	7
Kansas:						
Cities	2	6	2	5	.....	1
Rural districts	8	15	5	12	3	3
Kentucky:						
Cities	16	13	13	10	3	3
Rural districts	28	7	27	5	1	2
Louisiana:						
Cities	7	11	6	10	1	1
Rural districts	5	3	4	2	1	1
Maine:						
Cities	7	4	5	4	2	.....
Rural districts	11	5	10	3	1	2
Maryland:						
Cities	32	26	18	19	14	7
Rural districts	2	10	1	8	1	2
Massachusetts:						
Cities	75	47	68	34	7	13
Rural districts	5	6	3	4	2	2
Michigan:						
Cities	96	78	79	65	17	13
Rural districts	41	16	34	9	7	7
Minnesota:						
Cities	25	25	16	14	9	11
Rural districts	31	18	22	13	9	5
Mississippi:						
Cities	2	2	2	2	.....	.....
Rural districts	3	6	2	6	1	.....
Missouri:						
Cities	18	14	11	12	7	2
Rural districts	10	6	7	2	3	4

[1] Exclusive of Hawaii.
[2] Including District of Columbia.

Table AH—Con. NUMBER OF DEATH CERTIFICATES GIVING AS CAUSE OF DEATH LETHARGIC ENCEPHALITIS: 1920 AND 1921.

AREA.	Total.		Primary cause.		Contributory cause.	
	1921	1920	1921	1920	1921	1920
REGISTRATION STATES—con.						
Montana:						
Cities	4	3	3	3	1	.....
Rural districts	.....	3	.....	3	.....	.....
Nebraska:						
Cities	17	8	15	8	2	.....
Rural districts	12	6	9	4	3	2
New Hampshire:						
Cities	2	2	2	2	.....	.....
Rural districts	1	.....	1	.....	.....	.....
New Jersey:						
Cities	49	47	38	37	11	10
Rural districts	11	12	9	8	2	4
New York:						
Cities	238	324	190	241	48	83
Rural districts	39	40	33	25	6	15
North Carolina:						
Cities	3	5	2	4	1	1
Rural districts	10	15	10	7	.....	8
Ohio:						
Cities	135	72	105	42	30	30
Rural districts	53	25	31	10	22	15
Oregon:						
Cities	11	18	11	15	.....	3
Rural districts	9	5	7	5	2	.....
Pennsylvania:						
Cities	83	103	71	75	12	28
Rural districts	31	39	29	31	2	8
Rhode Island:						
Cities	9	8	8	8	1	.....
Rural districts	2	.....	2	.....	.....	.....
South Carolina:						
Cities	4	9	4	7	.....	2
Rural districts	7	9	6	7	1	2
Tennessee:						
Cities	11	9	6	6	5	3
Rural districts	23	8	18	5	5	3
Utah:						
Cities	1	2	1	2	.....	.....
Rural districts	2	1	1	.....	1	1
Vermont:						
Cities	2	1	2	1	.....	.....
Rural districts	1	2	1	2	.....	.....
Virginia:						
Cities	11	12	10	9	1	3
Rural districts	15	12	12	6	3	6
Washington:						
Cities	49	52	41	44	8	8
Rural districts	17	16	13	10	4	6
Wisconsin:						
Cities	30	13	26	11	4	2
Rural districts	29	11	24	9	5	2
Washington, D. C.	13	14	10	12	3	2
REGISTRATION CITIES IN NONREGISTRATION STATES.						
Atlanta, Ga.	4	3	4	3	.....	.....
Augusta, Ga.	2	3	.....	2	2	1
Beaumont, Tex.	.....	1	.....	1	.....	.....
Birmingham, Ala.	4	3	3	2	1	1
Dallas, Tex.	5	7	5	4	.....	3
El Paso, Tex.	.....	1	.....	.....	.....	1
Fargo, N. Dak.	1	.....	1	.....	.....	.....
Galveston, Tex.	.....	1	.....	.....	.....	1
Houston, Tex.	3	2	2	2	1	.....
Mobile, Ala.	1	.....	1	.....	.....	.....
Montgomery, Ala.	.....	2	.....	2	.....	.....
Oklahoma City, Okla.	2	2	2	2	.....	.....
San Antonio, Tex.	1	2	1	2	.....	.....
Savannah, Ga.	1	1	1	1	.....	.....
Wheeling, W. Va.	1	1	1	.....	.....	1

The increase in deaths from lethargic encephalitis in 1921, as compared with 1920, is mostly in the rural districts (410 against 238), Michigan, Ohio, Kentucky, and Illinois together, showing half the total increase.

The rapid increase in this new disease—lethargic encephalitis—not only in this country but also in Europe, is cause for very serious concern. The figures for lethargic encephalitis undoubtedly understate the situation, as more deaths are now recorded under Title 70, Encephalitis (excluding lethargic encephalitis), than were recorded a few years ago, and it is only reasonable to conclude that most of this increase is due to other deaths from lethargic encephalitis certified simply as encephalitis. The increase in the deaths and death rates from encephalitis and lethargic encephalitis in the registration area is shown in Table AI.

Table AI REGISTRATION AREA.[1]

CAUSE OF DEATH.	Number of deaths.					Rate per 100,000 population.				
	1921	1920	1919	1918	1917	1921	1920	1919	1918	1917
Total	2,474	2,167	1,278	697	622	2.8	2.5	1.5	0.9	0.8
Encephalitis	1,119	1,097	903	(2)	(2)	1.3	1.3	1.1	(2)	(2)
Lethargic encephalitis	1,355	1,070	375	(2)	(2)	1.5	1.2	0.4	(2)	(2)

[1] Exclusive of Hawaii. [2] Not available.

OTHER EPIDEMIC AND ENDEMIC DISEASES.

In the detailed International List of Causes of Death, titles 1 to 25 are assigned to the epidemic and endemic diseases, of which 10 have been discussed. Of the others, no deaths are reported in 1921 for Asiatic cholera. Every effort has been made by the Census Bureau to authenticate the returns of rare diseases before tabulating them under the designated titles; each case has been made the subject of a special inquiry, and either the existence of the disease has been verified or no reply has been received; in the latter case there is no alternative but to classify the death as reported. In 1921 typhus fever is the cause of 12 deaths distributed as follows: 1 each in Los Angeles and Los Angeles County, Calif., Bridgeport, Conn., Kent County, Del., Elk County, Kans., Baltimore and Cecil County, Md., Gloucester, Mass., and 2 each in Brooklyn and Manhattan Boroughs, N. Y.; relapsing fever caused 3 deaths: 1 each in Pensacola, Fla., Savannah, Ga., and Milford town, Mass.; miliary fever caused 2 deaths: 1 each in Dubois County, Ind., and St. Louis County, Mo.; bubonic plague caused 1 death in San Benito County, Calif.; yellow fever, 2 deaths: 1 each in Los Angeles, Calif., and New Orleans, La.; leprosy, 18 deaths: 1 in Alameda County, 2 in San Francisco, and 3 in Los Angeles, Calif., 1 each in Key West, Fla., Boston, Mass., and Manhattan Borough, N. Y., 2 in San Antonio, Tex., and 7 in Iberville Parish, La. Malta fever caused 1 death in Montgomery County, Pa.; mumps, 131; cholera nostras, 232; dysentery, 3,570; spirochetal hemorrhagic jaundice, 27; erysipelas, 2,501; and meningococcus meningitis, 1,296.

Under the title "Other epidemic and endemic diseases" is included a miscellaneous collection of diseases, and in 1921 the number of deaths charged to these is 209 distributed as follows: Chicken-pox, 163; German measles, 11; acrodynia, 1 death in Union County, S. C.; dengue fever, 9 deaths: 7 in Miami and 1 in Palm Beach, Fla., and 1 in Unicoi County, Tenn.; Rocky Mountain spotted fever, 19 deaths: 1 each in Moffat

and Saguache Counties, Colo., 2 in Missoula, 1 in Fergus County, and 7 in Ravalli County, Mont., and 1 each in Grant and Wheeler Counties, 2 in Harney County, and 3 in Crook County, Oreg.; Roseola, 3 deaths: 1 each in Pike County, Miss., Jackson County, Mo., and Williamsburg County, S. C.; and milk sickness, 3 deaths: 1 in Jackson County, N. C., and 1 each in Bledsoe and Hamilton Counties, Tenn.

GLANDERS.

In 1921 the only death reported as due to glanders occurred in Monterey County, Calif. The distribution of deaths from this cause for each of the years 1912 to 1921, inclusive, is shown in Table AJ.

Table AJ

AREA.	NUMBER OF DEATHS FROM GLANDERS.									
	1921	1920	1919	1918	1917	1916	1915	1914	1913	1912
SUMMARY.										
The registration area [1]	1	1	1	4	4	4	4	10	8	12
Registration States [2]	1	1	1	4	3	4	4	10	7	12
Cities in registration States [2]	.....	1	.....	3	2	4	4	5	6	9
Rural part of registration States	1	.....	1	1	1	.....	.....	5	1	3
Registration cities in nonregistration States	.....	.....	.....	.....	1	.....	.....	.....	1	.....
All registration cities [2]	.....	1	.....	3	3	4	4	5	7	9
REGISTRATION STATES.										
California:										
Cities	.....	.....	.....	1	.....	.....	.....	.....	1	.....
Rural districts	1	.....	.....	1	.....	.....	.....	1	.....	.....
Colorado:										
Rural districts	.....	.....	1	.....	.....	.....	.....	.....	.....	1
Connecticut:										
Cities	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
Maine:										
Rural districts	.....	.....	.....	.....	.....	.....	.....	1	.....	1
Massachusetts:										
Cities	.....	.....	.....	.....	1	.....	1	3	1	.....
Rural districts	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
New Hampshire:										
Cities	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
Rural districts	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
New York:										
Cities	.....	.....	.....	1	1	3	2	.....	1	6
Rural districts	.....	.....	.....	.....	.....	.....	.....	1	.....	1
North Carolina:										
Rural districts	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Ohio:										
Cities	.....	.....	.....	.....	.....	.....	.....	1	.....	1
Rural districts	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Pennsylvania:										
Cities	.....	1	.....	.....	.....	1	.....	.....	2	1
Rural districts	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Rhode Island:										
Cities	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Vermont:										
Rural districts	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
Virginia:										
Cities	.....	.....	.....	1	.....	.....	.....	.....	.....	(3)
Washington:										
Cities	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
Wisconsin:										
Rural districts	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
REGISTRATION CITIES IN NONREGISTRATION STATES. [4]										
Pensacola, Fla	(5)	(5)	(5)	.....	1	.....	.....	.....	.....	(5)
Chicago, Ill	(5)	(5)	(5)	(5)	.....	.....	.....	.....	1	.....

[1] Exclusive of Hawaii.
[2] Including District of Columbia.
[3] Included with cities in nonregistration States.
[4] Includes cities which were in nonregistration States for at least one year of the series shown.
[5] Included with cities in registration States.
[6] Not added to registration area until a later date.

ANTHRAX.

The distribution of deaths from anthrax for each of the years 1912 to 1921 inclusive, is shown in Table AK.

Table AK

AREA.	NUMBER OF DEATHS FROM ANTHRAX.									
	1921	1920	1919	1918	1917	1916	1915	1914	1913	191
SUMMARY.										
The registration area [1]	32	39	45	43	62	28	35	19	25	18
Registration States [2]	31	37	45	41	60	25	34	16	23	17
Cities in registration States [2]	17	21	28	19	41	15	19	11	10	10
Rural part of registration States	14	16	17	22	19	10	15	5	13	7
Registration cities in nonregistration States	1	2	.....	2	2	3	1	3	2	1
All registration cities [2]	18	23	28	21	43	18	20	14	12	11
REGISTRATION STATES.										
California:										
Cities	.....	.....	1	2	3	.....	1	.....	.....	.....
Rural districts	1	.....	1	2	3	.....	1	1	1	.....
Colorado:										
Cities	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
Rural districts	.....	.....	1	1	2	.....	1	.....	.....	.....
Connecticut:										
Cities	.....	1	1	.....	1	1	2	.....	.....	.....
Rural districts	.....	.....	.....	1	.....	.....	1	1	1	.....
Delaware:										
Cities	2	.....	.....	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Illinois:										
Cities	1	4	2	.....	(3)	(3)	(3)	(3)	(3)	(3)
Rural districts	.....	.....	1	.....	(4)	(4)	(4)	(4)	(4)	(4)
Indiana:										
Cities	.....	.....	.....	1	1	.....	.....	.....	.....	.....
Rural districts	1	.....	.....	2	.....	.....	1	.....	.....	.....
Kansas:										
Cities	1	.....	1	.....	1	.....	.....	.....	(3)	(3)
Rural districts	.....	.....	1	1	1	.....	.....	.....	(4)	(4)
Kentucky:										
Cities	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Rural districts	.....	.....	.....	.....	.....	2	.....	.....	.....	4
Louisiana:										
Cities	1	.....	.....	2	(3)	(3)	(3)	(3)	(3)	(3)
Rural districts	1	5	3	4	(4)	(4)	(4)	(4)	(4)	(4)
Maine:										
Cities	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
Rural districts	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Maryland:										
Rural districts	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Massachusetts:										
Cities	.....	3	2	5	11	5	4	.....	2	2
Rural districts	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
Michigan:										
Cities	.....	1	1	.....	.....	1	.....	.....	.....	.....
Rural districts	1	4	1	.....	1	1	.....	.....	.....	.....
Minnesota:										
Cities	1	1	.....	.....	.....	.....	1	.....	.....	1
Rural districts	.....	2	1	.....	.....	.....	1	.....	1	.....
Mississippi:										
Rural districts	1	.....	.....	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Missouri:										
Cities	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Rural districts	.....	.....	.....	.....	1	1	.....	.....	1	1
Montana:										
Cities	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Rural districts	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Nebraska:										
Cities	.....	1	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
New Hampshire:										
Cities	.....	.....	1	.....	1	.....	.....	.....	.....	.....
New Jersey:										
Cities	.....	.....	1	.....	5	.....	1	2	.....	1
Rural districts	.....	1	.....	2	1	.....	1	.....	.....	.....
New York:										
Cities	5	3	10	5	10	3	8	1	2	1
Rural districts	1	2	1	3	2	1	5	.....	2	.....
North Carolina:										
Cities	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Rural districts	.....	.....	.....	.....	1	2	.....	.....	.....	.....
Ohio:										
Cities	1	1	.....	1	.....	.....	.....	1	1	2
Rural districts	3	.....	2	1	.....	.....	.....	1	.....	1
Oregon:										
Cities	.....	.....	1	.....	(3)	(3)	(3)	(3)	(3)	(3)
Pennsylvania:										
Cities	4	4	4	1	5	5	2	5	4	3
Rural districts	1	.....	1	2	5	2	2	1	4	1
South Carolina:										
Rural districts	1	.....	.....	2	.....	.....	(4)	(4)	(4)	(4)
Tennessee:										
Cities	1	.....	.....	.....	.....	.....	(3)	(3)	(3)	(3)
Rural districts	.....	1	1	.....	.....	.....	(4)	(4)	(4)	(4)
Utah:										
Rural districts	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Vermont:										
Rural districts	1	1	1	.....	1	.....	.....	.....	.....	.....
Virginia:										
Cities	.....	.....	.....	.....	1	.....	.....	1	.....	(3)
Rural districts	1	.....	.....	.....	.....	.....	.....	.....	1	(4)
Washington:										
Rural districts	1	.....	.....	.....	.....	1	.....	.....	1	.....
Wisconsin:										
Cities	.....	.....	1	.....	2	.....	.....	.....	1	.....
Rural districts	.....	.....	1	.....	.....	.....	.....	1	.....	.....

See notes at end of table.

Table AK—Con. NUMBER OF DEATHS FROM ANTHRAX.

AREA.	1921	1920	1919	1918	1917	1916	1915	1914	1913	1912
REGISTRATION CITIES IN NONREGISTRATION STATES.[5]										
Wilmington, Del.	(6)	(6)	(6)	.....	.....	.....	.....	1	2	1
Tampa, Fla.	(6)	(6)	(6)	1	.....	.....	.....	(4)	(4)	(4)
Savannah, Ga.	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Chicago, Ill.	(6)	(6)	(6)	(6)	.....	1	.....	.....	.....	.....
New Orleans, La.	(6)	(6)	(6)	(6)	.....	.....	1	1	.....	.....
Shreveport, La.	(6)	(6)	(6)	(6)	1	(4)	(4)	(4)	(4)	(4)
Lincoln, Nebr.	(6)	(6)	.....	.....	.....	.....	.....	1	.....	.....
Beaumont, Tex.	.....	.....	.....	.....	1	1	(4)	(4)	(4)	(4)
Dallas, Tex.	.....	.....	.....	1	.....	.....	(4)	(4)	(4)	(4)
El Paso, Tex.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
San Antonio, Tex.	.....	1	.....	.....	.....	1	.....	.....	.....	.....

[1] Exclusive of Hawaii.
[2] Including District of Columbia.
[3] Included with cities in nonregistration States.
[4] Not added to registration area until a later date.
[5] Includes cities which were in nonregistration States for at least one year of the series shown.
[6] Included with cities in registration States.

RABIES.

In 1921 there were 54 deaths from rabies. The distribution of deaths from rabies is shown for each of the years, 1912 to 1921, inclusive, in Table AL.

Table AL NUMBER OF DEATHS FROM RABIES.

AREA.	1921	1920	1919	1918	1917	1916	1915	1914	1913	1912
SUMMARY.										
The registration area [1]	54	41	58	63	66	36	52	65	95	74
Registration States [2]	51	39	55	59	61	33	47	56	75	60
Cities in registration States [2]	26	18	30	35	36	16	32	34	47	39
Rural part of registration States	25	21	25	24	25	17	15	22	28	21
Registration cities in nonregistration States	3	2	3	4	5	3	5	9	20	14
All registration cities [2]	29	20	33	39	41	19	37	43	67	53
REGISTRATION STATES.										
California:										
Cities	4	2	.....	.....	.....	.....	6	1	5	7
Rural districts	2	2	.....	.....	.....	1	.....	2	3	1
Colorado:										
Cities	.....	.....	1	1	1	1	.....	.....	.....	.....
Rural districts	.....	.....	1	.....	1	.....	.....	.....	.....	.....
Connecticut:										
Cities	.....	.....	.....	.....	3	.....	.....	.....	.....	.....
Rural districts	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
Delaware:										
Rural districts	.....	.....	1	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Florida:										
Cities	.....	1	.....	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Rural districts	1	1	2	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Illinois:										
Cities	1	1	1	1	(4)	(4)	(4)	(4)	(4)	(4)
Rural districts	.....	.....	3	1	(3)	(3)	(3)	(3)	(3)	(3)
Indiana:										
Cities	1	.....	1	.....	.....	.....	.....	.....	4	1
Rural districts	.....	1	.....	.....	2	.....	1	.....	1	2
Kansas:										
Cities	.....	.....	.....	.....	.....	1	.....	1	(4)	(4)
Rural districts	2	.....	1	.....	.....	.....	3	1	(3)	(3)
Kentucky:										
Cities	1	.....	.....	2	1	1	2	1	.....	1
Rural districts	1	1	1	1	.....	1	2	3	2	2
Louisiana:										
Cities	.....	.....	2	3	(4)	(4)	(4)	(4)	(4)	(4)
Rural districts	.....	2	.....	2	(3)	(3)	(3)	(3)	(3)	(3)
Maryland:										
Cities	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Rural districts	.....	.....	.....	.....	.....	2	.....	.....	1	.....
Massachusetts:										
Cities	3	.....	1	.....	.....	.....	5	3	.....	.....
Rural districts	.....	.....	.....	.....	.....	.....	1	2	2	.....
Michigan:										
Cities	.....	.....	.....	1	1	2	.....	1	1	3
Rural districts	.....	.....	1	1	1	.....	.....	.....	1	2
Minnesota:										
Cities	.....	.....	.....	.....	1	.....	1	1	1	2
Rural districts	1	.....	.....	.....	1	1	.....	1	2	1

Table AL—Con. NUMBER OF DEATHS FROM RABIES.

AREA.	1921	1920	1919	1918	1917	1916	1915	1914	1913	1912
REGISTRATION STATES—con.										
Mississippi:										
Rural districts	1	.....	1	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Missouri:										
Cities	1	2	4	4	11	2	1	2	5	4
Rural districts	2	4	1	1	1	1	1	3	4	3
Nebraska:										
Cities	.....	1	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)
New Hampshire:										
Cities	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
Rural districts	1	.....	.....	.....	.....	.....	.....	.....	1	.....
New Jersey:										
Cities	.....	1	.....	3	3	.....	1	1	6	4
Rural districts	1	.....	1	.....	.....	1	2	1	2	1
New York:										
Cities	4	3	6	.....	4	1	2	10	11	6
Rural districts	.....	.....	1	.....	1	1	1	1	1	.....
North Carolina:										
Cities	1	1	.....	.....	.....	.....	1	.....	.....	.....
Rural districts	1	2	1	4	4	1	.....	.....	.....	.....
Ohio:										
Cities	1	1	7	7	2	1	6	3	4	3
Rural districts	2	1	2	1	3	3	1	.....	2	3
Pennsylvania:										
Cities	3	2	4	4	3	4	5	8	4	4
Rural districts	4	3	3	4	3	.....	1	6	1	5
Rhode Island:										
Cities	3	1	.....	.....	.....	.....	.....	.....	1	3
Rural districts	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
South Carolina:										
Cities	2	.....	.....	1	1	1	(4)	(4)	(4)	(4)
Rural districts	1	2	1	2	4	3	(3)	(3)	(3)	(3)
Tennessee:										
Cities	.....	2	.....	2	2	(6)	(4)	(4)	(4)	(4)
Rural districts	2	2	2	5	2	(3)	(3)	(3)	(3)	(3)
Utah:										
Cities	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Rural districts	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Virginia:										
Cities	1	.....	.....	2	1	.....	1	.....	2	(4)
Rural districts	1	.....	2	2	.....	2	1	2	4	(3)
Washington:										
Cities	.....	.....	1	1	.....	2	.....	.....	.....	1
Rural districts	.....	.....	.....	.....	1	.....	1	.....	.....	.....
Wisconsin:										
Cities	.....	.....	.....	2	2	.....	.....	.....	1	.....
Rural districts	.....	.....	.....	.....	1	.....	.....	.....	.....	1
Washington, D. C.	.....	.....	.....	.....	.....	.....	1	1	2	.....
REGISTRATION CITIES IN NONREGISTRATION STATES.[6]										
Birmingham, Ala.	.....	.....	.....	1	.....	.....	.....	.....	1	.....
Mobile, Ala.	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Montgomery, Ala.	.....	.....	.....	.....	1	.....	1	.....	1	.....
Jacksonville, Fla.	(7)	(7)	(7)	.....	1	1	.....	.....	5	.....
Atlanta, Ga.	.....	1	.....	.....	1	.....	.....	.....	2	.....
Savannah, Ga.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Aurora, Ill.	(7)	(7)	(7)	(7)	.....	.....	.....	.....	1	1
Chicago, Ill.	(7)	(7)	(7)	(7)	2	.....	2	5	2	8
Springfield, Ill.	(7)	(7)	(7)	(7)	.....	.....	.....	.....	.....	1
Coffeyville, Kans.	(7)	(7)	(7)	(7)	(7)	(7)	(7)	(7)	1	.....
Wichita, Kans.	(7)	(7)	(7)	(7)	(7)	(7)	(7)	(7)	.....	1
New Orleans, La.	(7)	(7)	(7)	(7)	.....	1	1	1	1	1
Vicksburg, Miss.	(7)	(7)	(7)	.....	.....	.....	1	(3)	(3)	(3)
Omaha, Nebr.	(7)	(7)	1	.....	.....	.....	.....	1	1	.....
Portland, Oreg.	(7)	(7)	(7)	(7)	.....	.....	.....	.....	2	.....
Charleston, S. C.	(7)	(7)	(7)	(7)	(7)	(7)	.....	.....	1	.....
Jackson, Tenn.	(7)	(7)	(7)	(7)	(7)	(5)	.....	1	(3)	(3)
Memphis, Tenn.	(7)	(7)	(7)	(7)	(7)	(5)	.....	1	1	.....
Nashville, Tenn.	(7)	(7)	(7)	(7)	(7)	(6)	.....	.....	.....	1
Dallas, Tex.	.....	.....	.....	2	.....	.....	(3)	(3)	(3)	(3)
El Paso, Tex.	1	.....	1	.....	.....	.....	.....	.....	1	1
Galveston, Tex.	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Houston, Tex.	1	1	1	.....	.....	.....	.....	.....	.....	.....

[1] Exclusive of Hawaii.
[2] Including District of Columbia.
[3] Not added to registration area until a later date.
[4] Included with cities in nonregistration States.
[5] Transcripts of deaths not received.
[6] Includes cities which were in nonregistration States for at least one year of the series shown.
[7] Included with cities in registration States.

MYCOSES.

The total number of deaths from mycoses in 1921 is 197; of this number, 143, or 72.6 per cent, are due to thrush, which, prior to 1921, was classified under "Diseases of the mouth and annexa." Of these 143

cases of thrush 109 were from the rural districts and 80 were deaths of colored children under 1 year.

The distribution of deaths from mycoses is shown in Table AM.

Table AM

AREA.	NUMBER OF DEATH CERTIFICATES GIVING AS CAUSE OF DEATH MYCOSES (INCLUDING THRUSH): 1921.		
	Total.	Mycoses.	Thrush.
SUMMARY.			
The registration area [1]	197	54	143
Registration States [2]	195	53	142
Cities in registration States [2]	64	31	33
Rural part of registration States	131	22	109
Registration cities in nonregistration States	2	1	1
All registration cities [2]	66	32	34
REGISTRATION STATES.			
California:			
Cities	5	5	.....
Colorado:			
Cities	1	1	.....
Rural districts	1	1	.....
Connecticut:			
Cities	3	1	2
Rural districts	1	1	.....
Florida:			
Cities	1	.....	1
Rural districts	5	.....	5
Illinois:			
Cities	5	3	2
Rural districts	6	2	4
Indiana:			
Cities	2	1	1
Rural districts	1	1	.....
Kansas:			
Rural districts	4	2	2
Kentucky:			
Cities	2	1	1
Rural districts	7	.....	7
Louisiana:			
Cities	2	2	.....
Rural districts	7	7	.....
Maryland:			
Rural districts	5	.....	5
Massachusetts:			
Cities	2	2	.....
Rural districts	1	.....	1
Michigan:			
Cities	1	1	.....
Rural districts	2	1	1
Minnesota:			
Cities	3	3	.....
Rural districts	2	1	1
Mississippi:			
Cities	2	.....	2
Rural districts	5	.....	5
Missouri:			
Cities	3	2	1
Rural districts	1	.....	1
Montana:			
Cities	1	1	.....
Nebraska:			
Rural districts	1	1	.....
New Jersey:			
Cities	2	.....	2
Rural districts	1	1	.....
New York:			
Cities	11	3	8
Rural districts	5	2	3
North Carolina:			
Cities	2	1	1
Rural districts	13	.....	13
Ohio:			
Cities	6	2	4
Rural districts	5	.....	5
Pennsylvania:			
Cities	5	1	4
Rural districts	7	2	5
South Carolina:			
Cities	2	.....	2
Rural districts	37	.....	37
Tennessee:			
Cities	2	.....	2
Rural districts	1	.....	1
Virginia:			
Rural districts	12	.....	12
Wisconsin:			
Cities	1	1	.....
Rural districts	1	.....	1
REGISTRATION CITIES IN NONREGISTRATION STATES.			
El Paso, Tex	1	1	.....
Mobile, Ala	1	.....	1

[1] Exclusive of Hawaii. [2] Including District of Columbia.

TUBERCULOSIS (ALL FORMS).

Tuberculosis (all forms) includes seven titles of the detailed International List of Causes of Death. The number of deaths from this cause in 1921 is 88,135, corresponding to a crude rate of 99.4 per 100,000 population, and constituting 8.5 per cent of deaths from all causes. The crude death rate for 1921 is by far the lowest rate recorded in the annual mortality reports, the first of which was published in 1900.

In discussions of tuberculosis in previous years attention has been directed to the fact that there are many localities to which persons afflicted with this disease are attracted because of climatic conditions favorable to the treatment of this disease. States and cities which annually show high death rates from tuberculosis (all forms) are not always those which have conditions tending to the development of tuberculous diseases, but, in many instances, are health resorts.

Table AN shows adjusted mortality rates from tuberculosis (all forms) per 100,000 population, and also crude mortality rates. The adjusted rates are based on the standard million population of England and Wales, 1901. Rates of 175 or more are printed in bold-faced type.

Table AN

AREA.	DEATH RATE FROM TUBERCULOSIS (ALL FORMS) PER 100,000 POPULATION. [Rates of 175 or more in bold-faced type.]									
	Adjusted.		Crude.							
	1921	1920	1921	1920	1919	1918	1917	1916	1915	1914
SUMMARY.										
The registration area [1]	(2)	(2)	99.4	114.2	125.6	150.0	147.1	142.1	146.3	147.2
Registration States [3]	95.8	110.3	98.3	113.2	125.0	148.8	144.7	139.6	142.0	143.6
Cities in registration States [3]	(2)	(2)	100.9	118.5	133.8	164.2	160.8	155.8	157.9	161.5
Rural part of registration States	(2)	(2)	95.9	108.1	117.3	134.9	130.5	125.0	126.1	126.1
Registration cities in nonregistration States	(2)	(2)	161.5	176.7	160.9	206.2	177.9	174.9	198.4	192.
All registration cities [3]	(2)	(2)	103.0	120.4	134.8	166.1	163.2	158.4	163.8	165.9
REGISTRATION STATES.										
California	137.2	144.9	151.1	159.6	175.3	186.7	177.2	174.6	190.0	189.9
Colorado	173.8	212.2	184.6	225.4	215.1	242.9	194.8	176.6	179.7	192.1
Connecticut	92.7	115.4	95.9	119.4	126.5	153.9	160.4	142.5	139.5	144.9
Delaware	136.2	141.5	140.6	146.0	163.6	(4)	(4)	(4)	(4)	(4)
Florida (total)	96.2	104.7	95.7	104.1	104.8	(4)	(4)	(4)	(4)	(4)
White	61.9	66.6	62.4	67.1	74.9	(4)	(4)	(4)	(4)	(4)
Colored	159.7	173.7	162.5	176.8	161.6	(4)	(4)	(4)	(4)	(4)
Illinois	81.0	96.1	84.9	100.6	114.9	135.7	(4)	(4)	(4)	(4)
Indiana	89.8	105.1	92.8	108.8	114.1	140.2	139.5	134.6	142.5	146.4
Kansas	42.3	47.1	43.3	48.2	50.6	59.8	59.8	57.3	57.0	58.7
Kentucky (total)	136.6	159.2	131.2	152.9	165.3	199.0	198.8	195.2	201.7	208.3
White	115.6	137.1	109.9	130.3	143.1	169.3	166.2	163.7	168.2	174.6
Colored	326.1	356.2	333.1	363.8	367.8	466.0	486.1	467.4	485.7	489.8
Louisiana (total)	128.4	148.2	122.4	141.2	143.9	185.8	(4)	(4)	(4)	(4)
White	73.8	86.0	69.4	80.9	80.8	109.0	(4)	(4)	(4)	(4)
Colored	213.7	243.6	207.2	236.2	241.7	302.9	(4)	(4)	(4)	(4)
Maine	79.1	99.9	82.1	103.8	103.4	121.4	117.1	118.2	126.5	122.1

See notes at end of table.

Table AN—Con. DEATH RATE FROM TUBERCULOSIS (ALL FORMS) PER 100,000 POPULATION. [Rates of 175 or more in bold-faced type.]

AREA.	Adjusted.		Crude.							
	1921	1920	1921	1920	1919	1918	1917	1916	1915	1914
REGISTRATION STATES—con.										
Maryland (total)	132.4	143.3	135.5	146.7	165.8	**207.6**	**195.9**	**195.6**	**187.7**	**198.9**
White	97.9	105.8	102.1	110.4	129.4	163.1	150.8	148.6	142.6	154.1
Colored	**299.6**	**324.2**	**301.8**	**326.6**	**344.2**	**423.4**	**413.6**	**420.8**	**402.1**	**410.5**
Massachusetts	94.6	109.2	98.5	113.8	128.0	159.0	145.9	149.2	141.6	143.1
Michigan	70.9	81.7	72.5	83.6	85.7	101.5	96.6	92.7	90.6	87.3
Minnesota	75.3	87.5	77.0	89.5	94.7	104.6	102.1	104.8	101.8	107.7
Mississippi (total)	120.4	138.5	111.1	127.8	136.0	(4)	(4)	(4)	(4)	(4)
White	55.7	53.8	49.5	47.8	57.3	(4)	(4)	(4)	(4)	(4)
Colored	**177.8**	**214.0**	**167.2**	**201.2**	**207.1**	(4)	(4)	(4)	(4)	(4)
Missouri	89.0	102.2	93.0	106.9	117.2	144.4	149.2	143.0	146.6	150.1
Montana	56.5	68.7	61.8	75.1	88.9	96.8	108.8	107.1	113.1	104.7
Nebraska	36.6	42.5	37.1	43.0	(4)	(4)	(4)	(4)	(4)	(4)
New Hampshire	76.8	94.4	78.9	97.0	102.5	126.1	113.9	114.5	122.4	124.1
New Jersey	89.9	109.4	93.6	114.0	127.4	157.4	154.3	151.1	153.9	155.1
New York	96.3	113.6	102.4	120.9	140.9	167.9	166.3	160.6	168.8	172.1
North Carolina (total)	117.7	130.8	104.8	116.5	122.4	138.7	137.8	147.1	[5]230.7	[5]245.5
White	77.8	92.9	69.3	82.8	86.0	94.7	94.2	101.5	152.3	181.7
Colored	**211.1**	**218.8**	**187.4**	**194.2**	**205.9**	**238.8**	**236.4**	**249.4**	**379.0**	**366.1**
Ohio	85.0	98.0	89.1	102.8	114.6	136.2	134.8	126.4	125.3	126.1
Oregon	72.9	85.4	76.0	89.1	90.6	88.1	(4)	(4)	(4)	(4)
Pennsylvania	90.7	103.2	92.3	105.0	119.1	151.6	138.6	133.0	129.2	125.7
Rhode Island	104.2	126.7	108.0	131.3	148.8	**181.5**	172.9	**175.9**	164.2	164.3
South Carolina (total)	124.9	134.8	111.2	120.0	135.6	144.5	144.8	146.1	(4)	(4)
White	58.1	72.6	52.4	65.5	68.0	67.9	70.0	67.0	(4)	(4)
Colored	**192.1**	**196.7**	168.0	172.0	**199.0**	**215.4**	**213.0**	**217.2**	(4)	(4)
Tennessee (total)	148.4	174.6	139.9	164.6	169.0	**206.8**	**199.1**	(4)	(4)	(4)
White	114.2	138.5	106.6	129.3	126.6	151.5	155.6	(4)	(4)	(4)
Colored	**284.8**	**315.7**	**282.0**	**312.6**	**344.9**	**432.5**	**374.5**	(4)	(4)	(4)
Utah	41.3	40.5	39.9	39.1	44.8	47.8	44.6	50.7	45.6	51.5
Vermont	65.9	77.6	69.5	81.8	91.0	104.5	93.4	110.8	93.2	103.8
Virginia (total)	140.7	150.8	133.4	142.9	150.1	**183.6**	169.8	174.9	**182.4**	**180.5**
White	90.6	99.8	86.1	94.8	97.5	126.1	109.2	118.4	116.8	122.4
Colored	**258.3**	**269.1**	**246.0**	**256.2**	**272.0**	**315.9**	**307.6**	**301.7**	**328.0**	**307.6**
Washington	79.4	94.4	82.9	98.4	103.0	103.6	100.2	97.5	101.4	101.0
Wisconsin	73.9	84.2	75.2	85.6	84.1	94.4	97.3	92.1	95.8	99.5
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920.										
Akron	47.0	57.7	46.9	57.6	60.1	68.8	74.2	59.3	60.9	60.5
Albany	109.3	132.3	117.4	142.2	169.4	**207.9**	**220.9**	**231.5**	**282.0**	**271.9**
Atlanta (total)	111.0	101.1	119.0	108.4	118.0	132.7	141.6	150.2	135 0	135.3
White	62.2	80.9	65.0	84.6	77.9	98.9	89.8	95.7	86.9	95.4
Colored	**208.5**	**140.5**	**239.0**	**161.0**	**205.5**	**205.8**	**252.7**	**266.1**	**236.5**	**218.2**
Baltimore (total)	130.7	140.1	139.5	149.5	170.0	**238.2**	**226.6**	**217.4**	**214.5**	**223.0**
White	89.6	105.4	96.3	113.3	128.7	**180.3**	165.7	**159.2**	**158.2**	170.9
Colored	**364.6**	**335.5**	**388.1**	**357.1**	**407.8**	**536 6**	**542.4**	**521.7**	**511.8**	**500.3**
Birmingham (total)	139.9	155.3	145.1	161.0	170.3	**210.4**	**226.2**	**225.6**	**227.6**	**262.3**
White	55.8	70.9	52.2	66.3	65.0	87.0	69.8	91.2	98.0	116.3
Colored	**262.7**	**280.0**	**288.6**	**307.6**	**332.8**	**401.2**	**467.4**	**432.8**	**427.5**	**437.5**
Boston	109.7	121.7	116.4	129.1	156.9	**191.5**	**180.8**	**181.8**	169.8	**176.5**
Bridgeport	95.3	101.1	99.0	105.0	113.1	166.3	**179.9**	136.9	129.4	122.5
Buffalo	103.1	104.1	110.7	111.7	126.9	171.0	165.8	159.4	154.6	163.8
Cambridge	117.0	124.4	125.0	132.9	174.5	**227.6**	**209.3**	**192.6**	**205.7**	**194.5**
Camden	77.2	77.1	81.1	81.0	99.0	150.5	135.5	142.9	117.7	**182.8**
Chicago	79.0	90.5	85.0	97.4	121.3	146.2	149.2	149.1	172.2	164.0
Cincinnati	139.2	147.7	152.7	162.0	**196.2**	**241.3**	**241.3**	**235.8**	**229.6**	**249.9**
Cleveland	91.4	101.9	97.9	109.2	127.0	157.7	163.6	144.5	126.5	130.9
Columbus	87.6	109.2	93.2	116.3	128.5	**176.8**	166.4	151.8	157.1	164.8
Dallas (total)	79.2	102.2	86.5	111.7	95.6	150.2	137.9	139.8	(4)	(4)
White	53.1	68.6	54.8	70.8	76.8	115.5	94.5	91.5	(4)	(4)
Colored	**228.2**	**289.4**	**270.4**	**342.9**	**200.2**	**335.4**	**364.4**	**384.5**	(4)	(4)
Dayton	84.9	88.3	89.8	93.3	108.8	151.7	145.9	126.0	**162.0**	126.3
Denver	**188.9**	**274.1**	**219.2**	**318.1**	**280.8**	**331.8**	**270.6**	**234.9**	**265.1**	**276.6**
Detroit	85.1	94.4	89.9	99.7	96.2	121.5	114.7	119.8	102.7	96.2
Fall River	95.1	102.6	96.9	104.5	137.9	**209.5**	**181.4**	**200.7**	149.3	**176.2**
Grand Rapids	61.1	69.0	63.7	72.0	74.0	104.5	96.4	82.5	96.8	79.1
Hartford	70.9	96.5	73.9	100.6	99.2	147.8	156.4	114.6	86.8	120.0
Houston (total)	103.5	100.0	114.4	110.5	117.4	181.4	141.9	(4)	(4)	(4)
White	87.4	76.0	93.3	81.1	78.0	144.8	88.8	(4)	(4)	(4)
Colored	**144.3**	**160.7**	**180.5**	**201.0**	**237.5**	**288.4**	**294.5**	(4)	(4)	(4)
Indianapolis (total)	118.8	124.2	124.7	130.4	141.7	174.4	**179.3**	**183.1**	**198.6**	**212.6**
White	95.2	96.0	101.1	101.9	120.1	141.3	152.9	152.3	163.9	**175.2**
Colored	**298.8**	**345.3**	**310.0**	**358.3**	**316.4**	**447.7**	**399.9**	**444.3**	**494.1**	**539.5**

Table AN—Con. DEATH RATE FROM TUBERCULOSIS (ALL FORMS) PER 100,000 POPULATION. [Rates of 175 or more in bold-faced type.]

AREA.	Adjusted		Crude.							
	1921	1920	1921	1920	1919	1918	1917	1916	1915	1914
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—continued.										
Jersey City	84.9	112.2	86.9	114.8	122.7	154.4	161.9	**179.7**	174.2	168.7
Kansas City, Kans. (total)	111.2	101.3	119.4	108.7	129.8	**137.4**	**137.7**	**137.4**	**148.6**	**151.6**
White	(2)	(2)	76.7	88.1	87.3	113.5	116.4	107.4	117.7	120.9
Colored	(2)	(2)	**367.3**	**230.8**	**387.4**	**285.0**	**273.4**	**332.1**	**354.4**	**361.5**
Kansas City, Mo.	88.0	99.3	99.7	112.4	126.9	161.5	168.3	159.6	174.2	152.1
Los Angeles	155.6	165.6	**173.4**	**184.5**	**200.6**	**219.1**	**208.5**	**199.9**	**218.4**	**229.9**
Louisville (total)	123.3	132.6	131.7	141.6	**179.0**	**224.6**	**184.6**	**187.4**	**190.2**	**216.4**
White	93.2	109.1	98.9	115.8	141.0	**177.9**	131.9	136.7	141.0	174.3
Colored	**265.3**	**242.0**	**292.7**	**267.0**	**363.4**	**449.4**	**438.4**	**427.5**	**421.4**	**412.9**
Lowell	80.2	103.0	82.7	106.2	**137.0**	**179.8**	**171.0**	**141.4**	**130.4**	**126.5**
Memphis (total)	159.1	**194.8**	168.9	**206.8**	**235.6**	**304.6**	**282.7**	(6)	**300.1**	**307.2**
White	76.8	103.4	80.8	108.8	110.3	152.0	145.1	(6)	142.0	124.1
Colored	**294.2**	**342.4**	**317.8**	**369.8**	**454.8**	**567.1**	**515.8**	(6)	**559.1**	**602.6**
Milwaukee	67.4	83.7	70.0	87.0	83.4	106.0	100.8	97.2	97.2	106.2
Minneapolis	75.1	95.7	84.7	107.9	122.1	129.8	139.6	144.3	148.1	139.4
Nashville (total)	149.7	**196.5**	159.0	**208.8**	**198.4**	**250.7**	**206.7**	(6)	**241.8**	**237.4**
White	90.9	124.5	95.6	131.0	131.3	146.6	145.8	(6)	138.9	139.2
Colored	**285.2**	**360.4**	**309.0**	**390.5**	**353.0**	**436.3**	**343.2**	(6)	**466.2**	**448.4**
New Bedford	122.2	132.7	124.0	134.7	148.4	**224.9**	165.4	**191.4**	161.2	170.5
New Haven	77.9	85.2	80.9	88.5	91.2	151.9	159.2	126.9	121.3	141.7
New Orleans (total)	173.9	**191.2**	**189.8**	**208.7**	**229.6**	**315.5**	**321.2**	**292.9**	**304.2**	**294.7**
White	125.4	144.7	136.2	157.1	166.2	**227.3**	**208.3**	174.1	**177.7**	**196.4**
Colored	**304.9**	**316.4**	**341.4**	**354.3**	**408.2**	**563.8**	**638.9**	**626.0**	**659.0**	**670.1**
New York	98.5	120.7	104.3	127.8	153.1	**185.8**	**189.5**	**183.3**	**197.6**	**201.5**
Bronx Borough	83.6	104.7	86.6	108.4	144.1	170.6	**203.1**	164.7	**180.6**	**182.4**
Brooklyn Borough	84.8	106.3	88.3	110.7	128.7	158.0	167.6	155.6	173.0	174.1
Manhattan Borough	118.9	139.7	128.0	150.4	**181.3**	**215.3**	**210.8**	**214.1**	**229.8**	**235.5**
Queens Borough	74.2	108.5	77.5	113.3	119.7	149.8	154.2	161.9	156.6	158.3
Richmond Borough	145.2	151.5	154.2	160.9	**207.0**	**297.8**	**179.4**	**196.2**	162.2	173.4
Newark, N. J.	77.8	92.5	81.1	96.4	118.8	159.8	**177.2**	**175.9**	**193.8**	**183.4**
Norfolk (total)	99.8	162.3	105.6	171.8	144.8	**196.8**	166.0	**184.5**	**194.3**	**201.8**
White	49.6	90.5	51.5	93.9	64.8	116.9	74.4	88.5	93.9	122.0
Colored	**174.6**	**270.2**	**194.8**	**301.5**	**276.8**	**327.0**	**313.8**	**337.7**	**352.4**	**325.5**
Oakland	70.6	96.2	73.3	99.8	105.3	114.1	107.4	124.2	141.7	126.4
Omaha	71.8	79.5	77.1	85.3	88.1	113.9	103.6	114.9	98.0	117.6
Paterson	93.5	108.9	101.9	118.7	106.4	154.2	145.7	146.1	139.5	127.6
Philadelphia	107.7	127.8	115.7	137.3	161.8	**211.9**	**195.3**	**191.7**	**184.6**	**189.5**
Pittsburgh	99.3	116.2	102.5	120.0	132.7	163.4	164.9	139.0	135.1	135.6
Portland, Oreg.	60.0	76.8	64.2	82.2	91.8	102.0	80.9	98.3	100.2	99.0
Providence	95.1	110.4	98.0	113.8	140.2	**183.0**	**185.7**	**180.8**	170.2	160.4
Reading	72.6	83.3	72.4	83.1	89.4	135.3	122.3	116.7	113.3	127.2
Richmond (total)	135.8	146.5	145.2	156.6	170.9	**201.0**	**183.7**	**215.7**	**204.8**	**213.1**
White	85.5	107.0	91.5	114.5	121.3	145.8	122.1	134.2	129.6	127.0
Colored	**238.3**	**224.1**	**264.9**	**249.1**	**277.9**	**318.1**	**311.8**	**382.4**	**355.7**	**377.8**
Rochester	63.8	75.2	67.8	80.0	94.4	115.9	117.6	110.5	116.7	111.6
St. Louis	78.9	89.1	87.4	98.7	112.6	144.0	159.3	147.9	146.9	166.5
St. Paul	91.6	104.9	98.8	113.2	121.5	138.1	148.5	134.5	148.0	145.5
Salt Lake City	57.9	69.1	61.7	73.7	73.5	57.4	55.9	59.2	56.6	66.7
San Antonio	**237.3**	**259.4**	**251.5**	**275.0**	**269.5**	**378.5**	**342.1**	**292.0**	**355.5**	**376.1**
San Francisco	109.1	116.8	124.5	133.4	**183.6**	**194.7**	**178.3**	**189.1**	**206.8**	**210.4**
Scranton	74.9	72.5	77.0	74.5	98.9	106.9	103.8	95.7	99.8	102.1
Seattle	68.7	87.6	70.7	90.2	95.3	90.3	94.4	91.5	76.2	102.3
Spokane	61.8	68.1	64.2	70.8	67.0	75.7	93.8	79.5	85.2	92.9
Springfield, Mass	73.2	76.4	76.5	79.8	91.0	126.5	106.5	83.5	94.7	104.1
Syracuse	67.3	69.2	69.9	71.9	74.8	111.1	115.4	107.8	97.4	129.6
Toledo	114.6	124.2	125.3	135.8	148.1	**175.4**	**182.7**	**176.1**	**177.5**	165.6
Trenton	86.5	121.4	90.5	127.0	134.5	169.2	156.0	152.0	**176.3**	**176.4**
Washington, D. C. (total)	114.4	120.6	126.6	133.4	151.6	**181.7**	168.8	**188.4**	**201.6**	**195.4**
White	66.1	74.8	75.2	85.0	105.3	116.7	102.9	108.8	115.5	112.2
Colored	**258.9**	**257.8**	**278.2**	**277.1**	**287.5**	**369.5**	**356.4**	**411.3**	**439.1**	**420.5**
Wilmington, Del.	102.7	106.4	106.7	110.6	110.0	151.2	**184.5**	**152.7**	161.1	162.6
Worcester	97.5	108.4	102.7	114.1	126.3	145.5	159.0	167.1	144.4	142.6
Yonkers	97.9	134.8	102.6	141.3	124.1	145.3	151.7	**134.7**	119.0	**146.7**
Youngstown	74.0	77.5	80.1	83.9	102.2	119.8	135.8	106.6	93.9	97.2

[1] Exclusive of Hawaii.
[2] Not computed.
[3] Including District of Columbia.
[4] Not added to registration area until a later date.
[5] Includes only municipalities having a population of 1,000 or more in 1910.
[6] Transcripts of deaths not received.

The adjusted rate (95.8) for the States as a whole in 1921 is a remarkable reduction from the corresponding rate (110.3) in 1920, and every State but Utah shows a lower rate in 1921 than in 1920.

The States which show the highest adjusted rates in 1921 from tuberculosis (all forms) are Colorado (173.8), Tennessee (148.4), Virginia (140.7), California (137.2), and Kentucky (136.6). The States with the lowest rates are Nebraska (36.6), Utah (41.3), Kansas (42.3), Montana (56.5), and Vermont (65.9).

Of the registration cities with populations of 100,000 or more in 1920, only 2 in 1921 have adjusted rates higher than 175, and only 5 have higher adjusted rates in 1921 than in 1920. The cities having the highest adjusted rates in 1921 are San Antonio (237.3), Denver (188.9), and New Orleans (173.9). The lowest rates appear for Akron (47), Salt Lake City (57.9), Portland (60), Grand Rapids (61.1), and Spokane (61.8).

For the States and cities that show by color, the adjusted rate for the colored is higher than 175 for all the States but Florida (159.7), and for all the cities but Houston (144.3) and Norfolk (174.6). For the white in these areas, Mississippi and Houston are the only ones which show higher rates in 1921 than in 1920, while for the colored, Atlanta, Baltimore, Louisville, Richmond, and Washington, D. C., show higher rates in 1921.

TUBERCULOSIS OF THE RESPIRATORY SYSTEM AND ACUTE DISSEMINATED TUBERCULOSIS.

The number of deaths in 1921 from tuberculosis of the respiratory system and acute disseminated tuberculosis, is 77,703, and the crude death rate (87.6 per 100,000 population) is by far the lowest rate recorded in the annual mortality reports.

Table AO shows the rates per 100,000 population for 1912 to 1921, rates of 150 and higher being printed in bold-faced type.

Table AO — DEATH RATE FROM TUBERCULOSIS OF THE RESPIRATORY SYSTEM AND ACUTE DISSEMINATED TUBERCULOSIS PER 100,000 POPULATION.

[Rates of 150 or more in bold-faced type.]

AREA.	1921	1920	1919	1918	1917	1916	1915	1914	1913	1912
SUMMARY.										
The registration area [1]	87.6	100.8	111.3	133.2	129.4	124.3	128.2	128.2	127.9	130.0
Registration States [2]	86.7	99.8	110.6	132.0	127.3	122.1	124.2	124.7	125.0	126.6
Cities in registration States [2]	86.6	102.0	115.8	143.2	139.5	134.1	136.8	139.1	139.7	141.8
Rural part of registration States	86.6	97.7	106.1	122.0	116.5	111.1	111.8	110.6	110.2	110.8
Registration cities in nonregistration States	146.7	161.4	145.3	186.5	157.6	153.6	174.8	171.8	161.9	166.6
All registration cities [2]	88.6	104.0	117.0	145.2	142.0	136.8	142.3	143.7	142.9	145.7
REGISTRATION STATES.										
California	135.1	141.8	156.3	167.6	157.1	154.4	166.8	165.9	172.2	171.4
Colorado	172.8	212.5	200.5	229.9	179.5	164.4	169.2	177.4	178.2	192.9
Connecticut	83.6	103.8	109.8	131.8	134.3	121.3	119.5	123.2	118.9	120.0
Delaware	122.0	131.7	153.2	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Florida (total)	87.8	95.1	98.8	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	56.1	59.7	69.7	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	151.4	164.4	154.3	(3)	(3)	(3)	(3)	(3)	(3)	(3)

See notes at end of table.

Table AO—Con. — DEATH RATE FROM TUBERCULOSIS OF THE RESPIRATORY SYSTEM AND ACUTE DISSEMINATED TUBERCULOSIS PER 100,000 POPULATION.

[Rates of 150 or more in bold-faced type.]

AREA.	1921	1920	1919	1918	1917	1916	1915	1914	1913	1912
REGISTRATION STATES—con.										
Illinois	74.4	89.1	102.2	121.6	(3)	(3)	(3)	(3)	(3)	(3)
Indiana	78.2	92.9	97.7	120.5	119.9	114.3	121.8	124.0	124.3	123.9
Kansas	37.0	41.2	44.8	52.8	50.7	49.9	49.9	51.0	(3)	(3)
Kentucky (total)	115.6	133.9	146.0	177.6	174.7	171.2	179.2	182.6	176.5	183.7
White	96.1	113.4	125.5	149.9	144.8	141.9	147.9	151.9	149.6	155.3
Colored	299.9	325.5	333.6	426.5	438.7	424.6	445.4	439.1	397.4	412.0
Louisiana (total)	115.2	132.7	135.3	173.6	(3)	(3)	(3)	(3)	(3)	(3)
White	63.5	74.4	74.7	100.2	(3)	(3)	(3)	(3)	(3)	(3)
Colored	197.9	224.5	229.2	285.4	(3)	(3)	(3)	(3)	(3)	(3)
Maine	66.1	85.1	84.9	98.2	95.3	97.7	102.0	95.4	97.1	107.1
Maryland (total)	122.2	132.1	148.8	188.5	177.7	177.0	168.1	178.2	172.5	168.5
White	92.7	99.7	116.3	148.7	135.3	135.5	126.7	138.1	130.3	129.7
Colored	268.6	292.0	298.2	381.8	382.6	375.9	364.9	367.2	370.0	349.1
Massachusetts	84.3	96.9	109.8	138.1	125.3	125.0	119.3	119.8	121.5	126.1
Michigan	62.2	72.0	73.5	88.0	83.5	78.7	78.2	74.3	73.5	77.3
Minnesota	66.1	77.1	81.9	89.6	87.8	87.9	84.5	90.0	88.1	90.2
Mississippi (total)	103.7	121.2	130.2	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	45.4	44.7	54.4	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	156.8	191.5	198.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Missouri	84.0	97.9	104.6	131.6	135.2	128.6	132.5	133.6	127.7	130.6
Montana	55.7	65.6	80.0	85.0	96.4	93.5	99.8	88.7	90.3	100.4
Nebraska	32.1	35.4	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
New Hampshire	65.6	81.4	86.6	107.7	95.0	97.8	102.0	100.5	99.4	95.1
New Jersey	83.1	102.0	114.2	141.2	137.8	133.6	136.8	137.7	134.6	137.0
New York	90.4	106.1	124.6	148.6	147.6	142.0	148.6	151.9	148.7	148.8
North Carolina (total)	96.5	106.4	111.5	127.6	124.5	133.3	[4]207.6	[4]221.4	[4]200.2	[4]209.3
White	63.4	75.3	78.1	86.4	84.1	90.2	134.7	160.4	147.0	145.5
Colored	173.6	178.2	188.3	221.3	215.7	229.8	345.3	336.7	298.0	326.8
Ohio	76.7	88.3	100.2	117.6	117.6	109.2	109.0	109.1	110.2	116.2
Oregon	63.2	73.2	74.1	73.3	(3)	(3)	(3)	(3)	(3)	(3)
Pennsylvania	79.2	91.5	103.5	133.5	119.9	114.8	112.6	108.8	105.8	109.1
Rhode Island	88.9	110.6	124.9	153.3	150.4	150.8	138.9	139.8	137.3	135.1
South Carolina (total)	104.8	111.9	126.7	136.3	136.2	136.7	(3)	(3)	(3)	(3)
White	47.5	58.9	61.7	63.1	63.0	61.0	(3)	(3)	(3)	(3)
Colored	160.2	162.5	187.8	204.1	203.0	204.7	(3)	(3)	(3)	(3)
Tennessee (total)	124.7	145.2	150.8	186.3	177.5	(3)	(3)	(3)	(3)	(3)
White	93.8	112.8	111.7	135.9	136.4	(3)	(3)	(3)	(3)	(3)
Colored	256.2	281.1	312.6	392.1	343.0	(3)	(3)	(3)	(3)	(3)
Utah	32.7	32.0	37.7	40.7	36.5	41.2	36.9	41.6	42.2	38.8
Vermont	57.9	67.0	75.4	88.7	76.7	93.0	76.5	82.1	89.6	81.4
Virginia (total)	120.8	128.9	136.4	167.4	151.5	154.8	164.4	160.4	148.5	(3)
White	76.7	84.1	87.8	113.8	94.5	102.7	102.2	105.8	101.4	(3)
Colored	225.5	234.6	249.3	290.6	281.1	271.7	302.4	279.8	250.5	(3)
Washington	67.6	81.5	83.8	86.8	82.8	79.8	87.3	79.7	83.0	79.3
Wisconsin	64.5	74.0	72.8	81.1	83.6	78.9	82.4	84.4	83.8	85.6
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920.										
Akron	39.8	48.3	51.1	60.2	63.3	48.1	55.3	49.5	62.6	74.3
Albany	99.9	115.9	149.0	186.4	196.4	202.2	254.3	240.5	223.0	204.1
Atlanta (total)	105.0	95.6	104.9	111.0	117.3	120.9	114.5	118.7	133.3	132.2
White	53.1	72.4	68.4	81.5	75.9	76.5	75.5	82.8	92.3	89.5
Colored	220.4	146.8	184.6	174.8	206.2	215.2	196.8	193.6	233.2	218.9
Baltimore (total)	122.1	133.5	150.2	214.7	204.3	194.5	190.9	199.0	204.5	212.1
White	84.4	101.9	112.7	162.1	145.9	143.9	139.4	151.9	150.7	162.4
Colored	339.5	315.1	366.1	485.4	507 2	459.2	462.6	450.1	493.8	482.5
Birmingham (total)	123.6	140.1	144.9	180.3	196.3	194.2	196.0	229.1	208.3	193.1
White	39.8	49.1	55.7	75.5	60.0	77.0	85.5	101.2	82.3	109.2
Colored	253.0	280.9	282.6	342.2	406.7	375.0	366.5	426.1	402.3	322.1
Boston	100.9	110.1	132.2	165.9	156.4	151.2	142.8	144.3	148.7	154.8
Bridgeport	88.5	85.1	93.3	137.8	144.5	112.0	115.0	94.1	81.2	84.3
Buffalo	98.1	98.8	110.4	152.2	148.7	140.3	136.0	141.2	133.0	122.5
Cambridge	113.2	121.0	159.9	205.6	190.9	180.6	189.9	173.0	188.8	179.3
Camden	74.4	74.1	91.2	133.7	122.0	118.9	103.6	163.5	147.4	139.7
Chicago	73.9	85.5	107.0	128.1	132.0	131.7	151.6	145.2	145.7	144.6
Cincinnati	133.6	139.8	175.5	216.5	220.6	215.8	206.5	225.2	233.7	226.8
Cleveland	82.7	95.1	111.8	138.1	142.4	125.1	109.4	111.8	110.7	112.7
Columbus	78.7	94.2	106.3	140.0	136.3	123.7	130.7	136.2	136.5	144.8
Dallas (total)	79.3	96.8	87.3	131.0	118.9	117.6	(3)	(3)	(3)	(3)
White	47.1	58.4	69.2	99.1	80.3	70.9	(3)	(3)	(3)	(3)
Colored	266.3	314.0	187.7	301.4	320.1	354.5	(3)	(3)	(3)	(3)
Dayton	79.1	75.1	92.9	127.9	129.1	111.0	140.6	113.5	140.1	128.2
Denver	201.8	296.1	256.4	311.0	243.7	215.4	252.0	255.5	255.7	280.0
Detroit	77.0	85.0	80.8	106.3	98.6	103.4	89.8	81.8	81.4	86.4
Fall River	78.7	89.6	117.1	189.5	155.6	172.4	120.1	153.6	132.8	128.8
Grahd Rapids	47.4	63.4	56.4	86.5	79.7	65.2	85.6	68.5	54.9	77.2
Hartford	51.4	77.1	70.6	111.4	118.8	92.8	65.1	82.9	96.6	86.3

Table AO—Con. DEATH RATE FROM TUBERCULOSIS OF THE RESPIRATORY SYSTEM AND ACUTE DISSEMINATED TUBERCULOSIS PER 100,000 POPULATION.

[Rates of 150 or more in bold-faced type.]

AREA.	1921	1920	1919	1918	1917	1916	1915	1914	1913	1912
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—continued.										
Houston (total))	106.8	98.4	106.4	**171.6**	136.0	(3)	(3)	(3)	(3)	(3)
White	89.7	67.9	67.3	137.1	82.0	(3)	(3)	(3)	(3)	(3)
Colored	**160.4**	**192.3**	**225.6**	**272.4**	**291.2**	(3)	(3)	(3)	(3)	(3)
Indianapolis (total)	100.5	109.7	119.2	148.4	**152.9**	**154.0**	**168.6**	**171.0**	**178.4**	**151.3**
White	77.2	83.9	101.3	119.5	129.8	128.4	137.4	140.9	149.5	125.8
Colored	**282.8**	**315.9**	**263.7**	**386.8**	**345.9**	**371.4**	**435.0**	**433.8**	**436.5**	**383.5**
Jersey City	75.7	101.8	107.9	136.3	145.4	**153.2**	**152.8**	146.0	138.2	146.0
Kansas City, Kans. (total)	103.9	95.0	120.8	123.1	116.0	114.1	137.9	134.0	**163.6**	**160.3**
White	66.6	79.0	80.3	98.1	97.2	87.8	106.6	108.3	134.4	132.9
Colored	**321.4**	**190.1**	**366.3**	**277.7**	**235.4**	**284.7**	**346.2**	**309.9**	**369.3**	**359.3**
Kansas City, Mo.	87.5	100.5	109.8	147.1	**150.9**	141.1	**157.3**	136.8	134.2	146.8
Los Angeles	**153.4**	**165.6**	**181.0**	**200.4**	**186.7**	**182.1**	**193.9**	**204.0**	**235.5**	**225.3**
Louisville (total)	**109.2**	**118.2**	**153.9**	**196.4**	**159.7**	**164.6**	**169.9**	**188.7**	**163.2**	**185.5**
White	79.5	95.3	116.3	**152.0**	111.2	116.9	125.3	144.9	130.2	144.8
Colored	**255.2**	**229.6**	**336.0**	**409.7**	**391.3**	**390.4**	**379.5**	**393.3**	**316.3**	**372.5**
Lowell	58.9	75.2	97.0	143.2	135.9	106.0	103.9	97.2	91.3	118.8
Memphis (total)	**146.0**	**178.6**	**200.3**	**275.5**	**253.9**	(6)	**270.4**	**280.0**	**247.8**	**227.9**
White	62.5	91.1	86.1	132.7	123.3	(6)	119.3	113.7	136.3	139.3
Colored	**287.1**	**324.2**	**399.8**	**521.0**	**475.1**	(6)	**518.1**	**548.3**	**424.7**	**366.0**
Milwaukee	56.9	71.6	69.5	87.0	86.2	79.8	84.5	94.0	90.7	85.8
Minneapolis	75.3	94.6	106.2	115.7	123.5	121.6	127.7	116.2	118.1	118.7
Nashville (total)	**132.0**	**174.3**	**159.4**	**204.5**	**180.0**	(6)	**204.3**	**204.0**	**175.3**	**194.4**
White	78.1	108.2	102.1	119.5	122.1	(6)	113.4	118.6	117.4	125.3
Colored	**259.4**	**328.7**	**291.4**	**397.3**	**309.7**	(6)	**402.4**	**387.5**	**298.1**	**338.8**
New Bedford	**102.4**	**109.4**	**115.9**	**189.1**	**128.8**	**153.1**	**133.8**	**135.1**	**117.4**	**119.3**
New Haven	60.5	67.1	68.3	121.5	123.8	94.0	87.8	109.5	111.8	101.3
New Orleans (total)	**175.8**	**195.3**	**214.7**	**287.3**	**290.5**	**260.4**	**266.1**	**271.4**	**234.9**	**244.3**
White	**126.2**	**147.0**	**153.9**	**208.7**	**194.9**	**161.7**	**160.6**	**182.5**	**145.3**	**168.4**
Colored	**316.2**	**331.7**	**386.3**	**508.5**	**559.5**	**537.5**	**562.0**	**520.5**	**485.5**	**458.2**
New York	92.1	112.0	135.9	**164.4**	**169.6**	**163.4**	**175.0**	**179.2**	**175.1**	**177.0**
Bronx Borough	78.3	95.4	130.9	**150.4**	**184.1**	**148.7**	**163.2**	**164.7**	**171.5**	**160.2**
Brooklyn Borough	77.0	97.3	114.0	**140.0**	**149.4**	**138.8**	**153.0**	**153.6**	**151.9**	**155.4**
Manhattan Borough	**112.8**	**130.5**	**159.8**	**189.8**	**188.0**	**189.6**	**203.0**	**210.2**	**202.3**	**203.7**
Queens Borough	68.1	101.8	106.4	**133.7**	**138.8**	**146.7**	**138.3**	**137.8**	**123.7**	**136.1**
Richmond Borough	**146.8**	**150.7**	**189.6**	**277.3**	**169.3**	**181.0**	**144.6**	**155.2**	**150.9**	**144.2**
Newark, N. J.	66.8	80.6	101.7	**135.1**	**154.3**	**152.4**	**167.7**	**162.5**	**153.9**	**151.6**
Norfolk (total)	90.7	**147.1**	**126.4**	**170.5**	**146.3**	**159.3**	**172.2**	**166.2**	**189.1**	**219.8**
White	43.6	80.3	53.6	99.4	59.2	77.4	70.8	92.8	106.0	103.6
Colored	**168.6**	**258.5**	**246.5**	**286.4**	**286.8**	**289.8**	**331.7**	**280.1**	**316.1**	**394.0**
Oakland	59.6	82.9	89.3	97.1	92.4	97.2	115.8	103.5	108.7	116.8
Omaha	66.5	67.2	71.7	94.0	87.7	96.6	89.2	96.8	86.9	87.8
Paterson	85.2	**107.0**	98.3	**145.2**	**131.4**	**137.7**	**126.6**	**117.6**	**136.4**	**118.0**
Philadelphia	**101.5**	**121.2**	**142.1**	**190.9**	**173.3**	**169.1**	**163.1**	**166.7**	**164.2**	**169.7**
Pittsburgh	85.2	98.0	**110.3**	**138.0**	**131.2**	**112.8**	**110.1**	**110.6**	**107.6**	**101.1**
Portland, Oreg.	47.9	61.4	71.1	81.0	62.3	70.8	78.7	70.1	71.6	76.8
Providence	75.9	89.8	**111.9**	**143.9**	**155.4**	**146.9**	**135.7**	**129.5**	**135.5**	**119.2**
Reading	60.5	71.1	73.6	**114.6**	96.7	84.2	94.9	**116.2**	88.9	77.5
Richmond (total)	**123.5**	**136.4**	**153.2**	**177.8**	**156.4**	**180.5**	**169.8**	**182.9**	**165.9**	**208.9**
White	77.4	97.6	106.6	**122.1**	97.8	**107.4**	**102.4**	93.1	87.8	**140.2**
Colored	**226.2**	**221.4**	**253.8**	**295.7**	**278.2**	**329.9**	**304.9**	**354.7**	**312.0**	**334.6**
Rochester	53.7	67.6	74.2	98.5	93.1	90.4	99.0	89.8	96.5	94.8
St. Louis	77.7	87.5	97.2	**128.5**	**142.3**	**131.7**	**131.1**	**147.0**	**140.1**	**137.7**
St. Paul	84.1	95.0	**105.7**	**116.1**	**125.9**	**107.7**	**114.0**	**120.4**	**121.5**	**107.6**
Salt Lake City	49.3	63.7	62.4	47.7	44.2	40.7	42.5	51.2	55.4	50.0
San Antonio	**235.7**	**264.1**	**255.6**	**358.7**	**320.0**	**276.8**	**334.2**	**352.9**	**343.2**	**378.1**
San Francisco	**105.9**	**113.2**	**156.4**	**171.7**	**158.2**	**165.5**	**176.3**	**177.3**	**160.8**	**160.5**
Scranton	61.1	62.2	78.6	89.3	76.6	80.8	77.5	81.0	80.0	78.2
Seattle	49.5	65.1	65.8	65.9	70.7	66.8	57.9	76.9	80.8	84.5
Spokane	46.9	56.5	46.9	61.3	72.8	58.4	69.9	69.9	83.3	65.1
Springfield, Mass.	58.2	61.5	75.3	103.8	86.4	62.6	73.1	91.0	71.3	83.5
Syracuse	52.9	51.2	53.0	91.9	87.1	85.9	84.0	105.9	99.0	89.0
Toledo	**112.0**	**124.0**	**132.7**	**159.1**	**162.7**	**152.3**	**157.0**	**148.5**	**151.8**	**147.8**
Trenton	82.3	**114.6**	**122.7**	**152.8**	**127.8**	**132.2**	**157.1**	**152.0**	**167.9**	**194.3**
Washington, D.C. (total)	**113.1**	**118.3**	**139.3**	**164.6**	**153.1**	**170.9**	**184.4**	**170.2**	**196.6**	**211.4**
White	66.0	75.4	95.3	102.6	92.3	96.9	104.6	97.3	125.5	120.3
Colored	**252.0**	**245.7**	**268.4**	**343.6**	**326.3**	**378.0**	**404.3**	**367.5**	**385.4**	**448.6**
Wilmington, Del.	84.6	92.6	96.0	**129.3**	**160.2**	**129.9**	**140.9**	**137.8**	**125.1**	**156.2**
Worcester	79.4	93.1	**105.0**	**118.0**	**125.7**	**130.1**	**112.1**	**117.0**	**103.1**	**106.7**
Yonkers	91.9	**121.5**	**105.9**	**125.7**	**126.4**	**115.3**	97.0	**120.7**	**151.4**	**113.7**
Youngstown	59.7	63.1	73.8	87.8	**110.8**	87.6	77.7	79.3	69.0	**100.6**

[1] Exclusive of Hawaii.
[2] Including District of Columbia.
[3] Not added to registration area until a later date.
[4] Includes only municipalities having a population of 1,000 or more in 1910.
[5] Includes only municipalities having a population of 1,000 or more in 1900.
[6] Transcripts of deaths not received.

Tuberculosis of the respiratory system and acute disseminated tuberculosis represent 88.2 per cent of all forms of tuberculosis in 1921, which is slightly lower than the corresponding per cent (88.3) in 1920.

States with the highest rates in 1921 are Colorado (172.8), California (135.1), Tennessee (124.7), Maryland (122.2), and Delaware (122). States which have the lowest rates are Nebraska (32.1), Utah (32.7), Kansas (37), Montana (55.7), and Vermont (57.9).

Only one State—Colorado—has a rate of 150 or higher for every one of the 10 years shown, and Utah is the only State which has a higher rate (32.7) in 1921 than in 1920 (32).

Of the registration cities of 100,000 population or more in 1920, four have rates higher than 150 for each of the years shown. Very low rates in 1921 are for Akron (39.8), Spokane (46.9), Grand Rapids (47.4), and Portland (47.9).

All of the nine States shown by color have rates in 1921 nearly three times as high for the colored as for the white, and every city shown by color has for the colored a rate in 1921 of 150 or more.

The same caution which was given for tuberculosis (all forms) should be exercised in making comparisons for tuberculosis of the respiratory system and acute disseminated tuberculosis. The mortality from this cause among Negroes and among certain other races is markedly high, for which reason the composition of a given population in respect to color and race should be carefully considered.

SYPHILIS.

The number of deaths credited to syphilis in 1921 is 6,962, corresponding to a rate of 7.9 per 100,000 as against 7,969 deaths in 1920 and a rate of 9.1. Death rates from syphilis, tabes dorsalis, and general paralysis of the insane are given in Table AP.

DEATHS AND DEATH RATES PER 100,000 POPULATION FROM SYPHILIS, TABES DORSALIS, AND GENERAL PARALYSIS OF THE INSANE, IN THE REGISTRATION AREA AND IN THE REGISTRATION STATES OF 1900, FOR THE YEARS 1900 TO 1921, AND IN THE REGISTRATION STATES OF 1910, FOR THE YEARS 1910 TO 1921.

Table AP — YEAR.	DEATHS.				DEATH RATE PER 100,000 ESTIMATED POPULATION.			
	Total.	Syphilis.	Tabes dorsalis.	General paralysis of the insane.	Total.	Syphilis.	Tabes dorsalis.	General paralysis of the insane.
THE REGISTRATION AREA.								
1921	14,252	6,962	1,694	5,596	16.1	7.9	1.9	6.3
1920	14,610	7,969	1,611	5,030	16.7	9.1	1.8	5.7
1919	13,861	7,347	1,691	4,823	16.3	8.6	2.0	5.7
1918	15,351	7,604	1,857	5,890	18.9	9.3	2.3	7.2
1917	14,834	7,811	1,772	5,251	19.8	10.4	2.4	7.0
1916	13,769	6,902	1,717	5,150	19.3	9.7	2.4	7.2
1915	12,590	5,819	1,757	5,014	18.8	8.7	2.6	7.5
1914	11,584	5,195	1,699	4,690	17.6	7.9	2.6	7.1
1913	10,634	4,589	1,674	4,371	16.8	7.3	2.6	6.9
1912	9,582	3,941	1,588	4,053	15.9	6.5	2.6	6.7
1911	9,433	3,821	1,624	3,988	15.9	6.5	2.7	6.7
1910	7,600	3,221	1,435	2,944	14.1	6.0	2.7	5.5
1909	6,828	2,858	1,386	2,584	13.4	5.6	2.7	5.1
1908	6,017	2,432	1,198	2,387	12.9	5.2	2.6	5.1
1907	5,478	2,235	1,127	2,116	12.7	5.2	2.6	4.9
1906	6,012	2,006	1,097	2,909	14.3	4.8	2.6	6.9
1905	4,867	1,534	883	2,450	14.3	4.5	2.6	7.2
1904	4,590	1,507	820	2,263	13.8	4.5	2.5	6.8
1903	4,333	1,368	813	2,152	13.3	4.2	2.5	6.6
1902	4,060	1,131	691	2,238	12.7	3.5	2.2	7.0
1901	3,928	1,137	722	2,069	12.5	3.6	2.3	6.6
1900	3,577	1,029	593	1,955	11.6	3.3	1.9	6.3
REGISTRATION STATES OF 1900.[1]								
1921	4,434	1,845	580	2,009	15.5	6.5	2.0	7.0
1920	4,788	2,345	623	1,820	17.0	8.3	2.2	6.5
1919	4,705	2,165	664	1,876	16.9	7.8	2.4	6.8
1918	5,406	2,500	691	2,215	19.8	9.1	2.5	8.1
1917	5,592	2,596	699	2,297	20.7	9.6	2.6	8.5
1916	5,580	2,479	728	2,373	21.0	9.3	2.7	8.9
1915	5,125	2,130	741	2,254	19.6	8.1	2.8	8.6
1914	4,756	1,905	716	2,135	18.5	7.4	2.8	8.3
1913	4,508	1,665	766	2,077	17.8	6.6	3.0	8.2
1912	4,064	1,410	707	1,947	16.3	5.7	2.8	7.8
1911	4,068	1,394	734	1,940	16.6	5.7	3.0	7.9
1910	3,618	1,307	686	1,625	15.0	5.4	2.8	6.7
1909	3,241	1,232	612	1,397	13.7	5.2	2.6	5.9
1908	3,150	1,121	594	1,435	13.6	4.8	2.6	6.2
1907	2,976	1,069	612	1,295	13.1	4.7	2.7	5.7
1906	3,282	873	619	1,790	14.8	3.9	2.8	8.1
1905	3,012	711	550	1,751	13.9	3.3	2.5	8.1
1904	2,962	747	545	1,670	13.9	3.5	2.6	7.8
1903	2,768	715	511	1,542	13.2	3.4	2.4	7.3
1902	2,652	611	432	1,609	12.8	3.0	2.1	7.8
1901	2,532	599	456	1,477	12.5	2.9	2.2	7.3
1900	2,403	534	393	1,476	12.0	2.7	2.0	7.4
REGISTRATION STATES OT 1910.[2]								
1921	9,124	3,914	1,198	4,012	16.0	6.9	2.1	7.0
1920	9,551	4,855	1,156	3,540	17.0	8.7	2.1	6.3
1919	9,195	4,473	1,218	3,504	16.7	8.1	2.2	6.3
1918	10,366	4,736	1,373	4,257	19.1	8.7	2.5	7.8
1917	10,726	4,994	1,386	4,346	20.1	9.3	2.6	8.1
1916	10,250	4,645	1,369	4,236	19.5	8.8	2.6	8.1
1915	9,455	3,976	1,415	4,064	18.3	7.7	2.7	7.9
1914	8,783	3,584	1,348	3,851	17.3	7.0	2.6	7.6
1913	8,217	3,190	1,347	3,680	16.4	6.4	2.7	7.4
1912	7,504	2,787	1,278	3,439	15.3	5.7	2.6	7.0
1911	7,426	2,719	1,322	3,385	15.4	5.6	2.7	7.0
1910	6,407	2,498	1,263	2,646	13.5	5.3	2.7	5.6

[1] Including District of Columbia.
[2] Including District of Columbia and excluding North Carolina.

NOTE.—Prior to 1921 when syphilis was returned jointly with tabes dorsalis or with general paralysis of the insane, the assignment was to syphilis; in 1921, to either tabes dorsalis, or to general paralysis of the insane.

The data for syphilis in the preceding table are presented largely as a matter of record, for it is generally recognized that certification of syphilis has been and is still so incomplete that death rates from this cause are almost valueless.

Perhaps a comparison of the rates from tabes dorsalis and general paralysis of the insane in 1900 and in 1916 will throw a little light on the increase of syphilis in that period of 16 years antedating the entrance of the United States into the war and the influenza epidemic. The mortality from tabes dorsalis and general paralysis of the insane together increased in the registration States of 1900 from 9.4 per 100,000 population in 1900 to 11.6 in 1916. For the registration States of 1910 the corresponding rate in 1910 was 8.3 and in 1916, 10.7. On the other hand, the 1921 mortality rates from the combined causes syphilis, tabes dorsalis, and general paralysis of the insane are lower than appear for any year since 1913. For comparison a few rates are given in Table AQ for England and Wales.

Table AQ — ENGLAND AND WALES.	DEATH RATE PER 100,000 ESTIMATED POPULATION.		
	Syphilis.	Tabes dorsalis.	General paralysis of the insane.
1920	5.4	1.6	4.0
1919	5.0	1.8	4.4
1918	5.8	2.0	5.6
1917	6.1	2.2	6.5
1916	5.5	2.3	5.8
1915	5.3	2.1	6.2
1914	5.8	1.9	6.1
1913	5.7	2.0	5.8
1912	5.1	1.8	6.2
1911	5.1	1.8	6.0
1910	4.6	1.6	6.2

From Annual Report, Registrar-General, 1920.

CANCER.

The number of deaths in 1921 from cancer and other malignant tumors is 76,274, corresponding to a crude rate of 86 per 100,000 population, against 83.4 in 1920, and 80.5 in 1919. The rate for 1921 shows an increase of 36.5 per cent over the rate for 1900 (63), and the increase is continuous to 1917 if the years 1906 and 1911 are excepted.

Comparisons of crude mortality rates from this cause, however, magnify somewhat the actual increase in mortality which has occurred, for crude rates do not take into account the fact that the percentage of our population at older ages is annually increasing. For example (on page 81 of Mortality Rates, 1910–1920) the crude rates from cancer show for the registration States of 1900 a rate of 64 in 1900 and a rate of 99.6 in 1920, suggesting an increase of 56 per cent, whereas the adjusted rates are respectively, 60.7 and 87.8, or an increase of 45 per cent. Particular attention, therefore, is called to the following adjusted rates, based on the specific rates of each locality, by sex and age, and on the standard million population of England and Wales, 1901. The adjusted mortality rates from cancer for 1921 are higher than those for 1920 in 26 of the 34 States in the registration area, and the

adjusted rate for the States increased from 78.5 in 1920 to 81.2 in 1921 or 3.4 per cent.

Table AR shows adjusted mortality rates from cancer per 100,000 population for 1920 and 1921 and also crude mortality rates for 1914 to 1921, rates of 80 and higher being printed in bold-faced type.

Table AR — DEATH RATE FROM CANCER AND OTHER MALIGNANT TUMORS PER 100,000 POPULATION. [Rates of 80 or more in bold-faced type.]

AREA.	Adjusted.		Crude.							
	1921	1920	1921	1920	1919	1918	1917	1916	1915	1914
SUMMARY.										
The registration area [1]	(2)	(2)	86.0	83.4	80.5	80.3	82.0	82.1	81.4	79.6
Registration States [3]	81.2	78.5	86.2	83.4	80.5	80.3	81.5	81.8	81.2	79.2
Cities in registration States [3]	(2)	(2)	102.1	99.8	96.8	94.9	95.3	93.6	90.3	89.0
Rural part of registration States	(2)	(2)	70.9	68.0	66.4	67.1	69.3	71.0	72.1	69.6
Registration cities in nonregistration States	(2)	(2)	78.2	81.4	78.7	83.0	87.8	87.0	83.6	85.4
All registration cities [3]	(2)	(2)	101.3	99.2	96.1	94.3	94.3	92.7	89.3	88.5
REGISTRATION STATES.										
California	87.7	85.8	111.7	109.2	105.3	101.3	100.8	95.9	95.1	95.4
Colorado	72.3	70.6	74.7	73.0	69.2	76.7	69.1	64.7	57.2	61.6
Connecticut	88.5	91.9	96.9	100.6	94.4	94.0	92.3	90.6	90.1	84.6
Delaware	66.9	74.8	79.1	88.4	86.1	(4)	(4)	(4)	(4)	(4)
Florida (total)	55.4	56.3	51.3	52.1	48.5	(4)	(4)	(4)	(4)	(4)
White	61.1	57.2	63.2	59.2	59.1	(4)	(4)	(4)	(4)	(4)
Colored	36.4	50.0	27.6	38.0	28.2	(4)	(4)	(4)	(4)	(4)
Illinois	88.0	86.8	93.0	91.8	87.6	82.2	(4)	(4)	(4)	(4)
Indiana	74.2	72.4	92.2	89.9	87.4	88.7	88.7	84.3	82.1	78.5
Kansas	69.3	63.3	79.3	72.4	69.2	72.8	71.9	72.4	66.1	63.5
Kentucky (total)	55.7	57.6	54.4	56.3	52.6	53.1	54.1	51.2	49.9	46.1
White	55.3	57.5	53.7	55.8	51.6	53.0	53.4	51.2	49.3	45.8
Colored	57.8	57.2	61.2	60.5	61.5	54.2	59.7	50.9	54.8	48.7
Louisiana (total)	67.6	62.0	53.6	49.2	49.6	49.2	(4)	(4)	(4)	(4)
White	73.3	64.6	59.3	52.3	54.7	52.9	(4)	(4)	(4)	(4)
Colored	57.9	57.8	44.3	44.2	41.7	43.6	(4)	(4)	(4)	(4)
Maine	80.8	84.9	116.5	122.4	116.2	110.1	108.1	115.2	108.2	109.0
Maryland (total)	85.3	86.2	93.1	94.1	87.6	84.1	87.7	85.7	88.0	80.2
White	86.9	87.7	98.1	99.0	92.4	89.9	92.8	91.8	94.9	84.2
Colored	74.6	76.3	68.5	70.0	63.9	56.0	62.9	56.5	55.2	60.9
Massachusetts	99.6	97.3	118.0	115.3	107.0	108.7	109.7	110.4	105.0	102.0
Michigan	81.2	77.2	87.8	83.5	81.9	81.9	79.9	80.4	78.1	75.3
Minnesota	85.7	91.4	89.4	95.4	89.1	83.2	83.9	86.3	79.4	76.9
Mississippi (total)	52.4	48.0	41.8	38.3	37.6	(4)	(4)	(4)	(4)	(4)
White	52.6	47.4	45.1	40.6	42.9	(4)	(4)	(4)	(4)	(4)
Colored	52.0	48.4	38.9	36.2	32.7	(4)	(4)	(4)	(4)	(4)
Missouri	74.0	67.3	84.8	77.1	74.9	73.5	75.1	74.9	68.5	69.6
Montana	65.9	60.9	54.7	50.6	55.9	53.4	55.1	50.8	47.6	49.4
Nebraska	79.4	73.9	82.4	76.7	(4)	(4)	(4)	(4)	(4)	(4)
New Hampshire	80.4	78.8	119.8	117.4	108.5	108.6	106.4	112.4	110.2	101.4
New Jersey	92.7	86.0	93.3	86.6	87.2	81.2	84.4	82.7	81.4	79.2
New York	96.0	91.8	105.7	101.0	98.7	97.3	97.3	95.2	94.7	92.2
North Carolina (total)	53.7	49.4	42.9	39.5	39.5	42.8	42.4	44.5	[5] 59.4	[5] 57.7
White	52.9	50.5	44.6	42.6	42.1	45.1	45.4	47.2	63.3	61.4
Colored	53.7	44.5	38.8	32.1	33.4	37.8	35.5	38.7	52.1	50.7
Ohio	77.7	77.0	89.3	89.0	85.7	85.6	87.0	86.9	81.6	80.4
Oregon	80.2	78.7	94.8	93.0	88.1	84.3	(4)	(4)	(4)	(4)
Pennsylvania	84.1	82.1	85.4	83.4	80.9	78.3	80.9	78.3	75.3	73.8
Rhode Island	97.4	88.0	110.4	99.7	96.5	95.8	101.4	97.7	96.4	94.7
South Carolina (total)	47.6	45.5	34.4	32.9	33.6	34.4	36.9	34.6	(4)	(4)
White	54.8	51.4	43.6	40.9	39.9	41.4	45.4	40.9	(4)	(4)
Colored	38.7	38.4	25.5	25.3	27.7	28.0	29.1	29.0	(4)	(4)
Tennessee (total)	51.9	51.4	47.1	46.6	43.2	44.1	46.8	(4)	(4)	(4)
White	51.5	52.1	47.3	47.8	43.3	44.2	47.1	(4)	(4)	(4)
Colored	52.3	47.2	46.4	41.9	42.6	43.7	45.3	(4)	(4)	(4)
Utah	77.1	67.1	63.3	55.1	59.5	52.3	55.1	58.3	49.5	46.8
Vermont	77.2	85.7	113.5	126.0	113.2	103.4	111.2	118.2	106.5	112.0
Virginia (total)	62.2	61.5	56.6	55.9	52.3	53.9	52.6	56.3	53.1	48.5
White	64.0	61.2	60.9	58.2	56.0	57.1	54.6	62.2	57.7	51.5
Colored	55.7	60.9	46.4	50.7	43.9	46.5	47.9	43.0	42.9	41.7
Washington	79.6	76.2	85.8	82.1	77.7	75.3	71.9	74.4	66.9	70.5
Wisconsin	85.9	77.7	97.6	88.2	87.3	81.4	82.6	83.5	80.5	80.6

Table AR—Con. — DEATH RATE FROM CANCER AND OTHER MALIGNANT TUMORS PER 100,000 POPULATION. [Rates of 80 or more in bold-faced type.]

AREA.	Adjusted.		Crude.							
	1921	1920	1921	1920	1919	1918	1917	1916	1915	1914
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920.										
Akron	73.8	62.9	48.0	40.9	52.6	31.4	41.4	53.1	41.8	48.7
Albany	117.3	113.0	149.5	144.0	133.0	137.1	144.8	117.1	138.2	143.5
Atlanta (total)	93.0	97.4	81.9	85.8	82.2	70.7	76.6	65.6	63.9	60.5
White	104.7	107.2	93.7	96.0	97.8	80.7	90.7	73.4	68.9	69.3
Colored	58.6	66.2	55.9	63.1	48.2	49.0	46.6	49.1	53.5	42.2
Baltimore (total)	98.5	104.5	105.1	111.4	103.0	102.5	104.4	103.5	105.0	99.5
White	102.2	104.7	111.9	114.6	106.6	108.6	110.2	107.0	112.2	102.3
Colored	68.6	97.3	65.7	93.2	82.5	70.9	74.3	85.1	67.0	84.5
Birmingham (total)	92.0	81.5	66.6	59.0	53.0	58.0	69.8	62.7	58.8	50.2
White	99.8	84.6	76.1	64.5	63.2	75.5	79.6	71.9	66.7	60.3
Colored	73.9	71.9	52.0	50.6	37.3	31.0	54.6	48.4	46.6	34.8
Boston	125.8	116.9	139.6	129.8	121.1	129.7	126.3	120.8	119.1	122.2
Bridgeport	109.1	110.7	91.3	92.7	95.5	89.0	94.8	98.0	70.8	80.8
Buffalo	101.8	96.5	102.6	97.3	103.7	99.6	95.8	99.0	93.5	94.6
Cambridge	128.5	144.1	146.7	164.6	131.6	128.5	142.0	117.7	113.5	103.8
Camden	94.0	94.9	87.7	88.6	83.3	77.0	97.6	70.1	64.0	71.2
Chicago	104.9	103.6	96.5	95.3	95.3	92.4	88.2	90.6	85.4	87.4
Cincinnati	101.1	105.6	126.9	132.6	118.1	133.6	124.2	120.4	102.1	106.7
Cleveland	93.8	100.4	77.1	82.6	78.3	78.9	78.2	82.1	73.6	72.6
Columbus	88.6	90.0	100.9	102.6	113.2	101.0	102.2	99.4	110.0	106.6
Dallas (total)	88.4	95.8	72.7	78.8	81.0	81.9	76.9	64.9	(4)	(4)
White	91.3	100.0	77.4	84.8	90.3	84.5	80.3	68.9	(4)	(4)
Colored	66.3	66.8	45.1	45.4	29.2	68.1	59.1	44.9	(4)	(4)
Dayton	101.5	98.0	110.7	106.9	90.9	103.4	98.4	104.6	91.3	100.6
Denver	87.9	91.6	104.9	109.4	103.8	117.3	97.0	97.5	85.4	95.7
Detroit	96.7	86.9	69.9	62.8	59.6	60.4	55.3	56.8	57.6	62.2
Fall River	98.9	102.4	99.4	102.9	80.5	87.3	87.4	98.3	83.4	58.4
Grand Rapids	87.9	87.4	100.6	100.1	101.9	84.3	93.4	88.8	115.3	97.9
Hartford	126.2	140.7	126.8	141.4	125.0	115.9	116.4	114.6	112.6	113.9
Houston (total)	96.9	76.8	82.7	65.6	66.8	74.3	50.7	(4)	(4)	(4)
White	97.5	82.4	86.1	72.7	77.0	86.6	55.8	(4)	(4)	(4)
Colored	86.5	52.8	71.6	43.7	35.6	38.5	36.0	(4)	(4)	(4)
Indianapolis (total)	91.9	87.8	102.6	98.1	86.3	91.7	88.8	95.9	91.2	99.4
White	92.3	88.5	105.6	101.2	88.3	91.7	91.8	97.4	96.4	104.5
Colored	95.6	88.9	78.8	73.3	70.3	91.4	63.5	82.9	55.7	54.7
Jersey City	102.1	106.2	88.2	91.8	87.0	82.1	74.4	78.4	80.3	77.2
Kansas City, Kans. (total)	88.6	83.0	84.7	79.3	66.9	88.5	96.4	82.4	91.6	67.0
White	(2)	(2)	89.1	80.1	74.5	92.2	102.0	90.3	94.2	69.3
Colored	(2)	(2)	59.0	74.7	21.1	65.8	60.7	31.6	74.2	51.6
Kansas City, Mo.	103.5	93.7	113.0	102.3	101.1	96.9	101.4	95.3	99.3	90.3
Los Angeles	96.8	100.0	131.0	135.3	128.0	125.1	111.8	103.8	99.4	102.5
Louisville (total)	87.2	91.9	102.5	108.0	109.6	93.3	92.7	86.2	79.1	81.1
White	91.1	93.3	108.6	111.2	117.3	100.3	98.2	89.8	80.2	88.5
Colored	57.2	72.7	72.6	92.3	72.2	59.6	66.9	69.2	73.9	46.7
Lowell	96.4	82.8	102.9	88.4	93.4	98.4	76.5	87.8	81.1	89.8
Memphis (total)	91.1	85.9	85.7	80.8	87.5	92.1	78.9	(6)	88.9	81.6
White	103.5	95.4	100.0	92.1	93.5	98.5	89.5	(6)	95.5	99.8
Colored	60.5	60.8	61.6	61.9	77.0	81.0	61.0	(6)	78.3	52.4
Milwaukee	98.1	97.8	94.2	93.9	87.3	83.2	81.7	94.0	83.6	70.0
Minneapolis	102.7	110.6	106.9	115.2	105.7	96.1	103.0	99.1	83.5	93.2
Nashville (total)	92.1	95.4	96.7	100.2	94.1	76.1	90.4	(6)	78.6	86.2
White	90.9	105.3	94.4	109.4	102.1	76.4	100.9	(6)	82.3	87.6
Colored	92.1	71.0	102.1	78.7	75.7	75.5	67.0	(6)	69.4	83.0
New Bedford	70.9	78.2	70.4	77.6	89.2	82.8	78.3	82.8	95.6	86.7
New Haven	114.3	119.3	116.8	121.9	103.7	104.4	116.7	114.4	99.9	112.2
New Orleans (total)	111.6	110.7	106.9	106.0	109.7	102.4	91.0	93.5	103.6	99.5
White	111.5	109.9	111.1	109.5	115.5	105.3	96.9	96.4	95.9	96.9
Colored	105.9	107.1	95.1	96.2	93.3	94.5	74.3	88.5	125.1	106.6
New York	107.9	104.1	97.7	94.3	92.6	90.9	90.9	89.1	89.0	86.7
Bronx Borough	107.1	112.3	87.3	91.5	93.0	88.7	94.0	87.9	86.2	91.9
Brooklyn Borough	95.5	94.1	86.5	85.2	86.1	86.2	86.8	82.4	82.9	79.9
Manhattan Borough	121.2	112.1	112.9	104.4	101.0	97.8	95.8	95.5	96.9	91.9
Queens Borough	100.9	97.0	90.8	87.3	79.4	77.4	78.3	85.5	77.5	76.0
Richmond Borough	98.3	98.4	98.1	98.2	90.5	100.2	91.1	89.1	80.1	96.8
Newark, N. J.	112.2	102.1	99.1	90.2	92.2	85.6	92.9	89.7	95.5	90.3
Norfolk (total)	87.3	88.9	70.1	71.4	72.8	74.3	69.4	64.1	62.4	48.1
White	94.0	99.9	80.7	85.7	74.7	90.6	80.5	83.7	64.2	56.7
Colored	64.9	58.8	52.6	47.6	69.8	47.7	51.5	32.8	59.6	34.7
Oakland	86.9	83.9	103.3	99.7	99.6	94.2	91.3	92.5	107.7	95.1

See notes at end of table.

Table AR—Con. DEATH RATE FROM CANCER AND OTHER MALIGNANT TUMORS PER 100,000 POPULATION. [Rates of 80 or more in bold-faced type.]

AREA.	Adjusted.		Crude.							
	1921	1920	1921	1920	1919	1918	1917	1916	1915	1914
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—continued.										
Omaha	121.9	127.4	120.2	125.6	93.8	102.6	95.9	85.6	78.7	100.4
Paterson	104.2	102.1	105.5	103.4	102.7	100.5	99.1	84.0	96.1	95.3
Philadelphia	103.9	93.5	109.4	98.5	98.1	100.7	98.6	100.2	91.3	92.4
Pittsburgh	103.9	97.0	94.8	88.5	90.7	85.3	98.3	91.5	87.6	86.3
Portland, Oreg.	108.5	105.0	126.9	122.9	113.6	118.4	107.1	100.4	93.3	100.4
Providence	117.5	103.7	133.1	117.5	109.3	104.9	116.6	109.5	99.8	98.7
Reading	77.4	86.8	89.8	100.7	79.2	78.9	73.0	89.0	83.3	86.1
Richmond (total)	88.0	84.1	86.5	82.7	77.5	78.1	68.5	93.7	79.6	91.4
White	99.4	78.4	101.4	80.0	90.3	87.8	73.6	110.1	94.9	97.5
Colored	54.6	90.7	53.3	88.6	50.0	57.7	57.9	60.0	48.9	79.7
Rochester	103.1	102.8	114.7	114.4	110.7	111.6	117.2	112.8	93.9	105.1
St. Louis	105.4	99.7	115.9	109.6	104.5	100.6	104.6	97.3	96.2	96.8
St. Paul	112.1	118.9	114.8	121.8	118.1	102.8	101.5	94.5	85.2	74.3
Salt Lake City	102.7	88.3	99.5	85.5	100.9	78.6	86.6	93.3	74.6	68.6
San Antonio	84.2	110.1	75.3	98.4	69.6	81.9	77.4	56.5	54.1	65.0
San Francisco	132.2	130.9	152.7	151.2	151.4	143.1	148.1	130.1	127.3	126.4
Scranton	98.4	106.5	87.0	94.1	97.5	81.3	81.0	83.7	97.7	63.8
Seattle	101.4	102.0	106.2	106.8	94.8	94.9	80.2	85.2	72.6	81.4
Spokane	100.3	101.9	118.7	120.6	111.1	112.0	119.7	107.3	86.2	97.7
Springfield, Mass	100.3	95.5	104.5	99.5	105.9	102.1	101.5	100.9	99.3	86.3
Syracuse	93.9	82.3	107.6	94.4	105.9	100.3	101.2	107.9	89.1	82.9
Toledo	86.4	86.9	90.3	90.8	85.1	85.5	108.6	88.8	84.9	92.9
Trenton	102.2	81.1	96.1	76.3	99.9	87.2	97.8	75.5	94.6	91.9
Washington, D. C. (total)	105.5	87.0	117.9	97.3	100.4	99.5	102.4	98.2	102.8	94.1
White	104.1	89.6	123.0	105.9	104.9	100.1	113.7	101.0	106.7	98.4
Colored	104.9	73.0	103.0	71.7	87.4	97.9	70.3	90.5	91.9	82.5
Wilmington, Del.	76.3	91.2	76.7	91.7	89.5	79.9	75.7	79.3	80.1	83.9
Worcester	108.4	114.7	114.6	121.2	112.4	116.9	98.8	125.9	107.9	109.6
Yonkers	86.3	98.1	76.5	86.9	79.7	77.3	63.2	77.6	67.2	73.3
Youngstown	111.4	88.9	76.3	60.9	55.4	69.4	55.8	63.3	60.6	62.3

[1] Exclusive of Hawaii.
[2] Not computed.
[3] Including District of Columbia.
[4] Not added to registration area until a later date.
[5] Includes only municipalities having a population of 1,000 or more in 1910.
[6] Transcripts of deaths not received.

NOTE.—The adjusted rates for 1920 may differ from those in the 1920 Report since an estimated population is used for one, and an enumerated population for the other

The States which have the highest adjusted rates in 1921 are Massachusetts (99.6), Rhode Island (97.4), New York (96), and New Jersey (92.7). The lowest adjusted rates are shown for South Carolina (47.6), Tennessee (51.9), Mississippi (52.4), and North Carolina (53.7). Of the nine States shown by color, six have higher adjusted rates in 1921, and Maryland shows the highest adjusted rates from cancer for both the white and the colored populations (86.9 and 74.6, respectively). The lowest adjusted rate for the white population is 51.5 for Tennessee, and the lowest for the colored population is 36.4 for Florida. Adjusted rates of 80 or more are shown for 15 States in 1921, against 12 in 1920, but crude rates of 80 or more are shown for 21 States in 1921, against 20 in 1920.

In 1921 adjusted rates of 80 or more are shown for 62 of the 66 registration cities of 100,000 population or more in 1920. The cities with the highest adjusted rates in 1921 are San Francisco (132.2), Cambridge (128.5), Hartford (126.2), Boston (125.8), and Omaha (121.9). The cities with lowest rates are New Bedford (70.9), Akron (73.8), Wilmington (76.3), and Reading (77.4). There is an increase in the adjusted rates for 1921 over those for 1920 in 35 of the cities shown.

For cities especially even adjusted rates do not serve as absolutely accurate measures of relative mortality from this disease, for allowance must still be made for deaths of nonresidents who go to the city for hospital treatment.

Summarized briefly, the adjusted rates show that the Northern States have comparatively high, and the Southern States comparatively low cancer mortality, whereas there is little difference between the adjusted cancer rates of the white and colored races of the same States. In other words, the white and colored races seem equally susceptible to cancer, but both races seem less susceptible in the South than in the North. Some of the adjusted rates on page 86 of Mortality Rates, 1910–1920, seem to afford a partial explanation at least for the higher rates from cancer for the whites of the North than for the whites of the South. I refer to the adjusted rates from cancer for the various race stocks and to the fact that the percentage of the population of foreign race stock is less in the South than in the North. In the State of New York, for example, an adjusted rate of 117.1 per 100,000 population appears for those having mothers born in Ireland as against 73.9 for those having mothers born in the United States and 61 for those having mothers born in Italy. These differences are *not* to be accounted for on the basis of better certification for some race stocks than for others. What possible reason, for example, is there for believing that certification for those whose mothers were born in the United States was poorer than for those whose mothers were born in Ireland? It has been suggested that the lower cancer rates in the South might be due to the concealment of cancer mortality under such rubrics as Old age and Unknown or Ill-defined, but calculations show that although Massachusetts has an adjusted cancer rate twice that of South Carolina, the distribution proportionately by age and color of all deaths now appearing under Old age and Unknown or Ill-defined in South Carolina would increase the cancer rate of South Carolina only about 4 per cent for the whites and 8 per cent for the colored; or if the calculations were based on replies to queries of these indefinite causes, the cancer rate of South Carolina would be increased less than 2 per cent.

Whether cancer is really increasing year after year or only apparently increasing has been a subject of controversy for years. Those who hold that the increase is only apparent maintain that improvement in diagnoses accounts for the increase in the recorded cancer rates, while the other side, admitting that improvement in diagnoses accounts for some of the recorded increase, still holds that there is an actual increase.

In the 1917 report of the Registrar-General of England and Wales, Dr. T. H. C. Stevenson presents some very convincing figures showing a recorded increase in the mortality from cancer of accessible sites, the argument being that here an actual increase can hardly be questioned, as we have no reason to think the diagnoses of cancer of accessible sites, such as the skin, mouth, and breast, are any better to-day than they were 20 years or more ago.

Table AS substantiates these findings and shows conclusively that cancer of certain parts increased very rapidly in this country between 1900 and 1921.

CRUDE AND ADJUSTED DEATH RATES FROM CANCER OF THE BUCCAL CAVITY, BREAST, AND SKIN PER 100,000 POPULATION, BY SEX AND CERTAIN AGE GROUPS, IN THE REGISTRATION STATES OF 1900, FOR THE YEARS 1900, 1910, 1920, AND 1921.

Table AS	1921				1920				1910				1900			
SEX AND AGE.	Total.	Cancer.			Total.	Cancer.			Total.	Cancer.			Total.	Cancer.		
		Of the buccal cavity.	Of the breast.	Of the skin.		Of the buccal cavity.	Of the breast.	Of the skin.		Of the buccal cavity.	Of the breast.[2]	Of the skin.		Of the buccal cavity.	Of the breast.	Of the skin.
BOTH SEXES.																
All ages—Adjusted rate	14.4	2.8	9.2	2.4	14.5	2.9	9.2	2.5	13.1	2.7	7.9	2.5	8.4	1.4	5.0	1.9
Crude rate	16.3	3.4	10.0	2.8	16.3	3.5	9.9	2.9	14.0	3.1	8.2	2.8	8.8	1.6	5.1	2.1
Under 5 years	0.2	0.1	.....	0.1	0.3	0.1	.....	0.2	0.3	.....	0.1	0.2	0.2	0.1	.....	0.1
5 to 9 years	0.1	0.1	.....	.....	0.2	(1)	(1)	0.1	0.2	0.2	.....	.....	0.2	0.1	0.1	0.1
10 to 14 years	(1)	(1)	.....	.....	0.2	0.1	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....
15 to 19 years	0.1	(1)	(1)	.....	0.1	(1)	.....	(1)	0.5	0.2	0.1	0.2	0.1	0.1	0.1	.....
20 to 24 years	0.4	0.1	0.1	0.2	0.5	0.1	0.2	0.2	0.4	.....	0.3	0.2	0.3	0.1	0.2	0.1
25 to 34 years	2.2	0.3	1.7	0.2	2.1	0.3	1.6	0.2	2.0	0.3	1.4	0.2	1.4	0.1	1.0	0.2
35 to 44 years	10.3	1.1	8.3	0.8	11.6	1.7	9.2	0.7	9.2	1.1	7.3	0.8	6.1	0.6	4.6	0.8
45 to 54 years	30.6	4.9	23.2	2.5	28.9	5.6	21.3	2.0	27.1	4.3	20.1	2.7	17.0	3.0	11.6	2.4
55 to 64 years	57.9	12.8	38.8	6.3	59.1	13.2	38.7	7.1	51.0	13.3	30.7	7.0	35.0	7.5	22.0	5.4
65 to 74 years	95.1	25.6	49.9	19.6	94.1	23.7	49.4	21.0	92.9	25.9	44.4	22.6	56.4	11.7	26.6	18.1
75 years and over	218.4	52.6	88.6	77.3	222.7	48.9	96.5	77.2	195.0	40.8	84.1	70.2	121.1	18.7	54.5	47.9
MALES.																
All ages—Adjusted rate	8.4	5.1	0.2	3.1	8.9	5.3	0.2	3.3	8.0	4.7	.....	3.3	5.1	2.2	0.2	2.7
Crude rate	9.3	5.7	0.2	3.4	9.8	5.9	0.2	3.6	8.5	5.0	.....	3.5	5.4	2.3	0.2	2.9
Under 5 years	0.1	0.1	.....	0.1	0.5	0.3	.....	0.2	0.1	.....	.....	0.1	0.3	0.1	.....	0.2
5 to 9 years	0.1	0.1	.....	.....	0.2	.....	.....	0.2	0.1	0.1	.....	.....	0.3	0.1	0.1	0.1
10 to 14 years	.....	.....	.....	.....	0.2	0.1	0.1	0.1	0.1	0.1	.....	.....	.....	.....	.....	.....
15 to 19 years	0.1	0.1	.....	.....	0.2	0.1	.....	0.1	0.4	0.1	.....	0.3	0.1	0.1	.....	.....
20 to 24 years	0.3	0.1	.....	0.3	0.3	0.2	.....	0.1	0.3	.....	.....	0.3	0.2	0.1	0.1	.....
25 to 34 years	0.6	0.3	(1)	0.3	0.7	0.4	.....	0.2	0.8	0.4	.....	0.3	0.6	0.2	0.1	0.3
35 to 44 years	3.1	1.8	0.2	1.0	3.9	2.8	(1)	1.0	2.9	1.8	.....	1.0	2.1	0.9	.....	1.1
45 to 54 years	11.8	8.0	0.4	3.4	12.8	9.4	0.3	3.1	11.0	7.7	.....	3.3	7.9	4.3	0.2	3.4
55 to 64 years	29.2	21.9	0.7	6.5	34.2	23.2	0.9	10.0	33.2	22.8	.....	10.4	19.9	11.5	0.8	7.6
65 to 74 years	73.0	45.3	1.0	26.7	71.7	43.3	1.6	26.7	74.4	44.2	.....	30.2	42.1	16.7	1.2	24.3
75 years and over	196.3	95.6	2.0	98.6	190.4	86.0	4.6	99.8	152.1	66.5	.....	85.6	101.6	29.4	4.2	67.9
FEMALES.																
All ages—Adjusted rate	19.7	0.9	16.9	1.9	19.5	0.8	16.9	1.8	17.5	1.0	14.7	1.8	11.2	0.8	9.2	1.2
Crude rate	23.3	1.1	19.9	2.3	22.9	1.0	19.8	2.1	19.6	1.1	16.5	2.1	12.2	0.9	10.0	1.4
Under 5 years	0.3	0.1	.....	0.1	0.1	.....	.....	0.1	0.6	.....	0.3	0.3	0.2	0.2	.....	.....
5 to 9 years	0.1	0.1	.....	.....	0.2	0.1	0.1	.....	0.3	0.3	.....	.....	.....	.....	.....	.....
10 to 14 years	0.1	0.1	.....	.....	0.1	0.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15 to 19 years	0.1	.....	0.1	.....	.....	.....	.....	.....	0.5	0.3	0.2	0.1	0.1	.....	0.1	.....
20 to 24 years	0.4	0.1	0.2	0.2	0.7	.....	0.5	0.2	0.6	.....	0.5	0.1	0.3	.....	0.2	0.1
25 to 34 years	3.7	0.2	3.4	0.1	3.5	0.2	3.2	0.2	3.2	0.2	3.0	.....	2.2	0.1	2.0	0.2
35 to 44 years	17.9	0.4	16.9	0.6	19.8	0.5	18.9	0.5	15.9	0.3	15.0	0.6	10.4	0.3	9.5	0.5
45 to 54 years	50.9	1.6	47.8	1.5	46.2	1.5	44.0	0.7	44.1	0.8	41.3	2.0	26.4	1.7	23.4	1.3
55 to 64 years	87.3	3.4	77.8	6.1	84.6	3.0	77.3	4.2	69.0	3.6	61.7	3.6	49.8	3.6	42.8	3.3
65 to 74 years	116.2	6.8	96.6	12.8	115.5	5.0	94.9	15.6	110.4	8.6	86.5	15.3	69.8	6.9	50.7	12.2
75 years and over	236.1	18.2	157.5	60.3	248.6	19.2	170.2	59.2	231.3	19.1	155.0	57.2	138.4	9.3	98.9	30.3

[1] Less than one-tenth of 1 per 100,000 population.
[2] Cancer of breast for males not tabulated separately, but included in cancer of other organs.

NOTE.—Populations and deaths at unknown age distributed in computing the adjusted rates, but not the specific rates. In computing these rates the enumerated populations are used for the years 1900, 1910 and 1920, and the estimated populations for 1921

Particular attention is called to the rates adjusted to the standard million population of England and Wales, 1901. In the registration States of 1900, the death rate from cancer of the buccal cavity was 1.4 per 100,000 population in 1900, 2.7 in 1910, 2.9 in 1920, and 2.8 in 1921; the death rate from cancer of the breast was 5 in 1900, 7.9 in 1910, and 9.2 each in 1920, and 1921; and the death rate from cancer of the skin was 1.9 in 1900, 2.5 each in 1910 and 1920, and 2.4 in 1921. Considering these three accessible sites together the adjusted rate of 8.4 in 1900 has increased to 14.4 in 1921, or 71.4 per cent in 21 years.

From the specific rates it appears that the increase between 1900 and 1921 is almost entirely due to increased rates at age periods above 35. The greatest increase from cancer of the buccal cavity appears for males aged 75 years and over, the 1900 rate being 29.4 per 100,000 population and the 1921 rate, 95.6, an increase of 225 per cent in 21 years, while males between 65 and 74 show a rate of 16.7 in 1900 and a

rate of 45.3 in 1921, or an increase of 171 per cent. The greatest increase from cancer of the breast appears for females aged 75 years and over, the 1900 rate being 98.9 and the 1921 rate 157.5, an increase of 59 per cent in 21 years, whereas females between 65 and 74 show a rate of 50.7 in 1900 and a rate of 96.6 in 1921, or an increase of 91 per cent, and those between 55 and 64 show a rate of 42.8 in 1900 and a rate of 77.8 in 1921, or an increase of 82 per cent. The greatest increase from cancer of the skin appears for females aged 75 years and over, the 1900 rate being 30.3 per 100,000 population and the 1921 rate 60.3, an increase of 99 per cent, while males 75 years of age and over show a rate of 67.9 in 1900 and a rate of 98.6 in 1921, or an increase of only 45 per cent.

DEATH RATES FROM CANCER OF THE BUCCAL CAVITY, BREAST, AND SKIN PER 100,000 POPULATION IN EACH REGISTRATION STATE OF 1900, FOR THE YEARS 1900, 1910, 1920, AND 1921.

Table AT

AREA AND CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.					
	Adjusted.		Crude.			
	1921	1920	1921	1920	1910	1900
Cancer of the buccal cavity, breast, and skin (total):						
Connecticut	16.6	15.7	17.9	16.9	15.0	12.2
District of Columbia	21.3	16.5	21.3	16.5	16.6	12.6
Indiana	12.7	12.6	16.0	15.9	12.8	5.0
Maine	13.3	13.4	19.3	19.4	18.6	10.5
Massachusetts	15.4	16.7	18.3	19.9	15.6	8.7
Michigan	12.2	11.1	14.2	12.9	12.4	10.2
New Hampshire	15.6	16.7	20.0	21.4	20.4	7.0
New Jersey	13.7	14.2	13.5	14.0	11.3	7.2
New York	14.9	14.6	16.2	15.9	13.6	9.1
Rhode Island	16.1	15.4	18.2	17.4	17.2	14.7
Vermont	13.5	14.4	20.4	21.8	20.8	9.6
Cancer of the buccal cavity:						
Connecticut	3.5	2.7	4.0	3.1	3.3	1.9
District of Columbia	6.8	4.2	5.5	3.4	3.9	1.8
Indiana	2.3	2.1	3.3	3.0	2.7	0.9
Maine	2.5	2.0	4.3	3.5	3.8	2.2
Massachusetts	3.0	3.5	3.7	4.3	3.5	1.5
Michigan	2.4	2.4	3.1	3.1	3.0	2.0
New Hampshire	2.9	3.1	3.6	3.8	3.9	1.7
New Jersey	2.5	2.5	2.7	2.7	2.2	1.5
New York	2.9	3.1	3.4	3.6	3.0	1.6
Rhode Island	4.2	3.9	4.9	4.6	5.0	2.6
Vermont	2.0	3.0	3.4	5.1	3.6	1.5
Cancer of the breast:						
Connecticut	11.1	10.0	11.7	10.5	9.3	7.0
District of Columbia	11.5	9.1	13.3	10.5	8.7	8.6
Indiana	7.3	6.6	8.2	7.4	6.5	2.4
Maine	8.4	8.6	10.9	11.2	10.5	5.5
Massachusetts	10.4	11.1	12.3	13.1	9.3	5.4
Michigan	7.6	6.7	8.3	7.3	6.6	5.5
New Hampshire	8.8	9.7	11.9	13.1	9.7	4.1
New Jersey	8.8	9.3	8.5	9.0	7.6	3.9
New York	9.5	9.5	10.1	10.1	8.2	5.4
Rhode Island	9.2	9.4	10.3	10.5	8.6	8.9
Vermont	9.3	8.9	13.1	12.5	12.1	5.2
Cancer of the skin:						
Connecticut	2.1	3.0	2.3	3.3	2.4	3.3
District of Columbia	3.1	3.1	2.5	2.5	3.9	2.2
Indiana	3.2	4.0	4.5	5.6	3.5	1.7
Maine	2.4	2.8	4.1	4.7	4.3	2.9
Massachusetts	1.9	2.2	2.3	2.6	2.9	1.7
Michigan	2.3	2.0	2.8	2.5	2.8	2.6
New Hampshire	3.9	3.9	4.5	4.5	6.7	1.2
New Jersey	2.3	2.3	2.2	2.2	1.5	1.8
New York	2.5	2.0	2.7	2.2	2.4	2.1
Rhode Island	2.8	2.1	3.1	2.3	3.7	3.3
Vermont	2.2	2.4	4.0	4.3	5.1	2.9

NOTE.—The crude rates for 1910 and 1920, and the crude and adjusted for 1921 were computed on estimated populations, and those for 1900, on enumerated populations. These adjusted rates for 1920 may differ from those in the 1920 report, since an estimated population is used for one, and an enumerated population for the other.

Comparing the adjusted rates in 1921 from cancer of these three accessible sites, for the registration States of 1900, it appears that Connecticut has the highest rate (16.6 per 100,000 population) and Michigan the lowest (12.2); both of these rates are higher than the corresponding rates for 1920. But there is a bit of comfort in the fact that for this group of States the rate from cancer of the breast was no higher in 1921 than in 1920 and the rate from cancer of the buccal cavity and the rate from cancer of the skin were both a little lower than in 1920.

Cancer and other malignant tumors include seven titles of the detailed International List of Causes of Death, to three of which are charged nearly two-thirds of all deaths from this cause in 1921. The total number of deaths is 76,274, and 28,367 of these, or 37.2 per cent, are due to cancer of the stomach and liver; 10,653, or 14 per cent, to cancer of the peritoneum, intestines, and rectum; and 11,181, or 14.7 per cent, to cancer of the female genital organs.

The classification, by seat of disease, of the deaths from cancer in 1921 and 1920, with the rates per 100,000 population, is shown in Table AU.

Table AU

SEAT OF DISEASE.	DEATHS IN THE REGISTRATION AREA.[1]					
	Number.		Rate per 100,000 population		Per cent.	
	1921	1920	1921	1920	1921	1920
Cancer and other malignant tumors (aggregate)	76,274	72,931	86.0	83.4	100.0	100.0
Cancer of the buccal cavity (total)	2,610	2,679	2.9	3.1	3.4	3.7
Cancer of the—						
Lip	432	437	0.5	0.5	0.6	0.6
Tongue	653	678	0.7	0.8	0.9	0.9
Mouth	245	237	0.3	0.3	0.3	0.3
Jaw	979	1,060	1.1	1.2	1.3	1.5
Others of this class	301	267	0.3	0.3	0.4	0.4
Cancer of the stomach and liver (total)	28,367	27,489	32.0	31.4	37.2	37.7
Cancer of the—						
Pharynx	115	118	0.1	0.1	0.2	0.2
Esophagus	1,264	1,103	1.4	1.3	1.7	1.5
Stomach	18,213	17,625	20.5	20.1	23.9	24.2
Liver and gall bladder	8,775	8,643	9.9	9.9	11.5	11.9
Cancer of the peritoneum, intestines, and rectum (total)	10,653	9,792	12.0	11.2	14.0	13.4
Cancer of the—						
Mesentery and peritoneum	724	684	0.8	0.8	0.9	0.9
Intestines (except rectum)	6,834	6,238	7.7	7.1	9.0	8.6
Rectum and anus	3,029	2,816	3.4	3.2	4.0	3.9
Others of this class	66	54	0.1	0.1	0.1	0.1
Cancer of the female genital organs (total)	11,181	10,797	12.6	12.3	14.7	14.8
Cancer of the—						
Ovary and Fallopian tube	749	652	0.8	0.7	1.0	0.9
Uterus	10,085	9,848	11.4	11.3	13.2	13.5
Vagina and vulva	287	247	0.3	0.3	0.4	0.3
Others of this class	60	50	0.1	0.1	0.1	0.1
Cancer of the breast	7,016	6,665	7.9	7.6	9.2	9.1
Cancer of the skin	2,433	2,367	2.7	2.7	3.2	3.2
Cancer of other or unspecified organs (total)	14,014	13,142	15.8	15.0	18.4	18.0
Cancer of the—						
Larynx	575	499	0.6	0.6	0.8	0.7
Lung and pleura	1,146	956	1.3	1.1	1.5	1.3
Pancreas	1,310	1,180	1.5	1.3	1.7	1.6
Kidneys and suprarenals	806	819	0.9	0.9	1.1	1.1
Prostate	1,672	1,598	1.9	1.8	2.2	2.2
Bladder	2,419	2,144	2.7	2.5	3.2	2.9
Brain	204	184	0.2	0.2	0.3	0.3
Bones (except jaw)	825	749	0.9	0.9	1.1	1.0
Testes	155	143	0.2	0.2	0.2	0.2
Others of this class	4,902	4,870	5.5	5.6	6.4	6.7

[1] Exclusive of Hawaii.

Table AV

DEATHS IN 1921 FROM CANCER AND OTHER MALIGNANT TUMORS OF—

AREA.	All organs.					Buccal cavity.					Stomach and liver.					Peritoneum, intestines, and rectum.				
	Including nonresidents.		Excluding all nonresidents and including residents who died elsewhere in registration area.			Including nonresidents.		Excluding all nonresidents and including residents who died elsewhere in registration area.			Including nonresidents.		Excluding all nonresidents and including residents who died elsewhere in registration area.			Including nonresidents.		Excluding all nonresidents and including residents who died elsewhere in registration area.		
	Number.	Rate per 100000 population.	Number.	Rate per 100000 population.	Increase (+) or decrease (−) in rate.	Number.	Rate per 100000 population.	Number.	Rate per 100000 population.	Increase (+) or decrease (−) in rate.	Number.	Rate per 100000 population.	Number.	Rate per 100000 population.	Increase (+) or decrease (−) in rate.	Number.	Rate per 100000 population.	Number.	Rate per 100000 population.	Increase (+) or decrease (−) in rate.
REGISTRATION STATES.																				
California	4,010	111.7	3,986	111.1	−0.6	131	3.7	130	3.6	−0.1	1,460	40.7	1,455	40.5	−0.2	596	16.6	593	16.5	−0.1
Colorado	718	74.7	723	75.2	+0.5	18	1.9	18	1.9	.....	295	30.7	294	30.6	−0.1	80	8.3	85	8.8	+0.5
Connecticut	1,377	96.9	1,391	97.8	+0.9	57	4.0	58	4.1	+0.1	437	30.7	443	31.2	+0.5	248	17.4	250	17.6	+0.2
Delaware	179	79.1	189	83.6	+4.5	2	0.9	2	0.9	.....	61	27.0	63	27.9	+0.9	33	14.6	33	14.6	.....
Florida (total)	514	51.3	479	47.8	−3.5	20	2.0	19	1.9	−0.1	173	17.3	160	16.0	−1.3	53	5.3	49	4.9	−0.4
White	422	63.2	390	58.4	−4.8	18	2.7	18	2.7	.....	146	21.8	133	19.9	−1.9	43	6.4	39	5.8	−0.6
Colored	92	27.6	89	26.7	−0.9	2	0.6	1	0.3	−0.3	27	8.1	27	8.1	.....	10	3.0	10	3.0	.....
Illinois	6,152	93.0	6,099	92.2	−0.8	238	3.6	235	3.6	.....	2,416	36.5	2,395	36.2	−0.3	826	12.5	822	12.4	−0.1
Indiana	2,735	92.2	2,758	93.0	+0.8	98	3.3	98	3.3	.....	1,057	35.6	1,061	35.8	+0.2	326	11.0	330	11.1	+0.1
Kansas	1,412	79.3	1,422	79.8	+0.5	49	2.8	50	2.8	.....	592	33.2	594	33.3	+0.1	194	10.9	198	11.1	+0.2
Kentucky (total)	1,326	54.4	(1)	(1)	(1)	41	1.7	(1)	(1)	(1)	510	20.9	(1)	(1)	(1)	146	6.0	(1)	(1)	(1)
White	1,184	53.7	(1)	(1)	(1)	39	1.8	(1)	(1)	(1)	461	20.9	(1)	(1)	(1)	134	6.1	(1)	(1)	(1)
Colored	142	61.2	(1)	(1)	(1)	2	0.9	(1)	(1)	(1)	49	21.1	(1)	(1)	(1)	12	5.2	(1)	(1)	(1)
Louisiana (total)	975	53.6	969	53.2	−0.4	37	2.0	37	2.0	.....	313	17.2	310	17.0	−0.2	94	5.2	94	5.2	.....
White	665	59.3	658	58.7	−0.6	29	2.6	29	2.6	.....	218	19.5	215	19.2	−0.3	70	6.2	70	6.2	.....
Colored	310	44.3	311	44.4	+0.1	8	1.1	8	1.1	.....	95	13.6	95	13.6	.....	24	3.4	24	3.4	.....
Maine	899	116.5	911	118.0	+1.5	33	4.3	33	4.3	.....	331	42.9	335	43.4	+0.5	147	19.0	150	19.4	+0.4
Maryland (total)	1,372	93.1	1,319	89.5	−3.6	48	3.3	45	3.1	−0.2	519	35.2	510	34.6	−0.6	150	10.2	142	9.6	−0.6
White	1,203	98.1	1,151	93.8	−4.3	44	3.6	41	3.3	−0.3	457	37.3	448	36.5	−0.8	142	11.6	134	10.9	−0.7
Colored	169	68.5	168	68.1	−0.4	4	1.6	4	1.6	.....	62	25.1	62	25.1	.....	8	3.2	8	3.2	.....
Massachusetts	4,636	118.0	4,581	116.6	−1.4	144	3.7	144	3.7	.....	1,476	37.6	1,463	37.3	−0.3	397	22.8	387	22.6	−0.2
Michigan	3,336	87.8	3,363	88.5	+0.7	118	3.1	119	3.1	.....	1,349	35.5	1,358	35.7	+0.2	416	10.9	425	11.2	+0.3
Minnesota	2,178	89.4	2,003	82.3	−7.1	79	3.2	76	3.1	−0.1	979	40.2	915	37.6	−2.6	285	11.7	240	9.9	−1.8
Mississippi (total)	749	41.8	765	42.7	+0.9	23	1.3	24	1.3	.....	199	11.1	204	11.4	+0.3	59	3.3	60	3.4	+0.1
White	385	45.1	399	46.7	+1.6	13	1.5	13	1.5	.....	121	14.2	126	14.8	+0.6	36	4.2	37	4.3	+0.1
Colored	364	38.9	366	39.1	+0.2	10	1.1	11	1.2	+0.1	78	8.3	78	8.3	.....	23	2.5	23	2.5	.....
Missouri	2,900	84.8	2,906	84.9	+0.1	122	3.6	121	3.5	−0.1	1,058	30.9	1,061	31.0	+0.1	374	10.9	373	10.9	.....
Montana	315	54.7	328	57.0	+2.3	11	1.9	13	2.3	+0.4	131	22.8	135	23.5	+0.7	42	7.3	45	7.8	+0.5
Nebraska	1,081	82.4	1,063	81.0	−1.4	22	1.7	22	1.7	.....	473	36.0	465	35.4	−0.6	179	13.6	174	13.3	−0.3
New Hampshire	533	119.8	541	121.6	+1.8	16	3.6	16	3.6	.....	199	44.7	197	44.3	−0.4	85	19.1	88	19.8	+0.7
New Jersey	3,033	93.3	3,093	95.1	+1.8	88	2.7	94	2.9	+0.2	1,135	34.9	1,135	34.9	.....	468	14.4	481	14.8	+0.4
New York	11,182	105.7	11,092	104.8	−0.9	363	3.4	358	3.4	.....	3,977	37.6	3,966	37.5	−0.1	1,782	16.8	1,760	16.6	−0.2
North Carolina (total)	1,120	42.9	1,131	43.3	+0.4	34	1.3	34	1.3	.....	347	13.3	350	13.4	+0.1	116	4.4	118	4.5	+0.1
White	815	44.6	825	45.1	+0.5	30	1.6	30	1.6	.....	267	14.6	270	14.8	+0.2	91	5.0	93	5.1	+0.1
Colored	305	38.8	306	38.9	+0.1	4	0.5	4	0.5	.....	80	10.2	80	10.2	.....	25	3.2	25	3.2	.....
Ohio	5,312	89.8	5,309	89.8	.....	167	2.8	165	2.8	.....	2,073	35.1	2,079	35.2	+0.1	719	12.2	720	12.2	.....
Oregon	759	94.8	740	92.4	−2.4	22	2.7	23	2.9	+0.2	338	42.2	327	40.9	−1.3	96	12.0	93	11.6	−0.4
Pennsylvania	7,588	85.4	7,608	85.6	+0.2	280	3.2	279	3.1	−0.1	2,913	32.8	2,923	32.9	+0.1	1,003	11.3	1,009	11.4	+0.1
Rhode Island	678	110.4	682	111.1	+0.7	30	4.9	30	4.9	.....	230	37.5	232	37.8	+0.3	109	17.8	109	17.8	.....
South Carolina (total)	588	34.4	598	35.0	+0.6	33	1.9	33	1.9	.....	160	9.4	162	9.5	+0.1	68	4.0	70	4.1	+0.1
White	366	43.6	374	44.5	+0.9	25	3.0	25	3.0	.....	102	12.1	104	12.4	+0.3	54	6.4	56	6.7	+0.3
Colored	222	25.5	224	25.8	+0.3	8	0.9	8	0.9	.....	58	6.7	58	6.7	.....	14	1.6	14	1.6	.....
Tennessee (total)	1,113	47.1	1,086	46.0	−1.1	39	1.7	38	1.6	−0.1	348	14.7	337	14.3	−0.4	106	4.5	103	4.4	−0.1
White	905	47.3	885	46.3	−1.0	26	1.4	26	1.4	.....	305	15.9	297	15.5	−0.4	95	5.0	92	4.8	−0.2
Colored	208	46.4	201	44.8	−1.6	13	2.9	12	2.7	−0.2	43	9.6	40	8.9	−0.7	11	2.5	11	2.5	.....
Utah	292	63.3	274	59.4	−3.9	10	2.2	10	2.2	.....	113	24.5	103	22.3	−2.2	34	7.4	32	6.9	−0.5
Vermont	400	113.5	413	117.2	+3.7	12	3.4	12	3.4	.....	117	33.2	117	33.2	.....	61	17.3	66	18.7	+1.4
Virginia (total)	1,329	56.6	1,342	57.2	+0.6	45	1.9	45	1.9	.....	458	19.5	462	19.7	+0.2	121	5.2	125	5.3	+0.1
White	1,007	60.9	1,015	61.4	+0.5	35	2.1	35	2.1	.....	355	21.5	356	21.5	.....	101	6.1	104	6.3	+0.2
Colored	322	46.4	327	47.1	+0.7	10	1.4	10	1.4	.....	103	14.8	106	15.3	+0.5	20	2.9	21	3.0	+0.1
Washington	1,192	85.8	1,188	85.5	−0.3	35	2.5	33	2.4	−0.1	458	33.0	460	33.1	+0.1	153	11.0	154	11.1	+0.1
Wisconsin	2,614	97.6	2,631	98.2	+0.6	75	2.8	76	2.8	.....	1,187	44.3	1,199	44.8	+0.5	352	13.1	354	13.2	+0.1

[1] Returns incomplete.

Table AV—Con.

DEATHS IN 1921 FROM CANCER AND OTHER MALIGNANT TUMORS OF—

AREA.	Female genital organs.					Breast.					Skin.					Other or unspecified organs.				
	Including nonresidents.		Excluding all nonresidents and including residents who died elsewhere in registration area.			Including nonresidents.		Excluding all nonresidents and including residents who died elsewhere in registration area.			Including nonresidents.		Excluding all nonresidents and including residents who died elsewhere in registration area.			Including nonresidents.		Excluding all nonresidents and including residents who died elsewhere in registration area.		
	Number.	Rate per 100000 population.	Number.	Rate per 100000 population.	Increase (+) or decrease (−) in rate.	Number.	Rate per 100000 population.	Number.	Rate per 100000 population.	Increase (+) or decrease (−) in rate.	Number.	Rate per 100000 population.	Number.	Rate per 100000 population.	Increase (+) or decrease (−) in rate.	Number.	Rate per 100000 population.	Number.	Rate per 100000 population.	Increase (+) or decrease (−) in rate.
REGISTRATION STATES.																				
California	518	14.4	516	14.4	.....	402	11.2	397	11.1	−0.1	98	2.7	98	2.7	.....	805	22.4	797	22.2	−0.2
Colorado	102	10.6	103	10.7	+0.1	69	7.2	70	7.3	+0.1	17	1.8	17	1.8	.....	137	14.3	136	14.1	−0.2
Connecticut	153	10.8	154	10.8	.....	166	11.7	168	11.8	+0.1	32	2.3	32	2.3	.....	284	20.0	286	20.1	+0.1
Delaware	27	11.9	33	14.6	+2.7	19	8.4	20	8.8	+0.4	7	3.1	7	3.1	.....	30	13.3	31	13.7	+0.4
Florida (total)	109	10.9	100	10.0	−0.9	32	3.2	30	3.0	−0.2	19	1.9	17	1.7	−0.2	108	10.8	104	10.4	−0.4
White	80	12.0	73	10.9	−1.1	28	4.2	26	3.9	−0.3	19	2.8	17	2.5	−0.3	88	13.2	84	12.6	−0.6
Colored	29	8.7	27	8.1	−0.6	4	1.2	4	1.2	.....	.....	.....	.....	.....	.....	20	6.0	20	6.0	.....
Illinois	842	12.7	829	12.5	−0.2	551	8.3	549	8.3	.....	150	2.3	148	2.2	−0.1	1,129	17.1	1,121	16.9	−0.2
Indiana	426	14.4	429	14.5	+0.1	244	8.2	248	8.4	+0.2	132	4.5	134	4.5	.....	452	15.2	458	15.4	+0.2
Kansas	173	9.7	172	9.7	.....	115	6.5	116	6.5	.....	69	3.9	69	3.9	.....	220	12.4	223	12.5	+0.1
Kentucky (total)	216	8.9	(1)	(1)	(1)	126	5.2	(1)	(1)	(1)	68	2.8	(1)	(1)	(1)	219	9.0	(1)	(1)	(1)
White	176	8.0	(1)	(1)	(1)	110	5.0	(1)	(1)	(1)	66	3.0	(1)	(1)	(1)	198	9.0	(1)	(1)	(1)
Colored	40	17.2	(1)	(1)	(1)	16	6.9	(1)	(1)	(1)	2	0.9	(1)	(1)	(1)	21	9.0	(1)	(1)	(1)
Louisiana (total)	215	11.8	215	11.8	.....	77	4.2	77	4.2	.....	47	2.6	47	2.6	.....	192	10.5	189	10.4	−0.1
White	115	10.3	114	10.2	−0.1	49	4.4	49	4.4	.....	42	3.7	42	3.7	.....	142	12.7	139	12.4	−0.3
Colored	100	14.3	101	14.4	+0.1	28	4.0	28	4.0	.....	5	0.7	5	0.7	.....	50	7.1	50	7.1	.....
Maine	138	17.9	138	17.9	.....	84	10.9	86	11.1	+0.2	32	4.1	32	4.1	.....	134	17.4	137	17.7	+0.3
Maryland (total)	214	14.5	209	14.2	−0.3	127	8.6	124	8.4	−0.2	52	3.5	51	3.5	.....	262	17.8	238	16.2	−1.6
White	166	13.5	161	13.1	−0.4	109	8.9	107	8.7	−0.2	52	4.2	51	4.2	.....	233	19.0	209	17.0	−2.0
Colored	48	19.4	48	19.4	.....	18	7.3	17	6.9	−0.4	.....	.....	.....	.....	.....	29	11.7	29	11.7	.....
Massachusetts	625	15.9	616	15.7	+0.2	485	12.3	476	12.1	−0.2	90	2.3	88	2.2	−0.1	919	23.4	907	23.1	−0.3
Michigan	452	11.9	454	11.9	.....	316	8.3	315	8.3	.....	106	2.8	106	2.8	.....	579	15.2	586	15.4	+0.2
Minnesota	204	8.4	191	7.8	−0.6	145	6.0	137	5.6	−0.4	71	2.9	68	2.8	−0.1	415	17.0	376	15.4	−1.6
Mississippi (total)	227	12.7	232	13.0	+0.3	58	3.2	58	3.2	.....	38	2.1	38	2.1	.....	145	8.1	149	8.3	+0.2
White	68	8.0	72	8.4	+0.4	25	2.9	25	2.9	.....	32	3.7	32	3.7	.....	90	10.5	94	11.0	+0.5
Colored	159	17.0	160	17.1	+0.1	33	3.5	33	3.5	.....	6	0.6	6	0.6	.....	55	5.9	55	5.9	.....
Missouri	431	12.6	437	12.8	+0.2	254	7.4	252	7.4	.....	120	3.5	121	3.5	.....	541	15.8	541	15.8	.....
Montana	40	6.9	40	6.9	.....	25	4.3	25	4.3	.....	7	1.2	8	1.4	+0.2	59	10.3	62	10.8	+0.5
Nebraska	132	10.1	131	10.0	−0.1	71	5.4	70	5.3	−0.1	28	2.1	27	2.1	.....	176	13.4	174	13.3	−0.1
New Hampshire	81	18.2	83	18.7	+0.5	53	11.9	54	12.1	+0.2	20	4.5	20	4.5	.....	79	17.8	83	18.7	+0.9
New Jersey	463	14.2	473	14.5	+0.3	277	8.5	284	8.7	+0.2	73	2.2	75	2.3	+0.1	529	16.3	551	16.9	+0.6
New York	1,511	14.3	1,498	14.2	−0.1	1,066	10.1	1,050	9.9	−0.2	281	2.7	278	2.6	−0.1	2,202	20.8	2,182	20.6	−0.2
North Carolina (total)	260	9.9	265	10.1	+0.2	96	3.7	95	3.6	−0.1	75	2.9	75	2.9	.....	192	7.3	194	7.4	+0.1
White	146	8.0	150	8.2	+0.2	73	4.0	72	3.9	−0.1	68	3.7	68	3.7	.....	140	7.7	142	7.8	+0.1
Colored	114	14.5	115	14.6	+0.1	23	2.9	23	2.9	.....	7	0.9	7	0.9	.....	52	6.6	52	6.6	.....
Ohio	759	12.8	759	12.8	.....	516	8.7	515	8.7	.....	188	3.2	188	3.2	.....	890	15.1	883	14.9	−0.2
Oregon	96	12.0	97	12.1	+0.1	67	8.4	65	8.1	−0.3	23	2.9	23	2.9	.....	117	14.6	112	14.0	−0.6
Pennsylvania	1,174	13.2	1,178	13.3	+0.1	698	7.9	697	7.8	−0.1	260	2.9	262	2.9	.....	1,260	14.2	1,260	14.2	.....
Rhode Island	96	15.6	96	15.6	.....	63	10.3	65	10.6	+0.3	19	3.1	19	3.1	.....	131	21.3	131	21.3	.....
South Carolina (total)	146	8.5	148	8.7	+0.2	57	3.3	58	3.4	+0.1	18	1.1	19	1.1	.....	106	6.2	108	6.3	+0.1
White	69	8.2	70	8.3	+0.1	35	4.2	36	4.3	+0.1	16	1.9	17	2.0	+0.1	65	7.7	66	7.9	+0.2
Colored	77	8.9	78	9.0	+0.1	22	2.5	22	2.5	.....	2	0.2	2	0.2	.....	41	4.7	42	4.8	+0.1
Tennessee (total)	244	10.3	235	10.0	−0.3	105	4.4	107	4.5	+0.1	71	3.0	71	3.0	.....	200	8.5	195	8.3	−0.2
White	157	8.2	151	7.9	−0.3	82	4.3	83	4.3	.....	68	3.6	68	3.6	.....	172	9.0	168	8.8	−0.2
Colored	87	19.4	84	18.7	−0.7	23	5.1	24	5.4	+0.3	3	0.7	3	0.7	.....	28	6.2	27	6.0	−0.2
Utah	43	9.3	40	8.7	−0.6	27	5.9	26	5.6	−0.3	6	1.3	6	1.3	.....	59	12.8	57	12.4	−0.4
Vermont	68	19.3	70	19.9	+0.6	46	13.1	49	13.9	+0.8	14	4.0	15	4.3	+0.3	82	23.3	84	23.8	+0.5
Virginia (total)	264	11.2	262	11.2	.....	123	5.2	124	5.3	+0.1	55	2.3	56	2.4	+0.1	263	11.2	268	11.4	+0.2
White	156	9.4	153	9.3	−0.1	97	5.9	98	5.9	.....	49	3.0	50	3.0	.....	214	12.9	219	13.2	+0.3
Colored	108	15.6	109	15.7	+0.1	26	3.7	26	3.7	.....	6	0.9	6	0.9	.....	49	7.1	49	7.1	.....
Washington	168	12.1	168	12.1	.....	104	7.5	104	7.5	.....	39	2.8	38	2.7	−0.1	235	16.9	231	16.6	−0.3
Wisconsin	219	8.2	221	8.3	+0.1	203	7.6	202	7.5	−0.1	59	2.2	60	2.2	.....	519	19.4	519	19.4	.....

[1] Returns incomplete.

Table AV—Con.

DEATHS IN 1921 FROM CANCER AND OTHER MALIGNANT TUMORS OF—

AREA.	All organs.					Buccal cavity.					Stomach and liver.					Peritoneum, intestines, and rectum.				
	Including nonresidents.		Excluding all nonresidents and including residents who died elsewhere in registration area.			Including nonresidents.		Excluding all nonresidents and including residents who died elsewhere in registration area.			Including nonresidents.		Excluding all nonresidents and including residents who died elsewhere in registration area.			Including nonresidents.		Excluding all nonresidents and including residents who died elsewhere in registration area.		
	Number.	Rate per 100000 population.	Number.	Rate per 100000 population.	Increase (+) or decrease (−) in rate.	Number.	Rate per 100000 population.	Number.	Rate per 100000 population.	Increase (+) or decrease (−) in rate.	Number.	Rate per 100000 population.	Number.	Rate per 100000 population.	Increase (+) or decrease (−) in rate.	Number.	Rate per 100000 population.	Number.	Rate per 100000 population.	Increase (+) or decrease (−) in rate.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920.																				
Akron	100	48.0	96	46.1	−1.9	1	0.5	1	0.5	.....	33	15.8	33	15.8	.....	19	9.1	17	8.2	−0.9
Albany	172	149.5	138	119.9	−29.6	10	8.7	9	7.8	−0.9	48	41.7	36	31.3	−10.4	37	32.2	29	25.2	−7.0
Atlanta (total)	170	81.9	142	68.4	−13.5	2	1.0	2	1.0	.....	44	21.2	37	17.8	−3.4	27	13.0	24	11.6	−1.4
White	134	93.7	109	76.2	−17.5	1	0.7	1	0.7	.....	39	27.3	32	22.4	−4.9	21	14.7	18	12.6	−2.1
Colored	36	55.9	33	51.2	−4.7	1	1.6	1	1.6	.....	5	7.8	5	7.8	.....	6	9.3	6	9.3	.....
Baltimore (total)	789	105.1	696	92.7	−12.4	26	3.5	19	2.5	−1.0	269	35.8	249	33.2	−2.6	86	11.5	74	9.9	−1.6
White	716	111.9	628	98.2	−13.7	24	3.8	17	2.7	−1.1	245	38.3	228	35.6	−2.7	85	13.3	73	11.4	−1.9
Colored	73	65.7	68	61.2	−4.5	2	1.8	2	1.8	.....	24	21.6	21	18.9	−2.7	1	0.9	1	0.9	.....
Birmingham (total)	124	66.6	97	52.1	−14.5	3	1.6	2	1.1	−0.5	43	23.1	34	18.3	−4.8	9	4.8	9	4.8	.....
White	86	76.1	61	54.0	−22.1	2	1.8	1	0.9	−0.9	30	26.5	22	19.5	−7.0	5	4.4	5	4.4	.....
Colored	38	52.0	36	49.2	−2.8	1	1.4	1	1.4	.....	13	17.8	12	16.4	−1.4	4	5.5	4	5.5	.....
Boston	1,058	139.6	861	113.6	−26.0	29	3.8	25	3.3	−0.5	323	42.6	276	36.4	−6.2	205	27.1	165	21.8	−5.3
Bridgeport	131	91.3	128	89.2	−2.1	6	4.2	5	3.5	−0.7	38	26.5	40	27.9	+1.4	16	11.1	17	11.8	+0.7
Buffalo	533	102.6	491	94.5	−8.1	21	4.0	20	3.8	−0.2	199	38.3	188	36.2	−2.1	80	15.4	68	13.1	−2.3
Cambridge	162	146.7	156	141.2	−5.5	10	9.1	8	7.2	−1.9	48	43.5	45	40.7	−2.8	36	32.6	33	29.9	−2.7
Camden	105	87.7	100	83.6	−4.1	4	3.3	4	3.3	.....	33	27.6	32	26.7	−0.9	12	10.0	11	9.2	−0.8
Chicago	2,682	96.5	2,573	92.5	−4.0	82	2.9	76	2.7	−0.2	1,078	38.8	1,047	37.7	−1.1	365	13.1	348	12.5	−0.6
Cincinnati	512	126.9	478	118.5	−8.4	13	3.2	13	3.2	.....	183	45.4	174	43.1	−2.3	65	16.1	61	15.1	−1.0
Cleveland	641	77.1	603	72.6	−4.5	24	2.9	22	2.6	−0.3	255	30.7	245	29.5	−1.2	78	9.4	74	8.9	−0.5
Columbus	250	100.9	210	84.7	−16.2	8	3.2	8	3.2	.....	69	27.8	62	25.0	−2.8	44	17.8	30	12.1	−5.7
Dallas (total)	121	72.7	98	58.8	−13.9	3	1.8	3	1.8	.....	31	18.6	23	13.8	−4.8	18	10.8	11	6.6	−4.2
White	110	77.4	87	61.2	−16.2	2	1.4	2	1.4	.....	29	20.4	21	14.8	−5.6	18	12.7	11	7.7	−5.0
Colored	11	45.1	11	45.1	.....	1	4.1	1	4.1	.....	2	8.2	2	8.2	.....	.....	.....	.....	.....	.....
Dayton	175	110.7	166	105.0	−5.7	2	1.3	2	1.3	.....	75	47.4	72	45.5	−1.9	27	17.1	25	15.8	−1.3
Denver	276	104.9	266	101.1	−3.8	7	2.7	7	2.7	.....	107	40.7	99	37.6	−3.1	32	12.2	34	12.9	+0.7
Detroit	695	69.9	664	66.8	−3.1	17	1.7	16	1.6	−0.1	249	25.1	241	24.3	−0.8	84	8.5	77	7.7	−0.8
Fall River	120	99.4	117	97.0	−2.4	.....	.....	.....	.....	.....	48	39.8	48	39.8	.....	20	16.6	20	16.6	.....
Grand Rapids	142	100.6	140	99.2	−1.4	2	1.4	3	2.1	+0.7	61	43.2	62	43.9	+0.7	20	14.2	19	13.5	−0.7
Hartford	175	126.8	128	92.7	−34.1	6	4.3	2	1.4	−2.9	59	42.7	46	33.3	−9.4	35	25.4	25	18.1	−7.3
Houston (total)	120	82.7	120	82.7	.....	6	4.1	7	4.8	+ 0.7	35	24.1	34	23.4	−0.7	13	9.0	13	9.0	.....
White	95	86.1	95	86.1	.....	6	5.4	7	6.3	+ 0.9	27	24.5	26	23.6	−0.9	13	11.8	13	11.8	.....
Colored	25	71.6	25	71.6	.....	.....	.....	.....	.....	.....	8	22.9	8	22.9	.....	.....	.....	.....	.....	.....
Indianapolis (total)	334	102.6	310	95.2	−7.4	4	1.2	4	1.2	.....	116	35.6	110	33.8	−1.8	34	10.4	30	9.2	−1.2
White	305	105.6	282	97.6	−8.0	4	1.4	4	1.4	.....	109	37.7	103	35.7	−2.0	29	10.0	25	8.7	−1.3
Colored	29	78.8	28	76.1	−2.7	.....	.....	.....	.....	.....	7	19.0	7	19.0	.....	5	13.6	5	13.6	.....
Jersey City	267	88.2	272	89.8	+1.6	9	3.0	10	3.3	+0.3	91	30.1	92	30.4	+0.3	37	12.2	37	12.2	.....
Kansas City, Kans. (total)	88	84.7	78	75.1	−9.6	3	2.9	3	2.9	.....	32	30.8	29	27.9	−2.9	10	9.6	10	9.6	.....
White	79	89.1	69	77.8	−11.3	3	3.4	3	3.4	.....	29	32.7	26	29.3	−3.4	10	11.3	10	11.3	.....
Colored	9	59.0	9	59.0	.....	.....	.....	.....	.....	.....	3	19.7	3	19.7	.....	.....	.....	.....	.....	.....
Kansas City, Mo.	380	113.0	375	111.6	−1.4	14	4.2	13	3.9	−0.3	102	30.3	103	30.6	+0.3	57	17.0	53	15.8	−1.2
Los Angeles	799	131.0	807	132.3	+1.3	20	3.3	20	3.3	.....	251	41.2	254	41.7	+0.5	109	17.9	111	18.2	+0.3
Louisville (total)	242	102.5	(1)	(1)	(1)	9	3.8	(1)	(1)	(1)	79	33.5	(1)	(1)	(1)	33	14.0	(1)	(1)	(1)
White	213	108.6	(1)	(1)	(1)	9	4.6	(1)	(1)	(1)	72	36.7	(1)	(1)	(1)	31	15.8	(1)	(1)	(1)
Colored	29	72.6	(1)	(1)	(1)	.....	.....	(1)	(1)	(1)	7	17.5	(1)	(1)	(1)	2	5.0	(1)	(1)	(1)
Lowell	117	102.9	123	108.1	+5.2	3	2.6	5	4.4	+1.8	45	39.6	45	39.6	.....	10	8.8	10	8.8	.....
Memphis (total)	142	85.7	110	66.4	−19.3	3	1.8	2	1.2	−0.6	39	23.5	26	15.7	−7.8	15	9.1	12	7.2	−1.9
White	104	100.0	77	74.0	−26.0	2	1.9	2	1.9	.....	29	27.9	18	17.3	−10.6	12	11.5	9	8.7	−2.8
Colored	38	61.6	33	53.5	−8.1	1	1.6	.....	.....	−1.6	10	16.2	8	13.0	−3.2	3	4.9	3	4.9	.....
Milwaukee	442	94.2	422	90.0	−4.2	10	2.1	10	2.1	.....	172	36.7	168	35.8	−0.9	77	16.4	70	14.9	−1.5
Minneapolis	420	106.9	328	83.5	−23.4	12	3.1	10	2.5	−0.6	156	39.7	113	28.8	−10.9	53	13.5	44	11.2	−2.3
Nashville (total)	118	96.7	107	87.7	−9.0	6	4.9	6	4.9	.....	37	30.3	31	25.4	−4.9	15	12.3	14	11.5	−0.8
White	81	94.4	75	87.4	−7.0	4	4.7	4	4.7	.....	29	33.8	24	28.0	−5.8	13	15.2	12	14.0	−1.2
Colored	37	102.1	32	88.3	−13.8	2	5.5	2	5.5	.....	8	22.1	7	19.3	−2.8	2	5.5	2	5.5	.....
New Bedford	88	70.4	99	79.2	+8.8	3	2.4	4	3.2	+0.8	32	25.6	35	28.0	+2.4	16	12.8	18	14.4	+1.6
New Haven	195	116.8	173	103.6	−13.2	10	6.0	10	6.0	.....	52	31.1	46	27.5	−3.6	38	22.8	33	19.8	−3.0
New Orleans (total)	422	106.9	346	87.7	−19.2	22	5.6	16	4.1	−1.5	132	33.4	108	27.4	−6.0	48	12.2	42	10.6	−1.6
White	324	111.1	270	92.6	−18.5	18	6.2	14	4.8	−1.4	103	35.3	86	29.5	−5.8	35	12.0	32	11.0	−1.0
Colored	98	95.1	76	73.7	−21.4	4	3.9	2	1.9	−2.0	29	28.1	22	21.3	−6.8	13	12.6	10	9.7	−2.9

[1]Returns incomplete.

Table AV—Con. DEATHS IN 1921 FROM CANCER AND OTHER MALIGNANT TUMORS OF—

AREA.	Female genital organs.					Breast.					Skin.					Other or unspecified organs.				
	Including nonresidents.		Excluding all nonresidents and including residents who died elsewhere in registration area.			Including nonresidents.		Excluding all nonresidents and including residents who died elsewhere in registration area.			Including nonresidents.		Excluding all nonresidents and including residents who died elsewhere in registration area.			Including nonresidents.		Excluding all nonresidents and including residents who died elsewhere in registration area.		
	Number.	Rate per 100000 population.	Number.	Rate per 100000 population.	Increase (+) or decrease (−) in rate.	Number.	Rate per 100000 population.	Number.	Rate per 100000 population.	Increase (+) or decrease (−) in rate.	Number.	Rate per 100000 population.	Number.	Rate per 100000 population.	Increase (+) or decrease (−) in rate.	Number.	Rate per 100000 population.	Number.	Rate per 100000 population.	Increase (+) or decrease (−) in rate.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920.																				
Akron	15	7.2	15	7.2	.....	10	4.8	9	4.3	−0.5	5	2.4	5	2.4	.....	17	8.2	16	7.7	−0.5
Albany	24	20.9	21	18.2	−2.7	11	9.6	10	8.7	−0.9	1	0.9	1	0.9	.....	41	35.6	32	27.8	−7.8
Atlanta (total)	40	19.3	30	14.5	−4.8	20	9.6	19	9.2	−0.4	7	3.4	6	2.9	−0.5	30	14.5	24	11.6	−2.9
White	28	19.6	21	14.7	−4.9	16	11.2	15	10.5	−0.7	7	4.9	6	4.2	−0.7	22	15.4	16	11.2	−4.2
Colored	12	18.6	9	14.0	−4.6	4	6.2	4	6.2	.....	.....	.....	.....	.....	.....	8	12.4	8	12.4	.....
Baltimore (total)	131	17.4	120	16.0	−1.4	87	11.6	82	10.9	−0.7	23	3.1	22	2.9	−0.2	167	22.2	130	17.3	−4.9
White	109	17.0	99	15.5	−1.5	76	11.9	72	11.3	−0.6	23	3.6	22	3.4	−0.2	154	24.1	117	18.3	−5.8
Colored	22	19.8	21	18.9	−0.9	11	9.9	10	9.0	−0.9	.....	.....	.....	.....	.....	13	11.7	13	11.7	.....
Birmingham (total)	37	19.9	29	15.6	−4.3	5	2.7	4	2.1	−0.6	1	0.5	1	0.5	.....	26	14.0	18	9.7	−4.3
White	21	18.6	14	12.4	−6.2	5	4.4	4	3.5	−0.9	1	0.9	1	0.9	.....	22	19.5	14	12.4	−7.1
Colored	16	21.9	15	20.5	−1.4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	5.5	4	5.5	.....
Boston	135	17.8	112	14.8	−3.0	115	15.2	93	12.3	−2.9	17	2.2	16	2.1	−0.1	234	30.9	174	23.0	−7.9
Bridgeport	13	12.5	17	11.8	−0.7	15	10.4	14	9.8	−0.6	2	1.4	2	1.4	.....	36	25.1	33	23.0	−2.1
Buffalo	85	16.4	80	15.4	−1.0	41	7.9	39	7.5	−0.4	14	2.7	13	2.5	−0.2	93	17.9	83	16.0	−1.9
Cambridge	19	17.2	17	15.4	−1.8	21	19.0	22	19.9	+0.9	2	1.8	1	0.9	−0.9	26	23.5	30	27.2	+3.7
Camden	26	21.7	20	16.7	−5.0	7	5.8	8	6.7	+0.9	5	4.2	5	4.2	.....	18	15.0	20	16.7	+1.7
Chicago	394	14.2	371	13.3	−0.9	212	7.6	211	7.6	.....	29	1.0	26	0.9	−0.1	522	18.8	494	17.8	−1.0
Cincinnati	90	22.3	82	20.3	−2.0	52	12.9	52	12.9	.....	16	4.0	15	3.7	−0.3	93	23.1	81	20.1	−3.0
Cleveland	90	10.8	83	10.0	−0.8	56	6.7	56	6.7	.....	8	1.0	7	0.8	−0.2	130	15.6	116	14.0	−1.6
Columbus	62	25.0	52	21.0	−4.0	20	8.1	19	7.7	−0.4	8	3.2	5	2.0	−1.2	39	15.7	34	13.7	−2.0
Dallas (total)	20	12.0	16	9.6	−2.4	9	5.4	7	4.2	−1.2	5	3.0	5	3.0	.....	35	21.0	33	19.8	−1.2
White	16	11.3	12	8.4	−2.9	8	5.6	6	4.2	−1.4	5	3.5	5	3.5	.....	32	22.5	30	21.1	−1.4
Colored	4	16.4	4	16.4	.....	1	4.1	1	4.1	.....	.....	.....	.....	.....	.....	3	12.3	3	12.3	.....
Dayton	19	12.0	19	12.0	.....	14	8.9	14	8.9	.....	9	5.7	9	5.7	.....	29	18.3	25	15.8	−2.5
Denver	42	16.0	38	14.4	−1.6	25	9.5	26	9.9	+0.4	6	2.3	6	2.3	.....	57	21.7	56	21.3	−0.4
Detroit	119	12.0	115	11.6	−0.4	78	7.8	74	7.4	−0.4	13	1.3	13	1.3	.....	135	13.6	128	12.9	−0.7
Fall River	13	10.8	12	9.9	−0.9	16	13.3	15	12.4	−0.9	3	2.5	3	2.5	.....	20	16.6	19	15.7	−0.9
Grand Rapids	19	13.5	19	13.5	.....	10	7.1	10	7.1	.....	2	1.4	2	1.4	.....	28	19.8	25	17.7	−2.1
Hartford	16	11.6	12	8.7	−2.9	15	10.9	14	10.1	−0.8	4	2.9	2	1.4	−1.5	40	29.0	27	19.6	−9.4
Houston (total)	27	18.6	27	18.6	.....	9	6.2	10	6.9	+0.7	9	6.2	9	6.2	.....	21	14.5	20	13.8	−0.7
White	16	14.5	16	14.5	.....	8	7.3	9	8.2	+0.9	9	8.2	9	8.2	.....	16	14.5	15	13.6	−0.9
Colored	11	31.5	11	31.5	.....	1	2.9	1	2.9	.....	.....	.....	.....	.....	.....	5	14.3	5	14.3	.....
Indianapolis (total)	72	22.1	66	20.3	−1.8	32	9.8	31	9.5	−0.3	9	2.8	9	2.8	.....	67	20.6	60	18.4	−2.2
White	62	21.5	57	19.7	−1.8	29	10.0	28	9.7	−0.3	9	3.1	9	3.1	.....	63	21.8	56	19.4	−2.4
Colored	10	27.2	9	24.5	−2.7	3	8.2	3	8.2	.....	.....	.....	.....	.....	.....	4	10.9	4	10.9	.....
Jersey City	36	11.9	35	11.6	−0.3	37	12.2	39	12.9	+0.7	7	2.3	7	2.3	.....	50	16.5	52	17.2	+0.7
Kansas City, Kans. (total)	17	16.4	14	13.5	−2.9	6	5.8	4	3.9	−1.9	2	1.9	2	1.9	.....	18	17.3	16	15.4	−1.9
White	13	14.7	10	11.3	−3.4	5	5.6	3	3.4	−2.2	2	2.3	2	2.3	.....	17	19.2	15	16.9	−2.3
Colored	4	26.2	4	26.2	.....	1	6.6	1	6.6	.....	.....	.....	.....	.....	.....	1	6.6	1	6.6	.....
Kansas City, Mo	63	18.7	65	19.3	+0.6	59	17.6	56	16.7	−0.9	9	2.7	9	2.7	.....	76	22.6	76	22.6	.....
Los Angeles	143	23.4	144	23.6	+0.2	102	16.7	103	16.9	+0.2	13	2.1	13	2.1	.....	161	26.4	162	26.6	+0.2
Louisville (total)	40	16.9	(1)	(1)	(1)	28	11.9	(1)	(1)	(1)	8	3.4	(1)	(1)	(1)	45	19.1	(1)	(1)	(1)
White	34	17.3	(1)	(1)	(1)	21	10.7	(1)	(1)	(1)	7	3.6	(1)	(1)	(1)	39	19.9	(1)	(1)	(1)
Colored	6	15.0	(1)	(1)	(1)	7	17.5	(1)	(1)	(1)	1	2.5	(1)	(1)	(1)	6	15.0	(1)	(1)	(1)
Lowell	18	15.8	19	16.7	+0.9	11	9.7	11	9.7	.....	4	3.5	4	3.5	.....	26	22.9	29	25.5	+2.6
Memphis (total)	36	21.7	27	16.3	−5.4	13	7.8	14	8.5	+0.7	4	2.4	4	2.4	.....	32	19.3	25	15.1	−4.2
White	23	22.1	15	14.4	−7.7	9	8.7	10	9.6	+0.9	4	3.8	4	3.8	.....	25	24.0	19	18.3	−5.7
Colored	13	21.1	12	19.5	−1.6	4	6.5	4	6.5	.....	.....	.....	.....	.....	.....	7	11.4	6	9.7	−1.7
Milwaukee	58	11.3	52	11.1	−0.2	35	7.5	34	7.2	−0.3	12	2.6	13	2.8	+0.2	83	17.7	75	16.0	−1.7
Minneapolis	54	13.7	47	12.0	−1.7	35	8.9	28	7.1	−1.8	11	2.8	8	2.0	−0.8	99	25.2	78	19.9	−5.3
Nashville (total)	34	27.9	31	25.4	−2.5	10	8.2	10	8.2	.....	2	1.6	2	1.6	.....	14	11.5	13	10.7	−0.8
White	15	17.5	15	17.5	.....	7	8.2	7	8.2	.....	2	2.3	2	2.3	.....	11	12.8	11	12.8	.....
Colored	19	52.4	16	44.1	−8.3	3	8.3	3	8.3	.....	.....	.....	.....	.....	.....	3	8.3	2	5.5	−2.8
New Bedford	15	12.0	17	13.6	+1.6	7	5.6	8	6.4	+0.8	3	2.4	3	2.4	.....	12	9.6	14	11.2	+1.6
New Haven	17	10.2	16	9.6	−0.6	30	18.0	26	15.6	−2.4	2	1.2	1	0.6	−0.6	46	27.5	41	24.5	−3.0
New Orleans (total)	81	20.5	67	17.0	−3.5	38	9.6	35	8.9	−0.7	19	4.8	15	3.8	−1.0	82	20.8	63	16.0	−4.8
White	58	19.9	49	16.8	−3.1	28	9.6	26	8.9	−0.7	17	5.8	13	4.5	−1.3	65	22.3	50	17.1	−5.2
Colored	23	22.3	18	17.5	−4.8	10	9.7	9	8.7	−1.0	2	1.9	2	1.9	.....	17	16.5	13	12.6	−3.9

[1] Returns incomplete.

Table AV—Con. DEATHS IN 1921 FROM CANCER AND OTHER MALIGNANT TUMORS OF—

AREA.	All organs.					Buccal cavity.					Stomach and liver.					Peritoneum, intestines, and rectum.				
	Including nonresidents.		Excluding all nonresidents and including residents who died elsewhere in registration area.			Including nonresidents.		Excluding all nonresidents and including residents who died elsewhere in registration area.			Including nonresidents.		Excluding all nonresidents and including residents who died elsewhere in registration area.			Including nonresidents.		Excluding all nonresidents and including residents who died elsewhere in registration area.		
	Number.	Rate per 100000 population.	Number.	Rate per 100000 population.	Increase (+) or decrease (−) in rate.	Number.	Rate per 100000 population.	Number.	Rate per 100000 population.	Increase (+) or decrease (−) in rate.	Number.	Rate per 100000 population.	Number.	Rate per 100000 population.	Increase (+) or decrease (−) in rate.	Number.	Rate per 100000 population.	Number.	Rate per 100000 population.	Increase (+) or decrease (−) in rate.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—continued.																				
New York (total):																				
Bronx Borough	680	87.3	670	86.1	−1.2	16	2.1	16	2.1	.....	272	34.9	270	34.7	−0.2	111	14.3	111	14.3	.....
Brooklyn Borough	1,797	86.5	1,801	86.7	+0.2	50	2.4	51	2.5	+0.1	711	34.2	715	34.4	+0.2	304	14.6	305	14.7	+0.1
Manhattan Borough	2,570	112.9	2,422	106.4	−6.5	90	4.0	82	3.6	−0.4	926	40.7	902	39.6	−1.1	411	18.1	374	16.4	−1.7
Queens Borough	452	90.8	444	89.2	−1.6	8	1.6	8	1.6	.....	182	36.6	178	35.8	−0.8	66	13.3	64	12.9	−0.4
Richmond Borough	119	98.1	116	95.7	−2.4	5	4.1	4	3.3	−0.8	50	41.2	49	40.4	−0.8	17	14.0	17	14.0	.....
Newark, N. J.	421	99.1	409	96.3	−2.8	11	2.6	10	2.4	−0.2	152	35.8	147	34.6	−1.2	74	17.4	72	16.9	−0.5
Norfolk (total)	85	70.1	80	66.0	−4.1	6	4.9	5	4.1	−0.8	24	19.8	22	18.1	−1.7	5	4.1	5	4.1	.....
White	61	80.7	57	75.4	−5.3	5	6.6	4	5.3	−1.3	17	22.5	15	19.8	−2.7	4	5.3	4	5.3	.....
Colored	24	52.6	23	50.4	−2.2	1	2.2	1	2.2	.....	7	15.3	7	15.3	.....	1	2.2	1	2.2	.....
Oakland	234	103.3	226	99.8	−3.5	3	1.3	3	1.3	.....	100	44.2	95	41.9	−2.3	33	14.6	32	14.1	−0.5
Omaha	237	120.2	184	93.4	−26.8	6	3.0	6	3.0	.....	85	43.1	70	35.5	−7.6	45	22.8	34	17.3	−5.5
Paterson	145	105.5	142	103.3	−2.2	3	2.2	2	1.5	−0.7	60	43.6	59	42.9	−0.7	31	22.6	28	20.4	−2.2
Philadelphia	2,041	109.4	1,962	105.1	−4.3	88	4.7	79	4.2	−0.5	688	36.9	674	36.1	−0.8	304	16.3	291	15.6	−0.7
Pittsburgh	571	94.8	495	82.2	−12.6	19	3.2	16	2.7	−0.5	197	32.7	180	29.9	−2.8	74	12.3	59	9.8	−2.5
Portland, Oreg	336	126.9	280	105.7	−21.2	7	2.6	7	2.6	.....	139	52.5	115	43.4	−9.1	44	16.6	36	13.6	−3.0
Providence	319	133.1	293	122.3	−10.8	13	5.4	12	5.0	−0.4	107	44.6	103	43.0	−1.6	52	21.7	44	18.4	−3.3
Reading	98	89.8	99	90.7	+0.9	3	2.7	3	2.7	.....	41	37.6	39	35.7	−1.9	13	11.9	14	12.8	+0.9
Richmond (total)	152	86.5	127	72.3	−14.2	5	2.8	4	2.3	−0.5	35	19.9	30	17.1	−2.8	19	10.8	14	8.0	−2.8
White	123	101.4	102	84.1	−17.3	4	3.3	3	2.5	−0.8	31	25.6	27	22.3	−3.3	13	10.7	9	7.4	−3.3
Colored	29	53.3	25	46.0	−7.3	1	1.8	1	1.8	.....	4	7.4	3	5.5	−1.9	6	11.0	5	9.2	−1.8
Rochester	350	114.7	335	109.8	−4.9	12	3.9	12	3.9	.....	117	38.3	111	36.4	−1.9	63	20.6	61	20.0	−0.6
St. Louis	911	115.9	887	112.8	−3.1	51	6.5	50	6.4	−0.1	329	41.8	321	40.8	−1.0	113	14.4	111	14.1	−0.3
St. Paul	273	114.8	216	90.8	−24.0	8	3.4	8	3.4	.....	116	48.8	90	37.8	−11.0	38	16.0	27	11.4	−4.6
Salt Lake City	121	99.5	96	79.0	−20.5	4	3.3	3	2.5	−0.8	47	38.7	35	28.8	−9.9	12	9.9	9	7.4	−2.5
San Antonio	129	75.3	118	68.9	−6.4	4	2.3	4	2.3	.....	57	33.3	55	32.1	−1.2	14	8.2	12	7.0	−1.2
San Francisco	795	152.7	740	142.2	−10.5	45	8.6	45	8.6	.....	268	51.5	248	47.6	−3.9	135	25.9	124	23.8	−2.1
Scranton	121	87.0	106	76.3	−10.7	4	2.9	2	1.4	−1.5	50	36.0	45	32.4	−3.6	14	10.1	13	9.4	−0.7
Seattle	335	106.2	293	92.9	−13.3	7	2.2	6	1.9	−0.3	122	38.7	103	32.7	−6.0	50	15.9	44	14.0	−1.9
Spokane	124	118.7	103	98.6	−20.1	3	2.9	3	2.9	.....	39	37.3	33	31.6	−5.7	13	12.4	10	9.6	−2.8
Springfield, Mass	142	104.5	121	89.1	−15.4	3	2.2	3	2.2	.....	39	28.7	33	24.3	−4.4	29	21.3	22	16.2	−5.1
Syracuse	191	107.6	176	99.1	−8.5	4	2.3	4	2.3	.....	50	28.2	47	26.5	−1.7	26	14.6	18	10.1	−4.5
Toledo	229	90.3	212	83.6	−6.7	4	1.6	4	1.6	.....	96	37.8	94	37.1	−0.7	33	13.0	29	11.4	−1.6
Trenton	118	96.1	102	83.1	−13.0	5	4.1	7	5.7	+1.6	36	29.3	30	24.4	−4.9	25	20.4	21	17.1	−3.3
Washington, D. C. (total)	516	117.9	498	113.8	−4.1	24	5.5	23	5.3	−0.2	161	36.8	156	35.7	−1.1	78	17.8	71	16.2	−1.6
White	402	123.0	389	119.0	−4.0	16	4.9	15	4.6	−0.3	117	35.8	116	35.5	−0.3	70	21.4	64	19.6	−1.8
Colored	114	103.0	109	98.5	−4.5	8	7.2	8	7.2	.....	44	39.7	40	36.1	−3.6	8	7.2	7	6.3	−0.9
Wilmington, Del.	87	76.7	92	81.1	+4.4	1	0.9	1	0.9	.....	32	28.2	32	28.2	.....	19	16.8	18	15.9	−0.9
Worcester	212	114.6	201	108.7	−5.9	15	8.1	13	7.0	−1.1	69	37.3	63	34.1	−3.2	46	24.9	45	24.3	−0.6
Yonkers	79	76.5	83	80.3	+3.8	3	2.9	3	2.9	.....	22	21.3	21	20.3	−1.0	19	18.4	17	16.5	−1.9
Youngstown	101	76.3	98	74.0	−2.3	2	1.5	2	1.5	.....	46	34.8	47	35.5	+0.7	12	9.1	9	6.8	−2.3

Table AV—Con.

DEATHS IN 1921 FROM CANCER AND OTHER MALIGNANT TUMORS OF—

AREA.	Female genital organs.					Breast.					Skin.					Other or unspecified organs.				
	Including nonresidents.		Excluding all nonresidents and including residents who died elsewhere in registration area.			Including nonresidents.		Excluding all nonresidents and including residents who died elsewhere in registration area.			Including nonresidents.		Excluding all nonresidents and including residents who died elsewhere in registration area.			Including nonresidents.		Excluding all nonresidents and including residents who died elsewhere in registration area.		
	Number.	Rate per 100000 population.	Number.	Rate per 100000 population.	Increase (+) or decrease (−) in rate.	Number.	Rate per 100000 population.	Number.	Rate per 100000 population.	Increase (+) or decrease (−) in rate.	Number.	Rate per 100000 population.	Number.	Rate per 100000 population.	Increase (+) or decrease (−) in rate.	Number.	Rate per 100000 population.	Number.	Rate per 100000 population.	Increase (+) or decrease (−) in rate.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—continued.																				
New York (total):																				
Bronx Borough	81	10.4	79	10.1	−0.3	53	6.8	52	6.7	−0.1	12	1.5	10	1.3	−0.2	135	17.3	132	17.0	−0.3
Brooklyn Borough	202	9.7	202	9.7	.....	156	7.5	154	7.4	−0.1	30	1.4	30	1.4	.....	344	16.6	344	16.6	.....
Manhattan Borough	313	13.7	295	13.0	−0.7	234	10.3	216	9.5	−0.8	50	2.2	47	2.1	−0.1	546	24.0	506	22.2	−1.8
Queens Borough	59	11.9	59	11.9	.....	43	8.6	41	8.2	−0.4	7	1.4	8	1.6	+0.2	87	17.5	86	17.3	−0.2
Richmond Borough	10	8.2	10	8.2	.....	19	15.7	19	15.7	.....	2	1.6	2	1.6	.....	16	13.2	15	12.4	−0.8
Newark, N. J.	55	12.9	54	12.7	−0.2	37	8.7	37	8.7	.....	3	0.7	3	0.7	.....	89	20.9	86	20.2	−0.7
Norfolk (total)	20	16.5	18	14.8	−1.7	10	8.2	9	7.4	−0.8	3	2.5	3	2.5	.....	17	14.0	18	14.8	+0.8
White	14	18.5	12	15.9	−2.6	7	9.3	7	9.3	.....	2	2.6	2	2.6	.....	12	15.9	13	17.2	+1.3
Colored	6	13.1	6	13.1	.....	3	6.6	2	4.4	−2.2	1	2.2	1	2.2	.....	5	10.9	5	10.9	.....
Oakland	28	12.4	27	11.9	−0.5	27	11.9	26	11.5	−0.4	4	1.8	4	1.8	.....	39	17.2	39	17.2	.....
Omaha	32	16.2	23	11.7	−4.5	11	5.6	9	4.6	−1.0	3	1.5	3	1.5	.....	55	27.9	39	19.8	−8.1
Paterson	17	12.4	18	13.1	+0.7	9	6.5	9	6.5	.....	4	2.9	4	2.9	.....	21	15.3	22	16.0	+0.7
Philadelphia	299	16.0	290	15.5	−0.5	205	11.0	199	10.7	−0.3	53	2.8	52	2.8	.....	404	21.6	377	20.2	−1.4
Pittsburgh	85	14.1	75	12.4	−1.7	55	9.1	50	8.3	−0.8	12	2.0	11	1.8	−0.2	129	21.4	104	17.3	−4.1
Portland, Oreg.	48	18.1	41	15.5	−2.6	37	14.0	33	12.5	−1.5	5	1.9	5	1.9	.....	56	21.1	43	16.2	−4.9
Providence	42	17.5	38	15.9	−1.6	29	12.1	28	11.7	−0.4	10	4.2	10	4.2	.....	66	27.5	58	24.2	−3.3
Reading	25	22.9	23	21.1	−1.8	5	4.6	7	6.4	+1.8	1	0.9	1	0.9	.....	10	9.2	12	11.0	+1.8
Richmond (total)	31	17.6	26	14.8	−2.8	15	8.5	12	6.8	−1.7	7	4.0	7	4.0	.....	40	22.8	34	19.4	−3.4
White	22	18.1	18	14.8	−3.3	13	10.7	10	8.2	−2.5	6	4.9	6	4.9	.....	34	28.0	29	23.9	−4.1
Colored	9	16.5	8	14.7	−1.8	2	3.7	2	3.7	.....	1	1.8	1	1.8	.....	6	11.0	5	9.2	−1.8
Rochester	51	16.7	47	15.4	−1.3	31	10.2	31	10.2	.....	5	1.6	5	1.6	.....	71	23.3	68	22.3	−1.0
St. Louis	130	16.5	125	15.9	−0.6	68	8.6	68	8.6	.....	22	2.8	23	2.9	+0.1	198	25.2	189	24.0	−1.2
St. Paul	40	16.8	33	13.9	−2.9	15	6.3	14	5.9	−0.4	7	2.9	7	2.9	.....	49	20.6	37	15.6	−5.0
Salt Lake City	20	16.4	16	13.2	−3.2	12	9.9	11	9.0	−0.9	1	0.8	1	0.8	.....	25	20.6	21	17.3	−3.3
San Antonio	18	10.5	16	9.3	−1.2	10	5.8	10	5.8	.....	2	1.2	2	1.2	.....	24	14.0	19	11.1	−2.9
San Francisco	93	17.9	89	17.1	−0.8	73	14.0	70	13.4	−0.6	8	1.5	8	1.5	.....	173	33.2	156	30.0	−3.2
Scranton	15	10.8	13	9.4	−1.4	11	7.9	10	7.2	−0.7	4	2.9	4	2.9	.....	23	16.5	19	13.7	−2.8
Seattle	46	14.6	42	13.3	−1.3	33	10.5	32	10.1	−0.4	8	2.5	7	2.2	−0.3	69	21.9	59	18.7	−3.2
Spokane	19	18.2	13	12.4	−5.8	11	10.5	10	9.6	−0.9	6	5.7	4	3.8	−1.9	33	31.6	30	28.7	−2.9
Springfield, Mass.	20	14.7	15	11.0	−3.7	15	11.0	13	9.6	−1.4	6	4.4	7	5.2	+0.8	30	22.1	28	20.6	−1.5
Syracuse	43	24.2	38	21.4	−2.8	29	16.3	29	16.3	.....	2	1.1	3	1.7	+0.6	37	20.8	37	20.8	.....
Toledo	35	13.8	31	12.2	−1.6	17	6.7	14	5.5	−1.2	5	2.0	5	2.0	.....	39	15.4	35	13.8	−1.6
Trenton	17	13.8	13	10.6	−3.2	10	8.1	8	6.5	−1.6	3	2.4	3	2.4	.....	22	17.9	20	16.3	−1.6
Washington, D. C. (total)	83	19.0	84	19.2	+0.2	58	13.3	58	13.3	.....	11	2.5	10	2.3	−0.2	101	23.1	96	21.9	−1.2
White	54	16.5	56	17.1	+0.6	47	14.4	46	14.1	−0.3	11	3.4	10	3.1	−0.3	87	26.6	82	25.1	−1.5
Colored	29	26.2	28	25.3	−0.9	11	9.9	12	10.8	+0.9	.....	.....	.....	.....	.....	14	12.6	14	12.6	.....
Wilmington, Del.	15	13.2	21	18.5	+5.3	3	2.6	3	2.6	.....	4	3.5	4	3.5	.....	13	11.5	13	11.5	.....
Worcester	22	11.9	22	11.9	.....	25	13.5	24	13.0	−0.5	1	0.5	1	0.5	.....	34	18.4	33	17.8	−0.6
Yonkers	11	10.6	14	13.5	+2.9	8	7.7	9	8.7	+1.0	2	1.9	2	1.9	.....	14	13.5	17	16.5	+3.0
Youngstown	16	12.1	15	11.3	−0.8	8	6.0	8	6.0	.....	1	0.8	1	0.8	.....	16	12.1	16	12.1	.....

In previous reports attention has been called repeatedly to the fact that deaths of nonresidents might affect materially cancer mortality rates. In Table AV appear data bearing on this point, and it will perhaps suffice to point out a few instances where cancer rates would have been changed considerably had corrections been made for the deaths of nonresidents. Minnesota would have had its cancer rate reduced from 89.4 to 82.3, while Delaware would have had its rate increased from 79.1 to 83.6. Of the 66 large cities listed, all but 7 would have had lower rates and the greatest reduction would have been for Hartford, Conn.—a reduction from 126.8 to 92.7.

Of the total deaths from cancer, 43,779, or 57.4 per cent, are of females and 32,495, or 42.6 per cent, are of males. Year after year the statistics show that more than half of those who die of cancer are females, although the male population of the registration area exceeds the female. The causes which show a large excess of male deaths are cancer of the buccal cavity (2,132 males and 478 females), cancer of the skin (1,488 males and 945 females), and cancer of other organs or of organs not specified (9,240 males and 4,774 females). Cancer of the stomach and liver (14,844 males and 13,523 females) caused nearly half of all the deaths of males, but only about one-third of the deaths of females. Cancer of the breast and cancer of the female genital organs caused 41.4 per cent of all cancer deaths among females in 1921.

Classification, by age and sex, according to the nature of the malignant disease, whether carcinoma, sarcoma, or hypernephroma, is shown in Table AW.

Table AW

DEATHS IN THE REGISTRATION AREA.[1]

AGE OF DECEDENT.	Carcinoma.				Sarcoma.				Hypernephroma.			
	Males.		Females.		Males.		Females.		Males.		Females.	
	1921	1920	1921	1920	1921	1920	1921	1920	1921	1920	1921	1920
All ages	30,181	28,748	41,799	40,192	2,189	2,051	1,864	1,714	125	134	116	92
Under 1 year	9	17	4	12	26	13	11	19	.....	.....	1	.....
1 year	12	11	7	5	19	30	18	17	.....	1	.....	1
2 years	7	13	11	10	31	13	26	18	1	.....	3	.....
3 years	15	7	8	8	23	25	23	16	3	1	1	.....
4 years	9	9	9	9	25	18	20	15	.....	.....	.....	1
Under 5 years	52	57	39	44	124	99	98	85	4	2	5	2
5 to 9 years	22	34	30	24	52	49	45	33	.....	1	1	2
10 to 14 years	19	25	24	25	44	38	42	44	.....	1	.....	.....
15 to 19 years	35	37	64	41	102	63	59	70	1	.....	1	.....
20 to 24 years	87	81	137	143	102	96	51	61	1	2	3	.....
25 to 29 years	179	139	406	369	108	111	55	70	.....	4	4	4
30 to 34 years	313	336	898	934	126	122	83	75	2	1	4	1
35 to 39 years	647	664	1,755	1,786	139	109	91	95	9	3	4	6
40 to 44 years	1,166	1,063	2,888	2,861	149	133	125	118	7	13	8	5
45 to 49 years	1,862	1,861	4,024	3,729	151	167	189	155	18	19	8	9
50 to 54 years	2,977	2,851	4,863	4,687	192	191	190	176	18	21	16	5
55 to 59 years	3,823	3,703	5,109	5,018	176	184	173	152	24	22	20	13
60 to 64 years	4,774	4,472	5,627	5,409	200	207	197	159	24	22	13	13
65 to 69 years	4,708	4,331	5,083	4,782	192	156	136	137	10	13	16	17
70 to 74 years	4,220	4,030	4,481	4,270	147	155	141	131	6	7	5	7
75 to 79 years	3,047	2,911	3,351	3,190	107	101	107	77	1	1	5	5
80 to 84 years	1,395	1,418	1,842	1,845	50	46	50	43	.....	1	2	2
85 to 89 years	579	551	885	778	17	14	21	29	.....	1	1	.....
90 to 94 years	117	126	216	174	5	7	6	3	.....	.....	.....	1
95 to 99 years	36	29	39	40	3	1	1	1	.....	.....	.....	.....
100 years and over	6	6	8	9	.....	.....	.....	.....	.....	.....	.....	.....
Unknown age	17	23	30	34	3	2	4	.....	.....	.....	.....	.....

[1] Exclusive of Hawaii.

PELLAGRA.

The number of deaths caused by pellagra in 1921 is 2,541, corresponding to a death rate of 2.9 per 100,000 population against 2.7 in 1920. The only area which shows a noticeable increase in the number of deaths in 1921 as compared with 1920 is the rural part of Mississippi (568 against 405).

Table AX AREA.	NUMBER OF DEATHS FROM PELLAGRA.									
	1921	1920	1919	1918	1917	1916	1915	1914	1913	1912
SUMMARY.										
The registration area [1]	2,541	2,322	2,806	3,741	3,666	2,390	2,843	1,550	1,015	674
Registration States [2]	2,348	2,122	2,568	3,126	2,843	1,807	1,058	847	573	326
Cities in registration States [2]	610	594	693	930	801	558	437	391	260	166
Rural part of registration States	1,738	1,528	1,875	2,196	2,042	1,249	621	456	313	160
Registration cities in nonregistration States	193	200	238	615	823	583	1,785	703	442	348
All registration cities [2]	803	794	931	1,545	1,624	1,141	2,222	1,094	702	514
REGISTRATION STATES.										
California:										
Cities	9	5	11	16	8	14	11	14	13	4
Rural districts	6	7	12	6	16	11	17	14	6	6
Colorado:										
Cities	1	----	2	2	2	2	----	5	1	----
Rural districts	4	1	1	----	2	1	2	4	2	5
Connecticut:										
Cities	1	1	4	4	4	1	1	4	3	----
Rural districts	----	----	1	----	1	----	----	2	1	----
Delaware:										
Cities	----	----	----	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Rural districts	----	----	----	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Florida:										
Cities	31	30	30	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Rural districts	100	84	95	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Illinois:										
Cities	3	3	7	8	(3)	(3)	(3)	(3)	(3)	(3)
Rural districts	6	8	10	18	(4)	(4)	(4)	(4)	(4)	(4)
Indiana:										
Cities	2	1	1	3	4	1	3	1	1	----
Rural districts	4	2	4	9	2	3	6	1	3	3
Kansas:										
Cities	2	2	3	8	12	3	6	11	(3)	(3)
Rural districts	4	6	16	14	16	7	22	7	(4)	(4)
Kentucky:										
Cities	15	10	17	27	37	8	14	18	16	32
Rural districts	50	55	94	120	160	116	135	131	88	84
Louisiana:										
Cities	60	61	73	100	(3)	(3)	(3)	(3)	(3)	(3)
Rural districts	121	142	154	163	(4)	(4)	(4)	(4)	(4)	(4)
Maine:										
Cities	1	----	2	10	10	5	4	4	3	4
Rural districts	7	4	3	6	9	10	6	5	7	1
Maryland:										
Cities	4	4	4	5	5	2	9	4	11	6
Rural districts	2	4	5	13	11	1	7	3	3	2
Massachusetts:										
Cities	13	9	7	15	10	23	16	13	8	4
Rural districts	----	2	7	6	9	17	9	6	5	1
Michigan:										
Cities	2	4	2	7	5	3	8	2	7	2
Rural districts	----	1	2	2	1	2	4	2	1	----
Minnesota:										
Cities	1	----	1	2	----	----	----	2	1	----
Rural districts	1	1	1	2	----	2	1	3	1	----
Mississippi:										
Cities	115	153	126	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Rural districts	568	405	369	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Missouri:										
Cities	8	11	9	11	19	11	12	14	9	3
Rural districts	12	14	16	45	40	30	22	10	14	12
Montana:										
Rural districts	----	----	----	----	----	----	----	1	----	----
Nebraska:										
Rural districts	1	1	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)
New Hampshire:										
Cities	----	----	1	2	3	8	2	9	1	----
Rural districts	----	1	1	----	2	3	3	1	1	1
New Jersey:										
Cities	2	1	3	2	1	3	3	4	2	1
Rural districts	----	----	1	----	1	1	2	1	----	1
New York:										
Cities	12	8	13	18	28	22	8	12	5	2
Rural districts	7	4	8	3	1	6	4	2	2	----

Table AX—Con. AREA.	NUMBER OF DEATHS FROM PELLAGRA.									
	1921	1920	1919	1918	1917	1916	1915	1914	1913	1912
REGISTRATION STATES—CON.										
North Carolina:										
Cities	84	76	77	143	128	97	195	147	96	93
Rural districts	254	242	323	553	492	388	[5] 152	[5] 101	[6] 61	[6] 36
Ohio:										
Cities	2	2	2	3	2	4	2	1	----	----
Rural districts	1	1	6	4	1	1	3	----	----	2
Oregon:										
Cities	----	----	----	1	(3)	(3)	(3)	(3)	(3)	(3)
Rural districts	----	----	----	1	(4)	(4)	(4)	(4)	(4)	(4)
Pennsylvania:										
Cities	4	2	3	4	5	2	5	5	5	----
Rural districts	2	2	3	3	----	2	1	1	2	1
Rhode Island:										
Cities	4	3	4	7	6	8	9	13	9	9
Rural districts	----	----	----	----	----	----	----	1	----	----
South Carolina:										
Cities	129	102	126	273	241	257	(3)	(3)	(3)	(3)
Rural districts	238	204	275	468	473	472	(4)	(4)	(4)	(4)
Tennessee:										
Cities	70	62	95	144	153	(7)	(3)	(3)	(3)	(3)
Rural districts	259	240	340	532	597	(4)	(4)	(4)	(4)	(4)
Utah:										
Cities	----	----	1	----	----	----	----	----	----	----
Vermont:										
Cities	----	----	1	1	2	----	1	----	----	----
Rural districts	2	1	6	4	3	2	2	2	3	3
Virginia:										
Cities	32	39	57	104	101	74	110	94	57	(3)
Rural districts	87	95	120	223	201	174	222	156	108	(4)
Washington:										
Cities	----	----	1	----	----	----	2	----	----	----
Rural districts	1	----	----	----	2	----	----	----	2	----
Wisconsin:										
Cities	----	----	----	1	1	1	----	----	2	----
Rural districts	1	1	2	1	2	----	1	2	3	2
Washington, D. C.	3	5	10	9	14	9	16	14	10	6
REGISTRATION CITIES IN NON-REGISTRATION STATES. [3]										
Birmingham, Ala.	29	30	51	109	81	50	116	44	38	26
Mobile, Ala.	20	7	24	35	57	45	55	23	22	7
Montgomery, Ala.	24	32	19	37	52	37	54	38	31	33
Jacksonville, Fla.	(9)	(9)	(9)	17	23	22	52	15	14	16
Key West, Fla.	(9)	(9)	(9)	----	----	----	----	----	1	----
Pensacola, Fla.	(9)	(9)	(9)	12	15	9	25	9	4	(4)
Tampa, Fla.	(9)	(9)	(9)	8	5	4	12	(4)	(4)	(4)
Atlanta, Ga.	29	38	43	93	98	80	134	110	82	66
Brunswick, Ga.	4	1	4	4	7	(4)	(4)	(4)	(4)	(4)
Augusta, Ga.	16	20	13	(7)	38	36	56	46	23	(4)
Savannah, Ga.	13	17	18	31	37	28	54	54	33	20
Chicago, Ill.	(9)	(9)	(9)	(9)	6	6	9	7	4	7
Decatur, Ill.	(9)	(9)	(9)	(9)	1	----	----	----	----	----
Jacksonville, Ill.	(9)	(9)	(9)	(9)	----	4	1	1	----	----
Quincy, Ill.	(9)	(9)	(9)	(9)	----	----	----	----	1	----
Springfield, Ill.	(9)	(9)	(9)	(9)	----	1	----	----	----	----
Coffeyville, Kans.	(9)	(9)	(9)	(9)	(9)	(9)	(9)	(9)	1	----
Kansas City, Kans	(9)	(9)	(9)	(9)	(9)	(9)	(9)	(9)	----	1
Parsons, Kans.	(9)	(9)	(9)	(9)	(9)	(9)	(9)	(9)	----	1
Topeka, Kans.	(9)	(9)	(1)	(9)	(9)	(9)	(9)	(9)	2	1
Wichita, Kans.	(9)	(9)	(9)	(9)	(9)	(9)	(9)	(9)	3	----
Alexandria, La.	(9)	(9)	(9)	(9)	5	(4)	(4)	(4)	(4)	(4)
Baton Rouge, La.	(9)	(9)	(9)	(9)	8	(4)	(4)	(4)	(4)	(4)
Lake Charles, La.	(9)	(9)	(9)	(9)	1	(4)	(4)	(4)	(4)	(4)
Monroe, La.	(9)	(9)	(9)	(9)	5	(4)	(4)	(4)	(4)	(4)
New Orleans, La.	(9)	(9)	(9)	(9)	50	46	76	67	53	23
Shreveport, La.	(9)	(9)	(9)	(9)	28	(4)	(4)	(4)	(4)	(4)
Hattiesburg, Miss.	(9)	(9)	(9)	6	8	14	36	(4)	(4)	(4)
Jackson, Miss.	(9)	(9)	(9)	82	108	90	122	(4)	(4)	(4)
Meridian, Miss.	(9)	(9)	(9)	43	59	19	62	(4)	(4)	(4)
Natchez, Miss.	(9)	(9)	(9)	9	16	17	18	(4)	(4)	(4)
Vicksburg, Miss.	(9)	(9)	(9)	15	25	14	52	(4)	(4)	(4)
Lincoln, Nebr.	(9)	(9)	----	1	----	1	----	----	----	----
Omaha, Nebr.	(9)	(9)	----	1	----	----	----	----	----	----
Portland, Oreg.	(9)	(9)	(9)	(9)	----	----	1	1	----	----
Oklahoma City, Okla.	8	5	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Charleston, S. C.	(9)	(9)	(9)	(9)	(9)	(9)	139	85	56	49
Columbia, S. C.	(9)	(9)	(9)	(9)	(9)	(9)	384	(4)	(4)	(4)
Greenville, S. C.	(9)	(9)	(9)	(9)	(9)	(9)	31	(4)	(4)	(4)
Spartanburg, S. C.	(9)	(9)	(9)	(9)	(9)	(9)	19	(4)	(4)	(4)
Chattanooga, Tenn.	(9)	(9)	(9)	(9)	(9)	(7)	52	21	(4)	(4)
Jackson, Tenn.	(9)	(9)	(9)	(9)	(9)	(7)	7	9	(4)	(4)
Knoxville, Tenn.	(9)	(9)	(9)	(9)	(9)	(7)	33	16	(7)	7
Memphis, Tenn.	(9)	(9)	(9)	(9)	(9)	(7)	104	107	37	26
Nashville, Tenn.	(9)	(9)	(9)	(9)	(9)	(7)	35	21	20	7

See notes at end of table.

Table AX—Con. AREA.	NUMBER OF DEATHS FROM PELLAGRA.									
	1921	1920	1919	1918	1917	1916	1915	1914	1913	1912
REGISTRATION CITIES IN NONREGISTRATION STATES [8]—con.										
Beaumont, Tex.	2	6	4	7	7	5	(4)	(4)	(4)	(4)
Cleburne, Tex.	(7)	(7)	3	3	2	(4)	(4)	(4)	(4)	(4)
Dallas, Tex.	25	18	19	36	24	30	(4)	(4)	(4)	(4)
El Paso, Tex.	1	1	2	5	11	1	4	3		
Galveston, Tex.	3	3	6	7	3	8	11	9	4	6
Houston, Tex.	12	10	21	25	25	(4)	(4)	(4)	(4)	(4)
San Antonio, Tex.	7	12	11	29	18	16	31	17	13	4
Alexandria, Va.	(9)	(9)	(9)	(9)	(9)	(9)	(9)	(9)	(9)	1
Danville, Va.	(9)	(9)	(9)	(9)	(9)	(9)	(9)	(9)	(9)	10
Lynchburg, Va.	(9)	(9)	(9)	(9)	(9)	(9)	(9)	(9)	(9)	6
Norfolk, Va.	(9)	(9)	(9)	(9)	(9)	(9)	(9)	(9)	(9)	11
Petersburg, Va.	(9)	(9)	(9)	(9)	(9)	(9)	(9)	(9)	(9)	5
Richmond, Va.	(9)	(9)	(9)	(9)	(9)	(9)	(9)	(9)	(9)	12
Roanoke, Va.	(9)	(9)	(9)	(9)	(9)	(9)	(9)	(9)	(9)	3

[1] Exclusive of Hawaii.
[2] Including District of Columbia.
[3] Included with cities in nonregistration States.
[4] Not added to registration area until a later date.
[5] Includes only municipalities having from 1,000 to 10,000 population in 1910.
[6] Includes only municipalities having from 1,000 to 10,000 population in 1900.
[7] Transcripts of deaths not received.
[8] Includes cities which were in nonregistration States for at least one year of the series shown.
[9] Included with cities in registration States.

DIABETES MELLITUS.

The number of deaths from diabetes mellitus in 1921 is 14,933, corresponding to a crude death rate of 16.8 per 100,000 population. This is the highest rate since 1917, and, with the exception of the rates for 1915, 1916, and 1917, is the highest for the series of years shown. The rate for cities in the States is much higher in every year than that for the rural districts, and the rate for all registration cities is higher in 1921 than in any other year shown.

As the registration area was exactly the same for 1920 and 1921, rates for these two years are strictly comparable. In every subdivision of the area an increase is shown in 1921, but the most striking appears for registration cities in nonregistration States (from 11.4 in 1920 to 17 in 1921).

Among the registration States 8 show rates above 20 in 1921, and all but 10 show increases over 1920. The States with the highest rates are New Hampshire (29), Maine (26), Vermont (24.7), New York (23.4), and Connecticut (22.2), and those with the lowest rates are Mississippi (5.8), Tennessee (6.1), South Carolina (7.3), North Carolina (7.5), and Kentucky (8.7).

Of the 66 cities shown 29 have rates of 20 or more per 100,000 population, and 39 have higher rates in 1921 than in 1920. The greatest increases appear for Dallas (from 9.9 in 1920 to 23.4 in 1921), Reading from (25.9 to 38.5), and Fall River (from 14.9 to 27.3). The cities with the highest rates are Reading (38.5), Albany (31.3), Hartford (30.4), Scranton (29.5), and New Haven and Worcester (28.1, each). The lowest rates appear for Akron (7.7), Memphis (10.9), and Detroit (11.3).

In the 9 States and 14 cities shown by color, the rate for the colored is lower than that for the white in all but Kentucky, Atlanta, and Indianapolis.

Table AY shows the death rates per 100,000 population for the years 1912 to 1921, rates of 20 and higher being printed in bold-faced type.

Table AY AREA.	DEATH RATE FROM DIABETES MELLITUS PER 100,000 POPULATION. [Rates of 20 or more in bold-faced type.]									
	1921	1920	1919	1918	1917	1916	1915	1914	1913	1912
SUMMARY.										
The registration area [1]	16.8	16.1	14.9	15.9	17.0	17.1	17.5	16.2	15.3	15.0
Registration States [2]	16.8	16.2	14.9	16.0	17.0	17.1	17.7	16.3	15.4	15.0
Cities in registration States [2]	20.2	19.4	18.0	18.8	20.3	20.0	20.1	18.4	17.5	16.9
Rural part of registration States	13.6	13.1	12.2	13.4	14.1	14.4	15.4	14.3	13.4	13.1
Registration cities in nonregistration States	17.0	11.4	12.6	13.2	16.7	17.7	15.7	14.8	13.9	14.5
All registration cities [3]	20.1	19.1	17.8	18.6	19.8	19.7	19.4	17.9	16.9	16.5
REGISTRATION STATES.										
California	20.3	17.1	17.3	16.4	18.9	18.1	17.6	18.1	18.4	17.9
Colorado	14.3	14.5	10.8	13.1	14.2	11.2	12.4	12.2	10.4	10.0
Connecticut	22.2	21.1	19.5	19.8	21.7	22.0	22.3	19.6	20.3	19.7
Delaware	14.6	10.7	11.3	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Florida (total)	10.4	8.8	7.2	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	13.3	11.4	9.9	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	4.5	3.6	2.1	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Illinois	18.0	17.9	15.9	16.8	(3)	(3)	(3)	(3)	(3)	(3)
Indiana	16.3	16.5	16.5	17.1	18.0	17.0	17.9	14.5	16.6	15.9
Kansas	15.6	16.6	15.2	15.3	18.1	17.7	17.3	13.6	(3)	(3)
Kentucky (total)	8.7	7.5	7.8	7.5	9.7	9.7	8.5	7.4	7.4	8.1
White	8.5	7.2	7.8	7.0	9.7	9.5	8.4	7.4	7.7	8.0
Colored	11.2	10.2	7.6	12.1	10.3	11.4	9.7	7.6	4.3	8.6
Louisiana (total)	9.4	7.8	6.6	6.3	(3)	(3)	(3)	(3)	(3)	(3)
White	11.9	9.5	7.9	8.5	(3)	(3)	(3)	(3)	(3)	(3)
Colored	5.6	5.1	4.7	2.8	(3)	(3)	(3)	(3)	(3)	(3)
Maine	26.0	21.8	20.9	21.9	27.8	20.0	23.1	20.0	17.0	21.0
Maryland (total)	17.1	17.0	16.2	16.8	14.6	15.8	13.8	15.3	13.5	12.9
White	18.5	18.2	17.1	17.6	16.2	17.1	15.7	16.8	14.2	13.8
Colored	10.1	11.4	11.9	12.8	7.0	9.6	4.6	8.4	10.1	8.5
Massachusetts	20.2	20.9	19.5	20.9	21.3	23.3	21.6	19.8	20.6	19.5
Michigan	16.5	16.3	15.7	16.8	17.3	15.9	16.7	15.8	15.5	14.4
Minnesota	18.1	17.3	13.6	16.8	15.6	16.4	16.3	15.0	13.6	12.4
Mississippi (total)	5.8	5.8	5.0	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	8.5	7.6	6.0	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	3.3	4.1	4.0	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Missouri	15.9	12.1	13.9	14.6	14.4	15.4	14.3	13.9	13.1	12.1
Montana	9.9	10.8	10.0	14.9	12.9	15.2	13.9	11.5	10.2	7.2
Nebraska	19.5	20.7	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
New Hampshire	29.0	23.4	16.0	22.0	25.7	23.7	22.9	25.5	23.7	20.5
New Jersey	19.7	18.6	17.4	18.5	21.3	18.8	19.0	19.2	16.7	15.7
New York	23.4	23.3	21.2	22.4	24.2	22.5	24.5	21.4	19.2	18.2
North Carolina (total)	7.5	7.7	6.2	7.2	6.5	6.6	[4] 9.0	[4] 10.8	[5] 6.2	[5] 9.0
White	8.3	8.6	7.2	7.9	7.7	7.6	11.3	13.6	8.0	12.3
Colored	5.6	5.6	3.9	5.4	3.7	4.4	4.7	5.5	2.8	2.9
Ohio	18.0	17.6	16.3	15.9	16.6	18.7	16.0	15.9	15.7	15.3
Oregon	21.2	17.5	21.1	17.1	(3)	(3)	(3)	(3)	(3)	(3)
Pennsylvania	17.3	16.3	14.5	15.5	16.9	15.8	15.8	14.8	11.9	12.4
Rhode Island	19.7	20.2	24.5	18.3	20.2	20.4	24.0	21.4	25.0	20.5
South Carolina (total)	7.3	6.2	6.0	7.1	5.4	4.6	(3)	(3)	(3)	(3)
White	10.2	9.0	9.0	10.2	7.0	7.0	(3)	(3)	(3)	(3)
Colored	4.4	3.6	3.1	4.2	3.8	2.3	(3)	(3)	(3)	(3)
Tennessee (total)	6.1	6.2	6.6	6.8	7.0	(3)	(3)	(3)	(3)	(3)
White	6.3	6.1	6.8	7.2	7.5	(3)	(3)	(3)	(3)	(3)
Colored	5.4	6.4	5.7	5.3	4.8	(3)	(3)	(3)	(3)	(3)
Utah	14.3	13.2	11.2	14.6	10.7	16.1	13.3	12.3	12.5	8.7
Vermont	24.7	19.6	24.7	22.1	23.2	27.7	21.2	22.9	21.4	22.8
Virginia (total)	10.1	9.3	8.4	8.5	8.7	9.0	9.6	8.2	7.5	(3)
White	10.8	10.4	9.3	9.8	10.2	9.8	10.3	9.3	8.9	(3)
Colored	8.2	6.8	6.1	5.7	5.2	7.3	8.2	5.7	4.4	(3)
Washington	15.1	13.9	15.4	16.9	15.4	14.6	15.3	13.8	14.2	10.2
Wisconsin	17.5	18.7	15.1	15.5	16.3	17.3	18.2	15.5	15.4	14.4
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920.										
Akron	7.7	10.7	10.4	8.0	9.2	7.5	12.0	9.4	10.6	7.0
Albany	31.3	29.0	16.8	32.3	28.1	28.4	28.2	31.4	29.8	24.3
Atlanta (total)	16.4	12.8	12.6	14.5	12.7	17.9	13.3	11.4	14.1	14.6
White	14.7	15.1	17.6	18.1	13.2	20.7	14.8	14.4	14.8	17.2
Colored	20.2	7.9	1.6	6.5	11.6	11.9	10.4	5.3	12.6	9.2

See notes at end of table.

Table AY—Con. DEATH RATE FROM DIABETES MELLITUS PER 100,000 POPULATION. [Rates of 20 or more in bold-faced type.]

AREA.	1921	1920	1919	1918	1917	1916	1915	1914	1913	1912
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—con.										
Baltimore (total)	22.1	20.6	19.9	19.2	19.7	19.7	17.8	19.4	15.8	17.2
White	23.9	21.4	20.2	20.7	21.9	21.6	20.6	21.7	16.2	18.3
Colored	11.7	15.5	18.5	11.8	8.0	10.3	3.1	7.5	13.1	11.2
Birmingham (total)	14.0	6.6	8.5	12.2	13.1	8.0	16.4	3.9	6.7	8.4
White	15.0	10.0	10.2	13.4	13.8	10.1	19.8	3.2	6.7	8.0
Colored	12.3	1.4	5.7	10.3	12.1	4.7	11.3	5.0	6.8	8.8
Boston	19.8	24.2	23.5	19.6	21.3	26.6	27.1	25.5	23.9	21.1
Bridgeport	14.6	19.9	17.7	17.5	15.1	21.8	20.1	22.5	13.8	20.6
Buffalo	22.3	23.5	23.5	22.7	26.4	23.7	23.7	19.4	18.2	16.9
Cambridge	14.5	25.5	22.8	23.9	31.4	17.6	21.4	8.4	19.7	14.2
Camden	20.1	14.5	11.3	9.7	20.8	16.6	9.4	13.5	11.8	17.1
Chicago	20.3	20.4	18.7	18.9	19.1	20.3	17.6	17.4	15.9	15.9
Cincinnati	25.0	22.9	18.2	23.3	22.1	29.3	17.7	26.7	23.0	17.7
Cleveland	17.1	17.2	15.2	12.6	16.8	19.1	16.5	14.3	17.1	14.2
Columbus	20.2	22.1	19.6	17.9	13.0	21.6	20.8	14.1	19.4	14.4
Dallas (total)	23.4	9.9	13.4	9.2	10.3	9.9	(3)	(3)	(3)	(3)
White	25.3	11.0	15.8	8.2	11.3	9.8	(3)	(3)	(3)	(3)
Colored	12.3	4.1	.....	14.6	4.9	10.0	(3)	(3)	(3)	(3)
Dayton	13.3	16.8	13.9	21.1	15.4	11.5	19.9	11.3	10.1	14.4
Denver	15.6	19.7	11.8	17.2	22.0	15.8	18.2	15.9	16.7	13.0
Detroit	11.3	13.4	11.6	11.8	13.2	12.7	14.2	12.8	13.8	12.3
Fall River	27.3	14.9	18.3	15.8	23.3	25.8	20.8	20.0	14.2	20.9
Grand Rapids	18.4	18.7	17.6	14.2	15.2	18.1	17.6	13.9	17.5	16.1
Hartford	30.4	23.6	16.2	22.7	26.6	23.4	33.4	22.4	22.4	19.5
Houston (total)	15.2	10.0	11.0	13.1	12.7	(3)	(3)	(3)	(3)	(3)
White	17.2	12.3	12.7	14.3	15.9	(3)	(3)	(3)	(3)	(3)
Colored	8.6	2.9	5.9	9.6	3.3	(3)	(3)	(3)	(3)	(3)
Indianapolis (total)	19.0	19.5	20.0	21.4	20.7	16.8	20.4	9.7	17.8	19.6
White	18.7	20.2	20.6	20.7	20.9	16.8	20.4	10.9	17.2	20.4
Colored	21.8	14.1	14.6	27.4	19.0	16.6	20.9	.....	23.0	12.1
Jersey City	17.2	16.4	18.2	24.9	21.4	19.5	21.1	17.8	14.8	13.8
Kansas City, Kans (total)	18.3	17.6	16.0	11.2	19.7	11.6	20.5	11.0	13.4	18.3
White	19.2	16.0	17.5	11.8	19.2	13.4	19.8	12.6	14.1	20.8
Colored	13.1	27.2	7.0	7.3	22.8	.....	24.7	.....	9.0	.....
Kansas City, Mo	18.7	13.4	13.4	18.9	16.1	16.2	15.6	17.4	12.1	16.2
Los Angeles	23.4	16.8	16.3	17.2	19.6	22.7	19.3	16.9	17.3	20.0
Louisville (total)	18.6	21.7	14.5	13.3	20.2	17.7	16.4	10.8	13.5	18.5
White	18.9	21.5	15.4	12.9	23.4	18.8	19.4	13.2	15.9	18.2
Colored	17.5	22.5	10.0	14.9	5.0	12.4	2.5	.....	2.5	19.7
Lowell	19.3	11.5	13.3	16.1	19.8	20.8	7.3	10.1	13.8	16.7
Memphis (total)	10.9	12.8	12.7	5.4	11.0	(6)	11.3	10.7	9.4	9.6
White	15.4	17.6	13.7	8.6	13.1	(6)	11.4	12.8	10.7	10.9
Colored	3.2	4.9	11.0	.....	7.4	(6)	11.2	7.5	7.5	7.5
Milwaukee	16.2	19.7	17.6	16.6	16.7	16.7	19.4	19.5	16.0	13.6
Minneapolis	20.9	23.1	16.5	16.3	16.7	19.0	17.4	16.7	16.5	13.1
Nashville (total)	14.7	15.2	15.3	12.8	15.5	(6)	14.0	11.4	7.1	9.8
White	17.5	13.2	15.8	14.8	18.7	(6)	16.6	15.5	7.8	13.2
Colored	8.3	19.7	14.0	8.4	8.4	(6)	8.3	2.8	5.5	2.8
New Bedford	20.0	14.7	19.2	20.4	18.3	17.8	17.3	14.9	14.3	12.7
New Haven	28.1	27.4	19.2	22.8	31.0	23.7	20.8	26.0	26.5	16.4
New Orleans (total)	19.8	15.7	15.1	16.1	14.9	15.7	15.6	15.0	8.5	14.6
White	23.3	17.0	17.3	19.6	15.2	19.1	16.7	17.3	8.8	15.5
Colored	9.7	11.8	8.9	6.0	14.2	6.2	12.5	8.4	7.5	11.9
New York	24.1	23.4	21.2	22.3	24.3	22.8	24.1	21.7	20.0	18.6
Bronx Borough	24.9	24.6	24.4	23.5	22.6	24.5	31.7	22.4	18.9	19.0
Brooklyn Borough	22.0	20.5	20.2	21.0	22.1	21.0	22.5	21.4	18.5	17.5
Manhattan Borough	26.0	26.8	22.1	23.7	26.6	24.9	23.7	22.4	21.4	19.6
Queens Borough	23.1	19.6	18.1	19.3	25.9	18.1	24.5	18.7	20.0	17.2
Richmond Borough	22.3	17.8	13.9	20.6	18.4	17.1	16.6	19.1	19.8	17.2
Newark, N. J.	18.4	22.7	19.5	22.5	24.7	25.1	20.3	21.5	21.6	16.8
Norfolk (total)	15.7	11.9	14.0	11.8	11.3	13.6	15.1	16.7	13.0	9.1
White	21.2	16.3	11.3	17.5	12.1	19.0	23.0	22.3	14.4	9.4
Colored	6.6	4.5	18.6	2.4	9.8	5.0	2.6	8.0	11.0	8.5
Oakland	20.3	18.2	17.9	17.0	18.1	17.1	20.5	19.6	22.1	18.2
Omaha	22.8	19.6	24.8	14.5	18.6	17.2	19.4	12.9	11.8	12.1
Paterson	24.0	20.5	19.9	18.6	17.3	18.9	23.6	22.3	16.3	19.5
Philadelphia	19.1	18.1	14.6	18.4	19.1	18.0	18.7	19.6	13.7	14.7
Pittsburgh	15.4	18.8	13.2	11.9	17.6	14.6	12.1	14.3	10.0	9.7
Portland, Oreg	26.1	19.6	27.3	26.2	19.4	16.9	24.1	23.7	16.2	18.4
Providence	16.7	24.8	25.3	19.1	20.1	20.6	24.6	20.4	27.1	19.8
Reading	38.5	25.9	20.5	31.0	19.9	28.7	17.4	19.0	15.2	14.3
Richmond (total)	15.9	16.2	11.7	14.9	17.0	11.7	13.2	10.1	13.2	12.0
White	17.3	17.7	13.8	19.3	24.2	11.9	14.1	13.2	15.8	15.1
Colored	12.9	12.9	7.4	5.6	1.9	11.2	11.3	4.2	8.4	6.4
Rochester	27.8	23.4	23.2	22.5	28.2	28.9	27.1	19.7	21.8	22.4
St. Louis	21.1	16.1	19.3	17.4	18.8	20.1	18.7	18.9	15.9	15.0
St. Paul	22.3	20.4	17.1	21.2	17.0	20.2	19.1	15.2	15.4	16.9
Salt Lake City	24.7	21.0	14.5	21.2	9.0	20.3	19.8	15.5	12.9	8.2
San Antonio	12.8	10.9	8.9	11.2	18.0	11.6	9.9	11.2	9.3	6.3
San Francisco	25.0	21.9	23.1	22.5	26.7	24.2	25.2	23.9	25.1	26.5
Scranton	29.5	21.0	17.5	16.1	18.4	20.0	8.9	21.0	17.4	16.7
Seattle	18.4	15.0	14.5	17.1	15.6	17.0	17.2	15.8	16.3	10.9
Spokane	21.1	22.0	18.2	26.8	15.3	12.4	27.8	13.4	14.4	14.4
Springfield, Mass	16.9	24.3	17.3	15.4	22.7	24.3	24.4	17.8	23.5	27.5
Syracuse	27.6	24.7	21.8	33.6	24.5	13.2	24.4	24.3	15.5	20.0
Toledo	17.3	17.8	17.1	13.3	16.8	18.8	14.1	16.2	23.0	23.4
Trenton	13.0	18.3	18.6	12.1	18.5	20.7	22.0	12.2	10.6	19.6
Washington, D. C. (total)	17.4	15.1	17.8	16.9	17.8	18.0	18.5	17.8	18.0	15.2
White	17.4	14.8	17.7	18.5	18.8	20.4	21.4	22.1	19.9	18.7
Colored	17.2	16.1	18.2	12.0	15.0	11.4	10.6	5.9	13.0	6.1
Wilmington, Del	17.6	12.6	8.4	9.5	18.4	17.9	8.1	9.3	5.3	9.8
Worcester	28.1	20.9	18.5	24.1	23.4	25.7	31.1	16.8	21.6	18.9
Yonkers	15.5	22.7	20.2	14.4	15.8	16.2	14.3	10.2	10.4	11.8
Youngstown	13.6	12.6	10.0	18.4	12.5	12.1	8.1	15.1	12.7	11.2

[1] Exclusive of Hawaii.
[2] Including District of Columbia.
[3] Not added to registration area until a later date.
[4] Includes only municipalities having a population of 1,000 or more in 1910.
[5] Includes only municipalities having a population of 1,000 or more in 1900.
[6] Transcripts of deaths not received.

ALCOHOLISM AND CIRRHOSIS OF THE LIVER.

The declining death rates from alcoholism and cirrhosis of the liver in recent years are of particular interest in view of war-time prohibition measures and later national prohibition.

The registration States of 1910 show a declining rate from alcoholism from 6.3 per 100,000 population in 1917 to 1.2 in 1920, with an increase to 2 in 1921 and a declining rate from cirrhosis of the liver from 12.2 in 1917 to 7.6 in 1920, with a slight increase to 7.9 in 1921. States like Kansas, Maine, Tennessee, and North Carolina, which had prohibition laws long before the war and which already in 1917 had comparatively low mortality rates from alcoholism and cirrhosis of the liver, show for recent years either smaller declines or slight increases in death rates from these causes.

The deaths and death rates per 100,000 population, from wood alcohol poisoning (including denatured alcohol) in the United States death registration area, 1920 and 1921 were as follows:

YEAR.	Number of deaths.	Rate per 100,000 population.
1921	194	0.2
1920	359	0.4

The death rates from alcoholism and cirrhosis of the liver per 100,000 population, together with the death rate from all causes, from 1910 to 1921 are shown in Table BB on page 71.

DEATH RATES FROM ALCOHOLISM AND CIRRHOSIS OF THE LIVER.

[Rates in *italics* are based on less than 5 deaths.]

Table AZ

AREA.	DEATH RATE PER 100,000 POPULATION FROM—																							
	Alcoholism.												Cirrhosis of the liver.											
	1921	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911	1910	1921	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911	1910
SUMMARY.																								
The registration area [1]	1.8	1.0	1.6	2.7	5.2	5.8	4.4	4.9	5.9	5.3	4.9	5.4	7.4	7.1	7.9	9.6	11.4	12.3	12.6	13.0	13.4	13.5	14.0	13.9
Registration States [2]	1.8	1.0	1.6	2.7	5.2	5.7	4.4	5.0	6.0	5.3	4.8	5.5	7.4	7.1	7.9	9.5	11.0	11.9	12.2	12.5	12.9	13.1	13.6	13.3
Cities in registration States [2]	2.2	1.3	2.2	3.5	7.1	7.9	5.4	6.2	7.5	6.4	5.8	6.7	8.6	8.1	9.4	11.8	14.0	15.1	14.5	15.4	16.2	15.9	16.7	16.1
Rural part of registration States	1.4	0.7	1.1	2.0	3.5	3.8	3.4	3.7	4.4	4.1	3.8	4.1	6.2	6.1	6.5	7.5	8.3	8.9	9.8	9.7	9.7	10.1	10.5	10.2
Registration cities in nonregistration States	2.6	1.9	1.9	2.7	5.7	7.0	4.4	4.8	5.4	5.1	5.1	4.7	9.8	9.6	9.0	13.7	17.4	18.3	17.6	18.1	19.3	18.8	18.7	18.8
All registration cities [2]	2.3	1.4	2.1	3.4	6.9	7.8	5.2	6.0	7.2	6.2	5.7	6.3	8.7	8.2	9.4	11.9	14.4	15.6	15.0	15.8	16.7	16.4	17.0	16.6
REGISTRATION STATES.																								
California	2.0	1.0	2.6	4.3	6.5	6.6	6.2	6.9	7.5	8.0	8.6	8.7	9.8	9.5	12.5	14.2	15.1	15.4	14.6	15.4	17.7	20.0	20.1	18.4
Colorado	3.2	0.7	0 8	1.4	2.3	3.0	7.2	8.3	7.6	8.1	9.1	7.4	5.6	4.1	4.2	6.2	7.0	7.1	7.3	7.2	7.5	8.4	11.3	9.5
Connecticut	1.6	1.0	1.8	5.2	9.6	8.2	5.7	4.9	8.6	7.7	6.6	7.7	7.0	6.7	9.3	10.7	11.0	11.7	11.5	13.7	12.1	12.2	14.4	14.4
Delaware	*1.8*	*0.9*	2.3	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	8.0	5.4	5.9	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Florida (total)	2.9	1.9	1.4	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	8.7	7.1	6.6	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
White	2.7	2.3	1.4	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	6.1	6.5	5.1	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Colored	3.3	*1.2*	*1.2*	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	13.8	8.4	9.4	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Illinois	1.9	0.7	1.5	1.8	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	8.3	8.7	9.9	10.9	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Indiana	1.1	0.5	0.8	1.2	3.9	5.1	3.2	3.5	4.0	4.0	3.6	3.3	9.6	9.8	8.9	11.3	12.8	13.6	13.8	12.9	12.1	13.1	12.6	11.3
Kansas	0.8	0.7	*0.2*	0.8	1.0	2.2	1.2	1.3	(2)	(2)	(2)	(2)	7.0	6.3	7.1	7.4	7.6	8.8	8.0	7.7	(2)	(2)	(2)	(2)
Kentucky (total)	1.3	0.4	1.4	1.6	2.3	3.0	2.5	3.2	2.7	2.3	2.0	(2)	5.3	4.1	4.5	5.8	7.2	7.6	6.7	8.3	8.3	8.8	8.7	(2)
White	1.4	0.3	1.3	1.5	1.9	2.5	2.3	2.8	2.5	1.9	1.9	(2)	4.8	3.7	3.9	5.5	6.3	6.9	6.3	7.8	7.7	8.0	8.3	(2)
Colored	*0.9*	*1.3*	2.5	2.5	5.8	6.5	3.6	7.2	4.7	5.5	3.5	(2)	10.8	8.1	10.5	8.7	15.2	13.9	10.5	12.4	13.0	15.6	12.0	(2)
Louisiana (total)	1.0	0.5	0.7	1.7	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	9.6	8.9	8.2	10.2	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
White	1.4	0.6	0.9	1.9	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	8.4	9.1	8.1	10.0	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Colored	*0.4*	*0.3*	*0.3*	1.4	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	11.4	8.4	8.3	10.5	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Maine	2.1	1.3	1.7	2.2	3.0	5.1	3.8	3.5	3.9	4.9	4.2	2.8	4.4	4.4	6.1	4.3	6.7	8.4	8.5	6.9	7.7	6.7	5.4	8.3
Maryland (total)	2.0	0.7	1.7	3.7	5.0	5.5	4.3	5.1	5.8	5.1	4.0	4.5	6.2	6.2	8.2	9.5	11.4	10.9	9.1	9.8	10.3	10.1	12.6	9.6
White	2.0	0.7	1.8	4.1	4.7	5.5	3.6	4.7	5.5	4.8	4.3	4.7	6.4	6.3	8.8	9.6	11.9	11.2	9.3	9.9	9.9	10.6	13.7	10.0
Colored	2.0	*0.8*	*1.2*	2.1	6.2	5.0	7.5	7.1	7.2	6.4	3.0	3.4	5.3	6.1	5.3	9.1	8.7	9.6	8.4	9.7	12.2	7.6	7.3	7.7
Massachusetts	3.2	1.8	2.5	5.0	8.1	8.2	6.4	7.8	8.2	8.5	6.5	6.4	5.3	5.4	5.7	7.5	8.3	9.7	9.3	9.3	10.3	10.0	9.9	10.1
Michigan	2.2	1.5	1.1	2.5	7.5	7.1	3.1	3.6	4.6	3.8	3:2	3.6	7.6	8.3	8.0	9.5	10.9	13.2	11.8	12.2	10.6	12.0	11.6	12.2
Minnesota	1.8	0.8	1.4	2.4	4.3	4.3	4.9	6.2	6.1	4.2	4.4	5.1	6.0	4.8	6.0	7.0	6.9	6.6	7.6	9.2	7.5	7.6	8.5	6.6
Mississippi (total)	0.6	0.3	0.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	4.2	5.0	3.7	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	1.3	*0.3*	0.9	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	2.9	4.1	2.9	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	.....	*0.3*	*0.3*	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	5.3	5.8	4.5	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Missouri	1.0	0.4	1.1	2.1	2.8	3.2	3.2	3.7	5.2	3.9	2.4	(3)	9.3	8.0	9.5	10.9	13.1	12.2	12.9	13.1	13.5	15.8	14.1	(3)
Montana	3.3	1.8	1.9	11.5	24.6	17.7	14.1	14.6	17.1	15.2	10.1	14.7	6.1	6.6	5.7	8.0	13.1	10.9	9.8	12.0	12.5	8.7	11.1	9.7
Nebraska	1.1	0.5	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	5.1	4.5	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
New Hampshire	2.7	1.8	1.6	3.2	5.5	7.8	4.3	6.2	6.4	8.3	4.6	5.8	9.2	7.4	9.0	11.1	13.2	14.6	12.1	13.1	11.3	10.4	11.8	6.7
New Jersey	1.5	0.9	1.5	2.5	5.2	6.6	4.5	5.3	7.0	5.7	5.4	6.0	8.5	7.8	8.8	11.0	14.9	15.4	15.8	15.4	15.6	15.8	15.2	17.2
New York	1.5	1.2	2.0	3.0	6.4	8.2	5.2	5.9	7.3	6.1	5.7	6.6	9.0	8.3	9.1	11.6	14.4	16.2	15.7	16.8	16.9	16.6	18.2	18.2
North Carolina (total)	1.3	1.0	0.8	0.5	0.9	1.3	[4] 2.3	[4] 3.8	[5] 2.7	[5] 4.1	[5] 2.4	[5] 2.8	3.9	3.7	3.3	4.4	4.1	4.8	[4] 8.2	[4] 5.7	[5] 8.7	[5] 7.9	[5] 8.2	[5] 9.9
White	1.3	1.1	1.0	0.5	1.0	1.4	3.1	4.5	3.4	4.7	2.5	3.8	3.9	3.3	3.0	4.4	3.6	5.1	7.5	6.8	8.4	9.5	7.0	11.5
Colored	1.5	1.0	*0.5*	0.7	*0.5*	1.2	*0.6*	*2.4*	*1.4*	*2.9*	*2.3*	*0.8*	3.8	4.8	4.1	4.4	5.3	4.1	9.5	3.7	9.1	5.1	10.6	7.0
Ohio	2.1	1.2	2.6	4.0	7.4	6.3	4.2	4.3	6.5	5.2	4.8	4.0	8.2	9.1	9.7	12.0	14.2	14.0	13.7	14.9	14.6	14.0	14.8	13.9
Oregon	2.6	1.6	0.8	0.9	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	6.6	6.3	7.6	4.7	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Pennsylvania	2.2	1.2	2.1	3.7	6.8	6.0	3.7	3.8	4.4	3.9	3.6	4.1	8.3	8.0	8.9	11.6	12.8	13.5	13.0	12.9	14.3	13.0	13.7	12.9
Rhode Island	3.3	1.3	2.7	4.2	9.2	8.9	5.2	6.7	7.3	5.2	8.0	5.9	9.4	6.3	9.1	9.1	11.4	12.7	13.4	10.7	14.9	15.4	15.1	14.0
South Carolina (total)	0.8	0.5	0.5	0.5	0.8	1.2	(3)	(3)	(3)	(3)	(3)	(3)	2.7	2.7	2.4	2.7	2.6	3.1	(3)	(3)	(3)	(3)	(3)	(3)
White	1.2	0.8	0.7	0.8	1.1	1.0	(3)	(3)	(3)	(3)	(3)	(3)	2.4	1.9	2.1	2.9	3.2	2.7	(3)	(3)	(3)	(3)	(3)	(3)
Colored	*0.3*	*0.1*	*0.2*	*0.2*	*0.5*	1.4	(3)	(3)	(3)	(3)	(3)	(3)	3.1	3.3	2.8	2.4	2.1	3.4	(3)	(3)	(3)	(3)	(3)	(3)
Tennessee (total)	1.4	0.9	0.9	0.9	1.0	(3)	(3)	(3)	(3)	(3)	(3)	(3)	4.2	4.0	5.2	4.8	5.5	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	1.0	0.8	0.8	0.9	0.9	(3)	(3)	(3)	(3)	(3)	(3)	(3)	3.7	3.5	4.6	4.1	4.9	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	2.9	1.3	1.1	*0.9*	1.3	(3)	(3)	(3)	(3)	(3)	(3)	(3)	6.2	6.0	7.9	7.7	7.7	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Utah	1.7	1.1	*0.7*	*0.7*	4.9	5.2	3.6	7.4	7.5	4.9	5.2	4.8	5.4	3.5	4.9	3.4	5.1	7.1	7.5	7.4	6.8	6.1	5.5	4.8
Vermont	1.7	1.4	2.3	3.1	3.4	2.8	4.5	4.8	5.1	5.1	4.8	3.9	9.1	6.2	4.3	4.5	10.2	5.7	13.3	11.9	9.9	8.7	11.5	9.0
Virginia (total)	1.8	0.8	0.7	1.0	1.0	2.7	3.0	3.3	3.0	(3)	(3)	(3)	4.8	4.4	4.8	5.6	5.5	6.1	6.9	7.2	7.7	(3)	(3)	(3)
White	2.2	1.0	0.7	1.3	1.1	2.7	3.3	3.2	3.3	(3)	(3)	(3)	4.1	3.6	3.5	4.9	5.4	6.1	6.3	6.9	6.8	(3)	(3)	(3)
Colored	1.0	*0.1*	*0.6*	*0.3*	0.7	2.6	2.2	3.7	2.4	(3)	(3)	(3)	6.5	6.4	7.8	7.1	5.8	6.3	8.4	7.8	9.7	(3)	(3)	(3)
Washington	2.7	2.6	2.3	2.4	1.8	2.8	5.9	8.4	8.2	6.6	6.5	12.8	5.4	4.2	4.2	6.0	5.4	6.9	9.3	7.8	6.1	8.0	6.2	6.5
Wisconsin	1.6	0.8	1.5	3.8	4.2	5.6	4.2	4.1	4.8	3.6	4.2	4.4	6.9	7.1	8.0	8.2	11.2	11.4	11.3	12.1	13.4	9.7	12.4	11.0

[1] Exclusive of Hawaii.
[2] Including District of Columbia.
[3] Not added to registration area until a later date.
[4] Includes only municipalities having a population of 1,000 or more in 1910.
[5] Includes only municipalities having a population of 1,000 or more in 1900.

DEATH RATES FROM ALCOHOLISM AND CIRRHOSIS OF THE LIVER.

Table BB — YEAR.	DEATH RATE PER 100,000 POPULATION.								
	Registration area.[1]			Registration States of 1910.[2]			Registration States of 1900.[3]		
	All causes.	Alcoholism.	Cirrhosis of liver.	All causes.	Alcoholism.	Cirrhosis of liver.	All causes.	Alcoholism.	Cirrhosis of liver.
1921	1,163.9	1.8	7.4	1,188.3	2.0	7.9	1,215.1	1.9	8.1
1920	1,306.0	1.0	7.1	1,332.3	1.2	7.6	1,379.0	1.2	7.7
1919	1,287.4	1.6	7.9	1,306.2	1.9	8.4	1,348.7	1.8	8.3
1918	1,809.1	2.7	9.6	1,853.9	3.4	10.3	1,887.3	3.0	10.2
1917	1,425.5	5.2	11.4	1,423.9	6.3	12.2	1,496.4	6.4	12.4
1916	1,404.3	5.8	12.3	1,415.4	6.6	13.0	1,497.3	7.4	13.8
1915	1,355.0	4.4	12.6	1,346.4	4.7	12.8	1,428.8	4.8	13.5
1914	1,364.6	4.9	13.0	1,359.0	5.3	13.2	1,442.5	5.4	13.8
1913	1,409.6	5.9	13.4	1,401.4	6.3	13.4	1,471.3	6.6	13.7
1912	1,388.8	5.3	13.5	1,370.5	5.5	13.1	1,458.0	5.9	13.8
1911	1,418.1	4.9	14.0	1,399.9	5.2	13.9	1,500.2	5.3	14.4
1910	1,496.2	5.4	13.9	1,469.2	5.5	13.3	1,562.4	5.6	14.4

[1] Exclusive of Hawaii.
[2] Including District of Columbia and excluding North Carolina.
[3] Including District of Columbia.

DISEASES OF THE HEART.

The number of deaths in 1921 from diseases of the heart, which includes titles 87 to 90, is 139,264, corresponding to a rate of 157.1 per 100,000 population, and constituting 13.5 per cent of the deaths from all causes. In each year from 1912 to 1921 there were more deaths from diseases of the heart than from tuberculosis (all forms).

In making comparisons it must not be forgotten that nearly all persons who die of heart diseases have passed middle life, and therefore the crude death rates should be used with caution and considered only in connection with the age distribution of the population.

The greatest increases among the States in the 10-year period 1912 to 1921 are for Washington (from 93.3 to 131.7), New York (from 177.6 to 211.3), Maine (from 194.3 to 222.3), Vermont (from 231.2 to 255.9), and Maryland (from 162.5 to 184.7).

Table BC shows the rates per 100,000 population for 1912 to 1921, rates of 200 and higher being printed in bold-faced type.

Table BC — AREA.	DEATH RATE FROM DISEASES OF THE HEART PER 100,000 POPULATION. [Rates of 200 or more in bold-faced type.]									
	1921	1920	1919	1918	1917	1916	1915	1914	1913	1912
SUMMARY.										
The registration area[1]	157.1	159.3	146.7	170.1	171.7	168.7	165.7	159.7	155.8	159.9
Registration States[2]	157.3	159.7	147.1	170.5	171.3	168.7	165.0	159.4	155.3	158.7
Cities in registration States[2]	174.3	177.9	168.4	195.6	191.3	187.4	176.6	171.9	168.8	171.2
Rural part of registration States	141.1	142.5	128.5	147.8	153.6	151.6	153.5	147.1	141.7	145.8
Registration cities in nonregistration States	142.0	141.1	121.9	152.5	177.2	168.9	173.4	163.7	161.5	172.1
All registration cities[2]	173.2	176.6	166.7	193.7	189.3	184.9	176.1	170.7	167.8	171.4

See notes at end of table.

Table BC—Con. — AREA.	DEATH RATE FROM DISEASES OF THE HEART PER 100,000 POPULATION. [Rates of 200 or more in bold-faced type.]									
	1921	1920	1919	1918	1917	1916	1915	1914	1913	1912
REGISTRATION STATES.										
California	213.1	202.7	195.6	207.3	197.9	201.6	195.1	182.1	193.2	201.4
Colorado	122.6	122.0	105.1	122.8	107.9	101.8	118.4	97.9	105.3	108.9
Connecticut	169.4	171.2	156.6	184.9	194.6	197.2	172.4	173.6	172.2	171.6
Delaware	172.4	174.5	158.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Florida (total)	119.1	114.8	98.0	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	119.1	119.6	95.5	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	119.0	105.6	102.7	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Illinois	158.7	162.2	146.5	163.8	(3)	(3)	(3)	(3)	(3)	(3)
Indiana	164.2	166.8	155.1	181.4	177.2	168.0	162.9	154.4	153.3	166.6
Kansas	119.9	128.8	107.3	126.6	132.5	130.6	122.0	110.7	(3)	(3)
Kentucky (total)	97.4	99.7	95.3	110.4	121.6	106.3	107.9	99.2	97.8	102.6
White	87.9	87.9	82.7	93.2	104.4	94.1	93.9	83.9	86.9	88.6
Colored	187.9	210.0	210.6	264.9	273.1	211.9	226.5	226.9	186.7	216.0
Louisiana (total)	122.1	120.1	117.5	132.6	(3)	(3)	(3)	(3)	(3)	(3)
White	105.7	103.4	96.5	106.1	(3)	(3)	(3)	(3)	(3)	(3)
Colored	148.5	146.3	150.0	172.9	(3)	(3)	(3)	(3)	(3)	(3)
Maine	222.3	213.4	196.0	212.4	218.5	218.2	211.9	207.8	196.8	194.3
Maryland (total)	184.7	181.8	171.0	216.2	199.9	176.7	169.6	169.5	156.2	162.5
White	172.1	171.5	156.9	197.2	183.4	163.1	158.6	154.6	141.6	148.9
Colored	247.2	232.5	239.9	309.0	280.0	242.0	222.4	239.9	224.7	225.9
Massachusetts	206.7	215.6	198.5	237.1	226.7	222.2	205.0	210.9	206.7	208.5
Michigan	164.7	176.7	154.3	172.7	179.1	172.7	164.2	160.6	160.4	161.3
Minnesota	118.5	124.2	114.4	124.4	116.6	118.3	112.2	113.9	103.9	100.2
Mississippi (total)	97.0	93.7	75.7	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	80.0	75.9	63.3	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	112.5	110.1	86.9	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Missouri	121.7	136.2	112.5	130.1	125.0	121.8	116.9	108.3	108.7	118.1
Montana	90.9	93.0	93.5	104.6	111.6	111.6	101.5	96.2	98.8	85.7
Nebraska	113.6	107.5	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
New Hampshire	211.9	240.5	196.0	233.5	247.4	233.5	243.1	234.6	210.5	216.9
New Jersey	179.0	179.1	169.6	198.4	192.8	190.9	168.6	170.4	167.5	165.6
New York	211.3	212.7	200.9	224.3	224.8	220.7	211.8	202.5	185.5	177.6
North Carolina (total)	109.2	102.2	87.6	104.7	104.3	97.5	[4]139.3	[4]145.1	[5]133.8	[5]143.5
White	99.7	94.1	78.5	95.1	95.5	89.9	110.3	103.1	105.4	110.3
Colored	131.2	120.8	108.7	126.7	124.2	114.6	194.3	224.3	186.3	204.5
Ohio	154.2	160.4	151.0	169.8	178.1	172.2	161.1	156.6	162.7	167.8
Oregon	150.8	168.7	146.5	145.2	(3)	(3)	(3)	(3)	(3)	(3)
Pennsylvania	158.2	160.6	150.7	181.0	175.7	167.8	162.5	157.0	143.7	150.4
Rhode Island	179.5	182.4	170.2	197.2	196.1	202.2	190.4	187.0	181.0	191.1
South Carolina (total)	105.0	108.6	88.2	105.0	105.6	93.4	(3)	(3)	(3)	(3)
White	100.1	104.0	78.8	96.7	98.9	84.7	(3)	(3)	(3)	(3)
Colored	109.8	113.0	97.0	112.7	111.7	101.2	(3)	(3)	(3)	(3)
Tennessee (total)	94.6	96.3	92.8	101.2	106.6	(3)	(3)	(3)	(3)	(3)
White	81.2	82.5	79.5	85.0	89.7	(3)	(3)	(3)	(3)	(3)
Colored	151.6	154.4	143.1	167.6	174.9	(3)	(3)	(3)	(3)	(3)
Utah	123.0	118.0	98.8	120.6	116.6	114.9	112.0	110.3	113.2	114.2
Vermont	255.9	259.5	229.7	248.5	250.5	258.4	233.9	227.4	240.7	231.2
Virginia (total)	137.3	137.6	123.0	145.9	146.4	146.9	141.2	132.5	122.1	(3)
White	122.5	121.1	108.1	125.0	122.1	123.3	117.9	110.9	104.4	(3)
Colored	172.6	176.7	157.6	193.8	201.5	199.9	192.7	179.8	160.3	(3)
Washington	131.7	132.7	117.6	125.5	110.7	110.3	111.6	101.9	104.8	93.3
Wisconsin	137.0	131.6	115.8	124.4	132.9	134.7	127.1	124.4	120.2	126.2
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920.										
Akron	93.6	106.3	91.3	108.7	97.8	94.4	81.5	68.3	94.3	97.4
Albany	262.4	257.2	254.5	272.4	264.3	273.5	264.2	271.8	256.6	252.7
Atlanta (total)	142.2	147.9	126.1	163.1	145.4	138.3	153.5	129.6	129.5	123.7
White	121.6	125.4	98.5	113.9	103.8	96.5	105.8	92.1	96.6	95.9
Colored	187.8	197.2	186.2	269.6	234.5	227.1	253.8	207.7	197.3	180.3
Baltimore (total)	189.6	193.4	180.5	254.5	231.1	208.0	188.4	206.0	190.9	194.3
White	173.6	176.7	162.0	224.9	206.7	185.8	169.4	179.0	165.1	172.5
Colored	281.8	289.5	286.4	406.6	357.6	323.9	288.9	349.6	329.9	312.7
Birmingham (total)	157.4	155.0	135.9	172.8	179.6	105.1	125.9	142.3	145.6	125.5
White	110.6	119.0	101.2	118.5	119.0	87.1	80.3	107.6	99.0	87.4
Colored	229.8	210.7	189.4	256.6	273.2	132.8	196.1	195.6	217.4	184.0
Boston	234.5	248.9	241.8	280.7	248.5	249.1	224.5	248.0	237.2	229.4
Bridgeport	151.2	138.0	159.8	167.7	175.4	166.4	140.0	114.1	141.7	166.8
Buffalo	179.8	194.9	167.8	187.9	199.4	195.2	180.7	191.4	194.8	177.1
Cambridge	220.0	222.8	207.4	235.0	244.4	239.0	187.1	191.7	192.6	175.6
Camden	170.5	185.6	164.1	209.8	214.1	171.5	176.1	211.6	196.6	167.9
Chicago	171.8	176.8	158.6	188.2	181.1	176.7	172.2	158.9	158.6	168.6
Cincinnati	212.9	211.2	233.2	225.0	244.2	233.5	128.0	214.5	234.9	232.0
Cleveland	116.2	119.8	122.1	136.3	140.8	138.7	127.5	117.5	134.0	155.9
Columbus	167.1	160.5	147.8	171.9	180.7	169.7	153.9	150.3	163.9	170.9
Dallas (total)	89.5	111.7	85.4	88.8	120.5	103.6	(3)	(3)	(3)	(3)
White	80.2	103.0	65.5	80.9	89.7	89.6	(3)	(3)	(3)	(3)
Colored	143.4	161.1	196.1	131.2	280.7	174.8	(3)	(3)	(3)	(3)
Dayton	148.0	149.6	141.3	200.7	211.5	181.3	164.9	155.1	175.9	188.4
Denver	172.5	161.2	141.6	169.7	130.4	131.1	151.4	130.1	139.3	148.3

Table BC—Con. DEATH RATE FROM DISEASES OF THE HEART PER 100,000 POPULATION. [Rates of 200 or more in bold-faced type.]

AREA.	1921	1920	1919	1918	1917	1916	1915	1914	1913	1912
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—continued.										
Detroit	125.0	126.4	112.0	118.4	132.8	136.2	111.8	121.1	124.9	119.0
Fall River	167.4	145.2	149.5	227.8	212.2	192.4	175.9	176.9	172.1	182.3
Grand Rapids	179.2	175.0	178.1	217.8	188.3	160.2	161.7	151.8	143.9	157.9
Hartford	187.6	198.5	139.7	202.3	217.3	124.3	186.8	185.6	203.9	188.3
Houston (total)	105.4	113.3	90.3	113.6	117.4	(3)	(3)	(3)	(3)	(3)
White	87.0	107.6	78.0	93.2	102.5	(3)	(3)	(3)	(3)	(3)
Colored	163.3	131.1	127.6	173.0	160.3	(3)	(3)	(3)	(3)	(3)
Indianapolis (total)	176.3	189.6	157.3	198.2	206.8	190.4	198.5	188.6	174.2	204.3
White	168.9	180.1	145.1	177.2	186.0	173.0	185.9	176.4	162.8	191.3
Colored	233.8	265.2	260.7	371.5	380.8	338.2	306.3	295.3	295.7	323.0
Jersey City	165.8	184.5	171.6	206.9	200.5	203.3	152.1	155.9	160.2	152.2
Kansas City, Kans. (total)	132.8	134.2	125.8	144.4	121.2	179.6	143.3	124.1	123.3	151.2
White	125.2	120.2	(6)	127.6	103.2	161.0	135.1	118.4	111.4	126.4
Colored	177.1	217.2	(6)	248.5	235.4	300.5	197.8	163.6	207.2	330.9
Kansas City, Mo.	143.7	199.2	159.1	183.9	172.6	164.0	167.0	156.8	158.7	163.0
Los Angeles	208.9	206.3	178.0	189.1	175.6	187.2	176.8	162.2	187.5	190.1
Louisville (total)	189.8	186.2	194.5	231.1	228.0	182.2	197.1	200.0	171.5	184.6
White	174.9	160.8	162.6	191.8	190.6	143.0	161.0	162.8	140.8	152.9
Colored	262.7	309.4	348.5	419.6	406.2	368.1	367.2	373.7	313.9	330.6
Lowell	160.9	171.5	162.8	177.2	203.4	201.9	174.0	208.1	181.7	192.1
Memphis (total)	156.3	138.9	148.9	166.5	172.3	(7)	175.8	169.7	158.4	182.2
White	109.6	131.3	115.5	127.4	125.5	(7)	133.0	129.9	103.1	110.2
Colored	235.1	151.5	207.2	233.8	251.4	(7)	246.0	233.9	246.2	294.3
Milwaukee	119.8	133.2	107.6	113.3	126.8	129.5	116.7	106.7	113.8	121.5
Minneapolis	144.3	142.7	130.1	139.8	123.3	135.8	129.7	122.1	120.9	113.6
Nashville (total)	125.3	201.3	204.3	282.3	208.4	(7)	233.2	230.4	221.4	220.3
White	156.2	152.7	147.1	225.5	144.5	(7)	160.6	144.4	147.3	143.8
Colored	389.1	314.7	336.2	411.3	351.6	(7)	391.3	415.2	378.2	379.9
New Bedford	147.2	160.0	125.9	143.9	160.2	162.0	149.3	133.3	147.0	151.6
New Haven	168.9	184.7	178.2	218.9	224.4	201.2	203.9	177.2	204.0	186.9
New Orleans (total)	240.0	227.4	236.5	277.3	258.3	231.7	252.1	250.0	249.3	260.6
White	208.1	200.1	206.0	219.4	209.4	187.0	200.4	216.0	190.1	199.1
Colored	335.6	304.2	322.7	440.2	395.7	357.3	397.2	345.3	414.9	432.2
New York	187.5	187.1	183.5	202.8	196.2	195.7	186.9	171.8	167.5	165.8
Bronx Borough	140.7	151.7	144.6	167.2	161.3	157.3	144.8	147.3	151.2	153.6
Brooklyn Borough	196.8	199.8	201.6	225.9	213.6	222.0	225.0	187.2	181.7	184.1
Manhattan Borough	196.3	189.9	184.3	200.3	195.1	187.0	169.6	167.5	161.4	156.8
Queens Borough	172.0	161.5	162.1	164.6	170.2	178.8	172.3	166.9	159.3	144.4
Richmond Borough	227.6	242.2	180.9	216.4	226.4	212.3	190.5	147.2	171.8	192.6
Newark, N. J.	173.2	182.1	166.6	205.4	186.3	187.5	160.6	153.2	159.9	166.5
Norfolk (total)	159.2	159.9	186.0	244.8	208.2	192.3	179.2	179.8	179.3	216.2
White	124.3	132.0	121.2	195.9	144.3	132.7	131.7	120.3	129.4	145.0
Colored	216.8	206.3	293.0	324.6	311.3	287.2	254.0	272.1	255.6	323.2
Oakland	218.1	213.5	209.1	239.7	211.3	217.7	201.5	195.7	209.3	226.4
Omaha	153.7	152.0	119.6	126.3	128.8	111.5	99.2	116.9	121.5	132.4
Paterson	184.8	175.9	173.6	184.7	229.7	219.4	189.2	207.6	183.7	204.0
Philadelphia	202.2	205.1	203.5	249.8	236.7	223.2	228.7	223.6	193.8	207.0
Pittsburgh	136.9	146.5	145.6	167.1	159.8	166.3	136.4	133.8	140.3	140.8
Portland, Oreg.	171.0	177.4	171.4	165.7	127.8	141.6	121.7	140.7	149.1	132.8
Providence	189.4	203.1	187.0	214.0	190.9	211.8	178.0	198.6	183.2	203.7
Reading	181.4	172.8	167.7	193.5	171.7	201.8	193.7	218.4	168.8	173.4
Richmond (total)	171.9	176.9	159.1	192.1	218.2	205.8	206.8	190.1	215.8	229.9
White	164.9	173.4	149.6	173.9	192.1	175.3	174.7	145.7	193.7	196.9
Colored	187.6	184.5	179.7	230.6	272.6	268.1	271.0	274.9	257.2	290.1
Rochester	213.3	194.0	192.1	211.9	250.3	225.1	218.4	228.4	193.8	177.5
St. Louis	156.2	177.0	152.4	175.6	163.7	157.6	152.4	146.6	141.0	165.0
St. Paul	137.5	122.2	131.0	171.4	156.0	152.1	128.6	126.2	94.9	112.2
Salt Lake City	166.1	140.0	125.7	134.2	133.5	128.5	127.5	96.6	135.6	139.8
San Antonio	109.1	107.5	100.6	119.6	136.8	106.5	103.5	109.1	109.3	117.7
San Francisco	244.6	232.2	250.8	262.2	241.1	269.9	257.8	240.7	259.5	263.4
Scranton	161.9	138.2	176.9	177.2	184.9	156.4	156.6	175.5	137.4	136.7
Seattle	140.5	140.6	137.8	156.6	119.1	119.3	122.0	118.5	113.0	104.8
Spokane	142.7	159.9	96.7	122.6	109.2	123.5	139.8	102.5	127.4	102.5
Springfield, Mass.	180.3	176.9	125.5	195.4	193.0	184.4	171.4	157.5	151.5	161.0
Syracuse	216.9	248.0	189.4	253.5	233.2	225.7	194.3	219.1	221.6	175.2
Toledo	151.0	158.9	144.0	193.0	196.8	189.9	160.9	150.5	160.2	140.2
Trenton	192.2	210.1	171.8	215.9	217.6	181.7	168.1	203.6	217.8	168.7
Washington, D.C. (total)	217.1	208.6	207.8	270.2	270.6	249.3	246.5	226.4	231.5	256.1
White	201.9	200.3	192.7	238.5	231.6	226.8	222.6	204.7	202.9	216.9
Colored	261.9	233.1	252.0	362.0	381.6	312.3	312.4	284.9	307.5	358.3
Wilmington, Del.	130.5	139.3	138.9	193.1	199.1	191.4	179.4	153.4	155.8	166.0
Worcester	229.8	247.4	234.8	313.4	263.7	269.1	243.3	238.4	229.7	222.6
Yonkers	124.8	140.3	126.1	148.4	146.4	158.4	131.2	156.8	160.6	146.9
Youngstown	114.8	91.3	108.5	120.5	134.9	231.0	122.0	90.6	109.3	102.8

[1] Exclusive of Hawaii.
[2] Including District of Columbia.
[3] Not added to registration area until a later date.
[4] Including only municipalities having a population of 1,000 or more in 1910.
[5] Including only municipalities having a population of 1,000 or more in 1900.
[6] Not separately tabulated.
[7] Transcripts of deaths not received.

In both 1921 and 1920 the same six States have rates above 200 per 100,000 population; these States are California, Maine, Massachusetts, New Hampshire, New York, and Vermont. Vermont is the only one that shows such a high rate for the series of years 1912 to 1921. The lowest rates in 1921 are for Montana (90.9), Tennessee (94.6), Mississippi (97), and Kentucky (97.4).

Of the 66 registration cities of 100,000 population or more in 1920, those showing the greatest increase in the 10-year period 1912 to 1921 are Cambridge (from 175.6 to 220), Syracuse (from 175.2 to 216.9), Spokane (from 102.5 to 142. 7), Portland (from 132.8 to 171), Rochester (from 177.5 to 213.3), and Seattle (from 104.8 to 140.5). Six cities have rates of 200 or more for the series of years 1912 to 1921; of these, the highest rates in 1921 are for Albany (262.4), San Francisco (244.6), New Orleans (240), and Boston (234.5).

The highest rate (247.2) shown for the colored in any State is for Maryland, and the lowest (109.8) is for South Carolina.

Of the cities shown by color Nashville has the highest rate (389.1) and Dallas the lowest (143.4).

PNEUMONIA (ALL FORMS).

In 1921 the number of deaths due to pneumonia (all forms) is 78,263. Of these, 37,871 are due to lobar pneumonia, 34,889 to bronchopneumonia, and 5,503 to pneumonia (unspecified). The death rate from pneumonia (all forms) in 1921 is 88.3 and is the record low rate since 1900, in which year the first annual mortality report was published.

Table BD shows the death rates per 100,000 population for the years 1912 to 1921, rates of 200 and higher being printed in bold-faced type.

The rate in 1921 is much lower than that in 1920 for each State and each city of 100,000 population or more in 1920, and among all these areas, Pittsburgh is the only one which has a rate over 200 in 1921.

Among the States the highest death rates in 1921 from pneumonia (all forms) are for Pennsylvania (129.7), Maine (112.6), Colorado (110.5), Utah (107.8), and Maryland (106.8); the greatest decrease in 1921 is shown for Missouri (from 164.1 in 1920 to 83.6). The lowest rates are for Florida (50), Washington (57.1), Kansas (60), Nebraska (62.6), and Minnesota (64.6).

Among the registration cities of 100,000 population or more in 1920, the highest rates are for Pittsburgh (254.3), Camden (169.6), Scranton (161.9), Youngstown (160.2), and Denver (157.3); the lowest are for Seattle (50.4), Dayton (50.6), Grand Rapids (57.4), Houston (60.6), and Oakland (65.8).

The highest rate shown for the colored in any State is 179.9 for Maryland, and the lowest is 69.2 for Florida; for the cities Richmond has the highest rate (253.8), and Houston the lowest (80.2).

Table BD — DEATH RATE FROM PNEUMONIA (ALL FORMS) PER 100,000 POPULATION. [Rates of 200 or more in bold-faced type.]

AREA.	1921	1920	1919	1918	1917	1916	1915	1914	1913	1912
SUMMARY.										
The registration area [1]	88.3	137.3	123.5	286.2	150.5	137.8	133.1	127.3	132.6	132.4
Registration States [2]	88.1	136.8	123.3	284.8	148.3	137.5	131.3	124.7	129.2	128.5
Cities in registration States [2]	101.4	168.5	153.1	369.3	179.4	166.4	156.9	150.4	156.8	153.0
Rural part of registration States	75.3	107.0	97.3	208.7	120.8	111.2	105.9	99.6	101.5	103.2
Registration cities in nonregistration States	100.6	163.7	136.1	348.6	178.2	142.2	155.0	160.0	172.5	174.1
All registration cities [2]	101.4	168.3	152.4	368.4	179.2	163.1	156.7	151.7	159.1	156.3
REGISTRATION STATES.										
California	85.1	101.7	97.9	227.9	106.7	99.3	94.3	91.1	106.1	109.5
Colorado	110.5	176.3	124.3	310.9	127.0	108.0	155.6	120.0	124.8	123.1
Connecticut	91.5	155.7	134.2	344.2	202.0	191.6	151.2	150.9	148.8	143.7
Delaware	103.9	178.5	185.2	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Florida (total)	50.0	80.0	72.8	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	40.4	71.6	64.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	69.2	96.6	88.4	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Illinois	78.8	133.7	107.3	247.0	(3)	(3)	(3)	(3)	(3)	(3)
Indiana	75.2	133.7	110.1	210.0	125.1	113.1	109.2	104.2	96.8	104.3
Kansas	60.0	97.4	87.0	223.1	113.7	86.9	90.0	69.4	(3)	(3)
Kentucky (total)	75.7	121.7	124.4	214.6	120.2	111.1	98.3	103.7	99.2	100.7
White	69.9	110.3	111.6	192.2	108.3	102.3	85.6	99.3	89.5	90.6
Colored	131.4	227.5	241.8	415.7	225.8	188.7	206.4	187.4	179.2	182.4
Louisiana (total)	71.0	108.1	110.2	232.7	(3)	(3)	(3)	(3)	(3)	(3)
White	59.4	92.8	94.7	202.0	(3)	(3)	(3)	(3)	(3)	(3)
Colored	89.5	132.3	134.1	279.4	(3)	(3)	(3)	(3)	(3)	(3)
Maine	112.6	151.8	123.9	255.0	159.7	140.0	140.3	148.5	146.6	143.1
Maryland (total)	106.8	153.3	152.9	441.1	188.9	176.9	156.2	155.8	145.1	130.9
White	92.0	133.2	131.5	403.4	147.6	144.9	126.8	129.1	118.0	104.8
Colored	179.9	252.5	257.9	624.6	388.4	330.1	295.9	281.9	272.4	251.8
Massachusetts	102.6	156.1	133.9	384.8	171.8	174.9	162.1	156.8	155.8	152.7
Michigan	73.0	152.3	108.3	199.1	124.0	105.7	95.8	86.4	93.5	90.2
Minnesota	64.6	79.0	78.1	140.6	96.1	86.0	89.7	97.5	81.2	71.9
Mississippi (total)	66.0	102.8	93.5	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	58.8	81.5	71.4	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	72.5	122.4	113.5	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Missouri	83.6	164.1	128.6	265.3	157.3	132.4	122.7	110.0	114.9	116.1
Montana	71.6	103.3	98.2	249.1	137.4	110.2	109.0	102.9	117.3	93.2
Nebraska	62.6	85.7	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
New Hampshire	97.1	130.7	120.2	294.2	160.7	141.8	124.2	128.7	147.5	132.0
New Jersey	97.8	154.2	158.7	466.4	175.8	180.1	152.4	154.3	151.3	145.3
New York	101.2	160.2	166.4	374.2	180.3	167.5	171.9	159.4	174.6	175.8
North Carolina (total)	74.9	101.9	84.8	182.7	105.8	103.5	[4]129.3	[4]149.9	[5]117.5	[5]129.6
White	66.5	87.4	70.8	145.0	85.9	82.5	84.3	106.7	71.8	82.6
Colored	94.4	135.4	116.9	268.4	150.8	150.5	214.4	231.6	201.7	216.1
Ohio	83.0	135.9	122.7	235.5	142.8	131.7	116.7	104.5	108.6	109.8
Oregon	66.5	107.8	79.9	125.7	(3)	(3)	(3)	(3)	(3)	(3)
Pennsylvania	129.7	181.7	157.1	418.4	193.3	171.4	151.1	148.2	154.6	146.7
Rhode Island	102.8	163.1	144.7	312.7	190.5	167.8	172.6	148.6	151.1	151.0
South Carolina (total)	77.7	110.1	102.2	252.3	118.9	105.2	(3)	(3)	(3)	(3)
White	65.1	87.6	81.1	233.1	93.5	81.5	(3)	(3)	(3)	(3)
Colored	89.9	131.5	122.0	270.0	142.1	126.5	(3)	(3)	(3)	(3)
Tennessee (total)	74.5	117.2	102.1	203.5	110.7	(3)	(3)	(3)	(3)	(3)
White	66.0	100.5	87.9	169.1	91.5	(3)	(3)	(3)	(3)	(3)
Colored	110.8	187.5	161.1	344.2	188.0	(3)	(3)	(3)	(3)	(3)
Utah	107.8	126.0	90.5	183.9	113.1	113.0	106.5	114.9	105.4	102.9
Vermont	98.2	152.5	125.1	201.7	162.2	126.1	117.5	114.8	142.1	140.5
Virginia (total)	75.9	103.4	99.2	204.0	124.7	124.6	112.4	105.0	89.8	(3)
White	69.3	81.7	75.8	158.5	91.7	88.0	84.9	77.6	68.0	(3)
Colored	115.5	154.7	153.7	308.6	199.6	206.5	173.3	165.1	136.8	(3)
Washington	57.1	93.7	86.5	170.8	67.4	64.1	66.8	57.7	65.4	54.2
Wisconsin	74.3	112.9	94.2	163.1	119.5	108.3	104.0	94.8	88.5	83.8
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920.										
Akron	74.8	233.1	181.1	239.2	139.8	125.0	97.8	74.6	102.2	105.4
Albany	80.8	143.9	163.2	336.9	170.2	156.4	163.6	127.4	133.6	187.6
Atlanta (total)	112.8	191.7	148.2	304.0	159.6	145.9	145.7	146.7	163.0	206.1
White	76.2	114.0	88.2	200.7	79.8	71.8	83.7	90.4	76.6	112.1
Colored	194.0	362.9	279.3	527.7	330.9	303.4	276.2	264.0	340.9	397.3
Baltimore (total)	126.5	184.9	174.3	554.8	234.5	228.7	195.1	208.0	200.9	176.2
White	110.0	160.0	149.9	507.8	173.2	183.5	158.2	170.4	158.4	137.1
Colored	221.5	327.9	314.2	796.5	552.4	465.4	339.3	408.4	429.3	388.7
Birmingham (total)	130.6	187.6	193.9	485.3	304.9	153.6	136.0	136.6	159.8	123.1
White	82.3	120.9	126.3	321.9	125.9	84.1	95.9	125.9	64.5	120.7
Colored	205.2	290.7	298.4	737.5	581.2	261.0	197.7	280.2	306.4	304.4
Boston	124.5	197.8	161.5	494.3	223.1	219.8	210.2	196.2	200.5	206.2
Bridgeport	98.2	159.9	157.0	478.2	292.0	338.3	194.7	184.1	178.8	159.7
Buffalo	75.1	147.5	144.5	378.0	176.4	163.4	162.3	144.9	147.6	152.1
Cambridge	94.2	169.2	130.7	395.6	156.8	166.8	151.7	165.5	174.7	152.9
Camden	169.6	216.3	212.7	750.3	273.7	230.5	227.8	238.5	196.6	167.9
Chicago	86.7	160.7	134.9	304.9	195.7	156.8	163.4	177.5	205.2	210.2
Cincinnati	101.6	131.1	122.1	293.7	153.2	150.7	144.4	136.8	154.2	155.0
Cleveland	90.0	153.4	173.2	336.5	187.1	172.4	144.5	108.7	123.9	107.1
Columbus	89.2	146.4	119.1	256.8	156.9	154.1	125.6	113.4	113.1	118.6
Dallas (total)	73.3	119.2	84.1	316.3	103.0	62.5	(3)	(3)	(3)	(3)
White	64.7	102.3	70.7	277.3	82.2	56.1	(3)	(3)	(3)	(3)
Colored	122.9	214.8	158.5	525.0	211.7	94.9	(3)	(3)	(3)	(3)
Dayton	50.6	122.4	100.2	286.4	146.6	133.3	129.5	99.1	121.4	120.2
Denver	157.3	264.0	150.6	412.3	121.0	132.4	173.4	144.8	114.2	127.7
Detroit	90.7	232.4	156.7	260.1	190.4	172.0	141.5	134.8	172.5	157.9
Fall River	145.0	159.3	135.4	330.0	220.5	260.7	211.8	244.6	269.9	206.6
Grand Rapids	57.4	119.6	71.8	153.7	88.1	70.7	96.0	75.9	66.6	50.1
Hartford	119.5	219.2	189.7	390.9	317.3	268.7	197.7	189.9	212.8	168.8
Houston (total)	60.6	117.6	82.9	210.0	87.9	(2)	(3)	(3)	(3)	(3)
White	54.4	92.5	66.3	185.3	78.6	(2)	(3)	(3)	(3)	(3)
Colored	80.2	195.2	133.6	282.0	114.5	(2)	(3)	(3)	(3)	(3)
Indianapolis (total)	87.8	178.6	151.4	324.2	144.1	136.9	137.9	137.2	118.2	130.1
White	74.1	157.8	132.4	300.4	123.0	123.3	124.3	123.3	107.4	110.7
Colored	195.8	344.2	304.7	520.8	320.5	252.0	254.1	215.1	214.4	306.8
Jersey City	124.2	192.5	222.2	537.5	210.1	196.7	204.5	175.5	198.0	177.7
Kansas City, Kans. (total)	96.3	184.2	143.8	362.1	189.6	119.4	211.1	136.2	171.5	143.2
White	91.4	174.0	133.8	350.9	171.6	104.9	194.6	123.4	160.0	126.4
Colored	124.6	244.4	204.3	431.2	303.7	213.5	321.5	223.8	252.2	264.8
Kansas City, Mo.	98.8	247.3	207.2	434.7	192.9	122.9	156.7	118.0	115.5	110.7
Los Angeles	71.3	84.1	74.0	194.1	87.5	80.4	82.9	77.0	109.5	109.9
Louisville (total)	95.7	154.3	252.0	550.3	194.5	151.2	140.5	152.3	148.9	129.6
White	77.0	122.4	206.9	507.7	152.2	116.9	97.0	121.7	113.3	97.1
Colored	187.7	309.4	470.5	754.8	396.3	313.8	345.0	295.0	313.9	278.8
Lowell	121.3	192.8	136.1	437.5	180.9	182.9	187.7	153.1	144.8	152.2
Memphis (total)	104.4	222.1	220.4	373.0	197.7	(6)	141.2	159.7	168.6	181.4
White	79.8	147.0	165.9	299.7	120.1	(6)	90.9	83.5	105.5	122.3
Colored	146.0	347.0	315.4	499.0	329.1	(6)	223.6	282.6	268.7	273.6
Milwaukee	78.9	171.0	142.5	262.6	176.5	156.2	142.4	119.0	123.4	128.7
Minneapolis	88.3	106.1	91.6	174.6	120.5	115.0	114.9	124.5	104.4	92.7
Nashville (total)	120.5	181.9	172.1	491.9	164.5	(6)	154.6	175.0	152.3	173.9
White	87.4	138.3	113.1	406.6	124.6	(6)	110.9	116.0	105.6	92.3
Colored	198.7	283.8	308.2	685.5	253.9	(6)	249.8	301.7	251.2	244.2
New Bedford	105.6	188.6	143.4	396.9	219.3	201.1	192.1	185.5	211.9	168.2

See notes at end of table.

Table BD—Con.

AREA.	DEATH RATE FROM PNEUMONIA (ALL FORMS) PER 100,000 POPULATION. [Rates of 200 or more in bold-faced type.]									
	1921	1920	1919	1918	1917	1916	1915	1914	1913	1912
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—continued.										
New Haven	98.8	179.8	125.4	325.8	225.0	221.6	195.8	190.9	186.5	224.0
New Orleans (total)	115.8	185.5	184.5	439.7	148.6	117.9	194.0	187.5	165.4	143.1
White	82.3	127.2	146.5	362.9	96.9	67.5	118.6	118.8	101.0	92.0
Colored	210.5	350.3	291.9	656.2	294.0	259.5	405.6	380.1	345.4	286.0
New York	115.7	184.4	199.8	425.3	196.1	189.7	204.6	187.0	200.1	198.7
Bronx Borough	93 6	138.6	179.2	384.0	159.4	138.6	175.4	145.2	161.7	156.6
Brooklyn Borough	110.2	181.0	200.7	443.7	202.0	203.2	200.6	181.3	198.7	198.1
Manhattan Borough	134.6	210.5	210.2	425.2	205.6	197.3	225.1	209.2	216.6	214.3
Queens Borough	90.0	151.7	170.2	373.3	175.6	164.1	153.7	150.7	159.9	156.0
Richmond Borough	102.3	158.3	220.9	563.5	190 5	183.9	177.8	143.1	185.3	196.9
Newark, N. J.	82.8	176.8	167.8	494 6	173.2	168.8	140.3	191.5	144.2	156 3
Norfolk (total)	93.2	137.7	160.6	396.2	167.9	190.3	166.1	165.1	154.3	155.0
White	43.7	84.4	87.4	269.0	71.4	69.5	88.9	60.1	68.3	92.3
Colored	175.2	226.7	281.4	603.9	323 6	383.0	287.7	328.2	285.9	249.5
Oakland	65.8	109.3	128.3	322.7	89.8	77.9	95.9	88.4	121.5	118.0
Omaha	109.1	167.0	142.3	312.1	197.8	164.9	137.4	123.4	115.6	143.0
Paterson	119.3	154.0	140.4	326.9	188.4	206.6	153.3	153.8	162.8	175.1
Philadelphia	124.7	191.7	176.3	525.8	213.8	170.6	168.8	166.7	144.7	132 9
Pittsburgh	254.3	341.3	330.9	898.5	364.2	337.2	249.4	243.5	286.6	262.9
Portland, Oreg	70.2	125.2	103.1	181.6	65.5	63.8	63.6	68.8	83.8	62.5
Providence	117.7	196.4	140.6	347.7	205 0	190.7	180 2	172.1	167.5	173 7
Reading	96.2	149.7	113.7	373.9	181.1	168.3	87.2	94.2	108 1	93.8
Richmond (total)	121.2	182.7	153.8	297 1	181.9	187.3	193.6	176.4	158.6	167.7
White	61.8	100.2	82.5	155.4	95.1	101.9	117.4	84.4	86 7	98.5
Colored	253.8	363.5	307.5	597.0	362.2	361.8	346.3	352.6	293.0	294.4
Rochester	68.1	104.0	115.9	294 5	146.5	119.6	115.9	137.0	153.5	147.8
St. Louis	124.5	212.0	162.7	358.7	204.9	177.1	144.6	155.1	139.9	152.3
St. Paul	66.4	106.1	86.0	183.1	103.7	87.5	118.9	119.5	84.9	79.8
Salt Lake City	83.1	153.4	101.8	197.0	118.1	128.5	103.9	105.3	90.1	123.5
San Antonio	77.0	119.0	94.9	358 7	181.7	81.1	100 5	117 9	104.2	121.2
San Francisco	91.1	119.9	131.3	274.3	123.7	126.1	128.4	118.2	133.0	122 3
Scranton	161.9	206.2	174.7	466.5	232.8	206.8	214.0	249.1	218.1	206 6
Seattle	50.4	96.8	91.5	173.4	54.2	48.7	67.2	62.2	72.1	55.9
Spokane	118.7	148.4	117.8	217.4	89.1	71.8	74.7	79.5	87.2	69.0
Springfield, Mass.	93.5	129.1	160.0	441.8	164.5	177.4	151.6	145.3	145.6	121.2
Syracuse	82.8	216.4	133.0	436.7	150.3	131.1	116.7	136.9	182 5	140 0
Toledo	65.8	125.3	102.8	194.7	141.8	141.8	111.2	103.5	84.8	107.1
Trenton	109.2	189.3	165.9	685.6	201.8	303.1	211.3	220.5	219.7	182.5
Washington, D. C. (total)	112.9	184.6	149.3	386 8	145.8	149.8	163.3	122 7	123.4	136.2
White	69.1	128.2	96.2	297.9	96.9	98.9	106 7	83.1	69 9	86 5
Colored	242.1	352.4	304.8	643.7	285.0	292.3	319.1	229.9	265 6	265 9
Wilmington, Del.	116.4	213 0	205 0	687.6	288.4	226.1	198.7	171.0	161.1	164 9
Worcester	128.7	195.0	173.6	464 1	185.3	224.4	182.2	168.7	177.5	187.4
Yonkers	77.4	135.3	146.3	317.4	168.5	174.5	148.8	115.1	175 7	159.9
Youngstown	160 2	265.0	224 6	447 8	349.8	285.1	214 2	206.8	261 2	222.4

[1] Exclusive of Hawaii.
[2] Including District of Columbia.
[3] Not added to registration area until a later date.
[4] Includes only municipalities having a population of 1,000 or more in 1910.
[5] Includes only municipalities having a population of 1,000 or more in 1900.
[6] Transcripts of deaths not received.

NOTE.—Excluding capillary bronchitis from 1912 to 1920.

DIARRHEA AND ENTERITIS (UNDER 2 YEARS).

Diarrhea and enteritis in 1921 is the cause of death of 37,192 children under 2 years of age, corresponding to a rate of 41.9 per 100,000 population at all ages. This is the lowest rate for any year since 1900, when the rate was 108.8, and this marked reduction is doubtless due, in large part, to measures now employed to prevent loss of child life. The great difference, however, which still exists between the rates of the various States and cities certainly suggests that at least some of these rates are still too high.

Table BE shows the death rates per 100,000 population at all ages for the years 1912 to 1921, rates of 100 and higher being printed in bold-faced type.

Table BE

AREA.	DEATH RATE FROM DIARRHEA AND ENTERITIS (UNDER 2 YEARS) PER 100,000 POPULATION AT ALL AGES. [Rates of 100 or more in bold-faced type.]									
	1921	1920	1919	1918	1917	1916	1915	1914	1913	1912
SUMMARY.										
The registration area [1]	41.9	44.0	44.2	58.7	64.3	65.8	59.8	66.1	75.3	70.4
Registration States [2]	41.3	43.4	43.8	57.9	61.0	62.4	56.7	62.8	72.3	66.7
Cities in registration States [2]	43.3	52.2	52.0	68.6	70.2	72.1	68.3	75.7	84.9	83.6
Rural part of registration States	39.3	35.1	36.7	48.2	52.8	53.7	44.7	50.2	59.6	49.3
Registration cities in non-registration States	81.7	81.1	63.7	95.6	107.9	110.8	96.3	107.7	111.0	109.5
All registration cities [2]	44.6	53.2	52.5	69.8	75.5	77.4	72.8	80.2	88.7	87.6
REGISTRATION STATES.										
California	30.2	34.4	26.2	32.6	32.9	27.7	27.0	29.8	47.7	38.1
Colorado	41.5	44.6	33.0	46.7	36.0	42.7	27.9	41.3	45.2	39.0
Connecticut	35.5	52.4	48.7	66.7	76.3	83.0	92.0	85.2	81.6	86.2
Delaware	61.0	69.6	60.4	[3]	[3]	[3]	[3]	[3]	[3]	[3]
Florida (total)	43.1	41.3	41.6	[3]	[3]	[3]	[3]	[3]	[3]	[3]
White	39.7	39.2	39.5	[3]	[3]	[3]	[3]	[3]	[3]	[3]
Colored	50.1	45.6	45.6	[3]	[3]	[3]	[3]	[3]	[3]	[3]
Illinois	49.1	54.1	58.9	67.4	[3]	[3]	[3]	[3]	[3]	[3]
Indiana	40.7	39.6	38.3	46.4	53.3	61.9	41.1	57.4	67.1	58.4
Kansas	25.3	30.6	26.8	30.4	38.7	38.8	24.3	32.5	[3]	[3]
Kentucky (total)	44.2	36.0	39.3	43.4	55.2	50.1	37.4	47.8	55.7	40.6
White	43.4	35.7	39.0	41.7	53.9	49.7	36.7	46.3	55.3	39.9
Colored	51.3	38.8	42.1	59.1	66.7	53.4	43.9	60.2	59.2	46.5
Louisiana (total)	51.0	38.3	42.2	71.1	[3]	[3]	[3]	[3]	[3]	[3]
White	44.4	35.0	37.9	67.9	[3]	[3]	[3]	[3]	[3]	[3]
Colored	61.6	43.5	48.8	76.1	[3]	[3]	[3]	[3]	[3]	[3]
Maine	43.7	52.6	32.1	40.0	34.5	61.4	51.4	52.6	61.9	43.3
Maryland (total)	63.9	81.2	78.8	112.4	94.5	93.0	83.2	91.2	99.9	86.5
White	55.4	73.3	71.4	99.2	81.3	80.2	75.9	84.9	90.7	78.5
Colored	106.2	120.5	115.0	176.9	158.0	154.2	117.9	121.0	143.2	123.6
Massachusetts	37.4	47.5	43.5	76.8	71.2	68.1	74.5	82.4	87.2	94.9
Michigan	41.9	47.4	46.6	48.7	50.3	62.3	38.1	52.5	56.3	46.6
Minnesota	15.9	21.0	19.5	22.3	24.6	28.0	26.4	33.9	41.3	29.2
Mississippi (total)	30.7	32.3	28.9	[3]	[3]	[3]	[3]	[3]	[3]	[3]
White	32.9	31.8	29.6	[3]	[3]	[3]	[3]	[3]	[3]	[3]
Colored	28.6	32.7	28.4	[3]	[3]	[3]	[3]	[3]	[3]	[3]
Missouri	30.1	31.4	30.3	36.3	48.7	49.0	36.9	54.9	58.1	52.2
Montana	16.0	22.1	29.6	29.9	42.8	37.4	22.2	37.0	37.4	21.2
Nebraska	20.0	20.7	[3]	[3]	[3]	[3]	[3]	[3]	[3]	[3]
New Hampshire	35.7	43.9	35.5	49.2	58.4	61.1	67.0	61.7	96.6	54.0
New Jersey	46.2	53.0	58.2	77.5	83.7	73.9	83.6	85.9	90.2	95.1
New York	38.7	45.8	42.0	53.7	60.1	59.3	69.3	67.0	76.0	77.5
North Carolina (total)	65.3	54.2	55.5	79.7	95.8	76.9	[4] 118.0	[4] 133.9	[5] 112.3	[6] 135.3
White	63.1	51.0	54.7	71.6	88.4	73.1	89.9	111.9	95.8	120.2
Colored	70.6	61.8	57.3	98.2	112.4	85.6	171.2	175.4	142.7	163.0
Ohio	36.9	31.8	38.7	48.6	55.4	59.5	44.1	54.0	70.6	60 6
Oregon	9.9	10.6	14.0	16.6	[3]	[3]	[3]	[3]	[3]	[3]
Pennsylvania	61.9	63.0	66.6	98.4	97.2	103.9	92.4	96.9	107.5	94.5
Rhode Island	49.4	44.8	38.6	74.0	59.1	73.5	79.9	76.4	86.1	83.0
South Carolina (total)	59.3	66.8	56.2	75.3	79.6	72.0	[3]	[3]	[3]	[3]
White	57.5	59.2	43.8	61.1	74.4	69.4	[3]	[3]	[3]	[3]
Colored	61.1	74.0	68.0	88.4	84.3	74.3	[3]	[3]	[3]	[3]
Tennessee (total)	34.0	30.7	35.9	41.1	48.6	[3]	[3]	[3]	[3]	[3]
White	35.7	29.9	36.9	39.8	46.7	[3]	[3]	[3]	[3]	[3]
Colored	27.2	33.9	31.6	46.1	56.2	[3]	[3]	[3]	[3]	[3]
Utah	27.1	26.0	22.0	24.0	40.5	26.8	22.9	31.5	43.7	28.2
Vermont	27.0	35.5	25.5	43.1	28.0	42.1	45.2	54.5	49.9	40.8
Virginia (total)	50.8	40.8	53.0	59.5	65.1	65.3	54.8	58.0	68.5	[3]
White	44.2	32.3	46.2	48.6	54.8	55.0	43.3	48.2	64.8	[3]
Colored	66.7	60.7	68.7	84.6	88.5	88.6	80.3	79.4	76.5	[3]
Washington	11.0	12.1	13.7	17.4	18.7	13.4	14.6	17.9	24.0	17.8
Wisconsin	30.5	28.2	26.8	28.0	29.9	38.4	29.6	36.1	45.4	46.1

See notes at end of table.

Table BE—Con. DEATH RATE FROM DIARRHEA AND ENTERITIS (UNDER 2 YEARS) PER 100,000 POPULATION AT ALL AGES. [Rates of 100 or more in bold-faced type.]

AREA.	1921	1920	1919	1918	1917	1916	1915	1914	1913	1912
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920.										
Akron	27.8	21.4	41.7	59.1	79.4	84.4	43.9	74.6	100.5	94.3
Albany	28.7	18.4	17.7	30.5	43.5	59.5	67.7	43.7	58.6	53.4
Atlanta (total)	47.7	44.4	30.3	44.9	99.4	55.9	48.4	75.4	75.0	81.9
White	44.0	40.1	25.0	37.7	90.7	56.6	42.7	59.1	61.8	61.5
Colored	55.9	53.7	41.7	60.4	118.1	54.2	60.4	109.1	102.3	123.2
Baltimore (total)	54.7	89.4	34.3	127.5	103.3	96.4	80.9	99.3	99.8	90.4
White	51.9	84.0	30.3	117.6	93.8	85.5	80.5	95.9	95.2	83.0
Colored	71.1	120.6	107.5	178.2	152.7	153.8	82.7	117.6	124.5	130.7
Birmingham (total)	45.7	47.4	55.3	80.0	195.1	79.3	72.1	80.3	94.4	77.4
White	45.1	43.6	52.0	74.5	137.7	84.1	70.9	79.6	87.8	81.6
Colored	46.5	53.4	60.3	88.5	283.8	71.9	73.9	81.2	104.4	70.8
Boston	29.2	51.4	47.3	64.3	59.8	51.6	65.2	66.5	74.6	86.1
Bridgeport	39.0	59.7	71.4	85.3	95.6	122.9	104.6	103.3	127.0	105.8
Buffalo	75.1	91.6	94.3	130.6	99.3	111.2	102.9	116.2	141.0	129.7
Cambridge	26.3	60.0	29.2	55.1	55.3	59.3	52.1	63.6	87.4	76.5
Camden	83.6	71.5	92.9	138.1	122.0	111.6	100.7	124.1	115.0	90.5
Chicago	68.7	84.9	97.7	114.2	114.5	140.3	112.0	130.4	141.4	138.6
Cincinnati	31.7	31.6	37.7	43.4	41.0	51.0	44.3	61.6	65.7	68.6
Cleveland	43.0	52.8	64.7	78.3	109.0	104.0	98.6	103.9	128.9	137.1
Columbus	26.6	25.0	28.2	29.3	34.5	26.2	22.2	45.1	40.8	30.3
Dallas (total)	23.4	39.1	37.6	34.5	29.3	40.3	(3)	(3)	(3)	(3)
White	22.5	35.8	33.9	38.2	31.2	39.4	(3)	(3)	(3)	(3)
Colored	29.6	57.8	58.4	14.6	19.7	44.9	(3)	(3)	(3)	(3)
Dayton	31.0	25.3	34.5	34.0	50.2	61.6	22.8	52.2	77.1	61.7
Denver	20.5	22.0	26.0	22.4	19.2	14.1	15.6	27.1	28.6	23.7
Detroit	53.2	65.3	63.8	71.9	83.9	94.6	73.5	96.4	87.6	86.2
Fall River	125.1	152.6	125.4	256.0	227.2	228.2	239.3	309.7	232.3	253.4
Grand Rapids	29.7	64.1	41.8	49.2	42.5	55.0	26.4	42.4	67.4	49.2
Hartford	48.5	64.3	53.7	87.9	108.6	96.0	111.8	82.0	63.5	103.0
Houston (total)	35.8	34.2	28.6	65.4	44.8	(3)	(3)	(3)	(3)	(3)
White	30.8	34.9	29.2	55.9	39.9	(3)	(3)	(3)	(3)	(3)
Colored	51.6	32.0	26.7	92.9	58.9	(3)	(3)	(3)	(3)	(3)
Indianapolis (total)	37.5	52.8	38.6	49.1	48.8	54.6	29.9	58.9	47.9	49.1
White	35.3	51.3	38.0	45.5	48.2	52.1	28.5	55.6	48.1	45.6
Colored	54.4	64.9	43.9	79.2	53.9	76.3	41.8	87.5	45.9	80.7
Jersey City	76.3	87.8	77.2	90.0	101.6	85.3	115.1	89.7	90.7	92.1
Kansas City, Kans. (total)	29.8	62.7	57.9	57.0	64.2	57.1	48.5	43.9	68.4	58.4
White	33.8	57.2	59.4	55.5	66.0	54.9	45.8	45.3	62.7	54.7
Colored	6.6	95.0	49.3	65.8	53.2	71.2	65.9	34.4	108.1	85.1
Kansas City, Mo.	49.1	68.5	47.1	39.7	42.6	47.1	42.9	53.3	82.3	67.8
Los Angeles	32.8	44.4	24.8	32.5	28.7	30.0	27.7	31.2	43.0	29.3
Louisville (total)	36.4	39.5	33.3	39.4	49.4	46.1	32.4	44.7	36.6	27.8
White	36.2	35.9	29.8	34.6	44.7	41.7	28.8	43.7	31.8	25.2
Colored	37.5	57.4	49.8	62.1	71.8	66.7	49.3	49.2	58.9	39.5
Lowell	71.2	123.8	115.6	162.8	171.0	177.5	158.5	143.0	167.9	178.2
Memphis (total)	33.8	42.2	40.1	55.5	53.5	(6)	37.4	61.6	51.6	67.1
White	36.5	45.1	44.1	56.7	51.3	(6)	34.1	51.0	43.7	65.4
Colored	29.2	37.5	33.0	53.4	57.3	(6)	42.9	78.6	63.9	69.8
Milwaukee	40.3	50.6	50.9	53.8	57.3	73.8	58.1	69.5	87.2	115.2
Minneapolis	10.7	13.8	13.3	17.4	22.5	31.0	27.3	42.0	35.4	34.8
Nashville (total)	45.9	48.0	56.8	66.7	60.3	(6)	61.1	68.6	47.8	86.5
White	39.6	44.5	55.9	61.6	59.8	(6)	57.3	68.3	46.9	76.5
Colored	60.7	56.2	58.8	78.3	61.4	(6)	69.4	69.2	49.7	107.4
New Bedford	101.6	124.9	110.0	346.6	143.6	178.0	135.7	231.1	218.6	248.4
New Haven	22.8	50.0	48.4	51.2	58.7	67.7	65.0	68.4	56.6	77.8
New Orleans (total)	52.2	44.1	44.7	76.1	90.2	71.1	104.7	88.6	103.4	89.1
White	40.5	39.6	35.9	64.6	71.2	61.6	86.2	73.1	91.4	79.9
Colored	85.4	56.9	69.5	108.5	143.4	97.8	156.4	132.0	136.9	114.8
New York	37.4	47.6	44.8	50.1	65.1	61.3	75.6	69.7	75.7	84.1
Bronx Borough	16.4	25.7	23.0	27.0	41.4	35.6	48.3	47.2	54.3	61.7
Brooklyn Borough	37.2	49.8	45.6	52.6	66.1	56.9	77.0	71.1	75.3	91.4
Manhattan Borough	47.6	56.8	51.2	56.5	71.8	74.6	82.2	73.0	79.7	81.4
Queens Borough	24.9	28.2	35.5	40.0	60.8	47.7	71.8	78.2	80.5	93.5
Richmond Borough	36.3	45.7	75.7	55.5	65.3	55.9	75.2	63.5	85.4	104.4
Newark, N. J.	50.8	58.1	71.8	84.4	87.6	75.3	79.5	107.8	93.9	104.5
Norfolk (total)	37.9	36.6	56.2	83.4	66.6	78.7	74.5	88.8	90.2	96.2
White	22.5	16.3	26.8	52.6	28.9	39.5	32.9	48.1	61.1	41.4
Colored	63.5	70.3	104.7	133.7	127.5	141.1	140.0	152.1	134.7	178.6
Oakland	15.9	19.6	14.1	22.3	19.6	11.4	22.1	19.6	35.5	32.7
Omaha	21.8	32.6	25.3	37.1	22.5	39.7	21.1	38.0	42.0	37.1
Paterson	26.9	38.9	39.2	66.3	61.5	44.6	44.2	63.1	78.3	81.3
Philadelphia	44.2	61.1	62.6	88.4	93.2	87.6	89.3	106.7	100.1	93.1
Pittsburgh	70.9	76.8	86.6	119.3	131.2	120.0	99.1	105.1	136.2	114.3
Portland, Oreg.	8.3	9.2	15.6	19.5	17.0	9.1	6.9	10.	13.1	19.8

Table BE—Con. DEATH RATE FROM DIARRHEA AND ENTERITIS (UNDER 2 YEARS) PER 100,000 POPULATION AT ALL AGES. [Rates of 100 or more in bold-faced type.]

AREA.	1921	1920	1919	1918	1917	1916	1915	1914	1913	1912
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—continued.										
Providence	50.1	42.4	27.4	62.8	58.5	63.6	63.9	76.5	79.1	73.5
Reading	55.0	74.8	71.7	112.9	79.7	85.1	74.6	63.1	97.0	69.4
Richmond (total)	38.1	39.3	35.8	51.3	69.1	70.2	65.2	72.7	84.4	101.8
White	32.2	28.6	31.3	36.9	41.3	49.6	50.7	55.9	68.7	73.0
Colored	51.5	62.7	44.5	81.8	127.0	112.5	94.1	104.9	113.8	154.6
Rochester	53.1	48.5	37.9	55.8	70.1	75.6	64.0	71.3	80.1	89.2
St. Louis	18.6	27.5	26.0	42.0	45.8	50.9	45.8	62.1	73.4	69.6
St. Paul	12.6	17.4	16.7	33.2	28.3	28.6	26.6	44.3	47.9	47.9
Salt Lake City	40.3	35.2	21.4	19.4	37.0	25.0	14.2	33.8	49.5	27.5
San Antonio	186.1	160.3	136.0	263.6	333.1	241.3	255.0	238.2	192.3	294.6
San Francisco	10.6	14.9	16.5	14.4	17.0	17.7	19.6	22.2	31.3	41.8
Scranton	77.0	70.2	70.6	114.2	142.9	154.2	146.9	172.5	144.9	158.7
Seattle	7.3	8.8	10.3	13.5	7.8	6.3	8.9	12.9	17.1	19.2
Spokane	13.4	16.3	12.4	23.0	19.2	14.4	18.2	26.8	30.6	21.1
Springfield, Mass.	30.9	41.0	43.9	70.5	73.8	78.3	69.5	78.8	81.1	92.7
Syracuse	53.0	77.1	57.7	94.3	80.4	74.6	60.3	92.1	78.8	80.0
Toledo	43.0	46.2	40.9	50.3	60.7	95.6	52.2	78.8	87.9	69.6
Trenton	57.8	70.6	83.0	82.0	89.9	105.2	118.5	97.6	151.6	121.7
Washington, D. C., (total)	27.7	32.5	35.9	52.0	56.3	45.6	43.5	40.0	59.0	53.2
White	21.1	22.6	28.6	35.5	35.3	27.5	26.3	18.9	34.9	31.2
Colored	47.0	61.9	57.3	99.7	116.3	96.2	90.9	97.3	122.8	110.6
Wilmington, Del.	60.0	78.2	64.3	117.0	130.1	116.0	87.2	98.4	84.8	90.0
Worcester	50.8	47.9	50.6	75.6	83.0	75.8	70.1	71.0	96.7	139.9
Yonkers	30.0	52.4	55.5	57.7	85.3	84.0	120.1	107.2	162.9	133.8
Youngstown	75.6	66.8	80.8	134.1	190.7	135.2	107.6	128.4	187.9	200.0

[1] Exclusive of Hawaii.
[2] Including District of Columbia.
[3] Not added to registration area until a later date.
[4] Including only municipalities having a population of 1,000 or more in 1910.
[5] Including only municipalities having a population of 1,000 or more in 1900.
[6] Transcripts of deaths not received.

NOTE.—Includes ulcer of the duodenum from 1912 to 1920.

ACUTE AND CHRONIC NEPHRITIS.

In 1921 the number of deaths from acute and chronic nephritis is 75,696, corresponding to a crude rate of 85.4 per 100,000 population, which is the lowest rate since 1900. Of these deaths, 5,741 are due to acute nephritis and 69,955 to chronic nephritis.

For the States as a whole the adjustments for sex and age reduce the crude rate of 84.9 in 1921 to an adjusted rate of 79, and in a comparison of the 34 States for 1921 and 1920, lower adjusted rates appear in 1921 for all but nine.

The States which have the highest adjusted rates in 1921 are Maryland (122.8), Delaware (117.2), South Carolina (115.1), and Louisiana (109.3); those which have the lowest rates are Oregon (49.1), Wisconsin (52), Nebraska (52.8), Minnesota (55.7), and Washington (56.6).

Forty-nine of the registration cities of 100,000 population or more in 1920 show decreases in the adjusted rate for 1921 as compared with the rate for 1920; the greatest decrease (44.2) is shown for Hartford (from 141 in 1920 to 96.8 in 1921). Of the 17 cities showing increases in 1921, the greatest is shown for Scranton (from 88.6 to 134.9). The cities showing the highest rates in 1921 are Atlanta (177.8), Memphis (175.6), New Orleans (172.7), Camden (139.2), and Baltimore (139.1). Cities show-

ing lowest rates are Worcester (43), Lowell (48), Cambridge (48.3), New Bedford (51.9), and Portland (55.3). Of the areas shown by color, Maryland is the only State, though there are 8 of the 13 cities, to show for the colored a rate of 150 or more.

Table BF shows adjusted mortality rates from acute and chronic nephritis per 100,000 population, and also crude mortality rates. The adjusted rates are based on the standard million population of England and Wales, 1901. Rates of 150 or more are printed in bold-faced type.

Table BF — DEATH RATE FROM ACUTE AND CHRONIC NEPHRITIS PER 100,000 POPULATION. [Rates of 150 or more in bold-faced type.]

AREA.	Adjusted.		Crude.							
	1921	1920	1921	1920	1919	1918	1917	1916	1915	1914
SUMMARY.										
The registration area [1]	(2)	(2)	85.4	89.4	88.1	97.6	107.9	105.6	105.1	102.6
Registration States [3]	79.0	83.2	84.9	88.8	87.7	96.8	105.8	104.1	102.5	100.2
Cities in registration States [3]	(2)	(2)	93.9	100.2	102.6	114.6	124.2	122.2	117.3	118.3
Rural part of registration States	(2)	(2)	76.3	78.1	74.7	80.8	89.5	87.5	87.8	82.5
Registration cities in nonregistration States	(2)	(2)	111.6	123.5	107.5	131.7	135.4	125.6	136.2	133.0
All registration cities [3]	(2)	(2)	94.5	101.0	102.8	115.3	125.8	122.7	120.0	120.4
REGISTRATION STATES.										
California	73.5	73.3	94.5	94.3	93.0	95.3	102.1	105.2	103.8	97.9
Colorado	67.7	75.4	68.8	76.6	69.2	76.2	77.4	73.0	82.8	79.8
Connecticut	70.2	80.5	76.8	88.1	93.2	99.4	118.8	119.0	111.4	113.9
Delaware	117.2	105.9	139.3	125.9	137.0	(4)	(4)	(4)	(4)	(4)
Florida (total)	93.4	98.5	91.2	96.2	82.5	(4)	(4)	(4)	(4)	(4)
White	79.1	88.4	85.2	95.2	80.4	(4)	(4)	(4)	(4)	(4)
Colored	124.4	118.0	103.4	98.1	86.6	(4)	(4)	(4)	(4)	(4)
Illinois	80.9	86.2	85.2	90.8	85.0	94.9	(4)	(4)	(4)	(4)
Indiana	74.1	81.6	95.9	105.6	98.0	102.1	111.7	104.6	100.7	96.3
Kansas	62.8	65.8	78.4	82.2	75.1	81.0	84.6	79.5	72.5	67.7
Kentucky (total)	74.9	77.2	76.5	78.9	78.7	87.7	96.7	83.1	83.9	79.9
White	69.0	70.4	69.9	71.3	69.5	77.9	85.5	73.8	74.4	70.3
Colored	126.0	136.1	139.2	150.4	163.0	175.8	195.7	163.4	164.9	159.5
Louisiana (total)	109.3	106.0	89.6	86.9	88.9	99.0	(4)	(4)	(4)	(4)
White	95.5	92.0	78.3	75.4	78.0	86.1	(4)	(4)	(4)	(4)
Colored	131.7	128.5	107.7	105.1	105.8	118.8	(4)	(4)	(4)	(4)
Maine	63.2	72.8	96.9	111.7	104.3	108.6	114.3	121.1	121.0	121.4
Maryland (total)	122.8	128.0	134.1	139.8	142.0	158.7	159.6	149.5	147.4	139.2
White	110.5	114.8	124.8	129.7	130.4	144.1	146.0	140.3	134.3	130.8
Colored	192.3	202.5	180.3	189.8	198.5	230.0	225.0	193.7	209.4	178.6
Massachusetts	61.4	64.9	71.5	75.5	79.9	89.0	97.6	98.1	94.7	95.1
Michigan	57.6	62.6	64.0	69.5	63.5	71.0	77.8	74.7	75.1	69.8
Minnesota	55.7	63.0	58.3	66.0	67.8	70.3	73.3	76.4	78.2	74.4
Mississippi (total)	91.9	97.0	78.9	83.3	70.5	(4)	(4)	(4)	(4)	(4)
White	75.3	77.6	67.6	69.6	65.0	(4)	(4)	(4)	(4)	(4)
Colored	107.6	115.7	89.1	95.8	75.5	(4)	(4)	(4)	(4)	(4)
Missouri	86.0	83.3	101.5	98.4	105.9	112.8	118.1	112.8	110.4	100.6
Montana	61.2	61.7	48.5	48.9	49.1	61.7	71.0	73.8	72.3	55.2
Nebraska	52.8	48.4	56.8	52.1	(4)	(4)	(4)	(4)	(4)	(4)
New Hampshire	67.5	67.7	100.4	100.7	94.0	118.3	123.4	115.6	114.8	118.3
New Jersey	99.0	106.3	98.2	105.4	106.0	124.8	132.8	131.7	125.3	126.6
New York	93.5	102.4	100.9	110.4	108.3	120.3	136.7	136.1	128.6	134.8
North Carolina (total)	91.5	87.9	77.8	74.7	68.7	81.8	83.0	71.8	[5] 114.3	[6] 121.0
White	79.6	78.1	70.3	69.0	63.6	72.6	76.9	67.9	95.2	99.6
Colored	123.5	114.2	95.3	88.1	80.2	102.7	96.8	80.4	150.4	161.3
Ohio	61.5	64.5	72.7	76.2	77.4	83.9	92.0	92.0	88.5	84.9
Oregon	49.1	54.4	59.0	65.4	62.2	61.1	(4)	(4)	(4)	(4)
Pennsylvania	94.5	97.3	95.9	98.8	97.7	106.3	119.1	109.5	105.6	101.8
Rhode Island	87.7	87.3	97.2	96.8	107.1	110.3	122.9	137.8	126.4	129.6
South Carolina (total)	115.1	112.3	85.9	83.8	78.1	91.0	96.7	96.6	(4)	(4)
White	101.4	98.1	81.2	78.6	73.1	86.8	88.5	80.7	(4)	(4)
Colored	128.2	125.6	90.5	88.7	82.9	94.9	104.1	110.9	(4)	(4)

Table BF—Con. — DEATH RATE FROM ACUTE AND CHRONIC NEPHRITIS PER 100,000 POPULATION. [Rates of 150 or more in bold-faced type.]

AREA.	Adjusted.		Crude.							
	1921	1920	1921	1920	1919	1918	1917	1916	1915	1914
REGISTRATION STATES—CON.										
Tennessee (total)	70.8	68.4	67.9	65.6	62.6	71.4	74.8	(4)	(4)	(4)
White	59.2	56.3	57.4	54.6	54.2	58.9	62.8	(4)	(4)	(4)
Colored	120.8	120.1	112.6	112.0	97.6	122.6	123.1	(4)	(4)	(4)
Utah	69.8	79.0	59.0	66.8	54.8	58.3	73.5	72.5	70.3	66.7
Vermont	67.5	71.0	105.6	111.0	111.5	113.9	117.2	117.9	125.4	112.9
Virginia (total)	94.5	96.0	89.1	90.5	91.3	106.9	106.3	103.2	103.2	97.3
White	78.6	84.2	77.1	82.6	77.5	90.8	91.2	92.7	93.2	85.4
Colored	136.0	126.1	117.7	109.1	123.4	143.8	140.5	143.1	141.6	123.3
Washington	56.6	58.6	59.6	61.7	61.2	60.4	56.6	59.2	62.6	61.9
Wisconsin	52.0	54.1	59.5	61.8	61.0	58.8	68.8	69.0	63.9	62.0
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920.										
Akron	60.5	55.6	37.4	34.4	41.2	36.8	45.4	45.0	36.1	39.3
Albany	105.8	129.9	133.0	163.3	162.3	180.1	148.5	191.2	184.3	174.9
Atlanta (total)	177.8	191.9	147.5	159.2	139.7	161.5	164.9	163.8	164.6	177.0
White	155.1	181.0	126.5	147.6	134.5	144.9	156.5	141.9	129.6	160.5
Colored	213.0	202.6	194.0	184.6	150.9	197.7	182.9	210.1	238.2	211.2
Baltimore (total)	139.1	139.2	144.2	144.3	154.1	183.9	184.7	169.1	167.2	165.4
White	128.3	125.9	136.1	133.5	143.7	169.9	167.2	160.1	151.7	154.5
Colored	212.2	229.4	190.9	206.4	214.1	256.0	275.2	216.3	249.1	223.4
Birmingham (total)	98.9	126.7	75.8	97.1	104.9	109.6	124.7	95.9	106.2	129.2
White	93.7	102.1	70.8	77.2	92.9	89.8	80.6	79.0	94.9	107.6
Colored	107.6	164.9	83.4	127.8	123.4	140.1	192.7	121.9	123.8	162.5
Boston	59.6	57.9	62.8	61.0	73.6	87.3	107.8	107.0	101.1	102.4
Bridgeport	63.6	88.5	55.7	77.6	99.7	103.5	146.8	154.0	150.4	145.8
Buffalo	93.1	120.5	87.8	113.7	103.7	136.3	127.7	124.8	118.9	124.2
Cambridge	48.3	71.2	54.3	80.0	55.7	85.4	67.3	74.1	83.8	87.0
Camden	139.2	151.3	124.5	135.4	118.9	160.3	166.2	165.0	180.8	152.0
Chicago	104.1	114.1	88.4	96.9	92.3	108.2	111.4	106.4	110.8	103.7
Cincinnati	105.2	102.1	125.7	122.1	135.1	168.6	167.7	164.6	171.3	148.5
Cleveland	92.2	94.8	71.0	73.0	72.6	83.8	82.3	86.1	87.5	81.2
Columbus	55.7	71.2	61.7	78.8	74.3	66.1	81.1	89.2	90.6	82.9
Dallas (total)	102.3	115.4	86.5	97.5	68.8	79.7	96.7	88.0	(4)	(4)
White	91.1	95.5	74.6	78.2	66.2	66.4	89.7	82.7	(4)	(4)
Colored	174.5	231.6	155.7	206.6	83.4	150.7	133.0	114.9	(4)	(4)
Dayton	70.3	69.6	74.6	73.8	92.2	107.5	86.5	108.9	94.9	101.4
Denver	76.2	83.6	87.0	95.5	99.5	102.1	102.3	103.3	120.5	108.6
Detroit	66.9	68.9	49.1	50.6	46.3	49.7	60.0	62.3	61.9	57.0
Fall River	116.2	103.3	111.9	99.5	104.6	123.9	126.5	113.3	108.4	107.7
Grand Rapids	67.4	86.0	77.9	99.4	98.2	96.2	105.5	89.5	91.2	84.9
Hartford	96.8	141.0	92.7	135.0	131.6	116.7	153.2	132.3	112.6	123.4
Houston (total)	108.3	120.2	95.7	106.2	95.4	123.4	120.8	(4)	(4)	(4)
White	101.1	112.6	90.7	101.0	90.7	117.3	108.2	(4)	(4)	(4)
Colored	127.3	139.2	111.8	122.3	109.8	141.0	157.0	(4)	(4)	(4)
Indianapolis (total)	91.3	103.0	99.5	112.3	101.8	100.6	107.1	111.0	103.6	99.0
White	88.3	97.9	98.7	109.4	98.4	93.2	102.8	108.0	99.1	95.7
Colored	115.3	147.3	106.0	135.4	128.9	161.4	142.8	136.0	142.7	127.6
Jersey City	110.9	122.1	92.1	101.4	105.9	136.7	143.6	141.4	133.8	140.2
Kansas City, Kans. (total)	119.1	133.8	110.7	124.4	109.9	131.2	144.0	134.2	116.3	105.5
White	(2)	(2)	88.0	95.0	90.8	119.3	121.2	115.9	92.9	86.9
Colored	(2)	(2)	242.7	298.7	225.4	204.6	288.6	253.1	272.0	232.4
Kansas City, Mo.	115.3	104.8	121.4	110.3	117.9	145.2	149.9	131.8	136.6	118.0
Los Angeles	87.2	78.2	115.6	103.7	102.2	114.6	110.6	114.7	104.8	106.6
Louisville (total)	115.9	117.1	127.9	129.2	148.4	190.4	171.7	158.5	164.3	164.0
White	103.7	107.8	116.8	121.4	123.5	174.7	149.1	135.7	155.2	143.3
Colored	176.8	161.9	182.6	167.2	268.8	265.7	279.9	266.8	207.0	260.6
Lowell	48.0	69.0	51.0	73.4	73.8	84.1	88.2	91.5	99.3	90.7
Memphis (total)	175.6	176.6	164.8	165.8	176.3	184.1	172.9	(6)	176.5	182.6
White	153.6	141.1	147.1	135.2	148.1	157.4	125.5	(6)	136.4	141.5
Colored	218.6	243.4	194.6	216.7	225.8	230.1	253.3	(6)	242.3	248.9
Milwaukee	63.2	71.5	60.8	68.8	71.2	65.9	80.7	81.0	71.3	70.4
Minneapolis	72.8	68.3	72.6	68.1	86.1	92.0	101.3	105.1	107.3	90.0
Nashville (total)	118.4	128.2	121.3	131.4	102.6	142.0	121.4	(6)	134.5	127.5
White	93.4	95.2	94.4	93.2	82.7	113.4	112.1	(6)	112.1	96.7
Colored	175.4	202.8	184.9	213.5	148.5	207.1	142.3	(6)	183.2	193.8
New Bedford	51.9	69.9	50.4	67.8	52.5	56.2	74.9	73.0	76.5	93.2
New Haven	78.6	89.8	78.4	89.6	88.8	112.6	116.1	120.3	133.4	143.7
New Orleans (total)	172.7	180.2	165.2	172.4	191.8	225.7	268.1	232.2	240.1	238.4
White	146.4	149.4	143.7	146.6	165.5	180.2	217.3	175.3	200.7	213.4
Colored	258.6	280.7	226.0	245.3	266.1	353.8	411.0	392.3	350.3	422.3

See notes at end of table.

Table BF—Con. DEATH RATE FROM ACUTE AND CHRONIC NEPHRITIS PER 100,000 POPULATION.
[Rates of 150 or more in bold-faced type.]

AREA.	Adjusted.		Crude.							
	1921	1920	1921	1920	1919	1918	1917	1916	1915	1914
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—continued.										
New York	116.8	128.7	96.9	106.8	104.3	115.6	139.6	138.6	127.9	144.3
Bronx Borough	103.7	120.9	75.3	87.8	88.9	107.8	124.8	127.8	115.4	122.0
Brooklyn Borough	121.9	142.0	103.2	120.2	104.9	106.4	123.8	124.5	107.0	142.6
Manhattan Borough	113.1	119.0	93.8	98.7	106.6	122.0	154.6	149.3	145.5	146.5
Queens Borough	126.4	124.0	108.7	106.6	106.6	116.9	129.6	135.7	119.5	137.5
Richmond Borough	143.8	158.3	137.7	151.6	136.6	187.8	227.3	228.4	211.0	274.1
Newark, N. J.	97.0	119.0	83.3	102.2	107.3	127.7	154.1	147.6	129.4	145.3
Norfolk (total)	97.5	115.8	81.6	96.9	110.6	129.7	113.5	113.6	109.7	135.9
White	86.3	119.4	72.8	100.7	98.7	128.7	100.2	93.2	93.8	94.5
Colored	101.1	95.1	96.4	90.7	130.2	131.3	134.8	146.1	134.8	200.1
Oakland	57.1	74.4	68.4	89.2	97.7	90.8	84.8	92.0	94.8	97.9
Omaha	74.7	61.9	73.6	61.0	73.2	70.4	87.1	86.8	72.8	99.7
Paterson	97.5	98.3	91.7	92.4	133.0	153.4	157.6	144.5	163.2	126.9
Philadelphia	131.4	141.6	131.2	141.4	140.3	163.8	188.4	176.1	165.3	173.3
Pittsburgh	85.9	90.1	76.7	80.4	93.2	103.4	101.1	93.8	93.4	89.8
Portland, Oreg.	55.3	63.3	63.4	72.6	72.6	69.5	78.0	67.5	71.0	75.8
Providence	89.7	97.3	96.0	104.1	120.3	115.1	132.8	155.9	138.7	142.1
Reading	104.8	123.5	120.0	141.4	134.2	104.3	160.2	130.1	121.1	97.2
Richmond (total)	133.6	152.1	121.8	138.7	138.6	176.6	168.5	197.8	198.0	165.6
White	130.6	147.1	127.8	143.9	133.2	174.8	167.8	181.7	183.1	140.3
Colored	135.6	159.1	108.5	127.3	150.0	180.4	169.9	230.6	227.8	214.1
Rochester	98.6	114.6	104.5	121.4	108.7	111.6	137.9	134.4	134.7	126.5
St. Louis	132.3	130.9	137.1	135.7	168.8	174.3	174.1	180.5	172.0	174.2
St. Paul	80.5	106.8	80.3	106.5	103.1	87.2	76.2	100.7	82.9	85.5
Salt Lake City	79.8	98.3	74.8	92.2	88.1	90.1	97.4	109.1	97.3	100.4
San Antonio	80.9	90.9	72.4	81.4	63.3	100.4	120.9	104.3	110.4	113.1
San Francisco	98.3	94.4	111.4	107.0	119.5	116.9	122.3	132.2	135.0	124.0
Scranton	134.9	88.6	115.8	76.0	83.7	100.3	115.7	93.4	110.4	90.8
Seattle	74.5	65.8	75.5	66.7	72.9	76.5	52.5	54.6	66.9	71.4
Spokane	86.9	78.9	93.8	85.2	91.9	83.3	100.5	93.8	101.5	100.6
Springfield, Mass.	103.8	125.2	108.9	131.4	137.2	158.1	155.2	140.9	139.0	168.8
Syracuse	61.4	85.5	69.9	97.3	91.8	102.7	116.0	109.7	103.9	100.0
Toledo	56.8	78.8	56.4	78.2	71.8	79.1	82.9	81.0	77.0	91.4
Trenton	130.5	149.4	119.7	137.0	160.0	148.5	143.6	144.8	112.1	168.0
Washington, D. C. (total)	109.7	99.3	121.1	109.7	116.4	160.1	162.4	153.3	167.7	161.4
White	88.7	79.1	102.5	91.4	95.0	128.5	127.2	129.9	137.3	131.4
Colored	186.0	173.3	176.1	164.1	179.3	251.2	262.5	218.9	251.5	242.7
Wilmington, Del.	123.7	106.6	125.2	107.9	128.6	112.2	153.4	168.6	150.0	135.7
Worcester	43.0	58.6	44.9	61.2	63.5	63.0	92.4	102.6	71.3	78.4
Yonkers	87.9	96.7	75.5	83.0	84.7	105.1	106.4	121.7	132.3	85.7
Youngstown	63.8	51.8	47.6	38.6	47.7	52.7	59.1	65.9	57.8	55.7

[1] Exclusive of Hawaii.
[2] Not computed.
[3] Including District of Columbia.
[4] Not added to registration area until a later date.
[5] Including only municipalities having a population of 1,000 or more in 1910.
[6] Transcripts of deaths not received.

PUERPERAL CAUSES.

Are puerperal causes of death an increasing or a decreasing danger to the women of the United States?

If every State had had good birth and death registration since 1900 a satisfactory answer to this question would be possible, based on death rates from puerperal causes per 1,000 births, but as the birth registration area was not established until 1915, and then included but 10 States and the District of Columbia, it is possible to show only a few such rates for a few years, and it must be borne in mind that even then rates are too high whenever birth registration is incomplete. It is possible, however, to show death rates from puerperal causes based on female population at all ages, female population 15 to 44 years of age, and married female population 15 to 44 years, and so to fill, in some degree, the gap in our evidence.

How do the death rates from puerperal causes in the United States compare with the rates in foreign countries? Here again is a question of the greatest interest and importance which can not be answered satisfactorily both because of lack of data in this country and because there is no certainty that all deaths from these causes are classified in the same way in the various countries. This latter objection can always be raised whenever specific death rates of different countries are compared, but it is not believed to be usually a serious objection and is mentioned only in the interest of accuracy and as a caution against too positive deductions from such comparisons.

It was pointed out in a previous report that the very high death rate (9.2) in 1918 from all puerperal causes per 1,000 live births in the birth registration area was undoubtedly due to the influenza epidemic, and that the same factor in 1919 accounted for the difference between the rate (7.4) for that year and the rate (6.2) for the more normal year—1916. Again in 1920, with another epidemic of influenza in the early months of the year, there was an increased rate (8), and again a large part of the increase should be charged to influenza. Happily, lower rates from these causes are general in 1921.

Special attention is called to the fact that for both white and colored for each of the six years 1916 to 1921, rates from all puerperal causes and puerperal septicemia are, without exception, lower for the rural part of the birth registration area than for the urban.

For 1921 among the States in the birth registration area the highest rates from all puerperal causes per 1,000 live births appear for South Carolina (9.8) and for Mississippi (9.5). These excessively high rates are accounted for by the very high rates for the colored (11.8 and 12, respectively), but the highest rate for the colored (14.8) is in Kentucky. The lowest rates appear for Connecticut (5.3), Minnesota (5.7), Wisconsin (5.8), and New Jersey (5.9).

Among the cities of 100,000 population or more in 1920 in the birth registration area the highest rates from all puerperal causes per 1,000 live births appear for Reading (14), Richmond (12.2), Scranton (11.6), and Norfolk (11.4), and the lowest rates are for Oakland (4.3), and Lowell and Syracuse (4.8 each).

The rates for mothers under 20 years of age are considerably higher than the rates for mothers 20 to 29, and a partial explanation, at least, is the comparatively large number of illegitimate children involved and the lack of care so common in such cases.

For each of the five years 1917 to 1921 the rates from puerperal causes are higher for mothers aged 30 to 39 than for mothers aged 20 to 29, and higher for

mothers aged 40 years and over than for mothers aged 30 to 39 years. These figures certainly point to the conclusion that childbearing becomes more and more dangerous as women grow older.

The figures by color and by birthplace of mother are most interesting, but they must be used with caution. For example, rates for colored mothers are nearly double those for white mothers. Probably so great a difference in the rates does not actually exist, for it is extremely likely that births of colored children are not as completely reported as are the births of white children, and that therefore the rates for colored mothers are exaggerated.

Other differences, such as comparatively high adjusted rates for mothers born in the United States and the very much lower rates for mothers born in Italy, appear to be actual differences and may well serve as the starting point for intensive study.

Tables BG, BH, and BI throw considerable light on these questions and are well worth careful study.

DEATH RATES FROM PUERPERAL CAUSES PER 1,000 LIVE BIRTHS IN THE BIRTH REGISTRATION AREA, EACH REGISTRATION STATE, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FOR THE YEARS 1916 TO 1921.

[Rates for deaths numbering less than 5 are shown in *italics*.]

Table BG — AREA.	DEATH RATE PER 1,000 LIVE BIRTHS.																	
	All puerperal causes.						Puerperal septicemia.						Other puerperal causes.					
	1921	1920	1919	1918	1917	1916	1921	1920	1919	1918	1917	1916	1921	1920	1919	1918	1917	1916
SUMMARY.																		
The birth registration area (total)	6.8	8.0	7.4	9.2	6.6	6.2	2.7	2.7	2.5	2.5	2.7	2.5	4.1	5.3	4.9	6.6	3.9	3.7
White	6.4	7.6	7.0	8.9	6.3	6.1	2.6	2.6	2.3	2.4	2.6	2.5	3.8	5.0	4.6	6.4	3.7	3.6
Colored	10.8	12.8	12.4	13.9	11.8	11.8	3.9	4.0	4.1	4.3	4.8	5.2	6.9	8.8	8.4	9.6	7.0	6.6
Cities in the registration area [3] (total)	7.7	8.6	7.9	9.6	7.0	6.5	3.3	3.2	2.9	2.9	3.2	2.9	4.4	5.4	4.9	6.7	3.8	3.6
White	7.4	8.2	7.6	9.3	6.7	6.3	3.2	3.0	2.8	2.8	3.0	2.8	4.2	5.2	4.8	6.6	3.7	3.6
Colored	13.1	15.1	13.9	16.7	13.8	12.8	5.7	6.2	5.8	6.6	6.9	6.3	7.4	8.9	8.1	10.1	6.9	6.4
Rural part of the registration area (total)	5.9	7.4	6.9	8.7	6.2	5.7	2.1	2.2	2.0	2.2	2.3	1.9	3.8	5.2	4.9	6.5	3.9	3.8
White	5.4	6.9	6.3	8.4	5.9	5.7	2.0	2.1	1.8	2.1	2.2	1.9	3.4	4.8	4.5	6.3	3.7	3.7
Colored	9.7	11.7	11.8	12.5	10.8	9.7	3.1	2.9	3.3	3.1	3.7	2.8	6.6	8.8	8.5	9.4	7.0	6.9
REGISTRATION STATES.																		
California	6.8	7.7	8.0	(1)	(1)	(1)	3.0	2.6	2.5	(1)	(1)	(1)	3.9	5.1	5.5	(1)	(1)	(1)
Connecticut	5.3	6.8	6.2	7.5	5.1	4.9	2.2	2.2	2.0	1.5	2.1	2.1	3.1	4.6	4.2	6.0	3.0	2.8
Delaware	6.3	(1)	(1)	(1)	(1)	(1)	3.0	(1)	(1)	(1)	(1)	(1)	3.4	(1)	(1)	(1)	(1)	(1)
Indiana	6.9	8.7	8.4	10.4	7.2	(1)	3.4	4.0	3.6	4.2	3.6	(1)	3.5	4.7	4.8	6.2	3.7	(1)
Kansas	6.4	8.4	8.2	11.4	7.6	(1)	2.9	3.5	3.1	4.3	3.4	(1)	3.6	5.0	5.1	7.1	4.2	(1)
Kentucky (total)	6.3	6.4	6.3	8.0	6.0	(1)	2.9	2.8	2.3	2.7	2.7	(1)	3.3	3.7	4.0	5.3	3.3	(1)
White	5.7	6.0	5.9	7.5	5.6	(1)	2.6	2.5	2.0	2.5	2.5	(1)	3.0	3.5	3.8	5.0	3.1	(1)
Colored	14.8	13.0	12.5	15.4	10.8	(1)	7.0	7.0	6.1	5.3	5.6	(1)	7.7	6.0	6.4	10.1	5.2	(1)
Maine	7.4	8.5	8.6	8.6	6.7	7.8	1.9	1.6	1.9	1.3	1.8	1.9	5.5	6.9	6.6	7.3	4.9	5.9
Maryland (total)	6.7	7.6	8.4	9.5	6.8	6.4	2.4	2.4	2.7	2.5	2.6	2.7	4.3	5.2	5.7	7.0	4.2	3.7
White	6.0	6.6	7.6	8.6	6.1	5.6	2.0	1.8	2.4	2.0	2.2	2.4	3.9	4.8	5.2	6.6	3.9	3.2
Colored	9.6	11.8	11.5	13.8	9.8	9.8	3.7	5.0	4.0	4.9	4.5	4.3	5.9	6.8	7.5	8.9	5.3	5.5
Massachusetts	6.5	7.5	7.1	9.2	6.5	6.0	2.2	2.4	2.1	2.1	2.7	2.4	4.3	5.1	5.0	7.1	3.8	3.5
Michigan	6.9	9.3	7.7	8.6	7.4	6.8	3.1	3.4	3.0	2.6	3.3	3.1	3.8	5.9	4.8	6.0	4.2	3.7
Minnesota	5.7	7.9	6.7	7.8	5.6	5.5	2.6	2.9	2.0	2.1	2.4	2.1	3.1	5.0	4.8	5.7	3.1	3.3
Mississippi (total)	9.5	(1)	(1)	(1)	(1)	(1)	3.1	(1)	(1)	(1)	(1)	(1)	6.4	(1)	(1)	(1)	(1)	(1)
White	7.1	(1)	(1)	(1)	(1)	(1)	2.2	(1)	(1)	(1)	(1)	(1)	4.9	(1)	(1)	(1)	(1)	(1)
Colored	12.0	(1)	(1)	(1)	(1)	(1)	4.0	(1)	(1)	(1)	(1)	(1)	8.0	(1)	(1)	(1)	(1)	(1)
Nebraska	6.6	7.1	(1)	(1)	(1)	(1)	2.7	2.5	(1)	(1)	(1)	(1)	3.9	4.7	(1)	(1)	(1)	(1)
New Hampshire	6.2	7.1	8.0	7.8	7.0	7.2	1.7	1.3	1.9	1.7	2.1	2.2	4.5	5.8	6.0	6.1	4.9	5.1
New Jersey	5.9	(1)	(1)	(1)	(1)	(1)	2.4	(1)	(1)	(1)	(1)	(1)	3.4	(1)	(1)	(1)	(1)	(1)
New York	6.3	6.9	6.2	8.0	5.7	5.4	2.5	2.3	2.1	2.1	2.3	2.2	3.8	4.6	4.1	5.9	3.4	3.2
North Carolina (total)	7.3	10.0	9.3	10.8	8.2	(1)	1.9	2.1	1.9	2.1	2.2	(1)	5.5	7.9	7.3	8.7	6.0	(1)
White	6.1	8.6	8.2	9.4	6.8	(1)	1.4	1.7	1.5	1.5	1.6	(1)	4.7	6.9	6.7	7.9	5.2	(1)
Colored	10.2	13.2	11.8	13.9	11.5	(1)	3.0	3.1	2.9	3.3	3.6	(1)	7.2	10.1	8.9	10.6	7.8	(1)
Ohio	7.2	8.0	7.4	9.7	7.1	(1)	3.4	3.4	2.9	3.2	3.5	(1)	3.8	4.5	4.5	6.5	3.6	(1)
Oregon	7.4	9.4	10.1	(1)	(1)	(1)	3.0	3.3	4.1	(1)	(1)	(1)	4.5	6.1	6.0	(1)	(1)	(1)
Pennsylvania	6.8	7.8	6.8	10.5	6.5	7.0	2.9	2.7	2.6	2.8	2.8	3.0	3.9	5.0	4.2	7.7	3.7	4.0
Rhode Island	7.1	(2)	(2)	9.8	6.3	5.8	3.2	(2)	(2)	2.1	2.4	1.4	3.9	(2)	(2)	7.7	4.0	4.4
South Carolina (total)	9.8	12.2	11.2	(1)	(1)	(1)	2.6	2.8	3.2	(1)	(1)	(1)	7.2	9.4	8.0	(1)	(1)	(1)
White	7.8	9.0	7.8	(1)	(1)	(1)	1.7	1.8	1.8	(1)	(1)	(1)	6.0	7.1	6.0	(1)	(1)	(1)
Colored	11.8	15.4	14.4	(1)	(1)	(1)	3.4	3.7	4.5	(1)	(1)	(1)	8.4	11.7	9.9	(1)	(1)	(1)
Utah	7.3	7.9	8.4	8.6	5.9	(1)	2.9	2.0	2.1	2.1	2.2	(1)	4.3	5.9	6.2	6.5	3.7	(1)
Vermont	7.3	7.0	8.0	8.0	6.3	7.8	2.5	1.9	1.7	1.3	2.0	0.6	4.8	5.1	6.3	6.7	4.4	7.2
Virginia (total)	7.0	8.6	8.2	10.7	8.2	(1)	2.3	2.3	2.1	2.6	3.1	(1)	4.7	6.4	6.2	8.1	5.0	(1)
White	5.7	7.5	6.6	9.6	6.4	(1)	1.8	1.9	1.5	2.1	2.3	(1)	3.9	5.6	5.1	7.5	4.2	(1)
Colored	9.9	11.1	11.9	13.2	12.1	(1)	3.5	3.1	3.3	3.8	5.0	(1)	6.4	8.0	8.6	9.4	7.0	(1)
Washington	7.3	9.2	8.6	9.9	7.4	(1)	3.6	2.3	2.8	3.3	3.4	(1)	4.2	6.9	5.8	6.6	4.0	(1)
Wisconsin	5.8	6.7	4.8	6.0	5.7	(1)	2.2	2.1	1.6	1.9	2.1	(1)	3.6	4.6	3.2	4.1	3.6	(1)
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920.																		
Akron	8.0	12.6	9.9	12.9	10.4	(1)	3.8	7.0	4.6	6.0	6.8	(1)	4.2	5.6	5.3	6.9	3.5	(1)
Albany	10.1	3.1	6.6	10.7	9.3	7.0	3.1	*0.4*	2.4	2.8	3.5	3.1	7.0	2.6	4.3	7.9	5.8	3.9
Baltimore (total)	6.6	7.6	8.9	8.9	6.9	7.6	2.7	2.8	2.9	3.0	3.1	3.6	4.0	4.8	6.0	5.9	3.9	4.1
White	6.1	6.8	8.2	8.3	6.6	6.6	2.2	2.1	2.5	2.2	2.5	2.9	3.9	4.7	5.7	6.1	4.1	3.7
Colored	9.6	11.5	12.8	12.5	8.8	13.3	5.1	6.3	5.1	7.7	6.3	7.1	4.4	5.2	7.7	4.7	2.5	6.2

See notes at end of table.

DEATH RATES FROM PUERPERAL CAUSES PER 1,000 LIVE BIRTHS IN THE BIRTH REGISTRATION AREA, EACH REGISTRATION STATE, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FOR THE YEARS 1916 TO 1921—Continued.

[Rates for deaths numbering less than 5 are shown in *italics*.]

Table BG—Con.

AREA.	DEATH RATE PER 1,000 LIVE BIRTHS.																	
	All puerperal causes.						Puerperal septicemia.						Other puerperal causes.					
	1921	1920	1919	1918	1917	1916	1921	1920	1919	1918	1917	1916	1921	1920	1919	1918	1917	1916
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—CON.																		
Boston	8.1	9.5	9.1	11.6	9.1	7.1	3.3	3.6	3.0	2.8	4.1	3.6	4.8	5.8	6.1	8.8	4.9	3.5
Bridgeport	5.1	7.2	5.5	8.3	6.1	5.4	2.4	2.4	1.8	1.6	2.0	3.7	2.7	4.8	3.8	6.7	4.1	1.7
Buffalo	5.8	7.1	7.8	7.6	4.9	5.4	2.5	2.3	3.3	1.8	2.0	2.2	3.3	4.8	4.5	5.9	2.9	3.2
Cambridge	7.5	7.4	6.5	11.6	6.5	5.2	2.6	2.1	2.2	3.4	3.3	1.9	4.9	5.3	4.4	8.2	3.3	3.3
Camden	9.9	(1)	(1)	(1)	(1)	(1)	3.9	(1)	(1)	(1)	(1)	(1)	6.0	(1)	(1)	(1)	(1)	(1)
Cincinnati	8.5	9.6	9.5	11.5	9.7	(1)	4.1	4.4	4.8	5.2	6.4	(1)	4.4	5.2	4.8	6.3	3.3	(1)
Cleveland	7.6	6.8	5.6	7.7	6.6	(1)	4.1	3.4	2.3	2.8	3.4	(1)	3.5	3.5	3.3	5.0	3.2	(1)
Columbus	8.7	10.0	10.3	13.0	7.3	(1)	4.2	3.6	5.2	4.0	3.9	(1)	4.4	6.4	5.6	9.0	3.4	(1)
Dayton	8.1	8.9	6.7	13.4	7.8	(1)	3.4	3.7	2.9	4.9	3.6	(1)	4.7	5.2	3.8	8.5	4.2	(1)
Detroit	7.3	9.4	7.6	8.4	6.5	7.0	3.8	3.6	3.6	2.7	3.3	4.3	3.5	5.9	4.0	5.6	3.2	2.6
Fall River	5.4	7.4	4.1	5.5	6.0	6.2	1.9	1.7	1.5	1.9	2.9	1.9	3.5	5.7	2.6	3.6	3.2	4.3
Grand Rapids	6.5	8.0	8.5	11.6	7.2	5.7	3.2	2.2	4.3	3.9	1.6	3.2	3.2	5.8	4.3	7.8	5.6	2.6
Hartford	6.8	10.4	10.1	7.2	7.1	5.4	3.5	3.8	4.0	3.0	3.1	3.3	3.3	6.6	6.1	4.2	4.0	2.0
Indianapolis (total)	8.2	9.6	9.1	9.5	10.6	(1)	3.3	5.3	5.1	4.4	4.9	(1)	5.0	4.4	3.9	5.2	5.7	(1)
White	7.9	8.7	8.7	9.0	10.2	(1)	3.1	4.6	5.0	3.9	4.8	(1)	4.8	4.1	3.7	5.0	5.4	(1)
Colored	10.9	17.2	12.1	14.7	14.5	(1)	4.8	10.6	*6.0*	8.1	*5.4*	(1)	6.0	6.6	*6.0*	*6.5*	9.0	(1)
Jersey City	8.1	(1)	(1)	(1)	(1)	(1)	3.7	(1)	(1)	(1)	(1)	(1)	4.4	(1)	(1)	(1)	(1)	(1)
Kansas City, Kans. (total)	9.2	8.9	11.1	18.3	6.7	(1)	6.7	4.0	6.3	9.4	3.8	(1)	2.5	4.9	4.8	8.9	2.9	(1)
White	9.4	7.4	10.1	14.4	6.3	(1)	6.6	3.4	5.3	6.9	4.2	(1)	2.8	3.9	4.8	7.5	*2.1*	(1)
Colored	7.5	23.1	*21.7*	56.2	*10.8*	(1)	7.5	*9.3*	*15.8*	33.7	.....	(1)	.....	*13.9*	*5.3*	*22.5*	*10.8*	(1)
Los Angeles	8.6	8.1	8.9	(1)	(1)	(1)	3.8	3.3	3.3	(1)	(1)	(1)	4.8	4.8	5.6	(1)	(1)	(1)
Louisville (total)	8.6	9.3	9.7	8.9	8.5	(1)	4.5	4.4	5.2	4.6	4.1	(1)	4.1	4.9	4.5	4.3	4.4	(1)
White	7.5	7.9	8.1	8.0	8.6	(1)	3.7	3.1	4.2	4.4	3.9	(1)	3.7	4.8	3.9	3.6	4.7	(1)
Colored	17.0	20.1	22.4	17.0	7.7	(1)	10.2	14.6	13.4	*6.4*	*5.8*	(1)	*6.8*	*5.5*	*8.9*	10.6	*1.9*	(1)
Lowell	4.8	8.2	7.2	7.6	7.0	3.9	1.6	1.6	2.0	*1.2*	2.1	1.8	3.2	6.7	5.2	6.4	4.9	2.1
Milwaukee	7.5	8.1	6.0	5.0	5.3	(1)	2.3	3.4	2.4	1.7	2.6	(1)	5.2	4.7	3.6	3.3	2.7	(1)
Minneapolis	7.7	8.1	7.3	6.9	5.2	5.7	2.7	3.7	2.8	1.6	1.6	3.5	5.1	4.4	4.4	5.3	3.6	2.2
New Bedford	5.5	5.1	4.7	8.7	5.2	6.9	1.4	2.9	2.1	2.6	1.9	4.6	4.1	2.3	2.7	6.1	3.3	2.3
New Haven	7.5	5.2	4.1	6.0	4.5	5.9	3.7	2.6	1.8	*0.8*	2.1	2.4	3.7	2.6	2.3	5.1	2.3	3.5
New York	6.2	6.5	5.7	7.3	5.1	5.3	2.5	2.3	2.2	2.0	2.1	2.3	3.7	4.2	3.6	5.4	3.0	3.0
Bronx Borough	6.5	6.7	6.9	6.7	5.5	5.9	2.0	2.1	3.0	2.3	2.1	2.7	4.5	4.7	3.9	4.4	3.4	3.2
Brooklyn Borough	6.3	6.6	5.6	7.1	5.3	5.3	2.4	2.2	2.1	1.8	2.1	2.3	3.8	4.5	3.5	5.3	3.2	3.0
Manhattan Borough	6.1	6.1	5.5	7.5	4.6	5.0	2.6	2.5	1.9	2.0	2.0	2.1	3.4	3.6	3.6	5.5	2.6	2.8
Queens Borough	7.1	8.0	6.8	8.7	6.1	5.5	2.9	2.2	3.0	1.6	2.5	2.0	4.2	5.7	3.8	7.1	3.6	3.5
Richmond Borough	3.2	6.5	4.0	7.5	5.2	6.9	*1.4*	2.2	*1.2*	2.6	2.4	3.6	1.8	4.3	2.8	4.9	2.8	3.2
Newark, N. J	6.6	(1)	(1)	(1)	(1)	(1)	2.7	(1)	(1)	(1)	(1)	(1)	3.8	(1)	(1)	(1)	(1)	(1)
Norfolk (total)	11.4	10.8	10.4	18.0	13.2	(1)	5.0	3.1	2.9	3.3	6.1	(1)	6.4	7.7	7.6	14.7	7.1	(1)
White	6.1	7.6	9.1	14.7	10.0	(1)	*2.2*	*1.6*	*2.3*	*2.6*	4.6	(1)	3.9	6.0	6.8	12.2	5.4	(1)
Colored	21.0	16.6	12.7	23.9	18.5	(1)	10.0	5.8	*3.9*	*4.6*	8.6	(1)	11.0	10.7	8.8	19.3	9.8	(1)
Oakland	4.3	6.8	9.1	(1)	(1)	(1)	2.2	1.4	4.4	(1)	(1)	(1)	2.2	5.3	4.7	(1)	(1)	(1)
Omaha	8.5	9.3	(1)	(1)	(1)	(1)	4.2	2.9	(1)	(1)	(1)	(1)	4.4	6.4	(1)	(1)	(1)	(1)
Paterson	8.9	(1)	(1)	(1)	(1)	(1)	2.7	(1)	(1)	(1)	(1)	(1)	6.3	(1)	(1)	(1)	(1)	(1)
Philadelphia	8.0	7.6	7.3	9.7	6.4	7.5	3.4	2.7	2.7	2.9	2.7	3.3	4.6	4.9	4.5	6.7	3.8	4.2
Pittsburgh	8.5	12.0	8.4	10.1	10.0	9.2	4.1	5.9	3.7	3.5	5.0	4.1	4.4	6.1	4.8	6.6	5.0	5.1
Portland, Oreg	6.6	7.1	11.6	(1)	(1)	(1)	2.8	2.5	5.1	(1)	(1)	(1)	3.8	4.6	6.5	(1)	(1)	(1)
Providence	8.7	(2)	(2)	12.1	7.5	6.4	3.8	(2)	(2)	2.8	1.9	1.0	4.9	(2)	(2)	9.2	5.6	5.4
Reading	14.0	9.3	10.1	13.6	6.2	7.8	8.6	3.5	4.6	4.0	3.1	5.4	5.5	5.8	5.4	9.6	3.1	2.3
Richmond (total)	12.2	13.3	8.7	13.5	10.0	(1)	3.5	4.8	1.3	3.9	4.5	(1)	8.8	8.6	7.4	9.6	5.5	(1)
White	6.2	10.0	6.0	10.3	6.8	(1)	1.7	3.6	*0.4*	2.3	2.8	(1)	4.5	6.4	5.6	8.0	4.0	(1)
Colored	24.3	20.0	14.4	20.6	16.3	(1)	6.9	7.2	*3.2*	7.4	7.8	(1)	17.4	12.9	11.2	13.2	8.5	(1)
Rochester	7.0	6.4	9.3	6.1	5.5	4.1	3.5	1.9	3.0	1.6	2.6	0.9	3.5	4.5	6.4	4.5	2.9	3.2
St. Paul	7.3	8.7	4.7	9.5	5.0	7.6	3.6	2.7	2.3	4.3	2.9	4.2	3.7	6.0	2.5	5.2	2.1	3.4
Salt Lake City	9.1	11.4	11.1	10.4	7.4	(1)	5.0	2.4	2.9	3.1	4.4	(1)	4.1	9.0	8.1	7.4	3.0	(1)
San Francisco	8.5	9.3	7.4	(1)	(1)	(1)	3.4	3.0	1.4	(1)	(1)	(1)	5.1	6.3	6.0	(1)	(1)	(1)
Scranton	11.6	12.5	11.8	12.1	8.2	8.8	7.0	3.0	2.4	3.2	3.0	3.6	4.6	9.5	9.4	8.9	5.2	5.2
Seattle	6.5	9.2	9.1	8.6	6.1	(1)	3.2	3.6	3.0	3.4	1.8	(1)	3.3	5.7	6.1	5.2	4.3	(1)
Spokane	10.4	11.9	10.7	9.1	11.9	(1)	5.4	3.3	5.1	3.2	7.1	(1)	5.0	8.6	5.6	5.9	4.8	(1)
Springfield, Mass	7.4	4.4	10.4	5.6	5.8	9.2	1.8	1.8	3.4	1.6	2.2	3.7	5.6	2.6	7.0	4.0	3.6	5.5
Syracuse	4.8	9.3	8.5	8.0	6.9	5.7	1.8	1.7	3.8	3.2	3.1	3.1	3.0	7.6	4.8	4.8	3.8	2.6
Toledo	10.7	10.5	9.8	12.7	7.7	(1)	6.6	4.9	2.9	5.8	4.0	(1)	4.1	5.6	6.9	6.9	3.7	(1)
Trenton	9.4	(1)	(1)	(1)	(1)	(1)	1.8	(1)	(1)	(1)	(1)	(1)	7.7	(1)	(1)	(1)	(1)	(1)
Washington, D. C. (total)	10.1	8.8	8.5	9.1	8.5	10.1	3.3	2.8	2.7	3.1	3.7	4.0	6.8	6.0	5.9	6.0	4.8	6.1
White	9.9	6.6	6.8	7.8	5.9	7.6	3.1	1.9	1.7	2.3	1.5	2.6	6.7	4.7	5.1	5.5	4.4	5.0
Colored	10.8	14.4	13.2	12.6	14.8	15.8	3.8	5.2	5.3	5.1	8.9	7.2	6.9	9.2	7.9	7.5	5.8	8.6
Wilmington, Del	10.2	(1)	(1)	(1)	(1)	(1)	5.3	(1)	(1)	(1)	(1)	(1)	4.9	(1)	(1)	(1)	(1)	(1)
Worcester	10.1	10.6	8.0	9.0	9.1	7.7	3.9	2.7	1.5	1.7	5.7	4.0	6.2	7.9	6.5	7.3	3.4	3.6
Yonkers	7.9	6.3	7.2	10.0	5.2	5.2	3.2	*0.8*	2.2	3.5	2.8	2.8	4.7	5.4	4.9	6.5	2.4	2.4
Youngstown	10.0	9.4	9.3	12.3	8.1	(1)	5.5	5.6	2.3	3.6	4.9	(1)	4.5	3.8	6.9	8.7	3.2	(1)

[1] Not added to registration area until a later date.

[2] All transcripts of birth certificates not received.

[3] Includes District of Columbia.

CRUDE AND ADJUSTED DEATH RATES AT ALL AGES AND SPECIFIC DEATH RATES IN FOUR AGE GROUPS, FROM PUERPERAL CAUSES, PER 1,000 LIVE BIRTHS IN THE BIRTH REGISTRATION AREA, FOR THE YEARS 1917 TO 1921.

Table BH — CAUSE OF DEATH AND YEAR.	DEATH RATE PER 1,000 LIVE BIRTHS AT AGE OF—					
	All ages.		10 to 19 years.	20 to 29 years.	30 to 39 years.	40 years and over.
	Adjusted.[1]	Crude.				
All puerperal causes:						
1921	6.8	6.8	6.9	5.3	8.5	13.7
1920	8.0	8.0	7.7	6.4	9.9	14.8
1919	7.3	7.4	8.0	5.9	8.9	13.7
1918	9.1	9.2	9.4	7.9	10.7	14.1
1917	6.6	6.6	6.9	5.2	8.3	12.3
Puerperal septicemia:						
1921	2.7	2.7	2.8	2.3	3.2	4.5
1920	2.7	2.7	2.8	2.3	3.1	4.2

Table BH—Con. — CAUSE OF DEATH AND YEAR.	DEATH RATE PER 1,000 LIVE BIRTHS AT AGE OF—					
	All ages.		10 to 19 years.	20 to 29 years.	30 to 39 years.	40 years and over.
	Adjusted.[1]	Crude.				
Puerperal septicemia—Contd.						
1919	2.4	2.5	2.9	2.1	2.7	4.0
1918	2.6	2.5	2.8	2.2	3.0	3.7
1917	2.7	2.7	3.0	2.4	3.2	4.0
Other puerperal causes:						
1921	4.1	4.1	4.1	3.0	5.4	9.2
1920	5.3	5.3	5.0	4.1	6.9	10.6
1919	4.9	4.9	5.1	3.8	6.2	9.7
1918	6.6	6.6	6.7	5.7	7.7	10.3
1917	3.9	3.9	4.0	2.8	5.1	8.3

[1] Corrected on basis of standard million live births of 1917.

NOTE.—The "specific" death rate is based on specified age groups. The "adjusted" death rate is the rate at all ages that would have resulted from the rates for the specified age groups if the age constitution of the mothers of live births had been identical with that of the standard million live births of 1917.

CRUDE AND ADJUSTED DEATH RATES AT ALL AGES AND SPECIFIC DEATH RATES IN EIGHT AGE GROUPS, FROM PUERPERAL CAUSES, PER 1,000 LIVE BIRTHS, BY COLOR, AND FOR WHITE BY COUNTRY OF BIRTH OF MOTHER, IN THE BIRTH REGISTRATION AREA, FOR THE YEARS 1920 AND 1921.

[Unknown age is distributed in each nationality. The rates for deaths numbering less than 5 are shown in *italics*.]

Table BI — CAUSE OF DEATH, COLOR, AND COUNTRY OF BIRTH.	DEATH RATE PER 1,000 LIVE BIRTHS AT AGE OF—																			
	All ages.				Under 15 years.		15 to 19 years.		20 to 24 years.		25 to 29 years.		30 to 34 years.		35 to 39 years.		40 to 44 years.		45 years and over.	
	Adjusted.[1]		Crude.																	
	1921	1920	1921	1920	1921	1920	1921	1920	1921	1920	1921	1920	1921	1920	1921	1920	1921	1920	1921	1920
The birth registration area:																				
All puerperal causes	6.8	8.0	6.8	8.0	20.0	21.1	6.8	7.6	5.0	5.9	5.6	6.9	7.4	*9.2*	10.3	11.1	13.1	14.1	19.2	21.3
Puerperal septicemia	2.7	2.7	2.7	2.7	5.4	5.3	2.7	2.8	2.2	2.2	2.4	2.4	2.9	2.8	3.6	3.5	4.3	3.9	6.5	6.9
Other puerperal causes	4.1	5.3	4.1	5.3	14.6	15.8	4.0	4.9	2.8	3.8	3.2	4.5	4.5	6.3	6.7	7.7	8.8	10.2	12.8	14.4
Total white:																				
All puerperal causes	6.4	7.6	6.4	7.6	10.9	*7.4*	5.9	6.6	4.7	5.6	5.4	6.7	7.1	8.8	9.8	10.7	12.7	13.5	17.4	20.8
Puerperal septicemia	2.6	2.6	2.6	2.6	*3.1*	.....	2.5	2.5	2.1	2.0	2.4	2.4	2.7	2.7	3.5	3.4	4.2	4.0	5.9	6.9
Other puerperal causes	3.8	5.0	3.8	5.0	7.8	*7.4*	3.4	4.1	2.6	3.6	3.0	4.3	4.4	6.1	6.3	7.3	8.6	9.6	11.4	13.9
United States:																				
All puerperal causes	6.7	8.0	6.6	7.9	11.5	*8.3*	6.1	6.7	4.9	6.0	5.6	7.2	7.4	9.4	10.3	11.2	13.4	13.8	16.3	21.4
Puerperal septicemia	2.6	2.7	2.6	2.6	*3.3*	.....	2.5	2.5	2.2	2.2	2.4	2.5	2.7	2.9	3.6	3.4	4.4	3.9	5.9	7.7
Other puerperal causes	4.0	5.3	3.9	5.2	8.2	*8.3*	3.5	4.2	2.8	3.8	3.2	4.7	4.6	6.5	6.7	7.8	9.0	9.9	10.4	13.7
Total foreign:																				
All puerperal causes	5.5	6.1	6.0	6.7	.....	.....	4.2	5.1	3.8	4.0	4.7	5.2	6.5	7.5	8.7	9.5	11.4	12.8	18.9	19.8
Puerperal septicemia	2.4	2.2	2.5	2.4	.....	.....	2.2	2.4	1.9	1.5	2.2	2.0	2.7	2.5	3.2	3.2	3.7	4.1	5.6	5.7
Other puerperal causes	3.1	3.9	3.5	4.4	.....	.....	2.0	2.7	1.9	2.5	2.5	3.2	3.8	5.1	5.5	6.3	7.7	8.8	13.3	14.1
Austria—																				
All puerperal causes	5.4	5.6	5.9	6.2	.....	.....	*2.9*	*3.3*	3.9	3.4	3.9	3.9	6.5	7.8	10.0	10.0	10.5	12.7	19.8	23.9
Puerperal septicemia	2.5	2.1	2.7	2.3	.....	.....	*0.7*	*0.8*	2.6	1.4	2.3	1.8	2.8	2.8	3.4	3.6	3.5	3.8	.....	*4.0*
Other puerperal causes	2.8	3.5	3.3	3.9	.....	.....	*2.2*	*2.4*	1.4	1.9	1.6	2.2	3.7	5.0	6.5	6.3	7.0	8.9	19.8	19.9
Hungary—																				
All puerperal causes	6.7	6.1	7.4	6.6	.....	.....	*1.4*	*3.5*	5.3	3.8	5.5	4.2	8.6	7.5	11.3	11.1	13.4	19.0	*15.2*	*15.4*
Puerperal septicemia	3.4	2.9	3.8	3.1	.....	.....	.....	*1.8*	2.6	2.6	2.9	2.4	4.4	2.8	5.3	4.9	10.7	*4.8*	.....	*15.4*
Other puerperal causes	3.3	3.1	3.6	3.5	.....	.....	*1.4*	*1.8*	2.6	*1.2*	2.7	1.8	4.2	4.7	6.0	6.2	*2.7*	14.3	*15.2*	.....
Canada—																				
All puerperal causes	7.5	7.9	7.9	8.6	.....	.....	6.3	7.1	5.5	6.4	8.5	6.6	8.2	8.8	9.4	10.8	8.3	13.6	*22.1*	33.3
Puerperal septicemia	2.8	2.3	2.7	2.4	.....	.....	*2.7*	*4.1*	2.5	1.7	3.3	2.0	3.2	1.9	2.5	3.3	.....	5.1	*5.5*	.....
Other puerperal causes	4.8	5.6	5.2	6.1	.....	.....	*3.6*	*3.0*	3.1	4.7	5.2	4.6	5.0	6.9	6.9	7.5	8.3	8.5	*16.6*	33.3
Denmark, Norway, and Sweden—																				
All puerperal causes	5.6	6.2	6.4	7.4	.....	.....	*3.7*	*4.4*	4.0	3.5	4.9	6.2	5.9	8.3	6.5	10.9	12.0	5.7	*11.1*	*5.7*
Puerperal septicemia	2.1	1.6	2.3	1.8	.....	.....	*4.3*	*4.4*	*0.6*	.....	3.1	*1.3*	2.0	3.5	1.6	1.9	3.8	.....	*5.6*	.....
Other puerperal causes	3.5	4.6	4.2	5.7	.....	.....	*4.3*	.....	3.4	3.5	1.7	4.9	4.0	4.8	4.9	8.9	8.2	5.7	*5.6*	*5.7*
England, Scotland, and Wales—																				
All puerperal causes	6.9	7.9	8.1	8.9	.....	.....	*4.5*	*1.8*	4.6	6.0	5.6	8.1	8.3	9.8	11.5	11.0	19.8	11.9	.....	*43.8*
Puerperal septicemia	3.2	2.9	3.5	3.4	.....	.....	*4.5*	*1.8*	2.8	*1.3*	1.9	2.9	3.5	4.0	5.0	5.0	7.1	*3.7*	.....	*24.4*
Other puerperal causes	3.7	5.0	4.6	5.5	.....	.....	.....	.....	1.7	4.7	3.7	5.2	4.8	5.8	6.5	6.0	12.7	8.2	.....	*24.4*
Ireland—																				
All puerperal causes	8.8	8.0	9.1	9.8	.....	.....	*18.5*	.....	5.7	7.0	7.2	7.3	8.6	10.6	10.0	11.2	19.1	15.4	*18.5*	*11.0*
Puerperal septicemia	3.5	2.5	3.3	3.0	.....	.....	*9.3*	.....	*2.3*	*1.8*	3.2	3.6	3.1	2.7	3.3	3.2	4.9	*2.9*	*9.3*	.....
Other puerperal causes	5.3	5.5	5.8	6.8	.....	.....	*9.3*	.....	3.4	5.3	4.0	3.8	5.5	7.9	6.7	8.0	14.1	12.5	*9.3*	*11.0*
Germany—																				
All puerperal causes	5.7	6.6	7.1	8.8	.....	.....	.....	*6.4*	5.1	3.6	5.4	5.1	7.3	9.2	8.2	10.0	9.6	16.3	14.1	*14.2*
Puerperal septicemia	2.3	2.2	2.9	3.3	.....	.....	.....	.....	*2.3*	.....	*0.8*	3.1	4.4	3.1	3.6	3.8	2.8	6.4	*4.7*	*9.5*
Other puerperal causes	3.5	4.4	4.2	5.5	.....	.....	.....	*6.4*	2.9	3.6	4.6	2.0	2.9	6.2	4.6	6.3	6.8	9.9	*9.4*	*4.7*

See notes at end of table.

CRUDE AND ADJUSTED DEATH RATES AT ALL AGES AND SPECIFIC DEATH RATES IN EIGHT AGE GROUPS FROM PUERPERAL CAUSES, PER 1,000 LIVE BIRTHS, BY COLOR, AND FOR WHITE BY COUNTRY OF BIRTH OF MOTHER, IN THE BIRTH REGISTRATION AREA, FOR THE YEARS 1920 AND 1921—Continued.

[Unknown age is distributed in each nationality. The rates for deaths numbering less than 5 are shown in *italics*.]

Table BI—Con. CAUSE OF DEATH, COLOR, AND COUNTRY OF BIRTH.	DEATH RATE PER 1,000 LIVE BIRTHS AT AGE OF—																			
	All ages.				Under 15 years.		15 to 19 years.		20 to 24 years.		25 to 29 years.		30 to 34 years.		35 to 39 years.		40 to 44 years.		45 years and over.	
	Adjusted.[1]		Crude.																	
	1921	1920	1921	1920	1921	1920	1921	1920	1921	1920	1921	1920	1921	1920	1921	1920	1921	1920	1921	1920
Total foreign—Continued.																				
Italy—																				
All puerperal causes	4.7	5.0	5.1	5.6	.....	.....	4.7	3.7	3.5	3.1	3.5	4.2	5.2	5.9	7.6	8.3	9.5	12.3	22.7	17.9
Puerperal septicemia	1.9	1.7	2.0	1.9	.....	.....	2.4	1.5	1.7	1.0	1.7	1.4	1.7	2.0	2.7	2.8	2.5	4.0	7.6	*6.7*
Other puerperal causes	2.8	3.3	3.1	3.7	.....	.....	2.4	2.2	1.8	2.2	1.9	2.8	3.4	3.9	4.9	5.5	7.0	8.3	15.1	11.2
Poland—																				
All puerperal causes	5.1	6.2	5.7	6.4	.....	.....	*2.2*	7.1	3.1	4.7	4.3	4.8	6.1	7.1	8.6	11.0	14.3	7.0	23.9	*4.8*
Puerperal septicemia	2.4	2.8	2.7	2.8	.....	.....	.....	*4.2*	1.8	2.2	2.4	2.4	2.8	3.0	4.0	4.1	4.2	*1.4*	*9.6*	*4.8*
Other puerperal causes	2.7	3.4	3.0	3.6	.....	.....	*2.2*	*2.8*	1.3	2.5	1.9	2.4	3.2	4.1	4.6	6.9	10.0	5.6	*14.4*	.....
Russia—																				
All puerperal causes	4.8	5.7	5.0	5.8	.....	.....	4.1	6.0	3.1	3.6	4.4	5.1	5.8	5.8	7.7	8.3	7.7	13.5	*6.0*	46.0
Puerperal septicemia	2.0	2.2	2.0	2.0	.....	.....	*2.5*	4.3	1.4	1.4	1.8	2.0	2.4	1.7	2.3	2.2	4.2	6.1	.....	*11.5*
Other puerperal causes	2.8	3.5	3.0	3.7	.....	.....	*1.6*	*1.7*	1.7	2.1	2.6	3.1	3.4	4.1	5.4	6.1	3.6	7.3	*6.0*	34.5
Other foreign countries—																				
All puerperal causes	5.4	6.8	5.6	7.1	.....	.....	4.0	7.7	3.2	4.0	5.0	6.8	6.5	8.8	8.3	6.9	10.8	16.1	27.9	*12.7*
Puerperal septicemia	2.6	2.3	2.7	2.3	.....	.....	3.0	3.0	1.5	1.9	2.7	2.1	3.1	2.2	3.1	2.5	4.7	5.4	*9.3*	.....
Other puerperal causes	2.8	4.5	2.9	4.7	.....	.....	*1.0*	4.7	1.7	2.2	2.3	4.7	3.4	6.5	5.2	4.3	6.1	10.7	*18.6*	*12.7*
Country not stated [2]—																				
Total colored:																				
All puerperal causes	10.8	12.9	10.8	12.8	29.0	38.9	11.3	14.2	8.1	9.6	8.8	10.3	11.9	15.7	17.0	17.7	17.9	23.1	35.6	25.8
Puerperal septicemia	3.9	3.9	3.9	4.0	7.6	12.2	3.8	4.4	3.2	3.5	3.0	3.4	4.9	4.6	5.6	4.9	5.4	3.7	11.0	*6.5*
Other puerperal causes	6.9	8.9	6.9	8.8	21.3	26.8	7.5	9.7	4.8	6.0	5.7	6.9	7.0	11.1	11.4	12.8	12.5	19.4	24.7	19.4

[1] Corrected on basis of standard million live births of 1917.

[2] Rates not computed.

NOTE.—The "specific" death rate is based on specified age groups. The "adjusted" death rate is the rate at all ages that would have resulted from the rates for the specified age groups if the age constitution of the mothers of live births had been identical with that of the standard million live births of 1917.

Table BJ gives for a series of 12 years rates from puerperal causes for the registration States of 1910.

The rate from all puerperal causes per 100,000 married women aged 15 to 44 years has fluctuated considerably since 1910, when the rate was 112.3. In 1912 the rate reached the low point 103.3, in 1918, as a result of the influenza epidemic, it increased to 152.6 and in 1921 fell to 108.9. In the same interval, 1910 to 1921, the rate from puerperal septicemia per 100,000 married female population aged 15 to 44 years has declined from 51.1 to 45.6, while the rate from other puerperal causes has increased from 61.2 to 63.3.

DEATHS AND DEATH RATES FROM PUERPERAL CAUSES PER 100,000 FEMALE POPULATION AT ALL AGES AND FOR FEMALE AND MARRIED FEMALE POPULATION, 15 TO 44 YEARS, IN THE REGISTRATION STATES OF 1910 (EXCLUSIVE OF NORTH CAROLINA), FOR THE YEARS 1910 TO 1921.

Table BJ YEAR.	DEATHS AT—						DEATH RATE PER 100,000.								
	All ages.			15 to 44 years.			Female population.						Married female population.		
							All ages.			15 to 44 years.			15 to 44 years.		
	Total puerperal causes.	Puerperal septicemia.	Other puerperal causes.	Total puerperal causes.	Puerperal septicemia.	Other puerperal causes.	Total puerperal causes.	Puerperal septicemia.	Other puerperal causes.	Total puerperal causes.	Puerperal septicemia.	Other puerperal causes.	Total puerperal causes.	Puerperal septicemia.	Other puerperal causes.
1921	8,826	3,691	5,135	8,725	3,657	5,068	31.6	13.2	18.4	65.2	27.3	37.8	108.9	45.6	63.3
1920	9,939	3,492	6,447	9,814	3,448	6,366	36.1	12.7	23.4	74.2	26.1	48.1	124.8	43.8	80.9
1919	8,478	2,936	5,542	8,375	2,904	5,471	31.3	10.8	20.5	64.1	22.2	41.9	108.5	37.6	70.9
1918	11,668	3,327	8,341	11,559	3,290	8,269	43.8	12.5	31.3	89.7	25.5	64.2	152.6	43.4	109.1
1917	8,295	3,522	4,773	8,212	3,488	4,724	31.7	13.5	18.2	64.6	27.4	37.2	110.5	46.9	63.6
1916	7,947	3,347	4,600	7,830	3,317	4,513	30.9	13.0	17.9	62.5	26.5	36.0	107.4	45.5	61.9
1915	7,585	3,078	4,507	7,517	3,050	4,467	30.0	12.2	17.8	60.8	24.7	36.1	105.2	42.7	62.5
1914	7,742	3,406	4,336	7,650	3,381	4,269	31.2	13.7	17.5	62.8	27.7	35.0	109.3	48.3	61.0
1913	7,585	3,407	4,178	7,485	3,370	4,115	31.1	14.0	17.1	62.3	28.1	34.3	109.2	49.2	60.0
1912	7,012	2,960	4,052	6,931	2,938	3,993	29.3	12.4	16.9	58.6	24.8	33.7	103.3	43.8	59.5
1911	7,401	3,396	4,005	7,320	3,365	3,955	31.5	14.5	17.1	62.8	28.9	33.9	111.5	51.3	60.3
1910	7,283	3,307	3,976	7,210	3,283	3,927	31.6	14.4	17.3	62.8	28.6	34.2	112.3	51.1	61.2

Table BK gives for a series of 22 years rates from puerperal causes for the registration States of 1900.

For the registration States of 1900 the rate from all puerperal causes per 100,000 married female population has ranged since 1900 between the low 1902 rate, 92.8, and the high 1918 rate, 145.5, the rate for 1921 being 106.1. In the same interval, 1900 to 1921, the rate from puerperal septicemia per 100,000 married female population aged 15 to 44 has declined only one-tenth from 42.9 to 42.8, while the rate from all other puerperal causes has increased from 56.2 to 63.3. From these figures one can only conclude that death rates from total puerperal causes are higher to-day than they were 20 years ago. It is, of course, barely possible that these higher rates are due in part to better certification of causes of death by physicians in recent years.

DEATHS AND DEATH RATES FROM PUERPERAL CAUSES PER 100,000 FEMALE POPULATION AT ALL AGES AND FOR FEMALE AND MARRIED FEMALE POPULATION, 15 TO 44 YEARS, IN THE REGISTRATION STATES OF 1900, FOR THE YEARS 1900 TO 1921.

Table BK — YEAR.	DEATHS AT—						DEATH RATE PER 100,000.								
	All ages.			15 to 44 years.			Female population.						Married female population.		
							All ages.			15 to 44 years.			15 to 44 years.		
	Total puerperal causes.	Puerperal septicemia.	Other puerperal causes.	Total puerperal causes.	Puerperal septicemia.	Other puerperal causes.	Total puerperal causes.	Puerperal septicemia.	Other puerperal causes.	Total puerperal causes.	Puerperal septicemia.	Other puerperal causes.	Total puerperal causes.	Puerperal septicemia.	Other puerperal causes.
1921	4,317	1,735	2,582	4,267	1,720	2,547	30.4	12.2	18.2	62.2	25.1	37.1	106.1	42.8	63.3
1920	4,943	1,705	3,238	4,885	1,685	3,200	35.3	12.2	23.1	72.0	24.8	47.1	123.5	42.6	80.9
1919	4,241	1,439	2,802	4,195	1,427	2,768	30.7	10.4	20.3	62.5	21.3	41.2	107.3	36.7	71.2
1918	5,621	1,536	4,085	5,566	1,518	4,048	41.3	11.3	30.0	83.9	22.9	61.0	145.5	39.7	105.9
1917	4,167	1,719	2,448	4,126	1,705	2,421	31.1	12.8	18.3	62.9	26.0	36.9	109.8	45.4	64.4
1916	3,919	1,620	2,299	3,869	1,606	2,263	29.7	12.3	17.4	59.7	24.8	34.9	104.8	43.5	61.3
1915	3,859	1,547	2,312	3,836	1,540	2,296	29.7	11.9	17.8	59.9	24.1	35.9	105.7	42.5	63.3
1914	3,954	1,686	2,268	3,913	1,674	2,239	30.9	13.2	17.7	61.9	26.5	35.4	109.9	47.0	62.9
1913	3,789	1,661	2,128	3,751	1,647	2,104	30.1	13.2	16.9	60.0	26.4	33.7	107.3	47.1	60.2
1912	3,527	1,488	2,039	3,492	1,480	2,012	28.5	12.0	16.5	56.6	24.0	32.6	101.8	43.1	58.6
1911	3,806	1,748	2,058	3,767	1,733	2,034	31.3	14.4	16.9	61.8	28.4	33.4	111.9	51.5	60.4
1910	3,641	1,624	2,017	3,611	1,618	1,993	30.5	13.6	16.9	60.0	26.9	33.1	109.4	49.0	60.4
1909	3,422	1,453	1,969	3,389	1,446	1,943	29.1	12.4	16.7	57.3	24.4	32.8	104.7	44.7	60.0
1908	3,343	1,431	1,912	3,303	1,414	1,889	28.9	12.4	16.5	56.8	24.3	32.5	104.1	44.6	59.5
1907	3,448	1,476	1,972	3,409	1,465	1,944	30.3	13.0	17.4	59.7	25.7	34.1	109.6	47.1	62.5
1906	3,229	1,302	1,927	3,185	1,287	1,898	28 9	11.7	17.3	56.8	23.0	33.9	104.5	42.2	62.3
1905	3,219	1,401	1,818	3,180	1,383	1,797	29.3	12.8	16.6	57.8	25.1	32.7	106.6	46.4	60.2
1904	3,216	1,403	1,813	3,182	1,394	1,788	29.8	13.0	16.8	59.0	25.8	33.1	109.0	47.7	61.2
1903	2,778	1,153	1,625	2,731	1,138	1,593	26.3	10.9	15.4	51.6	21.5	30.1	95.6	39.8	55.8
1902	2,626	1,092	1,534	2,593	1,085	1,508	25.3	10.5	14.8	50.0	20.9	29.1	92.8	38.8	54.0
1901	2,704	1,124	1,580	2,657	1,108	1,549	26.5	11.0	15.5	52.3	21.8	30.5	97.3	40.6	56.7
1900	2,682	1,155	1,527	2,641	1,143	1,498	26.8	11.6	15.3	53.0	23.0	30.1	99.0	42.9	56.2

Table BL shows death rates from all causes and from puerperal causes for several foreign countries and for the United States (the birth registration area as constituted in 1915) and permits certain comparisons to be made.

The figures there presented show that deaths from puerperal causes were classified very differently in different countries during the influenza epidemic, the United States and Scotland showing much higher rates from puerperal causes in 1918 than in 1917, while England and Wales, Australia, and New Zealand show much lower rates in 1918 than in 1917. Ireland shows a rate practically unchanged for the two years. Bearing this fact in mind it is interesting to note that Scotland and the United States birth registration area each had a death rate of 6.1 from all puerperal causes per 1,000 live births in 1915, the corresponding rate for 1921 having increased in Scotland to 6.4, while in the birth registration area in 1921 it had increased to 6.5.

The fact that the rates from puerperal causes for the other countries shown are very much lower is not in itself conclusive evidence that the mortality from these causes is actually lower in these countries, but there is no getting away from the fact that England and Wales shows for each of the years 1915 to 1920 lower rates from all causes for females aged 15 to 44 than appear for our birth registration area of 1915, and Scotland, though starting out with a higher rate in 1915 than that shown for our birth registration area, has a lower rate for 1920 than we have.

DEATH RATES FROM PUERPERAL CAUSES PER 100,000 FEMALE POPULATION AND PER 1,000 LIVE BIRTHS IN THE UNITED STATES (BIRTH REGISTRATION AREA AS OF 1915) AND CERTAIN FOREIGN COUNTRIES.

Table BL

COUNTRY AND YEAR.	DEATH RATE.														
	Per 100,000 female population.				Per 100,000 female population 15 to 44 years.				Per 100,000 married female population 15 to 44 years.*				Per 1,000 live births.		
	All causes, female, 15 to 44 years.	Total puerperal causes.	Puerperal septicemia.	Other puerperal causes.	All causes, female.	Total puerperal causes.	Puerperal septicemia.	Other puerperal causes.	All causes, female.	Total puerperal causes.	Puerperal septicemia.	Other puerperal causes.	Total puerperal causes.	Puerperal septicemia.	Other puerperal causes.
United States (birth registration area of 1915): [1]															
1921	227.7	31.7	12.7	18.9	474.9	65.3	26.3	39.0	815.8	112.2	45.2	67.0	6.5	2.6	3.9
1920	297.4	36.5	12.3	24.2	618.6	75.0	25.3	49.8	1,067.8	129.5	43.6	85.9	7.6	2.6	5.1
1919	306.6	31.3	10.7	20.7	635.6	64.1	21.9	42.3	1,102.8	111.3	38.0	73.3	6.8	2.3	4.5
1918	588.2	44.4	11.5	32.9	1,215.2	91.0	23.5	67.4	2,119.8	158.7	41.0	117.7	8.9	2.3	6.6
1917	267.7	31.9	13.2	18.7	551.3	65.0	26.9	38.1	966.9	114.0	47.3	66.8	6.3	2.6	3.7
1916	268.5	31.5	12.8	18.7	550.8	63.7	26.1	37.6	971.6	112.4	46.1	66.3	6.2	2.5	3.7
1915	263.5	30.9	12.2	18.7	538.7	62.7	24.8	37.9	955.7	111.3	44.0	67.2	6.1	2.4	3.7
England and Wales:															
1920	196.8	21.1	8.8	12.3	403.0	42.8	17.9	24.9	(2)	(2)	(2)	(2)	4.3	1.8	2.5
1919	242.4	15.4	5.9	9.5	494.5	31.1	11.9	19.1	(2)	(2)	(2)	(2)	4.4	1.7	2.7
1918	400.2	12.7	4.3	8.4	820.1	25.7	8.7	17.0	(2)	(2)	(2)	(2)	3.8	1.3	2.5
1917	203.9	13.2	4.4	8.8	419.4	26.9	9.1	17.8	(2)	(2)	(2)	(2)	3.9	1.3	2.6
1916	207.2	16.6	5.6	11.1	427.9	33.7	11.4	22.3	(2)	(2)	(2)	(2)	4.1	1.4	2.7
1915	215.6	17.6	6.2	11.4	446.6	36.0	12.7	23.2	(2)	(2)	(2)	(2)	4.2	1.5	2.7
Australia:															
1921	183.8	24.0	7.8	16.3	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	4.7	1.5	3.2
1920	177.7	25.8	9.4	16.3	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	5.0	1.8	3.2
1919	306.9	21.9	6.4	15.6	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	4.7	1.4	3.3
1918	173.8	23.2	7.2	16.0	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	4.7	1.5	3.3
1917	173.3	29.1	9.9	19.2	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	5.6	1.9	3.7
1916	195.8	28.0	11.4	16.6	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	5.3	2.1	3.1
1915	188.1	23.6	7.5	16.2	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	4.3	1.3	2.9
Ireland:															
1920	279.9	24.8	10.2	14.7	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	5.5	2.3	3.3
1919	381.3	18.9	6.1	12.8	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	4.7	1.5	3.2
1918	445.2	19.0	6.3	12.7	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	4.8	1.6	3.2
1917	299.5	19.3	5.9	13.4	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	4.9	1.5	3.4
1916	300.5	22.9	7.7	15.2	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	5.5	1.9	3.7
1915	298.0	23.4	7.8	15.6	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	5.4	1.8	3.6
Japan: [3]															
1919	540.5	20.9	7.6	13.3	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	3.3	1.2	2.1
1918	660.9	24.3	9.1	15.2	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	3.8	1.4	2.4
1917	443.6	22.9	9.0	13.9	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	3.5	1.4	2.1
1916	491.6	23.1	9.0	14.1	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	3.5	1.4	2.1
1915	415.5	23.9	9.8	14.0	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	3.6	1.5	2.1
Netherlands: [4]															
1920	244.4	13.6	4.7	8.9	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	2.4	0.8	1.6
1919	276.0	16.1	5.9	10.2	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	3.4	1.2	2.1
1916	258.8	13.5	5.0	8.5	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	2.6	1.0	1.6
1915	233.3	13.1	4.1	9.0	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	2.5	0.8	1.7
New Zealand:															
1920	218.1	32.9	11.4	21.5	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	6.5	2.2	4.2
1919	175.1	21.5	9.0	12.5	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	5.1	2.1	2.9
1918	393.0	22.5	8.0	14.4	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	5.2	1.9	3.3
1917	170.6	28.6	10.0	18.6	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	6.0	2.1	3.9
1916	179.0	28.9	10.4	18.5	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	5.9	2.1	3.8
1915	173.0	23.0	3.9	19.2	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	4.7	0.8	3.9
Scotland:															
1921	221.2	31.0	9.9	21.2	477.5	66.8	21.3	45.5	(3)	(3)	(3)	(3)[5]	6.4	2.0	4.4
1920	234.9	33.2	9.6	23.7	507.0	71.0	20.6	50.4	(3)	(3)	(3)	(3)[5]	6.2	1.8	4.4
1919	279.5	26.2	6.0	20.3	598.2	55.8	12.7	43.1	(3)	(3)	(3)	(3)[5]	6.2	1.4	4.8
1918	375.4	27.3	4.5	22.8	803.5	57.8	9.5	48.3	(3)	(3)	(3)	(3)[5]	7.0	1.2	5.8
1917	234.4	23.0	6.6	16.4	501.6	48.6	14.0	34.6	(3)	(3)	(3)	(3)[5]	5.9	1.7	4.2
1916	241.6	25.2	7.4	17.7	517.1	53.6	15.8	37.7	(3)	(3)	(3)	(3)[5]	5.7	1.7	4.0
1915	266.7	28.3	9.0	19.4	570.6	60.1	19.0	41.1	(3)	(3)	(3)	(3)[5]	6.1	1.9	4.2
Sweden:															
1916	[5] 279.6	11.0	5.0	6.0	[5] 580.3	[5] 22.9	[5] 10.4	[5] 12.4	(3)	(3)	(3)	(3)	2.7	1.2	1.4
1915	[5] 294.3	12.2	5.2	7.0	[5] 613.7	[5] 25.4	[5] 10.9	[5] 14.5	(3)	(3)	(3)	(3)	2.9	1.2	1.7

* These rates are based on the deaths of females whether married or unmarried.

[1] Exclusive of Rhode Island.
[2] Female population 15 to 44 years not available.
[3] Figures relate to 47 districts.
[4] Reports for 1917 and 1918 not available.
[5] Female, 15 to 49 years.

NOTE.—The data for this table taken from annual reports of the several countries.

The present-day tendency for women to go to hospitals for confinement increases the necessity for considering deaths of nonresidents in connection with mortality rates from puerperal causes. In Table BM appear data bearing on this point, and it will perhaps suffice to point out a few instances where puerperal mortality rates would have been changed considerably had corrections been made for deaths of nonresidents. Vermont would have had its rate per 100,000 population increased from 16.5 to 18.7. Of the 66 large cities listed not one would have had a higher rate, and the greatest reduction would have been for Birmingham (from 34.4 to 23.1) and for the white of that city (from 28.3 to 13.3).

Table BM — DEATHS IN 1921 FROM PUERPERAL CAUSES.

AREA.	Including nonresidents.		Excluding all nonresidents and including residents who died elsewhere in registration area.		
	Number.	Rate per 100,000 population.	Number.	Rate per 100,000 population.	Increase (+) or decrease (−) in rate.
REGISTRATION STATES.					
California	494	13.8	494	13.8	.....
Colorado	173	18.0	171	17.8	−0.2
Connecticut	180	12.7	183	12.9	+0.2
Delaware	32	14.1	34	15.0	+0.9
Florida (total)	274	27.4	264	26.4	−1.0
White	149	22.3	142	21.3	−1.0
Colored	125	37.5	122	36.6	−0.9
Illinois	944	14.3	943	14.3	.....
Indiana	468	15.8	471	15.9	+0.1
Kansas	267	15.0	261	14.7	−0.3
Kentucky (total)	422	17.3	(1)	(1)	(1)
White	357	16.2	(1)	(1)	(1)
Colored	65	28.1	(1)	(1)	(1)
Louisiana (total)	425	23.4	423	23.2	−0.2
White	218	19.4	216	19.3	−0.1
Colored	207	29.6	207	29.6	.....
Maine	131	17.0	132	17.1	+0.1
Maryland (total)	246	16.7	249	16.9	+0.2
White	178	14.5	179	14.6	+0.1
Colored	68	27.5	70	28.4	+0.9
Massachusetts	601	15.3	599	15.3	.....
Michigan	660	17.4	663	17.4	.....
Minnesota	329	13.5	324	13.3	−0.2
Mississippi (total)	440	24.6	446	24.9	+0.3
White	168	19.7	175	20.5	+0.8
Colored	272	29.0	271	28.9	−0.1
Missouri	499	14.6	499	14.6	.....
Montana	89	15.5	87	15.1	−0.4
Nebraska	212	16.2	213	16.2	.....
New Hampshire	63	14.1	55	12.4	−1.7
New Jersey	458	14.0	462	14.2	+0.2
New York	1,504	14.2	1,491	14.1	−0.1
North Carolina (total)	650	24.9	650	24.9	.....
White	374	20.5	374	20.5	.....
Colored	276	35.1	276	35.1	.....
Ohio	934	15.8	928	15.7	−0.1
Oregon	115	14.3	106	13.2	−1.1
Pennsylvania	1,568	17.6	1,573	17.7	+0.1
Rhode Island	103	16.8	104	16.9	+0.1
South Carolina (total)	495	29.0	498	29.1	+0.1
White	196	23.3	199	23.7	+0.4
Colored	299	34.4	299	34.4	.....
Tennessee (total)	470	19.9	458	19.4	−0.5
White	348	18.2	340	17.8	−0.4
Colored	122	27.2	118	26.3	−0.9
Utah	106	23.0	99	21.5	−1.5
Vermont	58	16.5	66	18.7	+2.2
Virginia (total)	491	20.9	493	21.0	+0.1
White	276	16.7	277	16.8	+0.1
Colored	215	30.9	216	31.1	+0.2
Washington	212	15.3	215	15.5	+0.2
Wisconsin	358	13.4	358	13.4	.....
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920.					
Akron	38	18.2	32	15.4	−2.8
Albany	23	20.0	18	15.6	−4.4
Atlanta (total)	67	32.3	57	27.5	−4.8
White	40	28.0	29	20.3	−7.7
Colored	27	41.9	28	43.5	+1.6
Baltimore (total)	122	16.2	109	14.5	−1.7
White	94	14.7	83	13.0	−1.7
Colored	28	25.2	26	23.4	−1.8
Birmingham (total)	64	34.4	43	23.1	−11.3
White	32	28.3	15	13.3	−15.0
Colored	32	43.7	28	38.3	−5.4
Boston	158	20.8	113	14.9	−5.9
Bridgeport	21	14.7	18	12.5	−2.2
Buffalo	77	14.9	74	14.2	−0.7
Cambridge	23	20.8	18	16.3	−4.5
Camden	33	27.6	21	17.5	−10.1
Chicago	364	13.1	359	12.9	−0.2
Cincinnati	69	17.1	65	16.1	−1.0
Cleveland	151	18.1	149	17.9	−0.2
Columbus	43	17.4	32	12.9	−4.5
Dallas (total)	54	32.4	39	23.4	−9.0
White	43	30.3	30	21.1	−9.2
Colored	11	45.1	9	36.9	−8.2
Dayton	26	16.5	24	15.2	−1.3
Denver	55	20.9	49	18.6	−2.3

Table BM—Con. — DEATHS IN 1921 FROM PUERPERAL CAUSES.

AREA.	Including nonresidents.		Excluding all nonresidents and including residents who died elsewhere in registration area.		
	Number.	Rate per 100,000 population.	Number.	Rate per 100,000 population.	Increase (+) or decrease (−) in rate.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—continued.					
Detroit	202	20.4	193	19.4	−1.0
Fall River	20	16.6	18	14.9	−1.7
Grand Rapids	22	15.6	22	15.6	.....
Hartford	27	19.5	17	12.3	−7.2
Houston (total)	29	20.0	29	20.0	.....
White	17	15.4	16	14.5	−0.9
Colored	12	34.4	13	37.3	+2.9
Indianapolis (total)	58	17.8	55	16.9	−0.9
White	49	17.0	46	15.9	−1.1
Colored	9	24.5	9	24.5	.....
Jersey City	66	21.8	60	19.8	−2.0
Kansas City, Kans. (total)	22	21.2	20	19.3	−1.9
White	20	22.6	19	21.4	−1.2
Colored	2	13.1	1	6.6	−6.5
Kansas City, Mo.	52	15.4	51	15.2	−0.2
Los Angeles	109	17.9	108	17.7	−0.2
Louisville (total)	42	17.8	(1)	(1)	(1)
White	32	18.4	(1)	(1)	(1)
Colored	10	25.0	(1)	(1)	(1)
Lowell	15	13.2	13	11.4	−1.8
Memphis (total)	48	29.0	31	18.7	−10.3
White	26	25.0	15	14.4	−10.6
Colored	22	35.7	16	25.9	−9.8
Milwaukee	81	17.2	72	15.3	−1.9
Minneapolis	73	18.6	51	13.0	−5.6
Nashville (total)	45	36.9	41	33.6	−3.3
White	29	33.8	25	29.1	−4.7
Colored	16	44.1	16	44.1	.....
New Bedford	20	16.0	17	13.6	−2.4
New Haven	32	19.2	18	10.8	−8.4
New Orleans (total)	119	30.1	98	24.8	−5.3
White	68	23.3	52	17.8	−5.5
Colored	51	49.4	46	44.6	−4.8
New York:					
Bronx Borough	100	12.9	100	12.9	.....
Brooklyn Borough	313	15.0	314	15.1	+0.1
Manhattan Borough	341	15.0	336	14.8	−0.2
Queens Borough	69	13.8	67	13.5	−0.3
Richmond Borough	9	7.4	9	7.4	.....
Newark, N. J.	77	18.1	69	16.2	−1.9
Norfolk (total)	32	26.3	30	24.7	−1.6
White	11	14.6	10	13.2	−1.4
Colored	21	46.0	20	43.8	−2.2
Oakland	18	8.0	18	8.0	.....
Omaha	41	20.8	32	16.2	−4.6
Paterson	30	21.8	25	18.2	−3.6
Philadelphia	346	18.5	335	18.0	−0.5
Pittsburgh	134	22.2	112	18.6	−3.6
Portland, Oreg	35	13.3	26	9.8	−3.5
Providence	57	23.8	39	16.3	−7.5
Reading	36	33.0	31	28.4	−4.6
Richmond (total)	53	30.1	43	24.5	−5.6
White	18	14.8	15	12.4	−2.4
Colored	35	64.4	28	51.5	−12.9
Rochester	48	15.8	45	14.7	−1.1
St. Louis	111	14.2	106	13.5	−0.7
St. Paul	41	17.2	34	14.3	−2.9
Salt Lake City	31	25.5	22	18.1	−7.4
San Antonio	38	22.2	31	18.1	−4.1
San Francisco	78	15.0	76	14.6	−0.4
Scranton	35	25.2	29	20.9	−4.3
Seattle	37	11.7	36	11.4	−0.3
Spokane	27	25.8	21	20.1	−5.7
Springfield, Mass.	25	18.4	20	14.7	−3.7
Syracuse	21	11.8	16	9.0	−2.8
Toledo	58	22.9	51	20.1	−2.8
Trenton	32	26.1	24	19.6	−6.5
Washington, D. C. (total)	91	20.8	76	17.4	−3.4
White	63	19.3	51	15.6	−3.7
Colored	28	25.3	25	22.6	−2.7
Wilmington, Del	27	23.8	27	23.8	.....
Worcester	49	26.5	40	21.6	−4.9
Yonkers	20	19.3	18	17.4	−1.9
Youngstown	40	30.2	38	28.7	−1.5

[1] Returns incomplete.

OLD AGE.

In Table BN death rates from old age are given to enable the student to estimate more easily the probable effect of these declining rates on rates from other causes of death. (See also on p. 94 death rates from unknown or ill-defined diseases.)

Table BN — AREA.	Year admitted to the registration area.	DEATH RATE FROM OLD AGE PER 100,000 POPULATION. 1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	1910	1911	1912	1913	1914	1915	1916	1917	1918	1919	1920	1921
Registration area [1]		50.4	47.0	44.4	39.1	38.8	36.1	33.5	31.8	29.5	26.5	25.3	23.6	23.8	22.0	19.8	18.5	17.0	15.5	15.1	14.3	14.2	12.3
REGISTRATION STATES.																							
California	1906	(2)	(2)	(2)	(2)	(2)	(2)	29.1	27.4	30.0	28.2	23.0	23.0	21.7	21.1	18.0	14.8	11.8	10.7	10.7	11.3	8.5	9.6
Colorado	1906	(2)	(2)	(2)	(2)	(2)	(2)	24.9	29.8	25.7	27.6	26.9	27.7	36.0	35.1	32.8	30.0	21.5	17.2	13.8	14.8	13.9	14.4
Connecticut	1890	41.4	31.5	30.3	29.4	25.6	25.1	28.6	28.5	24.5	23.8	22.5	25.7	21.0	18.1	16.6	13.6	11.0	10.4	8.5	8.7	7.5	7.5
Delaware	1919	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	17.6	8.0	12.8
Florida	1919	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	31.1	28.1	21.3
Illinois	1918	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	12.2	9.4	8.8	8.0
Indiana	1900	45.8	44.3	45.3	32.2	41.7	38.6	38.9	31.9	21.8	17.1	15.8	12.9	13.5	12.5	9.9	9.3	8.0	7.0	7.3	7.3	8.1	6.2
Kansas	1914	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	37.1	36.3	32.3	29.2	28.7	27.7	27.8	23.1
Kentucky	1911	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	22.3	26.1	24.8	27.4	23.7	19.5	23.5	22.9	20.7	23.5	22.2
Louisiana	1918	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	34.9	30.3	27.8	20.4
Maine	1900	88.6	86.3	89.6	86.0	95.8	91.4	87.4	72.7	63.4	61.5	77.3	71.5	68.3	67.0	67.8	51.0	43.5	38.6	38.6	36.9	32.9	29.7
Maryland	1906	(2)	(2)	(2)	(2)	(2)	(2)	35.2	41.0	36.9	37.2	35.0	32.5	33.2	27.3	26.1	19.2	17.2	15.6	17.0	11.0	9.8	9.5
Massachusetts	1880	56.0	55.3	54.8	49.7	39.8	37.1	33.9	36.2	29.0	25.8	23.1	18.5	16.4	14.5	12.1	9.2	7.0	6.5	5.9	5.0	4.9	3.8
Michigan	1900	48.8	47.7	38.9	42.3	48.4	48.0	46.9	48.4	48.5	49.5	51.4	48.6	50.6	44.1	44.3	40.6	40.9	30.0	18.6	19.5	18.5	14.3
Minnesota	1910	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	41.7	33.7	24.6	21.9	19.0	15.2	15.1	14.0	13.6	12.4	12.2	12.8
Mississippi	1919	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	27.7	30.1	26.5
Missouri	1911	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	17.6	14.3	12.9	11.7	12.2	11.4	9.3	7.9	7.4	7.3	7.7
Montana	1910	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	11.8	15.1	14.7	15.7	16.4	20.5	17.7	22.2	14.2	15.0	12.0	9.9
Nebraska	1920	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	29.0	18.1
New Hampshire	1890	90.6	92.6	81.6	75.4	84.2	73.6	78.7	71.3	71.6	69.9	69.9	77.1	67.8	65.3	48.2	46.4	39.9	31.8	33.3	28.3	29.5	28.3
New Jersey	1880	27.1	29.2	25.0	26.3	24.7	21.7	21.7	22.1	20.7	22.3	16.5	15.9	14.2	11.8	11.3	12.0	7.9	8.1	8.2	6.8	6.6	6.2
New York	1890	48.3	45.5	41.1	37.6	35.2	32.5	34.1	25.4	23.7	20.0	17.5	17.5	22.3	19.1	12.2	10.2	9.0	7.7	7.4	7.2	7.1	6.0
North Carolina	1916	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(4)	(4)	26.0	30.4	24.6	21.1	23.2	20.7
Ohio	1909	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	19.0	17.4	15.6	18.1	16.5	14.0	14.8	14.9	12.7	14.1	14.1	13.4	11.1
Oregon	1918	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	28.7	23.0	24.3	17.9
Pennsylvania	1906	(2)	(2)	(2)	(2)	(2)	(2)	20.3	22.3	20.1	18.1	18.1	18.0	17.3	16.9	14.2	14.9	11.5	9.4	10.3	8.2	8.9	7.1
Rhode Island	1890	55.1	44.9	49.6	39.4	38.3	32.2	32.0	32.0	25.6	25.5	27.9	24.2	25.0	24.7	21.8	19.5	19.8	20.1	20.8	21.0	22.4	16.8
South Carolina	1916	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(5)	(5)	(2)	(2)	(2)	(2)	(2)	(2)	29.5	29.1	29.9	26.6	32.1	26.7
South Dakota	1906	(2)	(2)	(2)	(2)	(2)	(2)	40.9	39.2	45.0	34.1	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(6)
Tennessee	1917	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	24.9	19.4	18.4	17.9	15.6
Utah	1910	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(3)	(2)	38.1	47.8	36.1	29.9	27.7	29.2	20.6	20.2	22.8	18.9	20.3	17.8
Vermont	1890	95.4	99.7	94.2	75.7	73.7	75.1	75.2	60.4	57.4	41.4	51.7	46.1	39.4	43.1	38.4	37.8	35.9	32.0	30.9	25.0	25.0	23.3
Virginia	1913	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(3)	(2)	(2)	(2)	(2)	32.4	36.9	34.7	34.6	29.9	26.7	27.0	22.8	21.3
Washington	1908	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	20.7	24.0	20.0	21.1	19.2	23.1	21.3	18.9	20.9	17.2	16.4	14.7	13.2	11.6
Wisconsin	1908	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	47.0	47.1	45.5	46.4	46.8	44.4	39.1	42.0	41.7	36.5	29.0	30.2	28.6	26.8
CERTAIN REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920.																							
New York	1880	28.7	25.5	21.1	13.6	14.7	11.6	13.7	12.4	11.2	10.2	11.4	9.1	7.8	6.5	6.3	5.5	4.6	3.9	3.8	3.6	4.0	2.9
Philadelphia	1880	61.9	47.0	45.6	29.1	24.4	24.4	17.9	21.0	17.4	16.5	14.9	13.7	13.4	12.7	11.7	10.7	8.5	6.6	6.4	5.4	5.5	4.8
Chicago	1880	26.3	18.2	19.8	14.6	11.0	8.1	8.1	8.4	5.2	1.8	1.3	1.7	2.0	1.7	1.8	1.4	1.5	1.2	1.8	1.5	1.3	0.6
Boston	1880	36.4	36.5	33.4	33.4	30.1	24.3	18.8	22.9	15.9	5.9	6.8	4.3	4.7	2.8	3.4	3.6	2.3	3.6	1.6	0.9	1.5	2.0
Cleveland	1880	54.0	46.5	34.3	32.6	28.5	27.7	27.1	32.6	24.8	4.1	4.4	5.8	4.1	6.8	4.2	3.9	5.5	3.7	5.1	4.1	4.5	2.6
Washington, D. C.	1880	55.9	47.8	62.1	53.5	61.6	48.7	42.1	47.7	51.9	45.3	52.8	47.6	43.1	36.3	25.4	26.5	24.0	25.1	19.9	12.5	12.2	7.8
Baltimore	1880	93.6	58.5	48.9	40.2	34.9	32.7	31.1	40.0	39.3	35.7	31.1	27.1	31.8	22.4	24.3	15.3	12.2	13.6	15.6	8.1	7.2	6.9
St. Louis	1880	82.4	91.2	84.3	63.1	54.2	43.3	33.2	38.4	44.2	28.9	8.3	2.3	2.8	2.8	2.1	1.5	1.9	0.9	1.3	1.7	2.2	2.0
Cincinnati	1880	61.3	50.1	40.7	42.8	46.8	45.0	53.5	55.0	39.7	13.9	4.7	3.7	0.8	1.0	0.3	0.3	0.5	2.3	3.5	2.2	4.7	3.2
New Orleans	1880	81.4	87.4	87.9	74.8	68.4	88.6	75.8	82.0	71.6	65.7	34.7	29.8	31.1	24.2	18.3	11.5	7.6	8.0	8.2	16.4	9.0	3.5

[1] Exclusive of Hawaii.
[2] Not added to registration area until a later date.
[3] Includes only municipalities having a population of 1,000 or more in 1900.
[4] Includes only municipalities having a population of 1,000 or more in 1910.
[5] Dropped from registration area in 1910.

SUICIDE.

The number of deaths from suicide in 1921 is 11,136, corresponding to a rate of 12.6 per 100,000 population; this is the highest rate recorded since 1917. Every State but two has a higher rate in 1921 than in 1920; those which show the highest rates in 1921 are California (27), Washington (20.7), Montana (16.3), and Oregon (16.1). Since 1906, when California was added to the registration area, it has had a higher rate than any other registration State. The States which have the lowest rates in 1921 are Mississippi (3.8), North Carolina (4.3), South Carolina (4.7), and Kentucky (7.2).

Among the registration cities of 100,000 population or more in 1920, 50 have higher rates in 1921 than in 1920; the 5 which show the highest rates are San Francisco (37.7), Spokane (33.5), Los Angeles (28.2).

Oakland (25.6), and Seattle (24.4). The cities which have the lowest rates are Fall River (5.8), Camden (6.7), Lowell (8.8), Dayton (8.9), and Cambridge (10).

The most pronounced increases in the rates from suicide in 1921 as compared with 1920 are shown for Norfolk (18.1 against 5.1), San Francisco (37.7 against 25.6), Spokane (33.5 against 22), Yonkers (12.6 against 2), and Hartford (21.7 against 11.4).

Under the title "Suicide" are included 10 headings, to 4 of which 78.9 per cent of all deaths from this cause are charged in 1921. The greatest number of deaths from suicide is due to firearms (4,122, with a rate of 4.6 per 100,000 population), followed by hanging or strangulation (1,942, with a rate of 2.2), by poisonous gas (1,401, with a rate of 1.6), and by corrosive substances (1,323, with a rate of 1.5).

Table BO shows the rates from suicide per 100,000 population for the years 1912 to 1921.

Table BO

DEATH RATE FROM SUICIDE PER 100,000 POPULATION. [Rates in *italics* are based on less than 5 deaths.]

AREA.	1921	1920	1919	1918	1917	1916	1915	1914	1913	1912
SUMMARY.										
The registration area [1]	12.6	10.2	11.4	12.2	13.4	14.2	16.7	16.6	15.8	16.0
Registration States [2]	12.5	10.2	11.4	12.2	13.1	13.8	16.2	16.1	15.4	15.5
Cities in registration States [2]	15.0	12.0	13.6	14.2	16.2	17.0	19.2	19.5	18.6	18.2
Rural part of registration States	10.1	8.5	9.5	10.3	10.4	10.9	13.3	12.8	12.1	12.7
Registration cities in non-registration States	15.5	11.7	12.2	14.0	16.8	19.7	22.5	22.6	20.7	20.9
All registration cities [2]	15.0	12.0	13.6	14.2	16.3	17.4	19.7	19.9	18.9	18.7
REGISTRATION STATES.										
California	27.0	20.1	24.8	24.9	28.7	30.6	34.3	32.5	30.8	30.6
Colorado	14.8	15.7	14.2	14.6	13.7	13.3	18.8	19.2	22.1	19.7
Connecticut	14.3	11.1	14.5	14.5	16.7	15.0	17.7	20.5	15.1	17.4
Delaware	11.1	7.6	8.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Florida (total)	9.8	5.4	6.7	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	13.9	6.9	9.1	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	1.5	2.4	2.1	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Illinois	14.7	11.6	14.2	13.3	(3)	(3)	(3)	(3)	(3)	(3)
Indiana	14.7	11.3	12.3	12.0	14.8	17.0	15.1	17.1	15.8	16.5
Kansas	11.7	10.7	12.0	12.1	9.4	10.1	11.3	11.7	(3)	(3)
Kentucky (total)	7.2	7.4	7.2	8.2	8.4	7.6	10.9	9.9	8.6	9.0
White	7.5	8.0	7.8	8.5	9.0	8.3	11.3	10.5	9.1	9.6
Colored	4.3	2.6	*1.3*	5.8	2.5	*1.6*	7.3	5.6	4.3	4.3
Louisiana (total)	7.3	4.7	4.9	6.5	(3)	(3)	(3)	(3)	(3)	(3)
White	10.4	7.2	6.5	9.3	(3)	(3)	(3)	(3)	(3)	(3)
Colored	2.1	0.9	2.3	2.1	(3)	(3)	(3)	(3)	(3)	(3)
Maine	12.8	10.4	14.5	14.0	13.8	14.6	15.6	14.2	13.5	15.0
Maryland (total)	11.6	9.5	11.4	12.5	12.4	13.3	13.4	15.4	15.2	11.9
White	13.2	11.1	12.8	14.0	14.4	15.4	15.0	17.8	17.5	13.7
Colored	3.6	*1.6*	4.5	4.9	2.9	3.3	5.4	4.2	4.2	3.4
Massachusetts	12.0	10.1	11.6	13.0	13.3	12.3	14.0	13.5	13.5	13.4
Michigan	12.1	9.6	10.1	11.5	13.7	13.5	14.2	14.5	13.2	13.8
Minnesota	12.9	11.2	13.3	12.5	12.6	12.4	16.1	15.7	14.0	12.6
Mississippi (total)	3.8	3.2	2.7	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	6.4	5.2	4.5	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	1.4	1.3	1.1	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Missouri	13.3	11.9	13.0	13.4	16.8	16.9	20.1	21.0	17.6	19.6
Montana	16.3	15.4	15.9	18.6	22.4	23.2	22.0	27.7	26.5	20.0
Nebraska	12.6	12.0	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
New Hampshire	13.5	11.3	11.1	15.4	18.0	13.5	16.5	12.6	17.3	15.2
New Jersey	13.7	11.6	12.7	12.1	14.5	14.2	17.7	17.9	16.5	15.5
New York	13.6	11.5	12.7	13.0	14.8	15.5	18.1	17.0	16.2	15.4
North Carolina (total)	4.3	3.9	3.3	4.3	3.2	3.4	[4] 7.0	[4] 6.6	[5] 7.2	[5] 6.7
White	5.1	4.8	4.0	5.4	4.0	4.1	9.1	9.1	9.2	9.5
Colored	2.5	1.7	1.6	1.7	1.3	1.7	3.0	*1.8*	3.5	*1.5*
Ohio	12.7	10.4	12.6	12.8	13.8	14.1	14.7	15.6	14.5	14.4
Oregon	16.1	13.8	12.5	13.3	(3)	(3)	(3)	(3)	(3)	(3)
Pennsylvania	11.2	9.0	9.8	11.4	11.2	12.1	13.1	12.7	13.4	13.1
Rhode Island	10.4	9.7	9.0	13.6	11.7	14.4	15.1	13.3	15.3	14.6
South Carolina (total)	4.7	3.5	3.4	4.3	2.6	3.9	(3)	(3)	(3)	(3)
White	8.2	5.9	6.2	7.0	4.6	6.1	(3)	(3)	(3)	(3)
Colored	1.4	1.2	0.8	1.7	0.8	1.9	(3)	(3)	(3)	(3)

Table BO—Con.

DEATH RATE FROM SUICIDE PER 100,000 POPULATION. [Rates in *italics* are based on less than 5 deaths.]

AREA.	1921	1920	1919	1918	1917	1916	1915	1914	1913	1912
REGISTRATION STATES—Con.										
Tennessee (total)	7.3	5.4	6.1	5.2	5.4	(3)	(3)	(3)	(3)	(3)
White	8.1	6.1	7.1	6.2	6.1	(3)	(3)	(3)	(3)	(3)
Colored	4.0	2.4	1.8	1.3	2.2	(3)	(3)	(3)	(3)	(3)
Utah	9.8	7.7	9.0	6.9	10.9	13.3	13.0	15.5	19.1	15.4
Vermont	13.6	12.5	13.0	13.6	17.8	17.2	16.9	13.0	16.3	13.2
Virginia (total)	7.8	5.5	7.6	8.3	6.1	8.1	8.3	7.1	6.7	(3)
White	10.0	6.9	10.0	10.9	7.8	10.7	10.5	9.4	8.5	(3)
Colored	2.7	2.3	2.0	2.5	2.2	2.2	3.5	2.2	2.7	(3)
Washington	20.7	18.0	14.1	14.6	15.0	14.4	24.2	24.5	20.3	22.2
Wisconsin	13.1	10.0	11.9	12.6	13.8	13.9	13.6	14.5	13.2	14.3
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920.										
Akron	13.4	9.3	12.9	9.1	9.8	7.5	13.5	14.9	17.6	14.1
Albany	20.9	11.4	11.5	17.0	13.6	11.9	16.9	11.4	14.4	11.7
Atlanta (total)	14.9	10.3	13.6	7.2	10.0	10.8	18.9	16.0	14.1	17.0
White	19.6	14.3	17.6	9.8	14.7	14.4	24.6	21.1	14.8	25.3
Colored	*4.7*	*1.6*	*4.8*	*1.6*	.....	*3.4*	*6.9*	*5.3*	12.6	.....
Baltimore (total)	14.1	12.0	13.7	16.5	16.6	15.3	17.0	23.0	19.9	15.5
White	15.6	13.8	14.7	18.6	19.0	17.4	19.2	26.1	22.3	17.7
Colored	5.4	*1.8*	8.3	5.9	*4.0*	*4.1*	5.2	6.4	6.6	*3.4*
Birmingham (total)	11.3	7.2	7.3	9.3	14.3	9.2	11.4	23.5	12.8	9.1
White	17.7	10.0	10.2	11.5	22.6	13.2	18.8	32.3	16.7	12.6
Colored	*1.4*	*2.3*	*2.9*	*5.9*	*1.5*	*3.1*	.....	9.9	*6.8*	*3.5*
Boston	13.3	13.3	14.1	16.5	18.2	16.9	19.5	18.7	14.9	16.0
Bridgeport	11.1	13.7	18.4	19.0	12.8	32.7	26.5	22.5	13.8	20.6
Buffalo	10.2	9.6	11.1	9.5	10.3	8.3	10.0	12.8	10.2	11.1
Cambridge	10.0	8.2	7.3	9.2	4.6	9.3	9.3	*3.7*	14.1	7.6
Camden	6.7	11.9	15.6	8.0	13.6	9.2	15.1	16.4	20.6	6.0
Chicago	16.6	13.4	15.4	17.1	18.6	22.0	24.8	24.1	22.0	23.5
Cincinnati	14.4	11.7	21.7	18.0	17.4	17.2	19.3	16.0	16.9	17.0
Cleveland	14.1	12.7	13.8	10.8	17.7	19.4	19.0	22.1	16.3	16.7
Columbus	12.5	5.4	11.5	13.6	12.1	16.6	19.8	21.3	17.9	20.0
Dallas (total)	21.6	12.4	15.3	23.0	19.0	28.0	(3)	(3)	(3)	(3)
White	23.9	11.0	18.1	26.4	19.8	31.5	(3)	(3)	(3)	(3)
Colored	*8.2*	20.7	.....	*4.9*	*14.8*	*10.0*	(3)	(3)	(3)	(3)
Dayton	8.9	13.0	14.6	16.3	14.7	25.1	22.8	24.2	24.9	17.6
Denver	20.1	20.9	19.7	21.2	22.8	15.8	28.3	24.1	33.4	24.6
Detroit	12.7	8.7	10.1	8.8	16.7	14.1	15.8	15.0	17.9	18.5
Fall River	5.8	8.3	8.3	5.0	6.7	11.7	14.2	14.2	7.5	7.5
Grand Rapids	13.5	14.4	11.0	12.7	9.9	14.1	16.0	22.0	18.3	18.7
Hartford	21.7	11.4	19.1	22.0	18.0	16.9	18.3	18.1	17.9	20.4
Houston (total)	17.2	10.0	16.1	18.8	23.7	(3)	(3)	(3)	(3)	(3)
White	21.8	12.3	20.5	24.1	27.3	(3)	(3)	(3)	(3)	(3)
Colored	*2.9*	*2.9*	*3.0*	*3.2*	*13.1*	(3)	(3)	(3)	(3)	(3)
Indianapolis (total)	13.8	15.7	16.4	13.9	18.6	27.0	16.4	28.5	29.4	25.1
White	15.2	17.3	17.0	15.5	19.7	28.6	17.1	29.3	30.9	26.1
Colored	*2.7*	*2.8*	*11.7*	.....	*9.5*	*18.3*	*10.4*	21.9	*15.3*	*16.1*
Jersey City	12.2	7.7	9.4	8.5	13.4	12.2	19.7	16.0	11.2	12.7
Kansas City, Kans. (total)	11.6	14.7	16.0	18.3	13.5	11.6	14.0	22.0	21.3	26.3
White	12.4	13.7	17.5	21.3	14.4	13.4	16.1	23.9	21.8	27.4
Colored	*6.6*	*20.4*	*7.0*	.....	*7.6*	.....	.....	*8.6*	*18.0*	*18.9*
Kansas City, Mo	22.9	18.0	19.7	21.4	31.8	25.9	30.8	40.5	37.3	40.7
Los Angeles	28.2	19.7	23.6	22.9	31.8	29.2	34.4	24.7	29.8	34.0
Louisville (total)	18.2	19.6	9.8	24.8	16.3	15.1	24.6	16.9	22.6	20.7
White	19.9	22.5	11.8	28.4	19.7	17.7	29.4	18.4	26.5	25.2
Colored	*10.0*	*5.0*	.....	*7.4*	.....	*2.5*	*2.5*	*9.8*	*4.9*	.....
Lowell	8.8	8.8	7.1	6.3	9.9	8.2	13.7	9.2	12.9	9.3
Memphis (total)	16.3	9.2	11.4	14.2	15.1	(6)	25.4	19.3	23.3	23.6
White	24.0	11.8	16.8	18.2	21.8	(6)	36.4	23.2	30.8	35.1
Colored	*3.2*	*4.9*	*1.8*	*7.4*	*3.7*	(6)	*7.5*	13.1	11.3	*5.7*
Milwaukee	18.3	11.9	14.3	15.5	18.9	16.0	16.8	21.4	18.5	17.1
Minneapolis	17.6	18.5	15.1	16.3	17.5	19.9	23.8	25.9	17.4	18.2
Nashville (total)	13.1	8.4	8.5	14.5	*8.4*	(6)	14.0	15.8	22.1	20.5
White	16.3	10.8	12.2	20.9	*5.0*	(6)	16.6	16.8	28.7	25.1
Colored	*5.5*	*2.8*	.....	.....	.....	(6)	*8.3*	13.8	*8.3*	*11.0*
New Bedford	10.4	10.6	10.8	11.9	20.9	19.6	14.6	14.0	14.3	21.5
New Haven	18.6	11.0	13.0	15.8	21.9	14.5	18.8	22.6	20.3	18.5
New Orleans (total)	16.2	10.5	10.4	13.7	13.6	14.6	18.9	19.4	14.9	19.4
White	19.6	13.6	10.9	16.8	16.3	18.3	22.7	23.4	18.4	22.9
Colored	6.8	*2.0*	8.9	5.0	6.1	*4.1*	8.3	8.4	5.3	9.7
New York	14.4	11.9	12.9	13.4	15.3	16.0	19.0	18.3	17.0	16.6
Bronx Borough	11.0	10.4	10.7	10.4	14.8	17.5	16.4	21.0	18.3	17.6
Brooklyn Borough	10.2	9.7	10.4	11.1	13.7	10.6	16.2	14.2	12.8	13.8
Manhattan Borough	20.3	14.6	15.7	16.6	16.3	19.7	21.6	21.0	20.1	19.0
Queens Borough	12.9	11.3	13.9	11.1	16.4	18.1	20.9	18.7	14.2	15.0
Richmond Borough	4.9	11.9	10.4	14.3	20.2	16.1	18.6	13.1	19.8	6.5
Newark, N. J	16.5	11.7	13.9	12.6	16.4	14.6	17.2	21.2	20.3	17.9
Norfolk (total)	18.1	5.1	10.5	12.7	5.6	12.6	22.1	21.9	13.0	14.7
White	27.8	*5.4*	15.5	17.5	7.6	20.5	31.3	36.1	19.8	24.5
Colored	*2.8*	*4.5*	*2.3*	*4.8*	*2.5*	.....	*7.8*	.....	*2.7*	.....
Oakland	25.6	19.1	25.4	22.8	28.1	24.4	27.5	37.5	32.6	33.9

See notes at end of table.

Table BO—Con. DEATH RATE FROM SUICIDE PER 100,000 POPULATION. [Rates in *italics* are based on less than 5 deaths.]

AREA.	1921	1920	1919	1918	1917	1916	1915	1914	1913	1912
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—continued.										
Omaha	22.8	21.7	15.8	14.0	15.9	28.2	39.9	34.4	25.0	30.3
Paterson	14.5	10.3	14.8	18.6	18.0	18.2	23.6	19.2	20.2	15.6
Philadelphia	14.2	10.9	12.1	13.1	15.2	15.4	16.5	16.4	17.6	16.9
Pittsburgh	13.4	8.8	10.9	12.6	14.5	13.0	15.6	17.0	16.1	19.2
Portland, Oreg	20.4	17.3	16.4	13.9	13.7	20.6	24.1	28.9	25.2	24.4
Providence	10.8	12.6	10.1	14.9	15.8	12.9	16.9	17.4	15.3	17.2
Reading	21.1	23.1	16.8	15.0	16.1	12.4	29.1	21.0	30.3	15.3
Richmond (total)	10.8	7.5	7.6	13.7	9.7	8.0	11.3	10.1	19.8	13.5
White	14.0	10.9	10.3	18.4	12.6	11.9	14.1	15.3	25.9	19.7
Colored	*3.7*	.....	*1.9*	*3.7*	*3.7*	.....	*5.6*	.....	*8.4*	*2.1*
Rochester	11.8	10.7	13.3	9.8	12.6	20.9	21.6	23.0	18.9	13.8
St. Louis	21.0	16.2	18.5	18.3	24.6	27.9	37.1	37.1	33.7	34.7
St. Paul	13.5	9.3	16.3	13.8	17.0	19.8	25.7	17.9	22.1	17.8
Salt Lake City	15.6	10.9	12.0	7.1	22.5	19.4	18.9	24.1	35.6	31.6
San Antonio	18.1	7.9	13.3	18.5	15.9	17.4	28.9	28.1	21.2	12.6
San Francisco	37.7	25.6	34.9	41.8	40.9	50.4	55.5	51.6	49.3	46.2
Scranton	10.8	8.7	5.8	10.3	4.4	8.2	17.9	15.0	9.8	6.8
Seattle	24.4	22.9	18.6	16.8	21.3	18.4	35.4	32.8	26.2	33.2
Spokane	33.5	22.0	18.2	11.5	16.3	16.3	28.7	37.4	20.1	19.2
Springfield, Mass	14.0	8.4	14.1	7.3	10.9	13.0	14.4	11.3	15.6	21.4
Syracuse	11.8	13.2	10.6	12.0	14.7	21.3	23.1	21.1	19.5	15.9
Toledo	19.3	13.4	20.0	19.8	24.4	19.2	19.0	18.7	20.9	19.0
Trenton	15.5	14.1	18.6	13.8	13.2	17.1	12.9	21.6	17.3	16.7
Washington, D. C. (total)	19.9	9.7	13.2	18.5	19.3	22.0	22.2	17.8	19.7	25.0
White	26.0	11.2	15.8	21.7	23.1	25.8	26.3	21.1	24.0	31.2
Colored	*1.3*	5.4	5.5	9.2	8.4	11.4	10.6	8.8	8.0	9.1
Wilmington, Del	12.3	9.9	13.0	11.4	16.5	15.9	12.2	14.5	14.8	9.8
Worcester	15.1	6.6	11.2	12.6	13.4	12.5	12.2	16.8	17.2	16.9
Yonkers	12.6	*2.0*	*4.0*	7.2	13.7	7.5	9.9	13.5	16.2	9.5
Youngstown	13.6	9.6	7.7	11.2	18.3	15.6	9.0	17.0	10.6	12.3

[1] Exclusive of Hawaii.
[2] Including District of Columbia.
[3] Not added to registration area until a later date.
[4] Includes only municipalities having a population of 1,000 or more in 1910.
[5] Includes only municipalities having a population of 1,000 or more in 1900.
[6] Transcripts of deaths not received.

HOMICIDE.

The term "homicide," as here used, includes murder, manslaughter, justifiable homicide, and incendiarism, but not legal execution.

Table BP shows the rates from homicide per 100,000 population for the years 1912 to 1921.

Table BP DEATH RATE FROM HOMICIDE PER 100,000 POPULATION. [Rates in *italics* are based on less than 5 deaths.]

AREA.	1921	1920	1919	1918	1917	1916	1915	1914	1913	1912
SUMMARY.										
The registration area [1]—										
Total	8.5	7.1	7.5	6.8	7.7	7.1	7.0	7.4	7.2	6.6
White	6.2	5.0	5.3	4.8	5.7	5.3	5.3	5.6	5.4	5.0
Colored	33.7	29.6	30.5	30.5	32.8	31.3	37.5	40.5	41.3	40.9
Registration States [2]	8.1	6.8	7.1	6.4	7.0	6.4	6.0	6.4	6.2	5.5
Cities in registration States [2]	9.1	8.2	8.8	8.2	8.8	7.7	7.0	7.4	7.3	6.6
Rural part of registration States	7.2	5.4	5.7	4.8	5.4	5.2	5.0	5.3	5.1	4.3
Registration cities in non-registration States	30.7	27.0	26.6	22.0	17.2	16.3	18.6	19.9	19.3	18.2
All registration cities [2]	9.9	8.8	9.5	8.8	10.0	8.9	8.7	9.2	9.0	8.4
REGISTRATION STATES.										
California	11.6	8.2	9.4	9.4	12.2	11.6	12.2	13.2	11.6	13.4
Colorado	11.8	9.2	10.6	7.5	8.9	8.2	10.6	16.0	11.9	9.9
Connecticut	2.9	3.9	5.0	3.8	4.3	2.9	3.5	3.2	3.9	3.5
Delaware	7.1	4.0	7.7	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Florida (total)	24.9	20.2	17.8	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	14.1	8.8	8.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	46.5	42.5	35.2	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Illinois	8.8	7.4	8.5	6.6	(3)	(3)	(3)	(3)	(3)	(3)
Indiana	6.4	4.7	4.7	4.1	6.6	5.0	5.2	6.5	5.6	4.8

Table BP—Con. DEATH RATE FROM HOMICIDE PER 100,000 POPULATION. [Rates in *italics* are based on less than 5 deaths.]

AREA.	1921	1920	1919	1918	1917	1916	1915	1914	1913	1912
REGISTRATION STATES—con.										
Kansas	7.5	4.7	6.7	5.9	6.9	7.8	6.7	6.3	(3)	(3)
Kentucky (total)	16.2	9.0	7.8	10.1	12.8	10.0	11.9	13.6	13.8	10.7
White	12.2	6.6	5.1	6.6	8.1	6.6	6.8	7.8	8.4	7.3
Colored	53.4	31.5	32.4	41.7	54.4	39.5	54.8	61.8	58.4	37.9
Louisiana (total)	13.8	14.1	17.0	19.1	(3)	(3)	(3)	(3)	(3)	(3)
White	11.4	6.9	7.2	10.7	(3)	(3)	(3)	(3)	(3)	(3)
Colored	30.6	25.4	32.2	32.0	(3)	(3)	(3)	(3)	(3)	(3)
Maine	2.2	1.4	1.6	1.3	0.9	1.2	2.4	2.0	2.9	2.1
Maryland (total)	7.8	4.8	5.4	6.6	6.0	6.9	5.9	5.5	6.2	3.8
White	5.1	2.4	2.8	3.6	4.2	3.7	4.4	3.4	4.1	2.2
Colored	21.1	16.7	18.0	21.4	14.5	22.0	13.0	15.5	16.5	11.5
Massachusetts	2.8	2.1	2.8	2.3	2.9	3.2	3.3	3.3	3.1	3.0
Michigan	4.8	5.5	4.3	3.0	5.7	3.8	3.0	3.2	3.9	2.7
Minnesota	4.4	3.1	3.2	2.9	3.3	3.3	3.4	4.5	3.0	2.8
Mississippi (total)	21.1	19.8	19.0	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	11.1	6.8	6.7	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	30.1	31.7	30.2	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Missouri	10.1	7.9	9.7	10.1	12.3	10.0	9.3	9.3	9.9	7.8
Montana	7.1	8.2	8.0	11.1	18.2	17.7	11.3	12.9	10.2	14.2
Nebraska	4.9	4.1	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
New Hampshire	2.2	1.8	1.1	*0.9*	2.3	1.4	2.3	3.2	3.2	1.4
New Jersey	5.2	4.2	4.6	4.8	6.1	3.9	4.3	4.0	4.3	4.2
New York	4.9	4.6	4.6	4.0	4.3	4.5	4.6	4.8	5.2	5.1
North Carolina (total)	8.6	9.8	8.5	7.6	7.3	8.3	[4] 13.7	[4] 21.1	[5] 21.3	[5] 18.7
White	5.5	4.8	3.8	4.5	3.6	4.6	6.9	9.1	6.9	7.9
Colored	15.8	21.2	19.3	14.6	15.7	16.8	26.7	44.0	47.8	38.6
Ohio	7.8	6.9	7.3	8.5	9.3	7.9	5.9	5.8	5.8	5.6
Oregon	7.7	4.1	4.9	4.0	(3)	(3)	(3)	(3)	(3)	(3)
Pennsylvania	6.3	5.6	6.0	6.5	6.7	6.4	4.9	4.9	5.4	4.5
Rhode Island	3.1	1.8	3.3	2.4	3.7	3.8	3.1	3.7	3.4	2.7
South Carolina (total)	17.1	15.2	13.7	10.4	11.3	13.3	(3)	(3)	(3)	(3)
White	11.3	9.4	8.3	5.5	4.2	5.9	(3)	(3)	(3)	(3)
Colored	22.7	20.8	18.9	14.9	17.7	20.0	(3)	(3)	(3)	(3)
Tennessee (total)	16.7	13.8	15.1	11.3	11.4	(3)	(3)	(3)	(3)	(3)
White	11.4	7.0	8.8	6.9	5.5	(3)	(3)	(3)	(3)	(3)
Colored	39.5	42.4	41.3	29.2	35.2	(3)	(3)	(3)	(3)	(3)
Utah	5.2	5.1	4.5	1.8	6.3	7.1	8.7	9.8	8.5	7.4
Vermont	1.7	2.3	2.0	2.0	1.7	2.5	2.0	2.0	2.5	*1.1*
Virginia (total)	13.3	11.2	9.8	11.4	8.3	11.8	12.8	11.8	10.8	(3)
White	9.0	7.5	5.7	6.3	5.1	6.3	6.3	6.0	5.5	(3)
Colored	23.8	19.9	19.4	23.0	15.4	24.1	27.1	24.4	22.3	(3)
Washington	5.9	5.1	7.5	4.2	5.5	5.5	8.9	10.0	6.5	7.2
Wisconsin	2.2	1.7	1.9	1.9	3.2	1.6	2.2	3.0	2.2	2.7
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920.										
Akron	13.9	19.5	14.9	13.9	15.0	13.8	7.1	3.9	*3.5*	8.0
Albany	7.0	*0.9*	*2.7*	*2.7*	4.5	11.9	*3.8*	5.7	*1.0*	10.7
Atlanta (total)	41.5	39.9	40.3	23.7	25.4	31.5	36.7	34.3	34.0	40.6
White	14.7	9.3	14.7	6.0	13.2	11.2	10.7	19.4	8.7	17.2
Colored	100.9	107.3	96.3	62.1	51.6	74.6	91.5	65.1	86.1	88.3
Baltimore (total)	9.3	6.4	6.5	10.1	8.4	8.1	6.7	7.3	7.2	4.2
White	6.4	3.3	2.9	4.6	6.0	3.5	4.4	4.2	4.7	2.5
Colored	26.1	23.7	26.9	38.4	21.1	31.8	18.8	23.5	20.8	13.4
Birmingham (total)	52.7	46.9	47.9	51.6	43.0	39.3	43.0	76.4	91.0	57.9
White	29.2	17.3	16.7	16.2	16.7	11.1	14.6	25.8	32.2	14.9
Colored	88.9	92.7	96.1	106.2	83.5	82.8	86.8	154.2	181.5	123.9
Boston	4.6	4.5	5.6	3.7	3.7	4.1	5.3	3.8	5.2	4.7
Bridgeport	4.2	6.9	7.1	6.6	9.0	7.0	6.4	7.5	4.3	*1.8*
Buffalo	6.5	4.9	4.8	5.3	6.8	5.7	5.1	5.2	4.4	4.1
Cambridge	4.5	*2.7*	*1.8*	.....	*1.8*	*1.9*	*1.9*	.....	*3.8*	.....
Camden	7.5	6.0	11.3	5.3	7.2	*3.7*	7.5	7.7	5.9	14.1
Chicago	11.2	9.7	11.3	8.2	10.8	11.2	9.0	10.0	9.5	9.5
Cincinnati	15.4	6.0	7.2	11.8	17.4	14.6	13.7	12.7	11.2	11.0
Cleveland	11.1	13.0	10.9	12.6	15.8	11.9	8.8	9.0	6.8	6.1
Columbus	10.1	6.7	12.0	17.5	13.9	9.7	5.2	7.3	7.5	13.9
Dallas (total)	23.4	21.1	17.8	17.6	28.5	34.5	(3)	(3)	(3)	(3)
White	12.7	11.0	10.5	9.1	14.2	14.8	(3)	(3)	(3)	(3)
Colored	86.0	78.5	58.4	63.2	103.4	134.8	(3)	(3)	(3)	(3)
Dayton	10.1	5.2	3.3	6.8	11.9	17.9	*2.2*	5.3	8.6	4.8
Denver	9.9	12.0	5.5	10.0	7.7	4.6	8.0	7.3	5.7	7.6
Detroit	10.7	13.7	8.6	6.2	14.1	9.0	5.1	5.9	7.6	5.2
Fall River	*2.5*	.....	.....	*0.8*	*0.8*	*1.7*	*3.3*	*1.7*	.....	*1.7*
Grand Rapids	*2.8*	*2.2*	*1.5*	3.7	.....	*2.4*	*2.4*	*3.3*	5.8	4.2
Hartford	3.6	5.0	14.7	*2.5*	*2.3*	4.0	*2.5*	5.2	*1.8*	4.6
Houston (total)	20.0	15.0	21.3	18.0	41.4	(3)	(3)	(3)	(3)	(3)
White	14.5	4.7	15.6	9.9	34.2	(3)	(3)	(3)	(3)	(3)
Colored	37.3	46.6	38.6	41.7	62.2	(3)	(3)	(3)	(3)	(3)
Indianapolis (total)	7.7	5.7	7.4	6.3	15.6	8.4	8.4	12.7	14.3	7.6
White	4.2	2.8	4.7	4.8	10.2	4.7	5.3	10.0	11.2	4.9
Colored	35.3	28.2	29.3	18.3	60.3	39.8	34.8	36.5	42.1	32.3

See notes at end of table.

Table BP—Con. DEATH RATE FROM HOMICIDE PER 100,000 POPULATION. [Rates in *italics* are based on less than 5 deaths.]

AREA.	1921	1920	1919	1918	1917	1916	1915	1914	1913	1912
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—continued.										
Jersey City	5.6	3.3	5.7	7.8	4.8	3.5	5.3	4.3	4.0	0.7
Kansas City, Kans. (total)	21.2	10.8	28.0	22.4	26.9	12.7	20.5	13.2	20.2	22.9
White	11.3	*8.4*	18.6	17.7	18.0	*4.9*	16.1	*5.0*	15.4	9.1
Colored	78.7	54.3	84.5	51.2	83.5	63.3	49.5	68.9	54.0	122.9
Kansas City, Mo	28.6	27.1	35.6	37.1	36.1	22.6	23.2	25.6	27.1	21.8
Los Angeles	14.4	10.4	7.1	9.8	12.6	9.2	10.1	13.0	13.2	11.7
Louisville (total)	16.1	12.3	16.2	20.1	18.9	15.9	15.6	19.1	17.8	15.0
White	8.2	8.2	7.2	12.9	9.9	10.4	7.3	12.1	7.4	8.0
Colored	55.0	32.4	59.7	54.6	61.9	42.0	54.2	51.6	66.2	46.9
Lowell	*2.6*	*1.8*	*1.8*	*2.7*	*2.7*	*0.9*	*1.8*	4.6	.....	*0.9*
Memphis (total)	59.2	63.0	62.1	47.4	50.8	(6)	88.2	73.8	69.0	64.9
White	36.5	20.6	24.2	22.5	12.0	(6)	38.6	25.5	28.4	30.3
Colored	97.3	133.6	128.4	90.2	116.5	(6)	169.6	151.6	133.4	118.9
Milwaukee	3.8	3.0	2.2	4.3	6.6	2.6	3.3	5.3	3.4	4.0
Minneapolis	7.1	6.5	5.3	4.9	2.2	8.2	6.7	5.1	4.9	4.4
Nashville (total)	32.8	13.5	24.6	24.8	18.1	(6)	29.7	32.5	42.5	36.6
White	19.8	*4.8*	17.0	14.8	12.5	(6)	19.1	12.9	19.6	19.8
Colored	63.5	33.7	42.0	47.6	30.7	(6)	52.7	74.7	91.1	71.6
New Bedford	*1.6*	*0.8*	*2.5*	*2.6*	*1.7*	*2.7*	.....	*3.7*	*2.9*	.....
New Haven	3.0	*2.4*	*1.2*	3.8	5.2	*2.6*	3.4	*1.4*	7.7	5.7
New Orleans (total)	20.3	16.2	23.4	18.4	21.9	25.7	23.3	23.6	24.8	28.6
White	9.3	12.9	9.5	12.1	9.4	15.4	10.0	10.6	11.5	8.1
Colored	51.4	25.5	62.6	36.2	57.0	54.6	60.5	60.2	62.0	85.6
New York	5.9	6.2	5.7	4.8	4.7	5.2	5.3	6.0	6.7	6.3
Bronx Borough	3.5	1.9	3.5	2.2	3.7	3.4	3.4	3.0	3.8	4.2
Brooklyn Borough	4.6	5.2	4.0	4.7	3.9	4.1	3.7	5.7	5.7	5.1
Manhattan Borough	8.7	8.8	8.0	6.4	6.1	7.0	7.4	7.4	8.8	8.1
Queens Borough	3.4	5.9	5.0	1.8	2.6	3.7	3.7	3.8	3.8	2.8
Richmond Borough	*2.5*	*3.4*	4.3	*2.7*	*2.8*	*1.9*	*2.0*	*2.0*	*2.1*	5.4
Newark, N. J.	5.6	4.1	7.1	4.9	6.5	5.4	5.7	4.8	4.9	5.8
Norfolk (total)	28.0	37.4	50.9	41.7	19.7	25.2	35.2	26.1	21.7	13.6
White	10.6	24.5	18.3	16.1	7.6	17.4	13.2	8.6	*5.4*	*5.7*
Colored	56.9	59.0	104.7	83.5	39.2	37.8	70.0	53.4	46.7	25.5
Oakland	3.5	2.7	7.0	7.3	7.0	4.2	7.5	5.6	7.0	7.3
Omaha	18.3	11.4	12.6	5.9	7.7	10.9	12.9	14.3	8.8	7.6
Paterson	4.4	*2.9*	7.4	4.5	9.0	*3.0*	3.8	*1.5*	7.8	4.7
Philadelphia	6.0	6.4	6.6	7.4	6.7	6.4	4.8	4.9	5.5	4.0
Pittsburgh	9.5	10.3	10.4	10.4	10.1	13.2	7.8	5.7	7.8	5.7
Portland, Oreg	7.9	4.2	8.2	4.8	7.3	2.5	4.7	5.7	9.5	6.9
Providence	5.0	2.9	6.3	3.4	6.0	3.9	3.0	5.7	6.1	2.6
Reading	4.6	*2.8*	5.6	*1.9*	*0.9*	*1.9*	*2.9*	*2.0*	*3.0*	.....
Richmond (total)	8.5	7.5	8.8	10.7	10.9	16.6	17.5	27.4	19.8	24.7
White	*3.8*	*2.6*	5.2	8.8	*3.6*	4.6	7.5	5.5	*4.5*	7.0
Colored	20.2	18.5	16.7	14.9	26.1	41.2	37.6	69.3	48.5	57.2
Rochester	4.9	1.7	4.4	2.5	3.3	2.3	4.3	*1.6*	3.4	3.4
St. Louis	16.3	12.6	16.3	17.0	21.0	16.3	15.4	15.7	13.1	13.7
St. Paul	7.1	5.5	5.1	5.2	7.4	7.0	8.4	5.8	3.6	2.7
Salt Lake City	5.8	4.2	7.7	4.4	11.7	8.3	10.4	18.3	11.9	15.3
San Antonio	10.5	9.7	10.1	12.6	27.0	20.3	21.3	18.4	21.2	24.2
San Francisco	9.6	7.6	12.1	12.6	11.4	15.4	16.1	15.6	14.8	13.5
Scranton	*2.9*	5.1	3.6	*2.2*	7.4	5.9	4.5	5.3	6.8	6.8
Seattle	7.3	5.0	10.6	5.6	8.5	8.3	11.1	12.9	7.2	11.3
Spokane	8.6	*2.9*	6.7	*3.8*	6.7	7.7	13.4	9.6	9.6	6.7
Springfield, Mass	6.6	6.8	3.9	*3.2*	5.0	6.1	*2.7*	*3.8*	5.9	7.1
Syracuse	4.5	4.0	2.9	4.2	*2.5*	7.5	*0.6*	*2.6*	3.4	*1.4*
Toledo	16.6	11.8	20.0	18.1	21.3	16.0	12.2	10.6	13.6	6.0
Trenton	4.1	*2.5*	*0.8*	*3.5*	5.3	*3.6*	*2.8*	4.7	7.7	5.9
Washington, D. C. (total)	13.0	10.4	13.2	13.5	7.1	9.0	9.0	8.0	6.6	6.5
White	7.3	5.7	7.4	6.4	3.3	4.1	3.9	4.7	3.4	2.3
Colored	29.8	24.2	30.0	34.2	17.8	22.9	23.2	16.7	15.0	17.3
Wilmington, Del	9.7	4.5	13.0	*2.9*	8.7	5.0	9.1	5.2	*3.2*	10.8
Worcester	*1.1*	*2.2*	*1.1*	3.4	7.6	3.0	3.7	6.2	4.5	3.9
Yonkers	*3.9*	*3.0*	5.0	*2.1*	*4.2*	*1.1*	*2.2*	*1.1*	*3.6*	*4.7*
Youngstown	17.4	18.6	19.2	29.5	20.0	18.2	9.9	15.1	13.8	19.0

[1] Exclusive of Hawaii.
[2] Including District of Columbia.
[3] Not added to registration area until a later date.
[4] Including only municipalities having a population of 1,000 or more in 1910.
[5] Including only municipalities having a population of 1,000 or more in 1900.
[6] Transcripts of deaths not received.

For 1921 the number of deaths from homicide in the registration area is 7,545, corresponding to a rate of 8.5 per 100,000 population as against 7.1 in 1920. The higher rates in recent years are due to the addition of States with large colored populations.

The rate in the registration area for the white population is 6.2 in 1921 against 5 in 1912, and the rate for the colored is 33.7 against 40.9. All but five States show higher rates in 1921 than in 1920. The highest rates in 1921 are for Florida (24.9), Mississippi (21.1), and Louisiana (18.8). The States with the lowest rates are Vermont (1.7), Wisconsin, New Hampshire, and Maine (each 2.2), and Massachusetts (2.8).

For the registration cities of 100,000 population or more in 1920, the highest rates in 1921 are for Memphis (59.2), Birmingham (52.7), Atlanta (41.5), and Nashville (32.8). The extremely high rates for these cities are due to the high rates for the colored population; these range from 63.5 for Nashville to 100.9 for Atlanta. Very low rates are shown for Worcester (*1.1*) and New Bedford (*1.6*).

Among the cities, 51 have higher death rates from homicides in 1921 than in 1920; notable increases are shown for Nashville, with a rate of 32.8 against 13.5 in 1920; Kansas City, Kans., with a rate of 21.2 against 10.8; and Cincinnati, with a rate of 15.4 against 6.

From the standpoint of prevention, it is interesting to note that 73 per cent of all homicides in the registration area in 1921 are caused by firearms as against 62 per cent in 1912.

ACCIDENTAL OR UNDEFINED EXTERNAL CAUSES.

In 1921 the number of deaths due to accidental or undefined external causes is 60,896, which corresponds to a rate of 68.7 per 100,000 population—the lowest rate since 1910 (84.4).

The greatest number of deaths under this title are due to automobile accidents (10,168, with a rate of 11.5); next in order are deaths due to traumatism by fall (10,102, with a rate of 11.4); accidental drowning (6,489, with a rate of 7.3); burns (conflagration excepted) (5,329, with a rate of 6); railroad accidents (5,297, with a rate of 6); traumatism by firearms (2,346, with a rate of 2.6); traumatism in mines and quarries (1,867, with a rate of 2.1); and absorption of irrespirable, irritating, or poisonous gas (1,778, with a rate of 2).

The rate in 1921 from street-car accidents, and the rate from injuries by other vehicles (each 1.6), is the lowest recorded from each of these causes, since 1910. Deaths from excessive heat number 946 in 1921, with a rate of 1.1. Aeroplane and balloon accidents show a total of 132 deaths, with a rate of 0.1 per 100,000 population.

Among the States, those showing the highest death rates in 1921 from accidental or undefined external causes are California (91), Colorado (88.3), Florida (81.5), Washington (79.8), and Oregon (78.7). The lowest rates are for Tennessee (51.9), South Carolina (52.4), North Carolina (53), Kentucky (53.6), and Mississippi (55.6).

AUTOMOBILE ACCIDENTS.

The death rate from automobile accidents again shows an increase over the figures for the preceding year (11.5 per 100,000 population in 1921 against the 1920 rate of 10.4). The five States showing the highest rates in 1921 are California (24.4), Connecticut (15.5), New York (15.4), New Jersey (14.9), and Washington (14.5); the five showing the lowest rates are Mississippi (2.6), Kentucky and South Carolina (each 4.3), and Louisiana and North Carolina (each 5.3).

Of the 66 cities listed in the table on page 90, 41 show increases in the rate for 1921 as compared with the rate for 1920. The cities showing the greatest increases are Albany (from 11.4 to 26.9), Houston (from 5.7 to 17.3), Lowell (from 7.1 to 18.5), and Paterson (from 13.2 to 23.3); those showing the greatest decreases are Memphis (from 26.3 to 15.1), Omaha (from 21.2 to 11.7), Reading (from 23.1 to 14.7), and Dayton (from 16.2 to 9.5). The highest death rates from automobile accidents in 1921 are shown for Los Angeles (27.1), Albany (26.9), Youngstown (25.7), and Paterson (23.3). Of course these rates, like all crude death rates, are simply rough indexes—not exact measures—of local conditions. Many deaths from automobile accidents charged against a city result from accidents outside city limits. On the other hand, some deaths from automobile accidents, charged to rural districts, result from accidents within city limits. An attempt has been made to determine, by queries, for a few cities how much the rates would be changed if only accidents within city limits were charged against the city. The crude rates for Birmingham, Los Angeles, and Youngstown are, respectively, 22.6, 27.1, and 25.7. From information received from replies to queries, these rates, if based only on fatal accidents within city limits, would have been reduced at least to 19.9, 24.4, and 19.6, respectively. However, these figures do not take into account fatal accidents in the cities when deaths occurred outside. The nonresident factor is also of importance in the consideration of refined death rates from automobile accidents. If more tourists pass through some cities than through others, more fatalities are to be expected. Table BR, on page 92, presents for the areas shown, figures for deaths from automobile accidents which exclude deaths of nonresidents. If corrections are made for deaths of nonresidents, the greatest reductions in rates appear for Trenton (from 21.2 to 8.1) and for Camden (from 22.6 to 12.5).

In 1900, when an automobile was almost a curiosity, the mortality rate from "accidents and injuries by vehicles and horses" per 100,000 population in the registration area was 1.3 (including automobile accidents)—a rate which stands in striking contrast with the rate 11.5 from automobile accidents in 1921.

And to-day, in England and Wales, where fewer automobiles are used, death rates from automobile accidents are very much lower than in the registration area of the United States. A death rate from this cause in England and Wales for 1921 has been calculated by the Bureau of the Census as 4 per 100,000 population, a rate which stands in marked contrast to the rate of 11.5 in the United States registration area for the same year.

One phase, which is particularly distressing, is the large number of deaths from this cause among children. In 1921, 31.1 per cent of the total number of deaths from automobile accidents are of children under 15 years of age, as contrasted with 7.1 per cent below that age from railroad accidents, and 16.8 per cent from street-car accidents.

The number of deaths charged by the Bureau of the Census to automobile accidents in any State or city may vary considerably from the number so charged by local officials. The rules of assignment in the Bureau of the Census are:

1. In collisions between automobiles and street cars assign the death to the heavier vehicle, i. e., the street car.

2. In collisions between automobiles and railroad trains assign the death to the heavier vehicle, i. e., the railroad train.

3. In collisions between automobiles and motor cycles assign the death to the heavier vehicle, i. e., the automobile.

If local officials charge all of these deaths against the automobile, their totals will, of course, be greater than those of the Bureau of the Census. The contributory cause table on page 91 of the report on Mortality Statistics, 1918, clearly shows how greatly totals would be changed if other rules of assignment were followed.

Deaths from motor cycles are not included in deaths from automobiles, but if included would raise the grand total for the registration area fron 10,168 to 10,465 and raise the rate per 100,000 from 11.5 to 11.8.

In Table BQ are given for 1916 to 1921 deaths and death rates from automobile accidents in the registration area (exclusive of Hawaii), registration States, and registration cities of 100,000 population or more in 1920.

Table BQ

DEATHS FROM AUTOMOBILE ACCIDENTS.

AREA.	Number.						Rate per 100,000 population.					
	1921	1920	1919	1918	1917	1916	1921	1920	1919	1918	1917	1916
SUMMARY.												
The registration area [1]	10,168	9,103	7,968	7,525	6,724	5,193	11.5	10.4	9.4	9.3	9.0	7.3
Registration States [2]	9,903	8,878	7,771	7,310	6,064	4,737	11.4	10.3	9.3	9.2	8.7	7.1
Cities in registration States [2]	6,535	6,121	5,263	4,942	3,890	3,053	15.3	14.7	13.5	13.1	11.9	9.7
Rural part of registration States	3,368	2,757	2,508	2,368	2,174	1,684	7.6	6.2	5.6	5.7	5.9	4.8
Registration cities in nonregistration States	265	225	197	215	660	456	17.9	15.6	12.7	12.0	12.4	9.2
All registration cities [2]	6,800	6,346	5,460	5,157	4,550	3,509	15.4	14.7	13.5	13.1	12.0	9.6
REGISTRATION STATES.												
California	876	734	647	545	558	478	24.4	21.1	19.2	16.7	17.7	15.7
Colorado	121	117	118	120	95	71	12.6	12.4	12.7	13.1	10.5	8.0
Connecticut	220	218	207	184	192	171	15.5	15.6	15.1	13.7	14.6	13.3
Delaware	17	22	23	[3]	[3]	[3]	7.5	9.8	10.4	[3]	[3]	[3]
Florida	104	104	58	[3]	[3]	[3]	10.4	10.6	6.1	[3]	[3]	[3]
Illinois	887	728	522	466	[3]	[3]	13.4	11.2	8.1	7.3	[3]	[3]
Indiana	266	248	187	177	201	169	9.0	8.4	6.4	6.1	7.0	5.9
Kansas	166	155	98	132	106	92	9.3	8.7	5.6	7.5	6.1	5.3
Kentucky	105	85	71	92	63	41	4.3	3.5	2.9	3.8	2.6	1.7
Louisiana	97	90	57	78	[3]	[3]	5.3	5.0	3.2	4.4	[3]	[3]
Maine	56	43	45	41	31	35	7.3	5.6	5.9	5.4	4.1	4.6
Maryland	177	142	153	167	138	76	12.0	9.7	10.6	11.7	9.8	5.5
Massachusetts	523	454	524	488	387	304	13.3	11.7	13.7	12.9	10.4	8.3
Michigan	441	419	318	257	328	255	11.6	11.3	8.8	7.3	9.5	7.6
Minnesota	216	178	171	185	161	143	8.9	7.4	7.2	7.9	7.0	6.3
Mississippi	46	39	41	[3]	[3]	[3]	2.6	2.2	2.3	[3]	[3]	[3]
Missouri	276	231	244	241	230	187	8.1	6.8	7.2	7.1	6.8	5.6
Montana	48	45	44	64	59	42	8.3	8.1	8.1	12.3	11.7	8.6
Nebraska	104	104	[3]	[3]	[3]	[3]	7.9	8.0	[3]	[3]	[3]	[3]
New Hampshire	38	50	38	22	35	30	8.5	11.3	8.6	5.0	8.0	6.8
New Jersey	484	405	424	393	345	245	14.9	12.7	13.6	12.8	11.5	8.4
New York	1,632	1,410	1,354	1,251	1,092	836	15.4	13.5	13.1	12.3	10.9	8.4
North Carolina	139	133	104	79	66	54	5.3	5.2	4.1	3.2	2.7	2.2
Ohio	734	717	631	661	608	438	12.4	12.3	11.1	11.8	11.0	8.1
Oregon	103	87	70	68	[3]	[3]	12.9	11.0	9.0	8.9	[3]	[3]
Pennsylvania	1,060	1,042	818	855	814	658	11.9	11.9	9.4	10.0	9.6	7.9
Rhode Island	83	78	87	70	58	53	13.5	12.8	14.5	11.8	9.9	9.1
South Carolina	74	91	73	62	32	27	4.3	5.4	4.4	3.7	2.0	1.7
Tennessee	134	130	100	82	69	[3]	5.7	5.5	4.3	3.5	3.0	[3]
Utah	53	51	37	46	32	31	11.5	11.3	8.3	10.5	7.4	7.3
Vermont	23	30	21	13	14	15	6.5	8.5	6.0	3.7	4.0	4.2
Virginia	140	97	116	103	54	62	6.0	4.2	5.1	4.5	2.4	2.8
Washington	202	184	148	158	118	82	14.5	13.5	11.0	11.9	9.1	6.4
Wisconsin	205	167	164	155	128	105	7.7	6.3	6.3	6.0	5.0	4.2
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920.												
Akron	31	39	32	32	34	16	14.9	18.1	15.9	17.1	19.6	10.0
Albany	31	13	23	11	17	11	26.9	11.4	20.4	9.9	15.4	10.1
Atlanta	38	44	43	20	30	27	18.3	21.7	21.7	10.3	15.9	14.6
Baltimore	100	97	105	104	80	36	13.3	13.1	14.6	16.7	13.0	5.9
Birmingham	42	23	21	23	11	14	22.6	12.7	11.8	13.3	6.6	8.6
Boston	103	89	125	109	84	71	13.6	11.8	16.8	14.8	11.5	9.8
Bridgeport	28	30	33	22	30	26	19.5	20.6	23.3	16.0	22.6	20.2
Buffalo	81	104	68	90	83	56	15.6	20.4	13.5	18.2	17.1	11.7
Cambridge	19	22	21	14	15	12	17.2	20.0	19.2	12.9	13.8	11.1
Camden	27	21	26	24	11	12	22.6	17.9	22.6	21.2	9.9	11.1
Chicago	569	472	328	308	310	243	20.5	17.3	12.3	11.7	12.1	9.7
Cincinnati	79	57	67	59	57	56	19.6	14.2	16.7	14.8	14.3	14.1
Cleveland	148	155	126	168	137	98	17.8	19.2	16.0	22.0	18.6	13.8
Columbus	43	31	40	40	30	26	17.4	12.9	17.1	17.5	13.4	12.0
Dallas	27	29	19	13	21	15	16.3	18.0	12.1	10.0	16.6	12.3
Dayton	15	25	16	23	19	8	9.5	16.2	10.6	15.6	13.3	5.7
Denver	43	37	41	43	23	21	16.3	14.3	16.1	17.2	9.4	8.7
Detroit	133	175	139	125	157	127	13.4	17.2	14.4	13.7	18.2	16.1
Fall River	13	12	9	14	12	6	10.8	10.0	7.5	11.6	10.0	5.0
Grand Rapids	15	16	16	9	14	9	10.6	11.5	11.7	6.7	10.6	7.1
Hartford	31	36	38	28	31	24	22.5	25.7	27.9	21.2	24.2	19.4
Houston	25	8	14	13	15	[3]	17.3	5.7	10.3	10.6	12.7	[3]
Indianapolis	40	36	26	27	31	19	12.3	11.3	8.4	8.9	10.5	6.7
Jersey City	36	43	40	30	23	19	11.9	14.3	13.5	10.2	7.9	6.6
Kansas City, Kans	12	11	11	9	9	4	11.6	10.8	11.0	9.2	9.3	4.2
Kansas City, Mo	67	56	42	64	56	38	19.9	17.1	13.1	20.5	18.4	12.8
Los Angeles	165	142	119	91	102	91	27.1	24.1	21.1	16.8	19.8	18.6
Louisville	35	28	19	28	22	9	14.8	11.9	8.1	12.0	9.4	3.9
Lowell	21	8	21	22	14	6	18.5	7.1	18.7	19.7	12.6	5.4
Memphis	25	43	26	19	23	[4]	15.1	26.3	17.4	12.9	15.8	[4]
Milwaukee	52	59	60	43	42	25	11.1	12.8	13.2	10.8	9.6	5.8
Minneapolis	49	41	38	44	43	33	12.5	10.7	10.1	11.9	11.9	9.4
Nashville	24	19	18	14	13	[4]	19.7	16.0	15.3	12.0	11.2	[4]
New Bedford	9	11	15	16	12	9	7.2	9.0	12.5	13.6	10.4	8.0
New Haven	21	29	24	28	22	23	12.6	17.7	14.9	17.7	14.2	15.1
New Orleans	43	50	36	29	45	20	10.9	12.8	9.4	7.6	12.0	5.4

See notes at end of table.

Table BQ—Con.

DEATHS FROM AUTOMOBILE ACCIDENTS.

AREA.	Number.						Rate per 100,000 population.					
	1921	1920	1919	1918	1917	1916	1921	1920	1919	1918	1917	1916
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—continued.												
New York	885	773	780	699	551	432	15.4	13.6	14.0	12.7	10.2	8.1
Bronx Borough	106	73	78	78	62	47	13.6	9.8	10.9	11.4	9.5	7.5
Brooklyn Borough	279	251	266	198	167	118	13.4	12.3	13.3	10.1	8.7	6.3
Manhattan Borough	420	385	368	367	272	228	18.4	16.9	16.1	16.0	11.8	9.9
Queens Borough	65	47	44	47	34	26	13.1	9.8	9.6	10.7	8.1	6.5
Richmond Borough	15	17	24	9	16	13	12.4	14.4	20.9	8.0	14.7	12.3
Newark, N. J.	68	77	82	62	62	53	16.0	18.4	19.9	15.3	15.6	13.6
Norfolk	22	20	24	14	4	8	18.1	17.0	21.1	12.7	3.8	7.8
Oakland	35	28	35	24	21	18	15.5	12.7	16.4	11.6	10.5	9.4
Omaha	23	41	28	26	23	14	11.7	21.2	14.8	14.0	12.6	8.0
Paterson	32	18	27	20	19	14	23.3	13.2	19.9	14.9	14.3	10.6
Philadelphia	190	226	191	228	169	153	10.2	12.3	10.6	12.8	9.6	8.9
Pittsburgh	107	98	94	105	100	64	17.8	16.6	16.1	18.1	17.4	11.3
Portland, Oreg.	38	34	31	33	30	14	14.3	13.1	12.1	13.1	12.1	5.8
Providence	39	35	46	40	27	25	16.3	14.7	19.4	17.0	11.5	10.7
Reading	16	25	10	8	7	7	14.7	23.1	9.3	7.5	6.6	6.7
Richmond	19	12	10	9	10	10	10.8	6.9	5.9	5.4	6.1	6.2
Rochester	42	34	32	25	21	29	13.8	11.4	10.9	9.1	7.8	11.0
St. Louis	119	104	105	95	73	67	15.1	13.4	13.7	12.5	9.7	9.0
St. Paul	34	30	23	27	24	31	14.3	12.7	9.8	11.7	10.5	13.6
Salt Lake City	18	23	13	19	16	12	14.8	19.3	11.1	16.8	14.4	11.1
San Antonio	33	21	14	23	26	10	19.3	12.7	8.9	15.2	18.0	7.2
San Francisco	94	88	85	74	72	62	18.1	17.2	16.9	15.0	14.9	13.1
Scranton	25	21	20	16	14	16	18.0	15.2	14.6	11.7	10.3	11.9
Seattle	44	41	50	40	29	27	14.0	12.8	16.1	13.2	9.8	9.4
Spokane	19	18	12	10	8	5	18.2	17.2	11.6	9.6	7.7	4.8
Springfield, Mass	23	17	22	23	18	21	16.9	12.9	17.3	18.6	15.1	18.3
Syracuse	34	25	23	22	20	12	19.2	14.4	13.5	13.2	12.3	7.5
Toledo	37	44	34	32	26	19	14.6	17.8	14.2	13.8	11.5	8.7
Trenton	26	17	15	16	14	9	21.2	14.1	12.7	13.8	12.3	8.1
Washington, D. C.	53	50	58	55	50	37	12.1	11.3	13.4	13.1	12.2	9.3
Wilmington, Del	10	14	18	18	22	14	8.8	12.6	16.8	17.1	21.4	13.9
Worcester	37	24	25	30	27	20	20.0	13.2	14.0	17.2	15.8	11.9
Yonkers	17	11	18	15	10	18	16.5	10.9	18.2	15.5	10.5	19.4
Youngstown	36	36	36	40	36	26	25.7	26.7	27.7	31.9	30.0	22.5

[1] Exclusive of Hawaii.
[2] Including District of Columbia.
[3] Not added to registration area until a later date.
[4] Transcripts of deaths not received.

Table BR — DEATHS IN 1921 FROM AUTOMOBILE ACCIDENTS.

AREA.	Including nonresidents.		Excluding all nonresidents and including residents who died elsewhere in registration area.		
	Number.	Rate per 100,000 population.	Number.	Rate per 100,000 population.	Increase (+) or decrease (−) in rate.
REGISTRATION STATES.					
California	876	24.4	865	24.1	−0.3
Colorado	121	12.6	118	12.3	−0.3
Connecticut	220	15.5	210	14.8	−0.7
Delaware	17	7.5	18	8.0	+0.5
Florida (total)	104	10.4	94	9.4	−1.0
White	82	12.3	73	10.9	−1.4
Colored	22	6.6	21	6.3	−0.3
Illinois	887	13.4	886	13.4	.....
Indiana	266	9.0	265	8.9	−0.1
Kansas	166	9.3	166	9.3	.....
Kentucky (total)	105	4.3	(1)	(1)	(1)
White	97	4.4	(1)	(1)	(1)
Colored	8	3.4	(1)	(1)	(1)
Louisiana (total)	97	5.3	96	5.3	.....
White	79	7.0	78	7.0	.....
Colored	18	2.6	18	2.6	.....
Maine	56	7.3	56	7.3	.....
Maryland (total)	177	12.0	176	11.9	−0.1
White	160	13.0	159	13.0	.....
Colored	17	6.9	17	6.9	.....
Massachusetts	523	13.3	519	13.2	−0.1
Michigan	441	11.6	443	11.7	+0.1
Minnesota	216	8.9	210	8.6	−0.3
Mississippi (total)	46	2.6	49	2.7	+0.1
White	31	3.6	34	4.0	+0.4
Colored	15	1.6	15	1.6	.....
Missouri	276	8.1	282	8.2	+0.1
Montana	48	8.3	46	8.0	−0.3
Nebraska	104	7.9	106	8.1	+0.2
New Hampshire	38	8.5	36	8.1	−0.4
New Jersey	484	14.9	463	14.2	−0.7
New York	1,632	15.4	1,633	15.4	.....
North Carolina (total)	139	5.3	135	5.2	−0.1
White	120	6.6	116	6.3	−0.3
Colored	19	2.4	19	2.4	.....
Ohio	734	12.4	732	12.4	.....
Oregon	103	12.9	103	12.9	.....
Pennsylvania	1,060	11.9	1,086	12.2	+0.3
Rhode Island	83	13.5	85	13.8	+0.3
South Carolina (total)	74	4.3	77	4.5	+0.2
White	51	6.1	53	6.3	+0.2
Colored	23	2.6	24	2.8	+0.2
Tennessee (total)	134	5.7	131	5.5	−0.2
White	109	5.7	107	5.6	−0.1
Colored	25	5.6	24	5.4	−0.2
Utah	53	11.5	51	11.1	−0.4
Vermont	23	6.5	26	7.4	+0.9
Virginia (total)	140	6.0	151	6.4	+0.4
White	97	5.9	107	6.5	+0.6
Colored	43	6.2	44	6.3	+0.1
Washington	202	14.5	201	14.5	.....
Wisconsin	205	7.7	206	7.7	.....
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920.					
Akron	31	14.9	27	13.0	−1.9
Albany	31	26.9	23	20.0	−6.9
Atlanta (total)	38	18.3	27	13.0	−5.3
White	32	22.4	23	16.1	−6.3
Colored	6	9.3	4	6.2	−3.1
Baltimore (total)	100	13.3	84	11.2	−2.1
White	89	13.9	75	11.7	−2.2
Colored	11	9.9	9	8.1	−1.8
Birmingham (total)	42	22.6	33	17.7	−4.9
White	33	29.2	24	21.2	−8.0
Colored	9	12.3	9	12.3	.....
Boston	103	13.6	87	11.5	−2.1
Bridgeport	28	19.5	28	19.5	.....
Buffalo	81	15.6	79	15.2	−0.4
Cambridge	19	17.2	19	17.2	.....
Camden	27	22.6	15	12.5	−10.1
Chicago	569	20.5	565	20.3	−0.2
Cincinnati	79	19.6	74	18.3	−1.3
Cleveland	148	17.8	149	17.9	+0.1
Columbus	43	17.4	34	13.7	−3.7
Dallas (total)	27	16.3	22	13.3	−3.0
White	24	16.9	20	14.1	−2.8
Colored	3	12.3	2	8.2	−4.1
Dayton	15	9.5	15	9.5	.....
Denver	43	16.3	36	13.7	−2.6
Detroit	133	13.4	130	13.1	−0.3
Fall River	13	10.8	13	10.8	.....
Grand Rapids	15	10.6	14	9.9	−0.7
Hartford	31	22.5	22	15.9	−6.6
Houston (total)	25	17.3	26	18.0	+0.7
White	21	19.0	22	19.9	+0.9
Colored	4	11.5	4	11.5	.....
Indianapolis (total)	40	12.3	43	13.2	+0.9
White	36	12.5	39	13.5	+1.0
Colored	4	10.9	4	10.9	.....
Jersey City	36	11.9	41	13.5	+1.6
Kansas City, Kans. (total)	12	11.6	12	11.6	.....
White	11	12.4	11	12.4	.....
Colored	1	6.6	1	6.6	.....
Kansas City, Mo	67	19.9	70	20.8	+0.9
Los Angeles	165	27.1	170	27.9	+0.8
Louisville (total)	35	14.8	(1)	(1)	(1)
White	31	15.8	(1)	(1)	(1)
Colored	4	10.0	(1)	(1)	(1)
Lowell	21	18.5	22	19.3	+0.8
Memphis (total)	25	15.1	22	13.3	−1.8
White	15	14.4	13	12.5	−1.9
Colored	10	16.2	9	14.6	−1.6
Milwaukee	52	11.1	49	10.4	−0.7
Minneapolis	49	12.5	43	10.9	−1.6
Nashville (total)	24	19.7	23	18.8	−0.9
White	18	21.0	17	19.8	−1.2
Colored	6	16.6	6	16.6	.....
New Bedford	9	7.2	8	6.4	−0.8
New Haven	21	12.6	18	10.8	−1.8
New Orleans (total)	43	10.9	39	9.9	−1.0
White	38	13.0	34	11.7	−1.3
Colored	5	4.8	5	4.8	.....
New York:					
Bronx Borough	106	13.6	105	13.5	−0.1
Brooklyn Borough	279	13.4	293	14.1	+0.7
Manhattan Borough	420	18.4	429	18.8	+0.4
Queens Borough	65	13.1	56	11.3	−1.8
Richmond Borough	15	12.4	13	10.7	−1.7
Newark, N. J	68	16.0	69	16.2	+0.2
Norfolk (total)	22	18.1	22	18.1	.....
White	11	14.6	12	15.9	+1.3
Colored	11	24.1	10	21.9	−2.2
Oakland	35	15.5	38	16.8	+1.3
Omaha	23	11.7	22	11.2	−0.5
Paterson	32	23.3	25	18.2	−5.1
Philadelphia	190	10.2	203	10.9	+0.7
Pittsburgh	107	17.8	93	15.4	−2.4
Portland, Oreg	38	14.3	38	14.3	.....
Providence	39	16.3	35	14.6	−1.7
Reading	16	14.7	11	10.1	−4.6
Richmond (total)	19	10.8	16	9.1	−1.7
White	14	11.5	12	9.9	−1.6
Colored	5	9.2	4	7.4	−1.8
Rochester	42	13.8	34	11.1	−2.7
St. Louis	119	15.1	118	15.0	−0.1
St. Paul	34	14.3	31	13.0	−1.3
Salt Lake City	18	14.8	21	17.3	+2.5
San Antonio	33	19.3	30	17.5	−1.8
San Francisco	94	18.1	95	18.3	+0.2
Scranton	25	18.0	21	15.1	−2.9
Seattle	44	14.0	41	13.0	−1.0
Spokane	19	18.2	16	15.3	−2.9
Springfield, Mass	23	16.9	17	12.5	−4.4
Syracuse	34	19.2	34	19.2	.....
Toledo	37	14.6	35	13.8	−0.8
Trenton	26	21.2	10	8.1	−13.1
Washington, D. C. (total)	53	12.1	46	10.5	−1.6
White	47	14.4	40	12.2	−2.2
Colored	6	5.4	6	5.4	.....
Wilmington, Del	10	8.8	11	9.7	+0.9
Worcester	37	20.0	31	16.8	−3.2
Yonkers	17	16.5	15	14.5	−2.0
Youngstown	36	25.7	34	24.3	−1.4

Table BR—Con. — DEATHS IN 1921 FROM AUTOMOBILE ACCIDENTS.

[1] Returns incomplete.

UNKNOWN OR ILL-DEFINED DISEASES.

The marked improvement in the certification of causes of death is shown in Table BS.

Although the per cent of total deaths classified as due to unknown or ill-defined diseases by no means tells the whole story in regard to certification, still it does serve as a very reliable index of the character of such certification. The per cent of certificates showing unknown or ill-defined diseases in the registration area fell steadily from 4.2 in 1900 to 0.8 in 1912. The slightly higher per cents (1.1 in 1916 and 1918, 1.3 in 1917, and 1.4 in 1919, 1920, and 1921) are largely accounted for by the addition of new territory to the registration area for those years.

In Table BT corresponding death rates from these causes are also given to enable the student to estimate more easily the probable effect of these declining rates on rates from other causes of death. (See also, on page 85, death rates from old age.)

Table BS

PER CENT OF TOTAL DEATHS DUE TO UNKNOWN OR ILL-DEFINED DISEASES.

AREA.	Year admitted to the registration area.	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	1910	1911	1912	1913	1914	1915	1916	1917	1918	1919	1920	1921
Registration area [1]	.....	4.2	3.4	3.3	2.8	2.5	2.5	2.4	2.1	2.0	1.7	1.5	0.9	0.8	1.0	0.9	0.8	1.1	1.3	1.1	1.4	1.4	1.4
REGISTRATION STATES.																							
California	1906	.....	.....	.....	.....	.....	.....	2.1	1.7	1.3	0.9	0.6	0.2	0.2	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1
Colorado	1906	.....	.....	.....	.....	.....	.....	1.3	1.2	0.6	0.5	0.6	0.3	0.2	0.2	0.1	0.2	0.2	0.2	0.2	0.3	0.3	0.2
Connecticut	1890	1.5	1.5	1.6	1.5	1.5	1.5	1.3	1.5	1.5	1.5	1.5	0.6	0.5	0.6	0.5	0.5	0.4	0.4	0.3	0.4	0.3	0.3
Delaware	1919	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.3	0.3	0.4
Florida	1919	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5.5	5.1	5.3
Illinois	1918	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.5	0.4	0.3	0.2
Indiana	1900	6.1	4.4	4.1	3.1	2.8	2.7	2.1	1.6	0.8	0.4	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.2
Kansas	1914	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1.8	1.7	1.5	1.3	1.1	1.1	0.9	1.2
Kentucky	1911	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3.8	4.0	2.7	3.9	3.6	3.5	3.2	2.6	3.1	2.4	1.9
Louisiana	1918	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3.4	3.0	2.9	3.0
Maine	1900	5.5	5.3	4.7	4.7	4.6	3.6	4.4	3.6	2.7	2.8	3.0	1.6	1.8	1.5	1.6	1.3	1.7	1.6	1.2	1.3	1.1	1.2
Maryland	1906	.....	.....	.....	.....	.....	.....	4.2	4.1	4.0	3.9	4.0	1.8	1.5	1.2	1.3	1.5	1.3	1.1	0.7	1.0	0.8	0.9
Massachusetts	1880	3.6	3.4	3.5	2.9	2.1	2.2	2.2	2.2	2.4	1.7	1.2	0.5	0.5	0.4	0.5	0.4	0.5	0.5	0.4	0.4	0.3	0.3
Michigan	1900	4.7	3.6	3.2	3.1	3.3	3.8	3.3	3.1	2.7	2.3	2.3	1.0	1.2	0.9	0.8	0.6	0.7	0.6	0.6	0.6	0.5	0.6
Minnesota	1910	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2.1	1.4	1.2	1.0	1.0	0.7	1.0	0.7	0.7	0.7	0.7	0.7
Mississippi	1919	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	11.1	10.3	10.5
Missouri	1911	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1.7	1.6	1.5	1.4	1.6	1.5	1.3	1.1	1.4	1.4	1.2
Montana	1910	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1.9	1.8	1.9	2.5	2.3	2.0	2.1	2.0	0.7	1.2	1.7	1.7
Nebraska	1920	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1.3	1.2
New Hampshire	1890	6.0	5.5	4.7	3.2	3.1	3.2	2.6	2.7	2.4	2.0	1.8	0.7	0.5	0.7	0.5	0.4	0.5	0.4	0.2	0.5	0.3	0.3
New Jersey	1880	4.2	3.8	3.8	3.4	2.9	2.9	2.6	2.4	2.3	2.2	1.5	0.4	0.3	0.3	0.2	0.2	0.2	0.1	0.2	0.1	0.2	0.2
New York	1890	3.1	2.3	2.2	2.1	1.9	1.8	1.7	1.0	1.1	0.9	0.9	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
North Carolina [2]	1916	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5.8	3.6	2.9	4.0	5.3	5.1	8.5	8.6	7.8	8.4	9.4	9.8
Ohio	1909	.....	.....	.....	.....	.....	.....	.....	.....	.....	1.1	0.9	0.5	0.5	0.5	0.6	0.6	0.7	0.7	0.6	0.7	0.7	0.5
Oregon	1918	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.5	0.7	0.5	0.7
Pennsylvania	1906	.....	.....	.....	.....	.....	.....	2.8	2.6	2.4	2.3	2.3	1.0	1.0	0.9	0.7	0.6	0.5	0.5	0.4	0.4	0.4	0.4
Rhode Island	1890	2.0	1.8	1.3	1.4	1.3	1.4	1.3	1.3	1.3	1.8	1.3	0.7	0.5	0.5	0.5	0.5	0.4	0.6	0.5	0.5	0.5	0.6
South Carolina	1916	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4.8	4.7	3.2	3.8	3.7	4.5
South Dakota [3]	1906	.....	.....	.....	.....	.....	.....	10.1	6.8	5.9	8.4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tennessee	1917	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	6.6	4.7	5.5	5.8	6.5
Utah	1910	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3.4	1.7	2.1	2.0	2.4	2.6	3.4	3.5	2.4	3.5	2.5	2.3
Vermont	1890	5.4	4.5	4.0	2.9	3.2	2.9	2.5	1.8	0.8	0.6	0.5	0.4	0.3	0.2	0.2	0.2	0.1	0.2	0.1	.....	0.2	0.2
Virginia	1913	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	8.8	4.1	3.8	3.8	4.2	3.2	3.8	3.8	3.6
Washington	1908	.....	.....	.....	.....	.....	.....	.....	.....	2.2	2.2	1.8	1.5	1.6	1.4	1.3	1.5	1.2	1.0	0.9	0.8	0.9	0.9
Wisconsin	1908	.....	.....	.....	.....	.....	.....	.....	.....	2.9	2.7	2.2	0.9	0.7	0.9	0.5	0.3	0.3	0.8	0.6	0.7	0.4	0.4
CERTAIN REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920.																							
New York	1880	2.2	2.1	1.8	1.9	1.5	1.6	1.4	0.9	1.0	0.8	0.9	0.1	0.1	0.1	0.1	0.1	[4]	[4]	[4]	[4]	[4]	[4]
Philadelphia	1880	4.6	4.2	4.5	2.6	2.0	2.4	1.8	1.7	1.8	1.6	1.0	0.2	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	[4]
Chicago	1880	1.2	1.1	1.0	0.8	0.7	0.7	0.6	0.7	0.4	0.1	0.1	[4]	[4]	[4]	0.1	0.1	[4]	[4]	[4]	[4]	[4]	[4]
Boston	1880	2.5	2.4	2.7	2.3	2.0	2.2	2.2	2.4	2.5	1.1	1.0	0.3	0.2	0.2	0.3	0.3	0.4	0.2	0.3	0.3	0.1	0.2
Cleveland	1880	10.0	4.2	3.5	3.3	2.7	2.4	2.3	2.2	2.5	0.3	0.3	0.1	[4]	0.2	0.6	0.8	1.4	1.5	1.5	1.5	1.8	0.4
Washington, D. C.	1880	2.0	1.9	2.0	2.0	1.8	1.5	1.3	1.7	1.5	1.6	1.5	0.3	0.3	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Baltimore	1880	4.1	3.4	3.5	3.3	2.6	3.1	3.1	2.7	3.1	3.0	2.7	1.1	0.8	0.3	0.2	0.3	0.1	0.1	0.1	[4]	0.1	0.1
St. Louis	1880	4.2	4.2	4.7	2.7	2.1	1.9	1.8	1.6	1.6	1.2	0.4	0.1	[4]	0.1	0.1	[4]	[4]	[4]	[4]	0.1	0.1	[4]
Cincinnati	1880	5.1	1.7	1.4	2.2	1.9	2.0	2.2	1.8	0.9	0.9	0.4	0.2	[4]	[4]	0.1	[4]	0.6	.....	0.1	0.1	0.2	0.2
New Orleans	1880	4.7	3.5	2.9	2.8	2.4	1.9	1.9	2.1	1.9	2.2	0.5	[4]	[4]	[4]	.....	[4]	.....	[4]	[4]	0.1	[4]	[4]

[1] Exclusive of Hawaii.
[2] From 1910 to 1914 returns received only from municipalities of 1,000 population or more in 1900; for 1914 and 1915, returns received only from municipalities of 1,000 population or more in 1910; in 1916 the remainder of the State was added to the registration area.
[3] Dropped from the registration area in 1910.
[4] Less than one-tenth of 1 per cent.

Table BT

AREA.	Year admitted to the registration area.	DEATH RATE FROM UNKNOWN OR ILL-DEFINED DISEASES PER 100,000 POPULATION.																					
		1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	1910	1911	1912	1913	1914	1915	1916	1917	1918	1919	1920	1921
Registration area [1]	.....	73.8	56.4	52.7	44.9	42.0	40.1	38.2	33.6	28.9	24.5	23.1	12.2	11.5	14.1	12.1	11.4	15.2	18.2	19.2	18.3	17.7	16.0
REGISTRATION STATES.																							
California	1906	(2)	(2)	(2)	(2)	(2)	(2)	29.3	25.1	19.0	12.0	8.5	2.3	2.4	1.8	2.0	2.5	1.6	1.7	2.5	1.7	1.4	1.3
Colorado	1906	(2)	(2)	(2)	(2)	(2)	(2)	17.6	17.6	8.5	7.0	8.0	3.7	2.3	2.1	0.8	2.6	2.7	2.4	3.6	4.1	3.8	2.6
Connecticut	1890	27.6	23.8	24.3	24.0	23.4	24.8	21.2	24.3	21.6	22.4	23.5	9.2	7.4	9.3	8.0	7.0	6.6	5.8	6.6	5.1	4.0	3.2
Delaware	1919	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	5.0	4.0	5.7
Florida	1919	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	68.3	66.3	62.7
Illinois	1918	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	8.0	4.4	3.5	2.2
Indiana	1900	86.5	61.0	52.7	38.0	39.1	35.9	27.4	20.2	9.9	5.3	3.7	1.7	1.1	1.4	1.1	1.0	0.7	1.1	2.3	2.3	1.7	1.9
Kansas	1914	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	18.7	17.8	17.1	14.8	17.2	11.7	10.5	12.1
Kentucky	1911	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	49.7	51.1	35.0	50.9	44.6	44.7	44.4	43.6	39.2	28.6	19.5
Louisiana	1918	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	62.4	38.2	34.8	33.6
Maine	1900	93.4	85.8	71.7	74.6	76.0	58.0	69.7	58.8	41.8	42.9	50.6	25.2	27.8	23.7	25.3	21.0	27.3	25.3	22.1	19.3	16.2	17.1
Maryland	1906	(2)	(2)	(2)	(2)	(2)	(2)	68.0	67.3	63.9	59.7	63.3	28.3	23.8	19.9	20.8	23.4	21.4	18.8	15.9	14.8	11.0	11.6
Massachusetts	1880	65.6	57.3	58.2	48.1	33.5	36.7	36.3	37.9	37.5	25.7	19.7	7.5	6.8	5.8	6.9	6.0	7.0	7.9	8.8	5.1	4.6	4.2
Michigan	1900	66.6	48.7	41.0	41.6	45.3	51.0	45.8	42.0	36.6	30.7	32.6	13.6	14.8	12.0	10.1	8.0	9.3	8.7	8.5	8.1	6.6	7.1
Minnesota	1910	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	22.7	14.8	11.8	10.9	10.2	7.6	10.9	6.9	8.9	6.8	7.2	6.3
Mississippi	1919	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	140.1	126.7	117.3
Missouri	1911	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	23.0	20.7	19.2	17.1	19.6	20.2	18.0	18.1	16.5	17.0	12.6
Montana	1910	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	20.3	17.9	19.0	28.9	24.6	21.8	25.3	26.6	11.5	13.3	15.8	13.7
Nebraska	1920	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	13.3	11.3
New Hampshire	1890	111.1	93.0	74.6	53.8	51.0	54.8	46.8	46.6	40.8	34.5	30.9	11.8	8.5	12.2	7.6	6.2	7.5	7.3	5.2	7.5	5.2	4.7
New Jersey	1880	75.1	61.8	60.5	53.4	48.3	45.4	41.9	38.1	34.6	32.1	23.4	5.6	4.6	3.8	3.5	2.3	2.8	2.1	3.4	1.9	2.1	2.0
New York	1890	56.5	41.4	35.5	34.2	34.1	30.9	28.0	17.2	17.2	13.7	14.0	1.9	2.1	1.5	1.9	1.9	1.8	1.6	2.2	1.4	1.3	1.2
North Carolina	1916	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(4)	(4)	110.0	118.8	133.0	102.0	118.8	110.2
Ohio	1909	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	14.4	11.7	6.1	7.1	7.3	7.1	7.3	9.1	10.1	10.9	8.3	8.9	5.3
Oregon	1918	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	6.0	8.1	6.0	6.9
Pennsylvania	1906	(2)	(2)	(2)	(2)	(2)	(2)	44.1	41.2	36.3	33.9	35.1	13.9	13.8	12.6	10.5	8.6	6.8	7.1	8.5	6.0	6.1	4.8
Rhode Island	1890	40.3	33.3	22.7	27.2	22.6	23.1	22.1	22.3	20.2	27.6	22.2	10.7	8.4	8.2	7.0	7.8	6.7	9.0	9.9	7.3	7.1	7.2
South Carolina	1916	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	66.2	68.8	62.7	51.8	52.1	54.0
South Dakota	1906	(2)	(2)	(2)	(2)	(2)	(2)	85.2	61.5	54.7	71.3	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)
Tennessee	1917	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	88.4	75.1	67.5	69.7	69.0
Utah	1910	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	36.8	17.8	21.2	22.1	24.4	26.8	36.0	38.2	34.3	38.2	28.2	24.3
Vermont	1890	89.6	73.9	60.1	46.3	51.0	50.0	41.2	29.5	13.3	9.0	7.9	6.2	4.5	3.1	3.7	2.5	1.4	3.1	1.7	.....	3.4	2.8
Virginia	1913	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	121.2	56.8	52.5	55.1	59.9	61.9	52.1	49.8	43.7
Washington	1908	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	20.4	21.3	17.9	14.0	13.4	13.1	12.0	14.0	11.1	9.4	12.1	8.2	10.0	8.5
Wisconsin	1908	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	34.0	32.3	26.6	10.2	8.4	10.8	5.1	2.7	3.1	8.3	7.5	7.4	4.9	4.3
CERTAIN REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920.																							
New York	1880	44.8	41.2	33.6	33.4	31.1	28.6	24.9	17.0	16.2	12.4	15.2	1.5	1.3	1.0	0.8	0.8	0.7	0.4	0.8	0.4	0.4	0.5
Philadelphia	1880	96.2	75.5	79.5	48.4	37.5	42.3	33.7	32.3	31.1	25.8	17.5	3.0	2.1	2.9	2.4	1.5	0.9	1.4	1.7	1.0	1.1	0.5
Chicago	1880	18.2	15.0	15.3	12.3	10.2	10.2	8.5	11.2	5.2	1.1	1.6	0.4	0.4	0.6	1.0	0.8	0.4	0.2	0.7	0.5	0.1	0.2
Boston	1880	50.5	47.0	50.8	42.5	36.2	41.3	40.3	44.9	45.0	18.7	17.3	5.9	4.0	3.0	4.9	5.0	7.3	4.2	6.4	4.8	2.3	2.8
Cleveland	1880	176.3	63.6	53.5	53.7	40.2	33.0	34.4	33.8	33.4	4.0	4.1	1.9	0.3	2.2	7.4	10.0	19.1	22.5	26.0	19.2	21.8	4.2
Washington, D. C.	1880	44.9	39.8	39.0	39.3	38.0	31.4	25.7	35.1	28.3	30.0	29.4	5.5	5.1	3.5	1.9	2.1	1.8	1.2	1.4	0.5	1.6	1.4
Baltimore	1880	87.1	68.5	69.5	64.4	53.3	61.6	61.2	55.7	59.5	55.7	52.1	20.6	14.2	6.3	3.5	5.0	2.5	1.9	3.2	0.7	0.8	0.8
St. Louis	1880	75.1	75.6	80.5	50.0	39.4	31.6	29.1	24.9	23.5	19.0	6.8	1.1	0.3	1.0	1.4	0.4	0.7	0.1	0.4	1.2	1.3	0.4
Cincinnati	1880	92.1	32.5	25.3	40.7	38.8	37.3	44.7	32.7	17.0	15.0	6.9	2.7	0.3	0.8	2.3	0.8	10.9	.....	1.3	1.0	3.7	2.2
New Orleans	1880	124.4	76.8	65.1	61.6	52.2	44.9	41.4	49.9	42.2	44.8	10.0	0.3	0.6	0.3	.....	0.3	.....	0.5	0.8	1.6	0.3	0.3

[1] Exclusive of Hawaii.
[2] Not added to registration area until a later date.
[3] Includes only municipalities having a population of 1,000 or more in 1900.
[4] Includes only municipalities having a population of 1,000 or more in 1910.
[5] Dropped from registration area in 1910.

ADJUSTED AND SPECIFIC RATES FOR WHITE AND COLORED.

Tables BU and BV contrast adjusted and crude mortality rates of the white, colored, Negro, Indian, Chinese, and Japanese in the registration States.

The lowest adjusted rate for both sexes, 1,069.4 per 100,000 population, appears for the white, and the highest adjusted rate, 2,256.5, for the Chinese.

Next to the white come the Japanese with an adjusted rate of 1,356.5, then the Indian with a rate of 1,606.9, and the Negro with a rate of 1,734.2.

Higher rates are found for the Chinese than for the white for every age period. Higher rates are found for the Negro than for the white for every age period up to 75 years, and higher rates are found for the Indian and Japanese than for the white in every age period up to 55.

Tuberculosis is one of the principal causes of the comparatively high rates of each of the colored races, though many other causes are also responsible, cancer, suicide, and homicide among the Chinese being particularly noteworthy.

Table BU DEATHS FROM ALL CAUSES[1] IN THE REGISTRATION STATES:[2] 1921.

SEX AND AGE.	Number.							Rate per 100,000 population.						
	Total.	White.	Colored.	Negro.	Indian.	Chinese.	Japanese.	Total.	White.	Colored.	Negro.	Indian.	Chinese.	Japanese.
BOTH SEXES.														
All ages	1,009,673	895,593	114,080	109,597	1,725	1,353	1,327							
Adjusted rate								1,122.0	1,069.4	1,727.9	1,734.2	1,606.9	2,256.5	1,356.5
Crude rate								1,158.1	1,120.0	1,579.8	1,578.1	1,745.4	2,447.2	1,184.9
Under 5 years	215,644	187,662	27,982	26,630	576	112	658	2,331.3	2,211.8	3,655.0	3,647.0	4,401.0	4,260.2	3,402.6
5 to 9 years	25,587	23,029	2,558	2,443	75	11	29	281.4	278.7	309.2	303.9	583.0	475.6	365.9
10 to 14 years	17,807	15,258	2,549	2,443	83	12	11	210.4	199.3	316.7	309.7	730.7	649.7	414.6
15 to 19 years	25,174	19,949	5,225	5,069	102	22	30	339.0	297.0	736.8	733.3	1,000.2	881.4	677.7
20 to 24 years	33,608	25,956	7,652	7,424	86	53	72	451.5	386.0	1,064.0	1,069.0	1,069.7	1,203.2	737.5
25 to 34 years	71,155	58,209	12,946	12,507	116	134	164	496.1	441.1	1,130.1	1,142.6	965.3	1,499.6	615.3
35 to 44 years	82,160	68,551	13,609	13,167	101	141	182	684.6	623.1	1,362.6	1,387.9	962.0	1,468.8	646.3
45 to 54 years	100,330	87,315	13,015	12,559	105	212	132	1,109.3	1,044.6	1,899.4	1,917.5	1,243.9	2,051.1	1,230.0
55 to 64 years	126,956	116,810	10,146	9,658	118	335	34	2,219.2	2,159.0	3,266.6	3,284.9	2,021.6	3,767.9	1,989.5
65 to 74 years	148,318	139,434	8,884	8,504	134	232	13	4,946.2	4,919.5	5,406.3	5,407.1	3,633.4	7,428.8	6,914.9
75 years and over	161,782	152,728	9,054	8,748	216	88	1	12,539.1	12,559.8	12,200.0	12,276.7	8,841.6	18,526.3	5,263.2
Unknown age	1,152	692	460	445	13	1	1							
MALES.														
All ages	533,267	475,172	58,095	55,119	849	1,222	830							
Adjusted rate								1,176.5	1,129.3	1,712.8	1,719.2	1,537.6	2,167.2	1,342.9
Crude rate								1,203.7	1,168.7	1,594.9	1,592.5	1,670.4	2,535.5	1,138.5
Under 5 years	120,403	105,321	15,082	14,340	307	62	367	2,572.4	2,449.5	3,959.3	3,952.4	4,697.1	4,582.4	3,663.4
5 to 9 years	13,883	12,561	1,322	1,257	38	8	19	302.6	300.9	320.3	313.5	598.0	627.5	458.5
10 to 14 years	9,630	8,422	1,208	1,164	31	7	6	225.8	217.9	301.6	296.8	545.3	624.4	420.5
15 to 19 years	12,654	10,353	2,301	2,208	60	15	16	344.1	310.1	678.9	673.0	1,175.1	771.6	511.8
20 to 24 years	16,103	12,622	3,481	3,360	31	42	31	446.8	386.2	1,038.2	1,048.8	740.9	1,120.3	678.3
25 to 34 years	35,095	29,090	6,005	5,722	54	118	86	486.1	436.1	1,095.9	1,110.2	850.0	1,529.3	561.1
35 to 44 years	44,102	37,241	6,861	6,509	54	133	147	706.2	650.0	1,331.5	1,366.4	965.3	1,527.7	641.4
45 to 54 years	55,041	48,095	6,946	6,576	50	201	113	1,141.6	1,087.6	1,738.5	1,753.8	1,071.1	2,031.3	1,213.6
55 to 64 years	69,714	64,349	5,365	4,949	55	328	33	2,323.0	2,278.5	3,034.3	3,030.8	1,752.7	3,769.7	2,140.1
65 to 74 years	78,660	73,898	4,762	4,465	65	222	10	5,150.0	5,138.2	5,340.4	5,316.3	3,397.8	7,250.2	6,097.6
75 years and over	77,286	72,776	4,510	4,324	99	85	1	12,793.5	12,806.2	12,592.5	12,638.1	8,839.3	18,763.8	8,333.3
Unknown age	696	444	252	245	5	1	1							
FEMALES.														
All ages	476,406	420,421	55,985	54,478	876	131	497							
Adjusted rate								1,071.3	1,013.8	1,739.7	1,745.7	1,665.1	2,323.6	1,369.0
Crude rate								1,111.0	1,069.7	1,564.4	1,563.9	1,824.8	1,847.2	1,271.3
Under 5 years	95,241	82,341	12,900	12,290	269	50	291	2,084.3	1,967.6	3,353.6	3,345.5	4,105.6	3,918.5	3,122.3
5 to 9 years	11,704	10,468	1,236	1,186	37	3	10	259.9	256.0	298.2	294.3	568.4	289.0	264.4
10 to 14 years	8,177	6,836	1,341	1,279	52	5	5	194.8	180.3	331.6	322.4	916.5	688.7	407.8
15 to 19 years	12,520	9,596	2,924	2,861	42	7	14	334.1	284.1	789.9	787.8	824.8	1,268.1	1,076.1
20 to 24 years	17,505	13,334	4,171	4,064	55	11	41	455.8	385.8	1,086.5	1,086.4	1,426.3	1,676.8	789.5
25 to 34 years	36,060	29,119	6,941	6,785	62	16	78	506.2	446.2	1,161.5	1,171.4	1,094.6	1,311.5	688.6
35 to 44 years	38,058	31,310	6,748	6,658	47	8	35	661.1	593.8	1,395.8	1,409.7	958.2	894.9	667.8
45 to 54 years	45,289	39,220	6,069	5,983	55	11	19	1,072.5	996.2	2,124.5	2,136.7	1,457.7	2,494.3	1,337.1
55 to 64 years	57,242	52,461	4,781	4,709	63	7	1	2,104.6	2,028.6	3,573.5	3,602.2	2,334.2	3,684.2	598.8
65 to 74 years	69,658	65,536	4,122	4,039	69	10	3	4,734.5	4,694.1	5,484.6	5,511.2	3,887.3	16,393.4	12,500.0
75 years and over	84,496	79,952	4,544	4,424	117	3		12,315.2	12,343.7	11,833.9	11,942.9	8,843.5	13,636.4	
Unknown age	456	248	208	200	8									

[1] Exclusive of stillbirths. [2] Includes District of Columbia.

NOTE.—Unknown ages are not distributed, except for adjusted rates.

Table BV DEATH RATE PER 100,000 POPULATION IN THE REGISTRATION STATES[1]: 1921.

CAUSE OF DEATH.	All deaths.	White.	Colored.	Negro.	Indian.	Chinese.	Japanese.
All causes:[2]							
Adjusted rate	1,122.0	1,069.4	1,727.9	1,734.2	1,606.9	2,256.5	1,356.5
Crude rate	1,158.1	1,120.0	1,579.8	1,578.1	1,745.4	2,447.2	1,184.9
I.—Epidemic, endemic and infectious diseases	183.4	163.7	400.9	398.0	545.4	671.0	318.8
Tuberculosis	98.3	85.3	243.2	239.0	391.6	526.3	221.4
II.—General diseases not included in Class I	128.2	131.0	96.5	96.3	83.0	227.9	58.9
Cancer and other malignant tumors	86.2	89.4	50.2	49.7	49.6	139.3	37.5
III.—Disease of the nervous system and of the organs of special sense	122.5	122.3	124.4	126.0	91.1	173.6	39.3
IV.—Diseases of the circulatory system	181.8	182.0	179.4	181.6	112.3	332.8	38.4
V.—Diseases of the respiratory system	106.9	102.8	151.6	150.3	231.7	238.8	125.0
VI.—Diseases of the digestive system	113.0	110.4	141.2	140.2	162.9	164.6	183.9
VII.—Nonvenereal diseases of the genito-urinary system and annexa	99.5	96.4	134.8	136.8	72.9	202.6	42.9
VIII.—The puerperal state	16.7	15.5	29.9	30.3	27.3	3.6	23.2
IX.—Diseases of the skin and of the cellular tissue	3.8	3.8	4.2	4.1	6.1	10.9	1.8
X.—Diseases of the bones and of the organs of locomotion	1.4	1.4	1.1	1.1	2.0		0.9
XI.—Malformations	15.6	16.1	9.7	9.2	15.2	14.5	36.6
XII.—Early infancy	68.3	66.7	86.5	85.9	79.9	45.2	151.8
XIII.—Old age	12.3	11.1	25.7	25.9	50.6	21.7	
XIV.—External causes	88.9	87.2	108.3	105.5	114.3	332.8	160.7
Suicide	12.5	13.2	4.7	3.6	12.1	61.5	30.4
Homicide	8.1	6.0	31.8	31.1	18.2	155.6	21.4
Accidental or undefined	68.3	67.9	71.8	70.7	84.0	115.8	108.9
XV.—Ill-defined diseases	15.8	9.5	85.7	86.9	150.8	7.2	2.7

[1] Including District of Columbia. [2] Exclusive of stillbirths.

NOTE.—For deaths from each cause see Table 4 of the Appendix.

DEATHS OF CHILDREN UNDER 1 YEAR OF AGE.

Deaths of children under 1 year of age are usually considered in connection with the number of births, and the number of deaths under 1 year of age per 1,000 births is commonly spoken of as the infant mortality rate.

As the number of births is known in but 27 of the 34 states of the death registration area, no consideration of infant mortality for the entire death registration area is possible. But as we now have a birth registration area and an annual report on Birth Statistics, it has been thought best to show in that report those infant mortality tables which relate exclusively to the birth registration area and to retain in the Mortality Statistics other tables which relate to the death registration area.

Tables BW and BX indicate that in recent years infant deaths form a much smaller part of total deaths and that the decreases occur principally after the second week of life. Premature birth, congenital malformations, and injury at birth form considerably larger per cents of the total in 1921 than in 1912.

PER CENT OF DEATHS FROM CERTAIN IMPORTANT CAUSES TO TOTAL DEATHS UNDER 1 YEAR OF AGE IN THE REGISTRATION STATES OF 1910 (EXCLUSIVE OF NORTH CAROLINA), FOR THE YEARS 1912 TO 1921.

Det. Int. List No.	Table BW CAUSE OF DEATH.	1921	1920	1919	1918	1917	1916	1915	191	1913	1912
	All causes[1] under 1 year of age....	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
7	Measles	0.6	1.3	0.5	1.0	1.0	1.4	0.7	0.7	1.3	0.8
8	Scarlet fever	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1
9	Whooping cough	2.7	3.5	1.4	3.0	2.2	2.4	2.1	2.3	2.1	2.1
10	Diphtheria	0.5	0.5	0.5	0.4	0.5	0.5	0.5	0.5	0.5	0.5
11,101	Influenza and pneumonia	3.9	6.2	7.7	11.4	5.4	4.9	5.0	4.8	4.9	5 3
16	Dysentery	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3
21	Erysipelas	0.5	0.5	0.5	0.4	0.5	0.5	0.5	0.5	0.5	0.5
29	Tetanus	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
31–37	Tuberculosis (all forms)	1.2	1.3	1.4	1.4	1.6	1.6	1.6	1.6	1.6	1.7
38	Syphilis	1.1	1.0	1.1	1.0	1.3	1.3	1.3	1.2	1.2	1.1
80	Convulsions	1.0	1.1	1.1	1.1	1.1	1.2	1.6	2.0	2.1	2.4
99 A, C 100	Acute bronchitis and broncho-pneumonia	10.6	12.5	12.3	11.9	12.1	11.4	12.2	11.5	11.0	11.0
111, 112	Diseases of the stomach[2]	1.2	1.2	1.5	1.4	1.2	1.4	1.5	1.7	1.9	2.0
113	Diarrhea and enteritis[3]	18.9	18.7	19.4	20.0	22.5	22.9	21.9	22 8	24.2	23.3
159	Congenital malformations	9.0	7.9	8.0	6.8	7.3	7.1	6.6	6.7	5.9	5.8
160, 162 163	Congenital debility and other diseases of early infancy	9.5	8.8	9.6	9.1	9.2	9.8	11.5	12.3	13.3	13.4
161A	Premature birth	23.5	21.9	21.8	20.0	20.5	20.1	19.6	18.5	17.2	17.0
161B	Injury at birth	6.2	4.9	4.5	3.5	4.4	4.2	4.2	3.9	3.4	3.3
175–203	External causes	1.2	1.1	1.1	1.0	1.3	1.2	1.1	1.1	1.1	1.1
204, 205	Unknown or ill-defined diseases	0.9	0.9	1.1	1.0	1.0	1.0	0.9	0.9	0 9	0.9
	All other causes	6.8	6.2	6.0	5.3	6.4	6.8	6.7	6.6	6.4	7.1

[1] Exclusive of stillbirths.
[2] Excludes ulcer of the duodenum from 1912 to 1920.
[3] Includes ulcer of the duodenum from 1912 to 1920.

In default of data showing the number of births in the death registration States of 1910 (exclusive of North Carolina) death rates per 1,000 estimated mid-year population under 1 year of age instead of per 1,000 live births, are shown by certain important causes for children under 1 year of age. The rate from all causes in 1921 is 91, and is the lowest rate for the series of years shown in Table BY.

Only three causes have slightly higher rates in 1921 than in 1920; these are scarlet fever, congenital malformations, and injury at birth.

PER CENT OF DEATHS UNDER 1 YEAR OF AGE TO TOTAL DEATHS, AND IN EACH OF THE 12 SUBDIVISIONS OF THE FIRST YEAR OF LIFE, TO DEATHS UNDER 1 YEAR OF AGE IN THE REGISTRATION STATES OF 1910 (EXCLUSIVE OF NORTH CAROLINA), FOR THE YEARS 1912 TO 1921.

Table BX AGE.	1921	1920	1919	1918	1917	1916	1915	1914	1913	1912
Deaths under 1 year of age to total deaths	15.1	15.0	14.4	13.0	15.7	16.1	16.6	17.3	17.9	17.7
Total deaths under 1 year of age	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 1 day	19.1	16.9	16.6	14.9	15.8	15.6	16.0	14.6	13.3	12.7
1 day	5.8	5.2	5.2	4.9	4.9	5.0	5.0	5.1	4.9	5.2
2 days	4.6	4.0	4.0	3.6	3.8	3.8	3.7	3.8	3.4	3.5
3 to 6 days	8.4	7.4	7.2	6.4	7.2	7.2	7.1	7.3	6.7	6.9
1 week	6.5	6.1	6.6	5.9	6.2	6.0	6.2	6.3	6.2	6.2
2 weeks	4.6	4.4	4.5	4.3	4.6	4.4	4.7	4.8	4.7	4.8
3 weeks but under 1 month	3.6	3.7	3.6	3.4	3.7	3.5	3.7	3.7	3.7	3.9
1 month	8.3	8.4	8.5	8.4	8.9	8.8	9.0	9.2	9.5	9.6
2 months	6.5	6.7	6.8	7.0	7.0	7.0	7.3	7.6	7.7	8.0
3 to 5 months	14.6	15.5	16.0	16.4	16.2	16.2	16.3	16.7	17.5	17.3
6 to 8 months	10.3	11 9	11.9	13.6	12.0	12.4	11.9	12.0	12.5	12.4
9 to 11 months	7.8	9.9	9.1	11.3	9.7	10.1	9.1	9.1	9.9	9.6

DEATH RATE PER 1,000 ESTIMATED MIDYEAR POPULATION UNDER 1 YEAR OF AGE, FROM CERTAIN IMPORTANT CAUSES, IN THE REGISTRATION STATES OF 1910 (EXCLUSIVE OF NORTH CAROLINA), FOR THE YEARS 1912 TO 1921.

Det. Int. List No	Table BY CAUSE OF DEATH.	1921	1920	1919	1918	1917	1916	1915	1914	1913	1912
	All causes[1] under 1 year of age..	91.0	100.8	94.4	119.3	110.0	111.7	108.6	113.2	119.7	114.7
7	Measles	0.6	1.3	0.5	1.2	1.2	1.5	0.7	0.8	1.5	0.9
8	Scarlet fever	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2
9	Whooping cough	2.5	3.5	1.3	3.6	2.5	2.7	2.2	2.5	2.5	2.4
10	Diphtheria	0.5	0.5	0.4	0.4	0.5	0.5	0.5	0.6	0.6	0.5
11, 101	Influenza and pneumonia	3.6	6.3	7.3	13.6	6.0	5.5	5.5	5.3	5.8	6.2
16	Dysentery	0.2	0.2	0.2	0.3	0.2	0.2	0.3	0.3	0.4	0.3
21	Erysipelas	0.5	0.5	0.4	0.5	0.6	0.6	0.6	0.6	0.6	0.6
29	Tetanus	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2
31–37	Tuberculosis (all forms)	1.1	1.3	1.4	1.6	1.8	1.8	1.8	1.8	1.9	1.8
38	Syphilis	1.0	1.0	1.1	1.2	1.4	1.5	1.4	1.4	1.4	1.3
80	Convulsions	0.9	1.1	1.1	1.3	1.2	1.3	1.7	2.3	2.5	2.8
99A, C, 100	Acute bronchitis and broncho-pneumonia.	9.7	12.6	11.6	14.2	13.3	12.7	13.2	13.0	13.2	12.6
111, 112	Diseases of the stomach[2]	1.1	1.2	1.4	1.6	1.3	1.6	1.6	1.9	2.3	2.3
113	Diarrhea and enteritis[3]	17.2	18.9	18.3	23.9	24.8	25.5	23.8	25.8	29.0	26.7
159	Congenital malformations	8.2	8.0	7.6	8.1	8.0	8.0	7.2	7.6	7.0	6.6
160, 162, 163	Congenital debility and other diseases of early infancy	8.6	8.9	9.0	10.8	10.1	11.0	12.5	13.9	15.9	15.4
161A	Premature birth	21.4	22.1	20.6	23.8	22.6	22.4	21.3	20.9	20.6	19.6
161B	Injury at birth	5.7	4.9	4.2	4.2	4.9	4.7	4.5	4.4	4.0	3.8
175–203	External causes	1.1	1.1	1.0	1.2	1.5	1.3	1.2	1.2	1.3	1.4	1.3
204, 205	Unknown or ill-defined diseases	0.8	1.0	1.0	1.2	1.1	1.1	1.0	1.0	1.0	1.1
	All other causes	6.1	5.2	4.6	5.0	5.6	6.3	5.8	5.9	5.8	6.2

[1] Exclusive of stillbirths.
[2] Excludes ulcer of the duodenum from 1900 to 1920.
[3] Includes ulcer of the duodenum from 1900 to 1920.

Table BZ

AREA.	DEATH RATE FROM ALL CAUSES [1] FOR CHILDREN UNDER 1 YEAR OF AGE, PER 1,000 ESTIMATED POPULATION UNDER 1 YEAR OF AGE.			
	1921	1920	1910	1900
Original registration States [2]	92.6	105.7	141.5	162.2
Registration States of 1910 (exclusive of North Carolina)	91.0	100.8	132.0	.....
REGISTRATION STATES.				
California	85.8	91.5	91.6	(3)
Colorado	87.1	101.9	104.2	(3)
Connecticut	80.4	103.1	142.9	177.7
Indiana	88.0	95.8	106.9	114.1
Maine	106.4	119.9	140.5	154.4
Maryland	114.6	125.6	151.9	(3)
Massachusetts	92.8	111.0	160.6	189.6
Michigan	95.1	108.9	126.8	133.1
Minnesota	68.2	75.4	92.3	(3)
Montana	59.7	66.3	89.2	(3)
New Hampshire	111.7	110.8	165.1	176.0
New Jersey	87.9	102.4	148.3	180.5
New York	93.2	104.7	143.5	167.4
Ohio	85.2	91.0	115.5	(3)
Pennsylvania	102.3	109.2	149.6	(3)
Rhode Island	104.2	108.3	181.2	215.7
Utah	86.7	83.4	82.1	(3)
Vermont	95.3	109.0	109.6	126.5
Washington	60.3	72.5	84.1	(3)
Wisconsin	83.4	84.5	108.0	(3)
District of Columbia	111.0	120.9	193.7	284.6

[1] Exclusive of stillbirths.
[2] States shown for 1900 and the District of Columbia.
[3] Not added to registration area until a later date.

NOTE.—The deaths returned from North Carolina in 1910 included only those from municipalities having a population of 1,000 or more in 1900. (The population of these areas formed about 16 per cent of the total population of the State.)

Tables BZ and CC, giving mortality rates per 1,000 estimated population under 1 year of age, show the improvement which has taken place in the rates for the first year of life in the various States; for the birth registration area of 1915, specific rates are presented which should never be used as infant mortality rates (deaths of infants under 1 year of age per 1,000 live births), but which are valuable for purposes of comparison with the infant mortality rates given in the annual report Birth Statistics, published by the Bureau of the Census. For example, for the State of Connecticut the 1921 infant mortality rate is given in the birth report as 73, while in Table CC the specific rate for Connecticut is 80.4, a figure 10 per cent greater than the infant mortality rate.

Table CC

AREA.	DEATH RATE FROM ALL CAUSES [1] FOR CHILDREN UNDER 1 YEAR OF AGE, PER 1,000 ESTIMATED POPULATION UNDER 1 YEAR OF AGE.						
	1921	1920	1919	1918	1917	1916	1915
Registration States of the birth registration area of 1915	94.5	105.7	99.2	127.9	117.1	119.9	119.0
REGISTRATION STATES.							
Connecticut	80.4	103.1	98.3	135.8	123.0	128.0	127.7
Maine	106.4	119.9	95.4	115.3	105.1	117.1	115.0
Massachusetts	92.8	111.0	103.5	145.2	126.9	127.7	129.0
Michigan	95.1	108.9	98.4	108.2	107.4	116.2	98.7
Minnesota	68.2	75.4	71.1	81.6	76.4	80.5	81.1
New Hampshire	111.7	110.8	102.9	137.0	130.7	137.3	135.2
New York	93.2	104.7	97.5	121.2	116.3	117.7	124.5
Pennsylvania	102.3	109.2	106.2	145.2	127.2	128.3	124.1
Rhode Island	104.2	108.3	107.1	154.7	131.7	131.4	136.3
Vermont	95.3	109.0	91.0	140.6	95.2	106.1	97.4
District of Columbia	111.0	120.9	106.9	142.0	115.6	123.2	128.5

[1] Exclusive of stillbirths.

ACCURACY OF STATISTICS OF CAUSES OF DEATH.

It is obvious that the cause of death can not be classified correctly unless it has been stated accurately. It is not stated accurately when one or two of several factors are not given in the physician's report. Again, it is not stated accurately when the physician fails to enter on the death certificate a qualifying term which, if given, would modify the classification of the death. For example, the reporting of a death from tuberculous peritonitis as having been caused by "peritonitis" represents an error of omission which, if not corrected, would cause the death to be incorrectly classified, not only with reference to the title of the International List of Causes of Death to which, on the basis of the incomplete statement, it would have to be assigned, but also with reference to the class or group of causes into which the list is divided.

One of the principal difficulties in classifying deaths according to the International List is the fact that each year the Census Bureau receives several hundred thousand certificates of deaths on each of which the names of two or more diseases appear. Practically all systems of classification in present use are based upon the principle that each death must be charged to a single cause. This means that if two or more morbid conditions are stated on a certificate with nothing to indicate which was the chief or primary cause, one of them must be selected as the cause under which the death shall be classified. In many cases no dependence can be placed upon the order in which the terms are written; nor can the compiler rely upon the statements as to the "cause of death" or the "contributory cause," since these terms are used with different and diametrically opposed meanings, not only by physicians but by registration officers.

In its effort to improve the statement of cause of death, the Bureau of the Census, at the beginning of the annual collection of mortality statistics, sent to every physician in the country a copy of the pamphlet "Relation of Physicians to Mortality Statistics," which, later, was superseded by the "Physicians' Pocket Reference to the International List of Causes of Death." These pamphlets were, first, to acquaint physicians with the form, scope, and requirements of the International List of Causes of Death, and, second, to emphasize the fact that the value of statistics of causes of death depends largely upon the precision and completeness with which the information is supplied by the medical profession. With these ends in view, the titles of the International List are included in each pamphlet, together with comments on some of the

principal undesirable terms commonly used in reporting causes of death; these comments give the reasons why each such term is unsatisfactory and present suggestions for more precise statements.

The following tables show the results obtained in 1921 by sending queries to physicians:

TOTAL DEATHS, NUMBER OF CAUSES QUERIED, AND PER CENT OF CAUSES QUERIED TO TOTAL DEATHS, IN THE REGISTRATION AREA: 1921 AND 1920.

Table CD — AREA.	TOTAL DEATHS.		CAUSES QUERIED. Number.		Per cent.	
	1921	1920	1921	1920	1921	1920
The registration area.[1]	1,032,009	1,142,558	35,145	42,549	3.4	3.7
Alabama [2]	4,475	4,979	408	354	9.1	7.1
California	47,377	47,196	1,287	1,220	2.7	2.6
Colorado	11,878	13,717	577	785	4.9	5.7
Connecticut	16,167	18,916	318	465	2.0	2.5
Delaware	2,970	3,265	305	294	10.3	9.0
District of Columbia	6,055	6,463	148	200	2.4	3.1
Florida	11,774	12,720	745	861	6.3	6.8
Georgia [2]	5,939	6,789	427	452	7.2	6.7
Illinois	73,424	82,296	625	691	0.9	0.8
Indiana	35,220	39,430	1,628	1,757	4.6	4.5
Kansas	18,106	20,267	1,323	1,454	7.3	7.2
Kentucky	25,669	28,564	1,952	2,378	7.6	8.3
Louisiana	20,103	21,553	741	1,098	3.7	5.1
Maine	10,815	11,872	401	463	3.7	3.9
Maryland	19,980	21,362	674	1,024	3.4	4.8
Massachusetts	47,787	53,498	647	845	1.4	1.6
Michigan	44,132	51,549	1,655	2,031	3.8	3.9
Minnesota	22,806	25,722	230	136	1.0	0.5
Mississippi	19,950	22,040	1,158	1,593	5.8	7.2
Missouri	37,071	42,638	1,828	1,564	4.9	3.7
Montana	4,693	5,289	230	295	4.9	5.6
Nebraska	12,017	12,976	750	990	6.2	7.6
New Hampshire	6,102	6,764	403	319	6.6	4.7
New Jersey	37,928	41,326	1,273	1,592	3.4	3.9
New York	130,394	144,558	3,350	4,569	2.6	3.2
North Carolina	29,454	32,654	964	1,415	3.3	4.3
North Dakota [2]	303	384	33	9	10.9	2.3
Ohio	67,104	74,341	502	466	0.7	0.6
Oklahoma [2]	1,039	1,135	104	192	10.0	16.9
Oregon	8,304	9,246	420	325	5.1	3.5
Pennsylvania	109,919	120,902	4,630	5,644	4.2	4.7
Rhode Island	7,756	8,696	288	285	3.7	3.3
South Carolina	20,377	23,767	1,014	1,169	5.0	4.9
Tennessee	25,219	28,396	1,126	1,275	4.5	4.5
Texas [2]	9,711	10,193	400	786	4.1	7.7
Utah	4,783	5,198	20	32	0.4	[3] 1.5
Vermont	4,999	5,536	230	187	4.6	3.4
Virginia	28,534	30,514	769	1,283	2.7	4.2
Washington	13,254	15,164	352	575	2.7	3.8
West Virginia [2]	889	1,008	39	79	4.5	7.8
Wisconsin	27,552	29,675	1,171	1,397	4.3	4.7

[1] Exclusive of Hawaii.
[2] Nonregistration State: the only cities shown are those with satisfactory registration of deaths.
[3] Estimated, as certificates for part of the year were received too late to be queried.

RESULTS OBTAINED BY SENDING QUERIES TO PHYSICIANS: 1921.

Detailed Int. List No.	Table CE — UNSATISFACTORY TERM.	Number of replies.	Number of changes in classification.	Per cent changed.	International titles and subtitles (detailed list) increased most by queries.
	Total [1]	21,816	9,047	41.5	7, 9, 11a, 24, 31, 38, 40, 73, 74a, 101a, 113, 114, 146, 148, 161a, 161b.
10	Croup, membranous laryngitis	95	40	42.1	98, 100a, 101a.
33	Tabes mesenterica	16	1	6.3	62.
41	Septicemia, sepsis, blood poisoning	255	176	69.0	21, 108, 109b, 146, 153, 154, 162, 184, 202, 203.
69	Autointoxication, toxemia	186	78	41.9	113, 114, 119.
70	Cerebral abscess	141	84	59.6	11b, 32, 38, 86a, 86b, 97b, 185.
71	Meningitis, cerebral meningitis, cerebrospinal meningitis (undefined)	1,117	672	60.2	24, 32, 38, 71b, 86a, 113, 161b, 185.
74a	Cerebral congestion	39	21	53.8	5, 71b.
75	Hemiplegia, paralysis, general paralysis	1,772	1,216	68.6	38, 73, 74a, 76, 90, 129.
76	Paresis	461	195	42.3	73, 74a, 75b, 90, 129, 164.
79	Convulsions (5 years and over)	37	29	78.4	129, 148.
80	Convulsions (under 5 years)	460	166	36.1	38, 112, 113, 161a, 161b
83	Cerebral softening	84	39	46.4	74a, 74b, 91b.
84	Acute hydrocephalus	25	7	28.0	32, 113, 159a.
90	Acute cardiac dilatation, cardiac insufficiency	1,038	262	25.2	11b, 38, 66, 88, 89, 91b, 129.
95	Hemorrhage	18	13	72.2	74a.
98	Edema of glottis	19	8	42.1	109b.
100a	Bronchopneumonia	5,809	1,072	18.5	7, 8, 9, 10, 11a, 31, 38, 101a, 109b, 113, 161b.
101b	Pneumonia (undefined), typhoid pneumonia	2,074	1,759	84.8	1a, 9, 11a, 90, 100a, 101a.
102	Pleurisy	176	98	55.7	11a, 31, 51, 101a.
103	Pulmonary congestion, pulmonary hemorrhage, edema of lungs	343	191	55.7	31, 74a, 90, 91b, 100a, 101a.
107c	Abscess of lung	139	75	54.0	31, 101a, 102, 109b.
110	Stricture of esophagus	46	18	39.1	44, 159c, 177.
112	Gastritis, indigestion, acute indigestion	1,507	446	29.6	38, 66, 90, 91b, 111a, 113, 114, 129, 161a, 175b.
113	Congestion of bowel	7			
114					
119	Intestinal hemorrhage	2	1	50.0	117.
124	Liver trouble, disease of liver	5	3	60.0	44, 122b.
126	Peritonitis, general and septic peritonitis	353	230	65.2	33, 40, 111a, 117, 118b, 138, 146.
128	Acute Bright's disease, acute nephritis	1,768	527	29.8	8, 11b, 38, 66, 90, 91b, 109b, 113, 129, 135, 148.
129	Bright's disease, nephritis, uremia	521	148	28.4	38, 91b, 128, 135, 148.
131	Renal congestion, disease of kidney	25	16	64.0	129.
134	Extravasation of urine	1	1	100.0	135.
138	Salpingitis, pyosalpinx, pus tubes	421	319	75.8	38, 40, 146, 199.
140	Uterine hemorrhage	4	4	100.0	5, 46, 143a, 144.
153	Abscess, cellulitis	16	3	18.8	36e, 141, 203.
159a	Hydrocephalus	115	16	13.9	32, 38.
160	Inanition, debility, marasmus, etc. (under 1 year)	2,183	807	37.0	31, 38, 56, 112, 113, 159b, 159c, 161a, 161b, 162.
164	Senility, old age	32	18	56.3	90, 91b, 129, 205a.
205a	Dropsy, heart failure, fever, natural causes, etc.	506	288	56.9	5, 31, 38, 56, 66, 74a, 90, 91b, 112, 113, 129, 131.

[1] Exclusive of 340 queries from which replies were received too late for correction.

TITLES PRINCIPALLY AFFECTED BY QUERIES SENT TO PHYSICIANS, NET CHANGE, AND PER CENT CHANGED BY QUERIES: 1921.

Detailed List No.	Table CF CAUSE OF DEATH.	Total deaths (including net changes by queries).	Net change by queries.[1]	Per cent change by queries.
7	Measles	3,790	+ 169	+ 4.7
9	Whooping cough	8,070	+ 228	+ 2.9
11a	Influenza (with pulmonary complications)	5,973	+ 488	+ 8.9
24	Meningococcus meningitis	1,296	+ 384	+42.1
31	Tuberculosis of the respiratory system	76,298	+ 159	+ 0.2
32	Tuberculosis of the meninges, central nervous system	4,281	+ 91	+ 2.2
38	Syphilis	6,962	+ 214	+ 3.2
40	Gonococcus infection	644	+ 254	+65.1
41	Purulent infection, septicemia [2]	1,240	− 172	−12.2
69	Other general diseases [2]	2,011	− 65	− 3.1
70	Encephalitis [2]	1,119	− 80	− 6.7
71	Meningitis [2]	3,684	− 599	−14.0
73	Other diseases of the spinal cord	4,534	+ 322	+ 7.6
74a	Cerebral hemorrhage [2]	71,047	+ 779	+ 1.1
75	Paralysis without specified cause [2]	5,526	−1,144	−17.2
76	General paralysis of the insane [2]	5,596	− 133	− 2.3
80	Infantile convulsions (under 5 years) [2]	1,992	− 162	− 7.5
100a	Bronchopneumonia [2]	33,696	− 320	− 0.9
101a	Lobar pneumonia	37,871	+ 937	+ 2.5
101b	Pneumonia (unspecified) [2]	5,503	−1,728	−23.9
102	Pleurisy [2]	2,695	− 85	− 3.1
103	Congestion and hemorrhagic infarct of the lung [2]	1,586	− 188	−10.6
107	Other diseases of the respiratory system (tuberculosis excepted) [2]	742	− 74	− 9.1
112	Other diseases of the stomach (cancer excepted) [2]	6,594	− 388	− 5.6
113, 114	Diarrhea and enteritis [2]	45,837	+ 828	+ 1.8
126	Peritonitis without specified cause [2]	1,683	− 226	−11.8
128	Acute nephritis (including unspecified under 10 years) [2]	5,741	− 483	− 7.8
138	Salpingitis and pelvic abscess (female) [2]	1,830	− 296	−13.9
146	Puerperal septicemia	6,057	+ 148	+ 2.5
148	Puerperal albuminuria and convulsions	4,032	+ 160	+ 4.1
160	Congenital debility, icterus, and sclerema [2]	8,953	− 802	− 8.2
161a	Premature birth	37,512	+ 295	+ 0.8
161b	Injury at birth	8,936	+ 148	+ 1.7
205	Cause of death not specified or ill-defined [2]	13,197	− 280	− 2.1

[1] A minus sign (−) denotes decrease, a plus sign (+) increase.
[2] Title under which 1 or more unsatisfactory terms were queried.

The first test inquiry was made for 1911. Five of the undesirable terms frequently used in reporting causes of death—"meningitis," "paralysis," "convulsions," "pneumonia," and "peritonitis"—were selected, and in cases where they had been employed *without qualification*, circular letters were sent to the physicians who had signed the death certificates. These letters requested such additional statements or information relative to the cause of death as might be needed for a more satisfactory classification, and with each was inclosed a copy of the "Physicians' Pocket Reference to the International List of Causes of Death," the paragraph therein referring to the unsatisfactory nature of the term used being marked. In Mortality Statistics, 1911 (pp. 36–38), the results of this test may be found. It is sufficient to say that approximately 2,000 replies were received, and the additional information obtained from the physicians enabled the bureau to improve the classification in 57 per cent of the cases covered by replies.

Still further evidence bearing upon the reliability of rates from various causes will be found in Tables CG and CH for South Carolina and for Vermont. These tables deal with the deaths for which causes were not certified by physicians, coroners, assistant coroners, health officers, or midwives.

In Vermont 0.2 per cent of the total number were not certified as against 26.3 per cent in South Carolina.

ALL DEATHS, AND DEATHS FROM EACH TABULATED CAUSE WHICH WAS NOT CERTIFIED, TOGETHER WITH CAROLINA:

Detailed International List No.	Table CG — CAUSE OF DEATH.	SOUTH CAROLINA (TOTAL).						CITIES.							
				Causes of death for—				Causes of death for—							
				White.		Colored.		Males.				Females.			
		All deaths.	Causes of death not certified.	Total.	Not certified.	Total.	Not certified.	White.		Colored.		White.		Colored.	
								Total.	Not certified.	Total.	Not certified.	Total.	Not certified.	Total.	Not certified.
	All causes[1]	20,377	5,357	8,206	999	12,171	4,358	921	6	1,081	12	811	2	1,082	12
	I.—Epidemic, endemic, and infectious diseases	4,431	965	1,323	110	3,108	855	120	2	223	2	118	.....	267	1
1	Typhoid and paratyphoid fever	445	50	141	9	304	41	12	.....	12	.....	17	.....	22	.....
5	Malaria	477	239	81	11	396	228	2	.....	19	.....	3	.....	14	.....
6	Smallpox	11	1	1	.....	10	1	.....	.....	.....	.....	.....	.....	.....	.....
7	Measles	88	6	58	1	30	5	2	.....	1	.....	4	.....	2	.....
8	Scarlet fever	13	.....	13	.....	.....	.....	1	.....	.....	.....	2	.....	.....	.....
9	Whooping cough	279	92	91	15	188	77	12	.....	8	.....	6	.....	7	.....
10	Diphtheria	210	40	128	12	82	28	11	1	1	.....	6	.....	4	.....
11a	Influenza (with pulmonary complications)	156	43	84	12	72	31	10	.....	13	.....	13	.....	12	.....
11b	Influenza (other and unspecified)	135		65		70		2	.....	3	.....	5	.....	2	.....
13	Mumps	3	2	.....	.....	3	2	.....	.....	.....	.....	.....	.....	.....	.....
15	Cholera nostras	6	4	1	1	5	3	.....	.....	.....	.....	.....	.....	.....	.....
16	Dysentery	256	94	108	22	148	72	5	.....	3	.....	6	.....	7	.....
19	Spirochetal hemorrhagic jaundice	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
21	Erysipelas	21	1	15	1	6	.....	.....	.....	.....	.....	3	.....	.....	.....
22	Acute anterior poliomyelitis	17	1	9	.....	8	1	1	.....	.....	.....	.....	.....	.....	.....
23	Lethargic encephalitis	10	.....	4	.....	6	.....	3	.....	1	.....	.....	.....	.....	.....
24	Meningococcus meningitis	19	.....	12	.....	7	.....	3	.....	1	.....	.....	.....	1	.....
25	Other epidemic and endemic diseases	4	1	2	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....
27	Anthrax	1	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
28	Rabies	3	.....	3	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
29	Tetanus	34	5	14	.....	20	5	4	.....	3	.....	3	.....	5	.....
30	Mycoses	39	36	2	2	37	34	.....	.....	1	1	.....	.....	1	.....
	Tuberculosis (total)	1,901	326	440	21	1,461	305	41	1	116	1	43	.....	156	1
31	Of the respiratory system	1,759	316	393	19	1,366	297	35	1	103	1	39	.....	140	1
32	Of the meninges, central nervous system	28	.....	16	.....	12	.....	4	.....	3	.....	1	.....	.....	.....
33	Of the intestines, peritoneum	50	7	17	1	33	6	1	.....	4	.....	1	.....	5	.....
34	Of the vertebral column	5	.....	1	.....	4	.....	.....	.....	1	.....	1	.....	.....	.....
35	Of the joints	6	.....	1	.....	5	.....	.....	.....	1	.....	.....	.....	.....	.....
36	Of other organs	18	3	6	1	12	2	1	.....	2	.....	1	.....	2	.....
37a	Disseminated (acute)	33	.....	6	.....	27	.....	.....	.....	1	.....	.....	.....	9	.....
37b	Disseminated (chronic or unspecified)	2	.....	.....	.....	2	.....	.....	.....	1	.....	.....	.....	.....	.....
38	Syphilis	251	15	28	1	223	14	5	.....	39	.....	1	.....	30	.....
40	Gonococcus infection	19	.....	7	.....	12	.....	.....	.....	1	.....	5	.....	2	.....
41	Purulent infection, septicemia	32	8	14	1	18	7	3	.....	1	.....	1	.....	2	.....
	II.—General diseases not included in Class I	1,280	108	690	38	590	70	79	.....	47	.....	114	.....	113	1
	Cancer and other malignant tumors (total)	588	44	366	16	222	28	39	.....	16	.....	62	.....	28	1
43	Of the buccal cavity	33	1	25	1	8	.....	2	.....	1	.....	1	.....	.....	.....
44	Of the stomach, liver	160	15	102	7	58	8	8	.....	8	.....	13	.....	8	.....
45	Of the peritoneum, intestines, rectum	68	1	54	1	14	.....	6	.....	1	.....	11	.....	2	.....
46	Of the female genital organs	146	4	69	2	77	2	.....	.....	.....	.....	23	.....	13	.....
47	Of the breast	57	8	35	2	22	6	.....	.....	.....	.....	10	.....	2	1
48	Of the skin	18	3	16	2	2	1	6	.....	.....	.....	.....	.....	.....	.....
49	Of other or unspecified organs	106	12	65	1	41	11	17	.....	6	.....	4	.....	3	.....
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	11	5	6	2	5	3	1	.....	1	.....	.....	.....	1	.....
51	Acute rheumatic fever	55	18	19	5	36	13	2	.....	1	.....	3	.....	3	.....
52	Chronic rheumatism, osteoarthritis, gout	6	1	3	.....	3	1	.....	.....	1	.....	1	.....	.....	.....
53	Scurvy	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....
54	Pellagra	367	23	128	7	239	16	12	.....	22	.....	25	.....	70	.....
56	Rickets	15	.....	3	.....	12	.....	.....	.....	2	.....	.....	.....	3	.....
57	Diabetes mellitus	124	7	86	5	38	2	14	.....	1	.....	10	.....	3	.....
58	Anemia, chlorosis	22	1	12	.....	10	1	2	.....	.....	.....	2	.....	.....	.....
60a	Exophthalmic goiter	4	2	1	1	3	1	.....	.....	.....	.....	.....	.....	1	.....
60b	Other diseases of the thyroid gland	9		5		4		.....	.....	.....	.....	1	.....	1	.....
61	Diseases of the parathyroid glands	2	.....	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
62	Diseases of the thymus gland	3	.....	2	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
64	Diseases of the spleen	3	.....	3	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....
65a	Leukemia	13	1	11	.....	2	1	1	.....	.....	.....	3	.....	.....	.....
65b	Hodgkin's disease	4		4	.....	.....		.....	.....	.....	.....	.....	.....	.....	.....
66	Alcoholism (acute or chronic)	13	2	10	1	3	1	3	.....	.....	.....	1	.....	1	.....
67a	Chronic lead poisoning	1	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
67b	Other chronic mineral poisoning	1		.....	.....	1		.....	.....	.....	.....	.....	.....	.....	.....
68	Chronic poisoning by organic substances	2	.....	1	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....
69	Other general diseases	36	3	28	1	8	2	4	.....	1	.....	3	.....	1	.....

[1] Exclusive of stillbirths.

THE PER CENT THAT THE NOT CERTIFIED IS OF THE TOTAL DEATHS, BY SEX AND COLOR, FOR SOUTH
1921.

RURAL DISTRICTS.								PER CENT OF TOTAL DEATHS NOT CERTIFIED.									Detailed International List No.
Causes of death for—								South Carolina.			Cities.				Rural districts.				
Males.				Females.							Males.		Females.		Males.		Females.		
White.		Colored.		White.		Colored.		Total.	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.	
Total.	Not certified.	Total.	Not certified.	Total.	Not certified.	Total.	Not certified.												
3,371	517	4,798	2,117	3,103	474	5,210	2,217	26.3	12.2	35.8	0.7	1.1	0.2	1.1	15.3	44.1	15.3	42.6	
543	57	1,226	396	542	51	1,392	456	21.8	8.3	27.5	1.7	0.9	.....	0.4	10.5	32.3	9.4	32.8	
49	3	126	20	63	6	144	21	11.2	6.4	13.5	.....	.....	.....	.....	6.1	15.9	9.5	14.6	1
44	5	191	117	32	6	172	111	50.1	13.6	57.6	.....	.....	.....	.....	11.4	61.3	18.8	64.5	5
.....	.....	5	1	1	.....	5	.....	9.1	.....	10.0	.....	.....	.....	.....	.....	20.0	.....	.....	6
33	1	14	2	19	.....	13	3	6.8	1.7	16.7	.....	.....	.....	.....	3.0	14.3	.....	23.1	7
4	.....	.....	.....	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	8
37	7	90	38	36	8	83	39	33.0	16.5	41.0	.....	.....	.....	.....	18.9	42.2	22.2	47.0	9
52	6	40	16	59	5	37	12	19.0	9.4	34.1	9.1	.....	.....	.....	11.5	40.0	8.5	32.4	10
33	7	30	11	28	5	17	20	14.8	8.1	21.8	.....	.....	.....	.....	12.5	18.3	7.9	38.5	11a
23		30		35		35													11b
.....	.....	1	1	.....	.....	2	1	66.7	.....	66.7	.....	.....	.....	.....	.....	100.0	.....	50.0	13
.....	.....	3	2	1	1	2	1	66.7	100.0	60.0	.....	.....	.....	.....	.....	66.7	100.0	50.0	15
50	10	74	37	47	12	64	35	36.7	20.4	48.6	.....	.....	.....	.....	20.0	50.0	25.5	54.7	16
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	19
5	1	3	.....	7	.....	3	.....	4.8	6.7	.....	.....	.....	.....	.....	20.0	.....	.....	.....	21
2	.....	2	1	6	.....	6	.....	5.9	.....	12.5	.....	.....	.....	.....	.....	50.0	.....	.....	22
1	.....	2	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
6	.....	4	.....	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	1	.....	2	.....	1	1	25.0	.....	50.0	.....	.....	.....	.....	.....	.....	.....	100.0	25
1	1	.....	.....	.....	.....	.....	.....	100.0	100.0	.....	.....	.....	.....	.....	100.0	.....	.....	.....	27
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	28
2	.....	8	3	5	.....	4	2	14.7	.....	25.0	.....	.....	.....	.....	.....	37.5	.....	50.0	29
1	1	15	15	1	1	20	18	92.3	100.0	91.9	.....	100.0	.....	.....	100.0	100.0	100.0	90.0	30
180	14	482	120	176	6	707	183	17.1	4.8	20.9	2.4	0.9	.....	0.6	7.8	24.9	3.4	25.9	
163	12	455	117	156	6	668	178	18.0	4.8	21.7	2.9	1.0	.....	0.7	7.4	25.7	3.8	26.6	31
5	.....	2	.....	6	.....	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	32
7	1	12	2	8	.....	12	4	14.0	5.9	18.2	.....	.....	.....	.....	14.3	16.7	.....	33.3	33
.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	34
.....	.....	2	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	35
3	1	4	1	1	.....	4	1	16.7	16.7	16.7	.....	.....	.....	.....	33.3	25.0	.....	25.0	36
2	.....	4	.....	4	.....	13	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	37a
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	37b
14	1	93	8	8	.....	61	6	6.0	3.6	6.3	.....	.....	.....	.....	7.1	8.6	.....	9.8	38
.....	.....	4	.....	2	.....	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	40
5	.....	8	4	5	1	7	3	25.0	7.1	38.9	.....	.....	.....	.....	.....	50.0	20.0	42.9	41
205	15	131	23	292	23	299	46	8.4	5.5	11.9	.....	.....	.....	0.9	7.3	17.6	7.9	15.4	
103	4	44	6	162	12	134	21	7.5	4.4	12.6	.....	.....	.....	3.6	3.9	13.6	7.4	15.7	
15	.....	4	.....	7	1	3	.....	3.0	4.0	.....	.....	.....	.....	.....	.....	.....	14.3	.....	43
37	2	21	4	44	5	21	4	9.4	6.9	13.8	.....	.....	.....	.....	5.4	19.0	11.4	19.0	44
16	.....	6	.....	21	1	5	.....	1.5	1.9	.....	.....	.....	.....	.....	.....	.....	4.8	.....	45
.....	.....	.....	.....	46	2	64	2	2.7	2.9	2.6	.....	.....	.....	.....	.....	.....	4.3	3.1	46
1	.....	.....	.....	24	2	20	5	14.0	5.7	27.3	.....	.....	.....	50.0	.....	.....	8.3	25.0	47
5	1	1	.....	5	1	1	1	16.7	12.5	50.0	.....	.....	.....	.....	20.0	.....	20.0	100.0	48
29	1	12	2	15	.....	20	9	11.3	1.5	26.8	.....	.....	.....	.....	3.4	16.7	.....	45.0	49
.....	.....	1	1	5	2	2	2	45.5	33.3	60.0	.....	.....	.....	.....	.....	100.0	40.0	100.0	50
7	2	16	8	7	3	16	5	32.7	26.3	36.1	.....	.....	.....	.....	28.6	50.0	42.9	31.3	51
1	.....	2	1	1	.....	.....	.....	16.7	.....	33.3	.....	.....	.....	.....	.....	50.0	.....	.....	52
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	53
32	4	32	1	59	3	115	15	6.3	5.5	6.7	.....	.....	.....	.....	12.5	3.1	5.1	13.0	54
3	.....	3	.....	.....	.....	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	56
34	3	20	2	28	2	14	.....	5.6	5.8	5.3	.....	.....	.....	.....	8.8	10.0	7.1	.....	57
4	.....	4	1	4	.....	6	.....	4.5	.....	10.0	.....	.....	.....	.....	.....	25.0	.....	.....	58
.....	.....	.....	.....	1	1	2	1	15.4	16.7	14.3	.....	.....	.....	.....	.....	.....	20.0	25.0	60a
.....	.....	1	.....	4		2													60b
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	61
1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	62
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	64
3	.....	.....	.....	4	.....	2	1	5.9	.....	50.0	.....	.....	.....	.....	.....	.....	.....	50.0	65a
4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	65b
6	1	2	1	.....	.....	.....	.....	15.4	10.0	33.3	.....	.....	.....	.....	16.7	50.0	.....	.....	66
.....	.....	1	1	.....	.....	.....	.....	50.0	.....	50.0	.....	.....	.....	.....	.....	100.0	.....	.....	67a
.....	.....	.....	.....	.....	.....	1	.....												67b
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	68
7	1	5	1	14	.....	1	1	8.3	3.6	25.0	.....	.....	.....	.....	14.3	20.0	.....	100.0	69

ALL DEATHS, AND DEATHS FROM EACH TABULATED CAUSE WHICH WAS NOT CERTIFIED, TOGETHER WITH CAROLINA:

Detailed International List No.	Table CG—Continued. CAUSE OF DEATH.	SOUTH CAROLINA (TOTAL).						CITIES.							
				Causes of death for—				Causes of death for—							
				White.		Colored.		Males.				Females.			
								White.		Colored.		White.		Colored.	
		All deaths.	Causes of death not certified.	Total.	Not certified.	Total.	Not certified.	Total.	Not certified.	Total.	Not certified.	Total.	Not certified.	Total.	Not certified.
	III.—Diseases of the nervous system and of the organs of special sense.	1,747	371	843	99	904	272	89	.....	97	.....	84	.....	97	.....
70	Encephalitis	27	4	13	1	14	3	2	.....	1	.....	.....	.....	1	.....
71a	Simple meningitis	36	7	23	6	13	1	2	.....	2	.....	2	.....	1	.....
71b	Nonepidemic cerebrospinal meningitis	14		7		7		1	.....	1	.....	.....	.....	1	.....
72	Tabes dorsalis (locomotor ataxia)	5	.....	5	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
73	Other diseases of the spinal cord	34	.....	24	.....	10	.....	3	.....	2	.....	4	.....	1	.....
74a	Cerebral hemorrhage	964	59	518	23	446	36	55	.....	57	.....	53	.....	70	.....
74b	Cerebral embolism and thrombosis	19		9		10		2	.....	5	.....	.....	.....	.....	.....
75	Paralysis without specified cause	329	165	130	49	199	116	3	.....	3	.....	9	.....	6	.....
76	General paralysis of the insane	32	1	8	.....	24	1	7	.....	15	.....	.....	.....	4	.....
77	Other forms of mental alienation	21	6	7	1	14	5	2	.....	1	.....	3	.....	4	.....
78	Epilepsy	60	21	25	3	35	18	5	.....	6	.....	4	.....	3	.....
79	Convulsions (nonpuerperal; 5 years and over).	14	9	4	2	10	7	.....	.....	.....	.....	1	.....	1	.....
80	Infantile convulsions (under 5 years)	119	84	22	8	97	76	1	.....	3	.....	2	.....	2	.....
81	Chorea	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
82	Neuralgia and neuritis	10	4	6	3	4	1	.....	.....	.....	.....	1	.....	.....	.....
83	Softening of the brain	10	1	7	.....	3	1	1	.....	.....	.....	1	.....	.....	.....
84	Other diseases of the nervous system	26	7	19	3	7	4	4	.....	.....	.....	2	.....	.....	.....
85	Diseases of the eye and annexa	1	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
86a	Diseases of the ear	15	2	11	.....	4	2	1	.....	1	.....	.....	.....	2	.....
86b	Diseases of the mastoid process	10		4	.....	6		.....	.....	.....	.....	1	.....	1	.....
	IV.—Diseases of the circulatory system.	2,039	248	974	78	1,065	170	148	1	167	.....	111	.....	134	.....
87	Pericarditis	23	11	8	2	15	9	1	.....	1	.....	1	.....	.....	.....
88	Endocarditis and myocarditis (acute)	69	2	31	1	38	1	5	.....	2	.....	5	.....	6	.....
89	Angina pectoris	87	2	71	2	16	.....	12	.....	1	.....	5	.....	3	.....
90	Other diseases of the heart	1,617	206	731	63	886	143	102	1	124	.....	68	.....	101	.....
91a	Aneurysm	19	3	8	2	11	1	5	.....	8	.....	1	.....	1	.....
91b,c	Other diseases of the arteries	179		107		72		23	.....	30	.....	31	.....	21	.....
92	Embolism and thrombosis (not cerebral)	13	.....	6	.....	7	.....	.....	.....	1	.....	.....	.....	2	.....
93	Diseases of the veins	1	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
94	Diseases of the lymphatic system	2	1	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
95	Hemorrhage without specified cause	11	8	2	1	9	7	.....	.....	.....	.....	.....	.....	.....	.....
96	Other diseases of the circulatory system	18	14	9	7	9	7	.....	.....	.....	.....	.....	.....	.....	.....
	V.—Diseases of the respiratory system	1,659	528	637	82	1,022	446	51	.....	83	2	44	.....	65	.....
97a	Diseases of the nasal fossae	139	135	10	9	129	126	.....	.....	.....	.....	.....	.....	.....	.....
97b	Diseases of the nasal fossae annexa	5		3		2		3	.....	.....	.....	.....	.....	.....	.....
98	Diseases of the larynx	12	.....	8	.....	4	.....	2	.....	.....	.....	.....	.....	.....	.....
99a	Acute bronchitis	16		8		8		.....	.....	.....	.....	3	.....	.....	.....
99b	Chronic bronchitis	11	11	7	2	4	9	1	.....	1	.....	2	.....	.....	.....
99c,d	Bronchitis (unspecified)	30		8		22		.....	.....	2	.....	1	.....	.....	.....
100a	Bronchopneumonia	339	11	173	2	166	9	9	.....	24	.....	16	.....	20	.....
100b	Capillary bronchitis	4		.....		4		.....	.....	.....	.....	.....	.....	2	.....
101a	Lobar pneumonia	541	320	260	65	281	255	25	.....	48	1	17	.....	36	.....
101b	Pneumonia (unspecified)	445		114		331		4	.....	4	.....	2	.....	5	.....
102	Pleurisy	35	3	23	2	12	1	4	.....	.....	.....	2	.....	1	.....
103	Congestion and hemorrhagic infarct of the lung.	19	5	9	.....	10	5	2	.....	4	1	.....	.....	.....	.....
104	Gangrene of the lung	4	.....	4	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....
105	Asthma	31	18	6	.....	25	18	.....	.....	.....	.....	.....	.....	1	.....
106	Pulmonary emphysema	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
107	Other diseases of the respiratory system (tuberculosis excepted).	27	25	3	2	24	23	.....	.....	.....	.....	.....	.....	.....	.....
	VI.—Diseases of the digestive system.	2,078	473	928	96	1,150	377	122	.....	129	2	81	.....	106	1
108	Diseases of the mouth and annexa	15	6	3	.....	12	6	1	.....	.....	.....	.....	.....	.....	.....
109a	Adenoid vegetations	.....	11	.....	1	.....	10	.....	.....	.....	.....	.....	.....	.....	.....
109b	Other diseases of the pharynx, tonsils	57		25		32		4	.....	2	.....	2	.....	2	.....
110	Diseases of the esophagus	3	.....	1	.....	2	.....	.....	.....	2	.....	.....	.....	.....	.....
111a	Ulcer of the stomach	32	2	12	2	20	.....	3	.....	5	.....	1	.....	4	.....
111b	Ulcer of the duodenum	6		5		1	.....	2	.....	.....	.....	.....	.....	1	.....
112	Other diseases of the stomach (cancer excepted).	301	179	92	32	209	147	6	.....	2	.....	3	.....	7	.....
113	Diarrhea and enteritis (under 2 years)	1,014	199	483	45	531	154	43	.....	56	1	31	.....	53	1
114	Diarrhea and enteritis (2 years and over)	207	27	95	8	112	19	7	.....	19	.....	12	.....	21	.....
115	Ancylostomiasis	6	.....	5	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....

THE PER CENT THAT THE NOT CERTIFIED IS OF THE TOTAL DEATHS, BY SEX AND COLOR, FOR SOUTH 1921—Continued.

RURAL DISTRICTS.								PER CENT OF TOTAL DEATHS NOT CERTIFIED.									Detailed International List No.
Causes of death for—								South Carolina.			Cities.				Rural districts.		
Males.				Females.							Males.		Females.		Males.		Females.	
White.		Colored.		White.		Colored.		Total.	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.
Total.	Not certified.	Total.	Not certified.	Total.	Not certified.	Total.	Not certified.											
348	57	334	128	322	42	376	144	21.2	11.7	30.1	.....	.....	.....	.....	16.4	38.3	13.0	38.3	
6	.....	7	3	5	1	5	.....	14.8	7.7	21.4	.....	.....	.....	.....	.....	42.9	20.0	.....	70
12	4	5	.....	7	2	5	1	10.4	20.0	5.0	.....	.....	.....	.....	25.0	.....	22.2	11.1	71a
4		1	.....	2		4					.....	.....	.....	.....					71b
4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	72
10	.....	2	.....	7	.....	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	73
207	13	154	17	203	10	165	19	6.0	4.4	7.9	.....	.....	.....	.....	6.2	11.0	4.9	11.2	74a
4		1		3		4					.....	.....	.....	.....					74b
62	29	82	51	56	20	108	65	50.2	37.7	58.3	.....	.....	.....	.....	46.8	62.2	35.7	60.2	75
.....	.....	1	.....	1	.....	4	1	3.1	.....	4.2	.....	.....	.....	.....	.....	.....	.....	25.0	76
.....	.....	4	2	2	1	5	3	28.6	14.3	35.7	.....	.....	.....	.....	.....	50.0	50.0	60.0	77
5	1	12	9	11	2	14	9	35.0	12.0	51.4	.....	.....	.....	.....	20.0	75.0	18.2	64.3	78
2	1	4	3	1	1	5	4	64.3	50.0	70.0	.....	.....	.....	.....	50.0	75.0	100.0	80.0	79
9	5	49	40	10	3	43	36	70.6	36.4	78.4	.....	.....	.....	.....	55.6	81.6	30.0	83.7	80
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	81
1	1	1	.....	4	2	3	1	40.0	50.0	25.0	.....	.....	.....	.....	100.0	.....	50.0	33.3	82
3	.....	3	1	2	.....	.....	.....	10.0	.....	33.3	.....	.....	.....	.....	.....	33.3	.....	.....	83
9	3	2	.....	4	.....	5	4	26.9	15.8	57.1	.....	.....	.....	.....	33.3	.....	.....	80.0	84
.....	.....	.....	.....	.....	.....	1	1	100.0	.....	100.0	.....	.....	.....	.....	.....	.....	.....	100.0	85
7	.....	1	2	3	.....	.....	.....	8.0	.....	20.0	.....	.....	.....	.....	.....	33.3	.....	.....	86a
2	.....	5		1	.....	.....	.....				.....	.....	.....	.....	.....		.....	.....	86b
403	39	343	71	312	38	421	99	12.2	8.0	16.0	0.7	.....	.....	.....	9.7	20.7	12.2	23.5	
5	2	9	6	1	.....	5	3	47.8	25.0	60.0	.....	.....	.....	.....	40.0	66.7	.....	60.0	87
14	1	12	.....	7	.....	18	1	2.9	3.2	2.6	.....	.....	.....	.....	7.1	.....	.....	5.6	88
36	1	5	.....	18	1	7	.....	2.3	2.8	.....	.....	.....	.....	.....	2.8	.....	5.6	.....	89
309	31	296	60	252	31	365	83	12.7	8.6	16.1	1.0	.....	.....	.....	10.0	20.3	12.3	22.7	90
2	.....	1	.....	.....	2	1	1	1.5	1.7	1.2	.....	.....	.....	.....	.....	.....	8.3	9.1	91a
29	.....	11	.....	24		10					.....	.....	.....	.....	.....	.....			91bc
1	.....	2	.....	5	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	92
.....	.....	1	1	.....	.....	.....	.....	100.0	.....	100.0	.....	.....	.....	.....	.....	100.0	.....	.....	93
1	.....	1	1	.....	.....	.....	.....	50.0	.....	100.0	.....	.....	.....	.....	.....	100.0	.....	.....	94
.....	.....	3	2	2	1	6	5	72.7	50.0	77.8	.....	.....	.....	.....	.....	66.7	50.0	83.3	95
6	4	2	1	3	3	7	6	77.8	77.8	77.8	.....	.....	.....	.....	66.7	50.0	100.0	85.7	96
291	44	411	205	251	38	463	239	31.8	12.9	43.6	.....	2.4	.....	.....	15.1	49.9	15.1	51.6	
6	5	57	56	4	4	72	70	93.8	69.2	96.2	.....	.....	.....	.....	83.3	98.2	100.0	94.6	97a
.....	.....	.....	.....	.....	.....	2					.....	.....	.....	.....	.....	.....	.....	.....	97b
4	.....	4	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	98
4		5		1	.....	3					.....	.....	.....	.....					99a
1	2	1	4	3	.....	2	5	19.3	8.7	26.5	.....	.....	.....	.....	16.7	33.3	.....	26.3	99b
7		6			.....	14					.....	.....	.....	.....					99cd
71	1	57	6	77	1	65	3	3.2	1.2	5.3	.....	.....	.....	.....	1.4	10.3	1.3	4.5	100a
.....		1		.....		1					.....	.....	.....	.....					100b
123	36	103	115	95	29	94	139	32.5	17.4	41.7	.....	1.9	.....	.....	19.7	46.9	20.3	50.7	101a
60		142		48		180					.....	.....	.....	.....					101b
7	.....	9	1	10	2	2	.....	8.6	8.7	8.3	.....	.....	.....	.....	.....	11.1	20.0	.....	102
3	.....	2	2	4	.....	4	2	26.3	.....	50.0	.....	25.0	.....	.....	.....	100.0	.....	50.0	103
.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	104
3	.....	17	14	3	.....	7	4	58.1	.....	72.0	.....	.....	.....	.....	.....	82.4	.....	57.1	105
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	106
1	.....	7	7	2	2	17	16	92.6	66.7	95.8	.....	.....	.....	.....	.....	100.0	100.0	94.1	107
363	47	479	185	362	49	436	189	22.8	10.3	32.8	.....	1.6	.....	0.9	12.9	38.6	13.5	43.3	
1	.....	7	3	1	.....	5	3	40.0	.....	50.0	.....	.....	.....	.....	.....	42.9	.....	60.0	108
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	109a
8	.....	11	3	11	1	17	7	19.3	4.0	31.3	.....	.....	.....	.....	.....	27.3	9.1	41.2	109b
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	110
4		6		4		5					.....	.....	.....	.....					111a
2	1	.....	.....	1	1	.....	.....	5.3	11.8	.....	.....	.....	.....	.....	16.7	.....	20.0	.....	111b
41	18	102	72	42	14	98	75	59.5	34.8	70.3	.....	.....	.....	.....	43.9	70.6	33.3	76.5	112
213	21	227	77	196	24	195	75	19.6	9.3	29.0	.....	1.8	.....	1.9	9.9	33.9	12.2	38.5	113
27	4	39	12	49	4	33	7	13.0	8.4	17.0	.....	.....	.....	.....	14.8	30.8	8.2	21.2	114
2	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	115

ALL DEATHS, AND DEATHS FROM EACH TABULATED CAUSE WHICH WAS NOT CERTIFIED, TOGETHER WITH CAROLINA:

Detailed International List No.	Table CG—Continued. CAUSE OF DEATH.	SOUTH CAROLINA (TOTAL).						CITIES.							
				Causes of death for—				Causes of death for—							
				White.		Colored.		Males.				Females.			
								White.		Colored.		White.		Colored.	
		All deaths.	Causes of death not certified.	Total.	Not certified.	Total.	Not certified.	Total.	Not certified.	Total.	Not certified.	Total.	Not certified.	Total.	Not certified.
	VI.—Diseases of the digestive system—Continued.														
116	Diseases due to other intestinal parasites	22	14	2	2	20	12	.....	.....	1	.....	.....	.....	2	.....
117	Appendicitis and typhlitis	119	8	71	.....	48	8	25	.....	11	1	12	.....	4	.....
118a	Hernia	25	7	10	3	15	4	4	.....	1	.....	3	.....	1	.....
118b	Intestinal obstruction	92		43		49		11	.....	14	.....	2	.....	6	.....
119	Other diseases of the intestines	13	5	4	.....	9	5	.....	.....	1	.....	.....	.....	.....	.....
120	Acute yellow atrophy of the liver	9	.....	.....	.....	9	.....	.....	.....	3	.....	.....	.....	1	.....
122	Cirrhosis of the liver	47	1	20	.....	27	1	2	.....	4	.....	3	.....	1	.....
123	Biliary calculi	22	2	16	.....	6	2	5	.....	.....	.....	7	.....	.....	.....
124	Other diseases of the liver	54	12	25	3	29	9	6	.....	5	.....	2	.....	2	.....
125	Diseases of the pancreas	3	.....	1	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....
126	Peritonitis without specified cause	25	.....	12	.....	13	.....	1	.....	2	.....	2	.....	1	.....
127	Other diseases of the digestive system (cancer and tuberculosis excepted).	6	.....	3	.....	3	.....	1	.....	1	.....	.....	.....	.....	.....
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	1,693	172	770	32	923	140	97	2	103	1	91	2	115	2
128	Acute nephritis (including unspecified under 10 years).	150	5	51	2	99	3	9	.....	6	.....	8	1	10	.....
129	Chronic nephritis (including unspecified 10 years and over).	1,319	105	631	25	688	80	75	2	88	1	66	1	88	2
131	Other diseases of the kidneys and annexa	89	43	30	4	59	39	3	.....	1	.....	9	.....	3	.....
132	Calculi of the urinary passages	8	3	6	1	2	2	1	.....	.....	.....	1	.....	.....	.....
133	Diseases of the bladder	22	4	8	.....	14	4	1	.....	2	.....	.....	.....	1	.....
134	Diseases of the urethra, etc.	2	.....	.....	.....	2	.....	.....	.....	2	.....	.....	.....	.....	.....
135	Diseases of the prostate	35	.....	21	.....	14	.....	8	.....	4	.....	.....	.....	.....	.....
136	Nonvenereal diseases of the male genital organs.	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
137	Cysts, other benign tumors of the ovary	13	.....	5	.....	8	.....	.....	.....	.....	.....	3	.....	3	.....
138	Salpingitis and pelvic abscess (female)	13	.....	8	.....	5	.....	.....	.....	.....	.....	3	.....	1	.....
139	Benign tumors of the uterus	18	.....	5	.....	13	.....	.....	.....	.....	.....	1	.....	7	.....
140	Nonpuerperal uterine hemorrhage	4	1	1	.....	3	1	.....	.....	.....	.....	.....	.....	.....	.....
141	Other diseases of the female genital organs	19	11	4	.....	15	11	.....	.....	.....	.....	.....	.....	2	.....
	VIII.—The puerperal state	495	72	196	20	299	52	.....	.....	.....	.....	48	.....	49	.....
143	Accidents of pregnancy	26	2	14	.....	12	2	.....	.....	.....	.....	5	.....	1	.....
144	Puerperal hemorrhage	52	6	24	3	28	3	.....	.....	.....	.....	4	.....	5	.....
145	Other accidents of labor	94	50	29	13	65	37	.....	.....	.....	.....	3	.....	5	.....
146	Puerperal septicemia	131	9	44	3	87	6	.....	.....	.....	.....	14	.....	20	.....
147	Puerperal phlegmasia alba dolens, embolus, etc.	7	1	4	.....	3	1	.....	.....	.....	.....	2	.....	.....	.....
148	Puerperal albuminuria and convulsions	185	4	81	1	104	3	.....	.....	.....	.....	20	.....	18	.....
	IX.—Diseases of the skin and of the cellular tissue	52	15	21	3	31	12	7	.....	.....	.....	3	.....	2	.....
151	Gangrene	12	1	3	1	9	.....	.....	.....	.....	.....	.....	.....	1	.....
152	Furuncle	8	4	2	.....	6	4	.....	.....	.....	.....	1	.....	1	.....
153	Acute abscess	17	5	9	1	8	4	6	.....	.....	.....	1	.....	.....	.....
154	Other diseases of the skin and annexa	15	5	7	1	8	4	1	.....	.....	.....	1	.....	.....	.....
	X.—Diseases of the bones and of the organs of locomotion	19	3	10	2	9	1	3	.....	1	.....	1	.....	2	.....
155	Diseases of the bones (tuberculosis excepted)	12	1	5	1	7	.....	2	.....	1	.....	.....	.....	2	.....
156	Diseases of the joints (tuberculosis and rheumatism excepted).	5	.....	4	.....	1	.....	1	.....	.....	.....	1	.....	.....	.....
157	Amputations	1	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
158	Other diseases of the organs of locomotion	1	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Malformations	148	22	101	7	47	15	14	.....	5	.....	10	.....	4	.....
159a	Congenital hydrocephalus	29		11		18		.....	.....	2	.....	2	.....	.....	.....
159b	Congenital malformations of the heart	67	22	57	7	10	15	10	.....	2	.....	7	.....	2	.....
159c	Other congenital malformations	52		33		19		4	.....	1	.....	1	.....	2	.....
	XII.—Early infancy	2,088	1,021	781	162	1,307	859	77	.....	114	2	64	.....	90	5
160	Congenital debility, icterus, sclerema	361	136	103	20	258	116	8	.....	54	.....	5	.....	45	1
161a	Premature birth	1,527	866	566	140	961	726	53	.....	38	2	39	.....	30	4
161b	Injury at birth	79		61		18		12	.....	4		18	.....	2	
162	Other diseases peculiar to early infancy	118	19	51	2	67	17	4	.....	18	.....	2	.....	11	.....
163	Lack of care	3	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	2	.....

THE PER CENT THAT THE NOT CERTIFIED IS OF THE TOTAL DEATHS, BY SEX AND COLOR, FOR SOUTH 1921—Continued.

RURAL DISTRICTS.								PER CENT OF TOTAL DEATHS NOT CERTIFIED.									Detailed International List No.
Causes of death for—								South Carolina.			Cities.				Rural districts.				
Males.				Females.							Males.		Females.		Males.		Females.		
White.		Colored.		White.		Colored.		Total.	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.	
Total.	Not certified.	Total.	Not certified.	Total.	Not certified.	Total.	Not certified.											Colored.	
1	1	6	4	1	1	11	8	63.6	100.0	60.0	.....	.....	.....	.....	100.0	66.7	100.0	72.7	116
23	.....	17	3	11	.....	16	4	6.7	.....	16.7	.....	9.1	.....	.....	.....	17.6	.....	25.0	117
1	1	11	3	2	2	2	1	6.0	5.7	6.3	.....	.....	.....	.....	7.1	10.3	10.5	7.7	118a
13		18		17		11													118b
4	.....	5	3	.....	.....	3	2	38.5	.....	55.6	.....	.....	.....	.....	.....	60.0	.....	66.7	119
.....	.....	3	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	120
8	.....	12	1	7	.....	10	.....	2.1	.....	3.7	.....	.....	.....	.....	.....	8.3	.....	.....	122
1	.....	3	1	3	.....	3	1	9.1	.....	33.3	.....	.....	.....	.....	.....	33.3	.....	33.3	123
6	1	6	3	11	2	16	6	22.2	12.0	31.0	.....	.....	.....	.....	1.7	50.0	18.2	37.5	124
.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	125
5	.....	3	.....	4	.....	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	126
2	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	127
310	14	376	82	272	14	329	55	10.2	4.2	15.2	2.1	1.0	2.2	1.7	4.5	21.8	5.1	16.7	
14	.....	40	3	20	1	43	.....	3.3	3.9	3.0	.....	.....	12.5	.....	.....	7.5	5.0	.....	128
271	13	286	52	219	9	226	25	8.0	4.0	11.6	2.7	1.1	1.5	2.3	4.8	18.2	4.1	11.1	129
6	1	27	22	12	3	28	17	48.3	13.3	66.1	.....	.....	.....	.....	16.7	81.5	25.0	60.7	131
1	.....	2	2	3	1	.....	.....	37.5	16.7	100.0	.....	.....	.....	.....	.....	100.0	33.3	.....	132
5	.....	10	3	2	.....	1	1	18.2	.....	28.6	.....	.....	.....	.....	.....	30.0	.....	100.0	133
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	134
13	.....	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	135
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	136
.....	.....	.....	.....	2	.....	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	137
.....	.....	.....	.....	5	.....	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	138
.....	.....	.....	.....	4	.....	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	139
.....	.....	.....	.....	1	.....	3	1	25.0	.....	33.3	.....	.....	.....	.....	.....	.....	.....	33.3	140
.....	.....	.....	.....	4	.....	13	11	57.9	.....	73.3	.....	.....	.....	.....	.....	.....	.....	84.6	141
.....	.....	.....	.....	148	20	250	52	14.5	10.2	17.4	.....	.....	.....	.....	.....	.....	13.5	20.8	
.....	.....	.....	.....	9	.....	11	2	7.7	.....	16.7	.....	.....	.....	.....	.....	.....	.....	18.2	143
.....	.....	.....	.....	20	3	23	3	11.5	12.5	10.7	.....	.....	.....	.....	.....	.....	15.0	13.0	144
.....	.....	.....	.....	26	13	60	37	53.2	44.8	56.9	.....	.....	.....	.....	.....	.....	50.0	61.7	145
.....	.....	.....	.....	30	3	67	6	6.9	6.8	6.9	.....	.....	.....	.....	.....	.....	10.0	9.0	146
.....	.....	.....	.....	2	.....	3	1	14.3	.....	33.3	.....	.....	.....	.....	.....	.....	.....	33.3	147
.....	.....	.....	.....	61	1	86	3	2.2	1.2	2.9	.....	.....	.....	.....	.....	.....	1.6	3.5	148
7	2	9	5	4	1	20	7	28.8	14.3	38.7	.....	.....	.....	.....	28.6	55.6	25.0	35.0	
1	.....	2	.....	2	1	6	.....	8.3	33.3	.....	.....	.....	.....	.....	.....	.....	50.0	.....	151
.....	.....	4	3	1	.....	1	1	50.0	.....	66.7	.....	.....	.....	.....	.....	75.0	.....	100.0	152
1	1	2	1	1	.....	6	3	29.4	11.1	50.0	.....	.....	.....	.....	100.0	50.0	.....	50.0	153
5	1	1	1	.....	.....	7	3	33.3	14.3	50.0	.....	.....	.....	.....	20.0	100.0	.....	42.9	154
4	1	5	1	2	1	1	.....	15.8	20.0	11.1	.....	.....	.....	.....	25.0	20.0	50.0	.....	
2	1	3	.....	1	.....	1	.....	8.3	20.0	.....	.....	.....	.....	.....	50.0	.....	.....	.....	155
2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	156
.....	.....	.....	.....	1	1	.....	.....	100.0	100.0	.....	.....	.....	.....	.....	.....	.....	100.0	.....	157
.....	.....	1	1	.....	.....	.....	.....	100.0	.....	100.0	.....	.....	.....	.....	.....	100.0	.....	.....	158
37	5	18	8	40	2	20	7	14.9	6.9	31.9	.....	.....	.....	.....	13.5	44.4	5.0	35.0	
2	5	8	8	7	2	8	7	14.9	6.9	31.9	.....	.....	.....	.....	13.5	44.4	5.0	35.0	159a
18		3		22		3													159b
17		7		11		9													159c
365	88	608	469	275	74	495	383	48.9	20.7	65.7	.....	1.8	.....	5.6	24.1	77.1	26.9	77.4	
50	9	82	61	40	11	77	54	37.7	19.4	45.0	.....	.....	.....	2.2	18.0	74.4	27.5	70.1	160
267	77	495	399	207	63	398	321	53.9	22.3	74.2	.....	4.8	.....	12.5	26.8	79.5	28.9	79.7	161a
20		7		11		5													161b
28	2	23	9	17	.....	15	8	16.1	3.9	25.4	.....	.....	.....	.....	7.1	39.1	.....	53.3	162
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	163

ALL DEATHS, AND DEATHS FROM EACH TABULATED CAUSE WHICH WAS NOT CERTIFIED, TOGETHER WITH CAROLINA:

Table CG—Continued.

Detailed International List No.	CAUSE OF DEATH.	SOUTH CAROLINA (TOTAL).						CITIES.							
				Causes of death for—				Causes of death for—							
				White.		Colored.		Males.				Females.			
								White.		Colored.		White.		Colored.	
		All deaths.	Causes of death not certified.	Total.	Not certified.	Total.	Not certified.	Total.	Not certified.	Total.	Not certified.	Total.	Not certified.	Total.	Not certified.
164	XIII.—Old age (senility)	456	348	127	64	329	284	3	.....	2	.....	6	.....	4	.....
	XIV.—External causes	1,269	304	588	79	681	225	106	1	102	1	36	.....	26	.....
	Suicide (total)	81	14	69	10	12	4	10	.....	.....	.....	3	.....	1	.....
165	By poisons (corrosives excepted)	3	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
166	By corrosive substances	10	2	9	2	1	.....	2	.....	.....	.....	1	.....	.....	.....
167	By poisonous gas	1	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
168	By hanging or strangulation	4	1	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
169	By drowning	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
170	By firearms	50	9	43	6	7	3	7	.....	.....	.....	1	.....	1	.....
171	By cutting or piercing instruments	8	1	6	1	2	.....	1	.....	.....	.....	.....	.....	.....	.....
172	By jumping from high places	2	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
173	By crushing	1	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
174	By other means	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Homicide (total)	292	57	95	14	197	43	26	1	45	.....	2	.....	10	.....
197	By firearms	244	49	80	12	164	37	21	1	37	.....	1	.....	5	.....
198	By cutting or piercing instruments	24	5	7	1	17	4	1	.....	6	.....	.....	.....	2	.....
199	By other means	24	3	8	1	16	2	4	.....	2	.....	1	.....	3	.....
	Accidental or undefined (total)	896	233	424	55	472	178	70	.....	57	1	31	.....	15	.....
175	Poisoning by food	17	1	11	1	6	.....	4	.....	.....	.....	1	.....	.....	.....
176	Poisoning by venomous animals	8	3	1	.....	7	3	.....	.....	.....	.....	.....	.....	.....	.....
177	Other acute poisonings (gas excepted)	30	9	11	.....	19	9	.....	.....	.....	.....	2	.....	1	.....
178	Conflagration	15	7	4	1	11	6	.....	.....	1	.....	.....	.....	.....	.....
179	Burns (conflagration excepted)	183	67	67	14	116	53	7	.....	5	1	7	.....	8	.....
180	Mechanical suffocation	29	14	14	5	15	9	.....	.....	.....	.....	.....	.....	1	.....
181	Absorption of irrespirable, irritating, or poisonous gas.	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
182	Drowning	90	38	44	12	46	26	8	.....	3	.....	.....	.....	2	.....
183	Traumatism by firearms (except in war)	88	22	29	7	59	15	2	.....	4	.....	1	.....	1	.....
184	Traumatism by cutting or piercing instruments.	7	.....	3	.....	4	.....	.....	.....	1	.....	2	.....	.....	.....
185	Traumatism by fall	87	15	58	3	29	12	12	.....	3	.....	8	.....	.....	.....
186b	Traumatism in quarries	1	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
187	Traumatism by machines	23	5	11	.....	12	5	3	.....	3	.....	.....	.....	.....	.....
188a	Railroad accidents	57		33		24		.....	.....	6	.....	1	.....	.....	.....
188b	Street-car accidents	2		2		.....		1	.....	.....	.....	.....	.....	.....	.....
188c	Automobile accidents	74		51		23		15	.....	10	.....	8	.....	.....	.....
188d	Aeroplane and balloon accidents	.....	20	.....	5	.....	15	.....	.....	.....	.....	.....	.....	.....	.....
188ef	Injuries by other vehicles	30		14		16		5	.....	2	.....	.....	.....	1	.....
188g	Landslide, other crushing	6		1		5		.....	.....	3	.....	.....	.....	.....	.....
189	Injuries by animals (not poisoning)	11	1	6	.....	5	1	2	.....	.....	.....	.....	.....	.....	.....
190	Wounds of war	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
192	Starvation (deprivation of food or water)	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
193	Excessive cold	2	2	.....	.....	2	2	.....	.....	.....	.....	.....	.....	.....	.....
194	Excessive heat	6	1	3	.....	3	1	2	.....	.....	.....	.....	.....	.....	.....
195	Lightning	26	10	8	.....	18	10	.....	.....	.....	.....	.....	.....	.....	.....
196	Other accidental electric shocks	12	2	7	.....	5	2	2	.....	1	.....	.....	.....	.....	.....
201	Fracture (cause not specified)	5	.....	2	.....	3	.....	1	.....	.....	.....	.....	.....	.....	.....
202	Other external violence	62	13	32	6	30	7	3	.....	11	.....	1	.....	.....	.....
203	Violent deaths of unknown causation	22	3	9	1	13	2	2	.....	3	.....	.....	.....	1	.....
	XV.—Ill-defined diseases	923	707	217	127	706	580	5	.....	8	2	.....	.....	8	2
204	Sudden death	21	10	9	3	12	7	.....	.....	.....	.....	.....	.....	.....	.....
205a	Ill-defined	691	697	144	124	547	573	2	.....	6	2	.....	.....	6	2
205b	Not specified or unknown	211		64		147		3	.....	2		.....	.....	2	

THE PER CENT THAT THE NOT CERTIFIED IS OF THE TOTAL DEATHS, BY SEX AND COLOR, FOR SOUTH 1921—Continued.

RURAL DISTRICTS.								PER CENT OF TOTAL DEATHS NOT CERTIFIED.										Detailed International List No.
Causes of death for—								South Carolina.			Cities.				Rural districts.			
Males.				Females.							Males.		Females.		Males.		Females.	
White.		Colored.		White.		Colored.		Total.	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.
Total.	Not certified.	Total.	Not certified.	Total.	Not certified.	Total.	Not certified.											
35	20	135	117	83	44	188	167	76.3	50.4	86.3	.....	.....	.....	.....	57.1	86.7	53.0	88.8
339	57	387	146	107	21	166	78	24.0	13.4	33.0	0.9	1.0	.....	.....	16.8	37.7	19.6	47.0
51	9	9	4	5	1	2	.....	17.3	14.5	33.3	.....	.....	.....	.....	17.6	44.4	20.0	.....
2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	2	.....	.....	.....	.....	1	.....	20.0	22.2	.....	.....	.....	.....	.....	33.3	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	1	.....	.....	.....	.....	.....	.....	25.0	25.0	.....	.....	.....	.....	.....	25.0	.....	.....	.....
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
31	5	6	3	4	1	.....	.....	18.0	14.0	42.9	.....	.....	.....	.....	16.1	50.0	25.0	.....
4	1	2	.....	1	.....	.....	.....	12.5	16.7	.....	.....	.....	.....	.....	25.0	.....	.....	.....
2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	1	1	.....	.....	.....	.....	100.0	.....	100.0	.....	.....	.....	.....	.....	100.0	.....	.....
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
60	13	111	29	7	.....	31	14	19.5	14.7	21.8	3.8	.....	.....	.....	21.7	26.1	.....	45.2
53	11	95	27	5	.....	27	10	20.1	15.0	22.6	4.8	.....	.....	.....	20.8	28.4	.....	37.0
4	1	6	1	2	.....	3	3	20.8	14.3	23.5	.....	.....	.....	.....	25.0	16.7	.....	100.0
3	1	10	1	.....	.....	1	1	12.5	12.5	12.5	.....	.....	.....	.....	33.3	10.0	.....	100.0
228	35	267	113	95	20	133	64	26.0	13.0	37.7	.....	1.8	.....	.....	15.4	42.3	21.1	48.1
3	.....	3	.....	3	1	3	.....	5.9	9.1	.....	.....	.....	.....	.....	.....	.....	33.3	.....
1	.....	3	.....	.....	.....	4	3	37.5	.....	42.9	.....	.....	.....	.....	.....	.....	.....	75.0
7	.....	11	7	2	.....	7	2	30.0	.....	47.4	.....	.....	.....	.....	.....	63.6	.....	28.6
1	1	2	1	3	.....	8	5	46.7	25.0	54.5	.....	.....	.....	.....	100.0	50.0	.....	62.5
18	5	41	17	35	9	62	35	36.6	20.9	45.7	.....	20.0	.....	.....	27.8	41.5	25.7	56.5
8	2	11	6	6	3	3	3	48.3	35.7	60.0	.....	.....	.....	.....	25.0	54.5	50.0	100.0
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
33	12	38	25	3	.....	3	1	42.2	27.3	56.5	.....	.....	.....	.....	36.4	65.8	.....	33.3
24	6	44	12	2	1	10	3	25.0	24.1	25.4	.....	.....	.....	.....	25.0	27.3	50.0	30.0
1	.....	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
17	1	19	9	21	2	7	3	17.2	5.2	41.4	.....	.....	.....	.....	5.9	47.4	9.5	42.9
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	.....	9	5	.....	.....	.....	.....	21.7	.....	41.7	.....	.....	.....	.....	.....	55.6	.....	.....
26		18		6		.....												
1		.....		.....		.....												
23	4	9	12	5	1	4	3	11.8	5.0	22.1	.....	.....	.....	.....	6.7	34.3	9.1	27.3
.....		.....		.....		.....												
9		6		.....		7												
1		2		.....		.....												
2	.....	4	1	2	.....	1	.....	9.1	.....	20.0	.....	.....	.....	.....	.....	25.0	.....	.....
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	1	1	.....	.....	1	1	100.0	.....	100.0	.....	.....	.....	.....	.....	100.0	.....	100.0
1	.....	3	1	.....	.....	.....	.....	16.7	.....	33.3	.....	.....	.....	.....	.....	33.3	.....	.....
8	.....	13	7	.....	.....	5	3	38.5	.....	55.6	.....	.....	.....	.....	.....	53.8	.....	60.0
5	.....	4	2	.....	.....	.....	.....	16.7	.....	40.0	.....	.....	.....	.....	.....	50.0	.....	.....
1	.....	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	4	16	6	4	2	3	1	21.0	18.8	23.3	.....	.....	.....	.....	16.7	37.5	50.0	33.3
4	.....	6	1	3	1	3	1	13.6	11.1	15.4	.....	.....	.....	.....	.....	16.7	33.3	33.3
121	71	336	281	91	56	354	295	76.6	58.5	82.2	.....	25.0	.....	25.0	58.7	83.6	61.5	83.3
6	3	4	2	3	.....	8	5	47.6	33.3	58.3	.....	.....	.....	.....	50.0	50.0	.....	62.5
79	68	266	279	63	56	269	290	77.3	59.6	82.6	.....	25.0	.....	25.0	59.1	84.0	63.6	83.8
36		66		25		77												

Detailed International List No.
164
165
166
167
168
169
170
171
172
173
174
197
198
199
175
176
177
178
179
180
181
182
183
184
185
186b
187
188a
188b
188c
188d
188e f
188g
189
190
192
193
194
195
196
201
202
203
204
205a
205b

ALL DEATHS, AND DEATHS FROM EACH TABULATED CAUSE WHICH WAS NOT CERTIFIED, TOGETHER WITH THE PER CENT THAT THE NOT CERTIFIED IS OF THE TOTAL DEATHS, BY SEX AND COLOR, FOR VERMONT: 1921.

Detailed International List No.	Table CH — CAUSE OF DEATH.	VERMONT (TOTAL).				RURAL DISTRICTS.				PER CENT OF TOTAL DEATHS NOT CERTIFIED.			
		All deaths.	Causes of death not certified.	Causes of death white—		Causes of death for white—				Vermont.		Rural districts—white.	
				Total.	Not certified.	Males.		Females.		Total.	White.	Males.	Females.
						Total.	Not certified.	Total.	Not certified				
	All causes [1]	4,999	9	4,992	9	2,164	3	2,086	6	0.2	0.2	0.1	0.3
11b	Influenza (other and unspecified)	28	1	28	1	11	1	15	.....	3.6	3.6	9.1	.....
74a	Cerebral hemorrhage	506	1	505	1	208	.....	246	1	0.2	0.2	.....	0.4
78	Epilepsy	16	1	16	1	7	.....	9	1	6.3	6.3	.....	11.1
90	Other diseases of the heart	793	1	792	1	378	.....	329	1	0.1	0.1	.....	0.3
101b	Pneumonia (unspecified)	48	1	47	1	13	.....	32	1	2.1	2.1	.....	3.1
29	Chronic nephritis (including unspecified 10 years and over)	350	1	350	1	153	.....	153	1	0.3	0.3	.....	0.7
164	Old age (senility)	82	2	82	2	40	1	33	1	2.4	2.4	2.5	3.0
170	Suicide (by firearms)	24	1	24	1	20	1	1	.....	4.2	4.2	5.0	.....

[1] Exclusive of stillbirths.

THE RELATION OF THE FOREIGN POPULATION TO THE MORTALITY RATES OF BOSTON.

In the vital statistics analyses for the census year 1900, published by the Bureau of the Census, appear many death rates by country of birth of mother of decedent. Since that time comparatively little has been published regarding death rates of the various race stocks which make up the white population of the United States. Some figures will be found in "Special Tables of Mortality from Influenza and Pneumonia" published in 1919, some in "Mortality Rates, 1910-1920," and some in a few papers published by statisticians outside the Government service. However, the subject is an important one, and it is now possible to present some comparative figures for Boston for the years 1900, 1910,[1] and 1920.

Death rates based on enumerated populations and on deaths (exclusive of nonresidents), for certain race stocks are presented below and in Table 3 of the Appendix. The crude rate in 1900 was 19.4 per 1,000 population against a rate of 15.4 in 1910 and a rate of 13.2 in 1920. As the colored population in Boston was only between 2 and 3 per cent of the total in any of the years considered, the slightly higher rates of this part of Boston's population were not important factors in raising Boston's death rates.

On the other hand, the population having mothers born in Ireland was 31 per cent of the total in 1900, 26 per cent in 1910, and 23 per cent in 1920, and as the rates of this part of Boston's population were considerably higher than the general rates, it is evident that the population having mothers born in Ireland must have contributed materially to Boston's comparatively high mortality rates. The crude rate of those having mothers born in Ireland was in 1900, 3.3 per 1,000 population higher than the general rate, in 1910 it was 4 higher and in 1920 it was 3 higher, and if a comparison is made of the rates of those having mothers born in the United States and of those having mothers born in Ireland, the latter class shows in 1900 and 1910 rates of 6 per 1,000 population higher, and in 1920 a rate 3.8 higher.

To quote some of the principal findings of earlier analyses:

In 1900 Boston residents of Italian mothers had for males under 5 years of age a mortality rate of 108 per 1,000 and for females a rate of 79, while those of mothers born in Germany had corresponding rates of 37 and 34. Again, for example, in the age period 30 to 34 years, the rates for those having mothers born in Ireland were 14 per 1,000 for males and for females 12 per 1,000—a rate for males seven times that of the Russians, three and one-half times that of the Italians or Scandinavians, and more than twice that of the English, Scotch, or natives, and a rate for females twice that of the Scandinavians, Scotch, Italians, or Russians, and three times that of the natives. If now the rates of those having mothers born in the United States be taken as standard, Boston's rate for 1900 would have been 14.7 instead of 19.4, and 59 per cent of the difference between these rates is accounted for by the high rates of those having mothers born in Ireland.

Data for 1910 showed that under 5 years of age the rate per 1,000 population had dropped from 64 in 1900 to 45 in 1910, the improvement being general, though the colored population and the Italians in 1910, as in 1900, had comparatively high rates for this age period. For age period 30 to 34 years, the rates for those having mothers born in Ireland were 13 per 1,000 for males and 8 per 1,000 for females—rates somewhat lower than in 1900, though still high compared with those of other nationalities. Taking the rates of those having mothers born in the United States as standard, Boston's rate for 1910 would have been 11.7 instead of 15.4, and 60 per cent of the difference between these rates is accounted for by the high rates of those having mothers born in Ireland. Thus the figures for 1900 and 1910 clearly indicate that the problem of securing a reasonably low death rate in Boston is closely linked with the problem of securing lower death rates for those having mothers born in Ireland.

In 1910, for both males and females, the rates for this part of the population were higher than the corresponding rates for aggregate whites in all the fourteen age periods from 5 to 74 years—in fact, averaging in these fourteen age periods for males 41 per cent higher than the rates of the aggregate white males and 111 per cent higher than the corresponding rates of those having mothers born in the United States, and for females averaging also 41 per cent higher than the rates of the aggregate white females and 119 per cent higher than the corresponding rates of those having mothers born in the United States. Although the rates of all nationalities declined between 1900 and 1910, the rates of those of mothers born in Ireland did not decline as much as some of the others.

But why such high rates for this particular race stock? Using 1910 rates of those having mothers born in the United States as standard, it was found

[1] The figures for 1900 and 1910 are taken from local compilations (See Bulletin of the American Academy of Medicine, February, 1913) and manuscript figures in the files of the Bureau of the Census.

NOTE.—Attention should be called to the fact that Boston's figures presented for this analysis are exclusive of nonresidents who died in Boston and of residents who died outside of Boston.

that for males at all ages among those of mothers born in Ireland, tuberculosis of the lungs accounted for 33 per cent of the excess deaths, for males aged 15 to 19 years, 58 per cent, and in the age period 25 to 29, for 63 per cent; and other important causes accounting for the excess deaths were external causes, pneumonia, organic diseases of the heart, alcoholism, cancer, Bright's disease, cerebral hemorrhage, and apoplexy. Among the females also tuberculosis of the lungs was a most important factor, causing 14 per cent of the excess deaths.

"Comparison of the cancer rates for 1900 and 1910 is especially interesting in view of the disputed question of cancer increase. Uncorrected for age distribution and using the census populations, the rate for 1900 was 76.7 per 100,000 population and for 1910, 86.5, or 13 per cent higher than in 1900. But in the decade under consideration Boston grew old, that is, the older age periods comprised a greater part of Boston's total population in 1910 than in 1900.

"Correcting, therefore, for this difference in age distribution by applying the 1900 cancer rates by age periods to the corresponding populations of 1910, it is found that the rate for 1910 would have been 82.7.

"The difference, therefore, between 82.7 and 86.5 represents the real increase in cancer mortality for the decade—an increase of 4.6 per cent.

"If the males and females be considered separately in the same way, the real increase for the males is found to be the difference between 61.3 and 66.7, an increase of 8.8 per cent, and for the females the difference between 103.2 and 105.6, an increase of 2.3 per cent. If those having mothers born in Ireland be considered in the same way the real increase for the males is found to be the difference between 80.9 and 92.6, an increase of 14.5 per cent, and for the females the difference between 120.3 and 147.5, an increase of 22.6 per cent."

All in all the effect of the foreign population on the Boston death rate was the same in 1910 as in 1900.

"Therefore, it is evident that these differences in the rates of various nationalities *were not* due to chance but to the actual differences in the people themselves, or in their occupations, or in their manner of living. Evidently tuberculosis is especially dangerous to those of Irish blood so that it would not seem amiss to urge that part of our population to safeguard itself in every way against this disease.

"Also other pulmonary diseases, as chronic bronchitis, bronchopneumonia, and pneumonia, together with cancer, cerebral hemorrhage, apoplexy, alcholism, organic diseases of the heart, and Bright's disease, exacted too high a toll of the Irish race stock."

So much for previous findings!

As Boston's really big problem is to lower the death rates of those of Irish descent further consideration will be limited to noting the progress made in that direction as indicated by 1920 figures. The upper line in each of the following diagrams represents the specific rates of those having mothers born in Ireland and the lower line the specific rates of those having mothers born in the United States. These lines are certainly nearer in 1920 than in either 1910 or 1900. However, if we regard the rates of those having mothers born in the United States as standard, the rates of those having mothers born in Ireland are still for the most part considerably too high though the improvement since 1900 is encouraging. Particularly encouraging are the declines in the rates from tuberculosis of the lungs (including miliary tuberculosis). The two lines for both sexes are very much nearer together in 1920 than in 1910 or 1900. So also for pneumonia (all forms) the two lines for both sexes are very much nearer together in 1920 than in 1910 or in 1900.

On the other hand if diagrams were made for cancer, organic diseases of the heart, and nephritis, no such marked approach of the two lines in 1920 would be found. Perhaps 1920 differences can best be pictured by noting that the number of deaths among those of mothers born in Ireland was 2,765, whereas the number would have been 894 less had the rates of those having mothers born in the United States prevailed. Some of the causes of these excess deaths and the numbers involved were as follows:

Organic diseases of the heart	242
Tuberculosis of the lungs	174
Cancer and other malignant tumors	104

In Boston as the years go by it is undoubtedly true that those designated as "having mothers born in the United States" contain a constantly growing proportion of persons of Irish descent. This in itself theoretically might partially account for the approach of the mortality lines. But this fact will hardly account for the more marked approach of these lines in the last decade than in the previous one.

More extended calculations of the differences by sex and age are presented in Table CL. Remembering that the population having mothers born in Ireland constituted 31 per cent of the total in 1900, 26 per cent in 1910, and 23 per cent in 1920, note the comparatively high percentages shown for this race stock for certain causes in Table CM.

Looking at the problem then in a broad way a mortality handicap still exists for this race stock, but the handicap is less than in 1910 and in 1900. The improvement is most encouraging, and leads to the hope that the handicap will grow less and less as environmental conditions become better.

BOSTON DEATH RATES FROM ALL CAUSES PER 1,000 WHITE POPULATION, AT SPECIFIED AGES, BY SEX, FOR THOSE OF MOTHERS BORN IN THE UNITED STATES, AND FOR THOSE OF MOTHERS BORN IN IRELAND: 1920, 1910, 1900.

Table CI

AGE.	MALES.						FEMALES.					
	Mother born in United States.			Mother born in Ireland.			Mother born in United States.			Mother born in Ireland.		
	1920	1910	1900	1920	1910	1900	1920	1910	1900	1920	1910	1900
All ages	12.9	14.5	17.1	15.4	20.1	23.7	11.9	12.4	16.4	16.8	18.8	21.9
Under 5 years	41.6	50.6	67.6	29.3	43.0	73.0	29.7	39.1	53.8	26.5	38.8	60.8
5 to 9 years	3.7	3.1	5.7	3.4	5.4	5.9	3.2	2.7	6.6	3.5	5.3	7.2
10 to 14 years	1.3	2.3	2.3	1.9	3.1	2.5	1.6	2.1	2.3	2.6	2.3	3.6
15 to 19 years	1.3	2.0	3.9	3.0	5.3	7.3	3.2	2.4	3.8	3.1	4.8	6.2
20 to 24 years	4.6	3.1	4.5	3.9	5.5	11.8	4.5	2.7	4.3	5.2	5.8	7.6
25 to 29 years	3.7	3.4	5.3	6.3	10.6	13.4	5.7	4.4	5.8	6.0	5.7	10.1
30 to 34 years	3.6	6.0	5.7	6.9	13.0	14.5	4.9	4.8	4.1	7.3	8.1	11.7
35 to 39 years	5.0	6.4	6.7	10.4	15.3	17.1	5.7	4.6	5.3	8.9	11.2	14.4
40 to 44 years	7.0	6.3	6.5	9.8	18.9	19.4	6.0	6.7	6.6	10.0	13.5	15.7
45 to 49 years	5.8	8.3	12.3	14.2	22.9	20.0	8.1	6.6	10.0	13.6	16.3	16.9
50 to 54 years	12.6	16.6	15.2	17.8	28.7	28.8	11.0	10.9	12.1	17.5	26.8	28.0
55 to 59 years	20.9	20.0	22.1	24.7	40.2	47.4	12.3	11.4	18.5	23.0	34.3	40.0
60 to 64 years	20.7	35.8	27.7	41.7	62.0	49.2	18.5	15.7	21.4	35.6	52.0	53.0
65 to 69 years	39.6	44.2	46.5	51.4	62.0	89.6	29.3	35.1	38.4	68.4	74.1	88.2
70 to 74 years	63.3	50.3	68.2	93.4	86.8	76.9	45.9	40.3	48.5	96.3	110.9	119.5
75 years and over	110.4	115.8	111.0	145.3	135.2	169.9	93.9	107.8	134.5	154.4	164.3	160.0

DIAGRAM 7.—BOSTON DEATH RATES FROM ALL CAUSES PER 1,000 WHITE POPULATION, AT SPECIFIED AGES, BY SEX, FOR THOSE OF MOTHERS BORN IN THE UNITED STATES, AND FOR THOSE OF MOTHERS BORN IN IRELAND: 1920, 1910, 1900.



BOSTON DEATH RATES FROM TUBERCULOSIS OF THE LUNGS PER 1,000 WHITE POPULATION, AT SPECIFIED AGES, BY SEX, FOR THOSE OF MOTHERS BORN IN THE UNITED STATES, AND FOR THOSE OF MOTHERS BORN IN IRELAND: 1920, 1910, 1900.

[Tuberculosis of the lungs includes acute miliary tuberculosis.]

Table CJ

AGE.	MALES.						FEMALES.					
	Mother born in United States.			Mother born in Ireland.			Mother born in United States.			Mother born in Ireland.		
	1920	1910	1900	1920	1910	1900	1920	1910	1900	1920	1910	1900
All ages	0.6	0.9	1.3	1.8	3.6	4.3	0.6	0.8	1.0	1.6	2.1	3.3
Under 5 years	0.4	0.6	0.9	.....	0.3	1 2	0.4	0.7	0.4	0.4	0.5	0.7
5 to 9 years	.....	.....	.....	.....	0.2	0.2	0.1	0.1	.....	0.2	0.2	0.7
10 to 14 years	.....	.....	0.3	.....	0.9	.....	0.1	0.2	0.1	0.5	0.8	0.6
15 to 19 years	0.5	1.0	1.0	0.7	3.1	3.7	0.6	0.7	1.8	1.8	1.9	3.3
20 to 24 years	1.1	1.6	2.0	1.1	2.0	6.1	1.1	1.2	1.7	2.5	2.5	3.0
25 to 29 years	1.2	0.9	2.5	2.5	5.4	6.5	0.8	2.3	2.5	1.5	2.8	5.4
30 to 34 years	0.4	2.0	1.6	2.4	5.6	5.5	0.7	0.8	0.8	2.4	2.6	4.2
35 to 39 years	0.8	1.0	0.9	3.2	5.4	5.7	0.5	1.0	0.9	2.6	3.6	4.5
40 to 44 years	1.4	1.9	1.0	3.0	5.2	5.5	1.1	0.9	1.4	1.9	3.0	4.8
45 to 49 years	0.9	0.2	2.4	2.7	5.0	4.6	0.4	0.4	0.4	1.5	1.3	2.7
50 to 54 years	1.1	1.2	2.3	2.7	5.2	4.9	0.6	0.5	0.5	1.3	3.2	4.0
55 to 59 years	1.2	0.3	1.4	2.3	3.4	3.2	.....	0.9	1.3	1.0	1.2	2.7
60 to 64 years	0.3	1.6	0.4	3.1	4.8	4.4	1.2	0.6	0.4	1.6	2.0	2.6
65 to 69 years	0.5	1.6	2.6	1.6	3.8	8.3	0.8	1.7	2.6	2.4	2.3	1.1
70 to 74 years	1.4	1.6	1.9	0.9	3.3	1.4	1.0	0.6	3.3	0.6	2.1	1.7
75 years and over	0.7	0.8	.....	2.2	1.4	5.3	.....	1.4	0.5	0.6	1.6	5.0

DIAGRAM 8.—BOSTON DEATH RATES FROM TUBERCULOSIS OF THE LUNGS PER 1,000 WHITE POPULATION, AT SPECIFIED AGES, BY SEX, FOR THOSE OF MOTHERS BORN IN THE UNITED STATES, AND FOR THOSE OF MOTHERS BORN IN IRELAND: 1920, 1910, 1900.



BOSTON DEATH RATES FROM PNEUMONIA (ALL FORMS) PER 1,000 WHITE POPULATION, AT SPECIFED AGES, BY SEX, FOR THOSE OF MOTHERS BORN IN THE UNITED STATES, AND FOR THOSE OF MOTHERS BORN IN IRELAND: 1920, 1910, 1900.

Table CK

AGE.	MALES.						FEMALES.					
	Mother born in United States.			Mother born in Ireland.			Mother born in United States.			Mother born in Ireland.		
	1920	1910	1900	1920	1910	1900	1920	1910	1900	1920	1910	1900
All ages	1.8	1.6	1.7	2.0	2.6	2.5	1.5	1.1	1.6	1.8	2.3	2.5
Under 5 years	6.4	6.3	6.4	4.7	6.7	6.6	4.8	5.0	5.0	3.5	5.0	6.3
5 to 9 years	0.4	0.2	----	0.2	0.3	0.2	0.3	0.3	0.5	0.4	0.8	0.5
10 to 14 years	0.1	----	0.4	0.2	0.2	0.4	0.1	----	----	----	----	0.4
15 to 19 years	----	----	0.6	0.8	0.3	0.6	0.2	----	----	0.2	0.3	0.2
20 to 24 years	0.5	0.1	0.2	0.8	0.6	1.4	0.8	0.4	0.4	0.8	1.0	0.2
25 to 29 years	0.8	0.5	0.6	0.6	1.3	1.3	0.6	----	0.4	0.7	0.2	0.9
30 to 34 years	1.2	0.3	0.7	1.1	2.3	1.5	0.7	0.3	0.3	0.7	0.2	1.6
35 to 39 years	0.7	1.5	1.4	1.1	2.5	1.5	0.8	0.2	0.4	1.3	0.5	1.4
40 to 44 years	1.1	0.7	0.2	0.8	2.8	2.2	0.6	----	1.0	1.2	1.1	2.0
45 to 49 years	0.2	0.9	1.9	1.9	3.2	2.8	1.3	0.4	1.6	0.9	1.8	2.0
50 to 54 years	2.3	2.6	1.5	1.9	2.6	3.6	1.5	0.5	0.7	1.5	4.8	3.4
55 to 59 years	2.0	1.6	2.1	3.0	6.8	5.2	0.6	0.3	1.9	2.3	3.0	5.4
60 to 64 years	1.0	4.7	4.3	4.4	8.8	5.8	2.1	1.3	1.4	2.4	6.7	9.1
65 to 69 years	6.7	2.6	4.5	7.6	7.5	14.9	1.7	3.9	3.6	6.0	12.0	12.3
70 to 74 years	7.0	2.4	7.7	10.1	6.6	8.4	4.9	3.9	5.3	13.7	20.5	13.8
75 years and over	9.7	13.9	7.7	21.5	11.0	12.3	10.4	10.2	19.1	18.4	20.5	17.1

DIAGRAM 9.—BOSTON DEATH RATES FROM PNEUMONIA (ALL FORMS) PER 1,000 WHITE POPULATION, AT SPECIFIED AGES, BY SEX, FOR THOSE OF MOTHERS BORN IN THE UNITED STATES, AND FOR THOSE OF MOTHERS BORN IN IRELAND: 1920, 1910, 1900.



ESTIMATED NUMBER OF EXCESS DEATHS OF THOSE HAVING MOTHERS BORN IN IRELAND (THE RATES OF THOSE HAVING MOTHERS BORN IN THE UNITED STATES TAKEN AS A STANDARD), BOSTON: 1920, 1910, AND 1900.

[Tuberculosis of the lungs includes acute miliary tuberculosis.]

Table CL

MALES.

AGE PERIOD.	Actual deaths of those having mothers born in Ireland.			Theoretical deaths of those having mothers born in Ireland (if the rates of those having mothers born in United States had prevailed).			Excess of actual deaths over theoretical deaths.			Principal causes of excess deaths, with number of such deaths due to each cause.		
	1920	1910	1900	1920	1910	1900	1920	1910	1900	1920	1910	1900
All ages	1,218	1,627	1,950	899	975	1,203	319	652	747	Organic diseases of the heart 91 Tuberculosis of the lungs 86 Cancer and other malignant tumors 80 External causes 28 Pneumonia 25 Influenza 22 Bright's disease 17 Bronchopneumonia 11	Tuberculosis of the lungs 215 External causes 92 Pneumonia 82 Organic diseases of the heart 44 Alcoholism (acute or chronic) 36 Cancer and other malignant tumors 32 Bright's disease 25 Cerebral hemorrhage, apoplexy 10	Tuberculosis of the lungs 259 Pneumonia 62 External causes 60 Organic diseases of the heart 56 Cancer and other malignant tumors 35 Chronic bronchitis 33 Cerebral hemorrhage, apoplexy 29 Alcoholism (acute or chronic) 28 Bright's disease 17 Diphtheria 16 Hernia, intestinal obstruction 15 Typhoid fever 14
15 to 19 years	18	31	37	7	12	20	11	19	17	Pneumonia 5	Tuberculosis of the lungs 11	Tuberculosis of the lungs 13 Typhoid fever 5
20 to 24 years	25	36	91	29	20	35	−4	16	56		External causes 5 Pneumonia 4 Alcoholism (acute or chronic) 3	Tuberculosis of the lungs 32 Pneumonia 8 Organic diseases of the heart 5 External causes 3
25 to 29 years	43	76	139	25	24	54	18	52	85	Tuberculosis of the lungs 9 Other diseases of the nervous system 3	Tuberculosis of the lungs 33 External causes 11 Pneumonia 5	Tuberculosis of the lungs 41 External causes 10 Pneumonia 7 Alcoholism (acute or chronic) 5 Organic diseases of the heart 5 Cerebral hemorrhage, apoplexy 3
30 to 34 years	44	98	141	23	45	55	21	53	86	Tuberculosis of the lungs 13 Cancer and other malignant tumors 5	Tuberculosis of the lungs 27 Pneumonia 15 External causes 13 Typhoid fever 3	Tuberculosis of the lungs 40 Alcoholism (acute or chronic) 11 Pneumonia 8 External causes 6 Organic diseases of the heart 4 Diarrhea and enteritis 4
35 to 39 years	69	128	151	33	54	59	36	74	92	Tuberculosis of the lungs 16 Influenza 9 External causes 4 Pneumonia 3	Tuberculosis of the lungs 36 Pneumonia 11 External causes 9 Alcoholism (acute or chronic) 6 Organic diseases of the heart 3 Bright's disease 3 Typhoid fever 3	Tuberculosis of the lungs 41 Organic diseases of the heart 7 Bright's disease 5 Alcoholism (acute or chronic) 5 Diseases of the arteries, atheroma, aneurism, etc 4
40 to 44 years	63	142	124	45	48	41	18	94	83	Tuberculosis of the lungs 10 External causes 6 Influenza 5 Syphilis 4 Organic diseases of the heart 4 Cancer and other malignant tumors 3	Tuberculosis of the lungs 25 Pneumonia 14 External causes 8 Organic diseases of the heart 8 Cancer and other malignant tumors 6 Alcoholism (acute or chronic) 6 Bright's disease 6 Diseases of the bones (tuberculosis excepted) 3	Tuberculosis of the lungs 26 Pneumonia 12 External causes 12 Cancer and other malignant tumors 4 Not specified or ill-defined 3
45 to 49 years	105	143	92	43	52	57	62	91	35	Tuberculosis of the lungs 13 Pneumonia 12 Cancer and other malignant tumors 10 Organic diseases of the heart 8 External causes 7 Influenza 4 Hernia, intestinal obstruction 4 Ulcer of the stomach 3	Tuberculosis of the lungs 30 External causes 18 Pneumonia 15 Cancer and other malignant tumors 7 Cirrhosis of the liver 5 Alcoholism (acute or chronic) 3	Tuberculosis of the lungs 10 Cancer and other malignant tumors 5 Chronic bronchitis 3 Pneumonia 3 Other diseases of the stomach (cancer excepted) 3 External causes 3
50 to 54 years	112	132	112	79	76	59	33	56	53	Tuberculosis of the lungs 10 Cancer and other malignant tumors 9 External causes 6 Bright's disease 5 Influenza 4 Diabetes 4 Organic diseases of the heart 3	Tuberculosis of the lungs 18 External causes 12 Bright's disease 8 Alcoholism (acute or chronic) 5 Cerebral hemorrhage, apoplexy 4	Tuberculosis of the lungs 10 Pneumonia 8 Cancer and other malignant tumors 6 Chronic bronchitis 5 External causes 5 Hernia, intestinal obstruction 4 Organic diseases of the heart 3 Angina pectoris 3

ESTIMATED NUMBER OF EXCESS DEATHS OF THOSE HAVING MOTHERS BORN IN IRELAND (THE RATES OF THOSE HAVING MOTHERS BORN IN THE UNITED STATES TAKEN AS A STANDARD), BOSTON: 1920, 1910, AND 1900—Continued.

[Tuberculosis of the lungs includes acute miliary tuberculosis.]

Table CL—Con.

MALES—continued.

AGE PERIOD.	Actual deaths of those having mothers born in Ireland.			Theoretical deaths of those having mothers born in Ireland (if the rates of those having mothers born in United States had prevailed).			Excess of actual deaths over theoretical deaths.			Principal causes of excess deaths, with number of such deaths due to each cause.		
	1920	1910	1900	1920	1910	1900	1920	1910	1900	1920	1910	1900
55 to 59 years	108	118	119	91	59	55	17	59	64	Cancer and other malignant tumors 17 Organic diseases of the heart 12 Tuberculosis of the lungs 5 Bronchopneumonia 5 Diarrhea and enteritis 3 Cirrhosis of the liver 3	Pneumonia 14 Organic diseases of the heart 10 Tuberculosis of the lungs 9 Cancer and other malignant tumors 8 Bright's disease 7 Diseases of the arteries, atheroma, aneurism, etc 4 External causes 4 Acute nephritis 3	Pneumonia 8 Cerebral hemorrhage, apoplexy 8 Bright's disease 7 Chronic bronchitis 5 Cancer and other malignant tumors 4 Alcoholism (acute or chronic) 3 Angina pectoris 3 Hernia, intestinal obstruction 3 External causes 3
60 to 64 years	134	141	101	66	81	57	68	60	44	Organic diseases of the heart 19 Cancer and other malignant tumors 18 Tuberculosis of the lungs 9 Pneumonia 6 Cerebral hemorrhage, apoplexy 5 Bronchopneumonia 5 Bright's disease 3 Diseases of the prostate 3	Organic diseases of the heart 16 Tuberculosis of the lungs 7 Cancer and other malignant tumors 6 Pneumonia 6 Cerebral hemorrhage, apoplexy 5 Bright's disease 5 Bronchopneumonia 3 Cirrhosis of the liver 3	Tuberculosis of the lungs 8 Cancer and other malignant tumors 5 Cerebral hemorrhage, apoplexy 5 Organic diseases of the heart 5 External causes 4 Bright's disease 3
65 to 69 years	95	99	108	73	71	56	22	28	52	Organic diseases of the heart 15 Bright's disease 5 Cancer and other malignant tumors 4 Anemia, chlorosis 3 Bronchopneumonia 3	Cancer and other malignant tumors 8 Pneumonia 5 Bronchopneumonia 3 Tuberculosis of the lungs 3	Organic diseases of the heart 11 Pneumonia 10 Tuberculosis of the lungs 7 Chronic bronchitis 5 Cerebral hemorrhage, apoplexy 3 Diarrhea and enteritis 3

FEMALES.

All ages	1,547	1,745	2,017	972	922	1,197	575	823	820	Organic diseases of the heart 151 Tuberculosis of the lungs 88 Cerebral hemorrhage, apoplexy 67 Pneumonia 41 Bright's disease 40 Influenza 32 Cancer and other malignant tumors 24 Diseases of the arteries, atheroma, aneurism, etc 22 Diabetes 18 Hernia, intestinal obstruction 13 External causes 12 Syphilis 8 Bronchopneumonia 8	Organic diseases of the heart 181 Tuberculosis of the lungs 119 Pneumonia 69 Cerebral hemorrhage, apoplexy 65 Bright's disease 63 Cancer and other malignant tumors 49 Bronchopneumonia 33 Diabetes 17 Hernia, intestinal obstruction 14 External causes 13 Influenza 13 Diseases of the arteries, atheroma, aneurism, etc 10 Cirrhosis of the liver 9 Chronic bronchitis 7 Alcoholism (acute or chronic) 7	Tuberculosis of the lungs 221 Organic diseases of the heart 109 Pneumonia 93 Bright's disease 45 Chronic bronchitis 36 Old age 32 Cerebral hemorrhage, apoplexy 26 Cancer and other malignant tumors 24 External causes 23 Diarrhea and enteritis (under 2 years) 18 Diarrhea and enteritis (over 2 years) 15 Cirrhosis of the liver 15 Hernia, intestinal obstruction 14 Bronchopneumonia 13 Alcoholism (acute or chronic) 11
15 to 19 years	19	31	37	20	16	23	−1	15	14	Tuberculosis of the lungs 7	Tuberculosis of the lungs 8 Organic diseases of the heart 7	Tuberculosis of the lungs 7
20 to 24 years	39	47	80	34	22	46	5	25	34	Tuberculosis of the lungs 11	Tuberculosis of the lungs 10 Organic diseases of the heart 8 Pneumonia 5	Tuberculosis of the lungs 14 Organic diseases of the heart 3
25 to 29 years	51	52	124	48	41	71	3	11	53	Tuberculosis of the lungs 6	Tuberculosis of the lungs 6 Alcoholism (acute or chronic) 3	Tuberculosis of the lungs 36 Organic diseases of the heart 4 Pneumonia 4
30 to 34 years	56	76	118	37	45	41	19	31	77	Tuberculosis of the lungs 12 Cancer and other malignant tumors 3	Tuberculosis of the lungs 16 Organic diseases of the heart 9 Cancer and other malignant tumors 5 Bright's disease 4	Tuberculosis of the lungs 34 Pneumonia 12 Puerperal septicemia 5 Alcoholism (acute or chronic) 5 Organic diseases of the heart 4
35 to 39 years	75	112	129	48	46	47	27	66	82	Tuberculosis of the lungs 18 Bright's disease 3	Tuberculosis of the lungs 24 Bright's disease 6 Diarrhea and enteritis 4 Pneumonia 3 Cancer and other malignant tumors 3 Puerperal albuminuria and convulsions 3	Tuberculosis of the lungs 31 Organic diseases of the heart 11 Bright's disease 10 Pneumonia 9 Cancer and other malignant tumors 5
40 to 44 years	84	112	101	51	55	42	33	57	59	Cancer and other malignant tumors 10 Tuberculosis of the lungs 7 Organic diseases of the heart 3 Bronchopneumonia 3 Puerperal hemorrhage 3	Tuberculosis of the lungs 16 Cerebral hemorrhage, apoplexy 7 Pneumonia 7 Organic diseases of the heart 6 Cirrhosis of the liver 3	Tuberculosis of the lungs 23 Organic diseases of the heart 11 Bright's disease 4 Pneumonia 3

ESTIMATED NUMBER OF EXCESS DEATHS OF THOSE HAVING MOTHERS BORN IN IRELAND (THE RATES OF THOSE HAVING MOTHERS BORN IN THE UNITED STATES TAKEN AS A STANDARD), BOSTON: 1920, 1910, AND 1900—Continued.

[Tuberculosis of the lungs includes acute miliary tuberculosis.]

Table CL—Con. FEMALES—continued.

AGE PERIOD.	Actual deaths of those having mothers born in Ireland.			Theoretical deaths of those having mothers born in Ireland (if the rates of those having mothers born in United States had prevailed).			Excess of actual deaths over theoretical deaths.			Principal causes of excess deaths, with number of such deaths due to each cause.		
	1920	1910	1900	1920	1910	1900	1920	1910	1900	1920	1910	1900
45 to 49 years....	115	110	86	68	45	51	47	65	35	Tuberculosis of the lungs... 10 Organic diseases of the heart 10 Cancer and other malignant tumors... 8 Hernia, intestinal obstruction... 4 Influenza... 3 Syphilis... 3 Diabetes... 3 Biliary calculi... 3 Pneumonia... 3	Organic diseases of the heart 20 Cerebral hemorrhage, apoplexy... 9 Cancer and other malignant tumors... 8 Pneumonia... 7 Bright's disease... 6 Tuberculosis of the lungs... 4 Cirrhosis of the liver... 3	Tuberculosis of the lungs... 11 Organic diseases of the heart 8
50 to 54 years....	125	135	125	79	55	54	46	80	71	Organic diseases of the heart 14 Cancer and other malignant tumors... 8 Influenza... 6 Tuberculosis of the lungs... 4 Diabetes... 4 External causes... 4	Pneumonia... 16 Tuberculosis of the lungs... 13 Organic diseases of the heart 12 Bright's disease... 8 Bronchopneumonia... 5 External causes... 5	Tuberculosis of the lungs... 15 Pneumonia... 12 Organic diseases of the heart 10 Cerebral hemorrhage, apoplexy... 9 Chronic bronchitis... 5 Bright's disease... 3
55 to 59 years....	118	115	119	63	38	55	55	77	64	Organic diseases of the heart 12 Pneumonia... 8 Tuberculosis of the lungs... 5 Diabetes... 4 Hernia, intestinal obstruction... 4 External causes... 4 Anemia, chlorosis... 3	Cancer and other malignant tumors... 15 Organic diseases of the heart 14 Cerebral hemorrhage, apoplexy... 13 Bright's disease... 11 Pneumonia... 6 Bronchopneumonia... 3	Pneumonia... 9 Cerebral hemorrhage, apoplexy... 7 Organic diseases of the heart 7 Tuberculosis of the lungs... 4 Chronic bronchitis... 4 Cirrhosis of the liver... 4 Bright's disease... 4 External causes... 4
60 to 64 years....	136	156	145	71	47	59	65	109	86	Organic diseases of the heart 21 Cerebral hemorrhage, apoplexy... 12 Bright's disease... 5 Cancer and other malignant tumors... 4 Diabetes... 4 Pneumonia... 4 External causes... 4 Hernia, intestinal obstruction... 3	Organic diseases of the heart 29 Cerebral hemorrhage, apoplexy... 15 Cancer and other malignant tumors... 10 Pneumonia... 10 Diabetes... 8 Bronchopneumonia... 6 Bright's disease... 6 Tuberculosis of the lungs... 4 Diarrhea and enteritis... 3 Hernia, intestinal obstruction... 3	Pneumonia... 17 Cerebral hemorrhage, apoplexy... 13 Bright's disease... 8 Tuberculosis of the lungs... 6 Organic diseases of the heart 6 Influenza... 6
65 to 69 years....	170	161	158	73	76	69	97	85	89	Organic diseases of the heart 28 Cerebral hemorrhage, apoplexy... 25 Bright's disease... 12 Pneumonia... 7 Influenza... 5 Tuberculosis of the lungs... 4 Bronchopneumonia... 4 Chronic bronchitis... 3	Organic diseases of the heart 25 Cerebral hemorrhage, apoplexy... 16 Bronchopneumonia... 9 Pneumonia... 8 External causes... 6 Bright's disease... 5 Influenza... 3 Diseases of the arteries, atheroma, aneurism, etc... 3	Organic diseases of the heart 11 Chronic bronchitis... 10 Pneumonia... 9 Cerebral hemorrhage, apoplexy... 8 Old age... 8 External causes... 7 Bronchopneumonia... 6 Hernia, intestinal obstruction... 6 Bright's disease... 5 Diarrhea and enteritis... 5 Cancer and other malignant tumors... 4

BOSTON DEATHS FROM CERTAIN SPECIFIED CAUSES, 1920, 1910, AND 1900, WITH PERCENTAGES OF SUCH DEATHS AMONG THE POPULATION OF IRISH MOTHER NATIVITY.

[Excluding nonresidents.]

Table CM

CAUSE OF DEATH.	TOTAL DEATHS.			DEATHS AND PERCENTAGES OF TOTAL DEATHS FROM EACH CAUSE FOR THOSE HAVING MOTHERS BORN IN IRELAND.					
				1920		1910		1900	
	1920	1910	1900	Number.	Per cent.	Number.	Per cent.	Number.	Per cent.
All causes	9,859	10,294	10,880	2,765	28.0	3,377	32.8	3,969	36.5
Tuberculosis of the lungs (28, 29)	760	1,081	1,345	292	38.4	490	45.0	653	49.0
Organic diseases of the heart and acute nephritis and Bright's disease (79, 119, 120)	2,003	1,842	1,353	686	34.2	717	39.0	554	41.0
Pneumonia (all forms) (91, 92)	1,335	1,287	1,154	319	23.9	423	33.0	430	37.0
External causes (155–186)	538	591	470	132	24.5	190	32.0	156	33.0
Cancer and other malignant tumors (39–45)	778	580	430	275	35.3	212	37.0	151	35.0
Cerebral hemorrhage, apoplexy (64)	606	523	424	202	33.3	195	37.0	167	39.0
Chronic bronchitis (90)	37	34	115	16	43.2	17	50.0	79	69.0
Alcoholism (acute or chronic) (56)	16	128	68	3	18.7	60	47.0	44	65.0

NOTE.—The numbers in parentheses after causes of death are those of the 1909 revision of the detailed International List of Causes of Death.

SUMMARY AND RATE TABLES

SUMMARY AND RATE TABLES.

TABLE I A.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 ESTIMATED POPULATION, IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY CITIES AND RURAL DISTRICTS: 1921.

[The populations are estimated by the arithmetical method, based on the censuses of 1910 and 1920. The rates are based on total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Rates in *italics* are based on less than 5 deaths. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920; the remainder of the state is included in "rural districts."]

AREA.	POPULATION.		DEATHS: 1921.	
	Census of Jan. 1, 1920.	Estimated as of July 1, 1921.	Number.	Rate per 1,000 estimated population.
SUMMARY.				
The registration area (exclusive of Hawaii) (total)	86,897,779	88,667,602	1,032,009	11.6
White	79,403,123	81,083,935	910,573	11.2
Colored	7,494,656	7,583,667	121,436	16.0
Registration states [1] (total)	85,473,571	87,183,738	1,009,673	11.6
White	78,332,501	79,962,706	895,593	11.2
Colored	7,141,070	7,221,032	114,080	15.8
Cities in registration states [1] (total)	41,303,067	42,610,935	523,981	12.3
White	38,941,881	40,153,515	475,465	11.8
Colored	2,361,186	2,457,420	48,516	19.7
Rural part of registration states (total)	44,170,504	44,572,803	485,692	10.9
White	39,390,620	39,809,191	420,128	10.6
Colored	4,779,884	4,763,612	65,564	13.8
Registration cities in nonregistration states [2] (total)	1,424,208	1,483,864	22,336	15.1
White	1,070,622	1,121,229	14,980	13.4
Colored	353,586	362,635	7,356	20.3
All registration cities [1] (total)	42,727,275	44,094,799	546,317	12.4
White	40,012,503	41,274,744	490,445	11.9
Colored	2,714,772	2,820,055	55,872	19.8
REGISTRATION STATES.				
CALIFORNIA.				
Total	3,426,861	3,588,986	47,377	13.2
White	3,264,711	3,419,997	44,650	13.1
Colored	162,150	168,989	2,727	16.1
Cities (total)	1,957,108	2,058,944	27,781	13.5
White	1,875,999	1,974,385	26,184	13.3
Colored	81,109	84,559	1,597	18.9
Rural districts (total)	1,469,753	1,530,042	19,596	12.8
White	1,388,712	1,445,612	18,466	12.8
Colored	81,041	84,430	1,130	13.4
COLORADO.				
Total	939,629	961,353	11,878	12.4
White	924,103	945,841	11,498	12.2
Colored	15,526	15,512	380	24.5
Cities (total)	362,516	369,553	5,505	14.9
White	352,813	359,825	5,275	14.7
Colored	9,703	9,728	230	23.6
Rural districts (total)	577,113	591,800	6,373	10.8
White	571,290	586,016	6,223	10.6
Colored	5,823	5,784	150	25.9
CONNECTICUT.				
Total	1,380,631	1,421,710	16,167	11.4
White	1,358,732	1,398,879	15,743	11.3
Colored	21,899	22,831	424	18.6
Cities (total)	1,034,703	1,070,278	12,119	11.3
White	1,016,462	1,051,111	11,764	11.2
Colored	18,241	19,167	355	18.5
Rural districts (total)	345,928	351,432	4,048	11.5
White	342,270	347,768	3,979	11.4
Colored	3,658	3,664	69	18.8
DELAWARE.				
Total	223,003	226,199	2,970	13.1
White	192,615	195,939	2,375	12.1
Colored	30,388	30,260	595	19.7
Cities (total)	110,168	113,408	1,361	12.0
White	99,382	102,363	1,166	11.4
Colored	10,786	11,045	195	17.7
Rural districts (total)	112,835	112,791	1,609	14.3
White	93,233	93,576	1,209	12.9
Colored	19,602	19,215	400	20.8
REGISTRATION STATES—Continued.				
FLORIDA.				
Total	968,470	1,001,820	11,774	11.8
White	638,153	668,208	7,022	10.5
Colored	330,317	333,612	4,752	14.2
Cities (total)	236,758	253,149	3,624	14.3
White	157,401	170,325	2,029	11.9
Colored	79,357	82,824	1,595	19.3
Rural districts (total)	731,712	748,671	8,150	10.9
White	480,752	497,883	4,993	10.0
Colored	250,960	250,788	3,157	12.6
ILLINOIS.				
Total	6,485,280	6,616,099	73,424	11.1
White	6,299,333	6,418,669	69,867	10.9
Colored	185,947	197,430	3,557	18.0
Cities (total)	3,808,158	3,924,851	45,051	11.5
White	3,656,052	3,761,207	42,260	11.2
Colored	152,106	163,644	2,791	17.1
Rural districts (total)	2,677,122	2,691,248	28,373	10.5
White	2,643,281	2,657,462	27,607	10.4
Colored	33,841	33,786	766	22.7
INDIANA.				
Total	2,930,390	2,965,851	35,220	11.9
White	2,849,071	2,881,381	33,685	11.7
Colored	81,319	84,470	1,535	18.2
Cities (total)	1,171,825	1,215,484	14,576	12.0
White	1,104,630	1,144,226	13,340	11.7
Colored	67,195	71,258	1,236	17.3
Rural districts (total)	1,758,565	1,750,367	20,644	11.8
White	1,744,441	1,737,155	20,345	11.7
Colored	14,124	13,212	299	22.6
KANSAS.				
Total	1,769,257	1,781,356	18,106	10.2
White	1,708,906	1,720,426	17,051	9.9
Colored	60,351	60,930	1,055	17.3
Cities (total)	417,749	429,185	5,332	12.4
White	381,453	392,126	4,677	11.9
Colored	36,296	37,059	655	17.7
Rural districts (total)	1,351,508	1,352,171	12,774	9.4
White	1,327,453	1,328,300	12,374	9.3
Colored	24,055	23,871	400	16.8
KENTUCKY.				
Total	2,416,630	2,436,210	25,669	10.5
White	2,180,560	2,204,140	21,512	9.8
Colored	236,070	232,070	4,157	17.9
Cities (total)	431,920	444,962	6,411	14.4
White	363,532	376,316	4,951	13.2
Colored	68,388	68,646	1,460	21.3
Rural districts (total)	1,984,710	1,991,248	19,258	9.7
White	1,817,028	1,827,824	16,561	9.1
Colored	167,682	163,424	2,697	16.5
LOUISIANA.				
Total	1,798,509	1,820,467	20,103	11.0
White	1,096,611	1,120,640	10,355	9.2
Colored	701,898	699,827	9,748	13.9
Cities (total)	496,148	508,590	8,660	17.0
White	350,886	360,585	5,094	14.1
Colored	145,262	148,005	3,566	24.1
Rural districts (total)	1,302,361	1,311,877	11,443	8.7
White	745,725	760,055	5,261	6.9
Colored	556,636	551,822	6,182	11.2

[1] Includes District of Columbia.

[2] A list of these cities may be found on p. 9.

TABLE I A.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 ESTIMATED POPULATION, IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY CITIES AND RURAL DISTRICTS: 1921—Continued.

[See note at head of this table, p. 120.]

AREA.	POPULATION.		DEATHS: 1921.	
	Census of Jan. 1, 1920.	Estimated as of July 1, 1921.	Number.	Rate per 1,000 estimated population.
REGISTRATION STATES—Continued.				
MAINE.				
Total	768,014	771,976	10,815	14.0
White	765,695	769,666	10,789	14.0
Colored	2,319	2,310	26	11.3
Cities (total)	214,921	219,563	3,249	14.8
White	214,079	218,707	3,240	14.8
Colored	842	856	9	10.5
Rural districts (total)	553,093	552,413	7,566	13.7
White	551,616	550,959	7,549	13.7
Colored	1,477	1,454	17	11.7
MARYLAND.				
Total	1,449,661	1,473,504	19,980	13.6
White	1,204,737	1,226,692	15,135	12.3
Colored	244,924	246,812	4,845	19.6
Cities (total)	814,007	833,521	11,513	13.8
White	698,163	715,358	9,084	12.7
Colored	115,844	118,163	2,429	20.6
Rural districts (total)	635,654	639,983	8,467	13.2
White	506,574	511,334	6,051	11.8
Colored	129,080	128,649	2,416	18.8
MASSACHUSETTS.				
Total	3,852,356	3,927,436	47,787	12.2
White	3,803,524	3,877,470	46,899	12.1
Colored	48,832	49,966	888	17.8
Cities (total)	3,144,077	3,211,057	38,526	12.0
White	3,100,946	3,166,676	37,767	11.9
Colored	43,131	44,381	759	17.1
Rural districts (total)	708,279	716,379	9,261	12.9
White	702,578	710,794	9,132	12.8
Colored	5,701	5,585	129	23.1
MICHIGAN.				
Total	3,668,412	3,801,016	44,132	11.6
White	3,601,627	3,727,762	42,836	11.5
Colored	66,785	73,254	1,296	17.7
Cities (total)	1,894,612	2,030,342	21,885	10.8
White	1,840,790	1,969,850	20,941	10.6
Colored	53,822	60,492	944	15.6
Rural districts (total)	1,773,800	1,770,674	22,247	12.6
White	1,760,837	1,757,912	21,895	12.5
Colored	12,963	12,762	352	27.6
MINNESOTA.				
Total	2,387,125	2,435,241	22,806	9.4
White	2,368,936	2,416,788	22,533	9.3
Colored	18,189	18,453	273	14.8
Cities (total)	825,722	848,307	9,793	11.5
White	817,138	839,417	9,654	11.5
Colored	8,584	8,890	139	15.6
Rural districts (total)	1,561,403	1,586,934	13,013	8.2
White	1,551,798	1,577,371	12,879	8.2
Colored	9,605	9,563	134	14.0
MISSISSIPPI.				
Total	1,790,618	[1] 1,790,618	19,950	11.1
White	853,962	853,962	7,325	8.6
Colored	936,656	936,656	12,625	13.5
Cities (total)	136,201	138,310	2,991	21.6
White	77,832	79,781	1,178	14.8
Colored	58,369	58,529	1,813	31.0
Rural districts (total)	1,654,417	1,652,308	16,959	10.3
White	776,130	774,181	6,147	7.9
Colored	878,287	878,127	10,812	12.3
REGISTRATION STATES—Continued.				
MISSOURI.				
Total	3,404,055	3,421,162	37,071	10.8
White	3,225,044	3,238,966	33,661	10.4
Colored	179,011	182,196	3,410	18.7
Cities (total)	1,354,925	1,382,474	18,126	13.1
White	1,236,420	1,259,042	15,763	12.5
Colored	118,505	123,432	2,363	19.1
Rural districts (total)	2,049,130	2,038,688	18,945	9.3
White	1,988,624	1,979,924	17,898	9.0
Colored	60,506	58,764	1,047	17.8
MONTANA.				
Total	548,889	575,593	4,693	8.2
White	534,260	561,094	4,382	7.8
Colored	14,629	14,499	311	21.4
Cities (total)	117,205	120,034	1,426	11.9
White	115,626	118,548	1,383	11.7
Colored	1,579	1,486	43	28.9
Rural districts (total)	431,684	455,559	3,267	7.2
White	418,634	442,546	2,999	6.8
Colored	13,050	13,013	268	20.6
NEBRASKA.				
Total	1,296,372	1,312,465	12,017	9.2
White	1,279,219	1,294,503	11,702	9.0
Colored	17,153	17,962	315	17.5
Cities (total)	282,609	291,422	3,815	13.1
White	270,648	278,617	3,617	13.0
Colored	11,961	12,805	198	15.5
Rural districts (total)	1,013,763	1,021,043	8,202	8.0
White	1,008,571	1,015,886	8,085	8.0
Colored	5,192	5,157	117	22.7
NEW HAMPSHIRE.				
Total	443,083	445,016	6,102	13.7
White	442,331	444,250	6,094	13.7
Colored	752	766	8	10.4
Cities (total)	193,739	196,770	2,648	13.5
White	193,304	196,318	2,644	13.5
Colored	435	452	4	8.8
Rural districts (total)	249,344	248,246	3,454	13.9
White	249,027	247,932	3,450	13.9
Colored	317	314	4	12.7
NEW JERSEY.				
Total	3,155,900	3,251,499	37,928	11.7
White	3,037,087	3,128,430	35,593	11.4
Colored	118,813	123,069	2,335	19.0
Cities (total)	2,070,129	2,127,470	24,550	11.5
White	1,990,595	2,044,524	22,966	11.2
Colored	79,534	82,946	1,584	19.1
Rural districts (total)	1,085,771	1,124,029	13,378	11.9
White	1,046,492	1,083,906	12,627	11.6
Colored	39,279	40,123	751	18.7
NEW YORK.				
Total	10,385,227	10,581,700	130,394	12.3
White	10,172,027	10,358,234	126,419	12.2
Colored	213,200	223,466	3,975	17.8
Cities (total)	8,103,046	8,298,710	97,781	11.8
White	7,915,035	8,100,120	94,266	11.6
Colored	188,011	198,590	3,515	17.7
Rural districts (total)	2,282,181	2,282,990	32,613	14.3
White	2,256,992	2,258,114	32,153	14.2
Colored	25,189	24,876	460	18.5

[1] Population Jan. 1, 1920; decrease since 1910; no estimate made.

TABLE I A.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 ESTIMATED POPULATION, IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY CITIES AND RURAL DISTRICTS: 1921—Continued.

[See note at head of this table, p. 120.]

AREA.	POPULATION.		DEATHS: 1921.	
	Census of Jan. 1, 1920.	Estimated as of July 1, 1921.	Number.	Rate per 1,000 estimated population.
REGISTRATION STATES—Continued.				
NORTH CAROLINA.				
Total	2,559,123	2,613,639	29,454	11.3
White	1,783,779	1,827,545	18,100	9.9
Colored	775,344	786,094	11,354	14.4
Cities (total)	310,512	327,093	5,160	15.8
White	202,042	213,709	2,862	13.4
Colored	108,470	113,384	2,298	20.3
Rural districts (total)	2,248,611	2,286,546	24,294	10.6
White	1,581,737	1,613,836	15,238	9.4
Colored	666,874	672,710	9,056	13.5
OHIO.				
Total	5,759,394	5,912,706	67,104	11.3
White	5,571,893	5,713,575	63,386	11.1
Colored	187,501	199,131	3,718	18.7
Cities (total)	3,163,845	3,305,116	37,141	11.2
White	3,021,465	3,151,329	34,342	10.9
Colored	142,380	153,787	2,799	18.2
Rural districts (total)	2,595,549	2,607,590	29,963	11.5
White	2,550,428	2,562,246	29,044	11.3
Colored	45,121	45,344	919	20.3
OREGON.				
Total	783,389	800,481	8,304	10.4
White	769,146	786,768	8,076	10.3
Colored	14,243	13,713	228	16.6
Cities (total)	300,587	308,568	3,776	12.2
White	294,508	302,988	3,647	12.0
Colored	6,079	5,580	129	23.1
Rural districts (total)	482,802	491,913	4,528	9.2
White	474,638	483,780	4,429	9.2
Colored	8,164	8,133	99	12.2
PENNSYLVANIA.				
Total	8,720,017	8,883,006	109,919	12.4
White	8,432,726	8,581,826	104,347	12.2
Colored	287,291	301,180	5,572	18.5
Cities (total)	4,427,087	4,550,835	59,018	13.0
White	4,202,706	4,314,531	54,708	12.7
Colored	224,381	236,304	4,310	18.2
Rural districts (total)	4,292,930	4,332,171	50,901	11.7
White	4,230,020	4,267,295	49,639	11.6
Colored	62,910	64,876	1,262	19.5
RHODE ISLAND.				
Total	604,397	613,944	7,756	12.6
White	593,980	603,479	7,547	12.5
Colored	10,417	10,465	209	20.0
Cities (total)	501,362	509,880	6,469	12.7
White	492,249	500,688	6,290	12.6
Colored	9,113	9,192	179	19.5
Rural districts (total)	103,035	104,064	1,287	12.4
White	101,731	102,791	1,257	12.2
Colored	1,304	1,273	30	23.6
SOUTH CAROLINA.				
Total	1,683,724	1,709,732	20,377	11.9
White	818,538	840,072	8,206	9.8
Colored	865,186	869,660	12,171	14.0
Cities (total)	172,784	177,798	3,895	21.9
White	102,016	106,139	1,732	16.3
Colored	70,768	71,659	2,163	30.2
Rural districts (total)	1,510,940	1,531,934	16,482	10.8
White	716,522	733,933	6,474	8.8
Colored	794,418	798,001	10,008	12.5
REGISTRATION STATES—Continued.				
TENNESSEE.				
Total	2,337,885	2,361,539	25,219	10.7
White	1,885,993	1,912,964	18,032	9.4
Colored	451,892	448,575	7,187	16.0
Cities (total)	447,708	460,950	7,582	16.4
White	312,735	325,025	4,439	13.7
Colored	134,973	135,925	3,143	23.1
Rural districts (total)	1,890,177	1,900,589	17,637	9.3
White	1,573,258	1,587,939	13,593	8.6
Colored	316,919	312,650	4,044	12.9
UTAH.				
Total	449,396	461,146	4,783	10.4
White	441,901	453,538	4,636	10.2
Colored	7,495	7,608	147	19.3
Cities (total)	161,217	166,022	2,067	12.5
White	159,194	164,000	2,010	12.3
Colored	2,023	2,022	57	28.2
Rural districts (total)	288,179	295,124	2,716	9.2
White	282,707	289,538	2,626	9.1
Colored	5,472	5,586	90	16.1
VERMONT.				
Total	352,428	[1] 3 ,428	4,999	14.2
White	351,817	351,817	4,992	14.2
Colored	611	611	7	11.5
Cities (total)	47,741	48,205	744	15.4
White	47,626	48,093	742	15.4
Colored	115	112	2	17.9
Rural districts (total)	304,687	304,223	4,255	14.0
White	304,191	303,724	4,250	14.0
Colored	496	499	5	10.0
VIRGINIA.				
Total	2,309,187	2,347,439	28,534	12.2
White	1,617,909	1,653,152	17,225	10.4
Colored	691,278	694,287	11,309	16.3
Cities (total)	550,261	569,524	7,958	14.0
White	369,380	383,211	4,437	11.6
Colored	180,881	186,313	3,521	18.9
Rural districts (total)	1,758,926	1,777,915	20,576	11.6
White	1,248,529	1,269,941	12,788	10.1
Colored	510,397	507,974	7,788	15.3
WASHINGTON.				
Total	1,356,621	1,389,782	13,254	9.5
White	1,319,777	1,352,326	12,653	9.4
Colored	36,844	37,456	601	16.0
Cities (total)	642,017	657,735	6,639	10.1
White	624,428	639,672	6,361	9.9
Colored	17,589	18,063	278	15.4
Rural districts (total)	714,604	732,047	6,615	9.0
White	695,349	712,654	6,292	8.8
Colored	19,255	19,393	323	16.7
WISCONSIN.				
Total	2,632,067	2,678,142	27,552	10.3
White	2,616,938	2,662,730	27,302	10.3
Colored	15,129	15,412	250	16.2
Cities (total)	962,129	988,799	10,754	10.9
White	957,486	983,825	10,687	10.9
Colored	4,643	4,974	67	13.5
Rural districts (total)	1,669,938	1,689,343	16,798	9.9
White	1,659,452	1,678,905	16,615	9.9
Colored	10,486	10,438	183	17.5

[1] Population Jan. 1, 1920; decrease since 1910; no estimate made.

TABLE I B.—POPULATION, DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1921.

[Populations are estimated by the arithmetical method, based on the censuses of 1910 and 1920. Rates in *italics* are based on less than 5 deaths. Minor areas which are designated by asterisks (*) contain state insane asylums, state hospitals, etc. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. The white and colored are shown separately for areas when the colored population of the area formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. A detailed explanation of this table may be found on p. 20.]

AREA AND COLOR.	Population estimated as of July 1, 1921.	DEATHS (EXCLUSIVE OF STILLBIRTHS) IN 1921.							
		Including nonresidents.		Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died elsewhere in registration area.	Nonresidents not transferable.	Excluding all nonresidents and including residents who died elsewhere in registration area.		
		Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Per cent of change.
REGISTRATION CITIES.									
ALABAMA.[1]									
Birmingham (total)	186,133	2,725	14.6	2,709	2,731	386	2,345	12.6	−14
White	113,026	1,286	11.4	1,274	1,288	264	1,024	9.1	−20
Colored	73,107	1,439	19.7	1,435	1,443	122	1,321	18.1	− 8
Mobile (total)	62,098	1,036	16.7	996	1,005	159	846	13.6	−19
White	38,041	555	14.6	519	526	117	409	10.8	−26
Colored	24,057	481	20.0	477	479	42	437	18.2	− 9
Montgomery (total)	44,286	714	16.1	704	714	79	635	14.3	−11
White	24,377	278	11.4	269	274	49	225	9.2	−19
Colored	19,909	436	21.9	435	440	30	410	20.6	− 6
CALIFORNIA.									
Alameda	29,643	290	9.8	273	287	....	287	9.7	− 1
Bakersfield	19,551	379	19.4	377	386	....	386	19.7	+ 2
Berkeley	59,781	564	9.4	510	552	7	545	9.1	− 3
Eureka	13,089	204	15.6	203	206	....	206	15.7	+ 1
Fresno	51,448	638	12.4	637	657	....	657	12.8	+ 3
Glendale *	15,434	331	21.4	331	332	....	332	21.5	(2)
Long Beach	61,430	854	13.9	787	793	34	759	12.4	−11
Los Angeles (total)	609,821	8,528	14.0	8,496	8,566	10	8,556	14.0	.....
White	577,703	7,995	13.8	7,963	8,030	10	8,020	13.9	+ 1
Colored	32,118	533	16.6	533	536	....	536	16.7	+ 1
Oakland (total)	226,472	2,356	10.4	2,277	2,361	6	2,355	10.4	.....
White	213,591	2,235	10.5	2,159	2,235	6	2,229	10.4	− 1
Colored	12,881	121	9.4	118	126	....	126	9.8	+ 4
Pasadena	50,145	692	13.8	682	692	3	689	13.7	− 1
Pomona	14,014	228	16.3	226	227	....	227	16.2	− 1
Richmond	18,394	142	7.7	141	147	....	147	8.0	+ 4
Riverside	19,979	337	16.9	334	335	1	334	16.7	− 1
Sacramento	67,640	1,083	16.0	1,033	1,044	....	1,044	15.4	− 4
San Bernardino *	19,639	378	19.2	377	381	....	381	19.4	+ 1
San Diego	79,990	1,379	17.2	1,241	1,270	39	1,231	15.4	−10
San Francisco (total)	520,546	7,031	13.5	6,685	6,771	55	6,716	12.9	− 4
White	503,929	6,578	13.1	6,289	6,375	42	6,333	12.6	− 4
Colored	16,617	453	27.3	396	396	13	383	23.0	−16
San Jose	40,613	478	11.8	477	497	....	497	12.2	+ 3
Santa Ana	16,574	201	12.1	201	201	....	201	12.1	.....
Santa Barbara	20,333	260	12.5	256	257	2	255	12.2	− 2
Santa Cruz	[3] 10,917	208	19.1	206	210	....	210	19.2	+ 1
Santa Monica	16,395	279	17.0	278	280	....	280	17.1	+ 1
Stockton *	42,507	617	14.5	615	633	....	633	14.9	+ 3
Vallejo	22,617	238	10.5	237	248	....	248	11.0	+ 5
Venice	11,507	86	7.5	84	84	....	84	7.3	− 3
COLORADO.									
Boulder	11,233	195	17.4	179	183	7	176	15.7	−10
Colorado Springs*	[3] 30,105	608	20.2	573	579	65	514	17.1	−15
Denver	263,152	3,715	14.1	3,542	3,600	93	3,507	13.3	− 6
Greeley	11,387	159	14.0	138	143	1	142	12.5	−11
Pueblo	43,251	614	14.2	583	594	10	584	13.5	− 5
Trinidad	10,936	214	19.6	205	206	1	205	18.7	− 5
CONNECTICUT.									
Ansonia	18,027	144	8.0	143	179	....	179	9.9	+24
Bridgeport	[4] 143,555	1,503	10.5	1,409	1,464	....	1,464	10.2	− 3
Bristol	21,720	170	7.8	167	220	....	220	10.1	+23
Danbury town	[3] 22,325	340	15.2	282	295	1	294	13.2	−13
Derby	11,585	153	13.2	110	123	....	123	10.6	−20
East Hartford town	12,190	86	7.1	85	116	....	116	9.5	+34
Enfield town	12,028	112	9.3	110	111	....	111	9.2	− 1
Fairfield town	12,301	84	6.8	78	101	....	101	8.2	+21
Greenwich town	22,998	264	11.5	237	250	....	250	10.9	− 5
Hartford	[4] 138,036	1,828	13.2	1,409	1,477	....	1,477	10.7	−19

AREA AND COLOR.	Population estimated as of July 1, 1921.	DEATHS (EXCLUSIVE OF STILLBIRTHS) IN 1921.							
		Including nonresidents.		Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died elsewhere in registration area.	Nonresidents not transferable.	Excluding all nonresidents and including residents who died elsewhere in registration area.		
		Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Per cent of change.
REGISTRATION CITIES—Continued.									
CONNECTICUT—contd.									
Manchester town	19,101	150	7.9	139	152	....	152	8.0	+ 1
Meriden town	35,180	410	11.7	384	414	....	414	11.8	+ 1
Middletown town *	22,343	470	21.0	408	423	....	423	18.9	−10
Milford town	11,094	127	11.4	109	128	....	128	11.5	+ 1
Naugatuck	15,410	102	6.6	102	134	....	134	8.7	+32
New Britain	61,695	553	9.0	524	568	....	568	9.2	+ 2
New Haven	167,007	1,933	11.6	1,758	1,824	....	1,824	10.9	− 6
New London	26,620	356	13.4	277	290	1	289	10.9	−19
Norwalk	28,288	378	13.4	341	349	....	349	12.3	− 8
Norwich town *	29,911	478	16.0	435	460	....	460	15.4	− 4
Orange town	17,439	263	15.1	246	251	....	251	14.4	− 5
Stamford town	41,801	542	13.0	471	483	1	482	11.5	−12
Stonington town	10,403	102	9.8	97	105	....	105	10.1	+ 3
Stratford town	13,372	99	7.4	91	110	....	110	8.2	+11
Torrington town	22,861	184	8.0	166	176	....	176	7.7	− 4
Wallingford town	12,143	126	10.4	121	148	....	148	12.2	+17
Waterbury	94,585	931	9.8	855	879	2	877	9.3	− 5
Windham town	13,986	231	16.5	195	201	....	201	14.4	−13
DELAWARE.									
Wilmington (total)	113,408	1,361	12.0	1,343	1,370	....	1,370	12.1	+ 1
White	102,363	1,166	11.4	1,150	1,173	....	1,173	11.5	+ 1
Colored	11,045	195	17.7	193	197	....	197	17.8	+ 1
DISTRICT OF COLUMBIA.									
Washington (total)	[4] 437,571	6,055	13.8	5,692	5,803	18	5,785	13.2	− 4
White	326,860	3,965	12.1	3,693	3,794	12	3,782	11.6	− 4
Colored	110,711	2,090	18.9	1,999	2,009	6	2,003	18.1	− 4
FLORIDA.									
Jacksonville (total)	95,196	1,463	15.4	1,290	1,315	34	1,281	13.5	−12
White	52,273	640	12.2	520	536	19	517	9.9	−19
Colored	42,923	823	19.2	770	779	15	764	17.8	− 7
Key West (total)	[3] 18,749	265	14.1	263	264	1	263	14.0	− 1
White	14,693	175	11.9	173	173	1	172	11.7	− 2
Colored	4,056	90	22.2	90	91	....	91	22.4	+ 1
Miami (total)	33,295	525	15.8	469	482	9	473	14.2	−10
White	22,905	308	13.4	256	266	6	260	11.4	−15
Colored	10,390	217	20.9	213	216	3	213	20.5	− 2
Pensacola (total)	32,279	409	12.7	384	394	3	391	12.1	− 5
White	21,839	229	10.5	212	219	2	217	9.9	− 6
Colored	10,440	180	17.2	172	175	1	174	16.7	− 3
St. Petersburg (total)	20,303	267	13.2	165	175	12	163	8.0	−39
White	16,964	206	12.1	113	123	9	114	6.7	−45
Colored	3,339	61	18.3	52	52	3	49	14.7	−20
Tampa (total)	53,512	695	13.0	594	607	20	587	11.0	−15
White	41,607	471	11.3	392	396	16	380	9.1	−19
Colored	11,905	224	18.8	202	211	4	207	17.4	− 7
GEORGIA.[1]									
Atlanta (total)	207,473	3,078	14.8	3,046	3,070	250	2,820	13.6	− 8
White	143,037	1,753	12.3	1,722	1,741	217	1,524	10.7	−13
Colored	64,436	1,325	20.6	1,324	1,329	33	1,296	20.1	− 2
Augusta * (total)	53,283	947	17.8	904	909	57	852	16.0	−10
White	30,509	428	14.0	395	398	37	361	11.8	−16
Colored	22,774	519	22.8	509	511	20	491	21.6	− 5
Brunswick (total)	15,066	149	9.9	147	153	9	144	9.6	−
White	7,697	50	6.5	50	54	8	46	6.0	− 8
Colored	7,369	99	13.4	97	99	1	98	13.3	− 1
Savannah * (total)	85,908	1,765	20.5	1,723	1,741	117	1,624	18.9	− 8
White	45,847	612	13.3	592	607	69	538	11.7	−12
Colored	40,061	1,153	28.8	1,131	1,134	48	1,086	27.1	− 6

[See footnotes at end of table.]

TABLE I B.—POPULATION, DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1921—Continued.

[See note at head of this table, p. 123.]

AREA AND COLOR.	Population estimated as of July 1, 1921.	DEATHS (EXCLUSIVE OF STILLBIRTHS) IN 1921.								AREA AND COLOR.	Population estimated as of July 1, 1921.	DEATHS (EXCLUSIVE OF STILLBIRTHS) IN 1921.							
		Including nonresidents.		Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died elsewhere in registration area.	Nonresidents not transferable.	Excluding all nonresidents and including residents who died elsewhere in registration area.					Including nonresidents.		Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died elsewhere in registration area.	Nonresidents not transferable.	Excluding all nonresidents and including residents who died elsewhere in registration area.		
		Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Per cent of change.			Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Per cent of change.
REGISTRATION CITIES—Continued.										REGISTRATION CITIES—Continued.									
ILLINOIS.										INDIANA—continued.									
Alton	25,259	260	10.3	238	248	....	248	9.8	− 5	Fort Wayne	89,525	978	10.9	856	872	....	872	9.7	−11
Aurora	37,299	493	13.2	447	461	....	461	12.4	− 6	Frankfort	11,984	165	13.8	164	172	....	172	14.4	+ 4
Belleville	25,395	317	12.5	294	301	1	300	11.8	− 6	Gary	61,239	711	11.6	641	667	....	667	10.9	− 6
Berwyn	15,433	126	8.2	121	142	....	142	9.2	+12	Hammond	38,334	407	10.6	379	396	1	395	10.3	− 3
Bloomington	29,147	430	14.8	391	408	4	404	13.9	− 6										
										Huntington	14,522	197	13.6	194	197	....	197	13.6	.....
Blue Island	11,876	178	15.0	156	162	....	162	13.6	− 9	Indianapolis (total)	325,632	4,119	12.6	3,918	3,993	1	3,992	12.3	− 2
Cairo (total)	15,304	235	15.4	197	203	3	200	13.1	−15	White	288,851	3,511	12.2	3,312	3,382	1	3,381	11.7	− 4
White	10,357	156	15.1	122	125	3	122	11.8	−22	Colored	36,781	608	16.5	606	611	....	611	16.6	+ 1
Colored	4,947	79	16.0	75	78	....	78	15.8	− 1										
Canton	10,955	160	14.6	138	145	....	145	13.2	−10	Jeffersonville (total)	[3] 10,098	118	11.7	117	121	....	121	12.0	+ 3
										White	8,683	88	10.1	88	92	....	92	10.6	+ 5
Centralia	12,925	148	11.5	131	134	1	133	10.3	−10	Colored	1,415	30	21.2	29	29	....	29	20.5	− 3
Champaign	16,851	203	12.0	173	180	1	179	10.6	−12	Kokomo	32,234	339	10.5	325	331	....	331	10.3	− 2
Chicago (total)	2,780,655	30,819	11.1	29,933	30,365	33	30,282	10.9	− 2	La Porte	15,806	180	11.4	175	183	....	183	111.6	+ 2
White	2,657,893	28,709	10.8	27,849	28,263	81	28,182	10.6	− 2										
Colored	122,762	2,110	17.2	2,084	2,102	2	2,100	17.1	− 1	Lafayette	22,842	416	18.2	327	336	....	336	14.7	−19
										Logansport	21,992	252	11.5	239	241	....	241	11.0	− 4
Chicago Heights	20,325	205	10.1	193	203	1	202	9.9	− 2	Marion	24,436	342	14.0	332	337	....	337	13.8	− 1
Cicero	49,698	321	6.5	321	366	....	366	7.4	+14	Michigan City	19,523	253	13.0	242	251	....	251	12.9	− 1
Danville	34,589	531	15.4	447	458	1	457	13.2	−14	Mishawaka	15,597	185	11.9	173	178	....	178	11.4	− 4
Decatur	46,519	601	12.9	531	546	....	546	11.7	− 9										
										Muncie	38,151	463	12.1	454	461	....	461	12.1	.....
East St. Louis (total)	68,037	753	11.1	700	742	5	737	10.8	− 3	New Albany	[3] 22,992	306	13.3	289	291	....	291	12.7	− 5
White	60,332	613	10.2	565	600	5	595	9.9	− 3	New Castle	15,139	138	9.1	134	137	....	137	9.0	− 1
Colored	7,705	140	18.2	135	142	....	142	18.4	+ 1	Peru	12,484	146	11.7	144	149	....	149	11.9	+ 2
Elgin *	27,683	532	19.2	473	487	1	486	17.6	− 8	Richmond	27,667	309	11.2	307	320	....	320	11.6	+ 4
Evanston	39,047	410	10.5	334	377	3	374	9.6	− 9										
										South Bend	73,354	723	9.9	696	717	....	717	9.8	− 1
Forest Park	11,413	99	8.7	99	119	1	118	10.3	+18	Terre Haute	67 308	897	13.3	832	844	2	842	12.5	− 6
Freeport	19,947	308	15.4	255	262	5	257	12.9	−16	Vincennes	17,464	288	16.5	275	278	....	278	15.9	− 4
Galesburg	24,103	324	13.4	273	284	....	284	11.8	−12	Whiting	10,695	105	9.8	105	120	....	120	11.2	+13
Granite City	15,414	158	10.3	150	153	....	153	9.9	− 4										
Herrin	11,623	140	12.0	132	138	1	137	11.8	− 2	KANSAS.									
Jacksonville *	15,772	448	28.4	376	382	1	381	24.2	−15	Arkansas City	11,831	135	11.4	131	134	9	125	10.6	− 7
Joliet	39,025	515	13.2	490	504	1	503	12.9	− 2	Atchison (total)	[3] 12,630	163	12.9	159	166	....	166	13.1	+ 2
Kankakee	17,331	225	13.0	207	212	....	212	12.2	− 6	White	11,131	130	11.7	126	131	....	131	11.8	+ 1
Kewanee	16,446	221	13.4	200	207	....	207	12.6	− 6	Colored	1,499	33	22.0	33	35	....	35	23.3	+ 6
La Salle	13,283	151	11.4	122	126	....	126	9.5	−17	Chanute	10,442	166	15.9	163	164	....	164	15.7	− 1
Lincoln *	12,035	203	16.9	185	186	....	186	15.5	− 8	Coffeyville (total)	13,569	178	13.1	166	170	6	164	12.1	− 8
Mattoon	13,875	201	14.5	183	190	....	190	13.7	− 6	White	12,038	150	12.5	143	147	5	142	11.8	− 6
Maywood	12,665	106	8.4	105	137	....	137	10.8	+29	Colored	1,531	28	18.3	23	23	1	22	14.4	−21
Moline	31,600	306	9.7	262	283	5	278	8.8	− 9	El Dorado	12,211	92	7.5	86	89	2	87	7.1	− 5
										Emporia	11,607	143	12.3	131	142	....	142	12.2	− 1
Murphysboro (total)	11,200	124	11.1	117	119	....	119	10.6	− 5										
White	10,027	111	11.1	104	106	....	106	10.6	− 5	Fort Scott	10,728	168	15.7	160	161	....	161	15.0	− 4
Colored	1,173	13	11.1	13	13	....	13	11.1	.....	Hutchinson	24,369	260	10.7	229	235	3	232	9.5	−11
Oak Park	43,012	527	12.3	425	464	1	463	10.8	−12	Independence	12,196	134	11.0	129	134	1	133	10.9	− 1
Ottawa	11,013	148	13.4	137	144	1	143	13.0	− 3	Kansas City (total)	103,884	1,257	12.1	1,246	1,261	....	1,261	12.1	.....
										White	88,638	984	11.1	974	987	....	987	11.1	.....
Pekin	12,424	128	10.3	124	133	....	133	10.7	+ 4	Colored	15,246	273	17.9	272	274	....	274	18.0	+ 1
Peoria	77,787	1,014	13.0	880	902	2	900	11.6	−11										
Quincy	[3] 35,978	511	14.2	464	477	2	475	13.2	− 7	Lawrence (total)	12,468	181	14.5	174	181	....	181	14.5	.....
Rock Island	36,513	356	9.7	340	352	11	341	9.3	− 4	White	10,303	157	15.2	150	157	....	157	15.2	.....
Rockford	68,551	694	10.1	644	660	2	658	9.6	− 5	Colored	2,165	24	11.1	24	24	....	24	11.1	.....
										Leavenworth (total)	[3] 16,912	244	14.4	230	235	....	235	13.9	− 3
Springfield	60,319	903	15.0	707	742	2	740	12.3	−18	White	14,921	208	13.9	195	200	....	200	13.4	− 4
Streator	14,860	214	14.4	188	196	2	194	13.1	− 9	Colored	1,991	36	18.1	35	35	....	35	17.6	− 3
Urbana	10,545	79	7.5	75	88	....	88	8.3	+11										
Waukegan	19,714	226	11.5	212	216	1	215	10.9	− 5	Parsons	16,579	164	9.9	159	165	....	165	10.0	+ 1
										Pittsburg	18,535	162	8.7	158	162	1	161	8.7	.....
INDIANA.										Salina	15,897	186	11.7	159	163	3	160	10.1	−14
										Topeka	51,000	726	14.2	634	647	4	643	12.6	−11
Anderson	30,882	312	10.1	309	318	....	318	10.3	+ 2	Wichita	75,293	973	12.9	853	867	29	838	11.1	−14
Bloomington	11,865	144	12.1	140	149	....	149	12.6	+ 4										
Clinton	11,693	101	8.6	101	120	....	120	10.3	+20	KENTUCKY.[20]									
Crawfordsville	10,246	152	14.8	149	152	....	152	14.8	.....										
										Ashland	21,193	251	11.8	.....	.....	.....	.....	.....	.....
East Chicago	38,588	382	9.9	379	398	....	398	10.3	+ 4	Covington	57,445	734	12.8	.....	.....	.....	.....	.....	.....
Elkhart	25,048	307	12.3	295	303	....	303	12.1	− 2	Henderson (total)	12,279	188	15.3	.....	.....	.....	.....	.....	.....
Elwood	[3] 10,790	141	13.1	141	148	....	148	13.7	+ 5	White	9,318	121	13.0	.....	.....	.....	.....	.....	.....
Evansville	87,537	1,000	11.4	957	967	1	966	11.0	− 4	Colored	2,961	67	22.6	.....	.....	.....	.....	.....	.....

[See footnotes at end of table.]

TABLE 1B.—POPULATION, DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1921—Continued.

[See note at head of this table, p. 123.]

AREA AND COLOR.	Population estimated as of July 1, 1921.	DEATHS (EXCLUSIVE OF STILLBIRTHS) IN 1921.							
		Including nonresidents.		Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died elsewhere in registration area.	Nonresidents not transferable.	Excluding all nonresidents and including residents who died elsewhere in registration area.		
		Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Per cent of change.
REGISTRATION CITIES—Continued.									
KENTUCKY [20]—contd.									
Lexington * (total)	42,451	912	21.5	.....	.....	....	.....	.....	.....
White	29,795	614	20.6	.....	.....	....	.....	.....	.....
Colored	12,656	298	23.5	.....	.....	....	.....	.....	.....
Louisville (total)	236,083	3,314	14.0	.....	.....	....	.....	.....	.....
White	196,115	2,514	12.8	.....	.....	....	.....	.....	.....
Colored	39,968	800	20.0	.....	.....	....	.....	.....	.....
Newport	[3] 29,317	294	10.0	.....	.....	....	.....	.....	.....
Owensboro (total)	21,307	307	14.4	.....	.....	....	.....	.....	.....
White	18,330	245	13.4	.....	.....	....	.....	.....	.....
Colored	2,977	62	20.8	.....	.....	....	.....	.....	.....
Paducah (total)	25,040	411	16.4	.....	.....	....	.....	.....	.....
White	19,525	285	14.6	.....	.....	....	.....	.....	.....
Colored	5,515	126	22.8	.....	.....	....	.....	.....	.....
LOUISIANA.									
Alexandria (total)	18,367	342	18.6	271	284	3	281	15.3	−18
White	10,245	162	15.8	123	129	3	126	12.3	−22
Colored	8,122	180	22.2	148	155	....	155	19.1	−14
Baton Rouge (total)	22,846	323	14.1	313	336	....	336	14.7	+ 4
White	14,179	173	12.2	167	176	....	176	12.4	+ 2
Colored	8,667	150	17.3	146	160	....	160	18.5	+ 7
Lake Charles (total)	13,340	229	17.2	214	229	1	228	17.1	− 1
White	8,863	138	15.6	131	140	1	139	15.7	+ 1
Colored	4,477	91	20.3	83	89	....	89	19.9	− 2
Monroe (total)	13,056	260	19.9	243	250	2	248	19.0	− 5
White	7,477	143	19.1	130	136	2	134	17.9	− 6
Colored	5,579	117	21.0	113	114	....	114	20.4	− 3
New Orleans (total)	394,657	6,468	16.4	5,668	5,715	52	5,663	14.3	−13
White	291,558	4,005	13.7	3,521	3,559	37	3,522	12.1	−12
Colored	103,099	2,463	23.9	2,147	2,156	15	2,141	20.8	−13
Shreveport * (total)	46,324	1,038	22.4	916	929	10	919	19.8	−12
White	28,263	473	16.7	388	399	8	391	13.8	−17
Colored	18,061	565	31.3	528	530	2	528	29.2	− 7
MAINE.									
Auburn	17,281	213	12.3	212	245	....	245	14.2	+15
Augusta *	14,253	258	18.1	239	242	....	242	17.0	− 6
Bangor *	26,160	528	20.2	451	456	2	454	17.4	−14
Bath	15,555	129	8.3	128	135	....	135	8.7	+ 5
Biddeford	18,151	310	17.1	283	287	1	286	15.8	− 8
Lewiston	32,648	527	16.1	433	436	1	435	13.3	−17
Portland	70,926	1,020	14.4	912	927	6	921	13.0	−10
Sanford town	10,945	87	7.9	84	89	....	89	8.1	+ 3
Waterville	13,644	177	13.0	164	170	....	170	12.5	− 4
MARYLAND.									
Annapolis (total)	11,601	157	13.5	149	160	....	160	13.8	+ 2
White	8,681	76	8.8	71	79	....	79	9.1	+ 3
Colored	2,920	81	27.7	78	81	....	81	27.7	.....
Baltimore (total)	750,864	10,380	13.8	9,773	9,841	157	9,684	12.9	− 7
White	639,805	8,106	12.7	7,589	7,650	117	7,533	11.8	− 7
Colored	111,059	2,274	20.5	2,184	2,191	40	2,151	19.4	− 5
Cumberland	30,981	433	14.0	377	387	32	355	11.5	−18
Frederick (total)	11,167	207	18.5	200	211	1	210	18.8	+ 2
White	9,967	181	18.2	175	184	1	183	18.4	+ 1
Colored	1,200	26	21.7	25	27	....	27	22.5	+ 4
Hagerstown	28,908	336	11.6	334	338	1	337	11.7	+ 1
MASSACHUSETTS.									
Adams town	[3] 12,987	135	10.4	132	137	....	137	10.6	+ 2
Amesbury town	10,058	117	11.6	114	136	....	136	13.5	+16
Arlington town	19,821	217	10.9	184	225	1	224	11.3	+ 4
Attleboro	20,275	238	11.7	216	228	....	228	11.2	− 4
Belmont town	11,554	80	6.9	71	100	1	99	8.6	+25

AREA AND COLOR.	Population estimated as of July 1, 1921.	DEATHS (EXCLUSIVE OF STILLBIRTHS) IN 1921.							
		Including nonresidents.		Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died elsewhere in registration area.	Nonresidents not transferable.	Excluding all nonresidents and including residents who died elsewhere in registration area.		
		Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Per cent of change.
REGISTRATION CITIES—Continued.									
MASSACHUSETTS—con.									
Beverly	23,164	243	10.5	217	235	....	235	10.1	− 4
Boston (total)	757,634	10,226	13.5	8,561	8,987	48	8,939	11.8	−13
White	739,659	9,882	13.4	8,251	8,661	47	8,614	11.6	−13
Colored	17,975	344	19.1	310	326	1	325	18.1	− 5
Braintree town	10,969	132	12.0	122	145	....	145	13.2	+10
Brockton	67,702	686	10.1	601	670	....	670	9.9	− 2
Brookline town	39,286	399	10.2	310	436	3	433	11.0	+ 8
Cambridge	110,444	1,388	12.6	1,196	1,422	1	1,421	12.9	+ 2
Chelsea	44,841	576	12.8	518	604	1	603	13.4	+ 5
Chicopee	37,884	327	8.6	325	400	....	400	10.6	+23
Clinton town	[3] 12,979	176	13.6	153	155	....	155	11.9	−13
Danvers town *	11,371	291	25.6	281	310	....	310	27.3	+ 7
Dedham town	11,025	112	10.2	108	132	....	132	12.0	+18
Easthampton town	11,683	111	9.5	108	131	....	131	11.2	+18
Everett	41,145	348	8.5	334	476	....	476	11.6	+36
Fall River	120,668	1,717	14.2	1,669	1,708	1	1,707	14.1	− 1
Fitchburg	41,523	432	10.4	402	419	....	419	10.1	− 3
Framingham town	17,663	255	14.4	192	213	....	213	12.1	−16
Gardner town	17,322	190	11.0	175	184	....	184	10.6	− 4
Gloucester	[3] 22,947	302	13.2	283	297	1	296	12.9	− 2
Greenfield town	16,239	161	9.9	142	157	....	157	9.7	− 2
Haverhill	55,393	664	12.0	637	667	1	666	12.0	.....
Holyoke	60,584	747	12.3	647	672	....	672	11.1	−10
Lawrence	95,563	1,075	11.2	1,016	1,077	....	1,077	11.3	+ 1
Leominster	20,079	200	10.0	196	217	....	217	10.8	+ 8
Lowell	113,757	1,465	12.9	1,402	1,471	....	1,471	12.9	.....
Lynn	100,663	1,108	11.0	1,056	1,128	....	1,128	11.2	+ 2
Malden	49,829	565	11.3	512	588	....	588	11.8	+ 4
Marlborough	15,097	173	11.5	164	174	....	174	11.5	.....
Medford	41,500	368	8.9	327	431	....	431	10.4	+17
Melrose	18,588	206	11.1	187	215	....	215	11.6	+ 5
Methuen	15,767	201	12.7	180	205	....	205	13.0	+ 2
Milford town	13,534	182	13.4	148	160	....	160	11.8	−12
Natick town	11,068	142	12.8	116	134	....	134	12.1	− 5
New Bedford	125,012	1,384	11.1	1,340	1,393	....	1,393	11.1	.....
Newburyport	15,720	214	13.6	182	192	....	192	12.2	−10
Newton	47,019	466	9.9	425	492	1	491	10.4	+ 5
North Adams	22,323	270	12.1	236	249	1	248	11.1	− 8
Northampton *	22,341	422	18.9	364	378	....	378	16.9	−11
Northbridge town	10,385	90	8.7	89	99	....	99	9.5	+ 9
Norwood town	13,340	128	9.6	105	118	....	118	8.8	− 8
Peabody	20,143	195	9.7	177	196	....	196	9.7	.....
Pittsfield	43,253	558	12.9	466	478	2	476	11.0	−15
Plymouth town	13,185	167	12.7	142	159	....	159	12.1	− 5
Quincy	50,230	416	8.3	382	449	....	449	8.9	+ 7
Revere	30,461	185	6.1	178	268	....	268	8.8	+44
Salem	[3] 42,529	542	12.7	486	511	....	511	12.0	− 6
Saugus town	11,311	105	9.3	99	126	....	126	11.1	+19
Somerville	95,541	988	10.3	929	1,106	2	1,104	11.6	+13
Southbridge town	14,501	132	9.1	130	155	....	155	10.7	+18
Springfield	135,877	1,542	11.3	1,268	1,333	3	1,330	9.8	−13
Taunton *	37,581	635	16.9	604	628	....	628	16.7	− 1
Wakefield town	13,274	130	9.8	127	161	....	161	12.1	+23
Waltham	31,391	409	13.0	338	372	1	371	11.8	− 9
Watertown town	22,783	176	7.7	165	239	....	239	10.5	+36
Webster town	13,529	132	9.8	129	144	....	144	10.6	+ 8
West Springfield town	14,095	117	8.3	111	157	....	157	11.1	+34
Westfield town	18,999	224	11.8	207	227	....	227	11.9	+ 1
Weymouth town	15,390	131	8.5	125	162	....	162	10.5	+24
Winchester town	10,667	116	10.9	96	122	....	122	11.4	+ 5
Winthrop town	16,278	145	8.9	133	170	....	170	10.4	+17
Woburn	16,770	167	10.0	156	176	....	176	10.5	+ 5
Worcester	184,972	2,387	12.9	2,156	2,230	....	2,230	12.1	− 6

[See footnotes at end of table.]

TABLE I B.—POPULATION, DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1921—Continued.

[See note at head of this table, p. 123.]

AREA AND COLOR.	Population estimated as of July 1, 1921.	DEATHS (EXCLUSIVE OF STILLBIRTHS) IN 1921.							
		Including nonresidents.		Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died elsewhere in registration area.	Nonresidents not transferable.	Excluding all nonresidents and including residents who died elsewhere in registration area.		
		Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Per cent of change.
REGISTRATION CITIES—Continued.									
MICHIGAN.									
Adrian	12,049	184	15.3	183	186	....	186	15.4	+ 1
Alpena	[3] 11,101	154	13.9	153	155	....	155	14.0	+ 1
Ann Arbor*	20,241	504	24.9	424	433	1	432	21.3	−14
Battle Creek	37,847	582	15.4	520	526	7	519	13.7	−11
Bay City	47,923	632	13.2	596	601	....	601	12.5	− 5
Benton Harbor	12,703	181	14.2	175	181	....	181	14.2	.....
Detroit (total)	[4] 993,678	10,386	10.5	10,130	10,268	17	10,251	10.3	− 2
White	952,065	9,653	10.1	9,406	9,536	17	9,519	10.0	− 1
Colored	41,613	733	17.6	724	732	....	732	17.6	.....
Escanaba	[3] 13,103	215	16.4	215	226	....	226	17.2	+ 5
Flint	105,620	847	8.0	842	862	....	862	8.2	+ 3
Grand Rapids	141,197	1,538	10.9	1,442	1,476	....	1,476	10.5	− 4
Hamtramck	57,647	452	7.8	452	458	....	458	7.9	+ 1
Highland Park	53,533	342	6.4	339	350	1	349	6.5	+ 2
Holland	12,445	105	8.4	105	108	....	108	8.7	+ 4
Ironwood	16,190	133	8.2	130	138	....	138	8.5	+ 4
Ishpeming	[3] 10,500	116	11.0	111	112	....	112	10.7	− 3
Jackson	50,992	686	13.5	668	679	....	679	13.3	− 1
Kalamazoo*	49,886	897	18.0	840	851	....	851	17.1	− 5
Lansing	60,989	638	10.5	635	646	....	646	10.6	+ 1
Marquette	12,906	188	14.6	186	188	....	188	14.6	.....
Monroe	12,296	130	10.6	130	141	....	141	11.5	+ 8
Muskegon	38,348	469	12.2	462	474	....	474	12.4	+ 2
Owosso	13,028	211	16.2	211	212	....	212	16.3	+ 1
Pontiac*	37,323	438	11.7	417	428	....	428	11.5	− 2
Port Huron	27,038	374	13.8	371	373	....	373	13.8	.....
Saginaw	67,408	810	12.0	788	794	....	794	11.8	− 2
Sault Ste. Marie	[3] 12,096	154	12.7	152	157	....	157	13.0	+ 2
Traverse City*	[3] 10,925	347	31.8	342	347	....	347	31.8	.....
Wyandotte	14,711	172	11.7	171	175	....	175	11.9	+ 2
MINNESOTA.									
Austin	10,606	111	10.5	102	110	....	110	10.4	− 1
Duluth	102,076	931	9.1	812	863	7	856	8.4	− 8
Faribault*	11,412	207	18.1	184	191	2	189	16.6	− 8
Hibbing	15,707	132	8.4	115	124	....	124	7.9	− 6
Mankato	12,793	198	15.5	154	164	7	157	12.3	−21
Minneapolis	392,815	4,289	10.9	3,704	3,815	114	3,701	9.4	−14
Rochester*	14,630	817	55.8	500	509	200	309	21.1	−62
St. Cloud	16,688	192	11.5	151	168	3	165	9.9	−14
St. Paul	237,781	2,555	10.7	2,194	2,284	53	2,231	9.4	−12
Virginia	14,570	116	8.0	99	112	2	110	7.5	− 6
Winona	19,229	245	12.7	227	234	3	231	12.0	− 6
MISSISSIPPI.									
Biloxi (total)	11,383	157	13.8	149	153	1	152	13.4	− 3
White	9,738	126	12.9	119	120	1	119	12.2	− 5
Colored	1,645	31	18.8	30	33	....	33	20.1	+ 7
Columbus (total)	10,734	137	12.8	137	140	....	140	13.0	+ 2
White	4,976	53	10.7	53	55	....	55	11.1	+ 4
Colored	5,758	84	14.6	84	85	....	85	14.8	+ 1
Greenville (total)	11,861	295	24.9	277	281	....	281	23.7	− 5
White	4,760	69	14.5	59	61	....	61	12.8	−12
Colored	7,101	226	31.8	218	220	....	220	31.0	− 3
Hattiesburg (total)	13,492	139	10.3	122	128	....	128	9.5	− 8
White	8,470	74	8.7	59	62	....	62	7.3	−16
Colored	5,022	65	12.9	63	66	....	66	13.1	+ 2
Jackson * (total)	23,058	856	37.1	626	630	3	627	27.2	−27
White	13,216	290	21.9	204	207	3	204	15.4	−30
Colored	9,842	566	57.5	422	423	....	423	43.0	−25
Laurel (total)	13,713	217	15.8	175	184	2	182	13.3	−16
White	8,386	125	14.9	101	108	2	106	12.6	−15
Colored	5,327	92	17.3	74	76	....	76	14.3	−17
Meridian * (total)	23,648	450	19.0	417	424	16	408	17.3	− 9
White	15,360	229	14.9	204	209	14	195	12.7	−15
Colored	8,288	221	26.7	213	215	2	213	25.7	− 4

AREA AND COLOR.	Population estimated as of July 1, 1921.	DEATHS (EXCLUSIVE OF STILLBIRTHS) IN 1921.							
		Including nonresidents.		Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died elsewhere in registration area.	Nonresidents not transferable.	Excluding all nonresidents and including residents who died elsewhere in registration area.		
		Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Per cent of change.
REGISTRATION CITIES—Continued.									
MISSISSIPPI—continued.									
Natchez (total)	12,734	199	15.6	180	183	....	183	14.4	− 8
White	5,913	64	10.8	49	51	....	51	8.6	−20
Colored	6,821	135	19.8	131	132	....	132	19.4	− 2
Vicksburg * (total)	[3] 18,072	541	29.9	462	467	2	465	25.7	−14
White	8,920	148	16.6	138	141	1	140	15.7	− 5
Colored	9,152	393	42.9	324	326	1	325	35.5	−17
MISSOURI.									
Cape Girardeau	10,527	186	17.7	186	186	....	186	17.7	.....
Carthage	10,198	142	13.9	141	143	....	143	14.0	+ 1
Columbia (total)	10,459	172	16.4	172	175	....	175	16.7	+ 2
White	8,592	128	14.9	128	131	....	131	15.2	+ 2
Colored	1,867	44	23.6	44	44	....	44	23.6	.....
Hannibal	19,455	220	11.3	217	224	....	224	11.5	+ 2
Independence	11,969	203	17.0	203	206	....	206	17.2	+ 1
Jefferson City (total)	14,859	174	11.7	174	175	....	175	11.8	+ 1
White	12,871	145	11.3	145	146	....	146	11.3	.....
Colored	1,988	29	14.6	29	29	....	29	14.6	.....
Joplin	[3] 29,902	415	13.9	414	417	....	417	13.9	.....
Kansas City (total)	336,157	4,654	13.8	4,555	4,630	18	4,612	13.7	− 1
White	304,152	3,891	12.8	3,796	3,866	18	3,848	12.7	− 1
Colored	32,005	763	23.8	759	764	....	764	23.9	[2]
Moberly	13,100	207	15.8	207	207	....	207	15.8	.....
St. Joseph	78,122	1,253	16.0	1,247	1,262	2	1,260	16.1	+ 1
St. Louis (total)	786,164	9,607	12.2	9,448	9,513	11	9,502	12.1	− 1
White	711,905	8,306	11.7	8,157	8,214	11	8,203	11.5	− 2
Colored	74,259	1,301	17.5	1,291	1,299	....	1,299	17.5	.....
Sedalia	21,581	300	13.9	300	302	....	302	14.0	+ 1
Springfield	40,316	593	14.7	593	599	....	599	14.9	+ 1
MONTANA.									
Anaconda	11,905	118	9.9	107	114	....	114	9.6	− 3
Billings	15,883	198	12.5	137	143	7	136	8.6	−31
Butte	41,953	468	11.2	433	455	....	455	10.8	− 4
Great Falls	25,692	263	10.2	189	197	1	196	7.6	−25
Helena	[3] 12,037	167	13.9	126	132	2	130	10.8	−22
Missoula	[3] 12,668	212	16.7	162	169	2	167	13.2	−21
NEBRASKA.									
Grand Island	14,398	231	16.0	226	230	2	228	15.8	− 1
Hastings	12,003	167	13.9	154	157	....	157	13.1	− 6
Lincoln	56,582	714	12.6	558	568	7	561	9.9	−21
North Platte	11,343	104	9.2	104	109	....	109	9.6	+ 4
Omaha (total)	197,096	2,599	13.2	2,282	2,307	118	2,189	11.1	−16
White	185,749	2,427	13.1	2,115	2,140	114	2,026	10.9	−17
Colored	11,347	172	15.2	167	167	4	163	14.4	− 5
NEW HAMPSHIRE.									
Berlin	16,772	173	10.3	159	160	4	156	9.3	−10
Concord *	22,271	424	19.0	415	429	....	429	19.3	+ 2
Dover	[3] 13,029	181	13.9	174	182	....	182	14.0	+ 1
Keene	11,386	157	13.8	138	143	1	142	12.5	− 9
Laconia	11,007	172	15.6	168	171	....	171	15.5	− 1
Manchester	79,670	950	11.9	901	971	4	967	12.1	+ 2
Nashua	28,745	405	14.1	361	375	1	374	13.0	− 8
Portsmouth	13,923	186	13.4	182	189	....	189	13.6	+ 1
NEW JERSEY.									
Asbury Park (total)	12,747	158	12.4	129	179	1	178	14.0	+13
White	9,767	112	11.5	86	122	1	121	12.4	+ 8
Colored	2,980	46	15.4	43	57	....	57	19.1	+24
Atlantic City (total)	51,411	981	19.1	711	737	1	736	14.3	−25
White	40,219	772	19.2	513	535	1	534	13.3	−31
Colored	11,192	209	18.7	198	202	....	202	18.0	− 4

[See footnotes at end of table.]

TABLE I B.—POPULATION, DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1921—Continued.

[See note at head of this table, p. 123.]

AREA AND COLOR.	Population estimated as of July 1, 1921.	DEATHS (EXCLUSIVE OF STILLBIRTHS) IN 1921. Including nonresidents. Number.	Including nonresidents. Rate per 1,000 population.	Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died elsewhere in registration area.	Nonresidents not transferable.	Excluding all nonresidents and including residents who died elsewhere in registration area. Number.	Excluding all nonresidents and including residents who died elsewhere in registration area. Rate per 1,000 population.	Excluding all nonresidents and including residents who died elsewhere in registration area. Per cent of change.
REGISTRATION CITIES—Continued.									
NEW JERSEY—contd.									
Bayonne	80,030	790	9.9	766	802	....	802	10.0	+ 1
Belleville *	16,551	327	19.8	245	277	1	276	16.7	−16
Bloomfield	23,092	160	6.9	153	214	....	214	9.3	+35
Bridgeton	14,340	247	17.2	218	231	....	231	16.1	− 6
Camden	119,672	1,535	12.8	1,339	1,418	....	1,418	11.8	− 8
Clifton	28,726	195	6.8	191	235	....	235	8.2	+21
East Orange	53,235	378	7.1	353	488	....	488	9.2	+30
Elizabeth	99,339	1,008	10.1	865	914	....	914	9.2	− 9
Englewood	11,890	197	16.6	121	140	....	140	11.8	−29
Garfield	20,798	143	6.9	138	162	....	162	7.8	+13
Gloucester	12,580	146	11.6	139	171	....	171	13.6	+17
Hackensack	18,226	305	16.7	194	220	....	220	12.1	−28
Harrison	15,910	122	7.7	118	163	....	163	10.2	+32
Hoboken	[3] 68,166	865	12.7	715	809	7	802	11.8	− 7
Irvington	27,582	229	8.3	212	248	....	248	9.0	+ 8
Jersey City	302,788	3,601	11.9	3,418	3,592	1	3,591	11.9	.....
Kearny	27,969	266	9.5	245	261	1	260	9.3	− 2
Long Branch	13,554	358	26.4	167	181	3	178	13.1	−50
Millville	15,036	181	12.0	172	176	....	176	11.7	− 3
Montclair (total)	29,931	212	7.1	201	293	....	293	9.8	+38
White	26,273	182	6.9	171	249	....	249	9.5	+38
Colored	3,653	30	8.2	30	44	....	44	12.0	+46
Morristown *	12,554	301	24.0	167	174	2	172	13.7	−43
New Brunswick	34,198	485	14.2	404	421	3	418	12.2	−14
Newark (total)	424,885	4,638	10.9	4,361	4,659	3	4,656	11.0	+ 1
White	406,412	4,238	10.4	3,972	4,255	2	4,253	10.5	+ 1
Colored	18,473	400	21.7	389	404	1	403	21.8	(2)
Orange (total)	33,880	528	15.6	349	388	....	388	11.5	−26
White	30,062	450	15.0	284	319	....	319	10.6	−29
Colored	3,818	78	20.4	65	69	....	69	18.1	−11
Passaic	65,243	695	10.7	596	638	....	638	9.8	− 8
Paterson	137,463	1,746	12.7	1,562	1,605	....	1,605	11.7	− 8
Perth Amboy	43,188	501	11.6	467	499	....	499	11.6	.....
Phillipsburg	17,390	186	10.7	185	204	....	204	11.7	+ 9
Plainfield	28,804	374	13.0	308	339	....	339	11.8	− 9
Rahway	11,305	161	14.2	142	155	....	155	13.7	− 4
Roosevelt	11,859	56	4.7	54	55	....	55	4.6	− 2
Summit	10,587	146	13.8	99	109	....	109	10.3	−25
Trenton	122,760	1,610	13.1	1,407	1,500	3	1,497	12.2	− 7
Union	[3] 20,651	155	7.5	154	191	....	191	9.2	+23
West Hoboken	40,796	270	6.6	268	368	....	368	9.0	+36
West New York	32,454	197	6.1	195	261	....	261	8.0	+31
West Orange	16,283	97	6.0	94	124	....	124	7.6	+27
NEW YORK.									
Albany	115,071	1,742	15.1	1,458	1,503	6	1,497	13.0	−14
Amsterdam	33,872	416	12.3	376	393	1	392	11.6	− 6
Auburn	36,428	495	13.6	459	474	....	474	13.0	− 4
Batavia	13,799	242	17.5	199	201	....	201	14.6	−17
Beacon *	11,022	170	15.4	157	166	....	166	15.1	− 2
Binghamton *	69,635	1,047	15.0	977	1,001	1	1,000	14.4	− 4
Buffalo	519,608	6,536	12.6	6,204	6,281	14	6,267	12.1	− 4
Cohoes	[3] 22,987	290	12.6	279	301	....	301	13.1	+ 4
Corning	16,143	177	11.0	163	171	1	170	10.5	− 5
Cortland	13,570	202	14.9	184	188	....	188	13.9	− 7
Dunkirk	19,662	222	11.3	201	205	....	205	10.4	− 8
Elmira	46,663	623	13.4	564	582	2	580	12.4	− 7
Fulton	13,439	180	13.4	173	179	....	179	13.3	− 1
Geneva	14,987	190	12.7	176	181	....	181	12.1	− 5
Glens Falls	16,853	266	15.8	226	239	2	237	14.1	−11

AREA AND COLOR.	Population estimated as of July 1, 1921.	DEATHS (EXCLUSIVE OF STILLBIRTHS) IN 1921. Including nonresidents. Number.	Including nonresidents. Rate per 1,000 population.	Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died elsewhere in registration area.	Nonresidents not transferable.	Excluding all nonresidents and including residents who died elsewhere in registration area. Number.	Excluding all nonresidents and including residents who died elsewhere in registration area. Rate per 1,000 population.	Excluding all nonresidents and including residents who died elsewhere in registration area. Per cent of change.
REGISTRATION CITIES—Continued.									
NEW YORK—continued.									
Gloversville	22,296	344	15.4	315	326	....	326	14.6	− 5
Herkimer	10,907	127	11.6	125	129	....	129	11.8	+ 2
Hornell	15,243	226	14.8	207	209	2	207	13.6	− 8
Hudson	11,780	191	16.2	160	173	....	173	14.7	− 9
Ilion	10,722	114	10.6	112	118	....	118	11.0	+ 4
Ithaca	17,343	269	15.5	237	247	2	245	14.1	− 9
Jamestown	40,094	479	11.9	444	456	2	454	11.3	− 5
Johnstown	10,979	139	12.7	137	164	....	164	14.9	+17
Kingston	26,809	465	17.3	372	378	....	378	14.1	−18
Lackawanna *	18,439	350	19.0	327	356	....	356	19.3	+ 2
Little Falls	13,145	145	11.0	142	147	....	147	11.2	+ 2
Lockport	21,668	288	13.3	284	300	....	300	13.8	+ 4
Middletown *	18,900	408	21.6	366	375	....	375	19.8	− 8
Mount Vernon	44,550	406	9.1	387	443	....	443	9.9	+ 9
New Rochelle	37,348	301	8.1	384	447	1	446	11.9	+47
New York:									
Bronx Borough	778,528	6,975	9.0	6,930	6,954	6	6,948	8.9	− 1
Brooklyn Borough (total)	2,077,641	22,184	10.7	22,074	22,364	96	22,268	10.7	....
White	2,042,764	21,547	10.5	21,444	21,725	83	21,642	10.6	+ 1
Colored	34,877	637	18.3	630	639	13	626	17.9	− 2
Manhattan Borough (total)	2,276,774	28,885	12.7	27,953	28,650	423	28,227	12.4	− 2
White	2,153,815	26,756	12.4	25,851	26,526	402	26,124	12.1	− 2
Colored	122,959	2,129	17.3	2,102	2,124	21	2,103	17.1	− 1
Queens Borough	497,671	5,032	10.1	4,916	4,970	4	4,966	10.0	− 1
Richmond Borough	121,253	1,527	12.6	1,482	1,494	36	1,458	12.0	− 5
Newburgh	30,761	431	14.0	380	385	2	383	12.5	−11
Niagara Falls	53,898	622	11.5	602	628	26	602	11.2	− 3
North Tonawanda	16,027	181	11.3	160	165	....	165	10.3	− 9
Ogdensburg *	[3] 14,609	457	31.3	371	373	7	366	25.1	−20
Olean	21,396	294	13.7	240	250	1	249	11.6	−15
Oneida	10,885	149	13.7	123	126	1	125	11.5	−16
Oneonta	11,905	199	16.7	176	180	....	180	15.1	−10
Ossining	[3] 10,739	155	14.4	137	152	....	152	14.2	− 1
Oswego	23,665	330	13.9	317	343	5	338	14.3	+ 3
Peekskill	15,933	187	11.7	180	199	....	199	12.5	+ 7
Plattsburg	[3] 10,909	196	18.0	156	159	2	157	14.4	−20
Port Chester	17,154	190	11.1	181	204	....	204	11.9	+ 7
Port Jervis	10,264	212	20.7	187	193	....	193	18.8	− 9
Poughkeepsie	36,091	426	11.8	385	420	3	417	11.6	− 2
Rensselaer	10,840	114	10.5	110	143	....	143	13.2	+26
Rochester	305,229	3,663	12.0	3,448	3,506	6	3,500	11.5	− 4
Rome *	27,244	515	18.9	398	401	....	401	14.7	−22
Saratoga Springs	[3] 13,181	270	20.5	220	238	....	238	18.1	−12
Schenectady	91,102	884	9.7	804	844	1	843	9.3	− 4
Syracuse	177,514	2,139	12.0	1,957	2,026	5	2,021	11.4	− 5
Tonawanda	10,343	76	7.3	75	105	....	105	10.2	+40
Troy	[3] 72,013	1,161	16.1	1,005	1,040	2	1,038	14.4	−11
Utica *	99,442	1,417	14.2	1,326	1,387	....	1,387	13.9	− 2
Watertown	31,989	482	15.1	424	430	....	430	13.4	−11
Watervliet	16,226	179	11.0	174	224	....	224	13.8	+25
White Plains	21,639	239	11.0	195	241	....	241	11.1	+ 1
Yonkers	103,324	960	9.3	927	1,010	....	1,010	9.8	+ 5
NORTH CAROLINA.									
Asheville * (total)	29,314	609	20.8	578	582	19	563	19.2	− 8
White	22,054	461	20.9	435	438	15	423	19.2	− 8
Colored	7,260	148	20.4	143	144	4	140	19.3	− 5
Charlotte (total)	48,242	697	14.4	669	674	....	674	14.0	− 3
White	33,150	396	11.9	372	375	....	375	11.3	− 5
Colored	15,092	301	19.9	297	299	....	299	19.8	− 1

[See footnotes at end of table.]

TABLE I B.—POPULATION, DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1921—Continued.

[See note at head of this table, p. 123.]

AREA AND COLOR.	Population estimated as of July 1, 1921.	DEATHS (EXCLUSIVE OF STILLBIRTHS) IN 1921.								AREA AND COLOR.	Population estimated as of July 1, 1921.	DEATHS (EXCLUSIVE OF STILLBIRTHS) IN 1921.							
		Including nonresidents.		Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died elsewhere in registration area.	Nonresidents not transferable.	Excluding all nonresidents and including residents who died elsewhere in registration area.					Including nonresidents.		Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died elsewhere in registration area.	Nonresidents not transferable.	Excluding all nonresidents and including residents who died elsewhere in registration area.		
		Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Per cent of change.			Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Per cent of change.
REGISTRATION CITIES—Continued.										REGISTRATION CITIES—Continued									
NORTH CAROLINA—con.										OHIO—continued.									
Durham (total)	22,256	335	15.1	334	340	....	340	15.3	+ 1	Findlay	17,355	211	12.2	206	209	....	209	12.0	— 2
White	14,477	146	10.1	146	151	....	151	10.4	+ 3	Fremont	12,858	126	9.8	122	128	....	128	10.0	+ 2
Colored	7,779	189	24.3	188	189	....	189	24.3	.....	Hamilton	40,553	487	12.0	463	471	1	470	11.6	— 3
Gastonia (total)	13,970	200	14.3	198	198	....	198	14.2	— 1	Ironton	14,139	204	14.4	190	195	1	194	13.7	— 5
White	11,482	150	13.1	149	149	....	149	13.0	— 1	Kenmore	14,801	95	6.4	93	113	....	113	7.6	+19
Colored	2,488	50	20.1	49	49	....	49	19.7	— 2										
										Lakewood	45,834	379	8.3	371	382	....	382	8.3	.....
Goldsboro (total)	12,098	200	16.5	199	199	....	199	16.4	— 1	Lancaster	14,956	190	12.7	181	190	....	190	12.7	.....
White	6,848	68	9.9	67	67	....	67	9.8	— 1	Lima	42,797	472	11.0	445	450	4	446	10.4	— 5
Colored	5,250	132	25.1	132	132	....	132	25.1	.....	Lorain	38,795	372	9.6	357	366	....	366	9.4	— 2
Greensboro (total)	20,473	285	13.9	278	282	....	282	13.8	— 1	Mansfield	28,913	323	11.2	315	321	....	321	11.1	— 1
White	14,458	169	11.7	162	166	....	166	11.5	— 2										
Colored	6,015	116	19.3	116	116	....	116	19.3	.....	Marietta	15,173	228	15.0	215	221	3	218	14.4	— 4
										Marion	29,151	338	11.6	325	336	1	335	11.5	— 1
High Point (total)	15,040	183	12.2	179	182	....	182	12.1	— 1	Martins Ferry	12,020	177	14.7	156	160	1	159	13.2	—10
White	12,014	133	11.1	130	133	....	133	11.1	.....	Massillon	17,946	195	10.9	178	181	....	181	10.1	— 7
Colored	3,026	50	16.5	49	49	....	49	16.2	— 2	Middletown	26,335	251	9.5	241	250	....	250	9.5	.....
New Bern (total)	12,203	234	19.2	230	232	....	232	19.0	— 1										
White	5,486	79	14.4	75	76	....	76	13.9	— 3	New Philadelphia	11,105	114	10.3	114	114	....	114	10.3	.....
Colored	6,717	155	23.1	155	156	....	156	23.2	(2)	Newark	26,920	371	13.8	358	365	....	365	13.6	— 1
										Niles	14,584	141	9.7	140	148	....	148	10.1	+ 4
Raleigh* (total)	27,974	547	19.6	529	532	....	532	19.0	— 3	Norwood	26,322	177	6.7	176	210	....	210	8.0	+19
White	18,224	319	17.5	313	314	....	314	17.2	— 2										
Colored	9,750	228	23.4	216	218	....	218	22.4	— 4	Piqua	15,299	174	11.4	151	156	2	154	10.1	—11
Rocky Mount (total)	13,389	237	17.7	234	234	....	234	17.5	— 1	Portsmouth	36,210	448	12.4	429	435	....	435	12.0	— 3
White	8,555	129	15.1	127	127	....	127	14.8	— 2	Salem	10,515	143	13.6	142	144	....	144	13.7	+ 1
Colored	4,834	108	22.3	107	107	....	107	22.1	— 1	Sandusky	23,346	304	13.0	290	303	....	303	13.0	.....
Salisbury (total)	14,924	186	12.5	184	186	....	186	12.5	.....	Springfield (total)	62,990	729	11.6	707	726	....	726	11.5	— 1
White	11,173	118	10.6	118	120	....	120	10.7	+ 1	White	55,625	625	11.2	605	622	....	622	11.2	.....
Colored	3,751	68	18.1	66	66	....	66	17.6	— 3	Colored	7,365	104	14.1	102	104	....	104	14.1	.....
Wilmington (total)	34,378	604	17.6	595	599	1	598	17.4	— 1	Steubenville	29,453	354	12.0	344	358	13	345	11.7	— 3
White	20,774	311	15.0	305	309	1	308	14.8	— 1	Tiffin	14,696	205	13.9	198	208	....	208	14.2	+ 2
Colored	13,604	293	21.5	290	290	....	290	21.3	— 1										
										Toledo	253,696	3,047	12.0	2,914	2,946	5	2,941	11.6	— 3
Wilson (total)	11,214	217	19.4	212	212	1	211	18.8	— 3	Warren	29,131	376	12.9	362	370	1	369	12.7	— 2
White	5,657	105	18.6	101	101	1	100	17.7	— 5	Youngstown	132,358	1,554	11.7	1,484	1,506	1	1,505	11.4	— 3
Colored	5,557	112	20.2	111	111	....	111	20.0	— 1	Zanesville	29,806	469	15.7	433	447	....	447	15.0	— 4
Winston-Salem (total)	51,618	626	12.1	615	618	....	618	12.0	— 1										
White	29,357	278	9.5	267	267	....	267	9.1	— 4	OKLAHOMA.[1]									
Colored	22,261	348	15.6	348	351	....	351	15.8	+ 1										
										Oklahoma City	95,590	1,039	10.9	1,033	1,046	98	948	9.9	— 9
NORTH DAKOTA.[1]																			
										OREGON.									
Fargo	23,131	303	13.1	261	267	60	207	8.9	—32										
										Astoria	14,711	173	11.8	143	150	2	148	10.1	—14
OHIO.										Eugene	10,765	198	18.4	160	170	....	170	15.8	—14
										Portland	264,859	2,892	10.9	2,505	2,590	27	2,563	9.7	—11
Akron	208,435	1,564	7.5	1,495	1,528	2	1,526	7.3	— 3	Salem (exclusive of)	18,233	236	28.1	189	202	....	202	26.3	— 6
Alliance	22,523	283	12.6	257	267	1	266	11.8	— 6	State institutions		277		277	277	....	277		
Ashtabula	23,526	255	10.8	235	241	1	240	10.2	— 6										
Barberton	20,031	176	8.8	168	178	....	178	8.9	+ 1	PENNSYLVANIA.									
Bellaire	15,387	184	12.0	173	186	....	186	12.1	+ 1	Allentown	82,507	1,182	14.3	1,088	1,094	1	1,093	13.2	— 8
Bucyrus	10,781	114	10.6	113	122	....	122	11.3	+ 7	Altoona	62,528	773	12.4	689	707	....	707	11.3	— 9
Cambridge	13,356	166	12.4	164	169	....	169	12.7	+ 2	Ambridge	13,893	123	8.9	121	140	....	140	10.1	+13
Canton	92,236	975	10.6	950	971	....	971	10.5	— 1	Beaver Falls	12,895	191	14.8	178	186	....	186	14.4	— 3
Chillicothe	16,035	205	12.8	201	209	....	209	13.0	+ 2	Berwick	12,634	116	9.2	116	119	....	119	9.4	+ 2
Cincinnati (total)	403,418	5,700	14.1	5,404	5,447	15	5,432	13.5	— 4	Bethlehem	56,431	459	8.1	459	491	....	491	8.7	+ 7
White	371,904	4,954	13.3	4,666	4,706	14	4,692	12.6	— 5	Braddock	21,113	371	17.6	303	318	....	318	15.1	—14
Colored	31,514	746	23.7	738	741	1	740	23.5	— 1	Bradford	15,599	230	14.7	228	235	1	234	15.0	+ 2
Cleveland (total)	831,138	8,697	10.5	8,467	8,588	9	8,579	10.3	— 2	Bristol	10,430	140	13.4	140	150	....	150	14.4	+ 7
White	792,313	8,019	10.1	7,794	7,911	7	7,904	10.0	— 1	Butler	24,174	297	12.3	267	280	....	280	11.6	— 6
Colored	38,825	678	17.5	673	677	2	675	17.4	— 1	Canonsburg	11,411	120	10.5	120	127	....	127	11.1	+ 6
Cleveland Heights	17,134	110	6.4	108	108	....	108	6.3	— 2	Carbondale	18,886	315	16.7	307	312	....	312	16.5	— 1
Columbus (total)	247,828	3,176	12.8	2,816	2,849	9	2,840	11.5	—10										
White	224,034	2,796	12.5	2,447	2,478	8	2,470	11.0	—12	Carlisle	11,011	173	15.7	171	172	....	172	15.6	— 1
Colored	23,794	380	16.0	369	371	1	370	15.6	— 3	Carnegie	11,749	101	8.6	98	130	....	130	11.1	+29
Coshocton	11,040	161	14.6	157	162	....	162	14.7	+ 1	Carrick	11,131	83	7.4	83	96	....	96	8.6	+16
Cuyahoga Falls	11,155	85	7.6	76	95	....	95	8.5	+12	Chambersburg	13,383	176	13.2	172	176	....	176	13.2	.....
Dayton	158,119	1,734	11.0	1,643	1,668	1	1,667	10.5	— 5	Charleroi	11,809	95	8.0	95	98	....	98	8.3	+ 4
East Cleveland	30,090	213	7.1	207	209	....	209	6.9	— 3	Chester (total)	60,886	761	12.5	735	768	....	768	12.6	+ 1
East Liverpool	21,569	328	15.2	310	314	8	306	14.2	— 7	White	53,326	608	11.4	588	613	....	613	11.5	+ 1
East Youngstown	13,405	128	9.5	128	130	....	130	9.7	+ 2	Colored	7,560	153	20.2	147	155	....	155	20.5	+ 1
Elyria	21,608	233	10.8	221	228	....	225	10.6	— 2										

[See footnotes at end of table.]

TABLE I B.—POPULATION, DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1921—Continued.

[See note at head of this table, p. 123.]

AREA AND COLOR.	Population estimated as of July 1, 1921.	DEATHS (EXCLUSIVE OF STILLBIRTHS) IN 1921. Including nonresidents. Number.	Including nonresidents. Rate per 1,000 population.	Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died elsewhere in registration area.	Nonresidents not transferable.	Excluding all nonresidents and including residents who died elsewhere in registration area. Number.	Excluding all nonresidents and including residents who died elsewhere in registration area. Rate per 1,000 population.	Excluding all nonresidents and including residents who died elsewhere in registration area. Per cent of change.
REGISTRATION CITIES—Continued.									
PENNSYLVANIA—contd.									
Coatesville (total)	15,045	116	7.7	112	120	....	120	8.0	+ 4
White	13,107	96	7.3	94	101	....	101	7.7	+ 5
Colored	1,938	20	10.3	18	19	....	19	9.8	− 5
Columbia	[3] 10,836	152	14.0	151	157	....	157	14.5	+ 4
Connellsville	13,951	145	10.4	143	155	....	155	11.1	+ 7
Dickson City	11,315	95	8.4	94	111	....	111	9.8	+17
Donora	14,922	110	7.4	107	122	1	121	8.1	+ 9
Du Bois	13,843	178	12.9	163	167	....	167	12.1	− 6
Dunmore	20,657	267	12.9	261	286	....	286	13.8	+ 7
Duquesne	19,518	213	10.9	213	233	....	233	11.9	+ 9
Easton	34,630	493	14.2	411	418	4	414	12.0	−15
Erie	106,485	1,190	11.2	1,146	1,163	1	1,162	10.9	− 3
Farrell	16,389	141	8.6	141	143	....	143	8.7	+ 1
Greensburg	15,312	278	18.2	212	218	....	218	14.2	−22
Harrisburg	78,837	1,047	13.3	948	969	1	968	12.3	− 8
Hazleton	33,331	479	14.4	400	406	....	406	12.2	−15
Homestead	20,721	162	7.8	161	196	....	196	9.5	+22
Jeannette	10,930	88	8.1	88	107	....	107	9.8	+21
Johnstown	68,458	1,002	14.6	834	850	3	847	12.4	−15
Lancaster	54,065	777	14.4	714	719	....	719	13.3	− 8
Lebanon	24,796	381	15.4	376	387	....	387	15.6	+ 1
McKees Rocks	17,024	167	9.8	164	185	....	185	10.9	+11
McKeesport	47,413	634	13.4	548	565	1	564	11.9	−11
Mahanoy City	[3] 15,599	172	11.0	172	208	....	208	13.3	+21
Meadville	14,844	213	14.3	181	185	1	184	12.4	−13
Monessen	19,005	130	6.8	128	151	....	151	7.9	+16
Mount Carmel	[3] 17,469	199	11.4	199	237	....	237	13.6	+19
Nanticoke	23,190	298	12.9	269	272	....	272	11.7	− 9
New Castle	46,275	575	12.4	568	577	....	577	12.5	+ 1
New Kensington	12,648	178	14.1	175	175	....	175	13.8	− 2
Norristown*	33,005	609	18.5	567	583	....	583	17.7	− 4
North Braddock	15,407	124	8.0	122	130	....	130	8.4	+ 5
Oil City	21,816	251	11.5	234	237	....	237	10.9	− 5
Old Forge	12,378	128	10.3	125	131	....	131	10.6	+ 3
Olyphant	10,503	98	9.3	96	104	....	104	9.9	+ 6
Philadelphia (total)	1,866,212	23,697	12.7	23,124	23,565	16	23,549	12.6	− 1
White	1,722,892	21,206	12.3	20,666	21,080	13	21,067	12.2	− 1
Colored	143,320	2,491	17.4	2,458	2,485	3	2,482	17.3	− 1
Phoenixville	[3] 10,484	141	13.4	134	136	....	136	13.0	− 3
Pittsburgh (total)	602,452	8,499	14.1	7,630	7,785	13	7,772	12.9	− 9
White	562,316	7,684	13.7	6,847	6,988	13	6,975	12.4	− 9
Colored	40,136	815	20.3	783	797	....	797	19.9	− 2
Pittston	18,841	281	14.9	274	291	....	291	15.4	+ 3
Plymouth	[3] 16,500	160	9.7	156	183	....	183	11.1	+14
Pottstown	17,713	274	15.5	270	276	....	276	15.6	+ 1
Pottsville	22,128	392	17.7	301	311	....	311	14.1	−20
Punxsutawney	10,505	160	15.2	129	132	....	132	12.6	−17
Reading	109,125	1,437	13.2	1,362	1,381	....	1,381	12.7	− 4
Scranton	139,006	1,949	14.0	1,781	1,813	2	1,811	13.0	− 7
Shamokin	21,353	224	10.5	223	247	....	247	11.6	+10
Sharon	22,623	247	10.9	238	243	....	243	10.7	− 2
Shenandoah	[3] 24,726	323	13.1	323	371	....	371	15.0	+15
Steelton (total)	[3] 13,428	121	9.0	119	141	....	141	10.5	+17
White	11,447	85	7.4	83	101	....	101	8.8	+19
Colored	1,981	36	18.2	36	40	....	40	20.2	+11
Sunbury	16,023	199	12.4	194	199	....	199	12.4	.....
Swissvale	11,453	123	10.7	120	129	....	129	11.3	+ 6
Tamaqua	12,810	127	9.9	125	142	....	142	11.1	+12
Uniontown	[3] 15,692	303	19.3	291	302	....	302	19.2	− 1
Warren	14,502	184	12.7	165	170	....	170	11.7	− 8
Washington	21,897	366	16.7	352	362	....	362	16.5	− 1
West Chester* (total)	[3] 11,717	324	27.7	260	265	....	265	22.6	−18
White	9,879	270	27.3	221	226	....	226	22.9	−16
Colored	1,838	54	29.4	39	39	....	39	21.2	−28
Wilkes-Barre	74,873	1,122	15.0	941	966	1	965	12.9	−14
Wilkinsburg	25,218	314	12.5	257	281	1	280	11.1	−11
Williamsport	36,867	567	15.4	519	528	....	528	14.3	− 7
Woodlawn	14,210	100	7.0	100	125	....	125	8.8	+26
York	47,939	588	12.3	568	582	....	582	12.1	− 2
RHODE ISLAND.									
Bristol town	11,809	142	12.0	135	157	....	157	13.3	+11
Central Falls	24,393	210	8.6	208	240	....	240	9.8	+14
Cranston (exclusive of)	30,688	264	[5]18.8	255	305	....	305	[5]20.1	+ 7
State institutions		313		313	313	....	313		
Cumberland town	[3] 10,077	134	13.3	132	137	....	137	13.6	+ 2
East Providence town	22,717	252	11.1	244	279	....	279	12.3	+11
Newport	30,734	334	10.9	321	330	....	330	10.7	− 2
Pawtucket	66,198	785	11.9	730	774	....	774	11.7	− 2
Providence	239,645	3,185	13.3	2,833	2,928	4	2,924	12.2	− 8
Warwick town	[6] 13,481	183	13.6	171	197	....	197	14.6	+ 7
West Warwick town	[6] 15,461	152	9.8	151	167	....	167	10.8	+10
Woonsocket	44,325	515	11.6	486	506	1	505	11.4	− 2
SOUTH CAROLINA.									
Anderson (total)	10,711	245	22.9	244	244	2	242	22.6	− 1
White	7,733	157	20.3	156	156	2	154	19.9	− 2
Colored	2,978	88	29.6	88	88	....	88	29.6	.....
Charleston (total)	69,366	1,457	21.0	1,454	1,464	....	1,464	21.1	[2]
White	36,793	484	13.2	482	486	....	486	13.2	.....
Colored	32,573	973	29.9	972	978	....	978	30.0	[2]
Columbia* (total)	38,452	1,257	32.7	1,254	1,257	....	1,257	32.7	.....
White	23,897	602	25.2	600	603	....	603	25.2	.....
Colored	14,555	655	45.0	654	654	....	654	44.9	[2]
Florence (total)	11,572	252	21.8	251	251	....	251	21.7	[2]
White	6,674	129	19.3	128	128	....	128	19.2	− 1
Colored	4,898	123	25.1	123	123	....	123	25.1	.....
Greenville (total)	24,268	326	13.4	323	325	....	325	13.4	.....
White	15,792	173	11.0	171	173	....	173	11.0	.....
Colored	8,476	153	18.1	152	152	....	152	17.9	− 1
Spartanburg (total)	23,429	358	15.3	338	340	....	340	14.5	− 5
White	15,250	187	12.3	180	182	....	182	11.9	− 3
Colored	8,179	171	20.9	158	158	....	158	19.3	− 8
TENNESSEE.									
Chattanooga (total)	58,867	923	15.7	881	893	24	869	14.8	− 6
White	40,261	515	12.8	477	485	21	464	11.5	−10
Colored	18,606	408	21.9	404	408	3	405	21.8	[2]
Jackson (total)	19,150	299	15.6	285	289	....	289	15.1	− 3
White	12,827	147	11.5	135	138	....	138	10.8	− 6
Colored	6,323	152	24.0	150	151	....	151	23.9	[2]
Johnson City* (total)	12,966	314	24.2	308	312	1	311	24.0	− 1
White	11,359	264	23.2	260	264	1	263	23.2	.....
Colored	1,607	50	31.1	48	48	....	48	29.9	− 4
Knoxville (total)	82,275	1,192	14.5	1,042	1,046	9	1,037	12.6	−13
White	70,791	922	13.0	795	799	7	792	11.2	−14
Colored	11,484	270	23.5	247	247	2	245	21.3	− 9
Memphis (total)	165,656	2,876	17.4	2,638	2,654	145	2,509	15.1	−13
White	103,993	1,424	13.7	1,240	1,251	89	1,162	11.2	−18
Colored	61,663	1,452	23.5	1,398	1,403	56	1,347	21.8	− 7
Nashville (total)	122,036	1,978	16.2	1,868	1,878	6	1,872	15.3	− 6
White	85,794	1,167	13.6	1,087	1,095	5	1,090	12.7	− 7
Colored	36,242	811	22.4	781	783	1	782	21.6	− 4
TEXAS.[1]									
Beaumont (total)	43,067	455	10.6	451	458	40	418	9.7	− 8
White	28,995	258	8.9	256	262	38	224	7.7	−13
Colored	14,072	197	14.0	195	196	2	194	13.8	− 1
Dallas (total)	166,543	1,985	11.9	1,963	1,970	277	1,693	10.2	−14
White	142,138	1,563	11.0	1,544	1,550	248	1,302	9.2	−16
Colored	24,405	422	17.3	419	420	29	391	16.0	− 8

[See footnotes at end of table.]

TABLE I B.—POPULATION, DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1921—Continued.

[See note at head of this table, p. 123.]

AREA AND COLOR.	Population estimated as of July 1, 1921.	DEATHS (EXCLUSIVE OF STILLBIRTHS) IN 1921.								
		Including nonresidents.		Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died elsewhere in registration area.	Nonresidents not transferable.	Excluding all nonresidents and including residents who died elsewhere in registration area.		
		Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Per cent of change.
REGISTRATION CITIES—Continued.									
TEXAS [1]—continued.									
El Paso	83,147	2,086	25.1	2,085	2,099	17	2,082	25.0	(2)
Galveston (total)	45,379	656	14.5	648	653	42	611	13.5	−7
White	35,155	468	13.3	460	465	31	434	12.3	−8
Colored	10,224	188	18.4	188	188	11	177	17.3	−6
Houston (total)	145,188	1,851	12.7	1,845	1,873	53	1,820	12.5	−2
White	110,292	1,251	11.3	1,246	1,272	49	1,223	11.1	−2
Colored	34,896	600	17.2	599	601	4	597	17.1	−1
San Antonio (total)	171,385	2,678	15.6	2,657	2,665	124	2,541	14.8	−5
White	156,224	2,456	15.7	2,438	2,446	121	2,325	14.9	−5
Colored	15,161	222	14.6	219	219	3	216	14.2	−3
UTAH.									
Ogden	33,911	400	11.8	349	373	28	345	10.2	−14
Provo	10,516	164	15.6	150	155	1	154	14.6	−6
Salt Lake City	121,595	1,503	12.4	1,281	1,312	55	1,257	10.3	−17
VERMONT.									
Barre	[3] 10,008	152	15.2	145	148	....	148	14.8	−3
Burlington	23,136	390	16.9	346	361	2	359	15.5	−8
Rutland	15,172	202	13.3	186	195	....	195	12.9	−3
VIRGINIA.									
Alexandria (total)	18,173	254	14.0	249	269	....	269	14.8	+6
White	14,137	167	11.8	163	177	....	177	12.5	+6
Colored	4,036	87	21.6	86	92	....	92	22.8	+6
Charlottesville (total)	10,831	144	13.3	137	141	....	141	13.0	−2
White	7,947	98	12.3	92	94	....	94	11.8	−4
Colored	2,884	46	16.0	45	47	....	47	16.3	+2
Danville (total)	21,928	325	14.8	312	318	....	318	14.5	−2
White	16,329	215	13.2	202	207	....	207	12.7	−4
Colored	5,599	110	19.6	110	111	....	111	19.8	+1
Lynchburg (total)	30,159	441	14.6	397	406	4	402	13.3	−9
White	22,005	281	12.8	249	257	4	253	11.5	−10
Colored	8,154	160	19.6	148	149	....	149	18.3	−7
Newport News (total)	40,336	400	9.9	399	409	....	409	10.1	+2
White	24,195	140	5.8	140	147	....	147	6.1	+5
Colored	16,141	260	16.1	259	262	....	262	16.2	+1
Norfolk (total)	121,260	1,565	12.9	1,462	1,487	10	1,477	12.2	−5
White	75,595	757	10.0	676	696	6	690	9.1	−9
Colored	45,665	808	17.7	786	791	4	787	17.2	−3
Petersburg (total)	32,076	576	18.0	544	557	....	557	17.4	−3
White	18,059	244	13.5	221	230	....	230	12.7	−6
Colored	14,017	332	23.7	323	327	....	327	23.3	−2
Portsmouth (total)	55,653	728	13.1	725	746	....	746	13.4	+2
White	31,425	291	9.3	289	304	....	304	9.7	+4
Colored	24,228	437	18.0	436	442	....	442	18.2	+1
Richmond (total)	175,686	2,567	14.6	2,361	2,390	5	2,385	13.6	−7
White	121,305	1,491	12.3	1,326	1,351	5	1,346	11.1	−10
Colored	54,381	1,076	19.8	1,035	1,039	....	1,039	19.1	−4
Roanoke (total)	52,796	707	13.4	576	581	6	575	10.9	−19
White	43,260	537	12.4	424	429	5	424	9.8	−21
Colored	9,536	170	17.8	152	152	1	151	15.8	−11
Staunton* (total)	10,626	251	23.6	244	250	....	250	23.5	(2)
White	8,954	216	24.1	209	212	....	212	23.7	−2
Colored	1,672	35	20.9	35	38	....	38	22.7	+9
WASHINGTON.									
Aberdeen	15,565	143	9.2	126	133	1	132	8.5	−8
Bellingham	25,761	266	10.3	230	246	2	244	9.5	−8
Everett	28,096	255	9.1	206	217	4	213	7.6	−16
Hoquiam	10,350	75	7.2	68	70	....	70	6.8	−6
Seattle (total)	[4] 315,312	2,839	9.0	2,583	2,698	35	2,663	8.4	−7
White	302,580	2,643	8.7	2,397	2,507	31	2,476	8.2	−6
Colored	12,732	196	15.4	186	191	4	187	14.7	−5
Spokane	104,442	1,315	12.6	1,113	1,155	56	1,099	10.5	−17
Tacoma	99,007	1,051	10.6	896	932	3	929	9.4	−11
Vancouver	13,152	143	10 9	110	126	....	126	9.6	−12
Walla Walla	[3] 15,503	250	16.1	200	211	3	208	13.4	−17
Yakima	19,228	302	15.7	218	235	7	228	11.9	−24
REGISTRATION CITIES—Continued.									
WEST VIRGINIA.[1]									
Wheeling	[3] 56,208	869	15.5	751	758	82	676	12.0	−23
WISCONSIN.									
Appleton	19,992	262	13.1	222	226	2	224	11.2	−14
Ashland	[3] 11,334	197	17.4	127	131	....	131	11.6	−33
Beloit	22,235	204	9.2	191	203	....	203	9.1	−1
Eau Claire*	21,307	322	15.1	242	248	2	246	11.5	−24
Fond du Lac	24,141	306	12.7	259	268	....	268	11.1	−13
Green Bay	31,910	531	16.6	398	398	1	397	12.4	−25
Janesville	18,973	197	10.4	176	180	2	178	9.4	−10
Kenosha	43,054	323	7.5	309	320	....	320	7.4	−1
La Crosse	30,421	524	17.2	399	404	14	390	12.8	−26
Madison	40,152	426	10.6	334	344	....	344	8.6	−19
Manitowoc	18,264	226	12.4	198	204	....	204	11.2	−10
Marinette	[3] 13,610	155	11.4	137	140	....	140	10.3	−10
Milwaukee	469,111	4,587	9.8	4,400	4,447	3	4,444	9.5	−3
Oshkosh	33,177	445	13.4	407	417	4	413	12.4	−7
Racine	61,079	589	9.6	570	578	1	577	9.4	−2
Sheboygan	31,659	344	10.9	321	326	....	326	10.3	−6
Stevens Point	11,785	139	11.8	127	135	....	135	11.5	−3
Superior	[3] 39,671	446	11.2	392	409	4	405	10.2	−9
Waukesha	13,148	140	10.6	125	128	....	128	9.7	−8
Wausau	19,237	264	13.7	217	222	....	222	11.5	−16
West Allis	14,842	127	8.6	126	133	....	133	9.0	+5
RURAL PART OF REGISTRATION STATES.[7]									
CALIFORNIA COUNTIES.									
Alameda*	43,429	809	18.6	789	805	1	804	18.5	−1
Alpine (total)	[3] 243	1	*4.1*	1	1	....	1	*4.1*	.....
White	141	1	*7.1*	1	1	....	1	*7.1*	.....
Colored	102	----	----	----	----	....	----	----	.....
Amador	[3] 7,793	95	12.2	95	102	....	102	13.1	+7
Butte	30,452	332	10.9	330	338	1	337	11.1	+2
Calaveras	[3] 6,183	69	11.2	69	69	....	69	11.2	.....
Colusa	9,530	85	8.9	85	87	....	87	9.1	+2
Contra Costa	38,928	320	8.2	318	330	....	330	8.5	+4
Del Norte (total)	2,812	31	11.0	31	34	....	34	12.1	+10
White	2,256	27	12.0	27	30	....	30	13.3	+11
Colored	556	4	*7.2*	4	4	....	4	*7.2*	.....
Eldorado	[3] 6,426	100	15.6	97	97	....	97	15.1	−3
Fresno	85,538	928	10.8	927	934	....	934	10.9	+1
Glenn	12,577	88	7.0	88	91	....	91	7.2	+3
Humboldt	24,873	242	9.7	229	230	1	229	9.2	−5
Imperial (total)	48,066	441	9.2	440	446	....	446	9.3	+1
White	42,118	371	8.8	370	376	....	376	8.9	+1
Colored	5,948	70	11.8	70	70	....	70	11.8	.....
Inyo (total)	7,039	57	8.1	56	58	....	58	8.2	+1
White	6,303	51	8.1	50	51	....	51	8.1	.....
Colored	736	6	8.2	6	7	....	7	9.5	+16
Kern	37,938	297	7.8	295	298	2	296	7.8	.....
Kings	22,927	250	10.9	250	251	....	251	10.9	.....
Lake	[3] 5,402	56	10.4	54	54	....	54	10.0	−4
Lassen	9,079	87	9.6	87	87	....	87	9.6	.....
Los Angeles	224,506	3,278	14.6	3,264	3,296	1	3,295	14.7	+1
Madera	12,796	153	12.0	146	149	....	149	11.6	−3
Marin	27,686	303	10.9	302	318	1	317	11.4	+5
Mariposa	[3] 2,775	25	9.0	25	25	....	25	9.0	.....
Mendocino	24,145	328	13.6	327	331	....	331	13.7	+1
Merced	26,036	228	8.8	228	235	....	235	9.0	+2
Modoc	[3] 5,425	51	9.4	51	51	....	51	9.4	.....
Mono (total)	[3] 960	4	*4.2*	4	4	....	4	*4.2*	.....
White	694	2	*2.9*	2	2	....	2	*2.9*	.....
Colored	266	2	*7.5*	2	2	....	2	*7.5*	.....
Monterey	28,571	326	11.4	323	328	....	328	11.5	+1
Napa*	20,814	517	24.8	504	512	....	512	24.6	−1

[See footnotes at end of table.]

TABLE I B.—POPULATION, DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1921—Continued.

[See note at head of this table, p. 123.]

AREA AND COLOR.	Population estimated as of July 1, 1921.	DEATHS (EXCLUSIVE OF STILLBIRTHS) IN 1921. Including nonresidents. Number.	Including nonresidents. Rate per 1,000 population.	Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died elsewhere in registration area.	Nonresidents not transferable.	Excluding all nonresidents and including residents who died elsewhere in registration area. Number.	Rate per 1,000 population.	Per cent of change
RURAL PART OF REGISTRATION STATES[7]—Con.									
CALIFORNIA COUNTIES—continued.									
Nevada	[3] 10,850	166	15.3	166	172	....	172	15.9	+ 4
Orange	48,963	687	14.0	684	686	....	686	14.0	.....
Placer (total)	18,637	361	19.4	355	368	....	368	19.7	+ 2
White	16,399	316	19.3	310	323	....	323	19.7	+ 2
Colored	2,238	45	20.1	45	45	....	45	20.1	.....
Plumas	5,746	83	14.4	81	83	....	83	14.4	.....
Riverside	32,727	396	12.1	395	396	....	396	12.1	.....
Sacramento (total)	26,978	197	7.3	196	222	....	222	8.2	+12
White	21,175	145	6.8	144	158	....	158	7.5	+10
Colored	5,803	52	9.0	52	64	....	64	11.0	+22
San Benito	9,143	114	12.5	114	115	....	115	12.6	+ 1
San Bernardino*	56,341	911	16.2	911	918	1	917	16.3	+ 1
San Diego*	40,074	495	12.4	461	494	13	481	12.0	− 3
San Joaquin (total)	41,906	888	21.2	885	891	....	891	21.3	(2)
White	36,987	807	21.8	804	810	....	810	21.9	(2)
Colored	4,919	81	16.5	81	81	....	81	16.5	.....
San Luis Obispo	22,281	254	11.4	254	258	....	258	11.6	+ 2
San Mateo	38,357	466	12.1	463	482	....	482	12.6	+ 4
Santa Barbara	22,329	210	9.4	210	211	1	210	9.4	.....
Santa Clara*	62,711	1,146	18.3	1,122	1,136	1	1,135	18.1	− 1
Santa Cruz	15,372	199	12.9	197	202	....	202	13.1	+ 2
Shasta	[3] 13,361	203	15.2	201	203	....	203	15.2	.....
Sierra	[3] 1,783	25	14.0	25	28	....	28	15.7	+12
Siskiyou	[3] 18,545	221	11.9	219	230	....	230	12.4	+ 4
Solano	20,000	144	7.2	144	156	....	156	7.8	+ 8
Sonoma	52,661	697	13.2	695	722	....	722	13.7	+ 4
Stanislaus	46,807	474	10.1	470	484	....	484	10.3	+ 2
Sutter	10,701	91	8.5	91	94	....	94	8.8	+ 4
Tehama	13,111	165	12.6	165	169	....	169	12.9	+ 2
Trinity	[3] 2,551	37	14.5	36	38	....	38	14.9	+ 3
Tulare	62,676	614	9.8	614	618	....	618	9.9	+ 1
Tuolumne	[3] 7,768	125	16.1	125	128	....	128	16.5	+ 2
Ventura	30,327	378	12.5	377	378	....	378	12.5	.....
Yolo	17,596	224	12.7	221	232	1	231	13.1	+ 3
Yuba	10,426	124	11.9	124	133	....	133	12.8	+ 8
COLORADO COUNTIES.									
Adams*	15,286	262	17.1	262	280	....	280	18.3	+ 7
Alamosa	(8)	86	(8)	86	87	....	87	(8)	(8)
Arapahoe	14,307	208	14.5	207	221	2	219	15.3	+ 6
Archuleta	3,635	36	9.9	36	37	....	37	10.2	+ 3
Baca	9,681	14	1.4	14	15	....	15	1.5	+ 7
Bent*	10,426	141	13.5	141	144	....	144	13.8	+ 2
Boulder	20,865	257	12.3	256	282	2	280	13.4	+ 9
Chaffee*	7,773	156	20.1	154	154	....	154	19.8	− 1
Cheyenne	3,755	25	6.7	25	28	....	28	7.5	+12
Clear Creek	[3] 2,891	43	14.9	43	48	....	48	16.6	+11
Conejos	(8)	36	(8)	36	38	....	38	(8)	(8)
Costilla	(8)	3	(8)	3	3	....	3	(8)	(8)
Crowley	(8)	28	(8)	28	30	....	30	(8)	(8)
Custer	2,207	21	9.5	21	21	....	21	9.5	.....
Delta	[3] 13,668	147	10.8	147	153	....	153	11.2	+ 4
Dolores	1,335	.....	.....	.....	.....	.....	.....	.....	.....
Douglas	3,568	26	7.3	26	30	....	30	8.4	+15
Eagle	3,447	16	4.6	16	17	....	17	4.9	+ 7
El Paso*	14,030	202	14.4	201	217	4	213	15.2	+ 6
Elbert	7,234	47	6.5	47	53	....	53	7.3	+12
Fremont	[3] 17,883	221	12.4	221	228	....	228	12.7	+ 2
Garfield	[3] 9,304	99	10.6	99	101	....	101	10.9	+ 3
Gilpin	[3] 1,364	22	16.1	22	26	....	26	19.1	+19
Grand	2,783	22	7.9	22	26	....	26	9.3	+18
Gunnison	[3] 5,590	62	11.1	62	64	....	64	11.4	+ 3
Hinsdale	[3] 538	9	16.7	9	9	....	9	16.7	.....
Huerfano	17,428	172	9.9	172	177	....	177	10.2	+ 3
Jackson	1,390	2	1.4	2	3	....	3	2.2	(9)
Jefferson*	14,426	266	18.4	266	286	....	286	19.8	+ 8
Kiowa	3,888	15	3.9	15	18	....	18	4.6	+18

AREA AND COLOR.	Population estimated as of July 1, 1921.	DEATHS (EXCLUSIVE OF STILLBIRTHS) IN 1921. Including nonresidents. Number.	Including nonresidents. Rate per 1,000 population.	Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died elsewhere in registration area.	Nonresidents not transferable.	Excluding all nonresidents and including residents who died elsewhere in registration area. Number.	Rate per 1,000 population.	Per cent of change.
RURAL PART OF REGISTRATION STATES[7]—Con.									
COLORADO COUNTIES—continued.									
Kit Carson	9,136	67	7.3	67	72	....	72	7.9	+ 8
La Plata	11,280	126	11.2	126	129	....	129	11.4	+ 2
Lake	[3] 6,630	79	11.9	79	82	....	82	12.4	+ 4
Larimer	28,274	324	11.5	324	335	....	335	11.8	+ 3
Las Animas	28,863	232	8.0	232	244	....	244	8.5	+ 6
Lincoln	8,636	36	4.2	36	43	1	42	4.9	+17
Logan	19,798	158	8.0	158	165	....	165	8.3	+ 4
Mesa	22,293	260	11.7	259	261	1	260	11.7	.....
Mineral	[3] 779	3	3.9	3	3	....	3	3.9	.....
Moffat	(8)	35	(8)	35	36	....	36	(8)	(8)
Montezuma	6,449	59	9.1	59	59	....	59	9.1	.....
Montrose	12,092	128	10.6	128	128	....	128	10.6	.....
Morgan	17,135	185	10.8	185	191	....	191	11.1	+ 3
Otero	(8)	381	(8)	381	386	....	386	(8)	(8)
Ouray	[3] 2,620	35	13.4	35	36	....	36	13.7	+ 2
Park	[3] 1,977	4	2.0	4	5	....	5	2.5	(9)
Phillips	5,856	49	8.4	49	53	....	53	9.1	+ 8
Pitkin	[3] 2,707	34	12.6	34	35	....	35	12.9	+ 2
Prowers	14,513	150	10.3	150	155	....	155	10.7	+ 4
Pueblo*	15,223	528	34.7	525	535	3	532	34.9	+ 1
Rio Blanco	3,258	24	7.4	24	24	....	24	7.4	.....
Rio Grande	8,055	92	11.4	92	94	....	94	11.7	+ 3
Routt	(8)	77	(8)	77	80	....	80	(8)	(8)
Saguache	4,712	28	5.9	28	30	....	30	6.4	+ 8
San Juan	[3] 1,700	16	9.4	16	17	....	17	10.0	+ 6
San Miguel	5,370	45	8.4	45	47	....	47	8.8	+ 5
Sedgwick	4,384	26	5.9	26	26	....	26	5.9	.....
Summit	[3] 1,724	20	11.6	20	23	....	23	13.3	+15
Teller	[3] 6,696	60	9.0	60	66	....	66	9.9	+10
Washington	12,012	67	5.6	67	72	1	71	5.9	+ 5
Weld	44,970	319	7.1	319	351	....	351	7.8	+10
Yuma	14,731	82	5.6	82	91	....	91	6.2	+11
CONNECTICUT COUNTIES.									
Fairfield	[10] 41,567	577	13.9	529	648	....	648	15.6	+12
Hartford	[11] 78,477	831	10.6	793	1,073	....	1,073	13.7	+29
Litchfield	54,329	643	11.8	612	696	2	694	12.8	+ 8
Middlesex	25,502	280	11.0	261	341	....	341	13.4	+22
New Haven	44,785	418	9.3	394	536	....	536	12.0	+29
New London	39,740	560	14.1	527	610	1	609	15.3	+ 9
Tolland	27,333	283	10.4	275	329	....	329	12.0	+15
Windham	39,517	456	11.5	449	496	....	496	12.6	+10
DELAWARE COUNTIES.									
Kent (total)	[3] 31,023	434	14.0	434	443	....	443	14.3	+ 2
White	24,269	315	13.0	315	324	....	324	13.4	+ 3
Colored	6,754	119	17.6	119	119	....	119	17.6	.....
New Castle* (total)	38,703	599	15.5	597	613	....	613	15.8	+ 2
White	33,272	456	13.7	455	469	....	469	14.1	+ 3
Colored	5,431	143	26.3	142	144	....	144	26.5	+ 1
Sussex (total)	[3] 43,741	576	13.2	576	585	....	585	13.4	+ 2
White	36,479	438	12.0	438	446	....	446	12.2	+ 2
Colored	7,262	138	19.0	138	139	....	139	19.1	+ .
FLORIDA COUNTIES.									
Alachua (total)	[3] 31,689	322	10.2	308	327	2	325	10.3	+ 1
White	17,114	159	9.3	149	161	2	159	9.3	.....
Colored	14,575	163	11.2	159	166	....	166	11.4	+ 2
Baker (total)	5,749	46	8.0	45	49	....	49	8.5	+ 6
White	4,287	30	7.0	30	31	....	31	7.2	+ 3
Colored	1,462	16	10.9	15	18	....	18	12.3	+13
Bay (total)	(8)	154	(8)	153	164	....	164	(8)	(8)
White	(8)	113	(8)	113	120	....	120	(8)	(8)
Colored	(8)	41	(8)	40	44	....	44	(8)	(8)
Bradford (total)	[3] 12,503	129	10.3	126	135	....	135	10.8	+ 5
White	9,011	100	11.1	98	104	....	104	11.5	+ 4
Colored	3,492	29	8.3	28	31	....	31	8.9	+ 7

[See footnotes at end of table.]

TABLE I B.—POPULATION, DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1921—Continued.

[See note at head of this table, p. 123.]

AREA AND COLOR.	Population estimated as of July 1, 1921.	DEATHS (EXCLUSIVE OF STILLBIRTHS) IN 1921.							
		Including nonresidents.		Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died elsewhere in registration area.	Nonresidents not transferable.	Excluding all nonresidents and including residents who died elsewhere in registration area.		
		Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Per cent of change.
RURAL PART OF REGISTRATION STATES[7]—Con.									
FLORIDA COUNTIES—continued.									
Brevard (total)	9,092	105	11.5	95	104	2	102	11.2	− 3
White	6,423	73	11.4	64	71	1	70	10.9	− 4
Colored	2,669	32	12.0	31	33	1	32	12.0	.....
Broward (total)	(8)	45	(8)	43	48	....	48	(8)	(8)
White	(8)	23	(8)	21	25	....	25	(8)	(8)
Colored	(8)	22	(8)	22	23	....	23	(8)	(8)
Calhoun (total)	9,021	50	5.5	50	55	1	54	6.0	+ 9
White	6,559	30	4.6	30	32	1	31	4.7	+ 2
Colored	2,462	20	8.1	20	23	....	23	9.3	+15
Citrus (total)	[8] 5,220	65	12.5	65	74	....	74	14.2	+14
White	2,695	32	11.9	32	37	....	37	13.7	+15
Colored	2,525	33	13.1	33	37	....	37	14.7	+12
Clay (total)	[8] 5,621	74	13.2	66	77	1	76	13.5	+ 2
White	3,549	44	12.4	39	47	1	46	13.0	+ 5
Colored	2,072	30	14.5	27	30	....	30	14.5	.....
Columbia (total)	[8] 14,290	130	9.1	121	137	....	137	9.6	+ 5
White	7,291	80	11.0	75	82	....	82	11.2	+ 2
Colored	6,999	50	7.1	46	55	....	55	7.9	+11
Dade (total)	(8)	139	(8)	133	149	3	146	(8)	(8)
White	(8)	91	(8)	85	97	3	94	(8)	(8)
Colored	(8)	48	(8)	48	52	....	52	(8)	(8)
De Soto (total)	27,170	226	8.3	207	218	2	216	7.9	− 5
White	22,506	184	8.2	168	177	2	175	7.8	− 5
Colored	4,664	42	9.0	39	41	....	41	8.8	− 2
Duval (total	24,274	197	8.1	190	247	3	244	10.1	+25
White	17,452	132	7.6	127	164	1	163	9.3	+22
Colored	6,822	65	9.5	63	83	2	81	11.9	+25
Escambia (total)	18,861	136	7.2	136	153	4	149	7.9	+10
White	14,033	88	6.3	88	97	3	94	6.7	+ 6
Colored	4,828	48	9.9	48	56	1	55	11.4	+15
Flagler (total)	(8)	20	(8)	19	19	....	19	(8)	(8)
White	(8)	13	(8)	13	13	....	13	(8)	(8)
Colored	(8)	7	(8)	6	6	....	6	(8)	(8)
Franklin (total)	5,336	36	6.7	36	44	....	44	8.2	+22
White	2,848	20	7.0	20	25	....	25	8.8	+26
Colored	2,488	16	6.4	16	19	....	19	7.6	+19
Gadsden* (total)	23,746	491	20.7	305	309	....	309	13.0	−37
White	8,958	233	26.0	125	127	....	127	14.2	−45
Colored	14,788	258	17.4	180	182	....	182	12.3	−29
Hamilton (total)	[3] 9,873	97	9.8	96	100	3	97	9.8	.....
White	5,610	49	8.7	48	49	2	47	8.4	− 3
Colored	4,263	48	11.3	48	51	1	50	11.7	+ 4
Hernando (total)	[3] 4,548	55	12.1	53	56	....	56	12.3	+ 2
White	2,723	27	9.9	25	27	....	27	9.9	.....
Colored	1,825	28	15.3	28	29	....	29	15.9	+ 4
Hillsborough (total)	(8)	403	(8)	369	420	9	411	(8)	(8)
White	(8)	326	(8)	294	332	9	323	(8)	(8)
Colored	(8)	77	(8)	75	88	....	88	(8)	(8)
Holmes	13,050	68	5.2	65	67	....	67	5.1	− 2
Jackson (total)	31,440	229	7.3	229	244	....	244	7.8	+ 7
White	18,262	126	6.9	126	135	....	135	7.4	+ 7
Colored	13,178	103	7.8	103	109	....	109	8.3	+ 6
Jefferson (total)	[3] 14,502	178	12.3	176	181	....	181	12.5	+ 2
White	3,981	41	10.3	41	43	....	43	10.8	+ 5
Colored	10,521	137	13.0	135	138	....	138	13.1	+ 1
Lafayette (total)	[8] 6,242	45	7.2	45	48	....	48	7.7	+ 7
White	5,129	36	7.0	36	39	....	39	7.6	+ 9
Colored	1,113	9	8.1	9	9	....	9	8.1	.....
Lake (total)	13,244	163	12.3	153	172	4	168	12.7	+ 3
White	9,397	107	11.4	97	114	2	112	11.9	+ 4
Colored	3,847	56	14.6	56	58	2	56	14.6	.....
Lee (total)	10,041	95	9.5	93	102	....	102	10.2	+ 7
White	8,439	82	9.7	81	86	....	86	10.2	+ 5
Colored	1,602	13	8.1	12	16	....	16	10.0	+23

AREA AND COLOR.	Population estimated as of July 1, 1921.	DEATHS (EXCLUSIVE OF STILLBIRTHS) IN 1921.							
		Including nonresidents.		Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died elsewhere in registration area.	Nonresidents not transferable.	Excluding all nonresidents and including residents who died elsewhere in registration area.		
		Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Per cent of change.
RURAL PART OF REGISTRATION STATES[7]—Con.									
FLORIDA COUNTIES—continued.									
Leon (total)	[3] 18,059	247	13.7	240	253	1	252	14.0	+ 2
White	5,892	55	9.3	49	55	1	54	9.2	− 1
Colored	12,167	192	15.8	191	198	....	198	16.3	+ 3
Levy (total)	[3] 9,921	102	10.3	100	107	....	107	10.8	+ 5
White	5,961	68	11.4	68	73	....	73	12.2	+ 7
Colored	3,960	34	8.6	32	34	....	34	8.6	.....
Liberty (total)	5,053	50	9.9	50	52	1	51	10.1	+ 2
White	2,791	15	5.4	15	17	....	17	6.1	+13
Colored	2,262	35	15.5	35	35	1	34	15.0	− 3
Madison (total)	[3] 16,516	193	11.7	191	198	3	195	11.8	+ 1
White	8,021	77	9.6	75	78	2	76	9.5	− 1
Colored	8,495	116	13.7	116	120	1	119	14.0	+ 2
Manatee (total)	20,127	189	9.4	171	181	4	177	8.8	− 6
White	13,780	123	8.9	107	115	3	112	8.1	− 9
Colored	6,347	66	10.4	64	66	1	65	10.2	− 2
Marion (total)	[3] 23,968	241	14.2	230	246	....	246	14.4	+ 1
White	11,080	123	11.1	115	122	....	122	11.0	− 1
Colored	12,888	218	16.9	215	224	....	224	17.4	+ 3
Monroe (total)	[3] 801	1	*1.2*	1	3	....	3	*3.7*	(9)
White	515	1	*1.9*	1	2	....	2	*3.9*	(9)
Colored	286	.....	.....	.....	1	....	1	*3.5*	(9)
Nassau (total)	11,466	99	8.6	95	101	2	99	8.6	.....
White	6,516	43	6.6	39	42	....	42	6.4	− 3
Colored	4,950	56	11.3	56	59	2	57	11.5	+ 2
Okaloosa (total)	(8)	82	(8)	80	83	2	81	(8)	(8)
White	(8)	67	(8)	65	67	1	66	(8)	(8)
Colored	(8)	15	(8)	15	16	1	15	(8)	(8)
Okeechobee (total)	(8)	12	(8)	12	15	....	15	(8)	(8)
White	(8)	11	(8)	11	14	....	14	(8)	(8)
Colored	(8)	1	(8)	1	1	....	1	(8)	(8)
Orange (total)	(8)	357	(8)	295	305	4	301	(8)	(8)
White	(8)	272	(8)	213	217	4	213	(8)	(8)
Colored	(8)	85	(8)	82	88	....	88	(8)	(8)
Osceola (total)	(8)	120	(8)	117	121	3	118	(8)	(8)
White	(8)	106	(8)	104	107	3	104	(8)	(8)
Colored	(8)	14	(8)	13	14	....	14	(8)	(8)
Palm Beach (total)	(8)	239	(8)	200	211	14	197	(8)	(8)
White	(8)	171	(8)	137	142	13	129	(8)	(8)
Colored	(8)	68	(8)	63	69	1	68	(8)	(8)
Pasco (total)	9,002	107	11.9	97	105	2	103	11.4	− 4
White	6,960	85	12.2	75	82	2	80	11.5	− 6
Colored	2,042	22	10.8	22	23	....	23	11.3	+ 5
Pinellas (total)	(8)	152	(8)	135	149	7	142	(8)	(8)
White	(8)	122	(8)	106	119	5	114	(8)	(8)
Colored	(8)	30	(8)	29	30	2	28	(8)	(8)
Polk (total)	40,902	483	11.8	456	475	5	470	11.5	− 3
White	31,248	350	11.2	325	341	3	338	10.8	− 4
Colored	9,654	133	13.8	131	134	2	132	13.7	− 1
Putnam (total)	14,795	199	13.5	194	210	2	208	14.1	+ 4
White	8,059	93	11.5	90	99	1	98	12.2	+ 6
Colored	6,736	106	15.7	104	111	1	110	16.3	+ 4
St. Johns (total)	(8)	207	(8)	181	188	6	182	(8)	(8)
White	(8)	127	(8)	110	115	6	109	(8)	(8)
Colored	(8)	80	(8)	71	73	....	73	(8)	(8)
St. Lucie (total)	(8)	80	(8)	75	86	1	85	(8)	(8)
White	(8)	56	(8)	51	59	1	58	(8)	(8)
Colored	(8)	24	(8)	24	27	....	27	(8)	(8)
Santa Rosa (total)	(8)	116	(8)	116	123	3	120	(8)	(8)
White	(8)	77	(8)	77	82	2	80	(8)	(8)
Colored	(8)	39	(8)	39	41	1	40	(8)	(8)
Seminole (total)	(8)	172	(8)	156	162	....	162	(8)	(8)
White	(8)	78	(8)	71	75	....	75	(8)	(8)
Colored	(8)	94	(8)	85	87	....	87	(8)	(8)
Sumter (total)	8,028	80	10.0	79	90	....	90	11.2	+12
White	5,817	49	8.4	48	55	....	55	9.5	+13
Colored	2,211	31	14.0	31	35	....	35	15.8	+13

[See footnotes at end of table.]

TABLE I B.—POPULATION, DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1921—Continued.

[See note at head of this table, p. 123.]

AREA AND COLOR.	Population estimated as of July 1, 1921.	DEATHS (EXCLUSIVE OF STILLBIRTHS) IN 1921. Including nonresidents. Number.	Including nonresidents. Rate per 1,000 population.	Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died elsewhere in registration area.	Nonresidents not transferable.	Excluding all nonresidents and including residents who died elsewhere in registration area. Number.	Excluding all nonresidents and including residents who died elsewhere in registration area. Rate per 1,000 population.	Excluding all nonresidents and including residents who died elsewhere in registration area. Per cent of change.
RURAL PART OF REGISTRATION STATES[7]—Con.									
FLORIDA COUNTIES—con.									
Suwannee (total)	19,973	183	9.2	179	191	3	188	9.4	+ 2
White	12,005	98	8.2	95	101	2	99	8.2	.....
Colored	7,968	85	10.7	84	90	1	89	11.2	+ 5
Taylor (total)	11,855	100	8.4	100	106	1	105	8.9	+ 6
White	7,019	49	7.0	49	53	....	53	7.6	+ 9
Colored	4,836	51	10.5	51	53	1	52	10.8	+ 3
Volusia (total)	(8)	342	(8)	305	332	3	329	(8)	(8)
White	(8)	243	(8)	210	222	3	219	(8)	(8)
Colored	(8)	99	(8)	95	110	....	110	(8)	(8)
Wakulla (total)	5,179	47	9.1	47	51	....	51	9.8	+ 8
White	2,822	23	8.2	23	27	....	27	9.6	+17
Colored	2,357	24	10.2	24	24	....	24	10.2	.....
Walton (total)	(8)	86	(8)	86	89	....	89	(8)	(8)
White	(8)	72	(8)	72	74	....	74	(8)	(8)
Colored	(8)	14	(8)	14	15	....	15	(8)	(8)
Washington (total)	(8)	66	(8)	65	70	1	69	(8)	(8)
White	(8)	41	(8)	40	42	....	42	(8)	(8)
Colored	(8)	25	(8)	25	28	1	27	(8)	(8)
ILLINOIS COUNTIES.									
Adams	[3] 26,210	334	12.7	328	350	....	350	13.4	+ 6
Alexander (total)	8,868	80	9.0	77	83	1	82	9.2	+ 2
White	7,571	60	7.9	57	62	....	62	8.2	+ 4
Colored	1,297	20	15.4	20	21	1	20	15.4	.....
Bond	[3] 16,045	145	9.0	144	155	....	155	9.7	+ 8
Boone	[3] 15,322	164	10.7	160	174	....	174	11.4	+ 7
Brown	[3] 9,336	101	10.8	101	105	....	105	11.2	+ 4
Bureau	[3] 42,648	393	9.2	386	410	1	409	9.6	+ 4
Calhoun	[3] 8,245	66	8.0	65	67	....	67	8.1	+ 1
Carroll	19,547	179	9.2	178	183	....	183	9.4	+ 2
Cass	17,977	147	8.2	144	166	....	166	9.2	+12
Champaign	30,356	228	7.5	220	249	2	247	8.1	+ 8
Christian	39,055	409	10.5	385	405	....	405	10.4	− 1
Clark	[3] 21,165	189	8.9	189	200	....	200	9.4	+ 6
Clay	[3] 17,684	170	9.6	168	174	....	174	9.8	+ 2
Clinton	22,964	220	9.6	217	229	....	229	10.0	+ 4
Coles	21,324	257	12.1	251	267	....	267	12.5	+ 3
Cook*	168,723	2,813	16.7	2,743	3,007	4	3,003	17.8	+ 7
Crawford	[3] 22,771	246	10.8	239	246	....	246	10.8	.....
Cumberland	[3] 12,858	125	9.7	124	131	....	131	10.2	+ 5
De Kalb	[3] 31,339	306	9.8	301	331	....	331	10.6	+ 8
De Witt	19,305	210	10.9	209	221	1	220	11.4	+ 5
Douglas	19,606	181	9.2	180	189	....	189	9.6	+ 4
Du Page	43,463	413	9.5	377	451	4	447	10.3	+ 8
Edgar	[3] 25,769	312	12.1	309	317	1	316	12.3	+ 2
Edwards	[3] 9,431	89	9.4	88	89	....	89	9.4	.....
Effingham	[3] 19,556	218	11.1	203	209	....	209	10.7	− 4
Fayette	[3] 26,187	224	8.6	223	235	....	235	9.0	+ 5
Ford	[3] 16,466	135	8.2	133	144	....	144	8.7	+ 6
Franklin	62,137	606	9.8	598	605	....	605	9.7	− 1
Fulton	[12] 37,208	388	10.4	377	419	....	419	11.3	+ 9
Gallatin	[3] 12,856	109	8.5	108	112	....	112	8.7	+ 2
Greene	22,963	237	10.3	236	263	....	263	11.5	+12
Grundy	[3] 18,580	154	8.3	154	172	....	172	9.3	+12
Hamilton	[3] 15,920	166	10.4	164	173	....	173	10.9	+ 5
Hancock	[3] 28,523	300	10.5	297	312	....	312	10.9	+ 4
Hardin	7,613	63	8.3	62	62	....	62	8.1	− 2
Henderson	9,777	90	9.2	89	91	....	91	9.3	+ 1
Henry	29,245	253	8.7	251	277	....	277	9.5	+ 9
Iroquois	[3] 34,841	378	10.8	368	385	....	385	11.1	+ 3
Jackson	26,192	283	10.8	368	375	1	374	14.3	+32
Jasper	[3] 16,064	111	6.9	111	115	....	115	7.2	+ 4
Jefferson	[3] 28,480	361	12.7	345	349	1	348	12.2	− 4
Jersey	[3] 12,682	116	9.1	113	123	....	123	9.7	+ 7
Jo Daviess	[3] 21,917	222	10.1	222	235	....	235	10.7	+ 6

AREA AND COLOR.	Population estimated as of July 1, 1921.	DEATHS (EXCLUSIVE OF STILLBIRTHS) IN 1921. Including nonresidents. Number.	Including nonresidents. Rate per 1,000 population.	Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died elsewhere in registration area.	Nonresidents not transferable.	Excluding all nonresidents and including residents who died elsewhere in registration area. Number.	Excluding all nonresidents and including residents who died elsewhere in registration area. Rate per 1,000 population.	Excluding all nonresidents and including residents who died elsewhere in registration area. Per cent of change.
RURAL PART OF REGISTRATION STATES[7]—Con.									
ILLINOIS COUNTIES—con.									
Johnson	[3] 12,022	110	9.1	110	116	....	116	9.6	+ 5
Kane	35,954	353	9.8	322	363	....	363	10.1	+ 3
Kankakee*	28,256	494	17.5	492	512	....	512	18.1	+ 3
Kendall	[3] 10,074	112	11.1	107	112	....	112	11.1	.....
Knox	22,712	220	9.7	217	252	....	252	11.1	+14
La Salle	54,200	508	9.4	488	536	2	534	9.9	+ 5
Lake	57,542	524	9.1	507	552	1	551	9.6	+ 5
Lawrence	[3] 21,380	210	9.8	208	216	....	216	10.1	+ 3
Lee	28,044	279	9.9	267	280	....	280	10.0	+ 1
Livingston	[3] 39,070	352	9.0	338	361	1	360	9.2	+ 2
Logan	[12] 17,527	115	6.6	110	135	....	135	7.7	+17
McDonough	27,103	317	11.7	300	312	....	312	11.5	− 2
McHenry	33,265	343	10.3	339	365	1	364	10.9	+ 6
McLean	41,285	445	10.8	419	450	3	447	10.8	.....
Macon	20,353	164	8.1	161	192	....	192	9.4	+16
Macoupin	58,292	440	7.5	430	511	....	511	8.8	+17
Madison	68,856	708	10.3	684	735	1	734	10.7	+ 4
Marion	24,943	254	10.2	251	268	....	268	10.7	+ 5
Marshall	[3] 14,760	148	10.0	147	166	....	166	11.2	+12
Mason	[3] 16,634	177	10.6	176	200	....	200	12.0	+13
Massac (total)	[3] 13,559	144	10.6	142	145	....	145	10.7	+ 1
White	11,502	128	11.1	126	129	....	129	11.2	+ 1
Colored	2,057	16	7.8	16	16	....	16	7.8	.....
Menard	[3] 11,694	115	9.8	115	134	....	134	11.5	+17
Mercer	[3] 18,300	181	9.6	179	199	....	199	10.6	+10
Monroe	[3] 12,839	97	7.6	95	107	....	107	8.3	+ 9
Montgomery	42,344	520	12.3	458	477	2	475	11.2	− 9
Morgan	[12] 17,795	145	8.1	142	172	....	172	9.7	+20
Moultrie	14,871	161	10.8	160	172	....	172	11.6	+ 7
Ogle	[3] 26,830	279	10.4	269	297	1	296	11.0	+ 6
Peoria*	35,692	469	13.1	449	479	....	479	13.4	+ 2
Perry	23,026	245	10.6	244	255	....	255	11.1	+ 5
Piatt	[3] 15,714	125	8.0	121	139	....	139	8.8	+10
Pike	[3] 26,866	269	10.0	267	282	....	282	10.5	+ 5
Pope	[3] 9,625	56	5.8	56	57	....	57	5.9	+ 2
Pulaski (total)	[3] 14,629	179	12.2	177	185	....	185	12.6	+ 3
White	9,659	88	9.1	87	94	....	94	9.7	+ 7
Colored	4,970	91	18.3	90	91	....	91	18.3	.....
Putnam	7,581	76	10.0	76	83	....	83	10.9	+ 9
Randolph	[3] 29,109	292	10.0	286	298	1	297	10.2	+ 2
Richland	[3] 14,044	183	13.0	172	175	1	174	12.4	− 5
Rock Island	27,567	316	11.5	312	339	3	336	12.2	+ 6
St. Clair	45,661	428	9.4	394	426	....	426	9.3	− 1
Saline	39,612	409	10.3	402	412	....	412	10.4	+ 1
Sangamon	41,370	320	7.7	297	382	....	382	9.2	+19
Schuyler	[3] 13,285	120	9.0	120	133	....	133	10.0	+11
Scott	[3] 9,489	76	8.0	75	88	....	88	9.3	+16
Shelby	[3] 29,601	297	10.0	188	201	1	200	6.8	−32
Stark	[3] 9,693	100	10.3	99	116	....	116	12.0	+17
Stephenson	17,939	147	8.2	143	166	....	166	9.3	+13
Tazewell	26,813	231	8.6	225	258	....	258	9.6	+12
Union*	[3] 20,249	404	20.0	394	400	....	400	19.8	− 1
Vermilion (exclusive of Nat. Military Home.)	52,835	497	[13]13.0	479	524	....	524	[13]13.5	+ 4
		190		190	190	....	190		
Wabash	[3] 14,034	122	8.7	122	127	....	127	9.0	+ 3
Warren	[3] 21,488	213	9.9	198	210	3	207	9.6	− 3
Washington	[3] 18,035	171	9.5	169	174	....	174	9.6	+ 1
Wayne	[3] 22,772	216	9.5	214	224	....	224	9.8	+ 3
White	[3] 20,081	232	11.6	230	234	1	233	11.6	.....
Whiteside	36,431	375	10.3	371	378	1	377	10.3	.....
Will	55,205	560	10.1	542	570	....	570	10.3	+ 2
Williamson	51,940	552	10.6	544	566	....	566	10.9	+ 3
Winnebago	26,670	233	8.7	210	247	1	246	9.2	+ 6
Woodford	[3] 19,340	164	8.5	163	181	....	181	9.4	+11

[See footnotes at end of table]

TABLE 1B.—POPULATION, DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1921—Continued.

[See note at head of this table, p. 123.]

AREA AND COLOR.	Population estimated as of July 1, 1921.	DEATHS (EXCLUSIVE OF STILLBIRTHS) IN 1921. Including nonresidents. Number.	Including nonresidents. Rate per 1,000 population.	Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died elsewhere in registration area.	Nonresidents not transferable.	Excluding all nonresidents and including residents who died elsewhere in registration area. Number.	Rate per 1,000 population.	Per cent of change.
RURAL PART OF REGISTRATION STATES[7]—Con.									
INDIANA COUNTIES.									
Adams	[3] 20,503	183	8.9	183	191	....	191	9.3	+ 4
Allen	28,011	261	9.3	256	277	....	277	9.9	+ 6
Bartholomew	[3] 23,887	320	13.4	318	325	....	325	13.6	+ 1
Benton	[3] 12,206	105	8.6	105	122	....	122	10.0	+16
Blackford	[3] 14,084	158	11.2	158	169	....	169	12.0	+ 7
Boone	[3] 23,575	287	12.2	283	288	....	288	12.2	.....
Brown	[3] 7,019	106	15.1	106	108	....	108	15.4	+ 2
Carroll	[3] 16,315	147	9.0	147	155	....	155	9.5	+ 6
Cass *	16,645	273	16.4	267	270	....	270	16.2	− 1
Clark	[3] 19,283	198	10.3	198	200	....	200	10.4	+ 1
Clay	[3] 29,447	364	12.4	355	362	1	361	12.3	− 1
Clinton	15,917	172	10.8	172	183	....	183	11.5	+ 6
Crawford	[3] 11,201	126	11.2	126	128	....	128	11.4	+ 2
Daviess	[3] 26,856	324	12.1	324	325	....	325	12.1	.....
De Kalb	25,685	276	10.7	272	281	....	281	10.9	+ 2
Dearborn	[3] 20,033	207	10.3	207	219	....	219	10.9	+ 6
Decatur	[3] 17,813	224	12.6	224	235	....	235	13.2	+ 5
Delaware	18,993	211	11.1	211	218	....	218	11.5	+ 4
Dubois	19,926	197	9.9	194	197	....	197	9.9	.....
Elkhart	32,475	366	11.3	362	367	....	367	11.3	.....
Fayette	17,563	209	11.9	206	210	....	210	12.0	+ 1
Floyd	7,725	77	10.0	76	78	....	78	10.1	+ 1
Fountain	[3] 18,823	198	10.5	197	207	....	207	11.0	+ 5
Franklin	[3] 14,806	184	12.4	184	189	....	189	12.8	+ 3
Fulton	[3] 16,478	199	12.1	194	199	....	199	12.1	.....
Gibson	[3] 29,201	329	11.3	329	334	....	334	11.4	+ 1
Grant	[12] 26,917	356	13.2	353	361	....	361	13.4	+ 2
Greene	[3] 36,770	441	12.0	441	452	....	452	12.3	+ 3
Hamilton	[3] 24,222	288	11.9	285	301	....	301	12.4	+ 4
Hancock	[3] 17,210	230	13.4	230	241	....	241	14.0	+ 4
Harrison	[3] 18,656	177	9.5	177	182	....	182	9.8	+ 3
Hendricks	[3] 20,291	230	11.3	229	246	....	246	12.1	+ 7
Henry	20,304	259	12.8	259	267	....	267	13.2	+ 3
Howard	13,398	164	12.2	162	171	....	171	12.8	+ 5
Huntington	17,565	213	12.1	212	221	....	221	12.6	+ 4
Jackson	[3] 24,228	303	12.5	301	303	....	303	12.5	.....
Jasper	14,103	143	10.1	137	144	....	144	10.2	+ 1
Jay	[3] 23,318	273	11.7	273	279	....	279	12.0	+ 3
Jefferson *	20,744	364	17.5	361	362	....	362	17.5	.....
Jennings	[3] 13,280	139	10.5	139	143	....	143	10.8	+ 3
Johnson	20,792	273	13.1	270	281	....	281	13.5	+ 3
Knox	29,815	320	10.7	320	331	....	331	11.1	+ 4
Kosciusko	[3] 27,120	290	10.7	289	299	....	299	11.0	+ 3
La Porte	15,832	166	10.5	163	167	....	167	10.5	.....
Lagrange	[3] 14,009	136	9.7	136	139	....	139	9.9	+ 2
Lake	23,012	247	10.7	245	314	....	314	13.6	+27
Lawrence	[3] 28,228	394	14.0	390	392	....	392	13.9	− 1
Madison	28,086	307	10.9	305	313	....	313	11.1	+ 2
Marion	35,469	470	13.3	437	450	....	450	12.7	− 5
Marshall	[3] 23,744	261	11.0	260	266	....	266	11.2	+ 2
Martin	[3] 11,865	133	11.2	133	135	....	135	11.4	+ 2
Miami	[12] 16,184	189	11.7	187	194	....	194	12.0	+ 3
Monroe	12,823	102	8.0	102	107	....	107	8.3	+ 4
Montgomery	[12] 18,244	207	11.3	204	214	....	214	11.7	+ 4
Morgan	[3] 20,010	255	12.7	249	258	....	258	12.9	+ 2
Newton	[3] 10,144	108	10.6	108	118	....	118	11.6	+ 9
Noble	[3] 22,470	263	11.7	255	273	....	273	12.1	+ 3
Ohio	[3] 4,024	45	11.2	45	47	....	47	11.7	+ 4
Orange	[3] 16,974	203	12.0	202	207	....	207	12.2	+ 2
Owen	[3] 12,760	145	11.4	145	147	....	147	11.5	+ 1
Parke	[3] 18,875	264	14.0	264	273	....	273	14.5	+ 4
Perry	[3] 16,692	144	8.6	144	145	....	145	8.7	+ 1
Pike	[3] 18,684	221	11.8	221	228	....	228	12.2	+ 3
Porter	[3] 20,256	242	11.9	232	237	1	236	11.7	− 2
Posey	[3] 19,334	184	9.5	184	189	....	189	9.8	+ 3
RURAL PART OF REGISTRATION STATES[7]—Con.									
INDIANA COUNTIES—continued.									
Pulaski	[3] 12,385	130	10.5	130	137	....	137	11.1	+ 6
Putnam	[3] 19,880	236	11.9	236	246	....	246	12.4	+ 4
Randolph	[3] 26,484	313	11.8	312	323	....	323	12.2	+ 3
Ripley	[3] 18,694	197	10.5	196	202	....	202	10.8	+ 3
Rush	[3] 19,241	240	12.5	237	240	....	240	12.5	.....
St. Joseph	17,288	205	11.9	195	205	....	205	11.9	.....
Scott	[3] 7,424	83	11.2	83	83	....	83	11.2	.....
Shelby	[3] 25,982	290	11.2	289	303	....	303	11.7	+ 4
Spencer	[3] 18,400	194	10.5	194	197	....	197	10.7	+ 2
Starke	[3] 10,278	137	13.3	137	144	....	144	14.0	+ 5
Steuben	[3] 13,360	158	11.8	157	166	....	166	12.4	+ 5
Sullivan	[3] 31,630	375	11.9	374	379	....	379	12.0	+ 1
Switzerland	[3] 9,311	93	10.0	93	95	....	95	10.2	+ 2
Tippecanoe *	20,396	294	14.4	290	310	1	309	15.2	+ 6
Tipton	[3] 16,152	214	13.2	213	218	....	218	13.5	+ 2
Union	[3] 6,021	70	11.6	70	76	....	76	12.6	+ 9
Vanderburg *	7,052	207	29.4	202	205	....	205	29.1	− 1
Vermilion	17,286	212	12.3	209	224	....	224	13.0	+ 6
Vigo	34,801	386	11.1	384	394	....	394	11.3	+ 2
Wabash	27,278	287	10.5	281	287	....	287	10.5	.....
Warren	[3] 9,699	105	10.8	103	121	....	121	12.5	+16
Warrick	[3] 19,862	226	11.4	226	234	....	234	11.8	+ 4
Washington	[3] 16,645	164	9.9	164	169	....	169	10.2	+ 3
Wayne *	21,146	402	19.0	385	391	....	391	18.5	− 3
Wells	[3] 20,509	234	11.4	232	238	....	238	11.6	+ 2
White	[3] 17,351	177	10.2	177	194	....	194	11.2	+10
Whitley	[3] 15,660	165	10.5	164	175	1	174	11.1	+ 6
KANSAS COUNTIES.									
Allen	[3] 23,509	303	12.9	298	306	....	306	13.0	+ 1
Anderson	[3] 12,986	147	11.3	147	150	....	150	11.6	+ 3
Atchison	[3] 10,781	84	7.8	84	88	....	88	8.2	+ 5
Barber	[3] 9,739	73	7.5	72	82	....	82	8.4	+12
Barton	18,507	195	10.5	183	188	....	188	10.2	− 3
Bourbon	[12] 12,470	113	9.1	111	114	....	114	9.1	.....
Brown	[3] 20,949	189	9.0	187	190	....	190	9.1	+ 1
Butler	34,841	201	5.8	199	221	....	221	6.3	+ 9
Chase	[3] 7,144	46	6.4	45	49	....	49	6.9	+ 8
Chautauqua	11,624	126	10.8	125	131	....	131	11.3	+ 5
Cherokee	[3] 33,609	349	10.4	347	354	1	353	10.5	+ 1
Cheyenne	5,793	39	6.7	38	38	....	38	6.6	− 1
Clark	5,127	18	3.5	18	22	....	22	4.3	+23
Clay	[3] 14,365	129	9.0	123	126	....	126	8.8	− 2
Cloud	[3] 17,714	231	13.0	223	227	....	227	12.8	− 2
Coffey	[3] 14,254	141	9.9	139	142	....	142	10.0	+ 1
Comanche	5,614	29	5.2	29	35	....	35	6.2	+19
Cowley	23,843	273	11.4	272	277	1	276	11.6	+ 2
Crawford	44,907	405	9.0	399	410	1	409	9.1	+ 1
Decatur	[3] 8,121	76	9.4	76	83	....	83	10.2	+ 9
Dickinson	25,995	236	9.1	233	236	1	235	9.0	− 1
Doniphan	[3] 13,438	132	9.8	132	134	....	134	10.0	+ 2
Douglas	[12] 11,530	91	7.9	91	98	....	98	8.5	+ 8
Edwards	7,061	55	7.8	53	64	....	64	9.1	+17
Elk	[3] 9,034	71	7.9	69	72	....	72	8.0	+ 1
Ellis	14,441	174	12.0	144	144	....	144	10.0	−17
Ellsworth	[3] 10,379	119	11.5	118	124	....	124	11.9	+ 3
Finney	7,792	84	10.8	74	74	....	74	9.5	−12
Ford	14,718	157	10.7	151	153	1	152	10.3	− 4
Franklin	22,110	214	9.7	210	218	2	216	9.8	+ 1
Geary	13,571	121	8.9	120	126	....	126	9.3	+ 4
Gove	[3] 4,748	33	7.0	33	44	....	44	9.3	+33
Graham	[3] 7,624	44	5.8	44	48	1	47	6.2	+ 7
Grant	1,087	5	4.6	5	7	....	7	6.4	+39
Gray	4,956	31	6.3	31	33	....	33	6.7	+ 6

[See footnotes at end of table.]

TABLE 1B.—POPULATION, DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1921—Continued.

[See note at head of this table, p. 123.]

AREA AND COLOR.	Population estimated as of July 1, 1921.	DEATHS (EXCLUSIVE OF STILLBIRTHS) IN 1921. Including nonresidents. Number.	Including nonresidents. Rate per 1,000 population.	Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died elsewhere in registration area.	Nonresidents not transferable.	Excluding all nonresidents and including residents who died elsewhere in registration area. Number.	Excluding all nonresidents and including residents who died elsewhere in registration area. Rate per 1,000 population.	Excluding all nonresidents and including residents who died elsewhere in registration area. Per cent of change.
RURAL PART OF REGISTRATION STATES[7]—Con.									
KANSAS COUNTIES—con.									
Greeley	[3] 1,028	5	4.9	5	6	....	6	5.8	+18
Greenwood	[3] 14,715	137	9.3	137	152	....	152	10.3	+11
Hamilton	[3] 2,586	28	10.8	26	26	....	26	10.1	− 6
Harper	[3] 13,656	119	8.7	119	127	....	127	9.3	+ 7
Harvey	20,983	261	12.4	205	216	4	212	10.1	−19
Haskell	1,526	12	7.9	12	13	....	13	8.5	+ 8
Hodgeman	3,858	19	4.9	19	19	....	19	4.9	.....
Jackson	[3] 15,495	159	10.3	157	163	2	161	10.4	+ 1
Jefferson	[3] 14,750	126	8.5	124	137	....	137	9.3	+ 9
Jewell	[3] 16,240	124	7.6	124	126	....	126	7.8	+ 3
Johnson	18,318	201	11.0	199	204	....	204	11.1	+ 1
Kearny	[3] 2,617	16	6.1	16	21	....	21	8.0	+31
Kingman	[3] 12,119	104	8.6	102	113	....	113	9.3	+ 8
Kiowa	[3] 6,164	42	6.8	42	46	....	46	7.5	+10
Labette*	17,874	225	12.6	219	225	2	223	12.5	− 1
Lane	2,886	16	5.5	16	17	....	17	5.9	+ 7
Leavenworth (excl. of Nat. Military Home).	[3] 21,490	151 / 245	[18]18.4	148 / 245	152 / 245	....	152 / 245	[18]18.5	+ 1
Lincoln	[3] 9,894	60	6.1	59	60	....	60	6.1	.....
Linn	[3] 13,815	147	10.6	145	150	1	149	10.8	+ 2
Logan	[3] 3,223	28	8.7	28	32	....	32	9.9	+14
Lyon	14,737	113	7.7	108	119	....	119	8.1	+ 5
McPherson	21,895	209	9.5	205	219	1	218	10.0	+ 5
Marion	23,002	202	8.8	200	223	....	223	9.7	+10
Marshall	[3] 22,730	191	8.4	191	200	....	200	8.8	+ 5
Meade	5,618	34	6.1	33	37	....	37	6.6	+ 8
Miami*	[3] 19,809	303	15.3	288	294	....	294	14.8	− 3
Mitchell	[3] 13,886	158	11.4	156	156	....	156	11.2	− 2
Montgomery	23,906	271	11.3	267	276	3	273	11.4	+ 1
Morris	[3] 12,005	97	8.1	96	98	....	98	8.2	+ 1
Morton	3,463	18	5.2	18	19	....	19	5.5	+ 6
Nemaha	[3] 18,487	129	7.0	129	131	....	131	7.1	+ 1
Neosho	13,596	118	8.7	117	120	....	120	8.8	+ 1
Ness	7,738	57	7.4	57	63	....	63	8.1	+9
Norton	[3] 11,423	126	11.0	108	109	1	108	9.5	−14
Osage	[3] 18,621	179	9.6	177	192	....	192	10.3	+ 7
Osborne	[3] 12,441	113	9.1	113	121	....	121	9.7	+ 7
Ottawa	[3] 10,714	112	10.5	111	116	1	115	10.7	+ 2
Pawnee	9,394	111	11.8	111	114	....	114	12.1	+ 3
Phillips	[3] 12,505	100	8.0	100	108	....	108	8.6	+ 8
Pottawatomie	[3] 16,154	140	8.7	140	149	....	149	9.2	+ 6
Pratt	13,180	104	7.9	101	108	1	107	8.1	+ 3
Rawlins	6,864	55	8.0	55	58	....	58	8.4	+ 5
Reno	21,068	156	7.4	153	172	....	172	8.2	+11
Republic	[3] 15,855	130	8.2	127	131	....	131	8.3	+ 1
Rice	[3] 14,832	145	9.8	138	143	....	143	9.6	− 2
Riley	21,402	148	6.9	147	150	....	150	7.0	+ 1
Rooks	[3] 9,966	74	7.4	73	81	....	81	8.1	+ 9
Rush	8,443	62	7.3	62	65	....	65	7.7	+ 5
Russell	[3] 10,748	88	8.2	87	93	....	93	8.7	+ 6
Saline	9,942	60	6.0	59	69	....	69	6.9	+15
Scott	3,132	33	10.5	31	31	....	31	9.9	− 6
Sedgwick	19,898	120	6.0	116	138	1	137	6.9	+15
Seward	6,549	84	12.8	81	83	13	70	10.7	−16
Shawnee	19,285	312	16.2	308	323	....	323	16.7	+ 3
Sheridan	[3] 5,484	47	8.6	45	48	....	48	8.8	+ 2
Sherman	5,754	38	6.6	38	39	....	39	6.8	+ 3
Smith	[3] 14,985	114	7.6	113	115	....	115	7.7	+ 1
Stafford	[3] 11,559	87	7.5	86	89	....	89	7.7	+ 3
Stanton	[3] 908	3	3.3	3	3	....	3	3.3	.....
RURAL PART OF REGISTRATION STATES[7]—Con.									
KANSAS COUNTIES—con.									
Stevens	4,174	29	6.9	29	31	1	30	7.2	+ 4
Sumner	[3] 29,213	245	8.4	241	258	3	255	8.7	+ 4
Thomas	5,527	46	8.3	46	51	....	51	9.2	+11
Trego	5,954	42	7.1	42	47	....	47	7.9	+11
Wabaunsee	[3] 11,424	93	8.1	92	97	....	97	8.5	+ 5
Wallace	[3] 2,424	23	9.5	23	24	....	24	9.9	+ 4
Washington	[3] 17,984	155	8.6	154	158	1	157	8.7	+ 1
Wichita	[3] 1,856	14	7.5	14	14	....	14	7.5	.....
Wilson	21,365	199	9.3	198	203	....	203	9.5	+ 2
Woodson	[3] 8,984	67	7.5	67	74	....	74	8.2	+ 9
Wyandotte (total)	21,757	261	12.0	244	255	1	254	11.7	− 3
White	19,313	210	10.9	195	205	1	204	10.6	− 3
Colored	2,444	51	20.9	49	50	....	50	20.5	− 2
KENTUCKY COUNTIES.[20]									
Adair	17,412	168	9.6	.....	.....	.....	.....	.....	.....
Allen	17,052	177	10.4	.....	.....	.....	.....	.....	.....
Anderson	[3] 9,982	87	8.7	.....	.....	.....	.....	.....	.....
Ballard (total)	[3] 12,045	103	8.6	.....	.....	.....	.....	.....	.....
White	10,659	84	7.9	.....	.....	.....	.....	.....	.....
Colored	1,386	19	13.7	.....	.....	.....	.....	.....	.....
Barren (total)	25,367	301	11.9	.....	.....	.....	.....	.....	.....
White	22,108	250	11.3	.....	.....	.....	.....	.....	.....
Colored	3,259	51	15.6	.....	.....	.....	.....	.....	.....
Bath	[3] 11,996	146	12.2	.....	.....	.....	.....	.....	.....
Bell	34,844	333	9.6	.....	.....	.....	.....	.....	.....
Boone	9,596	84	8.8	.....	.....	.....	.....	.....	.....
Bourbon (total)	18,567	260	14.0	.....	.....	.....	.....	.....	.....
White	13,782	157	11.4	.....	.....	.....	.....	.....	.....
Colored	4,785	103	21.5	.....	.....	.....	.....	.....	.....
Boyd	8,991	144	16.0	.....	.....	.....	.....	.....	.....
Boyle (total)	15,049	228	15.2	.....	.....	.....	.....	.....	.....
White	12,008	147	12.2	.....	.....	.....	.....	.....	.....
Colored	3,041	81	26.6	.....	.....	.....	.....	.....	.....
Bracken	[3] 10,210	108	10.6	.....	.....	.....	.....	.....	.....
Breathitt	21,089	108	5.1	.....	.....	.....	.....	.....	.....
Breckinridge	[3] 19,652	187	9.5	.....	.....	.....	.....	.....	.....
Bullitt	[3] 9,328	101	10.8	.....	.....	.....	.....	.....	.....
Butler	[3] 15,197	81	5.3	.....	.....	.....	.....	.....	.....
Caldwell (total)	[3] 13,975	154	11.0	.....	.....	.....	.....	.....	.....
White	12,067	124	10.3	.....	.....	.....	.....	.....	.....
Colored	1,908	30	15.7	.....	.....	.....	.....	.....	.....
Calloway	20,947	180	8.6	.....	.....	.....	.....	.....	.....
Campbell	32,937	317	9.6	.....	.....	.....	.....	.....	.....
Carlisle	[3] 8,231	92	11.2	.....	.....	.....	.....	.....	.....
Carroll	8,383	100	11.9	.....	.....	.....	.....	.....	.....
Carter	22,553	270	12.0	.....	.....	.....	.....	.....	.....
Casey	17,480	131	7.5	.....	.....	.....	.....	.....	.....
Christian* (total)	[3] 35,883	603	16.8	.....	.....	.....	.....	.....	.....
White	22,971	335	14.6	.....	.....	.....	.....	.....	.....
Colored	12,912	268	20.8	.....	.....	.....	.....	.....	.....
Clark (total)	[3] 17,901	260	14.5	.....	.....	.....	.....	.....	.....
White	14,209	196	13.8	.....	.....	.....	.....	.....	.....
Colored	3,692	64	17.3	.....	.....	.....	.....	.....	.....
Clay	20,105	100	5.0	.....	.....	.....	.....	.....	.....
Clinton	8,655	58	6.7	.....	.....	.....	.....	.....	.....
Crittenden	[3] 13,125	111	8.5	.....	.....	.....	.....	.....	.....
Cumberland	10,772	66	6.1	.....	.....	.....	.....	.....	.....
Daviess	[12] 19,426	148	7.6	.....	.....	.....	.....	.....	.....
Edmonson	10,959	85	7.8	.....	.....	.....	.....	.....	.....
Elliott	[3] 8,887	72	8.1	.....	.....	.....	.....	.....	.....
Estill	16,078	115	7.2	.....	.....	.....	.....	.....	.....

[See footnotes at end of table.]

TABLE I B.—POPULATION, DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1921—Continued.

[See note at head of this table, p. 123.]

AREA AND COLOR.	Population estimated as of July 1, 1921.	DEATHS (EXCLUSIVE OF STILLBIRTHS) IN 1921.								
		Including nonresidents.		Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died elsewhere in registration area.	Nonresidents not transferable.	Excluding all nonresidents and including residents who died elsewhere in registration area.			
		Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Per cent of change.	
RURAL PART OF REGISTRATION STATES [7]—Con.										
KENTUCKY COUNTIES [20]—continued.										
Fayette (total)	13,286	93	7.0							
White	10,208	55	5.4							
Colored	3,078	38	12.3							
Fleming	[3] 15,614	174	11.1							
Floyd	28,786	116	4.0							
Franklin (total)	[3] 19,357	252	13.0							
White	16,495	197	11.9							
Colored	2,862	55	19.2							
Fulton (total)	15,364	174	11.3							
White	12,165	126	10.4							
Colored	3,199	48	15.0							
Gallatin	[3] 4,664	38	8.1							
Garrard (total)	12,597	118	9.4							
White	10,739	93	8.7							
Colored	1,858	25	13.5							
Grant	[3] 10,435	125	12.0							
Graves	[3] 32,483	394	12.1							
Grayson	[3] 19,927	145	7.3							
Green	[3] 11,391	75	6 6							
Greenup	20,307	211	10.4							
Hancock	[3] 6,945	62	8.9							
Hardin	24,532	159	6.5							
Harlan	34,788	418	12.0							
Harrison	[3] 15,798	197	12.5							
Hart	18,602	153	8.2							
Henderson (total)	[12] 15,330	150	9.8							
White	12,598	120	9.5							
Colored	2,732	30	11.0							
Henry (total)	[3] 13,411	152	11.3							
White	11,923	119	10.0							
Colored	1,488	33	22.2							
Hickman (total)	[3] 10,244	81	7.9							
White	8,996	66	7.3							
Colored	1,248	15	12.0							
Hopkins (total)	[3] 34,133	391	11.5							
White	28,096	300	10.7							
Colored	6,037	91	15.1							
Jackson	11,835	59	5.0							
Jefferson *	53,909	690	12.8							
Jessamine (total)	[3] 12,205	137	11.2							
White	9,928	102	10.3							
Colored	2,277	35	15.4							
Johnson	19,953	152	7.6							
Kenton	16,487	167	10.1							
Knott	11,789	83	7.0							
Knox	24,489	294	12.0							
Larue	[3] 10,004	81	8.1							
Laurel	[3] 19,814	133	6.7							
Lawrence	[3] 17,643	187	10.6							
Lee	12,286	25	2.0							
Leslie	10,270	69	6.7							
Letcher	26,606	121	4.5							
Lewis	[3] 15,829	171	10.8							
Lincoln (total)	[3] 16,481	215	13.0							
White	14,290	182	12.7							
Colored	2,191	33	15.1							
Livingston	[3] 9,732	88	9.0							
Logan (total)	[3] 23,633	244	10.3							
White	19,329	193	10.0							
Colored	4,304	51	11.8							
RURAL PART OF REGISTRATION STATES [7]—Con.										
KENTUCKY COUNTIES [20]—continued.										
Lyon (total)	[3] 8,795	58	6.6							
White	7,611	46	6.0							
Colored	1,184	12	10.1							
McCracken (total)	12,543	99	7.9							
White	11,194	87	7.8							
Colored	1,349	12	8.9							
McCreary	(8)	73	(8)							
McLean	[3] 12,502	123	9.8							
Madison (total)	[3] 26,284	296	11.3							
White	21,373	213	10.0							
Colored	4,911	83	16.9							
Magoffin	13,891	107	7.7							
Marion (total)	[3] 15,527	179	11.5							
White	13,826	154	11.1							
Colored	1,701	25	14.7							
Marshall	[3] 15,215	115	7.6							
Martin	7,710	40	5.2							
Mason (total)	[3] 17,760	250	14.1							
White	15,207	211	13.9							
Colored	2,553	39	15.3							
Meade	[3] 9,442	100	10.6							
Menifee	[3] 5,779	41	7.1							
Mercer (total)	14,908	138	9.3							
White	13,130	109	8.3							
Colored	1,778	29	16.3							
Metcalfe	[3] 10,075	71	7.0							
Monroe	14,299	124	8.7							
Montgomery (total)	[3] 12,245	117	9.6							
White	9,728	94	9.7							
Colored	2,517	23	9.1							
Morgan	16,558	142	8.6							
Muhlenberg	34,087	381	11.2							
Nelson (total)	[3] 16,137	186	11.5							
White	14,068	149	10.6							
Colored	2,069	37	17.9							
Nicholas	[3] 9,894	125	12.6							
Ohio	[3] 26,473	223	8.4							
Oldham (total)	7,757	89	11.5							
White	6,742	75	11.1							
Colored	1,015	14	13.8							
Owen	[3] 12,554	117	9.3							
Owsley	[3] 7,820	35	4.5							
Pendleton	[3] 11,719	126	10.8							
Perry	28,327	246	8.7							
Pike	52,227	368	7.0							
Powell	6,819	27	4.0							
Pulaski	(8)	259	(8)							
Robertson	[3] 3,871	34	8.8							
Rockcastle	15,551	117	7.5							
Rowan	9,472	107	11.3							
Russell	12,008	63	5.2							
Scott (total)	[3] 15,318	152	9.9							
White	12,259	85	6.9							
Colored	3,059	67	21.9							
Shelby (total)	18,608	224	12.0							
White	15,454	174	11.3							
Colored	3,154	50	15.9							
Simpson (total)	[3] 11,150	118	10.6							
White	9,241	93	10.1							
Colored	1,909	25	13.1							
Spencer	7,819	81	10.4							

[See footnotes at end of table.]

TABLE 1B.—POPULATION, DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1921—Continued.

[See note at head of this table, p. 123.]

AREA AND COLOR.	Population estimated as of July 1, 1921.	DEATHS (EXCLUSIVE OF STILLBIRTHS) IN 1921. Including nonresidents. Number.	Including nonresidents. Rate per 1,000 population.	Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died elsewhere in registration area.	Nonresidents not transferable.	Excluding all nonresidents and including residents who died elsewhere in registration area. Number.	Rate per 1,000 population.	Per cent of change.
RURAL PART OF REGISTRATION STATES [7]—Con.									
KENTUCKY COUNTIES [20]—continued.									
Taylor (total)	12,279	121	9.9	.....	.....	.....	.....	.....	.....
White	11,008	96	8.7	.....	.....	.....	.....	.....	.....
Colored	1,271	25	19.7	.....	.....	.....	.....	.....	.....
Todd (toal)	[3] 15,694	195	12.4	.....	.....	.....	.....	.....	.....
White	11,214	109	9.7	.....	.....	.....	.....	.....	.....
Colored	4,480	86	19.2	.....	.....	.....	.....	.....	.....
Trigg (total)	[3] 14,208	127	8.9	.....	.....	.....	.....	.....	.....
White	11,261	83	7.4	.....	.....	.....	.....	.....	.....
Colored	2,947	44	14.9	.....	.....	.....	.....	.....	.....
Trimble	[3] 6,011	40	6.7	.....	.....	.....	.....	.....	.....
Union (total)	[3] 18,040	190	10.5	.....	.....	.....	.....	.....	.....
White	15,847	156	9.8	.....	.....	.....	.....	.....	.....
Colored	2,193	34	15.5	.....	.....	.....	.....	.....	.....
Warren (total)	30,890	403	13.0	.....	.....	.....	.....	.....	.....
White	26,121	318	12.2	.....	.....	.....	.....	.....	.....
Colored	4,769	85	17.8	.....	.....	.....	.....	.....	.....
Washington (total)	14,901	114	7.7	.....	.....	.....	.....	.....	.....
White	13,194	96	7.3	.....	.....	.....	.....	.....	.....
Colored	1,707	18	10.5	.....	.....	.....	.....	.....	.....
Wayne	(8)	102	(8)	.....	.....	.....	.....	.....	.....
Webster (total)	[3] 20,762	243	11.7	.....	.....	.....	.....	.....	.....
White	17,839	197	11.0	.....	.....	.....	.....	.....	.....
Colored	2,923	46	15.7	.....	.....	.....	.....	.....	.....
Whitley	(8)	288	(8)	.....	.....	.....	.....	.....	.....
Wolfe	[3] 8,783	55	6.3	.....	.....	.....	.....	.....	.....
Woodford (total)	[3] 11,784	157	13.3	.....	.....	.....	.....	.....	.....
White	8,751	97	11.1	.....	.....	.....	.....	.....	.....
Colored	3,033	60	19.8	.....	.....	.....	.....	.....	.....
LOUISIANA PARISHES.									
Acadia (total)	35,281	310	8.8	310	320	....	320	9.1	+ 3
White	27,594	204	7.4	204	211	....	211	7.6	+ 3
Colored	7,687	106	13.8	106	109	....	109	14.2	+ 3
Allen (total)	(8)	158	(8)	156	170	....	170	(8)	(8)
White	(8)	81	(8)	79	86	....	86	(8)	(8)
Colored	(8)	77	(8)	77	84	....	84	(8)	(8)
Ascension (total)	[3] 22,155	242	10.9	242	265	....	265	12.0	+10
White	12,664	83	6.6	83	96	....	96	7.6	+15
Colored	9,491	159	16.8	159	169	....	169	17.8	+ 6
Assumption (total)	[3] 17,912	215	12.0	214	228	....	228	12.7	+ 6
White	10,424	91	8.7	91	100	....	100	9.6	+10
Colored	7,488	124	16.6	123	128	....	128	17.1	+ 3
Avoyelles (total)	35,485	196	5.5	196	218	....	218	6.1	+11
White	25,353	108	4.3	108	125	....	125	4.9	+14
Colored	10,132	88	8.7	88	93	....	93	9.2	+ 6
Beauregard (total)	(8)	150	(8)	145	158	....	158	(8)	(8)
White	(8)	102	(8)	98	104	....	104	(8)	(8)
Colored	(8)	48	(8)	47	54	....	54	(8)	(8)
Bienville (total)	[3] 20,977	134	6.4	133	146	....	146	7.0	+ 9
White	12,358	79	6.4	78	86	....	86	7.0	+ 9
Colored	8,619	55	6.4	55	60	....	60	7.0	+ 9
Bossier (total)	22,347	94	4.2	90	99	....	99	4.4	+ 5
White	6,771	44	6.5	40	45	....	45	6.6	+ 2
Colored	15,576	50	3.2	50	54	....	54	3.5	+ 9
Caddo (total)	40,813	381	9.3	375	429	1	428	10.5	+13
White	20,794	117	5.6	114	148	....	148	7.1	+27
Colored	20,019	264	13.2	261	281	1	280	14.0	+ 6
Calcasieu (total)	(8)	145	(8)	144	163	....	163	(8)	(8)
White	(8)	90	(8)	89	102	....	102	(8)	(8)
Colored	(8)	55	(8)	55	61	....	61	(8)	(8)
Caldwell (total)	9,656	62	6.4	62	67	....	67	6.9	+ 8
White	6,748	36	5.3	36	40	....	40	5.9	+11
Colored	2,908	26	8.9	26	27	....	27	9.3	+ 4
Cameron (total)	[3] 3,952	18	4.6	18	19	....	19	4.8	+ 4
White	3,366	14	4.2	14	15	....	15	4.5	+ 7
Colored	586	4	6.8	4	4	....	4	6.8	.....

AREA AND COLOR.	Population estimated as of July 1, 1921.	DEATHS (EXCLUSIVE OF STILLBIRTHS) IN 1921. Including nonresidents. Number.	Including nonresidents. Rate per 1,000 population.	Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died elsewhere in registration area.	Nonresidents not transferable.	Excluding all nonresidents and including residents who died elsewhere in registration area. Number.	Rate per 1,000 population.	Per cent of change.
RURAL PART OF REGISTRATION STATES [7]—Con.									
LOUISIANA PARISHES—continued.									
Catahoula (total)	11,175	74	6.6	74	79	....	79	7.1	+ 8
White	6,067	41	6.8	41	46	....	46	7.6	+12
Colored	5,108	33	6.5	33	33	....	33	6.5	.....
Claiborne (total)	28,323	158	5.6	156	161	1	160	5.6	.....
White	13,548	83	6.1	81	85	1	84	6.2	+ 2
Colored	14,775	75	5.1	75	76	....	76	5.1	.....
Concordia (total)	[3] 12,466	88	7.1	87	108	....	108	8.7	+23
White	2,643	16	6.1	16	23	....	23	8.7	+43
Colored	9,823	72	7.3	71	85	....	85	8.7	+19
De Soto (total)	29,636	285	9.6	284	296	....	296	10.0	+ 4
White	11,725	90	7.7	89	99	....	99	8.4	+ 9
Colored	17,911	195	10.9	195	197	....	197	11.0	+ 1
East Baton Rouge (total)	23,202	291	12.5	288	296	2	294	12.7	+ 2
White	8,497	72	8.5	71	74	....	74	8.7	+ 2
Colored	14,705	219	14.9	217	222	2	220	15.0	+ 1
East Carroll (total)	[3] 11,231	114	10.2	114	115	....	115	10.2	.....
White	1,527	12	7.9	12	13	....	13	8.5	+ 8
Colored	9,704	102	10.5	102	102	....	102	10.5	.....
East Feliciana* (total)	[3] 17,487	244	14.0	244	258	....	258	14.8	+ 6
White	5,481	105	19.2	105	110	....	110	20.1	+ 5
Colored	12,006	139	11.6	139	148	....	148	12.3	+ 6
Evangeline (total)	(8)	60	(8)	59	66	....	66	(8)	(8)
White	(8)	46	(8)	46	52	....	52	(8)	(8)
Colored	(8)	14	(8)	13	14	....	14	(8)	(8)
Franklin (total)	25,971	195	7.5	195	203	....	203	7.8	+ 4
White	14,408	84	5.8	84	89	....	89	6.2	+ 7
Colored	11,563	111	9.6	111	114	....	114	9.9	+ 3
Grant (total)	[3] 14,403	97	6.7	97	111	1	110	7.6	+13
White	10,356	62	6.0	62	71	....	71	6.9	+15
Colored	4,047	35	8.6	35	40	1	39	9.6	+12
Iberia (total)	[3] 26,855	339	12.6	334	350	....	350	13.0	+ 3
White	15,943	158	9.9	156	166	....	166	10.4	+ 5
Colored	10,912	181	16.6	178	184	....	184	16.9	+ 2
Iberville (total)	[3] 26,806	320	11.9	317	342	....	342	12.8	+ 8
White	11,425	106	9.3	104	116	....	116	10.2	+10
Colored	15,381	214	13.9	213	226	....	226	14.7	+ 6
Jackson (total)	14,588	81	5.6	81	88	....	88	6.0	+ 7
White	10,581	56	5.3	56	62	....	62	5.9	+11
Colored	4,007	25	6.2	25	26	....	26	6.5	+ 5
Jefferson (total)	22,075	234	10.6	232	296	....	296	13.4	+26
White	16,228	141	8.7	140	184	....	184	11.3	+30
Colored	5,847	93	15.9	92	112	....	112	19.2	+21
Jefferson Davis (total)	(8)	131	(8)	131	140	....	140	(8)	(8)
White	(8)	83	(8)	83	87	....	87	(8)	(8)
Colored	(8)	48	(8)	48	53	....	53	(8)	(8)
La Salle (total)	9,926	70	7.1	69	75	....	75	7.6	+ 7
White	8,445	53	6.3	52	57	....	57	6.7	+ 6
Colored	1,481	17	11.5	17	18	....	18	12.2	+ 6
Lafayette (total)	31,167	321	10.3	320	329	....	329	10.6	+ 3
White	20,336	168	8.3	167	173	....	173	8.5	+ 2
Colored	10,831	153	14.1	153	156	....	156	14.4	+ 2
Lafourche (total)	[3] 30,344	344	11.3	344	390	....	390	12.9	+14
White	24,450	213	8.7	213	248	....	248	10.1	+16
Colored	5,894	131	22.2	131	142	....	142	24.1	+ 9
Lincoln (total)	[3] 16,962	95	5.6	95	97	1	96	5.7	+ 2
White	10,551	59	5.5	59	61	1	60	5.6	+ 2
Colored	6,311	36	5.7	36	36	....	36	5.7	.....
Livingston (total)	11,300	56	4.7	55	63	....	63	5.3	+13
White	10,088	43	4.3	42	50	....	50	5.0	+16
Colored	1,712	13	7.6	13	13	....	13	7.6	.....
Madison (total)	10,852	43	4.0	43	50	....	50	4.6	+15
White	1,852	8	4.3	8	9	....	9	4.9	+14
Colored	9,000	35	3.9	35	41	....	41	4.6	+18
Morehouse (total)	19,393	207	10.7	207	209	....	209	10.8	+ 1
White	6,379	47	7.4	47	47	....	47	7.4	.....
Colored	13,014	160	12.3	160	162	....	162	12.4	+ 1

[See footnotes at end of table.]

TABLE IB.—POPULATION, DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1921—Continued.

[See note at head of this table, p. 123.]

AREA AND COLOR.	Population estimated as of July 1, 1921.	DEATHS (EXCLUSIVE OF STILLBIRTHS) IN 1921.								
		Including nonresidents.		Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died elsewhere in registration area.	Nonresidents not transferable.	Excluding all nonresidents and including residents who died elsewhere in registration area.		
		Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Per cent of change.
RURAL PART OF REGISTRATION STATES[7]—Con.									
LOUISIANA PARISHES—continued.									
Natchitoches (total)	38,934	370	9.5	369	383	1	382	9.8	+ 3
White	18,176	125	6.9	124	131	1	130	7.2	+ 4
Colored	20,758	245	11.8	245	252	....	252	12.1	+ 3
Ouachita (total)	17,957	170	9.5	169	176	....	176	9.8	+ 3
White	9,673	74	7.7	73	78	....	78	8.1	+ 5
Colored	8,284	96	11.6	96	98	....	98	11.8	+ 2
Plaquemines (total)	[3] 10,194	114	11.2	111	115	1	114	11.2	.....
White	4,789	35	7.3	32	36	1	35	7.3	.....
Colored	5,405	79	14.6	79	79	....	79	14.6	.....
Pointe Coupee (total)	[3] 24,697	233	9.4	233	261	....	261	10.6	+13
White	9,715	76	7.8	76	91	....	91	9.4	+21
Colored	14,982	157	10.5	157	170	....	170	11.3	+ 8
Rapides* (total)	43,379	458	10.6	435	479	40	469	10.8	+ 2
White	25,952	234	9.0	223	246	2	244	9.4	+ 4
Colored	17,427	224	12.9	212	233	8	225	12.9	.....
Red River (total)	15,903	91	5.7	90	99	....	99	6.2	+ 9
White	8,101	31	3.8	31	37	....	37	4.6	+21
Colored	7,802	60	7.7	59	62	....	62	7.9	+ 3
Richland (total)	21,647	200	9.2	196	204	....	204	9.4	+ 2
White	9,413	72	7.6	70	74	....	74	7.9	+ 4
Colored	12,234	128	10.5	126	130	....	130	10.6	+ 1
Sabine (total)	20,842	121	5.8	118	127	....	127	6.1	+ 5
White	16,449	74	4.5	74	80	....	80	4.9	+ 9
Colored	4,393	47	10.7	44	47	....	47	10.7	.....
St. Bernard (total)	[3] 4,968	55	11.1	55	71	....	71	14.3	+29
White	3,370	22	6.5	22	33	....	33	9.8	+51
Colored	1,598	33	20.7	33	38	....	38	23.8	+15
St. Charles (total)	[3] 8,586	102	11.9	101	123	....	123	14.3	+20
White	4,239	31	7.3	30	41	....	41	9.7	+33
Colored	4,347	71	16.3	71	82	....	82	18.9	+16
St. Helena (total)	[3] 8,427	57	6.8	57	62	....	62	7.4	+ 9
White	4,198	30	7.1	30	33	....	33	7.9	+11
Colored	4,229	27	6.4	27	29	....	29	6.9	+ 8
St. James (total)	[3] 21,228	237	11.2	236	265	....	265	12.5	+12
White	9,624	69	7.2	69	82	....	82	8.5	+18
Colored	11,604	168	14.5	167	183	....	183	15.8	+ 9
St. John the Baptist (total)	[3] 11,896	153	12.9	153	169	....	169	14.2	+10
White	5,478	37	6.8	37	42	....	42	7.7	+13
Colored	6,418	116	18.1	116	127	....	127	19.8	+ 9
St. Landry (total)	([8])	464	([8])	462	491	....	491	([8])	([8])
White	([8])	177	([8])	176	189	....	189	([8])	([8])
Colored	([8])	287	([8])	286	302	....	302	([8])	([8])
St. Martin (total)	[3] 21,990	155	7.0	155	162	....	162	7.4	+ 6
White	14,088	54	3.8	54	57	....	57	4.0	+ 5
Colored	7,902	101	12.8	101	105	....	105	13.3	+ 4
St. Mary (total)	[3] 30,754	426	13.9	418	453	....	453	14.7	+ 6
White	15,493	153	9.9	147	160	....	160	10.3	+ 4
Colored	15,261	273	17.9	271	293	....	293	19.2	+ 7
St. Tammany (total)	20,912	219	10.5	208	249	....	249	11.9	+13
White	13,104	134	10.2	126	148	....	148	11.3	+11
Colored	7,808	85	10.9	82	101	....	101	12.9	+18
Tangipahoa (total)	31,792	251	7.9	250	310	....	310	9.8	+24
White	22,935	172	7.5	171	215	....	215	9.4	+25
Colored	8,857	79	8.9	79	95	....	95	10.7	+20
Tensas (total)	[3] 12,085	138	11.4	137	156	....	156	12.9	+13
White	1,769	17	9.6	17	20	....	20	11.3	+18
Colored	10,316	121	11.7	120	136	....	136	13.2	+13
Terrebonne (total)	[3] 26,974	289	10.7	289	316	....	316	11.7	+ 9
White	17,586	173	9.8	173	194	....	194	11.0	+12
Colored	9,388	116	12.4	116	122	....	122	13.0	+ 5
Union (total)	[3] 19,621	106	5.4	106	110	....	110	5.6	+ 4
White	13,507	76	5.6	76	79	....	79	5.8	+ 4
Colored	6,114	30	4.9	30	31	....	31	5.1	+ 4
Vermilion (total)	26,496	244	9.2	244	250	....	250	9.4	+ 2
White	21,916	201	9.2	201	205	....	205	9.4	+ 2
Colored	4,580	43	9.4	43	45	....	45	9.8	+ 4
RURAL PART OF REGISTRATION STATES[7]—Con.									
LOUISIANA PARISHES—continued.									
Vernon (total)	20,974	138	6.6	136	146	....	146	7.0	+ 6
White	15,656	86	5.5	84	91	....	91	5.8	+ 5
Colored	5,318	52	9.8	52	55	....	55	10.3	+ 5
Washington (total)	24,979	216	8.6	213	224	....	224	9.0	+ 5
White	17,290	132	7.6	130	132	....	132	7.6	.....
Colored	7,689	84	10.9	83	92	....	92	12.0	+10
Webster (total)	25,560	159	6.2	157	161	....	161	6.3	+ 2
White	13,943	70	5.0	69	73	....	73	5.2	+ 4
Colored	11,617	89	7.7	88	88	....	88	7.6	- 1
West Baton Rouge (total)	[3] 11,092	106	9.6	105	111	....	111	10.0	+ 4
White	3,607	23	6.4	22	23	....	23	6.4	.....
Colored	7,485	83	11.1	83	88	....	88	11.8	+ 6
West Carroll (total)	9,260	45	4.9	45	47	....	47	5.1	+ 4
White	6,941	28	4.0	28	29	....	29	4.2	+ 5
Colored	2,319	17	7.3	17	18	....	18	7.8	+ 7
West Feliciana (total)	[3] 12,303	120	9.8	120	124	....	124	10.1	+ 3
White	2,116	13	6.1	13	14	....	14	6.6	+ 8
Colored	10,187	107	10.5	107	110	....	110	10.8	+ 3
Winn (total)	[3] 16,119	54	3.4	54	63	....	63	3.9	+15
White	12,732	47	3.7	47	54	....	54	4.2	+14
Colored	3,387	7	2.1	7	9	....	9	2.7	+29
MAINE COUNTIES.									
Androscoggin	16,789	200	11.9	200	220	....	220	13.1	+10
Aroostook	82,819	1,183	14.3	1,179	1,191	5	1,186	14.3	.....
Cumberland	55,359	713	12.9	710	776	....	776	14.0	+ 9
Franklin	19,933	251	12.6	250	265	....	265	13.3	+ 6
Hancock	[3] 30,361	433	14.3	433	442	....	442	14.6	+ 2
Kennebec (exclusive of Nat. Military Home)	36,098	506 / 74	[18]16.1	505	540	2	538 / 74	[18]17.0	+ 6
Knox	[3] 26,245	434	16.5	427	443	....	443	16.9	+ 2
Lincoln	[3] 15,976	217	13.6	217	228	....	228	14.3	+ 5
Oxford	37,922	508	13.4	507	542	....	542	14.3	+ 7
Penobscot	61,895	701	11.3	698	759	....	759	12.3	+ 9
Piscataquis	20,657	215	10.4	211	219	....	219	10.6	+ 2
Sagadahoc	8,153	118	14.5	116	126	....	126	15.5	+ 7
Somerset	37,305	511	13.7	508	530	....	530	14.2	+ 4
Waldo	[3] 21,328	329	15.4	327	338	....	338	15.8	+ 3
Washington	[3] 41,709	548	13.1	547	560	2	558	13.4	+ 2
York	41,935	625	14.9	625	689	1	688	16.4	+10
MARYLAND COUNTIES.									
Allegany	40,120	459	11.4	459	476	....	476	11.9	+ 4
Anne Arundel* (total)	33,327	462	13.9	461	490	1	489	14.7	+ 6
White	22,628	215	9.5	215	234	1	233	10.3	+ 8
Colored	10,699	247	23.1	246	256	....	256	23.9	+ 3
Baltimore (total)	76,602	942	12.3	929	1,081	1	1,080	14.1	+15
White	67,065	835	12.5	823	952	1	951	14.2	+14
Colored	9,537	107	11.2	106	129	....	129	13.5	+21
Calvert (total)	[3] 9,744	118	12.1	118	127	....	127	13.0	+ 7
White	4,955	34	6.9	34	41	....	41	8.3	+20
Colored	4,789	84	17.5	84	86	....	86	18.0	+ 3
Caroline (total)	[3] 18,652	258	13.8	258	264	....	264	14.2	+ 3
White	14,207	174	12.2	174	180	....	180	12.7	+ 4
Colored	4,445	84	18.9	84	84	....	84	18.9	.....
Carroll	34,293	492	14.3	490	528	....	528	15.4	+ 8
Cecil (total)	[3] 23,612	323	13.7	320	329	....	329	13.9	+ 1
White	20,703	261	12.6	260	268	....	268	12.9	+ 2
Colored	2,909	62	21.3	60	61	....	61	21.0	- 1
Charles (total)	17,908	187	10.4	187	211	....	211	11.8	+13
White	9,755	83	8.5	83	99	....	99	10.1	+19
Colored	8,153	104	12.8	104	112	....	112	13.7	+ 7
Dorchester* (total)	[3] 27,895	455	16.3	454	460	....	460	16.5	+ 1
White	19,175	258	13.5	257	261	....	261	13.6	+ 1
Colored	8,720	197	22.6	197	199	....	199	22.8	+ 1

[See footnotes at end of table.]

TABLE I B.—POPULATION, DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1921—Continued.

[See note at head of this table, p. 123.]

AREA AND COLOR.	Population estimated as of July 1, 1921.	DEATHS (EXCLUSIVE OF STILLBIRTHS) IN 1921. Including nonresidents. Number.	Including nonresidents. Rate per 1,000 population.	Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died elsewhere in registration area.	Nonresidents not transferable.	Excluding all nonresidents and including residents who died elsewhere in registration area. Number.	Rate per 1,000 population.	Per cent of change.
RURAL PART OF REGISTRATION STATES[7]—Con.									
MARYLAND COUNTIES—continued.									
Frederick	[12] 41,374	605	14.6	594	612	1	611	14.8	+ 1
Garrett	[3] 19,678	196	10.0	195	200	2	198	10.1	+ 1
Harford (total)	29,496	403	13.7	403	429	1	428	14.5	+ 6
White	24,971	308	12.3	308	328	1	327	13.1	+ 7
Colored	4,525	95	21.0	95	101	....	101	22.3	+ 6
Howard (total)	[3] 15,826	176	11.1	176	204	....	204	12.9	+16
White	12,316	120	9.7	120	143	....	143	11.6	+20
Colored	3,510	56	16.0	56	61	....	61	17.4	+ 9
Kent (total)	[3] 15,026	250	16.6	250	273	....	273	18.2	+10
White	9,780	125	12.8	125	143	....	143	14.6	+14
Colored	5,246	125	23.8	125	130	....	130	24.8	+ 4
Montgomery (total)	35,358	478	13.5	458	495	4	491	13.9	+ 3
White	27,218	360	13.2	340	366	4	362	13.3	+ 1
Colored	8,140	118	14.5	118	129	....	129	15.8	+ 9
Prince Georges (total)	44,459	495	11.1	491	584	....	584	13.1	+18
White	32,302	282	8.7	278	349	....	349	10.8	+24
Colored	12,157	213	17.5	213	235	....	235	19.3	+10
Queen Annes (total)	[3] 16,001	231	14.4	231	238	....	238	14.9	+ 3
White	10,846	131	12.1	131	137	....	137	12.6	+ 4
Colored	5,155	100	19.4	100	101	....	101	19.6	+ 1
St. Marys (total)	[3] 16,112	192	11.9	192	197	....	197	12.2	+ 3
White	9,674	95	9.8	95	98	....	98	10.1	+ 3
Colored	6,438	97	15.1	97	99	....	99	15.4	+ 2
Somerset (total)	[3] 24,602	332	13.5	331	345	....	345	14.0	+ 4
White	15,713	192	12.2	192	201	....	201	12.8	+ 5
Colored	8,889	140	15.7	139	144	....	144	16.2	+ 3
Talbot (total)	[3] 18,306	303	16.6	297	300	....	300	16.4	— 1
White	12,138	161	13.3	156	157	....	157	12.9	— 3
Colored	6,168	142	23.0	141	143	....	143	23.2	+ 1
Washington	32,343	354	10.9	354	360	....	360	11.1	+ 2
Wicomico (total)	28,374	462	16.3	446	447	10	437	15.4	— 6
White	21,947	298	13.6	286	287	7	280	12.8	— 6
Colored	6,427	164	25.5	160	160	3	157	24.4	— 4
Worcester (total)	22,381	294	13.1	294	300	....	300	13.4	+ 2
White	15,127	155	10.2	155	159	....	159	10.5	+ 3
Colored	7,254	139	19.2	139	141	....	141	19.4	+ 1
MASSACHUSETTS COUNTIES.									
Barnstable	[3] 26,670	452	16.9	425	460	2	458	17.2	+ 2
Berkshire	35,691	399	11.2	370	465	1	464	13.0	+16
Bristol	61,716	749	12.1	680	780	....	780	12.6	+ 4
Dukes	[3] 4,372	88	20.1	79	82	....	82	18.8	— 6
Essex	64,584	744	11.5	700	836	1	835	12.9	+12
Franklin	34,012	459	13.5	434	474	....	474	13.9	+ 3
Hampden	43,517	498	11.4	465	566	....	566	13.0	+14
Hampshire	36,544	376	10.3	358	437	....	437	12.0	+17
Middlesex*	107,195	1,651	15.4	1,420	1,676	2	1,674	15.6	+ 1
Nantucket	[3] 2,797	66	23.6	56	59	....	59	21.1	—11
Norfolk	86,116	997	11.6	923	1,114	1	1,113	12.9	+11
Plymouth	78,032	1,127	14.4	1,046	1,210	....	1,210	15.5	+ 8
Worcester	134,883	1,655	12.3	1,562	1,816	2	1,814	13.4	+ 9
MICHIGAN COUNTIES.									
Alcona	5,943	55	9.3	55	60	....	60	10.1	+ 9
Alger	10,339	92	8.9	92	93	....	93	9.0	+ 1
Allegan	[3] 37,540	495	13.2	493	501	....	501	13.3	+ 1
Alpena	[3] 6,768	82	12.1	82	84	....	84	12.4	+ 2
Antrim	[3] 11,543	147	12.7	147	151	....	151	13.1	+ 3
Arenac	[3] 9,460	114	12.1	114	121	....	121	12.8	+ 6
Baraga	7,900	82	10.4	82	84	....	84	10.6	+ 2
Barry	[3] 21,383	256	12.0	253	258	....	258	12.1	+ 1
Bay	21,826	218	10.0	218	232	....	232	10.6	+ 6
Benzie	[3] 6,947	101	14.5	99	100	....	100	14.4	— 1

AREA AND COLOR.	Population estimated as of July 1, 1921.	DEATHS (EXCLUSIVE OF STILLBIRTHS) IN 1921. Including nonresidents. Number.	Including nonresidents. Rate per 1,000 population.	Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died elsewhere in registration area.	Nonresidents not transferable.	Excluding all nonresidents and including residents who died elsewhere in registration area. Number.	Rate per 1,000 population.	Per cent of change.
RURAL PART OF REGISTRATION STATES[7]—Con.									
MICHIGAN COUNTIES—continued.									
Berrien	51,346	477	9.3	476	498	....	498	9.7	+ 4
Branch	[3] 23,997	386	16.1	386	399	....	399	16.6	+ 3
Calhoun	37,586	438	11.7	434	450	....	450	12.0	+ 3
Cass	[3] 20,395	299	14.7	299	309	....	309	15.2	+ 3
Charlevoix	[3] 15,788	186	11.8	184	188	....	188	11.9	+ 1
Cheboygan	[3] 13,991	196	14.0	196	201	....	201	14.4	+ 3
Chippewa	12,775	133	10.4	132	135	....	135	10.6	+ 2
Clare	[3] 8,250	111	13.5	111	115	....	115	13.9	+ 3
Clinton	[3] 23,110	298	12.9	298	301	....	301	13.0	+ 1
Crawford	4,066	47	11.6	47	48	....	48	11.8	+ 2
Delta	17,930	155	8.6	153	155	....	155	8.6	.....
Dickinson	[3] 19,456	195	10.0	195	203	....	203	10.4	+ 4
Eaton	[3] 29,377	435	14.8	435	454	....	454	15.5	+ 5
Emmet	[3] 15,639	260	16.6	246	248	....	248	15.9	— 4
Genesee	29,491	412	14.0	407	415	....	415	14.1	+ 1
Gladwin	8,890	83	9.3	82	90	....	90	10.1	+ 9
Gogebic	18,563	167	9.0	167	176	....	176	9.5	+ 6
Grand Traverse	[3] 8,593	100	11.6	100	107	....	107	12.5	+ 8
Gratiot	34,701	407	11.7	405	411	....	411	11.8	+ 1
Hillsdale	[3] 28,161	371	13.2	371	378	....	378	13.4	+ 2
Houghton	[3] 71,930	658	9.1	657	669	....	669	9.3	+ 2
Huron	[3] 32,786	447	13.6	446	452	....	452	13.8	+ 1
Ingham	24,929	307	12.3	307	310	....	310	12.4	+ 1
Ionia	[3] 33,087	483	14.6	483	488	....	488	14.7	+ 1
Iosco	[3] 8,199	108	13.2	108	112	....	112	13.7	+ 4
Iron	23,180	174	7.5	173	179	....	179	7.7	+ 3
Isabella	[3] 22,610	279	12.3	279	280	....	280	12.4	+ 1
Jackson	24,500	302	12.3	302	314	....	314	12.8	+ 4
Kalamazoo	23,008	261	11.3	257	271	....	271	11.8	+ 4
Kalkaska	[3] 5,577	75	13.4	75	76	....	76	13.6	+ 1
Kent*	45,536	803	17.6	789	813	....	813	17.9	+ 2
Keweenaw	[3] 6,322	62	9.8	62	63	....	63	10.0	+ 2
Lake	[3] 4,437	48	10.8	48	48	....	48	10.8	.....
Lapeer*	[3] 25,782	386	15.0	382	390	....	390	15.1	+ 1
Leelanau	[3] 9,061	100	11.0	100	105	....	105	11.6	+ 5
Lenawee	[12] 35,718	482	13.5	479	494	....	494	13.8	+ 2
Livingston*	[3] 17,522	273	15.6	270	279	....	279	15.9	+ 2
Luce*	6,481	128	19.8	128	128	....	128	19.8	.....
Mackinac	[3] 8,026	101	12.6	99	102	....	102	12.7	+ 1
Macomb	38,953	519	13.3	512	528	....	528	13.6	+ 2
Manistee	[3] 20,899	243	11.6	243	247	....	247	11.8	+ 2
Marquette	[14] 22,380	227	10.1	224	234	....	234	10.5	+ 4
Mason	[3] 19,831	246	12.4	246	250	....	250	12.6	+ 2
Mecosta	[3] 17,765	267	15.0	267	271	....	271	15.3	+ 2
Menominee	[3] 23,778	233	9.8	232	237	1	236	9.9	+ 1
Midland	17,736	184	10.4	184	187	....	187	10.5	+ 1
Missaukee	[3] 9,004	83	9.2	83	86	....	86	9.6	+ 4
Monroe	25,468	295	11.6	293	310	....	310	12.2	+ 5
Montcalm	[3] 30,441	365	12.0	363	368	....	368	12.1	+ 1
Montmorency	4,141	31	7.5	31	34	....	34	8.2	+ 9
Muskegon	27,380	274	10.0	271	274	....	274	10.0	.....
Newaygo	[3] 17,378	224	12.9	222	224	....	224	12.9	.....
Oakland	58,981	691	11.7	680	727	....	727	12.3	+ 5
Oceana	[3] 15,601	187	12.0	187	190	....	190	12.2	+ 2
Ogemaw	[3] 7,786	104	13.4	104	106	....	106	13.6	+ 1
Ontonagon	13,012	92	7.1	92	99	....	99	7.6	+ 7
Osceola	[3] 15,221	181	11.9	181	185	....	185	12.2	+ 3
Oscoda	[3] 1,783	8	4.5	8	9	....	9	5.0	+11
Otsego	[3] 6,043	78	12.9	78	80	....	80	13.2	+ 2
Ottawa	35,580	410	11.5	407	417	....	417	11.7	+ 2
Presque Isle	12,267	136	11.1	136	142	....	142	11.6	+ 5
Roscommon	[3] 2,032	21	10.3	21	24	....	24	11.8	+15
Saginaw	34,577	370	10.7	370	385	....	385	11.1	+ 4
St. Clair	31,846	458	14.4	454	465	1	464	14.6	+ 1
St. Joseph	27,021	339	12.5	339	355	....	355	13.1	+ 5

[See footnotes at end of table.]

TABLE 1B.—POPULATION, DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1921—Continued.

[See note at head of this table, p. 123.]

AREA AND COLOR.	Population estimated as of July 1, 1921.	DEATHS (EXCLUSIVE OF STILLBIRTHS) IN 1921.								AREA AND COLOR.	Population estimated as of July 1, 1921.	DEATHS (EXCLUSIVE OF STILLBIRTHS) IN 1921.							
		Including nonresidents.		Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died elsewhere in registration area.	Nonresidents not transferable.	Excluding all nonresidents and including residents who died elsewhere in registration area.					Including nonresidents.		Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died elsewhere in registration area.	Nonresidents not transferable.	Excluding all nonresidents and including residents who died elsewhere in registration area.		
		Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Per cent of change.			Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Per cent of change.
RURAL PART OF REGISTRATION STATES[7]—Con.										RURAL PART OF REGISTRATION STATES[7]—Con.									
MICHIGAN COUNTIES—continued.										MINNESOTA COUNTIES—continued.									
Sanilac	[3] 31,237	360	11.5	360	368	....	368	11.8	+ 3	Nicollet*	15,176	284	18.7	281	292	1	291	19.2	+ 3
Schoolcraft	10,177	103	10.1	101	104	....	104	10.2	+ 1	Nobles	18,335	127	6.9	126	133	....	133	7.3	+ 6
Shiawassee	23,309	344	14.8	343	345	....	345	14.8	.....	Norman	15,101	102	6.8	98	111	1	110	7.3	+ 7
Tuscola	[3] 33,320	505	15.2	505	519	....	519	15.6	+ 3	Olmsted	14,237	119	8.4	118	135	1	134	9.4	+12
										Otter Tail*	51,557	540	10.5	521	539	7	532	10.3	− 2
Van Buren	[3] 30,715	410	13.3	406	424	....	424	13.8	+ 4										
Washtenaw	30,021	429	14.3	427	439	....	439	14.6	+ 2	Pennington	12,510	120	9.6	99	107	4	103	8.2	−15
Wayne*	[15] 81,124	1,271	15.7	1,244	1,310	....	1,310	16.1	+ 3	Pine	21,926	153	7.0	153	176	1	175	8.0	+14
Wexford	[3] 18,207	284	15.6	279	283	....	283	15.5	− 1	Pipestone	12,436	104	8.4	102	109	1	108	8.7	+ 4
										Polk	37,259	336	9.0	313	333	6	327	8.8	− 2
MINNESOTA COUNTIES.										Pope	13,768	117	8.5	116	123	....	123	8.9	+ 5
Aitkin	15,766	100	6.3	93	114	....	114	7.2	+14	Ramsey	9,999	85	8.5	77	115	1	114	11.4	+34
Anoka*	16,111	199	12.4	188	210	1	209	13.0	+ 5	Red Lake	7,371	43	5.8	43	56	....	56	7.6	+31
Becker	23,472	220	9.4	210	231	4	227	9.7	+ 3	Redwood	21,291	114	5.4	110	118	1	117	5.5	+ 2
Beltrami	28,276	239	8.5	223	241	4	237	8.4	− 1	Renville	23,713	169	7.1	169	204	1	203	8.6	+21
Benton	12,634	65	5.1	64	75	....	75	5.9	+16	Rice	17,265	135	7.8	128	142	1	141	8.2	+ 5
Big Stone	9,827	93	9.5	88	90	2	88	9.0	− 5	Rock	11,080	78	7.0	77	82	1	81	7.3	+ 4
Blue Earth	19,015	137	7.2	134	155	....	155	8.2	+14	Roseau	13,609	82	6.0	81	87	2	85	6.2	+ 3
Brown	22,774	198	8.7	182	192	....	192	8.4	− 3	St. Louis	80,700	557	6.9	544	607	2	605	7.5	+ 9
Carlton	19,674	134	6.8	127	152	....	152	7.7	+13	Scott	[3] 14,245	133	9.3	133	148	....	148	10.4	+12
Carver	[3] 16,946	102	6.0	100	117	2	115	6.8	+13	Sherburne	8,975	71	7.9	66	77	....	77	8.6	+ 9
Cass	16,558	199	12.0	181	196	3	193	11.7	− 3	Sibley	15,649	125	8.0	122	132	....	132	8.4	+ 5
Chippewa	16,070	102	6.3	95	101	....	101	6.3	.....	Stearns	43,019	313	7.3	310	351	1	350	8.1	+11
Chisago	14,585	134	9.2	129	160	....	160	11.0	+20	Steele	18,357	148	8.1	148	164	1	163	8.9	+10
Clay	22,111	163	7.4	161	190	2	188	8.5	+15	Stevens	10,008	70	7.0	70	75	....	75	7.5	+ 7
Clearwater	8,832	62	7.0	62	72	....	72	8.2	+17	Swift	15,423	113	7.3	111	118	....	118	7.7	+ 5
Cook (total)	1,919	12	6.3	12	15	....	15	7.8	+24	Todd	26,469	172	6.5	171	182	....	182	6.9	+ 6
White	1,722	10	5.8	10	13	....	13	7.5	+29	Traverse	[3] 7,943	56	7.1	55	58	2	56	7.1	.....
Colored	197	2	*10.2*	2	2	....	2	*10.2*	.....	Wabasha	[3] 17,919	210	11.7	201	221	2	219	12.2	+ 4
Cottonwood	14,866	82	5.5	82	87	....	87	5.9	+ 7	Wadena	11,015	121	11.0	115	122	....	122	11.1	+ 1
Crow Wing	25,756	254	9.9	225	231	1	230	8.9	−10	Waseca	14,236	125	8.8	122	136	2	134	9.4	+ 7
Dakota	29,553	288	9.7	280	316	2	314	10.6	+ 9	Washington	[3] 23,761	223	9.4	214	255	....	255	10.7	+14
Dodge	12,623	119	9.4	119	131	....	131	10.4	+11	Watonwan	12,623	126	10.0	123	127	2	125	9.9	− 1
Douglas	19,251	171	8.9	170	184	1	183	9.5	+ 7	Wilkin	10,360	80	7.7	78	84	13	71	6.9	−10
Faribault	21,160	154	7.3	150	160	3	157	7.4	+ 1	Winona	[12] 14,464	126	8.7	125	139	....	139	9.6	+10
Fillmore	[3] 25,330	223	8.8	220	246	1	245	9.7	+10	Wright	28,779	225	7.8	224	248	....	248	8.6	+10
Freeborn	25,065	211	8.4	202	212	6	206	8.2	− 2	Yellow Medicine	16,726	94	5.6	91	100	2	98	5.9	+ 5
Goodhue	[3] 30,799	325	10.6	309	326	4	322	10.5	− 1										
Grant	9,892	71	7.2	69	77	....	77	7.8	+ 8										
Hennepin	35,264	318	9.0	297	382	4	378	10.7	+19	MISSISSIPPI COUNTIES.									
Houston	[3] 14,013	124	8.8	124	138	....	138	9.8	+11	Adams (total)	[12] 9,449	260	27.5	182	183	1	182	19.3	−30
Hubbard	10,183	88	8.6	84	90	....	90	8.8	+ 2	White	1,018	52	51.1	25	26	1	25	24.6	−52
Isanti	13,381	96	7.2	89	106	....	106	7.9	+10	Colored	8,431	208	24.7	157	157	....	157	18.6	−25
Itasca	24,906	205	8.2	202	228	1	227	9.1	+11	Alcorn (total)	21,864	200	9.1	199	202	....	202	9.2	+ 1
Jackson	16,181	119	7.4	113	125	....	125	7.7	+ 4	White	17,786	142	8.0	141	144	....	144	8.1	+ 1
Kanabec	9,492	57	6.0	56	59	....	59	6.2	+ 3	Colored	4,078	58	14.2	58	58	....	58	14.2	.....
Kandiyohi	22,538	199	8.8	194	206	....	206	9.1	+ 3	Amite (total)	[3] 18,960	169	8.9	169	176	....	176	9.3	+ 4
Kittson	10,787	79	7.3	79	89	....	89	8.3	+14	White	9,617	69	7.2	69	74	....	74	7.7	+ 7
Koochiching	14,616	103	7.0	101	113	1	112	7.7	+10	Colored	9,343	100	10.7	100	102	....	102	10.9	+ 2
Lac qui Parle	15,573	122	7.8	121	132	2	130	8.3	+ 6	Attala (total)	[3] 24,831	167	6.7	167	176	....	176	7.1	+ 6
Lake	8,288	56	6.8	47	52	....	52	6.3	− 7	White	14,663	79	5.4	79	86	....	86	5.9	+ 9
										Colored	10,168	88	8.7	88	90	....	90	8.9	+ 2
Le Sueur	[3] 17,870	139	7.8	136	159	....	159	8.9	+14										
Lincoln	11,483	76	6.6	73	76	2	74	6.4	− 3	Benton (total)	[3] 9,851	97	9.8	97	100	....	100	10.2	+ 4
Lyon	19,318	138	7.1	136	143	....	143	7.4	+ 4	White	5,231	44	8.4	44	45	....	45	8.6	+ 2
McLeod	20,715	182	8.8	181	206	....	206	9.9	+13	Colored	4,620	53	11.5	53	55	....	55	11.9	+ 3
Mahnomen (total)	6,652	49	7.4	46	51	....	51	7.7	+ 4	Bolivar (total)	59,023	720	12.2	720	759	....	759	12.9	+ 6
White	5,283	27	5.1	24	29	....	29	5.5	+ 8	White	10,658	71	6.7	71	85	....	85	8.0	+19
Colored	1,369	22	16.1	22	22	....	22	16.1	.....	Colored	48,365	649	13.4	649	674	....	674	13.9	+ 4
Marshall	19,922	166	8.3	154	166	2	164	8.2	− 1										
Martin	21,636	163	7.5	163	178	....	178	8.2	+ 9	Calhoun (total)	[3] 16,823	128	7.6	128	128	....	128	7.6	.....
										White	13,936	108	7.7	108	108	....	108	7.7	.....
Meeker	13,270	164	9.0	158	170	....	170	9.3	+ 3	Colored	2,887	20	6.9	20	20	....	20	6.9	.....
Mille Lacs	14,716	133	9.0	126	132	....	132	9.0	.....	Carroll (total)	[3] 20,324	161	7.9	161	168	....	168	8.3	+ 5
Morrison	26,118	216	8.3	209	219	....	219	8.4	+ 1	White	8,970	78	8.7	78	83	....	83	9.3	+ 7
Mower	15,905	88	5.5	87	98	1	97	6.1	+11	Colored	11,354	83	7.3	83	85	....	85	7.5	+ 3
Murray	13,921	80	5.7	77	82	....	82	5.9	+ 4										

[See footnotes at end of table.]

TABLE 1B.—POPULATION, DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1921—Continued.

[See note at head of this table, p. 123.]

AREA AND COLOR.	Population estimated as of July 1, 1921.	DEATHS (EXCLUSIVE OF STILLBIRTHS) IN 1921.							
		Including nonresidents.		Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died elsewhere in registration area.	Nonresidents not transferable.	Excluding all nonresidents and including residents who died elsewhere in registration area.		
		Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Per cent of change.
RURAL PART OF REGISTRATION STATES[7]—Con.									
MISSISSIPPI COUNTIES—continued.									
Chickasaw (total)	[3] 22,212	194	8.7	194	198	....	198	8.9	+ 2
White	11,155	76	6.8	76	79	....	79	7.1	+ 4
Colored	11,057	118	10.7	118	119	....	119	10.8	+ 1
Choctaw (total)	[3] 12,491	77	6.2	77	81	....	81	6.5	+ 5
White	8,940	55	6.2	55	57	....	57	6.4	+ 3
Colored	3,551	22	6.2	22	24	....	24	6.8	+10
Claiborne (total)	[3] 13,019	128	9.8	128	135	....	135	10.4	+ 6
White	3,425	25	7.3	25	29	....	29	8.5	+16
Colored	9,594	103	10.7	103	106	....	106	11.0	+ 3
Clarke (total)	[3] 17,927	188	10.5	188	193	1	192	10.7	+ 2
White	10,700	99	9.3	99	103	....	103	9.6	+ 3
Colored	7,227	89	12.3	89	90	1	89	12.3	.....
Clay (total)	[3] 17,490	212	12.1	209	210	....	210	12.0	— 1
White	7,003	82	11.7	79	80	....	80	11.4	— 3
Colored	10,487	130	12.4	130	130	....	130	12.4	.....
Coahoma (total)	42,638	705	16.5	705	726	1	725	17.0	+ 3
White	6,617	75	11.3	75	83	....	83	12.5	+11
Colored	36,021	630	17.5	630	643	1	642	17.8	+ 2
Copiah (total)	[3] 28,672	270	9.4	270	294	....	294	10.3	+10
White	13,567	119	8.8	119	132	....	132	9.7	+10
Colored	15,105	151	10.0	151	162	....	162	10.7	+ 7
Covington (total)	[3] 14,869	107	7.2	107	112	....	112	7.5	+ 4
White	10,593	61	5.8	61	65	....	65	6.1	+ 5
Colored	4,276	46	10.8	46	47	....	47	11.0	+ 2
De Soto (total)	24,549	331	13.5	330	343	....	343	14.0	+ 4
White	5,971	51	8.5	51	57	....	57	9.5	+12
Colored	18,578	280	15.1	279	286	....	286	15.4	+ 2
Forrest (total)	7,826	86	11.0	85	86	....	86	11.0	.....
White	5,664	44	7.8	43	44	....	44	7.8	.....
Colored	2,162	42	19.4	42	42	....	42	19.4	.....
Franklin (total)	[3] 14,156	120	8.5	120	131	....	131	9.3	+ 9
White	8,539	60	7.0	60	67	....	67	7.8	
Colored	5,617	60	10.7	60	64	....	64	11.4	
George (total)	[3] 5,564	50	9.0	50	53	....	53	9.5	+ 6
White	4,645	41	8.8	41	44	....	44	9.5	+ 8
Colored	919	9	9.8	9	9	....	9	9.8	.....
Greene (total)	11,107	99	8.9	99	109	....	109	9.8	+10
White	8,250	71	8.6	71	81	....	81	9.8	+14
Colored	2,857	28	9.8	28	28	....	28	9.8	.....
Grenada (total)	[3] 13,607	143	10.5	143	148	....	148	10.9	+ 4
White	5,160	43	8.3	43	46	....	46	8.9	+ 7
Colored	8,447	100	11.8	100	102	....	102	12.1	+ 3
Hancock (total)	[3] 10,380	127	12.2	127	135	....	135	13.0	+ 7
White	7,679	78	10.2	78	83	....	83	10.8	+ 6
Colored	2,701	49	18.1	49	52	....	52	19.3	+ 7
Harrison (total)	(8)	279	(8)	286	275	....	275	(8)	(8)
White	(8)	179	(8)	167	174	....	174	(8)	(8)
Colored	(8)	100	(8)	99	101	....	101	(8)	(8)
Hinds (total)	[12] 34,052	394	11.6	390	415	....	415	12.2	+ 5
White	8,163	75	9.2	72	77	....	77	9.4	+ 2
Colored	25,889	319	12.3	318	338	....	338	13.1	+ 7
Holmes (total)	(8)	486	(8)	486	513	....	513	(8)	(8)
White	(8)	89	(8)	89	93	....	93	(8)	(8)
Colored	(8)	397	(8)	397	420	....	420	(8)	(8)
Humphreys (total)	(8)	252	(8)	252	259	....	259	(8)	(8)
White	(8)	35	(8)	35	36	....	36	(8)	(8)
Colored	(8)	217	(8)	217	223	....	223	(8)	(8)
Issaquena (total)	[3] 7,618	109	14.3	109	112	....	112	14.7	+ 3
White	702	8	11.4	8	9	....	9	12.8	+12
Colored	6,916	101	14.6	101	103	....	103	14.9	+ 2
Itawamba	15,820	105	6.6	105	107	....	107	6.8	+ 3
Jackson (total)	19,789	181	9.1	180	190	....	190	9.6	+ 5
White	15,025	120	8.0	119	126	....	126	8.4	+ 5
Colored	4764	61	12.8	61	64	....	64	13.4	+ 5
Jasper (total)	18,510	146	7.9	146	152	....	152	8.2	+ 4
White	9,663	63	6.5	63	66	....	66	6.8	+ 5
Colored	8,847	83	9.4	83	86	....	86	9.7	+ 3
Jefferson (total)	[3] 15,946	179	11.2	179	199	....	199	12.5	+12
White	3,987	32	8.0	32	41	....	41	10.3	+29
Colored	11,959	147	12.3	147	158	....	158	13.2	+ 7
Jefferson Davis (total)	[3] 12,755	117	9.2	117	120	....	120	9.4	+ 2
White	6,004	48	8.0	48	50	....	50	8.3	+ 4
Colored	6,751	69	10.2	69	70	....	70	10.4	+ 2
Jones (total)	19,675	131	6.7	131	144	....	144	7.3	+ 9
White	15,756	97	6.2	97	105	....	105	6.7	+ 8
Colored	3,919	34	8.7	34	39	....	39	10.0	+15
Kemper (total)	[3] 19,619	164	8.4	163	167	....	167	8.5	+ 1
White	8,417	63	7.5	63	64	....	64	7.6	+ 1
Colored	11,202	101	9.0	100	103	....	103	9.2	+ 2
Lafayette (total)	[3] 19,243	183	9.5	183	184	....	184	9.6	+ 1
White	11,279	87	7.7	87	88	....	88	7.8	+ 1
Colored	7,964	96	12.1	96	96	....	96	12.1	.....
Lamar (total)	13,044	94	7.2	93	103	....	103	7.9	+10
White	9,306	68	6.9	67	75	....	75	7.6	+10
Colored	3,238	26	8.0	26	28	....	28	8.6	+ 8
Lauderdale (total)	[12] 22,249	224	10.1	222	227	....	227	10.2	+ 1
White	11,734	111	9.4	109	113	....	113	9.6	+ 2
Colored	10,465	113	10.8	113	114	....	114	10.9	+ 1
Lawrence (total)	[3] 12,663	82	6.5	82	91	....	91	7.2	+11
White	7,678	46	6.0	46	53	....	53	6.9	+15
Colored	4,985	36	7.2	36	38	....	38	7.6	+ 6
Leake (total)	[3] 16,973	133	7.8	133	139	....	139	8.2	+ 5
White	11,021	82	7.4	82	87	....	87	7.9	+ 7
Colored	5,952	51	8.6	51	52	....	52	8.7	+ 1
Lee (total)	29,730	255	8.6	253	256	....	256	8.6	.....
White	20,116	150	7.5	148	150	....	150	7.5	.....
Colored	9,614	105	10.9	105	106	....	106	11.0	+ 1
Leflore (total)	37,405	428	11.4	426	439	....	439	11.7	+ 3
White	8,557	71	8.3	70	74	....	74	8.6	+ 4
Colored	28,848	357	12.4	356	365	....	365	12.7	+ 2
Lincoln (total)	[3] 24,652	229	9.3	229	238	....	238	9.7	+ 4
White	15,677	113	7.2	113	118	....	118	7.5	+ 4
Colored	8,975	116	12.9	116	120	....	120	13.4	+ 4
Lowndes (total)	[12] 16,898	149	8.8	149	154	....	154	9.1	+ 3
White	4,708	26	5.5	26	28	....	28	5.9	+ 7
Colored	12,190	123	10.1	123	126	....	126	10.3	+ 2
Madison (total)	[3] 29,292	306	10.4	304	324	....	324	11.1	+ 7
White	6,446	61	9.5	60	67	....	67	10.4	+ 9
Colored	22,846	245	10.7	244	257	....	257	11.2	+ 5
Marion (total)	(8)	142	(8)	138	141	....	141	(8)	(8)
White	(8)	84	(8)	80	83	....	83	(8)	(8)
Colored	(8)	58	(8)	58	58	....	58	(8)	(8)
Marshall (total)	[3] 26,105	346	13.3	346	350	....	350	13.4	+ 1
White	7,264	68	9.4	68	69	....	69	9.5	+ 1
Colored	18,841	278	14.8	278	281	....	281	14.9	+ 1
Monroe (total)	[3] 32,613	286	8.8	286	292	....	292	9.0	+ 2
White	17,260	135	7.8	135	139	....	139	8.1	+ 4
Colored	15,353	151	9.8	151	153	....	153	10.0	+ 2
Montgomery (total)	[3] 13,805	151	10.9	149	155	....	155	11.2	+ 3
White	8,072	72	8.9	70	73	....	73	9.0	+ 1
Colored	5,733	79	13.8	79	82	....	82	14.3	+ 4
Neshoba (total)	19,508	120	6.2	120	124	....	124	6.4	+ 3
White	16,083	92	5.7	92	96	....	96	6.0	+ 5
Colored	3,425	28	8.2	28	28	....	28	8.2	.....
Newton (total)	[3] 20,727	138	6.7	138	143	....	143	6.9	+ 3
White	13,663	79	5.8	79	84	....	84	6.1	+ 5
Colored	7,064	59	8.4	59	59	....	59	8.4	.....
Noxubee (total)	[3] 23,710	244	10.3	244	249	....	249	10.5	+ 2
White	4,906	33	6.7	33	37	....	37	7.5	+12
Colored	18,804	211	11.2	211	212	....	212	11.3	+ 1

[See footnotes at end of table.]

TABLE 1B.—POPULATION, DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1921—Continued.

[See note at head of this table, p. 123.]

AREA AND COLOR.	Population estimated as of July 1, 1921.	DEATHS (EXCLUSIVE OF STILLBIRTHS) IN 1921.							
		Including nonresidents.		Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died elsewhere in registration area.	Nonresidents not transferable.	Excluding all nonresidents and including residents who died elsewhere in registration area.		
		Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Per cent of change.
RURAL PART OF REGISTRATION STATES[7]—Con.									
MISSISSIPPI COUNTIES—continued.									
Oktibbeha (total)	[3] 16,872	172	10.2	172	176	....	176	10.4	+ 2
White	6,820	60	8.8	60	63	....	63	9.2	+ 5
Colored	10,052	112	11.1	112	113	....	113	11.2	+ 1
Panola (total)	[3] 27,845	410	14.7	410	425	....	425	15.3	+ 4
White	10,093	96	9.5	96	106	....	106	10.5	+11
Colored	17,752	314	17.7	314	319	....	319	18.0	+ 2
Pearl River (total)	16,222	100	6.2	100	106	....	106	6.5	+ 5
White	11,691	74	6.3	74	77	....	77	6.6	+ 5
Colored	4,531	26	5.7	26	29	....	29	6.4	+12
Perry (total)	9,189	63	6.9	63	70	....	70	7.6	+10
White	6,159	30	4.9	30	35	....	35	5.7	+16
Colored	3,030	33	10.9	33	35	....	35	11.6	+ 6
Pike (total)	(8)	257	(8)	254	270	....	270	(8)	(8)
White	(8)	138	(8)	135	145	....	145	(8)	(8)
Colored	(8)	119	(8)	119	125	....	125	(8)	(8)
Pontotoc (total)	20,005	170	8.5	170	172	....	172	8.6	+ 1
White	15,769	134	8.5	134	136	....	136	8.6	+ 1
Colored	4,236	36	8.5	36	36	....	36	8.5	.....
Prentiss (total)	17,710	144	8.1	144	146	....	146	8.2	+ 1
White	15,341	117	7.6	117	119	....	119	7.8	+ 3
Colored	2,369	27	11.4	27	27	....	27	11.4	.....
Quitman (total)	21,138	307	14.5	307	317	....	317	15.0	+ 3
White	5,120	54	10.5	54	59	....	59	11.5	+10
Colored	16,018	253	15.8	253	258	....	258	16.1	+ 2
Rankin (total)	[3] 20,272	230	11.3	230	244	....	244	12.0	+ 6
White	8,969	82	9.1	82	88	....	88	9.8	+ 8
Colored	11,303	148	13.1	148	156	....	156	13.8	+ 5
Scott (total)	[3] 16,420	137	8.3	137	143	....	143	8.7	+ 5
White	10,230	61	6.0	61	65	....	65	6.4	+ 7
Colored	6,190	76	12.3	76	78	....	78	12.6	+ 2
Sharkey (total)	(8)	136	(8)	136	143	....	143	(8)	(8)
White	(8)	18	(8)	18	19	....	19	(8)	(8)
Colored	(8)	118	(8)	118	124	....	124	(8)	(8)
Simpson (total)	18,249	148	8.1	147	155	....	155	8.5	+ 5
White	12,239	82	6.7	81	84	....	84	6.9	+ 3
Colored	6,010	66	11.0	66	71	....	71	11.8	+ 7
Smith (total)	[3] 16,178	100	6.2	100	102	....	102	6.3	+ 2
White	13,584	82	6.0	82	83	....	83	6.1	+ 2
Colored	2,594	18	6.9	18	19	....	19	7.3	+ 6
Stone (total)	(8)	50	(8)	50	56	....	56	(8)	(8)
White	(8)	23	(8)	23	29	....	29	(8)	(8)
Colored	(8)	27	(8)	27	27	....	27	(8)	(8)
Sunflower (total)	(8)	649	(8)	649	678	....	678	(8)	(8)
White	(8)	118	(8)	118	128	....	128	(8)	(8)
Colored	(8)	531	(8)	531	550	....	550	(8)	(8)
Tallahatchie (total)	37,016	393	10.6	392	402	....	402	10.9	+ 3
White	10,863	81	7.5	81	85	....	85	7.8	+ 4
Colored	26,153	312	11.9	311	317	....	317	12.1	+ 2
Tate (total)	[3] 19,636	245	12.5	245	254	....	254	12.9	+ 3
White	8,066	80	9.9	80	87	....	87	10.8	+ 9
Colored	11,570	165	14.3	165	167	....	167	14.4	+ 1
Tippah (total)	15,541	127	8.2	127	132	....	132	8.5	+ 4
White	13,203	107	8.1	107	112	....	112	8.5	+ 5
Colored	2,338	20	8.6	20	20	....	20	8.6	.....
Tishomingo	15,404	118	7.7	118	118	....	118	7.7	.....
Tunica (total)	20,655	282	13.7	281	288	....	288	13.9	+ 1
White	2,216	26	11.7	25	27	....	27	12.2	+ 4
Colored	18,439	256	13.9	256	261	....	261	14.2	+ 2
Union (total)	20,205	197	9.8	195	198	....	198	9.8	.....
White	15,936	136	8.5	134	137	....	137	8.6	+ 1
Colored	4,269	61	14.3	61	61	....	61	14.3	.....
Walthall (total)	(8)	77	(8)	77	85	....	85	(8)	(8)
White	(8)	35	(8)	35	42	....	42	(8)	(8)
Colored	(8)	42	(8)	42	43	....	43	(8)	(8)
RURAL PART OF REGISTRATION STATES[7]—Con.									
MISSISSIPPI COUNTIES—continued.									
Warren (total)	[3] 15,290	113	7.4	113	121	....	121	7.9	+ 7
White	3,125	3	1.0	3	5	....	5	1.6	(9)
Colored	12,165	110	9.0	110	116	....	116	9.5	+ 6
Washington (total)	(8)	327	(8)	327	347	....	347	(8)	(8)
White	(8)	19	(8)	19	23	....	23	(8)	(8)
Colored	(8)	308	(8)	308	324	....	324	(8)	(8)
Wayne (total)	15,585	136	8.7	136	144	....	144	9.2	+ 6
White	10,193	82	8.0	82	89	....	89	8.7	+ 9
Colored	5,392	54	10.0	54	55	....	55	10.2	+ 2
Webster (total)	[3] 12,644	127	10.0	126	128	....	128	10.1	+ 1
White	10,285	91	8.8	91	93	....	93	9.0	+ 2
Colored	2,359	36	15.3	35	35	....	35	14.8	− 3
Wilkinson (total)	[3] 15,319	142	9.3	142	154	....	154	10.1	+ 9
White	4,005	25	6.2	25	26	....	26	6.5	+ 5
Colored	11,314	117	10.3	117	128	....	128	11.3	+10
Winston (total)	18,294	125	6.8	125	129	....	129	7.1	+ 4
White	11,884	79	6.6	79	83	....	83	7.0	+ 6
Colored	6,410	46	7.2	46	46	....	46	7.2	.....
Yalobusha (total)	[3] 18,738	216	11.5	216	220	....	220	11.7	+2
White	10,271	112	10.9	112	115	....	115	11.2	+3
Colored	8,467	104	12.3	104	105	....	105	12.4	+1
Yazoo. (total)	(8)	469	(8)	469	483	....	483	(8)	(8)
White	(8)	91	(9)	91	99	....	99	(8)	(8)
Colored	(8)	378	(8)	378	384	....	384	(8)	(8)
MISSOURI COUNTIES.									
Adair	[3] 21,404	235	11.0	235	237	2	235	11.0	.....
Andrew	[3] 14,075	144	10.2	141	142	....	142	10.1	−1
Atchison	[3] 13,008	76	5.8	76	78	....	78	6.0	+3
Audrain	[3] 20,589	187	9.1	184	189	....	189	9.2	+1
Barry	[3] 23,473	157	6.7	157	158	....	158	6.7	.....
Barton	16,898	142	8.4	142	150	....	150	8.9	+6
Bates	[3] 23,933	213	8.9	213	217	....	217	9.1	+2
Benton	[3] 12,989	111	8.5	111	113	....	113	8.7	+2
Bollinger	[3] 13,909	59	4.2	59	60	....	60	4.3	+2
Boone	[12] 19,213	154	8.0	154	156	....	156	8.1	+1
Buchanan	15,664	107	6.8	107	109	....	109	7.0	+3
Butler	24,643	272	11.0	272	275	....	275	11.2	+2
Caldwell	[3] 13,849	136	9.8	136	137	....	137	9.9	+1
Callaway* (total)	[3] 23,007	333	14.5	321	324	....	324	14.1	−3
White	19,776	265	13.4	255	258	....	258	13.0	−3
Colored	3,231	68	21.0	66	66	....	66	20.4	−3
Camden	[3] 10,474	59	5.6	59	59	....	59	5.6	.....
Cape Girardeau	19,653	151	7.7	149	151	....	151	7.7	.....
Carroll	[3] 20,480	226	11.0	226	226	....	226	11.0	.....
Carter	7,785	52	6.7	52	52	....	52	6.7	.....
Cass	[3] 21,536	200	9.3	200	204	....	204	9.5	+2
Cedar	[3] 13,933	138	9.9	138	139	....	139	10.0	+1
Chariton	[3] 21,769	228	10.5	225	227	....	227	10.4	−1
Christian	[3] 15,252	97	6.4	96	97	....	97	6.4	.....
Clark	[3] 11,874	95	8.0	95	97	....	97	8.2	+3
Clay	20,476	269	13.1	266	271	....	271	13.2	+1
Clinton	[3] 14,461	140	9.7	140	141	....	141	9.8	+1
Cole	10,241	74	7.2	74	78	....	78	7.6	+6
Cooper (total)	[3] 19,308	202	10.5	202	205	....	205	10.6	+1
White	16,904	162	9.6	162	164	....	164	9.7	+1
Colored	2,404	40	16.6	40	41	....	41	17.1	+3
Crawford	[3] 12,355	102	8.3	102	105	....	105	8.5	+2
Dade	[3] 14,173	114	8.0	114	115	....	115	8.1	+1
Dallas	[3] 12,033	80	6.6	80	80	....	80	6.6	.....
Daviess	[3] 16,641	128	7.7	128	130	....	130	7.8	+1
De Kalb	[3] 11,694	96	8.2	96	98	....	98	8.4	+2
Dent	[3] 12,318	111	9.0	111	111	....	111	9.0	.....
Douglas	[3] 15,436	51	3.3	51	51	....	51	3.3	.....

[See footnotes at end of table.]

TABLE 1B.—POPULATION, DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1921—Continued.

[See note at head of this table, p. 123.]

AREA AND COLOR.	Population estimated as of July 1, 1921.	DEATHS (EXCLUSIVE OF STILLBIRTHS) IN 1921.							
		Including nonresidents.		Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died elsewhere in registration area.	Nonresidents not transferable.	Excluding all nonresidents and including residents who died elsewhere in registration area.		
		Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Per cent of change.
RURAL PART OF REGISTRATION STATES[7]—Con.									
MISSOURI COUNTIES—continued.									
Dunklin	33,149	433	13.1	433	435	....	435	13.1	.....
Franklin	[3] 28,427	296	10.4	296	302	....	302	10.6	+2
Gasconade	[3] 12,381	110	8.9	110	110	....	110	8.9	.....
Gentry	[3] 15,634	131	8.4	131	133	....	133	8.5	+1
Greene	29,133	204	7.0	204	204	....	204	7.0	.....
Grundy	17,678	164	9.3	163	164	....	164	9.3	.....
Harrison	[3] 19,719	178	9.0	178	180	....	180	9.1	+1
Henry	[3] 25,116	208	8.3	208	210	....	210	8.4	+1
Hickory	[3] 7,033	69	9.8	69	69	....	69	9.8	.....
Holt	[3] 14,084	116	8.2	116	118	....	118	8.4	+2
Howard (total)	[3] 13,997	140	10.0	140	149	....	149	10.6	+6
White	11,831	106	9.0	106	113	....	113	9.6	+7
Colored	2,166	34	15.7	34	36	....	36	16.6	+6
Howell	21,107	194	9.2	194	197	....	197	9.3	+1
Iron	9,596	79	8.2	79	80	....	80	8.3	+1
Jackson	32,748	269	8.2	267	268	....	268	8.2	.....
Jasper	[14] 35,841	385	10.7	384	387	....	387	10.8	+1
Jefferson	[3] 26,555	291	11.0	291	298	....	298	11.2	+2
Johnson	[3] 24,899	234	9.4	234	238	....	238	9.6	+2
Knox	[3] 10,783	84	7.8	84	88	....	88	8.2	+5
Laclede	[3] 16,857	125	7.4	125	126	....	126	7.5	+1
Lafayette	[3] 30,006	318	10.6	318	325	....	325	10.8	+2
Lawrence	[3] 24,211	274	11.3	274	275	....	275	11.4	+1
Lewis	[3] 13,465	144	10.7	143	153	....	153	11.4	+7
Lincoln	[3] 15,956	134	8.4	134	140	....	140	8.8	+5
Linn	[3] 24,778	263	10.6	263	266	....	266	10.7	+1
Livingston	[3] 18,857	208	11.0	208	208	....	208	11.0	.....
McDonald	14,867	59	4.0	59	60	....	60	4.0	.....
Macon	[3] 27,518	299	10.9	298	301	....	301	10.9	.....
Madison	[3] 10,721	106	9.9	106	108	....	108	10.1	+2
Maries	[3] 9,500	77	8.1	77	77	....	77	8.1	.....
Marion	[12] 10,771	119	11.0	118	120	....	120	11.1	+1
Mercer	[3] 11,281	93	8.2	93	93	....	93	8.2	.....
Miller	[3] 15,567	91	5.8	90	92	....	92	5.9	+2
Mississippi (total)	[3] 12,860	144	11.2	144	151	....	151	11.7	+4
White	11,549	118	10.2	118	125	....	125	10.8	+6
Colored	1,311	26	19.8	26	26	....	26	19.8	.....
Moniteau	[3] 13,532	135	10.0	134	135	....	135	10.0	.....
Monroe	[3] 16,414	161	9.8	161	164	....	164	10.0	+2
Montgomery	[3] 15,233	166	10.9	166	166	1	165	10.8	−1
Morgan	[3] 12,015	91	7.6	91	91	....	91	7.6	.....
New Madrid	26,060	198	7.6	198	199	....	199	7.6	.....
Newton	[3] 24,886	240	9.6	240	244	....	244	9.8	+2
Nodaway	[3] 27,744	226	8.1	226	228	....	228	8.2	+1
Oregon	[3] 12,889	63	4.9	63	63	....	63	4.9	.....
Osage	[3] 13,559	111	8.2	111	113	....	113	8.3	+1
Ozark	[3] 11,125	54	4.9	54	55	....	55	4.9	.....
Pemiscot (total)	27,726	205	7.4	205	212	....	212	7.6	+3
White	23,501	162	6.9	162	169	....	169	7.2	+4
Colored	4,225	43	10.2	43	43	....	43	10.2	.....
Perry	[3] 14,434	107	7.4	107	108	....	108	7.5	+1
Pettis	14,525	73	5.0	73	73	....	73	5.0	.....
Phelps	[3] 14,941	166	11.1	166	169	....	169	11.3	+2
Pike (total)	[3] 20,345	205	10.1	205	210	....	210	10.3	+2
White	17,739	162	9.1	162	166	....	166	9.4	+3
Colored	2,606	43	16.5	43	44	....	44	16.9	+2
Platte	[3] 13,996	123	8.8	123	124	....	124	8.9	+1
Polk	[3] 20,351	157	7.7	157	158	....	158	7.8	+1
Pulaski	[3] 10,490	89	8.5	89	91	....	91	8.7	+2
Putnam	[3] 13,115	106	8.1	106	106	....	106	8.1	.....
Ralls	[3] 10,412	104	10.0	103	105	....	105	10.1	+1
Randolph	14,756	165	11.2	165	165	....	165	11.2	.....

AREA AND COLOR.	Population estimated as of July 1, 1921.	DEATHS (EXCLUSIVE OF STILLBIRTHS) IN 1921.							
		Including nonresidents.		Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died elsewhere in registration area.	Nonresidents not transferable.	Excluding all nonresidents and including residents who died elsewhere in registration area.		
		Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Per cent of change.
RURAL PART OF REGISTRATION STATES[7]—Con.									
MISSOURI COUNTIES—continued.									
Ray	[3] 20,508	230	11.2	230	231	....	231	11.3	+1
Reynolds	10,184	29	2.8	29	29	....	29	2.8	.....
Ripley	[3] 12,061	89	7.4	88	89	....	89	7.4	.....
St. Charles	[3] 22,828	237	10.4	236	241	....	241	10.6	+2
St. Clair	[3] 15,341	121	7.9	121	122	....	122	8.0	+1
St. Francois	[3] 31,403	459	14.6	456	459	....	459	14.6	.....
St. Louis*	103,567	1,184	11.4	1,181	1,213	....	1,213	11.7	+3
Ste. Genevieve	[3] 9,809	82	8.4	82	85	....	85	8.7	+4
Saline (total)	[3] 28,826	311	10.8	311	312	....	312	10.8	.....
White	25,699	260	10.1	260	261	....	261	10.2	+1
Colored	3,127	51	16.3	51	51	....	51	16.3	.....
Schuyler	[3] 8,383	53	6.3	53	54	....	54	6.4	+2
Scotland	[3] 10,700	92	8.6	92	95	....	95	8.9	+3
Scott	23,568	230	9.8	230	238	....	238	10.1	+3
Shannon	11,930	75	6.3	75	76	....	76	6.4	+2
Shelby	[3] 13,617	149	10.9	149	151	....	151	11.1	+2
Stoddard	30,055	262	8.7	261	263	....	263	8.8	+1
Stone	12,000	89	7.4	89	89	....	89	7.4	.....
Sullivan	[3] 17,781	135	7.6	135	135	....	135	7.6	.....
Taney	[3] 8,178	54	6.6	54	55	....	55	6.7	+2
Texas	[3] 20,548	191	9.3	191	191	....	191	9.3	.....
Vernon*	[3] 26,069	366	14.0	360	362	....	362	13.9	−1
Warren	[3] 8,490	78	9.2	78	79	....	79	9.3	+1
Washington	13,868	133	9.6	133	133	....	133	9.6	.....
Wayne	[3] 13,012	105	8.1	105	105	....	105	8.1	.....
Webster	[3] 16,609	113	6.8	113	114	....	114	6.9	+1
Worth	[3] 7,642	28	3.7	28	30	....	30	3.9	+5
Wright	[3] 17,733	127	7.2	127	129	....	129	7.3	+1
MONTANA COUNTIES.									
Beaverhead	7,512	58	7.7	55	63	....	63	8.4	+ 9
Big Horn (total)	(8)	96	(8)	96	97	....	97	(8)	(8)
White	(8)	37	(8)	37	38	....	38	(8)	(8)
Colored	(8)	59	(8)	59	59	....	59	(8)	(8)
Blaine (total)	(8)	56	(8)	56	65	....	65	(8)	(8)
White	(8)	44	(8)	44	53	....	53	(8)	(8)
Colored	(8)	12	(8)	12	12	....	12	(8)	(8)
Broadwater	[3] 3,239	27	8.3	27	33	....	33	10.2	+23
Carbon	(8)	112	(8)	112	134	....	134	(8)	(8)
Carter	(8)	15	(8)	15	16	....	16	(8)	(8)
Cascade	(8)	59	(8)	57	102	....	102	(8)	(8)
Chouteau	(8)	65	(8)	63	75	....	75	(8)	(8)
Custer	(8)	126	(8)	111	120	7	113	(8)	(8)
Daniels	(16)	29	(16)	27	29	....	29	(16)	(16)
Dawson	(8)	85	(8)	79	84	7	77	(8)	(8)
Deer Lodge*	3,779	176	46.6	175	187	....	187	49.5	+ 6
Fallon	(8)	19	(8)	19	22	....	22	(8)	(8)
Fergus	(8)	171	(8)	162	174	2	172	(8)	(8)
Flathead	22,156	168	7.6	164	171	....	171	7.7	+ 1
Gallatin	16,139	126	7.8	123	130	1	129	8.0	+ 3
Garfield	(8)	10	(8)	10	14	....	14	(8)	(8)
Glacier (total)	(8)	62	(8)	62	64	....	64	(8)	(8)
White	(8)	10	(8)	10	12	....	12	(8)	(8)
Colored	(8)	52	(8)	52	52	....	52	(8)	(8)
Golden Valley	(16)	22	(16)	20	20	....	20	(16)	(16)
Granite	4,356	28	6.4	27	34	....	34	7.8	+22
Hill	(8)	106	(8)	93	99	1	98	(8)	(8)
Jefferson	[3] 5,203	36	6.9	33	44	....	44	8.5	+23
Judith Basin	(16)	21	(16)	21	22	....	22	(16)	(16)

[See footnotes at end of table.]

TABLE I B.—POPULATION, DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1921—Continued.

[See note at head of this table, p. 123.]

AREA AND COLOR.	Population estimated as of July 1, 1921.	DEATHS (EXCLUSIVE OF STILLBIRTHS) IN 1921.							
		Including nonresidents.		Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died elsewhere in registration area.	Nonresidents not transferable.	Excluding all nonresidents and including residents who died elsewhere in registration area.		
		Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Per cent of change.
RURAL PART OF REGISTRATION STATES[7]—Con.									
MONTANA COUNTIES—continued.									
Lewis and Clark	[3] 6,623	54	8.2	49	73	1	72	10.9	+33
Liberty	(8)	15	(8)	15	19	....	19	(8)	(8)
Lincoln	8,439	47	5.6	45	51	....	51	6.0	+ 7
McCone	(8)	22	(8)	22	25	....	25	(8)	(8)
Madison	7,536	61	8.1	59	64	....	64	8.5	+ 5
Meagher	(8)	19	(8)	19	21	....	21	(8)	(8)
Mineral	(8)	20	(8)	20	25	....	25	(8)	(8)
Missoula (total)	(8)	101	(8)	99	123	....	123	(8)	(8)
White	(8)	65	(8)	63	83	....	83	(8)	(8)
Colored	(8)	36	(8)	36	40	....	40	(8)	(8)
Musselshell	(8)	71	(8)	69	79	....	79	(8)	(8)
Park	11,422	109	9.5	101	107	2	105	9.2	− 3
Phillips	(8)	31	(8)	30	39	2	37	(8)	(8)
Pondera	(8)	58	(8)	49	50	1	49	(8)	(8)
Powder River	(8)	18	(8)	18	19	....	19	(8)	(8)
Powell	7,064	59	8.4	59	63	....	63	8.9	+ 6
Prairie	(8)	22	(8)	19	21	....	21	(8)	(8)
Ravalli	[3] 10,098	100	9.9	100	113	....	113	11.2	+13
Richland	(8)	45	(8)	43	46	1	45	(8)	(8)
Roosevelt (total)	(8)	30	(8)	30	39	1	38	(8)	(8)
White	(8)	28	(8)	28	37	1	36	(8)	(8)
Colored	(8)	2	(8)	2	2	....	2	(8)	(8)
Rosebud	(8)	73	(8)	70	75	....	75	(8)	(8)
Sanders	5,086	45	8.8	45	51	....	51	10.0	+14
Sheridan	(8)	35	(8)	33	40	....	40	(8)	(8)
Silver Bow	18,894	188	10.0	186	192	1	191	10.1	+ 1
Stillwater	(8)	52	(8)	51	62	....	62	(8)	(8)
Sweet Grass	(8)	33	(8)	32	34	....	34	(8)	(8)
Teton	(8)	39	(8)	37	48	....	48	(8)	(8)
Toole	(8)	26	(8)	25	27	1	26	(8)	(8)
Treasure	(8)	11	(8)	11	14	....	14	(8)	(8)
Valley	(8)	67	(8)	57	57	4	53	(8)	(8)
Wheatland	(8)	35	(8)	34	42	....	42	(8)	(8)
Wibaux	(8)	11	(8)	11	11	....	11	(8)	(8)
Yellowstone	(8)	97	(8)	91	111	1	110	(8)	(8)
NEBRASKA COUNTIES.									
Adams *	10,885	136	12.5	134	137	....	137	12.6	+ 1
Antelope	15,435	120	7.8	120	130	....	130	8.4	+ 8
Arthur	(8)	11	(8)	11	11	....	11	(8)	(8)
Banner	[3] 1,435	3	*2.1*	3	3	....	3	*2.1*	.....
Blaine	1,794	9	5.0	9	10	....	10	5.6	+12
Boone	14,302	87	6.1	87	95	....	95	6.6	+ 8
Box Butte	8,760	95	10.8	91	92	3	89	10.2	− 6
Boyd	[3] 8,243	68	8.2	68	71	1	70	8.5	+ 4
Brown	6,853	69	10.1	69	70	....	70	10.2	+ 1
Buffalo *	24,078	214	8.9	213	226	....	226	9.4	+ 6
Burt	[3] 12,559	107	8.5	107	115	....	115	9.2	+ 8
Butler	[3] 14,608	107	7.3	107	115	....	115	7.9	+ 8
Cass	[3] 18,029	152	8.4	152	181	....	181	10.0	+19
Cedar	16,386	104	6.3	104	109	....	109	6.7	+ 6
Chase	5,144	33	6.4	32	36	....	36	7.0	+ 9
Cherry	11,959	74	6.2	74	79	....	79	6.6	+ 6
Cheyenne	9,001	65	7.2	62	65	....	65	7.2	.....
Clay	[3] 14,486	115	7.9	115	124	....	124	8.6	+ 9
Colfax	11,626	71	6.1	71	77	....	77	6.6	+ 8
Cuming	[3] 13,769	105	7.6	104	116	....	116	8.4	+11
Custer	26,521	182	6.9	180	193	....	193	7.3	+ 6
Dakota	7,869	44	5.6	44	44	....	44	5.6	.....
Dawes	10,454	76	7.3	76	82	1	81	7.7	+ 5
Dawson	16,011	111	6.9	110	120	....	120	7.5	+ 9
Deuel	3,513	18	5.1	18	22	....	22	6.3	+24

AREA AND COLOR.	Population estimated as of July 1, 1921.	DEATHS (EXCLUSIVE OF STILLBIRTHS) IN 1921.							
		Including nonresidents.		Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died elsewhere in registration area.	Nonresidents not transferable.	Excluding all nonresidents and including residents who died elsewhere in registration area.		
		Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Per cent of change.
RURAL PART OF REGISTRATION STATES[7]—Con.									
NEBRASKA COUNTIES—continued.									
Dixon	11,866	80	6.7	80	84	....	84	7.1	+ 6
Dodge	23,360	215	9.2	213	228	....	228	9.8	+ 7
Douglas	12,986	71	5.5	69	88	....	88	6.8	+24
Dundy	4,988	39	7.8	39	44	....	44	8.8	+13
Fillmore	[3] 13,671	102	7.5	100	107	....	107	7.8	+ 4
Franklin	[3] 10,067	87	8.6	87	89	....	89	8.8	+ 2
Frontier	[3] 8,540	36	4.2	36	39	....	39	4.6	+10
Furnas	[3] 11,657	135	11.6	130	140	....	140	12.0	+ 3
Gage	[3] 29,721	295	9.9	289	299	....	299	10.1	+ 2
Garden	(8)	30	(8)	30	33	....	33	(8)	(8)
Garfield	3,509	31	8.8	31	33	....	33	9.4	+ 7
Gosper	[3] 4,669	27	5.8	27	28	....	28	6.0	+ 3
Grant	1,547	8	5.2	8	8	....	8	5.2	.....
Greeley	8,783	66	7.5	66	71	....	71	8.1	+ 8
Hall	9,841	74	7.5	74	77	....	77	7.8	+ 4
Hamilton	[3] 13,237	92	7.0	92	98	....	98	7.4	+ 6
Harlan	[2] 9,220	69	7.5	69	73	....	73	7.9	+ 5
Hayes	3,375	24	7.1	24	24	....	24	7.1	.....
Hitchcock	6,142	57	9.3	53	56	....	56	9.1	− 2
Holt	17,399	135	7.8	135	162	....	162	9.3	+19
Hooker	1,439	6	4.2	6	6	....	6	4.2	.....
Howard	[3] 10,739	84	7.8	84	86	....	86	8.0	+ 3
Jefferson	[3] 16,140	126	7.8	123	126	....	126	7.8	.....
Johnson	[3] 8,940	75	8.4	75	83	....	83	9.3	+11
Kearney	[3] 8,583	74	8.6	74	78	....	78	9.1	+ 6
Keith	5,541	29	5.2	29	32	....	32	5.8	+12
Keyapaha	3,616	18	5.0	18	20	....	20	5.5	+10
Kimball	4,893	27	5.5	27	28	....	28	5.7	+ 4
Knox	18,977	147	7.7	146	155	....	155	8.2	+ 6
Lancaster *	31,191	332	10.6	318	363	1	362	11.6	+ 9
Lincoln	13,271	67	5.0	67	71	....	71	5.4	+ 8
Logan	1,607	16	10.0	16	16	....	16	10.0	.....
Loup	[3] 1,946	8	4.1	8	8	....	8	4.1	.....
McPherson	(8)	10	(8)	10	11	....	11	(8)	(8)
Madison *	23,038	305	13.2	266	272	6	266	11.5	−13
Merrick	10,822	88	8.1	85	94	....	94	8.7	+ 7
Morrill	9,856	54	5.5	54	56	....	56	5.7	+ 4
Nance	[3] 8,712	66	7.6	66	73	....	73	8.4	+11
Nemaha	[3] 12,547	93	7.4	92	101	....	101	8.0	+ 8
Nuckolls	13,269	110	8.3	109	111	....	111	8.4	+ 1
Otoe	19,520	154	7.9	153	176	....	176	9.0	+14
Pawnee	[3] 9,578	79	8.2	78	83	....	83	8.7	+ 6
Perkins	4,182	24	5.7	23	25	....	25	6.0	+ 5
Phelps	[3] 9,900	88	8.9	88	94	....	94	9.5	+ 7
Pierce	10,767	89	8.3	88	93	....	93	8.6	+ 4
Platte	19,535	214	11.0	192	199	....	199	10.2	− 7
Polk	10,743	66	6.1	66	73	....	73	6.8	+11
Redwillow	11,491	112	9.7	111	119	....	119	10.4	+ 7
Richardson	19,203	153	8.0	152	160	....	160	8.3	+ 4
Rock	3,714	15	4.0	15	18	....	18	4.8	+20
Saline	[3] 16,514	152	9.2	152	167	....	167	10.1	+10
Sarpy	9,384	48	5.1	48	68	....	68	7.2	+41
Saunders	[3] 20,589	178	8.6	177	198	....	198	9.6	+12
Scotts Bluff	22,618	168	7.4	168	175	1	174	7.7	+ 4
Seward	[3] 15,867	157	9.9	156	161	....	161	10.1	+ 2
Sheridan	9,980	67	6.7	67	73	....	73	7.3	+ 9
Sherman	8,969	46	5.1	46	50	....	50	5.6	+10
Sioux	[3] 4,528	17	3.8	17	17	....	17	3.8	.....
Stanton	7,789	49	6.3	49	53	....	53	6.8	+ 8
Thayer	[3] 13,976	126	9.0	125	131	....	131	9.4	+ 4

[See footnotes at end of table.]

TABLE I B.—POPULATION, DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1921—Continued.

[See note at head of this table, p. 123.]

AREA AND COLOR.	Population estimated as of July 1, 1921.	DEATHS (EXCLUSIVE OF STILLBIRTHS) IN 1921.								
		Including nonresidents.		Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died elsewhere in registration area.	Nonresidents not transferable.	Excluding all nonresidents and including residents who died elsewhere in registration area.		
		Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Per cent of change.
RURAL PART OF REGISTRATION STATES [7]—Con.									
NEBRASKA COUNTIES—continued.									
Thomas	1,863	10	5.4	10	10		10	5.4	.....
Thurston (total)	9,726	114	11.7	114	114		114	11.7	.....
White	8,200	44	5.4	44	44		44	5.4	.....
Colored	1,526	70	45.9	70	70		70	45.9	.....
Valley	9,876	73	7.4	73	73		73	7.4	.....
Washington	[3] 12,180	91	7.5	91	100		100	8.2	+ 9
Wayne	[3] 9,725	71	7.3	71	80		80	8.2	+12
Webster	[3] 10,922	80	7.3	77	82		82	7.5	+ 3
Wheeler	2,567	12	4.7	12	13		13	5.1	+ 9
York	[3] 17,146	165	9.6	164	167		167	9.7	+ 1
NEW HAMPSHIRE COUNTIES.									
Belknap	[12] 10,171	182	17.9	172	183		183	18.0	+ 1
Carroll	[3] 15,017	196	13.1	187	201		201	13.4	+ 2
Cheshire	19,638	258	13.1	239	268		268	13.6	+ 4
Coos	20,147	255	12.7	241	256	2	254	12.6	− 1
Grafton	[3] 40,572	544	13.4	492	514	2	512	12.6	− 6
Hillsborough	28,556	474	16.6	387	432	2	430	15.1	− 9
Merrimack	[12] 29,499	441	14.9	426	446	1	445	15.1	+ 1
Rockingham	38,622	535	13.9	525	570		570	14.8	+ 6
Strafford	[3] 25,517	311	12.2	305	319		319	12.5	+ 2
Sullivan	21,167	258	12.2	238	252		252	11.9	− 2
NEW JERSEY COUNTIES.									
Atlantic	34,360	453	13.2	415	467		467	13.6	+ 3
Bergen	171,021	1,494	8.7	1,419	1,792		1,792	10.5	+21
Burlington	84,120	1,059	12.6	1,033	1,122		1,122	13.3	+ 6
Camden	65,746	783	11.9	732	829		829	12.6	+ 6
Cape May	[3] 19,460	344	17.7	269	294	1	293	15.1	−15
Cumberland	32,930	406	12.3	373	408	2	406	12.3	.....
Essex *	48,158	743	15.4	572	650		650	13.5	−12
Gloucester	49,901	584	11.7	568	633	2	631	12.6	+ 8
Hudson *	54,593	926	17.0	762	863		863	15.8	− 7
Hunterdon	[3] 32,885	451	13.7	446	497		497	15.1	+10
Mercer	42,409	539	12.7	457	550		550	13.0	+ 2
Middlesex	80,491	716	8.9	687	836		836	10.4	+17
Monmouth	80,198	1,090	13.6	978	1,156	1	1,155	14.4	+ 6
Morris *	71,375	1,069	15.0	1,014	1,151	3	1,148	16.1	+ 7
Ocean	22,284	331	14.9	281	303		303	13.6	− 9
Passaic	34,428	288	8.4	275	346		346	10.0	+19
Salem (total)	38,051	368	9.7	361	391		391	10.3	+ 6
White	33,979	311	9.2	304	330		330	9.7	+ 5
Colored	4,072	57	14.0	57	61		61	15.0	+ 7
Somerset	49,408	553	11.2	527	583		583	11.8	+ 5
Sussex	[3] 24,905	320	12.8	315	328		328	13.2	+ 3
Union	59,387	504	8.5	489	638		638	10.7	+26
Warren	27,955	357	12.8	355	391		391	14.0	+ 9
NEW YORK COUNTIES.									
Albany	33,745	423	12.5	413	474		474	14.0	+12
Alleghany	36,842	521	14.1	515	573	1	572	15.5	+10
Broome	49,353	633	12.8	611	643	1	642	13.0	+ 2
Cattaraugus	50,763	697	13.7	686	732		732	14.4	+ 5
Cayuga	[12] 28,793	401	13.9	400	429		429	14.9	+ 7
Chautauqua	57,171	762	13.3	756	816	1	815	14.3	+ 8
Chemung	20,942	250	11.9	246	276	1	275	13.1	+10
Chenango	[3] 34,969	588	16.8	582	602		602	17.2	+ 2
Clinton	[3] 32,989	442	13.4	438	476	1	475	14.4	+ 7
Columbia	[12] 27,150	365	13.4	357	402		402	14.8	+10
Cortland	16,113	204	12.7	203	218		218	13.5	+ 6
Delaware	[3] 42,774	622	14.5	618	645	1	644	15.1	+ 4
Dutchess *	45,265	929	20.5	896	945	1	944	20.9	+ 2
Erie	102,629	1,168	11.4	1,150	1,283	1	1,282	12.5	+10
Essex	[3] 31,871	504	15.8	493	514		514	16.1	+ 2
RURAL PART OF REGISTRATION STATES [7]—Con.									
NEW YORK COUNTIES—continued.									
Franklin *	[3] 43,541	766	17.6	755	779	1	778	17.9	+ 2
Fulton	11,713	155	13.2	152	162		162	13.8	+ 5
Genesee	24,233	318	13.1	311	351		351	14.5	+11
Greene	[3] 25,796	411	15.9	394	436		436	16.9	+ 6
Hamilton	[3] 3,970	53	13.4	47	48		48	12.1	−10
Herkimer	31,518	448	14.2	442	477		477	15.1	+ 6
Jefferson	50,550	645	12.8	638	692		692	13.7	+ 7
Lewis	[3] 23,704	310	13.1	310	332		332	14.0	+ 7
Livingston	[3] 36,830	542	14.7	536	584		584	15.9	+ 8
Madison	28,688	428	14.9	424	455		455	15.9	+ 7
Monroe	57,439	755	13.1	747	874	2	872	15.2	+16
Montgomery	24,112	339	14.1	332	370		370	15.3	+ 9
Nassau	132,645	1,412	10.6	1,370	1,506	1	1,505	11.3	+ 7
Niagara	31,232	394	12.6	378	410		410	13.1	+ 4
Oneida	60,577	804	13.3	803	946	4	942	15.6	+17
Onondaga	70,312	930	13.2	884	986		986	14.0	+ 6
Ontario	37,721	679	18.0	630	654	4	650	17.2	− 4
Orange	60,512	749	12.4	623	689		689	11.4	− 8
Orleans	[3] 28,619	389	13.6	385	409		409	14.3	+ 5
Oswego	[12] 33,941	579	17.1	569	611		611	18.0	+ 5
Otsego	[12] 34,295	585	17.1	584	620		620	18.1	+ 6
Putnam	[3] 10,802	146	13.5	144	170		170	15.7	+16
Rensselaer	[14] 30,276	480	15.9	459	519		519	17.1	+ 8
Rockland	[3] 45,548	615	13.5	594	621		621	13.6	+ 1
St. Lawrence	[3] 73,512	892	12.1	882	947		947	12.9	+ 7
Saratoga	[3] 46,848	590	12.6	565	646	1	645	13.8	+10
Schenectady	21,526	217	10.1	206	226		226	10.5	+ 4
Schoharie	[3] 21,303	311	14.6	311	333		333	15.6	+ 7
Schuyler	[3] 13,098	240	18.3	233	245		245	18.7	+ 2
Seneca *	[3] 24,735	556	22.5	550	565		565	22.8	+ 1
Steuben	[12] 49,241	828	16.8	809	839		839	17.0	+ 1
Suffolk *	112,420	2,145	19.1	2,093	2,148		2,148	19.1	.....
Sullivan *	[3] 33,163	581	17.5	522	556	2	554	16.7	− 5
Tioga	[3] 24,212	415	17.1	411	451		451	18.6	+ 9
Tompkins	18,194	265	14.6	258	282		282	15.5	+ 6
Ulster	[12] 48,170	679	14.1	656	742		742	15.4	+ 9
Warren	[12] 14,820	201	13.6	194	222		222	15.0	+10
Washington	[3] 44,888	621	13.8	615	660		660	14.7	+ 7
Wayne	[3] 48,827	641	13.1	632	660		660	13.5	+ 3
Westchester	103,233	1,316	12.7	1,155	1,271	2	1,269	12.3	− 3
Wyoming	[3] 30,314	421	13.9	418	447		447	14.7	+ 6
Yates	[3] 16,641	253	15.2	250	260		260	15.6	+ 3
NORTH CAROLINA COUNTIES.									
Alamance (total)	33,338	326	9.8	326	329		329	9.9	+ 1
White	25,781	233	9.0	233	236		236	9.2	+ 2
Colored	7,557	93	12.3	93	93		93	12.3	.....
Alexander	12,308	123	10.0	123	123		123	10.0	.....
Alleghany	[3] 7,403	64	8.6	64	64		64	8.6	.....
Anson (total)	28,777	234	8.1	233	234		234	8.1	.....
White	13,679	113	8.3	112	113		113	8.3	.....
Colored	15,098	121	8.0	121	121		121	8.0	.....
Ashe	21,299	165	7.7	165	167		167	7.8	+ 1
Avery	(8)	62	(8)	61	61		61	(8)	(8)
Beaufort (total)	31,047	421	13.6	419	421		421	13.6	.....
White	19,082	208	10.9	206	207		207	10.8	− 1
Colored	11,965	213	17.8	213	214		214	17.9	+ 1
Bertie (total)	24,141	286	11.8	286	290		290	12.0	+ 2
White	10,475	93	8.9	93	96		96	9.2	+ 3
Colored	13,666	193	14.1	193	194		194	14.2	+ 1
Bladen (total)	20,032	211	10.5	211	211		211	10.5	.....
White	11,947	86	7.2	86	86		86	7.2	.....
Colored	8,085	125	15.5	125	125		125	15.5	.....
Brunswick (total)	14,944	160	10.7	160	160		160	10.7	.....
White	9,578	92	9.6	92	92		92	9.6	.....
Colored	5,366	68	12.7	68	68		68	12.7	.....

[See footnotes at end of table.]

TABLE I B.—POPULATION, DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1921—Continued.

[See note at head of this table, p. 123.]

AREA AND COLOR.	Population estimated as of July 1, 1921.	DEATHS (EXCLUSIVE OF STILLBIRTHS) IN 1921.							
		Including nonresidents.		Excluding transferable nonresidents.	Excluding transferable nonresidents who died elsewhere in registration area and including residents who died elsewhere in registration area.	Nonresidents not transferable	Excluding all nonresidents and including residents who died elsewhere in registration area.		
		Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Per cent of change.
RURAL PART OF REGISTRATION STATES[7]—Con.									
NORTH CAROLINA COUNTIES—continued.									
Buncombe	37,052	467	12.6	463	466	1	465	12.5	— 1
Burke* (total)	23,589	277	11.7	272	273	....	273	11.6	— 1
White	20,916	259	12.4	254	255	....	255	12.2	— 2
Colored	2,673	18	6.7	18	18	....	18	6.7	.....
Cabarrus (total)	34,887	353	10.1	353	356	....	356	10.2	+ 1
White	28,500	260	9.1	260	263	....	263	9.2	+ 1
Colored	6,387	93	14.6	93	93	....	93	14.6	.....
Caldwell	(8)	180	(8)	180	180	....	180	(8)	(8)
Camden (total)	[3] 5,382	47	8.7	47	49	....	49	9.1	+ 5
White	3,257	25	7.7	25	25	....	25	7.7	.....
Colored	2,125	22	10.4	22	24	....	24	11.3	+ 9
Carteret (total)	15,632	191	12.2	191	192	....	192	12.3	+ 1
White	13,232	151	11.4	151	152	....	152	11.5	+ 1
Colored	2,400	40	16.7	40	40	....	40	16.7	.....
Caswell (total)	15,398	155	9.7	155	159	....	159	10.0	+ 3
White	8,018	69	8.6	69	73	....	73	9.1	+ 6
Colored	7,380	86	10.9	86	86	....	86	10.9	.....
Catawba (total)	34,753	333	9.6	333	339	1	338	9.7	+ 1
White	31,164	267	8.6	267	273	1	272	8.7	+ 1
Colored	3,589	66	18.4	66	66	....	66	18.4	.....
Chatham (total)	23,996	219	9.1	219	221	....	221	9.2	+ 1
White	16,155	134	8.3	134	135	....	135	8.4	+ 1
Colored	7,841	85	10.8	85	86	....	86	11.0	+ 2
Cherokee	15,412	138	9.0	138	138	....	138	9.0	.....
Chowan (total)	[3] 10,649	121	11.4	121	122	....	122	11.5	+ 1
White	5,350	62	11.6	62	63	....	63	11.8	+ 2
Colored	5,299	59	11.1	59	59	....	59	11.1	.....
Clay	4,760	41	8.6	41	41	....	41	8.6	.....
Cleveland (total)	35,011	302	8.6	302	306	....	306	8.7	+ 1
White	28,947	227	7.8	227	230	....	230	7.9	+ 1
Colored	6,064	75	12.4	75	76	....	76	12.5	+ 1
Columbus (total)	30,449	359	11.8	359	364	....	364	12.0	+ 2
White	20,684	219	10.6	219	223	....	223	10.8	+ 2
Colored	9,765	140	14.3	140	141	....	141	14.4	+ 1
Craven (total)	17,378	207	11.9	206	209	....	209	12.0	+ 1
White	8,757	83	9.5	82	85	....	85	9.7	+ 2
Colored	8,621	124	14.4	124	124	....	124	14.4	.....
Cumberland (total)	(8)	496	(8)	494	496	....	496	(8)	(8)
White	(8)	295	(8)	294	295	....	295	(8)	(8)
Colored	(8)	201	(8)	200	201	....	201	(8)	(8)
Currituck (total)	[3] 7,268	87	12.0	87	91	....	91	12.5	+ 4
White	4,630	47	10.2	47	50	....	50	10.8	+ 6
Colored	2,638	40	15.2	40	41	....	41	15.5	+ 2
Dare	5,158	49	9.5	49	51	....	51	9.9	+ 4
Davidson (total)	36,097	338	9.4	338	340	....	340	9.4	.....
White	32,527	287	8.8	287	288	....	288	8.9	+ 1
Colored	3,570	51	14.3	51	52	....	52	14.6	+ 2
Davie (total)	13,607	139	10.2	139	140	....	140	10.3	+ 1
White	11,616	102	8.8	102	103	....	103	8.9	+ 1
Colored	1,991	37	18.6	37	37	....	37	18.6	.....
Duplin (total)	30,962	354	11.4	354	357	....	357	11.5	+ 1
White	19,562	215	11.0	215	217	....	217	11.1	+ 1
Colored	11,400	139	12.2	139	140	....	140	12.3	+ 1
Durham (total)	21,036	287	13.6	287	288	....	288	13.7	+ 1
White	15,520	200	12.9	200	201	....	201	13.0	+ 1
Colored	5,516	87	15.8	87	87	....	87	15.8	.....
Edgecombe (total)	32,221	404	12.5	404	407	....	407	12.6	+ 1
White	12,297	138	11.2	138	141	....	141	11.5	+ 3
Colored	19,924	266	13.4	266	266	....	266	13.4	.....
Forsyth (total)	30,279	354	11.7	354	358	....	358	11.8	+ 1
White	24,534	256	10.4	256	259	....	259	10.6	+ 2
Colored	5,745	98	17.1	98	99	....	99	17.2	+ 1

AREA AND COLOR.	Population estimated as of July 1, 1921.	DEATHS (EXCLUSIVE OF STILLBIRTHS) IN 1921.							
		Including nonresidents.		Excluding transferable nonresidents.	Excluding transferable nonresidents who died elsewhere in registration area and including residents who died elsewhere in registration area.	Nonresidents not transferable.	Excluding all nonresidents and including residents who died elsewhere in registration area.		
		Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Per cent of change.
RURAL PART OF REGISTRATION STATES[7]—Con.									
NORTH CAROLINA COUNTIES—continued.									
Franklin (total)	26,972	341	12.6	339	342	....	342	12.7	+ 1
White	15,071	153	10.2	151	153	....	153	10.2	.....
Colored	11,901	188	15.8	188	189	....	189	15.9	+ 1
Gaston (total)	39,463	300	7.6	300	304	....	304	7.7	+ 1
White	32,610	220	6.7	220	222	....	222	6.8	+ 1
Colored	6,853	80	11.7	80	82	....	82	12.0	+ 3
Gates (total)	10,550	87	8.2	87	89	....	89	8.4	+ 2
White	5,408	30	5.5	30	32	....	32	5.9	+ 7
Colored	5,142	57	11.1	57	57	....	57	11.1	.....
Graham	4,891	23	4.7	23	23	....	23	4.7	.....
Granville (total)	27,115	244	9.0	244	246	....	246	9.1	+ 1
White	14,318	124	8.7	124	124	....	124	8.7	.....
Colored	12,797	120	9.4	120	122	....	122	9.5	+ 1
Greene (total)	16,696	190	11.4	190	190	....	190	11.4	.....
White	8,186	73	8.9	73	73	....	73	8.9	.....
Colored	8,510	117	13.7	117	117	....	117	13.7	.....
Guilford (total)	46,659	488	10.5	487	492	....	492	10.5	.....
White	38,029	369	9.7	368	372	....	372	9.8	+ 1
Colored	8,630	119	13.8	119	120	....	120	13.9	+ 1
Halifax (total)	44,712	498	11.1	498	500	....	500	11.2	+ 1
White	18,563	167	9.0	167	169	....	169	9.1	+ 1
Colored	26,149	331	12.7	331	331	....	331	12.7	.....
Harnett (total)	29,262	300	10.3	299	299	....	299	10.2	— 1
White	21,169	200	9.4	199	199	....	199	9.4	.....
Colored	8,093	100	12.4	100	100	....	100	12.4	.....
Haywood	23,878	205	8.6	203	204	....	204	8.5	— 1
Henderson	18,555	204	11.0	204	208	....	208	11.2	+ 2
Hertford (total)	16,426	207	12.6	207	212	....	212	12.9	+ 2
White	6,340	75	11.8	75	78	....	78	12.3	+ 4
Colored	10,086	132	13.1	132	134	....	134	13.3	+ 2
Hoke (total)	(8)	165	(8)	163	163	....	163	(8)	(8)
White	(8)	64	(8)	62	62	....	62	(8)	(8)
Colored	(8)	101	(8)	101	101	....	101	(8)	(8)
Hyde (total)	[3] 8,386	59	7.0	59	59	....	59	7.0	.....
White	5,120	29	5.7	29	29	....	29	5.7	.....
Colored	3,266	30	9.2	30	30	....	30	9.2	.....
Iredell (total)	38,518	425	11.0	420	420	....	420	10.9	— 1
White	31,163	321	10.3	316	316	....	316	10.1	— 2
Colored	7,355	104	14.1	104	104	....	104	14.1	.....
Jackson	13,458	116	8.6	116	116	....	116	8.6	.....
Johnston (total)	50,172	546	10.9	545	547	....	547	10.9	.....
White	38,463	397	10.3	396	398	....	398	10.3	.....
Colored	11,709	149	12.7	149	149	....	149	12.7	.....
Jones (total)	10,096	76	7.5	76	77	....	77	7.6	+ 1
White	5,584	37	6.6	37	38	....	38	6.8	+ 3
Colored	4,512	39	8.6	39	39	....	39	8.6	.....
Lee (total)	13,713	145	10.6	145	148	....	148	10.8	+ 2
White	9,770	101	10.3	101	103	....	103	10.5	+ 2
Colored	3,943	44	11.2	44	45	....	45	11.4	+ 2
Lenoir (total)	30,604	384	12.5	384	389	....	389	12.7	+ 2
White	17,101	208	12.2	208	212	....	212	12.4	+ 2
Colored	13,503	176	13.0	176	177	....	177	13.1	+ 1
Lincoln (total)	17,975	155	8.6	152	154	....	154	8.6	.....
White	15,830	131	8.3	128	129	....	129	8.1	— 2
Colored	2,145	24	11.2	24	25	....	25	11.7	+ 4
McDowell (total)	17,262	154	8.9	154	156	....	156	9.0	+ 1
White	15,304	140	9.1	140	142	....	142	9.3	+ 2
Colored	1,958	14	7.2	14	14	....	14	7.2	.....
Macon	12,994	122	9.4	122	122	....	122	9.4	.....
Madison	[3] 20,083	176	8.8	176	176	....	176	8.8	.....
Martin (total)	21,297	243	11.4	243	243	....	243	11.4	.....
White	11,386	115	10.1	115	115	....	115	10.1	.....
Colored	9,911	128	12.9	128	128	....	128	12.9	.....
Mecklenburg (total)	34,564	285	8.2	283	288	....	288	8.3	+ 1
White	22,813	174	7.6	172	175	....	175	7.7	+ 1
Colored	11,751	111	9.4	111	113	....	113	9.6	+ 2

[See footnotes at end of table.]

TABLE I B.—POPULATION, DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1921—Continued.

[See note at head of this table, p. 123.]

AREA AND COLOR.	Population estimated as of July 1, 1921.	DEATHS (EXCLUSIVE OF STILLBIRTHS) IN 1921. Including nonresidents. Number.	Including nonresidents. Rate per 1,000 population.	Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died elsewhere in registration area.	Nonresidents not transferable.	Excluding all nonresidents and including residents who died elsewhere in registration area. Number.	Excluding all nonresidents and including residents who died elsewhere in registration area. Rate per 1,000 population.	Excluding all nonresidents and including residents who died elsewhere in registration area. Per cent of change.
RURAL PART OF REGISTRATION STATES [7]—Con.									
NORTH CAROLINA COUNTIES—continued.									
Mitchell	(8)	101	(8)	101	103	....	103	(8)	(8)
Montgomery (total)	[3] 14,607	96	6.6	96	100	....	100	6.8	+ 3
White	11,322	61	5.4	61	64	....	64	5.7	+ 6
Colored	3,285	35	10.7	35	36	....	36	11.0	+ 3
Moore (total)	22,065	174	7.9	169	172	....	172	7.8	− 1
White	15,561	126	8.1	122	125	....	125	8.0	− 1
Colored	6,504	48	7.4	47	47	....	47	7.2	− 3
Nash (total)	35,504	363	10.2	363	364	....	364	10.3	+ 1
White	19,548	189	9.7	189	190	....	190	9.7	.....
Colored	15,956	174	10.9	174	174	....	174	10.9	.....
New Hanover (total)	7,568	131	17.3	130	131	....	131	17.3	.....
White	4,486	75	16.7	74	74	....	74	16.5	− 1
Colored	3,082	56	18.2	56	57	....	57	18.5	+ 2
Northampton (total)	23,317	260	11.2	260	264	....	264	11.3	+ 1
White	9,374	94	10.0	94	97	....	97	10.3	+ 3
Colored	13,943	166	11.9	166	167	....	167	12.0	+ 1
Onslow (total)	14,792	163	11.0	163	165	....	165	11.2	+ 2
White	10,321	101	9.8	101	102	....	102	9.9	+ 1
Colored	4,471	62	13.9	62	63	....	63	14.1	+ 1
Orange (total)	18,332	204	11.1	204	204	....	204	11.1	.....
White	12,586	121	9.6	121	121	....	121	9.6	.....
Colored	5,746	83	14.4	83	83	....	83	14.4	.....
Pamlico (total)	[3] 9,060	92	10.2	92	93	....	93	10.3	+ 1
White	5,846	55	9.4	55	56	....	56	9.6	+ 2
Colored	3,214	37	11.5	37	37	....	37	11.5	.....
Pasquotank (total)	17,821	253	14.2	253	261	....	261	14.6	+ 3
White	10,062	105	10.4	105	111	....	111	11.0	+ 6
Colored	7,759	148	19.1	148	150	....	150	19.3	+ 1
Pender (total)	[3] 14,788	183	12.4	183	183	....	183	12.4	.....
White	7,470	73	9.8	73	73	....	73	9.8	.....
Colored	7,318	110	15.0	110	110	....	110	15.0	.....
Perquimans (total)	11,150	124	11.1	124	124	....	124	11.1	.....
White	5,704	57	10.0	57	57	....	57	10.0	.....
Colored	5,446	67	12.3	67	67	....	67	12.3	.....
Person (total)	19,223	278	14.5	277	277	....	277	14.4	− 1
White	10,940	136	12.4	135	135	....	135	12.3	− 1
Colored	8,283	142	17.1	142	142	....	142	17.1	.....
Pitt (total)	46,995	515	11.0	514	519	1	518	11.0	.....
White	23,204	230	9.9	229	232	1	231	10.0	+ 1
Colored	23,791	285	12.0	285	287	....	287	12.1	+ 1
Polk (total)	9,016	65	7.2	65	65	....	65	7.2	.....
White	7,457	49	6.6	49	49	....	49	6.6	.....
Colored	1,559	16	10.3	16	16	....	16	10.3	.....
Randolph (total)	31,067	315	10.1	315	317	....	317	10.2	+ 1
White	27,493	264	9.6	264	266	....	266	9.7	+ 1
Colored	3,574	51	14.3	51	51	....	51	14.3	.....
Richmond (total)	26,478	324	12.2	323	324	....	324	12.2	.....
White	15,728	160	10.2	159	159	....	159	10.1	− 1
Colored	10,750	164	15.3	164	165	....	165	15.3	.....
Robeson (total)	(8)	623	(8)	623	629	....	629	(8)	(8)
White	(8)	292	(8)	292	297	....	297	(8)	(8)
Colored	(8)	331	(8)	331	332	....	332	(8)	(8)
Rockingham (total)	45,339	521	11.5	521	534	....	534	11.8	+ 3
White	34,654	351	10.1	351	362	....	362	10.4	+ 3
Colored	10,685	170	15.9	170	172	....	172	16.1	+ 1
Rowan (total)	30,148	288	9.6	286	292	....	292	9.7	+ 1
White	24,640	198	8.0	197	201	....	201	8.2	+ 3
Colored	5,508	90	16.3	89	91	....	91	16.5	+ 1
Rutherford (total)	31,896	333	10.4	326	327	....	327	10.3	− 1
White	27,419	270	9.8	263	264	....	264	9.6	− 2
Colored	4,477	63	14.1	63	63	....	63	14.1	.....
Sampson (total)	36,932	497	13.5	497	499	....	499	13.5	.....
White	24,226	299	12.3	299	301	....	301	12.4	+ 1
Colored	12,706	198	15.6	198	198	....	198	15.6	.....
RURAL PART OF REGISTRATION STATES [7]—Con.									
NORTH CAROLINA COUNTIES—continued.									
Scotland (total)	15,636	224	14.3	224	225	....	225	14.4	+ 1
White	5,944	78	13.1	78	78	....	78	13.1	.....
Colored	9,692	146	15.1	146	147	....	147	15.2	+ 1
Stanly (total)	28,591	201	7.0	201	204	....	204	7.1	+ 1
White	24,808	166	6.7	166	169	....	169	6.8	+ 1
Colored	3,783	35	9.3	35	35	....	35	9.3	.....
Stokes (total)	20,640	148	7.2	148	149	....	149	7.2	.....
White	18,407	128	7.0	128	129	....	129	7.0	.....
Colored	2,233	20	9.0	20	20	....	20	9.0	.....
Surry	32,891	333	10.1	330	334	1	333	10.1	.....
Swain	13,660	107	7.8	107	107	....	107	7.8	.....
Transylvania	9,629	78	8.1	78	81	....	81	8.4	+ 4
Tyrrell (total)	[3] 4,849	54	11.1	54	55	....	55	11.3	+ 2
White	3,373	29	8.6	29	30	....	30	8.9	+ 3
Colored	1,476	25	16.9	25	25	....	25	16.9	.....
Union (total)	36,454	363	10.0	363	366	....	366	10.0	.....
White	27,887	209	7.5	209	212	....	212	7.6	+ 1
Colored	8,567	154	18.0	154	154	....	154	18.0	.....
Vance (total)	23,320	283	12.1	283	285	....	285	12.2	+ 1
White	13,120	119	9.1	119	121	....	121	9.2	+ 1
Colored	10,200	164	16.1	164	164	....	164	16.1	.....
Wake (total)	49,024	559	11.4	559	565	....	565	11.5	+ 1
White	29,045	286	9.8	286	288	....	288	9.9	+ 1
Colored	19,979	273	13.7	273	277	....	277	13.9	+ 1
Warren (total)	21,798	285	13.1	285	289	....	289	13.3	+ 2
White	7,886	81	10.3	81	84	....	84	10.7	+ 4
Colored	13,912	204	14.7	204	205	....	205	14.7	.....
Washington (total)	11,485	173	15.1	173	175	....	175	15.2	+ 1
White	5,906	78	13.2	78	80	....	80	13.5	+ 2
Colored	5,579	95	17.0	95	95	....	95	17.0	.....
Watauga	(8)	124	(8)	124	124	....	124	(8)	(8)
Wayne * (total)	32,769	422	12.9	419	420	....	420	12.8	− 1
White	18,493	171	9.2	171	172	....	172	9.3	+ 1
Colored	14,276	251	17.6	248	248	....	248	17.4	− 1
Wilkes	33,009	338	10.2	338	343	....	343	10.4	+ 2
Wilson (total)	26,920	372	13.8	371	374	....	374	13.9	+ 1
White	15,604	190	12.2	189	192	....	192	12.3	+ 1
Colored	11,316	182	16.1	182	182	....	182	16.1	.....
Yadkin	16,540	152	9.2	152	153	....	153	9.3	+ 1
Yancey	15,560	87	5.6	87	87	....	87	5.6	.....
OHIO COUNTIES.									
Adams	[3] 22,403	269	12.0	268	275	....	275	12.3	+ 3
Allen	27,225	329	12.1	326	350	....	350	12.9	+ 7
Ashland	24,883	281	11.3	276	289	....	289	11.6	+ 3
Ashtabula	42,945	600	14.0	589	618	1	617	14.4	+ 3
Athens	50,837	608	12.0	604	639	....	639	12.6	+ 5
Auglaize	[3] 29,527	268	9.1	266	278	....	278	9.4	+ 3
Belmont	68,310	703	10.3	697	757	1	756	11.1	+ 8
Brown	[3] 22,621	247	10.9	245	251	....	251	11.1	+ 2
Butler	22,725	253	11.1	243	263	....	263	11.6	+ 5
Carroll	15,970	178	11.1	178	183	....	183	11.5	+ 4
Champaign	[3] 25,071	306	12.2	304	327	....	327	13.0	+ 7
Clark	19,947	260	13.0	252	270	....	270	13.5	+ 4
Clermont	[3] 28,291	379	13.4	376	396	....	396	14.0	+ 4
Clinton	[3] 23,036	287	12.5	286	293	....	293	12.7	+ 2
Columbiana	52,053	567	10.9	565	593	....	593	11.4	+ 5
Coshocton	[12] 18,555	219	11.8	219	228	....	228	12.3	+ 4
Crawford	25,584	295	11.5	294	301	....	301	11.8	+ 3
Cuyahoga	66,589	797	12.0	778	862	....	862	12.9	+ 8
Darke	[3] 42,911	438	10.2	438	448	....	448	10.4	+ 2
Defiance	24,557	270	11.0	267	272	....	272	11.1	+ 1

[See footnotes at end of table.]

TABLE I B.—POPULATION, DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1921—Continued.

[See note at head of this table, p. 123.]

AREA AND COLOR.	Population estimated as of July 1, 1921.	DEATHS (EXCLUSIVE OF STILLBIRTHS) IN 1921.							
		Including nonresidents.		Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died elsewhere in registration area.	Nonresidents not transferable.	Excluding all nonresidents and including residents who died elsewhere in registration area.		
		Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Per cent of change.
RURAL PART OF REGISTRATION STATES [7]—Con.									
OHIO COUNTIES—contd.									
Delaware	[3] 26,013	323	12.4	307	321	....	321	12.3	− 1
Erie*	16,669	284	17.0	283	295	....	295	17.7	+ 4
Fairfield	25,727	252	9.8	250	268	....	268	10.4	+ 6
Fayette	[3] 21,518	269	12.5	263	268	....	268	12.5	.....
Franklin	45,761	559	12.2	547	608	....	608	13.3	+ 9
Fulton	[3] 23,445	291	12.4	288	295	....	295	12.6	+ 2
Gallia*	[3] 23,311	384	16.5	378	382	2	380	16.3	− 1
Geauga	15,092	188	12.5	187	195	....	195	12.9	+ 3
Greene (total)	31,451	386	12.3	380	406	....	406	12.9	+ 5
White	27,728	327	11.8	322	344	....	344	12.4	+ 5
Colored	3,723	59	15.8	58	62	....	62	16.7	+ 6
Guernsey	32,403	335	10.3	335	352	....	352	10.9	+ 6
Hamilton	69,028	627	9.1	612	697	....	697	10.1	+11
Hancock	21,122	186	8.8	184	193	....	193	9.1	+ 3
Hardin	[3] 29,167	360	12.3	358	370	....	370	12.7	+ 3
Harrison	19,710	229	11.6	228	244	....	244	12.4	+ 7
Henry	[3] 23,362	254	10.9	250	257	....	257	11.0	+ 1
Highland	[3] 27,610	360	13.0	353	362	....	362	13.1	+ 1
Hocking	[3] 23,291	225	9.7	219	225	....	225	9.7	.....
Holmes	[3] 16,965	168	9.9	168	176	....	176	10.4	+ 5
Huron	[3] 32,424	432	13.3	420	444	....	444	13.7	+ 3
Jackson	[3] 27,342	333	12.2	331	346	....	346	12.7	+ 4
Jefferson	50,006	519	10.4	511	549	....	549	11.0	+ 6
Knox	[3] 29,580	355	12.0	347	362	....	362	12.2	+ 2
Lake	29,554	403	13.6	392	413	2	411	13.9	+ 2
Lawrence	25,409	310	12.2	309	317	....	317	12.5	+ 2
Licking	29,636	359	12.1	354	373	....	373	12.6	+ 4
Logan	30,107	376	12.5	362	373	1	372	12.4	− 1
Lorain	32,461	351	10.8	339	362	....	362	11.2	+ 4
Lucas	34,848	283	8.1	276	294	....	294	8.4	+ 4
Madison	[3] 19,662	240	12.2	236	261	....	261	13.3	+ 9
Mahoning	[17] 43,902	428	9.7	418	446	....	446	10.2	+ 5
Marion	14,094	143	10.1	141	152	....	152	10.8	+ 7
Medina	26,448	294	11.1	293	310	....	310	11.7	+ 5
Meigs	26,281	303	11.5	303	310	....	310	11.8	+ 3
Mercer	[3] 26,872	276	10.3	275	286	....	286	10.6	+ 3
Miami	33,652	368	10.9	360	376	....	376	11.2	+ 3
Monroe	[3] 20,660	214	10.4	214	219	....	219	10.6	+ 2
Montgomery* (excl. of Nat. Military Home.	58,485	719 / 294	[18]17.3	705 / 294	754 / 294	....	754 / 294	[18]17.9	+ 3
Morgan	[3] 14,555	189	13.0	187	192	....	192	13.2	+ 2
Morrow	[3] 15,570	184	11.8	182	192	....	192	12.3	+ 4
Muskingum	28,250	306	10.8	306	327	....	327	11.6	+ 7
Noble	[3] 17,849	180	10.1	180	190	....	190	10.6	+ 5
Ottawa	[3] 22,193	243	10.9	240	254	....	254	11.4	+ 5
Paulding	[3] 18,736	176	9.4	175	185	....	185	9.9	+ 5
Perry	36,207	331	9.1	330	363	....	363	10.0	+10
Pickaway	[3] 25,788	366	14.2	364	381	....	381	14.8	+ 4
Pike	[3] 14,151	179	12.6	178	181	....	181	12.8	+ 2
Portage	37,191	428	11.5	412	434	1	433	11.6	+ 1
Preble	[3] 23,238	271	11.7	271	287	....	287	12.4	+ 6
Putnam	[3] 27,751	253	9.1	252	261	....	261	9.4	+ 3
Richland	27,425	285	10.4	283	291	....	291	10.6	+ 2
Ross	25,751	304	11.8	303	314	1	313	12.2	+ 3
Sandusky	24,550	238	9.7	228	237	....	237	9.7	.....
Scioto	28,862	304	10.5	301	314	....	314	10.9	+ 4
Seneca	28,596	322	11.3	320	334	....	334	11.7	+ 4
Shelby	26,117	259	9.9	252	275	....	275	10.5	+ 6
Stark*	52,892	727	13.7	710	733	....	733	13.9	+ 1
Summit	[18] 38,356	398	10.4	386	411	....	411	10.7	+ 3
Trumbull	45,019	462	10.3	455	494	....	494	11.0	+ 7

AREA AND COLOR.	Population estimated as of July 1, 1921.	DEATHS (EXCLUSIVE OF STILLBIRTHS) IN 1921.							
		Including nonresidents.		Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died elsewhere in registration area.	Nonresidents not transferable.	Excluding all nonresidents and including residents who died elsewhere in registration area.		
		Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Per cent of change.
RURAL PART OF REGISTRATION STATES [7]—Con.									
OHIO COUNTIES—contd.									
Tuscarawas	53,484	614	11.5	612	629	....	629	11.8	+ 3
Union	[3] 20,918	235	11.2	234	244	....	244	11.7	+ 4
Van Wert	[3] 23,210	271	9.6	264	270	....	270	9.6	.....
Vinton	[3] 12,075	125	10.4	124	130	....	130	10.8	+ 4
Warren	25,904	284	11.0	282	300	....	300	11.6	+ 5
Washington	[12] 27,876	314	11.3	312	329	1	328	11.8	+ 4
Wayne	41,854	468	11.2	462	478	....	478	11.4	+ 2
Williams	[3] 24,627	289	11.7	289	306	....	306	12.4	+ 6
Wood	[3] 44,892	518	11.5	511	536	....	536	11.9	+ 3
Wyandot	[3] 19,481	206	10.6	205	218	....	218	11.2	+ 6
OREGON COUNTIES.									
Baker	[3] 17,929	168	9.4	163	172	1	171	9.5	+ 1
Benton	14,221	123	8.6	118	128	....	128	9.0	+ 5
Clackamas	38,899	347	8.9	335	395	1	394	10.1	+13
Clatsop	9,389	63	6.7	58	75	....	75	8.0	+19
Columbia	14,482	107	7.4	105	134	....	134	9.3	+26
Coos	22,920	228	9.9	226	234	1	233	10.2	+ 3
Crook	(8)	34	(8)	34	38	....	38	(8)	(8)
Curry	3,176	17	5.4	17	19	....	19	6.0	+11
Deschutes	(8)	76	(8)	75	83	1	82	(8)	(8)
Douglas	21,588	226	10.5	218	230	....	230	10.7	+ 2
Gilliam	4,000	30	7.5	28	28	1	27	6.8	− 9
Grant	[3] 5,496	48	8.7	46	48	....	48	8.7	.....
Harney	[3] 3,992	29	7.3	29	31	....	31	7.8	+ 7
Hood River	8,360	80	9.6	66	75	3	72	8.6	−10
Jackson	[3] 20,405	248	12.2	237	250	....	250	12.3	+ 1
Jefferson (total)	(8)	26	(8)	26	32	....	32	(8)	(8)
White	(8)	22	(8)	22	28	....	28	(8)	(8)
Colored	(8)	4	(8)	4	4	....	4	(8)	(8)
Josephine	[3] 7,655	92	12.0	79	83	....	83	10.8	−10
Klamath	11,854	100	8.4	94	99	....	99	8.4	.....
Lake	[3] 3,991	30	7.5	30	31	....	31	7.8	+ 4
Lane	25,769	201	7.8	199	235	2	233	9.0	+15
Lincoln	6,161	49	8.0	43	55	....	55	8.9	+11
Linn	24,842	265	10.7	252	272	....	272	10.9	+ 2
Malheur	11,263	87	7.7	82	83	14	69	6.1	−21
Marion	30,099	246	8.2	232	270	1	269	8.9	+ 9
Morrow	5,811	28	4.8	26	33	....	33	5.7	+19
Multnomah	18,707	246	13.2	232	283	3	280	15.0	+14
Polk	14,291	130	9.1	124	138	....	138	9.7	+ 7
Sherman	[3] 3,826	20	5.2	20	23	....	23	6.0	+15
Tillamook	9,203	66	7.2	62	66	1	65	7.1	− 1
Umatilla*	26,817	299	11.1	290	322	1	321	12.0	+ 8
Union	16,704	177	10.6	164	179	6	173	10.4	− 2
Wallowa	9,996	58	5.8	58	64	1	63	6.3	+ 9
Wasco	[3] 13,648	121	8.9	104	111	....	111	8.1	− 9
Washington	27,126	249	9.2	238	266	2	264	9.7	+ 5
Wheeler	2,838	15	5.3	15	17	....	17	6.0	+13
Yamhill	20,876	199	9.5	193	210	1	209	10.0	+ 5
PENNSYLVANIA COUNTIES.									
Adams	34,625	406	11.7	400	416	....	416	12.0	+ 3
Allegheny	408,416	4,527	11.1	4,451	4,861	1	4,860	11.9	+ 7
Armstrong	76,756	826	10.8	826	873	....	873	11.4	+ 6
Beaver	75,763	860	11.4	842	872	....	872	11.5	+ 1
Bedford	[3] 38,277	444	11.6	444	470	....	470	12.3	+ 6
Berks*	94,454	1,450	15.4	1,390	1,466	1	1,465	15.5	+ 1
Blair	68,816	708	10.3	696	747	....	747	10.9	+ 6
Bradford	[3] 53,166	800	15.0	770	793	....	793	14.9	− 1
Bucks	72,965	910	12.5	908	965	....	965	13.2	+ 6
Butler	53,803	567	10.5	565	601	....	601	11.2	+ 7

[See footnotes at end of table.]

TABLE 1B.—POPULATION, DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1921—Continued.

[See note at head of this table, p. 123.]

AREA AND COLOR.	Population estimated as of July 1, 1921.	DEATHS (EXCLUSIVE OF STILLBIRTHS) IN 1921. Including nonresidents. Number.	Including nonresidents. Rate per 1,000 population.	Excluding transferable nonresidents.	Excluding transferable nonresidents who died elsewhere in registration area.	Nonresidents not transferable.	Excluding all nonresidents and including residents who died elsewhere in registration area. Number.	Excluding all nonresidents and including residents who died elsewhere in registration area. Rate per 1,000 population.	Excluding all nonresidents and including residents who died elsewhere in registration area. Per cent of change.
RURAL PART OF REGISTRATION STATES[7]—Con.									
PENNSYLVANIA COUNTIES—continued.									
Cambria	134,280	1,539	11.5	1,526	1,654	....	1,654	12.3	+ 7
Cameron	[3] 6,297	48	7.6	48	57	....	57	9.1	+20
Carbon	64,066	761	11.9	755	789	....	789	12.3	+ 3
Centre	44,439	594	13.4	590	603	....	603	13.6	+ 1
Chester	78,787	1,001	12.7	997	1,093	....	1,093	13.9	+ 9
Clarion	[3] 36,170	356	9.8	356	375	....	375	10.4	+ 6
Clearfield	90,856	897	9.9	897	923	1	922	10.1	+ 2
Clinton	33,865	412	12.2	407	425	....	425	12.5	+ 2
Columbia	[12] 35,715	443	12.4	441	453	....	453	12.7	+ 2
Crawford	[12] 45,823	650	14.2	649	690	....	690	15.1	+ 6
Cumberland	48,200	546	11.3	546	572	....	572	11.9	+ 5
Dauphin	63,471	791	12.5	786	822	....	822	13.0	+ 4
Delaware	120,723	1,231	10.2	1,192	1,311	....	1,311	10.9	+ 7
Elk	[3] 34,981	377	10.8	371	382	....	382	10.9	+ 1
Erie	52,926	629	11.9	621	665	....	665	12.6	+ 6
Fayette	161,652	1,766	10.9	1,760	1,815	....	1,815	11.2	+ 3
Forest	[3] 7,477	72	9.6	72	73	....	73	9.8	+ 2
Franklin	49,278	603	12.2	600	616	....	616	12.5	+ 2
Fulton	[3] 9,617	144	15.0	144	148	....	148	15.4	+ 3
Greene	31,101	363	11.7	363	375	1	374	12.0	+ 3
Huntingdon	40,086	464	11.6	459	478	....	478	11.9	+ 3
Indiana	33,182	944	11.3	944	974	....	974	11.7	+ 4
Jefferson	[12] 51,599	520	10.1	509	529	....	529	10.3	+ 2
Juniata	[3] 14,464	183	12.7	183	190	....	190	13.1	+ 3
Lackawanna	77,698	997	12.8	984	1,054	....	1,054	13.6	+ 6
Lancaster	109,942	1,279	11.6	1,272	1,349	....	1,349	12.3	+ 6
Lawrence	41,666	426	10.2	426	441	....	441	10.6	+ 4
Lebanon	38,910	553	14.2	553	563	....	563	14.5	+ 2
Lehigh*	60,264	862	14.3	850	901	....	901	15.0	+ 5
Luzerne	231,643	2,598	11.2	2,584	2,779	....	2,779	12.0	+ 7
Lycoming	46,586	525	11.3	525	556	....	556	11.9	+ 5
McKean	33,499	380	11.3	377	395	....	395	11.8	+ 4
Mercer	57,262	707	12.3	706	725	....	725	12.7	+ 3
Mifflin	32,004	385	12.0	384	395	....	395	12.3	+ 3
Monroe	24,504	317	12.9	316	327	....	327	13.3	+ 3
Montgomery	153,205	1,835	12.0	1,800	1,912	1	1,911	12.5	+ 4
Montour*	[3] 14,080	418	29.7	374	374	....	374	26.6	−10
Northampton	76,289	844	11.1	843	897	....	897	11.8	+ 6
Northumberland	68,880	784	11.4	775	814	....	814	11.8	+ 4
Perry	[3] 22,875	274	12.0	274	293	....	293	12.8	+ 7
Pike	[3] 6,818	88	12.9	87	97	....	97	14.2	+10
Potter	[3] 21,089	250	11.9	249	262	....	262	12.4	+ 4
Schuylkill	144,014	2,058	14.3	1,905	2,022	1	2,021	14.0	− 2
Snyder	17,179	203	11.8	203	208	....	208	12.1	+ 3
Somerset	84,335	952	11.3	944	1,009	....	1,009	12.0	+ 6
Sullivan	[3] 9,520	102	10.7	101	107	....	107	11.2	+ 5
Susquehanna	[3] 34,763	441	12.7	440	466	....	466	13.4	+ 6
Tioga	[3] 37,118	501	13.5	494	521	....	521	14.0	+ 4
Union	[3] 15,850	213	13.4	213	225	....	225	14.2	+ 6
Venango	37,805	484	12.8	477	499	1	498	13.2	+ 3
Warren*	25,592	400	15.6	397	419	....	419	16.4	+ 5
Washington	135,954	1,486	10.9	1,460	1,591	....	1,591	11.7	+ 7
Wayne	[3] 27,435	386	14.1	383	401	....	401	14.6	+ 4
Westmoreland	222,203	2,153	9.7	2,150	2,283	....	2,283	10.3	+ 6
Wyoming	[3] 14,101	171	12.1	171	182	....	182	12.9	+ 7
York	97,836	997	10.2	984	1,024	....	1,024	10.5	+ 3
RHODE ISLAND COUNTIES.									
Bristol	12,156	123	10.1	117	132	....	132	10.9	+ 8
Kent	9,262	104	11.2	104	128	....	128	13.8	+23
Newport	12,709	169	13.3	159	178	....	178	14.0	+ 5
Providence	45,007	541	12.0	540	640	....	640	14.2	+18
Washington	[3] 24,932	350	14.0	343	374	....	374	15.0	+ 7

AREA AND COLOR.	Population estimated as of July 1, 1921.	DEATHS (EXCLUSIVE OF STILLBIRTHS) IN 1921. Including nonresidents. Number.	Including nonresidents. Rate per 1,000 population.	Excluding transferable nonresidents.	Excluding transferable nonresidents who died elsewhere in registration area.	Nonresidents not transferable.	Excluding all nonresidents and including residents who died elsewhere in registration area. Number.	Excluding all nonresidents and including residents who died elsewhere in registration area. Rate per 1,000 population.	Excluding all nonresidents and including residents who died elsewhere in registration area. Per cent of change.
RURAL PART OF REGISTRATION STATES[7]—Con.									
SOUTH CAROLINA COUNTIES.									
Abbeville (total)	(8)	262	(8)	262	265	....	265	(8)	(8)
White	(8)	96	(8)	95	99	....	99	(8)	(8)
Colored	(8)	166	(8)	166	166	....	166	(8)	(8)
Aiken (total)	46,149	458	9.9	458	476	....	476	10.3	+ 4
White	21,983	207	9.4	207	218	....	218	9.9	+ 5
Colored	24,166	251	10.4	251	258	....	258	10.7	+ 3
Allendale (total)	(8)	133	(8)	133	136	....	136	(8)	(8)
White	(8)	25	(8)	25	26	....	26	(8)	(8)
Colored	(8)	108	(8)	108	110	....	110	(8)	(8)
Anderson (total)	66,686	603	9.0	603	607	....	607	9.1	+ 1
White	43,346	370	8.5	370	374	....	374	8.6	+ 1
Colored	23,340	233	10.0	233	233	....	233	10.0	.....
Bamberg (total)	21,336	266	12.5	266	266	....	266	12.5	.....
White	6,751	77	11.4	77	77	....	77	11.4	.....
Colored	14,585	189	13.0	189	189	....	189	13.0	.....
Barnwell (total)	(8)	184	(8)	184	186	....	186	(8)	(8)
White	(8)	69	(8)	69	71	....	71	(8)	(8)
Colored	(8)	115	(8)	115	115	....	115	(8)	(8)
Beaufort (total)	(8)	402	(8)	402	414	....	414	(8)	(8)
White	(8)	30	(8)	30	35	....	35	(8)	(8)
Colored	(8)	372	(8)	372	379	....	379	(8)	(8)
Berkeley (total)	[3] 22,558	336	14.9	336	337	....	337	14.9	.....
White	6,199	63	10.2	63	63	....	63	10.2	.....
Colored	16,359	273	16.7	273	274	....	274	16.7	.....
Calhoun (total)	18,655	233	12.5	233	233	....	233	12.5	.....
White	6,071	22	3.6	22	22	....	22	3.6	.....
Colored	12,584	211	16.8	211	211	....	211	16.8	.....
Charleston (total)	42,041	565	13.4	565	568	....	568	13.5	+ 1
White	9,012	61	6.8	61	63	....	63	7.0	+ 3
Colored	33,029	504	15.3	504	505	....	505	15.3	.....
Cherokee (total)	27,785	285	10.3	285	288	....	288	10.4	+ 1
White	19,176	184	9.6	184	187	....	187	9.8	+ 2
Colored	8,609	101	11.7	101	101	....	101	11.7	.....
Chester (total)	34,002	325	9.6	325	325	....	325	9.6	.....
White	14,632	138	9.4	138	138	....	138	9.4	.....
Colored	19,370	187	9.7	187	187	....	187	9.7	.....
Chesterfield (total)	32,844	353	10.7	353	358	....	358	10.9	+ 2
White	19,891	180	9.0	180	184	....	184	9.3	+ 3
Colored	12,953	173	13.4	173	174	....	174	13.4	.....
Clarendon (total)	35,294	370	10.5	370	370	....	370	10.5	.....
White	9,922	56	5.6	56	56	....	56	5.6	.....
Colored	25,372	314	12.4	314	314	....	314	12.4	.....
Colleton (total)	[3] 29,897	223	7.5	223	225	....	225	7.5	.....
White	12,529	62	4.9	62	64	....	64	5.1	+ 4
Colored	17,368	161	9.3	161	161	....	161	9.3	.....
Darlington (total)	39,605	568	14.3	568	572	....	572	14.4	+ 1
White	17,257	179	10.4	179	182	....	182	10.5	+ 1
Colored	22,348	389	17.4	389	390	....	390	17.5	+ 1
Dillon (total)	25,690	284	11.1	284	285	....	285	11.1	.....
White	12,412	144	11.6	144	144	....	144	11.6	.....
Colored	13,278	140	10.5	140	141	....	141	10.6	+ 1
Dorchester (total)	19,701	177	9.0	177	178	....	178	9.0	.....
White	8,190	53	6.5	53	53	....	53	6.5	.....
Colored	11,511	124	10.8	124	125	....	125	10.9	+ 1
Edgefield (total)	(8)	203	(8)	203	211	....	211	(8)	(8)
White	(8)	48	(8)	48	52	....	52	(8)	(8)
Colored	(8)	155	(8)	155	159	....	159	(8)	(8)
Fairfield (total)	[3] 27,159	246	9.1	246	246	....	246	9.1	.....
White	6,487	52	8.0	52	52	....	52	8.0	.....
Colored	20,672	194	9.4	194	194	....	194	9.4	.....
Florence (total)	41,110	504	12.3	504	505	....	505	12.3	.....
White	20,374	202	9.9	202	203	....	203	10.0	+ 1
Colored	20,736	302	14.6	302	302	....	302	14.6	.....
Georgetown (total)	[3] 21,716	339	15.6	339	339	....	339	15.6	.....
White	7,254	76	10.5	76	76	....	76	10.5	.....
Colored	14,462	263	18.2	263	263	....	263	18.2	.....

[See footnotes at end of table.]

TABLE 1B.—POPULATION, DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1921—Continued.

[See note at head of this table, p. 123.]

AREA AND COLOR.	Population estimated as of July 1, 1921.	DEATHS (EXCLUSIVE OF STILLBIRTHS) IN 1921. Including nonresidents. Number.	Including nonresidents. Rate per 1,000 population.	Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died elsewhere in registration area.	Nonresidents not transferable.	Excluding all nonresidents and including residents who died elsewhere in registration area. Number.	Rate per 1,000 population.	Per cent of change.
RURAL PART OF REGISTRATION STATES [7]—Con.									
SOUTH CAROLINA COUNTIES—continued.									
Greenville (total)	67,339	811	12.0	811	813	....	813	12.1	+ 1
White	51,949	582	11.2	582	583	....	583	11.2	.....
Colored	15,390	229	14.9	229	230	....	230	14.9	.....
Greenwood (total)	(8)	386	(8)	386	386	....	386	(8)	(8)
White	(8)	189	(8)	189	189	....	189	(8)	(8)
Colored	(8)	197	(8)	197	197	....	197	(8)	(8)
Hampton (total)	(8)	247	(8)	247	254	....	254	(8)	(8)
White	(8)	72	(8)	72	75	....	75	(8)	(8)
Colored	(8)	175	(8)	175	179	....	179	(8)	(8)
Horry (total)	32,862	401	12.2	401	403	....	403	12.3	+ 1
White	24,999	263	10.5	263	264	....	264	10.6	+ 1
Colored	7,863	138	17.6	138	139	....	139	17.7	+ 1
Jasper (total)	(8)	125	(8)	125	129	....	129	(8)	(8)
White	(8)	15	(8)	15	15	....	15	(8)	(8)
Colored	(8)	110	(8)	110	114	....	114	(8)	(8)
Kershaw (total)	29,754	248	8.3	248	249	....	249	8.4	+ 1
White	12,593	93	7.4	93	93	....	93	7.4	.....
Colored	17,161	155	9.0	155	156	....	156	9.1	+ 1
Lancaster (total)	28,933	317	11.0	317	319	....	319	11.0	.....
White	15,844	150	9.5	150	150	....	150	9.5	.....
Colored	13,089	167	12.8	167	169	....	169	12.9	+ 1
Laurens (total)	42,716	461	10.8	461	465	....	465	10.9	+ 1
White	20,710	205	9.9	205	208	....	208	10.0	+ 1
Colored	22,006	256	11.6	256	257	....	257	11.7	+ 1
Lee (total)	27,060	292	10.8	292	292	....	292	10.8	.....
White	8,887	84	9.5	84	84	....	84	9.5	.....
Colored	18,173	208	11.4	208	208	....	208	11.4	.....
Lexington (total)	36,238	364	10.0	364	365	....	365	10.1	+ 1
White	24,495	199	8.1	199	199	....	199	8.1	.....
Colored	11,743	165	14.1	165	166	....	166	14.1	.....
McCormick (total)	(8)	145	(8)	145	149	....	149	(8)	(8)
White	(8)	47	(8)	47	50	....	50	(8)	(8)
Colored	(8)	98	(8)	98	99	....	99	(8)	(8)
Marion (total)	24,203	263	10.9	263	263	....	263	10.9	.....
White	10,745	105	9.8	105	105	....	105	9.8	.....
Colored	13,458	158	11.7	158	158	....	158	11.7	.....
Marlboro (total)	33,488	464	13.9	464	466	....	466	13.9	.....
White	13,711	178	13.0	178	179	....	179	13.1	+ 1
Colored	19,777	286	14.5	286	287	....	287	14.5	.....
Newberry (total)	35,701	377	10.6	377	380	....	380	10.6	.....
White	15,275	128	8.4	128	131	....	131	8.6	+ 2
Colored	20,426	249	12.2	249	249	....	249	12.2	.....
Oconee (total)	30,547	280	9.2	280	280	....	280	9.2	.....
White	24,218	201	8.3	201	201	....	201	8.3	.....
Colored	6,329	79	12.5	79	79	....	79	12.5	.....
Orangeburg (total)	66,300	781	11.8	781	783	....	783	11.8	.....
White	22,636	200	8.8	200	201	....	201	8.9	+ 1
Colored	43,664	581	13.3	581	582	....	582	13.3	.....
Pickens (total)	28,778	254	8.8	254	255	....	255	8.9	+ 1
White	23,924	188	7.9	188	188	....	188	7.9	.....
Colored	4,854	66	13.6	66	67	....	67	13.8	+ 1
Richland (total)	43,219	301	7.0	301	304	....	304	7.0	.....
White	20,195	100	5.0	100	102	....	102	5.1	+ 2
Colored	23,024	201	8.7	201	202	....	202	8.8	+ 1
Saluda (total)	22,264	141	6.3	141	145	....	145	6.5	+ 3
White	10,561	50	4.7	50	53	....	53	5.0	+ 6
Colored	11,703	91	7.8	91	92	....	92	7.9	+ 1
Spartanburg (total)	72,505	613	8.5	613	626	....	626	8.6	+ 1
White	53,138	406	7.6	406	412	....	412	7.8	+ 3
Colored	19,367	207	10.7	207	214	....	214	11.0	+ 3
Sumter (total)	43,746	685	15.7	685	694	....	694	15.9	+ 1
White	12,873	148	11.5	148	155	....	155	12.0	+ 4
Colored	30,873	537	17.4	537	539	....	539	17.5	+ 1
Union (total)	30,443	269	8.8	269	269	....	269	8.8	.....
White	16,572	139	8.4	139	139	....	139	8.4	.....
Colored	13,871	130	9.4	130	130	....	130	9.4	.....
RURAL PART OF REGISTRATION STATES [7]—Con.									
SOUTH CAROLINA COUNTIES—continued.									
Williamsburg (total)	38,681	371	9.6	371	372	....	372	9.6	.....
White	12,879	68	5.3	68	69	....	69	5.4	+ 2
Colored	25,802	303	11.7	303	303	....	303	11.7	.....
York (total)	50,972	567	11.1	567	572	....	572	11.2	+ 1
White	26,818	270	10.1	270	275	....	275	10.3	+ 2
Colored	24,154	297	12.3	297	297	....	297	12.3	.....
TENNESSEE COUNTIES.									
Anderson	18,389	183	10.0	183	193	....	193	10.5	+ 5
Bedford (total)	[3] 21,737	250	11.5	250	253	....	253	11.6	+ 1
White	17,378	192	11.0	192	195	....	195	11.2	+ 2
Colored	4,359	58	13.3	58	58	....	58	13.3	.....
Benton	[3] 12,046	97	8.1	97	99	....	99	8.2	+ 1
Bledsoe	7,355	43	5.8	43	44	....	44	6.0	+ 3
Blount	30,035	256	8.5	256	262	....	262	8.7	+ 2
Bradley	19,010	273	14.4	273	279	....	279	14.7	+ 2
Campbell	28,401	140	4.9	140	151	....	151	5.3	+ 8
Cannon	[3] 10,241	82	8.0	82	82	....	82	8.0	.....
Carroll (total)	24,421	248	10.2	248	252	....	252	10.3	+ 1
White	19,917	198	9.9	198	202	....	202	10.1	+ 2
Colored	4,504	50	11.1	50	50	....	50	11.1	.....
Carter	21,742	214	9.8	214	217	....	217	10.0	+ 2
Cheatham (total)	[3] 10,039	71	7.1	71	76	....	76	7.6	+ 7
White	8,912	61	6.8	61	66	....	66	7.4	+ 9
Colored	1,127	10	8.9	10	10	....	10	8.9	.....
Chester (total)	9,758	66	6.8	66	68	....	68	7.0	+ 3
White	8,170	50	6.1	50	52	....	52	6.4	+ 5
Colored	1,588	16	10.1	16	16	....	16	10.1	.....
Claiborne	[3] 23,286	119	5.1	119	125	....	125	5.4	+ 6
Clay	9,220	49	5.3	49	49	....	49	5.3	.....
Cocke	20,995	202	9.6	202	204	....	204	9.7	+ 1
Coffee	17,610	131	7.4	131	134	....	134	7.6	+ 3
Crockett (total)	17,648	171	9.7	171	174	....	174	9.9	+ 2
White	14,014	120	8.6	120	123	....	123	8.8	+ 2
Colored	3,634	51	14.0	51	51	....	51	14.0	.....
Cumberland	10,213	57	5.6	57	59	....	59	5.8	+ 4
Davidson * (total)	48,612	665	13.7	662	677	....	677	13.9	+ 1
White	40,656	497	12.2	495	506	....	506	12.4	+ 2
Colored	7,956	168	21.1	167	171	....	171	21.5	+ 2
De Kalb	[3] 15,370	156	10.1	156	157	....	157	10.2	+ 1
Decatur	10,213	79	7.7	79	79	....	79	7.7	.....
Dickson (total)	[3] 19,342	130	6.7	130	132	....	132	6.8	+ 1
White	16,995	105	6.2	105	106	....	106	6.2	.....
Colored	2,347	25	10.7	25	26	....	26	11.1	+ 4
Dyer (total)	30,333	224	7.4	224	229	....	229	7.5	+ 1
White	24,940	191	7.7	191	194	....	194	7.8	+ 1
Colored	5,393	33	6.1	33	35	....	35	6.5	+ 7
Fayette (total)	31,690	323	10.2	323	329	....	329	10.4	+ 2
White	8,039	76	9.5	76	80	....	80	10.0	+ 5
Colored	23,651	247	10.4	247	249	....	249	10.5	+ 1
Fentress	10,896	29	2.7	29	30	....	30	2.8	+ 4
Franklin (total)	20,664	164	7.9	164	169	....	169	8.2	+ 4
White	18,039	130	7.2	130	133	....	133	7.4	+ 3
Colored	2,625	34	13.0	34	36	....	36	13.7	+ 5
Gibson (total)	43,660	424	9.7	424	436	....	436	10.0	+ 3
White	33,961	302	8.9	302	314	....	314	9.2	+ 3
Colored	9,699	122	12.6	122	122	....	122	12.6	.....
Giles (total)	[3] 30,948	311	10.0	311	322	....	322	10.4	+ 4
White	21,516	187	8.7	187	194	....	194	9.0	+ 3
Colored	9,432	124	13.1	124	128	....	128	13.6	+ 4
Grainger	[3] 13,369	172	12.9	172	175	....	175	13.1	+ 2
Greene	33,093	329	9.9	329	331	....	331	10.0	+ 1

[See footnotes at end of table.]

TABLE IB.—POPULATION, DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1921—Continued.

[See note at head of this table, p. 123.]

AREA AND COLOR.	Population estimated as of July 1, 1921.	DEATHS (EXCLUSIVE OF STILLBIRTHS) IN 1921. Including nonresidents. Number.	Including nonresidents. Rate per 1,000 population.	Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died elsewhere in registration area.	Nonresidents not transferable.	Excluding all nonresidents and including residents who died elsewhere in registration area. Number.	Excluding all nonresidents and including residents who died elsewhere in registration area. Rate per 1,000 population.	Excluding all nonresidents and including residents who died elsewhere in registration area. Per cent of change.
RURAL PART OF REGISTRATION STATES[7]—Con.									
TENNESSEE COUNTIES—continued.									
Grundy	9,974	69	6.9	69	70	....	70	7.0	+ 1
Hamblen (total)	15,272	192	12.6	192	193	....	193	12.6	.....
White	13,650	166	12.2	166	167	....	167	12.2	.....
Colored	1,622	26	16.0	26	26	....	26	16.0	.....
Hamilton (total)	60,406	613	10.1	611	633	....	633	10.5	+ 4
White	51,792	492	9.5	490	508	....	508	9.8	+ 3
Colored	8,614	121	14.0	121	125	....	125	14.5	+ 4
Hancock	[3] 10,454	101	9.7	101	103	....	103	9.9	+ 2
Hardeman (total)	[3] 22,278	227	10.2	226	233	....	233	10.5	+ 3
White	13,028	115	8.8	114	119	....	119	9.1	+ 3
Colored	9,250	112	12.1	112	114	....	114	12.3	+ 2
Hardin (total)	[3] 17,291	111	6.4	111	113	....	113	6.5	+ 2
White	15,359	95	6.2	95	97	....	97	63	+ 2
Colored	1,932	16	8.3	16	16	....	16	8.3	.....
Hawkins	[3] 22,918	192	8.4	191	191	....	191	8.3	— 1
Haywood (total)	[3] 25,386	343	13.5	343	353	....	353	13.9	+ 3
White	8,427	93	11.0	93	102	....	102	12.1	+10
Colored	16,959	250	14.7	250	251	....	251	14.8	+ 1
Henderson	18,652	133	7.1	133	140	....	140	7.5	+ 6
Henry (total)	27,416	230	8.4	230	232	....	232	8.5	+ 1
White	21,914	176	8.0	176	177	....	177	8.1	+ 1
Colored	5,502	54	9.8	54	55	....	55	10.0	+ 2
Hickman (total)	[3] 16,216	97	6.0	97	98	....	98	6.0	.....
White	14,288	76	5.3	76	77	....	77	5.4	+ 2
Colored	1,928	21	10.9	21	21	....	21	10.9	.....
Houston (total)	[3] 6,212	52	8.4	52	52	....	52	8.4	.....
White	5,525	43	7.8	43	43	....	43	7.8	.....
Colored	687	9	13.1	9	9	....	9	13.1	.....
Humphreys	[3] 13,482	104	7.7	104	106	....	106	7.9	+ 3
Jackson	[3] 14,955	109	7.3	109	110	....	110	7.4	+ 1
Jefferson	[3] 17,677	159	9.0	159	161	....	161	9.1	+ 1
Johnson	[3] 12,230	156	12.8	156	157	....	157	12.8	.....
Knox	33,546	330	9.8	325	368	1	367	10.9	+11
Lake (total)	9,132	37	4.1	37	37	....	37	4.1	.....
White	6,115	26	4.3	26	26	....	26	4.3	.....
Colored	3,017	11	3.6	11	11	....	11	3.6	.....
Lauderdale (total)	21,554	270	12.5	270	278	....	278	12.9	+ 3
White	12,721	139	10.9	139	146	....	146	11.5	+ 6
Colored	8,833	131	14.8	131	132	....	132	14.9	+ 1
Lawrence	24,523	141	5.7	140	142	....	142	5.8	+ 2
Lewis (total)	[3] 5,707	42	7.4	42	44	....	44	7.7	+ 4
White	5,021	36	7.2	36	38	....	38	7.6	+ 6
Colored	686	6	8.7	6	6	....	6	8.7	.....
Lincoln (total)	[3] 25,786	244	9.5	244	248	....	248	9.6	+ 1
White	20,928	196	9.4	196	199	....	199	9.5	+ 1
Colored	4,858	48	9.9	48	49	....	49	10.1	+ 2
Loudon	16,686	185	11.1	185	191	....	191	11.4	+ 3
McMinn	25,765	257	10.0	257	269	....	269	10.4	+ 4
McNairy	13,658	110	5.9	110	112	....	112	6.0	+ 2
Macon	14,978	94	6.3	94	95	....	95	6.3	.....
Madison (total)	25,364	222	8.8	222	226	....	226	8.9	+ 1
White	14,285	121	8.5	121	125	....	125	8.8	+ 4
Colored	11,079	101	9 1	101	101	....	101	9.1	.....
Marion	[3] 17,402	187	10.7	187	189	....	189	10.9	+ 2
Marshall (total)	17,452	212	12.1	212	215	....	215	12.3	+ 2
White	14,412	164	11.4	164	166	....	166	11.5	+ 1
Colored	3,040	48	15.8	48	49	....	49	16.1	+ 2
Maury (total)	[3] 35,403	347	9.8	347	352	....	352	9.9	+ 1
White	23,453	225	9.6	225	228	....	228	9.7	+ 1
Colored	11,950	122	10.2	122	124	....	124	10.4	+ 2
Meigs	[3] 6,077	29	4.8	29	30	....	30	4.9	+ 2
Monroe	22,268	176	7.9	176	182	....	182	8.2	+ 4
RURAL PART OF REGISTRATION STATES[7]—Con.									
TENNESSEE COUNTIES—continued.									
Montgomery (total)	[3] 32,265	385	11.9	382	384	....	384	11.9	.....
White	20,333	220	10.8	218	220	....	220	10.8	.....
Colored	11,932	165	13.8	164	164	....	164	13.7	— 1
Moore	[3] 4,491	49	10.9	49	49	....	49	10.9	.....
Morgan	13,567	119	8.8	119	120	....	120	8.8	.....
Obion (total)	[3] 28,393	286	10.1	286	289	....	289	10.2	+ 1
White	24,289	228	9.4	228	231	....	231	9.5	+ 1
Colored	4,104	58	14.1	58	58	....	58	14.1	.....
Overton	17,889	114	6.4	114	114	....	114	6.4	.....
Perry	[3] 7,765	59	7.6	59	60	....	60	7.7	+ 1
Pickett	5,223	26	5.0	26	26	....	26	5.0	.....
Polk	14,263	124	8.7	124	129	....	129	9.0	+ 3
Putnam	22,572	134	5.9	134	138	....	138	6.1	+ 3
Rhea	[3] 13,812	107	7.7	107	109	....	109	7.9	+ 3
Roane	24,896	260	10.4	259	264	....	264	10.6	+ 2
Robertson (total)	25,645	263	10.3	263	267	....	267	10.4	+ 1
White	20,192	178	8.8	178	181	....	181	9.0	+ 2
Colored	5,453	85	15.6	85	86	....	86	15.8	+ 1
Rutherford (total)	[3] 33,059	270	8.2	270	282	....	282	8.5	+ 4
White	23,273	149	6.4	149	157	....	157	6.7	+ 5
Colored	9,786	121	12.4	121	125	....	125	12.8	+ 3
Scott	13,482	76	5.6	76	79	....	79	5.9	+ 5
Sequatchie	[3] 3,632	30	8.3	30	30	....	30	8.3	.....
Sevier	22,398	181	8.1	181	187	....	187	8.3	+ 2
Shelby (total)	62,470	353	13.7	848	892	1	891	14.3	+ 4
White	23,998	241	10.0	240	264	....	264	11.0	+10
Colored	38,472	612	15.9	608	628	1	627	16.3	+ 3
Smith	[3] 17,134	146	8.5	146	150	....	150	8.8	+ 4
Stewart	[3] 14,664	114	7.8	114	114	....	114	7.8	.....
Sullivan	37,516	372	9.9	371	376	....	376	10.0	+ 1
Sumner (total)	28,029	281	10.0	280	287	....	287	10.2	+ 2
White	23,397	223	9.5	223	229	....	229	9.8	+ 3
Colored	4,632	58	12.5	57	58	....	58	12.5	.....
Tipton (total)	30,381	274	9.0	274	281	....	281	9.2	+ 2
White	17,276	152	8.8	152	159	....	159	9.2	+ 5
Colored	13,105	122	9.3	122	122	....	122	9.3	.....
Trousdale (total)	6,015	73	12.1	73	74	....	74	12.3	+ 2
White	4,308	48	11.1	48	49	....	49	11.4	+ 3
Colored	1,707	25	14.6	25	25	....	25	14.6	.....
Unicoi	10,571	115	10.9	115	116	....	116	11.0	+ 1
Union	11,646	86	7.4	86	89	....	89	7.6	+ 3
Van Buren	[3] 2,624	31	11.8	31	31	....	31	11.8	.....
Warren	17,425	164	9.4	164	165	....	165	9.5	+ 1
Washington	21,871	198	9.1	198	199	....	199	9.1	.....
Wayne	13,003	75	5.8	75	78	....	78	6.0	+ 3
Weakley	[3] 31,053	300	9.7	300	301	....	301	9.7	.....
White	15,743	142	9.0	142	142	....	142	9.0	.....
Williamson (total)	[3] 23,409	231	9.9	230	238	....	238	10.2	+ 3
White	16,863	150	8.9	150	155	....	155	9.2	+ 3
Colored	6,546	81	12.4	80	83	....	83	12.7	+ 2
Wilson (total)	26,372	270	10.2	270	274	....	274	10.4	+ 2
White	20,732	204	9.8	204	207	....	207	10.0	+ 2
Colored	5,640	66	11.7	66	67	....	67	11.9	+ 2
UTAH COUNTIES.									
Beaver	5,205	37	7.1	35	42	2	40	7.7	+ 8
Box Elder	19,545	165	8.4	160	181	2	179	9.2	+10
Cache	27,599	268	9.7	263	271	6	265	9.6	— 1
Carbon	16,550	198	12.0	189	221	2	219	13.2	+10
Daggett	(8)	2	(8)	2	2	....	2	(8)	(8)

[See footnotes at end of table.]

TABLE I B.—POPULATION, DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1921—Continued.

[See note at head of this table, p. 123.]

AREA AND COLOR.	Population estimated as of July 1, 1921.	DEATHS (EXCLUSIVE OF STILL BIRTHS) IN 1921.							
		Including nonresidents.		Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died elsewhere in registration area.	Nonresidents not transferable.	Excluding all nonresidents and including residents who died elsewhere in registration area.		
		Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Per cent of change.
RURAL PART OF REGISTRATION STATES[7]—Con.									
UTAH COUNTIES—continued.									
Davis	11,644	78	6.7	70	82	2	80	6.9	+ 3
Duchesne	(8)	56	(8)	54	65	....	65	(8)	(8)
Emery	7,513	60	8.0	59	63	3	60	8.0	.....
Garfield	4,940	49	9.9	49	51	....	51	10.3	+ 4
Grand	1,840	17	9.2	16	18	1	17	9.2	.....
Iron	6,074	53	8.7	51	54	....	54	8.9	+ 2
Juab	[3] 9,871	74	7.5	70	86	....	86	8.7	+16
Kane	2,116	19	9.0	19	22	....	22	10.4	+16
Millard	10,206	97	9.5	94	103	....	103	10.1	+ 6
Morgan	2,553	23	9.0	22	27	....	27	10.6	+18
Piute	2,930	16	5.5	16	19	....	19	6.5	+18
Rich	1,890	16	8.5	16	17	....	17	9.0	+ 6
Salt Lake	41,991	333	7.9	321	385	3	382	9.1	+15
San Juan (total)	3,534	23	6.5	23	24	....	24	6.8	+ 5
White	2,676	23	8.6	23	24	....	24	9.0	+ 5
Colored	858	----	----	----	----	....	----	----	----
Sanpete	17,629	188	10.7	186	212	2	210	11.9	+11
Sevier	11,514	140	12.2	119	125	1	124	10.8	−11
Summit	[3] 7,862	89	11.3	86	95	....	95	12.1	+ 7
Tooele	7,972	49	6.1	48	57	1	56	7.0	+15
Uintah (total)	(8)	74	(8)	72	76	....	76	(8)	(8)
White	(8)	52	(8)	50	53	....	53	(8)	(8)
Colored	(8)	22	(8)	22	23	....	23	(8)	(8)
Utah	30,716	361	11.8	348	372	2	370	12.0	+ 2
Wasatch	(8)	40	(8)	38	42	....	42	(8)	(8)
Washington	7,018	71	10.1	66	67	2	65	9.3	− 8
Wayne	2,150	31	14.4	31	37	....	37	17.2	+19
Weber	10,832	89	8.2	81	95	1	94	8.7	+ 6
VERMONT COUNTIES.									
Addison	[3] 18,666	269	14.4	266	285	....	285	15.3	+ 6
Bennington	21,608	273	12.6	267	286	....	286	13.2	+ 5
Caledonia	[3] 25,762	378	14.7	369	383	2	381	14.8	+ 1
Chittenden	20,765	277	13.3	240	259	....	259	12.5	− 6
Essex	[3] 7,364	97	13.2	96	104	1	103	14.0	+ 6
Franklin	30,050	404	13.4	401	407	3	404	13.4	.....
Grand Isle	3,787	53	14.0	51	54	....	54	14.3	+ 2
Lamoille	[3] 11,858	153	12.9	151	170	....	170	14.3	+11
Orange	[3] 17,279	260	15.0	252	263	....	263	15.2	+ 1
Orleans	24,001	314	13.1	311	326	....	326	13.6	+ 4
Rutland	[12] 31,041	416	13.4	414	443	....	443	14.3	+ 7
Washington*	[3] 28,913	461	15.9	458	484	2	482	16.7	+ 5
Windham*	[3] 26,373	461	17.5	419	432	....	432	16.4	− 6
Windsor	37,494	439	11.7	437	466	....	466	12.4	+ 6
VIRGINIA COUNTIES.									
Accomac (total)	[3] 34,795	462	13.3	462	478	....	478	13.7	+ 3
White	21,581	235	10.9	235	247	....	247	11.4	+ 5
Colored	13,214	227	17.2	227	231	....	231	17.5	+ 2
Albemarle (total)	[3] 26,005	442	17.0	401	408	3	405	15.6	− 8
White	18,436	286	15.5	258	263	3	260	14.1	− 9
Colored	7,569	156	20.6	143	145	....	145	19.2	− 7
Alleghany (total)	15,512	152	9.8	152	158	....	158	10.2	+ 4
White	13,049	123	9.4	123	128	....	128	9.8	+ 4
Colored	2,463	29	11.8	29	30	....	30	12.2	+ 3
Amelia (total)	9,968	123	12.3	123	129	1	128	12.8	+ 4
White	4,501	46	10.2	46	50	1	49	10.9	+ 7
Colored	5,467	77	14.1	77	79	....	79	14.5	+ 3
Amherst (total)	19,901	213	10.7	212	219	....	219	11.0	+ 3
White	12,808	126	9.8	125	130	....	130	10.1	+ 3
Colored	7,093	87	12.3	87	89	....	89	12.5	+ 2
Appomattox (total)	9,311	112	12.0	112	113	....	113	12.1	+ 1
White	6,511	79	12.1	79	79	....	79	12.1	.....
Colored	2,800	33	11.8	33	34	....	34	12.1	+ 3

AREA AND COLOR.	Population estimated as of July 1, 1921.	DEATHS (EXCLUSIVE OF STILLBIRTHS) IN 1921.							
		Including nonresidents.		Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died elsewhere in registration area.	Nonresidents not transferable.	Excluding all nonresidents and including residents who died elsewhere in registration area.		
		Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Per cent of change.
RURAL PART OF REGISTRATION STATES[7]—Con.									
VIRGINIA COUNTIES—continued.									
Arlington (total)	17,123	130	7.6	128	162	....	162	9.5	+25
White	14,586	94	6.4	92	123	....	123	8.4	+31
Colored	2,537	36	14.2	36	39	....	39	15.4	+ 8
Augusta (total)	35,015	396	11.3	395	401	....	401	11.5	+ 2
White	30,878	329	10.7	328	332	....	332	10.8	+ 1
Colored	4,137	67	16.2	67	69	....	69	16.7	+ 3
Bath (total)	[3] 6,389	81	12.7	80	86	....	86	13.5	+ 6
White	5,458	64	11.7	63	69	....	69	12.6	+ 8
Colored	931	17	18.3	17	17	....	17	18.3	.....
Bedford (total)	30,842	317	10.3	317	342	....	342	11.1	+ 8
White	22,924	221	9.6	221	242	....	242	10.6	+10
Colored	7,918	96	12.1	96	100	....	100	12.6	+ 4
Bland	5,661	55	9.7	55	56	....	56	9.9	+ 2
Botetourt (total)	[3] 16,557	182	11.0	181	196	....	196	11.8	+ 7
White	13,586	139	10.2	138	150	....	150	11.0	+ 8
Colored	2,971	43	14.5	43	46	....	46	15.5	+ 7
Bristol (city) (total)	6,803	89	13.1	89	91	....	91	13.4	+ 2
White	5,751	68	11.8	68	70	....	70	12.2	+ 3
Colored	1,052	21	20.0	21	21	....	21	20.0	.....
Brunswick (total)	21,300	219	10.3	219	227	....	227	10.7	+ 4
White	9,183	76	8.3	76	80	....	80	8.7	+ 5
Colored	12,117	143	11.8	143	147	....	147	12.1	+ 3
Buchanan	15,921	189	11.9	189	191	....	191	12.0	+ 1
Buckingham (total)	[3] 14,885	154	10.3	154	162	1	161	10.8	+ 5
White	8,038	69	8.6	69	75	1	74	9.2	+ 7
Colored	6,847	85	12.4	85	87	....	87	12.7	+ 2
Buena Vista (city)	4,013	51	12.7	51	52	....	52	13.0	+ 2
Campbell (total)	27,284	257	9.4	255	272	....	272	10.0	+ 6
White	18,750	149	7.9	148	161	....	161	8.6	+ 9
Colored	8,534	108	12.7	107	111	....	111	13.0	+ 2
Caroline (total)	[3] 15,954	189	11.8	189	199	....	199	12.5	+ 6
White	7,877	72	9.1	72	77	....	77	9.8	+ 8
Colored	8,077	117	14.5	117	122	....	122	15.1	+ 4
Carroll	21,309	183	8.6	182	183	....	183	8.6	.....
Charles City (total)	[3] 4,793	68	14.2	68	72	....	72	15.0	+ 6
White	1,086	10	9.2	10	11	....	11	10.1	+10
Colored	3,707	58	15.6	58	61	....	61	16.5	+ 6
Charlotte (total)	17,810	150	8.4	150	158	....	158	8.9	+ 6
White	10,397	79	7.6	79	83	....	83	8.0	+ 5
Colored	7,413	71	9.6	71	75	....	75	10.1	+ 5
Chesterfield (total)	20,912	212	10.1	209	228	....	228	10.9	+ 8
White	13,697	118	8.6	115	129	....	129	9.4	+ 9
Colored	7,215	94	13.0	94	99	....	99	13.7	+ 5
Clarke (total)	[3] 7,165	97	13.5	97	98	....	98	13.7	+ 1
White	5,422	70	12.9	70	70	....	70	12.9	.....
Colored	1,743	27	15.5	27	28	....	28	16.1	+ 4
Clifton Forge* (city) (total)	6,227	121	19.4	98	99	10	89	14.3	−26
White	5,240	84	16.0	70	71	6	65	12.4	−23
Colored	987	37	37.5	28	28	4	24	24.3	−35
Craig	[3] 4,100	35	8.5	35	37	....	37	9.0	+ 6
Culpeper (total)	[3] 13,292	100	7.5	100	106	....	106	8.0	+ 7
White	8,598	63	7.3	63	65	....	65	7.6	+ 4
Colored	4,694	37	7.9	37	41	....	41	8.7	+10
Cumberland (total)	[3] 9,111	99	10.9	99	100	....	100	11.0	+ 1
White	3,357	38	11.3	38	38	....	38	11.3	.....
Colored	5,754	61	10.6	61	62	....	62	10.8	+ 2
Dickenson	14,213	92	6.5	92	92	....	92	6.5	.....
Dinwiddie* (total)	18,336	484	26.4	484	494	....	494	26.9	+ 2
White	7,296	68	9.3	68	76	....	76	10.4	+12
Colored	11,040	416	37.7	416	418	....	418	37.9	+ 1

[See footnotes at end of table.]

TABLE I B.—POPULATION, DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1921—Continued.

[See note at head of this table, p. 123.]

AREA AND COLOR.	Population estimated as of July 1, 1921.	DEATHS (EXCLUSIVE OF STILLBIRTHS) IN 1921. Including nonresidents. Number.	Including nonresidents. Rate per 1,000 population.	Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died elsewhere in registration area.	Nonresidents not transferable.	Excluding all nonresidents and including residents who died elsewhere in registration area. Number.	Excluding all nonresidents and including residents who died elsewhere in registration area. Rate per 1,000 population.	Excluding all nonresidents and including residents who died elsewhere in registration area. Per cent of change.
RURAL PART OF REGISTRATION STATES [7]—Con.									
VIRGINIA COUNTIES—con.									
Elizabeth City* (total)		343		338	344	1	343		
White		176		174	177	1	176		
Colored	24,871	167	21.8	164	167	....	167	21.8	.....
(excl. of) Nat. Military Home (total)	16,655 8,216	199	21.7 21.9	199	199	....	199	21.7 21.9	....
White		186		186	186	....	186		
Colored		13		13	13	....	13		
Essex (total)	[3] 8,542	82	9.6	82	85	....	85	10.0	+ 4
White	3,644	29	8.0	29	30	....	30	8.2	+ 3
Colored	4,898	53	10.8	53	55	....	55	11.2	+ 4
Fairfax (total)	22,284	223	10.0	220	248	....	248	11.1	+11
White	17,752	157	8.8	155	175	....	175	9.9	+13
Colored	4,532	66	14.6	65	73	....	73	16.1	+10
Fauquier (total)	[3] 21,869	226	10.3	225	246	....	246	11.2	+ 9
White	14,934	140	9.4	139	153	....	153	10.2	+ 9
Colored	6,935	86	12.4	86	93	....	93	13.4	+ 8
Floyd	[3] 13,115	141	10.8	141	143	....	143	10.9	+ 1
Fluvanna (total)	8,581	104	12.1	104	110	....	110	12.8	+ 6
White	5,146	49	9.5	49	52	....	52	10.1	+ 6
Colored	3,435	55	16.0	55	58	....	58	16.9	+ 6
Franklin (total)	[3] 26,283	222	8.4	222	233	....	233	8.9	+ 6
White	21,671	183	8.4	183	193	....	193	8.9	+ 6
Colored	4,612	39	8.5	39	40	....	40	8.7	+ 2
Frederick	[3] 12,461	121	9.7	121	122	....	122	9.8	+ 1
Fredericksburg (city) (total)	5,882	107	18.2	101	103	....	103	17.5	— 4
White	4,733	76	16.1	72	74	....	74	15.6	— 3
Colored	1,149	31	27.0	29	29	....	29	25.2	— 7
Giles	11,944	119	10.0	119	123	1	122	10.2	+ 2
Gloucester (total)	[3] 11,894	115	9.7	115	119	....	119	10.0	+ 3
White	6,313	44	7.0	44	46	....	46	7.3	+ 4
Colored	5,581	71	12.7	71	73	....	73	13.1	+ 3
Goochland (total)	[3] 8,863	119	13.4	119	127	....	127	14.3	+ 7
White	4,080	39	9.6	39	45	....	45	11.0	+15
Colored	4,783	80	16.7	80	82	....	82	17.1	+ 2
Grayson	[3] 19,816	193	9.7	193	196	....	196	9.9	+ 2
Greene (total)	[3] 6,369	64	10.0	64	65	....	65	10.2	+ 2
White	5,270	52	9.9	52	53	....	53	10.1	+ 2
Colored	1,099	12	10.9	12	12	....	12	10.9	.....
Greensville (total)	[3] 11,606	119	10.3	119	123	....	123	10.6	+ 3
White	4,779	32	6.7	32	36	....	36	7.5	+12
Colored	6,827	87	12.7	87	87	....	87	12.7	.....
Halifax (total)	41,580	449	10.8	449	457	1	456	11.0	+ 2
White	21,513	186	8.6	186	190	....	190	8.8	+ 2
Colored	20,067	263	13.1	263	267	1	266	13.3	+ 2
Hanover (total)	18,225	232	12.7	232	239	....	239	13.1	+ 3
White	11,019	114	10.3	114	119	....	119	10.8	+ 5
Colored	7,206	118	16.4	118	120	....	120	16.7	+ 2
Harrisonburg (city) (total)	6,028	127	21.1	126	127	....	127	21.1	.....
White	5,267	116	22.0	115	116	....	116	22.0	.....
Colored	761	11	14.5	11	11	....	11	14.5	.....
Henrico (total)	20,526	226	11.0	214	241	2	239	11.6	+ 5
White	14,086	137	9.7	126	150	2	148	10.5	+ 8
Colored	6,440	89	13.8	88	91	....	91	14.1	+ 2
Henry (total)	20,513	246	12.0	246	250	....	250	12.2	+ 2
White	13,102	124	9.5	124	127	....	127	9.7	+ 2
Colored	7,411	122	16.5	122	123	....	123	16.6	+ 1
Highland	[3] 4,931	70	14.2	70	70	....	70	14.2	.....
Hopewell (city) (total)	(8)	17	(8)	17	21	....	21	(8)	(8)
White	(8)	14	(8)	14	17	....	17	(8)	(8)
Colored	(8)	3	(8)	3	4	....	4	(8)	(8)
Isle of Wight (total)	[3] 14,433	180	12.5	180	185	....	185	12.8	+ 2
White	7,283	68	9.3	68	73	....	73	10.0	+ 8
Colored	7,150	112	15.7	112	112	....	112	15.7	.....
RURAL PART OF REGISTRATION STATES [7]—Con.									
VIRGINIA COUNTIES—con.									
James City* (total)	[3] 6,138	148	24.1	135	138	1	137	22.3	— 7
White	3,417	100	29.3	87	89	1	88	25.8	—12
Colored	2,721	48	17.6	48	49	....	49	18.0	+ 2
King and Queen (total)	[3] 9,161	123	13.4	123	129	....	129	14.1	+ 5
White	4,105	57	13.9	57	61	....	61	14.9	+ 7
Colored	5,056	66	13.1	66	68	....	68	13.4	+ 2
King George (total)	[3] 5,762	63	10.9	63	64	....	64	11.1	+ 2
White	3,470	32	9.2	32	33	....	33	9.5	+ 3
Colored	2,292	31	13.5	31	31	....	31	13.5	.....
King William (total)	8,768	129	14.7	129	134	....	134	15.3	+ 4
White	3,963	39	9.8	39	44	....	44	11.1	+13
Colored	4,805	90	18.7	90	90	....	90	18.7	.....
Lancaster (total)	9,757	111	11.4	110	114	....	114	11.7	+ 3
White	4,775	47	9.8	46	50	....	50	10.5	+ 7
Colored	4,982	64	12.8	64	64	....	64	12.8	.....
Lee	25,517	220	8.6	218	220	....	220	8.6	.....
Loudoun (total)	[3] 20,577	285	13.9	285	294	....	294	14.3	+ 3
White	15,765	201	12.7	201	207	....	207	13.1	+ 3
Colored	4,812	84	17.5	84	87	....	87	18.1	+ 3
Louisa (total)	17,168	197	11.5	197	210	....	210	12.2	+ 6
White	9,376	83	8.9	83	92	....	92	9.8	+10
Colored	7,792	114	14.6	114	118	....	118	15.1	+ 3
Lunenburg (total)	15,643	175	11.2	175	182	....	182	11.6	+ 4
White	8,451	89	10.5	89	93	....	93	11.0	+ 5
Colored	7,192	86	12.0	86	89	....	89	12.4	+ 3
Madison (total)	[3] 9,595	110	11.5	109	119	....	119	12.4	+ 8
White	6,727	62	9.2	62	68	....	68	10.1	+10
Colored	2,868	48	16.7	47	51	....	51	17.8	+ 7
Mathews (total)	[3] 8,447	85	10.1	84	89	....	89	10.5	+ 4
White	6,084	54	8.9	53	58	....	58	9.5	+ 7
Colored	2,363	31	13.1	31	31	....	31	13.1	.....
Mecklenburg (total)	31,556	387	12.3	387	395	....	395	12 5	+ 2
White	14,940	123	8.2	123	129	....	129	8.6	+ 5
Colored	16,616	264	15.9	264	266	....	266	16.0	+ 1
Middlesex (total)	[3] 8,157	82	10.1	82	84	....	84	10.3	+ 2
White	4,040	34	8.4	34	36	....	36	8.9	+ 6
Colored	4,117	48	11.7	48	48	....	48	11.7	.....
Montgomery (total)	18,800	224	11.9	222	232	....	232	12.3	+ 3
White	16,759	185	11.0	183	191	....	191	11.4	+ 4
Colored	2,041	39	19.1	39	41	....	41	20.1	+ 5
Nansemond (total)	20,325	293	14.4	290	294	....	294	14.5	+ 1
White	7,397	93	12.6	90	92	....	92	12.4	— 2
Colored	12,928	200	15.5	200	202	....	202	15.6	+ 1
Nelson (total)	17,346	133	7.7	133	144	....	144	8.3	+ 8
White	12,358	89	7.2	89	98	....	98	7.9	+10
Colored	4,988	44	8.8	44	46	....	46	9.2	+ 5
New Kent (total)	[2] 4,541	63	13.9	63	66	....	66	14.5	+ 4
White	1,879	13	6.9	13	14	....	14	7.5	+ 9
Colored	2,662	50	18.8	50	52	....	52	19.5	+ 4
Norfolk (total)	62,063	701	11.3	680	705	4	701	11.3	.....
White	39,008	303	7.8	291	310	4	306	7.8	.....
Colored	23,055	398	17.3	389	395	....	395	17.1	— 1
Northampton (total)	18,034	236	13.1	235	242	....	242	13.4	+ 2
White	8,402	65	7.7	65	72	....	72	8.6	+12
Colored	9,632	171	17.8	170	170	....	170	17.6	— 1
Northumberland (total)	11,632	128	11.0	127	128	....	128	11.0	.....
White	6,664	54	8.1	53	54	....	54	8.1	.....
Colored	4,968	74	14.9	74	74	....	74	14.9	.....
Nottoway (total)	14,269	255	17.9	253	264	....	264	18.5	+ 3
White	7,809	75	9.6	75	85	....	85	10.9	+14
Colored	6,460	180	27.9	178	179	....	179	27.7	— 1
Orange (total)	[3] 13,320	140	10.5	139	145	....	145	10.9	+ 4
White	8,455	75	8.9	75	78	....	78	9.2	+ 3
Colored	4,865	65	13.4	64	67	....	67	13.8	+ 3

[See footnotes at end of table.]

TABLE I B.—POPULATION, DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1921—Continued.

[See note at head of this table, p. 123.]

AREA AND COLOR.	Population estimated as of July 1, 1921.	DEATHS (EXCLUSIVE OF STILLBIRTHS) IN 1921.								AREA AND COLOR.	Population estimated as of July 1, 1921.	DEATHS (EXCLUSIVE OF STILLBIRTHS) IN 1921.							
		Including nonresidents.		Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died elsewhere in registration area.	Nonresidents not transferable.	Excluding all nonresidents and including residents who died elsewhere in registration area.					Including nonresidents.		Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died elsewhere in registration area.	Nonresidents not transferable.	Excluding all nonresidents and including residents who died elsewhere in registration area.		
		Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Per cent of change.			Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Per cent of change.
RURAL PART OF REGISTRATION STATES [7]—Con.										RURAL PART OF REGISTRATION STATES [7]—Con.									
VIRGINIA COUNTIES—continued.										VIRGINIA COUNTIES—continued.									
Page	14,866	181	12.2	181	184	....	184	12.4	+ 2	Tazewell (total)	28,287	274	9.7	273	279	....	279	9.9	+ 2
Patrick	[3] 16,850	140	8.3	140	143	....	143	8.5	+ 2	White	25,382	227	8.9	227	232	....	232	9.1	+ 2
Pittsylvania (total)	57,386	588	10.2	587	597	....	597	10.4	+ 2	Colored	2,905	47	16.2	46	47	....	47	16.2	.....
White	37,406	350	9.4	350	360	....	360	9.6	+ 2	Warren (total)	8,893	94	10.6	94	95	....	95	10.7	+ 1
Colored	19,980	238	11.9	237	237	....	237	11.9	.....	White	7,763	85	10.9	85	86	....	86	11.1	+ 2
										Colored	1,130	9	8.0	9	9	....	9	8.0	.....
Powhatan (total)	6,622	86	13.0	86	87	....	87	13.1	+ 1										
White	2,632	18	6.8	18	18	....	18	6.8	.....	Warwick (total)	10,885	45	4.1	44	46	....	46	4.2	+ 2
Colored	3,990	68	17.0	68	69	....	69	17.3	+ 2	White	7,298	25	3.4	25	26	....	26	3.6	+ 6
Prince Edward (total)	14,844	160	10.8	160	165	....	165	11.1	+ 3	Colored	3,587	20	5.6	19	20	....	20	5.6	.....
White	6,703	63	9.4	63	64	....	64	9.5	+ 1	Washington	[3] 32,376	380	11.7	371	375	1	374	11.6	− 1
Colored	8,141	97	11.9	97	101	....	101	12.4	+ 4										
										Westmoreland (total)	10,383	119	11.5	119	122	....	122	11.7	+ 2
Prince George (total)	([8])	150	([8])	149	157	....	157	([8])	([8])	White	5,284	67	12.7	67	70	....	70	13.2	+ 4
White	([8])	55	([8])	54	62	....	62	([8])	([8])	Colored	5,099	52	10.2	52	52	....	52	10.2	.....
Colored	([8])	95	([8])	95	95	....	95	([8])	([8])	Winchester (city) (total)	7,041	134	19.0	130	134	2	132	18.7	− 2
Prince William (total)	13,913	130	9.3	129	138	....	138	9.9	+ 6	White	6,122	114	18.6	111	113	2	111	18.1	− 3
White	11,127	101	9.1	100	108	....	108	9.7	+ 7	Colored	919	20	21.8	19	21	....	21	22.9	+ 5
Colored	2,786	29	10.4	29	30	....	30	10.8	+ 4										
										Wise	48,406	550	11.4	547	548	1	547	11.3	− 1
Princess Anne* (total)	13,951	258	18.5	256	266	....	266	19.1	+ 3	Wythe	[3] 20,217	227	11.2	227	234	....	234	11.6	+ 4
White	7,430	105	14.1	104	111	....	111	14.9	+ 6	York (total)	8,090	73	9.0	73	76	....	76	9.4	+ 4
Colored	6,521	153	23.5	152	155	....	155	23.8	+ 1	White	4,694	26	5.5	26	28	....	28	6.0	+ 9
Pulaski (total)	[3] 17,111	194	11.3	193	200	....	200	11.7	+ 4	Colored	3,396	47	13.8	47	48	....	48	14.1	+ 2
White	14,686	157	10.7	156	162	....	162	11.0	+ 3										
Colored	2,425	37	15.3	37	38	....	38	15.7	+ 3	WASHINGTON COUNTIES.									
Radford (city) (total)	4,692	48	10.2	48	52	....	52	11.1	+ 9	Adams	[3] 9,623	35	3.6	33	43	....	43	4.5	+25
White	4,188	40	9.6	40	44	....	44	10.5	+ 9	Asotin	6,648	60	9.0	57	62	1	61	9.2	+ 2
Colored	504	8	15.9	8	8	....	8	15.9	.....	Benton	11,360	79	7.0	76	88	....	88	7.7	+10
Rappahannock (total)	8,073	96	11.9	96	99	....	99	12.3	+ 3	Chelan	21,801	224	10.3	206	217	2	215	9.9	− 4
White	5,919	65	11.0	65	68	....	68	11.5	+ 5	Clallam	12,080	128	10.6	124	130	....	130	10.8	+ 2
Colored	2,154	31	14.4	31	31	....	31	14.4	.....										
										Clarke	20,686	144	7.0	140	173	....	173	8.4	+20
Richmond (total)	7,436	96	12.9	96	97	....	97	13.0	+ 1	Columbia	[3] 6,093	61	10.0	60	68	....	68	11.2	+12
White	4,497	49	10.9	49	50	....	50	11.1	+ 2	Cowlitz	[3] 11,791	135	11.4	135	147	....	147	12.5	+10
Colored	2,939	47	16.0	47	47	....	47	16.0	.....	Douglas	9,418	63	6.7	63	67	....	67	7.1	+ 6
Roanoke (total)	23,336	279	12.0	276	305	1	304	13.0	+ 8										
White	20,533	215	10.5	213	236	....	236	11.5	+10	Ferry (total)	5,196	51	[9] 9.8	50	56	....	56	10.8	+10
Colored	2,803	64	22.8	63	69	1	68	24.3	+ 7	White	4,389	37	8.4	37	43	....	43	9.8	+17
										Colored	807	14	17.3	13	13	....	13	16.1	− 7
Rockbridge (total)	[3] 20,626	255	12.4	255	263	....	263	12.8	+ 3	Franklin	5,988	61	10.2	60	65	....	65	10.9	+ 7
White	17,954	210	11.7	210	217	....	217	12.1	+ 3	Garfield	[3] 3,875	31	8.0	31	37	....	37	9.5	+19
Colored	2,672	45	16.8	45	46	....	46	17.2	+ 2										
Rockingham	30,052	336	11.2	336	340	....	340	11.3	+ 1	Grant	[3] 7,771	49	6.3	45	60	....	60	7.7	+22
										Grays Harbor	20,245	167	8.2	165	196	3	193	9.5	+16
Russell	27,298	239	8.8	237	239	....	239	8.8	.....	Island	5,610	43	7.7	42	46	....	46	8.2	+ 6
Scott	24,925	222	8.9	221	222	....	222	8.9	.....	Jefferson	[3] 6,557	75	11.4	69	76	3	73	11.1	− 3
Shenandoah	[3] 20,808	232	11.1	231	233	....	233	11.2	+ 1	King	[10] 78,212	640	8.2	616	723	2	721	9.2	+12
Smyth	22,403	258	11.5	257	265	....	265	11.8	+ 3										
										Kitsap	35,560	253	7.1	251	289	....	289	8.1	+14
Southampton (total)	27,749	308	11.1	308	315	....	315	11.4	+ 3	Kittitas	[3] 17,737	163	9.2	161	174	....	174	9.8	+ 7
White	10,700	107	10.0	107	110	....	110	10.3	+ 3	Klickitat	[3] 9,268	73	7.9	70	85	1	84	9.1	+15
Colored	17,049	201	11.8	201	205	....	205	12.0	+ 2	Lewis	37,568	332	8.8	317	341	1	340	9.1	+ 3
Spotsylvania (total)	10,669	101	9.5	99	100	....	100	9.4	− 1	Lincoln	[3] 15,141	103	6.8	101	133	....	133	8.8	+29
White	7,242	55	7.6	54	55	....	55	7.6	.....										
Colored	3,427	46	13.4	45	45	....	45	13.1	− 2	Mason	[3] 4,919	49	10.0	46	57	....	57	11.6	+16
										Okanogan	17,744	114	6.4	110	128	1	127	7.2	+13
Stafford (total)	8,109	76	9.4	76	80	....	80	9.9	+ 5	Pacific	15,256	121	7.9	118	129	....	129	8.5	+ 8
White	6,608	57	8.6	57	60	....	60	9.1	+ 6	Pend Oreille	([8])	73	([8])	73	83	....	83	([8])	([8])
Colored	1,501	19	12.7	19	20	....	20	13.3	+ 5	Pierce*	48,722	657	13.5	607	727	....	727	14.9	+10
Suffolk (city) (total)	9,372	175	18.7	159	163	1	162	17.3	− 7										
White	5,661	68	12.0	57	61	....	61	10.8	−10	San Juan	3,605	29	8.0	29	32	....	32	8.9	+11
Colored	3,711	107	28.8	102	102	1	101	27.2	− 6	Skagit*	34,011	405	11.9	396	425	1	424	12.5	+ 5
										Skamania	[2] 2,357	24	10.2	24	26	....	26	11.0	+ 8
Surry (total)	[3] 9,305	123	13.2	123	124	....	124	13.3	+ 1	Snohomish	40,904	301	7.4	290	342	1	341	8.3	+12
White	3,612	40	11.1	40	40	....	40	11.1	.....										
Colored	5,693	83	14.6	83	84	....	84	14.8	+ 1	Spokane*	37,139	459	12.4	420	496	5	491	13.2	+ 6
Sussex (total)	[3] 12,834	163	12.7	163	170	....	170	13.2	+ 4	Stevens	([6])	176	([3])	174	189	2	187	([3])	([3])
White	4,405	26	5.9	26	32	....	32	7.3	+24	Thurston	23,104	212	9.2	202	228	....	228	9.9	+ 8
Colored	8,429	137	16.3	137	138	....	138	16.4	+ 1	Wahkiakum	3,501	21	6.0	21	26	....	26	7.4	+23

[See footnotes at end of table.]

TABLE I B.—POPULATION, DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1921—Continued.

[See note at head of this table, p. 123.]

AREA AND COLOR.	Population estimated as of July 1, 1921.	DEATHS (EXCLUSIVE OF STILLBIRTHS) IN 1921. Including nonresidents. Number.	Including nonresidents. Rate per 1,000 population.	Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died elsewhere in registration area.	Nonresidents not transferable.	Excluding all nonresidents and including residents who died elsewhere in registration area. Number.	Excluding all nonresidents and including residents who died elsewhere in registration area. Rate per 1,000 population.	Excluding all nonresidents and including residents who died elsewhere in registration area. Per cent of change.
RURAL PART OF REGISTRATION STATES[7]—Con.									
WASHINGTON COUNTIES—continued.									
Walla Walla	[3] 12,036	96	8.0	89	118	4	114	9.5	+19
Whatcom	25,007	237	9.5	228	253	2	251	10.0	+ 5
Whitman	[3] 31,323	298	9.5	292	325	5	320	10.2	+ 7
Yakima	47,881	373	7.8	366	436	3	433	9.0	+15
WISCONSIN COUNTIES.									
Adams	9,392	68	7.2	68	72	....	72	7.7	+ 7
Ashland	13,601	93	6.8	93	116	....	116	8.5	+25
Barron	35,080	352	10.0	346	359	....	359	10.2	+ 2
Bayfield	17,389	107	6.2	107	121	....	121	7.0	+13
Brown	31,183	285	9.1	283	314	....	314	10.1	+11
Buffalo	[3] 15,615	130	8.3	130	145	....	145	9.3	+12
Burnett	10,999	94	8.5	94	107	....	107	9.7	+14
Calumet	17,310	143	8.3	143	154	....	154	8.9	+ 7
Chippewa	37,159	399	10.7	395	409	....	409	11.0	+ 3
Clark	35,899	270	7.5	270	290	....	290	8.1	+ 8
Columbia	[3] 30,468	331	10.9	328	341	....	341	11.2	+ 3
Crawford	16,846	145	8.6	142	160	....	160	9.5	+10
Dane	51,133	526	10.3	517	565	....	565	11.0	+ 7
Dodge	50,098	468	9.3	466	485	....	485	9.7	+ 4
Door	19,129	221	11.6	221	228	....	228	11.9	+ 3
Douglas	10,462	48	4.6	47	71	....	71	6.8	+48
Dunn	27,235	251	9.2	251	265	....	265	9.7	+ 5
Eau Claire	14,936	109	7.3	107	127	....	127	8.5	+16
Florence	3,636	27	7.4	27	32	....	32	8.8	+19
Fond du Lac	32,675	307	9.4	307	339	....	339	10.4	+11
Forest	10,323	69	6.7	67	78	....	78	7.6	+13
Grant	39,049	416	10.7	416	424	....	424	10.9	+ 2
Green	[2] 21,568	251	11.6	250	266	....	266	12.3	+ 6
Green Lake	[3] 14,875	175	11.8	174	183	1	182	12.2	+ 3
Iowa	[3] 21,504	246	11.4	246	254	....	254	11.8	+ 4
Iron	10,563	79	7.5	79	87	....	87	8.2	+ 9
Jackson	17,850	170	9.5	170	182	....	182	10.2	+ 7
Jefferson	35,132	406	11.6	403	421	....	421	12.0	+ 3
Juneau	[3] 19,209	184	9.6	184	189	....	189	9.8	+ 2
Kenosha	11,066	107	9.7	107	120	....	120	10.8	+11
Kewaunee	[3] 16,091	162	10.1	162	176	....	176	10.9	+ 8
La Crosse	13,989	143	10.2	143	162	....	162	11.6	+14
Lafayette	[3] 20,002	185	9.2	185	190	....	190	9.5	+ 3
Langlade	22,153	210	9.5	206	211	....	211	9.5	.....
Lincoln	21,397	203	9.5	203	208	....	208	9.7	+ 2
RURAL PART OF REGISTRATION STATES[7]—Con.									
WISCONSIN COUNTIES—continued.									
Manitowoc	34,410	303	8.8	303	338	....	338	9.8	+11
Marathon	47,599	352	7.4	349	385	....	385	8.1	+ 9
Marinette	20,836	171	8.2	171	195	....	195	9.4	+15
Marquette	[3] 10,443	88	8.4	88	91	....	91	8.7	+ 4
Milwaukee* (excl. of) Nat. Military Home.	71,914	1,125 / 111	[13] 17.2	1,118 / 111	1,150 / 111	2	1,148 / 111	[13] 17.5	+ 2
Monroe	[3] 28,666	307	10.7	301	315	....	315	11.0	+ 3
Oconto	27,328	240	8.8	240	267	....	267	9.8	+11
Oneida	14,392	157	10.9	153	165	....	165	11.5	+ 6
Outagamie	36,050	300	8.3	300	327	....	327	9.1	+10
Ozaukee	[3] 16,335	168	10.3	168	182	....	182	11.1	+ 8
Pepin	[3] 7,481	77	10.3	77	85	....	85	11.4	+11
Pierce	[3] 21,663	208	9.6	208	236	....	236	10.9	+14
Polk	27,720	213	7.7	212	225	....	225	8.1	+ 5
Portage	22,282	235	10.5	235	247	....	247	11.1	+ 6
Price	19,247	152	7.9	152	170	....	170	8.8	+11
Racine	21,210	210	9.9	209	231	....	231	10.9	+10
Richland	19,980	222	11.1	221	237	1	236	11.8	+ 6
Rock	26,582	274	10.3	272	294	....	294	11.1	+ 8
Rusk	17,213	112	6.5	112	119	....	119	6.9	+ 6
St. Croix	26,137	230	8.8	225	248	....	248	9.5	+ 8
Sauk	[3] 32,548	316	9.7	315	330	1	329	10.1	+ 4
Sawyer (total)	8,554	49	5.7	49	54	....	54	6.3	+11
White	7,719	47	6.1	47	52	....	52	6.7	+10
Colored	835	2	2.4	2	2	....	2	2.4	.....
Shawano	34,298	343	10.0	342	368	....	368	10.7	+ 7
Sheboygan	29,030	267	9.2	263	278	....	278	9.6	+ 4
Taylor	18,725	126	6.7	126	138	....	138	7.4	+10
Trempealeau	24,750	225	9.1	223	253	....	253	10.2	+12
Vernon	29,428	258	8.8	258	289	....	289	9.8	+11
Vilas	[3] 5,649	61	10.8	60	64	....	64	11.3	+ 5
Walworth	[3] 29,327	317	10.8	316	336	....	336	11.5	+ 6
Washburn	11,868	77	6.5	77	87	....	87	7.3	+12
Washington	26,011	282	10.8	281	292	....	292	11.2	+ 4
Waukesha*	30,315	439	14.5	421	450	1	449	14.8	+ 2
Waupaca	34,419	430	12.5	426	448	....	448	13.0	+ 4
Waushara	[3] 16,712	150	9.0	150	157	....	157	9.4	+ 4
Winnebago*	30,995	429	13.8	427	439	1	438	14.1	+ 2
Wood	35,271	394	11.2	360	371	....	371	10.5	— 6

[1] Nonregistration state; the only cities shown are those with satisfactory registration of deaths.
[2] Less than 1 per cent.
[3] Population Jan. 1, 1920. Decrease since 1910; no estimate made.
[4] Population Jan. 1, 1920; no estimate made.
[5] Includes state institutions.
[6] Population Jan. 1, 1920. West Warwick town organized from Warwick town since 1910; no estimate made.
[7] Exclusive of municipalities having a population of 10,000 or more in 1920.
[8] Estimated population not available; rate not computed. See Vol. I, Population, 1920.
[9] Per cent not shown when either rate is based on less than 5 deaths.
[10] Exclusive of population Jan. 1, 1920, of 1 city and of the estimated increase in the population of Bridgeport.
[11] Exclusive of the estimated increase in the population of Hartford.
[12] Population Jan. 1, 1920, exclusive of estimated population, 1921, of city in the county. Decrease since 1910; no estimate made.
[13] Includes National Military Home.
[14] Population Jan. 1, 1920, exclusive of estimated population, 1921, and population Jan. 1, 1920, of cities in the county. Decrease since 1910; no estimate made.
[15] Exclusive of the estimated increase in the population of Detroit.
[16] Estimated population not available; rate not computed. County organized since 1920.
[17] Exclusive of the estimated increase in the population of Youngstown.
[18] Exclusive of the estimated increase in the population of Akron.
[19] Exclusive of the estimated increase in the population of Seattle.
[20] Data relating to nonresidents are incomplete on transcripts of deaths from Kentucky.

TABLE II.—DEATHS AND DEATH RATES PER 100,000 POPULATION, FROM EACH CAUSE AND CERTAIN GROUPS OF CAUSES, FOR THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1921 AND 1920.

Detailed Int. List No., 1920.	CAUSE OF DEATH.	DEATHS IN THE REGISTRATION AREA.[1] Number. 1921	Number. 1920	Rate per 100,000 population. 1921	Rate per 100,000 population. 1920
	All causes [2]	1,032,009	1,142,558	1,163.9	1,306.0
	I.—Epidemic, endemic, and infectious diseases	164,183	(3)	185.2	(3)
1	Typhoid and paratyphoid fever (total)	8,007	6,805	9.0	7.8
	Typhoid fever	7,932	6,740	8.9	7.7
	Paratyphoid fever	75	65	0.1	0.1
2	Typhus fever	12	(4)	(5)	(4)
3	Relapsing fever (spirillum obermeieri)	3	(6)	(5)	(6)
4	Malta fever	1	(6)	(5)	(6)
5	Malaria	3,229	3,136	3.6	3.6
6	Smallpox	641	508	0.7	0.6
7	Measles	3,790	7,712	4.3	8.8
8	Scarlet fever	4,718	4,004	5.3	4.6
9	Whooping cough	8,070	10,968	9.1	12.5
10	Diphtheria	15,683	13,395	17.7	15.3
11	Influenza (total)	10,193	(6)	11.5	(6)
	With pulmonary complications specified	5,973	(7)	6.7	(7)
	Without pulmonary complications specified	4,220	(7)	4.8	(7)
12	Miliary fever	2	-------	(5)	-------
13	Mumps	131	152	0.1	0.2
14	Asiatic cholera	-------	-------	-------	-------
15	Cholera nostras	232	175	0.3	0.2
16	Dysentery (total)	3,570	3,574	4.0	4.1
	Amebic	187	(7)	0.2	(7)
	Bacillary	321	(7)	0.4	(7)
	Unspecified or due to other causes	3,062	(7)	3.5	(7)
17	Plague (total)	1	27	(5)	(5)
	Bubonic	1	25	(5)	(5)
	Pneumonic	-------	1	-------	(5)
	Septicemic	-------	1	-------	(5)
	Unspecified	-------	-------	-------	-------
18	Yellow fever	2	1	(5)	(5)
19	Spirochetal hemorrhagic jaundice	27	(6)	(5)	(6)
20	Leprosy	18	24	(5)	(5)
21	Erysipelas	2,501	2,721	2.8	3.1
22	Acute anterior poliomyelitis	1,597	769	1.8	0.9
23	Lethargic encephalitis	1,355	1,070	1.5	1.2
24	Meningococcus meningitis	1,296	1,426	1.5	1.6
25	Other epidemic and endemic diseases (total)	209	185	0.2	0.2
	Chicken pox	163	139	0.2	0.2
	German measles	11	15	(5)	(5)
	Others under this title	35	31	(5)	(5)
26	Glanders	1	1	(5)	(5)
27	Anthrax	32	39	(5)	(5)
28	Rabies	54	41	0.1	(3)
29	Tetanus	1,614	1,472	1.8	1.7
30	Mycoses	197	(6)	0.2	(6)
	Tuberculosis (total)	88,135	99,916	99.4	114.2
31	Of the respiratory system	76,298	(6)	86.0	(6)
32	Of the meninges and central nervous system	4,281	4,895	4.8	5.6
33	Of the intestines and peritoneum	3,188	3,530	3.6	4.0
34	Of the vertebral column	925	984	1.0	1.1
35	Of the joints	434	495	0.5	0.6
36	Of other organs (total)	1,171	1,353	1.3	1.5
	Of the skin and subcutaneous cellular tissue	42	(7)	(5)	(7)
	Of the bones (vertebral column excepted)	180	(7)	0.2	(7)
	Of the lymphatic system (mesenteric and retroperitoneal glands excepted)	243	(7)	0.3	(7)
	Of the genito-urinary system	563	(7)	0.6	(7)
	Of other organs other than the above	143	(7)	0.2	(7)
37	Disseminated tuberculosis (total)	1,838	(6)	2.1	(6)
	Acute	1,405	(6)	1.6	(6)
	Chronic or unspecified	433	464	0.5	0.5
38	Syphilis [8]	6,962	7,969	7.9	9.1
39	Soft chancre	7	(6)	(5)	(6)
40	Gonococcus infection	644	(6)	0.7	(6)
41	Purulent infection, septicemia	1,240	1,227	1.4	1.4
42	Other infectious diseases	9	(4)	(5)	(4)
	II.—General diseases not included in Class I	113,707	(3)	128.2	(3)
	Cancer and other malignant tumors (aggregate)	76,274	72,931	86.0	83.4
43	Cancer of the buccal cavity (total)	2,610	2,679	2.9	3.1
	Cancer of the—				
	Lip	432	437	0.5	0.5
	Tongue	653	678	0.7	0.8
	Mouth	245	237	0.3	0.3
	Jaw	979	1,060	1.1	1.2
	Others of this class	301	267	0.3	0.3
44	Cancer of the stomach, liver (total)	28,367	27,489	32.0	31.4
	Cancer of the—				
	Pharynx	115	118	0.1	0.1
	Esophagus	1,264	1,103	1.4	1.3
	Stomach	18,213	17,625	20.5	20.1
	Liver and gall bladder	8,775	8,643	9.9	9.9
	II.—General diseases not included in Class I—Continued.				
	Cancer and other malignant tumors—Con.				
45	Cancer of the peritoneum, intestines, rectum (total)	10,653	9,792	12.0	11.2
	Cancer of the—				
	Mesentery and peritoneum	724	684	0.8	0.8
	Intestines (except rectum)	6,834	6,238	7.7	7.1
	Rectum and anus	3,029	2,816	3.4	3.2
	Others of this class	66	54	0.1	0.1
46	Cancer of the female genital organs (total)	11,181	10,797	12.6	12.3
	Cancer of the—				
	Ovary and Fallopian tube	749	652	0.8	0.7
	Uterus	10,085	9,848	11.4	11.3
	Vagina and vulva	287	247	0.3	0.3
	Others of this class	60	50	0.1	0.1
47	Cancer of the breast	7,016	6,665	7.9	7.6
48	Cancer of the skin	2,433	2,367	2.7	2.7
49	Cancer or other or unspecified organs (total)	14,014	13,142	15.8	15.0
	Cancer of the—				
	Larynx	575	499	0.6	0.6
	Lung and pleura	1,146	956	1.3	1.1
	Pancreas	1,310	1,180	1.5	1.3
	Kidneys and suprarenals	806	819	0.9	0.9
	Prostate	1,672	1,598	1.9	1.8
	Bladder	2,419	2,144	2.7	2.5
	Brain	204	184	0.2	0.2
	Bones (except jaw)	825	749	0.9	0.9
	Testes	155	143	0.2	0.2
	Others of this class	4,902	4,870	5.5	5.6
50	Benign tumors and tumors not returned as malignant (tumors of the female genital organs excepted)	738	(4)	0.8	(4)
51	Acute rheumatic fever	3,254	3,297	3.7	3.8
52	Chronic rheumatism, osteoarthritis, gout	1,020	(6)	1.2	(6)
53	Scurvy	60	(4)	0.1	(4)
54	Pellagra	2,541	2,322	2.9	2.7
55	Beriberi	6	5	(5)	(5)
56	Rickets	515	(6)	0.6	(6)
57	Diabetes mellitus	14,933	14,062	16.8	16.1
58	Anemia, chlorosis (total)	4,810	4,787	5.4	5.5
	Pernicious anemia	4,377	(7)	4.9	(7)
	Other anemias and chlorosis	433	(7)	0.5	(7)
59	Diseases of the pituitary gland	55	(4)	0.1	(4)
60	Diseases of the thyroid gland (total)	2,368	2,310	2.7	2.6
	Exophthalmic goiter	1,498	1,622	1.7	1.9
	Other diseases of the thyroid gland	870	688	1.0	0.8
61	Diseases of the parathyroid glands	71	(6)	0.1	(6)
62	Diseases of the thymus gland	570	(6)	0.6	(6)
63	Diseases of the adrenals (Addison's disease)	363	326	0.4	0.4
64	Diseases of the spleen [9]	264	126	0.3	0.1
65	Leukemia and Hodgkin's disease (total)	1,857	1,714	2.1	2.0
	Leukemia	1,241	(7)	1.4	(7)
	Hodgkin's disease	616	(7)	0.7	(7)
66	Alcoholism (acute or chronic) [9]	1,611	900	1.8	1.0
67	Chronic poisoning by mineral substances (total)	158	(3)	0.2	(3)
	Chronic lead poisoning	142	120	0.2	0.1
	Others under this title	16	(6)	(5)	(6)
68	Chronic poisoning by organic substances	228	(6)	0.3	(6)
69	Other general diseases [9]	2,011	1,830	2.3	2.1
	III.—Diseases of the nervous system and of the organs of special sense	108,577	(3)	122.5	(3)
70	Encephalitis	1,119	1,097	1.3	1.3
71	Meningitis (total)	3,684	3,855	4.2	4.4
	Simple meningitis	2,713	2,654	3.1	3.0
	Nonepidemic cerebrospinal meningitis	971	1,201	1.1	1.4
72	Tabes dorsalis (locomotor ataxia) [8]	1,694	1,611	1.9	1.8
73	Other diseases of the spinal cord	4,534	(6)	5.1	(6)
74	Cerebral hemorrhage, apoplexy (total)	73,349	(3)	82.7	(3)
	Cerebral hemorrhage	71,047	70,780	80.1	80.9
	Cerebral embolism and thrombosis	2,302	(6)	2.6	(6)
75	Paralysis without specified cause (total)	5,526	5,828	6.2	6.7
	Hemiplegia	1,854	(7)	2.1	(7)
	Others under this title	3,672	(7)	4.1	(7)
76	General paralysis of the insane [8]	5,596	5,030	6.3	5.7
77	Other forms of mental alienation	1,493	1,579	1.7	1.8
78	Epilepsy	2,782	3,085	3.1	3.5
79	Convulsions (nonpuerperal; 5 years and over)	139	149	0.2	0.2
80	Infantile convulsions (under 5 years of age)	1,992	2,211	2.2	2.5
81	Chorea	100	141	0.1	0.2
82	Neuralgia and neuritis	341	(4)	0.4	(4)
83	Softening of the brain	762	838	0.9	1.0
84	Other diseases of the nervous system	2,548	(6)	2.9	(6)
85	Diseases of the eye and annexa	84	91	0.1	0.1
86	Diseases of the ear and of the mastoid process (total)	2,834	(3)	3.2	(3)
	Diseases of the ear	1,774	1,730	2.0	2.0
	Diseases of the mastoid process	1,060	(6)	1.2	(6)

[See footnotes at end of table.]

TABLE II.—DEATHS AND DEATH RATES PER 100,000 POPULATION, FROM EACH CAUSE AND CERTAIN GROUPS OF CAUSES, FOR THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1921 AND 1920—Continued.

Detailed Int. List No., 1920.	CAUSE OF DEATH.	DEATHS IN THE REGISTRATION AREA.[1] Number. 1921	Number. 1920	Rate per 100,000 population. 1921	Rate per 100,000 population. 1920
	IV.—Diseases of the circulatory system.	160,858	(2)	181.4	(2)
87	Pericarditis	882	835	1.0	1.0
88	Endocarditis and myocarditis (acute)	5,384	(5)	6.1	(5)
89	Angina pectoris	8,031	7,571	9.1	8.7
90	Other diseases of the heart	124,967	(5)	140.9	(5)
91	Diseases of the arteries (total)	19,377	19,977	21.9	22.8
	Aneurism	1,564	(7)	1.8	(7)
	Arteriosclerosis	17,535	(7)	19.8	(7)
	Other diseases of the arteries	278	(7)	0.3	(7)
92	Embolism and thrombosis (not cerebral)	1,327	(5)	1.5	(5)
93	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	484	497	0.5	0.6
94	Diseases of the lymphatic system (lymphangitis, etc.)	198	(5)	0.2	(5)
95	Hemorrhage without specified cause	140	(4)	0.2	(4)
96	Other diseases of the circulatory system	68	(4)	0.1	(4)
	V.—Diseases of the respiratory system.	95,007	(2)	107.1	(2)
97	Diseases of the nasal fossae and their annexa (total)	793	(2)	0.9	(2)
	Diseases of the nasal fossae	365	(5)	0.4	(5)
	Others under this title	428	(5)	0.5	(5)
98	Diseases of the larynx	795	796	0.9	0.9
99	Bronchitis (total)	8,014	(2)	9.0	(2)
	Acute	3,277	(5)	3.7	(5)
	Chronic	2,628	(5)	3.0	(5)
	Unspecified (under 5 years of age)	905	(5)	1.0	(5)
	Unspecified (5 years and over)	1,204	(5)	1.4	(5)
100	Bronchopneumonia (total)	34,889	(2)	39.3	(2)
	Bronchopneumonia	33,696	47,746	38.0	54.6
	Capillary bronchitis	1,193	(5)	1.3	(5)
101	Pneumonia (total)	43,374	(2)	48.9	(2)
	Lobar	37,871	(5)	42.7	(5)
	Unspecified	5,503	(5)	6.2	(5)
102	Pleurisy	2,695	3,356	3.0	3.8
103	Congestion and hemorrhagic infarct of the lung[9]	1,586	1,317	1.8	1.5
104	Gangrene of the lung	189	250	0.2	0.3
105	Asthma	1,783	2,116	2.0	2.4
106	Pulmonary emphysema	147	141	0.2	0.2
107	Other diseases of the respiratory system (tuberculosis excepted) (total)	742	(2)	0.8	(2)
	Chronic interstitial pneumonia, including occupational diseases of the respiratory system	210	(5)	0.2	(5)
	Diseases of the mediastinum	12	(4)	(5)	(4)
	Others under this title	520	(5)	0.6	(5)
	VI.—Diseases of the digestive system.	101,571	(2)	114.6	(2)
108	Diseases of the mouth and annexa	598	(5)	0.7	(5)
109	Diseases of the pharynx and tonsils (including adenoid vegetations) (total)	3,582	(2)	4.0	(2)
	Adenoid vegetations	12	(5)	(5)	(5)
	Others under this title	3,570	(5)	4.0	(5)
110	Diseases of the esophagus	117	141	0.1	0.2
111	Ulcer of the stomach and duodenum (total)	4,327	(2)	4.9	(2)
	Ulcer of the stomach	3,274	3,184	3.7	3.6
	Ulcer of the duodenum	1,053	(5)	1.2	(5)
112	Other diseases of the stomach (cancer excepted)	6,594	7,232	7.4	8.3
113	Diarrhea and enteritis (under 2 years of age)	37,192	(5)	41.9	(5)
114	Diarrhea and enteritis (2 years and over)	8,645	(5)	9.7	(5)
115	Ancylostomiasis	24	25	(5)	(5)
116	Diseases due to other intestinal parasites (total)	153	(4)	0.2	(4)
	Cestodes (hydatids of the liver excepted)	10	(4)	(5)	(4)
	Trematodes		(4)		(4)
	Nematodes (other than ancylostoma)	49	(4)	0.1	(4)
	Coccidia	5	(4)	(5)	(4)
	Other parasites specified		(4)		(4)
	Parasites not specified	89	(4)	0.1	(4)
117	Appendicitis and typhlitis	12,809	11,702	14.4	13.4
118	Hernia, intestinal obstruction (total)	9,509	(2)	10.7	(2)
	Hernia	3,262	3,288	3.7	3.8
	Intestinal obstruction	6,247	(5)	7.0	(5)
119	Other diseases of the intestines	1,320	(5)	1.5	(5)
120	Acute yellow atrophy of the liver	372	(5)	0.4	(5)
121	Hydatid tumor of the liver	29	28	(5)	(5)
122	Cirrhosis of the liver (total)	6,598	6,241	7.4	7.1
	Specified as alcoholic	158	(7)	0.2	(7)
	Not specified as alcoholic	6,440	(7)	7.3	(7)
123	Biliary calculi	3,494	3,109	3.9	3.6
124	Other diseases of the liver	3,894	3,774	4.4	4.3
125	Diseases of the pancreas	500	(5)	0.6	(5)
126	Peritonitis without specified cause	1,683	(5)	1.9	(5)
	VI.—Diseases of the digestive system—Continued.				
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	131	(5)	0.1	(5)
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	88,899	91,211	100.3	104.3
128	Acute nephritis (including unspecified under 10 years of age)	5,741	(5)	6.5	(5)
129	Chronic nephritis (including unspecified 10 years and over)	69,955	(5)	78.9	(5)
130	Chyluria	1		(5)	
131	Other diseases of the kidneys and annexa	2,169	2,117	2.4	2.4
132	Calculi of the urinary passages	638	523	0.7	0.6
133	Diseases of the bladder	1,111	1,293	1.3	1.5
134	Diseases of the urethra, urinary abscess, etc. (total)	335	348	0.4	0.4
	Stricture of the urethra	201	(7)	0.2	(7)
	Others under this title	134	(7)	0.2	(7)
135	Diseases of the prostate	3,804	3,669	4.3	4.2
136	Nonvenereal diseases of the male genital organs	76	85	0.1	0.1
137	Cysts and other benign tumors of the ovary	709	678	0.8	0.8
138	Salpingitis and pelvic abscess (female)	1,830	(5)	2.1	(5)
139	Benign tumors of the uterus	1,806	1,747	2.0	2.0
140	Nonpuerperal uterine hemorrhage	61	53	0.1	0.1
141	Other diseases of the female genital organs	643	(5)	0.7	(5)
142	Nonpuerperal diseases of the breast (cancer excepted)	20	43	(5)	(5)
	VIII.—The puerperal state	15,027	16,776	16.9	19.2
143	Accidents of pregnancy (total)	1,258	2,336	1.4	2.7
	Abortion	505	(7)	0.6	(7)
	Ectopic gestation	465	(7)	0.5	(7)
	Others under this title	288	(7)	0.3	(7)
144	Puerperal hemorrhage	1,533	1,414	1.7	1.6
145	Other accidents of labor (total)	1,507	2,308	1.7	2.6
	Cesarean section	247	212	0.3	0.2
	Other surgical operations and instrumental delivery	170	(7)	0.2	(7)
	Others under this title	1,090	(7)	1.2	(7)
146	Puerperal septicemia	6,057	5,800	6.8	6.6
147	Puerperal phlegmasia alba dolens, embolus, sudden death	550	588	0.6	0.7
148	Puerperal albuminuria and convulsions	4,032	4,246	4.5	4.9
149	Following childbirth (not otherwise defined)	85	76	0.1	0.1
150	Puerperal diseases of the breast	5	8	(5)	(5)
	IX.—Diseases of the skin and of the cellular tissue	3,432	3,445	3.9	3.9
151	Gangrene	1,359	1,455	1.5	1.7
152	Furuncle	662	570	0.7	0.7
153	Acute abscess	664	692	0.7	0.8
154	Other diseases of the skin and annexa	747	728	0.8	0.8
	X.—Diseases of the bones and of the organs of locomotion	1,258	(2)	1.4	(2)
155	Diseases of the bones (tuberculosis excepted)	909	(5)	1.0	(5)
156	Diseases of the joints (tuberculosis and rheumatism excepted)	282	(5)	0.3	(5)
157	Amputations	4	2	(5)	(5)
158	Other diseases of the organs of locomotion	63	71	0.1	0.1
	XI.—Malformations	13,800	13,256	15.6	15.2
159	Congenital malformations (stillbirths not included) (total)	13,800	13,256	15.6	15.2
	Congenital hydrocephalus	1,330	1,238	1.5	1.4
	Congenital malformations of the heart	8,186	7,994	9.2	9.1
	Others under this title	4,284	4,024	4.8	4.6
	XII.—Early infancy	60,991	60,954	68.8	69.7
160	Congenital debility, icterus, sclerema	8,953	9,465	10.1	10.8
161	Premature birth; injury at birth (total)	46,498	45,796	52.4	52.3
	Premature birth	37,512	38,359	42.3	43.8
	Injury at birth	8,986	7,437	10.1	8.5
162	Other diseases peculiar to early infancy	5,393	5,553	6.1	6.3
163	Lack of care	147	140	0.2	0.2
	XIII.—Old age	10,938	12,459	12.3	14.2
164	Senility	10,938	12,459	12.3	14.2

[See footnotes at end of table.]

TABLE II.—DEATHS AND DEATH RATES PER 100,000 POPULATION, FROM EACH CAUSE AND CERTAIN GROUPS OF CAUSES, FOR THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1921 AND 1920—Continued.

Detailed Int. List No., 1920.	CAUSE OF DEATH.	DEATHS IN THE REGISTRATION AREA.[1] Number. 1921	Number. 1920	Rate per 100,000 population. 1921	Rate per 100,000 population. 1920
	XIV.—External causes	79,577	77,656	89.7	88.8
	Suicide (total)	11,136	8,959	12.6	10 2
165	By solid or liquid poisons (corrosive substances excepted)	416	(6)	0.5	(6)
166	By corrosive substances	1,323	(6)	1.5	(6)
167	By poisonous gas	1,401	1,124	1.6	1 3
168	By hanging or strangulation	1,942	1,616	2 2	1.8
169	By drowning	710	555	0.8	0.6
170	By firearms	4,122	3,169	4.6	3.6
171	By cutting or piercing instruments	712	640	0.8	0.7
172	By jumping from high places	271	247	0.3	0 3
173	By crushing	130	97	0.1	0.1
174	Other suicides	109	94	0.1	0.1
	Homicide (total)	7,545	6,205	8.5	7.1
197	By firearms	5,509	4,477	6.2	5.1
198	By cutting or piercing instruments	768	645	0.9	0.7
199	By other means	1,268	1,083	1.4	1.2
(200)	(Infanticide—murder of infants less than 1 year of age)[10]	(150)	(148)	(0.2)	(0.2)
	Accidental or undefined (total)	60,896	62,492	68.7	71.4
175	Poisoning by food (total)	927	957	1.0	1.1
	Botalism	64	(7)	0.1	(7)
	Other food poisoning	863	(7)	1.0	(7)
176	Poisoning by venomous animals	94	(6)	0.1	(6)
177	Other acute accidental poisonings (gas excepted) (total)	1,538	(6)	1.7	(6)
	Wood alcohol	194	359	0.2	0.4
	Carbolic acid	75	(7)	0.1	(7)
	Opium, morphine, laudanum	105	(7)	0.1	(7)
	Strichnine	185	(7)	0.2	(7)
	Other poisons (or kind not stated)	979	(7)	1.1	(7)
178	Conflagration	928	1,042	1.0	1.2
	Accidental—				
179	Burns (conflagration excepted) (total)	5,329	6,645	6.0	7.6
	Molten metal	14	(7)	(6)	(7)
	Playing with fire, matches, etc.	447	(7)	0.5	(7)
	Fall into fire	113	(7)	0.1	(7)
	Scalds	1,371	(7)	1.5	(7)
	Others	3,384	(7)	3.8	(7)
180	Mechanical suffocation	949	(6)	1.1	(6)
181	Absorption of irrespirable irritating or poisonous gas	1,778	(6)	2.0	(6)
182	Drowning	6,489	4,977	7.3	5.7
	Accidental traumatism—				
183	By firearms (wounds of war excepted)	2,346	2,262	2.6	2.6
184	By cutting or piercing instruments	471	174	0.5	0.2
	XIV.—External causes—Continued.				
	Accidental or undefined—Continued.				
	Accidental traumatism—Continued.				
185	By fall (total)	10,102	10,323	11.4	11.8
	Fall down stairs	1,126	(7)	1.3	(7)
	Fall in ships, docks, etc	79	(7)	0.1	(7)
	Fall in building operations	421	(7)	0.5	(7)
	Others under this title	8,476	(7)	9.6	(7)
186	In mines and quarries (total)	1,867	2,275	2.1	2.6
	Mines	1,777	2,171	2.0	2.5
	Quarries	90	104	0.1	0.1
187	By machines (total)	1,573	2,153	1.8	2.5
	Agricultural machinery	224	(7)	0.3	(7)
	Elevator	339	(7)	0.4	(7)
	Crane	152	(7)	0.2	(7)
	Others under this title	858	(7)	1.0	(7)
188	By other crushing (vehicles, railways, landslide, etc.) (total)	19,241	19,684	21.7	22.5
	Railroad accidents	5,297	6,426	6.0	7.3
	Street-car accidents	1,460	1,746	1.6	2.0
	Automobile accidents	10,168	9,103	11.5	10.4
	Aeroplane and balloon accidents	132	150	0.1	0.2
	Motor cycle accidents	297	318	0.3	0.4
	Injuries by other vehicles	1,392	1,380	1.6	1.6
	Landslide, other crushing	495	561	0.6	0.6
189	Injuries by animals (not poisoning)	682	606	0.8	0.7
190	Wounds of war	25	(4)	(5)	(4)
192	Starvation (deprivation of food or water)	17	26	(6)	(5)
193	Excessive cold	111	172	0.1	0.2
194	Excessive heat	946	270	1.1	0.3
195	Lightning	461	409	0.5	0.5
196	Other accidental electric shocks	741	822	0.8	0.9
201	Fracture (cause not specified)	503	519	0.6	0.6
202	Other external violence (total)	2,794	(4)	3.2	(4)
	Foreign body in digestive or respiratory tract	530	(4)	0.6	(4)
	Others under this title	2,264	(4)	2.6	(4)
203	Violent deaths of unknown causation	984	(4)	1.1	(4)
	XV.—Ill-defined diseases	14,184	15,505	16.0	17.7
204	Sudden death	987	1,070	1.1	1.2
205	Not specified or ill-defined (total)	13,197	14,435	14.9	16.5
	Ill-defined	4,269	4,843	4.8	5.5
	Not specified or unknown	8,928	9,592	10.1	11.0

[1] Exclusive of Hawaii.
[2] Exclusive of stillbirths.
[3] Not comparable.
[4] See following table—"All other causes."
[5] Less than one-tenth of 1 per 100,000 population.
[6] See following table for combined causes, which for 1921 and 1920 are approximately comparable.
[7] Not tabulated separately.
[8] In 1920, when syphilis (38) was returned jointly with tabes dorsalis (locomotor ataxia) (72) or with general paralysis of the insane (76) it was assigned to syphilis; in 1921 it was assigned to either locomotor ataxia or to general paralysis of the insane.
[9] This cause is not comparable for 1921 owing to changes in inclusions for that year.
[10] The figures for infanticide are included in those for homicide.

NOTE.—Nearly all benign tumors and tumors not returned as malignant which are not classified under definite titles are now included under title (50) Benign tumors and tumors not returned as malignant (tumors of the female genital organs excepted).
Hydatid tumors (except hydatid tumors of the liver) have been transferred to title (116) Diseases due to other intestinal parasites.
Practically all foreign bodies are now included under title (202) Other external violence.

COMPARABLE GROUPS OF CAUSES FOR THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1921 AND 1920.

Detailed Int. List No., 1920.	CAUSE OF DEATH.	DEATHS IN THE REGISTRATION AREA.[1] Number. 1921	Number. 1920	Rate per 100,000 population, 1921	Rate per 100,000 population, 1920
3,4	Relapsing fever (spirillum obermeieri) and malta fever	4	2	(5)	(5)
11,101	Influenza and pneumonia	53,567	134,459	60.4	153.7
19,120	Spirochetal hemorrhagic jaundice and acute yellow atrophy of the liver	399	341	0.4	0.4
30, 108, 109b	Mycoses, diseases of the mouth and annexa, and of the pharynx and tonsils (excluding adenoid vegetations)	4,365	3,745	4.9	4.3
31,37a	Tuberculosis of the respiratory system and acute disseminated tuberculosis	77,703	88,195	87.6	100.8
39,40	Soft chancre and gonococcus infection	651	706	0.7	0.8
52,156	Chronic rheumatism, osteoarthritis, gout, and diseases of the joints (tuberculosis and rheumatism excepted)	1,302	1,276	1.5	1.4
56, 86b, 97b, 155	Rickets, diseases of the mastoid process, of the nasal fossae annexa, and of the bones (tuberculosis excepted)	2,912	2,898	3.3	3.3
61,73, 84	Diseases of the parathyroid glands and other diseases of the spinal cord and of the nervous system	7,153	6,846	8.1	7.8
62,94	Diseases of the thymus gland and of the lymphatic system (lymphangitis, etc.)	768	555	0.8	0.6
67b,68	Chronic poisoning by mineral substances (other than lead) and by organic substances	244	240	0.3	0.3
74b,92	Embolism and thrombosis (total)	3,629	3,954	4.1	4.5
88,90	Endocarditis and myocarditis (acute) and other diseases of the heart	130,351	131,004	147.0	149.7
97a, 109a	Diseases of the nasal fossae and adenoid vegetations	377	415	0.4	0.5
99a,c, 100b	Bronchitis, acute, and unspecified under 5 years of age, and capillary bronchitis	5,375	6,805	6.0	7.8
99b,d	Bronchitis, chronic, and unspecified 5 years and over	3,832	4,804	4.4	5.5
107a,c	Other diseases of the respiratory system (tuberculosis excepted) excluding diseases of the mediastinum [9]	730	1,041	0.8	1.2
111b, 113,114	Ulcer of the duodenum and diarrhea and enteritis	46,890	47,605	52.8	54.4
118b, 119	Intestinal obstruction and other diseases of the intestines	7,567	7,763	8.5	8.9
125,126, 127	Diseases of the pancreas, peritonitis without specified cause, and other diseases of the digestive system (cancer and tuberculosis excepted)	2,314	2,174	2.6	2.5
128,129	Acute and chronic nephritis	75,696	78,192	85.4	89.4
138,141	Salpingitis and pelvic abscess and other diseases of the female genital organs	2,473	2,463	2.8	2.8
165,166	Suicide by solid or liquid poisons, including corrosive substances	1,739	1,417	2.0	1.6
176,177	Poisoning by venomous animals and other acute accidental poisonings (gas excepted) (excluding wood alcohol)	1,438	1,483	1.6	1.7
180,181	Accidental mechanical suffocation and absorption of irrespirable irritating or poisonous gas	2,727	3,012	3.1	3.4
	All other causes	5,391	5,514	6.1	6.3

(For notes see preceding table, p. 158.)

TABLE III.—DEATH RATES PER 100,000 ESTIMATED POPULATION IN THE REGISTRATION AREA (EXCLUSIVE

The rates are based on total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Rates in *italics* are based on less than 5 deaths. Bases of hospitals, etc. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920; the remainder of the state is included in "rural districts." Rates by color the colored formed at least 10 per cent of the total, with a minimum of 5,000, Jan. 1, 1920. Numbers under causes of death correspond to those of the 1920 revision of the

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid and paratyphoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping-cough.	Diphtheria.	Influenza.	Erysipelas.	Meningococcus meningitis.	Tuberculosis of the respiratory system.	Tuberculosis of the meninges, etc.	Other forms of tuberculosis.	Cancer and other malignant tumors.
			1	5	6	7	8	9	10	11	21	24	31	32	33-37	43-49
	SUMMARY.															
1	The registration area (exclusive of Hawaii) (total).	1,163.9	9.0	3.6	0.7	4.3	5.3	9.1	17.7	11.5	2.8	1.5	86.0	4.8	8.5	86.0
2	White	1,123.0	7.8	1.9	0.6	4.3	5.7	8.1	18.4	10.8	2.9	1.5	73.8	4.7	7.4	89.4
3	Colored	1,601.3	22.7	21.9	2.1	3.5	1.1	20.3	10.0	19.4	1.5	1.5	217.1	6.5	20.5	50.4
4	Registration states[2] (total)	1,158.1	8.9	3.6	0.7	4.2	5.4	9.1	17.8	11.4	2.8	1.4	85.1	4.8	8.4	86.2
5	White	1,120.0	7.7	1.9	0.6	4.3	5.8	8.1	18.5	10.7	2.9	1.4	73.2	4.7	7.4	89.4
6	Colored	1,579.8	22.6	22.2	2.0	3.4	1.1	20.7	10.2	18.8	1.5	1.5	216.5	6.6	20.1	50.2
7	Cities in registration states[2] (total)	1,229.7	5.8	0.9	0.8	4.1	6.4	7.7	19.3	9.3	3.0	1.7	84.5	6.7	9.7	102.1
8	White	1,184.1	5.2	0.4	0.6	4.1	6.7	6.9	19.9	8.5	3.1	1.7	73.5	6.4	8.1	103.9
9	Colored	1,974.3	14.9	9.0	3.9	3.9	1.8	19.8	9.5	23.3	2.4	2.6	264.6	12.7	35.4	73.6
10	Rural part of registration states (total).	1,089.7	11.9	6.1	0.6	4.4	4.4	10.5	16.4	13.3	2.6	1.2	85.6	3.0	7.2	70.9
11	White	1,055.4	10.1	3.3	0.6	4.5	4.8	9.3	17.1	12.9	2.8	1.2	72.9	3.0	6.7	74.8
12	Colored	1,376.4	26.5	29.0	1.1	3.2	0.8	21.2	10.6	16.6	1.1	1.0	191.7	3.4	12.2	38.1
13	Registration cities in nonregistration states (total).	1,505.3	16.4	8.4	1.4	6.5	2.5	6.9	11.0	19.9	2.9	2.3	143.3	5.0	13.1	78.2
14	White	1,336.0	13.6	5.9	0.6	6.9	2.9	5.4	12.6	16.2	3.6	2.5	115.6	5.1	7.8	85.7
15	Colored	2,028.5	25.1	16.3	3.9	5.2	1.4	11.9	6.1	31.4	*0.8*	1.7	229.2	4.7	29.8	55.2
16	All registration cities[2] (total)	1,239.0	6.1	1.2	0.8	4.2	6.2	7.7	19.0	9.7	3.0	1.7	86.5	6.7	9.8	101.3
17	White	1,188.2	5.5	0.6	0.6	4.2	6.6	6.9	19.7	8.7	3.1	1.7	74.6	6.3	8.1	103.4
18	Colored	1,981.2	16.2	9.9	3.9	4.0	1.7	18.8	9.0	24.3	2.2	2.4	260.0	11.6	34.7	71.2
	REGISTRATION STATES.															
19	California (total)	1,320.1	4.3	0.8	0.6	4.0	3.3	5.6	17.8	11.4	2.6	2.0	133.0	7.8	10.3	111.7
20	White	1,305.6	3.7	0.8	0.5	3.9	3.5	5.1	18.3	11.2	2.7	1.6	126.5	6.9	9.6	113.5
21	Colored	1,613.7	14.8	*0.6*	*2.4*	5.9	*1.2*	17.2	7.1	16.0	*2.4*	8.3	264.5	25.4	23.7	76.3
22	Cities (total)	1,349.3	3.8	0.3	*0.1*	3.5	3.5	4.3	19.3	8.3	2.7	2.3	115.7	9.7	11.2	133.9
23	White	1,326.2	3.3	0.3	*0.2*	3.3	3.6	4.0	19.8	8.1	2.7	1.8	107.8	8.5	10.2	134.5
24	Colored	1,888.6	16.6	*1.2*	.....	8.3	*1.2*	11.8	8.3	13.0	*1.2*	14.2	300.4	39.0	33.1	119.4
25	Rural districts (total)	1,280.7	4.8	1.5	1.2	4.6	3.1	7.4	15.8	15.6	2.6	1.5	156.4	5.2	9.0	81.9
26	White	1,277.4	4.4	1.6	1.0	4.7	*3.3*	6.5	16.3	15.4	2.6	1.5	152.2	4.8	8.7	84.7
27	Colored	1,338.4	13.0	.....	*4.7*	*3.6*	*1.2*	22.5	5.9	19.0	*3.6*	*2.4*	228.6	11.8	14.2	33.2
28	Colorado (total)	1,235.6	10.1	.....	4.7	8.4	5.9	10.2	24.8	19.9	5.5	1.1	170.8	5.9	7.9	74.7
29	White	1,215.6	10.0	.....	4.7	8.6	6.0	10.3	24.8	20.2	5.6	1.2	162.7	5.6	7.0	74.4
30	Colored	2,449.7	*12.9*	.....	*6.4*	.....	.....	*6.4*	*19.3*	.....	.....	.....	664.0	*25.8*	64.5	90.3
31	Cities (total)	1,489.6	7.3	.....	10.8	7.8	4.1	6.5	24.9	23.5	5.7	1.6	227.6	10.3	12.4	102.3
32	White	1,466.0	7.2	.....	10.8	8.1	4.2	6.7	25.3	24.2	5.8	1.7	217.6	9.4	10.3	102.3
33	Colored	2,364.3	*10.3*	.....	*10.3*	.....	.....	.....	*10.3*	.....	.....	.....	596.2	*41.1*	92.5	102.8
34	Rural districts (total)	1,076.9	11.8	.....	0.8	8.8	7.1	12.5	24.7	17.6	5.4	0.8	135.3	3.2	5.1	57.5
35	White	1,061.9	11.8	.....	0.9	8.9	7.2	12.5	24.6	17.7	5.5	0.9	129.0	3.2	4.9	57.3
36	Colored	2,593.4	*17.3*	.....	.....	.....	.....	*17.3*	*34.6*	.....	.....	.....	778.0	.....	*17.3*	*69.2*
37	Connecticut (total)	1,137.2	3.6	*0.2*	.....	3.0	7.1	9.4	12.4	11.6	2.7	2.1	82.4	6.6	6.9	96.9
38	White	1,125.4	3.3	*0.2*	.....	3.1	7.1	9.0	12.4	11.4	2.6	2.1	79.6	6.4	6.4	96.8
39	Colored	1,857.1	21.9	.....	.....	.....	*4.4*	30.7	*8.3*	21.9	*4.4*	.....	254.0	*17.5*	35.0	100.7
40	Cities (total)	1,132.3	4.1	*0.2*	.....	2.9	8.1	10.2	13.4	11.2	2.8	2.2	75.8	7.7	7.6	99.2
41	White	1,119.2	3.8	*0.2*	.....	2.9	8.2	9.8	13.4	11.0	2.8	2.3	73.2	7.4	6.9	99.4
42	Colored	1,852.1	*20.9*	.....	.....	.....	*5.2*	31.3	*10.4*	*20.9*	*5.2*	.....	219.1	*20.9*	41.7	88.7
43	Rural districts (total)	1,151.9	2.0	*0.3*	.....	3.4	4.0	6.8	9.4	12.8	2.3	1.7	102.7	3.4	4.8	89.6
44	White	1,144.2	1.7	*0.3*	.....	3.5	4.0	6.6	9.5	12.7	2.3	1.7	99.2	3.5	4.9	88.9
45	Colored	1,883.2	*27.3*	.....	.....	.....	.....	*27.3*	.....	*27.3*	.....	.....	436.7	.....	.....	163.8
46	Delaware (total)	1,313.0	11.5	*0.4*	.....	*0.9*	4.0	15.5	6.2	20.8	*0.9*	*0.9*	119.8	6.6	14.1	79.1
47	White	1,212.1	11.2	*0.5*	.....	*1.0*	4.6	15.3	6.6	19.9	*0.5*	*0.5*	93.4	5.1	11.2	80.1
48	Colored	1,966.3	*18.2*	.....	.....	.....	.....	16.5	*3.3*	26.4	*3.3*	*3.3*	290.8	16.5	33.0	72.7
49	Cities (total)	1,200.1	6.2	.....	.....	*0.9*	5.3	7.9	6.2	17.6	*1.3*	.....	81.1	8.8	16.8	76.7
50	White	1,139.1	6.8	.....	.....	*1.0*	5.9	8.8	6.8	18.6	*1.0*	.....	67.4	6.8	12.7	79.1
51	Colored	1,765.5	.....	.....	.....	.....	.....	.....	.....	*9.1*	*9.1*	.....	208.2	*27.2*	54.3	54.3
52	Rural districts (total)	1,426.5	16.8	*0.9*	.....	*0.9*	*2.7*	23.1	6.2	23.9	.....	*1.8*	158.7	4.4	11.5	81.6
53	White	1,292.0	16.0	*1.1*	.....	*1.1*	*3.2*	22.4	6.4	21.4	.....	*1.1*	121.8	*3.2*	9.6	81.2
54	Colored	2,081.7	*20.8*	.....	.....	.....	.....	26.0	*5.2*	36.4	.....	*5.2*	338.3	*10.4*	*20.8*	83.3
55	Florida (total)	1,175.3	17.9	23.7	1.5	0.8	1.1	7.3	6.9	11.5	1.6	1.1	86.4	1.4	7.9	51.3
56	White	1,050.9	16.8	18.6	0.9	0.9	1.5	5.5	9.0	10.2	2.2	0.9	55.7	1.3	5.4	63.2
57	Colored	1,424.4	20.1	33.9	2.7	*0.6*	*0.3*	10.8	2.7	14.1	*0.3*	1.5	148.1	1.5	12.9	27.6
58	Cities (total)	1,431.6	19.0	10.7	*0.4*	*0.4*	*1.6*	9.9	5.5	12.2	*1.2*	*1.6*	130.8	4.7	11.1	64.8
59	White	1,191.3	17.6	3.5	*0.6*	*0.6*	*2.3*	5.3	7.6	10.0	*1.3*	*1.2*	78.1	5.3	5.9	81.0
60	Colored	1,925.8	21.7	25.4	.....	.....	.....	19.3	*1.2*	16.9	.....	*2.4*	239.1	*3.6*	21.7	31.4
61	Rural districts (total)	1,088.6	17.5	28.0	1.9	0.9	0.9	6.4	7.3	11.2	1.7	0.9	71.5	*0.3*	6.8	46.7
62	White	1,002.8	16.5	23.7	1.0	1.0	1.2	5.6	9.4	10.2	2.4	*0.8*	48.0	.....	5.2	57.0
63	Colored	1,258.8	19.5	36.7	3.6	*0.8*	*0.4*	8.0	3.2	13.2	*0.4*	*1.2*	118.0	*0.3*	10.0	26.3

[1] Exclusive of stillbirths.

[2] Including District of Columbia.

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1921.

rates may be found in Tables I A and I B for populations and in Table 5 for deaths. Minor areas which are designated by asterisks (*) contain state insane asylums, state are shown for cities of 100,000 population or more in 1920, when the colored population numbered at least 10,000 on Jan. 1, 1920, and for cities under 100,000 population when detailed International List.]

DEATH RATE PER 100,000 POPULATION FROM—																		
Rheumatism.	Diabetes mellitus.	Cerebral hemorrhage and softening.	Other [organic] diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis.	Puerperal septicemia.	Other puerperal causes.	Congenital malformations and diseases of early infancy.	Suicide.	Homicide.	Accidental and unspecified external causes.	Unknown or ill-defined diseases.	All other causes.	
51,52	57	74, 83	90	99	100, 101	113	117	118	122	128, 129	146	143-145, 147-150	159-163	165-174	197-200	175-196, 201-203	204, 205		
4.8	16.8	83.6	140.9	9.0	88.3	41.9	14.4	10.7	7.4	85.4	6.8	10.1	84.3	12.6	8.5	68.7	16.0	202.5	1
4.7	17.6	84.4	139.8	8.9	84.5	40.5	14.5	10.5	7.4	82.6	6.4	9.3	83.1	13.3	6.2	68.3	9.6	194.0	2
6.2	8.6	74.4	152.6	11.0	128.0	57.1	13.8	12.8	7.8	114.5	11.8	18.7	97.3	4.6	33.7	73.0	84.0	293.0	3
4.8	16.8	83.7	141.3	9.0	88.1	41.3	14.2	10.6	7.4	84.9	6.7	10.0	83.9	12.5	8.1	68.3	15.8	200.8	4
4.7	17.6	84.7	140.4	8.9	84.6	39.9	14.3	10.4	7.4	82.5	6.3	9.2	82.8	13.2	6.0	67.9	9.5	193.1	5
6.3	8.3	72.3	150.6	10.9	126.5	56.2	13.2	12.5	7.5	111.7	11.5	18.3	96.2	4.7	31.8	71.8	85.7	286.3	6
5.0	20.2	82.3	156.2	9.8	101.4	43.3	20.2	13.5	8.6	93.9	8.0	10.5	90.0	15.0	9.1	71.6	3.8	205.0	7
4.7	20.6	81.3	152.4	9.4	95.4	41.9	19.9	13.1	8.5	90.3	7.6	10.0	87.9	15.4	6.7	70.9	2.6	196.5	8
9.0	13.6	98.5	218.8	16.4	199.8	66.4	24.5	20.3	11.4	153.0	15.1	18.6	123.9	8.2	49.1	83.5	22.6	344.3	9
4.7	13.6	85.0	126.9	8.3	75.3	39.3	8.4	7.9	6.2	76.3	5.5	9.4	78.1	10.1	7.2	65.1	27.4	196.8	10
4.7	14.6	88.1	128.3	8.3	73.7	38.0	8.6	7.8	6.3	74.6	5.0	8.3	77.7	11.0	5.3	65.0	16.5	189.7	11
4.9	5.5	58.7	115.3	8.1	88.7	51.0	7.3	8.5	5.4	90.5	9.7	18.2	81.9	2.8	22.8	65.8	118.3	256.3	12
3.4	17.0	78.2	122.4	9.6	100.6	81.7	30.5	17.3	9.8	111.6	11.9	19.5	109.8	15.5	30.7	92.7	25.9	299.3	13
3.0	17.8	66.1	99.5	8.5	82.0	84.3	32.2	16.7	8.7	93.0	10.3	17.7	107.1	19.4	17.2	91.6	18.6	258.3	14
4.7	14.3	115.8	193.0	13.0	158.3	73.6	25.4	19.0	13.2	169.0	16.8	25.1	118.0	3.6	72.2	96.2	48.5	426.0	15
4.9	20.1	82.2	155.1	9.8	101.4	44.6	20.5	13.6	8.7	94.5	8.2	10.8	90.6	15.0	9.9	72.3	4.5	208.2	16
4.7	20.6	80.9	151.0	9.4	95.0	43.0	20.2	13.2	8.5	90.4	7.7	10.3	88.4	15.5	7.0	71.4	3.1	198.2	17
8.4	13.7	100.7	215.5	15.9	194.4	67.3	24.6	20.1	11.7	155.1	15.3	19.5	123.2	7.6	52.1	85.1	26.0	354.8	18
3.2	20.3	98.4	190.8	8.9	85.1	30.2	15.6	12.9	9.8	94.5	6.0	7.8	65.9	27.0	11.6	91.0	1.8	224.1	19
3.3	20.5	100.4	192.9	8.7	82.7	29.3	15.5	12.6	9.6	94.8	5.9	7.7	62.9	26.7	9.4	90.5	1.6	222.9	20
1.8	16.0	56.8	146.8	13.6	133.1	49.1	17.2	19.5	14.2	89.9	8.3	10.1	127.2	34.3	55.6	100.0	5.9	248.5	21
3.5	23.4	103.3	203.4	9.7	84.5	23.1	18.8	15.2	10.8	106.3	6.8	8.9	64.3	29.7	10.4	80.9	1.2	226.4	22
3.5	23.5	104.4	203.9	9.3	81.9	22.1	18.6	14.9	10.4	105.8	6.6	8.9	61.1	29.3	8.2	80.3	1.2	224.3	23
2.4	22.5	76.9	191.6	20.1	144.3	47.3	23.7	20.1	21.3	118.3	11.8	10.6	138.4	39.0	62.7	93.4	*1.2*	275.5	24
2.9	16.0	91.8	173.8	7.8	85.8	39.7	11.2	9.9	8.4	78.7	4.9	6.2	68.1	23.5	13.2	104.6	2.6	221.0	25
3.0	16.4	95.0	178.0	7.9	83.7	39.1	11.3	9.3	8.5	79.7	4.9	6.0	65.3	23.1	11.1	104.5	2.1	220.9	26
1.2	9.5	36.7	101.9	7.1	122.0	50.9	10.7	19.0	7.1	61.6	*4.7*	9.5	116.1	29.6	48.6	106.6	10.7	221.5	27
4.6	14.3	70.9	101.9	5.9	110.5	41.5	22.8	12.6	5.6	68.8	8.0	10.0	81.6	14.8	11.8	88.3	2.6	209.3	28
4.5	13.6	70.8	100.8	5.7	108.4	41.8	22.5	12.4	5.5	68.4	7.9	10.1	81.3	14.8	11.1	86.7	2.3	205.8	29
6.4	51.6	77.4	174.1	*19.3*	238.5	*25.8*	38.7	*25.8*	*12.9*	90.3	*12.9*	.....	96.7	*12.9*	51.6	187.0	*19.3*	419.0	30
3.8	16.2	91.5	133.1	6.5	144.0	30.3	34.4	17.0	8.9	85.0	11.6	11.9	82.0	19.5	12.7	76.3	*0.5*	259.5	31
3.9	15.3	92.0	130.1	6.7	139.8	30.8	34.5	17.0	8.9	84.5	11.7	12.2	82.5	19.7	11.1	74.8	*0.6*	256.5	32
.....	51.4	72.0	246.7	.....	298.1	*10.3*	*30.8*	*20.6*	*10.3*	102.8	*10.3*	.....	61.7	*10.3*	72.0	133.6	.....	370.1	33
5.1	13.0	58.1	82.5	5.6	89.6	48.5	15.5	9.8	3.5	58.6	5.7	8.8	81.3	11.8	11.2	95.8	3.9	177.9	34
4.9	12.6	57.8	82.8	5.1	89.1	48.5	15.2	9.6	3.4	58.5	5.6	8.9	80.5	11.8	11.1	94.0	3.4	174.7	35
17.5	*51.9*	86.4	*51.9*	*51.9*	138.3	*51.9*	*51.9*	*34.6*	*17.3*	*69.2*	*17.3*	.....	155.6	*17.3*	*17.3*	276.6	*51.9*	501.4	36
4.2	22.2	100.0	150.5	9.2	91.5	35.5	12.6	9.1	7.0	76.8	5.3	7.4	91.9	14.3	2.9	70.6	3.2	178.2	37
4.2	22.2	99.4	149.8	8.9	89.6	35.2	12.7	9.1	6.9	76.1	5.1	7.3	91.5	14.4	2.7	70.0	2.8	176.8	38
4.4	21.9	131.4	192.7	26.3	210.2	52.6	*8.8*	*8.8*	*13.1*	118.3	*13.1*	*13.1*	113.9	*13.1*	*13.1*	109.5	26.3	267.2	39
3.8	23.5	91.2	142.0	8.3	96.0	37.1	15.2	10.7	6.4	73.8	6.4	8.6	98.3	14.7	3.3	72.6	2.0	173.0	40
3.8	23.4	91.0	141.1	8.1	93.6	36.8	15.4	10.8	6.4	72.9	6.2	8.6	97.7	14.7	3.0	71.9	1.6	171.0	41
5.2	26.1	104.3	193.0	*20.9*	229.6	52.2	*5.2*	*10.4*	*10.4*	125.2	*15.7*	*10.4*	130.4	*15.7*	*15.7*	109.6	*20.9*	287.0	42
5.4	18.5	126.6	176.4	12.0	77.7	30.4	4.6	4.0	8.5	85.9	2.0	3.7	72.3	13.4	1.7	64.6	6.8	194.1	43
5.5	18.7	125.1	176.3	11.5	77.4	30.2	4.3	4.0	8.3	86.0	2.0	3.5	72.7	13.5	1.7	64.1	6.3	194.4	44
.....	.....	272.9	191.0	*54.6*	*109.2*	*54.6*	*27.3*	.....	*27.3*	*81.9*	.....	*27.3*	*27.3*	.....	.....	*109.2*	*54.6*	163.8	45
4.9	14.6	128.2	151.2	13.3	103.9	61.0	6.2	6.2	8.0	139.3	6.6	7.5	85.8	11.1	7.1	71.6	5.7	200.3	46
4.6	15.8	124.0	143.9	9.7	91.4	55.6	6.6	6.1	9.2	133.2	6.6	7.1	81.1	11.7	*1.5*	68.9	5.1	179.6	47
6.6	*6.6*	155.3	198.3	36.4	185.1	95.8	*3.3*	*6.6*	.....	178.5	*6.6*	*9.9*	115.7	*6.6*	43.0	89.2	*9.9*	333.8	48
7.1	17.6	122.6	115.5	13.2	116.4	60.0	8.8	6.2	12.3	125.2	12.3	11.5	89.1	12.3	9.7	67.0	*3.5*	160.5	49
5.9	17.6	119.2	112.3	9.8	106.5	58.6	8.8	5.9	13.7	123.1	11.7	9.8	86.9	12.7	*2.0*	66.4	*3.9*	149.5	50
18.1	*18.1*	153.9	144.9	45.3	208.2	72.4	*9.1*	*9.1*	.....	144.9	*18.1*	*27.2*	108.6	*9.1*	81.5	72.4	.....	262.6	51
2.7	11.5	133.9	187.1	13.3	91.3	62.1	*3.5*	6.2	*3.5*	153.4	*0.9*	*3.5*	82.5	9.8	4.4	76.2	8.0	240.3	52
3.2	13.9	129.3	178.5	9.6	74.8	52.4	*4.3*	6.4	*4.3*	144.3	*1.1*	*4.3*	74.8	10.7	*1.1*	71.6	6.4	212.7	53
.....	.....	156.1	229.0	31.2	171.7	109.3	.....	*5.2*	.....	197.8	.....	.....	119.7	*5.2*	*20.8*	98.9	*15.6*	374.7	54
2.8	10.4	70.7	100.8	7.2	50.0	43.1	12.4	12.9	8.7	91.2	8.6	18.8	75.5	9.8	24.9	81.5	62.7	263.2	55
1.2	13.3	73.6	99.1	6.6	40.4	39.7	12.0	10.8	6.1	85.2	5.2	17.1	74.7	13.9	14.1	78.0	39.5	228.5	56
6.0	4.5	64.7	104.3	8.4	69.2	50.1	13.2	17.1	13.8	103.4	15.3	22.2	77.0	1.5	46.5	88.4	109.1	332.7	57
4.3	12.6	97.6	133.5	9.9	71.9	56.1	19.4	19.8	15.0	124.0	10.3	13.4	98.4	17 0	30.8	79.0	34.0	310.9	58
1.2	16.4	93.9	127.4	7.6	50.5	42.3	18.8	14.7	8.8	104.5	7.0	9.4	91.0	22.9	15.9	75.7	23.5	239.0	59
10.9	*4.8*	105.0	146.1	14.5	115.9	84.5	20.5	30.2	27.8	164.2	16.9	21.7	113.5	*4.8*	61.6	85.7	55.5	458.8	60
2.3	9.6	61.6	89.8	6.3	42.6	38.7	10.0	10.6	6.5	80.1	8.0	20.6	67.7	7.3	22.8	82.3	72.4	247.1	61
1.2	12.3	66.7	89.4	6.2	37.0	38.8	9.6	9.4	5.2	78.5	4.6	19.7	69.1	10.8	13.5	78.7	45.0	225.0	62
4.4	4.4	51.4	90.5	6.4	53.8	38.7	10.8	12.8	9.2	83.3	14.8	22.3	65.0	*0.4*	41.5	89.3	126.8	291.1	63

TABLE III.—DEATH RATES PER 100,000 ESTIMATED POPULATION IN THE REGISTRATION AREA (EXCLUSIVE

[See note at head of this table, p. 160.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid and paratyphoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria.	Influenza.	Erysipelas.	Meningococcus meningitis.	Tuberculosis of the respiratory system.	Tuberculosis of the meninges, etc.	Other forms of tuberculosis.	Cancer and other malignant tumors.
			1	5	6	7	8	9	10	11	21	24	31	32	33-37	43-49
	REGISTRATION STATES—Continued.															
1	Illinois (total)	1,109.8	6.0	1.2	0.4	4.7	6.2	7.5	22.3	8.8	2.6	1.1	72.9	4.1	7.8	93.0
2	White	1,088.5	5.9	1.1	0.4	4.6	6.4	7.2	22.6	8.8	2.6	1.2	66.6	3.8	6.7	93.6
3	Colored	1,801.7	9.1	4.1	.....	7.6	*2.0*	17.7	12.7	10.6	3.0	*1.0*	279.1	13.7	45.1	74.0
4	Cities (total)	1,147.8	3.4	0.5	0.3	4.7	6.7	6.3	24.5	6.5	2.2	1.3	69.9	5.1	8.4	101.2
5	White	1,123.6	3.3	0.4	0.3	4.7	6.9	5.8	25.0	6.4	2.1	1.3	62.7	4.6	6.8	102.4
6	Colored	1,705.5	5.5	*2.4*	.....	4.9	*1.8*	18.3	12.8	9.8	3.7	*1.2*	235.3	15.3	46.4	73.3
7	Rural districts (total)	1,054.3	9.7	2.2	0.6	4.6	5.5	9.2	19.2	12.2	3.2	1.0	77.4	2.8	6.9	81.0
8	White	1,038.8	9.5	2.1	0.6	4.4	5.6	9.1	19.3	12.2	3.3	1.0	72.1	2.7	6.5	81.1
9	Colored	2,267.2	26.6	*11.8*	.....	20.7	*3.0*	14.8	*11.8*	14.8	.....	.....	491.3	*5.9*	38.5	77.0
10	Indiana (total)	1,187.5	12.3	1.0	0.7	2.8	5.5	12.6	23.8	13.0	3.7	1.6	76.9	4.6	11.4	92.2
11	White	1,169.1	12.1	1.0	0.6	2.9	5.6	12.3	24.2	12.7	3.7	1.5	71.6	4.4	10.6	92.9
12	Colored	1,817.2	18.9	*2.4*	*3.6*	.....	*2.4*	22.5	11.8	23.7	*2.4*	*3.6*	258.1	10.7	37.9	69.8
13	Cities (total)	1,199.2	11.2	1.2	0.7	2.4	4.3	11.9	26.5	11.8	4.1	1.2	74.9	5.8	12.8	96.0
14	White	1,165.9	10.7	1.0	0.6	2.5	4.4	11.3	27.3	11.1	4.3	1.1	64.4	5.4	11.4	97.9
15	Colored	1,734.5	18.2	*2.8*	*2.8*	.....	*2.8*	22.5	14.0	22.5	*1.4*	*2.8*	244.2	11.2	35.1	66.0
16	Rural districts (total)	1,179.4	13.1	0.9	0.7	3.1	6.4	13.0	22.0	13.8	3.4	1.8	78.2	3.7	10.3	89.6
17	White	1,171.2	13.1	0.9	0.6	3.2	6.4	13.0	22.2	13.7	3.4	1.8	76.3	3.7	10.0	89.6
18	Colored	2,263.1	*22.7*	.....	*7.6*	.....	.....	*22.7*	.....	*30.3*	*7.6*	*7.6*	333.0	*7.6*	53.0	90.8
19	Kansas (total)	1,016.4	8.6	0.7	2.8	4.3	7.0	6.0	20.9	8.8	3.1	1.1	36.3	1.2	5.8	79.3
20	White	991.1	8.1	0.6	2.1	4.2	7.1	5.6	21.3	8.4	3.1	1.1	30.1	1.2	4.5	79.5
21	Colored	1,731.5	23.0	*3.3*	21.3	*6.6*	*3.3*	16.4	9.8	18.1	*1.6*	.....	210.1	*1.6*	42.7	72.2
22	Cities (total)	1,242.4	11.4	*0.2*	4.4	5.4	4.9	7.2	30.3	9.1	3.7	1.4	57.6	3.3	9.8	102.5
23	White	1,192.7	9.4	.....	1.5	4.8	5.1	5.9	32.1	7.9	4.1	1.5	43.4	3.6	5.9	104.8
24	Colored	1,767.5	32.4	*2.7*	35.1	*10.8*	*2.7*	21.6	*10.8*	21.6	.....	.....	207.8	.....	51.3	78.3
25	Rural districts (total)	944.7	7.7	0.8	2.2	4.0	7.7	5.6	17.9	8.7	2.9	1.0	29.5	0.6	4.6	71.9
26	White	931.6	7.7	0.8	2.3	4.1	7.8	5.6	18.1	8.6	2.9	1.0	26.2	0.5	4.1	72.0
27	Colored	1,675.7	*8.4*	*4.2*	.....	.....	*4.2*	*8.4*	*8.4*	*12.6*	*4.2*	.....	213.6	*4.2*	29.3	62.8
28	Kentucky (total)	1,053.6	25.9	3.6	0.7	7.3	2.6	11.7	25.9	11.4	3.1	2.2	114.7	5.8	10.7	54.4
29	White	976.0	24.4	3.3	0.8	7.9	2.8	10.9	26.8	10.1	3.1	2.3	95.5	5.4	9.0	53.7
30	Colored	1,791.3	40.5	6.5	.....	*1.7*	*1.8*	18.5	17.7	24.1	2.6	*1.7*	296.9	9.5	26.7	61.2
31	Cities (total)	1,440.8	14.6	2.0	.....	4.9	3.8	9.4	16.2	12.8	3.6	*0.7*	131.2	6.5	16.6	101.6
32	White	1,315.6	11.4	*0.8*	.....	5.6	4.5	9.3	16.2	7.7	3.2	*0.8*	101.2	6.4	12.5	103.6
33	Colored	2,126.9	32.0	8.7	.....	*1.5*	.....	10.2	16.0	40.8	*5.8*	.....	295.7	7.3	39.3	90.3
34	Rural districts (total)	967.1	28.5	4.0	0.9	7.9	2.4	12.2	28.1	11.1	3.0	2.6	111.0	5.6	9.4	43.9
35	White	906.1	27.1	3.8	1.0	8.4	2.4	11.3	29.0	10.6	3.1	2.6	94.4	5.2	8.3	43.4
36	Colored	1,650.3	44.1	5.5	.....	*1.8*	*1.8*	22.0	18.4	17.1	*1.2*	*2.4*	297.4	10.4	21.4	49.0
37	Louisiana (total)	1,104.3	17.9	23.4	3.2	6.1	0.6	8.6	6.0	12.2	1.6	0.4	112.8	1.7	7.9	53.6
38	White	924.0	14.1	20.5	2.2	7.3	0.9	7.5	6.7	9.4	2.1	0.4	62.2	2.0	5.3	59.3
39	Colored	1,392.9	24.0	28.0	4.7	4.1	*0.1*	10.4	4.9	16.7	0.9	*0.4*	193.8	1.3	12.1	44.3
40	Cities (total)	1,702.7	14.4	8.3	8.1	8.5	*0.8*	7.1	5.1	17.9	2.2	1.4	172.0	4.7	17.1	102.8
41	White	1,412.7	10.3	4.4	4.4	10.8	*1.1*	6.1	5.3	13.3	2.8	1.4	115.6	4.7	9.4	110.1
42	Colored	2,409.4	24.3	17.6	16.9	*2.7*	.....	9.5	4.7	29.1	*0.7*	*1.4*	309.4	4.7	35.8	85.1
43	Rural districts (total)	872.3	19.3	29.3	1.3	5.2	0.5	9.2	6.3	10.0	1.4	*0.1*	89.8	0.5	4.3	34.5
44	White	692.2	15.9	28.2	1.2	5.7	0.8	8.2	7.4	7.5	1.7	.....	36.8	0.7	3.3	35.3
45	Colored	1,120.3	23.9	30.8	1.4	4.5	*0.8*	10.7	4.9	13.4	0.9	*0.2*	162.7	*0.4*	5.8	33.3
46	Maine (total)	1,401.0	7.6	*0.1*	.....	10.6	2.8	8.8	14.2	17.9	2.8	0.6	64.8	5.6	11.8	116.5
47	White	1,401.8	7.7	*0.1*	.....	10.7	2.9	8.8	14.3	17.9	2.9	0.6	64.7	5.6	11.8	116.8
48	Colored	1,125.5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*86.6*	.....	.....	.....
49	Cities (total)	1,479.8	12.3	.....	.....	5.5	2.7	5.5	22.8	12.3	3.6	*0.9*	67.9	6.4	19.1	129.8
50	White	1,481.4	12.3	.....	.....	5.5	2.7	5.5	22.9	12.3	3.7	*0.9*	67.7	6.4	19.2	130.3
51	Colored	1,051.4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*116.8*	.....	.....	.....
52	Rural districts (total)	1,369.6	5.8	*0.2*	.....	12.7	2.9	10.1	10.9	20.1	2.5	*0.5*	63.5	5.2	8.9	111.1
53	White	1,370.2	5.8	*0.2*	.....	12.7	2.9	10.2	10.9	20.1	2.5	*0.5*	63.5	5.3	8.9	111.4
54	Colored	1,169.2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*68.8*	.....	.....	.....
55	Maryland (total)	1,356.0	10.3	*0.3*	.....	3.2	2.1	16.9	12.4	9.6	2.6	1.4	120.4	5.0	10.1	93.1
56	White	1,233.8	7.4	*0.2*	.....	3.3	2.2	11.9	12.2	8.1	2.8	1.5	91.8	4.2	6.1	98.1
57	Colored	1,963.0	24.7	*0.4*	.....	2.4	*1.6*	41.7	13.0	17.4	*1.6*	*0.8*	262.5	9.3	30.0	68.5
58	Cities (total)	1,381.2	7.4	*0.1*	.....	3.2	1.7	12.8	12.5	10.6	3.4	1.2	114.9	6.2	12.2	104.6
59	White	1,269.9	6.6	*0.1*	.....	3.5	1.8	11.7	12.6	8.9	3.4	1.3	81.1	5.0	7.7	110.4
60	Colored	2,055.6	12.7	.....	.....	*1.7*	*0.8*	19.5	11.8	20.3	*3.4*	*0.8*	319.9	13.5	39.8	69.4
61	Rural districts (total)	1,323.0	14.1	*0.5*	.....	3.1	2.7	22.2	12.2	8.4	1.6	1.7	127.5	3.4	7.3	78.1
62	White	1,183.4	8.6	*0.4*	.....	3.1	2.7	12.1	11.7	6.8	2.0	2.0	106.8	2.9	3.9	80.8
63	Colored	1,878.0	35.3	*0.8*	.....	*3.1*	*2.3*	62.2	14.0	14.8	.....	*0.8*	209.9	5.4	21.0	67.6

[1] Exclusive of stillbirths.

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1921—Continued.

[See note at head of this table, p. 160.]

DEATH RATE PER 100,000 POPULATION FROM—																		
Rheumatism.	Diabetes mellitus.	Cerebral hemorrhage and softening.	Other [organic] diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis.	Puerperal septicemia.	Other puerperal causes.	Congenital malformations and diseases of early infancy.	Suicide.	Homicide.	Accidental and unspecified external causes.	Unknown or ill-defined diseases.	All other causes.	
51, 52	57	74, 83	90	99	100, 101	113	117	118	122	128, 129	146	143-145, 147-150	159-163	165-174	197-200	175-196, 201-203	204, 205		
5.6	18.0	72.0	143.6	9.8	78.8	49.1	16.4	10.5	8.3	85.2	6.5	7.7	76.6	14.7	8.8	72.6	2.2	184.3	1
5.6	18.1	72.1	140.8	9.6	76.2	48.8	16.1	10.5	8.1	83.8	6.3	7.6	76.2	14.9	7.5	71.9	2.1	181.0	2
6.6	17.7	70.9	236.5	18.2	165.1	59.3	26.3	10.6	15.7	129.2	14.2	13.7	90.2	8.1	49.6	94.2	4.1	291.7	3
6.0	20.2	63.4	151.6	10.4	85.1	59.1	22.5	12.4	9.6	88.8	6.9	8.4	78.0	15.9	10.8	76.8	0.7	180.5	4
5.9	20.2	63.6	148.0	10.2	81.4	59.3	22.2	12.4	9.4	87.0	6.5	8.2	77.6	16.2	9.1	76.1	0.7	176.8	5
7.3	18.9	58.1	236.5	15.9	169.3	54.4	30.6	11.0	14.1	128.9	15.9	12.2	85.6	8.6	48.9	92.9	*1.2*	264.6	6
5.1	15.0	84.6	131.9	9.0	69.7	34.6	7.6	7.8	6.5	80.0	6.0	6.8	74.6	13.0	5.9	66.4	4.4	189.9	7
5.1	15.0	84.0	130.6	8.7	68.8	33.9	7.6	7.8	6.3	79.3	6.0	6.6	74.1	13.1	5.3	65.9	4.2	186.9	8
3.0	*11.8*	133.2	236.8	29.6	145.0	82.9	*5.9*	*8.9*	23.7	130.2	*5.9*	20.7	112.5	*5.9*	53.3	100.6	17.8	423.3	9
3.8	16.3	99.1	146.0	7.8	75.2	40.7	15.5	11.7	9.6	95.9	7.8	8.0	81.4	14.7	6.4	70.3	1.9	213.4	10
3.7	16.5	99.4	143.1	7.5	71.6	40.3	15.3	11.5	9.5	94.9	7.7	7.6	80.8	14.9	4.9	69.8	1.9	212.2	11
8.3	10.7	88.8	242.7	15.4	198.9	54.5	22.5	18.9	13.0	131.4	13.0	18.9	101.8	8.3	58.0	86.4	*1.2*	256.9	12
4.2	16.8	83.5	136.7	8.0	86.1	45.5	24.8	14.0	10.7	87.9	9.9	10.0	89.5	16.0	9.8	71.9	1.4	207.9	13
3.9	17.0	83.7	131.4	7.4	78.7	44.7	24.7	13.8	10.7	86.0	9.8	9.4	88.9	16.6	6.5	71.5	1.4	206.2	14
8.4	12.6	80.0	221.7	16.8	203.5	58.9	25.3	16.8	11.2	117.9	11.2	19.6	99.6	*5.6*	63.2	78.6	*1.4*	235.8	15
3.5	15.9	110.0	152.4	7.6	67.7	37.4	9.1	10.1	8.9	101.5	6.4	6.5	75.7	13.8	4.0	69.2	2.3	217.3	16
3.5	16.1	109.8	150.9	7.6	66.9	37.4	9.1	9.9	8.7	100.7	6.3	6.4	75.4	13.7	3.8	68.7	2.3	216.1	17
7.6	.....	136.2	355.7	*7.6*	174.1	*30.3*	*7.6*	*30.3*	*22.7*	204.4	*22.7*	*15.1*	113.5	*22.7*	*30.3*	128.7	.....	370.9	18
3.9	15.6	93.0	106.8	8.6	60.4	25.3	15.7	11.1	7.0	78.4	6.7	8.3	80.4	11.7	7.5	63.8	12.1	214.4	19
4.0	15.8	92.2	103.8	8.2	58.6	25.1	15.5	11.0	6.9	74.9	6.6	8.4	80.2	11.7	5.5	64.1	11.8	209.8	20
1.6	9.8	116.5	192.0	19.7	111.6	32.8	19.7	11.5	11.5	178.9	8.2	*4.9*	87.0	9.8	65.6	54.2	19.7	346.3	21
2.8	16.8	105.1	116.5	13.3	79.9	30.8	25.9	16.1	7.0	92.3	11.0	9.1	92.0	14.2	15.8	72.9	6.1	263.8	22
2.8	17.1	104.8	110.7	12.5	76.0	30.9	26.3	16.3	6.4	82.6	11.2	9.7	93.1	14.5	9.9	74.7	5.9	257.3	23
2.7	13.5	107.9	178.1	21.6	121.4	29.7	21.6	13.5	13.5	194.3	*8.1*	*2.7*	81.0	*10.8*	78.3	54.0	*8.1*	331.9	24
4.3	15.2	89.2	103.7	7.1	54.3	23.6	12.4	9.5	7.0	74.0	5.3	8.1	76.7	10.9	4.9	60.9	14.0	198.8	25
4.4	15.4	88.5	101.7	6.9	53.5	23.3	12.3	9.5	7.0	72.6	5.3	8.1	76.3	10.9	4.1	61.0	13.6	195.7	26
.....	*4.2*	129.9	213.6	*16.8*	96.4	37.7	*16.8*	*8.4*	*8.4*	155.0	*8.4*	*8.4*	96.4	*8.4*	46.1	54.5	37.7	368.6	27
5.7	8.7	57.6	86.5	6.7	75.7	44.2	10.6	7.6	5.3	76.5	8.1	9.2	74.5	7.2	16.2	53.6	19.5	200.0	28
5.3	8.5	52.7	77.6	5.2	69.9	43.4	10.1	6.9	4.8	69.9	7.5	8.7	74.2	7.5	12.2	50.9	19.1	185.6	29
9.9	11.2	103.8	171.1	20.7	131.4	51.3	15.1	14.2	10.8	139.2	13.4	14.7	77.6	4.3	53.4	79.7	23.7	337.0	30
5.8	17.3	112.1	153.3	14.2	105.2	41.1	26.3	16.4	11.2	127.0	11.7	8.8	77.1	15.1	18.2	75.1	3.4	277.6	31
4.5	17.8	104.2	136.3	8.5	87.7	38.5	26.8	14.3	10.4	118.8	10.9	8.5	78.1	16.2	11.2	75.7	2.7	261.2	32
13.1	14.6	155.9	246.2	45.2	201.0	55.4	23.3	27.7	16.0	171.9	16.0	10.2	71.4	8.7	56.8	71.4	7.3	367.1	33
5.7	6.8	45.4	71.6	5.0	69.2	44.8	7.1	5.6	4.0	65.2	7.3	9.3	73.9	5.4	15.7	48.9	23.1	182.6	34
5.4	6.6	42.1	65.5	4.5	66.2	44.4	6.7	5.3	3.6	59.8	6.8	8.7	73.4	5.7	12.5	45.8	22.4	170.0	35
8.6	9.8	82.0	139.5	10.4	102.2	49.6	11.6	8.6	8.6	125.4	12.2	16.5	80.2	*2.4*	52.0	83.2	30.6	324.3	36
4.2	9.4	50.5	110.5	7.0	71.0	51.0	16.1	10.2	9.6	89.6	8.2	15.2	62.9	7.3	18.8	63.9	33.6	209.3	37
3.2	11.9	50.2	92.8	5.9	59.4	44.4	18.2	9.3	8.4	78.3	6.2	13.2	59.2	10.4	11.4	60.9	16.2	164.4	38
5.7	5.6	51.0	138.9	8.7	89.5	61.6	12.9	11.7	11.4	107.7	11.3	18.3	68.9	2.1	30.6	68.7	61.3	281.2	39
8.1	21.8	89.9	204.1	8.5	108.7	55.3	41.1	22.4	16.9	166.9	13.6	20.4	99.1	16.1	28.1	94.4	2.8	314.4	40
4.7	24.1	87.6	166.4	6.9	81.0	41.6	43.5	21.1	13.6	141.2	10.3	17.5	76.3	19.7	13.9	89.3	2.2	252.1	41
16.2	16.2	95.3	295.9	12.2	176.3	88.5	35.1	25.7	25.0	229.7	21.6	27.7	154.7	7.4	62.8	106.8	4.1	466.2	42
2.7	4.6	35.3	74.2	6.4	56.3	49.4	6.5	5.5	6.7	59.7	6.1	13.1	48.9	3.8	15.2	52.1	45.5	168.5	43
2.5	6.1	32.5	57.9	5.4	49.2	45.8	6.2	3.7	5.9	48.5	4.3	11.2	51.0	6.1	10.3	47.5	22.9	122.8	44
2.9	2.7	39.1	96.8	7.8	66.1	54.4	6.9	8.0	7.8	75.0	8.5	15.8	45.8	*0.7*	21.9	58.5	76.7	231.6	45
6.2	26.0	135.1	195.9	14.0	112.6	43.7	17.0	10.9	4.4	96.9	4.4	12.6	95.9	12.8	2.2	72.5	17.1	256.6	46
6.2	26.0	135.4	195.9	13.9	112.5	43.5	17.0	10.9	4.4	96.9	4.4	12.2	96.1	12.9	2.1	72.6	17.2	256.7	47
.....	*43.3*	*43.3*	*173.2*	*43.3*	*129.9*	*86.6*	.....	.....	.....	*86.6*	.....	*129.9*	.....	.....	*43.3*	*43.3*	.....	216.5	48
7.3	34.6	120.7	183.1	11.4	123.4	28.7	31.4	17.3	3.6	92.9	8.2	15.5	103.8	13.7	*1.8*	84.3	12.8	296.5	49
7.3	34.7	121.2	183.4	11.4	123.9	28.3	31.5	17.4	3.7	93.3	8.2	14.6	104.2	13.7	*1.4*	84.6	12.8	296.3	50
.....	.....	.....	*116.8*	.....	.....	*116.8*	.....	.....	.....	.....	.....	*233.6*	.....	.....	*116.8*	.....	.....	*350.5*	51
5.8	22.6	140.8	200.9	15.0	108.3	49.6	11.2	8.3	4.7	98.5	2.9	11.4	92.7	12.5	2.4	67.9	18.8	240.8	52
5.8	22.5	141.0	200.9	14.9	108.0	49.5	11.3	8.3	4.7	98.4	2.9	11.3	92.9	12.5	2.4	67.9	18.9	241.0	53
.....	*68.8*	*68.8*	*206.3*	*68.8*	*206.3*	*68.8*	.....	.....	.....	*137.6*	.....	*68.8*	.....	.....	.....	*68.8*	.....	*137.6*	54
5.7	17.1	111.2	168.0	13.8	106.8	63.9	9.6	12.0	6.2	134.1	5.9	10.8	104.2	11.6	7.8	71.8	11.6	196.4	55
4.6	18.5	108.5	155.1	11.7	92.0	55.4	8.6	10.5	6.4	124.8	5.0	9.5	94.2	13.2	5.1	71.1	6.7	182.9	56
10.9	10.1	124.8	231.8	23.9	179.9	106.2	15.0	19.4	5.3	180.3	10.5	17.0	154.4	3.6	21.1	75.4	36.1	263.4	57
6.4	21.2	117.1	174.7	13.6	120.5	55.8	12.8	15.6	6.2	141.4	6.8	10.4	100.7	13.9	8.9	71.0	1.7	191.6	58
4.9	22.8	111.1	158.0	12.2	104.8	53.3	12.0	15.0	6.3	133.2	5.9	10.2	94.5	15.4	6.3	69.6	1.4	178.9	59
5.2	11.8	153.2	275.9	22.0	215.0	71.1	17.8	19.5	5.9	191.3	12.7	11.8	137.9	5.1	24.5	79.6	*3.4*	268.3	60
4.8	11.7	103.6	159.2	14.1	88.9	74.4	5.5	7.3	6.3	124.5	4.7	11.3	108.9	8.6	6.4	72.8	24.5	202.7	61
4.3	12.5	104.8	151.2	11.1	74.1	58.3	3.7	4.3	6.6	113.0	3.7	8.6	93.7	10.2	3.5	73.1	14.1	188.5	62
7.0	8.6	98.7	191.2	25.7	147.7	138.4	12.4	19.4	4.7	170.2	8.6	21.8	169.5	*2.3*	17.9	71.5	66.1	258.8	63

TABLE III.—DEATH RATES PER 100,000 ESTIMATED POPULATION IN THE REGISTRATION AREA (EXCLUSIVE

[See note at head of this table, p. 160.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid and paratyphoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria.	Influenza.	Erysipelas.	Meningococcus meningitis.	Tuberculosis of the respiratory system.	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors.
			1	5	6	7	8	9	10	11	21	24	31	32	33-37	43-49
	REGISTRATION STATES—Continued.															
1	Massachusetts (total)	1,216.7	3.1	.....	.....	4.7	4.8	5.2	15.7	4.9	3.3	1.6	82.0	8.0	8.6	118.0
2	White	1,209.5	3.0	.....	.....	4.7	4.7	5.0	15.6	4.9	3.3	1.5	79.4	7.9	8.2	118.4
3	Colored	1,777.2	*8.0*	.....	.....	.....	*6.0*	24.0	20.0	*6.0*	*2.0*	*6.0*	284.2	16.0	40.0	92.1
4	Cities (total)	1,199.8	3.2	.....	.....	4.9	4.9	5.2	16.9	4.4	3.5	1.7	77.6	8.7	8.4	114.5
5	White	1,192.6	3.2	.....	.....	5.0	4.9	5.0	16.9	4.4	3.5	1.7	75.2	8.6	8.0	114.8
6	Colored	1,710.2	*4.5*	.....	.....	.....	*6.8*	18.0	20.3	*4.5*	*2.3*	*4.5*	250.1	18.0	38.3	94.6
7	Rural districts (total)	1,292.8	2.7	.....	.....	3.6	4.2	5.3	10.1	7.1	2.4	1.0	101.3	4.9	9.5	134.0
8	White	1,284.8	2.4	.....	.....	3.7	4.2	4.8	10.0	7.0	2.4	0.8	97.8	4.9	9.1	134.5
9	Colored	2,309.8	*55.8*	.....	.....	.....	.....	*71.6*	*17.9*	*17.9*	.....	*17.9*	555.1	.....	*53.7*	*71.6*
10	Michigan (total)	1,161.1	7.7	0.2	0.3	1.8	9.1	8.5	25.0	6.5	3.6	1.8	60.8	4.5	7.2	87.8
11	White	1,149.1	7.6	0.2	0.3	1.8	9.1	8.1	25.2	6.3	3.6	1.9	56.0	4.1	6.9	88.4
12	Colored	1,769.2	10.9	.....	*1.4*	.....	8.2	28.7	13.7	16.4	*5.5*	*1.4*	305.8	23.2	24.6	54.6
13	Cities (total)	1,077.9	6.8	*0.1*	0.3	2.7	9.1	9.0	29.8	4.5	3.4	1.9	63.1	6.2	7.4	78.2
14	White	1,063.1	6.7	*0.2*	0.3	2.7	9.1	8.4	30.3	4.2	3.4	1.9	58.1	5.5	6.8	79.5
15	Colored	1,560.5	11.6	.....	*1.7*	.....	8.3	26.4	14.9	14.9	*5.0*	*1.7*	226.5	26.4	28.1	34.7
16	Rural districts (total)	1,256.4	8.7	*0.2*	0.3	0.8	9.0	8.0	19.4	8.8	3.8	1.8	58.2	2.5	7.0	98.8
17	White	1,245.5	8.7	*0.2*	0.3	0.8	9.0	7.7	19.5	8.6	3.8	1.8	53.6	2.5	7.0	98.4
18	Colored	2,758.2	*7.8*	.....	.....	.....	*7.8*	39.2	*7.8*	*25.5*	*7.8*	.....	681.7	*7.8*	*7.8*	148.9
19	Minnesota (total)	936.5	3.6	.....	1.1	1.3	7.8	6.4	9.0	7.1	2.2	1.4	64.6	4.6	7.8	89.4
20	White	932.4	3.6	.....	1.0	1.3	7.8	6.0	9.1	7.0	2.2	1.4	62.9	4.4	7.7	89.7
21	Colored	1,479.4	*5.4*	.....	*10.8*	.....	*5.4*	48.8	.....	*21.7*	.....	.....	287.2	32.5	*16.3*	59.6
22	Cities (total)	1,154.4	4.0	.....	0.9	1.1	11.7	4.6	13.1	7.3	2.9	1.4	72.4	6.4	11.9	123.0
23	White	1,150.1	3.9	.....	1.0	1.1	11.7	4.5	13.2	7.3	3.0	1.4	69.8	6.4	11.8	123.4
24	Colored	1,563.6	*11.2*	.....	.....	.....	*11.2*	*11.2*	.....	*11.2*	.....	.....	315.0	.....	*22.5*	78.7
25	Rural districts (total)	820.0	3.4	.....	1.1	1.4	5.7	7.3	6.9	6.9	1.8	1.3	60.4	3.7	5.6	71.5
26	White	816.5	3.4	.....	1.0	1.5	5.7	6.8	6.9	6.8	1.8	1.3	59.1	3.4	5.6	71.7
27	Colored	1,401.2	.....	.....	*20.9*	.....	.....	83.7	.....	*31.4*	.....	.....	261.4	62.7	*10.5*	*41.8*
28	Mississippi (total)	1,114.1	18.6	49.9	0.5	1.6	0.9	13.1	19.2	12.8	1.8	0.9	103.1	1.6	6.4	41.8
29	White	857.8	12.6	35.4	*0.4*	2.0	0.9	7.8	22.7	10.7	2.6	1.1	44.8	1.3	3.4	45.1
30	Colored	1,347.9	24.0	63.2	0.6	1.2	0.9	17.8	16.0	14.8	1.2	0.9	156.2	1.8	9.2	38.9
31	Cities (total)	2,162.5	26.8	38.3	*0.7*	7.2	.....	24.6	13.0	27.5	*2.2*	*1.4*	147.5	*2.9*	21.7	99.8
32	White	1,476.5	20.1	17.5	.....	7.5	.....	15.0	16.3	21.3	*3.8*	.....	57.7	*3.8*	8.8	90.2
33	Colored	3,097.6	35.9	66.6	*1.7*	*6.8*	.....	37.6	8.5	35.9	.....	*3.4*	270.0	*1.7*	39.3	112.8
34	Rural districts (total)	1,026.4	17.9	50.9	0.5	1.1	1.0	12.1	19.7	11.6	1.8	0 9	99.4	1.5	5.1	37.0
35	White	794.0	11.9	37.2	*0.4*	1.4	1.0	7.1	23.4	9.6	2.5	1.2	43.5	1.0	2.8	40.4
36	Colored	1,231.3	23.2	63.0	0.6	0.8	0.9	16.5	16.5	13.4	1.3	0.7	148.6	1.8	7.2	33.9
37	Missouri (total)	1,083.6	12.9	5.6	5.6	2.1	4.3	7.7	23.0	11.0	3.1	1.5	82.8	2.8	7.5	84.8
38	White	1,039.3	12.8	5.5	4.4	2.1	4.4	7.4	23.8	10.2	3.2	1.4	71.1	2.7	6.6	84.8
39	Colored	1,871.6	16.5	7.1	27.4	*1.6*	*1.6*	12.1	9.9	24.1	*1.1*	3.3	290.3	4.9	23.1	84.0
40	Cities (total)	1,311.1	8.1	1.4	11.9	2.0	4.8	6.4	21.6	9.9	3.8	1.4	83.6	3.8	8.8	116.6
41	White	1,252.0	7.9	0.9	9.2	1.9	5.2	5.8	22.9	8.5	4.0	1.2	66.2	3.6	7.1	119.9
42	Colored	1,914.4	9.7	6.5	39.7	*2.4*	.....	12.2	8.9	24.3	*1.6*	4.1	260.9	6.5	26.7	82.6
43	Rural districts (total)	929.3	16.2	8.5	1.3	2.2	3.9	8.6	24.0	11.7	2.7	1.5	82.2	2.1	6.5	63.2
44	White	904.0	15.8	8.5	1.3	2.3	3.9	8.5	24.3	11.3	2.8	1.5	74.2	2.1	6.3	62.5
45	Colored	1,781.7	30.6	8.5	*1.7*	.....	*5.1*	11.9	11.9	23.8	.....	*1.7*	352.3	*1.7*	15.3	86.8
46	Montana (total)	815.3	3.5	.....	*0.5*	6.1	1.7	12.0	8.2	8.5	3.0	1.2	54.7	2.8	4.3	54.7
47	White	781.0	2.7	.....	*0.5*	5.2	1.8	9.4	8.4	8.2	2.9	1.2	45.1	2.1	3.9	54.7
48	Colored	2,145.0	34.5	.....	.....	41.4	.....	110.4	.....	*20.7*	*6.9*	.....	427.6	*27.6*	*20.7*	55.2
49	Cities (total)	1,188.0	4.2	.....	*0.8*	5.0	*0.8*	15.8	*5.3*	11.7	9.2	*2.5*	50.8	4.2	8.3	101.6
50	White	1,166.6	4.2	.....	*0.8*	5.1	*0.8*	13.5	*5.4*	11.8	9.3	*2.5*	49.8	*5.4*	8.4	99.5
51	Colored	2,893.7	.....	.....	.....	.....	.....	*201.9*	.....	.....	.....	.....	*134.6*	*67.3*	.....	*269.2*
52	Rural districts (total)	717.1	3.3	.....	*0.4*	6.4	2.0	11.0	9.4	7.7	1.3	*0.9*	55.8	2.4	3.3	42.4
53	White	677.7	2.3	.....	*0.5*	5.2	2.0	8.4	9.7	7.2	1.1	*0.9*	43.8	1.8	2.7	42.7
54	Colored	2,059.5	38.4	.....	.....	46.1	.....	99.9	.....	*23.1*	*7.7*	.....	461.1	*23.1*	*23.1*	*30.7*
55	Nebraska (total)	915.6	5.0	*0.2*	0.7	2.1	7.2	5.0	11.1	10.0	3.7	1.2	30.9	1.8	4.3	82.4
56	White	904.0	5.1	*0.2*	0.7	2.1	7.3	4.9	11.1	10.0	3.6	1.2	27.4	1.5	3.8	82.2
57	Colored	1,753.7	.....	.....	.....	*5.6*	.....	*5.6*	*11.1*	*11.1*	*11.1*	*5.6*	283.9	*22.3*	44.5	94.6
58	Cities (total)	1,309.1	6.5	*0.3*	*1.0*	2.1	10.0	*1.0*	32.3	9.6	4.8	1.7	54.9	4.5	7.5	122.5
59	White	1,298.2	6.8	*0.4*	*1.1*	1.8	10.4	*1.1*	33.0	9.3	4.7	1.8	44.9	3.6	6.1	123.5
60	Colored	1,546.3	.....	.....	.....	*7.8*	.....	.....	*15.6*	*15.6*	*7.8*	.....	273.3	*23.4*	39.0	101.5
61	Rural districts (total)	803.3	4.6	*0.2*	0.6	2.2	6.4	6.1	5.1	10.1	3.4	1.1	24.1	1.1	3.4	70.9
62	White	795.9	4.6	*0.2*	0.6	2.2	6.4	6.0	5.1	10.1	3.3	1.0	22.6	1.0	3.1	70.9
63	Colored	2,268.8	.....	.....	.....	.....	.....	*19.4*	.....	.....	*19.4*	*19.4*	310.3	*19.4*	*58.2*	*77.6*

[1] Exclusive of stillbirths.

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1921—Continued.

[See note at head of this table, p. 160.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Rheumatism.	Diabetes mellitus.	Cerebral hemorrhage and softening.	Other [organic] diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis.	Puerperal septicemia.	Other puerperal causes.	Congenital malformations and diseases of early infancy.	Suicide.	Homicide.	Accidental and unspecified external causes.	Unknown or ill-defined diseases.	All other causes.	
51, 52	57	74, 83	90	99	100, 101	113	117	118	122	128, 129	146	143-145, 147-150	159-163	165-174	197-200	175-196, 201-203	204, 205		
3.5	20.2	105.9	188.0	11.8	102.6	37.4	13.2	10.5	5.3	71.5	5.1	10.2	90.7	12.0	2.8	62.0	4.2	200.1	1
3.5	20.2	106.0	187.6	11.7	101.4	37.0	13.1	10.5	5.3	71.1	5.1	10.0	90.7	12.0	2.8	61.7	4.0	199.0	2
2.0	16.0	102.1	222.2	14.0	198.1	64.0	16.0	12.0	*6.0*	106.1	*6.0*	24.0	88.1	12.0	*6.0*	80.1	14.0	284.2	3
3.3	19.9	98.7	182.3	10.9	103.7	39.0	15.1	11.2	5.5	69.5	5.9	10.9	94.5	12.0	2.9	61.4	3.7	195.8	4
3.3	20.0	98.7	181.9	10.8	102.3	38.8	15.1	11.2	5.5	69.0	5.8	10.6	94.5	12.0	2.8	61.2	3.5	194.7	5
2.3	13.5	99.1	211.8	13.5	205.0	56.3	18.0	13.5	*2.3*	105.9	*6.8*	27.0	90.1	11.3	*4.5*	76.6	15.8	274.9	6
4.5	21.4	138.5	213.7	15.8	97.7	30.0	4.3	7.5	4.7	80.8	1.7	7.3	73.8	12.0	2.5	64.6	6.3	219.6	7
4.5	21.2	138.6	213.0	15.8	97.4	29.3	4.4	7.6	4.5	80.6	1.7	7.3	73.9	12.0	2.4	64.3	6.3	218.5	8
.....	*35.8*	125.3	304.4	*17.9*	143 2	125.3	.....	.....	*35.8*	107.4	.....	.....	*71.6*	*17.9*	*17.9*	107.4	.....	358.1	9
5.3	16.5	91.3	147.7	13.8	73.0	41.9	16.3	11.8	7.6	64.0	7.8	9.6	102.6	12.1	4.8	70.4	7.1	232.8	10
5.3	16.7	91.9	146.5	13.5	70.8	41.4	16.2	11.9	7.6	63.8	7.5	9.4	102.4	12.2	4.0	70.3	7.0	231.1	11
5.5	8.2	61.4	207.5	27.3	180.2	66.9	19.1	6.8	*5.5*	75.1	19.1	17.7	113.3	8.2	45.0	73.7	13.7	320.8	12
4.7	13.4	65.1	123.5	10.0	79.1	44.8	19.8	12.5	7.3	55.5	9.3	9.1	110.4	11.7	6.6	61.3	2.9	208.5	13
4.7	13.6	65.4	121.7	9.9	75.9	44.7	19.8	12.6	7.4	55.2	9.0	8.8	110.4	11.9	5.1	61.3	2.6	205.9	14
5.0	*6.6*	54.6	181.8	13.2	183.5	47.9	19.8	8.3	*3.3*	62.8	18.2	16.5	112.4	*6.6*	54.6	59.5	9.9	295.9	15
6.0	20.0	121.3	175.4	18.1	65.9	38.6	12.3	11.1	8.0	73.8	6.0	10.2	93.6	12.6	2.7	80.8	12.0	260.6	16
6.0	20.1	121.5	174.3	17.6	65.2	37.8	12.2	11.2	7.9	73.4	5.9	10.1	93.5	12.6	2.7	80.4	11.9	259.3	17
7.8	*15.7*	94.0	329.1	94.0	164.6	156.7	*15.7*	.....	*15.7*	133.2	*23.5*	*23.5*	117.5	*15.7*	.....	141.0	*31.3*	438.8	18
3.5	18.1	62.5	108.7	8.0	64.6	15.9	18.7	10.8	6.0	58.3	6.1	7.4	81.5	12.9	4.4	61.1	6.3	175.3	19
3.5	18.1	62.6	108.8	7.9	63.8	15.8	18.7	10.8	6.0	58.0	6.0	7.4	81.8	12.9	4.1	61.1	5.6	175.3	20
5.4	*10.8*	48.8	97.5	*21.7*	168.0	27.1	*21.7*	*21.7*	.....	97.5	*16.3*	.....	48.8	*16.3*	32.5	70.4	103.0	184.3.	21
2.8	20.9	66.7	133.1	6.8	78.0	12.8	28.2	14.3	9.0	71.6	8.1	11.3	93.0	17.0	7.1	70 5	2.2	240.4	22
2.7	21.0	66.6	132.7	6.7	77.3	13.0	28.2	14.1	9.1	70 9	8.1	11.4	93.6	16.8	6.4	70.2	2.3	240.5	23
11.2	*11.2*	78.7	168.7	*22.5*	146.2	.....	*22.5*	*33.7*	.....	135.0	*11.2*	.....	*33.7*	*33.7*	67.5	101.2	.....	225.0	24
3.9	16.6	60.2	95.7	8.7	57.4	17.5	13.6	9.0	4.4	51.2	5.0	5.3	75.4	10.8	2.9	56.1	8.5	140.6	25
3.9	16.6	60.5	96.0	8.6	56.6	17.3	13.6	9.0	4.4	51.2	4.9	5.3	75.4	10.8	2.9	56.2	7.4	140.6	26
.....	*10.5*	*20.9*	*31.4*	*20.9*	188.2	52.3	*20.9*	*10.5*	.....	62.7	*20.9*	.....	62.7	.....	.....	*41.8*	198.7	146.4	27
3.6	5.8	41.5	89.1	4.1	66.0	30.7	14.0	9.6	4.2	78.9	8.0	16.6	51.0	3.8	21.1	55.6	117.3	221.1	28
3.4	8.5	42.0	70.1	4.9	58.8	32.9	17.3	9.7	2.9	67.6	6.1	13.6	63.5	6.4	11.1	46.7	41.2	160.1	29
3.7	3.3	41.1	106.3	3.4	72.5	28.6	10.9	9.5	5.3	89.1	9.7	19.3	39.7	1.4	30.1	63.6	186.7	276.7	30
7.2	18.1	101.2	206.8	8.0	107.7	67.2	54.9	28.9	9.4	180.0	15.2	31.1	75.2	11.6	59.3	112.8	96.2	558.2	31
2.5	26.3	96.5	132.9	*3.8*	71.4	61.4	55.2	28.8	6.3	137.9	16.3	27.6	68.9	16.3	26.3	94.0	16.3	325.9	32
13.7	*6.8*	107.6	307.5	13.7	157.2	75.2	54.7	29.0	13.7	237.5	13.7	35.9	83.7	*5.1*	104.2	138.4	205.0	874.8	33
3.3	4.8	36.6	79.2	3.8	62.5	27.6	10.5	8.0	3.8	70.4	7.4	15.4	49.0	3.1	17.9	50.8	119.1	192.9	34
3.5	6.7	36.4	63.7	5.0	57.5	30.0	13.4	7.8	2.6	60.3	5.0	12.1	62.9	5.4	9.6	41.9	43.8	143.0	35
3.1	3.1	36.7	92.9	2.7	66.8	25.5	8.0	8.2	4.8	79.3	9.5	18.2	36.8	1.1	25.2	58.6	185.5	236.9	36
3.6	15.9	70.8	107.4	9.6	83.6	30.1	15.1	10.7	9.3	101.5	7.6	7.0	63.0	13.3	10.1	57.1	12.6	200.6	37
3.4	16.0	70.3	101.0	9.0	77.9	29.9	14.9	10.4	8.6	97.1	7.3	6.9	62.6	13.7	7.8	56.1	12.2	193.9	38
7.1	15.4	79.6	221.7	20.3	185.5	35.1	18.1	16.5	22.0	178.4	13.2	8.8	70.8	6.0	51.6	75.7	19.2	319.4	39
4.4	21.7	75.4	134.8	12.2	112.4	29.5	24.3	16.7	13.4	130.1	9.5	8.2	71.0	20.5	19.1	71.0	3.0	249.9	40
4.0	22.2	75.9	125.0	11.3	102.7	29.9	24.4	16.4	12.2	125.3	9.3	7.9	70.8	21.8	15.0	70.6	2.5	240.5	41
8.9	16.2	70.5	234.9	21.1	211.5	25.1	23.5	19.4	25.9	179.9	11.3	12.2	72.1	6.5	60.8	74.5	8.1	245.9	42
3.0	12.0	67.7	88.9	7.8	64.1	30.6	8.8	6.7	6.6	82.0	6.3	6.2	57.6	8.4	4.0	47.8	19.1	167.2	43
3.0	12.0	66.8	85.8	7.5	62.1	29.8	8.8	6.6	6.4	79.2	6.0	6.3	57.3	8.5	3.2	46.9	18.4	164.3	44
3.4	13.6	98.7	194.0	18.7	131.0	56.2	*6.8*	10.2	13.6	175.3	17.0	*1.7*	68.1	*5.1*	32.3	78.3	42.5	263.8	45
4.5	9.9	44.1	82.3	5.4	71.6	16.0	21.5	8.5	6.1	48.5	7.3	8.2	73.8	16.3	7.1	67.4	13.7	141.8	46
4.1	9.8	44.7	81.4	5.0	65.4	15.0	21.7	8.2	6.1	47.6	7.3	7.8	73.1	16.6	6.4	67.2	9.8	137.6	47
20.7	*13.8*	*20.7*	117.2	*20.7*	310.4	55.2	*15.8*	*20.7*	*6.9*	82.8	*6.9*	*20.7*	103.5	*6.9*	34.5	75.9	165.5	303.5	48
7.5	19.2	70.0	137.5	9.2	105.8	24.2	44.2	21.7	11.7	80.0	13.3	9.2	92.5	23.3	10.0	69.1	7.5	214.1	49
6.7	18.6	70.9	134.1	9.3	102.1	24.5	43.9	20.2	11.8	78.4	13.5	9.3	90.3	23.6	7.6	70.0	7.6	211.7	50
67.3	*67.3*	.....	403.8	.....	403.8	.....	*67.3*	*134.6*	.....	*201.9*	.....	.....	*269.2*	.....	*201.9*	.....	.....	403.8	51
3.7	7.5	37.3	67.8	4.4	62.6	13.8	15.6	5.0	4.6	40.2	5.7	7.9	68.9	14.5	6.4	67.0	15.4	122.7	52
3.4	7.5	37.7	67.3	3.8	55.6	12.4	15.8	5.0	4.5	39.3	5.6	7.5	68.5	14.7	6.1	66.4	10.4	117.7	53
16.4	*7.7*	*23.1*	84.5	*23.1*	299.7	61.5	*7.7*	*7.7*	*7.7*	69.2	*7.7*	*23.1*	84.5	*7.7*	*16.4*	84.5	184.4	292.0	54
4.0	19.5	67.1	98.8	4.0	62.6	20.0	20.3	11.2	5.1	56.8	6.6	9.6	79.0	12.6	4.9	56.3	11.3	200.2	55
4.0	19.6	67.4	98.6	3.9	61.3	19.7	20.2	11.0	5.1	56.2	6.6	9.7	78.7	12.6	3.8	55.5	10.7	198.3	56
.....	*11.1*	44.5	116.9	*11.1*	155.9	44.5	33.4	27.8	*5.6*	100.2	*5.6*	*5.6*	100.2	*16.7*	83.5	111.3	50.1	334.0	57
4.8	23.0	80.3	132.1	2.4	100.9	21.3	42.5	17.2	6.9	87.8	10.0	15.8	102.6	22.0	14.8	78.6	3.1	284.5	58
5.0	24.0	82.2	132.4	2.5	99.4	21.2	42.4	16.5	7.2	88.3	10.4	16.2	103.0	22.3	10.0	77.2	3.2	286.4	59
.....	.....	39.0	125.0	.....	132.8	*23.4*	46.9	*31.2*	.....	78.1	.....	*7.8*	93.7	*15.6*	117.1	109.3	.....	242.1	60
3.7	18.5	63.4	89.3	4.4	51.6	19.7	14.0	9.5	4.6	48.0	5.6	7.8	72.3	10.0	2.1	49.9	13.6	176.1	61
3.7	18.4	63.4	89.3	4.2	50.8	19.3	14.1	9.4	4.5	47.4	5.5	7.9	72.1	9.9	2.1	49.6	12.8	174.1	62
.....	*88.8*	*58.2*	97.0	*88.8*	213.3	97.0	.....	*19.4*	*19.4*	155.1	*19.4*	.....	116.3	*19.4*	.....	116.3	174.5	562.3	63

TABLE III.—DEATH RATES PER 100,000 ESTIMATED POPULATION IN THE REGISTRATION AREA (EXCLUSIVE

[See note at head of this table, p. 160.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid and paratyphoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria.	Influenza.	Erysipelas.	Meningococcus meningitis.	Tuberculosis of the respiratory system.	Tuberculosis of the meninges, etc.	Other forms of tuberculosis.	Cancer and other malignant tumors.
			1	5	6	7	8	9	10	11	21	24	31	32	33–37	43–49
	REGISTRATION STATES—Continued.															
1	New Hampshire (total)	1,371.2	3.6	*0.2*	.....	2.7	4.9	8.1	16.9	13.9	4.9	1.1	64.3	6.1	8.5	119.8
2	White	1,371.8	3.6	*0.2*	.....	2.7	5.0	8.1	16.9	14.0	5.0	1.1	64.4	6.1	8.6	119.8
3	Colored	1,044.4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*130.5*
4	Cities (total)	1,345.7	4.6	*0.5*	.....	*1.5*	4.1	9.1	26.9	11.7	6.6	*1.0*	50.8	9.7	8.1	115.4
5	White	1,346.8	4.6	*0.5*	.....	*1.5*	4.1	9.2	27.0	11.7	6.6	*1.0*	50.9	9.7	8.2	115.6
6	Colored	*885.0*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Rural districts (total)	1,391.4	2.8	.....	.....	3.6	5.6	7.3	8.9	15.7	3.6	*1.2*	74.9	3.2	8.9	123.3
8	White	1,391.5	2.8	.....	.....	3.6	5.6	7.3	8.9	15.7	3.6	*1.2*	75.0	3.2	8.9	123.0
9	Colored	*1,273.9*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*318.5*
10	New Jersey (total)	1,166.5	4.5	0.3	.....	3.5	7.3	10.2	18.5	10.2	2.3	1.7	81.7	5.4	6.5	93.3
11	White	1,137.7	4.4	0.3	.....	3.5	7.5	9.2	18.8	9.7	2.4	1.7	74.2	5.1	5.8	93.9
12	Colored	1,897.3	7.3	.....	.....	*3.3*	*1.6*	37.4	10.6	23.6	*0.8*	*1.6*	272.2	13.8	22.8	76.4
13	Cities (total)	1,154.0	4.5	0.2	.....	4.1	8.8	8.9	19.3	8.0	2.6	2.1	71.8	5.8	7.0	95.1
14	White	1,123.3	4.4	0.2	.....	4.1	9.0	7.8	19.5	7.5	2.7	2.1	64.9	5.4	6.2	96.0
15	Colored	1,909.7	6.0	.....	.....	*3.6*	*2.4*	36.2	13.3	21.7	*1.2*	*2.4*	242.3	14.5	26.5	74.7
16	Rural districts (total)	1,190.2	4.6	*0.4*	.....	2.5	4.4	12.7	16.9	14.4	1.7	0.9	100.4	4.6	5.5	89.8
17	White	1,165.0	4.4	*0.4*	.....	2.5	4.5	11.7	17.3	13.9	1.8	0.9	91.8	4.3	5.2	90.1
18	Colored	1,871.7	*10.0*	.....	.....	*2.5*	.....	39.9	*5.0*	27.4	.....	.....	334.0	12.5	15.0	79.8
19	New York (total)	1,232.3	3.6	0.2	(2)	4.9	6.7	7.6	16.2	7.8	3.2	1.9	88.9	6.0	7.5	105.7
20	White	1,220.5	3.7	0.2	(2)	4.9	6.8	7.4	16.3	7.7	3.1	1.9	84.8	5.9	7.0	106.3
21	Colored	1,778.8	*1.8*	.....	.....	4.9	2.7	17.9	9.8	12.5	6.3	2.7	277.4	12.1	32.2	76.1
22	Cities (total)	1,178.3	3.3	0.1	(2)	4.8	7.4	7.6	17.8	6.2	3.1	2.3	83.9	6.9	7.5	102.3
23	White	1,163.8	3.4	0.1	(2)	4.8	7.5	7.4	18.0	6.1	3.0	2.3	79.4	6.7	6.8	102.9
24	Colored	1,770.0	*2.0*	.....	.....	5.5	3.0	18.1	10.6	9.6	6.5	2.5	269.9	12.6	33.2	76.5
25	Rural districts (total)	1,428.5	4.8	0.3	.....	5.2	4.2	7.7	10.1	13.6	3.3	0.7	106.7	3.0	7.7	117.9
26	White	1,423.9	4.8	0.3	.....	5.2	4.3	7.6	10.2	13.4	3.3	0.6	104.2	3.0	7.5	118.4
27	Colored	1,849.2	.....	.....	.....	.....	.....	*16.1*	*4.0*	36.2	*4.0*	*4.0*	337.7	*8.0*	24.1	72.4
28	North Carolina (total)	1,126.9	12.0	6.9	0.8	5.6	1.7	14.7	14.2	14.5	2.0	1.3	95.3	2.0	7.5	42.9
29	White	990.4	8.6	4.4	0.6	6.3	2.2	12.4	16.3	13.2	2.5	1.3	62.8	1.8	4.7	44.6
30	Colored	1,444.4	19.8	12.7	1.1	4.1	0.6	20.1	9.5	17.3	0.8	1.5	171.1	2.3	14.0	38.8
31	Cities (total)	1,577.5	9.8	6.7	*0.6*	10.4	2.4	13.1	9.8	22.0	*1.2*	3.1	170.6	6.4	15.0	62.4
32	White	1,339.2	5.1	2.8	*0.5*	11.7	3.3	10.8	9.8	15.0	*1.9*	2.8	118.9	7.0	5.6	62.2
33	Colored	2,026.7	18.5	14.1	*0.9*	7.9	*0.9*	17.6	9.7	35.3	.....	*3.5*	268.1	5.3	32.6	62.6
34	Rural districts (total)	1,062.5	12.3	6.9	0.8	4.9	1.6	15.0	14.9	13.4	2.1	1.1	84.6	1.3	6.4	40.1
35	White	944.2	9.1	4.6	0.6	5.6	2.0	12.6	17.1	13.0	2.5	1.1	55.3	1.1	4.6	42.3
36	Colored	1,346.2	20.1	12.5	1.2	3.4	*0.6*	20.5	9.5	14.3	0.9	1.2	154.7	1.8	10.9	34.8
37	Ohio (total)	1,134.9	9.2	0.2	0.3	2.5	7.4	8.7	18.4	11.7	3.0	0.9	75.0	4.4	9.7	89.8
38	White	1,109.4	9.1	0.2	0.2	2.4	7.5	8.1	18.7	11.4	3.0	0.9	66.9	4.0	8.7	90.7
39	Colored	1,867.1	11.6	*1.0*	*0.5*	4.5	4.5	27.6	9.0	18.6	4.5	3.0	308.8	15.1	38.7	66.3
40	Cities (total)	1,123.7	7.1	0.2	0.2	2.7	9.0	7.2	19.6	8.2	3.0	1.0	77.6	5.6	10.6	90.5
41	White	1,089.8	6.9	*0.1*	0.2	2.5	9.2	6.2	20.2	7.9	3.0	0.9	67.1	5.1	9.1	92.0
42	Colored	1,820.0	10.4	*0.7*	.....	5.9	5.2	28.0	6.5	15.0	3.9	3.9	293.9	15.0	41.0	59.2
43	Rural districts (total)	1,149.1	11 8	0.3	0.4	2.2	5.4	10.6	16.8	16.0	3.0	0.9	71.8	2.8	8.7	89.0
44	White	1,133.5	11.7	0.2	0.4	2.2	5.4	10.3	16.8	15.8	2.9	0.9	66.7	2.6	8.3	89.0
45	Colored	2,026.7	15.4	*2.2*	*2.2*	.....	*2.2*	26.5	17.6	30.9	*6.6*	.....	359.5	15.4	30.9	90.4
46	Oregon (total)	1,037.4	5.9	*0.4*	0.7	5.2	1.7	4.5	14.0	12.7	3.0	0.7	61.2	3.9	10.9	94.8
47	White	1,026.5	6.0	*0.4*	0.8	5.2	1.8	4.3	14.0	12.7	2.9	0.8	55.8	3.7	9.9	95.6
48	Colored	1,662.7	.....	.....	.....	*7.3*	.....	*14.6*	*14.6*	*14.6*	*7.3*	.....	371.9	*14.6*	65.6	51.0
49	Cities (total)	1,223.7	2 9	*1.0*	*0.3*	4.2	*1.3*	3.2	18.8	9.1	3.9	*0.6*	72.3	5.5	14.9	129.0
50	White	1,203.7	3.0	*1.0*	*0.3*	4.0	*1.3*	3.0	18.8	9.2	3.6	*0.7*	66.7	5.0	13.9	130.4
51	Colored	2,311.8	.....	.....	.....	*17.9*	.....	*17.9*	*17.9*	.....	*17.9*	.....	376.3	*35.8*	*71.7*	*53.8*
52	Rural districts (total)	920.5	7.7	.....	1.0	5.9	2.0	5.3	11.0	15.0	2.4	*0.8*	54.3	2.8	8.3	73.4
53	White	915.5	7.9	.....	1.0	6.0	2.1	5.2	11.0	14.9	2.5	*0.8*	49.0	2.9	7.4	73.8
54	Colored	1,217.3	.....	.....	.....	.....	.....	*12.3*	*12.3*	*24.6*	.....	.....	368.9	.....	61.5	*49.2*
55	Pennsylvania (total)	1,237.4	7.4	0.1	(2)	5.4	7.3	8.8	22.3	17.2	2.9	1.4	77.4	5.4	9.5	85.4
56	White	1,215.9	7.2	0.1	(2)	5.5	7.4	8.3	22.6	17.0	2.9	1.3	70.3	5.1	8.4	86.0
57	Colored	1,850.1	11.0	.....	.....	2.3	3.0	24.2	13.3	23.9	3.0	2.7	279.2	14.6	39.2	68.1
58	Cities (total)	1,296.9	6.0	(2)	.....	3.7	7.3	7.8	21.2	15.8	2.7	1.5	81.9	7.0	10.6	97.5
59	White	1,268.0	5.8	(2)	.....	3.8	7.6	7.0	21.6	15.4	2.7	1.4	72.3	6.6	9.1	99.0
60	Colored	1,823.9	9.3	.....	.....	*1.8*	3.0	22.9	14.8	23.7	3.4	2.1	256.9	14.0	37.2	68.6
61	Rural districts (total)	1,175.0	8.8	*0.1*	(2)	7.2	7.3	9.9	23.5	18.7	3.2	1.2	72.7	3.8	8.3	72.8
62	White	1,163.2	8.7	*0.1*	(2)	7.2	7.3	9.6	23.7	18.6	3.2	1.2	68.3	3.6	7.7	72.9
63	Colored	1,945.2	17.0	.....	.....	*6.2*	*3.1*	29.3	7.7	24.7	*1.5*	*4.6*	360.7	17.0	46.2	66.3

[1] Exclusive of stillbirths.

[2] Less than one-tenth of 1 per 100,000 population.

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1921—Continued.

[See note at head of this table, p. 160.]

DEATH RATE PER 100,000 POPULATION FROM—																		
Rheumatism. 51, 52	Diabetes mellitus. 57	Cerebral hemorrhage and softening. 74, 83	Other [organic] diseases of the heart. 90	Bronchitis. 99	Pneumonia (all forms). 100, 101	Diarrhea and enteritis (under 2 years). 113	Appendicitis and typhlitis. 117	Hernia, intestinal obstruction. 118	Cirrhosis of the liver. 122	Nephritis. 128, 129	Puerperal septicemia. 146	Other puerperal causes. 143-145, 147-150	Congenital malformations and diseases of early infancy. 159-163	Suicide. 165-174	Homicide. 197-200	Accidental and unspecified external causes. 175-196, 201-203	Unknown or ill-defined diseases. 204, 205	All other causes.	
5.8	29.0	140.0	181.3	16.4	97.1	35.7	15 1	10.8	9.2	100.4	3.8	10.3	110.1	13.5	2.2	67.4	4.7	263.1	1
5.9	29.0	140.0	181.2	16.4	97.2	35.8	15.1	10.8	9.2	100.4	3.8	10.4	110.1	13.5	2.3	67.3	4.7	263.4	2
.....	.....	*130.5*	*261.1*	.....	.....	.....	.....	.....	.....	*130.5*	.....	.....	*130.5*	.....	.....	*130.5*	.....	*130.5*	3
7.1	24.4	118.9	132.6	16.3	93.5	54.4	21.9	13.2	7.6	91.0	4.6	12.2	137.7	14.2	3.0	64.5	3.6	274.9	4
7.1	24.5	119.2	131.9	16.3	93.7	54.5	21.9	13.2	7.6	91.2	4.6	12.2	137.5	14.3	3.1	64.7	3.6	275.1	5
.....	.....	.....	*442.5*	.....	.....	.....	.....	.....	.....	.....	.....	.....	*221.2*	.....	.....	.....	.....	*221.2*	6
4.8	32.6	156.7	219.9	16.5	99.9	20.9	9.7	8.9	10 5	108.0	3.2	8.9	88.2	12.9	*1.6*	69.7	5.6	253.8	7
4.8	32.7	156.5	220.2	16.5	100.0	21.0	9.7	8.9	10.5	107.7	3.2	8.9	88.3	12.9	*1.6*	69.4	5.6	254.1	8
.....	.....	*318.5*	.....	.....	.....	.....	.....	.....	.....	*318.5*	.....	.....	.....	.....	.....	*318.5*	.....	.....	9
6.3	19.7	96.1	161.3	10.2	97.8	46.2	12.1	10.3	8.5	98.2	5.8	8.2	82.1	13.7	5.2	71.8	2.0	165.6	10
6.3	20.0	95.8	158.6	10.2	93.4	44.4	12.1	10.0	8.8	95.5	5.3	8.0	79.8	13.9	4.7	71.5	1.9	161.0	11
8.1	11.4	103.2	230.0	12.2	210.5	91.8	12.2	17.9	*2.4*	165.8	18.7	14.6	140.6	8.1	17.1	78.8	*2.4*	280.3	12
6.5	20.1	80.9	154.0	10.2	104.3	50.2	15.8	12.2	8.8	94.7	7.1	10.7	87.8	13.1	5.2	73.0	1.9	159.1	13
6.4	20.4	80.6	150.9	10.2	99.3	48.4	15.9	11.8	9.1	91.6	6.4	10.3	85.1	13.4	4.8	73.3	1.9	153.4	14
9.6	10.9	88.0	230.3	10.9	225.4	95.2	13.3	20.5	*1.2*	171.2	24.1	20.5	153.1	7.2	14.5	66.3	*3.6*	299.0	15
6.0	19.0	124.8	175.3	10.2	85.7	38.5	5.1	6.8	7.9	104.7	3.5	3.6	71.3	14.7	5.2	69.4	2.0	177.8	16
6.1	19.3	124.5	173.3	10.1	82.2	36.8	4.9	6.6	8.0	102.9	3.3	3.6	69.7	14.9	4.5	68.1	2.1	175.4	17
5.0	12.5	134.6	229.3	15.0	179.4	84.7	*10.0*	12.5	*5.0*	154.5	*7.5*	*2.5*	114.6	*10.0*	22.4	104.7	.....	241.8	18
5.2	23.4	89.8	190.4	10.4	101.2	38.7	13.9	11.5	9.0	100.9	5.6	8.6	84.5	13.6	4.9	68.8	1.2	190.5	19
5.2	23.5	90.4	189.8	10.4	98.6	38.1	13.8	11.5	9.1	100.4	5.4	8.4	83.2	13.6	4.5	68.8	1.2	188.6	20
7.2	17.0	61.8	219.3	12.5	221.5	64.4	19.2	10.7	5.8	120.4	16.6	17.5	145.4	13.0	24.2	66.2	3.1	276.6	21
5.0	23.9	70.9	176.3	9.9	105.0	41.2	16.1	12.0	8.9	97.9	6.1	9.1	85.2	13.4	5.5	65.2	0.6	172.6	22
4.9	24.1	71.3	175.2	9.9	101.9	40.6	16.0	12.0	9.0	97.3	5.8	8.9	83.7	13.4	5.0	65.3	0.6	170.4	23
7.0	17.1	54.4	220.6	13.1	234.2	66.5	20.1	11.6	6.0	122.4	17.6	19.1	149.1	12.6	23.7	62.4	*1.0*	261.3	24
6.0	21.5	158.6	241.7	12.2	87.3	29.6	6.3	9.5	9.4	111.5	3.9	6.7	81.8	14.1	2.7	81.7	3.5	255.5	25
6.0	21.5	159.0	242.1	12.2	87.0	29.4	6.2	9.5	9.5	111.6	3.8	6.7	81.4	14.1	2.4	81.5	3.3	254.0	26
8.0	*16.1*	120.6	209.0	*8.0*	120.6	48.2	*12.1*	*4.0*	*4.0*	104.5	*8.0*	*4.0*	116.6	*16.1*	28.1	96.5	20.1	398.0	27
4.2	7.5	64.4	101.4	6.2	74.9	65.3	9.4	7.8	3.9	77.8	6.4	18.5	87.9	4.3	8.6	53.0	110.2	194.0	28
3.5	8.3	60.8	91.5	4.7	66.5	63.1	10.1	7.5	3.9	70.3	4.7	15.8	89.7	5.1	5.5	48.0	75.1	174.7	29
6.0	5.6	72.5	124.4	9.5	94.4	70.6	7.8	8.4	3.8	95.3	10.4	24.7	83.7	2.5	15.8	64.5	191.7	238.9	30
4.0	14.7	95.1	134.5	9.5	100.9	74.6	33.3	17.7	6.1	129.3	10.1	25.1	128.7	7.0	21.1	92.9	44.0	295.3	31
0.9	16.4	82.4	104.8	5.6	77.7	60.4	40.2	16.4	5.6	112.8	8.4	21.1	123.1	9.4	9.4	89.8	30.9	266.7	32
9.7	11.5	119.1	190.5	16.8	144.6	101.4	20.3	20.3	7.1	160.5	13.2	32.6	139.3	*2.6*	43.2	98.8	68.8	349.3	33
4.3	6.4	60.0	96.7	5.7	71.2	64.0	6.0	6.3	3.6	70.5	5.9	17.5	82.0	3.9	6.8	47.2	119.7	179.5	34
3.8	7.2	58.0	89.7	4.6	65.1	63.5	6.1	6.3	3.7	64.7	4.2	15.1	85.3	4.5	5.0	42.4	81.0	162.5	35
5.4	4.6	64.7	113.3	8.3	85.9	65.4	5.6	6.4	3.3	84.3	10.0	23.3	74.3	2.5	11.1	58.7	212.4	220.3	36
4.9	18.0	102.5	137.7	7.6	83.0	36.9	14.0	10.9	8.2	72.7	7.4	8.4	81.8	12.7	7.8	71.7	5.3	202.2	37
4.9	18.2	101.9	135.5	7.5	78.7	36.4	13.7	10.7	8.2	71.3	7.3	8.2	81.0	12.9	6.5	71.1	5.2	198.4	38
5.5	13.1	120.0	199.4	12.1	206.4	48.7	21.1	17.6	7.0	113.0	12.1	14.1	104.5	6.5	45.2	88.4	7.5	311.4	39
4.8	17.5	85.6	124.7	7.1	84.8	38.4	19.5	13.5	8.2	71.6	9.8	9.1	85.5	13.0	11.2	72.0	3.3	201.7	40
4.8	17.9	84.5	122.0	6.8	78.3	38.2	19.3	13.2	8.2	69.5	9.6	9.0	84.7	13.3	9.0	71.2	3.4	196.6	41
5.2	11.1	107.3	180.1	13.0	218.5	42.3	24.1	20.8	8.5	113.1	15.0	11.1	100.8	7.2	55.9	88.4	*2.6*	306.9	42
5.1	18.7	124.0	154.2	8.3	80.7	34.9	7.0	7.7	8.2	74.2	4.4	7.4	77.0	12.2	3.6	71.3	7.8	202.8	43
5.0	18.7	123.3	152.2	8.3	79.2	34.2	6.9	7.7	8.4	73.5	4.4	7.1	76.3	12.4	3.5	71.0	7.5	200.6	44
6.6	19.8	163.2	264.6	*8.8*	165.4	70.6	11.0	*6.6*	*2.2*	112.5	*2.2*	24.3	116.9	*4.4*	*8.8*	88.2	24.3	326.4	45
4.0	21.2	94.6	134.4	4.2	66.5	9.9	14.1	10.4	6.6	59.0	5.7	8.6	57.1	16.1	7.7	78.7	6.9	211.9	46
4.1	21.2	95.3	134.9	4.1	64.8	9.8	13.6	10.5	6.5	58.7	5.8	8.8	56.8	16.0	6.6	78.4	6.5	210.2	47
.....	*21.9*	51.0	109.4	*14.6*	160.4	*14.6*	43.8	.....	*14.6*	72.9	.....	.....	72.9	*21.9*	72.9	94.8	*29.2*	306.3	48
3.6	26.3	103.4	158.5	6.2	77.8	9.1	21.4	11.0	7.8	64.2	6.5	8.4	59.6	21.1	8.8	74.2	1.9	287.1	49
3.6	25.7	104.0	157.4	6.3	74.9	9.2	20.5	11.2	7.3	62.4	6.6	8.6	58.7	20.5	6.9	74.3	2.0	282.8	50
.....	*53.8*	*71.7*	215.1	.....	233.0	.....	*71.7*	.....	*35.8*	161.3	.....	.....	107.5	*53.8*	107.5	*71.7*	.....	519.7	51
4.3	18.1	89.0	119.3	3.0	59.4	10.4	9.6	10.0	5.9	55.7	5.3	8.7	55.5	13.0	7.1	81.5	10.0	164.7	52
4.3	18.4	89.9	120.7	2.7	58.5	10.1	9.3	10.1	6.0	56.4	5.4	8.9	55.6	13.2	6.4	81.0	9.3	164.7	53
.....	.....	*36.9*	*36.9*	*24.6*	110.7	*24.6*	*24.6*	.....	.....	*12.3*	.....	.....	*49.2*	.....	*49.2*	110.7	*49.2*	159.8	54
6.2	17.3	87.0	141.9	9.7	129.7	61.9	12.4	10.6	8.3	95.9	7.5	10.1	98.0	11.2	6.3	78.4	4.8	189.5	55
6.2	17.3	86.8	140.5	9.7	124.3	61.5	12.3	10.5	8.3	95.2	7.4	10.0	97.3	11.4	5.3	78.2	4.8	186.6	56
7.6	17.6	91.6	182.3	10.3	283.2	73.0	17.3	14.3	8.0	115.9	9.6	13.6	116.5	6.0	37.5	85.3	3.7	272.3	57
5.8	19.9	78.5	151.9	10.5	146.6	58.5	18.6	13.6	8.4	108.1	9.5	11.9	97.0	12.7	7.1	79.5	1.7	194.4	58
5.7	20.0	78.2	150.0	10.4	138.5	57.8	18.5	13.4	8.4	107.3	9.5	11.9	96.2	13.0	5.6	79.9	1.7	189.9	59
8.5	17.8	84.2	185.4	11.8	293.7	71.9	20.3	15.7	7.6	123.1	10.2	11.4	111.3	6.8	34.7	73.2	2.1	277.2	60
6.6	14.7	95.9	131.4	8.9	112.0	65.5	6.0	7.6	8.1	83.2	5.4	8.3	99.0	9.7	5.6	77.2	8.0	184.3	61
6.7	14.6	95.6	130.8	9.0	110.0	65.4	6.0	7.5	8.1	83.1	5.4	8.1	98.5	9.8	4.9	76.4	8.0	183.3	62
4.6	17.0	118.7	171.1	*4.6*	245.1	77.1	*6.2*	9.2	9.2	89.4	7.7	21.6	135.6	3.1	47.8	120.5	9.2	254.3	63

TABLE III.—DEATH RATES PER 100,000 ESTIMATED POPULATION IN THE REGISTRATION AREA (EXCLUSIVE

[See note at head of this table, p. 160.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid and paratyphoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria.	Influenza.	Erysipelas.	Meningococcus meningitis.	Tuberculosis of the respiratory system.	Tuberculosis of the meninges, etc.	Other forms of tuberculosis.	Cancer and other malignant tumors.
			1	5	6	7	8	9	10	11	21	24	31	32	33–37	43–49
	REGISTRATION STATES—Continued.															
1	Rhode Island (total)	1,263.3	2.8	*0.3*	.....	13.4	2.3	9.3	13.0	6.4	3.3	2.0	88.1	10.8	9.1	110.4
2	White	1,250.6	2.7	*0.3*	.....	13.1	2.3	8.9	13.3	6.5	3.3	1.7	84.3	10.4	8.6	110.7
3	Colored	1,997.1	*9.6*	.....	.....	*28.7*	.....	*28.7*	.....	.....	.....	*19.1*	305.8	*28.7*	*38.2*	95.6
4	Cities (total)	1,268.7	3.1	*0.4*	.....	13.3	2.5	9.2	13.5	6.9	3.3	2.2	71.4	11.2	9.0	114.1
5	White	1,256.3	3.0	*0.4*	.....	13.2	2.6	8.8	13.8	7.0	3.4	1.8	67.9	10.8	8.4	114.2
6	Colored	1,947.3	*10.9*	.....	.....	*21.8*	.....	*32.6*	.....	.....	.....	*21.8*	261.1	*32.6*	*43.5*	108.8
7	Rural districts (total)	1,236.7	*1.0*	.....	.....	13.5	*1.0*	9.6	10.6	*3.8*	*2.9*	*1.0*	170.1	8.6	9.6	92.3
8	White	1,222.9	*1.0*	.....	.....	12.6	*1.0*	9.7	10.7	*3.9*	*2.9*	*1.0*	164.4	8.8	9.7	93.4
9	Colored	2,356.6	.....	.....	.....	*78.6*	.....	.....	.....	.....	.....	.....	628.4	.....	.....	.....
10	South Carolina (total)	1,191.8	26.0	27.9	0.6	5.1	0.8	16.3	12.3	17.0	1.2	1.1	102.9	1.6	6.7	34.4
11	White	976.8	16.8	9.6	*0.1*	6.9	1.5	10.8	15.2	17.7	1.8	1.4	46.8	1.9	3.7	43.6
12	Colored	1,399.5	35.0	45.5	1.1	3.4	.....	21.6	9.4	16.3	0.7	0.8	157.1	1.4	9.5	25.5
13	Cities (total)	2,190.7	35.4	21.4	.....	5.1	*1.7*	18.6	12.4	33.7	*1.7*	2.8	178.3	4.5	17.4	81.6
14	White	1,631.8	27.3	4.7	.....	5.7	*2.8*	17.0	16.0	28.3	*2.8*	*2.8*	69.7	4.7	4.7	95.2
15	Colored	3,018.5	47.4	46.1	.....	*4.2*	.....	20.9	7.0	41.9	.....	*2.8*	339.1	*4.2*	36.3	61.4
16	Rural districts (total)	1,075.9	24.9	28.7	0.7	5.2	0.7	16.1	12.3	15.1	1.2	0.9	94.1	1.3	5.4	28.9
17	White	882.1	15.3	10.4	*0.1*	7.1	1.4	9.9	15.1	16.2	1.6	1.2	43.5	1.5	3.5	36.1
18	Colored	1,254.1	33.8	45.5	1.3	3.4	.....	21.7	9.6	14.0	0.8	0.6	140.7	1.1	7.1	22.3
19	Tennessee (total)	1,067.9	26.1	14.4	0.5	3.4	1.8	12.1	16.4	20.4	2.3	1.4	122.6	4.5	12.8	47.1
20	White	942.6	22.5	10.7	0.3[2]	3.7	2.0	10.7	18.2	17.1	2.7	1.5	92.8	4.6	9.2	47.3
21	Colored	1,602.2	41.5	30.3	1.1	2.2	*0.7*	18.1	8.7	34.3	*0.9*	*0.9*	249.7	4.2	28.1	46.4
22	Cities (total)	1,644.9	18.4	18.9	*0.9*	5.4	2.6	13.5	13.5	30.8	2.4	2.4	144.7	8.9	23.4	84.8
23	White	1,365.7	13.8	9.2	*0.3*	5.8	3.7	12.9	16.0	19.1	3.1	2.8	88.0	10.2	12.0	90.8
24	Colored	2,312.3	29.4	41.9	*2.2*	4.4	.....	14.7	7.4	58.9	*0.7*	*1.6*	280.3	5.9	50.8	70.6
25	Rural districts (total)	923.0	28.0	13.3	0.4	2.9	1.6	11.8	17.2	17.9	2.3	1.2	117.2	3.5	10.2	38.0
26	White	856.0	24.3	11.0	0.3	3.3	1.7	10.3	18.7	16.8	2.6	1.3	93.8	3.5	8.6	38.4
27	Colored	1,293.5	46.7	25.3	*0.6*	*1.3*	*1.0*	19.5	9.3	23.7	*1.0*	*0.6*	236.4	3.5	18.2	35.8
28	Utah (total)	1,037.2	9.1	.....	2.2	20.0	4.3	31.7	13.4	8.2	3.9	2.2	32.5	4.1	3.3	63.3
29	White	1,022.2	9.0	.....	2.2	19.8	4.4	31.5	13.7	8.4	3.7	2.2	28.7	3.7	2.9	62.6
30	Colored	1,932.2	*18.1*	.....	.....	*26.3*	.....	*39.4*	.....	.....	*18.1*	.....	262.9	*26.3*	*26.3*	105.2
31	Cities (total)	1,245.0	7.2	.....	*1.2*	21.1	*2.4*	19.9	14.5	6.6	4.8	3.6	48.2	7.2	5.4	94.6
32	White	1,225.6	7.3	.....	*1.2*	20.7	*2.4*	20.1	14.6	6.7	4.3	3.7	45.1	6.7	4.3	92.1
33	Colored	2,819.0	.....	.....	.....	*49.5*	.....	.....	.....	.....	*49.5*	.....	296.7	*49.5*	*98.9*	296.7
34	Rural districts (total)	920.3	10.2	.....	2.7	19.3	5.4	38.3	12.9	9.1	3.4	*1.4*	23.7	2.4	2.0	45.7
35	White	907.0	10.0	.....	2.8	19.3	5.5	38.0	13.1	9.3	3.5	*1.4*	19.3	2.1	2.1	45.9
36	Colored	1,611.2	*17.9*	.....	.....	*17.9*	.....	*53.7*	.....	.....	.....	.....	250.6	*17.9*	.....	*35.8*
37	Vermont (total)	1,418.4	5.4	*0.3*	*0.3*	4.0	6.5	7.7	7.9	19.6	1.7	*0.9*	56.2	6.5	6.8	113.5
38	White	1,418.9	5.4	*0.3*	*0.3*	4.0	6.5	7.7	8.0	19.6	1.7	*0.9*	56.3	6.5	6.8	113.7
39	Colored	1,145.7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
40	Cities (total)	1,543.4	*6.2*	.....	.....	.....	*8.3*	18.7	16.6	*6.2*	.....	.....	93.4	16.6	*4.1*	147.3
41	White	1,542.8	*6.2*	.....	.....	.....	*8.3*	18.7	16.6	*6.2*	.....	.....	93.6	16.6	*4.2*	147.6
42	Colored	*1,785.7*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
43	Rural districts (total)	1,398.6	5.3	*0.3*	*0.3*	4.6	6.2	5.9	6.6	21.7	2.0	*1.0*	50.3	4.9	7.2	108.1
44	White	1,399.3	5.3	*0.3*	*0.3*	4.6	6.3	5.9	6.6	21.7	2.0	*1.0*	50.4	4.9	7.2	108.3
45	Colored	1,002.0	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
46	Virginia (total)	1,215.5	16.1	1.8	0.4	7.5	2.5	19.3	17.0	16.6	1.6	1.8	119.3	5.0	9.1	56.6
47	White	1,041.9	13.9	1.1	0.5	7.9	3.3	14.0	19.8	12.8	2.1	2.2	76.0	3.9	6.2	60.9
48	Colored	1,628.9	21.6	3.6	*0.1*	6.5	0.7	31.8	10.4	25.6	*0.4*	0.9	222.2	7.6	16.1	46.4
49	Cities (total)	1,397.3	11.9	1.6	.....	5.3	2.5	19.7	9.5	17.6	1.4	2.1	112.6	9.7	10.7	73.6
50	White	1,157.8	12.3	1.3	.....	5.2	3.4	14.1	12.0	10.7	2.1	2.6	71.5	7.3	6.5	84.0
51	Colored	1,889.8	11.3	*2.1*	.....	5.4	*0.6*	31.1	4.3	31.7	.....	*1.1*	197.0	14.5	19.3	52.1
52	Rural districts (total)	1,157.3	17.5	1.9	0.5	8.2	2.5	19.2	19.4	16.3	1.6	1.7	121.4	3.5	8.6	51.2
53	White	1,007.0	14.3	1.0	0.6	8.7	3.2	14.0	22.1	13.5	2.0	2.0	77.4	2.8	6.1	53.9
54	Colored	1,533.1	25.4	4.1	*0.2*	6.9	*0.8*	32.1	12.6	23.4	*0.6*	*0.8*	231.5	5.1	15.0	44.3
55	Washington (total)	953.7	5.4	*0.3*	0.6	1.8	2.2	3.7	8.9	13.6	1.9	1.2	66.6	6.3	9.8	85.8
56	White	935.6	5.5	*0.3*	0.7	1.8	2.1	3.4	9.0	13.7	1.8	1.2	59.2	5.8	8.9	86.4
57	Colored	1,604.5	*2.7*	.....	.....	.....	*2.7*	13.3	*2.7*	*10.7*	*5.3*	*2.7*	333.7	26.7	40.0	61.4
58	Cities (total)	1,009.4	3.5	*0.3*	0.8	0.8	1.2	2.6	9.6	14.0	1.5	1.5	45.2	8.2	11.7	109.2
59	White	994.4	3.4	*0.3*	0.8	0.8	1.3	2.3	9.7	14.1	1.4	1.4	40.5	7.3	10.5	109.7
60	Colored	1,539.1	*5.5*	.....	.....	.....	.....	*11.1*	*5.5*	*11.1*	*5.5*	*5.5*	210.4	38.8	55.4	88.6
61	Rural districts (total)	903.6	7.1	*0.3*	*0.5*	2.7	3.0	4.6	8.2	13.3	2.2	1.0	85.9	4.6	8.1	64.7
62	White	882.9	7.3	*0.3*	*0.6*	2.8	2.9	4.3	8.4	13.3	2.1	1.0	76.1	4.3	7.6	65.5
63	Colored	1,665.5	.....	.....	.....	.....	*5.2*	*16.5*	.....	*10.3*	*5.2*	.....	448.6	*16.5*	25.8	36.1
64	Wisconsin (total)	1,028.8	3.0	(2)	0.8	1.9	9.0	6.1	14.9	7.8	3.2	1.1	63.0	4.7	7.4	97.6
65	White	1,025.3	3.0	(2)	0.8	1.9	9.1	6.1	14.9	7.8	3.2	1.1	61.5	4.5	7.2	97.7
66	Colored	1,622.1	*13.0*	.....	.....	*6.5*	.....	*6.5*	*6.5*	*19.5*	*6.5*	*6.5*	330.9	38.9	45.4	77.9
67	Cities (total)	1,087.6	4.1	*0.1*	0.8	1.2	10.0	4.8	22.9	5.6	4.3	1.0	56.9	7.7	9.8	107.7
68	White	1,086.3	4.1	*0.1*	0.8	1.2	10.1	4.8	23.0	5.5	4.4	1.0	56.0	7.5	9.7	107.9
69	Colored	1,347.0	*20.1*	.....	.....	.....	.....	.....	.....	*20.1*	.....	.....	241.3	*40.2*	*40.2*	*60.3*
70	Rural districts (total)	994.4	2.4	.....	0.8	2.3	8.5	6.9	10.2	9.2	2.6	1.2	66.6	3.0	6.0	91.7
71	White	989.6	2.3	.....	0.8	2.3	8.5	6.9	10.2	9.1	2.6	1.1	64.7	2.8	5.8	91.7
72	Colored	1,753.2	*9.6*	.....	.....	*9.6*	.....	*9.6*	*9.6*	*19.2*	*9.6*	*9.6*	373.6	*38.3*	47.9	86.2

[1] Exclusive of stillbirths.

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1921—Continued.

[See note at head of this table, p. 160.]

DEATH RATE PER 100,000 POPULATION FROM—																		
Rheumatism.	Diabetes mellitus.	Cerebral hemorrhage and softening.	Other [organic] diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis.	Puerperal septicemia.	Other puerperal causes.	Congenital malformations and diseases of early infancy.	Suicide.	Homicide.	Accidental and unspecified external causes.	Unknown or ill-defined diseases.	All other causes.	
51, 52	57	74, 83	90	99	100, 101	113	117	118	122	128, 129	146	143-145, 147-150	159-163	165-174	197-200	175-196, 201-203	204, 205		
3.7	19.7	109.0	160.8	11.4	102.8	49.4	12.4	10.6	9.4	97.2	7.5	9.3	102.8	10.4	3.1	66.8	7.2	198.9	1
3.6	19.9	108.5	159.4	11.4	101.6	48.9	12.3	10.6	9.6	97.4	7.5	9.3	100.7	10.4	3.1	65.8	6.5	197.9	2
9.6	*9.6*	133.8	238.9	*9.6*	172.0	76.4	*19.1*	*9.6*	.....	86.0	*9.6*	*9.6*	219.8	*9.6*	.....	124.2	47.8	258.0	3
3.9	19.4	107.3	160.8	10.6	103.9	53.5	14.7	12.0	9.4	97.1	8.0	10.6	107.3	10.0	3.7	67.5	7.8	200.8	4
3.8	19.6	107.1	159.0	10.6	102.7	53.3	14.6	12.0	9.6	97.7	8.0	10.6	104.9	10.0	3.8	67.1	7.0	199.9	5
10.9	*10.9*	119.7	261.1	*10.9*	174.1	65.3	*21.8*	*10.9*	.....	65.3	*10.9*	*10.9*	239.3	*10.9*	.....	87.0	54.4	250.2	6
2.9	21.1	117.2	160.5	15.4	97.1	28.8	*1.0*	*3.8*	9.6	98.0	4.8	*2.9*	80.7	12.5	.....	63.4	*3.8*	189.3	7
2.9	21.4	115.8	161.5	15.6	96.3	27.2	*1.0*	*3.9*	9.7	96.3	4.9	*2.9*	80.7	12.6	.....	59.3	*3.9*	187.8	8
.....	.....	*235.7*	*78.6*	.....	*157.1*	*157.1*	.....	.....	.....	*235.7*	.....	.....	*78.6*	.....	.....	392.8	.....	*314.2*	9
3.6	7.3	58.1	94.6	3.3	77.7	59.3	7.0	6.8	2.7	85.9	7.7	21.3	130.8	4.7	17.1	52.4	54.0	243.5	10
2.6	10.2	63.6	87.0	2.7	65.1	57.5	8.5	6.3	2.4	81.2	5.2	18.1	105.0	8.2	11.3	50.5	25.8	187.6	11
4.5	4.4	52.8	101.9	3.9	89.9	61.1	5.5	7.4	3.1	90.5	10.0	24.4	155.7	1.4	22.7	54.3	81.2	297.6	12
6.2	15.7	137.2	222.2	5.6	119.2	102.9	29.2	23.6	5.6	196.9	19.1	35.4	212.6	7.9	46.7	97.3	11.8	480.9	13
5.7	22.6	105.5	160.2	6.6	68.8	69.7	34.9	18.8	4.7	148.9	13.2	32.0	155.5	12.2	26.4	95.2	4.7	364.6	14
7.0	*5.6*	184.2	314.0	*4.2*	194.0	152.1	20.9	30.7	7.0	267.9	27.9	40.5	297.2	*1.4*	76.8	100.5	22.3	653.1	15
3.3	6.3	48.9	79.8	3.1	72.9	54.2	4.4	4.9	2.4	73.0	6.3	19.6	121.3	4.4	13.6	47.2	58.9	216.0	16
2.2	8.4	57.5	76.4	2.2	64.6	55.7	4.6	4.5	2.0	71.4	4.1	16.1	97.7	7.6	9.1	44.0	28.9	162.0	17
4.3	4.3	41.0	82.8	3.9	80.6	52.9	4.1	5.3	2.8	74.6	8.4	22.9	143.0	1.4	17.8	50.1	86.5	265.7	18
4.1	6.1	46.3	86.4	7.2	74.5	34.0	13.9	9.0	4.2	67.9	8.3	11.6	60.9	7.3	16.7	51.9	69.0	202.4	19
3.2	6.3	43.7	73.2	4.8	66.0	35.7	13.1	7.1	3.7	57.4	6.7	11.5	61.8	8.1	11.4	48.2	55.8	181.4	20
8.2	5.4	57.5	142.7	17.2	110.8	27.2	17.4	17.4	6.2	112.6	15.4	11.8	57.3	4.0	39.5	67.5	125.1	292.0	21
5.0	11.7	81.4	148.8	13.7	108.7	45.6	41.0	22.3	8.5	133.6	14.8	19.3	96.5	15.8	40.1	90.9	59.9	316.7	22
1.5	13.5	77.8	108.9	6.2	83.4	45.8	43.1	17.8	8.6	108.3	12.9	19.7	91.4	20.6	23.4	87.1	33.5	274.4	23
13.2	7.4	89.8	244.3	31.6	169.2	44.9	36.0	33.1	8.1	194.2	19.1	18.4	108.9	4.4	80.2	100.1	122.9	417.9	24
3.9	4.8	37.8	71.3	5.6	66.2	31.3	7.4	5.8	3.2	51.9	6.8	9.7	52.3	5.3	11.0	42.5	71.2	174.7	25
3.5	4.8	36.7	65.9	4.5	62.5	33.6	7.0	4.8	2.7	47.0	5.4	9.8	55.7	5.5	8.9	40.3	60.4	162.3	26
6.1	4.5	43.5	98.5	10.9	85.4	19.5	9.3	10.6	5.4	77.1	13.8	9.0	34.9	3.8	21.7	53.4	126.0	237.3	27
5.2	14.3	59.4	111.2	8.9	107.8	27.1	22.3	10.6	5.4	59.0	9.3	13.7	111.9	9.8	5.2	71.6	24.3	162.0	28
5.1	14.3	59.5	111.8	8.8	106.3	27.3	22.5	10.8	5.5	58.4	9.5	13.7	110.9	9.3	4.6	70.6	20.9	159.4	29
13.1	*13.1*	*52.6*	78.9	*13.1*	197.2	*13.1*	*13.1*	.....	.....	92.0	.....	*13.1*	170.9	*39.4*	*39.4*	131.4	223.4	315.5	30
2.4	20.5	82.5	148.2	9.6	84.9	32.5	36.1	18.7	9.6	76.5	13.9	13.3	117.5	17.5	5.4	77.1	22.9	219.2	31
2.4	20.7	82.9	147.0	9.8	82.9	32.9	36.0	18.9	9.8	75.6	14.0	12.8	114.6	16.5	4.3	76.2	22.6	216.5	32
.....	.....	*49.5*	247.3	.....	247.3	.....	*49.5*	.....	.....	*148.4*	.....	*49.5*	346.2	*98.9*	*98.9*	*148.4*	*49.5*	445.1	33
6.8	10.8	46.4	90.5	8.5	120.6	24.1	14.6	6.1	3.0	49.1	6.8	13.9	108.8	5.4	5.1	68.4	25.1	129.8	34
6.6	10.7	46.3	91.9	8.3	119.5	24.2	14.9	6.2	3.1	48.7	6.9	14.2	108.8	5.2	4.8	67.3	20.0	127.1	35
17.9	*17.9*	*53.7*	*17.9*	*17.9*	179.0	*17.9*	.....	.....	.....	*71.6*	.....	.....	107.4	*17.9*	*17.9*	125.3	286.4	268.5	36
3.4	24.7	150.7	225.0	15.0	98.2	27.0	21.6	13.3	9.1	105.6	5.7	10.8	102.4	13.6	1.7	76.9	2.8	273.8	37
3.4	24.7	150.6	225.1	15.1	97.8	26.7	21.6	13.4	8.8	105.7	5.7	10.8	102.6	13.6	1.7	77.0	2.8	274.0	38
.....	.....	*163.7*	*163.7*	.....	*327.3*	*163.7*	.....	.....	*163.7*	.....	.....	.....	.....	.....	.....	.....	.....	*163.7*	39
6.2	24.9	114.1	176.3	18.7	109.9	37.3	45.6	10.4	12.4	93.4	10.4	14.5	147.3	18.7	.....	103.7	*4.1*	278.0	40
6.2	25.0	114.4	176.7	18.7	108.1	37.4	45.7	10.4	10.4	93.6	10.4	14.6	147.6	18.7	.....	104.0	*4.2*	278.6	41
.....	.....	.....	.....	.....	*892.9*	.....	.....	.....	*892.9*	.....	.....	.....	.....	.....	.....	.....	.....	.....	42
3.0	24.7	156.5	232.7	14.5	96.3	25.3	17.8	13.8	8.5	107.5	4.9	10.2	95.3	12.8	2.0	72.6	2.6	273.2	43
3.0	24.7	156.4	232.8	14.5	96.1	25.0	17.8	13.8	8.6	107.7	4.9	10.2	95.5	12.8	2.0	72.8	2.6	273.3	44
.....	.....	*200.4*	*200.4*	.....	*200.4*	*200.4*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*200.4*	45
5.5	10.1	79.2	126.2	6.9	75.9	50.8	9.8	10.4	4.8	89.1	6.9	14.0	102.7	7.8	13.3	61.6	43.7	222.2	46
4.0	10.8	69.0	111.2	5.2	59.3	44.2	9.4	9.1	4.1	77.1	5.3	11.4	98.5	10.0	9.0	56.9	32.9	190.3	47
9.2	8.2	103.6	161.9	10.9	115.5	66.7	10.9	13.4	6.5	117.7	10.9	20.0	112.8	2.7	23.8	72.7	69.3	298.0	48
6.0	14.0	107.5	145.0	8.4	101.3	54.3	19.8	17.7	7.4	113.6	9.8	19.0	120.1	13.2	20.4	71.1	15.5	255.3	49
3.4	16.4	90.6	129.2	4.7	62.4	35.8	17.7	14.1	5.7	109.1	6.5	14.1	108.0	17.7	9.1	63.4	8.4	208.5	50
11.3	9.1	142.2	177.7	16.1	181.4	92.3	24.2	25.2	10.7	122.9	16.6	29.0	144.9	3.8	43.5	87.0	30.1	351.6	51
5.4	8.8	70.1	120.1	6.4	67.8	49.7	6.6	8.0	4.0	81.3	6.0	12.4	97.1	6.1	11.1	58.5	52.7	211.5	52
4.2	9.1	62.4	105.8	5.4	58.3	46.7	6.9	7.6	3.6	67.5	4.9	10.6	95.6	7.6	8.9	54.9	40.3	184.8	53
8.5	7.9	89.4	156.1	9.1	91.3	57.3	6.1	9.1	4.9	115.8	8.9	16.7	101.0	2.4	16.5	67.5	83.7	278.4	54
4.1	15.1	72.3	117.2	4.7	57.1	11.0	14.6	8.9	5.4	59.6	7.0	8.3	64.8	20.7	5.9	79.8	8.5	180.7	55
4.1	15.4	72.5	118.2	4.5	55.2	9.9	14.5	8.8	5.4	59.5	6.8	8.2	62.9	20.7	5.2	78.6	5.9	179.4	56
5.3	*5.3*	64.1	80.1	*10.7*	125.5	50.7	18.7	13.3	*5.3*	61.4	13.3	*10.7*	133.5	21.4	32.0	122.8	101.5	226.9	57
3.0	19.0	76.9	127.6	5.5	63.9	9.6	19.9	11.1	5.3	74.3	9.3	8.5	72.2	25.2	7.6	64.8	3.2	192.5	58
3.1	19.2	77.2	128.2	5.2	62.4	8.0	19.5	10.9	5.2	73.6	9.1	8.1	70.5	25.0	6.4	65.0	2.8	191.3	59
.....	*11.1*	66.4	105.2	*16.6*	116.3	66.4	33.2	*16.6*	*11.1*	99.7	*16.6*	*22.1*	132.9	33.2	49.8	55.4	*16.6*	232.5	60
5.1	11.6	68.2	107.9	4.0	51.0	12.3	9.8	7.0	5.5	46.3	4.9	8.1	58.2	16.7	4.4	93.3	13.3	170.1	61
4.9	*11.9*	68.3	109.3	3.9	48.7	11.6	10.0	6.9	5.6	46.9	4.8	8.3	56.1	16.8	4.1	90.8	8.7	168.7	62
10.3	.....	61.9	56.7	*5.2*	134.1	36.1	*5.2*	*10.3*	.....	25.8	*10.3*	.....	134.1	*10.3*	*15.6*	185.6	180.5	221.7	63
6.6	17.5	79.4	121.3	10.9	74.3	30.5	15.5	10.2	6.9	59.5	5.2	8.2	86.8	13.1	2.2	58.0	4.3	197.6	64
6.5	17.5	79.6	121.3	10.8	73.5	30.4	15.5	10.2	7.0	59.4	5.1	8.2	86.5	13.0	2.1	58.1	4.3	197.4	65
13.0	*6.5*	38.9	116.8	*19.5*	207.6	45.4	*26.0*	*6.5*	.....	77.9	*6.5*	*6.5*	136.3	32.4	32.4	51.9	*13.0*	227.1	66
6.8	18.3	72.5	117.4	12.0	77.5	35.9	24.4	13.2	8.0	64.1	6.6	11.1	103.8	14.4	3.2	61.9	1.4	198.1	67
6.7	18.4	72.7	117.6	12.1	77.1	35.9	24.2	13.2	8.0	64.0	6.5	11.2	103.2	14.3	3.0	62.1	1.4	198.5	68
20.1	.....	*40.2*	*80.4*	.....	140.7	*40.2*	*60.3*	*20.1*	.....	*80.4*	*20.1*	.....	221.1	*20.1*	*40.2*	*20.1*	.....	120.6	69
6.5	17.0	83.4	123.6	10.2	72.5	27.3	10.4	8.3	6.3	56.8	4.3	6.5	76.9	12.3	1.7	55.8	6.0	197.3	70
6.4	17.0	83.7	123.5	10.1	71.4	27.2	10.4	8.4	6.4	56.6	4.3	6.5	76.8	12.2	1.5	55.7	6.0	196.8	71
9.6	*9.6*	*38.3*	134.1	*28.7*	239.5	47.9	*9.6*	.....	.....	76.6	.....	*9.6*	95.8	*38.3*	*28.7*	67.1	*19.2*	277.8	72

[2] Less than one-tenth of 1 per 100,000 population.

TABLE III.—DEATH RATES PER 100,000 ESTIMATED POPULATION IN THE REGISTRATION AREA (EXCLUSIVE

[See note at head of this table, p. 160.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid and paratyphoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria.	Influenza.	Erysipelas.	Meningococcus meningitis.	Tuberculosis of the respiratory system.	Tuberculosis of the meninges, etc.	Other forms of tuberculosis.	Cancer and other malignant tumors.
			1	5	6	7	8	9	10	11	21	24	31	32	33-37	43-49
	REGISTRATION CITIES.															
	ALABAMA.[2]															
1	Birmingham (total)	1,464.0	18.3	3.8	0.5	5.4	1.6	8.1	5.4	25.3	4.8	3.8	120.9	7.0	17.2	66.6
2	White	1,137.8	13.3	2.7	0.9	0.9	2.7	5.3	6.2	18.6	7.1	4.4	39.8	6.2	6.2	76.1
3	Colored	1,968.3	26.0	5.5	.....	12.3	.....	12.3	4.1	35.6	1.4	2.7	246.2	8.2	34.2	52.0
4	Mobile (total)	1,668.3	16.1	8.1	17.7	12.9	.....	22.5	11.3	49.9	4.8	.....	132.0	1.6	12.9	98.2
5	White	1,459.0	26.3	5.3	5.3	18.4	.....	18.4	13.1	36.8	5.3	.....	81.5	.....	7.9	110.4
6	Colored	1,999.4	.....	12.5	37.4	4.2	.....	29.1	8.3	70.7	4.2	.....	212.0	4.2	20.8	79.0
7	Montgomery (total)	1,612.2	4.5	15.8	.....	.....	.....	2.3	11.3	33.9	.....	2.3	117.4	4.5	13.5	58.7
8	White	1,140.4	.....	4.1	.....	.....	.....	.....	16.4	28.7	.....	4.1	36.9	4.1	.....	90.2
9	Colored	2,190.0	10.0	30.1	.....	.....	.....	5.0	5.0	40.2	.....	.....	216.0	5.0	30.1	20.1
	CALIFORNIA.															
10	Alameda	978.3	.....	.....	.....	.....	3.4	6.7	10.1	6.7	.....	.....	37.1	6.7	3.4	74.2
11	Bakersfield	1,938.5	10.2	.....	5.1	30.7	5.1	46.0	46.0	15.3	20.5	15.3	199.5	20.5	40.9	92.1
12	Berkeley	943.4	8.4	.....	.....	.....	5.0	3.3	11.7	3.3	1.7	1.7	35.1	1.7	5.0	105.4
13	Eureka	1,558.6	.....	.....	.....	7.6	7.6	.....	30.6	.....	.....	.....	53.5	45.8	22.9	229.2
14	Fresno	1,240.1	5.8	.....	.....	15.5	15.5	1.9	27.2	35.0	.....	.....	66.1	23.3	7.8	91.4
15	Glendale*	2,144.6	.....	.....	.....	.....	.....	.....	19.4	.....	6.5	.....	356.4	25.9	19.4	220.3
16	Long Beach	1,390.2	3.3	1.6	.....	.....	1.6	9.8	9.8	11.4	1.6	.....	60.2	.....	1.6	164.4
17	Los Angeles (total)	1,398.4	2.6	0.5	.....	4.4	5.9	1.3	15.6	5.4	3.3	1.8	150.9	9.7	12.8	131.0
18	White	1,383.9	2.4	0.3	.....	4.5	6.1	1.4	16.1	5.0	3.5	1.6	145.1	8.5	12.1	131.2
19	Colored	1,659.5	6.2	3.1	.....	3.1	3.1	.....	6.2	12.5	.....	6.2	255.3	31.1	24.9	127.7
20	Oakland (total)	1,040.3	0.9	.....	.....	1.3	1.3	5.7	19.9	11.0	1.8	1.3	58.3	7.9	7.1	103.3
21	White	1,046.4	0.9	.....	.....	1.4	1.4	5.6	20.1	11.2	1.9	1.4	50.6	8.4	6.1	105.8
22	Colored	939.4	.....	.....	.....	.....	.....	7.8	15.5	7.8	.....	.....	136.3	.....	23.3	62.1
23	Pasadena	1,380.0	4.0	.....	.....	.....	.....	.....	6.0	6.0	.....	.....	115.7	2.0	12.0	161.5
24	Pomona	1,626.9	.....	.....	.....	23.5	.....	7.1	42.8	7.1	7.1	.....	164.1	.....	14.3	171.3
25	Richmond	772.0	.....	.....	.....	.....	.....	10.9	38.1	16.3	.....	.....	43.5	10.9	5.4	43.5
26	Riverside	1,686.8	10.0	.....	.....	30.0	.....	.....	10.0	5.0	.....	5.0	295.3	10.0	15.0	155.2
27	Sacramento	1,601.1	13.3	1.5	1.5	.....	4.4	4.4	13.3	3.0	.....	3.0	113.8	16.3	10.3	153.8
28	San Bernardino*	1,924.7	20.4	.....	.....	10.2	.....	10.2	15.3	10.2	10.2	5.1	381.9	5.1	45.8	137.5
29	San Diego	1,724.0	3.8	.....	.....	2.5	3.8	5.0	5.0	7.5	1.3	1.3	163.8	5.0	10.0	166.3
30	San Francisco (total)	1,350.7	4.0	0.4	0.2	1.7	1.2	5.0	27.1	6.9	2.1	3.7	102.4	10.2	11.9	152.7
31	White	1,305.3	3.8	0.4	0.2	1.2	1.2	4.2	27.6	6.5	2.0	2.0	91.1	8.9	10.7	151.0
32	Colored	2,726.1	12.0	.....	.....	18.1	.....	30.1	12.0	18.1	6.0	54.2	445.3	48.1	48.1	204.6
33	San Jose	1,177.0	.....	.....	.....	.....	2.5	4.9	24.6	4.9	9.8	4.9	110.8	4.9	9.8	118.2
34	Santa Ana	1,212.7	.....	.....	.....	.....	.....	18.1	.....	6.0	6.0	6.0	84.5	24.1	6.0	96.5
35	Santa Barbara	1,248.0	4.8	.....	.....	.....	.....	.....	.....	28.8	.....	.....	67.2	14.4	9.6	76.8
36	Santa Cruz	1,905.3	9.2	.....	.....	.....	.....	9.2	18.3	27.5	.....	.....	55.0	18.3	.....	256.5
37	Santa Monica	1,701.7	6.1	.....	.....	.....	6.1	.....	24.4	.....	12.2	.....	67.1	6.1	6.1	225.7
38	Stockton*	1,451.5	11.8	.....	.....	.....	2.4	7.1	35.3	18.8	4.7	2.4	122.3	16.5	7.1	75.3
39	Vallejo	1,052.3	.....	.....	.....	22.1	13.3	.....	17.7	31.0	.....	4.4	70.7	.....	13.3	75.2
40	Venice	747.4	.....	.....	.....	.....	.....	8.7	17.4	.....	.....	.....	34.8	8.7	8.7	104.3
	COLORADO.															
41	Boulder	1,736.0	35.6	.....	8.9	.....	.....	8.9	26.7	8.9	.....	.....	311.6	8.9	17.8	80.1
42	Colorado Springs*	2,019.6	10.0	.....	.....	13.3	.....	6.6	29.9	6.6	3.3	6.6	657.7	26.6	23.3	136.2
43	Denver	1,411.7	4.6	.....	14.1	6.5	3.8	6.5	14.8	22.4	6.1	1.1	199.5	8.7	11.0	104.9
44	Greeley	1,396.3	17.6	.....	.....	.....	8.8	.....	.....	17.6	8.8	.....	122.9	8.8	17.6	87.8
45	Pueblo	1,419.6	9.2	.....	.....	11.6	4.6	9.2	94.8	23.1	6.9	2.3	108.7	2.3	9.2	83.2
46	Trinidad	1,956.8	18.3	.....	18.3	27.4	18.3	.....	.....	118.9	.....	.....	201.2	36.6	18.3	54.9
	CONNECTICUT.															
47	Ansonia	798.8	.....	.....	.....	.....	.....	5.5	22.2	5.5	.....	11.1	72.1	5.5	.....	49.9
48	Bridgeport	1,047.0	2.8	.....	.....	0.7	16.0	10.4	20.9	6.3	3.5	2.1	87.1	2.8	9.1	91.3
49	Bristol	782.7	.....	.....	.....	.....	4.6	.....	9.2	4.6	.....	4.6	36.8	.....	.....	55.2
50	Danbury town	1,523.0	4.5	.....	.....	.....	.....	13.4	13.4	9.0	.....	4.5	85.1	4.5	31.4	201.6
51	Derby	1,320.7	8.6	.....	.....	.....	.....	.....	17.3	8.6	.....	.....	77.7	17.3	8.6	86.3
52	East Hartford town	705.5	.....	.....	.....	.....	.....	.....	8.2	.....	.....	.....	65.6	.....	.....	90.2
53	Enfield town	931.2	8.3	.....	.....	.....	16.6	24.9	24.9	16.6	8.3	.....	33.3	8.3	.....	99.8
54	Fairfield town	682.9	.....	.....	.....	.....	8.1	8.1	8.1	.....	.....	.....	65.0	.....	.....	48.8
55	Greenwich town	1,147.9	17.4	.....	.....	8.7	.....	21.7	4.3	13.0	.....	.....	60.9	.....	.....	100.0
56	Hartford	1,324.3	8.0	.....	.....	3.6	8.7	10.9	18.1	6.5	4.3	5.1	50.0	15.9	8.0	126.8
57	Manchester town	785.3	5.2	.....	.....	.....	.....	10.5	.....	10.5	5.2	.....	41.9	.....	.....	104.7
58	Meriden town	1,165.4	5.7	.....	.....	.....	11.4	8.5	8.5	25.6	2.8	8.5	62.5	5.7	11.4	93.8
59	Middletown town*	2,103.6	.....	.....	.....	17.9	9.0	18.4	4.5	13.4	4.5	.....	223.8	9.0	9.0	165.6
60	Milford town	1,144.8	.....	.....	.....	.....	.....	.....	27.0	.....	.....	.....	54.1	.....	.....	81.1
61	Naugatuck	661.9	.....	.....	.....	6.5	.....	6.5	.....	6.5	13.0	.....	64.9	6.5	.....	58.4
62	New Britain	896.3	1.6	3.2	.....	9.7	1.6	11.3	16.2	22.7	1.6	1.6	37.3	8.1	3.2	64.8
63	New Haven	1,157.4	4.8	.....	.....	0.6	7.8	12.0	14.4	3.6	3.0	1.2	59.3	10.8	10.8	116.8
64	New London	1,337.3	7.5	.....	.....	3.8	7.5	.....	11.3	7.5	3.8	.....	37.6	18.8	11.3	120.2
65	Norwalk	1,336.3	7.1	.....	.....	3.5	3.5	10.6	10.6	46.0	3.5	.....	74.2	14.1	3.5	134.3
66	Norwich town*	1,598.1	6.7	.....	.....	.....	.....	20.1	20.1	43.5	3.3	6.7	284.2	3.3	13.4	113.7
67	Orange town	1,508.1	5.7	.....	.....	.....	28.7	34.4	5.7	5.7	.....	.....	475.9	5.7	.....	109.0
68	Stamford town	1,296.6	2.4	.....	.....	.....	9.6	12.0	14.4	26.3	2.4	.....	67.0	7.2	12.0	98.1
69	Stonington town	980.5	.....	.....	.....	.....	.....	.....	.....	19.2	.....	.....	28.8	9.6	9.6	96.1
70	Stratford town	740.4	.....	.....	.....	.....	15.0	7.5	22.4	7.5	.....	.....	52.3	.....	7.5	44.9

Exclusive of stillbirths.

DEATH RATES FROM PRINCIPAL CAUSES.

OF HAWAII AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1921—Continued.

[See note at head of this table, p. 160.]

DEATH RATE PER 100,000 POPULATION FROM—

Rheumatism. 51, 52	Diabetes mellitus. 57	Cerebral hemorrhage and softening. 74, 83	Other [organic] diseases of the heart. 90	Bronchitis. 99	Pneumonia (all forms). 100, 101	Diarrhea and enteritis (under 2 years). 113	Appendicitis and typhlitis. 117	Hernia, intestinal obstruction. 118	Cirrhosis of the liver. 122	Nephritis. 128, 129	Puerperal septicemia. 146	Other puerperal causes. 143-145, 147-150	Congenital malformations and diseases of early infancy. 159-163	Suicide. 165-174	Homicide. 197-200	Accidental and unspecified external causes. 175-196, 201-203	Unknown or ill-defined diseases. 204, 205	All other causes.	
5.4	14.0	74.7	129.5	7.5	130.6	45.7	40.3	19.3	10.2	75.8	11.8	22.6	125.7	11.3	52.7	94.6	25.3	278.8	1
5.3	15.0	60.2	98.2	5.3	82.3	45.1	52.2	17.7	6.2	70.8	12.4	15.9	108.8	17.7	29.2	98.2	11.5	195.5	2
5.5	12.3	97.1	177.8	10.9	205.2	46.5	21.9	21.9	16.4	83.4	10.9	32.8	151.8	*1.4*	88.9	88.9	46.5	407.6	3
1.6	9.7	64.4	178.7	14.5	70.9	53.1	33.8	30.6	11.3	186.8	20.9	30.6	111.1	*6.4*	24.2	103.1	11.3	317.2	4
2.6	*10.5*	52.6	170.9	*10.5*	49.9	42.1	44.7	23.7	*10.5*	149.8	21.0	34.2	89.4	*7.9*	15.8	99.9	*10.5*	283.9	5
.....	*8.3*	83.1	191.2	20.8	103.9	70.7	*16.6*	41.6	*12.5*	245.3	20.8	24.9	145.5	*4.2*	37.4	108.1	*12.5*	370.0	6
.....	*6.8*	103.9	108.4	*9.0*	106.1	45.2	58.7	*6.8*	.....	182.9	13.5	22.6	81.3	11.3	33.9	88.1	22.6	447.1	7
.....	*12.3*	98.5	61.5	*8.2*	98.5	*16.4*	45.1	*8.2*	.....	110.8	*16.4*	20.5	65.6	20.5	*16.4*	73.8	*8.2*	274.8	8
.....	.....	110.5	165.8	*10.0*	115.5	80.4	75.3	*5.0*	.....	271.2	*10.0*	25.1	100.5	.....	55.3	105.5	40.2	658.0	9
.....	27.0	118.1	175.4	*10.1*	67.5	*13.5*	16.9	16.9	.....	64.1	16.9	*3.4*	54.0	27.0	*6.7*	70.8	.....	141.7	10
10.2	*10.2*	117.6	189.2	.....	97.2	127.9	30.7	51.1	*20.5*	87.0	.....	*15.3*	112.5	25.6	*10.2*	143.2	.....	342.7	11
.....	13.4	102.0	175.6	*6.7*	58.5	*5.0*	23.4	8.4	*6.7*	90.3	*1.7*	8.4	40.1	10.0	*1.7*	51.9	.....	157.2	12
.....	*22.9*	183.4	175.7	*7.6*	114.6	*7.6*	*22.9*	*15.3*	*22.9*	107.0	*22.9*	.....	114.6	*22.9*	*7.6*	114.6	.....	198.6	13
3.9	15.5	62.2	110.8	.....	108.8	58.3	21.4	13.6	.....	75.8	15.5	9.7	128.3	23.3	23.3	68.0	.....	211.9	14
13.0	*13.0*	259.2	414.7	*19.4*	97.2	32.4	*13.0*	*13.0*	*13.0*	226.8	.....	*6.5*	32.4	*13.0*	.....	51.8	.....	278.6	15
6.5	32.6	127.0	249.1	8.1	74.9	9.8	14.7	16.3	11.4	172.6	.....	13.0	58.6	32.6	*3.3*	70.0	*1.6*	223.0	16
5.2	23.4	95.6	182.3	*14.3*	71.3	32.8	18.7	14.8	10.5	115.6	7.9	10.0	71.3	28.2	14.4	78.9	1.5	256.5	17
5.4	24.6	96.6	183.0	13.5	68.5	31.3	18.5	14.5	10.4	115.8	7.6	9.9	67.2	29.1	13.0	78.8	1.6	257.1	18
3.1	*3.1*	77.8	171.2	28.0	121.4	59.2	21.8	18.7	*12.5*	112.1	*12.5*	*12.5*	146.3	*12.5*	40.5	81.0	.....	246.0	19
.....	20.3	102.4	200.9	9.7	65.8	15.9	14.6	15.0	11.9	68.4	4.0	4.0	47.2	25.6	3.5	60.1	.....	151.0	20
.....	21.5	107.7	205.5	9.4	65.5	16.4	15.0	15.5	12.2	68.8	3.7	3.3	45.9	25.8	*1.9*	60.9	.....	152.6	21
.....	.....	*15.5*	124.2	*15.5*	69.9	*7.8*	*7.8*	*7.8*	*7.8*	62.1	*7.8*	*15.5*	69.9	*23.3*	*31.1*	46.6	.....	124.2	22
6.0	41.9	133.6	207.4	*8.0*	65.8	16.0	12.0	16.0	12.0	121.6	.....	10.0	37.9	14.0	*8.0*	71.8	*2.0*	289.2	23
.....	*21.4*	157.0	114.2	*7.1*	99.9	35.7	*14.3*	*28.5*	.....	107.0	*7.1*	35.7	78.5	*7.1*	*14.3*	114.2	.....	342.5	24
.....	*10.9*	38.1	135.9	*5.4*	65.2	*10.9*	*10.9*	*5.4*	.....	87.0	*5.4*	*5.4*	65.2	*10.9*	.....	54.4	.....	92.4	25
.....	25.0	120.1	260.3	30.0	70.1	40.0	.....	.....	.....	105.1	*10.0*	*10.0*	75.1	.....	*15.0*	115.1	*15.0*	260.3	26
3.0	20.7	91.7	230.6	8.9	137.5	25.1	23.7	13.3	7.4	102.0	16.3	14.8	109.4	25.1	8.9	103.5	*3.0*	317.9	27
5.1	25.5	122.2	122.2	*5.1*	157.8	71.3	30.6	*15.3*	*5.1*	147.7	*15.3*	*5.1*	137.5	45.8	*10.2*	112.0	*10.2*	229.1	28
5.0	27.5	202.5	262.5	8.8	82.5	16.3	32.5	18.8	10.0	125.0	*5.0*	7.5	82.5	51.3	8.8	117.5	.....	285.0	29
2.7	25.0	88.4	226.5	7.9	91.1	10.6	19.8	16.3	14.2	111.4	6.0	9.0	47.6	37.7	9.6	86.6	*0.6*	210.4	30
2.8	23.6	88.1	223.0	*7.3*	87.3	10.1	19.1	15.7	12.9	108.5	6.2	9.3	46.8	37.1	7.1	85.3	*0.4*	203.8	31
.....	66.2	96.3	331.0	*24.1*	204.6	*24.1*	42.1	36.1	54.2	198.6	.....	.....	72.3	54.2	84.3	126.4	*6.0*	409.2	32
.....	34.5	110.8	182.2	7.4	66.5	22.2	*4.9*	*2.5*	12.3	105.9	*4.9*	7.4	41.9	22.2	12.3	46.8	.....	197.0	33
6.0	*24.1*	114.6	138.8	.....	114.6	48.3	*12.1*	*6.0*	*12.1*	90.5	*12.1*	.....	66.4	*12.1*	*6.0*	90.5	.....	211.2	34
4.8	38.4	72.0	206.4	*4.8*	153.6	33.6	*19.2*	24.0	*14.4*	96.0	*4.8*	*14.4*	81.6	*19.2*	*9.6*	76.8	.....	172.8	35
9.2	*18.3*	219.8	522.1	.....	128.2	*18.3*	*18.3*	.....	55.0	45.8	.....	*18.3*	*36.6*	*18.3*	.....	100.8	.....	302.3	36
.....	*24.4*	146.4	256.2	*12.2*	109.8	*12.2*	*18.3*	*18.3*	.....	109.8	*6.1*	*6.1*	115.9	54.9	*12.2*	97.6	.....	347.7	37
2.4	*7.1*	87.0	171.7	*4.7*	162.3	35.3	30.6	14.1	*4.7*	94.1	11.8	*7.1*	101.2	37.6	23.5	94.1	*4.7*	254.1	38
4.4	*17.7*	88.4	137.1	.....	137.1	*4.4*	*17.7*	22.1	.....	35.4	*8.8*	8.8	53.1	22.1	*13.3*	101.7	.....	132.6	39
8.7	*8.7*	60.8	173.8	.....	*26.1*	.....	.....	*8.7*	.....	43.5	.....	.....	*17.4*	43.5	*8.7*	43.5	*8.7*	113.0	40
.....	*26.7*	124.6	151.3	*17.8*	204.8	*35.6*	44.5	*8.9*	.....	*35.6*	*17.8*	.....	97.9	*35.6*	*17.8*	106.8	.....	302.7	41
3.3	39.9	93.0	162.8	*3.3*	66.4	29.9	19.9	23.3	*13.3*	86.4	19.9	*13.3*	73.1	23.3	*10.0*	66.4	.....	352.1	42
3.0	15.6	92.3	139.1	5.7	157.3	20.5	34.6	14.8	6.5	87.0	8.4	12.5	77.1	20.1	9.9	61.6	.....	241.7	43
.....	.....	*96.6*	122.9	*3.3*	79.0	*35.1*	61.5	*17.6*	.....	70.3	43.9	*17.6*	131.7	*3.3*	.....	79.0	.....	333.7	44
11.6	*6.9*	71.7	87.9	*9.2*	87.9	55.5	13.9	23.1	20.8	92.5	18.5	11.6	87.9	11.6	27.7	148.0	*4.6*	263.6	45
.....	*9.1*	100.6	73.2	*9.1*	256.0	155.4	109.7	*36.6*	*27.4*	64.0	.....	.....	128.0	*18.3*	*36.6*	137.2	.....	283.5	46
.....	*11.1*	72.1	66.6	*16.6*	99.9	61.0	.....	*5.5*	*5.5*	*22.2*	.....	*11.1*	127.6	*11.1*	.....	*11.1*	*11.1*	94.3	47
4.9	14.6	71.1	132.4	*2.8*	98.2	39.0	13.2	12.5	6.3	55.7	7.0	7.7	105.9	11.1	4.2	63.4	*0.7*	143.5	48
.....	*6.2*	87.5	69.1	.....	46.0	55.2	.....	.....	*4.6*	50.6	*4.6*	*9.2*	133.5	*18.4*	.....	*18.4*	*4.6*	156.5	49
.....	*17.9*	103.0	201.6	*17.9*	116.5	*17.9*	*18.4*	*17.9*	*4.5*	112.0	*13.4*	*4.5*	107.5	31.4	.....	112.0	.....	264.3	50
.....	*25.9*	103.6	95.0	*34.5*	60.4	77.7	51.8	*8.6*	.....	43.2	*8.6*	*25.9*	164.0	*8.6*	*17.8*	172.6	*8.6*	189.9	51
.....	*24.6*	65.6	147.7	*8.2*	82.0	*24.6*	.....	.....	*16.4*	73.8	.....	.....	*32.8*	*8.2*	.....	*16.4*	.....	41.0	52
.....	*8.3*	58.2	91.5	*8.3*	66.5	108.1	.....	*8.3*	*8.3*	*24.9*	.....	.....	99.8	.....	.....	49.9	.....	158.0	53
8.1	*8.1*	56.9	97.6	.....	81.3	*24.4*	.....	.....	*8.1*	*16.3*	.....	.....	48.8	*24.4*	.....	89.4	.....	81.3	54
.....	*8.7*	91.3	147.8	*18.0*	69.6	*18.0*	21.7	.....	*4.3*	87.0	*8.7*	*17.4*	117.4	*18.0*	.....	100.0	.....	208.7	55
5.1	30.4	82.6	171.7	9.4	119.5	48.5	24.6	13.8	7.2	92.7	10.1	9.4	105.8	21.7	3.6	94.2	*2.9*	205.0	56
.....	*20.9*	73.3	94.2	*5.2*	78.5	*15.7*	*5.2*	*5.2*	*10.5*	41.9	.....	*5.2*	78.5	*5.2*	.....	57.6	.....	109.9	57
11.4	54.0	167.7	139.3	19.9	91.0	14.2	*2.8*	*8.5*	.....	79.6	*5.7*	*2.8*	82.4	*2.8*	.....	54.0	.....	184.8	58
.....	31.3	125.3	205.9	*18.4*	259.6	26.9	40.3	*9.0*	22.4	125.3	.....	22.4	111.9	40.3	*4.5*	111.9	.....	483.4	59
9.0	*27.0*	144.2	216.3	.....	72.1	*9.0*	*9.0*	.....	*9.0*	63.1	.....	*18.0*	81.1	*9.0*	*9.0*	99.2	.....	207.3	60
6.5	*19.5*	110.3	71.4	*6.5*	64.9	*26.0*	.....	.....	.....	*26.0*	.....	.....	45.4	*18.0*	.....	*19.5*	.....	90.9	61
.....	14.6	60.0	76.2	*6.5*	60.0	53.5	11.3	*4.9*	*1.6*	63.2	*4.9*	*6.5*	139.4	9.7	*4.9*	76.2	.....	119.9	62
3.0	28.1	100.0	149.7	5.4	98.8	22.8	13.2	12.6	8.4	78.4	9.6	9.6	80.8	18.6	3.0	72.5	*2.4*	195.3	63
3.8	45.1	90.2	217.9	*7.5*	127.7	56.3	26.3	30.1	*11.3*	90.2	*3.8*	*7.5*	82.6	*7.5*	*3.8*	97.7	.....	199.1	64
10.6	35.4	134.3	169.7	35.4	81.3	24.7	*7.1*	*7.1*	.....	113.1	*10.6*	*7.1*	67.2	*10.6*	*7.1*	99.0	.....	205.0	65
3.3	33.4	140.4	187.2	*10.0*	103.6	33.4	30.1	16.7	*3.3*	93.6	*3.3*	*6.7*	113.7	*13.4*	.....	73.6	.....	217.3	66
5.7	*17.2*	143.4	177.8	*11.5*	51.6	*11.5*	*5.7*	.....	*11.5*	109.0	.....	.....	103.2	.....	.....	68.8	.....	120.4	67
7.2	28.7	129.2	181.8	*4.8*	112.4	31.1	12.0	14.4	*4.8*	102.9	*7.2*	16.7	95.7	16.7	*9.6*	69.4	*2.4*	198.6	68
19.2	*28.8*	105.7	201.9	*9.6*	57.7	48.1	.....	.....	.....	76.9	.....	*9.6*	76.9	.....	.....	*38.5*	*9.6*	134.6	69
.....	.....	67.3	149.6	*7.5*	97.2	*29.9*	.....	.....	.....	*15.0*	*7.5*	.....	67.3	*7.5*	.....	44.9	*7.5*	82.3	70

[2] Nonregistration state; the only cities shown are those with satisfactory registration of deaths.

TABLE III.—DEATH RATES PER 100,000 ESTIMATED POPULATION IN THE REGISTRATION AR[illegible] EXCLUSIVE

[See note at head of this table, p. 160.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid and paratyphoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria.	Influenza.	Erysipelas.	Meningococcus meningitis.	Tuberculosis of the respiratory system.	Tuberculosis of the meninges, etc.	Other forms of tuberculosis.	Cancer and other malignant tumors.
			1	5	6	7	8	9	10	11	21	24	31	32	33-37	48-49
	REGISTRATION CITIES—Continued.															
	CONNECTICUT—continued.															
1	Torrington town	804.9	.....	.....	.....	.....	30.6	.....	4.4	26.2	4.4	.....	39.4	8.7	.....	26.2
2	Wallingford town	1,037.6	.....	.....	.....	16.5	.....	.....	.....	.....	.....	.....	32.9	8.2	.....	32.4
3	Waterbury	984.3	2.1	.....	.....	3.2	7.4	5.3	7.4	5.3	2.1	2.1	60.3	5.3	8.5	79.3
4	Windham town	1,651.7	.....	.....	.....	23.6	.....	23.6	.....	21.5	.....	.....	64.4	.....	.....	100.1
	DELAWARE.															
5	Wilmington (total)	1,200.1	6.2	.....	.....	0.9	5.3	7.9	6.2	17.6	1.8	.....	81.1	8.8	16.8	76.7
6	White	1,139.1	6.8	.....	.....	1.0	5.9	8.8	6.8	18.6	1.0	.....	67.4	6.8	12.7	79.1
7	Colored	1,765.5	.....	.....	.....	.....	.....	.....	.....	9.1	9.1	.....	208.2	27.2	54.3	54.3
	DISTRICT OF COLUMBIA.															
8	Washington (total)	1,383.8	6.6	0.9	0.2	3.4	2.1	4.1	13.0	9.8	2.1	0.9	108.8	6.4	11.4	117.9
9	White	1,213.1	5.2	0.6	0.3	3.7	2.4	2.4	15.6	8.9	2.4	0.9	64.2	4.3	6.7	123.0
10	Colored	1,887.8	10.8	1.8	.....	2.7	0.9	9.0	5.4	12.6	0.9	0.9	240.3	12.6	25.3	103.0
	FLORIDA.															
11	Jacksonville (total)	1,536.8	22.1	14.7	.....	.....	1.1	11.6	3.2	9.5	1.1	3.2	149.2	3.2	13.7	46.2
12	White	1,224.3	23.0	3.8	.....	.....	1.9	5.7	5.7	5.7	1.9	1.9	68.9	1.9	1.9	67.0
13	Colored	1,917.4	21.0	28.0	.....	.....	.....	18.6	.....	14.0	.....	4.7	247.0	4.7	28.0	21.0
14	Key West	1,413.4	21.3	10.7	.....	.....	.....	10.7	.....	21.3	.....	.....	261.3	5.3	.....	74.7
15	Miami (total)	1,576.8	27.0	.....	.....	.....	.....	15.0	6.0	18.0	.....	.....	93.1	12.0	12.0	72.1
16	White	1,344.7	30.6	.....	.....	.....	.....	.....	8.7	13.1	.....	.....	26.2	17.5	13.1	91.7
17	Colored	2,088.5	19.2	.....	.....	.....	.....	48.1	.....	28.9	.....	.....	240.6	.....	9.6	28.9
18	Pensacola (total)	1,267.1	3.1	6.2	.....	.....	3.1	12.4	6.2	15.5	3.1	3.1	86.7	3.1	3.1	43.4
19	White	1,048.6	4.6	9.2	.....	.....	4.6	9.2	9.2	13.7	4.6	4.6	73.3	.....	4.6	50.4
20	Colored	1,724.1	.....	.....	.....	.....	.....	19.2	.....	19.2	.....	.....	114.9	9.6	.....	28.7
21	St. Petersburg	1,315.1	9.9	.....	.....	.....	.....	.....	4.9	4.9	4.9	.....	98.5	4.9	14.8	88.7
22	Tampa (total)	1,298.8	20.6	16.8	1.9	1.9	3.7	5.6	11.2	11.2	.....	.....	114.0	3.7	13.1	93.4
23	White	1,132.0	19.2	.....	2.4	2.4	4.8	7.2	12.0	12.0	.....	.....	79.3	4.8	7.2	96.1
24	Colored	1,881.6	25.2	75.6	.....	.....	.....	.....	8.4	8.4	.....	.....	235.2	.....	33.6	84.0
	GEORGIA.[2]															
25	Atlanta (total)	1,483.6	14.0	1.4	1.4	13.0	4.3	6.7	12.0	21.2	1.9	4.8	97.8	3.4	17.8	81.9
26	White	1,225.6	8.4	1.4	.....	13.3	4.9	4.9	14.7	14.7	2.1	4.2	51.7	4.2	9.1	93.7
27	Colored	2,056.3	26.4	1.6	4.7	12.4	3.1	10.9	6.2	35.7	1.6	6.2	200.2	1.6	37.2	55.9
28	Augusta * (total)	1,777.3	26.3	20.6	1.9	.....	1.9	5.6	7.5	16.9	.....	.....	170.8	11.3	15.0	82.6
29	White	1,402.9	13.1	6.6	3.3	.....	.....	6.6	9.8	13.1	.....	.....	72.1	9.8	13.1	78.7
30	Colored	2,278.9	43.9	39.5	.....	.....	4.4	4.4	4.4	22.0	.....	.....	303.0	13.2	17.6	87.8
31	Brunswick (total)	989.0	46.5	19.9	.....	.....	.....	.....	.....	13.3	.....	.....	59.7	6.6	13.3	19.9
32	White	649.6	13.0	39.0	.....	.....	.....	.....	.....	13.0	.....	.....	13.0	.....	13.0	13.0
33	Colored	1,343.5	81.4	.....	.....	.....	.....	.....	.....	13.6	.....	.....	108.6	13.6	13.6	27.1
34	Savannah * (total)	2,054.5	18.6	18.6	.....	.....	.....	17.5	11.6	8.1	1.2	1.2	165.3	3.5	21.0	69.8
35	White	1,334.9	17.4	13.1	.....	.....	.....	8.7	15.3	4.4	2.2	2.2	50.2	.....	6.5	89.4
36	Colored	2,878.1	20.0	25.0	.....	.....	.....	27.5	7.5	12.5	.....	.....	297.0	7.5	37.4	47.4
	ILLINOIS.															
37	Alton	1,029.3	15.8	.....	.....	.....	.....	11.9	23.8	31.7	4.0	.....	39.6	.....	4.0	71.3
38	Aurora	1,321.8	16.1	.....	.....	.....	5.4	2.7	37.5	10.7	.....	2.7	50.9	.....	16.1	109.9
39	Belleville	1,248.3	11.8	3.9	.....	.....	.....	3.9	11.8	3.9	3.9	.....	70.9	.....	11.8	157.5
40	Berwyn	816.4	.....	.....	.....	6.5	6.5	.....	26.9	6.5	.....	.....	90.7	.....	13.0	103.7
41	Bloomington	1,475.3	3.4	.....	.....	17.2	3.4	3.4	10.3	24.0	.....	3.4	68.6	.....	13.7	171.5
42	Blue Island	1,498.8	.....	.....	.....	.....	50.5	16.8	101.0	.....	8.4	.....	33.7	8.4	8.4	143.1
43	Cairo	1,535.5	6.5	26.1	.....	.....	.....	6.5	6.5	32.7	6.5	.....	215.6	13.1	13.1	71.9
44	Canton	1,460.5	9.1	.....	.....	.....	9.1	.....	18.3	73.0	18.3	9.1	73.0	.....	9.1	91.3
45	Centralia	1,145.1	23.2	7.7	.....	.....	.....	7.7	15.5	15.5	.....	.....	77.4	.....	23.2	77.4
46	Champaign	1,204.7	5.9	.....	.....	.....	11.9	5.9	.....	11.9	.....	.....	41.5	.....	.....	154.3
47	Chicago (total)	1,108.3	1.2	0.1	0.1	5.0	7.1	5.5	24.5	4.5	1.9	1.2	71.5	5.4	8.1	96.5
48	White	1,080.1	1.3	0.2	0.2	4.9	7.3	4.9	25.0	4.3	1.8	1.2	64.1	4.9	6.1	97.6
49	Colored	1,718.8	.....	.....	.....	6.5	2.4	18.7	13.0	9.0	4.9	0.8	230.5	16.3	49.7	72.5
50	Chicago Heights	1,008.6	4.9	.....	.....	.....	14.8	24.6	34.4	14.8	.....	.....	34.4	4.9	9.8	54.1
51	Cicero	645.9	.....	.....	.....	4.0	4.0	8.0	46.3	2.0	.....	2.0	38.2	4.0	2.0	38.2
52	Danville	1,535.2	17.3	.....	.....	.....	2.9	23.1	8.7	17.3	.....	.....	83.8	5.8	8.7	144.6
53	Decatur	1,291.9	19.3	2.1	.....	.....	.....	6.4	43.0	19.3	.....	2.1	53.7	3.6	3.6	109.6
54	East St. Louis (total)	1,106.8	7.3	2.9	1.5	1.5	4.4	25.0	22.0	10.3	7.3	5.9	58.8	8.8	8.8	55.9
55	White	1,016.0	6.6	1.7	1.7	1.7	5.0	23.2	19.9	9.9	8.3	5.0	38.1	6.6	5.0	56.4
56	Colored	1,817.0	13.0	13.0	.....	.....	.....	38.9	38.9	13.0	.....	13.0	220.6	26.0	38.9	51.9
57	Elgin *	1,921.8	.....	.....	.....	3.6	7.2	.....	14.4	28.9	3.6	.....	112.0	14.4	14.4	173.4
58	Evanston	1,050.0	.....	.....	.....	.....	2.6	5.1	43.5	.....	5.1	2.6	41.0	2.6	12.8	117.8
59	Forest Park	867.4	.....	.....	.....	.....	.....	.....	52.6	8.8	.....	.....	35.0	.....	.....	87.6
60	Freeport	1,544.1	30.1	.....	5.0	.....	10.0	5.0	50.1	15.0	10.0	.....	55.1	5.0	10.0	160.4
61	Galesburg	1,344.2	4.1	.....	.....	3.3	3.3	.....	4.1	3.3	.....	.....	70.5	12.4	12.4	136.9
62	Granite City	1,025.0	6.5	13.0	13.0	6.5	6.5	13.0	32.4	19.5	6.5	.....	77.9	.....	6.5	51.9
63	Herrin	1,204.5	34.4	.....	17.2	.....	17.2	34.4	34.4	17.2	8.6	8.6	51.6	.....	8.6	34.4

[1] Exclusive of stillbirths.

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1921—Continued.

[See note at head of this table, p. 160.]

DEATH RATE PER 100,000 POPULATION FROM—																		
Rheumatism.	Diabetes mellitus.	Cerebral hemorrhage and softening.	Other [organic] diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis.	Puerperal septicemia.	Other puerperal causes.	Congenital malformations and diseases of early infancy.	Suicide.	Homicide.	Accidental and unspecified external causes.	Unknown or ill-defined diseases.	All other causes.	
51, 52	57	74, 83	90	99	100, 101	113	117	118	122	128, 129	146	143-145, 147-150	159-163	165-174	197-200	175-196, 201-203	204, 205		
.....	21.9	61.2	113.7	*4.4*	56.9	39.4	*4.4*	21.9	*4.4*	56.9	*4.4*	*4.4*	83.1	*8.7*	.....	83.1	.....	96.2	1
.....	*8.2*	140.0	222.4	*8.2*	156.5	*8.2*	.....	*16.5*	.....	49.4	.....	*8.2*	41.2	*24.7*	*8.2*	82.4	.....	123.5	2
8.2	18.0	67.7	107.8	*4.2*	80.4	53.9	20.1	9.5	10.6	61.3	*4.2*	9.5	118.4	12.7	*4.2*	61.3	*4.2*	144.8	3
7.2	35.8	100.1	178.8	*28.6*	150.2	64.4	78.7	*28.6*	.....	178.8	*14.3*	*14.3*	128.7	35.8	.....	85.8	*7.2*	271.7	4
7.1	17.6	122.6	115.5	13.2	116.4	60.0	8.8	6.2	12.3	125.2	12.3	11.5	89.1	12.3	9.7	67.0	*8.5*	160.5	5
5.9	17.6	119.2	112.3	9.8	106.5	58.6	8.8	5.9	13.7	123.1	11.7	9.8	86.9	12.7	*2.0*	66.4	*8.9*	149.5	6
18.1	*18.1*	153.9	144.9	45.3	208.2	72.4	*9.1*	*9.1*	.....	144.9	*18.1*	*27.2*	108.6	*9.1*	81.5	72.4	.....	262.6	7
4.6	17.4	106.7	192.9	8.2	112.9	27.7	18.5	13.7	6.6	121.1	6.9	13.9	95.8	19.9	13.0	61.9	1.4	253.0	8
4.9	17.4	101.3	182.3	7.6	69.1	21.1	18.4	11.0	5.8	102.5	6.1	13.2	84.4	26.0	7.3	61.8	1.5	230.4	9
8.6	17.2	122.8	224.0	9.9	242.1	47.0	19.0	21.7	9.0	176.1	9.0	16.3	129.2	*1.8*	29.8	62.3	*0.9*	319.8	10
3.2	13.7	117.7	160.7	7.4	96.6	37.8	24.2	23.1	17.9	137.6	8.4	17.9	106.1	21.0	49.4	83.0	25.2	307.8	11
.....	19.1	111.0	149.2	*5.7*	59.3	21.0	19.1	15.3	*7.7*	124.3	*5.7*	13.4	99.5	38.3	28.7	89.9	*3.8*	223.8	12
7.0	*7.0*	125.8	174.7	*9.3*	142.1	58.2	30.3	32.6	30.3	153.8	11.6	23.3	114.2	.....	74.6	74.6	51.3	410.0	13
5.3	*5.3*	69.3	85.3	.....	64.0	128.0	.....	*16.0*	*5.3*	80.0	*21.3*	*16.0*	69.3	*16.0*	*10.7*	64.0	26.7	325.4	14
6.0	18.0	60.1	126.1	33.0	60.1	81.1	21.0	21.0	15.0	141.2	*12.0*	*12.0*	141.2	21.0	30.0	102.1	60.1	360.4	15
4.4	26.2	56.8	139.7	26.2	43.7	26.2	21.8	21.8	*17.5*	144.1	*13.1*	*8.7*	126.6	30.6	26.2	91.7	34.9	283.8	16
9.6	.....	67.4	96.2	48.1	96.2	202.1	*19.2*	*19.2*	*9.6*	134.7	*9.6*	*19.2*	173.2	.....	*38.5*	125.1	115.5	529.4	17
6.2	*3.1*	83.6	117.7	*12.4*	43.4	55.8	21.7	21.7	27.9	130.1	.....	*3.1*	89.8	*6.2*	*12.4*	71.3	46.5	325.3	18
.....	*4.6*	77.8	119.1	*9.2*	*13.7*	41.2	27.5	*13.7*	*18.3*	64.1	.....	*4.6*	105.3	*4.6*	*4.6*	59.5	41.2	251.8	19
19.2	.....	95.8	114.9	*19.2*	105.4	86.2	*9.6*	*38.3*	47.9	268.2	.....	.....	57.5	*9.6*	*28.7*	95.8	57.5	478.9	20
4.9	*14.8*	182.2	152.7	*9.9*	69.0	44.3	*9.9*	*19.7*	.....	113.3	*4.9*	*9.9*	59.1	.....	*9.9*	73.9	*4.9*	300.4	21
3.7	14.9	71.0	108.4	*1.9*	56.1	52.3	18.7	13.1	11.2	104.6	16.8	13.1	87.8	20.6	24.3	69.1	39.2	274.7	22
2.4	16.8	64.9	98.5	.....	50.5	55.3	24.0	12.0	*7.2*	91.3	12.0	*9.6*	88.9	19.2	*7.2*	74.5	40.9	209.1	23
8.4	*8.4*	92.4	142.8	*8.4*	75.6	42.0	.....[a]	*16.8*	*25.2*	151.2	*33.6*	*25.2*	84.0	*25.2*	84.0	50.4	*33.6*	504.0	24
3.9	16.4	97.8	121.0	5.8	112.8	47.7	27.5	18.3	8.2	147.5	13.0	19.3	101.2	14.9	41.5	91.1	24.1	289.7	25
2.8	14.7	79.7	103.5	3.5	76.2	44.0	31.5	18.2	6.3	126.5	9.8	18.2	86.0	19.6	14.7	88.1	11.9	243.3	26
6.2	20.2	138.1	159.8	10.9	194.0	55.9	18.6	18.6	12.4	194.0	20.2	21.7	135.0	*4.7*	100.9	97.8	51.2	392.6	27
7.5	28.2	135.1	212.1	*5.6*	129.5	88.2	31.9	22.5	*3.8*	161.4	11.3	24.4	110.7	*7.5*	45.0	92.0	*7.5*	292.8	28
3.3	32.8	114.7	157.3	*3.3*	104.9	59.0	32.8	26.2	*3.3*	147.5	*6.6*	29.5	114.7	*13.1*	26.2	65.6	*3.3*	232.7	29
13.2	22.0	162.5	285.4	*8.8*	162.5	127.3	30.7	*17.6*	*4.4*	180.0	*17.6*	*17.6*	105.4	.....	70.3	127.3	*13.2*	373.2	30
.....	*6.6*	132.7	79.6	.....	*26.5*	*13.3*	*6.6*	.....	*13.3*	119.5	*6.6*	.....	73.0	*6.6*	33.2	59.7	*6.6*	225.7	31
.....	*13.0*	65.0	*39.0*	.....	*26.0*	.....	*13.0*	.....	.....	90.9	.....	.....	*52.0*	*13.0*	*26.0*	*39.0*	.....	168.9	32
.....	.....	203.6	122.1	.....	*27.1*	*27.1*	.....	.....	*27.1*	149.3	*13.6*	.....	95.0	.....	*40.7*	81.4	*13.6*	285.0	33
1.2	22.1	117.6	275.9	15.1	140.8	108.3	30.3	21.0	7.0	214.2	16.3	31.4	112.9	7.0	30.3	96.6	*4.7*	465.6	34
2.2	30.5	82.9	157.0	*2.2*	67.6	32.7	28.4	26.2	*6.5*	148.3	15.3	21.8	93.8	10.9	13.1	91.6	*2.2*	292.3	35
.....	12.5	157.3	411.9	30.0	224.7	194.7	32.5	15.0	*7.5*	289.6	17.5	42.4	134.8	*2.5*	49.9	102.3	*7.5*	664.0	36
7.9	27.7	87.1	79.2	*15.8*	67.3	27.7	23.8	31.7	*4.0*	118.8	*11.9*	*11.9*	47.5	.....	*7.9*	63.3	.....	194.0	37
13.4	13.4	93.8	128.7	*10.7*	83.1	48.3	26.8	21.4	*10.7*	112.6	*2.7*	*8.0*	107.2	13.4	*2.7*	85.8	.....	286.9	38
3.9	23.6	141.8	86.6	27.6	90.6	31.5	23.6	*15.8*	19.7	90.6	*11.8*	*15.8*	78.8	*7.9*	*7.9*	90.6	.....	200.8	39
6.5	*25.9*	64.8	64.8	*18.0*	38.9	*19.4*	.....	.....	*19.4*	71.3	.....	*6.5*	64.8	*18.0*	.....	58.3	.....	97.2	40
10.3	30.9	133.8	157.8	*18.7*	96.1	24.0	24.0	*13.7*	*10.3*	106.4	*10.3*	.....	85.8	37.7	*6.9*	68.6	.....	325.9	41
.....	*25.3*	42.1	101.0	.....	168.4	58.9	84.2	*25.3*	.....	92.6	.....	*25.3*	75.8	*16.8*	*8.4*	176.8	.....	227.3	42
19.6	*6.5*	130.7	78.4	.....	98.0	39.2	45.7	*19.6*	*13.1*	150.3	*13.1*	*13.1*	58.8	*26.1*	*26.1*	111.1	.....	287.5	43
9.1	*18.3*	63.9	182.6	*18.3*	82.2	54.8	73.0	*18.3*	.....	155.2	*18.3*	45.6	100.4	*9.1*	*9.1*	*36.5*	.....	255.6	44
7.7	*15.5*	*30.9*	108.3	38.7	38.7	46.4	*30.9*	.....	*7.7*	77.4	*15.5*	.....	147.0	*7.7*	*15.5*	123.8	.....	185.7	45
.....	*23.7*	53.4	148.4	.....	100.9	*17.8*	41.5	35.6	*11.9*	118.7	.....	*5.9*	89.0	.....	*17.8*	83.1	.....	225.5	46
5.8	20.3	54.2	157.0	10.3	86.7	68.7	19.9	10.9	9.5	88.4	5.9	7.2	74.3	16.6	11.2	73.8	0.2	154.9	47
5.8	20.4	54.3	152.1	10.2	82.5	69.2	19.4	10.9	9.3	86.5	5.5	7.1	73.9	16.9	9.6	72.9	0.2	150.0	48
7.3	18.7	52.1	262.3	13.8	177.6	58.7	31.8	9.8	13.8	131.1	14.7	10.6	83.1	9.0	47.2	93.7	.....	259.0	49
14.8	*4.9*	39.4	49.2	*4.9*	127.9	88.6	34.4	*9.8*	*9.8*	64.0	*9.8*	*4.9*	88.6	.....	24.6	73.8	.....	162.4	50
8.0	*8.0*	36.2	84.5	*6.0*	70.4	48.3	.....	*2.0*	*8.0*	66.4	.....	*2.0*	58.4	*8.0*	*4.0*	14.1	*2.0*	70.4	51
2.9	20.2	107.0	153.2	23.1	69.4	52.0	52.0	37.6	*5.8*	72.3	26.0	28.9	121.4	*8.7*	17.3	118.5	*2.9*	303.6	52
8.6	25.8	73.1	144.0	*6.4*	94.6	36.5	32.2	12.9	*8.6*	113.9	*4.3*	15.0	94.6	*8.6*	*8.6*	60.2	*6.4*	264.4	53
1.5	10.3	99.9	89.7	13.2	97.0	26.5	27.9	*5.9*	*2.9*	55.9	22.0	11.8	105.8	17.6	23.5	105.8	*1.5*	167.6	54
1.7	11.6	102.8	82.9	8.3	82.9	26.5	26.5	*5.0*	*3.3*	51.4	24.9	11.6	104.4	19.9	19.9	97.8	*1.7*	144.2	55
.....	.....	77.9	142.8	*51.9*	207.7	*26.0*	*38.9*	*13.0*	.....	90.9	.....	*13.0*	116.8	.....	*51.9*	168.7	.....	350.4	56
3.6	25.3	144.5	386.5	*7.2*	104.8	18.1	28.9	*10.8*	*3.6*	83.1	*10.8*	*3.6*	50.6	36.1	*3.6*	75.9	.....	552.7	57
.....	25.6	69.1	171.6	*2.6*	69.1	20.5	15.4	20.5	.....	76.8	.....	*7.7*	115.2	*7.7*	.....	53.8	.....	161.3	58
.....	*17.5*	43.8	175.2	*17.5*	43.8	*35.0*	.....	.....	*35.0*	105.1	.....	*8.8*	*17.5*	*8.8*	.....	*8.8*	.....	166.5	59
10.0	45.1	120.3	180.5	*10.0*	95.3	25.1	40.1	25.1	*20.1*	75.2	*5.0*	*15.0*	65.2	*15.0*	*10.0*	85.2	.....	345.9	60
4.1	20.7	107.9	141.1	20.7	95.4	*4.1*	24.9	*12.4*	.....	124.5	*8.3*	20.7	74.7	37.3	*4.1*	83.0	*4.1*	290.4	61
.....	.....	32.4	77.9	*6.5*	84.3	32.4	*19.5*	.....	*26.0*	58.4	*13.0*	*19.5*	90.8	*13.0*	*13.0*	136.2	.....	149.2	62
.....	.....	*17.2*	*8.6*	.....	43.0	129.1	*17.2*	*17.2*	.....	43.0	43.0	*8.6*	189.3	.....	86.0	180.7	*25.8*	129.1	63

[a] Nonregistration state; the only cities shown are those with satisfactory registration of deaths.

TABLE III.—DEATH RATES PER 100,000 ESTIMATED POPULATION IN THE REGISTRATION AREA (EXCLUSIVE

[See note at head of this table, p. 160.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid and paratyphoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria.	Influenza.	Erysipelas.	Meningococcus meningitis.	Tuberculosis of the respiratory system.	Tuberculosis of the meninges, etc.	Other forms of tuberculosis.	Cancer and other malignant tumors.
			1	5	6	7	8	9	10	11	21	24	31	32	33–37	48–49
	REGISTRATION CITIES—Continued.															
	ILLINOIS—continued.															
1	Jacksonville*	2,840.5	.....	.....	.....	12.7	.....	.....	.....	6.3	12.7	.....	221.9	.....	6.3	183.9
2	Joliet	1,319.7	28.2	.....	.....	23.1	5.1	17.9	28.2	12.8	2.6	.....	53.8	7.7	12.8	120.4
3	Kankakee	1,298.3	.....	.....	.....	.....	.....	17.3	.....	.....	.....	.....	69.2	11.5	5.8	126.9
4	Kewanee	1,343.8	24.3	.....	.....	12.2	12.2	6.1	79.0	18.2	6.1	6.1	60.8	6.1	24.3	115.5
5	La Salle	1,136.8	.....	.....	.....	.....	.....	.....	22.6	.....	.....	.....	60.2	.....	.....	75.3
6	Lincoln*	1,686.7	.....	.....	.....	.....	24.9	8.3	16.6	8.3	.....	.....	299.1	16.6	8.3	149.6
7	Mattoon	1,448.6	21.6	7.2	.....	.....	7.2	14.4	36.0	7.2	7.2	.....	72.1	7.2	14.4	100.9
8	Maywood	837.0	.....	.....	.....	.....	.....	23.7	23.7	.....	.....	.....	86.9	.....	.....	126.3
9	Moline	968.4	3.2	.....	.....	.....	.....	.....	9.5	3.2	.....	.....	57.0	3.2	12.7	66.5
10	Murphysboro	1,107.1	53.6	8.9	.....	.....	.....	26.8	35.7	.....	.....	.....	116.1	.....	8.9	125.0
11	Oak Park	1,225.2	2.3	.....	.....	2.3	4.6	.....	11.6	18.6	2.3	2.3	30.2	7.0	7.0	174.4
12	Ottawa	1,343.9	.....	.....	.....	.....	18.2	18.2	54.5	.....	.....	9.1	45.4	.....	9.1	145.3
13	Pekin	1,030.3	.....	.....	.....	8.0	.....	.....	32.2	24.1	.....	.....	72.4	.....	.....	104.6
14	Peoria	1,303.6	6.4	.....	.....	.....	10.3	1.3	27.0	9.0	3.9	1.3	42.4	1.3	7.7	133.7
15	Quincy	1,420.3	13.9	.....	.....	16.7	.....	.....	5.6	11.1	5.6	2.8	58.4	2.8	13.9	141.8
16	Rock Island	975.0	5.5	2.7	.....	.....	2.7	8.2	2.7	5.5	2.7	.....	73.9	2.7	5.5	95.9
17	Rockford	1,012.4	1.5	.....	.....	4.4	8.8	4.4	14.6	1.5	1.5	.....	56.9	7.3	11.7	100.7
18	Springfield	1,497.0	8.3	1.7	.....	5.0	11.6	3.3	11.6	11.6	.....	.....	69.6	.....	5.0	137.6
19	Streator	1,440.1	6.7	.....	.....	26.9	.....	13.5	26.9	6.7	6.7	6.7	67.3	6.7	20.2	114.4
20	Urbana	749.2	9.5	.....	.....	.....	.....	9.5	9.5	9.5	.....	.....	75.9	.....	9.5	75.9
21	Waukegan	1,146.4	5.1	.....	.....	15.2	5.1	15.2	60.9	10.1	.....	.....	65.9	.....	5.1	101.5
	INDIANA.															
22	Anderson	1,010.3	16.2	3.2	.....	.....	6.5	22.7	16.2	9.7	3.2	.....	38.9	3.2	13.0	110.1
23	Bloomington	1,213.7	25.3	.....	.....	.....	8.4	16.9	.....	.....	.....	.....	101.1	8.4	8.4	92.7
24	Clinton	863.8	8.6	.....	.....	17.1	.....	25.7	.....	34.2	8.6	.....	77.0	.....	.....	42.8
25	Crawfordsville	1,483.5	.....	.....	.....	.....	9.8	29.3	9.8	39.0	.....	.....	87.8	9.8	29.3	165.9
26	East Chicago	989.9	23.3	.....	5.2	33.7	.....	7.8	59.6	15.5	.....	2.6	28.5	.....	.....	20.7
27	Elkhart	1,225.6	12.0	.....	.....	.....	4.0	12.0	24.0	.....	8.0	.....	79.8	.....	16.0	131.7
28	Elwood	1,306.8	27.8	.....	.....	.....	.....	18.5	37.1	9.3	.....	.....	101.9	.....	9.3	129.7
29	Evansville	1,142.4	8.0	4.6	.....	.....	1.1	5.4	17.1	9.1	2.3	1.1	89.1	5.7	11.4	96.0
30	Fort Wayne	1,092.4	21.2	.....	.....	1.1	4.5	6.7	34.6	5.6	3.4	.....	59.2	6.7	10.1	116.2
31	Frankfort	1,376.8	8.3	.....	.....	.....	8.3	58.4	8.3	41.7	8.3	.....	75.1	8.3	16.7	125.2
32	Gary	1,161.0	4.9	1.6	.....	4.9	4.9	18.0	26.1	9.8	1.6	.....	83.3	6.5	14.7	42.5
33	Hammond	1,061.7	20.9	.....	.....	2.6	7.8	5.2	52.2	7.8	5.2	.....	28.7	.....	10.4	83.5
34	Huntington	1,356.6	6.9	.....	.....	20.7	6.9	27.6	62.0	20.7	6.9	.....	62.0	6.9	13.8	117.1
35	Indianapolis (total)	1,264.9	7.1	0.9	0.6	0.9	6.4	9.5	25.8	12.3	8.9	1.2	97.7	8.3	18.7	102.6
36	White	1,215.5	6.2	0.7	0.3	1.0	6.6	6.9	26.7	12.5	9.7	1.0	75.5	8.3	17.3	105.6
37	Colored	1,653.0	13.6	2.7	2.7	.....	5.4	29.9	19.0	10.9	2.7	2.7	271.9	8.2	29.9	78.8
38	Jeffersonville	1,168.5	9.9	.....	.....	.....	.....	9.9	.....	9.9	.....	9.9	118.8	.....	19.8	118.8
39	Kokomo	1,051.7	9.3	.....	.....	.....	3.1	31.0	3.1	3.1	.....	6.2	62.0	9.3	15.5	74.5
40	La Porte	1,138.8	12.7	.....	.....	.....	6.3	12.7	12.7	.....	6.3	.....	19.0	6.3	.....	158.2
41	Lafayette	1,821.2	21.9	.....	.....	.....	18.1	21.9	21.9	13.1	4.4	4.4	78.8	8.8	26.3	153.2
42	Logansport	1,145.9	18.2	.....	.....	4.6	.....	22.7	18.2	18.2	.....	.....	36.4	.....	.....	100.0
43	Marion	1,399.6	4.1	4.1	8.2	.....	4.1	12.3	40.9	8.2	4.1	4.1	81.8	4.1	8.2	98.2
44	Michigan City	1,295.9	10.2	.....	.....	5.1	5.1	15.4	10.2	5.1	5.1	.....	92.2	.....	20.5	87.1
45	Mishawaka	1,186.1	12.8	.....	.....	.....	.....	6.4	19.2	12.8	.....	6.4	76.9	6.4	25.6	89.8
46	Muncie	1,213.6	15.7	.....	.....	.....	2.6	13.1	15.7	28.8	.....	5.2	94.4	13.1	5.2	107.5
47	New Albany	1,330.9	8.7	4.3	.....	.....	4.3	21.7	30.4	26.1	.....	.....	78.3	.....	8.7	152.2
48	New Castle	911.6	6.6	.....	.....	.....	.....	6.6	13.2	19.8	.....	.....	59.4	6.6	6.6	66.1
49	Peru	1,169.5	.....	.....	8.0	.....	8.0	48.1	40.1	8.0	.....	.....	48.1	.....	8.0	80.1
50	Richmond	1,116.9	7.2	.....	.....	.....	.....	3.6	10.8	21.7	.....	.....	39.8	7.2	18.1	68.7
51	South Bend	985.6	4.1	1.4	1.4	.....	.....	5.5	15.0	1.4	1.4	1.4	53.2	5.5	2.7	87.2
52	Terre Haute	1,332.7	8.9	.....	1.5	.....	3.0	4.5	38.6	13.4	1.5	.....	65.4	3.0	11.9	83.2
53	Vincennes	1,649.1	51.5	11.5	.....	5.7	.....	11.5	97.3	17.2	5.7	.....	103.1	.....	11.5	108.8
54	Whiting	981.8	9.4	.....	.....	.....	9.4	9.4	28.1	9.4	.....	.....	56.1	9.4	.....	56.1
	KANSAS.															
55	Arkansas City	1,141.1	.....	.....	.....	8.5	.....	.....	25.4	8.5	.....	.....	16.9	.....	.....	76.1
56	Atchison	1,290.6	15.8	.....	.....	.....	.....	15.8	39.6	23.8	.....	.....	55.4	.....	23.8	142.5
57	Chanute	1,589.7	9.6	.....	.....	28.7	.....	19.2	47.9	9.6	.....	.....	114.9	.....	.....	134.1
58	Coffeyville	1,311.3	36.8	.....	.....	.....	.....	.....	22.1	36.8	.....	7.4	51.6	.....	7.4	66.3
59	El Dorado	753.4	24.6	.....	8.2	8.2	.....	.....	57.3	8.2	16.4	8.2	24.6	.....	.....	24.6
60	Emporia	1,232.0	8.6	.....	.....	.....	.....	.....	43.1	8.6	17.2	.....	34.5	8.6	.....	86.2
61	Fort Scott	1,566.0	18.6	.....	.....	.....	.....	.....	65.2	18.6	18.6	.....	46.6	.....	28.0	177.1
62	Hutchinson	1,066.9	4.1	.....	.....	4.1	4.1	.....	41.0	4.1	.....	.....	24.6	4.1	16.4	61.6
63	Independence	1,098.7	8.2	.....	.....	8.2	.....	8.2	24.6	8.2	8.2	.....	65.6	.....	8.2	73.8
64	Kansas City (total)	1,210.0	5.8	.....	17.3	.....	.....	14.4	15.4	7.7	1.9	1.0	102.0	5.8	11.6	84.7
65	White	1,110.1	4.5	.....	6.8	.....	.....	12.4	18.1	5.6	2.3	1.1	64.3	6.8	5.6	89.1
66	Colored	1,790.6	13.1	.....	78.7	.....	.....	26.2	.....	19.7	.....	.....	321.4	.....	45.9	59.0
67	Lawrence	1,451.7	16.0	.....	.....	.....	8.0	16.0	48.1	8.0	.....	.....	56.1	8.0	8.0	128.3
68	Leavenworth	1,442.8	.....	.....	.....	5.9	17.7	.....	76.9	23.7	.....	.....	35.5	5.9	11.8	147.8
69	Parsons	989.2	.....	6.0	.....	.....	12.1	6.0	18.1	12.1	.....	.....	54.3	.....	12.1	60.3
70	Pittsburg	874.0	16.2	.....	.....	.....	10.8	5.4	21.6	5.4	.....	.....	43.2	.....	.....	118.7
71	Salina	1,170.0	6.3	.....	.....	18.9	12.6	6.3	31.5	.....	6.3	.....	25.2	.....	.....	81.8
72	Topeka	1,423.5	9.8	.....	.....	11.8	5.9	.....	27.5	3.9	2.0	2.0	49.0	3.9	11.8	123.5
73	Wichita	1,292.3	21.3	.....	.....	8.0	9.3	8.0	27.9	6.6	6.6	2.7	37.2	2.7	9.3	128.8

[1] Exclusive of stillbirths.

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1921—Continued.

[See note at head of this table, p. 160.]

DEATH RATE PER 100,000 POPULATION FROM—																		
Rheumatism. 51, 52	Diabetes mellitus. 57	Cerebral hemorrhage and softening. 74, 83	Other [organic] diseases of the heart. 90	Bronchitis. 99	Pneumonia (all forms). 100, 101	Diarrhea and enteritis (under 2 years). 113	Appendicitis and typhlitis. 117	Hernia, intestinal obstruction. 118	Cirrhosis of the liver. 122	Nephritis.. 128, 129	Puerperal septicemia. 146	Other puerperal causes. 143-145, 147-150	Congenital malformations and diseases of early infancy. 159-163	Suicide. 165-174	Homicide. 197-200	Accidental and unspecified external causes. 175-196, 201-203	Unknown or ill-defined diseases. 204, 205	All other causes.	
6.3	25.4	221.9	355.1	6.3	221.9	12.7	50.7	25.4	25.4	177.5	12.7	12.7	76.1	25.4	12.7	145.8	6.3	976.4	1
7.7	15.4	110.2	105.1	23.1	74.3	58.9	30.7	17.9	12.8	76.9	7.7	5.1	97.4	15.4	12.8	110.2	5.1	220.4	2
17.3	11.5	132.7	126.9	5.8	69.2	51.9	28.9	40.4	17.3	80.8	5.8	17.3	115.4	5.8	.....	98.1	.....	242.3	3
6.1	6.1	66.9	91.2	12.2	127.7	54.7	24.3	6.1	.....	85.1	6.1	12.2	133.8	12.2	6.1	66.9	6.1	249.3	4
7.5	7.5	67.8	120.5	.....	67.8	15.1	15.1	22.6	37.6	82.8	.....	.....	112.9	22.6	15.1	105.4	.....	278.6	5
8.3	33.2	66.5	224.3	8.3	108.0	24.9	24.9	8.3	.....	132.9	33.2	.....	83.1	.....	.....	58.2	.....	340.7	6
.....	14.4	100.9	136.9	7.2	115.3	93.7	36.0	43.2	14.4	86.5	14.4	14.4	108.1	7.2	.....	108.1	7.2	245.0	7
.....	7.9	39.5	197.4	15.8	94.7	7.9	.....	15.8	.....	79.0	.....	.....	39.5	7.9	.....	15.8	.....	55.3	8
3.2	25.3	75.9	129.7	12.7	38.0	22.2	25.3	12.7	6.3	63.3	9.5	12.7	66.5	19.0	.....	79.1	3.2	208.9	9
17.9	17.9	53.6	71.4	17.9	35.7	44.6	26.8	8.9	.....	44.6	8.9	.....	89.3	8.9	35.7	62.5	.....	187.5	10
4.6	20.9	74.4	174.4	2.3	86.0	9.3	53.5	18.6	13.9	74.4	4.6	13.9	132.5	11.6	2.3	97.6	.....	167.4	11
9.1	36.3	118.0	190.7	.....	36.3	63.6	18.2	45.4	9.1	90.8	.....	.....	81.7	.....	.....	81.7	.....	263.3	12
16.1	8.0	56.3	96.6	.....	64.4	24.1	24.1	24.1	8.0	32.2	24.1	.....	64.4	32.2	8.0	96.6	24.1	185.1	13
5.1	19.3	65.6	168.4	10.3	74.6	23.1	30.9	11.6	15.4	108.0	5.1	19.3	90.0	12.9	10.3	97.7	2.6	289.3	14
5.6	47.3	139.0	230.7	27.8	41.7	22.2	36.1	22.2	16.7	91.7	5.6	8.3	63.9	13.9	8.3	91.7	.....	275.2	15
5.5	11.0	84.9	131.5	8.2	52.0	16.4	16.4	11.0	5.5	46.6	2.7	.....	68.5	24.6	5.5	60.3	.....	216.4	16
4.4	24.8	80.2	110.9	7.3	58.4	37.9	20.4	13.1	5.8	94.8	4.4	10.2	64.2	16.0	7.3	59.8	1.5	178.0	17
9.9	23.2	79.6	142.6	8.3	102.8	51.4	46.4	19.9	8.3	137.6	18.2	14.9	91.2	16.6	11.6	101.1	1.7	346.5	18
6.7	6.7	100.9	168.2	6.7	134.6	53.8	20.2	13.5	20.2	121.1	20.2	20.2	74.0	13.5	6.7	107.7	.....	242.3	19
.....	19.0	56.9	113.8	.....	28.4	56.9	.....	.....	19.0	75.9	9.5	.....	9.5	.....	.....	47.4	.....	113.8	20
15.2	20.3	76.1	45.7	.....	60.9	45.7	35.5	10.1	5.1	40.6	15.2	25.4	106.5	10.1	5.1	131.9	.....	213.0	21
.....	19.4	64.8	119.8	.....	77.7	22.7	16.2	9.7	16.2	68.0	9.7	3.2	110.1	22.7	3.2	48.6	.....	155.4	22
.....	.....	151.7	109.6	.....	160.1	109.6	.....	33.7	16.9	59.0	8.4	8.4	67.4	.....	.....	67.4	.....	160.1	23
.....	17.1	59.9	102.6	25.7	68.4	25.7	.....	.....	.....	17.1	8.6	8.6	85.5	42.8	17.1	77.0	17.1	77.0	24
.....	9.8	97.6	126.9	.....	48.8	48.8	9.8	29.3	29.3	156.2	19.5	.....	78.1	48.8	19.5	68.3	.....	312.3	25
2.6	5.2	15.5	44.1	5.2	184.0	155.5	2.6	5.2	13.0	23.3	.....	7.8	108.8	23.3	23.3	72.6	2.6	98.5	26
8.0	27.9	127.8	155.7	.....	55.9	31.9	12.0	16.0	16.0	99.8	.....	12.0	103.8	4.0	4.0	75.9	.....	187.6	27
9.3	27.8	111.2	176.1	46.3	74.1	46.3	18.5	9.3	18.5	46.3	9.3	9.3	111.2	18.5	.....	46.3	.....	194.6	28
5.7	14.9	69.7	139.4	6.9	73.1	25.1	32.0	16.0	12.6	113.1	14.9	5.7	70.8	14.9	11.4	65.1	.....	202.2	29
4.5	20.1	86.0	116.2	7.8	67.0	22.3	27.9	13.4	10.1	84.9	13.4	4.5	55.9	11.2	2.2	67.0	7.8	201.1	30
.....	8.3	116.8	100.1	.....	75.1	25.0	16.7	.....	.....	133.5	16.7	25.0	125.2	41.7	.....	83.4	.....	250.3	31
4.9	6.5	24.5	60.4	6.5	173.1	49.0	40.8	13.1	8.2	52.3	9.8	19.6	132.3	18.0	34.3	125.7	.....	163.3	32
5.2	13.0	39.1	57.4	7.8	73.0	47.0	18.3	13.0	20.9	75.7	7.8	20.9	91.3	18.3	28.7	112.2	2.6	185.2	33
6.9	27.5	151.5	165.3	.....	48.2	55.1	13.8	20.7	.....	62.0	13.8	6.9	151.5	20.7	.....	55.1	.....	206.6	34
4.3	19.0	86.6	160.6	7.7	87.8	37.5	25.2	12.9	9.8	99.5	7.1	10.7	82.3	13.8	7.7	57.7	0.3	233.4	35
3.8	18.7	89.7	153.0	6.9	74.1	35.3	24.9	12.8	10.0	93.7	6.6	10.4	80.0	15.2	4.2	56.4	0.3	236.1	36
3.2	21.8	62.5	220.2	13.6	195.8	54.4	27.2	13.6	3.2	106.0	10.9	13.6	100.6	2.7	35.3	68.0	.....	212.1	37
9.9	9.9	118.8	118.8	19.8	79.2	59.4	.....	.....	.....	178.3	.....	9.9	39.6	9.9	.....	59.4	9.9	148.5	38
.....	21.7	93.1	124.1	3.1	43.4	96.2	18.6	3.1	9.3	49.6	12.4	15.5	96.2	6.2	.....	40.3	3.1	198.5	39
.....	19.0	101.2	145.5	6.3	31.6	31.6	38.0	19.0	6.3	75.9	6.3	12.7	126.5	12.7	.....	63.3	.....	208.8	40
13.1	17.5	144.5	310.8	.....	78.8	21.9	83.2	43.8	13.1	109.4	4.4	4.4	148.8	26.3	8.8	105.1	.....	319.6	41
9.1	22.7	118.2	104.6	18.2	86.4	36.4	45.5	27.3	4.5	100.0	9.1	9.1	77.3	13.6	4.5	36.4	.....	204.6	42
.....	16.4	131.0	245.5	12.3	94.1	32.7	24.6	8.2	12.3	77.8	12.3	4.1	65.5	12.3	.....	77.8	.....	290.6	43
.....	10.2	87.1	163.9	5.1	148.5	46.1	20.5	25.6	20.5	76.8	.....	10.2	82.0	15.4	15.4	61.5	.....	251.0	44
.....	12.8	57.7	198.3	12.8	96.2	19.2	25.6	6.4	.....	51.3	12.8	6.4	102.6	19.2	.....	64.1	.....	243.6	45
2.6	7.9	86.5	128.4	2.6	83.9	47.2	15.7	18.3	13.1	99.6	13.1	13.1	83.9	18.3	13.1	62.9	.....	201.8	46
4.3	26.1	60.9	169.6	30.4	30.4	26.1	26.1	13.0	8.7	134.8	17.4	.....	60.9	21.7	13.0	104.4	.....	247.9	47
6.6	.....	105.7	85.9	.....	66.1	92.5	6.6	26.4	.....	99.1	.....	13.2	66.1	.....	.....	26.4	.....	132.1	48
.....	24.0	112.1	120.2	24.0	120.2	56.1	24.0	24.0	.....	96.1	.....	.....	80.1	.....	.....	72.1	.....	168.2	49
.....	21.7	133.7	169.9	10.8	47.0	57.8	18.1	3.6	7.2	155.4	18.1	10.8	79.5	3.6	3.6	32.5	.....	166.3	50
1.4	15.0	70.9	122.7	12.3	73.6	46.4	12.3	4.1	10.9	49.1	10.9	8.2	105.0	10.9	4.1	75.0	.....	173.1	51
8.9	25.3	93.6	139.7	5.9	56.5	46.1	29.7	25.3	11.9	107.0	16.3	14.9	95.1	28.2	23.8	120.3	3.0	246.6	52
5.7	11.5	103.1	120.2	.....	143.2	74.4	74.4	11.5	17.2	80.2	28.6	17.2	103.1	28.6	5.7	97.3	5.7	297.8	53
9.4	.....	18.7	65.5	9.4	112.2	140.3	.....	9.4	9.4	18.7	.....	.....	130.9	28.1	.....	140.3	.....	102.9	54
.....	16.9	126.8	84.5	16.9	152.1	33.8	16.9	16.9	8.5	109.9	8.5	8.5	67.6	.....	25.4	93.0	.....	219.8	55
.....	47.5	102.9	95.0	7.9	71.3	15.8	7.9	7.9	.....	118.8	.....	7.9	118.8	31.7	15.8	39.6	7.9	277.1	56
.....	9.6	182.0	172.4	9.6	28.7	9.6	38.3	28.7	.....	38.3	19.2	19.2	134.1	9.6	.....	105.3	67.0	354.3	57
.....	.....	110.5	88.4	.....	88.4	103.2	29.5	7.4	7.4	125.3	22.1	14.7	59.0	7.4	14.7	95.8	14.7	294.8	58
.....	16.4	40.9	65.5	.....	57.3	16.4	8.2	8.2	.....	49.1	8.2	8.2	81.9	24.6	8.2	65.5	.....	114.7	59
8.6	17.2	120.6	120.6	17.2	68.9	43.1	8.6	60.3	17.2	51.7	.....	.....	77.5	34.5	8.6	94.8	.....	275.7	60
.....	18.6	111.9	139.8	9.3	46.6	18.6	18.6	9.3	18.6	177.1	18.6	18.6	149.1	9.3	.....	9.3	37.3	382.2	61
.....	16.4	82.1	53.3	.....	69.8	28.7	49.2	36.9	8.2	57.5	4.1	8.2	102.6	24.6	8.2	86.2	8.2	258.5	62
.....	8.2	73.8	123.0	8.2	82.0	57.4	32.8	.....	8.2	114.8	.....	16.4	73.8	16.4	.....	41.0	16.4	213.2	63
1.9	18.3	88.6	110.7	16.4	96.3	29.8	17.3	10.6	7.7	110.7	15.4	5.8	67.4	11.6	21.2	63.5	1.9	247.4	64
1.1	19.2	88.0	104.9	18.1	91.4	33.8	20.3	9.0	6.8	88.0	15.8	6.8	71.1	12.4	11.3	66.6	2.3	226.8	65
6.6	13.1	91.8	144.3	6.6	124.6	6.6	.....	19.7	13.1	242.7	13.1	.....	45.9	6.6	78.7	45.9	.....	367.3	66
8.0	8.0	144.4	184.5	32.1	88.2	24.1	24.1	8.0	.....	56.1	.....	8.0	120.3	8.0	.....	144.4	.....	296.8	67
5.9	17.7	218.8	124.2	17.7	71.0	35.5	23.7	11.8	5.9	141.9	11.8	5.9	106.4	11.8	17.7	41.4	.....	248.3	68
.....	.....	108.6	144.8	.....	60.3	6.0	6.0	.....	6.0	96.5	.....	12.1	102.5	12.1	12.1	54.3	.....	187.0	69
.....	.....	91.7	48.6	5.4	37.8	27.0	.....	5.4	5.4	107.9	.....	.....	80.9	10.8	5.4	43.2	5.4	178.0	70
6.3	25.2	125.8	75.5	12.6	56.6	25.2	31.5	6.3	6.3	56.6	12.6	12.6	94.4	12.6	.....	94.4	12.6	314.5	71
9.8	19.6	119.6	160.8	17.6	84.3	35.3	27.5	19.6	7.8	86.3	17.6	7.8	125.5	13.7	13.7	88.2	3.9	313.7	72
1.3	19.9	87.7	128.8	17.3	82.3	26.6	46.5	23.9	6.6	70.4	10.6	13.3	89.0	14.6	29.2	78.4	1.3	276.3	73

TABLE III.—DEATH RATES PER 100,000 ESTIMATED POPULATION IN THE REGISTRATION AREA (EXCLUSIVE

[See note at head of this table, p. 160.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid and paratyphoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria.	Influenza.	Erysipelas.	Meningococcus meningitis.	Tuberculosis of the respiratory system.	Tuberculosis of the meninges, etc.	Other forms of tuberculosis.	Cancer and other malignant tumors.
			1	5	6	7	8	9	10	11	21	24	31	32	33-37	43-49
	REGISTRATION CITIES—Continued.															
	KENTUCKY.															
1	Ashland	1,184.4	*18.9*	.....	.....	56.6	.....	*9.4*	*14.2*	.....	*4.7*	.....	80.2	*9.4*	23.6	70.8
2	Covington	1,277.7	10.4	.....	.....	.....	*7.0*	13.9	*7.0*	*5.2*	*1.7*	.....	135.8	*7.0*	*7.0*	111.4
3	Henderson	1,531.1	*32.6*	.....	.....	.....	.....	*16.3*	*24.4*	*16.3*	.....	.....	162.9	.....	*32.6*	65.2
4	Lexington* (total)	2,148.4	35.3	.....	.....	.....	.....	.....	11.8	13.8	*4.7*	.....	223.8	*4.7*	28.3	120.1
5	White	2,060.7	30.2	.....	.....	.....	.....	.....	*13.4*	*10.1*	*3.4*	.....	198.0	*6.7*	*13.4*	117.5
6	Colored	2,354.6	47.4	.....	.....	.....	.....	.....	*7.9*	39.5	*7.9*	.....	284.5	.....	63.2	126.4
7	Louisville (total)	1,403.7	7.6	2.1	.....	3.8	4.2	9.7	16.1	9.7	3.8	*1.3*	106.7	7.6	17.4	102.5
8	White	1,281.9	4.1	*1.5*	.....	4.1	5.1	9.2	16.3	5.1	3.1	*1.5*	77.5	7.1	14.3	108.6
9	Colored	2,001.6	25.0	*5.0*	.....	*2.5*	.....	12.5	15.0	32.5	*7.5*	.....	250.2	*10.0*	32.5	72.6
10	Newport	1,002.8	*13.6*	.....	.....	*3.4*	*3.4*	23.9	*10.2*	17.1	*6.8*	.....	119.4	.....	*13.6*	75.0
11	Owensboro	1,440.8	42.2	.....	.....	.....	*9.4*	.....	56.3	46.9	.....	.....	154.9	*4.7*	*9.4*	117.3
12	Paducah (total)	1,641.4	20.0	*16.0*	.....	.....	.....	.....	*16.0*	24.0	*4.0*	.....	215.7	*8.0*	*8.0*	99.8
13	White	1,459.7	*15.4*	.....	.....	.....	.....	.....	*20.5*	*20.5*	*5.1*	.....	148.5	*10.2*	*5.1*	112.7
14	Colored	2,284.7	*36.3*	*72.5*	.....	.....	.....	.....	.....	*36.3*	.....	.....	453.3	.....	*18.1*	*54.4*
	LOUISIANA.															
15	Alexandria (total)	1,862.0	*16.3*	*10.9*	.....	.....	.....	.....	*10.9*	*21.8*	.....	.....	261.3	.....	*10.9*	76.2
16	White	1,581.3	*9.8*	*9.8*	.....	.....	.....	.....	*9.8*	*29.3*	.....	.....	136.7	.....	*9.8*	78.1
17	Colored	2,216.2	*24.6*	*12.3*	.....	.....	.....	.....	*12.3*	*12.3*	.....	.....	418.6	.....	*12.3*	73.9
18	Baton Rouge (total)	1,413.8	35.0	.....	.....	30.6	.....	*18.1*	*17.5*	35.0	*4.4*	*4.4*	113.8	.....	*17.5*	39.4
19	White	1,220.1	35.3	.....	.....	42.3	.....	*7.1*	*21.2*	*28.2*	*7.1*	*7.1*	42.3	.....	*21.2*	49.4
20	Colored	1,730.7	*34.6*	.....	.....	*11.5*	.....	*23.1*	*11.5*	*46.2*	.....	.....	230.8	.....	*11.5*	*23.1*
21	Lake Charles	1,716.6	.....	*15.0*	.....	.....	.....	*7.5*	*7.5*	52.5	*7.5*	.....	127.4	*7.5*	*15.0*	97.5
22	Monroe (total)	1,991.4	46.0	*23.0*	.....	*15.3*	.....	*7.7*	*7.7*	46.0	*7.7*	.....	137.9	*7.7*	*7.7*	107.2
23	White	1,912.5	*40.1*	.....	.....	*13.4*	.....	*13.4*	*13.4*	*13.4*	*13.4*	.....	*26.7*	*13.4*	*13.4*	147.1
24	Colored	2,097.1	*53.8*	*53.8*	.....	*17.9*	.....	.....	.....	89.6	.....	.....	286.8	.....	.....	*53.8*
25	New Orleans (total)	1,638.9	9.1	3.0	9.9	8.6	*0.8*	6.3	3.5	14.2	1.5	*1.0*	172.0	5.1	12.7	106.9
26	White	1,373.7	7.9	*1.0*	5.5	11.0	*1.0*	5.5	3.4	11.3	1.7	*0.7*	123.5	4.8	7.9	111.1
27	Colored	2,389.0	12.6	8.7	22.3	*1.9*	.....	8.7	*3.9*	22.3	*1.0*	*1.9*	309.4	5.8	26.2	95.1
28	Shreveport* (total)	2,240.7	43.2	49.7	*4.3*	.....	*2.2*	13.0	*8.6*	21.6	*4.3*	*4.3*	187.8	*4.3*	60.4	110.1
29	White	1,673.6	17.7	42.5	.....	.....	*3.5*	*14.2*	*10.6*	*10.6*	*7.1*	*7.1*	106.1	*3.5*	17.7	127.4
30	Colored	3,128.3	83.1	60.9	*11.1*	.....	.....	*11.1*	*5.5*	38.8	.....	.....	315.6	*5.5*	127.3	83.1
	MAINE.															
31	Auburn	1,232.6	.....	.....	.....	.....	*5.8*	.....	*5.8*	.....	.....	*11.6*	57.9	*11.6*	*11.6*	63.7
32	Augusta*	1,810.1	*21.0*	.....	.....	*7.0*	.....	*7.0*	*21.0*	*7.0*	*7.0*	.....	77.2	.....	.....	112.3
33	Bangor*	2,018.3	34.4	.....	.....	*3.8*	*3.8*	.....	.....	22.9	*11.5*	.....	122.3	*7.6*	42.0	164.4
34	Bath	829.3	*6.4*	.....	.....	.....	.....	.....	.....	.....	.....	.....	*25.7*	*6.4*	*12.9*	77.1
35	Biddeford	1,707.9	33.1	.....	.....	*11.0*	.....	*11.0*	55.1	*11.0*	*5.5*	.....	93.7	*5.5*	27.5	115.7
36	Lewiston	1,614.2	*3.1*	.....	.....	*6.1*	*6.1*	*3.1*	42.9	24.5	.....	.....	55.1	*9.2*	15.3	156.2
37	Portland	1,438.1	7.0	.....	.....	7.0	*1.4*	8.5	16.9	*5.6*	*4.2*	.....	52.2	*4.2*	18.3	148.0
38	Sanford town	794.9	.....	.....	.....	.....	.....	.....	*9.1*	*18.3*	.....	.....	45.7	*9.1*	*9.1*	109.6
39	Waterville	1,297.3	*14.7*	.....	.....	*7.3*	*7.3*	*14.7*	66.0	*29.3*	.....	.....	109.9	*7.3*	*22.0*	102.6
	MARYLAND.															
40	Annapolis	1,353.3	*25.9*	.....	.....	.....	.....	.....	*25.9*	*8.6*	.....	*8.6*	94.8	.....	.....	60.3
41	Baltimore (total)	1,382.4	5.3	*0.1*	.....	3.6	1.5	14.0	11.7	10.9	3.5	1.2	120.4	6.8	12.3	105.1
42	White	1,266.9	4.5	*0.2*	.....	3.9	1.6	12.8	11.9	9.2	3.4	1.3	83.6	5.5	7.2	111.9
43	Colored	2,047.6	9.9	.....	.....	*1.8*	*0.9*	20.7	10.8	20.7	*3.6*	*0.9*	332.3	14.4	41.4	65.7
44	Cumberland	1,397.6	42.0	.....	.....	.....	*3.2*	*3.2*	*12.9*	*9.7*	.....	.....	58.1	.....	*12.9*	122.7
45	Frederick	1,853.7	*17.9*	.....	.....	.....	.....	.....	44.8	*17.9*	.....	.....	62.7	*9.0*	*17.9*	89.5
46	Hagerstown	1,162.3	*13.8*	.....	.....	.....	*6.9*	*3.5*	*13.8*	.....	*6.9*	.....	62.3	.....	*13.8*	96.9
	MASSACHUSETTS.															
47	Adams town	1,041.1	*7.7*	.....	.....	.....	.....	.....	*30.8*	*15.4*	.....	.....	69.4	.....	*7.7*	115.7
48	Amesbury town	1,163.3	.....	.....	.....	.....	.....	*9.9*	*39.8*	.....	*9.9*	.....	59.7	.....	.....	119.3
49	Arlington town	1,094.8	.....	.....	.....	.....	.....	.....	*15.1*	*5.0*	.....	.....	35.8	.....	*5.0*	100.9
50	Attleboro	1,173.9	*4.9*	.....	.....	.....	.....	.....	*9.9*	*19.7*	*4.9*	.....	172.6	*14.8*	*14.8*	78.9
51	Belmont town	692.4	.....	.....	.....	.....	.....	*8.7*	*8.7*	.....	.....	.....	*17.3*	.....	*8.7*	*34.6*
52	Beverly	1,049.0	*4.3*	.....	.....	.....	*4.3*	*13.0*	*8.6*	.....	*4.3*	.....	25.9	.....	*4.3*	133.8
53	Boston (total)	1,349.7	3.2	.....	.....	5.0	6.7	4.2	19.8	2.8	3.4	3.7	97.7	10.3	8.4	139.6
54	White	1,336.0	3.2	.....	.....	5.1	6.8	4.2	19.5	2.6	3.5	3.5	92.7	9.9	7.6	140.3
55	Colored	1,913.8	.....	.....	.....	.....	*5.6*	*5.6*	33.4	*11.1*	.....	*11.1*	300.4	27.8	44.5	111.3
56	Braintree town	1,203.4	*9.1*	.....	.....	.....	.....	*9.1*	.....	.....	.....	.....	364.7	.....	*27.3*	63.8
57	Brockton	1,013.3	*4.4*	.....	.....	.....	*3.0*	*3.0*	10.3	*5.9*	.....	*1.5*	28.1	8.9	8.9	115.2
58	Brookline town	1,015.6	*2.5*	.....	.....	.....	.....	*5.1*	*5.1*	.....	*7.6*	.....	48.4	.....	15.3	162.9
59	Cambridge	1,256.7	.....	.....	.....	*3.6*	*1.8*	10.0	10.9	*2.7*	4.5	*0.9*	111.4	4.5	9.1	146.7
60	Chelsea	1,284.5	.....	.....	.....	*6.7*	11.2	*2.2*	13.4	*2.2*	*2.2*	.....	73.6	*2.2*	*6.7*	127.1
61	Chicopee	863.2	.....	.....	.....	.....	*2.6*	*7.9*	29.0	26.4	*2.6*	.....	63.4	*10.6*	13.2	52.8
62	Clinton town	1,356.0	.....	.....	.....	*15.4*	.....	.....	.....	.....	.....	.....	100.2	*23.1*	*23.1*	115.6
63	Danvers town*	2,559.1	.....	.....	.....	.....	.....	*8.8*	*8.8*	*8.8*	*17.6*	.....	211.1	*8.8*	*35.2*	140.7
64	Dedham town	1,015.9	.....	.....	.....	.....	.....	.....	.....	.....	*18.1*	.....	*36.3*	.....	.....	54.4
65	Easthampton town	950.1	.....	.....	.....	.....	.....	.....	*17.1*	.....	.....	.....	68.5	*8.6*	.....	94.2
66	Everett	845.8	.....	.....	.....	.....	*7.3*	*2.4*	*7.3*	.....	*2.4*	.....	48.6	*4.9*	12.2	89.9

[1] Exclusive of stillbirths.

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1921—Continued.

[See note at head of this table, p. 160.]

DEATH RATE PER 100,000 POPULATION FROM—																		
Rheumatism.	Diabetes mellitus.	Cerebral hemorrhage and softening.	Other [organic] diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis.	Puerperal septicemia.	Other puerperal causes.	Congenital malformations and diseases of early infancy.	Suicide.	Homicide.	Accidental and unspecified external causes.	Unknown or ill-defined diseases.	All other causes.	
51, 52	57	74, 83	90	99	100, 101	118	117	118	122	128, 129	146	143-145, 147-150	159-163	165-174	197-200	175-196, 201-203	204, 205		
.....	23.6	33.0	47.2	*4.7*	75.5	118.0	28.3	23.6	*4.7*	118.0	*14.2*	.....	103.8	*4.7*	*14.2*	99.1	*4.7*	179.3	1
.....	24.4	116.6	132.3	*5.2*	107.9	15.7	17.4	10.4	15.7	132.3	12.2	*7.0*	69.6	*1.7*	10.4	78.3	*1.7*	212.4	2
8.1	*24.4*	65.2	171.0	*16.3*	130.3	89.6	*24.4*	*8.1*	*16.3*	114.0	.....	*8.1*	122.2	*8.1*	*16.3*	105.9	.....	252.5	3
14.1	11.8	242.6	176.7	*7.1*	195.5	44.8	44.8	16.5	*7.1*	164.9	18.8	21.2	91.9	25.9	44.8	73.0	*7.1*	492.3	4
16.8	*13.4*	218.2	157.7	.....	174.5	43.6	40.3	*13.4*	.....	157.7	23.5	23.5	107.4	30.2	40.3	80.6	*3.4*	523.6	5
7.9	*7.9*	300.3	221.2	*23.7*	244.9	47.4	55.3	*23.7*	*23.7*	181.7	*7.9*	*15.8*	55.3	*15.8*	*15.8*	55.3	*15.8*	418.8	6
3.8	18.6	102.1	168.6	19.1	95.7	36.4	24.1	20.8	10.6	127.9	9.3	8.5	74.1	18.2	16.1	75.4	2.1	279.6	7
2.5	18.9	95.9	152.5	11.2	77.0	36.2	24.5	17.8	9.2	116.8	8.2	8.2	75.0	19.9	8.2	73.4	*2.0*	267.2	8
10.0	17.5	132.6	247.7	57.5	187.7	37.5	22.5	35.0	17.5	182.6	15.0	*10.0*	70.1	*10.0*	55.0	85.1	*2.5*	340.3	9
6.8	*18.6*	92.1	112.6	*10.2*	85.3	37.5	*3.4*	*3.4*	*13.6*	98.9	*3.4*	*10.2*	51.2	*10.2*	*3.4*	34.1	.....	126.2	10
9.4	*9.4*	122.0	145.5	*4.7*	75.1	61.0	32.9	*4.7*	*14.1*	107.9	*14.1*	.....	51.6	*4.7*	23.5	70.4	.....	248.7	11
24.0	.....	79.9	151.8	20.0	95.8	35.9	55.9	*12.0*	*12.0*	103.8	31.9	*8.0*	103.8	24.0	28.0	83.9	20.0	339.5	12
10.2	.....	71.7	122.9	*5.1*	71.7	30.7	71.7	*10.2*	*15.4*	102.4	30.7	*5.1*	107.6	30.7	*20.5*	97.3	*15.4*	302.2	13
72.5	.....	108.8	253.9	*72.5*	181.3	*54.4*	.....	*18.1*	.....	108.8	*36.3*	*18.1*	90.7	.....	*54.4*	*36.3*	*36.3*	471.4	14
.....	38.1	59.9	108.9	*5.4*	76.2	76.2	54.4	27.2	*5.4*	201.4	*21.8*	*16.3*	163.3	*10.9*	76.2	92.6	*21.8*	397.5	15
.....	*39.0*	87.8	78.1	*9.8*	58.6	*39.0*	87.8	*29.3*	*9.8*	165.9	*9.8*	*19.5*	146.4	*19.5*	58.6	58.6	*19.5*	361.2	16
.....	*36.9*	*24.6*	147.7	.....	98.5	123.1	*12.3*	*24.6*	.....	246.2	*36.9*	*12.3*	184.7	.....	98.5	135.4	*24.6*	443.2	17
4.4	*18.1*	70.0	131.3	26.3	126.9	56.9	21.9	26.3	*8.8*	118.2	*8.8*	35.0	118.2	*18.1*	*17.5*	87.5	*4.4*	214.5	18
7.1	*14.1*	63.5	63.5	*14.1*	162.2	*28.2*	*28.2*	*21.2*	*7.1*	119.9	*7.1*	*28.2*	112.8	*14.1*	*21.2*	91.7	*7.1*	148.1	19
.....	*11.5*	80.8	242.3	*46.2*	69.2	103.8	*11.5*	*34.6*	*11.5*	115.4	*11.5*	*46.2*	126.9	*11.5*	*11.5*	80.8	.....	323.1	20
7.5	*7.5*	82.5	187.4	.....	45.0	119.9	60.0	*15.0*	*22.5*	112.4	*7.5*	37.5	157.4	.....	37.5	104.9	*30.0*	344.8	21
7.7	*23.0*	46.0	145.5	7.7	76.6	68.9	84.3	61.3	*7.7*	206.8	*30.6*	*30.6*	84.3	*15.3*	46.0	91.9	*23.0*	520.8	22
.....	*40.1*	*40.1*	147.1	.....	66.9	66.9	120.4	93.6	*13.4*	160.5	*40.1*	*53.5*	107.0	*13.4*	*53.5*	107.0	.....	481.5	23
17.9	.....	*53.8*	143.4	*17.9*	89.6	*71.7*	*35.8*	*17.9*	.....	268.9	*17.9*	.....	*53.8*	*17.9*	*35.8*	*71.7*	*53.8*	573.6	24
8.1	19.8	95.5	216.1	8.1	115.8	52.2	34.2	18.0	18.0	165.2	12.9	17.2	92.5	16.2	20.3	88.7	*0.8*	285.1	25
4.5	23.3	88.8	181.4	6.9	82.3	40.5	34.0	16.5	13.0	143.7	9.9	13.4	66.2	19.6	9.3	85.4	*0.8*	238.4	26
18.4	9.7	114.5	314.3	11.6	210.5	85.4	34.9	22.3	32.0	226.0	21.3	28.1	166.8	6.8	51.4	98.0	.....	417.1	27
13.0	41.0	77.7	196.4	*6.5*	79.9	49.7	86.3	47.5	17.3	196.4	15.1	34.5	107.9	23.7	73.4	144.6	*2.2*	513.8	28
7.1	31.8	95.5	106.1	*7.1*	53.1	46.0	102.6	46.0	17.7	141.5	*7.1*	35.4	106.1	31.8	24.8	123.8	*3.5*	318.4	29
22.1	55.4	49.8	337.7	*5.5*	121.8	55.4	60.9	49.8	*16.6*	282.4	27.7	33.2	110.7	*11.1*	149.5	177.2	.....	819.4	30
.....	28.9	104.2	266.2	28.9	81.0	*17.4*	.....	.....	.....	75.2	*5.8*	.....	86.8	*17.4*	.....	98.4	*23.1*	231.5	31
7.0	*23.1*	161.4	238.5	.....	245.6	49.1	63.1	.....	*7.0*	77.2	*7.0*	*21.0*	84.2	35.1	.....	91.2	.....	435.0	32
11.5	34.4	172.0	225.5	*15.3*	187.3	*11.5*	30.6	*15.3*	*8.8*	65.0	*11.5*	26.8	126.1	26.8	*8.8*	95.6	22.9	519.9	33
6.4	*25.7*	77.1	218.6	*12.9*	38.6	*6.4*	*6.4*	*6.4*	*6.4*	96.4	.....	*6.4*	32.1	.....	.....	*25.7*	.....	135.0	34
5.5	60.6	104.7	165.3	.....	176.3	71.6	*22.0*	38.6	*5.5*	60.6	*22.0*	*22.0*	159.8	*11.0*	.....	66.1	.....	347.1	35
12.3	27.6	113.3	125.6	*12.3*	131.7	52.1	58.2	18.4	*9.2*	104.1	15.3	24.5	180.7	*12.3*	.....	76.6	36.8	281.8	36
8.5	36.7	115.6	187.5	12.7	105.7	18.3	31.0	25.4	*1.4*	115.6	*5.6*	11.3	83.2	12.7	*4.2*	95.9	8.5	284.8	37
.....	*18.3*	109.6	91.4	*9.1*	*27.4*	*18.3*	*36.5*	.....	.....	100.5	.....	*9.1*	*36.5*	.....	.....	64.0	.....	73.1	38
.....	44.0	124.6	109.9	.....	102.6	*29.3*	*14.7*	*14.7*	.....	73.3	.....	*14.7*	88.0	.....	.....	102.6	.....	197.9	39
51.7	.....	94.8	189.6	*8.6*	94.8	51.7	.....	*8.6*	*17.2*	120.7	.....	*17.2*	120.7	*8.6*	*8.6*	94.8	*8.6*	232.7	40
6.1	22.1	118.3	174.7	14.0	126.5	54.7	12.3	14.9	6.1	144.2	6.5	9.7	99.9	14.1	9.3	67.1	0.8	184.6	41
5.0	23.9	111.8	157.7	12.5	110.0	51.9	11.3	14.1	6.3	136.1	5.3	9.4	94.1	15.6	6.4	65.3	*0.5*	172.9	42
12.6	11.7	155.8	272.8	22.5	221.5	71.1	18.0	19.8	5.4	190.9	13.5	11.7	133.3	5.4	26.1	77.4	*2.7*	252.1	43
3.2	16.1	71.0	154.9	*12.9*	54.9	67.8	29.1	22.6	*9.7*	113.0	16.1	22.6	122.7	16.1	*6.5*	138.8	.....	255.0	44
.....	*26.9*	197.0	223.9	*26.9*	62.7	30.6	44.8	53.7	.....	143.3	*9.0*	*9.0*	143.3	*9.0*	.....	152.2	.....	411.9	45
.....	*10.4*	114.2	169.5	.....	65.7	62.3	*3.5*	*13.8*	*3.5*	107.2	*6.9*	*13.8*	72.6	*10.4*	*3.5*	58.8	24.2	204.1	46
.....	*15.4*	69.4	138.8	.....	54.0	*23.1*	*30.8*	.....	*23.1*	54.0	.....	*15.4*	108.0	*23.1*	.....	46.3	7.7	185.1	47
.....	*29.8*	228.7	188.9	*9.9*	49.7	.....	.....	*19.9*	.....	109.4	.....	.....	99.4	*19.9*	.....	*29.8*	.....	139.2	48
5.0	*15.1*	116.0	211.9	25.2	65.6	*15.1*	*5.0*	*10.1*	*10.1*	50.5	*15.1*	*10.1*	90.8	*15.1*	*5.0*	45.4	*5.0*	166.5	49
4.9	29.6	133.2	103.6	*4.9*	83.8	*14.8*	*4.9*	*14.8*	.....	113.4	.....	29.6	103.6	*9.9*	.....	34.5	.....	167.7	50
.....	*34.6*	60.6	138.5	.....	69.2	*8.7*	.....	*8.7*	.....	*34.6*	.....	.....	51.9	*17.3*	.....	.....	.....	190.4	51
.....	25.9	103.6	254.7	*13.0*	82.0	*8.6*	*4.3*	*4.3*	.....	69.1	*4.3*	25.9	56.1	*8.6*	*4.3*	73.4	.....	112.2	52
1.5	19.8	91.7	222.3	7.5	124.5	29.2	21.1	13.5	8.1	62.8	8.4	12.4	102.6	13.3	4.6	74.6	2.8	224.3	53
1.5	19.9	91.1	221.0	7.6	122.6	28.8	21.0	13.4	8.2	61.5	8.5	11.9	102.6	13.5	4.6	74.9	2.8	221.6	54
.....	*16.7*	116.8	272.6	*5.6*	200.3	44.5	27.8	*16.7*	.....	116.8	*5.6*	33.4	100.1	*5.6*	*5.6*	61.2	.....	333.8	55
.....	.....	164.1	118.5	.....	91.2	*27.3*	.....	.....	.....	72.9	.....	.....	54.7	*18.2*	.....	*18.2*	.....	164.1	56
8.0	13.3	90.1	132.9	13.3	63.5	*5.9*	8.9	10.3	8.9	82.7	*4.4*	*5.9*	101.9	17.7	*1.5*	69.4	.....	190.5	57
.....	22.9	112.0	198.5	12.7	40.7	*5.1*	*7.6*	*5.1*	*5.1*	61.6	*5.1*	.....	12.7	12.7	.....	28.0	.....	239.3	58
2.7	14.5	112.3	201.0	12.7	94.2	26.3	10.0	20.8	5.4	54.3	7.2	13.6	108.7	10.0	4.5	58.9	.....	193.8	59
4.6	20.1	75.8	276.5	*6.7*	100.4	22.3	26.8	15.6	*2.2*	87.0	*2.2*	.....	84.7	*3.9*	*2.2*	87.0	*2.2*	211.9	60
.....	18.5	42.2	105.6	*10.6*	58.1	124.1	*2.6*	.....	*5.3*	55.4	*2.6*	*10.6*	97.7	*10.6*	.....	18.5	.....	92.4	61
7.7	*15.4*	123.3	123.3	*15.4*	184.9	61.6	*23.1*	*23.1*	.....	77.0	*7.7*	*23.1*	138.7	*7.7*	.....	46.2	*15.4*	184.9	62
.....	*26.4*	114.3	325.4	.....	510.1	*26.4*	.....	*26.4*	*8.8*	79.1	*8.8*	*8.8*	44.0	*26.4*	.....	61.6	*8.8*	844.3	63
27.2	*9.1*	145.1	199.5	*18.1*	81.6	*27.2*	*9.1*	*9.1*	.....	54.4	.....	.....	63.5	*9.1*	*9.1*	*36.3*	*18.1*	190.5	64
.....	*8.6*	59.9	94.2	*8.6*	94.2	*34.2*	.....	.....	.....	68.5	.....	*8.6*	196.9	*8.6*	.....	51.4	.....	128.4	65
2.4	17.0	104.5	114.2	*2.4*	77.8	*7.3*	14.6	*4.9*	*4.9*	75.3	*7.3*	*9.7*	92.4	17.0	.....	34.0	.....	85.1	66

TABLE III.—DEATH RATES PER 100,000 ESTIMATED POPULATION IN THE REGISTRATION AREA (EXCLUSIVE

[See note at head of this table, p. 160.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid and paratyphoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria.	Influenza.	Erysipelas.	Meningococcus meningitis.	Tuberculosis of the respiratory system.	Tuberculosis of the meninges, etc.	Other forms of tuberculosis.	Cancer and other malignant tumors.
			1	5	6	7	8	9	10	11	21	24	31	32	33-37	43-49
	REGISTRATION CITIES—Continued.															
	MASSACHUSETTS—continued.															
1	Fall River	1,422.9	2.5	.....	.....	23.2	1.7	25.7	18.2	6.6	3.3	0.8	76.2	14.1	6.6	99.4
2	Fitchburg	1,040.4	4.8	.....	.....	24.1	.....	4.8	14.4	.....	2.4	.....	67.4	9.6	2.4	74.7
3	Framingham town	1,443.7	17.0	.....	.....	5.7	.....	5.7	5.7	5.7	.....	.....	28.3	5.7	5.7	181.2
4	Gardner town	1,096.9	.....	.....	.....	28.1	.....	5.8	.....	.....	.....	.....	144.3	11.5	17.3	46.2
5	Gloucester	1,316.1	.....	.....	.....	.....	.....	.....	17.4	8.7	4.4	.....	82.8	4.4	13.1	178.7
6	Greenfield town	991.4	6.2	.....	.....	6.2	.....	.....	.....	6.2	6.2	6.2	24.6	.....	.....	104.7
7	Haverhill	1,198.7	1.3	.....	.....	.....	5.4	9.0	18.1	9.0	.....	1.3	74.0	3.6	5.4	113.7
8	Holyoke	1,229.7	1.7	.....	.....	5.0	5.0	1.7	11.6	8.3	.....	1.7	67.7	5.0	6.6	100.7
9	Lawrence	1,124.9	4.2	.....	.....	2.1	11.5	6.3	19.9	4.2	6.3	1.0	87.9	10.5	4.2	117.2
10	Leominster	996.1	.....	.....	.....	14.9	44.8	.....	14.9	.....	.....	5.0	24.9	10.0	.....	54.8
11	Lowell	1,287.8	5.3	.....	.....	9.7	.....	5.3	32.5	1.8	3.5	1.8	56.3	18.5	7.9	102.9
12	Lynn	1,100.7	1.0	.....	.....	2.0	1.0	4.0	28.8	5.0	6.0	.....	71.5	3.0	6.0	108.3
13	Malden	1,133.9	2.0	.....	.....	2.0	12.0	4.0	32.1	2.0	6.0	4.0	50.2	12.0	8.0	112.4
14	Marlborough	1,145.9	.....	.....	.....	6.6	.....	.....	18.2	13.2	.....	.....	72.9	6.6	.....	106.0
15	Medford	886.7	.....	.....	.....	.....	2.4	9.6	12.0	2.4	2.4	.....	62.7	.....	9.6	106.0
16	Melrose	1,108.2	5.4	.....	.....	.....	.....	.....	10.8	.....	5.4	.....	64.6	.....	5.4	118.4
17	Methuen	1,274.8	6.3	.....	.....	.....	12.7	.....	12.7	.....	6.3	.....	76.1	12.7	.....	183.9
18	Milford town	1,344.8	14.8	.....	.....	.....	.....	.....	.....	7.4	.....	.....	81.3	7.4	7.4	140.4
19	Natick town	1,283.0	.....	.....	.....	9.0	.....	.....	.....	9.0	9.0	.....	27.1	.....	.....	207.8
20	New Bedford	1,107.1	4.0	.....	.....	.....	0.8	6.4	21.6	2.4	4.0	0.8	100.0	13.6	10.4	70.4
21	Newburyport	1,361.3	6.4	.....	.....	.....	12.7	6.4	12.7	.....	6.4	.....	19.1	.....	.....	139.9
22	Newton	991.1	.....	.....	.....	2.1	2.1	.....	21.3	4.3	4.3	.....	48.9	2.1	2.1	125.5
23	North Adams	1,209.5	4.5	.....	.....	4.5	4.5	.....	.....	9.0	4.5	.....	67.2	4.5	4.5	71.7
24	Northampton*	1,888.9	.....	.....	.....	.....	.....	.....	35.8	35.8	13.4	4.5	214.9	13.4	4.5	165.6
25	Northbridge town	866.6	9.6	.....	.....	.....	19.3	.....	.....	19.3	.....	.....	38.5	.....	19.3	67.4
26	Norwood town	959.5	.....	.....	.....	.....	.....	7.5	.....	.....	7.5	.....	30.0	7.5	7.5	52.5
27	Peabody	968.1	.....	.....	.....	.....	5.0	14.9	19.9	.....	5.0	5.0	44.7	19.9	5.0	74.5
28	Pittsfield	1,290.1	13.9	.....	.....	.....	30.1	4.6	4.6	4.6	4.6	4.6	87.9	18.5	16.2	111.0
29	Plymouth town	1,266.6	7.6	.....	.....	15.2	15.2	15.2	7.6	7.6	.....	.....	15.2	30.3	7.6	174.4
30	Quincy	828.2	.....	.....	.....	.....	.....	2.0	6.0	4.0	2.0	2.0	55.7	8.0	6.0	71.7
31	Revere	607.3	.....	.....	.....	13.1	3.3	6.6	6.6	3.3	.....	.....	6.6	3.3	.....	62.4
32	Salem	1,274.4	2.4	.....	.....	4.7	2.4	.....	7.1	.....	.....	2.4	70.5	.....	7.1	148.1
33	Saugus town	928.3	.....	.....	.....	.....	.....	26.5	8.8	17.7	.....	.....	35.4	8.8	.....	70.7
34	Somerville	1,034.1	2.1	.....	.....	2.1	2.1	4.2	30.4	3.1	1.0	1.0	58.6	4.2	5.2	101.5
35	Southbridge town	910.3	6.9	.....	.....	13.8	.....	.....	.....	13.8	.....	6.9	34.5	13.8	13.8	75.9
36	Springfield	1,134.8	4.4	.....	.....	2.2	2.2	2.2	16.9	7.4	3.7	2.2	56.7	8.8	11.0	104.5
37	Taunton*	1,689.7	3.0	.....	.....	2.7	10.6	2.7	13.3	3.0	5.3	.....	117.1	3.0	13.3	93.1
38	Wakefield town	979.4	.....	.....	.....	7.5	7.5	.....	.....	.....	.....	.....	67.8	22.6	7.5	67.8
39	Waltham	1,302.9	22.3	.....	.....	.....	3.2	3.2	31.9	9.6	3.2	.....	41.4	3.2	28.7	114.7
40	Watertown town	772.5	.....	.....	.....	.....	4.4	4.4	13.2	.....	.....	.....	52.7	.....	.....	79.0
41	Webster town	975.7	.....	.....	.....	.....	.....	.....	7.4	.....	7.4	.....	29.6	7.4	7.4	125.7
42	West Springfield town	830.1	.....	.....	.....	14.2	28.4	7.1	.....	7.1	.....	.....	42.6	.....	.....	63.9
43	Westfield town	1,179.0	.....	.....	.....	.....	.....	.....	21.1	.....	5.3	.....	215.8	.....	5.3	136.8
44	Weymouth town	851.2	.....	.....	.....	.....	6.5	.....	.....	.....	13.0	6.5	32.5	13.0	.....	84.5
45	Winchester town	1,087.5	9.4	.....	.....	9.4	.....	.....	9.4	.....	.....	.....	37.5	9.4	9.4	93.7
46	Winthrop town	890.8	6.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	55.3	.....	.....	147.4
47	Woburn	995.8	.....	.....	.....	6.0	.....	.....	.....	11.9	11.9	.....	59.6	11.9	6.0	53.7
48	Worcester	1,290.5	3.8	.....	.....	10.3	6.5	5.4	15.7	3.8	3.8	1.6	76.2	12.4	14.1	114.6
	MICHIGAN.															
49	Adrian	1,527.1	33.2	.....	.....	8.3	.....	.....	33.2	8.3	.....	.....	116.2	.....	.....	141.1
50	Alpena	1,387.3	54.0	.....	.....	.....	.....	.....	27.0	9.0	.....	.....	54.0	9.0	27.0	108.1
51	Ann Arbor*	2,490.0	.....	.....	.....	.....	9.9	.....	49.4	.....	14.8	9.9	44.5	24.7	44.5	247.0
52	Battle Creek	1,537.8	5.3	.....	.....	5.3	.....	13.2	21.1	10.6	.....	2.6	44.9	5.3	5.3	166.5
53	Bay City	1,318.8	29.2	.....	.....	.....	8.3	10.4	27.1	2.1	.....	2.1	64.7	2.1	6.3	77.2
54	Benton Harbor	1,424.9	7.9	.....	.....	7.9	.....	31.5	7.9	7.9	.....	.....	55.1	.....	.....	165.3
55	Detroit (total)	1,045.2	5.7	.....	0.2	4.0	12.0	11.2	33.8	4.0	2.1	2.2	74.7	7.2	8.0	69.9
56	White	1,013.9	5.6	.....	0.2	4.2	12.1	10.3	34.5	3.7	2.0	2.2	66.1	6.1	7.0	71.3
57	Colored	1,761.5	9.6	.....	.....	.....	9.6	31.2	19.2	12.0	4.8	2.4	271.5	33.6	28.8	38.4
58	Escanaba	1,640.8	.....	.....	7.6	.....	.....	.....	61.1	7.6	.....	7.6	84.0	7.6	.....	129.7
59	Flint	801.9	10.4	0.9	.....	1.9	4.7	9.5	28.4	4.7	2.8	0.9	21.8	3.8	2.8	64.4
60	Grand Rapids	1,089.3	4.2	.....	.....	0.7	1.4	2.8	31.2	2.8	7.8	0.7	44.6	7.8	11.3	100.6
61	Hamtramck	784.1	5.2	.....	.....	10.4	10.4	8.7	45.1	3.5	.....	1.7	48.6	.....	.....	13.9
62	Highland Park	638.9	.....	.....	.....	.....	9.3	.....	18.7	1.9	3.7	1.9	39.2	3.7	3.7	44.8
63	Holland	843.7	.....	.....	.....	.....	.....	.....	.....	8.0	8.0	.....	32.1	.....	.....	120.5
64	Ironwood	821.5	.....	.....	.....	6.2	6.2	.....	.....	6.2	6.2	18.5	74.1	.....	12.4	18.5
65	Ishpeming	1,104.8	9.5	.....	.....	.....	.....	.....	47.6	.....	9.5	.....	38.1	9.5	9.5	123.8
66	Jackson	1,345.3	7.8	.....	.....	.....	9.8	11.8	51.0	13.7	7.8	2.0	68.6	5.9	5.9	96.1
67	Kalamazoo*	1,798.1	8.0	.....	.....	.....	12.0	10.0	14.0	2.0	12.0	2.0	104.2	8.0	4.0	136.3
68	Lansing	1,046.1	6.6	.....	.....	.....	4.9	9.8	31.2	1.6	4.9	.....	32.8	3.3	8.2	98.4

[1] Exclusive of stillbirths.

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1921—Continued.

[See note at head of this table, p. 160.]

DEATH RATE PER 100,000 POPULATION FROM—																		
Rheumatism. 51, 52	Diabetes mellitus. 57	Cerebral hemorrhage and softening. 74, 83	Other [organic] diseases of the heart. 90	Bronchitis. 99	Pneumonia (all forms). 100, 101	Diarrhea and enteritis (under 2 years). 118	Appendicitis and typhlitis. 117	Hernia, intestinal obstruction. 118	Cirrhosis of the liver. 122	Nephritis. 128, 129	Puerperal septicemia. 146	Other puerperal causes. 143-145, 147-150	Congenital malformations and diseases of early infancy. 159-163	Suicide. 165-174	Homicide. 197-200	Accidental and unspecified external causes. 175-196, 201-203	Unknown or ill-defined diseases. 204, 205	All other causes.	
4.1	27.3	90.3	150.8	29.8	145.0	125.1	18.2	18.2	*3.3*	111.9	5.8	10.8	122.7	5.8	*2.5*	58.8	6.6	207.2	1
9.6	12.0	72.2	185.4	*4.8*	93.9	48.2	16.9	*4.8*	*7.2*	65.0	*7.2*	*7.2*	98.7	*2.4*	.....	45.8	*2.4*	151.7	2
5.7	51.0	124.6	186.8	.....	220.8	*22.6*	*17.0*	*22.6*	*11.3*	84.9	*5.7*	*17.0*	96.2	*5.7*	*5.7*	113.2	.....	192.5	3
.....	*5.8*	109.7	115.5	.....	69.3	34.6	40.4	*11.5*	.....	109.7	*17.3*	*23.1*	86.6	.....	.....	75.0	.....	150.1	4
.....	34.9	113.3	226.6	*4.4*	74.1	*18.1*	*18.1*	*8.7*	*4.4*	56.7	.....	*4.4*	100.2	*17.4*	*4.4*	65.4	*4.4*	261.5	5
6.2	49.3	92.4	123.2	.....	92.4	*12.3*	*6.2*	30.8	*6.2*	129.3	*12.3*	*6.2*	92.4	*18.5*	.....	80.1	*6.2*	67.7	6
3.6	25.3	119.1	184.1	*7.2*	101.1	19.9	23.5	14.4	*3.6*	66.8	*3.6*	*5.4*	88.5	21.7	*1.8*	50.5	10.8	205.8	7
1.7	29.7	100.7	173.3	9.9	89.1	80.9	16.5	18.2	11.6	110.6	.....	16.5	110.6	*3.3*	.....	52.8	*3.3*	186.5	8
5.2	12.6	73.3	133.9	10.5	103.6	65.9	14.7	9.4	*2.1*	74.3	11.5	6.3	81.6	15.7	*3.1*	70.1	15.7	140.2	9
.....	*10.0*	79.7	159.4	*19.9*	64.7	*19.9*	*14.9*	*19.9*	.....	79.7	.....	*5.0*	54.8	*10.0*	.....	39.8	.....	249.0	10
4.4	19.3	97.6	145.0	24.6	121.3	71.2	19.3	14.1	5.3	51.0	4.4	8.8	104.6	8.8	*2.6*	78.2	.....	262.0	11
2.0	13.9	101.3	137.1	8.9	91.4	24.8	7.0	9.9	6.0	89.4	*3.0*	9.9	91.4	19.9	*2.0*	66.6	.....	179.8	12
6.0	18.1	122.4	180.6	*8.0*	90.3	22.1	22.1	*6.0*	*2.0*	64.2	*4.0*	*4.0*	94.3	16.1	*4.0*	52.2	.....	170.6	13
.....	*18.2*	92.7	165.6	*6.6*	86.1	.....	53.0	*6.6*	.....	59.6	33.1	*6.6*	125.9	*6.6*	*6.6*	39.7	.....	225.2	14
4.8	21.7	110.8	130.1	*9.6*	41.0	26.5	.....	*2.4*	*2.4*	72.3	*9.6*	*4.8*	67.5	*4.8*	.....	28.9	.....	142.2	15
10.8	*10.8*	134.5	204.4	*10.8*	86.1	*10.8*	26.9	*5.4*	*10.8*	80.7	*5.4*	*10.8*	59.2	*10.8*	.....	75.3	.....	145.3	16
6.8	*12.7*	133.2	196.6	*19.0*	95.1	44.4	*19.0*	*12.7*	.....	50.7	.....	*12.7*	114.2	*25.4*	.....	*25.4*	*6.8*	190.3	17
.....	*14.8*	192.1	184.7	*14.8*	110.8	36.9	*22.2*	*7.4*	*7.4*	96.1	*7.4*	*14.8*	110.8	.....	.....	*29.6*	*7.4*	229.1	18
.....	*18.1*	243.9	243.9	*9.0*	72.3	*9.0*	*9.0*	*9.0*	.....	90.4	.....	*9.0*	99.4	.....	*9.0*	45.2	.....	153.6	19
2.4	20.0	68.0	121.6	12.8	105.6	101.6	6.4	10.4	5.6	50.4	4.0	12.0	100.0	10.4	*1.6*	42.4	33.6	164.0	20
.....	*19.1*	101.8	248.1	*12.7*	63.6	*12.7*	*12.7*	*6.4*	.....	139.9	.....	*6.4*	82.7	.....	*6.4*	89.1	.....	356.2	21
6.4	19.1	117.0	170.1	10.6	97.8	*3.5*	*2.1*	*3.5*	*2.1*	42.5	*2.1*	12.8	53.2	14.9	.....	46.8	.....	163.8	22
4.5	22.4	89.6	147.8	*17.9*	62.7	*13.4*	35.8	*13.4*	22.4	125.4	*4.5*	*13.4*	103.0	*9.0*	*4.5*	103.0	.....	241.9	23
9.0	26.9	313.3	214.9	*9.0*	98.5	49.2	31.3	*13.4*	*13.4*	80.6	*4.5*	*13.4*	76.1	*17.9*	.....	98.5	*13.4*	317.8	24
.....	*9.6*	67.4	163.7	.....	96.3	67.4	*9.6*	.....	.....	*28.9*	.....	.....	96.3	*9.6*	.....	*38.5*	.....	105.9	25
7.5	*15.0*	97.5	67.5	*15.0*	52.5	*22.5*	37.5	*15.0*	*22.5*	45.0	.....	*15.0*	134.9	*15.0*	.....	134.9	.....	149.9	26
.....	*9.9*	69.5	114.2	24.8	74.5	44.7	*9.9*	*9.9*	*5.0*	34.8	*9.9*	*9.9*	69.5	*19.9*	.....	84.4	*14.9*	168.8	27
2.3	18.5	104.0	180.3	*9.2*	106.4	16.2	37.0	18.5	*3.3*	90.2	*4.6*	16.2	127.2	11.6	.....	50.9	*2.3*	191.9	28
7.6	*30.3*	136.5	189.6	*15.2*	98.6	*7.6*	*15.2*	*7.6*	*7.6*	45.5	.....	*7.6*	106.2	.....	*7.6*	53.1	.....	235.1	29
8.0	11.9	83.6	159.3	*2.0*	91.6	15.9	11.9	*6.0*	.....	49.8	*4.0*	*8.0*	61.7	*6.0*	10.0	61.7	.....	79.6	30
.....	16.4	39.4	114.9	*6.6*	62.4	26.3	.....	*6.6*	*6.6*	52.5	*2.3*	*2.3*	49.2	16.4	.....	26.3	*3.3*	62.4	31
.....	23.5	117.6	261.0	16.5	77.6	35.3	16.5	11.8	.....	68.2	*2.4*	16.5	117.6	*9.4*	.....	54.1	.....	202.2	32
3.8	.....	70.7	212.2	*8.3*	88.4	*17.7*	.....	.....	.....	79.6	.....	.....	*35.4*	.....	.....	*35.4*	.....	203.3	33
2.1	24.1	113.0	174.8	11.5	96.3	24.1	*4.2*	*4.2*	*2.1*	50.2	*1.0*	*4.2*	81.6	*4.2*	*2.1*	52.3	.....	166.4	34
.....	*6.9*	96.5	151.7	*27.6*	62.1	48.3	.....	*6.9*	.....	*20.7*	.....	*6.9*	89.6	*13.8*	.....	48.3	.....	151.7	35
5.2	16.9	94.2	155.3	5.9	93.5	30.9	19.1	8.8	5.2	108.9	4.4	14.0	106.7	14.0	6.6	60.3	*0.7*	161.9	36
2.7	16.0	159.7	292.7	29.3	109.1	69.2	*10.6*	*10.6*	.....	77 2	*8.0*	13.3	106.4	13.3	*2.7*	71.8	.....	415.1	37
7.5	*7.5*	75.3	173.3	*22.6*	90.4	*22.6*	.....	.....	*15.1*	75.3	.....	*7.5*	60.3	*7.5*	*7.5*	45.2	.....	180.8	38
3.2	22.3	130.6	194.3	*12.7*	95.6	35.0	*9.6*	*9.6*	*3.2*	73.3	*6.4*	19.1	108.3	25.5	.....	54.2	.....	238.9	39
4.4	26.3	70.2	175.6	*8.8*	48.3	*8.8*	.....	*4.4*	*4.4*	57.1	*4.4*	.....	35.1	*4.4*	*4.4*	*8.8*	.....	153.6	40
22.2	*29.6*	88.7	170.0	*22.2*	66.5	37.0	.....	.....	*7.4*	66.5	.....	*7.4*	81.3	*7.4*	*14.8*	44.3	.....	125.7	41
.....	*23.4*	92.2	141.9	*7.1*	42.6	49.7	.....	.....	*7.1*	106.4	*7.1*	.....	42.6	*7.1*	*7.1*	35.5	.....	92.2	42
31.6	*15.8*	142.1	105.3	*5.3*	115.8	47.4	*5.3*	.....	.....	68.4	.....	*21.1*	57.9	*5.3*	.....	73.7	.....	100.0	43
.....	*26.0*	117.0	194.9	*13.0*	97.5	*13.0*	.....	*6.5*	.....	45.5	.....	.....	58.5	*6.5*	.....	*13.0*	*13.0*	91.0	44
9.4	*9.4*	46.9	206.2	*18.7*	93.7	*18.7*	*9.4*	*9.4*	.....	84.4	*9.4*	*18.7*	75.0	.....	.....	75.0	.....	225.0	45
.....	*18.4*	110.6	153.6	*12.3*	55.3	*18.4*	.....	.....	.....	92.1	.....	*12.3*	73.7	*6.1*	.....	*18.4*	.....	110.6	46
6.0	*17.9*	95.4	155.0	.....	77.5	29.8	.....	*23.9*	.....	59.6	.....	*6.0*	83.5	*6.0*	.....	65.6	.....	208.7	47
2.7	28.1	86.5	214.1	9.2	128.7	50.8	15.7	9.7	6.5	44.9	10.3	16.2	93.5	15.1	*1.1*	73.0	.....	216.2	48
16.6	*16.6*	149.4	166.0	*16.6*	66.4	*33.2*	*16.6*	*24.9*	*16.6*	99.6	*8.3*	*8.3*	66.4	*33.2*	.....	99.6	.....	348.6	49
.....	*18.0*	81.1	126.1	*27.0*	81.1	*18.0*	*36.0*	*18.0*	.....	63.1	*9.0*	*18.0*	153.1	.....	.....	90.1	*18.0*	342.3	50
4.9	69.2	128.5	227.3	*4.9*	69.2	*9.9*	103.7	39.5	*19.8*	148.2	*14.8*	*19.8*	182.8	*19.8*	*9.9*	172.9	*4.9*	795.4	51
5.3	34.3	148.0	155.9	18.5	52.8	18.5	29.1	18.5	15.9	124.2	13.2	13.2	121.5	21.1	.....	100.4	*2.6*	364.6	52
.....	14.6	102.2	179.5	10.4	70.9	50.1	41.7	20.9	*6.3*	60.5	*6.3*	*6.3*	98.1	*6.3*	*6.3*	89.7	*6.3*	313.0	53
.....	47.2	126.0	157.4	*31.5*	55.1	55.1	55.1	47.2	*15.7*	78.7	*7.9*	*7.9*	94.5	*23.6*	*7.9*	141.7	*15.7*	173.2	54
5.6	11.3	48.5	112.9	11.1	90.7	53.2	17.1	11.4	6.8	49.1	10.7	9.7	115.6	12.7	10.7	58.7	2.1	172.3	55
5.7	11.4	48.3	109.1	10.8	84.7	53.1	16.9	11.4	7.0	48.2	10.3	9.5	114.9	12.9	8.1	59.1	2.0	165.1	56
4.8	*7.2*	52.9	199.5	16.8	228.3	55.3	21.6	*9.6*	*2.4*	69.7	19.2	14.4	132.2	*7.2*	69.7	48.1	*4.8*	336.4	57
7.6	*7.6*	91.6	129.7	38.2	99.2	38.2	68.7	*7.6*	*50.5*	114.5	.....	*22.9*	190.8	*7.6*	*7.6*	129.7	*7.6*	335.8	58
1.9	10.4	51.1	80.5	*1.9*	71.0	36.0	18.0	*3.8*	5.7	28.4	5.7	10.4	115.5	8.5	*2.8*	41.7	.....	151.5	59
6.4	18.4	97.7	157.9	9.2	57.4	29.7	21.2	12.7	5.7	77.9	7.8	7.8	94.9	13.5	*2.8*	50.3	*0.7*	201.1	60
1.7	*1.7*	10.4	59.0	*5.2*	118.0	112.8	*1.7*	*3.5*	*3.5*	17.3	*6.9*	*3.5*	126.6	*6.9*	.....	26.0	13.9	118.0	61
3.7	*5.6*	39.2	76.6	*3.7*	61.6	11.2	11.2	9.3	*5.6*	43.0	*3.7*	9.3	50.4	*3.7*	.....	54.2	*5.6*	113.9	62
8.0	*8.0*	56.2	56.2	*32.1*	48.2	*24.1*	*8.0*	16.1	*8.0*	88.4	.....	.....	48.2	*8.0*	.....	64.3	*24.1*	176.8	63
6.2	*6.2*	55.6	61.8	*12.4*	105.0	43.2	43.2	*6.2*	*6.2*	*12.4*	*6.2*	.....	80.3	*12.4*	*6.2*	67.9	*6.2*	135.9	64
9.5	.....	76.2	104.8	*9.5*	57.1	57.1	57.1	.....	.....	66.7	.....	*19.0*	114.3	*9.5*	.....	*38.1*	.....	238 1	65
.....	13.7	117.7	166.7	*7.3*	72.6	56.9	19.6	17.6	*3.9*	78.4	*5.9*	15.7	129.4	19.6	*3.9*	80.4	*3.9*	251.0	66
3.0	20.0	138.3	284.6	10.0	78.2	36.1	28.1	24.1	16.0	96.2	20.0	10.0	104.2	14.0	*4.0*	70.2	*2.0*	521.2	67
1.6	11.5	65.6	121.3	*4.9*	86.9	34.4	13.1	*4.9*	9.8	50.8	11.5	8.2	114.8	8.2	.....	63.9	.....	232.8	68

TABLE III.—DEATH RATES PER 100,000 ESTIMATED POPULATION IN THE REGISTRATION AREA (EXCLUSIVE

[See note at head of this table, p. 160.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid and paratyphoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria.	Influenza.	Erysipelas.	Meningococcus meningitis.	Tuberculosis of the respiratory system.	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors.
			1	5	6	7	8	9	10	11	21	24	31	32	33-37	43-49
	REGISTRATION CITIES—Continued.															
	MICHIGAN—continued.															
1	Marquette	1,456.7	.....	.....	.....	.....	.....	15.5	7.7	.....	15.5	7.7	77.5	15.5	.....	62.0
2	Monroe	1,057.3	16.3	.....	8.1	.....	.....	.....	8.1	.....	.....	8.1	48.8	8.1	24.4	89.5
3	Muskegon	1,223.0	10.4	.....	.....	.....	2.6	.....	31.3	2.6	10.4	.....	62.6	10.4	13.0	133.0
4	Owosso	1,619.6	.....	7.7	7.7	.....	7.7	.....	30.7	46.1	.....	.....	69.1	.....	.....	153.5
5	Pontiac*	1,173.5	.....	2.7	2.7	.....	8.0	5.4	13.4	5.4	5.4	.....	96.5	.....	5.4	48.2
6	Port Huron	1,383.2	7.4	.....	.....	.....	11.1	14.8	14.8	11.1	7.4	.....	37.0	3.7	11.1	88.8
7	Saginaw	1,201.6	13.4	.....	.....	.....	3.0	8.9	40.1	4.5	3.0	.....	66.8	4.5	5.9	83.1
8	Sault Ste. Marie	1,273.1	8.3	.....	.....	.....	74.4	8.3	.....	.....	.....	.....	41.3	16.5	16.5	115.7
9	Traverse City*	3,176.2	27.5	.....	.....	.....	.....	9.2	9.2	9.2	9.2	.....	219.7	.....	9.2	146.5
10	Wyandotte	1,169.2	.....	.....	.....	.....	54.4	34.0	6.8	20.4	.....	.....	88.4	20.4	.....	47.6
	MINNESOTA.															
11	Austin	1,046.6	.....	.....	.....	.....	.....	9.4	.....	18.9	.....	.....	37.7	9.4	28.3	66.0
12	Duluth	912.1	2.9	.....	.....	.....	13.7	7.8	10.8	3.9	2.9	2.9	49.0	10.8	14.7	92.1
13	Faribault*	1,813.9	8.3	.....	.....	.....	.....	.....	26.3	.....	8.3	.....	122.7	8.3	26.3	149.0
14	Hibbing	840.4	6.4	.....	.....	6.4	6.4	.....	.....	6.4	6.4	.....	50.9	19.1	6.4	44.6
15	Mankato	1,547.7	15.6	.....	.....	.....	.....	7.8	.....	15.6	.....	.....	70.4	.....	15.6	218.9
16	Minneapolis	1,091.9	1.3	.....	1.0	0.8	14.0	4.6	13.2	8.7	2.3	1.0	72.0	4.3	8.4	106.9
17	Rochester*	5,584.4	6.8	.....	.....	6.8	13.7	6.8	6.8	.....	6.8	6.8	225.6	34.2	82.0	984.3
18	St. Cloud	1,150.5	18.0	.....	6.0	6.0	6.0	30.0	30.0	.....	6.0	6.0	12.0	12.0	12.0	95.9
19	St. Paul	1,074.5	7.6	.....	1.3	0.4	8.4	0.8	15.6	8.0	3.8	0.4	82.4	4.6	11.8	114.8
20	Virginia	796.2	.....	.....	.....	13.7	.....	.....	.....	.....	.....	6.9	20.6	6.9	.....	82.4
21	Winona	1,274.1	.....	.....	.....	.....	31.2	15.6	10.4	.....	.....	5.2	62.4	10.4	10.4	130.0
	MISSISSIPPI.															
22	Biloxi	1,379.2	.....	.....	.....	43.9	.....	35.1	8.8	52.7	.....	.....	70.3	.....	8.8	52.7
23	Columbus (total)	1,276.3	9.3	18.6	.....	.....	.....	9.3	37.3	74.5	.....	.....	121.1	.....	.....	18.6
24	White	1,065.1	20.1	.....	.....	.....	.....	20.1	40.2	60.3	.....	.....	20.1	.....	.....	40.2
25	Colored	1,458.8	.....	34.7	.....	.....	.....	.....	34.7	86.8	.....	.....	208.4	.....	.....	.....
26	Greenville (total)	2,487.1	50.6	84.3	.....	.....	.....	8.4	8.4	.....	.....	.....	185.5	8.4	16.9	151.8
27	White	1,449.6	21.0	42.0	.....	.....	.....	.....	.....	.....	.....	.....	42.0	.....	21.0	168.1
28	Colored	3,132.6	70.4	112.7	.....	.....	.....	14.1	14.1	.....	.....	.....	281.7	14.1	14.1	140.8
29	Hattiesburg	1,030.2	14.8	37.1	.....	.....	.....	44.5	.....	.....	.....	.....	96.4	.....	.....	29.6
30	Jackson* (total)	3,712.4	30.4	26.0	4.3	13.0	.....	34.7	13.0	4.3	.....	.....	221.2	4.3	30.4	143.1
31	White	2,194.3	30.3	22.7	.....	.....	.....	.....	22.7	7.6	.....	.....	68.1	7.6	.....	151.3
32	Colored	5,750.9	30.5	30.5	10.2	30.5	.....	81.3	.....	.....	.....	.....	426.7	.....	71.1	132.1
33	Laurel (total)	1,582.4	43.8	7.3	.....	7.3	.....	29.2	7.3	29.2	.....	.....	116.7	.....	14.6	43.8
34	White	1,490.6	23.8	11.9	.....	11.9	.....	23.8	11.9	35.8	.....	.....	107.3	.....	11.9	35.8
35	Colored	1,727.1	75.1	.....	.....	.....	.....	37.5	.....	18.8	.....	.....	131.4	.....	18.8	56.3
36	Meridian* (total)	1,902.9	46.5	42.3	.....	4.2	.....	4.2	16.9	46.5	8.5	8.5	143.8	8.5	16.9	109.9
37	White	1,490.9	32.6	13.0	.....	.....	.....	6.5	19.5	26.0	13.0	.....	65.1	13.0	6.5	104.2
38	Colored	2,666.5	72.4	96.5	.....	12.1	.....	.....	12.1	84.5	.....	24.1	289.6	.....	36.2	120.7
39	Natchez (total)	1,562.7	7.9	7.9	.....	.....	.....	23.6	15.7	39.3	.....	.....	133.5	.....	39.3	78.5
40	White	1,082.4	.....	.....	.....	.....	.....	16.9	33.8	16.9	.....	.....	16.9	.....	50.7	67.6
41	Colored	1,979.2	14.7	14.7	.....	.....	.....	29.3	.....	58.6	.....	.....	234.6	.....	29.3	88.0
42	Vicksburg* (total)	2,993.6	16.6	99.6	.....	.....	.....	33.2	11.1	16.6	5.5	.....	166.0	.....	49.8	182.6
43	White	1,659.2	11.2	44.8	.....	.....	.....	22.4	11.2	.....	11.2	.....	56.1	.....	.....	134.5
44	Colored	4,294.1	21.9	153.0	.....	.....	.....	43.7	10.9	32.8	.....	.....	273.2	.....	98.3	229.5
	MISSOURI.															
45	Cape Girardeau	1,766.9	19.0	9.5	.....	.....	.....	.....	9.5	28.5	.....	.....	180.5	.....	.....	95.0
46	Carthage	1,392.4	29.4	.....	.....	9.8	9.8	9.8	39.2	9.8	.....	.....	107.9	.....	9.8	107.9
47	Columbia	1,644.5	9.6	.....	.....	.....	.....	9.6	.....	66.9	.....	.....	229.5	9.6	9.6	95.6
48	Hannibal	1,130.8	20.6	10.3	.....	.....	.....	10.3	20.6	20.6	5.1	.....	56.5	.....	5.1	82.2
49	Independence	1,696.0	33.4	.....	8.4	8.4	8.4	.....	25.1	25.1	.....	.....	58.5	25.1	8.4	208.9
50	Jefferson City	1,171.0	13.5	.....	.....	.....	.....	26.9	20.2	13.5	.....	.....	127.9	.....	6.7	114.4
51	Joplin	1,387.9	23.4	.....	.....	.....	.....	.....	16.7	.....	3.3	.....	133.8	6.7	10.0	130.4
52	Kansas City (total)	1,384.5	11.6	0.9	47.3	5.1	3.3	1.2	24.4	14.6	4.2	2.1	85.1	3.3	11.3	113.0
53	White	1,279.3	11.5	0.3	36.5	4.6	3.6	0.7	26.6	10.5	4.3	2.0	60.2	3.3	9.2	115.4
54	Colored	2,384.0	12.5	6.2	150.0	9.4	.....	6.2	3.1	53.1	3.1	3.1	321.8	3.1	31.2	90.6
55	Moberly	1,580.2	7.6	.....	30.5	.....	7.6	7.6	30.5	22.9	.....	.....	99.2	.....	7.6	160.3
56	St. Joseph	1,603.9	9.0	1.3	.....	1.3	9.0	6.4	17.9	12.8	5.1	.....	70.4	2.6	14.1	124.2
57	St. Louis (total)	1,222.0	4.3	1.0	.....	0.8	5.6	8.3	21.1	5.3	3.3	1.5	76.6	3.8	7.0	115.9
58	White	1,166.7	4.4	1.0	.....	0.8	6.2	7.4	22.1	4.9	3.5	1.1	60.1	3.2	5.1	119.8
59	Colored	1,752.0	4.0	1.3	.....	.....	.....	16.2	12.1	9.4	1.3	5.4	234.3	9.4	25.6	78.1
60	Sedalia	1,390.1	23.2	4.6	.....	.....	.....	4.6	27.8	18.5	4.6	.....	88.0	.....	18.5	148.3
61	Springfield	1,470.9	7.4	7.4	2.5	2.5	2.5	9.9	17.4	22.3	12.4	2.5	124.0	9.9	12.4	106.7
	MONTANA.															
62	Anaconda	991.2	8.4	.....	.....	.....	.....	50.4	.....	16.8	.....	8.4	58.8	.....	.....	92.4
63	Billings	1,246.6	6.3	.....	.....	.....	.....	6.3	6.3	31.5	18.9	6.3	31.5	6.3	25.2	125.9
64	Butte	1,115.5	.....	.....	.....	.....	.....	16.7	2.4	4.8	7.2	2.4	62.0	2.4	2.4	93.0
65	Great Falls	1,023.7	3.9	.....	3.9	11.7	.....	11.7	7.8	.....	.....	.....	38.9	7.8	7.8	85.6
66	Helena	1,387.4	16.6	.....	.....	.....	8.3	.....	.....	16.6	8.3	.....	83.1	.....	.....	116.3
67	Missoula	1,673.5	.....	.....	.....	23.7	.....	15.8	.....	23.7	31.6	.....	23.7	7.9	23.7	126.3

[1] Exclusive of stillbirths.

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1921—Continued.

[See note at head of this table, p. 160.]

DEATH RATE PER 100,000 POPULATION FROM—																		
Rheumatism.	Diabetes mellitus.	Cerebral hemorrhage and softening.	Other [organic] diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis.	Puerperal septicemia.	Other puerperal causes.	Congenital malformations and diseases of early infancy.	Suicide.	Homicide.	Accidental and unspecified external causes.	Unknown or ill-defined diseases.	All other causes.	
51, 52	57	74, 83	90	99	100, 101	113	117	118	122	128, 129	146	143-145, 147-150	159-163	165-174	197-200	175-196, 201-203	204, 205		
7.7	38.7	108.5	224.7	23.2	85.2	54.2	31.0	7.7	7.7	116.2	46.5	15.5	147.2	23.2	7.7	108.5	.....	201.5	1
3.1	40.7	56.9	219.6	8.1	65.1	40.7	.....	8.1	.....	48.8	.....	.....	89.5	16.3	.....	56.9	.....	187.1	2
5.2	13.0	88.7	161.7	2.6	67.8	33.9	13.0	13.0	13.0	62.6	2.6	5.2	120.0	13.0	2.6	80.8	2.6	245.1	3
7.7	23.0	138.2	176.5	25.0	38.4	61.4	15.4	15.4	.....	76.8	23.0	7.7	222.6	15.4	.....	92.1	7.7	353.1	4
2.7	8.0	91.1	123.2	10.7	58.9	32.2	16.1	16.1	.....	40.2	8.0	2.7	112.5	13.4	2.7	58.9	.....	383.1	5
.....	22.2	88.8	162.7	18.5	88.8	44.4	33.3	44.4	14.8	51.8	14.8	11.1	140.5	3.7	.....	81.4	.....	355.1	6
5.9	16.3	81.6	154.3	10.4	80.1	40.1	22.3	16.3	8.9	86.0	3.0	10.4	114.2	7.4	5.9	74.2	3.0	228.5	7
.....	16.5	124.0	132.3	8.3	66.1	24.8	41.3	.....	8.3	57.9	.....	8.3	214.9	8.3	.....	99.2	.....	181.9	8
9.2	64.1	311.2	439.4	18.3	155.6	.....	91.5	54.9	27.5	173.9	36.6	9.2	119.0	9.2	.....	54.9	.....	1,162.5	9
6.8	6.8	47.6	88.4	6.8	68.0	54.4	.....	20.4	13.6	54.4	13.6	13.6	169.9	27.2	13.6	102.0	27.2	163.1	10
.....	18.9	103.7	132.0	.....	103.7	56.6	.....	9.4	.....	56.6	.....	9.4	56.6	.....	.....	66.0	.....	264.0	11
2.0	12.7	53.9	98.9	11.8	56.8	10.8	13.7	10.8	6.9	45.1	8.8	9.8	104.8	19.6	4.9	63.7	1.0	164.6	12
.....	8.8	43.8	262.9	8.8	96.4	26.3	52.6	26.3	8.8	175.3	8.8	26.3	113.9	17.5	8.8	61.3	.....	517.0	13
.....	25.5	38.2	82.8	6.4	38.2	6.4	6.4	.....	12.7	19.1	19.1	12.7	171.9	6.4	31.8	89.1	6.4	114.6	14
15.6	31.3	101.6	140.7	.....	164.2	15.6	39.1	7.8	15.6	93.8	15.6	15.6	101.6	15.6	.....	125.1	.....	304.9	15
3.6	20.9	64.7	135.4	5.6	88.3	10.7	28.5	14.5	10.9	72.6	6.4	12.2	87.1	17.6	7.1	64.9	2.0	200.3	16
.....	82.0	184.6	321.3	20.5	88.9	20.5	170.9	116.2	34.2	136.7	13.7	13.7	198.2	34.2	13.7	143.5	13.7	2,597.4	17
.....	18.0	36.0	125.8	6.0	77.9	12.0	12.0	12.0	.....	71.9	36.0	12.0	137.8	6.0	.....	77.9	12.0	257.7	18
2.1	22.3	69.0	128.7	5.0	66.4	12.6	25.2	9.7	6.7	80.3	8.4	8.8	84.1	13.5	7.1	72.8	0.8	190.9	19
.....	.....	41.2	82.4	.....	103.0	27.5	20.6	6.9	.....	20.6	6.9	20.6	89.2	54.9	13.7	75.5	.....	103.0	20
5.2	15.6	98.8	182.0	31.2	46.8	26.0	57.2	26.0	.....	46.8	.....	10.4	83.2	20.8	.....	83.2	15.6	249.6	21
8.8	.....	61.5	175.7	8.8	70.3	131.8	.....	8.8	8.8	123.0	.....	8.8	105.4	8.8	8.8	70.3	.....	307.5	22
.....	.....	93.2	214.3	.....	46.6	18.6	9.3	9.3	.....	46.6	9.3	.....	18.6	18.6	37.3	111.8	74.5	279.5	23
.....	.....	120.6	140.7	.....	20.1	20.1	20.1	20.1	.....	60.3	20.1	.....	20.1	40.2	40.2	100.4	20.1	221.1	24
.....	.....	69.5	277.9	.....	69.5	17.4	.....	.....	.....	34.7	.....	.....	17.4	.....	34.7	121.6	121.6	330.0	25
8.4	8.4	151.8	244.5	25.3	143.3	67.4	42.2	42.2	.....	202.3	8.4	8.4	42.2	8.4	84.3	126.5	75.9	682.9	26
.....	21.0	105.0	105.0	21.0	147.1	42.0	21.0	21.0	.....	84.0	.....	21.0	.....	21.0	84.0	126.1	.....	336.1	27
14.1	.....	183.1	338.0	28.2	140.8	84.5	56.3	56.3	.....	281.7	14.1	.....	70.4	.....	84.5	126.7	126.7	915.4	28
.....	.....	51.9	59.3	7.4	74.1	51.9	59.3	29.6	.....	81.5	7.4	7.4	29.6	7.4	37.1	118.6	44.5	140.8	29
4.3	47.7	169.1	268.9	4.3	199.5	39.0	117.1	52.0	34.7	264.6	21.7	73.7	169.1	34.7	95.4	169.1	169.1	1,253.4	30
7.6	68.1	166.5	174.0	.....	105.9	45.4	105.9	53.0	7.6	189.2	22.7	60.5	113.5	45.4	22.7	113.5	30.3	552.4	31
.....	20.3	172.7	396.3	10.2	325.1	30.5	132.1	50.8	71.1	365.8	20.3	91.4	243.9	20.3	193.1	243.9	355.6	2,194.7	32
7.3	21.9	72.9	51.0	7.3	109.4	94.8	51.0	14.6	7.3	138.6	43.8	43.8	65.6	.....	51.0	72.9	36.5	393.8	33
.....	35.8	71.5	47.7	.....	143.1	71.5	59.6	11.9	11.9	107.3	59.6	47.7	59.6	.....	35.8	59.6	35.8	357.7	34
18.8	.....	76.1	56.3	18.8	56.3	131.4	37.5	18.3	.....	187.7	18.8	37.5	76.1	.....	76.1	93.9	37.5	450.5	35
4.2	8.5	63.4	84.6	12.7	63.4	105.7	67.7	42.3	.....	177.6	21.1	38.1	67.7	8.5	63.4	105.7	101.5	410.2	36
6.5	13.0	58.6	71.6	13.0	39.1	91.1	71.6	39.1	.....	149.7	19.5	32.6	91.1	13.0	39.1	91.1	6.5	345.1	37
.....	.....	72.4	108.6	12.1	108.6	132.7	60.3	48.3	.....	229.2	24.1	48.3	24.1	.....	108.6	132.7	277.5	530.9	38
7.9	15.7	133.5	109.9	7.9	86.4	55.0	7.9	7.9	7.9	204.2	.....	15.7	15.7	.....	.....	78.5	212.0	251.3	39
.....	33.8	202.9	84.6	.....	33.8	.....	16.9	16.9	.....	101.5	.....	.....	33.8	.....	.....	101.5	16.9	236.8	40
14.7	.....	73.3	131.9	14.7	131.9	102.6	.....	.....	14.7	293.2	.....	29.3	.....	.....	.....	58.6	381.2	263.9	41
22.1	33.2	94.1	569.9	.....	121.7	38.7	60.9	22.1	11.1	260.1	11.1	33.2	83.0	5.5	99.6	116.2	83.0	747.0	42
.....	44.8	89.7	302.7	.....	33.6	33.6	44.8	22.4	22.4	213.0	.....	22.4	67.3	11.2	.....	100.9	33.6	325.1	43
43.7	21.9	98.3	830.4	.....	207.6	43.7	76.5	21.9	.....	305.9	21.9	43.7	98.3	.....	196.7	131.1	131.1	1,158.2	44
.....	9.5	66.5	114.0	9.5	133.0	95.0	66.5	76.0	19.0	76.0	38.0	19.0	152.0	19.0	28.5	180.5	19.0	304.0	45
.....	49.0	29.4	176.5	.....	78.4	39.2	.....	29.4	19.6	205.9	19.6	19.6	88.3	19.6	19.6	98.1	19.6	147.1	46
.....	28.7	95.6	162.5	.....	162.5	47.8	19.1	28.7	9.6	133.9	.....	9.6	162.5	9.6	.....	66.9	9.6	267.7	47
.....	10.3	82.2	138.8	5.1	61.7	5.1	15.4	15.4	20.6	61.7	30.8	20.6	92.5	5.1	.....	72.0	30.8	231.3	48
.....	58.5	142.0	259.0	.....	117.0	25.1	33.4	.....	.....	133.7	16.7	16.7	50.1	16.7	16.7	66.8	8.4	325.8	49
6.7	6.7	60.6	47.1	6.7	107.7	6.7	40.4	26.9	.....	87.5	13.5	.....	87.5	6.7	20.2	53.8	20.2	249.0	50
3.3	23.4	87.0	160.5	3.3	56.9	43.5	46.8	3.3	10.0	110.4	10.0	13.4	103.7	10.0	20.1	76.9	40.1	240.8	51
3.6	18.7	75.0	122.6	6.2	98.8	49.1	26.8	17.3	14.0	121.4	7.7	7.7	81.8	22.9	28.6	77.6	2.7	274.9	52
2.6	19.1	75.3	110.1	6.2	84.8	50.3	26.0	17.4	10.8	113.4	6.6	7.2	83.2	23.7	21.7	73.3	1.6	257.1	53
12.5	15.6	71.9	240.6	6.2	231.2	37.5	34.4	15.6	43.7	196.8	18.7	12.5	68.7	15.6	93.7	118.7	12.5	443.7	54
.....	53.4	213.7	68.7	.....	84.0	30.5	99.2	15.3	7.6	183.2	45.8	.....	68.7	7.6	22.9	106.9	7.6	190.8	55
5.1	23.0	152.3	134.4	7.7	92.2	46.1	56.3	17.9	10.2	119.0	20.5	11.5	85.8	19.2	17.9	103.7	1.3	405.8	56
5.2	21.1	65.0	139.3	16.4	124.5	18.6	16.3	15.1	14.2	137.1	6.9	7.3	59.1	21.0	16.3	61.6	0.4	222.1	57
4.8	21.6	64.8	129.4	15.0	115.3	18.5	15.7	14.7	13.5	133.4	6.7	6.6	57.9	22.8	12.8	61.5	0.3	211.7	58
9.4	16.2	67.3	234.3	29.6	212.8	18.9	21.5	18.9	21.5	172.4	8.1	13.5	71.4	4.0	49.8	61.9	1.3	321.8	59
4.6	32.4	64.9	106.6	9.3	106.6	41.7	18.5	9.3	4.6	208.5	9.3	9.3	74.1	23.2	13.9	69.5	.....	245.6	60
2.5	32.2	74.4	148.8	14.9	96.7	27.3	52.1	34.7	9.9	84.3	19.8	12.4	95.7	19.8	9.9	91.8	.....	302.6	61
8.4	8.4	84.0	100.8	.....	75.6	.....	8.4	8.4	16.8	75.6	.....	16.8	126.0	33.6	16.8	42.0	33.6	100.8	62
6.3	18.9	56.7	100.7	.....	75.6	31.5	56.7	31.5	12.6	94.4	6.3	25.2	113.3	6.3	6.3	107.0	12.6	220.4	63
2.4	19.1	57.2	143.0	14.3	121.6	28.6	42.9	14.3	14.3	81.0	14.3	2.4	59.6	26.2	14.3	73.9	2.4	190.7	64
15.6	11.7	54.5	89.5	15.6	97.3	23.4	38.9	27.2	7.8	54.5	11.7	3.9	124.6	19.5	3.9	46.7	3.9	194.6	65
.....	33.2	99.7	240.9	.....	116.3	16.6	49.8	8.3	.....	124.6	33.2	16.6	41.5	16.6	.....	49.8	8.3	282.5	66
15.8	31.6	118.4	197.3	7.9	126.3	31.6	71.0	47.4	15.8	71.0	15.8	7.9	126.3	39.5	15.8	94.7	.....	363.1	67

TABLE III.—DEATH RATES PER 100,000 ESTIMATED POPULATION IN THE REGISTRATION AREA (EXCLUSIVE

[See note at head of this table, p. 160.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid and paratyphoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria.	Influenza.	Erysipelas.	Meningococcus meningitis.	Tuberculosis of the respiratory system.	Tuberculosis of the meninges, etc.	Other forms of tuberculosis.	Cancer and other malignant tumors.
			1	5	6	7	8	9	10	11	21	24	31	32	33–37	43–49
	REGISTRATION CITIES—Continued.															
	NEBRASKA.															
1	Grand Island	1,604.4	6.9	.....	.....	6.9	97.2	6.9	20.8	.....	20.8	6.9	27.8	6.9	20.8	125.0
2	Hastings	1,391.3	.....	.....	.....	.....	25.0	.....	.....	.....	.....	.....	33.3	.....	8.3	116.6
3	Lincoln	1,261.9	8.8	.....	.....	.....	3.5	.....	5.5	14.1	5.5	.....	46.0	.....	5.5	141.4
4	North Platte	916.9	26.4	.....	.....	.....	8.8	.....	8.8	17.6	.....	.....	17.6	.....	.....	70.5
5	Omaha (total)	1,318.6	5.1	0.5	1.5	2.5	4.6	1.0	44.6	9.1	4.1	2.0	62.9	6.1	8.1	120.2
6	White	1,306.6	5.4	0.6	1.6	2.2	4.8	1.1	46.3	9.2	3.8	2.2	51.1	4.8	5.9	121.7
7	Colored	1,515.8	.....	.....	.....	8.8	.....	.....	17.6	8.8	8.8	.....	255.6	26.4	44.1	96.9
	NEW HAMPSHIRE.															
8	Berlin	1,031.5	6.0	.....	.....	.....	11.9	.....	11.9	6.0	6.0	6.0	41.7	6.0	.....	71.5
9	Concord*	1,903.8	.....	.....	.....	4.5	.....	4.5	.....	31.4	18.0	.....	62.9	.....	9.0	121.2
10	Dover	1,389.2	15.4	.....	.....	.....	.....	.....	23.0	7.7	7.7	7.7	30.7	.....	7.7	122.8
11	Keene	1,378.9	.....	.....	.....	.....	.....	.....	8.8	.....	.....	.....	79.0	8.8	8.8	131.7
12	Laconia	1,562.6	18.2	.....	.....	.....	.....	27.3	.....	45.4	.....	.....	45.4	.....	18.2	145.4
13	Manchester	1,192.4	2.5	.....	.....	2.5	3.8	12.6	43.9	7.5	3.8	.....	51.5	17.6	7.5	102.9
14	Nashua	1,408.9	7.0	3.5	.....	.....	10.4	10.4	24.4	10.4	.....	.....	52.2	10.4	10.4	142.6
15	Portsmouth	1,335.9	.....	.....	.....	.....	.....	7.2	35.9	.....	28.7	.....	35.9	.....	7.2	129.3
	NEW JERSEY.															
16	Asbury Park	1,239.5	.....	.....	.....	.....	.....	.....	7.8	.....	.....	.....	70.6	.....	15.7	102.0
17	Atlantic City (total)	1,908.2	9.7	.....	.....	.....	7.8	25.3	13.6	13.6	.....	.....	66.1	7.8	7.8	159.5
18	White	1,919.5	12.4	.....	.....	.....	9.9	22.4	14.9	7.5	.....	.....	37.3	7.5	7.5	184.0
19	Colored	1,867.4	.....	.....	.....	.....	.....	35.7	8.9	35.7	.....	.....	169.8	8.9	8.9	71.5
20	Bayonne	987.1	5.0	.....	.....	.....	32.5	10.0	18.7	13.7	2.5	.....	51.2	6.2	5.0	58.7
21	Belleville*	1,975.7	.....	.....	.....	.....	126.9	6.0	193.3	.....	.....	6.0	960.7	.....	.....	54.4
22	Bloomfield	692.9	.....	.....	.....	.....	4.3	.....	.....	8.7	8.7	.....	34.6	.....	4.3	43.3
23	Bridgeton	1,722.5	62.8	.....	.....	.....	20.9	20.9	13.9	27.9	.....	.....	90.7	13.9	13.9	174.3
24	Camden	1,282.7	7.5	.....	.....	5.0	5.8	15.9	20.9	5.8	.....	0.8	74.4	1.7	5.0	87.7
25	Clifton	678.8	.....	.....	.....	.....	20.9	3.5	27.8	3.5	3.5	3.5	34.8	7.0	13.9	73.1
26	East Orange	710.1	.....	.....	.....	3.8	1.9	1.9	7.5	1.9	3.8	.....	31.9	.....	1.9	80.8
27	Elizabeth	1,014.7	2.0	1.0	.....	6.0	4.0	9.1	20.1	7.0	1.0	4.0	51.3	6.0	5.0	91.6
28	Englewood	1,656.9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	16.8	8.4	.....	159.8
29	Garfield	687.6	.....	.....	.....	19.2	19.2	9.6	19.2	19.2	.....	4.8	48.1	4.8	.....	48.1
30	Gloucester	1,166.6	.....	.....	.....	.....	.....	7.9	23.8	7.9	.....	.....	79.5	.....	7.9	79.5
31	Hackensack	1,673.4	11.0	.....	.....	.....	5.5	.....	60.4	16.5	.....	.....	43.9	11.0	16.5	159.1
32	Harrison	766.8	.....	.....	.....	6.3	12.6	31.4	37.7	.....	.....	.....	62.9	.....	.....	50.3
33	Hoboken	1,269.0	4.4	.....	.....	.....	13.2	7.3	26.4	10.3	7.3	4.4	88.0	8.8	8.8	83.6
34	Irvington	830.3	.....	.....	.....	.....	.....	7.3	3.6	.....	7.3	.....	43.5	.....	.....	101.5
35	Jersey City	1,189.3	4.0	.....	....	9.6	3.0	10.9	26.1	8.9	1.7	4.0	74.0	3.3	9.6	88.2
36	Kearny	951.1	3.6	.....	....	3.6	10.7	14.3	10.7	14.3	3.6	.....	78.7	.....	.....	100.1
37	Long Branch	2,641.3	36.9	.....	.....	.....	.....	29.5	7.4	.....	14.8	7.4	110.7	22.1	22.1	250.8
38	Millville	1,203.8	6.7	.....	.....	.....	6.7	13.3	13.3	13.3	6.7	.....	93.1	.....	6.7	119.7
39	Montclair	708.3	.....	.....	.....	3.3	.....	13.4	.....	20.0	3.3	.....	40.1	3.3	.....	96.9
40	Morristown*	2,397.6	15.9	3.0	.....	3.0	39.8	3.0	55.8	.....	.....	.....	31.9	.....	23.9	254.9
41	New Brunswick	1,418.2	5.8	.....	.....	.....	3.8	3.8	52.6	3.8	.....	3.8	37.7	5.8	2.9	137.4
42	Newark (total)	1,091.6	2.8	.....	.....	3.1	4.2	6.1	7.5	5.2	2.6	1.9	66.1	8.2	6.8	99.1
43	White	1,042.8	2.7	.....	.....	3.2	4.4	4.9	7.4	4.4	2.5	2.0	56.1	7.1	5.4	100.4
44	Colored	2,165.3	5.4	.....	.....	.....	.....	32.5	10.8	21.7	5.4	.....	286.9	32.5	37.9	70.4
45	Orange	1,558.4	.....	.....	.....	3.9	.....	17.7	3.9	26.6	.....	3.0	73.8	3.9	5.9	124.0
46	Passaic	1,065.2	3.1	.....	.....	4.6	38.3	3.1	13.8	4.6	7.7	4.6	58.2	4.6	9.2	73.6
47	Paterson	1,270.2	5.8	0.7	.....	1.5	5.1	4.4	24.7	3.6	2.9	0.7	83.7	9.5	8.7	105.5
48	Perth Amboy	1,160.0	2.3	.....	.....	11.6	20.8	4.6	60.2	16.2	4.6	2.3	60.2	9.3	6.9	90.3
49	Phillipsburg	1,069.6	.....	.....	.....	11.5	.....	17.3	17.3	28.3	5.8	.....	69.0	5.8	11.5	74.8
50	Plainfield	1,298.4	6.9	.....	.....	3.5	6.9	13.9	17.4	.....	.....	.....	66.0	13.9	27.8	138.9
51	Rahway	1,424.1	8.8	.....	.....	.....	8.8	.....	8.8	8.8	8.8	.....	26.5	.....	44.2	159.2
52	Roosevelt	472.2	.....	.....	.....	.....	8.4	.....	33.7	.....	.....	.....	25.3	.....	.....	16.9
53	Summit	1,379.0	9.4	.....	.....	.....	.....	9.4	18.9	9.4	.....	9.4	94.5	9.4	.....	141.7
54	Trenton	1,311.5	9.0	0.8	.....	3.3	7.3	11.4	13.0	11.4	4.1	1.6	81.5	5.7	3.3	96.1
55	Union	750.6	.....	.....	.....	9.7	4.8	4.8	9.7	9.7	4.8	.....	24.2	14.5	.....	67.8
56	West Hoboken	661.8	.....	2.5	.....	.....	7.4	2.5	2.5	12.3	.....	.....	36.8	2.5	.....	49.0
57	West New York	607.0	.....	.....	.....	.....	3.1	6.2	12.3	.....	3.1	.....	21.6	3.1	6.2	46.2
58	West Orange	595.7	.....	.....	.....	6.1	.....	6.1	6.1	.....	.....	.....	30.7	.....	.....	73.7
	NEW YORK.															
59	Albany	1,513.8	3.5	.....	.....	1.7	2.6	7.0	19.1	12.2	3.5	.....	98.2	7.0	12.2	149.5
60	Amsterdam	1,228.2	.....	.....	.....	.....	.....	.....	14.8	5.9	3.0	.....	56.1	5.9	.....	97.4
61	Auburn	1,358.8	8.2	.....	.....	.....	8.2	.....	38.4	2.7	2.7	.....	79.6	11.0	11.0	140.0
62	Batavia	1,753.8	7.2	.....	.....	.....	.....	7.2	14.5	21.7	7.2	.....	43.5	.....	.....	152.2
63	Beacon*	1,542.4	9.1	.....	.....	9.1	9.1	9.1	.....	9.1	9.1	.....	136.1	.....	36.3	181.5
64	Binghamton*	1,503.6	4.3	.....	.....	4.3	7.2	1.4	18.7	12.9	4.3	.....	80.4	8.6	5.7	119.2
65	Buffalo	1,257.9	4.2	.....	0.2	5.6	11.7	15.4	28.7	2.1	3.7	1.7	96.4	6.4	7.9	102.6
66	Cohoes	1,261.6	8.7	.....	.....	4.4	4.4	13.1	17.4	8.7	4.4	.....	100.1	8.7	8.7	91.4
67	Corning	1,096.5	6.2	.....	.....	.....	18.6	12.4	.....	.....	.....	.....	49.6	.....	12.4	68.1
68	Cortland	1,488.6	14.7	.....	.....	.....	.....	7.4	22.1	7.4	.....	.....	29.5	.....	7.4	154.8

[1] Exclusive of stillbirths.

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1921—Continued.

[See note at head of this table, p. 160.]

DEATH RATE PER 100,000 POPULATION FROM—																		
Rheumatism. 51,52	Diabetes mellitus. 57	Cerebral hemorrhage and softening. 74, 83	Other [organic] diseases of the heart. 90	Bronchitis. 99	Pneumonia (all forms). 100, 101	Diarrhea and enteritis (under 2 years). 113	Appendicitis and typhlitis. 117	Hernia, intestinal obstruction. 118	Cirrhosis of the liver. 122	Nephritis. 128, 129	Puerperal septicemia. 146	Other puerperal causes. 143-145, 147-150	Congenital malformations and diseases of early infancy. 159-163	Suicide. 165-174	Homicide. 197-200	Accidental and unspecified external causes. 175-196, 201-203	Unknown or ill-defined diseases. 204, 205	All other causes.	
.....	*18.9*	62.5	125.0	.....	132.0	41.7	76.4	*20 8*	.....	62.5	*18.9*	48.6	104.2	*18.9*	.....	145.9	.....	395.9	1
.....	*25.0*	133.3	200.0	.....	58.3	*16.7*	100.0	*25.0*	*33.3*	133.3	.....	*33.3*	41.7	*25.0*	*8.3*	83.3	.....	291.6	2
10.6	24.7	104.3	116.6	*3.5*	86.6	14.1	35.3	14.1	8.8	146.7	*5.3*	23.0	90.1	15.9	*7.1*	72.5	*5.3*	251.0	3
8.3	*26.4*	52.9	61.7	.....	*35.3*	*26.4*	*35.3*	*17.6*	.....	*26.4*	*35.3*	*8.8*	114.6	44.1	*17.6*	114.6	.....	141.1	4
3.6	22.8	73.1	137.0	2.5	109.1	21.8	39.1	17.3	5.6	73.6	10.1	10.7	109.1	22.8	18.3	73.1	3.0	293.8	5
3.8	24.2	74.8	137.8	2.7	107.1	21.5	39.3	16.7	5.9	72.7	10.8	11.3	112.0	23.1	12.4	71.1	3.2	295.6	6
.....	.....	44.1	123.4	.....	141.0	*26.4*	*35.3*	*26.4*	.....	88.1	.....	.....	61.7	*17.6*	114.6	105.8	.....	264.4	7
11.9	*11.9*	41.7	59.6	.....	77.5	101.4	47.7	*6.0*	.....	*17.9*	.....	*11 9*	184.8	*6.0*	.....	53.7	*6.0*	226.6	8
13.5	31.4	215 5	238.0	26.9	143.7	*13.5*	22.5	18.0	22.5	152.7	.....	*18.0*	121.2	31.4	*4.5*	62.9	*4.5*	511 9	9
15.4	*15.4*	161.2	130.5	*30.7*	76.8	53.7	*7.7*	*30.7*	.....	99.8	*7.7*	.....	92.1	.....	.....	69.1	.....	376.1	10
17.6	*26.3*	140.5	210.8	.....	70.3	.....	*17.6*	*8.8*	*8.8*	123.0	*17 6*	*35.1*	79.0	52.7	.....	52.7	.....	281.0	11
9.1	*18.2*	118.1	145.4	*18.2*	90.9	*18.2*	.....	45.4	*9.1*	109.0	.....	*9.1*	172.6	*9.1*	.....	45.4	*9.1*	436.1	12
5.0	21.3	101.7	118.0	20.1	86.6	67.8	13.8	10.0	6.3	62.8	*2.5*	11.3	133.0	10.0	*5.0*	52.7	*5.0*	203.3	13
.....	31.3	87.0	83.5	*10.4*	93.9	73.1	41.7	*7.0*	*10.4*	167.0	*10.4*	*10.4*	156.5	*10.4*	*3.5*	90.5	.....	240.0	14
.....	43.1	165.2	165.2	*7.2*	107.7	*21.5*	*28.7*	*7.2*	.....	35.9	*7.2*	*7.2*	158.0	*14.4*	.....	114.9	.....	208.3	15
.....	*15.7*	180.4	188.3	*7.8*	78.4	*23.5*	.....	*7.8*	*7.8*	117.7	*7.8*	*7.8*	47.1	*7.8*	*23.5*	94.1	.....	227.5	16
11.7	60.3	142.0	311.2	15.6	116.7	27.2	29.2	23.3	15.6	225.6	11.7	*7.8*	91.4	31.1	13.6	120.6	*5.3*	336.5	17
7.5	74.6	139.2	345.6	12.4	97.0	22.4	37.3	27.4	19.9	238.7	*9.9*	*7.5*	77.1	37.3	*9.9*	136.8	*5.0*	310.8	18
26.8	*8.9*	151.9	187.6	*26.8*	187.6	44.7	.....	*8.9*	.....	178.7	*17.9*	*8.9*	143.0	8.9	*26.8*	62.5	*8.9*	428.9	19
6.2	16.2	63.7	83.7	13.7	123.7	70.0	8.7	11.2	6.2	72.5	*5.0*	7.5	105.0	*5.0*	*2.5*	57.5	.....	125.0	20
.....	*12.1*	72.5	151.0	*12.1*	84.6	36.3	.....	.....	*12.1*	*48.3*	*6.0*	.....	36.3	*12.1*	*6.0*	30.2	*12.1*	96.7	21
8.7	*17.3*	95.3	121.3	*8.7*	52.0	*13.0*	.....	.....	.....	86.6	*8.7*	.....	39.0	*8.7*	.....	26.0	.....	103.9	22
7.0	*18.9*	174.3	237.1	.....	132.5	*18 9*	*20.9*	*20.9*	*7.0*	125.5	*7.0*	*18.9*	125.5	*7.0*	*7.0*	97.6	*7.0*	265.0	23
6.7	20.1	71.0	160.4	10.9	169.6	83.6	14.2	9.2	9.2	124.5	10.9	16.7	91.9	6.7	7.5	93.6	.....	145.4	24
3.5	*7.0*	38.3	97.5	*3.5*	59.2	34.8	.....	*3.5*	*7.0*	52.2	.....	.....	62.7	*10.4*	*3.5*	34.8	.....	69.6	25
9.4	13.1	105.2	135.2	*7.5*	48.8	11.3	*5.6*	.....	*5.6*	84.5	.....	.....	31.9	*5.6*	*1.9*	16.9	.....	92.0	26
7.0	20.1	73.5	118.8	11.1	111.7	39.3	23.2	10.1	8.1	69.5	11.1	5.0	78.5	8.1	*3.0*	71.5	5.0	131.9	27
.....	50.5	117.7	109.3	.....	159.8	67.3	*8.4*	58.9	*33.6*	176.6	*16.8*	*33.6*	159.8	*8.4*	*8.4*	126.2	.....	336.4	28
.....	.....	*19.2*	125.0	*14.4*	48.1	81.7	.....	.....	*4.8*	33.7	.....	.....	67.3	*19.2*	.....	33.7	.....	48.1	29
.....	.....	95.4	151.0	*7.9*	87.4	103.3	.....	.....	*15.9*	190.8	.....	.....	87.4	*7.9*	.....	63.6	*7.9*	135.1	30
11.0	32.9	120.7	208.5	*5.5*	120.7	27.4	49.4	*16.5*	*5.5*	142.7	*11.0*	*11.0*	120.7	*16.5*	*5.5*	137.2	11.0	296.3	31
12.6	*12.6*	31.4	100.6	6.3	75.4	69.1	.....	.....	*18.9*	50.3	.....	*6.3*	50.3	*12.6*	.....	31.4	.....	88 0	32
2.9	41.1	77.8	230.3	11.7	142.3	49.9	11.7	13.2	10.3	104.2	10.3	*5.9*	41.1	22.0	*4.4*	86.6	*2.9*	137.9	33
7.3	*14.5*	72.5	126.9	*7.3*	29.0	*10.9*	18.1	*3.6*	*3.6*	116.0	.....	*3.6*	36.3	21.8	.....	61.6	.....	134.1	34
8.6	17.2	72.7	151.9	14.5	124.2	76.3	15.5	15.2	8.3	92.1	9.9	11.9	85.5	12.2	5.6	68.0	*1.0*	155.6	35
3.6	*10.7*	110.8	110.8	*7.2*	71.5	*7.2*	17.9	*7.2*	*7.2*	82.2	.....	*3.6*	64.4	*7.2*	.....	85.8	.....	114.4	36
29.5	*23.1*	214.0	169.7	*7.4*	125.4	59.0	81.2	88.5	*22.1*	265.6	*29.5*	59.0	184.4	*14.8*	*29.5*	250.8	.....	486.9	37
.....	*20.0*	153.0	186.2	*26.6*	66.5	66.5	*6.7*	*6.7*	*20.0*	59.9	.....	*6.7*	66.5	.....	.....	33.3	.....	206.2	38
.....	*3.3*	73.5	147.0	*6.7*	73.5	23.4	.....	.....	*3.3*	73.5	.....	.....	20.0	*10.0*	.....	*13.4*	.....	80.2	39
.....	39.8	167.3	318.6	.....	135.4	*23.9*	103.6	31.9	*8.0*	239.0	*23.9*	39.8	254.9	*15.9*	.....	167.3	.....	382.3	40
5.8	23.4	140.4	117.0	*5.8*	108.2	43.9	14.6	*8.8*	*5.8*	87.7	14.6	17.5	114.0	14.6	*11.7*	143.3	*8.8*	204.7	41
6.1	18.4	70.8	158.6	13.2	82.8	50.8	16.7	10.8	9.9	83.3	7.5	10.6	93.7	16.5	5.6	67.5	1.6	153.2	42
5.7	18.2	69.9	152.8	13.3	73.3	46.5	16.7	10.3	10.3	79.7	5.9	10.1	89.8	16.5	5.4	67.7	1.7	148.4	43
16.2	*21.7*	92.0	286.9	*10.8*	292.3	146.2	*16.2*	*21.7*	.....	162.4	43.3	*21.7*	178.6	*16.2*	*10.8*	65.0	.....	259.8	44
3.0	32.5	121.0	206.6	14.8	147.6	50.2	44.3	23.6	20.7	103.3	14.8	20.7	159.4	*11.8*	*3.9*	64.9	.....	233.2	45
4.6	18.4	46.0	102.7	15.3	88.9	47.5	26.1	13.8	*1.5*	70.5	*4.6*	19.9	124.2	18.4	*6.1*	95.0	*1.5*	134.9	46
8.0	24.0	85.1	168.8	5.8	119.3	26.9	27.6	19.6	12.4	91.7	6.5	15.3	98.9	14.5	4.4	87.3	.....	197.1	47
2.3	23.2	62.5	99.6	*4.6*	99.6	81.0	*6.9*	*6.9*	*6.9*	57.9	*2.3*	*4.6*	129.7	*9.3*	16.2	106.5	*9.3*	141.2	48
17.3	40.3	115.0	120.8	*5.3*	120.8	28.8	.....	*5.3*	*5.3*	80.5	.....	.....	74.8	*5.3*	.....	40.3	*5.3*	161.0	49
6.9	24.3	69.4	197.9	*3.5*	90.3	34.7	*18.9*	*18 9*	*3.5*	128.5	*6.9*	*3.5*	83.3	17.4	*3.5*	104.2	.....	197.9	50
17.7	*17.7*	203.4	185.8	*3.3*	123.8	44.2	*3.3*	*3.3*	*26.5*	79.6	.....	.....	79.6	*17.7*	*3.3*	150.4	*3.3*	159.2	51
.....	.....	*33.7*	*25.3*	.....	84.3	84.3	.....	.....	.....	*16.9*	*3.4*	*3.4*	50.6	.....	.....	*25.3*	.....	50.6	52
.....	*37.3*	160.6	245.6	.....	151.1	.....	.....	*37.3*	.....	75.6	.....	*18.9*	94.5	*9.4*	.....	94.5	*9.4*	141.7	53
4.9	13.0	80.6	173.5	4.1	109.2	57.3	10.6	12.2	10.6	119.7	4.9	21.2	110.0	15.5	4.1	88.3	*0.3*	221.6	54
4.3	*9.7*	82.3	106.5	.....	92.0	24.2	*9.7*	*14.5*	*14.5*	87.2	.....	.....	48.4	*4.3*	.....	*9.7*	*4.3*	87.2	55
7.4	22.1	71.1	132.4	*9.3*	53.3	31.9	.....	*2.5*	.....	85.3	.....	.....	36.3	*9.3*	.....	*7.4*	.....	71.1	56
9.2	15.4	40.1	107.3	*3.1*	36.3	21.6	.....	*3.1*	.....	52.4	.....	*6.2*	64.7	*12.3*	*3.1*	18.5	*6.2*	55.5	57
.....	*18.4*	49.1	122.3	.....	61.4	*6.1*	.....	*6.1*	.....	67.6	.....	*6.1*	30.7	*6.1*	.....	*24.6*	.....	73.7	58
6.1	31.3	126.0	234.6	7.3	80.3	28.7	15.6	21.7	13.0	133.0	6.1	13.9	85.2	20.9	7.0	84.3	*0.9*	280.7	59
.....	20.7	97.4	177.1	*3.9*	76.3	41.3	17.7	26.6	*3.9*	88.6	.....	*11.3*	112.2	*5.9*	.....	121.0	*5.9*	224.4	60
5.5	16.5	148.2	216.9	19.2	54.9	43.9	16.5	*11.0*	*5.5*	104.3	*5.5*	*5.5*	107.1	*5.5*	.....	65.9	.....	225.1	61
7.2	36.2	173.9	108.7	43.5	87.0	50.7	50.7	36.2	14.5	101.5	*7.2*	*21.7*	202.9	*7.2*	*7.2*	159.4	*14.5*	369.6	62
.....	.....	163.3	163.3	.....	163.3	*9.1*	.....	*18.1*	*18.1*	163.3	.....	.....	81.7	*27.2*	.....	63.5	.....	263.1	63
4.3	12.9	116.3	245.6	20.1	104.8	44.5	20.1	*5.7*	15.8	135.0	*4.3*	7.2	81.9	10.1	*1.4*	68.9	*1.4*	336.0	64
4.0	22.3	82.9	163.6	14.4	75.1	75.1	21.2	13.3	6.0	87.8	6.4	8.5	112.6	10.2	6.5	60.6	*0.2*	200.7	65
4.4	39.2	139.2	234.9	*4.4*	78.3	78.3	*8.7*	*4.4*	*18.1*	69.6	.....	*4.4*	91.4	.....	.....	60.9	.....	161.0	66
.....	37.2	105.3	130.1	*6.2*	74.3	37.2	*18.6*	*18.6*	*24.8*	86.7	*6.2*	*12.4*	80.5	*18.6*	*6.2*	61.9	.....	204.4	67
.....	36.8	184.2	147.4	*22.1*	125.3	*14.7*	36.8	36.8	*7.4*	147.4	.....	*14.7*	95.8	*22.1*	.....	36.8	.....	316.9	68

TABLE III.—DEATH RATES PER 100,000 ESTIMATED POPULATION IN THE REGISTRATION AREA (EXCLUSIVE

[See note at head of this table, p. 160.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid and paratyphoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria.	Influenza.	Erysipelas.	Meningococcus meningitis.	Tuberculosis of the respiratory system.	Tuberculosis of the meninges, etc.	Other forms of tuberculosis.	Cancer and other malignant tumors.
			1	5	6	7	8	9	10	11	21	24	31	32	33–37	48–49
	REGISTRATION CITIES—Continued.															
	NEW YORK—continued.															
1	Dunkirk	1,129.1	10.2	.....	.....	.....	15.3	.....	40.7	15.3	.....	5.1	40.7	5.1	15.3	71.2
2	Elmira	1,335.1	12.9	.....	.....	2.1	6.4	4.3	4.3	8.6	2.1	2.1	36.4	2.1	10.7	109.3
3	Fulton	1,339.4	22.3	.....	.....	7.4	.....	.....	7.4	7.4	7.4	7.4	37.2	.....	7.4	52.1
4	Geneva	1,267.8	6.7	.....	.....	.....	6.7	20.0	40.0	.....	6.7	.....	66.7	.....	20.0	113.4
5	Glens Falls	1,578.4	11.9	.....	.....	5.9	.....	.....	.....	.....	.....	.....	47.5	.....	.....	166.1
6	Gloversville	1,542.9	4.5	.....	.....	.....	35.9	4.5	22.4	26.9	9.0	.....	53.8	4.5	4.5	165.9
7	Herkimer	1,164.4	9.2	.....	.....	18.3	.....	.....	55.0	.....	.....	.....	36.7	9.2	9.2	82.5
8	Hornell	1,482.6	13.1	.....	.....	.....	.....	.....	13.1	13.1	.....	.....	39.4	.....	13.1	98.4
9	Hudson	1,621.4	.....	.....	.....	.....	.....	.....	8.5	17.0	.....	.....	67.9	25.5	8.5	110.4
10	Ilion	1,063.2	9.9	.....	.....	.....	.....	.....	.....	18.7	.....	.....	18.7	.....	9.3	93.3
11	Ithaca	1,551.1	17.3	.....	.....	.....	.....	5.8	11.5	23.1	5.8	.....	23.1	5.8	28.8	155.7
12	Jamestown	1,194.7	2.5	.....	.....	5.0	.....	5.0	17.5	10.0	2.5	2.5	72.3	7.5	5.0	99.8
13	Johnstown	1,266.1	.....	.....	.....	.....	.....	18.2	.....	.....	9.1	9.1	45.5	9.1	.....	136.6
14	Kingston	1,734.5	18.7	.....	.....	.....	14.9	.....	22.4	18.7	7.5	.....	145.5	11.2	7.5	130.6
15	Lackawanna*	1,898.2	21.7	.....	.....	.....	.....	97.6	21.7	5.4	16.3	.....	27.1	16.3	.....	54.2
16	Little Falls	1,103.1	22.8	.....	.....	.....	15.2	.....	.....	.....	.....	.....	30.4	7.6	.....	98.9
17	Lockport	1,329.1	4.6	.....	.....	9.2	.....	9.2	32.3	4.6	.....	.....	55.4	.....	4.6	83.1
18	Middletown*	2,158.7	.....	.....	.....	21.2	5.3	31.7	15.9	26.5	.....	.....	142.9	5.3	5.3	127.0
19	Mount Vernon	911.3	9.0	.....	.....	2.2	2.2	9.0	6.7	4.5	4.5	.....	40.4	2.2	2.2	98.8
20	New Rochelle	805.9	5.4	.....	.....	2.7	5.4	5.4	8.0	5.4	.....	10.7	32.1	2.7	2.7	61.6
21	New York (total)	1,123.2	2.2	0.1	(2)	4.6	7.4	6.6	15.3	6.4	3.1	2.7	90.2	7.0	7.1	97.7
22	White	1,103.2	2.2	0.1	(2)	4.6	7.5	6.3	15.4	6.3	3.0	2.7	84.7	6.8	6.3	98.4
23	Colored	1,778.1	2.3	.....	.....	5.3	3.5	15.9	11.2	8.8	6.5	2.9	268.4	12.9	31.7	74.6
24	Bronx Borough	895.9	1.8	.....	0.1	1.7	7.8	3.9	13.7	7.8	1.5	2.3	76.8	4.4	5.4	87.3
25	Brooklyn Borough (total)	1,067.7	2.2	(2)	.....	1.7	5.6	5.1	16.8	6.8	2.7	2.5	75.7	6.4	6.2	86.5
26	White	1,054.8	2.2	(2)	.....	1.7	5.7	4.9	17.0	6.6	2.7	2.4	72.9	6.4	5.9	86.3
27	Colored	1,826.4	2.9	.....	.....	.....	2.9	14.3	5.7	17.2	5.7	2.9	238.0	5.7	25.8	97.5
28	Manhattan Borough (total)	1,268.7	2.3	0.2	.....	9.2	9.3	9.1	14.0	5.4	4.3	3.4	110.0	9.0	9.0	112.9
29	White	1,242.3	2.3	0.2	.....	9.3	9.7	8.8	14.2	5.3	4.3	3.4	100.3	8.6	7.7	115.4
30	Colored	1,731.5	1.6	.....	.....	7.3	3.3	15.5	10.6	6.5	5.7	3.3	279.0	15.5	32.5	68.3
31	Queens Borough	1,011.1	2.2	0.2	.....	1.4	7.2	4.2	16.5	7.4	2.0	1.6	67.1	4.6	5.8	90.8
32	Richmond Borough	1,259.4	4.1	0.8	.....	1.6	.....	11.5	20.6	3.3	2.5	1.6	146.8	4.9	2.5	98.1
33	Newburgh	1,401.1	3.3	.....	.....	3.3	6.5	3.3	9.8	6.5	6.5	.....	107.3	9.8	13.0	133.3
34	Niagara Falls	1,154.0	9.3	.....	.....	14.8	20.4	9.3	46.4	9.3	.....	7.4	29.7	11.1	11.1	92.8
35	North Tonawanda	1,129.3	18.7	.....	.....	.....	.....	6.2	68.6	6.2	.....	.....	62.4	.....	.....	124.8
36	Ogdensburg*	3,128.2	20.5	.....	.....	6.8	6.8	6.8	.....	27.4	6.8	.....	171.1	20.5	.....	212.2
37	Olean	1,374.1	4.7	.....	.....	.....	4.7	14.0	9.3	4.7	4.7	.....	32.7	4.7	9.3	149.6
38	Oneida	1,368.9	9.2	.....	.....	.....	.....	.....	9.2	.....	.....	.....	27.6	18.4	9.2	137.8
39	Oneonta	1,671.6	8.4	.....	.....	8.4	8.4	8.4	16.8	.....	.....	.....	33.6	8.4	8.4	75.6
40	Ossining	1,443.3	.....	.....	.....	.....	18.6	9.3	9.3	.....	9.3	9.3	27.9	27.9	9.3	102.4
41	Oswego	1,394.5	4.2	.....	.....	.....	.....	.....	21.1	.....	.....	.....	76.1	8.5	.....	109.9
42	Peekskill	1,173.7	.....	.....	.....	12.6	.....	12.6	12.6	18.8	.....	.....	69.0	.....	12.6	106.7
43	Plattsburg	1,796.7	9.2	.....	.....	.....	9.2	.....	18.3	9.2	9.2	.....	45.8	9.2	45.8	110.0
44	Port Chester	1,107.6	5.8	.....	.....	29.1	11.7	.....	11.7	11.7	.....	.....	23.3	.....	5.8	75.8
45	Port Jervis	2,065.5	9.7	9.7	.....	19.5	9.7	9.7	19.5	68.2	.....	9.7	48.7	.....	9.7	146.1
46	Poughkeepsie	1,180.3	8.3	.....	.....	.....	.....	.....	19.4	2.8	.....	.....	38.8	11.1	8.3	116.4
47	Rensselaer	1,051.7	.....	.....	.....	.....	.....	.....	9.2	.....	.....	.....	9.2	.....	.....	138.4
48	Rochester	1,200.1	3.3	.....	.....	0.7	7.9	13.8	27.5	1.6	2.9	.....	52.4	5.2	10.2	114.7
49	Rome*	1,890.3	3.7	.....	.....	25.7	.....	.....	73.4	3.7	.....	.....	264.3	7.3	7.3	161.5
50	Saratoga Springs	2,048.4	.....	.....	.....	7.6	15.2	.....	7.6	7.6	.....	7.6	98.6	7.6	22.8	174.5
51	Schenectady	970.3	5.5	.....	.....	3.3	11.0	4.4	14.3	2.2	1.1	4.4	37.3	4.4	6.6	79.0
52	Syracuse	1,205.0	3.9	.....	.....	3.9	6.8	12.4	45.6	1.1	2.3	0.6	50.1	8.5	11.3	107.6
53	Tonawanda	734.8	9.7	.....	.....	.....	.....	.....	9.7	.....	.....	.....	67.7	.....	9.7	77.3
54	Troy	1,612.2	9.7	.....	.....	15.3	2.8	18.1	6.9	5.6	5.6	.....	66.7	18.1	6.9	161.1
55	Utica*	1,425.0	8.0	.....	.....	27.2	1.0	5.0	34.2	7.0	2.0	1.0	52.3	8.0	4.0	139.8
56	Watertown	1,506.8	6.3	.....	.....	9.4	9.4	6.3	.....	3.1	3.1	.....	78.2	.....	6.3	121.9
57	Watervliet	1,103.2	6.2	.....	.....	.....	.....	30.8	18.5	12.3	.....	.....	67.8	12.3	.....	141.7
58	White Plains	1,104.5	4.6	.....	.....	.....	.....	.....	.....	4.6	.....	4.6	37.0	.....	4.6	110.9
59	Yonkers	929.1	3.9	.....	.....	1.0	10.6	4.8	12.6	3.9	5.8	2.9	90.0	6.8	5.8	76.5
	NORTH CAROLINA.															
60	Asheville* (total)	2,077.5	10.2	.....	.....	.....	.....	23.9	6.8	40.9	3.4	.....	607.2	17.1	17.1	64.8
61	White	2,090.3	13.6	.....	.....	.....	.....	31.7	9.1	22.7	4.5	.....	675.6	18.1	18.1	58.9
62	Colored	2,038.6	.....	.....	.....	.....	.....	.....	.....	96.4	.....	.....	399.4	13.8	13.8	82.6
63	Charlotte (total)	1,444.8	.....	8.3	.....	14.5	4.1	6.2	14.5	18.7	.....	2.1	122.3	6.2	14.5	58.0
64	White	1,194.6	.....	.....	.....	15.1	6.0	.....	15.1	9.0	.....	3.0	57.3	9.0	6.0	63.3
65	Colored	1,994.4	.....	26.5	.....	13.3	.....	19.9	13.3	39.8	.....	.....	265.0	.....	33.1	46.4
66	Durham (total)	1,505.2	22.5	.....	.....	.....	.....	.....	.....	58.4	.....	4.5	211.2	4.5	35.9	53.9
67	White	1,008.5	.....	.....	.....	.....	.....	.....	.....	48.4	.....	6.9	89.8	6.9	.....	48.4
68	Colored	2,429.6	64.3	.....	.....	.....	.....	.....	.....	77.1	.....	.....	437.1	.....	102.8	64.3
69	Gastonia	1,431.6	7.2	7.2	.....	14.3	14.3	7.2	28.6	28.6	.....	14.3	78.7	.....	7.2	78.7
70	Goldsboro	1,653.2	24.8	24.8	.....	.....	.....	8.3	.....	24.8	.....	8.3	190.1	.....	24.8	66.1

[1] Exclusive of stillbirths.

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1921—Continued.

[See note at head of this table, p. 160.]

DEATH RATE PER 100,000 POPULATION FROM—																		
Rheumatism. 51,52	Diabetes mellitus. 57	Cerebral hemorrhage and softening. 74, 88	Other [organic] diseases of the heart. 90	Bronchitis. 99	Pneumonia (all forms). 100, 101	Diarrhea and enteritis (under 2 years). 113	Appendicitis and typhlitis. 117	Hernia, intestinal obstruction. 118	Cirrhosis of the liver. 122	Nephritis. 128, 129	Puerperal septicemia. 146	Other puerperal causes. 143-145, 147-150	Congenital malformations and diseases of early infancy. 159-163	Suicide. 165-174	Homicide. 197-200	Accidental and unspecified external causes. 175-196, 201-203	Unknown or ill-defined diseases. 204,205	All other causes.	
5.1	*5.1*	76.3	101.7	*10.2*	96.6	35.6	30.5	*20.3*	*20.3*	71.2	*5.1*	*20.3*	106.8	*5.1*	*5.1*	81.4	.....	213.6	1
4.3	32.1	107.2	205.7	17.1	87.9	30.0	23.6	19.3	12.9	171.4	*6.4*	*6.4*	90.0	10.7	*6.4*	81.4	.....	220.7	2
7.4	*23.3*	163.7	193.5	*29.3*	96.7	*29.3*	*29.3*	.....	*7.4*	81.9	.....	*22.3*	81.9	.....	*7.4*	111.6	.....	297.6	3
.....	53.4	106.8	93.4	*20.0*	100.1	*13.3*	*6.7*	*20.0*	.....	133.4	*13.3*	.....	173.5	*13.3*	*6.7*	66.7	.....	166.8	4
.....	35.6	142.4	272.9	*11.9*	65.3	*23.7*	53.4	*17.8*	*5.9*	83.1	*5.9*	*5.9*	124.6	*11.9*	.....	130.5	*5.9*	350.1	5
4.5	22.4	143.5	314.0	*9.0*	67.3	40.4	40.4	26.9	*9.0*	157.0	*4.5*	*18.5*	62.8	*9.0*	*9.0*	76.2	.....	201.8	6
.....	*27.5*	100.9	165.0	*18.3*	110.0	*9.2*	*18.3*	*9.2*	.....	82.5	*9.2*	*18.3*	110.0	.....	.....	110.0	*9.2*	146.7	7
18.1	*18.1*	91.8	328.0	*6.6*	85.3	*18.1*	32.8	*18.1*	32.8	91.8	*6.6*	.....	98.4	*26.2*	*6.6*	85.3	.....	347.7	8
.....	50.9	195.2	195.2	.....	93.4	*34.0*	*34.0*	*34.0*	.....	135.8	*17.0*	*8.5*	127.3	*17.0*	*8.5*	144.3	.....	288.6	9
.....	*18.7*	139.9	149.2	*28.0*	74.6	*9.3*	74.6	.....	.....	158.6	.....	*9.3*	46.6	.....	.....	*37.3*	.....	167.9	10
11.5	28.8	103.8	167.2	*5.8*	126.9	28.8	*5.8*	28.8	*17.3*	178.7	*17.3*	*5.8*	121.1	*11.5*	*5.8*	103.8	.....	305.6	11
5.0	24.9	94.8	177.1	20.0	54.9	17.5	*10.0*	15.0	*10.0*	82.3	*7.5*	*5.0*	104.8	15.0	*2.5*	72.3	.....	246.9	12
.....	*18.2*	136.6	209.5	.....	91.1	*27.3*	.....	*9.1*	*18.2*	145.7	*9.1*	.....	*33.4*	*9.1*	.....	54.6	.....	273.2	13
.....	33.6	104.4	238.7	22.4	104.4	*14.9*	44.8	52.2	18.7	145.5	*7.5*	*14.9*	111.9	18.7	*3.7*	100.7	.....	320.8	14
5.4	.....	*10.8*	92.2	48.8	168.1	314.6	*16.3*	.....	*10.8*	27.1	.....	32.5	385.1	*16.3*	*5.4*	92.2	*5.4*	406.7	15
.....	45.6	60.9	106.5	*7.6*	45.6	*30.4*	*30.4*	.....	.....	45.6	*22.8*	45.6	136.9	*7.6*	.....	121.7	.....	220.6	16
9.2	*4.6*	115.4	258.4	*4.6*	64.6	55.4	32.3	*4.6*	*4.6*	69.2	*9.2*	*18.8*	83.1	*9.2*	*9.2*	106.1	.....	272.3	17
5.3	26.5	232.8	375.7	.....	137.6	37.0	52.9	*10.6*	*5.3*	254.0	.....	*10.6*	111.1	*21.2*	.....	105.8	*5.3*	386.2	18
4.5	*6.7*	62.9	152.6	.....	92.0	22.4	*4.5*	*2.2*	*9.0*	107.7	*6.7*	15.7	83.1	13.5	.....	42.6	.....	103.3	19
5.4	*10.7*	69.6	149.9	*10.7*	83.0	18.7	*10.7*	*3.0*	*10.7*	45.5	.....	*5.4*	69.6	.....	.....	56.2	.....	109.8	20
5.2	24.1	56.2	169.3	9.2	115.7	37.4	14.6	10.7	9.1	96.9	5.8	8.7	78.1	14.4	5.9	60.6	0.5	150.4	21
5.2	24.4	56.4	167.6	9.1	111.7	36.5	14.4	10.7	9.2	96.2	5.4	8.3	76.0	14.5	5.4	60.6	0.5	146.9	22
6.5	15.9	48.7	227.8	11.7	247.8	66.4	20.0	10.0	5.9	119.8	19.4	20.6	149.2	12.9	24.1	61.1	*1.8*	264.8	23
5.4	24.9	44.6	130.1	4.6	93.6	16.4	13.0	10.9	5.9	75.3	4.0	8.9	67.2	11.0	3.5	40.8	*0.4*	120.7	24
6.3	22.0	53.1	180.5	9.5	110.2	37.2	15.5	8.8	8.2	103.2	5.8	9.2	74.6	10.2	4.6	58.4	0.4	131.8	25
6.2	22.1	53.2	179.3	9.3	108.3	36.9	15.3	8.8	8.2	102.1	5.7	9.1	72.9	10.2	4.2	58.3	0.4	129.6	26
11.5	17.2	51.6	252.3	22.9	220.8	57.3	31.5	*5.7*	*8.6*	172.0	*11.5*	17.2	169.2	*8.6*	28.7	63.1	.....	258.0	27
4.6	26.0	58.8	173.2	10.8	134.6	47.6	14.0	11.6	10.2	93.8	6.5	8.5	86.8	20.3	8.7	70.9	-0.5	183.1	28
4.7	26.7	59.7	171.0	11.0	127.7	46.1	13.9	11.6	10.4	93.6	5.6	7.8	83.7	20.7	7.9	71.6	0.5	178.6	29
3.3	13.8	43.1	211.5	8.9	255.4	74.8	16.3	10.6	5.7	97.6	22.0	19.5	141.5	14.6	22.8	57.7	*0.3*	262.7	30
3.4	23.1	73.9	155.5	7.6	90.0	24.9	15.7	13.1	11.7	103.7	5.6	8.2	67.7	12.9	3.4	47.4	1.2	125.8	31
4.1	22.3	61.9	212.8	7.4	102.3	36.3	14.0	15.7	12.4	137.7	*3.3*	4.1	89.1	4.9	*2.5*	85.8	.....	144.3	32
3.3	22.8	178.8	237.3	16.3	81.3	22.8	*13.0*	*13.0*	*9.8*	133.3	*13.0*	*6.5*	94.3	*9.8*	.....	74.8	.....	169.0	33
.....	*7.4*	61.2	103.9	11.1	100.2	111.3	*5.6*	*7.4*	*3.7*	46.4	*5.6*	*7.4*	103.9	*7.4*	13.0	118.7	.....	178.1	34
.....	31.2	68.6	112.3	*18.7*	37.4	*25.0*	*12.5*	*12.5*	.....	43.7	*6.2*	*12.5*	131.0	*6.2*	.....	93.6	*6.2*	224.6	35
.....	47.9	205.4	547.6	*27.4*	157.4	61.6	89.0	34.2	*18.7*	246.4	*6.8*	41.1	287.5	*13.7*	.....	171.1	.....	698.2	36
9.3	28.0	84.1	191.6	*4.7*	74.8	60.8	46.7	*18.7*	*9.3*	46.7	28.0	28.0	112.2	*9.3*	.....	98.1	.....	285.1	37
.....	*18.4*	128.6	266.4	*18.4*	45.9	*36.7*	*27.6*	*9.2*	*18.4*	55.1	*9.2*	*9.2*	64.3	*27.6*	*27.6*	73.5	*9.2*	312.4	38
.....	*25.2*	142.8	277.2	*8.4*	117.6	*8.4*	67.2	*33.6*	.....	184.8	50.4	*25.2*	84.0	.....	*8.4*	109.2	.....	352.8	39
.....	*27.9*	121.1	232.8	*9.5*	*37.2*	*9.3*	*9.3*	*37.2*	*9.3*	139.7	*9.3*	*9.3*	121.1	*9.5*	.....	223.5	.....	214.2	40
4.2	*16.9*	173.3	249.3	*8.5*	80.3	42.3	*12.7*	*16.9*	*8.5*	114.1	.....	.....	156.3	*8.5*	.....	105.6	.....	177.5	41
6.3	62.8	156.9	131.8	31.4	56.5	*12.6*	*12.6*	*12.6*	*6.3*	56.5	.....	.....	75.3	*12.6*	.....	94.1	*6.3*	194.6	42
9.2	*27.5*	128.3	220.0	*36.7*	110.0	*27.5*	*27.5*	*27.5*	*9.2*	100.8	*27.5*	*27.5*	192.5	*9.2*	*27.5*	192.5	.....	330.0	43
5.8	29.1	87.4	145.7	*5.8*	40.8	*23.3*	*23.3*	*17.5*	.....	122.4	*23.3*	.....	87.4	*5.8*	.....	116.6	.....	198.2	44
77.9	*39.0*	136.4	214.3	*29.2*	*39.0*	87.7	58.5	58.5	107.2	77.9	.....	68.2	146.1	*19.5*	.....	146.1	.....	399.5	45
8.3	24.9	177.3	210.6	13.9	66.5	24.9	*11.1*	*11.1*	*2.8*	94.2	*5.5*	*5.5*	55.4	*2.8*	*2.8*	52.6	.....	205.0	46
.....	*27.7*	119.9	175.3	*9.2*	73.8	*18.5*	.....	.....	*9.2*	110.7	.....	*9.2*	55.4	.....	*9.2*	46.1	.....	230.6	47
4.6	27.8	92.1	194.6	6.6	68.1	53.1	16.4	11.8	9.2	104.5	7.9	7.9	89.4	11.8	4.9	65.5	*0.3*	183.5	48
.....	*14.7*	157.8	267.9	44.0	80.8	73.4	18.4	*11.0*	*14.7*	124.8	*11.0*	.....	99.1	*7.3*	.....	99.1	.....	319.3	49
.....	45.5	144.1	318.6	.....	83.5	60.7	45.5	45.5	*30.3*	326.2	*15.2*	*7.6*	68.3	*15.2*	*7.6*	121.4	*7.6*	356.6	50
5.5	15.4	108.7	144.9	8.8	61.5	9.9	13.2	12.1	*3.3*	75.7	6.6	8.8	79.0	12.1	*1.1*	41.7	.....	188.8	51
3.9	27.6	91.8	191.0	5.1	82.8	53.0	13.5	14.1	5.6	69.9	4.5	7.3	96.9	11.8	4.5	70.4	*1.1*	196.0	52
.....	*9.7*	38.7	96.7	*19.3*	67.7	*19.3*	.....	.....	*9.7*	*29.0*	.....	.....	67.7	.....	.....	58.0	.....	145.0	53
.....	25.0	136.1	291.6	6.9	119.4	52.8	19.4	23.6	8.3	129.1	13.9	6.9	91.7	11.1	*2.8*	87.5	*1.4*	268.0	54
4.0	18.1	96.5	212.2	8.0	105.6	54.3	22.1	13.1	7.0	121.7	*4.0*	14.1	96.5	11.1	7.0	74.4	*1.0*	264.5	55
6.3	34.4	162.6	234.5	*6.3*	43.8	50.0	*12.5*	37.5	*6.3*	50.0	*9.4*	21.9	140.7	*12.5*	*3.1*	134.4	.....	297.0	56
.....	*18.5*	92.4	172.6	*18.5*	67.8	67.8	.....	*24.7*	*6.2*	80.1	.....	*6.2*	61.6	.....	.....	49.3	.....	147.9	57
9.2	*18.5*	106.3	231.1	.....	83.2	*4.6*	*13.9*	*18.5*	.....	73.9	.....	*9.2*	105.3	*9.2*	.....	69.3	*4.6*	180.2	58
7.7	15.5	66.8	113.2	7.7	77.4	30.0	11.6	8.7	4.8	75.5	7.7	11.6	78.4	12.6	*3.9*	52.3	.....	119.0	59
3.4	23.9	95.5	109.2	*6.8*	126.2	51.2	47.8	30.7	*3.4*	156.9	*3.4*	34.1	116.0	.....	27.3	119.4	34.1	296.8	60
4.5	27.2	81.6	63.5	.....	81.6	49.9	58.9	31.7	*4.5*	167.8	*4.5*	31.7	131.5	.....	27.2	122.4	36.3	312.9	61
.....	*13.8*	137.7	247.9	*27.5*	261.7	*55.1*	*13.8*	*27.5*	.....	124.0	.....	*41.3*	68.9	.....	*27.5*	110.2	*27.5*	247.9	62
6.2	14.5	82.9	147.2	18.7	114.0	45.6	37.3	10.4	*8.3*	80.8	14.5	16.6	91.2	*4.1*	12.4	99.5	24.9	346.2	63
.....	21.1	69.4	120.7	*6.0*	99.5	45.2	27.1	*6.0*	*3.0*	69.4	15.1	*12.1*	93.5	*6.0*	*6.0*	84.5	18.1	307.7	64
19.9	.....	112.6	205.4	46.4	145.8	46.4	59.6	*19.9*	*19.9*	106.0	*13.3*	*26.5*	86.1	.....	*26.5*	132.5	39.8	430.7	65
.....	*9.0*	62.9	188.7	*9.0*	89.9	103.3	.....	*9.0*	.....	130.3	*4.5*	*18.0*	94.4	*9.0*	*9.0*	35.9	98.8	242.6	66
.....	*18.8*	41.4	138.2	*6.9*	48.4	82.9	.....	*6.9*	.....	110.5	*6.9*	.....	89.8	*13.8*	*6.9*	48.4	76.0	117.4	67
.....	.....	102.8	282.8	*12.9*	167.1	141.4	.....	*12.9*	.....	167.1	.....	*51.4*	102.8	.....	*12.9*	*12.9*	141.4	475.6	68
.....	*14.3*	71.6	136.0	*7.2*	64.4	*28.6*	64.4	*21.5*	.....	78.7	*14.3*	*14.3*	186.1	*7.2*	.....	107.4	100.2	229.1	69
.....	*3.3*	74.4	165.3	*33.1*	57.9	82.7	*24.8*	*3.3*	*3.3*	99.2	.....	*24.8*	223.2	.....	*33.1*	99.2	41.3	297.6	70

[3] Less than one-tenth of 1 per 100,000 population.

TABLE III.—DEATH RATES PER 100,000 ESTIMATED POPULATION IN THE REGISTRATION AREA (EXCLUSIVE

[See note at head of this table, p. 160.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid and paratyphoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria.	Influenza.	Erysipelas.	Meningococcus meningitis.	Tuberculosis of the respiratory system.	Tuberculosis of the meninges, etc.	Other forms of tuberculosis.	Cancer and other malignant tumors.
			1	5	6	7	8	9	10	11	21	24	31	32	33–37	43–49
	REGISTRATION CITIES—Continued.															
	NORTH CAROLINA—continued.															
1	Greensboro (total)	1,392.1	34.2	.....	.....	.....	.....	.....	4.9	34.2	4.9	.....	97.7	.....	4.9	92.8
2	White	1,168.9	20.7	.....	.....	.....	.....	.....	.....	20.7	6.9	.....	34.6	.....	.....	96.8
3	Colored	1,928.5	66.5	.....	.....	.....	.....	.....	16.6	66.5	.....	.....	249.4	.....	16.6	83.1
4	High Point	1,216.8	.....	.....	.....	26.6	.....	19.9	33.2	26.6	.....	.....	119.7	.....	.....	53.2
5	New Bern (total)	1,917.6	16.4	65.6	.....	.....	.....	8.2	24.6	32.8	.....	.....	155.7	8.2	.....	65.6
6	White	1,440.0	36.5	36.5	.....	.....	.....	.....	18.2	.....	.....	.....	54.7	18.2	.....	127.6
7	Colored	2,307.6	.....	89.3	.....	.....	.....	14.9	29.8	59.6	.....	.....	238.2	.....	.....	14.9
8	Raleigh * (total)	1,955.4	10.7	.....	.....	3.6	.....	28.6	7.1	7.1	.....	7.1	168.0	3.6	14.3	78.6
9	White	1,750.4	.....	.....	.....	5.5	.....	16.5	.....	11.0	.....	11.0	98.8	.....	5.5	76.8
10	Colored	2,338.5	30.8	.....	.....	.....	.....	51.3	20.5	.....	.....	.....	297.4	10.3	30.8	82.1
11	Rocky Mount	1,770.1	.....	14.9	.....	22.4	.....	37.3	7.5	29.9	7.5	7.5	112.0	7.5	7.5	67.2
12	Salisbury	1,246.3	20.1	6.7	.....	13.4	.....	13.4	6.7	26.8	.....	.....	53.6	.....	26.8	53.6
13	Wilmington (total)	1,756.9	2.9	8.7	.....	17.5	2.9	2.9	5.8	2.9	.....	.....	87.3	8.7	23.3	84.4
14	White	1,497.1	.....	9.6	.....	14.4	4.8	4.8	9.6	4.8	.....	.....	48.1	14.4	4.8	72.2
15	Colored	2,153.8	7.4	7.4	.....	22.1	.....	.....	.....	.....	.....	.....	147.0	.....	51.5	102.9
16	Wilson (total)	1,935.1	17.8	.....	8.9	8.9	.....	35.7	.....	17.8	.....	.....	160.5	.....	8.9	44.6
17	White	1,856.1	17.7	.....	17.7	.....	.....	17.7	.....	.....	.....	.....	17.7	.....	.....	53.0
18	Colored	2,015.5	18.0	.....	.....	18.0	.....	54.0	.....	36.0	.....	.....	305.9	.....	18.0	36.0
19	Winston-Salem (total)	1,212.8	3.9	.....	1.9	15.5	5.8	13.6	7.7	5.8	1.9	3.9	125.9	11.6	11.6	34.9
20	White	947.0	.....	.....	.....	17.0	6.8	10.2	3.4	3.4	3.4	.....	37.5	6.8	.....	40.9
21	Colored	1,563.3	9.0	.....	4.5	13.5	4.5	18.0	13.5	9.0	.....	9.0	242.6	18.0	27.0	27.0
	NORTH DAKOTA.[2]															
22	Fargo	1,309.9	8.6	.....	.....	.....	34.6	.....	13.0	21.6	8.6	4.3	21.6	4.3	8.6	86.5
	OHIO.															
23	Akron	750.4	6.2	.....	.....	1.0	6.7	5.8	15.8	6.2	1.9	1.4	39.3	1.4	6.2	48.0
24	Alliance	1,256.5	8.9	.....	.....	4.4	8.9	17.8	13.3	4.4	4.4	4.4	57.7	.....	13.3	102.1
25	Ashtabula	1,083.9	12.8	4.3	.....	.....	4.3	.....	17.0	4.3	.....	.....	46.8	4.3	12.8	114.8
26	Barberton	878.6	5.0	.....	.....	.....	15.0	20.0	.....	5.0	5.0	5.0	44.9	.....	10.0	39.9
27	Bellaire	1,195.8	6.5	.....	.....	19.5	.....	6.5	26.0	39.0	.....	.....	65.0	.....	26.0	71.5
28	Bucyrus	1,057.4	9.3	.....	.....	.....	18.6	.....	9.3	9.3	.....	.....	9.3	.....	.....	129.9
29	Cambridge	1,242.9	22.5	.....	.....	37.4	.....	15.0	37.4	22.5	7.5	.....	67.4	.....	7.5	82.4
30	Canton	1,057.1	6.5	.....	.....	3.3	7.6	4.3	24.9	5.4	3.3	1.1	28.2	1.1	5.4	90.0
31	Chillicothe	1,278 5	49.9	.....	.....	.....	6.2	6.2	6.2	12.5	6.2	.....	62.4	6.2	18.7	99.8
32	Cincinnati (total)	1,412.9	3.7	0.2	0.2	3.5	3.5	10.2	17.6	9.7	3.2	1.2	128.9	7.2	16.6	126.9
33	White	1,332.1	3.0	.....	0.3	2.4	3.0	7.5	18.8	8.1	3.0	0.8	105.1	7.0	12.1	130.7
34	Colored	2,367.2	12.7	3.2	.....	15.9	9.5	41.3	3.2	28.6	6.3	6.3	409.3	9.5	69.8	82.5
35	Cleveland (total)	1,046.4	3.4	0.2	.....	2.9	14.4	5.8	22.9	4.3	2.6	1.1	79.9	7.5	10.5	77.1
36	White	1,012.1	3.2	0.3	.....	2.7	14.9	4.4	23.5	4.0	2.5	0.9	65.6	7.4	8.8	78.3
37	Colored	1,746.3	7.7	.....	.....	7.7	5.2	33.5	10.3	10.3	5.2	5.2	370.9	7.7	43.8	54.1
38	Cleveland Heights	642.0	5.8	.....	.....	.....	5.8	.....	.....	5.8	.....	.....	40.9	5.8	.....	87.5
39	Columbus (total)	1,281.5	4.4	.....	.....	.....	6.1	5.6	16.5	9.7	2.0	0.4	76.3	5.2	11.7	100.9
40	White	1,248.0	4.9	.....	.....	.....	6.7	4.0	18.3	8.9	1.8	0.4	63.4	4.9	11.2	107.1
41	Colored	1,597.0	.....	.....	.....	.....	.....	21.0	.....	16.8	4.2	.....	197.5	8.4	16.8	42.0
42	Coshocton	1,458.3	36.2	.....	.....	.....	9.1	9.1	9.1	45.3	.....	.....	45.3	.....	.....	90.6
43	Cuyahoga Falls	762.0	.....	.....	.....	.....	9.0	9.0	9.0	.....	.....	.....	62.8	9.0	9.0	9.0
44	Dayton	1,096.6	5.1	.....	0.6	0.6	11.4	8.2	12.0	10.1	2.5	1.9	75.9	5 7	8.2	110.7
45	East Cleveland	707.9	3.3	.....	.....	.....	.....	.....	6.6	6.6	3.3	.....	36.6	3.3	.....	73.1
46	East Liverpool	1,520.7	55.6	.....	4.6	4.6	.....	4.6	4.6	4.6	4.6	.....	111.3	4.6	9.3	102.0
47	East Youngstown	954.9	.....	.....	.....	37.3	67.1	7.5	14.9	7.5	.....	.....	37.3	7.5	7.5	7.5
48	Elyria	1,078.3	9.3	.....	.....	.....	.....	.....	9.3	4.6	.....	.....	74.0	.....	4.6	74.0
49	Findlay	1,215.8	11.5	5.8	.....	.....	.....	.....	5.8	17.3	23.0	.....	51.9	.....	5.8	144.1
50	Fremont	979.9	15.6	.....	.....	7.8	.....	15.6	15.6	.....	.....	.....	77.8	7.8	.....	62.2
51	Hamilton	1,200.9	2.5	.....	.....	4.9	22.2	14.8	29.6	29.6	4.9	.....	59.2	4.9	2.5	113.4
52	Ironton	1,442.8	7.1	.....	.....	14.1	14.1	14.1	21.2	7.1	.....	.....	120.2	7.1	7.1	99.0
53	Kenmore	641.8	20.3	.....	.....	.....	6.8	6.8	13.5	.....	13.5	6.8	20.3	.....	.....	47.3
54	Lakewood	826.9	.....	.....	.....	.....	2.2	2.2	4.4	6.5	2.2	.....	50.2	4.4	6.5	85.1
55	Lancaster	1,270.4	.....	.....	.....	6.7	6.7	13.4	26.7	20.1	.....	.....	100.3	.....	13.4	93.6
56	Lima	1,102.9	14.0	.....	.....	2.3	2.3	4.7	11.7	11.7	.....	.....	53.7	9.3	14.0	121.5
57	Lorain	958.9	10.3	.....	.....	5.2	12.9	7.7	20.6	10.3	.....	5.2	61.9	7.7	7.7	87.6
58	Mansfield	1,117.1	.....	.....	.....	3.5	3.5	6.9	3.5	6.9	6.9	3.5	72.6	.....	10.4	100.3
59	Marietta	1,502.7	26.4	.....	.....	.....	.....	.....	39.5	19.8	.....	.....	105.5	6.6	26.4	72.5
60	Marion	1,159.5	17.2	.....	.....	3.4	13.7	6.9	27.4	10.3	.....	.....	68.6	.....	3.4	85.8
61	Martins Ferry	1,472.5	.....	.....	.....	.....	16.6	3.3	41.6	3.3	3.3	.....	58.2	3.3	3.3	108.2
62	Massillon	1,086.6	.....	.....	.....	.....	.....	.....	5.6	11.1	11.1	.....	72.4	.....	5.6	78.0
63	Middletown	953.1	7.6	.....	7.6	3.8	.....	7.6	22.8	7.6	7.6	.....	72.1	11.4	22.8	106.3
64	New Philadelphia	1,026.6	9.0	.....	.....	.....	18.0	18.0	9.0	45.0	.....	.....	45.0	.....	9.0	81.0
65	Newark	1,378.2	7.4	.....	.....	.....	.....	3.7	48.3	26.0	.....	.....	66.9	.....	11.1	100.3
66	Niles	966.8	13.7	.....	.....	34.3	61.7	6.9	6.9	13.7	.....	.....	54.9	.....	20.6	75.4
67	Norwood	672.4	.....	.....	.....	.....	.....	3.8	3.8	.....	3.8	.....	64.6	.....	3.8	106.4

[1] Exclusive of stillbirths.

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1921—Continued.

[See note at head of this table, p. 160.]

DEATH RATE PER 100,000 POPULATION FROM—																		
Rheumatism.	Diabetes mellitus.	Cerebral hemorrhage and softening.	Other [organic] diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis.	Puerperal septicemia.	Other puerperal causes.	Congenital malformations and diseases of early infancy.	Suicide.	Homicide.	Accidental and unspecified external causes.	Unknown or ill-defined diseases.	All other causes.	
51,52	57	74, 83	90 *	99	100, 101	113	117	118	122	128, 129	146	143-145, 147-150	159-163	165-174	197-200	175-196, 201-203	204,205		
.....	9.8	83.0	112.3	9.8	78.2	24.4	29.3	29.3	14.7	112.3	19.5	44.0	122.1	.....	34.2	73.3	14.7	307.7	1
.....	13.8	89.9	103.7	13.8	41.5	6.9	34.6	13.8	20.7	117.6	6.9	34.6	96.8	.....	6.9	83.0	13.8	290.5	2
.....	.....	66.5	133.0	.....	166.3	66.5	16.6	66.5	.....	99.8	49.9	66.5	182.9	.....	99.8	49.9	16.6	349.1	3
6.6	19.9	39.9	93.1	.....	86.4	73.1	53.2	13.3	.....	53.2	19.9	39.9	93.1	.....	.....	73.1	53.2	219.4	4
8.2	16.4	180.3	262.2	8.2	73.8	106.5	24.6	32.8	16.4	196.7	8.2	24.6	73.8	8.2	8.2	155.7	32.8	303.2	5
.....	36.6	54.7	182.3	.....	54.7	18.2	36.6	36.6	.....	109.4	.....	18.2	72.9	18.2	.....	145.8	54.7	309.9	6
14.9	.....	282.9	327.5	14.9	89.3	178.7	14.9	29.8	29.8	268.0	14.9	29.8	74.4	.....	14.9	163.8	14.9	297.8	7
7.1	10.7	160.9	168.0	10.7	107.2	46.5	39.3	14.3	14.3	203.8	14.3	14.3	128.7	10.7	17.9	125.1	17.9	514.8	8
.....	11.0	192.1	120.7	16.5	98.8	38.4	43.9	5.5	16.5	219.5	5.5	5.5	104.3	16.5	5.5	115.2	16.5	493.9	9
20.5	10.3	102.6	256.4	.....	123.1	61.5	30.8	30.8	10.3	174.4	30.8	30.8	174.4	.....	41.0	143.6	20.5	553.8	10
14.9	14.9	104.6	134.4	7.5	44.8	119.5	82.2	14.9	14.9	171.8	7.5	22.4	239.0	22.4	37.3	82.2	37.3	276.3	11
6.7	6.7	127.3	107.2	6.7	87.1	67.0	13.4	6.7	6.7	40.2	6.7	6.7	73.7	6.7	13.4	93.8	40.2	308.2	12
.....	14.5	113.4	122.2	11.6	154.2	142.5	14.5	23.3	5.8	224.0	14.5	29.1	162.9	14.5	37.8	113.4	29.1	282.2	13
.....	14.4	67.4	110.7	4.8	130.0	125.2	24.1	28.9	4.8	182.9	14.4	28.9	178.1	19.3	14.4	105.9	19.3	235.9	14
.....	14.7	183.8	139.7	22.1	191.1	169.1	.....	14.7	7.4	286.7	14.7	29.4	139.7	7.4	73.5	125.0	44.1	352.8	15
8.9	17.8	44.6	133.8	.....	124.8	53.5	80.3	35.7	.....	196.2	.....	71.3	107.0	17.8	53.5	151.6	231.9	303.2	16
.....	.....	53.0	141.4	.....	70.7	88.4	123.7	35.4	.....	247.5	.....	88.4	212.1	35.4	35.4	159.1	106.1	335.9	17
18.0	36.0	36.0	126.0	.....	180.0	18.0	36.0	36.0	.....	144.0	.....	54.0	.....	.....	72.0	144.0	359.9	269.9	18
1.9	17.4	83.3	94.9	1.9	93.0	91.1	19.4	13.6	.....	89.1	5.8	21.3	143.4	5.8	19.4	48.4	27.1	191.8	19
.....	20.4	81.8	71.5	3.4	61.3	71.5	30.7	13.6	.....	61.3	3.4	20.4	129.4	10.2	6.8	54.5	13.6	163.5	20
4.5	13.5	85.4	125.8	.....	134.8	116.8	4.5	13.5	.....	125.8	9.0	22.5	161.7	.....	35.9	40.4	44.9	229.1	21
.....	43.2	60.5	108.1	8.6	95.1	25.9	51.9	51.9	4.3	21.6	4.3	43.2	168.6	8.6	4.3	64.8	13.0	319.9	22
1.4	7.7	44.1	86.8	4.8	74.8	27.8	10.6	7.7	8.6	37.4	8.6	9.6	79.6	13.4	13.9	69.6	.....	103.6	23
.....	48.8	97.7	97.7	8.9	71.0	26.6	48.8	22.2	13.3	79.9	13.3	17.8	124.3	13.3	4.4	119.9	8.9	199.8	24
.....	25.5	76.5	123.3	4.3	55.3	25.5	17.0	21.3	4.3	17.0	25.5	4.3	131.8	17.0	4.3	102.0	12.8	195.5	25
.....	10.0	54.9	64.9	10.0	79.9	49.9	10.0	10.0	.....	39.9	10.0	.....	139.8	15.0	5.0	84.9	.....	144.8	26
.....	6.5	123.5	91.0	13.0	117.0	32.5	45.5	13.0	.....	58.5	19.5	6.5	149.5	6.5	13.0	78.0	.....	162.5	27
18.6	37.1	129.9	64.9	.....	83.5	18.6	9.3	18.6	9.3	102.0	9.3	9.3	92.8	9.3	9.3	37.1	.....	213.3	28
.....	7.6	82.4	179.7	.....	67.4	37.4	22.5	7.5	.....	97.3	.....	.....	104.8	7.5	.....	119.8	.....	209.6	29
8.7	8.7	118.2	127.9	.....	80.2	44.5	16.3	9.8	6.5	30.4	10.8	16.3	114.9	10.8	13.0	75.9	4.3	178.9	30
.....	24.9	93.5	137.2	18.7	87.3	37.4	49.9	.....	.....	93.5	.....	6.2	87.3	12.5	.....	106.0	18.7	230.7	31
3.5	25.0	114.3	196.1	9.9	101.6	31.7	26.3	17.8	11.4	125.7	8.2	8.9	73.6	14.4	15.4	77.3	2.2	216.9	32
2.7	26.4	110.8	190.9	9.1	86.6	30.4	25.5	17.2	11.3	121.3	7.0	8.9	71.0	14.5	9.1	77.7	2.4	207.6	33
12.7	9.5	155.5	257.0	19.0	279.2	47.6	34.9	25.4	12.7	177.7	22.2	9.5	104.7	12.7	88.8	73.0	.....	326.8	34
5.8	17.1	64.4	98.2	7.3	90.0	43.0	17.2	12.2	5.8	71.0	9.7	8.4	85.7	14.1	11.1	62.7	4.2	186.1	35
5.7	17.3	63.4	96.7	7.6	82.8	43.7	17.0	12.0	5.8	69.2	9.3	8.1	85.4	14.6	9.7	62.7	4.3	180.4	36
7.7	12.9	85.0	128.8	2.6	237.0	28.3	20.6	15.5	5.2	108.2	18.0	15.5	90.1	2.6	38.6	61.8	2.6	303.9	37
5.8	11.7	110.9	93.4	5.8	35.0	5.8	.....	5.8	.....	40.9	.....	5.8	17.5	5.8	.....	29.2	.....	116.7	38
2.8	20.2	97.2	150.1	5.6	89.2	26.6	23.8	16.9	6.9	61.7	8.5	8.9	83.5	12.5	10.1	90.4	1.6	326.0	39
3.1	21.4	94.6	146.9	4.9	80.3	23.2	23.7	17.0	7.1	59.4	8.0	8.5	84.8	13.4	7.1	89.7	1.8	321.4	40
.....	8.4	121.9	180.7	12.6	172.3	58.8	25.2	16.8	4.2	84.1	12.6	12.6	71.4	4.2	37.8	96.7	.....	369.8	41
.....	18.1	99.6	181.2	.....	63.4	45.3	36.2	27.2	18.1	72.5	9.1	.....	63.4	.....	.....	126.8	.....	452.9	42
.....	36.9	53.8	53.8	.....	62.8	36.9	.....	.....	.....	134.5	.....	.....	62.8	44.8	.....	26.9	.....	134.5	43
4.4	13.3	96.8	138.5	5.1	50.6	31.0	15.8	15.2	11.4	74.6	7.0	9.5	80.3	8.9	10.1	61.3	0.6	209.3	44
6.6	10.0	83.1	113.0	.....	46.5	13.3	10.0	6.6	3.3	93.1	.....	10.0	29.9	3.3	.....	33.2	.....	113.0	45
.....	23.2	157.6	120.5	4.6	176.2	41.7	37.1	27.8	9.3	51.0	27.8	13.9	74.2	13.9	9.3	83.5	13.9	324.5	46
.....	.....	.....	22.4	29.3	223.8	201.4	.....	.....	.....	22.4	.....	.....	134.3	.....	22.4	37.3	.....	67.1	47
9.3	18.5	85.3	97.2	4.6	55.5	32.4	4.6	9.3	9.3	97.2	4.6	13.9	78.7	32.4	9.3	138.8	27.8	175.9	48
11.5	11.5	115.2	149.8	17.3	51.9	23.0	34.6	17.3	.....	40.3	.....	17.3	86.4	11.5	.....	63.4	.....	299.6	49
.....	23.3	163.3	93.3	23.3	31.1	15.6	23.3	31.1	15.6	77.8	.....	.....	54.4	.....	.....	23.3	7.8	194.4	50
4.9	24.7	108.5	138.1	4.9	44.4	49.3	9.9	14.8	19.7	51.8	7.4	17.3	103.6	22.2	17.3	81.4	4.9	187.4	51
7.1	7.1	148.5	127.3	14.1	99.0	56.6	21.2	35.4	14.1	84.9	14.1	21.2	134.4	7.1	14.1	84.9	14.1	226.3	52
.....	6.8	47.3	60.8	.....	47.3	13.5	.....	6.8	.....	54.1	.....	6.8	101.3	6.8	6.8	47.3	.....	101.3	53
6.6	28.4	61.1	124.4	4.4	52.4	26.2	8.7	4.4	6.5	87.3	8.7	2.2	45.8	4.4	.....	37.1	2.2	152.7	54
13.4	26.7	100.3	180.5	13.4	46.8	26.7	46.8	6.7	13.4	73.5	26.7	13.4	80.2	6.7	.....	73.5	.....	240.7	55
9.3	21.0	67.8	119.2	2.3	79.4	28.0	42.1	9.3	9.3	49.1	4.7	23.4	102.8	7.0	2.3	49.1	2.3	229.0	56
5.2	10.3	43.8	51.6	2.6	79.9	59.3	7.7	7.7	15.5	54.1	7.7	2.6	105.7	15.5	12.9	95.4	5.2	139.2	57
5.5	34.6	128.0	155.6	17.3	55.3	20.8	10.4	10.4	13.8	65.7	.....	.....	83.0	6.9	6.9	72.6	.....	214.4	58
.....	39.5	191.1	177.9	.....	39.5	13.2	26.4	39.5	.....	79.1	.....	6.6	98.9	33.0	.....	72.5	.....	388.8	59
6.9	6.9	106.3	147.5	10.3	51.5	54.9	24.0	3.4	3.4	58.3	13.7	13.7	106.3	13.7	6.9	89.2	.....	205.8	60
8.3	8.3	49.9	108.2	8.3	174.7	58.2	25.0	8.3	.....	108.2	33.3	8.3	108.2	8.3	16.6	224.6	.....	249.6	61
5.6	22.3	128.2	117.0	5.6	78.0	22.3	22.3	.....	16.7	78.0	.....	16.7	117.0	5.6	16.7	89.2	11.1	150.5	62
3.8	22.8	49.4	87.3	3.8	45.6	60.8	7.6	.....	7.6	68.4	11.4	11.4	75.9	.....	7.6	87.3	7.6	117.7	63
.....	18.0	72.0	126.1	27.0	36.0	45.0	.....	.....	18.0	63.0	9.0	18.0	171.1	9.0	.....	18.0	.....	162.1	64
.....	22.3	130.0	156.0	14.9	115.2	37.1	26.0	26.0	14.9	118.9	26.0	8.7	111.4	14.9	.....	59.4	.....	237.7	65
6.9	20.6	54.9	41.1	13.7	68.6	48.0	.....	.....	6.9	41.1	20.6	6.9	109.7	13.7	13.7	48.0	6.9	187.7	66
7.6	11.4	83.6	91.2	7.6	38.0	15.2	.....	3.8	11.4	49.4	.....	3.8	41.8	3.8	3.8	38.0	.....	76.0	67

* Nonregistration state; the only cities shown are those with satisfactory registration of deaths.

TABLE III.—DEATH RATES PER 100,000 ESTIMATED POPULATION IN THE REGISTRATION AREA (EXCLUSIVE

[See note at head of this table, p. 160.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid and paratyphoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria.	Influenza.	Erysipelas.	Meningococcus meningitis.	Tuberculosis of the respiratory system.	Tuberculosis of the meninges, etc.	Other forms of tuberculosis.	Cancer and other malignant tumors.
			1	5	6	7	8	9	10	11	21	24	31	32	33–37	43–49
	REGISTRATION CITIES—Continued.															
	OHIO—continued.															
1	Piqua	1,137.3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	85.0	6.5	19.6	52.3
2	Portsmouth	1,237.2	8.3	.....	.....	.....	5.5	24.9	24.9	8.3	8.3	.....	88.4	13.8	8.3	69.0
3	Salem	1,360.0	19.0	.....	.....	.....	19.0	.....	9.5	19.0	.....	.....	38.0	9.5	9.5	133.1
4	Sandusky	1,302.2	17.1	.....	.....	.....	.....	4.3	4.3	4.3	.....	4.3	72.8	4.3	12.9	145.6
5	Springfield (total)	1,157.3	6.4	.....	.....	.....	4.8	11.1	41.3	14.3	.....	1.6	61.9	6.4	9.5	96.8
6	White	1,123.6	5.4	.....	.....	.....	5.4	12.6	41.3	16.2	.....	1.8	53.9	7.2	9.0	97.1
7	Colored	1,412.1	13.6	.....	.....	.....	.....	.....	40.7	.....	.....	.....	122.2	.....	13.6	95.0
8	Steubenville	1,201.9	17.0	.....	.....	3.4	.....	.....	20.4	6.8	13.6	.....	67.9	.....	17.0	78.1
9	Tiffin	1,394.9	13.6	.....	.....	.....	.....	6.8	20.4	.....	.....	.....	81.7	6.8	6.8	163.3
10	Toledo	1,201.0	8.7	.....	.....	.....	2.8	5.1	36.3	9.5	5.5	.....	109.6	4.7	11.0	90.3
11	Warren	1,290.7	30.9	.....	.....	3.4	24.0	10.3	10.3	10.3	3.4	.....	75.5	13.7	13.7	99.6
12	Youngstown	1,174.1	18.9	.....	.....	8.3	21.9	12.8	9.8	3.8	3.0	1.5	58.2	10.6	11.3	76.3
13	Zanesville	1,573.5	10.1	.....	.....	.....	3.4	30.2	23.5	20.1	.....	3.4	67.1	.....	13.4	167.8
	OKLAHOMA.[2]															
14	Oklahoma City	1,086.9	16.7	.....	.....	.....	4.2	3.1	16.7	9.4	3.1	1.0	64.9	4.2	8.4	100.4
	OREGON.															
15	Astoria	1,176.0	.....	.....	.....	.....	6.8	6.8	.....	.....	.....	.....	88.4	.....	13.6	129.2
16	Eugene	1,839.3	18.6	.....	.....	.....	.....	9.3	27.9	46.4	18.6	9.3	111.5	18.6	27.9	157.9
17	Portland	1,091.9	2.6	1.1	0.4	2.3	1.1	3.0	20 0	6.8	3.8	0.4	44.9	5.3	14.0	126.9
18	Salem[3]	2,813.6	.....	.....	.....	38.4	.....	.....	11.0	27.4	.....	.....	433.3	5.5	21.9	142.6
	PENNSYLVANIA.															
19	Allentown	1,432.6	18.2	.....	.....	6.1	4.8	1.2	30.3	10.9	4.8	3.6	113.9	3.6	7.3	101.8
20	Altoona	1,236.2	17.6	.....	.....	3.2	30.4	14.4	14.4	12.8	1.6	.....	56.0	1.6	8.0	89.6
21	Ambridge	885.3	.....	.....	.....	50.4	14.4	.....	57.6	7.2	.....	.....	50.4	14.4	28.8	36.0
22	Beaver Falls	1,481.2	31.0	.....	.....	7.8	.....	31.0	38.8	7.8	.....	.....	116 3	23.5	.....	62.0
23	Berwick	918.2	7.9	.....	.....	.....	.....	7.9	15.8	23.7	7.9	.....	39 6	.....	7.9	47.5
24	Bethlehem	813.4	5.3	.....	.....	5.3	12.4	19.5	24.8	5.3	.....	3.5	47.8	10.6	5.3	54.9
25	Braddock	1,757.2	37.9	.....	.....	.....	4.7	14.2	52.1	23 7	.....	4 7	47.4	14.2	9.5	104.2
26	Bradford	1,474.5	.....	.....	.....	19.2	.....	.....	6.4	32.1	.....	.....	128.2	19.2	.....	141.0
27	Bristol	1,342.3	.....	.....	.....	.....	57.5	38.4	28.8	47 9	.....	.....	76.7	.....	9.6	95.9
28	Butler	1,228.6	4.1	.....	.....	4.1	12.4	8.3	8.3	29.0	4.1	.....	45.5	4.1	12.4	95.1
29	Canonsburg	1,051.6	43.8	.....	.....	.....	35.1	.....	.....	17.5	.....	.....	35.1	8.8	.....	26.3
30	Carbondale	1,667.9	.....	.....	.....	21.2	.....	26.5	42.4	63.5	.....	.....	63.5	.....	15.9	74.1
31	Carlisle	1,571.2	9.1	.....	.....	.....	.....	.....	.....	54.5	.....	.....	45.4	9.1	36.3	136.2
32	Carnegie	859.6	.....	.....	.....	8.5	.....	.....	42.6	25.5	.....	.....	34.0	.....	8.5	34.0
33	Carrick	742.3	.....	.....	.....	.....	.....	8.9	.....	17.9	.....	.....	53.7	.....	.....	71.5
34	Chambersburg	1,315.1	44.8	.....	.....	.....	.....	7.5	14.9	14.9	7.5	.....	82.2	.....	7.5	82.2
35	Charleroi	804.5	.....	.....	.....	.....	.....	8.5	8.5	16.9	.....	.....	76.2	.....	25.4	67.7
36	Chester (total)	1,249.9	5.3	.....	.....	.....	13.1	8.2	14.8	18.1	.....	.....	106.8	11.5	11.5	70.6
37	White	1,140.2	1.9	.....	.....	.....	15.0	5.6	15.0	16.9	.....	.....	88.1	11.3	5.6	71.3
38	Colored	2,023.8	13.2	.....	.....	.....	.....	26.5	13.2	26.5	.....	.....	238.1	13.2	52.9	66.1
39	Coatesville	771.0	.....	.....	.....	.....	13.3	6.6	13.3	13.3	.....	.....	33.2	6.6	13.3	86.4
40	Columbia	1,402.7	18.5	.....	.....	.....	.....	.....	27.7	46.1	9.2	9.2	83.1	9.2	.....	129.2
41	Connellsville	1,039.4	.....	.....	.....	.....	7.2	7.2	28.7	35.8	14.3	.....	35.8	7.2	14.3	107.5
42	Dickson City	839.6	.....	.....	.....	8.8	.....	26.5	17.7	35.4	.....	.....	44.2	.....	.....	17.7
43	Donora	737.2	.....	.....	.....	6.7	6.7	13.4	6.7	40.2	6.7	6.7	60.3	6.7	6.7	46.9
44	Du Bois	1,285.8	7.2	.....	.....	7.2	.....	.....	43.3	28.9	.....	.....	57.8	.....	.....	130.0
45	Dunmore	1,292.5	.....	.....	.....	4.8	4.8	24.2	14.5	9.7	4.8	.....	58.1	4.8	33.9	58.1
46	Duquesne	1,091.3	.....	.....	.....	5.1	210.1	.....	25.6	10.2	5.1	5.1	35.9	10.2	5.1	41.0
47	Easton	1,423.6	2.9	.....	.....	11.6	5.8	11.6	14.4	17.3	8.7	.....	49.1	11.6	8.7	147.3
48	Erie	1,117.5	4.7	.....	.....	7.5	2.8	5.6	19.7	7.5	5.6	1.9	80.8	12.2	12.2	106.1
49	Farrell	860.3	.....	.....	.....	30.5	.....	.....	6.1	30.5	.....	.....	61.0	6.1	6.1	36.6
50	Greensburg	1,815.6	58.8	.....	.....	.....	13.1	.....	.....	26.1	6.5	.....	19.6	6.5	.....	58.8
51	Harrisburg	1,328.1	5.1	.....	.....	1.3	3.8	3.8	11.4	1.3	5.1	.....	63.4	5.1	6.3	128.1
52	Hazleton	1,437.1	.....	.....	.....	6.0	9.0	.....	27.0	6.0	3.0	.....	63.0	12.0	24.0	96.0
53	Homestead	781.8	.....	.....	.....	9.7	.....	.....	33.8	14.5	4.8	.....	53.1	.....	4.8	53.1
54	Jeannette	805.1	.....	.....	.....	.....	18.3	.....	18.3	45.7	9.1	.....	45.7	.....	.....	82.3
55	Johnstown	1,463.7	13.1	.....	.....	5.8	19.0	7.3	36.5	20.5	4.4	1.5	84.7	8.8	13.1	81.8
56	Lancaster	1,437.2	9.2	.....	.....	.....	1.8	9.2	40.7	22.2	3.7	3.7	66.6	11.1	12.9	153.5
57	Lebanon	1,536.5	12.1	.....	.....	4.0	.....	3.1	16.1	40.3	.....	.....	56.5	12.1	36.3	80.7
58	McKees Rocks	981.0	5.9	.....	.....	11.7	5.9	.....	52.9	17.6	.....	.....	82.2	5.9	11.7	35.2
59	McKeesport	1,337.2	10.5	.....	.....	2.1	8.4	2.1	31.6	21.1	.....	2.1	35.9	12.7	10.5	80.1
60	Mahanoy City	1,102.6	.....	.....	.....	19.2	.....	.....	44.9	25.6	6.4	.....	38.5	.....	.....	44.9
61	Meadville	1,434.9	6.7	.....	.....	.....	6.7	.....	6.7	20.2	.....	.....	26.9	.....	40.4	134.7
62	Monessen	684.0	10.5	.....	.....	47.4	5.3	15.8	26.3	.....	.....	.....	36.8	.....	.....	15.8
63	Mount Carmel	1,139.2	11.4	.....	.....	11.4	17.2	5.7	45.8	11.4	.....	.....	80.1	11.4	5.7	28.6
64	Nanticoke	1,285.0	.....	.....	.....	.....	.....	.....	38.8	.....	.....	.....	43.1	.....	8.6	73.3
65	New Castle	1,242.6	15.1	.....	.....	.....	6.5	15.1	15.1	8.6	4.3	.....	62.7	2.2	4.3	101.6
66	New Kensington	1,407.3	39.5	.....	.....	7.9	15.8	15.8	.....	31.6	.....	.....	15.8	23.7	15.8	31.6
67	Norristown[4]	1,845.2	.....	.....	.....	.....	3.0	.....	18.2	21.2	3.0	6.1	124.2	.....	33.3	100.0

[1] Exclusive of stillbirths.

[2] Nonregistration state; the only cities shown are those with satisfactory registration of deaths.

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1921—Continued.

[See note at head of this table, p. 160.]

DEATH RATE PER 100,000 POPULATION FROM—																		
Rheumatism. 51,52	Diabetes mellitus. 57	Cerebral hemorrhage and softening. 74,83	Other [organic] diseases of the heart. 90	Bronchitis. 99	Pneumonia (all forms). 100,101	Diarrhea and enteritis (under 2 years). 113	Appendicitis and typhlitis. 117	Hernia, intestinal obstruction. 118	Cirrhosis of the liver. 122	Nephritis. 128,129	Puerperal septicemia. 146	Other puerperal causes. 143-145, 147-150	Congenital malformations and diseases of early infancy. 159-163	Suicide. 165-174	Homicide. 197-200	Accidental and unspecified external causes. 175-196, 201-203	Unknown or ill-defined diseases. 204,205	All other causes.	
13.1	*26.1*	91.5	130.7	*6.5*	52.3	*13.1*	52.3	*26.1*	-------	111.1	*13.0*	-------	91.5	*13.1*	-------	65.4	-------	268.0	1
5.5	13.8	60.8	91.1	13.8	91.1	80.1	33.1	16.6	*8.3*	102.2	16.6	*8.3*	102.2	-------	13.8	82.9	*2.8*	234.7	2
-------	-------	152.2	142.7	*38.0*	180.7	*28.6*	*38.0*	-------	-------	123.6	-------	-------	85.6	*9.5*	*9.6*	123.6	-------	171.2	3
17.1	*12.9*	98.5	205.6	*8.6*	30.0	25.7	*17.1*	*21.4*	*12.9*	68.5	*12.9*	-------	90.0	21.4	*4.8*	77.1	*8.6*	299.8	4
6.4	14.3	134.9	122.2	*8.2*	74.6	44.5	12.7	14.3	12.7	88.9	12.7	12.7	73.0	*6.4*	*6.4*	42.9	11.1	209.6	5
5.4	14.4	129.4	120.4	*8.6*	50.3	43.1	14.4	10.8	12.6	89.9	12.6	12.6	71.9	*7.2*	*5.4*	44.9	10.8	213.9	6
13.6	*13.6*	176.5	135.8	-------	258.0	*54.3*	-------	*40.7*	*13.6*	81.5	*13.6*	*13.6*	81.5	-------	*13.6*	*27.2*	*13.6*	176.5	7
6.8	*3.4*	67.9	98.5	*10.2*	129.0	44.1	27.2	*13.6*	*6.8*	34.0	*6.8*	*6.8*	115.4	*13.6*	27.2	*129.0*	*10.2*	227.5	8
13.6	34.0	142.9	299.4	*6.8*	*20.4*	-------	*20.4*	*27.2*	*13.6*	74.9	34.0	*6.8*	61.2	*13.6*	-------	74.9	-------	251.8	9
3.9	17.3	96.6	135.6	8.7	65.8	43.0	19.3	18.5	10.2	56.4	14.2	8.7	82.0	19.3	16.6	70.2	*1.2*	230.2	10
-------	*13.7*	99.6	65.2	-------	185.4	37.8	41.2	*6.9*	-------	79.0	*6.9*	17.2	96.1	20.6	17.2	99.6	*6.9*	202.5	11
8.3	13.6	53.6	106.5	*3.0*	160.2	75.6	21.2	12.1	9.8	47.6	16.6	13.6	99.7	13.6	17.4	81.6	5.3	178.3	12
10.1	33.6	184.5	211.4	*10.1*	97.3	30.2	30.2	23.5	*3.4*	97.3	*6.7*	*6.7*	104.0	*10.1*	*6.7*	117.4	*3.4*	248.3	13
1.0	17.8	51.3	88.9	*4.2*	86.8	24.1	27.2	10.5	7.3	60.7	9.4	16.7	76.4	19.9	28.2	58.6	9.4	256.3	14
-------	-------	136.0	102.0	-------	54.4	*27.2*	47.6	*20.4*	*6.8*	34.0	-------	*13.6*	88.4	*20.4*	*27.2*	108.8	-------	244.7	15
-------	46.4	148.6	195.1	*9.3*	111.5	-------	*37.2*	*27.9*	-------	130.1	*18.6*	*9.3*	74.3	*27.9*	-------	92.9	-------	464.5	16
3.4	26.1	94.8	149.1	6.0	70.2	8.3	18.5	9.1	8.7	63.4	5.7	7.6	58.5	20.4	7.9	66.8	1.9	233.0	17
11.0	38.4	175.5	318.1	*11.0*	186.5	*11.0*	32.9	*21.9*	-------	60.3	*16.5*	*16.5*	43.9	27.4	*11.0*	142.6	*5.5*	1,003.7	18
8.5	30.3	137.0	162.4	13.3	101.8	53.3	25.5	17.0	7.3	110.3	7.3	15.8	87.3	12.1	*3.6*	83.6	*1.2*	248.5	19
4.8	30.4	67.2	148.7	8.0	147.1	32.0	24.0	14.4	9.6	118.3	11.2	20.8	86.4	11.2	*4.8*	75.2	*1.6*	171.1	20
7.2	-------	*21.6*	64.8	-------	151.2	79.2	-------	*14.4*	-------	*7.2*	-------	*7.2*	93.6	*21.6*	*14.4*	72.0	*7.2*	64.8	21
7.8	-------	131.8	69.8	*7.8*	147.3	100.8	*15.5*	*15.5*	*15.5*	77.5	-------	*15.5*	124.1	*31.0*	*15.5*	124.1	*15.5*	248.2	22
-------	-------	55.4	95.0	*15.8*	190.0	39.6	*23.7*	-------	*15.8*	39.6	*23.7*	*7.9*	55.4	*7.9*	-------	55.4	*7.9*	126.6	23
1.8	10.6	78.0	62.0	8.9	97.5	67.3	-------	*1.8*	*1.8*	65.6	-------	-------	76.2	10.6	-------	37.2	*5.3*	93.9	24
-------	*4.7*	56.8	90.0	*18.9*	322.1	194.2	56.8	*14.2*	*14.2*	99.5	*18.9*	33.2	118.4	*9.5*	56.8	132.6	-------	203.7	25
13.8	44.9	70.5	109.0	*6.4*	89.7	51.3	*6.4*	*12.8*	*12.8*	102.6	-------	*19.2*	102.6	*19.2*	*6.4*	64.1	-------	397.5	26
19.2	*9.6*	67.1	153.4	*9.6*	153.4	105.5	*19.2*	-------	-------	57.5	-------	47.9	105.5	*9.6*	-------	47.9	-------	182.2	27
12.4	*12.4*	103.4	82.7	20.7	148.9	66.2	*16.5*	*12.4*	*4.1*	49.6	*16.5*	*16.5*	111.7	20.7	-------	144.8	-------	161.3	28
8.8	-------	43.8	131.5	-------	166.5	122.7	*8.8*	*26.3*	*8.8*	61.3	*17.5*	*8.8*	70.1	*8.8*	*8.8*	113.9	-------	78.9	29
-------	*15.9*	47.7	211.8	26.5	206.5	137.7	31.8	*15.9*	*5.3*	79.4	*15.9*	37.1	79.4	*5.3*	*21.2*	132.4	-------	291.2	30
-------	*18.2*	127.1	163.5	*9.1*	90.8	*27.2*	*18.2*	*9.1*	-------	272.5	-------	*27.2*	54.5	*9.1*	-------	63.6	*9.1*	381.4	31
-------	*8.5*	59.6	76.6	*17.0*	102.1	68.1	-------	*8.5*	*8.5*	51.1	-------	-------	119.2	-------	*25.5*	51.1	-------	110.6	32
8.9	*8.9*	53.7	80.5	-------	89.4	*26.8*	*8.9*	-------	-------	89.4	-------	-------	125.2	-------	-------	*8.9*	-------	89.4	33
14.9	*22.4*	127.0	269.0	-------	112.1	*7.5*	37.4	*14.9*	*7.5*	89.7	-------	*22.4*	67.2	*14.9*	-------	44.8	-------	201.7	34
8.5	-------	50.8	118.6	-------	50.8	76.2	-------	*8.5*	-------	-------	*8.5*	*8.5*	152.4	*8.5*	-------	42.3	-------	67.7	35
1.6	11.5	55.8	111.7	8.2	152.7	100.2	*6.6*	14.8	14.8	108.4	8.2	*6.6*	115.0	*4.9*	8.2	108.4	-------	154.4	36
1.9	13.1	54.4	101.3	*7.5*	136.9	93.8	*5.6*	13.1	13.1	95.6	9.4	*7.5*	110.6	*5.6*	*7.5*	112.5	-------	120.0	37
-------	-------	66.1	135.2	*13.2*	264.6	145.5	*13.2*	*26.5*	*26.5*	198.4	-------	-------	145.5	-------	*13.2*	79.4	-------	396.8	38
13.3	*6.6*	46.5	93.1	-------	59.8	33.2	-------	-------	*6.6*	93.1	*6.6*	*13.3*	59.8	*6.6*	-------	*13.3*	-------	132.9	39
-------	*18.5*	156.9	212.3	-------	*27.7*	64.6	*18.5*	-------	*9.2*	138.4	-------	*18.5*	166.1	*18.5*	-------	64.6	-------	156.9	40
7.2	*7.2*	107.5	114.7	*7.2*	129.0	35.8	-------	*7.2*	*7.2*	*28.7*	-------	*7.2*	57.3	*7.2*	*28.7*	107.5	-------	121.9	41
-------	*8.8*	-------	*17.7*	-------	97.2	141.4	*8.8*	-------	*8.8*	44.2	-------	-------	123.7	-------	-------	132.6	-------	106.1	42
-------	-------	*20.1*	33.5	-------	113.9	100.5	-------	-------	*6.7*	-------	-------	-------	147.4	-------	*6.7*	*20.1*	-------	80.4	43
-------	50.6	86.7	93.9	*14.4*	36.1	72.2	57.8	57.8	*7.2*	86.7	*21.7*	*14.4*	122.8	*14.4*	-------	79.5	*7.2*	187.8	44
4.8	*14.5*	58.1	159.8	77.5	130.7	198.5	-------	*4.8*	*14.5*	72.6	-------	-------	130.7	-------	-------	29.0	-------	179.1	45
5.1	*5.1*	*15.4*	61.5	*10.2*	112.7	133.2	*5.1*	-------	*10.2*	71.7	-------	*5.1*	97.3	*15.4*	*5.1*	35.9	*5.1*	143.5	46
11.6	37.5	95.3	155.9	*2.9*	80.9	49.1	46.2	17.3	*5.8*	170.4	*8.7*	*11.6*	78.0	*5.8*	14.4	112.6	-------	231.0	47
11.3	21.6	83.6	122.1	*1.9*	91.1	37.6	18.8	8.5	9.4	75.1	6.6	12.2	80.8	8.5	4.7	83.6	-------	173.7	48
-------	-------	*12.2*	79.3	-------	170.8	109.8	-------	-------	-------	*18.3*	*18.3*	*6.1*	61.0	30.5	*24.4*	36.6	*12.2*	103.7	49
19.6	45.7	111.0	117.6	*6.5*	163.3	32.7	39.2	32.7	*13.1*	78.4	32.7	58.8	150.2	*26.1*	*19.6*	300.4	32.7	346.1	50
5.1	33.0	97.7	176.3	*3.8*	133.2	20.3	26.6	14.0	8.9	157.3	8.9	17.8	83.7	12.7	7.6	82.4	-------	204.2	51
3.0	21.0	69.0	144.0	18.0	90.0	81.0	45.0	39.0	*12.0*	99.0	30.0	21.0	111.0	21.0	*9.0*	165.0	-------	213.0	52
4.8	-------	38.6	86.9	-------	140.0	86.9	*4.8*	-------	*4.8*	62.7	*4.8*	*4.8*	86.9	-------	*4.8*	24.1	-------	53.1	53
-------	-------	*36.6*	*36.6*	-------	73.2	*18.3*	-------	*9.1*	-------	*36.6*	*9.1*	-------	73.2	-------	*9.1*	-------	82.3	201.3	54
11.7	24.8	68.7	97.9	*5.8*	153.4	77.4	43.8	14.6	13.1	83.3	11.7	14.6	140.2	10.2	13.1	163.6	8.8	210.3	55
3.7	24.0	112.8	227.5	*5.5*	83.2	40.7	37.0	16.6	9.2	133.2	9.2	14.8	94.3	11.1	*3.7*	79.5	*1.8*	194.2	56
-------	28.2	161.3	137.1	*3.1*	161.3	60.5	20.2	24.2	*16.1*	117.0	*3.1*	*12.1*	125.0	*12.1*	*3.1*	96.8	*4.0*	270.2	57
-------	*11.7*	*23.5*	105.7	*5.9*	217.3	123.4	-------	-------	*5.9*	35.2	-------	*23.5*	88.1	*17.6*	*11.7*	*23.5*	-------	58.7	58
6.3	*6.3*	56.9	86.5	*6.3*	234.1	73.8	35.9	29.5	*4.2*	78.0	23.2	25.3	128.7	14.8	12.7	111.8	-------	185.6	59
6.4	*12.8*	32.1	96.2	*6.4*	121.8	160.3	-------	*6.4*	*6.4*	70.5	-------	-------	128.2	*6.4*	-------	57.7	-------	211.6	60
-------	47.2	114.5	188.6	*6.7*	107.8	*20.2*	33.7	33.7	*26.9*	114.5	*13.5*	*6.7*	80.8	*6.7*	-------	94.3	*6.7*	289.7	61
10.5	*5.3*	*21.0*	26.3	31.6	121.0	52.6	-------	-------	-------	26.3	*10.5*	*5.3*	89.5	*10.5*	*5.3*	26.3	*21.0*	63.1	62
5.7	*5.7*	74.4	108.8	*17.2*	229.0	103.0	-------	-------	-------	51.5	-------	*11.4*	34.3	*5.7*	*11.4*	97.3	*11.4*	143.1	63
8.6	21.6	51.7	60.4	*12.9*	181.1	69.0	21.6	25.9	*12.9*	77.6	*4.3*	*12.9*	189.7	*8.6*	-------	168.2	*4.3*	189.7	64
2.2	19.4	69.2	99.4	*4.3*	179.4	60.5	17.3	19.4	*8.6*	56.2	*6.5*	*2.2*	116.7	*2.2*	13.0	90.8	*8.6*	231.2	65
-------	*7.9*	150.2	71.2	-------	134.4	47.4	39.5	*15.8*	*31.6*	79.1	*23.7*	*15.8*	181.8	*23.7*	39.5	150.2	-------	197.7	66
6.1	39.4	136.3	233.3	*12.1*	145.4	54.5	21.2	18.2	*12.1*	106.0	*6.1*	18.2	112.1	21.2	-------	103.0	-------	490.8	67

[3] Includes state institutions.

TABLE III.—DEATH RATES PER 100,000 ESTIMATED POPULATION IN THE REGISTRATION AREA (EXCLUSIVE

[See note at head of this table, p. 160.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid and paratyphoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria.	Influenza.	Erysipelas.	Meningococcus meningitis.	Tuberculosis of the respiratory system.	Tuberculosis of the meninges, etc.	Other forms of tuberculosis.	Cancer and other malignant tumors.
			1	5	6	7	8	9	10	11	21	24	31	32	33-37	43-49
	REGISTRATION CITIES—Continued.															
	PENNSYLVANIA—continued.															
1	North Braddock	804.8	6.5	.....	.....	.....	26.0	6.5	13.0	26.0	6.5	.....	45.4	.....	.....	38.9
2	Oil City	1,150.5	13.8	.....	.....	4.6	.....	4.6	9.2	36.7	4.6	.....	68.8	13.8	9.2	59.6
3	Old Forge	1,034.1	.....	.....	.....	8.1	8.1	.....	32.3	8.1	.....	.....	48.5	.....	.....	32.3
4	Olyphant	933.1	.....	.....	.....	28.6	.....	19.0	.....	9.5	.....	.....	57.1	9.5	.....	28.6
5	Philadelphia (total)	1,269.8	2.4	0.1	.....	1.3	5.7	8.3	17.4	11.1	2.0	1.3	99.2	6.5	10.0	109.4
6	White	1,230.8	2.4	0.1	.....	1.3	6.0	6.9	17.5	10.6	2.0	1.2	83.4	5.8	7.8	112.9
7	Colored	1,738.1	2.1	.....	.....	1.4	2.1	24.4	16.0	18.1	2.1	2.1	288.9	15.4	35.6	67.0
8	Phoenixville	1,344.9	9.5	.....	.....	.....	9.5	.....	38.2	9.5	.....	.....	85.8	9.5	9.5	114.5
9	Pittsburgh (total)	1,410.7	4.5	0.2	.....	4.6	8.3	7.1	21.4	20.1	3.5	2.8	82.0	8.5	12.0	94.8
10	White	1,366.5	4.1	0.2	.....	4.8	8.5	6.4	21.7	18.9	2.8	2.8	71.0	8.4	8.5	98.0
11	Colored	2,030.6	10.0	.....	.....	2.5	5.0	17.4	17.4	37.4	12.5	2.5	236.7	10.0	59.8	49.8
12	Pittston	1,491.4	5.3	.....	.....	5.3	.....	.....	26.5	37.2	5.3	.....	53.1	.....	5.3	53.1
13	Plymouth	969.7	.....	.....	.....	6.1	.....	.....	30.3	18.2	6.1	6.1	60.6	.....	.....	36.4
14	Pottstown	1,546.9	.....	.....	.....	.....	5.6	.....	45.2	16.9	.....	.....	107.3	22.6	11.3	107.3
15	Pottsville	1,771.5	4.5	.....	.....	13.6	4.5	9.0	27.1	27.1	.....	.....	103.9	4.5	4.5	94.9
16	Punxsutawney	1,523.1	47.6	.....	.....	28.6	9.5	9.5	9.5	57.1	.....	.....	57.1	.....	.....	95.2
17	Reading	1,316.8	12.8	.....	.....	5.5	0.9	12.8	35.7	20.2	1.8	2.7	60.5	0.9	10.1	89.8
18	Scranton	1,402.1	6.5	.....	.....	1.4	2.9	6.5	28.1	18.7	2.9	1.4	60.4	5.8	10.8	87.0
19	Shamokin	1,049.0	42.1	.....	.....	.....	.....	.....	28.1	4.7	.....	.....	79.6	9.4	9.4	42.1
20	Sharon	1,091.8	4.4	.....	.....	.....	4.4	17.7	8.8	22.1	.....	.....	39.8	4.4	.....	114.9
21	Shenandoah	1,306.3	4.0	.....	.....	4.0	.....	4.0	40.4	24.3	8.1	4.0	48.5	4.0	4.0	32.4
22	Steelton	901.1	.....	.....	.....	7.4	.....	.....	7.4	22.3	.....	.....	104.3	.....	7.4	.....
23	Sunbury	1,242.0	.....	.....	.....	.....	6.2	12.5	25.0	6.2	.....	.....	87.4	6.2	.....	87.4
24	Swissvale	1,074.0	8.7	.....	.....	26.2	17.5	8.7	8.7	8.7	.....	.....	52.4	.....	.....	69.9
25	Tamaqua	991.4	.....	.....	.....	.....	7.8	.....	.....	23.4	.....	.....	39.0	7.8	7.8	101.5
26	Uniontown	1,930.9	25.5	.....	.....	12.7	.....	19.1	19.1	19.1	.....	.....	89.2	31.9	25.5	121.1
27	Warren	1,268.8	6.9	.....	.....	.....	.....	20.7	20.7	.....	.....	.....	41.4	6.9	20.7	103.4
28	Washington	1,671.5	32.0	.....	.....	18.3	9.1	9.1	9.1	45.7	.....	.....	77.6	9.1	27.4	127.9
29	West Chester*	2,765.2	25.6	.....	.....	.....	8.5	8.5	.....	34.1	.....	.....	76.8	8.5	34.1	264.6
30	Wilkes-Barre	1,498.5	5.3	.....	.....	8.0	8.0	2.7	37.4	25.4	10.7	.....	66.8	5.3	18.7	106.8
31	Wilkinsburg	1,245.1	7.9	.....	.....	.....	.....	15.9	15.9	23.8	.....	.....	59.5	4.0	15.9	83.3
32	Williamsport	1,538.0	16.3	.....	.....	.....	.....	5.4	8.1	10.8	5.4	.....	65.1	10.8	8.1	130.2
33	Woodlawn	703.7	28.1	.....	.....	.....	21.1	7.0	14.1	28.1	.....	.....	63.3	21.1	14.1	14.1
34	York	1,226.6	6.3	.....	.....	.....	.....	6.3	50.1	16.7	4.2	2.1	73.0	10.4	4.2	93.9
	RHODE ISLAND.															
35	Bristol town	1,202.5	.....	.....	.....	8.5	.....	33.9	25.4	50.8	16.9	8.5	67.7	8.5	8.5	76.2
36	Central Falls	860.9	.....	4.1	.....	4.1	4.1	12.3	8.2	4.1	.....	.....	45.1	12.3	8.2	73.8
37	Cranston [2]	1,880.2	.....	.....	.....	22.8	6.5	16.3	16.3	9.3	6.5	.....	127.1	3.3	22.8	166.2
38	Cumberland town	1,329.8	.....	.....	.....	9.9	.....	9.9	.....	9.9	.....	.....	79.4	19.8	.....	89.3
39	East Province town	1,109.3	4.4	.....	.....	4.4	.....	8.8	22.0	30.8	8.8	4.4	66.0	8.8	17.6	79.2
40	Newport	1,086.7	.....	.....	.....	.....	.....	13.0	9.8	.....	.....	.....	61.8	3.3	9.8	87.9
41	Pawtucket	1,185.8	4.5	1.5	.....	.....	.....	6.0	27.2	6.0	.....	.....	37.8	6.0	4.5	107.3
42	Providence	1,329.0	3.3	.....	.....	19.2	2.9	3.3	7.5	2.9	2.9	3.3	75.5	12.5	10.0	133.1
43	Warwick town	1,357.5	.....	.....	.....	22.3	7.4	14.8	7.4	29.7	.....	.....	222.5	7.4	.....	140.9
44	West Warwick town	983.1	.....	.....	.....	32.3	.....	32.3	19.4	6.5	12.9	.....	51.7	12.9	6.5	77.6
45	Woonsocket	1,161.9	9.0	.....	.....	6.8	4.5	20.3	24.8	2.3	4.5	2.3	45.1	22.6	2.3	65.4
	SOUTH CAROLINA.															
46	Anderson	2,287.4	84.0	.....	.....	.....	.....	9.3	18.7	84.0	.....	9.3	140.0	.....	9.3	56.0
47	Charleston (total)	2,100.5	37.5	37.5	.....	.....	2.9	15.9	4.3	30.3	2.9	1.4	161.5	5.8	24.5	76.4
48	White	1,315.5	21.7	.....	.....	.....	5.4	10.9	5.4	27.2	5.4	.....	24.5	3.2	2.7	92.4
49	Colored	2,987.1	55.3	79.8	.....	.....	.....	21.5	3.1	33.8	.....	3.1	316.2	3.1	49.1	58.3
50	Columbia* (total)	3,269.0	52.0	26.0	.....	10.4	.....	20.8	20.8	44.2	.....	7.8	288.7	2.6	13.0	114.4
51	White	2,519.1	41.8	16.7	.....	4.2	.....	29.3	20.9	29.3	.....	3.4	159.0	.....	12.6	142.3
52	Colored	4,500.2	68.7	41.2	.....	20.6	.....	6.9	20.6	68.7	.....	6.9	501.5	6.9	13.7	68.7
53	Florence	2,177.7	34.6	17.3	.....	8.6	8.6	51.8	25.9	17.3	8.6	.....	138.3	8.6	.....	60.5
54	Greenville (total)	1,343.3	12.4	.....	.....	8.2	.....	16.5	12.4	24.7	.....	.....	111.3	4.1	12.4	45.3
55	White	1,095.5	12.7	.....	.....	12.7	.....	12.7	12.7	25.3	.....	.....	25.3	6.3	6.3	50.7
56	Colored	1,805.1	11.8	.....	.....	.....	.....	23.6	11.8	23.6	.....	.....	271.4	.....	23.6	35.4
57	Spartanburg (total)	1,528.0	4.3	.....	.....	8.5	.....	12.8	12.8	21.3	.....	.....	153.7	4.3	21.3	102.4
58	White	1,226.2	.....	.....	.....	13.1	.....	13.1	19.7	19.7	.....	.....	104.9	.....	.....	118.0
59	Colored	2,090.7	12.2	.....	.....	.....	.....	12.2	.....	24.5	.....	.....	244.5	12.2	61.1	73.4
	TENNESSEE.															
60	Chattanooga (total)	1,567.9	11.9	3.4	1.7	3.4	3.4	10.2	11.9	23.8	1.7	3.4	146.1	10.2	35.7	76.4
61	White	1,279.2	5.0	.....	.....	2.5	5.0	7.5	17.4	7.5	2.5	2.5	86.9	9.9	14.9	91.9
62	Colored	2,192.8	26.9	10.7	5.4	5.4	.....	16.1	.....	59.1	.....	5.4	274.1	10.7	30.6	43.0
63	Jackson (total)	1,561.4	57.4	15.7	15.7	.....	5.2	5.2	15.7	15.7	.....	.....	109.7	10.4	10.4	83.6
64	White	1,146.0	39.0	15.6	7.8	.....	7.8	7.8	7.8	.....	.....	.....	62.4	15.6	.....	85.8
65	Colored	2,403.9	94.9	15.8	31.6	.....	.....	.....	31.6	47.4	.....	.....	205.6	.....	31.6	79.1
66	Johnson City*	2,421.7	30.8	.....	.....	38.6	7.7	77.1	54.0	23.1	7.7	.....	624.7	15.4	7.7	100.3
67	Knoxville (total)	1,448.8	20.7	.....	.....	3.6	2.4	15.8	9.7	30.4	3.6	6.1	115.5	15.8	14.6	69.3
68	White	1,302.4	14.1	.....	.....	4.2	2.8	14.1	9.9	25.4	4.2	5.7	81.9	14.1	8.5	70.6
69	Colored	2,351.1	61.0	.....	.....	.....	.....	26.1	3.7	61.0	.....	8.7	322.2	26.1	52.2	61.0

[1] Exclusive of stillbirths.

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1921—Continued.

[See note at head of this table, p. 160.]

DEATH RATE PER 100,000 POPULATION FROM—																		
Rheumatism.	Diabetes mellitus.	Cerebral hemorrhage and softening.	Other [organic] diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis.	Puerperal septicemia.	Other puerperal causes.	Congenital malformations and diseases of early infancy.	Suicide.	Homicide.	Accidental and unspecified external causes.	Unknown or ill-defined diseases.	All other causes.	
51,52	57	74, 83	90	99	100, 101	113	117	118	122	128, 129	146	143-145, 147-150	159-163	165-174	197-200	175-196, 201-203	204,205		
.....	.....	45.4	97.4	*26.0*	110. 2	77.9	.....	.....	.....	*19.5*	.....	*6.5*	123.3	*6.5*	.....	*26.0*	.....	97.4	1
4.6	32.1	68.8	169.6	*9.2*	73.3	45.8	32.1	*13.8*	*4.6*	55.0	.....	*9.2*	114.6	*4.6*	.....	87.1	*4.6*	197.1	2
8.1	*8.1*	72.7	*16.2*	*16.2*	226.2	145.4	.....	*16.2*	.....	40.4	*8.1*	*8.1*	105.0	.....	.....	96.9	.....	129.3	3
9.5	.....	*28.6*	*38.1*	*9.5*	152.3	123.8	.....	.....	*19.0*	47.6	.....	.....	133.3	.....	*9.5*	95.2	.....	114.3	4
5.1	19.1	73.2	185.4	11.3	124.7	44.2	15.3	12.8	7.8	131.2	7.9	10.6	82.7	14.2	6.0	60.0	0.5	183.2	5
4.7	19.1	72.7	184.9	11.1	115.9	43.7	14.8	12.7	8.0	131.9	7.7	10.9	81.0	15.0	4.1	60.1	0.5	174.1	6
9.8	18.8	78.8	191.9	12.6	231.0	49.5	20.9	14.0	4.9	122.8	10.5	7.7	104.0	4.2	29.3	57.9	*1.4*	293.1	7
.....	*38.2*	85.8	133.5	*19.1*	152.6	66.8	.....	*38.2*	*38.2*	124.0	*9.5*	*19.1*	76.3	.....	.....	66.8	.....	190.8	8
5.3	15.4	79.8	121.2	13.1	254.3	70.9	21.2	13.1	9.3	76.7	10.6	11.6	111.7	13.4	9.5	90.1	*0.3*	213.3	9
5.7	15.3	78.8	116.5	13.2	234.2	68.5	22.1	13.5	9.2	76.1	10.7	11.2	111.9	13.2	7.3	90.5	*0.4*	212.3	10
.....	17.4	94.7	186.9	*12.5*	*535.7*	104.6	*10.0*	*7.5*	*10.0*	84.7	*10.0*	17.4	109.6	17.4	39.9	84.7	.....	226.7	11
5.5	*5.3*	79.6	127.4	*5.3*	286.6	116.8	*10.6*	*15.9*	*5.3*	111.5	*10.6*	*10.6*	74.3	*21.2*	*15.9*	132.7	*5.3*	260.1	12
6.1	*6.1*	60.6	66.7	*18.2*	133.3	48.5	*6.1*	.....	.....	108.0	*6.1*	.....	121.2	*6.1*	.....	60.6	.....	163.6	13
16.9	39.5	191.9	158.1	.....	152.4	39.5	*11.3*	*11.3*	*11.3*	101.6	*16.9*	*11.3*	152.4	*5.6*	.....	79.0	.....	231.5	14
.....	*13.6*	67.8	207.9	.....	149.1	117.5	45.2	*13.6*	22.6	153.7	*18.1*	*18.1*	162.7	27.1	31.6	189.8	.....	239.5	15
.....	*28.6*	57.1	95.2	.....	152.3	85.7	*28.6*	47.6	.....	104.7	*9.5*	*19.0*	133.3	.....	*9.5*	133.3	*9.5*	295.1	16
11.9	38.5	95.3	155.8	7.3	96.2	55.0	14.7	20.2	9.2	120.0	20.2	12.8	104.5	21.1	4.6	54.1	*1.8*	219.9	17
13.7	29.5	80.6	135.2	11.5	161.9	77.0	27.3	15.1	6.5	115.8	15.1	10.1	96.4	10.8	*2.9*	130.9	*2.2*	227.3	18
.....	*14.0*	89.0	140.5	*9.4*	135.8	89.0	.....	.....	*18.7*	42.1	.....	*4.7*	121.8	.....	.....	42.1	*4.7*	121.8	19
4.4	22.1	79.6	79.6	*17.7*	101.7	48.6	22.1	*8.8*	*4.4*	92.8	*18.8*	.....	110.5	*8.8*	*18.8*	53.0	22.1	172.4	20
4.0	*16.2*	48.5	72.8	40.4	194.1	182.0	.....	*4.0*	*12.1*	109.2	*8.1*	*8.1*	145.6	*4.0*	*8.1*	105.2	*12.1*	153.7	21
.....	.....	74.5	67.0	*7.4*	148.9	52.1	.....	*14.9*	*7.4*	74.5	*7.4*	.....	89.4	.....	*7.4*	74.5	.....	126.6	22
.....	31.2	74.9	193.5	.....	74.9	31.2	37.4	*18.7*	*6.2*	168.5	*6.2*	.....	68.7	*18.7*	*18.7*	99.9	.....	162.3	23
.....	.....	78.6	*96.0*	*8.7*	*323.1*	61.1	.....	*8.7*	.....	*34.9*	*8.7*	*17.5*	78.6	.....	*8.7*	.....	.....	148.4	24
15.6	7.8	70.3	195.2	*7.8*	93.7	78.1	.....	*7.8*	.....	93.7	.....	.....	93.7	.....	.....	*31.2*	.....	109.3	25
12.7	57.4	133.8	178.4	*6.4*	165.7	70.1	51.0	*12.7*	*6.4*	121.1	31.9	*25.5*	108.3	*25.5*	51.0	203.9	.....	305.9	26
13.8	41.4	110.3	200.0	.....	82.7	*6.9*	55.2	*13.8*	*6.9*	55.2	*13.8*	*20.7*	69.0	*6.9*	.....	82.7	.....	268.9	27
4.6	*4.6*	95.9	118.7	*13.7*	132.4	77.6	41.1	22.8	*18.3*	150.7	*18.3*	*9.1*	164.4	*9.1*	*4.6*	109.6	.....	310.5	28
3.5	68.3	153.6	290.2	.....	170.7	102.4	59.7	*25.6*	.....	324.3	*34.1*	59.7	196.3	*25.6*	*3.5*	247.5	*17.1*	512.1	29
3.0	24.0	84.1	150.9	6.7	138.9	68.1	33.4	16.0	8.0	94.8	20.0	18.7	138.9	12.0	*4.0*	165.6	.....	211.0	30
7.9	19.8	107.1	119.0	.....	202.2	39.7	*11.9*	*15.9*	23.8	63.4	*11.9*	19.8	71.4	*4.0*	*7.9*	122.9	.....	170.5	31
5.4	38.0	100.4	233.3	*2.7*	108.5	29.8	21.7	29.8	*5.4*	154.6	*5.4*	*8.1*	143.8	13.6	.....	89.5	.....	287.5	32
.....	.....	*14.1*	.....	.....	112.6	49.3	.....	*7.0*	.....	35.2	*21.1*	*7.0*	77.4	*7.0*	.....	63.3	.....	98.5	33
2.1	29.2	137.7	148.1	10.4	75.1	39.6	*6.3*	10.4	*4.2*	129.3	*6.3*	12.5	87.6	12.5	*4.2*	52.1	.....	191.9	34
8.5	*25.4*	93.1	93.1	*16.9*	101.6	110.1	.....	*8.5*	*25.4*	67.7	*8.5*	.....	59.3	*25.4*	*8.5*	59.3	*16.9*	169.4	35
4.1	*4.1*	45.1	98.4	*12.3*	57.4	82.0	*4.1*	*4.1*	*8.2*	94.3	*4.1*	*4.1*	102.5	20.5	.....	28.7	.....	110.7	36
6.5	19.6	169.4	241.1	*9.8*	107.5	16.3	.....	*13.0*	19.6	114.1	*6.5*	.....	117.3	*6.5*	.....	39.1	*9.8*	586.5	37
.....	*29.8*	99.2	119.1	*39.7*	138.9	168.7	*9.9*	.....	.....	99.2	*9.9*	.....	69.5	.....	*19.8*	79.4	49.6	178.6	38
.....	22.0	*110.0*	*154.1*	*13.2*	92.4	39.6	*4.4*	.....	.....	88.0	*8.8*	*8.8*	96.8	*4.4*	.....	70.4	.....	140.9	39
3.3	45.6	100.9	201.7	*3.3*	87.9	26.0	*6.5*	*3.3*	*6.5*	81.3	*3.3*	*9.8*	94.4	.....	.....	65.1	*3.5*	159.4	40
6.0	21.1	110.3	166.2	9.1	87.6	48.3	13.6	15.1	9.1	102.7	*6.0*	15.1	117.8	10.6	*3.0*	93.7	*4.5*	145.0	41
4.2	16.7	117.3	170.3	7.1	117.7	50.1	22.5	15.9	9.2	96.0	10.4	13.4	109.7	10.8	5.0	69.7	10.0	196.5	42
7.4	7.4	96.4	148.4	*14.8*	118.7	*14.8*	.....	.....	*14.8*	103.8	.....	.....	44.5	*22.3*	7.4	74.2	.....	230.0	43
.....	*12.9*	51.7	64.7	32.3	110.0	84.1	.....	*6.5*	*12.9*	58.2	.....	*6.5*	103.5	.....	.....	*25.9*	.....	161.7	44
.....	22.6	72.2	121.8	18.0	81.2	76.7	15.8	11.3	*6.8*	119.6	*9.0*	11.3	130.9	*9.0*	*2.3*	69.9	*4.5*	169.2	45
9.3	*37.3*	102.7	261.4	.....	196.1	121.4	*37.3*	*9.3*	.....	168.1	*18.7*	65.4	196.1	*9.3*	84.0	102.7	*28.0*	429.5	46
4.3	7.2	139.8	223.5	*4.3*	119.7	92.3	15.9	27.4	*2.9*	222.0	7.2	30.3	276.8	*5.8*	37.5	75.0	7.2	400.8	47
2.7	13.6	78.8	138.6	*6.4*	54.4	38.1	21.7	19.0	*2.7*	138.6	*2.7*	19.0	160.4	*10.9*	27.2	84.3	.....	293.5	48
6.1	.....	208.8	319.3	*3.1*	193.4	153.5	*9.2*	36.8	*3.1*	316.2	*12.3*	43.0	408.3	.....	49.1	64.5	15.4	521.9	49
7.8	31.2	218.5	351.1	*7.8*	197.6	148.2	41.6	23.4	*5.2*	241.9	36.4	39.0	244.5	13.0	54.6	104.0	*5.2*	897.2	50
4.2	46.0	217.6	230.2	*8.4*	125.5	92.1	46.0	20.9	*8.4*	209.2	20.9	37.7	205.0	20.9	33.5	100.4	*4.2*	623.5	51
13.7	*6.9*	219.9	549.6	*6.9*	316.0	240.5	*34.4*	*27.5*	.....	295.4	61.8	41.2	309.2	.....	39.3	109.9	*6.9*	1,346.6	52
8.6	*25.9*	77.8	164.2	*17.3*	69.1	172.8	60.5	60.5	.....	181.5	*34.6*	43.2	190.1	*8.6*	77.8	138.3	43.2	423.4	53
8.2	*8.2*	86.5	94.8	*4.1*	41.2	65.9	20.6	*8.2*	*12.4*	123.6	28.8	24.7	78.3	*12.4*	45.3	140.1	*12.4*	280.2	54
6.3	*12.7*	63.3	69.7	*6.3*	31.7	38.0	*19.0*	*12.7*	.....	107.6	*25.3*	31.7	82.3	*12.7*	*25.3*	139.3	.....	247.0	55
11.8	.....	129.8	141.6	.....	59.0	118.0	*23.6*	.....	*35.4*	153.4	*35.4*	*11.8*	70.8	*11.8*	32.6	141.6	*35.4*	342.1	56
4.3	*8.5*	93.9	149.4	*4.3*	59.8	55.5	38.4	*17.1*	*12.8*	145.1	*8.5*	38.4	128.0	.....	29.9	85.4	*12.8*	294.5	57
6.6	*6.6*	72.1	131.1	*6.6*	*19.7*	52.5	45.9	*13.1*	*13.1*	98.4	*6.6*	39.3	144.3	.....	*6.6*	52.5	.....	223.0	58
.....	*12.2*	134.5	183.4	.....	134.5	61.1	*24.5*	*24.5*	*12.2*	232.3	*12.2*	*36.7*	97.8	.....	73.4	146.7	*36.7*	427.9	59
6.8	10.2	71.3	118.9	32.3	101.9	27.2	40.8	15.3	*6.8*	129.1	8.5	17.0	76.4	27.2	37.4	100.2	84.9	312.6	60
2.5	12.4	57.1	116.7	*7.5*	82.0	24.8	44.7	22.4	*7.5*	82.0	*9.9*	22.4	69.5	34.8	19.9	106.8	37.3	265.8	61
16.1	*5.4*	102.1	123.6	86.0	145.1	32.2	32.2	.....	*5.4*	231.1	*5.4*	*5.4*	91.4	*10.7*	75.2	86.0	188.1	413.8	62
5.2	*15.7*	120.1	88.8	26.1	120.1	26.1	31.3	*10.4*	.....	172.3	26.1	.....	57.4	*10.4*	*20.9*	78.3	224.5	182.8	63
.....	*15.6*	124.7	46.8	*15.6*	70.2	*15.6*	*31.2*	*15.6*	.....	124.7	*23.4*	.....	62.4	*15.6*	7.8	78.0	101.3	148.1	64
15.8	*15.8*	110.7	174.0	*47.4*	221.4	*47.4*	*31.6*	.....	.....	268.9	*31.6*	.....	*47.4*	.....	*47.4*	79.1	474.5	253.0	65
.....	.....	108.0	154.2	*15.4*	131.1	69.4	*15.4*	*7.7*	.....	92.5	*15.4*	*23.1*	200.5	*15.4*	*7.7*	77.1	54.0	447.3	66
3.6	10.9	100.9	111.8	7.3	98.5	82.6	38.9	14.6	*1.2*	89.9	21.9	25.5	81.4	12.2	24.3	79.0	36.5	300.2	67
4.2	8.5	94.6	101.7	*5.7*	77.7	79.1	41.0	11.3	*1.4*	81.9	19.8	22.6	76.3	14.1	15.5	80.5	33.9	276.9	68
.....	*26.1*	139.3	174.2	*17.4*	226.4	104.5	*26.1*	*34.8*	.....	139.3	*34.8*	43.5	113.2	.....	78.4	69.7	52.2	444.1	69

[2] Includes state institutions.

TABLE III.—DEATH RATES PER 100,000 ESTIMATED POPULATION IN THE REGISTRATION AREA (EXCLUSIVE

[See note at head of this table, p. 160.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid and paratyphoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria.	Influenza.	Erysipelas.	Meningococcus meningitis.	Tuberculosis of the respiratory system.	Tuberculosis of the meninges, etc.	Other forms of tuberculosis.	Cancer and other malignant tumors.
			1	5	6	7	8	9	10	11	21	24	31	32	33–37	43–49
	REGISTRATION CITIES—Continued.															
	TENNESSEE—continued.															
1	Memphis (total)	1,736.1	12.1	47.1	.....	7.8	1.8	3.6	13.9	36.2	3.0	0.6	140.0	5.4	23.5	85.7
2	White	1,369.3	7.7	26.0	.....	8.7	2.9	3.8	15.4	12.5	3.8	1.0	59.6	7.7	13.5	100.0
3	Colored	2,354.7	19.5	82.7	.....	6.5	.....	3.2	11.4	68.1	1.6	.....	275.7	1.6	40.5	61.6
4	Nashville (total)	1,620.8	21.3	3.3	.....	1.6	2.5	21.3	11.5	34.4	0.8	2.5	124.6	7.4	27.0	96.7
5	White	1,360.2	19.8	1.2	.....	1.2	3.5	18.6	16.3	30.3	1.2	3.5	73.4	8.2	14.0	94.4
6	Colored	2,237.7	24.8	8.3	.....	2.8	.....	27.6	.....	44.1	.....	.....	245.6	5.5	57.9	102.1
	TEXAS.[2]															
7	Beaumont (total)	1,056.5	13.9	44.1	.....	.....	.....	4.6	4.6	9.3	2.3	.....	76.6	.....	13.9	46.4
8	White	889.8	10.3	34.5	.....	.....	.....	6.9	5.4	6.9	3.4	.....	31.0	.....	3.4	58.6
9	Colored	1,399.9	21.3	64.0	.....	.....	.....	.....	7.1	14.2	.....	.....	170.6	.....	35.5	21.3
10	Dallas (total)	1,191.9	12.6	6.6	.....	3.6	.....	3.0	8.4	12.6	2.4	.....	76.3	3.6	6.6	72.7
11	White	1,099.6	11.3	6.3	.....	4.2	.....	1.4	8.4	9.1	2.3	.....	46.4	4.2	4.2	77.4
12	Colored	1,729.2	20.5	8.2	.....	.....	.....	12.3	8.2	32.8	.....	.....	249.9	.....	20.5	45.1
13	El Paso	2,508.8	18.0	1.2	1.2	12.0	4.8	7.2	6.0	52.9	10.8	1.2	530.4	18.0	18.0	79.4
14	Galveston (total)	1,445.6	8.8	2.2	2.2	4.4	.....	.....	6.6	2.2	2.2	6.6	108.0	4.4	17.6	70.5
15	White	1,331.2	8.5	2.8	.....	2.8	.....	.....	8.5	2.8	2.8	8.5	79.6	5.7	14.2	71.1
16	Colored	1,838.8	9.8	.....	9.8	9.8	.....	.....	.....	.....	.....	.....	205.4	.....	29.3	68.5
17	Houston (total)	1,274.9	11.7	16.5	0.7	.....	.....	5.5	9.6	14.5	0.7	0.7	104.0	2.8	7.6	82.7
18	White	1,134.3	10.0	9.1	.....	.....	.....	6.3	10.0	10.9	0.9	0.9	87.9	2.7	2.7	86.1
19	Colored	1,719.4	17.2	40.1	2.9	.....	.....	2.9	8.6	25.8	.....	.....	154.7	2.9	22.9	71.6
20	San Antonio (total)	1,562.6	17.5	9.9	1.2	18.7	1.2	6.4	12.3	15.2	1.8	3.5	235.1	4.7	11.7	75.3
21	White	1,572.1	12.8	10.2	1.3	20.5	1.3	5.8	12.2	12.8	1.9	3.8	240.7	5.1	11.5	78.7
22	Colored	1,464.3	66.0	6.6	.....	.....	.....	13.2	13.2	39.6	.....	.....	178.1	.....	13.2	39.6
	UTAH.															
23	Ogden	1,179.6	14.7	.....	2.9	17.7	.....	32.4	5.9	5.9	5.9	2.9	50.1	8.8	2.9	76.7
24	Provo	1,559.5	.....	.....	.....	47.5	.....	47.5	.....	9.5	.....	.....	28.5	9.5	9.5	95.1
25	Salt Lake City	1,236.1	5.8	.....	0.8	19.7	3.3	14.0	18.1	6.6	4.9	4.1	49.3	6.6	5.8	99.5
	VERMONT.															
26	Barre	1,518.8	10.0	.....	.....	.....	40.0	.....	10.0	.....	.....	.....	279.8	30.0	10.0	119.9
27	Burlington	1,685.7	4.3	.....	.....	.....	.....	21.6	30.3	8.6	.....	.....	60.5	17.3	4.3	181.5
28	Rutland	1,331.4	6.6	.....	.....	.....	.....	26.4	.....	6.6	.....	.....	19.8	6.6	.....	112.0
	VIRGINIA.															
29	Alexandria	1,397.7	27.5	.....	.....	5.5	5.5	5.5	16.5	16.5	.....	5.5	126.6	.....	11.0	49.5
30	Charlottesville	1,329.5	9.2	.....	.....	9.2	.....	18.5	.....	.....	.....	9.2	129.3	18.5	27.7	101.6
31	Danville (total)	1,482.1	41.0	4.6	.....	.....	.....	.....	27.4	9.1	4.6	.....	100.3	9.1	9.1	45.6
32	White	1,316.7	55.1	6.1	.....	.....	.....	.....	30.6	.....	6.1	.....	67.4	12.2	.....	61.2
33	Colored	1,964.6	.....	.....	.....	.....	.....	.....	17.9	35.7	.....	.....	196.5	.....	35.7	.....
34	Lynchburg (total)	1,462.3	6.6	.....	.....	3.3	3.3	.....	3.3	19.9	3.3	.....	82.9	9.9	33.2	72.9
35	White	1,277.0	9.1	.....	.....	4.5	4.5	.....	4.5	27.3	4.5	.....	63.6	9.1	27.3	72.7
36	Colored	1,962.2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	134.9	12.3	49.1	73.6
37	Newport News (total)	991.7	9.9	.....	.....	9.9	2.5	17.4	2.5	9.9	.....	.....	84.3	7.4	7.4	34.7
38	White	578.6	8.3	.....	.....	4.1	4.1	12.4	4.1	.....	.....	.....	28.9	.....	4.1	28.9
39	Colored	1,610.8	12.4	.....	.....	18.6	.....	24.8	.....	24.8	.....	.....	167.3	18.6	12.4	43.4
40	Norfolk (total)	1,290.6	9.9	1.6	.....	4.9	4.1	18.1	3.3	5.8	0.8	4.1	89.9	9.9	5.8	70.1
41	White	1,001.4	7.9	1.3	.....	6.6	6.6	14.6	5.3	9.3	1.3	6.6	42.3	6.6	2.6	80.7
42	Colored	1,769.4	13.1	2.2	.....	2.2	.....	24.1	.....	.....	.....	.....	168.6	15.3	10.9	52.6
43	Petersburg (total)	1,795.7	28.1	.....	.....	.....	.....	31.2	15.6	28.1	.....	.....	199.5	9.4	9.4	81.1
44	White	1,351.1	11.1	.....	.....	.....	.....	27.7	16.6	.....	.....	.....	110.7	5.5	.....	94.1
45	Colored	2,368.6	49.9	.....	.....	.....	.....	35.7	14.3	64.2	.....	.....	313.9	14.3	21.4	64.2
46	Portsmouth (total)	1,308.1	12.6	5.4	.....	12.6	3.6	30.5	5.4	41.3	1.8	.....	107.8	5.4	12.6	62.9
47	White	926.0	9.5	.....	.....	9.5	6.4	12.7	9.5	9.5	3.2	.....	66.8	9.5	3.2	82.7
48	Colored	1,803.7	16.5	12.4	.....	16.5	.....	53.7	.....	82.5	.....	.....	161.0	.....	24.8	37.1
59	Richmond (total)	1,461.1	5.7	0.6	.....	2.3	0.6	21.1	9.7	16.5	1.7	2.3	120.7	13.1	11.4	86.5
50	White	1,229.1	7.4	0.8	.....	2.5	0.8	18.1	10.7	10.7	2.5	1.6	75.8	9.1	6.6	101.4
51	Colored	1,978.6	1.8	.....	.....	1.8	.....	27.6	7.4	29.4	.....	3.7	220.7	22.1	22.1	53.3
52	Roanoke (total)	1,339.1	13.3	3.8	.....	11.4	1.9	26.5	26.5	20.8	1.9	1.9	87.1	7.6	5.7	72.0
53	White	1,241.3	16.2	4.6	.....	11.6	2.3	18.5	32.4	16.2	2.3	2.3	64.7	4.6	4.6	80.9
54	Colored	1,782.7	.....	.....	.....	10.5	.....	62.9	.....	41.9	.....	.....	188.8	21.0	10.5	31.5
55	Staunton *	2,362.1	18.8	.....	.....	.....	18.8	18.8	.....	56.5	.....	.....	301.1	.....	9.4	160.0

[1] Exclusive of stillbirths.

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1921—Continued.

[See note at head of this table, p. 160.]

DEATH RATE PER 100,000 POPULATION FROM—																		
Rheumatism.	Diabetes mellitus.	Cerebral hemorrhage and softening.	Other [organic] diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis.	Puerperal septicemia.	Other puerperal causes.	Congenital malformations and diseases of early infancy.	Suicide.	Homicide.	Accidental and unspecified external causes.	Unknown or ill-defined diseases.	All other causes.	
51, 52	57	74, 83	90	99	100, 101	113	117	118	122	128, 129	146	143-145, 147-150	159-163	165-174	197-200	175-196, 201-203	204, 205		
5.4	10.9	65.2	140.7	10.9	104.4	33.8	50.7	26.6	10.9	164.8	12.1	16.9	114.7	16.3	59.2	96.6	68.8	349.5	1
1.0	15.4	64.4	94.2	4.8	79.8	36.5	51.0	19.2	14.4	147.1	7.7	17.3	102.9	24.0	36.5	84.6	33.7	272.1	2
13.0	*3.2*	66.5	218.9	21.1	146.0	29.2	50.3	38.9	*4.9*	194.6	19.5	16.2	134.6	*3.2*	97.3	116.8	128.1	480.0	3
4.9	14.7	86.0	208.1	10.7	120.5	45.9	33.6	28.7	13.1	121.3	14.7	22.1	86.9	13.1	32.8	90.1	26.2	292.5	4
.....	17.5	79.3	135.2	*4.7*	87.4	39.6	39.6	21.0	10.5	94.4	12.8	21.0	88.6	16.3	19.8	88.6	19.8	278.6	5
16.6	*8.3*	102.1	380.8	24.8	198.7	60.7	19.3	46.9	19.3	184.9	19.3	24.8	82.8	*5.5*	63.5	93.8	41.4	325.6	6
7.0	11.6	39.5	41.8	*7.0*	27.9	62.7	34.8	*9.3*	*7.0*	95.2	*2.3*	18.6	97.5	18.6	23.2	99.8	55.7	181.1	7
6.9	*6.9*	44.8	34.5	*3.4*	20.7	55.2	41.4	*10.3*	*6.9*	93.1	*3.4*	*10.3*	69.0	27.6	*3.4*	86.2	51.7	155.2	8
7.1	*21.3*	*28.4*	56.9	*14.2*	42.6	78.2	*21.3*	*7.1*	*7.1*	99.5	.....	35.5	156.3	.....	64.0	127.9	64.0	234.5	9
3.0	23.4	80.5	78.1	4.8	73.3	23.4	41.4	5.4	10.2	86.5	16.8	15.6	120.7	21.6	23.4	71.5	*0.6*	283.4	10
2.8	25.3	75.3	67.5	4.2	64.7	22.5	43.6	4.9	7.0	74.6	14.1	16.2	122.4	28.9	12.7	71.1	*0.7*	270.2	11
4.1	*12.3*	110.6	139.3	*8.2*	122.9	28.7	28.7	*8.2*	28.7	155.7	32.8	*12.3*	110.6	*8.2*	86.0	73.8	.....	360.6	12
7.2	10.8	60.1	110.6	38.5	209.3	383.7	20.4	22.9	12.0	102.2	20.4	25.3	145.5	27.7	45.7	134.7	22.9	347.6	13
.....	26.4	79.3	152.1	*6.6*	48.5	59.5	13.2	*8.8*	11.0	134.4	.....	19.8	116.8	15.4	37.5	103.6	13.2	363.6	14
.....	17.1	79.6	139.4	*8.5*	42.7	56.9	14.2	*5.7*	*5.7*	130.8	.....	22.8	128.0	19.9	22.8	91.0	17.1	321.4	15
.....	58.7	78.2	195.6	.....	68.5	68.5	*9.8*	*19.6*	*29.3*	146.7	.....	*9.8*	78.2	.....	88.0	146.7	.....	508.6	16
4.1	15.2	71.6	94.4	4.1	60.6	35.8	28.2	20.0	10.3	95.7	8.3	11.7	57.2	17.2	20.0	77.8	118.5	267.2	17
2.7	17.2	60.7	78.0	*3.6*	54.4	30.8	30.8	19.0	8.2	90.7	4.5	10.9	65.3	21.8	14.5	77.1	85.2	231.2	18
3.6	*8.6*	106.0	146.1	*5.7*	80.2	51.6	20.1	22.9	17.2	111.8	20.1	14.3	31.5	*2.9*	37.3	80.2	223.5	381.1	19
2.3	12.8	60.1	94.5	14.0	77.0	186.1	17.5	16.9	9.3	72.4	8.2	14.0	134.8	18.1	10.5	100.4	15.2	284.2	20
2.6	12.8	55.0	94.7	12.8	72.3	200.4	17.9	16.6	9.6	65.3	7.7	13.4	141.5	18.6	9.0	104.3	15.4	283.6	21
.....	*13.2*	112.1	92.3	*26.4*	125.3	39.6	*13.2*	*19.8*	*6.6*	145.1	*13.2*	*19.8*	66.0	*13.2*	*26.4*	59.4	*13.2*	290.2	22
.....	*11.8*	88.5	138.6	14.7	76.7	*11.8*	38.3	17.7	*11.8*	79.6	17.7	17.7	123.9	20.6	*5.9*	82.6	.....	194.6	23
9.5	.....	123.6	152.1	*19.0*	133.1	*9.5*	*38.0*	*9.5*	*9.5*	85.6	.....	*19.0*	123.6	*28.5*	.....	57.1	*9.5*	485.0	24
2.5	24.7	77.3	150.5	7.4	83.1	40.3	35.4	19.7	9.0	74.8	14.0	11.5	115.1	15.6	5.8	77.3	30.4	203.1	25
10.0	*10.0*	169.9	169.9	*10.0*	60.0	.....	*30.0*	*10.0*	*30.0*	50.0	*10.0*	*20.0*	99.9	*40.0*	.....	109.9	.....	189.8	26
4.3	34.6	95.1	216.1	25.9	142.6	69.2	64.8	*8.6*	*13.0*	90.8	*17.3*	*13.0*	194.5	*13.0*	.....	86.4	.....	268.0	27
6.6	*19.8*	105.5	118.6	*13.2*	92.3	*13.2*	*26.4*	*13.2*	.....	125.2	.....	*13.2*	105.5	*13.2*	.....	125.2	*13.2*	349.3	28
16.5	*11.0*	82.5	126.6	38.5	126.6	66.0	*5.5*	*11.0*	*11.0*	148.6	*16.5*	*5.5*	132.1	*5.5*	*22.0*	71.5	*11.0*	220.1	29
9.2	*18.5*	175.4	184.7	.....	64.6	64.6	.....	.....	.....	147.7	*9.2*	*18.5*	110.8	*9.2*	.....	*36.9*	*27.7*	129.3	30
4.6	*13.7*	150.5	145.9	.....	63.8	27.4	45.6	31.9	.....	136.8	*9.1*	22.8	141.4	*9.1*	41.0	63.8	27.4	296.4	31
.....	*13.4*	134.7	134.7	.....	42.9	30.6	49.0	*13.4*	.....	79.6	*6.1*	30.6	165.3	*12.2*	30.6	42.9	*24.5*	257.2	32
17.9	.....	196.5	178.6	.....	125.0	*17.9*	*35.7*	*71.4*	.....	303.6	*17.9*	.....	*71.4*	.....	*71.4*	125.0	*35.7*	410.8	33
3.3	19.9	86.2	202.3	*9.9*	92.8	39.8	*13.3*	26.5	*3.3*	116.1	16.6	*13.3*	119.4	*13.3*	33.2	119.4	26.5	268.6	34
4.5	22.7	68.2	168.1	*13.6*	68.2	31.8	*4.5*	22.7	.....	72.7	*9.1*	*13.6*	122.7	*18.2*	27.3	104.5	*18.2*	259.0	35
.....	*12.3*	134.9	294.3	.....	159.4	61.3	*36.8*	*36.8*	*12.3*	233.3	*36.8*	*12.3*	110.4	.....	*49.1*	159.4	*49.1*	294.3	36
2.5	*5.0*	71.9	128.9	*7.4*	57.0	62.0	*7.4*	*5.0*	*5.0*	69.4	14.9	*2.5*	86.8	*7.4*	37.2	52.1	14.9	168.6	37
.....	*4.1*	33.1	86.8	*4.1*	28.9	*12.4*	.....	*4.1*	*4.1*	41.3	*12.4*	.....	86.1	*12.4*	*16.5*	45.5	*12.4*	99.2	38
6.2	*6.2*	130.1	192.1	*12.4*	99.1	136.3	*18.6*	*6.2*	*6.2*	111.5	*18.6*	*6.2*	117.7	.....	68.1	62.0	*18.6*	272.6	39
6.6	15.7	101.4	135.2	10.7	93.2	37.9	26.4	17.3	6.6	81.6	11.5	14.8	100.6	18.1	28.6	82.5	6.6	267.2	40
2.6	21.2	78.0	107.1	*4.0*	43.7	22.5	25.1	*5.3*	*5.3*	72.8	*5.3*	9.3	88.6	27.8	10.0	75.4	*4.0*	201.1	41
13.1	*6.6*	140.2	181.8	21.9	175.2	63.5	28.5	37.2	*8.8*	96.4	21.9	24.1	120.4	*2.2*	56.9	94.2	.....	376.7	42
6.2	21.8	130.9	155.9	.....	65.5	152.8	15.6	31.2	31.2	202.6	*3.1*	31.2	180.8	*12.5*	31.2	56.1	24.9	230.2	43
5.5	27.7	77.5	138.4	.....	38.8	55.4	*5.5*	27.7	27.7	210.4	.....	33.2	144.0	*23.1*	*11.1*	55.4	.....	204.9	44
7.1	*14.3*	199.8	178.4	.....	99.9	278.2	*28.5*	35.7	35.7	192.6	*7.1*	*28.5*	228.3	.....	57.1	57.1	57.1	285.4	45
3.6	10.8	118.6	88.0	10.8	120.4	82.7	*7.2*	10.8	*3.6*	75.5	*7.2*	21.6	115.0	19.8	14.4	70.1	12.6	213.8	46
.....	*12.7*	105.0	54.1	*6.4*	60.5	41.4	*6.4*	*9.5*	*3.2*	92.3	*3.2*	*6.4*	82.7	22.3	*3.2*	60.5	*9.5*	124.1	47
3.3	*3.3*	136.2	132.1	*16.5*	198.1	136.2	*3.3*	*12.4*	*4.1*	53.7	*12.4*	41.3	156.8	*16.5*	28.9	82.5	*16.5*	320.2	48
6.8	15.9	117.3	157.1	8.0	121.2	38.1	22.8	17.6	6.8	121.8	8.5	21.6	128.1	10.8	8.5	62.6	18.8	276.6	49
4.1	17.3	110.5	150.9	4.9	61.8	32.2	20.6	15.7	4.1	127.8	4.1	10.7	115.4	14.0	*3.3*	53.6	5.8	224.2	50
12.9	12.9	132.4	171.0	14.7	253.8	51.5	27.6	22.1	12.9	108.5	18.4	46.0	156.3	*3.7*	20.2	82.7	47.8	393.5	51
3.8	*7.6*	68.2	144.0	*1.9*	73.9	72.0	24.6	20.8	*5.7*	117.4	9.5	26.5	115.5	9.5	20.8	87.1	11.4	238.7	52
4.6	*6.9*	55.5	138.7	*2.3*	62.4	69.3	25.4	20.8	*4.6*	99.4	11.6	27.7	111.0	11.6	*9.2*	85.5	*9.2*	224.2	53
.....	*10.5*	125.8	167.8	.....	125.8	83.9	*21.0*	*21.0*	*10.5*	199.2	.....	*21.0*	136.3	.....	73.4	94.4	*21.0*	304.1	54
9.4	*9.4*	160.0	216.5	*9.4*	272.9	*9.4*	*9.4*	*28.2*	*18.8*	272.9	.....	*28.2*	150.6	*28.2*	.....	*37.6*	*9.4*	508.2	55

[2] Nonregistration state; the only cities shown are those with satisfactory registration of deaths.

TABLE III.—DEATH RATES PER 100,000 ESTIMATED POPULATION IN THE REGISTRATION AREA (EXCLUSIVE

[See note at head of this table, p. 160.

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid and paratyphoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria.	Influenza.	Erysipelas.	Meningococcus meningitis.	Tuberculosis of the respiratory system.	Tuberculosis of the meninges, etc.	Other forms of tuberculosis.	Cancer and other malignant tumors.
			1	5	6	7	8	9	10	11	21	24	31	32	33-37	43-49
	REGISTRATION CITIES—Continued.															
	WASHINGTON.															
1	Aberdeen	918.7	.....	.....	.....	.....	.....	6.4	.....	6.4	.....	12.8	51.4	.....	19.3	77.1
2	Bellingham	1,032.6	7.8	.....	.....	3.9	.....	.....	3.9	19.4	.....	.....	27.2	11.6	11.6	93.2
3	Everett	907.6	.....	.....	.....	.....	.....	.....	24.9	7.1	3.6	.....	28.5	7.1	10.7	117.5
4	Hoquiam	724.6	9.7	.....	.....	.....	.....	9.7	.....	.....	.....	.....	9.7	9.7	.....	115.9
5	Seattle (total)	900.4	2.2	0.3	0.3	.....	1.0	1.9	7.0	12.1	0.6	0.3	47.9	10.1	12.7	106.2
6	White	873.5	2.0	0.3	0.3	.....	1.0	1.7	6.9	11.9	0.7	.....	40.0	8.3	10.6	107.1
7	Colored	1,539.4	7.9	.....	.....	.....	.....	7.9	7.9	15.7	.....	7.9	235.6	55.0	62.8	86.4
8	Spokane	1,259.1	4.8	.....	1.0	1.0	3.8	7.7	14.4	20.1	1.9	1.0	46.9	7.7	9.6	118.7
9	Tacoma	1,061.5	3.0	.....	.....	2.0	.....	1.0	12.1	12.1	3.0	3.0	37.4	6.1	13.1	119.2
10	Vancouver	1,087.3	7.6	.....	15.2	7.6	.....	.....	7.6	15.2	.....	.....	22.8	.....	7.6	83.6
11	Walla Walla	1,612.6	12.9	6.5	.....	.....	.....	.....	32.3	25.8	6.5	6.5	90.3	6.5	12.9	116.1
12	Yakima	1,570.6	10.4	.....	5.2	.....	5.2	.....	.....	36.4	5.2	10.4	98.8	5.2	10.4	161.2
	WEST VIRGINIA.[2]															
13	Wheeling	1,546.0	37.4	.....	.....	1.8	10.7	10.7	42.7	17.8	3.6	3.6	92.5	1.8	5.3	122.8
	WISCONSIN.															
14	Appleton	1,310.5	.....	.....	.....	.....	10.0	.....	10.0	5.0	.....	.....	40.0	5.0	10.0	120.0
15	Ashland	1,738.1	26.5	.....	.....	.....	3.3	3.3	3.3	23.5	3.3	3.3	123.5	3.3	17.6	167.6
16	Beloit	917.5	.....	.....	.....	.....	9.0	18.0	13.5	9.0	9.0	.....	58.5	13.5	9.0	85.5
17	Eau Claire*	1,511.2	4.7	.....	.....	.....	9.4	4.7	9.4	4.7	4.7	4.7	164.3	4.7	14.1	173.7
18	Fond du Lac	1,267.6	4.1	.....	.....	.....	4.1	.....	45.6	.....	3.3	.....	37.3	4.1	16.6	153.3
19	Green Bay	1,664.1	12.5	.....	.....	.....	3.1	.....	47.0	12.5	6.3	.....	72.1	21.9	37.6	141.0
20	Janesville	1,038.3	.....	.....	.....	.....	.....	5.3	5.3	5.3	.....	5.3	52.7	.....	31.6	131.8
21	Kenosha	750.2	.....	.....	2.3	.....	2.3	.....	30.2	9.3	7.0	.....	34.8	2.3	2.3	48.8
22	La Crosse	1,722.5	.....	.....	6.6	3.3	.....	3.3	3.3	.....	23.0	.....	88.8	16.4	9.9	213.7
23	Madison	1,061.0	2.5	2.5	2.5	.....	.....	.....	24.9	10.0	5.0	2.5	44.8	10.0	.....	117.1
24	Manitowoc	1,237.4	11.0	.....	.....	.....	.....	5.5	5.5	.....	5.5	.....	82.1	.....	5.5	125.9
25	Marinette	1,138.9	7.3	.....	.....	14.7	14.7	.....	7.3	.....	.....	.....	58.8	29.4	22.0	132.3
26	Milwaukee	977.8	1.9	.....	.....	1.3	12.4	3.8	19.6	4.9	2.8	0.9	54.6	7.9	7.5	94.2
27	Oshkosh	1,341.3	.....	.....	.....	.....	.....	.....	9.0	6.0	3.0	.....	57.3	3.0	12.1	171.8
28	Racine	964.3	9.8	.....	.....	1.6	19.6	5.2	40.9	4.9	6.5	.....	44.2	3.3	9.8	104.8
29	Sheboygan	1,086.6	31.6	.....	9.5	.....	6.3	25.3	31.6	3.2	.....	.....	47.4	3.2	6.3	97.9
30	Stevens Point	1,179.5	.....	.....	8.5	8.5	8.5	.....	42.4	8.5	.....	.....	33.9	.....	.....	84.9
31	Superior	1,124.2	5.0	.....	.....	2.5	25.2	12.6	22.7	2.5	7.6	2.5	63.0	2.5	17.6	88.2
32	Waukesha	1,064.8	.....	.....	.....	.....	.....	15.2	22.8	22.8	.....	.....	53.2	7.6	.....	129.3
33	Wausau	1,372.4	5.2	.....	.....	.....	20.8	.....	5.2	.....	5.2	5.2	31.2	15.6	5.2	119.6
34	West Allis	855.7	.....	.....	.....	.....	.....	.....	114.5	6.7	.....	.....	60.6	13.5	20.2	40.4

[1] Exclusive of stillbirths.

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1921—Continued.

[See note at head of this table, p. 160.]

DEATH RATE PER 100,000 POPULATION FROM—																		
Rheumatism.	Diabetes mellitus.	Cerebral hemorrhage and softening.	Other [organic] diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis.	Puerperal septicemia.	Other puerperal causes.	Congenital malformations and diseases of early infancy.	Suicide.	Homicide.	Accidental and unspecified external causes.	Unknown or ill-defined diseases.	All other causes.	
51, 52	57	74, 83	90	99	100, 101	113	117	118	122	128, 129	146	143-145, 147-150	159-163	165-174	197-200	175-196, 201-203	204, 205		
.....	.....	89.9	89.9	.....	64.2	*6.4*	*12.8*	.....	.....	51.4	*12.8*	.....	70.7	*25.7*	*12.8*	147.8	.....	160.6	1
11.6	27.2	124.2	100.9	*3.9*	50.5	19.4	23.3	*11.6*	.....	46.6	.....	*7.8*	100.9	19.4	*11.6*	58.2	.....	236.8	2
3.6	24.9	53.4	81.9	*3.6*	35.6	*3.6*	21.4	*7.1*	.....	92.5	*7.1*	*7.1*	81.9	21.4	*7.1*	74.7	*7.1*	174.4	3
.....	*9.7*	*29.0*	58.0	.....	48.3	*9.7*	.....	*9.7*	.....	58.0	*29.0*	*9.7*	*9.7*	*19.3*	*9.7*	106.3	*9.7*	154.6	4
1.0	18.4	68.8	125.6	5.4	50.4	7.3	13.3	11.7	6.3	75.5	5.7	6.0	61.8	24.4	7.3	53.0	*0.8*	155.4	5
1.0	18.5	68.7	128.9	5.0	48.9	5.0	12.9	11.6	5.9	74.4	5.6	5.0	56.8	23.8	5.3	53.5	.....	152.0	6
.....	*15.7*	70.7	47.1	*15.7*	86.4	62.8	*23.6*	*15.7*	*15.7*	102.1	*7.9*	*31.4*	180.6	39.3	55.0	39.3	*7.9*	235.6	7
6.7	21.1	79.5	122.6	8.6	118.7	13.4	34.5	10.5	*3.8*	93.8	13.4	12.4	83.3	33.5	8.6	67.0	.....	289.2	8
3.0	20.2	96.0	156.6	*4.0*	64.6	*3.0*	20.2	13.1	6.1	57.6	12.1	8.1	77.8	26.3	9.1	67.7	15.2	188.9	9
.....	*15.2*	76.0	212.9	.....	*30.4*	*7.6*	*30.4*	*22.8*	*7.6*	98.8	.....	*15.2*	76.0	*7.6*	.....	114.1	.....	205.3	10
12.9	*19.4*	135.5	167.7	*19.4*	96.8	*12.9*	51.6	*12.9*	*6.5*	71.0	*19.4*	*12.9*	103.2	32.3	*6.5*	116.1	*6.5*	393.5	11
5.2	26.0	83.2	192.4	*5.2*	83.2	62.4	36.4	*5.2*	*15.6*	104.0	36.4	36.4	150.8	26.0	.....	98.8	*5.2*	249.6	12
3.6	21.3	58.7	151.2	8.9	135.2	37.4	24.9	24.9	32.0	119.2	8.9	12.5	124.5	12.5	12.5	160.1	*1.8*	245.5	13
20.0	*15.0*	100.0	140.1	25.0	100.0	60.0	90.0	*5.0*	*5.0*	90.0	*10.0*	*15.0*	90.0	*5.0*	.....	85.0	.....	255.1	14
8.8	70.6	97.1	150.0	*17.6*	97.1	52.9	44.1	70.6	*8.8*	105.9	*8.8*	*35.3*	176.5	*26.5*	*8.8*	61.8	.....	282.3	15
4.5	*18.6*	63.0	103.4	*18.0*	49.5	31.5	36.0	*4.5*	.....	27.0	*9.0*	*4.5*	121.4	.....	.....	36.0	.....	170.9	16
9.4	37.5	103.3	159.6	*4.7*	51.6	23.2	42.2	32.9	*4.7*	70.4	*14.1*	*14.1*	136.1	.....	*9.4*	84.5	*4.7*	305.1	17
12.4	20.7	82.8	145.0	*12.4*	37.3	41.4	37.3	33.1	.....	95.3	*4.1*	*4.1*	116.0	*4.1*	.....	74.6	*8.3*	265.1	18
18.8	28.2	103.4	144.2	*9.4*	141.0	34.5	65.8	25.1	*6.3*	94.0	34.5	*9.4*	134.8	*9.4*	.....	87.7	*3.1*	360.4	19
5.3	*10.5*	68.5	100.1	*15.8*	73.8	*10.5*	*21.1*	*21.1*	.....	68.5	.....	*15.8*	73.8	*21.1*	.....	79.1	.....	216.1	20
2.3	*4.6*	27.9	81.3	*7.0*	55.7	34.8	13.9	*9.3*	11.6	46.5	*4.6*	*4.6*	90.6	13.9	*7.0*	72.0	.....	123.1	21
3.3	26.3	75.6	197.2	*13.1*	128.2	26.3	49.3	19.7	*6.6*	121.6	*9.9*	16.4	144.6	19.7	.....	101.9	*9.9*	384.6	22
2.5	22.4	59.8	137.0	*2.5*	64.8	12.5	44.8	32.4	.....	44.8	*7.5*	12.5	64.8	*5.0*	*2.5*	67.2	*2.5*	254.0	23
5.5	*16.4*	104.0	104.0	*16.4*	49.3	49.3	38.3	*16.4*	*5.5*	71.2	*16.4*	*11.0*	120.5	*16.4*	.....	65.7	.....	290.2	24
7.3	*22.0*	102.9	147.0	.....	73.5	58.8	*14.7*	.....	.....	95.5	*7.3*	*14.7*	73.5	*22.0*	.....	36.7	.....	176.3	25
4.5	16.2	63.1	104.0	15.8	78.9	40.3	17.1	8.3	10.2	60.8	5.3	11.9	98.7	18.3	3.8	49.7	*0.6*	158.6	26
21.1	15.1	111.5	208.0	*3.0*	69.3	27.1	21.1	21.1	*12.1*	54.3	.....	*3.0*	156.7	*6.0*	.....	66.3	.....	283.3	27
.....	13.1	72.0	99.9	*3.3*	80.2	36.0	*6.5*	13.1	*3.3*	67.1	*4.9*	11.5	75.3	8.2	*4.9*	54.0	.....	157.2	28
12.6	22.1	104.2	104.2	*9.5*	56.9	34.7	28.4	*6.3*	*12.6*	63.2	*3.2*	*6.3*	104.2	*12.6*	.....	66.3	.....	176.9	29
.....	*8.5*	144.3	135.8	.....	84.9	59.4	50.9	*17.0*	*25.5*	59.4	.....	.....	84.9	.....	.....	59.4	*8.5*	246.1	30
10.1	20.2	80.7	113.4	*2.5*	70.6	17.6	12.6	*7.6*	7.6	40.3	*2.5*	*7.6*	121.0	17.6	*7.6*	118.5	*2.5*	211.7	31
15.2	60.8	83.7	83.7	.....	98.9	*15.2*	*7.6*	*7.6*	.....	83.7	.....	.....	76.1	*7.6*	.....	83.7	*7.6*	182.5	32
31.2	*20.8*	78.0	150.8	*15.6*	88.4	26.0	36.4	31.2	*10.4*	67.6	*15.6*	31.2	130.0	*15.6*	.....	88.4	.....	322.3	33
.....	*6.7*	47.2	121.3	*20.2*	60.6	*27.0*	.....	.....	.....	33.7	.....	*6.7*	128.0	*13.5*	*6.7*	*27.0*	.....	101.1	34

[2] Nonregistration state; the only cities shown are those with satisfactory registration of deaths.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), EACH CAUSE AND

[The rates are based on total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Rates in *italics* are based on less than 5 deaths. Bases of rates

Detailed List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.										
		Registration area (exclusive of Hawaii).	REGISTRATION STATES.			Registration cities in nonregistration states.[2]	All registration cities.[1]	CALIFORNIA.			COLORADO.		
			Total.[1]	Cities.[1]	Rural districts.			Total.	Cities.	Rural districts.	Total.	Cities.	Rural districts.
	All causes[3]	1,163.9	1,158.1	1,229.7	1,089.7	1,505.3	1,239.0	1,320.1	1,349.3	1,280.7	1,235.6	1,489.6	1,076.9
	I.—Epidemic, endemic, and infectious diseases	185.2	183.4	180.4	186.3	289.8	184.0	226.7	209.4	249.9	292.8	365.6	247.4
1	Typhoid and paratyphoid fever	9.0	8.9	5.8	11.9	16.4	6.1	4.3	3.8	4.8	10.1	7.3	11.8
2	Typhus fever	(4)	(4)	(4)	(4)	.....	(4)	*0.1*	(4)	*0.1*	.....	.....	.....
3	Relapsing fever (spirillum obermeieri)	(4)	(4)	(4)	.....	*0.1*	(4)	.....	.....	.....	.....	.....	.....
4	Malta fever	(4)	(4)	.....	(4)	.....	.....	.....	.....	.....	.....	.....	.....
5	Malaria	3.6	3.6	0.9	6.1	8.4	1.2	0.8	0.3	1.5	.....	.....	.....
6	Smallpox	0.7	0.7	0.8	0.6	1.4	0.8	0.6	*0.1*	1.2	4.7	10.8	0.8
7	Measles	4.3	4.2	4.1	4.4	6.5	4.2	4.0	3.5	4.6	8.4	7.8	8.8
8	Scarlet fever	5.3	5.4	6.4	4.4	2.5	6.2	3.3	3.5	3.1	5.9	4.1	7.1
9	Whooping cough	9.1	9.1	7.7	10.5	6.9	7.7	5.6	4.3	7.4	10.2	6.5	12.5
10	Diphtheria	17.7	17.8	19.3	16.4	11.0	19.0	17.8	19.3	15.8	24.8	24.9	24.7
11a	Influenza (with pulmonary complications)	6.7	6.6	6.0	7.2	12.7	6.3	8.1	5.8	11.2	13.4	17.6	10.8
11b	Influenza (other and unspecified)	4.8	4.7	3.3	6.1	7.3	3.4	3.3	2.5	4.4	6.4	6.0	6.8
12	Miliary fever	(4)	(4)	.....	(4)	.....	.....	.....	.....	.....	.....	.....	.....
13	Mumps	0.1	0.2	0.2	0.1	.....	0.2	0.6	0.9	0.3	*0.3*	*0.3*	*0.3*
14	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	Cholera nostras	0.3	0.3	0.1	0.4	*0.1*	0.1	*0.1*	.....	*0.1*	0.8	*0.5*	1.0
16	Dysentery	4.0	3.9	1.7	6.1	9.0	1.9	2.7	1.7	4.0	2.0	1.6	2.2
17	Plague	(4)	(4)	.....	(4)	.....	.....	(4)	.....	*0.1*	.....	.....	.....
18	Yellow fever	(4)	(4)	(4)	.....	.....	(4)	(4)	(4)	.....	.....	.....	.....
19	Spirochetal hemorrhagic jaundice	(4)	(4)	(4)	(4)	*0.1*	(4)	*0.1*	*0.1*	.....	.....	.....	.....
20	Leprosy	(4)	(4)	(4)	(4)	*0.1*	(4)	0.2	0.2	*0.1*	.....	.....	.....
21	Erysipelas	2.8	2.8	3.0	2.6	2.9	3.0	2.6	2.7	2.6	5.5	5.7	5.4
22	Acute anterior poliomyelitis	1.8	1.8	1.8	1.9	0.5	1.7	1.5	1.6	1.4	0.8	1.6	*0.3*
23	Lethargic encephalitis	1.5	1.5	2.2	0.9	1.4	2.1	1.8	1.8	1.9	1.1	1.6	0.8
24	Meningococcus meningitis	1.5	1.4	1.7	1.2	2.3	1.7	2.0	2.3	1.5	1.1	1.6	0.8
25	Other epidemic and endemic diseases	0.2	0.2	0.2	0.2	*0.1*	0.2	0.3	0.4	*0.2*	*0.4*	*0.5*	*0.3*
26	Glanders	(4)	(4)	.....	(4)	.....	.....	(4)	.....	*0.1*	.....	.....	.....
27	Anthrax	(4)	(4)	(4)	(4)	*0.1*	(4)	(4)	.....	*0.1*	.....	.....	.....
28	Rabies	0.1	0.1	0.1	0.1	*0.2*	0.1	0.2	*0.2*	*0.1*	.....	.....	.....
29	Tetanus	1.8	1.7	1.7	1.6	9.8	2.0	1.4	1.6	1.3	1.1	*1.1*	1.2
30	Mycoses	0.2	0.2	0.2	0.3	*0.1*	0.1	0.1	0.2	.....	*0.2*	*0.3*	*0.2*
	Tuberculosis (total)	99.4	98.3	100.9	95.9	161.5	103.0	151.1	136.6	170.6	184.6	250.3	143.6
31	Of the respiratory system	86.0	85.1	84.5	85.6	143.3	86.5	133.0	115.7	156.4	170.8	227.6	135.3
32	Of the meninges, central nervous system	4.8	4.8	6.7	3.0	5.0	6.7	7.8	9.7	5.2	5.9	10.3	3.2
33	Of the intestines, peritoneum	3.6	3.6	3.8	3.3	6.2	3.9	4.6	4.5	4.7	3.0	4.6	2.0
34	Of the vertebral column	1.0	1.0	1.3	0.8	1.0	1.2	1.4	1.5	1.2	0.8	1.4	*0.5*
35	Of the joints	0.5	0.5	0.5	0.4	*0.5*	0.5	0.4	0.4	0.3	*0.4*	*0.8*	*0.2*
36	Of other organs	1.3	1.3	1.5	1.1	*1.6*	1.5	1.6	1.8	1.3	0.5	*0.3*	*0.7*
37a	Disseminated (acute)	1.6	1.6	2.1	1.0	3.4	2.1	2.1	2.7	1.2	2.0	2.7	1.5
37b	Disseminated (chronic or unspecified)	0.5	0.5	0.5	0.5	0.3	0.5	0.3	0.3	*0.2*	1.1	2.7	*0.2*
38	Syphilis	7.9	7.6	9.9	5.4	22.3	10.3	11.4	13.5	8.6	9.2	12.7	6.9
39	Soft chancre	(4)	(4)	(4)	(4)	*0.1*	(4)	.....	.....	.....	.....	.....	.....
40	Gonococcus infection	0.7	0.7	1.0	0.4	3.3	1.1	1.0	1.1	0.8	0.7	1.4	*0.3*
41	Purulent infection, septicemia	1.4	1.4	1.4	1.4	2.6	1.4	1.5	1.1	2.1	0.8	1.4	*0.5*
42	Other infectious diseases	(4)	(4)	(4)	(4)	.....	(4)	(4)	(4)	.....	.....	.....	.....
	II.—General diseases not included in Class I	128.2	128.2	149.9	107.4	132.2	149.3	156.1	185.3	116.8	112.3	147.5	90.4
	Cancer and other malignant tumors (total)	86.0	86.2	102.1	70.9	78.2	101.3	111.7	133.9	81.9	74.7	102.3	57.5
43	Of the buccal cavity	2.9	2.9	3.2	2.7	3.1	3.2	3.7	5.0	1.8	1.9	1.9	1.9
44	Of the stomach, liver	32.0	32.2	36.4	28.1	21.8	35.9	40.7	46.5	32.8	30.7	39.2	25.3
45	Of the peritoneum, intestines, rectum	12.0	12.0	15.6	8.7	10.6	15.4	16.6	20.4	11.6	8.3	13.8	4.9
46	Of the female genital organs	12.[illegible]	12.5	15.4	9.8	17.7	15.4	14.4	18.4	9.1	10.6	15.7	7.4
47	Of the breast	[illegible].9	7.9	9.5	6.4	6.1	9.4	11.2	14.9	6.2	7.2	10.6	5.1
48	Of the skin	2.7	2.7	2.3	3.2	2.6	2.3	2.7	2.0	3.7	1.8	1.9	1.7
49	Of other or unspecified organs	15.8	15.8	19.8	12.0	16.4	19.6	22.4	26.7	16.7	14.3	19.2	11.2
∞	Tumors, benign and unqualified (tumors of the female genital organs excepted)	0.8	0.8	0.9	0.7	1.4	1.0	0.9	1.2	0.5	*0.3*	*0.3*	*0.3*
51	Acute rheumatic fever	3.7	3.7	4.0	3.4	2.8	4.0	2.3	2.4	2.1	3.7	3.0	4.2
52	Chronic rheumatism, osteoarthritis, gout	1.2	1.2	1.0	1.4	0.6	0.9	0.9	1.1	0.8	0.8	*0.8*	0.8
53	Scurvy	0.1	0.1	0.1	0.1	.....	0.1	*0.1*	*0.1*	.....	.....	.....	.....
54	Pellagra	2.9	2.7	1.4	3.9	13.0	1.8	0.4	0.4	0.4	0.5	*0.3*	*0.7*
55	Beriberi	(4)	(4)	(4)	.....	.....	(4)	*0.1*	*0.1*	.....	.....	.....	.....
56	Rickets	0.6	0.6	0.7	0.5	0.3	0.7	0.2	*0.2*	*0.3*	.....	.....	.....
57	Diabetes mellitus	16.8	16.8	20.2	13.6	17.0	20.1	20.3	23.4	16.0	14.3	16.2	13.0
58	Anemia, chlorosis	5.4	5.4	5.8	5.1	4.0	5.8	7.5	8.6	5.9	6.7	8.9	5.2
59	Diseases of the pituitary gland	0.1	0.1	0.1	(4)	*0.1*	0.1	*0.1*	*0.1*	*0.1*	*0.2*	*0.3*	*0.2*
60a	Exophthalmic goiter	1.7	1.7	2.2	1.2	2.0	2.2	1.8	2.3	1.2	1.2	2.4	*0.5*
60b	Other diseases of the thyroid gland	1.0	1.0	1.3	0.7	1.6	1.3	0.8	1.1	0.5	0.6	*0.5*	*0.7*
61	Diseases of the parathyroid glands	0.1	0.1	0.1	(4)	*0.2*	0.1	*0.1*	*0.1*	*0.1*	.....	.....	.....
62	Diseases of the thymus gland	0.6	0.6	1.0	0.3	0.5	0.9	0.7	0.9	0.5	*0.4*	*0.3*	*0.5*
63	Diseases of the adrenals (Addison's disease)	0.4	0.4	0.5	0.4	*0.1*	0.5	0.4	0.4	0.3	*0.4*	*1.1*	.....
64	Diseases of the spleen	0.3	0.3	0.4	0.2	0.3	0.4	0.3	0.3	0.3	*0.2*	*0.3*	*0.2*
65a	Leukemia	1.4	1.4	1.8	1.0	1.6	1.8	2.2	3.1	1.0	1.5	2.4	0.8
65b	Hodgkin's disease	0.7	0.7	0.9	0.5	0.9	0.9	0.8	0.8	0.7	*0.4*	*0.3*	*0.5*
66	Alcoholism (acute or chronic)	1.8	1.8	2.2	1.4	2.6	2.3	2.0	1.7	2.4	3.2	4.1	2.7
67a	Chronic lead poisoning	0.2	0.2	0.2	0.1	*0.3*	0.2	0.2	*0.1*	*0.2*	*0.1*	.....	*0.2*
67b	Other chronic mineral poisoning	(4)	(4)	(4)	(4)	*0.1*	(4)	.....	.....	.....	.....	.....	.....
68	Chronic poisoning by organic substances	0.3	0.3	0.4	0.1	0.5	0.4	0.5	0.7	*0.2*	*0.1*	*0.3*	.....
69	Other general diseases	2.3	2.2	2.6	1.9	4.0	2.7	1.8	1.9	1.6	2.9	3.8	2.4

[1] Including District of Columbia.

[2] A list of these cities may be found on p. 9.

ITS MAIN SUBDIVISIONS, AND IN EACH REGISTRATION STATE, BY CITIES AND RURAL DISTRICTS, FROM CLASS OF CAUSES: 1921.

may be found in Tables I A and 6. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920; the remainder of the state is included in "rural districts."]

DEATH RATE PER 100,000 POPULATION.																Detailed List No.
CONNECTICUT.			DELAWARE.			DISTRICT OF COLUMBIA.			FLORIDA.							
									Total.			Cities.			Rural districts.	
Total.	Cities.	Rural districts.	Total.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	White.	Colored.	White.	Colored.	
1,137.2	1,132.3	1,151.9	1,313.0	1,200.1	1,426.5	1,383.8	1,213.1	1,887.8	1,175.3	1,050.9	1,424.4	1,431.6	1,191.3	1,925.8	1,088.6	1,002.8	1,258.8	
163.0	162.8	163.9	220.6	168.4	273.1	192.0	133.1	365.8	213.8	154.9	331.8	269.4	169.7	474.5	195.0	149.8	284.7	
3.6	4.1	2.0	11.5	6.2	16.8	6.6	5.2	10.8	17.9	16.8	20.1	19.0	17.6	21.7	17.5	16.5	19.5	1
0.1	*0.1*	.....	*0.4*	.....	*0.9*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
.....	.....	.....	.....	.....	.....	.....	.....	.....	*0.1*	.....	*0.3*	*0.4*	.....	*1.2*	.....	.....	.....	3
0.2	*0.2*	*0.3*	*0.4*	.....	*0.9*	*0.9*	*0.6*	*1.8*	23.7	18.6	33.9	10.7	3.5	25.4	28.0	23.7	36.7	4
.....	.....	.....	.....	.....	.....	*0.2*	*0.3*	.....	*1.5*	0.9	2.7	*0.4*	*0.6*	.....	1.9	1.0	3.6	5
3.0	2.9	3.4	*0.9*	*0.9*	*0.9*	3.4	3.7	2.7	0.8	0.9	*0.6*	*0.4*	*0.6*	.....	0.9	1.0	*0.8*	6
7.1	8.1	4.0	4.0	5.3	2.7	2.1	2.4	*0.9*	1.1	1.5	*0.3*	*1.6*	*2.3*	.....	0.9	1.2	*0.4*	7
9.4	10.2	6.8	15.5	7.9	23.1	4.1	2.4	9.0	7.3	5.5	10.8	9.9	5.3	19.3	6.4	5.6	8.0	8
12.4	13.4	9.4	6.2	6.2	6.2	13.0	15.6	5.4	6.9	9.0	2.7	5.5	7.6	*1.2*	7.3	9.4	3.2	9
7.7	7.5	8.3	12.8	10.6	15.1	6.6	6.7	6.3	5.3	4.8	6.3	4.7	4.7	*4.8*	5.5	4.8	6.8	10
3.9	3.7	4.6	8.0	7.1	8.9	3.2	2.1	6.3	6.2	5.4	7.8	7.5	5.3	12.1	5.7	5.4	6.4	11a
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	11b
0.1	*0.2*	.....	.....	.....	.....	.....	.....	.....	*0.4*	*0.4*	*0.3*	*0.8*	*0.6*	*1.2*	*0.3*	*0.4*	.....	12
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	13
0.1	*0.1*	*0.3*	*0.4*	*0.9*	.....	.....	.....	.....	*0.3*	*0.3*	*0.3*	.....	.....	.....	*0.4*	*0.4*	*0.4*	14
1.3	1.2	1.7	3.1	*0.9*	5.3	1.8	*1.2*	*3.6*	10.9	9.4	13.8	6.3	*2.3*	14.5	12.4	11.9	13.6	15
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	16
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	17
0.1	*0.1*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	18
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	19
.....	.....	.....	.....	.....	.....	.....	.....	.....	*0.1*	.....	*0.3*	*0.4*	.....	*1.2*	.....	.....	.....	20
2.7	2.8	2.3	*0.9*	*1.8*	.....	2.1	2.4	*0.9*	1.6	2.2	*0.3*	*1.2*	*1.8*	.....	1.7	2.4	*0.4*	21
1.8	1.9	1.4	.....	.....	.....	1.8	2.1	*0.9*	*0.8*	*0.3*	*0.3*	.....	.....	.....	*0.4*	*0.4*	*0.4*	22
2.0	2.4	*0.9*	*1.3*	*2.6*	.....	2.3	2.4	*1.8*	0.7	*0.6*	*0.9*	*0.4*	*0.6*	.....	0.8	*0.6*	*1.2*	23
2.1	2.2	1.7	*0.9*	.....	*1.8*	*0.9*	*0.9*	*0.9*	1.1	0.9	1.5	*1.6*	*1.2*	*2.4*	0.9	0.8	*1.2*	24
0.3	*0.4*	.....	.....	.....	.....	.....	.....	.....	1.1	1.3	*0.6*	3.2	4.1	*1.2*	*0.4*	*0.4*	*0.4*	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
.....	.....	.....	*0.9*	*1.8*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	27
.....	.....	.....	.....	.....	.....	.....	.....	.....	*0.1*	*0.1*	.....	.....	.....	.....	*0.4*	*0.2*	.....	28
1.4	1.8	*0.3*	2.7	*0.9*	4.4	*0.9*	*0.3*	2.7	7.0	3.1	14.7	15.4	5.9	35.0	4.1	2.2	8.0	29
0.3	*0.3*	*0.3*	.....	.....	.....	.....	.....	.....	0.6	.....	1.8	*0.4*	.....	*1.2*	0.7	.....	2.0	30
95.9	91.0	111.0	140.6	106.7	174.7	126.6	75.3	278.2	95.7	62.4	162.5	146.6	89.2	264.4	78.5	53.2	128.8	
82.4	75.8	102.7	119.8	81.1	158.7	108.8	64.2	240.3	86.4	55.7	148.1	130.8	78.1	239.1	71.5	48.0	118.0	31
6.6	7.7	3.4	6.6	8.8	4.4	6.4	4.3	12.6	1.4	1.3	1.5	4.7	5.3	*3.6*	*0.8*	.....	*0.8*	32
2.8	3.0	2.3	6.6	7.1	6.2	3.7	2.8	6.3	3.9	2.4	6.9	4.7	*2.3*	9.7	3.6	2.4	6.0	33
0.8	0.8	*0.6*	*0.9*	*0.9*	*0.9*	1.1	*0.3*	*3.6*	0.6	*0.6*	*0.6*	*0.4*	.....	*1.2*	0.7	*0.8*	*0.4*	34
0.4	0.5	.....	*0.4*	*0.9*	.....	*0.2*	.....	*0.9*	*0.4*	*0.4*	*0.3*	*0.8*	*1.2*	.....	*0.3*	*0.2*	*0.4*	35
1.6	1.8	*1.1*	2.7	*3.5*	*1.3*	1.8	1.8	*1.8*	1.0	0.9	*1.2*	2.0	*1.2*	*3.6*	0.7	*0.8*	*0.4*	36
1.2	1.4	*0.6*	2.2	*3.5*	*0.9*	4.3	1.8	11.7	1.4	*0.4*	3.3	2.4	*0.6*	6.0	1.1	*0.4*	2.4	37a
0.1	*0.1*	*0.3*	*1.3*	*0.9*	*1.8*	*0.2*	.....	*0.9*	0.6	*0.6*	*0.6*	*0.8*	*0.6*	*1.2*	*0.5*	*0.6*	*0.4*	37b
5.9	6.4	4.3	8.4	7.1	9.8	13.5	7.3	31.6	17.6	4.9	42.9	24.5	8.2	58.0	15.2	3.8	37.9	38
.....	.....	.....	.....	.....	.....	.....	.....	.....	*0.1*	.....	*0.3*	*0.4*	.....	*1.2*	.....	.....	.....	39
0.8	0.9	*0.3*	*0.9*	*0.9*	*0.9*	*0.2*	.....	*0.9*	1.6	1.0	2.7	2.8	*1.3*	*4.8*	1.2	*0.8*	2.0	40
0.8	0.7	*0.9*	*0.9*	*0.9*	*0.9*	1.6	1.8	*0.9*	4.0	4.3	3.3	5.5	6.5	*3.6*	3.5	3.6	3.2	41
0.1	*0.1*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	42
142.4	146.0	131.2	115.8	118.2	113.5	163.2	169.5	144.5	91.6	100.7	73.4	117.3	126.2	99.0	82.9	92.0	65.0	
96.9	99.2	89.6	79.1	76.7	81.6	117.9	123.0	103.0	51.3	63.2	27.6	64.8	81.0	31.4	46.7	57.0	26.3	
4.0	4.1	3.7	*0.9*	*0.9*	*0.9*	5.5	4.9	7.2	2.0	2.7	*0.6*	3.6	4.1	*2.4*	1.5	2.2	.....	43
30.7	30.6	31.0	27.0	28.2	25.7	36.8	35.8	39.7	17.3	21.8	8.1	21.3	27.0	9.7	15.9	20.1	7.6	44
17.4	18.5	14.2	14.6	16.8	12.4	17.8	21.4	7.2	5.3	6.4	3.0	7.5	8.8	*4.8*	4.5	5.6	2.4	45
10.8	11.4	8.8	11.9	13.2	10.6	19.0	16.5	26.2	10.9	12.0	8.7	13.8	17.6	6.0	9.9	10.0	9.6	46
11.7	10.7	14.8	8.4	*2.6*	14.2	13.3	14.4	9.9	3.2	4.2	*1.2*	4.7	5.9	*2.4*	2.7	3.6	*0.8*	47
2.3	2.2	2.3	3.1	*3.5*	2.7	2.5	3.4	.....	1.9	2.8	.....	*1.6*	*2.3*	.....	2.0	3.0	.....	48
20.0	21.7	14.8	13.3	11.5	15.1	23.1	26.6	12.6	10.8	13.2	6.0	12.2	15.3	6.0	10.3	12.5	6.0	49
1.0	1.0	*0.9*	2.2	*1.8*	*2.7*	1.4	*1.2*	*1.8*	0.9	0.7	*1.2*	*0.8*	*0.6*	*1.2*	0.9	*0.8*	*1.2*	50
3.2	3.0	3.7	4.4	6.2	*2.7*	2.3	1.8	*3.6*	2.4	1.2	4.8	3.2	*1.2*	7.2	2.1	1.2	4.0	51
1.1	0.8	1.7	*0.4*	*0.9*	.....	2.3	3.1	.....	*0.4*	.....	*1.2*	*1.2*	.....	*3.6*	*0.1*	.....	*0.4*	52
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	53
0.1	*0.1*	.....	.....	.....	.....	*0.7*	*0.6*	*0.9*	13.1	7.2	24.9	12.2	4.7	27.8	13.4	8.0	23.9	54
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	55
1.2	1.3	*0.9*	*0.4*	.....	*0.9*	2.3	.....	9.0	0.9	0.7	1.2	*1.6*	*0.6*	*3.6*	0.7	*0.8*	*0.4*	56
22.2	23.5	18.5	14.6	17.6	11.5	17.4	17.4	17.2	10.4	13.3	4.5	12.6	16.4	*4.8*	9.6	12.3	4.4	57
5.2	4.9	6.3	3.5	*2.6*	4.4	4.6	5.5	*1.3*	3.6	4.6	1.5	4.3	5.3	*2.4*	3.3	4.4	*1.2*	58
.....	.....	.....	*0.4*	*0.9*	.....	*0.2*	*0.3*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	59
1.1	1.2	*0.9*	*1.8*	*2.6*	*0.9*	2.3	2.1	*2.7*	*0.3*	*0.3*	*0.3*	*0.4*	*0.6*	.....	*0.3*	*0.2*	*0.4*	60a
0.8	0.7	*1.1*	*0.4*	*0.9*	.....	0.7	*0.9*	.....	*0.4*	*0.4*	*0.3*	*1.2*	*1.2*	*1.2*	*0.1*	*0.2*	.....	60b
0.1	*0.2*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	61
1.2	1.3	*0.9*	*0.9*	.....	*1.8*	*0.2*	*0.3*	.....	*0.2*	*0.3*	.....	*0.8*	*1.2*	.....	.....	.....	.....	62
0.5	0.5	*0.6*	.....	.....	.....	0.7	*0.6*	*0.9*	.....	.....	.....	.....	.....	.....	.....	.....	.....	63
0.9	1.1	*0.3*	*0.4*	*0.9*	.....	.....	.....	.....	*0.2*	*0.3*	.....	*0.8*	*1.2*	.....	.....	.....	.....	64
1.5	1.6	*1.1*	2.7	*1.8*	*3.5*	1.6	1.8	*0.9*	0.5	0.7	.....	*1.2*	*1.8*	.....	*0.3*	*0.4*	.....	65a
0.5	0.6	*0.3*	.....	.....	.....	1.4	1.8	.....	*0.2*	*0.3*	.....	*0.3*	*1.2*	.....	.....	.....	.....	65b
1.6	1.3	2.6	*1.8*	*0.9*	*2.7*	1.4	1.5	*0.9*	2.9	2.7	3.3	6.3	4.1	10.9	1.7	2.2	*0.8*	66
0.4	*0.3*	*0.6*	.....	.....	.....	*0.2*	*0.3*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	67a
.....	.....	.....	.....	.....	.....	.....	.....	.....	*0.2*	*0.3*	.....	.....	.....	.....	*0.3*	*0.4*	.....	67b
0.3	*0.2*	*0.6*	.....	.....	.....	*0.2*	*0.3*	.....	0.7	0.7	*0.6*	*1.6*	*1.3*	*1.2*	*0.4*	*0.4*	*0.4*	68
2.7	3.4	*0.9*	2.7	4.4	*0.9*	5.5	6.7	*1.3*	3.1	3.6	2.1	3.6	3.5	*3.6*	2.9	3.6	*1.6*	69

[1] Exclusive of stillbirths.

[4] Less than one-tenth of 1 per 100,000 population.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), EACH CAUSE AND CLASS

[See note at head of this table, pp. 196, 197.]

Detailed List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.										
		Registration area (exclusive of Hawaii).	REGISTRATION STATES.			Registration cities in nonregistration states.[2]	All registration cities.[1]	CALIFORNIA.			COLORADO.		
			Total.[1]	Cities.[1]	Rural districts.			Total.	Cities.	Rural districts.	Total.	Cities.	Rural districts.
	III.—Diseases of the nervous system and of the organs of special sense.	122.5	122.5	118.4	126.5	119.9	118.4	140.4	137.2	144.8	108.5	133.1	93.1
70	Encephalitis	1.3	1.2	1.2	1.3	2.8	1.2	0.9	1.0	0.8	1.4	2.2	0.8
71a	Simple meningitis	3.1	3.0	3.2	2.9	5.1	3.2	2.9	2.8	3.1	2.5	4.1	1.5
71b	Nonepidemic cerebrospinal meningitis	1.1	1.1	1.0	1.2	1.8	1.0	1.0	0.9	1.2	1.1	*1.1*	1.2
72	Tabes dorsalis (locomotor ataxia)	1.9	1.9	2.2	1.7	1.8	2.2	3.0	3.6	2.2	1.7	2.4	1.2
73	Other diseases of the spinal cord	5.1	5.1	5.0	5.2	4.2	5.0	7.1	8.2	5.6	5.3	6.0	4.9
74a	Cerebral hemorrhage	80.1	80.2	78.8	81.6	76.0	78.7	92.9	97.2	87.2	67.7	85.8	56.4
74b	Cerebral embolism and thrombosis	2.6	2.6	2.9	2.3	1.1	2.9	4.3	4.9	3.5	2.5	4.6	1.2
75	Paralysis without specified cause	6.2	6.2	3.8	8.4	9.7	4.0	4.8	3.8	6.1	6.1	6.5	5.9
76	General paralysis of the insane	6.3	6.4	5.8	6.9	1.8	5.7	10.4	2.0	21.7	8.1	5.4	9.8
77	Other forms of mental alienation	1.7	1.7	1.5	1.9	1.8	1.5	1.3	0.7	2.0	0.8	*1.1*	*0.7*
78	Epilepsy	3.1	3.2	2.1	4.1	1.9	2.1	2.6	1.5	4.1	3.6	1.6	4.9
79	Convulsions (nonpuerperal; 5 years and over)	0.2	0.2	0.1	0.2	*0.3*	0.1	*0.1*	(3)	*0.1*	.....	.....	*0.2*
80	Infantile convulsions (under 5 years)	2.2	2.3	1.8	2.7	1.8	1.8	1.1	0.6	1.6	0.8	1.4	*0.5*
81	Chorea	0.1	0.1	0.1	0.1	.....	0.1	.....	.....	.....	*0.1*	.....	*0.2*
82	Neuralgia and neuritis	0.4	0.4	0.3	0.5	*0.3*	0.3	0.4	0.6	*0.3*	*0.2*	*0.3*	*0.2*
83	Softening of the brain	0.9	0.9	0.6	1.1	1.2	0.6	1.2	1.3	1.0	0.7	*1.1*	*0.5*
84	Other diseases of the nervous system	2.9	2.9	3.4	2.3	4.2	3.4	3.2	3.9	2.4	2.3	4.1	1.2
85	Diseases of the eye and annexa	0.1	0.1	0.1	0.1	*0.2*	0.1	.....	.....	.....	.....	.....	.....
86a	Diseases of the ear	2.0	2.0	2.7	1.3	2.6	2.7	2.2	2.7	1.5	1.9	3.2	1.0
86b	Diseases of the mastoid process	1.2	1.2	1.8	0.6	1.4	1.8	1.2	1.7	0.5	1.5	2.4	0.8
	IV.—Diseases of the circulatory system.	181.4	181.8	200.0	164.4	160.1	198.6	243.8	255.2	228.4	145.1	192.7	115.4
87	Pericarditis	1.0	1.0	1.0	1.0	1.3	1.0	1.2	1.4	1.0	0.9	*1.1*	0.8
88	Endocarditis and myocarditis (acute)	6.1	6.0	8.0	4.1	9.0	8.0	6.8	7.1	6.4	7.2	12.4	3.9
89	Angina pectoris	9.1	9.1	9.1	9.0	9.3	9.2	14.3	15.3	13.0	12.6	19.2	8.4
90	Other diseases of the heart	140.9	141.3	156.2	126.9	122.4	155.1	190.8	203.4	173.8	101.9	133.1	82.5
91a	Aneurysm	1.8	1.7	2.3	1.2	3.9	2.4	4.2	5.1	3.0	2.3	3.0	1.9
91b,c	Other diseases of the arteries	20.1	20.2	20.5	20.0	11.4	20.2	22.7	18.7	27.9	17.7	20.6	15.9
92	Embolism and thrombosis (not cerebral)	1.5	1.5	1.8	1.2	1.1	1.8	2.9	3.4	2.4	1.7	1.6	1.7
93	Diseases of the veins	0.5	0.5	0.7	0.4	0.5	0.7	0.7	0.7	0.7	0.6	*1.1*	*0.3*
94	Diseases of the lymphatic system	0.2	0.2	0.2	0.2	0.7	0.3	0.1	*0.2*	*0.1*	*0.2*	*0.5*	.....
95	Hemorrhage without specified cause	0.2	0.2	0.1	0.2	0.3	0.1	.....	.....	.....	.....	.....	.....
96	Other diseases of the circulatory system	0.1	0.1	(3)	0.1	*0.2*	(3)	(3)	.....	*0.1*	.....	.....	.....
	V.—Diseases of the respiratory system.	107.1	106.9	121.6	92.8	124.5	121.7	105.5	106.9	103.5	129.8	163.7	108.7
97a	Diseases of the nasal fossae	0.4	0.4	0.1	0.7	*0.1*	0.1	0.3	0.2	*0.3*	*0.2*	.....	*0.3*
97b	Diseases of the nasal fossae annexa	0.5	0.5	0.7	0.3	0.9	0.7	0.9	0.9	0.8	*0.4*	*1.1*	.....
98	Diseases of the larynx	0.9	0.9	0.7	1.1	0.9	0.7	0.8	0.8	0.8	0.8	*0.5*	1.0
99a	Acute bronchitis	3.7	3.7	4.5	3.0	4.0	4.4	3.5	3.9	3.0	2.4	2.2	2.5
99b	Chronic bronchitis	3.0	3.0	3.0	2.9	2.8	3.0	3.4	3.5	3.3	2.2	2.7	1.9
99c	Bronchitis (unspecified under 5 years)	1.0	1.0	1.2	0.9	0.8	1.1	0.6	0.7	0.5	*0.1*	*0.3*	.....
99d	Bronchitis (unspecified, 5 years and over)	1.4	1.3	1.2	1.5	1.9	1.3	1.3	1.6	1.0	1.2	1.4	1.2
100a	Bronchopneumonia	38.0	38.0	44.7	31.6	36.3	44.4	35.7	36.3	35.0	43.8	56.0	36.2
100b	Capillary bronchitis	1.3	1.4	1.5	1.2	0.9	1.4	1.3	1.3	1.4	1.2	*1.1*	1.4
101a	Lobar pneumonia	42.7	42.6	51.3	34.2	49.5	51.3	42.6	43.6	41.2	59.0	80.4	45.6
101b	Pneumonia (unspecified)	6.2	6.1	3.9	8.2	14.0	4.2	5.4	3.4	8.1	6.4	6.5	6.4
102	Pleurisy	3.0	3.0	4.1	2.0	4.2	4.1	3.7	4.8	2.2	2.3	3.0	1.9
103	Congestion and hemorrhagic infarct of the lung.	1.8	1.8	1.7	1.9	2.8	1.7	2.1	2.2	2.0	0.9	*1.1*	0.8
104	Gangrene of the lung	0.2	0.2	0.3	0.1	*0.1*	0.3	0.4	0.6	*0.2*	*0.1*	*0.3*	.....
105	Asthma	2.0	2.0	1.8	2.2	3.7	1.9	2.5	2.2	2.7	3.6	3.8	3.5
106	Pulmonary emphysema	0.2	0.2	0.2	0.1	0.3	0.2	*0.1*	*0.1*	*0.1*	*0.3*	.....	*0.5*
107	Other diseases of the respiratory system (tuberculosis excepted).	0.8	0.8	0.8	0.9	1.2	0.8	0.8	0.8	0.8	4.7	3.5	5.4
	VI.—Diseases of the digestive system.	114.6	113.0	126.1	100.4	207.8	128.9	109.5	111.3	107.0	127.8	145.0	117.1
108	Diseases of the mouth and annexa	0.7	0.7	0.7	0.7	1.1	0.7	0.9	1.1	0.6	*0.4*	*0.3*	*0.5*
109a	Adenoid vegetations	(3)	(3)	(3)	(3)	.....	(3)	*0.1*	(3)	*0.1*	.....	.....	.....
109b	Other diseases of the pharynx, tonsils	4.0	4.0	4.5	3.6	4.9	4.5	4.6	5.1	3.9	8.1	7.0	8.8
110	Diseases of the esophagus	0.1	0.1	0.2	0.1	*0.1*	0.2	*0.1*	*0.1*	*0.1*	*0.3*	*0.5*	*0.2*
111a	Ulcer of the stomach	3.7	3.7	4.6	2.8	5.4	4.6	5.9	6.8	4.5	5.5	7.0	4.6
111b	Ulcer of the duodenum	1.2	1.2	1.8	0.6	1.4	1.8	1.9	2.3	1.4	1.8	3.0	1.0
112	Other diseases of the stomach (cancer excepted).	7.4	7.3	5.4	9.2	13.4	5.7	5.1	3.8	6.9	5.8	4.6	6.6
113	Diarrhea and enteritis (under 2 years)	41.9	41.3	43.3	39.3	81.7	44.6	30.2	23.1	39.7	41.5	30.3	48.5
114	Diarrhea and enteritis (2 years and over)	9.7	9.6	7.6	11.5	19.8	8.0	8.7	7.9	9.9	8.8	8.4	9.1
115	Ancylostomiasis	(3)	(3)	(3)	(3)	.....	(3)	.....	.....	.....	.....	.....	.....
116	Diseases due to other intestinal parasites	0.2	0.2	0.1	0.3	.....	0.1	0.2	*0.2*	*0.2*	.....	.....	.....
117	Appendicitis and typhlitis	14.4	14.2	20.2	8.4	30.5	20.5	15.6	18.8	11.2	22.8	34.4	15.5
118a	Hernia	3.7	3.7	5.1	2.3	5.1	5.1	4.3	5.3	2.9	2.9	3.8	2.4
118b	Intestinal obstruction	7.0	7.0	8.4	5.6	12.1	8.5	8.6	9.9	6.9	9.7	13.3	7.4
119	Other diseases of the intestines	1.5	1.5	1.6	1.3	2.6	1.7	1.5	1.6	1.3	1.6	2.4	1.0
120	Acute yellow atrophy of the liver	0.4	0.4	0.5	0.4	0.9	0.5	0.5	0.6	0.5	0.6	*0.3*	*0.5*
121	Hydatid tumor of the liver	(3)	(3)	(3)	(3)	*0.1*	(3)	*0.1*	(3)	*0.1*	.....	.....	.....
122	Cirrhosis of the liver	7.4	7.4	8.6	6.2	9.8	8.7	9.8	10.8	8.4	5.6	8.9	3.5
123	Biliary calculi	3.9	3.9	5.5	2.4	5.0	5.5	4.0	5.7	1.8	5.2	8.9	2.9
124	Other diseases of the liver	4.4	4.3	5.1	3.6	8.7	5.2	5.0	5.5	4.2	5.1	8.7	2.9
125	Diseases of the pancreas	0.6	0.6	0.9	0.3	0.7	0.9	0.9	0.9	0.8	0.6	1.4	*0.2*
126	Peritonitis without specified cause	1.9	1.9	2.0	1.7	4.2	2.1	1.4	1.5	1.2	1.2	1.4	1.2
127	Other diseases of the digestive system (cancer and tuberculosis excepted).	0.1	0.1	0.2	0.1	*0.2*	0.2	0.2	*0.1*	*0.3*	*0.2*	.....	*0.3*

[1] Including District of Columbia.

[2] A list of these cities may be found on p. 9.

ITS MAIN SUBDIVISIONS, AND IN EACH REGISTRATION STATE, BY CITIES AND RURAL DISTRICTS, FROM OF CAUSES: 1921—Continued.

[See note at head of this table, pp. 196, 197.]

DEATH RATE PER 100,000 POPULATION.																	Detailed List No.
CONNECTICUT.			DELAWARE.			DISTRICT OF COLUMBIA.			FLORIDA.								
									Total.			Cities.			Rural districts.		
Total.	Cities.	Rural districts.	Total.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.	
132.0	121.4	164.2	178.2	149.0	207.5	151.5	145.3	169.8	112.4	110.9	115.4	144.6	130.9	172.7	101.5	104.0	96.5	
0.8	0.8	0.9	1.3	0.9	1.8	1.1	1.2	0.9	1.1	1.2	0.9	.....	.....	.....	1.5	1.6	1.2	
4.3	4.7	3.1	4.0	3.5	4.4	5.0	5.5	3.6	2.4	2.8	1.5	5.5	5.9	4.8	1.3	1.8	0.4	70
1.3	1.2	1.4	0.4	0.9	.....	0.9	1.2	.....	1.4	1.5	1.2	2.0	1.8	2.4	1.2	1.4	0.8	71a
1.6	1.2	2.8	3.5	1.8	5.3	1.4	1.2	1.8	1.0	1.2	0.6	2.8	2.9	2.4	0.4	0.6	.....	71b
4.6	4.4	5.1	8.4	2.6	14.2	4.3	5.2	1.8	4.2	4.3	3.9	6.3	3.5	12.1	3.5	4.6	1.2	72
96.2	87.9	121.2	124.7	119.9	129.4	102.6	96.7	120.1	69.4	72.0	64.1	96.8	92.8	105.0	60.1	64.9	50.6	73
3.0	3.0	3.1	1.8	0.9	2.7	3.7	4.0	2.7	0.9	1.2	0.3	0.4	0.6	.....	1.1	1.4	0.4	74a
3.2	2.4	5.4	14.6	3.5	25.7	5.0	5.5	3.6	17.2	13.5	24.6	12.2	5.9	25.4	18.8	16.1	24.3	74b
5.5	4.2	9.4	4.4	2.6	6.2	15.8	13.8	21.7	1.7	1.5	2.1	1.2	1.2	1.2	1.9	1.6	2.4	75
1.2	1.2	1.1	1.8	.....	3.5	2.1	1.5	3.6	1.9	1.0	3.6	1.6	1.8	1.2	2.0	0.8	4.4	76
																		77
1.7	0.8	4.3	3.5	0.9	6.2	1.1	1.5	.....	3.2	3.3	3.0	4.3	5.3	2.4	2.8	2.6	3.2	
0.1	0.1	0.3	.....	.....	.....	0.6	0.3	0.9	1.1	0.9	1.5	0.8	0.6	1.2	1.2	1.0	1.6	78
1.8	2.1	1.1	3.5	3.5	3.5	1.8	1.2	3.6	2.9	1.5	5.7	4.7	0.6	13.3	2.3	1.8	3.2	79
.....	.....	.....	.....	.....	.....	0.2	.....	0.9	.....	.....	.....	.....	.....	.....	.....	.....	.....	80
0.6	0.6	0.6	.....	.....	.....	0.2	0.3	.....	0.5	0.7	.....	0.4	0.6	.....	0.5	0.8	.....	81
0.8	0.3	2.3	1.8	1.8	1.8	0.5	0.6	.....	0.4	0.4	0.3	0.4	0.6	.....	0.4	0.4	0.4	82
2.8	3.3	1.4	2.2	3.5	0.9	3.2	3.7	1.8	1.8	1.6	2.1	2.4	2.9	1.2	1.6	1.2	2.4	83
.....	.....	.....	.....	.....	.....	.....	.....	.....	0.1	0.1	.....	0.4	0.6	.....	.....	.....	.....	84
1.8	2.2	0.6	2.2	2.6	1.8	1.4	0.9	2.7	0.9	1.3	.....	1.2	1.8	.....	0.8	1.2	.....	85
0.7	0.9	.....	.....	.....	.....	0.7	0.9	.....	0.4	0.6	.....	1.2	1.8	.....	0.1	0.2	.....	86a
																		86b
192.1	178.4	233.9	191.4	151.7	231.4	256.6	242.0	299.9	133.9	136.3	128.9	177.4	175.5	181.1	119.1	122.9	111.6	
0.6	0.6	0.6	0.9	0.9	0.9	0.7	.....	2.7	2.1	1.0	4.2	2.4	1.2	4.8	2.0	1.0	4.0	
6.0	6.0	6.3	7.1	9.7	4.4	14.2	7.6	33.4	4.8	4.6	5.1	7.9	7.0	9.7	3.7	3.8	3.6	87
12.3	10.5	17.9	13.3	4.4	22.2	9.4	11.9	1.8	11.4	14.4	5.4	15.0	17.6	9.7	10.2	13.3	4.0	88
150.5	142.0	176.4	151.2	115.5	187.1	192.9	182.3	224.0	100.8	99.1	104.3	133.5	127.4	146.1	89.8	89.4	90.5	89
1.8	1.9	1.7	0.9	1.8	.....	4.1	3.4	6.3	2.4	1.9	3.3	3.6	2.9	4.8	2.0	1.6	2.8	90
18.2	14.9	28.2	13.7	13.2	14.2	31.3	31.5	30.7	9.7	12.4	4.2	11.9	15.9	3.6	8.9	11.2	4.4	91a
1.7	1.5	2.3	3.5	4.4	2.7	2.7	3.7	.....	1.5	2.2	.....	2.4	3.5	.....	1.2	1.8	.....	91b,c
0.6	0.7	0.3	0.9	1.8	.....	1.1	1.2	0.9	0.4	0.3	0.6	0.4	.....	1.2	0.4	0.4	0.4	92
0.2	0.2	0.3	.....	.....	.....	0.2	0.3	.....	0.2	0.1	0.3	0.4	.....	1.2	0.1	0.2	.....	93
.....	.....	.....	.....	.....	.....	.....	.....	.....	0.3	.....	0.9	.....	.....	.....	0.4	.....	1.2	94
0.1	0.1	.....	.....	.....	.....	.....	.....	.....	0.3	0.1	0.6	.....	.....	.....	0.4	0.2	0.3	95
																		96
108.5	112.5	96.5	126.9	135.8	117.9	137.8	89.0	281.8	66.7	54.9	90.2	92.8	66.9	146.1	57.8	50.8	71.8	
0.1	0.1	.....	.....	.....	.....	.....	.....	.....	1.1	0.6	2.1	0.4	.....	1.2	1.3	0.8	2.4	
0.2	0.3	.....	.....	.....	.....	1.8	0.6	5.4	0.4	0.6	.....	1.2	1.8	.....	0.1	0.2	.....	97a
0.6	0.5	0.9	0.4	.....	0.9	1.1	0.6	2.7	0.6	0.6	0.6	0.4	.....	1.2	0.7	0.3	0.4	97b
4.6	3.6	8.0	4.9	4.4	5.3	4.1	3.7	5.4	2.2	1.9	2.7	2.8	1.2	6.0	2.0	2.2	1.6	98
2.2	2.1	2.3	4.0	2.6	5.3	2.5	2.8	1.8	2.4	2.7	1.8	4.3	4.1	4.8	1.7	2.2	0.8	99a
0.9	1.0	0.6	1.8	1.8	1.8	0.2	0.3	.....	0.7	0.4	0.9	1.6	1.2	2.4	0.3	0.2	0.4	99b
1.5	1.6	1.1	2.7	4.4	0.9	1.4	0.9	2.7	2.0	1.5	3.0	1.2	1.2	1.2	2.3	1.6	3.6	99c
41.6	43.4	36.4	47.3	52.9	41.7	57.4	35.5	121.9	16.1	14.7	18.9	28.8	24.1	38.6	11.8	11.4	12.4	99d
0.8	0.7	1.1	0.4	.....	0.9	4.6	.....	18.1	0.9	0.4	1.8	1.6	.....	4.8	0.7	0.6	0.8	100a
																		100b
45.5	48.1	37.6	48.2	60.0	36.4	45.7	29.1	94.8	18.8	13.9	28.5	32.8	20.0	59.2	14.0	11.9	18.3	101a
3.6	3.9	2.6	8.0	3.5	12.4	5.3	4.6	7.2	14.3	11.4	20.1	8.7	6.5	13.3	16.2	13.1	22.3	101b
3.2	4.0	0.9	2.2	1.8	2.7	6.2	4.6	10.8	1.7	1.6	1.8	3.2	2.9	3.6	1.2	1.2	1.2	102
2.0	1.5	3.7	3.5	2.6	4.4	3.4	3.1	4.5	1.7	1.0	3.0	1.2	.....	3.6	1.9	1.4	2.8	103
0.1	0.1	.....	0.4	.....	0.9	0.2	0.3	.....	0.2	0.3	.....	0.8	1.2	.....	.....	.....	.....	104
1.5	1.6	1.1	3.1	1.8	4.4	1.8	1.8	1.8	3.0	2.5	3.9	2.8	1.2	6.0	3.1	3.0	3.2	105
.....	.....	.....	.....	.....	.....	.....	.....	.....	0.3	0.3	0.3	0.4	0.6	.....	0.3	0.2	0.4	106
0.1	0.1	0.3	.....	.....	.....	2.1	1.2	4.5	0.5	0.3	0.9	0.8	1.2	.....	0.4	.....	1.2	107
101.0	105.9	86.2	116.7	118.2	115.3	113.4	101.3	149.0	139.4	126.3	165.8	184.1	139.1	276.5	124.4	121.9	129.2	
0.5	0.6	0.3	.....	.....	.....	0.2	0.3	.....	0.7	0.9	0.3	0.4	0.6	.....	0.8	1.0	0.4	108
4.0	4.1	3.7	0.9	.....	1.8	3.9	4.0	3.6	3.2	2.8	3.9	3.6	2.9	4.8	3.1	2.8	3.6	109a
0.1	0.1	.....	.....	.....	.....	0.2	0.3	.....	0.1	0.1	.....	.....	.....	.....	0.1	0.2	.....	109b
4.9	5.3	3.4	4.4	5.3	3.5	4.1	3.4	6.3	3.8	3.4	4.5	6.3	5.9	7.2	2.9	2.6	3.6	110
0.8	1.1	.....	0.4	.....	0.9	2.3	3.1	.....	0.9	1.2	0.3	2.0	2.9	.....	0.5	0.6	0.4	111a
5.1	4.0	8.5	9.7	9.7	9.8	7.8	5.8	13.5	20.4	15.6	30.0	23.3	13.5	43.5	19.4	16.3	25.5	111b
																		112
35.5	37.1	30.4	61.0	60.0	62.1	27.7	21.1	47.0	43.1	39.7	50.1	56.1	42.3	84.5	38.7	38.8	38.7	113
8.8	6.7	15.1	8.8	4.4	13.3	11.0	8.9	17.2	16.5	18.0	13.5	15.4	10.6	25.4	16.8	20.5	9.6	114
.....	.....	.....	.....	.....	.....	.....	.....	.....	0.2	0.3	.....	.....	.....	.....	0.3	0.4	.....	115
0.1	0.2	.....	.....	.....	.....	.....	.....	.....	0.2	0.3	.....	.....	.....	.....	0.3	0.4	.....	116
12.6	15.2	4.6	6.2	8.8	3.5	18.5	18.4	19.0	12.4	12.0	13.2	19.4	18.8	20.5	10.0	9.6	10.8	117
4.6	5.4	2.0	1.8	2.6	0.9	3.0	2.4	4.5	2.7	1.6	4.8	3.6	3.5	3.6	2.4	1.0	5.2	118a
4.5	5.3	2.0	4.4	3.5	5.3	10.7	8.6	17.2	10.2	9.1	12.3	16.2	11.2	26.6	8.1	8.4	7.6	118b
1.5	1.6	1.4	2.7	0.9	4.4	0.7	0.3	1.8	3.0	2.5	3.9	2.8	2.9	2.4	3.1	2.4	4.4	119
0.2	0.3	.....	.....	.....	.....	0.5	0.6	.....	0.8	0.9	0.6	1.2	0.6	2.4	0.7	1.0	.....	120
																		121
7.0	6.4	8.5	8.0	12.3	3.5	6.6	5.8	9.0	8.7	6.1	13.8	15.0	8.8	27.8	6.5	5.2	9.2	122
4.9	5.9	2.0	3.5	3.5	3.5	4.6	6.1	.....	2.0	2.5	0.9	3.2	3.5	2.4	1.6	2.2	0.4	123
3.7	3.9	3.1	2.7	3.5	1.8	7.5	8.3	5.4	6.1	5.8	6.6	10.3	8.2	14.5	4.7	5.0	4.0	124
0.6	0.7	0.3	.....	.....	.....	1.8	1.8	1.8	0.1	0.1	.....	.....	.....	.....	0.1	0.2	.....	125
1.5	1.8	0.9	2.2	3.5	0.9	2.1	2.1	1.8	4.4	3.1	6.9	5.5	2.9	10.9	4.0	3.2	5.6	126
0.1	0.1	.....	.....	.....	.....	0.2	.....	0.9	0.1	.....	0.3	.....	.....	.....	0.1	.....	0.4	127

[3] Less than one-tenth of 1 per 100,000 population.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), EACH CAUSE AND CLASS

[See note at head of this table, pp. 196, 197.]

Detailed List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.										
		Registration area (exclusive of Hawaii).	REGISTRATION STATES.			Registration cities in nonregistration states.[2]	All registration cities.[1]	CALIFORNIA.			COLORADO.		
			Total.[1]	Cities.[1]	Rural districts.			Total.	Cities.	Rural districts.	Total.	Cities.	Rural districts.
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	100.3	99.5	112.7	87.0	142.2	113.7	112.5	127.1	93.0	82.8	103.6	69.8
128	Acute nephritis (including unspecified under 10 years).	6.5	6.3	6.9	5.8	14.8	7.2	4.2	4.4	3.8	4.5	5.7	3.7
129	Chronic nephritis (including unspecified 10 years and over).	78.9	78.6	87.0	70.5	96.8	87.4	90.4	101.8	74.9	64.3	79.3	54.9
130	Chyluria	[3]	[3]		[3]								
131	Other diseases of the kidneys and annexa	2.4	2.4	2.9	2.0	5.3	2.9	3.9	3.7	4.1	1.6	2.4	1.0
132	Calculi of the urinary passages	0.7	0.7	1.0	0.4	1.5	1.0	1.1	1.1	0.9	0.6	*0.8*	*0.5*
133	Diseases of the bladder	1.3	1.2	0.9	1.6	1.7	0.9	1.4	1.2	1.6	1.2	*1.1*	1.4
134	Diseases of the urethra, etc.	0.4	0.4	0.6	0.2	1.6	0.6	0.4	0.5	0.3	*0.3*	*0.5*	*0.2*
135	Diseases of the prostate	4.3	4.3	4.9	3.6	6.0	5.0	4.9	5.7	3.9	3.6	4.9	2.9
136	Nonvenereal diseases of the male genital organs.	0.1	0.1	0.1	0.1	*0.2*	0.1	*0.1*	*0.1*	.....	*0.1*	*0.3*	.....
137	Cysts, other benign tumors of the ovary	0.8	0.8	1.1	0.5	1.3	1.1	0.8	1.0	0.5	0.9	1.6	*0.5*
138	Salpingitis and pelvic abscess (female)	2.1	2.0	3.2	0.8	6.6	3.3	2.3	3.4	0.8	2.5	3.5	1.9
139	Benign tumors of the uterus	2.0	2.0	3.0	1.0	5.1	3.1	2.2	2.8	1.5	2.4	2.4	2.4
140	Nonpuerperal uterine hemorrhage	0.1	0.1	0.1	0.1	*0.1*	0.1	*0.1*	[3]	*0.1*	.....	.....	.....
141	Other diseases of the female genital organs	0.7	0.7	1.1	0.4	1.2	1.1	0.9	1.3	0.5	0.6	*1.1*	*0.3*
142	Nonpuerperal diseases of the breast (cancer excepted).	[3]	[3]	[3]	[3]	.....	[3]	.....	.....	.....	*0.1*	.....	*0.2*
	VIII.—The puerperal state	16.9	16.7	18.6	14.9	31.3	19.0	13.8	15.7	11.1	18.0	23.5	14.5
143	Accidents of pregnancy	1.4	1.4	1.6	1.2	2.8	1.7	1.7	2.0	1.3	1.7	1.9	1.5
144	Puerperal hemorrhage	1.7	1.7	1.8	1.6	2.6	1.8	1.6	1.6	1.7	1.5	1.4	1.5
145	Other accidents of labor	1.7	1.7	1.8	1.6	2.6	1.8	1.0	1.2	0.7	1.7	3.0	0.8
146	Puerperal septicemia	6.8	6.7	8.0	5.5	11.9	8.2	6.0	6.8	4.9	8.0	11.6	5.7
147	Puerperal phlegmasia alba dolens, embolus, etc.	0.6	0.6	0.7	0.5	0.8	0.7	0.5	0.6	0.3	0.8	*0.3*	1.2
148	Puerperal albuminuria and convulsions	4.5	4.4	4.5	4.4	10.4	4.7	2.9	3.5	2.0	4.4	5.4	3.7
149	Following childbirth (undefined)	0.1	0.1	0.1	0.1	*0.1*	0.1	*0.1*	.....	*0.1*	.....	.....	.....
150	Puerperal diseases of the breast	[3]	[3]	[3]	[3]	.....	[3]	.....	.....	.....	.....	.....	.....
	IX.—Diseases of the skin and of the cellular tissue	3.9	3.8	4.0	3.6	5.6	4.1	3.6	3.9	3.1	3.5	6.0	2.0
151	Gangrene	1.5	1.5	1.2	1.8	2.4	1.2	1.3	1.3	1.3	1.9	3.0	1.2
152	Furuncle	0.7	0.7	1.0	0.5	1.3	1.0	0.7	1.0	0.4	*0.3*	*0.3*	*0.3*
153	Acute abscess	0.7	0.7	0.9	0.6	1.0	0.9	0.6	0.7	0.6	0.8	1.9	*0.2*
154	Other diseases of the skin and annexa	0.8	0.8	0.9	0.8	0.9	0.9	0.9	1.0	0.8	0.5	*0.8*	*0.3*
	X.—Diseases of the bones and of the organs of locomotion	1.4	1.4	1.9	0.9	2.4	1.9	1.3	1.6	1.0	1.5	1.9	1.2
155	Diseases of the bones (tuberculosis excepted).	1.0	1.0	1.4	0.6	2.0	1.4	0.9	1.1	0.7	0.7	*0.8*	0.7
156	Diseases of the joints (tuberculosis and rheumatism excepted).	0.3	0.3	0.4	0.2	0.5	0.4	0.3	0.4	*0.3*	0.6	*1.1*	*0.3*
157	Amputations	[3]	[3]	[3]	[3]	.....	[3]	.....	.....	.....	.....	.....	.....
158	Other diseases of the organs of locomotion	0.1	0.1	0.1	0.1	.....	0.1	*0.1*	*0.1*	.....	*0.1*	.....	*0.2*
	XI.—Malformations	15.6	15.6	17.2	14.0	15.0	17.1	12.8	12.8	12.7	13.2	13.5	13.0
159a	Congenital hydrocephalus	1.5	1.5	1.7	1.3	1.3	1.7	1.3	1.3	1.2	1.4	*0.8*	1.7
159b	Congenital malformations of the heart	9.2	9.3	10.1	8.5	7.2	10.0	7.9	7.2	8.8	8.0	8.1	8.0
159c	Other congenital malformations	4.8	4.8	5.4	4.2	6.4	5.5	3.7	4.3	2.8	3.8	4.6	3.4
	XII.—Early infancy	68.8	68.3	72.8	64.1	94.8	73.5	53.1	51.5	55.4	68.3	68.5	68.3
160	Congenital debility, icterus, sclerema	10.1	10.0	9.0	11.0	16.3	9.2	7.6	6.5	9.2	9.6	8.7	10.1
161a	Premature birth	42.3	42.0	43.7	40.3	61.3	44.3	33.7	33.5	34.1	44.0	44.6	43.6
161b	Injury at birth	10.1	10.1	12.8	7.6	10.3	12.7	7.0	6.8	7.1	7.3	7.0	7.4
162	Other diseases peculiar to early infancy	6.1	6.1	7.2	5.0	6.5	7.2	4.6	4.5	4.6	7.2	7.8	6.8
163	Lack of care	0.2	0.2	0.1	0.2	0.4	0.2	0.3	*0.2*	0.3	*0.3*	*0.3*	*0.3*
164	XIII.—Old age (senility)	12.3	12.3	6.6	17.8	14.8	6.8	9.6	9.2	10.1	14.4	16.0	13.3
	XIV.—External causes	89.7	88.9	95.7	82.4	138.9	97.2	129.6	120.9	141.2	114.8	108.5	118.8
	Suicide (total)	12.6	12.5	15.0	10.1	15.5	15.0	27.0	29.7	23.5	14.8	19.5	11.8
165	By poisons (gas or corrosives excepted)	0.5	0.5	0.5	0.4	1.4	0.5	1.6	1.4	1.8	1.0	1.6	*0.7*
166	By corrosive substances	1.5	1.5	1.9	1.0	3.9	2.0	1.8	2.3	1.1	2.1	2.2	2.0
167	By poisonous gas	1.6	1.6	3.0	0.2	1.1	3.0	4.1	6.6	0.8	0.9	1.9	*0.3*
168	By hanging or strangulation	2.2	2.2	2.1	2.3	0.5	2.1	2.8	2.4	3.5	1.4	1.6	1.2
169	By drowning	0.8	0.8	0.9	0.8	0.3	0.8	1.6	1.7	1.4	0.6	*0.3*	0.8
170	By firearms	4.6	4.6	4.8	4.4	7.2	4.9	12.1	12.4	11.7	7.6	10.3	5.9
171	By cutting or piercing instruments	0.8	0.8	1.0	0.7	0.7	0.9	1.6	1.2	2.1	0.8	1.4	*0.5*
172	By jumping from high places	0.3	0.3	0.6	0.1	*0.2*	0.5	0.6	1.1	*0.1*	.....	.....	.....
173	By crushing	0.1	0.1	0.2	0.1	*0.1*	0.2	0.5	0.3	0.7	*0.2*	*0.3*	*0.2*
174	By other means	0.1	0.1	0.1	0.1	*0.1*	0.1	0.3	0.4	*0.3*	*0.1*	.....	*0.2*
	Homicide (total)	8.5	8.1	9.1	7.2	30.7	9.9	11.6	10.4	13.2	11.8	12.7	11.2
197	By firearms	6.2	5.9	6.4	5.5	22.3	6.9	9.3	7.9	11.1	9.9	11.4	9.0
198	By cutting or piercing instruments	0.9	0.8	1.0	0.6	5.5	1.1	1.0	0.7	1.3	0.6	*0.8*	*0.5*
199	By other means	1.4	1.4	1.8	1.1	2.9	1.8	1.4	1.8	0.8	1.2	*0.6*	1.7

[1] Including District of Columbia.

[2] A list of these cities may be found on p. 9.

ITS MAIN SUBDIVISIONS, AND IN EACH REGISTRATION STATE, BY CITIES AND RURAL DISTRICTS, FROM OF CAUSES: 1921—Continued.

[See note at head of this table, pp. 196, 197.]

DEATH RATE PER 100,000 POPULATION.																	Detailed Int. List No.
CONNECTICUT.			DELAWARE.			DISTRICT OF COLUMBIA.			FLORIDA.								
									Total.			Cities.			Rural districts.		
Total.	Cities.	Rural districts.	Total.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.	
88.0	86.0	94.2	148.5	138.4	158.7	142.8	119.9	210.5	109.2	99.2	129.2	146.2	121.5	196.8	96.7	91.6	106.9	
5.2	5.1	5.4	8.8	9.7	8.0	13.9	7.6	32.5	12.2	8.5	19.5	17.0	8.2	35.0	10.6	8.6	14.4	128
71.6	68.7	80.5	130.4	115.5	145.4	107.2	94.8	143.6	79.1	76.6	83.9	107.1	96.3	129.2	69.6	69.9	69.0	129
																		130
2.3	2.4	2.0	*1.3*	*2.6*	.....	4.3	4.6	*3.6*	4.0	3.6	4.8	2.0	*2.3*	1.2	4.7	4.0	6.0	131
0.7	0.8	*0.3*	.....	.....	.....	*0.9*	*1.2*	.....	*0.4*	*0.3*	*0.6*	*0.3*	*1.2*	.....	*0.3*	.....	*0.3*	132
1.1	0.7	2.0	2.7	*2.6*	*2.7*	*0.9*	*0.9*	*0.9*	2.3	1.9	3.0	2.8	*1.3*	*4.3*	2.1	2.0	2.4	133
0.4	0.5	*0.3*	.....	.....	.....	*0.5*	.....	*1.3*	1.4	*0.3*	3.6	*1.6*	*0.6*	*3.6*	1.3	*0.2*	3.6	134
3.1	3.4	2.3	2.2	*3.5*	*0.9*	5.7	5.5	6.3	3.4	3.7	2.7	5.5	5.9	*4.3*	2.7	3.0	2.0	135
0.1	*0.1*	.....	.....	.....	.....	*0.5*	*0.3*	*0.9*	*0.2*	.....	*0.6*	.....	.....	.....	*0.3*	.....	*0.3*	136
0.8	0.8	*0.9*	*0.4*	.....	*0.9*	*0.9*	*0.9*	*0.9*	*0.1*	*0.1*	.....	*0.4*	*0.6*	.....	.....	.....	.....	137
0.7	0.9	.....	*0.9*	*0.9*	*0.9*	3.0	*0.6*	9.9	*2.8*	1.3	5.7	5.1	*2.3*	10.9	2.0	1.0	4.0	138
1.3	1.6	*0.3*	*0.9*	*1.8*	.....	4.6	3.1	9.0	1.9	1.2	3.3	2.8	*1.3*	*4.3*	1.6	1.0	2.8	139
.....	.....	.....	.....	.....	.....	.....	.....	.....	*0.3*	*0.4*	.....	.....	.....	.....	*0.4*	*0.6*	.....	140
0.7	0.8	*0.3*	*0.9*	*1.8*	.....	*0.5*	*0.3*	*0.9*	1.2	1.0	1.5	*1.2*	*0.6*	*2.4*	1.2	1.2	*1.2*	141
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	142
12.7	14.9	5.7	14.1	23.8	4.4	20.8	19.3	25.3	27.4	22.3	37.5	23.7	16.4	38.6	28.6	24.3	37.1	
1.3	1.4	*1.1*	*0.9*	*1.8*	.....	2.3	2.8	*0.9*	1.2	1.3	*0.9*	*0.4*	*0.6*	.....	1.5	1.6	*1.2*	143
1.5	1.6	*1.1*	*1.3*	*1.3*	*0.9*	1.1	*0.9*	*1.3*	2.5	2.7	2.1	*1.6*	*1.2*	*2.4*	2.3	3.2	2.0	144
1.2	1.4	*0.6*	*1.3*	*2.6*	.....	2.7	2.8	*2.7*	5.4	5.2	5.7	2.4	*2.3*	*2.4*	6.4	6.2	6.8	145
5.3	6.4	2.0	6.6	12.3	*0.9*	6.9	6.1	9.0	8.6	5.2	15.3	10.3	7.0	16.9	8.0	4.6	14.8	146
0.5	0.7	.....	*0.9*	*0.9*	*0.9*	*0.7*	*0.9*	.....	*0.3*	*0.3*	*0.3*	*0.4*	*0.6*	.....	*0.3*	*0.2*	*0.4*	147
2.7	3.4	*0.6*	3.1	4.4	*1.8*	7.1	5.8	10.8	9.4	7.5	13.2	8.7	4.7	16.9	9.6	8.4	12.0	148
0.2	*0.2*	*0.3*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	149
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	150
4.0	4.1	3.7	5.7	6.2	5.3	4.8	4.9	*4.5*	4.4	3.7	5.7	4.3	*2.3*	8.5	4.4	4.2	4.8	
1.4	1.4	1.4	3.1	*2.6*	*3.5*	1.6	1.5	*1.8*	1.4	1.0	2.1	*1.6*	*0.6*	*3.6*	1.3	1.2	*1.6*	151
0.8	0.7	*1.1*	.....	.....	.....	1.1	*0.9*	*1.8*	0.9	0.9	*0.9*	*0.3*	.....	*2.4*	0.9	1.2	*0.4*	152
0.8	0.7	*0.9*	*1.3*	*1.3*	*0.9*	1.1	1.5	.....	1.0	*0.6*	*1.3*	*0.3*	.....	*2.4*	1.1	*0.3*	*1.6*	153
1.1	1.3	*0.3*	*1.3*	*1.3*	*0.9*	*0.9*	*0.9*	*0.9*	1.1	1.2	*0.9*	*1.2*	*1.3*	.....	1.1	1.0	*1.2*	154
3.1	3.6	1.4	*0.9*	*0.9*	*0.9*	1.1	*1.2*	*0.9*	1.0	1.2	*0.6*	*1.6*	*1.3*	*1.2*	0.8	1.0	*0.4*	
2.3	3.0	*0.3*	*0.9*	*0.9*	*0.9*	*0.2*	.....	*0.9*	0.8	0.9	*0.6*	*1.6*	*1.3*	*1.2*	*0.5*	*0.6*	*0.4*	155
0.6	0.5	*1.1*	.....	.....	.....	*0.9*	*1.2*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	156
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	157
0.1	*0.2*	.....	.....	.....	.....	.....	.....	.....	*0.2*	*0.3*	.....	.....	.....	.....	*0.3*	*0.4*	.....	158
16.4	16.4	16.2	18.1	17.6	18.6	11.9	12.8	9.0	9.4	11.1	6.0	11.9	14.7	6.0	8.5	9.8	6.0	
2.3	2.6	1.4	*0.4*	.....	*0.9*	1.8	1.8	*1.8*	1.3	1.3	*1.2*	*1.2*	*1.2*	*1.2*	1.3	1.4	*1.2*	159a
8.7	8.2	10.2	13.7	12.3	15.1	7.3	7.6	6.3	4.1	5.2	1.8	5.5	7.0	*2.4*	3.6	4.6	*1.6*	159b
5.3	5.6	4.6	4.0	5.3	*2.7*	2.7	3.4	*0.9*	4.0	4.5	3.0	5.1	6.5	*2.4*	3.6	3.8	3.2	159c
75.5	81.8	56.1	67.6	71.4	63.8	83.9	71.6	120.1	66.1	63.6	71.0	86.5	76.3	107.5	59.2	59.3	59.0	
9.4	9.4	9.1	14.6	11.5	17.7	11.2	11.3	10.8	12.3	10.2	16.5	13.8	10.0	21.7	11.8	10.2	14.8	160
39.8	43.3	29.3	41.1	43.2	39.0	51.6	41.0	83.1	41.4	42.8	38.7	54.9	52.3	60.4	36.9	39.6	31.5	161a
18.4	20.2	12.8	7.1	10.6	*3.5*	13.7	13.2	15.4	5.9	5.4	6.9	6.3	6.5	6.0	5.7	5.0	7.2	161b
7.9	9.0	4.8	4.9	6.2	*3.5*	7.3	6.1	10.8	5.9	5.2	7.2	9.5	7.6	13.3	4.7	4.4	5.2	162
.....	.....	.....	.....	.....	.....	.....	.....	.....	0.6	.....	1.8	2.0	.....	6.0	*0.1*	.....	*0.4*	163
7.5	6.0	12.2	12.8	7.9	17.7	7.8	6.4	11.7	21.3	20.2	23.4	11.1	11.7	9.7	24.7	23.1	27.9	164
87.9	90.5	79.7	89.7	89.1	90.4	94.8	95.1	93.9	116.1	106.0	136.4	126.8	114.5	152.1	112.5	103.0	131.2	
14.3	14.7	13.4	11.1	12.3	9.8	19.9	26.0	*1.8*	*9.8*	13.9	1.5	17.0	22.9	*4.8*	7.3	10.8	*0.4*	
0.6	0.7	*0.3*	*0.9*	*1.8*	.....	*0.2*	*0.3*	.....	0.6	0.9	.....	.....	.....	.....	0.8	1.2	.....	165
1.7	2.1	*0.3*	*0.9*	*0.9*	*0.9*	2.7	3.7	.....	1.1	1.6	.....	2.0	2.9	.....	0.8	1.2	.....	166
2.5	3.2	*0.3*	2.2	4.4	.....	7.1	9.5	.....	*0.2*	*0.3*	.....	*0.3*	*1.2*	.....	.....	.....	.....	167
3.5	3.4	4.0	*1.3*	*0.9*	*2.7*	1.8	2.4	.....	0.6	0.9	.....	2.0	2.9	.....	*0.1*	*0.2*	.....	168
0.8	*0.4*	2.3	*0.9*	.....	*1.3*	*0.9*	*0.9*	*0.9*	0.5	*0.6*	*0.3*	*0.3*	*1.2*	.....	*0.4*	*0.4*	*0.4*	169
4.0	3.7	4.8	4.0	4.4	*3.5*	3.9	4.9	*0.9*	5.9	8.2	*1.2*	10.7	13.5	*4.3*	4.3	6.4	.....	170
0.6	0.6	*0.9*	*0.4*	.....	*0.9*	2.1	2.8	.....	0.6	0.9	.....	*0.4*	*0.6*	.....	0.7	1.0	.....	171
0.4	*0.4*	*0.6*	.....	.....	.....	*0.9*	*1.2*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	172
0.1	*0.1*	.....	.....	.....	.....	*0.2*	*0.3*	.....	*0.2*	*0.3*	.....	*0.4*	*0.6*	.....	*0.1*	*0.2*	.....	173
0.1	*0.1*	.....	.....	.....	.....	.....	.....	.....	*0.1*	*0.1*	.....	.....	.....	.....	*0.1*	*0.2*	.....	174
2.9	3.3	1.7	7.1	9.7	4.4	13.0	7.3	29.8	24.9	14.1	46.5	30.8	15.9	61.6	22.8	13.5	41.5	
2.0	2.1	1.4	4.9	6.2	*3.5*	7.1	3.7	17.2	18.3	9.9	35.1	22.5	11.7	44.7	16.8	9.2	31.9	197
0.4	*0.4*	*0.3*	*0.4*	.....	*0.9*	1.4	*0.3*	4.5	3.6	0.9	9.0	4.3	.....	13.3	3.3	1.2	7.6	198
0.6	0.7	.....	*1.3*	*3.5*	.....	4.6	3.4	8.1	3.0	3.3	2.4	4.0	4.1	*3.6*	2.7	3.0	2.0	199

[3] Less than one-tenth of 1 per 100,000 population.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), EACH CAUSE AND CLASS

[See note at head of this table, pp. 196, 197.]

Detailed List No.	Int. No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.											
			Registration area (exclusive of Hawaii).	REGISTRATION STATES.			Registration cities in nonregistration states.[2]	All registration cities.[1]	CALIFORNIA.			COLORADO.		
				Total.[1]	Cities.[1]	Rural districts.			Total.	Cities.	Rural districts.	Total.	Cities.	Rural districts.
		XIV.—External causes—Continued.												
		Accidental or undefined (total)	68.7	68.3	71.6	65.1	92.7	72.3	91.0	80.9	104.6	88.3	76.3	95.8
175		Poisoning by food	1.0	1.0	0.9	1.2	2.7	0.9	1.6	1.8	1.4	0.9	*0.5*	1.2
176		Poisoning by venomous animals	0.1	0.1	0.1	0.1	0.5	0.1	*0.1*	[3]	*0.1*	*0.3*	.....	*0.5*
177		Other acute poisonings (gas excepted)	1.7	1.7	1.9	1.5	3.2	2.0	2.6	2.7	2.6	2.4	2.7	2.2
178		Conflagration	1.0	1.0	0.9	1.2	1.8	0.9	1.2	0.7	1.9	1.0	1.4	0.8
179		Burns (conflagration excepted)	6.0	5.9	6.8	5.1	10.3	7.0	4.9	5.5	4.2	3.7	4.6	3.2
180		Mechanical suffocation	1.1	1.1	0.8	1.3	1.3	0.8	0.9	0.8	1.0	2.3	1.4	2.9
181		Absorption of irrespirable, irritating, or poisonous gas.	2.0	2.0	3.6	0.5	1.1	3.5	3.2	5.0	0.8	1.1	2.2	*0.5*
182		Drowning	7.3	7.3	5.4	9.2	8.2	5.5	8.6	3.9	14.9	19.5	10.6	25.0
183		Traumatism by firearms (except in war)	2.6	2.6	1.6	3.5	6.8	1.7	2.8	1.7	4.3	4.0	2.4	4.9
184		Traumatism by cutting or piercing instruments.	0.5	0.5	0.6	0.5	0.5	0.6	0.7	0.6	0.7	0.5	*0.8*	*0.3*
185		Traumatism by fall	11.4	11.4	13.3	9.6	11.2	13.2	13.4	15.3	10.7	10.3	14.1	7.9
186a		Traumatism in mines	2.0	2.0	1.1	2.8	2.0	1.2	0.6	*0.1*	1.2	7.2	1.6	10.6
186b		Traumatism in quarries	0.1	0.1	0.1	0.1	*0.2*	0.1	0.2	*0.1*	0.3	*0.1*	.....	*0.2*
187		Traumatism by machines	1.8	1.8	2.0	1.6	2.5	2.0	2.9	2.6	3.3	2.4	1.9	2.7
188a		Railroad accidents	6.0	5.9	5.2	6.7	8.2	5.3	6.8	4.6	9.7	5.7	3.8	6.9
188b		Street-car accidents	1.6	1.6	2.7	0.7	2.2	2.6	3.4	4.7	1.6	0.7	1.9	.....
188c		Automobile accidents	11.5	11.4	15.3	7.6	17.9	15.4	24.4	22.6	26.8	12.6	16.0	10.5
188d		Aeroplane and balloon accidents	0.1	0.1	0.1	0.2	0.3	0.1	0.7	0.2	1.4	*0.3*	*0.5*	*0.2*
188e,f		Injuries by other vehicles	1.9	1.9	1.7	2.1	1.9	1.7	2.2	1.3	3.5	4.4	2.7	5.4
188g		Landslide, other crushing	0.6	0.6	0.5	0.7	0.4	0.5	1.2	0.8	1.7	1.4	1.9	1.0
189		Injuries by animals (not poisoning)	0.8	0.8	0.4	1.1	1.0	0.4	0.7	0.3	1.2	1.4	*1.1*	1.5
190		Wounds of war	[3]	[3]	[3]	[3]	*0.1*	[3]	.....	.....	.....	.....	.....	.....
192		Starvation (deprivation of food or water)	[3]	[3]	[3]	[3]	.....	[3]	.....	.....	.....	*0.1*	.....	*0.2*
193		Excessive cold	0.1	0.1	0.1	0.2	.....	0.1	*0.1*	.....	*0.2*	*0.1*	.....	*0.2*
194		Excessive heat	1.1	1.1	1.2	1.0	0.5	1.1	0.8	*0.2*	1.6	.....	.....	.....
195		Lightning	0.5	0.5	0.1	0.9	*0.1*	0.1	*0.1*	.....	*0.1*	1.1	*0.3*	1.7
196		Other accidental electric shocks	0.8	0.8	0.8	0.8	1.1	0.8	1.7	1.0	2.6	0.8	1.4	*0.5*
201		Fracture (cause not specified)	0.6	0.6	0.6	0.5	1.1	0.6	0.3	*0.2*	0.3	*0.2*	*0.3*	*0.2*
202		Other external violence	3.2	3.1	3.0	3.2	4.1	3.1	3.9	3.3	4.8	2.5	2.2	2.7
203		Violent deaths of unknown causation	1.1	1.1	1.0	1.2	1.4	1.0	1.1	0.8	1.5	1.2	*0.3*	1.9
		XV.—Ill-defined diseases	16.0	15.8	3.8	27.4	25.9	4.5	1.8	1.2	2.6	2.6	*0.5*	3.9
204		Sudden death	1.1	1.1	0.3	1.9	0.8	0.3	*0.1*	.....	*0.2*	*0.2*	.....	*0.3*
205a		Ill-defined	4.8	4.6	1.6	7.5	18.6	2.1	0.9	0.7	1.1	0.9	*0.5*	1.2
205b		Not specified or unknown	10.1	10.1	1.9	18.0	6.5	2.1	0.8	0.5	1.3	1.5	.....	2.4

[1] Including District of Columbia.

[2] A list of these cities may be found on p. 9.

ITS MAIN SUBDIVISIONS, AND IN EACH REGISTRATION STATE, BY CITIES AND RURAL DISTRICTS, FROM OF CAUSES: 1921—Continued.

[See note at head of this table, pp. 196, 197.]

DEATH RATE PER 100,000 POPULATION.																	List No.
CONNECTICUT.			DELAWARE.			DISTRICT OF COLUMBIA.			FLORIDA.								
									Total.			Cities.			Rural districts.		
Total.	Cities.	Rural districts.	Total.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.	Detailed
70.6	72.6	64.6	71.6	67.0	76.2	61.9	61.8	62.3	81.5	78.0	88.4	79.0	75.7	85.7	82.3	78.7	89.3	
0.8	0.7	*1.1*	.....	.....	.....	*0.5*	*0.6*	.....	3.3	3.6	2.7	6.3	5.9	7.2	2.3	2.8	*1.2*	175
0.1	*0.1*	.....	.....	.....	.....	.....	.....	.....	1.0	1.0	*0.9*	.....	.....	.....	1.3	1.4	*1.2*	176
1.5	1.5	1.7	.....	.....	.....	3.2	2.8	4.5	3.0	2.8	3.3	3.6	3.5	*3.6*	2.8	2.6	3.2	177
1.1	1.1	*1.1*	.....	.....	.....	*0.9*	*0.9*	*0.9*	1.7	1.2	2.7	2.8	.....	8.5	1.3	1.6	*0.8*	178
6.8	7.5	4.6	12.4	12.3	12.4	8.9	8.3	10.8	8.1	7.5	9.3	5.1	5.3	*4.3*	9.1	8.2	10.8	179
0.8	0.8	*0.9*	*0.9*	*0.9*	*0.9*	*0.9*	*0.9*	*0.9*	1.0	0.7	1.5	*0.8*	.....	*2.4*	1.1	1.0	*1.2*	180
2.5	3.1	*0.9*	*1.8*	*3.5*	.....	4.3	4.3	4.5	1.0	1.2	*0.6*	2.4	*2.3*	*2.4*	*0.5*	*0.8*	.....	181
8.9	6.9	15.1	14.1	9.7	18.6	5.9	4.6	9.9	11.0	8.5	15.9	8.7	7.0	12.1	11.8	9.0	17.1	182
1.0	0.7	2.0	2.7	*1.8*	*3.5*	1.6	*1.2*	*2.7*	7.5	6.6	9.3	2.0	*1.8*	*2.4*	9.3	8.2	11.6	183
0.4	*0.3*	*0.6*	*0.4*	.....	*0.9*	*0.5*	*0.3*	*0.9*	0.6	*0.3*	*1.2*	.....	.....	.....	0.8	*0.4*	*1.6*	184
12.0	12.9	9.1	11.1	14.1	8.0	10.7	11.0	9.9	7.6	9.9	3.0	9.5	12.3	*3.6*	6.9	9.0	2.8	185
.....	.....	.....	.....	.....	.....	.....	.....	.....	*0.1*	.....	*0.3*	.....	.....	.....	*0.1*	.....	*0.4*	186a
0.1	*0.1*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	186b
1.9	2.1	1.4	2.2	*1.8*	*2.7*	1.1	*0.6*	*2.7*	2.0	1.6	2.7	*1.6*	*1.2*	*2.4*	2.1	1.8	2.8	187
5.5	5.8	4.6	8.0	5.3	10.6	*0.5*	*0.6*	.....	6.5	5.5	8.4	3.2	*4.1*	*1.2*	7.6	6.0	10.8	188a
3.0	2.9	*3.4*	*0.9*	*1.8*	.....	3.0	3.7	*0.9*	*0.2*	*0.1*	*0.3*	*0.8*	*0.6*	*1.2*	.....	.....	.....	188b
15.5	17.4	9.7	7.5	8.8	6.2	12.1	14.4	5.4	10.4	12.3	6.6	15.4	18.8	8.5	8.7	10.0	6.0	188c
0.1	*0.1*	.....	.....	.....	.....	*0.9*	*1.2*	.....	1.8	2.1	*1.2*	2.0	*0.6*	*4.3*	1.7	2.6	.....	188d
1.8	1.9	1.4	*0.9*	*0.9*	*0.9*	1.8	2.1	*0.9*	1.3	1.0	1.8	*1.2*	*1.2*	*1.2*	1.3	1.0	2.0	188e,f
0.6	0.7	*0.3*	.....	.....	.....	.....	.....	.....	0.7	0.7	*0.6*	*1.2*	*1.2*	*1.2*	*0.5*	*0.6*	*0.4*	188g
0.4	*0.4*	*0.6*	*0.4*	*0.9*	.....	*0.2*	.....	*0.9*	*0.2*	*0.3*	.....	.....	.....	.....	*0.3*	*0.4*	.....	189
0.1	*0.1*	.....	.....	.....	.....	*0.2*	*0.3*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	190
.....	.....	.....	*0.4*	*0.9*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	192
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	193
0.9	1.0	*0.6*	2.2	*1.8*	*2.7*	*0.7*	*0.6*	*0.9*	*0.3*	*0.1*	*0.6*	*0.4*	*0.6*	.....	*0.3*	.....	*0.8*	194
0.1	.....	*0.3*	*0.4*	.....	*0.9*	*0.9*	*0.9*	*0.9*	1.2	0.7	2.1	*0.4*	.....	*1.2*	1.5	1.0	2.4	195
0.9	1.0	*0.6*	*1.3*	.....	*2.7*	.....	.....	.....	1.2	1.3	*0.9*	2.4	*2.3*	*2.4*	0.8	1.0	*0.4*	196
0.3	*0.3*	*0.3*	*0.4*	.....	*0.9*	*0.5*	*0.6*	.....	1.9	2.5	*0.6*	2.4	3.5	.....	1.7	2.2	*0.3*	201
2.7	2.4	3.4	3.1	*2.6*	*3.5*	2.1	*1.2*	4.5	4.7	3.4	7.2	4.7	*2.3*	9.7	4.7	3.8	6.4	202
1.1	1.0	*1.1*	*0.4*	.....	*0.9*	*0.5*	*0.6*	.....	3.3	2.5	4.8	2.4	*1.2*	*4.8*	3.6	3.0	4.8	203
3.2	2.0	6.8	5.7	*3.5*	8.0	1.4	1.5	*0.9*	62.7	39.5	109.1	34.0	23.5	55.5	72.4	45.0	126.8	
0.5	*0.4*	*0.9*	.....	.....	.....	.....	.....	.....	4.1	4.3	3.6	4.3	4.7	*3.6*	4.0	4.2	3.6	204
1.3	1.0	2.3	5.7	*3.5*	8.0	*0.7*	*0.9*	.....	20.1	12.3	35.7	15.0	7.6	30.2	21.8	13.9	37.5	205a
1.3	0.6	3.7	.....	.....	.....	*0.7*	*0.6*	*0.9*	38.5	22.9	69.8	14.6	11.2	21.7	46.6	26.9	85.7	205b

[3] Less than one-tenth of 1 per 100,000 population.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), EACH CAUSE AND CLASS

[See note at head of this table, pp. 196, 197.]

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.											
		ILLINOIS.			INDIANA.			KANSAS.			KENTUCKY.		
		Total.	Cities.	Rural districts.	Total.	Cities.	Rural districts.	Total.	Cities.	Rural districts.	Total.		
											Total.	White.	Colored.
	All causes[1]	1,109.8	1,147.8	1,054.3	1,187.5	1,199.2	1,179.4	1,016.4	1,242.4	944.7	1,053.6	976.0	1,791.3
	I.—Epidemic, endemic, and infectious diseases	161.8	156.0	170.2	189.8	190.9	189.0	124.1	175.0	107.9	251.4	226.9	484.3
1	Typhoid and paratyphoid fever	6.0	3.4	9.7	12.3	11.2	13.1	8.6	11.4	7.7	25.9	24.4	40.5
2	Typhus fever	.....	.....	.....	.....	.....	.....	*0.1*	.....	*0.1*	.....	.....	.....
3	Relapsing fever (spirillum obermeieri)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Malta fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Malaria	1.2	0.5	2.2	1.0	1.2	0.9	0.7	*0.2*	0.8	3.6	3.3	6.5
6	Smallpox	0.4	0.3	0.6	0.7	0.7	0.7	2.8	4.4	2.2	0.7	0.8	.....
7	Measles	4.7	4.7	4.6	2.8	2.4	3.1	4.3	5.4	4.0	7.3	7.9	*1.7*
8	Scarlet fever	6.2	6.7	5.5	5.5	4.3	6.4	7.0	4.9	7.7	2.6	2.8	*1.3*
9	Whooping cough	7.5	6.3	9.2	12.6	11.9	13.0	6.0	7.2	5.6	11.7	10.9	18.5
10	Diphtheria	22.3	24.5	19.2	23.8	26.5	22.0	20.9	30.3	17.9	25.9	26.8	17.7
11a	Influenza (with pulmonary complications)	5.7	4.8	7.0	6.8	6.3	7.3	4.0	3.7	4.1	6.2	5.4	12.9
11b	Influenza (other and unspecified)	3.2	1.8	5.2	6.1	5.5	6.6	4.8	5.4	4.6	5.3	4.6	11.2
12	Miliary fever	.....	.....	.....	(2)	.....	*0.1*	.....	.....	.....	.....	.....	.....
13	Mumps	0.1	*0.1*	0.2	*0.1*	*0.1*	*0.1*	*0.2*	*0.2*	*0.1*	*0.1*	(2)	*0.4*
14	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	Cholera nostras	0.3	*0.1*	0.5	*0.1*	*0.1*	*0.2*	0.4	*0.5*	0.4	0.9	1.0	*0.9*
16	Dysentery	1.5	0.7	2.7	5.2	3.0	6.7	4.2	3.5	4.4	13.0	13.3	9.5
17	Plague	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
18	Yellow fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
19	Spirochetal hemorrhagic jaundice	(2)	(2)	.....	(2)	*0.1*	.....	.....	.....	.....	(2)	(2)	.....
20	Leprosy	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
21	Erysipelas	2.6	2.2	3.2	3.7	4.1	3.4	3.1	3.7	2.9	3.1	3.1	2.6
22	Acute anterior poliomyelitis	2.3	1.8	3.0	1.3	1.2	1.4	2.0	*0.9*	2.3	0.9	1.0	*0.4*
23	Lethargic encephalitis	1.4	1.6	1.1	1.4	2.1	0.9	0.4	*0.5*	0.4	1.6	1.6	*1.7*
24	Meningococcus meningitis	1.1	1.3	1.0	1.6	1.2	1.8	1.1	1.4	1.0	2.2	2.3	*1.7*
25	Other epidemic and endemic diseases	0.2	*0.1*	0.2	0.2	*0.3*	*0.1*	*0.2*	*0.2*	*0.1*	*0.1*	*0.1*	.....
26	Glanders	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
27	Anthrax	(2)	(2)	.....	(2)	.....	*0.1*	*0.1*	*0.2*	.....	.....	.....	.....
28	Rabies	(2)	(2)	.....	(2)	*0.1*	.....	*0.1*	.....	*0.1*	*0.1*	*0.1*	.....
29	Tetanus	1.3	1.2	1.4	2.4	2.6	2.2	2.1	3.0	1.8	2.3	2.3	2.2
30	Mycoses	0.2	0.1	0.2	*0.1*	*0.2*	*0.1*	*0.2*	.....	*0.3*	0.4	0.4	*0.4*
	Tuberculosis (total)	84.9	83.4	87.1	92.8	93.5	92.3	43.3	70.6	34.7	131.2	110.0	333.1
31	Of the respiratory system	72.9	69.9	77.4	76.9	74.9	78.2	36.3	57.6	29.5	114.7	95.5	296.9
32	Of the meninges, central nervous system	4.1	5.1	2.8	4.6	5.8	3.7	1.2	3.3	0.6	5.8	5.4	9.5
33	Of the intestines, peritoneum	3.1	2.9	3.4	5.7	6.5	5.2	2.3	4.0	1.8	5.9	4.9	15.5
34	Of the vertebral column	1.5	1.5	1.4	1.1	1.1	1.1	0.8	1.9	0.5	0.7	0.6	*1.7*
35	Of the joints	0.5	0.5	0.4	0.6	0.6	0.6	0.5	*0.9*	0.4	0.6	0.6	*0.4*
36	Of other organs	1.1	1.1	1.1	1.4	1.6	1.3	0.6	*0.7*	0.6	1.6	1.3	4.7
37a	Disseminated (acute)	1.5	2.1	0.6	1.3	2.0	0.9	0.7	1.2	0.5	0.9	0.6	3.0
37b	Disseminated (chronic or unspecified)	0.2	0.3	(2)	1.1	1.1	1.2	0.9	1.2	0.8	1.0	1.0	*1.3*
38	Syphilis	6.9	8.6	4.5	6.9	9.4	5.3	5.2	11.9	3.0	4.5	3.1	17.2
39	Soft chancre	.....	.....	.....	.....	.....	.....	.....	.....	.....	(2)	(2)	.....
40	Gonococcus infection	1.0	1.2	0.6	0.7	1.3	0.3	0.7	1.6	0.4	0.5	0.2	2.6
41	Purulent infection, septicemia	0.9	0.8	1.0	1.3	1.6	1.2	1.9	3.7	1.3	1.3	1.3	*1.3*
42	Other infectious diseases	(2)	.....	(2)	.....	.....	.....	.....	.....	.....	.....	.....	.....
	II.—General diseases not included in Class I	135.5	148.6	116.3	129.9	137.1	124.9	117.6	148.0	108.0	82.1	80.9	93.9
	Cancer and other malignant tumors (total)	93.0	101.2	81.0	92.2	96.0	89.6	79.3	102.5	71.9	54.4	53.7	61.2
43	Of the buccal cavity	3.6	3.2	4.2	3.3	2.6	3.8	2.8	3.0	2.7	1.7	1.8	*0.9*
44	Of the stomach, liver	36.5	39.2	32.5	35.6	33.8	36.9	33.2	39.6	31.2	20.9	20.9	21.1
45	Of the peritoneum, intestines, rectum	12.5	14.7	9.3	11.0	11.1	10.9	10.9	13.7	10.0	6.0	6.1	5.2
46	Of the female genital organs	12.7	14.6	10.0	14.4	19.3	10.9	9.7	16.8	7.5	8.9	8.0	17.2
47	Of the breast	8.3	8.4	8.2	8.2	8.6	8.0	6.5	9.8	5.4	5.2	5.0	6.9
48	Of the skin	2.3	1.5	3.4	4.5	3.1	5.4	3.9	3.7	3.9	2.8	3.0	*0.9*
49	Of other or unspecified organs	17.1	19.6	13.3	15.2	17.5	13.7	12.4	15.8	11.2	9.0	9.0	9.0
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	0.7	0.7	0.7	0.9	1.0	0.8	1.5	1.9	1.4	0.9	0.8	2.2
51	Acute rheumatic fever	4.6	5.3	3.6	2.6	3.0	2.3	2.7	1.9	3.0	4.5	4.0	9.0
52	Chronic rheumatism, osteoarthritis, gout	1.0	0.7	1.5	1.2	1.2	1.2	1.2	*0.9*	1.3	1.2	1.2	*0.9*
53	Scurvy	(2)	*0.1*	(2)	.....	.....	.....	.....	.....	.....	(2)	(2)	.....
54	Pellagra	0.1	*0.1*	0.2	0.2	*0.2*	*0.2*	0.3	*0.5*	*0.3*	2.7	2.6	3.0
55	Beriberi	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
56	Rickets	1.0	1.5	0.3	0.3	*0.2*	0.3	*0.2*	*0.7*	*0.1*	0.4	0.4	*0.4*
57	Diabetes mellitus	18.0	20.2	15.0	16.3	16.8	15.9	15.6	16.8	15.2	8.7	8.5	11.2
58	Anemia, chlorosis	6.0	5.4	6.9	6.1	5.9	6.3	6.9	10.3	5.8	2.5	2.6	*0.9*
59	Diseases of the pituitary gland	(2)	*0.1*	.....	.....	.....	.....	.....	.....	.....	(2)	(2)	.....
60a	Exophthalmic goiter	2.4	3.1	1.4	2.1	2.1	2.2	1.9	2.3	1.7	0.9	1.0	*0.4*
60b	Other diseases of the thyroid gland	1.3	1.7	0.7	1.7	2.3	1.2	1.8	2.6	1.6	0.5	0.5	*0.4*
61	Diseases of the parathyroid glands	0.1	0.1	(2)	0.2	*0.3*	*0.1*	.....	.....	.....	.....	.....	.....
62	Diseases of the thymus gland	0.7	1.0	*0.1*	0.3	*0.2*	0.3	0.3	*0.5*	*0.3*	0.2	0.2	*0.4*
63	Diseases of the adrenals (Addison's disease)	0.3	0.3	0.4	0.4	0.5	0.4	0.5	*0.2*	0.6	0.2	0.2	.....
64	Diseases of the spleen	0.4	0.4	0.4	0.3	0.5	*0.2*	0.3	*0.5*	*0.3*	*0.1*	*0.1*	.....
65a	Leukemia	1.5	1.7	1.3	1.3	1.5	1.1	1.2	1.2	1.2	0.8	0.7	*1.3*
65b	Hodgkin's disease	0.6	0.8	0.5	0.8	0.9	0.7	0.7	1.9	*0.3*	0.5	0.5	.....
66	Alcoholism (acute or chronic)	1.9	2.5	1.0	1.1	1.6	0.8	0.8	1.4	0.6	1.3	1.4	*0.9*
67a	Chronic lead poisoning	0.2	0.2	*0.1*	0.2	*0.3*	*0.1*	*0.2*	*0.2*	*0.2*	(2)	(2)	.....
67b	Other chronic mineral poisoning	.....	.....	.....	(2)	*0.1*	.....	*0.1*	.....	*0.1*	.....	.....	.....
68	Chronic poisoning by organic substances	0.1	0.2	*0.1*	.....	.....	.....	*0.2*	*0.5*	*0.1*	*0.2*	*0.1*	*0.4*
69	Other general diseases	1.3	1.5	1.1	1.7	2.5	1.2	1.9	1.4	2.0	1.9	2.0	*1.3*

[1] Exclusive of stillbirths.

ITS MAIN SUBDIVISIONS, AND IN EACH REGISTRATION STATE, BY CITIES AND RURAL DISTRICTS, FROM OF CAUSES: 1921—Continued.

[See note at head of this table, pp. 196, 197.]

DEATH RATE PER 100,000 POPULATION.																		List No.
KENTUCKY—continued.						LOUISIANA.									MAINE.			
Cities.			Rural districts.			Total.			Cities.			Rural districts.			Total.	Cities.	Rural districts.	Detailed Int.
Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.				
1,440.8	1,315.6	2,126.9	967.1	906.1	1,650.3	1,104.3	924.0	1,392.9	1,702.7	1,412.7	2,409.4	872.3	692.2	1,120.3	1,401.0	1,479.8	1,369.6	
244.7	200.9	485.1	252.9	232.2	484.0	241.4	164.6	364.4	318.7	221.6	555.4	211.5	137.6	313.1	161.1	176.7	155.0	
14.6	11.4	32.0	28.5	27.1	44.1	17.9	14.1	24.0	14.4	10.3	24.3	19.3	15.9	23.9	7.6	12.3	5.8	1
																		2
																		3
																		4
2.0	0.8	8.7	4.0	3.8	5.5	23.4	20.5	28.0	8.3	4.4	17.6	29.3	28.2	30.8	0.1		0.2	5
			0.9	1.0		3.2	2.2	4.7	8.1	4.4	16.9	1.3	1.2	1.4				6
4.9	5.6	1.5	7.9	8.4	1.8	6.1	7.3	4.1	8.5	10.8	2.7	5.2	5.7	4.5	10.6	5.5	12.7	7
3.8	4.5		2.4	2.4	1.8	0.6	0.9	0.1	0.8	1.1		0.5	0.8	0.2	2.8	2.7	2.9	8
9.4	9.3	10.2	12.2	11.3	22.0	8.6	7.5	10.4	7.1	6.1	9.5	9.2	8.2	10.7	8.8	5.5	10.1	9
16.2	16.2	16.0	28.1	29.0	18.4	6.0	6.7	4.9	5.1	5.3	4.7	6.3	7.4	4.9	14.2	22.8	10.9	10
6.1	3.5	20.4	6.2	5.9	9.8	7.4	5.6	10.1	12.2	7.8	23.0	5.5	4.6	6.7	9.1	6.4	10.1	11a
6.7	4.3	20.4	4.9	4.7	7.3	4.8	3.7	6.6	5.7	5.5	6.1	4.5	2.9	6.7	8.8	5.9	10.0	11b
																		12
0.2	0.3		0.1		0.6	0.2	0.1	0.3				0.2	0.1	0.4	0.3		0.4	13
																		14
			1.2	1.1	1.2	0.3	0.2	0.4				0.4	0.3	0.5	0.9	1.4	0.7	15
4.0	4.0	4.4	15.0	15.3	11.6	8.6	7.2	10.7	4.3	3.6	6.1	10.2	8.9	12.0	1.4	1.4	1.4	16
																		17
						0.1	0.1		0.2	0.3								18
			0.1	0.1		0.1	0.1					0.1	0.1					19
						0.4	0.5	0.1				0.5	0.8	0.2				20
3.6	3.2	5.6	3.0	3.1	1.2	1.6	2.1	0.9	2.2	2.8	0.7	1.4	1.7	0.9	2.8	3.6	2.5	21
0.7	0.8		1.0	1.0	0.6	0.3	0.4	0.1	0.4	0.6		0.2	0.3	0.2	2.2	3.2	1.8	22
2.9	3.5		1.4	1.3	2.4	0.5	0.5	0.6	1.2	1.1	1.4	0.3	0.3	0.4	1.9	2.3	1.8	23
0.7	0.8		2.6	2.6	2.4	0.4	0.4	0.4	1.4	1.4	1.4	0.1		0.2	0.6	0.9	0.5	24
			0.1	0.1		0.1	0.2					0.2	0.3		0.1		0.2	25
																		26
						0.1	0.2		0.2	0.3		0.1	0.1					27
0.2	0.3		0.1	0.1														28
2.9	3.2	1.6	2.1	2.1	2.4	8.7	5.6	13.6	13.2	1 0	20.9	6.9	3.6	11.6	1.7	1.4	1.8	29
0.4	0.3	1.6	0.4	0.4		0.5	0.2	1.0	0.4	0.3	0.7	0.5	0.1	1.1				30
154.4	120.1	342.3	126.1	107.9	329.2	122.4	69.4	207.2	193.9	129.8	350.0	94.7	40.8	168.9	82.1	93.4	77.7	
131.2	101.2	295.7	111.0	94.4	297.4	112.8	62.2	193.8	172.0	115.6	309.4	89.8	36.8	162.7	64.8	67.9	63.5	31
6.5	6.4	7.3	5.6	5.2	10.4	1.7	2.0	1.3	4.7	4.7	4.7	0.5	0.7	0.4	5.6	6.4	5.2	32
7.9	5.8	18.9	5.5	4.7	14.1	3.2	2.7	4.0	5.9	3.9	10.8	2.1	2.1	2.2	3.8	5.9	2.9	33
0.9	0.5	2.9	0.7	0.7	1.2	0.5	0.3	1.0	1.0	0.6	2.0	0.4	0.1	0.7	1.6	4.1	0.5	34
1.3	1.3	1.5	0.4	0.4		0.3	0.2	0.4	0.6	0.3	1.4	0.2	0.1	0.2	0.9	0.9	0.9	35
2.7	1.9	7.3	1.4	1.2	3.7	1.0	0.4	2.0	2.0	0.3	6.1	0.6	0.4	0.9	3.0	5.0	2.2	36
2.5	1.6	7.3	0.5	0.4	1.2	2.4	1.3	4.1	6.3	3.1	14.2	0.9	0.5	1.4	1.3	2.7	0.7	37a
1.3	1.3	1.5	0.9	0.9	1.2	0.5	0.4	0.6	1.4	1.4	1.4	0.2		0.4	1.3	0.5	1.6	37b
8.8	7.2	17.5	3.5	2.3	17.1	16.2	6.8	31.3	27.7	13.3	62.8	11.7	3.7	22.8	3.4	5.5	2.5	38
			0.1	0.1														39
0.4	0.3	1.6	0.5	0.2	3.1	1.2	0.4	2.3	1.6	0.3	3.4	1.0	0.3	2.0	0.3	0.5	0.2	40
1.6	1.6	1.5	1.2	1.2	1.2	1.9	1.6	2.3	2.2	1.7	3.4	1.8	1.6	2.0	1.0	2.3	0.5	41
						0.1		0.1				0.1		0.2	0.1		0.2	42
148.8	150.7	138.4	67.2	66.5	75.3	87.7	89.4	85.0	164.4	160.6	173.6	58.0	55.7	61.3	170.6	196.8	160.2	
101.6	103.6	90.3	43.9	43.4	49.0	53.6	59.3	44.3	102.8	110.1	85.1	34.5	35.3	33.3	116.5	129.8	111.1	
3.6	4.3		1.3	1.3	1.2	2.0	2.6	1.1	4.3	5.0	2.7	1.1	1.4	0.7	4.3	3.2	4.7	43
34.4	35.6	27.7	17.9	17.9	18.4	17.2	19.5	13.6	32.2	35.8	23.6	11.4	11.7	10.9	42.9	46.5	41.5	44
12.6	13.8	5.8	4.5	4.5	4.9	5.2	6.2	3.4	11.2	12.2	8.8	2.8	3.4	2.0	19.0	26.0	16.3	45
16.4	15.9	18.9	7.2	6.3	16.5	11.8	10.3	14.3	22.0	20.8	25.0	7.9	5.3	11.4	17.9	22.8	15.9	46
11.5	10.4	17.5	3.8	3.9	2.4	4.2	4.4	4.0	8.8	8.9	8.8	2.4	2.2	2.7	10.9	9.1	11.6	47
2.9	3.2	1.5	2.8	3.0	0.6	2.6	3.7	0.7	4.7	5.8	2.0	1.8	2.8	0.4	4.1	2.7	4.7	48
20.2	20.5	18.9	6.5	6.6	4.9	10.5	12.7	7.1	19.5	21.6	14.2	7.1	8.4	5.3	17.4	19.6	16.5	49
2.2	1.9	4.4	0.7	0.6	1.2	0.4	0.2	0.9	0.6	0.6	0.7	0.4		2.5	1.9	3.2	1.4	50
5.4	4.0	13.1	4.3	4.0	7.3	3.5	2.6	4.9	6.7	3.9	13.5	2.2	2.0	0.9	4.3	5.9	3.6	51
0.4	0.5		1.4	1.4	1.2	0.7	0.6	0.9	1.4	0.8	2.7	0.5	0.5	0.4	1.9	1.4	2.2	52
			0.1	0.1		0.1	0.1					0.1	0.1		0.1		0.2	53
3.4	3.7	1.5	2.5	2.4	3.7	9.9	2.9	21.3	11.8	2.5	34.5	9.2	3.0	17.8	1.0	0.5	1.3	54
																		55
			0.5	0.4	0.6	0.5	0.2	1.1	1.0		3.4	0.4	0.3	0.6	0.1	0.5		56
17.3	17.8	14.6	6.8	6.6	9.8	9.4	11.9	5.6	21.8	24.1	16.2	4.6	6.1	2.7	26.0	34.6	22.6	57
4.9	5.3	2.9	1.9	2.1		2.2	2.8	1.3	4.3	4.2	4.7	1.4	2.1	0.4	8.0	8.7	7.8	58
			0.1	0.1														59
3.1	3.5	1.5	0.5	0.5		0.9	1.0	0.7	2.8	2.5	3.4	0.2	0.3		1.3	2.3	0.9	60a
1.3	1.6		0.4	0.3	0.6	0.5	0.4	0.6	1.0	0.6	2.0	0.3	0.4	0.2	0.4	0.5	0.4	60b
						0.1		0.1				0.1		0.2	0.1		0.2	61
1.3	1.3	1.5				0.4	0.6		0.8	1.1		0.2	0.4		0.1		0.2	62
0.4	0.5		0.2	0.2		0.2	0.2	0.1				0.2	0.3	0.2	0.6	0.9	0.5	63
0.2	0.3		0.1	0.1		0.3	0.2	0.1	0.4	0.6		0.1		0.2	0.5	0.5	0.5	64
2.2	1.9	4.4	0.5	0.5		1.0	1.7		2.2	3.1		0.6	1.1		1.0	0.5	1.3	65a
0.7	0.8		0.5	0.5		0.5	0.8		0.8	1.1		0.4	0.7		0.8	0.9	0.7	65b
2.0	2.1	1.5	1.2	1.2	0.6	1.0	1.4	0.4	1.6	1.7	1.4	0.8	1.3	0.2	2.1	2.3	2.0	66
0.2	0.3					0.1	0.1		0.2	0.3					0.4	0.5	0.4	67a
						0.1		0.1	0.2		0.7							67b
			0.2	0.2	0.6	0.2	0.3	0.1	0.3	0.3	0.7							68
1.8	1.6	2.9	2.0	2.1	0.6	2.3	2.2	2.4	3.3	2.8	4.7	1.9	2.0	1.8	3.2	4.1	2.9	69

[2] Less than one-tenth of 1 per 100,000 population.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), EACH CAUSE AND CLASS

[See note at head of this table, pp. 196, 197.]

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.											
		ILLINOIS.			INDIANA.			KANSAS.			KENTUCKY.		
											Total.		
		Total.	Cities.	Rural districts.	Total.	Cities.	Rural districts.	Total.	Cities.	Rural districts.	Total.	White.	Colored.
	III.—Diseases of the nervous system and of the organs of special sense.	107.4	91.8	130.2	141.8	121.2	156.1	134.4	147.3	130.3	101.6	92.0	192.2
70	Encephalitis	0.7	0.5	0.9	2.1	1.9	2.2	1.1	1.9	0.9	2.4	2.3	3.4
71a	Simple meningitis	2.2	2.1	2.2	4.0	4.4	3.7	2.5	4.0	2.1	5.0	4.9	6.5
71b	Nonepidemic cerebrospinal meningitis	0.6	0.5	0.8	1.1	1.6	0.9	0.7	*0.7*	0.7	2.0	2.1	*0.9*
72	Tabes dorsalis (locomotor ataxia)	2.5	2.5	2.4	2.3	2.4	2.2	2.2	2.8	2.0	1.1	0.9	2.6
73	Other diseases of the spinal cord	6.2	4.9	8.1	5.6	4.1	6.6	6.5	7.2	6.3	4.2	4.0	6.5
74a	Cerebral hemorrhage	68.2	60.6	79.4	95.2	80.5	105.5	88.3	100.2	84.5	55.5	50.7	101.7
74b	Cerebral embolism and thrombosis	3.1	2.4	4.1	2.4	2.4	2.5	3.4	3.7	3.3	1.0	0.9	*1.7*
75	Paralysis without specified cause	1.7	1.3	2.3	7.8	5.9	9.0	9.2	8.6	9.4	10.1	8.8	22.0
76	General paralysis of the insane	8.6	4.0	15.4	7.3	5.7	8.5	5.8	3.0	6.7	5.6	4.6	15.1
77	Other forms of mental alienation	1.9	1.3	2.9	1.4	1.0	1.8	2.1	2.1	2.1	2.4	2.3	3.4
78	Epilepsy	2.9	2.0	4.2	3.6	2.3	4.5	3.1	2.6	3.3	3.4	2.6	10.3
79	Convulsions (nonpuerperal; 5 years and over)	*0.1*	*0.1*	*0.1*	.....	.....	.....	*0.2*	*0.7*	*0.1*	(1)	.....	*0.4*
80	Infantile convulsions (under 5 years)	0.9	1.0	0.7	0.8	1.0	0.7	1.3	1.6	1.3	2.5	1.9	8.2
81	Chorea	0.1	*0.1*	*0.1*	0.2	*0.2*	*0.2*	*0.2*	*0.2*	*0.1*	*0.1*	*0.1*	.....
82	Neuralgia and neuritis	0.2	*0.1*	0.4	0.6	0.7	0.5	0.9	*0.9*	0.9	0.4	0.4	.....
83	Softening of the brain	0.7	0.4	1.1	1.5	0.7	2.1	1.3	1.2	1.4	1.1	1.1	*0.4*
84	Other diseases of the nervous system	3.0	3.0	2.9	2.4	2.1	2.6	3.0	2.6	3.2	2.5	2.0	7.3
85	Diseases of the eye and annexa	(1)	*0.1*	(1)	*0.1*	*0.1*	*0.1*	*0.2*	*0.5*	*0.1*	*0.1*	*0.1*	.....
86a	Diseases of the ear	2.7	3.3	1.7	2.2	2.4	2.0	1.2	1.4	1.1	1.1	1.1	*1.3*
86b	Diseases of the mastoid process	1.2	1.5	0.7	1.2	1.8	0.9	1.0	1.4	0.9	1.1	1.1	*0.4*
	IV.—Diseases of the circulatory system.	178.9	185.8	168.9	196.8	180.4	208.2	142.9	163.1	136.4	112.1	102.2	206.4
87	Pericarditis	1.0	0.9	1.0	1.4	1.4	1.5	1.6	1.9	1.6	1.8	1.6	4.3
88	Endocarditis and myocarditis (acute)	6.3	8.1	3.6	5.7	7.9	4.2	3.9	7.0	2.9	3.9	3.4	8.6
89	Angina pectoris	7.8	6.6	9.7	11.1	7.1	13.8	7.6	8.4	7.3	5.1	5.3	3.9
90	Other diseases of the heart	143.6	151.6	131.9	146.0	136.7	152.4	106.8	116.5	103.7	86.5	77.6	171.1
91a	Aneurysm	1.8	2.3	1.1	1.5	1.3	1.7	2.5	4.0	2.0	1.3	0.9	4.7
91b,c	Other diseases of the arteries	16.2	13.6	20.0	28.7	23.1	32.6	17.3	19.3	16.6	12.1	12.0	12.5
92	Embolism and thrombosis (not cerebral)	1.3	1.5	1.0	1.6	2.1	1.3	2.5	4.4	1.8	0.8	0.8	*0.4*
93	Diseases of the veins	0.8	1.0	0.4	0.4	0.4	0.5	0.5	1.4	*0.2*	0.2	0.2	.....
94	Diseases of the lymphatic system	0.2	0.2	*0.1*	0.2	*0.3*	*0.1*	*0.1*	.....	*0.1*	*0.1*	(1)	*0.4*
95	Hemorrhage without specified cause	0.1	*0.1*	*0.1*	*0.1*	*0.1*	*0.1*	*0.1*	.....	*0.1*	0.2	0.2	*0.4*
96	Other diseases of the circulatory system	(1)	(1)	.....	.....	.....	.....	*0.1*	*0.2*	*0.1*	.....	.....	.....
	V.—Diseases of the respiratory system.	98.2	106.0	86.8	91.5	103.3	83.3	78.6	105.5	70.1	92.6	84.4	170.6
97a	Diseases of the nasal fossae	0.1	*0.1*	*0.1*	*0.1*	*0.2*	*0.1*	*0.2*	*0.2*	*0.1*	0.5	0.5	*0.4*
97b	Diseases of the nasal fossae annexa	0.5	0.6	0.3	0.6	0.7	0.6	0.7	1.2	0.6	0.3	0.4	.....
98	Diseases of the larynx	1.0	0.8	1.2	1.0	0.8	1.1	1.4	1.4	1.4	1.1	1.2	*0.4*
99a	Acute bronchitis	3.6	4.3	2.7	2.4	3.2	1.8	2.2	3.7	1.7	1.2	1.0	3.9
99b	Chronic bronchitis	3.2	2.8	3.7	4.5	3.9	4.8	3.4	4.2	3.2	2.5	2.2	6.0
99c	Bronchitis (unspecified, under 5 years)	1.5	2.2	0.6	0.2	*0.2*	*0.2*	0.8	1.9	0.4	1.0	0.8	2.6
99d	Bronchitis (unspecified, 5 years and over)	1.5	1.1	2.0	0.7	0.6	0.9	2.2	3.5	1.8	1.9	1.3	3.2
100a	Bronchopneumonia	35.4	38.8	30.5	32.6	36.6	29.8	28.5	38.2	25.4	28.6	26.3	50.8
100b	Capillary bronchitis	1.6	1.8	1.2	1.1	1.0	1.2	0.8	1.2	0.7	0.8	0.7	*1.7*
101a	Lobar pneumonia	39.8	42.1	36.5	36.5	44.2	31.3	25.9	35.9	22.8	35.3	32.2	64.2
101b	Pneumonia (unspecified)	2.0	2.4	1.6	5.0	4.3	5.4	5.2	4.7	5.4	11.1	10.7	14.7
102	Pleurisy	3.6	4.8	1.9	2.2	2.9	1.8	1.9	1.9	1.8	1.5	1.3	3.9
103	Congestion and hemorrhagic infarct of the lung	1.5	1.2	1.8	1.8	1.9	1.8	2.5	2.3	2.6	2.8	2.6	3.9
104	Gangrene of the lung	0.2	0.3	(1)	*0.1*	*0.2*	*0.1*	*0.2*	*0.2*	*0.1*	(1)	(1)	.....
105	Asthma	1.9	1.8	2.2	2.0	2.0	2.1	1.9	3.5	1.4	3.1	2.4	9.9
106	Pulmonary emphysema	0.2	0.3	(1)	*0.1*	*0.2*	*0.1*	*0.2*	*0.2*	*0.1*	*0.2*	*0.2*	.....
107	Other diseases of the respiratory system (tuberculosis excepted).	0.7	0.7	0.7	0.4	0.4	0.5	0.7	1.4	0.5	0.7	0.8	.....
	VI.—Diseases of the digestive system	123.8	142.9	96.1	125.4	142.0	113.9	103.6	134.7	93.7	111.8	105.6	170.2
108	Diseases of the mouth and annexa	0.5	0.5	0.6	0.6	0.7	0.6	1.0	*0.9*	1.0	0.7	0.5	*1.7*
109a	Adenoid vegetations	(1)	.....	(1)	.....	.....	.....	.....	.....	.....	.....	.....	.....
109b	Other diseases of the pharynx, tonsils	5.3	5.6	4.9	5.2	5.4	5.0	3.4	4.2	3.2	2.1	2.0	3.0
110	Diseases of the esophagus	0.2	0.2	*0.1*	*0.1*	*0.2*	*0.1*	*0.1*	.....	*0.1*	(1)	(1)	.....
111a	Ulcer of the stomach	4.1	5.0	2.9	3.9	4.8	3.3	4.1	5.8	3.5	3.4	2.8	9.5
111b	Ulcer of the duodenum	1.4	1.9	0.6	1.6	2.1	1.2	0.9	2.1	0.5	0.7	0.8	.....
112	Other diseases of the stomach (cancer excepted).	4.5	3.1	6.6	8.3	7.9	8.6	8.1	8.9	7.8	11.2	9.9	24.1
113	Diarrhea and enteritis (under 2 years)	49.1	59.1	34.6	40.7	45.5	37.4	25.3	30.8	23.6	44.2	43.4	51.3
114	Diarrhea and enteritis (2 years and over)	9.7	7.4	13.0	11.4	8.1	13.8	9.6	7.0	10.4	13.1	12.6	17.2
115	Ancylostomiasis	.....	.....	.....	.....	.....	.....	.....	.....	.....	*0.1*	(1)	*0.4*
116	Diseases due to other intestinal parasites	0.1	*0.1*	*0.1*	*0.1*	*0.1*	*0.1*	*0.1*	.....	*0.1*	0.4	0.5	.....
117	Appendicitis and typhlitis	16.4	22.5	7.6	15.5	24.8	9.1	15.7	25.9	12.4	10.6	10.1	15.1
118a	Hernia	4.0	5.0	2.5	3.6	4.4	3.0	2.7	3.3	2.5	2.2	2.0	4.3
118b	Intestinal obstruction	6.6	7.4	5.4	8.1	9.5	7.0	8.4	12.8	7.0	5.3	4.9	9.9
119	Other diseases of the intestines	1.3	1.4	1.2	1.7	1.8	1.6	2.6	3.5	2.3	1.7	1.2	6.5
120	Acute yellow atrophy of the liver	0.3	0.2	0.4	0.5	0.7	0.5	0.4	*0.5*	0.4	0.3	0.3	*0.4*
121	Hydatid tumor of the liver	(1)	.....	*0.1*	.....	.....	.....	*0.1*	*0.5*	.....	(1)	.....	*0.4*
122	Cirrhosis of the liver	8.3	9.6	6.5	9.6	10.7	8.9	7.0	7.0	7.0	5.3	4.8	10.8
123	Biliary calculi	5.4	6.6	3.7	4.5	5.1	4.0	4.4	6.5	3.8	3.0	3.0	2.6
124	Other diseases of the liver	4.5	5.1	3.6	6.4	6.9	6.0	7.0	10.3	5.9	3.9	3.9	4.7
125	Diseases of the pancreas	0.7	0.8	0.5	0.7	1.1	0.5	0.3	*0.9*	*0.1*	0.4	0.4	*0.4*
126	Peritonitis without specified cause	1.1	1.0	1.2	2.7	2.1	3.1	2.4	3.7	2.0	3.0	2.5	7.8
127	Other diseases of the digestive system (cancer and tuberculosis excepted).	0.2	0.3	(1)	*0.1*	*0.2*	*0.1*	*0.1*	*0.2*	.....	(1)	(1)	.....

[1] Less than one-tenth of 1 per 100,000 population.

ITS MAIN SUBDIVISIONS, AND IN EACH REGISTRATION STATE, BY CITIES AND RURAL DISTRICTS, FROM OF CAUSES: 1921—Continued.

[See note at head of this table, pp. 196, 197.]

DEATH RATE PER 100,000 POPULATION.																		Detailed List No.
KENTUCKY—continued.						LOUISIANA.									MAINE.			
Cities.			Rural districts.			Total.			Cities.			Rural districts.			Total.	Cities.	Rural districts.	
Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored	Total.	White.	Colored.	Total.	White.	Colored.				
165.9	152.5	238.9	87.2	79.5	172.6	82.0	77.5	89.2	134.1	130.1	143.9	61.7	52.5	74.5	179.8	183.1	178.5	
2.7	2.4	4.4	2.3	2.2	3.1	1.6	1.5	1.9	3.1	2.5	4.7	1.1	1.1	1.1	1.2	1.8	0.9	70
3.1	3.5	1.5	5.5	5.2	8.6	1.5	1.6	1.4	2.2	2.2	2.0	1.3	1.3	1.3	2.3	2.3	2.4	71a
1.3	1.6	.....	2.2	2.2	1.2	0.4	0.4	0.4	0.4	0.3	0.7	0.4	0.4	0.4	0.6	0.9	0.5	71b
1.8	1.9	1.5	0.9	0.7	3.1	1.3	1.1	1.6	3.3	2.8	4.7	0.5	0.3	0.7	3.0	3.2	2.9	72
6.3	6.4	5.8	3.8	3.5	6.7	3.2	3.6	2.6	6.5	7.2	4.7	1.9	1.8	2.0	7.4	9.1	6.7	73
108.8	100.2	155.9	43.6	40.5	78.9	48.6	47.8	49.7	86.5	83.8	93.2	33.8	30.8	38.1	129.8	114.8	135.8	74a
1.8	2.1	.....	0.8	0.7	2.4	1.2	1.6	0.6	1.6	1.9	0.7	1.1	1.4	0.5	4.0	5.0	3.6	74b
10.1	7.4	24.8	10.1	9.1	20.8	5.8	3.8	8.9	5.3	4.4	7.4	5.9	3.6	9.2	5.8	5.9	5.8	75
7.2	6.1	13.1	5.2	4.3	15.9	4.9	4.5	5.7	7.3	5.8	10.8	4.0	3.8	4.3	6.5	15.5	2.9	76
6.7	6.9	5.8	1.4	1.3	2.4	2.4	2.2	2.6	3.1	4.2	0.7	2.1	1.3	3.1	3.6	6.8	2.4	77
3.6	2.4	10.2	3.3	2.7	10.4	3.6	2.5	5.4	2.6	1.9	4.1	4.0	2.8	5.8	2.6	3.6	2.2	78
0.2	.....	1.5	.....	.....	.....	0.4	0.4	0.3	.....	.....	.....	0.5	0.7	0.4	0.4	.....	0.5	79
3.1	2.1	8.7	2.3	1.8	8.0	2.0	0.5	4.3	1.6	0.8	3.4	2.1	0.4	4.5	3.5	2.3	4.0	80
0.2	0.3	.....	0.1	0.1	.....	0.1	0.1	0.1	.....	.....	.....	0.2	0.1	0.2	0.1	.....	0.2	81
0.7	0.8	.....	0.3	0.3	.....	0.4	0.4	0.3	0.4	0.6	.....	0.4	0.4	0.4	0.4	0.5	0.4	82
1.6	1.9	.....	1.0	1.0	0.6	0.8	0.8	0.7	1.8	1.9	1.4	0.4	0.3	0.5	1.3	0.9	1.4	83
3.1	2.7	5.8	2.4	1.9	8.0	2.0	2.5	1.3	5.5	6.7	2.7	0.7	0.5	0.9	3.4	4.6	2.9	84
0.2	0.3	.....	0.1	0.1	.....	0.1	.....	0.1	0.2	.....	0.7	.....	.....	.....	0.1	0.5	.....	85
1.1	1.3	.....	1.2	1.1	1.8	1.2	1.2	1.1	1.2	0.8	2.0	1.1	1.3	0.9	2.6	4.1	2.0	86a
2.0	2.4	.....	0.9	0.9	0.6	0.6	0.9	0.1	1.6	2.2	.....	0.2	0.3	0.2	1.2	1.4	1.1	86b
206.1	189.7	295.7	91.1	84.1	168.9	137.5	119.6	166.2	264.3	223.8	362.8	88.3	70.1	113.4	268.5	263.7	270.4	
2.2	1.6	5.8	1.8	1.6	3.7	0.9	0.7	1.3	0.6	0.8	.....	1.1	0.7	1.6	1.2	0.9	1.3	87
11.9	11.4	14.6	2.2	1.8	6.1	5.1	5.1	5.1	11.0	10.5	12.2	2.8	2.5	3.3	4.9	8.2	3.6	88
7.2	8.0	2.9	4.7	4.7	4.3	5.5	7.0	3.1	11.4	13.9	5.4	3.3	3.8	2.5	20.3	21.0	20.1	89
153.3	136.3	246.2	71.6	65.5	139.5	110.5	92.8	138.9	204.1	166.4	295.9	74.2	57.9	96.8	195.9	183.1	200.9	90
3.4	1.6	13.1	0.8	0.8	1.2	3.4	2.4	4.9	8.7	5.3	16.9	1.3	1.1	1.6	0.8	2.3	0.2	91a
24.7	27.1	11.7	9.2	8.9	12.9	10.1	10.4	9.6	24.6	23.6	27.0	4.4	4.1	4.9	42.0	41.9	42.0	91b,c
2.2	2.7	.....	0.5	0.4	0.6	0.8	0.6	1.1	2.2	1.9	2.7	0.3	.....	0.7	2.5	4.1	1.8	92
0.4	0.5	.....	0.2	0.2	.....	0.5	0.3	0.9	1.0	0 8	1.4	0.3	.....	0.7	0.5	0.9	0.4	93
0.2	.....	1.5	0.1	0.1	.....	0.2	.....	0.6	0.2	.....	0.7	0.2	.....	0.5	0.3	0.5	0.2	94
0.4	0.5	.....	0.2	0.2	0.6	0.3	0.1	0.7	0.4	0.3	0.7	0.3	.....	0.7	0.3	0.9	.....	95
.....	.....	.....	.....	.....	.....	0.1	0.2	.....	0.2	0.3	.....	0.1	0.1	.....	.....	.....	.....	96
133.7	110.3	262.2	83.4	79.1	132.2	86.3	72.3	108.7	129.6	99.0	204.0	69.5	59.6	83.2	136.7	149.8	131.4	
.....	.....	.....	0.6	0.5	0.6	0.9	0.2	2.0	0.2	0.3	.....	1.1	0.1	2.5	0.1	.....	0.2	97a
1.3	1.6	.....	0.1	0.1	.....	0.3	0.4	0.3	1.0	1.1	0.7	0.1	.....	0.2	0.4	.....	0.5	97b
0.4	0.5	.....	1.3	1.3	0.6	0.7	0.5	1.0	1.0	0.3	2.7	0.6	0.7	0.5	0.6	1.8	0.2	98
1.3	0.5	5.8	1.2	1.0	3.1	3.2	2.1	5.0	4.5	3.3	7.4	2.7	1.4	4.3	5.3	3.2	6.2	99a
5.2	4.0	11.7	2.0	1.8	3.7	2.2	2.6	1.6	2.9	2.8	3.4	1.9	2.5	1.1	5.3	5.5	5.2	99b
2.0	1.9	2.9	0.8	0.6	2.4	0.8	0.6	1.0	0.6	0 6	0.7	0.8	0.7	1.1	0.9	0.9	0.9	99c
5.6	2.1	24.8	1.1	1.1	1.2	0.8	0.6	1.1	0.4	0.3	0.7	1.0	0.8	1.3	2.5	1.8	2.7	99d
44.5	40.9	64.1	25.1	23.3	45.3	28.5	26.8	31.2	44.8	36.9	64.2	22.1	22.0	22.3	49.5	62.4	44.4	100a
1.1	0.3	5.8	0.7	0.8	.....	1.0	0.8	1.3	1.4	1.1	2.0	0.8	0.7	1.1	2.5	1.8	2.7	100b
49.9	38.3	113.6	32.0	31.0	43.4	33.3	26.1	44.9	55.1	36.6	100.0	24.8	21.1	30.1	46.2	48.3	45.4	101a
9.7	8.2	17.5	11.4	11.2	13.5	8.2	5.8	12.1	7.5	6.4	10.1	8.5	5.5	12.7	14.4	10.9	15.7	101b
2.7	2.9	1.5	1.3	0.9	4.9	2.2	2.1	2.4	4.9	4.2	6.8	1.1	1.1	1.3	2.2	4.6	1.3	102
4.9	5.3	2.9	2.3	2.1	4.3	1.3	1.3	1.3	2.0	1.4	3.4	1.1	1.3	0.7	3.4	5.0	2.7	103
0.2	0.3	.....	.....	.....	.....	0.2	0.3	.....	0.4	0.6	.....	0.1	0.1	.....	0.9	2.3	0.4	104
3.6	2.1	11.7	3.0	2.4	9.2	2.0	1.5	2.9	1.6	1.4	2.0	2.2	1.6	3.1	1.7	1.4	1.8	105
0.2	0.3	.....	0.2	0.2	.....	0.1	0.1	.....	0.2	0.3	.....	.....	.....	.....	0.1	.....	0.2	106
0.9	1.1	.....	0.7	0.8	.....	0.7	0.6	0.7	1.2	1.7	.....	0.5	0.1	0.9	0.6	.....	0.9	107
156.0	144.8	217.1	101.9	97.5	150.5	127.8	114.1	149.6	191.7	161.1	266.2	103.0	91.8	118.3	115.9	122.5	113.3	
0.2	0.3	.....	0.8	0.6	2.4	1.0	0.9	1.3	1.4	1.1	2.0	0.9	0.8	1.1	0.4	0.9	0.2	108
.....	.....	.....	.....	.....	.....	0.1	.....	0.1	.....	.....	.....	0.1	.....	0.2	.....	.....	.....	109a
2.7	2.7	2.9	2.0	1.9	3.1	2.4	1.8	3.4	2.8	2.2	4.1	2.3	1.6	3.3	3.2	4.1	2.9	109b
.....	.....	.....	0.1	0.1	.....	0.3	0.4	0.1	1.0	1.1	0.7	0.1	0.1	.....	0.4	0.5	0.4	110
6.5	5.6	11.7	2.7	2.2	8.6	2.4	1.9	3.1	5.5	3.6	10.1	1.1	1.1	1.3	4.4	5.9	3.8	111a
2.0	2.4	.....	0.5	0.5	.....	1.1	1.1	1.1	2.6	1.7	4.7	0.5	0.8	0.2	1.2	0.9	1.3	111b
11.7	7.7	33.5	11.1	10.3	20.2	9.9	7.0	14.6	7.9	5.0	14.9	10.7	8.0	14.5	10.2	7.7	11.2	112
41.1	38.5	55.4	44.8	44.4	49.6	51.0	44.4	61.6	55.3	41.6	88.5	49.4	45.8	54.4	43.7	28.7	49.6	113
13.9	12.8	20.4	12.9	12.6	15.9	11.4	9.5	14.4	13.4	9.7	22.3	10.6	9.3	12.3	7.1	4.6	8.1	114
.....	.....	.....	0.1	0.1	0.6	0.1	.....	0.1	.....	.....	.....	0.1	.....	0.2	.....	.....	.....	115
.....	.....	.....	0.5	0.5	.....	1.5	0.8	2.6	0.4	0.3	0.7	1.9	1.1	3.1	0.1	.....	0.2	116
26.3	26.8	23.3	7.1	6.7	11.6	16.1	18.2	12.9	41.1	43.5	35.1	6.5	6.2	6.9	17.0	31.4	11.2	117
4.5	4.3	5.8	1.7	1.5	3.7	2.9	2.9	2.7	6.9	7.5	5.4	1.3	0.8	2.0	4.1	7.7	2.7	118a
11.9	10.1	21.9	3.9	3.8	4.9	7.4	6.3	9.0	15.5	13.6	20.3	4.2	2.9	6.0	6.7	9.6	5.6	118b
2.5	1.6	7.3	1.5	1.1	6.1	2.3	2.0	2.7	4.1	2.2	8.8	1.5	1.8	1.1	1.6	2.7	1.1	119
.....	.....	.....	0.4	0.4	0.6	0.6	0.8	0.3	1.4	1.4	1.4	0.3	0.5	.....	0.1	.....	0.2	120
0.2	.....	1.5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	121
11.2	10.4	16.0	4.0	3.6	8.6	9.6	8.4	11.4	16.9	13.6	25.0	6.7	5.9	7.8	4.4	3.6	4.7	122
5.4	6.4	.....	2.4	2.3	3.7	1.5	2.1	0.6	3.9	4.7	2.0	0.5	0.8	0.2	4.1	9.1	2.2	123
7.2	7.7	4.4	3.2	3.1	4.9	4.3	4.2	4.6	8.1	6.1	12.8	2.9	3.3	2.4	3.6	2.7	4.0	124
1.6	1.6	1.5	0.1	0.1	.....	0.2	0.2	0.1	0.6	0.6	0.7	.....	.....	.....	0.6	0.5	0.7	125
6.7	5.8	11.7	2.2	1.8	6.1	1.8	1.2	2.6	3.1	1.7	6.8	1.2	1.1	1.4	2.6	0.9	3.3	126
0.2	0.3	.....	.....	.....	.....	0.1	.....	0.1	.....	.....	.....	0.1	.....	0.2	0.3	0.9	.....	127

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), EACH CAUSE AND CLASS

[See note at head of this table, pp. 196,197.]

Detailed List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.											
		ILLINOIS.			INDIANA.			KANSAS.			KENTUCKY.		
											Total.		
		Total.	Cities.	Rural districts.	Total.	Cities.	Rural districts	Total.	Cities.	Rural districts.	Total.	White.	Colored.
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	101.8	109.5	90.4	110.9	107.8	113.1	97.0	121.9	89.1	87.9	79.5	167.6
128	Acute nephritis (including unspecified under 10 years).	4.6	5.0	4.1	8.5	11.0	6.7	6.2	6.5	6.1	7.1	6.2	16.4
129	Chronic nephritis (including unspecified 10 years and over).	80.6	83.8	75.9	87.5	76.8	94.8	72.2	85.7	67.9	69.3	63.7	122.8
130	Chyluria												
131	Other diseases of the kidneys and annexa	2.7	3.4	1.6	2.1	3.0	1.5	2.4	4.0	1.8	2.5	2.4	3.9
132	Calculi of the urinary passages	0.9	1.2	0.5	0.6	0.7	0.6	1.2	2.1	1.0	0.2	0.2	*0.4*
133	Diseases of the bladder	1.0	0.8	1.2	1.4	1.7	1.3	1.9	1.2	2.1	1.8	1.8	2.6
134	Diseases of the urethra, etc	0.3	0.4	*0.1*	0.2	0.4	*0.1*	0.3	*0.5*	*0.2*	0.5	0.5	*1.3*
135	Diseases of the prostate	5.0	5.4	4.5	4.5	3.9	4.8	6.3	7.9	5.8	2.8	2.5	6.0
136	Nonvenereal diseases of the male genital organs.	0.1	0.1	*0.1*	*0.1*		*0.1*	*0.1*		*0.1*	*0.1*	*0.1*	
137	Cysts, other benign tumors of the ovary	0.9	1.2	0.4	1.1	1.4	0.9	1.0	2.1	0.7	0.5	0.4	*1.7*
138	Salpingitis and pelvic abscess (female)	2.7	4.2	0.6	2.3	3.9	1.1	1.9	3.7	1.3	1.2	0.9	4.7
139	Benign tumors of the uterus	2.2	3.0	1.1	1.7	3.2	0.6	2.3	5.8	1.2	1.2	0.7	6.5
140	Nonpuerperal uterine hemorrhage	(1)	(1)		*0.1*	*0.2*	*0.1*	*0.1*		*0.1*	*0.1*	*0.1*	
141	Other diseases of the female genital organs	0.8	1.0	0.4	0.9	1.6	0.5	1.0	1.9	0.7	0.3	*0.2*	*1.3*
142	Nonpuerperal diseases of the breast (cancer excepted).	(1)	(1)					*0.2*	*0.5*	*0.1*			
	VIII.—The puerperal state	14.3	15.3	12.8	15.8	19.9	12.9	15.0	20.0	13.4	17.3	16.2	28.0
143	Accidents of pregnancy	1.4	1.5	1.3	0.8	1.2	0.6	1.5	2.6	1.1	1.2	1.1	2.2
144	Puerperal hemorrhage	1.2	1.2	1.2	1.2	1.3	1.1	1.8	*0.9*	2.1	1.6	1.7	*0.9*
145	Other accidents of labor	1.3	1.7	0.8	1.3	2.1	0.7	0.7	*0.5*	0.8	1.3	1.3	*1.7*
146	Puerperal septicemia	6.5	6.9	6.0	7.8	9.9	6.4	6.7	11.0	5.3	8.1	7.5	13.4
147	Puerperal phlegmasia alba dolens, embolus, etc.	0.4	0.5	*0.1*	0.5	0.5	0.5	0.6	*0.2*	0.7	0.4	0.4	*0.4*
148	Puerperal albuminuria and convulsions	3.4	3.5	3.2	4.1	4.9	3.7	3.7	4.9	3.3	4.7	4.2	9.5
149	Following childbirth (undefined)	0.1	*0.1*	*0.1*	(1)	*0.1*					(1)	(1)	
150	Puerperal diseases of the breast												
	IX.—Diseases of the skin and of the cellular tissue	3.6	3.7	3.3	3.8	3.3	4.2	3.8	4.2	3.6	2.9	2.8	3.9
151	Gangrene	1.2	1.0	1.6	1.9	1.6	2.1	2.0	2.1	1.9	1.1	1.0	2.2
152	Furuncle	0.9	1.1	0.6	0.6	0.6	0.6	0.6		0.7	0.5	0.4	*0.9*
153	Acute abscess	0.6	0.7	0.4	0.6	0.8	0.5	0.6	1.2	0.4	0.5	0.5	
154	Other diseases of the skin and annexa	0.9	1.0	0.7	0.7	*0.3*	1.0	0.6	*0.9*	0.5	0.9	0.9	*0.9*
	X.—Diseases of the bones and of the organs of locomotion	1.7	2.2	1.0	1.0	1.5	0.7	1.0	*0.7*	1.0	0.7	0.7	*0.9*
155	Diseases of the bones (tuberculosis excepted)	1.2	1.6	0.7	0.7	1.1	0.5	0.8	*0.7*	0.9	0.5	0.5	*0.4*
156	Diseases of the joints (tuberculosis and rheumatism excepted).	0.4	0.5	0.2	0.3	*0.3*	0.3	*0.1*		*0.1*	0.2	*0.2*	*0.4*
157	Amputations												
158	Other diseases of the organs of locomotion	0.1	*0.1*	*0.1*	(1)	*0.1*		*0.1*		*0.1*	*0.1*	*0.1*	
	XI.—Malformations	16.5	18.3	13.8	18.1	18.3	17.9	16.8	17.5	16.6	7.9	8.3	4.7
159a	Congenital hydrocephalus	1.6	1.8	1.3	1.4	1.2	1.6	1.5	2.1	1.3	0.5	0.5	*0.4*
159b	Congenital malformations of the heart	10.1	11.2	8.6	12.0	12.4	11.7	11.3	11.2	11.4	3.8	3.9	2.6
159c	Other congenital malformations	4.7	5.4	3.9	4.7	4.7	4.7	4.0	4.2	3.9	3.7	3.9	*1.7*
	XII.—Early infancy	60.1	59.6	60.8	63.3	71.2	57.8	63.6	74.6	60.1	66.6	65.9	72.8
160	Congenital debility, icterus, sclerema	4.4	4.1	5.0	7.3	7.4	7.3	10.0	6.5	11.2	10.2	9.7	15.5
161a	Premature birth	35.1	33.3	37.6	40.0	45.6	36.1	38.4	46.8	35.7	47.7	48.2	43.5
161b	Injury at birth	15.7	16.2	14.9	8.7	9.8	7.9	9.8	14.2	8.4	4.6	4.7	4.3
162	Other diseases peculiar to early infancy	4.8	6.0	3.2	7.2	8.3	6.4	5.3	7.0	4.8	3.9	3.4	9.5
163	Lack of care	0.1	0.2		*0.1*	*0.1*	*0.1*				(1)	(1)	
164	XIII.—Old age (senility)	8.0	3.9	14.0	6.2	3.3	8.2	23.1	21.0	23.8	22.2	20.9	34.5
	XIV.—External causes	96.1	103.5	85.3	91.3	97.7	87.0	83.0	103.0	76.6	77.0	70.6	137.5
	Suicide (total)	14.7	15.9	13.0	14.7	16.0	13.8	11.7	14.2	10.9	7.2	7.5	4.3
165	By poisons (gas or corrosives excepted)	0.4	0.3	0.5	0.8	0.7	0.8	0.8	1.4	0.6	0.2	0.2	
166	By corrosive substances	1.8	2.1	1.4	3.1	4.1	2.5	1.8	3.0	1.4	1.1	1.2	
167	By poisonous gas	2.9	4.6	0.3	0.5	1.2	*0.1*	*0.2*	*0.5*	*0.1*			
168	By hanging or strangulation	2.5	2.2	2.9	2.4	1.7	2.9	2.1	1.9	2.1	0.9	1.0	*0.4*
169	By drowning	1.1	0.9	1.5	1.0	1.1	1.0	0.7	*0.9*	0.7	0.4	0.4	*0.4*
170	By firearms	4.7	4.3	5.2	5.5	5.7	5.4	5.5	5.6	5.5	3.8	3.9	2.6
171	By cutting or piercing instruments	0.8	0.8	0.7	0.8	0.8	0.9	0.4	*0.2*	0.4	0.6	0.6	*0.4*
172	By jumping from high places	0.2	0.3	0.2	*0.1*	*0.1*	*0.1*	*0.1*	*0.2*				
173	By crushing	0.2	0.2	0.2	*0.1*	*0.2*	*0.1*	*0.1*	*0.5*		*0.1*	(1)	*0.4*
174	By other means	0.1	*0.1*	*0.1*	0.2	*0.3*	*0.2*				(1)	(1)	
	Homicide (total)	8.8	10.8	5.9	6.4	9.8	4.0	7.5	15.8	4.9	16.2	12.2	53.4
197	By firearms	6.3	7.5	4.5	4.8	7.6	2.8	5.7	12.6	3.5	14.0	10.6	46.1
198	By cutting or piercing instruments	0.9	1.3	0.3	0.4	0.7	*0.2*	0.4	*0.7*	0.4	0.8	0.5	3.9
199	By other means	1.6	1.9	1.1	1.2	1.5	1.0	1.4	2.6	1.0	1.4	1.1	3.4

[1] Less than one-tenth of 1 per 100,000 population.

ITS MAIN SUBDIVISIONS, AND IN EACH REGISTRATION STATE, BY CITIES AND RURAL DISTRICTS, FROM OF CAUSES: 1921.—Continued.

[See note at head of this table, pp. 196, 197.]

DEATH RATE PER 100,000 POPULATION.																		Detailed List No.
KENTUCKY—continued.						LOUISIANA.									MAINE.			
Cities.			Rural districts.			Total.			Cities.			Rural districts.			Total.	Cities.	Rural districts.	
Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.				
147.9	136.1	212.7	74.5	67.9	148.7	106.4	91.4	130.5	207.4	170.6	297.3	67.2	53.8	85.7	114.4	121.6	111.5	
13.3	10.9	26.2	5.8	5.2	12.2	11.2	6.8	18.1	17.7	8.6	39.9	8.6	5.9	12.3	5.6	5.9	5.4	128
113.7	107.9	145.7	59.4	54.6	113.2	78.5	71.6	89.6	149.2	132.6	189.9	51.1	42.6	62.7	91.3	87.0	93.0	129
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	130
3.8	3.7	4.4	2.2	2.1	3.7	3.0	3.2	2.6	6.9	7.5	5.4	1.4	1.2	1.8	2.5	4.1	1.8	131
0.2	.....	1.5	0.3	0.3	.....	0.3	0.4	.....	1.0	1.4	.....	.....	.....	.....	0.6	1.4	0.2	132
1.8	1.9	1.5	1.9	1.8	3.1	1.6	1.0	2.6	2.0	1.1	4.1	1.4	0.9	2.2	1.8	1.4	2.0	133
1.8	1.3	4.4	0.3	0.3	.....	0.8	0.4	1.4	2.4	1.1	5.4	0.2	.....	0.4	0.3	0.5	0.2	134
4.9	4.5	7.3	2.4	2.1	5.5	4.2	2.9	6.3	8.8	5.8	16.2	2.4	1.6	3.6	5.3	6.4	4.9	135
.....	.....	.....	0.1	0.1	.....	0.1	.....	0.1	.....	.....	.....	0.1	.....	0.2	0.3	0.5	0.2	136
0.7	0.5	1.5	0.5	0.4	1.8	0.6	0.8	0.3	2.0	2.2	1.4	0.1	0.1	.....	1.3	0.9	1.4	137
4.3	3.7	7.3	0.6	0.3	3.7	3.3	2.0	5.4	9.8	4.7	22.3	0.8	0.7	0.9	1.7	4.1	0.7	138
3.4	1.6	13.1	0.8	0.5	3.7	2.3	1.5	3.4	6.1	3.9	11.5	0.8	0.4	1.3	3.2	8.2	1.3	139
.....	.....	.....	0.2	0.2	.....	0.1	.....	0.1	.....	.....	.....	0.1	.....	0.2	.....	.....	.....	140
.....	.....	.....	0.4	0.2	1.8	0.7	0.8	0.4	1.6	1.7	1.4	0.3	0.4	0.2	0.6	1.4	0.4	141
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	142
20.5	19.4	26.2	16.6	15.5	28.3	23.3	19.5	29.6	34.0	27.7	49.3	19.2	15.5	24.3	17.0	23.7	14.3	
0.7	0.8	.....	1.4	1.2	3.1	1.7	1.6	1.9	2.8	2.2	4.1	1.3	1.3	1.3	1 2	1.8	0.9	143
1.6	1.6	1.5	1.6	1.7	0.6	2.6	2.3	3.0	2.6	2.2	3.4	2.6	2.4	2.9	1.2	1.8	0.9	144
0.7	0.8	.....	1.5	1.4	2.4	2.0	1.6	2.7	1.8	1.9	1.4	2.1	1.4	3.1	2.8	2.7	2.9	145
11.7	10.9	16.0	7.3	6.8	12.2	8.2	6.2	11.3	13.6	10.3	21.6	6.1	4.3	8.5	4 4	8.2	2.9	146
0.4	0.5	.....	0.4	0.3	0.6	0.5	0.7	0.1	1.0	1.4	.....	0.3	0.4	0.2	1.2	1.8	0.9	147
5.4	4.8	8.7	4.5	4.0	9.8	8.3	7.0	10.4	12.4	9.7	18.9	6.7	5.7	8.2	6.1	7.3	5.6	148
.....	.....	.....	0.1	0.1	.....	0.1	.....	0.1	.....	.....	.....	0.1	.....	0.2	0.1	.....	0.2	149
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	150
3.6	3.7	2.9	2.8	2.6	4.3	4.0	4.1	3.7	7.1	7.2	6.8	2.7	2.6	2.9	6.0	5.9	6.0	
1.8	1.9	1.5	1.0	0.8	2.4	1.3	1.2	1.4	2.4	2.2	2.7	0.8	0.7	1.1	3.5	1.4	4.3	151
1.1	1.1	1.5	0.3	0.3	0.6	1.3	1.8	0.6	2.9	3.6	1.4	0.7	0.9	0.4	1.0	1.4	0.9	152
0.4	0.5	.....	0.5	0.5	.....	0.8	0.5	1.1	1.2	0.8	2.0	0.6	0.4	0 9	0.8	2.3	0.2	153
0.2	0.3	.....	1.0	1.0	1.2	0.6	0.6	0.6	0.6	0.6	0.7	0.6	0.7	0.5	0.6	0.9	0.5	154
0.7	0.5	1.5	0.8	0.8	0.6	1.0	1.1	1.0	2.8	2.8	2.7	0.4	0.3	0.5	0.8	1.8	0.4	
0.4	0.3	1.5	0.5	0.5	.....	0.5	0.6	0.3	1.4	1.7	0.7	0.2	0.1	0.2	0.5	0.9	0.4	155
.....	.....	.....	0.3	0.2	0.6	0.3	0.3	0.4	1.0	0.8	1.4	0.1	.....	0.2	0.3	0.9	.....	156
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	157
0.2	0.3	.....	0.1	0.1	.....	0.2	0.2	0.3	0.4	0.3	0.7	0.2	0.1	0.2	.....	.....	.....	158
9.9	10.9	4.4	7.5	7.7	4.9	13.5	10.9	17.6	28.1	16.9	55.4	7.8	8.0	7.4	13.2	13.2	13.2	
0.7	0.8	.....	0.4	0.4	0.6	1.4	1.5	1.1	1.6	2.2	.....	1.3	1.2	1.4	2.1	2.3	2.0	159a
5.2	5.3	4.4	3.5	3.7	1.8	9.3	6.4	13.9	22.0	10.5	50.0	4.3	4.5	4.2	7.4	8.2	7.1	159b
4.0	4.8	.....	3.6	3.7	2.4	2.8	2.9	2.6	4.5	4.2	5.4	2.1	2.4	1.8	3.8	2.7	4.2	159c
67.2	67.2	67.0	66.4	65.7	75.3	49.4	48.3	51.3	71.0	59.3	99.3	41.1	43.0	38.4	82.6	90.6	79.5	
9.2	7.2	20.4	10.4	10.2	13.5	10.1	6.9	15.3	8.8	4.7	18.9	10.6	7.9	14.3	16.2	15.5	16.5	160
43.6	46.8	26.2	48.7	48.5	50.8	28.8	30.3	26.3	46.4	40.5	60.8	22.0	25.5	17.0	48.4	49.6	48.0	161a
7.9	8.2	5.8	3.9	3.9	3.7	6.6	7.9	4.6	11.0	10.5	12.2	5.0	6.7	2.5	10.8	16.4	8.5	161b
6.5	5.0	14.6	3.4	3.0	7.3	3.6	3.1	4.4	4.5	3.6	6.8	3.3	2.9	3.8	7.0	8.7	6.3	162
.....	.....	.....	0.1	0.1	.....	0.3	.....	0.7	0.2	.....	0.7	0.3	.....	0.7	0.3	0.5	0.2	163
24.3	23.1	30.6	21.7	20.4	36.1	20.4	12.3	33.4	8.3	6.9	11.5	25.2	14.9	39.3	29.7	17.8	34.4	164
108.3	103.1	136.9	70.0	64.0	137.7	90.0	82.8	101.5	138.6	122.9	177.0	71.1	63.8	81.2	87.6	99.7	82.7	
15.1	16.2	8.7	5.4	5.7	2.4	7.3	10.4	2.1	16.1	19.7	7.4	3.8	6.1	0.7	12.8	13.7	12.5	
0.4	0.5	.....	0.2	0.2	.....	0.3	0.4	.....	0.4	0.6	.....	0.2	0.4	.....	0.1	.....	0.2	165
2.5	2.9	.....	0.8	0.9	.....	0.7	0.9	0.3	1.4	1.7	0.7	0.4	0.5	0.2	0.8	0.5	0.9	166
.....	.....	.....	.....	.....	.....	0.5	0.8	0.1	2.0	2.5	0.7	.....	.....	.....	0.6	1.8	0.2	167
1.6	1.6	1.5	0.8	0.9	.....	0.5	0.5	0.4	1.0	0.8	1.4	0.3	0.4	0.2	3.1	3.6	2.9	168
0.4	0.3	1.5	0.4	0.4	.....	0.5	0.8	0.1	1.0	1.1	0.7	0.4	0.7	.....	1.9	1.8	2.0	169
8.1	8.8	4.4	2.9	3.0	1.8	4.1	6.1	0.9	8 7	11.1	2.7	2.3	3.7	0.4	4.4	5.0	4.2	170
1.8	1.9	1.5	0.4	0.4	.....	0.4	0.6	0.1	1.2	1.4	0.7	0.2	0.3	.....	1.6	0.9	1.8	171
.....	.....	.....	.....	.....	.....	0.1	0.1	.....	0.2	0.3	.....	.....	.....	.....	.....	.....	.....	172
.....	.....	.....	0.1	0.1	0.6	0.1	.....	0.1	0.2	.....	0.7	.....	.....	.....	.....	.....	.....	173
0.2	0.3	.....	.....	.....	.....	0.1	0.2	.....	0.2	0.3	.....	0.1	0.1	.....	0.3	.....	0.4	174
18.2	11.2	56.8	15.7	12.5	52.0	18.8	11.4	30.6	28.1	13.9	62.8	15.2	10.3	21.9	2.2	1.8	2.4	
14.8	8.8	48.1	13.8	11.0	45.3	14.4	8.6	23.9	21.6	10.0	50.0	11.7	7.9	16.9	0.8	0.5	0.9	197
2.0	1.3	5.8	0.6	0.3	3.1	2.3	0.8	4.6	4.1	1.1	11.5	1.5	0.7	2.7	.....	.....	.....	198
1.3	1.1	2.9	1.4	1.1	3.7	2.1	2.1	2.1	2.4	2.8	1.4	2.0	1.7	2.4	1.4	1.4	1.4	199

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), EACH CAUSE AND CLASS

[See note at head of this table, pp. 196, 197.]

Detailed List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.											
		ILLINOIS.			INDIANA.			KANSAS.			KENTUCKY.		
		Total.	Cities.	Rural districts.	Total.	Cities.	Rural districts.	Total.	Cities.	Rural districts.	Total.		
											Total.	White.	Colored.
	XIV.—External causes—Continued.												
	Accidental or undefined (total)	72.6	76.8	66.4	70.3	71.9	69.2	63.8	72.9	60.9	53.6	50.9	79.7
175	Poisoning by food	0.5	0.3	0.7	1.3	1.0	1.5	1.3	1.4	1.3	1.4	1.5	*0.9*
176	Poisoning by venomous animals	0.1	*0.1*	*0.1*	(1)	.....	*0.1*	0.3	*0.2*	*0.3*	(1)	(1)	.....
177	Other acute poisonings (gas excepted)	1.5	1.8	0.9	1.7	2.1	1.4	1.7	2.8	1.3	1.3	1.3	*1.3*
178	Conflagration	0.6	0.7	0.6	0.6	0.7	0.5	1.2	1.2	1.2	0.5	0.4	*1.7*
179	Burns (conflagration excepted)	4.9	5.6	3.8	4.3	6.3	2.9	4.0	3.3	4.2	5.7	5.4	8.6
180	Mechanical suffocation	0.7	0.5	1.0	1.2	1.6	1.0	1.2	1.4	1.1	1.2	1.1	2.6
181	Absorption of irrespirable, irritating, or poisonous gas.	4.3	6.7	0.9	0.9	1.7	0.3	0.5	*0.9*	0.4	0.5	0.5	.....
182	Drowning	5.7	3.9	8.3	5.9	4.1	7.1	5.8	4.4	6.2	4.6	4.1	9.0
183	Traumatism by firearms (except in war)	2.4	2.1	2.8	2.1	2.0	2.1	3.3	2.1	3.7	4.3	3.8	8.6
184	Traumatism by cutting or piercing instruments.	0.4	0.4	0.3	0.5	0.8	0.3	0.7	*0.9*	0.7	0.7	0.6	*0.9*
185	Traumatism by fall	11.5	12.4	10.3	14.2	12.3	15.6	11.1	15.4	9.7	7.9	8.3	3.9
186a	Traumatism in mines	3.2	1.2	6.3	2.3	1.3	2.9	1.0	*0.2*	1.2	5.5	4.5	14.2
186b	Traumatism in quarries	0.1	*0.1*	*0.1*	0.2	.....	0.3	*0.1*	*0.2*	*0.1*	*0.1*	(1)	*0.9*
187	Traumatism by machines	1.7	1.9	1.3	1.7	1.6	1.7	2.8	2.1	3.0	1.1	1.0	2.2
188a	Railroad accidents	8.3	7.1	10.1	9.6	10.0	9.4	7.4	8.2	7.2	5.3	5.1	7.3
188b	Street-car accidents	2.7	4.0	0.7	3.1	4.4	2.2	0.6	2.3	.....	0.4	0.5	.....
188c	Automobile accidents	13.4	18.3	6.2	9.0	11.8	7.0	9.3	12.8	8.2	4.3	4.4	3.4
188d	Aeroplane and balloon accidents	*0.1*	*0.1*	(1)	*0.1*	.....	*0.2*	.....	.....	.....	*0.1*	*0.1*	.....
188e,f	Injuries by other vehicles	2.0	2.0	2.0	2.3	1.8	2.6	2.8	2.1	3.0	1.2	1.1	*1.7*
188g	Landslide, other crushing	0.4	0.4	0.6	0.7	0.7	0.6	0.4	*0.2*	0.5	0.4	0.3	*1.3*
189	Injuries by animals (not poisoning)	0.6	0.2	1.1	1.3	*0.2*	2.0	1.8	1.6	1.8	1.1	1.0	*1.3*
190	Wounds of war	*0.1*	*0.1*	(1)	.....	.....	.....	*0.1*	*0.2*	.....	*0.1*	*0.1*	.....
192	Starvation (deprivation of food or water)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
193	Excessive cold	0.1	0.1	*0.1*	*0.1*	.....	*0.2*	*0.1*	.....	*0.1*	*0.1*	(1)	*0.4*
194	Excessive heat	1.5	1.5	1.6	0.8	0.7	0.9	0.7	*0.9*	0.7	1.0	0.8	3.0
195	Lightning	0.6	*0.1*	1.3	0.9	*0.1*	1.5	0.9	*0.2*	1.1	0.8	0.8	*0.9*
196	Other accidental electric shocks	1.0	0.8	1.3	0.7	0.8	0.7	1.1	2.8	0.6	0.3	0.3	.....
201	Fracture (cause not specified)	0.2	0.2	0.2	0.9	1.2	0.6	0.3	*0.5*	*0.2*	0.2	*0.2*	*0.4*
202	Other external violence	3.0	3.1	2.8	2.9	3.6	2.5	2.9	3.7	2.6	2.8	2.7	3.4
203	Violent deaths of unknown causation	1.1	1.2	1.0	1.0	0.8	1.2	0.6	*0.7*	0.6	0.8	0.7	*1.7*
	XV.—Ill-defined diseases	2.2	0.7	4.4	1.9	1.4	2.3	12.1	6.1	14.0	19.5	19.1	23.7
204	Sudden death	0.1	*0.1*	*0.1*	(1)	.....	*0.1*	0.6	*0.5*	0.7	1.4	1.3	2.2
205a	Ill-defined	1.1	0.3	2.2	0.9	0.4	1.3	4.3	1.9	5.0	8.8	8.6	10.3
205b	Not specified or unknown	1.0	0.3	2.0	0.9	1.0	0.9	7.2	3.7	8.3	9.3	9.1	11.2

[1] Less than 1 tenth of 1 per 100,000 population.

ITS MAIN SUBDIVISIONS, AND IN EACH REGISTRATION STATE, BY CITIES AND RURAL DISTRICTS, FROM OF CAUSES: 1921—Continued.

[See note at head of this table, pp. 196, 197.]

DEATH RATE PER 100,000 POPULATION.																		Detailed List No.
KENTUCKY—continued.						LOUISIANA.									MAINE.			
Cities.			Rural districts.			Total.			Cities.			Rural districts.			Total.	Cities.	Rural districts.	
Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.				
75.1	75.7	71.4	48.9	45.8	83.2	63.9	60.9	68.7	94.4	89.3	106.8	52.1	47.5	58.5	72.5	84.3	67.9	
1.3	*1.1*	*2.9*	1.4	1.5	.....	1.6	1.9	1.3	2.6	2.8	*2.0*	1.3	1.4	1.1	1.3	2.3	0.9	175
.....	.....	.....	*0.1*	*0.1*	.....	*0.2*	*0.2*	*0.1*	*0.4*	*0.3*	*0.7*	*0.1*	*0.1*	.....	.....	.....	.....	176
3.1	3.2	*2.9*	0.9	0.9	*0.6*	2.7	2.9	2.6	4.1	4.7	*2.7*	2.2	2.0	2.5	2.3	5.0	1.3	177
0.2	*0.3*	.....	0.6	0.4	*2.4*	0.7	0.7	0.7	1.2	1.4	*0.7*	0.5	*0.4*	*0.7*	1.8	*0.9*	2.2	178
7.0	7.2	*5.8*	5.5	5.1	9.8	7.3	6.8	8.1	10.8	10.3	12.2	5.9	5.1	7.1	4.0	3.6	4.2	179
1.3	*1.1*	*2.9*	1.2	1.1	*2.4*	1.2	0.9	1.7	1.0	*0.6*	*2.0*	1.3	1.1	1.6	0.8	*0.5*	0.9	180
1.3	1.6	.....	0.3	0.3	.....	0.7	0.8	*0.4*	2.2	2.5	*1.4*	*0.1*	.....	*0.2*	0.6	*1.8*	*0.2*	181
7.6	7.2	10.2	3.9	3.5	8.6	8.8	6.1	13.3	9.2	6.7	15.5	8.7	5.8	12.7	12.7	9.1	14.1	182
3.6	2.9	7.3	4.4	4.0	9.2	4.8	3.7	6.7	5.5	4.4	8.1	4.6	3.3	6.3	2.6	2.3	2.7	183
0.7	*0.8*	.....	0.7	0.6	*1.2*	0.8	0.9	*0.6*	1.4	1.4	*1.4*	0.5	0.7	*0.4*	1.3	*1.4*	1.3	184
14.8	15.9	8.7	6.3	6.7	*1.8*	7.7	8.1	7.1	13.8	12.8	16.2	5.4	5.9	4.7	17.9	23.7	15.6	185
2.0	1.9	*2.9*	6.2	5.1	19.0	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	186a
.....	.....	.....	*0.2*	*0.1*	*1.2*	.....	.....	.....	.....	.....	.....	.....	.....	.....	*0.1*	.....	*0.2*	186b
1.1	*0.5*	*4.4*	1.2	1.1	*1.2*	2.5	2.4	2.7	3.7	2.8	6.1	2.1	2.2	1.8	1.8	*0.9*	2.2	187
5.6	6.1	*2.9*	5.2	4.9	9.2	5.5	5.9	5.0	8.7	8.6	8.8	4.3	4.6	4.0	3.5	4.6	3.1	188a
1.3	1.6	.....	*0.2*	*0.2*	.....	1.0	1.2	0.9	3.7	3.6	4.1	.....	.....	.....	0.6	*1.4*	*0.4*	188b
12.6	13.3	8.7	2.5	2.6	*1.2*	5.3	7.0	2.6	11.8	14.1	6.1	2.8	3.7	1.6	7.3	12.3	5.2	188c
.....	.....	.....	*0.1*	*0.1*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*0.1*	*0.5*	.....	188d
0.9	*1.1*	.....	1.3	1.1	*2.4*	1.3	1.1	1.6	2.6	*1.1*	6.1	0.8	1.1	*0.4*	2.5	3.2	2.2	188e,f
1.3	*1.1*	*2.9*	*0.2*	*0.2*	*0.6*	1.0	1.1	1.0	1.0	*0.8*	*1.4*	1.1	1.2	0.9	0.6	*0.5*	*0.7*	188g
1.1	1.3	.....	1.1	1.0	*1.8*	0.9	0.7	1.3	1.0	*0.8*	*1.4*	0.9	0.7	1.3	0.9	*1.4*	*0.7*	189
0.2	*0.3*	.....	*0.1*	*0.1*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	190
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*0.1*	.....	*0.2*	192
0.2	.....	*1.5*	*0.1*	*0.1*	.....	*0.1*	.....	*0.3*	*0.2*	.....	*0.7*	*0.1*	.....	*0.2*	*0.5*	*0.5*	*0.5*	193
2.0	1.9	*2.9*	0.8	0.5	3.1	1.4	1.6	1.1	1.2	1.4	*0.7*	1.5	1.7	1.3	*0.4*	.....	*0.5*	194
.....	.....	.....	1.0	0.9	*1.2*	0.9	0.6	1.4	.....	.....	.....	1.3	0.9	1.8	*0.5*	.....	*0.7*	195
0.9	*1.1*	.....	*0.2*	*0.2*	.....	0.4	0.5	*0.3*	*0.6*	*0.8*	.....	0.4	*0.4*	*0.4*	1.8	*0.9*	2.2	196
0.2	*0.3*	.....	*0.2*	*0.2*	*0.6*	0.4	0.7	.....	1.0	1.4	.....	*0.2*	*0.4*	.....	1.3	3.2	*0.5*	201
2.7	2.9	*1.5*	2.8	2.7	4.3	5.2	4.4	6.4	5.3	5.0	6.1	5.1	4.1	6.5	4.0	3.6	4.2	202
1.6	1.3	*2.9*	0.7	0.6	*1.2*	1.1	0.9	1.4	1.6	*1.1*	*2.7*	0.9	0.8	1.1	1.0	*0.9*	1.1	203
3.4	2.7	7.3	23.1	22.4	30.6	33.6	16.2	61.3	2.8	2.2	4.1	45.5	22.9	76.7	17.1	12.8	18.8	
.....	.....	.....	1.7	1.6	3.1	3.2	1.8	5.6	*0.2*	.....	*0.7*	4.4	2.6	6.9	3.8	6.4	2.7	204
2.5	2.1	*4.4*	10.2	10.0	12.9	9.2	4.8	16.1	1.2	*1.1*	*1.4*	12.3	6.6	20.1	3.8	4.1	3.6	205a
0.9	*0.5*	*2.9*	11.2	10.9	14.7	21.1	9.6	39.6	1.4	*1.1*	*2.0*	28.8	13.7	49.7	9.6	2.3	12.5	205b

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), EACH CAUSE AND CLASS

[See note at head of this table, pp. 196, 197.]

Detailed List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.											
		MARYLAND.									MASSACHUSETTS.		
		Total.			Cities.			Rural districts.			Total.	Cities.	Rural districts.
		Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.			
	All causes [1]	1,356.0	1,233.8	1,963.0	1,381.2	1,269.9	2,055.6	1,323.0	1,183.4	1,878.0	1,216.7	1,199.8	1,292.8
	I.—Epidemic, endemic, and infectious diseases	218.8	168.6	468.4	216.1	163.1	536.5	222.3	176.2	405.8	152.8	151.0	161.1
1	Typhoid and paratyphoid fever	10.3	7.4	24.7	7.4	6.6	12.7	14.1	8.6	35.8	3.1	3.2	2.7
2	Typhus fever	0.1	0.2	.....	0.1	0.1	.....	0.2	0.2	.....	(2)	(2)	.....
3	Relapsing fever (spirillum obermeieri)	.....	.....	.....	.....	.....	.....	.....	.....	.....	(2)	(2)	.....
4	Malta fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Malaria	0.3	0.2	0.4	0.1	0.1	.....	0.5	0.4	0.8	.....	.....	.....
6	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Measles	3.2	3.3	2.4	3.2	3.5	1.7	3.1	3.1	3.1	4.7	4.9	3.6
8	Scarlet fever	2.1	2.2	1.6	1.7	1.8	0.8	2.7	2.7	2.3	4.8	4.9	4.2
9	Whooping cough	16.9	11.9	41.7	12.8	11.7	19.5	22.2	12.1	62.2	5.2	5.2	5.3
10	Diphtheria	12.4	12.2	13.0	12.5	12.6	11.8	12.2	11.7	14.0	15.7	16.9	10.1
11a	Influenza (with pulmonary complications)	6.7	5.7	11.7	8.6	7.4	16.1	4.2	3.3	7.8	3.2	3.0	4.2
11b	Influenza (other and unspecified)	2.9	2.4	5.7	1.9	1.5	4.2	4.2	3.5	7.0	1.7	1.4	2.9
12	Miliary fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Mumps	0.2	0.2	0.4	0.1	0.1	.....	0.3	0.2	0.8	0.1	0.2	.....
14	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	Cholera nostras	0.3	0.3	.....	0.1	0.1	.....	0.5	0.6	.....	0.2	0.1	0.3
16	Dysentery	4.5	3.8	8.1	3.6	2.5	10.2	5.8	5.7	6.2	0.8	0.8	1.1
17	Plague	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
18	Yellow fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
19	Spirochetal hemorrhagic jaundice	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
20	Leprosy	.....	.....	.....	.....	.....	.....	.....	.....	.....	(2)	(2)	.....
21	Erysipelas	2.6	2.8	1.6	3.4	3.4	3.4	1.6	2.0	.....	3.3	3.5	2.4
22	Acute anterior poliomyelitis	2.5	2.7	1.6	3.0	2.9	3.4	1.9	2.3	.....	1.2	1.2	1.4
23	Lethargic encephalitis	1.3	1.2	1.6	2.2	2.1	2.5	0.2	.....	0.8	1.8	2.1	0.4
24	Meningococcus meningitis	1.4	1.5	0.8	1.2	1.3	0.8	1.7	2.0	0.8	1.6	1.7	1.0
25	Other epidemic and endemic diseases	0.2	0.2	0.4	0.4	0.3	0.8	.....	.....	.....	0.3	0.3	0.1
26	Glanders	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
27	Anthrax	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
28	Rabies	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.1	0.1	.....
29	Tetanus	2.2	1.8	4.5	2.0	2.0	2.5	2.5	1.6	6.2	0.9	1.1	0.4
30	Mycoses	0.3	0.1	1.6	.....	.....	.....	0.8	0.2	3.1	0.1	0.1	0.1
	Tuberculosis (total)	135.5	102.1	301.8	133.4	93.8	373.2	138.3	113.6	236.3	98.5	94.7	115.7
31	Of the respiratory system	120.4	91.8	262.5	114.9	81.1	319.9	127.5	106.8	209.9	82.0	77.6	101.3
32	Of the meninges, central nervous system	5.0	4.2	9.3	6.2	5.0	13.5	3.4	2.9	5.4	8.0	8.7	4.9
33	Of the intestines, peritoneum	4.0	2.0	14.2	4.7	2.2	19.5	3.1	1.6	9.3	3.1	3.2	2.8
34	Of the vertebral column	1.9	1.5	3.6	2.6	2.1	5.9	0.9	0.8	1.6	1.1	1.2	1.0
35	Of the joints	0.2	0.2	0.4	0.4	0.3	0.8	.....	.....	.....	0.4	0.4	0.6
36	Of other organs	1.7	1.2	4.1	2.4	1.8	5.9	0.8	0.4	2.3	1.2	1.0	2.0
37a	Disseminated (acute)	1.8	0.9	6.1	1.8	0.8	7.6	1.7	1.0	4.7	2.3	2.3	2.4
37b	Disseminated (chronic or unspecified)	0.5	0.3	1.6	0.4	0.4	.....	0.8	0.2	3.1	0.4	0.3	0.8
38	Syphilis	10.5	4.9	38.1	15.1	7.1	63.5	4.4	1.8	14.8	4.4	4.3	4.6
39	Soft chancre	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
40	Gonococcus infection	1.2	0.4	4.9	1.8	0.7	8.5	0.3	.....	1.6	0.3	0.3	0.1
41	Purulent infection, septicemia	1.2	1.1	1.6	1.3	1.4	0.8	0.9	0.6	2.3	0.8	0.9	0.4
42	Other infectious diseases	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	II.—General diseases not included in Class I	131.3	136.4	106.2	151.2	155.3	126.1	105.5	109.9	87.8	164.1	160.5	179.9
	Cancer and other malignant tumors (total)	93.1	98.1	68.5	104.6	110.4	69.4	78.1	80.8	67.6	118.0	114.5	134.0
43	Of the buccal cavity	3.3	3.6	1.6	3.4	3.6	1.7	3.1	3.5	1.6	3.7	3.6	4.0
44	Of the stomach, liver	35.2	37.3	25.1	36.2	38.3	23.7	33.9	35.8	26.4	37.6	36.7	41.5
45	Of the peritoneum, intestines, rectum	10.2	11.6	3.2	11.4	13.1	0.8	8.6	9.4	5.4	22.8	22.5	24.6
46	Of the female genital organs	14.5	13.5	19.4	17.8	17.2	21.2	10.3	8.4	17.9	15.9	15.1	19.4
47	Of the breast	8.6	8.9	7.3	11.5	11.7	10.2	4.8	4.9	4.7	12.3	12.0	14.1
48	Of the skin	3.5	4.2	.....	2.8	3.2	.....	4.5	5.7	.....	2.3	1.7	4.7
49	Of other or unspecified organs	17.8	19.0	11.7	21.6	23.2	11.8	12.8	13.1	11.7	23.4	22.9	25.7
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	0.6	0.7	0.4	0.8	1.0	.....	0.3	0.2	0.8	1.0	0.8	2.0
51	Acute rheumatic fever	4.1	2.9	10.1	4.8	3.2	14.4	3.3	2.5	6.2	2.1	2.3	1.3
52	Chronic rheumatism, osteoarthritis, gout	1.6	1.7	0.8	1.6	1.7	0.8	1.6	1.8	0.8	1.4	1.0	3.2
53	Scurvy	0.1	0.2	.....	0.1	0.1	.....	0.2	0.2	.....	0.1	0.1	.....
54	Pellagra	0.4	0.3	0.8	0.5	0.4	0.8	0.3	0.2	0.8	0.3	0.4	.....
55	Beriberi	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
56	Rickets	1.1	0.5	4.1	1.2	0.1	7.6	0.9	1.0	0.8	0.4	0.3	0.4
57	Diabetes mellitus	17.1	18.5	10.1	21.2	22.8	11.8	11.7	12.5	8.6	20.2	19.9	21.4
58	Anemia, chlorosis	3.6	3.7	2.8	4.2	4.1	5.1	2.8	3.3	0.8	7.1	7.0	7.5
59	Diseases of the pituitary gland	0.1	0.1	.....	0.1	0.1	.....	.....	.....	.....	0.2	0.2	.....
60a	Exophthalmic goiter	1.2	1.4	0.4	1.6	1.7	0.8	0.8	1.0	.....	0.9	0.8	1.4
60b	Other diseases of the thyroid gland	0.6	0.7	0.4	1.1	1.1	0.8	.....	.....	.....	0.8	0.9	0.1
61	Diseases of the parathyroid glands	0.4	0.2	1.6	0.7	0.3	3.4	.....	.....	.....	0.1	0.1	.....
62	Diseases of the thymus gland	0.4	0.4	0.4	0.4	0.3	0.8	0.5	0.6	.....	1.5	1.6	0.8
63	Diseases of the adrenals (Addison's disease)	0.1	0.1	0.4	0.2	0.1	0.8	.....	.....	.....	0.4	0.5	.....
64	Diseases of the spleen	0.2	0.2	.....	0.4	0.4	.....	.....	.....	.....	0.4	0.4	0.3
65a	Leukemia	2.0	2.1	1.6	2.6	2.7	2.5	1.3	1.4	0.8	1.3	1.5	0.7
65b	Hodgkin's disease	0.9	1.1	.....	1.6	1.8	.....	.....	.....	.....	1.3	1.2	1.7
66	Alcoholism (acute or chronic)	2.0	2.0	2.0	2.2	1.8	4.2	1.7	2.2	.....	3.2	3.3	2.7
67a	Chronic lead poisoning	0.3	0.3	.....	0.2	0.3	.....	0.3	0.4	.....	0.2	0.2	0.1
67b	Other chronic mineral poisoning	.....	.....	.....	.....	.....	.....	.....	.....	.....	(2)	(2)	.....
68	Chronic poisoning by organic substances	0.1	0.1	.....	.....	.....	.....	0.2	0.2	.....	0.1	0.1	.....
69	Other general diseases	1.3	1.2	1.6	1.1	0.8	2.5	1.6	1.8	0.8	3.2	3.4	2.4

[1] Exclusive of stillbirths.

ITS MAIN SUBDIVISIONS, AND IN EACH REGISTRATION STATE, BY CITIES AND RURAL DISTRICTS, FROM OF CAUSES: 1921—Continued.

[See note at head of this table, pp. 196, 197.]

DEATH RATE PER 100,000 POPULATION.																Detailed List No.
MICHIGAN.			MINNESOTA.			MISSISSIPPI.								MISSOURI.			
						Total.			Cities.			Rural districts.					
Total.	Cities.	Rural districts.	Total.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	Cities.	Rural districts.	
1,161.1	1,077.9	1,256.4	936.5	1,154.4	820.0	1,114.1	857.8	1,347.9	2,162.5	1,476.5	3,097.6	1,026.4	794.0	1,231.3	1,083.6	1,311.1	929.3	
156.4	164.6	146.9	130.5	156.3	116.8	261.6	164.4	350.2	404.9	220.6	656.1	249.6	158.6	329.8	193.4	198.6	189.8	
7.7	6.8	8.7	3.6	4.0	3.4	18.6	12.6	24.0	26.8	20.1	35.9	17.9	11.9	23.2	12.9	8.1	16.2	1
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4
0.2	*0.1*	*0.2*	.....	.....	.....	49.9	35.4	63.2	38.3	17.5	66.6	50.9	37.2	63.0	5.6	1.4	8.5	5
0.3	0.3	0.3	1.1	0.9	1.1	0.5	*0.4*	0.6	*0.7*	.....	*1.7*	0.5	*0.4*	0.6	5.6	11.9	1.3	6
1.8	2.7	0.8	1.3	1.1	1.4	1.6	2.0	1.2	7.2	7.5	*6.8*	1.1	1.4	0.8	2.1	2.0	2.2	7
9.1	9.1	9.0	7.8	11.7	5.7	0.9	0.9	0.9	.....	.....	.....	1.0	1.0	0.9	4.3	4.8	3.9	8
8.5	9.0	8.0	6.4	4.6	7.3	13.1	7.8	17.8	24.6	15.0	37.6	12.1	7.1	16.5	7.7	6.4	8.6	9
25.0	29.8	19.4	9.0	13.1	6.9	19.2	22.7	16.0	13.0	16.3	8.5	19.7	23.4	16.5	23.0	21.6	24.0	10
3.2	2.9	3.6	4.9	5.7	4.5	5.1	4.2	6.0	13.0	10.0	17.1	4.5	3.6	5.2	7.3	7.9	6.9	11a
3.3	1.6	5.2	2.2	1.7	2.5	7.7	6.4	8.9	14.5	11.3	18.8	7.1	5.9	8.2	3.7	2.0	4.8	11b
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	(2)	.....	(2)	12
0.3	0.3	0.4	(2)	.....	*0.1*	.....	.....	.....	.....	.....	.....	.....	.....	.....	*0.1*	.....	*0.1*	13
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	14
0.3	*0.1*	0.5	*0.1*	.....	*0.1*	0.3	.....	0.6	*1.4*	.....	*3.4*	*0.2*	.....	*0.5*	*0.1*	.....	*0.2*	15
2.9	1.8	4.2	1.5	0.7	1.9	8.8	8.8	8.9	10.1	11.3	8.5	8.7	8.5	8.9	6.3	2.9	8.6	16
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	17
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	18
.....	.....	.....	*0.1*	*0.1*	*0.1*	*0.1*	*0.1*	*0.1*	.....	.....	.....	*0.1*	*0.1*	*0.1*	.....	.....	.....	19
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	20
3.6	3.4	3.8	2.2	2.9	1.8	1.8	2.6	1.2	*2.2*	*3.8*	.....	1.8	2.5	1.3	3.1	3.8	2.7	21
3.0	2.4	3.8	3.9	2.5	4.7	0.9	1.3	0.6	*0.7*	*1.3*	.....	1.0	1.3	0.7	1.7	2.6	1.1	22
3.0	3.9	1.9	1.6	1.9	1.4	*0.2*	*0.5*	.....	*1.4*	*2.5*	.....	*0.1*	*0.3*	.....	0.5	0.8	0.3	23
1.8	1.9	1.8	1.4	1.4	1.3	0.9	1.1	0.9	*1.4*	.....	*3.4*	0.9	1.2	0.7	1.5	1.4	1.5	24
0.3	0.2	0.3	*0.2*	.....	*0.3*	*0.2*	*0.1*	*0.3*	.....	.....	.....	*0.2*	*0.1*	*0.3*	0.2	*0.2*	0.2	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
(2)	.....	*0.1*	(2)	*0.1*	.....	*0.1*	.....	*0.1*	.....	.....	.....	*0.1*	.....	*0.1*	.....	.....	.....	27
.....	.....	.....	(2)	.....	*0.1*	*0.1*	.....	*0.1*	.....	.....	.....	*0.1*	.....	*0.1*	*0.1*	*0.1*	*0.1*	28
0.6	0.8	0.4	1.2	1.7	0.9	2.4	2.5	2.3	8.0	7.5	8.5	1.9	1.9	1.9	2.3	2.5	2.1	29
0.1	(2)	*0.1*	0.2	*0.4*	*0.1*	0.4	*0.2*	0.5	*1.4*	*2.5*	.....	0.3	.....	0.6	*0.1*	*0.2*	(2)	30
72.5	76.6	67.7	77.0	90.7	69.7	111.1	49.5	167.2	172.1	70.2	311.0	106.0	47.4	157.6	93.0	96.3	90.8	
60.8	63.1	58.2	64.6	72.4	60.4	103.1	44.8	156.2	147.5	57.7	270.0	99.4	43.5	148.6	82.8	83.6	82.2	31
4.5	6.2	2.5	4.6	6.4	3.7	1.6	1.3	1.8	*2.9*	*3.8*	*1.7*	1.5	1.0	1.8	2.8	3.8	2.1	32
2.6	2.5	2.7	3.0	4.2	2.3	3.6	1.8	5.2	13.0	*5.0*	23.9	2.8	1.4	4.0	3.4	3.9	3.1	33
1.1	1.1	1.0	0.8	1.2	0.6	0.7	*0.4*	1.0	*2.2*	.....	*5.1*	0.5	*0.4*	0.7	1.0	1.3	0.8	34
0.5	0.5	0.5	0.5	0.7	0.4	0.6	*0.2*	0.9	*2.2*	.....	*5.1*	0.4	*0.3*	0.6	0.2	*0.3*	*0.2*	35
1.4	1.3	1.6	1.6	2.6	1.1	0.8	*0.5*	1.2	*2.2*	*1.3*	*3.4*	0.7	*0.4*	1.0	1.2	1.4	1.0	36
1.4	1.8	1.0	1.5	2.6	0.9	0.6	0.6	0.6	*2.2*	*2.5*	*1.7*	0.5	*0.4*	0.6	1.2	1.7	0.9	37a
0.2	*0.2*	0.3	0.5	0.6	0.4	*0.2*	.....	*0.3*	.....	.....	.....	*0.2*	.....	*0.3*	0.4	*0.3*	0.5	37b
6.0	7.9	3.8	3.6	8.5	1.0	13.1	2.5	22.8	44.1	10.0	90.6	10.5	1.7	18.3	9.7	18.3	3.9	38
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	39
0.6	0.8	0.3	0.4	1.1	*0.1*	2.4	0.8	3.8	20.2	8.8	35.9	0.9	.....	1.7	0.7	1.4	*0.2*	40
2.4	2.2	2.6	0.9	1.8	0.5	2.0	2.0	2.0	3.6	*5.0*	*1.7*	1.9	1.7	2.0	1.7	2.0	1.5	41
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	42
136.2	120.5	154.3	134.9	182.6	109.4	96.5	76.5	114.8	227.7	162.9	316.1	85.5	67.6	101.4	119.8	165.3	89.0	
87.8	78.2	98.8	89.4	123.0	71.5	41.8	45.1	38.9	99.8	90.2	112.8	37.0	40.4	33.9	84.8	116.6	63.2	
3.1	2.1	4.3	3.2	3.2	3.3	1.3	1.5	1.1	4.3	*3.8*	*5.1*	1.0	1.3	0.8	3.6	5.4	2.4	43
35.5	29.1	42.8	40.2	46.9	36.6	11.1	14.2	8.3	18.1	18.8	17.1	10.5	13.7	7.7	30.9	39.6	25.0	44
10.9	10.3	11.6	11.7	20.5	7.0	3.3	4.2	2.5	16.6	15.0	18.8	2.2	3.1	1.4	10.9	16.7	7.0	45
11.9	12.1	11.6	8.4	14.4	5.2	12.7	8.0	17.0	35.4	27.6	46.1	10.8	5.9	15.0	12.6	18.3	8.7	46
8.3	8.0	8.6	6.0	8.3	4.7	3.2	2.9	3.5	5.8	*5.0*	*6.8*	3.0	2.7	3.3	7.4	10.8	5.2	47
2.8	1.5	4.3	2.9	2.7	3.0	2.1	3.7	0.6	.....	.....	.....	2.3	4.1	0.7	3.5	2.9	3.9	48
15.2	15.0	15.5	17.0	27.0	11.7	8.1	10.5	5.9	19.5	20.1	18.8	7.1	9.6	5.0	15.8	22.9	11.0	49
0.9	0.8	1.1	0.5	0.7	0.4	0.4	*0.4*	0.5	*2.2*	.....	*5.1*	0.3	*0.4*	*0.2*	0.8	1.3	0.4	50
3.7	3.4	4.0	2.3	2.2	2.4	3.1	2.9	3.3	5.1	*1.3*	10.3	3.0	3.1	2.8	2.7	3.8	2.0	51
1.6	1.3	2.0	1.2	0.6	1.5	0.4	*0.5*	*0.4*	*2.2*	*1.3*	*3.4*	0.3	*0.4*	*0.2*	0.9	0.7	1.0	52
0.1	(2)	*0.2*	.....	.....	.....	*0.1*	*0.1*	*0.1*	0.7	*1.3*	.....	*0.1*	.....	*0.1*	*0.1*	*0.2*	.....	53
0.1	*0.1*	.....	*0.1*	*0.1*	*0.1*	38.1	9.7	64.1	83.1	20.1	169.1	34.4	8.7	57.1	0.6	0.6	0.6	54
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	55
0.7	0.6	0.7	0.5	*0.5*	0.5	*0.1*	.....	*0.2*	.....	.....	.....	*0.1*	.....	*0.2*	0.2	*0.2*	0.2	56
16.5	13.4	20.0	18.1	20.9	16.6	5.8	8.5	3.3	18.1	26.3	*6.8*	4.8	6.7	3.1	15.9	21.7	12.0	57
11.8	8.8	15.2	8.9	10.6	8.0	1.0	1.8	*0.3*	*2.2*	*3.8*	.....	0.9	1.6	*0.3*	4.0	4.6	3.5	58
(2)	(2)	.....	0.2	*0.5*	*0.1*	.....	.....	.....	.....	.....	.....	.....	.....	.....	*0.1*	*0.2*	(2)	59
2.1	2.0	2.3	3.0	6.0	1.4	0.6	0.7	0.5	*1.4*	*1.3*	*1.7*	0.5	0.6	*0.5*	1.9	2.8	1.2	60a
1.5	1.5	1.5	1.3	3.5	*0.1*	0.5	*0.2*	0.7	*2.2*	*1.3*	*3.4*	0.4	*0.1*	0.6	1.1	1.7	0.7	60b
0.2	0.3	*0.1*	*0.1*	.....	*0.1*	*0.1*	*0.1*	.....	.....	.....	.....	*0.1*	*0.1*	.....	.....	.....	.....	61
0.8	0.8	0.7	0.6	1.4	*0.1*	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.4	0.9	*0.1*	62
0.3	0.3	*0.2*	0.6	0.9	0.4	*0.1*	*0.1*	.....	.....	.....	.....	*0.1*	*0.1*	.....	0.5	0.6	0.4	63
0.4	0.4	0.3	0.4	0.6	0.3	*0.2*	*0.1*	*0.2*	*0.7*	*1.3*	.....	*0.1*	.....	*0.2*	0.3	0.5	*0.1*	64
1.3	1.3	1.4	2.0	3.3	1.3	0.6	1.1	*0.2*	3.6	6.3	.....	0.4	*0.5*	*0.2*	1.5	2.4	0.9	65a
0.6	0.6	0.6	1.1	1.4	0.9	0.3	*0.1*	*0.4*	*0.7*	.....	*1.7*	*0.2*	*0.1*	*0.3*	0.7	1.2	0.3	65b
2.2	2.6	1.8	1.8	2.0	1.6	0.6	1.3	.....	*2.2*	*3.8*	.....	0.5	1.0	.....	1.0	1.7	0.6	66
0.2	*0.1*	*0.2*	*0.1*	.....	*0.1*	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.1	*0.3*	(2)	67a
.....	.....	.....	.....	.....	.....	*0.1*	.....	*0.1*	.....	.....	.....	*0.1*	.....	*0.1*	.....	.....	.....	67b
0.3	0.3	0.3	*0.1*	.....	*0.1*	*0.2*	*0.4*	.....	.....	.....	.....	*0.2*	*0.4*	.....	0.4	0.9	*0.1*	68
3.1	3.4	2.8	2.6	4.4	1.6	2.3	3.4	1.4	3.6	*5.0*	*1.7*	2.2	3.2	1.4	1.9	2.6	1.4	69

[2] Less than one-tenth of 1 per 100,000 population.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), EACH CAUSE AND CLASS

[See note at head of this table, pp. 196, 197.]

Detailed List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.											
		MARYLAND.									MASSACHUSETTS.		
		Total.			Cities.			Rural districts.			Total.	Cities.	Rural districts.
		Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.			
	III.—Diseases of the nervous system and of the organs of special sense.	155.8	149.8	186.0	151.5	146.4	182.8	161.4	154.5	188.9	142.5	133.3	184.1
70	Encephalitis	1.5	1.4	2.0	1.3	1.4	*0.8*	1.7	1.4	*3.1*	1.0	1.1	*0.6*
71a	Simple meningitis	2.4	2.2	3.2	1.7	1.8	*0.8*	3.3	2.7	5.4	2.6	2.3	3.9
71b	Nonepidemic cerebrospinal meningitis	1.0	1.0	*0.8*	0.6	0.7	.....	1.4	1.4	*1.6*	1.2	1.3	0.8
72	Tabes dorsalis (locomotor ataxia)	1.8	1.9	*1.2*	2.5	2.5	*2.5*	0.8	1.0	.....	2.2	2.1	2.4
73	Other diseases of the spinal cord	4.1	4.2	3.6	3.7	3.8	*3.4*	4.5	4.7	3.9	5.9	5.4	7.8
74a	Cerebral hemorrhage	107.2	104.2	122.0	113.4	107.5	148.9	99.1	99.5	97.2	101.5	94.8	131.4
74b	Cerebral embolism and thrombosis	3.5	3.6	2.8	3.4	3.2	4.2	3.6	4.1	*1.6*	4.1	3.6	6.4
75	Paralysis without specified cause	9.8	9.1	13.0	4.3	4.6	*2.5*	16.9	15.4	22.5	2.6	2.3	3.8
76	General paralysis of the insane	7.3	5.8	15.0	5.2	3.9	12.7	10.2	8.4	17.1	6.6	6.4	7.7
77	Other forms of mental alienation	0.9	0.7	*1.6*	*0.4*	*0.4*	.....	1.6	1.2	*3.1*	0.7	0.6	1.3
78	Epilepsy	3.5	3.2	5.3	2.4	2.5	*1.7*	5.0	4.1	8.6	2.8	1.4	9.2
79	Convulsions (nonpuerperal; 5 years and over)	.....	.....	.....	.....	.....	.....	.....	.....	.....	*0.1*	*0.1*	.....
80	Infantile convulsions (under 5 years)	3.8	2.8	8.9	2.3	2.4	*1.7*	5.8	3.3	15.5	1.9	1.7	2.4
81	Chorea	.....	.....	.....	.....	.....	.....	.....	.....	.....	*0.1*	*0.1*	*0.1*
82	Neuralgia and neuritis	0.5	0.5	*0.8*	0.6	*0.6*	*0.8*	*0.5*	*0.4*	*0.8*	0.3	0.3	*0.4*
83	Softening of the brain	0.6	0.7	.....	*0.4*	*0.4*	.....	0.9	1.2	.....	0.4	0.3	0.7
84	Other diseases of the nervous system	5.3	5.8	2.8	6.4	7.3	*0.8*	3.9	3.7	4.7	4.6	4.8	3.8
85	Diseases of the eye and annexa	.....	.....	.....	.....	.....	.....	.....	.....	.....	*0.1*	*0.1*	*0.1*
86a	Diseases of the ear	1.6	1.5	2.4	1.2	1.3	*0.8*	2.2	1.8	3.9	2.9	3.2	1.3
86b	Diseases of the mastoid process	1.2	1.3	*0.4*	1.9	2.1	*0.8*	*0.2*	*0.2*	.....	1.1	1.4	*0.1*
	IV.—Diseases of the circulatory system.	202.2	191.7	254.8	206.4	191.7	295.4	196.9	191.7	217.6	255.2	243.9	306.0
87	Pericarditis	0.9	1.0	*0.4*	0.7	0.7	*0.8*	1.1	1.4	.....	0.8	0.7	1.4
88	Endocarditis and myocarditis (acute)	5.8	5.5	7.3	5.9	5.6	7.6	5.8	5.5	7.0	6.4	6.4	6.4
89	Angina pectoris	10.0	10.4	7.7	9.5	10.1	5.9	10.6	11.0	9.3	11.5	10.1	17.7
90	Other diseases of the heart	168.0	155.1	231.8	174.7	158.0	275.9	159.2	151.2	191.2	188.0	182.3	213.7
91a	Aneurysm	1.4	1.3	*1.6*	1.7	1.8	*0.8*	0.9	*0.6*	*2.8*	1.5	1.5	1.8
91b, c	Other diseases of the arteries	13.8	15.5	5.7	12.0	13.3	4.2	16.3	18.6	7.0	44.0	39.9	62.4
92	Embolism and thrombosis (not cerebral)	1.5	1.8	.....	1.1	1.3	.....	2.0	2.5	.....	1.8	1.8	1.4
93	Diseases of the veins	0.6	0.7	*0.4*	0.7	0.8	.....	*0.5*	*0.4*	*0.8*	0.9	0.8	1.0
94	Diseases of the lymphatic system	*0.1*	*0.1*	.....	.....	.....	.....	*0.2*	*0.2*	.....	0.3	0.3	.....
95	Hemorrhage without specified cause	*0.2*	*0.2*	.....	*0.1*	*0.1*	.....	*0.3*	*0.4*	.....	*0.1*	*0.1*	*0.1*
96	Other diseases of the circulatory system	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	V.—Diseases of the respiratory system.	130.6	113.1	217.6	143.1	126.4	244.6	114.4	94.7	192.8	121.4	121.5	121.0
97a	Diseases of the nasal fossae	*0.3*	*0.1*	*1.2*	.....	.....	.....	*0.6*	*0.2*	*2.3*	*0.1*	*0.1*	.....
97b	Diseases of the nasal fossae annexa	0.7	0.9	.....	1.0	1.1	.....	*0.5*	*0.6*	.....	0.4	0.4	*0.6*
98	Diseases of the larynx	1.1	1.0	*1.6*	0.8	1.0	.....	1.4	1.0	*3.1*	0.5	0.4	*0.6*
99a	Acute bronchitis	6.5	4.9	14.6	6.5	5.0	15.2	6.6	4.7	14.0	5.4	5.2	6.4
99b	Chronic bronchitis	3.7	3.7	4.1	3.5	3.6	*2.5*	4.1	3.7	5.4	3.5	3.1	5.2
99c	Bronchitis (unspecified, under 5 years)	1.5	1.2	2.8	1.3	1.3	*1.7*	1.7	1.2	3.9	1.2	1.2	1.0
99d	Bronchitis (unspecified, 5 years and over)	2.0	2.0	2.4	2.3	2.2	*2.5*	1.7	1.6	*2.3*	1.7	1.3	3.2
100a	Bronchopneumonia	52.7	44.4	94.0	63.9	56.1	111.7	38.1	28.2	77.7	53.9	55.1	48.4
100b	Capillary bronchitis	2.8	2.1	6.1	1.9	1.1	6.8	3.9	3.5	5.4	1.6	1.4	2.4
101a	Lobar pneumonia	48.9	43.7	74.6	53.9	47.0	95.6	42.3	39.1	55.2	45.7	45.8	44.9
101b	Pneumonia (unspecified)	2.4	1.8	5.3	0.7	0.7	*0.8*	4.5	3.3	9.3	1.6	1.5	2.0
102	Pleurisy	3.3	3.1	4.1	3.0	2.8	4.2	3.6	3.5	3.9	2.9	3.2	1.7
103	Congestion and hemorrhagic infarct of the lung.	2.0	2.0	2.0	1.4	1.7	.....	2.8	2.5	3.9	0.8	0.8	0.8
104	Gangrene of the lung	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.3	0.3	*0.3*
105	Asthma	1.4	1.2	2.0	1.6	1.5	*1.7*	1.1	*0.8*	*2.3*	1.0	0.8	1.8
106	Pulmonary emphysema	0.3	*0.3*	*0.4*	0.6	*0.6*	*0.8*	.....	.....	.....	0.2	0.2	*0.4*
107	Other diseases of the respiratory system (tuberculosis excepted).	1.0	0.7	2.4	0.7	0.7	*0.8*	1.4	*0.8*	3.9	0.9	0.7	1.4
	VI.—Diseases of the digestive system.	131.9	118.4	198.9	128.1	120.8	172.6	136.7	115.0	223.1	98.2	104.2	71.5
108	Diseases of the mouth and annexa	1.0	0.8	*1.6*	0.8	*0.6*	*2.5*	1.1	1.2	*0.8*	0.6	0.5	0.7
109a	Adenoid vegetations	*0.1*	*0.1*	.....	.....	.....	.....	*0.2*	*0.2*	.....	*0.1*	*0.1*	.....
109b	Other diseases of the pharynx, tonsils	3.5	3.5	3.6	3.5	3.5	*3.4*	3.6	3.5	3.9	3.7	3.9	2.5
110	Diseases of the esophagus	*0.1*	*0.1*	.....	*0.1*	*0.1*	.....	.....	.....	.....	0.2	0.2	*0.1*
111a	Ulcer of the stomach	3.5	3.2	4.9	4.1	3.4	8.5	2.7	2.9	*1.6*	3.3	3.6	2.2
111b	Ulcer of the duodenum	0.9	0.9	*0.8*	1.1	1.1	*0.8*	*0.6*	*0.6*	*0.8*	1.5	1.7	*0.8*
112	Other diseases of the stomach (cancer excepted).	9.4	7.6	18.2	5.6	4.2	14.4	14.2	12.3	21.8	3.2	2.7	5.2
113	Diarrhea and enteritis (under 2 years)	63.9	55.4	106.2	55.8	53.3	71.1	74.4	58.3	138.4	37.4	39.0	30.0
114	Diarrhea and enteritis (2 years and over)	11.1	9.4	19.4	9.5	6.7	26.2	13.1	13.1	13.2	5.8	5.8	6.1
115	Ancylostomiasis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
116	Diseases due to other intestinal parasites	*0.2*	*0.2*	*0.4*	*0.2*	*0.3*	.....	*0.2*	.....	*0.8*	*0.1*	*0.1*	.....
117	Appendicitis and typhlitis	9.6	8.6	15.0	12.8	12.0	17.8	5.5	3.7	12.4	13.2	15.1	4.3
118a	Hernia	4.4	3.7	8.1	6.0	5.6	8.5	2.3	1.0	7.8	4.6	4.9	3.2
118b	Intestinal obstruction	7.6	6.8	11.3	9.6	9.4	11.0	5.0	3.3	11.7	6.0	6.4	4.3
119	Other diseases of the intestines	1.8	1.8	*1.6*	1.8	1.8	*1.7*	1.7	1.8	*1.6*	1.2	1.3	0.7
120	Acute yellow atrophy of the liver	*0.2*	*0.2*	.....	*0.2*	*0.3*	.....	*0.2*	*0.2*	.....	0.4	0.5	*0.3*
121	Hydatid tumor of the liver	*0.1*	*0.2*	.....	*0.2*	*0.3*	.....	.....	.....	.....	.....	.....	.....
122	Cirrhosis of the liver	6.2	6.4	5.3	6.2	6.3	5.9	6.3	6.6	4.7	5.3	5.5	4.7
123	Biliary calculi	2.7	3.3	.....	4.0	4.6	.....	1.1	1.4	.....	5.0	5.4	3.1
124	Other diseases of the liver	3.1	3.6	*0.4*	3.8	4.5	.....	2.0	2.3	*0.8*	4.1	4.5	2.5
125	Diseases of the pancreas	0.5	0.7	.....	0.8	1.0	.....	*0.2*	*0.2*	.....	0.9	1.1	*0.1*
126	Peritonitis without specified cause	2.0	2.0	2.0	1.6	1.7	*0.8*	2.5	2.3	*3.1*	1.7	1.9	1.0
127	Other diseases of the digestive system (cancer and tuberculosis excepted).	*0.1*	*0.2*	.....	*0.2*	*0.3*	.....	.....	.....	.....	0.2	0.2	.....

[1] Less than one-tenth of 1 per 100,000 population.

ITS MAIN SUBDIVISIONS, AND IN EACH REGISTRATION STATE, BY CITIES AND RURAL DISTRICTS, FROM OF CAUSES: 1921—Continued.

[See note at head of this table, pp. 196, 197.]

DEATH RATE PER 100,000 POPULATION.																	Detailed List No.
MICHIGAN.			MINNESOTA.			MISSISSIPPI.									MISSOURI.			
						Total.			Cities.			Rural districts.						
Total.	Cities.	Rural districts.	Total.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	Cities.	Rural districts.	
137.4	105.4	174.1	95.1	111.2	86.5	76.1	68.4	83.1	188.7	145.4	247.7	66.6	60.5	72.1	109.3	119.0	102.7	
1.3	1.2	1.5	1.1	1.4	0.9	1.2	0.7	1.6	.....	.....	.....	1.3	0.8	1.7	1.4	1.1	1.6	70
3.3	3.8	2.6	2.0	3.1	1.4	1.7	2.2	1.3	4.3	*3.8*	*5.1*	1.5	2.1	1.0	3.7	3.5	3.9	71a
1.6	1.7	1.5	0.9	0.9	0.9	1.1	0.8	1.4	*0.7*	*1.3*	.....	1.1	0.8	1.5	1.3	0.8	1.6	71b
2.2	2.0	2.4	1.3	2.5	0.7	0.6	*0.5*	0.6	*0.7*	*1.3*	.....	0.5	*0.4*	0.7	2.2	2.6	1.9	72
5.2	3.8	6.8	4.8	6.2	4.1	3.0	3.4	2.7	5.1	*2.5*	8.5	2.3	3.5	2.3	5.5	5.4	5.5	73
88.3	63.1	117.2	59.2	62.0	57.7	40.3	39.8	40.8	96.1	87.7	107.6	35.6	34.9	36.3	68.3	72.3	65.6	74a
2.0	1.5	2.6	3.0	4.1	2.3	0.7	1.4	.....	3.6	6.3	.....	0.4	0.9	.....	1.6	2.6	0.9	74b
8.5	6.1	11.4	3.2	3.1	3.2	13.2	9.7	16.3	14.5	8.8	22.2	13.1	9.8	15.9	7.2	6.4	7.8	75
6.8	6.8	6.8	4.8	6.0	4.2	2.9	1.3	4.4	31.8	10.0	61.5	0.5	*0.4*	0.6	6.9	11.6	3.7	76
1.3	1.3	1.3	1.5	3.2	0.6	0.9	0.6	1.3	8.7	6.3	12.0	0.3	.....	0.6	1.3	1.3	1.2	77
3.6	2.2	5.1	3.0	4.6	2.2	3.3	2.5	4.1	8.7	*5.0*	13.7	2.8	2.2	3.4	3.0	2.9	3.1	78
0.2	*0.1*	*0.2*	*0.1*	*0.1*	*0.1*	0.4	.....	0.9	*0.7*	.....	*1.7*	0.4	.....	0.8	*0.1*	*0.1*	(1)	79
3.7	2.7	5.0	3.0	1.4	3.8	2.6	1.1	4.0	5.8	*2.5*	10.3	2.3	0.9	3.5	1.0	0.4	1.4	80
0.2	*0.1*	0.4	.....	.....	.....	*0.1*	.....	*0.2*	*0.7*	.....	*1.7*	*0.1*	.....	*0.1*	0.1	*0.1*	*0.1*	81
0.7	0.3	1.1	0.2	*0.5*	*0.1*	0.3	*0.4*	*0.3*	.....	.....	.....	0.4	*0.4*	*0.3*	0.4	*0.1*	0.5	82
1.0	0.5	1.5	0.4	0.6	*0.3*	0.6	0.8	*0.3*	*1.4*	*2.5*	.....	0.5	0.6	*0.3*	0.9	0.5	1.2	83
3.3	3.3	3.3	3.4	6.4	1.8	1.3	1.1	1.5	*1.4*	.....	*3.4*	1.3	1.2	1.4	1.9	2.7	1.3	84
0.2	*0.1*	0.3	*0.2*	*0.2*	*0.1*	*0.1*	*0.1*	*0.1*	*0.7*	*1.3*	.....	*0.1*	.....	*0.1*	(1)	.....	(1)	85
2.5	3.0	1.9	1.9	3.1	1.3	0.9	1.2	0.7	*1.4*	*2.5*	.....	0.9	1.0	0.8	1.5	2.6	0.8	86a
1.4	1.7	1.1	1.1	1.8	0.8	0.8	0.9	0.6	*2.2*	*3.8*	.....	0.7	0.6	0.7	0.9	1.7	0.4	86b
194.9	164.1	230.2	137.9	167.0	122.3	107.8	92.0	122.2	282.7	191.8	406.6	93.2	81.8	103.3	151.2	194.7	121.7	
1.3	1.2	1.4	0.3	*0.4*	0.3	0.4	*0.2*	0.5	.....	.....	.....	0.4	*0.3*	0.6	1.8	2.5	1.3	87
6.4	7.5	5.0	4.4	5.1	4.0	3.4	3.7	3.0	10.8	7.5	15.4	2.7	3.4	2.2	5.5	8.6	3.4	88
9.3	5.6	13.6	5.1	5.9	4.7	4.2	5.9	2.7	15.2	17.5	12.0	3.3	4.7	2.0	7.0	7.7	6.6	89
147.7	123.5	175.4	108.7	133.1	95.7	89.1	70.1	106.3	206.8	132.9	307.5	79.2	63.7	92.9	107.4	134.8	88.9	90
1.3	1.6	1.0	1.1	1.1	1.1	1.5	1.4	1.6	5.8	*1.3*	12.0	1.1	1.4	0.9	3.1	5.6	1.4	91a
26.2	22.1	30.9	16.1	18.9	14.6	7.8	8.4	7.2	40.5	27.6	58.1	5.0	6.5	3.8	24.1	32.3	18.6	91b,c
1.4	1.4	1.4	1.4	1.8	1.3	0.5	0.9	*0.1*	*2.2*	*3.8*	.....	0.4	0.6	*0.1*	1.5	2.4	0.9	92
0.8	0.7	0.8	0.7	0.9	0.5	0.3	*0.2*	*0.4*	*0.7*	.....	*1.7*	0.3	*0.3*	*0.3*	0.3	0.5	*0.2*	93
0.2	*0.2*	*0.1*	*0.1*	.....	*0.1*	*0.1*	*0.2*	.....	.....	.....	.....	*0.1*	*0.3*	.....	0.1	*0.3*	(1)	94
0.3	0.2	0.4	(1)	.....	*0.1*	*0.2*	*0.4*	*0.1*	*0.7*	*1.3*	.....	*0.2*	*0.3*	*0.1*	0.2	.....	0.3	95
0.1	.....	*0.1*	(1)	.....	*0.1*	0.4	*0.5*	*0.3*	.....	.....	.....	0.4	*0.5*	*0.3*	*0.1*	.....	*0.1*	96
97.8	98.9	96.4	81.0	96.5	72.7	77.5	70.5	83.8	130.9	89.0	187.9	73.0	68.6	76.9	102.7	136.0	80.1	
0.2	(1)	0.5	0.2	*0.1*	*0.3*	0.6	*0.5*	0.7	*0.7*	.....	*1.7*	0.6	*0.5*	0.7	*0.1*	*0.1*	*0.1*	97a
0.6	0.6	0.6	0.7	1.4	*0.3*	0.3	*0.2*	*0.3*	*1.4*	*1.3*	*1.7*	*0.2*	*0.1*	*0.2*	0.5	0.9	*0.1*	97b
1.4	1.0	1.8	0.5	*0.5*	0.5	0.8	1.1	0.6	*0.7*	*1.3*	.....	0.8	1.0	0.7	1.3	0.7	1.8	98
6.5	5.1	8.0	2.6	1.8	3.1	0.9	1.2	0.7	*1.4*	*1.3*	*1.7*	0.9	1.2	0.7	3.9	6.1	2.5	99a
4.0	2.5	5.6	3.2	3.2	3.2	1.7	2.1	1.3	*2.9*	*1.3*	*5.1*	1.6	2.2	1.0	4.3	4.7	4.1	99b
1.8	1.4	2.2	1.0	0.9	1.1	0.6	*0.5*	0.7	.....	.....	.....	0.7	*0.5*	0.8	0.3	0.4	0.3	99c
1.6	1.0	2.3	1.2	0.9	1.4	0.9	1.2	0.6	3.6	*1.3*	*6.8*	0.7	1.2	*0.2*	1.0	1.0	1.0	99d
32.3	36.1	28.0	28.1	33.0	25.5	21.6	24.4	19.1	29.6	23.8	37.6	20.9	24.4	17.9	35.6	48.7	26.8	100a
1.8	1.3	2.4	0.7	*0.5*	0.8	0.6	*0.5*	0.7	*0.7*	.....	*1.7*	0.6	*0.5*	0.7	1.2	0.4	1.7	100b
33.5	37.1	29.3	32.5	42.7	27.0	32.3	27.8	36.5	68.0	43.9	100.8	29.4	26.1	32.2	44.0	61.1	32.4	101a
5.3	4.5	6.3	3.4	1.9	4.2	11.4	6.2	16.1	9.4	*3.8*	17.1	11.6	6.5	16.1	2.8	2.2	3.2	101b
3.0	3.1	2.8	2.9	4.8	1.9	2.0	1.9	2.0	6.5	*3.8*	10.3	1.6	1.7	1.5	2.4	3.9	1.4	102
2.4	1.8	3.0	2.1	2.7	1.7	1.4	1.5	1.3	*2.2*	*3.8*	.....	1.3	1.3	1.4	1.7	1.6	1.7	103
0.1	*0.2*	*0.1*	*0.1*	*0.2*	*0.1*	*0.2*	*0.4*	*0.1*	*0.7*	*1.3*	.....	*0.2*	*0.3*	*0.1*	0.3	0.4	*0.1*	104
2.4	2.0	2.8	1.3	1.4	1.3	1.2	*0.5*	1.8	*1.4*	.....	*3.4*	1.1	*0.5*	1.7	2.1	2.5	1.9	105
0.1	(1)	*0.2*	*0.1*	.....	*0.2*	*0.1*	*0.2*	.....	.....	.....	.....	*0.1*	*0.3*	.....	0.4	0.6	0.3	106
0.8	1.0	0.6	0.5	*0.5*	0.5	0.8	0.6	1.0	*1.4*	*2.5*	.....	0.7	*0.4*	1.0	0.7	0.7	0.7	107
125.2	127.3	122.7	87.1	120.0	69.6	97.5	102.3	93.0	245.1	223.1	275.1	85.1	89.9	80.9	106.3	129.0	90.8	
0.7	0.5	0.8	0.8	1.2	0.6	0.7	0.6	0.7	*2.2*	.....	*5.1*	0.5	0.6	*0.5*	0.6	0.5	0.6	108
(1)	(1)	.....	.....	.....	.....	*0.1*	.....	*0.1*	*0.7*	.....	*1.7*	.....	.....	.....	.....	.....	.....	109a
5.5	5.6	5.4	4.9	8.3	3.2	3.6	2.7	4.4	8.7	*5.8*	15.4	3.1	2.6	3.6	4.4	5.7	3.5	109b
0.2	*0.1*	*0.2*	*0.1*	*0.1*	*0.1*	*0.1*	*0.1*	.....	.....	.....	.....	*0.1*	*0.1*	.....	*0.1*	*0.1*	(1)	110
4.4	4.0	4.8	4.2	7.2	2.6	2.0	2.6	1.5	8.0	6.3	10.3	1.5	2.2	0.9	3.4	3.9	3.1	111a
1.6	1.8	1.2	2.4	5.9	0.5	*0.2*	*0.4*	*0.1*	*2.2*	*3.8*	.....	*0.1*	.....	*0.1*	0.8	1.4	0.4	111b
9.6	8.8	10.6	3.0	1.9	3.5	10.5	8.3	12.5	9.4	*5.0*	15.4	10.6	8.7	12.3	6.9	4.1	8.9	112
41.9	44.8	38.6	15.9	12.8	17.5	30.7	32.9	28.6	67.2	61.4	75.2	27.6	30.0	25.5	30.1	29.5	30.6	113
11.5	8.5	15.0	6.3	4.8	7.1	13.3	15.9	10.9	26.0	26.3	25.6	12.2	14.9	9.9	9.7	8.4	10.6	114
.....	.....	.....	.....	.....	.....	*0.2*	*0.1*	*0.2*	.....	.....	.....	*0.2*	*0.1*	*0.2*	.....	.....	.....	115
0.1	.....	*0.1*	.....	.....	.....	0.3	*0.1*	0.5	.....	.....	.....	0.4	*0.1*	0.6	*0.1*	.....	*0.1*	116
16.3	19.8	12.3	18.7	28.2	13.6	14.0	17.3	10.9	54.9	55.2	54.7	10.5	13.4	8.0	15.1	24.3	8.8	117
3.8	4.0	3.4	4.1	6.7	2.7	2.1	1.5	2.6	9.4	10.0	8.5	1.5	0.6	2.2	3.6	6.4	1.8	118
8.1	8.4	7.7	6.7	7.5	6.3	7.5	8.2	6.9	19.5	18.8	20.5	6.5	7.1	6.0	7.1	10.3	4.9	118a
1.7	1.4	1.9	1.4	1.9	1.2	0.9	1.1	0.9	6.5	*5.0*	8.5	0.5	0.6	*0.3*	1.8	2.0	1.7	119b
0.6	0.4	0.8	0.4	0.6	*0.3*	*0.1*	*0.1*	.....	*0.7*	*1.3*	.....	.....	.....	.....	0.6	0.7	0.5	120
(1)	.....	*0.1*	(1)	*0.1*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	121
7.6	7.3	8.0	6.0	9.0	4.4	4.2	2.9	5.3	9.4	6.3	13.7	3.8	2.6	4.8	9.3	13.4	6.6	122
3.6	3.9	3.3	6.4	12.5	3.1	1.1	1.5	0.7	*2.9*	*3.8*	*1.7*	1.0	1.3	0.7	5.1	8.3	2.9	123
5.0	4.8	5.3	3.8	7.2	2.0	4.0	4.6	3.4	11.6	11.3	12.0	3.3	3.9	2.8	4.5	6.4	3.1	124
0.4	0.6	*0.2*	0.5	1.2	*0.2*	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.5	0.9	0.2	125
2.5	2.2	2.8	1.4	2.8	0.6	2.0	1.3	2.7	5.8	*5.0*	*6.8*	1.7	0.9	2.4	2.3	2.2	2.4	126
0.2	0.3	*0.2*	*0.1*	*0.1*	*0.1*	*0.1*	*0.1*	.....	.....	.....	.....	*0.1*	*0.1*	.....	0.2	0.4	(1)	127

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), EACH CAUSE AND CLASS

[See note at head of this table, pp. 196, 197.]

Detailed List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.											
		MARYLAND.									MASSACHUSETTS.		
		Total.			Cities.			Rural districts.			Total.	Cities.	Rural districts.
		Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.			
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	146.9	137.2	195.3	158.4	149.6	211.6	132.0	119.9	180.3	86.4	86.0	88.4
128	Acute nephritis (including unspecified under 10 years).	10.6	7.2	27.6	10.6	6.6	34.7	10.6	8.0	21.0	4.2	4.2	3.9
129	Chronic nephritis (including unspecified 10 years and over).	123.5	117.6	152.7	130.9	126.6	156.6	113.9	105.0	149.2	67.4	65.2	76.9
130	Chyluria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
131	Other diseases of the kidneys and annexa	2.8	2.8	2.8	3.7	3.8	*3.4*	1.6	1.4	*2.3*	2.3	2.6	1.3
132	Calculi of the urinary passages	0.8	1.0	.....	1.0	1.1	.....	*0.6*	*0.8*	.....	0.7	0.8	.....
133	Diseases of the bladder	0.7	0.6	*1.6*	*0.2*	*0.1*	*0.8*	1.4	1.2	*2.3*	1.0	0.8	1.5
134	Diseases of the urethra, etc	*0.2*	*0.2*	*0.4*	*0.4*	*0.3*	*0.8*	.....	.....	.....	0.3	0.4	.....
135	Diseases of the prostate	4.3	4.6	2.4	5.4	5.9	*2.5*	2.8	2.9	*2.3*	4.5	4.9	2.8
136	Nonvenereal diseases of the male genital organs.	*0.1*	*0.1*	*0.4*	*0.2*	*0.1*	*0.8*	.....	.....	.....	*0.1*	(1)	*0.1*
137	Cysts, other benign tumors of the ovary	0.6	0.7	*0.4*	1.0	1.1	.....	*0.2*	.....	*0.8*	0.7	0.7	*0.6*
138	Salpingitis and pelvic abscess (female)	1.2	0.8	3.2	1.9	1.3	5.9	*0.3*	*0.2*	*0.8*	1.7	2.0	*0.6*
139	Benign tumors of the uterus	1.4	1.1	2.8	2.2	1.8	4.2	*0.3*	.....	*1.6*	2.6	3.1	*0.4*
140	Nonpuerperal uterine hemorrhage	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.2	0.2	*0.1*
141	Other diseases of the female genital organs	0.7	0.7	*0.8*	1.0	0.8	*1.7*	*0.3*	*0.4*	.....	0.8	0.9	*0.1*
142	Nonpuerperal diseases of the breast (cancer excepted).	.....	.....	.....	.....	.....	.....	.....	.....	.....	(1)	(1)	.....
	VIII.—The puerperal state	16.7	14.5	27.6	17.3	16.1	24.5	15.9	12.3	30.3	15.3	16.7	8.9
143	Accidents of pregnancy	1.7	1.5	2.8	1.9	2.1	*0.8*	1.4	*0.6*	4.7	1.0	1.2	*0.4*
144	Puerperal hemorrhage	2.2	1.7	4.9	1.1	1.1	*0.8*	3.8	2.5	8.6	1.9	2.0	1.1
145	Other accidents of labor	1.3	1.1	2.0	1.6	1.4	*2.5*	0.9	*0.8*	*1.6*	2.7	3.0	1.4
146	Puerperal septicemia	5.9	5.0	10.5	6.8	5.9	12.7	4.7	3.7	8.6	5.1	5.9	1.7
147	Puerperal phlegmasia alba dolens, embolus, etc.	0.7	0.7	*0.4*	0.7	0.7	*0.8*	*0.6*	*0.8*	.....	1.1	1.2	0.8
148	Puerperal albuminuria and convulsions	4.9	4.5	6.9	5.2	4.9	6.8	4.5	3.9	7.0	3.4	3.4	3.4
149	Following childbirth (undefined)	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.1	*0.1*	*0.1*
150	Puerperal diseases of the breast	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	IX.—Diseases of the skin and of the cellular tissue	3.7	3.6	4.1	4.7	4.5	5.9	2.3	2.3	*2.3*	3.5	3.4	4.2
151	Gangrene	1.3	1.2	*1.6*	1.4	1.3	*2.5*	1.1	1.2	*0.8*	0.8	0.5	2.1
152	Furuncle	0.3	0.4	.....	*0.4*	*0.4*	.....	*0.3*	*0.4*	.....	0.8	0.9	*0.4*
153	Acute abscess	1.1	1.0	*1.6*	1.4	1.4	*1.7*	*0.6*	*0.4*	*1.6*	0.8	0.9	*0.3*
154	Other diseases of the skin and annexa	1.0	1.0	*0.8*	1.4	1.4	*1.7*	*0.3*	*0.4*	.....	1.1	1.1	1.4
	X.—Diseases of the bones and of the organs of locomotion	1.4	1.5	*0.8*	1.8	1.8	*1.7*	0.9	1.2	.....	1.8	2.2	*0.3*
155	Diseases of the bones (tuberculosis excepted)	1.1	1.1	*0.8*	1.4	1.4	*1.7*	*0.6*	*0.8*	.....	1.2	1.5	*0.1*
156	Diseases of the joints (tuberculosis and rheumatism excepted).	*0.2*	*0.2*	.....	*0.2*	*0.3*	.....	*0.2*	*0.2*	.....	0.5	0.6	*0.1*
157	Amputations	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
158	Other diseases of the organs of locomotion	*0.1*	*0.2*	.....	*0.1*	*0.1*	.....	*0.2*	*0.2*	.....	*0.1*	*0.1*	.....
	XI.—Malformations	21.0	20.1	25.9	22.6	21.1	31.3	19.1	18.6	21.0	19.9	20.6	16.3
159a	Congenital hydrocephalus	2.3	2.2	2.8	2.9	2.9	*2.5*	1.6	1.2	*3.1*	1.8	1.9	1.0
159b	Congenital malformations of the heart	13.8	12.9	18.2	14.9	13.1	25.4	12.3	12.5	11.7	12.1	12.4	10.9
159c	Other congenital malformations	5.0	5.0	4.9	4.8	5.0	*3.4*	5.2	4.9	6.2	6.0	6.3	4.5
	XII.—Early infancy	83.2	74.1	128.4	78.1	73.4	106.6	89.8	75.1	148.5	70.8	73.8	57.5
160	Congenital debility, icterus, sclerema	14.0	11.7	25.9	9.0	8.8	10.2	20.6	15.6	40.4	6.8	6.8	7.0
161a	Premature birth	48.4	44.0	70.1	46.4	43.5	64.3	50.9	44.8	75.4	41.7	43.4	34.1
161b	Injury at birth	10.3	9.7	13.4	12.1	11.7	14.4	8.0	6.8	12.4	14.3	15.3	9.6
162	Other diseases peculiar to early infancy	9.9	8.4	17.4	10.0	8.9	16.1	9.8	7.6	18.7	8.0	8.3	6.7
163	Lack of care	0.5	*0.3*	*1.6*	0.6	*0.4*	*1.7*	*0.5*	*0.2*	*1.6*	0.2	0.2	*0.1*
164	XIII.—Old age (senility)	9.5	8.8	13.0	6.6	7.1	*3.4*	13.3	11.1	21.8	3.8	2.8	8.1
	XIV.—External causes	91.2	89.4	100.1	93.8	91.3	109.2	87.8	86.8	91.7	76.7	76.2	79.1
	Suicide (total)	11.6	13.2	3.6	13.9	15.4	5.1	8.6	10.2	*2.3*	12.0	12.0	12.0
165	By poisons (gas or corrosives excepted)	*0.1*	*0.1*	*0.4*	.....	.....	.....	*0.3*	*0.2*	*0.8*	0.2	0.2	*0.3*
166	By corrosive substances	1.6	2.0	.....	2.3	2.7	.....	0.8	1.0	.....	0.8	0.9	*0.4*
167	By poisonous gas	2.0	2.3	*0.4*	3.4	3.8	*0.8*	*0.2*	*0.2*	.....	3.0	3.5	0.7
168	By hanging or strangulation	1.8	2.1	*0.4*	1.6	1.7	*0.8*	2.2	2.7	.....	2.2	2.0	3.2
169	By drowning	0.5	0.5	*0.4*	*0.4*	*0.3*	*0.8*	*0.6*	*0.8*	.....	1.2	1.2	1.7
170	By firearms	4.8	5.5	*1.6*	5.2	5.7	*1.7*	4.4	5.1	*1.6*	3.3	3.1	4.5
171	By cutting or piercing instruments	0.5	0.6	.....	0.7	0.8	.....	*0.2*	*0.2*	.....	0.8	0.8	*0.6*
172	By jumping from high places	*0.1*	*0.1*	*0.4*	*0.2*	*0.1*	*0.8*	.....	.....	.....	0.2	0.2	*0.3*
173	By crushing	*0.1*	*0.1*	.....	*0.1*	*0.1*	.....	.....	.....	.....	0.2	0.2	*0.1*
174	By other means	*0.1*	*0.1*	.....	*0.1*	*0.1*	.....	.....	.....	.....	0.1	*0.1*	*0.3*
	Homicide (total)	7.8	5.1	21.1	8.9	6.3	24.5	6.4	3.5	17.9	2.8	2.9	2.5
197	By firearms	5.2	3.4	14.2	6.0	4.1	17.8	4.2	2.5	10.9	1.8	1.9	1.3
198	By cutting or piercing instruments	0.5	*0.2*	2.4	0.6	*0.1*	*3.4*	*0.5*	*0.2*	*1.6*	0.4	0.3	*0.6*
199	By other means	2.0	1.5	4.5	2.3	2.1	*3.4*	1.7	*0.3*	5.4	0.6	0.6	0.7

[1] Less than one-tenth of 1 per 100,000 population.

ITS MAIN SUBDIVISIONS, AND IN EACH REGISTRATION STATE, BY CITIES AND RURAL DISTRICTS, FROM OF CAUSES: 1921—Continued.

[See note at head of this table, pp. 196, 197.]

DEATH RATE PER 100,000 POPULATION.

MICHIGAN.			MINNESOTA.			MISSISSIPPI.									MISSOURI.			Detailed Int. List No.
						Total.			Cities.			Rural districts.						
Total.	Cities.	Rural districts.	Total.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	Cities.	Rural districts.	
79.1	71.7	87.7	72.7	95.8	60.4	93.9	77.3	109.0	241.5	152.9	362.2	81.5	69.5	92.1	117.8	157.4	90.9	
5.7	5.2	6.3	3.1	3.3	3.0	8.9	6.3	11.3	24.6	11.3	42.7	7.6	5.8	9.2	7.1	10.6	4.7	128
58.3	50.2	67.5	55.2	68.3	48.3	69.9	61.2	77.8	155.4	126.6	194.8	62.8	54.5	70.0	94.4	119.5	77.4	129
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	130
2.2	2.5	1.8	1.7	2.4	1.4	2.7	3.6	1.9	*2.2*	*3.8*	.....	2.8	3.6	2.0	2.2	3.4	1.4	131
0.8	1.1	0.5	0.9	1.9	0.4	0.4	*0.4*	*0.4*	.....	.....	.....	0.4	*0.4*	*0.5*	0.6	1.1	0.3	132
1.4	0.7	2.1	1.1	0.9	1.2	2.1	1.2	3.0	5.1	*1.3*	10.3	1.9	1.2	2.5	1.1	0.8	1.3	133
0.2	0.3	*0.2*	*0.2*	*0.5*	.....	0.6	.....	1.1	3.6	.....	8.5	0.3	.....	0.6	0.6	1.2	*0.2*	134
5.0	4.4	5.6	6.7	10.6	4.6	3.5	1.8	5.0	14.5	*3.8*	29.0	2.5	1.6	3.4	5.3	7.5	3.8	135
0.1	(1)	*0.1*	.....	.....	.....	*0.1*	.....	*0.1*	.....	.....	.....	*0.1*	.....	*0.1*	(1)	*0.1*	.....	136
0.9	1.0	0.7	0.4	*0.1*	0.6	0.3	*0.1*	0.5	*1.4*	.....	*3.4*	*0.2*	*0.1*	*0.3*	0.7	1.4	0.3	137
1.9	2.7	1.0	1.0	2.5	*0.3*	2.7	1.3	4.0	23.1	*5.0*	47.8	1.0	0.9	1.0	2.2	4.8	0.4	138
1.9	2.3	1.5	1.6	3.7	0.5	1.8	0.9	2.7	8.7	.....	20.5	1.3	1.0	1.5	2.5	5.1	0.7	139
0.1	*0.1*	*0.1*	(1)	*0.1*	.....	*0.1*	.....	*0.2*	.....	.....	.....	*0.1*	.....	*0.2*	(1)	.....	(1)	140
0.6	0.9	*0.2*	0.7	1.7	*0.3*	0.7	*0.4*	1.0	*2.9*	*1.3*	*5.1*	0.5	*0.3*	0.7	0.9	1.9	0.3	141
(1)	.....	*0.1*	.....	.....	.....	*0.1*	*0.1*	.....	.....	.....	.....	*0.1*	*0.1*	.....	.....	.....	.....	142
17.4	18.4	16.2	13.5	19.5	10.3	24.6	19.7	29.0	46.3	43.9	49.5	22.8	17.2	27.7	14.6	17.7	12.5	
1.8	1.7	2.0	1.4	2.0	1.0	1.7	2.0	1.5	5.1	*5.0*	*5.1*	1.5	1 7	1.3	1.1	1.7	0.7	143
1.9	1.9	1.9	0.9	1.3	0.8	2.1	2.3	1.9	7.2	8.8	*5.1*	1.7	1.7	1.7	1.3	1 4	1.2	144
1.5	1.4	1.6	1.1	2.2	0.5	2.5	1.4	3.4	*2.2*	.....	*5.1*	2.5	1.6	3.3	0.8	0.9	0.6	145
7.8	9.3	6.0	6.1	8.1	5.0	8.0	6.1	9.7	15.2	16.3	13.7	7.4	5.0	9.5	7.6	9.5	6.3	146
0.7	0.6	0.8	1.0	1.3	0.8	0.3	*0.2*	*0.3*	.....	.....	.....	0.3	*0.3*	*0.3*	0.5	0.7	0.4	147
3.6	3.4	3.8	2.9	4.4	2.1	9.9	7.6	12.1	16.6	13.8	20.5	9.4	7.0	11.5	3.3	3.5	3.1	148
0.1	(1)	*0.1*	.....	.....	.....	*0.1*	.....	*0.1*	.....	.....	.....	*0.1*	.....	*0.1*	*0.1*	*0.1*	*0.1*	149
.....	.....	.....	*0.1*	*0.1*	*0.1*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	150
4.2	3.4	5.1	2.9	3.2	2.7	2.7	2.5	3.0	7.2	6.3	8.5	2.4	2.1	2.6	3.4	3.5	3.4	
2.1	1.2	3.2	1.2	0.7	1.5	1.2	0.7	1.7	3.6	*2.5*	*5.1*	1.0	*0.5*	1.5	1.5	1.0	1.8	151
0.5	0.8	*0.2*	0.4	0.6	0.3	0.4	*0.5*	*0.4*	*0.7*	*1.3*	.....	0.4	*0.4*	*0.5*	0.8	1.2	0.5	152
0.7	0.7	0.7	0.5	0.8	*0.3*	0.6	0.7	*0.4*	*1.4*	*2.5*	.....	0.5	*0.5*	*0.5*	0.4	0.7	0.2	153
0.9	0.7	1.1	0.8	1.1	0.6	0.5	0.6	*0.4*	*1.4*	.....	*3.4*	0.4	0.6	*0.2*	0.8	0.6	0.9	154
1.2	1.4	1.0	1.8	2.7	1.3	0.7	0.8	0.6	*2.9*	*1.3*	*5.1*	0.5	0.8	*0.3*	1.3	2.5	0.5	
0.8	0.8	0.7	1.4	2.2	1.0	0.5	*0.5*	0.5	*1.4*	.....	3.4	0.4	*0.5*	*0.3*	1.0	1.9	0.4	155
0.4	0.4	0.3	0.2	*0.2*	*0.3*	*0.1*	*0.2*	.....	*0.7*	*1.3*	.....	*0.1*	*0.1*	.....	0.3	0.6	(1)	156
(1)	(1)	.....	.....	.....	.....	*0.1*	*0.1*	.....	.....	.....	.....	*0.1*	*0.1*	.....	.....	.....	.....	157
(1)	(1)	.....	*0.1*	*0.2*	*0.1*	*0.1*	.....	*0.1*	*0.7*	.....	*1.7*	.....	.....	.....	*0.1*	.....	*0.1*	158
19.4	19.4	19.3	15.4	18.6	13.7	4.8	7.1	2.7	8.0	10.0	*5.1*	4.5	6.8	2.5	12.3	15.4	10.2	
1.9	2.0	1.8	1.5	2.1	1.2	0.9	1.2	0.6	.....	.....	.....	1.0	1.3	0.7	1.1	1.8	0.6	159a
11.2	11.3	11.1	7.3	8.0	6.9	2.0	3.3	0.7	4.3	6.3	*1.7*	1.8	3.0	0.7	7.8	9.2	6.8	159b
6.2	6.1	6.4	6.6	8.5	5.6	2.0	2.7	1.3	3.6	*3.8*	*3.4*	1.8	2.6	1.1	3.4	4.4	2.7	159c
83.2	91.0	74.3	66.1	74.4	61.6	46.2	56.3	37.0	67.2	58.9	78.6	44.5	56.1	34.3	50.7	55.6	47.5	
13.5	12.7	14.4	8.5	5.9	10.0	7.9	9.6	6.4	17.4	11.3	25.6	7.1	9.4	5.1	6.1	4.4	7.2	160
50.1	56.5	42.7	40.5	46.2	37.5	31.3	38.8	24.4	44.1	40.1	49.5	30.2	38.6	22.8	34.4	38.0	32.0	161a
11.4	13.4	9.1	10.6	14.5	8.6	3.2	4.6	1.9	3.6	6.3	.....	3.1	4.4	2.0	6.1	8.2	4.7	161b
8.1	8.3	7.9	6.2	7.8	5.4	3.6	3.3	3.8	*2.2*	*1.3*	*3.4*	3.7	3.5	3.9	4.0	4.8	3.4	162
0.2	*0.1*	*0.2*	*0.1*	.....	*0.2*	0.3	*0.1*	*0.4*	.....	.....	.....	0.3	*0.1*	*0.5*	0.1	*0.1*	*0.1*	163
14.3	9.4	20.0	12.8	9.8	14.4	26.5	14.4	37.6	29.6	17.5	46.1	26.3	14.1	37.0	7.7	3.1	10.9	164
87.3	79.6	96.1	78.4	94.5	69.8	80.4	64.3	95.1	183.6	136.6	247.7	71.8	56.8	85.0	80.5	110.5	60.2	
12.1	11.7	12.6	12.9	17.0	10.8	3.8	6.4	1.4	11.6	16.3	*5.1*	3.1	5.4	1.1	13.3	20.5	8.4	
0.5	0.4	0.6	0.5	0.8	0.4	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.6	0.7	0.5	165
2.1	2.6	1.6	0.9	1.5	0.6	0.7	1.3	*0.1*	3.6	*5.0*	*1.7*	0.4	0.9	.....	2.8	4.4	1.7	166
0.9	1.4	0.3	0.8	2.1	*0.1*	*0.1*	*0.1*	.....	.....	.....	.....	*0.1*	*0.1*	.....	1.0	2.5	(1)	167
2.5	1.9	3.2	2.7	1.5	3.3	*0.2*	*0.2*	*0.1*	*0.7*	.....	*1.7*	*0.1*	*0.3*	.....	1.6	2.0	1.4	168
0.7	0.6	0.7	0.8	0.7	0.9	*0.2*	*0.1*	*0.2*	.....	.....	.....	*0.2*	*0.1*	*0.2*	0.6	0.8	0.5	169
3.7	3.3	4.2	5.5	7.8	4.2	2.3	4.1	0.7	6.5	10.0	*1.7*	2.0	3.5	0.7	5.6	8.1	3.8	170
1.2	1.1	1.4	1.1	1.5	0.9	*0.1*	*0.2*	.....	.....	.....	.....	*0.1*	*0.3*	.....	0.8	1.4	0.4	171
0.1	*0.1*	*0.1*	0.2	0.7	.....	*0.1*	*0.1*	.....	*0.7*	*1.3*	.....	.....	.....	.....	0.2	0.5	.....	172
0.2	*0.1*	*0.2*	*0.1*	*0.1*	*0.1*	.....	.....	.....	.....	.....	.....	.....	.....	.....	(1)	*0.1*	.....	173
0.2	*0.1*	*0.2*	0.3	*0.1*	0.4	*0.2*	*0.2*	*0.2*	.....	.....	.....	*0.2*	*0.3*	*0.2*	(1)	*0.1*	.....	174
4.8	6.6	2.7	4.4	7.1	2.9	21.1	11.1	30.1	59.3	26.3	104.2	17.9	9.6	25.2	10.1	19.1	4.0	
3.3	4.9	1.6	3.0	4.8	2.0	16.8	8.8	24.1	46.3	21.3	80.3	14.3	7.5	20.4	7.7	14.5	3.0	197
0.4	0.7	*0.2*	0.4	*0.5*	0.4	2.0	1.1	2.8	4.3	*2.5*	*6.8*	1.8	0.9	2.5	0.8	1.8	*0.2*	198
1.0	1.0	1.0	0.9	1.8	0.5	2.3	1.3	3.2	8.7	*2.5*	17.1	1.8	1.2	2.3	1.6	2.7	0.8	199

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), EACH CAUSE AND CLASS

[See note at head of this table, pp. 196, 197.]

Detailed List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.											
		MARYLAND.									MASSACHUSETTS.		
		Total.			Cities.			Rural districts.			Total.	Cities.	Rural districts.
		Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.			
	XIV.—External causes—Continued.												
	Accidental or undefined (total)	71.8	71.1	75.4	71.0	69.6	79.6	72.8	73.1	71.5	62.0	61.4	64.6
175	Poisoning by food	1.3	0.9	3.2	1.1	0.8	*2.5*	1.6	1.0	3.9	0.4	0.3	0.7
176	Poisoning by venomous animals	*0.1*	*0.1*	.....	*0.1*	*0.1*	.....	.....	.....	.....	(1)	(1)	.....
177	Other acute poisonings (gas excepted)	1.5	1.5	*1.6*	1.0	1.0	*0.8*	2.2	2.2	*2.3*	1.6	1.5	2.2
178	Conflagration	1.0	1.0	*0.8*	1.0	1.1	.....	0.9	*0.8*	*1.6*	1.0	1.1	0.7
179	Burns (conflagration excepted)	6.6	6.0	9.3	8.4	7.8	11.8	4.2	3.5	7.0	5.2	5.7	3.1
180	Mechanical suffocation	1.4	1.1	3.2	*0.5*	*0.1*	*2.5*	2.7	2.3	3.9	0.9	1.0	0.7
181	Absorption of irrespirable, irritating, or poisonous gas	2.2	2.2	2.0	3.4	3.4	*3.4*	*0.6*	*0.6*	*0.8*	3.3	4.0	*0.4*
182	Drowning	8.7	8.6	9.3	4.8	4.3	7.6	13.8	14.5	10.9	7.6	5.7	16.1
183	Traumatism by firearms (except in war)	2.4	1.7	6.1	1.6	0.8	5.9	3.6	2.9	6.2	0.7	0.7	0.8
184	Traumatism by cutting or piercing instruments	0.5	0.4	*0.8*	*0.5*	*0.6*	.....	*0.5*	*0.2*	*1.6*	0.6	0.6	*0.6*
185	Traumatism by fall	11.4	12.8	4.5	13.3	14.7	5.1	8.9	10 2	3.9	14.0	14.6	11.6
186a	Traumatism in mines	0.7	0.8	.....	*0.4*	*0.4*	.....	1.1	1.4	.....	(1)	.....	*0.1*
186b	Traumatism in quarries	*0.1*	*0.1*	.....	.....	.....	.....	*0.2*	*0.2*	.....	0.2	0.2	*0.1*
187	Traumatism by machines	1.8	1.7	2.0	2.3	2.1	*3.4*	1.1	1.2	*0.8*	1.3	1.3	1.4
188a	Railroad accidents	5.0	4.7	6.1	4.2	4.2	4.2	5.9	5.5	7.8	2.9	2.5	4.5
188b	Street-car accidents	1.8	2.0	*0.4*	2.9	3.4	.....	*0.8*	*0.2*	*0.8*	1.4	1.5	0.8
188c	Automobile accidents	12.0	13.0	6.9	14.3	14.8	11.0	9.1	10.6	*3.1*	13.3	13.8	11.2
188d	Aeroplane and balloon accidents	0.6	0.7	.....	.....	.....	.....	1.4	1.8	.....	*0.1*	*0.1*	*0.1*
188e,f	Injuries by other vehicles	2.5	2.4	2.8	2.2	2.0	*3.4*	3.0	3.1	*2.5*	1.8	1.8	2.0
188g	Landslide, other crushing	0.5	0.6	*0.4*	*0.2*	*0.3*	.....	0.9	1.0	*0.8*	0.2	0.2	*0.3*
189	Injuries by animals (not poisoning)	0.7	0.5	*1.6*	*0.4*	*0.4*	.....	1.1	*0.6*	*3.1*	0.2	*0.1*	0.7
190	Wounds of war	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
192	Starvation (deprivation of food or water)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
193	Excessive cold	*0.1*	*0.1*	.....	.....	.....	.....	*0.2*	*0.2*	.....	0.2	*0.1*	0.7
194	Excessive heat	2.3	1.7	5.3	2.6	2.1	5.9	1.9	1.2	4.7	0.7	0.6	0.8
195	Lightning	0.4	*0.3*	*0.8*	.....	.....	.....	0.9	0.8	*1.6*	0.2	*0.1*	0.7
196	Other accidental electric shocks	0.7	0.7	*1.2*	1.2	1.0	*2.5*	*0.2*	*0.2*	.....	1.0	0.9	1.4
201	Fracture (cause not specified)	0.5	0.7	.....	*0.2*	*0.3*	.....	0.9	1.2	.....	0.3	0.3	*0.1*
202	Other external violence	4.1	3.8	5.3	4.1	3.2	9.3	4.1	4.7	*1.6*	2.3	2.4	2.0
203	Violent deaths of unknown causation	1.1	1.0	*1.6*	0.6	0.7	.....	1.7	1.4	*3.1*	0.6	0.5	0.8
	XV.—Ill-defined diseases	11.6	6.7	36.1	1.7	1.4	*3.4*	24.5	14.1	66.1	4.2	3.7	6.3
204	Sudden death	0.9	0.7	2.0	.....	.....	.....	2.0	1.6	3.9	0.8	0.7	1.3
205a	Ill-defined	3.5	2.5	8.1	*0.5*	*0.3*	*1.7*	7.3	5.7	14.0	3.0	2.7	4.3
205b	Not specified or unknown	7.3	3.5	25.9	1.2	1.1	*1.7*	15.2	6.8	48.2	0.4	0.3	0.7

[1] Less than one-tenth of 1 per 100,000 population.

ITS MAIN SUBDIVISIONS, AND IN EACH REGISTRATION STATE, BY CITIES AND RURAL DISTRICTS, FROM OF CAUSES: 1921—Continued.

[See note at head of this table, pp. 196, 197.]

DEATH RATE PER 100,000 POPULATION.																	Detailed List No.
MICHIGAN.			MINNESOTA.			MISSISSIPPI.									MISSOURI.		
						Total.			Cities.			Rural districts.					
Total.	Cities.	Rural districts.	Total.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	Cities.	Rural districts.	
70.4	61.3	80.8	61.1	70.5	56.1	55.6	46.7	63.6	112.8	94.0	138.4	50.8	41.9	58.6	57.1	71.0	47.8	
1.1	0.7	1.5	0.9	1.3	0.6	1.3	0.9	1.6	*2.9*	*2.5*	*3.4*	1.1	0.8	1.5	1.0	0.8	1.2	175
0.1	(1)	*0.1*	*0.1*	*0.4*	.....	0.3	.....	0.5	.....	.....	.....	0.3	.....	0.6	*0.1*	.....	*0.1*	176
1.9	1.8	2.0	1.7	2.5	1.3	1.5	1.5	1.4	*2.2*	*2.5*	*1.7*	1.4	1.4	1.4	2.0	2.8	1.5	177
1.7	1.0	2.5	1.2	*0.5*	1.6	1.3	0.6	2.0	*1.4*	.....	*3.4*	1.3	0.6	1.9	0.7	0.5	0.8	178
3.9	4.6	3.1	3.4	5.2	2.4	9.5	7.1	11.6	14.5	10.0	20.5	9.1	6.8	11.0	4.7	6.1	3.8	179
1.5	1.4	1.6	1.1	*0.5*	1.5	1.7	0.7	2.7	*0.7*	.....	*1.7*	1.8	0.8	2.7	0.7	0.7	0.7	180
1.3	2.3	*0.1*	1.6	4.0	0.3	*0.1*	*0 2*	.....	.....	.....	.....	*0.1*	*0.3*	.....	1.2	2.5	0.3	181
9.5	5.3	14.4	8.9	5.5	10.7	5.2	3.2	7.0	6.5	6.3	*6.8*	5.1	2.8	7.1	4.9	3.3	6.0	182
2.4	1.2	3.8	3.0	1.5	3.8	7.3	3.6	10.7	16.6	8.8	27.3	6.5	3.1	9.6	2.4	2.2	2.5	183
0.6	0.4	0.7	0.6	0.8	0.4	0.7	*0.5*	1.0	*2.2*	.....	*5.1*	0.6	*0.5*	0.7	0.4	*0.3*	0.4	184
9.6	8.4	11.0	10.1	14.1	8.0	5.0	5.5	4.5	9.4	8.8	10.3	4.6	5.2	4.1	10.9	13.5	9.2	185
1.1	0.3	2.0	0.8	*0.5*	1.0	*0.1*	.....	*0.1*	.....	.....	.....	*0.1*	.....	*0.1*	1.1	0.7	1.4	186a
0.1	.....	*0.1*	(1)	.....	*0.1*	.....	.....	.....	.....	.....	.....	.....	.....	.....	*0.1*	*0.3*	.....	186b
1.9	1.9	1.9	2.0	2.6	1.7	1.2	1.6	0.9	4.3	*5.0*	*3.4*	1.0	1.3	0.7	1.8	2.3	1.4	187
5.7	5.2	6.3	5.6	6.0	5.4	5.2	6.1	4.4	19.5	21.3	17.1	4.0	4.5	3.5	5.7	5.4	5.8	188a
2.5	2.9	2.1	0.7	2.0	*0.1*	*0.1*	.....	*0.1*	*0.7*	.....	*1.7*	.....	.....	.....	1.0	2.2	*0.2*	188b
11.6	13.3	9.6	8.9	13.6	6.4	2.6	3.6	1.6	9.4	15.0	*1.7*	2.0	2.5	1.6	8.1	15.3	3.2	188c
0.1	*0.1*	.....	*0.1*	.....	*0.2*	*0.1*	*0.1*	.....	*0.7*	*1.3*	.....	.....	.....	.....	*0.1*	*0.1*	(1)	188d
2.3	1.1	3.6	2.0	1.9	2.0	1.6	1.9	1.4	3.6	*3.3*	*3.4*	1.5	1.7	1.3	1.8	2.0	1.6	188e,f
0.5	0.4	0.6	0.5	*0.2*	0.6	0.3	*0.2*	*0.4*	*0.7*	.....	*1.7*	0.3	*0.3*	*0.3*	0.6	0.8	0.4	188
1.0	0.2	1.8	1.4	*0.5*	1.9	0.6	*0.5*	0.7	*1.4*	.....	*3.4*	0.5	*0.5*	0.6	1.4	1.0	1.6	189
.....	.....	.....	(1)	*0.1*	.....	*0.1*	.....	*0.1*	.....	.....	.....	*0.1*	.....	*0.1*	(1)	*0.1*	.....	190
0.1	(1)	*0.1*	.....	.....	.....	*0.1*	.....	*0.1*	.....	.....	.....	*0.1*	.....	*0.1*	(1)	.....	(1)	192
0.4	*0.2*	0.6	0.4	*0.4*	0.4	.....	.....	.....	.....	.....	.....	.....	.....	.....	(1)	*0.1*	.....	193
2.0	1.9	2.1	1.0	1.8	0.6	0.8	*0.5*	1.2	.....	.....	.....	0.9	*0.5*	1.3	1.3	2.2	0.7	194
0.6	(1)	1.3	0.3	.....	0.5	1.4	0.6	2.1	*0.7*	.....	*1.7*	1.5	0.6	2.2	0.7	*0.2*	1.0	195
1.1	1.3	0.8	0.6	*0.4*	0.8	0.5	0.7	*0.3*	*0.7*	*1.3*	.....	0.5	0.6	*0.3*	1.0	1.8	0.4	196
1.2	0.9	1.5	*0.2*	*0.4*	*0.1*	0.4	*0.4*	*0.4*	*2.9*	*2.5*	*3.4*	*0.2*	*0.1*	*0.2*	0.4	0.7	0.3	201
3.2	2.7	3.8	3.0	2.8	3.0	5.8	6.2	5.3	10.1	*5.0*	17.1	5.4	6.3	4.6	2.0	1.8	2.2	202
1.5	1.4	1.6	0.9	1.2	0.8	0.9	*0.5*	1.4	*1.4*	.....	*3.4*	0.9	*0.5*	1.3	1.2	1.5	0.9	203
7.1	2.9	12.0	6.3	2.2	8.5	117.3	41.2	186.7	96.2	16.3	205.0	119.1	43.8	185.5	12.6	3.0	19.1	
0.4	.....	0.8	0.2	.....	0.4	3.6	2.0	5.0	*1.4*	.....	*3.4*	3.8	2.2	5.1	0.7	.....	1.2	204
2.8	1.3	4.4	1.4	*0.5*	1.9	13.0	6.4	18.9	27.5	*3.8*	59.8	11.7	6.7	16.2	4.3	1.9	5.9	205
4.0	1.5	6.8	4.7	1.8	6.2	100.8	32.8	162.8	67.2	12.5	141.8	103.6	34.9	164.2	7.6	1.1	12.1	205

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), EACH CAUSE AND CLASS

[See note at head of this table, pp. 196, 197.]

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.											
		MONTANA.			NEBRASKA.			NEW HAMPSHIRE.			NEW JERSEY.		
		Total.	Cities.	Rural districts.	Total.	Cities.	Rural districts.	Total.	Cities.	Rural districts.	Total.	Cities.	Rural districts.
	All causes [1]	815.3	1,188.0	717.1	915.6	1,309.1	803.3	1,371.2	1,345.7	1,391.4	1,166.5	1,154.0	1,190.2
	I.—Epidemic, endemic, and infectious diseases	119.7	141.6	113.9	99.0	171.2	78.4	144.5	144.3	144.6	166.3	159.5	179.3
1	Typhoid and paratyphoid fever	3.5	4.2	3.3	5.0	6.5	4.6	3.6	4.6	2.8	4.5	4.5	4.6
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Relapsing fever (spirillum obermeieri)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Malta fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Malaria	.....	.....	.....	*0.2*	*0.3*	*0.2*	*0.2*	*0.5*	.....	0.3	0.2	*0.4*
6	Smallpox	*0.5*	*0.8*	*0.4*	0.7	*1.0*	0.6	.....	.....	.....	.....	.....	.....
7	Measles	6.1	5.0	6.4	2.1	2.1	2.2	2.7	*1.5*	3.6	3.5	4.1	2.5
8	Scarlet fever	1.7	*0.8*	2.0	7.2	10.0	6.4	4.9	4.1	5.6	7.3	8.8	4.4
9	Whooping cough	12.0	15.8	11.0	5.0	*1.0*	6.1	8.1	9.1	7.3	10.2	8.9	12.7
10	Diphtheria	8.2	*3.3*	9.4	11.1	32.3	5.1	16.9	26.9	8.9	18.5	19.3	16.9
11a	Influenza (with pulmonary complications)	4.5	5.0	4.4	4.9	6.5	4.4	9.0	8.1	9.7	7.0	5.3	10.1
11b	Influenza (other and unspecified)	4.0	6.7	3.3	5.1	3.1	5.7	4.9	3.6	6.0	3.3	2.7	4.3
12	Miliary fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Mumps	*0.2*	*0.8*	.....	*0.1*	.....	*0.1*	*0.4*	*1.0*	.....	(2)	(2)	.....
14	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	Cholera nostras	*0.2*	.....	*0.2*	.....	.....	.....	*0.4*	.....	*0.8*	*0.1*	(2)	*0.1*
16	Dysentery	1.9	*3.3*	1.5	2.1	*1.4*	2.4	2.0	2.5	*1.6*	0.9	0.8	1.1
17	Plague	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
18	Yellow fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
19	Spirochetal hemorrhagic jaundice	.....	.....	.....	.....	.....	.....	.....	.....	.....	*0.1*	*0.1*	.....
20	Leprosy	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
21	Erysipelas	3.0	9.2	1.3	3.7	4.8	3.4	4.9	6.6	3.6	2.3	2.6	1.7
22	Acute anterior poliomyelitis	*0.3*	*0.3*	*0.2*	2.2	3.4	1.9	*0.4*	.....	*0.8*	1.5	1.7	1.2
23	Lethargic encephalitis	*0.5*	*2.5*	.....	1.8	5.1	0.9	*0.7*	*1.0*	*0.4*	1.4	1.8	0.8
24	Meningococcus meningitis	1.2	*2.5*	*0.9*	1.2	1.7	1.1	1.1	*1.0*	*1.2*	1.7	2.1	0.9
25	Other epidemic and endemic diseases	1.7	*1.7*	1.8	*0.2*	.....	*0.2*	*0.7*	*0.5*	*0.8*	0.2	0.2	*0.2*
26	Glanders	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
27	Anthrax	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
28	Rabies	.....	.....	.....	.....	.....	.....	*0.2*	.....	*0.4*	(2)	.....	*0.1*
29	Tetanus	.....	.....	.....	1.4	2.7	1.0	*0.4*	.....	*0.8*	2.1	2.5	1.4
30	Mycoses	*0.2*	*0.8*	.....	*0.1*	.....	*0.1*	.....	.....	.....	*0.1*	*0.1*	*0.1*
	Tuberculosis (total)	61.8	63.3	61.5	37.1	66.9	28.6	78.9	68.6	87.0	93.6	84.6	110.6
31	Of the respiratory system	54.7	50.8	55.8	30.9	54.9	24.1	64.3	50.8	74.9	81.7	71.8	100.4
32	Of the meninges, central nervous system	2.8	4.2	2.4	1.8	4.5	1.1	6.1	9.7	3.2	5.4	5.8	4.6
33	Of the intestines, peritoneum	1.0	*2.5*	*0.7*	1.5	1.7	1.5	2.7	3.0	2.4	2.2	2.7	1.4
34	Of the vertebral column	*0.5*	*0.8*	*0.4*	*0.2*	.....	*0.3*	*0.9*	*1.5*	*0.4*	1.0	1.0	1.0
35	Of the joints	*0.3*	*1.7*	.....	*0.2*	.....	*0.3*	*0.4*	.....	*0.8*	0.5	0.5	0.5
36	Of other organs	0.9	*2.5*	*0.4*	0.8	1.7	0.5	2.0	*2.0*	2.0	1.0	1.2	0.7
37a	Disseminated (acute)	1.0	*0.8*	1.1	1.2	3.1	0.7	1.3	*1.0*	*1.6*	1.4	1.2	1.8
37b	Disseminated (chronic or unspecified)	*0.5*	.....	*0.7*	0.4	*1.0*	*0.2*	1.1	*0.5*	*1.6*	0.2	0.3	*0.1*
38	Syphilis	4.5	9.2	3.3	5.3	16.8	2.0	2.0	*2.0*	2.0	6.3	7.1	4.8
39	Soft chancre	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
40	Gonococcus infection	0.9	*2.5*	*0.4*	0.5	2.1	*0.1*	*0.2*	*0.5*	.....	0.5	0.8	.....
41	Purulent infection, septicemia	2.8	*3.3*	2.6	2.0	3.4	1.6	1.6	*2.0*	*1.2*	1.0	1.2	0.4
42	Other infectious diseases	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	II.—General diseases not included in Class I	84.1	161.6	63.7	125.6	184.3	108.8	178.0	172.3	182.5	133.7	138.1	125.3
	Cancer and other malignant tumors (total)	54.7	101.6	42.4	82.4	122.5	70.9	119.8	115.4	123.3	93.3	95.1	89.8
43	Of the buccal cavity	1.9	4.2	1.3	1.7	2.7	1.4	3.6	*1.0*	5.6	2.7	2.6	2.8
44	Of the stomach, liver	22.8	38.3	18.7	36.0	46.3	33.1	44.7	41.7	47.1	34.9	35.3	34.2
45	Of the peritoneum, intestines, rectum	7.3	9.2	6.8	13.6	22.6	11.1	19.1	18.8	19.3	14.4	15.8	11.7
46	Of the female genital organs	6.9	16.7	4.4	10.1	18.2	7.7	18.2	18.8	17.7	14.2	14.5	13.8
47	Of the breast	4.3	10.0	2.9	5.4	6.2	5.2	11.9	12.7	11.3	8.5	7.6	10.3
48	Of the skin	1.2	*0.8*	1.3	2.1	*1.4*	2.4	4.5	2.5	6.0	2.2	2.0	2.7
49	Of other or unspecified organs	10.3	22.5	7.0	13.4	25.0	10.1	17.8	19.8	16.1	16.3	17.3	14.3
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	*0.7*	*2.5*	*0.2*	1.1	2.1	0.9	*0.9*	*1.5*	*0.4*	1.0	1.1	1.0
51	Acute rheumatic fever	4.0	6.7	3.3	2.7	2.7	2.6	3.8	4.6	3.2	5.1	5.5	4.2
52	Chronic rheumatism, osteoarthritis, gout	*0.5*	*0.8*	*0.4*	1.3	2.1	1.1	2.0	2.5	*1.6*	1.3	0.9	1.9
53	Scurvy	.....	.....	.....	.....	.....	.....	*0.2*	.....	*0.4*	0.2	0.2	.....
54	Pellagra	.....	.....	.....	*0.1*	.....	*0.1*	.....	.....	.....	*0.1*	*0.1*	.....
55	Beriberi	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
56	Rickets	*0.3*	.....	*0.4*	*0.3*	.....	*0.4*	*0.2*	*0.5*	.....	0.7	0.8	0.5
57	Diabetes mellitus	9.9	19.2	7.5	19.5	23.0	18.5	29.0	24.4	32.6	19.7	20.1	19.0
58	Anemia, chlorosis	3.6	9.2	2.2	7.6	12.4	6.3	8.8	7.1	10.1	3.9	4.4	2.8
59	Diseases of the pituitary gland	.....	.....	.....	*0.2*	.....	*0.2*	*0.2*	*0.5*	.....	*0.1*	.....	*0.2*
60a	Exophthalmic goiter	1.0	*2.5*	*0.7*	0.9	*1.4*	0.8	*0.9*	*1.5*	*0.4*	0.8	1.0	0.4
60b	Other diseases of the thyroid gland	1.4	*3.3*	*0.9*	1.1	3.4	0.5	1.8	*2.0*	*1.6*	0.6	0.7	*0.4*
61	Diseases of the parathyroid glands	.....	.....	.....	*0.1*	.....	*0.1*	.....	.....	.....	(2)	(2)	.....
62	Diseases of the thymus gland	*0.2*	.....	*0.2*	0.5	*1.4*	*0.2*	*0.2*	*0.5*	.....	0.5	0.6	*0.3*
63	Diseases of the adrenals (Addison's disease)	*0.5*	*0.8*	*0.4*	1.1	*1.4*	1.0	*0.4*	.....	*0.8*	0.3	0.4	*0.2*
64	Diseases of the spleen	*0.3*	.....	*0.4*	*0.1*	*0.3*	.....	*0.2*	*0.5*	.....	0.4	0.5	*0.2*
65a	Leukemia	0.9	*1.7*	*0.7*	2.2	3.1	2.0	1.1	*1.0*	*1.2*	1.4	1.7	0.9
65b	Hodgkin's disease	*0.2*	*0.8*	.....	0.6	*1.0*	0.5	*0.9*	*1.5*	*0.4*	0.6	0.6	0.7
66	Alcoholism (acute or chronic)	3.3	8.3	2.0	1.1	2.4	0.8	2.7	*2.0*	3.2	1.5	1.6	1.4
67a	Chronic lead poisoning	*0.3*	.....	*0.4*	*0.2*	*0.3*	*0.2*	*0.2*	*0.5*	.....	0.2	*0.2*	*0.3*
67b	Other chronic mineral poisoning	.....	.....	.....	.....	.....	.....	.....	.....	.....	*0.1*	(2)	*0.1*
68	Chronic poisoning by organic substances	*0.3*	*1.7*	.....	*0.2*	*0.7*	.....	.....	.....	.....	0.3	0.5	.....
69	Other general diseases	1.7	*2.5*	1.5	2.4	4.1	1.9	4.5	6.1	3.2	1.6	1.9	1.1

[1] Exclusive of stillbirths.

ITS MAIN SUBDIVISIONS, AND IN EACH REGISTRATION STATE, BY CITIES AND RURAL DISTRICTS, FROM OF CAUSES: 1921—Continued.

[See note at head of this table, pp. 196, 197.]

DEATH RATE PER 100,000 POPULATION.														Detailed List No.
NEW YORK.			NORTH CAROLINA.									OHIO.			
			Total.			Cities.			Rural districts.						
Total.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	Cities.	Rural districts.	
1,232.3	1,178.3	1,428.5	1,126.9	990.4	1,444.4	1,577.5	1,339.2	2,026.7	1,062.5	944.2	1,346.2	1,134.9	1,123.7	1,149.1	
170.7	167.4	182.7	202.8	155.1	313.6	308.8	218.1	479.8	187.6	146.8	285.6	169.8	172.8	166.1	
3.6	3.3	4.8	12.0	8.6	19.8	9.8	5.1	18.5	12.3	9.1	20.1	9.2	7.1	11.8	1
(2)	(2)														2
															3
															4
0.2	0.1	0.3	6.9	4.4	12.7	6.7	2.8	14.1	6.9	4.6	12.5	0.2	0.2	0.3	5
(2)	(2)		0.8	0.6	1.1	*0.6*	*0.5*	*0.9*	0.8	0.6	1.2	0.3	0.2	0.4	6
4.9	4.8	5.2	5.6	6.3	4.1	10.4	11.7	7.9	4.9	5.6	3.4	2.5	2.7	2.2	7
6.7	7.4	4.2	1.7	2.2	0.6	2.4	3.3	*0.9*	1.6	2.0	*0.6*	7.4	9.0	5.4	8
7.6	7.6	7.7	14.7	12.4	20.1	13.1	10.8	17.6	15.0	12.6	20.5	8.7	7.2	10.6	9
16.2	17.8	10.1	14.2	16.3	9.5	9.8	9.8	9.7	14.9	17.1	9.5	18.4	19.6	16.8	10
4.8	4.2	6.9	8.5	7.9	9.9	13.1	8.9	21.2	7.9	7.8	8.0	6.1	4.8	7.6	11a
3.0	1.9	6.7	5.9	5.3	7.4	8.9	6.1	14.1	5.5	5.2	6.2	5.6	3.4	8.4	11b
															12
0.1	0.1	*0.1*	*0.1*	*0.1*	*0.1*	*0.6*	*0.5*	*0.9*				0.1	*0.1*	*0.1*	13
															14
0.2	(2)	0.6	0.5	0.4	0.6				0.6	0.5	0.7	0.2	*0.1*	0.2	15
0.8	0.5	1.8	10.0	9.9	10.2	7.9	6.1	11.5	10.3	10.4	10.0	3.2	2.0	4.8	16
															17
															18
0.1	0.1	(2)										(2)	(2)	(2)	19
(2)	(2)														20
3.2	3.1	3.3	2.0	2.5	0.8	*1.2*	*1.9*		2.1	2.5	0.9	3.0	3.0	3.0	21
2.6	2.3	3.5	1.0	1.0	0.9				1.1	1.2	1.0	1.4	1.5	1.3	22
2.1	2.3	1.4	0.5	0.5	*0.4*	*0.6*	*0.9*		0.4	0.4	*0.4*	2.3	3.2	1.2	23
1.9	2.3	0.7	1.3	1.3	1.5	3.1	2.8	*3.5*	1.1	1.1	1.2	0.9	1.0	0.9	24
0.2	0.3	*0.2*	*0.1*	*0.1*	*0.1*				*0.1*	*0.1*	*0.1*	0.1	*0.1*	*0.1*	25
															26
0.1	0.1	(2)										*0.1*	(2)	*0.1*	27
(2)	(2)		*0.1*	*0.1*		*0.3*	*0.5*		(2)	*0.1*		*0.1*	(2)	*0.1*	28
0.9	0.7	1.3	2.0	1.0	4.5	4.0	*1.9*	7.9	1.7	0.9	3.9	1.4	1.2	1.6	29
0.2	0.1	0.2	0.6	*0.1*	1.7	*0.6*	*0.5*	*0.9*	0.6	*0.1*	1.8	0.2	0.2	0.2	30
102.4	98.3	117.4	104.8	69.3	187.4	192.0	131.5	306.0	92.3	61.0	167.4	89.1	93.8	83.3	
88.9	83.9	106.7	95.3	62.8	171.1	170.6	118.9	268.1	84.6	55.3	154.7	75.0	77.6	71.8	31
6.0	6.9	3.0	2.0	1.8	2.3	6.4	7.0	5.3	1.3	1.1	1.8	4.4	5.6	2.8	32
2.8	2.7	3.3	3.7	2.5	6.6	7.0	2.3	15.9	3.3	2.5	5.1	4.1	4.3	3.8	33
1.1	1.0	1.2	0.7	0.5	1.1	1.5	*0.5*	*3.5*	0.6	0.6	0.7	1.3	1.4	1.1	34
0.6	0.5	0.8	0.5	0.4	0.9	*0.6*	*0.5*	*0.9*	0.5	0.4	0.9	0.5	0.6	0.5	35
1.3	1.3	1.3	1.1	0.7	2.2	1.8	*0.9*	*3.5*	1.0	0.6	1.9	1.4	1.2	1.6	36
1.5	1.7	0.8	1.2	0.6	2.5	3.1	*1.4*	6.2	0.9	0.5	1.9	1.7	2.3	1.0	37a
0.2	0.2	0.3	0.2		0.6	*0.9*		*2.6*	*0.1*		*0.3*	0.8	0.8	0.7	37b
7.5	8.3	4.5	6.3	2.5	15.1	15.3	7.0	30.9	5.0	1.9	12.5	7.9	10.6	4.4	38
(2)	(2)														39
0.5	0.6	0.3	0.9	0.3	2.3	2.8	*1.9*	4.4	0.7	*0.1*	1.9	0.6	0.9	0.2	40
1.0	0.9	1.3	2.2	2.0	2.7	5.5	3.7	8.8	1.7	1.8	1.6	0.9	0.9	1.0	41
(2)	(2)														42
153.2	149.3	167.4	77.9	77.0	79.8	125.7	120.7	134.9	71.0	71.3	70.5	133.1	135.9	129.5	
105.7	102.3	117.9	42.9	44.6	38.8	62.4	62.2	62.6	40.1	42.3	34.8	89.8	90.5	89.0	
3.4	3.2	4.3	1.3	1.6	*0.5*	*0.9*	*1.4*		*1.4*	1.7	*0.6*	2.8	2.5	3.3	43
37.6	37.2	39.1	13.3	14.6	10.2	19.9	22.9	14.1	12.3	13.5	9.5	35.1	34.2	36.2	44
16.8	16.9	16.5	4.4	5.0	3.2	8.6	8.4	8.8	3.8	4.5	2.2	12.2	12.4	11.9	45
14.3	13.5	17.1	9.9	8.0	14.5	14.1	8.9	23.8	9.4	7.9	12.9	12.8	14.6	10.5	46
10.1	9.3	12.9	3.7	4.0	2.9	6.1	6.1	6.2	3.3	3.7	2.4	8.7	8.0	9.7	47
2.7	2.0	5.2	2.9	3.7	0.9	2.8	3.3	*1.8*	2.9	3.8	0.7	3.2	2.4	4.2	48
20.8	20.3	22.7	7.3	7.7	6.6	10.1	11.2	7.9	7.0	7.2	6.4	15.1	16.4	13.3	49
1.0	0.9	1.6	0.8	0.5	1.3	*1.2*	*0.9*	*1.8*	0.7	0.5	1.2	0.7	0.6	0.7	50
4.2	4.4	3.5	3.3	2.4	5.2	2.8		7.9	3.3	2.7	4.8	3.6	3.7	3.5	51
1.0	0.6	2.6	1.0	1.1	0.8	*1.2*	*0.9*	*1.8*	1.0	1.1	0.6	1.3	1.1	1.5	52
(2)	(2)	(2)	0.2	*0.1*	*0.4*				0.2	*0.1*	*0.4*	(2)	(2)		53
0.2	0.1	0.3	12.9	10.3	19.1	25.7	18.2	39.7	11.1	9.2	15.6	*0.1*	*0.1*	(2)	54
															55
0.6	0.6	0.7	0.4	*0.2*	0.9	*0.3*		*0.9*	0.4	*0.2*	0.9	0.5	0.6	0.3	56
23.4	23.9	21.5	7.5	8.3	5.6	14.7	16.4	11.5	6.4	7.2	4.6	18.0	17.5	18.7	57
5.2	4.2	8.9	2.0	2.5	0.9	5.2	7.5	*0.9*	1.6	1.9	0.9	5.7	6.1	5.3	58
0.1	0.1	(2)										(2)		(2)	59
1.5	1.5	1.6	0.6	0.3	1.3	*0.9*	*0.6*	*1.8*	0.6	0.3	1.2	3.9	4.4	3.3	60a
0.8	0.7	0.9	0.5	0.6	*0.4*	*0.6*	*0.5*	*0.9*	0.5	0.6	*0.3*	1.1	1.4	0.8	60b
0.1	0.1		(2)	*0.1*					(2)	*0.1*		*0.1*	*0.1*		61
1.0	1.0	0.7	0.5	0.4	*0.5*	*0.9*	*0.9*	*0.9*	0.4	0.4	*0.4*	0.6	0.9	0.3	62
0.6	0.5	0.9										0.4	0.5	0.3	63
0.4	0.4	0.3	*0.2*	*0.2*	*0.1*				*0.2*	*0.2*	*0.1*	0.2	0.3	0.2	64
1.7	1.7	1.4	0.9	0.9	0.9	1.8	*1.9*	*1.8*	0.8	0.8	0.7	1.4	1.4	1.5	65a
0.9	1.0	0.6	0.3	0.3	*0.3*	*0.3*	*0.5*		0.3	*0.2*	*0.3*	0.8	1.0	0.6	65b
1.5	1.6	1.2	1.3	1.3	1.5	2.8	2.8	*2.6*	1.1	1.1	1.3	2.1	3.0	1.0	66
0.2	0.2	0.2	(2)	*0.1*		*0.3*	*0.5*					0.3	0.3	0.2	67a
			(2)		*0.1*				(2)		*0.1*				67b
0.5	0.6	*0.2*	0.3	0.5		*0.9*	*1.4*		0.3	0.4		0.2	0.2	*0.2*	68
2.6	2.6	2.5	2.3	2.4	1.8	3.7	5.6		2.0	2.0	2.1	2.1	2.2	2.0	69

[2] Less than one-tenth of 1 per 100,000 population.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), EACH CAUSE AND CLASS

[See note at head of this table, pp. 196, 197.]

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.											
		MONTANA.			NEBRASKA.			NEW HAMPSHIRE.			NEW JERSEY.		
		Total.	Cities.	Rural districts.	Total.	Cities.	Rural districts.	Total.	Cities.	Rural districts.	Total.	Cities.	Rural districts.
	III.—Diseases of the nervous system and of the organs of special sense	75.4	104.1	67.8	104.9	117.0	101.5	179.8	168.2	188.9	130.0	107.8	172.1
70	Encephalitis	1.4	2.5	1.1	1.4	1.7	1.4	1.6	1.5	1.6	0.9	1.1	0.6
71a	Simple meningitis	2.3	5.0	1.5	2.9	2.1	3.1	2.9	4.1	2.0	3.0	3.2	2.4
71b	Nonepidemic cerebrospinal meningitis	0.7	0.3	0.7	1.4	2.1	1.2	1.8	3.0	0.8	0.8	1.0	0.5
72	Tabes dorsalis (locomotor ataxia)	1.2	3.3	0.7	1.2	2.4	0.9	2.9	3.0	2.8	1.6	1.2	2.3
73	Other diseases of the spinal cord	3.0	4.2	2.6	6.6	5.8	6.8	4.5	7.6	2.0	5.6	4.7	7.4
74a	Cerebral hemorrhage	42.0	66.6	35.6	63.1	72.7	60.3	131.7	113.8	145.8	92.9	77.8	121.4
74b	Cerebral embolism and thrombosis	2.1	3.3	1.8	3.4	7.2	2.3	6.1	4.1	7.7	2.6	2.4	2.8
75	Paralysis without specified cause	3.5	5.8	2.9	6.1	3.1	7.0	6.3	6.1	6.4	3.7	2.6	5.7
76	General paralysis of the insane	4.9	.....	6.1	4.5	2.7	5.0	5.2	6.6	4.0	5.6	2.4	11.7
77	Other forms of mental alienation	4.2	0.8	5.0	1.7	1.0	1.9	3.4	5.6	1.6	2.1	0.9	4.4
78	Epilepsy	2.8	2.5	2.9	3.6	0.7	4.4	2.9	2.5	3.2	2.8	1.3	5.7
79	Convulsions (nonpuerperal; 5 years and over)	.....	.....	.....	0.1	.....	0.1	0.2	.....	0.4	(1)	(1)	.....
80	Infantile convulsions (under 5 years)	2.4	.....	3.1	2.5	3.1	2.4	2.9	3.0	2.8	1.8	1.6	2.1
81	Chorea	.....	.....	.....	0.1	.....	0.1	0.4	.....	0.8	0.1	0.1	0.1
82	Neuralgia and neuritis	.....	.....	.....	0.3	0.3	0.3	0.2	.....	0.4	0.2	0.1	0.4
83	Softening of the brain	.....	.....	.....	0.7	0.3	0.8	2.2	1.0	3.2	0.6	0.7	0.6
84	Other diseases of the nervous system	1.4	1.7	1.3	2.8	5.5	2.1	2.5	2.5	2.4	2.1	2.1	2.1
85	Diseases of the eye and annexa	0.2	.....	0.2	0.1	0.3	.....	.....	.....	.....	0.2	0.3	.....
86a	Diseases of the ear	1.9	5.0	1.1	1.5	3.4	1.0	1.3	2.0	0.8	1.9	2.3	1.2
86b	Diseases of the mastoid process	1.6	2.5	1.3	1.1	2.4	0.7	0.7	1.5	.....	1.4	1.9	0.5
	IV.—Diseases of the circulatory system	103.7	168.3	86.7	134.9	181.9	121.5	275.3	225.6	314.6	198.5	185.8	222.5
87	Pericarditis	0.3	.....	0.4	0.7	0.7	0.7	1.1	2.0	0.4	0.6	0.5	0.8
88	Endocarditis and myocarditis (acute)	3.3	5.0	2.9	5.0	8.6	3.9	4.7	7.1	2.8	9.1	9.4	8.7
89	Angina pectoris	4.9	5.8	4.6	9.1	10.0	8.9	24.7	25.9	23.8	7.9	6.2	11.0
90	Other diseases of the heart	82.3	137.5	67.8	98.8	132.1	89.3	181.3	132.6	219.9	161.3	154.0	175.3
91a	Aneurysm	1.4	1.7	1.3	1.1	2.1	0.8	0.7	1.0	0.4	1.4	1.6	0.9
91b,c	Other diseases of the arteries	8.0	10.8	7.2	16.1	21.6	14.5	58.0	49.8	64.5	16.1	12.1	23.8
92	Embolism and thrombosis (not cerebral)	2.8	6.7	1.8	2.7	4.8	2.1	3.1	4.1	2.4	1.1	1.2	1.0
93	Diseases of the veins	0.3	0.8	0.2	1.0	1.7	0.8	1.1	2.5	.....	0.6	0.5	0.8
94	Diseases of the lymphatic system	.....	.....	.....	0.3	.....	0.4	0.2	0.5	.....	0.2	0.2	0.3
95	Hemorrhage without specified cause	0.2	.....	0.2	0.2	0.3	0.2	0.2	.....	0.4	0.1	0.1	.....
96	Other diseases of the circulatory system	0.2	.....	0.2	.....	.....	.....	.....	.....	.....	.....	.....	.....
	V.—Diseases of the respiratory system	85.1	125.0	74.6	76.0	115.6	64.6	121.3	116.4	125.3	118.5	124.9	106.3
97a	Diseases of the nasal fossae	0.3	.....	0.4	0.3	.....	0.4	0.2	0.5	.....	0.1	(1)	0.2
97b	Diseases of the nasal fossae annexa	0.2	0.8	.....	0.6	1.7	0.3	.....	.....	.....	0.5	0.5	0.4
98	Diseases of the larynx	0.3	.....	0.4	0.6	.....	0.8	1.3	1.0	1.6	0.9	0.7	1.2
99a	Acute bronchitis	2.6	5.8	1.8	1.3	1.4	1.3	7.2	9.1	5.6	4.8	5.3	3.9
99b	Chronic bronchitis	1.0	0.8	1.1	1.2	.....	1.6	6.1	4.1	7.7	2.9	2.8	3.0
99c	Bronchitis (unspecified, under 5 years)	0.5	.....	0.7	0.8	0.7	0.8	1.8	1.5	2.0	1.2	1.3	0.9
99d	Bronchitis (unspecified, 5 years and over)	1.2	2.5	0.9	0.7	0.3	0.8	1.3	1.5	1.2	1.4	0.8	2.4
100a	Bronchopneumonia	29.9	37.5	27.9	25.4	42.9	20.4	43.8	40.1	46.7	38.5	40.3	35.2
100b	Capillary bronchitis	0.7	2.5	0.2	0.5	.....	0.7	0.9	0.5	1.2	1.3	1.1	1.7
101a	Lobar pneumonia	33.2	60.8	25.9	24.8	51.1	17.3	38.9	40.1	37.9	52.2	57.1	43.0
101b	Pneumonia (unspecified)	7.8	5.0	8.6	11.8	6.9	13.2	13.5	12.7	14.1	5.8	5.7	5.8
102	Pleurisy	1.7	2.5	1.5	2.7	5.1	2.1	1.8	2.0	1.6	3.8	4.5	2.3
103	Congestion and hemorrhagic infarct of the lung	1.0	0.8	1.1	2.1	1.0	2.4	1.6	1.0	2.0	2.4	2.0	3.2
104	Gangrene of the lung	0.3	.....	0.4	0.2	0.3	0.2	0.2	.....	0.4	0.2	0.2	0.3
105	Asthma	1.9	1.7	2.0	2.3	2.7	2.2	2.0	2.0	2.0	1.8	1.6	2.3
106	Pulmonary emphysema	.....	.....	.....	.....	.....	.....	0.2	.....	0.4	0.2	0.2	0.1
107	Other diseases of the respiratory system (tuberculosis excepted)	2.3	4.2	1.8	0.6	1.4	0.4	0.4	.....	0.8	0.6	0.7	0.4
	VI.—Diseases of the digestive system	79.0	141.6	62.6	98.6	150.0	83.9	110.6	143.3	84.6	108.9	120.0	87.8
108	Diseases of the mouth and annexa	1.0	2.5	0.7	0.7	1.7	0.4	0.7	0.5	0.8	0.4	0.5	0.2
109a	Adenoid vegetations	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
109b	Other diseases of the pharynx, tonsils	4.7	4.2	4.8	4.7	6.5	4.2	4.5	5.6	3.6	3.4	3.7	2.8
110	Diseases of the esophagus	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.2	0.2	0.2
111a	Ulcer of the stomach	3.1	4.2	2.9	3.7	8.9	2.3	3.8	5.1	2.8	3.2	3.6	2.3
111b	Ulcer of the duodenum	1.0	2.5	0.7	1.1	2.4	0.8	1.3	2.5	0.4	0.9	0.9	0.7
112	Other diseases of the stomach (cancer excepted)	1.7	.....	2.2	5.9	6.2	5.9	9.7	7.6	11.3	5.4	4.4	7.5
113	Diarrhea and enteritis (under 2 years)	16.0	24.2	13.8	20.0	21.3	19.7	35.7	54.4	20.9	46.2	50.2	38.5
114	Diarrhea and enteritis (2 years and over)	3.0	1.7	3.3	8.8	7.2	9.2	7.6	9.1	6.4	7.8	7.2	8.7
115	Ancylostomiasis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
116	Diseases due to other intestinal parasites	.....	.....	.....	0.1	0.3	.....	.....	.....	.....	0.2	0.3	.....
117	Appendicitis and typhlitis	21.5	44.2	15.6	20.3	42.5	14.0	15.1	21.9	9.7	12.1	15.8	5.1
118a	Hernia	2.6	7.5	1.3	2.6	4.8	2.0	3.1	3.0	3.2	4.5	5.1	3.3
118b	Intestinal obstruction	5.9	14.2	3.7	8.6	12.4	7.5	7.6	10.2	5.6	5.8	7.1	3.5
119	Other diseases of the intestines	1.4	1.7	1.3	2.4	2.1	2.4	0.9	2.0	.....	1.5	1.9	0.9
120	Acute yellow atrophy of the liver	.....	.....	.....	0.6	1.4	0.4	0.4	0.5	0.4	0.4	0.4	0.4
121	Hydatid tumor of the liver	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
122	Cirrhosis of the liver	6.1	11.7	4.6	5.1	6.9	4.6	9.2	7.6	10.5	8.5	8.8	7.9
123	Biliary calculi	4.0	10.0	2.4	4.4	7.2	3.6	3.1	5.1	1.6	3.9	4.7	2.3
124	Other diseases of the liver	4.5	10.0	3.1	6.4	11.3	5.0	3.8	3.6	4.0	2.5	2.7	2.2
125	Diseases of the pancreas	0.3	0.8	0.2	0.8	2.1	0.4	1.1	1.5	0.8	0.6	0.8	0.1
126	Peritonitis without specified cause	2.1	2.5	2.0	2.1	4.1	1.6	2.5	2.5	2.4	1.3	1.3	1.2
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	.....	.....	.....	0.2	0.7	.....	0.2	0.5	.....	0.2	0.2	0.1

[1] Less than one-tenth of 1 per 100,000 population.

ITS MAIN SUBDIVISIONS, AND IN EACH REGISTRATION STATE, BY CITIES AND RURAL DISTRICTS, FROM OF CAUSES: 1921—Continued.

[See note at head of this table, pp. 196, 197.]

DEATH RATE PER 100,000 POPULATION.														Detailed List No.
NEW YORK.			NORTH CAROLINA.									OHIO.			
			Total.			Cities.			Rural districts.						
Total.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	Cities.	Rural districts.	
127.0	103.5	212.4	107.2	101.1	121.4	147.1	134.8	170.2	101.5	96.6	113.1	142.1	123.8	165.4	
0.8	0.7	1.2	1.3	1.3	1.5	2.4	*1.4*	4.4	1.2	1.2	1.0	1.6	1.4	1.8	70
2.4	2.3	2.6	3.7	3.8	3.3	2.4	2.8	*1.8*	3.8	4.0	3.6	3.8	3.8	3.8	71a
0.8	0.7	1.2	1.8	2.1	1.3	1.8	*0.9*	*3.5*	1.8	2.2	0.9	1.2	0.9	1.5	71b
1.9	1.8	2.5	0.8	0.9	0.6	*1.2*	*1.4*	*0.9*	0.7	0.8	*0.6*	2.6	2.6	2.6	72
5.8	5.0	8.8	2.8	3.1	2.0	5.5	4.7	7.1	2.4	2.9	1.2	5.2	4.1	6.5	73
85.6	67.6	150.9	62.8	58.9	71.9	92.0	78.6	117.3	58.6	56.3	64.2	98.7	82.8	118.8	74a
3.5	3.0	5.3	0.8	0.9	*0.5*	2.4	2.8	*1.8*	0.5	0.6	*0.3*	2.5	2.1	3.0	74b
3.4	2.6	6.3	15.6	14.1	19.3	11.3	9.8	14.1	16.3	14.6	20.2	3.6	2.1	5.4	75
7.6	5.8	14.4	1.6	1.9	1.0	3.1	4.2	*0.9*	1.4	1.5	1.0	8.1	9.2	6.7	76
1.9	1.7	2.6	2.0	1.9	2.3	3.4	4.7	*0.9*	1.8	1.5	2.5	1.6	1.9	1.2	77
2.7	1.9	5.4	4.6	3.7	6.7	6.7	7.5	5.3	4.3	3.2	7.0	3.0	1.9	4.3	78
0.1	0.1	*0.1*	0.6	0.5	0.8	*0.9*	*0.5*	*1.8*	0.5	0.5	*0.6*	0.1	*0.1*	*0.1*	79
1.2	1.0	1.9	2.5	1.9	4.1	2.8	2.3	*3.5*	2.5	1.8	4.2	2.5	2.5	2.5	80
0.1	0.1	*0.1*	*0.2*	*0.2*	*0.1*	----	----	----	*0.2*	*0.2*	*0.1*	0.1	*0.1*	*0.1*	81
0.2	0.1	0.6	0.3	*0.2*	*0.4*	*0.3*	----	*0.9*	0.3	*0.2*	*0.3*	0.5	0.5	0.7	82
0.7	0.2	2.4	0.8	1.0	*0.1*	*0.6*	*0.9*	----	0.8	1.1	*0.1*	1.3	0.7	2.1	83
3.4	3.4	3.4	2.7	2.6	2.9	3.7	4.2	*2.6*	2.5	2.4	3.0	2.2	2.5	1.8	84
0.1	0.1	(1)	*0.1*	*0.2*	----	----	----	----	*0.1*	*0.2*	----	*0.1*	*0.1*	----	85
2.6	2.8	1.8	1.1	0.8	1.9	1.8	*1.4*	*2.6*	1.0	0.7	1.8	2.4	2.9	1.7	86a
2.0	2.3	0.8	1.0	1.3	*0.5*	4.6	6.6	*0.9*	0.5	0.6	*0.4*	1.1	1.5	0.6	86b
239.4	216.8	321.5	117.3	108.1	138.9	171.8	147.4	217.8	109.6	102.9	125.6	181.5	165.7	201.4	
0.9	0.8	1.3	0.6	0.5	0.9	*1.2*	*0.9*	*1.8*	0.5	0.4	0.7	1.1	1.1	1.2	87
7.8	8.3	6.3	2.4	1.9	3.8	8.6	8.0	9.7	1.6	1.1	2.8	5.4	6.5	4.0	88
12.1	10.4	18.5	4.7	5.9	2.0	12.2	16.8	*3.5*	3.6	4.4	1.8	10.0	8.3	12.0	89
190.4	176.3	241.7	101.4	91.5	124.4	134.5	104.8	190.5	96.7	89.7	113.3	137.7	124.7	154.2	90
1.7	1.7	1.9	1.0	0.8	1.5	4.6	2.8	7.9	0.5	0.5	*0.4*	1.3	1.7	0.8	91a
24.0	17.2	48.5	5.3	5.9	4.1	8.3	10.8	*3.5*	4.9	5.2	4.2	23.9	21.1	27.4	91b,c
1.5	1.3	2.2	0.4	0.4	*0.5*	*1.2*	*1.4*	*0.9*	0.3	*0.2*	*0.4*	1.3	1.5	1.2	92
0.5	0.5	0.6	0.3	0.3	*0.3*	*0.3*	*0.5*	----	0.3	*0.2*	*0.3*	0.5	0.6	0.4	93
0.3	0.4	0.3	*0.1*	*0.1*	----	----	----	----	*0.1*	*0.1*	----	0.2	0.2	0.2	94
(1)	(1)	*0.1*	0.5	0.4	0.9	*0.3*	*0.5*	----	0.6	0.4	1.0	*0.1*	*0.1*	(1)	95
(1)	----	(1)	0.6	0.6	*0.5*	*0.6*	*0.9*	----	0.6	0.6	*0.6*	----	----	----	96
120.7	123.7	109.9	90.4	79.8	114.9	125.3	95.9	180.8	85.4	77.7	103.8	99.0	100.9	96.6	
0.1	0.1	*0.1*	1.3	0.9	2.0	*0.9*	*0.5*	*1.8*	1.3	1.0	2.1	0.3	0.3	0.2	97a
0.5	0.6	0.2	0.3	0.4	*0.1*	*0.9*	*1.4*	----	0.2	*0.2*	*0.1*	0.5	0.6	0.3	97b
0.5	0.5	0.4	1.3	1.5	1.0	*0.6*	*0.5*	*0.9*	1.4	1.6	1.0	0.9	0.6	1.2	98
5.2	5.3	4.7	1.8	1.2	3.2	3.4	*1.9*	6.2	1.6	1.1	2.7	2.9	3.4	2.3	99a
2.6	2.3	3.9	1.6	1.5	1.8	1.8	*1.4*	*2.6*	1.5	1.5	1.6	3.2	2.8	3.7	99b
1.2	1.2	1.2	1.6	0.9	3.2	*1.2*	----	*3.5*	1.7	1.1	3.1	0.5	0.3	0.6	99c
1.4	1.1	2.3	1.2	1.1	1.4	3.1	2.3	4.4	0.9	0.9	0.9	1.1	0.6	1.7	99d
43.0	44.6	37.1	29.8	27.1	36.1	40.0	32.8	53.8	28.3	26.3	33.1	39.2	39.5	38.8	100a
2.0	2.0	2.0	0.9	0.5	1.8	3.4	*0.5*	8.8	0.5	0.5	*0.6*	1.3	1.1	1.6	100b
52.1	54.8	42.2	33.2	29.8	41.1	50.1	38.4	72.3	30.7	28.6	35.8	40.4	42.9	37.2	101a
4.1	3.6	6.0	11.1	9.2	15.4	7.3	6.1	9.7	11.6	9.6	16.4	2.1	1.3	3.1	101b
4.1	4.3	3.4	2.0	1.8	2.4	5.2	4.7	6.2	1.5	1.4	1.8	2.7	3.5	1.6	102
1.5	1.1	2.8	1.3	1.4	1.3	2.4	2.8	*1.8*	1.2	1.2	1.2	1.4	1.1	1.8	103
0.3	0.3	0.4	(1)	*0.1*	----	----	----	----	(1)	*0.1*	----	0.2	0.2	0.2	104
1.3	1.1	2.0	1.8	1.6	2.4	3.1	*1.4*	6.2	1.7	1.6	1.8	2.0	2.1	1.9	105
0.2	0.2	0.3	*0.1*	*0.1*	*0.3*	*0.3*	----	*0.9*	*0.1*	*0.1*	*0.1*	0.1	*0.1*	*0.1*	106
0.6	0.6	0.7	1.1	1.0	1.4	1.5	*1.4*	*1.8*	1.0	0.9	1.3	0.4	0.5	0.3	107
106.3	109.5	94.5	128.1	124.7	136.1	191.1	171.7	227.5	119.1	118.5	120.7	110.2	119.3	98.7	
0.5	0.5	0.5	0.9	0.8	1.0	*1.2*	*0.5*	*2.6*	0.8	0.9	0.7	0.6	0.8	0.5	108
(1)	(1)	(1)	----	----	----	----	----	----	----	----	----	----	----	----	109a
3.5	3.5	3.6	2.5	2.6	2.4	4.0	5.1	*1.8*	2.3	2.2	2.5	4.0	4.5	3.4	109b
0.2	0.2	*0.2*	(1)	----	*0.1*	----	----	----	(1)	----	*0.1*	0.1	*0.1*	*0.1*	110
4.0	4.3	2.8	2.3	2.0	3.2	4.3	4.2	4.4	2.1	1.7	3.0	3.7	3.9	3.3	111a
1.4	1.6	0.7	0.3	0.4	*0.3*	*0.9*	*0.9*	*0.9*	0.3	0.3	*0.1*	0.9	1.2	0.4	111b
4.3	2.8	9.5	11.6	9.3	17.0	19.0	9.8	36.2	10.6	9.2	13.8	8.1	6.4	10.3	112
38.7	41.2	29.6	65.3	63.1	70.6	74.6	60.4	101.4	64.0	63.5	65.4	36.9	38.4	34.9	113
7.0	5.6	12.3	15.4	17.3	10.8	11.9	13.6	8.8	15.9	17.8	11.1	9.4	7.0	12.4	114
----	----	----	*0.1*	*0.2*	----	*0.3*	*0.5*	----	*0.1*	*0.1*	----	----	----	----	115
(1)	(1)	*0.1*	0.4	*0.2*	0.8	*0.3*	----	*0.9*	0.4	*0.2*	0.7	(1)	*0.1*	----	116
13.9	16.1	6.3	9.4	10.1	7.8	33.3	40.2	20.3	6.0	6.1	5.6	14.0	19.5	7.0	117
5.1	5.5	3.3	1.9	1.6	2.5	4.6	4.7	4.4	1.5	1.2	2.2	3.7	4.8	2.5	118
6.4	6.5	6.1	5.9	5.9	5.9	13.1	11.7	15.9	4.8	5.1	4.2	7.2	8.8	5.2	118a
1.4	1.3	1.5	1.3	0.9	2.2	4.0	2.8	6.2	0.9	0.7	1.5	1.6	1.5	1.6	119b
0.4	0.4	0.4	0.3	0.3	*0.4*	1.5	*1.4*	*1.8*	*0.2*	*0.2*	*0.1*	0.4	0.5	0.2	120
(1)	(1)	----	----	----	----	----	----	----	----	----	----	(1)	(1)	(1)	121
9.0	8.9	9.4	3.9	3.9	3.8	6.1	5.6	7.1	3.6	3.7	3.3	8.2	8.2	8.2	122
3.8	4.3	1.8	1.4	1.6	0.8	2.1	*1.9*	*2.6*	1.3	1.6	*0.4*	4.4	5.8	2.7	123
4.1	4.1	4.0	3.1	3.1	3.1	3.7	3.7	*3.5*	3.0	3.0	3.0	4.1	4.6	3.6	124
0.8	0.8	0.6	*0.2*	*0.1*	*0.3*	*1.2*	*0.9*	*1.8*	----	----	----	0.5	0.7	0.2	125
1.6	1.6	1.8	1.8	1.1	3.3	4.9	3.7	7.1	1.4	0.8	2.7	2.1	2.0	2.1	126
0.1	0.1	*0.1*	(1)	*0.1*	----	----	----	----	(1)	*0.1*	----	0.2	0.4	----	127

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), EACH CAUSE AND CLASS

[See note at head of this table, pp. 196, 197.]

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.											
		MONTANA.			NEBRASKA.			NEW HAMPSHIRE.			NEW JERSEY.		
		Total.	Cities.	Rural districts.	Total.	Cities.	Rural districts.	Total.	Cities.	Rural districts.	Total.	Cities.	Rural districts.
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	61.3	113.3	47.6	73.2	127.0	57.9	114.8	110.3	118.4	110.3	108.4	113.9
128	Acute nephritis (including unspecified under 10 years).	4.9	8.3	4.0	4.2	8.9	2.8	8.1	5.6	10.1	6.9	8.1	4.7
129	Chronic nephritis (including unspecified 10 years and over).	43.6	71.6	36.2	52.6	78.9	45.1	92.4	85.4	97.9	91.3	86.6	100.0
130	Chyluria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
131	Other diseases of the kidneys and annexa	2.1	5.8	1.1	2.0	5.1	1.1	2.5	4.1	*1.2*	2.1	2.4	1.4
132	Calculi of the urinary passages	*0.7*	*2.5*	*0.2*	0.8	*1.4*	0.6	.....	.....	.....	0.6	0.7	0.4
133	Diseases of the bladder	1.0	*3.3*	*0.4*	1.7	2.1	1.6	1.8	*1.5*	2.0	1.0	0.8	1.2
134	Diseases of the urethra, etc	.....	.....	.....	.....	.....	.....	*0.2*	.....	*0.4*	*0.1*	*0.1*	.....
135	Diseases of the prostate	3.5	9.2	2.0	5.9	12.0	4.2	3.8	3.6	4.0	3.2	3.1	3.4
136	Nonvenereal diseases of the male genital organs.	.....	.....	.....	*0.1*	*0.3*	.....	.....	.....	.....	(1)	.....	*0.1*
137	Cysts, other benign tumors of the ovary	1.0	*1.7*	*0.9*	1.0	2.7	0.5	*0.7*	*1.0*	*0.4*	1.0	1.1	0.7
138	Salpingitis and pelvic abscess (female)	2.4	6.7	1.3	2.1	5.5	1.1	2.0	3.6	*0.8*	1.7	2.3	0.6
139	Benign tumors of the uterus	1.4	*2.5*	1.1	1.8	6.5	0.5	2.2	4.1	*0.8*	1.9	2.3	1.1
140	Nonpuerperal uterine hemorrhage	.....	.....	.....	.....	.....	.....	.....	.....	.....	(1)	(1)	.....
141	Other diseases of the female genital organs	*0.7*	*1.7*	*0.4*	1.0	3.4	*0.3*	1.1	*1.5*	*0.8*	0.6	0.8	*0.2*
142	Nonpuerperal diseases of the breast (cancer excepted).	.....	.....	.....	*0.1*	.....	*0.1*	.....	.....	.....	.....	.....	.....
	VIII.—The puerperal state	15.5	22.5	13.6	16.2	25.7	13.4	14.2	16.8	12.1	14.1	17.8	7.0
143	Accidents of pregnancy	1.4	*0.8*	1.5	1.6	3.1	1.2	1.8	*1.0*	2.4	1.1	1.5	0.5
144	Puerperal hemorrhage	0.9	*0.8*	*0.9*	1.4	2.1	1.3	*0.9*	*1.0*	*0.8*	1.7	2.2	0.7
145	Other accidents of labor	0.9	*0.8*	*0.9*	1.1	*1.4*	1.0	*0.7*	*1.0*	*0.4*	1.2	1.6	0.6
146	Puerperal septicemia	7.3	13.3	5.7	6.6	10.0	5.6	3.8	4.6	3.2	5.8	7.1	3.5
147	Puerperal phlegmasia alba dolens, embolus, etc.	1.0	.....	1.3	0.8	2.4	*0.3*	1.3	*1.5*	*1.2*	0.7	0.9	*0.4*
148	Puerperal albuminuria and convulsions	3.8	6.7	3.1	4.7	6.9	4.1	5.6	7.6	4.0	3.4	4.4	1.3
149	Following childbirth (undefined)	*0.2*	.....	*0.2*	.....	.....	.....	.....	.....	.....	*0.1*	*0.1*	.....
150	Puerperal diseases of the breast	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	IX.—Diseases of the skin and of the cellular tissue	2.8	*2.5*	2.9	3.4	3.1	3.4	5.8	4.1	7.3	3.9	4.2	3.3
151	Gangrene	*0.7*	*0.8*	*0.7*	1.8	*0.7*	2.1	3.4	*1.5*	4.8	1.4	1.2	1.6
152	Furuncle	*0.2*	.....	*0.2*	0.5	*0.7*	0.5	*0.2*	.....	*0.4*	0.8	1.0	*0.4*
153	Acute abscess	1.4	*1.7*	1.3	*0.2*	*0.7*	*0.1*	1.1	*1.5*	*0.8*	0.8	1.0	0.4
154	Other diseases of the skin and annexa	*0.5*	.....	*0.7*	0.8	*1.0*	0.8	1.1	*1.0*	*1.2*	0.9	0.9	0.9
	X.—Diseases of the bones and of the organs of locomotion	*0.3*	.....	*0.4*	1.7	3.8	1.1	*0.7*	*1.0*	*0.4*	1.5	1.9	0.7
155	Diseases of the bones (tuberculosis excepted)	*0.2*	.....	*0.2*	1.1	3.1	0.6	*0.4*	*0.5*	*0.4*	1.2	1.6	0.5
156	Diseases of the joints (tuberculosis and rheumatism excepted).	*0.2*	.....	*0.2*	0.4	*0.7*	*0.3*	.....	.....	.....	0.2	0.2	*0.1*
157	Amputations	.....	.....	.....	*0.1*	.....	*0.1*	.....	.....	.....	.....	.....	.....
158	Other diseases of the organs of locomotion	.....	.....	.....	*0.1*	.....	*0.1*	*0.2*	*0.5*	.....	*0.1*	(1)	*0.1*
	XI.—Malformations	15.5	16.7	15.1	15.2	17.8	14.5	18.9	18.3	19.3	17.3	17.8	16.4
159a	Congenital hydrocephalus	1.6	*3.3*	1.1	1.7	*1.4*	1.8	2.5	3.0	2.0	1.4	1.6	0.9
159b	Congenital malformations of the heart	8.7	7.5	9.0	9.2	10.3	8.9	9.0	6.6	10.9	10.7	10.0	12.1
159c	Other congenital malformations	5.2	5.8	5.0	4.3	6.2	3.8	7.4	8.6	6.4	5.2	6.2	3.4
	XII.—Early infancy	58.4	75.8	53.8	63.8	84.8	57.8	91.2	119.4	68.9	64.7	69.9	54.9
160	Congenital debility, icterus, sclerema	7.3	5.0	7.9	11.6	11.0	11.8	16.4	18.8	14.5	9.3	9.6	8.7
161a	Premature birth	35.4	50.0	31.6	39.8	55.9	35.3	53.0	71.1	38.7	37.1	39.7	32.1
161b	Injury at birth	9.2	13.3	8.1	6.9	11.0	5.8	14.2	17.3	11.7	11.4	13.0	8.4
162	Other diseases peculiar to early infancy	5.7	7.5	5.3	5.3	6.9	4.9	7.2	11.7	3.6	6.7	7.4	5.4
163	Lack of care	*0.7*	.....	*0.9*	*0.1*	.....	*0.1*	*0.4*	*0.5*	*0.4*	0.2	0.2	*0.3*
164	XIII.—Old age (senility)	9.9	5.0	11.2	18.1	8.6	20.9	28.3	20.3	34.6	6.2	4.5	9.5
	XIV.—External causes	90.9	102.5	87.8	73.8	115.3	62.0	83.1	81.8	84.2	90.6	91.3	89.2
	Suicide (total)	16.3	23.3	14.5	12.6	22.0	10.0	13.5	14.2	12.9	13.7	13.1	14.7
165	By poisons (gas or corrosives excepted)	*0.5*	.....	*0.7*	1.0	*0.3*	1.2	*0.7*	.....	*1.2*	0.3	0.3	*0.3*
166	By corrosive substances	2.3	6.7	1.1	1.5	3.1	1.1	*0.2*	*0.5*	.....	1.1	0.9	1.5
167	By poisonous gas	.....	.....	.....	0.6	2.4	*0.1*	1.3	3.0	.....	3.1	3.8	1.7
168	By hanging or strangulation	2.3	*2.5*	2.2	3.4	5.1	2.8	2.5	3.0	2.0	2.8	2.4	3.6
169	By drowning	*0.5*	.....	*0.7*	0.5	*0.7*	*0.4*	1.8	*1.0*	2.4	0.8	0.8	0.8
170	By firearms	9.0	12.5	8.1	4.9	8.2	3.9	5.6	6.1	5.2	3.9	3.2	5.2
171	By cutting or piercing instruments	1.4	*1.7*	1.3	0.5	*1.0*	*0.4*	*0.4*	.....	*0.8*	1.0	1.0	1.0
172	By jumping from high places	.....	.....	.....	*0.1*	*0.3*	.....	.....	.....	.....	0.4	0.4	*0.3*
173	By crushing	*0.2*	.....	*0.2*	*0.1*	*0.3*	.....	*0.2*	.....	*0.4*	0.3	0.3	*0.3*
174	By other means	*0.2*	.....	*0.2*	*0.2*	*0.3*	*0.1*	*0.7*	*0.5*	*0.8*	(1)	.....	*0.1*
	Homicide (total)	7.1	10.0	6.4	4.9	14.8	2.1	2.2	3.0	*1.6*	5.2	5.2	5.2
197	By firearms	5.7	7.5	5.3	3.7	11.0	1.6	1.1	*1.5*	*0.8*	2.8	2.8	2.8
198	By cutting or piercing instruments	*0.2*	*0.8*	.....	0.5	2.1	.....	*0.4*	*0.5*	*0.4*	0.7	0.8	0.5
199	By other means	1.2	*1.7*	1.1	0.8	1.7	0.5	*0.7*	*1.0*	*0.4*	1.7	1.6	1.9

[1] Less than one-tenth of 1 per 100,000 population.

ITS MAIN SUBDIVISIONS, AND IN EACH REGISTRATION STATE, BY CITIES AND RURAL DISTRICTS, FROM OF CAUSES: 1921—Continued.

[See note at head of this table, pp. 196, 197.]

DEATH RATE PER 100,000 POPULATION.														Detailed List No.
NEW YORK.			NORTH CAROLINA.									OHIO.			
			Total.			Cities.			Rural districts.						
Total.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	Cities.	Rural districts.	
116.1	113.7	124.9	89.1	80.1	110.2	160.5	137.6	203.7	78.9	72.4	94.4	87.6	88.4	86.6	
5.0	4.7	6.3	8.1	5.9	13.4	15.6	10.3	25.6	7.0	5.3	11.3	5.1	5.6	4.6	128
95.8	93.3	105.2	69.7	64.5	81.9	113.7	102.5	134.9	63.4	59.4	73.0	67.6	66.0	69.6	129
															130
2.6	2.6	2.5	2.6	2.8	2.2	4.9	5.6	*3.5*	2.3	2.4	1.9	1.8	2.0	1.5	131
1.0	1.1	0.5	0.6	0.5	0.6	1.5	2.3	.....	0.4	0.3	0.7	0.7	0.8	0.6	132
0.8	0.4	2.4	1.6	1.6	1.7	1.8	*0.9*	*3.5*	1.6	1.7	1.3	1.4	0.8	2.1	133
0.5	0.5	0.2	0.3	*0.1*	0.9	1.5	.....	4.4	*0.1*	*0.1*	*0.3*	0.3	0.5	*0.1*	134
4.1	4.0	4.5	2.2	2.0	2.7	5.5	5.1	6.2	1.7	1.6	2.1	4.4	3.8	5.2	135
0.1	(1)	*0.1*	(1)	.....	*0.1*	*0.3*	.....	*0.9*	.....	.....	.....	*0.1*	*0.1*	*0.1*	136
1.0	1.0	0.8	0.4	0.3	0.6	*0.6*	*0.5*	*0.9*	0.3	*0.2*	*0.6*	0.9	1.2	0.5	137
2.0	2.3	0.8	1.8	1.3	2.8	7.9	5.1	13.2	0.9	0.8	1.0	2.2	3.3	0.8	138
2.3	2.6	1.0	1.4	0.8	2.7	5.8	3.7	9.7	0.7	0.4	1.5	2.3	3.2	1.1	139
(1)	(1)	(1)	*0.2*	*0.1*	*0.3*	*0.6*	*0.5*	*0.9*	*0.1*	*0.1*	*0.1*	0.1	*0.1*	*0.2*	140
0.8	0.9	0.5	0.3	*0.2*	*0.4*	*0.6*	*0.9*	.....	0.2	*0.1*	*0.4*	0.7	1.0	0.2	141
(1)	0.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	(1)	.....	(1)	142
14.2	15.2	10.6	24.9	20.5	35.1	35.2	29.5	45.9	23.4	19.3	33.3	15.8	19.0	11.8	
1.2	1.4	0.4	1.8	1.7	1.9	2.8	3.7	*0.9*	1.6	1.4	2.1	1.6	1.8	1.3	143
1.8	2.0	1.2	2.3	2.0	3.1	*1.2*	*1.4*	*0.9*	2.4	2.0	3.4	1.5	1.8	1.1	144
1.7	1.9	1.1	3.4	2.5	5.6	3.4	*1.9*	6.2	3.5	2.6	5.5	1.5	1.5	1.4	145
5.6	6.1	3.9	6.4	4.7	10.4	10.1	8.4	13.2	5.9	4.2	10.0	7.4	9.8	4.4	146
0.6	0.6	0.7	0.6	0.5	0.6	*0.6*	*0.5*	*0.9*	0.6	0.6	*0.6*	0.6	0.6	0.6	147
3.1	3.1	3.0	10.3	9.0	13.2	17.1	13.6	23.8	9.3	8.4	11.4	3.1	3.3	2.8	148
0.1	0.1	*0.2*	*0.1*	*0.1*	*0.3*	.....	.....	.....	*0.1*	*0.1*	*0.3*	0.1	*0.1*	*0.1*	149
(1)	.....	(1)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	150
3.9	3.6	5.1	3.3	2.6	4.8	5.5	5.6	5.3	3.0	2.2	4.8	4.1	3.9	4.4	
1.1	0.6	2.8	1.4	1.0	2.3	3.4	2.8	4.4	1.1	0.8	1.9	1.8	1.4	2.3	151
1.0	1.1	0.4	0.3	0.4	*0.3*	*0.6*	*0.9*	.....	0.3	0.3	*0.3*	0.9	1.1	0.7	152
1.0	1.1	0.8	0.9	0.8	1.3	*0.9*	*1.4*	.....	0.9	0.7	1.5	0.6	0.7	0.6	153
0.9	0.9	1.1	0.6	0.4	1.0	*0.6*	*0.5*	*0.9*	0.6	0.4	1.0	0.8	0.8	0.8	154
1.8	1.9	1.4	1.4	1.6	1.0	4.3	4.7	*3.5*	1.0	1.2	*0.6*	1.4	1.6	1.1	
1.3	1.4	1.0	1.0	1.2	0.6	3.7	4.2	*2.6*	0.7	0.8	*0.3*	1.0	1.1	0.8	155
0.4	0.4	0.4	0.3	0.3	*0.3*	*0.6*	*0.5*	*0.9*	0.3	0.3	*0.1*	0.3	0.4	*0.1*	156
															157
0.1	0.1	(1)	*0.1*	*0.1*	*0.1*	.....	.....	.....	*0.1*	*0.1*	*0.1*	0.1	*0.1*	*0.2*	158
15.4	14.9	17.1	11.1	13.2	6.1	12.2	15.4	6.2	10.9	12.9	6.1	15.4	15.5	15.3	
1.8	1.8	1.8	1.4	1.3	1.5	1.8	2.3	*0.9*	1.3	1.2	1.6	1.3	1.4	1.2	159a
8.5	7.9	10.6	5.0	6.2	2.0	6.1	7.5	*3.5*	4.8	6.1	1.8	9.3	8.9	9.8	159b
5.1	5.2	4.7	4.7	5.6	2.5	4.3	5.6	*1.8*	4.8	5.6	2.7	4.9	5.3	4.3	159c
69.1	70.3	64.7	76.8	76.5	77.6	116.5	107.6	133.2	71.2	72.4	68.2	66.3	70.0	61.8	
9.4	9.4	9.6	14.3	13.0	17.4	14.7	11.2	21.2	14.3	13.3	16.8	10.2	8.6	12.3	160
40.0	40.4	38.9	52.1	53.9	47.8	88.4	83.3	97.9	46.9	50.0	39.4	41.0	43.8	37.4	161a
12.4	12.9	10.6	5.6	5.9	5.0	8.3	9.4	6.2	5.2	5.4	4.8	9.6	11.5	7.1	161b
7.2	7.7	5.3	4.6	3.7	6.7	5.2	3.7	7.9	4.5	3.7	6.5	5.4	5.9	4.8	162
0.1	(1)	0.3	0.2	*0.1*	0.6	.....	.....	.....	0.3	*0.1*	0.7	0.2	0.2	0.2	163
6.0	3.7	14.7	20.7	16.5	30.4	8.6	10.8	4.4	22.4	17.2	34.8	11.1	7.6	15.6	164
87.2	84.1	98.5	65.8	58.5	82.8	121.1	108.6	144.6	57.9	51.9	72.4	92.2	96.2	87.1	
13.6	13.4	14.1	4.3	5.1	2.5	7.0	9.4	*2.6*	3.9	4.5	2.5	12.7	13.0	12.2	
0.4	0.4	0.4	(1)	*0.1*	.....	.....	.....	.....	(1)	*0.1*	.....	0.4	0.5	0.3	165
1.4	1.4	1.3	0.4	0.5	.....	*0.9*	*1.4*	.....	0.3	0.4	.....	1.8	2.2	1.3	166
3.3	4.1	0.6	(1)	*0.1*	.....	*0.3*	*0.5*	.....	.....	.....	.....	0.3	0.5	*0.1*	167
2.6	2.0	4.6	0.2	0.3	.....	*0.3*	*0.5*	.....	0.2	0.3	.....	3.0	2.8	3.4	168
0.8	0.7	1.3	0.2	*0.1*	*0.5*	.....	.....	.....	0.3	*0.1*	*0.6*	1.0	1.1	1.0	169
2.9	2.6	4.3	3.0	3.4	2.0	4.6	5.6	*2.6*	2.8	3.2	1.9	4.7	4.2	5.3	170
0.7	0.7	0.9	0.2	0.3	.....	*0.3*	*0.5*	.....	0.2	0.3	.....	0.9	1.2	0.5	171
1.1	1.3	0.3	*0.1*	*0.2*	.....	*0.6*	*0.9*	.....	(1)	*0.1*	.....	0.3	0.5	(1)	172
0.2	0.2	*0.2*	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.2	*0.1*	0.2	173
0.1	0.1	*0.2*	(1)	*0.1*	.....	.....	.....	.....	(1)	*0.1*	.....	*0.1*	(1)	*0.1*	174
4.9	5.5	2.7	8.6	5.5	15.8	21.1	9.4	43.2	6.8	5.0	11.1	7.8	11.2	3.6	
2.9	3.2	1.5	6.4	3.8	12.2	15.0	6.1	31.8	5.1	3.5	8.9	5.0	7.1	2.3	197
0.6	0.6	0.4	0.8	*0.2*	2.2	3.4	.....	9.7	0.4	*0.2*	0.9	0.8	1.2	0.3	198
1.5	1.7	0.7	1.4	1.4	1.4	2.8	3.3	*1.8*	1.2	1.2	1.3	2.1	2.9	1.0	199

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), EACH CAUSE AND CLASS

[See note at head of this table, pp. 196, 197.]

Detailed List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.											
		MONTANA.			NEBRASKA.			NEW HAMPSHIRE.			NEW JERSEY.		
		Total.	Cities.	Rural districts.	Total.	Cities.	Rural districts.	Total.	Cities.	Rural districts.	Total.	Cities.	Rural districts.
	XIV.—External causes—Continued.												
	Accidental or undefined (total)	67.4	69.1	67.0	56.3	78.6	49.9	67.4	64.5	69.7	71.8	73.0	69.4
175	Poisoning by food	1.2	*0.8*	1.3	1.3	*1.0*	1.4	1.1	*0.5*	*1.6*	0.6	0.5	1.0
176	Poisoning by venomous animals	.....	.....	.....	*0.2*	*0.7*	*0.1*	*0.2*	.....	*0.4*	*0.1*	(1)	*0.2*
177	Other acute poisonings (gas excepted)	1.9	5.0	1.1	1.2	2.4	0.9	1.8	*0.5*	2.8	1.5	1.6	1.2
178	Conflagration	2.1	*1.7*	2.2	0.7	.....	0.9	*0.9*	.....	*1.6*	1.3	1.4	1.2
179	Burns (conflagration excepted)	4.7	7.5	4.0	4.3	7.2	3.4	5.2	7.1	3.6	7.4	9.4	3.6
180	Mechanical suffocation	1.0	*0.8*	1.1	1.7	1.7	1.7	*0.9*	*1.0*	*0.8*	0.6	0.6	0.5
181	Absorption of irrespirable, irritating, or poisonous gas.	*0.5*	.....	*0.7*	1.4	4.5	0.6	*0.9*	*2.0*	.....	3.5	4.1	2.2
182	Drowning	8.5	*1.7*	10.3	6.2	5.8	6.3	11.2	8.6	13.3	8.2	5.5	13.3
183	Traumatism by firearms (except in war)	3.8	*3.3*	4.0	2.5	2.1	2.6	2.2	*2.0*	2.4	1.0	0.7	1.6
184	Traumatism by cutting or piercing instruments.	*0.5*	.....	*0.7*	0.8	*1.4*	0.6	*0.4*	.....	*0.8*	0.3	0.4	*0.3*
185	Traumatism by fall	6.4	8.3	5.9	10.1	14.8	8.7	17.5	17.8	17.3	12.9	13.7	11.5
186a	Traumatism in mines	5.4	5.8	5.3	.....	.....	.....	.....	.....	.....	*0.1*	.....	*0.4*
186b	Traumatism in quarries	.....	.....	.....	.....	.....	.....	*0.2*	*0.5*	.....	(1)	.....	*0.1*
187	Traumatism by machines	1.4	*2.5*	1.1	1.4	2.4	1.2	*0.7*	*1.0*	*0.4*	1.8	2.3	1.0
188a	Railroad accidents	5.2	6.7	4.8	6.2	8.2	5.6	5.2	4.1	6.0	6.9	6.4	7.7
188b	Street-car accidents	*0.2*	*0.8*	.....	0.5	2.1	.....	*0.2*	.....	*0.4*	1.8	2.1	1.3
188c	Automobile accidents	8.3	12.5	7.2	7.9	12.4	6.7	8.5	10.7	6.8	14.9	16.4	12.1
188d	Aeroplane and balloon accidents	*0.2*	.....	*0.2*	*0.2*	*1.0*	.....	.....	.....	.....	0.2	(1)	*0.4*
188e,f	Injuries by other vehicles	4.3	*3.3*	4.6	2.1	2.1	2.2	1.6	*2.0*	*1.2*	1.4	1.5	1.2
188g	Landslide, other crushing	1.2	.....	1.5	0.4	*0.7*	*0.3*	*0.7*	.....	*1.2*	0.5	0.3	0.8
189	Injuries by animals (not poisoning)	2.6	5.0	2.0	1.8	*1.0*	2.1	*0.7*	*1.0*	*0.4*	0.4	0.3	0.5
190	Wounds of war	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
192	Starvation (deprivation of food or water)	.....	.....	.....	.....	.....	.....	.....	.....	.....	(1)	.....	*0.1*
193	Excessive cold	1.2	.....	1.5	*0.2*	.....	*0.2*	.....	.....	.....	*0.1*	.....	*0.2*
194	Excessive heat	*0.2*	.....	*0.2*	0.7	*0.7*	0.7	1.3	*1.0*	*1.6*	1.5	1.4	1.9
195	Lightning	1.2	.....	1.6	0.4	*0.3*	*0.4*	.....	.....	.....	0.3	*0.1*	0.8
196	Other accidental electric shocks	*0.5*	*0.8*	*0.4*	0.8	2.1	*0.4*	*0.9*	.....	*1.6*	0.3	0.3	0.4
201	Fracture (cause not specified)	*0.2*	*0.8*	.....	*0.2*	*0.3*	*0.1*	*0.7*	*1.0*	*0.4*	0.6	0.8	0.4
202	Other external violence	2.6	*1.7*	2.9	2.3	2.7	2.2	3.4	3.0	3.6	2.6	2.6	2.6
203	Violent deaths of unknown causation	1.9	.....	2.4	1.0	*1.0*	1.0	*0.9*	*0.5*	*1.2*	0.8	0.8	1.0
	XV.—Ill-defined diseases	13.7	7.5	15.4	11.3	3.1	13.6	4.7	3.6	5.6	2.0	1.9	2.0
204	Sudden death	*0.3*	.....	*0.4*	0.8	*0.3*	1.0	*0.7*	*1.0*	*0.4*	*0.1*	*0.1*	*0.1*
205a	Ill-defined	4.5	*2.5*	5.0	4.3	*1.0*	5.2	2.2	*2.0*	2.4	1.4	1.6	1.2
205b	Not specified or unknown	8.9	5.0	9.9	6.2	1.7	7.4	1.8	*0.5*	2.8	0.4	0.3	0.7

[1] Less than one-tenth of 1 per 100,000 population.

ITS MAIN SUBDIVISIONS, AND IN EACH REGISTRATION STATE, BY CITIES AND RURAL DISTRICTS, FROM OF CAUSES: 1921—Continued.

[See note at head of this table, pp. 196, 197.]

DEATH RATE PER 100,000 POPULATION.														List No.
NEW YORK.			NORTH CAROLINA.									OHIO.			Detailed Int.
			Total.			Cities.			Rural districts.						
Total.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	Cities.	Rural districts.	
68.8	65.2	81.7	53.0	48.0	64.5	92.9	89.8	98.8	47.2	42.4	58.7	71.7	72.0	71.3	
0.5	0.3	1.0	1.5	1.2	2.0	2.8	2.8	*2.6*	1.3	1.0	1.9	1.3	1.2	1.4	175
(1)	(1)	*0.1*	*0.1*	*0.2*	.....	.....	.....	.....	*0.1*	*0.2*	.....	(1)	.....	(1)	176
1.6	1.5	1.8	1.6	0.9	3.1	2.4	*0.9*	5.3	1.4	0.9	2.7	1.6	1.9	1.3	177
1.0	1.0	1.2	0.5	0.3	0.9	*0.3*	.....	*0.9*	0.5	0.3	0.9	1.3	1.0	1.6	178
5.8	6.3	3.8	8.8	6.9	13.0	13.8	12.2	16.8	8.0	6.3	12.3	5.4	6.5	4.1	179
0.8	0.6	1.3	2.1	1.6	3.3	2.1	*1.9*	*2.6*	2.1	1.5	3.4	1.1	0.9	1.3	180
4.1	4.9	1.1	0.2	*0.2*	*0.4*	*0.6*	*0.5*	*0.9*	*0.2*	*0.1*	*0.3*	0.8	1.0	0.5	181
8.0	6.0	15.0	4.0	3.1	6.2	4.9	*1.4*	11.5	3.9	3.3	5.4	5.5	4.8	6.4	182
0.9	0.6	2.1	5.7	3.7	10.4	8.6	5.1	15.0	5.3	3.5	9.7	1.6	1.6	1.7	183
0.5	0.6	0.4	0.4	0.3	0.6	*0.3*	.....	*0.9*	0.4	0.4	*0.6*	0.6	0.5	0.9	184
13.2	12.6	15.3	6.0	7.7	2.0	10.7	14.5	*3.5*	5.3	6.8	1.8	14.2	14.4	14.1	185
0.1	(1)	0.4	*0.1*	*0.1*	*0.3*	.....	.....	.....	*0.1*	*0.1*	*0.3*	1.9	0.8	3.3	186a
(1)	.....	*0.1*	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.1	*0.1*	*0.2*	186b
1.7	1.8	1.1	1.4	1.0	2.3	1.5	*1.4*	*1.8*	1.4	1.0	2.4	1.7	2.1	1.2	187
3.9	2.4	9.3	4.2	3.9	4.8	11.3	13.6	7.1	3.2	2.7	4.5	8.3	7.0	9.9	188a
1.9	2.2	0.9	*0.2*	*0.2*	.....	*0.9*	*1.4*	.....	(1)	*0.1*	.....	2.1	2.8	1.2	188b
15.4	16.0	13.5	5.3	6.6	2.4	13.5	16.4	7.9	4.2	5.3	1.5	12.4	15.5	8.5	188c
0.1	(1)	0.2	*0.1*	*0.1*	.....	.....	.....	.....	*0.1*	*0.1*	.....	*0.1*	*0.1*	(1)	188d
2.0	1.8	2.8	1.3	1.5	1.0	1.5	2.3	.....	1.3	1.4	1.2	1.6	1.2	2.0	188e,f
0.4	0.3	0.5	0.4	0.3	0.6	*0.9*	.....	*2.6*	0.3	0.3	*0.3*	0.3	0.3	0.3	188g
0.3	0.2	0.7	0.6	0.5	0.6	.....	.....	.....	0.7	0.6	0.7	0.7	0.3	1.3	189
(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	190
(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	.....	.....	.....	*0.1*	(1)	*0.1*	192
0.1	(1)	0.3	(1)	.....	*0.1*	*0.3*	.....	*0.9*	.....	.....	.....	(1)	.....	*0.1*	193
1.0	0.9	1.3	0.2	*0.2*	*0.3*	*0.3*	.....	*0.9*	*0.2*	*0.2*	*0.1*	1.4	1.3	1.5	194
0.2	(1)	0.5	0.7	0.9	*0.3*	.....	.....	.....	0.8	1.0	*0.3*	0.6	0.2	1.3	195
0.6	0.5	1.0	0.7	0.8	*0.5*	1.5	*1.9*	*0.9*	0.6	0.6	*0.4*	1.2	1.0	1.5	196
1.1	0.8	2.2	1.0	1.0	0.9	2.1	3.3	.....	0.8	0.7	1.0	0.9	0.9	0.9	201
2.6	2.7	2.2	4.1	3.8	4.7	8.3	7.5	9.7	3.5	3.3	3.9	2.7	3.2	1.9	202
1.0	0.9	1.6	2.0	1.2	3.7	4.3	2.8	7.1	1.6	1.0	3.1	1.8	1.4	2.4	203
1.2	0.6	3.5	110.2	75.1	191.7	44.0	30.9	68.8	119.7	81.0	212.4	5.3	3.3	7.8	
0.1	(1)	0.3	9.0	6.8	14.2	4.0	3.7	4.4	9.8	7.2	15.9	0.2	0.2	0.3	204
0.7	0.4	1.8	16.1	14.2	20.5	6.1	4.2	9.7	17.5	15.5	22.3	1.6	1.2	2.0	205a
0.5	0.2	1.4	85.1	54.2	157.0	33.9	22.9	54.7	92.4	58.3	174.2	3.5	1.9	5.4	205b

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), EACH CAUSE AND CLASS

[See note at head of this table, pp. 196, 197.]

Detailed List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.								
		OREGON.			PENNSYLVANIA.			RHODE ISLAND.		
		Total.	Cities.	Rural districts.	Total.	Cities.	Rural districts.	Total.	Cities.	Rural districts.
	All causes [1]	1,037.4	1,223.7	920.5	1,237.4	1,296.9	1,175.0	1,263.3	1,268.7	1,236.7
	I.—Epidemic, endemic, and infectious diseases	141.7	159.8	130.3	180.0	182.2	177.7	176.4	162.6	244.1
1	Typhoid and paratyphoid fever	5.9	2.9	7.7	7.4	6.0	8.8	2.8	3.1	*1.0*
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Relapsing fever (spirillum obermeieri)	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Malta fever	.....	.....	.....	(2)	.....	(2)	.....	.....	.....
5	Malaria	*0.4*	*1.0*	.....	0.1	(2)	*0.1*	*0.3*	*0.4*	.....
6	Smallpox	0.7	*0.3*	1.0	(2)	.....	(2)	.....	.....	.....
7	Measles	5.2	4.2	5.9	5.4	3.7	7.2	13.4	13.3	13.5
8	Scarlet fever	1.7	*1.3*	2.0	7.3	7.3	7.3	2.3	2.5	*1.0*
9	Whooping cough	4.5	3.2	5.3	8.8	7.8	9.9	9.3	9.2	9.6
10	Diphtheria	14.0	18.8	11.0	22.3	21.2	23.5	13.0	13.5	10.6
11a	Influenza (with pulmonary complications)	7.0	4.9	8.3	9.2	9.2	9.3	3.7	3.7	*3.8*
11b	Influenza (other and unspecified)	5.7	4.2	6.7	8.0	6.6	9.4	2.6	3.1	.....
12	Miliary fever	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Mumps	*0.1*	*0.3*	.....	0.1	*0.1*	0.2	*0.3*	*0.4*	.....
14	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	Cholera nostras	.....	.....	.....	0.3	0.2	0.4	*0.3*	*0.2*	*1.0*
16	Dysentery	1.1	*0.6*	1.4	1.5	0.9	2.1	1.3	1.4	*1.0*
17	Plague	.....	.....	.....	.....	.....	.....	.....	.....	.....
18	Yellow fever	.....	.....	.....	.....	.....	.....	.....	.....	.....
19	Spirochetal hemorrhagic jaundice	.....	.....	.....	.....	.....	.....	.....	.....	.....
20	Leprosy	.....	.....	.....	.....	.....	.....	.....	.....	.....
21	Erysipelas	3.0	3.9	2.4	2.9	2.7	3.2	3.3	3.3	*2.9*
22	Acute anterior poliomyelitis	2.5	1.6	3.0	0.9	0.8	1.1	*0.5*	*0.4*	*1.0*
23	Lethargic encephalitis	2.2	3.6	1.4	1.1	1.6	0.7	1.6	1.6	*1.9*
24	Meningococcus meningitis	0.7	*0.6*	*0.8*	1.4	1.5	1.2	2.0	2.2	*1.0*
25	Other epidemic and endemic diseases	1.0	.....	1.6	0.3	0.2	0 3	*0.3*	*0.4*	.....
26	Glanders	.....	.....	.....	.....	.....	.....	.....	.....	.....
27	Anthrax	.....	.....	.....	0.1	*0.1*	(2)	.....	.....	.....
28	Rabies	.....	.....	.....	0.1	*0.1*	*0.1*	*0.7*	*0.6*	*1.0*
29	Tetanus	*0 4*	*0.3*	*0.4*	1.6	1.6	1.5	1.0	1.0	*1.0*
30	Mycoses	.....	.....	.....	0.1	0.1	0.2	.....	.....	.....
	Tuberculosis (total)	76.0	92.7	65.5	92.3	99.4	84.8	108.0	91.6	188.3
31	Of the respiratory system	61.2	72.3	54.3	77.4	81.9	72.7	88.1	71.4	170.1
32	Of the meninges, central nervous system	3.9	5.5	2.8	5.4	7.0	3.8	10.8	11.2	8.6
33	Of the intestines, peritoneum	4.9	6.5	3.9	3.9	4.4	3.4	4.1	4.1	*3.8*
34	Of the vertebral column	1.1	2.3	*0.4*	1.3	1.5	1.1	1.3	1.2	*1.9*
35	Of the joints	.....	.....	.....	0.5	0.5	0.6	0.8	*0.6*	*1.9*
36	Of other organs	1.4	*1.0*	1.6	1.4	1.8	1.0	*0.7*	*0.8*	.....
37a	Disseminated (acute)	2.0	2.6	1.6	1.8	2.0	1.5	0.8	1.0	.....
37b	Disseminated (chronic or unspecified)	1.5	2.6	*0.8*	0.6	0.5	0.7	1.5	1.4	*1.9*
38	Syphilis	6.9	10.7	4.5	7.1	9.3	4.8	7.8	8.6	*3.8*
39	Soft chancre	.....	.....	.....	.....	.....	.....	.....	.....	.....
40	Gonococcus infection	*0.4*	*0.6*	*0.2*	0.5	0.6	0.4	*0.2*	*0.2*	.....
41	Purulent infection, septicemia	2.1	3.9	1.0	1.3	1.4	1.3	1.8	1.8	*1.9*
42	Other infectious diseases	.....	.....	.....	.....	.....	.....	.....	.....	.....
	II.—General diseases not included in Class I	144.3	195.4	112.2	125.6	140.7	109.8	156.2	160.8	133.6
	Cancer and other malignant tumors (total)	94.8	129.0	73.4	85.4	97.5	72.8	110.4	114.1	92.3
43	Of the buccal cavity	2.7	2.3	3.0	3.2	3.4	2.9	4.9	5.3	*2.9*
44	Of the stomach, liver	42.2	54.1	34.8	32.8	34.9	30.6	37.5	37.9	35.6
45	Of the peritoneum, intestines, rectum	12.0	17.2	8.7	11.3	13.5	9.0	17.8	19.0	11.5
46	Of the female genital organs	12.0	18.1	8.1	13.2	16.0	10.2	15.6	16.7	10.6
47	Of the breast	8.4	13.0	5.5	7.9	9.1	6.6	10.3	10.0	11.5
48	Of the skin	2.9	2.9	2.8	2.9	2.9	2.9	3.1	2.9	*3.8*
49	Of other or unspecified organs	14.6	21.4	10.4	14.2	17.6	10.6	21.3	22.4	16.3
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	0.9	1.9	*0.2*	0.6	0.7	0.5	*0.7*	*0.6*	*1.0*
51	Acute rheumatic fever	2.5	2.6	2.4	5.0	4.7	5.2	2.9	3.3	*1.0*
52	Chronic rheumatism, osteoarthritis, gout	1.5	*1.0*	1.8	1.2	1.1	1.4	0.8	*0.6*	*1.9*
53	Scurvy	*0.1*	*0.3*	.....	0.1	0.2	0.1	.....	.....	.....
54	Pellagra	.....	.....	.....	0.1	*0.1*	(2)	*0.7*	*0.8*	.....
55	Beriberi	.....	.....	.....	.....	.....	.....	.....	.....	.....
56	Rickets	*0.4*	*0.6*	*0.2*	0.8	0.8	0.7	1.0	1.0	*1.0*
57	Diabetes mellitus	21.2	26.3	18.1	17.3	19.9	14.7	19.7	19.4	21.1
58	Anemia, chlorosis	6.2	8.8	4.7	4.7	4.8	4.7	4.9	4.7	5.8
59	Diseases of the pituitary gland	*0.2*	*0.3*	*0.2*	0.1	*0.1*	*0.1*	.....	.....	.....
60a	Exophthalmic goiter	2.6	3.6	2.0	1.3	1.5	1.1	*0.7*	*0.6*	*1.0*
60b	Other diseases of the thyroid gland	2.4	4.2	1.2	1.1	1.5	0.6	0.8	1.0	.....
61	Diseases of the parathyroid glands	.....	.....	.....	0.1	0.1	(2)	*0.2*	*0.2*	.....
62	Diseases of the thymus gland	1.6	1.6	1.6	0.7	0.7	0.6	1.1	1.2	*1.0*
63	Diseases of the adrenals (Addison's disease)	1.2	2.6	*0.4*	0.5	0.4	0.5	*0.7*	*0.6*	*1.0*
64	Diseases of the spleen	*0.4*	.....	*0.6*	0.2	0.3	0.2	*0.3*	*0.4*	.....
65a	Leukemia	2.1	3.6	1.2	1.2	1.3	1.2	2.0	2.0	*1.9*
65b	Hodgkin's disease	0.6	*1.0*	*0.4*	0.6	0.6	0.5	0.8	1.0	.....
66	Alcoholism (acute or chronic)	2.6	3.9	1.8	2.2	2.1	2.3	3.3	3.7	*1.0*
67a	Chronic lead poisoning	.....	.....	.....	0.1	0.2	0.1	*0.2*	*0.2*	.....
67b	Other chronic mineral poisoning	*0.1*	*0.3*	.....	(2)	(2)	.....	.....	.....	.....
68	Chronic poisoning by organic substances	*0.4*	*0.6*	*0.2*	0.1	0.1	0.1	*0.2*	.....	*1.0*
69	Other general diseases	2.2	3.2	1.6	2.1	2.0	2.2	5.0	5.5	*2.9*

[1] Exclusive of stillbirths.

ITS MAIN SUBDIVISIONS, AND IN EACH REGISTRATION STATE, BY CITIES AND RURAL DISTRICTS, FROM OF CAUSES: 1921—Continued.

[See note at head of this table, pp. 196, 197.]

DEATH RATE PER 100,000 POPULATION.															Detailed List Int. No.
SOUTH CAROLINA.									TENNESSEE.						
Total.			Cities.			Rural districts.			Total.			Cities.			
Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.	
1,191.8	976.8	1,399.5	2,190.7	1,631.8	3,018.5	1,075.9	882.1	1,254.1	1,067.9	942.6	1,602.2	1,644.9	1,365.7	2,312.3	
259.2	157.5	357.4	409.5	224.2	683.8	241.7	147.8	328.1	268.9	222.6	466.1	338.6	240.0	574.6	
26.0	16.8	35.0	35.4	27.3	47.4	24.9	15.3	33.8	26.1	22.5	41.5	18.4	13.8	29.4	1
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4
27.9	9.6	45.5	21.4	4.7	46.1	28.7	10.4	45.5	14.4	10.7	30.3	18.9	9.2	41.9	5
0.6	*0.1*	1.1	.....	.....	.....	0.7	*0.1*	1.3	0.5	0.3	1.1	*0.9*	*0.3*	*2.2*	6
5.1	6.9	3.4	5.1	5.7	*4.2*	5.2	7.1	3.4	3.4	3.7	2.2	5.4	5.8	4.4	7
0.8	1.5	.....	*1.7*	*2.8*	.....	0.7	1.4	.....	1.8	2.0	*0.7*	2.6	3.7	.....	8
16.3	10.8	21.6	18.6	17.0	20.9	16.1	9.9	21.7	12.1	10.7	18.1	13.5	12.9	14.7	9
12.3	15.2	9.4	12.4	16.0	7.0	12.3	15.1	9.6	16.4	18.2	8.7	13.5	16.0	7.4	10
9.1	10.0	8.3	27.0	21.7	34.9	7.0	8.3	5.9	12.4	10.2	21.6	19.5	11.7	38.3	11a
7.9	7.7	8.0	6.7	6.6	7.0	8.0	7.9	8.1	8.0	7.0	12.7	11.3	7.4	20.6	11b
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12
0.2	.....	*0.3*	.....	.....	.....	*0.2*	.....	*0.4*	.....	.....	.....	.....	.....	.....	13
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	14
0.4	*0.1*	0.6	.....	.....	.....	0.4	*0.1*	0.6	0.7	0.7	*0.4*	1.5	1.5	*1.5*	15
15.0	12.9	17.0	11.8	10.4	14.0	15.3	13.2	17.3	13.3	14.1	10.0	15.8	15.7	16.2	16
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	17
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	18
0.1	*0.1*	.....	*0.6*	*0.9*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	19
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	20
1.2	1.8	0.7	*1.7*	*2.8*	.....	1.2	1.6	0.8	2.3	2.7	*0.9*	2.4	3.1	*0.7*	21
1.0	1.1	0.9	*0.6*	*0.9*	.....	1.0	1.1	1.0	1.3	1.2	1.8	*0.7*	*0.6*	*0.7*	22
0.6	*0.5*	0.7	*2.2*	*2.8*	*1.4*	0.4	*0.1*	0.6	1.0	1.0	1.1	1.3	1.5	*0.7*	23
1.1	1.4	0.8	2.8	*2.8*	*2.8*	0.9	1.2	0.6	1.4	1.5	*0.9*	2.4	2.8	*1.5*	24
0.2	*0.2*	*0.2*	.....	.....	.....	*0.3*	*0.3*	*0.3*	0.3	0.4	.....	*0.2*	*0.3*	.....	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
0.1	*0.1*	.....	.....	.....	.....	*0.1*	*0.1*	.....	(2)	*0.1*	.....	*0.2*	*0.3*	.....	27
0.2	*0.4*	.....	*1.1*	*1.9*	.....	*0.1*	*0.1*	.....	*0.1*	*0.1*	.....	.....	.....	.....	28
2.0	1.7	2.3	8.4	6.6	11.2	1.2	1.0	1.5	2.2	1.7	4.2	5.0	3.7	8.1	29
2.3	*0.2*	4.3	*1.1*	.....	*2.8*	2.4	*0.3*	4.4	*0.1*	*0.1*	*0.4*	*0.4*	*0.3*	*0.7*	30
111.2	52.4	168.0	200.2	79.1	379.6	100.9	48.5	149.0	139.9	106.6	282.0	177.0	110.1	337.0	
102.9	46.8	157.1	178.3	69.7	339.1	94.1	43.5	140.7	122.6	92.8	249.7	144.7	88.0	280.3	31
1.6	1.9	1.4	4.5	4.7	*4.2*	1.3	1.5	1.1	4.5	4.6	4.2	8.9	10.2	5.9	32
2.9	2.0	3.8	6.2	*1.9*	12.6	2.5	2.0	3.0	6.6	4.8	14.0	11.5	4.9	27.2	33
0.3	*0.1*	*0.5*	*1.1*	*0.9*	*1.4*	*0.2*	.....	*0.4*	1.0	1.0	1.1	2.2	2.5	*1.5*	34
0.4	*0.1*	0.6	*0.6*	.....	*1.4*	0.3	*0.1*	*0.5*	0.6	0.4	1.6	1.5	*0.6*	3.7	35
1.1	0.7	1.4	3.4	*1.9*	*5.6*	0.8	*0.5*	1.0	1.6	1.0	4.0	1.7	*0.6*	4.4	36
1.9	0.7	3.1	5.6	.....	14.0	1.5	0.8	2.1	2.1	1.0	6.5	5.4	2.5	12.5	37a
0.1	.....	*0.2*	*0.6*	.....	*1.4*	*0.1*	.....	*0.1*	0.9	0.9	*0.9*	1.1	*0.9*	*1.5*	37b
14.7	3.3	25.6	42.2	5.7	96.3	11.5	3.0	19.3	3.7	5.3	23.0	23.6	16.6	40.5	38
.....	.....	.....	.....	.....	.....	.....	.....	.....	(2)	.....	*0.2*	.....	.....	.....	39
1.1	0.8	1.4	4.5	4.7	*4.2*	0.7	*0.3*	1.1	0.6	0.3	2.0	2.0	*0.6*	5.1	40
1.9	1.7	2.1	3.9	*3.8*	*4.2*	1.6	1.4	1.9	1.7	1.6	2.2	2.2	1.8	*2.9*	41
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	42
74.9	82.1	67.8	198.5	181.8	223.3	60.5	67.7	53.9	81.9	78.1	98.3	135.4	137.2	131.0	
34.4	43.6	25.5	81.6	95.2	61.4	28.9	36.1	22.3	47.1	47.3	46.4	84.8	90.8	70.6	
1.9	3.0	0.9	*2.2*	*2.8*	*1.4*	1.9	3.0	0.9	1.7	1.4	2.9	2.4	2.2	*2.9*	43
9.4	12.1	6.7	20.8	19.8	22.3	8.0	11.0	5.3	14.7	15.9	9.6	25.6	29.8	15.4	44
4.0	6.4	1.6	11.2	16.0	*4.2*	3.1	5.0	1.4	4.5	5.0	2.5	9.5	11.4	5.1	45
8.5	8.2	8.9	20.2	21.7	18.1	7.2	6.3	8.0	10.3	8.2	19.4	22.1	19.1	29.4	46
3.3	4.2	2.5	6.7	9.4	*2.8*	2.9	3.4	2.5	4.4	4.3	5.1	8.9	9.8	6.6	47
1.1	1.9	*0.2*	3.4	5.7	.....	0.8	1.4	*0.3*	3.0	3.6	*0.7*	2.2	3.1	.....	48
6.2	7.7	4.7	16.9	19.8	12.6	5.0	6.0	4.0	8.5	9.0	6.2	14.1	15.4	11.0	49
0.6	0.7	0.6	*1.7*	*0.9*	*2.8*	0.5	0.7	*0.4*	0.6	0.5	1.1	*0.4*	*0.3*	*0.7*	50
3.2	2.3	4.1	5.1	4.7	*5.6*	3.0	1.9	4.0	3.0	2.1	6.7	4.1	*0.9*	11.8	51
0.4	*0.4*	*0.3*	*1.1*	*0.9*	*1.4*	*0.3*	*0.3*	*0.3*	1.2	1.1	1.6	*0.9*	*0.6*	*1.5*	52
0.1	.....	*0.1*	*0.6*	.....	*1.4*	.....	.....	.....	.....	.....	.....	.....	.....	.....	53
21.5	15.2	27.5	72.6	34.9	128.4	15.5	12.4	18.4	13.9	11.1	25.9	15.2	11.7	23.5	54
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	55
0.9	*0.4*	1.4	2.8	.....	7.0	0.7	*0.4*	0.9	0.3	*0.1*	*0.9*	*0.2*	.....	0.7	56
7.3	10.2	4.4	15.7	22.6	*5.6*	6.3	8.4	4.3	6.1	6.3	5.4	11.7	13.5	7.4	57
1.3	1.4	1.1	*2.2*	*3.8*	.....	1.2	1.1	1.3	2.4	2.5	2.2	4.8	5.2	3.7	58
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	59
0.2	*0.1*	*0.3*	*0.6*	.....	*1.4*	*0.2*	*0.1*	*0.3*	0.8	0.6	1.8	1.5	*0.6*	3.7	60a
0.5	0.6	*0.5*	*1.1*	*0.9*	*1.4*	0.5	*0.5*	*0.4*	0.4	0.5	.....	*0.9*	*1.2*	.....	60b
0.1	*0.2*	.....	*0.6*	*0.9*	.....	*0.1*	*0.1*	.....	(2)	*0.1*	.....	.....	.....	.....	61
0.2	*0.2*	*0.1*	*0.6*	.....	*1.4*	*0.1*	*0.3*	.....	*0.1*	*0.1*	.....	*0.2*	*0.3*	.....	62
.....	.....	.....	.....	.....	.....	.....	.....	.....	*0.2*	*0.2*	.....	.....	.....	.....	63
0.2	*0.4*	.....	*1.1*	*1.9*	.....	*0.1*	*0.1*	.....	0.3	0.3	*0.2*	*0.7*	*0.9*	.....	64
0.8	1.3	*0.2*	*2.2*	*3.8*	.....	0.6	1.0	*0.3*	0.7	0.8	*0.2*	1.3	1.5	*0.7*	65a
0.2	*0.5*	.....	.....	.....	.....	*0.3*	*0.5*	.....	0.5	0.5	*0.2*	*0.7*	*0.9*	.....	65b
0.8	1.2	*0.3*	2.8	*3.3*	*1.4*	0.5	0.8	*0.3*	1.4	1.0	2.9	2.0	1.5	*2.9*	66
0.1	.....	*0.1*	.....	.....	.....	*0.1*	.....	*0.1*	*0.1*	*0.1*	.....	.....	.....	.....	67a
0.1	.....	*0.1*	.....	.....	.....	*0.1*	.....	*0.1*	*0.1*	*0.1*	*0.2*	.....	.....	.....	67b
0.1	*0.1*	*0.1*	*1.1*	*0.9*	*1.4*	.....	.....	.....	0.3	0.4	*0.2*	1.3	1.5	*0.7*	68
2.1	3.3	0.9	5.1	6.6	*2.8*	1.8	2.9	0.8	2.4	2.4	2.5	4.8	5.5	*2.9*	69

[2] Less than one-tenth of 1 per 100,000 population.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), EACH CAUSE AND CLASS

[See note at head of this table, pp. 196, 197.]

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.								
		OREGON.			PENNSYLVANIA.			RHODE ISLAND.		
		Total.	Cities.	Rural districts.	Total.	Cities.	Rural districts.	Total.	Cities.	Rural districts.
	III.—Diseases of the nervous system and of the organs of special sense	137.4	163.7	121.0	125.5	115.5	136.1	142.5	141.8	146.1
70	Encephalitis	2.1	3.2	1.4	1.3	1.3	1.2	*0.7*	*0.6*	*1.0*
71a	Simple meningitis	2.2	2.3	2.2	3.8	4.5	3.1	3.7	3.7	*3.8*
71b	Nonepidemic cerebrospinal meningitis	*0.4*	.....	*0.6*	0.7	0.7	0.7	1 3	1.4	*1.0*
72	Tabes dorsalis (locomotor ataxia)	1.9	2.3	1.6	2.3	2.4	2.3	1.8	1.8	*1.9*
73	Other diseases of the spinal cord	6.7	5.5	7.5	4.4	3.8	5.0	3.6	3.7	*2.9*
74a	Cerebral hemorrhage	91.7	99.5	86.8	83.0	74.2	92.3	106.0	104.5	113.4
74b	Cerebral embolism and thrombos's	2.0	2.9	1.4	3.1	3.5	2.7	2.4	2.4	*2.9*
75	Paralysis without specified cause	6.5	7.1	6.1	4.2	4.0	4.3	3.6	3.5	*3.8*
76	General paralysis of the insane	9.2	18.8	3.3	6.7	6.0	7.5	6.5	7.6	*1.0*
77	Other forms of mental alienation	2.7	5.5	1.0	1.2	0.9	1.6	1.3	1.6	.....
78	Epilepsy	4.1	6.2	2.8	3.2	2.1	4.3	3.3	3.1	*3.8*
79	Convulsions (nonpuerperal, 5 years and over)	.....	.....	.....	0.1	(1)	0.1	*0.2*	.....	*1.0*
80	Infantile convulsions (under 5 years)	0.9	*1.3*	*0.6*	3.2	2.5	3.8	3.6	3.9	*1.9*
81	Chorea	*0.2*	.....	*0.4*	0.2	0.2	0.2	.....	.....	.....
82	Neuralgia and neuritis	.....	.....	.....	0.4	0.4	0.5	*0.7*	*0.4*	*1.9*
83	Softening of the brain	0.9	*1.0*	*0.8*	0.9	0.7	1.0	*0.5*	*0 4*	*1.0*
84	Other diseases of the nervous system	3.1	3.9	2.6	3.0	3.2	2.8	1.8	1.6	*2.9*
85	Diseases of the eye and annexa	*0.1*	*0.3*	.....	0.1	0.1	(1)	*0.5*	*0.6*	.....
86a	Diseases of the ear	1.9	3.2	1.0	2.4	2.9	1.9	*0.2*	*0.2*	.....
86b	Diseases of the mastoid process	0.6	*0.6*	*0.6*	1.4	1.9	0.8	1.0	*0.8*	*1.9*
	IV.—Diseases of the circulatory system	179.8	227.5	149.8	181.8	192.0	171.0	211.4	211.4	211.4
87	Pericarditis	0.7	*0.6*	*0.8*	0.9	0.9	0.8	*0.3*	*0.4*	.....
88	Endocarditis and myocarditis (acute)	5.1	8.8	2.8	7.6	9.5	5.6	6.2	7.1	*1.9*
89	Angina pectoris	10.5	13.0	8.9	7.9	7.2	8.6	12.2	11.2	17.3
90	Other diseases of the heart	134.4	158.5	119.3	141.9	151.9	131.4	160.8	160.8	160.5
91a	Aneurysm	2.4	2.6	2.2	1.4	1.8	1.0	1.5	1.6	*1.0*
91b,c	Other diseases of the arteries	22.0	36.6	12.8	19.7	18.1	21.3	27.5	27.8	25.9
92	Embolism and thrombosis (not cerebral)	2.6	4.9	1.2	1.4	1.6	1.3	2.1	1.8	*3.8*
93	Diseases of the veins	1.1	*1.3*	1.0	0.6	0.7	0.5	*0.7*	*0.6*	*1.0*
94	Diseases of the lymphatic system	0.7	*1.0*	*0.6*	0.3	0.2	0.4	*0.2*	*0.2*	.....
95	Hemorrhage without specified cause	*0.1*	*0.3*	.....	0.1	*0.2*	*0.1*	.....	.....	.....
96	Other diseases of the circulatory system	.....	.....	.....	(1)	.....	(1)	.....	.....	.....
	V.—Diseases of the respiratory system	79.3	95.9	68.9	152.2	170.8	132.7	123.6	123.8	123.0
97a	Diseases of the nasal fossae	*0.4*	*0.3*	*0.4*	0.1	*0.1*	0.1	*0.2*	*0.2*	.....
97b	Diseases of the nasal fossae annexa	0.7	*1.3*	*0.4*	0.4	0.7	0.2	.....	.....	.....
98	Diseases of the larynx	0.7	*1.0*	*0.6*	1.4	1.1	1.6	1.1	1.2	*1.0*
99a	Acute bronchitis	1.6	1.9	1.4	4.4	4.4	4.4	4.9	4.9	4.8
99b	Chronic bronchitis	2.1	3.6	1.2	2.9	3.5	2.2	3.6	2.7	7.7
99c	Bronchitis (unspecified, under 5 years)	.....	.....	.....	1.3	1.4	1.1	1.0	1.2	.....
99d	Bronchitis (unspecified, 5 years and over)	*0.5*	*0.6*	*0.4*	1.1	1.2	1.2	2.0	1.8	*2.9*
100a	Bronchopneumonia	24.9	28.2	22.8	57.3	63.2	51.0	42.7	42.0	46.1
100b	Capillary bronchitis	.....	.....	.....	1.6	1.9	1.3	1.5	1.4	*1.9*
101a	Lobar pneumonia	35.2	45.4	28.9	64.0	76.2	51.1	50.3	51.8	43.2
101b	Pneumonia (unspecified)	6.4	4.2	7.7	6.9	5.3	8.5	8.3	8.8	5.8
102	Pleurisy	3.0	4.5	2.0	3.8	4.6	2.9	3.1	3.1	*2.9*
103	Congestion and hemorrhagic infarct of the lung	2.1	1.9	2.2	2.2	2.7	1.7	1.3	*0.8*	*3.8*
104	Gangrene of the lung	.....	.....	.....	0.3	0.3	0.3	*0.2*	*0.2*	.....
105	Asthma	1.0	1.6	*0.6*	3.0	2.6	3.4	1.3	1.4	*1.0*
106	Pulmonary emphysema	*0.1*	*0.3*	.....	0.3	0.3	0.2	*0.5*	*0.6*	.....
107	Other diseases of the respiratory system (tuberculosis excepted).	*0.5*	*1.0*	*0.2*	1.4	1.2	1.5	1.8	1.8	*1.9*
	VI.—Diseases of the digestive system	77.1	96.9	64.6	132.9	139.8	125.6	114.5	123.4	71.1
108	Diseases of the mouth and annexa	0.7	*0.6*	*0.8*	0.7	0.9	0.5	*0.5*	*0.6*	.....
109a	Adenoid vegetations	.....	.....	.....	.....	.....	.....	.....	.....	.....
109b	Other diseases of the pharynx, tonsils	5.4	8.1	3.7	3.6	3.6	3.6	2.6	2.7	*1.9*
110	Diseases of the esophagus	*0.2*	*0.6*	.....	0.1	*0.1*	0.2	.....	.....	.....
111a	Ulcer of the stomach	4.1	5.2	3.5	3.0	3.5	2.4	3.9	4.3	*1.9*
111b	Ulcer of the duodenum	2.9	4.2	2.0	1.2	1.8	0.5	2.3	2.5	*1.0*
112	Other diseases of the stomach (cancer excepted)	3.9	4.5	3.5	8.9	8.5	9.4	5.5	3.9	13.5
113	Diarrhea and enteritis (under 2 years)	9.9	9.1	10.4	61.9	58.5	65.5	49.4	53.5	28.8
114	Diarrhea and enteritis (2 years and over)	5.5	6.2	5.1	9.2	7.2	11.4	6.5	6.9	4.8
115	Ancylostomiasis	.....	.....	.....	.....	.....	.....	.....	.....	.....
116	Diseases due to other intestinal parasites	*0.1*	.....	*0.2*	0.1	(1)	0.2	.....	.....	.....
117	Appendicitis and typhlitis	14.1	21.4	9.6	12.4	18.6	6.0	12.4	14.7	*1.0*
118a	Hernia	2.7	2.6	2.8	3.7	5.0	2.4	5.5	6.3	*1.9*
118b	Intestinal obstruction	7.6	8.4	7.1	6.9	8.6	5.2	5.0	5.7	*1.9*
119	Other diseases of the intestines	1.2	2.3	*0.6*	1.2	1.5	0.9	1.3	1.6	.....
120	Acute yellow atrophy of the liver	*0.4*	.....	*0.6*	0.5	0.4	0.6	*0.7*	*0.6*	*1.0*
121	Hydatid tumor of the liver	.....	.....	.....	0.1	*0.1*	*0.1*	.....	.....	.....
122	Cirrhosis of the liver	6.6	7.8	5.9	8.3	8.4	8.1	9.4	9.4	9.6
123	Biliary calculi	4.0	5.8	2.8	3.8	5.3	2.3	1.8	1.8	*1.9*
124	Other diseases of the liver	4.7	6.2	3.9	4.4	5.0	3.9	3.6	4.3	.....
125	Diseases of the pancreas	*0.1*	*0.3*	.....	0.6	0.8	0.3	*0.7*	*0.8*	.....
126	Peritonitis without specified cause	2.6	3.2	2.2	2.1	2.0	2.2	3.4	3.7	*1.9*
127	Other diseases of the digestive system (cancer and tuberculosis excepted).	*0.1*	*0.3*	.....	0.2	0.2	0.1	.....	.....	.....

[1] Less than one-tenth of 1 per 100,000 population.

ITS MAIN SUBDIVISIONS, AND IN EACH REGISTRATION STATE, BY CITIES AND RURAL DISTRICTS, FROM OF CAUSES: 1921—Continued.

[See note at head of this table, pp. 196, 197.]

DEATH RATE PER 100,000 POPULATION.															Detailed List No.
SOUTH CAROLINA.									TENNESSEE.						
Total.			Cities.			Rural districts.			Total.			Cities.			
Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.	
102.2	100.3	103.9	206.4	163.0	270.7	90.1	91.3	89.0	85.5	79.5	111.0	126.0	116.0	150.1	
1.6	1.5	1.6	2.2	1.9	2.8	1.5	1.5	1.5	1.2	1.2	1.3	1.1	1.5	.....	70
2.1	2.7	1.5	3.9	3.8	4.2	1.9	2.6	1.3	2.8	3.0	2.0	3.7	3.7	3.7	71a
0.8	0.8	0.8	1.7	0.9	2.8	0.7	0.8	0.6	1.5	1.4	1.8	2.2	1.2	4.4	71b
0.3	0.6	.....	0.6	0.9	.....	0.3	0.5	.....	1.0	1.2	0.2	1.5	1.8	0.7	72
2.0	2.9	1.1	5.6	6.6	4.2	1.6	2.3	0.9	3.9	3.3	6.7	4.1	2.5	8.1	73
56.4	61.7	51.3	132.2	101.8	177.2	47.6	55.9	40.0	44.1	41.4	55.5	77.2	72.9	87.5	74a
1.1	1.1	1.1	3.9	1.9	7.0	0.8	1.0	0.6	1.0	0.8	1.8	1.7	1.8	1.5	74b
19.2	15.5	22.9	11.8	11.3	12.6	20.1	16.1	23.8	13.4	12.5	17.2	13.9	11.1	20.6	75
1.9	1.0	2.8	14.6	6.6	26.5	0.4	0.1	0.6	3.1	2.6	5.8	3.3	3.1	3.7	76
1.2	0.8	1.6	5.6	4.7	7.0	0.7	0.3	1.1	1.8	1.6	2.7	0.9	0.6	1.5	77
3.5	3.0	4.0	10.1	8.5	12.6	2.7	2.2	3.3	3.2	2.7	5.1	2.6	1.8	4.4	78
0.8	0.5	1.1	1.1	0.9	1.4	0.8	0.4	1.1	0.3	0.2	0.7	0.4	0.3	0.7	79
7.0	2.6	11.2	4.5	2.8	7.0	7.2	2.6	11.5	1.9	1.3	4.5	1.3	0.9	2.2	80
0.1	0.1	.....	.....	.....	.....	0.1	0.1	.....	0.3	0.3	0.2	0.4	0.6	.....	81
0.6	0.7	0.5	0.6	0.9	.....	0.6	0.7	0.5	0.7	0.8	0.2	0.4	0.6	.....	82
0.6	0.8	0.3	1.1	1.9	.....	0.5	0.7	0.4	1.2	1.5	0.2	2.4	3.1	0.7	83
1.5	2.3	0.8	3.4	5.7	.....	1.3	1.8	0.9	2.2	2.0	3.1	4.3	3.7	5.9	84
0.1	.....	0.1	.....	.....	.....	0.1	.....	0.1	0.2	0.1	0.7	0.4	.....	1.5	85
0.9	1.3	0.5	2.2	0.9	4.2	0.7	1.4	0.1	1.1	1.2	1.1	2.6	2.5	2.9	86a
0.6	0.5	0.7	1.1	0.9	1.4	0.5	0.4	0.6	0.6	0.7	0.2	1.5	2.2	.....	86b
119.3	115.9	122.5	315.0	244.0	420.0	96.5	97.4	95.7	104.8	90.8	164.5	185.5	144.9	282.5	
1.3	1.0	1.7	1.7	1.9	1.4	1.3	0.8	1.8	0.9	0.8	1.1	0.4	0.3	0.7	87
4.0	3.7	4.4	10.1	9.4	11.2	3.3	2.9	3.8	2.6	2.1	4.7	5.9	4.3	9.6	88
5.1	8.5	1.9	11.8	16.0	5.6	4.3	7.4	1.5	4.7	5.0	3.1	7.4	9.2	2.9	89
94.6	87.0	101.9	222.2	160.2	314.0	79.8	76.4	82.8	86.4	73.2	142.7	148.8	108.9	244.3	90
1.1	1.0	1.3	8.4	5.7	12.6	0.3	0.3	0.3	1.4	0.8	3.8	4.3	2.5	8.8	91a
10.5	12.7	8.3	59.1	50.9	71.2	4.8	7.2	2.6	7.0	7.2	6.0	14.3	15.1	12.5	91b,c
0.8	0.7	0.8	1.7	.....	4.2	0.7	0.8	0.5	0.9	0.8	1.3	2.4	2.5	2.2	92
0.1	.....	0.1	.....	.....	.....	0.1	.....	0.1	0.2	0.2	0.2	0.9	0.9	0.7	93
0.1	0.1	0.1	.....	.....	.....	0.1	0.1	0.1	0.3	0.2	0.7	0.7	0.9	.....	94
0.6	0.2	1.0	.....	.....	.....	0.7	0.3	1.1	0.5	0.4	0.9	0.4	0.3	0.7	95
1.1	1.1	1.0	.....	.....	.....	1.2	1.2	1.1	0.1	0.1	.....	.....	.....	.....	96
97.0	75.8	117.5	136.7	89.5	206.5	92.4	73.8	109.5	89.7	77.9	140.0	136.0	101.5	218.5	
8.1	1.2	14.8	.....	.....	.....	9.1	1.4	16.2	0.5	0.4	0.9	0.4	0.6	.....	97a
0.3	0.4	0.2	1.7	2.8	.....	0.1	.....	0.3	0.2	0.2	0.2	0.7	0.6	0.7	97b
0.7	1.0	0.5	1.1	1.9	.....	0.7	0.8	0.5	0.8	0.6	1.3	1.3	0.9	2.2	98
0.9	1.0	0.9	1.7	2.8	.....	0.8	0.7	1.0	1.4	0.5	5.1	3.7	1.2	9.6	99a
0.6	0.8	0.5	2.2	2.8	1.4	0.5	0.5	0.4	2.8	2.4	4.5	5.2	3.1	10.3	99b
1.2	0.6	1.7	0.6	.....	1.4	1.2	0.7	1.8	0.8	0.6	1.8	0.9	.....	2.9	99c
0.6	0.4	0.8	1.1	0.9	1.4	0.5	0.3	0.8	2.2	1.3	5.8	3.9	1.8	8.8	99d
19.8	20.6	19.1	38.8	23.6	61.4	17.6	20.2	15.3	29.0	26.4	40.1	45.3	38.5	61.8	100a
0.2	.....	0.5	1.1	.....	2.8	0.1	.....	0.3	0.7	0.7	0.7	0.9	0.6	1.5	100b
31.6	30.9	32.3	70.9	39.6	117.2	27.1	29.7	24.7	37.4	32.1	60.0	56.6	40.6	94.9	101a
26.0	13.6	38.1	8.4	5.7	12.6	28.1	14.7	40.4	7.5	6.8	10.0	5.9	3.7	11.0	101b
2.0	2.7	1.4	3.9	5.7	1.4	1.8	2.3	1.4	2.2	1.9	3.8	5.0	3.1	9.6	102
1.1	1.1	1.1	3.4	1.9	5.6	0.8	1.0	0.8	1.9	1.9	1.8	3.0	3.1	2.9	103
0.2	0.5	.....	1.1	1.9	.....	0.1	0.3	.....	0.1	0.1	0.2	0.2	0.3	.....	104
1.8	0.7	2.9	0.6	.....	1.4	2.0	0.8	3.0	1.6	1.3	2.9	2.0	2.2	1.5	105
0.1	0.1	.....	.....	.....	.....	0.1	0.1	.....	(1)	0.1	.....	.....	.....	.....	106
1.6	0.4	2.8	.....	.....	.....	1.8	0.4	3.0	0.7	0.6	0.9	1.1	1.2	0.7	107
121.5	110.5	132.2	246.3	191.3	327.9	107.1	98.8	114.7	109.3	103.2	134.9	193.3	179.1	227.3	
0.9	0.4	1.4	0.6	0.9	.....	0.9	0.3	1.5	1.4	1.3	2.2	1.7	1.2	2.9	108
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	109a
3.3	3.0	3.7	5.6	5.7	5.6	3.1	2.6	3.5	3.0	2.7	4.5	3.9	3.4	5.1	109b
0.2	0.1	0.2	1.1	.....	2.8	0.1	0.1	.....	0.2	0.1	0.4	0.7	0.3	1.5	110
1.9	1.4	2.3	7.3	3.8	12.6	1.2	1.1	1.4	2.7	1.9	5.8	6.9	4.3	13.2	111a
0.4	0.6	0.1	1.7	1.9	1.4	0.2	0.4	.....	0.7	0.7	0.4	2.0	2.8	.....	111b
17.6	11.0	24.0	10.1	8.5	12.6	18.5	11.3	25.1	10.9	8.5	21.2	13.2	6.5	29.4	112
59.3	57.5	61.1	102.9	69.7	152.1	54.2	55.7	52.9	34.0	35.7	27.2	45.6	45.8	44.9	113
12.1	11.3	12.9	33.2	17.9	55.8	9.7	10.4	9.0	16.7	16.5	17.8	22.1	20.3	26.5	114
0.4	0.6	0.1	0.6	0.9	.....	0.3	0.5	0.1	0.2	0.3	.....	0.2	0.5	.....	115
1.3	0.2	2.3	1.7	.....	4.2	1.2	0.3	2.1	0.4	0.2	1.1	0.7	.....	2.2	116
7.0	8.5	5.5	29.2	34.9	20.9	4.4	4.6	4.1	13.9	13.1	17.4	41.0	43.1	36.0	117
1.5	1.2	1.7	5.1	5.6	2.8	1.0	0.4	1.6	2.3	1.9	4.0	5.4	4.0	8.8	118a
5.4	5.1	5.6	18.6	12.2	27.9	3.9	4.1	3.6	6.7	5.1	13.4	16.9	13.8	24.3	118b
0.8	0.5	1.0	0.6	.....	1.4	0.8	0.5	1.0	1.7	1.2	3.6	2.2	0.9	5.1	119
0.5	.....	1.0	2.2	.....	5.6	0.3	.....	0.6	0.3	0.4	.....	0.4	0.6	.....	120
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	121
2.7	2.4	3.1	5.6	4.7	7.0	2.4	2.0	2.8	4.2	3.7	6.2	8.5	8.6	8.1	122
1.3	1.9	0.7	6.7	11.3	.....	0.7	0.5	0.8	3.0	3.5	1.3	6.5	8.3	2.2	123
3.2	3.0	3.3	8.4	7.5	9.8	2.5	2.3	2.8	5.0	5.0	4.9	10.4	10.8	9.6	124
0.2	0.1	0.2	0.6	0.9	.....	0.1	.....	0.3	0.3	0.3	.....	0.9	1.2	.....	125
1.5	1.4	1.5	3.4	2.8	4.2	1.2	1.2	1.3	1.6	1.2	3.3	4.1	2.8	7.4	126
0.4	0.4	0.3	1.1	0.9	1.4	0.3	0.3	0.3	.....	.....	.....	.....	.....	.....	127

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), EACH CAUSE AND CLASS

[See note at head of this table, pp. 196, 197.]

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.								
		OREGON.			PENNSYLVANIA.			RHODE ISLAND.		
		Total.	Cities.	Rural districts.	Total.	Cities.	Rural districts.	Total.	Cities.	Rural districts.
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	74.3	86.2	66.9	109.4	124.8	93.2	109.1	109.6	106.7
128	Acute nephritis (including unspecified under 10 years)	3.7	4.9	3.0	8.7	9.4	8.0	8.5	8.0	10.6
129	Chronic nephritis (including unspecified 10 years and over)	55.2	59.3	52.7	87.2	98.7	75.2	88.8	89.0	87.4
130	Chyluria				(1)		(1)			
131	Other diseases of the kidneys and annexa	2.1	2.3	2.0	1.8	2.2	1.4	2.6	2.2	4.8
132	Calculi of the urinary passages	1.0	1.9	*0.4*	0.5	0.6	0.4	*0.7*	*0.8*	
133	Diseases of the bladder	1.2	*1.3*	1.2	1.2	1.0	1.3	1.3	1.4	*1.0*
134	Diseases of the urethra, etc				0.3	0.5	0.2	*0.2*	*0.2*	
135	Diseases of the prostate	5.7	8.4	4.1	3.5	3.7	3.3	3.3	3.7	*1.0*
136	Nonvenereal diseases of the male genital organs				0.2	0.2	*0.1*	*0.2*	*0.2*	
137	Cysts, other benign tumors of the ovary	0.7	*0.6*	*0.8*	0.9	1.2	0.6	*0.3*	*0.4*	
138	Salpingitis and pelvic abscess (female)	1.7	3.2	*0.8*	2.2	3.2	1.1	1.3	1.6	
139	Benign tumors of the uterus	2.1	3.2	1.4	2.1	3.1	1.1	1.5	1.4	*1.9*
140	Nonpuerperal uterine hemorrhage				(1)	(1)				
141	Other diseases of the female genital organs	0.6	*1.0*	*0.4*	0.6	0.8	0.4	*0.7*	*0.8*	
142	Nonpuerperal diseases of the breast (cancer excepted)				(1)	*0.1*				
	VIII.—The puerperal state	14.4	14.9	14.0	17.7	21.4	13.8	16.8	18.6	7.7
143	Accidents of pregnancy	1.6	*1.3*	1.8	1.3	1.8	0.8	1.5	1.8	
144	Puerperal hemorrhage	1.7	1.9	1.6	1.9	1.9	2 0	2.1	2.5	
145	Other accidents of labor	0.7	*0.6*	*0.8*	1.6	1.8	1.4	0.8	1.0	
146	Puerperal septicemia	5.7	6.5	5.3	7.5	9.5	5.4	7.5	8.0	4.8
147	Puerperal phlegmasia alba dolens, embolus, etc	0.9	*1.0*	*0.8*	0.6	0.6	0.5	1.0	1.0	*1.0*
148	Puerperal albuminuria and convulsions	3.6	3.6	3.7	4.5	5.5	3.4	3.6	4.1	*1.0*
149	Following childbirth (undefined)				0.2	0.2	0.2	*0.2*		*1.0*
150	Puerperal diseases of the breast							*0.2*	*0.2*	
	IX.—Diseases of the skin and of the cellular tissue	3.6	5.2	2.6	4.9	4.9	4.8	4.6	4.9	*2.9*
151	Gangrene	2.0	2.3	1.8	2.1	1.8	2.4	1.6	1.8	*1.0*
152	Furuncle	0.6	*1.0*	*0.4*	1.0	1.2	0.7	1.0	1.2	
153	Acute abscess	*0.4*	*1.0*		0.9	1.0	0.8	1.1	1.4	
154	Other diseases of the skin and annexa	0.6	*1.0*	*0.4*	0.9	0.9	0.9	0.8	*0.6*	*1.9*
	X.—Diseases of the bones and of the organs of locomotion	1.1	1.6	*0.8*	1.6	1.9	1.3	1.1	1.4	
155	Diseases of the bones (tuberculosis excepted)	0.6	*0.6*	*0.6*	1.2	1.4	0.9	*0.5*	*0.6*	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	*0.5*	*1.0*	*0.2*	0.4	0.5	0.3	*0.7*	*0.8*	
157	Amputations									
158	Other diseases of the organs of locomotion				0.1	*0.1*	(1)			
	XI.—Malformations	13.0	13.0	13.0	22.6	22.1	23.2	20.0	19.6	22.1
159a	Congenital hydrocephalus	1.4	1.9	1.0	1.4	1.5	1.4	3.4	2.9	5.8
159b	Congenital malformations of the heart	8.5	6.8	9.6	15.3	14.3	16.4	10.9	10.6	12.5
159c	Other congenital malformations	3.1	4.2	2.4	5.9	6.3	5.4	5.7	6.1	*3.8*
	XII.—Early infancy	44.1	46.7	42.5	75.4	74.9	75.8	82.7	87.7	58.6
160	Congenital debility, icterus, sclerema	6.6	4.9	7.7	11.2	10.1	12.4	21.0	21.8	17.3
161a	Premature birth	27.4	29.5	26.0	46.3	45.6	47.1	37.5	39.8	25.9
161b	Injury at birth	5.9	8.4	4.3	10.9	12.0	9.7	17.6	19.2	9.6
162	Other diseases peculiar to early infancy	4.2	3.9	4.5	6.8	7.2	6.5	6.7	6.9	5.8
163	Lack of care				0.1	*0.1*	0.1			
164	XIII.—Old age (senility)	17.9	11.0	22.2	7.1	4.9	9.4	16.8	14.1	29.8
	XIV.—External causes	102.6	104.0	101.6	96.0	99.3	92.5	80.3	81.2	75.9
	Suicide (total)	16.1	21.1	13.0	11.2	12.7	9.7	10.4	10.0	12.5
165	By poisons (gas or corrosives excepted)	0.7	*0.3*	1.0	0.2	0.3	0.2	*0.2*		*1.0*
166	By corrosive substances	1.6	2.6	1.0	1.1	1.5	0.8	*0.5*	*0.4*	*1.0*
167	By poisonous gas	*0.5*	*1.3*		1.3	2.4	0.2	2.9	3.5	
168	By hanging or strangulation	2.0	2.3	1.8	2.6	2.1	3.3	1.6	1.4	*2.9*
169	By drowning	1.7	2.9	1.0	0.6	0.6	0.6	1.0	*0.6*	*2.9*
170	By firearms	8.1	8.8	7.7	4.1	4.5	3.8	2.8	2.4	4.8
171	By cutting or piercing instruments	0.9	1.9	*0.2*	0.7	0.8	0.5	1.0	1.2	
172	By jumping from high places	*0.4*	*1.0*		0.2	0.4	*0.1*	*0.3*	*0.4*	
173	By crushing				0.1	*0.1*	0.2	*0.2*	*0.2*	
174	By other means	*0.1*		*0.2*	0.2	0.1	0.2			
	Homicide (total)	7.7	8.8	7.1	6.3	7.1	5.6	3.1	3.7	
197	By firearms	4.7	5.2	4.5	4.1	4.5	3.7	1.8	2.2	
198	By cutting or piercing instruments	1.2	1.6	1.0	0.9	1.1	0.8	*0.2*	*0.2*	
199	By other means	1.7	1.9	1.6	1.3	1.5	1.1	1.1	1.4	

[1] Less than one-tenth of 1 per 100,000 population.

ITS MAIN SUBDIVISIONS, AND IN EACH REGISTRATION STATE, BY CITIES AND RURAL DISTRICTS, FROM OF CAUSES: 1921—Continued.

[See note at head of this table, pp. 196, 197.]

DEATH RATE PER 100,000 POPULATION.																Detailed List No.
SOUTH CAROLINA.									TENNESSEE.							
Total.			Cities.			Rural districts.			Total.			Cities.				
Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.		
99.0	91.7	106.1	228.3	177.1	304.2	84.0	79.3	88.3	81.9	68.5	139.3	172.3	137.2	256.0		
8.8	6.1	11.4	18.6	16.0	22.3	7.6	4.6	10.4	7.1	5.3	14.9	18.7	12.3	33.8		128
77.1	75.1	79.1	178.3	132.8	245.6	65.4	66.8	64.2	60.8	52.1	97.6	115.0	96.0	160.4		129
																130
5.2	3.6	6.8	9.0	11.3	*5.6*	4.8	2.5	6.9	2.8	2.6	3.8	5.6	5.5	5.9		131
0.5	0.7	*0.2*	*1.1*	*1.9*	.....	0.4	*0.5*	*0.3*	0.5	0.5	*0.4*	1.1	1.5	.....		132
1.3	1.0	1.6	*2.2*	*0.9*	*4.2*	1.2	1.0	1.4	1.5	1.1	3.1	3.0	1.8	5.9		133
0.1	.....	*0.2*	*1.1*	.....	*2.8*	.....	.....	.....	0.1	*0.2*	2.9	3.0	*0.9*	8.1		134
2.0	2.5	1.6	6.7	7.5	*5.6*	1.5	1.8	1.3	3.7	3.3	5.4	7.6	6.5	10.3		135
0.1	.....	*0.1*	.....	.....	.....	*0.1*	.....	*0.1*	.....	.....	.....	.....	.....	.....		136
0.8	0.6	0.9	3.4	*2.8*	*4.2*	0.5	*0.3*	0.6	0.4	0.5	*0.2*	*0.7*	*0.9*	.....		137
0.8	1.0	0.6	*2.2*	*2.8*	*1.4*	0.6	0.7	*0.5*	1.8	1.0	4.9	3.0	4.6	16.2		138
1.1	0.6	1.5	4.5	*0.9*	9.8	0.7	*0.5*	0.8	1.8	1.3	4.2	6.3	4.0	11.8		139
0.2	*0.1*	*0.3*	.....	.....	.....	*0.3*	*0.1*	*0.4*	*0.1*	.....	*0.4*	.....	.....	.....		140
1.1	*0.5*	1.7	*1.1*	.....	*2.8*	1.1	*0.5*	1.6	0.8	0.6	1.3	3.3	3.1	3.7		141
.....	.....	.....	.....	.....	.....	.....	.....	.....	(1)	*0.1*	.....	.....	.....	.....		142
29.0	23.3	34.4	54.6	45.2	68.4	26.0	20.2	31.3	19.9	18.2	27.2	34.1	32.6	37.5		
1.5	1.7	1.4	3.4	4.7	*1.4*	1.3	1.2	1.4	1.9	1.8	2.0	4.1	4.0	4.4		143
3.0	2.9	3.2	5.1	*3.8*	7.0	2.8	2.7	2.9	1.4	1.4	1.1	1.7	2.2	*0.7*		144
5.5	3.5	7.5	4.5	*2.8*	7.0	5.6	3.5	7.5	1.6	1.5	2.0	1.5	1.8	*0.7*		145
7.7	5.2	10.0	19.1	13.2	27.9	6.3	4.1	8.4	8.3	6.7	15.4	14.8	12.9	19.1		146
0.4	*0.5*	*0.3*	*1.1*	*1.9*	.....	0.3	*0.3*	*0.4*	0.3	0.4	.....	*0.2*	*0.3*	.....		147
10.8	9.6	12.0	21.4	18.8	25.1	9.6	8.3	10.8	6.4	6.4	6.7	11.7	11.4	12.5		148
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....		149
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....		150
3.0	2.5	3.6	6.7	9.4	*2.8*	2.6	1.5	3.6	3.6	3.1	5.6	7.2	7.4	6.6		
0.7	*0.4*	1.0	*0.6*	.....	*1.4*	0.7	*0.4*	1.0	1.7	1.3	3.1	3.3	3.1	3.7		151
0.5	*0.2*	0.7	*1.1*	*0.9*	*1.4*	0.4	*0.1*	0.6	0.7	0.7	*0.7*	1.7	2.2	*0.7*		152
1.0	1.1	0.9	3.9	6.6	.....	0.7	*0.3*	1.0	0.8	0.7	1.6	1.5	1.5	*1.5*		153
0.9	0.8	0.9	*1.1*	*1.9*	.....	0.8	0.7	1.0	0.4	0.4	*0.2*	*0.7*	*0.6*	*0.7*		154
1.1	1.2	1.0	3.9	*3.8*	*4.2*	0.8	0.8	0.8	0.9	1.1	*0.2*	1.1	1.5	.....		
0.7	0.6	0.8	2.8	*1.9*	*4.2*	0.5	*0.4*	*0.5*	0.8	1.0	*0.2*	1.1	1.5	.....		155
0.3	*0.5*	*0.1*	*1.1*	*1.9*	.....	*0.2*	*0.3*	*0.1*	.....	.....	.....	.....	.....	.....		156
0.1	*0.1*	.....	.....	.....	.....	*0.1*	*0.1*	.....	.....	.....	.....	.....	.....	.....		157
0.1	.....	*0.1*	.....	.....	.....	*0.1*	.....	*0.1*	*0.1*	*0.1*	.....	.....	.....	.....		158
8.7	12.0	5.4	18.6	22.6	12.6	7.5	10.5	4.8	9.1	10.4	4.0	12.4	16.0	3.7		
1.7	1.3	2.1	*2.2*	*1.9*	*2.8*	1.6	1.2	2.0	0.8	0.9	*0.2*	*0.9*	*0.9*	*0.7*		159a
3.9	6.8	1.1	11.8	16.0	*5.6*	3.0	5.5	0.8	3.6	4.2	*0.9*	4.8	6.8	.....		159b
3.0	3.9	2.2	4.5	4.7	*4.2*	2.9	3.8	2.0	4.8	5.2	2.9	6.7	8.3	*2.9*		159c
122.1	93.0	150.3	194.0	132.8	284.7	113.8	87.2	138.2	51.8	51.4	53.3	84.2	75.4	105.2		
21.1	12.3	29.7	63.0	12.2	138.2	16.3	12.3	19.9	9.4	8.7	12.3	12.1	8.9	19.9		160
89.3	67.4	110.5	90.0	86.7	94.9	89.2	64.6	111.9	33.8	33.9	33.2	57.9	52.6	70.6		161a
4.6	7.3	2.1	20.2	28.3	8.4	2.8	4.2	1.5	5.4	5.8	3.8	9.8	10.2	8.8		161b
6.9	6.1	7.7	19.7	5.7	40.5	5.4	6.1	4.8	3.2	3.0	4.0	4.3	3.7	5.9		162
0.2	.....	*0.3*	*1.1*	.....	*2.8*	*0.1*	.....	*0.1*	(1)	*0.1*	.....	.....	.....	.....		163
26.7	15.1	37.8	8.4	8.5	8.4	28.8	16.1	40.5	15.6	14.2	21.6	12.1	12.3	11.8		164
74.2	70.0	78.3	151.9	133.8	178.6	65.2	60.8	69.3	76.0	67.7	111.0	146.9	131.1	184.7		
4.7	8.2	1.4	7.9	12.2	*1.4*	4.4	7.6	1.4	7.3	8.1	4.0	15.8	20.6	4.4		
0.2	*0.2*	*0.1*	.....	.....	.....	*0.2*	*0.3*	*0.1*	0.3	0.4	.....	*0.7*	*0.9*	.....		165
0.6	1.1	*0.1*	*1.7*	*2.8*	.....	0.5	0.8	*0.1*	1.3	1.4	*0.9*	3.9	4.3	*2.9*		166
0.1	*0.1*	.....	*0.6*	*0.9*	.....	.....	.....	.....	*0.1*	*0.1*	.....	*0.2*	*0.3*	.....		167
0.2	*0.5*	.....	.....	.....	.....	*0.3*	*0.5*	.....	1.2	1.4	*0.7*	1.7	1.8	*1.5*		168
0.1	*0.1*	.....	.....	.....	.....	*0.1*	*0.1*	.....	0.4	0.3	*0.9*	*0.7*	*0.9*	.....		169
2.9	5.1	0.8	5.1	7.5	*1.4*	2.7	4.8	0.8	3.3	3.7	1.3	6.3	8.9	.....		170
0.5	0.7	*0.2*	*0.6*	*0.9*	.....	0.5	0.7	*0.3*	0.5	0.6	.....	1.5	2.2	.....		171
0.1	*0.2*	.....	.....	.....	.....	*0.1*	*0.3*	.....	*0.2*	*0.2*	.....	*0.9*	*1.2*	.....		172
0.1	.....	*0.1*	.....	.....	.....	*0.1*	.....	*0.1*	(1)	.....	*0.2*	.....	.....	.....		173
0.1	*0.1*	.....	.....	.....	.....	*0.1*	*0.1*	.....	(1)	*0.1*	.....	.....	.....	.....		174
17.1	11.3	22.7	46.7	26.4	76.8	13.6	9.1	17.8	16.7	11.4	39.5	40.1	23.4	80.2		
14.3	9.5	18.9	36.0	20.7	58.6	11.7	7.9	15.3	13.8	9.9	30.8	33.4	20.6	64.0		197
1.4	0.8	2.0	5.1	*0.9*	11.2	1.0	0.8	1.1	1.4	0.6	4.9	3.5	*0.9*	9.6		198
1.4	1.0	1.8	5.6	4.7	7.0	0.9	*0.4*	1.4	1.5	0.9	3.8	3.3	1.8	6.6		199

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), EACH CAUSE AND CLASS

[See note at head of this table, pp. 196, 197.]

Detailed List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.								
		OREGON.			PENNSYLVANIA.			RHODE ISLAND.		
		Total.	Cities.	Rural districts.	Total.	Cities.	Rural districts.	Total.	Cities.	Rural districts.
	XIV.—External causes—Continued.									
	Accidental or undefined (total)	78.7	74.2	81.5	78.4	79.5	77.2	66.8	67.5	63.4
175	Poisoning by food	1.2	*1.3*	1.2	0.8	0.7	0.9	1.6	1.8	*1.0*
176	Poisoning by venomous animals	*0.2*	.....	*0.4*	0.1	*0.1*	0.1	.....	.....	.....
177	Other acute poisonings (gas excepted)	1.1	1.6	*0.8*	1.6	2.0	1.2	*0.7*	*0.6*	*1.0*
178	Conflagration	1.2	*1.0*	1.4	0.9	0.6	1.2	1.1	1.0	*1.9*
179	Burns (conflagration excepted)	3.7	4.2	3.5	8.3	9.7	6.8	7.8	8.2	5.8
180	Mechanical suffocation	1.4	1.9	1.0	0.8	0.7	0.9	1.1	*0.6*	*3.8*
181	Absorption of irrespirable, irritating, or poisonous gas	0.6	*1.3*	*0.2*	2.2	3.5	0.9	3.9	4.3	*1.9*
182	Drowning	13.1	6.8	17.1	6.4	4.9	7.9	9.8	*7.3*	22.1
183	Traumatism by firearms (except in war)	2.5	*0.3*	3.9	1.7	1.2	2.1	1.6	1.0	4.8
184	Traumatism by cutting or piercing instruments	*0.5*	*0.6*	*0*	0.5	0.6	0.4	*0.5*	*0.4*	*1.0*
185	Traumatism by fall	12.0	17.8	8.3	13.7	15.2	12.0	9.6	11.2	*1.9*
186a	Traumatism in mines	*0.5*	.....	*0.8*	9.6	7.4	11.9	.....	.....	.....
186b	Traumatism in quarries	.....	.....	.....	0.2	*0.1*	0.4	.....	.....	.....
187	Traumatism by machines	4.0	4.9	3.5	1.6	1.8	1.4	2.1	2.2	*1.9*
188a	Railroad accidents	5.5	3.9	6.5	7.6	6.4	8.8	3.1	3.1	*2.9*
188b	Street-car accidents	0.9	*1.3*	*0.6*	1.8	2.6	1.0	2.9	3.5	.....
188c	Automobile accidents	12.9	14.9	11.6	11.9	14.1	9.6	13.5	14.9	6.7
188d	Aeroplane and balloon accidents	*0.1*	*0.3*	.....	(1)	*0.1*	(1)	.....	.....	.....
188e,f	Injuries by other vehicles	2.9	1.6	3.7	1.7	1.7	1.7	1.3	1.4	*1.0*
188g	Landslide, other crushing	4.0	1.9	5.3	0.3	0.2	0.5	*0.2*	*0.2*	.....
189	Injuries by animals (not poisoning)	0.7	*0.6*	*0.8*	0.5	0.4	0.6	*0.2*	*0.2*	.....
190	Wounds of war	.....	.....	.....	.....	.....	.....	*0.2*	*0.2*	.....
192	Starvation (deprivation of food or water)	.....	.....	.....	.....	.....	.....	.....	.....	.....
193	Excessive cold	0.6	.....	1.0	0.1	(1)	0.2	.....	.....	.....
194	Excessive heat	*0.1*	.....	*0.2*	1.4	1.5	1.2	*0.5*	*0.6*	.....
195	Lightning	*0.1*	.....	*0.2*	0.3	*0.1*	0.5	*0.2*	.....	*1.0*
196	Other accidental electric shocks	0.9	.....	1.4	0.9	0.6	1.1	*0.7*	*0.8*	.....
201	Fracture (cause not specified)	*0.5*	*1.0*	*0.2*	0.1	0.2	*0.1*	1 6	1.4	*2.9*
202	Other external violence	6.5	5.8	6.9	2.7	2.5	3.0	1.8	2.2	.....
203	Violent deaths of unknown causation	0.7	*1.0*	*0.6*	0.6	0.5	0.6	0.8	*0.6*	*1.9*
	XV.—Ill-defined diseases	6.9	1.9	10.0	4.8	1.7	8.0	7.2	7.8	*3.8*
204	Sudden death	0.6	.....	1.0	0.6	0.1	1.2	1.0	1.2	.....
205a	Ill-defined	3.6	*1.3*	5.1	2.2	1.0	3.4	2.8	2.9	*1.9*
205b	Not specified or unknown	2.6	*0.6*	3.9	2.0	0.6	3.4	3.4	3.7	*1.9*

ITS MAIN SUBDIVISIONS, AND IN EACH REGISTRATION STATE, BY CITIES AND RURAL DISTRICTS, FROM OF CAUSES: 1921—Continued.

[See note at head of this table, pp. 196, 197.]

DEATH RATE PER 100,000 POPULATION.																Detailed Int. List. No.
SOUTH CAROLINA.									TENNESSEE.							
Total.			Cities.			Rural districts.			Total.			Cities.				
Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.		
52.4	50.5	54.3	97.3	95.2	100.5	47.2	44.0	50.1	51.9	48.2	67.5	90.9	87.1	100.1		
1.0	1.3	0.7	2.8	4.7	.....	0.8	0.8	0.8	1.3	0.9	2.9	2.4	*1.2*	5.1	175	
0.5	*0.1*	0.8	.....	.....	.....	0.5	*0.1*	0.9	[1]	*0.1*	.....	.....	.....	.....	176	
1.8	1.3	2.2	*1.7*	*1.9*	*1.4*	1.8	1.2	2.3	1.6	1.6	1.6	2.8	2.8	*2.9*	177	
0.9	*0.5*	1.3	*0.6*	.....	*1.4*	0.9	*0.6*	1.3	1.0	0.5	3.3	1.3	1.8	.....	178	
10.7	8.0	13.3	15.2	13.2	18.1	10.2	7.2	12.9	6.5	5.2	12.0	11.7	7.7	21.3	179	
1.7	1.7	1.7	*0.6*	.....	*1.4*	1.8	1.9	1.8	0.9	0.8	1.3	*0.4*	*0.3*	0.7	180	
0.1	*0.1*	.....	*0.6*	*0.9*	.....	.....	.....	.....	0.3	0.3	*0.2*	*0.7*	*0.6*	0.7	181	
5.3	5.2	5.3	7.3	7.5	7.0	5.0	4.9	5.1	3.8	3.2	6.5	3.0	2.5	4.4	182	
5.1	3.5	6.8	4.5	*2.8*	7.0	5.2	3.5	6.8	4.7	3.9	8.2	7.2	5.2	11.8	183	
0.4	*0.4*	*0.5*	*1.7*	*1.9*	*1.4*	*0.3*	*0.1*	*0.4*	0.3	*0.2*	*0.9*	*0.7*	.....	*2.2*	184	
5.1	6.9	3.3	12.9	18.8	*4.2*	4.2	5.2	3.3	8.6	9.5	4.9	18.0	22.2	8.1	185	
.....	.....	.....	.....	.....	.....	.....	.....	.....	0.7	0.8	*0.2*	*0.4*	*0.6*	.....	186a	
0.1	.....	*0.1*	*0.6*	.....	*1.4*	.....	.....	.....	*0.1*	*0.1*	.....	*0.2*	*0.3*	.....	186b	
1.3	1.3	1.4	3.4	*2.8*	*4.2*	1.1	1.1	1.1	0.9	0.9	*0.7*	2.0	2.5	*0.7*	187	
3.3	3.9	2.8	3.9	*1.0*	8.4	3.3	4.4	2.3	4.4	3.9	6.9	8.5	8.6	8.1	188a	
0.1	*0.2*	.....	*0.6*	*1.0*	.....	*0.1*	*0.1*	.....	0.6	0.4	1.3	2.6	2.2	3.7	188b	
4.3	6.1	2.6	18.6	21.7	14.0	2.7	3.8	1.6	5.7	5.7	5.6	16.9	17.5	15.4	188c	
.....	.....	.....	.....	.....	.....	.....	.....	.....	[1]	*0.1*	.....	*0.2*	*0.3*	.....	188d	
1.8	1.7	1.8	4.5	4.7	*4.2*	1.4	1.2	1.6	1.9	2.0	1.6	1.5	1.5	*1.5*	188e,f	
0.4	*0.1*	0.6	*1.7*	.....	*4.2*	*0.2*	*0.1*	*0.3*	0.3	0.3	*0.2*	*0.2*	.....	*0.7*	188g	
0.6	0.7	0.6	*1.1*	*1.9*	.....	0.6	*0.5*	0.6	1.2	1.4	*0.2*	1.3	1.5	*0.7*	189	
0.1	*0.1*	.....	.....	.....	.....	*0.1*	*0.1*	.....	.....	.....	.....	.....	.....	.....	190	
0.1	*0.1*	.....	.....	.....	.....	*0.1*	*0.1*	.....	.....	.....	.....	.....	.....	.....	192	
0.1	.....	*0.2*	.....	.....	.....	*0.1*	.....	*0.3*	[1]	.....	*0.2*	.....	.....	.....	193	
0.4	*0.4*	*0.3*	*1.1*	*1.9*	.....	*0.3*	*0.1*	*0.4*	0.5	0.3	1.3	*0.9*	.....	*2.9*	194	
1.5	1.0	2.1	.....	.....	.....	1.7	1.1	2.3	0.7	0.7	*0.9*	*0.4*	*0.6*	.....	195	
0.7	0.8	0.6	*1.7*	*1.9*	*1.4*	0.6	0.7	*0.5*	0.5	0.4	*0.7*	1.3	1.5	*0.7*	196	
0.3	*0.2*	*0.3*	*0.6*	*0.9*	.....	*0.3*	*0.1*	*0.4*	0.7	0.8	*0.2*	1.1	1.5	.....	201	
3.6	3.8	3.4	8.4	*3.8*	15.4	3.1	3.8	2.4	3.3	3.2	3.8	4.1	2.8	7.4	202	
1.3	1.1	1.5	3.4	*1.9*	*5.6*	1.0	1.0	1.1	1.4	1.3	1.8	1.1	*1.2*	*0.7*	203	
54.0	25.8	81.2	11.8	4.7	22.3	58.9	28.9	86.5	69.0	55.8	125.1	59.9	33.5	122.9		
1.2	1.1	1.4	.....	.....	.....	1.4	1.2	1.5	4.6	3.8	7.8	3.9	3.1	5.9	204	
40.4	17.1	62.9	7.9	*1.9*	16.7	44.2	19.3	67.0	13.2	11.9	18.7	8.5	5.8	14.7	205a	
12.3	7.6	16.9	3.9	*2.8*	*5.6*	13.3	8.3	17.9	51.2	40.1	98.5	47.5	24.6	102.3	205b	

[1] Less than one-tenth of 1 per 100,000 population.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), EACH CAUSE AND CLASS

[See note at head of this table, pp. 196, 197.]

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.								
		TENNESSEE—continued.			UTAH.			VERMONT.		
		Rural districts.								
		Total.	White.	Colored.	Total.	Cities.	Rural districts.	Total.	Cities.	Rural districts.
	All causes [1]	928.0	856.0	1,293.5	1,037.2	1,245.0	920.3	1,418.4	1,543.4	1,398.6
	I.—Epidemic, endemic, and infectious diseases	251.9	219.0	419.0	148.5	166.2	138.6	137.0	188.8	128.9
1	Typhoid and paratyphoid fever	28.0	24.3	46.7	9.1	7.2	10.2	5.4	*6.2*	5.3
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Relapsing fever (spirillum obermeieri)	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Malta fever	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Malaria	13.3	11.0	25.3	.....	.....	.....	*0.3*	.....	*0.3*
6	Smallpox	0.4	0.3	*0.6*	2.2	*1.2*	2.7	*0.3*	.....	*0.3*
7	Measles	2.9	3.3	*1.3*	20.0	21.1	19.3	4.0	.....	4.6
8	Scarlet fever	1.6	1.7	*1.0*	4.3	*2.4*	5.4	6.5	*8.3*	6.2
9	Whooping cough	11.8	10.3	19.5	31.7	19.9	38.3	7.7	18.7	5.9
10	Diphtheria	17.2	18.7	9.3	13.4	14.5	12.9	7.9	16.6	6.6
11a	Influenza (with pulmonary complications)	10.6	9.9	14.4	6.5	5.4	7.1	11.6	*2.1*	13.1
11b	Influenza (other and unspecified)	7.3	6.9	9.3	1.7	*1.2*	2.0	7.9	*4.1*	8.5
12	Miliary fever	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Mumps	.....	.....	.....	*0.2*	.....	*0.3*	.....	.....	.....
14	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	Cholera nostras	0.5	0.6	.....	.....	.....	.....	*0.3*	.....	*0.3*
16	Dysentery	12.7	13.8	7.4	1.5	*0.6*	2.0	*0.9*	.....	*1.0*
17	Plague	.....	.....	.....	.....	.....	.....	.....	.....	.....
18	Yellow fever	.....	.....	.....	.....	.....	.....	.....	.....	.....
19	Spirochetal hemorrhagic jaundice	.....	.....	.....	.....	.....	.....	.....	.....	.....
20	Leprosy	.....	.....	.....	.....	.....	.....	.....	.....	.....
21	Erysipelas	2.3	2.6	*1.0*	3.9	4.8	3.4	1.7	.....	2.0
22	Acute anterior poliomyelitis	1.4	1.3	2.2	1.1	*2.4*	*0.3*	2.8	*2.1*	3.0
23	Lethargic encephalitis	0.9	0.9	*1.3*	*0.4*	*0.6*	*0.3*	*0.9*	*4.1*	0.3
24	Meningococcus meningitis	1.2	1.3	*0.6*	2.2	3.6	*1.4*	*0.9*	.....	*1.0*
25	Other epidemic and endemic diseases	0.3	0.4	.....	*0.9*	*1.8*	*0.3*	.....	.....	.....
26	Glanders	.....	.....	.....	.....	.....	.....	.....	.....	.....
27	Anthrax	.....	.....	.....	.....	.....	.....	.....	.....	.....
28	Rabies	*0.1*	*0.1*	.....	*0.2*	.....	*0.3*	*0.3*	.....	*0.3*
29	Tetanus	1.5	1.3	2.6	*0.7*	*1.8*	.....	*1.1*	.....	*1.3*
30	Mycoses	*0.1*	.....	*0.3*	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	130.9	105.9	258.1	39.9	60.8	28.1	69.5	114.1	62.5
31	Of the respiratory system	117.2	93.8	236.4	32.5	48.2	23.7	56.2	93.4	50.3
32	Of the meninges, central nervous system	3.5	3.5	3.5	4.1	7.2	2.4	6.5	16.6	4.9
33	Of the intestines, peritoneum	5.4	4.8	8.3	1.3	3.0	*0.3*	1.4	.....	1.6
34	Of the vertebral column	0.7	0.7	*1.0*	*0.9*	*1.2*	*0.7*	*0.3*	.....	*0.3*
35	Of the joints	0.4	0.4	*0.6*	*0.2*	.....	*0.3*	*0.9*	.....	*1.0*
36	Of other organs	1.5	1.1	3.8	*0.7*	*0.6*	*0.7*	1.7	*2.1*	1.6
37a	Disseminated (acute)	1.3	0.8	3.8	*0.2*	*0.6*	.....	1.7	.....	2.0
37b	Disseminated (chronic or unspecified)	0.9	0.9	*0.6*	.....	.....	.....	*0.9*	*2.1*	*0.7*
38	Syphilis	5.1	3.0	15.4	6.5	12.0	3.4	4.5	*8.3*	3.9
39	Soft chancre	*0.1*	.....	*0.3*	.....	.....	.....	.....	.....	.....
40	Gonococcus infection	0.3	*0.2*	*0.6*	*0.9*	*2.4*	.....	*0.9*	*2.1*	*0.7*
41	Purulent infection, septicemia	1.6	1.5	1.9	1.3	*2.4*	*0.7*	1.7	*2.1*	1.6
42	Other infectious diseases	.....	.....	.....	.....	.....	.....	.....	.....	.....
	II.—General diseases not included in Class I	69.0	66.0	84.1	101.9	144.6	77.9	167.1	201.2	161.7
	Cancer and other malignant tumors (total)	38.0	38.4	35.8	63.3	94.6	45.7	113.5	147.3	108.1
43	Of the buccal cavity	1.5	1.2	2.9	2.2	*2.4*	2.0	3.4	.....	3.9
44	Of the stomach, liver	12.1	13.1	7.0	24.5	36.1	18.0	33.2	41.5	31.9
45	Of the peritoneum, intestines, rectum	3.3	3.7	*1.3*	7.4	10.2	5.8	17.3	18.7	17.1
46	Of the female genital organs	7.5	6.0	15.0	9.3	16.3	5.4	19.3	41.5	15.8
47	Of the breast	3.4	3.1	4.5	5.9	9.6	3.7	13.1	27.0	10.8
48	Of the skin	3.2	3.7	*1.0*	1.3	*1.2*	*1.4*	4.0	*2.1*	4.3
49	Of other or unspecified organs	7.1	7.7	4.2	12.8	18.7	9.5	23.3	16.6	24.3
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	0.7	0.6	*1.3*	*0.9*	*1.2*	*0.7*	.....	.....	.....
51	Acute rheumatic fever	2.7	2.3	4.5	4.1	*1.8*	5.4	2.3	*4.1*	2.0
52	Chronic rheumatism, osteoarthritis, gout	1.3	1.2	1.6	1.1	*0.6*	*1.4*	*1.1*	*2.1*	*1.0*
53	Scurvy	.....	.....	.....	.....	.....	.....	.....	.....	.....
54	Pellagra	13.6	11.0	26.9	.....	.....	.....	*0.6*	.....	*0.7*
55	Beriberi	.....	.....	.....	.....	.....	.....	.....	.....	.....
56	Rickets	0.3	*0.1*	*1.0*	*0.2*	*0.6*	.....	*0.6*	.....	*0.7*
57	Diabetes mellitus	4.8	4.8	4.5	14.3	20.5	10.8	24.7	24.9	24.7
58	Anemia, chlorosis	1.8	1.9	1.6	4.6	7.2	3.0	12.2	*8.3*	12.8
59	Diseases of the pituitary gland	.....	.....	.....	.....	.....	.....	.....	.....	.....
60a	Exophthalmic goiter	0.6	0.6	*1.0*	2.8	*2.4*	3.0	2.8	*4.1*	2.6
60b	Other diseases of the thyroid gland	0.3	0.3	.....	*0.7*	*1.2*	*0.3*	1.7	*2.1*	1.6
61	Diseases of the parathyroid glands	*0.1*	*0.1*	.....	.....	.....	.....	*0.3*	.....	*0.3*
62	Diseases of the thymus gland	*0.1*	*0.1*	.....	1.3	*1.8*	*1.0*	.....	.....	.....
63	Diseases of the adrenals (Addison's disease)	*0.2*	*0.3*	.....	*0.9*	*1.8*	*0.3*	1.4	*2.1*	*1.3*
64	Diseases of the spleen	*0.2*	*0.2*	*0.3*	*0.2*	*0.6*	.....	.....	.....	.....
65a	Leukemia	0.6	0.7	.....	2.2	3.6	*1.4*	*0.9*	.....	*1.0*
65b	Hodgkin's disease	0.4	0.4	*0.3*	*0.7*	*0.6*	*0.7*	*1.1*	.....	*1.3*
66	Alcoholism (acute or chronic)	1.3	0.9	2.9	1.7	3.0	*1.0*	1.7	.....	2.0
67a	Chronic lead poisoning	*0.1*	*0.1*	.....	*0.4*	*1.2*	.....	.....	.....	.....
67b	Other chronic mineral poisoning	*0.1*	*0.1*	*0.3*	.....	.....	.....	.....	.....	.....
68	Chronic poisoning by organic substances	*0.1*	*0.1*	.....	*0.4*	*0.6*	*0.3*	*0.9*	.....	*1.0*
69	Other general diseases	1.8	1.8	2.2	2.2	*1.2*	2.7	1.4	*6.2*	*0.7*

[1] Exclusive of stillbirths.

ITS MAIN SUBDIVISIONS, AND IN EACH REGISTRATION STATE, BY CITIES AND RURAL DISTRICTS, FROM OF CAUSES: 1921—Continued.

[See note at head of this table, pp. 196, 197.]

DEATH RATE PER 100,000 POPULATION.														Detailed Int. List No.
VIRGINIA.									WASHINGTON.			WISCONSIN.			
Total.			Cities.			Rural districts.			Total.	Cities.	Rural districts.	Total.	Cities.	Rural districts.	
Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.							
1,215.5	1,041.9	1,628.9	1,397.3	1,157.8	1,889.8	1,157.3	1,007.0	1,533.1	953.7	1,009.4	903.6	1,028.8	1,087.6	994.4	
250.7	187.8	400.3	236.7	170.7	372.5	255.1	193.0	410.5	145.7	128.0	161.6	137.1	141.7	134.4	
16.1	13.9	21.6	11.9	12.3	11.3	17.5	14.3	25.4	5.4	3.5	7.1	3.0	4.1	2.4	1
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4
1.8	1.1	3.6	1.6	1.3	*2.1*	1.9	1.0	4.1	*0.3*	*0.3*	*0.3*	(2)	*0.1*	.....	5
0.4	0.5	*0.1*	.....	.....	.....	0.5	0.6	*0.2*	0.6	0.8	*0.5*	0.8	0.8	0.8	6
7.5	7.9	6.5	5.3	5.2	5.4	8.2	8.7	6.9	1.8	0.8	2.7	1.9	1.2	2.3	7
2.5	3.3	0.7	2.5	3.4	*0.5*	2.5	3.2	*0.8*	2.2	1.2	3.0	9.0	10.0	8.5	8
19.3	14.0	31.8	19.7	14.1	31.1	19.2	14.0	32.1	3.7	2.6	4.6	6.1	4.8	6.9	9
17.0	19.8	10.4	9.5	12.0	4.3	19.4	22.1	12.6	8.9	9.6	8.2	14.9	22.9	10.2	10
10.1	7.7	15.8	13.7	7.3	26.8	9.0	7.9	11.8	8.6	9.3	7.9	4.2	2.8	5.0	11a
6.5	5.1	9.8	3.9	3.4	4.8	7.3	5.6	11.6	5.0	4.7	5.3	3.6	2.7	4.1	11b
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12
0.2	*0.2*	*0.1*	*0.2*	*0.3*	.....	*0.2*	*0.2*	*0.2*	*0.1*	.....	*0.1*	0.2	*0.1*	0.3	13
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	14
0.4	*0.2*	0.7	*0.2*	.....	*0.5*	0.4	*0.3*	*0.8*	*0.3*	*0.2*	*0.4*	0.5	*0.1*	0.8	15
13.7	13.5	14.3	6.7	7.6	4.8	16.0	15.3	17.7	1.3	1.1	1.5	2.4	1.2	3.1	16
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	17
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	18
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	(2)	*0.1*	.....	19
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	20
1.6	2.1	*0.4*	1.4	2.1	.....	1.6	2.0	*0.6*	1.9	1.5	2.2	3.2	4.3	2.6	21
1.2	1.2	1.2	*0.4*	*0.3*	*0.5*	1.5	1.5	1.4	8.8	8.2	9.3	2.6	1.4	3.3	22
0.9	1.0	0.7	1.8	1.8	*1.6*	0.7	0.8	*0.4*	3.9	6.2	1.8	1.9	2.6	1.4	23
1.8	2.2	0.9	2.1	2.6	*1.1*	1.7	2.0	*0.8*	1.2	1.5	1.0	1.1	1.0	1.2	24
0.3	0.4	*0.1*	*0.7*	*1.0*	.....	*0.2*	*0.2*	*0.2*	*0.1*	.....	*0.3*	*0.1*	*0.1*	*0.1*	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
(2)	.....	*0.1*	.....	.....	.....	*0.1*	.....	*0.2*	*0.1*	.....	*0.1*	.....	.....	.....	27
0.1	.....	*0.3*	*0.2*	.....	*0.5*	*0.1*	.....	*0.2*	.....	.....	.....	.....	.....	.....	28
2.1	1.5	3.6	3.9	2.1	7.5	1.5	1.3	2.2	0.4	*0.5*	*0.4*	1.3	1.6	1.2	29
0.5	*0.2*	1.3	.....	.....	.....	0.7	*0.2*	1.8	.....	.....	.....	*0.1*	*0.1*	*0.1*	30
133.4	86.1	246.0	132.9	85.3	230.8	133.5	86.3	251.6	82.7	65.1	98.6	75.2	74.4	75.7	
119.3	76.0	222.2	112.6	71.5	197.0	121.4	77.4	231.5	66.6	45.2	85.9	63.0	56.9	66.6	31
5.0	3.9	7.6	9.7	7.3	14.5	3.5	2.8	5.1	6.3	8.2	4.6	4.7	7.7	3.0	32
4.5	3.1	7.8	4.9	2.6	9.7	4.4	3.3	7.1	4.1	5.0	3.3	2.8	3.1	2.6	33
0.7	0.5	1.0	*0.5*	*0.3*	*1.1*	0.7	0.6	1.0	1.3	1.4	1.2	0.6	0.5	0.7	34
0.6	*0.2*	1.6	*0.7*	*0.3*	*1.6*	0.6	*0.2*	1.6	0.5	0.9	*0.1*	0.6	1.2	*0.2*	35
1.4	1.2	1.7	1.8	2.1	*1.1*	1.2	0.9	2.0	2.2	2.6	1.9	1.4	1.7	1.2	36
1.5	0.7	3.3	2.1	*1.0*	4.3	1.3	0.6	3.0	1.0	1.1	1.0	1.5	2.4	0.9	37a
0.4	0.3	0.7	*0.7*	*0.3*	*1.6*	0.3	*0.3*	*0.4*	0.6	0.8	*0.5*	0.6	0.8	0.4	37b
10.8	4.3	26.4	14.4	6.3	31.1	9.7	3.7	24.6	6.9	9.0	5.1	3.0	3.2	2.8	38
.....	.....	.....	.....	.....	.....	.....	.....	.....	*0.1*	*0.2*	.....	.....	.....	.....	39
0.7	*0.1*	2.2	1.9	.....	5.9	0.3	*0.1*	*0.8*	0.4	*0.6*	*0.8*	0.3	0.5	*0.2*	40
1.6	1.7	1.4	2.1	2.3	*1.6*	1.5	1.5	1.4	1.1	1.4	0.8	1.3	1.2	1.4	41
(2)	.....	*0.1*	.....	.....	.....	*0.1*	.....	*0.2*	.....	.....	.....	(2)	*0.1*	.....	42
90.7	93.1	85.0	119.9	128.9	101.4	81.3	82.3	78.9	126.1	160.4	95.2	143.2	158.5	134.2	
56.6	60.9	46.4	73.6	84.0	52.1	51.2	53.9	44.3	85.8	109.2	64.7	97.6	107.7	91.7	
1.9	2.1	1.4	2.3	2.9	*1.1*	1.8	1.9	1.6	2.5	2.9	2.2	2.8	2.6	2.9	43
19.5	21.5	14.8	21.6	26.1	12.3	18.8	20.1	15.7	33.0	37.7	28.7	44.3	42.5	45.4	44
5.2	6.1	2.9	8.3	9.7	5.4	4.2	5.0	2.0	11.0	14.6	7.8	13.1	17.1	10.8	45
11.2	9.4	15.6	14.4	13.3	16.6	10.2	8.3	15.2	12.1	16.4	8.2	8.2	12.3	5.7	46
5.2	5.9	3.7	7.6	8.4	5.9	4.5	5.1	3.0	7.5	10.5	4.8	7.6	9.1	6.7	47
2.3	3.0	0.9	2.5	2.9	*1.6*	2.3	3.0	*0.6*	2.8	3.3	2.3	2.2	2.5	2.0	48
11.2	12.9	7.1	17.0	20.9	9.1	9.3	10.6	6.3	16.9	23.7	10.8	19.4	21.5	18.1	49
0.8	0.6	1.3	1.1	*0.5*	*2.1*	0.7	0.6	1.0	0.9	1.4	*0.5*	0.4	0.7	0.3	50
4.1	2.5	7.8	4.7	2.1	10.2	3.9	2.7	6.9	2.5	2.0	3.0	4.9	5.0	4.9	51
1.4	1.5	1.4	1.2	1.3	*1.1*	1.5	1.5	1.6	1.6	1.1	2.0	1.6	1.8	1.5	52
0.2	*0.1*	*0.4*	*0.4*	*0.3*	*0.5*	*0.1*	.....	*0.4*	.....	.....	.....	(2)	.....	*0.1*	53
5.1	3.1	9.7	5.6	2.9	11.3	4.9	3.2	9.1	*0.1*	.....	*0.1*	(2)	.....	*0.1*	54
(2)	*0.1*	.....	*0.2*	*0.3*	.....	.....	.....	.....	*0.2*	*0.5*	.....	.....	.....	.....	55
1.4	0.4	3.9	2.8	*0.3*	8.1	1.0	0.4	2.4	*0.3*	.....	*0.5*	0.7	0.6	0.7	56
10.1	10.8	8.2	14.0	16.4	9.1	8.8	9.1	7.9	15.1	19.0	11.6	17.5	18.3	17.0	57
3.1	3.8	1.4	3.3	4.4	*1.1*	3.0	3.5	1.6	6.0	9.0	3.3	9.0	9.5	8.7	58
(2)	*0.1*	.....	.....	.....	.....	*0.1*	*0.1*	.....	.....	.....	.....	.....	.....	.....	59
0.8	0.8	*0.6*	1.6	1.6	*1.6*	0.5	0.6	*0.2*	2.7	4.0	1.5	2.4	3.6	1.7	60a
0.7	0.8	*0.6*	1.1	*1.0*	*1.1*	0.6	0.7	0.4	1.7	2.1	1.2	1.1	1.4	0.9	60b
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*0.1*	.....	*0.1*	61
0.3	0.4	.....	*0.5*	*0.3*	.....	*0.2*	*0.2*	.....	1.2	2.0	*0.5*	0.9	1.4	0.6	62
0.2	*0.2*	.....	*0.2*	*0.3*	.....	*0.2*	*0.2*	.....	*0.3*	*0.6*	.....	0.8	0.8	0.8	63
0.1	*0.2*	.....	*0.4*	*0.5*	.....	*0.1*	*0.1*	.....	*0.1*	.....	*0.3*	0.2	0.5	.....	64
0.9	1.1	*0.4*	*0.7*	*1.0*	.....	1.0	1.1	*0.6*	1.7	2.1	1.4	1.5	1.7	1.4	65a
0.4	0.5	*0.1*	*0.2*	*0.3*	.....	0.5	0.6	*0.2*	0.7	1.2	*0.3*	0.9	0.5	1.2	65b
1.8	2.2	1.0	3.0	3.9	*1.1*	1.5	1.7	1.0	2.7	3.3	2.2	1.6	1.9	1.4	66
(2)	.....	*0.1*	*0.2*	.....	*0.5*	.....	.....	.....	*0.2*	*0.2*	*0.3*	0.2	*0.4*	*0.1*	67a
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	67b
0.3	0.4	*0.1*	0.9	*1.0*	*0.5*	*0.2*	0.2	.....	0.4	0.8	*0.1*	.....	.....	.....	68
2.3	2.7	1.4	4.4	6.0	*1.1*	1.6	1.7	1.6	1.8	2.1	1.5	1.6	2.5	1.1	69

[2] Less than one-tenth of 1 per 100,000 population.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), EACH CAUSE AND CLASS

[See note at head of this table, pp. 196, 197.]

Detailed List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.								
		TENNESSEE—continued.			UTAH.			VERMONT.		
		Rural districts.								
		Total.	White.	Colored.	Total.	Cities.	Rural districts.	Total.	Cities.	Rural districts.
	III.—Diseases of the nervous system and of the organs of special sense	75.7	72.0	94.0	87.2	119.3	69.1	192.4	141.1	200.5
70	Encephalitis	1.2	1.1	1.9	1.3	*2.4*	*0.7*	*1.1*	*2.1*	*1.0*
71a	Simple meningitis	2.6	2.8	*1.3*	3.5	3.6	3.4	4.8	*8.3*	4.3
71b	Nonepidemic cerebrospinal meningitis	1.3	1.4	*0.6*	2.4	*2.4*	2.4	*1.1*	.....	*1.3*
72	Tabes dorsalis (locomotor ataxia)	0.8	1.0	.....	*0.9*	.....	*1.4*	2.8	*2.1*	3.0
73	Other diseases of the spinal cord	3.9	3.5	6.1	3.0	4.2	2.4	9.9	*8.3*	10.2
74a	Cerebral hemorrhage	36.0	35.0	41.6	58.1	80.7	45.4	143.6	105.8	149.6
74b	Cerebral embolism and thrombosis	0.8	0.6	1.9	1.3	*1.8*	*1.0*	4.8	*4.1*	4.9
75	Paralysis without specified cause	13.3	12.8	15.7	1.7	*1.8*	1.7	3.1	.....	3.6
76	General paralysis of the insane	3.1	2.4	6.7	2.4	6.0	*0.3*	5.7	*2.1*	6.2
77	Other forms of mental alienation	2.1	1.8	3.2	*0.7*	*1.2*	*0.3*	1.4	.....	1.6
78	Epilepsy	3.3	2.9	5.4	2.4	3.6	1.7	4.5	.....	5.3
79	Convulsions (nonpuerperal; 5 years and over)	0.3	*0.2*	*0.6*	.....	.....	.....	.....	.....	.....
80	Infantile convulsions (under 5 years)	2.1	1.4	5.4	3.0	*2.4*	3.4	2.8	.....	3.3
81	Chorea	*0.2*	*0.2*	*0.3*	*0.2*	*0.6*	.....	.....	.....	.....
82	Neuralgia and neuritis	0.7	0.8	*0.3*	*0.2*	*0.6*	.....	*0.9*	.....	*1.0*
83	Softening of the brain	0.9	1.1	.....	.....	.....	.....	2.3	*4.1*	2.0
84	Other diseases of the nervous system	1.7	1.7	1.9	1.5	*2.4*	*1.0*	1.7	.....	2.0
85	Diseases of the eye and annexa	*0.1*	*0.1*	*0.3*	*0.2*	.....	*0.3*	.....	.....	.....
86a	Diseases of the ear	0.8	0.9	*0.3*	3.3	3.6	3.0	*0.6*	.....	*0.7*
86b	Diseases of the mastoid process	0.4	0.4	*0.3*	1.1	*1.8*	*0.7*	*1.1*	*4.1*	*0.7*
	IV.—Diseases of the circulatory system	85.2	79.7	113.2	134.0	180.1	108.1	316.7	273.8	323.4
87	Pericarditis	1.0	0.9	*1.3*	.....	.....	.....	*1.1*	*4.1*	*0.7*
88	Endocarditis and myocarditis (acute)	1.8	1.6	2.6	5.9	6.6	5.4	7.7	*6.2*	7.9
89	Angina pectoris	4.0	4.2	3.2	5.9	9.6	3.7	22.1	24.9	21.7
90	Other diseases of the heart	71.3	65.9	98.5	111.2	148.2	90.5	225.0	176.3	232.7
91a	Aneurysm	0.6	0.4	1.6	*0.7*	*0.6*	*0.7*	*1.1*	.....	*1.3*
91b,c	Other diseases of the arteries	5.2	5.6	3.2	8.2	10.8	6.8	56.2	62.2	55.2
92	Embolism and thrombosis (not cerebral)	0.5	0.4	*1.0*	2.0	3.6	*1.0*	2.6	.....	3.0
93	Diseases of the veins	.....	.....	.....	.....	.....	.....	*0.9*	.....	*1.0*
94	Diseases of the lymphatic system	*0.2*	*0.1*	*1.0*	*0.2*	*0.6*	.....	.....	.....	.....
95	Hemorrhage without specified cause	0.5	0.4	*1.0*	.....	.....	.....	.....	.....	.....
96	Other diseases of the circulatory system	*0.1*	*0.1*	.....	.....	.....	.....	.....	.....	.....
	V.—Diseases of the respiratory system	78.5	73.1	105.9	125.3	104.8	136.9	122.0	141.1	119.0
97a	Diseases of the nasal fossae	0.5	0.4	*1.3*	*0.2*	*0.6*	.....	.....	.....	.....
97b	Diseases of the nasal fossae annexa	*0.1*	*0.1*	.....	*0.2*	*0.6*	.....	.....	.....	.....
98	Diseases of the larynx	0.6	0.6	*1.0*	1.3	*1.8*	*1.0*	*1.1*	*2.1*	*1.0*
99a	Acute bronchitis	0.8	0.4	3.2	3.5	4.2	3.0	5.7	*8.3*	5.3
99b	Chronic bronchitis	2.2	2.2	1.9	2.4	4.2	*1.4*	5.1	*8.3*	4.6
99c	Bronchitis (unspecified under 5 years)	0.8	0.8	*1.3*	1.7	*1.2*	2.0	*0.9*	*2.1*	*0.7*
99d	Bronchitis (unspecified 5 years and over)	1.7	1.2	4.5	1.3	.....	2.0	3.4	.....	3.9
100a	Bronchopneumonia	25.0	23.9	30.7	52.7	39.2	60.3	44.3	49.8	43.4
100b	Capillary bronchitis	0.6	0.7	*0.3*	1.7	.....	2.7	2.6	*4.1*	2.3
101a	Lobar pneumonia	32.7	30.4	44.8	46.6	42.2	49.1	37.7	49.8	35.8
101b	Pneumonia (unspecified)	7.8	7.5	9.6	6.7	3.6	8.5	13.6	*6.2*	14.8
102	Pleurisy	1.6	1.6	*1.3*	2.8	4.8	1.7	3.7	*6.2*	3.3
103	Congestion and hemorrhagic infarct of the lung	1.6	1.6	*1.3*	*0.7*	*0.6*	*0.7*	*0.9*	*2.1*	*0.7*
104	Gangrene of the lung	*0.1*	*0.1*	*0.3*	.....	.....	.....	*0.3*	.....	*0.3*
105	Asthma	1.5	1.1	3.5	2.2	*1.8*	2.4	1.4	*2.1*	*1.3*
106	Pulmonary emphysema	*0.1*	*0.1*	.....	.....	.....	.....	.....	.....	.....
107	Other diseases of the respiratory system (tuberculosis excepted).	0.6	0.5	*1.0*	1.3	.....	2.0	1.4	.....	1.6
	VI.—Diseases of the digestive system	88.9	87.7	94.7	101.5	144.0	77.6	116.9	161.8	109.8
108	Diseases of the mouth and annexa	1.4	1.3	1.9	*0.7*	*0.6*	*0.7*	*0.3*	.....	0.3
109a	Adenoid vegetations	.....	.....	.....	.....	.....	.....	.....	.....	.....
109b	Other diseases of the pharynx, tonsils	2.8	2.6	4.2	8.2	12.0	6.1	7.7	*8.3*	7.6
110	Diseases of the esophagus	*0.1*	*0.1*	.....	*0.2*	*0.6*	.....	.....	.....	.....
111a	Ulcer of the stomach	1.6	1.4	2.6	5.4	6.6	4.7	4.3	*8.3*	3.6
111b	Ulcer of the duodenum	0.4	0.3	*0.6*	1.5	3.0	*0.7*	1.7	.....	2.0
112	Other diseases of the stomach (cancer excepted)	10.4	8.9	17.6	2.6	*1.8*	3.0	8.8	12.4	8.2
113	Diarrhea and enteritis (under 2 years)	31.3	33.6	19.5	27.1	32.5	24.1	27.0	37.3	25.3
114	Diarrhea and enteritis (2 years and over)	15.4	15.7	14.1	5.0	*2.4*	6.4	8.8	10.4	8.5
115	Ancylostomiasis	*0.2*	*0.3*	.....	.....	.....	.....	.....	.....	.....
116	Diseases due to other intestinal parasites	0.3	*0.3*	*0.6*	.....	.....	.....	.....	.....	.....
117	Appendicitis and typhlitis	7.4	7.0	9.3	22.3	36.1	14.6	21.6	45.6	17.8
118a	Hernia	1.6	1.5	1.9	3.5	7.8	*1.0*	4.3	*4.1*	4.3
118b	Intestinal obstruction	4.2	3.3	8.6	7.2	10.8	5.1	9.1	*6.2*	9.5
119	Other diseases of the intestines	1.5	1.3	2.9	1.5	*1.2*	1.7	1.4	*2.1*	*1.3*
120	Acute yellow atrophy of the liver	0.3	0.4	.....	*0.4*	*0.6*	*0.3*	*0.6*	.....	*0.7*
121	Hydatid tumor of the liver	.....	.....	.....	*0.4*	*1.2*	.....	.....	.....	.....
122	Cirrhosis of the liver	3.2	2.7	5.4	5.4	9.6	3.0	9.1	12.4	8.5
123	Biliary calculi	2.2	2.5	*1.0*	3.9	5.4	3.0	5.4	*8.3*	4.9
124	Other diseases of the liver	3.6	3.8	2.9	4.3	8.4	2.0	5.4	*6.2*	5.3
125	Diseases of the pancreas	*0.1*	*0.1*	.....	.....	.....	.....	*0.3*	.....	*0.3*
126	Peritonitis without specified cause	0.9	0.8	1.6	1.5	*2.4*	*1.0*	1.4	.....	1.6
127	Other diseases of the digestive system (cancer and tuberculosis excepted).	.....	.....	.....	*0.2*	*0.6*	.....	.....	.....	.....

[1] Less than one-tenth of 1 per 100,000 population.

ITS MAIN SUBDIVISIONS, AND IN EACH REGISTRATION STATE, BY CITIES AND RURAL DISTRICTS, FROM OF CAUSES: 1921—Continued.

[See note at head of this table, pp. 196, 197.]

DEATH RATE PER 100,000 POPULATION.															Detailed Int. List No.
VIRGINIA.									WASHINGTON.			WISCONSIN.			
Total.			Cities.			Rural districts.			Total.	Cities.	Rural districts.	Total.	Cities.	Rural districts.	
Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.							
128.4	110.9	170.0	158.7	134.4	208.8	118.7	103.9	155.7	105.8	101.7	109.4	116.4	104.6	123.3	
1.3	1.4	1.2	1.8	2.1	*1.1*	1.2	1.2	1.2	1.2	1.5	0.8	1.6	2.4	1.2	70
4.1	4.3	3.7	4.2	3.4	5.9	4.1	4.6	3.0	1.9	1.8	2.0	2.7	3.5	2.2	71a
2.3	2.4	2.0	2.5	2.3	2.7	2.2	2.4	1.8	1.0	0.8	1.2	1.2	0.9	1.4	71b
1.5	1.8	0.7	2.6	3.7	*0.5*	1.1	1.3	*0.8*	1.7	1.5	1.8	1.5	1.5	1.5	72
4.6	4.4	5.0	6.7	6.5	7.0	3.9	3.7	4.3	5.1	5.9	4.4	5.5	5.7	5.3	73
76.3	65.4	102.3	102.7	84.3	140.6	67.8	59.7	88.2	69.9	75.3	65.0	77.0	70.6	80.8	74a
1.5	2.0	*0.4*	3.3	4.7	*0.5*	1.0	1.2	*0.4*	1.9	1.5	2.2	1.9	1.3	2.2	74b
14.9	12.3	21.2	10.9	6.0	20.9	16.2	14.2	21.3	4.2	4.0	4.4	3.7	2.3	4.6	75
2.6	2.4	2.9	3.0	4.2	*0.5*	2.4	1.9	3.7	6.6	1.7	11.1	4.4	0.9	6.5	76
1.7	1.3	2.7	*0.7*	*1.0*	----	2.0	1.3	3.7	2.6	*0.5*	4.5	2.8	1.0	3.8	77
4.7	3.1	8.5	4.0	2.9	6.4	4.9	3.1	9.3	3.2	1.5	4.6	3.8	1.4	5.2	78
0.4	0.4	*0.4*	*0.4*	*0.3*	*0.5*	0.4	0.4	*0.4*	*0.1*	*0.2*	----	*0.1*	----	*0.1*	79
5.7	3.2	11.5	5.1	1.8	11.8	5.8	3.6	11.4	1.2	0.8	1.5	3.4	3.6	3.2	80
0.1	*0.1*	----	----	----	----	*0.1*	*0.2*	----	*0.2*	----	*0.4*	*0.1*	*0.1*	*0.1*	81
0.5	*0.2*	1.0	*0.5*	----	*1.6*	0.4	*0.3*	*0.8*	*0.1*	----	*0.1*	0.3	0.2	0.4	82
1.4	1.6	0.9	1.4	1.6	*1.1*	1.3	1.6	*0.8*	0.6	*0.2*	1.0	0.4	0.6	0.4	83
2.7	2.4	3.5	4.4	4.7	3.8	2.2	1.7	3.3	2.1	1.5	2.6	3.6	4.4	3.1	84
0.1	*0.1*	*0.1*	*0.4*	*0.5*	----	*0.1*	----	*0.2*	*0.2*	*0.2*	*0.3*	(1)	----	*0.1*	85
1.3	1.3	1.3	2.3	2.3	*2.1*	1.0	1.0	1.0	1.4	1.7	1.1	1.4	2.4	0.8	86a
0.8	0.9	*0.6*	1.9	2.1	*1.6*	0.4	0.6	*0.2*	0.9	1.4	*0.4*	0.8	1.5	0.4	86b
155.7	139.7	194.0	185.2	163.1	230.8	146.3	132.6	180.5	152.5	163.3	142.8	158.0	155.6	159.4	
0.9	0.7	1.6	1.2	*0.5*	2.7	0.8	0.7	1.2	0.6	0.8	*0.5*	0.9	*0.4*	1.1	87
3.2	2.5	5.0	5.1	2.3	10.7	2.6	2.5	3.0	5.3	6.2	4.5	7.7	10.1	6.2	88
6.9	8.2	4.0	11.9	13.3	9.1	5.3	6.6	2.2	8.6	9.6	7.6	7.1	7.5	6.9	89
126.2	111.2	161.9	145.0	129.2	177.7	120.1	105.8	156.1	117.2	127.6	107.9	121.3	117.4	123.6	90
2.0	1.2	4.0	4.6	1.8	10.2	1.2	1.0	1.8	2.0	2.6	1.5	1.1	1.1	1.1	91a
14.1	13.7	15.3	14.6	13.8	16.1	14.0	13.6	15.0	15.3	12.0	18.2	17.7	16.6	18.4	91b,c
1.4	1.6	1.0	1.8	1.6	*2.1*	1.3	1.6	*0.6*	2.2	3.2	1.4	1.3	1.7	1.1	92
0.2	*0.2*	*0.1*	*0.2*	*0.3*	----	*0.2*	*0.2*	*0.2*	0.6	1.1	*0.3*	0.5	0.7	0.4	93
0.2	*0.2*	*0.1*	*0.2*	----	*0.5*	*0.2*	*0.3*	----	0.4	*0.3*	*0.5*	0.2	----	0.3	94
0.3	*0.1*	*0.6*	*0.7*	*0.3*	*1.6*	*0.1*	*0.1*	*0.2*	*0.1*	----	*0.3*	0.2	*0.1*	*0.2*	95
0.2	*0.1*	*0.3*	----	----	----	*0.2*	*0.2*	*0.4*	----	----	----	(1)	----	*0.1*	96
95.0	73.9	145.5	125.7	78.5	222.7	85.2	72.4	117.1	69.5	77.7	62.2	92.7	97.0	90.2	
1.0	0.5	2.2	*0.5*	*0.5*	*0.5*	1.2	0.6	2.8	*0.1*	----	*0.3*	*0.1*	*0.1*	*0.1*	97a
0.4	0.4	*0.4*	1.1	1.3	*0.5*	*0.2*	*0.2*	*0.4*	0.7	1.2	*0.3*	*0.1*	*0.3*	*0.1*	97b
1.3	1.3	1.2	*0.4*	*0.3*	*0.5*	1.6	1.7	1.4	0.6	0.8	*0.5*	0.4	*0.3*	0.5	98
2.2	1.5	3.7	3.7	1.6	8.1	1.7	1.5	2.2	1.5	1.7	1.4	4.4	5.3	3.9	98a
2.1	2.1	2.2	2.1	2.1	*2.1*	2.1	2.0	2.2	2.0	2.7	1.4	3.6	3.7	3.5	99b
0.9	0.5	1.9	1.2	*0.5*	2.7	0.8	0.5	1.6	0.4	*0.6*	*0.1*	1.5	2.0	1.2	99c
1.7	1.1	3.2	1.4	*0.5*	3.2	1.9	1.3	3.1	0.8	*0.5*	1.1	1.3	1.0	1.5	99d
31.6	24.3	49.1	41.8	24.5	77.3	28.3	24.2	38.8	25.9	27.8	24.2	31.6	32.3	31.3	100a
1.3	0.9	2.2	*0.4*	----	*1.1*	1.6	1.2	2.6	0.4	*0.3*	*0.5*	1.3	1.1	1.4	100b
32.7	26.2	48.1	54.3	34.7	94.5	25.8	23.6	31.1	27.6	33.3	22.5	32.9	36.6	30.7	101a
10.4	7.9	16.1	4.9	3.1	8.6	12.1	9.4	18.9	3.1	2.4	3.7	8.5	7.5	9.1	101b
2.7	2.2	4.0	3.5	3.1	4.3	2.5	1.9	3.9	2.9	3.5	2.3	2.7	3.2	2.4	102
2.3	2.1	2.9	3.5	2.9	4.8	2.0	1.9	2.2	1.1	0.8	1.4	1.5	1.4	1.6	103
0.3	*0.2*	*0.3*	1.1	*1.0*	*1.1*	----	----	----	*0.2*	*0.3*	*0.1*	0.2	*0.1*	*0.2*	104
3.1	1.8	6.2	4.2	1.3	10.2	2.7	1.9	4.7	1.4	0.8	1.9	1.8	1.4	2.0	105
0.3	*0.2*	*0.4*	*0.4*	*0.3*	*0.5*	*0.2*	*0.2*	*0.4*	----	----	----	*0.1*	----	*0.1*	106
0.9	0.6	1.4	1.4	*0.8*	2.7	0.7	0.6	1.0	0.7	1.1	*0.4*	0.6	0.6	0.5	107
115.6	101.7	148.8	149.1	111.2	227.0	104.9	98.8	120.1	71.4	85.0	59.1	101.3	127.8	85.8	
0.8	0.9	*0.6*	1.4	1.6	*1.1*	0.6	0.7	*0.4*	0.6	*0.6*	*0.5*	0.7	*0.4*	0.8	108
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	109a
3.1	3.2	2.9	4.4	5.0	3.2	2.7	2.7	2.8	5.0	7.1	3.1	4.0	5.1	3.4	109b
0.1	*0.1*	*0.1*	*0.2*	----	*0.5*	*0.1*	*0.1*	----	*0.1*	*0.3*	----	*0.1*	*0.2*	*0.1*	110
3.3	2.2	5.9	6.0	3.4	11.3	2.5	1.9	3.9	4.2	6.2	2.5	3.3	4.8	2.5	111a
0.3	*0.1*	*0.6*	*0.4*	----	*1.1*	*0.2*	*0.2*	*0.4*	2.0	3.0	1.1	0.8	1.3	0.5	111b
10.4	7.6	17.1	11.1	5.2	23.1	10.2	8.3	15.0	4.5	3.0	5.7	6.1	6.2	6.0	112
50.8	44.2	66.7	54.3	35.8	92.3	49.7	46.7	57.3	11.0	9.6	12.3	30.5	35.9	27.3	113
12.4	11.4	14.8	11.9	8.9	18.2	12.6	12.2	13.6	4.7	3.3	5.9	10.1	10.3	10.0	114
0.1	*0.1*	----	*0.2*	*0.3*	----	*0.1*	*0.1*	----	----	----	----	----	----	----	115
0.6	0.5	0.9	*0.4*	*0.3*	*0.5*	0.7	0.6	1.0	----	----	----	----	----	----	116
9.8	9.4	10.9	19.3	17.7	24.2	6.6	6.9	6.1	14.6	19.9	9.8	15.5	24.4	10.4	117
2.5	2.4	2.7	4.2	3.9	4.8	1.9	1.9	2.0	2.2	3.5	1.1	3.4	4.8	2.6	118a
7.9	6.7	10.7	13.5	10.2	20.4	6.1	5.7	7.1	6.7	7.6	5.9	6.8	8.5	5.7	118b
1.2	1.0	1.4	1.9	*1.0*	3.8	0.9	1.0	*0.6*	1.0	1.1	1.0	1.2	1.5	1.1	119
0.3	0.3	*0.3*	*0.5*	*0.3*	*1.1*	*0.2*	*0.3*	----	*0.1*	*0.2*	*0.1*	0.3	*0.4*	0.3	120
----	----	----	----	----	----	----	----	----	----	----	----	*0.1*	*0.2*	*0.1*	121
4.8	4.1	6.5	7.4	5.7	10.7	4.0	3.6	4.9	5.4	5.3	5.5	6.9	8.0	6.3	122
2.3	2.7	1.6	4.2	5.0	2.7	1.7	2.0	1.2	3.2	5.0	1.5	5.5	7.8	4.1	123
3.1	3.2	2.7	4.7	5.2	3.8	2.5	2.6	2.4	4.2	5.8	2.7	3.6	4.9	2.9	124
0.5	0.6	*0.3*	*0.7*	*0.8*	*0.5*	0.4	0.6	*0.2*	0.5	0.8	*0.3*	0.8	1.2	0.5	125
1.3	1.0	2.0	1.9	*1.0*	3.8	1.1	1.0	1.4	1.0	2.0	*0.1*	1.5	1.9	1.2	126
----	----	----	----	----	----	----	----	----	*0.3*	*0.8*	----	*0.1*	*0.2*	----	127

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), EACH CAUSE AND CLASS

[See note at head of this table, pp. 196, 197.]

Detailed List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.								
		TENNESSEE—continued.			UTAH.			VERMONT.		
		Rural districts.								
		Total.	White.	Colored.	Total.	Cities.	Rural districts.	Total.	Cities.	Rural districts.
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	60.0	54.4	88.6	71.3	96.4	57.3	122.6	112.00	124.3
128	Acute nephritis (including unspecified under 10 years)	4.3	3.8	6.7	6.1	6.0	6.1	6.2	*2.1*	6.9
129	Chronic nephritis (including unspecified 10 years and over)	47.6	43.1	70.4	52.9	70.5	43.0	99.3	91.3	100.6
130	Chyluria									
131	Other diseases of the kidneys and annexa	2.2	2.0	2.9	1.5	*2.4*	*1.0*	1.4	*6.2*	*0.7*
132	Calculi of the urinary passages	0.3	*0.3*	*0.6*	*0.4*	*0.6*	*0.3*	*0.9*		*1.0*
133	Diseases of the bladder	1.1	0.9	1.9	*0.9*	*0.6*	*1.0*	2.8		3.3
134	Diseases of the urethra, etc	*0.1*		*0.6*				*0.9*	*2.1*	*0.7*
135	Diseases of the prostate	2.7	2.6	3.2	4.8	6.6	3.7	4.8	*4.1*	4.9
136	Nonvenereal diseases of the male genital organs				*0.2*		*0.3*			
137	Cysts, other benign tumors of the ovary	0.4	0.4	*0.3*	*0.9*	*1.2*	*0.7*	*0.9*		*1.0*
138	Salpingitis and pelvic abscess (female)	0.3	0.3		1.5	3.6	*0.3*	2.0	*2.1*	2.0
139	Benign tumors of the uterus	0.7	0.7	*1.0*	1.3	3.0	*0.3*	2.8	*4.1*	2.6
140	Nonpuerperal uterine hemorrhage	*0.1*		*0.6*						
141	Other diseases of the female genital organs	*0.2*	*0.1*	*0.3*	*0.9*	*1.8*	*0.3*	*0.6*		*0.7*
142	Nonpuerperal diseases of the breast (cancer excepted)	*0.1*	*0.1*							
	VIII.—The puerperal state	16.5	15.2	22.7	23.0	27.1	20.7	16.5	24.9	15.1
143	Accidents of pregnancy	1.3	1.4	*1.0*	1.1	*1.8*	*0.7*	2.3	*2.1*	2.3
144	Puerperal hemorrhage	1.3	1.3	*1.3*	2.6	*1.8*	3.0	1.4		1.6
145	Other accidents of labor	1.6	1.4	2.6	3.3	3.6	3.0	*1.1*	*2.1*	*1.0*
146	Puerperal septicemia	6.8	5.4	13.8	9.3	13.9	6.8	5.7	10.4	4.9
147	Puerperal phlegmasia alba dolens, embolus, etc	0.3	0.4		1.3	*0.6*	1.7	*0.9*	*4.1*	*0.3*
148	Puerperal albuminuria and convulsions	5.2	5.4	4.2	4.8	4.2	5.1	5.1	*6.2*	4.9
149	Following childbirth (undefined)				*0.4*	*0.6*	*0.3*			
150	Puerperal diseases of the breast				*0.2*	*0.6*				
	IX.—Diseases of the skin and of the cellular tissue	2.7	2.3	5.1	2.0	*1.8*	2.0	6.0	*4.1*	6.2
151	Gangrene	1.3	0.9	2.9	*0.9*	*0.6*	*1.0*	3.7		4.3
152	Furuncle	0.5	0.4	*0.6*				*0.9*		*1.0*
153	Acute abscess	0.7	0.5	1.6	*0.7*	*0.6*	*0.7*	*0.6*	*2.1*	*0.3*
154	Other diseases of the skin and annexa	0.3	0.4		*0.4*	*0.6*	*0.3*	*0.9*	*2.1*	*0.7*
	X.—Diseases of the bones and of the organs of locomotion	0.9	1.0	*0.3*	2.0	3.6	*1.0*	*0.6*	*2.1*	*0.3*
155	Diseases of the bones (tuberculosis excepted)	0.8	0.9	*0.3*	1.7	3.6	*0.7*			
156	Diseases of the joints (tuberculosis and rheumatism excepted)				*0.2*		*0.3*	*0.3*		*0.3*
157	Amputations									
158	Other diseases of the organs of locomotion	*0.1*	*0.1*					*0.3*	*2.1*	
	XI.—Malformations	8.4	9.2	4.2	20.4	22.3	19.3	21.3	22.8	21.0
159a	Congenital hydrocephalus	0.8	0.9		1.7	*1.8*	1.7	3.1	*2.1*	3.3
159b	Congenital malformations of the heart	3.3	3.7	*1.3*	11.9	12.0	11.9	12.5	14.5	12.2
159c	Other congenital malformations	4.3	4.6	2.9	6.7	8.4	5.8	5.7	*6.2*	5.6
	XII.—Early infancy	43.9	46.5	30.7	91.5	95.2	89.5	81.2	124.5	74.3
160	Congenital debility, icterus, sclerema	8.7	8.6	9.0	7.4	6.6	7.8	15.0	18.7	14.5
161a	Premature birth	27.9	30.1	17.0	64.0	62.0	65.1	51.9	85.1	46.7
161b	Injury at birth	4.3	4.8	1.6	12.8	15.7	11.2	9.1	16.6	7.9
162	Other diseases peculiar to early infancy	2.9	2.9	3.2	7.4	10.8	5.4	5.1	*4.1*	5.3
163	Lack of care	*0.1*	*0.1*							
164	XIII.—Old age (senility)	16.4	14.5	25.9	17.8	16.9	18.3	23.3	18.7	24.0
	XIV.—External causes	58.8	54.8	79.0	86.5	100.0	78.9	92.2	122.4	87.4
	Suicide (total)	5.3	5.5	3.8	9.8	17.5	5.4	13.6	18.7	12.8
165	By poisons (gas or corrosives excepted)	0.3	0.3		*0.4*	*0.6*	*0.3*			
166	By corrosive substances	0.6	0.8		*0.9*	*1.8*	*0.3*	2.0	*4.1*	1.6
167	By poisonous gas	*0.1*	*0.1*		*0.4*	*1.2*				
168	By hanging or strangulation	1.1	1.3	*0.3*	1.3	3.0	*0.3*	2.3	*4.1*	2.0
169	By drowning	0.3	*0.1*	*1.3*				2.0	*2.1*	2.0
170	By firearms	2.5	2.6	1.9	5.6	9.6	3.4	6.8	*6.2*	6.9
171	By cutting or piercing instruments	0.3	0.3		*0.7*	*1.2*	*0.3*	*0.6*	*2.1*	*0.3*
172	By jumping from high places									
173	By crushing	*0.1*		*0.3*	*0.4*		*0.7*			
174	By other means	*0.1*	*0.1*							
	Homicide (total)	11.0	8.9	21.7	5.2	5.4	5.1	1.7		2.0
197	By firearms	9.1	7.7	16.3	4.1	4.2	4.1	1.4		1.6
198	By cutting or piercing instruments	0.9	0.5	2.9	1.1	*1.2*	*1.0*			
99	By other means	1.1	0.8	2.6				*0.3*		*0.3*

[1] Less than one-tenth of 1 per 100,000 population.

ITS MAIN SUBDIVISIONS, AND IN EACH REGISTRATION STATE, BY CITIES AND RURAL DISTRICTS, FROM OF CAUSES: 1921—Continued.

[See note at head of this table, pp. 196, 197.]

DEATH RATE PER 100,000 POPULATION.															Detailed List No.
VIRGINIA.									WASHINGTON.			WISCONSIN.			
Total.			Cities.			Rural districts.			Total.	Cities.	Rural districts.	Total.	Cities.	Rural districts.	
Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.							
103.4	89.0	137.7	137.0	127.6	156.2	92.7	77.4	130.9	72.6	93.2	54.1	70.1	77.2	65.9	
7.5	4.7	14.3	11.8	6.8	22.0	6.1	4.0	11.4	3.4	3.5	3.3	4.1	4.9	3.7	128
81.6	72.5	103.4	101.8	102.3	100.9	75.1	63.5	104.3	56.2	70.8	43.0	55.3	59.3	53.0	129
															130
2.7	2.9	2.2	3.5	4.2	*2.1*	2.4	2.5	2.2	1.7	2.0	1.4	1.3	1.4	1.2	131
0.8	0.9	*0.6*	1.6	1.8	*1.1*	0.6	0.6	*0.4*	0.8	1.5	*0.1*	0.2	*0.2*	*0.2*	132
1.3	1.3	1.4	1.2	*1.0*	*1.6*	1.3	1.3	1.4	1.1	1.1	1.1	1.0	0.5	1.3	133
0.6	*0.2*	1.6	1.9	*0.3*	5.4	*0.2*	*0.2*	*0.2*	*0.3*	*0.6*	.....	0.2	*0.1*	*0.2*	134
4.0	3.5	5.3	5.8	5.0	7.5	3.5	3.1	4.5	4.2	5.8	2.7	4.6	5.8	3.8	135
0.1	.....	*0.4*	*0.2*	.....	*0.5*	*0.1*	.....	*0.4*	*0.1*	*0.2*	.....	*0.1*	*0.2*	*0.1*	136
0.6	0.4	1.2	1.2	*0.8*	*2.1*	0.4	*0.3*	*0.8*	0.7	1.1	*0.4*	0.6	0.5	0.6	137
2.2	1.5	3.9	4.7	2.9	8.6	1.4	1.1	2.2	1.7	2.7	0.8	1.2	2.2	0.6	138
1.2	0.6	2.6	1.6	*1.0*	2.7	1.1	0.5	2.6	1.6	2.4	0.8	0.9	1.2	0.7	139
0.2	*0.1*	*0.3*	*0.2*	*0.3*	.....	*0.2*	*0.1*	*0.4*	.....	.....	.....	*0.1*	*0.1*	*0.1*	140
0.5	0.5	*0.6*	1.4	1.3	*1.6*	*0.2*	*0.2*	*0.2*	0.9	1.5	*0.4*	0.5	0.8	0.3	141
															142
20.9	16.7	31.0	28.8	20.6	45.6	18.4	15.5	25.6	15.3	17.8	13.0	13.4	17.7	10.8	
1.7	1.3	2.9	2.3	2.1	2.7	1.6	1.0	3.0	1.2	0.8	1.6	1.0	1.1	0.9	143
2.6	2.4	3.2	2.5	1.8	3.8	2.6	2.5	3.0	1.4	1.7	1.1	1.5	1.4	1.5	144
2.0	1.6	2.9	2.3	*1.0*	4.8	1.9	1.8	2.2	1.5	1.7	1.4	1.2	1.6	1.0	145
6.9	5.3	10.9	9.8	6.5	16.6	6.0	4.9	8.9	7.0	9.3	4.9	5.2	6.6	4.3	146
0.6	0.6	0.7	1.1	*1.0*	*1.1*	0.5	0.5	*0.6*	0.6	*0.5*	0.7	0.7	0.8	0.7	147
6.9	5.4	10.2	10.7	7.8	16.6	5.6	4.7	7.9	3.5	4.0	3.1	3.7	6.1	2.2	148
0.1	*0.1*	*0.1*	*0.2*	*0.3*	.....	*0.1*	*0.1*	*0.2*	*0.1*	.....	*0.1*	*0.1*	*0.1*	*0.1*	149
															150
3.7	3.5	4.0	5.1	4.4	6.4	3.2	3.2	3.1	2.6	2.0	3.1	4.4	5.2	4.0	
2.0	1.8	2.3	2.8	2.3	3.8	1.7	1.7	1.8	1.1	*0.3*	1.8	1.9	1.0	2.4	151
0.4	0.5	*0.3*	*0.7*	*0.3*	*0.5*	0.3	0.4	*0.2*	0.5	*0.6*	*0.4*	0.5	1.0	*0.2*	152
0.6	0.8	*0.3*	0.9	*1.0*	*0.5*	0.6	0.7	*0.2*	*0.2*	*0.2*	*0.3*	0.8	0.9	0.7	153
0.6	0.4	1.2	*0.7*	*0.3*	*1.6*	0.6	0.5	1.0	0.8	0.9	0.7	1.3	2.2	0.7	154
1.0	1.1	0.7	2.1	2.9	*0.5*	0.7	0.6	*0.8*	1.0	1.4	0.7	0.9	1.0	0.9	
0.7	0.9	*0.3*	1.8	2.3	*0.5*	0.4	0.5	*0.2*	0.7	1.1	*0.4*	0.8	0.6	0.9	155
0.2	*0.2*	*0.3*	*0.2*	*0.3*	.....	*0.2*	*0.2*	*0.4*	*0.3*	*0.3*	*0.3*	*0.1*	*0.4*	.....	156
															157
0.1	*0.1*	*0.1*	*0.2*	*0.3*	.....	*0.1*	.....	*0.2*	.....	.....	.....	.....	.....	.....	158
14.2	15.5	11.1	16.9	16.4	17.7	13.3	15.2	8.7	13.2	14.0	12.4	13.0	13.6	12.6	
1.4	1.4	1.3	1.2	1.3	*1.1*	1.4	1.4	1.4	1.1	1.5	0.7	1.4	1.2	1.5	159a
7.2	8.5	4.3	9.8	8.4	12.9	6.4	8.5	1.2	8.1	7.9	8.2	7.3	7.8	7.0	159b
5.6	5.6	5.5	5.8	6.8	3.8	5.5	5.3	6.1	4.0	4.6	3.6	4.2	4.6	4.0	159c
88.5	83.0	101.7	103.2	91.6	127.2	83.8	80.4	92.3	51.7	58.2	45.8	73.9	90.2	64.3	
20.0	14.8	32.4	18.3	10.7	33.8	20.6	16.1	31.9	5.8	5.2	6.3	10.2	8.7	11.1	160
53.8	53.7	53.9	65.0	62.1	70.8	50.2	51.2	47.6	30.7	34.5	27.3	44.8	56.1	38.1	161a
9.5	10.5	7.2	12.8	14.6	9.1	8.5	9.3	6.5	10.0	13.2	7.1	10.4	14.5	8.1	161b
4.7	3.5	7.5	6.5	3.7	12.3	4.1	3.5	5.7	5.1	5.2	5.1	8.4	10.9	6.9	162
0.5	0.4	0.7	*0.7*	*0.5*	*1.1*	0.4	0.4	*0.6*	*0.1*	*0.2*	.....	*0.1*	.....	*0.2*	163
21.3	17.3	30.7	8.8	8.9	8.6	25.3	19.8	38.8	11.6	5.9	16.7	26.8	16.7	32.7	164
82.7	75.8	99.2	104.6	90.3	134.2	75.7	71.4	86.4	106.4	97.6	114.3	73.3	79.5	69.7	
7.8	10.0	2.7	13.2	17.7	3.8	6.1	7.6	2.4	20.7	25.2	16.7	13.1	14.4	12.3	
0.4	0.5	.....	0.9	1.3	.....	*0.2*	*0.3*	.....	1.7	2.1	1.2	0.3	*0.2*	0.4	165
0.8	1.0	*0.1*	1.8	2.3	*0.5*	0.4	0.6	.....	1.5	2.3	0.8	1.3	1.5	1.2	166
0.3	0.4	.....	1.1	1.6	.....	.....	.....	.....	2.1	4.3	*0.1*	1.0	2.6	*0.1*	167
1.0	1.5	.....	0.9	1.3	.....	1.1	1.5	.....	2.5	1.5	3.4	4.1	3.8	4.3	168
0.3	0.4	*0.1*	*0.2*	*0.3*	.....	0.3	0.4	*0.2*	1.4	1.8	1.0	1.2	1.7	0.8	169
4.4	5.3	2.3	6.8	8.9	2.7	3.6	4.2	2.2	8.5	10.0	7.1	3.8	3.1	4.2	170
0.6	0.7	*0.1*	1.2	1.6	*0.5*	0.3	0.5	.....	2.2	2.4	2.0	1.0	1.0	0.9	171
									0.3	*0.5*	*0.1*	*0.1*	*0.2*	*0.1*	172
0.1	*0.1*	.....	*0.4*	*0.5*	.....	.....	.....	.....	*0.2*	.....	*0.4*	*0.1*	*0.1*	*0.1*	173
0.1	*0.1*	.....	.....	.....	.....	*0.1*	*0.2*	.....	0.4	*0.3*	*0.4*	*0.1*	.....	*0.1*	174
13.3	9.0	23.8	20.4	9.1	43.5	11.1	8.9	16.5	5.9	7.6	4.4	2.2	3.2	1.7	
11.2	7.4	20.3	16.7	7.0	36.5	9.5	7.6	14.4	4.5	6.2	2.9	1.5	2.1	1.1	197
1.1	0.5	2.4	2.1	*0.8*	4.8	0.7	0.4	1.6	0.4	*0.5*	*0.3*	(1)	.....	*0.1*	198
1.0	1.0	1.0	1.6	1.3	*2.1*	0.8	0.9	*0.6*	1.1	0.9	1.2	0.7	1.1	0.5	199

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), EACH CAUSE AND CLASS

[See note at head of this table, pp. 196, 197.]

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.								
		TENNESSEE—continued.			UTAH.			VERMONT.		
		Rural districts.								
		Total.	White.	Colored.	Total.	Cities.	Rural districts.	Total.	Cities.	Rural districts.
	XIV.—External causes—Continued.									
	Accidental or undefined (total)	42 5	40.3	53.4	71.6	77.1	68.4	76.9	103.7	72.6
175	Poisoning by food	1.1	0.9	1.9	1.1	*1.8*	*0.7*	*0.6*	.....	*0.7*
176	Poisoning by venomous animals	*0.1*	*0.1*	.....	*0.2*	.....	*0.3*	.....	.....	.....
177	Other acute poisonings (gas excepted)	1 3	1.4	*1.0*	2.8	5.4	*1.4*	1.7	*2.1*	1.6
178	Conflagration	0.9	*0.2*	4.8	1.5	*1.2*	1.7	7.7	*4.1*	8.2
179	Burns (conflagration excepted)	5.2	4.7	8.0	3.9	6.0	2.7	2.6	10.4	*1.8*
180	Mechanical suffocation	1.0	0.9	1.6	*0.7*	*0 6*	*0.7*	*0.9*	.....	*1.0*
181	Absorption of irrespirable, irritating, or poisonous gas	*0 2*	*0.2*	.....	*0.7*	*1.2*	*0.3*	.....	.....	.....
182	Drowning	4.0	3.3	7.4	8.0	3.0	10.8	8.5	*6.2*	8.9
183	Traumatism by firearms (except in war)	4.1	3 6	6.7	4.3	*0.6*	6.4	3.7	*4.1*	3.6
184	Traumatism by cutting or piercing instruments	*0.2*	*0.2*	*0.3*	*0.9*	*1.8*	*0.3*	*0.6*	*2.1*	*0.3*
185	Traumatism by fall	6.3	6.9	3.5	7.8	9.6	6.8	23.8	27.0	23.3
186a	Traumatism in mines	0.7	0.8	*0.3*	5.9	4.2	6.8	.....	.....	.....
186b	Traumatism in quarries	*0.1*	*0 1*	.....	*0.4*	.....	*0.7*	1.4	*8.3*	*0.3*
187	Traumatism by machines	0.6	0 6	*0.6*	*0.9*	*1.8*	*0.3*	2.0	.....	2.3
188a	Railroad accidents	3.5	2 9	6.4	6.1	7.8	5.1	2.6	*2.1*	2.6
188b	Street-car accidents	*0.1*	*0 1*	*0.3*	2.8	3.6	2.4	*0.3*	*2.1*	.....
188c	Automobile accidents	2 9	3.3	*1.3*	11.5	14.5	9.8	6.5	12.4	5.6
188d	Aeroplane and balloon accidents	.....	.....	.....	.....	.....	.....	.....	.....	.....
188e, f	Injuries by other vehicles	2.1	2.1	1.6	4.6	4.8	4.4	3.4	*6.2*	3.0
188g	Landslide, other crushing	0.3	0.4	.....	1.3	*1.8*	*1.0*	*1.1*	*2.1*	*1.0*
189	Injuries by animals (not poisoning)	1.2	1.4	.....	*0.9*	*1.2*	*0.7*	1.7	*2.1*	1.6
190	Wounds of war	.....	.....	.....	.....	.....	.....	.....	.....	.....
192	Starvation (deprivation of food or water)	.....	.....	.....	.....	.....	.....	.....	.....	.....
193	Excessive cold	*0.1*	.....	*0.3*	*0.2*	.....	*0.3*	.....	.....	.....
194	Excessive heat	0 4	0.3	*0.6*	.....	.....	.....	*0.3*	*2.1*	.....
195	Lightning	0.8	0 7	*1.3*	*0.7*	.....	*1.0*	*0.3*	.....	*0.3*
196	Other accidental electric shocks	0.3	*0.2*	*0.6*	1.5	*2.4*	*1.0*	*0.9*	.....	*1.0*
201	Fracture (cause not specified)	0.6	0.7	*0.3*	.....	.....	.....	.....	.....	.....
202	Other external violence	3.1	3 3	2.2	2.4	3.0	2.0	6.0	10.4	5.3
203	Violent deaths of unknown causation	1.4	1.3	2.2	*0.7*	*0.6*	*0.7*	*0.6*	.....	*0.7*
	XV.—Ill-defined diseases	71.2	60.4	126.0	24.3	22.9	25.1	2.8	*4.1*	2.6
204	Sudden death	4.7	4.0	8.6	*0.9*	.....	*1.4*	*0.6*	*2.1*	*0.3*
205a	Ill-defined	14.3	13.1	20.5	16.9	21.1	14.6	*0.9*	.....	*1.0*
205b	Not specified or unknown	52.1	43.3	96.9	6.5	*1.8*	9.1	1.4	*2.1*	*1.3*

[1] Less than one-tenth of 1 per 100,000 population.

ITS MAIN SUBDIVISIONS, AND IN EACH REGISTRATION STATE, BY CITIES AND RURAL DISTRICTS, FROM OF CAUSES: 1921—Continued.

[See note at head of this table, pp. 196, 197.]

DEATH RATE PER 100,000 POPULATION.															Detailed List No.
VIRGINIA.									WASHINGTON.			WISCONSIN.			
Total.			Cities.			Rural districts.			Total.	Cities.	Rural districts.	Total.	Cities.	Rural districts.	
Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.							
61.6	56.9	72.7	71.1	63.4	87.0	58.5	54.9	67.5	79.8	64.8	93.3	58.0	61.9	55.8	
1.8	1.7	2.2	2.1	2.3	*1.6*	1.7	1.5	2.4	1.5	0.9	2.0	1.0	1.0	1.0	175
0.1	*0.1*	*0.1*	*0.2*	*0.3*	.....	*0.1*	*0.1*	*0.2*	*0.1*	*0.2*	*0.1*	.....	.....	.....	176
2.2	1.8	3.2	3.5	3.1	4.3	1.8	1.4	2.8	2.2	2.1	2.2	0.8	*0.3*	1.1	177
1.0	0.5	2.0	1.1	*1.0*	*1.1*	1.0	0.4	2.4	1.9	0.9	2.7	0.6	*0.1*	0.9	178
8.1	6.7	11.2	6.8	5.7	9.1	8.4	7.0	12.0	3.6	4.1	3.1	3.8	4.9	3.3	179
1.8	1.5	2.7	1.9	*1.0*	3.8	1.8	1.6	2.4	1.4	1.2	1.5	1.0	0.7	1.1	180
0.5	0.6	*0.1*	1.8	2.3	*0.5*	*0.1*	*0.1*	.....	1.2	1.2	1.2	1.4	2.4	0.8	181
6.2	5.1	8.6	4.7	2.9	8.6	6.6	5.8	8.7	13.1	5.5	19.9	9.7	7.2	11.2	182
5.2	4.2	7.6	4.9	3.7	7.5	5.3	4.4	7.7	3.0	1.8	4.1	2.1	1.0	2.7	183
0.5	0.5	*0.3*	0.9	*1.0*	*0.5*	0.3	0.4	*0.2*	0.6	0.8	*0.5*	0.4	*0.3*	0.5	184
7.7	9.0	4.6	10.0	12.0	5.9	6.9	8.0	4.1	10.1	11.6	8.7	8.7	10.2	7.9	185
1.7	1.6	1.9	.....	.....	.....	2.2	2.1	2.6	0.4	*0.2*	0.7	*0.1*	*0.1*	*0.1*	186a
.....	.....	.....	.....	.....	.....	.....	.....	.....	*0.1*	.....	*0.1*	0.2	*0.3*	*0.1*	186b
1.4	1.5	1.3	1.9	1.6	2.7	1.3	1.5	*0.8*	3.0	2.4	3.4	2.1	2.6	1.8	187
5.4	5.1	6.2	6.8	5.5	9.7	4.9	5.0	4.9	6.5	2.3	10.2	5.2	5.4	5.1	188a
0.7	0.5	1.2	2.3	1.6	3.8	*0.2*	*0.2*	*0.2*	1.7	2.6	0.8	1.5	3.0	0.5	188b
6.0	5.9	6.2	11.8	11.2	12.9	4.1	4.3	3.7	14.5	15.7	13.5	7.7	11.4	5.4	188c
0.5	0.7	.....	.....	.....	.....	0.7	0.9	.....	.....	.....	.....	*0.1*	*0.3*	*0.1*	188d
1.4	1.5	1.3	1.1	*1.0*	*1.1*	1.5	1.6	1.4	2.2	1.2	3.1	1.5	1.1	1.8	188e,f
0.6	0.5	*0.6*	1.2	1.6	*0.5*	0.3	*0.2*	*0.6*	3.3	1.8	4.6	0.4	*0.3*	0.5	188g
0.7	0.5	1.0	*0.4*	*0.3*	*0.5*	0.8	0.6	1.2	0.8	*0.5*	1.1	1.3	1.0	1.5	189
0.1	*0.1*	*0.1*	*0.2*	.....	*0.5*	*0.1*	*0.1*	.....	.....	.....	.....	(1)	.....	*0.1*	190
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	192
0.2	.....	*0.6*	.....	.....	.....	*0.2*	.....	*0.3*	*0.2*	.....	*0.4*	*0.1*	*0.1*	*0.2*	193
1.2	0.7	2.3	3.0	1.3	6.4	0.6	0.5	*0.3*	.....	.....	.....	1.6	1.7	1.5	194
0.9	0.7	1.4	.....	.....	.....	1.2	0.9	2.0	*0.1*	.....	*0.1*	0.7	*0.2*	1.0	195
0.5	0.6	*0.3*	*0.5*	*0.3*	.....	0.5	0.6	*0.4*	0.6	*0.6*	*0.5*	0.9	1.2	0.8	196
0.7	0.9	*0.3*	*0.4*	.....	*1.1*	0.8	1.2	.....	.....	.....	.....	0.3	*0.1*	0.4	201
3.6	3.3	4.2	3.3	2.9	4.3	3.7	3.5	4.1	6.2	5.5	6.8	3.2	3.1	3.3	202
1.0	0.9	1.2	*0.4*	*0.3*	*0.5*	1.2	1.1	1.4	1.6	1.8	1.4	1.2	1.7	0.9	203
43.7	32.9	69.3	15.5	8.4	30.1	52.7	40.3	83.7	8.5	3.2	13.3	4.3	1.4	6.0	
4.7	3.8	6.9	2.6	1.6	4.8	5.4	4.5	7.7	1.2	*0.6*	1.6	0.8	*0.2*	1.2	204
14.1	10.5	22.5	9.1	4.4	18.8	15.6	12.4	23.8	3.2	1.4	4.9	0.9	*0.3*	1.2	205a
24.9	18.6	39.9	3.7	2.3	6.4	31.7	23.5	52.2	4.1	1.2	6.7	2.6	0.9	3.6	205b

GENERAL TABLES

GENERAL TABLES.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY MONTH OF DEATH: 1921.

The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920; the remainder of the state is included in "rural districts." Minor areas which are designated by asterisks (*) contain state insane asylums, state hospitals, etc.]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
SUMMARY.													
The registration area (exclusive of Hawaii)	1,032,009	96,407	88,871	95,494	87,801	87,217	79,017	82,948	81,142	77,366	84,835	82,357	88,554
Registration states [1]	1,009,673	94,437	87,072	93,563	85,806	85,298	77,216	81,031	79,310	75,707	82,995	80,605	86,633
Cities in registration states [1]	523,081	49,981	46,476	49,758	45,346	44,218	39,202	40,753	40,018	38,354	42,057	42,009	45,809
Rural part of registration states	485,692	44,456	40,596	43,805	40,460	41,080	38,014	40,278	39,292	37,353	40,938	38,596	40,824
Registration cities in nonregistration states	22,336	1,970	1,799	1,931	1,995	1,919	1,801	1,917	1,832	1,659	1,840	1,752	1,921
All registration cities [1]	546,317	51,951	48,275	51,689	47,341	46,137	41,003	42,670	41,850	40,013	43,897	43,761	47,730
REGISTRATION STATES.													
California (total)	47,377	4,519	4,025	4,198	4,054	3,864	3,654	3,611	3,656	3,530	3,7 4	4,062	4,470
Cities	27,781	2,639	2,428	2,482	2,393	2,317	2,124	2,034	2,163	2,042	2,142	2,338	2,679
Rural districts	19,596	1,880	1,597	1,716	1,661	1,547	1,530	1,577	1,493	1,488	1,592	1,724	1,791
Colorado (total)	11,878	1,190	1,010	1,059	1,026	988	957	941	981	878	951	896	1,001
Cities	5,505	551	470	525	496	456	416	424	444	378	415	434	496
Rural districts	6,373	639	540	534	530	532	541	517	537	500	536	462	505
Connecticut (total)	16,167	1,534	1,454	1,493	1,416	1,352	1,215	1,280	1,221	1,186	1,301	1,290	1,425
Cities	12,119	1,141	1,125	1,137	1,077	1,024	911	959	878	874	937	964	1,092
Rural districts	4,048	393	329	356	339	328	304	321	343	312	364	326	333
Delaware (total)	2,970	289	278	286	220	247	263	281	251	210	209	198	238
Cities	1,361	155	148	127	117	112	114	116	107	94	86	85	100
Rural districts	1,609	134	130	159	103	135	149	165	144	116	123	113	138
Florida (total)	11,774	1,086	946	1,082	1,025	1,036	870	893	925	877	952	1,016	1,066
Cities	3,624	336	281	365	289	329	279	270	290	265	290	281	349
Rural districts	8,150	750	665	717	736	707	591	623	635	612	662	735	717
Illinois (total)	73,424	6,941	6,453	6,686	6,104	6,272	5,351	6,068	5,697	5,576	6,190	5,864	6,222
Cities	45,051	4,328	4,025	4,147	3,835	3,900	3,278	3,641	3,456	3,309	3,080	3,610	3,842
Rural districts	28,373	2,613	2,428	2,539	2,269	2,372	2,073	2,427	2,241	2,267	2,510	2,254	2,380
Indiana (total)	35,220	3,325	3,028	3,072	2,857	2,942	2,620	2,950	2,816	2,759	3,006	2,839	3,006
Cities	14,576	1,412	1,281	1,246	1,195	1,214	1,092	1,195	1,144	1,184	1,166	1,192	1,255
Rural districts	20,644	1,913	1,747	1,826	1,662	1,728	1,528	1,755	1,672	1,575	1,840	1,647	1,751
Kansas (total)	18,106	1,732	1,549	1,630	1,487	1,422	1,253	1,549	1,409	1,316	1,578	1,502	1,679
Cities	5,332	531	418	487	433	420	368	479	383	401	463	466	483
Rural districts	12,774	1,201	1,131	1,143	1,054	1,002	885	1,070	1,026	915	1,115	1,036	1,196
Kentucky (total)	25,669	2,357	2,080	2,299	1,958	2,084	2,366	2,381	2,075	1,751	2,136	2,059	2,123
Cities	6,411	584	484	547	539	525	591	576	472	448	557	505	583
Rural districts	19,258	1,773	1,596	1,752	1,419	1,559	1,775	1,805	1,603	1,303	1,579	1,554	1,540
Louisiana (total)	20,103	1,773	1,613	1,595	1,708	1,713	1,591	1,642	1,702	1,606	1,778	1,722	1,660
Cities	8,660	770	758	698	713	737	675	638	757	685	734	745	750
Rural districts	11,443	1,003	855	897	995	976	916	1,004	945	921	1,044	977	910
Maine (total)	10,815	964	876	969	991	926	841	856	836	865	882	860	949
Cities	3,249	302	259	286	322	279	248	254	237	251	277	252	282
Rural districts	7,566	662	617	683	669	647	593	602	599	614	605	608	667
Maryland (total)	19,980	1,816	1,733	2,062	1,599	1,573	1,621	1,751	1,540	1,464	1,680	1,520	1,621
Cities	11,513	1,068	1,016	1,269	924	911	920	906	868	857	970	875	929
Rural districts	8,467	748	717	793	675	662	701	845	672	607	710	645	692
Massachusetts (total)	47,787	4,538	4,115	4,636	4,265	4,036	3,439	3,586	3,585	3,614	3,829	3,871	4,273
Cities	38,526	3,688	3,373	3,740	3,427	3,320	2,738	2,836	2,873	2,877	3,081	3,098	3,475
Rural districts	9,261	850	742	896	838	716	701	750	712	737	748	773	798
Michigan (total)	44,132	4,083	3,797	4,138	3,829	3,688	3,274	3,507	3,682	3,632	3,516	3,439	3,547
Cities	21,885	2,059	1,883	2,049	1,928	1,838	1,623	1,754	1,768	1,757	1,743	1,705	1,778
Rural districts	22,247	2,024	1,914	2,089	1,901	1,850	1,651	1,753	1,914	1,875	1,773	1,734	1,769
Minnesota (total)	22,806	2,042	2,000	2,299	2,137	1,972	1,703	1,750	1,708	1,678	1,877	1,796	1,844
Cities	9,793	915	865	1,008	892	843	722	728	710	702	773	791	844
Rural districts	13,013	1,127	1,135	1,291	1,245	1,129	981	1,022	998	976	1,104	1,005	1,000
Mississippi (total)	19,950	1,647	1,568	1,663	1,643	1,721	1,657	1,757	1,620	1,679	1,805	1,577	1,613
Cities	2,991	250	229	231	234	275	275	266	241	246	271	235	238
Rural districts	16,959	1,397	1,339	1,432	1,409	1,446	1,382	1,491	1,379	1,433	1,534	1,342	1,375
Missouri (total)	37,071	3,532	3,085	3,260	3,002	3,096	2,712	3,175	2,800	2,805	3,149	3,141	3,314
Cities	18,126	1,740	1,537	1,551	1,466	1,526	1,336	1,552	1,336	1,321	1,481	1,586	1,694
Rural districts	18,945	1,792	1,548	1,709	1,536	1,570	1,376	1,623	1,464	1,484	1,668	1,555	1,620
Montana (total)	4,693	470	414	447	443	384	372	359	379	332	371	380	342
Cities	1,426	170	101	120	135	118	125	111	107	107	115	107	110
Rural districts	3,267	300	313	327	308	266	247	248	272	225	256	273	232
Nebraska (total)	12,017	1,162	1,023	1,151	1,034	1,033	908	874	965	895	1,022	942	1,008
Cities	3,815	336	334	365	337	338	275	277	341	305	322	273	312
Rural districts	8,202	826	689	786	697	695	633	597	624	590	700	669	696
New Hampshire (total)	6,102	581	549	538	502	492	468	446	493	496	520	510	507
Cities	2,648	275	238	241	205	227	195	198	204	199	221	226	219
Rural districts	3,454	306	311	297	297	265	273	248	289	297	299	284	288

[1] Including District of Columbia.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY MONTH OF DEATH: 1921—Continued.

The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920; the remainder of the state is included in "rural districts." Minor areas which are designated by asterisks (*) contain state insane asylums, state hospitals, etc.]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION STATES—Continued.													
New Jersey (total)	37,928	3,658	3,403	3,768	3,294	3,064	2,826	2,863	2,979	2,779	3,037	2,963	3,294
Cities	24,550	2,404	2,225	2,458	2,155	1,973	1,819	1,854	1,901	1,756	1,922	1,903	2,180
Rural districts	13,378	1,254	1,178	1,310	1,139	1,091	1,007	1,009	1,078	1,023	1,115	1,060	1,114
New York (total)	130,394	12,566	11,684	12,692	11,446	11,063	9,568	9,951	10,060	9,444	10,347	10,272	11,301
Cities	97,781	9,593	9,039	9,559	8,693	8,343	7,135	7,375	7,348	6,859	7,622	7,664	8,551
Rural districts	32,613	2,973	2,645	3,133	2,753	2,720	2,433	2,576	2,712	2,585	2,725	2,608	2,750
North Carolina (total)	29,454	2,576	2,243	2,423	2,496	3,006	2,800	2,564	2,300	2,041	2,391	2,226	2,388
Cities	5,160	446	408	434	453	454	464	432	388	389	434	426	432
Rural districts	24,294	2,130	1,835	1,989	2,043	2,552	2,336	2,132	1,912	1,652	1,957	1,800	1,956
Ohio (total)	67,104	6,233	5,751	6,180	5,506	5,486	4,971	5,585	5,585	4,938	5,663	5,476	5,730
Cities	37,141	3,457	3,269	3,524	3,075	3,068	2,742	3,074	2,920	2,659	3,101	3,091	3,161
Rural districts	29,963	2,776	2,482	2,656	2,431	2,418	2,229	2,511	2,665	2,279	2,562	2,385	2,569
Oregon (total)	8,304	731	685	775	709	781	662	634	605	580	711	669	762
Cities	3,776	343	331	373	338	339	271	289	260	253	305	326	348
Rural districts	4,528	388	354	402	371	442	391	345	345	327	406	343	414
Pennsylvania (total)	109,919	10,611	10,213	10,894	9,506	8,949	7,900	8,314	8,598	8,043	8,744	8,614	9,533
Cities	59,018	5,717	5,625	6,048	5,184	4,965	4,320	4,303	4,388	4,168	4,556	4,673	5,071
Rural districts	50,901	4,894	4,588	4,846	4,322	3,984	3,580	4,011	4,210	3,875	4,188	3,941	4,462
Rhode Island (total)	7,756	736	680	749	685	621	588	570	658	620	609	572	668
Cities	6,469	621	562	630	576	521	500	462	547	498	509	470	573
Rural districts	1,287	115	118	119	109	100	88	108	111	122	100	102	95
South Carolina (total)	20,377	1,628	1,522	1,646	1,787	1,933	1,788	1,677	1,683	1,789	1,682	1,569	1,673
Cities	3,895	300	272	329	333	355	359	319	348	328	320	310	322
Rural districts	16,482	1,328	1,250	1,317	1,454	1,578	1,429	1,358	1,335	1,461	1,362	1,259	1,351
Tennessee (total)	25,219	2,248	2,086	2,112	1,930	2,180	2,104	2,273	1,967	1,826	2,299	2,037	5,157
Cities	7,582	653	616	618	588	669	661	673	570	565	678	623	668
Rural districts	17,637	1,595	1,470	1,494	1,342	1,511	1,443	1,600	1,397	1,261	1,621	1,414	1,489
Utah (total)	4,783	490	467	437	412	402	332	403	316	374	370	358	422
Cities	2,067	215	168	174	182	174	146	191	140	165	164	149	199
Rural districts	2,716	275	299	263	230	228	186	212	176	209	206	209	223
Vermont (total)	4,999	437	457	458	418	448	362	390	383	401	419	386	440
Cities	744	53	66	70	76	51	63	60	59	59	74	60	53
Rural districts	4,255	384	391	388	342	397	299	330	324	342	345	326	387
Virginia (total)	28,534	2,673	2,401	2,530	2,232	2,477	2,587	2,462	2,188	2,104	2,253	2,238	2,389
Cities	7,958	758	643	691	636	647	698	692	604	624	644	628	693
Rural districts	20,576	1,915	1,758	1,839	1,596	1,830	1,889	1,770	1,584	1,480	1,609	1,610	1,696
Washington (total)	13,254	1,183	1,063	1,170	1,180	1,174	1,037	1,022	1,001	982	1,153	1,107	1,182
Cities	6,639	604	548	620	619	574	504	491	478	468	557	566	610
Rural districts	6,615	579	515	550	561	600	533	531	523	514	596	541	572
Wisconsin (total)	27,552	2,522	2,278	2,615	2,354	2,390	2,086	2,188	2,200	2,223	2,296	2,171	2,229
Cities	10,754	1,003	908	1,058	930	893	745	846	842	847	912	889	881
Rural districts	16,798	1,519	1,370	1,557	1,424	1,497	1,341	1,342	1,358	1,376	1,384	1,282	1,348
REGISTRATION CITIES.													
ALABAMA.[1]													
Birmingham	2,725	247	224	227	243	238	232	248	219	189	218	211	229
Mobile	1,036	94	85	92	76	94	84	90	74	72	92	86	97
Montgomery	714	69	63	58	47	49	63	62	78	54	51	57	63
CALIFORNIA.													
Alameda	290	31	24	33	21	26	22	30	19	12	21	24	27
Bakersfield	379	42	34	25	27	43	33	41	31	30	22	23	28
Berkeley	564	49	51	67	54	44	36	41	43	45	40	51	43
Eureka	204	17	23	13	20	18	8	12	20	22	15	21	15
Fresno	638	71	58	67	56	45	41	44	34	50	56	55	61
Glendale *	331	23	23	36	34	23	24	32	19	18	34	30	35
Long Beach	854	62	70	84	67	72	77	70	66	67	64	76	79
Los Angeles	8,528	819	740	733	722	721	670	612	673	646	655	726	811
Oakland	2,356	228	201	174	200	171	200	163	189	171	198	222	239
Pasadena	692	67	68	54	47	61	54	49	60	56	56	57	63
Pomona	228	30	19	18	19	24	11	16	19	10	12	17	33
Richmond	142	13	16	17	10	11	9	7	12	13	10	8	16
Riverside	337	31	25	36	25	34	29	20	33	23	31	23	27
Sacramento	1,033	90	82	101	91	97	74	69	84	89	89	105	112
San Bernardino *	378	28	40	35	28	32	30	28	34	24	28	40	31
San Diego	1,379	148	118	136	119	107	102	90	90	106	110	111	142
San Francisco	7,031	666	620	639	639	581	533	527	560	491	547	551	677
San Jose	478	53	41	45	44	44	33	32	35	33	26	44	48
Santa Ana	201	26	19	13	19	17	20	17	9	12	11	17	21
Santa Barbara	260	23	23	21	23	32	15	15	18	25	13	21	31
Santa Cruz	208	7	20	20	21	14	22	19	25	17	16	12	15
Santa Monica	279	14	20	29	30	29	16	16	28	25	25	19	28
Stockton*	617	66	57	59	43	49	43	48	42	36	46	56	72
Vallejo	238	30	31	19	30	17	15	23	13	13	10	20	17
Venice	86	5	5	8	4	5	7	13	7	8	7	9	8

[1] Nonregistration state; the only cities shown are those with satisfactory registration of deaths.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY MONTH OF DEATH: 1921—Continued.

[The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920; the remainder of the state is included in "rural districts." Minor areas which are designated by asterisks (*) contain state insane asylums, state hospitals, etc.]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES—Continued.													
COLORADO.													
Boulder	195	18	13	18	14	18	10	10	21	11	18	23	21
Colorado Springs*	608	58	57	48	52	48	49	64	57	57	42	33	43
Denver	3,715	376	306	367	335	300	264	272	282	256	284	302	371
Greeley	159	10	14	15	15	12	11	15	21	13	15	10	8
Pueblo	614	65	67	52	62	56	68	43	50	25	37	46	43
Trinidad	214	24	13	25	18	22	14	20	13	16	19	20	10
CONNECTICUT.													
Ansonia	144	13	12	20	6	14	15	7	10	6	10	13	18
Bridgeport	1,503	149	144	133	146	136	115	110	105	103	116	114	132
Bristol	170	16	25	12	14	19	11	9	14	14	10	15	11
Danbury town	340	16	30	33	42	30	30	26	27	27	17	29	33
Derby	153	8	11	15	15	14	10	10	20	11	15	13	11
East Hartford town	86	12	12	8	5	7	5	7	5	6	9	4	6
Enfield town	112	10	7	12	13	8	9	10	7	7	9	11	9
Fairfield town	84	7	4	8	12	9	13	7	3	5	3	7	6
Greenwich town	264	19	19	27	20	13	20	18	27	17	26	28	30
Hartford	1,828	157	173	151	160	169	150	162	131	104	148	167	156
Manchester town	150	16	12	12	20	14	6	12	9	12	13	11	13
Meriden town	410	46	38	41	31	29	29	35	21	32	34	27	47
Middletown town*	470	35	61	41	31	46	56	23	36	39	36	28	38
Milford town	127	7	6	9	13	14	6	12	15	11	10	11	13
Naugatuck	102	10	8	16	7	14	7	8	8	4	6	6	8
New Britain	553	67	53	41	57	48	37	49	35	41	43	36	46
New Haven	1,933	183	178	210	162	152	124	155	140	140	141	163	135
New London	356	29	10	28	31	21	26	27	29	25	29	43	28
Norwalk	378	41	32	30	40	24	35	30	20	25	24	35	42
Norwich town*	478	55	50	41	36	40	38	37	37	41	33	23	47
Orange town	263	25	23	31	24	24	17	18	20	18	26	16	18
Stamford town	542	61	46	54	44	51	34	44	41	49	48	26	44
Stonington town	102	10	9	10	8	12	6	7	11	6	9	7	7
Stratford town	99	7	11	17	9	7	9	9	5	6	6	5	8
Torrington town	184	31	16	11	23	10	11	10	12	19	11	11	13
Wallingford town	126	12	12	14	9	11	9	13	8	6	11	12	9
Waterbury	931	78	68	91	79	65	67	88	65	82	78	79	91
Windham town	231	21	25	15	20	23	16	16	17	18	16	21	23
DELAWARE.													
Wilmington	1,361	155	118	127	117	112	114	116	107	94	86	85	100
DISTRICT OF COLUMBIA.													
Washington	6,055	564	543	551	551	483	470	478	446	414	535	465	557
FLORIDA.													
Jacksonville	1,463	130	100	136	108	155	128	118	127	108	110	110	133
Key West	265	25	22	26	26	21	18	18	26	20	22	19	22
Miami	525	59	40	42	45	39	33	34	36	47	46	47	57
Pensacola	409	34	34	43	24	35	25	39	24	39	38	34	40
St. Petersburg	267	26	33	37	33	18	12	13	18	11	22	17	27
Tampa	695	62	52	81	53	61	63	48	59	40	52	54	70
GEORGIA.[1]													
Atlanta	3,078	274	247	265	263	238	274	246	251	237	264	241	278
Augusta*	947	64	73	78	86	74	68	65	91	95	100	68	85
Brunswick	149	15	8	12	6	5	11	12	19	14	17	8	22
Savannah*	1,765	159	136	136	147	161	139	141	134	154	148	153	157
ILLINOIS.													
Alton	260	32	21	21	17	21	26	22	17	17	23	21	19
Aurora	493	49	31	44	38	45	35	40	42	37	48	40	44
Belleville	317	30	25	24	28	27	18	28	25	20	32	25	35
Berwyn	126	10	10	13	7	13	4	12	8	10	12	17	10
Bloomington	430	42	32	33	37	43	26	29	32	38	39	30	49
Blue Island	178	17	13	7	10	19	13	13	11	18	20	21	16
Cairo	235	20	15	19	15	21	23	28	22	17	18	13	24
Canton	160	13	19	16	17	14	8	12	11	14	10	14	12
Centralia	148	15	23	8	9	12	5	6	10	16	14	14	16
Champaign	203	15	20	16	23	17	17	11	23	10	14	22	15
Chicago	30,819	3,014	2,766	2,900	2,689	2,646	2,261	2,488	2,318	2,232	2,463	2,448	2,594
Chicago Heights	205	17	21	28	10	16	14	17	16	27	17	9	13
Cicero	321	33	37	32	23	32	18	18	23	36	26	26	17
Danville	531	49	37	48	45	42	37	44	47	50	42	48	42
Decatur	601	55	47	47	44	60	47	45	46	48	62	48	52
East St. Louis	753	58	75	77	80	70	45	52	53	45	67	56	75
Elgin*	532	45	39	45	52	52	39	46	37	41	40	33	63
Evanston	410	37	33	46	35	32	31	35	37	20	35	34	35
Forest Park	99	7	6	10	11	9	6	11	11	6	11	5	6
Freeport	308	27	36	27	26	22	30	23	24	26	27	19	21

[1] Nonregistration state; the only cities shown are those with satisfactory registration of deaths.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY MONTH OF DEATH: 1921—Continued.

[The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920; the remainder of the state is included in "rural districts." Minor areas which are designated by asterisks (*) contain state insane asylums, state hospitals, etc.]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES—Continued.													
ILLINOIS—continued.													
Galesburg	324	27	40	23	18	31	24	20	25	17	31	29	39
Granite City	158	16	17	14	12	16	15	9	20	9	9	14	7
Herrin	140	15	6	13	7	9	8	15	11	14	14	16	12
Jacksonville*	448	41	37	38	42	50	32	38	28	20	41	41	40
Joliet	515	55	38	36	41	49	44	48	35	48	48	40	33
Kankakee	225	15	14	22	16	21	19	24	20	18	18	14	24
Kewanee	221	17	23	15	19	13	14	20	19	18	18	21	24
La Salle	151	18	18	16	10	7	19	6	13	13	7	16	8
Lincoln*	203	16	14	17	14	22	14	17	16	16	17	16	24
Mattoon	201	21	25	16	14	19	20	11	16	15	15	20	9
Maywood	106	8	6	11	10	11	11	10	11	5	6	10	7
Moline	306	21	29	30	30	31	20	28	27	20	25	26	19
Murphysboro	124	8	9	12	9	9	7	14	8	8	16	12	12
Oak Park	527	52	52	48	37	54	38	34	35	43	37	50	47
Ottawa	148	14	14	11	14	14	14	16	8	10	12	8	13
Pekin	128	12	5	14	14	9	7	6	9	11	12	15	14
Peoria	1,014	94	87	87	95	92	77	77	79	73	95	70	88
Quincy	511	46	37	39	35	41	33	51	54	36	39	49	51
Rock Island	356	38	39	28	17	32	19	36	29	25	31	20	33
Rockford	694	58	65	76	57	46	55	56	66	54	47	47	67
Springfield	903	97	91	75	72	66	57	75	72	67	77	74	80
Streator	214	23	25	21	12	16	11	18	17	23	17	18	13
Urbana	79	4	6	6	5	7	7	12	5	4	9	9	5
Waukegan	226	27	22	18	19	22	10	20	20	14	19	20	15
INDIANA.													
Anderson	312	32	28	29	24	25	21	21	32	26	27	24	23
Bloomington	144	20	10	9	14	14	6	15	10	14	8	17	7
Clinton	101	11	5	8	4	9	11	9	6	14	7	5	12
Crawfordsville	152	13	13	8	9	8	9	14	21	10	19	10	18
East Chicago	382	36	33	40	44	35	20	25	25	33	27	23	41
Elkhart	307	30	23	29	27	30	25	25	31	18	25	25	19
Elwood	141	17	13	12	15	10	9	10	10	9	10	13	13
Evansville	1,000	105	89	100	56	96	71	73	69	76	99	82	84
Fort Wayne	978	89	91	96	83	74	64	72	72	94	71	89	83
Frankfort	165	17	11	15	11	16	13	15	11	10	16	16	14
Gary	711	64	86	44	56	62	55	56	61	49	55	60	63
Hammond	407	41	36	38	42	27	30	37	26	33	43	31	23
Huntington	197	24	21	25	16	21	8	13	18	10	7	16	18
Indianapolis	4,119	386	320	325	362	364	328	312	310	327	340	354	391
Jeffersonville	118	12	9	14	12	8	14	10	7	8	8	7	9
Kokomo	339	23	20	17	29	30	31	34	25	47	27	30	26
La Porte	180	17	22	15	13	10	13	15	18	20	8	11	18
Lafayette	416	36	31	46	28	31	34	30	39	36	29	31	45
Logansport	252	19	21	31	16	16	17	21	17	21	22	25	26
Marion	342	39	36	25	24	29	25	31	22	27	34	27	23
Michigan City	253	23	26	22	34	16	19	26	19	15	14	17	22
Mishawaka	185	21	18	21	16	13	18	18	15	11	8	13	13
Muncie	463	52	54	41	32	39	26	39	33	32	29	46	40
New Albany	306	27	27	19	27	26	24	35	19	22	28	26	26
New Castle	138	12	19	13	15	13	5	11	15	12	11	8	4
Peru	146	23	19	12	9	14	8	11	7	12	8	16	7
Richmond	309	37	19	32	23	27	24	30	19	28	26	21	23
South Bend	723	72	50	56	48	48	74	78	66	70	51	45	65
Terre Haute	897	72	99	72	76	77	63	71	76	69	77	73	72
Vincennes	288	34	24	24	18	18	20	30	33	19	26	19	23
Whiting	105	8	8	8	12	8	7	8	12	12	6	12	4
KANSAS.													
Arkansas City	135	18	6	8	12	10	11	20	10	8	8	11	13
Atchison	163	7	14	18	15	21	14	13	9	13	12	15	12
Chanute	166	19	9	13	23	12	12	14	11	6	14	17	16
Coffeyville	178	12	13	15	18	10	19	18	14	11	18	17	13
El Dorado	92	9	6	7	8	7	6	13	4	14	3	5	10
Emporia	143	13	11	13	11	14	13	17	9	5	11	10	16
Fort Scott	168	15	5	17	19	19	11	14	11	10	17	15	15
Hutchinson	260	30	22	22	15	20	13	32	20	22	23	19	22
Independence	134	23	12	10	9	18	5	12	9	8	7	8	13
Kansas City	1,257	128	97	125	101	95	76	93	94	97	115	121	115
Lawrence	181	24	17	20	13	14	13	15	12	13	19	12	9
Leavenworth	244	21	24	20	15	17	21	27	13	14	29	22	21
Parsons	164	16	8	11	15	14	16	13	12	11	15	13	20
Pittsburg	162	12	10	17	8	12	12	17	14	10	18	15	17
Salina	186	14	21	15	14	13	19	22	10	10	17	12	19
Topeka	726	74	67	68	56	57	38	53	53	67	66	62	65
Wichita	973	96	76	88	81	67	69	86	78	82	71	92	87

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY MONTH OF DEATH: 1921—Continued.

[The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920; the remainder of the state is included in "rural districts." Minor areas which are designated by asterisks (*) contain state insane asylums, state hospitals, etc.]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES—Continued.													
KENTUCKY.													
Ashland	251	12	23	27	19	25	28	19	30	13	24	13	18
Covington	734	70	51	68	63	65	61	66	57	45	64	40	84
Henderson	188	17	15	20	15	8	19	9	21	15	20	13	16
Lexington*	912	80	52	72	80	89	65	100	72	67	82	72	81
Louisville	3,314	308	276	275	287	251	330	291	212	230	293	274	287
Newport	294	33	16	32	23	29	22	19	19	24	23	28	26
Owensboro	307	26	23	19	22	28	22	34	32	20	19	21	41
Paducah	411	38	28	34	30	30	44	38	29	34	32	44	30
LOUISIANA.													
Alexandria	342	24	18	24	25	30	31	32	26	28	30	45	29
Baton Rouge	323	31	36	29	25	16	35	20	31	17	21	34	28
Lake Charles	229	15	19	17	19	23	18	21	23	21	18	24	11
Monroe	260	18	32	21	18	21	24	14	22	20	18	26	26
New Orleans	6,468	611	554	523	537	550	503	465	566	514	550	523	572
Shreveport*	1,038	71	99	84	89	97	64	86	89	85	97	93	84
MAINE.													
Auburn	213	20	13	20	19	25	15	13	16	16	18	16	22
Augusta*	258	23	16	30	22	21	20	28	15	17	28	20	18
Bangor*	528	51	42	55	64	41	36	34	45	40	43	39	38
Bath	129	20	6	15	12	8	13	5	10	11	4	11	14
Biddeford	310	27	27	18	31	26	18	34	22	28	25	30	24
Lewiston	527	43	55	34	60	40	44	48	34	41	48	36	44
Portland	1,020	87	82	85	98	89	84	74	77	72	92	80	100
Sanford town	87	10	4	11	7	11	6	6	4	9	5	7	7
Waterville	177	21	14	18	9	18	12	12	14	17	14	13	15
MARYLAND.													
Annapolis	157	13	13	17	11	11	12	14	18	10	12	12	14
Baltimore	10,380	949	935	1,164	839	831	836	782	782	772	880	794	816
Cumberland	433	50	31	34	26	30	34	45	31	31	41	33	47
Frederick	207	23	17	22	14	16	12	28	14	17	14	11	19
Hagerstown	336	33	20	32	34	23	26	37	23	27	23	25	33
MASSACHUSETTS.													
Adams town	135	9	7	10	10	9	14	12	10	17	10	15	12
Amesbury town	117	5	18	7	14	17	2	9	10	5	9	12	9
Arlington town	217	19	25	16	13	21	21	18	12	23	16	16	17
Attleboro	238	12	17	28	22	22	21	22	11	20	15	19	29
Belmont town	80	8	8	8	6	9	8	6	7	7	4	7	2
Beverly	243	24	18	24	17	15	18	20	18	18	30	20	21
Boston	10,226	945	873	1,002	933	863	737	754	779	764	795	841	940
Braintree town	132	9	15	5	9	11	16	12	4	14	6	16	15
Brockton	688	60	59	73	57	54	46	41	52	58	70	58	58
Brookline town	399	49	34	41	37	46	23	23	19	22	35	30	40
Cambridge	1,388	139	135	127	117	135	99	101	98	104	90	111	132
Chelsea	576	63	55	49	57	47	44	32	40	45	47	50	47
Chicopee	327	33	31	24	17	26	22	32	28	27	39	22	26
Clinton town	176	25	20	9	14	17	11	17	11	9	16	13	14
Danvers town*	291	29	16	17	23	27	31	18	17	29	25	28	31
Dedham town	112	8	13	10	8	7	11	10	9	13	10	6	7
Easthampton town	111	8	13	13	11	12	11	3	10	7	8	6	9
Everett	348	35	31	30	45	34	24	25	24	20	19	34	27
Fall River	1,717	177	153	194	145	144	111	138	127	132	137	137	122
Fitchburg	432	45	41	41	44	25	26	33	28	48	32	29	40
Framingham town	255	17	20	18	32	28	16	15	22	21	20	17	29
Gardner town	190	22	17	13	17	17	14	12	12	19	14	13	20
Gloucester	302	22	24	25	28	29	22	23	20	24	33	28	24
Greenfield town	161	18	16	11	19	7	7	20	9	9	11	16	18
Haverhill	664	66	48	72	75	54	47	47	42	58	55	41	59
Holyoke	745	73	49	77	61	48	66	63	65	66	49	63	65
Lawrence	1,075	108	87	74	94	100	71	93	82	84	85	92	105
Leominster	200	22	27	11	17	17	9	12	16	13	20	22	14
Lowell	1,465	169	131	155	118	117	96	114	107	98	117	104	139
Lynn	1,108	115	104	104	114	87	81	75	83	74	83	87	101
Malden	565	51	56	57	46	48	46	34	36	41	45	51	54
Marlborough	173	11	14	16	18	18	11	17	15	14	13	13	13
Medford	368	33	33	29	32	36	23	21	35	34	25	31	36
Melrose	206	18	12	26	20	16	16	16	12	10	15	20	25
Methuen	201	19	24	17	20	15	22	16	17	9	13	14	15
Milford town	182	21	18	7	26	17	12	10	17	16	9	10	19
Natick town	142	11	12	17	10	10	8	17	12	11	9	13	12
New Bedford	1,384	134	129	134	125	113	107	100	110	108	106	116	102
Newburyport	214	21	22	13	21	19	13	17	19	14	19	13	23
Newton	466	39	41	50	35	50	29	30	39	30	37	35	51
North Adams	270	27	17	34	22	24	22	18	19	19	27	19	22
Northampton*	422	42	39	43	34	42	23	28	39	19	38	38	37
Northbridge town	90	7	6	7	7	11	5	5	7	9	11	7	8
Norwood town	128	12	21	17	11	8	5	10	2	11	8	13	10
Peabody	195	25	20	17	22	10	14	18	13	13	13	11	19

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY MONTH OF DEATH: 1921—Continued.

The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920; the remainder of the state is included in "rural districts." Minor areas which are designated by asterisks (*) contain state insane asylums, state hospitals, etc.]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES—Continued.													
MASSACHUSETTS—continued.													
Pittsfield	558	51	43	61	43	50	39	33	32	42	58	60	46
Plymouth town	167	11	20	20	11	15	13	8	12	20	14	13	10
Quincy	416	41	27	44	40	38	25	35	35	25	28	33	45
Revere	185	22	13	16	17	17	13	19	10	12	16	16	14
Salem	542	48	43	54	44	50	47	33	44	40	42	48	49
Saugus town	105	11	8	11	8	8	11	4	9	8	8	9	10
Somerville	988	111	87	101	77	97	77	74	65	68	85	71	75
Southbridge town	132	18	11	13	11	8	8	9	13	14	5	14	8
Springfield	1,542	134	145	166	128	123	106	99	137	112	124	113	155
Taunton*	635	57	61	61	54	59	40	41	41	51	62	42	66
Wakefield town	130	10	10	11	15	9	9	11	7	11	13	11	13
Waltham	409	34	40	41	29	45	29	32	33	25	30	35	36
Watertown town	176	25	18	16	18	16	10	12	6	11	16	11	17
Webster town	132	12	7	10	10	12	8	16	14	10	16	9	8
West Springfield town	117	8	9	13	9	16	7	8	16	5	16	5	5
Westfield town	224	24	16	21	20	17	10	18	15	17	21	23	22
Weymouth town	131	15	10	16	14	7	5	14	7	9	10	11	13
Winchester town	116	9	10	12	12	8	8	5	8	10	12	10	12
Winthrop town	145	11	13	7	13	17	9	16	15	7	10	16	11
Woburn	167	14	8	23	17	16	14	10	13	15	15	9	13
Worcester	2,387	217	205	251	214	210	169	182	177	159	192	182	229
MICHIGAN.													
Adrian	184	15	18	17	16	12	13	18	15	15	13	13	19
Alpena	154	11	11	21	19	5	16	11	15	8	14	10	13
Ann Arbor*	504	38	37	48	60	32	37	38	41	43	54	39	37
Battle Creek	582	43	53	56	43	59	39	52	44	42	60	47	44
Bay City	632	50	63	74	52	52	41	51	50	51	56	41	51
Benton Harbor	181	14	16	18	15	11	13	18	20	15	17	12	12
Detroit	10,386	982	870	946	959	942	774	830	870	773	795	817	828
Escanaba	215	16	16	23	16	12	23	11	17	25	21	16	19
Flint	847	72	77	66	48	67	79	75	80	89	62	67	75
Grand Rapids	1,538	167	134	141	115	122	103	122	116	108	130	139	141
Hamtramck	452	43	34	20	43	33	32	41	40	60	49	31	26
Highland Park	342	23	27	30	29	36	26	31	21	31	32	24	32
Holland	105	8	10	12	12	7	6	10	10	7	6	9	8
Ironwood	133	7	16	16	13	7	9	13	11	13	6	8	14
Ishpeming	116	8	12	16	11	10	8	14	10	13	3	6	5
Jackson	686	64	63	63	55	69	39	44	61	67	41	57	63
Kalamazoo*	897	88	79	91	67	56	68	66	65	75	77	84	81
Lansing	638	58	56	63	57	57	46	39	48	63	48	53	50
Marquette	188	23	19	15	19	17	8	12	15	15	18	15	12
Monroe	130	16	14	14	11	9	7	10	11	7	8	11	12
Muskegon	469	50	36	43	54	31	47	34	38	35	37	31	33
Owosso	211	19	19	25	11	13	15	18	21	19	24	14	13
Pontiac*	438	45	41	49	29	30	35	37	32	39	35	21	45
Port Huron	374	48	41	30	35	31	26	27	27	31	28	27	23
Saginaw	810	79	81	73	74	70	57	69	54	61	55	67	67
Sault Ste. Marie	154	16	7	14	9	13	18	8	14	14	18	10	13
Traverse City*	347	45	25	40	29	31	24	38	12	26	23	28	26
Wyandotte	172	11	8	25	27	14	14	17	10	9	13	8	16
MINNESOTA.													
Austin	111	8	9	10	15	12	7	5	7	14	11	5	8
Duluth	931	77	86	109	97	86	57	65	79	61	57	68	89
Faribault*	207	22	25	25	16	14	13	15	16	15	13	16	17
Hibbing	132	8	13	11	11	15	11	7	11	13	12	9	11
Mankato	198	20	19	11	22	20	10	14	13	12	21	19	17
Minneapolis	4,289	411	386	442	379	366	319	324	276	319	351	345	371
Rochester*	817	69	63	59	80	69	73	70	93	59	70	49	63
St. Cloud	192	22	16	17	27	15	17	5	12	11	14	22	14
St. Paul	2,555	244	225	290	219	207	184	203	178	168	192	223	222
Virginia	116	11	9	11	7	15	11	8	5	5	13	12	9
Winona	245	23	14	23	19	24	20	12	20	25	19	23	23
MISSISSIPPI.													
Biloxi	157	22	10	10	9	15	12	15	12	9	17	11	15
Columbus	137	12	11	16	14	10	8	9	13	11	11	12	10
Greenville	295	18	23	27	14	22	33	26	23	27	26	31	25
Hattiesburg	139	14	11	7	18	11	13	15	7	12	9	13	9
Jackson*	856	56	67	56	56	89	85	78	76	71	86	66	70
Laurel	217	30	9	12	23	15	14	27	20	17	22	16	12
Meridian*	450	35	30	29	46	45	45	37	34	40	38	38	33
Natchez	199	18	25	26	17	14	12	15	17	7	17	14	17
Vicksburg*	541	45	43	48	37	54	53	44	39	52	45	34	47
MISSOURI.													
Cape Girardeau	186	26	14	13	7	17	18	18	16	16	14	16	11
Carthage	142	10	12	19	5	15	5	12	10	9	14	20	11
Columbia	172	21	11	10	15	13	18	7	13	19	8	13	24
Hannibal	220	21	16	17	19	18	18	20	15	16	15	19	26
Independence	203	20	25	22	8	15	18	13	11	13	18	15	25

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY MONTH OF DEATH: 1921—Continued.

[The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920; the remainder of the state is included in "rural districts." Minor areas which are designated by asterisks (*) contain state insane asylums, state hospitals, etc.]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES—Continued.													
MISSOURI—continued.													
Jefferson City	174	13	8	10	17	15	8	19	15	18	19	18	14
Joplin	415	29	38	38	29	29	33	41	38	29	28	38	46
Kansas City	4,654	430	374	361	377	377	333	395	332	372	400	440	457
Moberly	207	8	20	19	22	13	21	17	14	21	18	12	22
St. Joseph	1,253	107	93	95	107	117	95	112	104	93	96	127	107
St. Louis	9,607	975	851	862	782	827	700	811	689	651	777	809	873
Sedalia	300	18	26	30	21	28	23	27	30	19	26	21	31
Springfield	593	62	49	55	57	42	46	60	49	45	42	38	48
MONTANA.													
Anaconda	118	11	10	14	13	12	9	9	7	6	11	10	6
Billings	198	31	15	9	16	15	18	16	19	14	13	19	13
Butte	468	63	34	39	46	36	44	25	39	37	43	30	32
Great Falls	263	38	18	17	27	30	18	22	14	15	19	18	27
Helena	167	16	9	15	14	10	16	15	16	15	16	15	10
Missoula	212	11	15	26	19	15	20	24	12	20	13	15	22
NEBRASKA.													
Grand Island	231	23	24	17	17	13	17	17	15	17	26	23	22
Hastings	167	15	12	17	14	12	17	18	12	12	10	17	11
Lincoln	714	63	53	79	73	54	60	51	66	54	59	42	60
North Platte	104	10	9	9	8	8	8	7	7	9	9	11	9
Omaha	2,599	225	236	243	225	251	173	184	241	213	218	180	210
NEW HAMPSHIRE.													
Berlin	173	14	13	17	15	17	18	14	6	18	9	20	12
Concord*	424	48	40	56	25	34	21	23	29	22	53	39	34
Dover	181	13	11	21	17	19	21	11	16	13	15	12	12
Keene	157	17	11	14	12	14	9	8	14	16	11	15	16
Laconia	172	23	11	13	15	14	16	18	8	14	7	15	18
Manchester	950	99	80	90	64	73	64	77	92	65	81	79	86
Nashua	405	42	51	24	38	42	30	30	29	35	35	27	22
Portsmouth	186	19	21	6	19	14	16	17	10	16	10	19	19
NEW JERSEY.													
Asbury Park	158	20	13	11	10	10	16	11	17	11	23	10	6
Atlantic City	981	80	85	102	79	68	72	88	108	83	69	65	82
Bayonne	790	82	88	64	62	68	59	61	63	52	59	65	67
Belleville*	327	32	32	37	32	36	22	31	24	18	18	18	27
Bloomfield	160	10	11	17	18	18	13	13	15	7	10	9	19
Bridgeton	247	17	25	20	19	17	17	20	33	24	10	19	26
Camden	1,535	160	171	166	114	91	119	110	117	114	115	122	136
Clifton	195	22	17	21	19	13	11	12	22	18	20	8	12
East Orange	378	33	32	34	30	36	22	30	16	25	34	42	44
Elizabeth	1,008	104	79	82	102	90	71	72	58	60	89	112	89
Englewood	197	23	20	19	16	16	18	17	10	9	18	11	20
Garfield	143	19	11	19	13	11	12	11	13	11	11	7	5
Gloucester	146	18	12	17	15	13	10	11	7	16	10	6	11
Hackensack	305	32	32	27	30	21	21	26	22	20	16	30	28
Harrison	122	16	13	10	10	9	10	10	9	8	10	8	9
Hoboken	865	89	91	85	89	64	65	50	66	56	72	70	68
Irvington	229	17	18	22	28	16	11	17	19	18	15	28	20
Jersey City	3,601	341	349	385	337	302	256	291	253	273	269	269	276
Kearny	266	25	22	30	30	17	18	13	17	19	28	21	23
Long Branch	358	29	25	30	29	27	36	26	39	20	37	29	31
Millville	181	23	19	20	14	11	6	19	15	11	10	18	15
Montclair	212	27	18	24	18	16	14	8	14	16	16	16	25
Morristown*	301	37	20	24	10	24	28	31	19	26	34	18	30
New Brunswick	485	50	40	57	41	40	42	30	44	31	30	30	50
Newark	4,638	466	399	472	413	390	375	363	337	336	340	331	416
Orange	528	53	45	53	57	38	31	42	31	37	34	44	63
Passaic	695	64	62	66	63	67	46	47	51	47	50	60	72
Paterson	1,746	186	140	175	161	136	125	122	160	125	150	125	141
Perth Amboy	501	43	59	60	38	30	40	29	37	38	35	37	55
Phillipsburg	186	19	19	30	18	11	10	14	17	9	14	12	13
Plainfield	374	35	31	31	25	30	34	24	29	25	42	34	34
Rahway	161	12	16	23	12	10	11	11	7	18	12	15	14
Roosevelt	56	7	7	9	7	1	1	1	5	6	6	3	3
Summit	146	15	10	17	15	15	4	11	14	8	11	12	14
Trenton	1,610	136	137	136	116	152	120	126	126	112	146	135	168
Union	155	17	9	19	12	12	7	9	9	10	21	12	18
West Hoboken	270	19	29	22	30	20	23	22	29	14	15	23	24
West New York	197	19	13	11	13	20	16	14	20	18	17	20	16
West Orange	97	7	6	11	10	7	7	11	9	7	6	6	10
NEW YORK.													
Albany	1,742	145	160	155	161	172	131	130	126	110	134	136	182
Amsterdam	416	54	32	46	31	32	43	27	33	26	33	29	30
Auburn	495	55	38	44	43	45	29	45	21	39	47	45	44
Batavia	242	25	18	27	16	21	16	21	21	19	16	21	21
Beacon*	170	16	15	16	17	12	16	14	12	14	11	11	16

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY MONTH OF DEATH: 1921—Continued.

The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920; the remainder of the state is included in "rural districts." Minor areas which are designated by asterisks (*) contain state insane asylums, state hospitals, etc.]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES—Continued.													
NEW YORK—continued.													
Binghamton*	1,047	102	110	104	86	80	72	75	90	87	73	83	85
Buffalo	6,536	654	610	615	574	566	471	506	506	501	523	513	497
Cohoes	290	28	26	34	22	23	14	21	23	18	26	27	28
Corning	177	16	22	10	20	13	5	11	15	20	17	15	13
Cortland	202	15	14	13	19	23	8	17	17	17	15	25	19
Dunkirk	222	21	17	24	27	19	20	18	4	15	22	19	16
Elmira	623	76	42	56	49	50	43	40	53	44	59	50	61
Fulton	180	21	9	16	22	17	11	11	14	16	15	8	20
Geneva	190	16	22	13	11	15	14	12	13	17	23	12	22
Glens Falls	266	29	19	21	23	17	17	21	25	17	32	19	26
Gloversville	344	31	30	40	30	24	28	20	39	17	29	27	29
Herkimer	127	11	13	9	12	16	10	10	7	14	9	7	9
Hornell	226	21	28	21	16	24	19	17	13	19	14	15	19
Hudson	191	10	16	12	24	21	13	17	16	15	11	21	15
Ilion	114	10	11	16	10	7	7	5	14	5	10	8	11
Ithaca	269	24	29	27	19	19	19	16	21	26	28	15	26
Jamestown	479	47	37	42	33	53	43	31	37	38	34	43	41
Johnstown	139	18	7	13	14	13	9	11	10	8	12	13	11
Kingston	465	41	41	40	34	41	36	39	42	38	29	33	51
Lackawanna*	350	35	14	30	24	28	19	26	44	22	47	26	35
Little Falls	145	15	12	16	10	12	9	12	13	7	17	8	14
Lockport	288	20	31	26	22	26	28	25	15	24	24	24	23
Middletown*	408	40	43	41	39	37	26	22	33	26	36	32	33
Mount Vernon	406	42	41	39	38	34	21	27	22	34	28	41	39
New Rochelle	301	23	26	33	25	27	20	23	20	32	22	25	25
New York	64,603	6,348	6,012	6,465	5,851	5,466	4,753	4,880	4,708	4,394	4,942	5,023	5,761
Bronx Borough	6,975	687	672	696	633	595	531	502	508	451	525	560	615
Brooklyn Borough	22,184	2,143	2,091	2,271	1,987	1,835	1,598	1,639	1,635	1,538	1,747	1,747	1,953
Manhattan Borough	28,885	2,886	2,659	2,867	2,700	2,517	2,121	2,198	2,044	1,944	2,140	2,206	2,603
Queens Borough	5,032	492	449	487	397	406	362	429	388	356	421	381	464
Richmond Borough	1,527	140	141	144	134	113	141	112	133	105	109	129	126
Newburgh	431	42	45	45	35	34	39	29	27	31	28	33	43
Niagara Falls	622	67	51	60	51	53	46	53	62	50	33	52	44
North Tonawanda	181	15	15	13	19	11	14	13	18	12	19	12	20
Ogdensburg*	457	43	36	44	29	48	24	47	35	45	34	42	30
Olean	294	21	19	21	22	30	28	20	32	24	32	16	29
Oneida	149	16	13	13	11	15	9	14	13	8	19	9	9
Oneonta	199	17	19	12	23	22	17	16	16	8	17	15	17
Ossining	155	17	22	11	18	9	16	11	7	8	14	10	12
Oswego	330	36	23	26	21	26	29	21	24	32	33	32	27
Peekskill	187	22	17	25	20	11	10	11	14	11	11	22	13
Plattsburg	196	14	15	15	13	19	17	16	20	21	16	16	14
Port Chester	190	23	21	15	14	16	12	16	10	16	12	14	21
Port Jervis	212	28	27	15	13	11	13	16	19	19	14	21	16
Poughkeepsie	426	45	30	38	40	36	38	28	39	23	34	31	44
Rensselaer	114	12	7	9	13	13	8	8	7	11	8	5	13
Rochester	3,663	356	349	340	318	313	234	299	326	241	295	299	293
Rome*	515	41	56	40	42	47	32	42	47	38	55	33	42
Saratoga Springs	270	24	23	20	17	25	13	23	24	27	26	22	26
Schenectady	884	97	79	76	77	80	67	75	64	72	64	69	64
Syracuse	2,139	213	209	220	181	182	168	134	163	161	157	174	177
Tonawanda	76	4	3	9	6	10	6	3	9	7	6	5	8
Troy	1,161	120	120	114	96	105	84	85	93	80	75	100	89
Utica*	1,417	137	123	134	111	110	103	109	118	111	138	107	116
Watertown	482	52	33	37	39	44	38	40	39	42	41	41	36
Watervliet	179	17	20	20	15	7	11	17	18	2	16	20	16
White Plains	239	24	20	25	20	21	20	17	19	18	14	23	18
Yonkers	960	81	99	98	107	92	69	62	58	62	73	67	92
NORTH CAROLINA.													
Asheville*	609	61	60	38	56	51	55	47	43	41	57	50	50
Charlotte	697	49	61	68	72	69	61	58	46	41	62	53	57
Durham	335	31	30	30	30	33	33	26	19	31	20	23	29
Gastonia	200	15	9	16	22	18	10	16	23	19	16	13	23
Goldsboro	200	18	14	14	14	9	18	18	22	16	14	27	16
Greensboro	285	26	31	27	18	21	29	32	19	19	20	17	26
High Point	183	15	11	15	25	16	15	16	14	18	11	16	11
New Bern	234	17	19	18	18	17	22	18	24	18	24	19	20
Raleigh*	547	39	30	43	41	48	56	52	35	58	46	59	40
Rocky Mount	237	33	23	25	13	21	22	18	13	16	22	15	11
Salisbury	186	26	11	18	14	13	13	12	12	22	17	14	14
Wilmington	604	58	40	49	48	57	52	53	46	38	49	58	56
Wilson	217	8	10	13	24	26	24	18	23	12	24	16	19
Winston-Salem	626	50	59	60	58	55	54	48	44	40	52	46	60
NORTH DAKOTA.[1]													
Fargo	303	27	34	25	25	23	27	18	35	18	27	19	25

[1] Nonregistration state; the only cities shown are those with satisfactory registration of deaths.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY MONTH OF DEATH: 1921—Continued.

[The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920; the remainder of the state is included in "rural districts." Minor areas which are designated by asterisks (*) contain state insane asylums, state hospitals, etc.]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES—Continued.													
OHIO.													
Akron	1,564	135	126	193	145	108	123	119	124	123	144	116	108
Alliance	283	24	27	35	23	28	30	19	35	18	13	15	16
Ashtabula	255	20	34	24	23	19	15	24	15	16	18	21	26
Barberton	176	13	16	19	20	15	12	12	15	13	17	4	20
Bellaire	184	20	23	21	11	19	11	12	6	18	17	12	14
Bucyrus	114	13	13	11	8	10	13	11	11	7	4	8	5
Cambridge	166	16	10	15	8	19	10	12	17	13	16	14	16
Canton	975	80	98	101	70	72	64	78	61	73	90	95	93
Chillicothe	205	17	14	12	13	12	19	20	15	23	27	25	8
Cincinnati	5,700	532	476	529	475	450	458	489	438	417	441	474	521
Cleveland	8,697	815	815	855	732	714	610	728	704	580	708	735	701
Cleveland Heights	110	10	9	12	9	11	7	12	3	9	6	9	13
Columbus	3,176	310	261	262	258	270	216	290	257	227	301	254	270
Coshocton	161	16	13	8	10	20	10	20	13	13	13	13	12
Cuyahoga Falls	85	4	4	7	9	11	10	7	5	5	5	8	10
Dayton	1,734	152	145	149	137	144	133	141	149	122	143	143	171
East Cleveland	213	19	21	24	22	17	17	16	17	16	14	15	15
East Liverpool	328	42	27	41	27	29	18	19	15	21	30	33	26
East Youngstown	128	8	18	12	11	8	6	15	13	9	6	15	7
Elyria	233	15	20	22	15	25	21	17	19	14	18	28	19
Findlay	211	15	20	10	23	19	15	21	17	12	15	24	20
Fremont	126	11	5	14	17	7	10	5	12	8	11	12	14
Hamilton	487	49	53	42	33	37	32	39	36	33	49	42	42
Ironton	204	18	22	19	18	21	11	23	16	13	10	19	14
Kenmore	95	7	6	.....	13	8	11	11	13	6	7	8	5
Lakewood	379	35	31	40	31	25	47	21	33	26	25	33	32
Lancaster	190	17	14	16	15	11	12	13	13	18	22	16	23
Lima	472	48	37	52	42	35	29	43	27	31	55	37	36
Lorain	372	30	29	28	30	35	35	28	23	37	25	35	37
Mansfield	323	35	31	23	20	24	25	23	23	22	32	24	41
Marietta	228	26	19	20	12	22	12	26	10	23	23	19	16
Marion	338	27	22	27	22	27	36	30	31	33	30	27	26
Martins Ferry	177	20	19	18	11	10	11	13	14	12	12	20	17
Massillon	195	18	17	18	15	15	20	11	19	20	13	12	17
Middletown	251	33	23	32	20	21	21	18	11	18	20	16	18
New Philadelphia	114	12	5	10	5	17	9	13	15	9	5	5	9
Newark	371	34	24	39	32	32	27	31	33	24	32	29	34
Niles	141	22	14	15	11	10	8	13	13	4	13	10	8
Norwood	177	15	11	15	12	18	14	11	14	15	18	17	17
Piqua	174	13	11	13	18	19	12	18	18	11	15	11	15
Portsmouth	448	37	37	33	38	35	45	48	38	30	41	35	31
Salem	143	8	10	12	12	14	11	9	14	8	16	19	10
Sandusky	304	29	29	28	20	27	20	22	26	26	28	18	31
Springfield	729	64	68	59	61	63	54	52	58	58	76	58	58
Steubenville	354	37	29	29	22	32	31	35	21	23	29	35	31
Tiffin	205	10	16	34	14	21	15	20	16	11	17	14	17
Toledo	3,047	298	264	273	273	259	215	224	226	217	254	265	279
Warren	376	30	36	444	44	30	28	22	22	31	30	34	25
Youngstown	1,554	153	160	159	124	142	91	130	132	109	111	123	120
Zanesville	469	45	37	50	41	31	32	40	44	34	36	32	47
OKLAHOMA.[1]													
Oklahoma City	1,039	82	81	104	89	77	80	105	69	74	97	93	88
OREGON.													
Astoria	173	13	15	19	18	20	8	10	12	13	12	13	20
Eugene	198	18	22	21	17	22	13	12	13	18	19	12	11
Portland	2,892	266	243	281	242	252	208	226	198	195	234	266	281
Salem (exclusive of)	236	27	17	26	29	25	17	16	14	11	21	17	16
State institutions	277	19	34	26	32	20	25	25	23	16	19	18	20
PENNSYLVANIA.													
Allentown	1,182	113	115	117	101	101	88	93	74	89	96	94	101
Altoona	773	77	70	76	67	66	65	44	58	66	56	56	72
Ambridge	123	17	12	12	13	11	3	13	15	5	7	3	12
Beaver Falls	191	14	25	11	18	14	20	18	11	11	24	14	11
Berwick	116	15	14	13	9	4	10	7	8	6	8	8	14
Bethlehem	459	51	50	62	40	36	27	32	42	26	40	22	31
Braddock	371	30	41	44	42	22	22	26	20	31	28	36	29
Bradford	230	24	22	21	27	22	14	14	18	18	11	20	19
Bristol	140	23	16	19	9	8	9	9	10	10	8	11	8
Butler	297	24	29	27	22	27	20	23	22	33	19	26	25
Canonsburg	120	12	11	12	9	16	1	5	14	11	10	8	11
Carbondale	315	39	31	31	31	13	17	19	33	30	26	22	23
Carlisle	173	13	18	23	19	16	12	10	16	13	12	10	11
Carnegie	101	8	11	17	10	3	5	7	6	13	9	4	8
Carrick	83	9	9	9	4	5	6	6	10	8	9	3	5
Chambersburg	176	20	10	10	17	17	17	16	13	10	14	18	14
Charleroi	95	6	9	7	6	8	8	11	8	10	8	9	5
Chester	761	65	80	76	59	64	69	73	51	78	41	59	46
Coatesville	116	17	9	9	18	9	11	5	11	4	7	9	7
Columbia	152	17	19	10	17	9	11	10	9	11	13	16	10

[1] Nonregistration state; the only cities shown are those with satisfactory registration of deaths.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY MONTH OF DEATH: 1921—Continued.

[The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920; the remainder of the state is included in "rural districts." Minor areas which are designated by asterisks (*) contain state insane asylums, state hospitals, etc.]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES—Continued.													
PENNSYLVANIA—continued.													
Connellsville	145	15	12	17	12	12	11	12	6	11	14	9	14
Dickson City	95	18	6	4	6	5	5	10	14	8	4	8	7
Donora	110	8	10	11	10	8	11	7	13	7	7	9	9
Du Bois	178	20	14	11	13	18	19	18	14	14	10	14	13
Dunmore	267	29	24	20	17	15	24	23	26	21	25	21	22
Duquesne	213	18	11	18	11	12	10	28	27	22	21	21	14
Easton	493	46	42	48	40	49	35	35	54	34	33	37	40
Erie	1,190	101	105	109	96	86	105	92	97	80	89	121	109
Farrell	141	14	17	17	7	11	10	8	14	10	10	11	12
Greensburg	278	27	21	24	20	37	17	14	24	30	24	26	14
Harrisburg	1,047	91	85	127	98	87	86	68	77	69	93	79	87
Hazleton	479	51	37	43	39	39	36	37	43	44	34	27	49
Homestead	162	13	19	15	12	15	11	18	14	8	16	9	12
Jeannette	88	10	12	8	5	8	8	5	9	2	7	8	6
Johnstown	1,002	100	96	120	94	90	62	66	63	78	75	80	78
Lancaster	777	72	70	80	64	77	61	62	49	55	63	57	67
Lebanon	381	33	43	59	27	35	19	24	27	20	27	33	34
McKees Rocks	167	15	20	19	9	17	10	10	9	7	18	13	20
McKeesport	634	54	67	74	59	49	45	55	47	38	48	42	56
Mahanoy City	172	24	15	13	13	6	12	20	14	11	17	14	13
Meadville	213	19	21	16	23	18	11	18	11	13	23	19	21
Monessen	130	11	8	14	15	10	6	9	4	7	12	19	15
Mount Carmel	199	23	24	18	14	13	18	12	22	8	15	15	17
Nanticoke	298	25	24	31	25	21	23	21	19	23	25	28	33
New Castle	575	47	44	62	52	47	37	48	50	50	53	44	41
New Kensington	178	15	21	21	17	17	15	8	10	9	13	14	18
Norristown*	609	71	54	69	51	58	45	47	44	30	41	48	51
North Braddock	124	1	14	13	14	19	9	5	9	10	9	7	14
Oil City	251	12	27	24	19	19	16	19	30	19	20	22	24
Old Forge	128	7	10	13	12	13	6	21	11	5	5	13	12
Olyphant	98	10	7	7	11	10	8	10	4	7	7	10	7
Philadelphia	23,697	2,391	2,329	2,451	2,092	1,981	1,798	1,601	1,702	1,593	1,809	1,844	2,106
Phoenixville	141	17	18	13	9	16	2	19	8	3	13	12	11
Pittsburgh	8,499	829	806	848	779	747	575	652	621	558	637	725	722
Pittston	281	34	26	26	24	18	12	21	19	32	27	21	21
Plymouth	160	13	16	10	8	10	18	9	13	17	12	16	18
Pottstown	274	21	31	30	25	24	20	20	19	19	17	20	28
Pottsville	392	25	35	36	36	40	25	38	25	27	25	46	34
Punxsutawney	160	20	16	20	10	9	5	9	17	13	14	10	17
Reading	1,437	135	127	167	133	107	122	104	96	114	114	101	117
Scranton	1,949	173	176	184	167	162	151	150	161	156	152	156	161
Shamokin	224	18	18	18	24	17	17	18	20	16	24	17	17
Sharon	247	24	31	27	14	26	13	13	24	25	24	12	14
Shenandoah	323	21	18	33	32	21	14	25	31	46	20	26	36
Steelton	121	17	5	14	6	13	9	8	6	6	11	13	13
Sunbury	199	23	15	24	17	22	12	13	14	13	14	18	14
Swissvale	123	12	16	19	9	9	6	5	9	6	10	10	12
Tamaqua	127	10	14	16	10	6	15	14	6	10	13	7	6
Uniontown	303	34	30	30	23	23	32	30	19	17	21	18	26
Warren	184	11	16	14	13	19	15	9	17	16	14	26	14
Washington	366	33	26	35	39	29	20	32	34	31	34	24	29
West Chester*	324	32	26	34	22	22	25	24	36	24	23	26	30
Wilkes-Barre	1,122	93	93	94	105	105	80	96	91	87	102	74	102
Wilkinsburg	314	29	15	49	27	32	20	18	16	23	28	30	27
Williamsport	567	40	57	58	50	58	40	46	39	46	46	34	53
Woodlawn	100	6	11	8	8	8	7	12	4	9	8	13	6
York	588	62	73	59	59	49	41	46	37	28	40	48	46
RHODE ISLAND.													
Bristol town	142	17	10	19	15	9	10	8	18	9	10	7	10
Central Falls	210	15	21	25	17	14	14	13	22	21	20	10	18
Cranston (exclusive of)	264	24	19	29	28	19	22	18	22	24	26	18	15
State institutions	313	30	33	27	34	27	19	22	23	27	25	21	25
Cumberland town	134	12	9	8	7	9	10	20	16	16	5	12	10
East Providence town	252	27	31	20	16	19	19	16	24	15	15	22	28
Newport	334	32	28	35	34	18	23	29	24	32	30	26	23
Pawtucket	785	86	56	76	72	73	54	75	52	64	73	47	57
Providence	3,185	307	271	315	277	265	256	203	252	233	255	235	316
Warwick town	183	12	21	14	19	17	15	15	22	7	12	15	14
West Warwick town	152	18	21	11	13	13	9	9	17	11	10	11	9
Woonsocket	515	41	42	51	44	38	49	34	55	39	28	46	48
SOUTH CAROLINA.													
Anderson	245	17	11	27	22	18	23	21	17	21	20	19	29
Charleston	1,457	119	109	124	119	139	123	113	119	134	118	129	111
Columbia*	1,257	88	75	87	130	103	130	102	133	93	105	97	114
Florence	252	17	19	27	15	21	21	24	23	31	20	15	19
Greenville	326	27	27	35	21	38	28	28	28	25	23	23	23
Spartanburg	358	32	31	29	26	36	34	31	28	24	34	27	26

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY MONTH OF DEATH: 1921—Continued.

[The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920; the remainder of the state is included in "rural districts." Minor areas which are designated by asterisks (*) contain state insane asylums, state hospitals, etc.]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES—Continued.													
TENNESSEE.													
Chattanooga	923	92	73	76	73	80	83	74	71	70	73	80	78
Jackson	299	18	25	23	22	27	22	31	17	20	29	31	34
Johnson City *	314	21	32	25	28	35	26	25	25	21	24	21	31
Knoxville	1,192	97	105	83	99	126	129	111	78	83	99	100	82
Memphis	2,876	240	220	232	214	249	244	253	214	236	273	228	273
Nashville	1,978	185	161	179	152	152	157	179	165	135	180	163	170
TEXAS.[1]													
Beaumont	455	44	31	39	46	48	44	35	28	36	50	31	23
Dallas	1,985	177	150	156	153	159	149	181	178	136	178	177	191
El Paso	2,086	189	168	214	220	224	187	206	176	112	123	118	149
Galveston	656	62	47	57	56	68	49	60	50	48	42	56	61
Houston	1,851	145	147	141	169	152	159	162	164	134	185	143	150
San Antonio	2,678	228	223	251	288	237	190	211	202	223	178	218	229
UTAH.													
Ogden	400	34	34	45	41	34	27	34	28	39	30	21	33
Provo	164	26	12	18	14	13	6	11	10	7	14	15	18
Salt Lake City	1,503	155	122	111	127	127	113	146	102	119	120	113	148
VERMONT.													
Barre	152	10	16	11	15	11	12	13	10	15	15	12	12
Burlington	390	32	28	40	38	27	32	32	33	30	40	34	24
Rutland	202	11	22	19	23	13	19	15	16	14	19	14	17
VIRGINIA.													
Alexandria	254	25	20	36	18	14	18	16	20	22	25	17	23
Charlottesville	144	11	12	17	11	6	16	9	10	14	15	9	14
Danville	325	37	16	31	26	30	30	29	27	24	28	28	19
Lynchburg	441	46	34	44	31	36	33	34	30	36	48	29	40
Newport News	400	37	31	29	37	47	30	26	30	37	29	27	40
Norfolk	1,565	141	155	118	114	125	127	135	135	133	122	123	137
Petersburg	576	46	43	51	55	45	56	49	44	48	44	42	53
Portsmouth	728	55	65	59	60	62	58	70	64	60	52	60	63
Richmond	2,567	258	200	216	206	211	242	223	172	187	213	218	221
Roanoke	707	78	48	64	55	50	64	73	55	47	54	53	66
Staunton *	251	24	19	26	23	21	24	28	17	16	14	22	17
WASHINGTON.													
Aberdeen	143	12	11	14	11	12	8	10	7	12	16	16	14
Bellingham	266	24	27	13	26	23	32	17	19	20	23	21	21
Everett	255	20	27	26	24	18	16	17	13	24	24	24	22
Hoquiam	75	9	6	8	9	10	1	7	5	1	5	6	8
Seattle	2,839	253	220	289	276	258	210	232	196	190	223	235	257
Spokane	1,315	123	107	111	123	110	106	78	97	98	120	122	120
Tacoma	1,051	103	89	102	95	85	85	73	79	70	87	81	102
Vancouver	143	10	13	12	16	10	9	13	12	17	6	12	13
Walla Walla	250	22	25	19	20	29	16	10	23	17	23	22	24
Yakima	302	28	23	26	19	19	21	34	27	19	30	27	29
WEST VIRGINIA.[1]													
Wheeling	869	94	82	76	81	72	45	75	64	63	70	73	74
WISCONSIN.													
Appleton	262	22	13	23	37	27	14	20	20	21	17	18	30
Ashland	197	20	11	24	19	16	12	12	14	29	15	10	15
Beloit	204	23	21	16	15	15	12	21	14	12	15	21	19
Eau Claire*	322	36	24	35	27	18	20	26	29	24	22	25	36
Fond du Lac	306	26	30	23	25	23	23	24	28	20	31	21	32
Green Bay	531	51	44	66	48	34	39	41	46	44	43	38	37
Janesville	197	26	21	16	11	14	19	18	15	16	14	9	18
Kenosha	323	30	28	38	21	23	22	32	27	26	24	24	28
La Crosse	524	55	44	57	41	50	37	34	37	37	37	53	42
Madison	426	31	34	50	29	40	33	34	42	26	39	35	33
Manitowoc	226	23	11	22	19	24	18	18	21	20	22	12	16
Marinette	155	8	12	17	15	12	14	13	12	9	18	11	14
Milwaukee	4,587	438	393	443	396	410	316	351	352	377	373	376	362
Oshkosh	445	36	40	40	39	36	36	42	32	24	50	46	24
Racine	589	57	53	58	50	56	34	46	46	41	48	44	56
Sheboygan	344	36	38	27	28	23	20	30	16	28	28	36	34
Stevens Point	139	6	11	11	11	12	6	9	18	13	11	21	10
Superior	446	30	37	46	48	27	29	32	29	40	50	43	35
Waukesha	140	10	17	12	11	8	14	5	8	11	15	12	17
Wausau	264	31	14	26	30	16	21	27	22	16	26	21	14
West Allis	127	8	12	8	10	9	6	11	14	13	14	13	9

[1] Nonregistration state; the only cities shown are those with satisfactory registration of deaths.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1921.

[The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920; the remainder of the state is included in "rural districts." Minor areas which are designated by asterisks (*) contain state insane asylums, state hospitals, etc.]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Japanese.	Other colored.
		Total.	Native.							Foreign born.	Nativity unknown.			
			Total.	Both parents native.	Both parents foreign born.	One parent foreign born, the other—		Parentage unknown.						
						Native.	Unknown.	One parent unknown, the other native.	Both parents unknown.					
SUMMARY.														
The registration area (exclusive of Hawaii)	1,032,009	910,573	692,750	408,685	138,363	51,927	7,116	34,991	51,668	205,185	12,638	116,922	1,335	3,179
Registration states [1]	1,009,673	895,593	680,757	401,582	136,548	51,203	6,956	34,083	50,385	202,611	12,225	109,597	1,327	3,156
Cities in registration states [1]	523,981	475,465	331,845	164,932	95,975	31,549	4,034	13,838	21,517	138,065	5,555	46,589	730	1,197
Rural part of registration states	485,692	420,128	348,912	236,650	40,573	19,654	2,922	20,245	28,868	64,546	6,670	63,008	597	1,959
Registration cities in nonregistration states	22,336	14,980	11,993	7,103	1,815	724	160	908	1,283	2,574	413	7,325	8	23
All registration cities [1]	546,317	490,445	343,838	172,035	97,790	32,273	4,194	14,746	22,800	140,639	5,968	53,914	738	1,220
REGISTRATION STATES.														
California (total)	47,377	44,650	30,742	13,685	6,218	2,777	611	2,134	5,317	12,830	1,078	729	910	1,088
Cities	27,781	26,184	17,769	8,009	3,711	1,702	395	1,258	2,694	7,829	586	528	468	601
Rural districts	19,596	18,466	12,973	5,676	2,507	1,075	216	876	2,623	5,001	492	201	442	487
Colorado (total)	11,878	11,498	8,845	4,607	1,317	607	165	702	1,447	2,241	412	297	43	40
Cities	5,505	5,275	3,988	1,987	638	307	88	318	650	1,109	178	203	17	10
Rural districts	6,373	6,223	4,857	2,620	679	300	77	384	797	1,132	234	94	26	30
Connecticut (total)	16,167	15,743	10,799	4,861	3,765	871	99	481	722	4,816	128	413	.....	11
Cities	12,119	11,764	7,875	3,265	3,081	681	76	294	478	3,803	86	347	.....	8
Rural districts	4,048	3,979	2,924	1,596	684	190	23	187	244	1,013	42	66	.....	3
Delaware (total)	2,970	2,375	2,059	1,505	262	114	6	79	93	294	22	595	.....	.....
Cities	1,361	1,166	936	571	211	76	5	29	44	229	1	195	.....	.....
Rural districts	1,609	1,209	1,123	934	51	38	1	50	49	65	21	400	.....	.....
Florida (total)	11,774	7,022	5,939	3,811	297	253	47	580	951	755	328	4,749	2	1
Cities	3,624	2,029	1,580	934	161	112	15	142	216	380	69	1,592	2	1
Rural districts	8,150	4,993	4,359	2,877	136	141	32	438	735	375	259	3,157	.....	.....
Illinois (total)	73,424	69,867	48,814	24,971	12,987	4,076	651	2,227	3,902	20,121	932	3,497	3	57
Cities	45,051	42,260	26,976	11,004	9,955	2,774	420	974	1,849	14,760	524	2,735	3	53
Rural districts	28,373	27,607	21,838	13,967	3,032	1,302	231	1,253	2,053	5,361	408	762	.....	4
Indiana (total)	35,220	33,685	30,295	21,376	2,652	1,317	330	2,227	2,393	3,083	307	1,535	.....	.....
Cities	14,576	13,340	11,356	7,322	1,620	651	149	759	855	1,853	131	1,236	.....	.....
Rural districts	20,644	20,345	18,939	14,054	1,032	666	181	1,468	1,538	1,230	176	299	.....	.....
Kansas (total)	18,106	17,051	14,380	8,679	1,165	767	197	1,306	2,266	2,286	385	1,027	.....	28
Cities	5,332	4,677	3,996	2,347	397	211	67	370	604	594	87	646	.....	9
Rural districts	12,774	12,374	10,384	6,332	768	556	130	936	1,662	1,692	298	381	.....	19
Kentucky (total)	25,669	21,512	20,395	16,795	721	352	104	1,012	1,411	875	242	4,157	.....	.....
Cities	6,411	4,951	4,250	2,818	512	196	61	233	430	618	83	1,460	.....	.....
Rural districts	19,258	16,561	16,145	13,977	209	156	43	779	981	257	159	2,697	.....	.....
Louisiana (total)	20,103	10,355	9,020	5,993	965	533	61	534	934	1,049	286	9,722	2	24
Cities	8,660	5,094	4,219	2,473	803	382	42	170	349	835	40	3,554	2	10
Rural districts	11,443	5,261	4,801	3,520	162	151	19	364	585	214	246	6,168	.....	14
Maine (total)	10,815	10,789	9,041	6,593	907	878	26	247	390	1,653	95	18	.....	8
Cities	3,249	3,240	2,488	1,586	446	281	8	61	106	719	33	8	.....	1
Rural districts	7,566	7,549	6,553	5,007	461	597	18	186	284	934	62	10	.....	7
Maryland (total)	19,980	15,135	12,914	8,995	1,575	754	137	632	821	2,043	173	4,836	1	8
Cities	11,513	9,084	7,336	4,545	1,295	558	111	343	484	1,663	85	2,420	1	8
Rural districts	8,467	6,051	5,578	4,450	280	196	26	289	337	385	88	2,416	.....	.....
Massachusetts (total)	47,787	46,899	31,055	14,774	10,218	3,437	255	1,214	1,157	15,626	218	843	4	41
Cities	38,526	37,767	24,283	10,717	8,782	2,832	209	901	842	13,315	169	724	4	31
Rural districts	9,261	9,132	6,772	4,057	1,436	605	46	313	315	2,311	49	119	.....	10
Michigan (total)	44,132	42,836	30,539	15,444	7,024	3,564	544	1,705	2,258	11,608	689	1,119	5	172
Cities	21,885	20,941	14,387	6,367	4,204	1,909	264	690	953	6,192	362	925	5	14
Rural districts	22,247	21,895	16,152	9,077	2,820	1,655	280	1,015	1,305	5,416	327	194	.....	158
Minnesota (total)	22,806	22,533	13,583	6,175	4,183	1,944	170	458	653	8,743	207	140	1	132
Cities	9,793	9,654	6,067	2,665	1,930	867	82	233	290	3,496	91	128	.....	11
Rural districts	13,013	12,879	7,516	3,510	2,253	1,077	88	225	363	5,247	116	12	1	121
Mississippi (total)	19,950	7,325	7,010	5,267	128	126	22	594	873	126	189	12,608	.....	17
Cities	2,991	1,178	1,084	741	58	40	8	93	144	42	52	1,812	.....	1
Rural districts	16,959	6,147	5,926	4,526	70	86	14	501	729	84	137	10,796	.....	16
Missouri (total)	37,071	33,661	28,376	17,841	3,030	1,369	391	2,330	3,415	4,423	862	3,390	1	19
Cities	18,126	15,763	12,210	6,653	2,156	824	250	902	1,425	3,146	407	2,346	1	16
Rural districts	18,945	17,898	16,166	11,188	874	545	141	1,428	1,990	1,277	455	1,044	.....	3
Montana (total)	4,693	4,382	3,057	1,416	580	339	52	194	476	1,193	132	27	9	275
Cities	1,426	1,383	905	381	235	104	15	58	112	449	29	22	1	20
Rural districts	3,267	2,999	2,152	1,035	345	235	37	136	364	744	103	5	8	255

[1] Including District of Columbia.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1921—Con.

[The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920; the remainder of the state is included in "rural districts." Minor areas which are designated by asterisks (*) contain state insane asylums, state hospitals, etc.]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Japanese.	Other colored.
		Total.	Native.							Foreign born.	Nativity unknown.			
			Total.	Both parents native.	Both parents foreign born.	One parent foreign born, the other—		Parentage unknown.						
						Native.	Unknown.	One parent unknown, the other native.	Both parents unknown.					
REGISTRATION STATES—Contd.														
Nebraska (total)	12,017	11,702	8,673	4,973	1,322	731	157	560	930	2,822	207	211	3	101
Cities	3,815	3,617	2,704	1,373	560	238	49	170	314	844	69	191	2	5
Rural districts	8,202	8,085	5,969	3,600	762	493	108	390	616	1,978	138	20	1	96
New Hampshire (total)	6,102	6,094	4,658	2,609	660	410	42	297	640	1,241	195	7	.....	1
Cities	2,648	2,644	1,880	903	437	227	17	78	218	712	52	4	.....	.....
Rural districts	3,454	3,450	2,778	1,706	223	183	25	219	422	529	143	3	.....	1
New Jersey (total)	37,928	35,593	24,858	13,263	7,733	2,218	246	599	799	10,503	232	2,322	.....	13
Cities	24,550	22,966	15,336	7,100	5,712	1,547	173	353	451	7,486	144	1,574	.....	10
Rural districts	13,378	12,627	9,522	6,163	2,021	671	73	246	348	3,017	88	748	.....	3
New York (total)	130,394	126,419	84,340	40,486	29,001	8,700	649	2,347	3,157	41,256	823	3,734	33	208
Cities	97,781	94,266	58,357	24,056	24,660	6,636	433	1,077	1,495	35,365	544	3,325	32	158
Rural districts	32,613	32,153	25,983	16,430	4,341	2,064	216	1,270	1,662	5,891	279	409	1	50
North Carolina (total)	29,454	18,100	17,677	15,157	61	88	11	1,244	1,116	127	296	11,199	.....	155
Cities	5,160	2,862	2,746	2,244	29	34	8	213	218	68	48	2,298	.....	.....
Rural districts	24,294	15,238	14,931	12,913	32	54	3	1,031	898	59	248	8,901	.....	155
Ohio (total)	67,104	63,386	51,694	32,227	9,173	3,475	608	2,589	3,622	10,726	966	3,695	1	22
Cities	37,141	34,342	25,965	14,120	6,621	2,142	348	1,117	1,617	7,939	438	2,776	1	22
Rural districts	29,963	29,044	25,729	18,107	2,552	1,333	260	1,472	2,005	2,787	528	919	.....	.....
Oregon (total)	8,304	8,076	6,112	3,273	668	436	118	590	1,027	1,739	225	37	46	145
Cities	3,776	3,647	2,606	1,282	404	197	54	257	412	967	74	25	29	75
Rural districts	4,528	4,429	3,506	1,991	264	239	64	333	615	772	151	12	17	70
Pennsylvania (total)	109,919	104,347	82,134	50,846	18,984	6,038	707	2,546	3,013	21,339	874	5,525	2	45
Cities	59,018	54,708	40,297	22,383	11,318	3,502	398	1,160	1,536	13,969	442	4,268	1	41
Rural districts	50,901	49,639	41,837	28,463	7,666	2,536	309	1,386	1,477	7,370	432	1,257	1	4
Rhode Island (total)	7,756	7,547	4,914	2,350	1,769	563	27	77	128	2,582	51	205	.....	4
Cities	6,469	6,290	4,000	1,754	1,561	481	24	68	112	2,254	36	175	.....	4
Rural districts	1,287	1,257	914	596	208	82	3	9	16	328	15	30	.....	.....
South Carolina (total)	20,377	8,206	7,986	6,698	80	81	20	529	578	134	86	12,168	.....	3
Cities	3,895	1,732	1,635	1,201	59	39	10	106	220	76	21	2,163	.....	.....
Rural districts	16,482	6,474	6,351	5,497	21	42	10	423	358	58	65	10,005	.....	3
Tennessee (total)	25,219	18,032	17,154	13,410	175	151	35	1,675	1,708	348	530	7,184	.....	3
Cities	7,582	4,439	4,028	2,734	118	76	25	492	583	249	162	3,140	.....	3
Rural districts	17,637	13,593	13,126	10,676	57	75	10	1,183	1,125	99	368	4,044	.....	.....
Utah (total)	4,783	4,636	3,375	1,990	666	463	23	90	143	1,205	56	27	51	69
Cities	2,067	2,010	1,386	722	299	198	14	47	106	580	44	22	25	10
Rural districts	2,716	2,626	1,989	1,268	367	265	9	43	37	625	12	5	26	59
Vermont (total)	4,999	4,992	4,132	2,765	494	353	31	216	273	800	60	4	.....	3
Cities	744	742	563	335	97	69	5	29	28	166	13	1	.....	1
Rural districts	4,255	4,250	3,569	2,430	397	284	26	187	245	634	47	3	.....	2
Virginia (total)	28,534	17,225	16,559	13,903	271	295	29	918	1,143	483	183	11,282	6	21
Cities	7,958	4,437	4,111	3,216	154	135	12	248	346	277	49	3,518	1	2
Rural districts	20,576	12,788	12,448	10,687	117	160	17	670	797	206	134	7,764	5	19
Washington (total)	13,254	12,653	9,022	4,982	1,422	943	148	547	980	3,308	323	134	204	263
Cities	6,639	6,361	4,455	2,405	798	505	76	260	411	1,761	145	93	135	50
Rural districts	6,615	6,292	4,567	2,577	624	438	72	287	569	1,547	178	41	69	213
Wisconsin (total)	27,552	27,302	17,356	7,934	5,733	1,981	209	462	1,037	9,678	268	81	.....	169
Cities	10,754	10,687	6,821	2,791	2,611	817	95	194	313	3,770	96	55	.....	12
Rural districts	16,798	16,615	10,535	5,143	3,122	1,164	114	268	724	5,908	172	26	.....	157
REGISTRATION CITIES.														
ALABAMA.[1]														
Birmingham	2,725	1,286	1,168	895	56	41	2	94	80	97	21	1,438	.....	1
Mobile	1,036	555	475	331	66	43	2	12	21	78	2	480	1	.....
Montgomery	714	278	252	163	1	2	1	27	58	11	15	436	.....	.....
CALIFORNIA.														
Alameda	290	288	182	80	40	26	3	6	27	104	2	.....	2	.....
Bakersfield	379	366	287	146	39	20	4	16	62	65	14	2	3	8
Berkeley	564	553	394	207	69	43	7	29	39	155	4	4	5	2
Eureka	204	196	120	55	19	6	3	8	29	74	2	.....	.....	8
Fresno	638	573	443	199	115	38	8	36	47	125	5	9	38	18
Glendale*	331	330	268	138	29	20	7	28	46	60	2	.....	1	.....
Long Beach	854	843	699	348	65	55	12	77	142	135	9	5	6	.....
Los Angeles	8,528	7,995	5,584	2,569	989	490	134	456	946	2,183	228	307	170	56
Oakland	2,356	2,235	1,494	676	339	163	31	88	197	705	36	55	18	48
Pasadena	692	676	538	291	57	31	10	53	96	131	7	15	.....	1

[1] Nonregistration state; the only cities shown are those with satisfactory registration of deaths.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1921—Con.

[The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920; the remainder of the state is included in "rural districts." Minor areas which are designated by asterisks (*) contain state insane asylums, state hospitals, etc.]

REGISTRATION AREA.	All deaths.	WHITE.									Negro.	Japanese.	Other colored.
		Total.	Native.							Foreign born.	Nativity unknown.			
			Total.	Both parents native.	Both parents foreign born.	One parent foreign born, the other—		Parentage unknown.						
						Native.	Unknown.	One parent unknown, the other native.	Both parents unknown.					
REGISTRATION CITIES—Continued.														
CALIFORNIA—continued.														
Pomona	228	227	184	110	20	16	4	16	18	39	4	1	.....	.....
Richmond	142	141	105	45	28	12	2	9	9	36	.....	1	.....	.....
Riverside	337	316	247	139	41	12	5	21	29	66	3	4	4	13
Sacramento	1,083	953	650	263	149	58	11	47	122	283	20	16	68	46
San Bernardino*	378	365	255	105	74	17	11	23	25	101	9	6	1	6
San Diego	1,379	1,340	978	481	154	91	19	72	161	339	23	17	8	14
San Francisco	7,031	6,578	3,710	1,368	1,226	463	89	149	415	2,697	171	65	90	298
San Jose	478	452	318	149	67	28	6	27	41	126	8	1	9	16
Santa Ana	201	200	167	85	32	14	1	11	24	31	2	1	.....	.....
Santa Barbara	260	245	194	116	29	18	1	12	18	47	4	1	4	10
Santa Cruz	208	206	149	75	21	17	3	9	24	56	1	1	.....	1
Santa Monica	279	274	200	100	23	13	8	19	37	67	7	5	.....	.....
Stockton*	617	516	368	170	62	30	7	33	66	131	17	7	40	54
Vallejo	238	231	169	65	21	14	4	6	59	57	5	5	.....	2
Venice	86	85	66	29	3	7	5	7	15	16	3	.....	1	.....
COLORADO.														
Boulder	195	191	162	108	15	14	1	9	15	24	5	4	.....	.....
Colorado Springs*	608	571	475	277	52	34	8	37	67	87	9	34	.....	3
Denver	3,715	3,566	2,614	1,230	420	206	60	210	488	827	125	128	14	7
Greeley	159	157	128	67	12	11	3	14	21	28	1	.....	2	.....
Pueblo	614	582	447	205	119	29	11	42	41	105	30	31	1	.....
Trinidad	214	208	162	100	20	13	5	6	18	38	8	6	.....	.....
CONNECTICUT.														
Ansonia	144	137	87	23	51	8	1	1	3	50	.....	7	.....	.....
Bridgeport	1,503	1,468	977	364	435	106	10	25	37	484	7	33	.....	2
Bristol	170	169	128	48	56	14	1	3	6	37	4	1	.....	.....
Danbury town	340	335	248	118	61	16	5	17	31	83	4	5	.....	.....
Derby	153	149	96	36	47	7	1	2	3	52	1	4	.....	.....
East Hartford town	86	85	54	36	10	1	1	3	3	31	.....	1	.....	.....
Enfield town	112	112	84	24	48	9	.....	2	1	28	.....	.....	.....	.....
Fairfield town	84	84	54	25	19	2	2	2	4	30	.....	.....	.....	.....
Greenwich town	264	253	187	93	65	20	1	2	6	64	2	11	.....	.....
Hartford	1,828	1,729	1,159	479	422	115	15	54	74	559	11	96	.....	3
Manchester town	150	149	88	40	33	7	.....	3	5	61	.....	1	.....	.....
Meriden town	410	407	264	115	95	20	2	13	19	141	2	3	.....	.....
Middletown town*	470	465	295	123	103	26	6	14	23	162	8	5	.....	.....
Milford town	127	125	95	65	13	8	.....	5	4	30	.....	2	.....	.....
Naugatuck	102	101	65	30	23	5	1	4	2	36	.....	1	.....	.....
New Britain	553	548	356	105	209	27	3	4	8	187	5	4	.....	1
New Haven	1,933	1,853	1,189	426	531	98	10	50	74	647	17	79	.....	1
New London	356	345	239	129	62	18	2	8	20	101	5	10	.....	1
Norwalk	378	367	266	164	58	21	4	11	8	99	2	11	.....	.....
Norwich town*	478	464	311	138	122	25	1	10	15	151	2	14	.....	.....
Orange town	263	252	185	65	27	19	3	12	59	65	2	11	.....	.....
Stamford town	542	516	362	158	141	36	2	12	13	148	6	26	.....	.....
Stonington town	102	101	77	46	20	3	.....	4	4	23	1	1	.....	.....
Stratford town	99	95	76	42	26	4	.....	3	1	19	.....	4	.....	.....
Torrington town	184	182	118	44	45	11	1	6	11	64	.....	2	.....	.....
Wallingford town	126	126	83	42	24	6	.....	6	5	42	1	.....	.....	.....
Waterbury	931	917	580	220	284	39	3	12	22	334	3	14	.....	.....
Windham town	231	230	152	67	51	10	1	6	17	75	3	1	.....	.....
DELAWARE.														
Wilmington	1,361	1,166	936	571	211	76	5	29	44	229	1	195	.....	.....
DISTRICT OF COLUMBIA.														
Washington	6,055	3,965	3,250	1,928	342	199	28	141	612	550	165	2,080	.....	10
FLORIDA.														
Jacksonville	1,463	640	563	371	37	24	4	55	72	65	12	821	2	.....
Key West	265	175	94	36	27	20	1	3	7	79	2	90	.....	.....
Miami	525	308	236	142	15	21	3	23	32	48	24	217	.....	.....
Pensacola	409	229	192	111	12	12	.....	12	45	28	9	180	.....	.....
St. Petersburg	267	206	167	87	15	7	5	28	25	30	9	61	.....	.....
Tampa	695	471	328	187	55	28	2	21	35	130	13	223	.....	1

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1921—Con.

[The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920; the remainder of the state is included in "rural districts." Minor areas which are designated by asterisks (*) contain state insane asylums, state hospitals, etc.]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Japanese.	Other colored.
		Total.	Native.							Foreign born.	Nativity unknown.			
			Total.	Both parents native.	Both parents foreign born.	One parent foreign born, the other—		Parentage unknown.						
						Native.	Unknown.	One parent unknown, the other native.	Both parents unknown.					
REGISTRATION CITIES—Continued.														
GEORGIA.[1]														
Atlanta	3,078	1,753	1,660	1,328	43	38	8	164	79	81	12	1,323	.....	2
Augusta*	947	428	404	338	14	11	1	16	24	15	9	518	.....	1
Brunswick	149	50	46	39	.....	2	1	4	.....	3	1	99	.....	.....
Savannah*	1,765	612	520	348	38	21	9	45	59	84	8	1,153	.....	.....
ILLINOIS.														
Alton	260	240	190	106	27	14	10	13	20	47	3	20	.....	.....
Aurora	493	477	332	166	97	40	3	6	20	135	10	16	.....	.....
Belleville	317	314	229	129	69	21	6	1	3	84	1	3	.....	.....
Berwyn	126	126	66	24	31	5	1	2	3	60	.....	.....	.....	.....
Bloomington	430	408	325	196	60	13	3	20	33	75	8	22	.....	.....
Blue Island	178	177	117	44	46	14	2	5	6	60	.....	1	.....	.....
Cairo	235	156	145	95	8	7	4	13	18	8	3	79	.....	.....
Canton	160	155	143	112	14	3	1	7	6	12	.....	5	.....	.....
Centralia	148	127	112	76	9	5	.....	11	11	11	4	21	.....	.....
Champaign	203	187	165	123	8	8	1	12	13	20	2	16	.....	.....
Chicago	30,819	28,709	16,853	5,482	7,760	1,989	252	421	949	11,518	338	2,059	3	48
Chicago Heights	205	199	137	36	80	14	1	1	5	62	.....	5	.....	1
Cicero	321	321	185	49	104	26	1	1	4	135	1	.....	.....	.....
Danville	531	499	430	288	43	17	4	35	43	63	6	32	.....	.....
Decatur	601	585	507	350	45	26	6	30	50	65	13	15	.....	1
East St. Louis	753	613	503	291	91	28	16	36	41	99	11	140	.....	.....
Elgin*	532	526	319	136	77	17	6	17	66	184	23	6	.....	.....
Evanston	410	380	284	114	88	33	6	16	27	96	.....	30	.....	.....
Forest Park	99	99	38	20	13	4	.....	.....	1	61	.....	.....	.....	.....
Freeport	308	303	240	120	63	31	3	14	9	60	3	5	.....	.....
Galesburg	324	314	230	159	26	25	.....	7	13	81	3	10	.....	.....
Granite City	158	155	112	64	24	6	1	12	5	40	3	3	.....	.....
Herrin	140	139	119	84	9	7	1	11	7	17	3	1	.....	.....
Jacksonville*	448	416	352	181	48	20	6	19	78	52	12	32	.....	.....
Joliet	515	497	339	116	147	38	5	15	18	149	9	18	.....	.....
Kankakee	225	222	153	92	34	8	2	4	13	67	2	3	.....	.....
Kewanee	221	219	159	90	43	13	2	8	3	60	.....	2	.....	.....
La Salle	151	151	85	29	37	14	2	1	2	65	1	.....	.....	.....
Lincoln*	203	197	156	92	25	14	1	5	19	35	6	6	.....	.....
Mattoon	201	198	186	123	12	7	2	15	27	10	2	3	.....	.....
Maywood	106	100	54	30	14	7	1	1	1	45	1	6	.....	.....
Moline	306	297	166	81	44	12	3	8	18	128	3	8	.....	1
Murphysboro	124	111	91	59	9	7	1	8	7	20	.....	12	.....	1
Oak Park	527	525	347	173	107	39	5	11	12	177	1	1	.....	1
Ottawa	148	148	107	53	28	10	.....	7	9	41	.....	.....	.....	.....
Pekin	128	128	98	65	13	4	2	5	9	30	.....	.....	.....	.....
Peoria	1,014	980	781	422	136	68	14	55	86	178	21	34	.....	.....
Quincy	511	485	363	158	69	20	15	20	81	117	5	26	.....	.....
Rock Island	356	341	239	121	55	25	2	11	25	101	1	15	.....	.....
Rockford	694	679	450	225	127	39	8	19	32	223	6	15	.....	.....
Springfield	903	853	696	413	130	48	12	60	33	144	13	50	.....	.....
Streator	214	211	150	96	35	13	2	3	1	60	1	3	.....	.....
Urbana	79	75	69	44	3	5	2	3	12	6	.....	4	.....	.....
Waukegan	226	218	154	77	47	10	5	5	10	59	5	8	.....	.....
INDIANA.														
Anderson	312	298	282	222	15	11	2	19	13	16	.....	14	.....	.....
Bloomington	144	131	130	107	4	3	1	10	5	1	.....	13	.....	.....
Clinton	101	93	76	45	12	9	2	2	6	17	.....	8	.....	.....
Crawfordsville	152	143	133	113	4	3	.....	6	7	9	1	9	.....	.....
East Chicago	382	361	269	58	176	22	4	7	2	90	2	21	.....	.....
Elkhart	307	304	267	186	18	19	6	19	19	34	3	3	.....	.....
Elwood	141	141	129	106	8	.....	.....	10	5	10	2	.....	.....	.....
Evansville	1,000	908	797	454	108	63	18	57	97	100	11	92	.....	.....
Fort Wayne	978	952	787	501	133	61	14	30	48	162	3	26	.....	.....
Frankfort	165	163	159	129	6	1	.....	13	10	3	1	2	.....	.....
Gary	711	585	402	150	177	43	2	16	14	182	1	126	.....	.....
Hammond	407	403	274	120	90	32	2	7	23	123	6	4	.....	.....
Huntington	197	197	184	129	8	6	2	23	16	13	.....	.....	.....	.....
Indianapolis	4,119	3,511	3,052	2,086	302	162	51	236	215	415	44	608	.....	.....
Jeffersonville	118	88	77	50	12	2	.....	6	7	9	2	30	.....	.....

[1] Nonregistration state; the only cities shown are those with satisfactory registration of deaths.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1921—Con.

[The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920; the remainder of the state is included in "rural districts." Minor areas which are designated by asterisks (*) contain state insane asylums, state hospitals, etc.]

REGISTRATION AREA.	All deaths.	WHITE.									Negro.	Japanese.	Other colored.
		Total.	Native.							Foreign born.	Nativity unknown.			
			Total.	Both parents native.	Both parents foreign born.	One parent foreign born, the other—		Parentage unknown.					
						Native.	Unknown.	One parent unknown, the other native.	Both parents unknown.				
REGISTRATION CITIES—Continued.													
INDIANA—continued.													
Kokomo	339	326	307	216	18	10	4	24	35	17	2	13	-------	-------
La Porte	180	178	141	72	34	14	2	5	14	36	1	2	-------	-------
Lafayette	416	409	350	260	35	13	5	14	23	55	4	7	-------	-------
Logansport	252	248	203	139	20	11	2	7	24	37	8	4	-------	-------
Marion	342	314	296	195	9	8	3	44	37	14	4	28	-------	-------
Michigan City	253	241	147	67	57	14	-------	6	3	93	1	12	-------	-------
Mishawaka	185	185	151	78	26	14	1	17	15	30	4	-------	-------	-------
Muncie	463	414	399	299	14	14	5	23	44	12	3	49	-------	-------
New Albany	306	275	246	161	37	10	7	14	17	28	1	31	-------	-------
New Castle	138	134	133	113	2	2	-------	7	9	1	-------	4	-------	-------
Peru	146	141	129	89	14	3	2	9	12	12	-------	5	-------	-------
Richmond	309	288	257	163	32	12	2	24	24	28	3	21	-------	-------
South Bend	723	697	527	282	119	45	3	25	53	166	4	26	-------	-------
Terre Haute	897	821	713	515	67	31	4	60	36	93	15	76	-------	-------
Vincennes	288	286	263	195	16	10	4	18	20	19	4	2	-------	-------
Whiting	105	105	76	22	47	3	1	1	2	28	1	-------	-------	-------
KANSAS.														
Arkansas City	135	121	112	70	5	4	1	12	20	6	3	9	-------	5
Atchison	163	130	109	58	7	6	3	10	25	18	3	33	-------	-------
Chanute	166	161	150	93	12	6	3	16	20	11	-------	5	-------	-------
Coffeyville	178	150	137	87	9	7	3	14	17	12	1	27	-------	1
El Dorado	92	90	87	58	4	2	3	6	14	3	-------	2	-------	-------
Emporia	143	131	110	73	8	9	1	15	4	18	3	12	-------	-------
Fort Scott	168	150	129	80	7	5	2	9	26	11	10	18	-------	-------
Hutchinson	260	246	225	149	14	6	4	16	36	16	5	14	-------	-------
Independence	134	122	111	68	4	5	1	14	19	10	1	12	-------	-------
Kansas City	1,257	984	788	428	123	43	17	68	109	179	17	272	-------	1
Lawrence	181	157	135	94	10	12	3	10	6	21	1	23	-------	1
Leavenworth	244	208	136	64	27	12	2	10	21	65	7	36	-------	-------
Parsons	164	141	125	74	11	5	-------	14	21	12	4	23	-------	-------
Pittsburg	162	157	139	79	7	6	-------	14	33	16	2	5	-------	-------
Salina	186	181	158	105	19	11	3	9	11	18	5	5	-------	-------
Topeka	726	640	522	289	74	36	9	48	66	112	6	35	-------	1
Wichita	973	908	823	478	56	36	12	85	156	66	19	65	-------	-------
KENTUCKY.														
Ashland	251	237	229	185	4	5	3	11	21	6	2	14	-------	-------
Covington	734	664	536	316	113	37	14	16	40	121	7	70	-------	-------
Henderson	188	121	115	91	8	-------	1	8	7	6	-------	67	-------	-------
Lexington*	912	614	563	432	21	8	2	29	71	18	33	298	-------	-------
Louisville	3,314	2,514	2,093	1,295	302	130	35	128	203	386	35	800	-------	-------
Newport	294	271	207	117	53	10	5	5	17	64	-------	23	-------	-------
Owensboro	307	245	238	204	5	2	1	12	14	7	-------	62	-------	-------
Paducah	411	285	269	178	6	4	-------	24	57	10	6	126	-------	-------
LOUISIANA.														
Alexandria	342	162	148	101	13	5	1	11	17	9	5	180	-------	-------
Baton Rouge	323	173	158	117	14	7	1	11	8	12	3	150	-------	-------
Lake Charles	229	138	124	78	5	11	3	14	13	13	1	91	-------	-------
Monroe	260	143	126	71	7	6	-------	21	21	12	5	117	-------	-------
New Orleans	6,468	4,005	3,244	1,823	747	346	29	76	223	752	9	2,451	2	10
Shreveport*	1,038	473	419	283	17	7	8	37	67	37	17	565	-------	-------
MAINE.														
Auburn	213	213	182	137	17	22	-------	2	4	31	-------	-------	-------	-------
Augusta*	258	257	215	146	25	29	-------	7	8	36	6	1	-------	-------
Bangor*	528	526	435	293	65	41	2	13	21	84	7	1	-------	1
Bath	129	129	106	77	9	13	-------	2	5	23	-------	-------	-------	-------
Biddeford	310	310	208	102	62	30	3	3	8	100	2	-------	-------	-------
Lewiston	527	527	367	194	106	50	-------	7	10	156	4	-------	-------	-------
Portland	1,020	1,014	777	527	124	65	3	20	38	227	10	6	-------	-------
Sanford town	87	87	66	46	10	6	-------	1	3	21	-------	-------	-------	-------
Waterville	177	177	132	64	28	25	-------	6	9	41	4	-------	-------	-------
MARYLAND.														
Annapolis	157	76	67	42	5	2	1	8	9	8	1	81	-------	-------
Baltimore	10,380	8,106	6,429	3,852	1,235	519	94	284	445	1,606	71	2,265	1	8
Cumberland	433	413	368	247	38	20	13	32	18	41	4	20	-------	-------
Frederick	207	181	174	151	9	4	1	5	4	4	3	26	-------	-------
Hagerstown	336	308	298	253	8	13	2	14	8	4	6	28	-------	-------

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1921—Con.

[The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920; the remainder of the state is included in "rural districts." Minor areas which are designated by asterisks (*) contain state insane asylums, state hospitals, etc.]

REGISTRATION AREA.	All deaths.	WHITE.									Negro.	Japanese.	Other colored.
		Total.	Native.							Foreign born.	Nativity unknown.			
			Total.	Both parents native.	Both parents foreign born.	One parent foreign born, the other—		Parentage unknown.						
						Native.	Unknown.	One parent unknown, the other native.	Both parents unknown.					
REGISTRATION CITIES—Continued.														
MASSACHUSETTS.														
Adams town	135	135	73	28	28	4	2	6	5	62	.....	.....	.....	.....
Amesbury town	117	117	78	51	17	4	.....	1	5	39	.....	.....	.....	.....
Arlington town	217	217	152	83	42	20	.....	5	2	65	.....	.....	.....	.....
Attleboro	238	236	183	97	49	17	2	7	11	51	2	2	.....	.....
Belmont town	80	80	61	40	12	6	.....	1	2	19	.....	.....	.....	.....
Beverly	243	242	186	108	39	19	.....	11	9	56	.....	1	.....	.....
Boston	10,226	9,882	5,914	2,278	2,472	710	56	217	181	3,902	66	326	.....	18
Braintree town	132	132	96	41	29	12	.....	10	4	36	.....	.....	.....	.....
Brockton	686	684	505	306	117	46	5	22	9	178	1	2	.....	.....
Brookline town	399	399	290	191	53	15	3	15	13	105	4	.....	.....	.....
Cambridge	1,388	1,293	777	327	311	94	13	20	12	515	1	91	1	3
Chelsea	576	567	372	165	131	29	6	14	27	188	7	9	.....	.....
Chicopee	327	327	202	55	111	27	4	3	2	124	1	.....	.....	.....
Clinton town	176	176	111	26	67	12	.....	5	1	65	.....	.....	.....	.....
Danvers town *	291	291	198	117	46	15	.....	5	15	93	.....	.....	.....	.....
Dedham town	112	112	67	38	19	6	.....	.....	4	44	1	.....	.....	.....
Easthampton town	111	111	76	34	30	8	1	1	2	34	1	.....	.....	.....
Everett	348	333	223	103	72	34	3	4	7	108	2	14	.....	1
Fall River	1,717	1,712	1,070	311	567	140	10	26	16	638	4	4	.....	1
Fitchburg	432	431	282	100	114	43	3	10	12	146	3	1	.....	.....
Framingham town	255	253	189	97	57	17	1	8	9	63	1	2	.....	.....
Gardner town	190	189	135	65	38	16	2	4	10	54	.....	1	.....	.....
Gloucester	302	301	202	125	33	31	1	3	9	98	1	.....	.....	1
Greenfield town	161	159	127	73	21	10	4	10	9	32	.....	2	.....	.....
Haverhill	664	656	492	305	101	40	3	18	25	161	3	8	.....	.....
Holyoke	745	740	438	124	221	61	.....	22	10	299	3	4	.....	1
Lawrence	1,075	1,072	546	128	304	90	6	6	12	524	2	3	.....	.....
Leominster	200	198	147	64	41	21	1	10	10	51	.....	2	.....	.....
Lowell	1,465	1,460	883	296	391	140	11	18	27	566	11	4	.....	1
Lynn	1,108	1,094	737	367	204	89	8	38	31	354	3	13	1	.....
Malden	565	557	365	178	101	51	.....	22	13	190	2	8	.....	.....
Marlborough	173	173	117	54	38	17	.....	6	2	56	.....	.....	.....	.....
Medford	368	360	255	146	51	34	2	13	9	105	.....	8	.....	.....
Melrose	206	205	151	104	22	17	2	5	1	54	.....	1	.....	.....
Methuen	201	200	104	44	32	17	3	5	3	96	.....	.....	1	.....
Milford town	182	182	115	41	56	9	.....	3	6	67	.....	.....	.....	.....
Natick town	142	141	95	55	16	13	.....	9	2	46	.....	1	.....	.....
New Bedford	1,384	1,295	818	255	406	100	11	28	18	474	3	88	.....	1
Newburyport	214	210	169	112	37	13	.....	5	2	40	1	4	.....	.....
Newton	466	461	323	205	71	34	1	8	4	138	.....	5	.....	.....
North Adams	270	270	186	88	49	28	1	7	13	81	3	.....	.....	.....
Northampton *	422	416	309	192	80	26	1	6	4	107	.....	5	1	.....
Northbridge town	90	90	50	21	23	4	.....	2	.....	38	2	.....	.....	.....
Norwood town	128	128	80	35	36	8	.....	.....	1	48	.....	.....	.....	.....
Peabody	195	195	124	59	54	8	.....	2	1	71	.....	.....	.....	.....
Pittsfield	558	551	428	205	128	45	8	15	27	120	3	6	.....	1
Plymouth town	167	162	118	68	32	13	.....	1	4	43	1	5	.....	.....
Quincy	416	416	251	104	90	33	1	13	10	162	3	.....	.....	.....
Revere	185	185	104	39	40	16	1	4	4	81	.....	.....	.....	.....
Salem	542	538	363	183	115	38	5	12	10	172	3	3	.....	1
Saugus town	105	104	71	36	16	12	.....	5	2	33	.....	1	.....	.....
Somerville	988	979	622	331	175	71	3	28	14	356	1	7	.....	2
Southbridge town	132	132	75	26	30	12	1	5	1	56	1	.....	.....	.....
Springfield	1,542	1,498	1,054	503	315	115	9	46	66	437	7	44	.....	.....
Taunton *	635	625	419	208	137	40	2	15	17	201	5	10	.....	.....
Wakefield town	130	130	93	54	27	9	1	1	1	37	.....	.....	.....	.....
Waltham	409	409	278	138	80	32	2	15	11	128	3	.....	.....	.....
Watertown town	176	175	109	54	39	9	1	4	2	65	1	1	.....	.....
Webster town	132	132	73	33	28	7	1	3	1	59	.....	.....	.....	.....
West Springfield town	117	114	82	42	26	9	.....	3	2	32	.....	3	.....	.....
Westfield town	224	221	165	84	52	13	.....	8	8	55	1	3	.....	.....
Weymouth town	131	131	100	66	17	9	1	5	2	31	.....	.....	.....	.....
Winchester town	116	114	74	49	15	7	.....	.....	3	39	1	2	.....	.....
Winthrop town	145	145	100	53	19	10	1	6	11	44	1	.....	.....	.....
Woburn	167	161	111	52	40	13	.....	5	1	50	.....	6	.....	.....
Worcester	2,387	2,363	1,520	657	552	164	6	66	75	833	10	24	.....	.....

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1921—Con.

[The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920; the remainder of the state is included in "rural districts." Minor areas which are designated by asterisks (*) contain state insane asylums, state hospitals, etc.]

REGISTRATION AREA.	All deaths.	WHITE.									Negro.	Japanese.	Other colored.
		Total.	Native.							Foreign born.	Nativity unknown.			
			Total.	Both parents native.	Both parents foreign born.	One parent foreign born, the other—		Parentage unknown.						
						Native.	Unknown.	One parent unknown, the other native.	Both parents unknown.					
REGISTRATION CITIES—Continued.														
MICHIGAN.														
Adrian	184	183	154	109	14	13	1	12	5	25	4	1	.....	.....
Alpena	154	154	92	32	28	24	2	2	4	61	1	.....	.....	.....
Ann Arbor*	504	483	392	198	91	38	5	27	33	85	6	21	.....	.....
Battle Creek	582	572	486	304	48	32	7	39	56	77	9	10	.....	.....
Bay City	632	628	425	216	83	65	9	14	38	198	5	3	.....	1
Benton Harbor	181	174	140	80	21	12	2	5	20	31	3	6	.....	1
Detroit	10,386	9,653	6,223	2,225	2,307	962	117	267	345	3,230	200	728	4	1
Escanaba	215	215	120	44	38	28	3	2	5	84	11	.....	.....	.....
Flint	847	823	665	378	123	79	15	26	44	149	9	24	.....	.....
Grand Rapids	1,538	1,522	1,023	492	271	123	16	62	59	492	7	13	.....	3
Hamtramck	452	415	315	23	262	21	8	.....	1	97	3	37	.....	.....
Highland Park	342	334	223	92	61	31	7	13	19	108	3	8	.....	.....
Holland	105	104	66	34	20	10	.....	1	1	38	.....	1	.....	.....
Ironwood	133	133	67	14	42	11	.....	.....	.....	65	1	.....	.....	.....
Ishpeming	116	116	58	18	32	8	.....	.....	.....	57	1	.....	.....	.....
Jackson	686	673	563	342	85	52	9	28	47	103	7	13	.....	.....
Kalamazoo*	897	881	676	388	95	56	17	55	65	164	41	16	.....	.....
Lansing	638	627	540	352	49	49	7	43	40	84	3	11	.....	.....
Marquette	188	188	110	47	35	16	2	4	6	73	5	.....	.....	.....
Monroe	130	130	100	56	24	10	.....	4	6	28	2	.....	.....	.....
Muskegon	469	462	277	122	68	37	6	9	35	180	5	6	.....	1
Owosso	211	211	172	109	24	13	2	9	15	36	3	.....	.....	.....
Pontiac*	438	426	305	184	59	37	4	10	11	115	6	12	.....	.....
Port Huron	374	366	227	107	70	35	3	5	7	136	3	8	.....	.....
Saginaw	810	805	536	220	137	76	16	35	52	265	4	5	.....	.....
Sault Ste. Marie	154	152	95	33	27	27	1	3	4	53	4	.....	.....	2
Traverse City*	347	340	217	103	42	23	4	12	33	109	14	2	.....	5
Wyandotte	172	171	120	45	48	21	1	3	2	49	2	.....	1	.....
MINNESOTA.														
Austin	111	110	77	47	14	11	1	2	2	31	2	1	.....	.....
Duluth	931	924	488	194	167	92	5	9	21	429	7	5	.....	2
Faribault*	207	206	143	59	50	15	1	4	14	60	3	.....	.....	1
Hibbing	132	132	80	28	32	17	.....	2	1	49	3	.....	.....	.....
Mankato	198	198	119	49	29	11	8	6	16	77	2	.....	.....	.....
Minneapolis	4,289	4,225	2,735	1,248	851	388	24	121	103	1,456	34	60	.....	4
Rochester*	817	811	566	228	146	69	19	29	75	232	13	6	.....	.....
St. Cloud	192	192	137	71	37	25	.....	2	2	52	3	.....	.....	.....
St. Paul	2,555	2,495	1,493	638	523	208	23	51	50	987	15	56	.....	4
Virginia	116	116	59	16	30	10	.....	3	.....	49	8	.....	.....	.....
Winona	245	245	170	87	51	21	1	4	6	74	1	.....	.....	.....
MISSISSIPPI.														
Biloxi	157	126	116	75	18	11	3	5	4	7	3	31	.....	.....
Columbus	137	53	51	32	1	1	.....	13	4	1	1	84	.....	.....
Greenville	295	69	63	34	10	2	2	4	11	5	1	225	.....	1
Hattiesburg	139	74	72	59	1	3	.....	5	4	1	1	65	.....	.....
Jackson*	856	290	266	167	9	8	.....	16	66	7	17	566	.....	.....
Laurel	217	125	121	89	3	4	.....	11	14	2	2	92	.....	.....
Meridian*	450	229	221	170	3	4	1	24	19	3	5	221	.....	.....
Natchez	199	64	59	44	3	2	.....	3	7	5	.....	135	.....	.....
Vicksburg*	541	148	115	71	10	5	2	12	15	11	22	393	.....	.....
MISSOURI.														
Cape Girardeau	186	168	151	97	22	5	2	9	16	11	6	18	.....	.....
Carthage	142	136	125	79	6	4	1	9	26	10	1	6	.....	.....
Columbia	172	128	122	96	5	5	2	12	2	3	3	44	.....	.....
Hannibal	220	194	174	112	12	7	2	16	25	16	4	26	.....	.....
Independence	203	185	168	112	16	5	1	13	21	17	.....	18	.....	.....
Jefferson City	174	145	115	70	15	5	2	6	17	20	10	29	.....	.....
Joplin	415	405	378	248	11	12	7	42	58	21	6	10	.....	.....
Kansas City	4,654	3,891	3,179	1,799	332	179	55	338	476	546	166	758	.....	5
Moberly	207	193	181	143	9	4	1	11	13	11	1	14	.....	.....
St. Joseph	1,253	1,188	965	581	86	47	17	79	155	144	79	65	.....	.....
St. Louis	9,607	8,306	5,896	2,789	1,616	522	151	289	529	2,298	112	1,289	1	11
Sedalia	300	268	248	178	14	13	5	19	19	19	1	32	.....	.....
Springfield	593	556	508	349	12	16	4	59	68	30	18	37	.....	.....

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1921—Con.

[The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920; the remainder of the state is included in "rural districts." Minor areas which are designated by asterisks (*) contain state insane asylums, state hospitals, etc.]

REGISTRATION AREA.	All deaths.	WHITE.									Negro.	Japanese.	Other colored.
		Total.	Native.						Foreign born.	Nativity unknown.			
			Total.	Both parents native.	Both parents foreign born.	One parent foreign born, the other—		Parentage unknown.					
						Native.	Unknown.	One parent unknown, the other native.	Both parents unknown.				
REGISTRATION CITIES—Continued.													
MONTANA.													
Anaconda	118	114	66	20	26	10	.....	4	6	47	1	4	.....	.....
Billings	198	194	152	73	34	18	1	10	16	40	2	3	.....	1
Butte	468	460	272	95	99	30	6	15	27	178	10	2	.....	6
Great Falls	263	254	167	68	32	21	5	16	25	83	4	8	.....	1
Helena	167	161	100	41	22	10	.....	8	19	52	9	2	.....	4
Missoula	212	200	148	84	22	15	3	5	19	49	3	3	1	8
NEBRASKA.														
Grand Island	231	228	175	93	27	18	8	8	21	48	5	3	.....	.....
Hastings	167	164	126	76	29	9	1	4	7	38	.....	3	.....	.....
Lincoln	714	697	555	307	96	44	6	39	63	132	10	17	.....	.....
North Platte	104	101	82	54	6	5	1	5	11	16	3	1	2	.....
Omaha	2,599	2,427	1,766	843	402	162	33	114	212	610	51	167	.....	5
NEW HAMPSHIRE.														
Berlin	173	173	117	31	55	21	.....	2	8	55	1	.....	.....	.....
Concord *	424	422	325	189	31	31	4	19	51	83	14	2	.....	.....
Dover	181	181	130	82	22	8	2	5	11	49	2	.....	.....	.....
Keene	157	157	119	77	11	11	.....	8	12	30	8	.....	.....	.....
Laconia	172	172	140	82	13	11	4	8	22	23	9	.....	.....	.....
Manchester	950	950	612	208	206	94	6	26	72	327	11	.....	.....	.....
Nashua	405	405	288	144	74	36	1	5	28	113	4	.....	.....	.....
Portsmouth	186	184	149	90	25	15	.....	5	14	32	3	2	.....	.....
NEW JERSEY.														
Asbury Park	158	112	86	59	16	3	.....	5	3	23	3	44	.....	2
Atlantic City	981	772	612	387	131	65	7	13	9	155	5	208	.....	1
Bayonne	790	782	533	150	313	54	6	3	7	249	.....	8	.....	.....
Belleville *	327	288	192	86	75	22	2	4	3	96	.....	39	.....	.....
Bloomfield	160	158	111	67	29	5	3	3	4	46	1	2	.....	.....
Bridgeton	247	231	213	167	20	7	.....	15	4	17	1	16	.....	.....
Camden	1,535	1,355	1,079	641	239	97	12	48	42	266	10	180	.....	.....
Clifton	195	195	110	36	58	10	1	2	3	84	1	.....	.....	.....
East Orange	378	357	278	182	54	27	5	4	6	79	.....	20	.....	1
Elizabeth	1,008	970	632	249	270	68	8	12	25	334	4	38	.....	.....
Englewood	197	184	126	67	31	17	.....	7	4	58	.....	13	.....	.....
Garfield	143	143	89	5	78	4	2	.....	.....	54	.....	.....	.....	.....
Gloucester	146	146	119	74	25	11	2	2	5	26	1	.....	.....	.....
Hackensack	305	286	191	88	68	25	.....	8	2	93	2	19	.....	.....
Harrison	122	121	70	23	37	8	.....	2	.....	50	1	1	.....	.....
Hoboken	865	862	479	167	235	51	9	7	10	374	9	3	.....	.....
Irvington	229	227	129	55	56	16	.....	.....	2	96	2	2	.....	.....
Jersey City	3,601	3,451	2,297	868	1,015	255	33	46	80	1,130	24	150	.....	.....
Kearny	266	264	179	63	48	20	2	4	42	82	3	2	.....	.....
Long Branch	358	312	239	142	57	26	3	5	6	69	4	46	.....	.....
Millville	181	178	156	129	13	5	.....	8	1	22	.....	3	.....	.....
Montclair	212	182	139	87	28	14	2	4	4	43	.....	30	.....	.....
Morristown *	301	280	216	127	51	23	1	10	4	61	3	21	.....	.....
New Brunswick	485	459	312	156	105	28	3	14	6	143	4	26	.....	.....
Newark	4,638	238	2,617	1,073	1,118	264	29	44	89	1,593	28	394	.....	6
Orange	528	450	308	160	101	32	2	5	8	140	2	78	.....	.....
Passaic	695	680	419	127	230	45	5	5	7	254	7	15	.....	.....
Paterson	1,746	705	978	411	372	119	21	24	31	715	12	41	.....	.....
Perth Amboy	501	492	298	83	176	33	2	3	1	188	6	9	.....	.....
Phillipsburg	186	186	153	106	36	6	1	4	.....	32	1	.....	.....	.....
Plainfield	374	334	248	155	62	26	.....	4	1	85	1	40	.....	.....
Rahway	161	154	115	77	26	8	.....	1	3	39	.....	7	.....	.....
Roosevelt	56	56	36	3	31	1	.....	.....	1	20	.....	.....	.....	.....
Summit	146	139	100	66	18	12	1	1	2	37	2	7	.....	.....
Trenton	1,610	98	1,077	611	313	90	8	29	26	415	6	112	.....	.....
Union	155	155	87	32	40	11	2	.....	2	68	.....	.....	.....	.....
West Hoboken	270	270	127	40	60	18	1	4	4	142	1	.....	.....	.....
West New York	197	197	127	54	55	13	.....	2	3	70	.....	.....	.....	.....
West Orange	97	97	59	27	22	8	.....	1	1	38	.....	.....	.....	.....

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1921—Con.

[The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920; the remainder of the state is included in "rural districts." Minor areas which are designated by asterisks (*) contain state insane asylums, state hospitals, etc.]

REGISTRATION AREA.	All deaths.	WHITE.									Negro.	Japanese.	Other colored.
		Total.	Native.							Foreign born.	Nativity unknown.			
			Total.	Both parents native.	Both parents foreign born.	One parent foreign born, the other—		Parentage unknown.						
						Native.	Unknown.	One parent unknown, the other native.	Both parents unknown.					
REGISTRATION CITIES—Continued.														
NEW YORK.														
Albany	1,742	1,722	1,246	591	402	123	26	39	65	458	18	20	.....	.....
Amsterdam	416	412	278	126	108	21	3	9	11	131	3	4	.....	.....
Auburn	495	486	380	198	117	34	4	13	14	104	2	9	.....	.....
Batavia	242	239	185	95	59	18	3	6	4	51	3	3	.....	.....
Beacon*	170	164	119	66	28	11	2	5	7	45	.....	6	.....	.....
Binghamton*	1,047	1,030	834	523	151	55	10	46	49	187	9	17	.....	.....
Buffalo	6,536	6,422	4,375	1,703	1,786	620	56	123	87	2,014	33	108	.....	6
Cohoes	290	290	208	71	93	36	2	1	5	80	2	.....	.....	.....
Corning	177	176	139	84	24	4	2	16	9	36	1	1	.....	.....
Cortland	202	201	171	105	15	10	2	5	34	27	3	1	.....	.....
Dunkirk	222	219	145	67	52	17	2	4	3	74	.....	2	.....	1
Elmira	623	609	481	289	81	32	4	34	41	125	3	14	.....	.....
Fulton	180	180	140	77	33	7	2	3	18	37	3	.....	.....	.....
Geneva	190	185	150	70	47	15	.....	3	15	35	.....	5	.....	.....
Glens Falls	266	266	213	148	36	16	2	7	4	52	1	.....	.....	.....
Gloversville	344	342	292	145	50	27	2	38	30	49	1	2	.....	.....
Herkimer	127	127	109	51	39	12	.....	5	2	18	.....	.....	.....	.....
Hornell	226	225	201	134	30	12	.....	15	10	22	2	1	.....	.....
Hudson	191	186	147	83	32	7	2	12	11	39	.....	5	.....	.....
Ilion	114	114	89	46	16	6	1	8	12	25	.....	.....	.....	.....
Ithaca	269	260	221	154	32	12	.....	12	11	38	1	9	.....	.....
Jamestown	479	475	312	167	86	33	1	11	14	161	2	4	.....	.....
Johnstown	139	138	118	74	22	5	1	5	11	20	.....	1	.....	.....
Kingston	465	451	360	239	74	30	1	11	5	88	3	14	.....	.....
Lackawanna*	350	347	294	127	100	32	5	27	3	52	1	3	.....	.....
Little Falls	145	145	110	56	28	10	2	5	9	35	.....	.....	.....	.....
Lockport	288	287	212	118	51	27	3	3	10	72	3	1	.....	.....
Middletown*	408	400	323	223	54	20	3	4	19	75	2	8	.....	.....
Mount Vernon	406	387	259	112	101	34	1	5	6	125	3	19	.....	.....
New Rochelle	301	282	193	90	65	25	2	2	9	89	.....	19	.....	.....
New York	64,603	61,575	34,375	12,384	17,170	4,042	133	203	443	26,874	326	2,851	31	146
Bronx Borough	6,975	6,875	3,630	1,171	1,955	457	6	23	18	3,234	11	99	.....	1
Brooklyn Borough	22,184	21,547	12,525	4,722	6,066	1,526	40	60	111	8,964	58	614	5	18
Manhattan Borough	28,385	26,756	14,256	4,794	7,448	1,561	72	102	279	12,275	225	1,981	23	125
Queens Borough	5,032	4,925	3,067	1,283	1,354	390	13	12	15	1,843	15	105	1	1
Richmond Borough	1,527	1,472	897	414	347	108	2	6	20	558	17	52	2	1
Newburgh	431	422	321	192	74	26	7	16	6	101	.....	9	.....	.....
Niagara Falls	622	611	388	129	187	55	4	7	6	219	4	10	.....	1
North Tonawanda	181	181	126	45	50	28	1	1	1	51	4	.....	.....	.....
Ogdensburg*	457	454	320	163	54	52	6	10	35	128	6	3	.....	.....
Olean	294	294	236	147	44	10	4	13	18	57	1	.....	.....	.....
Oneida	149	147	115	72	22	8	.....	2	11	27	5	.....	.....	2
Oneonta	199	198	182	127	11	17	2	10	15	16	.....	1	.....	.....
Ossining	155	151	121	61	27	15	1	4	13	30	.....	4	.....	.....
Oswego	330	328	234	101	65	34	13	9	12	93	1	2	.....	.....
Peekskill	187	183	151	90	30	7	4	9	11	27	5	4	.....	.....
Plattsburg	196	195	160	93	35	12	3	3	14	33	2	1	.....	.....
Port Chester	190	183	116	51	39	18	2	2	4	63	4	6	1	.....
Port Jervis	212	209	179	128	29	12	1	4	5	28	2	3	.....	.....
Poughkeepsie	426	410	337	208	61	29	4	14	21	70	3	16	.....	.....
Rensselaer	114	113	89	47	22	6	1	6	7	24	.....	1	.....	.....
Rochester	3,663	3,634	2,521	1,052	969	316	29	63	92	1,087	26	27	.....	2
Rome*	515	505	394	187	114	52	5	20	16	104	7	10	.....	.....
Saratoga Springs	270	258	203	120	36	15	3	13	16	52	3	12	.....	.....
Schenectady	884	881	635	321	197	48	8	24	37	242	4	3	.....	.....
Syracuse	2,139	2,114	1,637	860	467	151	24	81	54	470	7	25	.....	.....
Tonawanda	76	76	51	21	20	9	1	.....	.....	24	1	.....	.....	.....
Troy	1,161	1,147	825	406	254	104	8	24	29	312	10	14	.....	.....
Utica*	1,417	1,409	1,049	440	421	96	12	24	56	349	11	8	.....	.....
Watertown	482	480	380	226	72	49	3	15	15	99	1	2	.....	.....
Watervliet	179	179	128	48	61	10	1	3	5	50	1	.....	.....	.....
White Plains	239	226	162	83	38	22	3	5	11	62	2	13	.....	.....
Yonkers	960	936	618	222	279	32	6	15	14	309	9	24	.....	.....

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1921—Con.

[The term "cities" ndicates municipalities of 10,000 inhabitants or more in 1920; the remainder of the state is included in "rural districts." Minor areas which are designated by asterisks (*) contain state insane asylums, state hospitals, etc.]

REGISTRATION AREA.	All deaths.	WHITE.									Negro.	Japanese.	Other colored.
		Total.	Native.							Foreign born.	Nativity unknown.			
			Total.	Both parents native.	Both parents foreign born.	One parent foreign born, the other—		Parentage unknown.						
						Native.	Unknown.	One parent unknown, the other native.	Both parents unknown.					
REGISTRATION CITIES—Continued.														
NORTH CAROLINA.														
Asheville*	609	461	432	343	9	17	1	34	28	20	9	148	.....	.....
Charlotte	697	396	381	308	6	3	2	29	33	10	5	301	.....	.....
Durham	335	146	145	116	.....	.....	.....	18	11	1	.....	189	.....	.....
Gastonia	200	150	149	135	.....	.....	.....	6	8	.....	1	50	.....	.....
Goldsboro	200	68	66	55	.....	.....	.....	7	4	2	.....	132	.....	.....
Greensboro	285	169	161	137	1	.....	2	14	7	3	5	116	.....	.....
High Point	183	133	131	124	.....	.....	.....	6	1	2	.....	50	.....	.....
New Bern	234	79	74	61	2	3	.....	5	3	3	2	155	.....	.....
Raleigh*	547	319	305	217	2	1	.....	16	69	3	11	228	.....	.....
Rocky Mount	237	129	127	109	1	.....	.....	9	8	1	1	108	.....	.....
Salisbury	186	118	114	90	.....	.....	.....	17	7	2	2	68	.....	.....
Wilmington	604	311	283	222	7	7	3	24	20	20	8	293	.....	.....
Wilson	217	105	102	86	.....	1	.....	10	5	1	2	112	.....	.....
Winston-Salem	626	278	276	241	1	2	.....	18	14	.....	2	348	.....	.....
NORTH DAKOTA.[1]														
Fargo	303	301	206	97	46	30	2	15	16	89	6	2	.....	.....
OHIO.														
Akron	1,564	1,495	1,151	678	260	70	18	54	71	322	22	67	.....	2
Alliance	283	270	228	151	28	24	1	15	9	40	2	12	.....	1
Ashtabula	255	252	193	120	38	12	3	10	10	56	3	3	.....	.....
Barberton	176	165	121	69	33	8	.....	5	6	42	2	11	.....	.....
Bellaire	184	179	153	93	30	17	2	8	3	24	2	4	.....	1
Bucyrus	114	112	100	70	17	6	.....	4	3	12	.....	2	.....	.....
Cambridge	166	160	148	131	8	2	1	6	.....	12	.....	6	.....	.....
Canton	975	954	776	462	163	60	16	35	40	173	5	21	.....	.....
Chillicothe	205	193	181	126	21	5	2	11	16	11	1	12	.....	.....
Cincinnati	5,700	4,954	3,687	1,879	1,097	333	52	141	185	1,204	63	745	.....	1
Cleveland	8,697	8,019	4,930	1,670	2,256	534	75	135	260	2,997	92	669	1	8
Cleveland Heights	110	108	72	38	19	10	.....	3	2	33	3	2	.....	.....
Columbus	3,176	2,796	2,402	1,523	324	152	36	133	234	302	92	378	.....	2
Coshocton	161	159	143	101	15	9	.....	7	11	14	2	2	.....	.....
Cuyahoga Falls	85	85	69	41	12	8	.....	2	6	14	2	.....	.....	.....
Dayton	1,734	1,584	1,318	795	230	83	18	77	115	247	19	149	.....	1
East Cleveland	213	213	155	92	29	19	4	2	9	58	.....	.....	.....	.....
East Liverpool	328	324	280	213	22	17	3	13	12	39	5	4	.....	.....
East Youngstown	128	115	95	5	84	6	.....	.....	.....	20	.....	13	.....	.....
Elyria	233	221	168	81	42	17	5	11	12	48	5	12	.....	.....
Findlay	211	206	186	145	13	8	1	13	6	20	.....	5	.....	.....
Fremont	126	122	95	49	20	7	1	8	10	27	.....	4	.....	.....
Hamilton	487	462	397	241	80	37	4	18	17	63	2	25	.....	.....
Ironton	204	193	181	139	4	8	.....	12	18	11	1	11	.....	.....
Kenmore	95	94	73	44	15	7	.....	3	4	20	1	1	.....	.....
Lakewood	379	379	280	148	78	30	5	5	14	99	.....	.....	.....	.....
Lancaster	190	190	181	135	21	14	.....	3	8	9	.....	.....	.....	.....
Lima	472	453	417	307	33	26	4	22	25	34	2	18	.....	1
Lorain	372	352	244	104	90	29	5	8	8	108	.....	20	.....	.....
Mansfield	323	312	257	165	42	14	2	17	17	51	4	11	.....	.....
Marietta	228	222	204	118	28	6	3	17	32	17	1	6	.....	.....
Marion	338	331	303	226	20	18	2	20	17	27	1	7	.....	.....
Martins Ferry	177	166	122	66	27	9	2	6	12	40	4	11	.....	.....
Massillon	195	189	147	79	29	14	5	7	13	41	1	6	.....	.....
Middletown	251	225	205	161	18	6	3	8	9	20	.....	26	.....	.....
New Philadelphia	114	112	103	69	14	9	4	2	5	9	.....	2	.....	.....
Newark	371	366	332	231	40	12	3	24	22	30	4	5	.....	.....
Niles	141	140	100	46	39	9	1	3	2	40	.....	.....	.....	1
Norwood	177	175	136	79	35	14	4	2	2	39	.....	2	.....	.....
Piqua	174	161	144	99	18	9	.....	9	9	16	1	13	.....	.....
Portsmouth	448	428	398	289	31	18	4	25	31	27	3	20	.....	.....
Salem	143	139	125	88	17	7	2	4	7	14	.....	4	.....	.....
Sandusky	304	291	195	93	62	19	1	7	13	90	6	13	.....	.....
Springfield	729	625	552	401	56	23	1	20	51	68	5	104	.....	.....
Steubenville	354	333	249	129	74	18	4	6	18	77	7	20	.....	1
Tiffin	205	204	178	107	40	10	2	7	12	25	1	1	.....	.....
Toledo	3,047	2,888	2,145	1,181	489	226	25	88	136	704	39	156	.....	3
Warren	376	354	275	169	50	24	4	13	15	72	7	22	.....	.....
Youngstown	1,554	1,426	966	388	381	101	16	31	49	437	23	128	.....	.....
Zanesville	469	446	405	286	29	18	4	37	31	36	5	23	.....	.....

[1] Nonregistration state; the only cities shown are those with satisfactory registration of deaths.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1921—Con.

[The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920; the remainder of the state is included in "rural districts." Minor areas which are designated by asterisks (*) contain state insane asylums, state hospitals, etc.]

REGISTRATION AREA.	All deaths.	WHITE.									Negro.	Japanese.	Other colored.
		Total.	Native.							Foreign born.	Nativity unknown.			
			Total.	Both parents native.	Both parents foreign born.	One parent foreign born, the other—		Parentage unknown.						
						Native.	Unknown.	One parent unknown, the other native.	Both parents unknown.					
REGISTRATION CITIES—Continued.														
OKLAHOMA.[1]														
Oklahoma City	1,039	886	785	481	22	26	11	84	161	59	42	149	.....	4
OREGON.														
Astoria	173	163	91	38	24	9	3	1	16	71	1	.....	1	9
Eugene	198	197	165	89	5	10	2	18	41	31	1	1	.....	.....
Portland	2,892	2,794	1,999	966	331	161	41	201	299	739	56	21	24	53
Salem (exclusive of)	236	231	180	107	16	11	3	20	23	43	8	1	.....	4
State institutions	277	262	171	82	28	6	5	17	33	83	8	2	4	9
PENNSYLVANIA.														
Allentown	1,182	1,176	1,017	773	143	40	5	38	18	151	8	6	.....	.....
Altoona	773	746	657	486	105	32	2	20	12	87	2	27	.....	.....
Ambridge	123	121	76	23	47	5	.....	.....	1	43	2	2	.....	.....
Beaver Falls	191	180	136	62	40	12	4	3	15	44	.....	11	.....	.....
Berwick	116	116	106	71	22	5	1	4	3	10	.....	.....	.....	.....
Bethlehem	459	450	370	207	118	15	4	7	19	79	1	9	.....	.....
Braddock	371	343	211	75	108	18	3	4	3	129	3	28	.....	.....
Bradford	230	222	182	98	39	10	3	16	16	37	3	8	.....	.....
Bristol	140	132	107	61	35	5	2	2	2	24	1	8	.....	.....
Butler	297	292	250	177	45	16	1	5	6	40	2	5	.....	.....
Canonsburg	120	112	92	30	45	9	3	4	1	20	.....	8	.....	.....
Carbondale	315	315	224	122	78	16	3	4	1	90	1	.....	.....	.....
Carlisle	173	156	153	134	6	2	2	5	4	2	1	17	.....	.....
Carnegie	101	98	64	28	24	11	1	.....	.....	33	1	3	.....	.....
Carrick	83	81	46	26	10	8	1	1	.....	35	.....	2	.....	.....
Chambersburg	176	167	166	127	11	9	1	10	8	1	.....	9	.....	.....
Charleroi	95	87	61	26	27	7	.....	1	.....	25	1	8	.....	.....
Chester	761	608	476	231	156	50	5	21	13	125	7	151	.....	2
Coatesville	116	96	78	62	8	6	.....	2	.....	17	1	20	.....	.....
Columbia	152	149	128	105	11	4	1	3	4	20	1	3	.....	.....
Connellsville	145	131	102	68	20	6	1	6	1	27	2	14	.....	.....
Dickson City	95	95	64	22	33	9	.....	.....	.....	31	.....	.....	.....	.....
Donora	110	92	75	27	39	7	.....	2	.....	16	1	18	.....	.....
Du Bois	178	177	138	91	30	10	.....	4	3	39	.....	1	.....	.....
Dunmore	267	266	199	52	68	12	1	29	37	67	.....	1	.....	.....
Duquesne	213	196	157	34	103	13	4	.....	3	39	.....	17	.....	.....
Easton	493	487	414	302	61	21	5	17	8	72	1	6	.....	.....
Erie	1,190	1,177	837	402	250	75	15	17	78	314	26	13	.....	.....
Farrell	141	119	75	13	54	4	1	3	.....	42	2	22	.....	.....
Greensburg	278	270	191	140	23	16	1	4	7	78	1	8	.....	.....
Harrisburg	1,047	959	871	721	62	43	4	26	15	83	5	88	.....	.....
Hazleton	479	478	327	142	119	52	2	5	7	149	2	.....	.....	1
Homestead	162	152	105	45	55	3	.....	1	1	46	1	10	.....	.....
Jeannette	88	87	70	38	19	10	2	.....	1	17	.....	1	.....	.....
Johnstown	1,002	972	764	453	227	56	5	10	13	204	4	30	.....	.....
Lancaster	777	765	709	615	37	19	2	15	21	52	4	12	.....	.....
Lebanon	381	377	356	307	22	4	3	15	5	20	1	4	.....	.....
McKees Rocks	167	161	110	29	68	10	1	1	1	50	1	6	.....	.....
McKeesport	634	601	401	169	156	57	3	11	5	196	4	33	.....	.....
Mahanoy City	172	172	125	54	55	13	1	.....	2	45	2	.....	.....	.....
Meadville	213	204	183	128	30	13	1	6	5	21	.....	9	.....	.....
Monessen	130	127	103	27	68	5	2	.....	1	23	1	3	.....	.....
Mount Carmel	199	199	132	65	50	14	.....	2	1	67	.....	.....	.....	.....
Nanticoke	298	298	176	49	93	26	3	1	4	122	.....	.....	.....	.....
New Castle	575	554	447	254	123	32	5	13	20	105	2	21	.....	.....
New Kensington	178	166	117	64	38	10	.....	1	4	47	2	12	.....	.....
Norristown*	609	567	432	267	95	32	3	15	19	129	6	42	.....	.....
North Braddock	124	117	82	27	34	17	1	.....	3	35	.....	7	.....	.....
Oil City	251	251	210	139	40	19	1	10	1	41	.....	.....	.....	.....
Old Forge	128	128	89	19	52	16	.....	1	1	39	.....	.....	.....	.....
Olyphant	98	98	68	13	34	19	1	1	.....	30	.....	.....	.....	.....
Philadelphia	23,697	21,206	14,680	7,289	4,433	1,416	190	475	877	6,271	255	2,470	.....	21
Phoenixville	141	138	110	64	36	7	1	2	.....	28	.....	3	.....	.....
Pittsburgh	8,499	7,684	5,361	2,605	1,910	618	31	107	90	2,289	34	801	1	13
Pittston	281	280	175	60	100	13	.....	.....	2	105	.....	1	.....	.....

[1] Nonregistration state; the only cities shown are those with satisfactory registration of deaths.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1921—Con.

[The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920; the remainder of the state is included in "rural districts." Minor areas which are designated by asterisks (*) contain state insane asylums, state hospitals, etc.]

REGISTRATION AREA.	All deaths.	WHITE.									Negro.	Japanese.	Other colored.
		Total.	Native.							Foreign born.	Nativity unknown.			
			Total.	Both parents native.	Both parents foreign born.	One parent foreign born, the other—		Parentage unknown.						
						Native.	Unknown.	One parent unknown, the other native.	Both parents unknown.					
REGISTRATION CITIES—Continued.														
PENNSYLVANIA—continued.														
Plymouth	160	160	110	51	42	12	1	4	.....	50	.....	.....	.....	.....
Pottstown	274	262	242	208	16	7	.....	8	3	19	1	11	.....	1
Pottsville	392	389	299	196	68	23	5	3	4	87	3	3	.....	.....
Punxsutawney	160	160	127	85	25	14	1	1	1	33	.....	.....	.....	.....
Reading	1,437	1,425	1,267	1,019	149	57	4	21	17	154	4	10	.....	2
Scranton	1,949	1,939	1,221	523	495	126	15	34	28	708	10	10	.....	.....
Shamokin	224	224	189	133	34	18	2	2	.....	35	.....	.....	.....	.....
Sharon	247	233	167	97	47	9	4	8	2	65	1	14	.....	.....
Shenandoah	323	323	231	61	132	27	4	1	6	89	3	.....	.....	.....
Steelton	121	85	69	39	21	5	.....	2	2	16	.....	36	.....	.....
Sunbury	199	199	193	180	3	2	.....	3	5	6	.....	.....	.....	.....
Swissvale	123	116	96	64	19	9	1	2	1	18	2	7	.....	.....
Tamaqua	127	127	99	61	24	6	2	2	4	28	.....	.....	.....	.....
Uniontown	303	270	208	148	35	8	1	7	9	58	4	33	.....	.....
Warren	184	184	137	70	23	15	6	12	11	47	.....	.....	.....	.....
Washington	366	331	284	204	41	15	1	12	11	47	.....	35	.....	.....
West Chester*	324	270	239	195	17	10	3	10	4	29	2	54	.....	.....
Wilkes-Barre	1,122	1,116	746	360	257	85	8	22	14	362	8	5	.....	1
Wilkinsburg	314	299	240	153	34	24	3	10	16	56	3	15	.....	.....
Williamsport	567	547	478	352	52	35	5	24	10	61	8	20	.....	.....
Woodlawn	100	89	66	21	41	2	.....	1	1	22	1	11	.....	.....
York	588	562	534	445	27	16	.....	21	25	28	.....	26	.....	.....
RHODE ISLAND.														
Bristol town	142	141	105	40	47	10	.....	1	7	35	1	1	.....	.....
Central Falls	210	210	119	38	59	22	.....	.....	.....	90	1	.....	.....	.....
Cranston (exclusive of)	264	260	194	109	60	12	1	10	2	65	1	4	.....	.....
State institutions	313	306	153	69	46	11	3	9	15	147	6	6	.....	1
Cumberland town	134	134	78	29	35	12	.....	2	.....	56	.....	.....	.....	.....
East Providence town	252	240	180	85	64	27	1	1	2	60	.....	12	.....	.....
Newport	334	308	224	120	58	18	1	1	26	83	1	25	.....	1
Pawtucket	785	780	456	179	202	67	4	2	2	320	4	5	.....	.....
Providence	3,185	3,065	1,984	891	769	226	12	38	48	1,065	16	118	.....	2
Warwick town	183	182	114	75	30	5	.....	2	2	64	4	1	.....	.....
West Warwick town	152	152	90	21	54	15	.....	.....	.....	62	.....	.....	.....	.....
Woonsocket	515	512	303	98	137	55	2	2	8	207	2	3	.....	.....
SOUTH CAROLINA.														
Anderson	245	157	154	133	.....	.....	1	12	8	1	2	88	.....	.....
Charleston	1,457	484	420	287	42	24	6	17	44	58	6	973	.....	.....
Columbia*	1,257	602	580	357	13	10	2	56	142	13	9	655	.....	.....
Florence	252	129	127	104	2	1	.....	9	11	1	1	123	.....	.....
Greenville	326	173	169	162	1	1	.....	5	.....	1	3	153	.....	.....
Spartanburg	358	187	185	158	1	3	1	7	15	2	.....	171	.....	.....
TENNESSEE.														
Chattanooga	923	515	474	333	14	10	2	50	65	20	21	408	.....	.....
Jackson	299	147	144	109	4	2	1	9	19	.....	3	152	.....	.....
Johnson City*	314	264	253	204	8	7	2	18	14	7	4	50	.....	.....
Knoxville	1,192	922	877	569	12	7	2	172	115	15	30	268	.....	2
Memphis	2,876	1,424	1,216	723	52	26	10	154	251	121	87	1,451	.....	1
Nashville	1,978	1,167	1,064	796	28	24	8	89	119	86	17	811	.....	.....
TEXAS.[1]														
Beaumont	455	258	200	132	18	4	3	14	29	28	30	196	.....	1
Dallas	1,985	1,563	1,379	899	103	53	13	130	181	143	41	420	2	.....
El Paso	2,086	2,009	1,236	391	526	96	26	61	136	678	95	67	2	8
Galveston	656	468	306	144	88	33	3	9	29	158	4	184	3	1
Houston	1,851	1,251	928	434	128	70	33	101	162	242	81	599	.....	1
San Antonio	2,678	2,456	1,772	710	522	202	34	98	206	647	37	218	.....	4
UTAH.														
Ogden	400	376	257	140	55	41	2	5	14	113	6	8	10	6
Provo	164	161	123	71	23	10	3	5	11	34	4	1	.....	2
Salt Lake City	1,503	1,473	1,006	511	221	147	9	37	81	433	34	13	15	2

[1] Nonregistration state; the only cities shown are those with satisfactory registration of deaths.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1921—Con.

[The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920; the remainder of the state is included in "rural districts." Minor areas which are designated by asterisks (*) contain state insane asylums, state hospitals, etc.]

REGISTRATION AREA.	All deaths.	WHITE.									Negro.	Japanese.	Other colored.
		Total.	Native.							Foreign born.	Nativity unknown.			
			Total.	Both parents native.	Both parents foreign born.	One parent foreign born, the other—		Parentage unknown.						
						Native.	Unknown.	One parent unknown, the other native.	Both parents unknown.					
REGISTRATION CITIES—Continued.														
VERMONT.														
Barre	152	152	91	49	15	11	2	8	6	60	1			
Burlington	390	389	314	180	56	44	1	18	15	65	10			1
Rutland	202	201	158	106	26	14	2	3	7	41	2	1		
VIRGINIA.														
Alexandria	254	167	162	115	2	1	1	28	15	4	1	87		
Charlottesville	144	98	92	78	1	3		5	5	6		46		
Danville	325	215	212	165	2	1	1	19	24	3		110		
Lynchburg	441	281	271	205	9	10		21	26	9	1	160		
Newport News	400	140	117	95	7	6	2	2	5	21	2	260		
Norfolk	1,565	757	669	546	34	29		5	55	79	9	806		2
Petersburg	576	244	232	185	8	8	2	13	16	10	2	332		
Portsmouth	728	291	272	224	9	3		23	13	17	2	436	1	
Richmond	2,567	1,491	1,360	1,047	66	59	5	75	108	104	27	1,076		
Roanoke	707	537	516	402	13	9	1	48	43	18	3	170		
Staunton*	251	216	208	154	3	6		9	36	6	2	35		
WASHINGTON.														
Aberdeen	143	142	88	44	10	16	2	8	8	53	1	1		
Bellingham	266	264	193	100	30	20	2	17	24	65	6			2
Everett	255	250	166	82	24	27	3	13	17	78	6	4		1
Hoquiam	75	73	51	30	7	11		1	2	21	1		1	1
Seattle	2,839	2,643	1,766	912	347	215	35	94	163	810	67	48	116	32
Spokane	1,315	1,297	955	562	175	96	10	52	60	317	25	12	2	4
Tacoma	1,051	1,020	689	355	140	67	16	45	66	301	30	19	11	1
Vancouver	143	141	110	72	14	5		7	12	30	1		1	1
Walla Walla	250	247	204	118	24	14	5	10	33	41	2			3
Yakima	302	284	233	130	27	34	3	13	26	45	6	9	4	5
WEST VIRGINIA.[1]														
Wheeling	869	826	656	373	144	52	11	34	42	161	9	43		
WISCONSIN.														
Appleton	262	262	171	90	54	16		1	10	90	1			
Ashland	197	195	98	40	37	10	2	4	5	95	2			2
Beloit	204	190	155	82	39	17		8	9	35		14		
Eau Claire*	322	322	194	91	61	20	2	8	12	125	3			
Fond du Lac	306	305	211	105	71	17	7	4	7	91	3	1		
Green Bay	531	527	364	139	95	51	15	40	24	153	10	1		3
Janesville	197	197	160	90	37	16	4	5	8	37				
Kenosha	323	322	209	71	99	23	1	6	9	110	3	1		
La Crosse	524	524	346	151	118	34	7	14	22	172	6			
Madison	426	421	301	123	112	29	6	18	13	117	3	5		
Manitowoc	226	226	149	70	62	14	2		1	71	6			
Marinette	155	155	80	34	22	17	1	2	4	71	4			
Milwaukee	4,587	4,554	2,846	1,011	1,274	360	34	59	108	1,678	30	29		4
Oshkosh	445	445	275	126	87	32	5	6	19	167	3			
Racine	589	587	385	171	155	49		1	9	199	3	2		
Sheboygan	344	344	196	81	88	17	1	2	7	146	2			
Stevens Point	139	139	88	50	13	10	2	3	10	51				
Superior	446	441	244	99	80	46	1	3	15	181	16	2		3
Waukesha	140	140	101	50	32	11	2	2	4	38	1			
Wausau	264	264	162	84	41	17		6	14	102				
West Allis	127	127	86	33	34	11	3	2	3	41				

[1] Nonregistration state; the only cities shown are those with satisfactory registration of deaths.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[The white and colored are shown separately for minor subdivisions when the colored population of the subdivision formed at least 10 per cent of the total, or numbered areas which are designated by asterisks (*) contain

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	SUMMARY.												
1	The registration area (exclusive of Hawaii)	White	910,573	138,503	24,572	12,163	8,871	7,181	191,290	23,373	15,538	20,430	26,668	29,412
		Colored	121,436	21,508	4,335	1,732	1,052	771	29,398	2,685	2,667	5,559	8,269	7,628
2	Registration states [1]	White	895,593	135,876	24,022	11,951	8,735	7,078	187,662	23,029	15,258	19,949	25,956	28,680
		Colored	114,080	20,453	4,120	1,654	1,021	734	27,982	2,558	2,549	5,225	7,652	7,021
3	Cities in registration states [1]	White	475,465	70,804	12,330	6,194	4,816	3,869	98,013	12,847	7,899	10,108	14,254	16,841
		Colored	48,516	7,683	1,585	639	325	241	10,473	832	907	1,894	3,339	3,518
4	Rural part of registration states	White	420,128	65,072	11,692	5,757	3,919	3,209	89,649	10,182	7,359	9,841	11,702	11,839
		Colored	65,564	12,770	2,535	1,015	696	493	17,509	1,726	1,642	3,331	4,313	3,503
5	Registration cities in nonregistration states	White	14,980	2,627	550	212	136	103	3,628	344	280	481	712	732
		Colored	7,356	1,055	215	78	31	37	1,416	127	118	334	617	607
6	All registration cities [1]	White	490,445	73,431	12,880	6,406	4,952	3,972	101,641	13,191	8,179	10,589	14,966	17,573
		Colored	55,872	8,738	1,800	717	356	278	11,889	959	1,025	2,228	3,956	4,125
	REGISTRATION STATES.													
7	California	White	44,650	4,334	768	403	309	256	6,070	1,014	655	954	1,358	1,593
		Colored	2,727	472	92	59	32	19	674	52	41	64	137	132
8	Cities	White	26,184	2,260	414	199	179	146	3,198	581	322	515	781	882
		Colored	1,597	241	51	33	19	12	356	24	22	43	87	90
9	Rural districts	White	18,466	2,074	354	204	130	110	2,872	433	333	439	577	711
		Colored	1,130	231	41	26	13	7	318	28	19	21	50	42
10	Colorado	White	11,498	1,669	286	144	105	83	2,287	338	243	316	500	639
		Colored	380	36	15	5	1	2	59	6	13	13	32	40
11	Cities	White	5,275	596	102	53	41	28	820	132	90	129	223	313
		Colored	230	17	6	3	1	1	28	5	6	8	15	22
12	Rural districts	White	6,223	1,073	184	91	64	55	1,467	206	153	187	277	326
		Colored	150	19	9	2	.....	1	31	1	7	5	17	18
13	Connecticut	White	15,743	2,426	400	194	146	114	3,280	360	235	300	401	493
		Colored	424	66	22	7	4	2	101	17	5	13	26	23
14	Cities	White	11,764	1,931	324	161	121	88	2,625	292	183	232	320	406
		Colored	355	59	20	7	3	2	91	15	3	11	21	19
15	Rural districts	White	3,979	495	76	33	25	26	655	68	52	68	81	87
		Colored	69	7	2	.....	1	.....	10	2	2	2	5	4
16	Delaware	White	2,375	373	58	23	19	18	491	51	40	42	70	56
		Colored	595	121	21	6	4	2	154	13	15	30	31	29
17	Cities	White	1,166	211	33	18	9	8	279	28	15	21	36	30
		Colored	195	36	5	2	.....	.....	43	4	4	10	14	14
18	Rural districts	White	1,209	162	25	5	10	10	212	23	25	21	34	26
		Colored	400	85	16	4	4	2	111	9	11	20	17	15
19	Florida	White	7,022	977	227	123	71	39	1,437	158	106	181	231	251
		Colored	4,752	758	135	71	43	17	1,024	86	87	216	324	349
20	Cities	White	2,029	280	50	19	14	6	369	31	26	51	58	97
		Colored	1,595	262	45	30	10	10	357	29	23	63	113	136
21	Rural districts	White	4,993	697	177	104	57	33	1,068	127	80	130	173	154
		Colored	3,157	496	90	41	33	7	667	57	64	153	211	213
22	Illinois	White	69,867	10,187	1,951	974	766	647	14,525	2,075	1,283	1,546	2,027	2,320
		Colored	3,557	487	97	48	40	21	693	68	66	131	228	274
23	Cities	White	42,260	6,492	1,270	601	515	430	9,308	1,370	809	936	1,292	1,541
		Colored	2,791	394	83	41	32	17	567	55	52	91	180	235
24	Rural districts	White	27,607	3,695	681	373	251	217	5,217	705	474	610	735	779
		Colored	766	93	14	7	8	4	126	13	14	40	48	39
25	Indiana	White	33,685	4,641	853	449	297	238	6,478	836	558	784	930	1,025
		Colored	1,535	220	50	19	11	7	307	28	33	63	88	95
26	Cities	White	13,340	2,047	338	177	137	92	2,791	386	228	327	413	540
		Colored	1,236	192	42	18	9	7	268	23	31	53	72	84
27	Rural districts	White	20,345	2,594	515	272	160	146	3,687	450	330	457	517	485
		Colored	299	28	8	1	2	.....	39	5	2	10	16	11
28	Kansas	White	17,051	2,463	395	241	174	163	3,436	436	334	383	438	441
		Colored	1,055	134	22	11	3	5	175	19	24	47	52	62
29	Cities	White	4,677	652	101	52	49	43	897	118	77	111	145	158
		Colored	655	81	17	7	2	2	109	10	19	31	34	39
30	Rural districts	White	12,374	1,811	294	189	125	120	2,539	318	257	272	293	283
		Colored	400	53	5	4	1	3	66	9	5	16	18	23
31	Kentucky	White	21,512	3,682	979	427	275	219	5,582	595	431	677	875	746
		Colored	4,157	486	109	37	25	22	679	72	79	209	301	299
32	Cities	White	4,951	574	110	61	30	31	806	97	78	138	171	187
		Colored	1,460	132	27	11	4	9	183	19	17	58	92	109
33	Rural districts	White	16,561	3,108	869	366	245	188	4,776	498	353	539	704	559
		Colored	2,697	354	82	26	21	13	496	53	62	151	209	190
34	Louisiana	White	10,355	1,661	379	156	104	91	2,391	238	206	302	399	463
		Colored	9,748	1,640	296	124	73	51	2,184	198	228	512	732	636
35	Cities	White	5,094	552	134	52	45	28	811	91	90	127	200	255
		Colored	3,566	507	89	32	19	7	654	44	72	171	294	282
36	Rural districts	White	5,261	1,109	245	104	59	63	1,580	147	116	175	199	208
		Colored	6,182	1,133	207	92	54	44	1,530	154	156	341	438	354
37	Maine	White	10,789	1,556	199	91	55	59	1,960	190	141	211	227	238
		Colored	26	3	1	.....	.....	.....	4	1	.....	2	2	1
38	Cities	White	3,240	408	63	36	22	10	539	74	53	59	80	101
		Colored	9	1	.....	.....	.....	.....	1	.....	.....	.....	1	1
39	Rural districts	White	7,549	1,148	136	55	33	49	1,421	116	88	152	147	137
		Colored	17	2	1	.....	.....	.....	3	1	.....	2	1	.....

[1] Including District of Columbia.

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1921.

10,000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920; the remainder of the state is included in "rural districts." Minor state insane asylums, state hospitals, etc.]

DEATHS AT AGE OF—															
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
30,183	34,547	35,539	41,073	47,896	52,770	65,795	69,174	72,012	67,203	48,815	26,903	8,950	1,965	330	707	1
6,471	7,734	7,089	7,298	6,917	5,287	5,445	4,611	4,609	3,395	2,594	1,495	828	406	580	471	
29,529	33,740	34,811	40,274	47,041	51,991	64,819	68,287	71,147	66,520	48,369	26,694	8,879	1,943	323	692	2
5,925	7,097	6,512	6,682	6,333	4,987	5,159	4,429	4,455	3,308	2,532	1,449	806	393	566	460	
17,681	20,392	21,266	25,025	29,010	31,446	36,663	35,678	34,021	29,236	20,065	10,670	3,415	732	114	89	3
3,111	3,809	3,663	3,557	3,297	2,430	2,285	1,653	1,466	972	610	305	136	81	99	79	
11,848	13,348	13,545	15,249	18,031	20,545	28,156	32,609	37,126	37,284	28,304	16,024	5,464	1,211	209	603	4
2,814	3,288	2,849	3,125	3,036	2,557	2,874	2,776	2,989	2,336	1,922	1,144	670	312	467	381	
654	807	728	799	855	779	976	887	865	683	446	209	71	22	7	15	5
546	637	577	616	584	300	286	182	154	87	62	46	22	13	14	11	
18,335	21,199	21,994	25,824	29,865	32,225	37,639	36,565	34,886	29,919	20,511	10,879	3,486	754	121	104	6
3,657	4,446	4,240	4,173	3,881	2,730	2,571	1,835	1,620	1,059	672	351	158	94	113	90	
1,709	2,143	2,201	2,448	2,817	2,937	3,482	3,584	3,759	3,438	2,472	1,389	491	110	22	4	7
149	168	170	167	176	169	197	136	119	66	42	29	16	6	14	3	
964	1,257	1,307	1,503	1,792	1,859	2,210	2,193	2,299	1,983	1,440	774	257	55	10	2	8
89	107	112	113	107	116	119	83	62	27	17	13	4	2	2	2	
745	886	894	945	1,025	1,078	1,272	1,391	1,460	1,455	1,032	615	234	55	12	2	9
60	61	58	54	69	53	78	53	57	39	25	16	12	4	12	1	
546	587	552	566	634	650	760	717	755	596	467	235	67	27	4	12	10
37	27	30	24	18	15	14	21	8	3	9	5	3	1	1	1	
279	297	268	303	320	339	390	356	353	277	231	114	29	8	2	2	11
24	19	23	17	11	10	10	14	4	2	6	3	1		1	1	
267	290	284	263	314	311	370	361	402	319	236	121	38	19	2	10	12
13	8	7	7	7	5	4	7	4	1	3	2	2	1			
528	564	601	773	856	985	1,194	1,168	1,270	1,133	819	493	173	56	5	6	13
21	35	25	26	17	21	17	23	16	22	8	7				1	
416	454	458	630	664	775	864	854	903	771	497	283	102	31	2	2	14
17	31	22	25	15	16	14	16	14	16	5	4					
112	110	143	143	192	210	330	314	367	412	322	210	71	25	3	4	15
4	4	3	1	2	5	3	7	2	6	3	3				1	
68	72	81	78	112	133	178	210	221	208	165	65	30	2	2		16
18	25	43	25	38	27	48	19	39	22	7	6	2	2	2		
35	38	47	47	67	73	90	98	92	80	55	22	12		1		17
10	11	13	6	14	12	12	7	11	6		1	1	1	1		
33	34	34	31	45	60	88	112	129	128	110	43	18	2	1		18
8	14	30	19	24	15	36	12	28	16	7	5	1	1	1		
222	271	319	330	377	380	465	577	578	509	364	142	63	9	4	48	19
305	368	337	361	287	210	169	151	149	102	65	41	24	17	29	51	
74	79	116	121	141	123	145	189	135	125	80	46	14	2		7	20
127	152	122	143	86	65	57	41	29	17	17	5	4	2	4	3	
148	192	203	209	236	257	320	388	443	384	284	96	49	7	4	41	21
178	216	215	218	201	145	112	110	120	85	48	36	20	15	25	48	
2,488	2,810	2,832	3,284	3,869	4,243	5,112	4,994	5,091	4,698	3,614	2,146	720	158	22	10	22
228	313	253	282	228	178	162	144	114	85	55	25	13	5	11	1	
1,706	1,933	1,897	2,259	2,632	2,865	3,215	2,849	2,605	2,206	1,557	902	299	69	8	2	23
186	260	203	229	199	131	113	106	81	45	29	18	5		5	1	
782	877	935	1,025	1,237	1,378	1,897	2,145	2,486	2,492	2,057	1,244	421	89	14	8	24
42	53	50	53	29	47	49	38	33	40	26	7	8	5	6		
1,012	1,098	1,099	1,247	1,595	1,846	2,421	2,804	3,131	2,938	2,262	1,150	375	75	6	15	25
83	119	119	89	101	84	82	59	76	35	31	22	5	4	6	6	
518	561	524	613	715	785	951	1,028	1,026	875	611	323	105	18	1	1	26
70	104	107	72	81	63	59	42	49	19	16	12	3	3	4	1	
494	537	575	634	880	1,061	1,470	1,776	1,105	2,063	1,651	827	270	57	5	14	27
13	15	12	17	20	21	23	17	27	16	15	10	2	1	2	5	
449	536	538	673	702	824	1,091	1,345	1,557	1,649	1,250	657	240	55	3	14	28
49	76	63	62	55	66	64	47	56	49	43	23	7	4	10	2	
149	157	188	246	227	280	334	363	382	365	269	148	42	16	1	4	29
34	46	43	43	34	48	42	26	29	22	22	14	3	4	3		
300	379	350	427	475	544	757	982	1,175	1,284	981	509	198	39	2	10	30
15	30	20	19	21	18	22	21	27	27	21	9	4		7	2	
690	741	729	793	870	973	1,357	1,435	1,539	1,565	1,100	548	190	38	7	31	31
200	240	225	260	275	248	245	193	181	147	105	83	36	17	23	40	
186	208	221	257	264	323	436	407	378	336	256	108	37	5		2	32
79	103	104	124	136	105	106	71	58	41	20	16	4	4	7	4	
504	533	508	536	606	650	921	1,028	1,161	1,179	844	440	153	33	7	29	33
121	137	121	136	139	143	139	122	123	106	85	67	32	13	16	36	
376	472	469	502	576	554	719	760	673	549	383	233	45	27	4	14	34
515	605	542	596	546	361	381	378	379	295	253	146	97	66	71	27	
218	261	286	299	354	341	424	426	330	285	159	109	15	8	2	3	35
225	280	255	270	274	167	159	116	105	73	57	32	11	15	6	4	
158	211	183	203	222	213	295	334	343	264	224	124	30	19	2	11	36
290	325	287	326	272	194	222	262	274	222	196	114	86	51	65	23	
265	265	313	387	497	536	792	898	1,013	1,126	887	544	205	34	7	3	37
1	3		1		2		4	1	1	1		1	1			
104	108	140	156	186	211	257	270	268	275	200	115	39	5			38
1	2		1							1		1				
161	157	173	231	311	375	535	628	745	851	687	429	166	29	7	3	39
	1				2		4	1	1				1			

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[The white and colored are shown separately for minor subdivisions when the colored population of the subdivision formed at least 10 per cent of the total, or numbered areas which are designated by asterisks (*) contain

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION STATES—Continued.												
1	Maryland	White	15,135	2,419	391	164	114	80	3,168	276	219	316	442	448
		Colored	4,845	1,043	208	77	50	25	1,403	99	88	196	262	226
2	Cities	White	9,084	1,400	256	93	68	57	1,874	166	131	170	267	279
		Colored	2,429	392	81	35	22	9	539	38	39	80	143	160
3	Rural districts	White	6,051	1,019	135	71	46	23	1,294	110	88	146	175	169
		Colored	2,416	651	127	42	28	16	864	61	49	116	119	66
4	Massachusetts	White	46,899	6,865	1,126	514	389	311	9,205	1,065	656	823	1,083	1,337
		Colored	888	141	53	17	6	8	225	20	14	21	47	51
5	Cities	White	37,767	5,846	980	441	356	281	7,904	929	539	666	885	1,105
		Colored	759	123	46	13	5	7	194	17	9	20	42	42
6	Rural districts	White	9,132	1,019	146	73	33	30	1,301	136	117	157	198	232
		Colored	129	18	7	4	1	1	31	3	5	1	5	9
7	Michigan	White	42,836	7,337	1,065	572	442	359	9,775	1,296	811	992	1,152	1,384
		Colored	1,296	234	59	19	12	4	328	20	34	42	110	105
8	Cities	White	20,941	4,077	635	323	248	202	5,485	745	376	499	634	861
		Colored	944	184	44	15	8	3	254	12	21	26	83	84
9	Rural districts	White	21,895	3,260	430	249	194	157	4,290	551	435	493	518	523
		Colored	352	50	15	4	4	1	74	8	13	16	27	21
10	Minnesota	White	22,533	3,340	393	256	186	164	4,339	594	439	612	736	838
		Colored	273	41	12	1	3	1	58	11	6	18	17	11
11	Cities	White	9,654	1,198	148	116	88	75	1,625	281	160	235	344	440
		Colored	139	7	2				9	1	3	12	12	8
12	Rural districts	White	12,879	2,142	245	140	98	89	2,714	313	279	377	392	398
		Colored	134	34	10	1	3	1	49	10	3	6	5	3
13	Mississippi	White	7,325	1,243	298	191	114	89	1,935	237	176	236	247	198
		Colored	12,625	1,914	395	209	145	106	2,769	425	363	730	930	744
14	Cities	White	1,178	133	46	21	12	7	219	18	36	46	53	41
		Colored	1,813	206	43	16	9	2	276	27	38	99	154	121
15	Rural districts	White	6,147	1,110	252	170	102	82	1,716	219	140	190	194	157
		Colored	10,812	1,708	352	193	136	104	2,493	398	325	631	776	623
16	Missouri	White	33,661	4,218	852	431	364	270	6,135	959	663	824	995	1,094
		Colored	3,410	379	77	29	21	15	521	50	72	124	207	210
17	Cities	White	15,763	1,781	285	149	139	108	2,462	416	291	380	513	578
		Colored	2,363	254	50	22	16	7	349	35	38	83	148	153
18	Rural districts	White	17,898	2,437	567	282	225	162	3,673	543	372	444	482	516
		Colored	1,047	125	27	7	5	8	172	15	34	41	59	57
19	Montana	White	4,382	723	98	60	34	43	958	131	102	113	114	161
		Colored	311	82	13	14	7	5	121	15	8	15	10	12
20	Cities	White	1,383	193	28	18	11	8	258	25	25	36	48	53
		Colored	43	7	2				9	1		1	4	1
21	Rural districts	White	2,999	530	70	42	23	35	700	106	77	77	66	108
		Colored	268	75	11	14	7	5	112	14	8	14	6	11
22	Nebraska	White	11,702	1,833	239	132	111	91	2,406	318	233	279	346	337
		Colored	315	55	9	2	3	2	71	7	5	17	12	21
23	Cities	White	3,617	501	50	43	36	39	669	107	73	85	145	129
		Colored	198	27	4	1	1	1	34	5	3	9	8	21
24	Rural districts	White	8,085	1,332	189	89	75	52	1,737	211	160	194	201	208
		Colored	117	28	5	1	2	1	37	2	2	8	4	
25	New Hampshire	White	6,094	877	93	57	38	39	1,104	93	71	104	129	128
		Colored	8	1					1			1		
26	Cities	White	2,644	497	56	29	23	25	630	57	33	55	64	60
		Colored	4	1					1					
27	Rural districts	White	3,450	380	37	28	15	14	474	36	38	49	65	68
		Colored	4									1		
28	New Jersey	White	35,593	5,345	976	484	388	286	7,479	1,005	573	777	871	1,153
		Colored	2,335	455	95	34	16	11	611	47	41	84	123	134
29	Cities	White	22,966	3,785	712	372	276	210	5,355	732	397	490	569	798
		Colored	1,584	335	68	28	13	8	452	35	27	49	78	96
30	Rural districts	White	12,627	1,560	264	112	112	76	2,124	273	176	287	302	355
		Colored	751	120	27	6	3	3	159	12	14	35	45	38
31	New York	White	126,419	17,342	3,090	1,573	1,172	966	24,143	2,990	2,012	2,469	3,510	3,983
		Colored	3,975	751	143	60	30	15	999	61	61	113	254	308
32	Cities	White	94,266	13,994	2,609	1,340	983	825	19,751	2,484	1,616	1,922	2,732	3,194
		Colored	3,515	691	129	56	27	15	918	54	54	106	231	274
33	Rural districts	White	32,153	3,348	481	233	189	141	4,392	506	396	547	778	789
		Colored	460	60	14	4	3		81	7	7	7	23	34
34	North Carolina	White	18,100	4,062	1,007	363	219	144	5,795	383	279	413	618	605
		Colored	11,354	2,571	551	176	119	74	3,491	290	289	542	794	610
35	Cities	White	2,862	497	131	43	28	21	720	63	52	80	139	130
		Colored	2,298	430	90	31	14	11	576	46	65	108	212	169
36	Rural districts	White	15,238	3,565	876	320	191	123	5,075	320	227	333	479	475
		Colored	9,056	2,141	461	145	105	63	2,915	244	224	434	582	441
37	Ohio	White	63,386	9,168	1,461	823	609	500	12,561	1,677	972	1,371	1,761	1,933
		Colored	3,718	546	118	59	29	21	773	55	83	141	268	275
38	Cities	White	34,342	5,231	811	459	391	318	7,210	1,035	526	729	1,093	1,240
		Colored	2,799	416	95	48	21	16	596	43	64	113	193	234
39	Rural districts	White	29,044	3,937	650	364	218	182	5,351	642	446	642	668	693
		Colored	919	130	23	11	8	5	177	12	19	28	75	41
40	Oregon	White	8,076	761	102	65	48	45	1,021	217	157	194	240	276
		Colored	228	27	4	2	3	2	38	5	5	8	13	11
41	Cities	White	3,647	303	43	23	17	20	406	93	83	70	92	136
		Colored	129	11	1		1	1	14	3	3	4	5	5
42	Rural districts	White	4,429	458	59	42	31	25	615	124	74	124	148	140
		Colored	99	16	3	2	2	1	24	2	2	4	8	6

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1921—Continued.

10,000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920; the remainder of the state is included in "rural districts." Minor state insane asylums, state hospitals, etc.]

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
469	479	571	664	803	878	1,168	1,299	1,311	1,194	812	438	124	26	5	25	1
210	273	288	289	300	237	252	186	183	138	103	54	23	6	9	20	
298	321	362	468	558	566	745	804	758	646	372	224	57	13	3	2	2
140	197	194	204	180	133	137	74	70	43	35	15	4	1	2	1	
171	158	209	196	245	312	423	495	553	548	440	214	67	13	2	23	3
70	76	94	85	120	104	115	112	113	95	68	39	19	5	7	19	
1,412	1,613	1,858	2,219	2,725	3,058	3,688	3,911	4,006	3,448	2,576	1,542	535	116	18	5	4
36	62	70	50	51	46	40	54	42	26	17	6	4	4	2	.....	
1,162	1,338	1,572	1,881	2,257	2,508	2,984	3,033	3,080	2,556	1,858	1,046	362	86	13	3	5
30	53	57	44	40	40	38	50	36	24	13	3	3	2	2	.....	
250	275	286	338	468	550	704	878	926	892	718	496	173	30	5	2	6
6	9	13	6	11	6	2	4	6	2	4	3	1	2	.....	.....	
1,352	1,484	1,470	1,674	1,952	2,248	2,783	3,252	3,347	3,384	2,541	1,340	419	100	21	59	7
96	124	86	70	48	39	41	47	38	24	16	11	6	3	5	3	
329	393	363	948	1,022	1,141	1,294	1,382	1,297	1,163	875	437	145	38	6	8	8
81	102	69	53	36	25	26	28	22	7	8	1	3	1	2	.....	
523	591	607	726	930	1,107	1,489	1,870	2,050	2,221	1,666	903	274	62	15	51	9
15	22	17	17	12	14	15	19	16	17	8	10	3	2	3	3	
808	906	880	923	1,213	1,254	1,699	1,562	1,589	1,673	1,236	851	290	74	8	9	10
12	17	16	24	18	15	8	14	8	6	7	2	2	1	2	.....	
401	467	436	473	615	646	814	720	654	601	378	260	78	21	1	4	11
10	12	12	16	14	9	4	7	3	2	2	1	.....	1	1	.....	
407	439	444	450	598	608	885	842	935	1,072	858	591	212	53	7	5	12
2	5	4	8	4	6	4	7	5	4	5	1	2	.....	1	.....	
245	295	268	306	279	293	437	510	544	488	332	177	56	19	3	44	13
585	687	570	637	612	455	529	513	545	478	411	232	153	54	116	87	
53	66	59	74	65	72	89	81	68	71	42	16	5	2	.....	2	14
113	131	131	132	124	78	76	74	70	62	41	17	10	5	13	21	
192	229	209	232	214	221	348	429	476	417	290	161	51	17	3	42	15
472	556	439	505	488	377	453	439	475	416	370	215	143	49	103	66	
1,122	1,202	1,281	1,486	1,771	1,921	2,465	2,610	2,788	2,738	1,966	1,130	342	66	11	92	16
231	251	250	259	245	187	175	150	180	103	69	43	27	15	13	28	
645	699	767	907	1,036	1,080	1,295	1,234	1,206	1,016	684	412	113	18	3	8	17
180	186	209	206	195	136	109	84	98	61	33	19	8	10	7	16	
477	503	514	579	735	841	1,170	1,376	1,582	1,722	1,282	718	229	48	8	84	18
51	65	41	53	50	51	66	66	82	42	36	24	19	5	6	12	
204	230	202	226	269	278	330	305	267	246	131	75	26	8	.....	6	19
14	7	6	13	10	19	12	9	6	10	4	4	5	2	2	7	
63	77	58	92	111	118	107	95	81	64	40	23	5	2	.....	2	20
5	1	3	2	1	5	4	1	1	1	.....	2	.....	.....	.....	1	
141	153	144	134	158	160	223	210	186	182	91	52	21	6	.....	4	21
9	6	3	11	9	14	8	8	5	9	4	2	5	2	2	6	
354	412	376	458	503	595	779	922	1,013	1,031	755	426	121	26	5	7	22
13	32	22	18	20	30	7	6	10	4	8	6	5	.....	1	.....	
144	170	175	187	203	216	266	260	260	232	166	98	25	7	.....	.....	23
9	28	15	14	14	18	3	4	5	3	3	1	.....	.....	1	.....	
210	242	201	271	300	379	513	662	753	799	589	328	96	19	5	7	24
4	4	7	4	6	12	4	2	5	1	5	5	5	.....	.....	.....	
145	169	158	240	274	363	433	514	667	598	447	289	109	22	4	33	25
.....	.....	.....	1	.....	.....	.....	3	1	1	.....	.....	.....	.....	.....	.....	
70	92	74	121	131	169	183	202	216	203	146	85	37	8	3	5	26
.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	
75	77	84	119	143	194	250	312	451	395	301	204	72	14	1	28	27
.....	.....	.....	1	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	
1,210	1,365	1,496	1,835	2,063	2,333	2,743	2,665	2,630	2,485	1,703	864	273	58	8	4	28
119	173	174	170	132	116	114	113	54	60	34	21	7	4	4	.....	
820	927	1,022	1,262	1,382	1,598	1,757	1,618	1,484	1,338	875	393	122	22	3	2	29
86	122	125	119	95	77	69	72	24	28	11	9	3	3	4	.....	
390	438	474	573	681	735	986	1,047	1,146	1,147	828	471	151	36	5	2	30
33	51	49	51	37	39	45	41	30	32	23	12	4	1	.....	.....	
4,292	4,992	5,504	6,532	7,777	8,587	10,092	10,049	9,756	8,688	6,254	3,360	1,112	249	33	35	31
290	331	322	225	226	179	181	125	128	98	31	24	15	1	2	1	
3,429	4,083	4,452	5,304	6,256	6,787	7,616	7,182	6,345	5,218	3,446	1,751	557	120	16	5	32
265	301	295	195	196	157	163	92	97	67	23	13	12	1	1	.....	
363	909	1,052	1,228	1,521	1,800	2,476	2,367	3,411	3,470	2,808	1,609	555	129	17	30	33
25	30	27	30	30	22	18	33	31	31	8	11	3	.....	1	1	
557	613	575	556	681	685	1,048	1,254	1,394	1,132	814	414	165	41	20	58	34
500	511	467	492	480	388	452	421	491	342	305	159	102	53	74	101	
134	130	129	124	153	145	201	184	172	143	96	49	12	3	1	2	35
143	124	135	139	140	86	102	66	79	36	21	17	9	5	4	16	
423	483	446	432	528	540	847	1,070	1,222	989	718	365	153	38	19	56	36
357	387	332	353	340	302	350	355	412	306	284	142	93	48	70	85	
2,067	2,371	2,350	2,704	3,019	3,481	4,557	4,928	5,363	5,347	3,960	2,113	681	131	23	16	37
233	290	261	262	201	160	156	133	145	131	83	33	13	10	9	3	
1,389	1,565	1,509	1,736	1,912	2,080	2,574	2,521	2,424	2,184	1,511	772	272	47	12	1	38
196	246	207	208	161	111	113	83	83	72	46	14	4	6	5	1	
678	806	841	968	1,107	1,401	1,983	2,407	2,939	3,163	2,449	1,341	409	84	11	15	39
37	44	54	54	40	49	43	50	62	59	37	19	9	4	4	2	
280	345	358	424	459	534	673	728	726	627	434	254	96	21	3	9	40
10	15	12	9	15	16	14	22	11	9	3	6	4	.....	1	1	
153	174	184	218	261	269	315	308	321	265	155	98	34	9	1	2	41
6	9	7	6	10	12	13	16	8	6	1	.....	1	.....	.....	.....	
127	171	174	206	198	265	358	420	405	362	279	156	62	12	2	7	42
4	6	5	3	5	4	1	6	3	3	2	6	3	.....	1	1	

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[The white and colored are shown separately for minor subdivisions when the colored population of the subdivision formed at least 10 per cent of the total, or numbered areas which are designated by asterisks (*) contain

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION STATES—Continued.												
1	Pennsylvania	White	104,347	19,173	3,189	1,539	1,171	933	26,005	2,878	1,809	2,187	2,855	3,216
		Colored	5,572	960	229	60	34	43	1,326	117	117	208	397	402
2	Cities	White	54,708	9,214	1,614	797	609	472	12,706	1,493	947	1,128	1,613	1,887
		Colored	4,310	745	166	47	25	31	1,014	93	93	157	298	316
3	Rural districts	White	49,639	9,959	1,575	742	562	461	13,299	1,385	862	1,059	1,242	1,329
		Colored	1,262	215	63	13	9	12	312	24	24	51	99	86
4	Rhode Island	White	7,547	1,290	207	82	87	39	1,705	168	95	133	176	211
		Colored	209	54	10	1	.....	1	66	3	2	10	13	13
5	Cities	White	6,290	1,120	170	74	77	36	1,477	145	76	101	143	173
		Colored	179	48	8	1	.....	1	58	2	1	5	11	13
6	Rural districts	White	1,257	170	37	8	10	3	228	23	19	32	33	38
		Colored	30	6	2	.....	.....	.....	8	1	1	5	2	.....
7	South Carolina	White	8,206	1,747	436	168	83	82	2,516	201	136	240	311	274
		Colored	12,171	3,104	567	217	129	108	4,125	321	292	553	838	693
8	Cities	White	1,732	281	71	28	16	12	408	30	25	55	74	84
		Colored	2,163	413	70	44	9	14	550	38	40	87	180	172
9	Rural districts	White	6,474	1,466	365	140	67	70	2,108	171	111	185	237	190
		Colored	10,008	2,691	497	173	120	94	3,575	283	252	466	658	521
10	Tennessee	White	18,032	2,995	771	334	193	171	4,464	495	322	574	743	646
		Colored	7,187	929	196	78	60	42	1,305	161	169	423	560	477
11	Cities	White	4,439	616	160	65	36	35	912	112	63	140	214	182
		Colored	3,143	401	80	21	19	15	536	56	54	146	251	242
12	Rural districts	White	13,593	2,379	611	269	157	136	3,552	383	259	434	529	464
		Colored	4,044	528	116	57	41	27	769	105	115	277	309	235
13	Utah	White	4,636	1,025	209	79	55	51	1,419	146	125	139	146	162
		Colored	147	37	8	2	2	4	53	4	1	5	5	4
14	Cities	White	2,010	325	71	24	15	19	454	63	53	49	71	74
		Colored	57	10	.....	1	.....	.....	11	1	.....	2	2	3
15	Rural districts	White	2,626	700	138	55	40	32	965	83	72	90	75	88
		Colored	90	27	8	1	2	4	42	3	1	3	3	1
16	Vermont	White	4,992	616	77	31	26	28	778	82	54	73	103	100
		Colored	7	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
17	Cities	White	742	125	11	5	6	5	152	21	5	12	12	20
		Colored	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
18	Rural districts	White	4,250	491	66	26	20	23	626	61	49	61	91	80
		Colored	5	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
19	Virginia	White	17,225	3,306	667	320	215	157	4,665	389	308	397	572	468
		Colored	11,309	2,217	417	165	92	84	2,975	222	237	557	686	618
20	Cities	White	4,437	707	122	61	45	29	964	80	69	100	153	145
		Colored	3,521	672	143	47	21	18	901	50	68	165	235	239
21	Rural districts	White	12,788	2,599	545	259	170	128	3,701	309	239	297	419	323
		Colored	7,788	1,545	274	118	71	66	2,074	172	169	392	451	379
22	Washington	White	12,653	1,395	190	124	97	84	1,890	351	296	303	445	488
		Colored	601	117	29	15	7	3	171	20	19	41	34	24
23	Cities	White	6,361	692	79	52	38	42	903	168	128	117	210	223
		Colored	278	54	18	4	1	3	80	7	2	13	15	12
24	Rural districts	White	6,292	703	111	72	59	42	987	183	168	186	235	265
		Colored	323	63	11	11	6	.....	91	13	17	28	19	12
25	Wisconsin	White	27,302	4,395	527	323	236	197	5,678	711	474	630	778	835
		Colored	250	53	10	6	4	.....	73	7	18	6	9	13
26	Cities	White	10,687	1,853	240	148	113	91	2,445	308	180	243	340	359
		Colored	67	16	3	1	1	.....	21	2	2	.....	1	3
27	Rural districts	White	16,615	2,542	287	175	123	106	3,233	403	294	387	438	476
		Colored	183	37	7	5	3	.....	52	5	16	6	8	10
	REGISTRATION CITIES.													
	ALABAMA.[1]													
28	Birmingham	White	1,286	204	55	13	18	8	298	35	36	43	65	56
		Colored	1,439	230	44	15	8	6	303	25	25	75	133	118
29	Mobile	White	555	61	16	12	7	5	101	6	5	12	26	27
		Colored	481	78	13	4	.....	1	96	7	6	20	36	45
30	Montgomery	White	278	25	3	2	2	.....	32	9	8	4	15	12
		Colored	436	42	13	8	3	1	67	9	7	26	32	37
	CALIFORNIA.													
31	Alameda		290	26	5	4	1	1	37	6	3	3	8	8
32	Bakersfield		379	59	14	5	5	3	86	10	7	10	15	16
33	Berkeley		564	40	5	2	3	1	51	14	7	13	12	11
34	Eureka		204	20	4	2	3	.....	29	4	2	6	4	6
35	Fresno		638	123	18	16	17	3	177	19	9	10	22	28
36	Glendale*		331	14	2	1	.....	2	19	3	5	4	6	21
37	Long Beach		854	58	10	3	4	1	76	16	8	11	17	16
38	Los Angeles	White	7,995	763	142	56	52	49	1,062	147	101	178	270	296
		Colored	533	96	13	11	7	.....	127	7	7	15	30	32
39	Oakland	White	2,235	199	47	14	14	16	290	68	24	27	50	57
		Colored	121	19	.....	1	1	3	24	3	1	2	6	5
40	Pasadena		692	28	9	3	4	3	47	9	10	6	15	17
41	Pomona		228	23	3	.....	3	1	30	7	3	10	1	7
42	Richmond		142	21	3	1	3	1	29	5	9	2	6	3
43	Riverside		337	29	9	5	4	3	50	8	6	17	11	15
44	Sacramento		1,083	123	21	11	7	6	168	25	7	18	26	41
45	San Bernardino*		378	49	20	2	5	3	79	7	5	12	15	16
46	San Diego		1,379	106	12	8	7	1	134	13	4	34	35	41

[1] Nonregistration state; the only cities shown are those with satisfactory registration of deaths.

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1921—Continued.

10,000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920; the remainder of the state is included in "rural districts." Minor state insane asylums, state hospitals, etc.]

DEATHS AT AGE OF—														Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	
3,331	3,968	4,054	4,698	5,469	5,901	7,078	7,401	7,771	7,124	5,043	2,563	820	139	27	10	1
328	427	398	393	331	285	241	178	164	100	86	41	17	6	10		
1,980	2,360	2,396	2,772	3,362	3,472	3,940	3,859	3,821	3,219	2,249	1,085	342	58	17	2	2
274	332	337	307	279	210	191	128	112	65	58	27	9	2	8		
1,351	1,608	1,658	1,926	2,107	2,429	3,138	3,542	3,950	3,905	2,794	1,478	478	81	10	8	3
54	95	61	86	52	75	50	50	52	35	28	14	8	4	2		
215	261	281	362	444	466	627	573	624	553	381	190	59	12	3	8	4
7	13	6	13	16	3	8	8	10	11	5	1	1				
178	215	248	310	384	406	530	478	511	430	283	141	44	8	3	6	5
4	13	6	11	12	3	8	7	9	10	5		1				
37	46	33	52	60	60	97	95	113	123	98	49	15	4		2	6
3			2	4			1	1	1		1					
248	268	278	322	326	322	521	596	637	461	299	162	53	17	4	14	7
533	627	571	610	517	370	422	382	444	296	248	131	90	34	54	20	
78	71	71	89	95	86	110	137	118	98	58	34	9	2			8
154	162	153	164	123	96	63	59	49	31	23	6	6	3	3	1	
170	197	207	233	231	236	411	459	519	363	241	128	44	15	4	14	9
379	465	418	446	394	274	359	323	395	265	225	125	84	31	51	19	
659	719	652	729	793	776	1,023	1,275	1,377	1,275	856	478	108	28	9	31	10
418	497	413	421	481	349	342	298	274	200	175	98	44	23	34	25	
195	224	224	254	236	230	297	312	309	242	190	79	20	3		1	11
209	278	233	240	251	168	153	104	78	65	45	14	9	2	8	1	
404	495	428	475	557	546	726	963	1,068	1,033	666	399	88	25	9	30	12
209	219	180	181	230	181	189	194	196	135	130	84	35	21	26	24	
151	194	150	175	188	228	235	275	258	276	218	102	42	7			13
7	14	7	9	6	6	5	5	5	4	1	3			1	2	
84	99	77	102	107	122	118	136	122	126	95	40	17	1			14
5	9	4	2	5	2	4	3	4								
67	95	73	73	81	106	117	139	136	150	123	62	25	6			15
2	5	3	7	1	4	1	2	1	4	1	3			1	2	
106	135	152	177	243	257	354	430	559	568	421	282	87	15	6	10	16
	2	1						1	2							
17	36	38	40	46	40	49	51	67	52	45	30	5	2	1	1	17
	1							1								
89	99	114	137	197	217	305	379	492	516	376	252	82	13	5	9	18
	1	1							2							
497	550	535	615	694	769	1,158	1,273	1,411	1,275	936	480	164	48	4	17	19
533	583	541	617	683	533	627	476	455	344	265	163	70	46	50	28	
167	178	185	196	259	268	355	361	314	291	216	95	30	9	1	1	20
212	222	261	270	277	177	178	98	71	45	23	10	7	6	1	5	
330	372	350	419	435	501	803	912	1,097	984	720	385	134	39	3	16	21
321	361	280	347	406	356	449	378	384	299	242	153	63	40	49	23	
489	558	587	610	753	862	1,064	1,054	1,031	852	556	320	92	26	3	23	22
28	33	33	27	33	27	22	28	20	17	9	2	2	5	4	2	
255	290	331	349	404	501	579	554	502	400	237	161	35	12		2	23
17	20	20	11	22	15	17	11	8	5	1		1	1			
234	268	256	261	349	361	485	500	529	452	319	159	57	14	3	21	24
11	13	13	16	11	12	5	17	12	12	8	2	1	4	4	2	
340	393	376	1,034	1,165	1,541	1,963	2,080	2,139	2,258	1,679	1,140	473	96	19	20	25
12	8	11	15	8	11	12	14	8	9	5	4	3	2	2		
365	405	417	460	520	702	799	784	768	710	457	295	105	17	3	5	26
6	4	6	6	6	4	3		1	2							
475	488	459	574	645	839	1,164	1,276	1,371	1,548	1,222	845	368	79	16	15	27
6	4	5	9	2	7	9	14	7	7	5	4	3	2	2		
56	70	77	69	75	73	88	70	74	58	29	8	5	1			28
115	124	105	110	101	54	49	29	26	15	13	11	4	2	2		
18	26	21	31	39	33	45	40	43	38	26	10	5	2	1		29
31	38	37	44	35	26	14	11	16	9	7		2	1			
12	17	16	13	15	13	28	22	18	27	7	8		1		1	30
37	45	25	37	35	16	20	10	8	10	4	6	3	1	1		
10	7	15	10	20	16	17	29	31	22	28	14	6				31
16	23	20	18	24	33	24	26	25	9	9	4	2	1	1		32
10	23	24	27	32	34	50	61	59	60	42	28	5	1			33
10	6	5	11	16	13	24	16	18	15	11	6	2				34
28	36	35	34	37	28	38	37	38	25	19	14	3	1			35
13	13	11	15	16	16	38	26	40	37	26	15	5	2			36
22	42	30	35	50	45	66	78	111	110	79	31	7	4			37
322	425	416	465	524	572	640	653	640	554	409	236	67	14	3	1	38
29	47	41	39	31	37	30	24	13	11	3	5	2	1	2		
65	82	88	125	152	176	191	191	225	164	150	68	36	5	1		39
6	9	6	11	4	12	13	6	8	1	1	2		1			
25	30	28	23	49	33	57	61	89	77	61	40	12	2		1	40
9	5	7	11	4	16	22	16	29	20	16	12	3				41
4	8	12	4	9	5	11	9	10	9		5	2				42
12	22	20	5	16	11	26	23	31	30	22	7	5				43
46	62	58	73	72	96	91	87	86	56	33	22	13	2	1		44
21	25	16	21	25	17	26	24	26	19	10	9	4	1			45
50	51	67	70	87	106	124	134	149	132	80	52	10	6			46

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[The white and colored are shown separately for minor subdivisions when the colored population of the subdivision formed at least 10 per cent of the total, or numbered areas which are designated by asterisks (*) contain

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
	CALIFORNIA—continued.												
1	San Francisco—White	6,578	428	76	52	35	39	630	176	85	100	209	229
	San Francisco—Colored	453	40	12	11	8	5	76	7	7	12	33	32
2	San Jose	478	39	6	5	3	1	54	13	9	9	13	15
3	Santa Ana	201	23	6	2	1	1	33	4	2	1	5	8
4	Santa Barbara	260	33	4	3	2	4	46	6	2	10	6	8
5	Santa Cruz	208	7	----	----	1	----	8	----	6	5	3	1
6	Santa Monica	279	27	3	2	----	1	33	5	2	4	7	7
7	Stockton*	617	80	16	12	6	4	118	19	10	10	20	23
8	Vallejo	238	21	2	----	2	2	27	4	2	29	22	9
9	Venice	86	7	3	----	----	4	14	----	1	----	1	4
	COLORADO.												
10	Boulder	195	22	1	2	2	----	27	4	4	10	15	18
11	Colorado Springs*	608	43	8	9	1	4	65	14	6	20	34	56
12	Denver	3,715	390	65	37	28	17	537	76	60	75	149	203
13	Greeley	159	21	5	3	----	----	29	5	5	10	4	6
14	Pueblo	614	88	21	3	9	7	128	29	16	13	28	39
15	Trinidad	214	49	8	2	2	1	62	9	5	9	8	13
	CONNECTICUT.												
16	Ansonia	144	41	8	2	2	2	55	4	----	3	2	3
17	Bridgeport	1,503	270	53	28	29	21	401	49	23	38	39	58
18	Bristol	170	50	5	4	2	----	61	6	2	4	1	4
19	Danbury town	340	42	4	3	1	2	52	8	4	11	8	11
20	Derby	153	32	4	3	1	3	43	3	5	----	3	9
21	East Hartford town	86	5	1	----	----	----	6	1	1	3	1	2
22	Enfield town	112	34	4	2	5	1	46	2	2	1	2	----
23	Fairfield town	84	11	4	1	3	----	19	5	2	2	1	2
24	Greenwich town	264	40	9	1	----	2	52	4	4	7	9	5
25	Hartford	1,828	305	67	27	16	11	426	42	31	33	54	79
26	Manchester town	150	28	5	----	----	----	33	4	2	3	5	2
27	Meriden town	410	50	6	2	2	2	62	15	13	4	7	6
28	Middletown town*	470	41	8	7	4	1	61	8	4	7	7	18
29	Milford town	127	13	----	2	----	1	16	2	3	3	4	4
30	Naugatuck	102	16	4	3	2	----	25	2	2	2	1	1
31	New Britain	553	151	18	9	7	4	189	20	6	5	16	21
32	New Haven	1,933	261	61	30	16	20	388	43	36	34	60	58
33	New London	356	48	6	3	2	3	62	9	2	9	9	10
34	Norwalk	378	39	11	3	1	3	57	8	4	13	6	8
35	Norwich town*	478	63	5	5	7	----	80	14	7	10	20	18
36	Orange town	263	26	5	3	3	1	38	4	2	8	30	32
37	Stamford town	542	90	13	5	4	3	115	10	5	11	16	21
38	Stonington town	102	18	1	2	1	----	22	2	----	----	2	----
39	Stratford town	99	21	2	3	2	----	28	5	1	6	4	1
40	Torrington town	184	35	5	3	4	1	48	4	7	4	5	6
41	Wallingford town	126	13	----	1	1	1	16	4	1	----	2	2
42	Waterbury	931	210	28	13	8	7	266	24	15	20	23	33
43	Windham town	231	37	7	3	1	1	49	5	1	2	4	11
	DELAWARE.												
44	Wilmington—White	1,166	211	33	18	9	8	279	28	15	21	36	30
	Wilmington—Colored	195	36	5	2	----	----	43	4	4	10	14	14
	DISTRICT OF COLUMBIA.												
45	Washington—White	3,965	432	63	41	23	22	581	76	44	54	127	140
	Washington—Colored	2,090	318	57	24	13	12	424	38	34	70	110	119
	FLORIDA.												
46	Jacksonville—White	640	83	8	3	3	3	100	11	6	21	20	42
	Jacksonville—Colored	823	107	21	17	7	5	157	12	13	32	66	74
47	Key West—White	175	31	8	1	1	----	41	3	1	4	11	6
	Key West—Colored	90	14	1	2	----	2	19	5	1	4	5	10
48	Miami—White	308	46	8	2	1	1	58	1	3	5	8	13
	Miami—Colored	217	79	11	8	2	2	102	7	2	9	12	14
49	Pensacola—White	229	37	10	4	3	----	54	3	2	6	6	13
	Pensacola—Colored	180	23	7	1	1	1	33	2	1	5	12	11
50	St. Petersburg—White	206	8	1	1	1	1	12	3	1	2	3	2
	St. Petersburg—Colored	61	19	2	1	----	----	22	2	3	3	1	5
51	Tampa—White	471	75	15	8	5	1	104	10	13	13	10	21
	Tampa—Colored	224	20	3	1	----	----	24	1	3	10	17	22
	GEORGIA.[1]												
52	Atlanta—White	1,753	228	64	20	15	15	342	39	19	60	75	85
	Atlanta—Colored	1,325	186	43	17	5	15	271	31	23	48	130	105
53	Augusta*—White	428	62	12	4	5	2	85	10	8	3	10	16
	Augusta*—Colored	519	67	16	8	5	2	98	10	7	17	41	37
54	Brunswick—White	50	6	2	1	----	----	9	----	1	1	2	----
	Brunswick—Colored	99	11	2	----	----	----	13	1	1	6	8	6
55	Savannah*—White	612	76	8	6	5	6	101	9	12	10	25	25
	Savannah*—Colored	1,153	196	40	14	4	4	258	13	20	50	82	90

[1] Nonregistration state; the only cities shown are those with satisfactory registration of deaths.

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1921—Continued.

10,000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920; the remainder of the state is included in "rural districts." Minor state insane asylums, state hospitals, etc.]

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
264	330	385	452	540	524	618	544	520	464	304	142	48	12	2	----	1
25	24	30	34	36	38	45	31	11	3	6	1	----	----	----	2	
9	17	12	23	27	38	51	38	44	47	34	14	10	1	----	----	2
7	7	7	6	14	7	11	21	21	21	11	12	3	----	----	----	3
7	14	16	15	18	17	12	18	19	16	19	4	3	2	2	----	4
2	6	7	11	16	9	20	26	25	24	22	13	4	----	----	----	5
3	11	12	18	17	20	20	32	33	29	18	6	2	----	----	----	6
16	23	40	44	46	31	46	42	41	34	30	18	5	1	----	----	7
19	15	7	13	11	18	12	13	10	10	11	4	2	----	----	----	8
3	1	4	3	6	7	6	10	9	11	3	3	----	----	----	----	9
9	7	3	5	11	7	13	15	12	14	13	5	1	2	----	----	10
48	45	45	40	32	42	38	38	32	17	22	9	4	1	----	----	11
207	209	207	220	239	240	297	262	267	200	163	78	19	5	2	----	12
8	10	7	7	5	9	8	9	6	15	6	7	3	----	----	----	13
23	32	19	35	32	42	37	37	34	27	25	13	2	----	1	2	14
8	13	10	13	12	9	7	9	6	6	8	5	1	----	----	1	15
6	3	3	7	6	7	10	10	10	5	5	4	1	----	----	----	16
56	67	63	93	103	83	97	96	94	55	52	24	9	2	----	1	17
2	3	3	5	9	8	14	14	9	12	8	4	----	1	----	----	18
7	16	14	16	20	24	28	20	33	32	17	10	6	3	----	----	19
12	8	6	5	7	6	14	7	8	6	3	6	2	----	----	----	20
1	4	6	7	5	4	8	4	12	8	8	3	1	1	----	----	21
5	1	6	4	6	4	10	4	7	5	3	3	1	----	----	----	22
6	----	4	2	7	5	4	5	6	7	4	2	1	----	----	----	23
12	9	12	24	12	16	23	21	21	8	12	6	7	----	----	----	24
50	70	100	102	110	117	123	122	122	105	75	46	13	7	1	----	25
8	2	2	6	4	16	7	11	16	14	10	4	1	----	----	----	26
9	14	9	21	18	35	33	43	41	33	27	16	3	1	----	----	27
24	22	19	38	29	37	37	45	41	31	25	8	6	3	----	----	28
3	3	3	12	7	11	7	8	12	13	10	2	4	----	----	----	29
1	8	7	4	6	3	6	10	8	6	2	4	3	1	----	----	30
20	18	21	29	25	30	31	33	28	36	17	6	2	----	----	----	31
71	88	62	124	116	132	158	151	161	133	69	38	8	3	----	----	32
16	14	14	18	18	28	26	31	32	28	17	7	5	1	----	----	33
11	13	15	11	23	35	32	28	36	32	25	16	3	2	----	----	34
22	23	19	31	16	23	45	31	36	43	19	12	9	----	----	----	35
21	9	5	6	6	12	15	16	20	20	7	10	2	----	----	----	36
22	35	21	17	31	39	40	35	46	40	18	12	7	1	----	----	37
2	1	2	4	2	7	12	11	9	12	9	2	2	----	----	1	38
2	2	3	1	7	4	3	10	4	8	3	5	2	----	----	----	39
7	3	3	12	11	15	11	13	12	9	9	5	----	----	----	----	40
3	4	4	7	8	4	7	13	12	19	12	4	2	2	----	----	41
25	33	48	42	52	72	65	53	63	50	24	19	----	2	1	----	42
9	12	6	7	15	14	12	25	18	17	12	9	2	1	----	----	43
35	38	47	47	67	73	90	98	92	80	55	22	12	----	1	----	44
10	11	13	6	14	12	12	7	11	6	----	1	1	1	1	----	
123	159	165	224	273	250	330	349	352	340	236	102	33	7	----	----	45
104	141	180	165	159	135	120	69	94	68	28	18	9	1	4	----	
23	22	47	44	48	42	43	51	41	40	22	12	5	----	----	----	46
66	74	74	89	50	35	26	24	11	8	7	1	2	----	2	----	
7	4	11	11	10	12	11	12	5	7	9	6	4	----	----	----	47
2	6	4	6	4	8	3	6	2	3	2	----	----	----	----	----	
19	13	11	19	21	16	32	35	21	14	7	6	1	----	----	5	48
11	20	8	9	6	4	6	2	1	----	3	1	----	----	----	----	
2	12	13	13	10	16	14	17	13	13	11	6	2	2	----	1	49
10	18	17	16	12	8	14	6	6	2	3	1	----	1	----	2	
6	6	6	4	14	14	16	34	32	25	14	10	1	----	----	1	50
2	5	2	6	2	3	1	1	3	----	----	----	----	----	----	----	
17	22	28	30	38	23	29	40	23	26	17	6	1	----	----	----	51
36	29	17	17	12	7	7	2	6	4	2	2	2	1	2	1	
67	95	84	108	111	92	123	127	133	100	56	27	8	1	1	----	52
91	110	103	110	116	51	46	40	27	8	9	4	1	1	----	----	
13	24	18	26	33	29	37	33	31	31	13	6	1	1	----	----	53
36	45	44	44	47	31	26	13	10	5	2	2	1	1	1	1	
4	2	----	3	5	3	6	3	4	3	3	----	----	----	----	1	54
3	10	10	12	15	4	3	3	1	2	----	1	----	----	----	----	
32	34	24	46	49	35	52	42	53	29	19	13	1	1	----	----	55
88	98	116	112	87	28	48	19	21	10	2	2	1	----	4	4	

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[The white and colored are shown separately for minor subdivisions when the colored population of the subdivision formed at least 10 per cent of the total, or numbered areas which are designated by asterisks (*) contain

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
	ILLINOIS.												
1	Alton	260	29	8	1	5	2	45	6	8	4	7	12
2	Aurora	493	66	11	8	3	6	94	18	7	18	14	17
3	Belleville	317	35	4	2	1	1	43	8	7	7	12	8
4	Berwyn	126	16	1	2	3	1	23	7	3	4	5	4
5	Bloomington	430	45	9	4	3	4	65	2	7	12	9	11
6	Blue Island	178	24	6	5	2	6	43	17	10	2	10	2
7	Cairo {White	156	11	1	.....	1	1	14	5	3	4	8	17
	Cairo {Colored	79	14	.....	.....	.....	.....	14	2	4	1	5	9
8	Canton	160	21	6	.....	.....	1	28	8	4	6	8	6
9	Centralia	148	26	6	1	1	.....	34	3	1	5	10	4
10	Champaign	203	26	4	2	1	.....	33	4	3	12	5	9
11	Chicago {White	28,709	4,748	991	461	392	314	6,906	957	541	579	860	1,098
	Chicago {Colored	2,110	300	67	32	25	14	438	42	29	64	136	186
12	Chicago Heights	205	49	10	12	7	.....	78	7	6	3	5	7
13	Cicero	321	73	20	4	6	10	113	16	2	7	8	7
14	Danville	531	78	8	6	3	1	96	12	13	16	21	25
15	Decatur	601	89	8	6	3	4	110	18	15	19	20	20
16	East St. Louis {White	613	108	15	9	8	8	148	15	16	16	20	32
	East St. Louis {Colored	140	22	6	3	3	.....	34	7	6	10	12	15
17	Elgin*	532	24	6	3	1	1	35	5	4	8	13	20
18	Evanston	410	63	6	2	5	9	85	15	8	10	10	10
19	Forest Park	99	9	1	.....	2	.....	12	6	.....	2	2	1
20	Freeport	308	25	5	4	4	5	43	14	6	7	16	9
21	Galesburg	324	26	6	1	1	1	35	9	5	9	9	12
22	Granite City	158	29	5	4	2	.....	40	7	3	8	5	10
23	Herrin	140	40	7	2	2	3	54	6	1	4	8	8
24	Jacksonville*	448	22	2	3	3	1	31	7	10	3	10	11
25	Joliet	515	81	24	8	10	4	127	21	8	17	19	27
26	Kankakee	225	34	7	2	3	.....	46	3	2	9	2	5
27	Kewanee	221	39	4	1	1	3	48	14	7	5	12	4
28	La Salle	151	25	1	1	3	3	33	7	4	3	2	3
29	Lincoln*	203	12	4	6	2	3	27	12	14	18	8	4
30	Mattoon	201	36	2	2	2	2	44	6	5	9	7	1
31	Maywood	105	9	3	2	1	.....	15	4	1	2	4	2
32	Moline	306	32	3	.....	5	1	41	5	4	7	12	8
33	Murphysboro {White	111	16	5	2	.....	1	24	1	5	4	5	4
	Murphysboro {Colored	13	2	.....	.....	.....	.....	2	.....	.....	1	2	.....
34	Oak Park	527	66	5	2	5	5	83	13	7	7	19	15
35	Ottawa	148	20	1	2	4	2	29	7	2	4	2	3
36	Pekin	128	16	3	2	3	2	26	4	3	.....	4	5
37	Peoria	1,014	117	10	9	5	10	151	36	16	29	26	34
38	Quincy	511	42	6	2	5	3	58	4	5	7	13	10
39	Rock Island	356	41	4	2	.....	1	48	8	10	6	8	13
40	Rockford	694	84	18	6	2	4	114	22	12	15	33	22
41	Springfield	903	120	13	9	7	6	155	18	15	32	30	32
42	Streator	214	25	10	3	.....	2	40	8	5	3	7	8
43	Urbana	79	10	1	1	.....	.....	12	1	4	.....	3	1
44	Waukegan	226	41	10	3	2	2	58	8	10	9	6	5
	INDIANA.												
45	Anderson	312	52	10	3	5	5	75	6	5	10	6	12
46	Bloomington	144	26	7	4	.....	.....	37	4	2	.....	3	9
47	Clinton	101	27	1	2	.....	.....	30	1	2	3	4	5
48	Crawfordsville	152	15	5	4	.....	1	25	4	2	4	4	3
49	East Chicago	382	133	37	25	16	6	217	18	8	5	5	15
50	Elkhart	307	41	4	2	3	3	53	11	3	8	10	9
51	Elwood	141	22	2	3	1	1	29	3	2	2	6	6
52	Evansville	1,000	113	24	7	9	4	157	20	17	27	45	49
53	Fort Wayne	978	116	14	11	13	10	164	42	16	22	37	35
54	Frankfort	165	25	7	1	2	1	36	3	5	7	5	1
55	Gary	711	171	33	10	17	9	240	26	20	22	32	50
56	Hammond	407	64	14	10	10	3	101	27	10	20	15	25
57	Huntington	197	38	7	2	2	.....	49	5	7	6	9	3
58	Indianapolis {White	3,511	435	61	42	22	19	579	87	47	80	110	144
	Indianapolis {Colored	608	95	21	11	3	4	134	15	14	29	33	46
59	Jeffersonville {White	88	12	1	.....	1	.....	14	.....	2	2	2	1
	Jeffersonville {Colored	30	2	1	.....	.....	.....	3	.....	2	.....	3	2
60	Kokomo	339	72	11	3	.....	2	88	7	6	10	12	11
61	La Porte	180	26	3	3	2	.....	34	3	3	4	2	4
62	Lafayette	416	51	8	5	3	1	68	6	10	14	11	18
63	Logansport	252	35	3	5	2	.....	45	2	4	4	4	11
64	Marion	342	46	8	3	3	3	63	10	6	6	9	10
65	Michigan City	253	40	9	4	2	3	58	1	2	5	13	7
66	Mishawaka	185	28	1	.....	1	.....	30	9	4	4	8	8
67	Muncie	463	77	9	2	6	3	97	8	8	18	20	23
68	New Albany	306	24	4	2	2	2	34	5	4	8	8	8
69	New Castle	138	31	7	1	1	.....	40	4	6	1	6	6
70	Peru	146	21	8	1	2	.....	32	3	7	1	.....	4

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1921—Continued.

10,000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920; the remainder of the state is included in "rural districts." Minor state insane asylums, state hospitals, etc.]

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
7	9	6	12	18	17	22	20	18	14	20	10	4		1		1
10	19	21	15	22	36	44	36	41	30	23	19	7	2			2
8	14	8	13	25	17	24	26	25	37	22	9	4				3
7	3	5	3	10	13	10	8	5	7	4	5					4
17	10	20	24	25	25	33	44	31	46	29	10	8	2			5
2	12	9	9	8	6	14	12	7	7	6	2					6
6	6	11	6	13	11	7	12	11	10	6	5	1				
7	5	1	1	10	6	2	4	2	1	1	1	1		2		7
3	4	6	5	7	7	12	16	14	11	7	5	3				8
4	7	7	6	8	13	11	7	8	4	6	7	1	1		1	9
4	6	5	15	12	8	11	18	16	18	15	5	3	1			10
1,220	1,399	1,361	1,632	1,846	2,013	2,212	1,811	1,577	1,217	822	472	145	34	5	2	
143	203	166	183	153	102	82	71	54	26	10	15	1		1		11
12	8	8	15	12	8	9	7	8	9	2	1					12
11	11	6	10	14	27	21	22	13	16	12	2	3				13
28	19	21	34	33	18	37	39	42	35	25	12	5				14
26	27	17	23	29	44	42	43	54	41	37	13	2	1			15
23	36	19	43	44	41	38	30	34	28	18	8	3	1			
7	12	6	7	6	4	7	3	2	2							16
15	31	43	24	40	36	42	53	45	54	31	26	6	1			17
12	8	12	23	33	29	28	20	37	31	23	13	3				18
2	3	1	2	5	3	7	7	14	16	11	4	1				19
12	13	11	18	11	22	25	23	29	20	14	11	4				20
4	12	21	18	15	17	29	22	24	27	20	23	8	4	1		21
4	9	12	7	4	6	13	8	6	7	7	2					22
12	10	6	5	6	4	5	4	3	3				1			23
15	16	18	25	27	41	45	46	50	40	26	15	9	3			24
24	17	17	21	31	28	35	34	30	29	16	10	2	1	1		25
9	10	7	5	10	12	18	23	18	13	14	12	6	1			26
5	7	13	4	8	12	14	9	21	21	7	9	1				27
8	6	4	7	9	8	16	13	7	6	7	5	2	1			28
7	8	5	8	11	12	6	14	12	8	16	9	4				29
4	9	2	5	11	8	14	15	15	19	17	7	2	1			30
2	2	4	6	8	8	3	9	8	15	10	2	1				31
10	18	22	18	15	14	20	26	33	24	16	12			1		32
7	3	3	4	4	10	5	4	7	7	9	5					
	2		3		1		1					1				33
25	22	25	27	38	45	38	51	40	26	22	17	5	2			34
	4	5	4	7	10	8	16	12	15	9	4	6	1			35
5	7	2	5	5	9	10	13	9	6	5	8		2			36
41	45	43	48	57	72	87	81	81	77	53	26	11				37
11	26	21	25	30	25	45	60	46	49	45	21	9	1			38
17	16	15	20	27	28	24	24	25	23	22	17	3	2			39
30	21	32	28	27	35	42	61	61	59	42	24	12	2			40
35	40	32	57	70	55	73	56	55	61	49	25	11	1	1		41
12	4	8	5	8	15	19	17	15	17	14	6	1	2			42
	5	3	1	4	2	6	7	7	8	8	2	5				43
19	9	10	9	10	13	13	9	14	11	8	4		1			44
15	9	20	19	10	18	25	29	19	16	5	8	5				45
2	5	6	6	5	3	10	9	15	14	8	5					46
4	6	4	5	8	2	7	6	8	3	2				1		47
1	8	2	7	7	10	13	12	16	11	16	7					48
13	24	12	19	5	7	10	7	6	5	5	1					49
10	10	9	13	15	21	26	27	28	23	14	15	2				50
3	4	5	2	10	5	14	18	7	11	10	3	1				51
35	53	47	55	69	57	76	67	90	58	47	17	11	1	2		52
37	42	40	48	58	56	69	83	77	71	49	24	6	2			53
2	4	3	3	9	15	14	14	16	17	4	6	1				54
62	53	37	37	34	28	26	18	11	8	3	3	1				55
19	22	22	17	22	22	20	21	21	11	6	3	3				56
6	4	9	6	4	6	11	18	15	15	15	8	1				57
146	136	155	195	227	235	270	286	286	242	173	88	22	2	1		
26	48	57	37	47	28	26	19	27	7	8	4	2	1			58
6	1	1	4	4	4	8	10	11	7	4	3	3	1			
2	2	2	1	1	4	3	1	1	2					1		59
17	14	8	7	16	28	16	23	30	18	14	9	5				60
5	7	7	11	8	16	13	22	17	6	8	6	3	1			61
12	15	15	16	22	32	39	37	32	28	23	12	4	2			62
12	8	6	7	13	16	17	16	19	29	26	10	1	2			63
11	9	10	9	19	22	28	31	32	36	19	8	4				64
7	17	13	5	15	15	21	14	20	15	13	7	5				65
9	4	11	10	14	9	9	12	15	15	7	5	1	1			66
17	17	17	21	17	29	38	28	32	35	22	10	5	1			67
8	12	11	19	24	17	23	39	31	22	17	12	4				68
3	4	6	4	2	7	12	9	6	12	6	3	1				69
4	5	5	5	5	14	8	12	14	12	7	7	1				70

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[The white and colored are shown separately for minor subdivisions when the colored population of the subdivision formed at least 10 per cent of the total, or numbered areas which are designated by asterisks (*) contain

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
	INDIANA—continued.												
1	Richmond	309	47	4	1	2	1	55	4	3	7	5	8
2	South Bend	723	153	18	11	8	5	195	18	8	11	22	25
3	Terre Haute	897	119	23	10	6	5	163	33	13	23	30	40
4	Vincennes	288	41	11	6	1	5	64	18	9	13	5	13
5	Whiting	105	41	4	1	1	3	50	6	2	4	1	4
	KANSAS.												
6	Arkansas City	135	18	3	2	1	2	26	3	1	2	6	7
7	Atchison (White)	130	19	1	3	2		25	7		4	2	8
	Atchison (Colored)	33	3	1				4		2	1	2	
8	Chanute	166	26	3	2		2	33	3	7	3	7	9
9	Coffeyville (White)	150	25	5	3		2	35	2	1		3	10
	Coffeyville (Colored)	28	2	2	1		1	6			3	1	3
10	El Dorado	92	18	2	3	1	3	27	4	1	3	2	4
11	Emporia	143	18	1	2	1	1	23	2	5	2	2	2
12	Fort Scott	168	23	2		3	1	29	4		2	4	3
13	Hutchinson	260	36	8	3	3	5	55	9	4	9	9	10
14	Independence	134	17	6		1	1	25	1	2	4	6	4
15	Kansas City (White)	984	143	27	11	11	5	197	24	13	23	38	40
	Kansas City (Colored)	273	28	7	1	1		37	1	10	17	11	17
16	Lawrence (White)	157	21	3	2	2	2	30	3	2	5	5	2
	Lawrence (Colored)	24	4					4	1		1	1	
17	Leavenworth (White)	208	25	2	3	3	1	34	7	4		4	3
	Leavenworth (Colored)	36	5		1			6	3	3		1	3
18	Parsons	164	22	1	5	3		31	2	2	6	4	3
19	Pittsburg	162	25	3		3	3	34	3	4	5	4	2
20	Salina	186	21	5	4	1	5	36	2	7	7	6	7
21	Topeka	726	103	15	6	5	3	132	12	10	18	23	21
22	Wichita	973	131	21	7	10	8	177	30	18	27	38	39
	KENTUCKY.												
23	Ashland	251	57	16	4	1	4	82	6	6	8	13	13
24	Covington	734	73	10	6	1	5	95	10	10	26	19	38
25	Henderson (White)	121	16	4	6		1	27	2	3	4	5	3
	Henderson (Colored)	67	10	2	2		1	15	1	2	1	3	2
26	Lexington* (White)	614	52	14	4	5	2	77	9	5	23	31	29
	Lexington* (Colored)	298	23	7	2		1	33	3	3	12	22	24
27	Louisville (White)	2,514	238	38	33	21	15	395	51	40	52	76	91
	Louisville (Colored)	800	69	14	3	2	6	94	14	6	35	48	51
28	Newport	294	41	11	5	2		59	5	4	14	9	9
29	Owensboro (White)	245	27	6	5	1	2	41	8	6	10	10	8
	Owensboro (Colored)	62	5					5	1	3	1	6	2
30	Paducah (White)	285	32	12	1		3	48	6	7	4	12	10
	Paducah (Colored)	126	13	3	1	1		18			6	9	16
	LOUISIANA.												
31	Alexandria (White)	162	20	3		4	2	29	2	3	6	9	12
	Alexandria (Colored)	180	28	3	1	1		33	1	9	9	23	20
32	Baton Rouge (White)	173	23	6	2	3	2	36	4	6	7	15	8
	Baton Rouge (Colored)	150	24	4	2			30	4		7	9	13
33	Lake Charles (White)	138	22	4	2		2	30	5	6	3	4	10
	Lake Charles (Colored)	91	19	4	1			24	2		4	6	6
34	Monroe (White)	143	16	5	2	2		25	3	5	4	4	15
	Monroe (Colored)	117	15	2	1	2		20	4	5	7	4	10
35	New Orleans (White)	4,005	428	101	38	29	17	613	64	55	94	143	184
	New Orleans (Colored)	2,463	370	70	24	11	5	480	24	45	104	187	182
36	Shreveport* (White)	473	43	15	8	7	5	78	13	15	13	25	26
	Shreveport* (Colored)	565	51	6	3	5	2	67	9	13	40	65	51
	MAINE.												
37	Auburn	213	24	3	6	2		35	3	5	4	1	9
38	Augusta*	258	23	4	4	2	1	34	7	4	2	7	8
39	Bangor*	528	50	3	1	1	2	57	8	7	12	26	15
40	Bath	129	13	5	2	1		21	1			2	2
41	Biddeford	310	60	13	8	2	1	84	9	5	12	4	9
42	Lewiston	527	104	7	7	7		125	20	10	10	11	20
43	Portland	1,020	96	19	6	4	5	130	19	13	15	20	32
44	Sanford town	87	9	3				12	2	1	1		5
45	Waterville	177	30	6	2	3	1	42	5	8	3	10	2
	MARYLAND.												
46	Annapolis (White)	76	8	2	1	1		12	2		3	5	2
	Annapolis (Colored)	81	18	1	1	1		21	2	1	4	8	4
47	Baltimore (White)	8,106	1,239	230	86	63	52	1,670	142	116	149	228	248
	Baltimore (Colored)	2,274	359	80	33	20	9	501	36	37	75	134	152
48	Cumberland	433	73	12	3	1	1	90	10	8	11	21	14
49	Frederick (White)	181	28	5	2	2	2	39	5	5	5	5	8
	Frederick (Colored)	26	8		1	1		10			1		2
50	Hagerstown	336	59	7	1	1	2	70	7	3	2	9	9

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1921—Continued.

10,000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920; the remainder of the state is included in "rural districts." Minor state insane asylums, state hospitals, etc.]

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
13	9	8	5	12	17	24	26	37	25	29	11	8	2	.....	1	1
18	42	26	24	35	33	56	61	49	47	32	16	4	1	.....	.....	2
43	54	40	44	42	61	59	67	67	53	29	20	4	2	.....	1	3
17	11	14	16	11	9	17	26	18	17	5	3	.....	2	.....	.....	4
3	6	3	8	6	2	2	2	1	3	1	1	.....	.....	.....	.....	5
3	9	6	7	4	5	6	9	19	13	6	2	1	.....	.....	.....	6
2	2	2	1	10	5	13	9	6	10	16	7	1	.....	.....	.....	7
1	3	2	2	2	3	2	.....	3	2	3	.....	.....	1	.....	.....	
8	4	8	6	5	7	8	9	15	20	10	4	.....	.....	.....	.....	8
8	9	4	3	9	10	11	13	13	5	8	4	.....	2	.....	.....	9
2	1	3	3	.....	1	1	2	.....	.....	2	.....	.....	.....	.....	.....	
5	1	6	7	1	3	7	6	6	4	1	4	.....	.....	.....	.....	10
3	2	7	8	12	7	10	14	19	8	12	4	1	.....	.....	.....	11
4	5	10	5	12	12	10	15	11	13	18	7	3	1	.....	.....	12
7	13	16	12	9	21	11	17	9	22	17	6	2	2	.....	.....	13
3	4	2	9	1	5	7	8	17	15	15	3	1	2	.....	.....	14
26	35	34	31	51	74	73	76	78	57	32	22	4	5	.....	1	
18	21	22	21	17	25	18	12	8	5	5	4	1	2	1	.....	15
2	1	7	6	2	6	10	18	10	17	17	11	3	.....	.....	.....	
1	.....	2	1	1	.....	2	.....	1	2	4	2	1	.....	.....	.....	16
5	6	8	14	12	10	15	20	20	17	18	6	5	.....	.....	.....	
1	2	2	2	2	1	2	1	4	1	2	.....	.....	.....	.....	.....	17
7	4	5	7	9	10	14	8	10	16	12	12	1	.....	1	.....	18
4	7	4	5	4	8	11	19	12	14	8	7	2	.....	.....	.....	19
5	7	5	7	13	14	10	15	13	17	8	4	2	.....	.....	1	20
33	24	24	30	40	49	54	50	62	63	35	33	10	2	.....	1	21
35	43	52	52	45	52	81	68	75	66	42	20	7	3	2	1	22
10	17	5	16	9	7	16	15	8	15	3	2	.....	.....	.....	.....	23
31	29	29	48	45	62	54	57	57	58	39	20	6	.....	.....	1	24
4	10	2	8	5	7	4	7	11	7	7	3	2	.....	.....	.....	
2	5	3	8	8	4	3	3	4	2	.....	.....	1	.....	.....	.....	25
18	28	32	41	36	35	42	52	40	56	37	13	8	.....	.....	2	
18	17	29	23	25	15	23	14	13	8	6	5	2	1	1	1	26
93	92	130	131	151	167	252	210	199	193	120	49	18	4	.....	.....	
42	60	55	61	76	64	62	45	36	25	12	8	1	3	2	.....	27
5	15	6	9	14	19	23	24	20	25	25	9	.....	.....	.....	.....	28
12	5	7	8	8	13	27	23	18	18	14	8	1	.....	.....	.....	
4	2	6	6	5	7	2	3	2	2	2	2	.....	.....	.....	1	29
18	21	13	10	9	23	23	21	26	16	11	4	2	1	.....	.....	
8	10	8	12	9	5	11	4	2	2	.....	1	.....	.....	4	1	30
12	5	7	10	13	12	11	11	6	8	5	1	.....	.....	.....	.....	
9	12	9	9	8	2	5	6	5	6	6	2	2	2	2	.....	31
6	9	4	10	10	8	8	13	8	11	6	4	.....	.....	.....	.....	
11	10	10	8	14	5	5	4	5	5	2	5	1	2	.....	.....	32
4	6	5	7	1	6	15	13	6	6	4	6	.....	1	.....	.....	
2	6	7	7	4	3	7	4	3	2	2	1	.....	.....	.....	1	33
9	10	9	9	5	9	8	7	8	4	7	2	.....	.....	.....	.....	
6	11	7	10	4	4	3	3	5	2	10	2	.....	.....	.....	.....	34
161	200	236	226	298	280	354	349	276	236	124	87	13	7	2	3	
151	196	178	198	206	131	109	84	73	46	29	17	7	10	4	2	35
26	31	25	37	27	26	28	33	26	20	13	9	2	.....	.....	.....	
46	45	44	38	38	22	30	15	14	12	8	5	1	1	.....	1	36
1	6	4	6	14	15	12	19	19	25	22	10	3	.....	.....	.....	37
7	11	13	15	20	20	18	20	16	27	17	6	6	.....	.....	.....	38
19	17	25	29	25	29	47	58	47	48	31	24	2	2	.....	.....	39
1	4	3	5	6	8	11	14	18	13	8	10	1	1	.....	.....	40
10	8	13	13	12	12	16	23	18	27	25	8	1	1	.....	.....	41
22	20	24	26	33	25	34	30	34	37	26	12	8	.....	.....	.....	42
33	33	52	53	69	84	83	86	95	86	62	38	16	1	.....	.....	43
2	5	1	5	2	11	15	7	6	6	4	2	.....	.....	.....	.....	44
10	6	5	5	5	7	21	13	15	6	6	5	3	.....	.....	.....	45
.....	5	3	3	6	3	8	7	5	5	2	4	1	.....	.....	.....	
2	4	2	3	10	6	4	1	1	5	1	1	.....	.....	.....	1	46
273	288	319	422	500	513	678	713	692	558	329	201	52	12	3	.....	
134	187	190	196	165	121	125	70	66	37	29	14	3	1	1	.....	47
18	17	18	23	28	25	28	33	29	35	13	8	4	.....	.....	.....	48
3	4	6	9	12	13	12	20	5	18	8	2	.....	1	.....	1	
.....	1	.....	2	1	2	2	1	.....	1	2	.....	.....	.....	1	.....	49
8	12	18	14	16	16	25	33	30	30	23	9	1	.....	.....	1	50

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[The white and colored are shown separately for minor subdivisions when the colored population of the subdivision formed at least 10 per cent of the total, or numbered areas which are designated by asterisks (*) contain

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
	MASSACHUSETTS.												
1	Adams town	135	21	4	1	2	1	29	3	3	.....	1	2
2	Amesbury town	117	14	.....	1	1	.....	16	3	.....	.....	2	2
3	Arlington town	217	27	.....	2	.....	1	30	3	2	6	4	7
4	Attleboro	238	31	3	4	.....	1	39	6	2	5	13	9
5	Belmont town	80	9	2	.....	.....	.....	11	1	.....	1	1	1
6	Beverly	243	24	7	3	.....	3	37	8	2	5	5	5
7	Boston { White	9,882	1,450	274	115	91	71	2,001	227	158	165	236	348
	{ Colored	344	51	15	3	2	4	75	7	5	10	15	25
8	Braintree town	132	12	2	.....	1	1	16	2	2	2	12	11
9	Brockton	686	98	9	3	5	3	118	17	9	7	11	9
10	Brookline town	399	14	4	1	1	.....	20	3	1	3	8	7
11	Cambridge	1,388	195	34	7	7	8	251	36	19	24	48	45
12	Chelsea	576	75	7	8	2	5	97	17	6	9	25	18
13	Chicopee	327	105	13	5	7	3	133	13	2	4	8	2
14	Clinton town	176	44	6	2	1	.....	53	3	3	4	11	3
15	Danvers town*	291	12	2	3	.....	.....	17	1	1	2	4	9
16	Dedham town	112	15	2	.....	.....	.....	17	1	1	.....	1	4
17	Easthampton town	111	37	3	1	2	2	45	5	.....	2	1	2
18	Everett	348	53	6	5	2	1	67	7	4	11	11	13
19	Fall River	1,717	423	104	30	29	17	603	37	35	24	34	42
20	Fitchburg	432	85	20	12	6	5	128	9	5	9	10	10
21	Framingham town	255	27	5	2	2	3	39	4	4	7	7	4
22	Gardner town	190	29	5	2	3	.....	39	2	4	5	6	8
23	Gloucester	302	36	2	5	1	3	47	4	2	8	7	6
24	Greenfield town	161	21	2	2	1	.....	26	3	2	3	3	.....
25	Haverhill	664	87	10	9	6	3	115	15	9	15	10	20
26	Holyoke	745	145	22	13	7	4	191	20	7	13	15	15
27	Lawrence	1,075	198	45	20	18	12	293	39	12	17	24	34
28	Leominster	200	24	9	5	3	1	42	6	5	9	4	3
29	Lowell	1,465	284	44	24	16	22	390	54	16	25	30	29
30	Lynn	1,108	156	15	6	8	9	194	26	21	18	22	33
31	Malden	565	66	12	4	8	5	95	16	9	10	14	13
32	Marlborough	173	26	2	3	.....	1	32	4	1	3	2	7
33	Medford	368	46	12	1	1	1	61	7	4	7	8	10
34	Melrose	206	21	1	2	2	.....	26	1	4	3	6	7
35	Methuen	201	29	5	2	3	2	41	2	3	2	1	6
36	Milford town	182	33	2	2	1	.....	38	3	1	1	7	3
37	Natick town	142	16	1	.....	.....	.....	17	1	.....	2	2	3
38	New Bedford	1,384	347	69	24	17	12	469	37	25	24	48	41
39	Newburyport	214	23	5	.....	2	3	33	10	3	2	.....	3
40	Newton	466	43	4	5	3	6	61	11	6	9	7	14
41	North Adams	270	36	4	1	1	3	45	7	7	8	8	10
42	Northampton*	422	35	5	4	2	3	49	14	6	8	13	11
43	Northbridge town	90	20	3	1	.....	2	26	2	.....	2	1	2
44	Norwood town	128	25	5	5	.....	1	36	5	2	4	2	5
45	Peabody	195	35	6	2	2	1	46	7	2	2	7	7
46	Pittsfield	558	79	13	7	8	3	110	15	11	11	12	25
47	Plymouth town	167	24	4	.....	4	3	35	4	6	2	1	4
48	Quincy	416	55	12	6	3	2	78	7	5	10	8	10
49	Revere	185	37	10	3	1	1	52	2	1	1	3	5
50	Salem	542	82	9	8	5	1	105	13	6	9	8	13
51	Saugus town	105	17	3	1	.....	.....	21	4	1	2	1	2
52	Somerville	988	135	17	7	6	6	171	27	19	26	26	25
53	Southbridge town	132	24	7	2	1	.....	34	3	1	7	2	3
54	Springfield	1,542	243	36	18	21	13	331	40	25	30	31	59
55	Taunton*	635	89	14	3	4	4	114	14	8	14	14	18
56	Wakefield town	130	12	1	3	1	1	18	2	2	1	1	2
57	Waltham	409	52	8	3	4	3	70	18	8	6	12	12
58	Watertown town	176	17	3	1	4	1	26	8	1	2	5	5
59	Webster town	132	22	2	4	1	1	30	2	2	.....	2	4
60	West Springfield town	117	14	7	1	1	1	24	4	.....	.....	1	.....
61	Westfield town	224	26	2	3	3	.....	34	4	8	8	9	4
62	Weymouth town	131	13	2	1	1	1	18	3	.....	2	.....	.....
63	Winchester town	116	12	1	.....	1	.....	14	1	2	.....	4	4
64	Winthrop town	145	16	1	.....	3	1	21	.....	1	1	2	5
65	Woburn	167	26	4	1	2	3	36	2	2	3	8	4
66	Worcester	2,387	371	58	32	21	20	502	64	24	51	62	75
	MICHIGAN.												
67	Adrian	184	16	1	.....	1	3	21	2	6	7	8	7
68	Alpena	154	29	4	2	4	1	40	4	.....	6	2	10
69	Ann Arbor*	504	62	7	2	5	4	80	20	18	15	20	28
70	Battle Creek	582	69	10	3	4	.....	86	11	7	17	19	20
71	Bay City	632	95	15	7	7	11	135	21	16	21	20	20
72	Benton Harbor	181	26	3	1	2	1	33	5	.....	6	8	5
73	Detroit { White	9,653	2,159	373	189	141	112	2,974	369	177	232	306	479
	{ Colored	733	140	38	12	8	3	201	12	17	21	62	72
74	Escanaba	215	41	3	3	5	1	53	10	3	6	6	6

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1921—Continued.

10,000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920; the remainder of the state is included in "rural districts." Minor state insane asylums, state hospitals, etc.]

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
5	6	8	9	7	8	9	6	18	9	6	4	2	.....	.....	.....	1
2	3	.....	10	6	6	10	8	10	20	9	9	1	.....	.....	.....	2
8	8	11	14	11	19	15	16	18	17	10	14	3	1	.....	.....	3
9	10	19	5	9	14	19	20	18	18	11	10	1	.....	1	.....	4
2	1	4	1	3	7	11	6	6	10	12	2	.....	.....	.....	.....	5
3	7	7	7	12	13	30	21	30	20	12	13	3	3	.....	.....	6
333	406	451	590	709	709	835	736	724	545	384	215	86	18	6	.....	7
10	24	29	31	15	18	19	25	18	8	6	2	.....	1	1	.....	
3	6	3	3	11	4	13	7	11	12	6	7	.....	1	.....	.....	8
26	27	28	28	46	40	67	69	65	55	40	18	6	.....	.....	.....	9
7	9	13	20	24	39	39	44	50	41	34	20	14	3	.....	.....	10
48	46	59	69	84	104	123	109	108	89	68	35	15	8	.....	.....	11
20	17	20	27	31	33	33	26	45	70	52	24	6	.....	.....	.....	12
8	10	8	17	15	19	21	19	17	14	9	7	1	.....	.....	.....	13
3	5	9	12	4	8	13	16	12	7	5	2	2	.....	1	.....	14
12	18	11	14	22	25	26	25	27	33	24	15	4	1	.....	.....	15
2	5	2	4	4	6	14	13	7	11	10	8	.....	2	.....	.....	16
3	6	3	1	2	9	4	7	5	5	9	.....	1	1	.....	.....	17
13	8	13	15	17	26	21	28	29	28	18	10	6	2	1	.....	18
37	47	63	74	97	108	120	112	107	80	66	25	5	1	.....	.....	19
14	17	17	22	23	28	31	31	31	16	15	9	4	2	.....	1	20
8	12	16	10	12	20	14	27	27	20	13	5	6	.....	.....	.....	21
8	12	10	11	2	10	16	16	16	12	9	3	1	.....	.....	.....	22
5	10	7	11	17	27	31	24	27	29	23	14	2	1	.....	.....	23
.....	7	2	4	9	10	17	17	19	11	17	6	5	.....	.....	.....	24
16	25	21	41	35	46	45	66	58	59	38	19	9	2	.....	.....	25
33	28	33	42	46	45	55	58	56	39	22	25	2	.....	.....	.....	26
37	38	48	64	58	75	80	63	76	53	42	12	7	2	1	.....	27
3	5	11	7	9	10	19	13	20	12	15	7	.....	.....	.....	.....	28
40	45	66	69	94	89	110	126	108	89	50	29	6	.....	.....	.....	29
34	40	46	49	72	80	86	100	108	79	54	35	10	1	.....	.....	30
19	11	23	24	31	38	54	51	50	44	29	25	6	3	.....	.....	31
6	6	5	5	7	10	17	12	18	23	10	4	1	.....	.....	.....	32
9	14	7	12	13	18	27	45	38	35	24	20	8	1	.....	.....	33
3	9	6	6	10	15	14	18	24	22	18	11	2	1	.....	.....	34
5	8	7	15	12	10	14	23	14	18	13	7	.....	.....	.....	.....	35
4	5	9	6	15	15	11	16	15	17	7	6	3	.....	.....	.....	36
5	3	4	6	4	11	13	17	18	13	14	6	3	.....	.....	.....	37
46	51	49	47	62	78	84	83	91	75	34	29	8	2	1	.....	38
5	7	9	7	14	14	18	16	19	19	10	21	2	2	.....	.....	39
14	16	16	24	21	30	35	45	51	38	41	15	8	3	1	.....	40
13	5	8	10	16	20	22	30	30	13	11	4	2	1	.....	.....	41
18	12	18	19	30	35	31	32	40	28	32	15	8	3	.....	.....	42
2	3	1	3	4	5	10	9	9	6	2	1	1	.....	.....	1	43
5	2	4	4	12	9	11	12	3	4	5	2	.....	1	.....	.....	44
4	9	7	8	10	13	19	11	10	16	8	8	1	.....	.....	.....	45
16	21	21	30	37	32	43	44	48	37	27	12	4	1	1	.....	46
4	4	5	4	12	12	13	12	13	14	9	5	7	1	.....	.....	47
10	17	18	25	18	30	35	40	29	26	29	19	2	.....	.....	.....	48
1	4	3	11	8	22	17	17	11	12	10	3	2	.....	.....	.....	49
11	27	29	27	25	30	51	45	45	39	37	17	3	1	.....	1	50
1	3	.....	4	4	2	8	6	12	10	17	5	2	.....	.....	.....	51
19	27	34	45	51	56	73	96	99	93	59	31	8	2	1	.....	52
3	5	6	5	6	6	8	7	7	12	12	3	2	.....	.....	.....	53
61	45	78	82	94	84	107	126	123	102	80	30	11	3	.....	.....	54
20	26	34	28	36	45	45	53	59	42	43	12	7	3	.....	.....	55
5	5	2	3	6	7	7	17	16	11	9	11	5	.....	.....	.....	56
12	8	14	15	20	23	34	39	37	33	22	16	8	2	.....	.....	57
5	5	4	14	8	6	12	19	15	20	13	7	.....	1	.....	.....	58
2	4	5	4	4	9	11	14	16	11	6	4	2	.....	.....	.....	59
3	4	4	11	5	7	8	17	7	8	7	6	1	.....	.....	.....	60
9	9	15	4	9	21	18	18	15	19	7	10	3	.....	.....	.....	61
1	4	.....	5	17	3	10	9	15	14	9	14	5	2	.....	.....	62
2	3	7	4	7	10	12	12	10	10	4	6	3	1	.....	.....	63
3	4	6	6	8	9	16	14	13	17	13	6	.....	.....	.....	.....	64
5	7	6	10	12	5	12	15	11	13	11	3	1	1	.....	.....	65
89	90	127	111	143	153	156	189	214	155	100	51	28	3	.....	.....	66
3	4	6	7	12	7	15	16	16	17	18	11	1	.....	.....	.....	67
6	5	6	.....	3	11	8	16	11	16	6	4	.....	.....	.....	.....	68
19	14	22	36	26	41	30	40	33	21	24	13	3	1	.....	.....	69
21	18	25	37	34	30	44	59	43	44	44	11	8	2	1	1	70
15	19	24	30	25	30	34	47	53	52	29	25	10	4	2	.....	71
8	3	9	8	8	10	24	19	13	11	7	2	1	.....	.....	1	72
467	501	423	431	467	496	525	495	454	368	282	142	52	11	2	.....	73
69	83	51	41	28	17	20	16	13	4	4	.....	.....	1	1	.....	
6	14	10	11	11	13	12	20	13	9	9	1	.....	.....	1	1	74

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[The white and colored are shown separately for minor subdivisions when the colored population of the subdivision formed at least 10 per cent of the total, or numbered areas which are designated by asterisks (*) contain

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
	MICHIGAN—continued.												
1	Flint	847	218	23	9	9	9	268	42	15	15	32	22
2	Grand Rapids	1,538	235	23	16	12	5	291	52	34	34	41	43
3	Hamtramck	452	173	42	22	17	23	277	29	3	7	15	18
4	Highland Park	342	51	4	4	1	2	62	14	5	5	12	19
5	Holland	105	12	2	2	1	2	19	3	.....	3	3	3
6	Ironwood	133	32	6	1	1	1	41	5	5	1	3	10
7	Ishpeming	116	24	1	3	2	2	32	6	.....	3	7	4
8	Jackson	686	103	28	11	9	5	156	20	11	14	20	21
9	Kalamazoo*	897	100	8	8	1	.....	117	20	12	14	13	40
10	Lansing	638	125	21	9	6	5	166	19	10	20	25	18
11	Marquette	188	37	2	2	2	1	44	7	3	7	6	6
12	Monroe	130	19	2	1	2	2	26	2	1	.....	5	4
13	Muskegon	469	76	6	4	1	3	90	12	9	12	14	12
14	Owosso	211	41	6	2	4	.....	53	4	2	4	6	7
15	Pontiac*	438	70	6	2	3	1	82	3	10	5	10	12
16	Port Huron	374	65	7	4	1	1	78	13	9	13	15	4
17	Saginaw	810	150	22	9	5	3	189	30	13	17	22	29
18	Sault Ste. Marie	154	32	5	2	1	2	42	10	3	9	7	6
19	Traverse City*	347	18	1	1	.....	1	21	6	5	4	6	10
20	Wyandotte	172	43	10	7	1	1	62	6	3	7	4	10
	MINNESOTA.												
21	Austin	111	15	4	3	1	1	24	2	2	8	4	2
22	Duluth	931	155	23	11	12	9	210	25	21	22	41	35
23	Faribault*	207	16	.....	4	1	2	23	12	12	14	12	13
24	Hibbing	132	32	4	1	.....	2	39	6	1	5	5	14
25	Mankato	198	23	2	2	3	.....	30	5	1	4	6	5
26	Minneapolis	4,289	527	69	53	36	36	721	126	72	96	155	202
27	Rochester*	817	37	5	3	7	2	54	18	10	20	26	42
28	St. Cloud	192	40	8	1	.....	4	53	9	4	4	6	5
29	St. Paul	2,555	304	28	32	24	15	403	66	33	64	96	119
30	Virginia	116	25	3	.....	1	3	32	3	2	2	3	2
31	Winona	245	31	4	6	3	1	45	10	5	8	2	9
	MISSISSIPPI.												
32	Biloxi—White	126	29	11	3	3	1	47	2	1	4	6	1
	Biloxi—Colored	31	4	.....	.....	1	.....	5	2	.....	.....	.....	.....
33	Columbus—White	53	5	.....	.....	.....	1	6	.....	1	5	.....	1
	Columbus—Colored	84	14	2	.....	.....	.....	16	1	2	9	6	3
34	Greenville—White	69	4	2	1	1	.....	8	.....	3	1	3	3
	Greenville—Colored	226	22	4	4	3	1	34	9	7	8	8	12
35	Hattiesburg—White	74	5	4	.....	2	1	12	4	3	2	3	3
	Hattiesburg—Colored	65	16	5	1	.....	.....	22	.....	1	7	6	4
36	Jackson *—White	290	28	5	7	.....	1	41	3	6	9	17	5
	Jackson *—Colored	566	54	6	3	2	1	66	4	8	34	58	49
37	Laurel—White	125	11	8	5	1	1	26	3	10	8	7	8
	Laurel—Colored	92	13	8	.....	1	.....	22	2	4	6	13	6
38	Meridian *—White	229	31	15	3	2	1	52	5	5	14	10	12
	Meridian *—Colored	221	31	6	7	1	.....	45	3	8	13	25	19
39	Natchez—White	64	6	.....	1	2	.....	9	1	3	1	.....	4
	Natchez—Colored	135	22	6	1	.....	.....	29	2	.....	6	11	5
40	Vicksburg *—White	148	14	1	1	1	1	18	.....	4	2	7	4
	Vicksburg *—Colored	393	30	6	.....	1	.....	37	4	8	16	27	23
	MISSOURI.												
41	Cape Girardeau	186	33	6	4	1	.....	44	1	4	10	11	8
42	Carthage	142	15	4	1	.....	3	23	2	2	6	2	3
43	Columbia—White	128	25	1	1	1	.....	28	1	1	5	5	5
	Columbia—Colored	44	5	1	.....	.....	.....	6	1	1	2	2	2
44	Hannibal	220	29	1	.....	2	1	33	2	7	6	5	5
45	Independence	203	22	.....	3	.....	1	26	8	3	6	4	8
46	Jefferson City—White	145	19	2	4	1	1	27	1	3	5	4	8
	Jefferson City—Colored	29	2	.....	.....	.....	.....	2	1	.....	1	3	4
47	Joplin	415	53	7	1	4	2	67	11	8	16	16	9
48	Kansas City—White	3,891	561	63	37	33	29	723	112	80	101	163	149
	Kansas City—Colored	763	74	20	7	1	2	104	6	12	21	51	54
49	Moberly	207	18	2	1	3	2	26	4	6	5	8	6
50	St. Joseph	1,253	118	38	12	11	15	194	35	19	35	48	47
51	St. Louis—White	8,306	809	139	78	73	49	1,148	228	134	168	227	320
	St. Louis—Colored	1,301	147	28	15	13	3	206	24	19	51	83	81
52	Sedalia	300	25	9	3	5	1	43	7	9	9	9	8
53	Springfield	593	80	14	4	7	6	111	7	21	16	20	14
	MONTANA.												
54	Anaconda	118	24	5	1	1	1	32	3	1	3	3	2
55	Billings	198	36	5	2	5	.....	48	6	9	11	9	11
56	Butte	468	51	7	7	3	1	69	6	3	8	13	15
57	Great Falls	263	49	8	6	.....	3	66	3	5	5	10	13
58	Helena	167	13	2	.....	.....	2	17	2	2	2	7	6
59	Missoula	212	27	3	2	2	1	35	6	5	8	10	7

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1921—Continued.

10,000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920; the remainder of the state is included in "rural districts." Minor state insane asylums, state hospitals, etc.]

DEATHS AT AGE OF—															
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
37	29	37	37	38	42	51	44	45	34	38	16	4	1			1
35	59	50	62	95	86	132	119	122	110	90	51	26	4	1	1	2
18	16	13	10	14	6	8	9	3	2	1	3					3
19	13	13	21	22	25	18	26	15	26	11	10	4	1		1	4
3	7	3	3	2	5	2	7	11	15	10	3	2	1			5
5	5	10	6	10	9	8	5	4	3	3						6
4	3	4	5	4	4	8	8	5	13	3		2	1			7
19	31	26	22	37	31	58	52	53	55	33	21	5	1			8
27	33	50	51	40	61	56	90	93	91	56	24	9				9
12	22	21	28	35	44	33	38	49	41	38	14	4	1			10
10	5	9	4	5	6	13	19	10	13	10	6	4			1	11
2	1	5	7	7	9	8	8	11	14	13	7					12
14	18	18	28	26	28	30	43	42	31	27	11	3	1			13
8	5	7	7	9	13	13	16	23	15	13	3	1	2			14
18	24	22	23	21	30	28	36	40	38	22	11	2	1			15
10	15	8	21	19	22	32	31	31	23	18	10	2				16
28	21	31	34	36	52	61	62	55	56	43	21	4	6			17
5	7	5	3	6	9	7	15	8	8	3	1					18
14	13	17	18	13	18	37	45	44	37	23	14				2	19
8	7	7	10	5	11	5	9	6	3	5	3	1				20
2	2	4	4	5	6	8	4	7	10	10	4	2	1			21
34	36	50	45	51	66	85	61	52	54	25	13	2	3			22
7	13	7	6	10	12	10	5	14	15	9	9	3	1			23
6	6	6	5	10	8	6	6	3	1	4	1					24
5	7	10	8	16	12	18	14	12	22	11	9	2	1			25
180	205	187	200	263	265	364	332	285	257	189	137	39	10	2	2	26
44	65	65	82	83	82	63	68	39	29	14	9	3			1	27
15	4	5	8	12	7	11	13	11	5	6	9	3	1		1	28
109	122	97	118	163	168	231	200	206	182	95	59	20	4			29
6	13	6	7	9	10	6	4	5	4	1	1					30
3	6	11	6	7	19	16	20	23	24	16	10	4	1			31
1	3	5	4	2	6	11	9	8	7	8	1					
1	2	2	8	4	1	1	1	1					1	1	1	32
2	2	3	6	1	6	5	1	1	8	3	2					
5	5	2	6	5	2	5	1	5	3	4	1	2		1		33
5	4	7	7	4	4	3	7	4	5	1						
12	11	19	16	16	13	15	16	11	5	4	2			2	6	34
2	3	4	2	3	7	7	11	4	2	1					1	
4	9	1	2		3	1	1	2	2							35
13	16	18	24	22	23	25	14	21	13	14	3	2			1	
26	53	45	38	40	23	26	28	20	21	10	6	3	1	4	3	36
9	7	4	3	5	4	5	9	7	6	3		1				
6	9	4	1	3	1	1	1	3		1	1				8	37
10	16	9	13	10	9	15	14	11	12	4	5	2	1			
19	9	15	14	9	9	6	6	7	5	2	3	2		2		38
1	4	1	4	9	3	3	4	3	8	3	3					
5	6	10	8	10	4	4	8	6	11	6	2	1			1	39
10	11	8	11	9	10	15	12	9	10	5	2		1			
35	27	33	39	37	22	17	12	15	15	14	2	2	3	3	2	40
9	8	10	10	8	12	12	14	9	6	5	3	2				41
4	5	7	6	5	15	6	4	16	14	10	8	3	1			42
3	5	4	4	4	5	8	9	15	13	10	1	2				
4	1	3	1	2	2	3	2	4	5	2		1				43
4	12	8	14	10	9	26	15	22	19	11	4	1		1	6	44
9	5	8	7	9	17	17	20	17	15	14	5	5				45
5	8	11	5	6	8	7	5	13	10	10	4					
3	1	2	1	2	2	4		1	1	1						46
15	22	23	29	21	25	35	33	24	26	18	13	4				47
172	190	207	228	236	237	299	283	248	227	128	74	24	5	2	3	
64	73	71	75	67	46	21	25	31	19	8	4	1	4	3	3	48
8	11	15	6	13	14	19	15	19	16	9	4	2			1	49
49	58	60	70	79	89	95	100	90	85	61	30	4	2		3	50
343	354	396	493	616	622	717	683	666	522	362	241	54	11	1		
100	96	116	116	102	73	62	51	50	27	20	11	5	4	3	1	51
4	7	14	19	22	12	24	18	17	25	21	20	5			7	52
29	29	21	29	29	28	49	41	57	47	27	9	8	1			53
5	4	2	11	6	14	10	4	6	6		4	1	1			54
12	6	8	8	10	9	17	7	10	14	2	1					55
22	39	24	40	48	47	41	31	24	10	20	5	2	1			56
11	12	8	18	21	22	20	17	14	9	7	2					57
9	7	4	4	11	16	14	21	18	14	4	6	2			1	58
9	10	15	13	16	15	9	16	10	12	7	7				2	59

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[The white and colored are shown separately for minor subdivisions when the colored population of the subdivision formed at least 10 per cent of the total, or numbered areas which are designated by asterisks (*) contain

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
	NEBRASKA.												
1	Grand Island	231	31	4	4	2	9	50	13	5	11	12	14
2	Hastings	167	13	.....	1	1	2	17	7	5	3	10	7
3	Lincoln	714	89	5	2	7	5	108	10	14	22	32	20
4	North Platte	104	17	2	4	2	1	26	2	1	3	4	6
5	Omaha {White	2,427	359	39	33	24	22	477	76	48	49	87	85
	Omaha {Colored	172	19	4	.....	1	1	25	4	3	6	8	18
	NEW HAMPSHIRE.												
6	Berlin	173	63	7	3	1	3	77	2	6	11	3	3
7	Concord *	424	40	3	4	.....	2	49	3	.....	4	10	12
8	Dover	181	29	6	.....	.....	.....	35	2	4	3	1	4
9	Keene	157	12	2	.....	.....	.....	14	1	.....	4	9	5
10	Laconia	172	27	2	.....	2	.....	31	4	4	8	1	2
11	Manchester	950	214	23	17	17	15	286	30	12	16	27	16
12	Nashua	405	77	12	3	2	3	97	10	5	8	12	14
13	Portsmouth	186	36	1	2	1	2	42	5	2	1	1	4
	NEW JERSEY.												
14	Asbury Park {White	112	5	1	1	.....	.....	7	4	1	.....	1	3
	Asbury Park {Colored	46	8	1	.....	.....	.....	9	1	.....	2	2	1
15	Atlantic City {White	*772	60	10	5	5	5	85	20	14	13	17	20
	Atlantic City {Colored	209	40	6	2	2	1	51	4	3	4	8	15
16	Bayonne	790	188	40	28	19	12	287	43	16	20	24	37
17	Belleville *	327	21	18	8	8	6	61	14	9	13	20	23
18	Bloomfield	160	15	3	1	.....	1	20	3	3	1	2	2
19	Bridgeton	247	27	8	.....	2	1	38	2	1	8	5	12
20	Camden	1,535	305	51	25	20	14	415	59	35	43	42	48
21	Clifton	195	38	7	3	2	7	57	10	5	5	5	7
22	East Orange	378	27	4	6	1	2	40	4	3	2	4	7
23	Elizabeth	1,008	172	33	21	22	9	257	28	20	19	35	30
24	Englewood	197	42	1	3	2	1	49	2	2	2	3	3
25	Garfield	143	40	14	5	8	.....	67	8	2	6	.....	3
26	Gloucester	146	28	7	1	.....	1	37	6	2	1	1	5
27	Hackensack	305	40	7	2	4	4	57	7	9	9	9	11
28	Harrison	122	30	3	6	2	4	45	4	1	1	1	4
29	Hoboken	865	103	30	12	16	8	169	27	15	23	19	35
30	Irvington	229	19	4	1	.....	1	25	5	4	4	8	8
31	Jersey City	3,601	683	157	75	48	37	1,000	123	67	81	104	120
32	Kearny	266	31	6	4	5	1	47	8	4	8	3	6
33	Long Branch	358	44	6	5	4	.....	59	8	11	11	12	16
34	Millville	181	23	5	3	1	1	33	4	3	3	4	6
35	Montclair {White	182	19	6	1	.....	.....	26	3	.....	3	1	3
	Montclair {Colored	30	4	.....	.....	.....	.....	4	1	.....	.....	2	4
36	Morristown*	301	44	9	5	4	4	66	9	3	4	5	8
37	New Brunswick	485	73	8	5	8	8	102	24	5	15	12	25
38	Newark {White	4,238	753	117	47	30	31	978	109	56	87	103	149
	Newark {Colored	400	86	14	10	6	1	117	10	10	17	28	31
39	Orange {White	450	75	12	1	3	5	96	12	4	5	9	13
	Orange {Colored	78	24	3	1	1	1	30	4	1	.....	3	5
40	Passaic	695	157	29	13	16	13	228	33	17	14	24	28
41	Paterson	1,746	257	35	30	13	13	348	55	32	41	44	62
42	Perth Amboy	501	114	32	12	10	7	175	29	12	11	15	23
43	Phillipsburg	186	35	6	2	1	1	45	4	2	3	4	2
44	Plainfield	374	45	11	5	4	5	70	10	9	12	6	15
45	Rahway	161	21	1	2	1	1	26	4	4	2	2	1
46	Roosevelt	56	24	3	2	1	1	31	3	1	.....	1	5
47	Summit	146	15	3	3	.....	.....	21	4	3	4	2	4
48	Trenton	1,610	272	44	38	12	4	370	37	24	25	36	71
49	Union	155	27	6	2	2	2	39	5	2	3	4	1
50	West Hoboken	270	33	4	1	3	2	43	7	3	9	5	12
51	West New York	197	44	12	2	3	3	64	6	6	3	10	6
52	West Orange	97	9	3	1	.....	.....	13	4	.....	2	2	4
	NEW YORK.												
53	Albany	1,742	183	30	17	11	12	253	38	15	28	42	68
54	Amsterdam	416	71	3	5	2	9	90	11	5	5	5	9
55	Auburn	495	59	8	5	2	4	78	14	8	12	18	10
56	Batavia	242	42	2	3	.....	2	49	8	3	2	5	7
57	Beacon*	170	15	.....	2	.....	.....	17	.....	.....	1	4	9
58	Binghamton*	1,047	123	18	10	6	9	166	23	10	13	18	27
59	Buffalo	6,536	1,234	237	112	56	48	1,687	205	106	159	199	251
60	Cohoes	290	47	10	3	4	5	69	11	3	9	5	3
61	Corning	177	24	4	1	.....	1	30	1	3	.....	7	4
62	Cortland	202	22	.....	1	1	1	25	7	2	1	2	5
63	Dunkirk	222	41	5	2	4	2	54	17	2	3	5	4
64	Elmira	623	72	9	9	8	3	101	11	5	7	9	17
65	Fulton	180	23	3	2	.....	2	30	1	2	3	5	6
66	Geneva	190	35	3	4	2	2	46	3	4	2	4	5
67	Glens Falls	266	34	1	1	.....	.....	36	5	7	5	4	5

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1921—Continued.

10,000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920; the remainder of the state is included in "rural districts." Minor state insane asylums, state hospitals, etc.]

DEATHS AT AGE OF—															
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
8	8	9	12	9	9	11	14	17	9	9	7	3	1			1
3	6	5	9	9	10	11	10	24	10	14	4	3				2
24	26	33	25	45	37	60	56	67	56	45	27	6	1			3
6	8	5	2	7		6	5	9	7	4	2		1			4
104	125	125	140	133	162	178	175	144	150	94	58	13	4			5
8	25	13	13	14	16	3	4	4	3	3	1			1		
7	9	5	4	7	4	9	8	7	9	2						6
10	15	16	25	25	28	40	34	37	48	37	26	3	2			7
3	3	2	9	9	15	15	11	26	16	12	3	4	3		1	8
5	4	8	2	6	9	11	12	15	16	20	10	5	1			9
2	2	2	5	6	11	12	19	19	24	8	6	4		1	1	10
23	34	27	49	47	59	63	69	64	46	36	27	15	1	1	2	11
15	15	10	19	20	26	25	37	32	35	15	5	4	1			12
5	10	4	8	11	17	8	13	17	10	16	8	2		1	1	13
5	3	4	5	8	12	12	9	13	10	7	7	1				14
3	3	4	2	5	4	5		2		1		1	1			
25	34	29	49	53	85	68	78	69	61	33	17	2				15
10	12	16	28	17	13	14	9	1	2		1			1		
29	25	36	35	40	38	42	39	32	24	16	7					16
24	26	25	27	12	13	17	11	9	9	8	5	1				17
3	6	6	4	6	11	15	12	23	18	14	9		2			18
8	6	8	14	12	13	13	28	24	24	19	5	5	2			19
52	59	78	74	89	98	100	105	102	67	45	19	3	2			20
9	4	7	10	9	20	11	14	10	6	4	1	1				21
8	10	6	22	28	25	48	46	40	37	34	7	5	2			22
41	42	45	59	55	66	74	67	63	42	39	21	2	1	1	1	23
7	8	11	12	14	4	18	11	19	18	7	4	2	1			24
5	7	5	7	10	4	7	3	2	3	3	1					25
7	4	6	3	8	5	16	13	11	13	5	2	1				26
14	9	13	19	12	22	19	18	27	25	15	7	2	1			27
3	6	4	7	8	10	9	6	5	4	3	1					28
27	46	58	53	62	73	78	61	45	51	16	5	2				29
4	7	12	14	21	13	21	16	18	25	15	9					30
132	161	154	188	222	252	269	214	203	163	86	43	17	1	1		31
9	3	8	14	12	24	18	15	19	24	32	10	2				32
14	15	26	23	16	24	30	30	21	13	20	6	3				33
3	6	6	8	5	11	14	17	17	21	11	5	2	2			34
2	2	4	6	8	10	13	15	22	29	22	9	4				35
4		2	4	4	2	1			1		1					
14	9	10	16	16	26	22	22	17	23	20	7	4				36
24	16	19	23	24	31	33	34	31	31	22	8	5	1			37
166	196	223	257	273	295	329	297	266	223	133	77	16	2	2	1	38
24	37	24	27	17	19	9	17	4	3	3	1		2			
20	22	22	21	31	42	37	36	28	29	16	5	2				39
1	4	10	4	4	2	4	1	2	2		1					
36	31	29	34	42	35	37	35	29	17	20	6					40
50	65	92	101	124	125	148	144	95	103	75	30	12				41
18	22	23	21	29	24	32	18	18	16	13	1	1				42
3	6	4	6	10	15	16	15	14	14	16	3	4				43
13	20	11	23	15	23	22	34	28	32	13	9	8	1			44
5	5	10	16	11	10	16	12	9	11	10	5	1		1		45
2	2	3		1	1		2	1		2	1					46
5	7	3	8	8	8	11	17	13	13	8	5	1		1		47
60	83	77	101	93	103	121	111	100	103	49	32	12	2			48
	4	5	4	7	12	17	15	12	16	6	2	1				49
9	6	2	17	22	23	26	19	24	25	13	3		2			50
6	6	6	11	11	17	9	14	5	10	4	1	2				51
2	4	1	4	3	12	5	10	15	5	8	3					52
60	74	85	89	94	136	152	139	166	140	101	51	7	3	1		53
14	13	15	20	23	36	25	31	41	31	29	8	3	2			54
8	12	15	21	24	35	32	43	35	52	47	24	7				55
9	9	10	10	17	9	22	18	15	16	22	5	6				56
6	8	5	16	19	10	21	15	10	11	11	4	2		1		57
40	43	61	53	70	81	78	91	89	74	66	31	12	1			58
239	262	296	322	372	426	504	479	367	297	198	119	40	8			59
10	14	11	7	23	18	29	19	24	21	7	6				1	60
8	10	8	9	13	10	16	23	11	10	6	5	2	1			61
8	4	6	10	8	16	16	18	34	21	11	8					62
7	6	11	13	14	15	11	14	15	17	7	4	3				63
13	18	18	32	41	47	54	61	59	68	37	20	4	1			64
1	7	11	7	9	7	17	16	12	24	10	7	4	1			65
4	2	8	9	13	14	14	17	12	12	10	9	2				66
5	5	12	10	18	21	17	28	29	28	15	12	3			1	67

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[The white and colored are shown separately for minor subdivisions when the colored population of the subdivision formed at least 10 per cent of the total, or numbered areas which are designated by asterisks (*) contain

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
	NEW YORK—continued.												
1	Gloversville	344	29	6	3	2	3	43	11	3	8	5	9
2	Herkimer	127	20	4	.....	4	3	31	10	5	1	3	5
3	Hornell	226	28	1	2	2	.....	33	.....	4	2	4	8
4	Hudson	191	20	4	1	1	1	27	8	6	4	2	4
5	Ilion	114	8	.....	1	1	.....	10	1	4	1	2	4
6	Ithaca	269	29	2	.....	3	3	37	3	2	2	6	10
7	Jamestown	479	63	12	2	6	2	85	8	9	16	19	19
8	Johnstown	139	10	.....	1	1	1	13	2	1	1	5	1
9	Kingston	465	42	3	.....	3	3	51	12	17	10	23	25
10	Lackawanna*	350	235	13	6	3	2	259	8	5	3	5	4
11	Little Falls	145	27	.....	2	.....	.....	29	2	3	4	4	7
12	Lockport	288	41	2	1	1	2	47	5	8	3	2	10
13	Middletown*	408	34	8	4	6	2	54	4	8	2	7	8
14	Mount Vernon	406	65	11	2	5	3	86	6	7	5	8	10
15	New Rochelle	301	45	2	2	2	6	57	13	5	5	12	10
16	New York {White	61,575	8,984	1,846	935	685	561	13,011	1,650	1,092	1,301	1,945	2,251
	{Colored	3,028	610	108	46	26	13	803	46	46	97	205	239
17	Bronx Borough	6,975	939	182	93	86	60	1,360	202	144	137	247	304
18	Brooklyn Borough {White	21,547	3,126	627	369	243	197	4,562	625	392	482	678	752
	{Colored	637	111	18	10	4	5	148	8	8	19	44	49
19	Manhattan Borough {White	26,756	4,096	921	398	280	247	5,942	660	463	538	826	952
	{Colored	2,129	459	79	30	22	7	597	34	30	66	144	171
20	Queens Borough	5,032	662	91	65	64	47	929	135	76	122	154	179
21	Richmond Borough	1,527	201	36	16	12	11	276	32	25	34	57	83
22	Newburgh	431	47	5	5	4	.....	61	11	8	9	11	10
23	Niagara Falls	622	141	31	14	12	9	207	23	16	10	14	30
24	North Tonawanda	181	33	5	4	2	2	46	5	5	4	9	7
25	Ogdensburg*	457	60	3	2	1	.....	66	6	7	8	10	17
26	Olean	294	47	6	1	3	.....	57	2	3	5	7	12
27	Oneida	149	17	1	.....	2	.....	20	2	.....	3	1	4
28	Oneonta	199	18	2	.....	2	1	23	4	2	4	6	8
29	Ossining	155	19	.....	.....	1	2	22	5	3	1	5	3
30	Oswego	330	58	1	2	2	2	65	5	1	9	7	8
31	Peekskill	187	22	2	2	2	2	30	3	6	6	3	2
32	Plattsburg	196	34	.....	3	2	2	41	3	3	4	6	8
33	Port Chester	190	22	3	6	1	1	33	7	2	3	5	5
34	Port Jervis	212	30	3	5	1	1	40	9	5	3	9	7
35	Poughkeepsie	426	51	5	1	6	3	66	7	4	6	4	3
36	Rensselaer	114	16	3	1	.....	.....	20	1	1	.....	1	1
37	Rochester	3,663	545	92	48	37	31	753	106	47	75	84	95
38	Rome*	515	56	15	4	4	7	86	27	12	21	15	13
39	Saratoga Springs	270	15	6	1	2	1	25	5	6	6	5	6
40	Schenectady	884	118	16	6	13	6	159	13	15	20	17	22
41	Syracuse	2,139	355	44	27	20	21	467	68	51	34	45	44
42	Tonawanda	76	9	2	1	.....	1	13	6	2	2	2	1
43	Troy	1,161	134	42	16	9	3	204	12	18	12	21	30
44	Utica*	1,417	221	61	35	13	19	349	33	18	28	36	25
45	Watertown	482	88	5	5	5	4	107	2	6	11	14	14
46	Watervliet	179	23	5	4	3	3	38	5	4	2	3	2
47	White Plains	239	31	4	2	3	.....	40	6	6	5	3	7
48	Yonkers	960	160	21	16	13	14	224	18	19	22	31	30
	NORTH CAROLINA.												
49	Asheville* {White	461	53	16	8	5	4	86	6	6	21	42	34
	{Colored	148	20	4	1	3	1	29	2	3	7	6	15
50	Charlotte {White	396	69	14	7	5	3	98	11	9	13	15	22
	{Colored	301	37	14	2	2	3	58	9	8	17	29	27
51	Durham {White	146	33	5	2	.....	1	41	1	2	5	7	4
	{Colored	189	40	5	3	.....	1	49	5	2	14	19	14
52	Gastonia {White	150	39	12	4	6	1	62	3	3	6	4	11
	{Colored	50	4	1	1	1	1	8	.....	2	2	9	4
53	Goldsboro {White	68	14	2	.....	.....	1	17	4	2	3	3	3
	{Colored	132	36	3	2	.....	.....	41	4	2	4	12	9
54	Greensboro {White	169	27	3	1	1	.....	32	3	3	2	8	6
	{Colored	116	22	3	.....	.....	.....	25	3	6	8	14	13
55	High Point {White	133	23	10	4	.....	2	39	7	4	6	8	9
	{Colored	50	10	6	2	.....	.....	18	.....	1	1	6	3
56	New Bern {White	79	8	.....	1	.....	.....	9	2	5	2	4	4
	{Colored	155	25	2	.....	2	1	30	7	5	5	6	7
57	Raleigh* {White	319	30	8	3	3	1	45	3	3	6	10	10
	{Colored	228	37	6	6	2	1	52	3	7	11	18	15
58	Rocky Mount {White	129	33	7	3	.....	.....	43	2	3	.....	4	6
	{Colored	108	25	3	.....	.....	.....	28	2	4	3	5	7
59	Salisbury {White	118	14	9	2	1	1	27	7	2	.....	5	2
	{Colored	68	13	6	1	.....	.....	20	1	2	2	9	3
60	Wilmington {White	311	68	21	6	3	2	100	8	3	3	9	10
	{Colored	293	56	17	5	2	1	81	5	6	10	24	13
61	Wilson {White	105	20	2	.....	.....	.....	22	1	2	.....	7	4
	{Colored	112	17	8	.....	2	1	28	3	5	9	12	9
62	Winston-Salem {White	278	66	22	2	4	5	99	5	5	13	13	5
	{Colored	348	88	12	8	.....	1	109	2	12	15	43	30

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1921—Continued.

10,000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920; the remainder of the state is included in "rural districts." Minor state insane asylums, state hospitals, etc.]

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
9	11	9	14	17	31	26	36	35	34	25	8	8	2	.....	.....	1
6	2	2	5	7	5	7	12	10	4	7	3	.....	2	.....	.....	2
3	7	4	15	19	22	21	20	23	14	18	7	2	.....	.....	.....	3
9	4	1	14	7	10	21	19	8	24	11	9	1	1	.....	1	4
2	8	4	6	8	11	8	10	11	8	9	3	2	2	.....	.....	5
8	10	10	10	18	15	23	19	30	28	20	14	2	1	1	.....	6
16	13	17	12	24	27	37	43	39	38	32	18	5	2	.....	.....	7
2	1	4	9	8	8	11	18	21	11	12	5	3	3	.....	.....	8
16	14	18	24	26	32	49	40	43	28	24	8	5	.....	.....	.....	9
8	10	7	11	16	3	4	2	1	1	2	.....	.....	1	.....	.....	10
4	3	10	9	7	6	10	7	13	13	9	4	1	.....	.....	.....	11
9	13	7	17	14	12	13	33	23	32	24	11	5	.....	.....	.....	12
14	14	24	24	12	29	45	38	38	38	30	12	6	1	.....	.....	13
17	14	19	25	24	19	35	29	32	34	13	15	8	.....	.....	.....	14
7	12	12	15	19	21	18	25	19	21	17	6	6	.....	1	.....	15
2,362	2,859	3,102	3,695	4,338	4,621	5,046	4,503	3,825	2,900	1,858	886	267	56	6	1	16
245	258	258	171	160	130	134	79	74	50	15	8	8	1	1	.....	
265	314	371	440	531	511	586	508	394	316	212	94	36	3	.....	.....	17
777	942	1,066	1,216	1,427	1,584	1,801	1,570	1,377	1,129	719	328	95	23	2	.....	18
42	62	45	33	39	36	31	18	21	20	4	2	7	1	.....	.....	
1,063	1,327	1,372	1,660	1,982	2,047	2,139	1,909	1,588	1,117	691	348	103	24	4	1	19
185	179	195	124	101	83	88	48	45	25	6	6	1	.....	1	.....	
210	208	240	306	336	382	425	427	374	252	171	78	22	6	.....	.....	20
65	85	71	87	82	108	110	102	100	91	70	38	11	.....	.....	.....	21
15	23	30	23	23	29	35	29	40	34	24	12	2	1	1	.....	22
26	27	22	31	27	31	35	33	39	24	15	6	5	1	.....	.....	23
6	9	7	5	12	11	8	15	12	7	6	3	4	.....	.....	.....	24
16	18	12	25	26	33	41	48	38	38	28	13	3	3	1	.....	25
15	11	11	24	15	15	26	29	17	19	17	8	.....	1	.....	.....	26
3	11	10	10	9	5	7	8	14	21	13	5	2	.....	1	.....	27
8	13	13	9	9	10	12	17	29	14	5	11	2	.....	.....	.....	28
6	3	8	6	10	11	14	16	16	13	5	4	1	3	.....	.....	29
13	11	4	14	16	24	26	28	32	21	25	12	8	1	.....	.....	30
2	10	4	13	9	16	15	18	17	13	7	8	4	1	.....	.....	31
9	6	11	3	12	11	17	11	18	14	9	8	.....	1	1	.....	32
8	12	8	15	14	11	18	14	14	13	5	2	1	.....	.....	.....	33
10	2	6	12	13	13	13	14	14	20	11	10	1	.....	.....	.....	34
11	13	13	18	29	30	35	41	48	39	32	18	8	1	.....	.....	35
1	.....	7	5	4	7	11	14	14	18	3	4	2	.....	.....	.....	36
117	142	150	155	223	247	302	303	282	268	178	100	32	4	.....	.....	37
15	26	21	20	27	27	35	56	37	29	26	16	6	.....	.....	.....	38
6	9	13	16	20	20	25	22	24	26	24	5	3	3	1	.....	39
27	38	44	37	62	66	66	69	81	70	45	27	6	.....	.....	.....	40
75	88	81	117	134	137	152	175	162	155	90	45	14	5	.....	.....	41
2	2	1	4	3	5	7	7	7	9	9	.....	1	.....	.....	.....	42
35	48	39	56	87	84	113	112	97	90	63	32	6	1	1	.....	43
37	45	53	73	76	91	114	115	97	115	59	36	12	5	.....	.....	44
13	19	16	21	29	30	39	41	42	30	22	18	8	.....	.....	.....	45
3	6	13	12	8	11	12	21	16	10	10	3	.....	.....	.....	.....	46
10	5	11	16	11	12	20	15	16	27	13	8	7	1	.....	.....	47
36	47	59	55	62	74	65	58	53	48	31	20	7	.....	.....	1	48
42	30	31	31	23	9	26	16	21	19	10	5	1	1	.....	1	49
7	11	15	8	7	6	9	4	3	3	1	.....	1	1	.....	10	
14	19	20	11	23	20	25	34	27	19	7	6	2	1	.....	.....	50
21	15	15	18	23	13	20	3	16	4	2	2	.....	.....	1	.....	
4	8	3	8	9	11	7	12	8	12	2	2	.....	.....	.....	.....	51
12	7	15	6	8	8	9	4	6	5	3	.....	2	.....	1	.....	
5	4	3	4	10	7	4	9	5	5	2	2	1	.....	.....	.....	52
2	4	2	5	2	3	3	1	2	.....	.....	.....	.....	1	.....	.....	
.....	1	3	3	3	3	5	5	5	3	2	3	.....	.....	.....	.....	53
6	8	7	9	5	3	5	4	5	4	1	2	.....	1	.....	.....	
10	6	10	5	5	12	25	11	11	6	9	5	.....	.....	.....	.....	54
9	6	4	7	8	3	1	1	5	1	1	.....	.....	.....	.....	1	
4	6	6	6	4	2	7	9	6	5	2	1	2	.....	.....	.....	55
1	.....	4	1	5	3	1	.....	2	2	1	1	.....	.....	.....	.....	
3	3	3	3	4	7	11	5	5	7	2	.....	.....	.....	.....	.....	56
3	9	11	11	8	8	11	12	6	4	4	6	1	1	.....	.....	
18	16	16	20	19	19	25	24	22	23	24	14	1	1	.....	.....	57
23	15	11	11	13	3	11	12	13	4	2	2	2	.....	.....	.....	
5	7	3	8	9	8	9	8	7	5	2	.....	.....	.....	.....	.....	58
6	7	6	10	8	7	2	2	6	2	.....	1	1	.....	.....	1	
5	7	3	3	3	9	11	8	8	9	4	4	1	.....	.....	.....	59
2	4	4	4	7	1	2	2	2	.....	1	1	.....	.....	1	.....	
7	8	16	12	17	15	22	20	25	14	14	4	2	.....	1	1	60
23	13	16	28	22	11	13	12	5	4	4	1	1	1	.....	.....	
8	5	6	2	10	4	4	8	8	5	5	3	1	.....	.....	.....	61
9	7	7	3	5	4	.....	6	1	.....	.....	1	.....	.....	.....	3	
9	10	6	8	14	19	20	15	14	11	11	.....	1	.....	.....	.....	62
19	18	18	18	19	13	15	3	7	3	1	.....	1	.....	1	1	

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[The white and colored are shown separately for minor subdivisions when the colored population of the subdivision formed at least 10 per cent of the total, or numbered areas which are designated by asterisks (*) contain

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
	NORTH DAKOTA.[1]												
1	Fargo	303	62	5	4	4	3	78	14	9	12	10	21
	OHIO.												
2	Akron	1,564	325	35	28	22	17	427	71	24	38	70	72
3	Alliance	283	44	5	3	1	3	56	11	7	8	11	9
4	Ashtabula	255	43	3	2	3	1	52	11	1	8	13	8
5	Barberton	176	48	9	6	4	.....	67	3	6	.....	6	4
6	Bellaire	184	39	3	3	3	3	51	4	1	9	1	5
7	Bucyrus	114	16	1	1	.....	.....	18	2	1	2	3	2
8	Cambridge	166	26	10	.....	1	2	39	4	2	7	4	.....
9	Canton	975	177	19	16	7	10	229	47	18	12	31	36
10	Chillicothe	205	30	2	4	3	2	41	7	4	2	5	3
11	Cincinnati {White	4,954	515	83	40	42	24	704	110	50	110	156	156
	Cincinnati {Colored	746	88	26	11	6	6	137	14	17	30	47	67
12	Cleveland {White	8,019	1,392	248	136	121	104	2,001	274	145	160	238	354
	Cleveland {Colored	678	88	30	15	4	2	139	12	25	36	64	64
13	Cleveland Heights	110	5	3	.....	2	1	11	3	1	2	.....	2
14	Columbus {White	2,796	320	43	29	25	19	436	69	36	63	88	102
	Columbus {Colored	380	75	7	6	3	2	93	2	3	8	22	31
15	Coshocton	161	20	1	1	.....	.....	22	7	1	4	4	5
16	Cuyahoga Falls	85	15	2	.....	1	1	19	1	.....	4	5	1
17	Dayton	1,734	236	35	20	19	12	322	35	23	31	54	51
18	East Cleveland	213	17	2	4	2	.....	25	6	3	2	5	5
19	East Liverpool	328	38	10	5	2	5	60	4	5	11	10	12
20	East Youngstown	128	69	14	6	2	3	94	5	2	1	2	3
21	Elyria	233	35	6	1	.....	1	43	4	1	7	6	10
22	Findlay	211	23	3	1	.....	2	29	1	3	2	8	8
23	Fremont	126	12	3	.....	.....	2	17	6	1	.....	1	2
24	Hamilton	487	77	9	10	6	7	109	15	2	10	16	15
25	Ironton	204	37	9	4	1	1	52	6	6	8	7	4
26	Kenmore	95	28	3	1	3	.....	35	2	4	1	1	4
27	Lakewood	379	36	6	3	2	2	49	8	4	7	7	11
28	Lancaster	190	21	3	2	2	2	30	7	1	2	4	4
29	Lima	472	66	14	7	3	4	94	10	14	13	15	23
30	Lorain	372	90	15	9	6	5	125	16	8	15	15	13
31	Mansfield	323	45	4	4	.....	2	55	5	1	2	9	14
32	Marietta	228	22	5	3	1	.....	31	9	4	5	2	6
33	Marion	338	60	6	5	.....	1	72	9	7	11	13	10
34	Martins Ferry	177	28	8	4	2	.....	42	7	8	8	7	6
35	Massillon	195	37	3	1	1	.....	42	2	.....	5	6	8
36	Middletown	251	44	7	3	3	2	59	7	5	12	14	9
37	New Philadelphia	114	34	1	2	2	1	40	2	1	.....	1	3
38	Newark	371	47	11	3	7	7	75	10	5	10	8	8
39	Niles	141	39	6	2	3	3	53	8	4	2	2	10
40	Norwood	177	23	2	.....	2	.....	27	2	2	2	7	5
41	Piqua	174	16	2	1	4	1	24	4	5	4	6	5
42	Portsmouth	448	94	20	7	10	6	137	10	7	14	23	13
43	Salem	143	17	2	3	2	.....	24	1	1	1	3	3
44	Sandusky	304	31	6	1	.....	1	39	5	2	5	12	13
45	Springfield {White	625	84	10	11	4	11	120	27	11	9	14	21
	Springfield {Colored	104	18	3	2	1	1	25	2	3	4	5	4
46	Steubenville	354	63	11	7	8	4	93	10	4	6	13	14
47	Tiffin	205	12	3	2	3	.....	20	5	3	4	5	5
48	Toledo	3,047	407	52	27	30	27	543	102	61	65	142	128
49	Warren	376	58	7	6	5	3	79	14	5	11	20	19
50	Youngstown	1,554	358	66	30	23	17	494	53	25	39	43	73
51	Zanesville	469	59	9	9	5	4	86	7	7	10	12	11
	OKLAHOMA.[1]												
52	Oklahoma City	1,039	137	31	10	6	13	197	23	24	38	59	57
	OREGON.												
53	Astoria	173	20	1	2	.....	1	24	3	8	3	7	7
54	Eugene	198	17	1	.....	1	1	20	8	4	4	5	8
55	Portland	2,892	264	40	20	16	16	356	73	55	50	69	106
56	Salem (exclusive of)	236	13	2	1	.....	2	18	7	9	5	4	12
57	State institutions	277	.....	.....	.....	1	1	2	5	10	12	12	8
	PENNSYLVANIA.												
58	Allentown	1,182	166	29	11	15	12	233	28	19	31	43	57
59	Altoona	773	124	25	9	16	7	181	27	20	22	29	28
60	Ambridge	123	33	10	4	8	3	58	3	2	2	1	6
61	Beaver Falls	191	36	7	3	5	2	53	6	4	7	7	7
62	Berwick	116	25	6	1	1	2	35	3	2	4	2	4
63	Bethlehem	459	124	28	9	12	3	176	11	8	10	6	7
64	Braddock	371	83	15	5	5	3	111	20	7	16	14	24
65	Bradford	230	28	1	2	3	.....	34	2	4	6	6	5
66	Bristol	140	28	5	6	4	1	44	8	2	3	3	4
67	Butler	297	47	17	4	2	3	73	8	3	13	13	11

[1]Nonregistration state; the only cities shown are those with satisfactory registration of deaths.

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1921—Continued.

10,000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920; the remainder of the state is included in "rural districts." Minor state insane asylums, state hospitals, etc.]

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
10	15	6	12	23	15	27	14	11	13	5	6	1	.....	.....	1	1
77	75	73	63	80	58	98	86	93	77	50	27	3	2	.....	.....	2
13	19	15	15	11	14	8	17	25	27	9	6	1	1	.....	.....	3
8	12	10	17	10	22	23	19	10	15	8	5	2	1	.....	.....	4
6	14	6	13	6	7	10	11	8	4	2	2	1	.....	.....	.....	5
10	10	8	6	19	7	9	12	9	7	8	5	2	.....	1	.....	6
4	4	4	8	4	5	11	8	9	13	10	6	.....	.....	.....	.....	7
6	7	3	10	9	6	18	11	8	16	13	3	.....	.....	.....	.....	8
38	31	48	43	47	49	59	68	64	78	42	25	7	3	.....	.....	9
7	6	9	12	4	18	9	14	20	19	15	7	3	.....	.....	.....	10
186	220	229	220	308	380	455	440	424	360	269	125	42	9	1	.....	11
55	68	57	55	47	32	32	24	31	15	13	2	1	1	1	.....	
390	454	400	430	471	473	547	481	453	351	230	128	33	3	2	1	12
53	61	51	42	33	27	22	13	15	10	4	3	1	2	1	.....	
4	5	2	9	9	6	7	13	10	10	8	5	3	.....	.....	.....	13
97	113	141	162	156	192	243	232	208	192	153	75	30	6	2	.....	14
20	37	35	35	20	16	18	14	10	5	7	1	.....	1	2	.....	
3	3	4	5	9	11	10	18	16	16	16	5	2	.....	.....	.....	15
1	1	4	2	5	4	9	7	4	8	6	3	1	.....	.....	.....	16
53	76	83	98	115	99	148	141	124	124	93	40	23	1	.....	.....	17
9	7	12	18	12	21	22	21	9	17	10	6	3	.....	.....	.....	18
19	14	14	19	20	24	20	29	28	12	16	7	4	.....	.....	.....	19
1	3	3	3	3	1	1	1	.....	.....	4	1	.....	.....	.....	.....	20
14	10	4	17	16	13	13	21	15	23	5	8	3	.....	.....	.....	21
2	2	11	9	10	7	20	20	18	31	15	11	4	.....	.....	.....	22
3	3	2	7	6	5	10	12	14	19	6	7	3	2	.....	.....	23
15	18	24	16	25	40	36	43	24	33	24	14	7	1	.....	.....	24
7	10	11	5	9	10	14	14	11	17	7	6	.....	.....	.....	.....	25
3	2	5	2	5	3	8	2	9	4	2	3	.....	.....	.....	.....	26
21	15	10	19	28	27	38	28	33	35	21	10	6	1	1	.....	27
8	9	4	9	6	9	16	16	20	21	15	6	3	.....	.....	.....	28
21	23	22	18	29	26	39	37	34	22	16	11	4	1	.....	.....	29
18	15	8	18	19	23	19	20	14	16	5	3	1	1	.....	.....	30
6	14	7	20	11	18	35	30	40	26	16	10	2	1	1	.....	31
7	5	5	7	11	19	17	29	29	18	15	4	3	1	1	.....	32
12	14	11	14	22	20	21	31	24	17	14	12	3	1	.....	.....	33
6	11	8	12	6	7	7	7	13	9	6	4	1	1	1	.....	34
4	6	10	12	10	15	20	11	12	15	11	5	1	.....	.....	.....	35
6	10	10	12	10	15	13	12	20	16	16	4	1	.....	.....	.....	36
5	2	3	1	4	5	6	6	12	12	4	4	2	1	.....	.....	37
10	14	7	20	14	22	26	27	41	29	26	11	7	.....	.....	1	38
5	4	2	4	8	6	8	10	3	5	3	2	2	.....	.....	.....	39
6	4	3	4	11	14	17	19	23	13	6	10	2	.....	.....	.....	40
4	14	6	6	8	12	10	7	12	26	11	4	6	.....	.....	.....	41
17	15	17	15	21	16	25	28	25	32	17	12	3	1	.....	.....	42
7	7	5	8	4	9	9	15	14	16	11	5	.....	.....	.....	.....	43
8	10	10	19	16	20	23	31	25	29	19	15	3	.....	.....	.....	44
18	20	21	31	34	24	52	54	55	57	37	18	1	1	.....	.....	45
8	6	6	5	2	5	9	1	6	8	4	.....	.....	.....	1	.....	
24	21	12	21	16	15	24	16	33	16	10	3	2	1	.....	.....	46
6	9	5	9	14	9	26	17	19	22	15	7	5	.....	.....	.....	47
140	152	155	172	175	198	214	217	189	181	133	50	25	4	1	.....	48
24	18	17	23	17	15	23	18	23	24	16	8	1	1	.....	.....	49
78	96	63	97	79	64	75	92	76	39	39	21	7	1	.....	.....	50
12	12	21	27	29	28	35	33	43	49	26	11	6	3	1	.....	51
44	59	54	57	63	65	62	63	59	43	35	25	8	2	.....	2	52
11	10	9	11	9	7	18	21	7	6	7	5	.....	.....	.....	.....	53
9	9	1	9	8	17	11	17	23	21	9	13	2	.....	.....	.....	54
119	132	143	172	220	224	263	239	247	208	115	64	28	8	1	.....	55
6	7	10	11	9	13	17	24	32	22	17	10	3	.....	.....	.....	56
14	25	28	21	25	20	19	23	20	14	8	6	2	1	.....	2	57
45	55	53	40	74	66	77	91	89	89	54	25	11	1	1	.....	58
24	26	28	36	33	55	66	60	37	43	40	15	2	1	.....	.....	59
6	6	6	8	7	6	3	4	2	2	1	.....	.....	.....	.....	.....	60
13	7	6	9	10	7	6	11	12	15	6	4	1	.....	.....	.....	61
2	5	6	5	5	9	4	12	3	8	1	3	3	.....	.....	.....	62
9	15	11	15	21	24	24	24	25	32	29	10	2	.....	.....	.....	63
21	25	28	31	18	10	14	15	8	6	1	1	1	.....	.....	.....	64
11	11	8	12	16	14	16	16	21	26	10	8	2	.....	2	.....	65
4	7	1	4	10	9	6	8	12	3	5	6	1	.....	.....	.....	66
11	16	9	15	10	17	15	11	24	22	17	6	3	.....	.....	.....	67

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[The white and colored are shown separately for minor subdivisions when the colored population of the subdivision formed at least 10 per cent of the total, or numbered areas which are designated by asterisks (*) contain

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
	PENNSYLVANIA—continued.												
1	Canonsburg	120	31	7	3	2	2	45	7	2	3	4	4
2	Carbondale	315	63	12	5	5	2	87	10	8	8	6	13
3	Carlisle	173	17	1	1	.....	1	20	1	2	2	4	5
4	Carnegie	101	31	7	2	.....	4	44	1	.....	.....	1	5
5	Carrick	83	18	2	.....	.....	.....	20	4	2	.....	2	4
6	Chambersburg	176	18	1	1	.....	.....	20	2	3	5	6	5
7	Charleroi	95	27	7	1	2	2	39	1	.....	1	3	6
8	Chester { White	608	150	20	13	9	4	196	21	6	13	21	17
	{ Colored	153	35	6	.....	2	2	45	1	5	5	4	12
9	Coatesville { White	96	14	1	2	1	1	19	.....	2	3	3	1
	{ Colored	20	6	.....	.....	.....	.....	6	.....	1	.....	1	2
10	Columbia	152	24	7	2	1	.....	34	.....	2	1	3	3
11	Connellsville	145	18	3	3	3	.....	27	5	4	2	7	4
12	Dickson City	95	43	1	4	1	2	51	2	1	2	1	3
13	Donora	110	57	8	2	1	1	69	3	1	1	1	5
14	Du Bois	178	30	4	3	1	3	41	7	2	10	7	10
15	Dunmore	267	106	10	7	4	2	129	5	1	3	4	2
16	Duquesne	213	61	14	14	13	12	114	19	3	3	3	4
17	Easton	493	64	13	6	4	7	94	11	13	6	15	12
18	Erie	1,190	188	38	19	15	7	267	30	19	26	36	44
19	Farrell	141	39	12	6	6	1	64	5	1	6	7	9
20	Greensburg	278	40	7	2	2	3	54	9	9	8	8	12
21	Harrisburg	1,047	126	14	12	6	7	165	18	23	23	30	27
22	Hazleton	479	75	12	8	9	8	112	14	13	18	27	26
23	Homestead	162	49	16	5	3	3	76	1	1	6	3	6
24	Jeannette	88	21	5	.....	2	1	29	5	.....	.....	4	4
25	Johnstown	1,002	224	20	22	24	12	302	42	15	35	38	50
26	Lancaster	777	113	18	9	4	5	149	26	14	15	23	23
27	Lebanon	381	63	7	4	3	3	80	8	3	9	9	12
28	McKees Rocks	167	48	15	2	3	2	70	9	7	3	5	5
29	McKeesport	634	130	24	15	7	5	181	28	9	11	28	37
30	Mahanoy City	172	53	7	3	6	3	72	5	3	3	3	2
31	Meadville	213	24	1	3	1	2	31	3	6	2	10	6
32	Monessen	130	55	13	7	2	2	79	4	.....	5	2	1
33	Mount Carmel	199	42	14	3	4	2	65	7	5	2	10	8
34	Nanticoke	298	73	11	8	.....	3	95	10	5	12	8	11
35	New Castle	575	140	24	13	5	4	186	16	18	12	9	21
36	New Kensington	178	33	10	2	3	3	51	4	6	5	8	10
37	Norristown*	609	72	8	7	6	4	97	6	1	13	16	21
38	North Braddock	124	41	1	3	2	1	48	3	2	2	8	.....
39	Oil City	251	48	5	2	1	1	57	7	2	5	10	12
40	Old Forge	128	45	9	7	1	1	63	6	3	5	.....	1
41	Olyphant	98	37	4	1	2	1	45	.....	1	3	2	1
42	Philadelphia { White	21,206	2,991	536	275	184	147	4,133	488	309	358	610	681
	{ Colored	2,491	417	89	26	14	12	558	50	43	82	176	185
43	Phoenixville	141	27	4	1	.....	2	34	7	1	4	2	6
44	Pittsburgh { White	7,684	1,391	262	124	87	74	1,938	222	147	187	261	296
	{ Colored	815	137	36	11	4	12	200	21	26	36	57	61
45	Pittston	281	53	16	6	2	3	80	8	10	2	10	19
46	Plymouth	160	48	4	3	3	3	61	4	4	3	5	2
47	Pottstown	274	43	6	3	3	6	61	6	11	5	5	13
48	Pottsville	392	69	12	8	4	5	98	9	9	5	17	16
49	Punxsutawney	160	24	8	4	6	1	43	9	6	5	7	5
50	Reading	1,437	238	18	14	16	8	294	51	25	24	35	43
51	Scranton	1,949	318	60	34	25	16	453	59	54	47	62	81
52	Shamokin	224	55	7	2	2	1	67	4	6	3	5	10
53	Sharon	247	44	10	4	.....	4	62	9	2	4	7	6
54	Shenandoah	323	118	26	1	5	2	152	11	4	6	7	9
55	Steelton { White	85	20	3	3	.....	.....	26	5	1	1	2	3
	{ Colored	36	9	1	.....	.....	.....	10	1	.....	1	1	2
56	Sunbury	199	19	5	.....	2	3	29	4	2	9	5	7
57	Swissvale	123	28	3	1	3	3	38	3	3	2	7	5
58	Tamaqua	127	26	2	.....	1	1	30	4	1	3	2	3
59	Uniontown	303	43	10	7	2	2	64	11	13	5	5	25
60	Warren	184	18	2	3	.....	1	24	3	4	5	5	7
61	Washington	366	79	13	2	4	.....	98	6	4	8	15	11
62	West Chester* { White	270	31	4	1	2	2	40	4	6	4	5	2
	{ Colored	54	8	3	.....	.....	.....	11	1	3	3	4	2
63	Wilkes-Barre	1,122	191	36	12	14	13	266	51	24	33	29	52
64	Wilkinsburg	314	34	8	2	3	4	51	7	6	7	14	6
65	Williamsport	567	76	14	5	3	3	101	14	8	10	14	7
66	Woodlawn	100	33	10	4	5	1	53	4	2	2	2	2
67	York	588	85	10	2	3	9	109	28	11	10	11	17

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1921—Continued.

10,000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920; the remainder of the state is included in "rural districts." Minor state insane asylums, state hospitals, etc.]

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
7	5	5	6	5	1	3	5	3	8	2	3	1	1			1
16	12	20	15	14	17	23	20	19	14	8	4		1			2
1	7	8	12	6	10	19	20	19	21	10	5		1			3
2	1	4	3	1	4	6	7	9	9	1	2	1				4
	3	1		5	4	6	6	12	5	4	4	1				5
5	11	3	7	9	13	14	6	18	28	11	7	3				6
3	2	3	1	5	5	8	5	6	4		3					7
27	30	20	24	35	31	43	31	37	23	16	14	2	1			8
9	7	9	12	15	7	6	3	5	3	2	2	1				
3	7	5	2	7	4	5	9	6	12	6	1	1				9
1	1	1	1	4					1	1						
4	5	3	7	12	8	9	16	16	16	9	4					10
5	7	8	5	13	7	9	9	8	14	7	2	2				11
	6	1	3	7	4	5	4	2	1	2						12
2	2	5	4	5		5	2	2	3							13
6	6	7	5	10	5	6	15	15	13	9		3		1		14
4	7	8	7	9	14	15	19	14	13	3	7	3				15
8	8	8	9	4	10	4	6	5	3	2						16
17	24	13	35	37	32	37	40	40	20	25	14	6	2			17
40	47	57	64	64	65	82	81	86	85	58	32	5		2		18
7	11	5	5	9	3	3	1	4	1							19
14	14	19	18	20	16	17	18	11	15	9	7					20
35	50	60	63	65	74	80	76	90	87	50	26	4	1			21
19	39	28	33	29	24	21	21	30	12	9	4					22
7	4	4	7	8	9	10	7	4	5	1	3					23
	3	2	1	4	7	4	9	8	3	3	1	1				24
45	62	35	58	63	51	35	32	43	51	22	18	4	1			25
20	19	24	40	51	47	56	55	77	64	47	19	7	1			26
11	12	13	7	20	24	37	27	35	40	23	10	1				27
9	6	11	11	5	7	3	7	6	2	1						28
32	33	28	29	34	45	29	36	26	22	17	7	2				29
4	8	6	8	10	6	11	7	8	7	7	2					30
5	8	4	10	12	19	24	13	18	18	17	3	4				31
5	4	2	4	5	1	7	3	2	5	1						32
9	10	8	13	8	9	8	13	11	7	6						33
16	16	16	21	16	14	18	16	9	7	7	1					34
22	22	13	20	24	31	29	29	57	25	19	17	5				35
10	9	14	13	11	8	6	4	8	8	2	1					36
15	22	29	32	48	38	56	53	51	47	33	21	7	2	1		37
2	4	4	7	7	10	5	9	6	4	1	2					38
6	9	12	12	14	17	15	17	16	19	13	6	2				39
7	3	4	10	6	3	6	3	3	4	1						40
6	5	3	9	5	4	5	5	2	2							41
714	868	968	1,110	1,427	1,494	1,761	1,715	1,638	1,308	967	452	171	26	8		42
181	195	209	182	155	138	112	78	57	32	35	13	4	2	4		
2	5	8	6	8	11	9	12	7	10	6	3					43
351	379	381	419	457	511	513	461	443	347	239	104	21	5	2		44
44	65	66	67	61	27	29	21	21	4	4	2	2		1		
8	17	11	12	25	11	17	13	9	16	10	3					45
5	3	2	4	8	12	11	11	7	7	5	5				1	46
5	9	3	10	19	13	19	22	30	19	13	7	3			1	47
20	15	20	23	17	16	31	24	32	21	15	3		1			48
5	5	6	5	8	10	10	6	8	11	9	1	1				49
46	56	59	77	82	89	94	122	128	97	69	36	8	2			50
63	104	103	108	137	134	148	110	118	76	59	22	11				51
5	7	10	1	8	10	17	17	20	18	8	7	1				52
10	6	12	10	15	16	25	12	17	13	12	8		1			53
11	19	14	13	21	12	18	5	8	5	8						54
3	2	3	1	6	3	2	5	10	6	4	2					55
5	3	2	2	2	1	1				3	2					
8	12	6	13	10	11	18	22	13	12	10	6	2				56
5	2	3	5	7	4	7	4	7	7	4	8	2				57
3	3	4	6	5	3	12	15	17	9	4	1	2				58
15	18	16	19	19	15	14	19	9	15	14	4	1	1	1		59
5	7	9	10	11	8	14	19	15	20	8	8	2				60
13	8	16	18	24	24	26	19	20	25	13	13	3	1	1		61
13	13	9	8	15	10	21	25	32	23	21	10	6	2	1		62
2	5	1	1	3	3	5	2	1	4	2	1					
53	61	45	54	63	77	72	60	67	50	38	20	5	2			63
12	20	16	13	14	18	20	33	28	15	19	9	5	1			64
12	22	18	24	38	42	37	58	46	61	35	15	4	1			65
7	4	5	2	3	4	2	3	1	1	2	1					66
16	15	19	28	28	30	45	57	44	55	42	16	5	2			67

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[The white and colored are shown separately for minor subdivisions when the colored population of the subdivision formed at least 10 per cent of the total, or numbered areas which are designated by asterisks (*) contain

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
	RHODE ISLAND.												
1	Bristol town	142	40	1	2	1	.....	44	4	1	4	3	1
2	Central Falls	210	58	7	8	5	3	81	3	2	4	4	4
3	Cranston (exclusive of)	264	52	9	6	2	3	72	5	6	3	6	3
4	State institutions	313	4	1	1	.....	.....	6	1	1	.....	3	9
5	Cumberland town	134	30	3	1	4	.....	38	1	.....	3	3	2
6	East Providence town	252	46	12	2	2	.....	62	7	3	3	12	6
7	Newport	334	46	4	5	4	1	60	5	4	8	9	14
8	Pawtucket	785	155	18	7	11	6	197	24	9	10	18	27
9	Providence	3,185	552	90	33	37	17	729	75	37	61	77	99
10	Warwick town	183	17	5	2	3	1	28	3	3	2	3	7
11	West Warwick town	152	42	10	2	3	2	59	4	2	1	3	5
12	Woonsocket	515	126	18	6	5	4	159	15	9	7	13	9
	SOUTH CAROLINA.												
13	Anderson—White	157	31	9	1	2	2	45	4	3	4	13	11
	Anderson—Colored	88	14	2	1	.....	2	19	1	1	.....	9	11
14	Charleston—White	484	81	16	8	5	2	112	5	5	15	15	12
	Charleston—Colored	973	224	30	26	4	3	287	20	18	35	75	67
15	Columbia*—White	602	93	19	4	4	3	123	11	9	16	25	33
	Columbia*—Colored	655	100	15	9	2	6	132	10	11	26	56	57
16	Florence—White	129	19	13	9	.....	1	42	2	2	6	6	6
	Florence—Colored	123	25	9	2	3	1	40	3	3	6	13	13
17	Greenville—White	173	24	6	3	4	1	38	4	3	7	7	12
	Greenville—Colored	153	25	7	2	.....	1	35	2	2	8	16	9
18	Spartanburg—White	187	33	8	3	1	3	48	4	3	7	8	10
	Spartanburg—Colored	171	25	7	4	.....	1	37	2	5	12	11	15
	TENNESSEE.												
19	Chattanooga—White	515	60	12	6	1	3	82	16	8	21	25	23
	Chattanooga—Colored	408	49	11	3	1	2	66	2	5	23	45	27
20	Jackson—White	147	21	1	.....	2	.....	24	5	1	3	3	5
	Jackson—Colored	152	21	5	3	1	2	32	3	2	8	8	10
21	Johnson City*—White	264	46	13	3	8	4	74	11	3	6	18	21
	Johnson City*—Colored	50	8	.....	.....	1	.....	9	3	.....	.....	4	11
22	Knoxville—White	922	145	55	19	7	11	237	24	18	33	48	36
	Knoxville—Colored	270	40	12	3	2	1	58	7	7	7	21	17
23	Memphis—White	1,424	192	42	22	9	7	272	38	22	29	62	64
	Memphis—Colored	1,452	195	33	7	10	6	251	20	30	70	117	127
24	Nashville—White	1,167	152	37	15	9	10	223	18	11	48	58	33
	Nashville—Colored	811	88	19	5	4	4	120	21	10	38	56	50
	TEXAS.[1]												
25	Beaumont—White	258	37	12	6	.....	2	57	7	6	8	15	8
	Beaumont—Colored	197	50	6	2	2	.....	60	2	2	10	17	20
26	Dallas—White	1,563	255	39	19	15	13	341	40	33	58	74	61
	Dallas—Colored	422	50	8	3	.....	3	64	9	4	18	37	40
27	El Paso	2,086	532	110	29	24	6	701	35	28	72	137	137
28	Galveston—White	468	75	9	2	2	.....	88	7	8	14	22	19
	Galveston—Colored	188	19	4	.....	.....	.....	23	2	3	5	16	12
29	Houston—White	1,251	168	36	17	8	8	237	30	20	35	44	54
	Houston—Colored	600	65	9	2	1	2	79	5	12	32	45	50
30	San Antonio—White	2,456	614	133	56	20	13	836	56	48	96	125	141
	San Antonio—Colored	222	23	6	3	2	2	36	9	3	13	17	23
	UTAH.												
31	Ogden	400	67	9	6	4	5	91	12	10	11	16	18
32	Provo	164	17	7	2	2	1	29	5	3	5	5	4
33	Salt Lake City	1,503	251	55	17	9	13	345	47	40	35	52	55
	VERMONT.												
34	Barre	152	14	3	3	1	1	22	3	2	1	3	5
35	Burlington	390	84	7	.....	4	2	97	11	3	8	9	11
36	Rutland	202	27	1	2	1	2	33	7	.....	3	.....	4
	VIRGINIA.												
37	Alexandria—White	167	33	4	.....	2	.....	39	2	6	1	11	4
	Alexandria—Colored	87	16	2	1	1	.....	20	2	.....	4	8	4
38	Charlottesville—White	98	14	2	1	.....	1	18	1	1	3	1	.....
	Charlottesville—Colored	46	6	3	1	.....	1	11	.....	1	1	3	2
39	Danville—White	215	47	4	2	2	3	58	5	4	5	12	11
	Danville—Colored	110	7	7	.....	.....	1	15	1	1	5	8	9
40	Lynchburg—White	281	46	7	2	3	2	60	1	6	8	8	9
	Lynchburg—Colored	160	26	5	2	1	.....	34	5	4	7	14	13
41	Newport News—White	140	23	3	1	4	3	34	.....	2	3	6	6
	Newport News—Colored	260	56	7	1	2	2	68	5	6	12	18	18
42	Norfolk—White	757	114	17	8	7	7	153	22	9	22	41	30
	Norfolk—Colored	808	139	32	14	3	4	192	10	17	29	53	59
43	Petersburg—White	244	45	12	3	2	1	63	7	3	4	1	8
	Petersburg—Colored	332	86	14	5	3	.....	108	5	7	21	24	25
44	Portsmouth—White	291	47	8	7	5	1	68	7	1	9	8	5
	Portsmouth—Colored	437	100	24	6	5	2	137	5	5	29	26	35

[1] Nonregistration state; the only cities shown are those with satisfactory registration of deaths.

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1921—Continued.

10,000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920; the remainder of the state is included in "rural districts." Minor state insane asylums, state hospitals, etc.]

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
5	5	5	2	4	6	11	9	6	12	14	5	1				1
3	6	7	10	9	9	18	15	14	11	5	4	1				2
4	5	10	8	14	13	19	26	25	18	12	11	3	1			3
8	10	15	24	22	37	38	32	39	35	20	11	1			1	4
8	2	4	3	7	6	14	4	17	13	5	3	1				5
9	7	6	6	14	15	20	19	16	23	9	9	4		1	1	6
5	7	17	18	19	22	26	27	26	24	27	10	5	1			7
28	26	23	39	38	47	62	57	66	54	41	14	1	3		1	8
93	135	139	169	229	213	266	233	249	185	114	54	23	3	1	1	9
4	6	8	11	9	11	21	22	12	17	11	3	1			1	10
4	3	4	4	9	3	13	9	10	6	10	3					11
11	16	16	27	22	27	30	32	40	42	20	14	4		1	1	12
2	7	11	6	7	7	7	11	7	4	4	3	1				13
5	8	8	8	8	5	2	1					2				
19	30	14	25	25	24	30	44	33	34	23	15	3	1			14
63	70	72	67	63	45	24	28	16	13	5	1	3		1		
30	21	33	35	30	27	44	39	51	36	22	13	3	1			15
53	56	43	49	31	29	25	23	24	12	9	5	1	2	1		
8	2	4	5	9	5	6	12	6	5	3						16
9	9	8	8	3	1	1	1	2		3						
12	8	3	11	11	9	14	13	11	6	2	2					17
15	8	11	18	7	8	3	2	2	3	2			1	1		
7	3	6	7	13	14	9	18	10	13	4	1	2				18
9	11	11	14	11	8	8	4	5	3	4					1	
32	21	33	27	35	21	36	36	31	27	30	8	1	2			19
29	39	37	28	36	17	14	15	10	7	6				2		
4	11	9	5	3	12	8	9	17	12	10	5	1				20
7	7	13	12	9	12	8	8	6	4	2			1			
13	5	15	19	9	15	10	8	13	11	9	3				1	21
5	1	1	2	2	2	3		2	2	1				1	1	
30	51	35	44	52	45	64	65	59	41	32	8					22
13	24	18	20	20	14	11	11	9	6	4	2	1				
62	85	75	96	81	72	88	108	110	78	45	24	12	1			23
100	135	110	112	110	77	68	36	23	26	21	9	5	1	4		
54	51	57	63	56	65	91	86	79	73	64	31	6				24
55	72	54	66	74	46	49	34	28	20	11	3	3		1		
7	16	10	13	19	16	21	13	16	11	7	1	3			4	25
5	20	15	6	13	8	2	3		2	3	3	1	1	1	3	
68	83	62	85	72	86	108	120	93	83	53	24	15	4			26
36	51	28	31	22	22	14	14	10	7	7	4	2	1	1		
130	136	133	88	91	78	96	60	64	36	32	15	4	4	5	1	27
20	19	26	33	31	35	27	30	38	24	12	12	1	2			28
18	21	17	14	19	4	11	7	7	3	1	5					
64	76	66	73	86	70	98	94	80	57	43	18	5	1		2	29
39	42	44	56	54	38	37	21	12	9	10	4	5	3	2	1	
101	109	106	110	115	98	123	104	90	86	71	23	11	3	1	3	30
16	14	9	17	25	9	6	7	8	4		1	1	1	1	2	
25	23	13	17	14	17	27	25	28	26	15	10	2				31
8	11	12	4	8	14	13	10	7	12	9	4	1				32
56	74	55	83	90	93	82	104	91	88	71	26	14	1			33
5	13	14	10	11	15	13	7	12	9	3	4					34
4	15	16	19	16	20	22	24	36	25	34	13	4	2		1	35
8	9	8	11	19	5	14	20	20	18	8	13	1		1		36
10	6	4	4	9	15	10	9	12	12	7	4	2				37
2	4	5	4	5	5	6	6	5	3	3					1	
5	5	3	4	5	12	6	8	9	9	6	2					38
2	2	1	2	3	2	3	4	4	1	3		1				
7	7	9	7	11	8	24	15	16	5	6	3	1	1			39
6	6	8	15	11	13	4	3	2		1	1				1	
11	12	6	16	16	21	31	20	14	12	20	7	3				40
10	5	8	11	13	7	7	8	4	6	2			2			
9	7	4	6	12	7	9	13	13	4	3	2					41
20	18	34	15	17	8	9	7	2	1			1			1	
31	27	38	32	54	49	62	57	36	45	26	16	5	2			42
59	66	65	73	76	29	37	15	12	9		2		2	1	2	
12	10	13	4	10	12	17	23	15	18	11	10	2	1			43
14	23	17	10	14	23	11	9	10	4	3	1	3				
9	13	8	19	18	20	22	26	24	15	12	4	2			1	44
25	27	26	33	28	20	18	6	4	8	1	2		2			

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[The white and colored are shown separately for minor subdivisions when the colored population of the subdivision formed at least 10 per cent of the total, or numbered areas which are designated by asterisks (*) contain

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
	VIRGINIA—continued.												
1	Richmond ... White	1,491	232	37	27	15	5	316	23	22	28	37	46
	Colored	1,076	205	37	15	5	7	269	16	19	46	63	70
2	Roanoke ... White	537	92	26	9	4	6	137	11	13	15	24	23
	Colored	170	25	11	2	1	1	40	.....	5	10	18	4
3	Staunton* ... White	216	14	2	1	1	.....	18	1	2	2	4	3
	Colored	35	6	1	.....	.....	.....	7	1	3	1	.....	.....
	WASHINGTON.												
4	Aberdeen	143	19	2	3	1	.....	25	3	3	3	2	9
5	Bellingham	266	38	4	1	2	.....	45	6	8	3	9	10
6	Everett	255	32	3	1	3	2	41	10	6	2	7	8
7	Hoquiam	75	6	1	2	1	.....	10	1	3	5	1	3
8	Seattle ... White	2,643	248	34	15	12	18	327	60	36	39	86	94
	Colored	196	46	11	2	1	3	63	6	.....	9	14	7
9	Spokane	1,315	144	22	14	12	7	199	53	43	30	47	43
10	Tacoma	1,051	122	9	11	5	8	155	23	15	23	27	35
11	Vancouver	143	18	.....	.....	1	2	21	1	4	1	7	3
12	Walla Walla	250	26	1	5	.....	1	33	5	10	5	13	10
13	Yakima	302	47	10	2	1	4	64	7	2	10	12	13
	WEST VIRGINIA.[1]												
14	Wheeling	869	123	21	13	6	10	173	28	20	29	31	37
	WISCONSIN.												
15	Appleton	262	43	4	1	3	1	52	7	7	11	8	8
16	Ashland	197	30	2	2	1	.....	35	5	7	5	9	10
17	Beloit	204	38	4	5	3	.....	50	4	2	3	10	6
18	Eau Claire*	322	44	3	1	2	.....	50	6	4	10	12	12
19	Fond du Lac	306	45	2	3	3	1	54	13	6	6	10	7
20	Green Bay	531	90	6	5	2	4	107	12	14	14	28	22
21	Janesville	197	24	3	2	.....	1	30	3	1	7	2	4
22	Kenosha	323	69	11	10	4	2	96	12	8	3	9	13
23	La Crosse	524	72	4	9	4	5	94	7	8	16	16	16
24	Madison	426	43	4	5	5	4	61	12	7	11	19	10
25	Manitowoc	226	47	3	2	1	.....	53	4	3	4	9	11
26	Marinette	155	21	7	4	3	.....	35	1	2	4	9	2
27	Milwaukee	4,587	877	137	73	53	43	1,183	139	65	93	135	162
28	Oshkosh	445	73	5	3	.....	1	82	11	3	7	7	8
29	Racine	589	97	25	5	12	9	148	28	14	11	16	21
30	Sheboygan	344	63	4	2	1	3	73	14	4	5	12	10
31	Stevens Point	139	23	6	1	2	2	34	3	2	2	2	6
32	Superior	446	77	7	6	5	7	102	12	17	14	15	15
33	Waukesha	140	20	.....	2	1	1	24	4	2	3	2	4
34	Wausau	264	45	3	2	7	4	61	5	4	8	9	10
35	West Allis	127	28	3	6	2	3	42	8	2	6	2	5

[1] Nonregistration state; the only cities shown are those with satisfactory registration of deaths.

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1921—Continued.

10,000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920; the remainder of the state is included in "rural districts." Minor state insane asylums, state hospitals, etc.]

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
48	64	61	67	82	79	114	127	120	123	84	36	10	3	1	.....	1
63	62	79	86	95	60	71	30	24	12	9	2	.....	.....	.....	.....	
15	21	24	28	28	31	32	39	34	29	24	6	2	1	.....	.....	2
9	8	16	20	12	9	5	7	3	1	1	1	1	.....	.....	.....	
10	6	15	9	14	14	28	24	21	19	17	5	3	1	.....	.....	3
2	1	2	1	3	1	7	3	1	.....	.....	1	1	.....	.....	.....	
9	11	9	11	7	8	15	9	5	4	6	1	3	.....	.....	.....	4
7	8	11	10	10	23	23	27	31	19	8	5	2	1	.....	.....	5
10	16	7	16	13	21	30	17	17	13	9	10	.....	2	.....	.....	6
7	2	4	1	4	6	8	5	3	8	2	2	.....	.....	.....	.....	7
105	122	158	175	183	220	234	237	205	177	98	72	11	3	.....	1	
11	17	15	9	16	6	9	7	4	2	.....	.....	1	.....	.....	.....	8
55	61	69	60	80	100	110	116	100	67	45	26	8	3	.....	.....	9
39	46	46	51	69	86	112	100	78	71	43	23	6	2	.....	1	10
7	4	3	4	10	5	12	13	16	16	6	9	1	.....	.....	.....	11
10	10	7	9	23	15	25	17	23	13	10	7	3	2	.....	.....	12
12	13	22	14	11	26	18	17	28	15	11	6	1	.....	.....	.....	13
39	45	49	55	40	47	47	57	66	47	39	16	4	.....	.....	.....	14
7	5	12	9	11	13	20	17	16	20	25	12	2	.....	.....	.....	15
9	5	8	11	11	21	26	13	8	6	4	4	.....	.....	.....	.....	16
8	7	8	6	7	7	20	16	16	14	6	9	4	.....	1	.....	17
9	13	7	16	11	23	37	24	29	28	17	10	1	2	1	.....	18
4	11	14	16	11	15	23	31	24	22	17	14	7	1	.....	.....	19
27	26	28	28	29	25	29	36	37	32	21	10	5	.....	.....	1	20
7	9	12	5	11	16	17	19	18	15	9	6	5	1	.....	.....	21
9	20	17	12	16	23	12	17	15	14	13	9	3	2	.....	.....	22
13	24	21	24	26	38	46	42	34	35	35	15	13	1	.....	.....	23
24	16	22	29	23	24	44	25	35	29	17	13	5	.....	.....	.....	24
3	9	7	7	8	14	21	24	13	17	10	8	1	.....	.....	.....	25
5	4	3	5	9	10	14	14	13	12	7	5	1	.....	.....	.....	26
166	169	177	193	233	309	331	319	307	283	173	104	36	8	1	1	27
10	15	13	20	22	28	30	43	51	40	30	17	7	1	.....	.....	28
20	21	23	23	24	33	36	43	46	43	21	13	4	.....	.....	1	29
15	9	12	7	19	27	21	29	23	29	14	17	4	.....	.....	.....	30
2	1	3	6	8	5	5	16	10	16	11	5	1	1	.....	.....	31
22	17	19	28	22	42	30	20	26	27	5	9	2	.....	.....	2	32
2	9	3	6	6	10	11	11	16	13	6	6	2	.....	.....	.....	33
7	12	11	10	16	12	23	21	21	14	11	8	1	.....	.....	.....	34
2	7	3	5	3	11	6	4	11	3	5	1	1	.....	.....	.....	35

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, AND NATIVITY OF DECEDENT: 1921.

[Native white includes native born of both parents native, of one or both parents foreign, and of both parents unknown or one unknown and one native.]

AREA AND AGE.	ALL DEATHS.		WHITE.						COLORED.									
			Native.		Foreign.		Unknown.		Negro.		Indian.		Chinese.		Japanese.		Other colored.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
THE REGISTRATION AREA (EXCLUSIVE OF HAWAII).																		
All ages	545,152	486,857	362,271	330,479	111,885	93,300	9,213	3,425	58,782	58,140	854	880	1,233	133	838	497	76	3
Under 1 year	90,840	69,171	78,614	58,976	187	183	297	246	11,223	9,355	210	166	46	36	258	209	5	.....
1 year	15,294	13,613	12,828	11,331	184	155	46	28	2,119	2,001	54	53	5	7	57	38	1	.....
2 years	7,457	6,438	6,440	5,515	99	72	21	16	852	782	16	23	4	3	25	27	.....	.....
3 years	5,335	4,588	4,736	4,005	51	48	14	17	497	485	17	21	4	2	16	10	.....	.....
4 years	4,238	3,714	3,787	3,274	44	50	15	11	364	364	11	6	3	2	14	7	.....	.....
Under 5 years	123,164	97,524	106,405	83,101	565	508	393	318	15,055	12,987	308	269	62	50	370	291	6	.....
5 to 9 years	14,145	11,913	12,398	10,357	293	224	58	43	1,331	1,239	38	37	8	3	19	10	.....	.....
10 to 14 years	9,839	8,366	8,128	6,588	393	341	54	34	1,219	1,341	32	52	7	5	6	5	.....	.....
15 to 19 years	13,028	12,961	9,516	8,954	956	849	105	50	2,358	3,045	60	42	15	7	16	14	2	.....
20 to 24 years	16,718	18,219	10,836	11,880	1,886	1,730	244	92	3,630	4,409	31	56	43	11	31	41	17	.....
25 to 29 years	17,973	19,067	10,508	12,063	3,603	2,764	367	107	3,370	4,048	34	30	44	11	31	44	16	.....
30 to 34 years	18,363	18,291	10,259	11,334	4,603	3,453	433	101	2,905	3,330	22	33	75	6	57	34	9	.....
35 to 39 years	22,452	19,829	11,720	11,745	6,207	4,069	644	162	3,700	3,804	23	28	63	1	80	20	15	.....
40 to 44 years	23,142	19,486	12,312	11,715	6,578	4,175	634	125	3,444	3,429	31	20	70	7	69	15	4	.....
45 to 49 years	26,544	21,827	14,506	13,307	7,413	4,987	713	147	3,728	3,336	24	31	92	4	65	14	3	1
50 to 54 years	30,117	24,696	16,773	14,989	8,800	6,273	877	184	3,479	3,213	26	24	110	8	49	5	3	.....
55 to 59 years	32,067	25,990	18,296	15,805	10,325	7,483	660	201	2,591	2,466	33	30	143	3	19	1	.....	1
60 to 64 years	39,033	32,207	23,895	20,582	11,335	8,819	923	241	2,653	2,528	22	33	191	4	14	.....	.....	.....
65 to 69 years	39,719	34,066	25,056	21,900	11,429	9,725	770	294	2,295	2,102	35	38	130	4	4	3	.....	.....
70 to 74 years	40,097	36,524	24,690	22,710	12,174	11,319	764	355	2,339	2,102	30	31	94	6	6	.....	.....	1
75 to 79 years	35,641	34,957	21,917	22,167	11,244	10,893	632	350	1,766	1,508	32	38	49	1	.....	.....	1	.....
80 to 84 years	24,384	27,025	14,652	17,139	7,997	8,343	402	282	1,286	1,241	25	20	21	.....	1	.....	.....	.....
85 to 89 years	12,744	15,654	7,547	9,698	4,276	5,011	205	166	688	758	15	19	13	2	.....	.....	.....	.....
90 to 94 years	4,002	5,776	2,209	3,443	1,384	1,778	54	82	344	453	11	20	.....	.....	.....	.....	.....	.....
95 to 99 years	933	1,438	449	720	312	456	9	19	158	235	4	8	1	.....	.....	.....	.....	.....
100 years and over	334	576	54	119	68	73	7	9	191	362	13	13	1	.....	.....	.....	.....	.....
Unknown	713	465	145	163	44	27	265	63	252	204	5	8	1	.....	1	.....	.....	.....
REGISTRATION STATES.[1]																		
All ages	533,267	476,406	355,796	324,961	110,483	92,128	8,893	3,332	55,119	54,478	849	876	1,222	131	830	497	75	3
Under 1 year	88,795	67,534	77,137	57,897	170	156	285	231	10,686	8,839	210	166	46	36	256	209	5	.....
1 year	14,891	13,251	12,550	11,089	169	143	44	27	2,013	1,894	53	53	5	7	56	38	1	.....
2 years	7,309	6,296	6,341	5,421	87	65	21	16	815	741	16	23	4	3	25	27	.....	.....
3 years	5,240	4,516	4,665	3,951	47	42	14	16	477	474	17	21	4	2	16	10	.....	.....
4 years	4,168	3,644	3,734	3,226	43	50	14	11	349	342	11	6	3	2	14	7	.....	.....
Under 5 years	120,403	95,241	104,427	81,584	516	456	378	301	14,340	12,290	307	269	62	50	367	291	6	.....
5 to 9 years	13,883	11,704	12,223	10,208	282	218	56	42	1,257	1,186	38	37	8	3	19	10	.....	.....
10 to 14 years	9,630	8,177	7,991	6,480	379	322	52	34	1,164	1,279	31	52	7	5	6	5	.....	.....
15 to 19 years	12,654	12,520	9,343	8,748	911	800	99	48	2,208	2,861	60	42	15	7	16	14	2	.....
20 to 24 years	16,103	17,505	10,575	11,596	1,818	1,652	229	86	3,360	4,064	31	55	42	11	31	41	17	.....
25 to 29 years	17,345	18,356	10,254	11,763	3,535	2,678	350	100	3,081	3,732	34	29	44	10	31	44	16	.....
30 to 34 years	17,750	17,704	10,024	11,090	4,520	3,393	407	95	2,641	3,053	20	33	74	6	55	34	9	.....
35 to 39 years	21,660	19,177	11,387	11,461	6,119	4,004	613	156	3,362	3,508	23	27	63	1	78	20	15	.....
40 to 44 years	22,442	18,881	12,002	11,463	6,507	4,103	613	123	3,147	3,150	31	20	70	7	69	15	3	.....
45 to 49 years	25,743	21,213	14,162	13,045	7,318	4,917	688	144	3,392	3,057	24	31	92	4	64	14	3	1
50 to 54 years	29,298	24,076	16,393	14,736	8,687	6,199	847	179	3,184	2,926	26	24	109	7	49	5	3	.....
55 to 59 years	31,430	25,548	17,946	15,582	10,209	7,420	636	198	2,447	2,313	33	30	140	3	19	1	.....	1
60 to 64 years	38,284	31,694	23,463	20,291	11,204	8,734	891	236	2,502	2,396	22	33	188	4	14	.....	.....	.....
65 to 69 years	39,117	33,599	24,674	21,610	11,320	9,652	746	285	2,210	2,007	35	38	128	4	4	3	.....	.....
70 to 74 years	39,543	36,059	24,373	22,415	12,045	11,225	740	349	2,255	2,032	30	31	94	6	6	.....	.....	1
75 to 79 years	35,277	34,551	21,687	21,897	11,158	10,809	623	346	1,727	1,460	32	38	49	1	.....	.....	1	.....
80 to 84 years	24,164	26,737	14,548	16,964	7,922	8,266	393	276	1,255	1,211	24	20	21	.....	1	.....	.....	.....
85 to 89 years	12,630	15,513	7,492	9,626	4,241	4,970	203	162	666	734	15	19	13	2	.....	.....	.....	.....
90 to 94 years	3,963	5,722	2,191	3,411	1,375	1,766	54	82	332	443	11	20	.....	.....	.....	.....	.....	.....
95 to 99 years	923	1,413	444	715	310	446	9	19	155	225	4	8	1	.....	.....	.....	.....	.....
100 years and over	329	560	54	118	65	71	7	8	189	351	13	12	1	.....	.....	.....	.....	.....
Unknown	696	456	143	158	42	27	259	63	245	200	5	8	1	.....	1	.....	.....	.....
CITIES IN REGISTRATION STATES.[2]																		
All ages	273,998	249,983	171,596	160,249	73,067	64,998	4,199	1,356	23,647	22,942	63	68	915	112	472	258	39	.....
Under 1 year	44,567	33,920	40,108	30,191	125	115	144	121	4,005	3,364	11	10	41	33	129	86	4	.....
1 year	7,402	6,513	6,439	5,616	137	113	16	9	771	748	2	1	5	4	32	22	.....	.....
2 years	3,733	3,100	3,315	2,744	69	50	11	5	318	286	.....	.....	4	3	16	12	.....	.....
3 years	2,777	2,364	2,568	2,173	33	30	5	7	153	146	.....	4	4	2	14	2	.....	.....
4 years	2,187	1,923	2,024	1,774	31	33	4	3	117	105	.....	1	3	2	8	5	.....	.....
Under 5 years	60,666	47,820	54,454	42,498	395	341	180	145	5,364	4,649	13	16	57	44	199	127	4	.....
5 to 9 years	7,475	6,204	6,789	5,641	220	161	16	20	431	371	4	2	6	3	9	6	.....	.....
10 to 14 years	4,803	4,003	4,083	3,272	284	231	15	14	411	476	2	3	5	5	3	2	.....	.....
15 to 19 years	5,882	6,120	4,429	4,427	631	570	35	16	752	1,082	11	8	12	6	11	11	1	.....
20 to 24 years	8,246	9,347	5,233	6,250	1,290	1,281	114	36	1,497	1,740	2	4	34	9	17	27	9	.....
25 to 29 years	9,928	10,431	5,579	6,468	2,482	2,085	181	46	1,617	1,789	3	2	38	9	20	32	8	.....
30 to 34 years	10,552	10,240	5,587	6,081	3,141	2,610	217	45	1,498	1,479	4	3	63	6	39	16	3	.....
35 to 39 years	13,067	11,134	6,246	6,290	4,355	3,051	373	77	1,983	1,699	4	3	47	1	49	13	10	.....
40 to 44 years	13,635	11,294	6,653	6,407	4,670	3,141	341	54	1,865	1,670	3	5	65	5	37	12	1	.....
45 to 49 years	15,807	12,775	8,075	7,328	5,339	3,819	386	78	1,884	1,539	3	2	81	4	37	5	2	.....
50 to 54 years	17,816	14,491	9,041	8,065	6,510	4,838	487	69	1,660	1,507	2	2	87	7	28	3	1	.....
55 to 59 years	18,593	15,283	9,519	8,334	7,456	5,692	351	94	1,151	1,157	3	2	104	3	9	1	.....	.....
60 to 64 years	20,954	17,994	11,369	10,232	7,924	6,579	463	96	1,058	1,081	.....	3	132	3	8	.....	.....	.....
65 to 69 years	19,472	17,859	10,709	9,916	7,556	7,018	355	124	762	790	1	6	88	2	1	3	.....	.....
70 to 74 years	17,636	17,851	9,121	9,267	7,492	7,715	294	132	665	734	3	.....	57	3	4	.....	.....	.....
75 to 79 years	14,306	15,902	7,261	8,425	6,345	6,877	196	132	479	463	1	4	24	1	.....	.....	.....	.....
80 to 84 years	9,035	11,640	4,456	6,294	4,176	4,944	94	101	298	300	2	1	9	.....	.....	.....	.....	.....
85 to 89 years	4,359	6,616	2,145	3,569	2,037	2,820	49	50	122	175	.....	1	6	1	.....	.....	.....	.....
90 to 94 years	1,316	2,235	641	1,201	606	934	13	20	55	80	1	.....	.....	.....	.....	.....	.....	.....
95 to 99 years	280	533	129	227	126	246	2	2	22	58	1	.....	.....	.....	.....	.....	.....	.....
100 years and over	64	149	9	45	22	35	2	1	31	68	.....	.....	.....	.....	.....	.....	.....	.....
Unknown	106	62	18	12	10	10	35	4	42	35	.....	1	.....	.....	1	.....	.....	.....

[1] Including District of Columbia.

[2] Including District of Columbia and municipalities of 10,000 inhabitants or more in 1920.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, AND NATIVITY OF DECEDENT: 1921—Con.

[Native white includes native born of both parents native, of one or both parents foreign, and of both parents unknown or one unknown and one native.]

AREA AND AGE.	ALL DEATHS.		WHITE.						COLORED.									
			Native.		Foreign.		Unknown.		Negro.		Indian.		Chinese.		Japanese.		Other colored.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
RURAL PART OF REGISTRATION STATES.[1]																		
All ages	259,269	226,423	184,200	164,712	37,416	27,130	4,694	1,976	31,472	31,536	786	808	307	19	358	239	36	3
Under 1 year	44,228	33,614	37,029	27,706	45	41	141	110	6,681	5,475	199	156	5	3	127	123	1	.....
1 year	7,489	6,738	6,111	5,473	32	30	28	18	1,242	1,146	51	52	.....	3	24	16	1	.....
2 years	3,576	3,196	3,026	2,677	18	15	10	11	497	455	16	23	.....	.....	9	15	.....	.....
3 years	2,463	2,152	2,097	1,778	14	12	9	9	324	328	17	17	.....	.....	2	8	.....	.....
4 years	1,981	1,721	1,710	1,452	12	17	10	8	232	237	11	5	.....	.....	6	2	.....	.....
Under 5 years	59,737	47,421	49,973	39,086	121	115	198	156	8,976	7,641	294	253	5	6	168	164	2	.....
5 to 9 years	6,408	5,500	5,434	4,567	62	57	40	22	826	815	34	35	2	.....	10	4	.....	.....
10 to 14 years	4,827	4,174	3,908	3,208	95	91	37	20	753	803	29	49	2	.....	3	3	.....	.....
15 to 19 years	6,772	6,400	4,914	4,321	280	230	64	32	1,456	1,779	49	34	3	1	5	3	1	.....
20 to 24 years	7,857	8,158	5,292	5,346	528	371	115	50	1,863	2,324	29	51	8	2	14	14	8	.....
25 to 29 years	7,417	7,925	4,675	5,295	1,053	593	169	54	1,464	1,943	31	27	6	1	11	12	8	.....
30 to 34 years	7,198	7,464	4,437	5,009	1,379	783	190	50	1,143	1,574	16	30	11	.....	16	18	6	.....
35 to 39 years	8,593	8,043	5,141	5,171	1,764	953	240	79	1,379	1,809	19	24	16	.....	29	7	5	.....
40 to 44 years	8,807	7,587	5,349	5,056	1,837	962	272	69	1,282	1,480	28	15	5	2	32	3	2	.....
45 to 49 years	9,936	8,438	6,087	5,717	1,979	1,098	302	66	1,508	1,518	21	29	11	.....	27	9	1	1
50 to 54 years	11,482	9,585	7,352	6,671	2,177	1,361	360	110	1,524	1,419	24	22	22	.....	21	2	2	.....
55 to 59 years	12,837	10,265	8,427	7,248	2,753	1,728	285	104	1,296	1,156	30	28	36	.....	10	.....	.....	1
60 to 64 years	17,330	13,700	12,094	10,059	3,280	2,155	428	140	1,444	1,315	22	30	56	1	6	.....	.....	.....
65 to 69 years	19,645	15,740	13,965	11,694	3,764	2,634	391	161	1,448	1,217	34	32	40	2	3	.....	.....	.....
70 to 74 years	21,907	18,208	15,252	13,148	4,553	3,510	446	217	1,590	1,298	27	31	37	3	2	.....	.....	1
75 to 79 years	20,971	18,649	14,426	13,472	4,813	3,932	427	214	1,248	997	31	34	25	.....	.....	.....	1	.....
80 to 84 years	15,129	15,097	10,092	10,670	3,746	3,322	299	175	957	911	22	19	12	.....	1	.....	.....	.....
85 to 89 years	8,271	8,897	5,347	6,057	2,204	2,150	154	112	544	559	15	18	7	1	.....	.....	.....	.....
90 to 94 years	2,647	3,487	1,550	2,210	769	832	41	62	277	363	10	20	.....	.....	.....	.....	.....	.....
95 to 99 years	643	880	315	488	184	200	7	17	133	167	3	8	1	.....	.....	.....	.....	.....
100 years and over	265	411	45	73	43	36	5	7	158	283	13	12	1	.....	.....	.....	.....	.....
Unknown	590	394	125	146	32	17	224	59	203	165	5	7	1	.....	.....	.....	.....	.....
REGISTRATION CITIES IN NONREGISTRATION STATES.[2]																		
All ages	11,885	10,451	6,475	5,518	1,402	1,172	320	93	3,663	3,662	5	4	11	2	8	.....	1	.....
Under 1 year	2,045	1,637	1,477	1,079	17	27	12	15	537	516	.....	.....	.....	.....	2	.....	.....	.....
1 year	403	362	278	242	15	12	2	1	106	107	1	.....	.....	.....	1	.....	.....	.....
2 years	148	142	99	94	12	7	.....	.....	37	41	.....	.....	.....	.....	.....	.....	.....	.....
3 years	95	72	71	54	4	6	.....	1	20	11	.....	.....	.....	.....	.....	.....	.....	.....
4 years	70	70	53	48	1	.....	1	.....	15	22	.....	.....	.....	.....	.....	.....	.....	.....
Under 5 years	2,761	2,283	1,978	1,517	49	52	15	17	715	697	1	.....	.....	.....	3	.....	.....	.....
5 to 9 years	262	209	175	149	11	6	2	1	74	53	.....	.....	.....	.....	.....	.....	.....	.....
10 to 14 years	209	189	137	108	14	19	2	.....	55	62	1	.....	.....	.....	.....	.....	.....	.....
15 to 19 years	374	441	173	206	45	49	6	2	150	184	.....	.....	.....	.....	.....	.....	.....	.....
20 to 24 years	615	714	261	284	68	78	15	6	270	345	.....	1	1	.....	.....	.....	.....	.....
25 to 29 years	628	711	254	300	68	86	17	7	289	316	.....	1	.....	1	.....	.....	.....	.....
30 to 34 years	613	587	235	244	83	60	26	6	264	277	2	.....	1	.....	2	.....	.....	.....
35 to 39 years	792	652	333	284	88	65	31	6	338	296	.....	1	.....	.....	2	.....	.....	.....
40 to 44 years	700	605	310	252	71	72	21	2	297	279	.....	.....	.....	.....	.....	1	.....	.....
45 to 49 years	801	614	344	262	95	70	25	3	336	279	.....	.....	.....	.....	1	.....	.....	.....
50 to 54 years	819	620	380	253	113	74	30	5	295	287	.....	.....	1	1	.....	.....	.....	.....
55 to 59 years	637	442	350	223	116	63	24	3	144	153	.....	.....	3	.....	.....	.....	.....	.....
60 to 64 years	749	513	432	291	131	85	32	5	151	132	.....	.....	3	.....	.....	.....	.....	.....
65 to 69 years	602	467	382	290	109	73	24	9	85	95	.....	.....	2	.....	.....	.....	.....	.....
70 to 74 years	554	465	317	295	129	94	24	6	84	70	.....	.....	.....	.....	.....	.....	.....	.....
75 to 79 years	364	406	230	270	86	84	9	4	39	48	.....	.....	.....	.....	.....	.....	.....	.....
80 to 84 years	220	288	104	175	75	77	9	6	31	30	1	.....	.....	.....	.....	.....	.....	.....
85 to 89 years	114	141	55	72	35	41	2	4	22	24	.....	.....	.....	.....	.....	.....	.....	.....
90 to 94 years	39	54	18	32	9	12	.....	.....	12	10	.....	.....	.....	.....	.....	.....	.....	.....
95 to 99 years	10	25	5	5	2	10	.....	.....	3	10	.....	.....	.....	.....	.....	.....	.....	.....
100 years and over	5	16	.....	1	3	2	.....	1	2	11	.....	1	.....	.....	.....	.....	.....	.....
Unknown	17	9	2	5	2	.....	6	.....	7	4	.....	.....	.....	.....	.....	.....	.....	.....
ALL REGISTRATION CITIES.[3]																		
All ages	285,883	260,434	178,071	165,767	74,469	66,170	4,519	1,449	27,310	26,604	68	72	926	114	480	258	40	.....
Under 1 year	46,612	35,557	41,585	31,270	142	142	156	136	4,542	3,880	11	10	41	33	131	86	4	.....
1 year	7,805	6,875	6,717	5,858	152	125	18	10	877	855	3	1	5	4	33	22	.....	.....
2 years	3,881	3,242	3,414	2,838	81	57	11	5	355	327	.....	.....	4	3	16	12	.....	.....
3 years	2,872	2,436	2,639	2,227	37	36	5	8	173	157	.....	4	4	2	14	2	.....	.....
4 years	2,257	1,993	2,077	1,822	32	33	5	3	132	127	.....	1	3	2	8	5	.....	.....
Under 5 years	63,427	50,103	56,432	44,015	444	393	195	162	6,079	5,346	14	16	57	44	202	127	4	.....
5 to 9 years	7,737	6,413	6,964	5,790	231	167	18	21	505	424	4	2	6	3	9	6	.....	.....
10 to 14 years	5,012	4,192	4,220	3,380	298	250	17	14	466	538	3	3	5	5	3	2	.....	.....
15 to 19 years	6,256	6,561	4,602	4,633	676	619	41	18	902	1,266	11	8	12	6	11	11	1	.....
20 to 24 years	8,861	10,061	5,544	6,534	1,358	1,359	129	42	1,767	2,085	2	5	35	9	17	27	9	.....
25 to 29 years	10,556	11,142	5,833	6,768	2,550	2,171	198	53	1,906	2,105	3	3	38	10	20	32	8	.....
30 to 34 years	11,165	10,827	5,822	6,325	3,224	2,670	243	51	1,762	1,756	6	3	64	6	41	16	3	.....
35 to 39 years	13,859	11,786	6,579	6,574	4,443	3,116	404	83	2,321	1,995	4	4	47	1	51	13	10	.....
40 to 44 years	14,335	11,899	6,963	6,659	4,741	3,213	362	56	2,162	1,949	3	5	65	5	37	12	2	.....
45 to 49 years	16,608	13,389	8,419	7,590	5,434	3,889	411	81	2,220	1,818	3	2	81	4	38	5	2	.....
50 to 54 years	18,635	15,111	9,421	8,318	6,623	4,912	517	74	1,955	1,794	2	2	88	8	28	3	1	.....
55 to 59 years	19,230	15,725	9,869	8,557	7,572	5,755	375	97	1,295	1,310	3	2	107	3	9	1	.....	.....
60 to 64 years	21,703	18,507	11,801	10,523	8,055	6,664	495	101	1,209	1,213	.....	3	135	3	8	.....	.....	.....
65 to 69 years	20,074	18,326	11,091	10,206	7,665	7,091	379	133	847	885	1	6	90	2	1	3	.....	.....
70 to 74 years	18,190	18,316	9,438	9,562	7,621	7,809	318	138	749	804	3	.....	57	3	4	.....	.....	.....
75 to 79 years	14,670	16,308	7,491	8,695	6,431	6,961	205	136	518	511	1	4	24	1	.....	.....	.....	.....
80 to 84 years	9,255	11,928	4,560	6,469	4,251	5,021	103	107	329	330	3	1	9	.....	.....	.....	.....	.....
85 to 89 years	4,473	6,757	2,200	3,641	2,072	2,861	51	54	144	199	.....	1	6	1	.....	.....	.....	.....
90 to 94 years	1,355	2,289	659	1,233	615	946	13	20	67	90	1	.....	.....	.....	.....	.....	.....	.....
95 to 99 years	290	553	134	232	128	256	2	2	25	68	1	.....	.....	.....	.....	.....	.....	.....
100 years and over	69	165	9	46	25	37	2	2	33	79	.....	1	.....	.....	.....	.....	.....	.....
Unknown	123	71	20	17	12	10	41	4	49	39	.....	1	.....	.....	1	.....	.....	.....

[1] The term "rural" embraces the area outside of municipalities of 10,000 inhabitants or more in 1920.

[2] A list of these cities may be found on p. 9.

[3] Including District of Columbia.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, AND NATIVITY OF DECEDENT: 1921—Con.

[Native white includes native born of both parents native, of one or both parents foreign, and of both parents unknown or one unknown and one native.]

AREA AND AGE.	ALL DEATHS.		WHITE.						COLORED.									
			Native.		Foreign.		Unknown.		Negro.		Indian.		Chinese.		Japanese.		Other colored.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
CALIFORNIA.																		
All ages	27,694	19,683	17,101	13,641	7,865	4,965	930	148	387	342	122	119	712	97	542	368	35	3
Under 1 year	2,738	2,068	2,463	1,841	13	8	6	3	32	24	22	15	24	24	176	153	2	.....
1 year	453	407	391	357	12	7	.....	1	3	6	5	2	5	5	36	29	1	.....
2 years	245	217	211	179	5	8	.....	.....	4	2	3	4	4	3	18	21	.....	.....
3 years	194	147	171	129	4	4	.....	1	1	.....	2	4	1	2	15	7	.....	.....
4 years	143	132	128	121	2	5	.....	.....	1	.....	.....	.....	2	1	10	5	.....	.....
Under 5 years	3,773	2,971	3,364	2,627	36	32	6	5	41	32	32	25	36	35	255	215	3	.....
5 to 9 years	611	455	549	414	29	18	2	2	7	5	6	6	7	3	11	7	.....	.....
10 to 14 years	406	290	339	234	46	34	1	1	6	4	4	9	6	4	4	4	.....	.....
15 to 19 years	549	469	417	353	93	87	3	1	7	6	14	5	10	4	5	13	.....	.....
20 to 24 years	857	638	557	446	196	132	23	4	23	21	5	8	26	5	22	22	5	.....
25 to 29 years	979	746	598	526	268	151	44	6	20	20	4	4	24	5	16	34	5	.....
30 to 34 years	1,060	798	581	542	336	196	51	3	27	23	1	3	25	5	33	26	6	.....
35 to 39 years	1,436	875	774	560	468	252	77	12	36	32	3	1	23	1	47	17	8	.....
40 to 44 years	1,507	864	797	591	497	213	95	8	40	28	3	4	29	7	43	13	3	.....
45 to 49 years	1,592	1,023	858	711	527	260	81	11	34	24	4	1	46	3	41	12	1	1
50 to 54 years	1,843	1,150	991	762	575	328	146	15	37	32	7	3	53	6	31	4	3	.....
55 to 59 years	1,941	1,165	1,058	759	677	364	70	9	32	25	4	4	85	2	15	1	.....	1
60 to 64 years	2,305	1,374	1,311	953	712	377	119	10	19	19	6	11	127	4	11	.....	.....	.....
65 to 69 years	2,221	1,499	1,251	956	733	499	82	13	16	24	2	3	85	4	2	.....	.....	.....
70 to 74 years	2,259	1,619	1,223	982	882	591	64	17	14	17	5	5	67	6	4	.....	.....	1
75 to 79 years	1,940	1,564	1,059	939	800	599	32	9	8	10	5	6	35	1	.....	.....	1	.....
80 to 84 years	1,350	1,164	770	694	528	449	20	11	7	6	6	4	18	.....	1	.....	.....	.....
85 to 89 years	728	690	434	418	274	250	7	6	4	9	1	5	8	2	.....	.....	.....	.....
90 to 94 years	252	255	141	145	101	96	3	5	4	2	3	7	.....	.....	.....	.....	.....	.....
95 to 99 years	58	58	27	28	28	26	1	.....	1	3	.....	1	1	.....	.....	.....	.....	.....
100 years and over	21	15	1	1	9	10	1	.....	3	.....	6	4	1	.....	.....	.....	.....	.....
Unknown	6	1	1	.....	.....	1	2	.....	1	.....	1	.....	.....	.....	1	.....	.....	.....
COLORADO.																		
All ages	6,866	5,012	4,906	3,939	1,407	834	321	91	176	121	16	10	7	.....	26	17	7	.....
Under 1 year	996	709	971	686	3	4	4	1	9	6	2	2	.....	.....	7	10	.....	.....
1 year	167	134	155	129	1	1	.....	.....	3	1	3	.....	.....	.....	5	3	.....	.....
2 years	75	74	73	70	.....	1	.....	.....	.....	2	.....	.....	.....	.....	2	1	.....	.....
3 years	54	52	54	50	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
4 years	40	45	38	41	.....	4	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....
Under 5 years	1,332	1,014	1,291	976	4	11	4	1	12	10	6	2	.....	.....	15	14	.....	.....
5 to 9 years	168	176	162	166	3	3	1	3	2	3	.....	1	.....	.....	.....	.....	.....	.....
10 to 14 years	138	118	129	103	2	8	1	.....	4	4	2	3	.....	.....	.....	.....	.....	.....
15 to 19 years	174	155	142	136	20	14	3	1	9	3	.....	1	.....	.....	.....	.....	.....	.....
20 to 24 years	294	238	227	201	37	20	10	5	14	11	.....	1	.....	.....	1	.....	5	.....
25 to 29 years	387	292	264	244	86	30	9	6	23	10	2	.....	.....	.....	2	2	1	.....
30 to 34 years	356	227	230	189	79	24	21	3	23	10	.....	.....	2	.....	.....	1	1	.....
35 to 39 years	377	237	247	182	85	42	26	5	14	8	1	.....	.....	.....	4	.....	.....	.....
40 to 44 years	342	240	220	163	88	56	19	6	12	14	.....	1	.....	.....	3	.....	.....	.....
45 to 49 years	363	227	225	169	95	46	27	4	15	8	.....	.....	1	.....	.....	.....	.....	.....
50 to 54 years	405	247	239	179	120	54	34	8	11	6	.....	.....	.....	.....	1	.....	.....	.....
55 to 59 years	390	275	229	189	136	70	19	7	3	9	1	.....	2	.....	.....	.....	.....	.....
60 to 64 years	486	288	307	202	136	74	36	5	7	7	.....	.....	.....	.....	.....	.....	.....	.....
65 to 69 years	440	298	265	199	132	81	28	12	13	5	2	1	.....	.....	.....	.....	.....	.....
70 to 74 years	443	320	271	204	132	103	35	10	2	3	2	.....	1	.....	.....	.....	.....	.....
75 to 79 years	328	271	192	177	114	88	20	5	2	1	.....	.....	.....	.....	.....	.....	.....	.....
80 to 84 years	263	213	164	142	82	64	12	3	5	4	.....	.....	.....	.....	.....	.....	.....	.....
85 to 89 years	125	115	77	82	41	29	3	3	3	1	.....	.....	1	.....	.....	.....	.....	.....
90 to 94 years	31	39	16	21	10	15	4	1	1	2	.....	.....	.....	.....	.....	.....	.....	.....
95 to 99 years	14	14	9	12	4	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
100 years and over	2	3	.....	2	1	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Unknown	8	5	.....	1	.....	.....	8	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
CONNECTICUT.																		
All ages	8,490	7,677	5,602	5,197	2,572	2,244	86	42	221	192	.....	2	9	.....	.....	.....	.....	.....
Under 1 year	1,464	1,028	1,419	989	4	6	2	6	39	27	.....	.....	.....	.....	.....	.....	.....	.....
1 year	242	180	232	164	2	2	.....	.....	8	14	.....	.....	.....	.....	.....	.....	.....	.....
2 years	111	90	109	85	.....	.....	.....	.....	2	5	.....	.....	.....	.....	.....	.....	.....	.....
3 years	81	69	78	66	1	1	.....	.....	2	2	.....	.....	.....	.....	.....	.....	.....	.....
4 years	63	53	62	49	.....	3	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
Under 5 years	1,961	1,420	1,900	1,353	7	12	2	6	52	48	.....	1	.....	.....	.....	.....	.....	.....
5 to 9 years	196	181	180	166	7	7	.....	.....	9	8	.....	.....	.....	.....	.....	.....	.....	.....
10 to 14 years	143	97	131	81	10	13	.....	.....	2	3	.....	.....	.....	.....	.....	.....	.....	.....
15 to 19 years	146	167	110	133	28	29	.....	.....	8	5	.....	.....	.....	.....	.....	.....	.....	.....
20 to 24 years	216	211	164	158	36	42	1	.....	15	11	.....	.....	.....	.....	.....	.....	.....	.....
25 to 29 years	260	256	139	149	105	94	6	.....	9	12	.....	1	1	.....	.....	.....	.....	.....
30 to 34 years	298	251	139	148	141	95	5	.....	12	8	.....	.....	1	.....	.....	.....	.....	.....
35 to 39 years	322	277	141	141	153	121	6	2	20	13	.....	.....	2	.....	.....	.....	.....	.....
40 to 44 years	350	276	164	134	170	129	3	1	11	12	.....	.....	2	.....	.....	.....	.....	.....
45 to 49 years	436	363	229	211	194	135	1	3	12	14	.....	.....	.....	.....	.....	.....	.....	.....
50 to 54 years	501	372	242	206	243	156	7	2	9	8	.....	.....	.....	.....	.....	.....	.....	.....
55 to 59 years	551	455	268	242	265	202	5	3	11	8	.....	.....	2	.....	.....	.....	.....	.....
60 to 64 years	645	566	362	347	260	209	13	3	9	7	.....	.....	1	.....	.....	.....	.....	.....
65 to 69 years	613	578	333	318	259	248	7	3	14	9	.....	.....	.....	.....	.....	.....	.....	.....
70 to 74 years	635	651	357	365	265	273	4	6	9	7	.....	.....	.....	.....	.....	.....	.....	.....
75 to 79 years	581	624	342	384	221	226	8	2	10	12	.....	.....	.....	.....	.....	.....	.....	.....
80 to 84 years	350	477	215	314	120	152	11	7	4	4	.....	.....	.....	.....	.....	.....	.....	.....
85 to 89 years	202	298	128	219	67	76	2	1	5	2	.....	.....	.....	.....	.....	.....	.....	.....
90 to 94 years	61	112	45	99	15	11	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
95 to 99 years	17	39	11	26	6	12	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
100 years and over	2	3	2	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Unknown	4	3	.....	1	.....	1	4	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, AND NATIVITY OF DECEDENT: 1921—Con.

[Native white includes native born of both parents native, of one or both parents foreign, and of both parents unknown or one unknown and one native.]

AREA AND AGE.	ALL DEATHS.		WHITE.						COLORED.									
			Native.		Foreign.		Unknown.		Negro.		Indian.		Chinese.		Japanese.		Other colored.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
DELAWARE.																		
All ages	1,542	1,428	1,064	995	163	131	12	10	303	292								
Under 1 year	277	217	206	166				1	71	50								
1 year	42	37	32	24	1	1			9	12								
2 years	11	18	9	14					2	4								
3 years	11	12	11	8						4								
4 years	13	7	11	7					2									
Under 5 years	354	291	269	219	1	1		1	84	70								
5 to 9 years	36	28	26	23	2				8	5								
10 to 14 years	35	20	24	15	1				10	5								
15 to 19 years	33	39	20	19	2	1			11	19								
20 to 24 years	42	59	21	38	7	2	1	1	13	18								
25 to 29 years	45	40	25	21	5	5			15	14								
30 to 34 years	45	41	27	30	8	3			10	8								
35 to 39 years	48	49	22	31	15	4			11	14								
40 to 44 years	69	55	37	30	5	9			27	16								
45 to 49 years	59	44	37	24	10	6	1		11	14								
50 to 54 years	81	69	49	42	12	8		1	20	18								
55 to 59 years	84	76	59	46	13	12	2	1	10	17								
60 to 64 years	112	114	72	71	18	16	2	1	22	26								
65 to 69 years	132	97	104	77	15	11	2	1	11	8								
70 to 74 years	133	127	90	94	17	15	4	1	22	17								
75 to 79 years	117	113	93	89	13	13			11	11								
80 to 84 years	72	100	58	79	10	16		2	4	3								
85 to 89 years	29	42	20	33	8	4			1	5								
90 to 94 years	14	18	11	12	3	4				2								
95 to 99 years	1	3				1		1	1	1								
100 years and over	1	3		2					1	1								
Unknown																		
DISTRICT OF COLUMBIA.																		
All ages	3,079	2,976	1,667	1,583	304	246	104	61	994	1,086	1		7				2	
Under 1 year	425	325	252	172			4	4	169	149								
1 year	62	58	32	28	1		1	1	28	29								
2 years	34	31	20	17		1	1	2	13	11								
3 years	17	19	9	14					8	5								
4 years	15	19	9	12				1	6	6								
Under 5 years	553	452	322	243	1	1	6	8	224	200								
5 to 9 years	60	54	35	34	1	1	1	4	23	15								
10 to 14 years	42	36	28	11		1	1	3	13	21								
15 to 19 years	57	67	28	25				1	29	41								
20 to 24 years	117	120	60	58	2	2	4	1	50	59			1					
25 to 29 years	137	122	68	55	9	2	4	2	54	63							2	
30 to 34 years	131	96	61	39	10	4	6	3	53	50			1					
35 to 39 years	153	147	67	54	10	11	11	6	65	76								
40 to 44 years	189	156	82	58	13	7	5		88	91			1					
45 to 49 years	199	190	89	94	14	12	13	2	82	82			1					
50 to 54 years	234	198	116	97	28	16	12	4	77	81			1					
55 to 59 years	208	177	116	86	26	11	7	4	57	76	1		1					
60 to 64 years	223	227	136	130	37	19	6	2	43	76			1					
65 to 69 years	195	223	129	149	29	32	9	1	28	41								
70 to 74 years	205	241	116	152	41	32	8	3	40	54								
75 to 79 years	198	210	114	121	42	45	8	10	34	34								
80 to 84 years	113	151	67	115	23	23	3	5	20	8								
85 to 89 years	47	73	28	44	12	18			7	11								
90 to 94 years	14	28	4	16	5	7		1	5	4								
95 to 99 years	2	6	1	2	1	2		1		1								
100 years and over	2	2							2	2								
Unknown																		
FLORIDA.																		
All ages	6,555	5,219	3,305	2,634	462	293	238	90	2,547	2,202			1		2			
Under 1 year	996	739	546	422	1		4	4	445	313								
1 year	189	173	121	102	1	1	1	1	66	69								
2 years	96	98	64	58	1				31	40								
3 years	67	47	43	27			1		23	20								
4 years	29	27	19	19	1				9	8								
Under 5 years	1,377	1,084	793	628	4	1	6	5	574	450								
5 to 9 years	143	101	90	61	1	1	3	2	49	37								
10 to 14 years	104	89	56	45	1	1	1	2	46	41								
15 to 19 years	194	203	85	88	3	3	2		104	112								
20 to 24 years	259	296	107	108	4	4	4	4	144	180								
25 to 29 years	282	318	107	107	13	9	12	3	150	199								
30 to 34 years	278	249	91	103	15	6	4	3	168	137								
35 to 39 years	331	308	109	110	21	12	13	6	187	180					1			
40 to 44 years	349	307	135	126	21	22	9	6	184	153								
45 to 49 years	401	290	144	114	33	18	18	3	205	155					1			
50 to 54 years	415	249	168	108	45	30	21	5	181	106								
55 to 59 years	343	247	168	123	40	27	17	5	118	92								
60 to 64 years	381	253	217	142	63	22	17	4	84	85								
65 to 69 years	456	272	286	184	54	25	19	9	97	54								
70 to 74 years	447	280	301	172	42	34	20	9	84	65								
75 to 79 years	344	267	222	185	44	28	20	10	57	44			1					
80 to 84 years	225	204	139	141	37	26	17	4	32	33								
85 to 89 years	95	88	57	51	16	11	2	5	20	21								
90 to 94 years	36	51	21	25	2	13	1	1	12	12								
95 to 99 years	6	20	1	7	1				4	13								
100 years and over	14	19		3	1				13	16								
Unknown	75	24	8	3	1		32	4	34	17								

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, AND NATIVITY OF DECEDENT: 1921—Con.

[Native white includes native born of both parents native, of one or both parents foreign, and of both parents unknown or one unknown and one native.]

AREA AND AGE.	ALL DEATHS.		WHITE.						COLORED.									
			Native.		Foreign.		Unknown.		Negro.		Indian.		Chinese.		Japanese.		Other colored.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
ILLINOIS.																		
All ages	39,372	34,052	25,840	22,974	11,017	9,104	661	271	1,800	1,697	3	1	45	5	3	.....	3	.....
Under 1 year	6,093	4,581	5,785	4,322	5	16	32	27	267	214	1	.....	3	2	.....	.....	.....	.....
1 year	1,133	915	1,065	847	18	12	5	4	45	51	.....	.....	.....	1	.....	.....	.....	.....
2 years	548	474	507	451	4	3	8	1	29	19	.....	.....	.....	.....	.....	.....	.....	.....
3 years	467	339	441	320	1	1	2	1	22	16	.....	1	1	.....	.....	.....	.....	.....
4 years	354	314	340	299	4	3	1	.....	9	12	.....	.....	.....	.....	.....	.....	.....	.....
Under 5 years	8,595	6,623	8,138	6,239	32	35	48	33	372	312	1	1	4	3	.....	.....	.....	.....
5 to 9 years	1,152	991	1,099	933	15	19	5	4	33	35	.....	.....	.....	.....	.....	.....	.....	.....
10 to 14 years	736	613	661	547	41	27	3	4	31	35	.....	.....	.....	.....	.....	.....	.....	.....
15 to 19 years	863	814	723	672	78	65	6	2	56	75	.....	.....	.....	.....	.....	.....	.....	.....
20 to 24 years	1,042	1,213	788	945	132	139	18	5	101	124	.....	.....	1	.....	.....	.....	2	.....
25 to 29 years	1,294	1,300	796	897	348	243	21	15	128	143	.....	.....	1	2	.....	.....	.....	.....
30 to 34 years	1,395	1,321	789	877	459	328	26	9	117	107	.....	.....	4	.....	.....	.....	.....	.....
35 to 39 years	1,768	1,355	870	831	673	376	45	15	173	133	2	.....	5	.....	.....	.....	.....	.....
40 to 44 years	1,771	1,314	892	800	678	390	60	12	135	112	.....	.....	5	1	.....	.....	.....	.....
45 to 49 years	2,023	1,543	1,035	940	764	470	60	15	156	118	.....	.....	7	.....	.....	.....	1	.....
50 to 54 years	2,264	1,833	1,243	1,049	833	664	70	10	112	110	.....	.....	5	1	.....	.....	.....	.....
55 to 59 years	2,473	1,948	1,260	1,100	1,061	754	56	12	92	82	.....	.....	3	1	.....	.....	.....	.....
60 to 64 years	2,963	2,311	1,652	1,324	1,160	889	68	19	79	79	.....	.....	4	.....	.....	.....	.....	.....
65 to 69 years	2,743	2,395	1,508	1,383	1,103	925	55	20	71	67	.....	.....	6	.....	.....	.....	.....	.....
70 to 74 years	2,713	2,492	1,478	1,341	1,132	1,065	51	24	52	62	.....	.....	.....	.....	.....	.....	.....	.....
75 to 79 years	2,428	2,355	1,293	1,241	1,057	1,040	37	30	41	44	.....	.....	.....	.....	.....	.....	.....	.....
80 to 84 years	1,756	1,913	923	996	790	874	15	16	28	27	.....	.....	.....	.....	.....	.....	.....	.....
85 to 89 years	995	1,176	505	607	470	539	11	14	9	16	.....	.....	.....	.....	.....	.....	.....	.....
90 to 94 years	313	420	156	199	152	202	.....	11	5	8	.....	.....	.....	.....	.....	.....	.....	.....
95 to 99 years	61	102	24	46	32	54	1	1	4	1	.....	.....	.....	.....	.....	.....	.....	.....
100 years and over	14	19	5	7	5	5	.....	.....	4	7	.....	.....	.....	.....	.....	.....	.....	.....
Unknown	10	1	2	.....	2	1	5	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
INDIANA.																		
All ages	18,166	17,054	15,427	14,868	1,773	1,310	194	113	772	763	.....	.....	.....	.....	.....	.....	.....	.....
Under 1 year	2,746	2,115	2,623	2,008	2	1	5	2	116	104	.....	.....	.....	.....	.....	.....	.....	.....
1 year	477	426	447	401	3	2	.....	.....	27	23	.....	.....	.....	.....	.....	.....	.....	.....
2 years	255	213	240	206	3	.....	.....	.....	12	7	.....	.....	.....	.....	.....	.....	.....	.....
3 years	157	151	150	146	.....	.....	.....	1	7	4	.....	.....	.....	.....	.....	.....	.....	.....
4 years	140	105	135	102	.....	1	.....	.....	5	2	.....	.....	.....	.....	.....	.....	.....	.....
Under 5 years	3,775	3,010	3,595	2,863	8	4	5	3	167	140	.....	.....	.....	.....	.....	.....	.....	.....
5 to 9 years	496	368	475	353	2	2	3	1	16	12	.....	.....	.....	.....	.....	.....	.....	.....
10 to 14 years	310	281	288	258	6	4	1	1	15	18	.....	.....	.....	.....	.....	.....	.....	.....
15 to 19 years	395	452	355	409	9	8	1	2	30	33	.....	.....	.....	.....	.....	.....	.....	.....
20 to 24 years	488	530	416	469	26	10	6	3	40	48	.....	.....	.....	.....	.....	.....	.....	.....
25 to 29 years	511	609	400	529	54	32	8	2	49	46	.....	.....	.....	.....	.....	.....	.....	.....
30 to 34 years	519	576	395	496	79	37	3	2	42	41	.....	.....	.....	.....	.....	.....	.....	.....
35 to 39 years	584	633	428	515	96	46	8	5	52	67	.....	.....	.....	.....	.....	.....	.....	.....
40 to 44 years	612	606	469	503	74	40	8	5	61	58	.....	.....	.....	.....	.....	.....	.....	.....
45 to 49 years	701	635	540	545	103	39	14	6	44	45	.....	.....	.....	.....	.....	.....	.....	.....
50 to 54 years	887	809	708	714	110	43	17	3	52	49	.....	.....	.....	.....	.....	.....	.....	.....
55 to 59 years	1,022	908	858	807	102	56	18	5	44	40	.....	.....	.....	.....	.....	.....	.....	.....
60 to 64 years	1,334	1,169	1,144	1,018	123	102	24	10	43	39	.....	.....	.....	.....	.....	.....	.....	.....
65 to 69 years	1,509	1,354	1,294	1,190	169	120	18	13	28	31	.....	.....	.....	.....	.....	.....	.....	.....
70 to 74 years	1,679	1,528	1,381	1,299	246	176	19	10	33	43	.....	.....	.....	.....	.....	.....	.....	.....
75 to 79 years	1,487	1,486	1,208	1,227	243	232	15	13	21	14	.....	.....	.....	.....	.....	.....	.....	.....
80 to 84 years	1,122	1,171	920	956	178	180	12	16	12	19	.....	.....	.....	.....	.....	.....	.....	.....
85 to 89 years	536	636	416	491	101	126	7	9	12	10	.....	.....	.....	.....	.....	.....	.....	.....
90 to 94 years	158	222	118	179	36	36	2	4	2	3	.....	.....	.....	.....	.....	.....	.....	.....
95 to 99 years	23	56	17	38	4	16	.....	.....	2	2	.....	.....	.....	.....	.....	.....	.....	.....
100 years and over	2	10	.....	5	1	.....	.....	.....	1	5	.....	.....	.....	.....	.....	.....	.....	.....
Unknown	16	5	2	4	3	1	5	.....	6	.....	.....	.....	.....	.....	.....	.....	.....	.....
KANSAS.																		
All ages	9,898	8,208	7,765	6,615	1,292	994	282	103	546	481	12	15	1	.....	.....	.....	.....	.....
Under 1 year	1,488	1,109	1,399	1,037	3	1	11	12	74	57	1	2	.....	.....	.....	.....	.....	.....
1 year	233	184	221	170	1	.....	1	2	10	10	.....	2	.....	.....	.....	.....	.....	.....
2 years	140	112	131	107	.....	.....	2	1	7	4	.....	.....	.....	.....	.....	.....	.....	.....
3 years	109	68	107	65	.....	1	.....	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....
4 years	93	75	88	72	.....	.....	2	1	3	2	.....	.....	.....	.....	.....	.....	.....	.....
Under 5 years	2,063	1,548	1,946	1,451	4	2	16	17	96	74	1	4	.....	.....	.....	.....	.....	.....
5 to 9 years	255	200	241	188	2	1	3	1	9	10	.....	.....	.....	.....	.....	.....	.....	.....
10 to 14 years	204	154	191	133	4	5	1	.....	8	16	.....	.....	.....	.....	.....	.....	.....	.....
15 to 19 years	265	175	212	142	14	11	4	.....	22	21	3	1	.....	.....	.....	.....	.....	.....
20 to 24 years	245	245	191	210	18	9	9	1	26	23	1	2	.....	.....	.....	.....	.....	.....
25 to 29 years	229	274	176	217	18	19	8	3	25	34	2	1	.....	.....	.....	.....	.....	.....
30 to 34 years	231	267	178	217	22	20	10	2	21	25	.....	3	.....	.....	.....	.....	.....	.....
35 to 39 years	297	315	228	249	22	20	11	8	38	37	.....	1	.....	.....	.....	.....	.....	.....
40 to 44 years	318	283	238	233	28	19	18	2	33	27	1	2	.....	.....	.....	.....	.....	.....
45 to 49 years	380	355	289	289	37	38	18	2	36	26	.....	.....	.....	.....	.....	.....	.....	.....
50 to 54 years	395	362	310	290	38	41	17	6	29	25	1	.....	.....	.....	.....	.....	.....	.....
55 to 59 years	505	385	350	299	99	50	21	5	34	31	1	.....	.....	.....	.....	.....	.....	.....
60 to 64 years	653	502	490	393	103	73	24	8	34	28	1	.....	1	.....	.....	.....	.....	.....
65 to 69 years	798	594	585	465	155	98	32	10	26	20	.....	1	.....	.....	.....	.....	.....	.....
70 to 74 years	892	721	670	547	165	140	26	9	30	25	1	.....	.....	.....	.....	.....	.....	.....
75 to 79 years	955	743	673	530	219	187	29	11	34	15	.....	.....	.....	.....	.....	.....	.....	.....
80 to 84 years	701	592	470	423	196	141	11	9	24	19	.....	.....	.....	.....	.....	.....	.....	.....
85 to 89 years	360	320	229	231	105	74	12	6	14	9	.....	.....	.....	.....	.....	.....	.....	.....
90 to 94 years	123	124	84	82	36	35	1	2	2	5	.....	.....	.....	.....	.....	.....	.....	.....
95 to 99 years	20	39	13	24	7	10	.....	1	.....	4	.....	.....	.....	.....	.....	.....	.....	.....
100 years and over	4	9	1	1	.....	1	.....	.....	3	7	.....	.....	.....	.....	.....	.....	.....	.....
Unknown	15	1	2	1	.....	.....	11	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, AND NATIVITY OF DECEDENT: 1921—Con.

[Native white includes native born of both parents native, of one or both parents foreign, and of both parents unknown or one unknown and one native.]

AREA AND AGE.	ALL DEATHS.		WHITE.						COLORED.									
			Native.		Foreign.		Unknown.		Negro.		Indian.		Chinese.		Japanese.		Other colored.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
KENTUCKY.																		
All ages	13,323	12,346	10,613	9,782	443	432	158	84	2,109	2,048	.....	.....	.....	.....	.....	.....	.....	.....
Under 1 year	2,352	1,816	2,061	1,611	.....	.....	8	2	283	203	.....	.....	.....	.....	.....	.....	.....	.....
1 year	588	500	528	448	.....	2	1	.....	59	50	.....	.....	.....	.....	.....	.....	.....	.....
2 years	238	226	219	206	1	.....	1	.....	17	20	.....	.....	.....	.....	.....	.....	.....	.....
3 years	162	138	147	126	.....	.....	2	.....	13	12	.....	.....	.....	.....	.....	.....	.....	.....
4 years	122	119	110	109	.....	.....	.....	.....	12	10	.....	.....	.....	.....	.....	.....	.....	.....
Under 5 years	3,462	2,799	3,065	2,500	1	2	12	2	384	295	.....	.....	.....	.....	.....	.....	.....	.....
5 to 9 years	364	303	330	264	.....	.....	1	.....	33	39	.....	.....	.....	.....	.....	.....	.....	.....
10 to 14 years	258	252	221	207	1	.....	1	1	35	44	.....	.....	.....	.....	.....	.....	.....	.....
15 to 19 years	432	454	333	335	3	1	3	2	93	116	.....	.....	.....	.....	.....	.....	.....	.....
20 to 24 years	556	620	416	449	3	3	4	.....	133	168	.....	.....	.....	.....	.....	.....	.....	.....
25 to 29 years	496	549	339	387	9	3	4	4	144	155	.....	.....	.....	.....	.....	.....	.....	.....
30 to 34 years	409	481	303	362	6	4	11	4	89	111	.....	.....	.....	.....	.....	.....	.....	.....
35 to 39 years	490	491	340	373	13	3	7	5	130	110	.....	.....	.....	.....	.....	.....	.....	.....
40 to 44 years	482	472	352	354	8	5	8	2	114	111	.....	.....	.....	.....	.....	.....	.....	.....
45 to 49 years	553	500	392	370	14	7	9	1	138	122	.....	.....	.....	.....	.....	.....	.....	.....
50 to 54 years	598	547	426	401	16	19	6	2	150	125	.....	.....	.....	.....	.....	.....	.....	.....
55 to 59 years	662	559	477	424	34	23	8	7	143	105	.....	.....	.....	.....	.....	.....	.....	.....
60 to 64 years	856	746	673	586	46	31	12	9	125	120	.....	.....	.....	.....	.....	.....	.....	.....
65 to 69 years	871	757	728	589	41	52	17	8	85	108	.....	.....	.....	.....	.....	.....	.....	.....
70 to 74 years	899	821	725	649	80	63	10	12	84	97	.....	.....	.....	.....	.....	.....	.....	.....
75 to 79 years	864	848	694	683	79	85	16	8	75	72	.....	.....	.....	.....	.....	.....	.....	.....
80 to 84 years	585	620	468	489	50	74	9	10	58	47	.....	.....	.....	.....	.....	.....	.....	.....
85 to 89 years	313	318	246	230	20	40	9	3	38	45	.....	.....	.....	.....	.....	.....	.....	.....
90 to 94 years	93	133	66	96	12	11	4	1	11	25	.....	.....	.....	.....	.....	.....	.....	.....
95 to 99 years	25	30	10	18	4	5	.....	1	11	6	.....	.....	.....	.....	.....	.....	.....	.....
100 years and over	9	21	.....	5	.....	1	.....	1	9	14	.....	.....	.....	.....	.....	.....	.....	.....
Unknown	46	25	9	11	3	.....	7	1	27	13	.....	.....	.....	.....	.....	.....	.....	.....
LOUISIANA.																		
All ages	10,695	9,403	4,970	4,050	622	427	175	111	4,911	4,811	3	9	12	.....	2	.....	.....	.....
Under 1 year	1,835	1,466	927	712	.....	2	11	9	895	741	1	2	1	.....	.....	.....	.....	.....
1 year	339	336	189	182	1	2	4	1	145	151	.....	.....	.....	.....	.....	.....	.....	.....
2 years	160	120	96	57	.....	.....	3	.....	61	63	.....	.....	.....	.....	.....	.....	.....	.....
3 years	99	78	57	44	1	.....	1	1	40	33	.....	.....	.....	.....	.....	.....	.....	.....
4 years	73	69	52	36	1	.....	.....	2	20	31	.....	.....	.....	.....	.....	.....	.....	.....
Under 5 years	2,506	2,069	1,321	1,031	3	4	19	13	1,161	1,019	1	2	1	.....	.....	.....	.....	.....
5 to 9 years	255	181	132	101	2	.....	1	2	120	78	.....	.....	.....	.....	.....	.....	.....	.....
10 to 14 years	239	195	113	84	.....	.....	7	2	119	109	.....	.....	.....	.....	.....	.....	.....	.....
15 to 19 years	382	432	145	143	6	2	2	4	227	283	1	.....	1	.....	.....	.....	.....	.....
20 to 24 years	545	586	189	185	11	8	.....	6	344	385	.....	2	1	.....	.....	.....	.....	.....
25 to 29 years	551	548	216	205	22	4	10	6	302	330	.....	3	.....	.....	1	.....	.....	.....
30 to 34 years	451	440	174	163	18	11	7	3	251	263	.....	.....	1	.....	.....	.....	.....	.....
35 to 39 years	536	541	220	200	23	12	13	4	280	325	.....	.....	.....	.....	.....	.....	.....	.....
40 to 44 years	572	439	253	153	32	16	11	4	275	266	.....	.....	1	.....	.....	.....	.....	.....
45 to 49 years	612	486	260	175	31	19	9	8	310	284	.....	.....	2	.....	.....	.....	.....	.....
50 to 54 years	650	472	294	191	51	16	15	9	287	256	.....	.....	2	.....	1	.....	.....	.....
55 to 59 years	520	395	272	186	54	25	14	3	179	180	.....	1	1	.....	.....	.....	.....	.....
60 to 64 years	629	471	354	244	63	34	18	6	193	187	.....	.....	1	.....	.....	.....	.....	.....
65 to 69 years	626	512	340	276	73	49	14	8	199	178	.....	1	.....	.....	.....	.....	.....	.....
70 to 74 years	584	468	277	242	85	50	11	8	209	168	1	.....	1	.....	.....	.....	.....	.....
75 to 79 years	437	407	202	195	74	63	5	10	156	139	.....	.....	.....	.....	.....	.....	.....	.....
80 to 84 years	295	341	119	166	32	50	11	5	133	120	.....	.....	.....	.....	.....	.....	.....	.....
85 to 89 years	170	209	62	84	33	46	3	5	72	74	.....	.....	.....	.....	.....	.....	.....	.....
90 to 94 years	54	88	14	13	6	9	1	2	33	64	.....	.....	.....	.....	.....	.....	.....	.....
95 to 99 years	33	60	10	10	1	6	.....	.....	22	44	.....	.....	.....	.....	.....	.....	.....	.....
100 years and over	27	48	.....	1	1	2	.....	.....	26	45	.....	.....	.....	.....	.....	.....	.....	.....
Unknown	21	20	3	2	1	1	4	3	13	14	.....	.....	.....	.....	.....	.....	.....	.....
MAINE.																		
All ages	5,533	5,282	4,589	4,452	872	781	57	38	10	8	5	3	.....	.....	.....	.....	.....	.....
Under 1 year	864	695	858	692	3	.....	.....	3	1	.....	2	.....	.....	.....	.....	.....	.....	.....
1 year	103	97	102	93	1	3	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
2 years	41	50	40	50	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3 years	25	30	24	30	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4 years	35	24	33	22	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Under 5 years	1,068	896	1,057	887	8	5	.....	3	1	.....	2	1	.....	.....	.....	.....	.....	.....
5 to 9 years	104	87	101	80	3	6	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
10 to 14 years	82	59	76	55	6	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15 to 19 years	110	103	98	90	11	12	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
20 to 24 years	108	121	88	107	19	13	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
25 to 29 years	101	138	79	104	20	33	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
30 to 34 years	132	134	94	103	36	29	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
35 to 39 years	135	133	96	103	34	25	4	3	.....	2	1	.....	.....	.....	.....	.....	.....	.....
40 to 44 years	147	166	111	122	35	43	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
45 to 49 years	199	189	141	148	56	40	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
50 to 54 years	279	218	196	166	77	51	6	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
55 to 59 years	327	261	252	193	66	67	7	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
60 to 64 years	433	359	344	285	83	72	6	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
65 to 69 years	486	416	400	336	78	73	4	7	2	.....	2	.....	.....	.....	.....	.....	.....	.....
70 to 74 years	531	483	423	390	103	92	5	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
75 to 79 years	594	533	477	453	110	76	6	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
80 to 84 years	376	512	307	429	64	72	5	10	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
85 to 89 years	220	324	177	275	40	48	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
90 to 94 years	84	122	62	106	18	15	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
95 to 99 years	12	23	8	17	4	5	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
100 years and over	3	4	2	3	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Unknown	2	1	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, AND NATIVITY OF DECEDENT: 1921—Con.

[Native white includes native born of both parents native, of one or both parents foreign, and of both parents unknown or one unknown and one native.]

AREA AND AGE.	ALL DEATHS.		WHITE.						COLORED.									
			Native.		Foreign.		Unknown.		Negro.		Indian.		Chinese.		Japanese.		Other colored.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
MARYLAND.																		
All ages	10,384	9,596	6,742	6,172	1,063	985	126	47	2,446	2,390	.....	.....	6	2	1	.....	.....	.....
Under 1 year	1,947	1,515	1,366	1,035	2	1	12	3	565	474	.....	.....	2	2	.....	.....	.....	.....
1 year	313	286	199	189	1	1	1	.....	112	96	.....	.....	.....	.....	.....	.....	.....	.....
2 years	146	95	94	69	.....	.....	1	.....	51	26	.....	.....	.....	.....	.....	.....	.....	.....
3 years	77	87	57	57	.....	.....	.....	.....	20	30	.....	.....	.....	.....	.....	.....	.....	.....
4 years	53	52	39	40	.....	.....	1	.....	13	12	.....	.....	.....	.....	.....	.....	.....	.....
Under 5 years	2,536	2,035	1,755	1,390	3	2	15	3	761	638	.....	.....	2	2	.....	.....	.....	.....
5 to 9 years	205	170	148	125	1	.....	2	.....	54	45	.....	.....	.....	.....	.....	.....	.....	.....
10 to 14 years	172	135	124	90	1	1	2	1	45	43	.....	.....	.....	.....	.....	.....	.....	.....
15 to 19 years	240	272	159	141	6	4	4	2	71	125	.....	.....	.....	.....	.....	.....	.....	.....
20 to 24 years	349	355	197	201	24	17	3	.....	125	137	.....	.....	.....	.....	.....	.....	.....	.....
25 to 29 years	347	327	198	189	36	18	7	.....	106	120	.....	.....	.....	.....	.....	.....	.....	.....
30 to 34 years	338	341	195	201	35	34	3	1	104	105	.....	.....	.....	.....	1	.....	.....	.....
35 to 39 years	413	339	214	171	53	35	6	.....	140	133	.....	.....	.....	.....	.....	.....	.....	.....
40 to 44 years	467	392	253	227	50	29	8	4	155	132	.....	.....	1	.....	.....	.....	.....	.....
45 to 49 years	535	418	309	239	66	38	9	3	151	138	.....	.....	.....	.....	.....	.....	.....	.....
50 to 54 years	574	529	348	297	84	62	10	2	131	168	.....	.....	1	.....	.....	.....	.....	.....
55 to 59 years	611	504	384	324	102	55	8	5	117	120	.....	.....	.....	.....	.....	.....	.....	.....
60 to 64 years	743	677	503	447	109	98	6	5	123	127	.....	.....	2	.....	.....	.....	.....	.....
65 to 69 years	752	733	538	523	110	116	10	2	94	92	.....	.....	.....	.....	.....	.....	.....	.....
70 to 74 years	741	753	518	507	124	149	8	5	91	92	.....	.....	.....	.....	.....	.....	.....	.....
75 to 79 years	660	672	438	462	141	143	7	3	74	64	.....	.....	.....	.....	.....	.....	.....	.....
80 to 84 years	394	521	281	363	59	101	3	5	51	52	.....	.....	.....	.....	.....	.....	.....	.....
85 to 89 years	203	289	136	204	42	54	.....	2	25	29	.....	.....	.....	.....	.....	.....	.....	.....
90 to 94 years	54	93	33	62	11	18	.....	.....	10	13	.....	.....	.....	.....	.....	.....	.....	.....
95 to 99 years	12	20	6	7	4	9	.....	.....	2	4	.....	.....	.....	.....	.....	.....	.....	.....
100 years and over	6	8	2	.....	1	1	.....	1	3	6	.....	.....	.....	.....	.....	.....	.....	.....
Unknown	32	13	3	2	1	1	15	3	13	7	.....	.....	.....	.....	.....	.....	.....	.....
MASSACHUSETTS.																		
All ages	23,981	23,806	15,857	15,198	7,526	8,100	136	82	425	418	3	2	30	5	3	1	1	.....
Under 1 year	4,065	2,941	3,976	2,857	12	4	10	6	65	70	.....	.....	2	4	.....	.....	.....	.....
1 year	609	570	565	539	15	5	1	1	27	25	.....	.....	.....	.....	1	.....	.....	.....
2 years	288	243	272	232	8	2	.....	.....	8	9	.....	.....	.....	.....	.....	.....	.....	.....
3 years	214	181	205	176	5	3	.....	.....	4	2	.....	.....	.....	.....	.....	.....	.....	.....
4 years	179	140	170	135	3	3	.....	.....	6	2	.....	.....	.....	.....	.....	.....	.....	.....
Under 5 years	5,355	4,075	5,188	3,939	43	17	11	7	110	108	.....	.....	2	4	1	.....	.....	.....
5 to 9 years	595	490	566	470	19	10	.....	.....	10	10	.....	.....	.....	.....	.....	.....	.....	.....
10 to 14 years	369	301	340	274	20	21	1	.....	8	6	.....	.....	.....	.....	.....	.....	.....	.....
15 to 19 years	410	434	344	351	59	65	1	3	4	15	1	.....	.....	.....	1	.....	.....	.....
20 to 24 years	518	612	378	438	114	147	4	2	19	25	.....	.....	2	.....	.....	.....	1	.....
25 to 29 years	680	708	428	420	218	263	5	3	28	21	.....	.....	1	1	.....	.....	.....	.....
30 to 34 years	678	770	376	397	277	351	8	3	15	19	.....	.....	2	.....	.....	.....	.....	.....
35 to 39 years	842	833	401	421	400	378	9	4	27	28	.....	1	5	.....	.....	1	.....	.....
40 to 44 years	977	951	468	507	463	411	7	2	34	31	1	.....	4	.....	.....	.....	.....	.....
45 to 49 years	1,206	1,063	567	535	599	511	6	1	31	16	.....	.....	3	.....	.....	.....	.....	.....
50 to 54 years	1,500	1,276	696	626	752	622	21	8	28	20	.....	.....	3	.....	.....	.....	.....	.....
55 to 59 years	1,598	1,506	777	740	786	740	9	6	23	20	.....	.....	3	.....	.....	.....	.....	.....
60 to 64 years	1,884	1,844	1,047	951	800	862	20	8	17	23	.....	.....	.....	.....	.....	.....	.....	.....
65 to 69 years	1,934	2,031	1,141	1,085	753	911	12	9	26	25	.....	1	2	.....	.....	.....	.....	.....
70 to 74 years	1,943	2,105	1,108	1,090	799	991	10	8	22	16	.....	.....	3	.....	1	.....	.....	.....
75 to 79 years	1,548	1,926	890	1,112	639	794	5	8	13	12	1	.....	.....	.....	.....	.....	.....	.....
80 to 84 years	1,136	1,457	646	884	480	559	2	5	8	9	.....	.....	.....	.....	.....	.....	.....	.....
85 to 89 years	589	959	367	641	221	308	1	4	.....	6	.....	.....	.....	.....	.....	.....	.....	.....
90 to 94 years	170	369	109	263	60	102	.....	1	1	3	.....	.....	.....	.....	.....	.....	.....	.....
95 to 99 years	40	80	18	48	21	29	.....	.....	1	3	.....	.....	.....	.....	.....	.....	.....	.....
100 years and over	4	16	1	6	3	8	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
Unknown	5	.....	1	.....	.....	.....	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
MICHIGAN.																		
All ages	23,669	20,463	16,161	14,378	6,299	5,309	522	167	608	511	74	96	.....	2	5	.....	.....	.....
Under 1 year	4,376	3,195	4,218	3,071	6	14	17	11	117	83	18	15	.....	1	.....	.....	.....	.....
1 year	603	521	564	483	7	5	4	2	23	23	5	8	.....	.....	.....	.....	.....	.....
2 years	318	273	304	258	5	4	.....	1	9	9	.....	1	.....	.....	.....	.....	.....	.....
3 years	250	204	238	195	4	2	1	2	5	2	2	3	.....	.....	.....	.....	.....	.....
4 years	212	151	206	149	2	2	.....	.....	4	.....	.....	.....	.....	.....	.....	.....	.....	.....
Under 5 years	5,759	4,344	5,530	4,156	24	27	22	16	158	117	25	27	.....	1	.....	.....	.....	.....
5 to 9 years	712	604	675	566	23	23	7	2	5	8	2	5	.....	.....	.....	.....	.....	.....
10 to 14 years	463	382	417	336	31	20	4	3	9	14	2	9	.....	.....	.....	.....	.....	.....
15 to 19 years	540	494	471	416	48	51	4	2	15	21	2	4	.....	.....	.....	.....	.....	.....
20 to 24 years	632	630	476	483	94	89	8	2	47	48	6	7	.....	1	1	.....	.....	.....
25 to 29 years	714	775	447	567	195	153	16	6	52	44	4	5	.....	.....	.....	.....	.....	.....
30 to 34 years	755	693	437	466	242	178	23	6	51	39	2	4	.....	.....	.....	.....	.....	.....
35 to 39 years	866	742	442	471	300	208	57	6	64	52	1	5	.....	.....	2	.....	.....	.....
40 to 44 years	826	730	413	487	321	207	39	3	49	33	4	.....	.....	.....	.....	.....	.....	.....
45 to 49 years	963	781	552	509	315	234	51	13	42	21	3	4	.....	.....	.....	.....	.....	.....
50 to 54 years	1,053	947	585	633	393	288	46	7	27	18	2	1	.....	.....	.....	.....	.....	.....
55 to 59 years	1,219	1,068	693	617	478	426	27	7	17	17	3	1	.....	.....	1	.....	.....	.....
60 to 64 years	1,532	1,292	910	780	555	474	51	13	15	18	.....	7	.....	.....	1	.....	.....	.....
65 to 69 years	1,836	1,463	1,058	850	715	582	38	9	20	19	5	3	.....	.....	.....	.....	.....	.....
70 to 74 years	1,814	1,571	955	860	790	665	52	25	13	17	4	4	.....	.....	.....	.....	.....	.....
75 to 79 years	1,797	1,611	990	934	770	651	26	13	9	10	2	3	.....	.....	.....	.....	.....	.....
80 to 84 years	1,260	1,297	679	726	550	547	22	17	6	7	3	.....	.....	.....	.....	.....	.....	.....
85 to 89 years	638	713	310	373	311	329	11	6	5	4	1	1	.....	.....	.....	.....	.....	.....
90 to 94 years	190	235	84	112	102	117	1	3	2	2	1	1	.....	.....	.....	.....	.....	.....
95 to 99 years	51	52	24	21	26	27	.....	2	.....	1	1	1	.....	.....	.....	.....	.....	.....
100 years and over	12	14	2	7	8	4	.....	.....	1	1	1	2	.....	.....	.....	.....	.....	.....
Unknown	37	25	11	8	8	9	17	6	1	.....	.....	2	.....	.....	.....	.....	.....	.....

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, AND NATIVITY OF DECEDENT: 1921—Con.

[Native white includes native born of both parents native, of one or both parents foreign, and of both parents unknown or one unknown and one native.]

AREA AND AGE.	ALL DEATHS.		WHITE.						COLORED.									
			Native.		Foreign.		Unknown.		Negro.		Indian.		Chinese.		Japanese.		Other colored.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
MINNESOTA.																		
All ages	12,596	10,210	7,291	6,292	4,980	3,763	168	39	78	62	68	53	10	1	1			
Under 1 year	1,936	1,445	1,904	1,414	6	5	2	9	4	4	18	13	1		1			
1 year	193	212	186	205	1	1				2	6	4						
2 years	138	119	133	118	4	1					1							
3 years	108	81	105	80	1						2	1						
4 years	100	65	99	65							1							
Under 5 years	2,475	1,922	2,427	1,882	12	7	2	9	4	6	28	18	1		1			
5 to 9 years	328	277	309	267	10	5	2	1	1		6	4						
10 to 14 years	248	197	234	190	9	4	1	1		2	4							
15 to 19 years	347	283	317	253	20	20	2		5	7	2	2	1	1				
20 to 24 years	353	400	300	358	45	29	4		4	7		6						
25 to 29 years	405	444	314	389	81	45	6	3	3	5	1	2						
30 to 34 years	420	400	282	308	123	84	10	1	3	7	2							
35 to 39 years	518	405	316	281	175	120	13	1	11	2	3	1						
40 to 44 years	491	405	265	257	203	144	11		8	4	2		2					
45 to 49 years	512	435	275	257	202	167	22		10	7	1	4	2					
50 to 54 years	710	521	361	305	318	209	19	1	11	2		4	1					
55 to 59 years	777	492	331	245	422	239	16	1	4	4	3	3	1					
60 to 64 years	1,016	691	434	324	562	361	13	5	3	1	4							
65 to 69 years	938	638	360	241	554	391	15	1	6	2	2	3	1					
70 to 74 years	902	695	256	229	628	457	12	7	3		3	2						
75 to 79 years	900	779	227	196	661	579	9	1		2	2	1	1					
80 to 84 years	653	590	139	143	506	444	4		1	1	3	2						
85 to 89 years	440	413	107	115	330	295	1	3	1		1							
90 to 94 years	128	164	28	38	98	121	2	3		1		1						
95 to 99 years	26	49	7	10	19	38				1								
100 years and over	4	6	1	1	2	3		1		1	1							
Unknown	5	4	1	3		1	4											
MISSISSIPPI.																		
All ages	9,989	9,961	3,732	3,278	79	47	118	71	6,049	6,559	7	6	4					
Under 1 year	1,777	1,380	722	515	1		4	1	1,047	862	2	2	1					
1 year	344	349	146	151		1			197	196	1	1						
2 years	214	186	105	84				2	109	100								
3 years	138	121	64	50					74	71								
4 years	96	99	47	41			1		48	58								
Under 5 years	2,569	2,135	1,084	841	1	1	5	3	1,475	1,287	3	3	1					
5 to 9 years	332	330	118	116		1	1	1	213	212								
10 to 14 years	275	264	107	68			1		167	196								
15 to 19 years	448	518	115	117	1		2	1	330	400								
20 to 24 years	514	663	119	119		1	4	4	391	539								
25 to 29 years	397	545	101	94	1		2		292	451	1							
30 to 34 years	318	512	96	141	3	1	2	2	216	367	1	1						
35 to 39 years	415	567	129	155	1		6	4	279	408								
40 to 44 years	347	491	112	141	2	1	4	8	228	341	1							
45 to 49 years	458	485	166	127	3	1	7	2	282	355								
50 to 54 years	465	426	147	118	3	1	7	3	307	303		1	1					
55 to 59 years	381	367	165	111	7	2	5	3	203	251			1					
60 to 64 years	538	428	238	168	10	7	10	4	279	249			1					
65 to 69 years	586	437	277	208	9	6	6	4	293	219	1							
70 to 74 years	617	472	282	225	11	5	14	7	310	235								
75 to 79 years	545	421	239	213	10	7	13	6	283	195								
80 to 84 years	355	388	128	178	8	6	7	5	212	198		1						
85 to 89 years	194	215	78	78	4	3	10	4	102	130								
90 to 94 years	95	114	17	25	2	4	3	5	73	80								
95 to 99 years	33	40	5	11	2			1	26	28								
100 years and over	43	76		3					43	73								
Unknown	64	67	9	21	1		9	4	45	42								
MISSOURI.																		
All ages	19,889	17,182	15,103	13,273	2,445	1,978	594	268	1,729	1,661	3		13	1		1	2	
Under 1 year	2,604	1,993	2,396	1,799		1	14	8	189	185	2		2				1	
1 year	478	451	443	406	2			1	33	44								
2 years	246	214	223	204	2	1	1		20	9								
3 years	211	174	196	164	1	2	1		13	8								
4 years	150	135	139	127	1	3			10	5								
Under 5 years	3,689	2,967	3,397	2,700	6	7	16	9	265	251	2		2				1	
5 to 9 years	519	490	488	463	2	4	2		27	23								
10 to 14 years	403	332	357	288	7	5	3	3	36	36								
15 to 19 years	458	490	386	407	12	11	5	3	55	69								
20 to 24 years	603	599	460	472	21	17	13	12	109	97				1				
25 to 29 years	617	687	450	535	47	27	29	6	89	118			1			1	1	
30 to 34 years	676	677	498	504	44	37	23	16	110	120			1					
35 to 39 years	803	650	552	498	72	37	32	11	147	104								
40 to 44 years	829	702	574	529	83	51	28	16	144	106								
45 to 49 years	932	813	646	635	99	65	34	7	150	106			3					
50 to 54 years	1,120	896	779	683	154	93	52	10	134	110			1					
55 to 59 years	1,200	908	871	671	186	131	44	18	99	88								
60 to 64 years	1,573	1,067	1,146	810	261	149	74	25	88	83			4					
65 to 69 years	1,519	1,241	1,093	940	291	201	59	26	75	74			1					
70 to 74 years	1,579	1,389	1,113	971	322	294	57	31	86	93	1							
75 to 79 years	1,557	1,284	1,094	910	361	290	54	29	48	55								
80 to 84 years	1,005	1,030	676	707	276	264	25	18	28	41								
85 to 89 years	544	629	369	363	154	220	13	11	8	35								
90 to 94 years	150	219	102	138	33	60	3	6	12	15								
95 to 99 years	38	43	22	20	11	11	1	1	4	11								
100 years and over	8	16	3	4	1	3			4	9								
Unknown	67	53	27	25	2	1	27	10	11	17								

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, AND NATIVITY OF DECEDENT: 1921—Con.

[Native white includes native born of both parents native, of one or both parents foreign, and of both parents unknown or one unknown and one native.]

AREA AND AGE.	ALL DEATHS.		WHITE.						COLORED.									
			Native.		Foreign.		Unknown.		Negro.		Indian.		Chinese.		Japanese.		Other colored.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
MONTANA.																		
All ages	2,868	1,825	1,791	1,266	802	391	112	20	10	17	119	130	23	1	9	.....	2	.....
Under 1 year	496	309	447	272	1	.....	2	1	1	2	39	33	.....	1	6	.....	.....	.....
1 year	62	49	57	41	.....	.....	.....	.....	1	1	4	7	.....	.....	.....	.....	.....	.....
2 years	37	37	32	27	1	.....	.....	.....	.....	.....	4	10	.....	.....	.....	.....	.....	.....
3 years	26	15	22	11	1	.....	.....	.....	.....	.....	3	4	.....	.....	.....	.....	.....	.....
4 years	25	23	22	21	.....	.....	.....	.....	.....	.....	3	2	.....	.....	.....	.....	.....	.....
Under 5 years	646	433	580	372	3	.....	2	1	2	3	53	56	.....	1	6	.....	.....	.....
5 to 9 years	72	74	64	63	1	2	1	.....	.....	.....	6	9	.....	.....	.....	.....	.....	.....
10 to 14 years	59	51	53	44	3	2	.....	.....	.....	.....	3	5	.....	.....	.....	.....	.....	.....
15 to 19 years	77	51	57	44	6	3	3	.....	1	.....	9	4	.....	.....	.....	.....	1	.....
20 to 24 years	64	60	51	49	7	6	1	.....	.....	3	5	2	.....	.....	.....	.....	.....	.....
25 to 29 years	90	83	55	68	23	10	3	2	.....	.....	7	3	1	.....	.....	.....	1	.....
30 to 34 years	119	99	74	77	35	12	5	1	3	3	1	6	.....	.....	1	.....	.....	.....
35 to 39 years	139	98	72	61	58	29	6	4	.....	2	3	2	.....	.....	.....	.....	.....	.....
40 to 44 years	130	78	64	50	60	23	5	.....	1	.....	.....	5	.....	.....	.....	.....	.....	.....
45 to 49 years	154	85	77	54	63	26	6	.....	.....	1	6	4	.....	.....	2	.....	.....	.....
50 to 54 years	177	102	67	55	89	40	16	2	.....	1	4	4	1	.....	.....	.....	.....	.....
55 to 59 years	194	103	90	52	78	43	13	2	3	2	5	4	5	.....	.....	.....	.....	.....
60 to 64 years	220	122	106	75	95	42	10	2	.....	.....	2	3	7	.....	.....	.....	.....	.....
65 to 69 years	216	98	112	56	86	38	12	1	.....	.....	2	3	4	.....	.....	.....	.....	.....
70 to 74 years	178	95	96	54	68	37	12	.....	.....	1	.....	3	2	.....	.....	.....	.....	.....
75 to 79 years	174	82	91	47	68	29	8	3	.....	.....	6	3	1	.....	.....	.....	.....	.....
80 to 84 years	83	52	52	21	29	27	1	1	.....	1	1	2	.....	.....	.....	.....	.....	.....
85 to 89 years	45	34	20	16	17	17	5	.....	.....	.....	1	1	2	.....	.....	.....	.....	.....
90 to 94 years	19	12	8	5	10	3	.....	.....	.....	.....	1	4	.....	.....	.....	.....	.....	.....
95 to 99 years	4	6	2	2	2	2	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....
100 years and over	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....
Unknown	8	5	.....	1	1	.....	3	1	.....	.....	4	3	.....	.....	.....	.....	.....	.....
NEBRASKA.																		
All ages	6,591	5,426	4,727	3,946	1,551	1,271	144	63	122	89	41	55	5	.....	1	2	.....	.....
Under 1 year	1,105	783	1,077	750	1	.....	1	4	17	14	9	14	.....	.....	.....	1	.....	.....
1 year	123	125	118	119	.....	2	.....	.....	3	1	2	3	.....	.....	.....	.....	.....	.....
2 years	78	56	78	54	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....
3 years	73	41	72	39	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....
4 years	53	40	51	40	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
Under 5 years	1,432	1,045	1,396	1,002	1	2	1	4	22	16	12	19	.....	.....	.....	2	.....	.....
5 to 9 years	183	142	177	137	1	1	2	.....	3	2	.....	2	.....	.....	.....	.....	.....	.....
10 to 14 years	139	99	132	94	4	2	.....	1	2	1	1	1	.....	.....	.....	.....	.....	.....
15 to 19 years	159	137	141	124	4	6	2	2	6	4	6	1	.....	.....	.....	.....	.....	.....
20 to 24 years	177	181	155	161	13	10	6	1	3	6	.....	3	.....	.....	.....	.....	.....	.....
25 to 29 years	173	185	132	166	19	12	6	2	15	5	1	.....	.....	.....	.....	.....	.....	.....
30 to 34 years	170	197	125	171	26	21	11	.....	5	4	2	1	.....	.....	1	.....	.....	.....
35 to 39 years	220	224	161	184	31	20	11	5	16	12	1	3	.....	.....	.....	.....	.....	.....
40 to 44 years	206	192	147	140	41	41	6	1	9	9	3	1	.....	.....	.....	.....	.....	.....
45 to 49 years	253	223	174	167	56	46	12	3	10	5	1	2	.....	.....	.....	.....	.....	.....
50 to 54 years	278	245	193	164	63	65	14	4	6	8	2	4	.....	.....	.....	.....	.....	.....
55 to 59 years	344	281	194	176	120	88	11	6	12	6	5	5	2	.....	.....	.....	.....	.....
60 to 64 years	451	335	278	212	160	114	11	4	1	3	.....	2	1	.....	.....	.....	.....	.....
65 to 69 years	533	395	323	243	196	140	10	10	3	1	1	1	.....	.....	.....	.....	.....	.....
70 to 74 years	591	432	343	234	228	187	16	5	3	3	1	3	.....	.....	.....	.....	.....	.....
75 to 79 years	578	457	314	232	251	214	10	10	2	1	1	.....	.....	.....	.....	.....	.....	.....
80 to 84 years	401	362	203	200	185	158	7	2	3	1	2	1	1	.....	.....	.....	.....	.....
85 to 89 years	224	208	102	101	117	101	2	3	1	1	1	2	1	.....	.....	.....	.....	.....
90 to 94 years	59	67	25	33	30	30	3	.....	.....	.....	1	4	.....	.....	.....	.....	.....	.....
95 to 99 years	14	12	9	2	4	10	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
100 years and over	2	4	1	1	1	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Unknown	4	3	2	2	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
NEW HAMPSHIRE.																		
All ages	3,035	3,067	2,329	2,329	597	644	104	91	4	3	.....	.....	1	.....	.....	.....	.....	.....
Under 1 year	480	398	472	391	.....	.....	7	7	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
1 year	48	45	47	42	1	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
2 years	26	31	26	30	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3 years	25	13	25	12	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4 years	22	17	20	16	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Under 5 years	601	504	590	491	3	4	7	9	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
5 to 9 years	50	43	43	42	4	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
10 to 14 years	34	37	27	34	4	2	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15 to 19 years	51	54	39	44	9	10	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
20 to 24 years	55	74	46	59	9	13	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25 to 29 years	59	69	42	43	16	25	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
30 to 34 years	63	82	41	51	20	30	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
35 to 39 years	84	85	48	51	33	33	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
40 to 44 years	78	80	52	50	22	28	4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
45 to 49 years	117	124	76	80	35	41	6	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
50 to 54 years	127	147	77	88	46	54	4	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
55 to 59 years	192	171	118	114	70	50	4	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
60 to 64 years	235	198	161	140	65	53	9	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
65 to 69 years	265	252	201	180	52	59	10	12	2	1	.....	.....	.....	.....	.....	.....	.....	.....
70 to 74 years	339	329	265	227	59	87	14	15	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
75 to 79 years	296	303	221	222	73	72	2	8	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
80 to 84 years	204	243	152	192	42	44	10	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
85 to 89 years	113	176	90	145	19	27	4	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
90 to 94 years	43	66	31	55	11	9	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
95 to 99 years	5	17	5	16	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
100 years and over	3	1	1	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Unknown	21	12	3	4	3	1	15	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, AND NATIVITY OF DECEDENT: 1921—Con.

[Native white includes native born of both parents native, of one or both parents foreign, and of both parents unknown or one unknown and one native.]

AREA AND AGE.	ALL DEATHS.		WHITE.						COLORED.									
			Native.		Foreign.		Unknown.		Negro.		Indian.		Chinese.		Japanese.		Other colored.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
NEW JERSEY.																		
All ages	19,393	18,535	12,652	12,206	5,365	5,138	169	63	1,194	1,128	2		11					
Under 1 year	3,266	2,534	2,984	2,328	8	5	15	5	259	196								
1 year	551	520	495	465	8	7		1	48	47								
2 years	269	249	250	225	3	6			16	18								
3 years	221	183	209	178	1				11	5								
4 years	156	141	145	136	2	3			9	2								
Under 5 years	4,463	3,627	4,083	3,332	22	21	15	6	343	268								
5 to 9 years	575	477	526	450	18	10		1	31	16								
10 to 14 years	338	276	301	239	20	12		1	17	24								
15 to 19 years	450	411	347	319	63	47		1	40	44								
20 to 24 years	442	552	329	355	69	116	1	1	42	80			1					
25 to 29 years	625	662	362	404	198	180	8	1	57	77								
30 to 34 years	683	646	359	365	253	217	13	3	56	61			2					
35 to 39 years	816	722	382	394	331	246	11	1	92	81								
40 to 44 years	921	749	446	408	363	259	19	1	93	81								
45 to 49 years	1,069	936	534	519	425	341	13	3	97	73								
50 to 54 years	1,193	1,002	617	529	504	400	10	3	57	70			5					
55 to 59 years	1,330	1,119	676	598	565	465	22	7	66	49			1					
60 to 64 years	1,484	1,373	821	789	589	523	18	3	54	58			2					
65 to 69 years	1,362	1,416	761	794	537	557	11	5	52	60	1							
70 to 74 years	1,260	1,424	705	815	519	577	11	3	25	29								
75 to 79 years	1,141	1,404	661	808	438	559	7	12	35	25								
80 to 84 years	746	991	443	607	278	366	3	6	22	12								
85 to 89 years	375	510	228	323	135	174	2	2	10	11								
90 to 94 years	94	186	59	120	31	60	1	2	3	4								
95 to 99 years	20	42	11	32	7	8			1	2	1							
100 years and over	3	9	1	5			1	1	1	3								
Unknown	3	1		1			3											
NEW YORK.																		
All ages	67,624	62,770	43,371	40,969	21,567	19,689	614	209	1,875	1,859	26	35	139	5	29	4	3	
Under 1 year	10,155	7,938	9,655	7,532	56	55	25	19	404	328	6	3	5	1	4			
1 year	1,721	1,512	1,580	1,389	61	55	4	1	76	64		2		1				
2 years	897	736	838	678	31	26			28	31		1						
3 years	644	558	607	531	17	15	1	1	15	11	1		2		1			
4 years	530	451	510	436	13	6	1		5	9			1					
Under 5 years	13,947	11,195	13,190	10,566	178	157	31	21	528	443	7	6	8	2	5			
5 to 9 years	1,704	1,347	1,596	1,262	76	51	1	4	30	28	1	1				1		
10 to 14 years	1,122	951	1,011	843	86	69	3		20	38	1	1	1					
15 to 19 years	1,369	1,213	1,096	969	219	178	7		45	65	1			1	1			
20 to 24 years	1,823	1,941	1,224	1,393	450	416	23	4	116	123	1	4	6	1	2		1	
25 to 29 years	2,140	2,151	1,213	1,348	728	657	31	6	151	138	1	2	11		5			
30 to 34 years	2,363	2,219	1,196	1,289	973	791	38	5	127	128	1	5	24		4	1		
35 to 39 years	2,870	2,453	1,370	1,357	1,270	937	50	8	155	149	1	2	17		5		2	
40 to 44 years	3,231	2,595	1,598	1,457	1,406	984	55	4	148	148	1	1	20		3	1		
45 to 49 years	3,710	3,047	1,933	1,743	1,610	1,190	47	9	104	102	1	2	13	1	2			
50 to 54 years	4,373	3,630	2,214	1,983	1,957	1,541	71	11	116	93	2	2	11		2			
55 to 59 years	4,714	4,052	2,399	2,173	2,179	1,781	44	11	82	86	1	1	9					
60 to 64 years	5,350	4,923	2,889	2,765	2,324	2,049	50	15	76	93		1	11					
65 to 69 years	5,189	4,985	2,860	2,757	2,212	2,151	55	14	58	61	2	1	2			1		
70 to 74 years	4,841	5,043	2,626	2,660	2,124	2,280	41	25	47	77		1	3					
75 to 79 years	4,139	4,647	2,295	2,621	1,769	1,954	29	20	42	49	1	3	3					
80 to 84 years	2,819	3,466	1,562	2,050	1,225	1,380	16	21	15	14	1	1						
85 to 89 years	1,383	2,001	808	1,187	558	781	7	19	10	13		1						
90 to 94 years	421	706	230	437	182	256	3	4	4	9	2							
95 to 99 years	82	168	53	89	29	76		2		1								
100 years and over	11	24	5	15	5	7		1		1	1							
Unknown	23	13	3	5	7	3	12	5	1									
NORTH CAROLINA.																		
All ages	14,928	14,526	9,119	8,558	85	42	170	126	5,483	5,716	71	84						
Under 1 year	3,717	2,916	2,307	1,730			12	13	1,377	1,148	21	25						
1 year	840	718	539	464			3	1	284	243	14	10						
2 years	279	260	184	175			2	2	92	83	1							
3 years	173	165	117	99			1	2	54	62	1	2						
4 years	113	105	76	67				1	35	35	2	2						
Under 5 years	5,122	4,164	3,223	2,535			18	19	1,842	1,571	39	39						
5 to 9 years	351	322	206	173				4	143	143	2	2						
10 to 14 years	298	270	160	117			2		135	151	1	2						
15 to 19 years	441	514	212	196	1		2	2	225	315	1	1						
20 to 24 years	630	782	274	323	3	1	12	5	338	450	3	3						
25 to 29 years	501	714	229	355	5	3	10	3	257	351		2						
30 to 34 years	453	604	242	290	5	1	13	6	193	304		3						
35 to 39 years	457	667	232	353	9	4	10	5	204	300	2	5						
40 to 44 years	458	584	252	298	6	4	10	5	188	277	2							
45 to 49 years	522	526	286	249	3	3	11	4	222	265		5						
50 to 54 years	585	576	331	327	5	3	8	7	237	237	4	2						
55 to 59 years	586	487	373	297	4	1	6	4	203	183		2						
60 to 64 years	803	697	545	477	6		11	9	239	208	2	3						
65 to 69 years	926	749	686	545	7	4	10	2	221	196	2	2						
70 to 74 years	1,027	858	725	630	8	2	16	13	274	210	4	3						
75 to 79 years	740	734	540	549	13	7	9	14	175	157	3	7						
80 to 84 years	510	609	340	447	6	6	8	7	154	148	2	1						
85 to 89 years	259	314	168	233	3	2	5	3	80	74	3	2						
90 to 94 years	108	159	56	101		1	1	6	51	51								
95 to 99 years	44	50	16	23				2	28	25								
100 years and over	30	64	5	12	1		1	1	22	51	1							
Unknown	77	82	18	28			7	5	52	49								

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, AND NATIVITY OF DECEDENT: 1921—Con.

[Native white includes native born of both parents native, of one or both parents foreign, and of both parents unknown or one unknown and one native.]

AREA AND AGE.	ALL DEATHS.		WHITE.						COLORED.									
			Native.		Foreign.		Unknown.		Negro.		Indian.		Chinese.		Japanese.		Other colored.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
OHIO.																		
All ages	34,954	32,150	26,325	25,369	5,844	4,882	762	204	2,002	1,693	1	1	20	.....	.....	1	.....	.....
Under 1 year	5,570	4,144	5,260	3,867	17	5	8	11	285	261	.....	.....	.....	.....	.....	.....	.....	.....
1 year	831	748	760	681	7	13	.....	.....	64	54	.....	.....	.....	.....	.....	.....	.....	.....
2 years	483	399	446	369	3	3	.....	2	34	25	.....	.....	.....	.....	.....	.....	.....	.....
3 years	346	292	331	276	.....	2	.....	.....	15	14	.....	.....	.....	.....	.....	.....	.....	.....
4 years	271	250	257	231	5	4	1	2	8	13	.....	.....	.....	.....	.....	.....	.....	.....
Under 5 years	7,501	5,833	7,054	5,424	32	27	9	15	406	367	.....	.....	.....	.....	.....	.....	.....	.....
5 to 9 years	936	796	893	756	12	13	2	1	29	26	.....	.....	.....	.....	.....	.....	.....	.....
10 to 14 years	590	465	524	397	19	24	7	1	40	43	.....	.....	.....	.....	.....	.....	.....	.....
15 to 19 years	729	783	618	657	41	40	11	4	59	82	.....	.....	.....	.....	.....	.....	.....	.....
20 to 24 years	967	1,062	697	832	104	101	23	4	143	125	.....	.....	.....	.....	.....	.....	.....	.....
25 to 29 years	1,088	1,120	673	840	224	164	29	3	162	112	.....	.....	.....	.....	.....	1	.....	.....
30 to 34 years	1,162	1,138	725	806	285	219	28	4	121	109	.....	.....	3	.....	.....	.....	.....	.....
35 to 39 years	1,404	1,257	825	916	349	220	54	7	176	114	.....	.....	.....	.....	.....	.....	.....	.....
40 to 44 years	1,394	1,217	859	913	348	182	44	4	142	118	.....	.....	1	.....	.....	.....	.....	.....
45 to 49 years	1,589	1,377	1,021	1,042	350	228	49	14	163	93	.....	.....	6	.....	.....	.....	.....	.....
50 to 54 years	1,738	1,482	1,175	1,150	395	241	47	11	117	80	.....	.....	4	.....	.....	.....	.....	.....
55 to 59 years	1,960	1,681	1,345	1,296	486	301	43	10	84	74	.....	.....	2	.....	.....	.....	.....	.....
60 to 64 years	2,439	2,274	1,782	1,780	516	412	54	13	85	69	.....	.....	2	.....	.....	.....	.....	.....
65 to 69 years	2,687	2,374	1,995	1,857	578	425	53	20	59	72	.....	.....	2	.....	.....	.....	.....	.....
70 to 74 years	2,840	2,668	2,086	1,957	608	618	71	23	75	70	.....	.....	.....	.....	.....	.....	.....	.....
75 to 79 years	2,764	2,714	1,922	1,971	666	648	111	29	64	66	1	.....	.....	.....	.....	.....	.....	.....
80 to 84 years	1,873	2,170	1,279	1,566	474	542	76	23	44	38	.....	1	.....	.....	.....	.....	.....	.....
85 to 89 years	937	1,209	621	868	256	314	40	14	20	13	.....	.....	.....	.....	.....	.....	.....	.....
90 to 94 years	273	421	184	275	79	134	5	4	5	8	.....	.....	.....	.....	.....	.....	.....	.....
95 to 99 years	59	82	37	53	17	22	2	.....	3	7	.....	.....	.....	.....	.....	.....	.....	.....
100 years and over	9	23	3	10	3	6	1	.....	2	7	.....	.....	.....	.....	.....	.....	.....	.....
Unknown	15	4	7	3	2	1	3	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
OREGON.																		
All ages	4,925	3,379	3,469	2,643	1,091	648	188	37	27	10	35	28	76	4	37	9	2	.....
Under 1 year	490	298	472	287	.....	.....	.....	2	1	1	6	3	2	.....	9	5	.....	.....
1 year	56	50	50	48	1	.....	2	1	.....	1	1	.....	.....	.....	2	.....	.....	.....
2 years	33	34	32	32	1	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....
3 years	28	23	26	21	.....	.....	.....	1	.....	.....	2	1	.....	.....	.....	.....	.....	.....
4 years	32	15	31	12	1	1	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....
Under 5 years	639	420	611	400	3	1	2	4	1	2	9	7	2	.....	11	6	.....	.....
5 to 9 years	129	93	119	89	6	3	.....	.....	1	.....	3	1	.....	.....	.....	.....	.....	.....
10 to 14 years	96	66	92	62	1	2	.....	.....	.....	1	2	.....	.....	1	1	.....	.....	.....
15 to 19 years	110	92	97	80	3	10	4	.....	.....	.....	5	2	1	.....	.....	.....	.....	.....
20 to 24 years	130	123	104	107	10	11	8	.....	2	1	2	2	2	1	2	1	.....	.....
25 to 29 years	149	138	117	125	21	9	4	.....	2	.....	3	1	1	1	1	2	.....	.....
30 to 34 years	156	134	96	113	42	18	10	1	3	.....	3	1	.....	1	2	.....	.....	.....
35 to 39 years	205	155	127	125	58	28	7	.....	3	1	.....	1	2	.....	6	.....	2	.....
40 to 44 years	204	166	131	128	49	35	15	.....	2	1	.....	2	2	.....	5	.....	.....	.....
45 to 49 years	255	178	174	146	56	29	17	2	.....	.....	1	1	2	.....	5	.....	.....	.....
50 to 54 years	273	201	171	156	71	40	19	2	3	3	.....	.....	7	.....	2	.....	.....	.....
55 to 59 years	354	196	221	143	105	52	12	1	2	.....	1	.....	12	.....	1	.....	.....	.....
60 to 64 years	442	245	281	168	123	71	24	6	1	.....	1	.....	12	.....	.....	.....	.....	.....
65 to 69 years	485	265	302	186	147	69	17	7	.....	.....	2	3	16	.....	1	.....	.....	.....
70 to 74 years	452	285	277	198	143	82	21	5	3	.....	1	.....	7	.....	.....	.....	.....	.....
75 to 79 years	365	271	233	182	114	86	11	1	1	1	.....	1	6	.....	.....	.....	.....	.....
80 to 84 years	261	176	176	123	74	50	8	3	1	.....	.....	.....	2	.....	.....	.....	.....	.....
85 to 89 years	142	118	95	73	40	38	5	3	.....	.....	1	4	1	.....	.....	.....	.....	.....
90 to 94 years	57	43	35	29	19	12	.....	1	2	.....	1	1	.....	.....	.....	.....	.....	.....
95 to 99 years	11	10	8	8	3	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
100 years and over	3	1	.....	.....	3	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Unknown	7	3	2	2	.....	1	4	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
PENNSYLVANIA.																		
All ages	57,780	52,139	42,014	40,120	12,133	9,206	602	272	2,989	2,536	2	1	36	3	1	1	3	.....
Under 1 year	11,484	8,649	10,899	8,177	21	22	30	24	530	426	.....	.....	2	.....	.....	.....	2	.....
1 year	1,797	1,621	1,660	1,495	14	14	3	3	120	109	.....	.....	.....	.....	.....	.....	.....	.....
2 years	885	714	842	678	10	6	1	2	32	28	.....	.....	.....	.....	.....	.....	.....	.....
3 years	626	579	605	555	2	5	1	3	18	16	.....	.....	.....	.....	.....	.....	.....	.....
4 years	508	468	479	446	3	3	2	.....	24	18	.....	.....	.....	1	.....	.....	.....	.....
Under 5 years	15,300	12,031	14,485	11,351	50	50	37	32	724	597	.....	.....	2	1	.....	.....	2	.....
5 to 9 years	1,597	1,398	1,512	1,318	20	21	2	5	62	54	.....	.....	1	.....	.....	.....	.....	.....
10 to 14 years	983	943	892	839	36	34	4	4	51	66	.....	.....	.....	.....	.....	.....	.....	.....
15 to 19 years	1,226	1,169	1,031	973	90	80	7	6	97	110	.....	.....	1	.....	.....	.....	.....	.....
20 to 24 years	1,594	1,658	1,127	1,270	243	195	15	5	208	185	.....	1	1	1	.....	1	.....	.....
25 to 29 years	1,811	1,807	1,024	1,258	548	350	30	6	207	193	.....	.....	1	.....	.....	.....	1	.....
30 to 34 years	1,864	1,795	1,014	1,180	666	446	22	3	155	166	.....	.....	6	.....	1	.....	.....	.....
35 to 39 years	2,461	1,934	1,216	1,212	930	549	52	9	260	164	.....	.....	3	.....	.....	.....	.....	.....
40 to 44 years	2,549	1,903	1,254	1,274	1,009	465	42	10	241	154	2	.....	1	.....	.....	.....	.....	.....
45 to 49 years	2,876	2,215	1,545	1,488	1,046	557	50	12	231	158	.....	.....	4	.....	.....	.....	.....	.....
50 to 54 years	3,147	2,653	1,815	1,810	1,102	669	52	21	174	153	.....	.....	4	.....	.....	.....	.....	.....
55 to 59 years	3,349	2,837	1,972	1,912	1,163	782	49	23	161	119	.....	.....	4	1	.....	.....	.....	.....
60 to 64 years	3,898	3,421	2,528	2,467	1,163	822	83	15	121	117	.....	.....	3	.....	.....	.....	.....	.....
65 to 69 years	3,949	3,630	2,763	2,612	1,047	915	43	21	94	82	.....	.....	2	.....	.....	.....	.....	.....
70 to 74 years	3,986	3,949	2,747	2,766	1,118	1,075	36	29	82	79	.....	.....	3	.....	.....	.....	.....	.....
75 to 79 years	3,505	3,719	2,486	2,738	922	904	42	32	55	45	.....	.....	.....	.....	.....	.....	.....	.....
80 to 84 years	2,277	2,852	1,604	2,060	616	720	20	23	37	49	.....	.....	.....	.....	.....	.....	.....	.....
85 to 89 years	1,028	1,576	757	1,136	248	402	9	11	14	27	.....	.....	.....	.....	.....	.....	.....	.....
90 to 94 years	303	534	209	382	84	139	2	4	8	9	.....	.....	.....	.....	.....	.....	.....	.....
95 to 99 years	53	92	27	66	24	21	.....	1	2	4	.....	.....	.....	.....	.....	.....	.....	.....
100 years and over	17	20	4	7	8	8	.....	.....	5	5	.....	.....	.....	.....	.....	.....	.....	.....
Unknown	7	3	2	1	.....	2	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, AND NATIVITY OF DECEDENT: 1921—Con.

[Native white includes native born of both parents native, of one or both parents foreign, and of both parents unknown or one unknown and one native.]

AREA AND AGE.	ALL DEATHS.		WHITE.						COLORED.									
			Native.		Foreign.		Unknown.		Negro.		Indian.		Chinese.		Japanese.		Other colored.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
RHODE ISLAND.																		
All ages	3,965	3,791	2,578	2,336	1,242	1,340	32	19	109	96	1	.....	2	.....	.....	.....	1	.....
Under 1 year	787	557	759	526	1	3	1	.....	24	28	1	.....	1	.....	.....	.....	.....	.....
1 year	121	96	111	92	3	1	.....	.....	7	3	.....	.....	.....	.....	.....	.....	.....	.....
2 years	44	39	43	38	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
3 years	44	43	43	41	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4 years	21	19	20	18	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Under 5 years	1,017	754	976	715	6	7	1	.....	32	32	1	.....	1	.....	.....	.....	.....	.....
5 to 9 years	103	68	97	64	4	3	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....
10 to 14 years	39	58	34	53	3	5	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
15 to 19 years	78	65	57	48	16	11	.....	1	5	5	.....	.....	.....	.....	.....	.....	.....	.....
20 to 24 years	90	99	55	65	26	29	1	.....	7	5	.....	.....	.....	.....	.....	.....	1	.....
25 to 29 years	107	117	53	75	47	36	.....	.....	6	6	.....	.....	1	.....	.....	.....	.....	.....
30 to 34 years	107	115	58	61	45	49	1	1	3	4	.....	.....	.....	.....	.....	.....	.....	.....
35 to 39 years	137	137	63	67	62	67	2	.....	10	3	.....	.....	.....	.....	.....	.....	.....	.....
40 to 44 years	154	133	74	62	77	65	1	2	2	4	.....	.....	.....	.....	.....	.....	.....	.....
45 to 49 years	203	172	93	80	99	88	2	.....	9	4	.....	.....	.....	.....	.....	.....	.....	.....
50 to 54 years	237	223	106	110	118	106	3	1	10	6	.....	.....	.....	.....	.....	.....	.....	.....
55 to 59 years	236	233	104	101	129	130	2	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....
60 to 64 years	334	301	168	139	159	156	3	2	4	4	.....	.....	.....	.....	.....	.....	.....	.....
65 to 69 years	284	297	162	138	114	150	5	4	3	5	.....	.....	.....	.....	.....	.....	.....	.....
70 to 74 years	299	335	151	167	139	163	4	.....	5	5	.....	.....	.....	.....	.....	.....	.....	.....
75 to 79 years	266	298	164	161	97	127	1	3	4	7	.....	.....	.....	.....	.....	.....	.....	.....
80 to 84 years	156	230	87	128	64	96	1	5	4	1	.....	.....	.....	.....	.....	.....	.....	.....
85 to 89 years	86	105	56	68	30	36	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
90 to 94 years	21	39	14	28	7	10	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
95 to 99 years	3	9	3	4	.....	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
100 years and over	.....	3	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Unknown	8	.....	3	.....	.....	.....	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
SOUTH CAROLINA.																		
All ages	10,171	10,206	4,148	3,838	81	53	63	23	5,879	6,289	.....	3	.....	.....	.....	.....	.....	.....
Under 1 year	2,675	2,176	976	759	.....	.....	11	1	1,688	1,416	.....	.....	.....	.....	.....	.....	.....	.....
1 year	544	459	236	197	.....	.....	3	.....	305	261	.....	1	.....	.....	.....	.....	.....	.....
2 years	185	200	80	88	.....	.....	.....	.....	105	112	.....	.....	.....	.....	.....	.....	.....	.....
3 years	96	116	36	47	.....	.....	.....	.....	60	69	.....	.....	.....	.....	.....	.....	.....	.....
4 years	96	94	38	43	.....	.....	1	.....	57	51	.....	.....	.....	.....	.....	.....	.....	.....
Under 5 years	3,596	3,045	1,366	1,134	.....	.....	15	1	2,215	1,909	.....	1	.....	.....	.....	.....	.....	.....
5 to 9 years	253	269	102	98	.....	.....	1	.....	150	171	.....	.....	.....	.....	.....	.....	.....	.....
10 to 14 years	217	211	80	54	1	.....	1	.....	135	157	.....	.....	.....	.....	.....	.....	.....	.....
15 to 19 years	344	449	132	107	.....	.....	1	.....	211	342	.....	.....	.....	.....	.....	.....	.....	.....
20 to 24 years	496	653	148	156	4	.....	2	1	342	496	.....	.....	.....	.....	.....	.....	.....	.....
25 to 29 years	380	587	110	157	5	1	1	.....	264	429	.....	.....	.....	.....	.....	.....	.....	.....
30 to 34 years	311	470	103	142	3	.....	.....	.....	205	328	.....	.....	.....	.....	.....	.....	.....	.....
35 to 39 years	375	520	112	146	5	2	3	.....	255	371	.....	1	.....	.....	.....	.....	.....	.....
40 to 44 years	421	428	141	129	5	1	1	1	274	297	.....	.....	.....	.....	.....	.....	.....	.....
45 to 49 years	483	449	179	127	4	3	7	2	293	317	.....	.....	.....	.....	.....	.....	.....	.....
50 to 54 years	455	388	190	126	6	1	3	.....	256	261	.....	.....	.....	.....	.....	.....	.....	.....
55 to 59 years	370	322	173	132	6	6	3	2	188	182	.....	.....	.....	.....	.....	.....	.....	.....
60 to 64 years	515	428	280	224	5	1	7	4	223	199	.....	.....	.....	.....	.....	.....	.....	.....
65 to 69 years	534	444	319	258	5	7	6	1	204	178	.....	.....	.....	.....	.....	.....	.....	.....
70 to 74 years	583	498	320	289	14	8	4	2	245	198	.....	1	.....	.....	.....	.....	.....	.....
75 to 79 years	365	392	195	245	4	10	3	4	163	133	.....	.....	.....	.....	.....	.....	.....	.....
80 to 84 years	246	301	119	161	9	7	1	2	117	131	.....	.....	.....	.....	.....	.....	.....	.....
85 to 89 years	123	170	54	100	4	4	.....	.....	65	66	.....	.....	.....	.....	.....	.....	.....	.....
90 to 94 years	51	92	13	38	1	1	.....	.....	37	53	.....	.....	.....	.....	.....	.....	.....	.....
95 to 99 years	20	31	6	8	.....	1	1	1	13	21	.....	.....	.....	.....	.....	.....	.....	.....
100 years and over	15	43	1	2	.....	.....	.....	1	14	40	.....	.....	.....	.....	.....	.....	.....	.....
Unknown	18	16	5	5	.....	.....	3	1	10	10	.....	.....	.....	.....	.....	.....	.....	.....
TENNESSEE.																		
All ages	13,004	12,215	8,878	8,276	205	143	330	200	3,590	3,594	1	2	.....	.....	.....	.....	.....	.....
Under 1 year	2,193	1,731	1,682	1,270	.....	.....	18	25	493	436	.....	.....	.....	.....	.....	.....	.....	.....
1 year	514	453	410	351	.....	.....	8	2	96	100	.....	.....	.....	.....	.....	.....	.....	.....
2 years	227	185	177	154	.....	.....	1	2	49	29	.....	.....	.....	.....	.....	.....	.....	.....
3 years	116	137	91	99	.....	.....	2	1	23	37	.....	.....	.....	.....	.....	.....	.....	.....
4 years	111	102	89	78	.....	.....	1	3	21	21	.....	.....	.....	.....	.....	.....	.....	.....
Under 5 years	3,161	2,608	2,449	1,952	.....	.....	30	33	682	623	.....	.....	.....	.....	.....	.....	.....	.....
5 to 9 years	325	331	244	241	1	1	5	3	75	86	.....	.....	.....	.....	.....	.....	.....	.....
10 to 14 years	261	230	167	147	2	1	2	3	90	79	.....	.....	.....	.....	.....	.....	.....	.....
15 to 19 years	467	530	273	290	2	.....	5	4	187	236	.....	.....	.....	.....	.....	.....	.....	.....
20 to 24 years	583	720	318	402	3	.....	11	9	251	309	.....	.....	.....	.....	.....	.....	.....	.....
25 to 29 years	489	634	273	350	2	2	13	6	201	276	.....	.....	.....	.....	.....	.....	.....	.....
30 to 34 years	496	581	272	359	4	3	16	5	204	214	.....	.....	.....	.....	.....	.....	.....	.....
35 to 39 years	556	660	315	373	4	5	8	14	229	268	.....	.....	.....	.....	.....	.....	.....	.....
40 to 44 years	527	538	302	309	12	2	22	5	191	222	.....	.....	.....	.....	.....	.....	.....	.....
45 to 49 years	610	540	353	332	11	7	20	6	226	195	.....	.....	.....	.....	.....	.....	.....	.....
50 to 54 years	717	557	413	331	9	2	25	13	269	211	1	.....	.....	.....	.....	.....	.....	.....
55 to 59 years	622	503	396	319	17	6	27	11	182	167	.....	.....	.....	.....	.....	.....	.....	.....
60 to 64 years	730	635	501	454	19	13	25	11	185	157	.....	.....	.....	.....	.....	.....	.....	.....
65 to 69 years	876	697	668	529	17	19	28	14	163	134	.....	1	.....	.....	.....	.....	.....	.....
70 to 74 years	898	753	681	597	36	19	26	18	155	119	.....	.....	.....	.....	.....	.....	.....	.....
75 to 79 years	772	703	601	585	25	19	31	14	115	84	.....	1	.....	.....	.....	.....	.....	.....
80 to 84 years	517	514	390	393	23	20	17	13	87	88	.....	.....	.....	.....	.....	.....	.....	.....
85 to 89 years	267	309	192	235	14	17	11	9	50	48	.....	.....	.....	.....	.....	.....	.....	.....
90 to 94 years	67	85	47	46	3	5	3	4	14	30	.....	.....	.....	.....	.....	.....	.....	.....
95 to 99 years	18	33	9	16	1	1	.....	1	8	15	.....	.....	.....	.....	.....	.....	.....	.....
100 years and over	19	24	5	3	.....	1	.....	.....	14	20	.....	.....	.....	.....	.....	.....	.....	.....
Unknown	26	30	9	13	.....	.....	5	4	12	13	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, AND NATIVITY OF DECEDENT: 1921—Con.

[Native white includes native born of both parents native, of one or both parents foreign, and of both parents unknown or one unknown and one native.]

AREA AND AGE.	ALL DEATHS.		WHITE.						COLORED.									
			Native.		Foreign.		Unknown.		Negro.		Indian.		Chinese.		Japanese.		Other colored.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
UTAH.																		
All ages	2,607	2,176	1,841	1,534	624	581	54	2	18	9	34	25	7	1	27	24	2	.....
Under 1 year	588	474	569	453	.....	2	1	.....	.....	1	9	5	.....	.....	9	13	.....	.....
1 year	103	114	101	108	.....	.....	.....	.....	1	.....	1	6	.....	.....	.....	.....	.....	.....
2 years	42	39	42	37	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....
3 years	33	24	32	22	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....
4 years	29	26	25	26	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	1	.....	.....	.....
Under 5 years	795	677	769	646	1	2	1	.....	1	2	13	11	.....	.....	10	16	.....	.....
5 to 9 years	87	63	82	59	2	3	.....	.....	2	1	.....	.....	.....	.....	1	.....	.....	.....
10 to 14 years	68	58	66	54	2	3	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
15 to 19 years	74	70	70	65	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
20 to 24 years	79	72	68	60	9	7	2	.....	1	.....	2	1	.....	1	.....	.....	.....	.....
25 to 29 years	86	80	66	72	15	8	1	.....	.....	.....	.....	3	.....	.....	.....	2	.....	.....
30 to 34 years	82	76	46	57	29	15	4	.....	2	.....	1	.....	.....	.....	1	.....	.....	.....
35 to 39 years	120	88	68	73	35	11	7	.....	.....	.....	1	.....	.....	.....	1	4	1	.....
40 to 44 years	91	66	55	49	25	16	5	.....	4	2	2	1	.....	.....	4	1	.....	.....
45 to 49 years	115	69	70	50	34	16	5	.....	.....	1	2	.....	.....	.....	4	.....	.....	.....
50 to 54 years	120	74	87	56	21	17	7	.....	1	1	1	1	.....	.....	3	1	1	.....
55 to 59 years	143	91	77	55	55	35	5	1	2	1	.....	.....	1	.....	2	.....	.....	.....
60 to 64 years	143	97	75	58	56	39	7	.....	.....	.....	4	.....	1	.....	1	.....	.....	.....
65 to 69 years	166	114	77	46	82	67	3	.....	3	.....	1	.....	1	.....	.....	.....	.....	.....
70 to 74 years	143	120	56	40	78	80	4	.....	.....	1	2	.....	2	.....	.....	.....	.....	.....
75 to 79 years	139	141	58	40	78	98	2	.....	2	.....	1	.....	2	.....	.....	.....	.....	.....
80 to 84 years	87	132	33	30	53	102	.....	.....	.....	.....	1	3	.....	.....	.....	.....	.....	.....
85 to 89 years	45	60	13	17	29	41	1	1	.....	.....	2	1	.....	.....	.....	.....	.....	.....
90 to 94 years	22	20	4	7	18	13	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
95 to 99 years	2	5	1	.....	1	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
100 years and over	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Unknown	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....
VERMONT.																		
All ages	2,533	2,466	2,071	2,061	424	376	33	27	2	2	2	.....	1	.....	.....	.....	.....	.....
Under 1 year	341	276	340	276	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
1 year	41	36	41	35	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
2 years	17	14	16	14	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3 years	14	12	13	11	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4 years	14	14	14	11	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Under 5 years	427	352	424	347	2	5	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
5 to 9 years	41	41	37	40	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
10 to 14 years	24	30	24	26	.....	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15 to 19 years	41	32	37	24	3	8	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
20 to 24 years	39	64	31	59	7	4	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25 to 29 years	46	54	35	40	10	13	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
30 to 34 years	51	55	34	42	17	13	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
35 to 39 years	68	69	40	56	25	13	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
40 to 44 years	79	74	55	63	22	9	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
45 to 49 years	94	83	72	63	21	20	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50 to 54 years	117	126	94	106	22	19	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
55 to 59 years	141	116	100	94	41	22	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
60 to 64 years	181	173	140	134	36	36	5	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
65 to 69 years	221	209	169	171	47	38	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
70 to 74 years	300	260	246	213	51	39	3	7	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
75 to 79 years	278	292	234	244	37	44	5	4	1	.....	1	.....	.....	.....	.....	.....	.....	.....
80 to 84 years	195	226	156	189	37	34	2	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
85 to 89 years	134	148	105	106	28	38	1	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
90 to 94 years	40	47	30	32	10	14	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
95 to 99 years	8	7	5	6	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
100 years and over	2	4	1	3	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Unknown	6	4	2	3	1	.....	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
VIRGINIA.																		
All ages	14,644	13,890	8,597	7,962	318	165	133	50	5,576	5,706	10	7	2	.....	6	.....	2	.....
Under 1 year	3,056	2,467	1,846	1,453	.....	1	4	2	1,204	1,008	2	3	.....	.....	.....	.....	.....	.....
1 year	547	537	332	332	1	.....	1	1	211	203	2	1	.....	.....	.....	.....	.....	.....
2 years	249	236	166	154	.....	.....	.....	.....	83	82	.....	.....	.....	.....	.....	.....	.....	.....
3 years	154	153	109	105	.....	1	.....	.....	45	47	.....	.....	.....	.....	.....	.....	.....	.....
4 years	117	124	76	78	.....	1	2	.....	39	45	.....	.....	.....	.....	.....	.....	.....	.....
Under 5 years	4,123	3,517	2,529	2,122	1	3	7	3	1,582	1,385	4	4	.....	.....	.....	.....	.....	.....
5 to 9 years	322	289	210	174	.....	2	2	1	110	112	.....	.....	.....	.....	.....	.....	.....	.....
10 to 14 years	292	253	176	132	.....	.....	.....	.....	116	121	.....	.....	.....	.....	.....	.....	.....	.....
15 to 19 years	470	484	211	173	3	2	6	2	249	306	.....	1	.....	.....	1	.....	.....	.....
20 to 24 years	605	653	279	269	14	3	4	3	306	378	.....	.....	.....	.....	2	.....	.....	.....
25 to 29 years	491	595	207	241	13	2	3	2	264	350	.....	.....	1	.....	2	.....	1	.....
30 to 34 years	471	559	205	271	12	3	5	1	247	284	.....	.....	.....	.....	1	.....	1	.....
35 to 39 years	567	566	270	249	19	4	6	2	270	311	1	.....	1	.....	.....	.....	.....	.....
40 to 44 years	507	569	240	267	15	6	7	.....	243	296	2	.....	.....	.....	.....	.....	.....	.....
45 to 49 years	623	609	276	294	27	10	7	1	313	303	.....	1	.....	.....	.....	.....	.....	.....
50 to 54 years	726	651	363	279	29	13	9	1	325	358	.....	.....	.....	.....	.....	.....	.....	.....
55 to 59 years	666	636	372	353	24	12	6	2	264	269	.....	.....	.....	.....	.....	.....	.....	.....
60 to 64 years	963	822	615	496	26	15	6	.....	316	311	.....	.....	.....	.....	.....	.....	.....	.....
65 to 69 years	928	821	662	563	17	16	7	8	242	234	.....	.....	.....	.....	.....	.....	.....	.....
70 to 74 years	986	880	718	625	28	26	10	4	228	225	2	.....	.....	.....	.....	.....	.....	.....
75 to 79 years	818	801	579	616	31	22	18	9	190	153	.....	1	.....	.....	.....	.....	.....	.....
80 to 84 years	576	625	393	481	33	13	11	5	138	126	1	.....	.....	.....	.....	.....	.....	.....
85 to 89 years	323	320	211	236	12	9	10	2	90	73	.....	.....	.....	.....	.....	.....	.....	.....
90 to 94 years	101	133	56	91	9	3	3	2	33	37	.....	.....	.....	.....	.....	.....	.....	.....
95 to 99 years	43	51	19	25	3	1	.....	.....	21	25	.....	.....	.....	.....	.....	.....	.....	.....
100 years and over	20	34	2	1	1	.....	.....	.....	17	33	.....	.....	.....	.....	.....	.....	.....	.....
Unknown	23	22	4	4	1	.....	6	2	12	16	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, AND NATIVITY OF DECEDENT: 1921—Con.

[Native white includes native born of both parents native, of one or both parents foreign, and of both parents unknown or one unknown and one native.]

AREA AND AGE.	ALL DEATHS.		WHITE.						COLORED.									
			Native.		Foreign.		Unknown.		Negro.		Indian.		Chinese.		Japanese.		Other colored.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
WASHINGTON.																		
All ages	7,680	5,574	4,944	4,078	2,083	1,225	284	39	81	53	105	106	38	4	135	69	10	.....
Under 1 year	848	664	773	615	2	.....	2	3	3	5	24	13	.....	1	44	27	.....	.....
1 year	135	84	113	69	4	1	1	2	1	3	4	3	.....	.....	12	6	.....	.....
2 years	79	60	69	52	1	1	.....	1	.....	.....	4	3	.....	.....	5	3	.....	.....
3 years	52	52	45	48	3	.....	1	.....	1	.....	2	3	.....	.....	.....	1	.....	.....
4 years	49	38	46	35	.....	2	1	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....
Under 5 years	1,163	898	1,046	819	10	4	5	6	5	8	34	22	.....	1	63	38	.....	.....
5 to 9 years	209	162	187	154	7	2	1	.....	.....	.....	7	4	.....	.....	7	2	.....	.....
10 to 14 years	177	138	163	117	7	8	1	.....	1	.....	4	12	.....	.....	1	1	.....	.....
15 to 19 years	188	156	137	132	20	7	6	1	4	1	12	14	.....	.....	8	1	1	.....
20 to 24 years	226	253	184	209	28	22	2	.....	2	.....	6	6	1	1	1	15	2	.....
25 to 29 years	273	239	198	198	53	28	9	2	1	5	5	1	.....	1	3	4	4	.....
30 to 34 years	292	225	177	169	84	44	13	2	3	5	3	3	2	.....	10	2	.....	.....
35 to 39 years	361	230	187	172	128	50	19	2	9	2	2	3	4	.....	9	1	3	.....
40 to 44 years	374	246	210	171	117	64	20	5	12	3	4	2	1	.....	10	1	.....	.....
45 to 49 years	370	267	208	187	114	71	27	3	8	.....	1	5	2	.....	10	1	.....	.....
50 to 54 years	468	318	247	222	161	87	36	.....	7	5	2	2	6	1	9	1	.....	.....
55 to 59 years	560	329	294	210	230	106	21	1	7	8	3	4	5	.....	.....	.....	.....	.....
60 to 64 years	670	416	375	263	244	146	34	2	9	3	.....	2	6	.....	2	.....	.....	.....
65 to 69 years	656	426	382	276	237	131	24	4	4	6	4	7	4	.....	1	2	.....	.....
70 to 74 years	633	418	362	269	243	139	15	3	5	2	2	5	5	.....	1	.....	.....	.....
75 to 79 years	481	388	275	244	182	135	13	3	2	2	7	4	2	.....	.....	.....	.....	.....
80 to 84 years	315	250	178	145	122	96	13	2	.....	2	2	5	.....	.....	.....	.....	.....	.....
85 to 89 years	168	154	95	91	66	62	5	1	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
90 to 94 years	51	43	29	23	20	18	.....	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....
95 to 99 years	17	14	8	7	8	3	.....	.....	.....	1	1	3	.....	.....	.....	.....	.....	.....
100 years and over	4	3	1	.....	.....	2	.....	.....	.....	.....	3	1	.....	.....	.....	.....	.....	.....
Unknown	24	1	1	.....	2	.....	20	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
WISCONSIN.																		
All ages	14,844	12,708	9,207	8,149	5,287	4,391	217	51	47	34	82	83	4	.....	.....	.....	.....	.....
Under 1 year	2,565	1,883	2,527	1,862	2	.....	2	2	11	3	23	16	.....	.....	.....	.....	.....	.....
1 year	289	248	282	243	1	1	.....	.....	1	2	5	2	.....	.....	.....	.....	.....	.....
2 years	175	154	170	151	1	1	.....	.....	1	1	3	1	.....	.....	.....	.....	.....	.....
3 years	128	112	125	109	1	.....	.....	1	.....	1	2	1	.....	.....	.....	.....	.....	.....
4 years	111	86	110	86	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Under 5 years	3,268	2,483	3,214	2,451	6	2	2	3	13	7	33	20	.....	.....	.....	.....	.....	.....
5 to 9 years	415	303	404	298	4	3	2	.....	.....	1	5	1	.....	.....	.....	.....	.....	.....
10 to 14 years	266	226	253	209	5	6	.....	1	1	1	7	9	.....	.....	.....	.....	.....	.....
15 to 19 years	347	289	328	273	17	11	.....	1	1	.....	1	4	.....	.....	.....	.....	.....	.....
20 to 24 years	365	422	331	382	30	34	1	.....	1	1	2	5	.....	.....	.....	.....	.....	.....
25 to 29 years	405	443	320	388	73	47	7	.....	3	4	2	4	.....	.....	.....	.....	.....	.....
30 to 34 years	417	435	311	361	88	69	11	.....	4	2	3	3	.....	.....	.....	.....	.....	.....
35 to 39 years	486	415	305	326	158	84	19	1	4	4	.....	.....	.....	.....	.....	.....	.....	.....
40 to 44 years	473	414	287	280	159	127	21	2	3	3	3	2	.....	.....	.....	.....	.....	.....
45 to 49 years	576	473	337	332	202	135	27	1	5	4	5	1	.....	.....	.....	.....	.....	.....
50 to 54 years	593	580	335	377	237	200	16	.....	2	2	1	1	2	.....	.....	.....	.....	.....
55 to 59 years	857	695	454	395	383	286	15	8	4	1	1	5	.....	.....	.....	.....	.....	.....
60 to 64 years	1,120	855	578	475	519	373	15	3	2	.....	5	4	1	.....	.....	.....	.....	.....
65 to 69 years	1,185	889	542	430	616	446	20	6	1	.....	5	7	1	.....	.....	.....	.....	.....
70 to 74 years	1,171	976	425	355	717	611	26	5	1	1	2	4	.....	.....	.....	.....	.....	.....
75 to 79 years	1,176	1,091	371	341	792	735	11	8	1	2	1	5	.....	.....	.....	.....	.....	.....
80 to 84 years	887	797	212	226	663	563	10	5	.....	1	2	2	.....	.....	.....	.....	.....	.....
85 to 89 years	550	594	131	152	416	437	1	3	.....	.....	2	2	.....	.....	.....	.....	.....	.....
90 to 94 years	213	263	50	78	159	182	3	1	.....	.....	1	2	.....	.....	.....	.....	.....	.....
95 to 99 years	48	50	12	13	33	35	2	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....
100 years and over	13	8	4	3	7	4	1	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
Unknown	13	7	3	4	3	1	7	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[The white and colored are shown separately for minor subdivisions when the colored population of the subdivision formed at least 10 per cent of the total, or num-
Minor areas which are designated by asterisks (*) contain state insane asylums, state hospitals, etc.

	AREA AND COLOR.		DEATHS FROM— All causes.	Typhoid and paratyphoid fever. 1	Malaria. 5	Smallpox. 6	Measles. 7	Scarlet fever. 8	Whooping cough. 9	Diphtheria. 10	Influenza. 11	Erysipelas. 21	Meningococcus meningitis. 24	Tuberculosis of the respiratory system. 31	Tuberculosis of the meninges, etc. 32	Other forms of tuberculosis. 33–37
	SUMMARY.															
1	The registration area (exclusive of Hawaii)	White	910,573	6,287	1,566	479	3,522	4,631	6,532	14,925	8,718	2,387	1,181	59,831	3,790	5,998
		Colored	121,436	1,720	1,663	162	268	87	1,538	758	1,475	114	115	16,467	491	1,558
2	Registration states [1]	White	895,593	6,134	1,500	472	3,445	4,599	6,472	14,784	8,536	2,347	1,153	58,535	3,733	5,911
		Colored	114,080	1,629	1,604	148	249	82	1,495	736	1,361	111	109	15,636	474	1,450
3	Cities in registration states [1]	White	475,465	2,102	167	241	1,642	2,674	2,786	7,990	3,407	1,230	664	29,505	2,558	3,263
		Colored	48,516	365	221	96	95	44	487	233	572	59	63	6,502	311	870
4	Rural part of registration states.	White	420,128	4,032	1,333	231	1,803	1,925	3,686	6,794	5,129	1,117	489	29,030	1,175	2,648
		Colored	65,564	1,264	1,383	52	154	38	1,008	503	789	52	46	9,134	163	580
5	Registration cities in nonregistration states.	White	14,980	153	66	7	77	32	60	141	182	40	28	1,296	57	87
		Colored	7,356	91	59	14	19	5	43	22	114	3	6	831	17	108
6	All registration cities [1]	White	490,445	2,255	233	248	1,719	2,706	2,846	8,131	3,589	1,270	692	30,801	2,615	3,350
		Colored	55,872	456	280	110	114	49	530	255	686	62	69	7,333	328	978
	REGISTRATION STATES.															
7	California	White	44,650	128	29	17	134	118	173	627	383	91	56	4,328	236	328
		Colored	2,727	25	1	4	10	2	29	12	27	4	14	447	43	40
8	Cities	White	26,184	65	6	3	66	71	79	391	160	54	35	2,128	167	202
		Colored	1,597	14	1		7	1	10	7	11	1	12	254	33	28
9	Rural districts	White	18,466	63	23	14	68	47	94	236	223	37	21	2,200	69	126
		Colored	1,130	11		4	3	1	19	5	16	3	2	193	10	12
10	Colorado	White	11,498	95		44	81	57	97	235	191	53	11	1,539	53	66
		Colored	380	2		1			1	3				103	4	10
11	Cities	White	5,275	26		39	29	15	24	91	87	21	6	783	34	37
		Colored	230	1		1				1				58	4	9
12	Rural districts	White	6,223	69		5	52	42	73	144	104	32	5	756	19	29
		Colored	150	1					1	2				45		1
13	Connecticut	White	15,743	46	3		43	100	126	174	160	37	30	1,114	90	90
		Colored	424	5				1	7	2	5	1		58	4	8
14	Cities	White	11,764	40	2		31	86	103	141	116	29	24	769	78	73
		Colored	355	4				1	6	2	4	1		42	4	8
15	Rural districts	White	3,979	6	1		12	14	23	33	44	8	6	345	12	17
		Colored	69	1					1		1			16		
16	Delaware	White	2,375	22	1		2	9	30	13	39	1	1	183	10	22
		Colored	595	4					5	1	8	1	1	88	5	10
17	Cities	White	1,166	7			1	6	9	7	19	1		69	7	13
		Colored	195								1	1		23	3	6
18	Rural districts	White	1,209	15	1		1	3	21	6	20		1	114	3	9
		Colored	400	4					5	1	7		1	65	2	4
19	Florida	White	7,022	112	124	6	6	10	37	60	68	15	6	372	9	36
		Colored	4,752	67	113	9	2	1	36	9	47	1	5	494	5	43
20	Cities	White	2,029	30	6	1	1	4	9	13	17	3	2	133	9	10
		Colored	1,595	18	21				16	1	14		2	198	3	18
21	Rural districts	White	4,993	82	118	5	5	6	28	47	51	12	4	239		26
		Colored	3,157	49	92	9	2	1	20	8	33	1	3	296	2	25
22	Illinois	White	69,867	378	70	25	294	409	460	1,453	564	166	74	4,274	247	429
		Colored	3,557	18	8		15	4	35	25	21	6	2	551	27	89
23	Cities	White	42,260	125	15	10	177	261	217	939	240	79	48	2,357	174	255
		Colored	2,791	9	4		8	3	30	21	16	6	2	385	25	76
24	Rural districts	White	27,607	253	55	15	117	148	243	514	324	87	26	1,917	73	174
		Colored	766	9	4		7	1	5	4	5			166	2	13
25	Indiana	White	33,685	350	28	18	84	162	354	697	365	108	44	2,062	126	305
		Colored	1,535	16	2	3		2	19	10	20	2	3	218	9	32
26	Cities	White	13,340	123	12	7	29	50	129	312	127	49	13	737	62	131
		Colored	1,236	13	2	2		2	16	10	16	1	2	174	8	25
27	Rural districts	White	20,345	227	16	11	55	112	225	385	238	59	31	1,325	64	174
		Colored	299	3		1			3		4	1	1	44	1	7
28	Kansas	White	17,051	139	10	36	73	123	97	366	145	54	19	518	21	78
		Colored	1,055	14	2	13	4	2	10	6	11	1		128	1	26
29	Cities	White	4,677	37		6	19	20	23	126	31	16	6	170	14	23
		Colored	655	12	1	13	4	1	8	4	8			77		19
30	Rural districts	White	12,374	102	10	30	54	103	74	240	114	38	13	348	7	55
		Colored	400	2	1			1	2	2	3	1		51	1	7
31	Kentucky	White	21,512	538	73	18	175	61	241	591	222	69	50	2,106	119	199
		Colored	4,157	94	15		4	3	43	41	56	6	4	689	22	62
32	Cities	White	4,951	43	3		21	17	35	61	29	12	3	381	24	47
		Colored	1,460	22	6		1		7	11	28	4		203	5	27
33	Rural districts	White	16,561	495	70	18	154	44	206	530	193	57	47	1,725	95	152
		Colored	2,697	72	9		3	3	36	30	28	2	4	486	17	35
34	Louisiana	White	10,355	158	230	25	82	10	84	75	105	23	5	697	22	59
		Colored	9,748	168	196	33	29	1	73	34	117	6	3	1,356	9	85
35	Cities	White	5,094	37	16	16	39	4	22	19	48	10	5	417	17	34
		Colored	3,566	36	26	25	4		14	7	43	1	2	458	7	53
36	Rural districts	White	5,261	121	214	9	43	6	62	56	57	13		280	5	25
		Colored	6,182	132	170	8	25	1	59	27	74	5	1	898	2	32

[1] Including District of Columbia

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1921.

bered 10,000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920; the remainder of the state is included in "rural districts." Numbers under causes of death correspond to those of the 1920 revision of the detailed International List.]

DEATHS FROM—																			
Cancer and other malignant tumors.	Rheumatism.	Diabetes mellitus.	Cerebral hemorrhage and softening.	Other [organic] diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis.	Puerperal septicemia.	Other puerperal causes.	Congenital malformations and diseases of early infancy.	Suicide.	Homicide.	Accidental and unspecified external causes.	Unknown or ill-defined diseases.	All other causes.	
43-49	51, 52	57	74, 83	90	99	100, 101	113	117	118	122	128, 129	146	143-145, 147-150	159-163	165-174	197-200	175-196, 201-203	204, 205		
72,452	3,805	14,283	68,472	113,395	7,179	68,555	32,864	11,765	8,537	6,010	67,014	5,163	7,554	67,415	10,786	4,990	55,360	7,817	157,310	1
3,822	469	650	5,639	11,572	835	9,708	4,328	1,044	972	588	8,682	894	1,416	7,376	350	2,555	5,536	6,367	22,217	
71,491	3,771	14,083	67,731	112,279	7,084	67,636	31,919	11,404	8,350	5,913	65,971	5,048	7,356	66,214	10,569	4,797	54,333	7,609	154,414	2
3,622	452	598	5,219	10,872	788	9,134	4,061	952	903	540	8,069	833	1,325	6,948	337	2,293	5,187	6,191	20,672	
41,719	1,895	8,284	32,644	61,199	3,792	38,307	16,811	7,992	5,254	3,403	36,259	3,057	4,034	35,295	6,135	2,687	28,454	1,053	78,912	3
1,808	220	335	2,421	5,378	402	4,909	1,632	602	498	281	3,760	371	458	3,045	202	1,207	2,052	556	8,461	
29,772	1,876	5,799	35,087	51,080	3,292	29,329	15,108	3,412	3,096	2,510	29,712	1,991	3,322	30,919	4,384	2,110	25,879	6,556	75,502	4
1,814	232	263	2,798	5,494	386	4,225	2,429	350	405	259	4,309	462	867	3,903	135	1,086	3,135	5,635	12,211	
961	34	200	741	1,116	95	919	945	361	187	97	1,043	115	198	1,201	217	193	1,027	208	2,396	5
200	17	52	420	700	47	574	267	92	69	48	613	61	91	428	13	262	349	176	1,545	
42,680	1,929	8,484	33,385	62,315	3,887	39,226	17,756	8,353	5,441	3,500	37,302	3,172	4,232	36,496	6,402	2,880	29,481	1,261	81,808	6
2,008	237	387	2,841	6,078	449	5,483	1,899	694	567	329	4,373	432	549	3,473	215	1,469	2,401	732	10,006	
3,881	113	700	3,435	6,598	297	2,828	1,001	531	430	328	3,241	201	262	2,150	912	322	3,096	54	7,622	7
129	3	27	96	248	23	225	83	29	33	24	152	14	17	215	58	94	169	10	420	
2,656	70	463	2,062	4,025	183	1,618	436	368	295	205	2,089	130	175	1,206	578	161	1,586	23	4,428	8
101	2	19	65	162	17	122	40	20	17	18	100	10	9	117	33	53	79	1	233	
1,225	43	237	1,373	2,573	114	1,210	565	163	135	123	1,152	71	87	944	334	161	1,510	31	3,194	9
28	1	8	31	86	6	103	43	9	16	6	52	4	8	98	25	41	90	9	187	
704	43	129	670	953	54	1,025	395	213	117	52	647	75	96	769	140	105	820	22	1,947	10
14	1	8	12	27	3	37	4	6	4	2	14	2	-------	15	2	8	29	3	65	
368	14	55	331	468	24	503	111	124	61	32	304	42	44	297	71	40	269	2	923	11
10	-------	5	7	24	-------	29	1	3	2	1	10	1	-------	6	1	7	13	-------	36	
336	29	74	339	485	30	522	284	89	56	20	343	33	52	472	69	65	551	20	1,024	12
4	1	3	5	3	3	8	3	3	2	1	4	1	-------	9	1	1	16	3	29	
1,354	59	311	1,391	2,096	125	1,253	492	177	127	96	1,065	72	102	1,280	201	38	979	39	2,473	13
23	1	5	30	44	6	48	12	2	2	3	27	3	3	26	3	3	25	6	61	
1,045	40	246	956	1,483	85	984	387	162	113	67	766	65	90	1,027	154	32	756	17	1,797	14
17	1	5	20	37	4	44	10	1	2	2	24	3	2	25	3	3	21	4	55	
309	19	65	435	613	40	269	105	15	14	29	299	7	12	253	47	6	223	22	676	15
6	-------	-------	10	7	2	4	2	1	-------	1	3	-------	1	1	-------	-------	4	2	6	
157	9	31	243	282	19	179	109	13	12	18	261	13	14	159	23	3	135	10	352	16
22	2	2	47	60	11	56	29	1	2	-------	54	2	3	35	2	13	27	3	101	
81	6	18	122	115	10	109	60	9	6	14	126	12	10	89	13	2	68	4	153	17
6	2	2	17	16	5	23	8	1	1	-------	16	2	3	12	1	9	8	-------	29	
76	3	13	121	167	9	70	49	4	6	4	135	1	4	70	10	1	67	6	199	18
16	-------	-------	30	44	6	33	21	-------	1	-------	38	-------	-------	23	1	4	19	3	72	
422	8	89	492	662	44	270	265	80	72	41	569	35	114	499	93	94	521	264	1,527	19
92	20	15	216	348	28	231	167	44	57	46	345	51	74	257	5	155	295	364	1,110	
138	2	28	160	217	13	86	72	32	25	15	178	12	16	155	39	27	129	40	407	20
26	9	4	87	121	12	96	70	17	25	23	136	14	18	94	4	51	71	46	380	
284	6	61	332	445	31	184	193	48	47	26	391	23	98	344	54	67	392	224	1,120	21
66	11	11	129	227	16	135	97	27	32	23	209	37	56	163	1	104	224	318	730	
6,006	359	1,159	4,625	9,035	613	4,890	3,133	1,036	676	520	5,382	404	485	4,889	957	484	4,616	138	11,617	22
146	13	35	140	467	36	326	117	52	21	31	255	28	27	178	16	98	186	8	576	
3,852	223	760	2,394	5,565	382	3,062	2,231	834	468	353	3,274	244	310	2,920	609	342	2,864	26	6,650	23
120	12	31	95	387	26	277	89	50	18	23	211	26	20	140	14	80	152	2	433	
2,154	136	399	2,231	3,470	231	1,828	902	202	208	167	2,108	160	175	1,969	348	142	1,752	112	4,967	24
26	1	4	45	80	10	49	28	2	3	8	44	2	7	38	2	18	34	6	143	
2,676	106	474	2,865	4,124	217	2,063	1,161	441	330	274	2,734	221	220	2,327	428	140	2,012	58	6,113	25
59	7	9	75	205	13	168	46	19	16	11	111	11	16	86	7	49	73	1	217	
1,120	45	195	958	1,503	85	901	511	283	158	122	984	112	108	1,017	190	74	818	16	2,359	26
47	6	9	57	158	12	145	42	18	12	8	84	8	14	71	4	45	56	1	168	
1,556	61	279	1,907	2,621	132	1,162	650	158	172	152	1,750	109	112	1,310	238	66	1,194	40	3,754	27
12	1	-------	18	47	1	23	4	1	4	3	27	3	2	15	3	4	17	-------	49	
1,368	69	272	1,586	1,785	141	1,008	431	267	190	118	1,288	114	145	1,379	202	94	1,103	203	3,609	28
44	1	6	71	117	12	68	20	12	7	7	109	5	3	53	6	40	33	12	211	
411	11	67	411	434	49	298	121	103	64	25	324	44	38	365	57	39	293	23	1,009	29
29	1	5	40	66	8	45	11	8	5	5	72	3	1	30	4	29	20	3	123	
957	58	205	1,175	1,351	92	710	310	164	126	93	964	70	107	1,014	145	55	810	180	2,600	30
15	-------	1	31	51	4	23	9	4	2	2	37	2	2	23	2	11	13	9	88	
1,184	116	187	1,162	1,711	115	1,540	957	223	151	105	1,540	166	191	1,635	165	270	1,122	420	4,090	31
142	23	26	241	397	48	305	119	35	33	25	323	31	34	180	10	124	185	55	782	
390	17	67	392	513	32	330	145	101	54	39	447	41	32	294	61	42	285	10	983	32
62	9	10	107	169	31	138	38	16	19	11	118	11	7	49	6	39	49	5	252	
794	99	120	770	1,198	83	1,210	812	122	97	66	1,093	125	159	1,341	104	228	837	410	3,107	33
80	14	16	134	228	17	167	81	19	14	14	205	20	27	131	4	85	136	50	530	
665	36	133	563	1,040	66	666	498	204	104	94	878	70	148	663	117	128	683	182	1,842	34
310	40	39	357	972	61	626	431	90	82	80	754	79	128	482	15	214	481	429	1,968	
397	17	87	316	600	25	292	150	157	76	49	509	37	63	275	71	50	322	8	909	35
126	24	24	141	438	18	261	131	52	38	37	340	32	41	229	11	93	158	6	690	
268	19	46	247	440	41	374	348	47	28	45	369	33	85	388	46	78	361	174	933	36
184	16	15	216	534	43	365	300	38	44	43	414	47	87	253	4	121	323	423	1,278	

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[The white and colored are shown separately for minor subdivisions when the colored population of the subdivision formed at least 10 per cent of the total, or num-
Minor areas which are designated by asterisks (*) contain state insane asylums, state hospitals, etc.

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid and paratyphoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria.	Influenza.	Erysipelas.	Meningococcus meningitis.	Tuberculosis of the respiratory system.	Tuberculosis of the meninges, etc.	Other forms of tuberculosis.
		1	5	6	7	8	9	10	11	21	24	31	32	33-37
	REGISTRATION STATES—Continued.														
1	Maine	White... 10,789	59	1	.....	82	22	68	110	138	22	5	498	43	91
		Colored.. 26	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....
2	Cities	White... 3,240	27	.....	.....	12	6	12	50	27	8	2	148	14	42
		Colored.. 9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
3	Rural districts	White... 7,549	32	1	.....	70	16	56	60	111	14	3	350	29	49
		Colored.. 17	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
4	Maryland	White... 15,135	91	3	.....	41	27	146	150	99	34	19	1,126	51	75
		Colored.. 4,845	61	1	.....	6	4	103	32	43	4	2	648	23	74
5	Cities	White... 9,084	47	1	.....	25	13	84	90	64	24	9	580	36	55
		Colored.. 2,429	15	.....	.....	2	1	23	14	24	4	1	378	16	47
6	Rural dstricts	White... 6,051	44	2	.....	16	14	62	60	35	10	10	546	15	20
		Colored.. 2,416	46	1	.....	4	3	80	18	19	.....	1	270	7	27
7	Massachusetts	White... 46,899	118	.....	.....	183	184	192	605	190	129	60	3,077	306	317
		Colored.. 888	4	.....	.....	.....	3	12	10	3	1	3	142	8	20
8	Cities	White... 37,767	101	.....	.....	157	154	158	534	140	112	54	2,382	271	252
		Colored.. 759	2	.....	.....	.....	3	8	9	2	1	2	111	8	17
9	Rural districts	White... 9,132	17	.....	.....	26	30	34	71	50	17	6	695	35	65
		Colored.. 129	2	.....	.....	.....	.....	4	1	1	.....	1	31	.....	3
10	Michigan	White... 42,836	284	7	11	68	338	302	939	234	133	69	2,087	153	256
		Colored.. 1,296	8	.....	1	.....	6	21	10	12	4	1	224	17	18
11	Cities	White... 20,941	131	3	5	54	180	166	597	82	66	37	1,144	109	133
		Colored.. 944	7	.....	1	.....	5	16	9	9	3	1	137	16	17
12	Rural districts	White... 21,895	153	4	6	14	158	136	342	152	67	32	943	44	123
		Colored.. 352	1	.....	.....	.....	1	5	1	3	1	.....	87	1	1
13	Minnesota	White... 22,533	87	.....	24	32	188	146	220	168	54	33	1,519	107	187
		Colored.. 273	1	.....	2	.....	1	9	.....	4	.....	.....	53	6	3
14	Cities	White... 9,654	33	.....	8	9	98	38	111	61	25	12	586	54	99
		Colored.. 139	1	.....	.....	.....	1	1	.....	1	.....	.....	28	.....	2
15	Rural districts	White... 12,879	54	.....	16	23	90	108	109	107	29	21	933	53	88
		Colored.. 134	.....	.....	2	.....	.....	8	.....	3	.....	.....	25	6	1
16	Mississippi	White... 7,325	108	302	3	17	8	67	194	91	22	9	383	11	29
		Colored.. 12,625	225	592	6	11	8	167	150	139	11	8	1,463	17	86
17	Cities	White... 1,178	16	14	.....	6	.....	12	13	17	3	.....	46	3	7
		Colored.. 1,813	21	39	1	4	.....	22	5	21	.....	2	158	1	23
18	Rural districts	White... 6,147	92	288	3	11	8	55	181	74	19	9	337	8	22
		Colored.. 10,812	204	553	5	7	8	145	145	118	11	6	1,305	16	63
19	Missouri	White... 33,661	413	179	142	69	143	241	770	331	105	44	2,303	86	213
		Colored.. 3,410	30	13	50	3	3	22	18	44	2	6	529	9	42
20	Cities	White... 15,763	100	11	116	24	66	73	288	107	50	15	834	45	89
		Colored.. 2,363	12	8	49	3	.....	15	11	30	2	5	322	8	33
21	Rural districts	White... 17,898	313	168	26	45	77	168	482	224	55	29	1,469	41	124
		Colored.. 1,047	18	5	1	.....	3	7	7	14	.....	1	207	1	9
22	Montana	White... 4,382	15	.....	3	29	10	53	47	46	16	7	253	12	22
		Colored.. 311	5	.....	.....	6	.....	16	.....	3	1	.....	62	4	3
23	Cities	White... 1,383	5	.....	1	6	1	16	4	14	11	3	59	4	10
		Colored.. 43	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	2	1	.....
24	Rural districts	White... 2,999	10	.....	2	23	9	37	43	32	5	4	194	8	12
		Colored.. 268	5	.....	.....	6	.....	13	.....	3	1	.....	60	3	3
25	Nebraska	White... 11,702	66	3	9	27	94	64	144	129	47	15	355	20	49
		Colored.. 315	.....	.....	.....	1	.....	1	2	2	2	1	51	4	8
26	Cities	White... 3,617	19	1	3	5	29	3	92	26	13	5	125	10	17
		Colored.. 198	.....	.....	.....	1	.....	.....	2	2	1	.....	35	3	5
27	Rural districts	White... 8,085	47	2	6	22	65	61	52	103	34	10	230	10	32
		Colored.. 117	.....	.....	.....	.....	.....	1	.....	.....	1	1	16	1	3
28	New Hampshire	White... 6,094	16	1	.....	12	22	36	75	62	22	5	286	27	38
		Colored.. 8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
29	Cities	White... 2,644	9	1	.....	3	8	18	53	23	13	2	100	19	16
		Colored.. 4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
30	Rural districts	White... 3,450	7	.....	.....	9	14	18	22	39	9	3	186	8	22
		Colored.. 4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
31	New Jersey	White... 35,593	138	9	.....	111	234	287	587	304	74	52	2,322	158	183
		Colored.. 2,335	9	.....	.....	4	2	46	13	29	1	2	335	17	28
32	Cities	White... 22,966	90	5	.....	84	185	160	399	153	55	42	1,327	111	127
		Colored.. 1,584	5	.....	.....	3	2	30	11	18	1	2	201	12	22
33	Rural districts	White... 12,627	48	4	.....	27	49	127	188	151	19	10	995	47	56
		Colored.. 751	4	.....	.....	1	.....	16	2	11	.....	.....	134	5	6
34	New York	White... 126,419	382	16	2	507	706	769	1,689	794	321	200	8,782	613	722
		Colored.. 3,975	4	.....	.....	11	6	40	22	28	14	6	620	27	72
35	Cities	White... 94,266	273	9	2	389	609	597	1,459	492	247	186	6,430	546	553
		Colored.. 3,515	4	.....	.....	11	6	36	21	19	13	5	536	25	66
36	Rural districts	White... 32,153	109	7	.....	118	97	172	230	302	74	14	2,352	67	169
		Colored.. 460	.....	.....	.....	.....	.....	4	1	9	1	1	84	2	6
37	North Carolina	White... 18,100	158	80	11	115	40	227	297	242	45	23	1,147	33	86
		Colored.. 11,354	156	100	9	32	5	158	75	136	6	12	1,345	18	110
38	Cities	White... 2,862	11	6	1	25	7	23	21	32	4	6	254	15	12
		Colored.. 2,298	21	16	1	9	1	20	11	40	.....	4	304	6	37
39	Rural districts	White... 15,238	147	74	10	90	33	204	276	210	31	17	893	18	74
		Colored.. 9,056	135	84	8	23	4	138	64	96	6	8	1,041	12	73

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1921—Continued.

be red 10,000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920; the remainder of the state is included in "rural districts." Numbers under causes of death correspond to those of the 1920 revision of the detailed International List.]

DEATHS FROM—																			
Cancer and other malignant tumors.	Rheumatism.	Diabetes mellitus.	Cerebral hemorrhage and softening.	Other [organic] diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis.	Puerperal septicemia.	Other puerperal causes.	Congenital malformations and diseases of early infancy.	Suicide.	Homicide.	Accidental and unspecified external causes.	Unknown or ill-defined diseases.	All other causes.	
48-49	51, 52	57	74, 83	90	99	100,101	113	117	118	122	128,129	146	143-145, 147-150	159-163	165-174	197-200	175-196, 201-203	204,205		
899	48	200	1,042	1,508	107	866	335	131	84	34	746	34	94	740	99	16	559	132	1,976	1
		1	1	4	1	3	2				2		3			1	1		5	
285	16	76	265	401	25	271	62	69	38	8	204	18	32	228	30	3	185	28	648	2
				1			1						2			1			3	
614	32	124	777	1,107	82	595	273	62	46	26	542	16	62	512	69	13	374	104	1,328	3
		1	1	3	1	3	1				2		1				1		2	
1,203	57	227	1,331	1,903	144	1,129	679	105	129	79	1,531	61	117	1,155	162	63	872	82	2,244	4
169	27	25	308	572	59	444	262	37	48	13	445	26	42	381	9	52	186	89	650	
790	35	163	795	1,130	87	750	381	86	107	45	953	42	73	676	110	45	498	10	1,280	5
82	18	14	181	326	26	254	84	21	23	7	226	15	14	163	6	29	94	4	317	
413	22	64	536	773	57	379	298	19	22	34	578	19	44	479	52	18	374	72	964	6
87	9	11	127	246	33	190	178	16	25	6	219	11	28	218	3	23	92	85	333	
4,590	136	784	4,109	7,273	455	3,932	1,436	500	403	207	2,757	197	389	3,518	464	107	2,394	156	7,717	7
46	1	8	51	111	7	99	32	8	6	3	53	3	12	44	6	3	40	7	142	
3,634	104	633	3,124	5,759	343	3,240	1,228	478	354	175	2,184	185	337	2,993	379	90	1,937	111	6,164	8
42	1	6	44	94	6	91	25	8	6	1	47	3	12	40	5	2	34	7	122	
956	32	151	985	1,514	112	692	208	31	54	32	573	12	52	525	85	17	457	45	1,553	9
4		2	7	17	1	8	7			2	6			4	1	1	6		20	
3,296	199	621	3,424	5,462	505	2,641	1,545	605	445	285	2,378	281	352	3,817	455	149	2,621	261	8,613	10
40	4	6	45	152	20	132	49	14	5	4	55	14	13	83	6	33	54	10	235	
1,566	93	268	1,289	2,398	196	1,495	881	390	248	146	1,088	178	174	2,174	234	101	1,208	52	4,055	11
21	3	4	33	110	8	111	29	12	5	2	38	11	10	68	4	33	36	6	179	
1,730	106	353	2,135	3,064	309	1,146	664	215	197	139	1,290	103	178	1,643	221	48	1,413	209	4,558	12
19	1	2	12	42	12	21	20	2		2	17	3	3	15	2		18	4	56	
2,167	85	438	1,513	2,629	192	1,542	382	451	260	146	1,402	146	180	1,976	312	109	1,476	135	4,236	13
11	1	2	9	18	4	31	5	4	4		18	3		9	3	6	13	19	34	
1,036	23	176	559	1,114	56	649	109	237	118	76	595	68	96	786	141	54	589	19	2,019	14
7	1	1	7	15	2	13		2	3		12	1		3	3	6	9		20	
1,131	62	262	954	1,515	136	893	273	214	142	70	807	78	84	1,190	171	46	887	116	2,217	15
4		1	2	3	2	18	5	2	1		6	2		6			4	19	14	
385	29	73	359	599	42	502	281	143	83	25	577	52	116	542	55	95	399	352	1,367	16
364	35	31	385	996	32	679	263	102	89	50	835	91	181	372	13	282	596	1,749	2,592	
72	2	21	77	106	3	57	49	44	23	5	110	13	22	55	13	21	75	13	260	17
66	8	4	63	180	8	92	44	32	17	8	139	8	21	49	3	61	81	120	512	
313	27	52	282	493	39	445	232	104	60	20	467	39	94	487	42	74	324	339	1,107	18
298	27	27	322	816	24	587	224	70	72	42	696	83	160	323	10	221	515	1,629	2,080	
2,747	110	517	2,277	3,272	291	2,522	967	482	337	279	3,146	235	224	2,027	443	252	1,817	396	6,281	19
153	13	28	145	404	37	338	64	33	30	40	325	24	16	129	11	94	138	35	582	
1,510	50	280	955	1,574	142	1,293	377	307	207	153	1,577	117	99	892	275	189	889	31	3,028	20
102	11	20	87	290	26	261	31	29	24	32	222	14	15	89	8	75	92	10	427	
1,237	60	237	1,322	1,698	149	1,229	590	175	130	126	1,569	118	125	1,135	168	63	928	365	3,253	21
51	2	8	58	114	11	77	33	4	6	8	103	10	1	40	3	19	46	25	155	
307	23	55	251	457	28	367	84	122	46	34	267	41	44	410	93	36	377	55	772	22
8	3	2	3	17	3	45	8	2	3	1	12	1	3	15	1	5	11	24	44	
118	8	22	84	159	11	121	29	52	24	14	93	16	11	107	28	9	83	9	251	23
4	1	1		6		6		1	2		3			4		3			6	
189	15	33	167	298	17	246	55	70	22	20	174	25	33	303	65	27	294	46	521	24
4	2	1	3	11	3	39	8	1	1	1	9	1	3	11	1	2	11	24	38	
1,064	52	254	873	1,276	50	793	255	261	142	66	728	85	125	1,019	163	49	719	139	2,567	25
17		2	8	21	2	28	8	6	5	1	18	1	1	18	3	15	20	9	60	
344	14	67	229	369	7	277	59	118	46	20	246	29	45	287	62	28	215	9	798	26
13			5	16		17	3	6	4		10		1	12	2	15	14		31	
720	38	187	644	907	43	516	196	143	96	46	482	56	80	732	101	21	504	130	1,769	27
4		2	3	5	2	11	5		1	1	8	1		6	1		6	9	29	
532	26	129	622	805	73	432	159	67	48	41	446	17	46	489	60	10	299	21	1,170	28
1			1	2							1			1			1		1	
227	14	48	234	259	32	184	107	43	26	15	179	9	24	270	28	6	127	7	540	29
				2										1					1	
305	12	81	388	546	41	248	52	24	22	26	267	8	22	219	32	4	172	14	630	30
1			1								1						1			
2,939	196	627	2,997	4,963	318	2,922	1,389	379	313	274	2,988	167	250	2,495	434	147	2,237	61	5,038	31
94	10	14	127	283	15	259	113	15	22	3	204	23	18	173	10	21	97	3	345	
1,962	130	418	1,648	3,085	209	2,031	990	326	242	187	1,873	131	211	1,740	273	98	1,499	38	3,137	32
62	8	9	73	191	9	187	79	11	17	1	142	20	17	127	6	12	55	3	248	
977	66	209	1,349	1,878	109	891	399	53	71	87	1,115	36	39	755	161	49	738	23	1,901	33
32	2	5	54	92	6	72	34	4	5	2	62	3	1	46	4	9	42		97	
11,012	535	2,438	9,368	19,657	1,074	10,216	3,951	1,433	1,188	943	10,404	559	869	8,616	1,405	463	7,127	122	19,536	34
170	16	38	138	490	28	495	144	43	24	13	269	37	39	325	29	54	148	7	618	
8,339	399	1,952	5,777	14,190	798	8,252	3,288	1,293	973	729	7,885	473	717	6,778	1,087	409	5,286	48	13,801	35
152	14	34	108	438	26	465	132	40	23	12	243	35	38	296	25	47	124	2	519	
2,673	136	486	3,591	5,467	276	1,964	663	140	215	214	2,519	86	152	1,838	318	54	1,841	74	5,735	36
18	2	4	30	52	2	30	12	3	1	1	26	2	1	29	4	7	24	5	99	
815	64	151	1,112	1,672	86	1,216	1,153	185	137	72	1,285	85	289	1,639	93	100	877	1,373	3,192	37
305	47	44	570	978	75	742	555	61	66	30	749	82	194	658	20	124	507	1,507	1,878	
133	2	35	176	224	12	166	129	86	35	12	241	18	45	263	20	20	192	66	570	38
71	11	13	135	216	19	164	115	23	23	8	182	15	37	158	3	49	112	78	396	
682	62	116	936	1,448	74	1,050	1,024	99	102	60	1,044	67	244	1,376	73	80	685	1,307	2,622	39
234	36	31	435	762	56	578	440	38	43	22	567	67	157	500	17	75	395	1,429	1,482	

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[The white and colored are shown separately for minor subdivisions when the colored population of the subdivision formed at least 10 per cent of the total, or num-
Minor areas which are designated by the (*) contain state insane asylums, state hospitals, etc.

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid and paratyphoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria.	Influenza.	Erysipelas.	Meningococcus meningitis.	Tuberculosis of the respiratory system.	Tuberculosis of the meninges, etc.	Other forms of tuberculosis.
			1	5	6	7	8	9	10	11	21	24	31	32	33–37
	REGISTRATION STATES—Continued.														
1	Ohio	White	63,386	519	10	14	137	429	461	1,068	653	169	50	3,822	228	498
		Colored	3,718	23	2	1	9	9	55	18	37	9	6	615	30	77
2	Cities	White	34,342	218	4	5	80	290	196	637	249	94	27	2,113	162	286
		Colored	2,799	16	1	.....	9	8	43	10	23	6	6	452	23	63
3	Rural districts	White	29,044	301	6	9	57	139	265	431	404	75	23	1,709	66	212
		Colored	919	7	1	1	.....	1	12	8	14	3	.....	163	7	14
4	Oregon	White	8,076	47	3	6	41	14	34	110	100	23	6	439	29	78
		Colored	228	.....	.....	.....	1	.....	2	2	2	1	.....	51	2	9
5	Cities	White	3,647	9	3	1	12	4	9	57	28	11	2	202	15	42
		Colored	129	.....	.....	.....	1	.....	1	1	.....	1	.....	21	2	4
6	Rural districts	White	4,429	38	.....	5	29	10	25	53	72	12	4	237	14	35
		Colored	99	.....	.....	.....	.....	.....	1	1	2	.....	.....	30	.....	5
7	Pennsylvania	White	104,347	620	5	1	470	639	711	1,943	1,457	253	112	6,033	439	722
		Colored	5,572	33	.....	.....	7	9	73	40	72	9	8	841	44	118
8	Cities	White	54,708	250	2	.....	164	326	301	930	663	115	61	3,118	284	394
		Colored	4,310	22	.....	.....	3	7	54	35	56	8	5	607	33	88
9	Rural districts	White	49,639	370	3	1	306	313	410	1,013	794	138	51	2,915	155	328
		Colored	1,262	11	.....	.....	4	2	19	5	16	1	3	234	11	30
10	Rhode Island	White	7,547	16	2	.....	79	14	54	80	39	20	10	509	63	52
		Colored	209	1	.....	.....	3	.....	3	.....	.....	.....	2	32	3	4
11	Cities	White	6,290	15	2	.....	66	13	44	69	35	17	9	340	54	42
		Colored	179	1	.....	.....	2	.....	3	.....	.....	.....	2	24	3	4
12	Rural districts	White	1,257	1	.....	.....	13	1	10	11	4	3	1	169	9	10
		Colored	30	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	8	.....	.....
13	South Carolina	White	8,206	141	81	1	58	13	91	128	149	15	12	393	16	31
		Colored	12,171	304	396	10	30	.....	188	82	142	6	7	1,366	12	83
14	Cities	White	1,732	29	5	.....	6	3	18	17	30	3	3	74	5	5
		Colored	2,163	34	33	.....	3	.....	15	5	30	.....	2	243	3	26
15	Rural districts	White	6,474	112	76	1	52	10	73	111	119	12	9	319	11	26
		Colored	10,008	270	363	10	27	.....	173	77	112	6	5	1,123	9	57
16	Tennessee	White	18,032	431	204	6	71	39	205	349	328	51	29	1,775	88	176
		Colored	7,187	186	136	5	10	3	81	39	154	4	4	1,120	19	126
17	Cities	White	4,439	45	30	1	19	12	42	52	62	10	9	286	33	39
		Colored	3,143	40	57	3	6	.....	20	10	80	1	2	381	8	69
18	Rural districts	White	13,593	386	174	5	52	27	163	297	266	41	20	1,489	55	137
		Colored	4,044	146	79	2	4	3	61	29	74	3	2	739	11	57
19	Utah	White	4,636	41	.....	10	90	20	143	62	38	17	10	130	17	13
		Colored	147	1	.....	.....	2	.....	3	.....	.....	1	.....	20	2	2
20	Cities	White	2,010	12	.....	2	34	4	33	24	11	7	6	74	11	7
		Colored	57	.....	.....	.....	1	.....	.....	.....	.....	1	.....	6	1	2
21	Rural districts	White	2,626	29	.....	8	56	16	110	38	27	10	4	56	6	6
		Colored	90	1	.....	.....	1	.....	3	.....	.....	.....	.....	14	1	.....
22	Vermont	White	4,992	19	1	1	14	23	27	28	69	6	3	198	23	24
		Colored	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
23	Cities	White	742	3	.....	.....	.....	4	9	8	3	.....	.....	45	8	2
		Colored	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Rural districts	White	4,250	16	1	1	14	19	18	20	66	6	3	153	15	22
		Colored	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Virginia	White	17,225	229	18	8	131	54	232	327	212	34	36	1,257	64	102
		Colored	11,309	150	25	1	45	5	221	72	178	3	6	1,543	53	112
26	Cities	White	4,437	47	5	.....	20	13	54	46	41	8	10	274	28	25
		Colored	3,521	21	4	.....	10	1	58	8	59	.....	2	367	27	36
27	Rural districts	White	12,788	182	13	8	111	41	178	281	171	26	26	983	36	77
		Colored	7,788	129	21	1	35	4	163	64	119	3	4	1,176	26	76
28	Washington	White	12,653	74	4	9	25	29	46	122	185	24	16	801	78	121
		Colored	601	1	.....	.....	.....	1	5	1	4	2	1	125	10	15
29	Cities	White	6,361	22	2	5	5	8	15	62	90	9	9	259	47	67
		Colored	278	1	.....	.....	.....	.....	2	1	2	1	1	38	7	10
30	Rural districts	White	6,292	52	2	4	20	21	31	60	95	15	7	542	31	54
		Colored	323	.....	.....	.....	.....	1	3	.....	2	1	.....	87	3	5
31	Wisconsin	White	27,302	79	1	21	50	242	163	398	207	86	29	1,637	121	192
		Colored	250	2	.....	.....	1	.....	1	1	3	1	1	51	6	7
32	Cities	White	10,687	40	1	8	12	99	47	226	54	43	10	551	74	95
		Colored	67	1	.....	.....	.....	.....	.....	.....	1	.....	.....	12	2	2
33	Rural districts	White	16,615	39	.....	13	38	143	116	172	153	43	19	1,086	47	97
		Colored	183	1	.....	.....	1	.....	1	1	2	1	1	39	4	5
	REGISTRATION CITIES.														
	ALABAMA.[1]														
34	Birmingham	White	1,286	15	3	1	1	3	6	7	21	8	5	45	7	7
		Colored	1,439	19	4	.....	9	.....	9	3	26	1	2	180	6	25
35	Mobile	White	555	10	2	2	7	.....	7	5	14	2	.....	31	.....	3
		Colored	481	.....	3	9	1	.....	7	2	17	1	.....	51	1	5
36	Montgomery	White	278	.....	1	.....	.....	.....	.....	4	7	.....	1	9	1	.....
		Colored	436	2	6	.....	.....	.....	1	1	8	.....	.....	43	1	6

[1] Nonregistration state; the only cities shown are those with satisfactory registration of deaths.

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1921—Continued.

bered 10,000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920; the remainder of the state is included in "rural districts." Numbers under causes of death correspond to those of the 1920 revision of the detailed International List.]

DEATHS FROM—																		
Cancer and other malignant tumors.	Rheumatism.	Diabetes mellitus.	Cerebral hemorrhage and softening.	Other [organic] diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis.	Puerperal septicemia.	Other puerperal causes.	Congenital malformations and diseases of early infancy.	Suicide.	Homicide.	Accidental and unspecified external causes.	Unknown or ill-defined diseases.	All other causes.	
43-49	51, 52	57	74, 88	90	99	100,101	113	117	118	122	128,129	146	143-145, 147-150	159-163	165-174	197-200	175-196, 201-203	204,205		
5,180	280	1,041	5,824	7,744	427	4,495	2,082	785	612	471	4,075	416	466	4,626	736	373	4,061	299	11,335	1
132	11	26	239	397	24	411	97	42	35	14	225	24	28	208	13	90	176	15	620	
2,899	151	563	2,664	3,844	215	2,466	1,205	608	415	257	2,191	302	285	2,670	419	284	2,243	106	6,194	2
91	8	17	165	277	20	336	65	37	32	13	174	23	17	155	11	86	136	4	472	
2,281	129	478	3,160	3,900	212	2,029	877	177	197	214	1,884	114	181	1,956	317	89	1,818	193	5,141	3
41	3	9	74	120	4	75	32	5	3	1	51	1	11	53	2	4	40	11	148	
752	32	167	750	1,061	32	510	77	107	83	51	462	46	69	447	126	52	617	51	1,654	4
7	3	7	15	22	2	22	2	6		2	10			10	3	10	13	4	42	
395	11	78	315	477	19	227	28	62	34	22	189	20	26	178	62	21	225	6	857	5
3		3	4	12		13		4		2	9			6	3	6	4		29	
357	21	89	435	584	13	283	49	45	49	29	273	26	43	269	64	31	392	45	797	6
4			3	3	2	9	2	2			1			4		4	9	4	13	
7,383	530	1,486	7,450	12,055	832	10,670	5,282	1,052	902	709	8,173	639	859	8,353	979	451	6,708	414	16,015	7
205	23	53	276	549	31	853	220	52	43	24	349	29	41	351	18	113	257	11	820	
4,273	246	862	3,372	6,473	449	5,976	2,493	798	580	363	4,628	408	513	4,151	561	240	3,446	74	8,194	8
162	20	42	199	438	28	694	170	48	37	18	291	24	27	263	16	82	173	5	655	
3,110	284	624	4,078	5,582	383	4,694	2,789	254	322	346	3,545	231	346	4,202	418	211	3,262	340	7,821	9
43	3	11	77	111	3	159	50	4	6	6	58	5	14	88	2	31	84	6	165	
668	22	120	655	962	69	613	295	74	64	58	588	45	56	608	63	19	397	39	1,194	10
10	1	1	14	25	1	18	8	2	1		9	1	1	23	1		13	5	27	
572	19	98	536	796	53	514	267	73	60	48	489	40	53	525	50	19	336	35	1,001	11
10	1	1	11	24	1	16	6	2	1		6	1	1	22	1		8	5	23	
96	3	22	119	166	16	99	28	1	4	10	99	5	3	83	13		61	4	193	12
			3	1		2	2				3			1			5		4	
366	22	86	534	731	23	547	483	71	53	20	682	44	152	882	69	95	424	217	1,576	13
222	39	38	459	886	34	782	531	48	64	27	787	87	212	1,354	12	197	472	706	2,588	
101	6	24	112	170	7	73	74	37	20	5	158	14	34	165	13	28	101	5	387	
44	5	4	132	225	3	139	109	15	22	5	192	20	29	213	1	55	72	16	468	14
265	16	62	422	561	16	474	409	34	33	15	524	30	118	717	56	67	323	212	1,189	
178	34	34	327	661	31	643	422	33	42	22	595	67	183	1,141	11	142	400	690	2,120	15
905	61	121	836	1,401	92	1,263	682	251	135	71	1,098	128	220	1,182	155	218	923	1,068	3,470	16
208	37	24	258	640	77	497	122	78	78	28	505	69	53	257	18	177	303	561	1,310	
295	5	44	253	354	20	271	149	140	58	28	352	42	64	297	67	76	283	109	892	17
96	18	10	122	332	43	230	61	49	45	11	264	26	25	148	6	109	136	167	568	
610	56	77	583	1,047	72	992	533	111	77	43	746	86	156	885	88	142	640	959	2,578	18
112	19	14	136	308	34	267	61	29	33	17	241	43	28	109	12	68	167	394	742	
284	23	65	270	507	40	482	124	102	49	25	265	43	62	503	42	21	320	95	723	19
8	1	1	4	6	1	15	1	1			7		1	13	3	3	10	17	24	
151	4	34	136	241	16	136	54	59	31	16	124	23	21	188	27	7	125	37	355	20
6			1	5		5		1			3		1	7	2	2	3	1	9	
133	19	31	134	266	24	346	70	43	18	9	141	20	41	315	15	14	195	58	368	21
2	1	1	3	1	1	10	1				4			6	1	1	7	16	15	
400	12	87	530	792	53	344	94	76	47	31	372	20	38	361	48	6	271	10	964	22
			1	1		2	1			1									1	
71	3	12	55	85	9	52	18	22	5	5	45	5	7	71	9		50	2	134	23
						1				1										
329	9	75	475	707	44	292	76	54	42	26	327	15	31	290	39	6	221	8	830	24
			1	1		1	1												1	
1,007	66	179	1,140	1,838	86	980	730	155	150	68	1,275	87	189	1,628	165	148	940	544	3,146	25
322	64	57	719	1,124	76	802	463	76	93	45	817	76	139	783	19	165	505	481	2,069	
322	13	63	347	495	18	239	137	68	54	22	418	25	54	414	68	35	243	32	799	26
97	21	17	265	331	30	338	172	45	47	20	229	31	54	270	7	81	162	56	655	
685	53	116	793	1,343	68	741	593	87	96	46	857	62	135	1,214	97	113	697	512	2,347	27
225	43	40	454	793	46	464	291	31	46	25	588	45	85	513	12	84	343	425	1,414	
1,169	55	208	981	1,599	61	746	134	196	119	73	805	92	111	851	280	70	1,063	80	2,426	28
23	2	2	24	30	4	47	19	7	5	2	23	5	4	50	8	12	46	38	85	
702	20	123	494	820	33	399	51	125	70	33	471	58	52	451	160	41	416	18	1,224	29
16		2	12	19	3	21	12	6	3	2	18	3	4	24	6	9	10	3	42	
467	35	85	487	779	28	347	83	71	49	40	334	34	59	400	120	29	647	62	1,202	30
7	2		12	11	1	26	7	1	2		5	2		26	2	3	36	35	43	
2,602	174	467	2,120	3,231	288	1,958	809	412	271	186	1,581	137	219	2,304	345	55	1,546	114	5,257	31
12	2	1	6	18	3	32	7	4	1		12	1	1	21	5	5	8	2	35	
1,062	66	181	715	1,157	119	759	353	238	130	79	630	64	110	1,015	141	30	611	14	1,953	32
3	1		2	4		7	2	3	1		4	1		11	1	2	1		6	
1,540	108	286	1,405	2,074	169	1,199	456	174	141	107	951	73	109	1,289	204	25	935	100	3,304	33
9	1	1	4	14	3	25	5	1			8		1	10	4	3	7	2	29	
86	6	17	68	111	6	93	51	59	20	7	80	14	18	123	20	33	111	13	221	34
38	4	9	71	130	8	150	34	16	16	12	61	8	24	111	1	65	65	34	298	
42	1	4	20	65	4	19	16	17	9	4	57	8	13	34	3	6	38	4	108	
19		2	20	46	5	25	17	4	10	3	59	5	6	35	1	9	26	3	89	35
22		3	24	15	2	24	4	11	2		27	4	5	16	5	4	18	2	67	
4			22	33	2	23	16	15	1		54	2	5	20		11	21	8	131	36

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[The white and colored are shown separately for minor subdivisions when the colored population of the subdivision formed at least 10 per cent of the total, or num-
Minor areas which are designated by asterisks (*) contain state insane asylums, state hospitals, etc.

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid and paratyphoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria	Influenza.	Erysipelas.	Meningococcus meningitis.	Tuberculosis of the respiratory system.	Tuberculosis of the meninges, etc.	Other forms of tuberculosis.
			1	5	6	7	8	9	10	11	21	24	31	32	33-37
	REGISTRATION CITIES—Continued.														
	CALIFORNIA.														
1	Alameda	290					1	2	3	2			11	2	1
2	Bakersfield	397	2		1	6	1	9	9	3	4	3	39	4	8
3	Berkeley	564	5				3	2	7	2	1	1	21	1	3
4	Eureka	204				1	1		4				7	6	3
5	Fresno	638	3			8	8	1	14	18			34	12	4
6	Glendale *	331							3		1		55	4	3
7	Long Beach	854	2	1			1	6	6	7	1		37		1
8	Los Angeles—White	7,995	14	2		26	35	8	93	29	20	9	838	49	70
	Los Angeles—Colored[1]	533	2	1		1	1		2	4		2	82	10	8
9	Oakland—White	2,235	2			3	3	12	43	24	4	3	108	18	13
	Oakland—Colored[2]	121						1	2	1			24		3
10	Pasadena	692	2						3	3			58	1	6
11	Pomona	228				4		1	6	1	1		23		2
12	Richmond	142						2	7	3			8	2	1
13	Riverside	337	2			6			2	1		1	59	2	3
14	Sacramento	1,033	9	1	1		3	3	9	2		2	77	11	7
15	San Bernardino *	378	4			2		2	3	2	2	1	75	1	9
16	San Diego	1,379	3			2	3	4	4	6	1	1	131	4	8
17	San Francisco—White	6,578	19	2	1	6	6	21	139	33	10	10	459	45	54
	San Francisco—Colored[3]	453	2			3		5	2	3	1	9	74	8	8
18	San Jose	478					1	2	10	2	4	2	45	2	4
19	Santa Ana	201						3		1	1	1	14	4	1
20	Santa Barbara	260	1							6			14	3	2
21	Santa Cruz	208	1					1	2	3			6	2	
22	Santa Monica	279	1				1		4		2		11	1	1
23	Stockton *	617	5				1	3	15	8	2	1	52	7	3
24	Vallejo	238				5	3		4	7		1	16		3
25	Venice	86						1	2				4	1	1
	COLORADO.														
26	Boulder	195	4		1			1	3	1			35	1	2
27	Colorado Springs *	608	3			4		2	9	2	1	2	198	8	7
28	Denver	3,715	12		37	17	10	17	39	59	16	3	525	23	29
29	Greeley	159	2				1			2	1		14	1	2
30	Pueblo	614	4			5	2	4	41	10	3	1	47	1	4
31	Trinidad	214	2		2	3	2			13			22	4	2
	CONNECTICUT.														
32	Ansonia	144						1	4	1		2	13	1	
33	Bridgeport	1,503	4			1	23	15	30	9	5	3	125	4	13
34	Bristol	170					1		2	1		1	8		
35	Danbury town	340	1					3	3	2		1	19	1	7
36	Derby	153	1						2	1			9	2	1
37	East Hartford town	86							1				8		
38	Enfield town	112	1				2	3	3	2	1		4	1	
39	Fairfield town	84				1	1	1					8		
40	Greenwich town	264	4			2		5	1	3			14		
41	Hartford	1,828	11			5	12	15	25	9	6	7	69	22	11
42	Manchester town	150	1					2		2	1		8		
43	Meriden town	410	2				4	3	3	9	1	3	22	2	4
44	Middletown town *	470				4	2	3	1	3	1		50	2	2
45	Milford town	127							3				6		
46	Naugatuck	102				1		1		1	2		10	1	
47	New Britain	553	1	2		6	1	7	10	14	1	1	23	5	2
48	New Haven	1,933	8			1	13	20	24	6	5	2	99	18	18
49	New London	356	2			1	2		3	2	1		10	5	3
50	Norwalk	378	2			1	1	3	3	13	1		21	4	1
51	Norwich town *	478	2					6	6	13	1	2	85	1	4
52	Orange town	263	1				5	6	1	1			83	1	
53	Stamford town	542	1				4	5	6	11	1		28	3	5
54	Stonington town	102								2			3	1	1
55	Stratford town	99					2	1	3	1			7		1
56	Torrington town	184					7		1	6	1		9	2	
57	Wallingford town	126				2							4	1	
58	Waterbury	931	2			3	7	5	7	5	2	2	57	5	8
59	Windham town	231				4		4		3			9		
	DELAWARE.														
60	Wilmington—White	1,166	7			1	6	9	7	19	1		69	7	13
	Wilmington—Colored	195								1	1		23	3	6
	DISTRICT OF COLUMBIA.														
61	Washington—White	3,965	17	2	1	12	8	8	51	29	8	3	210	14	22
	Washington—Colored	2,090	12	2		3	1	10	6	14	1	1	266	14	28

[1] Includes 307 Negroes, 2 Indians, 49 Chinese, 170 Japanese, and 5 other colored.

[2] Includes 55 Negroes, 3 Indians, 45 Chinese, and 18 Japanese.

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1921—Continued.

bered 10,000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920; the remainder of the state is included in "rural districts." Numbers under causes of death correspond to those of the 1920 revision of the detailed International List.]

DEATHS FROM—																			
Cancer and other malignant tumors.	Rheumatism.	Diabetes mellitus.	Cerebral hemorrhage and softening.	Other [organic] diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis.	Puerperal septicemia.	Other puerperal causes.	Congenital malformations and diseases of early infancy.	Suicide.	Homicide.	Accidental and unspecified external causes.	Unknown or ill-defined diseases.	All other causes.	
48-49	51, 52	57	74, 83	90	99	100, 101	113	117	118	122	128, 129	146	143-145, 147-150	159-163	165-174	197-200	175-196, 201-203	204, 205		
22	.....	8	35	52	3	20	4	5	5	.....	19	5	1	16	8	2	21	.....	42	1
18	2	2	23	37	.....	19	25	6	10	4	17	.....	3	22	5	2	28	.....	67	2
63	.....	8	61	105	4	35	3	14	5	4	54	1	5	24	6	1	31	.....	94	3
30	.....	3	24	23	1	15	1	3	2	3	14	3	.....	15	3	1	15	.....	26	4
47	2	8	32	57	.....	56	30	11	7	.....	39	8	5	66	12	12	35	.....	109	5
34	2	2	40	64	3	15	5	2	2	2	35	.....	1	5	2	.....	8	.....	43	6
101	4	20	78	153	5	46	6	9	10	7	106	.....	8	36	20	2	43	1	137	7
758	31	142	558	1,057	78	396	181	107	84	60	669	44	57	388	168	75	455	9	1,485	8
41	1	1	25	55	9	39	19	7	6	4	36	4	4	47	4	13	26	.....	79	
226	.....	46	230	439	20	140	35	32	33	26	147	8	7	98	55	4	130	.....	326	9
8	.....	.....	2	16	2	9	1	1	1	1	8	1	2	9	3	4	6	.....	16	
81	3	21	67	104	4	33	8	6	8	6	61	.....	5	19	7	4	36	1	145	10
24	.....	3	22	16	1	14	5	2	4	.....	15	1	5	11	1	2	16	.....	48	11
8	.....	2	7	25	1	12	2	2	1	.....	16	1	1	12	2	.....	10	.....	17	12
31	.....	5	24	52	6	14	8	.....	.....	.....	21	2	2	15	.....	3	23	3	52	13
104	2	14	62	156	6	93	17	16	9	5	69	11	10	74	17	6	70	2	215	14
27	1	5	24	24	1	31	14	6	3	1	29	3	1	27	9	2	22	2	45	15
133	4	22	162	210	7	66	13	26	15	8	100	4	6	66	41	7	94	.....	228	16
761	14	119	444	1,124	37	440	51	96	79	65	547	31	47	236	187	36	430	2	1,027	17
34	.....	11	16	55	4	34	4	7	6	9	33	.....	.....	12	9	14	21	1	68	
48	.....	14	45	74	3	27	9	2	1	5	43	2	3	17	9	5	19	.....	80	18
16	1	4	19	23	.....	19	8	2	1	2	15	2	.....	11	2	1	15	.....	35	19
16	1	8	15	43	1	32	7	4	5	3	20	1	3	17	4	2	16	.....	36	20
28	1	2	24	57	.....	14	2	2	.....	6	5	.....	2	4	2	.....	11	.....	33	21
37	.....	4	24	42	2	18	2	3	3	.....	18	1	1	19	9	2	16	.....	57	22
32	1	3	37	73	2	69	15	13	6	2	40	5	3	43	16	10	40	2	108	23
17	1	4	20	31	.....	31	1	4	5	.....	8	2	2	12	5	3	23	.....	30	24
12	1	1	7	20	.....	3	.....	.....	1	.....	5	.....	.....	2	5	1	5	1	13	25
9	.....	3	14	17	2	23	4	5	1	.....	4	2	.....	11	4	2	12	.....	34	26
41	1	12	28	49	1	20	9	6	7	4	26	6	4	22	7	3	20	.....	106	27
276	8	41	243	366	15	414	54	91	39	17	229	22	33	203	53	26	162	.....	636	28
10	.....	.....	11	14	1	9	4	7	2	.....	8	5	2	15	1	.....	9	.....	38	29
36	5	3	31	38	4	38	24	6	10	9	40	8	5	38	5	12	64	2	114	30
6	.....	1	11	8	1	28	17	12	4	3	7	.....	.....	14	2	4	15	.....	31	31
9	.....	2	13	12	3	18	11	.....	1	1	4	.....	2	23	2	.....	2	2	17	32
131	7	21	102	190	4	141	56	19	18	9	80	10	11	152	16	6	91	1	206	33
12	.....	2	19	15	.....	10	12	.....	.....	1	11	1	2	29	4	.....	4	1	34	34
45	.....	4	23	45	4	26	4	3	4	1	25	3	1	24	7	.....	25	.....	59	35
10	.....	3	12	11	4	7	9	6	1	.....	5	1	3	19	1	2	20	1	22	36
11	.....	3	8	18	1	10	3	.....	.....	2	9	.....	.....	4	1	.....	2	.....	5	37
12	.....	1	7	11	1	8	13	.....	1	1	3	.....	.....	12	.....	.....	6	.....	19	38
6	1	1	7	12	.....	10	3	.....	.....	1	2	.....	.....	6	3	.....	11	.....	10	39
23	.....	2	21	34	3	16	3	5	.....	1	20	2	4	27	3	.....	23	.....	48	40
175	7	42	114	237	13	165	67	34	19	10	128	14	13	146	30	5	130	4	283	41
20	.....	4	14	18	1	15	3	1	1	2	8	.....	1	15	1	.....	11	.....	21	42
33	4	19	59	49	7	32	5	1	3	.....	28	2	1	29	1	.....	19	.....	65	43
37	.....	7	28	46	3	58	6	9	2	5	28	.....	5	25	9	1	25	.....	108	44
9	1	3	16	24	.....	8	1	1	.....	1	7	.....	2	9	1	1	11	.....	23	45
9	1	3	17	11	1	10	4	.....	.....	.....	4	.....	.....	7	2	.....	3	.....	14	46
40	.....	9	37	47	4	37	33	7	3	1	39	3	4	86	6	3	47	.....	74	47
195	5	47	167	250	9	165	38	22	21	14	131	16	16	135	31	5	121	4	327	48
32	1	12	24	58	2	34	15	7	8	3	24	1	2	22	2	1	26	.....	53	49
38	3	10	38	48	10	23	7	2	2	.....	32	3	2	19	3	2	28	.....	58	50
34	1	10	42	56	3	31	10	9	5	1	28	1	2	34	4	.....	22	.....	65	51
19	1	3	25	31	2	9	2	1	.....	2	19	.....	.....	18	.....	.....	12	.....	21	52
41	3	12	54	76	2	47	13	5	6	2	43	3	7	40	7	4	29	1	83	53
10	2	3	11	21	1	6	5	.....	.....	.....	8	.....	1	8	.....	.....	4	1	14	54
6	.....	.....	9	20	1	13	4	.....	.....	.....	2	1	.....	9	1	.....	6	1	11	55
6	.....	5	14	26	1	13	9	1	5	1	13	1	1	19	2	.....	19	.....	22	56
10	.....	1	17	27	1	19	1	.....	2	.....	6	.....	1	5	3	1	10	.....	15	57
75	3	17	64	102	4	76	51	19	9	10	58	4	9	112	12	4	58	4	137	58
14	1	5	14	25	4	21	9	11	4	.....	25	2	2	18	5	.....	12	1	38	59
81	6	18	122	115	10	109	60	9	6	14	126	12	10	89	13	2	68	4	153	60
6	2	2	17	16	5	23	8	1	1	.....	16	2	3	12	1	9	8	.....	29	
402	16	57	331	596	25	226	69	60	36	19	335	20	43	276	85	24	202	5	753	61
114	4	19	136	248	11	268	52	21	24	10	195	10	18	143	2	33	69	1	354	

[3] Includes 65 Negroes, 2 Indians, 293 Chinese, 90 Japanese, and 3 other colored.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[The white and colored are shown separately for minor subdivisions when the colored population of the subdivision formed at least 10 per cent of the total, or num-
Minor areas which are designated by asterisks (*) contain state insane asylums, state hospitals, etc.

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid and paratyphoid fever. 1	Malaria. 5	Smallpox. 6	Measles 7	Scarlet fever. 8	Whooping cough. 9	Diphtheria. 10	Influenza. 11	Erysipelas. 21	Meningococcus meningitis. 24	Tuberculosis of the respiratory system. 31	Tuberculosis of the meninges, etc. 32	Other forms of tuberculosis. 33-37
	REGISTRATION CITIES—Continued.														
	FLORIDA														
1	Jacksonville { White	640	12	2	.....	.....	1	3	3	3	1	1	36	1	1
	{ Colored	823	9	12	.....	.....	.....	8	.....	6	.....	2	106	2	12
2	Key West { White	175	1	2	.....	.....	.....	1	.....	2	.....	.....	25	1	.....
	{ Colored	90	3	.....	.....	.....	.....	1	.....	2	.....	.....	24	.....	.....
3	Miami { White	308	7	.....	.....	.....	.....	.....	2	3	.....	.....	6	4	3
	{ Colored	217	2	.....	.....	.....	.....	5	.....	3	.....	.....	25	.....	1
4	Pensacola { White	229	1	2	.....	.....	1	2	2	3	1	1	16	.....	1
	{ Colored	180	.....	.....	.....	.....	.....	2	.....	2	.....	.....	12	1	.....
5	St. Petersburg { White	206	1	.....	.....	.....	.....	.....	1	1	1	.....	17	1	2
	{ Colored	61	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	1
6	Tampa { White	471	8	.....	1	1	2	3	5	5	.....	.....	33	2	3
	{ Colored	224	3	9	.....	.....	.....	.....	1	1	.....	.....	28	.....	4
	GEORGIA.[1]														
7	Atlanta { White	1,753	12	2	.....	19	7	7	21	21	3	6	74	6	13
	{ Colored	1,325	17	1	3	8	2	7	4	23	1	4	129	1	24
8	Augusta * { White	428	4	2	1	.....	.....	2	3	4	.....	.....	22	3	4
	{ Colored	519	10	9	.....	.....	1	1	1	5	.....	.....	69	3	4
9	Brunswick { White	50	1	3	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1
	{ Colored	99	6	.....	.....	.....	.....	.....	.....	1	.....	.....	8	1	1
10	Savannah * { White	612	8	6	.....	.....	.....	4	7	2	1	1	23	.....	3
	{ Colored	1,153	8	10	.....	.....	.....	11	3	5	.....	.....	119	3	15
	ILLINOIS.														
11	Alton	260	4	.....	.....	.....	.....	3	6	8	1	.....	10	.....	1
12	Aurora	493	6	.....	.....	.....	2	1	14	4	.....	1	19	.....	6
13	Belleville	317	3	1	.....	.....	.....	1	3	1	1	.....	18	.....	3
14	Berwyn	126	.....	.....	.....	1	1	.....	4	1	.....	.....	14	.....	2
15	Bloomington	430	1	.....	.....	5	1	1	3	7	.....	1	20	.....	4
16	Blue Island	178	.....	.....	.....	.....	6	2	12	.....	1	.....	4	1	1
17	Cairo { White	156	1	1	.....	.....	.....	1	1	4	1	.....	17	1	1
	{ Colored	79	.....	3	.....	.....	.....	.....	.....	1	.....	.....	16	1	1
18	Canton	160	1	.....	.....	.....	1	.....	2	8	2	1	8	.....	1
19	Centralia	148	3	1	.....	.....	.....	1	2	2	.....	.....	10	.....	3
20	Champaign	203	1	.....	.....	.....	2	1	.....	2	.....	.....	7	.....	.....
21	Chicago { White	28,709	34	4	4	130	194	130	665	114	47	32	1,705	130	163
	{ Colored	2,110	.....	.....	.....	8	3	23	16	11	6	1	283	20	61
22	Chicago Heights	205	1	.....	.....	.....	3	5	7	3	.....	.....	7	1	2
23	Cicero	321	.....	.....	.....	2	2	4	23	1	.....	1	19	2	1
24	Danville	531	6	.....	.....	.....	1	8	3	6	.....	.....	29	2	3
25	Decatur	601	9	1	.....	.....	.....	3	20	9	.....	1	25	4	4
26	East St. Louis { White	613	4	1	1	1	3	14	12	6	5	3	23	4	3
	{ Colored	140	1	1	.....	.....	.....	3	3	1	.....	1	17	2	3
27	Elgin *	532	.....	.....	.....	1	2	.....	4	8	1	.....	31	4	4
28	Evanston	410	.....	.....	.....	.....	1	2	17	.....	2	1	16	1	5
29	Forest Park	99	.....	.....	.....	.....	.....	.....	6	1	.....	.....	4	.....	.....
30	Freeport	308	6	.....	1	.....	2	1	10	3	2	.....	11	1	2
31	Galesburg	324	1	.....	.....	2	2	.....	1	2	.....	.....	17	3	3
32	Granite City	158	1	2	2	1	1	2	5	3	1	.....	12	.....	1
33	Herrin	140	4	.....	2	.....	2	4	4	2	1	1	6	.....	1
34	Jacksonville *	448	.....	.....	.....	2	.....	.....	.....	1	2	.....	35	.....	1
35	Joliet	515	11	.....	.....	9	2	7	11	5	1	.....	21	3	5
36	Kankakee	225	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	12	2	1
37	Kewanee	221	4	.....	.....	2	2	1	13	3	1	1	10	1	4
38	La Salle	151	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	8	.....	.....
39	Lincoln *	203	.....	.....	.....	.....	3	1	2	1	.....	.....	36	2	1
40	Mattoon	201	3	1	.....	.....	1	2	5	1	1	.....	10	1	2
41	Maywood	106	.....	.....	.....	.....	.....	3	3	.....	.....	.....	11	.....	.....
42	Moline	306	1	.....	.....	.....	.....	.....	3	1	.....	.....	18	1	4
43	Murphysboro { White	111	6	1	.....	.....	.....	3	4	.....	.....	.....	10	.....	1
	{ Colored	13	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....
44	Oak Park	527	1	.....	.....	1	2	.....	5	8	1	1	13	3	3
45	Ottawa	148	.....	.....	.....	.....	2	2	6	.....	.....	1	5	.....	1
46	Pekin	128	.....	.....	.....	1	.....	.....	4	3	.....	.....	9	.....	.....
47	Peoria	1,014	5	.....	.....	.....	8	1	21	7	3	1	33	1	6
48	Quincy	511	5	.....	.....	6	.....	.....	2	4	2	1	21	1	5
49	Rock Island	356	2	1	.....	.....	1	3	1	2	1	.....	27	1	2
50	Rockford	694	1	.....	.....	3	6	3	10	1	1	.....	39	5	8
51	Springfield	903	5	1	.....	3	7	2	7	7	.....	.....	42	.....	3
52	Streator	214	1	.....	.....	4	.....	2	4	1	1	1	10	1	3
53	Urbana	79	1	.....	.....	.....	.....	1	1	1	.....	.....	8	.....	1
54	Waukegan	226	1	.....	.....	3	1	3	12	2	.....	.....	13	.....	1

[1] Nonregistration state; the only cities shown are those with satisfactory registration of deaths.

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1921—Continued.

bered 10,000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920; the remainder of the state is included in "rural districts." Numbers under causes of death correspond to those of the 1920 revision of the detailed International List.]

DEATHS FROM—																			
Cancer and other malignant tumors.	Rheumatism.	Diabetes mellitus.	Cerebral hemorrhage and softening.	Other [organic] diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis.	Puerperal septicemia.	Other puerperal causes.	Congenital malformations and diseases of early infancy.	Suicide.	Homicide.	Accidental and unspecified external causes.	Unknown or ill-defined diseases.	All other causes.	
43–49	51, 52	57	74, 83	90	99	100, 101	113	117	118	122	128, 129	146	143-145, 147–150	159–163	165–174	197–200	175-196 201-203	204, 205		
35	-------	10	58	78	3	31	11	10	8	4	65	3	7	52	20	15	47	2	117	1
9	3	3	54	75	4	61	25	13	14	13	66	5	10	49	-------	32	32	22	176	
14	-------	1	8	12	-------	9	19	-------	1	-------	9	1	1	10	3	2	8	3	42	2
-------	1	-------	5	4	-------	3	5	-------	2	1	6	3	2	3	-------	-------	4	2	19	
21	1	6	13	32	6	10	6	5	5	4	33	3	2	29	7	6	21	8	65	3
3	1	-------	7	10	5	10	21	2	2	1	14	1	2	18	-------	4	13	12	55	
11	-------	1	17	26	2	3	9	6	3	4	14	-------	1	23	1	1	13	9	55	4
3	2	-------	10	12	2	11	9	1	4	5	28	-------	-------	6	1	3	10	6	50	
17	-------	3	37	28	2	12	4	1	3	-------	19	-------	1	4	-------	-------	9	1	41	5
1	1	-------	-------	3	-------	2	5	1	1	-------	4	1	1	8	-------	2	6	-------	20	
40	1	7	27	41	-------	21	23	10	5	3	38	5	4	37	8	3	31	17	87	6
10	1	1	11	17	1	9	5	-------	2	3	18	4	3	10	3	10	6	4	60	
134	4	21	114	148	5	109	63	45	26	9	181	14	26	123	28	21	126	17	348	7
36	4	13	89	103	7	125	36	12	12	8	125	13	14	87	3	65	63	33	253	
24	1	10	35	48	1	32	18	10	8	1	45	2	9	35	4	8	20	1	71	8
20	3	5	37	65	2	37	29	7	4	1	41	4	4	24	-------	16	29	3	85	
1	-------	1	5	3	-------	2	-------	1	-------	-------	7	-------	-------	4	1	2	3	-------	13	9
2	-------	-------	15	9	-------	2	2	-------	-------	2	11	1	-------	7	-------	3	6	1	21	
41	1	14	38	72	1	31	15	13	12	3	68	7	10	43	5	6	42	1	134	10
19	-------	5	63	165	12	90	78	13	6	3	116	7	17	54	1	20	41	3	266	
18	2	7	22	20	4	17	7	6	8	1	30	3	3	12	-------	2	16	-------	49	11
41	5	5	35	48	4	31	18	10	8	4	42	1	3	40	5	1	32	-------	107	12
40	1	6	36	22	7	23	8	6	4	5	23	3	4	20	2	2	23	-------	51	13
16	1	4	10	10	2	6	3	-------	-------	3	11	-------	1	10	2	-------	9	-------	15	14
50	3	9	39	46	4	28	7	7	4	3	31	3	-------	25	11	2	20	-------	95	15
17	-------	3	5	12	-------	20	7	10	3	-------	11	-------	3	9	2	1	21	-------	27	16
9	1	1	14	8	-------	6	5	6	1	2	14	1	2	4	4	3	14	-------	33	17
2	2	-------	6	4	-------	9	1	1	2	-------	9	1	-------	5	-------	1	3	-------	11	
10	1	2	7	20	2	9	6	8	2	-------	17	2	5	11	1	1	4	-------	28	18
10	1	2	4	14	5	5	6	4	-------	1	10	2	-------	19	1	2	16	-------	24	19
26	-------	4	9	25	-------	17	3	7	6	2	20	-------	1	15	-------	3	14	-------	38	20
2,593	153	542	1,443	4,043	270	2,193	1,839	515	291	247	2,298	145	188	1,963	450	254	1,937	5	3,988	21
89	9	23	64	322	17	218	72	39	12	17	161	18	13	102	11	58	115	-------	318	
11	3	1	8	10	1	26	18	7	2	2	13	2	1	18	-------	5	15	-------	33	22
19	4	4	18	42	3	35	24	-------	1	4	33	-------	1	29	4	2	7	1	35	23
50	1	7	37	53	8	24	18	18	13	2	25	9	10	42	3	6	41	1	105	24
51	4	12	34	67	3	44	17	15	6	4	53	2	7	44	4	4	28	3	123	25
34	1	7	62	50	5	50	16	16	3	2	31	15	7	63	12	12	59	1	87	26
4	-------	-------	6	11	4	16	2	3	1	-------	7	-------	1	9	-------	4	13	-------	27	
48	1	7	40	107	2	29	5	8	3	1	23	3	1	14	10	1	21	-------	153	27
46	-------	10	27	67	1	27	8	6	8	-------	30	-------	3	45	3	-------	21	-------	63	28
10	-------	2	5	20	2	5	4	-------	-------	4	12	-------	1	2	1	-------	1	-------	19	29
32	2	9	24	36	2	19	5	8	5	4	15	1	3	13	3	2	17	-------	69	30
33	1	5	26	34	5	23	1	6	3	-------	30	2	5	18	9	1	20	1	70	31
8	-------	-------	5	12	1	13	5	3	-------	4	9	2	3	14	2	2	21	-------	23	32
4	-------	-------	2	1	-------	5	15	2	2	-------	5	5	1	22	-------	10	21	3	15	33
29	1	4	35	56	1	35	2	8	4	4	28	2	2	12	4	2	23	1	154	34
47	3	6	43	41	9	29	23	12	7	5	30	3	2	38	6	5	43	2	86	35
22	3	2	23	22	1	12	9	5	7	3	14	1	3	20	1	-------	17	-------	42	36
19	1	1	11	15	2	21	9	4	1	-------	14	1	2	22	2	1	11	1	41	37
10	1	1	9	16	-------	9	2	2	3	5	11	-------	-------	15	3	2	14	-------	37	38
18	1	4	8	27	1	13	3	3	1	-------	16	4	-------	10	-------	-------	7	-------	41	39
14	-------	2	14	19	1	16	13	5	6	2	12	2	2	15	1	-------	15	1	34	40
16	-------	1	5	25	2	12	1	-------	2	-------	10	-------	-------	5	1	-------	2	-------	7	41
21	1	8	24	41	4	12	7	8	4	2	20	3	4	21	6	-------	25	1	66	42
14	2	2	5	7	2	4	4	3	1	-------	5	-------	-------	9	1	2	6	-------	19	43
-------	-------	-------	1	1	-------	-------	1	-------	-------	-------	-------	-------	1	1	-------	2	1	-------	2	
75	2	9	32	75	1	37	4	23	8	6	32	2	6	57	5	1	42	-------	72	44
16	1	4	13	21	-------	4	7	2	5	1	10	-------	-------	9	-------	-------	9	-------	29	45
13	2	1	7	12	-------	8	3	3	3	1	4	3	-------	8	4	1	12	3	23	46
104	4	15	51	131	8	58	18	24	9	12	84	4	15	70	10	8	76	2	225	47
51	2	17	50	83	10	15	8	13	8	6	33	2	3	23	5	3	33	-------	99	48
35	2	4	31	48	3	19	6	6	4	2	17	1	-------	25	9	2	22	-------	79	49
69	3	17	55	76	5	40	26	14	9	4	65	3	7	44	11	5	41	1	122	50
83	6	14	48	86	5	62	31	28	12	5	83	11	9	55	10	7	61	1	209	51
17	1	1	15	25	1	20	8	3	2	3	18	3	3	11	2	1	16	-------	36	52
8	-------	2	6	12	-------	3	6	-------	-------	2	8	1	-------	1	-------	-------	5	-------	12	53
20	3	4	15	9	-------	12	9	7	2	1	8	3	5	21	2	1	26	-------	42	54

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

The white and colored are shown separately for minor subdivisions when the colored population of the subdivision formed at least 10 per cent of the total, or num-
Minor areas which are designated by asterisks (*) contain state insane asylums, state hospitals, etc.

	AREA AND COLOR.	DEATHS FROM—												
		All causes.	Typhoid and paratyphoid fever.	Malaria.	Smallpox.	Measles	Scarlet fever.	Whooping cough.	Diphtheria	Influenza.	Erysipelas.	Meningococcus meningitis.	Tuberculosis of the respiratory system.	Tuberculosis of the meninges, etc.	Other forms of tuberculosis.
			1	5	6	7	8	9	10	11	21	24	31	32	33-37
	REGISTRATION CITIES—Continued.														
	INDIANA.														
1	Anderson	312	5	1	.....	.....	2	7	5	3	1	.....	12	1	4
2	Bloomington	144	3	.....	.....	.....	1	2	.....	.....	.....	.....	12	1	1
3	Clinton	101	1	.....	.....	2	.....	3	.....	4	1	.....	9	.....	.....
4	Crawfordsville	152	.....	.....	.....	.....	1	3	1	4	.....	.....	9	1	3
5	East Chicago	382	9	.....	2	13	.....	3	23	6	.....	1	11	.....	.....
6	Elkhart	307	3	.....	.....	.....	1	3	6	.....	2	.....	20	.....	4
7	Elwood	141	3	.....	.....	.....	.....	2	4	1	.....	.....	11	.....	1
8	Evansville	1,000	7	4	.....	.....	1	3	15	8	2	1	78	5	10
9	Fort Wayne	978	19	.....	.....	1	4	6	31	5	3	.....	53	6	9
10	Frankfort	165	1	.....	.....	.....	1	7	1	5	1	.....	9	1	2
11	Gary	711	3	1	.....	3	3	11	16	6	1	.....	51	4	9
12	Hammond	407	8	.....	.....	1	3	2	20	3	2	.....	11	.....	4
13	Huntington	197	1	.....	.....	3	1	4	9	3	1	.....	9	1	2
14	Indianapolis (White)	3,511	18	2	1	3	19	20	77	36	28	3	218	24	50
	Indianapolis (Colored)	608	5	1	1	.....	2	11	7	4	1	1	100	3	11
15	Jeffersonville (White)	88	1	.....	.....	.....	.....	1	.....	.....	.....	.....	7	.....	1
	Jeffersonville (Colored)	30	.....	.....	.....	.....	.....	.....	.....	1	1	.....	5	.....	1
16	Kokomo	339	3	.....	.....	.....	1	10	1	1	.....	2	20	3	5
17	La Porte	180	2	.....	.....	.....	1	2	2	.....	1	.....	3	1	.....
18	Lafayette	416	5	.....	.....	.....	3	5	5	3	1	1	18	2	6
19	Logansport	252	4	.....	.....	1	.....	5	4	4	.....	.....	8	.....	.....
20	Marion	342	1	1	2	.....	1	3	10	2	1	1	20	1	2
21	Michigan City	253	2	.....	.....	1	1	3	2	1	1	.....	18	.....	4
22	Mishawaka	185	2	.....	.....	.....	.....	1	3	2	.....	1	12	1	4
23	Muncie	463	6	.....	.....	.....	1	5	6	11	.....	2	36	5	2
24	New Albany	306	2	1	.....	.....	1	5	7	6	.....	.....	18	.....	2
25	New Castle	138	1	.....	.....	.....	.....	1	2	3	.....	.....	9	1	1
26	Peru	146	.....	.....	1	.....	1	6	5	1	.....	.....	6	.....	1
27	Richmond	309	2	.....	.....	.....	.....	1	3	6	.....	.....	11	2	5
28	South Bend	723	3	1	1	.....	.....	4	11	1	1	1	39	4	2
29	Terre Haute	897	6	.....	1	.....	2	3	26	9	1	.....	44	2	8
30	Vincennes	288	9	2	.....	1	.....	2	17	3	1	.....	18	.....	2
31	Whiting	105	1	.....	.....	.....	1	1	3	1	.....	.....	6	1	.....
	KANSAS.														
32	Arkansas City	135	.....	.....	.....	1	.....	.....	3	1	.....	.....	2	.....	.....
33	Atchison (White)	130	1	.....	.....	.....	.....	2	5	2	.....	.....	5	.....	2
	Atchison (Colored)	33	1	.....	.....	.....	.....	.....	.....	1	.....	.....	2	.....	1
34	Chanute	166	1	.....	.....	3	.....	2	5	1	.....	.....	12	.....	.....
35	Coffeyville (White)	150	2	.....	.....	.....	.....	.....	3	4	.....	1	3	.....	.....
	Coffeyville (Colored)	28	3	.....	.....	.....	.....	.....	.....	1	.....	.....	4	.....	1
36	El Dorado	92	3	.....	1	1	.....	.....	7	1	2	1	3	.....	.....
37	Emporia	143	1	.....	.....	.....	.....	.....	5	1	2	.....	4	1	.....
38	Fort Scott	168	2	.....	.....	.....	.....	.....	7	2	2	.....	5	.....	3
39	Hutchinson	260	1	.....	.....	1	1	.....	10	1	.....	.....	6	1	4
40	Independence	134	1	.....	.....	1	.....	1	3	1	1	.....	8	.....	1
41	Kansas City (White)	984	4	.....	6	.....	.....	11	16	5	2	1	57	6	5
	Kansas City (Colored)	273	2	.....	12	.....	.....	4	.....	3	.....	.....	49	.....	7
42	Lawrence (White)	157	.....	.....	.....	.....	1	1	6	1	.....	.....	6	1	1
	Lawrence (Colored)	24	2	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....
43	Leavenworth (White)	208	.....	.....	.....	1	3	.....	10	2	.....	.....	5	1	1
	Leavenworth (Colored)	36	.....	.....	.....	.....	.....	.....	3	2	.....	.....	1	.....	1
44	Parsons	164	.....	1	.....	.....	2	1	3	2	.....	.....	9	.....	2
45	Pittsburg	162	3	.....	.....	.....	2	1	4	1	.....	.....	8	.....	.....
46	Salina	186	1	.....	.....	3	2	1	5	.....	1	.....	4	.....	.....
47	Topeka	726	5	.....	.....	6	3	.....	14	2	1	1	25	2	6
48	Wichita	973	16	.....	.....	6	7	6	21	5	5	2	28	2	7
	KENTUCKY.														
49	Ashland	251	4	.....	.....	12	.....	2	3	.....	1	.....	17	2	5
50	Covington	734	6	.....	.....	.....	4	8	4	3	1	.....	78	4	4
51	Henderson (White)	121	3	.....	.....	.....	.....	2	2	1	.....	.....	10	.....	2
	Henderson (Colored)	67	1	.....	.....	.....	.....	.....	1	1	.....	.....	10	.....	2
52	Lexington * (White)	614	9	.....	.....	.....	.....	.....	4	3	1	.....	59	2	4
	Lexington * (Colored)	298	6	.....	.....	.....	.....	.....	1	5	1	.....	36	.....	8
53	Louisville (White)	2,514	8	3	.....	8	10	18	32	10	6	3	152	14	28
	Louisville (Colored)	800	10	2	.....	1	.....	5	6	13	3	.....	100	4	13
54	Newport	294	4	.....	.....	1	1	7	3	5	2	.....	35	.....	4
55	Owensboro (White)	245	8	.....	.....	.....	2	.....	9	5	.....	.....	25	.....	.....
	Owensboro (Colored)	62	1	.....	.....	.....	.....	.....	3	5	.....	.....	8	1	2
56	Paducah (White)	285	3	.....	.....	.....	.....	.....	4	4	1	.....	29	2	1
	Paducah (Colored)	126	2	4	.....	.....	.....	.....	.....	2	.....	.....	25	.....	1

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1921—Continued.

bered 10,000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920; the remainder of the state is included in "rural districts." Numbers under causes of death correspond to those of the 1920 revision of the detailed International List.]

DEATHS FROM—																			
Cancer and other malignant tumors.	Rheumatism.	Diabetes mellitus.	Cerebral hemorrhage and softening.	Other [organic] diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis.	Puerperal septicemia.	Other puerperal causes.	Congenital malformations and diseases of early infancy.	Suicide.	Homicide.	Accidental and unspecified external causes.	Unknown or ill-defined diseases.	All other causes.	
43-49	51, 52	57	74, 83	90	99	100,101	113	117	118	122	128,129	146	143-145 147-150	159-163	165-174	197-200	175-196 201-208	204,205		
34		6	20	37		24	7	5	3	5	21	3	1	34	7	1	15		48	1
11			18	13		19	13		4	2	7	1	1	8			8		19	2
5		2	7	12	3	8	3				2	1	1	10	5	2	9	2	9	3
17		1	10	13		5	5	1	3	3	16	2		8	5	2	7		32	4
8	1	2	6	17	2	71	60	1	2	5	9		3	42	9	9	28	1	38	5
33	2	7	32	39		14	8	3	4	4	25		3	26	1	1	19		47	6
14	1	3	12	19	5	8	5	2	1	2	5	1	1	12	2		5		21	7
84	5	13	61	122	6	64	22	28	14	11	99	13	5	62	13	10	57		177	8
104	4	18	77	104	7	60	20	25	12	9	76	12	4	50	10	2	60	7	180	9
15		1	14	12		9	3	2			16	2	3	15	5		10		30	10
26	3	4	15	37	4	106	30	25	8	5	32	6	12	31	11	21	77		100	11
32	2	5	15	22	3	28	18	7	5	8	29	3	8	35	7	11	43	1	71	12
17	1	4	22	24		7	8	2	3		9	2	1	22	3		8		30	13
305	11	54	259	442	20	214	102	72	37	29	285	19	30	231	44	12	163	1	682	14
29	3	8	23	81	5	72	20	10	5	3	39	4	5	37	1	13	25		78	
11		1	8	7	2	6	4				16		1	4	1		4		13	15
1	1		4	5		2	2				2						2	1	2	
24		7	30	40	1	14	31	6	1	3	16	4	5	31	2		13	1	64	16
25		3	16	23	1	5	5	6	3	1	12	1	2	20	2		10		33	17
35	3	4	33	71		18	5	19	10	3	25	1	1	34	6	2	24		73	18
22	2	5	26	23	4	19	8	10	6	1	22	2	2	17	3	1	8		45	19
24		4	32	60	3	23	8	6	2	3	19	3	1	16	3		19		71	20
17		2	17	32	1	29	9	4	5	4	15		2	16	3	3	12		49	21
14		2	9	31	2	15	3	4	1		8	2	1	16	3		10		38	22
41	1	3	33	49	1	32	18	6	7	5	38	5	5	32	7	5	24		77	23
35	1	6	14	39	7	7	6	6	3	2	31	4		14	5	3	24		57	24
10	1		16	13		10	14	1	4		15		2	10			4		20	25
10		3	14	15	3	15	7	3	3		12			10			9		21	26
19		6	37	47	3	13	16	5	1	2	43	5	3	22	1	1	9		46	27
64	1	11	52	90	9	54	34	9	3	8	36	8	6	77	8	3	55		127	28
56	6	17	63	94	4	38	31	20	17	8	72	11	10	64	19	16	31	2	166	29
19	1	2	18	21		25	13	13	2	3	14	5	3	18	5	1	17	1	52	30
6	1		2	7	1	12	15		1	1	2			14	3		15		11	31
9		2	15	10	2	18	4	2	2	1	13	1	1	8		3	11		26	32
17		5	11	6	1	6		1	1		8		1	15	3		5	1	32	33
1		1	2	6		3	2				7				1	2			3	
14		1	19	18	1	3	1	4	3		4	2	2	14	1		11	7	37	34
9			14	10		12	12	3	1	1	15	3	2	8	1	1	12	1	32	35
			1	2			2	1			2					1	1	1	8	
3		2	5	8		7	2	1	1		6	1	1	10	3	1	8		14	36
10	1	2	14	14	2	8	5	1	7	2	6			9	4	1	11		32	37
19		2	12	15	1	5	2	2	1	2	19	2	2	16	1		1	4	41	38
15		4	20	13		17	7	12	9	2	14	1	2	25	6	2	21	2	63	39
9		1	9	15	1	10	7	4		1	14		2	9	2		5	2	26	40
79	1	17	78	93	16	81	30	18	8	6	78	14	6	63	11	10	59	2	201	41
9	1	2	14	22	1	19	1		3	2	37	2		7	1	12	7		56	
12	1	1	17	19	3	10	2	3	1		6			13	1		17		34	42
4			1	4	1	1	1				1		1	2			1		3	
22	1	3	34	16	3	12	4	3	2	1	19	2	1	18	2	1	6		35	43
3			3	5			2	1			5					2	1		7	
10			18	24		10	1	1		1	16		2	17	2	2	9		31	44
22			17	9	1	7	5		1	1	20			15	2	1	8	1	33	45
13	1	4	20	12	2	9	4	5	1	1	9	2	2	15	2		15	2	50	46
63	5	10	61	82	9	43	18	14	10	4	44	9	4	64	7	7	45	2	160	47
97	1	15	66	97	13	62	20	35	18	5	53	8	10	67	11	22	59	1	208	48
15		5	7	10	1	16	25	6	5	1	25	3		22	1	3	21	1	38	49
64		14	67	76	3	62	9	10	6	9	76	7	4	40	1	6	45	1	122	50
4	1	2	7	14	1	10	6	3	1	2	8		1	11	1		10		19	51
4		1	1	7	1	6	5				6			4		2	3		12	
35	5	4	65	47		52	13	12	4		47	7	7	32	9	12	24	1	156	52
16	1	1	38	28	3	31	6	7	3	3	23	1	2	7	2	7	7	2	53	
213	5	37	188	299	22	151	71	43	35	18	229	16	16	147	39	16	144	4	524	53
29	4	7	53	99	23	75	15	9	14	7	73	6	4	28	4	22	34	1	136	
22	2	4	27	33	3	25	11	1	1	4	29	1	3	15	3	1	10		37	54
22	2	2	21	21	1	11	11	7	1	3	18	2		11	1	2	14		46	55
3			5	10		5	2				5	1				3	1		7	
22	2		14	24	1	14	6	14	2	3	20	6	1	21	6	4	19	3	59	56
3	4		6	14	4	10	3		1		6	2	1	5		3	2	2	26	

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

The white and colored are shown separately for minor subdivisions when the colored population of the subdivision formed at least 10 per cent of the total, or num-
Minor areas which are designated by asterisks (*) contain state insane asylums, state hospitals, etc.

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid and paratyphoid fever.	Malaria.	Smallpox.	Measles	Scarlet fever.	Whooping cough.	Diphtheria.	Influenza.	Erysipelas.	Meningococcus meningitis.	Tuberculosis of the respiratory system.	Tuberculosis of the meninges, etc.	Other forms of tuberculosis.
			1	5	6	7	8	9	10	11	21	24	31	32	33–37
	REGISTRATION CITIES—Continued.														
	LOUISIANA.														
1	Alexandria {White	162	1	1					1	3			14		1
	{Colored	180	2	1					1	1			34		1
2	Baton Rouge {White	173	5			6		1	3	4	1	1	6		3
	{Colored	150	3			1		2	1	4			20		1
3	Lake Charles {White	138							1	4	1		5	1	1
	{Colored	91		2				1		3			12		1
4	Monroe {White	143	3			1		1	1	1	1		2	1	1
	{Colored	117	3	3		1				5			16		
5	New Orleans {White	4,005	23	3	16	32	3	16	10	33	5	2	360	14	23
	{Colored	2,463	13	9	23	2		9	4	23	1	2	319	6	27
6	Shreveport * {White	473	5	12			1	4	3	3	2	2	30	1	5
	{Colored	565	15	11	2			2	1	7			57	1	23
	MAINE.														
7	Auburn	213					1		1			2	10	2	2
8	Augusta *	258	3			1		1	3	1	1		11		
9	Bangor *	528	9			1	1			6	3		32	2	11
10	Bath	129	1										4	1	2
11	Biddeford	310	6			2		2	10	2	1		17	1	5
12	Lewiston	527	1			2	2	1	14	8			18	3	5
13	Portland	1,020	5			5	1	6	12	4	3		37	3	13
14	Sanford town	87							1	2			5	1	1
15	Waterville	177	2			1	1	2	9	4			15	1	3
	MARYLAND.														
16	Annapolis {White	76							2	1		1	6		
	{Colored	81	3						1				5		
17	Baltimore {White	8,106	29	1		25	10	82	76	59	22	8	535	35	46
	{Colored	2,274	11			2	1	23	12	23	4	1	369	16	46
18	Cumberland	433	13				1	1	4	3			18		4
19	Frederick {White	181	1						4	2			6	1	2
	{Colored	26	1						1				1		
20	Hagerstown	336	4				2	1	4		2		18		4
	MASSACHUSETTS.														
21	Adams town	135	1						4	2			9		1
22	Amesbury town	117						1	4		1		6		
23	Arlington town	217							3	1			17		1
24	Attleboro	238	1						2	4	1		35	3	3
25	Belmont town	80						1	1				2		1
26	Beverly	243	1				1	3	2		1		6		1
27	Boston {White	9,882	24			38	50	31	144	19	26	26	686	73	56
	{Colored	344					1	1	6	2		2	54	5	8
28	Braintree town	132	1					1					40		3
29	Brockton	686	3				2	2	7	4		1	19	6	6
30	Brookline town	399	1					2	2		3		19		6
31	Cambridge	1,388				4	2	11	12	3	5	1	123	5	10
32	Chelsea	576				3	5	1	6	1	1		33	1	3
33	Chicopee	327					1	3	11	10	1		24	4	5
34	Clinton town	176				2							13	3	3
35	Danvers town *	291						1	1	1	2		24	1	4
36	Dedham town	112									2		4		
37	Easthampton town	111							2				8	1	
38	Everett	348					3	1	3		1		20	2	5
39	Fall River	1,717	3			28	2	31	22	8	4	1	92	17	8
40	Fitchburg	432	2			10		2	6		1		28	4	1
41	Framingham town	255	3			1		1	1	1			5	1	1
42	Gardner town	190				4		1					25	2	3
43	Gloucester	302							4	2	1		19	1	3
44	Greenfield town	161	1			1				1	1	1	4		
45	Haverhill	664	1				3	5	10	5		1	41	2	3
46	Holyoke	745	1			3	3	1	7	5		1	41	3	4
47	Lawrence	1,075	4			2	11	6	19	4	6	1	84	10	4
48	Leominster	200				3	9		3			1	5	2	
49	Lowell	1,465	6			11		6	37	2	4	2	64	21	9
50	Lynn	1,108	1			2	1	4	29	5	6		72	3	6
51	Malden	565	1			1	6	2	16	1	3	2	25	6	4
52	Marlborough	173				1			2	2			11	1	
53	Medford	368					1	4	5	1	1		26		4
54	Melrose	206	1						2		1		12		1
55	Methuen	201	1				2		2		1		12	2	
56	Milford town	182	2							1			11	1	1
57	Natick town	142				1				1	1		3		
58	New Bedford	1,384	5				1	8	27	3	5	1	125	17	13

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1921—Continued.

bered 10,000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920; the remainder of the state is included in "rural districts." Numbers under causes of death correspond to those of the 1920 revision of the detailed International List.]

DEATHS FROM—																			
Cancer and other malignant tumors.	Rheumatism.	Diabetes mellitus.	Cerebral hemorrhage and softening.	Other organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis.	Puerperal septicemia.	Other puerperal causes.	Congenital malformations and diseases of early infancy.	Suicide.	Homicide.	Accidental and unspecified external causes.	Unknown or ill-defined diseases.	All other causes.	
48-49	51, 52	57	74, 83	90	99	100, 101	113	117	118	122	128, 129	146	142-145, 147-150	159-163	165-174	197-200	175-196 201-203	204, 205		
8		4	9	8	1	6	4	9	3	1	17	1	2	15	2	6	6	2	37	1
6		3	2	12		8	10	1	2		20	3	1	15		8	11	2	36	
7	1	2	9	9	2	23	4	4	3	1	17	1	4	16	2	3	13	1	21	
2		1	7	21	4	6	9	1	3	1	10	1	4	11	1	1	7		28	2
11	1	1	9	13		3	6	7	2	3	4	1	4	13		3	11	3	30	3
2			2	12		3	10	1			11		1	8		2	3	1	16	
11		3	3	11		5	5	9	7	1	12	3	4	8	1	4	8		36	4
3	1		3	8	1	5	4	2	1		15	1		3	1	2	4	3	32	
324	13	68	259	529	20	240	118	99	48	38	419	29	39	193	57	27	249	1	695	5
98	19	10	118	324	12	217	88	36	23	33	233	22	29	172	7	53	101		430	
36	2	9	27	30	2	15	13	29	13	5	40	2	10	30	9	7	35	1	90	6
15	4	10	9	61	1	22	10	11	9	3	51	5	6	20	2	27	32		148	
11		5	18	46	5	14	3				13	1		15	3		17	4	40	7
16	1	4	23	34		35	7	9		1	11	1	3	12	5		13		62	8
43	3	9	45	59	4	49	3	8	4	1	17	3	7	33	7	1	25	6	136	9
12	1	4	12	34	2	6	1	1	1	1	15		1	5			4		21	10
21	1	11	19	30		32	13	4	7	1	11	4	4	29	2		12		63	11
51	4	9	37	41	4	43	17	19	6	3	34	5	8	59	4		25	12	92	12
105	6	26	82	133	9	75	13	22	18	1	82	4	8	59	9	3	68	6	202	13
12		2	12	10	1	3	2	4			11		1	4			7		8	14
14		6	17	15		14	4	2	2		10		2	12			14		27	15
3	2		9	10		7	1			1	8		2	7	1	1	5		9	16
4	4		2	12	1	4	5		1	1	6			7			6	1	18	
716	32	153	715	1,009	80	704	332	72	90	40	871	34	60	602	100	41	418	3	1,106	17
73	14	13	173	303	25	246	79	20	22	6	212	15	13	148	6	29	86	3	280	
38	1	5	22	48	4	17	21	9	7	3	35	5	7	38	5	2	43		79	18
10		3	18	23	3	5	9	5	6		13	1	1	14	1		15		38	19
			4	2		2					3			2			2		8	
28		3	33	49		19	18	1	4	1	31	2	4	21	3	1	17	7	59	20
15		2	9	18		7	3	4		3	7		2	14	3		6	1	24	21
12		3	23	19	1	5			2		11			10	2		3		14	22
20	1	3	23	42	5	13	3	1	2	2	10	3	2	18	3	1	9	1	33	23
16	1	6	27	21	1	17	3	1	3		23		6	21	2		7		34	24
4		4	7	16		8	1		1		4			6	2				22	25
31		6	24	59	3	19	2	1	1		16	1	6	13	2	1	17		26	26
1,038	11	147	674	1,635	56	907	213	155	99	61	455	63	88	759	100	34	554	21	1,639	27
20		3	21	49	1	36	8	5	3		21	1	6	18	1	1	11		60	
7			18	13		10	3				8			6	2		2		18	28
78	2	9	61	90	9	43	4	6	7	6	56	3	4	69	12	1	47		129	29
64		9	44	78	5	16	2	3	2	2	24	2		5	5		11		94	30
162	3	16	124	222	14	104	29	11	23	6	60	8	15	120	11	5	65		214	31
57	2	9	34	124	3	45	10	12	7	1	39	1		38	4	1	39	1	95	32
20		7	16	40	4	22	47	1		2	21	1	4	37	4		7		35	33
15	1	2	16	16	2	24	8	3	3		10	1	3	18	1		6	2	24	34
16		3	13	37		58	3		3	1	9	1	1	5	3		7	1	96	35
6	3	1	16	22	2	9	3	1	1		6			7	1	1	4	2	21	36
11		1	7	11	1	11	4				8		1	23	1		6		15	37
37	1	7	43	47	1	32	3	6	2	2	31	3	4	38	7		14		35	38
120	5	33	109	182	36	175	151	22	22	4	135	7	13	148	7	3	71	8	250	39
31	4	5	30	77	2	39	20	7	2	3	27	3	3	41	1		19	1	63	40
32	1	9	22	33		39	4	3	4	2	15	1	3	17	1	1	20		34	41
8		1	19	20		12	6	7	2		19	3	4	15			13		26	42
41		8	26	52	1	17	3	3	2	1	13		1	23	4	1	15	1	60	43
17	1	8	15	20		15	2	1	5	1	21	2	1	15	3		13	1	11	44
63	2	14	66	102	4	56	11	13	8	2	37	2	3	49	12	1	28	6	114	45
61	1	18	61	105	6	54	49	10	11	7	67		10	67	2		32	2	113	46
112	5	12	70	128	10	99	63	14	9	2	71	11	6	78	15	3	67	15	134	47
11		2	16	32	4	13	4	3	4		16		1	11	2		8		50	48
117	5	22	111	165	28	138	81	22	16	6	58	5	10	119	10	3	89		298	49
109	2	14	102	138	9	92	25	7	10	6	90	3	10	92	20	2	67		181	50
56	3	9	61	90	4	45	11	11	3	1	32	2	2	47	8	2	26		85	51
16		2	14	25	1	13		8	1		9	5	1	19	1	1	6		34	52
44	2	9	46	54	4	17	11		1	1	30	4	2	28	2		12		59	53
22	2	2	25	38	2	16	2	5	1	2	15	1	2	11	2		14		27	54
29	1	2	21	31	3	15	7	3	2		8		2	18	4		4	1	30	55
19		2	26	25	2	15	5	3	1	1	13	1	2	15			4	1	31	56
23		2	27	27	1	8	1	1	1		10		1	11		1	5		17	57
88	3	25	85	152	16	132	127	8	13	7	63	5	15	125	13	2	53	42	205	58

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[The white and colored are shown separately for minor subdivisions when the colored population of the subdivision formed at least 10 per cent of the total, or num-
Minor areas which are designated by asterisks (*) contain state insane asylums, state hospitals, etc.

	AREA AND COLOR.	DEATHS FROM—												
		All causes.	Typhoid and paratyphoid fever.	Malaria.	Smallpox.	Measles	Scarlet fever.	Whooping cough.	Diphtheria.	Influenza	Erysipelas.	Meningococcus meningitis.	Tuberculosis of the respiratory system.	Tuberculosis of the meninges, etc.	Other forms of tuberculosis.
			1	5	6	7	8	9	10	11	21	24	31	32	33-37
	REGISTRATION CITIES—Continued.														
	MASSACHUSETTS—continued.														
1	Newburyport	214	1				2	1	2		1		3		
2	Newton	466				1	1		10	2	2		23	1	1
3	North Adams	270	1			1	1			2	1		15	1	1
4	Northampton*	422							8	8	3	1	48	3	1
5	Northbridge town	90	1				2			2			4		2
6	Norwood town	128						1			1		4	1	1
7	Peabody	195				1	3	4			1	1	9	4	1
8	Pittsfield	558	6			13	2	2	2	2	2	2	38	8	7
9	Plymouth town	167	1			2	2	2	1	1			2	4	1
10	Quincy	416						1	3	2	1	1	28	4	3
11	Revere	185				4	1	2	2	1			2	1	
12	Salem	542	1			2	1		3			1	30		3
13	Saugus town	105						3	1	2			4	1	
14	Somerville	988	2			2	2	4	29	3	1	1	56	4	5
15	Southbridge town	132	1			2				2		1	5	2	2
16	Springfield	1,542	6			3	3	3	23	10	5	3	77	12	15
17	Taunton*	635	3			1	4	1	5	3	2		44	3	5
18	Wakefield town	130				1	1						9	3	1
19	Waltham	409	7				1	1	10	3	1		13	1	9
20	Watertown town	176					1	1	3				12		
21	Webster town	132							1		1		4	1	1
22	West Springfield town	117				2	4	1		1			6		
23	Westfield town	224							4		1		41		1
24	Weymouth town	131					1				2	1	5	2	
25	Winchester town	116	1			1			1				4	1	1
26	Winthrop town	145	1										9		
27	Woburn	167				1					2		10	2	1
28	Worcester	2,387	7			19	12	10	29	7	7	3	141	23	26
	MICHIGAN.														
29	Adrian	184	4			1			4	1			14		
30	Alpena	154	6						3	1			6	1	3
31	Ann Arbor*	504					2		10		3	2	9	5	9
32	Battle Creek	582	2			2		5	8	4		1	17	2	2
33	Bay City	632	14				4	5	13	1		1	31	1	3
34	Benton Harbor	181	1			1		4	1	1			7		
35	Detroit {White	9,653	53		2	40	115	98	328	35	19	21	629	58	67
	Detroit {Colored	733	4				4	13	8	5	2	1	113	14	12
36	Escanaba	215			1				8	1		1	11	1	
37	Flint	847	11	1		2	5	10	30	5	3	1	23	4	3
38	Grand Rapids	1,538	6			1	2	4	44	4	11	1	63	11	16
39	Hamtramck	452	3			6	6	5	26	2		1	28		
40	Highland Park	342					5		10	1	2	1	21	2	2
41	Holland	105								1	1		4		
42	Ironwood	133				1	1			1	1	3	12		2
43	Ishpeming	116	1						5		1		4	1	1
44	Jackson	686	4				5	6	26	7	4	1	35	3	3
45	Kalamazoo*	897	4				6	5	7	1	6	1	52	4	2
46	Lansing	638	4				3	6	19	1	3		20	2	5
47	Marquette	188						2	1		2	1	10	2	
48	Monroe	130	2		1				1			1	6	1	3
49	Muskegon	469	4				1		12	1	4		24	4	5
50	Owosso	211		1	1		1		4	6			9		
51	Pontiac*	438		1	1		3	2	5	2	2		36		2
52	Port Huron	374	2				3	4	4	3	2		10	1	3
53	Saginaw	810	9				2	6	27	3	2		45	3	4
54	Sault Ste. Marie	154	1				9	1					5	2	2
55	Traverse City*	347	3					1	1	1	1		24		1
56	Wyandotte	172					8	5	1	3			13	3	
	MINNESOTA.														
57	Austin	111						1		2			4	1	3
58	Duluth	931	3				14	8	11	4	3	3	50	11	15
59	Faribault*	207	1						3		1		14	1	3
60	Hibbing	132	1			1	1			1	1		8	3	1
61	Mankato	198	2					1		2			9		2
62	Minneapolis	4,289	5		4	3	55	18	52	34	9	4	283	17	33
63	Rochester*	817	1			1	2	1	1		1	1	33	5	12
64	St. Cloud	192	3		1	1	1	5	5		1	1	2	2	2
65	St. Paul	2,555	18		3	1	20	2	37	19	9	1	196	11	28
66	Virginia	116				2						1	3	1	
67	Winona	245					6	3	2			1	12	2	2

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1921—Continued.

bered 10,000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920; the remainder of the state is included in "rural districts." Numbers under causes of death correspond to those of the 1920 revision of the detailed International List.]

DEATHS FROM—																			
Cancer and other malignant tumors.	Rheumatism.	Diabetes mellitus.	Cerebral hemorrhage and softening.	Other [organic] diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis.	Puerperal septicemia.	Other puerperal causes.	Congenital malformations and diseases of early infancy.	Suicide.	Homicide.	Accidental and unspecified external causes.	Unknown or ill-defined diseases.	All other causes.	
43-49	51, 52	57	74, 83	90	99	100,101	118	117	118	122	128,129	146	143-145, 147-150	159-163	165-174	197-200	175-196 201-203	204,205		
22		3	16	39	2	10	2	2	1		22		1	13		1	14		56	1
59	3	9	55	80	5	46	4	1	4	1	20	1	6	25	7		22		77	2
16	1	5	20	33	4	14	3	8	3	5	28	1	3	23	2	1	23		54	3
37	2	6	70	48	2	22	11	7	3	3	18	1	3	17	4		22	3	71	4
7		1	7	17		10	7	1			3			10	1		4		11	5
7	1	2	13	9	2	7	3	5	2	3	6		2	18	2		18		20	6
15		2	14	23	5	15	9	2	2	1	7	2	2	14	4		17	3	34	7
48	1	8	45	78	4	46	7	16	8	1	39	2	7	55	5		22	1	83	8
23	1	4	18	25	2	13	1	2	1	1	6		1	14		1	7		31	9
36	4	6	42	80	1	46	8	6	3		25	2	4	31	3	5	31		40	10
19		5	12	35	2	19	8		2	2	16	1	3	15	5		8	1	19	11
63		10	50	111	7	33	15	7	5		29	1	7	50	4		23		86	12
8	1		8	24	1	10	2				9			4			4		23	13
97	2	23	108	167	11	92	23	4	4	2	48	1	4	78	4	2	50		159	14
11		1	14	22	4	9	7		1		3		1	13	2		7		22	15
142	7	23	128	211	8	127	42	26	12	7	148	6	19	145	19	9	82	1	220	16
35	1	6	60	110	11	41	26	4	4		29	3	5	40	5	1	27		156	17
9	1	1	10	23	3	12	3			2	10		1	8	1	1	6		24	18
36	1	7	41	61	4	30	11	3	3	1	23	2	6	34	8		17		75	19
18	1	6	16	40	2	11	2		1	1	13	1		8	1	1	2		35	20
17	3	4	12	23	3	9	5			1	9		1	11	1	2	6		17	21
9		4	13	20	1	6	7			1	15	1		6	1	1	5		13	22
26	6	3	27	20	1	22	9	1			13		4	11	1		14		19	23
13		4	18	30	2	15	2		1		7			9	1		2	2	14	24
10	1	1	5	22	2	10	2	1	1		9	1	2	8			8		24	25
24		3	18	25	2	9	3				15		2	12	1		3		18	26
9	1	3	16	26		13	5		4		10		1	14	1		11		35	27
212	5	52	160	396	17	238	94	29	18	12	83	19	30	173	28	2	135		400	28
17	2	2	18	20	2	8	4	2	3	2	12	1	1	8	4		12		42	29
12		2	9	14	3	9	2	4	2		7	1	2	17			10	2	38	30
50	1	14	26	46	1	14	2	21	8	4	30	3	4	37	4	2	35	1	161	31
63	2	13	56	59	7	20	7	11	7	6	47	5	5	46	8		38	1	138	32
37		7	49	86	5	34	24	20	10	3	29	3	3	47	3	3	43	3	150	33
21		6	16	20	4	7	7	7	6	2	10	1	1	12	3	1	18	2	22	34
679	54	109	460	1,039	103	806	506	161	109	67	459	98	90	1,094	123	77	563	19	1,572	35
16	2	3	22	83	7	95	23	9	4	1	29	8	6	55	3	29	20	2	140	
17	1	1	12	17	5	13	5	9	1	4	15		3	25	1	1	17	1	44	36
68	2	11	54	85	2	75	38	19	4	6	30	6	11	122	9	3	44		160	37
142	9	26	138	223	13	81	42	30	18	8	110	11	11	134	19	4	71	1	284	38
8	1	1	6	34	3	68	65	1	2	2	10	4	2	73	4		15	8	68	39
24	2	3	21	41	2	33	6	6	5	3	23	2	5	27	2		29	3	61	40
15	1	1	7	7	4	6	3	1	2	1	11			6	1		8	3	22	41
3	1	1	9	10	2	17	7	7	1	1	2	1		13	2	1	11	1	22	42
13	1		8	11	1	6	6	6			7		2	12	1		4		25	43
49		7	60	85	4	37	29	10	9	2	40	3	8	66	10	2	41	2	128	44
68	4	10	69	142	5	39	18	14	12	8	48	10	5	52	7	2	35	1	260	45
60	1	7	40	74	3	53	21	8	3	6	31	7	5	70	5		39		142	46
8	1	5	14	29	3	11	7	4	1	1	15	6	2	19	3	1	14		26	47
11	1	5	7	27	1	8	5		1		6			11	2		7		23	48
51	2	5	34	62	1	26	13	5	5	5	24	1	2	46	5	1	31	1	94	49
20	1	3	18	23	3	5	8	2	2		10	3	1	29	2		12	1	46	50
18	1	3	34	46	4	22	12	6	6		15	3	1	42	5	1	22		143	51
24		6	24	44	5	24	12	9	12	4	14	4	3	38	1		22		96	52
56	4	11	55	104	7	54	27	15	11	6	58	2	7	77	5	4	50	2	154	53
14		2	15	16	1	8	3	5		1	7		1	26	1		12		22	54
16	1	7	34	48	2	17		10	6	3	19	4	1	13	1		6		127	55
7	1	1	7	13	1	10	8		3	2	8	2	2	25	4	2	15	4	24	56
7		2	11	14		11	6		1		6		1	6			7		28	57
94	2	13	55	101	12	58	11	14	11	7	46	9	10	107	20	5	65	1	168	58
17		1	5	30	1	11	3	6	3	1	20	1	3	13	2	1	7		59	59
7		4	6	13	1	6	1	1		2	3	3	2	27	1	5	14	1	18	60
28	2	4	13	18		21	2	5	1	2	12	2	2	13	2		16		39	61
420	14	82	254	532	22	347	42	112	57	43	285	25	48	342	69	28	255	8	787	62
144		12	27	47	3	13	3	25	17	5	20	2	2	29	5	2	21	2	380	63
16		3	6	21	1	13	2	2	2		12	6	2	23	1		13	2	43	64
273	5	53	164	306	12	153	30	60	23	16	191	20	21	200	32	17	173	2	454	65
12			6	12		15	4	3	1		3	1	3	13	8	2	11		15	66
25	1	3	19	35	6	9	5	11	5		9		2	16	4		16	3	48	67

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[The white and colored are shown separately for minor subdivisions when the colored population of the subdivision formed at least 10 per cent of the total, or num-
Minor areas which are designated by asterisks (*) contain state insane asylums, state hospitals, etc.

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid and paratyphoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria.	Influenza.	Erysipelas.	Meningococcus meningitis.	Tuberculosis of the respiratory system.	Tuberculosis of the meninges, etc.	Other forms of tuberculosis.
		1	5	6	7	8	9	10	11	21	24	31	32	33-37
	REGISTRATION CITIES—Continued.														
	MISSISSIPPI.														
1	Biloxi—White	126				5		4	1	5			7		1
	Biloxi—Colored	31								1			1		
2	Columbus—White	53	1					1	2	3			1		
	Columbus—Colored	84		2					2	5			12		
3	Greenville—White	69	1	2									2		1
	Greenville—Colored	226	5	8				1	1				20	1	1
4	Hattiesburg—White	74	2	2				1					2		
	Hattiesburg—Colored	65		3				5					11		
5	Jackson*—White	290	4	3					3	1			9	1	
	Jackson*—Colored	566	3	3	1	3		8					42		7
6	Laurel—White	125	2	1		1		2	1	3			9		1
	Laurel—Colored	92	4					2		1			7		1
7	Meridian*—White	229	5	2				1	3	4	2		10	2	1
	Meridian*—Colored	221	6	8		1			1	7		2	24		3
8	Natchez—White	64						1	2	1			1		3
	Natchez—Colored	135	1	1				2		4			16		2
9	Vicksburg*—White	148	1	4				2	1		1		5		
	Vicksburg*—Colored	393	2	14				4	1	3			25		9
	MISSOURI.														
10	Cape Girardeau	186	2	1					1	3			19		
11	Carthage	142	3			1	1	1	4	1			11		1
12	Columbia—White	128						1		4			15	1	1
	Columbia—Colored	44	1							3			9		
13	Hannibal	220	4	2				2	4	4	1		11		1
14	Independence	203	4		1	1	1		3	3			7	3	1
15	Jefferson City—White	145						4	3	2			11		1
	Jefferson City—Colored	29	2										8		
16	Joplin	415	7						5		1		40	2	3
17	Kansas City—White	3,891	35	1	111	14	11	2	81	32	13	6	183	10	28
	Kansas City—Colored	763	4	2	48	3		2	1	17	1	1	103	1	10
18	Moberly	207	1		4		1	1	4	3			13		1
19	St. Joseph	1,253	7	1		1	7	5	14	10	4		55	2	11
20	St. Louis—White	8,306	31	7		6	44	53	157	35	25	8	428	23	36
	St. Louis—Colored	1,301	3	1				12	9	7	1	4	174	7	19
21	Sedalia	300	5	1				1	6	4	1		19		4
22	Springfield	593	3	3	1	1	1	4	7	9	5	1	50	4	5
	MONTANA.														
23	Anaconda	118	1					6		2		1	7		
24	Billings	198	1					1	1	5	3	1	5	1	4
25	Butte	468						7	1	2	3	1	26	1	1
26	Great Falls	263	1		1	3		3	2				10	2	2
27	Helena	167	2				1			2	1		10		
28	Missoula	212				3		2		3	4		3	1	3
	NEBRASKA.														
29	Grand Island	231	1			1	14	1	3		3	1	4	1	3
30	Hastings	167					3						4		1
31	Lincoln	714	5				2		2	8	3		26		2
32	North Platte	104	3				1		1	2			2		
33	Omaha—White	2,427	10	1	3	4	9	2	86	17	7	4	95	9	11
	Omaha—Colored	172				1			2	1	1		29	3	5
	NEW HAMPSHIRE.														
34	Berlin	173	1				2		2	1	1	1	7	1	
35	Concord*	424				1		1		7	4		14		2
36	Dover	181	2						3	1	1	1	4		1
37	Keene	157							1				9	1	1
38	Laconia	172	2					3		5			5		2
39	Manchester	950	2			2	3	10	35	6	3		41	14	6
40	Nashua	405	2	1			3	3	7	3			15	3	3
41	Portsmouth	186						1	5		4		5		1
	NEW JERSEY.														
42	Asbury Park—White	112							1				5		1
	Asbury Park—Colored	46											4		1
43	Atlantic City—White	772	5				4	9	6	3			15	3	3
	Atlantic City—Colored	209						4	1	4			19	1	1
44	Bayonne	790	4				26	8	15	11	2		41	5	4
45	Belleville*	327					21	1	32			1	159		
46	Bloomfield	160					1			2	2		8		1
47	Bridgeton	247	9				3	3	2	4			13	2	2
48	Camden	1,535	9			6	7	19	25	7		1	89	2	6

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1921—Continued.

bered 10,000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920; the remainder of the state is included in "rural districts." Numbers under causes of death correspond to those of the 1920 revision of the detailed International List.]

DEATHS FROM—																			
Cancer and other malignant tumors.	Rheumatism.	Diabetes mellitus.	Cerebral hemorrhage and softening.	Other [organic] diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis.	Puerperal septicemia.	Other puerperal causes.	Congenital malformations and diseases of early infancy.	Suicide.	Homicide.	Accidental and unspecified external causes.	Unknown or ill-defined diseases.	All other causes.	
48-49	51, 52	57	74, 88	90	99	100,101	113	117	118	122	128,129	146	143-145 147-150	159-163	165-174	197-200	175-196 201-203	204,205		
4			3	18		7	14		1	1	12		1	10	1	1	7		23	1
2	1		4	2	1	1	1				2			2			1		12	
2			6	7		1	1	1	1		3	1		1	2	2	5	1	11	
			4	16		4	1				2			1		2	7	7	19	2
8		1	5	5	1	7	2	1	1		4		1		1	4	6		16	
10	1		13	24	2	10	6	4	4		20	1		5		6	9	9	65	3
3			6	6		5	3	7	3		9	1	1	2		2	8		11	
1			1	2	1	5	4	1	1		2			2	1	3	8	6	8	4
20	1	9	22	23		14	6	14	7	1	25	3	8	15	6	3	15	4	73	
13		2	17	39	1	32	3	13	5	7	36	2	9	24	2	19	24	35	216	5
3		3	6	4		12	6	5	1	1	9	5	4	5		3	5	3	30	
3	1		4	3	1	3	7	2	1		10	1	2	4		4	5	2	24	6
16	1	2	9	11	2	6	14	11	6		23	3	5	14	2	6	14	1	53	
10			6	9	1	9	11	5	4		19	2	4	2		9	11	23	44	7
4		2	12	5		2		1	1		6			2			6	1	14	
6	1		5	9	1	9	7			1	20		2				4	26	18	8
12		4	8	27		3	3	4	2	2	19		2	6	1		9	3	29	
21	4	2	9	76		19	4	7	2		28	2	4	9		18	12	12	106	9
10		1	7	12	1	14	10	7	8	2	8	4	2	16	2	3	19	2	32	10
11		5	3	18		8	4		3	2	21	2	2	9	2	2	10	2	15	11
9		3	8	11		13	5	1	2	1	8		1	14	1		5	1	25	
1			2	6				1	1		6			3			2		3	12
16		2	16	27	1	12	1	3	3	4	12	6	4	18	1		14	6	45	13
25		7	17	31		14	3	4			16	2	2	6	2	2	8	1	39	14
13	1	1	7	7		15	1	6	4		11	2		11	1	2	7	2	33	
4			2		1	1					2			2		1	1	1	4	15
39	1	7	26	48	1	17	13	14	1	3	33	3	4	31	3	6	23	12	72	16
351	8	58	229	335	19	258	153	79	53	33	345	20	22	253	72	66	223	5	782	
29	4	5	23	77	2	74	12	11	5	14	63	6	4	22	5	30	38	4	142	17
21		7	28	9		11	4	13	2	1	24	6		9	1	3	14	1	25	18
97	4	18	119	105	6	72	36	44	14	8	93	16	9	67	15	14	81	1	317	19
853	34	154	461	921	107	821	132	112	105	96	950	48	47	412	162	91	438	2	1,507	
58	7	12	50	174	22	158	14	16	14	16	128	6	10	53	3	37	46	1	239	20
32	1	7	14	23	2	23	9	4	2	1	45	2	2	16	5	3	15		53	21
43	1	13	30	60	6	39	11	21	14	4	34	8	5	39	8	4	37		122	22
11	1	1	10	12		9		1	1	2	9		2	15	4	2	5	4	12	23
20	1	3	9	16		12	5	9	5	2	15	1	4	18	1	1	17	2	35	24
39	1	8	24	60	6	51	12	18	6	6	34	6	1	25	11	6	31	1	80	25
22	4	3	14	23	4	25	6	10	7	2	14	3	1	32	5	1	12	1	50	26
14		4	12	29		14	2	6	1		15	4	2	5	2		6	1	34	27
16	2	4	15	25	1	16	4	9	6	2	9	2	1	16	5	2	12		46	28
18		2	9	18		19	6	11	3		9	2	7	15	2		21		57	29
14		3	16	24		7	2	12	3	4	16		4	5	3	1	10		35	30
80	6	14	59	66	2	49	8	20	8	5	83	3	13	51	9	4	41	3	142	31
8	1	3	6	7		4	3	4	2		3	4	1	13	5	2	13		16	32
226	7	45	139	256	5	199	40	73	31	11	135	20	21	208	43	23	132	6	549	
11			5	14		16	3	4	3		10			7	2	13	12		30	33
12	2	2	7	10		13	17	8	1		3		2	31	1		9	1	38	34
27	3	7	48	53	6	32	3	5	4	5	34		4	27	7	1	14	1	114	35
16	2	2	21	17	4	10	7	1	4		13	1		12			9		49	36
15	2	3	16	24		8		2	1	1	14	2	4	9	6		6		32	37
16	1	2	13	16	2	10	2		5	1	12		1	19	1		5	1	48	38
82	4	17	81	94	16	69	54	11	8	5	50	2	9	106	8	4	42	4	162	39
41		9	25	24	3	27	21	12	2	3	48	3	3	45	3	1	26		69	40
18		6	23	23	1	15	3	4	1		5	1	1	22	2		16		29	41
12		2	19	17	1	6			1	1	8	1	1	2	1	2	10		21	
1			4	7		4	3				7			4		1	2		8	42
74	3	30	56	139	5	39	9	15	11	8	96	4	3	31	15	4	55	2	125	
8	3	1	17	21	3	21	5		1		20	2	1	16	1	3	7	1	48	43
47	5	13	51	67	11	99	56	7	9	5	58	4	6	84	4	2	46		100	44
9		2	12	25	2	14	6			2	8	1		6	2	1	5	2	16	45
10	2	4	22	28	2	12	3				20	2		9	2		6		24	46
25	1	2	25	34		19	2	3	3	1	18	1	2	18	1	1	14	1	38	47
105	8	24	85	192	13	203	100	17	11	11	149	13	20	110	8	9	112		174	48

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[The white and colored are shown separately for minor subdivisions when the colored population of the subdivision formed at least 10 per cent of the total, or num-
Minor areas which are designated by asterisks (*) contain state insane asylums, state hospitals, etc.

	AREA AND COLOR.	DEATHS FROM—												
		All causes.	Typhoid and paratyphoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria.	Influenza.	Erysipelas.	Meningococcus meningitis.	Tuberculosis of the respiratory system.	Tuberculosis of the meninges, etc.	Other forms of tuberculosis.
			1	5	6	7	8	9	10	11	21	24	31	32	33–37
	REGISTRATION CITIES—Continued														
	NEW JERSEY—continued.														
1	Clifton	195					6	1	8	1	1	1	10	2	4
2	East Orange	378				2	1	1	4	1	2		17		1
3	Elizabeth	1,008	2	1		6	4	9	20	7	1	4	51	6	5
4	Englewood	197											2	1	
5	Garfield	143				4	4	2	4	4		1	10	1	
6	Gloucester	146						1	3	1			10		1
7	Hackensack	305	2				1		11	3			8	2	3
8	Harrison	122				1	2	5	6				10		
9	Hoboken	865	3				9	5	18	7	5	3	60	6	6
10	Irvington	229						2	1		2		12		
11	Jersey City	3,601	12			29	9	33	79	27	5	12	224	10	20
12	Kearny	266	1			1	3	4	3	4	1		22		
13	Long Branch	358	5					4	1		2	1	15	3	3
14	Millville	181	1				1	2	2	2	1		14		1
15	Montclair {White	182				1		3		6	1		10		
	{Colored	30						1					2	1	
16	Morristown*	301	2	1		1	5	1	7				4		3
17	New Brunswick	485	2				3	3	18	3		3	30	2	1
18	Newark {White	4,238	11			13	18	20	30	18	10	8	228	29	22
	{Colored	400	1					6	2	4	1		53	6	7
19	Orange {White	450				3		5	3	8			18	3	1
	{Colored	78						1		1		1	7		1
20	Passaic	695	2			3	25	2	9	3	5	3	38	3	6
21	Paterson	1,746	8	1		2	7	6	34	5	4	1	115	13	12
22	Perth Amboy	501	1			5	9	2	26	7	2	1	26	4	3
23	Phillipsburg	186				2		3	3	5	1		12	1	2
24	Plainfield	374	2			1	2	4	5				19	4	8
25	Rahway	161	1				1		1	1	1		3		5
26	Roosevelt	56					1		4				3		
27	Summit	146	1					1	2	1		1	10	1	
28	Trenton	1,610	11	1		4	9	14	16	14	5	2	100	7	4
29	Union	155				2	1	1	2	2	1		5	3	
30	West Hoboken	270		1			3	1	1	5			15	1	
31	West New York	197					1	2	4		1		7	1	2
32	West Orange	97				1		1	1				5		
	NEW YORK.														
33	Albany	1,742	4			2	3	8	22	14	4		113	8	14
34	Amsterdam	416							5	2	1		19	2	
35	Auburn	495	3				3		14	1	1		29	4	4
36	Batavia	242	1					1	2	3	1		6		
37	Beacon*	170	1			1	1	1		1	1		15		4
38	Binghamton*	1,047	3			3	5	1	13	9	3		56	6	4
39	Buffalo	6,536	22		1	29	61	80	149	11	19	9	501	33	41
40	Cohoes	290	2			1	1	3	4	2	1		23	2	2
41	Corning	177	1				3	2					8		2
42	Cortland	202	2					1	3	1			4		1
43	Dunkirk	222	2				3		8	3		1	8	1	3
44	Elmira	623	6			1	3	2	2	4	1	1	17	1	5
45	Fulton	180	3			1			1	1	1	1	5		1
46	Geneva	190	1				1	3	6		1		10		3
47	Glens Falls	266	2			1							8		
48	Gloversville	344	1				8	1	5	6	2		12	1	1
49	Herkimer	127	1			2			6				4	1	1
50	Hornell	226	2						2	2			6		2
51	Hudson	191							1	2			8	3	1
52	Ilion	114	1							2			2		1
53	Ithaca	269	3					1	2	4	1		4	1	5
54	Jamestown	479	1			2		2	7	4	1	1	29	3	2
55	Johnstown	139						2			1	1	5	1	
56	Kingston	465	5				4		6	5	2		39	3	2
57	Lackawanna*	350	4					18	4	1	3		5	3	
58	Little Falls	145	3				2						4	1	
59	Lockport	288	1			2		2	7	1			12		1
60	Middletown*	408				4	1	6	3	5			27	1	1
61	Mount Vernon	406	4			1	1	4	3	2	2		18	1	1
62	New Rochelle	301	2			1	2	2	3	2		4	12	1	1
63	New York {White	61,575	123	8	1	258	420	352	862	351	170	151	4,729	378	354
	{Colored	3,028	4			9	6	27	19	15	11	5	457	22	54
64	Bronx Borough	6,975	14		1	13	61	30	107	61	12	18	598	34	42
65	Brooklyn Borough {White	21,547	44	1		35	116	101	347	135	55	50	1,489	131	120
	{Colored	637	1				1	5	2	6	2	1	33	2	9
66	Manhattan Borough {White	26,756	50	5		201	208	189	305	115	92	73	2,161	185	165
	{Colored	2,129	2			9	4	19	13	8	7	4	343	19	40
67	Queens Borough	5,032	11	1		7	36	21	82	37	10	8	334	23	29
68	Richmond Borough	1,527	5	1		2		14	25	4	3	2	178	6	3

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1921—Continued.

bered 10,000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920; the remainder of the state is included in "rural districts." Numbers under causes of death correspond to those of the 1920 revision of the detailed International List.]

DEATHS FROM—																			
Cancer and other malignant tumors.	Rheumatism.	Diabetes mellitus.	Cerebral hemorrhage and softening.	Other [organic] diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis.	Puerperal septicemia.	Other puerperal causes.	Congenital malformations and diseases of early infancy.	Suicide.	Homicide.	Accidental and unspecified external causes.	Unknown or ill-defined diseases.	All other causes.	
43-49	51, 52	57	74, 83	90	99	100,101	113	117	118	122	128,129	146	143-145 147-150	159-163	165-174	197-200	175-196 201-203	204,205		
21	1	2	11	28	1	17	10	-------	1	2	15	-------	-------	18	3	1	10	-------	20	1
43	5	7	56	72	4	26	6	3	-------	3	45	-------	-------	17	3	1	9	-------	49	2
91	7	20	73	118	11	111	39	23	10	8	69	11	5	78	8	3	71	5	131	3
19	-------	6	14	13	-------	19	8	1	7	4	21	2	4	19	1	1	15	-------	40	4
10	-------	-------	4	26	3	10	17	-------	-------	1	7	-------	-------	14	4	-------	7	-------	10	5
10	-------	-------	12	19	1	11	13	-------	-------	2	24	-------	-------	11	1	-------	8	1	17	6
29	2	6	22	38	1	22	5	9	3	1	26	2	2	22	3	1	25	2	54	7
8	2	2	5	16	1	12	11	-------	-------	3	8	-------	1	8	2	-------	5	-------	14	8
57	2	28	53	157	8	97	34	8	9	7	71	7	4	28	15	3	59	2	94	9
28	2	4	20	35	2	8	3	5	1	1	32	-------	1	10	6	-------	17	-------	37	10
267	26	52	220	460	44	376	231	47	46	25	279	30	36	259	37	17	206	3	471	11
28	1	3	31	31	2	20	2	5	2	2	23	-------	1	18	2	-------	24	-------	32	12
34	4	3	29	23	1	17	8	11	12	3	36	4	8	25	2	4	34	-------	66	13
18	-------	3	23	28	4	10	10	1	1	3	9	-------	1	10	-------	-------	5	-------	31	14
25	-------	1	20	40	2	14	6	-------	-------	1	18	-------	-------	6	3	-------	4	-------	21	15
4	-------	-------	2	4	-------	8	1	-------	-------	-------	4	-------	-------	-------	-------	-------	-------	-------	3	
32	-------	5	21	40	-------	17	3	13	4	1	30	3	5	32	2	-------	21	-------	48	16
47	2	8	48	40	2	37	15	5	3	2	30	5	6	39	5	4	49	3	70	17
408	23	74	284	621	54	298	189	68	42	42	324	24	41	365	67	22	275	7	603	18
13	3	4	17	53	2	54	27	3	4	-------	30	8	4	33	3	2	12	-------	48	
40	1	11	39	59	4	41	15	14	8	6	31	3	4	44	4	3	19	-------	63	19
2	-------	-------	2	11	1	9	2	1	-------	1	4	2	3	10	-------	-------	3	-------	16	
48	3	12	30	67	10	58	31	17	9	1	46	3	13	81	12	4	62	1	88	20
145	11	33	117	232	8	164	37	38	27	17	126	9	21	136	20	6	120	-------	271	21
39	1	10	27	43	2	43	35	3	3	3	25	1	2	56	4	7	46	4	61	22
13	3	7	20	21	1	21	5	-------	1	1	14	-------	-------	13	1	-------	7	1	28	23
40	2	7	20	57	1	26	10	4	4	1	37	2	1	24	5	1	30	-------	57	24
18	2	2	23	21	1	14	5	1	1	3	9	-------	-------	9	2	1	17	1	18	25
2	-------	-------	4	3	-------	10	10	-------	-------	-------	2	1	1	6	-------	-------	3	-------	6	26
15	-------	4	17	26	-------	16	-------	-------	4	-------	8	-------	2	10	1	-------	10	1	15	27
118	6	16	99	213	5	134	71	13	15	13	147	6	26	135	19	5	109	1	272	28
14	1	2	17	22	-------	19	5	2	3	3	18	-------	-------	10	1	-------	2	1	18	29
20	3	9	29	54	4	24	13	-------	1	-------	35	-------	-------	15	4	-------	3	-------	29	30
15	3	5	13	35	1	28	7	-------	1	-------	17	-------	2	21	4	1	6	2	18	31
12	-------	3	8	20	-------	10	1	-------	1	-------	11	-------	1	5	1	-------	4	-------	12	32
172	7	36	145	270	9	93	33	18	25	15	153	7	16	98	24	8	97	1	323	33
33	-------	7	33	60	3	26	14	6	9	3	30	-------	4	38	2	-------	41	2	76	34
51	2	6	54	79	7	20	16	6	4	2	38	2	2	39	2	-------	24	-------	32	35
21	1	5	24	15	6	12	7	7	5	2	14	1	3	28	1	1	22	2	51	36
20	-------	-------	18	18	-------	18	1	-------	2	2	18	-------	-------	9	3	-------	7	-------	29	37
83	3	9	81	171	14	73	31	14	4	11	94	3	5	57	7	1	48	1	234	38
533	21	116	431	850	75	390	390	110	69	31	456	33	44	585	53	34	315	1	1,043	39
21	1	9	32	54	1	18	18	2	1	3	16	-------	1	21	-------	-------	14	-------	37	40
11	-------	6	17	21	1	12	6	3	3	4	14	1	2	13	3	1	10	-------	33	41
21	-------	5	25	20	3	17	2	5	5	1	20	-------	2	13	3	-------	5	-------	43	42
14	1	1	15	20	2	19	7	6	4	4	14	1	4	21	1	1	16	-------	42	43
51	2	15	50	96	8	41	14	11	9	6	80	3	3	42	5	3	38	-------	103	44
7	1	3	22	26	4	13	4	4	-------	1	11	-------	3	11	-------	1	15	-------	40	45
17	-------	8	16	14	3	15	2	1	3	-------	20	2	-------	26	2	1	10	-------	25	46
28	-------	6	24	46	2	11	4	9	3	1	14	1	1	21	2	-------	22	1	59	47
37	1	5	32	70	2	15	9	9	6	2	35	1	3	14	2	2	17	-------	45	48
9	-------	3	11	18	2	12	1	2	1	-------	9	1	2	12	-------	-------	12	1	16	49
15	2	2	14	50	1	13	2	5	2	5	14	1	-------	15	4	1	13	-------	53	50
13	-------	6	23	23	-------	11	4	4	4	-------	16	2	1	15	2	1	17	-------	34	51
10	-------	2	15	16	3	8	1	8	-------	-------	17	-------	1	5	-------	-------	4	-------	18	52
27	2	5	18	29	1	22	5	1	5	3	31	3	1	21	2	1	18	-------	53	53
40	2	10	38	71	8	22	7	4	6	4	33	3	2	42	6	1	29	-------	99	54
15	-------	2	15	23	-------	10	3	-------	1	2	16	1	-------	4	1	-------	6	-------	30	55
35	-------	9	28	64	6	28	4	12	14	5	39	2	4	30	5	1	27	-------	86	56
10	1	-------	2	17	9	31	58	3	-------	2	5	-------	6	71	3	1	17	1	75	57
13	-------	6	8	14	1	6	4	4	-------	-------	6	3	6	18	1	-------	16	-------	29	58
18	2	1	25	56	1	14	12	7	1	1	15	2	3	18	2	2	23	-------	59	59
24	1	5	44	71	-------	26	7	10	2	1	48	-------	2	21	4	-------	20	1	73	60
44	2	3	28	68	-------	41	10	2	1	4	48	3	7	37	6	-------	19	-------	46	61
23	2	4	26	56	4	31	7	4	3	4	17	-------	2	26	-------	-------	21	-------	41	62
5,491	288	1,360	3,149	9,352	507	6,232	2,040	804	597	512	5,370	299	465	4,240	809	299	3,381	26	8,197	63
127	11	27	83	388	20	422	113	34	17	10	204	33	35	254	22	41	104	3	451	
680	42	194	347	1,013	36	729	128	101	85	46	586	31	69	523	86	27	318	3	940	64
1,763	126	452	1,086	3,663	189	2,212	753	312	180	168	2,035	117	186	1,490	209	85	1,191	8	2,648	65
34	4	6	18	88	8	77	20	11	2	3	60	4	6	59	3	10	22	-------	90	
2,486	101	576	1,285	3,684	236	2,750	992	299	250	225	2,015	121	169	1,803	445	170	1,543	11	3,846	66
84	4	17	53	260	11	314	92	20	13	7	120	27	24	174	18	28	71	1	323	
452	17	115	368	774	38	448	124	78	65	58	541	28	41	337	64	17	236	6	626	67
119	5	27	75	258	9	124	44	17	19	15	167	4	5	108	6	3	104	-------	175	68

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[The white and colored are shown separately for minor subdivisions when the colored population of the subdivision formed at least 10 per cent of the total, or num-
Minor areas which are designated by asterisks (*) contain state insane asylums, state hospitals, etc.

	AREA AND COLOR.	DEATHS FROM—												
		All causes.	Typhoid and paratyphoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria.	Influenza.	Erysipelas.	Meningococcus meningitis.	Tuberculosis of the respiratory system.	Tuberculosis of the meninges, etc.	Other forms of tuberculosis.
			1	5	6	7	8	9	10	11	21	24	31	32	33-37
	REGISTRATION CITIES—Continued.														
	NEW YORK—continued.														
1	Newburgh	431	1			1	2	1	3	2	2		33	3	4
2	Niagara Falls	622	5			8	11	5	25	5		4	16	6	6
3	North Tonawanda	181	3					1	11	1			10		
4	Ogdensburg*	457	3			1	1	1		4	1		25	3	
5	Olean	294	1				1	3	2	1	1		7	1	2
6	Oneida	149	1						1				3	2	1
7	Oneonta	199	1			1	1	1	2				4	1	1
8	Ossining	155					2	1	1		1	1	3	3	1
9	Oswego	330	1						5				18	2	
10	Peekskill	187				2		2	2	3			11		2
11	Plattsburg	196	1				1		2	1	1		5	1	5
12	Port Chester	190	1			5	2		2	2			4		1
13	Port Jervis	212	1	1		2	1	1	2	7		1	5		1
14	Poughkeepsie	426	3						7	1			14	4	3
15	Rensselaer	114							1				1		
16	Rochester	3,663	10			2	24	42	84	5	9		160	16	31
17	Rome*	515	1			7			20	1			72	2	2
18	Saratoga Springs	270				1	2		1	1		1	13	1	3
19	Schenectady	884	5			3	10	4	13	2	1	4	34	4	6
20	Syracuse	2,139	7			7	12	22	81	2	4	1	89	15	20
21	Tonawanda	76	1						1				7		1
22	Troy	1,161	7			11	2	13	5	4	4		43	13	5
23	Utica*	1,417	8			27	1	5	34	7	2	1	52	8	4
24	Watertown	482	2			3	3	2		1	1		25		2
25	Watervliet	179	1					5	3	2			11	2	
26	White Plains	239	1							1		1	8		1
27	Yonkers	960	4			1	11	5	13	4	6	3	93	7	6
	NORTH CAROLINA.														
28	Asheville* White	461	3					7	2	5	1		149	4	4
	Asheville* Colored	148								7			29	1	1
29	Charlotte White	396				5	2		5	3		1	19	3	2
	Charlotte Colored	301		4		2		3	2	6			40		5
30	Durham White	146								7		1	13	1	
	Durham Colored	189	5							6			34		8
31	Gastonia White	150		1		2	2	1	3	1		2	5		1
	Gastonia Colored	50	1						1	3			6		
32	Goldsboro White	68	1					1		2			5		2
	Goldsboro Colored	132	2	3						1		1	18		1
33	Greensboro White	169	3							3	1		5		
	Greensboro Colored	116	4						1	4			15		1
34	High Point White	133				4		2	5	3			10		
	High Point Colored	50						1		1			8		
35	New Bern White	79	2	2					1				3	1	
	New Bern Colored	155		6				1	2	4			16		
36	Raleigh* White	319				1		3		2		2	18		1
	Raleigh* Colored	228	3					5	2				29	1	3
37	Rocky Mount White	129				3		3	1	2	1		4	1	
	Rocky Mount Colored	108		2				2		2		1	11		1
38	Salisbury White	118	1	1		2		1	1	2			1		1
	Salisbury Colored	68	2					1		2			7		3
39	Wilmington White	311		2		3	1	1	2	1			10	3	1
	Wilmington Colored	293	1	1		3							20		7
40	Wilson White	105	1		1			1					1		
	Wilson Colored	112	1			1		3		2			17		1
41	Winston-Salem White	278				5	2	3	1	1	1		11	2	
	Winston-Salem Colored	348	2		1	3	1	4	3	2		2	54	4	6
	NORTH DAKOTA.[1]														
42	Fargo	303	2				8		3	5	2	1	5	1	2
	OHIO.														
43	Akron	1,564	13			2	14	12	33	13	4	3	82	3	13
44	Alliance	283	2			1	2	4	3	1	1	1	13		3
45	Ashtabula	255	3	1			1		4	1			11	1	3
46	Barberton	176	1				3	4		1	1	1	9		2
47	Bellaire	184	1			3		1	4	6			10		4
48	Bucyrus	114	1				2		1	1			1		
49	Cambridge	166	3			5		2	5	3	1		9		1
50	Canton	975	6			3	7	4	23	5	3	1	26	1	5
51	Chillicothe	205	8				1	1	1	2	1		10	1	3
52	Cincinnati White	4,954	11		1	9	11	28	70	30	11	3	391	26	45
	Cincinnati Colored	746	4	1		5	3	13	1	9	2	2	129	3	22
53	Cleveland White	8,019	25	2		21	118	35	186	32	20	7	520	59	70
	Cleveland Colored	678	3			3	2	13	4	4	2	2	144	3	17

[1] Nonregistration state; the only cities shown are those with satisfactory registration of deaths.

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1921—Continued.

bered 10,000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920; the remainder of the state is included in "rural districts." Numbers under causes of death correspond to those of the 1920 revision of the detailed International List.]

DEATHS FROM—																			
Cancer and other malignant tumors.	Rheumatism.	Diabetes mellitus.	Cerebral hemorrhage and softening.	Other [organic] diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis.	Puerperal septicemia.	Other puerperal causes.	Congenital malformations and diseases of early infancy.	Suicide.	Homicide.	Accidental and unspecified external causes.	Unknown or ill-defined diseases.	All other causes.	
43-49	51, 52	57	74, 83	90	99	100,101	113	117	118	122	128,129	146	143-145 147-150	159-163	165-174	197-200	175-196 201-203	204,205		
41	1	7	55	73	5	25	7	4	4	3	41	4	2	29	3	.....	23	.....	52	1
50	.....	4	33	56	6	54	60	3	4	2	25	3	4	56	4	7	64	.....	96	2
20	.....	5	11	18	3	6	4	2	2	.....	7	1	2	21	1	.....	15	1	36	3
31	.....	7	30	80	4	23	9	13	5	2	36	1	6	42	2	.....	25	.....	102	4
32	2	6	18	41	1	16	13	10	4	2	10	6	6	24	2	.....	21	.....	61	5
15	.....	2	14	29	2	5	4	3	1	2	6	1	1	7	3	3	8	1	34	6
9	.....	3	17	33	1	14	1	8	4	.....	22	6	3	10	.....	1	13	.....	42	7
11	.....	3	13	25	1	4	1	1	4	1	15	1	1	13	1	.....	24	.....	23	8
26	1	4	41	59	2	19	10	3	4	2	27	.....	.....	37	2	.....	25	.....	42	9
17	1	10	25	21	5	9	2	2	2	1	9	.....	.....	12	2	.....	15	1	31	10
12	1	3	14	24	4	12	3	3	3	1	11	3	3	21	1	3	21	.....	36	11
13	1	5	15	25	1	7	4	4	3	.....	21	4	.....	15	1	.....	20	.....	34	12
15	8	4	14	22	3	4	9	6	6	11	8	.....	7	15	2	.....	15	.....	41	13
42	3	9	64	76	5	24	9	4	4	1	34	2	2	20	1	1	19	.....	74	14
15	.....	3	13	19	1	8	2	.....	.....	1	12	.....	1	6	.....	1	5	.....	25	15
350	14	35	281	594	20	208	162	50	36	28	319	24	24	273	36	15	200	1	560	16
44	.....	4	43	73	12	22	20	5	3	4	34	3	.....	27	2	.....	27	.....	87	17
23	.....	6	19	42	.....	11	8	6	6	4	43	2	1	9	2	1	16	1	47	18
72	5	14	99	132	8	56	9	12	11	3	69	6	8	72	11	1	38	.....	172	19
191	7	49	163	339	9	147	94	24	25	10	124	8	13	172	21	8	125	2	348	20
8	.....	1	4	10	2	7	2	.....	.....	1	3	.....	.....	7	.....	.....	6	.....	15	21
116	.....	18	98	210	5	86	38	14	17	6	93	10	5	66	8	2	63	1	193	22
139	4	18	96	211	8	105	54	22	13	7	121	4	14	96	11	7	74	1	263	23
39	2	11	52	75	2	14	16	4	12	2	16	3	7	45	4	1	43	.....	95	24
23	.....	3	15	28	3	11	11	.....	4	1	13	.....	1	10	.....	.....	8	.....	24	25
24	2	4	23	50	.....	18	1	3	4	.....	16	.....	2	23	2	.....	15	1	39	26
79	8	16	69	117	8	80	31	12	9	5	78	8	12	81	13	4	54	.....	123	27
13	1	6	18	14	.....	18	11	13	7	1	37	1	7	29	.....	6	27	8	69	28
6	.....	1	10	18	2	19	4	1	2	.....	9	.....	3	5	.....	2	8	2	18	
21	.....	7	23	40	2	33	15	9	2	1	23	5	4	31	2	2	28	6	102	29
7	3	.....	17	31	7	22	7	9	3	3	16	2	4	13	.....	4	20	6	65	
7	.....	2	6	20	1	7	12	.....	1	.....	16	1	.....	13	2	1	7	11	17	30
5	.....	.....	8	22	1	13	11	.....	1	.....	13	.....	4	8	.....	1	1	11	37	
6	.....	2	8	12	.....	8	4	8	3	.....	8	1	2	24	.....	.....	13	10	23	31
5	.....	.....	2	7	1	1	.....	1	.....	.....	3	1	.....	2	1	.....	2	4	9	
4	.....	.....	2	8	2	4	4	3	.....	1	3	.....	.....	7	.....	.....	6	1	12	32
4	.....	1	7	12	2	3	6	.....	1	.....	9	.....	3	20	.....	4	6	4	24	
14	.....	2	13	15	2	6	1	5	2	3	17	1	5	14	.....	1	12	2	42	33
5	.....	.....	4	8	.....	10	4	1	4	.....	6	3	4	11	.....	6	3	1	21	
5	.....	1	4	12	.....	9	8	8	2	.....	5	2	5	10	.....	.....	7	4	27	34
3	1	2	2	2	.....	4	3	.....	.....	.....	3	1	1	4	.....	.....	4	4	6	
7	.....	2	3	10	.....	3	1	2	2	.....	6	.....	1	4	1	.....	3	3	17	35
1	1	.....	19	22	1	6	12	1	2	2	18	1	2	5	.....	1	11	1	20	
14	.....	2	35	22	3	18	7	8	1	3	40	1	1	19	3	1	21	3	90	36
8	2	1	10	25	.....	12	6	3	3	1	17	3	3	17	.....	4	14	2	54	
6	.....	1	6	9	.....	5	8	7	2	1	12	1	2	19	2	1	5	3	24	37
3	2	1	8	9	1	1	8	4	.....	1	11	.....	1	13	1	4	6	2	13	
6	1	1	17	10	.....	6	6	2	1	1	4	1	1	6	1	1	11	1	31	38
2	.....	.....	2	6	1	7	4	.....	.....	.....	2	.....	.....	5	.....	1	3	5	15	
15	.....	3	14	23	1	27	26	5	6	1	38	3	6	37	4	3	22	4	49	39
14	.....	2	25	19	3	26	23	.....	2	1	39	2	4	19	1	10	17	6	48	
3	.....	.....	3	8	.....	4	5	7	2	.....	14	.....	5	12	2	2	9	6	19	40
2	1	2	2	7	.....	10	1	2	2	.....	8	.....	3	.....	.....	4	8	20	15	
12	.....	6	24	21	1	18	21	9	4	.....	18	1	6	38	3	2	16	4	48	41
6	1	3	19	28	.....	30	26	1	3	.....	28	2	5	36	.....	8	9	10	51	
20	.....	10	14	25	2	22	6	12	12	1	5	1	10	39	2	1	15	3	74	42
100	3	16	92	181	10	156	58	22	16	18	78	18	20	166	28	29	145	.....	216	43
23	.....	11	22	22	2	16	6	11	5	3	18	3	4	28	3	1	27	2	45	44
27	.....	6	18	29	1	13	6	4	5	1	4	6	1	31	4	1	24	3	46	45
8	.....	2	11	13	2	16	10	2	2	.....	8	2	.....	28	3	1	17	.....	29	46
11	.....	1	19	14	2	18	5	7	2	.....	9	3	1	23	1	2	12	.....	25	47
14	2	4	14	7	.....	9	2	1	2	1	11	1	1	10	1	1	4	.....	23	48
11	.....	1	11	24	.....	9	5	3	1	.....	13	.....	.....	14	1	.....	16	.....	28	49
83	8	8	109	118	.....	74	41	15	9	6	28	10	15	106	10	12	70	4	165	50
16	.....	4	15	22	3	14	6	8	.....	.....	15	.....	1	14	2	.....	17	3	37	51
486	10	98	412	710	34	322	113	95	64	42	451	26	33	264	54	34	289	9	772	52
26	4	3	49	81	6	88	15	11	8	4	56	7	3	33	4	28	23	.....	103	
620	45	137	502	766	60	656	346	135	95	46	548	74	64	677	116	77	497	34	1,429	53
21	3	5	33	50	1	92	11	8	6	2	42	7	6	35	1	15	24	1	118	

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[The white and colored are shown separately for minor subdivisions when the colored population of the subdivision formed at least 10 per cent of the total, or num-
Minor areas which are designated by asterisks (*) contain state insane asylums, state hospitals, etc.

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid and paratyphoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria.	Influenza.	Erysipelas.	Meningococcus meningitis.	Tuberculosis of the respiratory system.	Tuberculosis of the meninges, etc.	Other forms of tuberculosis.
			1	5	6	7	8	9	10	11	21	24	31	32	33-37
	REGISTRATION CITIES—Continued.														
	OHIO—continued.														
1	Cleveland Heights	110	1				1			1			7	1	
2	Columbus { White	2,796	11				15	9	41	20	4	1	142	11	25
	{ Colored	380						5		4	1		47	2	4
3	Coshocton	161	4				1	1	1	5			5		
4	Cuyahoga Falls	85					1	1	1				7	1	1
5	Dayton	1,734	8		1	1	18	13	19	16	4	3	120	9	13
6	East Cleveland	213	1						2	2	1		11	1	
7	East Liverpool	328	12		1	1		1	1	1	1		24	1	2
8	East Youngstown	128				5	9	1	2	1			5	1	1
9	Elyria	233	2						2	1			16		1
10	Findlay	211	2	1					1	3	4		9		1
11	Fremont	126	2			1		2	2				10	1	
12	Hamilton	487	1			2	9	6	12	12	2		24	2	1
13	Ironton	204	1			2	2	2	3	1			17	1	1
14	Kenmore	95	3				1	1	2		2	1	3		
15	Lakewood	379					1	1	2	3	1		23	2	3
16	Lancaster	190				1	1	2	4	3			15		2
17	Lima	472	6			1	1	2	5	5			23	4	6
18	Lorain	372	4			2	5	3	8	4		2	24	3	3
19	Mansfield	323				1	1	2	1	2	2	1	21		3
20	Marietta	228	4						6	3			16	1	4
21	Marion	338	5			1	4	2	8	3			20		1
22	Martins Ferry	177					2	1	5	1	1		7	1	1
23	Massillon	195							1	2	2		13		1
24	Middletown	251	2		2	1		2	6	2	2		19	3	6
25	New Philadelphia	114	1				2	2	1	5			5		1
26	Newark	371	2					1	13	7			18		3
27	Niles	141	2			5	9	1	1	2			8		3
28	Norwood	177						1	1		1		17		1
29	Piqua	174											13	1	3
30	Portsmouth	448	3				2	9	9	3	3		32	5	3
31	Salem	143	2				2		1	2			4	1	1
32	Sandusky	304	4					1	1	1		1	17	1	3
33	Springfield { White	625	3				3	7	23	9		1	30	4	5
	{ Colored	104	1						3				9		1
34	Steubenville	354	5			1			6	2	4		20		5
35	Tiffin	205	2					1	3				12	1	1
36	Toledo	3,047	22				7	13	92	24	14		278	12	28
37	Warren	376	9			1	7	3	3	3	1		22	4	4
38	Youngstown	1,554	25			11	29	17	13	5	4	2	77	14	15
39	Zanesville	469	3				1	9	7	6		1	20		4
	OKLAHOMA.[1]														
40	Oklahoma City	1,039	16				4	3	16	9	3	1	62	4	8
	OREGON.														
41	Astoria	173					1	1					13		2
42	Eugene	198	2					1	3	5	2	1	12	2	3
43	Portland	2,892	7	3	1	6	3	8	53	18	10	1	119	14	37
44	Salem (exclusive of)	236				1			2	2			8	1	2
45	State institutions	277				6				3			71		2
	PENNSYLVANIA.														
46	Allentown	1,182	15			5	4	1	25	9	4	3	94	3	6
47	Altoona	773	11			2	19	9	9	8	1		35	1	5
48	Ambridge	123				7	2		8	1			7	2	4
49	Beaver Falls	191	4			1		4	5	1			15	3	
50	Berwick	116	1					1	2	3	1		5		1
51	Bethlehem	459	3			3	7	11	14	3		2	27	6	3
52	Braddock	371	8				1	3	11	5		1	10	3	2
53	Bradford	230				3			1	5			20	3	
54	Bristol	140					6	4	3	5			8		1
55	Butler	297	1			1	3	2	2	7	1		11	1	3
56	Canonsburg	120	5				4			2			4	1	
57	Carbondale	315				4		5	8	12			12		3
58	Carlisle	173	1							6			5	1	4
59	Carnegie	101				1			5	3			4		1
60	Carrick	83						1		2			6		
61	Chambersburg	176	6					1	2	2	1		11		1
62	Charleroi	95						1	1	2			9		3
63	Chester { White	608	1				8	3	8	9			47	6	3
	{ Colored	153	1					2	1	2			18	1	4

[1] Nonregistration state; the only cities shown are those with satisfactory registration of deaths.

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1921—Continued.

bered 10,000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920; the remainder of the state is included in "rural districts." Numbers under causes of death correspond to those of the 1920 revision of the detailed International List.]

DEATHS FROM—																			
Cancer and other malignant tumors.	Rheumatism.	Diabetes mellitus.	Cerebral hemorrhage and softening.	Other [organic] diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis.	Puerperal septicemia.	Other puerperal causes.	Congenital malformations and diseases of early infancy.	Suicide.	Homicide.	Accidental and unspecified external causes.	Unknown or ill-defined diseases.	All other causes.	
43-49	51, 52	57	74, 83	90	99	100,101	113	117	118	122	128,129	146	143-145 147-150	159-163	165-174	197-200	175-196 201-203	204,205		
15	1	2	19	16	1	6	1	.....	1	.....	7	.....	1	3	1	.....	5	.....	20	1
240	7	48	212	329	11	180	52	53	38	16	133	18	19	190	30	16	201	4	720	2
10	.....	2	29	43	3	41	14	6	4	1	20	3	3	17	1	9	23	.....	88	
10	.....	2	11	20	.....	7	5	4	3	2	8	1	.....	7	.....	.....	14	.....	50	3
1	.....	4	6	6	.....	7	4	.....	.....	.....	15	.....	.....	7	5	.....	3	.....	15	4
175	7	21	153	219	8	80	49	25	24	18	118	11	15	127	14	16	97	1	331	5
22	2	3	25	34	.....	14	4	3	2	1	28	.....	3	9	1	.....	10	.....	34	6
22	.....	5	34	26	1	38	9	8	6	2	11	6	3	16	3	2	18	3	70	7
1	.....	.....	.....	3	4	30	27	.....	.....	.....	3	.....	.....	18	.....	3	5	.....	9	8
16	2	4	18	21	1	12	7	1	2	2	21	1	3	17	7	2	30	6	38	9
25	2	2	20	26	3	9	4	6	3	.....	7	.....	3	15	2	.....	11	.....	52	10
8	.....	3	21	12	3	4	2	3	4	2	10	.....	.....	7	.....	.....	3	1	25	11
46	2	10	44	56	2	18	20	4	6	8	21	3	7	42	9	7	33	2	76	12
14	1	1	21	18	2	14	8	3	5	2	12	2	3	19	1	2	12	2	32	13
7	.....	1	7	9	.....	7	2	.....	1	.....	8	.....	1	15	1	1	7	.....	15	14
39	3	13	28	57	2	24	12	4	2	3	40	4	1	21	2	.....	17	1	70	15
14	2	4	15	27	2	7	4	7	1	2	11	4	2	12	1	.....	11	.....	36	16
52	4	9	29	51	1	34	12	18	4	4	21	2	10	44	3	1	21	1	98	17
34	2	4	17	20	1	31	23	3	3	6	21	3	1	41	6	5	37	2	54	18
29	1	10	37	45	5	16	6	3	3	4	19	.....	.....	24	2	2	21	.....	62	19
11	.....	6	29	27	.....	6	2	4	6	.....	12	.....	1	15	5	.....	11	.....	59	20
25	2	2	31	43	3	15	16	7	1	1	17	4	4	31	4	2	26	.....	60	21
13	1	1	6	13	1	21	7	3	1	.....	13	4	1	13	1	2	27	.....	30	22
14	1	4	23	21	1	14	4	4	.....	3	14	.....	3	21	1	3	16	2	27	23
28	1	6	13	23	1	12	16	2	.....	2	18	3	3	20	.....	2	23	2	31	24
9	.....	2	8	14	3	4	5	.....	.....	2	7	1	2	19	1	.....	2	.....	18	25
27	.....	6	35	42	4	31	10	7	7	4	32	7	1	30	4	.....	16	.....	64	26
11	1	3	8	6	2	10	7	.....	.....	1	6	3	1	16	2	2	7	1	23	27
28	2	3	22	24	2	10	4	.....	1	3	13	.....	1	11	1	1	10	.....	20	28
8	2	4	14	20	1	8	2	8	4	.....	17	2	.....	14	2	.....	10	.....	41	29
25	2	5	22	33	5	33	29	12	6	3	37	6	3	37	.....	5	30	1	85	30
14	.....	.....	16	15	4	19	3	4	.....	.....	13	.....	.....	9	1	1	13	.....	18	31
34	4	3	23	48	2	7	6	4	5	3	16	3	.....	21	5	1	18	2	70	32
54	3	8	72	67	2	28	24	8	6	7	50	7	7	40	4	3	25	6	119	33
7	1	1	13	10	.....	19	4	.....	3	1	6	1	1	6	.....	1	2	1	13	
23	2	1	20	29	3	38	13	8	4	2	10	2	2	34	4	8	38	3	67	34
24	2	5	21	44	1	3	.....	3	4	2	11	5	1	9	2	.....	11	.....	37	35
229	10	44	245	344	22	167	109	49	47	26	143	36	22	208	49	42	178	3	584	36
29	.....	4	29	19	.....	54	11	12	2	.....	23	2	5	28	6	5	29	2	59	37
101	11	18	71	141	4	212	100	28	16	13	63	22	18	132	18	23	108	7	236	38
50	3	10	55	63	3	29	9	9	7	1	29	2	2	31	3	2	35	1	74	39
96	1	17	49	85	4	83	23	26	10	7	58	9	16	73	19	27	56	9	245	40
19	.....	.....	20	15	.....	8	4	7	3	1	5	.....	2	13	3	4	16	.....	36	41
17	.....	5	16	21	1	12	.....	4	3	.....	14	2	1	8	3	.....	10	.....	50	42
336	9	69	251	395	16	186	22	49	24	23	168	15	20	155	54	21	177	5	617	43
24	1	6	27	33	2	25	2	6	1	.....	9	3	3	8	2	.....	14	1	53	44
2	1	1	5	25	.....	9	.....	.....	3	.....	2	.....	.....	.....	3	2	12	.....	130	45
84	7	25	113	134	11	84	44	21	14	6	91	6	13	72	10	3	69	1	205	46
56	3	19	42	93	5	92	20	15	9	6	74	7	13	54	7	3	47	1	107	47
5	1	.....	3	9	.....	21	11	.....	2	.....	1	.....	1	13	3	2	10	1	9	48
8	1	.....	17	9	1	19	13	2	2	2	10	.....	2	16	4	2	16	2	32	49
6	.....	.....	7	12	2	24	5	3	.....	2	5	3	1	7	1	.....	7	1	16	50
31	1	6	44	35	5	55	38	.....	1	1	37	.....	.....	43	6	.....	21	3	53	51
22	.....	1	12	19	4	68	41	12	3	3	21	4	7	25	2	12	28	.....	43	52
22	2	7	11	17	1	14	8	1	2	2	16	.....	3	16	3	1	10	.....	62	53
10	2	1	7	16	1	16	11	2	.....	.....	6	.....	5	11	1	.....	5	.....	19	54
23	3	3	25	20	5	36	16	4	3	1	12	4	4	27	5	.....	35	.....	39	55
3	1	.....	5	15	.....	19	14	1	3	1	7	2	1	8	1	1	13	.....	9	56
14	.....	3	9	40	5	39	26	6	3	1	15	3	7	15	1	4	25	.....	55	57
15	.....	2	14	18	1	10	3	2	1	.....	30	.....	3	6	1	.....	7	1	42	58
4	.....	1	7	9	2	12	8	.....	1	1	6	.....	.....	14	.....	3	6	.....	13	59
8	1	1	6	9	.....	10	3	1	.....	.....	10	.....	.....	14	.....	.....	1	.....	10	60
11	2	3	17	36	.....	15	1	5	2	1	12	.....	3	9	2	.....	6	.....	27	61
8	1	.....	6	14	.....	6	9	.....	1	.....	.....	1	1	18	1	.....	5	.....	8	62
38	1	7	29	54	4	73	50	3	7	7	51	5	4	59	3	4	60	.....	64	63
5	.....	.....	5	14	1	20	11	1	2	2	15	.....	.....	11	.....	1	6	.....	30	

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[The white and colored are shown separately for minor subdivisions when the colored population of the subdivision formed at least 10 per cent of the total, or num-
Minor areas which are designated by asterisks (*) contain state insane asylums, state hospitals, etc.

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid and paratyphoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria.	Influenza.	Erysipelas.	Meningococcus meningitis.	Tuberculosis of the respiratory system.	Tuberculosis of the meninges, etc.	Other forms of tuberculosis.
			1	5	6	7	8	9	10	11	21	24	31	32	33-37
	REGISTRATION CITIES—Continued.														
	PENNSYLVANIA—continued.														
1	Coatesville {White	96					2	1	2	1			4	1	1
	{Colored	20								1			1		1
2	Columbia	152	2						3	5	1	1	9	1	
3	Connellsville	145					1	1	4	5	2		5	1	2
4	Dickson City	95				1		3	2	4			5		
5	Donora	110				1	1	2	1	6	1	1	9	1	1
6	Du Bois	178	1			1			6	4			8		
7	Dunmore	267				1	1	5	3	2	1		12	1	7
8	Duquesne	213				1	41		5	2	1	1	7	2	1
9	Easton	493	1			4	2	4	5	6	3		17	4	3
10	Erie	1,190	5			8	3	6	21	8	6	2	86	13	13
11	Farrell	141				5			1	5			10	1	1
12	Greensburg	278	9				2			4	1		3	1	
13	Harrisburg	1,047	4			1	3	3	9	1	4		50	4	5
14	Hazleton	479				2	3		9	2	1		21	4	8
15	Homestead	162				2			7	3	1		11		1
16	Jeannette	88					2		2	5	1		5		
17	Johnstown	1,002	9			4	13	5	25	14	3	1	58	6	9
18	Lancaster	777	5				1	5	22	12	2	2	36	6	7
19	Lebanon	381	3			1		2	4	10			14	3	9
20	McKees Rocks	167	1			2	1		9	3			14	1	2
21	McKeesport	634	5			1	4	1	15	10		1	17	6	5
22	Mahanoy City	172				3			7	4	1		6		
23	Meadville	213	1				1		1	3			4		6
24	Monessen	130	2			9	1	3	5				7		
25	Mount Carmel	199	2			2	3	1	8	2			14	2	1
26	Nanticoke	298							9				10		2
27	New Castle	575	7				3	7	7	4	2		29	1	2
28	New Kensington	178	5			1	2	2		4			2	3	2
29	Norristown *	609					1		6	7	1	2	41		11
30	North Braddock	124	1				4	1	2	4	1		7		
31	Oil City	251	3			1		1	2	8	1		15	3	2
32	Old Forge	128				1	1		4	1			6		
33	Olyphant	98				3		2		1			6	1	
34	Philadelphia {White	21,206	42	1		22	104	119	302	182	35	21	1,437	100	135
	{Colored	2,491	3			2	3	35	23	26	3	3	414	22	51
35	Phoenixville	141	1				1		4	1			9	1	1
36	Pittsburgh {White	7,684	23	1		27	48	36	122	106	16	16	399	47	48
	{Colored	815	4			1	2	7	7	15	5	1	95	4	24
37	Pittston	281	1			1			5	7	1		10		1
38	Plymouth	160				1			5	3	1	1	10		
39	Pottstown	274					1		8	3			19	4	2
40	Pottsville	392	1			3	1	2	6	6			23	1	1
41	Punxsutawney	160	5			3	1	1	1	6			6		
42	Reading	1,437	14			6	1	14	39	22	2	3	66	1	11
43	Scranton	1,949	9			2	4	9	39	26	4	2	84	8	15
44	Shamokin	224	9						6	1			17	2	2
45	Sharon	247	1				1	4	2	5			9	1	
46	Shenandoah	323	1			1		1	10	6	2	1	12	1	1
47	Steelton {White	85				1			1	1			11		
	{Colored	36								2			3		1
48	Sunbury	199					1	2	4	1			14	1	
49	Swissvale	123	1			3	2	1	1	1			6		
50	Tamaqua	127					1			3			5	1	1
51	Uniontown	303	4			2		3	3	3			14	5	4
52	Warren	184	1					3	3				6	1	3
53	Washington	366	7			4	2	2	2	10			17	2	6
54	West Chester* {White	270	1				1	1		4			9	1	1
	{Colored	54	2												3
55	Wilkes-Barre	1,122	4			6	6	2	28	19	8		50	4	14
56	Wilkinsburg	314	2					4	4	6			15	1	4
57	Williamsport	567	6					2	3	4	2		24	4	3
58	Woodlawn	100	4				3	1	2	4			9	3	2
59	York	588	3					3	24	8	2	1	35	5	2
	RHODE ISLAND.														
60	Bristol town	142				1		4	3	6	2	1	8	1	1
61	Central Falls	210		1		1	1	3	2	1			11	3	2
62	Cranston (exclusive of)	264				7	2	1	5	1			10	1	3
63	State institutions	313						4		2	2		29		4
64	Cumberland town	134				1		1		1			8	2	
65	East Providence town	252	1			1		2	5	7	2	1	15	2	4
66	Newport	334						4	3				19	1	3
67	Pawtucket	785	3	1				4	18	4			25	4	3
68	Providence	3,185	8			46	7	8	18	7	7	8	181	30	24
69	Warwick town	183				3	1	2	1	4			30	1	
70	West Warwick town	152				5		5	3	1	2		8	2	1
71	Woonsocket	515	4			3	2	9	11	1	2	1	20	10	1

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1921—Continued.

bered 10,000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920; the remainder of the state is included in "rural districts." Numbers under causes of death correspond to those of the 1920 revision of the detailed International List.]

DEATHS FROM—																			
Cancer and other malignant tumors.	Rheumatism.	Diabetes mellitus.	Cerebral hemorrhage and softening.	Other [organic] diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis.	Puerperal septicemia.	Other puerperal causes.	Congenital malformations and diseases of early infancy.	Suicide.	Homicide.	Accidental and unspecified external causes.	Unknown or ill-defined diseases.	All other causes.	
43-49	51, 52	57	74, 83	90	99	100,101	118	117	118	122	128,129	146	143-145, 147-150	159-163	165-174	197-200	175-196, 201-203	204,205		
11	2	1	6	12	.....	7	3	.....	.....	.....	13	1	2	6	1	.....	1	.....	17	1
2	.....	.....	1	2	.....	2	2	.....	.....	.....	1	.....	.....	3	.....	.....	1	.....	3	
14	.....	2	17	23	.....	3	7	2	.....	1	15	.....	2	18	2	.....	7	.....	17	2
15	1	1	15	16	1	18	5	.....	1	1	4	.....	1	8	1	4	15	.....	17	3
2	.....	1	.....	2	.....	11	16	1	.....	1	5	.....	.....	14	.....	.....	15	.....	12	4
7	.....	.....	3	5	.....	17	15	.....	.....	1	.....	.....	.....	22	.....	1	3	.....	12	5
18	.....	7	12	13	2	5	10	8	8	1	12	3	2	17	2	.....	11	1	26	6
12	1	3	12	33	16	27	41	.....	1	3	15	.....	.....	27	.....	.....	6	.....	37	7
8	1	1	3	12	2	22	26	1	.....	2	14	.....	1	19	3	1	7	1	28	8
51	4	13	33	54	1	28	17	16	6	2	59	3	4	27	2	5	39	.....	80	9
113	12	23	89	130	2	97	40	20	9	10	80	7	13	86	9	5	89	.....	185	10
6	.....	.....	2	13	.....	28	18	.....	.....	.....	3	3	1	10	5	4	6	2	17	11
9	3	7	17	18	1	25	5	6	5	2	12	5	9	23	4	3	46	5	53	12
101	4	26	77	139	3	105	16	21	11	7	124	7	14	66	10	6	65	.....	161	13
32	1	7	23	48	6	30	27	15	13	4	33	10	7	37	7	3	55	.....	71	14
11	1	.....	8	18	.....	29	18	1	.....	1	13	1	1	18	.....	1	5	.....	11	15
9	.....	.....	4	4	.....	8	2	.....	1	.....	4	1	.....	8	.....	1	.....	9	22	16
56	8	17	47	67	4	105	53	30	10	9	57	8	10	96	7	9	112	6	144	17
83	2	13	61	123	3	45	22	20	9	5	72	5	8	51	6	2	43	1	105	18
20	.....	7	40	34	2	40	15	5	6	4	29	2	3	31	3	2	24	1	67	19
6	.....	2	4	18	1	37	21	.....	.....	1	6	.....	4	15	3	2	4	.....	10	20
38	3	3	27	41	3	111	35	17	14	2	37	11	12	61	7	6	53	.....	88	21
7	1	2	5	15	1	19	25	.....	1	1	11	.....	.....	20	1	.....	9	.....	33	22
20	.....	7	17	28	1	16	3	5	5	4	17	2	1	12	1	.....	14	1	43	23
3	2	1	4	5	6	23	10	.....	.....	.....	5	2	1	17	2	1	5	4	12	24
5	1	1	13	19	3	40	18	.....	.....	.....	9	.....	2	6	1	2	17	2	25	25
17	2	5	12	14	3	42	16	5	6	3	18	1	3	44	2	.....	39	1	44	26
47	1	9	32	46	2	33	28	8	9	4	26	3	1	54	1	6	42	4	107	27
4	.....	1	19	9	.....	17	6	5	2	4	10	3	2	23	3	5	19	.....	25	28
33	2	13	45	77	4	48	18	7	6	4	35	2	6	37	7	.....	34	.....	162	29
6	.....	.....	7	15	4	17	12	.....	.....	.....	3	.....	1	19	1	.....	4	.....	15	30
13	1	7	15	37	2	16	10	7	3	1	12	.....	2	25	1	.....	19	1	43	31
4	1	1	9	2	2	28	18	.....	2	.....	5	1	1	13	.....	.....	12	.....	16	32
3	1	.....	3	4	1	16	13	.....	.....	2	5	.....	.....	14	.....	1	10	.....	12	33
1,945	81	329	1,253	3,185	192	1,996	753	255	219	138	2,273	133	187	1,395	259	70	1,036	8	2,999	34
96	14	27	113	275	18	331	71	30	20	7	176	15	11	149	6	42	83	2	420	
12	.....	4	9	14	2	16	7	.....	4	4	13	1	2	8	.....	.....	7	.....	20	35
551	32	86	443	655	74	1,317	385	124	76	52	428	60	63	629	74	41	509	2	1,194	36
20	.....	7	38	75	5	215	42	4	3	4	34	4	7	44	7	16	34	.....	91	
10	1	1	15	24	1	54	22	2	3	1	21	2	2	14	4	3	25	1	49	37
6	1	1	10	11	3	22	8	1	.....	.....	17	1	.....	20	1	.....	10	.....	27	38
19	3	7	34	28	.....	27	7	2	2	2	18	3	2	27	1	.....	14	.....	41	39
21	.....	3	15	46	.....	33	26	10	3	5	34	4	4	36	6	7	42	.....	53	40
10	.....	3	6	10	.....	16	9	3	5	.....	11	1	2	14	.....	1	14	1	31	41
98	13	42	104	170	8	105	60	16	22	10	131	22	14	114	23	5	59	2	240	42
121	19	41	112	188	16	225	107	38	21	9	161	21	14	134	15	4	182	3	316	43
9	.....	3	19	30	2	29	19	.....	.....	4	9	.....	1	26	.....	.....	9	1	26	44
26	1	5	18	18	4	23	11	5	2	1	21	3	.....	25	2	3	12	5	39	45
8	1	4	12	18	10	48	45	.....	1	3	27	2	2	36	1	2	26	3	38	46
.....	.....	.....	6	6	1	13	5	.....	2	1	9	.....	.....	9	.....	.....	6	.....	13	47
.....	.....	.....	4	3	.....	7	2	.....	.....	.....	1	1	.....	3	.....	1	4	.....	4	
14	.....	5	12	31	.....	12	5	6	3	1	27	1	.....	11	3	3	16	.....	26	48
8	.....	.....	9	11	1	37	7	.....	1	.....	4	1	2	9	.....	1	.....	.....	17	49
13	2	1	9	25	1	12	10	.....	1	.....	12	.....	.....	12	.....	.....	4	.....	14	50
19	2	9	21	28	1	26	11	8	2	1	19	5	4	17	4	8	32	.....	48	51
15	2	6	16	29	.....	12	1	8	2	1	8	2	3	10	1	.....	12	.....	39	52
28	1	1	21	26	3	29	17	9	5	4	33	4	2	36	2	1	24	.....	68	53
27	1	8	14	30	.....	17	7	6	1	.....	32	2	7	21	3	1	23	1	51	54
4	.....	.....	4	4	.....	3	5	1	2	.....	6	2	.....	2	.....	.....	6	1	9	
80	6	18	63	113	5	104	51	25	12	6	71	15	14	104	9	3	124	.....	158	55
21	2	5	27	30	.....	51	10	3	4	6	16	3	5	18	1	2	31	.....	43	56
48	2	14	37	86	1	40	11	8	11	2	57	2	3	53	5	.....	33	.....	106	57
2	.....	.....	.....	2	.....	16	7	.....	1	.....	5	3	1	11	1	.....	9	.....	14	58
45	1	14	66	71	5	36	19	3	5	2	62	3	6	42	6	2	25	.....	92	59
9	1	3	11	11	2	12	13	.....	1	3	8	1	.....	7	3	1	7	2	20	60
18	1	1	11	24	3	14	20	1	1	2	23	1	1	25	5	.....	7	.....	27	61
27	.....	5	23	42	2	16	5	.....	2	5	26	2	.....	36	1	.....	7	3	32	62
24	2	1	29	32	1	17	.....	.....	2	1	9	.....	.....	.....	1	.....	5	.....	148	63
9	.....	3	10	12	4	14	17	1	.....	.....	10	1	.....	7	.....	2	8	5	18	64
18	.....	5	25	35	3	21	9	1	.....	.....	20	2	2	22	1	.....	16	.....	32	65
27	1	14	31	62	1	27	8	2	1	2	25	1	3	29	.....	.....	20	1	49	66
71	4	14	73	110	6	58	32	9	10	6	68	4	10	78	7	2	62	3	96	67
319	10	40	281	408	17	282	120	54	38	22	230	25	32	263	26	12	167	24	471	68
19	1	1	13	20	2	16	2	.....	.....	2	14	.....	.....	6	3	1	10	.....	31	69
12	.....	2	8	10	5	17	13	.....	1	2	9	.....	1	16	.....	.....	4	.....	25	70
29	.....	10	32	54	8	36	34	7	5	3	53	4	5	58	4	1	31	2	75	71

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[The white and colored are shown separately for minor subdivisions when the colored population of the subdivision formed at least 10 per cent of the total, or num-
Minor areas which are designated by asterisks (*) contain state insane asylums, state hospitals, etc.

	AREA AND COLOR.	DEATHS FROM—												
		All causes.	Typhoid and paratyphoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria.	Influenza.	Erysipelas.	Meningococcus meningitis.	Tuberculosis of the respiratory system.	Tuberculosis of the meninges, etc.	Other forms of tuberculosis.
			1	5	6	7	8	9	10	11	21	24	31	32	33-37
	REGISTRATION CITIES—Continued.														
	SOUTH CAROLINA.														
1	Anderson	White	157	7				1	2	5		1	6		
		Colored	88	2						4			9		1
2	Charleston	White	484	8			2	4	2	10	2		9	3	1
		Colored	973	18	26			7	1	11		1	103	1	16
3	Columbia*	White	602	10	4		1	7	5	7		2	38		3
		Colored	655	10	6		3	1	3	10		1	73	1	2
4	Florence	White	129	2	1		1	2	3	1	1		1	1	
		Colored	123	2	1			4		1			15		
5	Greenville	White	173	2			2	2	2	4			4	1	1
		Colored	153	1				2	1	2			23		2
6	Spartanburg	White	187				2	2	3	3			16		
		Colored	171	1				1		2			20	1	5
	TENNESSEE.														
7	Chattanooga	White	515	2			1	2	3	7	3	1	1	35	4	6
		Colored	408	5	2	1	1		3		11		1	51	2	15
8	Jackson	White	147	5	2	1		1	1	.1				8	2	
		Colored	152	6	1	2				2	3			13		2
9	Johnson City*	White	264	3			5	1	8	7	2	1		60	2	1
		Colored	50	1					2		1			21		
10	Knoxville	White	922	10			3	2	10	7	18	3	4	58	10	6
		Colored	270	7					3	1	7		1	37	3	6
11	Memphis	White	1,424	8	27		9	3	4	16	13	4	1	62	8	14
		Colored	1,452	12	51		4		2	7	42	1		170	1	25
12	Nashville	White	1,167	17	1		1	3	16	14	26	1	3	63	7	12
		Colored	811	9	3		1		10		16			89	2	21
	TEXAS.[1]														
13	Beaumont	White	258	3	10				2	1	2	1		9		1
		Colored	197	3	9					1	2			24		5
14	Dallas	White	1,563	16	9		6		2	12	13	4		66	6	6
		Colored	422	5	2				3	2	8			61		5
15	El Paso		2,086	15	1	1	10	4	6	5	44	9	1	441	15	15
16	Galveston	White	468	3	1		1			3	1	1	3	28	2	5
		Colored	188	1		1	1							21		3
17	Houston	White	1,251	11	10				7	11	12	1	1	97	3	3
		Colored	600	6	14	1			1	3	9			54	1	8
18	San Antonio	White	2,456	20	16	2	32	2	9	19	20	3	6	376	8	18
		Colored	222	10	1				2	2	6			27		2
	UTAH.														
19	Ogden		400	5		1	6		11	2	2	2	1	17	3	1
20	Provo		164				5		5		1			3	1	1
21	Salt Lake City		1,503	7		1	24	4	17	22	8	6	5	60	8	7
	VERMONT.														
22	Barre		152	1				4		1				28	3	1
23	Burlington		390	1					5	7	2			14	4	1
24	Rutland		202	1					4		1			3	1	
	VIRGINIA.														
25	Alexandria	White	167	4			1			2	1		1	14		2
		Colored	87	1				1	1	1	2			9		
26	Charlottesville	White	98	1			1						1	7	2	3
		Colored	46						2					7		
27	Danville	White	215	9	1					5		1		11	2	
		Colored	110							1	2			11		2
28	Lynchburg	White	281	2			1	1		1	6	1		14	2	6
		Colored	160											11	1	4
29	Newport News	White	140	2			1	1	3	1				7		1
		Colored	260	2			3		4		4			27	3	2
30	Norfolk	White	757	6	1		5	5	11	4	7	1	5	32	5	2
		Colored	808	6	1		1		11					77	7	5
31	Petersburg	White	244	2					5	3				20	1	
		Colored	332	7					5	2	9			44	2	3
32	Portsmouth	White	291	3			3	2	4	3	3	1		21	3	1
		Colored	437	4	3		4		13		20			39		6
33	Richmond	White	1,491	9	1		3	1	22	13	13	3	2	92	11	8
		Colored	1,076	1			1		15	4	16		2	120	12	12
34	Roanoke	White	537	7	2		5	1	8	14	7	1	1	28	2	2
		Colored	170				1		6		4			18	2	1
35	Staunton*	White	216	2				2	1		4			28		
		Colored	35						1		2			4		1

[1]Nonregistration state; the only cities shown are those with satisfactory registration of deaths.

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1921—Continued.

bered 10,000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920; the remainder of the state is included in "rural districts." Numbers under causes of death correspond to those of the 1920 revision of the detailed International List.]

DEATHS FROM—																		
Cancer and other malignant tumors.	Rheumatism.	Diabetes mellitus.	Cerebral hemorrhage and softening.	Other [organic] diseases of the heart	Bronchitis.	Pneumonia (all forms).	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis.	Puerperal septicemia.	Other puerperal causes.	Congenital malformations and diseases of early infancy.	Suicide.	Homicide.	Accidental and unspecified external causes.	Unknown or ill-defined diseases.	All other causes.	
43-49	51, 52	57	74,83	99	99	100,101	113	117	118	122	128,129	146	143-145, 147-150	159-163	165-174	197-200	175-196, 201-203	204,205		
3	1	2	6	19	-------	13	10	2	1	-------	11	2	4	14	1	4	8	2	32	1
3	-------	2	5	9	-------	8	3	2	-------	-------	7	-------	3	7	-------	5	3	1	14	
34	1	5	29	51	2	20	14	8	7	1	51	1	7	59	4	10	31	-------	108	2
19	2	-------	68	104	1	63	50	3	12	1	103	4	14	133	-------	16	21	5	170	
34	1	11	52	55	2	30	22	11	5	2	50	5	9	49	5	8	24	1	149	3
10	2	1	32	80	1	46	35	5	4	-------	43	9	6	45	-------	13	16	1	196	
4	1	3	4	14	1	2	14	6	3	-------	14	1	3	8	1	1	8	2	25	4
3	-------	-------	5	5	1	6	6	1	4	-------	7	3	2	14	-------	8	8	3	24	
8	1	2	10	11	1	5	6	3	2	-------	17	4	5	13	2	4	22	-------	39	5
3	1	-------	11	12	-------	5	10	2	-------	3	13	3	1	6	1	7	12	3	29	
18	1	1	11	20	1	3	8	7	2	2	15	1	6	22	-------	1	8	-------	34	6
6	-------	1	11	15	-------	11	5	2	2	1	19	1	3	8	-------	6	12	3	35	
37	1	5	23	47	3	33	10	18	9	3	33	4	9	28	14	8	43	15	107	7
8	3	1	19	23	16	27	6	6	-------	1	43	1	1	17	2	14	16	35	77	
11	-------	2	16	6	2	9	2	4	2	-------	16	3	-------	8	2	1	10	13	19	8
5	1	1	7	11	3	14	3	2	-------	-------	17	2	-------	3	-------	3	5	30	16	
12	-------	-------	12	15	2	16	9	2	1	-------	11	2	3	24	2	1	9	5	48	9
1	-------	-------	2	5	-------	1	-------	-------	-------	-------	1	-------	-------	2	-------	-------	1	2	10	
50	3	6	67	72	4	55	56	29	8	1	58	14	16	54	10	11	57	24	196	10
7	-------	3	16	20	2	26	12	3	4	-------	16	4	5	13	-------	9	8	6	51	
104	1	16	67	98	5	83	38	53	20	15	153	8	18	107	25	38	88	35	283	11
38	8	2	41	135	13	90	18	31	24	3	120	12	10	83	2	60	72	79	296	
81	-------	15	68	116	4	75	34	34	18	9	81	11	18	76	14	17	76	17	239	
37	6	3	37	138	9	72	22	7	17	7	67	7	9	30	2	23	34	15	118	12
17	2	2	13	10	1	6	16	12	3	2	27	1	3	20	8	1	25	15	45	13
3	1	3	4	8	2	6	11	3	1	1	14	-------	5	22	-------	9	18	9	33	
110	4	36	107	96	6	92	32	62	7	10	106	20	23	174	34	18	101	1	384	14
11	1	3	27	34	2	30	7	7	2	7	38	8	3	27	2	21	18	-------	88	
66	6	9	50	92	32	174	319	17	19	10	85	17	21	121	23	38	112	19	289	15
25	-------	6	28	49	3	15	20	5	2	2	46	-------	8	45	7	8	32	6	113	16
7	-------	6	8	20	-------	7	7	1	2	3	15	-------	1	8	-------	9	15	-------	52	
95	3	19	67	86	4	60	34	34	21	9	100	5	12	72	24	16	85	94	255	17
25	3	3	37	51	2	28	18	7	8	6	39	7	5	11	1	13	28	78	133	
123	4	20	86	148	20	113	313	28	26	15	102	12	21	221	29	14	163	24	443	18
6	-------	2	17	14	4	19	6	2	3	1	22	2	3	10	2	4	9	2	44	
26	-------	4	30	47	5	26	4	13	6	4	27	6	6	42	7	2	28	-------	66	19
10	1	-------	13	16	2	14	1	4	1	1	9	-------	2	13	3	-------	6	1	51	20
121	3	30	94	183	9	101	49	43	24	11	91	17	14	140	19	7	94	37	247	21
12	1	1	17	17	1	6	-------	3	1	3	5	1	2	10	4	-------	11	-------	19	22
42	1	8	22	50	6	33	16	15	2	3	21	4	3	45	3	-------	20	-------	62	23
17	1	3	16	18	2	14	2	4	2	-------	19	-------	2	16	2	-------	19	2	53	24
7	1	2	10	19	1	16	8	-------	2	2	22	3	1	18	1	1	9	1	18	25
2	2	-------	5	4	6	7	4	1	-------	-------	5	-------	-------	6	-------	3	4	1	22	
7	1	2	14	9	-------	4	5	-------	-------	-------	11	1	2	7	1	-------	3	2	14	26
4	-------	-------	5	11	-------	3	2	-------	-------	-------	5	-------	-------	5	-------	-------	1	1	-------	
10	-------	3	22	22	-------	7	5	8	3	-------	13	1	5	27	2	5	7	4	42	27
-------	1	-------	11	10	-------	7	1	2	4	-------	17	1	-------	4	-------	4	7	2	23	
16	1	5	15	37	3	15	7	1	5	-------	16	2	3	27	4	6	23	4	57	28
6	-------	1	11	24	-------	13	5	3	3	1	19	3	1	9	-------	4	13	4	24	
7	-------	1	8	21	1	7	3	-------	1	1	10	3	-------	16	3	4	11	3	24	29
7	1	1	21	31	2	16	22	3	1	1	18	3	1	19	-------	11	10	3	44	
61	2	16	59	81	3	33	17	19	4	4	55	4	7	67	21	8	57	3	152	30
24	6	3	64	83	10	80	29	13	17	4	44	10	11	55	1	26	43	5	172	
17	1	5	14	25	-------	7	10	1	5	5	38	-------	6	26	4	2	10	-------	37	31
9	1	2	28	25	-------	14	39	4	5	5	27	1	4	32	-------	8	8	8	40	
26	-------	4	33	17	2	19	13	2	3	1	29	1	2	26	7	1	19	3	39	32
9	2	2	33	32	4	48	33	2	3	1	13	3	10	38	4	7	20	4	80	
123	5	21	134	183	6	75	39	25	19	5	155	5	13	140	17	4	65	7	272	33
29	7	7	72	93	8	138	28	15	12	7	59	10	25	85	2	11	45	26	214	
35	2	3	24	60	1	27	30	11	9	2	43	5	12	48	5	4	37	4	97	34
3	-------	1	12	16	-------	12	8	2	2	1	19	-------	2	13	-------	7	9	2	29	
13	-------	1	14	21	1	29	-------	1	3	2	26	-------	3	12	3	-------	2	1	47	35
4	1	-------	3	2	-------	-------	1	-------	-------	-------	3	-------	-------	4	-------	-------	2	-------	7	

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[The white and colored are shown separately for minor subdivisions when the colored population of the subdivision formed at least 10 per cent of the total, or num-
Minor areas which are designated by asterisks (*) contain state insane asylums, state hospitals, etc.

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid and paratyphoid fever.	Malaria.	Smallpox.	Measles	Scarlet fever.	Whooping cough.	Diphtheria.	Influenza.	Erysipelas.	Meningococcus meningitis.	Tuberculosis of the respiratory system.	Tuberculosis of the meninges, etc.	Other forms of tuberculosis.
			1	5	6	7	8	9	10	11	21	24	31	32	33-37
	REGISTRATION CITIES—Continued.														
	WASHINGTON.														
1	Aberdeen	143						1				2	8		3
2	Bellingham	266	2			1			1	5			7	3	3
3	Everett	255							7	2	1		8	2	3
4	Hoquiam	75	1					1					1	1	
5	Seattle {White	2,643	6	1	1		3	5	21	36	2		121	25	32
	Seattle {Colored[1]	196	1					1	1	2		1	30	7	8
6	Spokane	1,315	5		1	1	4	8	15	21	2	1	49	8	10
7	Tacoma	1,051	3			2		1	12	12	3	3	37	6	13
8	Vancouver	143	1		2	1			1	2			3		1
9	Walla Walla	250	2	1					5	4	1	1	14	1	2
10	Yakima	302	2		1		1			7	1	2	19	1	2
	WEST VIRGINIA.[2]														
11	Wheeling	869	21			1	6	6	24	10	2	2	52	1	3
	WISCONSIN.														
12	Appleton	262					2		2	1			8	1	2
13	Ashland	197	3				1	1	1	3	1	1	14	1	2
14	Beloit	204					2	4	3	2	2		13	3	2
15	Eau Claire*	322	1				2	1	2	1	1	1	35	1	3
16	Fond du Lac	306	1				1		11		2		9	1	4
17	Green Bay	531	4				1		15	4	2		23	7	12
18	Janesville	197						1	1	1		1	10		6
19	Kenosha	323			1		1		13	4	3		15	1	1
20	La Crosse	524			2	1		1	1		7		27	5	3
21	Madison	426	1	1	1				10	4	2	1	18	4	
22	Manitowoc	226	2					1	1		1		15		1
23	Marinette	155	1			2	2		1				8	4	3
24	Milwaukee	4,587	9			6	58	18	92	23	13	4	256	37	35
25	Oshkosh	445							3	2	1		19	1	4
26	Racine	589	6			1	12	5	25	3	4		27	2	6
27	Sheboygan	344	10		3		2	8	10	1			15	1	2
28	Stevens Point	139			1	1	1		5	1			4		
29	Superior	446	2			1	10	5	9	1	3	1	25	1	7
30	Waukesha	140						2	3	3			7	1	
31	Wausau	264	1				4		1		1	1	6	3	1
32	West Allis	127							17	1			9	2	3

[1] Includes 48 Negroes, 3 Indians, 26 Chinese, 116 Japanese, and 3 other colored.

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1921—Continued.

bered 10,000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920; the remainder of the state is included in "rural districts." Numbers under causes of death correspond to those of the 1920 revision of the detailed International List.]

DEATHS FROM—																			
Cancer and other malignant tumors.	Rheumatism.	Diabetes mellitus.	Cerebral hemorrhage and softening.	Other [organic] diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis.	Puerperal septicemia.	Other puerperal causes.	Congenital malformations and diseases of early infancy.	Suicide.	Homicide.	Accidental and unspecified external causes.	Unknown or ill-defined diseases.	All other causes.	
48-49	51, 52	57	74, 83	90	99	100,101	113	117	118	122	128,129	146	143-145, 147-150	159-163	165-174	197-200	175-196, 201-203	204,205		
12	.....	.....	14	14	.....	10	1	2	.....	.....	8	2	.....	11	4	2	23	.....	25	1
24	3	7	32	26	1	13	5	6	3	.....	12	.....	2	26	5	3	15	.....	61	2
33	1	7	15	23	1	10	1	6	2	.....	26	2	2	23	6	2	21	2	49	3
12	.....	1	3	6	.....	5	1	.....	1	.....	6	3	1	1	2	1	11	1	16	4
324	3	56	208	390	15	148	15	39	35	18	225	17	15	172	72	16	162	.....	460	5
11	.....	2	9	6	2	11	8	3	2	2	13	1	4	23	5	7	5	1	30	
124	7	22	83	128	9	124	14	36	11	4	98	14	13	87	35	9	70	.....	302	6
118	3	20	95	155	4	64	3	20	13	6	57	12	8	77	26	9	67	15	187	7
11	.....	2	10	28	.....	4	1	4	3	1	13	.....	2	10	1	.....	15	.....	27	8
18	2	3	21	26	3	15	2	8	2	1	11	3	2	16	5	1	18	1	61	9
31	1	5	16	37	1	16	12	7	1	3	20	7	7	29	5	.....	19	1	48	10
69	2	12	33	85	5	76	21	14	14	18	67	5	7	70	7	7	90	1	138	11
24	4	3	20	28	5	20	12	18	1	1	18	2	3	18	1	.....	17	.....	51	12
19	1	8	11	17	2	11	6	5	8	1	12	1	4	20	3	1	7	.....	32	13
19	1	3	14	23	4	11	7	8	1	.....	6	2	1	27	.....	.....	8	.....	38	14
37	2	8	22	34	1	11	6	9	7	1	15	3	3	29	.....	2	18	1	65	15
37	3	5	20	35	3	9	10	9	8	.....	23	1	1	28	1	.....	18	2	64	16
45	6	9	33	46	3	45	11	21	8	2	30	11	3	43	3	.....	28	1	115	17
25	1	2	13	19	3	14	2	4	4	.....	13	.....	3	14	4	.....	15	.....	41	18
21	1	2	12	35	3	24	15	6	4	5	20	2	2	39	6	3	31	.....	53	19
65	1	8	23	60	4	39	8	15	6	2	37	3	5	44	6	.....	31	3	117	20
47	1	9	24	55	1	26	5	18	13	.....	18	3	5	26	2	1	27	1	102	21
23	1	3	19	19	3	9	9	7	3	1	13	3	2	22	3	.....	12	.....	53	22
18	1	3	14	20	.....	10	8	2	.....	.....	13	1	2	10	3	.....	5	.....	24	23
442	21	76	296	488	74	370	189	80	39	48	285	25	56	463	86	18	233	3	744	24
57	7	5	37	69	1	23	9	7	7	4	18	.....	1	52	2	.....	22	.....	94	25
64	.....	8	44	61	2	49	22	4	8	2	41	3	7	46	5	3	33	.....	96	26
31	4	7	33	33	3	18	11	9	2	4	20	1	2	33	4	.....	21	.....	56	27
10	.....	1	17	16	.....	10	7	6	2	3	7	.....	.....	10	.....	.....	7	1	29	28
35	4	8	32	45	1	28	7	5	3	3	16	1	3	48	7	3	47	1	84	29
17	2	8	11	11	.....	13	2	1	1	.....	11	.....	.....	10	1	.....	11	1	24	30
23	6	4	15	29	3	17	5	7	6	2	13	3	6	25	3	.....	17	.....	62	31
6	.....	1	7	18	3	9	4	.....	.....	.....	5	.....	1	19	2	1	4	.....	15	32

[2] Nonregistration state; the only cities shown are those with satisfactory registration of deaths.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS AND CLASS OF

[The term "cities" indicates municipalities of 10,000 inhabitants or more

Detailed Int. List No.	CAUSE OF DEATH.	Registration area (exclusive of Hawaii).	REGISTRATION STATES.			Registration cities in nonregistration states.[2]	All registration cities.[1]	CALIFORNIA.		COLORADO.		CONNECTICUT.	
			Total.[1]	Cities.[1]	Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	All causes	1,032,009	1,009,673	523,981	485,692	22,336	546,317	27,781	19,596	5,505	6,373	12,119	4,048
	I.—Epidemic, endemic, and infectious diseases	164,183	159,883	76,852	83,031	4,300	81,152	4,312	3,824	1,351	1,464	1,742	576
1	Typhoid and paratyphoid fever	8,007	7,763	2,467	5,296	244	2,711	79	74	27	70	44	7
2	Typhus fever	12	12	8	4		8	1	1			1	
3	Relapsing fever (spirillum obermeieri)	3	2	2		1	3						
4	Malta fever	1	1		1								
5	Malaria	3,229	3,104	388	2,716	125	513	7	23			2	1
6	Smallpox	641	620	337	283	21	358	3	18	40	5		
7	Measles	3,790	3,694	1,737	1,957	96	1,833	73	71	29	52	31	12
8	Scarlet fever	4,718	4,681	2,718	1,963	37	2,755	72	48	15	42	87	14
9	Whooping cough	8,070	7,967	3,273	4,694	103	3,376	89	113	24	74	109	24
10	Diphtheria	15,683	15,520	8,223	7,297	163	8,386	398	241	92	146	143	33
11a	Influenza (with pulmonary complications)	5,973	5,785	2,576	3,209	188	2,764	119	172	65	64	80	29
11b	Influenza (other and unspecified)	4,220	4,112	1,403	2,709	108	1,511	52	67	22	40	40	16
12	Miliary fever	2	2		2								
13	Mumps	131	131	68	63		68	18	5	1	2	2	
14	Asiatic cholera												
15	Cholera nostras	232	231	49	182	1	50		2	2	6	1	1
16	Dysentery	3,570	3,436	716	2,720	134	850	36	61	6	13	13	6
17	Plague	1	1		1				1				
18	Yellow fever	2	2	2			2	1					
19	Spirochetal hemorrhagic jaundice	27	25	18	7	2	20	2				1	
20	Leprosy	18	16	8	8	2	10	5	1				
21	Erysipelas	2,501	2,458	1,289	1,169	43	1,332	55	40	21	32	30	8
22	Acute anterior poliomyelitis	1,597	1,589	747	842	8	755	33	21	6	2	20	5
23	Lethargic encephalitis	1,355	1,334	924	410	21	945	37	29	6	5	26	3
24	Meningococcus meningitis	1,296	1,262	727	535	34	761	47	23	6	5	24	6
25	Other epidemic and endemic diseases	209	208	102	106	1	103	8	3	2	2	4	
26	Glanders	1	1		1				1				
27	Anthrax	32	31	17	14	1	18		1				
28	Rabies	54	51	26	25	3	29	4	2				
29	Tetanus	1,614	1,469	735	734	145	880	32	20	4	7	19	1
30	Mycoses	197	195	64	131	2	66	5		1	1	3	1
	Tuberculosis (total)	88,135	85,739	43,009	42,730	2,396	45,405	2,812	2,610	925	850	974	390
31	Of the respiratory system	76,298	74,171	36,007	38,164	2,127	38,134	2,382	2,393	841	801	811	361
32	Of the meninges, central nervous system	4,281	4,207	2,869	1,338	74	2,943	200	79	38	19	82	12
33	Of the intestines, peritoneum	3,188	3,096	1,623	1,473	92	1,715	93	72	17	12	32	8
34	Of the vertebral column	925	910	536	374	15	551	31	19	5	3	9	2
35	Of the joints	434	426	234	192	8	242	8	5	3	1	5	
36	Of other organs	1,171	1,147	637	510	24	661	37	20	1	4	19	4
37a	Disseminated (acute)	1,405	1,354	894	460	51	945	55	19	10	9	15	2
37b	Disseminated (chronic or unspecified)	433	428	209	219	5	214	6	3	10	1	1	1
38	Syphilis	6,962	6,631	4,214	2,417	331	4,545	278	132	47	41	69	15
39	Soft chancre	7	5	3	2	2	5						
40	Gonococcus infection	644	595	414	181	49	463	23	12	5	2	10	1
41	Purulent infection, septicemia	1,240	1,201	583	618	39	622	22	32	5	3	8	3
42	Other infectious diseases	9	9	5	4		5	1				1	
	II.—General diseases not included in Class I	113,707	111,745	63,889	47,856	1,962	65,851	3,815	1,787	545	535	1,563	461
	Cancer and other malignant tumors (total)	76,274	75,113	43,527	31,586	1,161	44,688	2,757	1,253	378	340	1,062	315
43	Of the buccal cavity	2,610	2,564	1,380	1,184	46	1,426	103	28	7	11	44	13
44	Of the stomach, liver	28,367	28,043	15,527	12,516	324	15,851	958	502	145	150	328	109
45	Of the peritoneum, intestines, rectum	10,653	10,496	6,638	3,858	157	6,795	419	177	51	29	198	50
46	Of the female genital organs	11,181	10,919	6,548	4,371	262	6,810	379	139	58	44	122	31
47	Of the breast	7,016	6,925	4,054	2,871	91	4,145	307	95	39	30	114	52
48	Of the skin	2,433	2,395	960	1,435	38	998	41	57	7	10	24	8
49	Of other or unspecified organs	14,014	13,771	8,420	5,351	243	8,663	550	255	71	66	232	52
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	738	717	401	316	21	422	25	7	1	2	11	3
51	Acute rheumatic fever	3,254	3,212	1,706	1,506	42	1,748	50	32	11	25	32	13
52	Chronic rheumatism, osteoarthritis, gout	1,020	1,011	409	602	9	418	22	12	3	5	9	6
53	Scurvy	60	60	36	24		36	3					
54	Pellagra	2,541	2,348	610	1,738	193	803	9	6	1	4	1	
55	Beriberi	6	6	6			6	2					
56	Rickets	515	510	303	207	5	308	4	4			14	3
57	Diabetes mellitus	14,933	14,681	8,619	6,062	252	8,871	482	245	60	77	251	65
58	Anemia, chlorosis	4,810	4,751	2,485	2,266	59	2,544	178	90	33	31	52	22
59	Diseases of the pituitary gland	55	53	36	17	2	38	3	1	1	1		
60a	Exophthalmic goiter	1,498	1,469	920	549	29	949	48	18	9	3	13	3
60b	Other diseases of the thyroid gland	870	847	548	299	23	571	22	8	2	4	7	4
61	Diseases of the parathyroid glands	71	68	50	18	3	53	3	1			2	
62	Diseases of the thymus gland	570	563	407	156	7	414	19	7	1	3	14	3
63	Diseases of the adrenals (Addison's disease)	363	361	203	158	2	205	9	5	4		5	2
64	Diseases of the spleen	264	259	173	86	5	178	7	5	1	1	12	1
65a	Leukemia	1,241	1,217	749	468	24	773	63	16	9	5	17	4
65b	Hodgkin's disease	616	602	371	231	14	385	17	11	1	3	6	1
66	Alcoholism (acute or chronic)	1,611	1,573	957	616	38	995	34	36	15	16	14	9
67a	Chronic lead poisoning	142	138	84	54	4	88	3	3		1	3	2
67b	Other chronic mineral poisoning	16	15	6	9	1	7						
68	Chronic poisoning by organic substances	228	220	159	61	8	167	15	3	1		2	2
69	Other general diseases	2,011	1,951	1,124	827	60	1,184	40	24	14	14	36	3
	III.—Diseases of the nervous system and of the organs of special sense	108,577	106,798	50,431	56,367	1,779	52,210	2,824	2,216	492	551	1,299	577
70	Encephalitis	1,119	1,077	503	574	42	545	21	12	8	5	9	3
71a	Simple meningitis	2,713	2,637	1,347	1,290	76	1,423	57	47	15	9	50	11
71b	Nonepidemic cerebrospinal meningitis	971	945	416	529	26	442	18	19	4	7	13	5
72	Tabes dorsalis (locomotor ataxia)	1,694	1,668	930	738	26	956	75	33	9	7	13	10
73	Other diseases of the spinal cord	4,534	4,471	2,136	2,335	63	2,199	168	86	22	29	47	18
74a	Cerebral hemorrhage	71,047	69,920	33,567	36,353	1,127	34,694	2,001	1,334	317	334	941	426
74b	Cerebral embolism and thrombosis	2,302	2,286	1,244	1,042	16	1,260	100	54	17	7	32	11
75	Paralysis without specified cause	5,526	5,382	1,630	3,752	144	1,774	78	93	24	35	26	19
76	General paralysis of the insane	5,596	5,569	2,492	3,077	27	2,519	41	332	20	58	45	33
77	Other forms of mental alienation	1,493	1,467	630	837	26	656	14	31	4	4	13	4

[1] Including District of Columbia.

MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE
CAUSES: 1921.

in 1920; the remainder of the state is included in "rural districts."]

DELAWARE.		DISTRICT OF COLUMBIA.		FLORIDA.				ILLINOIS.		INDIANA.		KANSAS.		KENTUCKY.				Detailed Int. List No.
				Cities.		Rural districts.								Cities.		Rural districts.		
Cities.	Rural districts.	White.	Colored.	White.	Colored.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	White.	Colored.	White.	Colored.	
1,361	1,609	3,965	2,090	2,029	1,595	4,993	3,157	45,051	28,373	14,576	20,644	5,332	12,774	4,951	1,460	16,561	2,697	
191	308	435	405	289	393	746	714	6,122	4,580	2,320	3,309	751	1,459	756	333	4,245	791	
7	19	17	12	30	18	82	49	134	262	136	230	49	104	43	22	495	72	1
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	2
.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3
.....	1	2	2	6	21	118	92	19	59	14	16	1	11	3	6	70	9	4
.....	.....	1	.....	1	.....	5	9	10	15	9	12	19	30	.....	.....	18	.....	5
1	1	12	3	1	.....	5	2	185	124	29	55	23	54	21	1	154	3	6
6	3	8	1	4	.....	6	1	264	149	52	112	21	104	17	.....	44	3	7
9	26	8	10	9	16	28	20	247	248	145	228	31	76	35	7	206	36	8
7	7	51	6	13	1	47	8	960	518	322	385	130	242	61	11	530	30	9
12	17	22	7	8	4	24	17	187	189	76	127	16	55	13	14	107	16	10
8	10	7	7	9	10	27	16	69	140	67	115	23	62	16	14	86	12	11a
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	11b
.....	.....	.....	.....	1	1	2	.....	3	5	1	2	1	2	1	.....	.....	1	12
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	13
1	.....	.....	.....	.....	.....	2	1	4	13	1	3	2	5	.....	.....	21	2	14
1	6	4	4	4	12	59	34	26	73	37	117	15	60	15	3	279	19	15
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	16
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	17
.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	1	.....	18
.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	19
2	.....	8	1	3	.....	12	1	85	87	50	60	16	39	12	4	57	2	20
.....	.....	7	1	.....	.....	2	1	70	80	15	24	4	31	3	.....	18	1	21
3	.....	8	2	1	.....	3	3	61	30	25	16	2	5	13	.....	23	4	22
.....	2	3	1	2	2	4	3	50	26	15	32	6	13	3	.....	47	4	23
.....	.....	.....	.....	7	1	2	1	4	6	4	1	1	2	.....	.....	2	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....	.....	.....	.....	26
.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	2	1	.....	1	.....	27
1	5	1	3	10	29	11	20	46	39	32	38	13	25	12	1	38	4	28
.....	.....	.....	.....	.....	1	.....	5	5	6	2	1	.....	4	1	1	7	.....	29
121	197	246	308	152	219	265	323	3,272	2,345	1,137	1,615	303	469	452	235	1,972	538	30
92	179	210	266	133	198	239	296	2,742	2,083	911	1,369	247	399	381	203	1,725	486	31
10	5	14	14	9	3	.....	2	199	75	70	65	14	8	24	5	95	17	32
8	7	9	7	4	8	12	15	112	92	79	91	17	24	22	13	86	23	33
1	1	1	4	.....	1	4	1	59	38	13	20	8	7	2	2	12	2	34
1	.....	.....	1	2	.....	1	1	20	12	7	10	4	5	5	1	8	.....	35
4	2	6	2	2	3	4	1	45	29	20	23	3	8	7	5	22	6	36
4	1	6	13	1	5	2	6	84	15	24	16	5	7	6	5	8	2	37a
1	2	.....	1	1	1	3	1	11	1	13	21	5	11	5	1	16	2	37b
8	11	24	35	14	48	19	95	338	121	114	92	51	41	27	12	42	28	38
.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	39
1	1	.....	1	3	4	4	5	47	16	16	5	7	5	1	1	4	5	40
1	1	6	1	11	3	18	8	33	28	19	21	16	17	6	1	22	2	41
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	42
134	128	554	160	215	82	458	163	5,834	3,131	1,666	2,187	635	1,460	567	95	1,216	123	
87	92	402	114	138	26	284	66	3,972	2,180	1,167	1,568	440	972	390	62	794	80	
1	1	16	8	7	2	11	.....	124	114	31	67	13	36	16	.....	23	2	43
32	29	117	44	46	8	100	19	1,540	876	411	646	170	422	134	19	327	30	44
19	14	70	8	15	4	28	6	576	250	135	191	59	135	52	4	82	8	45
15	12	54	29	30	5	50	24	574	268	235	191	72	101	60	13	116	27	46
3	16	47	11	10	2	18	2	329	222	104	140	42	73	39	12	71	4	47
4	3	11	.....	4	.....	15	.....	59	91	38	94	16	53	12	1	54	1	48
13	17	87	14	26	5	62	15	770	359	213	239	68	152	77	13	121	8	49
2	3	4	2	1	1	4	3	29	18	12	14	8	19	7	3	11	2	50
7	3	6	4	2	6	6	10	208	96	37	41	8	40	15	9	74	12	51
1	.....	10	.....	.....	3	.....	1	27	41	14	21	4	18	2	.....	25	2	52
.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	1	.....	53
.....	.....	2	1	8	23	40	60	3	6	2	4	2	4	14	1	44	6	54
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	55
.....	1	.....	10	1	3	4	1	57	8	3	5	3	1	.....	.....	8	1	56
20	13	57	19	28	4	61	11	791	403	204	279	72	206	67	10	120	16	57
3	5	18	2	9	2	22	3	210	185	72	110	44	79	20	2	38	.....	58
1	.....	1	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	1	.....	59
3	1	7	3	1	.....	1	1	121	39	25	38	10	23	13	1	9	.....	60a
1	.....	3	.....	2	1	1	.....	68	20	28	21	11	21	6	.....	6	1	60b
.....	.....	.....	.....	.....	.....	.....	.....	5	1	4	1	.....	.....	.....	.....	.....	.....	61
.....	2	1	.....	2	.....	.....	.....	41	4	3	6	2	4	5	1	.....	.....	62
.....	.....	2	1	.....	.....	.....	.....	11	10	6	7	1	8	2	.....	3	.....	63
1	.....	.....	.....	2	.....	.....	.....	14	11	6	4	2	4	1	.....	1	.....	64
2	4	6	1	3	.....	2	.....	68	34	18	20	5	16	7	3	9	.....	65a
.....	.....	6	.....	2	.....	.....	.....	30	13	11	12	8	4	3	.....	9	.....	65b
1	3	5	1	7	9	11	2	99	26	19	14	6	8	8	1	22	1	66
.....	.....	1	.....	.....	.....	.....	.....	9	4	4	1	1	3	1	.....	.....	.....	67a
.....	.....	.....	.....	.....	.....	2	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	67b
.....	.....	1	.....	3	1	2	1	6	2	.....	.....	2	2	.....	.....	3	1	68
5	1	22	2	6	3	18	4	60	29	30	21	6	27	6	2	38	1	69
169	234	475	188	223	143	518	242	3,602	3,505	1,473	2,732	632	1,762	574	164	1,454	282	
1	2	4	1	.....	.....	8	3	21	25	23	38	8	12	9	3	41	5	70
4	5	18	4	10	4	9	1	84	59	54	64	17	28	13	1	95	14	71a
1	.....	4	.....	3	2	7	2	20	21	19	15	3	10	6	.....	41	2	71b
2	6	4	2	5	2	3	.....	100	64	29	39	12	27	7	1	13	5	72
3	16	17	2	6	10	23	3	192	219	50	115	31	85	24	4	64	11	73
136	146	316	133	158	87	323	127	2,377	2,136	978	1,846	430	1,143	377	107	740	129	74a
1	3	13	3	1	.....	7	1	95	111	29	43	16	44	8	.....	12	4	74b
4	29	18	4	10	21	80	61	50	61	72	158	37	127	28	17	167	34	75
3	7	45	24	2	1	8	6	156	414	69	148	13	91	23	9	78	26	76
.....	4	5	4	3	1	4	11	50	77	12	31	9	29	26	4	24	4	77

[2] A list of these cities may be found on p. 9.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS AND CLASS OF

[The term "cities" indicates municipalities of 10,000 inhabitants or more

Detailed Int. List No.	CAUSE OF DEATH.	LOUISIANA.				MAINE.		MARYLAND.				MASSACHUSETTS.		MICHIGAN.	
		Cities.		Rural districts.		Cities.	Rural districts.	Cities.		Rural districts.		Cities.	Rural districts.	Cities.	Rural districts.
		White.	Colored.	White.	Colored.			White.	Colored.	White.	Colored.				
	All causes	5,094	3,566	5,261	6,182	3,249	7,566	9,084	2,429	6,051	2,416	38,526	9,261	21,885	22,247
	I.—Epidemic, endemic, and infectious diseases	799	822	1,046	1,728	388	856	1,167	634	901	522	4,848	1,154	3,342	2,602
1	Typhoid and paratyphoid fever	37	36	121	132	27	32	47	15	44	46	103	19	138	154
2	Typhus fever							1		1		1			
3	Relapsing fever (spirillum obermeieri)											1			
4	Malta fever														
5	Malaria	16	26	214	170		1	1		2	1			3	4
6	Smallpox	16	25	9	8									6	6
7	Measles	39	4	43	25	12	70	25	2	16	4	157	26	54	14
8	Scarlet fever	4		6	1	6	16	13	1	14	3	157	30	185	159
9	Whooping cough	22	14	62	59	12	56	84	23	62	80	166	38	182	141
10	Diphtheria	19	7	56	27	50	60	90	14	60	18	543	72	606	343
11a	Influenza (with pulmonary complications)	28	34	35	37	14	56	53	19	17	10	96	30	58	63
11b	Influenza (other and unspecified)	20	9	22	37	13	55	11	5	18	9	46	21	33	92
12	Miliary fever														
13	Mumps			1	2		2	1		1	1	5		6	7
14	Asiatic cholera														
15	Cholera nostras			2	3	3	4	1		3		4	2	2	9
16	Dysentery	13	9	68	66	3	8	18	12	29	8	25	8	37	75
17	Plague														
18	Yellow fever	1													
19	Spirochetal hemorrhagic jaundice			1											
20	Leprosy			6	1							1			
21	Erysipelas	10	1	13	5	8	14	24	4	10		113	17	69	68
22	Acute anterior poliomyelitis	2		2	1	7	10	21	4	12		38	10	48	67
23	Lethargic encephalitis	4	2	2	2	5	10	15	3		1	68	3	79	34
24	Meningococcus meningitis	5	2		1	2	3	9	1	10	1	56	7	38	32
25	Other epidemic and endemic diseases			2			1	2	1			9	1	5	5
26	Glanders														
27	Anthrax	1		1											1
28	Rabies											3			
29	Tetanus	36	31	27	64	3	10	14	3	8	8	34	3	16	7
30	Mycoses	1	1	1	6					1	4	2	1	1	2
	Tuberculosis (total)	468	518	310	932	205	429	671	441	581	304	3,041	829	1,556	1,199
31	Of the respiratory system	417	458	280	898	149	351	580	378	546	270	2,493	726	1,281	1,030
32	Of the meninges, central nervous system	17	7	5	2	14	29	36	16	15	7	279	35	125	45
33	Of the intestines, peritoneum	14	16	16	12	13	16	16	23	8	12	103	20	50	48
34	Of the vertebral column	2	3	1	4	9	3	15	7	4	2	37	7	23	18
35	Of the joints	1	2	1	1	2	5	2	1			12	4	10	8
36	Of other organs	1	9	3	5	11	12	13	7	2	3	32	14	27	28
37a	Disseminated (acute)	11	21	4	8	6	4	6	9	5	6	75	17	36	17
37b	Disseminated (chronic or unspecified)	5	2		2	1	9	3		1	4	10	6	4	5
38	Syphilis	48	93	28	126	12	14	51	75	9	19	139	33	160	68
39	Soft chancre														
40	Gonococcus infection	3	5	2	11	1	1	5	10		2	10	1	16	6
41	Purulent infection, septicemia	6	5	12	11	5	3	10	1	3	3	30	3	44	46
42	Other infectious diseases				1		1								
	II.—General diseases not included in Class I	579	257	423	338	432	885	1,111	149	562	113	5,155	1,289	2,446	2,732
	Cancer and other malignant tumors (total)	397	126	268	184	285	614	790	82	413	87	3,676	960	1,587	1,749
43	Of the buccal cavity	18	4	11	4	7	26	26	2	18	2	115	29	42	76
44	Of the stomach, liver	129	35	89	60	102	229	274	28	183	34	1,179	297	591	758
45	Of the peritoneum, intestines, rectum	44	13	26	11	57	90	94	1	48	7	721	176	210	206
46	Of the female genital organs	75	37	40	63	50	88	123	25	43	23	486	139	246	206
47	Of the breast	32	13	17	15	20	64	84	12	25	6	384	101	163	153
48	Of the skin	21	2	21	2	6	26	23		29		56	34	30	76
49	Of other or unspecified organs	78	21	64	29	43	91	166	14	67	15	735	184	305	274
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	2	1		5	7	8	7		1	1	27	14	17	19
51	Acute rheumatic fever	14	20	15	14	13	20	23	17	13	8	73	9	70	71
52	Chronic rheumatism, osteoarthritis, gout	3	4	4	2	3	12	12	1	9	1	32	23	26	36
53	Scurvy			1			1	1		1		4		1	3
54	Pellagra	9	51	23	98	1	7	3	1	1	1	13		2	
55	Beriberi														
56	Rickets		5	2	3	1		1	9	5	1	11	3	13	12
57	Diabetes mellitus	87	24	46	15	76	125	163	14	64	11	639	153	272	355
58	Anemia, chlorosis	15	7	16	2	19	43	29	6	17	1	224	54	178	270
59	Diseases of the pituitary gland							1				6		1	
60a	Exophthalmic goiter	9	5	2		5	5	12	1	5		25	10	40	41
60b	Other diseases of the thyroid gland	2	3	3	1	1	2	8	1			30	1	30	27
61	Diseases of the parathyroid glands				1		1	2	4			2		6	1
62	Diseases of the thymus gland	4		3			1	2	1	3		51	6	17	13
63	Diseases of the adrenals (Addison's disease)			2	1	2	3	1	1			16		7	4
64	Diseases of the spleen	2			1	1	3	3				14	2	8	6
65a	Leukemia	11		8		1	7	19	3	7	1	48	5	26	24
65b	Hodgkin's disease	4		5		2	4	13				39	12	13	11
66	Alcoholism (acute or chronic)	6	2	10	1	5	11	13	5	11		107	19	53	32
67a	Chronic lead poisoning	1				1	2	2		2		5	1	3	3
67b	Other chronic mineral poisoning		1									1			
68	Chronic poisoning by organic substances	3	1							1		2		7	6
69	Other general diseases	10	7	15	10	9	16	6	3	9	1	110	17	69	49
	III.—Diseases of the nervous system and of the organs of special sense	469	213	399	411	402	986	1,047	216	790	243	4,279	1,319	2,140	3,082
70	Encephalitis	9	7	8	6	4	5	10	1	7	4	34	4	24	27
71a	Simple meningitis	8	3	10	7	5	13	13	1	14	7	75	28	78	46
71b	Nonepidemic cerebrospinal meningitis	1	1	3	2	2	3	5		7	2	43	6	35	27
72	Tabes dorsalis (locomotor ataxia)	10	7	2	4	7	16	18	3	5		68	17	41	43
73	Other diseases of the spinal cord	26	7	14	11	20	37	27	4	24	5	175	56	78	121
74a	Cerebral hemorrhage	302	138	234	210	252	750	769	176	509	125	3,044	941	1,281	2,075
74b	Cerebral embolism and thrombosis	7	1	11	3	11	20	23	5	21	2	115	46	30	46
75	Paralysis without specified cause	16	11	27	51	13	32	33	3	79	29	74	27	123	201
76	General paralysis of the insane	21	16	29	24	34	16	28	15	43	22	206	55	138	121
77	Other forms of mental alienation	15	1	10	17	15	13	3		6	4	18	9	26	23

MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE
CAUSES: 1921—Continued.

in 1920; the remainder of the state is included in "rural districts."]

MINNESOTA.		MISSISSIPPI.				MISSOURI.		MONTANA.		NEBRASKA		NEW HAMPSHIRE.		NEW JERSEY.		NEW YORK.		Detailed List No. Int.
		Cities.		Rural districts.														
Cities.	Rural districts.	White.	Colored.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	
9,793	13,013	1,178	1,813	6,147	10,812	18,126	18,945	1,426	3,267	3,815	8,202	2,648	3,454	24,550	13,378	97,781	32,613	
1,326	1,853	176	384	1,228	2,896	2,745	3,870	170	519	499	800	284	359	3,393	2,015	13,895	4,170	
34	54	16	21	92	204	112	331	5	15	19	47	9	7	95	52	277	109	1
																4		2
																		3
																		4
		14	39	288	553	19	173			1	2	1		5	4	9	7	5
8	18		1	3	5	165	27	1	2	3	6					2		6
9	23	6	4	11	7	27	45	6	29	6	22	3	9	87	28	400	118	7
99	90			8	8	66	80	1	9	29	65	8	14	187	49	615	97	8
39	116	12	22	55	145	88	175	19	50	3	62	18	18	190	143	633	176	9
111	109	13	5	181	145	299	489	4	43	94	52	53	22	410	190	1,480	231	10
48	71	8	10	28	46	109	141	6	20	19	45	16	24	113	114	351	157	11a
14	39	9	11	46	72	28	97	8	15	9	58	7	15	58	48	160	154	11b
							1											12
	1						3	1			1	2		1		10	2	13
																		14
	2		2		4		4		1				2	1	1	3	13	15
6	30	9	5	66	78	40	175	4	7	4	24	5	4	18	12	39	42	16
																		17
																		18
1	1			1	1									2		7	1	19
																1		20
25	29	3		19	11	52	55	11	6	14	35	13	9	56	19	260	75	21
21	74	1		10	6	36	22	1	1	10	19		2	36	14	191	81	22
16	22	2		2		11	7	3		15	9	2	1	38	9	190	33	23
12	21		2	9	6	20	30	3	4	5	11	2	3	44	10	191	15	24
	4			1	3	3	5	2	8		2	1	2	5	2	21	4	25
																		26
1					1											5	1	27
	1				1	1	2						1		1	4		28
14	15	6	5	15	17	35	42			8	10		2	53	16	61	30	29
3	2	2			5	3	1	1			1			2	1	11	5	30
769	1,106	56	182	367	1,384	1,331	1,851	76	280	195	292	135	216	1,800	1,243	8,156	2,680	
614	958	46	158	337	1,305	1,156	1,676	61	254	160	246	100	186	1,528	1,129	6,966	2,436	31
54	59	3	1	8	16	53	42	5	11	13	11	19	8	123	52	571	69	32
36	37	4	14	11	35	54	64	3	3	5	15	6	6	57	16	224	75	33
10	9		3	3	6	18	16	1	2		3	3	1	22	11	87	28	34
6	6		3	2	5	4	4	2			3		2	11	6	43	18	25
22	17	1	2	3	9	19	21	3	2	5	5	4	5	26	8	107	29	36
22	14	2	1	3	5	23	18	1	5	9	7	2	4	26	20	140	19	37a
5	6				3	4	10		3	3	2	1	4	7	1	18	6	37b
72	16	8	53	13	161	253	80	11	15	49	20	4	5	150	54	690	103	38
																1		39
9	1	7	21		15	20	4	3	2	6	1	1		16		49	6	40
15	8	4	1	13	18	27	30	4	12	10	16	4	3	26	5	72	30	41
																2		42
1,549	1,736	130	185	523	890	2,285	1,815	194	290	537	1,111	339	453	2,938	1,408	12,391	3,821	
1,043	1,135	72	66	313	298	1,612	1,288	122	193	357	724	227	306	2,024	1,009	8,491	2,691	
27	52	3	3	10	7	74	48	5	6	8	14	2	14	56	32	264	99	43
398	581	15	10	106	68	548	510	46	85	135	338	82	117	751	384	3,085	892	44
174	111	12	11	24	12	231	143	11	31	66	113	37	48	337	131	1,405	377	45
122	82	22	27	46	132	253	178	20	20	53	79	37	44	308	155	1,120	391	46
70	75	4	4	21	29	149	105	12	13	18	53	25	28	161	116	772	294	47
23	48			32	6	40	80	1	6	4	24	5	15	43	30	162	119	48
229	186	16	11	74	44	317	224	27	32	73	103	39	40	368	161	1,683	519	49
6	7		3	3	2	18	9	3	1	6	9	3	1	23	11	75	36	50
19	38	1	6	24	25	52	41	8	15	8	27	9	8	118	47	365	79	51
5	24	1	2	3	2	9	21	1	2	6	11	5	4	20	21	48	59	52
		1			1	3							1	5		4	1	53
1	1	16	99	67	501	8	12				1			2		12	7	54
																		55
4	8				2	3	5		2		4	1		18	6	49	16	56
177	263	21	4	52	27	300	245	23	34	67	189	48	81	427	214	1,986	490	57
90	127	3		12	3	64	72	11	10	36	64	14	25	94	32	349	203	58
4	2					3	1				2	1			2	6	1	59
51	22	1	1	5	4	39	25	3	3	4	8	3	1	22	5	127	37	60a
30	2	1	2	1	5	23	14	4	4	10	5	4	4	14	4	59	21	60b
	2			1							1			1		10		61
12	2					12	2		1	4	2	1		13	3	87	15	62
8	7			1		8	9	1	2	4	10		2	8	2	43	20	63
5	5	1			2	7	2		2	1		1		10	2	35	7	64
28	21	5		4	2	33	19	2	3	9	20	2	3	36	10	144	31	65a
12	14		1	1	3	16	7	1		3	5	3	1	12	8	80	13	65b
17	26	3		8		23	12	10	9	7	8	4	8	34	16	136	28	66
	2					4	1		2	1	2	1		4	3	13	5	67a
					1									1	1			67b
	2			3		12	2	2		2				11		53	4	68
37	26	4	1	25	12	36	28	3	7	12	19	12	8	41	12	219	57	69
943	1,372	116	145	468	633	1,645	2,094	125	309	341	1,036	331	469	2,293	1,934	8,591	4,848	
12	15			6	15	15	33	3	5	5	14	3	4	23	7	59	28	70
26	23	3	3	16	9	49	79	6	7	6	32	8	5	69	27	194	60	71a
8	14	1		6	13	11	32	1	3	6	12	6	2	21	6	60	27	71b
21	11	1		3	6	36	39	4	3	7	9	6	7	26	26	148	57	72
53	65	2	5	27	20	75	112	5	12	17	69	15	5	100	83	415	200	73
526	915	70	63	270	319	999	1,338	80	162	212	616	224	362	1,655	1,365	5,612	3,446	74a
35	37	5		7		36	18	4	8	21	23	8	19	52	31	253	120	74b
26	51	7	13	76	140	89	159	7	13	9	71	12	16	56	64	219	144	75
51	66	8	36	3	5	161	76		28	8	51	13	10	52	131	481	328	76
27	10	5	7		5	18	25	1	23	3	19	11	4	20	49	142	60	77

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS AND CLASS OF

[The term "cities" indicates municipalities of 10,000 inhabitants or more

Detailed List No.	CAUSE OF DEATH.	NORTH CAROLINA.				OHIO.		OREGON.		PENNSYLVANIA.		RHODE ISLAND.		SOUTH CAROLINA.	
		Cities.		Rural districts.		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	
		White.	Colored.	White.	Colored.									White.	Colored.
	All causes	2,862	2,298	15,238	9,056	37,141	29,963	3,776	4,528	59,018	50,901	6,469	1,287	1,732	2,163
	I.—Epidemic, endemic, and infectious diseases	466	544	2,369	1,921	5,710	4,330	493	641	8,291	7,699	829	254	238	490
1	Typhoid and paratyphoid fever	11	21	147	135	234	308	9	38	272	381	16	1	29	34
2	Typhus fever														
3	Relapsing fever (spirillum obermeieri)														
4	Malta fever									1					
5	Malaria	6	16	74	84	5	7	3		2	3	2		5	33
6	Smallpox	1	1	10	8	5	10	1	5		1				
7	Measles	25	9	90	23	89	57	13	29	167	310	68	14	6	3
8	Scarlet fever	7	1	33	4	298	140	4	10	333	315	13	1	3	
9	Whooping cough	23	20	204	138	239	277	10	26	355	429	47	10	18	15
10	Diphtheria	21	11	276	64	647	439	58	54	965	1,018	69	11	17	5
11a	Influenza (with pulmonary complications)	19	24	126	54	160	198	15	41	419	401	19	4	23	25
11b	Influenza (other and unspecified)	13	16	84	42	112	220	13	33	300	409	16		7	5
12	Miliary fever														
13	Mumps	1	1			3	3	1		3	7	2			
14	Asiatic cholera														
15	Cholera nostras			8	5	3	6			8	16	1	1		
16	Dysentery	13	13	168	67	65	125	2	7	41	91	7	1	11	10
17	Plague														
18	Yellow fever														
19	Spirochetal hemorrhagic jaundice					1	1							1	
20	Leprosy														
21	Erysipelas	4		41	6	100	78	12	12	123	139	17	3	3	
22	Acute anterior poliomyelitis			19	7	50	35	5	15	36	47	2	1	1	
23	Lethargic encephalitis	2		7	3	105	31	11	7	71	29	8	2	3	1
24	Meningococcus meningitis	6	4	17	8	33	23	2	4	66	54	11	1	3	2
25	Other epidemic and endemic diseases			2	1	2	3		8	9	14	2			
26	Glanders														
27	Anthrax					1	3			4	1				
28	Rabies	1		1		1	2			3	4	3	1	2	
29	Tetanus	4	9	14	26	40	41	1	2	72	66	5	1	7	8
30	Mycoses	1	1	1	12	6	5			5	7				2
	Tuberculosis (total)	281	347	985	1,126	3,099	2,171	286	322	4,524	3,673	467	196	84	272
31	Of the respiratory system	254	304	893	1,041	2,565	1,872	223	267	3,725	3,149	364	177	74	243
32	Of the meninges, central nervous system	15	6	18	12	185	73	17	14	317	166	57	9	5	3
33	Of the intestines, peritoneum	5	18	41	34	141	99	20	19	198	147	21	4	2	9
34	Of the vertebral column	1	4	9	5	45	29	7	2	66	46	6	2	1	1
35	Of the joints	1	1	6	6	20	12			23	25	3	2		1
36	Of other organs	2	4	10	13	41	41	3	8	80	45	4		2	4
37a	Disseminated (acute)	3	7	8	13	76	26	8	8	93	64	5			10
37b	Disseminated (chronic or unspecified)		3		2	26	19	8	4	22	31	7	2		1
38	Syphilis	15	35	31	84	351	115	33	22	422	209	44	4	6	69
39	Soft chancre														
40	Gonococcus infection	4	5	2	13	31	6	2	1	28	18	1		5	3
41	Purulent infection, septicemia	8	10	29	11	30	26	12	5	63	56	9	2	4	3
42	Other infectious diseases														
	II.—General diseases not included in Class I	258	153	1,150	474	4,491	3,378	603	552	6,403	4,755	820	139	193	160
	Cancer and other malignant tumors (total)	133	71	682	234	2,990	2,322	398	361	4,435	3,153	582	96	101	4
43	Of the buccal cavity	3		27	4	82	85	7	15	156	124	27	3	3	1
44	Of the stomach, liver	49	16	218	64	1,130	943	167	171	1,586	1,327	193	37	21	16
45	Of the peritoneum, intestines, rectum	18	10	73	15	409	310	53	43	615	388	97	12	17	3
46	Of the female genital organs	19	27	127	87	484	275	56	40	730	444	85	11	23	13
47	Of the breast	13	7	60	16	264	252	40	27	413	285	51	12	10	2
48	Of the skin	7	2	61	5	79	109	9	14	134	126	15	4	6	
49	Of other or unspecified organs	24	9	116	43	542	348	66	51	801	459	114	17	21	9
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	2	2	8	8	21	19	6	1	34	21	3	1	1	2
51	Acute rheumatic fever		9	44	32	123	92	8	12	216	226	17	1	5	4
52	Chronic rheumatism, osteoarthritis, gout	2	2	18	4	36	40	3	9	50	61	3	2	1	1
53	Scurvy			2	3	1		1		7	5				1
54	Pellagra	39	45	149	105	2	1			4	2	4		37	92
55	Beriberi														
56	Rickets		1	4	6	19	8	2	1	37	32	5	1		5
57	Diabetes mellitus	35	13	116	31	580	487	81	89	904	635	99	22	24	4
58	Anemia, chlorosis	16	1	30	6	202	137	27	23	217	203	24	6	4	
59	Diseases of the pituitary gland						1	1	1	4	3				
60a	Exophthalmic goiter	1	2	5	8	146	86	11	10	70	49	3	1		1
60b	Other diseases of the thyroid gland	1	1	10	2	45	20	13	6	67	27	5		1	1
61	Diseases of the parathyroid glands			1		4				5	2	1		1	
62	Diseases of the thymus gland	2	1	6	3	31	7	5	8	34	28	6	1		1
63	Diseases of the adrenals (Addison's disease)					17	9	8	2	18	23	3	1		
64	Diseases of the spleen			3	1	9	5		3	15	7	2		2	
65a	Leukemia	4	2	13	5	45	38	11	6	57	52	10	2	4	
65b	Hodgkin's disease	1		4	2	33	16	3	2	28	21	5			
66	Alcoholism (acute or chronic)	6	3	17	9	99	27	12	9	97	99	19	1	4	1
67a	Chronic lead poisoning	1				9	6			8	5	1			
67b	Other chronic mineral poisoning				1			1		1					
68	Chronic poisoning by organic substances	3		6		5	4	2	1	6	5		1	1	1
69	Other general diseases	12		32	14	74	53	10	8	89	96	28	3	7	2
	III.—Diseases of the nervous system and of the organs of special sense	288	193	1,559	761	4,092	4,312	505	595	5,255	5,896	723	152	173	194
70	Encephalitis	3	5	20	7	47	46	10	7	60	53	3	1	2	2
71a	Simple meningitis	6	2	64	24	127	100	7	11	203	135	19	4	4	3
71b	Nonepidemic cerebrospinal meningitis	2	4	36	6	30	40		3	34	30	7	1	1	2
72	Tabes dorsalis (locomotor ataxia)	3	1	13	4	87	67	7	8	110	98	9	2	1	
73	Other diseases of the spinal cord	10	8	46	8	136	169	17	37	173	215	19	3	7	3
74a	Cerebral hemorrhage	168	133	909	432	2,735	3,099	307	427	3,376	3,997	533	118	108	127
74b	Cerebral embolism and thrombosis	6	2	10	2	71	79	9	7	161	115	12	3	2	5
75	Paralysis without specified cause	21	16	236	136	70	141	22	30	184	188	18	4	12	9
76	General paralysis of the insane	9	1	25	7	303	176	58	16	274	324	39	1	7	19
77	Other forms of mental alienation	10	1	25	17	63	31	17	5	41	70	8		5	5

MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE CAUSES: 1921—Continued.

[In 1920; the remainder of the state is included in "rural districts."]

SOUTH CAROLINA—con.		TENNESSEE.				UTAH.		VERMONT.		VIRGINIA.				WASHINGTON.		WISCONSIN.		Detailed List No.
Rural districts.		Cities.		Rural districts.		Cities.	Rural districts.	Cities.	Rural districts.	Cities.		Rural districts.		Cities.	Rural districts.	Cities.	Rural districts.	
White.	Colored.	White.	Colored.	White.	Colored.					White.	Colored.	White.	Colored.					
6,474	10,008	4,439	3,143	13,593	4,044	2,067	2,716	744	4,255	4,437	3,521	12,788	7,788	6,639	6,615	10,754	16,798	
1,085	2,618	780	781	3,478	1,310	276	409	91	392	654	694	2,451	2,085	842	1,183	1,401	2,271	
112	270	45	40	386	146	12	30	3	16	47	21	182	129	23	52	41	40	1
																		2
																		3
																		4
76	363	30	57	174	79				1	5	4	13	21	2	2	1		5
1	10	1	3	5	2	2	8		1			8	1	5	4	8	13	6
52	27	19	6	52	4	35	57		14	20	10	111	35	5	20	12	39	7
10		12		27	3	4	16	4	19	13	1	41	4	8	22	99	143	8
73	173	42	20	163	61	33	113	9	18	54	58	178	163	17	34	47	117	9
111	77	52	10	297	29	24	38	8	20	46	8	231	64	63	60	226	173	10
61	47	38	52	157	45	9	21	1	40	28	50	100	60	61	58	28	85	11a
58	65	24	28	109	29	2	6	2	26	13	9	71	59	31	39	27	70	11b
																		12
	3						1			1		2	1		1	1	5	13
																		14
1	5	5	2	9					1		1	4	4	1	3	1	13	15
97	138	51	22	219	23	1	6		3	29	9	194	90	7	11	12	53	16
																		17
																		18
																1		19
																		20
12	6	10	1	41	3	8	10		6	8		26	3	10	16	43	44	21
8	8	2	1	20	7	4	1	1	9	1	1	19	7	54	68	14	55	22
1	5	5	1	14	4	1	1	2	1	7	3	10	2	41	13	26	24	23
9	5	9	2	20	2	6	4		3	10	2	26	4	10	7	10	20	24
2	2	1		6		3	1			4		3	1		2	1	2	25
																		26
1		1							1				1		1			27
1				2			1				1		1					28
7	12	12	11	21	8	3			4	8	14	16	11	3	3	16	20	29
2	35	1	1		1							3	9			1	1	30
356	1,189	358	458	1,681	807	101	83	55	190	327	430	1,096	1,278	428	722	736	1,278	
319	1,123	286	381	1,489	739	80	70	45	153	274	367	983	1,176	297	629	563	1,125	31
11	9	33	8	55	11	12	7	8	15	28	27	36	26	54	34	76	51	32
15	24	16	37	76	26	5	1		5	10	18	42	36	33	24	31	44	33
	3	8	2	11	3	2	2		1	1	2	8	5	9	9	5	12	34
1	4	2	5	6	2		1		3	1	3	3	8	6	1	12	4	35
4	8	2	6	17	12	1	2	1	5	8	2	12	10	17	14	17	20	26
6	17	8	17	12	12	1			6	4	8	8	15	7	7	24	15	37a
	1	3	2	15	2			1	2	1	3	4	2	5	4	8	7	37b
22	154	54	55	48	48	20	10	4	12	24	58	47	125	59	37	32	48	38
					1									1				39
2	9	2	7	3	2	4		1	2		11	1	4	4	2	5	4	40
10	15	6	4	24	6	4	2	1	5	9	3	19	7	9	6	12	24	41
													1			1		42
497	430	446	178	1,048	263	240	230	97	492	494	189	1,045	401	1,055	697	1,567	2,267	
265	178	295	96	610	112	157	135	71	329	322	97	685	225	718	474	1,065	1,549	
22	7	7	4	19	9	4	6		12	11	2	24	8	19	16	26	49	43
81	42	97	21	208	22	60	53	20	97	100	23	255	80	248	210	420	767	44
37	11	37	7	58	4	17	17	9	52	37	10	64	10	96	57	169	183	45
46	64	62	40	95	47	27	16	20	48	51	31	105	77	108	60	122	97	46
25	20	32	9	50	14	16	11	13	33	32	11	65	15	69	35	90	113	47
10	2	10		58	3	2	4	1	13	11	3	38	3	22	17	25	34	48
44	32	50	15	122	13	31	28	8	74	80	17	134	32	156	79	213	306	49
5	3	1	1	9	4	2	2			2	4	8	5	9	4	7	5	50
14	32	3	16	37	14	3	16	2	6	8	19	34	35	13	22	49	83	51
2	2	2	2	19	5	1	4	1	3	5	2	19	8	7	15	18	26	52
										1	1		2				1	53
91	147	38	32	175	84				2	11	21	41	46		1		1	54
										1				3				55
3	7		1	2	3	1			2	1	15	5	12		4	6	12	56
62	34	44	10	77	14	34	32	12	75	63	17	116	40	125	85	181	287	57
8	10	17	5	30	5	12	9	4	39	17	2	45	8	59	24	94	147	58
												1						59
1	2	2	5	9	3	4	9	2	8	6	3	8	1	26	11	36	29	60a
4	3	4		5		2	1	1	5	4	2	9	2	14	9	14	16	60b
1				1					1								2	61
2		1		1		3	3			3		3		13	4	14	10	62
				4		3	1	1	4	1		3		4		8	13	63
1		3		3	1	1				2		1			2	5		64
7	2	5	1	11		6	4		3	4		14	3	14	10	17	23	65a
4		3		7	1	1	2		4	1		8	1	8	2	5	20	65b
6	2	5	4	15	9	5	3		6	15	2	21	5	22	16	19	24	66
	1			2		2					1			1	2	4	1	67a
	1			1	1													67b
		5	1	2		1	1		3	4	1	3		5	1			68
21	6	18	4	28	7	2	8	3	2	23	2	21	8	14	11	25	18	69
670	710	377	204	1,144	294	198	204	68	610	515	389	1,319	791	669	801	1,034	2,083	
11	12	5		17	6	4	2	1	3	8	2	15	6	10	6	24	20	70
19	10	12	5	45	4	6	10	4	13	13	11	58	15	12	15	35	38	71a
6	5	4	6	23	2	4	7		4	9	5	30	9	5	9	9	24	71b
4		6	1	16			4	1	9	14	1	16	4	10	13	15	25	72
17	7	8	11	55	19	7	7	4	31	25	13	47	22	39	32	56	90	73
410	319	237	119	555	130	134	134	51	455	323	262	758	448	495	476	698	1,365	74a
7	5	6	2	10	6	3	3	2	15	18	1	15	2	10	16	13	38	74b
118	190	36	28	203	49	3	5		11	23	39	180	108	26	32	23	77	75
1	5	10	5	38	21	10	1	1	19	16	1	24	19	11	31	9	110	76
2	9	2	2	29	10	2	1		5	4		17	19	3	33	10	64	77

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS AND CLASS OF

[The term "cities" indicates municipalities of 10,000 inhabitants or more

Detailed List No.	CAUSE OF DEATH.	Registration area (exclusive of Hawaii).	REGISTRATION STATES.			Registration cities in nonregistration states.[2]	All registration cities.[1]	CALIFORNIA.		COLORADO.		CONNECTICUT.	
			Total.[1]	Cities.[1]	Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	III.—Diseases of the nervous system and of the organs of special sense—Con.												
78	Epilepsy	2,782	2,754	914	1,840	28	942	30	62	6	29	9	15
79	Convulsions (nonpuerperal; 5 years and over)	139	135	45	90	4	49	1	1	.....	1	1	1
80	Infantile convulsions (under 5 years)	1,992	1,965	755	1,210	27	782	13	25	5	3	22	4
81	Chorea	100	100	41	59	.....	41	.....	.....	.....	1	.....	.....
82	Neuralgia and neuritis	341	337	129	208	4	133	12	4	1	1	6	2
83	Softening of the brain	762	744	254	490	18	272	26	16	4	3	3	8
84	Other diseases of the nervous system	2,548	2,485	1,448	1,037	63	1,511	80	36	15	7	35	5
85	Diseases of the eye and annexa	84	81	53	28	3	56	.....	.....	.....	.....	.....	.....
86a	Diseases of the ear	1,774	1,736	1,138	598	38	1,176	55	23	12	6	24	2
86b	Diseases of the mastoid process	1,060	1,039	759	280	21	780	34	8	9	5	10	.....
	IV.—Diseases of the circulatory system	160,858	158,482	85,218	73,264	2,376	87,594	5,255	3,494	712	683	1,909	822
87	Pericarditis	882	863	405	458	19	424	28	16	4	5	6	2
88	Endocarditis and myocarditis (acute)	5,384	5,250	3,403	1,847	134	3,537	146	98	46	23	64	22
89	Angina pectoris	8,031	7,893	3,897	3,996	138	4,035	316	199	71	50	112	63
90	Other diseases of the heart	124,967	123,151	66,577	56,574	1,816	68,393	4,187	2,659	492	488	1,520	620
91a	Aneurysm	1,564	1,506	981	525	58	1,039	104	46	11	11	20	6
91bc	Other diseases of the arteries	17,813	17,644	8,731	8,913	169	8,900	386	427	76	94	160	99
92	Embolism and thrombosis (not cerebral)	1,327	1,310	772	538	17	789	69	36	6	10	16	8
93	Diseases of the veins	484	477	297	180	7	304	15	11	4	2	8	1
94	Diseases of the lymphatic system	198	188	104	84	10	114	4	1	2	.....	2	1
95	Hemorrhage without specified cause	140	135	45	90	5	50	.....	.....	.....	.....	.....	.....
96	Other diseases of the circulatory system	68	65	6	59	3	9	.....	1	.....	.....	1	.....
	V.—Diseases of the respiratory system	95,007	93,159	51,817	41,342	1,848	53,665	2,202	1,584	605	643	1,204	339
97a	Diseases of the nasal fossae	365	364	59	305	1	60	5	4	.....	2	1	.....
97b	Diseases of the nasal fossae annexa	428	414	297	117	14	311	19	12	4	.....	3	.....
98	Diseases of the larynx	795	781	301	480	14	315	16	12	2	6	5	3
99a	Acute bronchitis	3,277	3,217	1,899	1,318	60	1,959	81	46	8	15	38	28
99b	Chronic bronchitis	2,628	2,586	1,276	1,310	42	1,318	72	51	10	11	23	8
99c	Bronchitis (unspecified under 5 years)	905	893	494	399	12	506	15	8	1	.....	11	2
99d	Bronchitis (unspecified 5 years and over)	1,204	1,176	525	651	28	553	32	15	5	7	17	4
100a	Bronchopneumonia	33,696	33,157	19,052	14,105	539	19,591	747	536	207	214	464	128
100b	Capillary bronchitis	1,193	1,180	623	557	13	636	26	22	4	8	7	4
101a	Lobar pneumonia	37,871	37,137	21,878	15,259	734	22,612	897	631	297	270	515	132
101b	Pneumonia (unspecified)	5,503	5,296	1,663	3,633	207	1,870	70	124	24	38	42	9
102	Pleurisy	2,695	2,633	1,726	907	62	1,788	98	34	11	11	43	3
103	Congestion and hemorrhagic infarct of the lung	1,586	1,544	714	830	42	756	46	30	4	5	16	13
104	Gangrene of the lung	189	187	122	65	2	124	13	3	1	.....	1	.....
105	Asthma	1,783	1,728	764	964	55	819	46	42	14	21	17	4
106	Pulmonary emphysema	147	142	79	63	5	84	2	2	.....	3	.....	.....
107	Other diseases of the respiratory system (tuberculosis excepted)	742	724	345	379	18	363	17	12	13	32	1	1
	VI.—Diseases of the digestive system	101,571	98,488	53,752	44,736	3,083	56,835	2,292	1,637	536	693	1,133	303
108	Diseases of the mouth and annexa	598	581	286	295	17	303	23	9	1	3	6	1
109a	Adenoid vegetations	12	12	7	5	.....	7	1	1	.....	.....	.....	.....
109b	Other diseases of the pharynx, tonsils	3,570	3,498	1,913	1,585	72	1,985	106	59	26	52	44	13
110	Diseases of the esophagus	117	115	74	41	2	76	2	2	2	1	1	.....
111a	Ulcer of the stomach	3,274	3,194	1,966	1,228	80	2,046	141	69	26	27	57	12
111b	Ulcer of the duodenum	1,053	1,032	765	267	21	786	47	21	11	6	12	.....
112	Other diseases of the stomach (cancer excepted)	6,594	6,395	2,294	4,101	199	2,493	78	106	17	39	43	30
113	Diarrhea and enteritis (under 2 years)	37,192	35,980	18,443	17,537	1,212	19,655	476	608	112	287	397	107
114	Diarrhea and enteritis (2 years and over)	8,645	8,351	3,221	5,130	294	3,515	162	151	31	54	72	53
115	Ancylostomiasis	24	24	4	20	.....	4	.....	.....	.....	.....	.....	.....
116	Diseases due to other intestinal parasites	153	153	39	114	.....	39	4	3	.....	.....	2	.....
117	Appendicitis and typhlitis	12,809	12,356	8,594	3,762	453	9,047	388	172	127	92	163	16
118a	Hernia	3,262	3,186	2,167	1,019	76	2,243	109	45	14	14	58	7
118b	Intestinal obstruction	6,247	6,067	3,585	2,482	180	3,765	203	106	49	44	57	7
119	Other diseases of the intestines	1,320	1,282	694	588	38	732	33	20	9	6	17	5
120	Acute yellow atrophy of the liver	372	358	193	165	14	207	12	7	3	3	3	.....
121	Hydatid tumor of the liver	29	28	18	10	1	19	1	1	.....	.....	.....	.....
122	Cirrhosis of the liver	6,598	6,453	3,684	2,769	145	3,829	223	129	33	21	69	30
123	Biliary calculi	3,494	3,420	2,330	1,090	74	2,404	117	28	33	17	63	7
124	Other diseases of the liver	3,894	3,765	2,171	1,594	129	2,300	113	65	32	17	42	11
125	Diseases of the pancreas	500	489	365	124	11	376	19	12	5	1	7	1
126	Peritonitis without specified cause	1,683	1,621	844	777	62	906	31	19	5	7	19	3
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	131	128	95	33	3	98	3	4	.....	2	1	.....
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	88,899	86,789	48,027	38,762	2,110	50,137	2,616	1,423	383	413	920	331
128	Acute nephritis (including unspecified under 10 years)	5,741	5,521	2,936	2,585	220	3,156	92	58	21	22	55	19
129	Chronic nephritis (including unspecified 10 years and over)	69,955	68,519	37,083	31,436	1,436	38,519	2,097	1,146	293	325	735	283
130	Chyluria	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
131	Other diseases of the kidneys and annexa	2,169	2,090	1,215	875	79	1,294	76	63	9	6	26	7
132	Calculi of the urinary passages	638	616	420	196	22	442	24	14	3	3	9	1
133	Diseases of the bladder	1,111	1,086	392	694	25	417	25	25	4	8	8	7
134	Diseases of the urethra, etc	335	311	238	73	24	262	10	5	2	1	5	1
135	Diseases of the prostate	3,804	3,715	2,097	1,618	89	2,186	117	60	18	17	36	8
136	Nonvenereal diseases of the male genital organs	76	73	41	32	3	44	2	.....	1	.....	1	.....
137	Cysts, other benign tumors of the ovary	709	690	453	237	19	472	20	7	6	3	9	3
138	Salpingitis and pelvic abscess (female)	1,830	1,732	1,364	368	98	1,462	69	12	13	11	10	.....
139	Benign tumors of the uterus	1,806	1,731	1,299	432	75	1,374	57	23	9	14	17	1
140	Nonpuerperal uterine hemorrhage	61	59	24	35	2	26	1	2	.....	.....	.....	.....
141	Other diseases of the female genital organs	643	625	452	173	18	470	26	8	4	2	9	1
142	Nonpuerperal diseases of the breast (cancer excepted)	20	20	13	7	.....	13	.....	.....	.....	1	.....	.....

[1] Including District of Columbia.

MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE
CAUSES: 1921—Continued.

in 1920; the remainder of the state is included in "rural districts."]

DELAWARE.		DISTRICT OF COLUMBIA.		FLORIDA.				ILLINOIS.		INDIANA.		KANSAS.		KENTUCKY.				Detailed List No.
				Cities.		Rural districts.								Cities.		Rural districts.		
Cities.	Rural districts.	White.	Colored.	White.	Colored.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	White.	Colored.	White.	Colored.	
1	7	5		9	2	13	8	80	112	28	79	11	44	9	7	49	17	78
		1	1	1	1	5	4	2	2			3	1		1			79
4	4	4	4	1	11	9	8	39	19	12	13	7	17	8	6	33	13	80
			1					4	2	3	3	1	2	1		2		81
		1		1		4		4	10	9	8	4	12	3		6		82
2	2	2		1		2	1	17	29	8	36	5	19	7		18	1	83
4	1	12	2	5	1	6	6	118	79	26	45	11	43	10	4	34	13	84
				1				2	1	1	1	2	1	1		1		85
3	2	3	3	3		6		131	46	29	35	6	15	5		20	3	86a
		3		3		1		60	18	22	15	6	12	9		16	1	86b
172	261	791	332	299	150	612	280	7,293	4,546	2,193	3,644	700	1,845	714	203	1,538	276	
1	1		3	2	4	5	10	37	26	17	26	8	21	6	4	29	6	87
11	5	25	37	12	8	19	9	319	98	96	74	30	39	43	10	33	10	88
5	25	39	2	30	8	66	10	258	260	86	242	36	99	30	2	86	7	89
131	211	596	248	217	121	445	227	5,952	3,550	1,661	2,668	500	1,402	513	169	1,198	228	90
2		11	7	5	4	8	7	89	29	16	29	17	27	6	9	14	2	91a
15	16	103	34	27	3	56	11	532	539	281	571	83	225	102	8	163	21	91b,c
5	3	12		6		9		58	26	26	22	19	25	10		8	1	92
2		4	1		1	2	1	39	11	5	8	6	3	2		3		93
		1			1	1		6	4	4	2		2		1	1		94
							3	2	3	1	2		1	2		3	1	95
						1	2	1				1	1					96
154	133	291	312	114	121	253	180	4,159	2,337	1,256	1,458	453	948	415	180	1,445	216	
					1	4	6	2	3	3	1	1	2			10	1	97a
		2	6	3		1		23	7	9	10	5	8	6		2		97b
	1	2	3		1	4	1	31	32	10	20	6	19	2		24	1	98
5	6	12	6	2	5	11	4	169	72	39	31	16	23	2	4	19	5	99a
3	6	9	2	7	4	11	2	111	100	48	84	18	43	15	8	33	6	99b
2	2	1		2	2	1	1	85	16	3	3	8	6	7	2	11	4	99c
5	1	3	3	2	1	8	9	43	53	7	15	15	24	8	17	20	2	99d
60	47	116	135	41	32	57	31	1,521	820	445	522	164	343	154	44	425	74	100a
	1		20		4	3	2	72	32	12	21	5	9	1	4	14		100b
68	41	95	105	34	49	59	46	1,653	983	537	547	154	308	144	78	566	71	101a
4	14	15	8	11	11	65	56	93	42	52	95	20	73	31	12	205	22	101b
2	3	15	12	5	3	6	3	187	51	35	31	8	25	11	1	17	8	102
3	5	10	5		3	7	7	48	48	23	31	10	35	20	2	38	7	103
	1	1		2				12	1	2	1	1	2	1				104
2	5	6	2	2	5	15	8	71	58	24	36	15	19	8	8	44	15	105
				1		1	1	10	1	2	2	1	2	1		3		106
		4	5	2			3	28	18	5	8	6	7	4		14		107
134	130	331	165	237	229	607	324	5,607	2,586	1,726	1,993	578	1,267	545	149	1,783	246	
		1		1		5	1	21	15	8	11	4	13	1		11	4	108
									1									109a
	2	13	4	5	4	14	9	220	133	66	87	18	43	10	2	35	5	109b
		1				1		8	2	2	2		1			1		110
6	4	11	7	10	6	13	9	195	79	58	58	25	48	21	8	40	14	111a
	1	10		5		3	1	74	16	26	21	9	7	9		9		111b
11	11	19	15	23	36	81	64	121	178	96	150	38	106	29	23	139	33	112
68	70	69	52	72	70	193	97	2,320	930	553	654	132	319	145	38	812	81	113
5	15	29	19	18	21	102	24	291	350	98	241	30	141	48	14	230	26	114
						2										1	1	115
						2		3	2	1	2		2			10		116
10	4	60	21	32	17	48	27	884	204	301	159	111	168	101	16	122	19	117
3	1	8	5	6	3	5	13	196	66	54	53	14	34	16	4	28	6	118a
4	6	28	19	19	22	42	19	290	145	116	123	55	94	38	15	69	8	118b
1	5	1	2	5	2	12	11	56	32	22	28	15	31	6	5	20	10	119
		2		1	2	5		9	12	8	8	2	6			7	1	120
									3			2			1			121
14	4	19	10	15	23	26	23	376	175	130	155	30	95	39	11	66	14	122
4	4	20		6	2	11	1	261	99	62	70	28	51	24		42	6	123
4	2	27	6	14	12	25	10	199	97	84	105	44	80	29	3	56	8	124
		6	2			1		32	14	13	9	4	1	6	1	2		125
4	1	7	2	5	9	16	14	38	32	26	55	16	27	22	8	33	10	126
			1				1	13	1	2	2	1		1				127
157	179	392	233	207	163	456	268	4,299	2,433	1,310	1,979	523	1,205	512	146	1,241	243	
11	9	25	36	14	29	43	36	195	110	134	117	28	83	41	18	95	20	128
131	164	310	159	164	107	348	173	3,290	2,042	934	1,660	368	918	406	100	998	185	129
																		130
3		15	4	4	1	20	15	134	42	36	27	17	25	14	3	38	6	131
		4		2			2	48	14	8	10	9	13		1	5		132
3	3	3	1	3	4	10	6	32	31	21	22	5	28	7	1	32	5	133
			2	1	3	1	9	16	3	5	1	2	3	5	3	5		134
4	1	18	7	10	4	15	5	211	122	48	84	34	79	17	5	38	9	135
		1	1				2	5	3		2		2			2		136
	1	3	1	1				46	11	17	16	9	9	2	1	7	3	137
1	1	2	11	4	9	5	10	164	15	47	20	16	17	14	5	5	6	138
2		10	10	3	4	5	7	117	29	39	11	25	16	6	9	9	6	139
						3		1		2	1		2			3		140
2		1	1	1	2	6	3	39	11	19	8	8	9			4	3	141
								1				2	1					142

[1] A list of these cities may be found on p. 9.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS AND CLASS OF

[The term "cities" indicates municipalities of 10,000 inhabitants or more

Detailed List No.	CAUSE OF DEATH.	LOUISIANA.				MAINE.		MARYLAND.				MASSACHUSETTS.		MICHIGAN.	
		Cities.		Rural districts.		Cities.	Rural districts.	Cities.		Rural districts		Cities.	Rural districts.	Cities.	Rural districts.
		White.	Colored.	White.	Colored.			White.	Colored.	White.	Colored.				
	III.—Diseases of the nervous system and of the organs of special sense—Con.														
78	Epilepsy	7	6	21	32	8	12	18	2	21	11	44	66	44	91
79	Convulsions (nonpuerperal; 5 years and over)			5	2		3					3		2	4
80	Infantile convulsions (under 5 years)	3	5	3	25	5	22	17	2	17	20	56	17	54	88
81	Chorea			1	1		1					3	1	2	7
82	Neuralgia and neuritis	2		3	2	1	2	4	1	2	1	9	3	7	19
83	Softening of the brain	7	2	2	3	2	8	3		6		9	5	11	26
84	Other diseases of the nervous system	24	4	4	5	10	16	52	1	19	6	153	27	67	59
85	Diseases of the eye and annexa		1			1						3	1	3	5
86a	Diseases of the ear	3	3	10	5	9	11	9	1	9	5	103	9	61	33
86b	Diseases of the mastoid process	8		2	1	3	6	15	1	1		44	1	35	20
	IV.—Diseases of the circulatory system	807	537	533	626	579	1,494	1,371	349	980	280	7,832	2,192	3,331	4,076
87	Pericarditis	3		5	9	2	7	5	1	7		22	10	25	24
88	Endocarditis and myocarditis (acute)	38	18	19	18	18	20	40	9	28	9	206	46	153	89
89	Angina pectoris	50	8	29	14	46	111	72	7	56	12	323	127	113	241
90	Other diseases of the heart	600	438	440	534	402	1,110	1,130	326	773	246	5,853	1,531	2,508	3,106
91a	Aneurysm	19	25	8	9	5	1	13	1	3	3	47	13	32	18
91b,c	Other diseases of the arteries	85	40	31	27	92	232	95	5	95	9	1,282	447	448	547
92	Embolism and thrombosis (not cerebral)	7	4		4	9	10	9		13		59	10	28	25
93	Diseases of the veins	3	2		4	2	2	6		2	1	27	7	15	15
94	Diseases of the lymphatic system		1		3	1	1			1		10		4	2
95	Hemorrhage without specified cause	1	1		4	2		1		2		3	1	5	7
96	Other diseases of the circulatory system	1		1											2
	V.—Diseases of the respiratory system	357	302	453	459	329	726	904	289	484	248	3,902	867	2,009	1,707
97a	Diseases of the nasal fossae	1		1	14		1			1	3	2		1	8
97b	Diseases of the nasal fossae annexa	4	1		1		3	8		3		13	4	12	11
98	Diseases of the larynx	1	4	5	3	4	1	7		5	4	14	4	20	32
99a	Acute bronchitis	12	11	11	24	7	34	36	18	24	18	168	46	104	142
99b	Chronic bronchitis	10	5	19	6	12	29	26	3	19	7	99	37	51	100
99c	Bronchitis (unspecified under 5 years)	2	1	5	6	2	5	9	2	6	5	39	7	28	39
99d	Bronchitis (unspecified 5 years and over)	1	1	6	7	4	15	16	3	8	3	43	23	21	40
100a	Bronchopneumonia	133	95	167	123	137	245	401	132	144	100	1,768	347	733	496
100b	Capillary bronchitis	4	3	5	6	4	15	8	8	18	7	45	17	27	42
101a	Lobar pneumonia	132	148	160	166	106	251	336	113	200	71	1,471	322	754	518
101b	Pneumonia (unspecified)	23	15	42	70	24	87	5	1	17	12	47	14	92	111
102	Pleurisy	15	10	8	7	10	7	20	5	18	5	103	12	63	50
103	Congestion and hemorrhagic infarct of the lung	5	5	10	4	11	15	12		13	5	25	6	37	53
104	Gangrene of the lung	2		1		5	2					10	2	4	1
105	Asthma	5	3	12	17	3	10	11	2	4	3	26	13	41	49
106	Pulmonary emphysema	1					1	4	1			5	3	1	4
107	Other diseases of the respiratory system (tuberculosis excepted)	6		1	5		5	5	1	4	5	24	10	20	11
	VI.—Diseases of the digestive system	581	394	698	653	269	626	864	204	588	287	3,345	512	2,585	2,173
108	Diseases of the mouth and annexa	4	3	6	6	2	1	4	3	6	1	17	5	10	15
109a	Adenoid vegetations				1					1		2		1	
109b	Other diseases of the pharynx, tonsils	8	6	12	18	9	16	25	4	18	5	126	18	113	96
110	Diseases of the esophagus	4	1	1		1	2	1				5	1	3	3
111a	Ulcer of the stomach	13	15	8	7	13	21	24	10	15	2	115	16	81	85
111b	Ulcer of the duodenum	6	7	6	1	2	7	8	1	3	1	56	2	37	22
112	Other diseases of the stomach (cancer excepted)	18	22	61	80	17	62	30	17	63	28	87	37	178	187
113	Diarrhea and enteritis (under 2 years)	150	131	348	300	63	274	381	84	298	178	1,253	215	910	684
114	Diarrhea and enteritis (2 years and over)	35	33	71	68	10	45	48	31	67	17	185	44	172	266
115	Ancylostomiasis				1										
116	Diseases due to other intestinal parasites	1	1	8	17		1	2			1	3			2
117	Appendicitis and typhlitis	157	52	47	38	69	62	86	21	19	16	486	31	402	217
118a	Hernia	27	8	6	11	17	15	40	10	5	10	156	23	82	61
118b	Intestinal obstruction	49	30	22	33	21	31	67	13	17	15	204	31	171	136
119	Other diseases of the intestines	8	13	14	6	6	6	13	2	9	2	41	5	29	34
120	Acute yellow atrophy of the liver	5	2	4			1	2		1		15	2	8	14
121	Hydatid tumor of the liver							2							1
122	Cirrhosis of the liver	49	37	45	43	8	26	45	7	34	6	176	34	148	141
123	Biliary calculi	17	3	6	1	20	12	33		7		173	22	80	58
124	Other diseases of the liver	22	19	25	13	6	22	32		12	1	143	18	97	94
125	Diseases of the pancreas	2	1			1	4	7		1		36	1	12	4
126	Peritonitis without specified cause	6	10	8	8	2	18	12	1	12	4	60	7	45	50
127	Other diseases of the digestive system (cancer and tuberculosis excepted)				1	2		2				6		6	3
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	615	440	409	473	267	616	1,070	250	613	232	2,760	633	1,455	1,552
128	Acute nephritis (including unspecified under 10 years)	31	59	45	68	13	30	47	41	41	27	136	28	106	112
129	Chronic nephritis (including unspecified 10 years and over)	478	281	324	346	191	514	906	185	537	192	2,095	551	1,020	1,195
130	Chyluria														
131	Other diseases of the kidneys and annexa	27	8	9	10	9	10	27	4	7	3	82	9	51	31
132	Calculi of the urinary passages	5				3	1	8		4		27		23	9
133	Diseases of the bladder	4	6	7	12	3	11	1	1	6	3	27	11	15	38
134	Diseases of the urethra, etc	4	8		2	1	1	2	1			13		6	3
135	Diseases of the prostate	21	24	12	20	14	27	42	3	15	3	157	20	90	99
136	Nonvenereal diseases of the male genital organs				1	1	1	1	1			1	1	1	2
137	Cysts, other benign tumors of the ovary	8	2	1		2	8	8			1	23	4	21	13
138	Salpingitis and pelvic abscess (female)	17	33	5	5	9	4	9	7	1	1	63	4	54	17
139	Benign tumors of the uterus	14	17	3	7	18	7	13	5		2	100	3	47	27
140	Nonpuerperal uterine hemorrhage				1							5	1	2	2
141	Other diseases of the female genital organs	6	2	3	1	3	2	6	2	2		30	1	19	3
142	Nonpuerperal diseases of the breast (cancer excepted)											1			1

MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE
CAUSES: 1921—Continued.

in 1920; the remainder of the state is included in "rural districts."]

MINNESOTA.		MISSISSIPPI.				MISSOURI.		MONTANA.		NEBRASKA.		NEW HAMPSHIRE.		NEW JERSEY.		NEW YORK.		Int.
		Cities.		Rural districts.														
Cities.	Rural districts.	White.	Colored.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Detailed List No.
39	35	4	8	17	30	40	64	3	13	2	45	5	8	27	64	159	124	78
1	1		1		7	2	1				1		1	1		9	2	79
12	60	2	6	7	31	6	28		14	9	24	6	7	34	24	86	43	80
			1		1	2	3				1		2	2	1	8	2	81
4	2			3	3	2	10			1	3		1	2	5	10	14	82
5	4	2		5	3	7	24			1	8	2	8	14	7	20	55	83
54	28		2	9	12	38	27	2	6	16	21	5	6	44	24	284	77	84
2	2	1			1		1		1	1				6		10	1	85
26	21	2		8	7	36	16	6	5	10	10	4	2	48	14	229	41	86a
15	12	3		5	6	23	9	3	6	7	7	3		41	6	193	19	86b
1,417	1,941	153	238	633	907	2,691	2,481	202	395	530	1,241	444	781	3,953	2,501	17,989	7,339	
3	5			2	5	34	26		2	2	7	4	1	11	9	64	30	87
43	63	6	9	26	19	119	70	6	13	25	40	14	7	199	98	686	143	88
50	74	14	7	36	18	106	134	7	21	29	91	51	59	132	124	861	423	89
1,129	1,518	106	180	493	816	1,864	1,812	165	309	385	912	261	546	3,276	1,970	14,628	5,519	90
9	17	1	7	11	8	77	28	2	6	6	8	2	1	34	10	141	44	91a
160	232	22	34	50	33	447	379	13	33	63	148	98	160	258	267	1,430	1,108	91b,c
15	20	3		5	1	33	18	8	8	14	21	8	6	26	11	107	50	92
8	8		1	2	3	7	4	1	1	5	8	5		10	9	39	13	93
	2			2		4	1				4	1		5	3	30	6	94
	1	1		2	1		7		1	1	2		1	2		3	2	95
	1			4	3		2		1								1	96
819	1,154	71	110	531	675	1,880	1,632	150	340	337	660	229	311	2,657	1,195	10,266	2,508	
1	4		1	4	6	2	2		2		4	1		1	2	10	3	97a
12	4	1	1	1	2	13	3	1		5	3			11	4	53	5	97b
4	8	1		8	6	10	36		2		8	2	4	14	14	40	9	98
15	49	1	1	9	6	84	51	7	8	4	13	18	14	113	44	443	107	99a
27	50	1	3	17	9	65	83	1	5		16	8	19	60	34	188	90	99b
8	17			4	7	5	6		3	2	8	3	5	28	10	103	28	99c
8	22	1	4	9	2	14	20	3	4	1	8	3	3	17	27	90	53	99d
280	404	19	22	189	157	673	546	45	127	125	208	79	116	857	396	3,703	848	100a
4	12		1	4	6	6	34	3	1		7	1	3	24	19	169	46	100b
362	429	35	59	202	283	845	661	73	118	149	177	79	94	1,215	483	4,550	963	101a
16	66	3	10	50	141	30	65	6	39	20	135	25	35	122	65	295	137	101b
41	30	3	6	13	13	54	29	3	7	15	21	4	4	96	26	356	78	102
23	27	3		10	12	22	35	1	5	3	24	2	5	42	36	92	65	103
2	1	1		2	1	6	3		2	1	2		1	4	3	21	8	104
12	20		2	4	15	34	38	2	9	8	22	4	5	33	26	91	45	105
	3			2		8	6						1	5	1	13	6	106
4	8	2		3	9	9	14	5	8	4	4		2	15	5	49	17	107
1,018	1,104	178	161	696	710	1,783	1,852	170	285	437	857	282	210	2,554	987	9,088	2,157	
10	10		3	5	4	7	12	3	3	5	4	1	2	11	2	38	11	108
			1													2	1	109a
70	50	3	9	20	32	79	72	5	22	19	43	11	9	79	32	292	82	109b
1	1			1		1	1							4	2	16	4	110
61	42	5	6	17	8	54	64	5	13	26	23	10	7	77	26	355	64	111a
50	8	3			1	19	8	3	3	7	8	5	1	20	8	133	16	111b
16	56	4	9	67	108	56	181		10	18	60	15	28	93	84	236	216	112
109	278	49	44	232	224	408	623	29	63	62	201	107	52	1,069	433	3,420	675	113
41	112	21	15	115	87	116	217	2	15	21	94	18	16	154	98	466	280	114
				1	2													115
				1	5		2			1				6		2	2	116
239	216	44	32	104	70	336	179	53	71	124	143	43	24	337	57	1,333	143	117
57	43	8	5	5	19	88	36	9	6	14	20	6	8	109	37	459	76	118a
64	100	15	12	55	53	143	100	17	17	36	77	20	14	150	39	537	140	118b
16	19	4	5	5	3	28	35	2	6	6	25	4		40	10	111	34	119
5	4	1				10	10			4	4	1	1	9	4	33	8	120
1																3		121
76	70	5	8	20	42	185	134	14	21	20	47	15	26	188	89	741	215	122
106	49	3	1	10	6	115	60	12	11	21	37	10	4	101	26	358	42	123
61	32	9	7	30	25	89	64	12	14	33	51	7	10	57	25	343	91	124
10	3					12	5	1	1	6	4	3	2	18	1	68	13	125
24	9	4	4	7	21	31	48	3	9	12	16	5	6	28	13	132	41	126
1	2			1		6	1			2		1		4	1	10	3	127
813	958	122	212	538	809	2,176	1,853	136	217	370	591	217	294	2,307	1,280	9,436	2,852	
28	47	9	25	45	81	147	95	10	18	26	29	11	25	172	53	388	144	128
579	766	101	114	422	615	1,652	1,577	86	165	230	461	168	243	1,843	1,124	7,740	2,401	129
																		130
20	22	3		28	18	47	29	7	5	15	11	8	3	52	16	216	57	131
16	6			3	4	15	6	3	1	4	6			15	5	94	12	132
8	19	1	6	9	22	11	27	4	2	6	16	3	5	18	14	33	54	133
4			5		5	16	4						1	3		44	5	134
90	73	3	17	12	30	104	78	11	9	35	43	7	10	67	38	335	102	135
					1	1				1					1	4	3	136
1	9		2	1	3	19	6	2	4	8	5	2	1	23	8	87	19	137
21	4	4	28	7	9	67	9	8	6	16	11	7	2	48	7	195	19	138
31	8		12	8	13	71	15	3	5	19	5	8	2	49	12	218	23	139
1					2		1							1		3	1	140
14	4	1	3	2	6	26	6	2	2	10	3	3	2	16	2	74	12	141
				1							1					5		142

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS AND CLASS OF

[The term "cities" indicates municipalities of 10,000 inhabitants or more

Detailed Int. List No.	CAUSE OF DEATH.	NORTH CAROLINA.				OHIO.		OREGON.		PENNSYLVANIA.		RHODE ISLAND.		SOUTH CAROLINA.	
		Cities.		Rural districts.		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	
		White.	Colored.	White.	Colored.									White.	Colored.
	III.—Diseases of the nervous system and of the organs of special sense—Continued.														
78	Epilepsy	16	6	52	47	64	112	19	14	97	187	16	4	9	9
79	Convulsions (nonpuerperal; 5 years and over)	1	2	8	4	2	3			2	6		1	1	1
80	Infantile convulsions (under 5 years)	5	4	29	28	81	65	4	3	114	166	20	2	3	5
81	Chorea			3	1	2	3		2	7	8				
82	Neuralgia and neuritis		1	4	2	15	17			18	21	2	2	1	
83	Softening of the brain	2		17	1	23	56	3	4	34	43	2	1	2	
84	Other diseases of the nervous system	9	3	38	20	84	48	12	13	144	121	8	3	6	
85	Diseases of the eye and annexa			3		4		1		5	1	3			
86a	Diseases of the ear	3	3	12	12	97	45	10	5	130	83	1		1	3
86b	Diseases of the mastoid process	14	1	9	3	51	15	2	3	88	35	4	2	1	1
	IV.—Diseases of the circulatory system	315	247	1,660	845	5,478	5,251	702	737	8,738	7,409	1,078	220	259	301
87	Pericarditis	2	2	7	5	35	31	2	4	43	36	2		2	1
88	Endocarditis and myocarditis (acute)	17	11	17	19	215	104	27	14	432	243	36	2	10	8
89	Angina pectoris	36	4	71	12	275	314	40	44	326	373	57	18	17	4
90	Other diseases of the heart	224	216	1,448	762	4,121	4,020	489	587	6,911	5,693	820	167	170	225
91a	Aneurysm	6	9	8	3	57	20	8	11	81	42	8	1	6	9
91b,c	Other diseases of the arteries	23	4	84	28	698	714	113	63	824	923	142	27	54	51
92	Embolism and thrombosis (not cerebral)	3	1	4	3	48	31	15	6	71	56	9	4		3
93	Diseases of the veins	1		4	2	20	10	4	5	32	21	3	1		
94	Diseases of the lymphatic system			2		7	6	3	3	9	17	1			
95	Hemorrhage without specified cause	1		6	7	2	1	1		9	4				
96	Other diseases of the circulatory system	2		9	4						1				
	V.—Diseases of the respiratory system	205	205	1,254	698	3,334	2,520	296	339	7,771	5,750	631	128	95	148
97a	Diseases of the nasal fossae	1	2	16	14	10	6	1	2	4	5	1			
97b	Diseases of the nasal fossae annexa	3		4	1	20	8	4	2	31	7			3	
98	Diseases of the larynx	1	1	26	7	19	32	3	3	50	71	6	1	2	
99a	Acute bronchitis	4	7	18	18	111	59	6	7	202	191	25	5	3	
99b	Chronic bronchitis	3	3	24	11	92	97	11	6	158	97	14	8	3	1
99c	Bronchitis (unspecified under 5 years)		4	17	21	11	16			63	51	6			1
99d	Bronchitis (unspecified 5 years and over)	5	5	15	6	21	44	2	2	54	47	9	3	1	1
100a	Bronchopneumonia	70	61	425	223	1,306	1,011	87	112	2,875	2,211	214	48	25	44
100b	Capillary bronchitis	1	10	8	4	35	43			85	57	7	2		2
101a	Lobar pneumonia	82	82	462	241	1,418	969	140	142	3,468	2,215	264	45	42	84
101b	Pneumonia (unspecified)	13	11	155	110	43	81	13	38	242	370	45	6	6	9
102	Pleurisy	10	7	22	12	117	42	14	10	211	124	16	3	6	1
103	Congestion and hemorrhagic infarct of the lung	6	2	19	8	37	46	6	11	125	72	4	4	2	4
104	Gangrene of the lung			1		7	5			12	12	1		2	
105	Asthma	3	7	26	12	68	50	5	3	120	147	7	1		1
106	Pulmonary emphysema		1	1	1	2	3	1		15	8	3			
107	Other diseases of the respiratory system (tuberculosis excepted)	3	2	15	9	17	8	3	1	56	65	9	2		
	VI.—Diseases of the digestive system	367	258	1,912	812	3,942	2,573	299	318	6,364	5,443	629	74	203	235
108	Diseases of the mouth and annexa	1	3	14	5	25	13	2	4	39	21	3		1	
109a	Adenoid vegetations														
109b	Other diseases of the pharynx, tonsils	11	2	36	17	148	89	25	18	163	156	14	2	6	4
110	Diseases of the esophagus				1	4	3	2		4	7				2
111a	Ulcer of the stomach	9	5	27	20	130	87	16	17	161	105	22	2	4	9
111b	Ulcer of the duodenum	2	1	5	1	41	11	13	10	83	21	13	1	2	1
112	Other diseases of the stomach (cancer excepted)	21	41	149	93	213	268	14	17	388	406	20	14	9	9
113	Diarrhea and enteritis (under 2 years)	129	115	1,024	440	1,270	909	28	51	2,663	2,839	273	30	74	109
114	Diarrhea and enteritis (2 years and over)	29	10	288	75	233	323	19	25	327	493	35	5	19	40
115	Ancylostomiasis	1		2										1	
116	Diseases due to other intestinal parasites		1	4	5	2			1	2	7				3
117	Appendicitis and typhlitis	86	23	99	38	645	182	66	47	846	258	75	1	37	15
118a	Hernia	10	5	20	15	157	64	8	14	227	103	32	2	7	2
118b	Intestinal obstruction	25	18	82	28	290	136	26	35	390	225	29	2	13	20
119	Other diseases of the intestines	6	7	11	10	51	42	7	3	66	38	8			1
120	Acute yellow atrophy of the liver	3	2	3	1	15	6		3	18	25	3	1		4
121	Hydatid tumor of the liver					1	1			3	3				
122	Cirrhosis of the liver	12	8	60	22	270	215	24	29	381	352	48	10	5	5
123	Biliary calculi	4	3	26	3	193	70	18	14	241	100	9	2	12	
124	Other diseases of the liver	8	4	48	20	152	93	19	19	227	167	22		8	7
125	Diseases of the pancreas	2	2			23	6	1		35	14	4		1	
126	Peritonitis without specified cause	8	8	13	18	67	55	10	11	89	97	19	2	3	3
127	Other diseases of the digestive system (cancer and tuberculosis excepted)			1		12		1		11	6			1	1
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	294	231	1,169	635	2,922	2,258	266	329	5,678	4,036	559	111	188	218
128	Acute nephritis (including unspecified under 10 years)	22	29	85	76	185	119	15	15	428	345	41	11	17	16
129	Chronic nephritis (including unspecified 10 years and over)	219	153	959	491	2,180	1,816	183	259	4,491	3,258	454	91	141	176
130	Chyluria										1				
131	Other diseases of the kidneys and annexa	12	4	39	13	65	39	7	10	102	60	11	5	12	4
132	Calculi of the urinary passages	5		5	5	27	15	6	2	28	19	4		2	
133	Diseases of the bladder	2	4	27	9	26	54	4	6	47	58	7	1	1	3
134	Diseases of the urethra, etc		5	1	2	16	2			22	7	1			2
135	Diseases of the prostate	11	7	26	14	127	135	26	20	170	145	19	1	8	4
136	Nonvenereal diseases of the male genital organs		1			2	2			11	3	1			
137	Cysts, other benign tumors of the ovary	1	1	4	4	41	14	2	4	53	28	2		3	3
138	Salpingitis and pelvic abscess (female)	11	15	13	7	110	22	10	4	144	47	8		3	1
139	Benign tumors of the uterus	8	11	7	10	107	29	10	7	142	46	7	2	1	7
140	Nonpuerperal uterine hemorrhage	1	1	1	1	3	4			1					
141	Other diseases of the female genital organs	2		2	3	33	6	3	2	35	19	4			2
142	Nonpuerperal diseases of the breast (cancer excepted)						1			4					

MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE
CAUSES: 1921—Continued.

in 1920; the remainder of the state is included in "rural districts."]

SOUTH CAROLINA—con.		TENNESSEE.				UTAH.		VERMONT.		VIRGINIA.				WASHINGTON.		WISCONSIN.		Detailed List No.
Rural districts.		Cities.		Rural districts.		Cities.	Rural districts.	Cities.	Rural districts.	Cities.		Rural districts.		Cities.	Rural districts.	Cities.	Rural districts.	
White.	Colored.	White.	Colored.	White.	Colored.					White.	Colored.	White.	Colored.					
16	26	6	6	46	17	6	5	.....	16	11	12	40	47	10	34	14	88	78
3	9	1	1	3	2	.....	.....	.....	.....	1	1	5	2	1	.....	.....	2	79
19	92	3	3	22	17	4	10	.....	10	7	22	46	58	5	11	36	54	80
1	.....	2	.....	3	1	1	.....	.....	.....	.....	.....	2	.....	.....	3	1	1	81
5	4	2	.....	13	1	1	.....	.....	3	.....	3	4	4	.....	1	2	7	82
5	3	10	1	18	.....	.....	.....	2	6	6	2	20	4	1	7	6	6	83
13	7	12	8	27	6	4	3	.....	6	18	7	22	17	10	19	44	53	84
.....	1	.....	2	1	1	.....	1	.....	.....	2	.....	.....	1	1	2	.....	1	85
10	1	8	4	14	1	6	9	.....	2	9	4	13	5	11	8	24	14	86a
3	5	7	.....	6	1	3	2	2	2	8	3	7	1	9	3	15	6	86b
715	764	471	384	1,266	354	299	319	132	984	625	430	1,684	917	1,074	1,045	1,539	2,693	
6	14	1	1	15	4	.....	.....	2	2	2	5	9	6	5	4	4	19	87
21	30	14	13	26	8	11	16	3	24	9	20	32	15	41	33	100	105	88
54	12	30	4	66	10	16	11	12	66	51	17	84	11	63	56	74	117	89
561	661	354	332	1,047	308	246	267	85	708	495	331	1,343	793	839	790	1,161	2,088	90
2	2	8	12	7	5	1	2	.....	4	7	19	13	9	17	11	11	18	91a
53	21	49	17	89	10	18	20	30	168	53	30	173	76	79	133	164	311	91b,c
6	4	8	3	7	3	6	3	.....	9	6	4	20	3	21	10	17	19	92
.....	1	3	1	.....	.....	.....	.....	.....	3	1	.....	3	1	7	2	7	6	93
1	1	3	.....	1	3	1	.....	.....	.....	.....	1	4	.....	2	4	.....	5	94
2	9	1	1	6	3	.....	.....	.....	.....	1	3	1	1	.....	2	1	4	95
9	9	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	2	2	.....	.....	.....	1	96
542	874	330	297	1,161	331	174	404	68	362	301	415	920	595	511	455	959	1,523	
10	129	2	.....	6	4	1	.....	.....	.....	2	1	7	14	.....	2	1	2	97a
.....	2	2	1	2	.....	1	.....	.....	.....	5	1	2	2	8	2	3	1	97b
6	4	3	3	9	3	3	3	1	3	1	1	21	7	5	4	3	8	98
5	8	4	13	6	10	7	9	4	16	6	15	19	11	11	10	52	66	99a
4	3	10	14	35	6	7	4	4	14	8	4	26	11	18	10	37	59	99b
5	14	.....	4	12	4	2	6	1	2	2	5	6	8	4	1	20	21	99c
2	6	6	12	19	14	.....	6	.....	12	2	6	17	16	3	8	10	26	99d
148	122	125	84	380	96	65	178	24	132	94	144	307	197	183	177	319	528	100a
.....	2	2	2	11	1	.....	8	2	7	.....	2	15	13	2	4	11	24	100b
218	197	132	129	482	140	70	145	24	109	133	176	300	158	219	165	362	519	101a
108	322	12	15	119	30	6	25	3	45	12	16	119	96	16	27	74	153	101b
17	11	10	13	26	4	8	5	3	10	12	8	24	20	23	17	32	40	102
7	6	10	4	26	4	1	2	1	2	11	9	24	11	5	10	14	27	103
2	.....	1	.....	1	1	.....	.....	.....	1	4	2	.....	.....	2	1	1	4	104
6	24	7	2	18	11	3	7	1	4	5	19	24	24	5	14	14	34	105
1	.....	.....	.....	1	.....	.....	.....	.....	.....	1	1	2	2	.....	.....	.....	2	106
3	24	4	1	8	3	.....	6	.....	5	3	5	7	5	7	3	6	9	107
725	915	582	309	1,393	296	239	229	78	334	426	423	1,255	610	559	433	1,264	1,450	
2	12	4	4	20	6	1	2	.....	1	6	2	9	2	4	4	4	14	108
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	109a
19	28	11	7	41	13	20	18	4	23	19	6	34	14	47	23	50	57	109b
1	.....	1	2	1	.....	1	.....	.....	.....	.....	1	1	.....	2	.....	2	1	110
8	11	14	18	23	8	11	14	4	11	13	21	24	20	41	18	47	42	111a
3	.....	9	.....	5	2	5	2	.....	6	.....	2	2	2	20	8	13	8	111b
83	200	21	40	142	55	3	9	6	25	20	43	105	76	20	42	61	102	112
409	422	149	61	533	61	54	71	18	77	137	172	593	291	63	90	355	461	113
76	72	66	36	249	44	4	19	5	26	34	34	155	69	22	43	102	169	114
4	1	1	.....	4	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	115
2	17	.....	3	4	2	.....	.....	.....	.....	1	1	7	5	.....	.....	.....	.....	116
34	33	140	49	111	29	60	43	22	54	68	45	87	31	131	72	241	175	117
3	13	13	12	24	6	13	3	2	13	15	9	24	10	23	8	47	44	118a
30	29	45	33	53	27	18	15	3	29	39	38	72	36	50	43	84	97	118b
4	8	3	7	20	9	2	5	1	4	4	7	13	3	7	7	15	18	119
.....	5	2	.....	6	.....	1	1	.....	2	1	2	4	.....	1	1	4	5	120
.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	121
15	22	28	11	43	17	16	9	6	26	22	20	46	25	35	40	79	107	122
4	6	27	3	39	3	9	9	4	15	19	5	25	6	33	11	77	70	123
17	22	35	13	60	9	14	6	3	16	20	7	33	12	38	20	48	49	124
.....	2	4	.....	2	.....	.....	.....	.....	1	3	1	7	1	5	2	12	9	125
9	10	9	10	13	5	4	3	.....	5	4	7	13	7	13	1	19	21	126
2	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	4	.....	2	.....	127
582	705	446	348	864	277	160	169	54	378	489	291	983	665	613	396	763	1,114	
34	83	40	46	61	21	10	18	1	21	26	41	51	58	23	24	48	63	128
490	512	312	218	685	220	117	127	44	306	392	188	806	530	466	315	586	896	129
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	130
18	55	18	8	32	9	4	3	3	2	16	4	32	11	13	10	14	20	131
4	2	5	.....	4	2	1	1	.....	3	7	2	8	2	10	1	2	4	132
7	11	6	8	15	6	1	3	.....	10	4	3	17	7	7	8	5	22	133
.....	.....	3	11	.....	2	.....	.....	1	2	1	10	2	1	4	.....	1	4	134
13	10	21	14	42	10	11	11	2	15	19	14	39	23	38	20	57	65	135
.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	2	1	.....	2	2	136
2	5	3	.....	6	1	2	2	.....	3	3	4	4	4	7	3	5	10	137
5	4	15	22	5	.....	6	1	1	6	11	16	14	11	18	6	22	10	138
4	6	13	16	11	3	5	1	2	8	4	5	6	13	16	6	12	12	139
1	3	.....	.....	.....	2	.....	.....	.....	.....	1	.....	1	2	.....	.....	1	1	140
4	13	10	5	2	1	3	1	.....	2	5	3	3	1	10	3	8	5	141
				1														142

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS AND CLASS OF

[The term "cities" indicates municipalities of 10,000 inhabitants or more

Detailed List No.	CAUSE OF DEATH.	Registration area (exclusive of Hawaii).	REGISTRATION STATES.			Registration cities in nonregistration states.[2]	All registration cities.[1]	CALIFORNIA.		COLORADO.		CONNECTICUT.	
			Total.[1]	Cities.[1]	Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	VIII.—The puerperal state	15,027	14,562	7,920	6,642	465	8,385	324	170	87	86	160	20
143	Accidents of pregnancy	1,258	1,216	694	522	42	736	41	20	7	9	15	4
144	Puerperal hemorrhage	1,533	1,494	759	735	39	798	32	26	5	9	17	4
145	Other accidents of labor	1,507	1,468	763	705	39	802	25	11	11	5	15	2
146	Puerperal septicemia	6,057	5,881	3,428	2,453	176	3,604	140	75	43	34	68	7
147	Puerperal phlegmasia alba dolens, embolus, etc.	550	538	303	235	12	315	13	5	1	7	7	.....
148	Puerperal albuminuria and convulsions	4,032	3,877	1,930	1,947	155	2,085	73	31	20	22	36	2
149	Following childbirth (undefined)	85	83	40	43	2	42	.....	2	.....	.....	2	1
150	Puerperal diseases of the breast	5	5	3	2	.....	3	.....	.....	.....	.....	.....	.....
	IX.—Diseases of the skin and of the cellular tissue	3,432	3,349	1,724	1,625	83	1,807	81	48	22	12	44	13
151	Gangrene	1,359	1,324	512	812	35	547	27	20	11	7	15	5
152	Furuncle	662	643	427	216	19	446	20	6	1	2	7	4
153	Acute abscess	664	649	396	253	15	411	14	9	7	1	8	3
154	Other diseases of the skin and annexa	747	733	389	344	14	403	20	13	3	2	14	1
	X.—Diseases of the bones and of the organs of locomotion	1,258	1,222	815	407	36	851	33	15	7	7	39	5
155	Diseases of the bones (tuberculosis excepted)	909	880	595	285	29	624	23	11	3	4	32	1
156	Diseases of the joints (tuberculosis and rheumatism excepted)	282	275	184	91	7	191	8	4	4	2	5	4
157	Amputations	4	4	1	3	.....	1	.....	.....	.....	.....	.....	.....
158	Other diseases of the organs of locomotion	63	63	35	28	.....	35	2	.....	.....	1	2	.....
	XI.—Malformations	13,800	13,578	7,334	6,244	222	7,556	263	195	50	77	176	57
159a	Congenital hydrocephalus	1,330	1,310	731	579	20	751	27	18	3	10	28	5
159b	Congenital malformations of the heart	8,186	8,079	4,284	3,795	107	4,391	148	134	30	47	88	36
159c	Other congenital malformations	4,284	4,189	2,319	1,870	95	2,414	88	43	17	20	60	16
	XII.—Early infancy	60,991	59,584	31,006	28,578	1,407	32,413	1,060	847	253	404	876	197
160	Congenital debility, icterus, sclerema	8,953	8,711	3,830	4,881	242	4,072	133	140	32	60	101	32
161a	Premature birth	37,512	36,603	18,618	17,985	909	19,527	689	522	165	258	463	103
161b	Injury at birth	8,986	8,833	5,441	3,392	153	5,594	141	109	26	44	216	45
162	Other diseases peculiar to early infancy	5,393	5,296	3,056	2,240	97	3,153	93	71	29	40	96	17
163	Lack of care	147	141	61	80	6	67	4	5	1	2	.....	.....
164	XIII.—Old age (senility)	10,938	10,718	2,800	7,918	220	3,020	190	155	59	79	64	43
	XIV.—External causes	79,577	77,516	40,787	36,729	2,061	42,848	2,490	2,161	401	703	969	280
	Suicide (total)	11,136	10,906	6,387	4,519	230	6,617	611	359	72	70	157	47
165	By poisons (corrosives excepted)	416	395	201	194	21	222	29	27	6	4	8	1
166	By corrosive substances	1,323	1,265	813	452	58	871	47	17	8	12	23	1
167	By poisonous gas	1,401	1,385	1,294	91	16	1,310	135	13	7	2	34	1
168	By hanging or strangulation	1,942	1,934	903	1,031	8	911	49	53	6	7	36	14
169	By drowning	710	705	363	342	5	368	34	22	1	5	4	8
170	By firearms	4,122	4,015	2,054	1,961	107	2,161	256	179	38	35	40	17
171	By cutting or piercing instruments	712	702	407	295	10	417	25	32	5	3	6	3
172	By jumping from high places	271	268	235	33	3	238	22	1	.....	.....	4	2
173	By crushing	130	129	71	58	1	72	6	11	1	1	1	.....
174	By other means	109	108	46	62	1	47	8	4	.....	1	1	.....
	Homicide (total)	7,545	7,090	3,894	3,196	455	4,349	214	202	47	66	35	6
197	By firearms	5,509	5,178	2,728	2,450	331	3,059	162	170	42	53	23	5
198	By cutting or piercing instruments	768	687	419	268	81	500	15	20	3	3	4	1
199	By other means	1,268	1,225	747	478	43	790	37	12	2	10	8	.....
	Accidental or undefined (total)	60,896	59,520	30,506	29,014	1,376	31,882	1,665	1,600	282	567	777	227
175	Poisoning by food	927	887	365	522	40	405	38	21	2	7	7	4
176	Poisoning by venomous animals	94	87	24	63	7	31	1	2	.....	3	1	.....
177	Other acute poisonings (gas excepted)	1,538	1,490	820	670	48	868	55	40	10	13	16	6
178	Conflagration	928	902	374	528	26	400	15	29	5	5	12	4
179	Burns (conflagration excepted)	5,329	5,176	2,913	2,263	153	3,066	113	64	17	19	80	16
180	Mechanical suffocation	949	929	354	575	20	374	17	16	5	17	9	3
181	Absorption of irrespirable, irritating, or poisonous gas	1,778	1,762	1,531	231	16	1,547	102	13	8	3	33	3
182	Drowning	6,489	6,368	2,286	4,082	121	2,407	80	228	39	148	74	53
183	Traumatism by firearms (except in war)	2,346	2,245	668	1,577	101	769	34	66	9	29	7	7
184	Traumatism by cutting or piercing instruments	471	463	240	223	8	248	13	11	3	2	3	2
185	Traumatism by fall	10,102	9,936	5,660	4,276	166	5,826	316	164	52	47	138	32
186a	Traumatism in mines	1,777	1,747	489	1,258	30	519	3	18	6	63	.....	.....
186b	Traumatism in quarries	90	87	32	55	3	35	2	5	.....	1	1	.....
187	Traumatism by machines	1,573	1,536	845	691	37	882	53	50	7	16	22	5
188a	Railroad accidents	5,297	5,176	2,209	2,967	121	2,330	95	148	14	41	62	16
188b	Street-car accidents	1,460	1,427	1,131	296	33	1,164	98	25	7	.....	31	12
188c	Automobile accidents	10,168	9,903	6,535	3,368	265	6,800	466	410	59	62	186	34
188d	Aeroplane and balloon accidents	132	127	45	82	5	50	5	21	2	1	1	.....
188e,f	Injuries by other vehicles	1,689	1,661	725	936	28	753	26	54	10	32	20	5
188g	Landslide, other crushing	495	489	196	293	6	202	16	26	7	6	7	1
189	Injuries by animals (not poisoning)	682	667	173	494	15	188	6	19	4	9	4	2
190	Wounds of war	25	24	16	8	1	17	.....	.....	.....	.....	1	.....
192	Starvation (deprivation of food or water)	17	17	7	10	.....	7	.....	.....	.....	1	.....	.....
193	Excessive cold	111	111	23	88	.....	23	.....	3	.....	1	.....	.....
194	Excessive heat	946	938	497	441	8	505	4	24	.....	.....	11	2
195	Lightning	461	459	38	421	2	40	.....	2	1	10	.....	1
196	Other accidental electric shocks	741	724	349	375	17	366	20	40	5	3	11	2
201	Fracture (cause not specified)	503	486	248	238	17	265	4	5	1	1	3	1
202	Other external violence	2,794	2,733	1,290	1,443	61	1,351	68	73	8	16	26	12
203	Violent deaths of unknown causation	984	963	423	540	21	444	17	23	1	11	11	4
	XV.—Ill-defined diseases	14,184	13,800	1,609	12,191	384	1,993	24	40	2	23	21	24
204	Sudden death	987	975	135	840	12	147	.....	3	.....	2	4	3
205a	Ill-defined	4,269	3,993	661	3,332	276	937	14	17	2	7	11	8
205b	Not specified or unknown	8,928	8,832	813	8,019	96	909	10	20	.....	14	6	13

[1] Including District of Columbia.

MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE
CAUSES: 1921—Continued.

in 1920; the remainder of the state is included in "rural districts."]

DELAWARE.		DISTRICT OF COLUMBIA.		FLORIDA.				ILLINOIS.		INDIANA.		KANSAS.		KENTUCKY.				Int. List No.
				Cities.		Rural districts.								Cities.		Rural districts.		
Cities.	Rural districts.	White.	Colored.	White.	Colored.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	White.	Colored.	White.	Colored.	
27	5	63	28	28	32	121	93	600	344	242	226	86	181	73	18	284	47	
2	.....	9	1	1	.....	8	3	58	35	15	10	11	15	3	.....	22	5	143
2	1	3	2	2	2	16	5	46	31	16	19	4	28	6	1	31	1	144
3	.....	9	3	4	2	31	17	68	21	25	13	2	11	3	.....	25	4	145
14	1	20	10	12	14	23	37	270	162	120	112	47	72	41	11	125	20	146
1	1	3	.....	1	.....	1	1	20	4	6	8	1	10	2	.....	6	1	147
5	2	19	12	8	14	42	30	136	87	59	64	21	45	18	6	74	16	148
.....	.....	.....	.....	.....	.....	.....	.....	2	4	1	.....	.....	.....	.....	.....	1	.....	149
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	150
7	6	16	5	4	7	21	12	147	88	40	73	18	49	14	2	48	7	
3	4	5	2	1	3	6	4	38	42	19	37	9	26	7	1	15	4	151
.....	.....	3	2	.....	2	6	1	44	16	7	11	.....	10	4	1	5	1	152
2	1	5	.....	.....	2	4	4	26	11	10	8	5	6	2	.....	10	.....	153
2	1	3	1	3	.....	5	3	39	19	4	17	4	7	1	.....	18	2	154
1	1	4	1	3	1	5	1	85	26	18	13	3	14	2	1	14	1	
1	1	.....	1	3	1	3	1	61	18	13	8	3	12	1	1	9	.....	155
.....	.....	4	.....	.....	.....	.....	.....	20	6	4	5	.....	1	.....	.....	4	1	156
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	157
.....	.....	.....	.....	.....	.....	2	.....	4	2	1	.....	.....	1	1	.....	1	.....	158
20	21	42	10	25	5	49	15	719	371	223	314	75	224	41	3	141	8	
.....	1	6	2	2	1	7	3	71	35	15	28	9	17	3	.....	7	1	159a
14	17	25	7	12	2	23	4	438	232	151	204	48	154	20	3	67	3	159b
6	3	11	1	11	2	19	8	210	104	57	82	18	53	18	.....	67	4	159c
81	72	234	133	130	89	295	148	2,341	1,636	865	1,011	320	813	253	46	1,200	123	
13	20	37	12	17	18	51	37	159	135	90	127	28	151	27	14	186	22	160
49	44	134	92	89	50	197	79	1,307	1,013	554	632	201	483	176	18	886	83	161a
12	4	43	17	11	5	25	18	634	402	119	138	61	114	31	4	72	6	161b
7	4	20	12	13	11	22	13	234	86	101	112	30	65	19	10	55	12	162
.....	.....	.....	.....	.....	5	.....	1	7	.....	1	2	.....	.....	.....	.....	1	.....	163
9	20	21	13	20	8	115	70	154	376	40	143	90	322	87	21	373	59	164
101	102	311	104	195	126	513	329	4,061	2,296	1,187	1,522	442	1,036	388	94	1,169	225	
14	11	85	2	39	4	54	1	623	350	194	241	61	147	61	6	104	4	
2	.....	1	.....	.....	.....	6	.....	12	13	9	14	6	8	2	.....	3	.....	165
1	1	12	.....	5	.....	6	.....	83	38	50	43	13	19	11	.....	16	.....	166
5	.....	31	.....	2	.....	.....	.....	182	8	14	1	2	2	.....	.....	.....	.....	167
1	3	8	.....	5	.....	1	.....	87	78	21	51	8	29	6	1	16	.....	168
.....	2	3	1	2	.....	2	1	36	40	13	18	4	9	1	1	7	.....	169
5	4	16	1	23	4	32	.....	169	141	69	94	24	74	33	3	54	3	170
.....	1	9	.....	1	.....	5	.....	33	19	10	15	1	6	7	1	7	.....	171
.....	.....	4	.....	.....	.....	.....	.....	11	5	1	1	1	.....	.....	.....	.....	.....	172
.....	.....	1	.....	1	.....	1	.....	6	6	3	1	2	.....	.....	.....	1	1	173
.....	.....	.....	.....	.....	.....	1	.....	4	2	4	3	.....	.....	1	.....	.....	.....	174
11	5	24	33	27	51	67	104	422	160	119	70	68	66	42	39	228	85	
7	4	12	19	20	37	46	80	296	122	92	49	54	47	33	33	201	74	197
.....	1	1	5	.....	11	6	19	51	8	9	3	3	5	5	4	6	5	198
4	.....	11	9	7	3	15	5	75	30	18	18	11	14	4	2	21	6	199
76	86	202	69	129	71	392	224	3,016	1,786	874	1,211	313	823	285	49	837	136	
.....	.....	2	.....	10	6	14	3	13	18	12	26	6	17	4	2	28	.....	175
.....	.....	.....	.....	.....	.....	7	3	3	3	.....	1	1	4	.....	.....	1	.....	176
.....	.....	9	5	6	3	13	8	71	25	26	24	12	18	12	2	16	1	177
.....	.....	3	1	.....	7	8	2	28	15	9	9	5	16	1	.....	8	4	178
14	14	27	12	9	4	41	27	221	101	76	51	14	57	27	4	93	16	179
1	1	3	1	.....	2	5	3	21	28	20	17	6	15	4	2	20	4	180
4	.....	14	5	4	2	4	.....	262	23	21	6	4	5	6	.....	6	.....	181
11	21	15	11	12	10	45	43	154	223	50	124	19	84	27	7	64	14	182
2	4	4	3	3	2	41	29	81	76	24	37	9	50	11	5	73	15	183
.....	1	1	1	.....	.....	2	4	16	8	10	6	4	9	3	.....	11	2	184
16	9	36	11	21	3	45	7	487	277	149	273	66	131	60	6	123	3	185
.....	.....	.....	.....	.....	.....	.....	1	46	169	16	51	1	16	7	2	93	31	186a
.....	.....	.....	.....	.....	.....	.....	.....	3	2	.....	5	1	1	.....	.....	1	2	186b
2	3	2	3	2	2	9	7	76	34	20	29	9	41	2	3	21	2	187
6	12	2	.....	7	1	30	27	278	271	121	165	35	97	23	2	89	15	188a
2	.....	12	1	1	1	.....	.....	158	18	53	39	10	.....	6	.....	4	.....	188b
10	7	47	6	32	7	50	15	719	168	144	122	55	111	50	6	47	2	188c
.....	.....	4	.....	1	4	13	.....	3	1	.....	3	.....	.....	.....	.....	2	.....	188d
1	1	7	1	2	1	5	5	77	53	22	45	9	40	4	.....	21	4	188e,f
.....	.....	.....	.....	2	1	3	1	14	15	9	11	1	7	4	2	3	1	188g
1	.....	.....	1	.....	.....	2	.....	9	30	3	35	7	25	5	.....	18	3	189
.....	.....	1	.....	.....	.....	.....	.....	3	1	.....	.....	1	.....	1	.....	1	.....	190
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	192
.....	.....	.....	.....	.....	.....	.....	.....	5	4	.....	3	.....	1	.....	1	1	.....	193
2	3	2	1	1	.....	.....	2	58	44	9	16	4	9	7	2	10	5	194
.....	1	3	1	.....	1	5	6	3	36	1	26	1	15	.....	.....	17	2	195
.....	3	.....	.....	4	2	5	1	30	35	10	12	12	8	4	.....	3	.....	196
.....	1	2	.....	6	.....	11	2	8	5	15	11	2	3	1	.....	3	1	201
3	4	4	5	4	8	19	16	121	76	44	43	16	35	11	1	49	7	202
.....	1	2	.....	2	4	15	12	48	27	10	21	3	8	5	2	11	2	203
4	9	5	1	40	46	224	318	28	118	17	40	26	189	10	5	410	50	
.....	.....	.....	.....	8	3	21	9	3	3	.....	1	2	9	.....	.....	29	5	204
4	9	3	.....	13	25	69	94	12	60	5	23	8	68	8	3	182	21	205a
.....	.....	2	1	19	18	134	215	13	55	12	16	16	112	2	2	199	24	205b

[2] A list of these cities may be found on p. 9.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS AND CLASS OF

[The term "cities" indicates municipalities of 10,000 inhabitants or more

Detailed List No.	CAUSE OF DEATH.	LOUISIANA.				MAINE.		MARYLAND.				MASSACHUSETTS.		MICHIGAN.	
		Cities.		Rural districts.		Cities.	Rural districts.	Cities.		Rural districts.		Cities.	Rural districts.	Cities.	Rural districts.
		White.	Colored.	White.	Colored.			White.	Colored.	White.	Colored.				
	VIII.—The puerperal state	100	73	118	134	52	79	115	29	63	39	537	64	373	287
143	Accidents of pregnancy	8	6	10	7	4	5	15	1	3	6	37	3	34	36
144	Puerperal hemorrhage	8	5	18	16	4	5	8	1	13	11	65	8	39	33
145	Other accidents of labor	7	2	11	17	6	16	10	3	4	2	95	10	28	29
146	Puerperal septicemia	37	32	33	47	18	16	42	15	19	11	188	12	189	106
147	Puerperal phlegmasia alba dolens, embolus, etc.	5	.....	3	1	4	5	5	1	4	.....	38	6	13	15
148	Puerperal albuminuria and convulsions	35	28	43	45	16	31	35	8	20	9	110	24	69	67
149	Following childbirth (undefined)	.....	.....	.....	1	.....	1	.....	.....	.....	.....	4	1	1	1
150	Puerperal diseases of the breast	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	IX.—Diseases of the skin and of the cellular tissue	26	10	20	16	13	33	32	7	12	3	109	30	70	91
151	Gangrene	8	4	5	6	3	24	9	3	6	1	15	15	24	56
152	Furuncle	13	2	7	2	3	5	3	.....	2	.....	30	3	16	4
153	Acute abscess	3	3	3	5	5	1	10	2	2	2	30	2	15	12
154	Other diseases of the skin and annexa	2	1	5	3	2	3	10	2	2	.....	34	10	15	19
	X.—Diseases of the bones and of the organs of locomotion	10	4	2	3	4	2	13	2	6	.....	70	2	28	18
155	Diseases of the bones (tuberculosis excepted)	6	1	1	1	2	2	10	2	4	.....	48	1	17	12
156	Diseases of the joints (tuberculosis and rheumatism excepted)	3	2	.....	1	2	.....	2	.....	1	.....	19	1	9	6
157	Amputations	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
158	Other diseases of the organs of locomotion	1	1	1	1	.....	.....	1	.....	1	.....	3	.....	1	.....
	XI.—Malformations	61	82	61	41	29	73	151	37	95	27	663	117	394	342
159a	Congenital hydrocephalus	8	.....	9	8	5	11	21	3	6	4	62	7	41	32
159b	Congenital malformations of the heart	38	74	34	23	18	39	94	30	64	15	398	78	230	196
159c	Other congenital malformations	15	8	18	10	6	23	36	4	25	8	203	32	123	114
	XII.—Early infancy	214	147	327	212	199	439	525	126	384	191	2,370	412	1,848	1,316
160	Congenital debility, icterus, sclerema	17	28	60	79	34	91	63	12	80	52	217	50	257	255
161a	Premature birth	146	90	194	94	109	265	311	76	229	97	1,392	244	1,147	756
161b	Injury at birth	38	18	51	14	36	47	84	17	35	16	491	69	273	162
162	Other diseases peculiar to early infancy	13	10	22	21	19	35	64	19	39	24	265	48	168	139
163	Lack of care	.....	1	.....	4	1	1	3	2	1	2	5	1	3	4
164	XIII.—Old age (senility)	25	17	113	217	39	190	51	4	57	28	91	58	190	354
	XIV.—External causes	443	262	485	448	219	457	653	129	444	118	2,447	567	1,616	1,702
	Suicide (total)	71	11	46	4	30	69	110	6	52	3	384	86	238	223
165	By poisons (corrosives excepted)	2	.....	3	.....	.....	1	.....	.....	1	1	5	2	9	11
166	By corrosive substances	6	1	4	1	1	5	19	.....	5	.....	28	3	53	28
167	By poisonous gas	9	1	.....	.....	4	1	27	1	1	.....	113	5	28	6
168	By hanging or strangulation	3	2	3	1	8	16	12	1	14	.....	63	23	39	56
169	By drowning	4	1	5	.....	4	11	2	1	4	.....	37	12	13	13
170	By firearms	40	4	28	2	11	23	41	2	26	2	98	32	67	75
171	By cutting or piercing instruments	5	1	2	.....	2	10	6	.....	1	.....	26	4	22	24
172	By jumping from high places	1	.....	.....	.....	.....	.....	1	1	.....	.....	6	2	2	2
173	By crushing	.....	1	.....	.....	.....	.....	1	.....	.....	.....	5	1	3	4
174	By other means	1	.....	1	.....	.....	2	1	.....	.....	.....	3	2	2	4
	Homicide (total)	50	93	78	121	4	13	45	29	18	23	92	18	134	48
197	By firearms	36	74	60	93	1	5	29	21	13	14	61	9	99	28
198	By cutting or piercing instruments	4	17	5	15	.....	.....	1	4	1	2	11	4	14	3
199	By other means	10	2	13	13	3	8	15	4	4	7	20	5	21	17
	Accidental or undefined (total)	322	158	361	323	185	375	498	94	374	92	1,971	463	1,244	1,431
175	Poisoning by food	10	3	11	6	5	5	6	3	5	5	10	5	15	27
176	Poisoning by venomous animals	1	1	1	.....	.....	.....	1	.....	.....	.....	1	.....	1	1
177	Other acute poisonings (gas excepted)	17	4	15	14	11	7	7	1	11	3	48	16	37	36
178	Conflagration	5	1	3	4	2	12	8	.....	4	2	34	5	21	44
179	Burns (conflagration excepted)	37	18	39	39	8	23	56	14	18	9	184	22	94	55
180	Mechanical suffocation	2	3	8	9	1	5	1	3	12	5	31	5	28	28
181	Absorption of irrespirable, irritating, or poisonous gas	9	2	.....	1	4	1	24	4	3	1	128	3	46	2
182	Drowning	24	23	44	70	20	78	31	9	74	14	183	115	107	255
183	Traumatism by firearms (except in war)	16	12	25	35	5	15	6	7	15	8	22	6	25	68
184	Traumatism by cutting or piercing instruments	5	2	5	2	3	7	4	.....	1	2	19	4	9	12
185	Traumatism by fall	46	24	45	26	52	86	105	6	52	5	468	83	171	195
186a	Traumatism in mines	.....	.....	.....	.....	.....	.....	3	.....	7	.....	.....	1	6	36
186b	Traumatism in quarries	.....	.....	.....	.....	.....	1	.....	.....	1	.....	5	1	.....	2
187	Traumatism by machines	10	9	17	10	2	12	15	4	6	1	42	10	38	34
188a	Railroad accidents	31	13	35	22	10	17	30	5	28	10	80	32	105	112
188b	Street-car accidents	13	6	.....	.....	3	2	24	.....	1	1	48	6	58	37
188c	Automobile accidents	51	9	28	9	27	29	106	13	54	4	443	80	271	170
188d	Aeroplane and balloon accidents	.....	.....	.....	.....	1	.....	.....	.....	9	.....	3	1	3	.....
188e,f	Injuries by other vehicles	4	9	8	2	7	12	14	4	16	3	58	14	22	64
188g	Landslide, other crushing	3	2	9	5	1	4	2	.....	5	1	6	2	9	11
189	Injuries by animals (not poisoning)	3	2	5	7	3	4	3	.....	3	4	4	5	5	32
190	Wounds of war	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
192	Starvation (deprivation of food or water)	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	1
193	Excessive cold	.....	1	.....	1	1	3	.....	.....	1	.....	2	5	4	10
194	Excessive heat	5	1	13	7	.....	3	15	7	6	6	20	6	38	38
195	Lightning	.....	.....	7	10	.....	4	.....	.....	4	2	3	5	1	23
196	Other accidental electric shocks	3	.....	3	2	2	12	7	3	1	.....	28	10	26	15
201	Fracture (cause not specified)	5	.....	3	.....	7	3	2	.....	6	.....	9	1	19	27
202	Other external violence	18	9	31	36	8	23	23	11	24	2	76	14	55	68
203	Violent deaths of unknown causation	4	4	6	6	2	6	5	.....	7	4	16	6	29	28
	XV.—Ill-defined diseases	8	6	174	423	28	104	10	4	72	85	118	45	58	213
204	Sudden death	.....	1	20	38	14	15	.....	.....	8	5	21	9	.....	15
205a	Ill-defined	4	2	50	111	9	20	2	2	29	18	87	31	27	78
205b	Not specified or unknown	4	3	104	274	5	69	8	2	35	62	10	5	31	120

MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE
CAUSES: 1921—Continued.

[In 1920; the remainder of the state is included in "rural districts."]

MINNESOTA.		MISSISSIPPI.				MISSOURI.		MONTANA.		NEBRASKA.		NEW HAMPSHIRE.		NEW JERSEY.		NEW YORK.		Int.
		Cities.		Rural districts.														
Cities.	Rural districts.	White.	Colored.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Detailed List No.
165	164	35	29	133	243	245	254	27	62	75	137	33	30	379	79	1,263	241	
17	16	4	3	13	11	23	14	1	7	9	12	2	6	31	6	114	10	143
11	12	7	3	13	15	20	25	1	4	6	13	2	2	47	8	165	28	144
19	8		3	12	29	13	13	1	4	4	10	2	1	33	7	154	24	145
69	80	13	8	39	83	131	128	16	26	29	57	9	8	151	39	508	88	146
11	13			2	3	9	8		6	7	3	3	3	20	4	50	17	147
37	34	11	12	54	101	48	64	8	14	20	42	15	10	94	15	261	69	148
					1	1	2		1					3		11	4	149
1	1																1	150
27	43	5	5	16	23	49	69	3	13	9	35	8	18	90	37	300	117	
6	24	2	3	4	13	14	36	1	3	2	21	3	12	26	18	49	63	151
5	5	1		3	4	17	10		1	2	5		1	22	4	92	10	152
7	4	2		4	4	10	5	2	6	2	1	3	2	22	5	88	18	153
9	10		2	5	2	8	18		3	3	8	2	3	20	10	71	26	154
23	21	1	3	6	3	34	11		2	11	11	2	1	40	8	156	31	
19	16		2	4	3	26	8		1	9	6	1	1	34	6	118	22	155
2	4	1		1		8	1		1	2	3			5	1	32	8	156
				1							1							157
2	1		1				2				1	1		1	1	6	1	158
158	218	8	3	53	22	213	207	20	69	52	148	36	48	379	184	1,239	391	
18	19			10	6	25	13	4	5	4	18	6	5	35	10	153	41	159a
68	110	5	1	23	6	127	139	9	41	30	91	13	27	212	136	656	243	159b
72	89	3	2	20	10	61	55		23	18	39	17	16	132	38	430	107	159c
631	978	47	46	434	301	768	968	91	245	247	590	235	171	1,488	617	5,835	1,476	
50	158	9	15	73	45	61	147	6	36	32	120	37	36	204	98	776	220	160
392	595	32	29	299	200	525	652	60	144	163	360	140	96	844	361	3,349	887	161a
123	136	5		34	18	114	96	16	37	32	59	34	29	277	94	1,068	242	161b
66	86	1	2	27	34	66	70	9	24	20	50	23	9	158	61	638	120	162
	3			1	4	2	3		4		1	1	1	5	3	4	7	163
83	228	14	27	109	325	43	222	6	51	25	213	40	86	95	107	304	335	164
802	1,108	109	145	440	746	1,528	1,227	123	400	336	633	161	209	1,943	1,003	6,973	2,248	
144	171	13	3	42	10	283	171	28	66	64	102	28	32	279	165	1,112	322	
7	6					10	11		3	1	12		3	6	3	31	10	165
13	10	4	1	7		61	34	8	5	9	11	1		20	17	114	30	166
18	1			1		34	1			7	1	6		81	19	340	14	167
13	52		1	2		27	28	3	10	15	29	6	5	50	40	164	106	168
6	14			1	2	11	10		3	2	4	2	6	16	9	55	29	169
66	67	8	1	27	6	112	78	15	37	24	40	12	13	69	59	214	98	170
13	14			2		19	9	2	6	3	4		2	21	11	58	21	171
6		1				7				1				9	3	109	6	172
1	1					1			1	1			1	7	3	18	4	173
1	6			2	2	1			1	1	1	1	2		1	9	4	174
60	46	21	61	74	221	264	82	12	29	43	21	6	4	110	58	456	61	
41	32	17	47	58	179	201	62	9	24	32	16	3	2	60	31	268	35	197
4	6	2	4	7	22	25	4	1		6		1	1	17	6	50	9	198
15	8	2	10	9	20	38	16	2	5	5	5	2	1	33	21	138	17	199
598	891	75	81	324	515	981	974	83	305	229	510	127	173	1,554	780	5,410	1,865	
11	10	2	2	6	13	11	24	1	6	3	14	1	4	10	11	28	22	175
3					5		2			2	1		1	1	2	1	2	176
21	21	2	1	11	12	39	31	6	5	7	9	1	7	35	13	126	40	177
4	26		2	5	17	7	16	2	10		9		4	29	13	80	27	178
44	38	8	12	53	97	84	77	9	18	21	35	14	9	201	41	524	86	179
4	24		1	6	24	10	15	1	5	5	17	2	2	12	6	50	30	180
34	5			2		34	7		3	13	6	4		88	25	406	24	181
47	170	5	4	22	62	45	122	2	47	17	64	17	33	117	149	501	343	182
13	60	7	16	24	84	31	50	4	18	6	27	4	6	15	18	49	49	183
7	7		3	4	6	4	9		3	4	6		2	8	3	48	9	184
120	127	7	6	40	36	186	187	10	27	43	89	35	43	292	129	1,044	349	185
4	16				1	9	28	7	24						4	3	9	186a
	1					4						1			1		2	186b
22	27	4	2	10	6	32	29	3	5	7	12	2	1	48	11	151	25	187
51	85	17	10	35	31	75	119	8	22	24	57	8	15	136	87	202	212	188a
17	1		1			30	4	1		6			1	45	15	186	20	188b
115	101	12	1	19	14	211	65	15	33	36	68	21	17	348	136	1,324	308	188c
	3	1				1	1		1	3				1	4	2	5	188d
16	32	3	2	13	11	28	32	4	21	6	22	4	3	31	14	148	65	188e,f
2	9		1	2	3	11	8		7	2	3		3	6	9	26	12	188g
4	30		2	4	5	14	33	6	9	3	21	2	1	6	6	19	15	189
1					1	1										4	1	190
					1		1								1	4	1	192
3	7					1			7		2				2	2	7	193
15	10			4	11	30	15		1	2	7	2	4	29	21	75	29	194
	8		1	5	19	3	21		7	1	4			2	9	4	12	195
3	12	1		5	3	25	8	1	2	6	4		4	6	5	38	23	196
3	1	2	2	1	2	9	6	1		1	1	2	1	16	5	66	51	201
24	48	4	10	49	40	25	45	2	13	8	22	6	9	56	29	227	50	202
10	12		2	4	11	21	19		11	3	10	1	3	16	11	72	37	203
19	135	13	120	339	1,629	41	390	9	70	9	139	7	14	41	23	50	79	
	6		2	17	45		24		2	1	10	2	1	2	1	3	6	204
4	30	3	35	52	142	26	120	3	23	3	53	4	6	33	14	32	40	205a
15	99	10	83	270	1,442	15	246	6	45	5	76	1	7	6	8	15	33	205b

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS AND CLASS OF

[The term "cities" indicates municipalities of 10,000 inhabitants or more

Detailed List No.	CAUSE OF DEATH.	NORTH CAROLINA.				OHIO.		OREGON.		PENNSYLVANIA.		RHODE ISLAND.		SOUTH CAROLINA.	
		Cities.		Rural districts.		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	
		White.	Colored.	White.	Colored.									White.	Colored.
	VIII.—The puerperal state	63	52	311	224	627	307	46	69	972	596	95	8	48	49
143	Accidents of pregnancy	8	1	23	14	60	34	4	9	82	36	9	.....	5	1
144	Puerperal hemorrhage	3	1	33	23	61	29	6	8	86	85	13	.....	4	5
145	Other accidents of labor	4	7	42	37	50	36	2	4	83	59	5	.....	3	5
146	Puerperal septicemia	18	15	67	67	325	115	20	26	432	236	41	5	14	20
147	Puerperal phlegmasia alba dolens, embolus, etc	1	1	9	4	21	16	3	4	28	22	5	1	2	.....
148	Puerperal albuminuria and convulsions	29	27	136	77	108	74	11	18	251	148	21	1	20	18
149	Following child birth (undefined)	.....	.....	1	2	2	3	.....	.....	10	10	.....	1	.....	.....
150	Puerperal diseases of the breast	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
	IX.—Diseases of the skin and of the cellular tissue	12	6	36	32	129	115	16	13	223	209	25	3	10	2
151	Gangrene	6	5	13	13	45	60	7	9	82	105	9	1	.....	1
152	Furuncle	2	.....	5	2	36	18	3	2	55	31	6	.....	1	1
153	Acute abscess	3	.....	11	10	22	16	3	.....	45	33	7	.....	7	.....
154	Other diseases of the skin and annexa	1	1	7	7	26	21	3	2	41	40	3	2	2	.....
	X.—Diseases of the bones and of the organs of locomotion	10	4	19	4	52	29	5	4	88	57	7	.....	4	3
155	Diseases of the bones (tuberculosis excepted)	9	3	13	2	37	22	2	3	64	40	3	.....	2	3
156	Diseases of the joints (tuberculosis and rheumatism excepted)	1	1	5	1	13	3	3	1	21	15	4	.....	2	.....
157	Amputations	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
158	Other diseases of the organs of locomotion	.....	.....	1	1	2	4	.....	.....	3	2	.....	.....	.....	.....
	XI.—Malformations	33	7	208	41	513	398	40	64	1,004	1,006	100	23	24	9
159a	Congenital hydrocephalus	5	1	19	11	45	30	6	5	66	61	15	6	2	2
159b	Congenital malformations of the heart	16	4	98	12	294	255	21	47	651	711	54	13	17	4
159c	Other congenital malformations	12	2	91	18	174	113	13	12	287	234	31	4	5	3
	XII.—Early infancy	230	151	1,168	459	2,312	1,611	144	209	3,410	3,284	447	61	141	204
160	Congenital debility, icterus, sclerema	24	24	214	113	284	321	15	38	461	536	111	18	13	99
161a	Premature birth	178	111	807	265	1,447	975	91	128	2,073	2,042	203	27	92	68
161b	Injury at birth	20	7	87	32	380	186	26	21	546	419	98	10	30	6
162	Other diseases peculiar to early infancy	8	9	59	44	196	125	12	22	326	281	35	6	6	29
163	Lack of care	.....	.....	1	5	5	4	.....	.....	4	6	.....	.....	.....	2
164	XIII.—Old age (senility)	23	5	278	234	250	407	34	109	224	407	72	31	9	6
	XIV.—External causes	232	164	838	487	3,179	2,270	321	500	4,518	4,008	414	79	142	128
	Suicide (total)	20	3	73	17	430	319	65	64	577	420	51	13	13	1
165	By poisons (corrosives excepted)	.....	.....	1	.....	15	8	1	5	14	7	.....	1	.....	.....
166	By corrosive substances	3	.....	7	.....	73	33	8	5	69	33	2	1	3	.....
167	By poisonous gas	1	.....	.....	.....	17	3	4	.....	109	8	18	.....	1	.....
168	By hanging or strangulation	1	.....	5	.....	91	88	7	9	94	141	7	3	.....	.....
169	By drowning	.....	.....	2	4	35	27	9	5	28	24	3	3	.....	.....
170	By firearms	12	3	51	13	139	137	27	38	203	164	12	5	8	1
171	By cutting or piercing instruments	1	.....	5	.....	39	14	6	1	35	23	6	.....	1	.....
172	By jumping from high places	2	.....	1	.....	16	1	3	.....	16	4	2	.....	.....	.....
173	By crushing	.....	.....	.....	.....	4	5	.....	.....	4	7	1	.....	.....	.....
174	By other means	.....	.....	1	.....	1	3	.....	1	5	9	.....	.....	.....	.....
	Homicide (total)	20	49	80	75	370	93	27	35	322	242	19	.....	28	55
197	By firearms	13	36	57	60	235	59	16	22	206	161	11	.....	22	42
198	By cutting or piercing instruments	.....	11	4	6	40	7	5	5	48	33	1	.....	1	8
199	By other means	7	2	19	9	95	27	6	8	68	48	7	.....	5	5
	Accidental or undefined (total)	192	112	685	395	2,379	1,858	229	401	3,619	3,346	344	66	101	72
175	Poisoning by food	6	3	16	13	41	36	4	6	32	39	9	1	5	.....
176	Poisoning by venomous animals	.....	.....	3	.....	.....	1	.....	2	4	5	.....	.....	.....	.....
177	Other acute poisonings (gas excepted)	2	6	15	18	62	35	5	4	89	54	3	1	2	1
178	Conflagration	.....	1	5	6	33	42	3	7	27	51	5	2	.....	1
179	Burns (conflagration excepted)	26	19	101	83	214	108	13	17	443	295	42	6	14	13
180	Mechanical suffocation	4	3	25	23	31	35	6	5	32	39	3	4	.....	1
181	Absorption of irrespirable, irritating, or poisonous gas	1	1	2	2	34	13	4	1	160	38	22	2	1	.....
182	Drowning	3	13	53	36	160	167	21	84	222	344	37	23	8	5
183	Traumatism by firearms (except in war)	11	17	56	65	52	45	1	19	56	93	5	5	3	5
184	Traumatism by cutting or piercing instruments	.....	1	6	4	15	23	2	2	27	18	2	1	2	1
185	Traumatism by fall	31	4	109	12	475	367	55	41	693	520	57	2	20	3
186a	Traumatism in mines	.....	.....	1	2	26	87	.....	4	339	515	.....	.....	.....	.....
186b	Traumatism in quarries	.....	.....	.....	.....	3	4	.....	.....	3	18	.....	.....	.....	1
187	Traumatism by machines	3	2	16	16	69	32	15	17	80	60	11	2	3	3
188a	Railroad accidents	29	8	43	30	233	258	12	32	293	382	16	3	1	6
188b	Street-car accidents	3	.....	1	.....	91	32	4	3	119	45	18	.....	1	.....
188c	Automobile accidents	35	9	85	10	512	222	46	57	643	417	76	7	23	10
188d	Aeroplane and balloon accidents	.....	.....	2	.....	2	1	1	.....	3	1	.....	.....	.....	.....
188e,f	Injuries by other vehicles	5	.....	22	8	40	53	5	18	77	74	7	1	5	3
188g	Landslide, other crushing	.....	3	5	2	11	9	6	26	11	20	1	.....	.....	3
189	Injuries by animals (not poisoning)	.....	.....	10	5	9	35	2	4	19	27	1	.....	2	.....
190	Wounds of war	.....	.....	.....	.....	1	1	.....	.....	.....	.....	1	.....	.....	.....
192	Starvation (deprivation of food or water)	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....
193	Excessive cold	.....	1	.....	.....	.....	2	.....	5	1	9	.....	.....	.....	.....
194	Excessive heat	.....	1	3	1	44	40	.....	1	68	53	3	.....	2	.....
195	Lightning	.....	.....	16	2	5	33	.....	1	3	23	.....	1	.....	.....
196	Other accidental electric shocks	4	1	10	3	34	39	.....	7	27	49	4	.....	2	1
201	Fracture (cause not specified)	7	.....	11	7	29	24	3	1	7	3	7	3	1	.....
202	Other external violence	16	11	53	26	107	50	18	34	116	128	11	.....	4	11
203	Violent deaths of unknown causation	6	8	16	21	45	62	3	3	25	26	3	2	2	4
	XV.—Ill-defined diseases	66	78	1,307	1,429	110	204	6	49	79	346	40	4	5	16
204	Sudden death	8	5	116	107	5	9	.....	5	5	52	6	.....	.....	.....
205a	Ill-defined	9	11	250	150	41	53	4	25	45	147	15	2	2	12
205b	Not specified or unknown	49	62	941	1,172	64	142	2	19	29	147	19	2	3	4

MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE CAUSES: 1921—Continued.

[In 1920: the remainder of the state is included in "rural districts."]

SOUTH CAROLINA—CON.		TENNESSEE.				UTAH.		VERMONT.		VIRGINIA.				WASHINGTON.		WISCONSIN.		Detailed List No. Int.
Rural districts.		Cities.		Rural districts.		Cities.	Rural districts.	Cities.	Rural districts.	Cities.		Rural districts.		Cities.	Rural districts.	Cities.	Rural districts.	
White.	Colored.	White.	Colored.	White.	Colored.					White.	Colored.	White.	Colored.					
148	250	106	51	242	71	45	61	12	46	79	85	197	130	117	95	175	183	
9	11	13	6	22	3	3	2	1	7	8	5	13	15	5	12	11	16	143
20	23	7	1	20	4	3	9	.....	5	7	7	32	15	11	8	14	26	144
26	60	6	1	23	8	6	9	1	3	4	9	23	11	11	10	16	17	145
30	67	42	26	36	43	23	20	5	15	25	31	62	45	61	36	65	73	146
2	3	1	.....	6	.....	1	5	2	1	4	2	6	3	3	5	8	11	147
61	86	37	17	85	13	7	15	3	15	30	31	60	40	26	23	60	38	148
.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	.....	1	1	.....	1	1	2	149
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	150
11	29	24	9	36	16	3	6	2	19	17	12	41	16	13	23	51	67	
3	8	10	5	15	9	1	3	.....	13	9	7	21	9	2	13	10	40	151
1	5	7	1	7	2	.....	.....	.....	3	3	1	5	1	4	3	10	3	152
2	8	5	2	8	5	1	2	1	1	4	1	9	1	1	2	9	12	153
5	8	2	1	6	.....	1	1	1	2	1	3	6	5	6	5	22	12	154
6	6	5	.....	16	1	6	3	1	1	11	1	8	4	9	5	10	15	
3	4	5	.....	14	1	6	2	.....	.....	9	1	6	1	7	3	6	15	155
2	1	.....	.....	.....	.....	.....	1	.....	1	1	.....	2	2	2	2	4	.....	156
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	157
.....	1	.....	.....	2	.....	.....	.....	1	.....	1	.....	.....	1	.....	.....	.....	.....	158
77	38	52	5	146	13	37	57	11	64	63	33	193	44	92	91	134	213	
9	16	3	1	15	.....	3	5	1	10	5	2	18	7	10	5	12	26	159a
40	6	22	.....	58	4	20	35	7	37	32	24	108	6	52	60	77	119	159b
28	16	27	4	73	9	14	17	3	17	26	7	67	31	30	26	45	68	159c
640	1,103	245	143	739	96	153	264	60	226	351	237	1,021	469	383	335	892	1,086	
90	159	29	27	137	28	11	23	9	44	41	63	204	162	34	46	86	187	160
474	893	171	96	478	53	103	192	41	142	238	132	650	242	227	200	555	644	161a
31	12	33	12	77	5	26	33	8	24	56	17	118	33	87	52	143	136	161b
45	38	12	8	46	10	18	16	2	16	14	23	44	29	34	37	108	116	162
.....	1	.....	.....	1	.....	.....	.....	.....	.....	2	2	5	3	1	.....	.....	3	163
118	323	40	16	231	81	28	54	9	73	34	16	252	197	39	122	165	553	164
446	553	426	251	870	247	166	233	59	266	346	250	907	439	642	837	786	1,178	
56	11	67	6	88	12	29	16	9	39	68	7	97	12	166	122	142	208	
2	1	3	.....	5	.....	1	1	.....	.....	5	.....	4	.....	14	9	2	7	165
6	1	14	4	12	.....	3	1	2	5	9	1	8	.....	15	6	15	21	166
.....	.....	1	.....	1	.....	2	.....	.....	.....	6	.....	.....	.....	28	1	26	1	167
4	.....	6	2	20	1	5	1	2	6	5	.....	19	.....	10	25	38	72	168
1	.....	3	.....	2	4	.....	.....	1	6	1	.....	5	1	12	7	17	14	169
35	6	29	.....	42	6	16	10	3	21	34	5	53	11	66	52	31	71	170
5	2	7	.....	5	.....	2	1	1	1	6	1	6	.....	16	15	10	16	171
2	.....	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	1	2	2	172
.....	1	.....	.....	.....	1	.....	2	.....	.....	2	.....	.....	.....	.....	3	1	2	173
1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	2	.....	2	3	.....	2	174
67	142	76	109	142	68	9	15	.....	6	35	81	113	84	50	32	32	28	
58	122	67	87	122	51	7	12	.....	5	27	68	96	73	41	21	21	19	197
6	9	3	13	8	9	2	3	.....	.....	3	9	5	8	3	2	.....	1	198
3	11	6	9	12	8	.....	.....	.....	1	5	4	12	3	6	9	11	8	199
323	400	283	136	640	167	128	202	50	221	243	162	697	343	426	683	612	942	
6	6	4	7	14	6	3	2	.....	2	9	3	19	12	6	15	10	17	175
1	7	.....	.....	1	.....	.....	1	.....	.....	1	.....	1	1	1	1	.....	.....	176
9	18	9	4	22	3	9	4	1	5	12	8	18	14	14	16	3	19	177
4	10	6	.....	3	15	2	5	2	25	4	2	5	12	6	20	1	15	178
53	103	25	29	74	25	10	8	5	4	22	17	89	61	27	23	48	55	179
14	14	1	1	14	5	1	2	.....	3	4	7	20	12	8	11	7	19	180
.....	.....	2	1	3	.....	2	1	.....	.....	9	1	1	.....	8	9	24	13	181
36	41	8	6	53	23	5	32	3	27	11	16	74	44	36	146	71	190	182
26	54	17	16	57	21	1	19	2	11	14	14	56	39	12	30	10	46	183
1	3	.....	3	3	1	3	1	1	1	4	1	5	1	5	4	3	9	184
38	26	72	11	109	11	16	20	13	71	46	11	102	21	76	64	101	133	185
.....	.....	2	.....	13	1	7	20	.....	.....	.....	.....	27	13	1	5	1	2	186a
.....	.....	1	.....	1	.....	.....	2	4	1	.....	.....	.....	.....	.....	1	3	2	186b
8	9	8	1	10	2	3	1	.....	7	6	5	19	4	16	25	26	30	187
32	18	28	11	46	20	13	15	1	8	21	18	63	25	15	75	53	87	188a
1	.....	7	5	1	1	6	7	1	.....	6	7	3	1	17	6	30	9	188b
28	13	57	21	52	4	24	29	6	17	43	24	54	19	103	99	113	92	188c
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	12	.....	.....	.....	3	1	188d
9	13	5	2	34	5	8	13	3	9	4	2	20	7	8	23	11	30	188e,f
1	2	.....	1	6	.....	3	3	1	3	6	1	3	3	12	34	3	9	188g
4	5	5	1	22	.....	2	2	1	5	1	1	8	6	3	8	10	26	189
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	1	190
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	192
.....	2	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	4	.....	3	1	3	193
1	3	.....	4	5	2	.....	.....	1	.....	5	12	6	4	.....	.....	17	26	194
8	18	2	.....	11	4	.....	3	.....	1	.....	.....	11	10	.....	1	2	17	195
5	4	5	1	3	2	4	3	.....	3	3	.....	7	2	4	4	12	13	196
1	3	5	.....	11	1	.....	.....	.....	.....	.....	.....	15	.....	.....	.....	1	6	201
28	19	9	10	52	7	5	6	5	16	11	8	44	21	36	50	31	56	202
7	9	4	1	20	7	1	2	.....	2	1	1	14	7	12	10	17	16	203
212	690	109	167	959	394	38	74	2	8	32	56	512	425	21	97	14	102	
9	12	10	8	63	27	.....	4	1	1	6	9	57	39	4	12	2	20	204
142	535	19	20	208	64	35	43	.....	3	17	35	157	121	9	36	3	21	205a
61	143	80	139	688	303	3	27	1	4	9	12	298	265	8	49	9	61	205b

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION STATES (INCLUDING DISTRICT

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	All causes	1,009,673	156,329	28,142	13,605	9,756	7,812	215,644	25,587	17,807	25,174	33,608
	Males	533,267	88,795	14,891	7,309	5,240	4,168	120,403	13,883	9,630	12,654	16,103
	Females	476,406	67,534	13,251	6,296	4,516	3,644	95,241	11,704	8,177	12,520	17,505
	I.—Epidemic, endemic, and infectious diseases	159,883	14,994	8,375	5,222	4,219	3,625	36,435	10,811	5,824	9,724	14,171
	Males	84,271	8,036	4,289	2,708	2,203	1,897	19,133	5,507	2,640	4,055	6,321
	Females	75,612	6,958	4,086	2,514	2,016	1,728	17,302	5,304	3,184	5,669	7,850
1	Typhoid and paratyphoid fever	M. 4,312	22	38	36	47	42	185	292	360	680	586
		F. 3,451	24	40	36	51	50	201	277	445	561	430
2	Typhus fever	M. 8							1		2	
		F. 4					1	1				
3	Relapsing fever (spirillum obermeieri)	M. 2										
4	Malta fever	M. 1										
5	Malaria	M. 1,551	175	107	66	50	38	436	142	109	100	80
		F. 1,553	159	82	79	49	48	417	152	118	108	92
6	Smallpox	M. 379	57	8	7	1	6	79	14	10	21	26
		F. 241	34	7	2	5	1	49	8	6	15	22
7	Measles	M. 1,960	574	547	222	111	87	1,541	203	50	63	37
		F. 1,734	424	507	188	109	77	1,305	173	77	28	23
8	Scarlet fever	M. 2,291	133	236	310	284	236	1,199	647	191	99	43
		F. 2,390	96	190	276	264	217	1,043	679	216	120	124
9	Whooping cough	M. 3,650	2,197	841	266	123	76	3,503	120	12	4	3
		F. 4,317	2,377	1,122	353	178	87	4,117	150	17	8	2
10	Diphtheria	M. 7,968	550	999	996	1,058	953	4,556	2,440	563	145	62
		F. 7,552	384	765	899	857	896	3,801	2,514	661	153	85
11a	Influenza (with pulmonary complications)	M. 2,979	458	151	82	36	35	762	102	48	100	113
		F. 2,806	355	139	73	48	25	640	81	72	84	115
11b	Influenza (other and unspecified)	M. 2,059	270	70	37	39	16	432	93	53	76	65
		F. 2,053	199	64	34	25	21	343	79	74	62	70
12	Miliary fever	M. 1										
		F. 1										
13	Mumps	M. 75	11	3	5	7	4	30	8	5	6	2
		F. 56	9	2	5	1	4	21	9	3	1	4
14	Asiatic cholera	M.										
15	Cholera nostras	M. 123	30	5	5	7	3	50	8	3	1	1
		F. 108	18	10	4	2	1	35	3		1	2
16	Dysentery	M. 1,725	411	297	121	49	33	911	62	23	20	13
		F. 1,711	399	250	81	43	18	791	45	20	14	21
17	Plague	M. 1										
18	Yellow fever	M. 1										
		F. 1										
19	Spirochetal hemorrhagic jaundice	M. 18		1	1	1	1	4	1			2
		F. 7	1					1	1	1	3	
20	Leprosy	M. 14									1	1
		F. 2										
21	Erysipelas	M. 1,315	436	25	11	9	4	485	14	14	13	23
		F. 1,143	356	27	18	9	6	416	12	9	18	26
22	Acute anterior poliomyelitis	M. 888	58	88	70	68	58	342	221	132	71	33
		F. 701	49	89	78	61	47	324	182	71	50	31
23	Lethargic encephalitis	M. 702	25	23	19	13	14	94	43	35	37	52
		F. 632	15	33	24	18	15	105	45	36	43	50
24	Meningococcus meningitis	M. 780	195	81	45	29	39	389	111	67	69	44
		F. 482	105	62	31	13	24	235	81	39	38	15
25	Other epidemic and endemic diseases	M. 121	44	24	7	2	5	82	11	2	3	1
		F. 87	32	14	8	3	4	61	11	1	3	1
26	Glanders	M. 1										
27	Anthrax	M. 25							1	1		1
		F. 6				1		1				1
28	Rabies	M. 31		1	2	2	3	8	7	6	2	
		F. 20			2	1		3	6	3		1
29	Tetanus	M. 1,034	184	7	12	18	25	246	172	202	78	43
		F. 435	136	7	4	7	3	157	56	45	11	17
30	Mycoses	M. 103	62	5	1	1		69	1	1	3	4
		F. 92	70	4	2			76	1	2	1	
	Tuberculosis (total)	M. 45,106	947	663	345	234	208	2,397	724	688	2,370	4,910
		F. 40,633	824	598	288	242	166	2,118	689	1,214	4,215	6,469
31	Of the respiratory system	M. 39,083	311	211	95	54	58	729	252	385	2,013	4,430
		F. 35,088	282	179	87	70	43	661	284	935	3,778	5,923
32	Of the meninges, central nervous system	M. 2,258	455	343	181	124	108	1,211	287	140	99	97
		F. 1,949	400	326	156	115	86	1,083	262	116	117	104
33	Of the intestines, peritoneum	M. 1,372	69	38	23	18	16	164	70	49	87	134
		F. 1,724	53	42	21	19	21	156	51	64	140	218
34	Of the vertebral column	M. 542	10	12	8	15	7	52	43	26	35	56
		F. 368	12	3	5	8	2	30	30	31	29	20
35	Of the joints	M. 277	4	6	3	3	5	21	18	28	21	25
		F. 149	5		1	3	2	11	17	9	16	14
36	Of other organs	M. 647	24	13	10	9	5	61	29	28	43	50
		F. 500	22	11	6	9	4	52	13	17	33	43
37a	Disseminated (acute)	M. 698	52	37	21	9	8	127	19	23	59	97
		F. 656	43	33	9	17	6	108	27	39	87	122
37b	Disseminated (chronic or unspecified)	M. 229	22	3	4	2	1	32	6	9	13	21
		F. 199	7	4	3	1	2	17	5	3	15	25
38	Syphilis	M. 4,309	1,089	59	23	12	6	1,189	29	19	54	134
		F. 2,322	801	55	17	21	8	902	20	22	60	109
39	Soft chancre	M. 3									1	
		F. 2										
40	Gonococcus infection	M. 102	19		1			20			2	9
		F. 493	23		2	1	1	27	1	7	50	104
41	Purulent infection, septicemia	M. 629	87	10	18	2	5	122	40	46	33	33
		F. 572	68	19	10	7	8	112	29	25	22	35
42	Other infectious diseases	M. 4	2					2			1	
		F. 5										1

OF COLUMBIA) FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1921.

DEATHS AT AGE OF—																Deaths at unknown age.	Detailed Int. List. No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
35,701	35,454	40,837	41,323	46,956	53,374	56,978	69,978	72,716	75,602	69,828	50,901	28,143	9,685	2,336	889	1,152	
17,345	17,750	21,660	22,442	25,743	29,298	31,430	38,284	39,117	39,543	35,277	24,164	12,630	3,963	923	329	696	
18,356	17,704	19,177	18,881	21,213	24,076	25,548	31,694	33,599	36,059	34,551	26,737	15,513	5,722	1,413	560	456	
13,536	11,456	10,901	9,032	8,132	6,759	5,433	5,213	4,116	3,298	2,412	1,460	698	204	60	27	181	
6,406	5,877	6,227	5,431	5,107	4,329	3,474	3,238	2,413	1,755	1,184	663	319	66	25	9	92	
7,130	5,579	4,674	3,601	3,025	2,430	1,959	1,975	1,703	1,543	1,228	797	379	138	35	18	89	
358	373	375	275	227	183	138	112	81	54	18	6	4	1	.....	.....	4	1
320	247	219	158	164	142	79	87	52	33	18	10	4	1	.....	.....	3	
.....	1	1	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	2
1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3
1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	4
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
74	64	62	50	76	72	46	53	58	58	30	20	11	1	2	4	3	5
82	54	69	51	51	52	39	55	48	54	40	31	22	6	.....	5	7	
15	26	33	32	24	24	15	19	11	12	6	3	3	2	2	.....	2	6
23	17	24	14	14	15	8	6	5	6	1	2	3	1	.....	.....	2	
8	9	5	3	7	5	4	8	9	3	3	1	.....	.....	.....	.....	1	7
16	25	15	17	9	12	7	10	4	4	2	5	1	.....	.....	.....	1	
37	21	25	12	8	5	1	2	.....	1	.....	.....	.....	.....	.....	.....	.....	8
85	55	29	17	14	2	3	.....	1	1	.....	.....	.....	.....	.....	.....	1	
.....	.....	.....	.....	1	.....	.....	.....	.....	2	1	1	.....	.....	.....	.....	3	9
2	.....	1	2	3	1	2	.....	.....	4	.....	2	.....	.....	1	.....	5	
36	35	34	27	20	18	12	7	5	1	1	.....	2	1	.....	.....	3	10
68	57	49	55	37	27	15	8	8	8	1	.....	2	.....	.....	.....	3	
96	111	185	165	160	178	157	186	163	158	142	97	45	7	2	1	1	11a
140	118	128	111	101	112	114	170	195	203	176	155	55	27	3	.....	6	
60	66	88	80	97	101	102	111	103	147	158	117	73	31	5	.....	1	11b
66	94	89	74	80	76	73	105	123	168	191	136	94	38	11	6	1	
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	
.....	1	5	3	1	.....	1	3	4	2	2	1	.....	1	.....	.....	.....	13
3	1	.....	1	.....	2	2	2	.....	4	1	.....	.....	2	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	14
.....	.....	1	1	1	2	.....	5	7	8	11	15	9	.....	.....	.....	.....	15
3	1	1	3	2	3	6	2	9	9	12	10	4	2	.....	.....	.....	
11	16	16	18	26	35	47	53	89	98	105	105	59	6	9	1	2	16
26	24	26	26	29	42	38	50	86	103	117	123	83	31	7	6	3	
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	17
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	18
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	1	1	.....	2	.....	2	2	1	.....	.....	1	.....	.....	.....	.....	.....	19
.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	
2	1	2	.....	1	3	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	20
.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
24	35	45	36	63	70	77	100	96	64	71	43	31	5	2	.....	4	21
38	35	35	44	49	45	59	66	64	77	72	39	23	11	3	.....	2	
29	18	12	10	2	2	1	3	5	3	2	.....	.....	1	.....	.....	1	22
10	13	1	2	4	4	5	.....	1	1	2	.....	.....	.....	.....	.....	.....	
70	53	58	52	46	52	44	33	14	12	3	3	.....	.....	1	.....	.....	23
40	42	44	48	42	48	37	20	12	8	7	2	.....	.....	1	1	1	
20	17	22	10	9	4	6	6	.....	2	.....	2	.....	.....	.....	.....	2	24
22	11	12	5	8	4	5	3	2	.....	.....	.....	1	.....	.....	.....	1	
3	.....	2	4	2	.....	4	2	3	1	1	.....	.....	.....	.....	.....	.....	25
1	1	2	1	1	1	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
1	.....	1	6	2	5	2	2	1	1	1	.....	.....	.....	.....	.....	.....	27
.....	1	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
2	3	.....	.....	1	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	28
2	1	1	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
41	31	25	33	44	31	24	27	18	8	7	4	.....	.....	.....	.....	.....	29
16	29	18	15	12	16	11	12	6	5	5	1	2	.....	.....	.....	1	
2	1	1	4	1	3	3	4	3	.....	3	.....	.....	.....	.....	.....	.....	30
1	.....	.....	.....	.....	3	2	3	2	.....	.....	.....	.....	.....	1	.....	.....	
5,285	4,718	4,789	4,137	3,843	3,135	2,482	2,219	1,537	987	545	208	69	6	1	2	54	
5,886	4,465	3,608	2,701	2,184	1,648	1,356	1,285	1,034	818	548	247	77	17	7	.....	47	
4,332	4,354	4,384	3,854	3,558	2,913	2,281	2,026	1,387	906	480	184	57	5	1	2	50	31
5,452	4,112	3,303	2,450	1,943	1,459	1,183	1,138	905	724	496	217	61	14	5	.....	45	
108	74	88	40	49	27	14	11	6	3	2	2	.....	.....	.....	.....	.....	32
59	47	32	41	26	19	15	9	11	4	1	1	1	.....	1	.....	.....	
113	103	103	89	84	76	70	77	72	43	28	6	2	.....	.....	.....	2	33
201	147	127	92	133	81	76	75	65	49	29	12	7	1	.....	.....	.....	
56	53	45	34	29	33	29	20	11	8	6	4	1	1	.....	.....	.....	34
30	35	32	25	20	20	15	17	8	9	9	5	1	1	1	.....	.....	
27	14	11	15	18	14	17	19	8	9	7	4	1	.....	.....	.....	.....	35
12	11	6	10	4	7	9	7	8	2	4	1	1	.....	.....	.....	.....	
58	59	54	40	50	32	42	32	28	11	16	7	7	.....	.....	.....	.....	36
36	49	42	42	23	34	36	18	21	18	5	10	6	1	.....	.....	1	
71	43	84	53	42	28	19	13	12	3	3	1	1	.....	.....	.....	.....	37a
72	55	44	30	24	19	12	9	3	4	.....	.....	.....	.....	.....	.....	1	
20	18	20	12	13	12	10	21	13	4	3	.....	.....	.....	.....	.....	2	37b
24	9	22	11	11	9	10	12	13	8	4	1	.....	.....	.....	.....	.....	
196	237	397	417	411	357	275	238	170	97	51	22	6	.....	.....	.....	10	38
152	166	189	185	161	138	71	64	31	27	9	8	4	1	.....	.....	3	
.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	39
.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
5	7	14	10	9	7	6	2	3	2	3	2	.....	.....	.....	.....	1	40
86	81	66	37	19	7	3	2	1	1	1	.....	.....	.....	.....	.....	.....	
27	32	27	43	22	37	22	38	29	33	20	12	7	4	1	1	.....	41
39	41	44	34	38	27	20	22	18	9	24	25	4	1	1	.....	2	
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	42
1	.....	1	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION STATES (INCLUDING DISTRICT

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	II.—General diseases not included in Class I	111,745	2,164	511	341	309	258	3,583	1,166	1,267	1,361	1,495
	Males	48,742	1,261	257	195	178	140	2,031	629	626	641	658
	Females	63,003	903	254	146	131	118	1,552	537	641	720	837
	Cancer and other malignant tumors (total) M	32,027	33	31	38	40	34	176	72	63	135	186
	Cancer and other malignant tumors (total) F	43,086	16	24	40	32	29	141	74	66	121	184
43	Of the buccal cavity M	2,099		1	1	2	1	5	2	2	4	5
43	Of the buccal cavity F	465	2	1	2	3		8	4	2	2	2
44	Of the stomach, liver M	14,665	9	3	4	7	2	25	6	9	14	11
44	Of the stomach, liver F	13,378	4	1	5	2	4	16	11	9	18	33
45	Of the peritoneum, intestines, rectum M	4,628	7	5	5	7	3	27	11	6	25	42
45	Of the peritoneum, intestines, rectum F	5,868	1	1	5	5	3	15	10	9	13	26
46	Of the female genital organs F	10,919		2		1	3	6	3	10	22	61
47	Of the breast M	86									1	
47	Of the breast F	6,839			1		1	2			2	8
48	Of the skin M	1,466	1	1	1	1	3	7	4	1	1	4
48	Of the skin F	929		1	2	1		4			1	4
49	Of other or unspecified organs M	9,083	16	21	27	23	25	112	49	45	90	124
49	Of other or unspecified organs F	4,688	9	18	25	20	18	90	46	36	63	50
50	Tumors, benign and unqualified (tumors of the female genital organs excepted) M	328	8	6	7	3	3	27	13	4	5	7
50	Tumors, benign and unqualified (tumors of the female genital organs excepted) F	389	15	8	4	4	3	34	4	4	6	10
51	Acute rheumatic fever M	1,518	13	8	18	21	31	91	212	220	141	80
51	Acute rheumatic fever F	1,694	8	12	12	30	23	85	177	248	145	101
52	Chronic rheumatism, osteoarthritis, gout M	367			1			1	4	1	4	9
52	Chronic rheumatism, osteoarthritis, gout F	644				1		1	1	4		1
53	Scurvy M	30	16	10	3			29				
53	Scurvy F	30	19	6				25	1	2	1	
54	Pellagra M	682	4	3	6	6	3	22	30	15	10	22
54	Pellagra F	1,666	2	5	2	2	4	15	13	13	68	161
55	Beriberi M	4										2
55	Beriberi F	2	2					2				
56	Rickets M	288	176	56	28	7	3	270	8	1	1	1
56	Rickets F	222	122	57	11	4	5	199	8	1	1	1
57	Diabetes mellitus M	6,470	10	21	15	23	28	97	136	206	201	185
57	Diabetes mellitus F	8,211	8	13	17	18	20	76	132	193	175	165
58	Anemia, chlorosis M	2,093	62	18	9	10	2	101	30	17	15	22
58	Anemia, chlorosis F	2,658	44	14	6	3	6	73	24	24	46	54
59	Diseases of the pituitary gland M	32		1				1	1	2	5	1
59	Diseases of the pituitary gland F	21					1	1	2	1	1	3
60a	Exophthalmic goiter M	168	1					1	2	1	6	9
60a	Exophthalmic goiter F	1,301				2		2	2	13	46	56
60b	Other diseases of the thyroid gland M	134	12	4	2	1		19	3	2	10	7
60b	Other diseases of the thyroid gland F	713	11	5	4		1	21	3	11	27	33
61	Diseases of the parathyroid glands M	37	30	4	3			37				
61	Diseases of the parathyroid glands F	31	21	5	2			28	2	1		
62	Diseases of the thymus gland M	358	270	22	9	16	3	320	13	6	5	5
62	Diseases of the thymus gland F	205	147	16	10	3	4	180	12	5	3	1
63	Diseases of the adrenals (Addison's disease) M	186				1		1		2	9	8
63	Diseases of the adrenals (Addison's disease) F	175							1	2	7	7
64	Diseases of the spleen M	152	8	3	2	1	2	16	5	5	9	5
64	Diseases of the spleen F	107	6	2	1	1	1	11	4	6	9	4
65a	Leukemia M	694	25	11	15	23	15	89	43	36	26	26
65a	Leukemia F	523	19	18	10	16	6	69	38	23	25	20
65b	Hodgkin's disease M	391	9	4	5	3	1	22	18	17	12	19
65b	Hodgkin's disease F	211	3	2	2			7	5	5	10	11
66	Alcoholism (acute or chronic) M	1,452								3	17	28
66	Alcoholism (acute or chronic) F	121										5
67a	Chronic lead poisoning M	137									4	3
67a	Chronic lead poisoning F	1										
67b	Other chronic mineral poisoning M	11										
67b	Other chronic mineral poisoning F	4										
68	Chronic poisoning by organic substances M	136									1	13
68	Chronic poisoning by organic substances F	84									1	6
69	Other general diseases M	1,047	584	55	34	23	15	711	39	25	25	20
69	Other general diseases F	904	460	67	25	15	15	582	34	19	28	14
	III.—Diseases of the nervous system and of the organs of special sense	106,798	3,679	1,017	542	388	325	5,951	1,209	982	1,073	1,172
	Males	55,114	2,131	533	288	204	174	3,330	632	561	605	659
	Females	51,684	1,548	484	254	184	151	2,621	577	421	468	513
70	Encephalitis M	593	86	28	14	16	14	158	32	23	38	34
70	Encephalitis F	484	51	23	11	21	8	114	32	34	30	38
71a	Simple meningitis M	1,475	418	136	91	66	45	757	130	89	74	59
71a	Simple meningitis F	1,162	308	134	92	52	46	632	113	64	51	42
71b	Nonepidemic cerebrospinal meningitis M	541	137	78	40	24	19	298	56	44	32	16
71b	Nonepidemic cerebrospinal meningitis F	404	89	82	29	25	11	236	56	28	22	12
72	Tabes dorsalis (locomotor ataxia) M	1,313								2		3
72	Tabes dorsalis (locomotor ataxia) F	355										3
73	Other diseases of the spinal cord M	2,387	25	17	10	7	8	67	31	26	47	34
73	Other diseases of the spinal cord F	2,084	15	8	5	5	7	40	36	21	25	25
74a	Cerebral hemorrhage M	34,055	86	16	10	13	9	134	26	19	38	95
74a	Cerebral hemorrhage F	35,865	61	21	9	8	2	101	29	23	61	89
74b	Cerebral embolism and thrombosis M	1,087	3	2	2	1		8	3	4	2	8
74b	Cerebral embolism and thrombosis F	1,199	2	2	1	4	1	10	5	4	8	17
75	Paralysis without specified cause M	2,468	21	8	7	5	2	43	11	9	8	16
75	Paralysis without specified cause F	2,914	16	3	1	3	2	25	10	7	5	10
76	General paralysis of the insane M	4,244							2	1	7	19
76	General paralysis of the insane F	1,325									6	15
77	Other forms of mental alienation M	634									18	28
77	Other forms of mental alienation F	833								2	24	46

OF COLUMBIA) FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1921—Continued.

DEATHS AT AGE OF—																Deaths at unknown age.	Detailed List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
2,093	2,893	4,355	6,215	8,632	11,146	12,691	14,573	13,518	11,556	8,414	4,261	1,872	445	91	21	97	
879	1,101	1,594	2,228	3,104	4,447	5,484	6,601	6,380	5,489	3,967	1,880	756	155	41	10	41	
1,214	1,792	2,761	3,987	5,528	6,699	7,207	7,972	7,138	6,067	4,447	2,381	1,116	290	50	11	56	
279	423	772	1,287	1,984	3,135	3,970	4,923	4,865	4,319	3,127	1,534	592	122	38	6	19	
450	954	1,796	2,947	4,138	4,985	5,223	5,748	5,181	4,570	3,435	1,877	897	219	39	8	33	43
3	13	28	86	141	206	254	306	284	304	244	134	59	11	6	1	1	
2	6	9	22	35	30	37	51	65	48	51	45	30	11	4		1	44
65	139	314	542	916	1,541	2,048	2,459	2,446	1,970	1,334	597	188	30	3	1	7	
65	151	307	533	876	1,308	1,596	2,032	2,024	1,904	1,402	718	295	58	8	2	12	45
68	91	167	243	323	405	553	713	684	584	423	193	57	6	2		5	
82	112	205	322	461	592	678	839	779	711	581	290	115	25			3	46
172	405	782	1,186	1,449	1,523	1,403	1,235	1,056	737	494	254	91	17	5	1	7	
	2	3	5	14	6	11	13	7	8	6	5	3	2				47
56	158	315	565	906	956	908	875	631	565	427	247	168	41	3	2	4	
9	10	16	35	52	87	94	128	192	218	257	172	121	38	19	1		48
7	7	11	29	18	44	61	82	89	124	139	134	119	40	14	1	1	
134	168	244	376	538	890	1,010	1,304	1,252	1,235	863	433	164	35	8	3	6	49
66	115	167	290	393	532	540	634	537	481	341	189	79	27	5	2	5	
12	11	22	17	21	32	22	35	30	29	25	10	3	3				50
16	14	10	22	27	31	30	34	40	37	34	21	11	2			2	
54	51	54	72	65	71	74	85	69	61	63	37	13	3		1	1	51
81	89	61	78	87	76	84	86	81	62	62	45	26	13		3	4	
6	10	18	15	11	29	34	32	48	51	44	28	19	3				52
6	7	9	25	33	37	55	77	79	111	94	59	35	7	1		2	
										1							53
		1															
27	29	33	39	54	61	66	67	71	63	45	11	8	2	2	1	4	54
170	186	209	158	160	110	88	87	79	69	43	23	7	2	1		4	
1			1														55
		3	1		2							1					56
	1	1	1		2	2	1		2	2							
224	251	242	292	378	597	705	848	805	638	471	182	80	16	1	2	3	57
194	195	234	258	445	788	1,081	1,329	1,161	853	532	258	98	32	3		9	
29	44	74	111	166	234	274	303	303	194	119	41	16					58
56	76	130	152	231	320	312	363	321	234	156	49	25	9	2		1	
3	3		3	4	4	1	3	1									59
	1	3	2	2	1	2	2										
13	6	22	16	24	22	18	14	10	2	1	1						60a
92	116	126	152	171	155	119	110	70	36	24	8	2		1			
13	5	11	11	11	12	11	6	7	2	3		1					60b
41	47	62	61	89	78	91	54	46	21	16	9	2		1			
																	61
2	5	1				1											62
	1		1	1			1										
6	10	12	22	17	24	19	17	16	11	9	2	1					63
11	13	15	22	22	18	24	11	13	5	2	2						
9	5	15	11	12	17	10	9	6	8	7	3						64
5	6	8	7	11	8	7	5	9	6	1							
44	35	35	34	51	42	66	84	39	26	9	6	2	1				65a
22	30	30	33	48	37	43	28	27	25	14	7	2	1			1	
33	32	31	27	24	27	33	32	26	25	5	4	3	1				65b
22	12	16	24	18	23	14	16	8	9	9	2						
81	133	194	223	233	195	141	101	47	27	10	4	4				11	66
18	18	29	18	9	10	5	5	3	1								
2	11	10	17	24	17	10	14	11	10	3						1	67a
				1													
	2	2	1	2	1	1	1					1					67b
	2		1						1								
19	20	26	8	10	7	10	7	3	5	5	1	1					68
16	6	7	11	5	2	7	3	4	4	5	4	3					
22	15	17	20	13	8	18	20	23	18	20	16	11	4			2	69
14	18	14	14	30	18	20	12	16	21	18	17	8	5	2			
1,360	1,817	2,845	3,826	5,139	6,796	8,244	11,110	12,685	13,973	13,215	9,130	4,473	1,328	291	70	109	
784	1,068	1,729	2,214	2,758	3,559	4,420	5,936	6,599	7,117	6,370	4,132	1,947	506	106	26	56	
576	749	1,116	1,612	2,381	3,237	3,824	5,174	6,086	6,856	6,845	4,998	2,526	822	185	44	53	
35	28	39	37	42	26	21	30	16	14	13	5	1				1	70
18	25	25	19	28	33	27	19	18	10	5	5	3	1				
46	42	49	42	39	42	26	20	24	16	7	9		2			2	71a
34	28	23	27	25	28	24	22	17	14	9	6	2	1				
16	14	15	12	7	3	7	5	11	2		1					2	71b
5	9	14	5	5	1	3	3	3	1		1						
8	20	56	108	126	171	175	208	189	132	73	32	8	1			1	72
3	12	19	27	33	44	49	50	46	38	17	10	3		1			
41	47	63	78	119	165	226	316	320	337	249	150	52	16	1		2	73
33	44	57	81	112	142	179	252	271	290	255	133	63	17	6		2	
148	221	445	743	1,276	2,130	3,013	4,412	5,098	5,599	5,151	3,349	1,610	414	83	21	30	74a
119	224	435	892	1,548	2,344	2,905	4,039	4,882	5,584	5,536	4,101	2,078	676	137	31	31	
8	20	23	33	46	82	101	126	147	158	152	94	53	15	4			74b
11	30	25	44	57	64	94	114	134	179	169	136	62	25	8			
17	21	35	50	74	105	158	229	333	446	407	305	138	40	10	5	8	75
21	22	31	59	75	142	190	288	366	429	528	380	200	73	27	11	12	
108	325	657	753	668	498	387	289	194	171	97	39	20	3	2		4	76
45	77	162	168	150	144	107	89	81	96	92	55	25	7			6	
43	48	59	54	73	56	54	56	48	34	31	20	7	1	2		2	77
67	77	91	68	99	80	53	76	57	24	34	18	13	3			1	

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION STATES (INCLUDING DISTRICT

Detailed Int. List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF—									
				Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	III.—Diseases of the nervous system and of the organs of special sense—Continued.												
78	Epilepsy	M	1,594	59	16	11	11	19	116	56	105	165	190
		F	1,160	44	14	11	10	9	88	48	70	99	101
79	Convulsions (nonpuerperal; 5 years and over)	M	50							10	8	3	3
		F	85							18	2	12	7
80	Infantile convulsions (under 5 years)	M	1,105	948	92	36	14	15	1,105				
		F	860	701	101	34	11	13	860				
81	Chorea	M	36	3					3	5	5	5	2
		F	64	4	1			1	6	6	13	18	2
82	Neuralgia and neuritis	M	137	2	2	2			6		1	1	2
		F	200				1		1	1	3	2	5
83	Softening of the brain	M	369										
		F	375										2
84	Other diseases of the nervous system	M	1,368	75	36	19	13	14	157	69	70	49	51
		F	1,117	63	19	23	9	13	127	58	45	46	37
85	Diseases of the eye and annexa	M	49	8	4	1	3		16	3	1	2	2
		F	32	5		1		2	8	3	1	1	1
86a	Diseases of the ear	M	995	195	68	27	20	17	327	123	84	65	58
		F	741	143	52	22	20	20	257	95	64	35	32
86b	Diseases of the mastoid process	M	614	65	30	18	11	11	135	75	70	51	39
		F	425	46	24	15	15	16	116	67	40	23	29
	IV.—Diseases of the circulatory system		158,482	974	223	194	177	210	1,778	1,451	1,889	1,877	1,924
	Males		82,493	530	108	105	88	111	942	733	837	897	868
	Females		75,989	444	115	89	89	99	836	718	1,052	980	1,056
87	Pericarditis	M	498	10	3	7	4	2	26	20	13	12	13
		F	365	5	7	1	3	4	20	15	13	9	15
88	Endocarditis and myocarditis (acute)	M	2,560	195	30	33	28	32	318	174	130	132	143
		F	2,690	145	31	28	28	35	267	164	221	193	174
89	Angina pectoris	M	5,205		1				1	5	4	6	11
		F	2,688							2	3	11	14
90	Other diseases of the heart	M	62,470	250	58	60	47	70	485	519	673	727	671
		F	60,681	240	63	50	50	56	459	518	801	751	810
91a	Aneurysm	M	1,114		1			1	2		1	4	11
		F	392							1	1	1	6
91b;c	Other diseases of the arteries	M	9,553					1	1				
		F	8,091							1	1		1
92	Embolism and thrombosis (not cerebral)	M	702	26	5	2	3	1	37	9	9	9	9
		F	608	14	4	5	1	1	25	6	8	8	24
93	Diseases of the veins	M	194	4		1			5	2	2	1	6
		F	283	5	1	3			9		1	3	3
94	Diseases of the lymphatic system	M	106	26	9	2	6	2	45	3	3	3	1
		F	82	25	9	2	5	1	42	5		1	3
95	Hemorrhage without specified cause	M	60	19				2	21	1	2	3	3
		F	75	9			2	2	13	6	3	2	5
96	Other diseases of the circulatory system	M	31		1				1				
		F	34	1					1			1	1
	V.—Diseases of the respiratory system		93,159	20,504	6,507	2,660	1,445	952	32,068	2,506	1,387	1,797	2,090
	Males		50,387	11,577	3,516	1,456	782	526	17,857	1,332	713	1,051	1,180
	Females		42,772	8,927	2,991	1,204	663	426	14,211	1,174	674	746	910
97a	Diseases of the nasal fossae	M	193	109	11	3	5	1	129	1	5	5	2
		F	171	88	4	4	1	3	100	5	4	5	7
97b	Diseases of the nasal fossae annexa	M	256	19	3	3	2	2	29	9	8	34	20
		F	158	8	3	2	2	2	17	6	12	11	19
98	Diseases of the larynx	M	447	73	57	51	48	34	263	75	18	4	4
		F	334	63	49	49	28	25	214	52	5	3	2
99a	Acute bronchitis	M	1,550	736	127	46	21	16	946	33	10	5	8
		F	1,667	594	122	37	30	12	795	29	17	15	13
99b	Chronic bronchitis	M	1,238	39	12	2	6	1	60	8	3	4	4
		F	1,348	31	17	8	2	2	60	10	4	12	13
99c,d	Bronchitis (unspecified)	M	951	349	65	16	21	8	459	20	6	4	5
		F	1,118	323	57	27	16	11	434	23	6	13	10
100a	Bronchopneumonia	M	17,353	6,906	1,994	761	371	232	10,264	463	177	150	166
		F	15,804	5,234	1,752	613	288	192	8,079	444	162	138	178
100b	Capillary bronchitis	M	585	349	71	31	9	12	472	7	6	4	
		F	595	277	60	27	19	9	392	13	4	2	4
101a	Lobar pneumonia	M	21,076	2,124	865	386	207	151	3,733	538	376	674	778
		F	16,061	1,604	681	325	186	118	2,914	451	352	412	506
101b	Pneumonia (unspecified)	M	2,788	671	166	71	44	40	992	90	61	82	88
		F	2,508	544	148	65	49	29	835	74	55	66	54
102	Pleurisy	M	1,541	101	109	65	34	18	327	47	30	64	62
		F	1,092	76	73	37	33	18	237	41	32	49	56
103	Congestion and hemorrhagic infarct of the lung	M	740	53	12	4	6	3	78	14	3	6	11
		F	804	42	12	1	3	1	59	4	6	8	19
104	Gangrene of the lung	M	137	1	1	2			4	1	1		4
		F	50			1	1		2	1	3	2	3
105	Asthma	M	936	18	17	12	5	6	58	12	7	2	4
		F	792	14	6	5	4	1	30	13	3	2	10
106	Pulmonary emphysema	M	91	7	1				8	2		1	2
		F	51	5				1	6		1		1
107	Other diseases of the respiratory system (tuberculosis excepted)	M	505	22	5	3	3	2	35	12	2	12	22
		F	219	24	7	3	1	2	37	8	8	8	15

OF COLUMBIA) FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1921—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	Detailed List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
136	118	117	129	84	80	69	66	53	42	46	17	4	-------	-------	-------	1	
109	87	98	79	81	67	50	42	48	34	35	12	10	1	-------	-------	1	78
2	2	2	2	5	1	2	2	3	1	1	1	1	-------	-------	-------	1	
4	6	11	2	4	2	4	4	2	2	1	1	2	1	-------	-------	-------	79
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	80
-------	1	-------	2	2	3	-------	1	1	4	1	1	-------	-------	-------	-------	-------	81
1	3	3	2	1	1	1	-------	2	3	1	1	-------	-------	-------	-------	-------	
5	6	5	8	7	11	9	17	13	17	9	9	5	6	-------	-------	-------	82
1	5	6	6	7	15	15	24	30	15	25	24	11	2	2	-------	-------	
4	4	3	2	6	10	22	29	49	70	77	57	30	5	1	-------	-------	83
-------	2	6	4	7	12	10	38	48	60	69	68	35	11	1	2	-------	
79	80	105	102	112	115	96	78	64	48	40	30	16	3	2	-------	2	84
60	52	73	85	101	71	80	64	58	53	52	37	12	4	2	-------	-------	
1	2	1	-------	3	2	2	3	1	7	2	-------	1	-------	-------	-------	-------	85
1	1	3	-------	-------	-------	1	5	-------	5	1	1	-------	-------	-------	-------	-------	
51	43	31	37	35	31	29	30	23	9	8	9	1	-------	1	-------	-------	86a
25	26	15	30	28	28	22	28	17	14	11	6	7	-------	1	-------	-------	
36	26	24	22	34	28	23	19	12	10	6	4	-------	-------	-------	-------	-------	86b
13	19	19	14	20	19	10	17	6	5	5	3	-------	-------	-------	-------	-------	
2,267	2,851	4,033	5,045	7,206	9,547	11,647	16,149	18,876	21,729	21,184	16,241	8,918	2,907	661	157	145	
996	1,352	2,038	2,654	3,911	5,349	6,569	9,080	10,375	11,463	10,888	7,893	4,015	1,222	269	55	87	
1,271	1,499	1,995	2,391	3,295	4,198	5,078	7,069	8,501	10,266	10,296	8,348	4,903	1,685	392	102	58	
11	16	22	25	31	35	38	48	50	57	39	28	12	1	1	-------	-------	87
12	6	16	20	15	16	20	30	34	43	35	21	17	5	-------	3	-------	
148	173	235	251	120	124	113	123	110	104	68	60	23	7	1	1	2	88
239	207	244	260	94	91	85	83	88	84	95	58	32	9	2	-------	-------	
20	50	135	210	321	430	633	802	858	790	536	275	90	24	-------	-------	4	89
27	24	54	80	139	175	222	366	406	436	385	233	83	22	2	1	3	
751	1,029	1,488	1,941	3,119	4,333	5,191	7,188	8,037	8,771	8,143	5,652	2,744	757	153	29	69	90
960	1,195	1,581	1,930	2,891	3,666	4,393	5,986	7,091	8,370	8,088	6,279	3,462	1,091	246	62	51	
26	36	80	119	149	140	118	147	123	60	57	27	11	1	-------	-------	2	91a
4	14	22	27	33	41	40	57	43	42	35	11	11	1	1	-------	1	
5	9	30	56	98	206	372	649	1,087	1,582	1,972	1,799	1,114	426	113	25	9	91
5	4	11	28	61	129	223	441	742	1,200	1,575	1,678	1,270	544	138	36	3	b,c
23	29	33	35	50	57	61	84	74	72	56	33	18	3	1	-------	-------	92
15	28	41	29	38	40	46	55	55	62	55	47	20	5	1	-------	-------	
10	6	8	8	12	16	27	23	27	16	11	10	2	1	-------	-------	1	93
6	14	17	10	15	30	39	41	34	20	20	14	4	3	-------	-------	-------	
2	2	7	7	2	4	7	8	5	2	1	3	1	-------	-------	-------	-------	94
-------	3	3	4	3	3	1	3	2	2	1	1	2	3	-------	-------	-------	
-------	1	-------	1	7	2	4	3	1	3	3	4	-------	1	-------	-------	-------	95
3	3	5	1	3	5	5	2	3	4	5	3	1	1	2	-------	-------	
-------	1	-------	1	2	2	5	5	3	6	2	2	-------	1	-------	-------	-------	96
-------	1	1	2	3	2	4	5	3	3	2	3	1	1	-------	-------	-------	
2,288	2,417	3,072	3,229	3,492	3,798	3,949	4,970	5,219	5,838	5,854	4,875	2,890	1,037	247	66	70	
1,301	1,353	1,864	2,010	2,242	2,368	2,329	2,760	2,704	2,829	2,631	2,150	1,149	408	93	24	39	
987	1,064	1,208	1,219	1,250	1,430	1,620	2,210	2,515	3,009	3,223	2,725	1,741	629	154	42	31	
2	7	2	2	6	5	4	5	4	2	2	3	2	4	1	-------	-------	97a
6	5	2	5	2	3	2	3	2	2	2	4	9	3	-------	-------	-------	
21	22	29	25	13	12	10	9	5	5	2	2	-------	1	-------	-------	-------	97b
17	8	10	7	14	9	10	6	5	1	4	1	1	-------	-------	-------	-------	
8	3	3	6	10	8	5	8	5	7	6	9	4	-------	-------	-------	1	98
6	7	4	5	7	3	6	3	7	1	3	4	1	-------	-------	-------	1	
11	8	15	13	21	23	22	25	42	69	87	88	81	31	12	-------	-------	99a
6	10	11	18	8	26	24	33	63	92	145	146	128	68	15	4	1	
10	6	28	16	32	48	73	97	111	169	185	213	124	36	11	-------	-------	99b
10	13	8	19	22	32	40	86	112	201	232	248	171	43	10	1	1	
9	11	13	12	18	21	28	26	33	55	68	78	56	19	8	1	1	99
8	8	9	20	15	13	22	35	46	56	97	126	115	48	11	2	1	c,d
210	179	263	287	357	379	427	582	628	746	795	698	378	147	33	11	13	100a
177	173	207	227	243	298	385	548	713	933	1,092	913	593	224	50	16	11	
3	2	2	4	5	2	6	3	6	12	22	16	7	5	1	-------	-------	100b
1	2	6	2	2	7	9	9	18	22	24	38	29	8	3	-------	-------	
853	916	1,229	1,312	1,403	1,443	1,361	1,510	1,417	1,321	1,074	708	296	93	16	11	14	101a
577	647	747	727	731	834	889	1,181	1,220	1,283	1,172	832	418	120	24	11	13	
54	67	97	90	120	123	112	142	135	150	160	118	73	23	3	1	7	101b
77	81	76	73	75	84	74	106	127	165	154	160	104	47	16	3	2	
63	65	86	105	94	117	96	115	97	74	42	32	16	5	2	-------	2	102
61	47	61	46	47	43	48	61	67	68	69	30	22	5	1	-------	1	
13	23	23	36	29	32	34	40	56	62	64	98	79	34	5	-------	-------	103
9	16	17	22	10	14	26	44	42	71	112	133	116	51	21	4	-------	
8	11	10	12	19	20	9	15	7	9	4	2	1	-------	-------	-------	-------	104
1	2	11	3	2	4	4	2	5	2	-------	-------	1	2	-------	-------	-------	
13	12	24	38	57	85	90	119	98	116	94	70	27	9	1	-------	-------	105
15	25	30	30	59	50	70	77	72	93	100	72	31	7	2	1	-------	
2	3	2	4	6	8	6	14	9	8	10	4	2	-------	-------	-------	-------	106
2	-------	1	4	2	-------	-------	6	4	5	7	9	1	1	1	-------	-------	
21	18	38	48	52	42	46	50	51	24	16	11	3	1	-------	-------	1	107
14	20	8	11	11	10	11	10	12	14	10	9	1	2	-------	-------	-------	

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION STATES (INCLUDING DISTRICT

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	VI.—Diseases of the digestive system	98,488	32,303	8,487	2,606	1,416	922	45,734	2,879	2,120	2,113	2,232
	Males	53,038	18,301	4,530	1,390	789	483	25,493	1,515	1,162	1,197	1,173
	Females	45,450	14,002	3,957	1,216	627	439	20,241	1,364	958	916	1,059
108	Diseases of the mouth and annexa M	337	65	7	4	2	7	85	15	11	12	9
	F	244	38	7	4	2	7	58	16	7	9	10
109a	Adenoid vegetations M	10	5	3	1			9	1			
	F	2					1	1	1			
109b	Other diseases of the pharynx, tonsils M	1,849	115	86	90	114	102	507	326	177	119	115
	F	1,649	86	60	73	87	64	370	325	170	117	112
110	Diseases of the esophagus M	72		3		1		4	2		1	
	F	43	2		1	1		4	4			
111a	Ulcer of the stomach M	2,117	6	4	1	2	4	17	5	3	29	48
	F	1,077	5	2	2	2	1	12	3	8	22	45
111b	Ulcer of the duodenum M	772	8	1				9	2	3	6	17
	F	260	3					3	2	2	3	14
112	Other diseases of the stomach (cancer excepted) M	3,314	1,099	145	75	40	17	1,376	51	25	33	37
	F	3,081	799	147	71	28	22	1,067	69	22	31	42
113	Diarrhea and enteritis (under 2 years) M	19,993	15,936	4,057				19,993				
	F	15,987	12,449	3,538				15,987				
114	Diarrhea and enteritis (2 years and over) M	3,967			1,039	445	199	1,683	322	89	45	46
	F	4,384			930	369	202	1,501	304	67	54	57
115	Ancylostomiasis M	14					1	1	4	2	2	2
	F	10			2	1	2	5	1	2	1	
116	Diseases due to other intestinal parasites M	81	11	15	11	7	2	46	8	7	2	2
	F	72	7	15	7	6	10	45	11	9		1
117	Appendicitis and typhlitis M	7,290	28	36	63	93	89	309	565	660	748	634
	F	5,066	9	25	46	70	71	221	459	542	504	426
118a	Hernia M	1,811	115	11	3	6	3	138	6	8	23	33
	F	1,375	18	1	1	1		21	3	3	1	9
118b	Intestinal obstruction M	3,003	631	108	56	49	26	870	99	90	80	96
	F	3,064	421	94	37	35	26	613	55	43	59	114
119	Other diseases of the intestines M	665	95	17	9	5	5	131	14	8	14	19
	F	617	49	15	12	1	6	83	10	10	9	20
120	Acute yellow atrophy of the liver M	140	11				1	12	2	1	3	4
	F	218	3		1	1		5	2	1	5	21
121	Hydatid tumor of the liver M	14										2
	F	14							1	1		1
122	Cirrhosis of the liver M	4,100	9	6	5	1	1	22	5	12	16	21
	F	2,353	13	6	4		2	25	13	13	11	18
123	Biliary calculi M	942								4	2	5
	F	2,478	1					1	1	4	2	34
124	Other diseases of the liver M	1,518	54	10	11	8	10	93	24	23	21	44
	F	2,247	40	20	6	7	7	80	19	14	27	47
125	Diseases of the pancreas M	254	2		1	1	1	5	4	5	4	8
	F	235		1	1	1		3	4	1	2	6
126	Peritonitis without specified cause M	701	104	19	20	15	14	172	58	33	36	25
	F	920	57	21	17	15	18	128	61	38	56	80
127	Other diseases of the digestive system (cancer and tuberculosis excepted) M	74	7	2	1		1	11	2	1	1	6
	F	54	2	5	1			8		1	3	2
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	86,789	704	240	208	178	152	1,482	580	613	852	1,379
	Males	45,121	411	122	111	93	79	816	288	280	316	467
	Females	41,668	293	118	97	85	73	666	292	333	536	912
128	Acute nephritis (including unspecified under 10 years) M	2,926	266	83	71	68	49	537	173	109	84	130
	F	2,595	177	68	62	64	41	412	165	106	115	115
129	Chronic nephritis (including unspecified 10 years and over) M	35,732	17	15	27	17	27	103	92	152	201	294
	F	32,787	18	21	19	13	24	95	103	201	280	406
130	Chyluria M	1										
	F											
131	Other diseases of the kidneys and annexa M	1,096	81	21	11	7	3	123	15	11	21	20
	F	994	89	27	15	7	7	145	19	10	29	47
132	Calculi of the urinary passages M	430	2					2	4	3	4	9
	F	186							1		5	4
133	Diseases of the bladder M	852	13	1		1		15	2	4	3	5
	F	234	5	2	1	1		9	2	1	1	3
134	Diseases of the urethra, etc M	287	4					4			1	3
	F	24										1
135	Diseases of the prostate M	3,715									1	3
136	Nonvenereal diseases of the male genital organs M	73	22	2	1			25	2	1	1	3
137	Cysts, other benign tumors of the ovary F	690					1	1	1	2	7	38
138	Salpingitis and pelvic abscess (female) F	1,732							1	3	73	228
139	Benign tumors of the uterus F	1,731									2	20
140	Nonpuerperal uterine hemorrhage F	59								5	4	6
141	Other diseases of the female genital organs F	625	1					1		5	19	42
142	Nonpuerperal diseases of the breast (cancer excepted) M	9	6		1			7				
	F	11	3					3			1	2
	VIII.—The puerperal state	14,562								35	1,462	3,008
143	Accidents of pregnancy F	1,216								2	63	223
144	Puerperal hemorrhage F	1,494								2	55	204
145	Other accidents of labor F	1,468								6	99	253
146	Puerperal septicemia F	5,881								8	593	1,355
147	Puerperal phlegmasia alba dolens, embolus, etc F	538									31	92
148	Puerperal albuminuria and convulsions F	3,877								17	614	864
149	Following childbirth (undefined) F	83									7	17
150	Puerperal diseases of the breast F	5										

OF COLUMBIA) FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1921—Continued.

DEATHS AT AGE OF—																Deaths at unknown age.	Detailed Int. List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
2,543	2,739	3,309	3,366	3,840	4,251	4,035	4,393	4,060	3,674	3,277	2,215	1,164	380	83	22	59	
1,218	1,370	1,745	1,811	2,142	2,268	2,282	2,388	2,146	1,878	1,557	948	515	152	39	6	33	
1,325	1,369	1,564	1,555	1,698	1,983	1,753	2,005	1,914	1,796	1,720	1,267	649	228	44	16	26	
10	19	22	20	19	26	15	27	22	7	13	5						108
11	9	11	26	15	11	10	9	15	10	8	3	4	1			1	
																	109a
84	84	105	57	63	47	38	35	23	30	16	8	11	2	2			109b
97	82	73	56	41	40	37	32	32	24	19	13	5	4				
1	2	4	4	3	8	5	7	9	10	6	4	2					110
1	2		2	5	1	1	7	2	2	5	4	1		2			
78	121	219	224	248	237	232	206	166	120	82	47	27	5	1		2	111a
61	81	75	82	84	117	76	107	91	86	66	40	15	4	1		1	
44	84	82	89	89	79	81	64	63	28	20	8	4					111b
21	16	27	25	21	31	24	20	19	18	9	5						
38	57	85	131	154	139	160	198	194	180	189	151	79	23	7	3	4	112
65	67	87	104	100	114	121	143	160	221	239	226	132	52	12	5	2	
																	113
57	46	73	83	83	102	119	141	152	216	280	216	141	44	16	2	11	114
90	90	95	86	106	113	121	184	217	278	350	362	192	92	14	4	7	
1				1			1										115
1																	
3	1	3	1	1	3	1	2	1									116
2	1	2			1												
599	564	587	521	581	474	377	302	187	90	54	21	8	3	1		5	117
460	420	410	312	301	307	229	192	120	74	56	21	5	4			3	
31	53	57	86	104	147	145	198	231	192	178	92	61	24	3		1	118a
9	24	53	81	136	183	135	185	177	127	119	64	37	6	1		1	
90	98	125	139	157	153	160	193	165	183	136	88	56	16	2	1	6	118b
172	167	216	178	175	188	152	147	185	184	182	129	81	17	5	1	1	
19	18	34	35	50	44	43	40	44	39	46	38	17	11			1	119
33	30	37	28	34	43	37	39	45	31	48	43	23	12	2			
5	6	9	9	6	7	17	16	11	13	9	6	2	2				120
30	20	19	14	12	15	7	11	14	15	14	8	4	1				
4	1		2	1	1		1	1					1				121
	2	1	1				1	1	2	2	1						
45	81	148	207	322	468	549	620	552	487	319	151	58	13	2		2	122
26	50	74	111	169	225	235	312	316	293	247	139	57	10	4	1	4	
10	31	45	64	70	103	135	140	122	95	67	31	15	3				123
71	105	150	200	235	301	323	312	266	201	149	79	35	5		2	2	
52	61	89	86	120	151	124	146	142	143	99	65	25	4	5		1	124
82	105	128	144	188	213	197	243	217	194	166	109	50	18	3	2	1	
15	14	14	26	24	36	35	17	19	12	15		1					125
12	11	18	28	32	36	17	29	13	8	10	4	1					
26	22	39	24	39	32	42	30	41	32	26	16	7	1				126
77	82	84	75	38	39	29	29	23	26	27	17	5	2		1	3	
6	7	5	3	7	11	4	4	1	1	2	1	1					127
4	5	4	2	6	5	2	3	1	2	4		2					
1,921	2,348	3,287	3,939	5,010	5,945	6,659	9,058	10,081	10,888	10,277	7,198	3,749	1,135	236	58	94	
632	779	1,175	1,546	2,194	2,936	3,605	4,987	5,688	6,332	6,035	4,107	2,132	605	120	30	51	
1,289	1,569	2,112	2,393	2,816	3,009	3,054	4,071	4,393	4,556	4,242	3,091	1,617	530	116	28	43	
127	127	169	161	187	190	168	149	156	159	129	95	54	15	3	2	2	128
136	146	164	154	165	170	146	127	130	132	91	80	27	8	3		3	
429	548	862	1,242	1,805	2,477	3,075	4,173	4,699	5,183	4,847	3,252	1,656	479	94	25	44	129
595	743	1,121	1,399	1,844	2,373	2,612	3,667	4,021	4,243	3,989	2,904	1,526	501	109	24	31	
									1								130
35	49	64	63	74	76	73	88	86	97	92	57	38	8	3	1	2	131
58	71	80	58	60	63	57	82	69	44	41	25	23	8	2	2	1	
18	19	29	21	32	40	41	56	49	51	31	16	4				1	132
10	9	12	20	22	17	17	19	14	17	8	8	2	1				
6	8	10	14	21	19	27	80	76	114	156	157	99	30	6			133
8		5	10	10	7	13	12	27	25	40	29	21	9	1	1		
11	18	22	28	37	37	23	33	19	23	9	12	3	2	1		1	134
	6	2	4	2	2	1	1	1		3	1						
5	10	18	14	36	92	191	405	600	693	766	514	276	70	13	2	1	135
1		1	3	2	4	7	3	3	6	5	3	2	1				136
43	67	79	86	74	65	54	51	44	32	20	18	7		1			137
303	335	274	213	150	71	31	21	12	6	5	2	1	1			2	138
65	122	280	369	410	184	78	44	51	42	33	17	6	2		1	5	139
2	13	9	6	8	2		3					1					140
68	57	86	72	71	55	44	44	24	15	12	6	3				1	141
					1						1						142
1			2			1					1						
3,287	2,951	2,567	1,066	164	6											16	
295	288	241	93	9	1											1	143
293	350	389	180	21													144
324	329	291	131	33												2	145
1,423	1,167	923	349	54	4											5	146
124	118	119	50	4													147
808	677	588	257	43	1											8	148
16	21	16	6														149
4	1																150

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION STATES (INCLUDING DISTRICT

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	IX.—Diseases of the skin and of the cellular tissue	3,349	689	67	12	16	9	793	54	32	82	74
	Males	1,916	395	31	4	11	4	445	29	18	47	33
	Females	1,433	294	36	8	5	5	348	25	14	35	41
151	Gangrene M	736	18	4	2	5	1	30	6	2	8	5
	Gangrene F	588	20	6	7	2	4	39	5	2	3	5
152	Furuncle M	426	80	5	1	1	.....	87	4	6	16	13
	Furuncle F	217	52	6	.....	1	.....	59	2	5	12	16
153	Acute abscess M	385	96	15	.....	4	2	117	17	7	19	14
	Acute abscess F	264	75	13	1	1	1	91	11	3	9	13
154	Other diseases of the skin and annexa M	369	201	7	1	1	1	211	2	3	4	1
	Other diseases of the skin and annexa F	364	147	11	.....	1	.....	159	7	4	11	7
	X.—Diseases of the bones and of the organs of locomotion	1,222	72	28	28	29	29	186	157	147	81	45
	Males	782	49	14	18	18	17	116	95	92	66	30
	Females	440	23	14	10	11	12	70	62	55	15	15
155	Diseases of the bones (tuberculosis excepted) M	581	34	11	18	16	15	94	81	83	49	18
	Diseases of the bones (tuberculosis excepted) F	299	16	10	9	10	11	56	58	49	11	10
156	Diseases of the joints (tuberculosis and rheumatism excepted) M	164	14	3	.....	2	2	21	14	7	13	11
	Diseases of the joints (tuberculosis and rheumatism excepted) F	111	6	4	1	1	1	13	4	6	3	4
157	Amputations M	3	1	.....	.....	.....	.....	1	.....	.....	1	.....
	Amputations F	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
158	Other diseases of the organs of locomotion M	34	.....	.....	.....	.....	.....	.....	.....	2	3	1
	Other diseases of the organs of locomotion F	29	1	.....	.....	.....	.....	1	.....	.....	1	1
	XI.—Malformations	13,578	12,606	349	138	87	51	13,231	157	75	35	28
	Males	7,688	7,147	196	76	45	28	7,492	95	41	17	16
	Females	5,890	5,459	153	62	42	23	5,739	62	34	18	12
159a	Congenital hydrocephalus M	724	525	76	30	22	12	665	30	12	6	3
	Congenital hydrocephalus F	586	436	63	22	18	8	547	21	9	2	3
159b	Congenital malformations of the heart M	4,679	4,447	78	32	12	10	4,579	47	24	9	10
	Congenital malformations of the heart F	3,400	3,220	63	21	15	7	3,326	27	18	13	5
159c	Other congenital malformations M	2,285	2,175	42	14	11	6	2,248	18	5	2	3
	Other congenital malformations F	1,904	1,803	27	19	9	8	1,866	14	7	3	4
	XII.—Early infancy	59,584	59,584	.....	.....	.....	.....	59,584	.....	.....	.....	.....
	Males	34,424	34,424	.....	.....	.....	.....	34,424	.....	.....	.....	.....
	Females	25,160	25,160	.....	.....	.....	.....	25,160	.....	.....	.....	.....
160	Congenital debility, icterus, sclerema M	5,062	5,062	.....	.....	.....	.....	5,062	.....	.....	.....	.....
	Congenital debility, icterus, sclerema F	3,649	3,649	.....	.....	.....	.....	3,649	.....	.....	.....	.....
161a	Premature birth M	20,714	20,714	.....	.....	.....	.....	20,714	.....	.....	.....	.....
	Premature birth F	15,889	15,889	.....	.....	.....	.....	15,889	.....	.....	.....	.....
161b	Injury at birth M	5,490	5,490	.....	.....	.....	.....	5,490	.....	.....	.....	.....
	Injury at birth F	3,343	3,343	.....	.....	.....	.....	3,343	.....	.....	.....	.....
162	Other diseases peculiar to early infancy M	3,086	3,086	.....	.....	.....	.....	3,086	.....	.....	.....	.....
	Other diseases peculiar to early infancy F	2,210	2,210	.....	.....	.....	.....	2,210	.....	.....	.....	.....
163	Lack of care M	72	72	.....	.....	.....	.....	72	.....	.....	.....	.....
	Lack of care F	69	69	.....	.....	.....	.....	69	.....	.....	.....	.....
164	XIII.—Old age (senility)	10,718	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Males	4,509	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Females	6,209	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XIV.—External causes	77,516	2,010	1,705	1,441	1,375	1,197	7,728	4,399	3,252	4,537	5,706
	Males	57,155	1,103	967	850	773	663	4,356	2,915	2,567	3,675	4,583
	Females	20,361	907	738	591	602	534	3,372	1,484	685	862	1,123
	Suicide (total) M	8,430	.....	.....	.....	.....	.....	.....	.....	34	157	464
	Suicide (total) F	2,476	.....	.....	.....	.....	.....	.....	.....	19	170	249
165	By poisons (corrosives excepted) M	250	.....	.....	.....	.....	.....	.....	.....	.....	3	18
	By poisons (corrosives excepted) F	145	.....	.....	.....	.....	.....	.....	.....	3	22	15
166	By corrosive substances M	711	.....	.....	.....	.....	.....	.....	.....	2	17	44
	By corrosive substances F	554	.....	.....	.....	.....	.....	.....	.....	2	71	100
167	By poisonous gas M	913	.....	.....	.....	.....	.....	.....	.....	.....	10	43
	By poisonous gas F	472	.....	.....	.....	.....	.....	.....	.....	1	15	34
168	By hanging or strangulation M	1,571	.....	.....	.....	.....	.....	.....	.....	16	33	56
	By hanging or strangulation F	363	.....	.....	.....	.....	.....	.....	.....	1	1	12
169	By drowning M	430	.....	.....	.....	.....	.....	.....	.....	1	1	24
	By drowning F	275	.....	.....	.....	.....	.....	.....	.....	1	10	21
170	By firearms M	3,610	.....	.....	.....	.....	.....	.....	.....	13	87	257
	By firearms F	405	.....	.....	.....	.....	.....	.....	.....	11	46	50
171	By cutting or piercing instruments M	609	.....	.....	.....	.....	.....	.....	.....	.....	3	4
	By cutting or piercing instruments F	93	.....	.....	.....	.....	.....	.....	.....	.....	2	1
172	By jumping from high places M	167	.....	.....	.....	.....	.....	.....	.....	.....	2	10
	By jumping from high places F	101	.....	.....	.....	.....	.....	.....	.....	.....	2	9
173	By crushing M	103	.....	.....	.....	.....	.....	.....	.....	1	1	7
	By crushing F	26	.....	.....	.....	.....	.....	.....	.....	.....	1	5
174	By other means M	66	.....	.....	.....	.....	.....	.....	.....	1	.....	1
	By other means F	42	.....	.....	.....	.....	.....	.....	.....	.....	.....	2

OF COLUMBIA). FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1921—Continued.

DEATHS AT AGE OF—																Deaths at unknown age.	Detailed Int. List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
82	78	91	112	129	150	137	155	180	259	294	304	202	106	19	12	4	
52	45	56	68	86	90	78	94	110	146	164	172	109	56	8	7	3	
30	33	35	44	43	60	59	61	70	113	130	132	93	50	11	5	1	
4	8	10	22	18	24	24	33	45	91	118	138	87	51	6	5	1	151
3	9	7	8	14	18	17	33	31	69	92	104	73	41	11	4	.....	
24	15	24	21	39	32	27	27	28	18	21	16	6	2	.....	.....	.....	152
14	5	7	16	10	19	12	9	8	7	7	6	1	2	.....	.....	.....	
16	17	15	19	23	22	11	22	21	18	10	12	3	.....	.....	1	1	153
6	12	12	13	10	12	14	12	11	12	10	6	6	1	.....	.....	.....	
8	5	7	6	6	12	16	12	16	19	15	6	13	3	2	1	1	154
7	7	9	7	9	11	16	7	20	25	21	16	13	6	.....	1	1	
40	48	50	48	60	55	58	50	63	47	41	29	10	5	1	1	.....	
33	30	34	27	43	36	40	30	36	28	25	14	5	2	.....	.....	.....	
7	18	16	21	17	19	18	20	27	19	16	15	5	3	1	1	.....	
25	19	22	20	29	23	30	22	24	17	13	8	2	2	.....	.....	.....	
5	7	10	9	8	12	13	7	16	12	10	.....	3	1	1	1	.....	155
7	9	9	7	10	11	10	5	9	6	10	4	1	.....	.....	.....	.....	
2	8	5	8	7	6	3	7	9	7	5	11	1	2	.....	.....	.....	156
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	157
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	2	3	.....	4	2	.....	3	3	5	2	1	2	.....	.....	.....	.....	158
.....	3	1	4	2	1	1	6	2	.....	1	4	1	.....	.....	.....	.....	
21	5	10	8	7	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
12	2	5	4	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
9	3	5	4	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
3	.....	2	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	159a
2	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
5	1	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	159b
3	2	2	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
4	1	1	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	159c
4	1	2	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	160
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	161a
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	161b
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	162
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	163
.....	.....	.....	.....	3	19	25	143	247	946	1,755	2,713	2,496	1,522	478	359	12	164
.....	.....	.....	.....	.....	5	14	66	125	419	802	1,152	1,069	566	164	123	4	
.....	.....	.....	.....	3	14	11	77	122	527	953	1,561	1,427	956	314	236	8	
6,036	5,628	5,999	5,109	4,770	4,467	3,667	3,604	3,015	2,758	2,532	2,005	1,408	491	123	31	251	
4,937	4,667	5,037	4,282	3,948	3,657	2,877	2,736	2,125	1,716	1,325	807	496	176	38	12	223	
1,099	961	962	827	822	810	790	868	890	1,042	1,207	1,198	912	315	85	19	28	
605	767	936	872	932	960	788	700	492	345	210	91	45	7	2	.....	23	
275	288	259	244	232	226	169	142	93	53	33	17	5	1	.....	.....	1	
24	27	35	34	25	19	25	12	11	9	5	1	1	1	.....	.....	.....	165
16	22	17	9	13	10	6	7	4	1	.....	.....	.....	.....	.....	.....	.....	
75	72	86	66	69	87	69	51	39	17	11	3	3	.....	.....	.....	.....	166
90	65	61	48	36	28	18	16	10	5	3	.....	.....	.....	.....	.....	1	
50	74	107	101	101	124	91	82	62	33	24	5	3	1	.....	.....	2	167
38	46	54	48	51	50	48	34	24	10	12	5	1	1	.....	.....	.....	
68	117	132	160	186	182	153	163	106	87	58	28	17	3	1	.....	5	168
21	37	35	40	46	59	35	31	18	16	8	3	.....	.....	.....	.....	.....	
19	34	47	44	47	43	38	44	40	22	13	7	3	.....	1	.....	2	169
21	32	22	27	25	29	22	23	18	12	4	4	4	.....	.....	.....	.....	
313	359	420	362	403	383	318	273	170	133	61	37	12	.....	.....	.....	9	170
57	58	48	38	32	30	14	11	5	3	2	.....	.....	.....	.....	.....	.....	
27	41	66	65	68	86	68	61	47	30	23	8	6	2	.....	.....	4	171
7	11	6	11	14	5	14	10	8	2	1	1	.....	.....	.....	.....	.....	
10	19	16	23	15	20	20	10	9	6	7	.....	.....	.....	.....	.....	.....	172
17	9	10	12	8	6	7	8	5	3	2	3	.....	.....	.....	.....	.....	
16	15	15	12	10	9	2	3	3	4	5	.....	.....	.....	.....	.....	.....	173
4	2	4	4	2	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
3	9	12	5	8	7	4	1	5	4	3	2	.....	.....	.....	.....	1	174
4	6	2	7	5	6	4	2	1	1	1	1	.....	.....	.....	.....	.....	

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION STATES (INCLUDING DISTRICT

Detailed Int. List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF—									
				Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	XIV.—External causes—Continued.												
	Homicide (total)	M.	5,682	75	6	7	9	8	105	25	52	231	761
		F.	1,408	71	4	5	10	4	94	28	36	133	270
197	By firearms	M.	4,393	2	1		5	4	12	15	40	171	647
		F.	785	6	1	3	2	2	14	11	23	68	153
198	By cutting or piercing instruments	M.	516	3	2	1	2	1	9	1	1	29	77
		F.	171	2					2	2	3	22	33
199	By other means	M.	773	70	3	6	2	3	84	9	11	31	37
		F.	452	63	3	2	8	2	78	15	10	43	84
	Accidental or undefined (total)	M.	43,043	1,028	961	843	764	655	4,251	2,890	2,481	3,287	3,358
		F.	16,477	836	734	586	592	530	3,278	1,456	630	559	604
175	Poisoning by food	M.	480	59	35	32	31	19	176	32	16	17	19
		F.	407	44	20	18	18	12	112	44	17	14	21
176	Poisoning by venomous animals	M.	54	6	1	3	1	3	14	6	3	2	4
		F.	33	8	4			2	14	4	1	1	
177	Other acute poisonings (gas excepted)	M.	908	46	137	62	32	23	300	31	12	15	33
		F.	582	27	123	60	22	8	240	26	4	14	55
178	Conflagration	M.	516	16	25	23	25	22	111	34	20	14	30
		F.	386	23	26	18	18	20	105	36	27	14	20
179	Burns (conflagration excepted)	M.	2,180	118	316	324	248	139	1,143	162	50	75	64
		F.	2,996	98	252	290	330	276	1,246	465	118	73	102
180	Mechanical suffocation	M.	585	387	3	2	3	3	398	21	19	11	11
		F.	344	313	6	4	1	1	325	5	1		
181	Absorption of irrespirable, irritating, or poisonous gas	M.	1,228	7	4	3	2	6	22	8	13	41	51
		F.	534	10	3		4	6	23	9	9	13	24
182	Drowning	M.	5,581	26	127	95	68	73	389	558	684	1,031	703
		F.	787	8	79	35	28	6	156	100	106	120	65
183	Traumatism by firearms (except in war)	M.	1,953	3	11	10	15	19	58	130	281	423	275
		F.	292	5	7	10	12	8	42	45	37	33	25
184	Traumatism by cutting or piercing instruments	M.	348	19	7	6	8	4	44	16	21	18	15
		F.	115	1	2	4	1		8	8	7	1	6
185	Traumatism by fall	M.	5,146	74	91	64	58	37	324	172	171	176	199
		F.	4,790	57	73	35	30	19	214	74	49	31	42
186a	Traumatism in mines	M.	1,746							4	5	119	181
		F.	1								1		
186b	Traumatism in quarries	M.	87							1	1	6	7
		F.											
187	Traumatism by machines	M.	1,492		3	7	12	3	25	45	40	101	154
		F.	44		1			2	3	3	1	7	2
188a	Railroad accidents	M.	4,496	4	18	14	8	7	51	85	128	313	441
		F.	680	3	18	9	11	9	50	24	31	41	67
188b	Street-car accidents	M.	1,066	2	6	15	18	15	56	62	30	49	54
		F.	361	2	6	11	8	15	42	36	10	18	18
188c	Automobile accidents	M.	7,411	18	28	74	156	216	492	1,128	602	383	517
		F.	2,492	22	27	40	75	113	277	455	138	136	107
188e,f	Injuries by other vehicles	M.	1,445	16	13	22	17	22	90	118	82	94	103
		F.	216	9	14	10	5	5	43	27	12	10	7
188d	Aeroplane and balloon accidents	M.	114							2	1	6	34
		F.	13		1				1	1	1	1	2
188g	Landslide, other crushing	M.	465	1	1	4	4	1	11	18	12	25	33
		F.	24		1	2	1	2	6	3	3	1	
189	Injuries by animals (not poisoning)	M.	606	7	12	11	7	10	47	50	53	38	29
		F.	61	3	3	2	4	5	17	7	3		1
190	Wounds of war	M.	24										3
		F.											
192	Starvation (deprivation of food or water)	M.	11	4	1				5				
		F.	6	1					1				
193	Excessive cold	M.	102				1		1	1	2	2	5
		F.	9										
194	Excessive heat	M.	634	75	14	1	5	2	97	7	6	18	15
		F.	304	60	7	4	2	3	76	8	5	5	3
195	Lightning	M.	378	1	1				2	9	35	44	47
		F.	81	2	1	1	2	1	7	8	9	8	10
196	Other accidental electric shocks	M.	706			2			2	19	43	62	107
		F.	18							4	2	1	
201	Fracture (cause not specified)	M.	276	3			1	3	7	10	6	7	21
		F.	210		1		1	1	3	1	3		1
202	Other external violence	M.	2,279	102	96	58	39	23	318	127	104	166	167
		F.	454	97	54	26	18	16	211	47	20	13	16
203	Violent deaths of unknown causation	M.	726	36	11	11	5	5	68	34	41	31	36
		F.	237	43	5	7	1		56	16	15	4	10
	XV.—Ill-defined diseases		13,800	6,046	633	213	117	82	7,091	218	184	180	284
	Males		7,627	3,430	328	108	56	46	3,968	113	93	87	115
	Females		6,173	2,616	305	105	61	36	3,123	105	91	93	169
204	Sudden death	M.	553	126	5	3	4	1	139	4	4	3	6
		F.	422	104	11	8	3	2	128	4	3	1	8
205a	Ill-defined	M.	2,257	508	187	44	19	15	773	37	37	28	34
		F.	1,736	397	151	37	16	14	615	29	32	28	40
205b	Not specified or unknown	M.	4,817	2,796	136	61	33	30	3,056	72	52	56	75
		F.	4,015	2,115	143	60	42	20	2,380	72	56	64	121

OF COLUMBIA) FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1921—Continued.

DEATHS AT AGE OF—																Deaths at unknown age.	Detailed Int. List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
952	852	821	573	436	310	186	150	77	54	28	12	6	1	.....	.....	50	
232	187	161	99	66	29	22	13	13	9	6	4	2	.....	.....	.....	4	
806	704	654	457	324	214	124	99	49	31	10	2	1	.....	.....	.....	33	
143	117	94	65	49	15	13	9	4	2	3	.....	.....	.....	.....	.....	2	197
72	83	71	41	41	30	16	14	9	6	5	4	.....	1	.....	.....	6	
23	22	28	15	10	3	4	1	.....	1	.....	2	.....	.....	.....	.....	.....	198
74	65	96	75	71	66	46	37	19	17	13	6	5	.....	.....	.....	11	
66	48	39	19	7	11	5	3	9	6	3	2	2	.....	.....	.....	2	199
3,380	3,048	3,280	2,837	2,580	2,387	1,903	1,886	1,556	1,317	1,087	704	445	168	36	12	150	
592	486	542	484	524	555	599	713	784	980	1,168	1,177	905	314	85	19	23	
19	15	20	27	22	24	25	14	15	20	12	6	.....	.....	.....	.....	1	
18	17	24	19	22	16	12	16	15	19	9	5	6	.....	.....	1	.....	175
2	1	1	1	2	8	4	2	1	1	1	.....	1	.....	.....	.....	.....	
.....	2	2	1	2	.....	1	1	3	.....	.....	.....	.....	.....	.....	.....	1	176
51	82	78	82	68	53	39	24	18	15	5	1	.....	.....	.....	.....	1	
57	40	41	31	20	16	9	8	9	3	3	3	1	.....	.....	.....	2	177
30	39	25	32	24	26	17	33	20	19	20	11	2	1	1	2	5	
18	14	15	20	14	16	14	15	12	12	15	6	8	2	1	.....	2	178
100	90	86	68	53	56	51	35	33	44	37	10	14	3	.....	2	4	
79	84	85	71	69	69	70	90	87	94	80	68	24	11	3	6	2	179
24	13	14	17	16	17	11	4	4	4	.....	.....	.....	.....	.....	.....	1	
.....	2	.....	2	3	1	1	1	2	1	.....	.....	.....	.....	.....	.....	.....	180
85	88	119	115	109	127	107	98	78	66	52	34	11	1	.....	.....	3	
30	28	32	29	34	30	37	50	42	43	53	37	10	1	.....	.....	.....	181
463	344	326	268	224	179	110	115	60	37	30	14	6	2	1	.....	37	
41	36	35	22	16	24	13	14	6	13	7	6	1	.....	.....	.....	6	182
203	118	106	98	74	51	44	36	23	9	8	4	1	.....	.....	.....	11	
35	14	21	10	7	7	6	1	3	1	1	3	.....	1	.....	.....	.....	183
17	18	24	21	34	26	20	20	19	14	12	5	3	1	.....	.....	.....	
2	2	4	9	12	9	9	15	5	5	4	5	2	1	.....	.....	1	184
213	234	292	278	302	320	279	326	284	335	397	385	294	130	27	4	4	
47	37	35	55	73	81	131	219	324	544	792	912	767	275	76	11	1	185
251	238	300	216	163	104	68	49	33	7	1	.....	.....	.....	.....	.....	7	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	186a
9	16	7	6	5	7	4	12	4	.....	1	.....	.....	1	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	186b
173	142	147	131	119	111	105	93	61	26	11	6	1	1	.....	.....	.....	
5	.....	3	7	4	6	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	187
498	461	511	411	367	313	227	208	194	124	74	36	16	2	.....	.....	36	
49	44	45	36	51	48	38	42	34	36	20	16	6	.....	.....	.....	2	188a
79	81	91	85	67	81	67	69	55	48	51	22	16	1	.....	.....	2	
26	11	30	16	14	19	34	23	18	17	18	10	1	.....	.....	.....	.....	188b
522	472	526	451	440	333	333	327	277	276	163	64	38	5	1	1	10	
124	107	111	109	125	146	141	152	150	103	63	30	14	1	.....	.....	3	188c
100	83	82	81	79	107	65	115	100	71	51	19	1	1	.....	.....	3	
10	5	10	12	12	12	19	7	8	9	8	3	2	.....	.....	.....	.....	188
42	14	2	2	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	8	e,f
3	.....	3	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	188d
46	60	51	38	38	35	34	19	17	12	7	3	.....	1	.....	.....	5	
2	3	.....	.....	1	.....	1	1	.....	1	1	.....	1	.....	.....	.....	.....	188g
23	30	39	39	25	45	37	33	52	23	24	11	6	1	.....	.....	1	
2	1	3	2	1	2	5	4	3	4	2	1	1	2	.....	.....	.....	189
15	5	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	190
.....	.....	.....	.....	.....	2	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	
.....	1	.....	.....	.....	1	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	192
5	9	5	8	12	7	5	7	7	13	5	6	2	.....	.....	.....	.....	
1	.....	1	1	1	.....	1	.....	.....	2	1	1	.....	.....	.....	.....	.....	193
18	28	37	37	46	35	51	52	43	49	41	29	14	7	3	1	.....	
6	7	12	7	7	17	19	15	20	22	24	19	23	4	5	.....	.....	194
36	35	40	28	27	22	11	18	13	6	3	.....	.....	.....	.....	.....	2	
3	5	4	6	6	6	1	1	2	3	1	1	.....	.....	.....	.....	.....	195
125	101	82	52	43	24	20	7	11	3	2	2	.....	.....	.....	.....	1	
1	1	3	.....	1	2	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	196
13	20	16	32	21	21	19	17	14	13	14	9	10	4	.....	2	.....	
3	3	4	3	1	3	5	7	17	30	42	39	29	15	.....	.....	1	201
165	168	203	165	158	134	103	104	80	49	39	15	5	3	2	.....	4	
21	12	9	7	17	15	17	15	8	8	7	6	2	.....	.....	1	2	202
53	43	49	48	42	69	44	47	38	33	26	12	4	3	1	.....	4	
9	10	10	9	11	9	11	12	16	9	16	6	7	1	.....	.....	.....	203
227	223	318	328	372	434	433	560	656	636	573	470	263	125	46	65	114	
95	106	156	167	204	254	258	368	416	371	329	246	118	49	20	27	67	
132	117	162	161	168	180	175	192	240	265	244	224	145	76	26	38	47	
10	12	21	21	25	27	32	44	60	54	40	23	15	8	1	1	3	
10	13	8	20	14	26	27	18	42	25	27	21	14	8	3	2	.....	204
34	45	58	68	75	119	119	173	194	168	133	92	34	12	5	5	14	
48	42	60	62	84	69	79	95	98	97	109	72	36	23	3	4	11	205a
51	49	77	78	104	108	107	151	162	149	156	131	69	29	14	21	50	
74	62	94	79	70	85	69	79	100	143	108	131	95	45	20	32	36	205b

TABLE 7A.—DEATHS OF WHITE PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION STATES (INCLUDING

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	All causes	895,593	135,876	24,022	11,951	8,735	7,078	187,662	23,029	15,258	19,949	25,956
	Males	475,172	77,592	12,763	6,449	4,726	3,791	105,321	12,561	8,422	10,353	12,622
	Females	420,421	58,284	11,259	5,502	4,009	3,287	82,341	10,468	6,836	9,596	13,334
	I.—Epidemic, endemic, and infectious diseases	130,934	12,171	7,162	4,636	3,827	3,320	31,116	9,652	4,594	7,033	10,197
	Males	69,639	6,499	3,663	2,418	2,006	1,753	16,339	4,935	2,158	2,938	4,535
	Females	61,295	5,672	3,499	2,218	1,821	1,567	14,777	4,717	2,436	4,095	5,662
1	Typhoid and paratyphoid fever	3,471	15	29	25	32	30	131	214	271	518	458
		2,663	16	28	28	38	38	148	196	323	417	313
2	Typhus fever	8							1		2	
		4					1	1				
3	Relapsing fever (spirillum obermeieri)	1										
4	Malta fever	1										
5	Malaria	777	83	40	30	22	22	197	64	45	52	40
		723	69	40	41	20	21	191	69	55	50	34
6	Smallpox	287	49	6	5	1	6	67	13	9	16	20
		185	26	7	1	4	1	39	7	5	13	19
7	Measles	1,824	518	510	208	104	83	1,423	196	47	58	36
		1,621	388	478	179	104	72	1,221	162	67	25	22
8	Scarlet fever	2,251	128	230	308	282	233	1,181	633	189	95	43
		2,348	93	186	272	261	216	1,028	665	211	117	123
9	Whooping cough	2,933	1,805	659	200	97	56	2,817	95	11	3	2
		3,539	2,003	886	281	146	64	3,380	119	14	6	1
10	Diphtheria	7,596	470	946	960	1,022	923	4,321	2,343	541	137	58
		7,188	330	731	867	831	859	3,618	2,403	620	147	78
11a	Influenza (with pulmonary complications)	2,567	383	123	74	30	34	644	84	43	79	80
		2,428	299	114	57	44	23	537	62	57	60	82
11b	Influenza (other and unspecified)	1,790	223	61	34	35	16	369	81	46	64	52
		1,751	167	52	31	21	19	290	67	63	53	59
12	Miliary fever	1										
		1										
13	Mumps	67	11	3	5	6	3	28	6	5	4	2
		47	8	2	5		3	18	7	2	1	3
14	Asiatic cholera											
15	Cholera nostras	106	24	5	3	6	1	39	8	2	1	1
		92	14	9	3	1	1	28	3		1	1
16	Dysentery	1,378	296	225	102	43	27	693	54	20	18	8
		1,368	301	192	67	39	15	614	37	14	9	13
17	Plague	1										
18	Yellow fever	1										
		1										
19	Spirochetal hemorrhagic jaundice	15		1	1	1	1	4	1			1
		6	1					1	1	1	2	
20	Leprosy	10									1	1
		2										
21	Erysipelas	1,256	415	23	11	8	4	461	14	13	10	23
		1,091	339	26	16	9	6	396	11	7	17	26
22	Acute anterior poliomyelitis	860	55	82	64	68	57	326	214	132	70	31
		672	41	87	73	55	47	303	178	69	50	30
23	Lethargic encephalitis	658	22	22	16	12	14	86	40	33	34	47
		597	14	31	23	17	14	99	45	33	41	43
24	Meningococcus meningitis	695	181	74	43	26	37	361	99	58	61	33
		458	101	57	29	12	23	222	76	39	36	14
25	Other epidemic and endemic diseases	113	40	22	7	2	5	76	11	2	2	1
		79	28	13	8	2	4	55	11	1	3	1
26	Glanders	1										
27	Anthrax	21							1	1		1
		6				1		1				1
28	Rabies	29		1	2	2	3	8	7	5	2	
		18			2	1		3	5	2		1
29	Tetanus	824	106	5	12	16	21	160	150	168	64	34
		320	64	7	4	6	2	83	53	36	8	15
30	Mycoses	57	23	2				25	1	1	3	4
		48	30	3				33		2	1	
	Tuberculosis (total)	36,457	799	546	279	183	168	1,975	548	462	1,582	3,470
		31,722	695	501	218	193	127	1,734	501	777	2,945	4,645
31	Of the respiratory system	31,453	233	151	63	32	38	517	152	211	1,322	3,138
		27,082	211	118	44	43	23	439	155	552	2,620	4,242
32	Of the meninges, central nervous system	1,995	414	312	162	104	96	1,088	256	127	79	73
		1,738	363	300	136	104	76	979	232	103	98	89
33	Of the intestines, peritoneum	1,087	61	33	16	13	13	136	51	38	54	86
		1,366	48	38	18	16	16	136	36	45	91	147
34	Of the vertebral column	450	8	10	8	15	6	47	33	20	30	40
		322	9	3	5	7	2	26	24	29	22	19
35	Of the joints	235	3	6	3	3	4	19	15	22	16	20
		124	4		1	2	2	9	16	7	13	10
36	Of other organs	533	19	8	6	8	3	44	20	20	31	41
		439	20	11	6	8	3	48	11	10	27	33
37a	Disseminated (acute)	512	43	23	17	6	8	97	16	18	40	56
		485	36	27	6	13	4	86	23	28	63	85
37b	Disseminated (chronic or unspecified)	192	18	3	4	2		27	5	6	10	16
		166	4	4	2		1	11	4	3	11	20
38	Syphilis	2,950	753	39	12	6	4	814	20	13	29	54
		1,482	566	32	2	8	3	611	13	12	37	44
39	Soft chancre	1									1	
		1										
40	Gonococcus infection	61	15					15			1	6
		341	16		2	1	1	20	1	4	37	65
41	Purulent infection, septicemia	568	83	9	17	2	5	116	37	41	30	29
		491	63	17	9	7	7	103	25	22	19	28
42	Other infectious diseases	3	2					2			1	
		2										1

DISTRICT OF COLUMBIA) FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1921.

DEATHS AT AGE OF—																Deaths at unknown age.	Detailed List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
28,680	29,529	33,740	34,811	40,274	47,041	51,991	64,819	68,287	71,147	66,520	48,369	26,694	8,879	1,943	323	692	
14,139	14,951	18,119	19,122	22,168	25,927	28,791	35,558	36,740	37,158	33,468	22,863	11,936	3,620	763	126	444	
14,541	14,578	15,621	15,689	18,106	21,114	23,200	29,261	31,547	33,989	33,052	25,506	14,758	5,259	1,180	197	248	
10,255	9,165	8,697	7,338	6,675	5,678	4,775	4,622	3,718	2,959	2,198	1,327	612	179	47	5	92	
4,895	4,732	5,029	4,456	4,222	3,681	3,059	2,873	2,171	1,553	1,073	596	273	54	18	2	47	
5,360	4,433	3,668	2,882	2,453	1,997	1,716	1,749	1,547	1,406	1,125	731	339	125	29	3	45	
296	332	313	229	197	158	121	91	69	46	16	6	4				1	
252	202	178	127	131	121	70	76	47	30	17	9	4	1			1	1
	1	1	2					1									2
1		1		1													
1																	3
			1														4
39	33	35	26	38	38	33	35	36	31	15	13	3	1		1	2	
28	28	24	24	20	24	22	26	33	31	22	21	13	4		1	3	5
9	17	22	22	19	17	12	15	8	11	5	2	3					
13	13	15	11	11	9	7	6	4	6	1	2	3	1				6
7	9	5	2	7	5	4	8	9	3	3	1					1	
15	24	14	17	9	12	7	10	3	4	2	5	1				1	7
36	21	25	11	8	5	1	2		1								
83	54	29	17	13	2	3		1	1							1	8
									2	1	1					1	
									4		2		1			2	9
1		1	2	3	1	2				1		1	1			3	
35	34	32	27	20	18	12	6	5	1			2				3	10
61	55	48	54	35	26	13	8	8	8	1							
85	92	153	138	137	153	140	164	157	147	130	95	38	6	2			
112	103	113	90	89	90	102	156	185	192	171	145	48	27	3		4	11a
51	52	69	67	82	86	92	97	93	127	153	108	69	28	4			
50	78	67	61	59	65	58	94	106	149	175	126	86	37	8			11b
						1											
										1							12
	1	3	3	1		1	3	4	2	2	1		1				
3	1		1		2	1	2		4				2				13
																	14
		1	1	1	1		3	6	8	10	15	9					
2	1	1	1	1	2	6	2	9	9	10	9	4	2				15
8	10	13	10	15	28	35	39	79	87	96	99	51	4	8	1	2	
17	15	17	16	23	29	27	37	77	95	103	112	76	27	7	1	2	16
1																	
																	17
		1															
1																	18
	1	1		1		2	2	1			1						
								1									19
	1	2			2	1		1	1								
					2												20
21	31	44	32	62	66	73	96	94	62	71	43	30	5	2		3	
37	32	30	41	45	42	56	65	62	76	71	38	23	11	3		2	21
27	18	12	10	2	2	1	3	5	3	2			1			1	
10	13	1	2	3	4	5		1	1	2							22
67	49	55	49	43	51	40	33	14	12	3	2			1	1	1	
32	41	43	44	42	47	36	20	12	8	6	2						23
18	13	17	8	6	4	6	5		2		2					2	
22	9	12	5	8	4	5	3	2				1					24
3		2	3	2		4	2	3	1	1							
1	1	1	1	1	1	1	1										25
						1											26
1		1	5	1	4	2	2		1	1							27
	1	1		1		1											
	2			1			1										28
2	1	1		1	1	1											
33	26	20	27	37	27	20	26	15	6	7	4						29
12	24	16	12	11	12	9	12	6	4	4	1	2					
2	1	1	4	1	3	2	3	3		3							30
1					3	2	3	2						1			
4,031	3,815	3,914	3,453	3,237	2,705	2,211	2,004	1,407	892	494	173	54	3	1		26	
4,433	3,550	2,872	2,181	1,792	1,373	1,212	1,156	950	752	510	231	70	13	4		21	
3,681	3,515	3,582	3,227	2,993	2,512	2,033	1,826	1,268	819	436	152	43	2	1		23	
4,101	3,276	2,617	1,975	1,592	1,205	1,053	1,018	828	661	459	201	56	10	3		19	31
93	62	78	34	46	23	13	11	5	3	2	2						
47	44	29	37	24	16	14	8	10	4	1	1	1		1			32
86	83	78	69	67	66	61	70	68	39	25	6	2				2	
146	108	105	73	103	78	67	71	62	47	28	12	7	1				33
35	44	41	29	24	32	28	19	10	7	5	4	1	1				
27	29	27	20	17	19	15	16	7	9	9	5	1	1				34
22	12	9	11	15	13	16	18	7	8	7	4	1					
10	8	6	6	3	6	9	6	7	2	4	1	1					35
48	53	45	35	44	25	38	29	27	10	13	4	6					
30	43	37	37	21	30	35	18	20	18	5	10	4	1			1	36
48	31	66	37	36	23	15	11	11	2	3	1	1					
51	35	32	24	19	13	10	8	3	4							1	37a
18	15	15	11	12	11	7	20	11	4	3						1	
21	7	19	9	10	6	9	11	13	7	4	1						37b
96	140	260	281	282	273	218	198	133	74	39	16	5				5	
76	95	103	116	111	99	54	50	19	23	8	7	2				2	38
																	39
		1															
2	3	6	8	5	3	4	1	1	2	2	2						40
63	54	46	28	11	5	2	2	1	1	1							
24	29	21	37	17	32	22	34	27	31	18	12	6	4	1			41
32	38	33	31	32	21	14	20	18	8	20	20	4		1		2	
																	42
											1						

TABLE 7A.—DEATHS OF WHITE PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION STATES (INCLUDING

Detailed Int. List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF—									
				Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to14 years.	15 to 19 years.	20 to 24 years.
	II. General diseases not included in Class I		104,780	1,954	430	300	284	235	3,203	1,064	1,176	1,204	1,194
	Males		46,307	1,127	216	168	159	129	1,799	575	579	600	590
	Females		58,473	827	214	132	125	106	1,404	489	597	604	604
	Cancer and other malignant tumors (total)	M.	30,880	31	29	36	35	32	163	65	56	127	162
		F.	40,611	16	22	37	29	26	130	63	58	112	141
43	Of the buccal cavity	M.	2,027			1	2	1	4	2	2	4	2
		F.	435	2	1	2	3		8	2	2	2	1
44	Of the stomach, liver	M.	14,093	9	3	4	6	2	24	5	6	12	7
		F.	12,845	4	1	4	1	2	12	10	6	14	26
45	Of the peritoneum, intestines, rectum	M.	4,489	7	5	5	6	3	26	10	6	24	40
		F.	5,682	1	1	5	5	3	15	10	7	13	20
46	Of the female genital organs	F.	9,807		1		1	3	5	2	9	21	42
47	Of the breast	M.	84									1	
		F.	6,484			1			1			1	6
48	Of the skin	M.	1,447	1	1	1	1	3	7	4	1	1	4
		F.	907		1	2	1		4			1	4
49	Of other or unspecified organs	M.	8,740	14	20	25	20	23	102	44	41	85	109
		F.	4,451	9	17	23	18	18	85	39	34	60	42
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	M.	306	8	6	7	3	3	27	13	4	4	7
		F.	350	12	8	4	4	2	30	4	4	5	5
51	Acute rheumatic fever	M.	1,335	10	7	17	20	30	84	201	206	131	71
		F.	1,474	5	12	9	30	23	79	165	230	125	87
52	Chronic rheumatism, osteoarthritis, gout	M.	340			1			1	4	1	3	9
		F.	622				1		1	1	4		1
53	Scurvy	M.	24	13	8	2			23				
		F.	23	16	3				19	1	2		
54	Pellagra	M.	327	2	1	2	2		7	6	1	4	3
		F.	597	1	3	2		1	7	1	4	10	26
55	Beriberi	M.	2										1
		F.											
56	Rickets	M.	208	137	38	15	2	3	195	5	1	1	1
		F.	160	93	34	7	4	3	141	5		1	1
57	Diabetes mellitus	M.	6,207	8	20	15	23	27	93	134	201	195	178
		F.	7,876	8	13	17	18	19	75	129	189	167	150
58	Anemia, chlorosis	M.	2,044	57	15	9	9	1	91	28	14	14	22
		F.	2,597	41	13	5	3	6	68	22	24	37	47
59	Diseases of the pituitary gland	M.	31		1				1	1	2	5	1
		F.	20					1	1	2	1		3
60a	Exophthalmic goiter	M.	160	1					1	2	1	6	9
		F.	1,232				2		2	1	12	44	53
60b	Other diseases of the thyroid gland	M.	129	12	4	2	1		19	2	2	10	6
		F.	677	11	4	3		1	19	3	11	26	31
61	Diseases of the parathyroid glands	M.	30	26	2	2			30				
		F.	27	19	4	2			25	2			
62	Diseases of the thymus gland	M.	332	254	18	9	15	2	298	11	6	4	5
		F.	192	141	15	8	2	3	169	11	4	3	1
63	Diseases of the adrenals (Addison's disease)	M.	180				1		1		2	9	8
		F.	174							1	2	7	7
64	Diseases of the spleen	M.	146	8	3	2	1	1	15	5	5	9	5
		F.	103	5	2	1	1		9	4	6	9	4
65a	Leukemia	M.	676	24	11	14	22	15	86	43	35	26	26
		F.	503	19	17	10	16	6	68	36	22	21	13
65b	Hodgkins's disease	M.	384	9	3	4	3	1	20	18	17	11	19
		F.	203	3	2	2			7	5	5	9	10
66	Alcoholism (acute or chronic)	M.	1,356								3	15	25
		F.	95										1
67a	Chronic lead poisoning	M.	130									3	3
		F.	1										
67b	Other chronic mineral poisoning	M.	8										
		F.	1										
68	Chronic poisoning by organic substances	M.	119									1	12
		F.	78									1	5
69	Other general diseases	M.	953	527	50	31	22	14	644	37	22	22	17
		F.	857	437	62	25	15	15	554	33	19	27	13
	III.—Diseases of the nervous system and of the organs of special sense		97,813	3,111	901	495	349	293	5,149	1,115	891	923	994
	Males		50,672	1,812	475	264	182	155	2,888	578	513	530	564
	Females		47,141	1,299	426	231	167	138	2,261	537	378	393	430
70	Encephalitis	M.	529	80	26	9	15	13	143	26	18	34	29
		F.	432	42	21	7	19	7	96	29	31	27	32
71a	Simple meningitis	M.	1,350	376	125	88	61	43	693	122	84	67	55
		F.	1,076	281	123	86	51	45	586	107	59	46	35
71b	Nonepidemic cerebrospinal meningitis	M.	496	129	70	36	23	16	274	52	42	28	13
		F.	359	78	74	29	19	8	208	54	24	20	12
72	Tabes dorsalis (locomotor ataxia)	M.	1,239								2		1
		F.	337										1
73	Other diseases of the spinal cord	M.	2,256	20	15	10	6	8	59	29	26	44	33
		F.	1,971	13	7	5	5	5	35	34	19	22	21
74a	Cerebral hemorrhage	M.	31,771	79	15	10	12	8	124	22	15	30	68
		F.	33,060	58	19	6	8	2	93	25	16	38	72
74b	Cerebral embolism and thrombosis	M.	1,040	3	2	2	1		8	3	3	2	7
		F.	1,146	2	2	1	4	1	10	4	4	8	13
75	Paralysis without specified cause	M.	2,031	17	6	5	5		33	5	8	7	10
		F.	2,285	16	1	1	1	2	21	7	5	4	3
76	General paralysis of the insane	M.	3,797							2	1	4	16
		F.	1,190									5	11
77	Other forms of mental alienation	M.	550									12	25
		F.	739								2	15	39

DISTRICT OF COLUMBIA) FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1921—Con.

DEATHS AT AGE OF—															Deaths at unknown age.	Detailed Int. List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
1,738	2,469	3,817	5,560	7,903	10,442	12,082	14,017	13,042	11,161	8,196	4,140	1,800	420	81	8	63	
793	1,000	1,456	2,048	2,907	4,190	5,254	6,369	6,161	5,330	3,872	1,835	731	149	37	4	28	
945	1,469	2,361	3,512	4,996	6,252	6,828	7,648	6,881	5,831	4,324	2,305	1,069	271	44	4	35	
262	391	712	1,193	1,876	2,977	3,828	4,778	4,735	4,224	3,066	1,510	577	119	35	4	15	
377	832	1,594	2,645	3,786	4,667	4,952	5,520	5,004	4,413	3,355	1,825	866	207	37	3	24	43
3	13	25	78	133	201	244	298	273	298	239	132	58	11	5	1	1	
2	5	7	19	30	30	33	49	63	45	49	45	29	11	3	.....	.....	44
59	123	282	496	856	1,448	1,978	2,391	2,380	1,918	1,303	585	183	28	3	1	5	
58	139	275	493	807	1,234	1,527	1,965	1,971	1,859	1,382	708	287	54	8	1	9	45
64	88	157	235	308	389	533	695	664	574	417	191	56	6	2	.....	4	
67	108	190	294	440	574	658	828	766	697	574	283	112	24	.....	.....	2	
137	328	671	1,027	1,266	1,375	1,302	1,148	985	680	468	236	83	13	5	.....	4	
.....	2	3	5	14	6	10	13	7	8	6	5	2	2	.....	.....	.....	46
47	141	285	527	853	907	862	841	610	547	411	238	160	40	3	1	3	47
9	10	15	35	50	85	92	126	137	216	255	172	120	38	19	1	.....	
7	6	10	24	18	43	59	80	87	120	137	132	119	40	14	1	1	48
127	155	230	349	515	848	971	1,255	1,224	1,210	846	425	158	34	6	1	5	
59	105	156	261	372	504	511	609	522	465	334	183	76	25	4	.....	5	49
8	9	20	15	21	27	22	34	28	28	24	10	3	2	.....	.....	.....	
13	10	9	22	26	28	27	30	39	33	33	19	11	2	.....	.....	.....	50
46	45	41	58	50	54	59	74	58	51	58	33	12	3	.....	.....	.....	
69	75	50	60	69	68	69	75	72	48	53	42	25	11	.....	1	1	51
4	7	18	14	10	26	32	29	43	49	42	27	18	3	.....	.....	.....	
6	6	9	24	31	37	54	75	79	106	92	56	31	7	1	.....	1	52
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	53
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
8	13	8	19	27	34	38	35	40	40	31	8	3	.....	2	.....	.....	
34	51	72	60	68	54	47	45	47	34	24	10	1	1	.....	.....	1	54
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	55
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	2	.....	.....	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	56
.....	1	1	1	.....	2	2	1	.....	2	2	.....	.....	.....	.....	.....	.....	
213	239	227	276	353	478	678	821	771	613	463	175	78	16	.....	.....	.....	57
178	178	215	232	403	737	1,046	1,297	1,133	836	524	255	94	29	3	.....	6	
26	41	72	110	162	230	270	300	301	190	117	40	16	.....	.....	.....	.....	58
52	68	126	146	230	318	305	331	321	234	155	49	24	8	1	.....	1	
3	2	.....	3	4	4	1	3	1	.....	.....	.....	.....	.....	.....	.....	.....	59
.....	1	3	2	2	1	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	
13	6	20	14	23	21	18	14	10	2	.....	.....	.....	.....	.....	.....	.....	60a
86	104	116	141	162	152	117	103	64	36	24	8	2	.....	.....	.....	.....	
13	5	11	10	10	12	11	6	6	2	3	.....	1	.....	.....	.....	.....	60b
40	44	54	55	83	77	89	53	45	20	15	9	2	.....	1	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	61
2	4	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	1	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	62
4	8	12	21	17	24	19	16	16	11	9	2	1	.....	.....	.....	.....	
11	13	14	22	22	18	24	11	13	5	2	2	.....	.....	.....	.....	.....	63
9	5	15	10	10	17	10	8	6	8	7	2	.....	.....	.....	.....	.....	
5	6	8	7	10	8	7	5	8	6	1	.....	.....	.....	.....	.....	.....	64
42	32	34	32	50	39	65	83	39	26	9	6	2	1	.....	.....	.....	
22	29	27	33	44	37	43	28	26	24	14	7	2	1	.....	.....	1	65a
32	32	31	26	24	27	32	32	25	25	5	4	3	1	.....	.....	.....	
20	11	16	23	18	22	13	16	8	9	9	2	.....	.....	.....	.....	.....	65b
70	121	181	202	223	186	133	97	47	25	10	4	4	.....	.....	.....	10	
7	15	27	15	8	9	5	5	3	.....	.....	.....	.....	.....	.....	.....	.....	66
.....	9	10	16	24	16	10	14	11	10	3	.....	.....	.....	.....	.....	1	67a
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	2	2	.....	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	67b
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
18	15	23	5	8	7	9	7	3	4	5	1	1	.....	.....	.....	.....	68
12	6	7	10	5	2	7	3	4	4	5	4	3	.....	.....	.....	.....	
20	14	16	13	13	8	17	18	21	17	19	13	11	4	.....	.....	2	
13	18	12	12	27	15	19	12	15	21	16	17	8	5	1	.....	.....	69
1,143	1,573	2,385	3,224	4,356	5,930	7,463	10,251	11,934	13,258	12,650	8,744	4,264	1,231	240	29	66	
674	933	1,490	1,905	2,358	3,135	4,034	5,547	6,245	6,757	6,101	3,957	1,857	464	92	11	39	
469	640	895	1,319	1,998	2,795	3,429	4,704	5,689	6,501	6,549	4,787	2,407	767	148	18	27	
28	24	33	36	40	24	19	28	15	13	12	5	1	.....	.....	.....	1	
17	21	23	15	25	32	25	19	17	9	5	5	3	1	.....	.....	.....	70
37	39	43	39	31	39	25	19	22	15	7	9	.....	2	.....	.....	2	
29	27	21	24	22	28	24	20	16	14	9	6	2	1	.....	.....	.....	71a
14	13	15	10	7	2	6	5	10	2	.....	1	.....	.....	.....	.....	2	
5	8	11	5	4	.....	3	3	1	1	.....	.....	.....	.....	.....	.....	.....	71b
7	20	50	99	116	158	166	200	182	126	73	29	8	1	.....	.....	1	
3	10	18	24	31	42	47	47	46	38	17	10	2	.....	1	.....	.....	72
33	45	58	74	107	152	213	294	314	327	240	145	48	12	1	.....	2	
30	39	56	77	103	130	169	242	267	275	243	128	59	16	4	.....	2	73
124	175	348	603	1,065	1,866	2,761	4,146	4,859	5,343	4,961	3,216	1,547	390	75	10	23	
78	168	313	689	1,278	2,011	2,609	3,694	4,580	5,320	5,329	3,963	2,003	637	114	15	15	74a
8	19	18	29	41	75	91	122	141	156	152	93	53	15	4	.....	.....	
13	29	18	41	50	62	86	107	134	173	169	134	59	25	7	.....	.....	74b
9	9	23	32	43	68	123	196	275	393	359	278	123	27	5	1	4	
10	11	14	31	39	80	141	209	290	378	463	328	169	59	16	1	6	75
94	290	596	667	590	444	349	260	179	153	90	38	18	3	2	.....	1	
35	69	139	148	131	131	95	83	79	90	88	52	24	7	.....	.....	3	76
38	41	50	44	58	53	47	49	43	31	28	19	7	1	2	.....	2	
54	67	76	60	88	78	47	71	55	22	33	16	12	3	.....	.....	1	77

TABLE 7A.—DEATHS OF WHITE PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION STATES (INCLUDING

Detailed Int. List No.	CAUSE OF DEATH.		DEATHS AT AGE OF—										
			All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	III.—Diseases of the nervous system and of the organs of special sense—Continued.												
78	Epilepsy	M.	1,365	39	11	7	9	17	83	50	91	141	161
		F.	1,025	28	11	11	9	8	67	42	61	81	89
79	Convulsions (nonpuerperal; 5 years and over)	M.	31							5	5		2
		F.	59							11	1	6	6
80	Infantile convulsions (under 5 years)	M.	882	752	79	32	8	11	882				
		F.	671	541	83	28	9	10	671				
81	Chorea	M.	31	1					1	4	5	4	2
		F.	59	4	1			1	6	6	12	17	2
82	Neuralgia and neuritis	M.	124	2	2	2			6		1	1	2
		F.	186				1		1	1	3	2	4
83	Softening of the brain	M.	351										
		F.	363										2
84	Other diseases of the nervous system	M.	1,262	62	34	18	11	13	138	62	66	46	46
		F.	1,050	56	16	23	8	12	115	56	40	44	32
85	Diseases of the eye and annexa	M.	44	7	3	1	3		14	2	1	2	2
		F.	28	5				2	7	2		1	1
86a	Diseases of the ear	M.	942	184	60	26	17	16	303	120	79	63	56
		F.	698	131	47	19	19	19	235	94	62	35	28
86b	Diseases of the mastoid process	M.	581	61	27	18	11	10	127	74	66	45	36
		F.	407	44	21	15	14	16	110	65	39	22	27
	IV.—Diseases of the circulatory system		145,531	897	189	185	161	195	1,627	1,357	1,745	1,692	1,584
	Males		76,042	493	90	101	83	101	868	689	769	831	734
	Females		69,489	404	99	84	78	94	759	668	976	861	850
87	Pericarditis	M.	436	10	3	7	2	1	23	19	12	9	9
		F.	316	4	5	1	3	4	17	14	13	9	11
88	Endocarditis and myocarditis (acute)	M.	2,314	186	28	30	27	32	303	162	121	122	134
		F.	2,407	138	28	27	27	34	254	154	203	176	151
89	Angina pectoris	M.	5,079							5	4	4	9
		F.	2,536							2	2	3	6
90	Other diseases of the heart	M.	57,117	226	45	59	46	61	437	489	618	678	558
		F.	55,162	215	52	46	42	52	407	480	745	656	649
91a	Aneurysm	M.	903					1	1		1	4	7
		F.	332							1	1	1	3
91b,c	Other diseases of the arteries	M.	9,168				1		1				
		F.	7,737							1	1		1
92	Embolism and thrombosis (not cerebral)	M.	682	25	5	2	3	1	36	9	8	9	9
		F.	579	14	4	5		1	24	6	8	7	19
93	Diseases of the veins	M.	178	3		1			4	2	2	1	6
		F.	275	5	1	3			9		1	2	3
94	Diseases of the lymphatic system	M.	95	26	8	2	5	2	43	3	2	1	1
		F.	76	23	9	2	5	1	40	5		1	3
95	Hemorrhage without specified cause	M.	47	17				2	19		1	3	1
		F.	47	4			1	2	7	5	2	1	3
96	Other diseases of the circulatory system	M.	23		1				1				
		F.	22	1					1				1
	V.—Diseases of the respiratory system		82,212	17,387	5,494	2,277	1,265	846	27,269	2,246	1,185	1,412	1,548
	Males		44,341	9,911	2,980	1,250	683	467	15,291	1,187	617	850	869
	Females		37,871	7,476	2,514	1,027	582	379	11,978	1,059	568	562	679
97a	Diseases of the nasal fossae	M.	90	32	3	1	2	1	39	1	5	4	2
		F.	71	28	3	1	1	1	34	2		2	2
97b	Diseases of the nasal fossae annexa	M.	240	19	3	3	2	2	29	8	8	32	17
		F.	145	8	2	2	2	2	16	6	9	10	17
98	Diseases of the larynx	M.	419	65	54	48	46	32	245	74	17	4	4
		F.	301	56	43	44	27	24	194	50	5	3	1
99a	Acute bronchitis	M.	1,396	658	108	41	17	16	840	28	10	3	6
		F.	1,500	523	98	28	23	12	684	27	16	7	7
99b	Chronic bronchitis	M.	1,164	34	9	1	4	1	49	7	2	2	3
		F.	1,258	28	14	7	2	1	52	8	4	6	6
99c,d	Bronchitis (unspecified)	M.	813	299	50	12	18	8	387	19	3	1	4
		F.	953	265	47	22	13	9	356	19	3	3	4
100a	Bronchopneumonia	M.	15,464	6,054	1,710	642	326	205	8,937	399	159	134	127
		F.	14,151	4,488	1,488	524	260	173	6,933	405	143	110	134
100b	Capillary bronchitis	M.	505	302	59	25	9	10	405	7	6	1	
		F.	524	246	47	23	16	7	339	10	1	2	3
101a	Lobar pneumonia	M.	18,518	1,821	734	343	180	134	3,212	488	318	544	571
		F.	14,300	1,354	581	287	162	103	2,487	409	298	316	393
101b	Pneumonia (unspecified)	M.	2,207	461	115	57	33	31	697	79	52	54	51
		F.	1,967	340	101	45	36	25	547	61	46	43	34
102	Pleurisy	M.	1,388	90	105	61	33	18	307	42	26	56	50
		F.	982	69	69	35	31	17	221	37	26	42	46
103	Congestion and hemorrhagic infarct of the lung	M.	648	41	12	4	6	3	66	14	3	4	8
		F.	762	39	12	1	3	1	56	4	4	7	14
104	Gangrene of the lung	M.	131	1	1	2			4	1	1		4
		F.	48			1	1		2	1	3	2	2
105	Asthma	M.	823	12	14	9	4	4	43	9	5	2	4
		F.	683	9	5	4	4	1	23	13	2	2	7
106	Pulmonary emphysema	M.	88	7	1				8	1		1	2
		F.	45	4				1	5		1		
107	Other diseases of the respiratory system (tuberculosis excepted)	M.	447	15	2	1	3	2	23	10	2	8	16
		F.	181	19	4	3	1	2	29	7	7	7	9

DISTRICT OF COLUMBIA) FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1921—Con.

DEATHS AT AGE OF—																Deaths at unknown age.	Detailed Int. List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
115	102	99	110	76	67	62	60	46	38	43	17	4	.....	.....	.....	.....	78
94	82	85	73	74	63	46	39	45	31	33	10	9	1	.....	.....	.....	
1	2	2	2	3	.....	1	2	3	.....	1	1	1	.....	.....	.....	.....	79
4	6	7	1	2	1	4	4	2	2	.....	.....	1	1	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	80
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	1	.....	2	2	2	.....	1	1	4	1	1	.....	.....	.....	.....	.....	81
1	3	1	2	1	1	1	.....	2	2	1	1	.....	.....	.....	.....	.....	
5	6	3	6	5	10	9	14	13	17	8	9	4	5	.....	.....	.....	82
1	5	5	4	3	14	14	24	28	15	24	23	11	2	2	.....	.....	
3	4	3	1	5	9	20	26	47	68	73	57	29	5	1	.....	.....	83
.....	1	6	4	7	11	10	35	47	57	68	66	35	11	1	2	.....	
73	75	96	96	104	108	88	75	63	46	37	26	12	3	1	.....	1	84
57	50	66	79	96	68	77	59	57	52	50	36	11	3	2	.....	.....	
1	2	.....	.....	2	2	2	3	1	7	2	.....	1	.....	.....	.....	.....	85
1	1	3	.....	.....	.....	1	5	.....	4	1	1	.....	.....	.....	.....	.....	
49	42	31	34	31	30	29	28	20	8	8	9	1	.....	1	.....	.....	86a
24	25	15	29	25	24	20	28	17	13	11	5	7	.....	1	.....	.....	
35	24	22	21	32	26	23	19	11	10	6	4	.....	.....	.....	.....	.....	86b
13	18	18	13	19	19	10	15	6	5	5	3	.....	.....	.....	.....	.....	
1,817	2,286	3,131	4,026	5,937	8,223	10,547	14,972	17,804	20,640	20,380	15,633	8,608	2,753	599	80	90	
812	1,093	1,578	2,146	3,243	4,667	6,054	8,486	9,818	10,881	10,440	7,573	3,868	1,152	248	32	60	
1,005	1,193	1,553	1,880	2,694	3,556	4,493	6,486	7,986	9,759	9,940	8,060	4,740	1,01	351	48	30	
10	12	15	19	25	28	33	46	49	54	36	24	12	1	.....	.....	.....	87
9	5	13	18	10	13	14	24	34	39	31	20	17	5	.....	.....	.....	
128	149	186	213	109	109	105	112	102	99	67	59	23	7	1	1	2	88
210	176	200	214	81	81	76	80	78	80	93	57	32	9	2	.....	.....	
16	41	125	199	307	414	618	789	847	777	533	274	89	24	.....	.....	4	89
20	17	45	63	124	159	206	355	391	429	378	225	82	21	1	.....	2	
603	832	1,140	1,534	2,545	3,736	4,745	6,674	7,560	8,282	7,763	5,399	2,622	701	139	18	44	90
738	937	1,211	1,503	2,358	3,092	3,868	5,473	6,653	7,940	7,778	6,050	3,330	1,023	216	29	26	
17	15	43	88	109	118	105	135	110	57	54	26	11	1	.....	.....	1	91a
4	11	14	20	22	30	36	51	41	41	35	8	11	1	1	.....	.....	
5	8	26	46	85	185	347	615	1,044	1,519	1,915	1,742	1,090	412	107	13	8	91
1	3	7	19	46	108	204	404	697	1,143	1,546	1,634	1,242	530	129	19	2	b,c
21	27	31	33	47	55	61	82	73	70	56	33	18	3	1	.....	.....	92
15	27	40	28	33	38	46	52	54	60	51	47	18	5	1	.....	.....	
10	6	6	7	9	15	25	21	25	16	11	8	2	1	.....	.....	1	93
6	14	17	10	15	29	38	38	33	20	20	13	4	3	.....	.....	.....	
2	2	6	5	2	3	7	7	4	2	1	3	1	.....	.....	.....	.....	94
.....	2	2	4	2	3	1	3	1	2	1	1	2	3	.....	.....	.....	
.....	1	.....	1	4	2	3	1	1	3	3	3	.....	1	.....	.....	.....	95
2	1	4	.....	1	2	2	2	3	3	5	2	1	.....	1	.....	.....	
.....	.....	.....	1	1	2	5	4	3	2	1	2	.....	1	.....	.....	.....	96
.....	.....	.....	1	2	1	2	4	1	2	2	3	1	1	.....	.....	.....	
1,809	2,007	2,551	2,722	3,001	3,319	3,601	4,602	4,918	5,550	5,641	4,716	2,820	989	228	33	45	
1,015	1,133	1,546	1,717	1,926	2,082	2,125	2,561	2,552	2,670	2,517	2,063	1,117	384	84	10	25	
794	874	1,005	1,005	1,075	1,237	1,476	2,041	2,366	2,880	3,124	2,653	1,703	605	144	23	20	
1	7	2	.....	4	4	1	5	3	2	2	3	2	3	.....	.....	.....	97a
3	2	1	1	.....	1	2	3	1	1	2	4	7	3	.....	.....	.....	
18	20	29	24	12	12	8	9	4	5	2	2	.....	1	.....	.....	.....	97b
17	8	8	6	14	9	9	6	4	1	4	.....	1	.....	.....	.....	.....	
8	2	2	6	9	6	5	7	5	6	5	9	4	.....	.....	.....	1	98
5	5	3	3	6	3	6	3	5	1	3	4	1	.....	.....	.....	.....	
5	4	11	9	17	18	18	23	42	69	86	85	80	31	11	.....	.....	99a
5	9	8	13	6	21	24	32	60	85	143	142	125	67	15	3	1	
7	5	24	16	29	36	69	91	105	161	180	208	123	36	11	.....	.....	99b
5	9	5	14	18	26	38	80	107	194	225	241	170	42	8	.....	.....	
5	4	9	7	12	13	25	21	29	52	66	75	54	19	7	1	.....	99
4	2	5	9	11	8	18	30	40	53	94	123	112	46	11	1	1	c,d
179	152	220	249	310	347	395	547	596	715	770	676	369	143	30	2	8	100a
145	146	181	196	218	268	354	503	681	902	1,066	899	584	217	49	8	9	
2	2	2	2	2	2	5	2	6	12	22	15	7	4	1	.....	.....	100b
.....	.....	5	2	2	5	9	9	18	22	21	36	29	8	3	.....	.....	
657	785	1,027	1,125	1,202	1,276	1,241	1,401	1,347	1,233	1,017	674	288	80	16	7	9	101a
473	541	625	613	639	728	812	1,096	1,144	1,228	1,135	809	406	112	22	7	7	
42	49	72	76	99	99	101	130	117	138	150	110	68	18	1	.....	4	101b
58	61	55	60	55	70	64	96	115	152	145	150	99	44	11	.....	1	
47	53	73	90	82	106	88	108	92	74	39	30	16	5	2	.....	2	102
51	39	55	36	37	36	43	56	65	67	67	30	22	4	1	.....	1	
10	14	12	24	24	26	29	35	50	56	61	94	78	34	5	.....	.....	103
7	14	16	19	8	13	23	42	40	66	109	130	115	51	21	3	.....	
8	10	9	12	17	20	9	15	7	8	4	2	.....	.....	.....	.....	.....	104
.....	2	11	3	2	4	4	2	5	2	.....	.....	1	2	.....	.....	.....	
8	8	17	31	51	70	81	109	89	109	88	66	24	9	.....	.....	.....	105
12	22	19	16	50	36	60	69	67	87	93	67	29	6	2	1	.....	
2	3	2	4	6	8	6	13	9	8	10	3	2	.....	.....	.....	.....	106
.....	.....	.....	4	2	.....	.....	6	3	5	7	9	1	1	1	.....	.....	
16	15	35	41	50	39	44	45	51	22	15	11	2	1	.....	.....	1	107
9	14	8	10	7	9	10	8	11	14	10	9	1	2	.....	.....	.....	

TABLE 7A.—DEATHS OF WHITE PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION STATES (INCLUDING

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	VI.—Diseases of the digestive system	88,291	28,704	7,405	2,334	1,286	843	40,572	2,625	1,913	1,858	1,877
	Males	47,758	16,345	3,988	1,250	730	434	22,747	1,385	1,063	1,071	1,020
	Females	40,533	12,359	3,417	1,084	556	409	17,825	1,240	850	787	857
108	Diseases of the mouth and annexa	M.. 296	55	6	4	2	6	73	14	11	12	6
		F.. 207	37	6	2	2	7	54	15	6	8	8
109a	Adenoid vegetations	M.. 7	4	2				6	1			
		F.. 2					1	1	1			
109b	Other diseases of the pharynx, tonsils	M.. 1,714	106	78	84	108	94	470	302	171	105	107
		F.. 1,503	75	52	71	75	60	333	309	160	105	99
110	Diseases of the esophagus	M.. 65		3				3	2		1	
		F.. 39	2		1			3	4			
111a	Ulcer of the stomach	M.. 1,941	6	4	1	2	4	17	4	3	25	41
		F.. 950	5	2	2	2	1	12	3	5	15	35
111b	Ulcer of the duodenum	M.. 741	8	1				9	2	3	4	16
		F.. 246	3					3	2	1	3	13
112	Other diseases of the stomach (cancer excepted)	M.. 2,745	942	120	65	36	16	1,179	38	18	24	24
		F.. 2,414	669	120	59	21	20	889	52	14	20	19
113	Diarrhea and enteritis (under 2 years)	M.. 17,850	14,281	3,569				17,850				
		F.. 14,069	11,012	3,057				14,069				
114	Diarrhea and enteritis (2 years and over)	M.. 3,560			934	416	172	1,522	288	77	36	37
		F.. 3,861			828	330	185	1,343	264	48	41	36
115	Ancylostomiasis	M.. 12							4	1	2	2
		F.. 7			2	1	1	4		2	1	
116	Diseases due to other intestinal parasites	M.. 51	5	13	6	2	1	27	4	4	1	2
		F.. 37	3	8	1	2	8	22	7	4		1
117	Appendicitis and typhlitis	M.. 6,753	27	32	58	89	85	291	539	617	684	577
		F.. 4,651	9	24	41	69	70	213	434	504	457	371
118a	Hernia	M.. 1,625	88	8	3	6	3	108	4	7	18	23
		F.. 1,316	14		1	1		16	3	3		6
118b	Intestinal obstruction	M.. 2,672	576	103	51	43	24	797	89	78	72	78
		F.. 2,737	382	86	35	31	25	559	47	34	49	89
119	Other diseases of the intestines	M.. 593	84	16	9	4	4	117	13	6	12	18
		F.. 533	42	15	11		6	74	10	8	7	14
120	Acute yellow atrophy of the liver	M.. 123	10				1	11	2	1	3	3
		F.. 207	3		1	1		5	2	1	5	19
121	Hydatid tumor of the liver	M.. 14										2
		F.. 13							1	1		1
122	Cirrhosis of the liver	M.. 3,765	7	5	4	1	1	18	3	11	16	13
		F.. 2,148	13	4	4		2	23	10	11	10	11
123	Biliary calculi	M.. 912								3	2	5
		F.. 2,422	1					1	1	2	2	29
124	Other diseases of the liver	M.. 1,393	46	9	9	8	8	80	20	18	19	31
		F.. 2,115	36	18	6	6	7	73	18	13	19	38
125	Diseases of the pancreas	M.. 243	2		1	1	1	5	4	5	3	8
		F.. 225		1	1	1		3	3	1	2	5
126	Peritonitis without specified cause	M.. 617	92	17	20	12	13	154	50	28	31	22
		F.. 784	51	20	17	14	16	118	54	31	41	61
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	M.. 66	6	2	1		1	10	2	1	1	5
		F.. 47	2	4	1			7		1	2	2
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	77,052	607	192	176	147	131	1,253	498	540	676	1,080
	Males	40,190	353	97	93	79	69	691	245	248	260	384
	Females	36,862	254	95	83	68	62	562	253	292	416	696
128	Acute nephritis (including unspecified under 10 years)	M.. 2,389	230	65	60	57	41	453	142	99	62	97
		F.. 2,068	147	53	50	48	34	332	139	90	86	85
129	Chronic nephritis (including unspecified 10 years and over)	M.. 32,026	12	12	23	16	25	89	85	131	171	256
		F.. 29,488	16	17	18	12	24	87	95	184	232	313
130	Chyluria	M.. 1										
		F..										
131	Other diseases of the kidneys and annexa	M.. 950	70	17	9	5	3	104	12	10	18	18
		F.. 896	84	23	14	7	4	132	16	8	24	43
132	Calculi of the urinary passages	M.. 406	2					2	3	3	4	7
		F.. 176							1		5	3
133	Diseases of the bladder	M.. 734	10	1		1		12	1	4	2	1
		F.. 203	3	2	1	1		7	1		1	2
134	Diseases of the urethra, etc	M.. 189	3					3			1	2
		F.. 21										1
135	Diseases of the prostate	M.. 3,427									1	
136	Nonvenereal diseases of the male genital organs	M.. 59	19	2				21	2	1	1	3
137	Cysts, other benign tumors of the ovary	F.. 630							1	2	7	34
138	Salpingitis and pelvic abscess (female)	F.. 1,375								1	46	162
139	Benign tumors of the uterus	F.. 1,400									2	13
140	Nonpuerperal uterine hemorrhage	F.. 45								4	2	5
141	Other diseases of the female genital organs	F.. 549	1					1		3	10	33
142	Nonpuerperal diseases of the breast (cancer excepted)	M.. 9	6		1			7				
		F.. 11	3					3			1	2
	VIII.—The puerperal state	12,404								10	1,050	2,513
143	Accidents of pregnancy	F.. 1,060								2	49	187
144	Puerperal hemorrhage	F.. 1,312								1	40	179
145	Other accidents of labor	F.. 1,197									56	196
146	Puerperal septicemia	F.. 5,048								2	440	1,142
147	Puerperal phlegmasia alba dolens, embolus, etc.	F.. 503									24	86
148	Puerperal albuminuria and convulsions	F.. 3,203								5	438	707
149	Following childbirth (undefined)	F.. 76									3	16
150	Puerperal diseases of the breast	F.. 5										

DISTRICT OF COLUMBIA) FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1921—Con.

DEATHS AT AGE OF—															Deaths at unknown ago.	Detailed List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	
2,135	2,386	2,818	2,934	3,393	3,824	3,715	4,087	3,846	3,437	3,135	2,131	1,118	360	71	8	48	
1,037	1,205	1,499	1,599	1,903	2,041	2,102	2,228	2,029	1,756	1,473	901	492	146	32	4	25	
1,098	1,181	1,319	1,335	1,490	1,783	1,613	1,859	1,817	1,681	1,662	1,230	626	214	39	4	23	
9	19	18	17	14	22	14	26	20	6	11	4						
8	7	8	19	12	9	9	7	12	10	7	3	4	1				108
																	109a
75	81	93	54	58	44	33	34	20	30	15	7	11	2	2			
88	76	64	45	31	35	36	30	31	22	18	13	5	3				109b
1	1	4	2	3	7	5	7	8	10	6	3	2					
	2		1	4	1	1	7	2	2	5	4	1		2			110
68	108	193	206	229	214	211	196	155	112	81	44	27	5			2	
50	68	65	69	75	103	69	95	87	77	64	40	13	4	1			111a
42	80	77	83	87	75	80	63	63	26	19	8	4					111b
18	16	26	21	18	31	24	20	19	17	9	5						
19	37	49	87	105	102	133	175	178	170	161	140	73	22	6	3	2	
37	29	42	52	49	61	84	109	140	194	216	215	128	50	10	2	2	112
																	113
41	38	61	68	73	80	103	129	138	198	269	201	136	43	13	1	8	
64	73	64	71	84	91	101	154	192	255	342	351	183	84	12	1	7	114
1				1			1										115
2		2	1	1	3	1	2	1									
2		1															116
538	514	534	481	533	443	361	291	179	86	50	20	7	3			5	
405	372	362	285	283	291	220	185	113	68	56	20	5	4			3	117
23	44	48	81	94	132	134	179	218	173	168	89	58	22	2			
7	23	49	70	131	175	130	181	173	124	119	64	36	5			1	118a
66	79	101	114	128	137	147	175	154	167	131	84	33	15	2		5	
132	150	179	149	153	170	139	132	177	173	178	123	31	16	5	1	1	118b
12	16	30	31	43	40	36	35	42	35	43	36	16	11			1	
26	22	31	21	21	37	33	36	41	27	46	42	23	12	2			119
5	6	7	9	4	5	16	12	9	11	9	6	2	2				
28	19	19	14	10	14	7	11	13	14	14	7	4	1				120
4	1		2	1	1		1	1					1				121
	2	1					1	1	2	2	1						
41	67	120	176	294	418	504	576	526	456	307	148	56	12	2		1	122
19	42	60	95	145	195	214	292	303	279	234	135	52	10	4		4	
7	28	40	62	68	100	132	139	120	92	65	31	15	3				123
68	101	144	195	232	292	316	308	264	198	149	79	35	4			2	
43	51	78	77	105	144	118	138	137	139	98	63	24	4	5		1	124
72	98	114	135	169	204	189	233	213	186	164	107	48	18	3		1	
15	14	11	23	22	35	34	17	19	12	15		1					125
12	8	18	27	32	35	16	27	13	8	10	4	1					
20	15	29	22	33	29	36	29	40	32	24	16	6	1				126
59	69	69	64	36	34	24	28	22	23	25	17	5	2			2	
5	6	4	3	7	10	4	3	1	1	1	1	1					127
3	4	3	2	5	5	1	3	1	2	4		2					
1,522	1,858	2,599	3,159	4,180	5,023	5,881	8,186	9,266	10,086	9,669	6,774	3,508	1,032	187	26	49	
520	624	939	1,211	1,810	2,454	3,145	4,475	5,189	5,838	5,640	3,852	1,991	544	93	12	25	
1,002	1,234	1,660	1,948	2,370	2,569	2,736	3,711	4,077	4,248	4,029	2,922	1,517	488	94	14	24	
93	96	138	111	140	147	136	126	139	140	118	87	48	13	2	1	1	
93	99	119	107	125	128	123	109	115	120	85	74	27	7	2		3	128
363	454	690	992	1,504	2,107	2,707	3,772	4,279	4,779	4,522	3,045	1,548	429	72	10	21	
471	576	878	1,137	1,545	2,028	2,343	3,346	3,744	3,966	3,791	2,747	1,429	461	88	11	16	129
									1								130
27	39	55	53	66	53	63	82	82	85	84	51	35	7	3	1	2	
51	63	70	53	54	54	53	75	63	42	39	23	22	8	2	1		131
18	17	29	20	32	36	37	56	47	48	26	16	4				1	
10	9	12	19	19	17	16	18	13	15	8	8	2	1				132
5	3	7	10	17	15	19	61	63	103	147	142	90	28	4			
7		3	8	7	5	12	10	25	20	38	27	19	9	1	1		133
8	8	12	15	21	23	14	24	18	17	8	11	2	2				
	4	2	3	2	2	1	1	1		3	1						134
5	7	8	8	28	69	165	351	559	659	731	496	263	65	12			135
1			2	2	3	4	3	2	6	4	3	1					136
39	57	71	79	65	62	52	49	41	28	18	17	7		1			137
234	281	218	173	127	64	26	20	10	3	5	2	1	1			1	138
37	83	203	305	357	156	68	37	42	39	30	16	6	1		1	4	139
2	10	8	4	4	2		3					1					140
57	52	76	58	65	51	41	43	23	15	12	6	3					141
					1						1						
1			2			1					1						142
2,865	2,621	2,234	962	135	4											10	
254	263	212	85	7												1	143
252	317	341	161	21													144
265	284	252	116	27												1	145
1,262	1,026	806	320	44	3											3	146
117	114	110	48	4													147
696	596	497	226	32	1											5	148
15	20	16	6														149
4	1																150

TABLE 7A.—DEATHS OF WHITE PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION STATES (INCLUDING

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	IX.—Diseases of the skin and of the cellular tissue	3,049	664	63	12	16	9	764	47	30	73	65
	Males	1,776	382	29	4	11	4	430	27	17	44	29
	Females	1,273	282	34	8	5	5	334	20	13	29	36
151	Gangrene	M. 667	17	3	2	5	1	28	6	2	6	4
		F. 513	20	6	7	2	4	39	4	1	2	4
152	Furuncle	M. 415	80	5	1	1	.....	87	4	5	16	12
		F. 192	50	6	.....	1	.....	57	2	5	10	16
153	Acute abscess	M. 347	91	14	.....	4	2	111	15	7	18	13
		F. 237	70	12	1	1	1	85	9	3	7	10
154	Other diseases of the skin and annexa	M. 347	194	7	1	1	1	204	2	3	4	.....
		F. 331	142	10	.....	1	.....	153	5	4	10	6
	X.—Diseases of the bones and of the organs of locomotion	1,146	66	26	27	28	28	175	153	142	74	41
	Males	737	45	14	18	17	17	111	93	89	60	27
	Females	409	21	12	9	11	11	64	60	53	14	14
155	Diseases of the bones (tuberculosis excepted)	M. 551	31	11	18	15	15	90	79	80	45	17
		F. 280	15	8	8	10	10	51	56	47	10	9
156	Diseases of the joints (tuberculosis and rheumatism excepted)	M. 155	13	3	.....	2	2	20	14	7	11	10
		F. 102	5	4	1	1	1	12	4	6	3	4
157	Amputations	M. 3	1	.....	.....	.....	.....	1	.....	.....	1	.....
		F. 1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
158	Other diseases of the organs of locomotion	M. 28	.....	.....	.....	.....	.....	.....	.....	2	3	.....
		F. 26	1	.....	.....	.....	.....	1	.....	.....	1	1
	XI.—Malformations	12,875	11,973	321	125	83	46	12,548	148	69	33	25
	Males	7,297	6,799	177	66	44	26	7,112	89	38	16	15
	Females	5,578	5,174	144	59	39	20	5,436	59	31	17	10
159a	Congenital hydrocephalus	M. 667	493	64	25	21	11	614	26	10	6	3
		F. 547	413	57	21	15	6	512	20	6	2	3
159b	Congenital malformations of the heart	M. 4,460	4,241	72	28	12	10	4,363	46	23	9	9
		F. 3,224	3,050	61	20	15	6	3,152	25	18	13	5
159c	Other congenital malformations	M. 2,170	2,065	41	13	11	5	2,135	17	5	1	3
		F. 1,807	1,711	26	18	9	8	1,772	14	7	2	2
	XII.—Early infancy	53,339	53,339	.....	.....	.....	.....	53,339	.....	.....	.....	.....
	Males	30,953	30,953	.....	.....	.....	.....	30,953	.....	.....	.....	.....
	Females	22,386	22,386	.....	.....	.....	.....	22,386	.....	.....	.....	.....
160	Congenital debility, icterus, sclerema	M. 4,331	4,331	.....	.....	.....	.....	4,331	.....	.....	.....	.....
		F. 3,084	3,084	.....	.....	.....	.....	3,084	.....	.....	.....	.....
161a	Premature birth	M. 18,610	18,610	.....	.....	.....	.....	18,610	.....	.....	.....	.....
		F. 14,109	14,109	.....	.....	.....	.....	14,109	.....	.....	.....	.....
161b	Injury at birth	M. 5,226	5,226	.....	.....	.....	.....	5,226	.....	.....	.....	.....
		F. 3,163	3,163	.....	.....	.....	.....	3,163	.....	.....	.....	.....
162	Other diseases peculiar to early infancy	M. 2,731	2,731	.....	.....	.....	.....	2,731	.....	.....	.....	.....
		F. 1,980	1,980	.....	.....	.....	.....	1,980	.....	.....	.....	.....
163	Lack of care	M. 55	55	.....	.....	.....	.....	55	.....	.....	.....	.....
		F. 50	50	.....	.....	.....	.....	50	.....	.....	.....	.....
164	XIII.—Old age (senility)	8,859	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Males	3,711	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Females	5,148	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XIV.—External causes	69,699	1,655	1,510	1,285	1,239	1,098	6,787	4,028	2,881	3,865	4,745
	Males	51,302	915	861	768	709	619	3,872	2,700	2,286	3,121	3,818
	Females	18,397	740	649	517	530	479	2,915	1,328	595	744	927
	Suicide (total)	M. 8,175	.....	.....	.....	.....	.....	.....	.....	33	147	430
		F. 2,394	.....	.....	.....	.....	.....	.....	.....	19	158	233
165	By poisons (corrosives excepted)	M. 242	.....	.....	.....	.....	.....	.....	.....	.....	2	18
		F. 137	.....	.....	.....	.....	.....	.....	.....	3	20	13
166	By corrosive substances	M. 698	.....	.....	.....	.....	.....	.....	.....	2	17	41
		F. 535	.....	.....	.....	.....	.....	.....	.....	2	66	96
167	By poisonous gas	M. 901	.....	.....	.....	.....	.....	.....	.....	.....	10	42
		F. 463	.....	.....	.....	.....	.....	.....	.....	1	12	32
168	By hanging or strangulation	M. 1,544	.....	.....	.....	.....	.....	.....	.....	16	31	53
		F. 352	.....	.....	.....	.....	.....	.....	.....	1	1	11
169	By drowning	M. 411	.....	.....	.....	.....	.....	.....	.....	.....	1	22
		F. 263	.....	.....	.....	.....	.....	.....	.....	1	10	19
170	By firearms	M. 3,472	.....	.....	.....	.....	.....	.....	.....	13	80	237
		F. 390	.....	.....	.....	.....	.....	.....	.....	11	44	47
171	By cutting or piercing instruments	M. 590	.....	.....	.....	.....	.....	.....	.....	.....	3	4
		F. 92	.....	.....	.....	.....	.....	.....	.....	.....	2	1
172	By jumping from high places	M. 161	.....	.....	.....	.....	.....	.....	.....	.....	2	10
		F. 98	.....	.....	.....	.....	.....	.....	.....	.....	2	7
173	By crushing	M. 94	.....	.....	.....	.....	.....	.....	.....	1	1	3
		F. 24	.....	.....	.....	.....	.....	.....	.....	.....	1	5
174	By other means	M. 62	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
		F. 40	.....	.....	.....	.....	.....	.....	.....	.....	.....	2

DISTRICT OF COLUMBIA) FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1921—Con

DEATHS AT AGE OF—																Deaths at unknown age.	Detailed Int. List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
76	69	76	90	103	130	120	135	167	226	279	285	189	101	16	6	2	
48	40	50	60	70	81	71	84	104	130	157	166	103	53	7	4	1	
28	29	26	30	33	49	49	51	63	96	122	119	86	48	9	2	1	
4	6	8	17	12	19	20	27	42	82	114	132	81	48	5	3	1	151
3	7	4	7	9	13	12	26	27	56	87	94	67	40	9	2	.....	
24	14	23	20	36	32	27	27	27	16	21	16	6	2	.....	.....	.....	152
14	5	4	9	9	15	10	8	7	6	7	5	1	2	.....	.....	.....	
12	15	12	17	19	20	10	19	19	17	8	12	3	.....	.....	.....	.....	153
6	11	12	10	8	11	12	10	10	12	8	6	6	1	.....	.....	.....	
8	5	7	6	3	10	14	11	16	15	14	6	13	3	2	1	.....	154
5	6	6	4	7	10	15	7	19	22	20	14	12	5	.....	.....	1	
34	45	44	44	58	47	55	45	61	47	38	27	9	5	1	1	.....	
30	29	32	26	41	31	37	26	35	28	22	14	4	2	.....	.....	.....	
4	16	12	18	17	16	18	19	26	19	16	13	5	3	1	1	.....	
24	18	21	19	27	19	29	19	23	17	12	8	2	2	.....	.....	.....	155
3	7	9	7	8	10	13	7	15	12	10	.....	3	1	1	1	.....	
6	9	8	7	10	11	8	5	9	6	9	4	1	.....	.....	.....	.....	156
1	7	2	8	7	5	3	6	9	7	5	10	1	2	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	157
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	2	3	.....	4	1	.....	2	3	5	1	1	1	.....	.....	.....	.....	158
.....	2	1	3	2	1	1	6	2	.....	1	3	1	.....	.....	.....	.....	
21	5	10	8	7	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
12	2	5	4	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
9	3	5	4	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
3	.....	2	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	159a
2	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
5	1	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	159b
3	2	2	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
4	1	1	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	159c
4	1	2	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	160
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	161a
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	161b
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	162
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	163
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	2	12	16	104	187	752	1,502	2,351	2,227	1,259	338	104	5	164
.....	.....	.....	.....	.....	3	8	51	92	335	675	982	948	470	106	40	1	
.....	.....	.....	.....	2	9	8	53	95	417	827	1,369	1,279	789	232	64	4	
5,178	4,943	5,253	4,595	4,328	4,164	3,467	3,428	2,880	2,609	2,450	1,949	1,374	476	116	18	165	
4,264	4,098	4,415	3,872	3,567	3,406	2,731	2,598	2,036	1,623	1,274	779	480	170	37	5	150	
914	845	838	723	761	758	736	830	844	986	1,176	1,170	894	306	79	13	15	
572	737	900	841	909	944	777	692	484	336	208	90	44	7	2	.....	22	
256	276	249	240	228	225	166	142	92	53	33	17	5	1	.....	.....	1	
24	25	33	33	24	18	25	12	11	9	5	1	1	1	.....	.....	.....	165
15	20	16	9	13	10	6	7	4	1	.....	.....	.....	.....	.....	.....	.....	
75	71	84	62	68	87	69	50	39	16	11	3	3	.....	.....	.....	.....	166
88	63	58	47	35	28	17	16	10	5	3	.....	.....	.....	.....	.....	1	
50	74	104	98	99	124	90	81	61	33	24	5	3	1	.....	.....	2	167
37	45	53	47	51	50	48	34	24	10	12	5	1	1	.....	.....	.....	
68	116	128	156	184	181	150	162	104	84	58	27	17	3	1	.....	5	168
18	35	33	40	44	58	35	31	18	16	8	3	.....	.....	.....	.....	.....	
17	31	41	42	46	43	38	44	38	22	13	7	3	.....	1	.....	2	169
18	30	20	26	25	29	20	23	18	12	4	4	4	.....	.....	.....	.....	
287	342	408	350	388	370	313	270	168	129	60	37	12	.....	.....	.....	8	170
52	55	47	38	31	30	14	11	5	3	2	.....	.....	.....	.....	.....	.....	
24	38	63	62	68	85	66	60	46	29	23	8	5	2	.....	.....	4	171
6	11	6	11	14	5	14	10	8	2	1	1	.....	.....	.....	.....	.....	
9	18	15	22	14	20	20	9	9	6	7	.....	.....	.....	.....	.....	.....	172
16	9	10	12	8	6	7	8	5	3	2	3	.....	.....	.....	.....	.....	
15	14	13	11	10	9	2	3	3	4	5	.....	.....	.....	.....	.....	.....	173
2	2	4	4	2	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
3	8	11	5	8	7	4	1	5	4	2	2	.....	.....	.....	.....	1	174
4	6	2	6	5	6	4	2	.....	1	1	1	.....	.....	.....	.....	.....	

TABLE 7A.—DEATHS OF WHITE PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION STATES (INCLUDING

Detailed List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF—									
				Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	XIV.—External causes—Continued.												
	Homicide (total)	M.	3,852	66	4	7	8	7	92	18	38	137	436
		F.	945	64	4	5	8	4	85	24	30	80	164
197	By firearms	M.	2,919	1	1		4	3	9	10	28	107	380
		F.	488	3	1	3	1	2	10	10	19	37	85
198	By cutting or piercing instruments	M.	318	3	2	1	2	1	9		1	11	36
		F.	80	2					2	2	2	8	7
199	By other means	M.	615	62	1	6	2	3	74	8	9	19	20
		F.	377	59	3	2	7	2	73	12	9	35	72
	Accidental or undefined (total)	M.	39,275	849	857	761	701	612	3,780	2,682	2,215	2,837	2,952
		F.	15,058	676	645	512	522	475	2,830	1,304	546	506	530
175	Poisoning by food	M.	415	47	29	28	29	18	151	30	13	16	15
		F.	351	37	19	16	15	12	99	38	16	12	18
176	Poisoning by venomous animals	M.	42	5	1	3	1	3	13	3	2	2	3
		F.	26	6	4			2	12	4	1	1	
177	Other acute poisonings (gas excepted)	M.	797	39	113	53	28	17	250	26	12	12	30
		F.	507	21	102	50	22	6	201	22	3	14	47
178	Conflagration	M.	456	13	20	22	17	19	91	30	20	12	24
		F.	316	14	19	13	14	18	78	34	20	13	16
179	Burns (conflagration excepted)	M.	1,891	94	272	284	221	123	994	139	42	61	55
		F.	2,526	78	223	247	280	242	1,070	381	85	63	85
180	Mechanical suffocation	M.	492	317	2	2	3	3	327	20	17	8	10
		F.	267	239	4	4	1	1	249	5	1		
181	Absorption of irrespirable, irritating, or poisonous gas	M.	1,191	5	4	3	2	6	20	8	13	39	48
		F.	515	9	3		4	6	22	9	8	12	23
182	Drowning	M.	4,953	26	120	91	67	72	376	513	593	879	599
		F.	724	6	73	32	25	6	142	90	99	113	62
183	Traumatism by firearms (except in war)	M.	1,549	3	9	6	14	15	47	96	228	330	204
		F.	191	3	2	8	8	5	26	32	22	17	13
184	Traumatism by cutting or piercing instruments	M.	312	18	6	6	8	4	42	14	16	14	12
		F.	100	1	2	4	1		8	8	5	1	5
185	Traumatism by fall	M.	4,879	58	87	59	51	35	290	168	154	160	188
		F.	4,658	58	69	32	27	17	195	70	45	29	38
186a	Traumatism in mines	M.	1,674							4	5	117	173
		F.	1								1		
186b	Traumatism in quarries	M.	84							1	1	6	7
		F.											
187	Traumatism by machines	M.	1,359		3	7	10	3	23	44	38	81	140
		F.	40		1			2	3	3	1	4	2
188a	Railroad accidents	M.	4,102	4	17	13	8	7	49	82	122	263	383
		F.	640	3	18	8	10	8	47	21	30	39	64
188b	Street-car accidents	M.	1,018	2	6	15	17	13	53	55	26	43	50
		F.	342	2	6	11	8	15	42	34	9	18	17
188c	Automobile accidents	M.	7,081	16	26	71	151	213	477	1,086	569	366	490
		F.	2,405	21	26	39	73	108	267	442	135	132	100
188e,f	Injuries by other vehicles	M.	1,352	10	13	21	16	21	81	111	71	89	100
		F.	189	9	12	10	5	5	41	26	12	10	7
188d	Aeroplane and balloon accidents	M.	114							2	1	6	34
		F.	9								1		2
188g	Landslide, other crushing	M.	424	1	1	4	4	1	11	18	12	22	27
		F.	22			2	1	2	5	3	2	1	
189	Injuries by animals (not poisoning)	M.	562	5	12	10	7	10	44	46	42	35	26
		F.	55	2	3	2	4	4	15	7	2		1
190	Wounds of war	M.	21										2
		F.											
192	Starvation (deprivation of food or water)	M.	10	3	1				4				
		F.	6	1					1				
193	Excessive cold	M.	89				1		1	1	2	2	5
		F.	7										
194	Excessive heat	M.	554	63	13	1	4	2	83	6	6	15	12
		F.	266	52	7	3	2	3	67	5	5	5	3
195	Lightning	M.	311	1	1				2	5	29	37	41
		F.	65	1	1	1	2	1	6	7	7	5	7
196	Other accidental electric shocks	M.	671			2			2	17	41	56	104
		F.	18							4	2	1	
201	Fracture (cause not specified)	M.	253	2			1	3	6	10	6	5	18
		F.	204				1	1	2	1	3		1
202	Other external violence	M.	1,987	93	91	52	37	21	294	116	95	138	125
		F.	402	85	46	25	18	11	185	44	17	12	12
203	Violent deaths of unknown causation	M.	632	24	10	8	4	3	49	31	39	23	27
		F.	206	36	5	5	1		47	14	14	4	7
	XV.—Ill-defined diseases		7,609	3,348	329	99	50	34	3,860	96	82	56	93
	Males		4,447	1,958	173	49	23	17	2,220	58	45	32	37
	Females		3,162	1,390	156	50	27	17	1,640	38	37	24	56
204	Sudden death	M.	393	87	2	2	2		93	2	3	1	1
		F.	262	62	5	6			73	4	2		2
205a	Ill-defined	M.	1,471	300	117	23	8	7	455	16	19	10	15
		F.	1,056	236	92	20	7	8	363	11	14	11	20
205b	Not specified or unknown	M.	2,583	1,571	54	24	13	10	1,672	40	23	21	21
		F.	1,844	1,092	59	24	20	9	1,204	23	21	13	34

DISTRICT OF COLUMBIA) FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1921—Con.

DEATHS AT AGE OF—																Deaths at unknown age.	Detailed List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
641	565	543	423	318	231	144	114	59	39	21	9	5	1			18	
130	126	113	61	51	23	18	10	11	8	5	4	2					
540	462	418	331	236	158	91	71	39	19	7	1					12	
73	76	63	42	37	12	9	8	3	2	2							197
43	53	46	32	24	19	13	13	5	5	4	3		1				
7	13	16	7	7	2	4			1		2						198
58	50	79	60	58	54	40	30	15	15	10	5	5				6	
50	37	34	12	7	9	5	2	8	5	3	2	2					199
3,051	2,796	2,972	2,608	2,340	2,231	1,810	1,792	1,493	1,248	1,045	680	431	162	35	5	110	
528	443	476	422	482	510	552	678	741	925	1,138	1,149	887	305	79	13	14	
15	13	13	23	19	20	21	13	14	20	12	6					1	
17	11	19	14	17	13	12	15	14	16	9	5	6					175
2	1	1		1	7	2	1	1	1	1		1					
	2	1	1	1		1		2									176
43	76	67	75	60	50	36	24	17	12	5	1					1	
50	37	36	28	20	15	8	8	8	2	3	3	1				1	177
29	37	25	30	21	23	14	30	19	16	20	7	1	1	1		5	
14	12	12	17	14	14	13	14	8	10	13	5	7	1			1	178
89	76	78	62	47	48	47	30	29	38	30	8	12	2		1	3	
64	71	74	58	66	59	60	73	76	82	71	59	17	9	1	1	1	179
23	13	13	13	14	12	10	4	3	4							1	
	2		1	3	1	1	1	2	1								180
79	86	115	110	107	127	105	95	77	63	50	34	11	1			3	
26	28	30	27	34	27	37	49	42	42	51	37	10	1				181
400	306	294	242	201	166	106	108	57	33	28	14	5	2	1		30	
39	33	32	20	14	23	12	14	5	10	7	6	1				2	182
161	99	83	86	59	40	40	33	20	9	6	3	1				4	
28	12	11	9	4	5	5		3	1	1	2						183
15	16	23	17	31	24	19	20	18	13	12	4	2					
1	2	3	8	10	6	8	14	5	5	3	5	2				1	184
198	219	264	252	274	306	269	313	280	323	390	380	290	129	27	2	3	
40	36	30	46	68	78	124	214	312	531	783	902	759	272	74	11	1	185
234	231	287	211	156	100	66	47	31	7	1						4	
																	186a
8	16	6	6	4	7	4	12	4	1			1					
																	186b
156	128	134	117	107	106	100	86	57	23	11	6	1	1				
5		2	7	4	6	1	1			1							187
449	417	455	382	338	293	219	195	187	119	72	34	15	2			26	
45	41	45	34	49	46	36	41	31	32	18	13	6				2	188a
74	80	87	83	62	79	67	66	55	47	51	22	16	1			1	
24	10	28	12	12	19	31	23	18	17	18	9	1					188b
498	449	497	426	408	368	320	316	267	272	157	62	38	5	1	1	8	
117	104	104	105	120	141	136	151	144	99	61	30	14	1			2	188c
99	77	77	77	71	100	63	108	96	63	48	17		1			3	188
10	3	7	8	6	10	14	6	8	8	8	3	2					e, f
42	14	2	2			1	1	1								8	
3		2							1								188d
45	55	45	33	34	32	32	19	14	12	7	2					4	
2	3			1		1	1		1	1		1					188g
22	30	36	35	23	42	36	31	51	22	24	10	6	1				
2	1	3	1	1	2	5	4	3	3	2		1	2				189
15	4																
																	190
					2	2	1	1									
	1				1	1	2										192
5	8	5	8	12	6	4	6	5	10	4	4	1					
1			1	1		1			1	1	1						193
16	23	29	31	36	30	46	50	41	44	37	28	12	6	3			
6	6	9	3	7	13	13	15	19	21	22	18	22	3	4			194
31	30	30	21	21	17	9	16	13	6	2						1	
3	5	4	5	5	5	1	1	2	2								195
121	97	80	49	37	22	20	7	10	3	2	2					1	
1	1	3		1	2	2	1										196
11	18	13	29	20	17	19	17	14	13	13	9	10	4		1		
2	3	4	3	1	3	4	7	16	28	42	39	29	15			1	201
124	137	171	146	141	123	95	99	76	45	37	15	5	2	1		2	
19	10	8	7	14	13	16	14	8	5	7	6	2			1	2	202
47	40	42	42	36	64	38	44	35	30	24	12	4	3	1		1	
9	9	9	7	9	8	9	9	15	7	16	6	6	1				203
87	102	125	149	196	244	269	370	464	422	382	292	165	74	19	5	57	
39	62	80	78	117	156	171	260	308	257	224	145	72	32	9	2	43	
48	40	45	71	79	88	98	110	156	165	158	147	93	42	10	3	14	
4	8	12	14	18	18	25	32	49	44	31	17	11	8			2	
5	3	4	12	7	20	20	10	31	20	17	14	11	6	1			204
18	33	39	30	41	78	84	137	154	124	105	65	21	10	4	2	11	
20	20	23	30	47	39	53	67	78	71	87	58	24	15		1	4	205a
17	21	29	34	58	60	62	91	105	89	88	63	40	14	5		30	
23	17	18	29	25	29	25	33	47	74	54	75	58	21	9	2	10	205b

TABLE 7B.—DEATHS OF COLORED PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION STATES (INCLUD-

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	All causes	114,080	20,453	4,120	1,654	1,021	734	27,982	2,558	2,549	5,225	7,652
	Males	58,095	11,203	2,128	860	514	377	15,082	1,322	1,208	2,301	3,481
	Females	55,985	9,250	1,992	794	507	357	12,900	1,236	1,341	2,924	4,171
	I.—Epidemic, endemic, and infectious diseases	28,949	2,823	1,213	586	392	305	5,319	1,159	1,230	2,691	3,974
	Males	14,632	1,537	626	290	197	144	2,794	572	482	1,117	1,786
	Females	14,317	1,286	587	296	195	161	2,525	587	748	1,574	2,188
1	Typhoid and paratyphoid fever	M 841	7	9	11	15	12	54	78	89	162	128
		F 788	8	12	8	13	12	53	81	122	144	117
2	Typhus fever	M										
		F										
3	Relapsing fever (spirillum obermeieri)	M 1										
		F										
4	Malta fever	M										
		F										
5	Malaria	M 774	92	67	36	28	16	239	78	64	48	40
		F 830	90	42	38	29	27	226	83	63	58	58
6	Smallpox	M 92	8	2	2			12	1	1	5	6
		F 56	8		1	1		10	1	1	2	3
7	Measles	M 136	56	37	14	7	4	118	7	3	5	1
		F 113	36	29	9	5	5	84	11	10	3	1
8	Scarlet fever	M 40	5	6	2	2	3	18	14	2	4	
		F 42	3	4	4	3	1	15	14	5	3	1
9	Whooping cough	M 717	392	182	66	26	20	686	25	1	1	1
		F 778	374	236	72	32	23	737	31	3	2	1
10	Diphtheria	M 372	80	53	36	36	30	235	97	22	8	4
		F 364	51	34	32	26	37	183	111	41	6	7
11a	Influenza (with pulmonary complications)	M 412	75	28	8	6	1	118	18	5	21	33
		F 378	56	25	16	4	2	103	19	15	24	33
11b	Influenza (other and unspecified)	M 269	47	9	3	4		63	12	7	12	13
		F 302	32	12	3	4	2	53	12	11	9	11
12	Miliary fever	M										
		F										
13	Mumps	M 8				1	1	2	2		2	
		F 9	1			1	1	3	2	1		1
14	Asiatic cholera	M										
		F										
15	Cholera nostras	M 17	6		2	1	2	11		1		
		F 16	4	1	1	1		7				1
16	Dysentery	M 347	115	72	19	6	6	218	8	3	2	5
		F 343	98	58	14	4	3	177	8	6	5	8
17	Plague	M										
		F										
18	Yellow fever	M										
		F										
19	Spirochetal hemorrhagic jaundice	M 3										1
		F 1									1	
20	Leprosy	M 4										
		F										
21	Erysipelas	M 59	21	2		1		24		1	3	
		F 52	17	1	2			20	1	2	1	
22	Acute anterior poliomyelitis	M 28	3	6	6		1	16	7		1	2
		F 29	8	2	5	6		21	4	2		1
23	Lethargic encephalitis	M 44	3	1	3	1		8	3	2	3	5
		F 35	1	2	1	1	1	6		3	2	7
24	Meningococcus meningitis	M 85	14	7	2	3	2	28	12	9	8	11
		F 24	4	5	2	1	1	13	5		2	1
25	Other epidemic and endemic diseases	M 8	4	2				6			1	
		F 8	4	1		1		6				
26	Glanders	M										
		F										
27	Anthrax	M 4										
		F										
28	Rabies	M 2								1		
		F 2							1	1		
29	Tetanus	M 210	78	2		2	4	86	22	34	14	9
		F 115	72			1	1	74	3	9	3	2
30	Mycoses	M 46	39	3	1	1		44				
		F 44	40	1	2			43	1			
	Tuberculosis (total)	M 8,649	148	117	66	51	40	422	176	226	788	1,440
		F 8,911	129	97	70	49	39	384	188	437	1,270	1,824
31	Of the respiratory system	M 7,630	78	60	32	22	20	212	100	174	691	1,292
		F 8,006	71	61	43	27	20	222	129	383	1,158	1,681
32	Of the meninges, central nervous system	M 263	41	31	19	20	12	123	31	13	20	24
		F 211	37	26	20	11	10	104	30	13	19	15
33	Of the intestines, peritoneum	M 285	8	5	7	5	3	28	19	11	33	48
		F 358	5	4	3	3	5	20	15	19	49	71
34	Of the vertebral column	M 92	2	2			1	5	10	6	5	16
		F 46	3			1		4	6	2	7	1
35	Of the joints	M 42	1				1	2	3	6	5	5
		F 25	1			1		2	1	2	3	4
36	Of other organs	M 114	5	5	4	1	2	17	9	8	12	9
		F 61	2			1	1	4	2	7	6	10
37a	Disseminated (acute)	M 186	9	14	4	3		30	3	5	19	41
		F 171	7	6	3	4	2	22	4	11	24	37
37b	Disseminated (chronic or unspecified)	M 37	4				1	5	1	3	3	5
		F 33	3		1	1	1	6	1		4	5
38	Syphilis	M 1,359	336	20	11	6	2	375	9	6	25	80
		F 840	235	23	15	13	5	291	7	10	23	65
39	Soft chancre	M 2										
		F 1										
40	Gonococcus infection	M 41	4		1			5			1	3
		F 152	7					7		3	13	39
41	Purulent infection, septicemia	M 61	4	1	1			6	3	5	3	4
		F 81	5	2	1		1	9	4	3	3	7
42	Other infectious diseases	M 1										
		F 3										

ING DISTRICT OF COLUMBIA) FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1921.

DEATHS AT AGE OF—																Deaths at unknown age.	Detailed List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
7,021	5,925	7,097	6,512	6,682	6,333	4,987	5,159	4,429	4,455	3,308	2,532	1,449	806	393	566	460	
3,206 3,815	2,799 3,126	3,541 3,556	3,320 3,192	3,575 3,107	3,371 2,962	2,639 2,348	2,726 2,433	2,377 2,052	2,385 2,070	1,809 1,499	1,301 1,231	694 755	343 463	160 233	203 363	252 208	
3,281	2,291	2,204	1,694	1,457	1,081	658	591	398	339	214	133	86	25	13	22	89	
1,511 1,770	1,145 1,146	1,198 1,006	975 719	885 572	648 433	415 243	365 226	242 156	202 137	111 103	67 66	46 40	12 13	7 6	7 15	45 44	
62 68	41 45	62 41	46 31	30 33	25 21	17 9	21 11	12 5	8 3	2 1	1		1			3 2	1
																	2.
								1									3
																	4
35 54	31 26	27 45	24 27	38 31	34 28	13 17	18 29	22 15	27 23	15 18	7 10	8 9	2	2 4	3 4	1 4	5
6 10 1	9 4	11 9	10 3 1	5 3	7 6	3 1	4	3 1	1	1	1		2	2		2 2	6
1	1	1						1									7
1 2	1		1	1 1													8
1 1	1	2					1					1				2 3	9
7	2	1	1	2	1	2											10
11 28 9 16	19 15 14 16	32 15 19 22	27 21 13 13	23 12 15 21	25 22 15 11	17 12 10 15	22 14 14 11	6 10 10 17	11 11 20 19	12 5 5 16	2 10 9 10	7 7 4 8	1 3 1	1 1 6	1	1 2 1 1	11a 11b
																	12
		2				1				1							13
																	14
1			2	1	1 1		2	1		1 2	1						15
3 9	6 9	3 9	8 10	11 6	7 13	12 11	14 13	10 9	11 8	9 14	6 11	8 7	2 4	1	5	1	16
																	17
																	18
1				1													19
2				1	1												20
3 1 2	4 3	1 5	4 3	1 4	4 3	4 3	4 1	2 2	2 1	1	1	1				1	21 22
3 8 2	4 1 4 2	3 1 5	3 4 2	1 3	1 1	4 1	1			1	1			1		1	23 24
		1	1				1										25
			1	1	1			1									27
							1										28
8 4	5 5	5 2	6 3	7 1	4 4	4 2 1	1 1	3	2 1	1						1	29 30
1,254 1,453 1,151 1,351 15 12 27 55 21 3 5 2 10 6 23 21 2 3	903 915 839 836 12 3 20 39 9 6 2 3 6 6 12 20 3 2	875 736 802 686 10 3 25 22 4 5 2 4 9 5 18 12 5 3	684 520 627 475 6 4 20 19 5 5 4 4 5 5 16 6 1 2	606 392 565 351 3 2 17 27 5 3 3 1 6 2 6 5 1 1	430 275 401 254 4 3 10 3 1 1 1 1 7 4 5 6 1 3	271 144 248 130 1 1 9 9 1 1 1 4 2 1 1	215 129 200 120 1 1 7 4 1 1 1 3 1 1 2 1 2	130 84 119 77 1 1 4 3 1 1 1 1 1 3 1 1 1	95 66 87 63 4 2 1 1 1 1 3 1 2 1 1	51 38 44 37 3 1 1 1 3 1 1	35 16 32 16 1 3 3 1 1 2 1 1	15 7 14 5 1 1 1 1 2 1	3 4 3 4 2 1 1 1 1 1	2 3 2 2 1 1	28 26 27 26 1 1 1 1 1 1 1 1 1 1 1 1 1	31 32 33 34 35 36 37a 37b
100 76	97 71	137 86	136 69	129 50 1	84 39	57 17	40 14 1	37 12	23 4	12 1	6 1	1 2	1			5 1	38
						1											39
3 23 3 7 1 1	4 27 3 3 1	8 20 6 11 1	2 9 6 3	4 8 5 6	4 2 5 6	2 1 6	1 4 2 1	2 2	2 1	1 2 4	5	1	1	1		1	40 41 42

TABLE 73.—DEATHS OF COLORED PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION STATES (INCLUD-

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	II.—General diseases not included in Class I	6,965	210	81	41	25	23	380	102	91	157	301
	Males	2,435	134	41	27	19	11	232	54	47	41	68
	Females	4,530	76	40	14	6	12	148	48	44	116	233
	Cancer and other malignant tumors (total)	M. 1,147	2	2	2	5	2	13	7	7	8	24
		F. 2,475		2	3	3	3	11	11	8	9	43
43	Of the buccal cavity	M. 72		1				1				3
		F. 30							2			1
44	Of the stomach, liver	M. 572				1		1	1	3	2	4
		F. 533			1	1	2	4	1	3	4	7
45	Of the peritoneum, intestines, rectum	M. 139				1		1	1		1	2
		F. 186								2		6
46	Of the female genital organs	F. 1,112		1				1	1	1	1	19
47	Of the breast	M. 2										
		F. 355					1	1			1	2
48	Of the skin	M. 19										
		F. 22										
49	Of other or unspecified organs	M. 343	2	1	2	3	2	10	5	4	5	15
		F. 237		1	2	2		5	7	2	3	8
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	M. 22									1	
		F. 39	3				1	4			1	5
51	Acute rheumatic fever	M. 183	3	1	1	1	1	7	11	14	10	9
		F. 220	3		3			6	12	18	20	14
52	Chronic rheumatism, osteoarthritis, gout	M. 27									1	
		F. 22										
53	Scurvy	M. 6	3	2	1			6				
		F. 7	3	3				6			1	
54	Pellagra	M. 355	2	2	4	4	3	15	24	14	6	19
		F. 1,069	1	2		2	3	8	12	9	58	135
55	Beriberi	M. 2										1
		F. 2	2					2				
56	Rickets	M. 80	39	18	13	5		75	3			
		F. 62	29	23	4		2	58	3	1		
57	Diabetes mellitus	M. 263	2	1			1	4	2	5	6	7
		F. 335					1	1	3	4	8	15
58	Anemia, chlorosis	M. 49	5	3		1	1	10	2	3	1	
		F. 61	3	1	1			5	2		9	7
59	Diseases of the pituitary gland	M. 1										
		F. 1									1	
60a	Exophthalmic goiter	M. 8										
		F. 69							1	1	2	3
60b	Other diseases of the thyroid gland	M. 5							1			1
		F. 36		1	1			2			1	2
61	Diseases of the parathyroid glands	M. 7	4	2	1			7				
		F. 4	2	1				3		1		
62	Diseases of the thymus gland	M. 26	16	4		1	1	22	2		1	
		F. 13	6	1	2	1	1	11	1	1		
63	Diseases of the adrenals (Addison's disease)	M. 6										
		F. 1										
64	Diseases of the spleen	M. 6					1	1				
		F. 4	1				1	2				
65a	Leukemia	M. 18	1		1	1		3		1		
		F. 20		1				1	2	1	4	2
65b	Hodgkin's disease	M. 7		1	1			2			1	
		F. 8									1	1
66	Alcoholism (acute or chronic)	M. 96									2	3
		F. 26										4
67a	Chronic lead poisoning	M. 7									1	
		F.										
67b	Other chronic mineral poisoning	M. 3										
		F. 3										
68	Chronic poisoning by organic substances	M. 17										1
		F. 6										1
69	Other general diseases	M. 94	57	5	3	1	1	67	2	3	3	3
		F. 47	23	5				28	1		1	1
	III.—Diseases of the nervous system and of the organs of special sense	8,985	568	116	47	39	32	802	94	91	150	178
	Males	4,442	319	58	24	22	19	442	54	48	75	95
	Females	4,543	249	58	23	17	13	360	40	43	75	83
70	Encephalitis	M. 64	6	2	5	1	1	15	6	5	4	5
		F. 52	9	2	4	2	1	18	3	3	3	6
71a	Simple meningitis	M. 125	42	11	3	5	3	64	8	5	7	4
		F. 86	27	11	6	1	1	46	6	5	5	7
71b	Nonepidemic cerebrospinal meningitis	M. 45	8	8	4	1	3	24	4	2	4	3
		F. 45	11	8		6	3	28	2	4	2	
72	Tabes dorsalis (locomotor ataxia)	M. 74										2
		F. 18										2
73	Other diseases of the spinal cord	M. 131	5	2		1		8	2		3	1
		F. 113	2	1			2	5	2	2	3	4
74a	Cerebral hemorrhage	M. 2,284	7	1		1	1	10	4	4	8	27
		F. 2,805	3	2	3			8	4	7	23	17
74b	Cerebral embolism and thrombosis	M. 47								1		1
		F. 53							1			4
75	Paralysis without specified cause	M. 437	4	2	2		2	10	6	1	1	6
		F. 629		2		2		4	3	2	1	7
76	General paralysis of the insane	M. 447									3	3
		F. 135									1	4
77	Other forms of mental alienation	M. 84									6	3
		F. 94									9	7

ING DISTRICT OF COLUMBIA) FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1921—Con.

DEATHS AT AGE OF—																Deaths at unknown age.	Detailed Int. List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
355	424	538	655	729	704	609	556	476	395	218	121	72	25	10	13	34	
86	101	138	180	197	257	230	232	219	159	95	45	25	6	4	6	13	
269	323	400	475	532	447	379	324	257	236	123	76	47	19	6	7	21	
17	32	60	89	108	158	142	145	130	95	61	24	15	3	3	2	4	
73	122	202	302	352	318	271	228	177	157	80	52	31	12	2	5	9	
.....	.....	3	8	8	5	10	8	11	6	5	2	1	.....	1	.....	.....	43
.....	1	2	3	5	.....	4	2	2	3	2	.....	1	.....	1	.....	1	
6	16	32	46	60	93	70	68	66	52	31	12	5	2	.....	.....	2	44
7	12	32	40	69	74	69	67	53	45	20	10	8	4	.....	1	3	
4	3	10	8	15	16	20	18	20	10	6	2	1	.....	.....	.....	1	45
15	4	15	28	21	18	20	11	13	14	7	7	3	1	.....	.....	1	
35	77	111	159	183	148	101	87	71	57	26	18	8	4	.....	1	3	46
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	
9	17	30	38	53	49	46	34	21	18	16	9	8	1	.....	1	1	47
.....	.....	1	.....	2	2	2	2	5	2	2	.....	1	.....	.....	.....	.....	48
.....	1	1	5	.....	1	2	2	2	4	2	2	.....	.....	.....	.....	.....	
7	13	14	27	23	42	39	49	28	25	17	8	6	1	2	2	1	49
7	10	11	29	21	28	29	25	15	16	7	6	3	2	1	2	.....	
4	2	2	2	.....	5	.....	1	2	1	1	.....	.....	1	.....	.....	.....	50
3	4	1	.....	1	3	3	4	1	4	1	2	.....	.....	.....	.....	2	
8	6	13	14	15	17	15	11	11	10	5	4	1	.....	.....	1	1	51
12	14	11	18	18	8	15	11	9	14	9	3	1	2	.....	2	3	
2	3	.....	1	1	3	2	3	5	2	2	1	1	.....	.....	.....	.....	52
.....	1	.....	1	2	.....	1	2	.....	5	2	3	4	.....	.....	.....	1	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	53
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
19	16	25	20	27	27	28	32	31	23	14	3	5	2	.....	1	4	54
136	135	137	98	92	56	41	42	32	35	19	13	6	1	1	.....	3	
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	55
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	56
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
11	12	15	16	25	29	27	27	34	20	8	7	2	.....	1	2	3	57
16	17	19	26	42	51	35	32	28	17	8	3	4	3	.....	.....	3	
3	3	2	1	4	4	4	3	2	4	2	1	.....	.....	.....	.....	.....	58
4	8	4	6	1	2	7	2	.....	.....	1	.....	1	1	1	.....	.....	
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	59
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	2	2	1	1	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	60a
6	12	10	11	9	3	2	2	6	.....	.....	.....	.....	.....	1	.....	.....	
.....	.....	.....	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	60b
1	3	8	6	6	1	2	1	1	1	1	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	61
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	62
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
2	2	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	63
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	1	2	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	64
.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	
2	3	1	2	1	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	65a
.....	1	3	.....	4	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	
1	.....	.....	1	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	65b
2	1	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
11	12	13	21	10	9	8	4	.....	2	.....	.....	.....	.....	.....	.....	1	66
11	3	2	3	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	
2	2	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	67a
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	67b
.....	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	
1	5	3	3	2	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	68
4	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
2	1	1	2	.....	.....	1	2	2	1	1	3	.....	.....	.....	.....	.....	69
1	.....	2	2	3	3	1	.....	1	.....	2	.....	.....	.....	1	.....	.....	
217	244	460	602	783	866	781	859	751	715	565	386	209	97	51	41	43	
110	135	239	309	400	424	386	389	354	360	269	175	90	42	14	15	17	
107	109	221	293	383	442	395	470	397	355	296	211	119	55	37	26	26	
7	4	6	1	2	2	2	2	1	1	1	.....	.....	.....	.....	.....	.....	70
1	4	2	4	3	1	2	.....	1	1	.....	.....	.....	.....	.....	.....	.....	
9	3	6	3	8	3	1	1	2	1	.....	.....	.....	.....	.....	.....	.....	71a
5	1	2	3	3	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	
2	1	.....	2	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	71b
.....	1	3	.....	1	1	.....	.....	2	.....	.....	1	.....	.....	.....	.....	.....	
1	.....	6	9	10	13	9	8	7	6	.....	3	.....	.....	.....	.....	.....	72
.....	2	1	3	2	2	2	3	.....	.....	.....	.....	1	.....	.....	.....	.....	
8	2	5	4	12	13	13	22	6	10	9	5	4	4	.....	.....	.....	73
3	5	1	4	9	12	10	10	4	15	12	5	4	1	2	.....	.....	
24	46	97	140	211	264	252	266	239	256	190	133	63	24	8	11	7	74a
41	56	122	203	270	333	296	345	302	264	207	138	75	39	23	16	16	
.....	1	5	4	5	7	10	4	6	2	.....	1	.....	.....	.....	.....	.....	74b
1	1	7	3	7	2	8	7	.....	6	.....	2	3	.....	1	.....	.....	
8	12	12	18	31	37	35	33	58	53	48	27	15	13	5	4	4	75
14	11	17	28	36	62	49	79	76	51	65	52	31	14	11	10	6	
14	35	61	86	78	54	38	29	15	18	7	1	2	.....	.....	.....	3	76
10	8	23	20	19	13	12	6	2	6	4	3	1	.....	.....	.....	3	
5	7	9	10	15	3	7	7	5	3	3	1	.....	.....	.....	.....	.....	77
13	10	15	8	11	2	6	5	2	2	1	2	1	.....	.....	.....	.....	

TABLE 7B.—DEATHS OF COLORED PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION STATES (INCLUD-

Detailed List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF—									
				Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	III.—Diseases of the nervous system and of the organs of special sense—Continued.												
78	Epilepsy	M	229	20	5	4	2	2	33	6	14	24	29
		F	135	16	3	.....	1	1	21	6	9	18	12
79	Convulsions (nonpuerperal; 5 years and over)	M	19	.....	.....	.....	.....	.....	.....	5	3	3	1
		F	26	.....	.....	.....	.....	.....	.....	7	1	6	1
80	Infantile convulsions (under 5 years)	M	223	196	13	4	6	4	223	.....	.....	.....	.....
		F	189	160	18	6	2	3	189	.....	.....	.....	.....
81	Chorea	M	5	2	.....	.....	.....	.....	2	1	.....	1	.....
		F	5	.....	.....	.....	.....	.....	.....	.....	1	1	.....
82	Neuralgia and neuritis	M	13	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F	14	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
83	Softening of the brain	M	18	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F	12	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
84	Other diseases of the nervous system	M	106	13	2	1	2	1	19	7	4	3	5
		F	67	7	3	.....	1	1	12	2	5	2	5
85	Diseases of the eye and annexa	M	5	1	1	.....	.....	.....	2	1	.....	.....	.....
		F	4	.....	.....	1	.....	.....	1	1	1	.....	.....
86a	Diseases of the ear	M	53	11	8	1	3	1	24	3	5	2	2
		F	43	12	5	3	1	1	22	1	2	.....	4
86b	Diseases of the mastoid process	M	33	4	3	.....	.....	1	8	1	4	6	3
		F	18	2	3	.....	1	.....	6	2	1	1	2
	IV.—Diseases of the circulatory system		12,951	77	34	9	16	15	151	94	144	185	340
	Males		6,451	37	18	4	5	10	74	44	68	66	134
	Females		6,500	40	16	5	11	5	77	50	76	119	206
87	Pericarditis	M	62	.....	.....	.....	2	1	3	1	1	3	4
		F	49	1	2	.....	.....	.....	3	1	.....	.....	4
88	Endocarditis and myocarditis (acute)	M	246	9	2	3	1	.....	15	12	9	10	9
		F	283	7	3	1	1	1	13	10	18	17	23
89	Angina pectoris	M	126	.....	1	.....	.....	.....	1	.....	.....	2	2
		F	152	.....	.....	.....	.....	.....	.....	.....	1	3	8
90	Other diseases of the heart	M	5,353	24	13	1	1	9	48	30	55	49	113
		F	5,519	25	11	4	8	4	52	38	56	95	161
91a	Aneurysm	M	211	.....	1	.....	.....	.....	1	.....	.....	.....	4
		F	60	.....	.....	.....	.....	.....	.....	.....	.....	.....	3
91b,c	Other diseases of the arteries	M	385	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F	354	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
92	Embolism and thrombosis (not cerebral)	M	20	1	.....	.....	.....	.....	1	.....	1	.....	.....
		F	29	.....	.....	.....	1	.....	1	.....	.....	1	5
93	Diseases of the veins	M	16	1	.....	.....	.....	.....	1	.....	.....	.....	.....
		F	8	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
94	Diseases of the lymphatic system	M	11	.....	1	.....	1	.....	2	.....	1	2	.....
		F	6	2	.....	.....	.....	.....	2	.....	.....	.....	.....
95	Hemorrhage without specified cause	M	13	2	.....	.....	.....	.....	2	1	1	.....	2
		F	28	5	.....	.....	1	.....	6	1	1	1	2
96	Other diseases of the circulatory system	M	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F	12	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
	V.—Diseases of the respiratory system		10,947	3,117	1,013	383	180	106	4,799	260	202	385	542
	Males		6,046	1,666	536	206	99	59	2,566	145	96	201	311
	Females		4,901	1,451	477	177	81	47	2,233	115	106	184	231
97a	Diseases of the nasal fossae	M	103	77	8	2	3	.....	90	.....	.....	1	.....
		F	100	60	1	3	.....	2	66	3	4	3	5
97b	Diseases of the nasal fossae annexa	M	16	.....	.....	.....	.....	.....	.....	1	.....	2	3
		F	13	.....	1	.....	.....	.....	1	.....	3	1	2
98	Diseases of the larynx	M	28	8	3	3	2	2	18	1	1	.....	.....
		F	33	7	6	5	1	1	20	2	.....	.....	1
99a	Acute bronchitis	M	154	78	19	5	4	.....	106	5	.....	2	2
		F	167	71	24	9	7	.....	111	2	1	8	6
99b	Chronic bronchitis	M	74	5	3	1	2	.....	11	1	1	2	1
		F	90	3	3	1	.....	1	8	2	.....	6	7
99c,d	Bronchitis (unspecified)	M	138	50	15	4	3	.....	72	1	3	3	1
		F	165	58	10	5	3	2	78	4	3	10	6
100a	Bronchopneumonia	M	1,889	852	284	119	45	27	1,327	64	18	16	39
		F	1,653	746	264	89	28	19	1,146	39	19	28	44
100b	Capillary bronchitis	M	80	47	12	6	.....	2	67	.....	.....	3	.....
		F	71	31	13	4	3	2	53	3	3	.....	1
101a	Lobar pneumonia	M	2,558	303	131	43	27	17	521	50	58	130	207
		F	1,761	250	100	38	24	15	427	42	54	96	113
101b	Pneumonia (unspecified)	M	581	210	51	14	11	9	295	11	9	28	37
		F	541	204	47	20	13	4	288	13	9	23	20
102	Pleurisy	M	153	11	4	4	1	.....	20	5	4	8	12
		F	110	7	4	2	2	1	16	4	6	7	10
103	Congestion and hemorrhagic infarct of the lung	M	92	12	.....	.....	.....	.....	12	.....	.....	2	3
		F	42	3	.....	.....	.....	.....	3	.....	2	1	5
104	Gangrene of the lung	M	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
105	Asthma	M	113	6	3	3	1	2	15	3	2	.....	.....
		F	109	5	1	1	.....	.....	7	.....	1	.....	3
106	Pulmonary emphysema	M	3	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
		F	6	1	.....	.....	.....	.....	1	.....	.....	.....	1
107	Other diseases of the respiratory system (tuberculosis excepted)	M	58	7	3	2	.....	.....	12	2	.....	4	6
		F	38	5	3	.....	.....	.....	8	1	1	1	6

ING DISTRICT OF COLUMBIA) FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1921—Con.

DEATHS AT AGE OF—																
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	Detailed Int. List No.
21	16	18	19	8	13	7	6	7	4	3						1	
15	5	13	6	7	4	4	3	3	3	2	2	1				1	78
1				2	1	1			1							1	
		4	1	2	1					1	1	1					79
																	80
					1												81
		2							1								
		2	2	2	1		3			1		1	1				82
		1	2	4	1	1		2		1	1						
1			1	1	1	2	3	2	2	4		1					83
	1				1		3	1	3	1	2						
6	5	9	6	8	7	8	3	1	2	3	4	4		1		1	84
3	2	7	6	5	3	3	5	1	1	2	1	1	1				
		1		1													85
									1								
2	1		3	4	1		2	3	1								86a
1	1		1	3	4	2			1		1						
1	2	2	1	2	2			1									86b
	1	1	1	1			2										
450	565	902	1,019	1,269	1,324	1,100	1,177	1,072	1,089	804	608	310	154	62	77	55	
184	259	460	508	668	682	515	594	557	582	448	320	147	70	21	23	27	
266	306	442	511	601	642	585	583	515	507	356	288	163	84	41	54	28	
1	4	7	6	6	7	5	2	1	3	3	4			1			
3	1	3	2	5	3	6	6		4	4	1				3		87
20	24	49	38	11	15	8	11	8	5	1	1						
29	31	44	46	13	10	9	3	10	4	2	1						88
4	9	10	11	14	16	15	13	11	13	3	1	1					
7	7	9	17	15	16	16	11	15	7	7	8	1	1	1	1	1	89
148	197	348	407	574	597	446	514	477	489	380	253	122	56	14	11	25	
222	258	370	427	533	574	525	513	438	430	310	229	132	68	30	33	25	90
9	21	37	31	40	22	13	12	13	3	3	1					1	
	3	8	7	11	11	4	6	2	1		3					1	91a
	1	4	10	13	21	25	34	43	63	57	57	24	14	6	12	1	91
4	1	4	9	15	21	19	37	45	57	29	44	28	14	9	17	1	b,c
2	2	2	2	3	2		2	1	2								
	1	1	1	5	2		3	1	2	4		2					92
		2	1	3	1	2	2	2			2						
					1	1	3	1			1						93
		1	2		1		1	1									
	1	1		1				1									94
				3		1	2				1						
1	2	1	1	2	3	3			1		1		1	1			95
	1			1			1		4	1							
	1	1	1	1	1	2	1	2	1								96
479	410	521	507	491	479	348	368	301	288	213	159	70	48	19	33	25	
286	220	318	293	316	286	204	199	152	159	114	87	32	24	9	14	14	
193	190	203	214	175	193	144	169	149	129	99	72	38	24	10	19	11	
1			2	2	1	3		1					1	1			
3	3	1	4	2	2			1	1			2					97a
3	2		1	1		2		1									
		2	1			1		1			1						97b
	1	1		1	2		1		1	1							
1	2	1	2	1				2								1	98
6	4	4	4	4	5	4	2			1	3	1		1			
1	1	3	5	2	5		1	3	7	2	4	3	1		1		99a
3	1	4		3	12	4	6	6	8	5	5	1					
5	4	3	5	4	6	2	6	5	7	7	7	1	1	2	1	1	99b
4	7	4	5	6	8	3	5	4	3	2	3	2		1		1	
4	6	4	11	4	5	4	5	6	3	3	3	3	2		1		99
31	27	43	38	47	32	32	35	32	31	25	22	9	4	3	9	5	c, d
32	27	26	31	25	30	31	45	32	31	26	14	9	7	1	8	2	100a
1			2	3		1	1				1		1				
1	2	1			2					3	2						100b
196	131	202	187	201	167	120	109	70	88	57	34	8	13		4	5	
104	106	122	114	92	106	77	85	76	55	37	23	12	8	2	4	6	101a
12	18	25	14	21	24	11	12	18	12	10	8	5	5	2	1	3	
19	20	21	13	20	14	10	10	12	13	9	10	5	3	5	3	1	101b
16	12	13	15	12	11	8	7	5		3	2						
10	8	6	10	10	7	5	5	2	1	2		1					102
3	9	11	11	5	6	5	5	6	6	3	4	1					
2	2	1	3	2	1	3	2	2	5	3	3	1			1		103
	1	1		2					1			1					
1																	104
5	4	7	7	6	15	9	10	9	7	6	4	3		1			
3	3	11	14	9	14	10	8	5	6	7	5	2	1				105
							1				1						
2		1						1									106
5	3	3	7	2	3	2	5		2	1		1					
5	6		1	4	1	1	2	1									107

TABLE 7B.—DEATHS OF COLORED PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION STATES (INCLUD

Detailed List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF—									
				Under 1 year	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	VI.—Diseases of the digestive system		10,197	3,599	1,082	272	130	79	5,162	254	207	255	355
		Males	5,280	1,956	542	140	59	49	2,746	130	99	126	153
		Females	4,917	1,643	540	132	71	30	2,416	124	108	129	202
108	Diseases of the mouth and annexa	M	41	10	1			1	12	1			3
		F	37	1	1	2			4	1	1	1	2
109a	Adenoid vegetations	M	3	1	1				3				
		F											
109b	Other diseases of the pharynx, tonsils	M	135	9	8	6	6	8	37	24	6	14	8
		F	146	11	8	2	12	4	37	16	10	12	13
110	Diseases of the esophagus	M	7				1		1				
		F	4				1		1				
111a	Ulcer of the stomach	M	176							1		4	7
		F	127								3	7	10
111b	Ulcer of the duodenum	M	31									2	1
		F	14								1		1
112	Other diseases of the stomach (cancer excepted)	M	569	157	25	10	4	1	197	13	7	9	13
		F	667	130	27	12	7	2	178	17	8	11	23
113	Diarrhea and enteritis (under 2 years)	M	2,143	1,655	488				2,143				
		F	1,918	1,437	481				1,918				
114	Diarrhea and enteritis (2 years and over)	M	407			105	29	27	161	34	12	9	9
		F	523			102	39	17	158	40	19	13	21
115	Ancylostomiasis	M	2					1	1		1		
		F	3					1	1	1			
116	Diseases due to other intestinal parasites	M	30	6	2	5	5	1	19	4	3	1	
		F	35	4	7	6	4	2	23	4	5		
117	Appendicitis and typhlitis	M	537	1	4	5	4	4	18	26	43	64	57
		F	415		1	5	1	1	8	25	38	47	55
118a	Hernia	M	186	27	3				30	2	1	5	10
		F	59	4	1				5			1	3
118b	Intestinal obstruction	M	331	55	5	5	6	2	73	10	12	8	18
		F	327	39	8	2	4	1	54	8	9	10	25
119	Other diseases of the intestines	M	72	11	1		1	1	14	1	2	2	1
		F	84	7		1	1		9		2	2	6
120	Acute yellow atrophy of the liver	M	17	1					1				1
		F	11										2
121	Hydatid tumor of the liver	M											
		F	1										
122	Cirrhosis of the liver	M	335	2	1	1			4	2	1		8
		F	205		2				2	3	2	1	7
123	Biliary calculi	M	30								1		
		F	56								2		5
124	Other diseases of the liver	M	125	8	1	2		2	13	4	5	2	13
		F	132	4	2		1		7	1	1	8	9
125	Diseases of the pancreas	M	11									1	
		F	10							1			1
126	Peritonitis without specified cause	M	84	12	2		3	1	18	8	5	5	3
		F	136	6	1		1	2	10	7	7	15	19
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	M	8	1					1				1
		F	7		1				1			1	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa		9,737	97	48	32	31	21	229	82	73	176	299
		Males	4,931	58	25	18	14	10	125	43	32	56	83
		Females	4,806	39	23	14	17	11	104	39	41	120	216
128	Acute nephritis (including unspecified under 10 years)	M	537	36	18	11	11	8	84	31	10	22	33
		F	527	30	15	12	16	7	80	26	16	29	30
129	Chronic nephritis (including unspecified 10 years and over)	M	3,706	4	3	4	1	2	14	7	21	30	38
		F	3,299	2	4	1	1		8	8	17	48	93
130	Chyluria	M											
		F											
131	Other diseases of the kidneys and annexa	M	146	11	4	2	2		19	3	1	3	2
		F	98	5	4	1		3	13	3	2	5	4
132	Calculi of the urinary passages	M	24							1			2
		F	10										1
133	Diseases of the bladder	M	118	3					3	1		1	4
		F	31	2					2	1	1		1
134	Diseases of the urethra, etc	M	98	1					1				1
		F	3										
135	Diseases of the prostate	M	288										3
136	Nonvenereal diseases of the male genital organs	M	14	3		1			4				
137	Cysts, other benign tumors of the ovary	F	60					1	1				4
138	Salpingitis and pelvic abscess (female)	F	357							1	2	27	66
139	Benign tumors of the uterus	F	331										7
140	Nonpuerperal uterine hemorrhage	F	14								1	2	1
141	Other diseases of the female genital organs	F	76								2	9	9
142	Nonpuerperal diseases of the breast (cancer excepted)	M											
		F											
	VIII.—The puerperal state		2,158								25	412	495
143	Accidents of pregnancy	F	156									14	36
144	Puerperal hemorrhage	F	182								1	15	25
145	Other accidents of labor	F	271								6	43	57
146	Puerperal septicemia	F	833								6	153	213
147	Puerperal phlegmasia alba dolens, embolus, etc.	F	35									7	6
148	Puerperal albuminuria and convulsions	F	674								12	176	157
149	Following childbirth (undefined)	F	7									4	1
150	Puerperal diseases of the breast	F											

ING DISTRICT OF COLUMBIA) FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1921—Con.

DEATHS AT AGE OF—																Deaths at unknown ago.	Detailed Int. List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
408	353	491	432	447	427	320	306	214	237	142	84	46	20	12	14	11	
181	165	246	212	239	227	180	160	117	122	84	47	23	6	7	2	8	
227	188	245	220	208	200	140	146	97	115	58	37	23	14	5	12	3	
1		4	3	5	4	1	1	2	1	2	1						108
3	2	3	7	3	2	1	2	3		1						1	
																	109a
9	3	12	3	5	3	5	1	3		1	1						109b
9	6	9	11	10	5	1	2	1	2	1			1				
	1		2		1			1			1						110
1			1	1													
10	13	26	18	19	23	21	10	11	8	1	3			1			111a
11	13	10	13	9	14	7	12	4	9	2		2				1	
2	4	5	6	2	4	1	1		2	1							111b
3		1	4	3					1								
19	20	36	44	49	37	27	23	16	10	28	11	6	1	1		2	112
28	38	45	52	51	53	37	34	20	27	23	11	4	2	2	3		
																	113
16	8	12	15	10	22	16	12	14	18	11	15	5	1	3	1	3	114
26	17	31	15	22	22	20	30	25	23	8	11	9	8	2	3		
1																	115
1	1	1															116
	1	1			1												
61	50	53	40	48	31	16	11	8	4	4	1	1		1			117
55	48	48	27	18	16	9	7	7	6		1						
8	9	9	5	10	15	11	19	13	19	10	3	3	2	1		1	118a
2	1	4	11	5	8	5	4	4	3			1	1	1			
24	19	24	25	29	16	13	18	11	16	5	4	3	1		1	1	118b
40	17	37	29	22	18	13	15	8	11	4	6		1				
7	2	4	4	7	4	7	5	2	4	3	2	1					119
7	8	6	7	13	6	4	3	4	4	2	1						
		2		2	2	1	4	2	2								120
2	1			2	1			1	1		1						
			1														121
4	14	28	31	28	50	45	44	26	31	12	3	2	1			1	122
7	8	14	16	24	30	21	20	13	14	13	4	5			1		
3	3	5	2	2	3	3	1	2	3	2							123
3	4	6	5	3	9	7	4	2	3				1		2		
9	10	11	9	15	7	6	8	5	4	1	2	1					124
10	7	14	9	19	9	8	10	4	8	2	2	2			2		
		3	3	2	1	1											125
	3		1		1	1	2										
6	7	10	2	6	3	6	1	1		2		1					126
18	13	15	11	2	5	5	1	1	3	2					1	1	
1	1	1			1		1			1							127
1	1	1		1		1											
399	490	688	780	830	922	778	872	815	802	608	424	241	103	49	32	45	
112	155	236	335	384	482	460	512	499	494	395	255	141	61	27	18	26	
287	335	452	445	446	440	318	360	316	308	213	169	100	42	22	14	19	
34	31	31	50	47	43	32	23	17	19	11	8	6	2	1	1	1	128
43	47	45	47	40	42	23	18	15	12	6	6		1	1			
66	94	172	250	301	370	368	401	420	404	325	207	108	50	22	15	23	129
124	167	243	262	299	345	269	321	277	277	198	157	97	40	21	13	15	
																	130
8	10	9	10	8	23	10	6	4	12	8	6	3	1				131
7	8	10	5	6	9	4	7	6	2	2	2	1			1	1	
	2		1		4	4		2	3	5							132
			1	3		1	1	1	2								
1	5	3	4	4	4	8	19	13	11	9	15	9	2	2			133
1		2	2	3	2	1	2	2	5	2	2	2					
3	10	10	13	16	14	9	9	1	6	1	1	1		1		1	134
	2		1														
	3	10	6	8	23	26	54	41	39	35	18	13	5	1	2	1	135
		1	1		1	3		1		1		1	1				136
4	10	8	7	9	3	2	2	3	4	2	1						137
69	54	56	40	23	7	5	1	2	3							1	138
28	39	77	64	53	28	10	7	9	3	3	1		1			1	139
	3	1	2	4													140
11	5	10	14	6	4	3	1	1								1	141
																	142
422	330	333	104	29	2											6	
41	25	29	8	2	1												143
41	33	48	19														144
59	45	39	15	6												1	145
161	141	117	29	10	1											2	146
7	4	9	2														147
112	81	91	31	11												3	148
1	1																149
																	150

TABLE 7B.—DEATHS OF COLORED PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION STATES (INCLUD-

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	IX.—Diseases of the skin and of the cellular tissue	300	25	4				29	7	2	9	9
	Males	140	13	2				15	2	1	3	4
	Females	160	12	2				14	5	1	6	5
151	Gangrene	M. 69	1	1				2			2	1
		F. 75							1	1	1	1
152	Furuncle	M. 11								1		1
		F. 25	2					2			2	
153	Acute abscess	M. 38	5	1				6	2		1	1
		F. 27	5	1				6	2		2	3
154	Other diseases of the skin and annexa	M. 22	7					7				1
		F. 33	5	1				6	2		1	1
	X.—Diseases of the bones and of the organs of locomotion	76	6	2	1	1	1	11	4	5	7	4
	Males	45	4			1		5	2	3	6	3
	Females	31	2	2	1		1	6	2	2	1	1
155	Diseases of the bones (tuberculosis excepted)	M. 30	3			1		4	2	3	4	1
		F. 19	1	2	1		1	5	2	2	1	1
156	Diseases of the joints (tuberculosis and rheumatism excepted)	M. 9	1					1			2	1
		F. 9	1					1				
157	Amputations	M.										
		F.										
158	Other diseases of the organs of locomotion	M. 6										1
		F. 3										
	XI.—Malformations	703	633	28	13	4	5	683	9	6	2	3
	Males	391	348	19	10	1	2	380	6	3	1	1
	Females	312	285	9	3	3	3	303	3	3	1	2
159a	Congenital hydrocephalus	M. 57	32	12	5	1	1	51	4	2		
		F. 39	23	6	1	3	2	35	1	3		
159b	Congenital malformations of the heart	M. 219	206	6	4			216	1	1		1
		F. 176	170	2	1		1	174	2			
159c	Other congenital malformations	M. 115	110	1	1		1	113	1		1	
		F. 97	92	1	1			94			1	2
	XII.—Early infancy	6,245	6,245					6,245				
	Males	3,471	3,471					3,471				
	Females	2,774	2,774					2,774				
160	Congenital debility, icterus, sclerema	M. 731	731					731				
		F. 565	565					565				
161a	Premature birth	M. 2,104	2,104					2,104				
		F. 1,780	1,780					1,780				
161b	Injury at birth	M. 264	264					264				
		F. 180	180					180				
162	Other diseases peculiar to early infancy	M. 355	355					355				
		F. 230	230					230				
163	Lack of care	M. 17	17					17				
		F. 19	19					19				
164	XIII.—Old age (senility)	1,859										
	Males	798										
	Females	1,061										
	XIV.—External causes	7,817	355	195	156	136	99	941	371	371	672	961
	Males	5,853	188	106	82	64	44	484	215	281	554	765
	Females	1,964	167	89	74	72	55	457	156	90	118	196
	Suicide (total)	M. 255								1	10	34
		F. 82									12	16
165	By poisons (corrosives excepted)	M. 8									1	
		F. 8									2	2
166	By corrosive substances	M. 13										3
		F. 19									5	4
167	By poisonous gas	M. 12										1
		F. 9									3	2
168	By hanging or strangulation	M. 27									2	3
		F. 11										1
169	By drowning	M. 19								1		2
		F. 12										2
170	By firearms	M. 138									7	20
		F. 15									2	3
171	By cutting or piercing instruments	M. 19										
		F. 1										
172	By jumping from high places	M. 6										
		F. 3										2
173	By crushing	M. 9										4
		F. 2										
174	By other means	M. 4										1
		F. 2										

ING DISTRICT OF COLUMBIA) FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1921—Con.

DEATHS AT AGE OF—																Deaths at unknown age.	Detailed Int. List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
6	9	15	22	26	20	17	20	13	33	15	19	13	5	3	6	2	
4	5	6	8	16	9	7	10	6	16	7	6	6	3	1	3	2	
2	4	9	14	10	11	10	10	7	17	8	13	7	2	2	3	.....	
.....	2	2	5	6	5	4	6	3	9	4	6	6	3	1	2	.....	
.....	2	3	1	5	5	5	7	4	13	5	10	6	1	2	2	.....	151
.....	1	1	1	3	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	
.....	.....	3	7	1	4	2	1	1	1	.....	1	.....	.....	.....	.....	.....	152
4	2	3	2	4	2	1	3	2	1	2	.....	.....	.....	.....	1	1	
.....	1	.....	3	2	1	2	2	1	.....	2	.....	.....	.....	.....	.....	.....	153
.....	.....	.....	.....	3	2	2	1	.....	4	1	.....	.....	.....	.....	.....	1	
2	1	3	3	2	1	1	.....	1	3	1	2	1	1	.....	1	.....	154
6	3	6	4	2	8	3	5	2	.....	3	2	1	.....	.....	.....	.....	
3	1	2	1	2	5	3	4	1	.....	3	.....	1	.....	.....	.....	.....	
3	2	4	3	.....	3	.....	1	1	.....	.....	2	.....	.....	.....	.....	.....	
1	1	1	1	2	4	1	3	1	.....	1	.....	.....	.....	.....	.....	.....	
2	.....	1	2	.....	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	155
1	.....	1	.....	.....	.....	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	
1	1	3	.....	.....	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	156
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	157
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	.....	.....	.....	.....	1	.....	1	.....	.....	1	.....	1	.....	.....	.....	.....	158
.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	159a
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	159b
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	159c
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	160
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	161a
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	161b
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	162
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	163
.....	.....	.....	.....	1	7	9	39	60	194	253	362	269	263	140	255	7	164
.....	.....	.....	.....	.....	2	6	15	33	84	127	170	121	96	58	83	3	
.....	.....	.....	.....	1	5	3	24	27	110	126	192	148	167	82	172	4	
858	685	746	514	442	303	200	176	135	149	82	56	34	15	7	13	86	
673	569	622	410	381	251	146	138	89	93	51	28	16	6	1	7	73	
185	116	124	104	61	52	54	38	46	56	31	28	18	9	6	6	13	
33	30	36	31	23	16	11	8	8	9	2	1	1	.....	.....	.....	1	
19	12	10	4	4	1	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	
.....	2	2	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	165
.....	1	2	4	1	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	
2	2	3	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	166
.....	.....	3	3	2	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	
1	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	167
.....	1	4	4	2	1	3	1	2	3	.....	1	.....	.....	.....	.....	.....	
3	2	2	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	168
2	3	6	2	1	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	
3	2	2	1	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	169
26	17	12	12	15	13	5	3	2	4	1	.....	.....	.....	.....	.....	1	
5	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	170
3	3	3	3	.....	1	2	1	1	1	.....	.....	1	.....	.....	.....	.....	
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	171
1	1	1	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	172
1	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	173
.....	1	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	
.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	174

TABLE 7B.—DEATHS OF COLORED PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION STATES (INCLUD-

Detailed Int. List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF—									
				Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	XIV.—External causes—Continued.												
	Homicide (total)	M.	1,830	9			1	1	13	7	14	94	325
		F.	463	7			2		9	4	6	53	106
197	By firearms	M.	1,474	1			1	1	3	5	12	64	267
		F.	297	3			1		4	1	4	31	68
198	By cutting or piercing instruments	M.	198							1		18	41
		F.	91								1	14	26
199	By other means	M.	158	8	2				10	1	2	12	17
		F.	75	4			1		5	3	1	8	12
	Accidental or undefined (total)	M.	3,768	179	104	82	63	43	471	208	266	450	406
		F.	1,419	160	89	74	70	55	448	152	84	53	74
175	Poisoning by food	M.	65	12	6	4	2	1	25	2	3	1	4
		F.	56	7	1	2	3		13	6	1	2	3
176	Poisoning by venomous animals	M.	12	1					1	3	1		1
		F.	7	2					2				
177	Other acute poisonings (gas excepted)	M.	111	7	24	9	4	6	50	5		3	3
		F.	75	6	21	10		2	39	4	1		8
178	Conflagration	M.	60	3	5	1	8	3	20	4		2	6
		F.	70	9	7	5	4	2	27	2	7	1	4
179	Burns (conflagration excepted)	M.	289	22	44	40	27	16	149	23	8	14	9
		F.	470	20	29	43	50	34	176	84	33	10	17
180	Mechanical suffocation	M.	93	70	1				71	1	2	3	1
		F.	77	74	2				76				
181	Absorption of irrespirable, irritating, or poisonous gas	M.	37	2					2			2	3
		F.	19	1					1		1	1	1
182	Drowning	M.	628		7	4	1	1	13	45	91	152	104
		F.	63	2	6	3	3		14	10	7	7	3
183	Traumatism by firearms (except in war)	M.	404		2	4	1	4	11	34	53	93	71
		F.	101	2	5	2	4	3	16	13	15	16	12
184	Traumatism by cutting or piercing instruments	M.	36	1	1				2	2	5	4	3
		F.	15								2		1
185	Traumatism by fall	M.	267	16	4	5	7	2	34	4	17	16	11
		F.	132	7	4	3	3	2	19	4	4	2	4
186a	Traumatism in mines	M.	72									2	8
		F.											
186b	Traumatism in quarries	M.	3										
		F.											
187	Traumatism by machines	M.	133				2		2	1	2	20	14
		F.	4									3	
188a	Railroad accidents	M.	394		1	1			2	3	6	50	58
		F.	40			1	1	1	3	3	1	2	3
188b	Street-car accidents	M.	48				1	2	3	7	4	6	4
		F.	19							2	1		1
188c	Automobile accidents	M.	330	2	2	3	5	3	15	42	33	17	27
		F.	87	1	1	1	2	5	10	13	3	4	7
188e,f	Injuries by other vehicles	M.	93	6		1	1	1	9	7	11	5	3
		F.	27		2				2	1			
188d	Aeroplane and balloon accidents	M.											
		F.	4		1				1	1		1	
188g	Landslide, other crushing	M.	41									3	6
		F.	2		1				1		1		
189	Injuries by animals (not poisoning)	M.	44	2		1			3	4	11	3	3
		F.	6	1				1	2		1		
190	Wounds of war	M.	3										1
		F.											
192	Starvation (deprivation of food or water)	M.	1	1					1				
		F.											
193	Excessive cold	M.	13										
		F.	2										
194	Excessive heat	M.	80	12	1		1		14	1		3	3
		F.	38	8		1			9	3			
195	Lightning	M.	67							4	6	7	6
		F.	16	1					1	1	2	3	3
196	Other accidental electric shocks	M.	35							2	2	6	3
		F.											
201	Fracture (cause not specified)	M.	23	1					1			2	3
		F.	6		1				1				
202	Other external violence	M.	292	9	5	6	2	2	24	11	9	28	42
		F.	52	12	8	1		5	26	3	3	1	4
203	Violent deaths of unknown causation	M.	94	12	1	3	1	2	19	3	2	8	9
		F.	31	7		2			9	2	1		3
	XV.—Ill-defined diseases		6,191	2,698	304	114	67	48	3,231	122	102	124	191
	Males		3,180	1,472	155	59	33	29	1,748	55	48	55	78
	Females		3,011	1,226	149	55	34	19	1,483	67	54	69	113
204	Sudden death	M.	160	39	3	1	2	1	46	2	1	2	5
		F.	160	42	6	2	3	2	55		1	1	6
205a	Ill-defined	M.	786	208	70	21	11	8	318	21	18	18	19
		F.	680	161	59	17	9	6	252	18	18	17	20
205b	Not specified or unknown	M.	2,234	1,225	82	37	20	20	1,384	32	29	35	54
		F.	2,171	1,023	84	36	22	11	1,176	49	35	51	87

ING DISTRICT OF COLUMBIA) FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1921—Con.

DEATHS AT AGE OF—																Deaths at unknown age.	Detailed List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
311	287	278	150	118	79	42	36	18	15	7	3	1				32	
102	61	48	38	15	6	4	3	2	1	1						4	
266	242	236	126	88	56	33	28	10	12	3	1	1				21	197
70	41	31	23	12	3	4	1	1		1						2	
29	30	25	9	17	11	3	1	4	1	1	1					6	198
16	9	12	8	3	1		1										
16	15	17	15	13	12	6	7	4	2	3	1					5	199
16	11	5	7		2		1	1	1							2	
329	252	308	229	240	156	93	94	63	69	42	24	14	6	1	7	40	
64	43	66	62	42	45	47	35	43	55	30	28	18	9	6	6	9	
4	2	7	4	3	4	4	1	1									175
1	6	5	5	5	3		1	1	3						1		
			1	1		2	1									1	176
		1		1			1	1									
8	6	11	7	8	3	3		1	3								177
7	3	5	3		1	1		1	1							1	
1	2		2	3	3	3	3	1	3		4	1			2		178
4	2	3	3		2	1	1	4	2	2	1	1	1	1		1	
11	14	8	6	6	8	4	5	4	6	7	2	2	1		1	1	179
15	13	11	13	3	10	10	17	11	12	9	9	7	2	2	5	1	
1		1	4	2	5	1		1									180
			1														
6	2	4	5	2		2	3	1	3	2							181
4		2	2		3		1		1	2							
63	38	32	26	23	13	4	7	3	4	2		1				7	182
2	3	3	2	2	1	1		1	3							4	
42	19	23	12	15	11	4	3	3		2	1					7	183
7	2	10	1	3	2	1	1				1		1				
2	2	1	4	3	2	1		1	1		1	1	1				184
1		1	1	2	3	1	1			1			1				
15	15	28	26	28	14	10	13	4	12	7	5	4	1		2	1	185
7	1	5	9	5	3	7	5	12	13	9	10	8	3	2			
17	7	13	5	7	4	2	2	2								3	186a
1		1		1													186b
17	14	13	14	12	5	5	7	4	3								187
		1															
49	44	56	29	29	20	8	13	7	5	2	2	1				10	188a
4	3		2	2	2	2	1	3	4	2	3						
5	1	4	2	5	2		3		1							1	188b
2	1	2	4	2		3					1						
24	23	29	25	32	15	13	11	10	4	6	2					2	188c
7	3	7	4	5	5	5	1	6	4	2						1	
1	6	5	4	8	7	2	7	4	8	3	2	1					188e,f
	2	3	4	6	2	5	1		1								
																	188d
		1															
1	5	6	5	4	3	2		3			1		1			1	188g
1		3	4	2	3	1	2	1	1		1					1	189
			1						1		1						
	1	1															190
																	192
	1				1	1	1	2	3	1	2	1					193
		1							1								
2	5	8	6	10	5	5	2	2	5	4	1	2	1		1		194
	1	3	4		4	6		1	1	2	1	1	1	1			
5	5	10	7	6	5	2	2			1						1	195
			1	1	1				1	1	1						
4	4	2	3	6	2			1									196
2	2	3	3	1	4					1					1		201
1						1		1	2								
41	31	32	19	17	11	8	5	4	4	2			1	1		2	202
2	2	1		3	2	1	1		3								
6	3	7	6	6	5	6	3	3	3	2						3	203
	1	1	2	2	1	2	3	1	2			1					
140	121	193	179	176	190	164	190	192	214	191	178	98	51	27	60	57	
56	44	76	89	87	98	87	108	108	114	105	101	46	17	11	25	24	
84	77	117	90	89	92	77	82	84	100	86	77	52	34	16	35	33	
6	4	9	7	7	9	7	12	11	10	9	6	4		1	1	1	204
5	10	4	8	7	6	7	8	11	5	10	7	3	2	2	2		
16	12	19	38	34	41	35	36	40	44	28	27	13	2	1	3	3	205a
28	22	37	32	37	30	26	28	20	26	22	14	12	8	3	3	7	
34	28	43	44	46	48	45	60	57	60	68	68	29	15	9	21	20	205b
51	45	76	50	45	56	44	46	53	69	54	56	37	24	11	30	26	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	THE REGISTRATION AREA (EXCLUSIVE OF HAWAII).																		
	All causes	1,032,009	160,011	28,907	13,895	9,923	7,952	26,058	44,194	71,977	78,935	90,999	112,870	145,025	147,219	79,807	12,149	910	1,178
	I.—Epidemic, endemic, and infectious diseases	164,183	15,429	8,551	5,316	4,264	3,678	10,978	15,998	28,694	23,101	17,692	12,505	9,509	5,804	2,183	267	29	185
1	Typhoid and paratyphoid fever	8,007	50	82	72	101	96	584	2,106	1,767	1,256	850	548	337	125	24	2		7
2	Typhus fever	12					1	1	2	1	3	3		1					
3	Relapsing fever (spirillum obermeieri)	3								1	1			1					
4	Malta fever	1										1							
5	Malaria	3,229	348	195	150	101	86	301	451	345	259	242	229	220	189	84	10	9	10
6	Smallpox	641	93	15	9	6	7	23	53	88	107	86	64	44	26	11	5		4
7	Measles	3,790	1,026	1,086	425	222	167	386	219	87	55	36	28	31	13	7			2
8	Scarlet fever	4,718	230	429	588	552	457	1,340	629	291	132	52	12	3	2				1
9	Whooping cough	8,070	4,630	1,989	631	305	163	274	42	7	1	6	3		7	3	1		8
10	Diphtheria	15,683	944	1,791	1,917	1,925	1,876	5,001	1,533	255	177	141	73	28	11	4	1		6
11a	Influenza (with pulmonary complications)	5,973	839	303	159	88	60	188	312	478	571	559	585	732	696	356	39	1	7
11b	Influenza (other and unspecified)	4,220	482	139	71	64	38	178	268	268	349	345	368	455	674	425	86	8	2
12	Miliary fever	2											1		1				
13	Mumps	131	20	5	10	8	8	17	15	9	7	5	5	9	9	1	3		
15	Cholera nostras	232	49	15	9	9	4	11	5	6	3	7	11	23	40	38	2		
16	Dysentery	3,570	849	571	211	92	52	108	79	74	89	111	172	289	434	374	53	7	5
17	Plague	1								1									
18	Yellow fever	2								1	1								
19	Spirochetal hemorrhagic jaundice	27	1	1	1	1	1	2	4	3	3	3	2	4		1			
20	Leprosy	18							1	4	4	1	6	1	1				
21	Erysipelas	2,501	803	54	29	19	11	26	55	112	155	198	255	328	288	141	21		6
22	Acute anterior poliomyelitis	1,597	110	180	149	129	106	403	324	103	44	18	12	9	8		1		1
23	Lethargic encephalitis	1,355	40	57	44	31	29	90	155	216	199	189	184	80	32	5	2	1	1
24	Meningococcus meningitis	1,296	310	144	79	43	65	195	219	101	65	36	20	11	2	3			3
25	Other epidemic and endemic diseases	209	77	38	15	5	9	22	9	6	5	8	6	7	2				
26	Glanders	1											1						
27	Anthrax	32				1		1	2	3	3	9	8	3	2				
28	Rabies	54	1	1	4	3	3	14	12	5	5	2	2	2					
29	Tetanus	1,614	385	14	18	27	30	245	359	125	115	112	88	63	25	7			1
30	Mycoses	197	132	10	3	1		2	8	7	2	5	11	12	3		1		
	Tuberculosis (total)	88,135	1,814	1,282	646	487	381	1,443	8,778	23,334	18,109	13,207	8,806	6,175	2,929	605	32	2	105
31	Of the respiratory system	76,298	606	395	188	131	104	551	7,369	21,351	16,644	12,125	8,003	5,546	2,635	523	26	2	99
32	Of the meninges, central nervous system	4,281	877	680	341	242	197	556	479	375	244	161	77	37	10	4	1		
33	Of the intestines, peritoneum	3,188	125	82	45	37	37	123	353	695	501	408	308	294	150	27	1		2
34	Of the vertebral column	925	23	15	14	[illegible]	9	75	124	166	165	110	99	56	32	11	3		
35	Of the joints	434	9	6	4	6	7	35	74	82	44	47	47	44	22	7			
36	Of other organs	1,171	46	24	17	18	10	43	125	191	205	158	150	101	51	30	1		1
37a	Disseminated (acute)	1,405	98	73	30	27	14	49	214	383	234	151	81	38	10	2			1
37b	Disseminated (chronic or unspecified)	433	30	7	7	3	3	11	40	91	72	47	41	59	19	1			2
38	Syphilis	6,962	1,988	120	45	33	14	51	160	632	1,046	1,234	871	521	190	43	1		13
39	Soft chancre	7							2	1	1	1	1	1					
40	Gonococcus infection	644	44		3	1	1	1	65	222	183	82	23	9	7	2			1
41	Purulent infection, septicemia	1,240	162	30	28	10	13	71	130	138	150	143	110	109	88	48	7	1	2
42	Other infectious diseases	9	2						1	3	1			1		1			
	II.—General diseases not included in Class I	113,707	2,207	528	348	311	264	1,182	2,695	3,717	7,491	15,222	24,237	28,459	20,197	6,186	543	21	99
	Cancer and other malignant tumors (total)	76,274	51	56	79	73	63	150	391	1,133	4,071	10,595	17,581	20,980	15,618	4,942	423	14	54
43	Of the buccal cavity	2,610	3	2	3	5	1	6	10	12	59	292	533	715	662	272	32	1	2
44	Of the stomach, liver	28,367	13	4	9	9	6	19	51	178	933	2,922	6,570	9,060	6,656	1,812	101	3	21
45	Of the peritoneum, intestines, rectum	10,653	8	6	10	12	6	21	53	223	599	1,381	2,261	3,053	2,320	659	33		8
46	Of the female genital organs	11,181		2		1	3	3	34	244	1,222	2,711	3,000	2,329	1,254	348	22	1	7
47	Of the breast	7,016			1		1		3	69	487	1,513	1,901	1,544	1,017	426	48	2	4
48	Of the skin	2,433	1	2	3	2	3	4	3	24	46	136	290	504	751	550	111	2	1
49	Of other or unspecified organs	14,014	26	40	53	44	43	97	237	383	725	1,640	3,026	3,775	2,958	875	76	5	11
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	738	23	14	11	8	6	18	22	48	58	93	116	141	127	46	5		2
51	Acute rheumatic fever	3,254	21	20	30	51	55	391	761	323	262	306	311	325	251	122	16	4	5
52	Chronic rheumatism, osteoarthritis, gout	1,020			1	1		5	9	22	44	85	155	239	303	143	11		2
53	Scurvy	60	35	16	3			1	3		1				1				
54	Pellagra	2,541	7	8	8	8	7	44	114	411	502	451	356	323	234	51	8	1	8
55	Beriberi	6	2							3		1							
56	Rickets	515	300	115	40	11	8	16	4	2	5	2	6	1	4	1			
57	Diabetes mellitus	14,933	18	35	33	41	48	273	801	783	944	1,414	3,135	4,194	2,526	621	53	2	12
58	Anemia, chlorosis	4,810	110	36	15	13	9	54	107	164	328	670	1,152	1,300	708	132	11		1
59	Diseases of the pituitary gland	55		1			1	4	9	8	7	11	8	6					
60a	Exophthalmic goiter	1,498	2			2		4	69	176	277	370	316	207	63	11	1		
60b	Other diseases of the thyroid gland	870	23	9	6	1	1	6	52	102	130	175	194	116	42	12	1		
61	Diseases of the parathyroid glands	71	52	9	5		1	2	1				1						
62	Diseases of the thymus gland	570	424	38	19	19	7	25	19	8	7	2	1	1					
63	Diseases of the adrenals (Addison's disease)	363				1		1	20	32	50	83	86	57	28	5			
64	Diseases of the spleen	264	15	6	3	2	3	9	29	23	36	41	43	29	22	3			
65a	Leukemia	1,241	44	30	25	39	22	81	114	116	131	171	192	182	74	17	2		1
65b	Hodgkin's disease	616	12	6	7	3	3	23	45	89	94	95	98	83	48	9	1		
66	Alcoholism (acute or chronic)	1,611							20	138	388	493	358	157	38	8			11
67a	Chronic lead poisoning	142							4	6	21	43	29	25	13				1
67b	Other chronic mineral poisoning	16								1	6	4	2	1	1	1			
68	Chronic poisoning by organic substances	228							2	55	61	37	27	18	19	9			
69	Other general diseases	2,011	1,068	129	63	38	30	75	99	74	68	80	70	74	77	53	11		2
	III.—Diseases of the nervous system and of the organs of special sense	108,577	3,738	1,042	552	399	333	1,234	2,110	2,619	4,805	9,215	15,397	24,150	27,473	13,692	1,634	73	111
70	Encephalitis	1,119	145	55	26	37	22	65	131	131	120	131	112	86	42	14	1		1
71a	Simple meningitis	2,713	737	280	188	124	95	249	288	188	147	139	126	84	46	17	3		2
71b	Nonepidemic cerebrospinal meningitis	971	233	163	70	50	32	113	132	50	54	30	15	22	3	2			2
72	Tabes dorsalis (locomotor ataxia)	1,694							2	17	107	303	446	500	263	53	2		1
73	Other diseases of the spinal cord	4,534	40	26	15	12	15	67	122	137	216	401	726	1,173	1,142	398	40		4
74a	Cerebral hemorrhage	71,047	153	38	19	22	12	57	146	485	1,400	4,628	10,664	18,699	22,084	11,203	1,321	54	62
74b	Cerebral embolism and thrombosis	2,302	5	4	4	5	1	8	19	48	100	181	345	523	662	345	52		
75	Paralysis without specified cause	5,526	37	11	8	8	5	21	31	68	116	272	616	1,257	1,843	1,042	154	16	21
76	General paralysis of the insane	5,596						2	14	190	1,224	1,745	1,140	656	464	139	12		10
77	Other forms of mental alienation	1,493							45	187	284	297	248	239	125	59	6		3

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	Deaths at unknown age.
	THE REGISTRATION AREA (EXCLUSIVE OF HAWAII)—Continued.																		
	III.—Diseases of the nervous system and of the organs of special sense—Continued.																		
78	Epilepsy	2,782	103	30	22	21	28	104	442	545	426	377	268	212	157	43	1	1	2
79	Convulsions (nonpuerperal; 5 years and over)	139						28	26	17	22	13	10	11	5	5	1		1
80	Infantile convulsions (under 5 years)	1,992	1,671	197	71	25	28												
81	Chorea	100	7	1			1	11	41	5	7	7	5	4	9	2			
82	Neuralgia and neuritis	341	2	2	2	1		1	8	14	22	28	52	84	66	49	10		
83	Softening of the brain	762								6	17	19	57	167	284	192	18	2	
84	Other diseases of the nervous system	2,548	139	56	42	23	28	130	213	237	327	414	369	267	194	96	11		2
85	Diseases of the eye and annexa	84	13	4	2	3	2	6	5	5	9	3	5	10	15	2			
86a	Diseases of the ear	1,774	341	120	50	41	37	226	255	170	117	135	112	101	43	24	2		
86b	Diseases of the mastoid process	1,060	112	55	33	27	27	146	190	119	90	92	81	55	26	7			
	IV.—Diseases of the circulatory system	160,858	986	227	196	178	210	1,466	3,824	4,313	7,112	12,645	21,624	35,494	43,358	25,328	3,589	161	147
87	Pericarditis	882	15	10	8	7	6	36	50	51	62	95	111	165	177	79	7	3	
88	Endocarditis and myocarditis (acute)	5,384	342	61	62	56	67	341	688	733	892	754	422	412	357	175	19	1	2
89	Angina pectoris	8,031	1	1				7	25	75	271	775	1,486	2,472	2,173	688	49	1	7
90	Other diseases of the heart	124,967	497	121	111	98	126	1,048	2,991	3,276	5,458	10,178	17,937	28,681	33,708	18,259	2,262	94	122
91a	Aneurysm	1,564		2			1	1	8	48	166	347	352	375	197	61	3		3
91b,c	Other diseases of the arteries	17,813					1	1	1	11	55	252	952	2,951	6,394	5,895	1,226	62	12
92	Embolism and thrombosis (not cerebral)	1,327	40	11	7	4	2	15	34	74	133	155	206	269	248	119	10		
93	Diseases of the veins	484	9	1	4			2	8	25	47	46	114	125	68	30	4		1
94	Diseases of the lymphatic system	198	53	19	4	11	3	8	8	6	15	20	15	18	8	7	3		
95	Hemorrhage without specified cause	140	28			2	4	7	10	13	10	13	16	9	15	9	4		
96	Other diseases of the circulatory system	68	1	1					1	1	3	10	13	17	13	6	2		
	V.—Diseases of the respiratory system	95,007	20,871	6,643	2,714	1,480	963	2,562	3,271	4,546	5,669	6,906	7,906	10,365	11,827	7,848	1,298	67	71
97a	Diseases of the nasal fossae	365	198	15	7	6	4	6	19	17	16	15	14	14	8	18	8		
97b	Diseases of the nasal fossae annexa	428	27	7	5	4	4	16	66	79	73	60	44	25	12	5	1		
98	Diseases of the larynx	795	137	106	104	76	59	128	30	22	18	29	22	23	19	20			2
99a	Acute bronchitis	3,277	1,350	251	88	51	28	62	51	43	45	66	100	165	400	444	128	4	1
99b	Chronic bronchitis	2,628	71	30	10	8	3	18	24	38	60	91	198	412	795	767	101	1	1
99c,d	Bronchitis (unspecified)	2,109	680	124	45	37	19	44	30	35	41	66	87	146	283	378	89	3	2
100a	Bronchopneumonia	33,696	12,336	3,816	1,393	679	432	928	640	746	849	1,143	1,513	2,515	3,594	2,604	456	28	24
100b	Capillary bronchitis	1,193	633	132	58	29	21	21	16	9	12	14	25	36	80	90	17		
101a	Lobar pneumonia	37,871	3,799	1,591	730	401	270	1,009	1,860	2,812	3,643	4,266	4,610	5,404	4,897	2,273	257	22	28
101b	Pneumonia (unspecified)	5,503	1,273	323	138	97	71	170	277	288	344	378	404	528	645	463	91	4	9
102	Pleurisy	2,695	180	183	104	68	36	90	182	256	267	304	312	341	256	100	13		3
103	Congestion and hemorrhagic infarct of the lung	1,586	95	27	5	9	4	19	23	57	82	103	112	137	316	432	111	4	
104	Gangrene of the lung	189	1	1	3	1		2	6	16	34	37	37	30	15	4	2		
105	Asthma	1,783	32	23	18	9	7	26	14	44	93	194	304	379	410	210	19	1	
106	Pulmonary emphysema	147	12	1			1	2	2	7	6	16	14	36	32	16	2		
107	Other diseases of the respiratory system (tuberculosis excepted)	742	47	13	6	5	4	21	31	77	87	124	110	124	65	24	3		1
	VI.—Diseases of the digestive system	101,571	33,276	8,815	2,684	1,451	946	2,942	4,389	5,022	6,316	7,496	8,535	8,655	7,066	3,422	472	23	61
108	Diseases of the mouth and annexa	598	104	14	8	4	15	33	40	41	65	82	65	74	38	13	1		1
109a	Adenoid vegetations	12	5	3	1		1	2											
109b	Other diseases of the pharynx, tonsils	3,570	205	149	167	204	171	657	586	421	356	224	170	124	91	37	8		
110	Diseases of the esophagus	117	2	3	1	2		6	1	2	9	14	15	26	23	11	2		
111a	Ulcer of the stomach	3,274	13	7	3	4	5	8	65	244	505	659	679	577	360	130	12		3
111b	Ulcer of the duodenum	1,053	11	1				4	15	97	217	229	217	168	77	17			
112	Other diseases of the stomach (cancer excepted)	6,594	1,929	297	150	69	41	122	121	199	323	520	565	711	843	595	94	8	7
113	Diarrhea and enteritis (under 2 years)	37,192	29,289	7,903															
114	Diarrhea and enteritis (2 years and over)	8,645			2,030	837	412	643	264	266	326	388	478	723	1,153	929	172	6	18
115	Ancylostomiasis	24			2	1	3	5	7	4		1		1					
116	Diseases due to other intestinal parasites	153	18	30	18	13	12	19	18	8	7	2	5	3					
117	Appendicitis and typhlitis	12,809	37	62	112	166	163	1,053	2,550	2,223	2,064	1,771	1,432	824	280	55	8		9
118a	Hernia	3,262	136	13	4	7	3	10	35	87	193	419	621	812	629	257	34		2
118b	Intestinal obstruction	6,247	1,073	206	97	86	52	156	286	492	638	679	672	706	697	358	40	2	7
119	Other diseases of the intestines	1,320	146	34	22	6	11	25	41	102	123	159	168	169	165	122	25	1	1
120	Acute yellow atrophy of the liver	372	14		1	1	1	5	13	63	54	44	48	52	52	21	3		
121	Hydatid tumor of the liver	29						1	2	7	4	4	1	4	4	1	1		
122	Cirrhosis of the liver	6,598	23	13	9	1	4	18	54	118	370	833	1,516	1,833	1,360	409	30	1	6
123	Biliary calculi	3,494	1					1	13	122	335	586	877	865	520	162	8	2	2
124	Other diseases of the liver	3,894	94	31	17	16	18	44	90	238	406	565	711	771	609	250	30	2	2
125	Diseases of the pancreas	500	2	1	2	2	1	8	13	43	60	112	126	79	45	6			
126	Peritonitis without specified cause	1,683	165	41	38	32	32	120	169	227	240	186	146	124	111	45	3	1	3
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	131	9	7	2		1	2	6	18	21	19	23	9	9	4	1		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	88,899	726	247	217	180	157	589	1,506	3,456	5,899	9,292	12,978	19,534	21,493	11,085	1,384	59	97
128	Acute nephritis (including unspecified under 10 years)	5,741	454	156	140	133	95	343	423	530	649	710	706	584	523	259	29	2	5
129	Chronic nephritis (including unspecified 10 years and over)	69,955	37	37	46	30	51	198	856	1,781	3,401	6,503	10,837	16,882	18,528	9,446	1,195	50	77
130	Chyluria	1													1				
131	Other diseases of the kidneys and annexa	2,169	178	49	28	15	10	34	75	177	270	262	278	330	284	152	21	3	3
132	Calculi of the urinary passages	638	2					6	12	42	76	98	118	142	108	32	1		1
133	Diseases of the bladder	1,111	19	3	1	2		4	10	22	25	60	71	199	338	309	47	1	
134	Diseases of the urethra, etc.	335	4						1	18	57	75	68	54	37	17	3		1
135	Diseases of the prostate	3,804							1	9	30	54	290	1,038	1,495	801	83	2	1
136	Nonvenereal diseases of the male genital organs	76	22	2	1			2	2	5	1	6	12	6	11	5	1		
137	Cysts, other benign tumors of the ovary	709					1	1	9	85	151	164	120	98	53	26	1		
138	Salpingitis and pelvic abscess (female)	1,830						1	81	564	645	383	105	33	11	3	1		3
139	Benign tumors of the uterus	1,806							2	93	427	812	267	97	77	23	2	1	5
140	Nonpuerperal uterine hemorrhage	61							9	10	22	14	2	3		1			
141	Other diseases of the female genital organs	643	1						24	117	145	149	102	68	27	9			1
142	Nonpuerperal diseases of the breast (cancer excepted)	20	9		1				1	3		2	2			2			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	Deaths at unknown age.
	THE REGISTRATION AREA EXCLUSIVE OF HAWAII—Continued.																		
	VIII.—The puerperal state	15,027	.....	.....	.....	.....	.....	.....	1,552	6,539	5,663	1,250	6	.....	.....	.....	.....	.....	17
143	Accidents of pregnancy	1,258	.....	.....	.....	.....	.....	.....	67	535	550	104	1	.....	.....	.....	.....	.....	1
144	Puerperal hemorrhage	1,533	.....	.....	.....	.....	.....	.....	59	513	758	203	.....	.....	.....	.....	.....	.....	.....
145	Other accidents of labor	1,507	.....	.....	.....	.....	.....	.....	110	594	634	167	.....	.....	.....	.....	.....	.....	2
146	Puerperal septicemia	6,057	.....	.....	.....	.....	.....	.....	619	2,880	2,141	408	4	.....	.....	.....	.....	.....	5
147	Puerperal phlegmasia alba dolens, embolus, etc	550	.....	.....	.....	.....	.....	.....	34	221	240	55	.....	.....	.....	.....	.....	.....	.....
148	Puerperal albuminuria and convulsions	4,032	.....	.....	.....	.....	.....	.....	655	1,758	1,302	307	1	.....	.....	.....	.....	.....	9
149	Following childbirth (undefined)	85	.....	.....	.....	.....	.....	.....	8	34	37	6	.....	.....	.....	.....	.....	.....	.....
150	Puerperal diseases of the breast	5	.....	.....	.....	.....	.....	.....	.....	4	1	.....	.....	.....	.....	.....	.....	.....	.....
	IX.—Diseases of the skin and of the cellular tissue	3,432	694	70	14	17	9	56	120	166	173	256	297	347	561	509	126	12	5
151	Gangrene	1,359	39	11	10	7	5	11	15	20	36	66	91	147	376	404	110	9	2
152	Furuncle	662	133	11	1	2	.....	8	43	69	52	91	90	76	53	29	4	.....	.....
153	Acute abscess	664	171	29	2	6	3	28	39	52	57	70	60	66	51	27	1	1	1
154	Other diseases of the skin and annexa	747	351	19	1	2	1	9	23	25	28	29	56	58	81	49	11	2	2
	X.—Diseases of the bones and of the organs of locomotion	1,258	74	29	28	29	30	162	235	92	101	112	115	114	91	39	6	1	.....
155	Diseases of the bones (tuberculosis excepted)	909	51	22	27	26	27	144	198	63	60	69	79	70	55	13	4	1	.....
156	Diseases of the joints (tuberculosis and rheumatism excepted)	282	21	7	1	3	3	18	30	26	32	33	31	30	28	17	2	.....	.....
157	Amputations	4	1	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	1	.....	.....	.....
158	Other diseases of the organs of locomotion	63	1	.....	.....	.....	.....	.....	6	3	9	10	4	14	8	8	.....	.....	.....
	XI.—Malformations	13,800	12,810	354	141	90	51	159	113	50	16	15	1	.....	.....	.....	.....	.....	.....
159a	Congenital hydrocephalus	1,330	975	141	52	41	20	52	30	12	3	4	.....	.....	.....	.....	.....	.....	.....
159b	Congenital malformations of the heart	8,186	7,769	143	55	28	17	74	64	23	7	5	1	.....	.....	.....	.....	.....	.....
159c	Other congenital malformations	4,284	4,066	70	34	21	14	33	19	15	6	6	.....	.....	.....	.....	.....	.....	.....
	XII.—Early infancy	60,991	60,991	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
160	Congenital debility, icterus, sclerema	8,953	8,953	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
161a	Premature birth	37,512	37,512	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
161b	Injury at birth	8,986	8,986	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
162	Other diseases peculiar to early infancy	5,393	5,393	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
163	Lack of care	147	147	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
164	XIII.—Old age (senility)	10,938	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	45	405	2,755	5,311	2,039	367	13
	XIV.—External causes	79,577	2,061	1,749	1,467	1,404	1,227	4,508	8,008	12,209	12,018	10,151	8,307	6,741	5,364	3,459	619	31	254
	Suicide (total)	11,136	.....	.....	.....	.....	.....	.....	398	1,638	2,302	2,328	2,185	1,445	646	160	10	.....	24
165	By poisons (corrosives excepted)	416	.....	.....	.....	.....	.....	.....	30	76	107	84	64	37	15	2	1	.....	.....
166	By corrosive substances	1,323	.....	.....	.....	.....	.....	.....	100	330	294	232	206	117	36	7	.....	.....	1
167	By poisonous gas	1,401	.....	.....	.....	.....	.....	.....	27	166	284	303	318	205	80	14	2	.....	2
168	By hanging or strangulation	1,942	.....	.....	.....	.....	.....	.....	53	157	322	433	432	318	170	48	4	.....	5
169	By drowning	710	.....	.....	.....	.....	.....	.....	13	86	137	143	133	126	51	18	1	.....	2
170	By firearms	4,122	.....	.....	.....	.....	.....	.....	162	695	913	860	765	467	201	50	.....	.....	9
171	By cutting or piercing instruments	712	.....	.....	.....	.....	.....	.....	5	39	125	160	178	123	56	15	2	.....	4
172	By jumping from high places	271	.....	.....	.....	.....	.....	.....	4	47	55	59	53	32	18	3	.....	.....	.....
173	By crushing	130	.....	.....	.....	.....	.....	.....	3	32	36	29	15	6	9	.....	.....	.....	.....
174	By other means	109	.....	.....	.....	.....	.....	.....	1	10	29	25	21	9	10	3	.....	.....	1
	Homicide (total)	7,545	150	10	13	19	14	55	432	2,393	2,164	1,241	566	261	98	24	1	.....	54
197	By firearms	5,509	8	2	4	7	7	28	319	1,886	1,675	944	378	167	46	3	.....	.....	35
198	By cutting or piercing instruments	768	6	2	1	2	2	3	65	236	230	117	54	24	13	6	1	.....	6
199	By other means	1,268	136	6	8	10	5	24	98	271	259	180	134	70	39	15	.....	.....	13
	Accidental or undefined (total)	60,896	1,911	1,739	1,454	1,385	1,213	4,453	7,128	8,178	7,552	6,582	5,556	5,035	4,620	3,275	608	31	176
175	Poisoning by food	927	104	61	53	50	31	78	65	82	82	93	84	62	62	18	.....	1	1
176	Poisoning by venomous animals	94	14	5	3	1	6	10	10	7	7	6	14	7	2	1	.....	.....	1
177	Other acute poisonings (gas excepted)	1,538	73	267	123	55	33	58	48	206	252	209	120	60	26	5	.....	.....	3
178	Conflagration	928	41	51	42	43	43	71	77	105	99	91	74	83	67	27	5	2	7
179	Burns (conflagration excepted)	5,329	221	582	624	589	430	645	327	365	357	275	255	250	259	118	17	8	7
180	Mechanical suffocation	949	714	9	7	4	4	27	33	35	29	40	30	11	5	.....	.....	.....	1
181	Absorption of irrespirable, irritating, or poisonous gas	1,778	18	7	3	6	12	18	78	195	271	289	301	269	214	92	2	.....	3
182	Drowning	6,489	41	207	133	98	81	673	1,970	1,294	754	542	334	198	90	28	3	.....	43
183	Traumatism by firearms (except in war)	2,346	8	20	20	27	28	182	801	569	277	199	110	64	20	8	1	.....	12
184	Traumatism by cutting or piercing instruments	471	20	9	10	9	4	25	51	40	50	76	65	59	35	15	2	.....	1
185	Traumatism by fall	10,102	133	166	100	90	57	249	438	513	619	720	821	1,177	2,101	2,386	512	15	5
186a	Traumatism in mines	1,777	.....	.....	.....	.....	.....	4	129	443	545	384	175	82	8	.....	.....	.....	7
186b	Traumatism in quarries	90	.....	.....	.....	.....	.....	1	7	16	24	13	11	16	1	.....	1	.....	.....
187	Traumatism by machines	1,573	.....	4	7	12	5	50	151	345	300	267	228	158	38	7	1	.....	.....
188a	Railroad accidents	5,297	7	39	23	19	16	112	522	1,084	1,084	892	636	491	258	74	2	.....	38
188b	Street-car accidents	1,460	4	13	27	26	30	101	112	182	218	185	203	170	135	51	1	.....	2
188c	Automobile accidents	10,168	42	57	116	242	332	1,620	1,283	1,315	1,253	1,156	1,034	929	617	150	7	1	14
188d,f	Aeroplane and balloon accidents	132	.....	1	.....	.....	.....	3	9	84	21	2	1	2	1	.....	.....	.....	8
188e	Injuries by other vehicles	1,689	25	27	32	22	27	150	205	223	133	188	204	233	140	26	1	.....	3
188g	Landslide, other crushing	495	2	2	6	5	3	21	41	85	114	77	71	37	21	4	1	.....	5
189	Injuries by animals (not poisoning)	682	10	15	14	12	15	58	97	57	73	69	91	94	53	19	4	.....	1
190	Wounds of war	25	.....	.....	.....	.....	.....	.....	.....	19	6	.....	.....	.....	.....	.....	.....	.....	.....
192	Starvation (deprivation of food or water)	17	5	1	.....	.....	.....	.....	.....	.....	1	.....	6	4	.....	.....	.....	.....	.....
193	Excessive cold	111	.....	.....	.....	1	.....	1	4	11	15	22	13	14	21	9	.....	.....	.....
194	Excessive heat	946	136	21	5	7	5	15	34	44	85	98	123	130	136	87	19	1	.....
195	Lightning	461	3	2	1	2	1	18	97	96	84	67	40	34	13	1	.....	.....	2
196	Other accidental electric shocks	741	.....	2	.....	.....	.....	23	111	238	193	97	50	19	5	2	.....	.....	1
201	Fracture (cause not specified)	503	4	1	.....	2	4	11	17	40	47	59	49	57	101	89	19	2	1
202	Other external violence	2,794	203	156	85	57	40	178	317	376	395	356	276	210	105	28	5	1	6
203	Violent deaths of unknown causation	984	83	16	18	6	6	51	94	109	114	110	137	115	86	30	5	.....	4
	XV.—Ill-defined diseases	14,184	6,148	652	218	120	84	220	373	554	571	744	917	1,252	1,230	745	172	66	118
204	Sudden death	987	235	16	11	7	3	8	11	34	54	84	113	164	148	73	20	3	3
205a	Ill-defined	4,269	963	355	85	37	30	68	133	186	224	320	427	590	525	245	44	10	27
205b	Not specified or unknown	8,928	4,950	281	122	76	51	144	229	334	293	340	377	498	557	427	108	53	88

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	REGISTRATION STATES.[1]																		
	All causes	1,009,673	156,329	28,142	13,605	9,756	7,812	25,587	42,981	69,309	76,291	88,279	110,352	142,694	145,430	79,044	12,021	889	1,152
	I.—Epidemic, endemic, and infectious diseases	159,883	14,994	8,375	5,222	4,219	3,625	10,811	15,548	27,707	22,357	17,164	12,192	9,329	5,710	2,158	264	27	181
1	Typhoid and paratyphoid fever	7,763	46	78	72	98	92	569	2,046	1,694	1,214	824	542	332	123	24	2		7
2	Typhus fever	12					1	1	2	1	3	3		1					
3	Relapsing fever (spirillum obermeieri)	2								1				1					
4	Malta fever	1										1							
5	Malaria	3,104	334	189	145	99	86	294	435	328	249	228	209	214	182	84	9	9	10
6	Smallpox	620	91	15	9	6	7	22	52	86	100	84	62	41	25	11	5		4
7	Measles	3,694	998	1,054	410	220	164	376	218	84	54	36	28	31	12	7			2
8	Scarlet fever	4,681	229	426	586	548	453	1,326	626	289	130	51	11	3	2				1
9	Whooping cough	7,967	4,574	1,963	619	301	163	270	41	7	1	6	3		7	3	1		8
10	Diphtheria	15,520	934	1,764	1,895	1,915	1,849	4,954	1,522	251	175	139	72	28	11	4	1		6
11a	Influenza (with pulmonary complications)	5,785	813	290	155	84	60	183	304	464	542	537	561	714	679	352	39	1	7
11b	Influenza (other and unspecified)	4,112	469	134	71	64	37	172	265	261	337	331	352	442	664	420	85	6	2
12	Miliary fever	2											1		1				
13	Mumps	131	20	5	10	8	8	17	15	9	7	5	5	9	9	1	3		
15	Cholera nostras	231	48	15	9	9	4	11	5	6	3	7	11	23	40	38	2		
16	Dysentery	3,436	810	547	202	92	51	107	77	71	82	99	162	278	423	370	53	7	5
17	Plague	1								1									
18	Yellow fever	2								1	1								
19	Spirochetal hemorrhagic jaundice	25	1	1	1	1	1	2	4	3	2	2	2	4		1			
20	Leprosy	16							1	3	3	1	6	1	1				
21	Erysipelas	2,458	792	52	29	18	10	26	54	111	150	192	251	326	284	136	21		6
22	Acute anterior poliomyelitis	1,589	107	177	148	129	105	403	324	103	44	18	12	9	8		1		1
23	Lethargic encephalitis	1,334	40	56	43	31	29	88	151	212	197	188	181	79	30	5	2	1	1
24	Meningococcus meningitis	1,262	300	143	76	42	63	192	213	101	62	32	19	11	2	3			3
25	Other epidemic and endemic diseases	208	76	38	15	5	9	22	9	6	5	8	6	7	2				
26	Glanders	1											1						
27	Anthrax	31				1		1	1	3	3	9	8	3	2				
28	Rabies	51		1	4	3	3	13	11	5	5	2	2	2					
29	Tetanus	1,469	320	14	16	25	28	228	336	117	103	104	82	63	25	7			1
30	Mycoses	195	132	9	3	1		2	7	7	2	5	11	12	3		1		
	Tuberculosis (total)	85,739	1,771	1,261	633	476	374	1,413	8,487	22,550	17,580	12,865	8,621	6,075	2,898	601	31	2	101
31	Of the respiratory system	74,171	593	390	182	124	101	536	7,111	20,637	16,153	11,805	7,836	5,456	2,606	519	25	2	95
32	Of the meninges, central nervous system	4,207	855	669	337	239	194	549	472	368	241	156	75	37	10	4	1		
33	Of the intestines, peritoneum	3,096	122	80	44	37	37	121	340	666	480	398	303	289	149	27	1		2
34	Of the vertebral column	910	22	15	13	23	9	73	121	162	165	108	97	56	32	11	3		
35	Of the joints	426	9	6	4	6	7	35	74	78	42	47	47	42	22	7			
36	Of other organs	1,147	46	24	16	18	9	42	121	187	204	155	144	99	50	30	1		1
37a	Disseminated (acute)	1,354	95	70	30	26	14	46	208	362	226	149	78	37	10	2			1
37b	Disseminated (chronic or unspecified)	428	29	7	7	3	3	11	40	90	69	47	41	59	19	1			2
38	Syphilis	6,631	1,890	114	40	33	14	49	155	591	989	1,174	841	503	184	40	1		13
39	Soft chancre	5							1		1	1	1	1					
40	Gonococcus infection	595	42		3	1	1	1	59	204	168	75	23	8	7	2			1
41	Purulent infection, septicemia	1,201	155	29	28	9	13	69	126	134	144	137	106	107	86	48	7	1	2
42	Other infectious diseases	9	2						1	3	1			1		1			
	II.—General diseases not included in Class I	111,745	2,164	511	341	309	258	1,166	2,628	3,588	7,248	14,847	23,837	28,091	19,970	6,133	536	21	97
	Cancer and other malignant tumors (total)	75,113	49	55	78	72	63	146	385	1,099	3,945	10,356	17,313	20,717	15,451	4,900	418	14	52
43	Of the buccal cavity	2,564	2	2	3	5	1	6	10	12	56	284	527	706	647	268	32	1	2
44	Of the stomach, liver	28,043	13	4	9	9	6	17	50	174	911	2,867	6,493	8,961	6,610	1,798	99	3	19
45	Of the peritoneum, intestines, rectum	10,496	8	6	10	12	6	21	53	218	575	1,349	2,228	3,015	2,299	655	33		8
46	Of the female genital organs	10,919		2		1	3	3	32	233	1,187	2,635	2,926	2,291	1,231	345	22	1	7
47	Of the breast	6,925			1		1		3	64	478	1,490	1,881	1,526	1,006	423	46	2	4
48	Of the skin	2,395	1	2	3	2	3	4	3	24	44	134	286	491	738	546	111	2	1
49	Of other or unspecified organs	13,771	25	39	52	43	43	95	234	374	694	1,597	2,972	3,727	2,920	865	75	5	11
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	717	23	14	11	7	6	17	19	45	57	87	115	139	125	45	5		2
51	Acute rheumatic fever	3,212	21	20	30	51	54	389	754	316	255	302	305	321	248	121	16	4	5
52	Chronic rheumatism, osteoarthritis, gout	1,011			1	1		5	9	22	44	84	155	236	300	141	11		2
53	Scurvy	60	35	16	3			1	3		1				1				
54	Pellagra	2,348	6	8	8	8	7	43	106	380	457	411	325	304	220	49	7	1	8
55	Beriberi	6	2							3		1							
56	Rickets	510	298	113	39	11	8	16	4	2	5	2	6	1	4	1			
57	Diabetes mellitus	14,681	18	34	32	41	48	268	775	768	922	1,373	3,081	4,143	2,494	618	52	2	12
58	Anemia, chlorosis	4,751	106	32	15	13	8	54	102	161	324	660	1,140	1,290	703	131	11		1
59	Diseases of the pituitary gland	53		1			1	3	9	7	7	11	8	6					
60a	Exophthalmic goiter	1,469	1			2		4	66	170	270	363	314	204	63	11	1		
60b	Other diseases of the thyroid gland	847	23	9	6	1	1	6	50	94	125	172	192	113	42	12	1		
61	Diseases of the parathyroid glands	68	51	9	5			2	1										
62	Diseases of the thymus gland	563	417	38	19	19	7	25	19	8	7	2	1	1					
63	Diseases of the adrenals (Addison's disease)	361				1		1	20	32	50	83	85	57	27	5			
64	Diseases of the spleen	259	14	5	3	2	3	9	29	23	34	41	42	29	22	3			
65a	Leukemia	1,217	44	29	25	39	21	81	110	112	130	166	188	178	74	17	2		1
65b	Hodgkin's disease	602	12	6	7	3	1	23	44	85	91	93	97	82	48	9	1		
66	Alcoholism (acute or chronic)	1,573							20	132	374	483	351	156	38	8			11
67a	Chronic lead poisoning	138							4	5	21	42	27	25	13				1
67b	Other chronic mineral poisoning	15									6	4	2	1	1	1			
68	Chronic poisoning by organic substances	220							2	54	59	34	26	17	19	9			
69	Other general diseases	1,951	1,044	122	59	38	30	73	97	70	64	77	64	71	77	52	11		2
	III.—Diseases of the nervous system and of the organs of special sense	106,798	3,679	1,017	542	388	325	1,209	2,055	2,532	4,662	8,965	15,040	23,795	27,188	13,603	1,619	70	109
70	Encephalitis	1,077	137	51	25	37	22	64	125	125	117	126	107	83	42	14	1		1
71a	Simple meningitis	2,637	726	270	183	118	92	243	278	181	142	133	120	83	46	17	3		2
71b	Nonepidemic cerebrospinal meningitis	945	226	160	69	49	30	112	126	49	52	29	14	22	3	2			2
72	Tabes dorsalis (locomotor ataxia)	1,668							2	17	107	294	439	493	260	53	2		1
73	Other diseases of the spinal cord	4,471	40	25	15	12	15	67	119	133	211	390	712	1,159	1,131	398	40		4
74a	Cerebral hemorrhage	69,920	147	37	19	21	11	55	141	451	1,325	4,459	10,392	18,431	21,870	11,138	1,310	52	61
74b	Cerebral embolism and thrombosis	2,286	5	4	3	5	1	8	18	47	98	180	341	521	658	345	52		
75	Paralysis without specified cause	5,382	37	11	8	8	4	21	29	67	109	258	595	1,216	1,810	1,023	150	16	20
76	General paralysis of the insane	5,569						2	14	187	1,221	1,739	1,136	653	456	139	12		10
77	Other forms of mental alienation	1,467							44	184	275	294	243	237	123	58	6		3

[1] Including District of Columbia.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	REGISTRATION STATES [1]—Continued.																	
	III.—Diseases of the nervous system and of the organs of special sense—Continued.																	
78	Epilepsy	2,754	103	30	22	21	28	104	439	536	420	373	266	209	157	43	1	....	2
79	Convulsions (nonpuerperal; 5 years and over)	135	....	....	....	....	....	28	25	16	21	13	9	11	5	5	1	....	1
80	Infantile convulsions (under 5 years)	1,965	1,649	193	70	25	28	....	....	....	....	....	....	....	....	....	....	....	....
81	Chorea	100	7	1	....	....	1	11	41	5	7	7	5	4	9	2	....	....	....
82	Neuralgia and neuritis	337	2	2	2	1	....	1	7	13	22	28	50	84	66	49	10	....	....
83	Softening of the brain	744	....	....	....	....	....	....	....	6	15	19	54	164	276	190	18	2	....
84	Other diseases of the nervous system	2,485	138	55	42	22	27	127	210	227	310	400	362	264	193	95	11	....	2
85	Diseases of the eye and annexa	81	13	4	2	3	2	6	5	5	7	3	5	9	15	2	....	....	....
86a	Diseases of the ear	1,736	338	120	49	40	37	218	248	166	115	130	110	98	42	23	2	....	....
86b	Diseases of the mastoid process	1,039	111	54	33	26	27	142	184	117	88	90	80	54	26	7	....	....	....
	IV.—Diseases of the circulatory system	158,482	974	223	194	177	210	1,451	3,766	4,191	6,884	12,251	21,194	35,025	42,913	25,159	3,568	157	145
87	Pericarditis	863	15	10	8	7	6	35	47	51	60	91	109	162	174	78	7	3	....
88	Endocarditis and myocarditis (acute)	5,250	340	61	61	56	67	338	676	704	859	725	413	404	351	173	19	1	2
89	Angina pectoris	7,893	....	1	....	....	....	7	24	72	268	750	1,460	2,432	2,147	681	48	1	7
90	Other diseases of the heart	123,151	490	121	110	97	126	1,037	2,952	3,192	5,293	9,881	17,583	28,302	33,372	18,137	2,247	91	120
91a	Aneurysm	1,506	....	1	....	....	1	1	7	47	152	328	339	370	194	60	3	....	3
91b,c	Other diseases of the arteries	17,644	....	....	....	....	1	1	1	11	54	243	930	2,919	6,329	5,861	1,221	61	12
92	Embolism and thrombosis (not cerebral)	1,310	40	9	7	4	2	15	34	71	131	152	204	268	245	118	10	....	....
93	Diseases of the veins	477	9	1	4	....	....	2	7	25	45	45	112	125	67	30	4	....	1
94	Diseases of the lymphatic system	188	51	18	4	11	3	8	7	6	15	16	15	18	6	7	3	....	....
95	Hemorrhage without specified cause	135	28	....	....	2	4	7	10	11	9	12	16	9	15	8	4	....	....
96	Other diseases of the circulatory system	65	1	1	....	....	....	....	1	1	3	8	13	16	13	6	2	....	....
	V.—Diseases of the respiratory system	93,159	20,504	6,507	2,660	1,445	952	2,506	3,184	4,378	5,489	6,721	7,747	10,189	11,692	7,765	1,284	66	70
97a	Diseases of the nasal fossae	364	197	15	7	6	4	6	19	17	16	15	14	14	8	18	8	....	....
97b	Diseases of the nasal fossae annexa	414	27	6	5	4	4	15	65	77	69	59	41	25	12	4	1	....	....
98	Diseases of the larynx	781	136	106	100	76	59	127	30	20	17	28	22	23	17	18	....	....	2
99a	Acute bronchitis	3,217	1,330	249	83	51	28	62	47	38	44	60	95	163	393	443	126	4	1
99b	Chronic bronchitis	2,586	70	29	10	8	3	18	23	37	55	89	193	406	787	756	100	1	1
99c,d	Bronchitis (unspecified)	2,069	672	122	43	37	19	43	29	32	41	65	84	140	276	375	86	3	2
100a	Bronchopneumonia	33,157	12,140	3,746	1,374	659	424	907	627	731	822	1,114	1,489	2,471	3,566	2,582	454	27	24
100b	Capillary bronchitis	1,180	626	131	58	28	21	20	16	8	12	13	24	36	80	90	17	....	....
101a	Lobar pneumonia	37,137	3,728	1,546	711	393	269	989	1,814	2,714	3,539	4,173	4,527	5,328	4,850	2,254	253	22	27
101b	Pneumonia (unspecified)	5,296	1,215	314	136	93	69	164	264	273	321	358	393	510	629	455	89	4	9
102	Pleurisy	2,633	177	182	102	67	36	88	175	242	259	292	304	340	253	100	13	....	3
103	Congestion and hemorrhagic infarct of the lung	1,544	95	24	5	9	4	18	23	52	79	97	106	182	309	426	111	4	....
104	Gangrene of the lung	187	1	1	3	1	....	2	6	16	34	36	37	29	15	4	2	....	....
105	Asthma	1,728	32	23	17	9	7	25	14	42	91	184	295	366	403	200	19	1	....
106	Pulmonary emphysema	142	12	1	....	....	1	2	2	7	6	16	14	33	30	16	2	....	....
107	Other diseases of the respiratory system (tuberculosis excepted)	724	46	12	6	4	4	20	30	72	84	122	109	123	64	24	3	....	1
	VI.—Diseases of the digestive system	98,488	32,303	8,487	2,606	1,416	922	2,379	4,233	4,775	6,048	7,206	8,286	8,453	6,951	3,379	463	22	59
108	Diseases of the mouth and annexa	581	103	14	8	4	14	31	39	40	61	80	62	73	38	12	1	....	1
109a	Adenoid vegetations	12	5	3	1	....	1	2	....	....	....	....	....	....	....	....	....	....	....
109b	Other diseases of the pharynx, tonsils	3,498	201	146	163	201	166	651	583	408	344	217	162	122	89	37	8	....	....
110	Diseases of the esophagus	115	2	3	1	2	....	6	1	2	8	14	15	25	23	11	2	....	....
111a	Ulcer of the stomach	3,194	11	6	3	4	5	8	62	232	496	638	662	570	354	129	11	....	3
111b	Ulcer of the duodenum	1,032	11	1	....	....	....	4	14	96	209	224	215	166	75	17	....	....	....
112	Other diseases of the stomach (cancer excepted)	6,395	1,898	292	146	68	39	120	111	182	296	489	534	695	829	588	94	8	6
113	Diarrhea and enteritis (under 2 years)	35,980	28,385	7,595	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
114	Diarrhea and enteritis (2 years and over)	8,351	....	....	1,969	814	401	626	255	250	304	358	455	694	1,124	911	166	6	18
115	Ancylostomiasis	24	....	....	2	1	3	5	7	4	....	1	....	1	....	....	....	....	....
116	Diseases due to other intestinal parasites	153	18	30	18	13	12	19	18	8	7	2	5	3	....	....	....	....	....
117	Appendicitis and typhlitis	12,356	37	61	109	163	160	1,024	2,454	2,119	1,981	1,715	1,387	801	274	55	8	....	8
118a	Hernia	3,186	133	12	4	7	3	9	35	82	187	407	610	791	616	254	34	....	2
118b	Intestinal obstruction	6,067	1,052	202	93	84	52	154	272	472	606	649	653	690	685	354	40	2	7
119	Other diseases of the intestines	1,282	144	32	21	6	11	24	41	91	119	147	167	168	164	121	25	....	1
120	Acute yellow atrophy of the liver	358	14	....	1	1	1	4	10	60	54	41	46	52	51	20	3	....	....
121	Hydatid tumor of the liver	28	....	....	....	....	....	1	1	7	4	4	1	4	4	1	1	....	....
122	Cirrhosis of the liver	6,453	22	12	9	1	3	18	52	110	353	809	1,477	1,800	1,346	405	29	1	6
123	Biliary calculi	3,420	1	....	....	....	....	1	12	120	331	569	862	840	512	160	8	2	2
124	Other diseases of the liver	3,765	94	30	17	15	17	43	85	225	383	538	685	748	602	249	30	2	2
125	Diseases of the pancreas	489	2	1	2	2	1	8	12	41	57	110	124	78	45	6	....	....	....
126	Peritonitis without specified cause	1,621	161	40	37	30	32	119	163	208	227	176	142	123	111	45	3	1	3
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	128	9	7	2	....	1	2	6	18	21	18	22	9	9	4	....	....	....
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	86,789	704	240	208	178	152	580	1,465	3,300	5,635	8,949	12,604	19,139	21,165	10,947	1,371	58	94
128	Acute nephritis (including unspecified under 10 years)	5,521	443	151	133	132	90	338	414	508	606	667	674	562	511	256	29	2	5
129	Chronic nephritis (including unspecified 10 years and over)	68,519	35	36	46	30	51	195	834	1,724	3,274	6,290	10,537	16,560	18,262	9,338	1,183	49	75
130	Chyluria	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
131	Other diseases of the kidneys and annexa	2,090	170	48	26	14	10	34	71	160	264	255	269	325	274	143	21	3	3
132	Calculi of the urinary passages	616	2	....	....	....	....	5	12	41	69	95	115	138	107	30	1	....	1
133	Diseases of the bladder	1,086	18	3	1	2	....	4	9	22	23	55	66	195	335	306	46	1	....
134	Diseases of the urethra, etc	311	4	....	....	....	....	....	1	15	48	71	63	54	35	16	3	....	1
135	Diseases of the prostate	3,715	....	....	....	....	....	....	1	8	28	50	283	1,005	1,464	790	83	2	1
136	Nonvenereal diseases of the male genital organs	73	22	2	1	....	....	2	2	4	1	5	11	6	11	5	1	....	....
137	Cysts, other benign tumors of the ovary	690	....	....	....	....	1	1	9	81	146	160	119	95	52	25	1	....	....
138	Salpingitis and pelvic abscess (female)	1,732	....	....	....	....	....	1	76	531	609	363	102	33	11	3	1	....	2
139	Benign tumors of the uterus	1,731	....	....	....	....	....	....	2	85	402	779	262	95	75	23	2	1	5
140	Nonpuerperal uterine hemorrhage	59	....	....	....	....	....	....	9	8	22	14	2	3	....	1	....	....	....
141	Other diseases of the female genital organs	625	1	....	....	....	....	....	24	110	143	143	99	68	27	9	....	....	1
142	Nonpuerperal diseases of the breast (cancer excepted)	20	9	....	1	....	....	....	1	3	....	2	2	....	....	2	....	....	....

[1] Including District of Columbia.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	REGISTRATION STATES [1]—Continued.																		
	VIII.—The puerperal state	14,562							1,497	6,295	5,518	1,230	6						16
143	Accidents of pregnancy	1,216							65	518	529	102	1						1
144	Puerperal hemorrhage	1,494							57	497	739	201							
145	Other accidents of labor	1,468							105	577	620	164							2
146	Puerperal septicemia	5,881							601	2,778	2,090	403	4						5
147	Puerperal phlegmasia alba dolens, embolus, etc	538							31	216	237	54							
148	Puerperal albuminuria and convulsions	3,877							631	1,672	1,265	300	1						8
149	Following childbirth (undefined)	83							7	33	37	6							
150	Puerperal diseases of the breast	5								4	1								
	IX.—Diseases of the skin and of the cellular tissue	3,349	689	67	12	16	9	54	114	156	169	241	287	335	553	506	125	12	4
151	Gangrene	1,324	38	10	9	7	5	11	15	17	34	62	83	142	370	402	109	9	1
152	Furuncle	643	132	11	1	2		6	39	67	51	86	90	72	53	29	4		
153	Acute abscess	649	171	28	1	5	3	28	38	49	56	65	59	66	50	27	1	1	1
154	Other diseases of the skin and annexa	733	348	18	1	2	1	9	22	23	28	28	55	55	80	48	11	2	2
	X.—Diseases of the bones and of the organs of locomotion	1,222	72	28	28	29	29	157	228	85	98	108	113	113	88	39	6	1	
155	Diseases of the bones (tuberculosis excepted)	880	50	21	27	26	26	139	192	58	58	66	78	69	52	13	4	1	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	275	20	7	1	3	3	18	29	24	31	32	30	30	28	17	2		
157	Amputations	4	1						1				1			1			
158	Other diseases of the organs of locomotion	63	1						6	3	9	10	4	14	8	8			
	XI.—Malformations	13,578	12,606	349	138	87	51	157	110	49	15	15	1						
159a	Congenital hydrocephalus	1,310	961	139	52	40	20	51	29	11	3	4							
159b	Congenital malformations of the heart	8,079	7,667	141	53	27	17	74	64	23	7	5	1						
159c	Other congenital malformations	4,189	3,978	69	33	20	14	32	17	15	5	6							
	XII.—Early infancy	59,584	59,584																
160	Congenital debility, icterus, sclerema	8,711	8,711																
161a	Premature birth	36,603	36,603																
161b	Injury at birth	8,833	8,833																
162	Other diseases peculiar to early infancy	5,296	5,296																
163	Lack of care	141	141																
164	XIII.—Old age (senility)	10,718										3	44	390	2,701	5,209	2,000	359	12
	XIV.—External causes	77,516	2,010	1,705	1,441	1,375	1,197	4,399	7,789	11,742	11,627	9,879	8,134	6,619	5,290	3,413	614	31	251
	Suicide (total)	10,906							339	1,593	2,250	2,280	2,143	1,427	641	158	10		24
165	By poisons (corrosives excepted)	395							28	73	101	81	60	34	15	2	1		
166	By corrosive substances	1,265							92	309	284	219	202	116	36	6			1
167	By poisonous gas	1,385							26	165	281	301	313	202	79	14	2		2
168	By hanging or strangulation	1,934							51	157	321	432	429	318	169	48	4		5
169	By drowning	705							13	85	135	143	132	125	51	18	1		2
170	By firearms	4,015							157	677	885	835	745	459	199	49			9
171	By cutting or piercing instruments	702							5	39	124	158	173	126	56	15	2		4
172	By jumping from high places	268							4	46	54	58	53	32	18	3			
173	By crushing	129							3	32	36	28	15	6	9				
174	By other means	108							1	10	29	25	21	9	9	3			1
	Homicide (total)	7,090	146	10	12	19	12	53	452	2,215	2,021	1,174	547	253	97	24	1		54
197	By firearms	5,178	8	2	3	7	6	26	302	1,749	1,569	895	366	161	46	3			35
198	By cutting or piercing instruments	687	5	2	1	2	1	3	55	205	204	107	53	24	12	6	1		6
199	By other means	1,225	133	6	8	10	5	24	95	261	248	172	128	68	39	15			13
	Accidental or undefined (total)	59,520	1,864	1,695	1,429	1,356	1,185	4,346	6,957	7,934	7,356	6,425	5,444	4,939	4,552	3,231	603	31	173
175	Poisoning by food	887	103	55	50	49	31	76	64	77	76	90	77	60	60	17		1	1
176	Poisoning by venomous animals	87	14	5	3	1	5	10	7	6	6	6	13	7	2	1			1
177	Other acute poisonings (gas excepted)	1,490	73	260	122	54	31	57	45	196	241	201	117	59	26	5			3
178	Conflagration	902	39	51	41	43	42	70	75	98	93	90	73	80	66	27	5	2	7
179	Burns (conflagration excepted)	5,176	214	568	614	578	415	627	316	345	345	261	246	245	255	116	17	8	6
180	Mechanical suffocation	929	700	9	6	4	4	26	31	35	29	38	30	11	5				1
181	Absorption of irrespirable, irritating, or poisonous gas	1,762	17	7	3	6	12	17	76	190	267	287	301	268	214	92	2		3
182	Drowning	6,368	34	206	130	96	79	658	1,941	1,272	741	530	326	195	87	27	3		43
183	Traumatism by firearms (except in war)	2,245	8	18	20	27	27	175	774	538	259	189	108	63	19	8	1		11
184	Traumatism by cutting or piercing instruments	463	20	9	10	9	4	24	47	40	48	76	64	59	35	15	2		1
185	Traumatism by fall	9,936	131	164	99	88	56	246	427	501	598	708	811	1,153	2,068	2,358	508	15	5
186a	Traumatism in mines	1,747						4	125	432	538	379	172	82	8				7
186b	Traumatism in quarries	87						1	7	16	23	11	11	16	1		1		
187	Traumatism by machines	1,536		4	7	12	5	48	149	334	292	261	223	155	38	7	1		
188a	Railroad accidents	5,176	7	36	23	19	16	109	513	1,055	1,061	865	626	478	254	74	2		38
188b	Street-car accidents	1,427	4	12	26	26	30	98	107	177	213	182	201	165	134	49	1		2
188c	Automobile accidents	9,903	40	55	114	231	329	1,583	1,259	1,270	1,216	1,125	1,003	906	605	146	7	1	13
188d	Aeroplane and balloon accidents	127		1				3	9	81	19	2	1	2	1				8
188e,f	Injuries by other vehicles	1,661	25	27	32	22	27	145	198	220	180	184	203	230	139	25	1		3
188g	Landslide, other crushing	489	1	2	6	5	3	21	41	81	114	77	70	37	21	4	1		5
189	Injuries by animals (not poisoning)	667	10	15	13	11	15	57	94	55	73	67	89	92	53	19	3		1
190	Wounds of war	24								18	6								
192	Starvation (deprivation of food or water)	17	5	1							1		6	4					
193	Excessive cold	111				1		1	4	11	15	22	13	14	21	9			
194	Excessive heat	938	135	21	5	7	5	15	34	42	84	97	122	130	136	85	19	1	
195	Lightning	459	3	2	1	2	1	17	96	96	84	67	40	34	13	1			2
196	Other accidental electric shocks	724			2			23	108	233	187	96	48	19	5	2			1
201	Fracture (cause not specified)	486	3	1		2	4	11	16	38	43	57	48	55	99	87	19	2	1
202	Other external violence	2,733	199	150	84	57	39	174	303	369	392	347	269	207	103	28	5	1	6
203	Violent deaths of unknown causation	963	79	16	18	6	5	50	91	108	112	110	133	113	84	29	5		4
	XV.—Ill-defined diseases	13,800	6,046	633	213	117	82	218	364	511	541	700	867	1,216	1,209	733	171	65	114
204	Sudden death	975	230	16	11	7	3	8	11	34	54	80	112	164	146	73	20	3	3
205a	Ill-defined	3,993	905	338	81	35	29	66	125	156	205	289	386	560	507	234	43	9	25
205b	Not specified or unknown	8,832	4,911	279	121	75	50	144	228	321	282	331	369	492	556	426	108	53	86

[1] Including District of Columbia.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	CALIFORNIA.																		
	All causes	47,377	4,806	860	462	341	275	1,066	1,714	3,220	4,169	4,986	6,099	7,399	7,382	3,932	623	36	7
	I.—Epidemic, endemic, and infectious diseases	8,136	491	290	172	149	144	542	692	1,368	1,413	1,125	761	582	308	85	13	1	
1	Typhoid and paratyphoid fever	153	4	4	3	3	2	12	33	34	25	19	6	5	3				
2	Typhus fever	2									1	1							
5	Malaria	30	1	1	1	1	1	1	3		3	5	3	6	4				
6	Smallpox	21	5	3				2	1	1	2	3	3			1			
7	Measles	144	27	42	14	15	7	20	13	3	1			2					
8	Scarlet fever	120	4	11	14	6	16	27	17	20	3	1	1						
9	Whooping cough	202	128	42	9	10	1	10	1			1							
10	Diphtheria	639	20	48	47	67	73	263	81	14	13	9	3	1					
11a	Influenza (with pulmonary complications)	291	35	14	6	3	6	11	16	30	36	33	32	30	27	12			
11b	Influenza (other and unspecified)	119	13	4	1	2		2	11	14	15	15	11	9	11	10	1		
13	Mumps	23	1		3	1	1	4	3	1		1	1	4	2		1		
15	Cholera nostras	2			1								1						
16	Dysentery	97	29	14	7	4	2	3			3	5	4	6	9	8	3		
17	Plague	1								1									
18	Yellow fever	1									1								
19	Spirochetal hemorrhagic jaundice	2							1	1									
20	Leprosy	6							1		1		3		1				
21	Erysipelas	95	20		1		1	2	5	3	6	10	10	21	9	6	1		
22	Acute anterior poliomyelitis	54	4	3	1	4	2	24	12	3		1							
23	Lethargic encephalitis	66	3	3	3	1	1	11	7	7	9	7	7	4	3				
24	Meningococcus meningitis	70	9	9	2		2	12	14	12	6	3		1					
25	Other epidemic and endemic diseases	11	4	1			1	3	1	1									
26	Glanders	1											1						
27	Anthrax	1												1					
28	Rabies	6						4	1	1									
29	Tetanus	52	7	1			2	10	14		6	4	4	3	1				
30	Mycoses	5								2	1	1		1					
	Tuberculosis (total)	5,422	79	85	58	31	26	114	441	1,190	1,203	908	598	428	209	44	7	1	
31	Of the respiratory system	4,775	25	17	16	8	3	51	364	1,109	1,135	850	556	399	192	42	7	1	
32	Of the meninges, central nervous system	279	40	53	31	17	18	38	30	20	10	16	3	3					
33	Of the intestines, peritoneum	165	9	7	4	4	2	16	17	25	18	20	16	15	11	1			
34	Of the vertebral column	50		1		1	1	4	6	7	9	6	8	5	2				
35	Of the joints	13							1		3	3	5			1			
36	Of other organs	57		1				2	9	12	12	5	8	4	4				
37a	Disseminated (acute)	74	5	6	7	1	2	2	13	13	14	8	1	2					
37b	Disseminated (chronic or unspecified)	9						1	1	4	2		1						
38	Syphilis	410	83	5	1			5	9	15	60	87	68	52	24	1			
40	Gonococcus infection	35	1			1			3	8	13	5	1	2	1				
41	Purulent infection, septicemia	54	14					2	4	6	5	6	4	6	4	3			
42	Other infectious diseases	1								1									
	II.—General diseases not included in Class I	5,602	61	16	5	13	7	52	88	126	343	804	1,271	1,453	1,020	303	39	1	
	Cancer and other malignant tumors (total)	4,010	2	2	2	2	3	9	16	46	202	602	918	1,117	811	242	36		
43	Of the buccal cavity	131							1		7	19	35	27	30	9	3		
44	Of the stomach, liver	1,460	2	1					2	6	46	158	314	483	350	89	9		
45	Of the peritoneum, intestines, rectum	596					1	3	4	8	31	87	132	185	117	25	3		
46	Of the female genital organs	518								6	52	127	141	126	50	16			
47	Of the breast	402								2	26	98	115	83	55	20	3		
48	Of the skin	98									1	9	9	19	26	25	9		
49	Of other or unspecified organs	805		1	2	2	2	6	9	24	39	104	172	194	183	58	9		
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	32	1					2		1	1	2	5	6	8	6			
51	Acute rheumatic fever	82	1			2		11	17	6	8	6	10	7	6	7	1		
52	Chronic rheumatism, osteoarthritis, gout	34									3	1	9	7	8	6			
53	Scurvy	3	2						1										
54	Pellagra	15							2	3	2	2	4	1	1				
55	Beriberi	2								2									
56	Rickets	8	5	1	1								1						
57	Diabetes mellitus	727		1		1	1	13	32	30	48	74	164	196	132	32	2	1	
58	Anemia, chlorosis	268	4	3			2	4	3	5	14	45	84	70	29	5			
59	Diseases of the pituitary gland	4							1			2		1					
60a	Exophthalmic goiter	66							1	10	13	19	14	8	1				
60b	Other diseases of the thyroid gland	30								3	7	3	13	3	1				
61	Diseases of the parathyroid glands	4	1	3															
62	Diseases of the thymus gland	26	17	1	1	3	1	2		1									
63	Diseases of the adrenals (Addison's disease)	14								1	2	2	4	4	1				
64	Diseases of the spleen	12						1			4	2	1	3	1				
65a	Leukemia	79	1		1	2		7	9	6	8	8	9	18	8	2			
65b	Hodgkin's disease	28	1	2				1	1	2	2	6	5	2	4	2			
66	Alcoholism (acute or chronic)	70								5	19	21	19	4	2				
67a	Chronic lead poisoning	6										3	2	1					
67b	Other chronic mineral poisoning																		
68	Chronic poisoning by organic substances	18								2	7	2	4	3					
69	Other general diseases	64	26	3		3		2	5	3	3	4	5	2	7	1			
	III.—Diseases of the nervous system and of the organs of special sense	5,040	95	34	18	16	11	51	87	99	234	458	701	1,134	1,328	672	98	4	
70	Encephalitis	33	3		2	3	1	3	7	5		2	5	2					
71a	Simple meningitis	104	18	9	8	2	5	9	20	3	10	7	8	4		1			
71b	Nonepidemic cerebrospinal meningitis	37	10	7	1	4	2	4	4	2	2			1					
72	Tabes dorsalis (locomotor ataxia)	108									8	16	23	37	17	7			
73	Other diseases of the spinal cord	254	1	2	1			4	7	6	8	25	34	80	61	23	2		
74a	Cerebral hemorrhage	3,335	5	2	1			3	3	21	54	219	457	870	1,080	543	74	3	
74b	Cerebral embolism and thrombosis	154		1		1		1	1	2	6	7	25	27	50	26	7		
75	Paralysis without specified cause	171		1				1		1	1	3	17	35	67	34	10	1	
76	General paralysis of the insane	373								13	85	120	80	42	22	9	2		
77	Other forms of mental alienation	45								8	8	12	9	5	1	2			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	CALIFORNIA—Continued.																	
	III.—Diseases of the nervous system and of the organs of special sense—Continued.																	
78	Epilepsy	92	3	.....	2	1	1	5	21	12	13	16	9	3	5	1	.....	.....
79	Convulsions (nonpuerperal; 5 years and over)	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....
80	Infantile convulsions (under 5 years)	38	32	4	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
82	Neuralgia and neuritis	16	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	7	3	3	.....	.....
83	Softening of the brain	42	.....	.....	.....	.....	.....	.....	.....	.....	1	1	5	7	10	15	3	.....
84	Other diseases of the nervous system	116	2	3	1	3	.....	4	4	12	26	21	17	10	8	5	.....	.....
86a	Diseases of the ear	78	18	2	1	1	1	11	12	9	7	5	4	2	2	3	.....	.....
86b	Diseases of the mastoid process	42	3	3	.....	1	.....	6	8	5	5	3	5	1	2	.....	.....	.....
	IV.—Diseases of the circulatory system.	8,749	33	4	6	4	6	43	133	181	342	672	1,314	1,958	2,402	1,427	211	12	1
87	Pericarditis	44	1	1	2	.....	.....	.....	3	1	2	4	4	11	12	3	.....	.....	.....
88	Endocarditis and myocarditis (acute)	244	10	.....	.....	1	1	9	26	33	51	36	23	26	19	9	.....	.....	.....
89	Angina pectoris	515	.....	.....	.....	.....	.....	.....	.....	6	11	36	98	159	143	56	5	1	.....
90	Other diseases of the heart	6,846	19	3	3	3	4	33	100	131	252	539	1,059	1,559	1,907	1,077	151	5	1
91a	Aneurysm	150	.....	.....	.....	.....	.....	.....	.....	1	7	27	42	41	26	6	.....	.....	.....
91b,c	Other diseases of the arteries	813	.....	.....	.....	.....	.....	.....	.....	1	4	11	65	137	265	272	52	6	.....
92	Embolism and thrombosis (not cerebral)	105	.....	.....	1	.....	1	1	3	6	15	17	16	16	23	4	2	.....	.....
93	Diseases of the veins	26	1	.....	.....	.....	.....	.....	.....	1	.....	2	6	9	6	.....	1	.....	.....
94	Diseases of the lymphatic system	5	2	.....	.....	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....
96	Other diseases of the circulatory system	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
	V.—Diseases of the respiratory system.	3,786	645	172	90	45	30	95	125	167	232	325	372	469	537	396	79	6	1
97a	Diseases of the nasal fossae	9	1	.....	1	1	.....	.....	1	1	.....	.....	2	.....	.....	2	.....	.....	.....
97b	Diseases of the nasal fossae annexa	31	.....	.....	.....	.....	.....	.....	3	8	4	7	5	4	.....	.....	.....	.....	.....
98	Diseases of the larynx	28	3	5	3	1	1	7	1	2	1	.....	.....	2	2	.....	.....	.....	.....
99a	Acute bronchitis	127	46	4	4	.....	1	2	2	.....	2	3	9	4	19	20	11	.....	.....
99b	Chronic bronchitis	123	2	.....	1	1	.....	.....	1	.....	5	1	16	14	43	35	4	.....	.....
99c,d	Bronchitis(unspecified)	70	18	2	1	.....	2	2	1	1	.....	2	1	7	10	19	4	.....	.....
100a	Bronchopneumonia	1,283	354	95	45	17	13	34	43	43	31	63	71	137	158	142	32	4	1
100b	Capillary bronchitis	48	24	1	3	1	2	1	2	.....	.....	.....	.....	1	2	10	1	.....	.....
101a	Lobar pneumonia	1,528	148	47	21	18	8	37	56	91	150	176	210	230	216	106	12	2	.....
101b	Pneumonia (unspecified)	194	38	10	6	3	2	5	11	3	7	18	12	22	36	14	7	.....	.....
102	Pleurisy	132	6	5	3	3	.....	4	3	12	16	24	16	18	13	8	1	.....	.....
103	Congestion and hemorrhagic infarct of the lung	76	4	1	.....	.....	1	1	.....	1	1	5	6	7	15	27	7	.....	.....
104	Gangrene of the lung	16	.....	.....	1	.....	.....	1	.....	.....	3	6	3	1	1	.....	.....	.....	.....
105	Asthma	88	.....	1	1	.....	.....	1	1	2	8	12	16	17	21	8	.....	.....	.....
106	Pulmonary emphysema	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	3	.....	.....	.....
107	Other diseases of the respiratory system (tuberculosis excepted)	29	1	1	.....	.....	.....	.....	.....	3	4	8	4	5	1	2	.....	.....	.....
	VI.—Diseases of the digestive system.	3,929	1,012	230	99	56	30	113	154	207	312	374	439	416	312	153	20	1	1
108	Diseases of the mouth and annexa	32	3	.....	.....	1	.....	.....	1	4	3	4	3	9	3	1	.....	.....	.....
109a	Adenoid vegetations	2	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
109b	Other diseases of the pharynx, tonsils	165	4	8	7	13	5	28	24	18	18	22	9	2	6	1	.....	.....	.....
110	Diseases of the esophagus	4	1	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	1	.....	.....
111a	Ulcer of the stomach	210	.....	.....	.....	1	.....	2	4	14	33	47	48	33	19	9	.....	.....	.....
111b	Ulcer of the duodenum	68	.....	.....	.....	.....	.....	.....	.....	6	18	17	10	8	6	3	.....	.....	.....
112	Other diseases of the stomach (cancer excepted)	184	52	5	6	2	.....	4	6	5	9	10	13	19	23	24	5	1	.....
113	Diarrhea and enteritis (under 2 years)	1,084	888	196	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
114	Diarrhea and enteritis (2 years and over)	313	.....	.....	73	31	15	34	16	8	21	16	20	23	28	25	3	.....	.....
116	Diseases due to other intestinal parasites	7	.....	.....	.....	.....	.....	1	.....	3	.....	.....	2	1	.....	.....	.....	.....	.....
117	Appendicitis and typhlitis	560	3	5	4	6	3	27	75	104	97	91	76	48	17	4	.....	.....	.....
118a	Hernia	154	6	.....	.....	.....	1	.....	.....	7	6	20	29	37	36	10	2	.....	.....
118b	Intestinal obstruction	309	39	11	8	1	1	6	13	13	36	36	45	39	32	24	4	.....	1
119	Other diseases of the intestines	53	5	1	1	1	.....	2	2	2	4	7	9	7	5	6	1	.....	.....
120	Acute yellow atrophy of the liver	19	.....	.....	.....	.....	.....	.....	2	3	3	2	5	3	1	.....	.....	.....	.....
121	Hydatid tumor of the liver	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
122	Cirrhosis of the liver	352	1	1	.....	.....	.....	2	3	2	19	38	91	100	68	25	2	.....	.....
123	Biliary calculi	145	.....	.....	.....	.....	.....	.....	.....	6	15	21	33	35	26	9	.....	.....	.....
124	Other diseases of the liver	178	3	1	.....	.....	2	1	2	5	21	28	31	37	34	11	2	.....	.....
125	Diseases of the pancreas	31	.....	.....	.....	.....	1	3	.....	3	2	4	5	9	4	.....	.....	.....	.....
126	Peritonitis without specified cause	50	6	2	.....	.....	1	2	5	4	5	9	7	5	3	1	.....	.....	.....
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	7	.....	.....	.....	.....	1	.....	.....	.....	.....	2	3	1	.....	.....	.....	.....	.....
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	4,039	28	8	10	5	5	15	48	138	254	445	607	859	1,002	539	72	3	1
128	Acute nephritis (including unspecified under 10 years)	150	14	3	5	2	2	9	4	19	16	23	15	11	15	11	1	.....	.....
129	Chronic nephritis (including unspecified 10 years and over)	3,243	2	1	3	1	3	3	38	72	157	316	516	744	879	439	65	3	1
131	Other diseases of the kidneys and annexa	139	10	2	2	2	.....	3	3	11	15	13	15	27	18	16	2	.....	.....
132	Calculi of the urinary passages	38	.....	.....	.....	.....	.....	.....	1	2	3	4	8	8	8	4	.....	.....	.....
133	Diseases of the bladder	50	1	2	.....	.....	.....	.....	.....	1	2	3	6	4	14	17	.....	.....	.....
134	Diseases of the urethra, etc	15	.....	.....	.....	.....	.....	.....	.....	1	2	2	3	4	.....	2	1	.....	.....
135	Diseases of the prostate	177	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	14	46	61	48	3	.....	.....
136	Nonvenereal diseases of the male genital organs	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
137	Cysts, other benign tumors of the ovary	27	.....	.....	.....	.....	.....	.....	.....	5	6	4	4	4	4	.....	.....	.....	.....
138	Salpingitis and pelvic abscess (female)	81	.....	.....	.....	.....	.....	.....	1	19	34	19	6	2	.....	.....	.....	.....	.....
139	Benign tumors of the uterus	80	.....	.....	.....	.....	.....	.....	.....	1	15	49	11	2	1	1	.....	.....	.....
140	Nonpuerperal uterine hemorrhage	3	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	1	.....	.....	.....	.....	.....
141	Other diseases of the female genital organs	34	.....	.....	.....	.....	.....	.....	.....	7	3	7	9	6	2	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	CALIFORNIA—Continued.																		
	VIII.—The puerperal state	494							42	223	189	40							
143	Accidents of pregnancy	61							5	17	33	6							
144	Puerperal hemorrhage	58							2	26	22	8							
145	Other accidents of labor	36							1	17	17	1							
146	Puerperal septicemia	215							22	108	70	15							
147	Puerperal phlegmasia alba dolens, embolus, etc	18							1	5	8	4							
148	Puerperal albuminuria and convulsions	104							11	48	39	6							
149	Following childbirth (undefined)	2								2									
	IX.—Diseases of the skin and of the cellular tissue	129	25	3				4	5	8	10	9	12	13	22	16	2		
151	Gangrene	47	1					1	1		3	3	4	3	15	14	2		
152	Furuncle	26	3					1	2	5	1	5	3	3	3				
153	Acute abscess	23	6					1	1	3	4	1	1	4	1	1			
154	Other diseases of the skin and annexa	33	15	3				1	1		2		4	3	3	1			
	X.—Diseases of the bones and of the organs of locomotion	48	4	1			1	5	7	4	7	3	2	10	3	1			
155	Diseases of the bones (tuberculosis excepted)	34	3	1			1	5	6	3	5	1	1	6	2				
156	Diseases of the joints (tuberculosis and rheumatism excepted)	12	1						1	1	1	2	1	3	1	1			
158	Other diseases of the organs of locomotion	2									1			1					
	XI.—Malformations	458	423	9	3	5	2	10	2	1	2	1							
159a	Congenital hydrocephalus	45	29	4	2	3	2	3	1			1							
159b	Congenital malformations of the heart	282	265	4	1	2		6	1	1	2								
159c	Other congenital malformations	131	129	1				1											
	XII.—Early infancy	1,907	1,907																
160	Congenital debility, icterus, sclerema	273	273																
161a	Premature birth	1,211	1,211																
161b	Injury at birth	250	250																
162	Other diseases peculiar to early infancy	164	164																
163	Lack of care	9	9																
164	XIII.—Old age (senility)	345											2	16	108	154	58	7	
	XIV.—External causes	4,651	75	82	56	48	38	134	328	695	828	722	610	484	334	184	30	1	2
	Suicide (total)	970							23	131	211	215	172	135	64	17	2		
165	By poisons (corrosives excepted)	56							2	9	9	18	6	9	3				
166	By corrosive substances	64							3	16	15	13	12	3	2				
167	By poisonous gas	148							1	15	22	33	35	27	11	3	1		
168	By hanging or strangulation	102							3	10	20	26	14	17	8	3	1		
169	By drowning	56								4	12	10	10	15	5				
170	By firearms	435							12	66	113	84	75	47	27	11			
171	By cutting or piercing instruments	57								6	12	14	11	11	3				
172	By jumping from high places	23							1	2	6	4	5	2	3				
173	By crushing	17							1	3		8	2	2	1				
174	By other means	12									2	5	2	2	1				
	Homicide (total)	416	4			1	1	5	18	117	108	77	45	31	7	2			
197	By firearms	332					1	4	13	90	98	63	33	26	4				
198	By cutting or piercing instruments	35	1						2	10	7	8	4	1	1	1			
199	By other means	49	3			1		1	3	17	3	6	8	4	2	1			
	Accidental or undefined (total)	3,265	71	82	56	47	37	129	287	447	509	430	393	318	263	165	28	1	2
175	Poisoning by food	59	6	2		1	1	3	6	3	8	6	9	8	6				
176	Poisoning by venomous animals	3		1						1	1								
177	Other acute poisonings (gas excepted)	95	3	13	11	3	1	3	1	11	20	13	12	3	1				
178	Conflagration	44	4	3	3	1			1	6	4	5	4	4	6	2		1	
179	Burns (conflagration excepted)	177	6	18	14	9	7	14	12	23	16	12	15	14	10	6	1		
180	Mechanical suffocation	33	21	1	1	2			1	1	1	2	1		2				
181	Absorption of irrespirable, irritating, or poisonous gas	115				1			5	7	19	24	20	20	13	6			
182	Drowning	308	3	20	7	6	2	22	50	50	50	45	33	12	2	2	2		2
183	Traumatism by firearms (except in war)	100	1	1		1	2	5	20	24	17	12	6	6	5				
184	Traumatism by cutting or piercing instruments	24		1	1		1	1	2	1	4	6	3	2	2				
185	Traumatism by fall	480	2	6	2	3	2	9	24	25	26	49	48	54	101	108	21		
186a	Traumatism in mines	21								4	6	7	4						
186b	Traumatism in quarries	7							1		5			1					
187	Traumatism by machines	103			1	2		1	7	23	23	21	15	9	1				
188a	Railroad accidents	243	1	2	2		1	4	33	44	47	40	33	21	12	3			
188b	Street-car accidents	121						2	8	11	21	16	18	16	22	7			
188c	Automobile accidents	376	5	9	9	11	18	52	77	132	146	120	114	102	59	20	2		
188d	Aeroplane and balloon accidents	26							2	19	4		1						
188e,f	Injuries by other vehicles	80			1		1	7	11	13	11	9	9	10	6	2			
188g	Landslide, other crushing	42							2	8	16	5	5	4	2				
189	Injuries by animals (not poisoning)	25			1	1		1	1	3	6	1	4	3	3		1		
193	Excessive cold	3											2		1				
194	Excessive heat	28	10	1					1	1	2	4	4	3	1	1			
195	Lightning	2							1				1						
196	Other accidental electric shocks	60						1	8	20	14	9	5	2		1			
201	Fracture (cause not specified)	9						1		1	1	1	2	2		1			
202	Other external violence	141	8	4	2	6	1	2	11	13	30	19	21	14	5	4	1		
203	Violent deaths of unknown causation	40	1		1			1	2	3	11	4	4	8	3	2			
	XV.—Ill-defined diseases	64	7	11	3		1	2	3	3	3	8	8	5	6	2	1		1
204	Sudden death	3	1		1									1					
205a	Ill-defined	31	2	9	2		1			2	1	4	5	2	2	1			
205b	Not specified or unknown	30	4	2				2	3	1	2	4	3	2	4	1	1		1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	COLORADO.																	
	All causes	11,878	1,705	301	149	106	85	344	585	1,211	1,197	1,172	1,317	1,512	1,362	716	98	5	13
	I.—Epidemic, endemic, and infectious diseases	2,815	214	102	63	49	57	151	222	652	558	351	181	132	54	24	5	.....	.....
1	Typhoid and paratyphoid fever	97	.....	2	3	1	4	7	27	15	15	11	8	3	1	.....	.....	.....	.....
6	Smallpox	45	4	1	1	1	.....	2	5	4	10	8	4	4	.....	1	.....	.....	.....
7	Measles	81	20	18	14	3	5	14	4	1	1	.....	1	.....	.....	.....	.....	.....	.....
8	Scarlet fever	57	3	3	5	6	8	14	15	.....	3	.....	.....	.....	.....	.....	.....	.....	.....
9	Whooping cough	98	55	29	3	4	2	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
10	Diphtheria	238	12	17	19	26	28	83	44	7	1	.....	.....	1	.....	.....	.....	.....	.....
11a	Influenza (with pulmonary complications)	129	18	3	4	3	1	2	10	10	15	14	18	13	11	5	2	.....	.....
11b	Influenza (other and unspecified)	62	9	2	2	.....	1	3	2	6	7	7	5	9	4	3	2	.....	.....
13	Mumps	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
15	Cholera nostras	8	5	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
16	Dysentery	19	3	2	.....	.....	.....	1	1	.....	1	1	.....	3	2	4	1	.....	.....
21	Erysipelas	53	28	.....	1	.....	.....	1	.....	2	4	3	3	5	3	3	.....	.....	.....
22	Acute anterior poliomyelitis	8	.....	1	1	1	1	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
23	Lethargic encephalitis	11	1	.....	1	.....	.....	1	.....	3	.....	3	2	.....	.....	.....	.....	.....	.....
24	Meningococcus meningitis	11	6	3	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Other epidemic and endemic diseases	4	1	.....	1	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
29	Tetanus	11	3	.....	.....	1	.....	2	1	1	1	2	.....	.....	.....	.....	.....	.....	.....
30	Mycoses	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	1,775	20	16	7	3	6	12	102	589	485	286	130	86	27	6	.....	.....	.....
31	Of the respiratory system	1,642	1	2	1	1	2	5	84	571	460	275	126	81	27	6	.....	.....	.....
32	Of the meninges, central nervous system	57	9	12	4	2	2	5	7	3	10	1	2	.....	.....	.....	.....	.....	.....
33	Of the intestines, peritoneum	29	1	1	1	.....	2	.....	5	5	7	4	.....	3	.....	.....	.....	.....	.....
34	Of the vertebral column	8	.....	.....	.....	.....	.....	.....	1	1	2	2	1	1	.....	.....	.....	.....	.....
35	Of the joints	4	.....	1	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
36	Of other organs	5	.....	.....	.....	.....	.....	.....	.....	1	1	2	1	.....	.....	.....	.....	.....	.....
37a	Disseminated (acute)	19	7	.....	.....	.....	.....	2	4	4	2	.....	.....	.....	.....	.....	.....	.....	.....
37b	Disseminated (chronic or unspecified)	11	2	.....	1	.....	.....	.....	1	1	3	2	.....	1	.....	.....	.....	.....	.....
38	Syphilis	88	23	2	1	.....	.....	2	4	10	13	12	9	7	4	1	.....	.....	.....
40	Gonococcus infection	7	.....	.....	.....	.....	.....	.....	2	2	1	1	1	.....	.....	.....	.....	.....	.....
41	Purulent infection, septicemia	8	1	1	.....	.....	.....	1	2	.....	1	.....	.....	.....	1	1	.....	.....	.....
	II.—General diseases not included in Class I	1,080	20	3	5	4	4	19	37	46	75	143	246	234	193	49	2	.....	.....
	Cancer and other malignant tumors (total)	718	.....	.....	1	.....	.....	3	2	14	33	98	187	181	156	42	1	.....	.....
43	Of the buccal cavity	18	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	6	5	3	.....	.....	.....
44	Of the stomach, liver	295	.....	.....	.....	.....	.....	.....	.....	5	9	24	71	90	77	18	1	.....	.....
45	Of the peritoneum, intestines, rectum	80	.....	.....	.....	.....	.....	1	.....	2	6	9	23	21	14	4	.....	.....	.....
46	Of the female genital organs	102	.....	.....	.....	.....	.....	.....	.....	4	11	24	37	16	7	3	.....	.....	.....
47	Of the breast	69	.....	.....	1	.....	.....	.....	.....	1	4	15	26	10	8	4	.....	.....	.....
48	Of the skin	17	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	1	3	6	4	.....	.....	.....
49	Of other or unspecified organs	137	.....	.....	.....	.....	.....	2	2	2	3	23	25	35	39	6	.....	.....	.....
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	3	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
51	Acute rheumatic fever	36	.....	.....	2	2	.....	1	10	2	2	7	3	4	2	1	.....	.....	.....
52	Chronic rheumatism, osteoarthritis, gout	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	4	.....	.....	.....	.....
54	Pellagra	5	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	1	.....	.....	.....	.....	.....
57	Diabetes mellitus	137	.....	1	.....	1	2	8	20	15	12	13	20	22	18	4	1	.....	.....
58	Anemia, chlorosis	64	3	1	.....	.....	.....	4	.....	1	8	7	16	15	8	1	.....	.....	.....
59	Diseases of the pituitary gland	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
60a	Exophthalmic goiter	12	.....	.....	.....	.....	.....	.....	1	2	2	4	3	.....	.....	.....	.....	.....	.....
60b	Other diseases of the thyroid gland	6	.....	.....	.....	.....	.....	.....	.....	2	3	.....	1	.....	.....	.....	.....	.....	.....
62	Diseases of the thymus gland	4	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
63	Diseases of the adrenals (Addison's disease)	4	.....	.....	.....	.....	.....	.....	2	.....	.....	1	1	.....	.....	.....	.....	.....	.....
64	Diseases of the spleen	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....
65a	Leukemia	14	1	.....	.....	1	.....	1	.....	1	2	7	.....	1	.....	.....	.....	.....	.....
65b	Hodgkin's disease	4	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	1	.....	.....	.....	.....	.....
66	Alcoholism (acute or chronic)	31	.....	.....	.....	.....	.....	.....	.....	3	11	3	8	6	.....	.....	.....	.....	.....
67a	Chronic lead poisoning	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
68	Chronic poisoning by organic substances	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
69	Other general diseases	28	12	1	2	.....	.....	2	1	1	1	1	1	1	4	1	.....	.....	.....
	III.—Diseases of the nervous system and of the organs of special sense	1,043	21	9	7	2	.....	16	23	34	44	85	178	238	260	114	11	1	.....
70	Encephalitis	13	1	1	.....	.....	.....	2	.....	2	3	3	.....	.....	1	.....	.....	.....	.....
71a	Simple meningitis	24	8	3	.....	1	.....	1	3	3	2	1	1	.....	1	.....	.....	.....	.....
71b	Nonepidemic cerebrospinal meningitis	11	3	2	3	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Tabes dorsalis (locomotor ataxia)	16	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	9	2	3	.....	.....	.....	.....
73	Other diseases of the spinal cord	51	.....	.....	1	.....	.....	1	1	.....	2	4	15	11	13	3	.....	.....	.....
74a	Cerebral hemorrhage	651	.....	.....	1	1	.....	.....	2	7	10	39	108	188	192	92	10	1	.....
74b	Cerebral embolism and thrombosis	24	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	4	5	10	1	.....	.....	.....
75	Paralysis without specified cause	59	.....	.....	.....	.....	.....	.....	.....	2	2	1	6	16	20	11	1	.....	.....
76	General paralysis of the insane	78	.....	.....	.....	.....	.....	.....	.....	.....	13	22	22	7	14	.....	.....	.....	.....
77	Other forms of mental alienation	8	.....	.....	.....	.....	.....	.....	.....	.....	2	2	2	1	1	.....	.....	.....	.....
78	Epilepsy	35	.....	.....	.....	.....	.....	.....	9	9	3	3	4	3	.....	4	.....	.....	.....
79	Convulsions (nonpuerperal; 5 years and over)	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
80	Infantile convulsions (under 5 years)	8	7	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
81	Chorea	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
82	Neuralgia and neuritis	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....
83	Softening of the brain	7	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	3	2	.....	.....	.....
84	Other diseases of the nervous system	22	.....	.....	1	.....	.....	3	.....	4	6	3	3	1	1	.....	.....	.....	.....
86a	Diseases of the ear	18	2	2	.....	.....	.....	4	3	2	.....	.....	2	2	.....	1	.....	.....	.....
86b	Diseases of the mastoid process	14	.....	.....	1	.....	.....	4	2	3	.....	1	2	.....	1	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	COLORADO—Continued.																		
	IV.—Diseases of the circulatory system.	1,395	6	2	2	2	2	18	58	48	74	111	205	333	341	179	12	1	1
87	Pericarditis	9	1			1		1	1	2			1			2			
88	Endocarditis and myocarditis (acute)	69	1	1		1		6	8	6	11	14	9	6	4	2			
89	Angina pectoris	121								2	4	12	24	41	28	9			1
90	Other diseases of the heart	980	4	1	1		2	10	49	35	56	77	152	233	238	116	6		
91a	Aneurysm	22									1	2	6	8	5				
91b,c	Other diseases of the arteries	170										3	11	36	65	48	6	1	
92	Embolism and thrombosis (not cerebral)	16								2	1	2	2	6	1	2			
93	Diseases of the veins	6								1	1	1		3					
94	Diseases of the lymphatic system	2			1			1											
	V.—Diseases of the respiratory system.	1,248	240	61	22	11	4	30	40	53	81	118	143	175	163	98	8	1	
97a	Diseases of the nasal fossae	2	2																
97b	Diseases of the nasal fossae annexa	4							1	1	1		1						
98	Diseases of the larynx	8	3	1				2					1	1					
99a	Acute bronchitis	23	7	4	1		1	1	1				2	1		4	1		
99b	Chronic bronchitis	21				1			1			1	4	5	4	5			
99c,d	Bronchitis (unspecified)	13	1								1	2		1	3	5			
100a	Bronchopneumonia	421	168	39	8	4	2	14	9	10	7	21	33	33	50	23			
100b	Capillary bronchitis	12	6			3	1				1				1				
101a	Lobar pneumonia	567	42	16	11	3		8	21	30	55	63	80	104	87	40	6	1	
101b	Pneumonia (unspecified)	62	8	1				3	5	6	2	7	4	10	5	10	1		
102	Pleurisy	22	1		1			1	1	2	4	5	3	3	1				
103	Congestion and hemorrhagic infarct of the lung	9	1							1				1	1	5			
104	Gangrene of the lung	1									1								
105	Asthma	35						1			3	4	6	9	6	6			
106	Pulmonary emphysema	3								1		1			1				
107	Other diseases of the respiratory system (tuberculosis excepted)	45	1		1				1	2	6	14	9	7	4				
	VI.—Diseases of the digestive system.	1,229	374	79	29	22	5	46	63	74	96	97	115	114	70	40	4		1
108	Diseases of the mouth and annexa	4	1					2						1					
109a	Adenoid vegetations																		
109b	Other diseases of the pharynx, tonsils	78	5	2	4	9		17	19	8	4	2	5		2	1			
110	Diseases of the esophagus	3													2	1			
111a	Ulcer of the stomach	53	1						1		14	10	13	5	6	3			
111b	Ulcer of the duodenum	17								2	5	6	2	2					
112	Other diseases of the stomach (cancer excepted)	56	22	2				1	1	1	2	2	3	15	5	2			
113	Diarrhea and enteritis (under 2 years)	399	326	73															
114	Diarrhea and enteritis (2 years and over)	85			21	7	2	6	4	1	1	5	8	5	12	11	2		
117	Appendicitis and typhlitis	219	1		2	3	2	15	33	39	40	29	24	21	6	2	1		1
118a	Hernia	28								1	1	4	5	11	3	3			
118b	Intestinal obstruction	93	16	1	1	2	1	3	3	9	8	11	14	9	6	8	1		
119	Other diseases of the intestines	15	2	1						1	2	3	2	1	1	2			
120	Acute yellow atrophy of the liver	6							1	1	1		2		1				
122	Cirrhosis of the liver	54								1	4	8	14	18	7	2			
123	Biliary calculi	50								1	5	6	12	15	8	3			
124	Other diseases of the liver	49								6	5	10	10	11	6	1			
125	Diseases of the pancreas	6				1					1	1	1		2				
126	Peritonitis without specified cause	12			1			2	1	2	2				3	1			
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	2								1	1								
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	796	9	2	2		1	8	15	42	49	76	116	165	185	104	22		
128	Acute nephritis (including unspecified under 10 years)	43	6	1	2		1	4	3	5	3	2	4	3	7	2			
129	Chronic nephritis (including unspecified 10 years and over)	618		1				3	10	18	22	62	95	143	154	93	17		
131	Other diseases of the kidneys and annexa	15	1					1		1	1	4	2	4	1				
132	Calculi of the urinary passages	6								1				1	4				
133	Diseases of the bladder	12	1							2	1		1		4	3			
134	Diseases of the urethra, etc	3									1		1		1				
135	Diseases of the prostate	35											3	8	13	6	5		
136	Nonvenereal diseases of the male genital organs	1	1																
137	Cysts, other benign tumors of the ovary	9								2	3		3	1					
138	Salpingitis and pelvic abscess (female)	24							1	10	10	1	1	1					
139	Benign tumors of the uterus	23								1	5	7	6	4					
141	Other diseases of the female genital organs	6								2	3				1				
142	Nonpuerperal diseases of the breast (cancer excepted)	1							1										
	VIII.—The puerperal state	173							15	90	51	17							
143	Accidents of pregnancy	16							2	7	5	2							
144	Puerperal hemorrhage	14								5	6	3							
145	Other accidents of labor	16								9	5	2							
146	Puerperal septicemia	77							7	42	21	7							
147	Puerperal phlegmasia alba dolens, embolus, etc	8							1	4	3								
148	Puerperal albuminuria and convulsions	42							5	23	11	3							

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	COLORADO—Continued.																		
	IX.—Diseases of the skin and of the cellular tissue	34	5	2						1	3	1	5	3	5	8	1		
151	Gangrene	18									1	1	3	3	3	7			
152	Furuncle	3								1	1		1						
153	Acute abscess	8	5								1				1	1			
154	Other diseases of the skin and annexa	5		2									1		1		1		
	X.—Diseases of the bones and of the organs of locomotion	14						2	4		2	1		3	1	1			
155	Diseases of the bones (tuberculosis excepted)	7						2	3		1			1					
156	Diseases of the joints (tuberculosis and rheumatism excepted)	6							1		1	1		1	1	1			
158	Other diseases of the organs of locomotion	1												1					
	XI.—Malformations	127	118	3	1		1	4											
159a	Congenital hydrocephalus	13	8	2	1			2											
159b	Congenital malformations of the heart	77	75	1				1											
159c	Other congenital malformations	37	35				1	1											
	XII.—Early infancy	657	657																
160	Congenital debility, icterus, sclerema	92	92																
161a	Premature birth	423	423																
161b	Injury at birth	70	70																
162	Other diseases peculiar to early infancy	69	69																
163	Lack of care	3	3																
164	XIII.—Old age (senility)	138												7	39	63	27	2	
	XIV.—External causes	1,104	31	35	17	16	11	50	106	170	164	169	127	107	50	35	5		11
	Suicide (total)	142							3	17	25	38	27	20	9	3			
165	By poisons (corrosives excepted)	10									3	4	2	1					
166	By corrosive substances	20								8	4	5	3						
167	By poisonous gas	9								1	2	3	1	1	1				
168	By hanging or strangulation	13										4	2	4	2	1			
169	By drowning	6										2	2		1	1			
170	By firearms	73							3	8	13	18	14	12	4	1			
171	By cutting or piercing instruments	8									2	1	2	2	1				
173	By crushing	2										1	1						
174	By other means	1									1								
	Homicide (total)	113			1			1	6	28	39	21	12	3					2
197	By firearms	95							5	24	37	19	7	2					1
198	By cutting or piercing instruments	6								3	1		2						
199	By other means	12			1			1	1	1	1	2	3	1					1
	Accidental or undefined (total)	849	31	35	16	16	11	49	97	125	100	110	88	84	41	32	5		9
175	Poisoning by food	9	2	1			1		1		1		2		1				
176	Poisoning by venomous animals	3			2				1										
177	Other acute poisonings (gas excepted)	23	1	4	2	1		1	2	1	3	2	5	1					
178	Conflagration	10	1			2				1		3		2	1				
179	Burns (conflagration excepted)	36	2	7	4	5	5	2	2	1	2		1	3	2				
180	Mechanical suffocation	22	14						3	2		1	2						
181	Absorption of irrespirable, irritating, or poisonous gas	11							2	1		2	4		1	1			
182	Drowning	187	3	19	4	5		15	30	30	14	17	12	18	10	2			8
183	Traumatism by firearms (except in war)	38					1	4	10	7	5	5	5	1					
184	Traumatism by cutting or piercing instruments	5								1		1	2		1				
185	Traumatism by fall	99	2	1				2	10	7	7	9	6	16	13	22	4		
186a	Traumatism in mines	69							2	23	22	14	4	4					
186b	Traumatism in quarries	1									1								
187	Traumatism by machines	23					1	1	5	1	3	5	2	2	2	1			
188a	Railroad accidents	55		1	1			2	3	7	15	10	6	8	1	1			
188b	Street-car accidents	7						1				1	2	2	1				
188c	Automobile accidents	121	1				1	12	11	24	14	16	19	14	6	3			
188d	Aeroplane and balloon accidents	3							1		1			1					
188e,f	Injuries by other vehicles	42		1		1		4	3	8	1	12	6	5		1			
188g	Landslide, other crushing	13	1						3		2	3	3	1					
189	Injuries by animals (not poisoning)	13			1			2	2		1		1	5	1				
192	Starvation (deprivation of food or water)	1											1						
193	Excessive cold	1										1							
195	Lightning	11							1	2	3	2	3						
196	Other accidental electric shocks	8							1	5	1	1							
201	Fracture (cause not specified)	2								1									1
202	Other external violence	24	2	1	2	2	1	1	3	3	2	2	1	1	1	1	1		
203	Violent deaths of unknown causation	12	2				1	2	1		2	3	1						
	XV.—Ill-defined diseases	25	10	3	1				2	1		3	1	1	1	1	1		
204	Sudden death	2										2							
205a	Ill-defined	9	1	3					1			1		1	1	1			
205b	Not specified or unknown	14	9		1				1	1			1				1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	CONNECTICUT.																	
	All causes	16,167	2,492	422	201	150	116	377	553	943	1,148	1,425	1,879	2,402	2,491	1,327	229	5	7
	I.—Epidemic, endemic, and infectious diseases	2,318	218	146	79	62	52	142	188	402	345	284	160	136	72	26	6	....	....
1	Typhoid and paratyphoid fever	51	....	....	....	1	....	3	7	9	13	10	6	2	....	....	....	....	....
2	Typhus fever	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
5	Malaria	3	....	....	1	....	....	....	....	1	....	....	....	1	....	....	....	....	....
7	Measles	43	14	13	5	1	....	7	2	....	....	1	....	....	....	....	....	....	....
8	Scarlet fever	101	4	7	10	11	10	32	12	9	5	1	....	....	....	....	....	....	....
9	Whooping cough	133	67	40	11	4	5	4	1	....	....	....	....	....	....	1	....	....	....
10	Diphtheria	176	9	25	22	25	23	54	12	2	2	2	....	....	....	....	....	....	....
11a	Influenza (with pulmonary complications)	109	12	7	3	....	....	2	3	11	8	15	10	14	19	4	1	....	....
11b	Influenza (other and unspecified)	56	8	1	3	1	2	1	6	....	3	3	3	8	8	9	....	....	....
13	Mumps	2	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....
15	Cholera nostras	2	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....
16	Dysentery	19	5	5	1	1	....	....	....	....	2	....	1	....	1	1	2	....	....
19	Spirochetal hemorrhagic jaundice	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
21	Erysipelas	38	14	....	....	....	....	1	1	3	....	3	3	....	5	6	2	....	....
22	Acute anterior poliomyelitis	25	4	4	5	1	....	5	2	2	1	1	....	....	....	....	....	....	....
23	Lethargic encephalitis	29	1	....	2	1	....	3	2	7	3	....	1	5	3	....	1	....	....
24	Meningococcus meningitis	30	7	4	1	1	....	4	5	6	....	....	1	1	....	....	....	....	....
25	Other epidemic and endemic diseases	4	2	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
29	Tetanus	20	2	....	....	1	....	1	10	1	3	1	....	1	....	....	....	....	....
30	Mycoses	4	2	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....
	Tuberculosis (total)	1,364	40	36	13	13	12	24	125	342	291	222	121	91	31	3	....	....	....
31	Of the respiratory system	1,172	8	11	5	2	4	7	112	319	279	205	110	82	25	3	....	....	....
32	Of the meninges, central nervous system	94	28	18	7	7	6	9	6	5	2	2	1	1	2	....	....	....	....
33	Of the intestines, peritoneum	40	1	6	1	2	....	4	3	6	4	5	2	3	3	....	....	....	....
34	Of the vertebral column	11	....	1	....	1	....	2	1	1	1	3	....	1	....	....	....	....	....
35	Of the joints	5	....	....	....	....	1	1	....	....	....	1	1	1	....	....	....	....	....
36	Of other organs	23	1	....	....	1	....	....	1	8	3	....	6	2	1	....	....	....	....
37a	Disseminated (acute)	17	2	....	....	....	1	....	2	3	2	6	....	1	....	....	....	....	....
37b	Disseminated (chronic or unspecified)	2	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....
38	Syphilis	84	23	2	1	1	....	....	....	7	8	17	12	9	3	1	....	....	....
40	Gonococcus infection	11	....	....	....	....	....	....	....	....	3	5	1	1	....	1	....	....	....
41	Purulent infection, septicemia	11	3	....	1	....	....	....	....	2	....	2	....	2	1	....	....	....	....
42	Other infectious diseases	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	II.—General diseases not included in Class I	2,024	55	9	7	5	1	8	40	46	132	245	448	537	372	106	12	....	1
	Cancer and other malignant tumors (total)	1,377	1	2	1	2	1	1	2	12	73	174	325	399	290	83	10	....	1
43	Of the buccal cavity	57	....	....	....	....	....	....	....	....	1	....	11	17	19	9	....	....	....
44	Of the stomach, liver	437	....	....	....	....	....	....	....	3	12	44	119	138	93	25	2	....	1
45	Of the peritoneum, intestines, rectum	248	....	....	....	....	....	....	....	3	16	35	42	80	59	11	2	....	....
46	Of the female genital organs	153	....	....	....	....	1	....	....	1	16	32	44	29	22	7	1	....	....
47	Of the breast	166	....	....	....	....	....	....	....	....	13	31	40	42	27	10	3	....	....
48	Of the skin	32	....	1	....	....	....	....	....	....	1	....	5	7	12	5	1	....	....
49	Of other or unspecified organs	284	1	1	1	2	....	1	2	5	14	32	64	86	58	16	1	....	....
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	14	....	....	....	....	....	1	2	....	....	2	1	3	3	2	....	....	....
51	Acute rheumatic fever	45	....	....	1	....	....	2	11	8	4	5	3	8	2	1	....	....	....
52	Chronic rheumatism, osteoarthritis, gout	15	....	....	....	....	....	....	1	....	....	1	1	5	4	2	1	....	....
54	Pellagra	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
56	Rickets	17	11	4	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....
57	Diabetes mellitus	316	1	....	....	1	....	....	10	13	17	32	70	97	59	15	1	....	....
58	Anemia, chlorosis	74	....	....	....	1	....	2	3	5	8	15	21	9	7	3	....	....	....
60a	Exophthalmic goiter	16	....	....	....	....	....	....	2	2	5	3	4	....	....	....	....	....	....
60b	Other diseases of the thyroid gland	11	....	....	....	....	....	....	....	2	2	3	2	2	....	....	....	....	....
61	Diseases of the parathyroid glands	2	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
62	Diseases of the thymus gland	17	11	1	2	....	....	....	1	....	2	....	....	....	....	....	....	....	....
63	Diseases of the adrenals (Addison's disease)	7	....	....	....	....	....	....	1	....	3	....	3	....	....	....	....	....	....
64	Diseases of the spleen	13	....	....	....	....	....	....	3	1	1	2	6	....	....	....	....	....	....
65a	Leukemia	21	....	1	1	1	....	2	1	....	2	4	3	4	2	....	....	....	....
65b	Hodgkin's disease	7	....	....	....	....	....	....	....	1	2	....	1	2	1	....	....	....	....
66	Alcoholism (acute or chronic)	23	....	....	....	....	....	....	1	1	8	3	5	5	....	....	....	....	....
67a	Chronic lead poisoning	5	....	....	....	....	....	....	....	....	....	1	2	2	....	....	....	....	....
68	Chronic poisoning by organic substances	4	....	....	....	....	....	....	....	....	3	....	....	....	1	....	....	....	....
69	Other general diseases	39	29	1	2	....	....	....	2	1	1	....	....	1	2	....	....	....	....
	III.—Diseases of the nervous system and of the organs of special sense	1,876	63	18	14	7	4	22	33	26	49	153	259	389	521	282	35	....	1
70	Encephalitis	12	....	....	....	2	....	1	3	2	....	1	....	1	2	....	....	....	....
71a	Simple meningitis	61	26	10	3	3	2	5	4	3	....	2	3	....	....	....	....	....	....
71b	Nonepidemic cerebrospinal meningitis	18	4	5	2	1	1	1	3	....	....	1	....	....	....	....	....	....	....
72	Tabes dorsalis (locomotor ataxia)	23	....	....	....	....	....	....	....	....	1	5	6	3	8	....	....	....	....
73	Other diseases of the spinal cord	65	1	....	....	....	....	3	2	....	3	11	9	12	15	9	....	....	....
74a	Cerebral hemorrhage	1,367	3	....	....	....	....	2	3	5	13	83	193	332	455	247	31	....	....
74b	Cerebral embolism and thrombosis	43	....	....	....	1	....	2	1	....	2	3	7	6	16	4	1	....	....
75	Paralysis without specified cause	45	....	....	....	....	....	....	....	....	....	1	5	10	17	11	1	....	....
76	General paralysis of the insane	78	....	....	....	....	....	....	....	2	17	27	17	9	3	2	....	....	1
77	Other forms of mental alienation	17	....	....	....	....	....	....	1	3	4	1	4	4	....	....	....	....	....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over	
	CONNECTICUT—Continued.																	
	III.—Diseases of the nervous system and of the organs of special sense—Continued.																	
78	Epilepsy	24	1		1			1	3	6	2	4	1	2	1	2		
79	Convulsions (nonpuerperal; 5 years and over)	2						2										
80	Infantile convulsions (under 5 years)	26	21	2	3													
82	Neuralgia and neuritis	8							1		1		2	2		1	1	
83	Softening of the brain	11												2	4	4	1	
84	Other diseases of the nervous system	40	2		2		1	2	3	1	5	11	8	3		2		
86a	Diseases of the ear	26	5	1	1			2	4	3	1	3	3	3				
86b	Diseases of the mastoid process	10			2			1	5	1			1					
	IV.—Diseases of the circulatory system	2,731	15	4	3	3	3	26	61	53	121	181	387	574	787	436	75	2
87	Pericarditis	8									2		1		4	1		
88	Endocarditis and myocarditis (acute)	86	8	2	1		1	6	13	13	15	12	9		3	3		
89	Angina pectoris	175							1	1	1	17	40	51	51	13		
90	Other diseases of the heart	2,140	7	1	2	2	2	19	46	36	98	145	308	480	612	330	50	2
91a	Aneurysm	26									3	3	7	7	5	1		
91b,c	Other diseases of the arteries	259										1	15	32	104	83	24	
92	Embolism and thrombosis (not cerebral)	24						1		2	1	3	5	1	7	3	1	
93	Diseases of the veins	9							1	1	1		2	2	1	1		
94	Diseases of the lymphatic system	3		1		1								1				
96	Other diseases of the circulatory system	1														1		
	V.—Diseases of the respiratory system	1,543	320	120	28	28	9	33	36	44	96	114	134	193	196	160	31	1
97a	Diseases of the nasal fossae	1												1				
97b	Diseases of the nasal fossae annexa	3									1			2				
98	Diseases of the larynx	8	2	2				2							1	1		
99a	Acute bronchitis	66	31	5					1		1		3	3	7	8	7	
99b	Chronic bronchitis	31						1		1	1		4	3	6	13	2	
99c,d	Bronchitis (unspecified)	34	11	1		1							1	4	7	8	1	
100a	Bronchopneumonia	592	205	72	9	13	2	14	9	8	15	25	28	56	59	66	11	
100b	Capillary bronchitis	11	4	1	2		1					1		1		1		
101a	Lobar pneumonia	647	56	33	15	11	5	10	20	29	63	79	86	108	88	41	2	1
101b	Pneumonia (unspecified)	51	11					1	1	4	5		3	8	10	7	1	
102	Pleurisy	46		6	2	2	1	3	3	1	6	4	4	3	9	2		
103	Congestion and hemorrhagic infarct of the lung	29				1			1		4			1	5	11	6	
104	Gangrene of the lung	1													1			
105	Asthma	21						1	1	1		5	5	2	3	2	1	
107	Other diseases of the respiratory system (tuberculosis excepted)	2						1						1				
	VI.—Diseases of the digestive system	1,436	473	80	34	14	8	38	44	70	87	124	157	150	113	36	8	
108	Diseases of the mouth and annexa	7	2					1		1		2			1			
109b	Other diseases of the pharynx, tonsils	57	3	2	2	1		9	9	8	5	4	4	7	2	1		
110	Diseases of the esophagus	1									1							
111a	Ulcer of the stomach	69						1		4	9	16	17	16	4	2		
111b	Ulcer of the duodenum	12									1	4	1	4	2			
112	Other diseases of the stomach (cancer excepted)	73	17	2	5					1	1	5	6	14	13	7	2	
113	Diarrhea and enteritis (under 2 years)	504	430	74														
114	Diarrhea and enteritis (2 years and over)	125			25	9	7	13	2	4	3	5	12	16	17	10	2	
116	Diseases due to other intestinal parasites	2		1							1							
117	Appendicitis and typhlitis	179		1	4			13	27	30	32	28	28	14	2			
118a	Hernia	65	3						2	3	4	9	6	21	15	2		
118b	Intestinal obstruction	64	15	1	1				2	3	5	3	10	9	10	4	1	
119	Other diseases of the intestines	22	1							4	1	4	5	4	1		2	
120	Acute yellow atrophy of the liver	3								1			1	1				
122	Cirrhosis of the liver	99									5	17	26	21	22	8		
123	Biliary calculi	70								2	6	16	22	11	12	1		
124	Other diseases of the liver	53							1	4	9	6	11	9	11	1	1	
125	Diseases of the pancreas	8								1	1	2	3	1				
126	Peritonitis without specified cause	22	2				1	1	1	4	3	3	5	1	1			
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	1												1				
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	1,251	8	1	1	1	6	7	22	50	69	138	180	289	301	154	23	1
128	Acute nephritis (including unspecified under 10 years)	74	4		1	1	4	3	8	6	6	7	13	11	8	2		
129	Chronic nephritis (including unspecified 10 years and over)	1,018	1				2	2	14	32	44	108	152	248	261	133	21	
131	Other diseases of the kidneys and annexa	33	3	1				2		4	5	1	2	6	7	1		1
132	Calculi of the urinary passages	10								1	1	3	1	3		1		
133	Diseases of the bladder	15												3	9	3		
134	Diseases of the urethra, etc	6										2	3			1		
135	Diseases of the prostate	44											2	16	15	9	2	
136	Nonvenereal diseases of the male genital organs	1													1			
137	Cysts, other benign tumors of the ovary	12								1	1	3	3	2		2		
138	Salpingitis and pelvic abscess (female)	10								4	4	1				1		
139	Benign tumors of the uterus	18									6	8	3			1		
141	Other diseases of the female genital organs	10								2	2	5	1					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	CONNECTICUT—Continued.																		
	VIII.—The puerperal state	180							9	74	77	20							
143	Accidents of pregnancy	19							1	7	10	1							
144	Puerperal hemorrhage	21								5	10	6							
145	Other accidents of labor	17							1	5	10	1							
146	Puerperal septicemia	75							3	34	30	8							
147	Puerperal phlegmasia alba dolens, embolus, etc	7								2	3	2							
148	Puerperal albuminuria and convulsions	38							4	19	13	2							
149	Following childbirth (undefined)	3								2	1								
	IX.—Diseases of the skin and of the cellular tissue	57	13	2				2	3	2	6	3	4	10	3	5	4		
151	Gangrene	20	2								3		1	4	2	4	4		
152	Furuncle	11						1	2	2		2	1	1	1	1			
153	Acute abscess	11	3	2				1	1		2			2					
154	Other diseases of the skin and annexa	15	8								1	1	2	3					
	X.—Diseases of the bones and of the organs of locomotion	44	1	4	4		3	4	9	3	1	5	3		5	2			
155	Diseaes of the bones (tuberculosis excepted)	33		2	4		3	4	9	2	1	4	2		2				
156	Diseases of the joints (tuberculosis and rheumatism excepted)	9	1	2						1			1		3	1			
158	Other diseases of the organs of locomotion	2										1				1			
	XI.—Malformations	233	208	10	3			5	2	1		4							
159a	Congenital hydrocephalus	33	27	2	1			1		1		1							
159b	Congenital malformations of the heart	124	112	8				2				2							
159c	Other congenital malformations	76	69		2			2	2			1							
	XII.—Early infancy	1,073	1,073																
160	Congenital debility, icterus, sclerema	133	133																
161a	Premature birth	566	566																
161b	Injury at birth	261	261																
162	Other diseases peculiar to early infancy	113	113																
164	XIII.—Old age (senility)	107												7	19	57	23		1
	XIV.—External causes	1,249	30	26	25	30	30	90	106	170	165	150	143	111	99	59	11	1	3
	Suicide (total)	204							4	30	41	39	43	33	12	1			1
165	By poisons (corrosives excepted)	9							1	4	3			1					
166	By corrosive substances	24							1	4	7	4	7	1					
167	By poisonous gas	35							1	3	4	8	9	8	1	1			
168	By hanging or strangulation	50								7	8	10	12	10	3				
169	By drowning	12								2	3	3	4						
170	By firearms	57							1	9	13	12	8	7	6				1
171	By cutting or piercing instruments	9									1	1	1	4	2				
172	By jumping from high places	6								1	1	1	2	1					
173	By crushing	1									1								
174	By other means	1												1					
	Homicide (total)	41	2						1	12	15	7	4						
197	By firearms	28							1	8	13	5	1						
198	By cutting or piercing instruments	5								2	1	1	1						
199	By other means	8	2							2	1	1	2						
	Accidental or undefined (total)	1,004	28	26	25	30	30	90	101	128	109	104	96	78	87	58	11	1	2
175	Poisoning by food	11			1	1	1	1	2	1	1		2			1			
176	Poisoning by venomous animals	1	1																
177	Other acute poisonings (gas excepted)	22		2		1			4	1	6	4	3		1				
178	Conflagration	16				1		2		4	2	2	2	2			1		
179	Burns (conflagration excepted)	96	2	12	11	13	12	13	1	5	5	5	5	5	5	2			
180	Mechanical suffocation	12	8							2		1	1						
181	Absorption of irrespirable, irritating, or poisonous gas	36		1				1		3	5	2	7	9	5	3			
182	Drowning	127	2	5	3	2	1	17	39	21	9	9	6	8	3	1			1
183	Traumatism by firearms (except in war)	14	1		1			1	3	4	4								
184	Traumatism by cutting or piercing instruments	5					1			1			1	1		1			
185	Traumatism by fall	170	3	3	1	2		2	7	13	6	12	18	13	39	40	10	1	
186b	Traumatism in quarries	1												1					
187	Traumatism by machines	27							1	2	4	8	7	3	1	1			
188a	Railroad accidents	78		1		1		3	9	14	16	16	7	6	3	2			
188b	Street-car accidents	43			1	1	1	2	2	9	7	4	3	5	7	1			
188c	Automobile accidents	220	1		3	7	13	38	22	31	27	23	23	14	15	2			1
188d	Aeroplane and balloon accidents	1												1					
188e,f	Injuries by other vehicles	25		1	1			2	5	3	3	3	2	2	3				
188g	Landslide, other crushing	8			1		1		1		2		1	1	1				
189	Injuries by animals (not poisoning)	6						1			1	1	1	2					
190	Wounds of war	1								1									
194	Excessive heat	13	3			1					2	2	2	1	1	1			
195	Lightning	1								1									
196	Other accidental electric shocks	13						1	1	8	2	1							
201	Fracture (cause not specified)	4										2		1		1			
202	Other external violence	38	5	1	1			3	3	4	5	8	1	3	2	2			
203	Violent deaths of unknown causation	15	2		1			3	1		2	1	4		1				
	XV.—Ill-defined diseases	45	15	2	3					2		4	4	6	3	4	1		1
204	Sudden death	7	2		1							2			2				
205a	Ill-defined	19	6	2	2							1	2	5		1			
205b	Not specified or unknown	19	7							2		1	2	1	1	3	1		1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	DELAWARE.																		
	All causes	2,970	494	79	29	23	20	64	127	186	183	227	310	455	490	243	36	4	
	I.—Epidemic, endemic, and infectious diseases	499	55	17	10	7	9	29	59	93	70	53	32	23	34	6	2		
1	Typhoid and paratyphoid fever	26				3		5	9	4	2		2	1					
2	Typhus fever	1									1								
5	Malaria	1							1										
7	Measles	2			1			1											
8	Scarlet fever	9			1	1	1	4	1		1								
9	Whooping cough	35	23	6	3	1	2												
10	Diphtheria	14	1	1	1	1	1	8	1										
11a	Influenza (with pulmonary complications)	29	5	2				2	1	3	3	1	3		9				
11b	Influenza (other and unspecified)	18				1		1	1	1	2	3			3	4	2		
15	Cholera nostras	1													1				
16	Dysentery	7	1	2							1			1	2				
21	Erysipelas	2										1			1				
23	Lethargic encephalitis	3							1	2									
24	Meningococcus meningitis	2					2												
27	Anthrax	2										1	1						
29	Tetanus	6	3						2	1									
	Tuberculosis (total)	318	17	4	4		2	8	42	78	59	42	22	20	18	2			
31	Of the respiratory system	271	6	2	2		1	6	35	71	58	36	20	16	16	2			
32	Of the meninges, central nervous system	15	9	1			1	2					2						
33	Of the intestines, peritoneum	15	1	1	2				4	2		2		2	1				
34	Of the vertebral column	2							2										
35	Of the joints	1								1									
36	Of other organs	6	1							1	1	2			1				
37a	Disseminated (acute)	5							1	3		1							
37b	Disseminated (chronic or unspecified)	3										1		2					
38	Syphilis	19	5	2						3	1	4	3	1					
40	Gonococcus infection	2					1			1									
41	Purulent infection, septicemia	2										1	1						
	II.—General diseases not included in Class I	262	9	1	2	2	1	1	7	6	17	31	58	65	47	13	2		
	Cancer and other malignant tumors (total)	179			1				2	1	11	21	46	47	37	11	2		
43	Of the buccal cavity	2												1		1			
44	Of the stomach, liver	61								1	3	3	14	23	14	2	1		
45	Of the peritoneum, intestines, rectum	33									2	3	11	5	10	1	1		
46	Of the female genital organs	27									2	6	11	7	1				
47	Of the breast	19									1	6	4	4	3	1			
48	Of the skin	7											2	2	2	1			
49	Of other or unspecified organs	30			1				2		3	3	4	5	7	5			
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	5											2	2		1			
51	Acute rheumatic fever	10	2			1	1		3	3									
52	Chronic rheumatism, osteoarthritis, gout	1													1				
56	Rickets	1			1														
57	Diabetes mellitus	33						1	1		2	3	6	13	7				
58	Anemia, chlorosis	8	1								2	2	1	1	1				
59	Diseases of the pituitary gland	1								1									
60a	Exophthalmic goiter	4									1	2		1					
60b	Other diseases of the thyroid gland	1										1							
62	Diseases of the thymus gland	2	1			1													
64	Diseases of the spleen	1											1						
65a	Leukemia	6		1					1	1			1		1	1			
66	Alcoholism (acute or chronic)	4									1	2		1					
69	Other general diseases	6	5										1						
	III.—Diseases of the nervous system and of the organs of special sense	403	12	7			2		5	9	7	23	59	106	115	48	10		
70	Encephalitis	3	1									1		1					
71a	Simple meningitis	9	3	2			2			1					1				
71b	Nonepidemic cerebrospinal meningitis	1	1																
72	Tabes dorsalis (locomotor ataxia)	8								1	2	2	1	2					
73	Other diseases of the spinal cord	19							1	2		1	4	3	5	3			
74a	Cerebral hemorrhage	282							1	1	2	13	47	85	91	34	8		
74b	Cerebral embolism and thrombosis	4												2	2				
75	Paralysis without specified cause	33										1	2	8	9	11	2		
76	General paralysis of the insane	10								1	1	2	4		2				
77	Other forms of mental alienation	4										1	1	1	1				
78	Epilepsy	8							3	2		1		1	1				
80	Infantile convulsions (under 5 years)	8	5	3															
83	Softening of the brain	4												2	2				
84	Other diseases of the nervous system	5	1								2	1		1					
86a	Diseases of the ear	5	1	2						1					1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	DELAWARE—Continued.																		
	IV.—Diseases of the circulatory system.	433	10	.....	1	.....	.....	.....	12	8	22	34	60	101	109	70	6	.....	.....
87	Pericarditis	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....
88	Endocarditis and myocarditis (acute)	16	5	.....	1	.....	.....	.....	3	.....	2	2	1	.....	2	.....	.....	.....	.....
89	Angina pectoris	30	.....	.....	.....	.....	.....	.....	.....	1	1	7	4	8	7	2	.....	.....	.....
90	Other diseases of the heart	342	5	.....	.....	.....	.....	.....	8	5	18	23	48	86	88	56	5	.....	.....
91a	Aneurysm	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....
91b,c	Other diseases of the arteries	31	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	5	7	5	12	1	.....	.....
92	Embolism and thrombosis (not cerebral)	8	.....	.....	.....	.....	.....	.....	1	1	.....	.....	2	.....	4	.....	.....	.....	.....
93	Diseases of the veins	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
	V.—Diseases of the respiratory system.	287	76	26	8	5	3	12	9	10	11	23	24	31	32	15	2	.....	.....
98	Diseases of the larynx	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
99a	Acute bronchitis	11	5	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	.....	.....	.....
99b	Chronic bronchitis	9	.....	2	.....	.....	.....	.....	.....	.....	1	.....	3	.....	3	.....	.....	.....	.....
99c,d	Bronchitis (unspecified)	10	3	.....	1	.....	.....	.....	.....	.....	1	.....	2	2	1	.....	.....	.....	.....
100a	Bronchopneumonia	107	45	15	2	3	.....	8	2	3	.....	.....	3	10	8	7	1	.....	.....
100b	Capillary bronchitis	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
101a	Lobar pneumonia	109	16	7	4	1	1	2	3	6	7	18	12	15	12	4	1	.....	.....
101b	Pneumonia (unspecified)	18	7	.....	1	.....	1	1	.....	.....	.....	1	2	2	2	1	.....	.....	.....
102	Pleurisy	5	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	.....	2	.....	.....	.....	.....
103	Congestion and hemorrhagic infarct of the lung	8	.....	.....	.....	.....	.....	.....	2	.....	1	1	.....	.....	2	2	.....	.....	.....
104	Gangrene of the lung	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
105	Asthma	7	.....	.....	.....	1	.....	1	.....	.....	1	2	1	1	.....	.....	.....	.....	.....
	VI.—Diseases of the digestive system.	264	128	20	4	2	1	4	4	7	5	11	18	25	22	12	1	.....	.....
109b	Other diseases of the pharynx, tonsils	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....
111a	Ulcer of the stomach	10	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	2	3	1	.....	.....	.....
111b	Ulcer of the duodenum	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
112	Other diseases of the stomach (cancer excepted)	22	6	.....	.....	1	.....	2	.....	1	1	.....	2	4	4	.....	1	.....	.....
113	Diarrhea and enteritis (under 2 years)	138	119	19	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
114	Diarrhea and enteritis (2 years and over)	20	.....	.....	4	1	.....	.....	1	.....	.....	1	1	5	3	4	.....	.....	.....
117	Appendicitis and typhlitis	14	.....	.....	.....	.....	.....	2	2	3	2	2	3	.....	.....	.....	.....	.....	.....
118a	Hernia	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	.....	.....	.....
118b	Intestinal obstruction	10	1	1	.....	.....	1	.....	.....	.....	.....	2	1	2	1	1	.....	.....	.....
119	Other diseases of the intestines	6	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	1	.....	.....	.....
122	Cirrhosis of the liver	18	.....	.....	.....	.....	.....	.....	.....	1	.....	1	4	4	8	.....	.....	.....	.....
123	Biliary calculi	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	3	1	.....	.....	.....	.....
124	Other diseases of the liver	6	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	2	.....	1	.....	.....	.....
126	Peritonitis without specified cause	5	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	1	.....	1	.....	.....	.....
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	336	4	.....	.....	1	1	3	5	3	10	26	42	82	102	53	3	1	.....
128	Acute nephritis (including unspecified under 10 years)	20	3	.....	.....	1	.....	.....	2	.....	.....	4	2	4	4	.....	.....	.....	.....
129	Chronic nephritis (including unspecified 10 years and over)	295	.....	.....	.....	.....	1	3	3	2	6	21	40	72	94	49	3	1	.....
131	Other diseases of the kidneys and annexa	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
133	Diseases of the bladder	6	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	1	2	.....	.....	.....
135	Diseases of the prostate	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	2	.....	.....	.....
137	Cysts, other benign tumors of the ovary	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
138	Salpingitis and pelvic abscess (female)	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
139	Benign tumors of the uterus	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
141	Other diseases of the female genital organs	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....
	VIII.—The puerperal state	32	.....	.....	.....	.....	.....	.....	4	11	13	4	.....	.....	.....	.....	.....	.....	.....
143	Accidents of pregnancy	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
144	Puerperal hemorrhage	3	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....
145	Other accidents of labor	3	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....
146	Puerperal septicemia	15	.....	.....	.....	.....	.....	.....	4	4	6	1	.....	.....	.....	.....	.....	.....	.....
147	Puerperal phlegmasia alba dolens, embolus, etc	2	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
148	Puerperal albuminuria and convulsions	7	.....	.....	.....	.....	.....	.....	.....	4	3	.....	.....	.....	.....	.....	.....	.....	.....
	IX.—Diseases of the skin and of the cellular tissue	13	1	1	.....	.....	.....	.....	.....	1	1	.....	2	.....	4	2	1	.....	.....
151	Gangrene	7	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	4	1	.....	.....	.....
153	Acute abscess	3	1	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
154	Other diseases of the skin and annexa	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....
	X.—Diseases of the bones and of the organs of locomotion	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....
155	Diseases of the bones (tuberculosis excepted)	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....
	XI.—Malformations	41	40	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
159a	Congenital hydrocephalus	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
159b	Congenital malformations of the heart	31	31	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
159c	Other congenital malformations	9	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Early infancy	153	153	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
160	Congenital debility, icterus, sclerema	33	33	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
161a	Premature birth	93	93	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
161b	Injury at birth	16	16	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
162	Other diseases peculiar to early infancy	11	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
DELAWARE—Continued.																			
164	XIII.—Old age (senility)	29												2	6	13	5	3	
	XIV.—External causes	203	3	3	3	6	3	14	22	38	27	20	15	18	18	9	4		
	Suicide (total)	25								2	7	4	5	4	2	1			
165	By poisons (corrosives excepted)	2									2								
166	By corrosive substances	2								1					1				
167	By poisonous gas	5									2	1	1	1					
168	By hanging or strangulation	4								1		1	2						
169	By drowning	2									1	1							
170	By firearms	9									2	1	2	2	1	1			
171	By cutting or piercing instruments	1												1					
	Homicide (total)	16								10	2	3		1					
197	By firearms	11								7	2	1		1					
198	By cutting or piercing instruments	1								1									
199	By other means	4								2		2							
	Accidental or undefined (total)	162	3	3	3	6	3	14	22	26	18	13	10	13	16	8	4		
179	Burns (conflagration excepted)	28		2	2	6	2	3		2	1	4	1		2	3			
180	Mechanical suffocation	2	1										1						
181	Absorption of irrespirable, irritating, or poisonous gas	4												3	1				
182	Drowning	32			1			6	8	10	6	1							
183	Traumatism by firearms (except in war)	6							1	2	1		1	1					
184	Traumatism by cutting or piercing instruments	1															1		
185	Traumatism by fall	25						1	1	2	1		1	3	8	5	3		
187	Traumatism by machines	5							1	1	1	1			1				
188a	Railroad accidents	18							3	3	3	5	2	2					
188b	Street-car accidents	2								1					1				
188c	Automobile accidents	17					1	3	5	4	2		2						
188e,f	Injuries by other vehicles	2								1				1					
189	Injuries by animals (not poisoning)	1						1											
192	Starvation (deprivation of food or water)	1												1					
194	Excessive heat	5	2						1		1			1					
195	Lightning	1													1				
196	Other accidental electric shocks	3									2		1						
201	Fracture (cause not specified)	1													1				
202	Other external violence	7		1					2			2	1		1				
203	Violent deaths of unknown causation	1												1					
	XV.—Ill-defined diseases	13	3	3	1			1				2		1		2			
205a	Ill-defined	13	3	3	1			1				2		1		2			
DISTRICT OF COLUMBIA.																			
	All causes {White	3,965	432	63	41	23	22	76	98	267	282	389	523	679	692	338	40		
	{Colored	2,090	318	57	24	13	12	38	104	229	245	345	294	189	162	46	10	4	
	I.—Epidemic, endemic, and infectious diseases {White	435	26	15	16	10	10	36	26	77	68	52	39	37	12	10	1		
	{Colored	405	29	12	6	5	3	13	57	102	80	61	24	8	1	4			
1	Typhoid and paratyphoid fever {W	17				1		1	5	3	5	2							
	{C	12						1	3	4		2	2						
5	Malaria {W	2									1		1						
	{C	2	1											1					
6	Smallpox {W	1												1					
7	Measles {W	12	3	4	1	2	1	1											
	{C	3			2				1										
8	Scarlet fever {W	8		1	2		1	3	1										
	{C	1						1											
9	Whooping cough {W	8	3	1	2	1		1											
	{C	10	5	5															
10	Diphtheria {W	51	3	1	5	4	6	22	7		2	1							
	{C	6	1			1		3		1									
11a	Influenza (with pulmonary complications) {W	22						1	1	3	3	1	3	5	2	2	1		
	{C	7						1		3		1		1		1			
11b	Influenza (other and unspecified) {W	7		1								2	1	2		1			
	{C	7							1	1	2	1	1			1			
16	Dysentery {W	4	1	2						1									
	{C	4	2									1	1						
21	Erysipelas {W	8	3	1		1					1			1		1			
	{C	1												1					
22	Acute anterior poliomyelitis {W	7			2		1	3					1						
	{C	1			1														
23	Lethargic encephalitis {W	8	1				1				3	1	1		1				
	{C	2							2										
24	Meningococcus meningitis {W	3	1		1				1										
	{C	1									1								
29	Tetanus {W	1						1											
	{C	3	1						1	1									

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	Deaths at unknown age.
	DISTRICT OF COLUMBIA—Continued.																		
	I.—Epidemic, endemic, and infectious diseases—Continued.																		
	Tuberculosis (total) W	246	5	4	3			1	11	67	49	40	28	26	7	5			
	Tuberculosis (total) C	308	4	6	3	4	3	7	48	89	71	51	16	4	1	1			
31	Of the respiratory system W	210		1					7	55	48	38	24	26	6	5			
31	Of the respiratory system C	266	1	2	1	3		5	41	81	66	48	14	3		1			
32	Of the meninges, central nervous system W	14	4	3	2			1	2	1	1								
32	Of the meninges, central nervous system C	14	1	2			2	2	3	4									
33	Of the intestines, peritoneum W	9	1						2	4		1			1				
33	Of the intestines, peritoneum C	7	1		1				1	1	2		1						
34	Of the vertebral column W	1											1						
34	Of the vertebral column C	4		1					1			1		1					
35	Of the joints C	1										1							
36	Of other organs W	6								3			3						
36	Of other organs C	2								1					1				
37a	Disseminated (acute) W	6			1					4		1							
37a	Disseminated (acute) C	13	1	1	1	1	1		2	2	2	1	1						
37b	Disseminated (chronic or unspecified) C	1									1								
38	Syphilis W	24	5			1		1		3	4	5	3	2					
38	Syphilis C	35	14	1					1	3	5	5	4	1		1			
40	Gonococcus infection C	1									1								
41	Purulent infection, septicemia W	6	1					1					1		2	1			
41	Purulent infection, septicemia C	1	1																
	II.—General diseases not included in Class I White	554	14	5		1		2	8	21	36	75	115	139	103	34	1		
	II.—General diseases not included in Class I Colored	160	7	1	1		1	1	3	5	17	47	44	15	15	2	1		
	Cancer and other malignant tumors (total) W	402	1						3	9	26	58	87	111	78	28	1		
	Cancer and other malignant tumors (total) C	114							1	1	8	40	37	10	14	2	1		
43	Of the buccal cavity W	16										1	4	7	4				
43	Of the buccal cavity C	8										4	1	1	1	1			
44	Of the stomach, liver W	117	1								11	14	19	34	25	13			
44	Of the stomach, liver C	44							1		4	18	15	2	4				
45	Of the peritoneum, intestines, rectum W	70								1	2	10	18	23	12	4			
45	Of the peritoneum, intestines, rectum C	8									2		3	2		1			
46	Of the female genital organs W	54								1	4	10	17	14	7	1			
46	Of the female genital organs C	29									2	8	10	3	6				
47	Of the breast W	47								1	4	14	12	7	8	1			
47	Of the breast C	11								1		5	1	1	2		1		
48	Of the skin W	11								1	1			1	4	3	1		
49	Of other or unspecified organs W	87							3	5	4	9	17	25	18	6			
49	Of other or unspecified organs C	14										5	7	1	1				
50	Tumors, benign and unqualified (tumors of the female genital organs excepted) W	4										1	2	1					
50	Tumors, benign and unqualified (tumors of the female genital organs excepted) C	2									1			1					
51	Acute rheumatic fever W	6						1		2				1	1	1			
51	Acute rheumatic fever C	4									1	1	1		1				
52	Chronic rheumatism, osteoarthritis, gout W	10										2	2		6				
54	Pellagra W	2								1		1							
54	Pellagra C	1									1								
56	Rickets C	10	6	1	1		1	1											
57	Diabetes mellitus W	57				1			1	5	2	6	14	17	8	3			
57	Diabetes mellitus C	19							1	1	4	4	6	3					
58	Anemia, chlorosis W	18									2	2	5	5	3	1			
58	Anemia, chlorosis C	2										1		1					
59	Diseases of the pituitary gland W	1								1									
60a	Exophthalmic goiter W	7								1		2	1	2	1				
60a	Exophthalmic goiter C	3								1	2								
60b	Other diseases of the thyroid gland W	3									1		1			1			
62	Diseases of the thymus gland W	1	1																
63	Diseases of the adrenals (Addison's disease) W	2													2				
63	Diseases of the adrenals (Addison's disease) C	1								1									
65a	Leukemia W	6		1					1			1	2		1				
65a	Leukemia C	1										1							
65b	Hodgkin's disease W	6						1	1		1	1		2					
66	Alcoholism (acute or chronic) W	5									2	1	1		1				
66	Alcoholism (acute or chronic) C	1								1									
67a	Chronic lead poisoning W	1									1								
68	Chronic poisoning by organic substances W	1									1								
69	Other general diseases W	22	12	4					2	2					2				
69	Other general diseases C	2	1						1										
	III.—Diseases of the nervous system and of the organs of special sense. White	475	10	2	1	3	1	4	6	21	31	38	80	124	107	40	7		
	III.—Diseases of the nervous system and of the organs of special sense. Colored	188	6						1	7	13	40	45	38	26	8	3	1	
70	Encephalitis W	4							1	2				1					
70	Encephalitis C	1								1									
71a	Simple meningitis W	18	5	1	1	1	1	2	1	4	2								
71a	Simple meningitis C	4	1							1	1	1							
71b	Nonepidemic cerebrospinal meningitis W	4				1			1	1			1						
72	Tabes dorsalis (locomotor ataxia) W	4										1	1	1	1				
72	Tabes dorsalis (locomotor ataxia) C	2											1	1					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	Deaths at unknown age.
DISTRICT OF COLUMBIA—Continued.																				
	III.—Diseases of the nervous system and of the organs of special sense—Continued.																			
73	Other diseases of the spinal cord	W	17						1		2	1		2	3	4	4			
		C	2										1					1		
74a	Cerebral hemorrhage	W	316				1				3	5	15	62	104	92	29	5		
		C	133								2	2	24	40	35	21	6	2	1	
74b	Cerebral embolism and thrombosis	W	13										2	3	5	1	2			
		C	3										1	1			1			
75	Paralysis without specified cause	W	18								1	1		1	4	6	5			
		C	4										1			3				
76	General paralysis of the insane	W	45								3	20	14	4	2	1		1		
		C	24								3	8	7	3	1	2				
77	Other forms of mental alienation	W	5									2	1	1						
		C	4							1		1	2							
78	Epilepsy	W	5						1		1			2	1					
79	Convulsions (nonpuerperal; 5 years and over)	W	1											1						
		C	1														1			
80	Infantile convulsions (under 5 years)	W	4	3	1															
		C	4	4																
81	Chorea	C	1										1							
82	Neuralgia and neuritis	W	1										1							
83	Softening of the brain	W	2											1				1		
84	Other diseases of the nervous system	W	12	1						2	3		3	1		2				
		C	2									1	1							
86a	Diseases of the ear	W	3	1											2					
		C	3	1									1		1					
86b	Diseases of the mastoid process	W	3							1	1		1							
	IV.—Diseases of the circulatory system	White	791	1		1	1		1	7	18	23	71	119	169	243	124	13		
		Colored	332	3		1	1		5	8	15	27	83	70	49	53	12	4	1	
87	Pericarditis	C	3										1			2				
88	Endocarditis and myocarditis (acute)	W	25	1						1	5	5	6	2	2	2	1			
		C	37	2		1			4	2	3	11	12	2						
89	Angina pectoris	W	39										5	8	9	10	6	1		
		C	2													2				
90	Other diseases of the heart	W	596			1	1		1	6	9	17	53	101	131	188	80	8		
		C	248	1			1		1	6	12	14	60	64	42	38	7	2		
91a	Aneurysm	W	11										4	3	2	2				
		C	7										7							
91b,c	Other diseases of the arteries	W	103										2	5	19	38	36	3		
		C	34									2	3	4	6	11	5	2	1	
92	Embolism and thrombosis (not cerebral)	W	12								4				4	3	1			
93	Diseases of the veins	W	4									1	1		2					
		C	1												1					
94	Diseases of the lymphatic system	W	1															1		
	V.—Diseases of the respiratory system	White	291	39	9	8	2	1	7	10	6	22	21	29	40	56	36	5		
		Colored	312	80	30	14	4	1	5	10	33	28	30	27	21	24	5			
97b	Diseases of the nasal fossae annexa	W	2	1										1						
		C	6	3					1		1	1								
98	Diseases of the larynx	W	2						1						1					
		C	3								1	2								
99a	Acute bronchitis	W	12	4										2		4	2			
		C	6	2			1		1				1			1				
99b	Chronic bronchitis	W	9	1											1	4	3			
		C	2								1					1				
99,c,d	Bronchitis (unspecified)	W	4	1													2	1		
		C	3								1				1	1				
100a	Bronchopneumonia	W	116	25	7	5	1	1	3	2		4	7	9	16	19	16	1		
		C	135	49	23	8	2		1	5	10	4	8	8	6	8	3			
100b	Capillary bronchitis	C	20	11	3	3							1	1		1				
101a	Lobar pneumonia	W	95	5	1	3	1		2	3	2	14	10	13	16	19	6			
		C	105	11	4	2	1	1	2	4	15	16	16	13	9	9	2			
101b	Pneumonia (unspecified)	W	15	1					1	3	1	2			1	4	2			
		C	8	2							1	1	2		1	1				
102	Pleurisy	W	15		1					2	3	2	1	2	2	2				
		C	12	1		1				1		3	2	2	2					
103	Congestion and hemorrhagic infarct of the lung	W	10										1			2	5	2		
		C	5	1							1			1	1	1				
104	Gangrene of the lung	W	1											1						
105	Asthma	W	6	1											2	2		1		
		C	2								1				1	1				
107	Other diseases of the respiratory system (tuberculosis excepted)	W	4										2	1	1					
		C	5								1	1		2	1					
	VI.—Diseases of the digestive system	White	331	62	22	6	2	3	5	7	17	23	34	48	44	34	15	4		
		Colored	165	45	11	1	2	4	6	7	14	16	19	26	8	5		1		
108	Diseases of the mouth and annexa	W	1										1							
109b	Other diseases of the pharynx, tonsils	W	13	1	1		2	1	2		2		1	1	1			1		
		C	4					1		2		1								
110	Diseases of the esophagus	W	1						1											
111a	Ulcer of the stomach	W	11		1							2	1	2	2	3				
		C	7								1	2		2	1	1				
111b	Ulcer of the duodenum	W	10									2	2	2	2	2				
112	Other diseases of the stomach (cancer excepted)	W	19	2					1		2		1	2	3	4	4			
		C	15						1		2	4	3	4	1					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	Deaths at unknown age.
	DISTRICT OF COLUMBIA—Continued.																		
	VI.—Diseases of the digestive system—Continued.																		
113	Diarrhea and enteritis (under 2 years)	W.. 69	51	18															
		C.. 52	43	9															
114	Diarrhea and enteritis (2 years and over)	W.. 29			5		2				5	1	1	3	4	5	3		
		C.. 19			1	1	3	1	3	3	1	1	3		1		1		
117	Appendicitis and typhlitis	W.. 60	2		1				7	6	10	8	14	8	3	1			
		C.. 21		1				4	1	4	4	2	4	1					
118a	Hernia	W.. 8									1	1		4	1	1			
		C.. 5	1										4						
118b	Intestinal obstruction	W.. 28	2	2						3	1	3	9	5	3				
		C.. 19	1			1				4	3	6	3		1				
119	Other diseases of the intestines	W.. 1								1									
		C.. 2											1	1					
120	Acute yellow atrophy of the liver	W.. 2	1												1				
122	Cirrhosis of the liver	W.. 19	1								1	4	4	4	4	1			
		C.. 10										2	4	2	2				
123	Biliary calculi	W.. 20									3	4	5	4	4				
124	Other diseases of the liver	W.. 27	1							1	1	6	5	6	4	3			
		C.. 6										3	1	2					
125	Diseases of the pancreas	W.. 6						1			2		1	2					
		C.. 2									1	1							
126	Peritonitis without specified cause	W.. 7	1							2		1	2		1				
		C.. 2							1			1							
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	C.. 1		1															
	VII.—Nonvenereal diseases of the genito-urinary system and annexa.	White.. 392	2	1		1		2	4	16	23	44	56	83	105	51	4		
		Colored.. 233	1					3	3	16	30	49	49	40	30	11		1	
128	Acute nephritis (including unspecified under 10 years)	W.. 25						1		3	2	4	6	5	3	1			
		C.. 36	1					2	1	5	7	7	7	3	3				
129	Chronic nephritis (including unspecified 10 years and over)	W.. 310				1		1	3	9	12	34	46	70	87	43	4		
		C.. 159						1	1	5	14	33	38	32	25	9		1	
131	Other diseases of the kidneys and annexa	W.. 15	1	1						1	2	2		2	4	2			
		C.. 4								1		2	1						
132	Calculi of the urinary passages	W.. 4									1	1	1	1					
133	Diseases of the bladder	W.. 3												1	1	1			
		C.. 1												1					
134	Diseases of the urethra, etc.	C.. 2											1	1					
135	Diseases of the prostate	W.. 18							1				1	3	10	3			
		C.. 7											1	2	2	2			
136	Nonvenereal diseases of the male genital organs	W.. 1	1																
		C.. 1											1						
137	Cysts, other benign tumors of the ovary	W.. 3											1	1		1			
		C.. 1												1					
138	Salpingitis and pelvic abscess (female)	W.. 2								1	1								
		C.. 11							1	4	3	1	1	1					
139	Benign tumors of the uterus	W.. 10								2	4	2	2						
		C.. 10								1	6	3							
141	Other diseases of the female genital organs	W.. 1									1								
		C.. 1										1							
	VIII.—The puerperal state.	White.. 63							2	35	22	4							
		Colored.. 28							6	10	9	3							
143	Accidents of pregnancy	W.. 9								7	2								
		C.. 1									1								
144	Puerperal hemorrhage	W.. 3								1	2								
		C.. 2							1		1								
145	Other accidents of labor	W.. 9								5	3	1							
		C.. 3								2		1							
146	Puerperal septicemia	W.. 20							1	10	8	1							
		C.. 10							3	5	1	1							
147	Puerperal phlegmasia alba dolens, embolus, etc.	W.. 3								2	1								
148	Puerperal albuminuria and convulsions	W.. 19							1	10	6	2							
		C.. 12							2	3	6	1							
	IX.—Diseases of the skin and of the cellular tissue.	White.. 16								2	3	2	2	2	2	3			
		Colored.. 5							1		1		1	2					
151	Gangrene	W.. 5									1		1		1	2			
		C.. 2											1	1					
152	Furuncle	W.. 3								1		1	1						
		C.. 2							1		1								
153	Acute abscess	W.. 5								1	2	1		1					
154	Other diseases of the skin and annexa	W.. 3												1	1	1			
		C.. 1												1					
	X.—Diseases of the bones and of the organs of locomotion.	White.. 4							1	1		2							
		Colored.. 1									1								
155	Diseases of the bones (tuberculosis excepted)	C.. 1									1								
156	Diseases of the joints (tuberculosis and rheumatism excepted)	W.. 4							1	1		2							

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
DISTRICT OF COLUMBIA—Continued.																			
	XI.—Malformations	White 42	39	1					2										
		Colored 10	8		1			1											
159a	Congenital hydrocephalus	W 6	5	1															
		C 2			1			1											
159b	Congenital malformations of the heart	W 25	24						1										
		C 7	7																
159c	Other congenital malformations	W 11	10						1										
		C 1	1																
	XII.—Early infancy	White 234	234																
		Colored 133	133																
160	Congenital debility, icterus, sclerema	W 37	37																
		C 12	12																
161a	Premature birth	W 134	134																
		C 92	92																
161b	Injury at birth	W 43	43																
		C 17	17																
162	Other diseases peculiar to early infancy	W 20	20																
		C 12	12																
164	XIII.—Old age (senility)	White 21													5	11	5		
		Colored 13											1	2	4	4	1	1	
	XIV.—External causes	White 311	4	7	9	3	7	19	25	53	25	46	34	40	25	14			
		Colored 104	5	3		1	3	4	8	27	23	13	7	6	4				
	Suicide (total)	W 85								16	13	21	22	9	3	1			
		C 2								1		1							
165	By poisons (corrosives excepted)	W 1								1									
166	By corrosive substances	W 12								2	2	5	2	1					
167	By poisonous gas	W 31								7	6	5	6	5	1	1			
168	By hanging or strangulation	W 8									1	4	3						
169	By drowning	W 3								1		1	1						
		C 1								1									
170	By firearms	W 16								3	4	1	5	3					
		C 1										1							
171	By cutting or piercing instruments	W 9								1		3	3		2				
172	By jumping from high places	W 4										2	2						
173	By crushing	W 1								1									
	Homicide (total)	W 24			1	1		1	2	11	1	3	1	3					
		C 33	1						2	14	10	5	1						
		W 12								9		1		2					
197	By firearms	C 19							1	8	7	2	1						
		W 1							1										
198	By cutting or piercing instruments	C 5							1	2	1	1							
		W 11			1	1		1	1	2	1	2	1	1					
199	By other means	C 9	1							4	2	2							
	Accidental or undefined (total)	W 202	4	7	8	2	7	18	23	26	11	22	11	28	22	13			
		C 69	4	3		1	3	4	6	12	13	7	6	6	4				
175	Poisoning by food	W 2				1									1				
177	Other acute poisonings (gas excepted)	W 9		1						3	1	1	1	1	1				
		C 5	1							2	1		1						
178	Conflagration	W 3								1		1	1						
		C 1										1							
179	Burns (conflagration excepted)	W 27	1	3	4	1	5	4	2	1				3	3				
		C 12	1	2			1	2			3		1	1	1				
180	Mechanical suffocation	W 3	2					1											
		C 1	1																
181	Absorption of irrespirable, irritating, or poisonous gas	W 14								2		4	2	5	1				
		C 5								1	2	1			1				
182	Drowning	W 15					1	2	4	4	3	1							
		C 11					1		3	5	1		1						
183	Traumatism by firearms (except in war)	W 4							3	1									
		C 3						1			1	1							
184	Traumatism by cutting or piercing instruments	W 1													1				
		C 1										1							
185	Traumatism by fall	W 36		3				1	3		1	5	2	5	4	12			
		C 11		1					2	1	2	1	1	2	1				
187	Traumatism by machines	W 2								1	1								
		C 3									1	1		1					
188a	Railroad accidents	W 2							2										
188b	Street-car accidents	W 12							1		3	1		1	5	1			
		C 1										1							
188c	Automobile accidents	W 47	1		3		1	9	6	5	1	7	3	5	6				
		C 6				1	1			1	1			2					
188d	Aeroplane and balloon accidents	W 4								3		1							
188e,f	Injuries by other vehicles	W 7			1			1		1	1			2	1				
		C 1											1						
189	Injuries by animals (not poisoning)	C 1	1																
190	Wounds of war	W 1								1									
194	Excessive heat	W 2												2					
		C 1													1				
195	Lightning	W 3								1			1	1					
		C 1							1										
201	Fracture (cause not specified)	W 2											1	1					
202	Other external violence	W 4							1	2				1					
		C 5						1		2	1		1						
203	Violent deaths of unknown causation	W 2							1			1							
	XV.—Ill-defined diseases	White 5	1	1							1		1	1					
		Colored 1	1																
205a	Ill-defined	W 3		1							1			1					
205b	Not specified or unknown	W 2	1										1						
		C 1	1																

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	Deaths at unknown age.
	FLORIDA.																		
	All causes—White	7,022	977	227	123	71	39	158	287	482	493	649	757	1,042	1,087	506	72	4	48
	All causes—Colored	4,752	758	135	71	43	17	86	303	673	673	698	497	320	251	106	41	29	51
	I.—Epidemic, endemic, and infectious diseases—White	1,035	90	41	46	24	16	48	74	138	139	142	113	80	57	22	2		3
	I.—Epidemic, endemic, and infectious diseases—Colored	1,107	115	33	23	16	5	29	118	267	180	160	84	35	18	12	5	3	4
1	Typhoid and paratyphoid fever—W	112		1	2		1	3	25	23	21	14	10	6	3	3			
	Typhoid and paratyphoid fever—C	67	1	2		1	1	5	20	14	9	8	2	2			1		1
3	Relapsing fever (spirillum obermeieri)—C	1												1					
5	Malaria—W	124	5	6	12	8	3	9	12	14	11	12	12	11	6	2			1
	Malaria—C	113	9	5	7	5		2	16	13	12	14	12	5	6	5	1		1
6	Smallpox—W	6	2							2		1				1			
	Smallpox—C	9							1		5		2	1					
7	Measles—W	6	3							1			1	1					
	Measles—C	2	1		1														
8	Scarlet fever—W	10	1	1	1	3			1	3									
	Scarlet fever—C	1					1												
9	Whooping cough—W	37	23	6	6		1	1											
	Whooping cough—C	36	15	11	3	4	2	1											
10	Diphtheria—W	60	2	9	10	6	10	21			2								
	Diphtheria—C	9		3				5		1									
11a	Influenza (with pulmonary complications)—W	32	7	1	1			2		2		7	3	2	3	4			
	Influenza (with pulmonary complications)—C	21	2	2	1			3	1	1	2	6		1	1			1	
11b	Influenza (other and unspecified)—W	36	3		1	1		1	3		4	6	4	2	9	2			
	Influenza (other and unspecified)—C	26	4				1	1	3		4	2	3	3	1	3	1		
13	Mumps—W	3								1		1		1					
	Mumps—C	1						1											
15	Cholera nostras—W	2							1						1				
	Cholera nostras—C	1											1						
16	Dysentery—W	63	13	13	8	4		3	2	1		1	2	4	7	5			
	Dysentery—C	46	12	5	5	2		2		1	4	1	5	3	1	2	1	2	
20	Leprosy—C	1								1									
21	Erysipelas—W	15	4			1		1	1			2		1	3		1		1
	Erysipelas—C	1							1										
22	Acute anterior poliomyelitis—W	2	1						1										
	Acute anterior poliomyelitis—C	1						1											
23	Lethargic encephalitis—W	4				1						2							1
	Lethargic encephalitis—C	3							1	1	1								
24	Meningococcus meningitis—W	6	1	1	1				1	1	1								
	Meningococcus meningitis—C	5		1	1			1	1			1							
25	Other epidemic and endemic diseases—W	9	1	1				1		2	1	1		2					
	Other epidemic and endemic diseases—C	2	1								1								
28	Rabies—W	1							1										
29	Tetanus—W	21	8	1	1			2	4	1	3		1						
	Tetanus—C	49	33					4	6	1	2	1	1		1				
30	Mycoses—C	6	4	1	1														
	Tuberculosis (total)—W	417	7	1	2			3	18	73	82	84	73	46	23	5			
	Tuberculosis (total)—C	542	6	1	3	3		3	64	204	112	92	36	10	4	2	1		1
31	Of the respiratory system—W	372	1		1				11	69	78	78	68	42	21	3			
	Of the respiratory system—C	494	4	1	2	2		3	59	185	102	84	35	9	4	2	1		1
32	Of the meninges, central nervous system—W	9	3	1					4		1								
	Of the meninges, central nervous system—C	5	1		1	1					1	1							
33	Of the intestines, peritoneum—W	16	1		1					2	1	6	2	2		1			
	Of the intestines, peritoneum—C	23	1						2	12	4	2	1	1					
34	Of the vertebral column—W	4	1					1	1		1								
	Of the vertebral column—C	2									1	1							
35	Of the joints—W	3						1	2										
	Of the joints—C	1								1									
36	Of other organs—W	6	1					1					1	1	1	1			
	Of other organs—C	4								1	2	1							
37a	Disseminated (acute)—W	3									1		1	1					
	Disseminated (acute)—C	11							1	5	2	3							
37b	Disseminated (chronic or unspecified)—W	4								2			2						
	Disseminated (chronic or unspecified)—C	2							2										
38	Syphilis—W	33	8					1		2	3	9	6	3	1				
	Syphilis—C	143	27	2	1	1			3	23	25	30	21	7	3				
39	Soft chancre—C	1										1							
40	Gonococcus infection—W	7								4	3								
	Gonococcus infection—C	9								6	1	1							1
41	Purulent infection, septicemia—W	29	1		1		1		4	8	8	2	1	1	1	1			
	Purulent infection, septicemia—C	11							1	1	2	3	1	2	1				
	II.—General diseases not included in Class I.—White	673	13	9	5	4		7	14	19	58	112	122	164	105	36	3		2
	II.—General diseases not included in Class I.—Colored	245	8	2	2	1	1	2	8	30	51	56	36	25	11	7	1	1	3
	Cancer and other malignant tumors (total)—W	422	1	1				2	1	6	31	80	74	103	89	25	2		2
	Cancer and other malignant tumors (total)—C	92	1						1	3	19	28	20	11	4	1	1	1	2
43	Of the buccal cavity—W	18										4	1	6	4	2	1		
	Of the buccal cavity—C	2										2							
44	Of the stomach, liver—W	146								1	6	22	21	44	36	14			2
	Of the stomach, liver—C	27									2	13	7	3	1				1
45	Of the peritoneum, intestines, rectum—W	43	1							3	1	4	5	17	10	2			
	Of the peritoneum, intestines, rectum—C	10								2	4	1	2						1
46	Of the female genital organs—W	80								1	15	22	21	10	10	1			
	Of the female genital organs—C	29									9	8	5	6		1			
47	Of the breast—W	28									2	11	6	6	2	1			
	Of the breast—C	4									1	1	1	1					
48	Of the skin—W	19										3	2	4	7	3			
49	Of other or unspecified organs—W	88		1				2	1	1	7	14	18	21	20	2	1		
	Of other or unspecified organs—C	20	1						1	1	3	3	5	1	3		1	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	Deaths at unknown age.
	FLORIDA—Continued.																			
	II.—General diseases not included in Class I—Continued.																			
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	W.	5											1	2	1	1			
		C.	4											1	1	2				
51	Acute rheumatic fever	W.	8						1	2	1	2	1		1					
		C.	16			1	1			3	2	2	1	2	1	3				
52	Chronic rheumatism, osteoarthritis, gout	C.	4										1			1	2			
54	Pellagra	W.	48	1					1	1	3	7	5	12	11	6	1			
		C.	83			1		1	2	1	19	26	14	8	8	1	1			1
56	Rickets	W.	5	1	3	1														
		C.	4	2	2															
57	Diabetes mellitus	W.	89	1			1		1	6	2	9	7	13	33	6	4	1		
		C.	15	1							1		6	1	3		3			
58	Anemia, chlorosis	W.	31		1	2				1	3	3	7	5	6	1	2			
		C.	5							1	1	1	2							
60a	Exophthalmic goiter	W.	2								1		1							
		C.	1												1					
60b	Other diseases of the thyroid gland	W.	3							1	1			1						
		C.	1											1						
62	Diseases of the thymus gland	W.	2	2																
64	Diseases of the spleen	W.	2								1	1								
65a	Leukemia	W.	5		1	1			1			1	1							
65b	Hodgkin's disease	W.	2							1			1							
66	Alcoholism (acute or chronic)	W.	18									3	3	11		1				
		C.	11							1	2	2	3	3						
67b	Other chronic mineral poisoning	W.	2										2							
68	Chronic poisoning by organic substances	W.	5									1	1		1	1	1			
		C.	2									1	1							
69	Other general diseases	W.	24	7	3	1	3		1	1	1		3		2		2			
		C.	7	4						1	2									
	III.—Diseases of the nervous system and of the organs of special sense.	White	741	25	4	3	2	1	8	18	14	26	56	103	185	205	76	10		5
		Colored	385	19	3	3		1	5	10	14	44	34	70	62	42	21	3		4
70	Encephalitis	W.	8	1							2		3	1	1					
		C.	3			1					1		1							
71a	Simple meningitis	W.	19	7	2	2				3			3			2				
		C.	5	4									1							
71b	Nonepidemic cerebrospinal meningitis	W.	10	4	1				1	3	1									
		C.	4						1	1				1	1					
72	Tabes dorsalis (locomotor ataxia)	W.	8										2	2	1	3				
		C.	2									1	1							
73	Other diseases of the spinal cord	W.	29								1	2	2	2	15	4	3			
		C.	13						1	1		1	1	4	1	2	2			
74a	Cerebral hemorrhage	W.	481						2	1	2	11	27	80	140	153	56	7		2
		C.	214		1					2	7	28	55	40	43	23	12	1		2
74b	Cerebral embolism and thrombosis	W.	8								1	1		1	2	3				
		C.	1											1						
75	Paralysis without specified cause	W.	90	1	1					2	1		9	8	18	32	12	3		3
		C.	82						1		2	7	15	19	15	14	5	2		2
76	General paralysis of the insane	W.	10									1	4	2	1	2				
		C.	7										2	2	1	2				
77	Other forms of mental alienation	W.	7										3	1		1	2			
		C.	12							1		3	5		1	1	1			
78	Epilepsy	W.	22	2						7	4	6	1	1	1					
		C.	10	1						2	3	2		2						
79	Convulsions (nonpuerperal; 5 years and over)	W.	6						1			2	2			1				
		C.	5						2	2	1									
80	Infantile convulsions (under 5 years)	W.	10	8			1	1												
		C.	19	14	2	2		1												
82	Neuralgia and neuritis	W.	5											1	1	2	1			
83	Softening of the brain	W.	3												1		2			
		C.	1										1							
84	Other diseases of the nervous system	W.	11						1		1	3		3	2	1				
		C.	7							1		2	2	1			1			
85	Diseases of the eye and annexa	W.	1													1				
86a	Diseases of the ear	W.	9	2		1	1		1	2					2					
86b	Diseases of the mastoid process	W.	4						2		1			1						
	IV.—Diseases of the circulatory system	White	911	8	1		1	1	3	13	18	28	68	124	243	270	113	13	1	6
		Colored	430	1	2		1		2	10	42	66	90	98	54	36	14	4	4	6
87	Pericarditis	W.	7								1				3	2	1			
		C.	14								2	3	4	3		1	1			
88	Endocarditis and myocarditis (acute)	W.	31	3			1			3	3	5	4	3	6	2				1
		C.	17		1		1		1	1	4	4	5							
89	Angina pectoris	W.	96								1		4	17	38	30	6			
		C.	18							1	4	2	1	5	5					
90	Other diseases of the heart	W.	662	5				1	3	9	12	19	52	92	176	208	74	6	1	4
		C.	348	1	1				1	8	30	52	77	80	47	30	9	3	3	6
91a	Aneurysm	W.	13								1	2	1	4	4	1				
		C.	11								1	3	2	2	1	1	1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	FLORIDA—Continued.																		
	IV.—Diseases of the circulatory system—Continued.																		
91b,c	Other diseases of the arteries	W	83									2	2	6	12	24	30	7	
		C	14											6	1	3	2	1	1
92	Embolism and thrombosis (not cerebral)	W	15		1				1			4	1	3	3	2			
93	Diseases of the veins	W	2										1						1
		C	2										1			1			
94	Diseases of the lymphatic system	W	1											1					
		C	1								1								
95	Hemorrhage without specified cause	C	3							1		1	1						
96	Other diseases of the circulatory system	W	1									1							
		C	2								1				1				
	V.—Diseases of the respiratory system	White	367	57	25	9	7	5	13	18	16	24	28	40	35	54	27	7	2
		Colored	301	71	18	17	5	3	7	17	44	29	34	18	11	18	5	3	1
97a	Diseases of the nasal fossae	W	4	4															
		C	7	7															
97b	Diseases of the nasal fossae annexa	W	4			1			1	1	1								
98	Diseases of the larynx	W	4	1	1			1									1		
		C	2				1						1						
99a	Acute bronchitis	W	13	1	1						3		1	1	4	1	1		
		C	9	3	1					1		2	1		1				
99b	Chronic bronchitis	W	18									2	1	2	7	6			
		C	6						2	1	2					1			
99c,d	Bronchitis (unspecified)	W	13	2	1								1	1	4	3	1		
		C	13	2	1				2	2	1	3			1	1			
100a	Bronchopneumonia	W	98	26	9	4	3	2	5	1	2	1	6	6	12	14	4	2	1
		C	63	25	5	7	2		2	2	7	6	3	1		2			
100b	Capillary bronchitis	W	3	2			1												
		C	6	3	1							1					1		
101a	Lobar pneumonia	W	93	6	6	1	2		4	6	9	8	14	14	9	8	5	1	
		C	95	16	4	5	1	3	2	8	18	9	13	5	4	5	1	1	
101b	Pneumonia (unspecified)	W	76	14	6	3	1	1	3	9	2	3	3	9	5	10	6	1	
		C	67	14	5	4	1		2	2	12	5	6	7	2	4	2	1	
102	Pleurisy	W	11		1				1	1	1	1	1	2	1	1			1
		C	6			1			1				2		2				
103	Congestion and hemorrhagic infarct of the lung	W	7									2				4		1	
		C	10	1						1		4	1		1	2			
104	Gangrene of the lung	W	2											1		1			
105	Asthma	W	17	1							1	5	1	4	3	1	1		
		C	13		1						2	1	2	3	2	2			
106	Pulmonary emphysema	W	2											1	1				
		C	1								1								
107	Other diseases of the respiratory system (tuberculosis excepted)	W	2				1						1						
		C	3										1	1		1			
	VI.—Diseases of the digestive system	White	844	176	121	44	19	9	27	40	32	38	54	76	82	78	40	7	1
		Colored	553	147	49	14	8	4	9	19	52	66	71	46	35	22	3	7	1
108	Diseases of the mouth and annexa	W	6	1						2				2			1		
		C	1											1					
109b	Other diseases of the pharynx, tonsils	W	19		1	2	3		4	2	2		1	1	1	2			
		C	13	2	1		1		1	2	1	2	2		1				
110	Diseases of the esophagus	W	1												1				
111a	Ulcer of the stomach	W	23								3	2	5	5	5	1	1		1
		C	15								2	4	2	4	2	1			
111b	Ulcer of the duodenum	W	8								1	1	3	1	1		1		
		C	1										1						
112	Other diseases of the stomach (cancer excepted)	W	104	13	1	2				2	3	5	7	15	18	26	9	3	
		C	100	7	3	2			3	3	7	16	27	19	5	4	2	1	1
113	Diarrhea and enteritis (under 2 years)	W	265	155	110														
		C	167	127	40														
114	Diarrhea and enteritis (2 years and over)	W	120			35	11	7	8	4	4	2	4	8	9	18	8	2	
		C	45			9	6	3	3	1	3	2	4		6	5		3	
115	Ancylostomiasis	W	2						1	1									
116	Diseases due to other intestinal parasites	W	2		1			1											
117	Appendicitis and typhlitis	W	80			2	2	1	7	20	8	14	10	7	6	3			
		C	44						2	11	8	13	4	3	3				
118a	Hernia	W	11										3	1	2	4	1		
		C	16	1							2	3	2	1	2	4		1	
118b	Intestinal obstruction	W	61	6	4	2	2		2	6	5	5	6	5	5	10	3		
		C	41	5	4						10	8	5	4	4	1			
119	Other diseases of the intestines	W	17		1				2		1	1	1	2	3	1	4	1	
		C	13			1				1	1	2	4		3	1			
120	Acute yellow atrophy of the liver	W	6									2	2		2				
		C	2									1		1					
122	Cirrhosis of the liver	W	41		2						2	3	2	13	6	7	5	1	
		C	46			1				1	5	7	9	9	7	5	1	1	
123	Biliary calculi	W	17							1		2	2	5	6	1			
		C	3									1	1				1		
124	Other diseases of the liver	W	39		1	1			1		2	1	2	8	11	5	7		
		C	22	3	1	1		1			4	1	5	3	2	1			
125	Diseases of the pancreas	W	1												1				
126	Peritonitis without specified cause	W	21	1			1		2	2	1			6	3				
		C	23	2			1				8	6	5	1					
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	C	1								1								

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
				Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
FLORIDA—Continued.																				
	VII.—Nonvenereal diseases of the genito-urinary system and annexa.	White	663	4	4	1	1	.....	4	7	32	28	61	90	158	186	75	7	.....	5
		Colored	431	4	1	.....	1	.....	4	14	35	71	96	85	57	45	11	3	1	3
128	Acute nephritis (including unspecified under 10 years)	W	57	1	1	1	.....	.....	2	3	3	6	5	8	8	16	3	.....	.....	.....
		C	65	4	1	.....	1	.....	3	2	8	13	15	9	3	4	1	.....	1	.....
129	Chronic nephritis (including unspecified 10 years and over)	W	512	.....	.....	.....	.....	.....	1	3	17	19	47	74	141	144	54	7	.....	5
		C	280	.....	.....	.....	.....	.....	.....	6	18	33	63	62	47	37	9	3	.....	2
131	Other diseases of the kidneys and annexa	W	24	2	3	.....	1	.....	1	1	.....	1	2	2	3	5	3	.....	.....	.....
		C	16	.....	.....	.....	.....	.....	1	2	.....	4	4	2	2	1	.....	.....	.....	.....
132	Calculi of the urinary passages	W	2	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
		C	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
133	Diseases of the bladder	W	13	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	5	5	.....	.....	.....
		C	10	.....	.....	.....	.....	.....	.....	1	2	.....	2	2	2	.....	1	.....	.....	.....
134	Diseases of the urethra, etc	W	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....
		C	12	.....	.....	.....	.....	.....	.....	.....	.....	5	.....	4	.....	2	.....	.....	.....	1
135	Diseases of the prostate	W	25	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	13	8	.....	.....	.....
		C	9	.....	.....	.....	.....	.....	.....	.....	2	1	1	2	3	.....	.....	.....	.....	.....
136	Nonvenereal diseases of the male genital organs	C	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
137	Cysts, other benign tumors of the ovary	W	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
138	Salpingitis and pelvic abscess (female)	W	9	.....	.....	.....	.....	.....	.....	.....	6	2	.....	1	.....	.....	.....	.....	.....	.....
		C	19	.....	.....	.....	.....	.....	.....	1	4	9	4	1	.....	.....	.....	.....	.....	.....
139	Benign tumors of the uterus	W	8	.....	.....	.....	.....	.....	.....	.....	1	.....	5	.....	1	1	.....	.....	.....	.....
		C	11	.....	.....	.....	.....	.....	.....	.....	1	3	5	1	.....	1	.....	.....	.....	.....
140	Nonpuerperal uterine hemorrhage	W	3	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	.....	.....	.....	.....	.....	.....
141	Other diseases of the female genital organs	W	7	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	1	1	2	.....	.....	.....
		C	5	.....	.....	.....	.....	.....	.....	2	.....	2	1	.....	.....	.....	.....	.....	.....	.....
	VIII.—The puerperal state	White	149	.....	.....	.....	.....	.....	.....	20	73	46	10	.....	.....	.....	.....	.....	.....	.....
		Colored	125	.....	.....	.....	.....	.....	.....	29	56	37	3	.....	.....	.....	.....	.....	.....	.....
143	Accidents of pregnancy	W	9	.....	.....	.....	.....	.....	.....	.....	5	2	2	.....	.....	.....	.....	.....	.....	.....
		C	3	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....
144	Puerperal hemorrhage	W	18	.....	.....	.....	.....	.....	.....	1	11	4	2	.....	.....	.....	.....	.....	.....	.....
		C	7	.....	.....	.....	.....	.....	.....	.....	5	1	1	.....	.....	.....	.....	.....	.....	.....
145	Other accidents of labor	W	35	.....	.....	.....	.....	.....	.....	1	14	17	3	.....	.....	.....	.....	.....	.....	.....
		C	19	.....	.....	.....	.....	.....	.....	4	6	9	.....	.....	.....	.....	.....	.....	.....	.....
146	Puerperal septicemia	W	35	.....	.....	.....	.....	.....	.....	4	17	13	1	.....	.....	.....	.....	.....	.....	.....
		C	51	.....	.....	.....	.....	.....	.....	12	24	14	1	.....	.....	.....	.....	.....	.....	.....
147	Puerperal phlegmasia alba dolens, embolus, etc	W	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
		C	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
148	Puerperal albuminuria and convulsions	W	50	.....	.....	.....	.....	.....	.....	14	25	9	2	.....	.....	.....	.....	.....	.....	.....
		C	44	.....	.....	.....	.....	.....	.....	12	19	12	1	.....	.....	.....	.....	.....	.....	.....
	IX.—Diseases of the skin and of the cellular tissue	White	25	5	1	.....	.....	.....	.....	1	2	1	1	3	2	5	2	2	.....	.....
		Colored	19	.....	1	.....	.....	.....	.....	2	1	3	6	2	3	1	.....	.....	.....	.....
151	Gangrene	W	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	2	2	.....	.....
		C	7	.....	1	.....	.....	.....	.....	1	.....	.....	3	1	1	.....	.....	.....	.....	.....
152	Furuncle	W	6	1	.....	.....	.....	.....	.....	1	1	.....	.....	2	1	.....	.....	.....	.....	.....
		C	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....
153	Acute abscess	W	4	2	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
		C	6	.....	.....	.....	.....	.....	.....	1	1	1	1	1	1	.....	.....	.....	.....	.....
154	Other diseases of the skin and annexa	W	8	2	1	.....	.....	.....	.....	.....	.....	1	.....	1	.....	3	.....	.....	.....	.....
		C	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....
	X.—Diseases of the bones and of the organs of locomotion	White	8	.....	.....	.....	.....	.....	.....	2	.....	2	.....	1	.....	3	.....	.....	.....	.....
		Colored	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
155	Diseases of the bones (tuberculosis excepted)	W	6	.....	.....	.....	.....	.....	.....	2	.....	1	.....	1	.....	2	.....	.....	.....	.....
		C	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
158	Other diseases of the organs of locomotion	W	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....
	XI.—Malformations	White	74	67	3	.....	2	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		Colored	20	16	3	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
159a	Congenital hydrocephalus	W	9	6	1	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		C	4	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
159b	Congenital malformations of the heart	W	35	32	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		C	6	5	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
159c	Other congenital malformations	W	30	29	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		C	10	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Early infancy	White	425	425	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		Colored	237	237	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
160	Congenital debility, icterus, sclerema	W	68	68	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		C	55	55	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
161a	Premature birth	W	286	286	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		C	129	129	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
161b	Injury at birth	W	36	36	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		C	23	23	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
162	Other diseases peculiar to early infancy	W	35	35	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		C	24	24	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
163	Lack of care	C	6	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
164	XIII.—Old age (senility)	White	135	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	6	41	69	16	3	.....
		Colored	78	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	26	22	10	15	1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	Deaths at unknown age.
FLORIDA—Continued.																				
	XIV.—External causes	White	708	18	15	14	10	7	43	69	129	93	90	67	53	55	30	3	....	12
		Colored	455	11	6	7	7	2	25	64	116	97	51	33	11	9	1	....	....	15
	Suicide (total)	W	93	....	....	....	....	....	....	11	11	18	25	15	7	2	....	....	....	4
		C	5	....	....	....	....	....	....	....	1	4	....	....	....	....	....	....	....	....
165	By poisons (corrosives excepted)	W	6	....	....	....	....	....	....	2	2	1	1	....	....	....	....	....	....	....
166	By corrosive substances	W	11	....	....	....	....	....	....	2	2	2	2	3	....	....	....	....	....	....
167	By poisonous gas	W	2	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....
168	By hanging or strangulation	W	6	....	....	....	....	....	....	....	1	2	1	1	1	....	....	....	....	....
169	By drowning	W	4	....	....	....	....	....	....	....	1	1	1	....	....	....	....	....	....	1
		C	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
170	By firearms	W	55	....	....	....	....	....	....	6	5	10	17	8	6	1	....	....	....	2
		C	4	....	....	....	....	....	....	....	1	3	....	....	....	....	....	....	....	....
171	By cutting or piercing instruments	W	6	....	....	....	....	....	....	....	....	2	1	2	....	....	....	....	....	1
173	By crushing	W	2	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....
174	By other means	W	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	Homicide (total)	W	94	....	....	....	....	....	....	9	22	20	17	13	8	4	....	....	....	1
		C	155	....	....	....	....	....	....	12	58	52	18	7	2	....	....	....	....	6
197	By firearms	W	66	....	....	....	....	....	....	4	18	15	14	8	4	2	....	....	....	1
		C	117	....	....	....	....	....	....	8	47	39	13	5	2	....	....	....	....	3
198	By cutting or piercing instruments	W	6	....	....	....	....	....	....	2	....	2	....	....	1	1	....	....	....	....
		C	30	....	....	....	....	....	....	4	9	10	4	1	....	....	....	....	....	2
199	By other means	W	22	....	....	....	....	....	....	3	4	3	3	5	3	1	....	....	....	....
		C	8	....	....	....	....	....	....	....	2	3	1	1	....	....	....	....	....	1
	Accidental or undefined (total)	W	521	18	15	14	10	7	43	49	96	55	48	39	38	49	30	3	....	7
		C	295	11	6	7	7	2	25	52	57	41	33	26	9	9	1	....	....	9
175	Poisoning by food	W	24	5	1	2	1	....	1	1	3	1	....	4	1	3	1	....	....	....
		C	9	....	....	....	....	....	....	2	1	3	2	1	....	....	....	....	....	....
176	Poisoning by venomous animals	W	7	....	1	....	....	....	2	1	1	....	1	1	....	....	....	....	....	....
		C	3	....	....	....	....	....	....	....	....	....	1	2	....	....	....	....	....	....
177	Other acute poisonings (gas excepted)	W	19	....	6	1	....	....	....	....	3	2	4	2	....	....	....	....	....	1
		C	11	....	2	1	1	1	....	....	2	2	1	....	....	1	....	....	....	....
178	Conflagration	W	8	....	....	....	....	....	....	....	1	2	1	2	....	2	....	....	....	....
		C	9	....	....	1	1	....	1	2	1	2	....	1	....	....	....	....	....	....
179	Burns (conflagration excepted)	W	50	3	2	3	4	4	9	2	4	4	3	1	2	7	....	....	....	2
		C	31	1	1	4	1	1	3	5	6	1	....	3	....	4	1	....	....	....
180	Mechanical suffocation	W	5	4	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
		C	5	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
181	Absorption of irrespirable, irritating, or poisonous gas	W	8	....	....	....	....	....	1	....	3	1	....	....	....	2	1	....	....	....
		C	2	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....
182	Drowning	W	57	....	1	3	2	....	4	11	11	9	4	6	5	....	1	....	....	....
		C	53	....	....	1	....	....	9	14	7	10	7	1	1	....	....	....	....	3
183	Traumatism by firearms (except in war)	W	44	....	....	....	1	....	5	9	12	8	6	2	....	....	....	....	....	1
		C	31	....	....	....	2	....	4	9	10	3	....	1	1	....	....	....	....	1
184	Traumatism by cutting or piercing instruments	W	2	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....
		C	4	....	....	....	....	....	....	....	2	....	1	1	....	....	....	....	....	....
185	Traumatism by fall	W	66	1	1	....	....	....	2	1	4	4	2	3	10	16	20	2	....	....
		C	10	1	....	....	1	....	1	....	....	....	3	1	2	....	....	....	....	1
186a	Traumatism in mines	C	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
187	Traumatism by machines	W	11	....	....	....	....	....	....	1	3	2	1	2	1	1	....	....	....	....
		C	9	....	....	....	1	....	....	5	1	2	....	....	....	....	....	....	....	....
188a	Railroad accidents	W	37	....	....	....	....	....	....	3	8	8	9	4	3	1	1	....	....	....
		C	28	....	....	....	....	....	....	5	7	6	4	3	2	....	....	....	....	1
188b	Street-car accidents	W	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		C	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
188c	Automobile accidents	W	82	....	1	1	1	2	14	11	15	8	5	6	9	8	1	....	....	....
		C	22	....	1	....	....	....	2	1	6	3	3	4	....	1	....	....	....	1
188d	Aeroplane and balloon accidents	W	14	....	....	....	....	....	....	....	13	....	....	....	....	1	....	....	....	....
		C	4	....	1	....	....	....	1	1	....	1	....	....	....	....	....	....	....	....
188e, f	Injuries by other vehicles	W	7	....	1	1	....	....	1	....	1	....	....	1	....	1	....	....	....	1
		C	6	....	....	....	....	....	....	1	....	1	1	1	....	2	....	....	....	....
188g	Landslide, other crushing	W	5	....	....	....	....	....	1	1	2	....	....	....	1	....	....	....	....	....
		C	2	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....
189	Injuries by animals (not poisoning)	W	2	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
194	Excessive heat	W	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
		C	2	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....
195	Lightning	W	5	....	....	....	....	....	....	2	....	2	....	....	....	1	....	....	....	....
		C	7	....	....	....	....	....	1	2	1	....	2	1	....	....	....	....	....	....
196	Other accidental electric shocks	W	9	....	....	....	....	....	....	1	3	....	4	....	....	....	....	....	....	1
		C	3	....	....	....	....	....	....	....	2	....	1	....	....	....	....	....	....	....
201	Fracture (cause not specified)	W	17	....	....	....	....	....	1	....	1	2	2	....	1	4	5	1	....	....
		C	2	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
202	Other external violence	W	23	3	....	1	....	1	1	2	6	1	4	2	1	1	....	....	....	....
		C	24	....	1	....	....	....	1	3	5	4	3	3	2	1	....	....	....	1
203	Violent deaths of unknown causation	W	17	2	....	1	1	....	1	1	2	1	2	3	1	1	....	....	....	1
		C	16	3	....	....	....	....	1	1	3	3	2	1	1	....	....	....	....	1
	XV.—Ill-defined diseases	White	264	89	3	1	1	....	4	10	9	10	27	18	34	28	16	2	....	12
		Colored	364	129	17	5	4	1	2	11	16	29	47	23	24	23	10	5	4	14
204	Sudden death	W	29	3	....	....	....	....	....	1	1	1	4	3	5	5	4	1	....	1
		C	12	1	....	....	....	1	....	1	....	1	3	2	....	1	2	....	....	....
205a	Ill-defined	W	82	7	2	....	1	....	1	4	5	3	12	8	16	15	5	....	....	3
		C	119	23	10	1	1	....	1	4	8	9	22	13	10	10	3	1	1	2
205b	Not specified or unknown	W	153	79	1	1	....	....	3	5	3	6	11	7	13	8	7	1	....	8
		C	233	105	7	4	3	....	1	6	8	19	22	8	14	12	5	4	3	12

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	ILLINOIS.																		
	All causes	73,424	10,674	2,048	1,022	806	668	2,143	3,026	4,849	5,839	6,651	8,518	10,412	9,988	5,840	896	33	11
	I.—Epidemic, endemic, and infectious diseases	10,702	832	575	396	386	320	916	992	1,789	1,518	1,105	791	600	342	122	16	....	2
1	Typhoid and paratyphoid fever	396	1	3	4	4	3	28	108	94	69	30	31	10	8	2	1	....	....
5	Malaria	78	8	2	2	2	5	6	8	4	5	3	7	15	6	5	....	....	....
6	Smallpox	25	6	2	....	....	1	1	4	1	4	1	3	....	2	....	....	....	....
7	Measles	309	73	98	30	20	14	42	13	11	3	3	1	1	....	....	....	....	....
8	Scarlet fever	413	13	30	50	57	39	129	52	25	5	12	....	1	....	....	....	....	....
9	Whooping cough	495	260	145	40	24	7	17	1	....	....	....	....	....	....	1	....	....	....
10	Diphtheria	1,478	70	154	190	206	180	482	136	26	14	13	3	3	1	....	....	....	....
11a	Influenza (with pulmonary complications)	376	41	22	13	6	6	11	13	30	50	34	46	43	36	22	3	....	....
11b	Influenza (other and unspecified)	209	24	9	5	7	1	11	16	13	12	18	18	23	30	19	3	....	....
13	Mumps	8	1	....	1	1	2	1	1	....	....	....	....	1	....	....	....	....	....
15	Cholera nostras	17	4	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
16	Dysentery	99	16	11	2	1	1	3	....	5	3	5	6	13	18	13	2	....	....
19	Spirochetal hemorrhagic jaundice	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
21	Erysipelas	172	43	4	3	1	2	....	3	9	14	17	15	28	21	9	3	....	....
22	Acute anterior poliomyelitis	150	11	15	13	14	12	37	33	6	4	2	2	1	....	....	....	....	....
23	Lethargic encephalitis	91	2	3	2	1	5	2	8	22	9	14	17	5	1	....	....	....	....
24	Meningococcus meningitis	76	15	7	5	3	2	14	19	7	....	3	1	....	....	....	....	....	....
25	Other epidemic and endemic diseases	10	1	3	....	....	1	1	2	....	1	....	....	....	1	....	....	....	....
27	Anthrax	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
28	Rabies	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
29	Tetanus	85	7	....	2	....	4	18	28	4	6	5	6	5	....	....	....	....	....
30	Mycoses	11	6	....	....	....	....	....	....	1	....	....	2	2	....	....	....	....	....
	Tuberculosis (total)	5,617	97	58	33	38	34	101	524	1,462	1,221	845	561	404	194	40	3	....	2
31	Of the respiratory system	4,825	28	24	4	10	11	36	431	1,324	1,103	770	511	363	171	37	1	....	1
32	Of the meninges, central nervous system	274	52	25	22	18	16	47	32	21	22	11	3	2	2	....	1	....	....
33	Of the intestines, peritoneum	204	4	2	1	1	2	4	18	46	48	25	23	19	8	2	....	....	1
34	Of the vertebral column	97	3	1	1	3	1	6	17	19	14	12	6	9	5	....	....	....	....
35	Of the joints	32	....	....	2	1	1	2	5	6	2	5	2	2	4	....	....	....	....
36	Of other organs	74	4	1	1	....	2	2	10	10	10	13	10	6	3	1	1	....	....
37a	Disseminated (acute)	99	6	5	1	5	1	3	10	33	21	7	4	2	1	....	....	....	....
37b	Disseminated (chronic or unspecified)	12	....	....	1	....	....	1	1	3	1	2	2	1	....	....	....	....	....
38	Syphilis	459	124	6	1	....	....	4	9	35	73	88	63	39	14	3	....	....	....
40	Gonococcus infection	63	4	....	....	....	....	....	7	25	16	7	2	....	1	1	....	....	....
41	Purulent infection, septicemia	61	4	3	....	1	1	7	6	9	8	5	5	5	5	2	....	....	....
42	Other infectious diseases	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	II.—General diseases not included in Class I	8,965	148	47	37	20	20	102	212	271	573	1,253	2,068	2,210	1,484	479	39	1	1
	Cancer and other malignant tumors (total)	6,152	3	2	10	4	6	14	26	92	326	912	1,544	1,639	1,155	386	33	....	....
43	Of the buccal cavity	238	....	....	1	....	....	....	2	....	2	31	51	63	64	21	3	....	....
44	Of the stomach, liver	2,416	....	1	1	....	....	3	2	16	87	290	605	745	509	150	7	....	....
45	Of the peritoneum, intestines, rectum	826	....	....	2	1	....	2	3	20	40	122	190	221	174	49	2	....	....
46	Of the female genital organs	842	....	....	....	....	....	1	1	23	91	197	268	162	76	23	....	....	....
47	Of the breast	551	....	....	....	....	....	....	....	3	46	125	157	119	67	29	5	....	....
48	Of the skin	150	....	....	....	....	....	1	....	1	4	6	14	34	45	36	9	....	....
49	Of other or unspecified organs	1,129	3	1	6	3	6	7	18	29	56	141	259	295	220	78	7	....	....
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	47	2	....	....	....	1	1	1	3	7	7	7	14	3	1	....	....	....
51	Acute rheumatic fever	304	6	3	3	6	7	45	77	32	21	26	27	26	17	7	1	....	....
52	Chronic rheumatism, osteoarthritis, gout	68	....	....	....	....	....	....	....	1	2	2	6	8	18	21	10	....	....
53	Scurvy	3	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
54	Pellagra	9	....	....	....	....	....	....	....	2	....	2	2	....	3	....	....	....	....
56	Rickets	65	43	15	4	....	1	1	....	....	1	....	....	....	....	....	....	....	....
57	Diabetes mellitus	1,194	1	5	6	3	1	20	61	75	75	115	259	331	189	47	4	1	1
58	Anemia, chlorosis	395	5	3	1	1	....	1	7	5	26	50	111	103	66	16	....	....	....
59	Diseases of the pituitary gland	3	....	....	....	....	....	....	2	1	....	....	....	....	....	....	....	....	....
60a	Exophthalmic goiter	160	....	....	....	....	....	....	7	19	32	44	33	21	3	1	....	....	....
60b	Other diseases of the thyroid gland	88	2	3	....	....	....	1	4	6	21	14	19	15	1	2	....	....	....
61	Diseases of the parathyroid glands	6	4	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
62	Diseases of the thymus gland	45	31	2	3	....	1	3	3	....	....	2	....	....	....	....	....	....	....
63	Diseases of the adrenals (Addison's disease)	21	....	....	....	....	....	....	2	2	3	1	9	....	4	....	....	....	....
64	Diseases of the spleen	25	1	....	1	....	....	3	2	1	4	4	2	2	5	....	....	....	....
65a	Leukemia	102	2	3	3	5	2	7	10	9	10	17	10	16	5	3	....	....	....
65b	Hodgkin's disease	43	2	1	....	....	....	2	4	7	5	7	5	6	3	1	....	....	....
66	Alcoholism (acute or chronic)	125	....	....	....	....	....	....	2	1	11	33	39	26	11	4	1	....	....
67a	Chronic lead poisoning	13	....	....	....	....	....	....	....	1	2	1	3	3	1	....	....	....	....
68	Chronic poisoning by organic substances	8	....	....	....	....	....	....	....	1	4	....	2	....	....	1	....	....	....
69	Other general diseases	89	45	8	4	1	1	4	3	2	1	6	1	5	4	3	1	....	....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	ILLINOIS—Continued.																		
	III.—Diseases of the nervous system and of the organs of special sense	7,107	155	43	40	27	20	81	129	182	389	664	1,070	1,545	1,754	873	131	4	
70	Encephalitis	46	10	1	1		1	3	5	3	4	3	5	7	2	1			
71a	Simple meningitis	143	27	10	12	8	5	12	16	14	12	8	11	6	1	1			
71b	Nonepidemic cerebrospinal meningitis	41	10	5	3	4	1	5	4	3	2	3			1				
72	Tabes dorsalis (locomotor ataxia)	164								1	16	26	41	55	20	5			
73	Other diseases of the spinal cord	411	2	2	2	2	2	3	12	16	22	42	70	90	108	35	3		
74a	Cerebral hemorrhage	4,513	8		1	3	1	3	5	27	91	264	681	1,150	1,437	732	106	4	
74b	Cerebral embolism and thrombosis	206			1	1				2	12	20	30	53	55	24	8		
75	Paralysis without specified cause	111	3		1				1	2	1	4	13	28	25	29	4		
76	General paralysis of the insane	570							2	21	125	183	120	59	43	16	1		
77	Other forms of mental alienation	127							6	19	34	27	25	12	2		2		
78	Epilepsy	192	6	1	2	2	1	10	27	36	23	27	27	18	8	4			
79	Convulsions (nonpuerperal; 5 years and over)	4										2			2				
80	Infantile convulsions (under 5 years)	58	48	6	2		2												
81	Chorea	6	1					1	2	1				1					
82	Neuralgia and neuritis	14							1		2		1	6	3		1		
83	Softening of the brain	46									2	3	1	12	16	10	2		
84	Other diseases of the nervous system	197	5	2	4	1	1	6	12	11	23	31	23	35	27	13	3		
85	Diseases of the eye and annexa	3										1		1	1				
86a	Diseases of the ear	177	28	11	7	6	4	24	23	19	11	16	14	10	1	2	1		
86b	Diseases of the mastoid process	78	7	5	4		2	14	13	7	9	4	8	2	2	1			
	IV.—Diseases of the circulatory system	11,839	57	12	13	17	18	156	346	341	547	979	1,593	2,600	2,931	1,933	280	14	2
87	Pericarditis	63	1	2	1		1	2	3	6	2	6	8	10	12	8	1		
88	Endocarditis and myocarditis (acute)	417	29	5	7	7	6	32	61	57	68	54	27	25	25	13	1		
89	Angina pectoris	518						1	2	6	14	50	95	163	129	53	5		
90	Other diseases of the heart	9,502	20	4	4	8	10	118	278	267	437	810	1,367	2,146	2,367	1,455	199	10	2
91a	Aneurysm	118								2	4	30	27	36	12	7			
91b, c	Other diseases of the arteries	1,071								1	4	13	46	186	362	383	72	4	
92	Embolism and thrombosis (not cerebral)	84	1			1	1	2	1		12	6	16	21	14	8	1		
93	Diseases of the veins	50	1		1					1	5	7	7	13	10	4	1		
94	Diseases of the lymphatic system	10	2	1		1		1		1	1	2				1			
95	Hemorrhage without specified cause	5	3						1			1							
96	Other diseases of the circulatory system	1														1			
	V.—Diseases of the respiratory system	6,496	1,399	503	221	137	92	181	190	252	345	467	525	716	764	603	98	3	
97a	Diseases of the nasal fossae	5	3						1								1		
97b	Diseases of the nasal fossae annexa	30	3					2	2	10	3	4	3		1	1	1		
98	Diseases of the larynx	63	7	9	10	13	6	11	2	1		2	1		1				
99a	Acute bronchitis	241	102	26	11	6	1	5	3	1	2	9	6	20	14	28	7		
99b	Chronic bronchitis	211	8	3	1			6	1		6	4	17	37	53	65	10		
99c, d	Bronchitis (unspecified)	197	72	17	7	2	3	5	1	4	2	4	3	8	21	40	7	1	
100a	Bronchopneumonia	2,341	876	319	120	68	55	63	40	39	49	62	80	155	198	180	36	1	
100b	Capillary bronchitis	104	56	7	4	2	3	4	1	3	1	1	2	3	6	10	1		
101a	Lobar pneumonia	2,636	217	96	52	33	15	56	118	154	235	324	346	379	372	217	21	1	
101b	Pneumonia (unspecified)	135	25	3	3	4	3	10	5	4	10	10	10	19	14	14	1		
102	Pleurisy	238	18	22	13	9	4	12	15	27	22	20	25	31	16	3	1		
103	Congestion and hemorrhagic infarct of the lung	96	8					1	1	1	1	2	3	17	18	34	10		
104	Gangrene of the lung	13								2	5	3	1	1			1		
105	Asthma	129	1	1			1	4		2	5	11	22	31	42	8	1		
106	Pulmonary emphysema	11									1	1	2	6	1				
107	Other diseases of the respiratory system (tuberculosis excepted)	46	3				1	2		4	3	10	4	9	7	3			
	VI.—Diseases of the digestive system	8,193	2,819	702	199	109	80	252	345	382	508	560	697	690	543	266	41		
108	Diseases of the mouth and annexa	36	4	1	1	1		3	5	3	3	4	6	3	2				
109a	Adenoid vegetations	1					1												
109b	Other diseases of the pharynx, tonsils	353	24	14	14	17	14	79	62	47	29	14	17	8	13	1			
110	Diseases of the esophagus	10	1									2	2	2	1	1	1		
111a	Ulcer of the stomach	274	2	1				1	5	15	50	51	54	59	25	10	1		
111b	Ulcer of the duodenum	90							1	5	22	15	24	17	4	2			
112	Other diseases of the stomach (cancer excepted)	299	73	12	6	3	1	8	6	6	13	18	22	33	45	44	9		
113	Diarrhea and enteritis (under 2 years)	3,250	2,599	651															
114	Diarrhea and enteritis (2 years and over)	641			157	62	45	46	17	14	15	19	31	55	93	73	14		
116	Diseases due to other intestinal parasites	5			1			1	1		1		1						
117	Appendicitis and typhlitis	1,088	5	8	8	15	15	89	204	186	197	153	125	62	18	2	1		
118a	Hernia	262	10						3	5	18	36	48	65	44	28	5		
118b	Intestinal obstruction	435	83	11	5	7	4	14	20	31	41	49	49	51	46	20	4		
119	Other diseases of the intestines	88	5						1	5	8	10	22	14	12	10	1		
120	Acute yellow atrophy of the liver	21	1						1	4	4	1	2		7	1			
121	Hydatid tumor of the liver	3										1		1	1				
122	Cirrhosis of the liver	551			1	1		1	6	10	27	73	122	167	107	33	3		
123	Biliary calculi	360								12	38	54	92	89	61	13	1		
124	Other diseases of the liver	296	3		1			3	6	17	30	46	63	51	52	23	1		
125	Diseases of the pancreas	46		1					1	9	3	9	12	4	5	2			
126	Peritonitis without specified cause	70	8	2	5	3		7	5	9	6	5	5	7	5	3			
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	14	1	1					1	4	3			2	2				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	ILLINOIS—Continued.																		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	6,732	54	17	19	16	20	54	122	275	453	615	980	1,421	1,579	969	132	5	1
128	Acute nephritis (including unspecified under 10 years)	305	35	10	12	9	10	25	25	19	26	27	33	32	26	14	2	....	....
129	Chronic nephritis (including unspecified 10 years and over)	5,332	2	4	5	6	8	24	80	146	267	427	829	1,194	1,365	849	120	5	1
131	Other diseases of the kidneys and annexa	176	11	3	2	1	2	5	6	18	25	19	20	30	19	14	1	....	....
132	Calculi of the urinary passages	62	....	....	....	....	....	....	1	2	5	10	8	19	11	6	....	....	....
133	Diseases of the bladder	63	2	....	....	....	....	....	....	1	1	2	5	14	19	16	3	....	....
134	Diseases of the urethra, etc	19	....	....	....	....	....	....	1	....	1	6	6	3	1	1	....	....	....
135	Diseases of the prostate	333	....	....	....	....	....	....	....	1	3	4	23	105	128	63	6	....	....
136	Nonvenereal diseases of the male genital organs	8	3	....	....	....	....	....	....	1	....	1	1	1	1	....	....	....	....
137	Cysts, other benign tumors of the ovary	57	....	....	....	....	....	....	2	10	16	13	9	5	....	2	....	....	....
138	Salpingitis and pelvic abscess (female)	179	....	....	....	....	....	....	3	60	61	39	10	5	1	....	....	....	....
139	Benign tumors of the uterus	146	....	....	....	....	....	....	....	10	36	58	29	6	5	2	....	....	....
140	Nonpuerperal uterine hemorrhage	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
141	Other diseases of the female genital organs	50	....	....	....	....	....	....	4	7	11	9	7	7	3	2	....	....	....
142	Nonpuerperal diseases of the breast (cancer excepted)	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	VIII.—The puerperal state	944	....	....	....	....	....	....	87	409	376	72	....	....	....	....	....	....	....
143	Accidents of pregnancy	93	....	....	....	....	....	....	7	41	36	9	....	....	....	....	....	....	....
144	Puerperal hemorrhage	77	....	....	....	....	....	....	2	23	45	7	....	....	....	....	....	....	....
145	Other accidents of labor	89	....	....	....	....	....	....	2	32	46	9	....	....	....	....	....	....	....
146	Puerperal septicemia	432	....	....	....	....	....	....	35	208	165	24	....	....	....	....	....	....	....
147	Puerperal phlegmasia alba dolens, embolus, etc	24	....	....	....	....	....	....	....	13	9	2	....	....	....	....	....	....	....
148	Puerperal albuminuria and convulsions	223	....	....	....	....	....	....	41	91	70	21	....	....	....	....	....	....	....
149	Following childbirth (undefined)	6	....	....	....	....	....	....	....	1	5	....	....	....	....	....	....	....	....
	IX.—Diseases of the skin and of the cellular tissue	235	52	4	....	....	1	5	5	10	17	10	18	18	41	46	8	....	....
151	Gangrene	80	....	....	....	....	1	2	1	....	....	2	4	5	21	37	7	....	....
152	Furuncle	60	16	....	....	....	....	....	1	6	9	6	7	3	7	4	1	....	....
153	Acute abscess	37	11	2	....	....	....	2	2	1	5	1	2	4	5	2	....	....	....
154	Other diseases of the skin and annexa	58	25	2	....	....	....	1	1	3	3	1	5	6	8	3	....	....	....
	X.—Diseases of the bones and of the organs of locomotion	111	6	3	1	1	2	22	12	9	7	11	12	8	9	5	2	1	....
155	Diseases of the bones (tuberculosis excepted)	79	2	2	1	1	1	18	12	7	5	7	8	3	8	2	1	1	....
156	Diseases of the joints (tuberculosis and rheumatism excepted)	26	4	1	....	....	1	4	....	2	2	2	4	3	....	2	1	....	....
158	Other diseases of the organs of locomotion	6	....	....	....	....	....	....	....	....	....	2	....	2	1	1	....	....	....
	XI.—Malformations	1,090	1,010	25	13	7	4	9	14	6	1	1	....	....	....	....	....	....	....
159a	Congenital hydrocephalus	106	82	9	5	2	2	3	2	1	....	....	....	....	....	....	....	....	....
159b	Congenital malformations of the heart	670	629	9	6	4	1	4	12	4	1	....	....	....	....	....	....	....	....
159c	Other congenital malformations	314	299	7	2	1	1	2	....	1	....	1	....	....	....	....	....	....	....
	XII.—Early infancy	3,977	3,977	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
160	Congenital debility, icterus, sclerema	294	294	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
161a	Premature birth	2,320	2,320	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
161b	Injury at birth	1,036	1,036	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
162	Other diseases peculiar to early infancy	320	320	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
163	Lack of care	7	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
164	XIII.—Old age (senility)	530	....	....	....	....	....	....	....	....	....	....	3	21	100	294	107	5	....
	XIV.—External causes	6,357	122	110	81	86	90	364	571	920	1,097	908	739	559	421	243	41	....	5
	Suicide (total)	973	....	....	....	....	....	....	39	135	232	194	190	118	58	6	1	....	....
165	By poisons (corrosives excepted)	25	....	....	....	....	....	....	2	4	9	4	3	3	....	....	....	....	....
166	By corrosive substances	121	....	....	....	....	....	....	9	21	34	17	29	8	2	1	....	....	....
167	By poisonous gas	190	....	....	....	....	....	....	3	22	49	42	39	25	10	....	....	....	....
168	By hanging or strangulation	165	....	....	....	....	....	....	9	13	31	31	38	26	14	3	....	....	....
169	By drowning	76	....	....	....	....	....	....	....	11	16	18	10	14	5	2	....	....	....
170	By firearms	310	....	....	....	....	....	....	15	50	74	66	54	31	20	....	....	....	....
171	By cutting or piercing instruments	52	....	....	....	....	....	....	....	4	13	10	12	7	5	....	1	....	....
172	By jumping from high places	16	....	....	....	....	....	....	1	7	....	4	3	....	1	....	....	....	....
173	By crushing	12	....	....	....	....	....	....	....	2	6	1	....	2	1	....	....	....	....
174	By other means	6	....	....	....	....	....	....	....	1	....	1	2	2	....	....	....	....	....
	Homicide (total)	582	7	1	2	1	....	2	36	174	180	109	44	15	9	2	....	....	....
197	By firearms	418	....	....	....	....	....	1	21	143	130	83	27	8	5	....	....	....	....
198	By cutting or piercing instruments	59	....	1	....	....	....	....	4	12	21	10	4	3	3	1	....	....	....
199	By other means	105	7	....	2	1	....	1	11	19	29	16	13	4	1	1	....	....	....
	Accidental or undefined (total)	4,802	115	109	79	85	90	362	496	611	685	605	505	426	354	235	40	....	5
175	Poisoning by food	31	3	....	1	2	....	2	2	2	1	6	2	5	3	2	....	....	....
176	Poisoning by venomous animals	6	2	1	....	....	1	....	....	1	....	....	....	1	....	....	....	....	....
177	Other acute poisonings (gas excepted)	96	2	15	9	2	2	4	....	10	26	15	8	3	....	....	....	....	....
178	Conflagration	43	1	4	2	1	2	7	4	3	4	8	6	1	....	....	....	....	....
179	Burns (conflagration excepted)	322	15	34	33	37	28	47	17	21	25	19	24	9	10	2	1	....	....
180	Mechanical suffocation	49	38	1	....	....	....	....	....	2	1	2	3	1	1	....	....	....	....
181	Absorption of irrespirable, irritating, or poisonous gas	285	....	1	....	....	3	2	9	34	59	61	41	29	34	10	2	....	....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	ILLINOIS.—Continued.																	
	XIV.—External causes—Continued.																	
	Accidental or undefined—Continued.																	
182	Drowning	377	4	12	4	3	2	41	125	71	36	35	26	8	6	4	.....	.....
183	Traumatism by firearms (except in war)	157	.....	1	2	.....	1	7	60	35	25	13	9	3	.....	.....	.....	1
184	Traumatism by cutting or piercing instruments	24	2	.....	.....	.....	.....	1	2	2	4	5	2	2	3	1	.....	.....
185	Traumatism by fall	764	10	19	6	7	5	27	27	40	49	53	74	100	134	179	34	.....
186a	Traumatism in mines	215	.....	.....	.....	.....	.....	1	17	56	71	34	27	9	.....	.....	.....	.....
186b	Traumatism in quarries	5	.....	.....	.....	.....	.....	.....	2	1	2	.....	.....	.....	.....	.....	.....	.....
187	Traumatism by machines	110	.....	.....	.....	1	1	3	7	19	23	20	19	14	3	.....	.....	.....
188a	Railroad accidents	549	1	4	7	3	.....	14	48	103	119	98	70	47	26	8	.....	1
188b	Street-car accidents	176	.....	.....	1	1	1	6	9	22	30	36	26	25	15	4	.....	.....
188c	Automobile accidents	887	1	4	5	19	40	170	101	89	94	100	91	91	62	16	2	2
188d	Aeroplane and balloon accidents	4	.....	.....	.....	.....	.....	.....	.....	3	1	.....	.....	.....	.....	.....	.....	.....
188e,f	Injuries by other vehicles	130	4	1	1	1	2	9	15	18	18	22	14	13	10	1	.....	1
188g	Landslide, other crushing	29	.....	.....	.....	.....	.....	1	2	6	3	4	6	4	3	.....	.....	.....
189	Injuries by animals (not poisoning)	39	.....	.....	.....	.....	1	3	3	1	8	4	6	8	4	1	.....	.....
190	Wounds of war	4	.....	.....	.....	.....	.....	.....	.....	3	1	.....	.....	.....	.....	.....	.....	.....
193	Excessive cold	9	.....	.....	.....	.....	.....	.....	.....	1	2	1	.....	2	3	.....	.....	.....
194	Excessive heat	102	10	2	.....	1	.....	3	5	3	9	16	12	21	15	4	1	.....
195	Lightning	39	.....	.....	.....	.....	.....	1	9	6	8	7	2	4	2	.....	.....	.....
196	Other accidental electric shocks	65	.....	.....	.....	.....	.....	.....	6	18	25	9	4	2	1	.....	.....	.....
201	Fracture (cause not specified)	13	.....	.....	.....	.....	.....	.....	.....	3	1	1	2	2	4	.....	.....	.....
202	Other external violence	197	18	10	8	7	1	11	22	29	30	26	17	11	6	1	.....	.....
203	Violent deaths of unknown causation	75	4	.....	.....	.....	.....	2	4	9	10	10	14	11	9	2	.....	.....
	XV.—Ill-defined diseases	146	43	7	2	.....	1	1	1	3	8	6	22	24	20	7	1	.....
204	Sudden death	6	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	3	1	.....	.....	.....
205a	Ill-defined	72	13	7	.....	.....	.....	1	.....	.....	5	2	12	14	13	4	1	.....
205b	Not specified or unknown	68	30	.....	1	.....	1	.....	1	2	3	4	10	7	6	3	.....	.....
	INDIANA.																	
	All causes	35,220	4,861	903	468	308	245	864	1,438	2,138	2,312	2,554	3,626	5,366	6,180	3,465	459	12	21
	I.—Epidemic, endemic, and infectious diseases	5,629	542	312	180	145	129	419	563	838	663	526	451	404	313	127	16	....	1
1	Typhoid and paratyphoid fever	366	.....	5	3	3	8	31	91	79	54	35	23	19	11	4	.....	.....	.....
5	Malaria	30	1	.....	3	2	1	1	3	4	4	1	4	4	2	.....	.....	.....	.....
6	Smallpox	21	3	2	.....	.....	.....	2	1	1	4	1	3	2	2	.....	.....	.....	.....
7	Measles	84	26	27	13	4	5	.....	4	3	.....	1	.....	.....	1	.....	.....	.....	.....
8	Scarlet fever	164	8	21	10	16	14	35	32	22	6	.....	.....	.....	.....	.....	.....	.....	.....
9	Whooping cough	373	221	94	20	17	7	11	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
10	Diphtheria	707	28	65	86	78	72	246	100	12	9	6	3	.....	2	.....	.....	.....	.....
11a	Influenza (with pulmonary complications)	203	31	14	6	3	4	10	2	10	16	15	16	25	30	19	2	.....	.....
11b	Influenza (other and unspecified)	182	16	3	1	1	1	10	15	6	15	19	26	16	33	15	5	.....	.....
12	Miliary fever	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
13	Mumps	3	.....	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
15	Cholera nostras	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....
16	Dysentery	154	20	16	11	1	.....	5	.....	1	2	3	10	13	33	35	4	.....	.....
19	Spirochetal hemorrhagic jaundice	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
21	Erysipelas	110	28	4	2	1	.....	.....	1	9	5	12	7	17	16	7	1	.....	.....
22	Acute anterior poliomyelitis	39	6	5	3	3	7	8	5	.....	1	.....	.....	1	.....	.....	.....	.....	.....
23	Lethargic encephalitis	41	1	2	.....	3	1	2	6	6	8	3	6	3	.....	.....	.....	.....	.....
24	Meningococcus meningitis	47	11	5	7	.....	2	7	8	2	4	.....	.....	1	.....	.....	.....	.....	.....
25	Other epidemic and endemic diseases	5	2	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
27	Anthrax	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
28	Rabies	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
29	Tetanus	70	9	1	.....	.....	1	15	10	11	4	6	7	3	2	1	.....	.....	.....
30	Mycoses	3	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
	Tuberculosis (total)	2,752	72	40	13	12	6	32	265	649	492	370	313	276	170	39	3	.....	.....
31	Of the respiratory system	2,280	18	19	6	1	1	12	215	577	433	322	260	235	146	33	2	.....	.....
32	Of the meninges, central nervous system	135	33	17	5	8	5	13	16	13	14	5	3	2	.....	1	.....	.....	.....
33	Of the intestines, peritoneum	170	10	3	1	1	.....	1	18	26	24	30	18	20	14	3	1	.....	.....
34	Of the vertebral column	33	.....	.....	1	1	.....	5	1	11	3	1	7	2	1	.....	.....	.....	.....
35	Of the joints	17	2	.....	.....	.....	.....	.....	1	2	1	2	3	3	3	.....	.....	.....	.....
36	Of other organs	43	3	1	.....	.....	.....	.....	3	6	4	5	10	7	3	1	.....	.....	.....
37a	Disseminated (acute)	40	3	.....	.....	1	.....	1	8	8	8	2	7	2	.....	.....	.....	.....	.....
37b	Disseminated (chronic or unspecified)	34	3	.....	.....	.....	.....	.....	3	6	5	3	5	5	3	1	.....	.....	.....
38	Syphilis	206	53	5	2	.....	.....	2	5	13	29	41	29	17	7	2	.....	.....	1
40	Gonococcus infection	21	2	.....	.....	.....	.....	.....	4	6	3	5	.....	1	.....	.....	.....	.....	.....
41	Purulent infection, septicemia	40	2	1	.....	.....	.....	1	7	2	6	7	4	3	3	3	1	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	INDIANA—Continued.																		
	II.—General diseases not included in Class I	3,853	45	12	12	7	8	31	75	111	223	425	763	1,042	804	282	13		
	Cancer and other malignant tumors (total)	2,735	1	2	6	2	1	7	18	34	138	289	564	779	650	232	12		
43	Of the buccal cavity	98			1			1			2	7	19	20	35	13			
44	Of the stomach, liver	1,057						1	2	5	22	67	218	365	295	81	1		
45	Of the peritoneum, intestines, rectum	326			1			1	4	8	16	32	64	93	82	25			
46	Of the female genital organs	426							2	11	50	107	105	86	53	11			
47	Of the breast	244								2	20	40	63	58	37	22	2		
48	Of the skin	132									1	4	13	28	44	35	7		
49	Of other or unspecified organs	452	1	2	4	2	1	4	10	8	27	32	81	129	104	45	2		
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	26							1	1	1	5	5	4	5	4			
51	Acute rheumatic fever	78		1			1	10	21	7	10	7	4	8	5	4			
52	Chronic rheumatism, osteoarthritis, gout	35			1					2		3	7	5	13	4			
54	Pellagra	6									1		2	2		1			
56	Rickets	8	6		2														
57	Diabetes mellitus	483		1		2	1	5	20	35	24	41	92	141	96	24	1		
58	Anemia, chlorosis	182	6	1		1	2		1	9	16	22	45	52	20	7			
60a	Exophthalmic goiter	63								6	8	14	13	17	3	2			
60b	Other diseases of the thyroid gland	49	1	1					2	6	4	12	12	7	4				
61	Diseases of the parathyroid glands	5	3	2															
62	Diseases of the thymus gland	9	4	1		1		1		1				1					
63	Diseases of the adrenals (Addison's disease)	13						1	1	1		5	2	2	1				
64	Diseases of the spleen	10	1				1		2	1		1	2	2					
65a	Leukemia	38	2		2	1		3	3	5	4	4	2	10	2				
65b	Hodgkin's disease	23			1				1		4	2	7	5	3				
66	Alcoholism (acute or chronic)	33							1	3	8	15	2	3		1			
67a	Chronic lead poisoning	5									2		1	2					
67b	Other chronic mineral poisoning	1											1						
69	Other general diseases	51	21	3			2	4	4		3	5	2	2	2	3			
	III.—Diseases of the nervous system and of the organs of special sense	4,205	90	37	28	12	6	46	62	78	147	284	541	967	1,247	583	69	2	6
70	Encephalitis	61	5	3			3	1	6	5	10	8	6	9	4	1			
71a	Simple meningitis	118	26	15	13	7	2	13	7	9	4	8	5	6	3				
71b	Nonepidemic cerebrospinal meningitis	34	9	6	3	1		3	2		4	2	1	3					
72	Tabes dorsalis (locomotor ataxia)	68									1	12	16	28	9	2			
73	Other diseases of the spinal cord	165	2	1			1	3	2	4	3	13	19	37	59	20	1		
74a	Cerebral hemorrhage	2,824	3	1	3			2	8	15	39	132	377	740	978	465	55	2	4
74b	Cerebral embolism and thrombosis	72	1							1	2	5	8	17	26	12			
75	Paralysis without specified cause	230	1					1		2	2	8	19	43	97	46	11		
76	General paralysis of the insane	217						1	1	7	48	41	39	38	31	8	1		2
77	Other forms of mental alienation	43								6	7	9	6	8	4	3			
78	Epilepsy	107	3	1	1	1		4	11	15	13	25	19	6	5	3			
80	Infantile convulsions (under 5 years)	25	22	3															
81	Chorea	6						1	2		1				1	1			
82	Neuralgia and neuritis	17	1		1			1					3	2	5	4			
83	Softening of the brain	44									1		4	9	19	10	1		
84	Other diseases of the nervous system	71	4					2	4	6	5	12	14	13	3	8			
85	Diseases of the eye and annexa	2	1												1				
86a	Diseases of the ear	64	9	6	3	3		9	9	4	4	4	5	6	2				
86b	Diseases of the mastoid process	37	3	1	4			5	10	4	3	5		2					
	IV.—Diseases of the circulatory system	5,837	30	5	8	6	6	29	113	123	165	343	646	1,295	1,815	1,110	137	5	1
87	Pericarditis	43	1			2		1	2		3	4	5	13	12				
88	Endocarditis and myocarditis (acute)	170	11	1	3	1	1	9	21	18	27	19	19	14	16	9	1		
89	Angina pectoris	328							2	3	7	28	42	106	110	28	2		
90	Other diseases of the heart	4,329	15	4	2	1	5	18	86	97	120	267	526	995	1,337	766	84	5	1
91a	Aneurysm	45								3	2	9	7	10	11	3			
91b,c	Other diseases of the arteries	852										13	34	143	314	298	50		
92	Embolism and thrombosis (not cerebral)	48	1		2	1			1		4	3	8	12	11	5			
93	Diseases of the veins	13								1	2		4	1	4	1			
94	Diseases of the lymphatic system	6	1		1			1	1	1			1						
95	Hemorrhage without specified cause	3	1			1								1					
	V.—Diseases of the respiratory system	2,714	549	142	78	31	28	84	84	104	155	153	182	298	411	362	50	1	2
97a	Diseases of the nasal fossae	4	2								2								
97b	Diseases of the nasal fossae annexa	19	1					2	1	5	2	3	2	2		1			
98	Diseases of the larynx	30	8	3	4			2	6	3	2	1			1				
99a	Acute bronchitis	70	27	3				1			1		1	1	4	13	18	1	
99b	Chronic bronchitis	132								2	2	1	4	8	12	42	53	8	
99c,d	Bronchitis (unspecified)	28	5			1				1	1			1	2	9	8		
100a	Bronchopneumonia	967	342	73	39	15	13	36	17	17	21	22	30	69	128	120	24		1
100b	Capillary bronchitis	33	15	4	3	1						1		2	3	3	1		
101a	Lobar pneumonia	1,084	117	47	22	9	7	30	44	62	108	101	92	157	168	110	10		
101b	Pneumonia (unspecified)	147	26	11	4	4	3	6	3	4	10	4	19	18	17	17	1		
102	Pleurisy	66		1	5	1		2	6	8	2	6	10	9	9	4	2		1
103	Congestion and hemorrhagic infarct of the lung	54	4					2		2	4	5	7	8	6	14	2		
104	Gangrene of the lung	3									1	1			1				
105	Asthma	60	1		1				1	1	2	4	7	14	15	13	1		
106	Pulmonary emphysema	4						1					2	1					
107	Other diseases of the respiratory system (tuberculosis excepted)	13	1						2	2		2	3	1		1	1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	INDIANA—Continued.																		
	VI.—Diseases of the digestive system	3,719	1,082	323	108	57	35	112	158	183	237	231	304	357	333	183	15	....	1
108	Diseases of the mouth and annexa	19	2	.....	.....	.....	.....	2	.....	1	1	4	4	2	3	.....	.....	.....	.....
109b	Other diseases of the pharynx, tonsils	153	5	5	6	8	7	32	29	21	10	6	6	12	4	2	.....	.....	.....
110	Diseases of the esophagus	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	1	.....	.....	.....
111a	Ulcer of the stomach	116	1	.....	.....	.....	.....	1	.....	5	26	10	23	22	19	9	.....	.....	.....
111b	Ulcer of the duodenum	47	1	.....	.....	.....	.....	2	1	6	10	3	11	7	5	1	.....	.....	.....
112	Other diseases of the stomach (cancer excepted)	246	101	8	3	4	5	3	3	4	6	15	12	25	31	23	3	.....	.....
113	Diarrhea and enteritis (under 2 years)	1,207	910	297	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
114	Diarrhea and enteritis (2 years and over)	339	.....	.....	82	33	9	18	4	6	10	16	15	30	58	50	8	.....	.....
116	Diseases due to other intestinal parasites	3	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
117	Appendicitis and typhlitis	460	.....	2	4	9	7	39	99	75	74	62	52	23	13	1	.....	.....	.....
118a	Hernia	107	8	.....	.....	.....	.....	.....	.....	4	4	10	16	29	26	8	2	.....	.....
118b	Intestinal obstruction	239	40	3	5	2	3	4	5	22	29	20	26	30	26	24	.....	.....	.....
119	Other diseases of the intestines	50	4	1	1	.....	.....	.....	1	4	7	7	3	8	6	7	1	.....	.....
120	Acute yellow atrophy of the liver	16	1	.....	1	.....	.....	.....	.....	3	3	2	2	2	2	.....	.....	.....	.....
122	Cirrhosis of the liver	285	.....	1	.....	.....	1	1	.....	7	10	30	62	75	63	34	.....	.....	1
123	Biliary calculi	132	.....	.....	.....	.....	.....	.....	.....	7	14	17	26	36	22	10	.....	.....	.....
124	Other diseases of the liver	189	5	4	.....	1	.....	2	5	9	18	19	36	38	42	9	1	.....	.....
125	Diseases of the pancreas	22	.....	.....	.....	.....	.....	1	1	2	1	3	5	6	2	1	.....	.....	.....
126	Peritonitis without specified cause	81	3	1	6	.....	2	7	8	7	13	7	4	10	10	3	.....	.....	.....
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	4	1	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	3,289	31	5	5	7	3	19	47	106	156	256	430	679	945	530	69	....	1
128	Acute nephritis (including unspecified under 10 years)	251	20	5	4	5	2	12	19	20	33	26	31	24	27	21	2	.....	.....
129	Chronic nephritis (including unspecified 10 years and over)	2,594	1	.....	1	2	1	5	23	40	73	172	351	582	830	456	57	.....	.....
131	Other diseases of the kidneys and annexa	63	9	.....	.....	.....	.....	2	.....	7	5	7	11	11	6	3	1	.....	1
132	Calculi of the urinary passages	18	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	5	5	3	2	.....	.....	.....
133	Diseases of the bladder	43	.....	.....	.....	.....	.....	.....	.....	.....	1	3	1	8	16	10	4	.....	.....
134	Diseases of the urethra, etc	6	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	5	.....	.....	.....	.....	.....
135	Diseases of the prostate	132	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	9	29	54	35	4	.....	.....
136	Nonvenereal diseases of the male genital organs	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
137	Cysts, other benign tumors of the ovary	33	.....	.....	.....	.....	.....	.....	.....	3	5	4	9	8	2	1	1	.....	.....
138	Salpingitis and pelvic abscess (female)	67	.....	.....	.....	.....	.....	.....	4	28	21	10	2	1	1	.....	.....	.....	.....
139	Benign tumors of the uterus	50	.....	.....	.....	.....	.....	.....	.....	3	12	19	6	5	4	1	.....	.....	.....
140	Nonpuerperal uterine hemorrhage	3	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....
141	Other diseases of the female genital organs	27	.....	.....	.....	.....	.....	.....	1	4	3	11	5	1	1	1	.....	.....	.....
	VIII.—The puerperal state	468	.....	.....	.....	.....	.....	.....	62	202	172	32	.....	.....	.....	.....	.....	.....	.....
143	Accidents of pregnancy	25	.....	.....	.....	.....	.....	.....	2	11	10	2	.....	.....	.....	.....	.....	.....	.....
144	Puerperal hemorrhage	35	.....	.....	.....	.....	.....	.....	2	8	16	9	.....	.....	.....	.....	.....	.....	.....
145	Other accidents of labor	38	.....	.....	.....	.....	.....	.....	3	20	14	1	.....	.....	.....	.....	.....	.....	.....
146	Puerperal septicemia	232	.....	.....	.....	.....	.....	.....	29	113	79	11	.....	.....	.....	.....	.....	.....	.....
147	Puerperal phlegmasia alba dolens, embolus, etc	14	.....	.....	.....	.....	.....	.....	.....	7	6	1	.....	.....	.....	.....	.....	.....	.....
148	Puerperal albuminuria and convulsions	123	.....	.....	.....	.....	.....	.....	25	43	47	8	.....	.....	.....	.....	.....	.....	.....
149	Following childbirth (undefined)	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	IX.—Diseases of the skin and of the cellular tissue	113	16	1	.....	.....	.....	1	5	4	2	4	11	15	27	20	4	3	.....
151	Gangrene	56	1	1	.....	.....	.....	.....	.....	.....	1	2	4	8	18	16	3	2	.....
152	Furuncle	18	.....	.....	.....	.....	.....	.....	3	2	.....	.....	3	6	3	1	.....	.....	.....
153	Acute abscess	18	4	.....	.....	.....	.....	1	1	2	.....	2	3	1	3	1	.....	.....	.....
154	Other diseases of the skin and annexa	21	11	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	3	2	1	1	.....
	X.—Diseases of the bones and of the organs of locomotion	31	1	.....	.....	1	.....	3	2	6	3	2	1	6	4	1	1	.....	.....
155	Diseases of the bones (tuberculosis excepted)	21	1	.....	.....	1	.....	3	1	4	2	.....	1	4	2	1	1	.....	.....
156	Diseases of the joints (tuberculosis and rheumatism excepted)	9	.....	.....	.....	.....	.....	.....	1	2	1	2	.....	1	2	.....	.....	.....	.....
158	Other diseases of the organs of locomotion	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
	XI.—Malformations	537	523	5	2	1	1	4	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
159a	Congenital hydrocephalus	43	37	3	.....	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
159b	Congenital malformations of the heart	355	350	1	1	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
159c	Other congenital malformations	139	136	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Early infancy	1,876	1,876	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
160	Congenital debility, icterus, sclerema	217	217	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
161a	Premature birth	1,186	1,186	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
161b	Injury at birth	257	257	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
162	Other diseases peculiar to early infancy	213	213	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
163	Lack of care	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
164	XIII.—Old age (senility)	183	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	41	99	39	1	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	Deaths at unknown age.
	INDIANA—Continued.																		
	XIV.—External causes	2,709	56	58	46	41	29	116	267	383	389	291	292	291	233	165	43	....	9
	Suicide (total)	435	.....	.....	.....	.....	.....	.....	18	54	87	77	80	78	30	10	.....	....	1
165	By poisons (corrosives excepted)	23	.....	.....	.....	.....	.....	.....	2	1	6	5	7	2	.....	.....	.....	....	.....
166	By corrosive substances	93	.....	.....	.....	.....	.....	.....	6	16	17	20	10	17	4	3	.....	....	.....
167	By poisonous gas	15	.....	.....	.....	.....	.....	.....	1	1	4	2	2	3	1	.....	.....	....	1
168	By hanging or strangulation	72	.....	.....	.....	.....	.....	.....	1	5	11	10	16	14	11	4	.....	....	.....
169	By drowning	31	.....	.....	.....	.....	.....	.....	1	2	6	7	2	7	4	2	.....	....	.....
170	By firearms	163	.....	.....	.....	.....	.....	.....	7	26	35	26	32	31	5	1	.....	....	.....
171	By cutting or piercing instruments	25	.....	.....	.....	.....	.....	.....	.....	.....	4	4	9	4	4	.....	.....	....	.....
172	By jumping from high places	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	....	.....
173	By crushing	4	.....	.....	.....	.....	.....	.....	.....	1	2	1	.....	.....	.....	.....	.....	....	.....
174	By other means	7	.....	.....	.....	.....	.....	.....	.....	2	2	2	1	.....	.....	.....	.....	....	.....
	Homicide (total)	189	4	.....	1	.....	1	.....	9	53	68	27	14	4	5	2	.....	....	1
197	By firearms	141	.....	.....	.....	.....	.....	.....	8	49	56	16	5	4	2	.....	.....	....	1
198	By cutting or piercing instruments	12	.....	.....	.....	.....	.....	.....	.....	1	5	3	2	.....	.....	1	.....	....	.....
199	By other means	36	4	.....	1	.....	1	.....	1	3	7	8	7	.....	3	1	.....	....	.....
	Accidental or undefined (total)	2,085	52	58	45	41	28	116	240	276	234	187	198	209	198	153	43	....	7
175	Poisoning by food	38	7	1	2	.....	2	3	2	3	2	2	3	7	3	1	.....	....	.....
176	Poisoning by venomous animals	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	....	.....
177	Other acute poisonings (gas excepted)	50	3	12	5	3	2	4	1	7	4	5	2	2	.....	.....	.....	....	.....
178	Conflagration	18	.....	1	1	.....	.....	4	.....	3	1	2	2	1	3	.....	.....	....	.....
179	Burns (conflagration excepted)	127	1	10	9	16	7	8	4	8	15	12	15	8	11	2	.....	....	1
180	Mechanical suffocation	37	27	.....	.....	.....	1	2	1	1	1	2	1	1	.....	.....	.....	....	.....
181	Absorption of irrespirable, irritating, or poisonous gas	27	.....	.....	.....	.....	.....	.....	.....	6	2	4	7	3	4	1	.....	....	.....
182	Drowning	174	1	8	4	3	2	14	75	31	14	8	12	.....	.....	1	.....	....	1
183	Traumatism by firearms (except in war)	61	.....	1	.....	.....	.....	3	28	14	7	4	2	2	.....	.....	.....	....	.....
184	Traumatism by cutting or piercing instruments	16	.....	.....	.....	.....	.....	2	3	1	3	3	1	3	.....	.....	.....	....	.....
185	Traumatism by fall	422	3	6	3	5	1	8	18	15	18	16	22	49	94	124	40	....	.....
186a	Traumatism in mines	67	.....	.....	.....	.....	.....	.....	7	17	18	12	7	6	.....	.....	.....	....	.....
186b	Traumatism in quarries	5	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	2	.....	.....	.....	....	.....
187	Traumatism by machines	49	.....	.....	.....	.....	1	3	5	15	7	8	6	4	.....	.....	.....	....	.....
188a	Railroad accidents	286	1	2	3	2	1	5	18	58	56	38	38	38	20	2	.....	....	4
188b	Street-car accidents	92	.....	1	2	1	1	9	10	9	14	13	13	12	4	3	.....	....	.....
188c	Automobile accidents	266	1	3	9	7	7	35	31	42	34	26	22	22	19	7	.....	....	1
188d	Aeroplane and balloon accidents	3	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	....	.....
188e,f	Injuries by other vehicles	67	2	.....	1	1	2	7	7	8	1	6	7	13	12	.....	.....	....	.....
188g	Landslide, other crushing	20	.....	.....	.....	.....	.....	.....	4	5	2	7	2	.....	.....	.....	.....	....	.....
189	Injuries by animals (not poisoning)	38	.....	2	.....	1	.....	1	8	3	4	2	2	7	4	4	.....	....	.....
193	Excessive cold	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	....	.....
194	Excessive heat	25	.....	.....	.....	.....	.....	1	2	2	4	1	5	7	2	.....	1	....	.....
195	Lightning	27	.....	.....	.....	.....	.....	.....	2	6	8	1	5	4	1	.....	.....	....	.....
196	Other accidental electric shocks	22	.....	.....	.....	.....	.....	1	2	8	3	2	3	1	2	.....	.....	....	.....
201	Fracture (cause not specified)	26	.....	.....	.....	.....	.....	.....	.....	3	1	.....	6	3	7	5	1	....	.....
202	Other external violence	87	4	10	5	2	1	5	9	6	10	10	11	9	4	1	.....	....	.....
203	Violent deaths of unknown causation	31	2	1	1	.....	.....	1	1	3	3	3	3	5	6	1	1	....	.....
	XV.—Ill-defined diseases	57	20	3	1	.....	.....	.....	.....	.....	.....	6	4	10	7	3	3	....	.....
204	Sudden death	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....
205a	Ill-defined	28	2	2	1	.....	.....	.....	.....	.....	.....	2	3	9	6	2	1	....	.....
205b	Not specified or unknown	28	17	1	.....	.....	.....	.....	.....	.....	.....	4	1	1	1	1	2	....	.....
	KANSAS.																		
	All causes	18,106	2,597	417	252	177	168	455	788	993	1,110	1,336	1,647	2,547	3,311	1,973	306	13	16
	I.—Epidemic, endemic, and infectious diseases	2,210	212	100	99	79	82	223	277	262	256	200	134	122	95	59	8	1	1
1	Typhoid and paratyphoid fever	153	2	1	2	3	4	8	36	38	25	19	5	9	.....	1	.....	....	.....
2	Typhus fever	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....
5	Malaria	12	1	.....	1	.....	.....	.....	.....	.....	2	1	2	4	1	.....	.....	....	.....
6	Smallpox	49	5	.....	2	1	.....	2	10	8	4	7	3	3	2	2	.....	....	.....
7	Measles	77	17	12	8	7	4	10	10	2	1	4	1	1	.....	.....	.....	....	.....
8	Scarlet fever	125	7	7	14	15	12	33	26	5	4	1	1	.....	.....	.....	.....	....	.....
9	Whooping cough	107	66	17	9	7	1	5	1	.....	.....	.....	.....	.....	1	.....	.....	....	.....
10	Diphtheria	372	23	31	42	39	49	117	54	9	3	2	2	.....	.....	.....	1	....	.....
11a	Influenza (with pulmonary complications)	71	7	5	3	1	3	4	4	4	10	6	2	2	11	8	1	....	.....
11b	Influenza (other and unspecified)	85	12	1	.....	2	.....	5	6	5	4	1	9	5	13	19	3	....	.....
13	Mumps	3	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	1	.....	.....	....	.....
15	Cholera nostras	7	1	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	1	2	.....	....	.....
16	Dysentery	75	8	16	9	.....	.....	1	.....	.....	.....	3	2	6	16	12	2	....	.....
21	Erysipelas	55	8	2	.....	.....	.....	1	.....	.....	4	5	8	13	10	4	.....	....	.....
22	Acute anterior poliomyelitis	35	2	4	3	1	4	7	11	2	1	.....	.....	.....	.....	.....	.....	....	.....
23	Lethargic encephalitis	7	.....	1	.....	.....	.....	.....	1	1	1	2	.....	.....	.....	1	.....	....	.....
24	Meningococcus meningitis	19	2	1	3	1	.....	5	3	1	.....	.....	2	.....	.....	1	.....	....	.....
25	Other epidemic and endemic diseases	3	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....
27	Anthrax	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	....	.....
28	Rabies	2	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	....	.....
29	Tetanus	38	.....	.....	1	.....	1	13	10	1	2	4	2	3	1	.....	.....	....	.....
30	Mycoses	4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	KANSAS—Continued.																		
	I.—Epidemic, endemic, and infectious diseases—Continued.																		
	Tuberculosis (total)	772	12	1	2	2	1	8	93	168	177	124	78	62	36	7	.....	.....	1
31	Of the respiratory system	646	3	.....	1	.....	1	.....	75	144	156	107	71	50	30	7	.....	.....	1
32	Of the meninges, central nervous system	22	3	1	1	.....	.....	8	3	2	1	2	1	.....	.....	.....	.....	.....	.....
33	Of the intestines, peritoneum	41	3	.....	.....	1	.....	.....	7	12	5	6	2	2	3	.....	.....	.....	.....
34	Of the vertebral column	15	1	.....	.....	.....	.....	.....	2	2	4	1	1	2	2	.....	.....	.....	.....
35	Of the joints	9	1	.....	.....	.....	.....	.....	2	1	1	1	1	2	.....	.....	.....	.....	.....
36	Of other organs	11	1	.....	.....	1	.....	.....	.....	2	2	1	2	1	1	.....	.....	.....	.....
37a	Disseminated (acute)	12	.....	.....	.....	.....	.....	.....	3	1	2	3	.....	3	.....	.....	.....	.....	.....
37b	Disseminated (chronic or unspecified)	16	.....	.....	.....	.....	.....	.....	1	4	6	3	.....	2	.....	.....	.....	.....	.....
38	Syphilis	92	32	.....	.....	.....	.....	1	5	5	6	18	14	11	.....	.....	.....	.....	.....
40	Gonococcus infection	12	.....	.....	.....	.....	.....	.....	2	5	5	.....	.....	.....	.....	.....	.....	.....	.....
41	Purulent infection, septicemia	33	3	.....	.....	.....	1	1	3	7	5	3	2	2	2	2	1	1	.....
	II.—General diseases not included in Class I	2,095	27	6	8	4	5	13	45	58	110	256	360	542	482	167	11	.....	1
	Cancer and other malignant tumors (total)	1,412	.....	1	1	2	1	1	8	16	60	166	248	398	379	123	7	.....	1
43	Of the buccal cavity	49	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	15	13	17	3	.....	.....	.....
44	Of the stomach, liver	592	.....	.....	1	.....	.....	.....	1	5	12	41	98	194	184	53	3	.....	.....
45	Of the peritoneum, intestines, rectum	194	.....	.....	.....	.....	.....	.....	.....	4	11	32	35	51	52	9	.....	.....	.....
46	Of the female genital organs	173	.....	.....	.....	.....	.....	.....	1	.....	21	44	32	36	30	9	.....	.....	.....
47	Of the breast	115	.....	.....	.....	.....	.....	.....	1	2	10	24	25	21	21	10	1	.....	.....
48	Of the skin	69	.....	.....	.....	1	.....	.....	.....	.....	.....	3	4	17	18	23	3	.....	.....
49	Of other or unspecified organs	220	.....	1	.....	1	1	1	5	5	6	21	39	66	57	16	.....	.....	1
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	27	1	.....	1	1	.....	1	.....	1	2	1	3	6	8	2	.....	.....	.....
51	Acute rheumatic fever	48	.....	.....	1	.....	2	3	12	2	3	4	3	7	7	4	.....	.....	.....
52	Chronic rheumatism, osteoarthritis, gout	22	.....	.....	.....	.....	.....	.....	.....	.....	1	2	3	5	8	3	.....	.....	.....
54	Pellagra	6	.....	.....	.....	.....	.....	.....	.....	1	1	2	1	1	.....	.....	.....	.....	.....
56	Rickets	4	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
57	Diabetes mellitus	278	.....	.....	1	.....	1	5	14	20	19	22	47	64	56	26	3	.....	.....
58	Anemia, chlorosis	123	4	.....	1	1	.....	1	3	3	6	21	29	32	18	4	.....	.....	.....
60a	Exophthalmic goiter	33	.....	.....	.....	.....	.....	.....	.....	6	2	13	5	7	.....	.....	.....	.....	.....
60b	Other diseases of the thyroid gland	32	.....	1	.....	.....	.....	.....	.....	4	6	8	5	6	2	.....	.....	.....	.....
62	Diseases of the thymus gland	6	4	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
63	Diseases of the adrenals (Addison's disease)	9	.....	.....	.....	.....	.....	.....	1	1	1	3	1	1	1	.....	.....	.....	.....
64	Diseases of the spleen	6	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	2	1	.....	.....	.....	.....
65a	Leukemia	21	1	2	.....	.....	.....	1	.....	1	5	3	4	3	.....	1	.....	.....	.....
65b	Hodgkin's disease	12	.....	.....	1	.....	.....	.....	1	.....	2	1	1	4	1	1	.....	.....	.....
66	Alcoholism (acute or chronic)	14	.....	.....	.....	.....	.....	.....	1	.....	1	7	3	2	.....	.....	.....	.....	.....
67a	Chronic lead poisoning	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	.....	.....	.....	.....	.....
67b	Other chronic mineral poisoning	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
68	Chronic poisoning by organic substances	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	1	.....	.....	.....
69	Other general diseases	33	14	1	1	.....	1	1	4	3	1	.....	2	2	1	1	1	.....	.....
	III.—Diseases of the nervous system and of the organs of special sense	2,394	49	9	11	7	7	23	37	46	90	175	298	479	741	377	44	1	.....
70	Encephalitis	20	2	.....	1	.....	.....	2	3	4	.....	6	1	.....	1	.....	.....	.....	.....
71a	Simple meningitis	45	8	2	4	2	2	7	6	6	.....	2	2	3	1	.....	.....	.....	.....
71b	Nonepidemic cerebrospinal meningitis	13	4	.....	.....	3	1	2	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
72	Tabes dorsalis (locomotor ataxia)	39	.....	.....	.....	.....	.....	.....	.....	.....	4	4	6	14	10	1	.....	.....	.....
73	Other diseases of the spinal cord	116	1	.....	.....	.....	.....	.....	2	2	5	9	11	27	43	14	2	.....	.....
74a	Cerebral hemorrhage	1,573	5	1	1	.....	1	1	4	7	23	71	205	360	560	305	28	1	.....
74b	Cerebral embolism and thrombosis	60	.....	.....	.....	.....	.....	.....	4	2	1	4	4	11	26	6	2	.....	.....
75	Paralys s without specified cause	164	.....	.....	.....	.....	.....	.....	3	.....	5	8	12	32	57	38	9	.....	.....
76	General paralysis of the insane	104	.....	.....	.....	.....	.....	.....	.....	2	19	41	21	9	11	1	.....	.....	.....
77	Other forms of mental alienation	38	.....	.....	.....	.....	.....	.....	.....	2	7	7	12	6	3	1	.....	.....	.....
78	Epilepsy	55	.....	1	2	.....	1	4	7	8	12	8	6	2	4	.....	.....	.....	.....
79	Convulsions (nonpuerperal; 5 years and over)	4	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	1	.....	.....
80	Infantile convulsions (under 5 years)	24	20	1	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
81	Chorea	3	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	1	.....	.....	.....	.....
82	Neuralgia and neuritis	16	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	3	4	4	3	1	.....	.....
83	Softening of the brain	24	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	3	11	6	1	.....	.....
84	Other diseases of the nervous system	54	4	1	1	1	.....	2	1	7	6	12	6	5	6	2	.....	.....	.....
85	Diseases of the eye and annexa	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....
86a	Diseases of the ear	21	4	2	.....	.....	.....	3	2	3	3	.....	2	1	1	.....	.....	.....	.....
86b	Diseases of the mastoid process	18	1	1	1	1	.....	2	1	3	2	2	1	1	2	.....	.....	.....	.....
	IV.—Diseases of the circulatory system	2,545	22	5	3	2	4	13	45	66	86	150	243	552	810	464	73	3	4
87	Pericarditis	29	.....	.....	.....	.....	1	.....	.....	1	2	2	4	6	6	5	2	.....	.....
88	Endocarditis and myocarditis (acute)	69	4	.....	.....	1	.....	5	8	5	15	11	.....	10	6	3	.....	.....	1
89	Angina pectoris	135	.....	.....	.....	.....	.....	.....	.....	1	2	8	23	41	47	9	4	.....	.....
90	Other diseases of the heart	1,902	18	5	2	1	3	7	34	54	53	111	181	420	623	341	44	2	3
91a	Aneurysm	44	.....	.....	.....	.....	.....	.....	.....	1	6	9	8	11	4	4	1	.....	.....
91b,c	Other diseases of the arteries	308	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	15	54	114	100	22	1	.....
92	Embolism and thrombosis (not cerebral)	44	.....	.....	1	.....	.....	1	3	3	8	4	9	5	9	1	.....	.....	.....
93	Diseases of the veins	9	.....	.....	.....	.....	.....	.....	.....	1	.....	1	3	4	.....	.....	.....	.....	.....
94	Diseases of the lymphatic system	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
95	Hemorrhage without specified cause	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
96	Other diseases of the circulatory system	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	Deaths at unknown age.
	KANSAS—Continued.																		
	V.—Diseases of the respiratory system.	1,401	301	100	38	23	19	33	45	43	61	79	81	141	232	175	28	1	1
97a	Diseases of the nasal fossae	3	2							1									
97b	Diseases of the nasal fossae annexa	13	1			1	1		2		1	6		1					
98	Diseases of the larynx	25	3	3	6	2	3	4				1	1	1	1				
99a	Acute bronchitis	39	11	4		1	2	1	1				1	1	7	8	2		
99b	Chronic bronchitis	61						1		2	3	3	1	11	17	19	4		
99c,d	Bronchitis (unspecified)	53	10	2		2		2		1	2	2	3	2	8	12	7		
100a	Bronchopneumonia	507	180	57	25	10	9	8	13	10	8	11	22	29	58	60	6		1
100b	Capillary bronchitis	14	7	3			1								3				
101a	Lobar pneumonia	462	61	24	6	3	1	10	23	24	36	41	39	64	86	39	4	1	
101b	Pneumonia (unspecified)	93	23	5		3	1	3	6	1	4	4	4	12	16	10	1		
102	Pleurisy	33	2	2	1		1	1		2	3	4	1	3	8	2	3		
103	Congestion and hemorrhagic infarct of the lung	45						2		1	1	1	3	6	14	17			
104	Gangrene of the lung	3									1			1	1				
105	Asthma	34	1			1						3	6	7	9	6	1		
106	Pulmonary emphysema	3						1		1						1			
107	Other diseases of the respiratory system (tuberculosis excepted)	13									2	3		3	4	1			
	VI.—Diseases of the digestive system.	1,845	416	141	54	33	24	58	91	100	105	138	160	187	217	105	16		
108	Diseases of the mouth and annexa	17	3	1				2		1	3	2		3	1		1		
109b	Other diseases of the pharynx, tonsils	61	1	1	3	3	7	11	13	9	4	3	2		3		1		
110	Diseases of the esophagus	1											1						
111a	Ulcer of the stomach	73							2	2	4	12	17	16	12	7	1		
111b	Ulcer of the duodenum	16	1							2	3	3		6	1				
112	Other diseases of the stomach (cancer excepted)	144	43	7	1	4	1	3	1		5	4	7	12	36	20			
113	Diarrhea and enteritis (under 2 years)	451	327	124															
114	Diarrhea and enteritis (2 years and over)	171			45	20	5	6	2	6	2	6	4	17	28	24	6		
116	Diseases due to other intestinal parasites	2						1					1						
117	Appendicitis and typhlitis	279	1			5	6	25	61	48	41	41	32	14	5				
118a	Hernia	48	1									3	7	13	17	6	1		
118b	Intestinal obstruction	149	25	7	2	1	2	2	6	11	12	17	17	16	22	7	2		
119	Other diseases of the intestines	46	7		1		1			2	5	3	7	6	6	7	1		
120	Acute yellow atrophy of the liver	8								1		2	1	4					
121	Hydatid tumor of the liver	2									1				1				
122	Cirrhosis of the liver	125							2	4	3	10	25	31	39	11			
123	Biliary calculi	79								2	4	11	13	22	17	9	1		
124	Other diseases of the liver	124	3		1		2	3	2	5	15	12	22	25	22	11	1		
125	Diseases of the pancreas	5						1			1		2		1				
126	Peritonitis without specified cause	43	4	1	1			4	2	7	2	9	1	2	6	3	1		
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	1											1						
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	1,728	26	8	3	3	4	16	24	47	107	143	193	353	481	284	33	1	2
128	Acute nephritis (including unspecified under 10 years)	111	17	6	3	3	4	9	6	5	9	10	7	13	6	11	1		1
129	Chronic nephritis (including unspecified 10 years and over)	1,286		1				7	14	24	52	91	160	289	401	219	26	1	1
131	Other diseases of the kidneys and annexa	42	6	1						3	5	4	7	7	8	1			
132	Calculi of the urinary passages	22									1	1	7	5	5	2	1		
133	Diseases of the bladder	33										1	1	1	12	17	1		
134	Diseases of the urethra, etc	5										2			3				
135	Diseases of the prostate	113											1	33	41	34	4		
136	Nonvenereal diseases of the male genital organs	2	1												1				
137	Cysts, other benign tumors of the ovary	18								2	7	4	3	1	1				
138	Salpingitis and pelvic abscess (female)	33							2	8	15	6	1	1					
139	Benign tumors of the uterus	41								1	13	20	3	1	3				
140	Nonpuerperal uterine hemorrhage	2							1		1								
141	Other diseases of the female genital organs	17							1	3	4	4	3	2					
142	Nonpuerperal diseases of the breast (cancer excepted	3	2							1									
	VIII.—The puerperal state	267							21	127	98	21							
143	Accidents of pregnancy	26								13	11	2							
144	Puerperal hemorrhage	32							1	14	15	2							
145	Other accidents of labor	13								7	5	1							
146	Puerperal septicemia	119							15	63	34	7							
147	Puerperal phlegmasia alba dolens, embolus, etc	11								3	6	2							
148	Puerperal albuminuria and convulsions	66							5	27	27	7							
	IX.—Diseases of the skin and of the cellular tissue	67	5			1		1	3	1	1	3	9	8	13	17	5		
151	Gangrene	35										2	2	5	9	13	4		
152	Furuncle	10							1		1	1	3	2		1	1		
153	Acute abscess	11	3					1	1	1			1	1	1	2			
154	Other diseases of the skin and annexa	11	2			1			1				3		3	1			
	X.—Diseases of the bones and of the organs of locomotion	17	1					1	4	1	1	3		3	2		1		
155	Diseases of the bones (tuberculosis excepted)	15	1					1	4	1	1	2		3	1		1		
156	Diseases of the joints (tuberculosis and rheumatism excepted)	1													1				
158	Other diseases of the organs of locomotion	1										1							

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
KANSAS—Continued.																			
	XI.—Malformations	299	278	4	2	4	2	4	3	2									
159a	Congenital hydrocephalus	26	23	1		1			1										
159b	Congenital malformations of the heart	202	189	3	2	2		2	2	2									
159c	Other congenital malformations	71	66			1	2	2											
	XII.—Early infancy	1,133	1,133																
160	Congenital debility, icterus, sclerema	179	179																
161a	Premature birth	684	684																
161b	Injury at birth	175	175																
162	Other diseases peculiar to early infancy	95	95																
164	XIII.—Old age (senility)	412											3	7	111	217	69	5	
	XIV.—External causes	1,478	41	37	30	21	20	69	191	231	189	163	146	132	96	91	16		5
	Suicide (total)	208							6	26	37	50	44	30	11	4			
165	By poisons (corrosives excepted)	14							1	2	2	5	1	1	2				
166	By corrosive substances	32							3	5	5	4	8	5	2				
167	By poisonous gas	4								1	1	2							
168	By hanging or strangulation	37									6	8	10	4	5	4			
169	By drowning	13							2	1		6	3	1					
170	By firearms	98								16	21	22	21	17	1				
171	By cutting or piercing instruments	7								1	1	3	1	1					
172	By jumping from high places	1												1					
173	By crushing	2									1				1				
	Homicide (total)	134	4					3	12	43	34	23	9	5					1
197a	By firearms	101							10	29	30	22	5	5					
198	By cutting or piercing instruments	8								4	2		2						
199	By other means	25	4					3	2	10	2	1	2						1
	Accidental or undefined (total)	1,136	37	37	30	21	20	66	173	162	118	90	93	97	85	87	16		4
175	Poisoning by food	23	2	2	2	1	2	3	2	3	3			2	1				
176	Poisoning by venomous animals	5			1		1	2			1								
177	Other acute poisonings (gas excepted)	30	1	5	2	1				3	5	6	2	3	2				
178	Conflagration	21	1		1	2		2	2	1	3	1	2	4	1	1			
179	Burns (conflagration excepted)	71	1	8	8	4	2	10	6	11	7	3	2	3	5	1			
180	Mechanical suffocation	21	15	1				1	1	2		1							
181	Absorption of irrespirable, irritating, or poisonous gas	9						1	3	1		2	1	1					
182	Drowning	103	1	9	6	2	1	8	41	16	8	3	1	3	2	1			1
183	Traumatism by firearms (except in war)	59					2	6	18	14	10	3	3	3					
184	Traumatism by cutting or piercing instruments	13				1			2	1	2	1	3	3					
185	Traumatism by fall	197	3	4	2	2		4	6	7	6	7	12	17	42	70	15		
186a	Traumatism in mines	17							1	3	4	4	3	1	1				
186b	Traumatism in quarries	2											1	1					
187	Traumatism by machines	50		1		1		1	5	10	12	6	5	5	3	1			
188a	Railroad accidents	132		1		1	2	1	24	31	19	15	17	13	4		1		3
188b	Street-car accidents	10					1			1		1	1	1	3	2			
188c	Automobile accidents	166	2	2	1	4	5	11	34	30	20	15	16	16	6	4			
188e,f	Injuries by other vehicles	49	1	1	4		1	5	5	4	3	4	10	6	5				
188g	Landslide, other crushing	8						2		2		2				2			
189	Injuries by animals (not poisoning)	32			2	1	2	2	4	3	2	3	2	5	6				
190	Wounds of war	1								1									
193	Excessive cold	1											1						
194	Excessive heat	13							1	2	1	1	2	2	2	2			
195	Lightning	16						1	3	3	3	1	4	1					
196	Other accidental electric shocks	20							4	7	6	2	1						
201	Fracture (cause not specified)	5								1		1	1			2			
202	Other external violence	51	9	2		1	1	5	8	4	3	7	3	6	1	1			
203	Violent deaths of unknown causation	11	1	1	1			1	3	1		1		1	1				
	XV.—Ill-defined diseases	215	86	7	4		1	1	2	9	6	5	20	21	31	17	2	1	2
204	Sudden death	11	4							2			2	1	2				
205a	Ill-defined	76	10	5	2				2	3	4	2	7	15	18	6			2
205b	Not specified or unknown	128	72	2	2		1	1		4	2	3	11	5	11	11	2	1	
KENTUCKY.																			
	All causes {White	21,512	3,682	979	427	275	219	595	1,108	1,621	1,431	1,522	1,843	2,792	3,104	1,648	228	7	31
	{Colored	4,157	486	109	37	25	22	72	288	600	440	485	523	438	328	188	53	23	40
	I.—Epidemic, endemic, and infectious diseases {White	5,001	520	380	194	144	131	299	487	757	560	427	359	372	279	76	7	1	8
	{Colored	1,124	55	36	15	15	7	46	174	315	161	127	73	51	26	14		1	8
1	Typhoid and paratyphoid fever {W	538	4	8	9	4	7	40	165	108	62	53	46	22	7	2			1
	{C	94		1	2		3	10	27	22	5	12	8	4					
5	Malaria {W	73	8	9	2		1	10	7	3	4	6	7	6	7	1	1	1	
	{C	15		1	1	1		2	1	1	2	1		4				1	
6	Smallpox {W	18	8	1	1			1		1		1	1	2	2				
7	Measles {W	175	41	38	24	9	3	19	14	5	6	3	3	6	2	2			
	{C	4		1				1		2									
8	Scarlet fever {W	61	3	7	10	8	7	10	9	2	4	1							
	{C	3				1		1	1										

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	Deaths at unknown ages.
	KENTUCKY—Continued.																			
	1.—Epidemic, endemic, and infectious diseases—Continued.																			
9	Whooping cough	W	241	133	62	18	10	6	9	2										1
		C	43	20	11	5	3	1	3											
10	Diphtheria	W	591	41	110	94	84	91	125	31	4	6	5							
		C	41	5	4	4	4	1	12	8	2	1								
11a	Influenza (with pulmonary complications)	W	120	24	7	1	2		7	10	4	10	10	7	13	18	7			
		C	30	3	3					2	7	4	5	2	2	1	1			
11b	Influenza (other and unspecified)	W	102	10	3	1		3	3	5	7	2	9	11	15	19	12	2		
		C	26							1		2	8	2	6	3	4			
13	Mumps	W	1													1				
		C	1							1										
15	Cholera nostras	W	21	4	2	1	1		1	1	2		1		2	4	2			
		C	2	1													1			
16	Dysentery	W	294	70	66	10	10	3	19	13	6	3	2	13	22	39	15	3		
		C	22	5	3	1						3	3	1	2	1	3			
19	Spirochetal hemorrhagic jaundice	W	1							1										
21	Erysipelas	W	69	27	1				1	4	4	2	3	6	13	6	1			1
		C	6											3	2	1				
22	Acute anterior poliomyelitis	W	21	4	6	4			3	2	1				1					
		C	1	1																
23	Lethargic encephalitis	W	36						1	2	6	9	10	5	3					
		C	4			1					1		2							
24	Meningococcus meningitis	W	50	25	8		1	1	6	6	2		1							
		C	4	1	3															
25	Other epidemic and endemic diseases	W	2	2																
28	Rabies	W	2				1		1											
29	Tetanus	W	50	10		1	1		7	13	6	5	2	2	2		1			
		C	5	1							2	1				1				
30	Mycoses	W	8	5	2											1				
		C	1											1						
	Tuberculosis (total)	W	2,424	74	47	17	12	9	34	197	586	433	305	249	256	169	31	1		4
		C	773	10	9	1	6	2	17	128	264	134	89	53	29	18	5			8
31	Of the respiratory system	W	2,106	29	17	7	2	3	12	171	547	394	282	226	226	158	27	1		4
		C	689	4	3	1	6	2	7	118	243	125	79	47	26	15	5			8
32	Of the meninges, central nervous system	W	119	39	24	6	9	5	9	6	8	6	3	2	2					
		C	22	4	2				6	6	2			1	1					
33	Of the intestines, peritoneum	W	108	3	4	2		1	6	7	8	20	11	13	21	9	3			
		C	36	1	2				3	2	12	4	5	3	1	3				
34	Of the vertebral column	W	14	1		1			1	3	3	3	1			1				
		C	4						1	1	1	1								
35	Of the joints	W	13						3	4	3		2	1						
		C	1							1										
36	Of other organs	W	29	1	2		1		3	3	4	5	1	2	5	1	1			
		C	11	1							3	2	3	2						
37a	Disseminated (acute)	W	14			1				2	5	2	1	2	1					
		C	7		2						2	2			1					
37b	Disseminated (chronic or unspecified)	W	21	1						1	8	3	4	3	1					
		C	3								1		2							
38	Syphilis	W	69	25	2				1	1	5	7	12	7	6	2				1
		C	40	8						3	12	7	5	2	2	1				
39	Soft chancre	W	1							1										
40	Gonococcus infection	W	5							2	2	1								
		C	6							2	2		1	1						
41	Purulent infection, septicemia	W	28	2	1	1	1		1	1	3	6	3	2	3	2	2			
		C	3									2	1							
	II.—General diseases not included in Class I	White	1,783	27	13	5	7	3	17	56	50	112	232	314	450	378	106	13		
		Colored	218	6		2			3	5	10	18	42	54	42	23	11	2		
	Cancer and other malignant tumors (total)	W	1,184	1		1	1	1	2	7	14	67	152	230	328	287	85	8		
		C	142						1	1	4	9	34	38	32	14	9			
43	Of the buccal cavity	W	39									1	3	6	15	10	3	1		
		C	2											1	1					
44	Of the stomach, liver	W	461						1	1	4	17	42	88	151	122	33	2		
		C	49							1		3	11	14	11	8	1			
45	Of the peritoneum, intestines, rectum	W	134				1			1	3	7	14	24	42	37	5			
		C	12								1	1	1	2	5	1	1			
46	Of the female genital organs	W	176							1	1	21	44	51	31	23	4			
		C	40								2	4	10	11	7	2	4			
47	Of the breast	W	110								2	12	25	28	25	11	7			
		C	16										7	4	2	2	1			
48	Of the skin	W	66										2	6	12	24	18	4		
		C	2										1	1						
49	Of other or unspecified organs	W	198	1		1		1	1	4	4	9	22	27	52	60	15	1		
		C	21						1		1	1	4	5	6	1	2			
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	W	18				1	1	1		1	1	2	4	3	4				
		C	5	2							2			1						
51	Acute rheumatic fever	W	89		2	1			4	22	5	5	6	10	9	17	8			
		C	21			1			1	3	1	1	4	3	2	3	1	1		
52	Chronic rheumatism, osteoarthritis, gout	W	27							1	1	1	4	2	7	8	2	1		
		C	2													1	1			
53	Scurvy	W	1			1														
54	Pellagra	W	58			1	1		3	1	7	7	13	4	9	10	2			
		C	7								3	1	1	1		1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	KENTUCKY—Continued.																		
	II.—General diseases not included in Class I—Continued.																		
56	Rickets	W. 8	5	2									1						
		C. 1			1														
57	Diabetes mellitus	W. 187		1		1		1	16	8	10	18	38	54	36	4			
		C. 26						1	1		3	3	8	7	3				
58	Anemia, chlorosis	W. 58	1					3		3	2	6	10	21	9	2	1		
		C. 2											2						
59	Diseases of the pituitary gland	W. 1									1								
60a	Exophthalmic goiter	W. 22						1	2	3	4	7	3	2					
		C. 1															1		
60b	Other diseases of the thyroid gland	W. 12							1	1	3	3	2	2					
		C. 1													1				
62	Diseases of the thymus gland	W. 5	4	1															
		C. 1	1																
63	Diseases of the adrenals (Addison's disease)	W. 5										2	2	1					
64	Diseases of the spleen	W. 2									2								
65a	Leukemia	W. 16	2	1					1	1	1	5	2	3					
		C. 3									2			1					
65b	Hodgkin's disease	W. 12							3	1	1	3	1	1		1	1		
66	Alcoholism (acute or chronic)	W. 30							2	4	5	9	3	5	2				
		C. 2									1		1						
67a	Chronic lead poisoning	W. 1										1							
68	Chronic poisoning by organic substances	W. 3									2		1						
		C. 1									1								
69	Other general diseases	W. 44	14	6	1	3	1	2		1		1	1	5	5	2	2		
		C. 3	3																
	III.—Diseases of the nervous system and of the organs of special sense	White 2,028	111	40	26	14	8	31	55	64	81	139	253	449	486	245	24		2
		Colored 446	33	5		2	1	3	8	23	29	60	88	82	66	34	5	3	4
70	Encephalitis	W. 50	13	4	1	3		2	4	3	5	3	5	5	1		1		
		C. 8	1							3	2	1			1				
71a	Simple meningitis	W. 108	38	10	11	4	2	8	14	6	5	1	3	2	3				1
		C. 15	8	2		1		1	1	1	1								
71b	Nonepidemic cerebrospinal meningitis	W. 47	9	13	5	3		7	5	1	2	2							
		C. 2								1				1					
72	Tabes dorsalis (locomotor ataxia)	W. 20								2		7	4	4	2	1			
		C. 6											3	1	2				
73	Other diseases of the spinal cord	W. 88	2			1		1	2	2	2	3	9	21	32	12	1		
		C. 15	2	1							1		4	3	3	1			
74a	Cerebral hemorrhage	W. 1,117	7	2	1		1	2	2	13	30	64	164	311	334	168	18		
		C. 236							2	5	9	39	51	59	41	22	3	2	3
74b	Cerebral embolism and thrombosis	W. 20		1						2	2	1	5	4	4	1			
		C. 4								1			3						
75	Paralysis without specified cause	W. 195	1		1				1	2	2	9	24	47	59	45	4		
		C. 51									2	8	12	12	10	5	1	1	
76	General paralysis of the insane	W. 101							1	2	13	12	18	29	18	7			1
		C. 35								1	8	9	6	2	6	2			1
77	Other forms of mental alienation	W. 50							1	5	5	16	6	7	7	3			
		C. 8								3	1				3	1			
78	Epilepsy	W. 58	3	1	1			4	9	14	10	8	1	2	5				
		C. 24	3	1				1	3	6	3	3	4						
79	Convulsions (nonpuerperal; 5 years and over)	C. 1								1									
80	Infantile convulsions (under 5 years)	W. 41	30	6	3		2												
		C. 19	17	1			1												
81	Chorea	W. 3							2						1				
82	Neuralgia and neuritis	W. 9								2			1	4	2				
83	Softening of the brain	W. 25								1			1	6	12	5			
		C. 1												1					
84	Other diseases of the nervous system	W. 44	3		1			3	4	4	4	7	8	3	5	2			
		C. 17	1					1	2		2		5	2		3	1		
85	Diseases of the eye and annexa	W. 2	1	1															
86a	Diseases of the ear	W. 25	2	2		2	1	3	9	3	1	2							
		C. 3	1			1				1									
86b	Diseases of the mastoid process	W. 25	2		2	1	2	1	1	2		4	4	4	1	1			
		C. 1												1					
	IV.—Diseases of the circulatory system	White 2,252	23	6	3	1	3	19	47	61	74	144	276	532	690	333	32	1	7
		Colored 479		1			1	2	7	27	45	72	107	95	72	30	9	2	9
87	Pericarditis	W. 35						1	2	2	2	2	4	11	7	3	1		
		C. 10		1							2	1	4		2				
88	Endocarditis and myocarditis (acute)	W. 76	4		1	1		5	2	14	10	15	8	8	3	5			
		C. 20						1	1	2	5	8	1	2					
89	Angina pectoris	W. 116							2	2	5	9	20	39	28	11			
		C. 9								2	3	2		1	1				
90	Other diseases of the heart	W. 1,711	17	5	2		2	13	39	41	52	106	222	421	546	223	15	1	6
		C. 397					1	1	6	21	33	57	99	80	58	25	6	1	9
91a	Aneurysm	W. 20								1	1	9	6	3					
		C. 11								1	2	2	2	4					
91b,c	Other diseases of the arteries	W. 265					1		1	1	1	1	11	44	101	88	15		1
		C. 29								1		2	1	6	10	5	3	1	
92	Embolism and thrombosis (not cerebral)	W. 18	2						1		2	1	1	5	4	1	1		
		C. 1												1					
93	Diseases of the veins	W. 5		1									2	1		1			
94	Diseases of the lymphatic system	W. 1														1			
		C. 1												1					
95	Hemorrhage without specified cause	W. 5									1	1	2		1				
		C. 1													1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
				Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
KENTUCKY—Continued.																				
	V.—Diseases of the respiratory system	White	1,860	341	101	50	34	19	58	71	73	80	90	146	243	313	209	31	...	1
		Colored	396	74	22	9	1	5	5	18	41	40	45	44	37	28	21	3	1	2
97a	Diseases of the nasal fossae	W	10	6	...	...	...	1	...	...	...	2	...	...	1	...	...	...	...	...
		C	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
97b	Diseases of the nasal fossae annexa	W	8	2	...	...	...	...	...	...	2	1	1	1	...	1	...	...	...	...
98	Diseases of the larynx	W	26	8	3	3	3	2	5	...	...	...	1	1	...	...	...	...	...	...
		C	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
99a	Acute bronchitis	W	21	8	3	...	...	...	1	2	...	...	...	...	...	2	4	1	...	...
		C	9	1	...	...	...	...	...	1	1	1	...	2	...	...	2	1	...	...
99b	Chronic bronchitis	W	48	...	1	...	...	...	...	...	...	...	...	1	9	22	14	1	...	...
		C	14	...	1	1	...	...	...	...	1	1	3	2	2	...	2	1	...	...
99c,d	Bronchitis (unspecified)	W	46	10	6	...	2	...	4	...	1	1	...	4	3	6	6	3	...	...
		C	25	3	3	...	...	...	...	2	1	2	4	3	3	2	2	...	...	...
100a	Bronchopneumonia	W	579	178	56	23	16	3	17	10	17	9	16	23	47	87	64	12	...	1
		C	118	43	9	5	...	1	3	3	10	9	4	6	11	6	6	...	1	1
100b	Capillary bronchitis	W	15	5	...	3	...	1	...	...	...	...	...	1	1	1	3	...	...	...
		C	4	3	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
101a	Lobar pneumonia	W	710	66	21	13	3	3	24	40	38	50	52	81	116	128	69	6	...	...
		C	149	14	7	3	1	3	2	11	19	18	21	20	11	11	6	1	...	1
101b	Pneumonia (unspecified)	W	236	51	9	8	7	7	7	15	9	8	6	18	32	35	21	3	...	...
		C	34	6	2	...	...	...	...	...	3	4	6	3	5	3	2	...	...	...
102	Pleurisy	W	28	1	1	...	...	...	...	...	1	2	4	4	7	6	1	1	...	...
		C	9	...	...	...	...	...	...	1	3	1	1	2	...	1	...	...	...	...
103	Congestion and hemorrhagic infarct of the lung	W	58	1	1	...	...	...	...	1	3	3	3	2	13	14	15	2	...	...
		C	9	...	...	...	...	...	...	...	1	1	2	2	1	2	...	...	...	...
104	Gangrene of the lung	W	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...
105	Asthma	W	52	3	...	...	2	1	...	2	1	3	4	8	11	6	11	...	...	...
		C	23	2	...	...	...	...	...	...	2	3	4	4	4	3	1	...	...	...
106	Pulmonary emphysema	W	4	...	...	...	...	...	...	...	...	...	1	...	1	1	...	1	...	...
107	Other diseases of the respiratory system (tuberculosis excepted)	W	18	2	...	...	1	1	...	1	1	1	1	2	2	4	1	1	...	...
	VI.—Diseases of the digestive system	White	2,328	726	370	94	41	24	68	113	95	103	118	137	156	181	89	12	...	1
		Colored	395	109	34	9	5	3	6	16	33	25	39	49	29	25	9	1	1	2
108	Diseases of the mouth and annexa	W	12	2	2	...	...	...	...	...	1	...	...	2	3	2	...	...	...	...
		C	4	1	...	...	...	...	1	...	...	...	...	...	2	...	...	...	...	...
109b	Other diseases of the pharynx, tonsils	W	45	2	1	4	1	1	6	14	4	2	3	2	2	1	2	...	...	...
		C	7	...	...	...	1	...	1	1	2	...	...	...	1	1	...	...	...	...
110	Diseases of the esophagus	W	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...
111a	Ulcer of the stomach	W	61	...	1	...	1	...	...	...	5	6	8	9	16	12	2	1	...	...
		C	22	...	...	...	...	...	...	3	1	...	3	5	3	6	1	...	...	...
111b	Ulcer of the duodenum	W	18	...	...	...	...	...	...	...	1	1	7	3	5	1	...	...	...	...
112	Other diseases of the stomach (cancer excepted)	W	218	67	15	6	4	2	3	9	4	7	17	16	20	26	18	4	...	...
		C	56	16	1	...	1	1	1	1	4	2	10	8	7	4	...	...	...	...
113	Diarrhea and enteritis (under 2 years)	W	957	619	338	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		C	119	86	33	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
114	Diarrhea and enteritis (2 years and over)	W	278	...	...	77	29	12	21	8	11	6	5	13	17	45	29	4	...	1
		C	40	...	...	8	2	2	2	2	1	2	1	5	3	5	5	1	...	1
115	Ancylostomiasis	W	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
		C	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
116	Diseases due to other intestinal parasites	W	10	...	5	...	1	2	2	...	...	...	...	...	...	...	...	...	...	...
117	Appendicitis and typhlitis	W	223	1	1	1	1	3	21	58	37	37	24	25	6	8	...	...	...	...
		C	35	...	...	1	...	...	1	4	15	5	4	3	1	1	...	...	...	...
118a	Hernia	W	44	2	...	...	1	1	...	...	...	2	5	6	7	13	7	...	...	...
		C	10	...	...	...	...	...	...	1	...	...	4	1	3	...	...	...	...	1
118b	Intestinal obstruction	W	107	20	3	3	...	2	6	6	10	11	9	9	12	11	3	2	...	...
		C	23	1	...	...	...	...	...	1	3	5	2	7	2	2	...	...	...	...
119	Other diseases of the intestines	W	26	3	2	1	...	1	1	1	1	2	2	3	2	3	4	...	...	...
		C	15	3	...	...	...	...	...	...	2	2	2	4	...	1	1	...	...	...
120	Acute yellow atrophy of the liver	W	7	...	...	...	...	...	...	...	1	...	1	...	2	2	...	1	...	...
		C	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...
121	Hydatid tumor of the liver	C	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...
122	Cirrhosis of the liver	W	105	...	...	...	...	...	1	2	2	2	16	15	29	27	11	...	...	...
		C	25	...	...	...	...	...	...	...	1	4	5	10	2	2	1	...	...	...
123	Biliary calculi	W	66	...	...	...	...	...	...	3	2	9	12	13	11	11	5	...	...	...
		C	6	...	...	...	...	...	...	...	...	...	2	1	2	1	...	...	...	...
124	Other diseases of the liver	W	85	4	1	1	2	...	4	6	7	6	2	14	18	12	8	...	...	...
		C	11	...	...	...	...	...	...	...	...	...	5	3	1	1	1	...	...	...
125	Diseases of the pancreas	W	8	...	...	...	...	...	...	...	1	...	1	4	1	1	...	...	...	...
		C	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
126	Peritonitis without specified cause	W	55	6	1	1	1	...	3	6	7	12	5	3	5	5	...	...	...	...
		C	18	2	...	...	1	...	...	2	3	5	...	2	1	1	...	...	1	...
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	W	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	Deaths at unknown age.
	KENTUCKY—Continued.																			
	VII.—Nonvenereal diseases of the genito-urinary system and annexa.	White	1,753	11	10	9	4	1	13	32	57	72	124	196	415	515	253	37	....	4
		Colored	389	2	1	1	.....	1	1	7	28	23	60	79	79	58	33	11	3	2
128	Acute nephritis (including unspecified under 10 years)	W	136	7	7	6	3	1	8	8	15	14	16	17	15	10	8	1	....	.....
		C	38	1	1	1	.....	1	1	3	6	4	7	6	4	2	1	.....	.....	.....
129	Chronic nephritis (including unspecified 10 years and over)	W	1,404	.....	1	1	1	.....	5	18	33	42	82	161	356	452	220	29	....	3
		C	285	.....	.....	.....	.....	.....	.....	3	12	10	43	57	66	50	29	10	3	2
131	Other diseases of the kidneys and annexa	W	52	3	2	2	.....	.....	.....	2	4	3	6	6	13	6	3	2	....	.....
		C	9	1	.....	.....	.....	.....	.....	1	2	.....	.....	3	2	.....	.....	.....	....	.....
132	Calculi of the urinary passages	W	5	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	1	2	.....	.....	....	.....
		C	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	....	.....
133	Diseases of the bladder	W	39	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	10	13	10	4	....	.....
		C	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	2	1	.....	....	.....
134	Diseases of the urethra, etc.	W	10	.....	.....	.....	.....	.....	.....	.....	1	3	.....	.....	3	3	.....	.....	....	.....
		C	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	....	.....
135	Diseases of the prostate	W	55	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	12	26	12	1	....	.....
		C	14	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	4	2	2	1	....	.....
136	Nonvenereal diseases of the male genital organs	W	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	....	.....
137	Cysts, other benign tumors of the ovary	W	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	3	3	1	.....	.....	....	.....
		C	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	1	.....	.....	.....	....	.....
138	Salpingitis and pelvic abscess (female)	W	19	.....	.....	.....	.....	.....	.....	.....	2	4	11	1	1	.....	.....	.....	....	.....
		C	11	.....	.....	.....	.....	.....	.....	.....	5	4	2	.....	.....	.....	.....	.....	....	.....
139	Benign tumors of the uterus	W	15	.....	.....	.....	.....	.....	.....	2	.....	3	5	2	1	1	.....	.....	....	1
		C	15	.....	.....	.....	.....	.....	.....	.....	2	4	2	4	1	2	.....	.....	....	.....
140	Nonpuerperal uterine hemorrhage	W	3	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	....	.....
141	Other diseases of the female genital organs	W	4	.....	.....	.....	.....	.....	.....	.....	1	2	1	.....	.....	.....	.....	.....	....	.....
		C	3	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	....	.....
	VIII.—The puerperal state.	White	357	.....	.....	.....	.....	.....	.....	49	152	111	44	.....	.....	.....	.....	.....	....	1
		Colored	65	.....	.....	.....	.....	.....	.....	11	26	26	1	1	.....	.....	.....	.....	....	.....
143	Accidents of pregnancy	W	25	.....	.....	.....	.....	.....	.....	3	14	6	2	.....	.....	.....	.....	.....	....	.....
		C	5	.....	.....	.....	.....	.....	.....	.....	1	3	.....	1	.....	.....	.....	.....	....	.....
144	Puerperal hemorrhage	W	37	.....	.....	.....	.....	.....	.....	3	11	14	9	.....	.....	.....	.....	.....	....	.....
		C	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	....	.....
145	Other accidents of labor	W	28	.....	.....	.....	.....	.....	.....	3	9	12	4	.....	.....	.....	.....	.....	....	.....
		C	4	.....	.....	.....	.....	.....	.....	1	2	1	.....	.....	.....	.....	.....	.....	....	.....
146	Puerperal septicemia	W	166	.....	.....	.....	.....	.....	.....	22	82	43	19	.....	.....	.....	.....	.....	....	.....
		C	31	.....	.....	.....	.....	.....	.....	3	14	13	1	.....	.....	.....	.....	.....	....	.....
147	Puerperal phlegmasia alba dolens, embolus, etc	W	8	.....	.....	.....	.....	.....	.....	1	2	4	1	.....	.....	.....	.....	.....	....	.....
		C	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	....	.....
148	Puerperal albuminuria and convulsions	W	92	.....	.....	.....	.....	.....	.....	17	33	32	9	.....	.....	.....	.....	.....	....	1
		C	22	.....	.....	.....	.....	.....	.....	6	8	8	.....	.....	.....	.....	.....	.....	....	.....
149	Following childbirth (undefined)	W	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	....	.....
	IX.—Diseases of the skin and of the cellular tissue	White	62	17	1	2	1	4	1	.....	1	1	4	5	11	9	4	.....	....	1
		Colored	9	.....	.....	.....	.....	.....	.....	1	.....	.....	3	1	.....	2	1	1	....	.....
151	Gangrene	W	22	1	1	2	1	4	1	.....	.....	.....	.....	.....	5	3	4	.....	....	.....
		C	5	.....	.....	.....	.....	.....	.....	1	.....	.....	2	.....	.....	1	.....	1	....	.....
152	Furuncle	W	9	1	.....	.....	.....	.....	.....	.....	.....	.....	2	3	2	1	.....	.....	....	.....
		C	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	....	.....
153	Acute abscess	W	12	1	.....	.....	.....	.....	.....	.....	.....	1	2	2	3	3	.....	.....	....	.....
154	Other diseases of the skin and annexa	W	19	14	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	2	.....	.....	....	1
		C	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	....	.....
	X.—Diseases of the bones and of the organs of locomotion	White	16	2	.....	.....	.....	.....	2	3	2	1	.....	.....	3	3	.....	.....	....	.....
		Colored	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	....	.....
155	Diseases of the bones (tuberculosis excepted)	W	10	2	.....	.....	.....	.....	1	1	2	1	.....	.....	1	2	.....	.....	....	.....
		C	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	....	.....
156	Diseases of the joints (tuberculosis and rheumatism excepted)	W	4	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	1	1	.....	.....	....	.....
		C	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	....	.....
158	Other diseases of the organs of locomotion	W	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	....	.....
	XI.—Malformations	White	182	171	2	4	1	1	2	.....	.....	1	.....	.....	.....	.....	.....	.....	....	.....
		Colored	11	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....
159a	Congenital hydrocephalus	W	10	7	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....
		C	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....
159b	Congenital malformations of the heart	W	87	83	.....	2	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	....	.....
		C	6	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....
159c	Other congenital malformations	W	85	81	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....
		C	4	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....
	XII.—Early infancy	White	1,453	1,453	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....
		Colored	169	169	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....
160	Congenital debility, icterus, sclerema	W	213	213	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....
		C	36	36	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....
161a	Premature birth	W	1,062	1,062	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....
		C	101	101	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....
161b	Injury at birth	W	103	103	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....
		C	10	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....
162	Other diseases peculiar to early infancy	W	74	74	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....
		C	22	22	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....
163	Lack of care	W	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....
164	XIII.—Old age (senility)	White	460	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	19	133	245	58	5	.....
		Colored	80	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	19	28	17	12	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
KENTUCKY—Continued.																			
	XIV.—External causes	White	1,557	56	32	36	22	22	79	182	307	224	184	133	103	92	68	12	....	5
		Colored	319	11	4	.....	2	4	6	37	95	70	32	19	14	8	3	3	....	11
	Suicide (total)	W	165	.....	.....	.....	.....	.....	.....	6	34	31	33	26	21	11	3	.....	.....	.....
		C	10	.....	.....	.....	.....	.....	.....	.....	5	.....	2	1	.....	1	.....	.....	.....	1
165	By poisons (corrosives excepted)	W	5	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	1	2	.....	.....	.....	.....
166	By corrosive substances	W	27	.....	.....	.....	.....	.....	.....	3	8	2	3	8	2	1	.....	.....	.....	.....
168	By hanging or strangulation	W	22	.....	.....	.....	.....	.....	.....	.....	3	5	4	4	3	2	1	.....	.....	.....
		C	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
169	By drowning	W	8	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	3	2	.....	.....	.....	.....
		C	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
170	By firearms	W	87	.....	.....	.....	.....	.....	.....	2	22	20	20	9	9	3	2	.....	.....	.....
		C	6	.....	.....	.....	.....	.....	.....	.....	2	.....	2	1	.....	.....	.....	.....	.....	1
171	By cutting or piercing instruments	W	14	.....	.....	.....	.....	.....	.....	.....	.....	1	5	4	3	1	.....	.....	.....	.....
		C	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
173	By crushing	W	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
		C	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
174	By other means	W	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
	Homicide (total)	W	270	3	1	.....	1	2	.....	20	84	74	45	26	4	7	1	.....	.....	2
		C	124	.....	.....	.....	.....	.....	.....	8	52	39	11	5	2	.....	1	.....	.....	6
197	By firearms	W	234	.....	.....	.....	.....	.....	.....	16	79	62	45	22	4	4	.....	.....	.....	2
		C	107	.....	.....	.....	.....	.....	.....	6	48	33	10	3	1	.....	.....	.....	.....	6
198	By cutting or piercing instruments	W	11	.....	.....	.....	.....	.....	.....	.....	1	6	.....	2	.....	1	1	.....	.....	.....
		C	9	.....	.....	.....	.....	.....	.....	1	4	3	.....	1	.....	.....	.....	.....	.....	.....
199	By other means	W	25	3	1	.....	1	2	.....	4	4	6	.....	2	.....	2	.....	.....	.....	.....
		C	8	.....	.....	.....	.....	.....	.....	1	.....	3	1	1	1	.....	1	.....	.....	.....
	Accidental or undefined (total)	W	1,122	53	31	36	21	20	79	156	189	119	106	81	78	74	64	12	....	3
		C	185	11	4	.....	2	4	6	29	38	31	19	13	12	7	2	3	....	4
175	Poisoning by food	W	32	8	3	1	1	1	2	4	3	4	3	2	.....	.....	.....	.....	.....	.....
		C	2	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
176	Poisoning by venomous animals	W	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
177	Other acute poisonings (gas excepted)	W	28	2	1	4	.....	1	1	1	4	4	4	3	2	1	.....	.....	.....	.....
		C	3	.....	1	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
178	Conflagration	W	9	1	2	1	.....	2	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		C	4	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....
179	Burns (conflagration excepted)	W	120	10	14	14	14	6	15	14	7	4	5	2	4	5	6	.....	.....	.....
		C	20	.....	1	.....	2	4	3	4	1	1	.....	1	1	1	.....	1	.....	.....
180	Mechanical suffocation	W	24	17	.....	.....	1	.....	1	3	1	.....	.....	.....	1	.....	.....	.....	.....	.....
		C	6	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
181	Absorption of irrespirable, irritating, or poisonous gas	W	12	.....	.....	.....	.....	.....	.....	3	3	1	2	3	.....	.....	.....	.....	.....	.....
182	Drowning	W	91	.....	3	2	.....	2	6	38	22	6	2	6	2	2	.....	.....	.....	.....
		C	21	.....	.....	.....	.....	.....	2	10	5	1	3	.....	.....	.....	.....	.....	.....	.....
183	Traumatism by firearms (except in war)	W	84	.....	.....	1	.....	1	6	25	22	8	14	2	4	.....	1	.....	.....	.....
		C	20	.....	.....	.....	.....	.....	1	7	5	4	1	1	.....	1	.....	.....	.....	.....
184	Traumatism by cutting or piercing instruments	W	14	.....	.....	.....	.....	.....	3	1	1	1	4	1	2	1	.....	.....	.....	.....
		C	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....
185	Traumatism by fall	W	183	5	.....	4	3	3	6	7	12	11	8	9	18	42	44	11	.....	.....
		C	9	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	1	3	1	1	.....	.....
186a	Traumatism in mines	W	100	.....	.....	.....	.....	.....	.....	14	32	25	15	6	5	1	.....	.....	.....	2
		C	33	.....	.....	.....	.....	.....	.....	1	16	9	4	1	.....	.....	.....	.....	.....	2
186b	Traumatism in quarries	W	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
		C	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
187	Traumatism by machines	W	23	.....	.....	.....	.....	.....	2	4	5	2	5	2	2	1	.....	.....	.....	.....
		C	5	.....	.....	.....	.....	.....	.....	.....	2	1	.....	2	.....	.....	.....	.....	.....	.....
188a	Railroad accidents	W	112	.....	.....	.....	.....	.....	3	10	30	19	15	14	7	5	8	.....	.....	1
		C	17	.....	.....	.....	.....	.....	.....	2	4	2	3	.....	5	1	.....	.....	.....	.....
188b	Street-car accidents	W	10	.....	.....	1	.....	1	.....	.....	.....	2	1	2	2	1	.....	.....	.....	.....
188c	Automobile accidents	W	97	.....	.....	1	.....	3	16	9	20	12	8	11	10	6	1	.....	.....	.....
		C	8	.....	.....	.....	.....	.....	.....	2	.....	2	1	.....	2	.....	.....	.....	.....	1
188d	Aeroplane and balloon accidents	W	2	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
188e,f	Injuries by other vehicles	W	25	1	1	1	.....	.....	1	3	2	2	5	3	4	2	.....	.....	.....	.....
		C	4	1	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....
188g	Landslide, other crushing	W	7	.....	.....	.....	.....	.....	.....	1	1	1	.....	2	1	1	.....	.....	.....	.....
		C	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....
189	Injuries by animals (not poisoning)	W	23	1	.....	.....	.....	.....	1	6	5	.....	4	4	1	1	.....	.....	.....	.....
		C	3	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
190	Wounds of war	W	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
193	Excessive cold	W	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
		C	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
194	Excessive heat	W	17	1	.....	.....	.....	.....	.....	.....	1	5	.....	4	3	1	1	1	.....	.....
		C	7	2	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	1	.....	.....	.....	.....
195	Lightning	W	17	.....	1	.....	.....	.....	2	3	3	3	3	1	1	.....	.....	.....	.....	.....
		C	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
196	Other accidental electric shocks	W	7	.....	.....	.....	.....	.....	1	2	1	1	1	.....	1	.....	.....	.....	.....	.....
201	Fracture (cause not specified)	W	4	.....	.....	.....	.....	.....	.....	.....	4	.....	.....	.....	.....	.....	.....	.....	.....	.....
		C	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
202	Other external violence	W	60	5	6	5	2	.....	10	5	4	4	6	4	4	4	1	.....	.....	.....
		C	8	1	1	.....	.....	.....	.....	.....	1	1	2	1	.....	.....	.....	.....	.....	1
203	Violent deaths of unknown causation	W	16	2	.....	1	.....	.....	1	2	3	3	.....	.....	2	.....	2	.....	.....	.....
		C	4	.....	.....	.....	.....	.....	.....	1	.....	.....	1	2	.....	.....	.....	.....	.....	.....
	XV.—Ill-defined diseases	White	420	224	24	4	6	3	6	13	2	11	16	24	39	25	20	2	....	1
		Colored	55	16	6	1	.....	.....	.....	4	2	3	4	6	6	1	3	1	....	2
204	Sudden death	W	29	12	.....	.....	.....	.....	.....	.....	.....	1	1	7	3	2	2	1	.....	.....
		C	5	2	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
205a	Ill-defined	W	190	58	18	4	3	.....	4	10	1	7	10	12	26	21	14	1	.....	1
		C	24	2	2	1	.....	.....	.....	2	.....	2	3	5	3	.....	3	.....	.....	1
205b	Not specified or unknown	W	201	154	6	.....	3	3	2	3	1	3	5	5	10	2	4	.....	.....	.....
		C	26	12	2	.....	.....	.....	.....	2	2	.....	1	1	3	1	.....	1	....	1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
LOUISIANA.																			
	All causes {White	10,355	1,661	379	156	104	91	238	508	862	848	971	1,130	1,479	1,222	616	72	4	14
	{Colored	9,748	1,640	296	124	73	51	198	740	1,368	1,120	1,138	907	759	674	399	163	71	27
	I.—Epidemic, endemic, and infectious diseases {White	1,845	203	100	55	40	38	85	159	307	227	205	173	147	77	25	3		1
	{Colored	2,550	243	74	28	22	16	86	338	698	402	291	156	97	59	26	4	2	8
1	Typhoid and paratyphoid fever {W	158	1	1	1	1	1	13	42	48	21	13	9	7					
	{C	168	3	1		3		19	61	38	14	13	9	5	1				1
5	Malaria {W	230	26	17	8	4	9	24	38	18	19	16	13	17	15	6			
	{C	196	22	18	7	4	8	23	27	29	12	14	5	9	14	2	1		1
6	Smallpox {W	25	2		1				2	4	5	2	7	2					
	{C	33	8	2					2	2	8	8	2	1					
7	Measles {W	82	21	21	12	6	2	10	3	3	1	2		1					
	{C	29	11	8	2	2	1		4		1								
8	Scarlet fever {W	10	1	1	1	1	2	4											
	{C	1						1											
9	Whooping cough {W	84	56	18	4	4		1	1										
	{C	73	39	17	4	3	2	5	1	1									1
10	Diphtheria {W	75	4	13	11	16	11	16	3	1									
	{C	34	6	2	6	5		10	1	2	1	1							
11a	Influenza (with pulmonary complications) {W	63	8	2	4	1	3	2	2	5	6	3	2	12	7	5	1		
	{C	71	14	3	3			3	3	9	6	5	8	6	7	4			
11b	Influenza (other and unspecified) {W	42	7	1	1	1	1	1	5		2	2	3	2	11	4	1		
	{C	46	6	2				1	4	5	9	3		7	4	5			
13	Mumps {W	1					1												
	{C	2						1	1										
15	Cholera nostras {W	2		1									1						
	{C	3	1										1						
16	Dysentery {W	81	6	11	5	4	4			5	6	4	9	10	10	6	1		
	{C	75	13	7	1			1	2	7	5	7	6	9	10	6		1	
18	Yellow fever {W	1								1									
19	Spirochetal hemorrhagic jaundice {W	1							1										
20	Leprosy {W	6								1	2		3						
	{C	1										1							
21	Erysipelas {W	23	7		2				2	2	2	3	2	1	1	1			
	{C	6	2					1	1				1						1
22	Acute anterior poliomyelitis {W	4			2	1								1					
	{C	1		1															
23	Lethargic encephalitis {W	6						1		4		1							
	{C	4				1				2							1		
24	Meningococcus meningitis {W	5	1	2				1			1								
	{C	3	1	1		1													
25	Other epidemic and endemic diseases {W	2		1				1											
27	Anthrax {W	2							1										
29	Tetanus {W	63	26		1		2	7	13	6	1	2	3	1	1				
	{C	95	51			1	1	6	20	6	1	4	4	1					
30	Mycoses {W	2	1										1						
	{C	7	6											1					
	Tuberculosis (total) {W	778	11	6	1		2	3	44	195	152	142	108	84	26	3			1
	{C	1,450	11	9	2	1	3	11	201	546	299	200	90	48	15	9	1	1	3
31	Of the respiratory system {W	697	4	2	1			1	36	182	141	127	102	72	25	3			1
	{C	1,356	8	8	1	1	2	8	191	520	274	187	84	45	14	8	1	1	3
32	Of the meninges, central nervous system {W	22	6	4				1	4	4		3							
	{C	9	1				1	1	2	2	1	1							
33	Of the intestines, peritoneum {W	30								4	9	5	2	9	1				
	{C	28							1	8	9	4	3	2	1				
34	Of the vertebral column {W	3						1	1					1					
	{C	7						1	1	1	3	1							
35	Of the joints {W	2					1			1									
	{C	3							1		1								
36	Of other organs {W	4	1											1					
	{C	14		1	1			1	2	1	6		1		1				
37a	Disseminated (acute) {W	15					1		2	3	2	4	3						
	{C	29	2						3	13	3	7	1						
37b	Disseminated (chronic or unspecified) {W	5							1	1		2		1					
	{C	4								1	2		1						
38	Syphilis {W	76	22	5	1	1		1	2	6	5	13	10	7	3				
	{C	219	49	3	3	1	1	1	9	41	38	29	28	9	6				
40	Gonococcus infection {W	5								3	2								1
	{C	16								8	2	4	1	1					
41	Purulent infection, septicemia {W	18	3							5	2	1	2	2	3				
	{C	16									1	2	5	1	1		1		
42	Other infectious diseases {C	1						3	1	2					2				
	II.—General diseases not included in Class I {White	1,002	24	10	6	2	4	10	25	41	70	140	207	252	164	38	7		2
	{Colored	595	10	7	4	1	3	7	17	67	79	122	103	86	59	19	2	4	5
	Cancer and other malignant tumors (total) {W	665	1	1			1		8	12	35	105	149	184	128	33	6		2
	{C	310						1	1	17	24	83	70	62	37	10	2	2	1
43	Of the buccal cavity {W	29									2	6	7	2	8	2	2		
	{C	8										2	2	2	2				
44	Of the stomach, liver {W	218	1						2	2	8	23	52	74	47	7	2		
	{C	95								2	4	22	30	20	13	2	1		1
45	Of the peritoneum, intestines, rectum {W	70					1			3	2	7	16	19	13	6	1		2
	{C	24								3	3	6	4	5	2	1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	LOUISIANA—Continued.																		
	II.—General diseases not included in Class I—Continued.																		
	Cancer and other malignant tumors—Con.																		
46	Of the female genital organs	W. 115							2	2	14	34	29	22	10	2			
		C. 100								9	13	31	17	18	8	3	1		
47	Of the breast	W. 49									3	8	14	13	9	2			
		C. 28									2	5	9	4	4	3	1		
48	Of the skin	W. 42									1	6	5	11	12	7			
		C. 5									1	2		1		1			
49	Of other or unspecified organs	W. 142		1					4	5	5	21	26	43	29	7	1		
		C. 50						1	1	3	1	15	8	12	8		1		
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	W. 2										1	1						
		C. 6									3			1	1				1
51	Acute rheumatic fever	W. 29	1	1				3	8	1	1	1	5	6	1	1			
		C. 34						1	4	4	4	5	5	3	3	3	2		
52	Chronic rheumatism, osteoarthritis, gout	W. 7											2	3	1	1			
		C. 6								1				3	1	1			
53	Scurvy	W. 1	1																
54	Pellagra	W. 32	1						2	4	7	6	4	3	4	1			
		C. 149			2	1	2	4	8	37	35	24	13	12	8	2			1
56	Rickets	W. 2		1				1											
		C. 8	5	2							1								
57	Diabetes mellitus	W. 133	1					1	5	7	14	9	29	44	21	1	1		
		C. 39							1	4	3	4	13	3	9	1			1
58	Anemia, chlorosis	W. 31	2		1			2		4	1	3	8	6	3	1			
		C. 9	1	1					1	1	3	1		1					
60a	Exophthalmic goiter	W. 11								2	2	5		2					
		C. 5								1	1	2	1						
60b	Other diseases of the thyroid gland	W. 5			1				1	1		1	1						
		C. 4			1			1				2							
61	Diseases of the parathyroid glands	C. 1							1										
62	Diseases of the thymus gland	W. 7	7																
63	Diseases of the adrenals (Addison's disease)	W. 2											2						
		C. 1								1									
64	Diseases of the spleen	W. 2											1		1				
		C. 1					1												
65a	Leukemia	W. 19	2	1	1	1	1	1		4	5	2	1						
65b	Hodgkin's disease	W. 9					1	2	1		1	1	1	1	1				
66	Alcoholism (acute or chronic)	W. 16								2	2	5	3	1	3				
		C. 3									2		1						
67a	Chronic lead poisoning	W. 1									1								
67b	Other chronic mineral poisoning	C. 1									1								
68	Chronic poisoning by organic substances	W. 3								1	1			1					
		C. 1										1							
69	Other general diseases	W. 25	8	6	3	1	1			3		1		1	1				
		C. 17	4	4	1				1	1	2			1		2			1
	III.—Diseases of the nervous system and of the organs of special sense.	White. 868	26	13	4	4	3	13	30	32	48	89	135	214	169	81	5	2	
		Colored. 624	39	7	1	2	2	2	28	34	59	94	106	99	85	50	12	3	1
70	Encephalitis	W. 17	2			2	1		4	1	1	3	2	1					
		C. 13	1	1					2	2	4	2	1						
71a	Simple meningitis	W. 18	5	3	2		1		4	1		1		1					
		C. 10	5	2					1	1				1					
71b	Nonepidemic cerebrospinal meningitis	W. 4	2				1							1					
		C. 3							1				2						
72	Tabes dorsalis (locomotor ataxia)	W. 12										5	3	2	1	1			
		C. 11									2	3	4		2				
73	Other diseases of the spinal cord	W. 40	2	1				2	2	3	1	3	5	6	9	6			
		C. 18	1						2	1	1	2	2	5	2	2			
74a	Cerebral hemorrhage	W. 536	4	2		1		2	5	3	18	42	93	167	131	61	5	2	
		C. 348	2						4	7	25	54	76	69	60	38	10	3	
74b	Cerebral embolism and thrombosis	W. 18		1						1	1	1	2	3	7	2			
		C. 4											1	1	1	1			
75	Paralysis without specified cause	W. 43		1					2		2	3	4	12	13	6			
		C. 62							1	5	4	6	9	16	13	5	2		1
76	General paralysis of the insane	W. 50								4	8	17	10	7	3	1			
		C. 40							1	4	12	16	4	2		1			
77	Other forms of mental alienation	W. 25							1	3	3	7	2	6	2	1			
		C. 18							2	3	2	4	3	2	1	1			
78	Epilepsy	W. 28			1			1	4	7	8	2	3	2					
		C. 38	2	1		1		1	10	8	5	4	3	2		1			
79	Convulsions (nonpuerperal; 5 years and over)	W. 5						1	1	2	1								
		C. 2							2										
80	Infantile convulsions (under 5 years)	W. 6	5	1															
		C. 30	26	2	1		1												
81	Chorea	W. 1											1						
		C. 1													1				
82	Neuralgia and neuritis	W. 5									1		1	1	2				
		C. 2									1			1					
83	Softening of the brain	W. 9								1	1		1	3		3			
		C. 5									1				4				
84	Other diseases of the nervous system	W. 28						5	3	4	2	3	8	2	1				
		C. 9						1	2	2	1	1			1	1			
85	Diseases of the eye and annexa	C. 1									1								
86a	Diseases of the ear	W. 13	6	2				1	2		1	1							
		C. 8	1	1		1	1			1		2	1						
86b	Diseases of the mastoid process	W. 10		2	1	1		1	2	2		1							
		C. 1	1																

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	Deaths at unknown age.
	LOUISIANA—Continued.																		
	IV.—Diseases of the circulatory system	White	1,340	9	.....	4	1	2	5	19	34	69	123	210	347	328	169	17	1	2
		Colored	1,163	13	1	.....	2	1	5	23	78	128	213	218	178	169	93	29	11	1
87	Pericarditis	W	8	.....	.....	.....	.....	.....	.....	.....	3	1	1	.....	2	1	.....	.....	.....	.....
		C	9	1	.....	.....	.....	.....	.....	1	.....	1	3	.....	2	1	.....	.....	.....	.....
88	Endocarditis and myocarditis (acute)	W	57	2	.....	1	1	1	1	10	6	10	10	10	2	2	1	.....	.....	.....
		C	36	.....	.....	.....	.....	.....	1	5	8	9	6	5	2	.....	.....	.....	.....	.....
89	Angina pectoris	W	79	.....	.....	.....	.....	.....	.....	.....	1	3	14	23	25	11	2	.....	.....	.....
		C	22	.....	.....	.....	.....	.....	.....	.....	2	4	4	3	5	1	3	.....	.....	.....
90	Other diseases of the heart	W	1,040	6	.....	3	.....	1	4	7	24	48	87	164	292	271	119	12	.....	2
		C	972	10	1	.....	2	1	4	16	65	101	180	191	147	152	72	22	7	1
91a	Aneurysm	W	27	.....	.....	.....	.....	.....	.....	.....	.....	4	7	5	7	2	1	1	.....	.....
		C	34	.....	.....	.....	.....	.....	.....	.....	1	11	14	5	2	1	.....	.....	.....	.....
91b,c	Other diseases of the arteries	W	116	.....	.....	.....	.....	.....	.....	.....	.....	2	3	5	15	41	45	4	1	.....
		C	67	.....	.....	.....	.....	.....	.....	.....	.....	1	4	5	18	11	17	7	4	.....
92	Embolism and thrombosis (not cerebral)	W	7	.....	.....	.....	.....	.....	.....	2	.....	1	.....	1	3	.....	.....	.....	.....	.....
		C	8	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	2	2	.....	.....	.....	.....
93	Diseases of the veins	W	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....
		C	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	2	.....	.....	.....	.....	.....
94	Diseases of the lymphatic system	C	4	.....	.....	.....	.....	.....	.....	1	.....	1	1	1	.....	.....	.....	.....	.....	.....
95	Hemorrhage without specified cause	W	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		C	5	2	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....
96	Other diseases of the circulatory system	W	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
	V.—Diseases of the respiratory system	White	810	191	62	24	15	7	30	42	47	46	60	67	69	86	52	11	.....	1
		Colored	761	234	59	32	12	5	25	51	85	42	59	51	37	33	19	10	6	1
97a	Diseases of the nasal fossae	W	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
		C	14	12	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
97b	Diseases of the nasal fossae annexa	W	4	.....	.....	.....	.....	.....	.....	2	.....	1	1	.....	.....	.....	.....	.....	.....	.....
		C	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....
98	Diseases of the larynx	W	6	.....	2	.....	1	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
		C	7	2	.....	1	.....	.....	.....	.....	1	.....	1	2	.....	.....	.....	.....	.....	.....
99a	Acute bronchitis	W	22	8	1	.....	1	.....	1	.....	.....	.....	.....	.....	1	4	4	3	.....	.....
		C	35	14	7	2	.....	.....	2	1	1	1	1	2	.....	1	1	1	1	.....
99b	Chronic bronchitis	W	29	1	.....	.....	.....	.....	.....	1	1	2	3	.....	5	9	6	1	.....	.....
		C	11	.....	.....	.....	1	.....	.....	.....	1	.....	2	1	2	2	1	.....	1	.....
99c,d	Bronchitis (unspecified)	W	14	5	1	.....	.....	1	.....	.....	.....	.....	2	.....	.....	4	.....	1	.....	.....
		C	15	6	1	.....	.....	.....	1	.....	1	1	2	.....	.....	1	2	.....	.....	.....
100a	Bronchopneumonia	W	300	118	35	15	4	2	14	14	11	5	11	15	15	26	13	2	.....	.....
		C	218	110	31	11	6	2	10	5	15	4	7	3	5	5	3	.....	1	.....
100b	Capillary bronchitis	W	9	5	.....	1	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....
		C	9	4	1	1	1	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
101a	Lobar pneumonia	W	292	35	18	5	6	1	8	21	28	26	34	33	34	30	12	1	.....	.....
		C	314	56	12	9	2	3	7	35	45	30	36	27	22	18	6	5	1	.....
101b	Pneumonia (unspecified)	W	65	14	2	1	2	1	1	1	2	4	3	14	6	5	6	2	.....	1
		C	85	25	6	4	1	.....	1	7	12	3	4	6	7	2	2	2	2	1
102	Pleurisy	W	23	3	3	1	.....	.....	2	2	3	2	1	1	3	1	1	.....	.....	.....
		C	17	2	1	2	.....	.....	2	2	5	1	.....	2	.....	.....	.....	.....	.....	.....
103	Congestion and hemorrhagic infarct of the lung	W	15	.....	.....	.....	.....	.....	1	.....	1	1	.....	1	3	4	4	.....	.....	.....
		C	9	1	.....	.....	.....	.....	.....	.....	3	.....	4	.....	.....	.....	1	.....	.....	.....
104	Gangrene of the lung	W	3	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....
105	Asthma	W	17	1	.....	1	.....	.....	.....	.....	.....	2	2	1	1	3	6	.....	.....	.....
		C	20	.....	.....	2	.....	.....	1	.....	.....	.....	2	7	1	4	2	1	.....	.....
106	Pulmonary emphysema	W	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
107	Other diseases of the respiratory system (tuberculosis excepted)	W	7	1	.....	.....	.....	1	1	.....	1	2	.....	.....	1	.....	.....	.....	.....	.....
		C	5	2	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
	VI.—Diseases of the digestive system	White	1,279	411	157	34	21	11	35	59	76	89	90	108	87	66	31	2	.....	2
		Colored	1,047	372	111	30	17	10	24	47	69	88	94	63	51	47	16	7	1	.....
108	Diseases of the mouth and annexa	W	10	3	.....	.....	.....	.....	1	.....	1	5	.....	.....	.....	.....	.....	.....	.....	.....
		C	9	2	.....	.....	.....	.....	1	.....	2	.....	3	.....	1	.....	.....	.....	.....	.....
109a	Adenoid vegetations	C	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
109b	Other diseases of the pharynx, tonsils	W	20	.....	.....	.....	3	1	6	4	2	2	1	1	.....	.....	.....	.....	.....	.....
		C	24	2	.....	2	1	1	5	4	5	1	2	.....	.....	.....	.....	1	.....	.....
110	Diseases of the esophagus	W	5	.....	1	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	1	.....	.....	.....
		C	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
111a	Ulcer of the stomach	W	21	.....	.....	.....	.....	.....	.....	.....	3	3	4	1	3	7	.....	.....	.....	.....
		C	22	.....	.....	.....	.....	.....	1	3	.....	5	5	5	1	1	1	.....	.....	.....
111b	Ulcer of the duodenum	W	12	.....	.....	.....	.....	.....	.....	.....	4	1	2	4	1	.....	.....	.....	.....	.....
		C	8	.....	.....	.....	.....	.....	.....	.....	2	3	3	.....	.....	.....	.....	.....	.....	.....
112	Other diseases of the stomach (cancer excepted)	W	79	24	6	2	1	.....	3	3	1	4	2	8	9	11	5	.....	.....	.....
		C	102	15	5	2	.....	.....	.....	6	5	12	22	8	10	10	5	1	1	.....
113	Diarrhea and enteritis (under 2 years)	W	498	354	144	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		C	431	334	97	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
114	Diarrhea and enteritis (2 years and over)	W	108	.....	.....	29	12	3	8	1	4	2	8	9	10	8	10	1	.....	1
		C	101	.....	.....	19	6	5	7	8	10	11	4	8	7	8	4	4	.....	.....
115	Ancylostomiasis	C	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
116	Diseases due to other intestinal parasites	W	9	1	3	1	1	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		C	18	4	4	4	3	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
117	Appendicitis and typhlitis	W	204	.....	1	.....	.....	4	14	38	35	39	33	31	7	2	.....	.....	.....	.....
		C	90	.....	.....	.....	2	.....	5	18	21	17	12	9	3	2	1	.....	.....	.....
118a	Hernia	W	33	3	.....	.....	.....	.....	.....	1	.....	1	6	8	10	4	.....	.....	.....	.....
		C	19	1	1	.....	.....	.....	.....	.....	1	1	3	1	2	7	1	1	.....	.....
118b	Intestinal obstruction	W	71	15	.....	.....	1	1	2	5	10	8	3	9	9	4	4	.....	.....	.....
		C	63	11	2	2	2	.....	1	1	8	10	10	7	4	5	.....	.....	.....	.....
119	Other diseases of the intestines	W	22	6	.....	1	.....	1	.....	1	2	1	2	3	1	2	1	1	.....	.....
		C	19	1	.....	.....	1	1	1	1	2	3	4	1	1	2	1	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	LOUISIANA—Continued.																		
	VI.—Diseases of the digestive system—Continued.																		
120	Acute yellow atrophy of the liver	W. 9	1							3	3			1	1				
		C. 2											1	1					
122	Cirrhosis of the liver	W. 94	1					1	1		7	14	19	28	19	3			1
		C. 80		1						2	9	16	20	19	10	3			
123	Biliary calculi	W. 23								2		6	8	2	3	2			
		C. 4								1	2	1							
124	Other diseases of the liver	W. 47	2	1		3				5	9	7	6	5	4	5			
		C. 32	2		1			1	3	3	5	6	2	2	2				
125	Diseases of the pancreas	W. 2								1		1							
		C. 1							1										
126	Peritonitis without specified cause	W. 14	1	1	1				3	3	4			1					
		C. 18				1	1	1	2	2	8	2	1						
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	C. 1										1							
	VII.—Nonvenereal diseases of the genito-urinary system and annexa.	White. 1,024	15	2	4	2	3	8	22	49	77	101	135	264	232	106	3		1
		Colored. 913	16	7	3	4	1	7	26	61	121	147	154	151	120	70	16	4	5
128	Acute nephritis (including unspecified under 10 years)	W. 76	11	1		1	1	5	7	9	7	8	6	7	10	3			
		C. 127	12	6	3	2	1	5	11	14	18	24	11	8	4	7	1		
129	Chronic nephritis (including unspecified 10 years and over)	W. 802	1		2		2	3	10	17	46	72	112	237	206	91	2		1
		C. 627	1			2		1	11	33	74	94	127	113	97	55	11	3	5
131	Other diseases of the kidneys and annexa	W. 36	3	1	2	1			1	4	7	3	6	5	3				
		C. 18		1				1	1		2	1	4	3	2	3			
132	Calculi of the urinary passages	W. 5								1		3	1						
133	Diseases of the bladder	W. 11							2		1		1	1	3	3			
		C. 18	2								1	2		4	4	4	1		
134	Diseases of the urethra, etc.	W. 4									1	1	2						
		C. 10									1	4	4				1		
135	Diseases of the prostate	W. 33											2	12	9	9	1		
		C. 44									2	3	3	19	13	1	2	1	
136	Nonvenereal diseases of the male genital organs	C. 1	1																
137	Cysts, other benign tumors of the ovary	W. 9							1	4	1		1	2					
		C. 2									1		1						
138	Salpingitis and pelvic abscess (female)	W. 22							1	8	5	6	2						
		C. 38							2	11	16	8		1					
139	Benign tumors of the uterus	W. 17								2	6	6	2		1				
		C. 24								3	4	10	4	3					
140	Nonpuerperal uterine hemorrhage	C. 1									1								
141	Other diseases of the female genital organs	W. 9								4	3	2							
		C. 3							1		1	1							
	VIII.—The puerperal state.	White. 218							30	84	83	20							1
		Colored. 207							55	82	58	11	1						
143	Accidents of pregnancy	W. 18								8	9	1							
		C. 13							3	6	3	1							
144	Puerperal hemorrhage	W. 26							1	7	9	9							
		C. 21							3	9	7	2							
145	Other accidents of labor	W. 18							2	6	9								1
		C. 19							4	6	8	1							
146	Puerperal septicemia	W. 70							8	34	24	4							
		C. 79							20	30	27	1	1						
147	Puerperal phlegmasia alba dolens, embolus, etc.	W. 8								1	7								
		C. 1									1								
148	Puerperal albuminuria and convulsions	W. 78							19	28	25	6							
		C. 73							25	30	12	6							
149	Following childbirth (undefined)	C. 1								1									
	IX.—Diseases of the skin and of the cellular tissue.	White. 46	10	1		1			3	6	3	3	5	7	5	1	1		
		Colored. 26	3								2	5	4	2	3	6	1		
151	Gangrene	W. 13	1			1			1	2	1			2	3	1	1		
		C. 10										1	2		2	5			
152	Furuncle	W. 20	4						1	3	1	3	3	4	1				
		C. 4										1	2			1			
153	Acute abscess	W. 6	1	1					1	1			1	1					
		C. 8	2								1	3		2					
154	Other diseases of the skin and annexa	W. 7	4								1		1		1				
		C. 4	1								1				1		1		
	X.—Diseases of the bones and of the organs of locomotion	White. 12	2					2	2	1	1	1	1	2					
		Colored. 7							1	1	2	1	1			1			
155	Diseases of the bones (tuberculosis excepted)	W. 7	2					2	2		1								
		C. 2								1		1							
156	Diseases of the joints (tuberculosis and rheumatism excepted)	W. 3								1		1	1						
		C. 3							1		2								
158	Other diseases of the organs of locomotion	W. 2												2					
		C. 2											1			1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
				Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
LOUISIANA—Continued.																				
	XI.—Malformations	White	122	115	2				3	1		1								
		Colored	123	115	3	1	2			1	1									
159a	Congenital hydrocephalus	W	17	15	1				1											
		C	8	5		2				1										
159b	Congenital malformations of the heart	W	72	69					2	1										
		C	97	93	3	1														
159c	Other congenital malformations	W	33	31	1							1								
		C	18	17							1									
	XII.—Early infancy	White	541	541																
		Colored	359	359																
160	Congenital debility, icterus, sclerema	W	77	77																
		C	107	107																
161a	Premature birth	W	340	340																
		C	184	184																
161b	Injury at birth	W	89	89																
		C	32	32																
162	Other diseases peculiar to early infancy	W	35	35																
		C	31	31																
163	Lack of care	C	5	5																
164	XIII.—Old age (senility)	White	138												3	38	79	17	1	
		Colored	234												7	52	68	70	34	3
	XIV.—External causes	White	928	30	27	19	16	18	42	111	177	131	131	80	63	46	32	5		
		Colored	710	26	17	14	9	9	36	141	169	123	75	37	22	17	9	3		3
	Suicide (total)	W	117							6	24	20	34	17	11	4	1			
		C	15							3	3	5	2	2						
165	By poisons (corrosives excepted)	W	5							1	1	1	1	1						
166	By corrosive substances	W	10								4	2	2	1	1					
		C	2							2										
167	By poisonous gas	W	9									3	4	1	1					
		C	1										1							
168	By hanging or strangulation	W	6									1	3	2						
		C	3							1		1		1						
169	By drowning	W	9								3	1	2	1	2					
		C	1								1									
170	By firearms	W	68							5	14	12	19	9	6	3				
		C	6								2	2	1	1						
171	By cutting or piercing instruments	W	7								1		2	1	1	1	1			
		C	1									1								
172	By jumping from high places	W	1										1							
173	By crushing	C	1									1								
174	By other means	W	2								1			1						
	Homicide (total)	W	128	2						10	36	33	25	9	10	2	1			
		C	214	1			1		3	28	83	52	33	9	2	1				1
197	By firearms	W	96							8	29	24	17	9	7	2				
		C	167	1			1		2	18	63	42	30	8		1				1
198	By cutting or piercing instruments	W	9								2	5	1		1					
		C	32							9	13	6	2	1	1					
199	By other means	W	23	2						2	5	4	7		2		1			
		C	15						1	1	7	4	1		1					
	Accidental or undefined (total)	W	683	28	27	19	16	18	42	95	117	78	72	54	42	40	30	5		
		C	481	25	17	14	8	9	33	110	83	66	40	26	20	16	9	3		2
175	Poisoning by food	W	21	1	3		2	1	2	2	5					4	1			
		C	9	2		1			2			1	1	2						
176	Poisoning by venomous animals	W	2	1												1				
		C	1										1							
177	Other acute poisonings (gas excepted)	W	32	1	4	3	1	2	1	3	6	2	4	1	3	1				
		C	18		7	2		1	2		3	2				1				
178	Conflagration	W	8								2		1	2	2	1				
		C	5				1		1	1	1				1					
179	Burns (conflagration excepted)	W	76	3	9	7	7	7	7	8	5	6	2	6	6	3				
		C	57	3	8	5	3	2	5	9	4	4	3	1	3	3	4			
180	Mechanical suffocation	W	10	9								1								
		C	12	9						1				2						
181	Absorption of irrespirable, irritating or poisonous gas	W	9								2	2	3		2					
		C	3							1	2									
182	Drowning	W	68	1	2	1			4	18	14	16	8	1	1	1	1			
		C	93				1		10	31	29	11	4	3	2	2				
183	Traumatism by firearms (except in war)	W	41		1			2	6	13	9	3	3	3	1					
		C	47	1		2		1	1	21	14	2	3	2						
184	Traumatism by cutting or piercing instruments	W	10			1			1	2	2	1	1		1	1				
		C	4							2		1	1							
185	Traumatism by fall	W	91	2	3	1			4	9	9	3	6	5	9	15	21	4		
		C	50	4		1	2	1	2	6	4	9	2	6	3	5	3	2		
187	Traumatism by machines	W	27				1		2	3	8	6	1	4	1	1				
		C	19							4	3	6	5	1						
188a	Railroad accidents	W	66			1				4	18	11	16	7	6	1	2			
		C	35							9	8	7	5	1	2	1	1			1
188b	Street-car accidents	W	13	1				1	1		1	3	3	2	1					
		C	6						1	4		1								
188c	Automobile accidents	W	79			1	3	2	10	17	13	6	10	5	6	4	2			
		C	18			1			3	3	1	3	3	1	2	1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	Deaths at unknown age.
	LOUISIANA—Continued.																		
	XIV.—External causes—Continued.																		
	Accidental or undefined—Continued.																		
188e,f	Injuries by other vehicles W	12			2			1	1		2	2	2	1	1				
	C	11	3					1	1	1	1	1		3					
188g	Landslide, other crushing W	12					1			4	3	1	2		1				
	C	7								2	3	1					1		
189	Injuries by animals (not poisoning) W	8			1	1	1		1			2		1			1		
	C	9					1	2	3		1	1			1				
193	Excessive cold C	2												1		1			
194	Excessive heat W	18	3							3	4	2	4		2				
	C	8						2	1	1		2	2						
195	Lightning W	7							1	5	1								
	C	10	1						1	2	2	2	1						1
196	Other accidental electric shocks W	6						1	1	1	1	2							
	C	2										1	1						
201	Fracture (cause not specified) W	8				1		1	1	1					1	3			
202	Other external violence W	49	4	4			1	1	11	7	7	4	8		2				
	C	45	1	2	1	1	3	1	9	8	11	4	1	2	1				
203	Violent deaths of unknown causation W	10	2	1	1					2		1	2	1					
	C	10	1		1				3		1		2	1	1				
	XV.—Ill-defined diseases White	182	84	5	6	2	5	5	5	8	3	8	9	24	11	2	1		4
	Colored	429	210	10	11	2	4	6	12	23	16	26	13	29	30	22	9	6	
204	Sudden death W	20	1	2							1	2	2	7	4	1			
	C	39	13		1	1				3	1	7	4	3	5		1		
205a	Ill-defined W	54	9	3	2	1	5	1	2	4	1	4	4	10	6				2
	C	113	23	5	4	1	3	4	4	5	7	13	8	9	13	11	2	1	
205b	Not specified or unknown W	108	74		4	1		4	3	4	1	2	3	7	1	1	1		2
	C	277	174	5	6		1	2	8	15	8	6	1	17	12	11	6	5	
	MAINE.																		
	All causes	10,815	1,559	200	91	55	59	191	354	468	534	701	1,085	1,694	2,141	1,432	241	7	3
	I.—Epidemic, endemic, and infectious diseases	1,244	157	62	34	22	22	75	128	177	150	118	106	96	64	25	8		
1	Typhoid and paratyphoid fever	59		2				1	14	11	10	6	9	6					
5	Malaria	1							1										
7	Measles	82	30	18	4	2	1	7	6	3	3	1	3	3	1				
8	Scarlet fever	22	2	1	1	3	1	2	7	4	1								
9	Whooping cough	68	48	13	4		1	2											
10	Diphtheria	110	8	5	15	11	9	39	9	2	5	3	2		1	1			
11a	Influenza (with pulmonary complications)	70	9	6			2	6	5	3	4	2	11	6	9	5	2		
11b	Influenza (other and unspecified)	68	17	2	3	2		1	2	1	5	3	5	6	10	9	2		
13	Mumps	2								1					1				
15	Cholera nostras	7	1	1	1			3						1					
16	Dysentery	11	6	1				1							2	1			
21	Erysipelas	22	4	1						1	2	1	2	6	1	2	2		
22	Acute anterior poliomyelitis	17		1	1		1	1	6	1	1	1		3	1				
23	Lethargic encephalitis	15	1	2	1				3	3		2	3						
24	Meningococcus meningitis	5	1	1	1			2											
25	Other epidemic and endemic diseases	1	1																
29	Tetanus	13					1		5	2	2	1			2				
	Tuberculosis (total)	634	20	8	3	4	5	10	67	143	111	95	67	59	34	6	2		
31	Of the respiratory system	500	3			1		4	48	132	89	82	58	44	33	5	1		
32	Of the meninges, central nervous system	43	12	7	2	2	3	3	4	3	5	2							
33	Of the intestines, peritoneum	29	2	1		1		2	6	5	6		3	3					
34	Of the vertebral column	12			1		1		3	1	1	2		1		1	1		
35	Of the joints	7							1		2		2	2					
36	Of other organs	23	1					1	3	2	2	6	2	5	1				
37a	Disseminated (acute)	10	1				1		2		3	2		1					
37b	Disseminated (chronic or unspecified)	10	1								3	1	2	3					
38	Syphilis	26	9						2	1	1	3	4	4	2				
40	Gonococcus infection	2								1	1								
41	Purulent infection, septicemia	8					1		1		4			2					
42	Other infectious diseases	1														1			
	II.—General diseases not included in Class I	1,317	25	5	1		4	12	24	37	58	155	238	334	303	105	16		
	Cancer and other malignant tumors (total)	899			1				2	12	29	106	170	249	232	85	13		
43	Of the buccal cavity	33									1	2	5	8	11	5	1		
44	Of the stomach, liver	331								4	4	35	56	99	92	37	4		
45	Of the peritoneum, intestines, rectum	147								3	5	17	21	48	35	17	1		
46	Of the female genital organs	138								4	7	26	40	36	18	6	1		
47	Of the breast	84									5	17	17	21	18	6			
48	Of the skin	32										2	2	7	11	6	4		
49	Of other or unspecified organs	134			1				2	1	7	7	29	30	47	8	2		
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	15		2				1		1	1	2	2	1	3	1	1		
51	Acute rheumatic fever	33	1	1			1	4	5	1	1	5	5	5	2	2			
52	Chronic rheumatism, osteoarthritis, gout	15											2	4	6	2	1		
53	Scurvy	1	1																
54	Pellagra	8										1	4	2	1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	MAINE—Continued.																		
	II.—General diseases not included in Class I—Continued.																		
56	Rickets	1		1															
57	Diabetes mellitus	201	1				1	4	13	10	14	17	36	52	42	11			
58	Anemia, chlorosis	62	1	1					2	5	9	9	7	12	11	4	1		
60a	Exophthalmic goiter	10								1	1	2	2	1	3				
60b	Other diseases of the thyroid gland	3							1	2									
61	Diseases of the parathyroid glands	1	1																
62	Diseases of the thymus gland	1	1																
63	Diseases of the adrenals (Addison's disease)	5										2		2	1				
64	Diseases of the spleen	4						1				1		1	1				
65a	Leukemia	8	1				1			1	1		2	1	1				
65b	Hodgkin's disease	6							1	3			1	1					
66	Alcoholism (acute or chronic)	16									1	9	5	1					
67a	Chronic lead poisoning	3											1	2					
69	Other general diseases	25	18				1	2		1	1	1	1						
	III.—Diseases of the nervous system and of the organs of special sense	1,388	42	7	2	3	5	7	16	24	23	83	151	300	433	265	27		
70	Encephalitis	9	1						1	3		1		1	1	1			
71a	Simple meningitis	18	5	2	1				6	1		2		1					
71b	Nonepidemic cerebrospinal meningitis	5	3	1				1											
72	Tabes dorsalis (locomotor ataxia)	23									1		7	5	6	4			
73	Other diseases of the spinal cord	57				1	1			5	2	5	8	13	12	10			
74a	Cerebral hemorrhage	1,002								1	8	42	101	242	362	225	21		
74b	Cerebral embolism and thrombosis	31								1	1	2	6	4	10	5	2		
75	Paralysis without specified cause	45	1			1					1	2	5	10	16	9			
76	General paralysis of the insane	50								1	6	12	9	9	11	2			
77	Other forms of mental alienation	28							1	3	1	2	6	4	7	3	1		
78	Epilepsy	20	3	1			1		1	3		4	2	2	2		1		
79	Convulsions (nonpuerperal; 5 years and over)	3									1			2					
80	Infantile convulsions (under 5 years)	27	23	2			2												
81	Chorea	1													1				
82	Neuralgia and neuritis	3										1			1	1			
83	Softening of the brain	10										1	1	2	2	4			
84	Other diseases of the nervous system	26	1					2	1	2	2	5	4	4	3	1	1		
85	Diseases of the eye and annexa	1								1									
86a	Diseases of the ear	20	2		1	1	1	3	6	2		3		1					
86b	Diseases of the mastoid process	9	3	1				1		1		1	2						
	IV.—Diseases of the circulatory system	2,073	8	2	2		1	4	18	25	43	87	220	454	650	494	63	1	1
87	Pericarditis	9									2	1	1	2	2	1			
88	Endocarditis and myocarditis (acute)	38	1	1				1	2	4	4	2	3	11	7	2			
89	Angina pectoris	157									3	5	26	50	50	20	3		
90	Other diseases of the heart	1,512	7		2		1	3	16	20	29	71	175	330	481	334	41	1	1
91a	Aneurysm	6										1	2	1		2			
91b,c	Other diseases of the arteries	324										4	9	53	108	131	19		
92	Embolism and thrombosis (not cerebral)	19		1						1	5	2	1	4	2	3			
93	Diseases of the veins	4											2	2					
94	Diseases of the lymphatic system	2											1			1			
95	Hemorrhage without specified cause	2										1		1					
	V.—Diseases of the respiratory system	1,055	190	55	24	9	5	20	26	21	41	56	91	128	210	146	31	1	1
97a	Diseases of the nasal fossae	1															1		
97b	Diseases of the nasal fossae annexa	3									1		1		1				
98	Diseases of the larynx	5		3				1					1						
99a	Acute bronchitis	41	13	3										2	6	14	3		
99b	Chronic bronchitis	41	1					1		1	1		3	5	14	13	2		
99c,d	Bronchitis (unspecified)	26	6	1							1		4			10	4		
100a	Bronchopneumonia	382	109	29	15	3	3	9	7	3	8	13	17	43	61	52	10		
100b	Capillary bronchitis	19	8	3									1		4	3			
101a	Lobar pneumonia	357	22	5	6	2	1	5	17	13	24	30	48	62	93	24	3	1	1
101b	Pneumonia (unspecified)	111	27	7	2	4		3	1	4	3	7	7	5	19	15	7		
102	Pleurisy	17	2	2							1	3	3	3	2	1			
103	Congestion and hemorrhagic infarct of the lung	26		2			1	1				2	2	2	5	10	1		
104	Gangrene of the lung	7	1								1	1	1	2	1				
105	Asthma	13			1						1		1	4	3	3			
106	Pulmonary emphysema	1														1			
107	Other diseases of the respiratory system (tuberculosis excepted)	5	1						1				2		1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	MAINE—Continued.																		
	VI.—Diseases of the digestive system	895	334	45	14	6	10	24	41	31	48	50	67	94	78	46	6	1	
108	Diseases of the mouth and annexa	3	1								1		1						
109b	Other diseases of the pharynx, tonsils	25	3		2	4	2	2	4	2	1		3	1	1				
110	Diseases of the esophagus	3												2	1				
111a	Ulcer of the stomach	34							2	2	6	4	6	6	7		1		
111b	Ulcer of the duodenum	9										2	2	2	3				
112	Other diseases of the stomach (cancer excepted)	79	18	5	1			1		2	2	7	2	10	15	12	3	1	
113	Diarrhea and enteritis (under 2 years)	337	300	37															
114	Diarrhea and enteritis (2 years and over)	55			6	2	6	6	1	3	1		3	10	8	8	1		
116	Diseases due to other intestinal parasites	1			1														
117	Appendicitis and typhlitis	131	1		3		2	14	26	15	22	16	14	11	6	1			
118a	Hernia	32								1	1	3	9	6	8	4			
118b	Intestinal obstruction	52	5	2					2	2	5	6	5	9	9	7			
119	Other diseases of the intestines	12	2	1					1		3		2		2	1			
120	Acute yellow atrophy of the liver	1												1					
122	Cirrhosis of the liver	34							1			2	5	13	7	6			
123	Biliary calculi	32								1	2	3	7	12	6	1			
124	Other diseases of the liver	28								2	2	6	4	9	1	3	1		
125	Diseases of the pancreas	5							1				3		1				
126	Peritonitis without specified cause	20	4		1			1	3	1	1	1	1	2	3	2			
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	2									1					1			
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	883	5		1	1	1	5	7	20	36	72	109	206	262	142	15	1	
128	Acute nephritis (including unspecified under 10 years)	43	4		1	1		1	2	5	3	4	8	7	5	2			
129	Chronic nephritis (including unspecified 10 years and over)	705					1	3	5	10	19	40	88	175	229	121	10	1	
131	Other diseases of the kidneys and annexa	19	1					1			1	3	4	1	5	3			
132	Calculi of the urinary passages	4										3		1					
133	Diseases of the bladder	14										2	1		3	6	2		
134	Diseases of the urethra, etc	2												1	1				
135	Diseases of the prostate	41										1	2	13	13	9	3		
136	Nonvenereal diseases of the male genital organs	2											1		1				
137	Cysts, other benign tumors of the ovary	10									1	2	1	4	2				
138	Salpingitis and pelvic abscess (female)	13								3	5	3	1		1				
139	Benign tumors of the uterus	25								1	5	14	3	1		1			
141	Other diseases of the female genital organs	5								1	2				2				
	VIII.—The puerperal state	131							18	56	45	12							
143	Accidents of pregnancy	9								9									
144	Puerperal hemorrhage	9							3	1	4	1							
145	Other accidents of labor	22							3	8	9	2							
146	Puerperal septicemia	34							2	16	12	4							
147	Puerperal phlegmasia alba dolens, embolus, etc	9							2	3	3	1							
148	Puerperal albuminuria and convulsions	47							8	18	17	4							
149	Following childbirth (undefined)	1								1									
	IX.—Diseases of the skin and of the cellular tissue	46	6	1	1			1		1		2	2	3	9	12	8		
151	Gangrene	27										1		1	8	10	7		
152	Furuncle	8	1							1			2	1	1	1	1		
153	Acute abscess	6	2	1	1			1						1					
154	Other diseases of the skin and annexa	5	3									1				1			
	X.—Diseases of the bones and of the organs of locomotion	6				1		1	2		2								
155	Diseases of the bones (tuberculosis excepted)	4				1		1	2										
156	Diseases of the joints (tuberculosis and rheumatism excepted)	2									2								
	XI.—Malformations	102	91	6				4	1										
159a	Congenital hydrocephalus	16	13	1				2											
159b	Congenital malformations of the heart	57	51	3				2	1										
159c	Other congenital malformations	29	27	2															
	XII.—Early infancy	638	638																
160	Congenital debility, icterus, sclerema	125	125																
161a	Premature birth	374	374																
161b	Injury at birth	83	83																
162	Other diseases peculiar to early infancy	54	54																
163	Lack of care	2	2																
164	XIII.—Old age (senility)	229												2	61	116	49	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	MAINE—Continued.																		
	XIV.—External causes	676	6	14	12	12	11	37	73	73	85	59	86	60	56	73	16	2	1
	Suicide (total)	99							2	7	19	17	30	13	7	4			
165	By poisons (corrosives excepted)	1											1						
166	By corrosive substances	6							1	1	1	1	1		1				
167	By poisonous gas	5									2		2	1					
168	By hanging or strangulation	24									1	3	11	5	3	1			
169	By drowning	15								1	7	3	2	2					
170	By firearms	34							1	5	8	7	9	3		1			
171	By cutting or piercing instruments	12										3	4	2	2	1			
174	By other means	2													1	1			
	Homicide (total)	17	2						1	2	6	1	2	1	2				
197	By firearms	6								2	2		2						
199	By other means	11	2						1		4	1		1	2				
	Accidental or undefined (total)	560	4	14	12	12	11	37	70	64	60	41	54	46	47	69	16	2	1
175	Poisoning by food	10				1		1			3		2	1	2				
177	Other acute poisonings (gas excepted)	18		1	3	2		1		1	6	2	1	1					
178	Conflagration	14					1	1	1		5	1	1	2	1		1		
179	Burns (conflagration excepted)	31		7	2	5	1	3	3	1	1	1		2	5				
180	Mechanical suffocation	6	3				1					1	1						
181	Absorption of irrespirable, irritating, or poisonous gas	5								1	1	1		1		1			
182	Drowning	98		1	1	3	5	11	35	20	11	3	2	3	1	1			1
183	Traumatism by firearms (except in war)	20			1			1	10	5		1	2						
184	Traumatism by cutting or piercing instruments	10						2	4				1		3				
185	Traumatism by fall	138		1	1	1		1	2	5	4	5	10	10	24	57	15	2	
186b	Traumatism in quarries	1												1					
187	Traumatism by machines	14						2		3	3	1	3	1	1				
188a	Railroad accidents	27							5	7	4	1	4	3	1	2			
188b	Street-car accidents	5						1		1		1		1		1			
188c	Automobile accidents	56			1		1	8	5	7	5	11	7	7	1	3			
188d	Aeroplane and balloon accidents	1									1								
188e,f	Injuries by other vehicles	19		1			1		1	3	3	1	3	5	1				
188g	Landslide, other crushing	5			1						1	1	2						
189	Injuries by animals (not poisoning)	7						1	2			1	2		1				
192	Starvation (deprivation of food or water)	1											1						
193	Excessive cold	4										2	1	1					
194	Excessive heat	3			1										1	1			
195	Lightning	4								1	2		1						
196	Other accidental electric shocks	14						2		4	4	2	2						
201	Fracture (cause not specified)	10									1	1	2	2	2	2			
202	Other external violence	31	1	3	1		1		2	5	5	4	4	3	2				
203	Violent deaths of unknown causation	8						2					2	2	1	1			
	XV.—Ill-defined diseases	132	57	3		1		1		3	3	7	15	17	15	8	2		
204	Sudden death	29	6								2	2	5	6	7		1		
205a	Ill-defined	29	4	1		1				2	1	3	5	8	1	3			
205b	Not specified or unknown	74	47	2				1		1		2	5	3	7	5	1		
	MARYLAND.																		
	All causes {White	15,135	2,419	391	164	114	80	276	535	890	948	1,235	1,681	2,467	2,505	1,250	150	5	25
	{Colored	4,845	1,043	208	77	50	25	99	284	488	483	577	537	438	321	157	29	9	20
	I.—Epidemic endemic, and infectious diseases {White	2,068	204	119	51	54	24	92	172	357	304	245	185	143	79	36	2		1
	{Colored	1,156	113	65	27	21	13	48	149	271	181	150	64	26	19	5			4
1	Typhoid and paratyphoid fever {W	91		1	1	2	1	4	29	21	12	5	10	3	2				
	{C	61	1	1		2		10	19	13	2	5	3	3	1				1
2	Typhus fever {W	2										1		1					
5	Malaria {W	3									1	1		1					
	{C	1													1				
7	Measles {W	41	9	15	3	3	2	1	4	3			1						
	{C	6	3	1			1	1											
8	Scarlet fever {W	27		1	4	2	3	10	4	3									
	{C	4		1				1	1	1									
9	Whooping cough {W	146	90	37	9	6		3	1										
	{C	103	44	38	13	4	2	2											
10	Diphtheria {W	150	15	23	21	24	13	45	6	2	1								
	{C	32	5	5	2	4		9	2	2	1	1	1						
11a	Influenza (with pulmonary complications) {W	70	5			1			7	7	2	8	7	15	11	7			
	{C	29	2				1	1	1	4	4	5	7		3	1			
11b	Influenza (other and unspecified) {W	29	3						3		2	1	3	4	7	6			
	{C	14	5				1	2			3	2			1				
13	Mumps {W	2	1						1										
	{C	1				1													
15	Cholera nostras {W	4	2	1												1			
16	Dysentery {W	47	18	6	1	1	1		2			1		2	6	8	1		
	{C	20	9	1	1					2	1	1	2	1	2				
21	Erysipelas {W	34	11	1		1				1	1	2	1	5	4	6	1		
	{C	4	2										1	1					
22	Acute anterior poliomyelitis {W	33	2	11	6	4	1	6	2			1							
	{C	4	1	1	1			1											

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	Deaths at unknown age.
	MARYLAND—Continued.																			
	I.—Epidemic, endemic, and infectious diseases—Continued.																			
23	Lethargic encephalitis	W	15	1	2	1	1	.....	1	2	.....	2	1	3	.....	1	.....	.....	.....	.....
		C	4	1	.....	.....	1	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Meningococcus meningitis	W	19	2	2	1	.....	.....	4	2	5	1	1	1	.....	.....	.....	.....	.....	.....
		C	2	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Other epidemic and endemic diseases	W	2	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		C	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
29	Tetanus	W	22	2	.....	.....	1	1	3	3	3	3	2	2	1	1	.....	.....	.....	.....
		C	11	3	.....	.....	.....	1	.....	1	1	2	.....	1	2	.....	.....	.....	.....	.....
30	Mycoses	W	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		C	4	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	W	1,252	19	17	4	5	2	13	103	301	271	210	150	107	43	6	.....	.....	1
		C	745	11	15	8	6	7	20	122	233	134	116	43	13	11	3	.....	.....	3
31	Of the respiratory system	W	1,126	4	1	1	.....	1	4	87	285	256	194	142	102	42	6	.....	.....	1
		C	648	9	7	5	.....	4	11	105	211	118	110	38	13	11	3	.....	.....	3
32	Of the meninges, central nervous system	W	51	8	12	3	3	.....	6	7	3	4	2	2	1	.....	.....	.....	.....	.....
		C	23	1	6	1	3	.....	2	4	4	1	1	.....	.....	.....	.....	.....	.....	.....
33	Of the intestines, peritoneum	W	24	2	2	.....	.....	.....	.....	2	4	4	4	2	3	1	.....	.....	.....	.....
		C	35	.....	2	2	2	2	3	6	6	9	2	1	.....	.....	.....	.....	.....	.....
34	Of the vertebral column	W	19	1	1	.....	1	1	2	2	2	3	3	2	1	.....	.....	.....	.....	.....
		C	9	.....	.....	.....	1	.....	1	2	3	2	.....	.....	.....	.....	.....	.....	.....	.....
35	Of the joints	W	2	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		C	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
36	Of other organs	W	15	1	.....	.....	.....	.....	1	1	4	3	4	1	.....	.....	.....	.....	.....	.....
		C	10	.....	.....	.....	.....	.....	2	3	2	1	1	1	.....	.....	.....	.....	.....	.....
37a	Disseminated (acute)	W	11	3	.....	.....	.....	.....	.....	2	2	1	2	1	.....	.....	.....	.....	.....	.....
		C	15	1	.....	.....	.....	.....	1	2	5	2	2	2	.....	.....	.....	.....	.....	.....
37b	Disseminated (chronic or unspecified)	W	4	.....	.....	.....	1	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....
		C	4	.....	.....	.....	.....	1	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....
38	Syphilis	W	60	21	2	.....	1	.....	.....	.....	7	5	10	6	3	4	1	.....	.....	.....
		C	94	22	1	2	3	.....	.....	2	10	26	17	5	5	.....	1	.....	.....	.....
40	Gonococcus infection	W	5	.....	.....	.....	.....	.....	.....	1	3	1	.....	.....	.....	.....	.....	.....	.....	.....
		C	12	.....	.....	.....	.....	.....	.....	.....	1	7	3	1	.....	.....	.....	.....	.....	.....
41	Purulent infection, septicemia	W	13	2	.....	.....	.....	.....	2	2	1	2	1	1	1	.....	1	.....	.....	.....
		C	4	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	1	.....	.....	.....	.....	.....
	II.—General diseases not included in Class I	White	1,673	19	4	8	2	3	15	29	40	86	203	365	499	305	84	8	1	2
		Colored	262	13	5	2	1	1	2	8	12	35	54	64	36	24	3	1	.....	1
	Cancer and other malignant tumors (total)	W	1,203	1	.....	3	1	1	1	5	22	52	149	266	382	240	70	8	1	1
		C	169	.....	.....	1	.....	.....	1	1	5	21	37	54	24	21	3	1	.....	.....
43	Of the buccal cavity	W	44	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	11	13	12	3	.....	.....	.....
		C	4	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	1	.....	.....	.....	.....
44	Of the stomach, liver	W	457	.....	.....	2	.....	.....	.....	.....	4	12	36	101	167	100	29	4	1	1
		C	62	.....	.....	.....	.....	.....	.....	.....	.....	6	10	20	11	13	1	1	.....	.....
45	Of the peritoneum, intestines, rectum	W	142	.....	.....	.....	.....	.....	.....	.....	4	7	15	24	42	39	10	1	.....	.....
		C	8	.....	.....	.....	.....	.....	.....	.....	2	.....	3	1	.....	2	.....	.....	.....	.....
46	Of the female genital organs	W	166	.....	.....	.....	.....	.....	.....	.....	5	11	40	39	47	20	4	.....	.....	.....
		C	48	.....	.....	.....	.....	.....	.....	.....	2	9	9	18	7	2	1	.....	.....	.....
47	Of the breast	W	109	.....	.....	.....	.....	.....	.....	.....	.....	7	22	32	29	12	7	.....	.....	.....
		C	18	.....	.....	.....	.....	.....	.....	.....	1	1	8	5	2	1	.....	.....	.....	.....
48	Of the skin	W	52	.....	.....	.....	.....	1	1	.....	3	1	4	7	11	14	7	3	.....	.....
49	Of other or unspecified organs	W	233	1	.....	1	1	.....	.....	5	6	14	27	52	73	43	10	.....	.....	.....
		C	29	.....	.....	1	.....	.....	1	1	.....	4	7	8	4	2	1	.....	.....	.....
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	W	8	.....	.....	1	.....	.....	2	.....	1	3	.....	.....	.....	1	.....	.....	.....	.....
		C	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
51	Acute rheumatic fever	W	36	.....	.....	.....	.....	.....	4	8	.....	3	2	9	5	2	3	.....	.....	.....
		C	25	.....	.....	.....	.....	1	.....	7	1	5	4	2	5	.....	.....	.....	.....	.....
52	Chronic rheumatism, osteoarthritis, gout	W	21	.....	.....	.....	.....	.....	.....	1	.....	.....	3	2	4	9	2	.....	.....	.....
		C	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
53	Scurvy	W	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
54	Pellagra	W	4	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	2	.....	.....	.....	.....	.....
		C	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
56	Rickets	W	6	3	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		C	10	6	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
57	Diabetes mellitus	W	227	.....	.....	.....	.....	1	3	8	8	12	19	53	75	42	6	.....	.....	.....
		C	25	.....	1	.....	.....	.....	.....	.....	1	6	5	5	5	1	.....	.....	.....	1
58	Anemia, chlorosis	W	46	.....	.....	1	.....	.....	3	1	.....	.....	9	8	16	7	.....	.....	.....	1
		C	7	.....	.....	.....	.....	.....	1	.....	1	.....	2	2	.....	1	.....	.....	.....	.....
59	Diseases of the pituitary gland	W	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
60a	Exophthalmic goiter	W	17	.....	.....	.....	.....	.....	.....	1	2	5	1	5	1	2	.....	.....	.....	.....
		C	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
60b	Other diseases of the thyroid gland	W	8	.....	.....	.....	.....	.....	.....	.....	1	.....	3	3	1	.....	.....	.....	.....	.....
		C	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
61	Diseases of the parathyroid glands	W	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		C	4	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
62	Diseases of the thymus gland	W	5	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		C	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
63	Diseases of the adrenals (Addison's disease)	W	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
		C	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
64	Diseases of the spleen	W	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	MARYLAND—Continued.																		
	II.—General diseases not included in Class I—Continued.																		
65a	Leukemia	W. 26	1				1		3	2	3	4	7	3		2			
		C. 4										2	1		1				
65b	Hodgkin's disease	W. 13						1	2	1	2	1	4	1	1				
66	Alcoholism (acute or chronic)	W. 24								2	5	10	3	4					
		C. 5								3	1	1							
67a	Chronic lead poisoning	W. 4										2	1	1					
68	Chronic poisoning by organic substances	W. 1												1					
69	Other general diseases	W. 15	7		1	1		1					1	2	1	1			
		C. 4	4																
	III.—Diseases of the nervous system and of the organs of special sense.	White 1,837	47	14	8	5	9	19	33	37	59	156	247	445	501	233	22		2
		Colored 459	29	6	8	1	1	2	7	11	27	70	102	90	59	38	2	2	4
70	Encephalitis	W. 17	1				1	1	2	4	1	2	2	1	1	1			
		C. 5		1	2					1			1						
71a	Simple meningitis	W. 27	9	4	2	2	1	4	1	1	1	1	1						
		C. 8	3	1	1				1	1		1							
71b	Nonepidemic cerebrospinal meningitis	W. 12	2	2	1	1	1	2	1	1	1								
		C. 2	1		1														
72	Tabes dorsalis (locomotor ataxia)	W. 23									1	7	5	7	2	1			
		C. 3										1		2					
73	Other diseases of the spinal cord	W. 51							3	3	4	3	7	9	16	6			
		C. 9						1		1			2	3		2			
74a	Cerebral hemorrhage	W. 1,278	1	2					1	7	14	93	192	361	406	179	20		2
		C. 301						1	1	3	14	46	85	71	49	26	1	2	2
74b	Cerebral embolism and thrombosis	W. 44										1	4	13	15	11			
		C. 7										2	2	2	1				
75	Paralysis without specified cause	W. 112	1								1	3	7	23	48	28	1		
		C. 32				1			1	1		2	5	10	4	7	1		
76	General paralysis of the insane	W. 71								6	12	21	11	12	7	2			
		C. 37									8	14	6		5	2			2
77	Other forms of mental alienation	W. 9								1		4		3		1			
		C. 4									1	3							
78	Epilepsy	W. 39			1		1	4	11	4	8	3	2	4	1				
		C. 13	2		2		1		1	2	2		1	2					
80	Infantile convulsions (under 5 years)	W. 34	27	4	2	1													
		C. 22	19	2	1														
82	Neuralgia and neuritis	W. 6									1	1		2	2				
		C. 2									1	1							
83	Softening of the brain	W. 9											1	6	1	1			
84	Other diseases of the nervous system	W. 71	2	1	1	1	2	4	12	4	12	13	11	3	2	2	1		
		C. 7			1				3	1	1					1			
86a	Diseases of the ear	W. 18	3	1			3	3		2	1	2	1	1		1			
		C. 6	4	2															
86b	Diseases of the mastoid process	W. 16	1		1			1	2	4	2	2	3						
		C. 1								1									
	IV.—Diseases of the circulatory system	White 2,351	22	1	1	1	4	23	59	55	90	158	270	561	677	376	49	3	1
		Colored 629	5	3				3	20	36	60	103	139	108	91	48	10	1	2
87	Pericarditis	W. 12	1					1		1	2	1	1	2	1	2			
		C. 1							1										
88	Endocarditis and myocarditis (acute)	W. 68	7	1			1	2	13	7	7	11	9	3	3	4			
		C. 18	2						2	4	2	4	2	2					
89	Angina pectoris	W. 128									5	11	24	39	30	18			1
		C. 19								1	1	3	2	8	4				
90	Other diseases of the heart	W. 1,903	10		1	1	3	19	44	45	74	128	224	465	560	295	31	3	
		C. 572	3	3				3	16	29	57	95	129	96	84	44	10	1	2
91a	Aneurysm	W. 16							1	1	1	2	2	4	3	1	1		
		C. 4								2		1		1					
91b,c	Other diseases of the arteries	W. 190										5	3	39	75	51	17		
		C. 14											6	1	3	4			
92	Embolism and thrombosis (not cerebral)	W. 22	1						1	1	1		3	6	4	5			
93	Diseases of the veins	W. 8											4	3	1				
		C. 1							1										
94	Diseases of the lymphatic system	W. 1	1																
95	Hemorrhage without specified cause	W. 3	2					1											
	V.—Diseases of the respiratory system	White 1,388	293	97	37	17	12	29	38	58	75	94	131	159	232	101	15		
		Colored 537	190	62	20	9	4	12	24	35	32	47	34	41	24	3			
97a	Diseases of the nasal fossae	W. 1	1																
		C. 3	3																
97b	Diseases of the nasal fossae annexa	W. 11	2	1				1	1	2	2	1			1				
98	Diseases of the larynx	W. 12	1	5	1	3	1		1										
		C. 4	1	2										1					
99a	Acute bronchitis	W. 60	17	4	1	1	1	2			1	1	2	3	13	14			
		C. 36	18	6	1	1		1	1	1	1	2	1	1	1	1			
99b	Chronic bronchitis	W. 45	1	1					1		1	2	1	8	16	14			
		C. 10	1	1						1			2	1	4				
99c,d	Bronchitis (unspecified)	W. 39	14		1							1	3	4	8	7	1		
		C. 13	6				1	1	2			1		2					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
				Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	MARYLAND—Continued.																		
	V.—Diseases of the respiratory system—Continued.																		
100a	Bronchopneumonia	W.	545	187	62	21	6	4	9	11	15	15	17	29	49	77	37	6	
		C.	232	115	33	19	5	2	6	3	6	5	7	7	15	8	1		
100b	Capillary bronchitis	W.	26	18	1	3	2	1							1				
		C.	15	10	4						1								
101a	Lobar pneumonia	W.	536	41	16	6	2	5	15	22	38	48	63	81	80	96	20	3	
		C.	184	27	13		2	1	3	17	25	20	32	17	17	10			
101b	Pneumonia (unspecified)	W.	22	3	1	1				2			3	3	2	5	2		
		C.	13	6	1		1				1	2		1	1				
102	Pleurisy	W.	38	3	5	1	3		2		1	6	4	5	2	5	1		
		C.	10	2								2	4	1	1				
103	Congestion and hemorrhagic infarct of the lung	W.	25	3	1	1						1			5	7	4	4	
		C.	5							1				2		1			
105	Asthma	W.	15								2		1	4	4	2	1	1	
		C.	5									1		2	1		1		
106	Pulmonary emphysema	W.	4										1			2	1		
		C.	1												1				
107	Other diseases of the respiratory system (tuberculosis excepted)	W.	9	2		1						2		3	1				
		C.	6	1	2				1				1	1					
	VI.—Diseases of the digestive system	White	1,452	623	114	29	10	9	31	38	54	59	91	108	116	108	56	6	
		Colored	491	236	49	13	10	3	10	17	25	29	34	20	19	17	6	1	1
108	Diseases of the mouth and annexa	W.	10	3						1		1	2	1	1	1			
		C.	4	1								1	2						
109a	Adenoid vegetations	W.	1		1														
109b	Other diseases of the pharynx, tonsils	W.	43	3	1			3	14	3	3	6	4	3	2	1			
		C.	9	2			1		1			1		1	1	1	1		
110	Diseases of the esophagus	W.	1													1			
111a	Ulcer of the stomach	W.	39							1	5	4	7	10	4	3	5		
		C.	12									5	4	1	1	1			
111b	Ulcer of the duodenum	W.	11								1	2	6		1	1			
		C.	2									1	1						
112	Other diseases of the stomach (cancer excepted)	W.	93	22	3	1	1	1	3	3	3	2	4	8	14	19	8	1	
		C.	45	5	2	1	4	1	3	2		3	7	6	3	5	2		1
113	Diarrhea and enteritis (under 2 years)	W.	679	573	106														
		C.	262	217	45														
114	Diarrhea and enteritis (2 years and over)	W.	115			22	7	4	6	4	3	5	7	3	10	22	19	3	
		C.	48			11	4	2	4	1	5	3	2	6	5	1	2	1	1
116	Diseases due to other intestinal parasites	W.	2		1										1				
		C.	1			1													
117	Appendicitis and typhlitis	W.	105			3		1	4	22	17	16	15	15	7	2	2	1	
		C.	37		1				1	9	11	9	4	1		1			
118a	Hernia	W.	45	1							1	2	7	10	10	11	3		
		C.	20	5							1	1	4	3	4	2			
118b	Intestinal obstruction	W.	84	16	1	2			1	3	10	4	8	14	9	12	4		
		C.	28	6	1		1		1	2	5	3	6		2		1		
119	Other diseases of the intestines	W.	22	2							1	2	3	4	6	1	3		
		C.	4							1	2		1						
120	Acute yellow atrophy of the liver	W.	3								1			1		1			
121	Hydatid tumor of the liver	W.	2								1	1							
122	Cirrhosis of the liver	W.	79						1			3	8	16	22	22	6	1	
		C.	13									1	3	2	2	5			
123	Biliary calculi	W.	40	1							2	5	8	8	13	3			
124	Other diseases of the liver	W.	44			1	1				6	2	4	9	14	3	4		
		C.	1												1				
125	Diseases of the pancreas	W.	8									1	3	2		2			
126	Peritonitis without specified cause	W.	24	2	1		1		2	1		3	5	3	2	2	2		
		C.	5							2	1	1				1			
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	W.	2											1		1			
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	White	1,683	6	1	2	1		7	19	41	76	146	257	407	479	219	20	
		Colored	482	5	2	2	2	1	4	8	24	46	80	92	99	71	34	9	1	2
128	Acute nephritis (including unspecified under 10 years)	W.	88	3	1	2	1		5	5	4	10	16	12	16	9	3	1	
		C.	68	4	1		2	1	3	4	11	8	12	8	7	4	3		
129	Chronic nephritis (including unspecified 10 years and over)	W.	1,443						2	13	26	50	110	227	361	431	202	19	2
		C.	377			1			1	3	9	31	60	81	84	64	31	9	1	2
131	Other diseases of the kidneys and annexa	W.	34	3						1	2	5	7	4	6	5	1		
		C.	7	1	1						1	3				1			
132	Calculi of the urinary passages	W.	12								2	1	2	3	4				
133	Diseases of the bladder	W.	7											1		5	1		
		C.	4										1		3				
134	Diseases of the urethra, etc.	W.	2										1			1			
		C.	1											1					
135	Diseases of the prostate	W.	57											3	17	27	10		
		C.	6											1	4	1			
136	Nonvenereal diseases of the male genital organs	W.	1											1					
		C.	1			1													
137	Cysts, other benign tumors of the ovary	W.	8								1	2	2	2		1			
		C.	1										1						
138	Salpingitis and pelvic abscess (female)	W.	10								3	5		1	1				
		C.	8							1	3	2	2						
139	Benign tumors of the uterus	W.	13								1	1	8	2		1			
		C.	7									2	3		1	1			
141	Other diseases of the female genital organs	W.	8								2	2		1	2	1			
		C.	2										1	1					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	MARYLAND—Continued.																		
	VIII.—The puerperal state. White	178							20	69	70	18							1
	VIII.—The puerperal state. Colored	68							9	26	28	5							
143	Accidents of pregnancy W	18							1	9	5	3							
143	Accidents of pregnancy C	7							1	3	2	1							
144	Puerperal hemorrhage W	21							1	6	13	1							
144	Puerperal hemorrhage C	12							1	2	8	1							
145	Other accidents of labor W	14								5	6	3							
145	Other accidents of labor C	5							1	2	1	1							
146	Puerperal septicemia W	61							8	29	20	3							1
146	Puerperal septicemia C	26							3	12	10	1							
147	Puerperal phlegmasia alba dolens, embolus, etc. W	9								2	4	3							
147	Puerperal phlegmasia alba dolens, embolus, etc. C	1								1									
148	Puerperal albuminuria and convulsions W	55							10	18	22	5							
148	Puerperal albuminuria and convulsions C	17							3	6	7	1							
	IX.—Diseases of the skin and of the cellular tissue White	44	7	1			1		1	2	2	8	2	5	9	5	1		
	IX.—Diseases of the skin and of the cellular tissue Colored	10	2					1		1		2		2	1		1		
151	Gangrene W	15										2		2	6	4	1		
151	Gangrene C	4										1		2			1		
152	Furuncle W	5	1							1		2	1						
153	Acute abscess W	12	1	1			1				2	1	1	2	2	1			
153	Acute abscess C	4	1					1		1					1				
154	Other diseases of the skin and annexa W	12	5						1	1		3		1	1				
154	Other diseases of the skin and annexa C	2	1									1							
	X.—Diseases of the bones and of the organs of locomotion White	19	2				1	1	3		2	2	3	3		2			
	X.—Diseases of the bones and of the organs of locomotion Colored	2		1					1										
155	Diseases of the bones (tuberculosis excepted) W	14	2				1	1	3		2	2	2	1					
155	Diseases of the bones (tuberculosis excepted) C	2		1					1										
156	Diseases of the joints (tuberculosis and rheumatism excepted) W	3												2		1			
158	Other diseases of the organs of locomotion W	2											1			1			
	XI.—Malformations White	246	223	10	4	1	2		4	2									
	XI.—Malformations Colored	64	60	3						1									
159a	Congenital hydrocephalus W	27	16	6	2	1	1		1										
159a	Congenital hydrocephalus C	7	4	3															
159b	Congenital malformations of the heart W	158	149	4	1		1		2	1									
159b	Congenital malformations of the heart C	45	44							1									
159c	Other congenital malformations W	61	58		1				1	1									
159c	Other congenital malformations C	12	12																
	XII.—Early infancy White	909	909																
	XII.—Early infancy Colored	317	317																
160	Congenital debility, icterus, sclerema W	143	143																
160	Congenital debility, icterus, sclerema C	64	64																
161a	Premature birth W	540	540																
161a	Premature birth C	173	173																
161b	Injury at birth W	119	119																
161b	Injury at birth C	33	33																
162	Other diseases peculiar to early infancy W	103	103																
162	Other diseases peculiar to early infancy C	43	43																
163	Lack of care W	4	4																
163	Lack of care C	4	4																
164	XIII.—Old age (senility) White	108												4	30	56	17	1	
164	XIII.—Old age (senility) Colored	32												4	6	13	5	4	
	XIV.—External causes White	1,097	36	29	21	22	15	59	117	174	123	112	108	111	75	73	8		14
	XIV.—External causes Colored	247	16	5	5	6	2	17	38	45	43	29	18	8	6	4			5
	Suicide (total) W	162							6	30	30	29	28	26	8	4			1
	Suicide (total) C	9							2	2	2	1	2						
165	By poisons (corrosives excepted) W	1								1									
165	By poisons (corrosives excepted) C	1							1										
166	By corrosive substances W	24							3	7	7	2	1	4					
167	By poisonous gas W	28								2	6	6	8	4	2				
167	By poisonous gas C	1										1							
168	By hanging or strangulation W	26							1	4	2	6	5	5	2	1			
168	By hanging or strangulation C	1									1								
169	By drowning W	6									1	1		3		1			
169	By drowning C	1									1								
170	By firearms W	67							2	14	13	13	10	9	3	2			1
170	By firearms C	4							1	1			2						
171	By cutting or piercing instruments W	7								2	1	1	3						
172	By jumping from high places W	1												1					
172	By jumping from high places C	1								1									
173	By crushing W	1											1						
174	By other means W	1													1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	Deaths at unknown age.
	MARYLAND—Continued.																			
	XIV.—External causes—Continued.																			
	Homicide (total)	W	63	6						4	22	8	8	6	7	1				
		C	52							3	17	19	7	3	1	1				1
197	By firearms	W	42							2	21	6	6	4	2					1
		C	35							1	14	13	4	1	1	1				
198	By cutting or piercing instruments	W	2						1							1				
		C	6							1	1	2	1	1						
199	By other means	W	19	6						1	1	2	2	2	5					
		C	11							1	2	4	2	1						1
	Accidental or undefined (total)	W	872	30	29	21	22	15	59	107	122	85	75	74	78	66	69	8		12
		C	186	16	5	5	6	2	17	33	26	22	21	13	7	5	4			4
175	Poisoning by food	W	11	1	1		2		3		2	1					1			
		C	8		1		1		2	1	1		2							
176	Poisoning by venomous animals	W	1									1								
177	Other acute poisonings (gas excepted)	W	18	2	3	1	1				2	3	2	2	2					
		C	4	1				1		1	1									
178	Conflagration	W	12		1		1		1	1	1	1	2		1	2				1
		C	2		1									1						
179	Burns (conflagration excepted)	W	74	1	11	13	10	7	4	4	8	4		3	6	2	1			
		C	23	2	3	4	3	1	2	3		1	2		2					
180	Mechanical suffocation	W	13	9					2	1		1								
		C	8	8																
181	Absorption of irrespirable, irritating, or poisonous gas	W	27	1		1		1	1	1	2	3	2	3	6	3	3			
		C	5	1						1				1	1	1				
182	Drowning	W	105	1	6	1			9	33	24	8	11	9	2					1
		C	23				1		3	6	5	4	2		1					1
183	Traumatism by firearms (except in war)	W	21	1				1	2	5	6	1		1	2	2				
		C	15						3	7	3	2								
184	Traumatism by cutting or piercing instruments	W	5	2						1				1		1				
		C	2							1				1						
185	Traumatism by fall	W	157	4	1	1	1		2	10	4	10	8	10	23	30	46	7		
		C	11			1			1	1		1	2	1	1	1	2			
186a	Traumatism in mines	W	10							1	3	3	2		1					
186b	Traumatism in quarries	W	1										1							
187	Traumatism by machines	W	21							1	6	7		3	4					
		C	5								1	1	1	2						
188a	Railroad accidents	W	58							8	15	13	10	5	4	2				1
		C	15						1	1	5	2	3	1						2
188b	Street-car accidents	W	25			1	1		1		2	3	1	8	5	2	1			
		C	1																	1
188c	Automobile accidents	W	160	2	1	3	6	5	30	19	23	15	15	17	12	8	3			1
		C	17				1		3	5	4	2	1			1				
188d	Aeroplane and balloon accidents	W	9								1									8
188e,f	Injuries by other vehicles	W	30						3	4	4	3	5	5	2	2	2			
		C	7							2	1		2	2						
188g	Landslide, other crushing	W	7					1	1	1	1	1	2							
		C	1								1									
189	Injuries by animals (not poisoning)	W	6		1					2	1			1		1				
		C	4							2				2						
193	Excessive cold	W	1													1				
194	Excessive heat	W	21	3									1	1	2	7	7			
		C	13	2						1		1	3	1	1	2	2			
195	Lightning	W	4	1						2		1								
		C	2									1	1							
196	Other accidental electric shocks	W	8							2	4	1	1							
		C	3									2	1							
201	Fracture (cause not specified)	W	8							1	1				1		4	1		
202	Other external violence	W	47	2	4					7	9	5	12	1	4	3				
		C	13	1					1	1	3	5	1		1					
203	Violent deaths of unknown causation	W	12							3	3			4	1	1				
		C	4	1					1		1			1						
	XV.—Ill-defined diseases	White	82	28	1	3	1			2	1	2	2	5	14	10	9	2		2
		Colored	89	57	7					3	1	2	3	4	5	3	3			1
204	Sudden death	W	8	2			1					1		1	1	1	1			
		C	5	2											2	1				
205a	Ill-defined	W	31	3	1	2					1		1	3	8	7	4	1		
		C	20	7	4					2			2	3	1		1			
205b	Not specified or unknown	W	43	23		1				2		1	1	1	5	2	4	1		2
		C	64	48	3					1	1	2	1	1	2	2	2			1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	MASSACHUSETTS.																	
	All causes	47,787	7,006	1,179	531	395	319	1,085	1,514	2,518	3,123	4,197	5,880	7,693	7,522	4,141	659	20	5
	I.—Epidemic, endemic, and infectious diseases	6,002	514	378	199	166	154	425	502	983	979	770	522	330	132	40	8	....	.....
1	Typhoid and paratyphoid fever	122	.....	.....	.....	1	1	4	23	19	31	21	11	10	1	.....	.....	....	.....
2	Typhus fever	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	....	.....
3	Relapsing fever (spirillum obermeieri)	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	....	.....
7	Measles	183	55	73	15	8	9	17	4	.....	.....	1	.....	1	.....	.....	.....	....	.....
8	Scarlet fever	187	10	15	24	19	16	67	22	6	2	3	2	.....	1	.....	.....	....	.....
9	Whooping cough	204	107	67	16	6	2	5	.....	.....	.....	.....	1	.....	.....	.....	.....	....	.....
10	Diphtheria	615	33	60	70	93	72	222	44	5	8	5	3	.....	.....	.....	.....	....	.....
11a	Influenza (with pulmonary complications)	126	19	8	2	.....	3	3	6	6	12	12	14	17	14	10	.....	....	.....
11b	Influenza (other and unspecified)	67	11	1	2	1	.....	1	5	3	7	7	5	5	7	8	4	....	.....
13	Mumps	5	1	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	1	.....	.....	....	.....
15	Cholera nostras	6	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	.....	....	.....
16	Dysentery	33	8	2	.....	1	1	1	.....	2	.....	1	5	4	5	2	1	....	.....
20	Leprosy	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	....	.....
21	Erysipelas	130	53	1	1	.....	.....	2	2	7	9	6	14	14	15	5	1	....	.....
22	Acute anterior poliomyelitis	48	2	6	5	1	2	10	12	7	3	.....	.....	.....	.....	.....	.....	....	.....
23	Lethargic encephalitis	71	2	2	7	3	4	6	5	10	13	8	6	4	1	.....	.....	....	.....
24	Meningococcus meningitis	63	11	11	1	.....	6	10	12	4	3	3	1	1	.....	.....	.....	....	.....
25	Other epidemic and endemic diseases	10	7	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....
28	Rabies	3	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	....	.....
29	Tetanus	37	7	1	1	1	2	6	6	3	.....	3	5	2	.....	.....	.....	....	.....
30	Mycoses	3	1	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	....	.....
	Tuberculosis (total)	3,870	122	124	50	31	33	67	352	897	766	658	426	253	77	12	2	....	.....
31	Of the respiratory system	3,219	31	32	5	6	4	12	285	814	707	621	386	234	70	10	2	....	.....
32	Of the meninges, central nervous system	314	69	70	36	17	22	36	23	20	11	3	7	.....	.....	.....	.....	....	.....
33	Of the intestines, peritoneum	123	11	13	4	4	2	8	14	23	15	7	10	9	3	.....	.....	....	.....
34	Of the vertebral column	44	.....	1	2	4	1	3	8	5	7	3	8	2	.....	.....	.....	....	.....
35	Of the joints	16	1	.....	.....	.....	.....	.....	4	4	.....	1	2	3	1	.....	.....	....	.....
36	Of other organs	46	1	.....	1	.....	.....	2	6	7	7	8	7	3	2	2	.....	....	.....
37a	Disseminated (acute)	92	5	7	1	.....	4	5	10	24	16	13	5	1	1	.....	.....	....	.....
37b	Disseminated (chronic or unspecified)	16	4	1	1	.....	.....	1	2	.....	3	2	1	1	.....	.....	.....	....	.....
38	Syphilis	172	55	4	1	1	1	1	1	7	22	34	26	12	6	1	.....	....	.....
40	Gonococcus infection	11	4	.....	.....	.....	.....	.....	2	2	1	2	.....	.....	.....	.....	.....	....	.....
41	Purulent infection, septicemia	33	4	2	2	.....	.....	.....	3	3	2	6	2	5	3	1	.....	....	.....
	II.—General diseases not included in Class I	6,444	157	26	19	20	10	46	99	144	346	810	1,510	1,720	1,148	363	26	....	.....
	Cancer and other malignant tumors (total)	4,636	5	5	4	5	2	6	16	60	211	599	1,160	1,300	926	315	22	....	.....
43	Of the buccal cavity	144	.....	.....	.....	1	.....	.....	1	1	.....	11	36	52	28	13	1	....	.....
44	Of the stomach, liver	1,476	2	1	1	.....	1	.....	1	9	46	159	375	448	313	114	6	....	.....
45	Of the peritoneum, intestines, rectum	897	1	.....	.....	1	.....	1	4	14	33	113	198	250	218	58	6	....	.....
46	Of the female genital organs	625	.....	.....	.....	.....	.....	.....	.....	6	61	132	151	162	88	25	.....	....	.....
47	Of the breast	485	.....	.....	.....	.....	.....	.....	.....	1	26	78	153	120	68	35	4	....	.....
48	Of the skin	90	.....	.....	.....	.....	.....	.....	.....	3	4	4	13	15	28	19	4	....	.....
49	Of other or unspecified organs	919	2	4	3	3	1	5	10	26	41	102	234	253	183	51	1	....	.....
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	41	3	2	1	.....	1	1	1	1	3	5	8	4	9	1	1	....	.....
51	Acute rheumatic fever	82	.....	.....	3	2	1	14	14	7	9	8	12	5	6	1	.....	....	.....
52	Chronic rheumatism, osteoarthritis, gout	55	.....	.....	.....	.....	.....	.....	.....	2	4	6	8	15	13	7	.....	....	.....
53	Scurvy	4	2	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	....	.....
54	Pellagra	13	.....	.....	.....	.....	.....	.....	.....	.....	2	5	5	1	.....	.....	.....	....	.....
56	Rickets	14	7	2	.....	3	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	....	.....
57	Diabetes mellitus	792	2	2	2	2	2	14	37	32	36	75	175	252	129	32	.....	....	.....
58	Anemia, chlorosis	278	7	.....	2	.....	1	1	3	7	15	32	64	92	49	4	1	....	.....
59	Diseases of the pituitary gland	6	.....	.....	.....	.....	.....	.....	2	.....	.....	2	1	1	.....	.....	.....	....	.....
60a	Exophthalmic goiter	35	.....	.....	.....	.....	.....	.....	1	2	8	6	6	6	.....	.....	.....	....	.....
60b	Other diseases of the thyroid gland	31	.....	.....	.....	1	.....	1	2	2	3	8	3	10	1	.....	.....	....	.....
61	Diseases of the parathyroid glands	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....
62	Diseases of the thymus gland	57	42	6	1	1	.....	5	2	.....	.....	.....	.....	.....	.....	.....	.....	....	.....
63	Diseases of the adrenals (Addison's disease)	16	.....	.....	.....	.....	.....	.....	2	2	2	4	1	2	1	2	.....	....	.....
64	Diseases of the spleen	16	2	.....	1	.....	.....	2	1	2	.....	3	2	1	2	.....	.....	....	.....
65a	Leukemia	53	2	2	1	1	1	.....	9	6	3	2	14	5	1	.....	1	....	.....
65b	Hodgkin's disease	51	.....	.....	.....	1	.....	1	3	8	11	4	13	4	5	1	.....	....	.....
66	Alcoholism (acute or chronic)	126	.....	.....	.....	.....	.....	.....	.....	8	31	36	33	18	.....	.....	.....	....	.....
67a	Chronic lead poisoning	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	6	.....	.....	.....	.....	.....	....	.....
67b	Other chronic mineral poisoning	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	....	.....
68	Chronic poisoning by organic substances	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	....	.....
69	Other general diseases	127	83	7	4	4	1	1	5	4	2	7	5	3	.....	.....	1	....	.....
	III.—Diseases of the nervous system and of the organs of special sense	5,598	158	58	18	23	11	59	90	106	211	445	768	1,303	1,498	750	99	1	.....
70	Encephalitis	38	5	4	.....	1	1	2	2	5	3	7	4	2	1	1	.....	....	.....
71a	Simple meningitis	103	35	11	6	3	3	14	12	5	6	4	2	1	1	.....	.....	....	.....
71b	Nonepidemic cerebrospinal meningitis	49	13	8	1	4	1	6	7	4	5	.....	.....	.....	.....	.....	.....	....	.....
72	Tabes dorsalis (locomotor ataxia)	85	.....	.....	.....	.....	.....	.....	.....	1	4	16	20	30	12	2	.....	....	.....
73	Other diseases of the spinal cord	231	3	1	.....	1	.....	3	4	10	14	21	40	71	53	9	1	....	.....
74a	Cerebral hemorrhage	3,985	5	2	1	1	.....	2	6	16	53	232	545	1,057	1,306	672	86	1	.....
74b	Cerebral embolism and thrombosis	161	.....	.....	.....	.....	1	.....	.....	2	3	15	22	40	47	26	5	....	.....
75	Paralysis without specified cause	101	1	1	.....	.....	.....	.....	.....	.....	1	2	8	28	36	19	5	....	.....
76	General paralysis of the insane	261	.....	.....	.....	.....	.....	.....	2	8	54	77	75	28	9	8	.....	....	.....
77	Other forms of mental alienation	27	.....	.....	.....	.....	.....	.....	.....	4	4	5	3	8	1	2	.....	....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	MASSACHUSETTS—Continued.																		
	III.—Diseases of the nervous system and of the organs of special sense—Continued.																		
78	Epilepsy	110	3	2		1	1	9	14	13	22	22	8	9	5	1			
79	Convulsions (nonpuerperal; 5 years and over)	3						1	1	1									
80	Infantile convulsions (under 5 years)	73	55	11	3	4													
81	Chorea	4		1					2		1								
82	Neuralgia and neuritis	12										2	4	2	1	2	1		
83	Softening of the brain	14									2		1	4	4	2	1		
84	Other diseases of the nervous system	180	6	2	4	2	1	9	18	18	20	36	26	17	17	4			
85	Diseases of the eye and annexa	4			1					2			1						
86a	Diseases of the ear	112	26	13	2	4	1	10	13	12	12	1	8	5	3	2			
86b	Diseases of the mastoid process	45	6	2		2	2	3	9	5	7	5	1	1	2				
	IV.—Diseases of the circulatory system.	10,024	48	15	9	7	3	69	210	209	332	649	1,267	2,301	2,775	1,819	304	7	
87	Pericarditis	32	1					2	4		3	7	5	6	3	1			
88	Endocarditis and myocarditis (acute)	252	25	6	4	2	2	15	33	32	38	38	18	14	16	8	1		
89	Angina pectoris	450								1	9	26	74	139	146	48	7		
90	Other diseases of the heart	7,384	12	5	5	5	1	51	173	169	269	531	1,033	1,803	1,980	1,180	165	2	
91a	Aneurysm	60		1						1	2	14	17	12	8	5			
91b,c	Other diseases of the arteries	1,729								1	5	24	95	309	598	563	129	5	
92	Embolism and thrombosis (not cerebral)	69	3	1				1		2	3	9	10	10	16	12	2		
93	Diseases of the veins	34	1							3	1		15	7	6	1			
94	Diseases of the lymphatic system	10	4	2							1			1	1	1			
95	Hemorrhage without specified cause	4	2								1				1				
96	Other diseases of the circulatory system																		
	V.—Diseases of the respiratory system.	4,769	1,037	360	128	62	41	103	88	180	241	345	474	540	640	435	88	7	
97a	Diseases of the nasal fossae	2	1					1											
97b	Diseases of the nasal fossae annexa	17	2						2	2	4	1	4	2					
98	Diseases of the larynx	18	2	5	3	1	1	2	1	1	1				1				
99a	Acute bronchitis	214	100	11	2		1	1	2		3	3	6	10	38	27	8	2	
99b	Chronic bronchitis	136	6					1			2	3	10	17	41	52	4		
99c,d	Bronchitis (unspecified)	112	30	6	5	3	2	1	1		1	3	5	8	17	24	6		
100a	Bronchopneumonia	2,115	709	248	83	43	25	41	25	45	49	62	116	161	257	204	46	1	
100b	Capillary bronchitis	62	38	11	1			1	1		1		1	1	1	6			
101a	Lobar pneumonia	1,793	125	68	27	11	10	44	40	111	156	238	288	298	248	107	18	4	
101b	Pneumonia (unspecified)	61	6	1	3	1			3	3	8	7	5	5	9	8	2		
102	Pleurisy	115	9	9	3	3	2	8	6	11	6	11	15	18	10	4			
103	Congestion and hemorrhagic infarct of the lung	31	5					1	1	2		2	4	3	8	2	3		
104	Gangrene of the lung	12							1	2	1	3	3	2					
105	Asthma	39			1			1	1	1	3	5	10	8	7	1	1		
106	Pulmonary emphysema	8	1	1									2	3	1				
107	Other diseases of the respiratory system (tuberculosis excepted)	34	3					1	4	2	6	7	5	4	2				
	VI.—Diseases of the digestive system.	3,857	1,416	216	64	44	34	96	144	158	243	346	389	332	255	108	11	1	
108	Diseases of the mouth and annexa	22	4	1			2	1	3	2		4	1	1	2	1			
109a	Adenoid vegetations	2	1	1															
109b	Other diseases of the pharynx, tonsils	144	8	5	10	8	11	24	17	12	20	11	6	4	7	1			
110	Diseases of the esophagus	6									1	3		1	1				
111a	Ulcer of the stomach	131							4	11	19	29	28	28	9	3			
111b	Ulcer of the duodenum	58								2	10	20	16	6	3	1			
112	Other diseases of the stomach (cancer excepted)	124	48	4	3	2	1	1	1	4	2	8	8	12	15	14	1		
113	Diarrhea and enteritis (under 2 years)	1,468	1,288	180															
114	Diarrhea and enteritis (2 years and over)	229			36	22	7	13	3	3	14	18	27	22	36	24	3	1	
116	Diseases due to other intestinal parasites	3									2		1						
117	Appendicitis and typhlitis	517	1	2	6	7	11	47	92	77	76	85	60	39	14				
118a	Hernia	179	6	2	1	1	1		1	5	11	24	39	44	25	17	2		
118b	Intestinal obstruction	235	39	15	4	3	1	3	12	11	24	27	22	25	33	15	1		
119	Other diseases of the intestines	46	5	1	2				2	5	3	6	6	6	7	1	2		
120	Acute yellow atrophy of the liver	17							1	1	3	3	3	1	4	1			
122	Cirrhosis of the liver	210	1		1			1	2	4	12	32	58	45	44	10			
123	Biliary calculi	195								2	17	31	59	44	31	11			
124	Other diseases of the liver	161	4	2				1	2	9	12	25	41	36	20	7	2		
125	Diseases of the pancreas	37	1						1	2	4	9	8	11	1				
126	Peritonitis without specified cause	67	10	3		1		5	3	8	11	9	5	7	3	2			
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	6			1							2	2	1					
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	3,393	30	11	9	4	4	25	52	118	239	408	538	803	752	353	47		
128	Acute nephritis (including unspecified under 10 years)	164	16	5	7	4	1	10	16	12	22	25	14	18	8	5	1		
129	Chronic nephritis (including unspecified 10 years and over)	2,646	3	2	2		3	13	32	69	142	275	450	691	629	297	38		
131	Other diseases of the kidneys and annexa	91	9	4				2	3	6	11	10	10	14	11	9	2		
132	Calculi of the urinary passages	27								1	3	4	7	7	5				
133	Diseases of the bladder	38									1	5	5	5	11	6	5		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	MASSACHUSETTS—Continued.																	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																	
134	Diseases of the urethra, etc.	13									1	3	2	4	2	1		
135	Diseases of the prostate	177									1	1	16	51	75	32	1	
136	Nonvenereal diseases of the male genital organs	2	1													1		
137	Cysts, other benign tumors of the ovary	27									8	10	3	2	3	1		
138	Salpingitis and pelvic abscess (female)	67								21	23	16	5	1	1			
139	Benign tumors of the uterus	103								3	21	51	17	6	5			
140	Nonpuerperal uterine hemorrhage	6							1		3	1	1					
141	Other diseases of the female genital organs	31								6	3	7	8	4	2	1		
142	Nonpuerperal diseases of the breast (cancer excepted)	1	1															
	VIII.—The puerperal state	601							28	251	276	46						
143	Accidents of pregnancy	40								12	22	6						
144	Puerperal hemorrhage	73							1	21	45	6						
145	Other accidents of labor	105							3	30	57	15						
146	Puerperal septicemia	200							13	99	84	4						
147	Puerperal phlegmasia alba dolens, embolus, etc	44							1	21	19	3						
148	Puerperal albuminuria and convulsions	134							10	65	47	12						
149	Following childbirth (undefined)	5								3	2							
	IX.—Diseases of the skin and of the cellular tissue	139	43	5		1		5	7	12	1	8	10	13	14	18	2	
151	Gangrene	30	2									1	2	4	10	10	1	
152	Furuncle	33	4	2				2	4	7	1	5	2	4	1	1		
153	Acute abscess	32	13	1		1		2	2	2		2	4	2	2	1		
154	Other diseases of the skin and annexa	44	24	2				1	1	3			2	3	1	6	1	
	X.—Diseases of the bones and of the organs of locomotion	72	3	4	3	3	1	8	11	3	5	4	10	7	7	3		
155	Diseases of the bones (tuberculosis excepted)	49	3	4	3	3	1	6	8	2	2	2	4	5	5	1		
156	Diseases of the joints (tuberculosis and rheumatism excepted)	20						2	3	1	2	1	6	1	2	2		
158	Other diseases of the organs of locomotion	3									1	1		1				
	XI.—Malformations	780	709	27	13	8	3	9	5	5	1							
159a	Congenital hydrocephalus	69	47	10	6	2	2	1		1								
159b	Congenital malformations of the heart	476	442	11	3	4	1	7	5	3								
159c	Other congenital malformations	235	220	6	4	2		1		1	1							
	XII.—Early infancy	2,782	2,782															
160	Congenital debility, icterus, sclerema	267	267															
161a	Premature birth	1,636	1,636															
161b	Injury at birth	560	560															
162	Other diseases peculiar to early infancy	313	313															
163	Lack of care	6	6															
164	XIII.—Old age (senility)	149											1	4	32	71	39	2
	XIV.—External causes	3,014	58	69	68	54	58	239	277	345	338	358	369	318	252	174	30	2	5
	Suicide (total)	470							13	51	85	101	111	73	32	4		
165	By poisons (corrosives excepted)	7								1	1	3	1		1			
166	By corrosive substances	31							3	10	6	3	7	2				
167	By poisonous gas	118							1	9	23	23	27	23	11	1		
168	By hanging or strangulation	86							5	5	9	18	27	13	8	1		
169	By drowning	49								2	10	10	13	10	3	1		
170	By firearms	130							4	21	26	29	23	17	9	1		
171	By cutting or piercing instruments	30									5	9	11	5				
172	By jumping from high places	8								1	1	2	1	3				
173	By crushing	6								1	2	2	1					
174	By other means	5								1	2	2						
	Homicide (total)	110	8	1		1		1	6	27	35	16	10	4	1			
197	By firearms	70	1						3	21	25	11	7	2				
198	By cutting or piercing instruments	15		1		1		1	2	1	5	3	1					
199	By other means	25	7						1	5	5	2	2	2	1			
	Accidental or undefined (total)	2,434	50	68	68	53	58	238	258	267	218	241	248	241	219	170	30	2	5
175	Poisoning by food	15		3				3		2		3		2		2			
176	Poisoning by venomous animals	1							1										
177	Other acute poisonings (gas excepted)	64		9	3		2	3	4	9	11	9	11	2	1				
178	Conflagration	39	1	3	2			2	2	5	6	5	3	5	3	2			
179	Burns (conflagration excepted)	206	5	26	34	28	21	27	8	6	8	11	7	12	11	1	1		
180	Mechanical suffocation	36	26							5	1	2	2						
181	Absorption of irrespirable, irritating, or poisonous gas	131					1		3	11	9	18	33	26	19	11			
182	Drowning	298		4	8	2	4	63	96	48	25	19	11	13	1				4
183	Traumatism by firearms (except in war)	28		1				4	12	5	1	4	1						

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	MASSACHUSETTS—Continued.																		
	XIV.—External causes—Continued.																		
	Accidental or undefined—Continued.																		
184	Traumatism by cutting or piercing instruments	23	2	1		1		1	4	3		3	4	2	2				
185	Traumatism by fall	551	3	13	7	4	4	2	13	19	34	37	52	73	127	133	28	2	
186a	Traumatism in mines	1									1								
186b	Traumatism in quarries	6										2	3		1				
187	Traumatism by machines	52						3	4	9	11	5	12	6	2				
188a	Railroad accidents	112		1			1	4	10	24	24	18	11	8	6	4			1
188b	Street-car accidents	54		3	2	2	1	4	1	6	6	3	9	11	5	1			
188c	Automobile accidents	523	1	1	8	14	22	104	69	66	43	60	49	52	28	6			
188d	Aeroplane and balloon accidents	4								3	1								
188e, f	Injuries by other vehicles	72			1	1	1	9	14	11	9	6	11	7	2				
188g	Landslide, other crushing	8							1		2	3		1	1				
189	Injuries by animals (not poisoning)	9								2		3	2	2					
193	Excessive cold	7										1	2	3	1				
194	Excessive heat	26	5	1						2		2	5	2	2	6	1		
195	Lightning	8							2	3		1	1	1					
196	Other accidental electric shocks	38						4	6	19	8	1							
201	Fracture (cause not specified)	10									2	3		2		1	2		
202	Other external violence	90	5	2	3	1	1	5	6	8	12	18	11	10	6	2			
203	Violent deaths of unknown causation	22	2						2	1	4	4	6	3					
	XV.—Ill-defined diseases	163	51	10	1	3		1	1	4	11	8	22	22	17	7	5		
204	Sudden death	30	7	1	1			1			2	5	4	4	3		2		
205a	Ill-defined	118	38	9		1				3	9	3	16	16	13	7	3		
205b	Not specified or unknown	15	6			2			1	1			2	2	1				
	MICHIGAN.																		
	All causes	44,132	7,571	1,124	591	454	363	1,316	1,879	2,751	3,056	3,300	4,287	6,123	6,793	3,908	528	26	62
	I.—Epidemic, endemic, and infectious diseases	5,944	572	303	223	188	168	616	659	1,011	748	544	405	267	152	76	9		3
1	Typhoid and paratyphoid fever	292	3	2	3	3	4	20	63	73	50	24	28	13	5	1			
5	Malaria	7						1	1	1		1	1	1		1			
6	Smallpox	12	2					1	1	2	2	1	1		1	1			
7	Measles	68	25	26	7	1		3	1	4	1								
8	Scarlet fever	344	17	31	49	38	36	98	48	16	10	1							
9	Whooping cough	323	201	75	24	11	6	5											1
10	Diphtheria	949	60	80	97	97	90	341	122	15	14	18	9	5	1				
11a	Influenza (with pulmonary complications)	121	22	4	1		2	4	4	12	14	15	7	13	19	3	1		
11b	Influenza (other and unspecified)	125	9	3	4	1	1	10	6	9	11	13	5	7	20	24	2		
13	Mumps	13	3	1		2		2	2	1	1					1			
15	Cholera nostras	11	2			2		1				1	1	1	2	1			
16	Dysentery	112	27	13	5	1	1	3	1	3	2	1	1	12	23	15	3		1
21	Erysipelas	137	39	1		2		1	5	7	7	8	14	25	17	10	1		
22	Acute anterior poliomyelitis	115	3	12	6	6	8	30	31	12	5	2							
23	Lethargic encephalitis	113	1	1	2	1	2	8	13	16	21	21	17	7	2	1			
24	Meningococcus meningitis	70	18	7	3	3	4	11	14	4	4	1	1						
25	Other epidemic and endemic diseases	10	5	4								1							
27	Anthrax	1											1						
29	Tetanus	23	2	1	1		1	3	6	2	4	1		1	1				
30	Mycoses	3	1						1			1							
	Tuberculosis (total)	2,755	63	35	17	19	11	63	330	794	540	398	269	154	47	14			1
31	Of the respiratory system	2,311	20	7	3	6	3	22	275	710	486	359	227	136	45	11			1
32	Of the meninges, central nervous system	170	29	20	10	9	7	29	21	22	10	8	4	1					
33	Of the intestines, peritoneum	98	6	2	1	1	1	1	9	26	17	13	12	8	1				
34	Of the vertebral column	41		2	3	1		4	3	5	10	3	5	5					
35	Of the joints	18	1	1					6	3	1	2	3		1				
36	Of other organs	55	4	1		1		1	6	8	11	6	11	3		3			
37a	Disseminated (acute)	53	2	2		1		6	10	19	4	3	5	1					
37b	Disseminated (chronic or unspecified)	9	1							1	1	4	2						
38	Syphilis	228	56	5		1		6	2	23	41	28	39	19	6	1	1		
40	Gonococcus infection	22	1							8	9	2	2						
41	Purulent infection, septicemia	90	12	2	4		2	5	8	9	12	6	9	9	8	3	1		
	II.—General diseases not included in Class I	5,178	142	29	11	14	15	59	113	154	311	607	1,000	1,314	1,045	325	32		7
	Cancer and other malignant tumors (total)	3,336		2	3		5	11	17	42	153	398	693	944	782	259	24		3
43	Of the buccal cavity	118						2	1	1	1	5	24	32	34	15	3		
44	Of the stomach, liver	1,349					1		4	6	36	112	266	450	363	106	3		2
45	Of the peritoneum, intestines, rectum	416					1	2	1	4	22	48	88	121	100	27	2		
46	Of the female genital organs	452							2	13	59	91	124	87	57	18	1		
47	Of the breast	316							1	3	12	67	85	64	50	28	5		1
48	Of the skin	106								1	1	5	10	26	37	20	6		
49	Of other or unspecified organs	579		2	3		3	7	8	14	22	70	96	164	141	45	4		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	MICHIGAN—Continued.																		
	II.—General diseases not included in Class I—Continued.																		
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	36	1	1	2	1	.....	1	1	3	2	6	2	4	11	1	.....	.....	.....
51	Acute rheumatic fever	141	.....	2	3	4	4	13	22	19	10	13	12	16	13	8	2	.....	.....
52	Chronic rheumatism, osteoarthritis, gout	62	.....	.....	.....	.....	.....	.....	.....	2	5	4	7	13	22	7	2	.....	.....
53	Scurvy	4	2	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
54	Pellagra	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
56	Rickets	25	15	9	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
57	Diabetes mellitus	627	2	1	1	1	3	19	43	41	36	57	117	167	109	25	4	.....	1
58	Anemia, chlorosis	448	16	1	.....	2	.....	3	10	12	31	58	93	128	79	15	.....	.....	.....
59	Diseases of the pituitary gland	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
60a	Exophthalmic goiter	81	.....	.....	.....	.....	.....	.....	3	10	20	13	14	12	7	2	.....	.....	.....
60b	Other diseases of the thyroid gland	57	1	.....	.....	.....	.....	.....	3	2	12	9	22	5	2	1	.....	.....	.....
61	Diseases of the parathyroid glands	7	6	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
62	Diseases of the thymus gland	30	22	3	.....	2	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
63	Diseases of the adrenals (Addison's disease)	11	.....	.....	.....	.....	.....	.....	.....	1	.....	3	4	3	.....	.....	.....	.....	.....
64	Diseases of the spleen	14	1	.....	.....	.....	.....	.....	1	1	2	2	1	1	4	1	.....	.....	.....
65a	Leukemia	50	2	.....	1	2	2	5	5	7	6	5	7	4	4	.....	.....	.....	.....
65b	Hodgkin's disease	24	1	1	.....	.....	.....	1	.....	3	6	2	6	4	.....	.....	.....	.....	.....
66	Alcoholism (acute or chronic)	85	.....	.....	.....	.....	.....	.....	.....	7	18	27	18	8	4	.....	.....	.....	3
67a	Chronic lead poisoning	6	.....	.....	.....	.....	.....	.....	.....	.....	3	1	1	1	.....	.....	.....	.....	.....
68	Chronic poisoning by organic substances	13	.....	.....	.....	.....	.....	.....	.....	1	2	3	1	1	4	1	.....	.....	.....
69	Other general diseases	118	73	7	1	1	1	5	5	2	5	5	2	3	3	5	.....	.....	.....
	III.—Diseases of the nervous system and of the organs of special sense	5,222	204	72	26	20	10	56	90	121	220	350	676	1,138	1,370	769	82	3	15
70	Encephalitis	51	5	3	.....	1	.....	6	5	8	6	5	5	5	1	.....	.....	.....	1
71a	Simple meningitis	124	37	14	7	5	2	10	12	11	11	9	3	1	1	1	.....	.....	.....
71b	Nonepidemic cerebrospinal meningitis	62	12	12	6	5	.....	9	10	2	1	2	1	1	1	.....	.....	.....	.....
72	Tabes dorsalis (locomotor ataxia)	84	.....	.....	.....	.....	.....	.....	.....	.....	4	10	31	28	8	2	.....	.....	1
73	Other diseases of the spinal cord	199	2	.....	1	1	.....	2	4	7	8	15	33	56	51	13	6	.....	.....
74a	Cerebral hemorrhage	3,356	3	2	1	1	1	.....	3	21	67	146	449	862	1,094	632	62	2	10
74b	Cerebral embolism and thrombosis	76	.....	.....	.....	.....	.....	.....	1	.....	6	6	11	19	16	16	1	.....	.....
75	Paralysis without specified cause	324	2	.....	1	1	.....	1	1	2	3	11	36	72	121	64	7	1	1
76	General paralysis of the insane	259	.....	.....	.....	.....	.....	.....	1	5	65	76	44	28	28	11	1	.....	.....
77	Other forms of mental alienation	49	.....	.....	.....	.....	.....	.....	.....	8	5	8	8	15	2	1	1	.....	1
78	Epilepsy	135	2	1	.....	1	.....	4	23	26	16	21	16	13	10	2	.....	.....	.....
79	Convulsions (nonpuerperal; 5 years and over)	6	.....	.....	.....	.....	.....	1	2	.....	2	.....	1	.....	.....	.....	.....	.....	.....
80	Infantile convulsions (under 5 years)	142	106	24	7	2	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
81	Chorea	9	1	.....	.....	.....	1	.....	4	.....	1	.....	1	.....	1	.....	.....	.....	.....
82	Neuralgia and neuritis	26	.....	.....	.....	.....	.....	.....	1	.....	.....	2	2	7	6	7	1	.....	.....
83	Softening of the brain	37	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	8	15	9	2	.....	.....
84	Other diseases of the nervous system	126	7	2	1	1	1	8	7	12	14	21	19	13	10	8	1	.....	1
85	Diseases of the eye and annexa	8	1	1	.....	.....	.....	.....	1	1	.....	.....	.....	1	2	1	.....	.....	.....
86a	Diseases of the ear	94	17	11	.....	2	1	8	11	12	10	6	6	6	2	2	.....	.....	.....
86b	Diseases of the mastoid process	55	9	2	2	.....	1	7	4	6	1	10	9	3	1	.....	.....	.....	.....
	IV.—Diseases of the circulatory system	7,407	49	11	13	9	9	88	162	159	325	482	809	1,595	2,175	1,327	177	3	14
87	Pericarditis	49	2	1	1	.....	.....	3	4	6	5	4	6	5	6	6	.....	.....	.....
88	Endocarditis and myocarditis (acute)	242	8	4	5	2	4	29	22	32	51	25	17	23	11	3	1	.....	.....
89	Angina pectoris	354	.....	.....	.....	.....	.....	1	.....	1	14	31	53	115	101	34	4	.....	.....
90	Other diseases of the heart	5,614	34	6	7	7	5	53	129	114	231	401	671	1,279	1,610	947	105	2	13
91a	Aneurysm	50	.....	.....	.....	.....	.....	.....	1	1	6	6	9	12	14	1	.....	.....	.....
91b, c	Other diseases of the arteries	995	.....	.....	.....	.....	.....	.....	.....	.....	4	5	38	139	416	324	67	1	1
92	Embolism and thrombosis (not cerebral)	53	1	.....	.....	.....	.....	1	3	3	8	5	9	6	14	3	.....	.....	.....
93	Diseases of the veins	30	1	.....	.....	.....	.....	.....	1	.....	3	4	4	12	2	3	.....	.....	.....
94	Diseases of the lymphatic system	6	1	.....	.....	.....	.....	1	.....	.....	1	.....	1	2	.....	.....	.....	.....	.....
95	Hemorrhage without specified cause	12	2	.....	.....	.....	.....	.....	2	2	2	1	.....	1	1	1	.....	.....	.....
96	Other diseases of the circulatory system	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
	V.—Diseases of the respiratory system	3,716	927	250	113	61	38	99	118	155	253	221	271	375	467	318	47	3	.....
97a	Diseases of the nasal fossae	9	3	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	3	.....	.....	.....
97b	Diseases of the nasal fossae annexa	23	.....	.....	1	.....	.....	.....	4	3	4	4	4	2	1	.....	.....	.....	.....
98	Diseases of the larynx	52	12	2	7	5	2	8	5	1	1	3	2	3	.....	1	.....	.....	.....
99a	Acute bronchitis	246	108	19	8	7	3	6	4	1	1	3	6	9	29	33	9	.....	.....
99b	Chronic bronchitis	151	2	4	.....	.....	.....	.....	1	2	4	4	6	27	57	42	2	.....	.....
99c, d	Bronchitis (unspecified)	128	53	10	2	2	.....	1	2	1	2	3	1	4	15	25	7	.....	.....
100a	Bronchopneumonia	1,229	510	147	52	24	23	33	18	18	46	50	44	71	108	76	9	.....	.....
100b	Capillary bronchitis	69	40	8	6	.....	.....	1	.....	.....	1	.....	2	1	5	5	.....	.....	.....
101a	Lobar pneumonia	1,272	138	44	26	14	8	39	65	97	150	114	141	180	168	74	12	2	.....
101b	Pneumonia (unspecified)	203	38	9	3	4	1	4	9	15	13	15	24	26	24	14	4	.....	.....
102	Pleurisy	113	12	3	7	2	1	3	6	11	16	9	11	17	9	6	.....	.....	.....
103	Congestion and hemorrhagic infarct of the lung	90	9	2	.....	1	.....	1	1	.....	3	8	8	13	18	22	4	.....	.....
104	Gangrene of the lung	5	.....	.....	.....	.....	.....	.....	2	.....	.....	1	1	.....	1	.....	.....	.....	.....
105	Asthma	90	1	1	1	1	.....	1	1	.....	6	4	18	17	25	13	.....	1	.....
106	Pulmonary emphysema	5	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	2	1	.....	.....	.....
107	Other diseases of the respiratory system (tuberculosis excepted)	31	1	1	.....	1	.....	2	.....	4	6	3	2	4	4	3	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	MICHIGAN—Continued.																		
	VI.—Diseases of the digestive system	4,758	1,550	357	120	86	61	174	214	224	280	298	357	426	384	192	27	2	6
108	Diseases of the mouth and annexa	25	5				2		1	1	4	4	3	2	3				
109a	Adenoid vegetations	1	1																
109b	Other diseases of the pharynx, tonsils	209	13	13	7	11	11	43	39	24	14	6	7	10	6	5			
110	Diseases of the esophagus	6												4		2			
111a	Ulcer of the stomach	166							4	10	18	23	39	36	28	7			1
111b	Ulcer of the duodenum	59	2						1	3	12	8	15	12	4	2			
112	Other diseases of the stomach (cancer excepted)	365	131	24	8	4	2	3	1	6	22	16	19	33	50	38	6	1	1
113	Diarrhea and enteritis (under 2 years)	1,594	1,294	300															
114	Diarrhea and enteritis (2 years and over)	438			96	55	28	40	11	10	11	11	14	31	67	52	9	1	2
116	Diseases due to other intestinal parasites	2	1				1												
117	Appendicitis and typhlitis	619	4	1	2	9	10	69	122	111	101	78	59	40	10	3			
118a	Hernia	143	13						5	1	7	18	18	34	30	15	2		
118b	Intestinal obstruction	307	57	12	3	5	4	8	13	18	29	25	27	39	43	21	3		
119	Other diseases of the intestines	63	14	2				1	2	8	4	7	3	8	7	6	1		
120	Acute yellow atrophy of the liver	22								2	3	3	6	3	3	2			
121	Hydatid tumor of the liver	1														1			
122	Cirrhosis of the liver	289	1						2	3	11	38	68	93	54	17	2		
123	Biliary calculi	138								4	8	18	33	35	31	9			
124	Other diseases of the liver	191	7	2		1		3	5	8	15	31	31	33	40	11	3		1
125	Diseases of the pancreas	16								1	3	4	4	3	1				
126	Peritonitis without specified cause	95	6	2	3	1	3	7	7	12	16	8	11	9	7	1	1		1
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	9	1	1	1				1	2	2			1					
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	3,007	39	6	11	12	5	20	60	123	184	301	367	682	739	417	37	2	2
128	Acute nephritis (including unspecified under 10 years)	218	23	5	9	10	3	13	9	24	15	21	15	23	32	13	2		1
129	Chronic nephritis (including unspecified 10 years and over)	2,215	4		2		2	7	40	55	105	180	295	577	586	330	29	2	1
131	Other diseases of the kidneys and annexa	82	9			1			3	5	11	14	11	10	11	7			
132	Calculi of the urinary passages	32							2	5	5	5	4	4	5	2			
133	Diseases of the bladder	53				1			1	1		5	1	8	18	17	1		
134	Diseases of the urethra, etc	9									1	1	2	1	2	1	1		
135	Diseases of the prostate	189									1	3	12	48	79	42	4		
136	Nonvenereal diseases of the male genital organs	3	2	1															
137	Cysts, other benign tumors of the ovary	34								5	6	13	4	4	2				
138	Salpingitis and pelvic abscess (female)	71							2	20	21	18	8	1		1			
139	Benign tumors of the uterus	74								2	13	34	12	6	3	4			
140	Nonpuerperal uterine hemorrhage	4								1	1	2							
141	Other diseases of the female genital organs	22							3	5	5	5	3		1				
142	Nonpuerperal diseases of the breast (cancer excepted)	1	1																
	VIII.—The puerperal state	660							57	314	236	52							1
143	Accidents of pregnancy	70							4	29	30	7							
144	Puerperal hemorrhage	72							5	29	29	9							
145	Other accidents of labor	57							4	16	28	8							1
146	Puerperal septicemia	295							21	156	101	17							
147	Puerperal phlegmasia alba dolens, embolus, etc	28							3	12	10	3							
148	Puerperal albuminuria and convulsions	136							19	71	38	8							
149	Following childbirth (undefined)	2							1	1									
	IX.—Diseases of the skin and of the cellular tissue	161	25	1		2			5	3	10	14	13	10	38	33	7		
151	Gangrene	80	3						1		2	5	6	4	27	26	6		
152	Furuncle	20	1						1	1	2	6	3	3	1	1	1		
153	Acute abscess	27	5			2			1	2	5	3	2	1	5	1			
154	Other diseases of the skin and annexa	34	16	1					2		1		2	2	5	5			
	X.—Diseases of the bones and of the organs of locomotion	46	1		1	1	1	10	7	4	3	4	5	5	3	1			
155	Diseases of the bones (tuberculosis excepted)	29	1		1	1	1	7	4	3	1	4	2	3	1				
156	Diseases of the joints (tuberculosis and rheumatism excepted)	15						3	2	1	2		3	2	1	1			
157	Amputations	1							1										
158	Other diseases of the organs of locomotion	1													1				
	XI.—Malformations	736	686	22	2	4	6	9	4	3									
159a	Congenital hydrocephalus	73	58	8			4	1	1	1									
159b	Congenital malformations of the heart	426	402	9	2	2	1	6	3	1									
159c	Other congenital malformations	237	226	5		2	1	2		1									
	XII.—Early infancy	3,164	3,164																
160	Congenital debility, icterus, sclerema	512	512																
161a	Premature birth	1,903	1,903																
161b	Injury at birth	435	435																
162	Other diseases peculiar to early infancy	307	307																
163	Lack of care	7	7																

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
MICHIGAN—Continued.																		
164	XIII.—Old age (senility)	544											2	13	140	296	81	11	1
	XIV.—External causes	3,318	108	61	67	56	50	183	386	462	477	415	355	271	254	138	25	2	8
	Suicide (total)	461							20	64	93	100	88	50	32	11			3
165	By poisons (corrosives excepted)	20							2	3	6	5	1	2		1			
166	By corrosive substances	81							5	22	20	14	14	5	1				
167	By poisonous gas	34							1	2	4	12	11	1	2	1			
168	By hanging or strangulation	95							2	5	14	26	12	21	11	2			2
169	By drowning	26								5	4	5	6	4	2				
170	By firearms	142							8	19	30	28	30	13	8	5			1
171	By cutting or piercing instruments	46							2	4	8	10	13	2	5	2			
172	By jumping from high places	4								1	2				1				
173	By crushing	7								3	3			1					
174	By other means	6									2		1	1	2				
	Homicide (total)	182	1		1	1	1	3	15	48	52	38	13	7	1	1			
197	By firearms	127					1		11	39	37	24	10	4	1				
198	By cutting or piercing instruments	17			1	1			1	5	6	2		1					
199	By other means	38	1					3	3	4	9	12	3	2		1			
	Accidental or undefined (total)	2,675	107	61	66	55	49	180	351	350	332	277	254	214	221	126	25	2	5
175	Poisoning by food	42	5	4	3	4	1	1	1	7	2	5	4	2	3				
176	Poisoning by venomous animals	2										1	1						
177	Other acute poisonings (gas excepted)	73	3	8	7	4			2	6	10	11	10	8	3				1
178	Conflagration	65	1	2	4		6	6	7	7	11	6	5	3	5	2			
179	Burns (conflagration excepted)	149	10	16	21	16	10	17	10	5	15	10	7	6	4	1		1	
180	Mechanical suffocation	56	45		4			2		1		2	2						
181	Absorption of irrespirable, irritating, or poisonous gas	48	2	2		2	1	1	3	9	11	10	1	4		2			
182	Drowning	362	2	9	5	2	3	35	122	85	46	24	13	4	8	2			2
183	Traumatism by firearms (except in war)	93	1		1	2	1	5	36	24	11	10	1	1					
184	Traumatism by cutting or piercing instruments	21	1			1				1	3	7	4	2	1	1			
185	Traumatism by fall	366	3	6	5	2		9	18	17	19	33	27	41	83	84	18		1
186a	Traumatism in mines	42								9	18	7	6	2					
186b	Traumatism in quarries	2								1	1								
187	Traumatism by machines	72			1	1		1	5	16	15	13	8	9	1	1	1		
188a	Railroad accidents	217	1	1		1		5	25	37	35	42	29	24	15	2			
188b	Street-car accidents	95	2	1	1		2	2	9	15	20	9	14	10	8	2			
188c	Automobile accidents	441	3	2	5	10	20	69	55	45	60	38	48	43	31	12			
188d	Aeroplane and balloon accidents	3							1	1	1								
188e,f	Injuries by other vehicles	86	1			2	1	9	7	14	4	6	12	20	9	1			
188g	Landslide, other crushing	20				2		1		3	4	2	5	1	2				
189	Injuries by animals (not poisoning)	37			2		1	4	4		6	4	8	2	5		1		
192	Starvation (deprivation of food or water)	2	1											1					
193	Excessive cold	14				1		1	1	4	3	1			2	1			
194	Excessive heat	76	13	4	1			2	5	1	6	2	10	10	14	6	2		
195	Lightning	24			1			1	2	5	2	4	3	4	1				1
196	Other accidental electric shocks	41						1	9	13	9	4	4		1				
201	Fracture (cause not specified)	46					1	1	1	2	4	4	6	4	12	7	3	1	
202	Other external violence	123	12	5	4	4	2	5	22	14	12	13	16	8	5	1			
203	Violent deaths of unknown causation	57	1	1	1	1		2	6	8	4	9	10	5	8	1			
	XV.—Ill-defined diseases	271	104	12	4	1		2	4	18	9	12	27	27	26	16	4		5
204	Sudden death	15	7										3	2	2	1			
205a	Ill-defined	105	12	9	3	1		1	2	6	3	6	13	14	20	7	2		1
205b	Not specified or unknown	151	85	3	1			1	2	12	6	6	6	11	4	8	2		4
MINNESOTA.																			
	All causes	22,806	3,381	405	257	189	165	605	1,075	1,602	1,743	1,843	2,500	3,283	3,276	2,096	367	10	9
	I.—Epidemic, endemic, and infectious diseases	3,179	248	124	90	69	60	242	346	629	520	321	235	179	82	30	2		2
1	Typhoid and paratyphoid fever	88				1		4	16	29	14	11	10	3					
6	Smallpox	26	8		1			3	1	5	4	3		1					
7	Measles	32	10	8	2	1	2	5	2	1	1								
8	Scarlet fever	189	7	16	26	13	16	53	35	12	8	3							
9	Whooping cough	155	94	32	11	6	2	7	1			1			1				
10	Diphtheria	220	8	7	21	17	25	79	33	10	7	6	4	3					
11a	Influenza (with pulmonary complications)	119	15	7	5	5	1	1	16	6	9	14	9	12	12	7			
11b	Influenza (other and unspecified)	53	8	4		2		8	4	4	4	1	1	5	6	5	1		
13	Mumps	1	1																
15	Cholera nostras	2	1	1															
16	Dysentery	36	13	2	1	3	4	3			1			4	3	1	1		
19	Spirochetal hemorrhagic jaundice	2					1							1					
21	Erysipelas	54	12	1						2	5	5	9	8	7	5			
22	Acute anterior poliomyelitis	95	1	5	6	6	5	22	28	16	5	1							
23	Lethargic encephalitis	38		2	1			4	3	7	7	5	7	2					
24	Meningococcus meningitis	33	5	5	4		1	7	6	2		1	1	1					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	MINNESOTA—Continued.																		
	I.—Epidemic, endemic, and infectious diseases—Continued.																		
25	Other epidemic and endemic diseases	4		2				1	1										
27	Anthrax	1									1								
28	Rabies	1				1													
29	Tetanus	29	3		1	1		9	4	1	3	1	3	1	1	1			
30	Mycoses	5		1					1	2				1					
	Tuberculosis (total)	1,875	32	28	10	12	2	35	189	524	438	241	176	127	50	9			2
31	Of the respiratory system	1,572	8	7	1	4	1	9	145	471	389	214	158	113	45	6			1
32	Of the meninges, central nervous system	113	17	17	8	5	1	22	18	12	6	4	2	1					
33	Of the intestines, peritoneum	73		1		1		2	13	19	14	11	7	3	2				
34	Of the vertebral column	19						1	5	4	8	1							
35	Of the joints	12						1	1	3	2	2	2		1				
36	Of other organs	39		2					1	6	12	6	2	6	2	2			
37a	Disseminated (acute)	36	5	1	1	2			6	7	5	2	4	2					1
37b	Disseminated (chronic or unspecified)	11	2							2	2	1	1	2	1				
38	Syphilis	88	28	2		1			1	5	8	20	13	7	2	1			
40	Gonococcus infection	10							2	2	3	3							
41	Purulent infection, septicemia	23	2	1	1		1	1	3	1	2	5	2	3		1			
	II.—General diseases not included in Class I	3,285	68	9	6	16	8	47	99	97	204	376	659	845	630	204	17		
	Cancer and other malignant tumors (total)	2,178	3	1	2	4	4	5	17	28	108	251	458	621	490	172	14		
43	Of the buccal cavity	79				1					2	9	9	22	22	13	1		
44	Of the stomach, liver	979	1				1	1	3	5	27	65	199	333	268	73	3		
45	Of the peritoneum, intestines, rectum	285	1			1			1	4	21	29	63	84	67	14			
46	Of the female genital organs	204							1	5	18	54	51	46	19	10			
47	Of the breast	145								2	10	39	42	22	20	9	1		
48	Of the skin	71			1					3	5	1	9	10	13	24	5		
49	Of other or unspecified organs	415	1	1	1	2	3	4	12	9	25	54	85	104	81	29	4		
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	13		1								2	2	4	4				
51	Acute rheumatic fever	57				2	1	8	14	7	5	3	7	5	3	1	1		
52	Chronic rheumatism, osteoarthritis, gout	29								1		1	9	6	3	3	1		
54	Pellagra	2								1					1				
56	Rickets	12	10	2															
57	Diabetes mellitus	440		2	1	3	1	21	47	27	34	34	62	111	74	22	1		
58	Anemia, chlorosis	217	5	1		1			3	5	9	28	58	60	42	5			
59	Diseases of the pituitary gland	6								1	2	1	2						
60a	Exophthalmic goiter	73							4	8	18	18	14	10	1				
60b	Other diseases of the thyroid gland	32	1						3	4	3	5	10	5	1				
61	Diseases of the parathyroid glands	2	2																
62	Diseases of the thymus gland	14	8	1		2		1			2								
63	Diseases of the adrenals (Addison's disease)	15				1			1		1	7	4	1					
64	Diseases of the spleen	10						1	2			5	2						
65a	Leukemia	49	1	1	2	2	1	6	3	5	3	6	12	6	1				
65b	Hodgkin's disease	26						1	1	6	3	5	4	6					
66	Alcoholism (acute or chronic)	43							1	4	14	7	13	3	1				
67a	Chronic lead poisoning	2							1			1							
68	Chronic poisoning by organic substances	2										1			1				
69	Other general diseases	63	38		1	1	1	4	2		2	1	2	7	3	1			
	III.—Diseases of the nervous system and of the organs of special sense	2,315	112	21	13	12	5	31	57	71	106	192	296	497	521	341	40		
70	Encephalitis	27	6		1		1	1	3	4	4	2	2	2		1			
71a	Simple meningitis	49	12	4	3	3	1	2	5	6	3	4	2	1	3				
71b	Nonepidemic cerebrospinal meningitis	22	1	6	2			4	5		3			1					
72	Tabes dorsalis (locomotor ataxia)	32									2	8	4	10	6	2			
73	Other diseases of the spinal cord	118	2		2			2	4	6	13	6	18	35	21	9			
74a	Cerebral hemorrhage	1,441	5						6	8	14	88	202	376	426	285	31		
74b	Cerebral embolism and thrombosis	72								1	5	5	8	17	23	8	5		
75	Paralysis without specified cause	77						1		3			9	14	27	20	3		
76	General paralysis of the insane	117							1	3	26	45	19	18	3	2			
77	Other forms of mental alienation	37							1	7	9	6	8	4	1	1			
78	Epilepsy	74	3			1		3	10	18	14	8	7	4	3	3			
79	Convulsions (nonpuerperal; 5 years and over)	2							1				1						
80	Infantile convulsions (under 5 years)	72	63	7	2														
82	Neuralgia and neuritis	6										1	2	2		1			
83	Softening of the brain	9												3	2	4			
84	Other diseases of the nervous system	82	5	3			3	9	13	6	9	13	10	5	3	2	1		
85	Diseases of the eye and annexa	4				1		1	1						1				
86a	Diseases of the ear	47	11		3	3		6	5	5	3	4	2	2		3			
86b	Diseases of the mastoid process	27	4	1		4		2	2	4	1	2	2	3	2				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	MINNESOTA—Continued.																		
	IV.—Diseases of the circulatory system.	3,358	14	3	4	1	4	24	93	87	131	193	435	756	902	585	125	1	.....
87	Pericarditis	8	.....	.....	.....	.....	.....	.....	1	2	1	2	1	.....	.....	1	.....	.....	.....
88	Endocarditis and myocarditis (acute)	106	1	2	1	1	1	6	17	15	20	10	14	6	9	2	1	.....	.....
89	Angina pectoris	124	.....	.....	.....	.....	.....	.....	.....	.....	4	14	21	40	33	10	2	.....	.....
90	Other diseases of the heart	2,647	10	.....	3	.....	3	18	72	65	101	151	368	637	735	415	69	.....	.....
91a	Aneurysm	26	.....	.....	.....	.....	.....	.....	1	.....	1	6	5	7	3	3	.....	.....	.....
91b, c	Other diseases of the arteries	392	.....	.....	.....	.....	.....	.....	.....	.....	1	3	16	56	115	149	51	1	.....
92	Embolism and thrombosis (not cerebral)	35	1	.....	.....	.....	.....	.....	2	1	2	5	7	8	4	4	1	.....	.....
93	Diseases of the veins	16	1	.....	.....	.....	.....	.....	.....	4	1	1	3	2	3	1	.....	.....	.....
94	Diseases of the lymphatic system	2	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
95	Hemorrhage without specified cause	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
96	Other diseases of the circulatory system	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
	V.—Diseases of the respiratory system.	1,973	426	105	49	20	18	45	68	77	98	127	143	222	280	247	42	1	.....
97a	Diseases of the nasal fossae	5	2	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	1	.....	.....	.....
97b	Diseases of the nasal fossae annexa	16	.....	.....	.....	.....	.....	2	1	4	3	1	3	1	1	.....	.....	.....	.....
98	Diseases of the larynx	12	2	3	2	1	.....	1	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....
99a	Acute bronchitis	64	23	2	1	2	.....	1	2	1	1	1	2	1	11	13	3	.....	.....
99b	Chronic bronchitis	77	1	1	.....	.....	.....	.....	.....	1	3	2	1	18	16	29	5	.....	.....
99c,d	Bronchitis (unspecified)	55	17	5	1	2	.....	.....	.....	.....	1	.....	.....	7	6	12	4	.....	.....
100a	Bronchopneumonia	684	283	58	24	11	7	15	16	8	12	21	29	46	70	68	15	1	.....
100b	Capillary bronchitis	16	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	3	3	.....	.....	.....
101a	Lobar pneumonia	791	65	27	16	1	6	21	34	51	67	75	85	119	142	75	7	.....	.....
101b	Pneumonia (unspecified)	82	20	5	3	1	2	1	8	5	1	9	5	8	4	10	.....	.....	.....
102	Pleurisy	71	3	3	1	1	1	4	5	5	8	9	12	8	8	3	.....	.....	.....
103	Congestion and hemorrhagic infarct of the lung	50	1	.....	1	.....	1	.....	1	.....	1	3	2	3	10	21	6	.....	.....
104	Gangrene of the lung	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	2	.....	.....	.....	.....	.....
105	Asthma	32	.....	.....	.....	1	1	.....	.....	.....	1	4	4	2	6	12	1	.....	.....
106	Pulmonary emphysema	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....
107	Other diseases of the respiratory system (tuberculosis excepted)	12	.....	1	.....	.....	.....	.....	.....	1	.....	1	1	5	3	.....	.....	.....	.....
	VI.—Diseases of the digestive system.	2,122	407	82	53	40	32	103	134	158	182	180	253	235	156	95	11	.....	1
108	Diseases of the mouth and annexa	20	1	.....	.....	.....	1	.....	1	1	2	3	3	6	2	.....	.....	.....	.....
109b	Other diseases of the pharynx, tonsils	120	6	3	11	2	3	22	16	17	14	9	8	7	2	.....	.....	.....	.....
110	Diseases of the esophagus	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....
111a	Ulcer of the stomach	103	.....	.....	1	.....	1	.....	1	8	9	24	22	23	8	6	.....	.....	.....
111b	Ulcer of the duodenum	58	2	.....	.....	.....	.....	.....	1	7	11	17	12	5	3	.....	.....	.....	.....
112	Other diseases of the stomach (cancer excepted)	72	27	2	.....	1	.....	2	1	.....	1	5	5	5	10	12	.....	.....	1
113	Diarrhea and enteritis (under 2 years)	387	325	62	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
114	Diarrhea and enteritis (2 years and over)	153	.....	.....	32	21	13	19	3	8	7	4	7	6	14	13	6	.....	.....
117	Appendicitis and typhlitis	455	.....	5	6	11	9	55	95	81	67	40	51	21	12	2	.....	.....	.....
118a	Hernia	100	1	1	.....	.....	.....	.....	.....	3	5	8	25	28	22	7	.....	.....	.....
118b	Intestinal obstruction	164	40	6	1	4	1	3	4	11	12	15	15	19	14	18	1	.....	.....
119	Other diseases of the intestines	35	.....	.....	1	.....	2	1	2	.....	2	5	5	5	7	5	.....	.....	.....
120	Acute yellow atrophy of the liver	9	1	.....	.....	.....	.....	.....	.....	2	3	3	.....	.....	.....	.....	.....	.....	.....
121	Hydatid tumor of the liver	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
122	Cirrhosis of the liver	146	.....	.....	1	.....	.....	.....	4	3	5	6	33	47	27	18	2	.....	.....
123	Biliary calculi	155	.....	.....	.....	.....	.....	.....	.....	6	19	22	40	43	17	8	.....	.....	.....
124	Other diseases of the liver	93	1	.....	.....	1	.....	.....	2	6	19	12	15	15	14	6	2	.....	.....
125	Diseases of the pancreas	13	.....	.....	.....	.....	.....	.....	.....	.....	1	2	8	2	.....	.....	.....	.....	.....
126	Peritonitis without specified cause	33	3	3	.....	.....	2	1	4	3	5	4	3	3	2	.....	.....	.....	.....
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	1,771	13	2	1	1	6	6	36	53	93	181	236	332	466	308	33	2	2
128	Acute nephritis (including unspecified under 10 years)	75	8	2	1	1	3	3	10	10	6	8	7	8	5	3	.....	.....	.....
129	Chronic nephritis (including unspecified 10 years and over)	1,345	.....	.....	.....	.....	2	1	22	34	53	124	188	264	376	254	25	1	1
131	Other diseases of the kidneys and annexa	42	3	.....	.....	.....	1	1	1	1	5	2	7	7	11	2	1	.....	.....
132	Calculi of the urinary passages	22	.....	.....	.....	.....	.....	.....	.....	.....	4	5	5	3	4	.....	.....	.....	1
133	Diseases of the bladder	27	2	.....	.....	.....	.....	1	1	1	.....	2	3	3	3	11	.....	.....	.....
134	Diseases of the urethra, etc	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	1	.....	.....	.....	.....
135	Diseases of the prostate	163	.....	.....	.....	.....	.....	.....	.....	.....	1	2	15	40	61	37	7	.....	.....
137	Cysts, other benign tumors of the ovary	10	.....	.....	.....	.....	.....	.....	.....	.....	2	3	1	2	1	.....	.....	.....	.....
138	Salpingitis and pelvic abscess (female)	25	.....	.....	.....	.....	.....	.....	1	5	6	11	1	.....	1	.....	.....	.....	.....
139	Benign tumors of the uterus	39	.....	.....	.....	.....	.....	.....	.....	1	10	18	4	2	3	.....	.....	1	.....
140	Nonpuerperal uterine hemorrhage	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
141	Other diseases of the female genital organs	18	.....	.....	.....	.....	.....	.....	1	1	6	5	5	.....	.....	.....	.....	.....	.....
	VIII.—The puerperal state	329	.....	.....	.....	.....	.....	.....	24	155	119	31	.....	.....	.....	.....	.....	.....	.....
143	Accidents of pregnancy	33	.....	.....	.....	.....	.....	.....	1	17	13	2	.....	.....	.....	.....	.....	.....	.....
144	Puerperal hemorrhage	23	.....	.....	.....	.....	.....	.....	.....	9	12	2	.....	.....	.....	.....	.....	.....	.....
145	Other accidents of labor	27	.....	.....	.....	.....	.....	.....	1	11	11	4	.....	.....	.....	.....	.....	.....	.....
146	Puerperal septicemia	149	.....	.....	.....	.....	.....	.....	14	67	54	14	.....	.....	.....	.....	.....	.....	.....
147	Puerperal phlegmasia alba dolens, embolus, etc	24	.....	.....	.....	.....	.....	.....	1	14	7	2	.....	.....	.....	.....	.....	.....	.....
148	Puerperal albuminuria and convulsions	71	.....	.....	.....	.....	.....	.....	7	35	22	7	.....	.....	.....	.....	.....	.....	.....
150	Puerperal diseases of the breast	2	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	MINNESOTA—Continued.																		
	IX.—Diseases of the skin and of the cellular tissue	70	17	1					1	1	5	4	3	5	11	19	3		
151	Gangrene	30	2									1	2		9	14	2		
152	Furuncle	10								1	2	2		3	1	1			
153	Acute abscess	11	3	1							1	1	1	1	1	2			
154	Other diseases of the skin and annexa	19	12						1		2			1		2	1		
	X.—Diseases of the bones and of the organs of locomotion	44	4		2	2	1	4	9	6	1	3	5	4	1	2			
155	Diseases of the bones (tuberculosis excepted)	35	2		2	2	1	4	8	6		3	3	3		1			
156	Diseases of the joints (tuberculosis and rheumatism excepted)	6	1						1				2	1		1			
158	Other diseases of the organs of locomotion	3	1								1				1				
	XI.—Malformations	376	336	6	9	1		8	8	6	2								
159a	Congenital hydrocephalus	37	23	2	4	1		2	3	1	1								
159b	Congenital malformations of the heart	178	163		4			4	3	3	1								
159c	Other congenital malformations	161	150	4	1			2	2	2									
	XII.—Early infancy	1,609	1,609																
160	Congenital debility, icterus, sclerema	208	208																
161a	Premature birth	987	987																
161b	Injury at birth	259	259																
162	Other diseases peculiar to early infancy	152	152																
163	Lack of care	3	3																
164	XIII.—Old age (senility)	311											2	17	62	150	76	4	
	XIV.—External causes	1,910	45	50	27	26	30	91	199	260	279	232	217	177	153	105	17		2
	Suicide (total)	315							6	30	80	63	59	45	21	10	1		
165	By poisons (corrosives excepted)	13								2	5	5		1					
166	By corrosive substances	23							1	3	4	3	4	6	1	1			
167	By poisonous gas	19								4	6	3	2	3	1				
168	By hanging or strangulation	65							2	6	13	9	15	9	7	4			
169	By drowning	20							1	1	4	5	3	4	2				
170	By firearms	133							2	13	39	30	26	13	7	3			
171	By cutting or piercing instruments	27									3	4	7	8	2	2	1		
172	By jumping from high places	6								1	1	1	1	1	1				
173	By crushing	2									1	1							
174	By other means	7									4	2	1						
	Homicide (total)	106	4			1		1	9	32	22	16	11	5	4	1			
197	By firearms	73				1			7	21	19	13	7	3	2				
198	By cutting or piercing instruments	10	1					1	1	3	2	1	1						
199	By other means	23	3						1	8	1	2	3	2	2	1			
	Accidental or undefined (total)	1,489	41	50	27	25	30	90	184	198	177	153	147	127	128	94	16		2
175	Poisoning by food	21	1	1	2		2	4	2	2	1	3	1		2				
176	Poisoning by venomous animals	3							1	1			1						
177	Other acute poisonings (gas excepted)	42	3	7		2		2	4	7	8	5	3	1					
178	Conflagration	30	1	3		1	3	1	6		2	1	3	6		1			2
179	Burns (conflagration excepted)	82	3	14	11	11	8	7	4	4	2	5	5	4	3	1			
180	Mechanical suffocation	28	20		1				2	2	1	1	1						
181	Absorption of irrespirable, irritating, or poisonous gas	39							3	2	10	5	2	5	7	5			
182	Drowning	217	1	9	6	3	6	21	53	46	34	16	7	9	5	1			
183	Traumatism by firearms (except in war)	73				1	1	3	27	15	8	6	8	2	1	1			
184	Traumatism by cutting or piercing instruments	14			3				1	1	1	1	4	3					
185	Traumatism by fall	247	2	1	1		1	1	6	9	9	10	31	25	68	67	16		
186a	Traumatism in mines	20								5	9	4	1	1					
186b	Traumatism in quarries	1										1							
187	Traumatism by machines	49		1				2	7	8	8	6	9	8					
188a	Railroad accidents	136		1				2	17	26	22	25	18	14	9	2			
188b	Street-car accidents	18			1		1	3	2	2	4	1			4				
188c	Automobile accidents	216	1	4	1	4	6	31	22	34	22	36	23	17	13	2			
188d	Aeroplane and balloon accidents	3								3									
188e,f	Injuries by other vehicles	48			1	1		4	3	8	7	6	5	9	3	1			
188g	Landslide, other crushing	11				1				4	1	2	2		1				
189	Injuries by animals (not poisoning)	34		2			1	4	5	2	1	3	3	6	3	4			
190	Wounds of war	1								1									
193	Excessive cold	10							1	2	1	2	1	1	1	1			
194	Excessive heat	25	3						3	2	1	2	2	4	5	3			
195	Lightning	8								2	2	2	1	1					
196	Other accidental electric shocks	15							2	2	7	2	1	1					
201	Fracture (cause not specified)	4									1	1				2			
202	Other external violence	72	6	7		1	1	3	11	5	11	3	11	9	2	2			
203	Violent deaths of unknown causation	22						2	2	3	4	4	4	1	1	1			
	XV.—Ill-defined diseases	154	82	2	3	1	1	4	1	2	3	3	11	14	12	10	1	2	2
204	Sudden death	6	1		1							1			2	1			
205a	Ill-defined	34	8	2	1	1		1	1		1	1	4	8	5		1	1	
205b	Not specified or unknown	114	73		1		1	3		2	2	1	7	6	5	9	1	1	2

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. L No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	MISSISSIPPI.																		
	All causes—White	7,325	1,243	298	191	114	89	237	412	445	540	574	572	947	1,032	509	75	3	44
	All causes—Colored	12,625	1,914	395	209	145	106	425	1,093	1,674	1,272	1,207	1,067	1,042	1,023	643	207	116	87
	I.—Epidemic, endemic, and infectious diseases—White	1,404	168	74	84	56	50	110	147	140	138	116	89	105	79	32	4	....	12
	I.—Epidemic, endemic, and infectious diseases—Colored	3,280	289	143	82	73	48	207	489	774	440	274	182	125	90	38	3	6	17
1	Typhoid and paratyphoid fever—W	108	1	1	1	2	1	7	29	24	19	13	5	3	2	.....	.....	.....	.....
	Typhoid and paratyphoid fever—C	225	.....	1	2	5	1	22	81	55	30	11	4	8	3	.....	.....	.....	2
5	Malaria—W	302	44	10	23	9	9	32	57	22	18	17	15	13	19	11	1	....	2
	Malaria—C	592	52	35	31	32	22	73	98	68	42	32	26	28	29	18	1	4	1
6	Smallpox—W	3	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....
	Smallpox—C	6	1	.....	.....	.....	.....	.....	.....	.....	.....	1	3	1	.....	.....	.....	.....	.....
7	Measles—W	17	4	5	1	2	2	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Measles—C	11	4	4	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Scarlet fever—W	8	1	1	1	1	.....	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Scarlet fever—C	8	2	.....	.....	1	1	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Whooping cough—W	67	46	16	3	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Whooping cough—C	167	91	43	11	7	3	10	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1
10	Diphtheria—W	194	10	22	35	32	36	51	3	1	.....	.....	.....	.....	.....	1	.....	.....	3
	Diphtheria—C	150	18	17	14	7	16	51	19	4	1	.....	2	.....	.....	1	.....	.....	.....
11a	Influenza (with pulmonary complications)—W	36	7	1	2	1	.....	.....	3	2	2	5	.....	5	6	1	.....	.....	1
	Influenza (with pulmonary complications)—C	56	13	7	.....	3	.....	5	6	9	2	.....	5	4	.....	1	.....	.....	1
11b	Influenza (other and unspecified)—W	55	7	1	1	1	.....	1	.....	4	3	6	4	8	10	7	2	.....	.....
	Influenza (other and unspecified)—C	83	9	4	2	2	.....	5	7	4	8	7	9	6	11	5	1	2	1
15	Cholera nostras—C	6	1	.....	2	.....	.....	.....	.....	.....	.....	2	.....	.....	1	.....	.....	.....	.....
16	Dysentery—W	75	12	10	11	2	.....	2	2	2	2	1	4	10	12	4	1	.....	.....
	Dysentery—C	83	13	15	3	1	.....	4	5	5	2	7	5	6	11	6	.....	.....	.....
19	Spirochetal hemorrhagic jaundice—W	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Spirochetal hemorrhagic jaundice—C	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
21	Erysipelas—W	22	6	.....	1	1	.....	1	1	1	1	2	3	4	1	.....	.....	.....	.....
	Erysipelas—C	11	3	.....	.....	1	.....	.....	2	.....	2	1	1	1	.....	.....	.....	.....	.....
22	Acute anterior poliomyelitis—W	11	5	3	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Acute anterior poliomyelitis—C	6	1	.....	2	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
23	Lethargic encephalitis—W	4	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
24	Meningococcus meningitis—W	9	.....	1	.....	.....	1	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
	Meningococcus meningitis—C	8	1	1	.....	.....	.....	1	3	1	.....	.....	.....	.....	.....	.....	.....	.....	1
25	Other epidemic and endemic diseases—W	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other epidemic and endemic diseases—C	3	1	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
27	Anthrax—C	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
28	Rabies—C	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
29	Tetanus—W	21	10	.....	.....	1	.....	1	6	1	.....	.....	.....	2	.....	.....	.....	.....	.....
	Tetanus—C	22	13	.....	.....	.....	.....	1	4	1	1	.....	1	.....	.....	.....	.....	.....	1
30	Mycoses—W	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Mycoses—C	5	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)—W	423	6	3	1	2	1	2	34	76	81	68	52	58	28	6	.....	....	5
	Tuberculosis (total)—C	1,566	13	10	11	8	4	22	251	575	306	166	107	54	27	4	1	....	7
31	Of the respiratory system—W	383	3	.....	1	1	.....	2	26	72	75	63	49	54	26	6	.....	....	5
	Of the respiratory system—C	1,463	9	7	11	6	3	13	228	547	293	156	100	53	25	4	1	....	7
32	Of the meninges, central nervous system—W	11	3	3	.....	.....	.....	.....	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....
	Of the meninges, central nervous system—C	17	3	2	.....	2	1	3	2	2	1	1	.....	.....	.....	.....	.....	.....	.....
33	Of the intestines, peritoneum—W	15	.....	.....	.....	.....	1	.....	1	2	3	2	2	3	1	.....	.....	.....	.....
	Of the intestines, peritoneum—C	49	.....	1	.....	.....	.....	1	12	14	8	6	4	1	2	.....	.....	.....	.....
34	Of the vertebral column—W	3	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
	Of the vertebral column—C	9	.....	.....	.....	.....	.....	2	.....	5	1	1	.....	.....	.....	.....	.....	.....	.....
35	Of the joints—W	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
	Of the joints—C	8	1	.....	.....	.....	.....	.....	1	4	.....	1	1	.....	.....	.....	.....	.....	.....
36	Of other organs—W	4	.....	.....	.....	1	.....	.....	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
	Of other organs—C	11	.....	.....	.....	.....	.....	3	5	1	1	.....	1	.....	.....	.....	.....	.....	.....
37a	Disseminated (acute)—W	5	.....	.....	.....	.....	.....	.....	1	1	.....	2	.....	1	.....	.....	.....	.....	.....
	Disseminated (acute)—C	6	.....	.....	.....	.....	.....	.....	3	1	1	1	.....	.....	.....	.....	.....	.....	.....
37b	Disseminated (chronic or unspecified)—C	3	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....
38	Syphilis—W	21	4	.....	1	.....	.....	.....	.....	2	4	4	3	1	.....	2	.....	.....	.....
	Syphilis—C	214	44	5	2	5	1	7	4	31	33	39	17	16	7	1	.....	....	2
40	Gonococcus infection—W	7	.....	.....	.....	.....	.....	.....	1	2	4	.....	.....	.....	.....	.....	.....	.....	.....
	Gonococcus infection—C	36	2	.....	.....	.....	.....	.....	3	16	12	3	.....	.....	.....	.....	.....	.....	.....
41	Purulent infection, septicemia—W	17	2	.....	1	1	.....	2	2	2	4	.....	2	1	.....	.....	.....	.....	.....
	Purulent infection, septicemia—C	19	4	.....	.....	.....	.....	1	.....	4	1	4	1	1	1	2	.....	.....	.....
	II.—General diseases not included in Class I—White	653	10	3	6	8	2	10	20	27	49	93	108	148	125	36	4	....	4
	II.—General diseases not included in Class I—Colored	1,075	7	4	3	6	3	31	75	163	164	193	150	137	91	31	7	1	9
	Cancer and other malignant tumors (total)—W	385	.....	.....	2	5	.....	.....	2	11	21	65	54	105	84	29	3	....	4
	Cancer and other malignant tumors (total)—C	364	.....	.....	.....	.....	1	4	8	20	44	92	75	62	41	14	1	....	2
43	Of the buccal cavity—W	13	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	1	2	4	3	.....	.....	.....
	Of the buccal cavity—C	10	.....	.....	.....	.....	.....	2	.....	1	.....	3	1	.....	3	.....	.....	.....	.....
44	Of the stomach, liver—W	121	.....	.....	.....	.....	.....	.....	.....	1	9	17	17	38	30	7	.....	.....	2
	Of the stomach, liver—C	78	.....	.....	.....	.....	1	.....	3	4	4	12	20	16	14	4	.....	.....	.....
45	Of the peritoneum, intestines, rectum—W	36	.....	.....	.....	.....	.....	.....	.....	.....	2	7	5	12	7	3	.....	.....	.....
	Of the peritoneum, intestines, rectum—C	23	.....	.....	.....	.....	.....	.....	.....	3	4	6	3	5	1	1	.....	.....	.....
46	Of the female genital organs—W	68	.....	.....	.....	.....	.....	.....	.....	2	7	18	16	12	10	2	.....	.....	1
	Of the female genital organs—C	159	.....	.....	.....	.....	.....	.....	.....	10	27	51	30	23	11	7	.....	.....	.....
47	Of the breast—W	25	.....	.....	.....	.....	.....	.....	.....	2	1	7	3	8	3	.....	.....	.....	1
	Of the breast—C	33	.....	.....	.....	.....	.....	.....	.....	.....	4	12	11	1	3	1	.....	....	1
48	Of the skin—W	32	.....	.....	.....	1	.....	.....	.....	1	.....	.....	1	9	13	5	2	.....	.....
	Of the skin—C	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	2	2	.....	.....	.....	.....
49	Of other or unspecified organs—W	90	.....	.....	2	4	.....	.....	2	5	2	13	11	24	17	9	1	.....	.....
	Of other or unspecified organs—C	55	.....	.....	.....	.....	.....	2	5	2	5	6	10	15	7	1	1	....	1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
				Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
MISSISSIPPI—Continued.																				
	II.—General diseases not included in Class I—Continued.																			
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	W.	3											1	1		1			
		C.	5									1		2	1					1
51	Acute rheumatic fever	W.	25			1			3	9	1		1	1	2	6	1			
		C.	31						3	5	3	4	5	3	3	2	1	1		1
52	Chronic rheumatism, osteoarthritis, gout	W.	4									1			1	2				
		C.	4									1		1	2					
53	Scurvy	W.	1		1															
		C.	1			1														
54	Pellagra	W.	83				1			2		13	12	20	13	19	2	1		
		C.	600	2	1	1	4	2	24	55	132	106	86	57	60	47	14	3	1	5
56	Rickets	C.	2		1	1														
57	Diabetes mellitus	W.	73				1		2	4	8	5	8	19	15	9	2			
		C.	31							3	2	4	4	8	7	1	1	1		
58	Anemia, chlorosis	W.	15						1	1	1	1	1	5	4	1				
		C.	3				1				1			1						
60a	Exophthalmic goiter	W.	6						1			1	1	3						
		C.	5									1		1	2		1			
60b	Other diseases of the thyroid gland	W.	2										1		1					
		C.	7		1					1	1		3	1						
61	Diseases of the parathyroid glands	W.	1						1											
63	Diseases of the adrenals (Addison's disease)	W.	1											1						
64	Diseases of the spleen	W.	1								1									
		C.	2	1									1							
65a	Leukemia	W.	9	1					1	1	1	1		1	2	1				
		C.	2							1				1						
65b	Hodgkin's disease	W.	1											1						
		C.	4							1	1	1	1							
66	Alcoholism (acute or chronic)	W.	11								1	4	3	2	1					
67b	Other chronic mineral poisoning	C.	1									1								
68	Chronic poisoning by organic substances	W.	3								1	1			1					
69	Other general diseases	W.	29	9	2	3	1	2	1	1	2	1	1		2	3	1			
		C.	13	4	1		1			1	3	1	1					1		
	III.—Diseases of the nervous system and of the organs of special sense.	White	584	28	3	7	4	5	7	11	14	19	52	74	129	146	72	7	1	5
		Colored	778	50	7	4	5	3	14	30	33	51	106	121	115	138	67	22	6	6
70	Encephalitis	W.	6	1		1	1					1	2							
		C.	15	3	1				3	4		2		2						
71a	Simple meningitis	W.	19	4	2	2	1		3	1		1	2	1		1	1			
		C.	12	4		1			2	1	2	1	1							
71b	Nonepidemic cerebrospinal meningitis	W.	7	2		1			2	1					1					
		C.	13	2	1	2	1	1	2	4										
72	Tabes dorsalis (locomotor ataxia)	W.	4											1	2	1				
		C.	6									1	4	1						
73	Other diseases of the spinal cord	W.	29					1		1	1	1	5	2	5	9	2			2
		C.	25	1							1	1	4	2	4	10		2		
74a	Cerebral hemorrhage	W.	340	2		1	2	2			3	8	26	55	93	95	48	4		1
		C.	382	2			1		2	7	3	20	54	81	71	81	46	9	3	2
74b	Cerebral embolism and thrombosis	W.	12									1	1	2	4	3	1			
75	Paralysis without specified cause	W.	83	4	1			1		1	1	3	4	7	13	26	18	2		2
		C.	153	1					1		6	7	13	24	30	37	19	10	3	2
76	General paralysis of the insane	W.	11										6		3	2				
		C.	41							2	5	5	12	9	3	4				1
77	Other forms of mental alienation	W.	5								1	1		2	1					
		C.	12							1	3	2	4		1	1				
78	Epilepsy	W.	21	1					1	4	4	1	3	1	2	4				
		C.	38		2	1			1	5	9	8	8		2	1				1
79	Convulsions (nonpuerperal; 5 years and over)	C.	8						2	2	1	1	2							
80	Infantile convulsions (under 5 years)	W.	9	8		1														
		C.	37	33	3		1													
81	Chorea	C.	2							1		1								
82	Neuralgia and neuritis	W.	3														2	1		
		C.	3										2	1						
83	Softening of the brain	W.	7											1	3	2			1	
		C.	3												1	1	1			
84	Other diseases of the nervous system	W.	9	1				1		1	2		1	2		1				
		C.	14	1				1			2	2	1	1	2	2	1	1		
85	Diseases of the eye and annexa	W.	1							1										
		C.	1						1											
86a	Diseases of the ear	W.	10	4					1		1		2		2					
		C.	7	1			1	1		1	1		1			1				
86b	Diseases of the mastoid process	W.	8	1		1				1	1	2				2				
		C.	6	2			1			2					1					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
MISSISSIPPI—Continued.																			
	IV.—Diseases of the circulatory system	White	786	8	6	3	2	5	6	18	26	30	50	90	192	222	116	12		
		Colored	1,145	7		2		3	8	29	56	97	175	206	220	184	110	26	9	13
87	Pericarditis	W	2													2				
		C	5									1		2	2					
88	Endocarditis and myocarditis (acute)	W	32	2	2	2		3	3	5	4	2	4	1	3	1				
		C	28			1			1	5	2	7	4	5	1	1	1			
89	Angina pectoris	W	50							1	1	1	2	13	14	14	4			
		C	25							2	1	2	5	7	4	1	2	1		
90	Other diseases of the heart	W	599	5	4	1	2	1	2	11	19	24	40	64	155	173	88	10		
		C	996	7		1		3	7	21	52	84	158	180	189	161	92	24	6	11
91a	Aneurysm	W	12						1		1	2	1	1	3	1	2			
		C	15									2	5	3	3		1			1
91b, c	Other diseases of the arteries	W	72										2	6	13	29	21	1		
		C	67								1	1	2	6	19	20	13	1	3	1
92	Embolism and thrombosis (not cerebral)	W	8								1		1	2	1	2	1			
		C	1							1										
93	Diseases of the veins	W	2									1			1					
		C	4										1	1	1		1			
94	Diseases of the lymphatic system	W	2	1														1		
95	Hemorrhage without specified cause	W	3					1		1				1						
		C	1																	
96	Other diseases of the circulatory system	W	4											2	2					
		C	3											2		1				
	V.—Diseases of the respiratory system	White	602	97	38	16	11	7	20	26	32	40	54	38	68	95	48	7	1	4
		Colored	785	183	50	19	13	15	29	85	88	62	59	52	46	47	27	4	3	3
97a	Diseases of the nasal fossae	W	4	3													1			
		C	7	5										1	1					
97b	Diseases of the nasal fossae annexa	W	2							1	1									
		C	3							2	1									
98	Diseases of the larynx	W	9	1		2	3	3												
		C	6		1	1		3					1							
99a	Acute bronchitis	W	10		2										4	2	1	1		
		C	7	3	2									1		1				
99b	Chronic bronchitis	W	18		1								2	2	4	6	3			
		C	12	1	1		1		1	2			1	1		2	2			
99c, d	Bronchitis (unspecified)	W	14	4					1				1		3	4		1		
		C	13	3	2	1		1		1		2		2	1					
100a	Bronchopneumonia	W	208	66	25	11	4	4	7	4	6	6	9	6	12	26	19	3		
		C	179	73	15	8	2	1	11	11	12	5	9	7	8	8	7	1	1	
100b	Capillary bronchitis	W	4	2			1										1			
		C	7	3	1			1						1		1				
101a	Lobar pneumonia	W	237	12	5	2	2		6	17	16	26	35	24	31	44	14			3
		C	342	37	12	5	5	5	9	49	55	38	36	27	26	25	7	2	1	3
101b	Pneumonia (unspecified)	W	53	9	3				5	2	4	3	4	3	6	9	4			1
		C	151	57	14	4	5	4	5	14	8	9	6	5	6	6	6	1	1	
102	Pleurisy	W	16		1	1	1			1	2	1	2	2	3		1	1		
		C	19	1						4	3	1	2	5	2	1				
103	Congestion and hemorrhagic infarct of the lung	W	13								2		1		3	3	2	1	1	
		C	12								5	2	1	2	1		1			
104	Gangrene of the lung	W	3									2			1					
		C	1														1			
105	Asthma	W	4								1			1			2			
		C	17		1				2	1		3	2	1	1	3	3			
106	Pulmonary emphysema	W	2									1				1				
107	Other diseases of the respiratory system (tuberculosis excepted)	W	5		1				1	1		1			1					
		C	9		1				1	1	4	1	1							
	VI.—Diseases of the digestive system	White	874	190	143	50	19	6	35	63	31	59	50	50	67	67	34	5		5
		Colored	871	214	100	38	12	6	40	71	79	57	65	59	55	47	22	3	3	
108	Diseases of the mouth and annexa	W	5	4								1								
		C	7	1		1					2				2	1				
109a	Adenoid vegetations	C	1			1														
109b	Other diseases of the pharynx, tonsils	W	23	2	4	2	2	1	5	4	1		1	1						
		C	41	2	1	1	4	4	10	10	7		1	1						
110	Diseases of the esophagus	W	1														1			
111a	Ulcer of the stomach	W	22							1	1	4	5	1	5	3	1	1		
		C	14								4	2	2	2	2	1		1		
111b	Ulcer of the duodenum	W	3	1								2								
		C	1											1						
112	Other diseases of the stomach (cancer excepted)	W	71	8	3	4	4		4	3	1	1	5	8	12	9	8	1		
		C	117	24	2	2			4	5	10	10	17	17	9	12	5			
113	Diarrhea and enteritis (under 2 years)	W	281	149	132															
		C	268	172	96															
114	Diarrhea and enteritis (2 years and over)	W	136			42	6	3	10	3	1	6	6	5	10	25	14	3		2
		C	102			30	4	1	13	9	9	8	4	4	7	5	5	2	1	
115	Ancylostomiasis	W	1						1											
		C	2					1	1											
116	Diseases due to other intestinal parasites	W	1		1															
		C	5	1		2	1		1											
117	Appendicitis and typhlitis	W	148	3	2	1	4	1	12	43	17	23	12	13	12	2	1			2
		C	102		1	1	1		4	31	18	15	17	6	3	4	1			
118a	Hernia	W	13	1								1	2		5	3	1			
		C	24	1						1	2	2	4	2	5	4	3			
118b	Intestinal obstruction	W	70	17		1	3		3	8	4	6	8	3	4	9	3			1
		C	65	9			2		4	7	11	3	10	6	8	3	2			
119	Other diseases of the intestines	W	9	1						1	1			1	3	2				
		C	8	1							1	1	1	2		2				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	Deaths at unknown age.
	MISSISSIPPI—Continued.																			
	VI.—Diseases of the digestive system—Continued.																			
120	Acute yellow atrophy of the liver	W.	1								1									
122	Cirrhosis of the liver	W.	25									4	4	5	4	6	2			
		C.	50								6	6	3	11	11	8	4		1	
123	Biliary calculi	W.	13								1	5	1	2	1	3				
		C.	7								2	2		1	1				1	
124	Other diseases of the liver	W.	39	1	1						2	5	4	10	10	5	1			
		C.	32	2						1	3	6	4	4	7	3	2			
126	Peritonitis without specified cause	W.	11	3				1			1	1	2	1	1		1			
		C.	25	1					3	7	4	2	2	2		4				
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	W.	1														1			
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	White	660	5	5	3	2	4	5	11	21	40	58	75	168	185	71	5		2
		Colored	1,021	7	4	4	3	3	5	30	76	124	142	130	185	182	95	17	5	9
128	Acute nephritis (including unspecified under 10 years)	W.	54	1	4		2	3	4	2	1	6	7	4	9	9	2			
		C.	106	5	4	3	2	1	4	9	22	16	13	10	8	5	3			1
129	Chronic nephritis (including unspecified 10 years and over)	W.	523			2			1	6	10	23	40	67	149	157	63	4		1
		C.	729	1		1		1		14	32	76	100	108	153	140	77	15	4	7
131	Other diseases of the kidneys and annexa	W.	31	4	1	1		1		2	2	5	4	2	4	4	1			
		C.	18				1	1		1	4	1	1		2	4	3			
132	Calculi of the urinary passages	W.	3										1		1	1				
		C.	4										1		1	2				
133	Diseases of the bladder	W.	10									1			3	5	1			
		C.	28	1					1		1	1	2	1	9	5	6	1		
134	Diseases of the urethra, etc	C.	10									1	4	2		3				
135	Diseases of the prostate	W.	15											2	2	7	3	1		
		C.	47								1	3	1	5	10	19	6	1	1	
136	Nonvenereal diseases of the male genital organs	C.	1													1				
137	Cysts, other benign tumors of the ovary	W.	1													1				
		C.	5									2	2			1				
138	Salpingitis and pelvic abscess (female)	W.	11							1	5	4	1							
		C.	37							4	11	11	7	1	1	1				1
139	Benign tumors of the uterus	W.	8								2	1	3			1				1
		C.	25								3	10	7	3	1	1				
140	Nonpuerperal uterine hemorrhage	C.	2										2							
141	Other diseases of the female genital organs	W.	3								1		2							
		C.	9							2	2	3	2							
142	Nonpuerperal diseases of the breast (cancer excepted)	W.	1														1			
	VIII.—The puerperal state	White	168							23	63	65	16							1
		Colored	272							76	104	70	19							3
143	Accidents of pregnancy	W.	17							1	6	9	1							
		C.	14								7	6	1							
144	Puerperal hemorrhage	W.	20							1	4	13	2							
		C.	18							2	5	8	3							
145	Other accidents of labor	W.	12							2	3	6	1							
		C.	32							8	11	12	1							
146	Puerperal septicemia	W.	52							7	23	16	6							
		C.	91							21	39	26	3							2
147	Puerperal phlegmasia alba dolens, embolus, etc	W.	2							1	1									
		C.	3								1	1	1							
148	Puerperal albuminuria and convulsions	W.	65							11	26	21	6							1
		C.	113							44	41	17	10							1
149	Following childbirth (undefined)	C.	1							1										
	IX.—Diseases of the skin and of the cellular tissue	White	21	4				1	1	2	1	1	3	2	2	3	1			
		Colored	28	1					1	1	3	1	4	3	2	4	6	1	1	
151	Gangrene	W.	6							1			1		1	2	1			
		C.	16									1		2	2	4	6	1		
152	Furuncle	W.	4								1	1	1		1					
		C.	4								1		2	1						
153	Acute abscess	W.	6	1					1	1			1	2						
		C.	4							1	1		1					1		
154	Other diseases of the skin and annexa	W.	5	3				1								1				
		C.	4	1					1		1		1							
	X.—Diseases of the bones and of the organs of locomotion	White	7				1	1	1	2		1					1			
		Colored	6	1						2		1	1			1				
155	Diseases of the bones (tuberculosis excepted)	W.	4				1	1	1	1										
		C.	5	1						2		1	1							
156	Diseases of the joints (tuberculosis and rheumatism excepted)	W.	2							1		1								
157	Amputations	W.	1														1			
158	Other diseases of the organs of locomotion	C.	1													1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
MISSISSIPPI—Continued.																			
	XI.—Malformations	White	61	57	1	1			2										
		Colored	25	22	2			1											
159a	Congenital hydrocephalus	W	10	8		1			1										
		C	6	3	2			1											
159b	Congenital malformations of the heart	W	28	26	1				1										
		C	7	7															
159c	Other congenital malformations	W	23	23															
		C	12	12															
	XII.—Early infancy	White	481	481															
		Colored	347	347															
160	Congenital debility, icterus, sclerema	W	82	82															
		C	60	60															
161a	Premature birth	W	331	331															
		C	229	229															
161b	Injury at birth	W	39	39															
		C	18	18															
162	Other diseases peculiar to early infancy	W	28	28															
		C	36	36															
163	Lack of care	W	1	1															
		C	4	4															
164	XIII.—Old age (senility)	White	123											3	38	61	21		
		Colored	352											16	66	122	91	56	1
	XIV.—External causes	White	549	16	13	19	11	7	34	80	84	89	63	33	33	36	15	7	1	8
		Colored	891	48	31	20	17	9	52	138	198	131	87	50	32	39	17	4	3	15
	Suicide (total)	W	55							4	7	14	8	7	8	5	1		1
		C	13								6	1	2	1	1	2			
166	By corrosive substances	W	11							2	1	3	3		2				
		C	1								1								
167	By poisonous gas	W	1													1			
168	By hanging or strangulation	W	2									1		1					
		C	1											1					
169	By drowning	W	1										1						
		C	2								1			1					
170	By firearms	W	35							2	5	9	4	6	5	4			
		C	7								3	1	2			1			
171	By cutting or piercing instruments	W	2								1				1				
172	By jumping from high places	W	1														1		
174	By other means	W	2									1							1
		C	2								1					1			
	Homicide (total)	W	95				1		1	9	21	23	17	14	5	1			3
		C	282	2	1				2	23	103	65	40	24	8	5	1		8
197	By firearms	W	75				1		1	9	17	19	13	9	4				2
		C	226	1					1	18	87	51	34	19	5	4	1		5
198	By cutting or piercing instruments	W	9								2	3	3		1				
		C	26						1	1	10	8	1	3	1				1
199	By other means	W	11								2	1	1	5		1			1
		C	30	1	1					4	6	6	5	2	2	1			2
	Accidental or undefined (total)	W	399	16	13	19	10	7	33	67	56	52	38	12	20	30	14	7	1	4
		C	596	46	30	20	17	9	50	115	89	65	45	25	23	32	16	4	3	7
175	Poisoning by food	W	8	1	2				1			2		1		1				
		C	15	2		1	1		1	1	2	4			2	1				
176	Poisoning by venomous animals	C	5	2							1			1	1					
177	Other acute poisonings (gas excepted)	W	13	2	2	2	1				1	1	1	1	1	1				
		C	13	2	5	1		2					1		1				1
178	Conflagration	W	5						1	2		1	1						
		C	19		3	1	1	1			2	2	2	2	1	1	3		
179	Burns (conflagration excepted)	W	61	2	4	14	8	5	7	5	3	2	3	2		3	1		1	1
		C	109	4	9	11	13	3	20	7	5	5	4	4	5	9	5	2	2	1
180	Mechanical suffocation	W	6	2					1	2			1							
		C	25	22						1			2							
181	Absorption of irrespirable, irritating, or poisonous gas	W	2							1										
182	Drowning	W	27			1		2	4	7	6	2	1		2	1				1
		C	66	1	3	2			7	29	13	4	4	2			1			
183	Traumatism by firearms (except in war)	W	31						4	11	10	1	5							
		C	100		4	1		1	12	32	21	15	6	3	1	1				3
184	Traumatism by cutting or piercing instruments	W	4		1					1				1	1					
		C	9							3	2	1	1	1		1				
185	Traumatism by fall	W	47						4	4	2		2	1	3	12	12	7		
		C	42	6			1		1	6	3	2	4	3	4	7	3	1	1	
186a	Traumatism in mines	C	1								1									
187	Traumatism by machines	W	14							2	4	2	4		1	1				
		C	8						1	2	2		3							
188a	Railroad accidents	W	52						1	5	7	21	10	3	3	1				1
		C	41			1				9	11	9	6	1	1	2				1
188b	Street-car accidents	C	1							1										
188c	Automobile accidents	W	31				1		3	9	6	6	1		1	4				
		C	15			1		1	1	4	1	3	1		2		1			
188d	Aeroplane and balloon accidents	W	1								1									
188e,f	Injuries by other vehicles	W	16	1						5	1	3	3		1	2				
		C	13		1		1		1	6		1	1			2				
188g	Landslide, other crushing	W	2						1			1								
		C	4									1	1		1					1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	MISSISSIPPI—Continued.																		
	XIV.—External causes—Continued.																		
	Accidental or undefined—Continued																		
189	Injuries by animals (not poisoning)	W. 4		1					1		1			1					
		C. 7							2	1	1	1		1		1			
190	Wounds of war	C. 1								1									
192	Starvation (deprivation of food or water)	C. 1	1																
194	Excessive heat	W. 4									1	1	1	1					
		C. 11										2	4	1	2	1	1		
195	Lightning	W. 5						1	1	2		1							
		C. 20						3	3	6	2	1	2	2		1			
196	Other accidental electric shocks	W. 6							1	2	2			1					
		C. 3							1	2									
201	Fracture (cause not specified)	W. 3								1					2				
		C. 4								1	2	1							
202	Other external violence	W. 53	7	3	2			5	9	10	6	3	1	3	2	1			1
		C. 50	2	5	1		1	1	8	13	12	2	1		4				
203	Violent deaths of unknown causation	W. 4	1						1			1		1					
		C. 13	4					2		1	1	2	1		2				
	XV.—Ill-defined diseases	White 352	179	12	2		1	6	9	6	9	19	13	32	36	22	3		3
		Colored 1,749	738	54	37	16	15	38	67	100	74	82	114	109	134	108	29	23	11
204	Sudden death	W. 17	1							1	1			5	6	2			1
		C. 47	4				1		1	2	7	6	4	10	7	2	2	1	
205a	Ill-defined	W. 55	18	5	2			1	1	1	2	5	2	6	8	4			
		C. 177	45	5	5	2		5	11	8	5	11	20	18	24	12	3	2	1
205b	Not specified or unknown	W. 280	160	7			1	5	8	4	6	14	11	21	22	16	3		2
		C. 1,525	689	49	32	14	14	33	55	90	62	65	90	81	103	94	24	20	10
	MISSOURI.																		
	All causes	37,071	4,597	929	460	385	285	1,009	1,683	2,506	2,806	3,276	4,124	5,400	5,809	3,208	450	24	120
	I.—Epidemic, endemic, and infectious diseases	6,615	537	271	203	186	166	494	669	1,015	898	703	516	482	299	136	13	1	26
1	Typhoid and paratyphoid fever	443	4	6	4	10	7	38	133	73	57	47	30	24	7	2			1
5	Malaria	192	17	16	5	8	6	15	18	22	12	14	14	19	11	8	2	1	4
6	Smallpox	192	3	3	2	2	4	4	14	38	46	39	20	8	4	1	1		3
7	Measles	72	20	10	6	3	4	10	9	5	2	1		1	1				
8	Scarlet fever	146	4	13	15	17	9	51	28	7	1				1				
9	Whooping cough	263	153	47	29	8	8	10	7			1							
10	Diphtheria	788	32	82	88	98	100	264	99	12	4	3	2	2	1				1
11a	Influenza (with pulmonary complications)	250	29	15	6	6	4	8	13	17	21	21	22	34	36	17			1
11b	Influenza (other and unspecified)	125	10			1	2		6	14	12	8	10	16	18	23	5		
12	Miliary fever	1											1						
13	Mumps	3	1						1						1				
15	Cholera nostras	4												4					
16	Dysentery	215	36	37	18	9		3	6	3	2	4	11	14	30	40	1		1
21	Erysipelas	107	36		1	1		3	1	2	5	12	10	12	16	6	2		
22	Acute anterior poliomyelitis	58	3	3	5	7	5	26	3	4	1				1				
23	Lethargic encephalitis	18	1		1				2	5	4		4	1					
24	Meningococcus meningitis	50	8	6	4	2	2	4	11	5	4	3							1
25	Other epidemic and endemic diseases	8	4		1	1		2											
28	Rabies	3								1		2							
29	Tetanus	77	11			1	2	13	9	8	9	10	7	5	1	1			
30	Mycoses	4	2										2						
	Tuberculosis (total)	3,182	54	27	12	11	11	36	293	763	646	471	341	316	157	32	2		10
31	Of the respiratory system	2,832	22	15	2	3	4	14	261	710	592	431	315	287	135	29	2		10
32	Of the meninges, central nervous system	95	19	8	7	5	4	13	12	10	9	3	3		1	1			
33	Of the intestines, peritoneum	118		3		2	2	3	9	20	20	19	11	19	10				
34	Of the vertebral column	34	5		1			5	3	3	3	5	3	1	4	1			
35	Of the joints	8				1				2			2	1	2				
36	Of other organs	40	3		1		1	1	3	6	13	5	3	4					
37a	Disseminated (acute)	41	4	1	1				5	10	8	5	3	1	2	1			
37b	Disseminated (chronic or unspecified)	14	1							2	1	3	1	3	3				
38	Syphilis	333	101	2	4		2	1	10	22	61	62	31	20	9	4			4
40	Gonococcus infection	24	2						2	6	8	2	3		1				
41	Purulent infection, septicemia	57	6	4	2	1		6	4	8	3	3	8	6	4	2			
	II.—General diseases not included in Class I	4,100	53	15	9	14	8	33	84	121	229	555	910	1,050	754	239	21		5
	Cancer and other malignant tumors (total)	2,900	1	4	5	10	3	7	16	37	137	386	682	806	595	190	18		3
43	Of the buccal cavity	122								1	4	11	31	40	20	13	2		
44	Of the stomach, liver	1,058	1			3			4	5	28	94	242	342	269	66	3		1
45	Of the peritoneum, intestines, rectum	374			1			1	3	6	23	46	77	119	74	22	2		
46	Of the female genital organs	431		1		1			2	6	43	106	119	93	47	12			1
47	Of the breast	254								1	15	58	70	59	33	16	2		
48	Of the skin	120		1						1	2	9	16	21	40	24	6		
49	Of other or unspecified organs	541		2	4	6	3	6	7	17	22	62	127	132	112	37	3		1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	MISSOURI—Continued.																		
	II.—General diseases not included in Class I—Continued.																		
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	27	.....	.....	1	1	.....	.....	1	2	1	4	3	7	4	3	.....	.....	.....
51	Acute rheumatic fever	93	.....	.....	.....	.....	2	9	17	3	6	11	13	14	13	3	1	.....	1
52	Chronic rheumatism, osteoarthritis, gout	30	.....	.....	.....	.....	.....	.....	.....	.....	2	4	5	6	11	2	.....	.....	.....
53	Scurvy	3	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
54	Pellagra	20	.....	.....	.....	.....	.....	.....	1	2	5	7	2	1	2	.....	.....	.....	.....
56	Rickets	8	1	5	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
57	Diabetes mellitus	545	1	1	.....	.....	2	6	25	35	31	56	114	142	98	31	2	.....	1
58	Anemia, chlorosis	136	8	.....	.....	.....	.....	1	5	1	7	21	41	28	20	4	.....	.....	.....
59	Diseases of the pituitary gland	4	.....	.....	.....	.....	.....	2	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
60a	Exophthalmic goiter	64	.....	.....	.....	.....	.....	1	3	8	6	20	12	11	3	.....	.....	.....	.....
60b	Other diseases of the thyroid gland	37	1	.....	.....	.....	.....	.....	1	6	8	8	6	7	.....	.....	.....	.....	.....
62	Diseases of the thymus gland	14	9	1	2	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
63	Diseases of the adrenals (Addison's disease)	17	.....	.....	.....	.....	.....	.....	.....	1	4	2	6	4	.....	.....	.....	.....	.....
64	Diseases of the spleen	9	1	.....	.....	.....	.....	.....	2	1	.....	1	2	1	1	.....	.....	.....	.....
65a	Leukemia	52	2	.....	.....	2	.....	2	4	8	8	7	5	10	2	2	.....	.....	.....
65b	Hodgkin's disease	23	.....	1	.....	.....	.....	3	3	3	2	4	2	3	2	.....	.....	.....	.....
66	Alcoholism (acute or chronic)	35	.....	.....	.....	.....	.....	.....	.....	7	3	12	10	3	.....	.....	.....	.....	.....
67a	Chronic lead poisoning	5	.....	.....	.....	.....	.....	.....	1	.....	2	2	.....	.....	.....	.....	.....	.....	.....
68	Chronic poisoning by organic substances	14	.....	.....	.....	.....	.....	.....	1	4	.....	5	.....	2	.....	2	.....	.....	.....
69	Other general diseases	64	27	2	1	1	1	.....	3	3	5	4	7	5	3	2	.....	.....	.....
	III.—Diseases of the nervous system and of the organs of special sense	3,739	102	40	19	12	12	36	83	91	176	346	523	795	979	460	54	3	8
70	Encephalitis	48	4	2	2	3	.....	2	5	4	7	7	2	5	4	1	.....	.....	.....
71a	Simple meningitis	128	35	15	10	4	7	8	14	7	8	5	5	6	4	.....	.....	.....	.....
71b	Nonepidemic cerebrospinal meningitis	43	13	6	2	1	2	4	6	2	2	2	1	2	.....	.....	.....	.....	.....
72	Tabes dorsalis (locomotor ataxia)	75	.....	.....	.....	.....	.....	.....	.....	1	3	12	23	18	15	3	.....	.....	.....
73	Other diseases of the spinal cord	187	.....	4	.....	.....	.....	2	5	5	7	17	28	37	54	24	4	.....	.....
74a	Cerebral hemorrhage	2,337	6	1	.....	.....	.....	2	5	19	44	167	345	596	746	356	43	2	5
74b	Cerebral embolism and thrombosis	54	.....	.....	.....	.....	.....	1	1	7	4	3	10	12	11	5	.....	.....	.....
75	Paralysis without specified cause	248	.....	.....	.....	2	1	3	1	4	1	4	23	52	96	53	7	1	.....
76	General paralysis of the insane	237	.....	.....	.....	.....	.....	.....	.....	4	59	70	53	34	13	3	.....	.....	1
77	Other forms of mental alienation	43	.....	.....	.....	.....	.....	.....	.....	6	7	12	4	7	3	3	.....	.....	1
78	Epilepsy	104	2	4	.....	2	.....	1	19	16	20	16	9	8	5	1	.....	.....	1
79	Convulsions (nonpuerperal; 5 years and over)	3	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....
80	Infantile convulsions (under 5 years)	34	30	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
81	Chorea	5	.....	.....	.....	.....	.....	.....	4	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
82	Neuralgia and neuritis	12	.....	.....	.....	.....	.....	.....	.....	.....	2	2	2	2	3	1	.....	.....	.....
83	Softening of the brain	31	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	3	18	7	.....	.....	.....
84	Other diseases of the nervous system	65	2	3	1	.....	.....	2	6	6	7	16	9	7	4	2	.....	.....	.....
85	Diseases of the eye and annexa	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
86a	Diseases of the ear	52	8	3	1	.....	.....	8	12	3	3	7	5	2	.....	.....	.....	.....	.....
86b	Diseases of the mastoid process	32	2	.....	1	.....	2	2	5	7	2	4	2	4	1	.....	.....	.....	.....
	IV.—Diseases of the circulatory system	5,172	27	6	4	9	4	56	121	140	227	377	635	1,090	1,444	892	114	6	20
87	Pericarditis	60	1	.....	1	1	.....	2	1	5	4	8	3	15	15	3	.....	1	.....
88	Endocarditis and myocarditis (acute)	189	9	1	2	3	.....	12	25	22	16	17	22	23	27	9	1	.....	.....
89	Angina pectoris	240	.....	.....	.....	.....	.....	.....	.....	3	13	23	44	70	75	11	1	.....	.....
90	Other diseases of the heart	3,676	16	5	1	4	2	40	95	98	166	291	494	811	999	572	64	.....	18
91a	Aneurysm	105	.....	.....	.....	.....	.....	.....	.....	4	14	23	20	24	16	4	.....	.....	.....
91b,c	Other diseases of the arteries	826	.....	.....	.....	.....	.....	.....	.....	2	3	7	44	136	292	289	46	5	2
92	Embolism and thrombosis (not cerebral)	51	.....	.....	.....	.....	.....	.....	.....	6	7	7	5	6	17	3	.....	.....	.....
93	Diseases of the veins	11	.....	.....	.....	.....	.....	.....	.....	.....	4	1	.....	3	2	.....	1	.....	.....
94	Diseases of the lymphatic system	5	.....	.....	.....	1	1	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....
95	Hemorrhage without specified cause	7	1	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....
96	Other diseases of the circulatory system	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....
	V.—Diseases of the respiratory system	3,512	622	169	78	51	33	112	123	158	199	218	326	422	540	385	66	1	9
97a	Diseases of the nasal fossae	4	.....	.....	1	.....	.....	.....	.....	1	1	.....	.....	.....	1	.....	.....	.....	.....
97b	Diseases of the nasal fossae annexa	16	.....	.....	.....	.....	.....	.....	4	4	4	3	1	.....	.....	.....	.....	.....	.....
98	Diseases of the larynx	46	3	2	4	9	3	15	5	2	.....	.....	.....	1	1	1	.....	.....	.....
99a	Acute bronchitis	135	44	8	5	4	1	3	2	3	3	3	7	11	18	16	7	.....	.....
99b	Chronic bronchitis	148	1	.....	.....	.....	.....	1	2	4	1	3	10	16	47	54	8	.....	1
99c,d	Bronchitis (unspecified)	45	6	2	.....	2	1	.....	.....	1	2	2	1	4	11	9	3	.....	1
100a	Bronchopneumonia	1,219	384	103	44	20	17	36	29	28	32	36	72	104	181	111	20	.....	2
100b	Capillary bronchitis	40	23	5	.....	1	.....	.....	2	.....	.....	.....	1	.....	2	5	1	.....	.....
101a	Lobar pneumonia	1,506	135	40	21	14	9	50	65	103	128	142	184	225	224	144	18	.....	4
101b	Pneumonia (unspecified)	95	12	4	1	1	2	2	4	2	10	10	7	14	8	16	2	.....	.....
102	Pleurisy	83	5	3	2	.....	.....	4	9	5	8	8	12	12	10	4	1	.....	.....
103	Congestion and hemorrhagic infarct of the lung	57	4	.....	.....	.....	.....	.....	.....	1	3	2	6	8	14	14	4	1	
104	Gangrene of the lung	9	.....	1	.....	.....	.....	.....	.....	.....	1	1	4	2	.....	.....	.....	.....	.....
105	Asthma	72	1	.....	.....	.....	.....	1	1	.....	3	2	17	18	17	10	2	.....	.....
106	Pulmonary emphysema	14	3	.....	.....	.....	.....	.....	.....	1	1	2	.....	2	4	1	.....	.....	.....
107	Other diseases of the respiratory system (tuberculosis excepted)	23	1	1	.....	.....	.....	.....	.....	3	2	4	4	5	2	.....	.....	.....	1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	MISSOURI—Continued.																		
	VI.—Diseases of the digestive system	3,635	852	333	99	56	28	105	188	185	230	313	344	367	340	166	19	1	9
108	Diseases of the mouth and annexa	19	3					2	2		2	1	3	2	2	1			1
109b	Other diseases of the pharynx, tonsils	151	9	7	5	15	4	31	26	12	13	15	4	3	4	2	1		
110	Diseases of the esophagus	2												1		1			
111a	Ulcer of the stomach	118			1			1	1	5	12	22	20	19	29	7			1
111b	Ulcer of the duodenum	27								3	4	2	11	3	3	1			
112	Other diseases of the stomach (cancer excepted)	237	58	9	5	1	3	3	6	4	10	23	14	34	37	25	4	1	
113	Diarrhea and enteritis (under 2 years)	1,031	728	303															
114	Diarrhea and enteritis (2 years and over)	333			78	30	10	17	8	9	10	19	19	30	53	42	6		2
116	Diseases due to other intestinal parasites	2		1			1												
117	Appendicitis and typhlitis	515	2	2	2	5	5	37	112	80	81	79	49	40	17	4			
118a	Hernia	124	2			1			1	4	7	21	21	32	20	11	3		1
118b	Intestinal obstruction	243	36	7	4	1	2	4	13	22	27	30	23	35	25	12	1		1
119	Other diseases of the intestines	63	3		2	2		2	1	6	4	6	10	12	10	4			1
120	Acute yellow atrophy of the liver	20	2								2	1	2	4	7	2			
122	Cirrhosis of the liver	319		1				1	2	5	15	34	81	75	76	25	2		2
123	Biliary calculi	175							1	7	13	32	45	45	22	10			
124	Other diseases of the liver	153	4				2	2	1	8	16	23	29	25	26	15	2		
125	Diseases of the pancreas	17								3	1	2	4	3	4				
126	Peritonitis without specified cause	79	4	3	2	1	1	5	14	16	11	3	8	3	5	3			
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	7	1							1	2		1	1		1			
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	4,029	27	8	6	6	3	27	51	122	226	360	549	836	1,122	582	88	2	14
128	Acute nephritis (including unspecified under 10 years)	242	17	3	3	6	2	15	13	21	25	32	35	25	29	13	2		1
129	Chronic nephritis (including unspecified 10 years and over)	3,229	2	2	2		1	10	29	54	131	240	447	725	974	519	78	2	13
131	Other diseases of the kidneys and annexa	76	8	3	1			1	4	3	3	9	17	11	9	6	1		
132	Calculi of the urinary passages	21						1		2	1	1	4	8	3	1			
133	Diseases of the bladder	38							1	2			3	9	12	8	3		
134	Diseases of the urethra, etc	20									3	7	4	4	1	1			
135	Diseases of the prostate	182									4	3	12	46	85	29	3		
136	Nonvenereal diseases of the male genital organs	1														1			
137	Cysts, other benign tumors of the ovary	25								4	5	7	7	1	1				
138	Salpingitis and pelvic abscess (female)	76							3	27	28	13	3	1		1			
139	Benign tumors of the uterus	86								6	17	41	8	3	7	3	1		
140	Nonpuerperal uterine hemorrhage	1										1							
141	Other diseases of the female genital organs	32							1	3	9	6	9	3	1				
	VIII.—The puerperal state	499							61	220	185	30	1						2
143	Accidents of pregnancy	37								17	18	2							
144	Puerperal hemorrhage	45							3	12	26	4							
145	Other accidents of labor	26							2	13	10	1							
146	Puerperal septicemia	259							33	120	86	17	1						2
147	Puerperal phlegmasia alba dolens, embolus, etc	17							4	8	5								
148	Puerperal albuminuria and convulsions	112							18	50	38	6							
149	Following childbirth (undefined)	3							1		2								
	IX.—Diseases of the skin and of the cellular tissue	118	17	3	1	2		2	3	2	5	11	16	16	17	20	2	1	
151	Gangrene	50	1	1	1	1		1			3	3	4	5	12	15	2	1	
152	Furuncle	27	4			1			1	1	1	4	7	4		4			
153	Acute abscess	15	2	1				1	1	1		4	1	3		1			
154	Other diseases of the skin and annexa	26	10	1					1		1		4	4	5				
	X.—Diseases of the bones and of the organs of locomotion	45			1	1	3	7	11	5	2	1	7	3	1	3			
155	Diseases of the bones (tuberculosis excepted)	34			1	1	2	7	9	3	2	1	5	1	1	1			
156	Diseases of the joints (tuberculosis and rheumatism excepted)	9					1		1	2			2	1		2			
158	Other diseases of the organs of locomotion	2							1					1					
	XI.—Malformations	420	386	11	4	2	1	9	3	2	2								
159a	Congenital hydrocephalus	38	26	5	2		1	3			1								
159b	Congenital malformations of the heart	266	256	3				4	2	1									
159c	Other congenital malformations	116	104	3	2	2		2	1	1	1								
	XII.—Early infancy	1,736	1,736																
160	Congenital debility, icterus, sclerema	208	208																
161a	Premature birth	1,177	1,177																
161b	Injury at birth	210	210																
162	Other diseases peculiar to early infancy	136	136																
163	Lack of care	5	5																
164	XIII.—Old age (senility)	265											1	6	53	148	51	6	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
MISSOURI—Continued.																			
	XIV.—External causes	2,755	57	52	31	38	26	125	279	437	414	340	272	287	209	147	17	2	22
	Suicide (total)	454							20	75	90	83	87	60	28	6			5
165	By poisons (corrosives excepted)	21								5	6	1	4	3	2				
166	By corrosive substances	95							10	23	22	18	13	6	2				1
167	By poisonous gas	35							1	9	8	8	4	4		1			
168	By hanging or strangulation	55								3	8	11	11	12	9	1			
169	By drowning	21							1	2	5	3	3	3	3	1			
170	By firearms	190							8	32	37	35	40	26	9	2			1
171	By cutting or piercing instruments	28								1	3	5	9	4	2	1			3
172	By jumping from high places	7									1		3	2	1				
173	By crushing	1										1							
174	By other means	1										1							
	Homicide (total)	346	3				1	5	15	114	103	52	25	18	4				6
197	By firearms	263					1	3	10	85	86	40	19	13	3				3
198	By cutting or piercing instruments	29	1						2	9	7	5	1	3					1
199	By other means	54	2					2	3	20	10	7	5	2	1				2
	Accidental or undefined (total)	1,955	54	52	31	38	25	120	244	248	221	205	160	209	177	141	17	2	11
175	Poisoning by food	35	1	3	2	4		1	4	2	1	6	3	2	5	1			
176	Poisoning by venomous animals	2									1					1			
177	Other acute poisonings (gas excepted)	70	3	16	3	2	2	4	2	11	11	8	3	3	2				
178	Conflagration	23	1		2				4	1	4	4	3	3	1				
179	Burns (conflagration excepted)	161	9	17	8	18	10	19	19	12	16	10	8	8	3	3	1		
180	Mechanical suffocation	25	21						2	1		1							
181	Absorption of irrespirable, irritating, or poisonous gas	41							7	5	1	4	7	5	7	3			2
182	Drowning	167	1	2	2	4	2	15	47	33	26	7	10	9	3	3			3
183	Traumatism by firearms (except in war)	81			2		2	8	25	20	5	6	6	4	2	1			
184	Traumatism by cutting or piercing instruments	13	1		1			1	2	2		1	1		1	3			
185	Traumatism by fall	373	5	2	3			10	18	14	18	19	31	56	77	102	16	2	
186a	Traumatism in mines	37							1	12	7	9	2	6					
186b	Traumatism in quarries	4									1	1	1	1					
187	Traumatism by machines	61			1			2	8	9	11	11	10	9					
188a	Railroad accidents	194		2		1		4	26	38	35	32	11	23	16	1			5
188b	Street-car accidents	34		1				3	3	6	6	2	2	4	4	3			
188c	Automobile accidents	276	2		4	4	5	33	32	34	37	37	28	29	21	10			
188d	Aeroplane and balloon accidents	2							1	1									
188e,f	Injuries by other vehicles	60		2	1			4	10	8	2	3	12	12	5	1			
188g	Landslide, other crushing	19						3	1	1	5	2	3		3	1			
189	Injuries by animals (not poisoning)	47	1	2			2	6	7	3	3	8	4	9	2				
190	Wounds of war	1								1									
192	Starvation (deprivation of food or water)	1	1																
193	Excessive cold	1								1									
194	Excessive heat	45	3	1		1			1	2	5	5	5	7	12	3			
195	Lightning	24							6	4	5	5		3	1				
196	Other accidental electric shocks	33							3	9	11	7	3						
201	Fracture (cause not specified)	15							1	1	2	4	2	1	3	1			
202	Other external violence	70	4	3	2	2	2	5	12	12	6	7	2	9	2	1			1
203	Violent deaths of unknown causation	40	1	1		2		2	2	5	2	6	3	6	7	3			
	XV.—Ill-defined diseases	431	181	21	5	8	1	3	7	8	13	22	24	46	51	30	5	1	5
204	Sudden death	24	7			1		1			1		3	2	3	6			
205a	Ill-defined	146	26	13	1	1			3	4	7	13	12	28	21	15	2		
205b	Not specified or unknown	261	148	8	4	6	1	2	4	4	5	9	9	16	27	9	3	1	5
MONTANA.																			
	All causes	4,693	805	111	74	41	48	146	238	297	455	447	576	656	529	214	41	2	13
	I.—Epidemic, endemic, and infectious diseases	689	89	32	30	11	16	62	63	61	92	86	85	39	11	6	1		5
1	Typhoid and paratyphoid fever	20		2			1	1	5	1	3	4	2		1				
6	Smallpox	3	1							1					1				
7	Measles	35	12	6	3	4		8	2										
8	Scarlet fever	10	1	1			1	5	1	1									
9	Whooping cough	69	40	12	11	1		3	1										1
10	Diphtheria	47		1	2	4	5	23	10		1	1							
11a	Influenza (with pulmonary complications)	26	4		1		1	3	1	4	3	4	3	2					
11b	Influenza (other and unspecified)	23	1	1				5	2	2	4	2	4	1			1		
13	Mumps	1		1															
15	Cholera nostras	1	1																
16	Dysentery	11	3	1	1	1	1						2		1	1			
21	Erysipelas	17	8										6	1	1	1			
22	Acute anterior poliomyelitis	2					1	1											
23	Lethargic encephalitis	3							2				1						
24	Meningococcus meningitis	7	1	1	1	1			2			1							
25	Other epidemic and endemic diseases	10						1		2	1	2	4						
30	Mycoses	1													1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	MONTANA—Continued.																		
	I.—Epidemic, endemic, and infectious diseases—Continued.																		
	Tuberculosis (total)	356	6	4	11	.....	4	12	35	46	72	64	56	35	5	2	.....	.....	4
31	Of the respiratory system	315	4	.....	5	.....	2	9	29	41	64	61	56	33	5	2	.....	.....	4
32	Of the meninges, central nervous system	16	1	3	6	.....	2	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
33	Of the intestines, peritoneum	6	.....	1	.....	.....	.....	.....	.....	1	3	1	.....	.....	.....	.....	.....	.....	.....
34	Of the vertebral column	3	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....
35	Of the joints	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
36	Of other organs	5	.....	.....	.....	.....	.....	.....	.....	.....	3	1	.....	1	.....	.....	.....	.....	.....
37a	Disseminated (acute)	6	1	.....	.....	.....	.....	1	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....
37b	Disseminated (chronic or unspecified)	3	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
38	Syphilis	28	8	2	.....	.....	.....	.....	1	1	3	6	5	.....	.....	.....	.....	.....	.....
40	Gonococcus infection	5	.....	.....	.....	.....	.....	.....	.....	2	3	.....	.....	.....	.....	.....	.....	.....	.....
41	Purulent infection, septicemia	16	3	.....	.....	.....	2	.....	1	1	2	2	2	.....	1	2	.....	.....	.....
	II.—General diseases not included in Class I	484	7	3	3	1	1	9	16	18	31	71	114	131	64	15	.....	.....	.....
	Cancer and other malignant tumors (total)	315	.....	.....	1	.....	1	3	4	4	17	55	72	103	42	13	.....	.....	.....
43	Of the buccal cavity	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	5	4	1	.....	.....	.....
44	Of the stomach, liver	131	.....	.....	.....	.....	.....	.....	1	.....	8	20	32	43	19	8	.....	.....	.....
45	Of the peritoneum, intestines, rectum	42	.....	.....	.....	.....	.....	1	1	.....	1	9	7	18	5	.....	.....	.....	.....
46	Of the female genital organs	40	.....	.....	.....	.....	.....	.....	.....	2	6	10	12	9	1	.....	.....	.....	.....
47	Of the breast	25	.....	.....	.....	.....	.....	.....	.....	.....	2	7	6	7	1	2	.....	.....	.....
48	Of the skin	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	4	.....	.....	.....	.....
49	Of other or unspecified organs	59	.....	.....	1	.....	1	2	2	2	.....	8	14	19	8	2	.....	.....	.....
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	4	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....
51	Acute rheumatic fever	23	.....	.....	.....	.....	.....	3	6	4	1	.....	3	2	4	.....	.....	.....	.....
52	Chronic rheumatism, osteoarthritis, gout	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....
56	Rickets	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
57	Diabetes mellitus	57	.....	.....	.....	.....	.....	2	3	3	3	2	15	14	13	2	.....	.....	.....
58	Anemia, chlorosis	21	1	.....	.....	.....	.....	.....	1	1	.....	4	6	7	1	.....	.....	.....	.....
60a	Exophthalmic goiter	6	.....	.....	.....	.....	.....	.....	.....	3	2	.....	1	.....	.....	.....	.....	.....	.....
60b	Other diseases of the thyroid gland	8	.....	1	.....	.....	.....	.....	1	.....	.....	1	3	2	.....	.....	.....	.....	.....
62	Diseases of the thymus gland	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
63	Diseases of the adrenals (Addison's disease)	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....
64	Diseases of the spleen	2	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
65a	Leukemia	5	.....	.....	.....	1	.....	.....	1	.....	1	.....	2	.....	.....	.....	.....	.....	.....
65b	Hodgkin's disease	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
66	Alcoholism (acute or chronic)	19	.....	.....	.....	.....	.....	.....	.....	1	4	7	6	1	.....	.....	.....	.....	.....
67a	Chronic lead poisoning	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....
68	Chronic poisoning by organic substances	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
69	Other general diseases	10	4	1	.....	.....	.....	1	.....	1	2	.....	.....	.....	1	.....	.....	.....	.....
	III.—Diseases of the nervous system and of the organs of special sense	434	22	5	3	1	4	7	16	12	28	41	74	102	88	26	4	.....	1
70	Encephalitis	8	.....	1	.....	.....	.....	.....	2	1	.....	1	3	.....	.....	.....	.....	.....	.....
71a	Simple meningitis	13	4	1	.....	.....	1	1	3	1	1	.....	.....	.....	.....	.....	1	.....	.....
71b	Nonepidemic cerebrospinal meningitis	4	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
72	Tabes dorsalis (locomotor ataxia)	7	.....	.....	.....	.....	.....	.....	1	.....	2	1	1	2	.....	.....	.....	.....	.....
73	Other diseases of the spinal cord	17	.....	.....	.....	.....	.....	.....	1	.....	4	1	1	4	4	2	.....	.....	.....
74a	Cerebral hemorrhage	242	1	.....	.....	.....	.....	.....	.....	1	6	14	53	73	72	20	2	.....	.....
74b	Cerebral embolism and thrombosis	12	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	5	1	2	1	.....	.....
75	Paralysis without specified cause	20	.....	.....	1	1	.....	.....	.....	.....	.....	2	1	5	8	1	.....	.....	1
76	General paralysis of the insane	28	.....	.....	.....	.....	.....	.....	.....	2	2	11	6	4	3	.....	.....	.....	.....
77	Other forms of mental alienation	24	.....	.....	.....	.....	.....	.....	.....	3	9	5	3	3	.....	1	.....	.....	.....
78	Epilepsy	16	1	.....	.....	.....	.....	1	6	2	1	3	2	.....	.....	.....	.....	.....	.....
80	Infantile convulsions (under 5 years)	14	14	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
84	Other diseases of the nervous system	8	1	.....	.....	.....	.....	.....	.....	1	1	1	1	3	.....	.....	.....	.....	.....
85	Diseases of the eye and annexa	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
86a	Diseases of the ear	11	.....	1	2	.....	.....	2	2	.....	1	.....	1	2	.....	.....	.....	.....	.....
86b	Diseases of the mastoid process	9	.....	1	.....	.....	2	2	1	.....	1	2	.....	.....	.....	.....	.....	.....	.....
	IV.—Diseases of the circulatory system	597	4	1	.....	1	.....	10	21	22	39	43	80	155	141	66	14	.....	.....
87	Pericarditis	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....
88	Endocarditis and myocarditis (acute)	19	.....	1	.....	.....	.....	.....	4	2	5	4	1	.....	2	.....	.....	.....	.....
89	Angina pectoris	28	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	3	11	9	1	.....	.....	.....
90	Other diseases of the heart	474	4	.....	.....	1	.....	9	17	19	27	31	69	126	111	49	11	.....	.....
91a	Aneurysm	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	1	3	.....	.....	.....	.....
91b,c	Other diseases of the arteries	46	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	13	11	16	3	.....	.....
92	Embolism and thrombosis (not cerebral)	16	.....	.....	.....	.....	.....	.....	.....	1	2	4	3	3	3	.....	.....	.....	.....
93	Diseases of the veins	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....
95	Hemorrhage without specified cause	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
96	Other diseases of the circulatory system	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
	V.—Diseases of the respiratory system	490	132	34	13	8	4	12	16	20	30	43	45	47	52	26	7	.....	1
97a	Diseases of the nasal fossae	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
97b	Diseases of the nasal fossae annexa	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
98	Diseases of the larynx	2	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
99a	Acute bronchitis	15	2	1	1	.....	.....	.....	.....	.....	1	1	1	.....	5	3	.....	.....	.....
99b	Chronic bronchitis	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	1	1	1	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	MONTANA—Continued.																		
	V.—Diseases of the respiratory system—Continued.																		
99c,d	Bronchitis (unspecified)	10	1			2						1	2	1	2	1			
100a	Bronchopneumonia	172	86	20	8	4	4	3	3	1	1	5	4	9	14	6	4		
100b	Capillary bronchitis	4	3												1				
101a	Lobar pneumonia	191	19	5	3	1		5	9	15	22	28	29	20	23	11			1
101b	Pneumonia (unspecified)	45	17	5	1	1		1	1	3	4	3	2	5	1	1			
102	Pleurisy	10		1				2				1	1	3	1	1			
103	Congestion and hemorrhagic infarct of the lung	6	1							1					1	1	2		
104	Gangrene of the lung	2										1		1					
105	Asthma	11		2					1				1	3	3	1			
107	Other diseases of the respiratory system (tuberculosis excepted)	13							1		2	2	5	3					
	VI.—Diseases of the digestive system.	455	90	18	13	6	11	21	45	28	51	31	56	49	24	10	1		1
108	Diseases of the mouth and annexa	6					1		1	1	2		1						
109b	Other diseases of the pharynx, tonsils	27	1		1	1	5	5	6	1	3		3	1					
111a	Ulcer of the stomach	18								2	5	4	3	3	1				
111b	Ulcer of the duodenum	6							1		2		2		1				
112	Other diseases of the stomach (cancer excepted)	10	3					1	1			1		2	1	1			
113	Diarrhea and enteritis (under 2 years)	92	78	14															
114	Diarrhea and enteritis (2 years and over)	17			5	2	1	4	1		2					2			
117	Appendicitis and typhlitis	124	1	2	2	1	3	11	27	18	21	13	11	10	3				1
118a	Hernia	15							1			1	7	4	1	1			
118b	Intestinal obstruction	34	6	1	2	1			3	1	7	3	1	4	3	2			
119	Other diseases of the intestines	8	1						1	1			1	1	1	1	1		
122	Cirrhosis of the liver	35								1	3	2	13	9	6	1			
123	Biliary calculi	23								1		1	9	8	4				
124	Other diseases of the liver	26		1	1					1	5	3	3	7	3	2			
125	Diseases of the pancreas	2			1							1							
126	Peritonitis without specified cause	12			1	1	1		3	1	1	2	2						
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	353	4	1		1		2	8	12	34	46	55	70	85	32	2		1
128	Acute nephritis (including unspecified under 10 years)	28	3	1				1	3	4	2	2	3	5	2	1	1		
129	Chronic nephritis (including unspecified 10 years and over)	251				1		1	3	5	21	32	44	51	68	23	1		1
131	Other diseases of the kidneys and annexa	12	1						1	1	1	2	2	1	2	1			
132	Calculi of the urinary passages	4											2	2					
133	Diseases of the bladder	6													3	3			
135	Diseases of the prostate	20												7	9	4			
137	Cysts, other benign tumors of the ovary	6							1		1	1	1	2					
138	Salpingitis and pelvic abscess (female)	14								2	6	4	1	1					
139	Benign tumors of the uterus	8									2	3	1	1	1				
141	Other diseases of the female genital organs	4									1	2	1						
	VIII.—The puerperal state	89							5	37	41	6							
143	Accidents of pregnancy	8								2	6								
144	Puerperal hemorrhage	5								3	1	1							
145	Other accidents of labor	5								2	2	1							
146	Puerperal septicemia	42							4	18	18	2							
147	Puerperal phlegmasia alba dolens, embolus, etc	6								2	4								
148	Puerperal albuminuria and convulsions	22							1	10	9	2							
149	Following childbirth (undefined)	1									1								
	IX.—Diseases of the skin and of the cellular tissue	16	3						1	3		2	2	3		2			
151	Gangrene	4								1				1		2			
152	Furuncle	1												1					
153	Acute abscess	8	2						1	2		2	1						
154	Other diseases of the skin and annexa	3	1										1	1					
	X.—Diseases of the bones and of the organs of locomotion	2						1						1					
155	Diseases of the bones (tuberculosis excepted)	1						1											
156	Diseases of the joints (tuberculosis and rheumatism excepted)	1												1					
	XI.—Malformations	89	84	1	1	1	1		1										
159a	Congenital hydrocephalus	9	7		1				1										
159b	Congenital malformations of the heart	50	49	1															
159c	Other congenital malformations	30	28			1	1												
	XII.—Early infancy	336	336																
160	Congenital debility, icterus, sclerema	42	42																
161a	Premature birth	204	204																
161b	Injury at birth	53	53																
162	Other diseases peculiar to early infancy	33	33																
163	Lack of care	4	4																

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
MONTANA—Continued.																			
164	XIII.—Old age (senility)	57												5	23	21	7	1	
	XIV.—External causes	523	9	14	11	10	9	20	44	82	103	74	59	40	37	8	1		2
	Suicide (total)	94							1	11	28	20	14	13	7				
165	By poisons (corrosives excepted)	3								1		1		1					
166	By corrosive substances	13								2	3	3	1	2	2				
168	By hanging or strangulation	13									5	2	3	3					
169	By drowning	3									1	2							
170	By firearms	52							1	6	16	9	9	7	4				
171	By cutting or piercing instruments	8								1	3	2	1		1				
173	By crushing	1								1									
174	By other means	1										1							
	Homicide (total)	41	2							11	10	9	4	4	1				
197	By firearms	33								9	10	8	2	4					
198	By cutting or piercing instruments	1													1				
199	By other means	7	2							2		1	2						
	Accidental or undefined (total)	388	7	14	11	10	9	20	43	60	65	45	41	23	29	8	1		2
175	Poisoning by food	7	1			1			1		2		2						
177	Other acute poisonings (gas excepted)	11		2						2	3	1	2	1					
178	Conflagration	12	1		2	1	1	2	1				1		1	2			
179	Burns (conflagration excepted)	27		3	2	3	2	2	2	2	5	2	1	2	1				
180	Mechanical suffocation	6	4						1		1								
181	Absorption of irrespirable, irritating, or poisonous gas	3								1	2								
182	Drowning	49		2	3		3	5	11	9	4	1	6	2	3				
183	Traumatism by firearms (except in war)	22						1	9	3	4	1	2	2					
184	Traumatism by cutting or piercing instruments	3				1								2					
185	Traumatism by fall	37		2					4	4	3	5	2	4	6	5	1		1
186a	Traumatism in mines	31								6	12	8	4		1				
187	Traumatism by machines	8			2						2	1	3						
188a	Railroad accidents	30		1	1	1			1	4	8	6	4	1	1	1			1
188b	Street-car accidents	1							1										
188c	Automobile accidents	48			1	1	2	1	5	14	9	7	3	3	2				
188d	Aeroplane and balloon accidents	1								1									
188e,f	Injuries by other vehicles	25		3			1	3	2		4	3	3	1	5				
188g	Landslide, other crushing	7							1	1	1	1	2		1				
189	Injuries by animals (not poisoning)	15		1		2		1	1	5			1	1	3				
193	Excessive cold	7									1	4		1	1				
194	Excessive heat	1												1					
195	Lightning	7							1	2	1	1	1	1					
196	Other accidental electric shocks	3							1	1	1								
201	Fracture (cause not specified)	1													1				
202	Other external violence	15						4	1	3	1	2	2		2				
203	Violent deaths of unknown causation	11	1					1		2	1	2	2	1	1				
	XV.—Ill-defined diseases	79	25	2		1	2	2	2	2	6	4	6	14	4	2	4	1	2
204	Sudden death	2										1		1					
205a	Ill-defined	26					1		1		3	3	3	10	3	2			
205b	Not specified or unknown	51	25	2		1	1	2	1	2	3		3	3	1		4	1	2
NEBRASKA.																			
	All causes	12,017	1,888	248	134	114	93	325	534	716	811	874	1,148	1,714	2,058	1,195	152	6	7
	I.—Epidemic, endemic, and infectious diseases	1,299	146	56	36	46	35	122	130	166	161	112	107	76	69	30	2	1	4
1	Typhoid and paratyphoid fever	66		2	1		1	6	10	16	16	4	6	4					
5	Malaria	3	1											2					
6	Smallpox	9	6						1							2			
7	Measles	28	7	2	1	2	2	5	5	3	1								
8	Scarlet fever	94	7	10	4	10	8	25	13	10	2	5							
9	Whooping cough	65	44	8	4	3	1	3	2										
10	Diphtheria	146	4	8	13	14	14	54	29	2	5	1	2						
11a	Influenza (with pulmonary complications)	64	7	3	2	1	1	2	4	5	6	2	11	4	7	6	2		1
11b	Influenza (other and unspecified)	67	11	5	1	4	1	1	2	3	2	4	2	7	14	10			
13	Mumps	1	1																
16	Dysentery	28	6	2	1	4		1	1			1	1	4	3	3		1	
21	Erysipelas	49	21	1		1			1	3	2	3	3	4	7	3			
22	Acute anterior poliomyelitis	29	1	3	3	5	3	7	4	1			2						
23	Lethargic encephalitis	24		1			2	2	5	3	2	2	5		2				
24	Meningococcus meningitis	16	2	1		1	2	4	2	2			2						
25	Other epidemic and endemic diseases	2	1	1															
29	Tetanus	18	2			1		1	8	3		2	1						
30	Mycoses	1													1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	NEBRASKA—Continued.																	
	I.—Epidemic, endemic, and infectious diseases—Continued.																	
	Tuberculosis (total)	487	14	8	6	.....	.....	9	35	102	107	75	51	41	32	5	.....	.....	2
31	Of the respiratory system	406	6	4	1	.....	.....	5	29	89	90	70	43	35	29	3	.....	.....	2
32	Of the meninges, central nervous system	24	4	3	4	.....	.....	2	2	3	2	.....	2	1	1	.....	.....	.....	.....
33	Of the intestines, peritoneum	20	1	.....	1	.....	.....	1	2	3	3	3	1	3	1	1	.....	.....	.....
34	Of the vertebral column	3	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....
35	Of the joints	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....
36	Of other organs	10	1	.....	.....	.....	.....	.....	1	2	3	1	1	.....	.....	1	.....	.....	.....
37a	Disseminated (acute)	16	2	1	.....	.....	.....	.....	1	3	7	1	1	.....	.....	.....	.....	.....	.....
37b	Disseminated (chronic or unspecified)	5	.....	.....	.....	.....	.....	1	.....	2	.....	.....	1	1	.....	.....	.....	.....	.....
38	Syphilis	69	8	.....	.....	.....	.....	.....	4	8	12	10	19	7	1	.....	.....	.....	.....
40	Gonococcus infection	7	.....	.....	.....	.....	.....	.....	1	2	4	.....	.....	.....	.....	.....	.....	.....	.....
41	Purulent infection, septicemia	26	3	1	.....	.....	.....	2	3	3	2	3	2	3	2	1	.....	.....	1
	II.—General diseases not included in Class I	1,648	30	2	3	3	2	25	53	45	106	192	297	417	361	102	10	.....	.....
	Cancer and other malignant tumors (total)	1,081	3	.....	1	1	1	3	9	11	58	129	208	299	268	85	5	.....	.....
43	Of the buccal cavity	22	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	3	6	8	2	.....	.....	.....
44	Of the stomach, liver	473	1	.....	.....	.....	.....	.....	.....	2	16	36	86	152	144	35	1	.....	.....
45	Of the peritoneum, intestines, rectum	179	1	.....	.....	.....	.....	.....	.....	2	10	22	42	49	38	15	.....	.....	.....
46	Of the female genital organs	132	.....	.....	.....	.....	1	.....	1	.....	15	39	27	31	12	6	.....	.....	.....
47	Of the breast	71	.....	.....	.....	.....	.....	.....	.....	1	9	16	20	14	8	3	.....	.....	.....
48	Of the skin	28	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	4	5	10	7	1	.....	.....
49	Of other or unspecified organs	176	1	.....	1	1	.....	3	8	6	7	13	26	42	48	17	3	.....	.....
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	15	.....	.....	.....	1	.....	.....	.....	1	1	2	1	4	4	1	.....	.....	.....
51	Acute rheumatic fever	35	.....	.....	.....	.....	.....	7	7	6	3	1	3	5	3	.....	.....	.....	.....
52	Chronic rheumatism, osteoarthritis, gout	17	.....	.....	.....	.....	.....	1	.....	.....	.....	1	3	5	3	3	1	.....	.....
54	Pellagra	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
56	Rickets	4	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
57	Diabetes mellitus	256	.....	.....	.....	.....	.....	9	27	11	21	19	38	60	58	10	3	.....	.....
58	Anemia, chlorosis	100	.....	.....	.....	.....	.....	1	2	2	8	12	26	32	16	1	.....	.....	.....
59	Diseases of the pituitary gland	2	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
60a	Exophthalmic goiter	12	.....	.....	.....	.....	.....	.....	1	1	2	5	1	.....	2	.....	.....	.....	.....
60b	Other diseases of the thyroid gland	15	.....	.....	1	.....	.....	.....	1	4	4	2	1	1	1	.....	.....	.....	.....
61	Diseases of the parathyroid glands	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
62	Diseases of the thymus gland	6	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
63	Diseases of the adrenals (Addison's disease)	14	.....	.....	.....	.....	.....	.....	.....	1	2	3	5	3	.....	.....	.....	.....	.....
64	Diseases of the spleen	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
65a	Leukemia	29	1	1	.....	1	1	3	2	4	3	2	5	1	5	.....	.....	.....	.....
65b	Hodgkin's disease	8	.....	.....	.....	.....	.....	.....	.....	1	1	3	1	2	.....	.....	.....	.....	.....
66	Alcoholism (acute or chronic)	15	.....	.....	.....	.....	.....	.....	1	1	.....	7	3	3	.....	.....	.....	.....	.....
67a	Chronic lead poisoning	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....
68	Chronic poisoning by organic substances	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
69	Other general diseases	31	15	1	1	.....	.....	1	1	2	1	3	1	2	.....	2	1	.....	.....
	III.—Diseases of the nervous system and of the organs of special sense	1,377	61	10	7	7	6	12	23	30	64	84	148	304	403	195	23	.....	.....
70	Encephalitis	19	4	1	.....	.....	.....	.....	.....	2	5	2	2	1	2	.....	.....	.....	.....
71a	Simple meningitis	38	9	1	2	3	2	6	6	2	3	.....	1	2	1	.....	.....	.....	.....
71b	Nonepidemic cerebrospinal meningitis	18	2	4	1	1	1	2	2	2	1	1	1	.....	.....	.....	.....	.....	.....
72	Tabes dorsalis (locomotor ataxia)	16	.....	.....	.....	.....	.....	.....	.....	.....	1	5	5	3	2	.....	.....	.....	.....
73	Other diseases of the spinal cord	86	.....	.....	.....	.....	.....	1	2	1	3	12	9	21	27	8	2	.....	.....
74a	Cerebral hemorrhage	328	2	1	.....	1	.....	.....	1	4	10	33	96	217	300	146	17	.....	.....
74b	Cerebral embolism and thrombosis	44	.....	.....	.....	.....	.....	.....	.....	2	3	3	4	15	9	7	1	.....	.....
75	Paralysis without specified cause	80	.....	.....	.....	.....	.....	.....	1	.....	1	.....	5	15	35	23	.....	.....	.....
76	General paralysis of the insane	59	.....	.....	.....	.....	.....	.....	.....	2	14	15	9	9	7	3	.....	.....	.....
77	Other forms of mental alienation	22	.....	.....	.....	.....	.....	.....	.....	1	4	3	3	6	3	1	1	.....	.....
78	Epilepsy	47	1	.....	.....	.....	.....	1	6	8	10	5	6	3	5	2	.....	.....	.....
79	Convulsions (nonpuerperal; 5 years and over)	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
80	Infantile convulsions (under 5 years)	33	30	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
81	Chorea	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
82	Neuralgia and neuritis	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	1	.....	.....
83	Softening of the brain	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	4	2	.....	.....	.....
84	Other diseases of the nervous system	37	5	2	1	1	1	1	1	4	5	2	3	5	4	1	1	.....	.....
85	Diseases of the eye and annexa	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
86a	Diseases of the ear	20	7	.....	.....	1	.....	.....	1	1	2	2	3	.....	.....	1	2	.....	.....
86b	Diseases of the mastoid process	14	1	1	1	.....	1	1	3	1	1	1	.....	2	1	.....	.....	.....	.....
	IV.—Diseases of the circulatory system	1,771	14	1	.....	3	3	19	32	50	70	113	209	377	516	327	36	.....	1
87	Pericarditis	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	4	2	.....	.....	.....
88	Endocarditis and myocarditis (acute)	65	2	.....	.....	1	1	5	11	11	10	8	2	8	3	3	.....	.....	.....
89	Angina pectoris	120	.....	.....	.....	.....	.....	.....	.....	1	4	8	20	39	40	7	1	.....	.....
90	Other diseases of the heart	1,297	10	1	.....	2	1	13	18	33	49	86	164	288	377	233	21	.....	1
91a	Aneurysm	14	.....	.....	.....	.....	.....	.....	1	1	1	1	5	2	2	1	.....	.....	.....
91b,c	Other diseases of the arteries	211	.....	.....	.....	.....	.....	.....	.....	.....	1	4	10	30	82	71	13	.....	.....
92	Embolism and thrombosis (not cerebral)	35	1	.....	.....	.....	.....	.....	.....	3	.....	5	7	5	5	8	1	.....	.....
93	Diseases of the veins	13	.....	.....	.....	.....	.....	.....	.....	1	5	.....	.....	3	2	2	.....	.....	.....
94	Diseases of the lymphatic system	4	1	.....	.....	.....	1	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
95	Hemorrhage without specified cause	3	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	NEBRASKA—Continued.																		
	V.—Diseases of the respiratory system.	997	238	46	20	6	8	21	33	42	44	61	68	117	177	100	16	....	....
97a	Diseases of the nasal fossae	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	....	.....
97b	Diseases of the nasal fossae annexa	8	2	.....	.....	.....	.....	.....	2	1	.....	1	.....	2	.....	.....	.....	....	.....
98	Diseases of the larynx	8	2	.....	2	.....	2	1	.....	.....	.....	.....	.....	1	.....	.....	.....	....	.....
99a	Acute bronchitis	17	7	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	5	4	.....	....	.....
99b	Chronic bronchitis	16	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	6	5	.....	....	.....
99c,d	Bronchitis (unspecified)	19	7	2	1	.....	.....	.....	.....	.....	.....	.....	.....	2	2	4	1	....	.....
100a	Bronchopneumonia	333	141	26	9	2	.....	7	7	8	10	13	13	23	45	25	4	....	.....
100b	Capillary bronchitis	7	3	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	....	.....
101a	Lobar pneumonia	326	42	7	5	2	2	4	13	27	17	29	32	53	65	24	4	....	.....
101b	Pneumonia (unspecified)	155	33	10	2	.....	3	3	7	2	6	9	12	17	29	19	3	....	.....
102	Pleurisy	36	.....	.....	1	.....	.....	4	4	3	6	5	3	3	6	1	.....	....	.....
103	Congestion and hemorrhagic infarct of the lung	27	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	5	4	6	8	3	....	.....
104	Gangrene of the lung	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	....	.....
105	Asthma	30	.....	.....	.....	.....	.....	.....	.....	.....	3	1	1	5	13	7	.....	....	.....
107	Other diseases of the respiratory system (tuberculosis excepted)	8	.....	.....	.....	1	.....	2	.....	.....	1	2	1	.....	.....	1	.....	....	.....
	VI.—Diseases of the digestive system.	1,294	261	89	44	24	18	56	107	93	97	95	109	114	111	69	7	....	.....
108	Diseases of the mouth and annexa	9	3	.....	.....	.....	1	.....	.....	.....	.....	1	1	1	1	1	.....	....	.....
109b	Other diseases of the pharynx, tonsils	62	4	2	2	2	4	11	9	11	12	1	2	1	1	.....	.....	....	.....
111a	Ulcer of the stomach	49	.....	.....	.....	.....	.....	.....	1	3	7	11	10	10	3	3	1	....	.....
111b	Ulcer of the duodenum	15	.....	.....	.....	.....	.....	.....	.....	.....	5	1	4	4	1	.....	.....	....	.....
112	Other diseases of the stomach (cancer excepted)	78	25	5	1	.....	.....	.....	.....	.....	2	7	11	7	6	13	1	....	.....
113	Diarrhea and enteritis (under 2 years)	263	190	73	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....
114	Diarrhea and enteritis (2 years and over)	115	.....	.....	33	14	3	12	8	1	3	2	1	8	12	14	4	....	.....
116	Diseases due to other intestinal parasites	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	....	.....
117	Appendicitis and typhlitis	267	.....	3	5	5	6	24	72	57	28	27	21	17	1	1	.....	....	.....
118a	Hernia	34	3	.....	.....	.....	.....	.....	.....	1	1	6	2	11	8	2	.....	....	.....
118b	Intestinal obstruction	113	23	5	.....	2	1	5	11	9	16	7	4	8	14	7	1	....	.....
119	Other diseases of the intestines	31	5	1	.....	.....	2	2	.....	1	4	.....	3	.....	8	5	.....	....	.....
120	Acute yellow atrophy of the liver	8	.....	.....	.....	.....	.....	.....	.....	1	1	2	1	.....	2	1	.....	....	.....
122	Cirrhosis of the liver	67	1	.....	.....	.....	.....	.....	2	2	2	3	14	14	21	8	.....	....	.....
123	Biliary calculi	58	.....	.....	.....	.....	.....	.....	.....	4	4	9	16	11	9	5	.....	....	.....
124	Other diseases of the liver	84	2	.....	.....	.....	.....	.....	2	1	10	10	17	17	16	9	.....	....	.....
125	Diseases of the pancreas	10	.....	.....	1	.....	.....	.....	.....	.....	1	3	.....	3	2	.....	.....	....	.....
126	Peritonitis without specified cause	28	5	.....	2	1	1	2	1	2	1	3	2	2	6	.....	.....	....	.....
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	2	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	....	.....
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	961	14	3	4	.....	1	10	13	34	57	95	105	201	240	169	14	1	.....
128	Acute nephritis (including unspecified under 10 years)	55	5	2	3	.....	.....	9	3	2	4	5	10	2	7	2	1	....	.....
129	Chronic nephritis (including unspecified 10 years and over)	691	.....	.....	.....	.....	1	.....	6	20	25	60	83	161	185	137	12	1	.....
131	Other diseases of the kidneys and annexa	26	6	1	1	.....	.....	.....	.....	1	7	2	.....	2	1	4	1	....	.....
132	Calculi of the urinary passages	10	1	.....	.....	.....	.....	.....	1	.....	2	2	.....	1	3	.....	.....	....	.....
133	Diseases of the bladder	22	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	3	9	6	.....	....	.....
135	Diseases of the prostate	78	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	23	33	20	.....	....	.....
136	Nonvenereal diseases of the male genital organs	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....
137	Cysts, other beningn tumors of the ovary	13	.....	.....	.....	.....	.....	.....	1	1	5	3	1	2	.....	.....	.....	....	.....
138	Salpingitis and pelvic abscess (female)	27	.....	.....	.....	.....	.....	1	1	7	8	6	1	3	.....	.....	.....	....	.....
139	Benign tumors of the uterus	24	.....	.....	.....	.....	.....	.....	.....	.....	4	10	7	1	2	.....	.....	....	.....
141	Other diseases of the female genital organs	13	.....	.....	.....	.....	.....	.....	1	2	1	4	2	3	.....	.....	.....	....	.....
142	Nonpuerperal diseases of the breast (cancer excepted)	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....
	VIII.—The puerperal state	212	.....	.....	.....	.....	.....	.....	24	91	80	17	.....	.....	.....	.....	.....	....	.....
143	Accidents of pregnancy	21	.....	.....	.....	.....	.....	.....	2	7	10	2	.....	.....	.....	.....	.....	....	.....
144	Puerperal hemorrhage	19	.....	.....	.....	.....	.....	.....	.....	9	6	4	.....	.....	.....	.....	.....	....	.....
145	Other accidents of labor	14	.....	.....	.....	.....	.....	.....	.....	10	3	1	.....	.....	.....	.....	.....	....	.....
146	Puerperal septicemia	86	.....	.....	.....	.....	.....	.....	12	40	33	1	.....	.....	.....	.....	.....	....	.....
147	Puerperal phlegmasia alba dolens, embolus, etc	10	.....	.....	.....	.....	.....	.....	1	2	6	1	.....	.....	.....	.....	.....	....	.....
148	Puerperal albuminuria and convulsions	62	.....	.....	.....	.....	.....	.....	9	23	22	8	.....	.....	.....	.....	.....	....	.....
	IX.—Diseases of the skin and of the cellular tissue	44	7	1	3	.....	.....	1	2	4	2	.....	2	2	8	6	6	....	.....
151	Gangrene	23	.....	.....	3	.....	.....	.....	.....	1	1	.....	.....	.....	6	6	6	....	.....
152	Furuncle	7	.....	.....	.....	.....	.....	.....	2	2	.....	.....	1	1	1	.....	.....	....	.....
153	Acute abscess	3	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	....	.....
154	Other diseases of the skin and annexa	11	7	1	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	NEBRASKA—Continued.																	
	X.—Diseases of the bones and of the organs of locomotion	22	1				1	1	6			5	2	2	2	2			
155	Diseases of the bones (tuberculosis excepted)	15					1	1	6			2	2	1	1	1			
156	Diseases of the joints (tuberculosis and rheumatism excepted)	5										2		1	1	1			
157	Amputations	1	1																
158	Other diseases of the organs of locomotion	1										1							
	XI.—Malformations	200	184	3	1	3		3	2	2	1	1							
159a	Congenital hydrocephalus	22	16	1	1	1		1		1	1								
159b	Congenital malformations of the heart	121	119	1					1										
159c	Other congenital malformations	57	49	1		2		2	1	1		1							
	XII.—Early infancy	837	837																
160	Congenital debility, icterus, sclerema	152	152																
161a	Premature birth	523	523																
161b	Injury at birth	91	91																
162	Other diseases peculiar to early infancy	70	70																
163	Lack of care	1	1																
164	XIII.—Old age (senility)	238											7	72	124	31	4		
	XIV.—External causes	969	34	35	15	22	19	55	109	155	124	95	93	81	71	53	6		2
	Suicide (total)	166							4	35	28	26	39	20	11	3			
165	By poisons (corrosives excepted)	13							2	6	2	1	1	1					
166	By corrosive substances	20							1	8	4	2	4	1					
167	By poisonous gas	8									3	2	1	2					
168	By hanging or strangulation	44								3	6	7	11	10	4	3			
169	By drowning	6								1	1	1	1	1	1				
170	By firearms	64							1	17	9	10	18	5	4				
171	By cutting or piercing instruments	7									2	2	2		1				
172	By jumping from high places	1										1							
173	By crushing	1													1				
174	By other means	2									1		1						
	Homicide (total)	64							1	19	19	16	5	3	1				
197	By firearms	48							1	17	16	10	1	3					
198	By cutting or piercing instruments	6								1	1	2	1		1				
199	By other means	10								1	2	4	3						
	Accidental or undefined (total)	739	34	35	15	22	19	55	104	101	77	53	49	58	59	50	6		2
175	Poisoning by food	17	3	2		1	2		2	2	2		2		1				
176	Poisoning by venomous animals	3	2									1							
177	Other acute poisonings (gas excepted)	16		3	1	1	1	3		2	2	2			1				
178	Conflagration	9		1		1	1	1	1		1			2					1
179	Burns (conflagration excepted)	56	4	6	2	5	5	4	5	8	3	2	2	3	6	1			
180	Mechanical suffocation	22	15				1	2	1	2	1								
181	Absorption of irrespirable, irritating, or poisonous gas	19	1			1			1	1	2	4	1	4	3	1			
182	Drowning	81		13	5	2	2	4	28	18	2	2	2		2	1			
183	Traumatism by firearms (except in war)	33						3	7	9	8	1	3	1		1			
184	Traumatism by cutting or piercing instruments	10		1				1			2		3	2	1				
185	Traumatism by fall	132	1	4	3			8	10	3	8	5	7	11	26	40	6		
187	Traumatism by machines	19						4	2	6		2	1	2	2				
188a	Railroad accidents	81					1	1	13	20	17	5	9	7	6	1			1
188b	Street-car accidents	6											2	2	1	1			
188c	Automobile accidents	104				6	3	7	20	16	17	12	6	9	6	2			
188d	Aeroplane and balloon accidents	3								2	1								
188e, f	Injuries by other vehicles	28		1		2	1	2	2	6	3	4	2	4	1				
188g	Landslide, other crushing	5						1		1		1	1		1				
189	Injuries by animals (not poisoning)	24			1	2	1	6	2	1	3	2	2	4					
193	Excessive cold	2								1				1					
194	Excessive heat	9	1						1	1			2	3		1			
195	Lightning	5						1	2	1		1							
196	Other accidental electric shocks	10			1			1	1		4	1	2						
201	Fracture (cause not specified)	2				1									1				
202	Other external violence	30	4	4	2		1	5	5	1	1	5		2					
203	Violent deaths of unknown causation	13	3					1	1			3	2	1	1	1			
	XV.—Ill-defined diseases	148	61	2	1				4	5	4	8	16	28	18	1			
204	Sudden death	11	4									1	1	1	2	2			
205a	Ill-defined	56	3	2						3	2	1	6	12	19	8			
205b	Not specified or unknown	81	54		1					1	3	2	1	3	7	8	1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	NEW HAMPSHIRE.																	
	All causes	6,102	878	93	57	38	39	93	176	257	314	399	637	950	1,267	736	131	4	33
	I.—Epidemic, endemic, and infectious diseases	643	54	24	25	16	21	40	58	100	94	64	43	47	39	13	1	....	4
1	Typhoid and paratyphoid fever	16	....	....	....	....	....	....	6	5	2	1	....	1	1	....	....	....	....
5	Malaria	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
7	Measles	12	6	2	....	1	1	1	....	1	....	....	....	....	....	....	....	....	....
8	Scarlet fever	22	1	1	2	3	3	4	3	3	....	1	....	....	....	....	....	....	1
9	Whooping cough	36	21	5	6	....	1	1	1	....	....	1	....	....	....	....	....	....	....
10	Diphtheria	75	1	7	5	9	13	26	10	2	....	1	1	....	....	....	....	....	....
11a	Influenza (with pulmonary complications)	40	5	1	2	....	1	....	1	2	3	3	....	9	10	2	1	....	....
11b	Influenza (other and unspecified)	22	2	....	....	....	....	....	1	2	2	3	1	5	1	5	....	....	....
13	Mumps	2	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
15	Cholera nostras	2	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....
16	Dysentery	9	....	....	....	....	....	1	....	1	....	1	....	1	2	2	....	....	1
21	Erysipelas	22	5	....	....	....	....	....	2	2	4	....	3	2	3	....	....	....	1
22	Acute anterior poliomyelitis	2	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....
23	Lethargic encephalitis	3	....	....	....	....	....	1	....	1	1	....	....	....	....	....	....	....	....
24	Meningococcus meningitis	5	1	1	....	2	....	....	....	....	1	....	....	....	....	....	....	....	....
25	Other epidemic and endemic diseases	3	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
28	Rabies	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
29	Tetanus	2	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....
	Tuberculosis (total)	351	8	5	8	1	2	5	31	80	78	48	36	27	19	2	....	....	1
31	Of the respiratory system	286	2	....	2	....	....	1	22	72	73	42	33	23	13	2	....	....	1
32	Of the meninges, central nervous system	27	4	4	5	....	2	3	4	....	3	1	....	....	1	....	....	....	....
33	Of the intestines, peritoneum	12	....	....	....	....	....	....	....	3	2	1	....	2	2	....	....	....	....
34	Of the vertebral column	4	....	....	....	....	....	....	1	1	....	....	1	....	1	....	....	....	....
35	Of the joints	2	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....
36	Of other organs	9	1	....	....	1	....	....	1	2	....	1	1	1	1	....	....	....	....
37a	Disseminated (acute)	6	....	....	1	....	....	....	1	1	....	2	1	....	....	....	....	....	....
37b	Disseminated (chronic or unspecified)	5	1	1	....	....	....	1	....	1	....	....	....	1	....	....	....	....	....
38	Syphilis	9	2	....	....	....	....	....	....	....	1	4	1	1	....	....	....	....	....
40	Gonococcus infection	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
41	Purulent infection, septicemia	7	....	....	....	....	....	....	2	....	1	....	1	1	2	....	....	....	....
	II.—General diseases not included in Class I	792	16	2	1	....	1	8	14	18	34	78	169	194	180	63	6	....	8
	Cancer and other malignant tumors (total)	533	....	....	....	....	....	....	4	5	19	50	124	137	137	49	5	....	3
43	Of the buccal cavity	16	....	....	....	....	....	....	....	....	....	2	1	8	3	2	....	....	....
44	Of the stomach, liver	199	....	....	....	....	....	....	....	....	4	13	43	57	60	19	3	....	....
45	Of the peritoneum, intestines, rectum	85	....	....	....	....	....	....	1	1	5	5	19	20	24	9	....	....	1
46	Of the female genital organs	81	....	....	....	....	....	....	....	2	4	15	26	18	9	4	2	....	1
47	Of the breast	53	....	....	....	....	....	....	....	1	2	8	15	14	11	2	....	....	....
48	Of the skin	20	....	....	....	....	....	....	....	....	....	....	3	5	4	8	....	....	....
49	Of other or unspecified organs	79	....	....	....	....	....	....	3	1	4	7	17	15	26	5	....	....	1
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	4	....	....	....	....	....	....	....	....	....	1	....	2	1	....	....	....	....
51	Acute rheumatic fever	17	....	....	....	....	....	2	3	1	1	3	3	2	....	2	....	....	....
52	Chronic rheumatism, osteoarthritis, gout	9	....	....	....	....	....	....	....	....	1	1	2	1	3	1	....	....	....
53	Scurvy	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
56	Rickets	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
57	Diabetes mellitus	129	....	....	1	....	....	3	6	6	7	9	21	38	29	9	....	....	....
58	Anemia, chlorosis	39	....	1	....	....	....	2	....	2	2	3	8	11	7	2	1	....	....
59	Diseases of the pituitary gland	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
60a	Exophthalmic goiter	4	....	....	....	....	....	....	....	....	....	2	1	....	1	....	....	....	....
60b	Other diseases of the thyroid gland	8	1	....	....	....	....	....	....	1	1	2	2	....	1	....	....	....	....
62	Diseases of the thymus gland	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
63	Diseases of the adrenals (Addison's disease)	2	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....
64	Diseases of the spleen	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
65a	Leukemia	5	....	....	....	....	....	1	1	1	....	1	....	1	....	....	....	....	....
65b	Hodgkin's disease	4	....	....	....	....	....	....	....	1	1	....	1	....	1	....	....	....	....
66	Alcoholism (acute or chronic)	12	....	....	....	....	....	....	....	1	1	2	3	....	....	....	....	....	5
67a	Chronic lead poisoning	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
69	Other general diseases	20	13	1	....	....	1	....	....	....	1	3	....	1	....	....	....	....	....
	III.—Diseases of the nervous system and of the organs of special sense	800	18	5	3	....	3	3	14	8	21	48	101	198	238	122	15	1	2
70	Encephalitis	7	1	....	....	....	1	....	1	....	1	....	....	1	1	1	....	....	....
71a	Simple meningitis	13	2	2	2	....	....	....	4	....	1	....	1	....	1	....	....	....	....
71b	Nonepidemic cerebrospinal meningitis	8	1	2	1	....	....	1	2	1	....	....	....	....	....	....	....	....	....
72	Tabes dorsalis (locomotor ataxia)	13	....	....	....	....	....	....	....	....	....	1	2	3	5	1	1	....	....
73	Other diseases of the spinal cord	20	....	....	....	....	....	....	1	....	1	....	2	6	6	4	....	....	....
74a	Cerebral hemorrhage	586	2	1	....	....	....	1	1	3	9	32	73	160	187	101	13	1	2
74b	Cerebral embolism and thrombosis	27	....	....	....	....	....	....	....	....	2	....	2	7	9	7	....	....	....
75	Paralysis without specified cause	28	....	....	....	....	....	....	1	....	....	4	4	5	9	5	....	....	....
76	General paralysis of the insane	23	....	....	....	....	....	....	....	....	3	4	6	4	4	1	1	....	....
77	Other forms of mental alienation	15	....	....	....	....	....	....	....	1	3	1	6	1	2	1	....	....	....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	NEW HAMPSHIRE—Continued.																	
	III.—Diseases of the nervous system and of the organs of special sense—Continued.																	
78	Epilepsy	13							2	2	1	3	1	1	3			
79	Convulsions (nonpuerperal; 5 years and over)	1												1				
80	Infantile convulsions (under 5 years)	13	12				1											
81	Chorea	2						1	1									
82	Neuralgia and neuritis	1													1			
83	Softening of the brain	10										1		3	5	1		
84	Other diseases of the nervous system	11								1		2	3	2	3			
86a	Diseases of the ear	6					1							3	2			
86b	Diseases of the mastoid process	3							1				1	1				
	IV.—Diseases of the circulatory system.	1,225	7			1	2	5	10	16	24	57	125	237	426	265	42	1	7
87	Pericarditis	5	1											1	1	1			
88	Endocarditis and myocarditis (acute)	21	3					1	1	2	3		4	3	3	1			
89	Angina pectoris	110									2	9	24	26	37	11	1		
90	Other diseases of the heart	807	3				2	3	9	12	15	46	85	166	281	160	21		4
91a	Aneurysm	3									2	1							
91b,c	Other diseases of the arteries	258										1	9	34	99	91	20	1	3
92	Embolism and thrombosis (not cerebral)	14						1		1	1		2	4	4	1			
93	Diseases of the veins	5									1		1	2	1				
94	Diseases of the lymphatic system	1				1													
95	Hemorrhage without specified cause	1												1					
	V.—Diseases of the respiratory system.	540	114	33	13	7	3	4	9	8	15	23	41	67	111	71	18	1	2
97a	Diseases of the nasal fossae	1														1			
98	Diseases of the larynx	6		2	2							1			1				
99a	Acute bronchitis	32	10	2		1								3	5	6	5		
99b	Chronic bronchitis	27				1					1	1		5	12	7			
99c,d	Bronchitis (unspecified)	14	4	2	1	1									1	3	2		
100a	Bronchopneumonia	195	70	17	5	1	1	3	2		2	3	8	13	36	28	5		1
100b	Capillary bronchitis	4	1	1	1										1				
101a	Lobar pneumonia	173	20	7	4	2	1	1	3	7	9	15	24	35	30	10	3	1	1
101b	Pneumonia (unspecified)	60	7	2			1		3	1	3	2	7	5	15	12	2		
102	Pleurisy	8	1			1			1					1	4				
103	Congestion and hemorrhagic infarct of the lung	7													4	3			
104	Gangrene of the lung	1										1							
105	Asthma	9											1	5	2		1		
106	Pulmonary emphysema	1											1						
107	Other diseases of the respiratory system (tuberculosis excepted)	2	1													1			
	VI.—Diseases of the digestive system...	492	166	21	10	5	7	11	28	18	22	36	40	46	53	24	5		
108	Diseases of the mouth and annexa	3	1											1	1				
109b	Other diseases of the pharynx, tonsils	20		1	1	2	1	4	3	2	2		3			1			
111a	Ulcer of the stomach	17							1	1	1	5	3	5	1				
111b	Ulcer of the duodenum	6								1		2		1	2				
112	Other diseases of the stomach (cancer excepted)	43	15	1				1	1		2	1	5	3	7	6	1		
113	Diarrhea and enteritis (under 2 years)	159	143	16															
114	Diarrhea and enteritis (2 years and over)	34			8	2	3	2			1	1	2	1	7	6	1		
117	Appendicitis and typhlitis	67			1		2	4	19	11	5	11	10	2	1	1			
118a	Hernia	14										3	1	3	3	3	1		
118b	Intestinal obstruction	34	6			1	1		2	1	3	2	2	8	6	2			
119	Other diseases of the intestines	4		1								2			1				
120	Acute yellow atrophy of the liver	2										1		1					
122	Cirrhosis of the liver	41		1							1	4	7	12	14	2			
123	Biliary calculi	14									1	2	2	3	3	2	1		
124	Other diseases of the liver	17									2		5	4	4	1	1		
125	Diseases of the pancreas	5								1	1			2	1				
126	Peritonitis without specified cause	11	1	1					2		3	2			2				
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	1								1									
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	511	4					3	4	16	36	35	73	117	136	76	10		1
128	Acute nephritis (including unspecified under 10 years)	36	3					3		7	4	1	6	5	4	3			
129	Chronic nephritis (including unspecified 10 years and over)	411							2	6	20	29	62	103	115	64	9		1
131	Other diseases of the kidneys and annexa	11							2		3		2	2	1	1			
133	Diseases of the bladder	8	1											3	3	1			
134	Diseases of the urethra, etc	1														1			
135	Diseases of the prostate	17											1	2	9	4	1		
137	Cysts, other benign tumors of the ovary	3								2						1			
138	Salpingitis and pelvic abscess (female)	9								1	5	3							
139	Benign tumors of the uterus:	10									2	2	1	1	3	1			
141	Other diseases of the female genital organs...	5									2		1	1	1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	NEW HAMPSHIRE—Continued.																		
	VIII.—The puerperal state	63							4	30	23	5							1
143	Accidents of pregnancy	8								3	4	1							
144	Puerperal hemorrhage	4							1	1	1	1							
145	Other accidents of labor	3								1	1	1							
146	Puerperal septicemia	17							1	9	7								
147	Puerperal phlegmasia alba dolens, embolus, etc	6							1	3	1	1							
148	Puerperal albuminuria and convulsions	25							1	13	9	1							1
	IX.—Diseases of the skin and of the cellular tissue	26	4									3	1	3	9	6			
151	Gangrene	15											1	3	7	4			
152	Furuncle	1										1							
153	Acute abscess	5	1									2			1	1			
154	Other diseases of the skin and annexa	5	3												1	1			
	X.—Diseases of the bones and of the organs of locomotion	3							1			1				1			
155	Diseases of the bones (tuberculosis excepted)	2							1							1			
158	Other diseases of the organs of locomotion	1										1							
	XI.—Malformations	84	79	1	1			1	1			1							
159a	Congenital hydrocephalus	11	9	1	1														
159b	Congenital malformations of the heart	40	39						1										
159c	Other congenital malformations	33	31					1				1							
	XII.—Early infancy	406	406																
160	Congenital debility, icterus, sclerema	73	73																
161a	Premature birth	236	236																
161b	Injury at birth	63	63																
162	Other diseases peculiar to early infancy	32	32																
163	Lack of care	2	2																
164	XIII.—Old age (senility)	126												3	32	64	25	1	1
	XIV.—External causes	370	7	6	2	9	2	18	33	43	45	45	42	34	38	30	9		7
	Suicide (total)	60							2	7	11	9	13	9	8	1			
165	By poisons (corrosives excepted)	3								1		1		1					
166	By corrosive substances	1								1									
167	By poisonous gas	6							1		1	1		2		1			
168	By hanging or strangulation	11								3	2		2	1	3				
169	By drowning	8								1	1	1	3	1	1				
170	By firearms	25							1	1	6	6	5	4	2				
171	By cutting or piercing instruments	2											1		1				
173	By crushing	1											1						
174	By other means	3									1		1		1				
	Homicide (total)	10								4		3	3						
197	By firearms	5								3		1	1						
198	By cutting or piercing instruments	2								1		1							
199	By other means	3										1	2						
	Accidental or undefined (total)	300	7	6	2	9	2	18	31	32	34	33	26	25	30	29	9		7
175	Poisoning by food	5						1				2		1	1				
176	Poisoning by venomous animals	1												1					
177	Other acute poisonings (gas excepted)	8			1	1			1	1	1			2		1			
178	Conflagration	4								1	1		1		1				
179	Burns (conflagration excepted)	23	1	1		7		1	3	1	4		3		1	1			
180	Mechanical suffocation	4	3												1				
181	Absorption of irrespirable, irritating, or poisonous gas	4								1	1		1	1					
182	Drowning	50				1		6	15	14	6	2	1	1	1				3
183	Traumatism by firearms (except in war)	10						1	4	2		2			1				
184	Traumatism by cutting or piercing instruments	2							1							1			
185	Traumatism by fall	78	1	2						1	4	4	8	12	16	22	8		
186b	Traumatism in quarries	1											1						
187	Traumatism by machines	3										1		1	1				
188a	Railroad accidents	23	1	1					1		6	6	3	1	4				
188b	Street-car accidents	1																	1
188c	Automobile accidents	38					1	8	4	5	5	9	2	1		1			2
188e, f	Injuries by other vehicles	7								3		1	1	1	1				
188g	Landslide, other crushing	3			1						1	1							
189	Injuries by animals (not poisoning)	3	1									1	1						
194	Excessive heat	6										1	2		1	1	1		
196	Other accidental electric shocks	4								1	3								
201	Fracture (cause not specified)	3										1		1		1			
202	Other external violence	15		2			1	1	2	2	1		2	2	1				1
203	Violent deaths of unknown causation	4									1	2				1			
	XV.—Ill-defined diseases	21	3	1	2							3	2	4	5	1			
204	Sudden death	3										1		1		1			
205a	Ill-defined	10	1	1	2							1	1	2	2				
205b	Not specified or unknown	8	2									1	1	1	3				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	NEW JERSEY.																		
	All causes	37,928	5,800	1,071	518	404	297	1,052	1,475	2,281	2,867	3,675	4,644	5,635	5,229	2,622	342	12	4
	I.—Epidemic, endemic, and infectious diseases	5,408	501	329	220	159	132	409	442	817	834	670	444	276	125	46	4	....	.....
1	Typhoid and paratyphoid fever	147	.....	2	3	.....	.....	6	34	26	31	21	12	9	3	.....	.....	....	.....
5	Malaria	9	.....	.....	.....	.....	.....	1	1	1	1	2	1	1	1	.....	.....	....	.....
7	Measles	115	28	38	20	8	9	9	1	1	.....	.....	.....	1	.....	.....	.....	....	.....
8	Scarlet fever	236	9	35	42	25	24	56	19	17	4	3	1	1	.....	.....	.....	....	.....
9	Whooping cough	333	190	88	26	9	6	11	.....	1	1	.....	1	.....	.....	.....	.....	....	.....
10	Diphtheria	600	33	84	71	81	70	209	39	3	6	4	.....	.....	.....	.....	.....	....	.....
11a	Influenza (with pulmonary complications)	227	25	7	5	6	1	3	5	22	34	23	19	29	30	15	3	....	.....
11b	Influenza (other and unspecified)	106	13	3	4	1	2	8	6	4	11	7	10	12	13	11	1	....	.....
13	Mumps	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	....	.....
15	Cholera nostras	2	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....
16	Dysentery	30	9	.....	.....	1	1	1	.....	1	.....	.....	1	3	5	8	.....	....	.....
19	Spirochetal hemorrhagic jaundice	2	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	....	.....
21	Erysipelas	75	20	2	1	.....	.....	.....	6	11	6	12	6	9	2	.....	.....	....	.....
22	Acute anterior poliomyelitis	50	1	2	8	6	3	18	10	1	1	.....	.....	.....	.....	.....	.....	....	.....
23	Lethargic encephalitis	47	.....	5	2	.....	.....	5	4	7	7	4	10	3	.....	.....	.....	....	.....
24	Meningococcus meningitis	54	11	5	2	1	2	11	10	3	6	1	2	.....	.....	.....	.....	....	.....
25	Other epidemic and endemic diseases	7	4	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....
28	Rabies	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	....	.....
29	Tetanus	69	5	1	.....	.....	1	18	19	9	5	7	.....	3	1	.....	.....	....	.....
30	Mycoses	3	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	....	.....
	Tuberculosis (total)	3,043	68	52	32	19	13	51	283	692	680	545	346	193	61	8	.....	....	.....
31	Of the respiratory system	2,657	26	17	8	3	3	14	228	645	629	511	330	181	55	7	.....	....	.....
32	Of the meninges, central nervous system	175	30	27	22	13	9	23	25	10	8	5	1	2	.....	.....	.....	....	.....
33	Of the intestines, peritoneum	73	4	3	1	2	.....	5	8	11	15	12	4	5	3	.....	.....	....	.....
34	Of the vertebral column	33	.....	1	.....	.....	.....	.....	7	6	8	6	3	1	1	.....	.....	....	.....
35	Of the joints	17	1	.....	.....	.....	1	6	.....	2	3	3	1	.....	.....	.....	.....	....	.....
36	Of other organs	34	2	1	1	.....	.....	2	3	4	8	5	3	3	1	1	.....	....	.....
37a	Disseminated (acute)	46	3	3	.....	.....	.....	1	11	13	7	3	3	1	1	.....	.....	....	.....
37b	Disseminated (chronic or unspecified)	8	2	.....	.....	1	.....	.....	1	1	2	.....	1	.....	.....	.....	.....	....	.....
38	Syphilis	204	72	3	.....	.....	.....	.....	6	19	26	39	23	13	1	2	.....	....	.....
40	Gonococcus infection	16	3	.....	.....	.....	.....	.....	.....	4	6	.....	3	.....	.....	.....	.....	....	.....
41	Purulent infection, septicemia	31	7	.....	3	.....	.....	2	4	.....	3	7	2	2	1	.....	.....	....	.....
	II.—General diseases not included in Class I	4,346	62	14	10	12	12	59	108	120	274	622	1,034	1,086	722	196	15	....	.....
	Cancer and other malignant tumors (total)	3,033	1	1	2	2	1	8	17	35	166	472	765	819	577	157	10	....	.....
43	Of the buccal cavity	88	.....	.....	.....	.....	.....	.....	.....	1	.....	18	16	24	18	10	1	....	.....
44	Of the stomach, liver	1,135	.....	.....	1	.....	.....	2	.....	3	37	134	292	361	250	54	1	....	.....
45	Of the peritoneum, intestines, rectum	468	.....	1	.....	.....	1	1	4	7	26	67	120	123	94	24	.....	....	.....
46	Of the female genital organs	463	.....	.....	.....	.....	.....	.....	2	10	48	119	126	85	58	15	.....	....	.....
47	Of the breast	277	.....	.....	.....	.....	.....	.....	.....	4	26	59	79	58	39	8	4	....	.....
48	Of the skin	73	.....	.....	1	.....	.....	.....	.....	.....	1	5	10	13	22	19	2	....	.....
49	Of other or unspecified organs	529	1	.....	.....	2	.....	5	11	10	28	70	122	155	96	27	2	....	.....
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	34	.....	1	1	2	.....	1	1	4	.....	6	5	5	7	1	.....	....	.....
51	Acute rheumatic fever	165	.....	1	3	.....	6	29	49	16	11	11	14	13	9	3	.....	....	.....
52	Chronic rheumatism, osteoarthritis, gout	41	.....	.....	.....	.....	.....	.....	2	.....	.....	3	7	11	9	8	1	....	.....
53	Scurvy	5	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....
54	Pellagra	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	....	.....
56	Rickets	24	14	3	1	.....	.....	2	2	.....	.....	.....	1	.....	1	.....	.....	....	.....
57	Diabetes mellitus	641	.....	1	.....	3	2	8	17	30	45	62	168	186	95	21	3	....	.....
58	Anemia, chlorosis	126	2	1	1	.....	.....	5	3	8	9	21	29	30	15	1	1	....	.....
59	Diseases of the pituitary gland	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	....	.....
60a	Exophthalmic goiter	27	.....	.....	.....	.....	.....	.....	1	4	5	7	6	3	1	.....	.....	....	.....
60b	Other diseases of the thyroid gland	18	.....	.....	.....	.....	.....	.....	.....	5	5	3	4	.....	1	.....	.....	....	.....
61	Diseases of the parathyroid glands	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....
62	Diseases of the thymus gland	16	12	1	.....	1	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	....	.....
63	Diseases of the adrenals (Addison's disease)	10	.....	.....	.....	.....	.....	.....	1	2	1	2	2	1	1	.....	.....	....	.....
64	Diseases of the spleen	12	1	.....	.....	.....	.....	.....	4	2	1	.....	2	2	.....	.....	.....	....	.....
65a	Leukemia	46	.....	1	.....	1	1	4	8	2	3	8	11	6	1	.....	.....	....	.....
65b	Hodgkin's disease	20	1	.....	.....	.....	.....	.....	.....	.....	8	3	5	2	1	.....	.....	....	.....
66	Alcoholism (acute or chronic)	50	.....	.....	.....	.....	.....	.....	.....	3	11	17	10	6	.....	3	.....	....	.....
67a	Chronic lead poisoning	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	.....	3	.....	.....	....	.....
67b	Other chronic mineral poisoning	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	....	.....
68	Chronic poisoning by organic substances	11	.....	.....	.....	.....	.....	.....	1	4	5	1	.....	.....	.....	.....	.....	....	.....
69	Other general diseases	53	28	2	1	3	2	2	1	5	2	3	1	1	.....	2	.....	....	.....
	III.—Diseases of the nervous system and of the organs of special sense	4,227	106	34	20	18	14	45	67	80	165	332	656	1,025	1,057	556	51	1	.....
70	Encephalitis	30	1	2	2	.....	.....	5	4	2	2	1	6	1	2	2	.....	....	.....
71a	Simple meningitis	96	16	8	5	8	3	14	11	8	2	7	7	5	.....	2	.....	....	.....
71b	Nonepidemic cerebrospinal meningitis	27	6	4	1	2	2	4	1	4	1	1	.....	1	.....	.....	.....	....	.....
72	Tabes dorsalis (locomotor ataxia)	52	.....	.....	.....	.....	.....	.....	.....	.....	4	12	11	18	5	2	.....	....	.....
73	Other diseases of the spinal cord	183	1	.....	.....	2	2	3	6	8	10	16	25	46	48	16	.....	....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	NEW JERSEY—Continued.																	
	III.—Diseases of the nervous system and of the organs of special sense—Continued.																	
74a	Cerebral hemorrhage	3,020	4	1	.....	.....	.....	2	3	14	57	192	493	849	897	462	45	1	.....
74b	Cerebral embolism and thrombosis	83	.....	.....	.....	.....	.....	.....	1	2	2	9	14	22	17	14	2	.....	.....
75	Paralysis without specified cause	120	1	1	.....	.....	.....	.....	1	.....	2	3	14	29	36	31	2	.....	.....
76	General paralysis of the insane	183	.....	.....	.....	.....	.....	.....	1	5	40	56	40	19	15	6	1	.....	.....
77	Other forms of mental alienation	69	.....	.....	.....	.....	.....	.....	3	7	9	8	18	9	8	7	.....	.....	.....
78	Epilepsy	91	6	.....	2	1	2	1	13	14	15	10	8	13	3	3	.....	.....	.....
79	Convulsions (nonpuerperal; 5 years and over)	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
80	Infantile convulsions (under 5 years)	58	47	9	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
81	Chorea	3	1	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
82	Neuralgia and neuritis	7	1	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	4	.....	.....	.....	.....
83	Softening of the brain	21	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	5	2	5	7	1	.....	.....
84	Other diseases of the nervous system	68	3	2	2	2	1	1	6	6	9	4	8	8	12	4	.....	.....	.....
85	Diseases of the eye and annexa	6	1	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	3	.....	.....	.....	.....
86a	Diseases of the ear	62	12	4	5	.....	2	9	6	4	8	5	4	2	1	.....	.....	.....	.....
86b	Diseases of the mastoid process	47	6	2	2	2	1	6	8	5	4	6	3	1	1	.....	.....	.....	.....
	IV.—Diseases of the circulatory system	6,454	54	10	6	11	15	70	212	221	297	614	945	1,418	1,570	882	124	5	.....
87	Pericarditis	20	.....	.....	.....	.....	2	1	.....	.....	2	2	2	3	5	3	.....	.....	.....
88	Endocarditis and myocarditis (acute)	297	29	3	4	2	5	20	38	41	45	41	22	21	15	10	1	.....	.....
89	Angina pectoris	256	.....	.....	.....	.....	.....	.....	1	1	3	28	46	98	57	22	.....	.....	.....
90	Other diseases of the heart	5,246	19	4	2	8	8	45	173	171	236	508	821	1,202	1,306	658	80	5	.....
91a	Aneurysm	44	.....	.....	.....	.....	.....	.....	.....	3	3	11	15	9	3	.....	.....	.....	.....
91b,c	Other diseases of the arteries	525	.....	.....	.....	.....	.....	.....	.....	.....	1	12	29	77	178	187	41	.....	.....
92	Embolism and thrombosis (not cerebral)	37	3	1	.....	1	.....	3	.....	4	4	6	3	5	4	2	1	.....	.....
93	Diseases of the veins	19	.....	.....	.....	.....	.....	1	.....	1	2	4	5	3	2	.....	1	.....	.....
94	Diseases of the lymphatic system	8	3	2	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....
95	Hemorrhage without specified cause	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
	V.—Diseases of the respiratory system	3,852	883	340	119	67	38	132	129	169	231	314	329	407	402	246	45	1	.....
97a	Diseases of the nasal fossae	3	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
97b	Diseases of the nasal fossae annexa	15	.....	1	.....	1	.....	.....	4	1	2	2	1	2	1	.....	.....	.....	.....
98	Diseases of the larynx	28	7	4	1	2	1	5	.....	.....	3	.....	1	2	2	.....	.....	.....	.....
99a	Acute bronchitis	157	79	11	5	3	1	2	4	.....	3	3	2	6	13	21	4	.....	.....
99b	Chronic bronchitis	94	4	2	2	1	.....	.....	1	2	2	5	7	14	26	25	3	.....	.....
99c,d	Bronchitis (unspecified)	82	32	2	1	2	1	3	.....	.....	1	2	6	3	12	12	5	.....	.....
100a	Bronchopneumonia	1,253	485	178	59	25	14	43	20	20	28	48	56	83	105	74	15	.....	.....
100b	Capillary bronchitis	43	24	4	.....	3	.....	.....	2	1	1	.....	2	1	2	3	.....	.....	.....
101a	Lobar pneumonia	1,698	208	97	36	23	18	57	79	111	173	207	207	231	173	69	8	1	.....
101b	Pneumonia (unspecified)	187	24	19	6	3	2	17	5	16	8	16	16	17	21	15	2	.....	.....
102	Pleurisy	122	12	20	9	3	1	3	8	9	6	17	7	16	11	.....	.....	.....	.....
103	Congestion and hemorrhagic infarct of the lung	78	5	1	.....	.....	.....	.....	3	5	2	3	4	12	15	21	7	.....	.....
104	Gangrene of the lung	7	.....	.....	.....	.....	.....	.....	.....	1	.....	1	2	3	.....	.....	.....	.....	.....
105	Asthma	59	.....	1	.....	.....	.....	2	.....	2	.....	6	15	12	17	3	1	.....	.....
106	Pulmonary emphysema	6	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	1	.....	.....	.....
107	Other diseases of the respiratory system (tuberculosis excepted)	20	2	.....	.....	1	.....	.....	2	1	2	4	3	1	2	2	.....	.....	.....
	VI.—Diseases of the digestive system	3,541	1,402	246	73	41	24	93	130	139	184	268	315	320	213	84	9	.....	.....
108	Diseases of the mouth and annexa	13	3	1	1	.....	.....	.....	1	.....	.....	2	3	1	1	.....	.....	.....	.....
109b	Other diseases of the pharynx, tonsils	111	7	3	8	7	2	22	18	10	17	5	6	4	2	.....	.....	.....	.....
110	Diseases of the esophagus	6	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	2	1	.....	.....	.....
111a	Ulcer of the stomach	103	.....	.....	.....	.....	.....	.....	2	12	10	28	26	10	12	3	.....	.....	.....
111b	Ulcer of the duodenum	28	.....	.....	.....	.....	.....	.....	1	2	6	8	4	4	3	.....	.....	.....	.....
112	Other diseases of the stomach (cancer excepted)	177	47	8	1	.....	1	2	3	3	10	8	21	31	28	12	2	.....	.....
113	Diarrhea and enteritis (under 2 years)	1,502	1,279	223	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
114	Diarrhea and enteritis (2 years and over)	252	.....	.....	50	27	11	14	8	15	14	14	19	26	30	22	2	.....	.....
116	Diseases due to other intestinal parasites	6	1	.....	.....	.....	.....	1	.....	3	.....	.....	.....	1	.....	.....	.....	.....	.....
117	Appendicitis and typhlitis	394	1	3	3	3	6	41	75	50	58	63	52	30	8	.....	1	.....	.....
118a	Hernia	146	7	1	.....	.....	.....	1	.....	5	7	21	32	37	25	10	.....	.....	.....
118b	Intestinal obstruction	189	35	5	4	4	1	4	6	13	17	23	23	20	23	10	1	.....	.....
119	Other diseases of the intestines	50	12	1	2	.....	.....	1	3	3	3	4	5	10	2	3	1	.....	.....
120	Acute yellow atrophy of the liver	13	.....	.....	.....	.....	.....	.....	1	1	2	3	.....	2	2	2	.....	.....	.....
122	Cirrhosis of the liver	277	1	.....	1	.....	.....	1	1	5	11	41	69	87	48	10	2	.....	.....
123	Biliary calculi	127	.....	.....	.....	.....	.....	.....	.....	2	10	28	32	35	16	4	.....	.....	.....
124	Other diseases of the liver	82	5	1	2	.....	3	.....	4	3	9	12	15	14	9	5	.....	.....	.....
125	Diseases of the pancreas	19	.....	.....	.....	.....	.....	.....	.....	3	3	4	6	3	.....	.....	.....	.....	.....
126	Peritonitis without specified cause	41	4	.....	1	.....	.....	6	6	7	6	3	.....	4	2	2	.....	.....	.....
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	5	.....	.....	.....	.....	.....	.....	1	2	.....	1	.....	1	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	NEW JERSEY—Continued.																		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	3,587	20	11	11	8	5	30	74	143	247	405	545	819	842	383	43	1	
128	Acute nephritis (including unspecified under 10 years)	225	15	10	8	6	4	21	25	20	32	16	28	19	12	8	1		
129	Chronic nephritis (including unspecified 10 years and over)	2,967			2	2		9	42	85	158	315	476	736	764	337	40	1	
131	Other diseases of the kidneys and annexa	68	4	1	1		1		2	4	14	15	10	6	9	1			
132	Calculi of the urinary passages	20								2		2	3	7	5	1			
133	Diseases of the bladder	32							1	1		2		5	8	14	1		
134	Diseases of the urethra, etc	3									1	1		1					
135	Diseases of the prostate	105								1	2		4	34	42	22			
136	Nonvenereal diseases of the male genital organs	1												1					
137	Cysts, other benign tumors of the ovary	31								3	8	10	4	5	1				
138	Salpingitis and pelvic abscess (female)	55							4	17	14	13	6				1		
139	Benign tumors of the uterus	61								4	14	28	10	4	1				
140	Nonpuerperal uterine hemorrhage	1									1								
141	Other diseases of the female genital organs	18	1							6	3	3	4	1					
	VIII.—The puerperal state	458							32	194	189	42							1
143	Accidents of pregnancy	37								18	15	3							1
144	Puerperal hemorrhage	55								17	31	7							
145	Other accidents of labor	40							1	13	22	4							
146	Puerperal septicemia	190							17	79	75	19							
147	Puerperal phlegmasia alba dolens, embolus, etc	24							1	10	10	3							
148	Puerperal albuminuria and convulsions	109							13	55	35	6							
149	Following childbirth (undefined)	3								2	1								
	IX.—Diseases of the skin and of the cellular tissue	127	31	3		3		1	5	4	6	11	17	9	19	11	6	1	
151	Gangrene	44	2	1		2		1	1		1	3	3	3	11	11	4	1	
152	Furuncle	26	6	1						1	1	3	7	3	4				
153	Acute abscess	27	10	1					2	1	4	4	3	1	1				
154	Other diseases of the skin and annexa	30	13			1			2	2		1	4	2	3		2		
	X.—Diseases of the bones and of the organs of locomotion	48	3	2	2		3	8	5	3	2	5	4	4	6	1			
155	Diseases of the bones (tuberculosis excepted)	40	3	1	2		3	8	5	2	2	4	4	2	4				
156	Diseases of the joints (tuberculosis and rheumatism excepted)	6		1						1		1		1	2				
158	Other diseases of the organs of locomotion	2												1		1			
	XI.—Malformations	563	528	10	5	6	1	7	4		1	1							
159a	Congenital hydrocephalus	45	32	4	1	4		4											
159b	Congenital malformations of the heart	348	332	5	3	1	1	2	2		1	1							
159c	Other congenital malformations	170	164	1	1	1		1	2										
	XII.—Early infancy	2,105	2,105																
160	Congenital debility, icterus, sclerema	302	302																
161a	Premature birth	1,205	1,205																
161b	Injury at birth	371	371																
162	Other diseases peculiar to early infancy	219	219																
163	Lack of care	8	8																
164	XIII.—Old age (senility)	202												10	71	92	26	3	
	XIV.—External causes	2,946	79	62	49	79	53	197	267	388	434	387	350	258	200	123	19		1
	Suicide (total)	444							17	52	101	95	92	53	27	7			
165	By poisons (corrosives excepted)	9							4	1	3	1							
166	By corrosive substances	37							1	8	9	8	4	6		1			
167	By poisonous gas	100							3	7	22	24	19	17	8				
168	By hanging or strangulation	90							3	5	21	20	19	12	8	2			
169	By drowning	25								4	4	5	8	2	1	1			
170	By firearms	128							6	21	28	29	29	11	3	1			
171	By cutting or piercing instruments	32								2	10	5	8	3	3	1			
172	By jumping from high places	12								1	2	1	3	2	2	1			
173	By crushing	10								3	2	1	2		2				
174	By other means	1										1							
	Homicide (total)	168	14	1		2	1	4	6	43	46	30	13	5	2	1			
197	By firearms	91	1	1		1		2	2	28	23	23	7	2		1			
198	By cutting or piercing instruments	23							2	6	8	5	2						
199	By other means	54	13			1	1	2	2	9	15	2	4	3	2				
	Accidental or undefined (total)	2,334	65	61	49	77	52	193	244	293	287	262	245	200	171	115	19		1
175	Poisoning by food	21	1		2	2	2		2	3	3	3		1	2				
176	Poisoning by venomous animals	3	1						1				1						
177	Other acute poisonings (gas excepted)	48	3	6	5	1	1	3		5	9	9	4	1	1				
178	Conflagration	42	1	1	2	4		1	1	11	2	9	1	5	2	1			1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	Deaths at unknown age.
	NEW JERSEY—Continued.																		
	XIV.—External causes—Continued.																		
	Accidental or undefined—Continued.																		
179	Burns (conflagration excepted)	242	11	33	23	36	26	31	10	17	12	12	12	7	11	1			
180	Mechanical suffocation	18	13							2	1	1		1					
181	Absorption of irrespirable, irritating, or poisonous gas	113	1				1	1	6	8	17	20	25	21	7	6			
182	Drowning	266		3	3	5	4	30	77	51	36	25	19	9	4				
183	Traumatism by firearms (except in war)	33						2	12	11	2	2	2	1	1				
184	Traumatism by cutting or piercing instruments	11	1	1		1		1		1	1	3			1	1			
185	Traumatism by fall	421	5	8	8	5	3	10	13	21	34	36	31	63	84	85	15		
186a	Traumatism in mines	4								2	1	1							
186b	Traumatism in quarries	1												1					
187	Traumatism by machines	59				2		1	3	17	12	9	8	6	1				
188a	Railroad accidents	223		3		1		8	10	38	58	34	38	22	10	1			
188b	Street-car accidents	60				3	2	3	4	9	7	10	12	5	3	2			
188c	Automobile accidents	434		2	3	11	11	87	77	62	52	57	56	37	22	7			
188d	Aeroplane and balloon accidents	5						1		4									
188e,f	Injuries by other vehicles	45	1			2		6	5	7	7	5	6	3	3				
188g	Landslide, other crushing	15								3	4	5	2	1					
189	Injuries by animals (not poisoning)	12	1	1						1	4	1	3	1					
192	Starvation (deprivation of food or water)	1												1					
193	Excessive cold	2											1		1				
194	Excessive heat	50	18	1		1			3		4	3	6	3	6	4	1		
195	Lightning	11							4	1	1		2	2	1				
196	Other accidental electric shocks	11							3	4	1	2	1						
201	Fracture (cause not specified)	21								1	1		1	3	8	4	3		
202	Other external violence	85	6	2	2	3	2	7	8	12	15	13	11	1	3				
203	Violent deaths of unknown causation	27	2		1			1	5	2	3	2	3	5		3			
	XV.—Ill-defined diseases	64	26	10	3			1		3	3	4	5	3	2	2			2
204	Sudden death	3	1									1		1					
205a	Ill-defined	47	18	10	3			1		2	2	1	4	2	2	2			
205b	Not specified or unknown	14	7							1	1	2	1						2
	NEW YORK.																		
	All causes	130,394	18,093	3,233	1,633	1,202	981	3,051	4,655	8,055	9,905	12,583	16,769	20,447	18,670	9,669	1,377	35	36
	I.—Epidemic, endemic, and infectious diseases	18,065	1,589	1,048	645	497	415	1,106	1,438	3,143	2,744	2,269	1,572	972	450	154	21		2
1	Typhoid and paratyphoid fever	386			1	3		23	80	95	81	50	27	17	9				
2	Typhus fever	4						1	1	1		1							
5	Malaria	16						2		3	1	2	4	2	1	1			
6	Smallpox	2								2									
7	Measles	518	132	176	69	32	24	40	20	3	4	5	5	4	3	1			
8	Scarlet fever	712	34	76	102	88	79	190	66	49	19	6	3						
9	Whooping cough	809	449	225	67	27	14	20	4			1	1		1				
10	Diphtheria	1,711	121	254	249	212	191	480	128	28	24	12	6	5	1				
11a	Influenza (with pulmonary complications)	508	77	24	16	7	3	13	23	43	36	56	53	77	44	31	5		
11b	Influenza (other and unspecified)	314	34	16	5	6	1	12	24	22	23	26	24	35	48	30	8		
13	Mumps	12	3	1			1	1		1	1		1	1	1		1		
15	Cholera nostras	16	2	1	1	1							1	1	3	6			
16	Dysentery	81	19	7	2	1	1	1	2	4	3	3	4	9	7	16	2		
19	Spirochetal hemorrhagic jaundice	8			1			2		1	1		1	1		1			
20	Leprosy	1												1					
21	Erysipelas	335	119	5	1	5	2	5	6	16	22	31	37	32	37	15	2		
22	Acute anterior poliomyelitis	272	13	34	23	25	20	75	46	19	9	5	1	1	1				
23	Lethargic encephalitis	223	6	12	10	10	5	18	23	30	40	28	23	10	6	2			
24	Meningococcus meningitis	206	45	22	14	10	13	29	35	13	11	5	4	3	1	1			
25	Other epidemic and endemic diseases	25	12	5	2		4	1		1									
27	Anthrax	6								1		1	2		2				
28	Rabies	4						1	2		1								
29	Tetanus	91	11	2	2	1	2	9	16	7	7	11	8	8	7				
30	Mycoses	16	9	1				1		1			2	2					
	Tuberculosis (total)	10,836	240	173	76	65	53	173	936	2,721	2,330	1,850	1,246	676	253	42	1		1
31	Of the respiratory system	9,402	62	31	15	12	7	46	768	2,502	2,176	1,726	1,159	624	236	36	1		1
32	Of the meninges, central nervous system	640	139	112	46	39	33	79	68	54	39	18	9	4					
33	Of the intestines, peritoneum	299	15	8	7	4	8	16	40	73	40	35	33	14	5	1			
34	Of the vertebral column	115	2	2		3	2	7	13	18	23	20	10	7	7	1			
35	Of the joints	61				1		6	13	13	7	4	7	10					
36	Of other organs	136	4	5	2	2	1	6	11	23	22	25	18	10	3	4			
37a	Disseminated (acute)	159	15	14	6	3	2	11	20	34	20	19	9	5	1				
37b	Disseminated (chronic or unspecified)	24	3	1		1		2	3	4	3	3	1	2	1				
38	Syphilis	793	239	12	2	2		3	12	49	110	156	108	76	19	4			1
39	Soft chancre	1									1								
40	Gonococcus infection	55	10		1			1	2	16	12	11	1	1					
41	Purulent infection, septicemia	102	14	2	1	2	2	5	12	15	8	9	10	10	6	4	2		
42	Other infectious diseases	2								2									

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	NEW YORK—Continued.																		
	II.—General diseases not included in Class I	16,212	348	60	37	48	35	159	329	457	1,002	2,227	3,823	4,254	2,630	729	62	4	8
	Cancer and other malignant tumors (total)	11,182	6	8	7	7	8	16	39	166	618	1,640	2,850	3,147	2,036	583	43	3	5
43	Of the buccal cavity	363				1				2	16	51	72	101	82	36	1	1	
44	Of the stomach, liver	3,977	3	1	1	1		4	5	24	139	462	1,069	1,270	789	197	10		2
45	Of the peritoneum, intestines, rectum	1,782		1		3	1	4	6	45	104	229	406	536	343	100	3		1
46	Of the female genital organs	1,511							5	29	157	366	421	316	165	48	3	1	
47	Of the breast	1,066								9	78	232	272	261	158	51	5		
48	Of the skin	281					1			5	8	27	51	55	63	57	12	1	1
49	Of other or unspecified organs	2,202	3	6	6	2	6	8	23	52	116	273	559	608	436	94	9		1
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	111	6	4	1			2	2	12	8	16	20	22	11	6	1		
51	Acute rheumatic fever	444	3	3	3	16	11	74	114	41	32	42	30	29	23	20	2	1	
52	Chronic rheumatism, osteoarthritis, gout	107								5	6	9	15	20	30	21	1		
53	Scurvy	5	3	2															
54	Pellagra	19								2	3	5	6	3					
56	Rickets	65	41	11	4	1		5	1	1			1						
57	Diabetes mellitus	2,476	1	6	7	5	6	29	91	90	140	235	535	786	402	84	8		1
58	Anemia, chlorosis	552	7	2		1	2	3	9	21	41	74	130	164	85	9	4		
59	Diseases of the pituitary gland	7						1		1	2	1	1	1					
60a	Exophthalmic goiter	164							7	23	27	42	38	21	5	1			
60b	Other diseases of the thyroid gland	80	3					2	9	6	6	20	21	6	6	1			
61	Diseases of the parathyroid glands	10	10																
62	Diseases of the thymus gland	102	75	6	4	3		4	6	3	1								
63	Diseases of the adrenals (Addison's disease)	63							4	6	6	19	12	10	6				
64	Diseases of the spleen	42	3	2		1		1	4	7	7	7	7	2	1				
65a	Leukemia	175	6	3	4	9	6	11	21	12	16	25	36	20	5		1		
65b	Hodgkin's disease	93	3		2	1		2	8	14	19	16	15	7	5	1			
66	Alcoholism (acute or chronic)	164							1	12	42	55	41	8	4				1
67a	Chronic lead poisoning	18								1	3	8	4	1	1				
68	Chronic poisoning by organic substances	57								26	16	8	5		2				
69	Other general diseases	276	181	13	5	4	2	9	13	8	9	5	6	7	8	3	2		1
	III.—Diseases of the nervous system and of the organs of special sense	13,439	328	106	55	29	45	179	241	318	605	1,221	2,126	3,031	3,310	1,657	178	6	4
70	Encephalitis	87	4	3	3	1		5	10	14	8	13	10	11	4	1			
71a	Simple meningitis	254	58	24	11	8	10	24	27	18	20	13	17	14	7	3			
71b	Nonepidemic cerebrospinal meningitis	87	23	11	5	3	2	14	12	6	6	3	1	1					
72	Tabes dorsalis (locomotor ataxia)	205								1	17	37	62	52	30	5	1		
73	Other diseases of the spinal cord	615	9	10	4		3	9	18	16	30	64	112	170	124	42	4		
74a	Cerebral hemorrhage	9,058	9	5	3	2	2	5	11	35	137	576	1,465	2,418	2,807	1,414	159	6	4
74b	Cerebral embolism and thrombosis	373							2	2	11	23	71	74	122	63	5		
75	Paralysis without specified cause	363	3		1			1		1	6	15	47	108	111	63	7		
76	General paralysis of the insane	809								30	195	304	165	66	36	12	1		
77	Other forms of mental alienation	202							9	40	52	34	27	26	10	4			
78	Epilepsy	283	7	2	2	4	8	11	36	67	43	30	36	17	17	3			
79	Convulsions (nonpuerperal; 5 years and over)	11							1	2		1	2	4		1			
80	Infantile convulsions (under 5 years)	129	107	12	8	2													
81	Chorea	10						2	5			1		1		1			
82	Neuralgia and neuritis	24		1						1	2	2	5	5	3	5			
83	Softening of the brain	75								1	1	3	8	14	21	26	1		
84	Other diseases of the nervous system	361	20	10	7	2	9	21	33	38	43	63	67	25	12	11			
85	Diseases of the eye and annexa	11	3					1			2		2	2	1				
86a	Diseases of the ear	270	54	19	6	1	6	46	40	25	16	24	15	11	5	2			
86b	Diseases of the mastoid process	212	31	9	5	6	5	40	37	21	16	15	14	12		1			
	IV.—Diseases of the circulatory system	25,328	144	44	41	33	40	267	688	618	1,033	2,001	3,703	5,766	6,571	3,820	545	9	5
87	Pericarditis	94		1	1	1		8	6	3	6	14	14	16	14	10			
88	Endocarditis and myocarditis (acute)	829	78	9	10	14	15	58	108	129	124	106	51	48	46	29	4		
89	Angina pectoris	1,284						1	3	8	62	186	283	358	280	96	5		2
90	Other diseases of the heart	20,147	49	24	27	17	25	197	567	462	805	1,597	3,096	4,801	5,266	2,859	347	5	3
91a	Aneurysm	185							2	8	11	36	48	50	28	2			
91b,c	Other diseases of the arteries	2,538								1	7	37	161	431	901	808	188	4	
92	Embolism and thrombosis (not cerebral)	157	3	3	1			1	2	5	12	15	31	45	27	12			
93	Diseases of the veins	52	1		1					1	2	7	17	14	7	2			
94	Diseases of the lymphatic system	36	11	7	1	1		2		1	4	2	2	2	1	2			
95	Hemorrhage without specified cause	5	2									1		1	1				
96	Other diseases of the circulatory system	1															1		
	V.—Diseases of the respiratory system	12,774	2,601	1,002	402	210	145	285	411	669	909	1,077	1,204	1,511	1,340	867	136	3	2
97a	Diseases of the nasal fossae	13	3				1		1	1	2	1	1	1		2			
97b	Diseases of the nasal fossae annexa	58	2	1			1	1	12	13	10	6	6	3	3				
98	Diseases of the larynx	49	8	5	1	5	6	7	1	2	1	5	2	2	1	3			
99a	Acute bronchitis	550	247	51	20	5	6	6	5	9	7	6	14	30	52	73	19		
99b	Chronic bronchitis	278	12	3	1	2	1	1	1		6	13	32	43	85	69	9		
99c,d	Bronchitis (unspecified)	274	103	17	6	4	1	8	1	4	5	7	10	15	31	54	8		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	NEW YORK—Continued.																		
	V.—Diseases of the respiratory system—Continued.																		
100a	Bronchopneumonia	4,551	1,601	568	211	103	67	116	83	98	155	165	250	385	431	275	42	1	.....
100b	Capillary bronchitis	215	124	28	12	3	4	3	2	1	1	1	3	9	14	7	3	.....	.....
101a	Lobar pneumonia	5,513	408	260	114	77	43	116	249	457	605	719	753	853	565	265	27	1	1
101b	Pneumonia (unspecified)	432	52	21	10	.....	1	14	22	28	39	56	40	52	54	35	8	.....	.....
102	Pleurisy	434	32	44	23	10	12	10	25	36	50	49	45	53	33	9	2	.....	1
103	Congestion and hemorrhagic infarct of the lung	157	2	.....	1	1	1	.....	.....	3	4	11	10	15	33	59	16	1	.....
104	Gangrene of the lung	29	.....	.....	.....	.....	.....	.....	.....	1	5	4	7	6	4	1	1	.....	.....
105	Asthma	136	3	4	3	.....	.....	1	2	2	9	21	24	30	25	11	1	.....	.....
106	Pulmonary emphysema	19	2	.....	.....	.....	1	.....	1	.....	.....	2	1	3	6	3	.....	.....	.....
107	Other diseases of the respiratory system (tuberculosis excepted)	66	2	.....	.....	.....	.....	2	6	14	10	11	6	11	3	1	.....	.....	.....
	VI.—Diseases of the digestive system.	11,245	3,849	692	228	165	101	264	420	482	749	983	1,178	1,065	700	320	46	1	2
108	Diseases of the mouth and annexa	49	7	.....	1	1	2	1	4	3	7	10	4	4	1	4	.....	.....	.....
109a	Adenoid vegetations	3	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
109b	Other diseases of the pharynx, tonsils	374	21	14	17	27	15	48	61	41	49	33	19	13	9	5	2	.....	.....
110	Diseases of the esophagus	20	.....	.....	1	.....	.....	.....	.....	.....	1	4	3	4	6	1	.....	.....	.....
111a	Ulcer of the stomach	419	1	1	.....	1	1	.....	7	27	83	94	97	61	34	12	.....	.....	.....
111b	Ulcer of the duodenum	149	1	.....	.....	.....	.....	.....	1	13	36	35	30	24	8	1	.....	.....	.....
112	Other diseases of the stomach (cancer excepted)	452	153	17	11	5	3	7	.....	9	11	21	40	58	49	57	11	.....	.....
113	Diarrhea and enteritis (under 2 years)	4,095	3,478	617	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
114	Diarrhea and enteritis (2 years and over)	746	.....	.....	163	88	43	57	28	28	35	45	44	59	80	70	6	.....	.....
116	Diseases due to other intestinal parasites	4	.....	.....	1	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
117	Appendicitis and typhlitis	1,476	2	7	14	23	24	113	255	227	233	224	194	119	31	9	1	.....	.....
118a	Hernia	535	17	2	2	1	.....	.....	3	13	32	73	127	143	83	36	3	.....	.....
118b	Intestinal obstruction	677	125	18	8	11	4	7	18	31	62	83	99	80	85	41	3	1	1
119	Other diseases of the intestines	145	14	7	1	.....	1	2	3	9	17	17	22	19	20	10	3	.....	.....
120	Acute yellow atrophy of the liver	41	2	.....	.....	1	.....	1	.....	8	9	2	5	9	1	2	1	.....	.....
121	Hydatid tumor of the liver	3	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....
122	Cirrhosis of the liver	956	1	2	3	.....	.....	1	9	12	58	134	244	273	173	40	6	.....	.....
123	Biliary calculi	400	.....	.....	.....	.....	.....	.....	.....	14	45	80	108	88	53	9	2	.....	1
124	Other diseases of the liver	434	9	1	1	1	2	2	12	20	42	79	94	91	55	17	8	.....	.....
125	Diseases of the pancreas	81	.....	.....	.....	.....	.....	1	3	3	10	26	25	7	4	2	.....	.....	.....
126	Peritonitis without specified cause	173	15	5	5	6	6	21	14	21	18	20	18	13	7	4	.....	.....	.....
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	13	1	1	.....	.....	.....	1	.....	1	1	2	5	.....	1	.....	.....	.....	.....
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	12,288	83	23	24	20	18	57	157	422	831	1,384	2,027	2,909	2,788	1,381	157	3	4
128	Acute nephritis (including unspecified under 10 years)	532	48	14	12	15	9	23	45	48	60	76	58	60	38	22	4	.....	.....
129	Chronic nephritis (including unspecified 10 years and over)	10,141	3	3	8	1	8	25	92	241	502	1,029	1,778	2,584	2,498	1,225	141	2	1
131	Other diseases of the kidneys and annexa	273	23	6	4	4	1	5	13	23	37	38	32	43	30	10	3	1	.....
132	Calculi of the urinary passages	106	.....	.....	.....	.....	.....	3	.....	9	19	22	17	17	16	3	.....	.....	.....
133	Diseases of the bladder	87	2	.....	.....	.....	.....	.....	.....	1	2	4	6	16	16	36	4	.....	.....
134	Diseases of the urethra, etc	49	3	.....	.....	.....	.....	.....	.....	4	8	10	7	8	7	2	.....	.....	.....
135	Diseases of the prostate	437	.....	.....	.....	.....	.....	.....	.....	1	2	6	47	139	159	79	4	.....	.....
136	Nonvenereal diseases of the male genital organs	7	2	.....	.....	.....	.....	1	.....	1	.....	.....	.....	1	1	1	.....	.....	.....
137	Cysts, other benign tumors of the ovary	106	.....	.....	.....	.....	.....	.....	1	8	20	29	20	20	7	1	.....	.....	.....
138	Salpingitis and pelvic abscess (female)	214	.....	.....	.....	.....	.....	.....	6	64	83	44	12	4	.....	.....	.....	.....	1
139	Benign tumors of the uterus	241	.....	.....	.....	.....	.....	.....	.....	5	71	109	36	5	10	2	1	.....	2
140	Nonpuerperal uterine hemorrhage	4	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	1	.....	.....	.....	.....	.....
141	Other diseases of the female genital organs	86	.....	.....	.....	.....	.....	.....	.....	16	25	15	13	11	6	.....	.....	.....	.....
142	Nonpuerperal diseases of the breast (cancer excepted)	5	2	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....
	VIII.—The puerperal state	1,504	.....	.....	.....	.....	.....	.....	82	636	664	122	.....	.....	.....	.....	.....	.....	.....
143	Accidents of pregnancy	124	.....	.....	.....	.....	.....	.....	1	50	68	5	.....	.....	.....	.....	.....	.....	.....
144	Puerperal hemorrhage	193	.....	.....	.....	.....	.....	.....	3	72	91	27	.....	.....	.....	.....	.....	.....	.....
145	Other accidents of labor	178	.....	.....	.....	.....	.....	.....	9	67	80	22	.....	.....	.....	.....	.....	.....	.....
146	Puerperal septicemia	596	.....	.....	.....	.....	.....	.....	44	275	242	35	.....	.....	.....	.....	.....	.....	.....
147	Puerperal phlegmasia alba dolens, embolus, etc	67	.....	.....	.....	.....	.....	.....	2	29	33	3	.....	.....	.....	.....	.....	.....	.....
148	Puerperal albuminuria and convulsions	330	.....	.....	.....	.....	.....	.....	23	134	144	29	.....	.....	.....	.....	.....	.....	.....
149	Following childbirth (undefined)	15	.....	.....	.....	.....	.....	.....	.....	9	5	1	.....	.....	.....	.....	.....	.....	.....
150	Puerperal diseases of the breast	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
	IX.—Diseases of the skin and of the cellular tissue	417	123	10	2	2	1	5	17	19	28	41	32	29	49	47	11	1	.....
151	Gangrene	112	5	.....	1	1	.....	1	2	1	2	7	5	11	34	34	8	.....	.....
152	Furuncle	102	39	1	1	1	.....	.....	7	9	9	14	8	5	6	2	.....	.....	.....
153	Acute abscess	106	26	9	.....	.....	1	2	6	7	15	13	11	9	3	3	1	.....	.....
154	Other diseases of the skin and annexa	97	53	.....	.....	.....	.....	2	2	2	2	7	8	4	6	8	2	1	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	NEW YORK—Continued.																		
	X.—Diseases of the bones and of the organs of locomotion	187	14	3	2	7	5	21	38	14	15	22	15	15	13	2	1	....	.....
155	Diseases of the bones (tuberculosis excepted)	140	6	3	2	6	4	19	31	8	9	17	13	11	9	1	1	....	.....
156	Diseases of the joints (tuberculosis and rheumatism excepted)	40	8	.....	.....	1	1	2	6	5	5	3	2	3	3	1	.....	....	.....
158	Other diseases of the organs of locomotion	7	.....	.....	.....	.....	.....	.....	1	1	1	2	.....	1	1	.....	.....	....	.....
	XI.—Malformations	1,630	1,493	58	21	11	6	16	17	3	.....	4	1	.....	.....	.....	.....	....	.....
159a	Congenital hydrocephalus	194	148	21	8	6	.....	5	4	1	.....	1	.....	.....	.....	.....	.....	....	.....
159b	Congenital malformations of the heart	899	835	27	10	3	4	7	10	1	.....	1	1	.....	.....	.....	.....	....	.....
159c	Other congenital malformations	537	510	10	3	2	2	4	3	1	.....	2	.....	.....	.....	.....	.....	....	.....
	XII.—Early infancy	7,311	7,311	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....
160	Congenital debility, icterus, sclerema	996	996	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....
161a	Premature birth	4,236	4,236	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....
161b	Injury at birth	1,310	1,310	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....
162	Other diseases peculiar to early infancy	758	758	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....
163	Lack of care	11	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....
164	XIII.—Old age (senility)	639	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	6	20	154	301	152	6	.....
	XIV.—External causes	9,226	178	166	172	180	170	690	815	1,267	1,316	1,217	1,075	866	652	385	68	1	8
	Suicide (total)	1,434	.....	.....	.....	.....	.....	.....	41	243	269	304	301	179	79	14	3	....	1
165	By poisons (corrosives excepted)	41	.....	.....	.....	.....	.....	.....	.....	8	17	4	9	2	.....	.....	1	....	.....
166	By corrosive substances	144	.....	.....	.....	.....	.....	.....	9	39	33	31	20	9	3	.....	.....	....	.....
167	By poisonous gas	354	.....	.....	.....	.....	.....	.....	6	58	56	81	89	41	21	2	.....	....	.....
168	By hanging or strangulation	270	.....	.....	.....	.....	.....	.....	10	25	45	61	60	45	17	5	2	....	.....
169	By drowning	84	.....	.....	.....	.....	.....	.....	.....	13	13	15	16	18	6	2	.....	....	1
170	By firearms	312	.....	.....	.....	.....	.....	.....	10	62	62	59	64	32	19	4	.....	....	.....
171	By cutting or piercing instruments	79	.....	.....	.....	.....	.....	.....	2	5	9	22	15	21	5	.....	.....	....	.....
172	By jumping from high places	115	.....	.....	.....	.....	.....	.....	2	25	22	28	21	11	6	.....	.....	....	.....
173	By crushing	22	.....	.....	.....	.....	.....	.....	2	7	7	2	4	.....	.....	.....	.....	....	.....
174	By other means	13	.....	.....	.....	.....	.....	.....	.....	1	5	1	3	.....	2	1	.....	....	.....
	Homicide (total)	517	22	2	3	2	2	4	20	161	165	80	32	18	2	3	.....	....	1
197	By firearms	303	1	1	1	1	1	3	11	110	102	50	16	6	.....	.....	.....	....	.....
198	By cutting or piercing instruments	59	.....	.....	.....	.....	.....	.....	2	17	22	10	4	3	.....	1	.....	....	.....
199	By other means	155	21	1	2	1	1	1	7	34	41	20	12	9	2	2	.....	....	1
	Accidental or undefined (total)	7,275	156	164	169	178	168	686	754	863	882	833	742	669	571	368	65	1	6
175	Poisoning by food	50	5	6	1	1	4	7	3	4	3	6	3	3	3	1	.....	....	.....
176	Poisoning by venomous animals	3	.....	.....	.....	.....	1	.....	.....	1	.....	.....	1	.....	.....	.....	.....	....	.....
177	Other acute poisonings (gas excepted)	166	10	23	11	10	1	3	4	34	28	25	9	7	1	.....	.....	....	.....
178	Conflagration	107	2	3	3	3	5	11	4	15	14	11	11	11	9	4	1	....	.....
179	Burns (conflagration excepted)	610	16	65	79	61	49	81	30	41	43	33	31	35	28	15	3	....	.....
180	Mechanical suffocation	80	52	.....	.....	.....	.....	1	3	4	8	7	3	2	.....	.....	.....	....	.....
181	Absorption of irrespirable, irritating, or poisonous gas	430	3	2	1	.....	2	3	12	45	58	68	77	73	65	21	.....	....	.....
182	Drowning	844	1	7	5	9	5	77	241	162	124	106	56	37	13	1	.....	....	.....
183	Traumatism by firearms (except in war)	98	.....	1	1	3	1	6	28	21	15	11	2	5	2	2	.....	....	.....
184	Traumatism by cutting or piercing instruments	57	7	1	.....	1	.....	1	4	5	11	10	5	7	3	2	.....	....	.....
185	Traumatism by fall	1,393	11	30	19	24	13	54	58	80	105	135	143	170	244	256	50	1	.....
186a	Traumatism in mines	12	.....	.....	.....	.....	.....	.....	.....	2	6	1	1	2	.....	.....	.....	....	.....
186b	Traumatism in quarries	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	....	.....
187	Traumatism by machines	176	.....	1	.....	.....	.....	3	20	48	30	35	23	15	1	.....	.....	....	.....
188a	Railroad accidents	414	.....	2	1	2	1	9	31	81	89	64	62	43	22	4	.....	....	3
188b	Street-car accidents	206	.....	1	3	5	4	15	22	36	23	23	33	21	13	7	.....	....	.....
188c	Automobile accidents	1,632	5	5	16	41	70	353	212	155	173	177	160	137	107	18	1	....	2
188d	Aeroplane and balloon accidents	7	.....	.....	.....	.....	.....	.....	1	5	1	.....	.....	.....	.....	.....	.....	....	.....
188e,f	Injuries by other vehicles	213	4	1	10	6	7	26	18	27	31	21	19	28	8	6	1	....	.....
188g	Landslide, other crushing	38	.....	.....	1	2	.....	3	4	5	7	5	7	4	.....	.....	.....	....	.....
189	Injuries by animals (not poisoning)	34	1	1	1	.....	.....	1	5	3	4	5	9	.....	4	.....	.....	....	.....
190	Wounds of war	5	.....	.....	.....	.....	.....	.....	.....	2	3	.....	.....	.....	.....	.....	.....	....	.....
192	Starvation (deprivation of food or water)	5	1	.....	.....	.....	.....	.....	.....	.....	1	.....	2	1	.....	.....	.....	....	.....
193	Excessive cold	9	.....	.....	.....	.....	.....	.....	.....	1	1	3	1	.....	2	1	.....	....	.....
194	Excessive heat	104	16	6	1	1	2	2	2	2	8	11	16	16	7	11	3	....	.....
195	Lightning	16	.....	1	.....	.....	.....	.....	1	4	5	4	.....	.....	1	.....	.....	....	.....
196	Other accidental electric shocks	61	.....	.....	.....	.....	.....	1	12	19	14	7	7	1	.....	.....	.....	....	.....
201	Fracture (cause not specified)	117	1	.....	.....	.....	1	4	4	8	12	19	11	14	20	17	6	....	.....
202	Other external violence	277	15	7	16	8	2	19	27	38	46	32	29	26	9	2	.....	....	1
203	Violent deaths of unknown causation	109	6	1	.....	1	.....	6	8	14	18	14	21	11	9	.....	.....	....	.....
	XV.—Ill-defined diseases	129	32	21	4	.....	.....	2	2	7	9	15	7	9	13	6	.....	1	1
204	Sudden death	9	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	2	.....	.....	.....
205a	Ill-defined	72	3	20	3	.....	.....	2	1	5	4	10	5	5	9	4	.....	1	.....
205b	Not specified or unknown	48	26	1	1	.....	.....	.....	1	2	4	4	1	3	2	2	.....	....	1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over	Deaths at unknown age.
	NORTH CAROLINA.																			
	All causes	White	18,100	4,062	1,007	363	219	144	383	692	1,223	1,170	1,131	1,366	2,302	2,526	1,228	206	20	58
		Colored	11,354	2,571	551	176	119	74	290	831	1,404	1,011	959	868	873	833	464	155	74	101
	I.—Epidemic, endemic, and infectious diseases	White	2,835	370	232	104	75	57	152	192	462	384	224	168	178	171	52	7	1	6
		Colored	2,465	263	112	55	27	31	112	359	662	335	224	109	81	54	12	3	2	24
1	Typhoid and paratyphoid fever	W	158	1	2	1	1	.....	9	38	41	20	17	9	7	10	2	.....	.....	.....
		C	156	1	2	3	.....	4	19	42	37	26	9	6	6	1	.....	.....	.....	.....
5	Malaria	W	80	13	4	2	2	1	12	6	5	5	5	8	6	6	5	.....	.....	.....
		C	100	16	7	4	2	3	9	13	11	5	9	5	4	10	2	.....	.....	.....
6	Smallpox	W	11	2	.....	.....	.....	.....	.....	2	1	.....	.....	.....	3	3	.....	.....	.....	.....
		C	9	2	.....	.....	.....	.....	.....	.....	2	.....	.....	2	.....	.....	1	1	.....	1
7	Measles	W	115	30	29	9	10	3	11	4	5	2	2	3	4	2	1	.....	.....	.....
		C	32	6	14	1	1	2	4	2	.....	.....	1	.....	1	.....	.....	.....	.....	.....
8	Scarlet fever	W	40	3	4	9	6	1	13	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....
		C	5	1	.....	.....	.....	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Whooping cough	W	227	139	52	16	6	5	7	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....
		C	158	87	33	17	6	6	5	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
10	Diphtheria	W	297	38	69	45	35	36	67	3	1	.....	.....	1	2	.....	.....	.....	.....	.....
		C	75	20	9	8	4	8	20	5	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
11a	Influenza (with pulmonary complications)	W	145	12	6	4	3	2	7	13	14	19	15	9	19	17	3	2	.....	.....
		C	78	12	3	2	3	.....	1	7	13	10	8	7	5	4	1	.....	.....	2
11b	Influenza (other and unspecified)	W	97	4	4	1	2	.....	2	4	3	8	2	13	10	32	10	2	.....	.....
		C	58	17	1	1	.....	.....	1	5	6	1	5	5	4	10	1	.....	1	.....
13	Mumps	W	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		C	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	Cholera nostras	W	8	1	1	1	.....	.....	.....	1	.....	.....	.....	1	1	2	.....	.....	.....	.....
		C	5	.....	1	.....	1	.....	.....	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....
16	Dysentery	W	131	46	30	8	4	3	1	8	4	5	5	8	16	23	17	2	1	.....
		C	80	26	22	4	2	1	3	3	1	4	1	2	6	.....	1	2	1	1
21	Erysipelas	W	45	21	3	1	.....	1	.....	2	2	1	1	2	4	5	1	.....	.....	1
		C	6	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....
22	Acute anterior poliomyelitis	W	19	5	6	2	1	2	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		C	7	.....	2	1	2	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
23	Lethargic encephalitis	W	9	.....	1	1	.....	.....	.....	.....	1	.....	1	1	3	1	.....	.....	.....	.....
		C	3	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
24	Meningococcus meningitis	W	23	11	3	2	1	1	2	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		C	12	2	1	1	.....	.....	5	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Other epidemic and endemic diseases	W	2	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		C	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
28	Rabies	W	2	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
29	Tetanus	W	18	5	.....	.....	.....	.....	6	4	.....	1	1	.....	1	.....	.....	.....	.....	.....
		C	35	12	1	.....	.....	1	4	11	.....	4	2	.....	.....	.....	.....	.....	.....	.....
30	Mycoses	W	2	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
		C	13	11	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	W	1,266	12	16	2	3	2	12	87	371	311	167	103	99	64	12	.....	.....	5
		C	1,473	17	11	9	4	4	34	253	558	253	163	72	48	24	5	.....	.....	18
31	Of the respiratory system	W	1,147	6	5	.....	1	1	3	75	352	291	157	99	86	56	11	.....	.....	4
		C	1,345	10	8	6	3	.....	20	230	530	236	153	64	41	21	5	.....	.....	18
32	Of the meninges, central nervous system	W	33	5	7	1	2	1	7	3	4	1	2	.....	.....	.....	.....	.....	.....	.....
		C	18	3	2	1	1	1	4	2	1	2	.....	1	.....	.....	.....	.....	.....	.....
33	Of the intestines, peritoneum	W	46	.....	.....	.....	.....	.....	1	2	11	8	7	3	10	4	.....	.....	.....	.....
		C	52	.....	.....	2	.....	2	4	10	15	6	4	4	4	1	.....	.....	.....	.....
34	Of the vertebral column	W	10	.....	1	.....	.....	.....	1	2	.....	3	.....	1	.....	1	1	.....	.....	.....
		C	9	.....	1	.....	.....	.....	.....	1	2	2	3	.....	.....	.....	.....	.....	.....	.....
35	Of the joints	W	7	.....	.....	.....	.....	.....	.....	3	1	1	.....	.....	1	1	.....	.....	.....	.....
		C	7	.....	.....	.....	.....	.....	1	2	.....	1	1	.....	1	1	.....	.....	.....	.....
36	Of other organs	W	12	.....	1	1	.....	.....	.....	1	1	3	1	.....	1	2	.....	.....	.....	1
		C	17	2	.....	.....	.....	.....	2	2	3	3	1	3	.....	1	.....	.....	.....	.....
37a	Disseminated (acute)	W	11	1	2	.....	.....	.....	.....	1	2	4	.....	.....	1	.....	.....	.....	.....	.....
		C	20	2	.....	.....	.....	1	2	6	6	3	.....	.....	.....	.....	.....	.....	.....	.....
37b	Disseminated (chronic or unspecified)	C	5	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	2	.....	.....	.....	.....	.....
38	Syphilis	W	46	20	1	.....	.....	.....	.....	.....	5	5	5	7	1	2	.....	.....	.....	.....
		C	119	27	4	2	1	1	1	6	19	23	21	7	5	2	.....	.....	.....	.....
40	Gonococcus infection	W	6	.....	.....	.....	.....	.....	.....	.....	3	2	1	.....	.....	.....	.....	.....	.....	.....
		C	18	1	.....	.....	.....	.....	.....	2	8	3	4	.....	.....	.....	.....	.....	.....	.....
41	Purulent infection, septicemia	W	37	5	1	.....	1	.....	2	10	3	3	2	3	2	3	1	1	.....	.....
		C	21	2	.....	1	.....	.....	1	3	5	4	1	2	.....	1	1	.....	.....	.....
	II.—General diseases not included in Class I	White	1,408	34	17	14	6	4	21	52	63	118	179	231	317	243	89	11	.....	4
		Colored	627	16	11	1	1	1	10	32	62	98	110	105	84	52	28	7	2	7
	Cancer and other malignant tumors (total)	W	815	2	.....	3	3	2	3	7	19	44	94	154	213	190	72	6	.....	3
		C	305	.....	2	.....	.....	.....	1	6	13	43	70	69	49	24	18	5	2	3
43	Of the buccal cavity	W	30	1	.....	.....	.....	.....	.....	1	.....	1	4	5	10	6	2	.....	.....	.....
		C	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	.....	.....	.....
44	Of the stomach, liver	W	267	.....	.....	.....	1	.....	.....	1	7	11	24	55	83	62	22	1	.....	.....
		C	80	.....	.....	.....	.....	.....	.....	4	3	9	9	24	15	8	7	.....	1	.....
45	Of the peritoneum, intestines, rectum	W	91	1	.....	1	2	.....	1	2	3	3	6	12	26	29	2	2	.....	1
		C	25	.....	.....	.....	.....	.....	.....	.....	.....	3	6	9	3	2	1	.....	.....	1
46	Of the female genital organs	W	146	.....	.....	.....	.....	.....	.....	.....	1	16	28	41	29	23	6	1	.....	1
		C	114	.....	.....	.....	.....	.....	.....	1	5	23	39	16	16	8	1	3	.....	2
47	Of the breast	W	73	.....	.....	.....	.....	.....	.....	.....	3	5	11	20	13	13	7	1	.....	.....
		C	23	.....	.....	.....	.....	.....	.....	.....	1	3	7	5	5	1	1	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	NORTH CAROLINA—Continued.																		
	II.—General diseases not included in Class I—Continued.																		
	Cancer, etc.—Continued.																		
48	Of the skin	White	68									2	1	2	21	23	18	1	
		Colored	7											2	2	2	1		
49	Of other or unspecified organs	W.	140			2		2	2	3	5	6	20	19	31	34	15		1
		C.	52		2				1	1	4	5	9	12	7	2	6	2	1
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	W.	10			1					1	1		2	3	2			
		C.	10							2	2	2		2		1	1		
51	Acute rheumatic fever	W.	44						5	6	5	4	4	3	9	4	3	1	
		C.	41			1			4	9	3	8	2	6	4	4			
52	Chronic rheumatism, osteoarthritis, gout	W.	20								1		2	1	7	7	1	1	
		C.	6									1			3	1			1
53	Scurvy	W.	2	1						1									
		C.	3	1	2														
54	Pellagra	W.	188		1	1			3	18	39	34	35	32	20	3	1		1
		C.	150		1			1	6	33	35	24	18	13	14	5			
56	Rickets	W.	4	2	1	1													
		C.	7	4	2		1												
57	Diabetes mellitus	W.	151				1	1	5	22	7	13	21	20	35	17	7	2	
		C.	44	1					1	5	4	3	6	6	9	4	2	1	2
58	Anemia, chlorosis	W.	46	2	1		1	1	2	5	1	2	11	9	9	2			
		C.	7		1					1		1		1		1	1		
60a	Exophthalmic goiter	W.	6							1	2	1	1			1			
		C.	10						1		1	2	4		1	1			
60b	Other diseases of the thyroid gland	W.	11	1		2					2		2	1	2	1			
		C.	3								1				1	1			
61	Diseases of the parathyroid glands	W.	1	1															
62	Diseases of the thymus gland	W.	8	4	1	1			1	1									
		C.	4	2	1			1											
64	Diseases of the spleen	W.	3		1						1			1					
		C.	1												1				
65a	Leukemia	W.	17		1	1			3	2	2	3	4		1				
		C.	7	1					2			1	1	1	1				
65b	Hodgkin's disease	W.	5						1	1			1		1	1			
		C.	2								1				1				
66	Alcoholism (acute or chronic)	W.	23							2	3	8	3	3	3	1			
		C.	12								4	2	2	2	1				1
67a	Chronic lead poisoning	W.	1													1			
67b	Other chronic mineral poisoning	C.	1														1		
68	Chronic poisoning by organic substances	W.	9									3	1	2	1	1	1		
69	Other general diseases	W.	44	21	11	4	1		1	1	1		1		1	1	1		
		C.	14	7	2					3			1			1			
	III.—Diseases of the nervous system and of the organs of special sense	White	1,847	109	26	14	15	8	16	45	53	73	135	220	424	478	207	12	2	10
		Colored	954	66	14	2	4	5	18	38	47	63	101	141	178	156	84	24	5	8
70	Encephalitis	W.	23	5	2		1			3		1	5	3	2	1			
		C.	12	2				1	2	2	3	2							
71a	Simple meningitis	W.	70	33	7	5	5	1	5	6	3	2	1	1	1				
		C.	26	8	4	1	1	1	2	4	2		2		1				
71b	Nonepidemic cerebrospinal meningitis	W.	38	11	10	2	2	2	5	6									
		C.	10	2	1		1	2		2	2								
72	Tabes dorsalis (locomoter ataxia)	W.	16									2	3	3	7	1			
		C.	5								2			1		1	1		
73	Other diseases of the spinal cord	W.	56	3						1	2	2	3	5	16	16	6	1	
		C.	16						1		2		5	5	3				1
74a	Cerebral hemorrhage	W.	1,077	5	1		2		1	3	9	34	83	157	309	332	127	7	1	6
		C.	565	1	1				3	7	17	36	72	106	128	117	53	15	3	6
74b	Cerebral embolism and thrombosis	W.	16			1	1		1			3			2	3	5			
		C.	4							2		1					1			
75	Paralysis without specified cause	W.	257			1	1	1		2	1	3	12	23	59	88	59	4	1	2
		C.	152	1	1	1			1	2	5	8	8	18	39	31	26	8	2	1
76	General paralysis of the insane	W.	34								2	2	7	9	6	6	2			
		C.	8									1	1	3		2	1			
77	Other forms of mental alienation	W.	35							1	4	5	7	4	3	8	2			1
		C.	18							1	2	4	2	4	3	2				
78	Epilepsy	W.	68	7		1	1	2		11	21	7	7	3	1	5	2			
		C.	53	10	1			1	4	9	9	7	6	3		2	1			
79	Convulsions (nonpuerperal; 5 years and over)	W.	9						1		3	3			1		1			
		C.	6						2	3			1				1			
80	Infantile convulsions (under 5 years)	W.	34	30	4															
		C.	32	29	2		1													
81	Chorea	W.	3							2		1								
		C.	1	1																
82	Neuralgia and neuritis	W.	4								1				1		2			
		C.	3												1	1		1		
83	Softening of the brain	W.	19											5	6	8				
		C.	1												1					
84	Other diseases of the nervous system	W.	47	7	1	2				5	3	4	4	7	7	7				
		C.	23	6	1				3	3	1	4	3	1						1
85	Diseases of the eye and annexa	W.	3	1			1				1									
86a	Diseases of the ear	W.	15	4		2		1	1	1	1	1	3			2				
		C.	15	6	2		1			1	1			1	2		1			
86b	Diseases of the mastoid process	W.	23	3	1		2		2	4	2	1	3		3	1	1			
		C.	4		1					2	1									

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
NORTH CAROLINA—Continued.																			
	IV.—Diseases of the circulatory system	White	1,975	19	3	4	3	3	10	25	57	65	138	251	507	594	262	23	3	8
		Colored	1,092	4	7		2	1	10	36	83	110	150	175	193	186	103	17	6	9
87	Pericarditis	W	9		1				1				2		2	3				
		C	7								1		2	3		1				
88	Endocarditis and myocarditis (acute)	W	34		2	2				4	7	3	7	5	4					
		C	30		1		1		1	4	7	10	3		3					
89	Angina pectoris	W	107								2	6	12	24	35	21	6			1
		C	16								1	1	3	4	1	4	1			1
90	Other diseases of the heart	W	1,672	14		1	2	3	8	21	44	53	109	208	427	527	232	15	2	6
		C	978	4	6		1	1	8	32	71	93	136	160	170	174	95	15	4	8
91a	Aneurysm	W	14								1	1	4	1	5	2				
		C	12									4	1	3	4					
91b,c	Other diseases of the arteries	W	107										2	9	29	34	23	8	1	1
		C	32										3	3	11	6	6	1	2	
92	Embolism and thrombosis (not cerebral)	W	7	1		1					1	2	2							
		C	4								3		1							
93	Diseases of the veins	W	5								1			2		2				
		C	2										1		1					
94	Diseases of the lymphatic system	W	2	1			1													
95	Hemorrhage without specified cause	W	7	3					1		1					2				
		C	7						1			1		2	1		1	1		
96	Other diseases of the circulatory system	W	11											2	5	3	1			
		C	4									1			2	1				
	V.—Diseases of the respiratory system	White	1,459	358	112	49	28	17	33	64	65	78	86	93	150	188	111	21		6
		Colored	903	298	96	32	25	9	27	65	70	48	53	52	42	42	22	9	1	12
97a	Diseases of the nasal fossae	W	17	6		1	2		1	1	1		1		1	1	2			
		C	16	13	1	1							1							
97b	Diseases of the nasal fossae annexa	W	7							1	1	2	2	1						
		C	1							1										
98	Diseases of the larynx	W	27	2	7	4	1	2	5			1	1		1	1	2			
		C	8		3		2						1		1					1
99a	Acute bronchitis	W	22	12		2				1			1			2	2	2		
		C	25	15	1		2		2		1	2	1	1						
99b	Chronic bronchitis	W	27		1	1						1	1	5	3	10	4	1		
		C	14	1		1		1			2	1	1	2		1	3	1		
99c,d	Bronchitis (unspecified)	W	37	14	1	1	1							3	3	7	5	2		
		C	36	16	4	4	1			2	1	2	1	1	1	1	1			1
100a	Bronchopneumonia	W	495	211	67	20	10	5	12	9	12	8	9	9	36	44	35	5		3
		C	284	143	44	12	13	5	7	8	8	3	4	6	11	6	5	3		6
100b	Capillary bronchitis	W	9	4	1	1	1										1	1		
		C	14	7	3				1	1			1				1			
101a	Lobar pneumonia	W	544	59	24	14	4	5	11	41	36	49	51	52	72	86	32	5		3
		C	323	40	27	9	4	1	13	38	42	25	27	34	24	25	8	3		3
101b	Pneumonia (unspecified)	W	168	38	10	1	6	4	2	6	8	11	9	14	22	18	18	1		
		C	121	54	12	4	3	1	2	8	10	4	5	6	4	5	1	1		1
102	Pleurisy	W	32	3	1	3	3	1	1	5	1	2	3	2	2	4	1			
		C	19	1					2	4	3	6	2				1			
103	Congestion and hemorrhagic infarct of the lung	W	25	3		1					3	1	2		3	4	4	4		
		C	10	1						1		1	3			3			1	
104	Gangrene of the lung	W	1										1							
105	Asthma	W	29	2					1		2	2	3	5	3	7	4			
		C	19	2	1			1		1	2	2	3	2	1	1	2	1		
106	Pulmonary emphysema	W	1	1																
		C	2	1									1							
107	Other diseases of the respiratory system (tuberculosis excepted)	W	18	3							1	1	2	2	4	4	1			
		C	11	4		1				1	1	1	3							
	VI.—Diseases of the digestive system	White	2,279	760	516	124	44	28	58	74	68	83	87	84	128	139	67	11		8
		Colored	1,070	428	192	40	14	11	29	47	75	56	53	45	40	27	7	5		1
108	Diseases of the mouth and annexa	W	15	2			1		2	2		1	1		5	1				
		C	8	1		1		1				3	2							
109b	Other diseass of the pharynx, tonsils	W	47	3	6	2	2	4	3	6	7	5	2	2	2	2	1			
		C	19	3	2	2		2		2	5	1			1	1				
110	Diseases of the esophagus	C	1				1													
111a	Ulcer of the stomach	W	36	2	1					2	4	5	3	4	8	5	1	1		
		C	25							2	3	9	4	3	3	1				
111b	Ulcer of the duodenum	W	7								1		3		2	1				
		C	2								1		1							
112	Other diseases of the stomach (cancer excepted)	W	170	52	14	8			3	3	6	8	11	11	22	21	11			
		C	134	37	5	4	1		3	6	12	10	22	13	12	7	1	1		
113	Diarrhea and enteritis (under 2 years)	W	1,153	667	486															
		C	555	376	179															
114	Diarrhea and enteritis (2 years and over)	W	317			105	32	13	21	6	5	8	6	8	23	46	33	9		2
		C	85			30	10	6	11		6	1	3		8	7	3			
115	Ancylostomiasis	W	3			1				2										
116	Diseases due to other intestinal parasites	W	4		2			1	1											
		C	6	1	1	2	1			1										
117	Appendicitis and typhlitis	W	185			1	2	4	19	45	30	26	26	16	7	5	2			2
		C	61			1		1	4	18	14	11	3	6	3					
118a	Hernia	W	30								3	1	3	7	6	9		1		
		C	20	4					2	2			1	3	3	2		3		
118b	Intestinal obstruction	W	107	24	6	4	5	4	7	2	4	11	10	5	8	8	8			1
		C	46	2	1		1		5	7	11	7	3	2	5		1	1		
119	Other diseases of the intestines	W	17	4	1	1				1			1	1	6	1	1			
		C	17	1	1					1	1	2	5	3		3				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	Deaths at unknown age.
	NORTH CAROLINA—Continued.																			
	VI.—Diseases of the digestive system—Continued.																			
120	Acute yellow atrophy of the liver	W.	6							2	2			1			1			
		C.	3								1				1		1			
122	Cirrhosis of the liver	W.	72	1								2	10	13	19	21	5			1
		C.	30		1				1	2	2	5	4	7	4	4				
123	Biliary calculi	W.	30							2	1	5	3	7	6	5				1
		C.	6								1	2	1	1		1				
124	Other diseases of the liver	W.	56	4		2		2			1	5	5	7	12	13	4			1
		C.	24	2	1				1	2	11	1	3	1	1		1			
125	Diseases of the pancreas	W.	2								1			1						
		C.	2									1		1						
126	Peritonitis without specified cause	W.	21	1			2		2	1	3	6	3	1	1	1				
		C.	26	1	1			1	2	4	7	3	1	5						1
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	W.	1												1					
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	White	1,463	9	10	7	5	3	9	28	66	86	110	165	368	391	172	28	1	5
		Colored	866	8	7	4	8	1	12	35	63	80	109	135	150	146	75	19	4	10
128	Acute nephritis (including unspecified under 10 years)	W.	107	6	4	4	3	3	6	11	13	7	10	15	11	11	3			
		C.	105	8	4	3	8	1	10	11	13	13	16	8	5	5				
129	Chronic nephritis (including unspecified 10 years and over)	W.	1,178		3	2	1		2	9	32	53	78	138	329	351	149	25	1	5
		C.	644		1	1			2	17	37	51	73	110	133	122	68	18	4	7
131	Other diseases of the kidneys and annexa	W.	51	3	2	1			1	5	6	8	5	4	7	5	4			
		C.	17		2							2	2	4	1	4	1			1
132	Calculi of the urinary passages	W.	10								1	4	3		1	1				
		C.	5								1			1		3				
133	Diseases of the bladder	W.	29		1		1					1	2	1	5	8	9	1		
		C.	13								1	1	2	2	3	1	2	1		
134	Diseases of the urethra, etc.	W.	1											1						
		C.	7									3	1		1	1	1			
135	Diseases of the prostate	W.	37								1			2	13	12	7	2		
		C.	21										1	2	5	9	3			1
136	Nonvenereal diseases of the male genital organs	C.	1											1						
137	Cysts, other benign tumors of the ovary	W.	5								1	1			1	2				
		C.	5								1	1	2			1				
138	Salpingitis and pelvic abscess (female)	W.	24							3	9	8	3	1						
		C.	22							4	8	4	4	2						
139	Benign tumors of the uterus	W.	15								2	3	7	2	1					
		C.	21								2	4	7	5	2					1
140	Nonpuerperal uterine hemorrhage	W.	2									1	1							
		C.	2							1			1							
141	Other diseases of the female genital organs	W.	4								1		1	1		1				
		C.	3							2		1								
	VIII.—The puerperal state	White	374							42	172	132	28							
		Colored	276							55	112	79	28							2
143	Accidents of pregnancy	W.	31							2	13	14	2							
		C.	15							3	8	2	2							
144	Puerperal hemorrhage	W.	36							1	5	24	6							
		C.	24								7	14	3							
145	Other accidents of labor	W.	46							2	27	15	2							
		C.	44							9	18	10	7							
146	Puerperal septicemia	W.	85							5	46	29	5							
		C.	82							14	35	24	9							
147	Puerperal phlegmasia alba dolens, embolus, etc.	W.	10								5	4	1							
		C.	5							1		3	1							
148	Puerperal albuminuria and convulsions	W.	165							31	76	46	12							
		C.	104							26	44	26	6							2
149	Following childbirth (undefined)	W.	1							1										
		C.	2							2										
	IX.—Diseases of the skin and of the cellular tissue	White	48	6	2				1	8	3	1	4	3	6	7	3	3	1	
		Colored	38	4	1					2	3	1	2	4	4	9	3	2	2	1
151	Gangrene	W.	19						1	1	1			1	4	5	2	3	1	
		C.	18	1							1	1	1	2	2	3	3	2	2	
152	Furuncle	W.	7							1			1	2	1	1	1			
		C.	2							1				1						
153	Acute abscess	W.	14	2	2					3	2	1	3		1					
		C.	10	2	1					1			1		2	2				1
154	Other diseases of the skin and annexa	W.	8	4						3						1				
		C.	8	1							2			1		4				
	X.—Diseases of the bones and of the organs of locomotion	White	29		2		1		4	9	1	3	1	1	4	2	1			
		Colored	8	1					2	1	1	1		2						
155	Diseases of the bones (tuberculosis excepted)	W.	22		2		1		4	8	1	2	1		2		1			
		C.	5						2	1	1			1						
156	Diseases of the joints (tuberculosis and rheumatism excepted)	W.	6							1		1		1	2	1				
		C.	2	1										1						
158	Other diseases of the organs of locomotion	W.	1													1				
		C.	1									1								

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
				Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
NORTH CAROLINA—Continued.																				
	XI.—Malformations	White	241	222	10		1	2	2	1	3									
		Colored	48	42	3		1		2											
159a	Congenital hydrocephalus	W	24	17	5				1	1										
		C	12	7	2		1		2											
159b	Congenital malformations of the heart	W	114	106	4		1	1			2									
		C	16	16																
159c	Other congenital malformations	W	103	99	1			1	1		1									
		C	20	19	1															
	XII.—Early infancy	White	1,398	1,398																
		Colored	610	610																
160	Congenital debility, icterus, sclerema	W	238	238																
		C	137	137																
161a	Premature birth	W	985	985																
		C	376	376																
161b	Injury at birth	W	107	107																
		C	39	39																
162	Other diseases peculiar to early infancy	W	67	67																
		C	53	53																
163	Lack of care	W	1	1																
		C	5	5																
164	XIII.—Old age (senility)	White	301											2	11	81	137	59	10	1
		Colored	239										1	3	21	51	75	52	36	
	XIV.—External causes	White	1,070	59	36	31	32	20	63	125	180	116	97	85	82	83	44	12	1	4
		Colored	651	52	34	15	24	9	36	116	145	73	65	29	15	16	7	2	2	11
	Suicide (total)	W	93							4	20	18	19	15	13	3	1			
		C	20							1	5	6	5	2		1				
165	By poisons (corrosives excepted)	W	1									1								
166	By corrosive substances	W	10							1	5	2	1	1						
167	By poisonous gas	W	1												1					
168	By hanging or strangulation	W	6								1	2	2		1					
169	By drowning	W	2								1			1						
		C	4							1		2	1							
170	By firearms	W	63							3	12	12	14	12	8	2				
		C	16								5	4	4	2		1				
171	By cutting or piercing instruments	W	6									1	1	1	2	1				
172	By jumping from high places	W	3								1				1		1			
174	By other means	W	1										1							
	Homicide (total)	W	100	3						5	30	17	15	18	7	3	1			1
		C	124	1						19	53	26	13	7	2					3
197	By firearms	W	70							3	25	14	10	13	3	2				
		C	96							11	42	24	12	4	2					1
198	By cutting or piercing instruments	W	4									2		1	1					
		C	17							5	6	1	1	3						1
199	By other means	W	26	3						2	5	1	5	4	3	1	1			1
		C	11	1						3	5	1								1
	Accidental or undefined (total)	W	877	56	36	31	32	20	63	116	130	81	63	52	62	77	42	12	1	3
		C	507	51	34	15	24	9	36	96	87	41	47	20	13	15	7	2	2	8
175	Poisoning by food	W	22	2	4	3	2		3		1		1	2	3	1				
		C	16	4	2	1	1		2	1		1	2	1		1				
176	Poisoning by venomous animals	W	3	1				1								1				
177	Other acute poisonings (gas excepted)	W	17	2	1	2	1	1		2	1	2	2	2		1				
		C	24	3	10	2	1	1	1			2	2	1		1				
178	Conflagration	W	5		1				1	1	1			1						
		C	7	2			1			2	1						1			
179	Burns (conflagration excepted)	W	127	14	15	16	17	7	20	11	8	5	4	2	1	5	1	1		
		C	102	7	16	10	18	6	14	6	4	2	3	4	4	3	3		1	1
180	Mechanical suffocation	W	29	26	1							2								
		C	26	22	1								1	1	1					
181	Absorption of irrespirable, irritating, or poisonous gas	W	3							1			1		1					
		C	3								2					1				
182	Drowning	W	56		2	1	2	1	4	19	17	2	5	1	1	1				
		C	49		2				1	26	12	5	2							1
183	Traumatism by firearms (except in war)	W	67		1		1	2	9	21	17	7	7	2						
		C	82				1	1	9	26	28	3	8	1	2			1		2
184	Traumatism by cutting or piercing instruments	W	6		2					1						2				1
		C	5							2	1			1				1		
185	Traumatism by fall	W	140	1	1	1			3	7	9	5	8	4	13	44	34	9	1	
		C	16	1	1		2	1		1		1	2	2	1	3	1			
186a	Traumatism in mines	W	1									1								
		C	2										2							
187	Traumatism by machines	W	19				1			4	6	3	1	2	2					
		C	18							7	5	2	1	1	1	1				
188a	Railroad accidents	W	72		1				1	6	16	14	7	13	10	2	1			1
		C	38						2	6	11	7	6	3	2					1
188b	Street-car accidents	W	4			1				1						2				
188c	Automobile accidents	W	120	1	2		3	3	13	22	19	21	15	6	9	4	1			1
		C	19	1						4	3	5	4	2						
188d	Aeroplane and balloon accidents	W	2								1	1								
188e,f	Injuries by other vehicles	W	27			1			3	4	7	1	3	1	6	1				
		C	8							1		1	3			2	1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
NORTH CAROLINA—Continued.																			
	XIV.—External causes—Continued.																		
	Accidental or undefined—Continued.																		
188g	Landslide, other crushing {W	5								1		1	2	1					
	{C	5							1	1	2	1							
189	Injuries by animals (not poisoning) {W	10						1	2		1	1	1	3	1				
	{C	5	1					1		1	1								1
193	Excessive cold {C	1												1					
194	Excessive heat {W	3											1	1	1				
	{C	2								1			1						
195	Lightning {W	16				2	1		4	5	1		1	2					
	{C	2							1			1							
196	Other accidental electric shocks {W	14			1				1	4	2	3	2	1					
	{C	4							2		1	1							
201	Fracture (cause not specified) {W	18					1		1		3		1	2	6	3	1		
	{C	7							2	1	2				1			1	
202	Other external violence {W	69	6	5	5	3	3	3	5	14	8	3	8	3	2	1			
	{C	37	3	1	2			5	6	11	3	3	2	1					
203	Violent deaths of unknown causation {W	22	3					2	3	3	2	1		3	3	1	1		
	{C	29	7	1				1	2	5	2	5		1	2	1			2
	XV.—Ill-defined diseases {White	1,373	718	41	16	9	2	14	27	30	31	42	63	127	144	83	19	1	6
	{Colored	1,507	779	74	27	13	6	32	45	81	67	63	68	65	94	48	15	14	16
204	Sudden death {W	124	25	2	1			1	2	1	5	7	9	25	27	14	5		
	{C	112	33	4		1		1	1	10	9	6	12	12	10	9	1	2	1
205a	Ill-defined {W	259	67	15	2			1	9	7	14	8	26	45	44	18	2		1
	{C	161	32	17	4	2		3	9	11	8	17	13	16	18	6	1	2	2
205b	Not specified or unknown {W	990	626	24	13	9	2	12	16	22	12	27	28	57	73	51	12	1	5
	{C	1,234	714	53	23	10	6	28	35	60	50	40	43	37	66	33	13	10	13
OHIO.																			
	All causes	67,104	9,714	1,579	882	638	521	1,732	2,567	4,237	4,961	5,577	6,861	9,774	10,986	6,189	835	32	19
	I.—Epidemic, endemic, and infectious diseases	10,040	864	450	338	286	249	763	983	1,653	1,392	1,008	786	613	440	189	23		3
1	Typhoid and paratyphoid fever	542	1	4	3	7	4	38	142	91	101	75	38	22	14	2			
5	Malaria	12		1				1		1		3		1	4	1			
6	Smallpox	15	4	1		1		1	1			1	2	1	2	1			
7	Measles	146	43	40	21	8	9	11	7	3		3				1			
8	Scarlet fever	438	15	30	58	56	46	128	66	20	12	6	1						
9	Whooping cough	516	295	121	42	21	13	18	4						1				1
10	Diphtheria	1,086	37	102	122	126	124	382	137	17	16	14	5	1	2	1			
11a	Influenza (with pulmonary complications)	358	49	17	6	2	2	8	12	19	34	31	35	51	59	27	6		
11b	Influenza (other and unspecified)	332	41	11	5	6	6	23	16	27	34	18	23	24	58	32	8		
13	Mumps	6			2			1		1		1	1						
15	Cholera nostras	9												2	2	5			
16	Dysentery	190	41	11	8	12	2	3	2	2	2	6	10	19	27	40	5		
19	Sphirochetal hemorrhagic jaundice	2								1				1					
21	Erysipelas	178	48	5	4		1	2	1	3	12	13	25	25	19	18	2		
22	Acute anterior poliomyelitis	85	4	12	10	5	9	19	20	2	1	2			1				
23	Lethargic encephalitis	136	5	4	3	3	2	10	16	22	23	12	18	15	3				
24	Meningococcus meningitis	56	14	4	3	2	5	9	9	3	4	2		1					
25	Other epidemic and endemic diseases	5	2		1	1		1											
27	Anthrax	4								1		2		1					
28	Rabies	3			1		1		1										
29	Tetanus	81	4	1	2	4	2	13	17	6	9	12	3	6	2				
30	Mycoses	11	9									1		1					
	Tuberculosis (total)	5,270	106	83	42	30	22	88	519	1,382	1,051	716	547	407	220	53	2		2
31	Of the respiratory system	4,437	46	29	6	9	10	26	411	1,231	943	652	483	348	197	44	1		1
32	Of the meninges, central nervous system	258	44	39	28	12	5	31	33	27	15	10	7	5	1	1			
33	Of the intestines, peritoneum	240	7	3	1	2	3	14	35	54	29	28	27	24	9	3			1
34	Of the vertebral column	74	1	2		2	1	9	3	15	14	7	10	5	3	1	1		
35	Of the joints	32		1			1	1	4	6	8	1	3	4	1	2			
36	Of other organs	82	2	3	2	1		4	10	8	15	9	9	10	7	2			
37a	Disseminated (acute)	102	6	6	3	4		3	17	29	20	6	4	3	1				
37b	Disseminated (chronic or unspecified)	45			2		2		6	12	7	3	4	8	1				
38	Syphilis	466	135	2	4	2	1	4	5	37	75	80	68	28	21	4			
40	Gonococcus infection	37	2						5	11	11	3	4	1					
41	Purulent infection, septicemia	56	9	1	1			3	3	4	7	7	6	6	5	4			
	II.—General diseases not included in Class I	7,869	137	28	23	20	22	61	158	226	489	985	1,548	2,123	1,511	495	39	1	3
	Cancer and other malignant tumors (total)	5,312	1	3	3	3	4	5	24	62	273	659	1,105	1,559	1,167	408	33	1	2
43	Of the buccal cavity	167				1					2	17	31	42	52	19	2		1
44	Of the stomach, liver	2,073			1	1			4	10	69	191	408	685	542	150	11		1
45	Of the peritoneum, intestines, rectum	719		1					1	15	43	87	136	213	156	66	1		
46	Of the female genital organs	759						1	3	18	88	183	189	172	81	21	3		
47	Of the breast	516								2	25	106	129	137	83	33	1		
48	Of the skin	188								1	1	11	23	33	53	55	10	1	
49	Of other or unspecified organs	890	1	2	2	1	4	4	16	16	45	64	189	277	200	64	5		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	OHIO—Continued.																		
	II.—General diseases not included in Class I—Continued.																		
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	40	1	1					1		2	3	9	12	8	3			
51	Acute rheumatic fever	215	3	2		3	3	21	47	27	16	24	17	26	20	4	2		
52	Chronic rheumatism, osteoarthritis, gout	76				1				2	2	4	9	23	17	18			
53	Scurvy	1	1																
54	Pellagra	3									1	1	1						
56	Rickets	27	15	5	2	1	1			1		1	1						
57	Diabetes mellitus	1,067	1	4	6	5	8	19	55	56	67	100	201	291	206	44	3		1
58	Anemia, chlorosis	339	6	1		2		4	6	11	15	42	81	110	52	9			
59	Diseases of the pituitary gland	1											1						
60a	Exophthalmic goiter	232	1			2			12	18	41	55	59	34	8	2			
60b	Other diseases of the thyroid gland	65	1				1			9	6	20	11	11	4	2			
61	Diseases of the parathyroid glands	4	3		1														
62	Diseases of the thymus gland	38	31	3	2	1	1												
63	Diseases of the adrenals (Addison's disease)	26							1	3	3	8	6	3	1	1			
64	Diseases of the spleen	14	1							1	1	3	3	2	3				
65a	Leukemia	83	3	3	3	1	2	5	5	8	10	8	8	14	11	2			
65b	Hodgkin's disease	49	1		1			1		11	5	10	7	8	5				
66	Alcoholism (acute or chronic)	126							1	10	41	37	21	13	3				
67a	Chronic lead poisoning	15								1	2	3	2	5	2				
68	Chronic poisoning by organic substances	9								2		3	3	1					
69	Other general diseases	127	68	6	5	1	2	6	6	4	4	4	3	11	4	2	1		
	III.—Diseases of the nervous system and of the organs of special sense	8,404	262	79	46	26	29	90	112	158	353	659	1,095	1,901	2,294	1,167	130	3	
70	Encephalitis	93	11	6	2	3	2	7	7	8	11	11	14	7	3	1			
71a	Simple meningitis	227	43	27	16	6	11	22	20	16	13	14	14	13	9	2	1		
71b	Nonepidemic cerebrospinal meningitis	70	12	13	11	2	1	5	10	3	2	4	2	4		1			
72	Tabes dorsalis (locomotor ataxia)	154							1	2	8	28	48	43	22	2			
73	Other diseases of the spinal cord	305	1	1	2		2	3	11	5	8	23	55	79	88	26	1		
74a	Cerebral hemorrhage	5,834	12	4	2	4		5	11	35	101	319	766	1,511	1,932	1,015	115	2	
74b	Cerebral embolism and thrombosis	150			1			1	1	4	9	11	19	37	42	21	4		
75	Paralysis without specified cause	211	2						1	1	6	11	12	40	89	41	7	1	
76	General paralysis of the insane	479						1		15	108	162	89	63	29	12			
77	Other forms of mental alienation	94							1	9	17	15	14	20	12	6			
78	Epilepsy	176	2	2	2	1	2	4	19	34	26	26	24	18	15	1			
79	Convulsions (nonpuerperal; 5 years and over)	5						3					1			1			
80	Infantile convulsions (under 5 years)	146	132	12	1	1													
81	Chorea	5	1						1	1			1	1					
82	Neuralgia and neuritis	32								1	2	3	4	11	4	7			
83	Softening of the brain	79										3	3	13	32	27	1		
84	Other diseases of the nervous system	132	6	3	2	3	2	6	4	10	22	17	16	26	11	4			
85	Diseases of the eye and annexa	4									2	1		1					
86a	Diseases of the ear	142	32	5	6	5	8	20	18	8	10	8	6	11	4		1		
86b	Diseases of the mastoid process	66	8	6	1	1	1	13	7	6	8	3	7	3	2				
	IV.—Diseases of the circulatory system	10,729	42	12	12	16	9	94	187	225	419	714	1,208	2,255	3,320	1,952	247	12	5
87	Pericarditis	66	1	1				1	3	3	3	6	5	14	17	11		1	
88	Endocarditis and myocarditis (acute)	319	12	4	5	2	6	18	33	43	39	58	27	23	33	12	3	1	
89	Angina pectoris	589						2	3	5	25	44	92	193	162	63			
90	Other diseases of the heart	8,141	24	7	6	12	3	73	144	168	323	560	996	1,766	2,523	1,379	145	8	4
91a	Aneurysm	77								1	11	19	16	20	7	3			
91b,c	Other diseases of the arteries	1,412									4	15	52	210	558	472	98	2	1
92	Embolism and thrombosis (not cerebral)	79	2		1	1			1	2	11	9	12	20	11	9			
93	Diseases of the veins	30							1	2	2	2	5	8	7	3			
94	Diseases of the lymphatic system	13	3			1			2		1	1	1	1	2		1		
95	Hemorrhage without specified cause	3								1			2						
	V.—Diseases of the respiratory system	5,854	1,228	390	167	106	62	193	154	233	319	392	430	610	879	591	94	5	1
97a	Diseases of the nasal fossae	16	2	2					2	3	2			1		1	3		
97b	Diseases of the nasal fossae annexa	28	2		1			2	4	2	8	3	3		2	1			
98	Diseases of the larynx	51	8	8	6	2	3	15	1	1	1		2			4			
99a	Acute bronchitis	170	50	10	4	4	1	8	1	5	1	3	3	11	31	30	8		
99b	Chronic bronchitis	189	4	3	1		1	1		1	2	7	7	26	66	65	5		
99c,d	Bronchitis (unspecified)	92	19	2	2	3	1	1		3	2	2	3	9	17	22	6		
100a	Bronchopneumonia	2,317	827	246	91	60	29	65	29	45	57	75	82	156	289	218	43	4	1
100b	Capillary bronchitis	78	34	11	3	2		1	1		2	1	2	5	10	3	3		
101a	Lobar pneumonia	2,387	244	92	46	24	24	90	101	150	199	250	265	344	361	175	21	1	
101b	Pneumonia (unspecified)	124	18	6	7	1	1	3	2	4	12	8	11	11	27	12	1		
102	Pleurisy	159	9	8	3	9	2	2	11	9	16	18	20	20	21	10	1		
103	Congestion and hemorrhagic infarct of the lung	83	7	1		1		2	2	2	5	4	7	5	16	29	2		
104	Gangrene of the lung	12								1	3	1	4		2	1			
105	Asthma	118	3					3		5	6	14	16	17	35	18	1		
106	Pulmonary emphysema	5										2	1	2					
107	Other diseases of the respiratory system (tuberculosis excepted)	25	1	1	3					2	3	4	4	3	2	2			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	OHIO—Continued.																		
	VI.—Diseases of the digestive system	6,515	2,040	472	175	83	56	187	262	349	415	48	523	610	517	299	42	....	2
108	Diseases of the mouth and annexa	38	6	2	.....	.....	2	2	4	2	3	7	4	4	1	1	.....	.....	.....
109b	Other diseases of the pharynx, tonsils	237	7	10	9	10	12	53	34	29	31	15	13	7	2	5	.....	.....	.....
110	Diseases of the esophagus	7	.....	1	.....	.....	.....	1	.....	.....	1	.....	2	2	.....	.....	.....	.....	.....
111a	Ulcer of the stomach	217	.....	1	.....	.....	1	1	1	16	22	53	46	44	23	8	1	.....	.....
111b	Ulcer of the duodenum	52	.....	.....	.....	.....	.....	.....	1	4	10	11	9	9	4	2	.....	.....	.....
112	Other diseases of the stomach (cancer excepted)	481	166	15	11	6	5	8	8	13	22	21	29	45	70	52	10	.....	.....
113	Diarrhea and enteritis (under 2 years)	2,179	1,762	417	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
114	Diarrhea and enteritis (2 years and over)	556	.....	.....	133	42	20	34	23	12	16	21	18	50	82	88	16	....	1
116	Diseases due to other intestinal parasites	2	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
117	Appendicitis and typhlitis	827	1	2	9	16	9	60	134	183	142	113	84	55	16	3	.....	.....	.....
118a	Hernia	221	4	1	.....	.....	.....	2	3	3	17	22	47	44	49	24	5	.....	.....
118b	Intestinal obstruction	426	72	13	6	6	3	13	26	32	39	43	42	40	54	34	2	....	1
119	Other diseases of the intestines	93	6	4	.....	.....	2	3	5	4	15	7	11	13	10	9	4	.....	.....
120	Acute yellow atrophy of the liver	21	.....	.....	.....	.....	1	.....	.....	3	4	4	1	4	4	.....	.....	.....	.....
121	Hydatid tumor of the liver	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
122	Cirrhosis of the liver	485	2	1	1	.....	.....	2	2	4	23	53	95	150	108	43	1	.....	.....
123	Biliary calculi	263	.....	.....	.....	.....	.....	.....	.....	13	19	50	57	71	42	11	.....	.....	.....
124	Other diseases of the liver	245	1	1	1	1	1	2	6	9	26	37	48	53	42	15	2	.....	.....
125	Diseases of the pancreas	29	.....	.....	.....	1	.....	.....	1	3	5	6	5	6	2	.....	.....	.....	.....
126	Peritonitis without specified cause	122	10	3	4	1	.....	6	14	17	17	18	9	11	8	3	1	.....	.....
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	12	1	1	.....	.....	.....	.....	.....	1	3	2	2	1	.....	1	.....	.....	.....
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	5,180	33	11	10	9	12	33	84	173	324	523	677	1,117	1,375	719	78	1	1
128	Acute nephritis (including unspecified under 10 years)	304	21	8	4	7	7	21	27	22	32	22	36	36	34	25	2	.....	.....
129	Chronic nephritis (including unspecified 10 years and over)	3,996	1	2	3	1	4	10	41	78	167	351	559	963	1,164	583	68	....	1
131	Other diseases of the kidneys and annexa	104	11	1	2	1	1	2	4	6	12	14	6	16	13	15	.....	.....	.....
132	Calculi of the urinary passages	42	.....	.....	.....	.....	.....	.....	2	4	6	7	6	7	7	3	.....	.....	.....
133	Diseases of the bladder	80	.....	.....	1	.....	.....	.....	1	2	1	4	3	13	32	21	1	1	.....
134	Diseases of the urethra, etc	18	.....	.....	.....	.....	.....	.....	.....	4	2	3	5	2	1	1	.....	.....	.....
135	Diseases of the prostate	262	.....	.....	.....	.....	.....	.....	.....	.....	2	7	21	52	110	63	7	.....	.....
136	Nonvenereal diseases of the male genital organs	4	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	.....	1	.....	.....	.....	.....
137	Cysts, other benign tumors of the ovary	55	.....	.....	.....	.....	.....	.....	1	6	14	5	11	8	5	5	.....	.....	.....
138	Salpingitis and pelvic abscess (female)	132	.....	.....	.....	.....	.....	.....	5	37	47	33	7	2	1	.....	.....	.....	.....
139	Benign tumors of the uterus	136	.....	.....	.....	.....	.....	.....	.....	6	31	64	18	9	7	1	.....	.....	.....
140	Nonpuerperal uterine hemorrhage	7	.....	.....	.....	.....	.....	.....	2	1	.....	2	.....	1	.....	1	.....	.....	.....
141	Other diseases of the female genital organs	39	.....	.....	.....	.....	.....	.....	1	6	10	11	3	8	.....	.....	.....	.....	.....
142	Nonpuerperal diseases of the breast (cancer excepted)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
	VIII.—The puerperal state	934	.....	.....	.....	.....	.....	.....	63	407	372	92	.....	.....	.....	.....	.....	.....	.....
143	Accidents of pregnancy	94	.....	.....	.....	.....	.....	.....	5	39	41	9	.....	.....	.....	.....	.....	.....	.....
144	Puerperal hemorrhage	90	.....	.....	.....	.....	.....	.....	3	32	46	9	.....	.....	.....	.....	.....	.....	.....
145	Other accidents of labor	86	.....	.....	.....	.....	.....	.....	2	33	34	17	.....	.....	.....	.....	.....	.....	.....
146	Puerperal septicemia	440	.....	.....	.....	.....	.....	.....	34	207	165	34	.....	.....	.....	.....	.....	.....	.....
147	Puerperal phlegmasia alba dolens, embolus, etc	37	.....	.....	.....	.....	.....	.....	2	15	16	4	.....	.....	.....	.....	.....	.....	.....
148	Puerperal albuminuria and convulsions	182	.....	.....	.....	.....	.....	.....	17	80	67	18	.....	.....	.....	.....	.....	.....	.....
149	Following childbirth (undefined)	5	.....	.....	.....	.....	.....	.....	.....	1	3	1	.....	.....	.....	.....	.....	.....	.....
	IX.—Diseases of the skin and of the cellular tissue	244	45	2	.....	.....	.....	2	6	16	13	12	19	27	42	52	8	....	.....
151	Gangrene	105	.....	.....	.....	.....	.....	.....	.....	3	2	1	7	9	32	43	8	.....	.....
152	Furuncle	54	13	.....	.....	.....	.....	1	3	6	5	4	7	8	3	4	.....	.....	.....
153	Acute abscess	38	12	1	.....	.....	.....	1	1	4	2	6	2	6	2	1	.....	.....	.....
154	Other diseases of the skin and annexa	47	20	1	.....	.....	.....	.....	2	3	4	1	3	4	5	4	.....	.....	.....
	X.—Diseases of the bones and of the organs of locomotion	81	5	1	1	2	2	11	16	5	7	3	10	8	7	3	.....	.....	.....
155	Diseases of the bones (tuberculosis excepted)	59	3	1	.....	2	2	9	14	3	5	1	8	8	3	.....	.....	.....	.....
156	Diseases of the joints (tuberculosis and rheumatism excepted)	16	2	.....	1	.....	.....	2	2	2	.....	2	.....	.....	3	2	.....	.....	.....
158	Other diseases of the organs of locomotion	6	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	2	.....	1	1	.....	.....	.....
	XI.—Malformations	911	855	15	8	8	5	7	5	4	3	1	.....	.....	.....	.....	.....	.....	.....
159a	Congenital hydrocephalus	75	64	5	.....	3	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
159b	Congenital malformations of the heart	549	523	7	4	1	2	4	4	2	1	1	.....	.....	.....	.....	.....	.....	.....
159c	Other congenital malformations	287	268	3	4	4	2	2	.....	2	2	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Early infancy	3,923	3,923	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
160	Congenital debility, icterus, sclerema	605	605	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
161a	Premature birth	2,422	2,422	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
161b	Injury at birth	566	566	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
162	Other diseases peculiar to early infancy	321	321	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
163	Lack of care	9	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	OHIO—Continued.																		
164	XIII.—Old age (senility)	657										1		21	162	349	115	9	
	XIV.—External causes	5,449	143	97	101	81	75	285	530	782	847	687	543	460	411	349	53	1	4
	Suicide (total)	749							25	117	166	156	152	82	40	10			1
165	By poisons (corrosives excepted)	23							3	4	6	4	4	2					
166	By corrosive substances	106							7	28	25	17	18	9	2				
167	By poisonous gas	20								2	6	3	7	2					
168	By hanging or strangulation	179							2	18	23	43	43	27	21	1			1
169	By drowning	62							1	7	13	13	16	7	5				
170	By firearms	276							12	51	68	59	49	24	5	8			
171	By cutting or piercing instruments	53								3	17	11	8	8	5	1			
172	By jumping from high places	17									4	4	6	2	1				
173	By crushing	9								4	2	2			1				
174	By other means	4									2		1	1					
	Homicide (total)	463	19	1	1	2		2	27	155	142	68	28	14	3	1			
197	By firearms	294						1	10	109	104	46	14	10					
198	By cutting or piercing instruments	47	1						2	16	16	8	3	1					
199	By other means	122	18	1	1	2		1	15	30	22	14	11	3	3	1			
	Accidental or undefined (total)	4,237	124	96	100	79	75	283	478	510	539	463	363	364	368	338	53	1	3
175	Poisoning by food	77	8	2	6	6		12	6	8	7	6	5	5	5	1			
176	Poisoning by venomous animals	1												1					
177	Other acute poisonings (gas excepted)	97	4	15	12	2	3	4	3	14	16	10	10	2	2				
178	Conflagration	75	5	3	5		9	4	9	7	12	6	2	6	6	1			
179	Burns (conflagration excepted)	322	9	30	34	28	19	28	23	29	25	23	16	19	26	13			
180	Mechanical suffocation	66	49	2				5	4		1	2	2	1					
181	Absorption of irrespirable, irritating, or poisonous gas	47	3					1	3	7	9	5	5	5	7	2			
182	Drowning	327	2	5	10	3	5	30	120	65	33	33	11	4	4	1			1
183	Traumatism by firearms (except in war)	97				3		2	42	21	11	9	6	2	1				
184	Traumatism by cutting or piercing instruments	38	1	1	2			3	2	2	3	8	6	5	4	1			
185	Traumatism by fall	842	10	11	6	8	5	15	27	34	57	49	56	91	170	257	46		
186a	Traumatism in mines	113							16	18	33	20	10	14	1				1
186b	Traumatism in quarries	7						1		1	2		1	1			1		
187	Traumatism by machines	101			1			3	4	20	24	21	17	10		1			
188a	Railroad accidents	491	1	3	1	2	1	13	59	103	107	77	40	45	31	7			1
188b	Street-car accidents	123	1	1	2	1	2	6	13	19	16	16	16	12	14	4			
188c	Automobile accidents	734	2	4	11	20	25	123	84	74	103	84	86	68	42	8			
188d	Aeroplane and balloon accidents	3							1	1	1								
188e,f	Injuries by other vehicles	93		2		1	1	6	12	14	12	7	15	15	7	1			
188g	Landslide, other crushing	20			1				1	4	3	3	4	4					
189	Injuries by animals (not poisoning)	44		1	1	1	1	4	6	3	5	2	9	6	2	3			
190	Wounds of war	2								2									
192	Starvation (deprivation of food or water)	3	1	1									1						
193	Excessive cold	2										1		1					
194	Excessive heat	84	9	1		2		1	1	4	3	12	9	10	16	12	4		
195	Lightning	38						1	11	8	8	8		2					
196	Other accidental electric shocks	73						3	12	21	21	9	1	4	1	1			
201	Fracture (cause not specified)	53						2		3	2	8	1	6	15	16			
202	Other external violence	157	13	11	6	2	1	10	10	17	14	32	21	13	4	2		1	
203	Violent deaths of unknown causation	107	6	3	2		3	6	9	11	11	12	13	13	11	5	2		
	XV.—Ill-defined diseases	314	137	22	1	1		6	7	6	8	17	22	29	28	24	6		
204	Sudden death	14	3	1					1				3	3	1	2			
205a	Ill-defined	94	13	13				2	2	4	6	10	9	14	11	6	4		
205b	Not specified or unknown	206	121	8	1	1		4	4	2	2	7	10	12	16	16	2		
	OREGON.																		
	All causes	8,304	788	106	67	51	47	222	364	540	650	803	1,024	1,437	1,373	697	121	4	10
	I.—Epidemic, endemic, and infectious diseases	1,134	78	30	27	20	17	78	125	203	164	129	107	94	47	10	1		4
1	Typhoid and paratyphoid fever	47				3	1	4	6	7	8	7	7	3	1				
5	Malaria	3								2			1						
6	Smallpox	6	2							1	1		1		1				
7	Measles	42	5	8	1	1	2	8	10	1	4		1						1
8	Scarlet fever	14		1	1			5	3	3	1								
9	Whooping cough	36	26	4	3	1	1	1											
10	Diphtheria	112	6	4	13	8	10	37	24	3	3	1	2	1					
11a	Influenza (with pulmonary complications)	56	10	4	2			1	1	3	8	4	2	12	8	1			
11b	Influenza (other and unspecified)	46	1		2	2	2	1	5	3	4	2	6	5	7	5	1		
13	Mumps	1							1										
16	Dysentery	9	2	3	1			1							1	1			
21	Erysipelas	24	8	2	1			1	1	2	1		3	5					
22	Acute anterior poliomyelitis	20	1		2	1		7	7	1	1								

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	OREGON—Continued.																		
	I.—Epidemic, endemic and infectious diseases—Continued.																		
23	Lethargic encephalitis	18	1	1				1	3		2	6	2	1	1				
24	Meningococcus meningitis	6	2					1	1				1	1					
25	Other epidemic and endemic diseases	8	1									1	2	3	1				
29	Tetanus	3	1						1				1						
	Tuberculosis (total)	608	3	3	1	4	1	9	56	171	122	98	65	49	21	2			3
31	Of the respiratory system	490			1	1		2	45	134	101	89	56	43	16	1			1
32	Of the meninges, central nervous system	31	1	2		2	1	3	7	7	4	3		1					
33	Of the intestines, peritoneum	39	1					2	1	15	8	4	4	1	3				
34	Of the vetebral column	9								4	2	1	2						
36	Of other organs	11								3	2	1	1	2	1	1			
37a	Disseminated (acute)	16	1	1		1		1	3	4	2		1	2					
37b	Disseminated (chronic or unspecified)	12						1		4	3		1		1				2
38	Syphilis	55	6					1	2	1	7	9	10	13	5	1			
40	Gonococcus infection	3								2	1								
41	Purulent infection, septicemia	17	3						4	3	1	1	3	1	1				
	II.—General diseases not included in Class I	1,155	21	5		4	5	14	25	33	65	163	257	288	212	56	4		3
	Cancer and other malignant tumors (total)	759					2	1	3	8	22	109	182	219	164	44	3		2
43	Of the buccal cavity	22										1	5	7	5	3	1		
44	Of the stomach, liver	338					1			1	5	37	74	118	84	17			1
45	Of the peritoneum, intestines, rectum	96						1	1		3	16	20	24	24	7			
46	Of the female genital organs	96							1		8	24	32	19	8	4			
47	Of the breast	67								3	1	20	19	11	6	5	1		1
48	Of the skin	23											2	4	15	2			
49	Of other or unspecified organs	117					1		1	4	5	11	30	36	22	6	1		
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	7	1	1							1	1	2		1				
51	Acute rheumatic fever	20					1	3	6	2	2	1	3	2					
52	Chronic rheumatism, osteoarthritis, gout	12								1			3	1	4	2			1
53	Scurvy	1		1															
56	Rickets	3	1	2															
57	Diabetes mellitus	170				1	1	4	9	13	15	18	27	44	31	6	1		
58	Anemia, chlorosis	50	1					1	1	1	5	6	16	10	5	4			
59	Diseases of the pituitary gland	2							1					1					
60a	Exophthalmic goiter	21							1	1	5	6	6	1	1				
60b	Other diseases of the thyroid gland	19							1	1	1	5	9	1	1				
62	Diseases of the thymus gland	13	9	1		1	1	1											
63	Diseases of the adrenals (Addison's disease)	10								1	4	1	1	2	1				
64	Diseases of the spleen	3								1	2								
65a	Leukemia	17				1		1	2		3	3	1	4	2				
65b	Hodgkins's disease	5								1		3		1					
66	Alcoholism (acute or chronic)	21								2	3	9	6	1					
67b	Other chronic mineral poisoning	1									1								
68	Chronic poisoning by organic substances	3								1	1				1				
69	Other general diseases	18	9			1		3	1			1	1	1	1				
	III.—Diseases of the nervous system and of the organs of special sense	1,100	17	6	1	1	4	10	20	20	46	99	146	263	313	140	14		
70	Encephalitis	17	3	1				1	1	2	3	1	4	1					
71a	Simple meningitis	18	4	1			2	2	3	1	2	1	1	1					
71b	Nonepidemic cerebrospinal meningitis	3				1		1				1							
72	Tabes dorsalis (locomotor ataxia)	15									1	4	5	2	3				
73	Other diseases of the spinal cord	54						1	1		3	4	7	16	15	6	1		
74a	Cerebral hemorrhage	734							2	4	14	38	84	220	248	112	12		
74b	Cerebral embolism and thrombosis	16										4	3	1	4	4			
75	Paralysis without specified cause	52							1			3	4	7	19	17	1		
76	General paralysis of the insane	74									12	20	23	9	10				
77	Other forms of mental alienation	22							3	2	1	9	3	2	2				
78	Epilepsy	33	1				1	1	5	7	5	5	3	1	3	1			
80	Infantile convulsions (under 5 years)	7	5	2															
81	Chorea	2						1						1					
83	Softening of the brain	7											1		6				
84	Other diseases of the nervous system	25	1	1					2		4	7	6	1	3				
85	Diseases of the eye and annexa	1						1											
86a	Diseases of the ear	15	2					2	2	4	1	1	2	1					
86b	Diseases of the mastoid process	5	1	1	1		1					1							
	IV.—Diseases of the circulatory system	1,439	7	2	2		2	14	22	29	60	95	184	376	388	223	34	1	
87	Pericarditis	6					1						1	2	1	1			
88	Endocarditis and myocarditis (acute)	41	1	1	1		1	4	3	2	14	5	1	1	4	2	1		
89	Angina pectoris	84									3	3	11	34	25	7	1		
90	Other diseases of the heart	1,076	3		1			9	19	27	35	78	151	281	289	163	19	1	
91a	Aneurysm	19									3	2	3	6	4	1			
91b,c	Other diseases of the arteries	176									2	3	10	45	55	48	13		
92	Embolism and thrombosis (not cerebral)	21	1								2	3	5	4	5	1			
93	Diseases of the veins	9						1			1		1	2	4				
94	Diseases of the lymphatic system	6	1	1								1	1	1	1				
95	Hemorrhage without specified cause	1	1																

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	Deaths at unknown age.
	OREGON—Continued.																		
	V.—Diseases of the respiratory system.	635	92	29	14	10	5	25	34	26	38	50	57	73	93	75	14	....	.....
97a	Diseases of the nasal fossae	3	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....
97b	Diseases of the nasal fossae annexa	6	.....	1	.....	.....	.....	.....	.....	1	2	1	.....	1	.....	.....	.....	.....	.....
98	Diseases of the larynx	6	1	1	2	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
99a	Acute bronchitis	13	2	1	1	.....	.....	.....	.....	.....	1	.....	.....	.....	1	6	1	.....	.....
99b	Chronic bronchitis	17	.....	1	.....	.....	.....	.....	1	.....	.....	1	3	3	3	5	.....	.....	.....
99c,d	Bronchitis (unspecified)	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	.....	.....
100a	Bronchopneumonia	199	63	12	4	5	1	11	5	9	5	7	11	12	24	21	9	.....	.....
101a	Lobar pneumonia	282	19	8	5	4	2	10	23	10	21	30	29	46	55	18	2	.....	.....
101b	Pneumonia (unspecified)	51	5	2	.....	1	2	2	3	2	4	3	8	5	5	9	.....	.....	.....
102	Pleurisy	24	1	2	2	.....	.....	1	2	2	2	4	3	3	1	1	.....	.....	.....
103	Congestion and hemorrhagic infarct of the lung	17	.....	1	.....	.....	.....	.....	.....	1	2	1	.....	.....	2	8	2	.....	.....
105	Asthma	8	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	2	1	2	.....	.....	.....
106	Pulmonary emphysema	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
107	Other diseases of the respiratory system (tuberculosis excepted)	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	.....	.....	.....	.....
	VI.—Diseases of the digestive system.	617	85	22	12	3	7	33	40	40	54	66	85	77	61	27	3	....	2
108	Diseases of the mouth and annexa	6	1	.....	.....	.....	.....	1	.....	.....	.....	1	1	1	1	.....	.....	.....	.....
109b	Other diseases of the pharynx, tonsils	43	2	1	2	.....	2	11	9	6	4	3	.....	1	2	.....	.....	.....	.....
110	Diseases of the esophagus	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....
111a	Ulcer of the stomach	33	1	.....	.....	.....	.....	.....	.....	2	8	10	5	3	4	.....	.....	.....	.....
111b	Ulcer of the duodenum	23	.....	.....	.....	.....	.....	.....	.....	3	3	1	5	7	4	.....	.....	.....	.....
112	Other diseases of the stomach (cancer excepted)	31	6	1	.....	.....	.....	3	1	.....	2	2	2	3	6	3	1	....	1
113	Diarrhea and enteritis (under 2 years)	79	65	14	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
114	Diarrhea and enteritis (2 years and over)	44	.....	.....	9	1	2	3	2	3	4	2	3	2	7	6	.....	.....	.....
116	Diseases due to other intestinal parasites	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
117	Appendicitis and typhlitis	113	.....	2	1	1	1	12	22	12	20	15	18	6	2	.....	.....	.....	1
118a	Hernia	22	.....	.....	.....	.....	.....	.....	1	.....	1	1	4	7	5	3	.....	.....	.....
118b	Intestinal obstruction	61	2	3	.....	1	1	.....	2	6	7	8	10	11	6	4	.....	.....	.....
119	Other diseases of the intestines	10	.....	.....	.....	.....	.....	1	.....	.....	.....	1	1	2	1	4	.....	.....	.....
120	Acute yellow atrophy of the liver	3	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....
122	Cirrhosis of the liver	53	.....	.....	.....	.....	1	.....	1	.....	1	10	11	19	8	1	1	.....	.....
123	Biliary calculi	32	.....	.....	.....	.....	.....	.....	.....	1	1	6	12	3	7	2	.....	.....	.....
124	Other diseases of the liver	38	1	.....	.....	.....	.....	2	.....	1	3	3	7	10	7	3	1	.....	.....
125	Diseases of the pancreas	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
126	Peritonitis without specified cause	21	7	1	.....	.....	.....	.....	1	4	.....	2	5	1	.....	.....	.....	.....	.....
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	VII.—Nonvenereal diseases of the genito-urinary system and annexa.	595	4	1	3	1	1	1	12	13	40	51	83	164	148	64	9	.....	.....
128	Acute nephritis (including unspecified under 10 years)	30	2	1	2	1	1	1	3	.....	1	7	5	3	2	1	.....	.....	.....
129	Chronic nephritis (including unspecified 10 years and over)	442	.....	.....	.....	.....	.....	.....	5	12	13	28	69	142	119	48	6	.....	.....
131	Other diseases of the kidneys and annexa	17	2	.....	1	.....	.....	.....	1	.....	6	.....	2	.....	3	2	.....	.....	.....
132	Calculi of the urinary passages	8	.....	.....	.....	.....	.....	.....	1	.....	1	3	1	1	1	.....	.....	.....	.....
133	Diseases of the bladder	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	4	3	2	.....	.....
135	Diseases of the prostate	46	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	14	18	10	1	.....	.....
137	Cysts, other benign tumors of the ovary	6	.....	.....	.....	.....	.....	.....	.....	.....	3	2	.....	.....	1	.....	.....	.....	.....
138	Salpingitis and pelvic abscess (female)	14	.....	.....	.....	.....	.....	.....	2	1	10	1	.....	.....	.....	.....	.....	.....	.....
139	Benign tumors of the uterus	17	.....	.....	.....	.....	.....	.....	.....	.....	4	9	3	1	.....	.....	.....	.....	.....
141	Other diseases of the female genital organs	5	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	2	.....	.....	.....	.....	.....
	VIII.—The puerperal state	115	.....	.....	.....	.....	.....	.....	13	47	37	18	.....	.....	.....	.....	.....	.....	.....
143	Accidents of pregnancy	13	.....	.....	.....	.....	.....	.....	1	7	4	1	.....	.....	.....	.....	.....	.....	.....
144	Puerperal hemorrhage	14	.....	.....	.....	.....	.....	.....	2	5	5	2	.....	.....	.....	.....	.....	.....	.....
145	Other accidents of labor	6	.....	.....	.....	.....	.....	.....	.....	1	2	3	.....	.....	.....	.....	.....	.....	.....
146	Puerperal septicemia	46	.....	.....	.....	.....	.....	.....	7	20	13	6	.....	.....	.....	.....	.....	.....	.....
147	Puerperal phlegmasia alba dolens, embolus, etc	7	.....	.....	.....	.....	.....	.....	.....	3	2	2	.....	.....	.....	.....	.....	.....	.....
148	Puerperal albuminuria and convulsions	29	.....	.....	.....	.....	.....	.....	3	11	11	4	.....	.....	.....	.....	.....	.....	.....
	IX.—Diseases of the skin and of the cellular tissue	29	4	.....	.....	.....	.....	.....	1	.....	3	2	3	1	6	5	4	.....	.....
151	Gangrene	16	1	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	3	4	4	.....	.....
152	Furuncle	5	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	2	.....	.....	.....	.....
153	Acute abscess	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	1	.....	.....	.....
154	Other diseases of the skin and annexa	5	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....
	X.—Diseases of the bones and of the organs of locomotion	9	.....	.....	.....	.....	.....	.....	2	1	2	3	.....	.....	1	.....	.....	.....	.....
155	Diseases of the bones (tuberculosis excepted)	5	.....	.....	.....	.....	.....	.....	2	1	1	.....	.....	.....	1	.....	.....	.....	.....
156	Diseases of the joints (tuberculosis and rheumatism excepted)	4	.....	.....	.....	.....	.....	.....	.....	.....	1	3	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	OREGON—Continued.																		
	XI.—Malformations	104	97	1	1	2		2	1										
159a	Congenital hydrocephalus	11	6	1		2		1	1										
159b	Congenital malformations of the heart	68	66		1			1											
159c	Other congenital malformations	25																	
	XII.—Early infancy	353	353																
160	Congenital debility, icterus, sclerema	53	53																
161a	Premature birth	219	219																
161b	Injury at birth	47	47																
162	Other diseases peculiar to early infancy	34	34																
164	XIII.—Old age (senility)	143												6	34	68	32	3	
	XIV.—External causes	821	14	8	7	9	6	44	69	127	139	117	99	86	65	26	5		
	Suicide (total)	129							2	16	22	23	33	24	7	2			
165	By poisons (corrosives excepted)	6									2	1	2	1					
166	By corrosive substances	13							1	2	2	2	1	4	1				
167	By poisonous gas	4							1			1		2					
168	By hanging or strangulation	16								1	2	2	6	4	1				
169	By drowning	14								2	2	3	3	2	1	1			
170	By firearms	65							10	12	12	18	9	3	1				
171	By cutting or piercing instruments	7								1	2	1	2	1					
172	By jumping from high places	3							1	1		1							
174	By other means	1										1							
	Homicide (total)	62							3	7	22	12	7	6	4	1			
197	By firearms	38							2	3	17	9	3	3	1				
198	By cutting or piercing instruments	10								3	4	1	2						
199	By other means	14							1	1	1	2	2	3	3	1			
	Accidental or undefined (total)	630	14	8	7	9	6	44	64	104	95	82	59	56	54	23	5		
175	Poisoning by food	10			1		1				1	2	2	1	2				
176	Poisoning by venomous animals	2	1	1															
177	Other acute poisonings (gas excepted)	9	2							2	1	3				1			
178	Conflagration	10			1	1			2			1		3	1	1			
179	Burns (conflagration excepted)	30	3	2	3	2	1	3	3	2	1	3	3		2	2			
180	Mechanical suffocation	11	5							2	2	1	1						
181	Absorption of irrespirable, irritating, or poisonous gas	5							1					1	3				
182	Drowning	105	1	3	2	2	1	12	25	20	18	11	6	2	2				
183	Traumatism by firearms (except in war)	20						1	5	7	1	2	2	2					
184	Traumatism by cutting or piercing instruments	4						1		1	1		1						
185	Traumatism by fall	96	1			1	1	6	4	7	6	8	5	10	25	17	5		
186a	Traumatism in mines	4								1	2	1							
187	Traumatism by machines	32								7	7	9	6	2	1				
188a	Railroad accidents	44						1	1	12	7	10	6	7					
188b	Street-car accidents	7		1					1	4					1				
188c	Automobile accidents	103				2	1	14	7	15	15	11	14	12	11	1			
188d	Aeroplane and balloon accidents	1								1									
188e,f	Injuries by other vehicles	23						1	1	3	5	1	5	4	3				
188g	Landslide, other crushing	32							6	5	9	7	1	3	1				
189	Injuries by animals (not poisoning)	6							2		2		1	1					
193	Excessive cold	5								1	1	1	1			1			
194	Excessive heat	1								1									
195	Lightning	1												1					
196	Other accidental electric shocks	7						1	1	2	1	2							
201	Fracture (cause not specified)	4								1	1	1			1				
202	Other external violence	52	1	1		1	1	3	4	8	13	8	5	6	1				
203	Violent deaths of unknown causation	6						1	1	2	1			1					
	XV.—Ill-defined diseases	55	16	2		1		1		1	2	10	3	9	5	3	1		1
204	Sudden death	5										3	1		1				
205a	Ill-defined	29	3	1		1		1		1	2	5	1	8	3	1	1		1
205b	Not specified or unknown	21	13	1								2	1	1	1	2			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	PENNSYLVANIA.																		
	All causes	109,919	20,133	3,418	1,599	1,205	976	2,995	4,321	6,870	8,054	9,543	11,986	14,898	15,159	7,733	982	37	10
	I.—Epidemic, endemic, and infectious diseases	15,990	1,632	949	611	550	433	1,193	1,372	2,472	2,075	1,712	1,224	945	589	217	15	....	1
1	Typhoid and paratyphoid fever	653	3	6	2	7	6	35	154	142	132	74	54	32	5	1	....	....	....
4	Malta fever	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
5	Malaria	5	....	1	....	....	....	....	....	....	3	....	....	....	1	....	....	....	....
6	Smallpox	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
7	Measles	477	150	143	59	30	20	47	18	2	4	1	2	1	....	....	....	....	....
8	Scarlet fever	648	38	60	78	83	61	182	87	28	23	5	2	1	....	....	....	....	....
9	Whooping cough	784	445	190	59	36	18	35	1	....	....	....	....	....	....	....	....	....	....
10	Diphtheria	1,983	110	263	254	270	258	593	163	28	16	16	9	2	1	....	....	....	....
11a	Influenza (with pulmonary complications)	820	131	45	17	17	3	26	31	61	66	83	88	107	87	57	1	....	....
11b	Influenza (other and unspecified)	709	65	26	12	8	9	22	36	47	63	68	64	105	115	59	10	....	....
13	Mumps	10	2	1	2	1	1	2	....	....	....	....	....	1	....	....	....	....	....
15	Cholera nostras	24	4	1	....	1	2	1	....	....	2	1	....	3	7	2	....	....	....
16	Dysentery	132	21	18	11	3	3	7	3	....	2	2	6	10	23	23	....	....	....
21	Erysipelas	262	91	8	2	2	1	....	4	12	16	22	27	31	36	10	....	....	....
22	Acute anterior poliomyelitis	83	7	12	8	10	2	18	17	3	2	....	1	1	2	....	....	....	....
23	Lethargic encephalitis	100	1	6	2	....	2	6	11	16	12	24	15	4	....	1	....	....	....
24	Meningococcus meningitis	120	36	10	8	5	6	18	16	10	6	3	1	1	....	....	....	....	....
25	Other epidemic and endemic diseases	23	10	6	4	....	....	2	1	....	....	....	....	....	....	....	....	....	....
27	Anthrax	5	....	....	....	....	....	1	....	....	....	2	1	1	....	....	....	....	....
28	Rabies	7	....	1	....	1	....	2	....	....	1	1	1	....	....	....	....	....	....
29	Tetanus	138	12	3	1	5	1	30	43	7	10	12	6	7	....	1	....	....	....
30	Mycoses	12	8	....	....	....	....	....	1	....	....	....	2	....	....	....	1	....	....
	Tuberculosis (total)	8,197	237	134	81	60	35	155	763	2,041	1,608	1,267	866	599	286	61	3	....	1
31	Of the respiratory system	6,874	78	39	25	12	9	53	618	1,817	1,463	1,139	783	532	250	53	2	....	1
32	Of the meninges, central nervous system	483	104	72	41	30	19	72	51	43	25	16	7	3	....	....	....	....	....
33	Of the intestines, peritoneum	345	29	8	7	7	4	11	35	68	41	48	36	29	19	3	....	....	....
34	Of the vertebral column	112	4	....	1	3	1	9	14	22	16	15	18	5	1	2	1	....	....
35	Of the joints	48	1	1	2	1	....	4	6	9	5	4	6	5	2	2	....	....	....
36	Of other organs	125	6	2	2	4	2	4	13	24	21	21	9	10	6	1	....	....	....
37a	Disseminated (acute)	157	10	11	2	3	....	2	23	47	28	22	5	3	1	....	....	....	....
37b	Disseminated (chronic or unspecified)	53	5	1	1	....	....	....	3	11	9	2	2	12	7	....	....	....	....
38	Syphilis	631	235	11	6	9	5	3	10	48	90	102	68	29	14	1	....	....	....
40	Gonococcus infection	46	4	....	....	....	....	....	7	17	11	4	....	....	3	....	....	....	....
41	Purulent infection, septicemia	119	22	4	5	2	....	8	6	9	8	25	11	10	8	1	....	....	....
	II.—General diseases not included in Class I	11,158	243	54	32	27	36	127	295	324	698	1,505	2,519	2,728	1,939	588	42	1	....
	Cancer and other malignant tumors (total)	7,588	9	6	7	8	6	12	36	111	394	1,073	1,862	2,014	1,551	468	30	1	....
43	Of the buccal cavity	280	1	....	1	....	....	....	3	1	8	22	62	84	64	30	4	....	....
44	Of the stomach, liver	2,913	1	....	....	....	....	1	1	17	95	310	747	904	663	166	7	1	....
45	Of the peritoneum, intestines, rectum	1,003	2	2	2	2	1	....	7	20	54	142	218	268	220	64	1	....	....
46	Of the female genital organs	1,174	....	....	....	....	1	1	6	27	119	267	338	249	129	33	4	....	....
47	Of the breast	698	....	....	....	....	....	....	1	5	48	154	185	141	116	45	3	....	....
48	Of the skin	260	1	....	1	....	....	2	2	2	2	11	40	50	89	54	6	....	....
49	Of other or unspecified organs	1,260	4	4	3	6	4	8	16	39	68	167	272	318	270	76	5	....	....
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	55	2	....	....	....	1	2	2	3	9	7	8	10	7	3	1	....	....
51	Acute rheumatic fever	442	1	1	4	8	11	62	123	55	40	47	31	26	17	13	3	....	....
52	Chronic rheumatism, osteoarthritis, gout	111	....	....	....	....	....	2	1	1	8	13	17	24	33	12	....	....	....
53	Scurvy	12	9	2	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
54	Pellagra	6	....	....	....	....	....	....	....	1	1	1	2	....	....	1	....	....	....
56	Rickets	69	40	18	4	2	3	1	....	....	....	....	....	....	1	....	....	....	....
57	Diabetes mellitus	1,539	2	2	4	1	6	21	65	76	97	149	359	448	232	72	5	....	....
58	Anemia, chlorosis	420	10	6	2	....	....	5	14	15	39	62	98	103	59	6	1	....	....
59	Diseases of the pituitary gland	7	....	1	....	....	....	....	....	1	2	2	1	....	....	....	....	....	....
60a	Exophthalmic goiter	119	....	....	....	....	....	....	10	12	18	25	29	20	4	1	....	....	....
60b	Other diseases of the thyroid gland	94	7	1	1	....	....	....	10	11	12	11	20	13	6	1	1	....	....
61	Diseases of the parathyroid glands	7	6	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
62	Diseases of the thymus gland	62	50	2	1	2	2	3	1	1	....	....	....	....	....	....	....	....	....
63	Diseases of the adrenals (Addison's disease)	41	....	....	....	....	....	....	3	3	5	8	7	11	3	1	....	....	....
64	Diseases of the spleen	22	....	1	1	....	....	....	3	1	4	3	3	6	....	....	....	....	....
65a	Leukemia	109	7	4	....	3	1	8	8	7	9	14	17	22	7	2	....	....	....
65b	Hodgkin's disease	49	3	1	1	....	....	2	4	6	5	8	6	8	5	....	....	....	....
66	Alcoholism (acute or chronic)	196	....	....	....	....	....	....	2	13	42	72	46	18	2	1	....	....	....
67a	Chronic lead poisoning	13	....	....	....	....	....	....	....	....	2	3	3	3	2	....	....	....	....
67b	Other chronic mineral poisoning	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
68	Chronic poisoning by organic substances	11	....	....	....	....	....	....	....	2	2	2	2	1	2	....	....	....	....
69	Other general diseases	185	97	9	7	3	6	8	13	5	8	5	8	1	7	7	1	....	....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	PENNSYLVANIA—Continued.																		
	III.—Diseases of the nervous system and of the organs of special sense.	11,151	488	134	52	53	31	139	247	236	474	873	1,504	2,447	2,904	1,424	141	3	1
70	Encephalitis	113	19	11	.....	7	5	5	15	13	9	11	10	3	4	1	.....	.....	.....
71a	Simple meningitis	338	99	37	23	25	9	34	32	18	20	15	15	5	2	3	1	.....	.....
71b	Nonepidemic cerebrospinal meningitis	64	18	9	5	1	2	5	8	2	8	5	.....	1	.....	.....	.....	.....	.....
72	Tabes dorsalis (locomotor ataxia)	208	.....	.....	.....	.....	.....	.....	.....	5	13	34	50	61	38	7	.....	.....	.....
73	Other diseases of the spinal cord	388	2	.....	2	2	1	10	6	9	23	24	69	107	92	36	5	.....	.....
74a	Cerebral hemorrhage	7,373	27	3	2	1	1	5	9	35	120	426	1,050	1,950	2,412	1,213	116	2	1
74b	Cerebral embolism and thrombosis	276	3	1	.....	1	.....	2	4	9	13	31	36	59	77	36	4	.....	.....
75	Paralysis without specified cause	372	8	1	1	.....	.....	2	1	4	6	13	41	83	138	63	11	.....	.....
76	General paralysis of the insane	598	.....	.....	.....	.....	.....	.....	1	22	139	182	114	66	55	17	2	.....	.....
77	Other forms of mental alienation	111	.....	.....	.....	.....	.....	.....	2	5	21	24	24	23	10	2	.....	.....	.....
78	Epilepsy	284	6	5	.....	2	2	8	55	53	43	45	23	24	13	5	.....	.....	.....
79	Convulsions (nonpuerperal; 5 years and over)	8	.....	.....	.....	.....	.....	2	3	1	2	.....	.....	.....	.....	.....	.....	.....	.....
80	Infantile convulsions (under 5 years)	280	236	31	9	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
81	Chorea	15	1	.....	.....	.....	.....	3	8	1	.....	1	.....	.....	1	.....	.....	.....	.....
82	Neuralgia and neuritis	39	.....	.....	1	1	.....	.....	2	3	4	3	4	10	7	4	.....	.....	.....
83	Softening of the brain	77	.....	.....	.....	.....	.....	.....	.....	1	2	1	4	18	25	24	1	1	.....
84	Other diseases of the nervous system	265	19	9	3	2	2	16	31	29	26	34	41	21	22	9	1	.....	.....
85	Diseases of the eye and annexa	6	1	1	.....	2	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....
86a	Diseases of the ear	213	40	18	4	4	4	25	38	16	13	18	15	11	6	1	.....	.....	.....
86b	Diseases of the mastoid process	123	9	8	2	3	3	22	32	10	11	6	8	5	1	3	.....	.....	.....
	IV.—Diseases of the circulatory system	16,147	155	22	24	15	31	225	508	425	729	1,242	2,229	3,509	4,291	2,427	305	9	1
87	Pericarditis	79	2	1	1	.....	1	5	13	5	4	3	12	12	13	5	2	.....	.....
88	Endocarditis and myocarditis (acute)	675	50	6	2	8	11	55	105	86	104	78	47	58	43	19	3	.....	.....
89	Angina pectoris	699	.....	.....	.....	.....	.....	.....	2	3	17	57	142	210	204	63	1	.....	.....
90	Other diseases of the heart	12,604	74	12	19	5	15	159	378	318	568	1,037	1,885	2,886	3,348	1,715	180	4	1
91a	Aneurysm	123	.....	.....	.....	.....	1	.....	.....	2	16	25	32	28	18	1	.....	.....	.....
91b,c	Other diseases of the arteries	1,747	.....	.....	.....	.....	.....	1	.....	.....	3	19	80	276	639	605	119	5	.....
92	Embolism and thrombosis (not cerebral)	127	12	2	.....	.....	.....	3	7	7	9	15	16	27	17	12	.....	.....	.....
93	Diseases of the veins	53	1	.....	1	.....	.....	.....	2	3	5	6	12	12	4	7	.....	.....	.....
94	Diseases of the lymphatic system	26	13	1	1	2	1	2	.....	.....	1	2	2	.....	1	.....	.....	.....	.....
95	Hemorrhage without specified cause	13	3	.....	.....	.....	2	.....	1	1	2	.....	1	.....	3	.....	.....	.....	.....
96	Other diseases of the circulatory system	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
	V.—Diseases of the respiratory system.	13,521	3,350	1,013	421	204	141	380	410	686	829	1,034	1,118	1,459	1,539	826	104	6	1
97a	Diseases of the nasal fossae	9	4	1	.....	.....	.....	1	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....
97b	Diseases of the nasal fossae annexa	38	4	.....	2	.....	.....	3	5	8	6	6	2	2	.....	.....	.....	.....	.....
98	Diseases of the larynx	121	25	10	19	12	11	16	4	4	2	8	2	1	4	3	.....	.....	.....
99a	Acute bronchitis	393	195	29	10	5	8	12	6	2	5	9	13	20	41	33	5	.....	.....
99b	Chronic bronchitis	255	12	.....	1	.....	.....	2	1	2	4	10	25	49	79	58	12	.....	.....
99c,d	Bronchitis (unspecified)	215	90	16	3	2	3	8	2	.....	3	3	13	12	26	30	3	1	.....
100a	Broncho pneumonia	5,086	2,004	596	217	83	54	141	88	109	127	180	229	372	525	314	43	4	.....
100b	Capillary bronchitis	142	81	10	5	2	2	3	1	.....	1	2	2	5	12	13	3	.....	.....
101a	Lobar pneumonia	5,683	748	273	133	68	48	164	259	472	568	654	650	765	618	246	15	1	1
101b	Pneumonia (unspecified)	612	132	42	20	15	11	19	24	31	40	48	44	50	76	50	10	.....	.....
102	Pleurisy	335	28	21	9	13	4	7	14	37	29	38	38	47	31	19	.....	.....	.....
103	Congestion and hemorrhagic infarct of the lung	197	18	10	1	2	.....	3	2	5	18	17	15	17	40	38	11	.....	.....
104	Gangrene of the lung	24	.....	.....	1	1	.....	.....	.....	5	6	2	4	4	1	.....	.....	.....	.....
105	Asthma	267	2	5	.....	1	.....	.....	.....	4	6	34	49	82	64	19	1	.....	.....
106	Pulmonary emphysema	23	2	.....	.....	.....	.....	.....	1	1	2	3	2	4	6	2	.....	.....	.....
107	Other diseases of the respiratory system (tuberculosis excepted)	121	5	.....	.....	.....	.....	1	3	6	11	20	29	28	16	1	1	.....	.....
	VI.—Diseases of the digestive sytem.	11,807	5,128	938	227	144	90	269	367	466	594	762	854	852	736	330	49	1	.....
108	Diseases of the mouth and annexa	60	13	3	.....	.....	1	6	5	6	6	6	5	4	3	2	.....	.....	.....
109b	Other diseases of the pharynx, tonsils	319	28	8	17	15	15	63	53	34	33	19	17	6	7	4	.....	.....	.....
110	Diseases of the esophagus	11	.....	1	.....	.....	.....	2	.....	.....	.....	1	3	1	3	.....	.....	.....	.....
111a	Ulcer of the stomach	266	2	.....	.....	.....	1	.....	3	21	40	57	54	53	26	9	.....	.....	.....
111b	Ulcer of the duodenum	104	.....	.....	.....	.....	.....	1	2	13	23	26	20	14	4	1	.....	.....	.....
112	Other diseases of the stomach (cancer excepted)	794	241	34	18	3	6	7	6	21	36	71	76	93	101	65	15	1	.....
113	Diarrhea and enteritis (under 2 years)	5,502	4,665	837	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
114	Diarrhea and enteritis (2 years and over)	820	.....	.....	170	97	41	64	19	19	24	27	61	67	126	89	16	.....	.....
116	Diseases due to other intestinal parasites	9	1	4	.....	.....	.....	1	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....
117	Appendicitis and typhlitis	1,104	3	3	8	13	9	82	218	206	181	161	125	64	24	4	3	.....	.....
118a	Hernia	330	17	1	1	1	.....	3	3	5	26	46	58	82	64	22	1	.....	.....
118b	Intestinal obstruction	615	102	29	8	5	7	16	25	56	56	65	62	74	74	31	5	.....	.....
119	Other diseases of the intestines	104	13	4	1	2	.....	2	.....	5	11	17	11	6	16	12	4	.....	.....
120	Acute yellow atrophy of the liver	43	4	.....	.....	.....	.....	2	.....	6	6	1	9	5	6	4	.....	.....	.....
121	Hydatid tumor of the liver	6	.....	.....	.....	.....	.....	1	.....	3	1	.....	.....	.....	.....	.....	1	.....	.....
122	Cirrhosis of the liver	733	7	1	.....	.....	1	1	5	10	39	109	163	200	163	31	3	.....	.....
123	Biliary calculi	341	.....	.....	.....	.....	.....	.....	.....	12	40	68	97	78	31	14	1	.....	.....
124	Other diseases of the liver	394	11	5	2	3	1	5	9	23	37	55	59	85	65	34	.....	.....	.....
125	Diseases of the pancreas	49	1	.....	.....	.....	.....	1	.....	4	4	15	12	6	6	.....	.....	.....	.....
126	Peritonitis without specified cause	186	19	7	2	5	8	12	16	18	28	16	18	14	15	8	.....	.....	.....
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	17	1	1	.....	.....	.....	.....	2	3	2	2	4	.....	2	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	PENNSYLVANIA—Continued.																	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	9,714	75	25	20	24	20	67	167	372	591	1,005	1,553	2,147	2,342	1,168	133	4	1
128	Acute nephritis (including unspecified under 10 years)	773	56	16	17	16	13	44	52	66	96	93	124	73	69	32	5	....	1
129	Chronic nephritis (including unspecified 10 years and over)	7,749	3	5	3	8	7	19	97	189	337	702	1,264	1,896	2,071	1,027	117	4	.....
130	Chyluria	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
131	Other diseases of the kidneys and annexa	162	11	3	.....	.....	.....	1	4	19	17	22	34	20	21	8	2	.....	.....
132	Calculi of the urinary passages	47	.....	.....	.....	.....	.....	.....	1	5	6	4	11	11	7	2	.....	.....	.....
133	Diseases of the bladder	105	1	.....	.....	.....	.....	2	.....	1	3	6	6	30	34	18	4	.....	.....
134	Diseases of the urethra, etc	29	.....	.....	.....	.....	.....	.....	.....	1	4	9	5	4	3	3	.....	.....	.....
135	Diseases of the prostate	315	.....	.....	.....	.....	.....	.....	.....	1	2	4	31	80	122	70	5	.....	.....
136	Nonvenereal diseases of the male genital organs	14	3	1	.....	.....	.....	.....	1	.....	.....	3	3	2	1	.....	.....	.....	.....
137	Cysts, other benign tumors of the ovary	81	.....	.....	.....	.....	.....	1	1	14	15	20	14	7	5	4	.....	.....	.....
138	Salpingitis and pelvic abscess (female)	191	.....	.....	.....	.....	.....	.....	10	59	62	38	17	3	2	.....	.....	.....	.....
139	Benign tumors of the uterus	188	.....	.....	.....	.....	.....	.....	.....	10	37	91	32	12	4	2	.....	.....	.....
140	Nonpuerperal uterine hemorrhage	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
141	Other diseases of the female genital organs	54	.....	.....	.....	.....	.....	.....	1	5	12	12	11	9	2	2	.....	.....	.....
142	Nonpuerperal diseases of the breast (cancer excepted)	4	1	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....
	VIII.—The puerperal state	1,568	.....	.....	.....	.....	.....	.....	137	653	639	136	3	.....	.....	.....	.....	.....	.....
143	Accidents of pregnancy	118	.....	.....	.....	.....	.....	.....	6	46	58	8	.....	.....	.....	.....	.....	.....	.....
144	Puerperal hemorrhage	171	.....	.....	.....	.....	.....	.....	5	48	92	26	.....	.....	.....	.....	.....	.....	.....
145	Other accidents of labor	142	.....	.....	.....	.....	.....	.....	10	53	62	17	.....	.....	.....	.....	.....	.....	.....
146	Puerperal septicemia	668	.....	.....	.....	.....	.....	.....	53	316	250	47	2	.....	.....	.....	.....	.....	.....
147	Puerperal phlegmasia alba dolens, embolus, etc	50	.....	.....	.....	.....	.....	.....	2	12	32	4	.....	.....	.....	.....	.....	.....	.....
148	Puerperal albuminuria and convulsions	399	.....	.....	.....	.....	.....	.....	61	172	133	32	1	.....	.....	.....	.....	.....	.....
149	Following childbirth (undefined)	20	.....	.....	.....	.....	.....	.....	.....	6	12	2	.....	.....	.....	.....	.....	.....	.....
	IX.—Diseases of the skin and of the cellular tissue	432	110	8	2	.....	.....	5	5	18	17	25	36	62	75	55	13	1	.....
151	Gangrene	187	9	1	1	.....	.....	.....	1	5	4	9	11	30	55	47	13	1	.....
152	Furuncle	86	26	4	.....	.....	.....	.....	1	7	7	8	11	11	8	3	.....	.....	.....
153	Acute abscess	78	29	2	.....	.....	.....	4	3	4	1	4	10	13	7	1	.....	.....	.....
154	Other diseases of the skin and annexa	81	46	1	1	.....	.....	1	.....	2	5	4	4	8	5	4	.....	.....	.....
	X.—Diseases of the bones and of the organs of locomotion	145	16	6	4	5	2	23	26	6	10	13	15	13	4	1	1	.....	.....
155	Diseases of the bones (tuberculosis excepted)	104	14	3	4	5	2	20	22	2	5	7	11	8	1	.....	.....	.....	.....
156	Diseases of the joints (tuberculosis and rheumatism excepted)	36	2	3	.....	.....	.....	3	3	3	4	5	4	5	3	.....	1	.....	.....
158	Other diseases of the organs of locomotion	5	.....	.....	.....	.....	.....	.....	1	1	1	1	.....	.....	.....	1	.....	.....	.....
	XI.—Malformations	2,010	1,905	45	17	6	7	13	12	5	.....	.....	.....	.....	.....	.....	.....	.....	.....
159a	Congenital hydrocephalus	127	88	15	7	3	2	5	3	4	.....	.....	.....	.....	.....	.....	.....	.....	.....
159b	Congenital malformations of the heart	1,362	1,312	23	7	1	4	6	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
159c	Other congenital malformations	521	505	7	3	2	1	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Early infancy	6,694	6,694	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
160	Congenital debility, icterus, sclerema	997	997	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
161a	Premature birth	4,115	4,115	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
161b	Injury at birth	965	965	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
162	Other diseases peculiar to early infancy	607	607	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
163	Lack of care	10	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
164	XIII.—Old age (senility)	631	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	29	151	331	111	8	.....
	XIV.—External causes	8,526	189	194	180	174	183	550	772	1,195	1,333	1,215	886	653	542	343	60	4	3
	Suicide (total)	997	.....	.....	.....	.....	.....	.....	46	145	206	230	190	125	45	9	1	.....	.....
165	By poisons (corrosives excepted)	21	.....	.....	.....	.....	.....	.....	1	4	6	6	4	.....	.....	.....	.....	.....	.....
166	By corrosive substances	102	.....	.....	.....	.....	.....	.....	10	27	23	16	13	9	4	.....	.....	.....	.....
167	By poisonous gas	117	.....	.....	.....	.....	.....	.....	4	16	29	18	32	15	2	1	.....	.....	.....
168	By hanging or strangulation	235	.....	.....	.....	.....	.....	.....	6	14	40	68	52	39	11	4	1	.....	.....
169	By drowning	52	.....	.....	.....	.....	.....	.....	3	8	6	12	6	9	6	2	.....	.....	.....
170	By firearms	367	.....	.....	.....	.....	.....	.....	22	70	74	80	62	38	20	1	.....	.....	.....
171	By cutting or piercing instruments	58	.....	.....	.....	.....	.....	.....	.....	2	10	18	13	12	2	1	.....	.....	.....
172	By jumping from high places	20	.....	.....	.....	.....	.....	.....	.....	2	9	4	3	2	.....	.....	.....	.....	.....
173	By crushing	11	.....	.....	.....	.....	.....	.....	.....	1	5	3	2	.....	.....	.....	.....	.....	.....
174	By other means	14	.....	.....	.....	.....	.....	.....	.....	1	4	5	3	1	.....	.....	.....	.....	.....
	Homicide (total)	564	13	1	.....	.....	1	9	34	162	169	112	39	13	7	3	1	.....	.....
197	By firearms	367	1	.....	.....	.....	1	3	17	118	116	84	22	4	1	.....	.....	.....	.....
198	By cutting or piercing instruments	81	1	.....	.....	.....	.....	.....	3	25	25	14	5	3	3	1	1	.....	.....
199	By other means	116	11	1	.....	.....	.....	6	14	19	28	14	12	6	3	2	.....	.....	.....
	Accidental or undefined (total)	6,965	176	193	180	174	182	541	692	888	1,008	873	657	515	490	331	58	4	3
175	Poisoning by food	71	7	2	6	5	5	7	5	2	5	11	9	3	3	1	.....	.....	.....
176	Poisoning by venomous animals	9	3	.....	.....	1	1	1	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
177	Other acute poisonings (gas excepted)	143	9	29	3	2	3	7	5	23	24	20	5	2	.....	1	.....	.....	.....
178	Conflagration	78	7	5	.....	6	6	5	8	3	7	6	6	5	8	2	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
PENNSYLVANIA—Continued.																		
	XIV.—External causes—Continued.																	
	Accidental or undefined—Continued.																	
179	Burns (conflagration excepted)	738	20	84	109	86	79	93	29	40	60	37	34	35	17	14	1	
180	Mechanical suffocation	71	54	1				3	2			5	5	1				
181	Absorption of irrespirable, irritating, or poisonous gas	198	2			1	3	5	7	16	40	34	37	29	17	7		
182	Drowning	566	6	23	8	16	9	74	169	102	69	49	20	16	3	1		1
183	Traumatism by firearms (except in war)	149			1	4	3	15	56	36	13	9	5	5	1	1		
184	Traumatism by cutting or piercing instruments	45			1	1	2	3	2	2	5	8	6	11	4			
185	Traumatism by fall	1,213	18	16	11	5	12	32	45	62	75	76	123	142	269	270	54	3
186a	Traumatism in mines	854						3	56	196	262	215	89	29	4			
186b	Traumatism in quarries	21							2	6	4	2	3	4				
187	Traumatism by machines	140				2	1	1	14	24	28	26	23	17	4			
188a	Railroad accidents	675		4	1	1	3	15	50	146	138	136	94	51	28	6		2
188b	Street-car accidents	164		3	7	8	8	27	7	8	30	22	15	15	12	2		
188c	Automobile accidents	1,060	6	7	12	31	39	194	153	136	129	116	93	75	58	9	1	1
188d	Aeroplane and balloon accidents	4						1		2	1							
188e,f	Injuries by other vehicles	151	1	3	3	2	2	14	15	21	22	16	16	19	15	2		
188g	Landslide, other crushing	31			1			4	2	5	6	5	4	3	1			
189	Injuries by animals (not poisoning)	46	2				2	6	6	3	6	9	6	3	3			
193	Excessive cold	10									2	3	1	1	2	1		
194	Excessive heat	121	20	2			2	2	2	2	15	13	10	18	22	11	2	
195	Lightning	26	1						7	3	7	5	2	1				
196	Other accidental electric shocks	76						3	17	20	21	11	4					
201	Fracture (cause not specified)	10						1	1			3	3	1	1			
202	Other external violence	244	16	13	2	3	2	22	23	28	32	33	33	22	13	2		
203	Violent deaths of unknown causation	51	4	1	1			3	7	2	7	3	10	7	5	1		
	XV.—Ill-defined diseases	425	148	30	9	3	2	4	3	12	15	21	44	54	47	23	8	2
204	Sudden death	57	11	1	2					2	3	5	11	11	6	4	1	
205a	Ill-defined	192	33	22	4	2	2	2	1	5	11	10	21	32	31	11	5	
205b	Not specified or unknown	176	104	7	3	1		2	2	5	1	6	12	11	10	8	2	2
RHODE ISLAND.																		
	All causes	7,756	1,344	217	83	87	40	171	240	413	496	662	929	1,216	1,198	577	72	3	8
	I.—Epidemic, endemic, and infectious diseases	1,083	136	84	34	32	19	64	82	154	148	145	84	57	31	12	1		
1	Typhoid and paratyphoid fever	17	1					1	4	5	3	2	1						
5	Malaria	2										1	1						
7	Measles	82	17	35	11	3	2	10	2		1	1							
8	Scarlet fever	14	1	1	2	2	3	3		1	1								
9	Whooping cough	57	37	13	2	2	1	2											
10	Diphtheria	80	6	5	9	12	7	31	8				1	1					
11a	Influenza (with pulmonary complications)	23	5	2							1	1	3	3	4	3	1		
11b	Influenza (other and unspecified)	16	2	2		1			1	1	2	1	1	2	2	1			
13	Mumps	2									1				1				
15	Cholera nostras	2												1		1			
16	Dysentery	8	2	1			1							2		2			
21	Erysipelas	20	8	2								1	1	5	2	1			
22	Acute anterior poliomyelitis	3		1	1								1						
23	Lethargic encephalitis	10	1			2		1		2	1	1	2						
24	Meningococcus meningitis	12	5	1	1			1	2	1		1							
25	Other epidemic and endemic diseases	2	1					1											
28	Rabies	4						1	1	1	1								
29	Tetanus	6						1	2	1			2						
	Tuberculosis (total)	663	24	20	8	10	5	11	61	139	126	127	69	40	19	4			
31	Of the respiratory system	541	4	5	1	2	2	4	47	125	115	118	61	35	19	3			
32	Of the meninges, central nervous system	66	19	12	6	4	3	5	7	5	1	1	1	2					
33	Of the intestines, peritoneum	25		1	1	1		1	3	7	5	3	1	2					
34	Of the vertebral column	8							2	2	2		1			1			
35	Of the joints	5				2		1	2										
36	Of other organs	4									1	1	2						
37a	Disseminated (acute)	5	1			1					2	1							
37b	Disseminated (chronic or unspecified)	9		2								3	3	1					
38	Syphilis	48	22	1						1	9	8	2	3	2				
40	Gonococcus infection	1										1							
41	Purulent infection, septicemia	11	4					1	1	2	2				1				
	II.—General diseases not included in Class I	959	32	3	3	3		5	21	16	55	117	228	249	173	49	4	1	
	Cancer and other malignant tumors (total)	678				1			4	7	30	83	187	192	133	36	4	1	
43	Of the buccal cavity	30								1	1	4	8	6	6	4			
44	Of the stomach, liver	230									3	22	68	80	48	8	1		
45	Of the peritoneum, intestines, rectum	109							1	1	7	13	27	32	21	6	1		
46	Of the female genital organs	96							1	1	11	21	26	20	12	4			
47	Of the breast	63								2	2	11	23	8	11	5		1	
48	Of the skin	19										1	3	3	7	3	2		
49	Of other or unspecified organs	131				1			2	2	6	11	32	43	28	6			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	RHODE ISLAND—Continued.																	
	II.—General diseases not included in Class I—Continued.																	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	4									2	2						
51	Acute rheumatic fever	18							7		1	3	3	1	2	1		
52	Chronic rheumatism, osteoarthritis, gout	5										2	2		1			
54	Pellagra	4								1	1	1	1					
55	Rickets	6	1	2	2						1							
57	Diabetes mellitus	121						3	7	1	3	10	21	41	28	7		
58	Anemia, chlorosis	30						1	1	2	2	6	3	8	4	3		
60a	Exophthalmic goiter	4									3		1					
60b	Other diseases of the thyroid gland	5							1				2	1		1		
61	Diseases of the parathyroid glands	1			1													
62	Diseases of the thymus gland	7	5	1					1									
63	Diseases of the adrenals (Addison's disease)	4									1	1	1		1			
64	Diseases of the spleen	2										1			1			
65a	Leukemia	12						1		2	2	2	2	2	1			
65b	Hodgkin's disease	5				1				1			2			1		
66	Alcoholism (acute or chronic)	20								1	8	5	3	2	1			
67a	Chronic lead poisoning	1												1				
68	Chronic poisoning by organic substances	1												1				
69	Other general diseases	31	26			1				1	1	1			1			
	III.—Diseases of the nervous system and of the organs of special sense	875	26	9	5	3		5	7	16	32	71	146	212	234	97	10	2
70	Encephalitis	4				1			1		2							
71a	Simple meningitis	23	4	4	2			3	1	4	1	1	2					1
71b	Nonepidemic cerebrospinal meningitis	8		3	2			1		1								1
72	Tabes dorsalis (locomotor ataxia)	11										2	4	2	2	1		
73	Other diseases of the spinal cord	22								1	1	1	8	5	3	3		
74a	Cerebral hemorrhage	651								2	14	43	109	181	209	83	10	
74b	Cerebral embolism and thrombosis	15										1	1	6	4	3		
75	Paralysis without specified cause	22				1						1	3	3	9	5		
76	General paralysis of the insane	40									4	14	11	8	2	1		
77	Other forms of mental alienation	8								1	3	1	2	1				
78	Epilepsy	20						1	2	6	3	2	3	2	1			
79	Convulsions (nonpuerperal; 5 years and over)	1								1								
80	Infantile convulsions (under 5 years)	22	18	2	1	1												
82	Neuralgia and neuritis	4									1			1	1	1		
83	Softening of the brain	3												1	2			
84	Other diseases of the nervous system	11							1		2	4	3	1				
85	Diseases of the eye and annexa	3	1											1	1			
86a	Diseases of the ear	1	1															
86b	Diseases of the mastoid process	6	2						2		1	1						
	IV.—Diseases of the circulatory system	1,298	8	3	1	2	1	9	25	33	45	101	172	315	378	181	22	1	1
87	Pericarditis	2						1		1								
88	Endocarditis and myocarditis (acute)	38	3	1		2	1	1	2	4	7	7	3	2	3	2		
89	Angina pectoris	75									3	6	11	25	24	5	1	
90	Other diseases of the heart	987	4	2	1			7	23	26	30	86	145	255	276	117	13	1	1
91a	Aneurysm	9								1	1	2	3	1	1			
91b,c	Other diseases of the arteries	169											6	29	70	56	8	
92	Embolism and thrombosis (not cerebral)	13	1								2		3	2	4	1		
93	Diseases of the veins	4								1	2			1				
94	Diseases of the lymphatic system	1											1					
	V.—Diseases of the respiratory system	759	182	68	20	14	2	12	26	29	31	38	73	92	97	65	10		
97a	Diseases of the nasal fossae	1										1						
98	Diseases of the larynx	7	2	1	1			1					2					
99a	Acute bronchitis	30	14	4	1			1	1			1	2	1	2	1	2	
99b	Chronic bronchitis	22	1							1		1		6	6	6	1	
99c,d	Bronchitis (unspecified)	18	4	1	1				1			1	1	4	3	2		
100a	Bronchopneumonia	262	99	25	7	6	1	4	5	3	9	9	11	18	35	27	3	
100b	Capillary bronchitis	9	5	1	1	1										1		
101a	Lobar pneumonia	309	45	31	6	5		4	14	17	19	16	43	46	39	22	2	
101b	Pneumonia (unspecified)	51	10	4	2	2	1	1	2	3	1	4	4	7	6	4		
102	Pleurisy	19	2	1	1			1	2		2		3	4	3			
103	Congestion and hemorrhagic infarct of the lung	8												2	2	2	2	
104	Gangrene of the lung	1											1					
105	Asthma	8								2		1	3	1	1			
106	Pulmonary emphysema	3										1		2				
107	Other diseases of the respiratory system (tuberculosis excepted)	11							1	3		3	3	1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	RHODE ISLAND—Continued.																	
	VI.—Diseases of the digestive system	703	296	33	4	7	2	21	22	36	30	56	52	66	52	23	2		1
108	Diseases of the mouth and annexa	3	2									1							
109b	Other diseases of the pharynx, tonsils	16		1			1	4	2	4	1	1		1		1			
111a	Ulcer of the stomach	24							1	2	5	6	5	2	1	1	1		
111b	Ulcer of the duodenum	14	1							1	4	1	4	2	1				
112	Other diseases of the stomach (cancer excepted)	34	9		2	1				1		5	3	4	3	6			
113	Diarrhea and enteritis (under 2 years)	303	274	29															
114	Diarrhea and enteritis (2 years and over)	40			2	6	1	2		3		3	2	4	10	6			1
117	Appendicitis and typhlitis	76						12	12	17	8	12	6	7	2				
118a	Hernia	34	1	1					1		1	1	9	8	10	2			
118b	Intestinal obstruction	31	2	2				1	2	1	3	3	4	6	6	1			
119	Other diseases of the intestines	8	1							2				2		2	1		
120	Acute yellow atrophy of the liver	4							1	1			1	1					
122	Cirrhosis of the liver	58									4	8	11	16	16	3			
123	Biliary calculi	11									1	4	1	3	1	1			
124	Other diseases of the liver	22						2		1	2	5	4	6	2				
125	Diseases of the pancreas	4									1	2		1					
126	Peritonitis without specified cause	21	6						3	3		4	2	3					
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	670	5	2	2	3	1	5	13	26	49	61	108	164	149	73	9		
128	Acute nephritis (including unspecified under 10 years)	52	5		1	2	1	5	2	4	4	10	7	5	5	1			
129	Chronic nephritis (including unspecified 10 years and over)	545				1			9	18	38	40	91	145	130	64	9		
131	Other diseases of the kidneys and annexa	16		2	1				1		1	2	3	5	1				
132	Calculi of the urinary passages	4									1		2	1					
133	Diseases of the bladder	8											1	2	2	3			
134	Diseases of the urethra, etc	1													1				
135	Diseases of the prostate	20											3	3	9	5			
136	Nonvenereal diseases of the male genital organs	1												1					
137	Cysts, other benign tumors of the ovary	2										1		1					
138	Salpingitis and pelvic abscess (female)	8							1	3	2	2							
139	Benign tumors of the uterus	9									2	5	1		1				
141	Other diseases of the female genital organs	4								1	1	1		1					
	VIII.—The puerperal state	103							1	49	45	8							
143	Accidents of pregnancy	9								4	5								
144	Puerperal hemorrhage	13								5	7	1							
145	Other accidents of labor	5								1	3	1							
146	Puerperal septicemia	46							1	21	20	4							
147	Puerperal phlegmasia alba dolens, embolus, etc	6								1	3	2							
148	Puerperal albuminuria and convulsions	22								16	6								
149	Following childbirth (undefined)	1									1								
150	Puerperal diseases of the breast	1								1									
	IX.—Diseases of the skin and of the cellular tissue	28	8			1			1	1	1	1	3	3	5	2	2		
151	Gangrene	10										1		2	4	1	2		
152	Furuncle	6	2								1		1		1	1			
153	Acute abscess	7	2			1			1	1			1	1					
154	Other diseases of the skin and annexa	5	4										1						
	X.—Diseases of the bones and of the organs of locomotion	7	1		1	1						2	2						
155	Diseases of the bones (tuberculosis excepted)	3	1		1								1						
156	Diseases of the joints (tuberculosis and rheumatism excepted)	4				1						2	1						
	XI.—Malformations	123	115	3	1	2		1		1									
159a	Congenital hydrocephalus	21	17	3	1														
159b	Congenital malformations of the heart	67	63			2		1		1									
159c	Other congenital malformations	35	35																
	XII.—Early infancy	508	508																
160	Congenital debility, icterus, sclerema	129	129																
161a	Premature birth	230	230																
161b	Injury at birth	108	108																
162	Other diseases peculiar to early infancy	41	41																
164	XIII.—Old age (senility)	103											1	5	27	59	10	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
RHODE ISLAND—Continued.																			
	XIV.—External causes	493	13	12	11	18	14	47	41	48	56	59	59	47	48	15	2	....	3
	Suicide (total)	64	.....	.....	.....	.....	.....	.....	1	5	13	11	19	7	7	.....	.....	.....	1
165	By poisons (corrosives excepted)	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
166	By corrosive substances	3	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	.....	.....	.....	.....	.....
167	By poisonous gas	18	.....	.....	.....	.....	.....	.....	.....	1	3	5	5	2	1	.....	.....	.....	1
168	By hanging or strangulation	10	.....	.....	.....	.....	.....	.....	1	.....	2	2	3	.....	2	.....	.....	.....	.....
169	By drowning	6	.....	.....	.....	.....	.....	.....	.....	1	3	.....	.....	1	1	.....	.....	.....	.....
170	By firearms	17	.....	.....	.....	.....	.....	.....	.....	3	1	2	7	2	2	.....	.....	.....	.....
171	By cutting or piercing instruments	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	1	1	.....	.....	.....	.....
172	By jumping from high places	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
173	By crushing	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
	Homicide (total)	19	1	.....	.....	2	.....	.....	2	5	3	4	.....	2	.....	.....	.....	.....	.....
197	By firearms	11	.....	.....	.....	.....	.....	.....	.....	4	3	3	.....	1	.....	.....	.....	.....	.....
198	By cutting or piercing instruments	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
199	By other means	7	1	.....	.....	2	.....	.....	2	.....	.....	1	.....	1	.....	.....	.....	.....	.....
	Accidental or undefined (total)	410	12	12	11	16	14	47	38	38	40	44	40	38	41	15	2	....	2
175	Poisoning by food	10	.....	.....	.....	1	.....	1	1	1	.....	4	1	.....	1	.....	.....	.....	.....
177	Other acute poisonings (gas excepted)	4	1	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....
178	Conflagration	7	.....	.....	.....	.....	.....	1	.....	1	2	3	.....	.....	.....	.....	.....	.....	.....
179	Burns (conflagration excepted)	48	3	5	5	8	5	6	.....	2	3	2	1	1	5	2	.....	.....	.....
180	Mechanical suffocation	7	6	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
181	Absorption of irrespirable, irritating, or poisonous gas	24	1	.....	1	.....	.....	.....	1	.....	3	3	5	6	3	1	.....	.....	.....
182	Drowning	60	.....	2	2	1	5	12	14	7	9	3	2	2	.....	.....	.....	.....	1
183	Traumatism by firearms (except in war)	10	.....	.....	.....	.....	.....	.....	3	1	2	2	2	.....	.....	.....	.....	.....	.....
184	Traumatism by cutting or piercing instruments	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....
185	Traumatism by fall	59	.....	2	.....	.....	.....	2	2	4	3	5	10	10	13	7	1	.....	.....
187	Traumatism by machines	13	.....	.....	.....	.....	.....	.....	2	.....	2	5	1	2	1	.....	.....	.....	.....
188a	Railroad accidents	19	.....	.....	.....	1	.....	.....	1	2	1	3	5	2	2	1	.....	.....	1
188b	Street-car accidents	18	.....	.....	.....	2	2	.....	2	1	2	1	4	1	2	1	.....	.....	.....
188c	Automobile accidents	83	.....	.....	2	3	2	23	9	8	5	9	6	8	7	1	.....	.....	.....
188e,f	Injuries by other vehicles	8	1	1	.....	.....	.....	.....	1	2	2	.....	.....	.....	1	.....	.....	.....	.....
188g	Landslide, other crushing	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
189	Injuries by animals (not poisining)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
190	Wounds of war	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
194	Excessive heat	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....
195	Lightning	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
196	Other accidental electric shocks	4	.....	.....	.....	.....	.....	.....	.....	2	1	1	.....	.....	.....	.....	.....	.....	.....
201	Fracture (cause not specified)	10	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	2	2	2	1	.....	.....
202	Other external violence	11	.....	2	1	.....	.....	1	1	3	.....	.....	.....	2	1	.....	.....	.....	.....
203	Violent deaths of unknown causation	5	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....	2	.....	.....	.....	.....
	XV.—Ill-defined diseases	44	14	.....	1	1	1	2	1	4	4	3	1	6	4	1	.....	....	1
204	Sudden death	6	3	.....	.....	.....	.....	1	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....
205a	Ill-defined	17	2	.....	1	1	1	.....	.....	1	1	2	1	3	3	.....	.....	.....	1
205b	Not specified or unknown	21	9	.....	.....	.....	.....	1	1	3	2	1	.....	2	1	1	.....	.....	.....
SOUTH CAROLINA.																			
	All causes {White	8,206	1,747	436	168	83	82	201	376	585	516	600	648	1,117	1,098	461	70	4	14
	{Colored	12,171	3,104	567	217	129	108	321	845	1,531	1,160	1,181	887	804	740	379	124	54	20
	I.—Epidemic, endemic, and infectious diseases {White	1,323	209	105	61	32	37	71	117	206	141	108	65	76	60	27	7	....	1
	{Colored	3,108	471	183	70	47	40	147	409	717	395	299	145	90	64	21	3	4	3
1	Typhoid and paratyphoid fever {W	141	4	4	2	1	3	7	34	30	12	24	9	9	1	1	.....	.....	.....
	{C	304	4	6	3	8	5	29	97	60	32	35	14	7	3	1	.....	.....	.....
5	Malaria {W	81	9	6	3	2	2	6	15	8	7	3	6	8	2	4	.....	.....	.....
	{C	396	69	37	18	11	8	39	49	43	34	27	24	14	18	3	.....	2	.....
6	Smallpox {W	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
	{C	10	1	.....	.....	.....	.....	.....	1	2	1	1	.....	3	.....	.....	1	.....	.....
7	Measles {W	58	11	10	4	3	1	3	10	10	3	2	1	.....	.....	.....	.....	.....	.....
	{C	30	12	10	4	.....	.....	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Scarlet fever {W	13	2	1	3	1	.....	4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Whooping cough {W	91	62	21	3	1	1	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{C	188	107	55	13	4	3	5	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
10	Diphtheria {W	128	10	22	19	19	23	28	3	1	1	2	.....	.....	.....	.....	.....	.....	.....
	{C	82	21	10	8	10	13	16	2	.....	.....	1	.....	1	.....	.....	.....	.....	.....
11a	Influenza (with pulmonary complications) {W	84	20	5	5	1	1	3	3	7	9	3	6	8	7	6	.....	.....	.....
	{C	72	18	6	2	.....	1	2	5	7	11	6	9	3	2	.....	.....	.....	.....
11b	Influenza (other and unspecified) {W	65	7	4	6	.....	.....	2	4	3	6	6	4	5	10	5	3	.....	.....
	{C	70	19	2	.....	3	.....	4	2	7	5	7	4	3	6	5	1	2	.....
13	Mumps {C	3	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
				Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	SOUTH CAROLINA—Continued.																		
	I.—Epidemic, endemic, and infectious diseases—Continued.																		
15	Cholera nostras	W	1													1			
		C	5	2		1		2											
16	Dysentery	W	108	36	24	7	2		3				3	4	4	15	6	4	
		C	148	73	34	8	1	3	3	3	2		6	1	4	6	3	1	
19	Spirochetal hemorrhagic jaundice	W	1		1														
21	Erysipelas	W	15	7		2				1		1			1	3			
		C	6	2	1							1	1		1				
22	Acute anterior poliomyelitis	W	9	3		3		2	1										
		C	8	1	1	2	2		2										
23	Lethargic encephalitis	W	4	2							1			1					
		C	6		1	1			1		1	1		1					
24	Meningococcus meningitis	W	12	6	1	1	1	1	2										
		C	7	3					2		1	1							
25	Other epidemic and endemic diseases	W	2			2													
		C	2	1	1														
27	Anthrax	W	1											1					
28	Rabies	W	3						3										
29	Tetanus	W	14	7					2	2				1	2				
		C	20	14					2	1	2		1						
30	Mycoses	W	2	1	1														
		C	37	35	1				1										
	Tuberculosis (total)	W	440	9	4	1	1	2	5	35	144	91	61	30	32	21	4		
		C	1,461	20	11	5	8	5	36	235	551	272	171	76	42	19	7		3
31	Of the respiratory system	W	393	4	2		1	1	1	30	136	83	55	28	29	20	3		
		C	1,366	14	9	3	4	2	32	220	526	253	164	74	39	17	6		3
32	Of the meninges, central nervous system	W	16	5	1	1		1		1	3	2	2						
		C	12	3			2		1	3	1	2							
33	Of the intestines, peritoneum	W	17		1				1	2	4	4	1	2	1	1			
		C	33	1				1	2	6	9	6	5		2	1			
34	Of the vertebral column	W	1										1						
		C	4						1	1	1	1							
35	Of the joints	W	1						1										
		C	5					1			2		2						
36	Of other organs	W	6							2	1	1			1		1		
		C	12	1	1			1		1	3	2			1	1	1		
37a	Disseminated (acute)	W	6						2			1	2		1				
		C	27	1	1	2	2			4	8	7		2					
37b	Disseminated (chronic or unspecified.)	C	2								1	1							
38	Syphilis	W	28	11	1					1		7	3	1	4				
		C	223	68	6	4			1	6	33	32	40	16	10	6	1		
40	Gonococcus infection	W	7	1						2	1	2	1						
		C	12	1		1				3	3	1	1		1	1			
41	Purulent infection, septicemia	W	14	1				1		5		2		1	3				1
		C	18		1				1	3	2	4	2		1	3	1		
	II.—General diseases not included in Class I	White	690	25	10	4	4	3	8	20	35	44	97	115	162	130	27	5	1
		Colored	590	17	5	1	3	3	10	24	70	92	115	94	88	53	13	1	1
	Cancer and other malignant tumors (total)	W	366	2	2	1		2	2	1	10	19	49	69	104	83	18	4	
		C	222	1			2	1	1	1	10	22	53	48	49	26	6	1	1
43	Of the buccal cavity	W	25		1								4	4	9	5	2		
		C	8										2	2	1	1	2		
44	Of the stomach, liver	W	102					1		1			4	5	17	45	26	3	
		C	58				2				1	7	14	15	14	2	1	1	1
45	Of the peritoneum, intestines, rectum	W	54	1		1					3	4	8	10	7	18	2		
		C	14								1		4	1	5	2	1		
46	Of the female genital organs	W	69								2	5	18	12	16	10	6		
		C	77								2	8	20	21	16	10			
47	Of the breast	W	35								2	1	6	11	7	6	1	1	
		C	22					1				3	6	2	5	3	2		
48	Of the skin	W	16											3	3	5	2	3	
		C	2												1	1			
49	Of other or unspecified organs	W	65	1	1			1	2		3	5	8	12	17	13	2		
		C	41	1					1	1	6	2	7	8	7	6	2		
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	W	6						1				2	1		2			
		C	5								1	1	1	2					
51	Acute rheumatic fever	W	19				1		2	6	1	1		2	4	1	1		
		C	36	1					4	6	3	1	6	5	4	4	2		
52	Chronic rheumatism, osteoarthritis, gout	W	3									1	1			1			
		C	3							1	1		1						
53	Scurvy	C	1	1															
54	Pellagra	W	128		1	1				4	10	14	23	14	31	25	4	1	
		C	239	1	2		1		3	10	48	61	46	29	24	11	3		
56	Rickets	W	3	3															
		C	12	9	1	1		1											
57	Diabetes mellitus	W	86				1	1	1	5	6	7	12	17	19	13	3		
		C	38						1	3	5	2	3	7	9	7	1		1
58	Anemia, chlorosis	W	12		1						2		6	2	1				
		C	10	1	1					2			1	1	1	3			
60a	Exophthalmic goiter	W	1												1				
		C	3							1		1		1					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	Deaths at unknown age.
	SOUTH CAROLINA—Continued.																			
	II.—General diseases not included in Class I—Continued.																			
60b	Other diseases of the thyroid gland	W	5							1		1	1			2				
		C	4									2	1		1					
61	Diseases of the parathyroid glands	W	2	2																
62	Diseases of the thymus gland	W	2	2																
		C	1						1											
64	Diseases of the spleen	W	3									1	1		1					
65a	Leukemia	W	11	1			1			1	3		1	3		1				
		C	2								1	1								
65b	Hodgkin's disease	W	4			1				2	1									
66	Alcoholism (acute or chronic)	W	10								1		1	6	1	1				
		C	3									1	2							
67a	Chronic lead poisoning	C	1								1									
67b	Other chronic mineral poisoning	C	1													1				
68	Chronic poisoning by organic substances	W	1											1						
		C	1										1							
69	Other general diseases	W	28	15	6	1	1		2		1					1	1			
		C	8	3	1			1						1		1	1			
	III.—Diseases of the nervous system and of the organs of special sense.	White	843	38	7	6	2	5	7	28	24	20	74	108	250	196	76	2		
		Colored	904	100	11	8	7	3	16	31	44	54	152	131	159	119	50	14	3	2
70	Encephalitis	W	13	1						2	1		4	1	3	1				
		C	14	1		2	1		3	2	2	1	1		1					
71a	Simple meningitis	W	23	10	2	2	1	1		2	3		2							
		C	13	4	3	1			3	1	1									
71b	Nonepidemic cerebrospinal meningitis	W	7	3	1	1			1	1										
		C	7	2			2	1				2								
72	Tabes dorsalis (locomotor ataxia)	W	5								1				2	2				
73	Other diseases of the spinal cord	W	24	1									5	5	9	2	2			
		C	10						1	2			1	2	2	2				
74a	Cerebral hemorrhage	W	518	2	1			1	1	4	7	9	47	71	189	131	53	2		
		C	446	1		1				4	19	34	94	84	99	70	28	10	1	1
74b	Cerebral embolism and thrombosis	W	9	1										1	3	4				
		C	10									1	4	3	2					
75	Paralysis without specified cause	W	130								1	2	5	23	32	46	21			
		C	199	2					5	1	7	7	31	27	51	41	21	4	2	
76	General paralysis of the insane	W	8										3	2	3					
		C	24								1	5	7	9	1	1				
77	Other forms of mental alienation	W	7							1	1	1	2	1		1				
		C	14							2	3	1	5	2	1					
78	Epilepsy	W	25	1					2	8	6	3	3		2					
		C	35	8						9	7	3	5			2	1			
79	Convulsions (nonpuerperal; 5 years and over)	W	4							1	1		2							
		C	10						4	2			2	1						1
80	Infantile convulsions (under 5 years)	W	22	18	1	1		2												
		C	97	81	6	4	4	2												
81	Chorea	W	1													1				
82	Neuralgia and neuritis	W	6									1		1		3				
		C	4								1		1		1	1				
83	Softening of the brain	W	7												2	5				
		C	3								1				1	1				
84	Other diseases of the nervous system	W	19	1	1	2	1		1	2	1	4		2	4					
		C	7	1	1					2	2		1							
85	Diseases of the eye and annexa	C	1							1										
86a	Diseases of the ear	W	11						2	6	1		1	1						
		C	4		1					1				1		1				
86b	Diseases of the mastoid process	W	4		1			1		1	1									
		C	6							4				2						
	IV.—Diseases of the circulatory system	White	974	12	3	3		2	6	16	27	49	77	127	237	289	113	13		
		Colored	1,065	9	2		2	3	6	25	97	142	209	160	167	147	72	21	2	1
87	Pericarditis	W	8		1	1							1	2	1	1	1			
		C	15								1	2	2	4	3	2	1			
88	Endocarditis and myocarditis (acute)	W	31	5					3	2	2	8	4	1	2	2	2			
		C	38		1				1	3	8	11	7	3	3	1				
89	Angina pectoris	W	71								2	1	11	8	31	16	2			
		C	16							1	2	2	3	2	2	4				
90	Other diseases of the heart	W	731	7	1	2		2	3	14	23	39	52	97	173	224	84	10		
		C	886	3	1		2	3	5	20	77	120	180	142	140	120	56	16		1
91a	Aneurysm	W	8										3	2	3					
		C	11								4	3	2	1		1				
91b,c	Other diseases of the arteries	W	107										4	14	20	44	22	3		
		C	72								1	1	9	7	17	17	14	4	2	
92	Embolism and thrombosis (not cerebral)	W	6									1		1	2	1	1			
		C	7	1							1	2	2			1				
93	Diseases of the veins	C	1	1																
94	Diseases of the lymphatic system	W	1												1					
		C	1												1					
95	Hemorrhage without specified cause	W	2											1	1					
		C	9	4							3		1					1		
96	Other diseases of the circulatory system	W	9		1								2	1	3	1	1			
		C	9							1		1	3	1	1	2				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	Deaths at unknown age.
SOUTH CAROLINA—Continued.																				
	V.—Diseases of the respiratory system	White	637	155	58	25	13	10	24	40	37	34	34	32	68	56	43	7	....	1
		Colored	1,022	384	86	39	15	14	28	72	97	84	63	56	32	26	16	7	1	2
97a	Diseases of the nasal fossae	W	10	4	1					2			1	1	1					
		C	129	77	7	3	2	2	2	8	8	4	9	4	1	1	1			
97b	Diseases of the nasal fossae annexa	W	3				1			1		1								
		C	2							1			1							
98	Diseases of the larynx	W	8		2	1	1	1	2						1					
		C	4	3		1														
99a	Acute bronchitis	W	3	3	2										1		2			
		C	8	4			1				1	1				1				
99b	Chronic bronchitis	W	7	2						1	1				2	1				
		C	4	2							1					1				
99c,d	Bronchitis (unspecified)	W	8	4		1			1							2				
		C	22	11	2	2				2	1		1	1	1		1			
100a	Bronchopneumonia	W	173	65	24	5	8	3	6	5	6	1	4	5	12	15	10	3	....	1
		C	166	89	28	15	3	4	4	3	2	4	2	3	2	3	2	1	1	
100b	Capillary bronchitis	C	4	2		1			1											
101a	Lobar pneumonia	W	260	31	13	8	1	4	10	22	23	23	23	21	34	25	21	1		
		C	281	46	20	6	4	1	9	31	49	35	24	29	15	7	3	1	....	1
101b	Pneumonia (unspecified)	W	114	43	12	8	1	1	4	6	2	6	4	2	9	8	6	2		
		C	331	141	28	10	4	7	11	23	19	31	19	12	7	7	6	5	....	1
102	Pleurisy	W	23	2	3				1	2	3	1	1	2	4	2	2			
		C	12	1						1	6	1	2	1						
103	Congestion and hemorrhagic infarct of the lung	W	9	1			1				1	1	1		1	1	1	1		
		C	10	1						1	1	2		2	1	1	1			
104	Gangrene of the lung	W	4			1				1	1	1								
105	Asthma	W	6			1		1						1	1	2				
		C	25	4		1	1			1		3	2	3	3	5	2			
106	Pulmonary emphysema	W	1												1					
107	Other diseases of the respiratory system (tuberculosis excepted)	W	3		1										1		1			
		C	24	3	1				1	1	9	3	3	1	2					
	VI.—Diseases of the digestive system	White	928	332	210	50	12	11	31	35	30	31	36	35	55	49	11			
		Colored	1,150	496	174	39	15	10	32	43	67	64	68	52	39	35	15		1	
108	Diseases of the mouth and annexa	W	3			1						1		1						
		C	12	2	2					4				2		2				
109b	Other diseases of the pharynx, tonsils	W	25	2	3	3	2		7	2	4	1		1						
		C	32	4	2	2	2	2	3	2	3	2	6	3		1				
110	Diseases of the esophagus	W	1													1				
		C	2										1		1					
111a	Ulcer of the stomach	W	12							2	3	1	3		2	1				
		C	20							1	6	3	5	2	2	1				
111b	Ulcer of the duodenum	W	5								1	1			3					
		C	1										1							
112	Other diseases of the stomach (cancer excepted)	W	92	31	9	3		3	2		1	1	9	7	12	12	2			
		C	209	77	19	6	1	1	8	7	15	12	19	16	8	12	8			
113	Diarrhea and enteritis (under 2 years)	W	483	288	195															
		C	531	385	146															
114	Diarrhea and enteritis (2 years and over)	W	95			37	10	5	9	4	2	1	2	3	5	14	3			
		C	112			28	9	6	9	10	2	7	12	11	10	5	3			
115	Ancylostomiasis	W	5			1		1		1	1		1							
		C	1								1									
116	Diseases due to other intestinal parasites	W	2			1			1											
		C	20	4	3		2	1	5	3		2								
117	Appendicitis and typhlitis	W	71						8	13	10	14	9	5	8	3	1			
		C	48			1			4	9	12	12	5	3	1	1				
118a	Hernia	W	10									1	2	2	4	1				
		C	15	3							2	1	1	4	3	1				
118b	Intestinal obstruction	W	43	7	3	3		1	4	5	3	4	2	3	3	5				
		C	49	13		2			1	4	6	10	4	2	1	5		1		
119	Other diseases of the intestines	W	4	2		1											1			
		C	9	4							1			1	3					
120	Acute yellow atrophy of the liver	C	9	1							2	1	2		3					
122	Cirrhosis of the liver	W	20							1				2	10	5	2			
		C	27						1		3	7	3	2	5	4	2			
123	Biliary calculi	W	16								1	3	1	7	3		1			
		C	6								1	1	1	2	1					
124	Other diseases of the liver	W	25	2						2	2	2	4	2	5	5	1			
		C	29	1	1		1			1	7	5	6	3	1	2	1			
125	Diseases of the pancreas	W	1								1									
		C	2							1			1							
126	Peritonitis without specified cause	W	12					1		5	1		2	1		2				
		C	13	1	1				1	5	2	1	1				1			
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	W	3									1	1	1						
		C	3	1										1		1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	Deaths at unknown age.
SOUTH CAROLINA—Continued.																				
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	White	770	10	3	3	1	2	3	15	32	44	66	95	188	214	82	10	....	2
		Colored	923	15	10	11	2	7	16	41	80	104	141	151	135	134	53	18	3	2
128	Acute nephritis (including unspecified under 10 years)	W	51	6	1	2	1	1	2	4	3	3	9	4	5	6	4	....	....	....
		C	99	9	7	7	1	4	10	9	18	9	10	11	1	2	1	....	....	....
129	Chronic nephritis (including unspecified 10 years and over)	W	631	3	....	....	....	1	1	9	15	27	49	88	168	188	72	9	....	1
		C	688	2	2	1	....	1	3	24	46	74	113	123	118	116	43	17	3	2
131	Other diseases of the kidneys and annexa	W	30	....	2	1	....	....	....	....	4	5	3	2	5	4	3	....	....	1
		C	59	3	1	3	1	2	2	4	6	9	4	8	7	7	2	....	....	....
132	Calculi of the urinary passages	W	6	....	....	....	....	....	....	1	....	3	1	....	....	1	....	....	....	....
		C	2	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....
133	Diseases of the bladder	W	8	1	....	....	....	....	....	....	....	....	....	....	2	4	1	....	....	....
		C	14	....	....	....	....	....	....	....	....	....	....	....	2	2	5	1	....	....
134	Diseases of the urethra, etc	C	2	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....
135	Diseases of the prostate	W	21	....	....	....	....	....	....	....	....	....	....	....	7	11	2	1	....	....
		C	14	....	....	....	....	....	....	....	....	1	....	2	5	4	2	....	....	....
136	Nonvenereal diseases of the male genital organs	C	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
137	Cysts, other benign tumors of the ovary	W	5	....	....	....	....	....	....	....	2	1	1	....	1	....	....	....	....	....
		C	8	....	....	....	....	....	....	....	1	3	1	....	1	2	....	....	....	....
138	Salpingitis and pelvic abscess (female)	W	8	....	....	....	....	....	....	1	5	2	....	....	....	....	....	....	....	....
		C	5	....	....	....	....	....	....	....	1	3	1	....	....	....	....	....	....	....
139	Benign tumors of the uterus	W	5	....	....	....	....	....	....	....	1	1	3	....	....	....	....	....	....	....
		C	13	....	....	....	....	....	....	....	1	4	6	1	1	....	....	....	....	....
140	Nonpuerperal uterine hemorrhage	W	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
		C	3	....	....	....	....	....	....	2	....	....	1	....	....	....	....	....	....	....
141	Other diseases of the female genital organs	W	4	....	....	....	....	....	....	....	2	1	....	1	....	....	....	....	....	....
		C	15	....	....	....	....	....	....	2	6	1	4	2	....	....	....	....	....	....
	VIII.—The puerperal state	White	196	....	....	....	....	....	....	23	94	62	17	....	....	....	....	....	....	....
		Colored	299	....	....	....	....	....	....	54	141	86	18	....	....	....	....	....	....	....
143	Accidents of pregnancy	W	14	....	....	....	....	....	....	1	7	5	1	....	....	....	....	....	....	....
		C	12	....	....	....	....	....	....	3	5	3	1	....	....	....	....	....	....	....
144	Puerperal hemorrhage	W	24	....	....	....	....	....	....	1	8	11	4	....	....	....	....	....	....	....
		C	28	....	....	....	....	....	....	1	12	13	2	....	....	....	....	....	....	....
145	Other accidents of labor	W	29	....	....	....	....	....	....	3	14	9	3	....	....	....	....	....	....	....
		C	65	....	....	....	....	....	....	9	37	15	4	....	....	....	....	....	....	....
146	Puerperal septicemia	W	44	....	....	....	....	....	....	3	20	16	5	....	....	....	....	....	....	....
		C	87	....	....	....	....	....	....	13	42	28	4	....	....	....	....	....	....	....
147	Puerperal phlegmasia alba dolens, embolus, etc	W	4	....	....	....	....	....	....	1	3	....	....	....	....	....	....	....	....	....
		C	3	....	....	....	....	....	....	1	....	2	....	....	....	....	....	....	....	....
148	Puerperal albuminuria and convulsions	W	81	....	....	....	....	....	....	14	42	21	4	....	....	....	....	....	....	....
		C	104	....	....	....	....	....	....	27	45	25	7	....	....	....	....	....	....	....
	IX.—Diseases of the skin and of the cellular tissue	White	21	5	2	....	....	....	2	2	1	2	....	1	1	3	....	1	....	1
		Colored	31	5	....	....	....	....	3	2	2	1	5	2	3	5	3	....	....	....
151	Gangrene	W	3	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1
		C	9	....	....	....	....	....	1	....	....	....	1	1	3	2	1	....	....	....
152	Furuncle	W	2	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....
		C	6	....	....	....	....	....	....	1	....	1	3	....	....	1	....	....	....	....
153	Acute abscess	W	9	1	1	....	....	....	2	....	1	2	....	1	....	1	....	....	....	....
		C	8	2	....	....	....	....	2	....	2	....	....	1	....	1	....	....	....	....
154	Other diseases of the skin and annexa	W	7	3	1	....	....	....	....	1	....	....	....	....	1	1	....	....	....	....
		C	8	3	....	....	....	....	....	1	....	....	1	....	....	1	2	....	....	....
	X.—Diseases of the bones and of the organs of locomotion	White	10	1	....	1	1	....	2	2	....	1	....	1	....	1	....	....	....	....
		Colored	9	1	....	....	....	....	....	5	....	1	....	1	1	....	....	....	....	....
155	Diseases of the bones (tuberculosis excepted	W	5	1	....	1	....	....	1	2	....	....	....	....	....	....	....	....	....	....
		C	7	1	....	....	....	....	....	4	....	1	....	1	....	....	....	....	....	....
156	Diseases of the joints (tuberculosis and rheumatism excepted)	W	4	....	....	....	1	....	1	....	....	1	....	....	....	1	....	....	....	....
		C	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
157	Amputations	W	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
158	Other diseases of the organs of locomotion	C	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
	XI.—Malformations	White	101	91	3	2	2	1	1	1	....	....	....	....	....	....	....	....	....	....
		Colored	47	32	6	2	1	1	3	2	....	....	....	....	....	....	....	....	....	....
159a	Congenital hydrocephalus	W	11	7	2	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....
		C	18	10	4	....	1	1	1	1	....	....	....	....	....	....	....	....	....	....
159b	Congenital malformations of the heart	W	57	52	....	2	2	....	1	....	....	....	....	....	....	....	....	....	....	....
		C	10	8	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
159c	Other congenital malformations	W	33	32	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		C	19	14	1	2	....	....	1	1	....	....	....	....	....	....	....	....	....	....
	XII.—Early infancy	White	781	781	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		Colored	1,307	1,307	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
160	Congenital debility, icterus, sclerema	W	103	103	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		C	258	258	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
161a	Premature birth	W	566	566	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		C	961	961	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
161b	Injury at birth	W	61	61	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		C	18	18	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
162	Other diseases peculiar to early infancy	W	51	51	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		C	67	67	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
163	Lack of care	C	3	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
164	XIII.—Old age (senility)	White	127	....	....	....	....	....	....	....	....	....	....	1	4	39	59	20	4	....
		Colored	329	....	....	....	....	....	....	....	....	....	....	4	21	102	110	55	37	....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
SOUTH CAROLINA—Continued.																		
	XIV.—External causes {White	588	23	27	10	15	11	40	73	92	68	79	50	37	37	16	5	....	5
	{Colored	681	44	21	32	18	15	36	101	166	98	60	37	22	13	5	3	3	7
	Suicide (total) {W	69							4	9	12	21	13	6	3	1			
	{C	12							1	8		1		1		1			
165	By poisons (corrosives excepted) {W	2										2							
	{C	1								1									
166	By corrosive substances {W	9							1	2	2	2	2						
	{C	1								1									
167	By poisonous gas W	1									1								
168	By hanging or strangulation W	4								1	1			1		1			
169	By drowning W	1										1							
170	By firearms {W	43							1	6	7	13	9	5	2				
	{C	7							1	5		1							
171	By cutting or piercing instruments {W	6							1			3	2						
	{C	2												1		1			
172	By jumping from high places W	2										1		1					
173	By crushing C	1								1									
174	By other means W	1							1										
	Homicide (total) {W	95	1			1		1	8	22	17	28	10	4	2				1
	{C	197	3			1		1	15	78	51	25	12	7	1				3
	{W	80				1		1	5	20	14	25	9	3	1				1
197	By firearms {C	164				1		1	13	68	44	18	10	6	1				2
	{W	7							3		1	1	1	1					
198	By cutting or piercing instruments {C	17							1	6	3	4	1	1					1
	{W	8	1							2	2	2			1				
199	By other means {C	16	3						1	4	4	3	1						
	Accidental or undefined (total) {W	424	22	27	10	14	11	39	61	61	39	30	27	27	32	15	5	....	4
	{C	472	41	21	32	17	15	35	85	80	47	34	25	14	12	4	3	3	4
	{W	11	2	3			1		1	1				3					
175	Poisoning by food {C	6	1	1		2							1					1	
	{W	1						1											
176	Poisoning by venomous animals {C	7						3			1	1		1					1
	{W	11	1	5	1	1				1	1		1						
177	Other acute poisonings (gas excepted) {C	19	2	8	2	1		2		2		1	1						
	{W	4		2				1					1						
178	Conflagration {C	11	4	1		1			2					1	1		1		
	{W	67	3	5	8	10	8	11	2	2	2	2	2	2	5	4	1		
179	Burns (conflagration excepted) {C	116	11	7	25	11	11	17	11	6	1	2	2	5	3	1	1	2	
	{W	14	12			1		1											
180	Mechanical suffocation {C	15	13					1		1									
181	Absorption of irrespirable, irritating, or poisonous gas {W	1										1							
	{W	44		3			1	2	15	14	5	1	1						2
182	Drowning {C	46	1		2			2	19	13	3	3		1	1				1
	{W	29		1				1	9	10	5	2	1						
183	Traumatism by firearms (except in war) {C	59		2	1		2	6	23	12	7	2	2	1					1
	{W	3			1					1			1						
184	Traumatism by cutting or piercing instruments {C	4							1				2			1			
	{W	58		2				1	5	3	1	4	1	8	20	10	3		
185	Traumatism by fall {C	29	6						5	4	3	5	1		4	1			
186b	Traumatism in quarries C	1								1									
	{W	11						1	2	1	2	2	2	1					
187	Traumatism by machines {C	12							3	1	3	2	1	2					
	{W	33		1						8	5	5	6	4	2				2
188a	Railroad accidents {C	24							5	10	7		1						1
188b	Street-car accidents W	2								1		1							
	{W	51				1		8	13	6	10	2	4	4	3				
188c	Automobile accidents {C	23			1	1		2	2	8	1	4	2		2				
	{W	14	1	1				1	3	1		2	2	1	2				
188e, f	Injuries by other vehicles {C	16	1						3	1	1	5	4			1			
	{W	1						1											
188g	Landslide, other crushing {C	5								2	1	1	1						
	{W	6						2	1	2	1								
189	Injuries by animals (not poisoning) {C	5							3			1		1					
190	Wounds of war W	1								1									
192	Starvation (deprivation of food or water) {W	1											1						
193	Excessive cold C	2									1				1				
	{W	3								1	1		1						
194	Excessive heat {C	3								1	2								
	{W	8						1	2	1		3	1						
195	Lightning {C	18							3	2	8	2	3						
196	Other accidental electric shocks {W	7							1	5	1								
	{C	5						2	1			1	1						
201	Fracture (cause not specified) {W	2							1			1							
	{C	3		1							1		1						
202	Other external violence {W	32	2	4		1	1	6	4	2	4	4	2	2					
	{C	30		1			1		3	14	6	3		1			1		
203	Violent deaths of unknown causation {W	9	1					1	2		1			2			1		
	{C	13	2		1	1	1		1	2	1	1	2	1					
	XV.—Ill-defined diseases {White	217	65	8	3	1	....	6	4	7	20	12	18	39	24	7	....	....	3
	{Colored	706	223	69	15	19	12	24	36	50	39	51	54	47	42	21	2	....	2
	Sudden death {W	9	1					1		2	2		1		1	1			
204	{C	12	3			1					1			3	3	1			
	{W	144	36	5	2	1		2	2	5	15	9	15	29	20	3			
205a	Ill-defined {C	547	170	58	11	10	10	21	26	38	27	41	43	33	36	20	2	....	1
	{W	64	28	3	1			3	2		3	3	2	10	3	3			3
205b	Not specified or unknown {C	147	50	11	4	8	2	3	10	12	11	10	11	11	3				1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	TENNESSEE.																		
	All causes {White	18,032	2,995	771	334	193	171	495	896	1,389	1,378	1,381	1,569	2,298	2,652	1,334	136	9	31
	{Colored	7,187	929	196	78	60	42	161	592	1,037	915	834	830	640	474	273	67	34	25
	I.—Epidemic, endemic, and infectious diseases {White	4,258	416	246	145	97	99	238	353	657	537	373	340	371	270	100	12	....	4
	{Colored	2,091	141	69	27	23	13	83	339	539	328	230	159	75	38	20	2	....	5
1	Typhoid and paratyphoid fever {W	431	1	2	5	6	5	37	108	91	65	49	39	19	2	2	.....	.....	.....
	{C	186	1	2	3	3	.....	14	75	51	9	10	12	5	1	.....	.....	.....	.....
5	Malaria {W	204	20	7	9	4	5	14	33	29	22	18	16	12	9	5	1	.....	.....
	{C	136	8	3	3	2	2	9	20	18	17	19	13	13	5	3	1	.....	.....
6	Smallpox {W	6	1	.....	.....	.....	.....	.....	.....	1	.....	.....	1	2	1	.....	.....	.....	.....
	{C	5	1	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	1	.....	.....
7	Measles {W	71	16	11	6	6	5	11	6	1	4	.....	2	3	.....	.....	.....	.....	.....
	{C	10	4	2	.....	1	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
8	Scarlet fever {W	39	9	8	2	5	1	11	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
	{C	3	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Whooping cough {W	205	127	44	13	5	7	7	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
	{C	81	46	13	3	7	7	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
10	Diphtheria {W	349	33	42	58	46	60	99	8	.....	1	.....	.....	.....	1	.....	.....	.....	1
	{C	39	8	4	5	4	2	11	2	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
11a	Influenza (with pulmonary complications) {W	195	20	6	6	2	3	3	15	10	15	13	18	37	32	13	2	.....	.....
	{C	97	12	11	5	1	.....	4	13	14	9	10	5	5	4	4	.....	.....	.....
11b	Influenza (other and unspecified) {W	133	10	6	2	1	1	3	7	3	6	2	15	22	34	16	5	.....	.....
	{C	57	2	2	.....	1	.....	3	8	6	7	6	10	3	8	1	.....	.....	.....
15	Cholera nostras {W	14	.....	.....	.....	.....	.....	1	.....	1	1	.....	1	2	1	6	1	.....	.....
	{C	2	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
16	Dysentery {W	270	52	61	19	7	4	10	12	2	5	7	10	22	31	24	3	.....	1
	{C	45	12	11	.....	.....	1	2	.....	1	5	.....	5	6	1	1	.....	.....	.....
21	Erysipelas {W	51	22	3	1	.....	.....	1	1	3	2	1	4	3	7	3	.....	.....	.....
	{C	4	1	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....
22	Acute anterior poliomyelitis {W	22	4	7	3	4	.....	2	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
	{C	8	3	1	1	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
23	Lethargic encephalitis {W	19	2	2	.....	1	1	1	2	2	2	2	2	1	1	.....	.....	.....	.....
	{C	5	.....	.....	.....	.....	.....	.....	.....	2	.....	2	1	.....	.....	.....	.....	.....	.....
24	Meningococcus meningitis {W	29	14	4	.....	.....	1	1	1	3	3	1	.....	.....	.....	1	.....	.....	.....
	{C	4	.....	1	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....
25	Other epidemic and endemic diseases {W	7	1	2	1	.....	.....	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
27	Anthrax {W	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
28	Rabies {W	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
29	Tetanus {W	33	8	1	.....	.....	.....	9	6	3	2	.....	4	.....	.....	.....	.....	.....	.....
	{C	19	3	.....	.....	1	.....	2	6	3	1	2	1	.....	.....	.....	.....	.....	.....
30	Mycoses {W	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{C	2	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total) {W	2,039	40	34	17	9	5	23	147	498	384	259	211	236	147	27	.....	.....	2
	{C	1,265	13	17	7	.....	1	31	199	420	253	160	98	37	17	8	.....	.....	4
31	Of the respiratory system {W	1,775	20	12	7	3	1	7	127	456	351	245	184	206	134	20	.....	.....	2
	{C	1,120	10	14	6	.....	1	23	170	381	227	138	88	36	16	6	.....	.....	4
32	Of the meninges, central nervous system {W	88	17	20	7	5	3	10	6	6	6	1	4	2	1	.....	.....	.....	.....
	{C	19	1	3	.....	.....	.....	4	3	4	1	2	1	.....	.....	.....	.....	.....	.....
33	Of the intestines, peritoneum {W	92	2	1	.....	.....	.....	.....	3	12	15	10	16	19	11	3	.....	.....	.....
	{C	63	1	.....	.....	.....	.....	3	8	22	16	8	4	.....	1	.....	.....	.....	.....
34	Of the vertebral column {W	19	.....	.....	1	.....	.....	2	2	4	5	1	2	.....	1	1	.....	.....	.....
	{C	5	1	.....	.....	.....	.....	1	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....
35	Of the joints {W	8	.....	.....	.....	.....	1	2	1	2	1	.....	.....	.....	.....	1	.....	.....	.....
	{C	7	.....	.....	.....	.....	.....	.....	1	1	2	3	.....	.....	.....	.....	.....	.....	.....
36	Of other organs {W	19	.....	.....	2	1	.....	1	6	5	.....	1	1	1	.....	1	.....	.....	.....
	{C	18	.....	.....	1	.....	.....	.....	6	2	2	3	2	.....	.....	2	.....	.....	.....
37a	Disseminated (acute) {W	20	1	1	.....	.....	.....	.....	2	9	2	1	3	.....	.....	1	.....	.....	.....
	{C	29	.....	.....	.....	.....	.....	.....	9	8	4	5	3	.....	.....	.....	.....	.....	.....
37b	Disseminated (chronic or unspecified) {W	18	.....	.....	.....	.....	.....	1	.....	4	4	.....	1	8	.....	.....	.....	.....	.....
	{C	4	.....	.....	.....	.....	.....	.....	1	1	1	1	.....	.....	.....	.....	.....	.....	.....
38	Syphilis {W	102	33	6	.....	.....	.....	.....	1	6	15	16	14	9	1	1	.....	.....	.....
	{C	103	24	2	.....	1	.....	1	9	13	18	17	9	4	2	2	.....	.....	1
39	Soft chancre {C	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
40	Gonococcus infection {W	5	.....	.....	1	.....	.....	.....	.....	2	.....	2	.....	.....	.....	.....	.....	.....	.....
	{C	9	.....	.....	.....	.....	.....	.....	1	2	6	.....	.....	.....	.....	.....	.....	.....	.....
41	Purulent infection, septicemia {W	30	2	.....	2	.....	.....	4	3	2	7	2	2	3	1	2	.....	.....	.....
	{C	10	1	.....	.....	.....	.....	.....	.....	1	1	1	3	2	.....	1	.....	.....	.....
	II.—General diseases not included in Class I {White	1,494	25	12	7	1	2	11	43	53	144	216	267	332	276	101	1	....	3
	{Colored	441	6	1	2	.....	.....	3	12	49	76	101	74	59	37	13	4	1	3
	Cancer and other malignant tumors (total) {W	905	.....	2	1	.....	.....	2	10	16	71	142	170	224	193	72	1	.....	1
	{C	208	.....	.....	.....	.....	.....	.....	1	16	30	55	35	36	23	9	2	.....	1
43	Of the buccal cavity {W	26	.....	.....	.....	.....	.....	.....	1	.....	.....	4	4	5	6	6	.....	.....	.....
	{C	13	.....	.....	.....	.....	.....	.....	.....	1	.....	4	3	3	1	.....	.....	.....	1
44	Of the stomach, liver {W	305	.....	.....	.....	.....	.....	1	.....	4	19	36	68	96	64	17	.....	.....	.....
	{C	43	.....	.....	.....	.....	.....	.....	1	2	2	8	9	9	9	3	.....	.....	.....
45	Of the peritoneum, intestines, rectum {W	95	.....	.....	1	.....	.....	.....	3	4	6	13	19	24	19	6	.....	.....	.....
	{C	11	.....	.....	.....	.....	.....	.....	.....	1	1	5	.....	4	.....	.....	.....	.....	.....
46	Of the female genital organs {W	157	.....	.....	.....	.....	.....	.....	.....	4	20	46	35	28	22	2	.....	.....	.....
	{C	87	.....	.....	.....	.....	.....	.....	.....	8	18	26	16	12	6	1	.....	.....	.....
47	Of the breast {W	82	.....	.....	.....	.....	.....	.....	.....	1	14	20	14	10	16	7	.....	.....	.....
	{C	23	.....	.....	.....	.....	.....	.....	.....	.....	5	9	3	2	3	1	.....	.....	.....
48	Of the skin {W	68	.....	.....	.....	.....	.....	.....	1	1	1	4	5	11	26	19	.....	.....	.....
	{C	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....
49	Of other or unspecified organs {W	172	.....	2	.....	.....	.....	1	5	2	11	19	25	50	40	15	1	....	1
	{C	28	.....	.....	.....	.....	.....	.....	.....	4	3	3	4	6	3	3	2	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	Deaths at unknown age.
	TENNESSEE—Continued.																		
	II.—General diseases not included in Class I—Continued.																		
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	W.. 10	2						1		1			4	2				
		C... 5	1							2			1		1				
51	Acute rheumatic fever	W.. 40		1				3	6	2	2	3	4	8	7	4			
		C... 30						1	2		3	7	8	4	2			1	2
52	Chronic rheumatism, osteoarthritis, gout	W.. 21							1			1	5	5	5	4			
		C... 7									1		4		1	1			
54	Pellagra	W.. 213	1	1	1		1	3	3	14	34	43	38	39	29	6			
		C... 116						1	5	21	28	27	14	12	5	2	1		
56	Rickets	W.. 2	1	1															
		C... 4	2		1							1							
57	Diabetes mellitus	W.. 121						2	10	8	12	4	23	29	26	7			
		C... 24								2	5	3	5	6	2		1		
58	Anemia, chlorosis	W.. 47	2		1				2	3	7	7	10	9	6				
		C... 10	1	1					1	3	1		2		1				
60a	Exophthalmic goiter	W.. 11								1	1	2	3	2	2				
		C... 8							1		3	4							
60b	Other diseases of the thyroid gland	W.. 9								1	1	3	3	1					
61	Diseases of the parathyroid glands	W.. 1	1																
62	Diseases of the thymus gland	W.. 2	2																
63	Diseases of the adrenals (Addison's disease)	W.. 4								1	1		1	1					
64	Diseases of the spleen	W.. 6	1						1		2		1			1			
		C... 1														1			
65a	Leukemia	W.. 16							2	4	1	2	1	3	2				1
		C... 1										1							
65b	Hodgkin's disease	W.. 10							1	1	3	2	1	1	1				
		C... 1											1						
66	Alcoholism (acute or chronic)	W.. 20							2	2	4	3	4	4	1				
		C... 13							1	3	4	2	2		1				
67a	Chronic lead poisoning	W.. 2												1					1
67b	Other chronic mineral poisoning	W.. 1									1								
		C... 1												1					
68	Chronic poisoning by organic substances	W.. 7									2	1	1	1		2			
		C... 1								1									
69	Other general diseases	W.. 46	15	7	4	1	1	1	4		1	3	2		2	5			
		C... 11	2		1			1	1	1	1	1	2		1				
	III.—Diseases of the nervous system and of the organs of special sense	White... 1,521	72	21	8	3	6	25	42	42	64	109	184	340	401	193	10	1	
		Colored.. 498	27	6	3	2	1	6	10	26	38	66	100	103	65	27	15	1	2
70	Encephalitis	W.. 22	4		1		1	2	2	3	2	5	1	1					
		C... 6	2		1	1				1			1						
71a	Simple meningitis	W.. 57	21	4	5	2	3	5	6	2	1	2	1	2	1	2			
		C... 9	3	1				1		2		1			1				
71b	Nonepidemic cerebrospinal meningitis	W.. 27	10	7				2	6		1		1						
		C... 8		1	1		1	1	2		1					1			
72	Tabes dorsalis (locomotor ataxia)	W.. 22									3		7	8	4				
		C... 1											1						
73	Other diseases of the spinal cord	W.. 63						1	1		2	2	7	19	25	5	1		
		C... 30		1						1	2	5	7	7	6	1			
74a	Cerebral hemorrhage	W.. 792	2	1				2	4	6	20	57	127	211	231	124	6	1	
		C... 249	1					1	2	6	19	27	62	60	42	17	11		1
74b	Cerebral embolism and thrombosis	W.. 16								1		2	2	2	6	2	1		
		C... 8								1		3		3		1			
75	Paralysis without specified cause	W.. 239	4					1	2	2	4	7	19	53	100	46	1		
		C... 77								3	6	9	18	20	9	6	4	1	1
76	General paralysis of the insane	W.. 48								1	7	14	7	12	4	3			
		C... 26								4	3	10	2	4	3				
77	Other forms of mental alienation	W.. 31								4	6	5	1	6	7	2			
		C... 12								1	2	4	2	3					
78	Epilepsy	W.. 52	2			1	1	2	10	14	8	4	3	5	2				
		C... 23							6	4	2	3	3	3	2				
79	Convulsions (nonpuerperal; 5 years and over)	W.. 4						1		1	2								
		C... 3						2			1								
80	Infantile convulsions (under 5 years)	W.. 25	19	4	1		1												
		C... 20	19	1															
81	Chorea	W.. 5	1						1		1	2							
		C... 1											1						
82	Neuralgia and neuritis	W.. 15							1	3			3	4	2	2			
		C... 1												1					
83	Softening of the brain	W.. 28									2		2	7	11	5	1		
		C... 1											1						
84	Other diseases of the nervous system	W.. 39	1		1			4	5	2	4	7	2	8	4	1			
		C... 14	1	2						2	2	2	1	2	1	1			
85	Diseases of the eye and annexa	W.. 1														1			
		C... 3			1			1							1				
86a	Diseases of the ear	W.. 22	5	2				3	3	1	1	1	1	2	3				
		C... 5	1			1				1		1	1						
86b	Diseases of the mastoid process	W.. 13	3	3				2	1	2		1			1				
		C... 1										1							

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	Deaths, at unknown age.
	TENNESSEE—Continued.																		
	IV.—Diseases of the circulatory system	White	1,737	11	2	4	1	3	8	35	44	60	126	209	400	566	246	19	1	2
		Colored	738	3	3	1	1		4	13	39	76	115	181	125	107	52	10	2	6
87	Pericarditis	W	16						1				3	5	3	4				
		C	5								2		1		1	1				
88	Endocarditis and myocarditis (acute)	W	40		2			1	3	7	5	9	5	1	6	1				
		C	21	1					1	1	2	10	2	3		1				
89	Angina pectoris	W	96							1		4	12	11	27	35	6			
		C	14								1	2	5	2	1	3				
90	Other diseases of the heart	W	1,401	7		4	1	2	4	27	35	39	97	176	336	461	197	12	1	2
		C	640	1	2	1			3	12	34	58	99	161	116	91	46	9	1	6
91a	Aneurysm	W	15								2	1	5	4	2	1				
		C	17									6	4	5	1	1				
91b, c	Other diseases of the arteries	W	138									1	2	8	23	62	36	6		
		C	27										1	6	4	9	5	1	1	
92	Embolism and thrombosis (not cerebral)	W	15	3							2	3	1	2	1	1	2			
		C	6										2	2	1	1				
93	Diseases of the veins	W	3									1		1	1					
		C	1												1					
94	Diseases of the lymphatic system	W	4	1								1	1				1			
		C	3	1	1								1							
95	Hemorrhage without specified cause	W	7									1			1	1	3	1		
		C	4				1							2			1			
96	Other diseases of the circulatory system	W	2											1			1			
	V.—Diseases of the respiratory system	White	1,491	243	82	37	24	11	37	70	82	67	91	123	211	264	134	9	1	5
		Colored	628	128	42	16	9	10	12	45	73	56	56	70	49	36	18	2	4	2
97a	Diseases of the nasal fossae	W	8	3	2					1					1	1				
		C	4	3	1															
97b	Diseases of the nasal fossae annexa	W	4		1								2		1					
		C	1									1								
98	Diseases of the larynx	W	12	4	3	1			1		2						1			
		C	6	2		1			1			1				1				
99a	Acute bronchitis	W	10	3	2								1			2	2			
		C	23	7	3	1	1			2	6		1	1	1					
99b	Chronic bronchitis	W	45		1							1			9	15	18	1		
		C	20							1	6	1		4	4	2	2			
99c, d	Bronchitis (unspecified)	W	37	9	3							1		1	7	10	5	1		
		C	34	7	1					4	6	2	5	5	2	2				
100a	Bronchopneumonia	W	505	131	42	21	15	6	15	6	16	11	19	29	55	82	51	3	1	2
		C	180	72	18	8	3	5	6	6	13	7	9	14	11	5		1	2	
100b	Capillary bronchitis	W	13	6	3	1									1	2				
		C	3	2			1													
101a	Lobar pneumonia	W	614	61	15	8	6	2	13	50	44	41	50	68	101	111	38	4		2
		C	269	20	16	4	4	4	5	25	32	34	32	37	20	22	10	1	2	1
101b	Pneumonia (unspecified)	W	131	24	6	6	2	2	6	8	10	7	8	9	15	20	7			1
		C	45	14	2	1	1			4	2	4	3	4	3	2	4			1
102	Pleurisy	W	36		2		1	1		4	4	3	3	7	6	4	1			
		C	17			1				1	6	2	4	1	1	1				
103	Congestion and hemorrhagic infarct of the lung	W	36	2	1				2	1	1	3	2	5	5	6	3			
		C	8	1						1	1	1	1		3					
104	Gangrene of the lung	W	2								1				1					
		C	1								1									
105	Asthma	W	25		1						2		3	3	6	8	2			
		C	13		1							2	1	3	4	1	1			
106	Pulmonary emphysema	W	1													1				
107	Other diseases of the respiratory system (tuberculosis excepted)	W	12								2	1	2	1	3	2	1			
		C	4							1		1		1			1			
	VI.—Diseases of the digestive system	White	1,975	480	313	87	32	24	80	106	82	97	126	120	158	167	90	8		5
		Colored	605	108	41	12	11	5	23	38	57	83	70	64	48	28	13		3	1
108	Diseases of the mouth and annexa	W	24	4		1			3	2	2	1	3	4	3	1				
		C	10	1						1		3	3	2						
109b	Other diseases of the pharynx, tonsils	W	52	1	5	4	4	5	9	5	6	6	3		2	2				
		C	20				5	1	3	4		4	2		1					
110	Diseases of the esophagus	W	2						1						1					
		C	2								1		1							
111a	Ulcer of the stomach	W	37							1	1	10	4	3	6	9	3			
		C	26							1	3	11	3	5	3					
111b	Ulcer of the duodenum	W	14								2	2	1	4	4	1				
		C	2													2				
112	Other diseases of the stomach (cancer excepted)	W	163	50	11	7	2		3	2	2	4	8	12	17	24	19	1		1
		C	95	14	3	1			3	1	6	16	14	16	7	11	2			1
113	Diarrhea and enteritis (under 2 years)	W	682	391	291															
		C	122	86	36															
114	Diarrhea and enteritis (2 years and over)	W	315			71	20	16	25	15	2	9	14	13	33	47	41	6		3
		C	80			10	4	3	6	2	8	8	9	10	8	4	6		2	
115	Ancylostomiasis	W	5				1		1	2					1					
116	Diseases due to other intestinal parasites	W	4			1			2				1							
		C	5	1		1	1			2										
117	Appendicitis and typhlitis	W	251		1	1	3	2	22	65	44	27	36	24	12	8	6			
		C	78				1		5	16	19	14	12	6	4	1				
118a	Hernia	W	37		2				1	2		4	5	8	6	7	2			
		C	18	1	1					1	1	1	1	3	5	3	1			
118b	Intestinal obstruction	W	98	25	3	2	2		4	4	4	8	17	9	8	11	1			
		C	60	3	1			1	3	4	10	8	11	6	8	1	4			
119	Other diseases of the intestines	W	23	1	1				2	3	2	1	3	1	3	5	1			
		C	16	1						1	1	4	3	2	3	1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	TENNESSEE—Continued.																	
	VI.—Diseases of the digestive system—Continued.																	
120	Acute yellow atrophy of the liver	W	8							3		2			2		1	
122	Cirrhosis of the liver	W	71					1	2	3	5	2	14	25	17	2		
		C	28					1		1	4	7	8	5	2			
123	Biliary calculi	W	66					1	1	1	3	14	14	17	10	5		
		C	6						1		1		2	1	1			
124	Other diseases of the liver	W	95	5	1			1	2	7	10	10	13	18	18	10		
		C	22						3	3	4	3	3	3	2		1	
125	Diseases of the pancreas	W	6								2	1		1	2			
126	Peritonitis without specified cause	W	22	1				3	2	3	5	2	1	1	3			1
		C	15	1				2	1	4	5	1	1					
	VII.—Nonvenereal diseases of the genito-urinary system and annexa.	White	1,310	12	5	4	4	3	17	18	53	68	111	141	272	412	176	14	
		Colored	625	4	4		3	1	4	12	44	85	97	114	110	98	38	8	2	1
128	Acute nephritis (including unspecified under 10 years)	W	101	6	4	3	4	3	10	5	6	6	14	8	7	18	7		
		C	67	1	2		3	1	3	4	9	11	11	12	6	4			
129	Chronic nephritis (including unspecified 10 years and over)	W	997	2	1				7	9	30	39	69	121	230	341	135	13	
		C	438	1	1				1	7	20	47	66	80	92	85	29	6	2	1
131	Other diseases of the kidneys and annexa	W	50	4						2	4	6	3	5	8	10	8			
		C	17		1							4	3	4	2	1	1	1		
132	Calculi of the urinary passages	W	9											1	4	4				
		C	2												1	1				
133	Diseases of the bladder	W	21								1		1	2	4	8	5			
		C	14	1							1	1		4	1	3	3			
134	Diseases of the urethra, etc	W	3										2		1					
		C	13	1							1	3	5	1	2					
135	Diseases of the prostate	W	63										2	1	13	28	18	1		
		C	24									2		8	6	3	4	1		
137	Cysts, other benign tumors of the ovary	W	9							1	1			1	2	3	1			
		C	1														1			
138	Salpingitis and pelvic abscess (female)	W	20							1	8	6	5							
		C	22								9	7	4	1		1				
139	Benign tumors of the uterus	W	24								1	5	12	2	2		2			
		C	19								2	7	7	3						
140	Nonpuerperal uterine hemorrhage	C	2									2								
141	Other diseases of the female genital organs	W	12								2	6	3		1					
		C	6							1	2	1	1	1						
142	Nonpuerperal diseases of the breast (cancer excepted)	W	1			1														
	VIII.—The puerperal state	White	348							49	139	124	34							2
		Colored	122							28	56	32	6							
143	Accidents of pregnancy	W	35							4	14	14	3							
		C	9							1	5	2	1							
144	Puerperal hemorrhage	W	27								7	15	5							
		C	5							1	3	1								
145	Other accidents of labor	W	29							5	8	11	5							
		C	9							3	2	3	1							
146	Puerperal septicemia	W	128							14	56	47	11							
		C	69							17	37	13	2							
147	Puerperal phlegmasia alba dolens, embolus, etc	W	7							1	2	2	2							
148	Puerperal albuminuria and convulsions	W	122							25	52	35	8							2
		C	30							6	9	13	2							
	IX.—Diseases of the skin and of the cellular tissue	White	60	11	4	1	1	1	3	3	4	2	1	5	2	8	11	3		
		Colored	25						1		2	2	6	2	4	2	6			
151	Gangrene	W	25	2	2	1			1		1	1	1	3	1	5	5	2		
		C	14										3	1	2	2	6			
152	Furuncle	W	14	3	2					1	3	1		2		1	1			
		C	3									1	1		1					
153	Acute abscess	W	13	3			1	1	2	2						1	3			
		C	7								2	1	2	1	1					
154	Other diseases of the skin and annexa	W	8	3											1	1	2	1		
		C	1						1											
	X.—Diseases of the bones and of the organs of locomotion	White	21			3			4	5	2		1			4	2			
		Colored	1		1															
155	Diseases of the bones (tuberculosis excepted)	W	19			3			4	4	2		1			4	1			
		C	1		1															
158	Other diseases of the organs of locomotion	W	2							1							1			1
	XI.—Malformations	White	198	178	10	2	1	1	4	2										
		Colored	18	16		1				1										
159a	Congenital hydrocephalus	W	18	11	3		1		2	1										
		C	1			1														
159b	Congenital malformations of the heart	W	80	78					2											
		C	4	4																
159c	Other congenital malformations	W	100	89	7	2		1		1										
		C	13	12						1										

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	TENNESSEE—Continued.																		
	XII.—Early infancy {White	984	984																
	{Colored	239	239																
160	Congenital debility, icterus, sclerema {W	166	166																
	{C	55	55																
161a	Premature birth {W	649	649																
	{C	149	149																
161b	Injury at birth {W	110	110																
	{C	17	17																
162	Other diseases peculiar to early infancy {W	58	58																
	{C	18	18																
163	Lack of care {W	1	1																
164	XIII.—Old age (senility) {White	271												11	78	141	37	4	
	{Colored	97											1	3	16	47	17	13	
	XIV.—External causes {White	1,296	37	34	24	25	12	58	153	205	186	160	120	103	92	70	11	1	5
	{Colored	498	18	8	13	7	10	14	68	125	103	49	33	21	16	6	2	2	3
	Suicide (total) {W	155							16	25	29	25	27	23	4	5			1
	{C	18							1	8	4	4		1					
165	By poisons (corrosives excepted) {W	8							2	2		1	2		1				
166	By corrosive substances {W	26							3	2	6	5	3	6	1				
	{C	4							1	1	1	1							
167	By poisonous gas {W	2							1	1									
168	By hanging or strangulation {W	26							1	6	3	3	4	5	1	2			1
	{C	3								2		1							
169	By drowning {W	5							1		2	1				1			
	{C	4								1	2			1					
170	By firearms {W	71							8	13	16	11	13	8	1	1			
	{C	6								3	1	2							
171	By cutting or piercing instruments {W	12									1	2	5	4					
172	By jumping from high places {W	4								1	1	2							
173	By crushing {C	1								1									
174	By other means {W	1														1			
	Homicide (total) {W	218					1	1	16	54	70	49	19	5	3				
	{C	177	2						14	67	58	16	10	4	4				2
197	By firearms {W	189						1	15	48	63	37	18	5	2				
	{C	138	1						12	53	47	12	8	2	2				1
198	By cutting or piercing instruments {W	11					1			4	2	4							
	{C	22							1	14	6		1						
199	By other means {W	18							1	2	5	8	1		1				
	{C	17	1						1		5	4	1	2	2				1
	Accidental or undefined (total) {W	923	37	34	24	25	11	57	121	126	87	86	74	75	85	65	11	1	4
	{C	303	16	8	13	7	10	14	53	50	41	29	23	16	12	6	2	2	1
175	Poisoning by food {W	18	1		2		1	4	1	2		1	3		2	1			
	{C	13	2		1			1	1	2	2	1	2	1					
176	Poisoning by venomous animals {W	1											1						
177	Other acute poisonings (gas excepted) {W	31	1	8	3	2			2	2	2	6	3	2					
	{C	7	1					1		1	1	3							
178	Conflagration {W	9	1			1			2	3			1		1				
	{C	15	3	1	2	2	2	1		3									1
179	Burns (conflagration excepted) {W	99	8	6	8	12	6	18	6	9	5	4	4	4	4	3	2		
	{C	54	3	6	6	4	6	6	5	6	4	1	1	1	3		1	1	
180	Mechanical suffocation {W	15	15																
	{C	6	5							1									
181	Absorption of irrespirable, irritating, or poisonous gas {W	5							1	1	1	1			1				
	{C	1								1									
182	Drowning {W	61		4	2	1	1	2	22	12	8	4	4						1
	{C	29						2	14	5	4	3	1						
183	Traumatism by firearms (except in war) {W	74	1		2	3		4	27	14	8	5	6	3	1				
	{C	37		1				1	13	11	3	4	3			1			
184	Traumatism by cutting or piercing instruments {W	3										1			2				
	{C	4							1			2				1			
185	Traumatism by fall {W	181	4	2	2	2		3	8	13	3	17	7	18	40	53	8	1	
	{C	22	1		1				4	2	1		1	3	3	4	1	1	
186a	Traumatism in mines {W	15							1	4	5	2	1	1					1
	{C	1									1								
186b	Traumatism in quarries {W	2							1			1							
187	Traumatism by machines {W	18							2	9	1	3	3						
	{C	3								1	1	1							
188a	Railroad accidents {W	74		1		1			8	19	12	11	12	5	4		1		
	{C	31					1		4		12	6	2	5	1				
188b	Street-car accidents {W	8			1			1			1		2	3					
	{C	6								2	2	2							
188c	Automobile accidents {W	109		1	2	2		13	19	18	16	11	9	10	7				1
	{C	25				1		2	4	8		2	3	3	2				
188d	Aeroplane and balloon accidents {W	1										1							
188e,f	Injuries by other vehicles {W	39	1	2			1	5	3	4	3	1	6	6	5	2			
	{C	7									2		2	2	1				
188g	Landslide, other crushing {W	6								1	2				1	1			1
	{C	1							1										
189	Injuries by animals (not poisoning) {W	27		1	1		1	1	2	5	4	2	1	4	5				
	{C	1											1						
193	Excessive cold {C	1													1				
194	Excessive heat {W	5											1	1	2	1			
	{C	6								2	1		3						
195	Lightning {W	13						2	3	2	1	1	1	2	1				
	{C	4							2			1	1						

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
TENNESSEE—Continued.																		
	XIV.—External causes—Continued.																	
	Accidental or undefined—Continued.																	
196	Other accidental electric shocks {W	8								2	4	2						
	{C	3								1	2							
201	Fracture (cause not specified) {W	16							2	1	1	1	2	3	3	3		
	{C	1													1			
202	Other external violence {W	61	3	8	1	1	1	4	7	4	10	9	5	6	2			
	{C	17			1		1		3	4	3	3	2					
203	Violent deaths of unknown causation {W	24	2	1					4	1		2	2	7	4	1		
	{C	8	1		2				1		2		1	1				
	XV.—Ill-defined diseases {White	1,068	526	42	12	4	9	10	17	26	29	33	60	98	114	70	12	1	5
	{Colored	561	239	21	3	4	2	11	26	27	36	38	32	43	31	33	7	6	2
204	Sudden death {W	73	10							3	3	9	11	13	17	5	2		
	{C	35	5	2	1				1	5	3	3	4	6	1	3	1		
205a	Ill-defined {W	227	66	14	3		2	2	5	5	6	7	21	45	30	15	3		3
	{C	84	18	5	2	1		2	5	5	7	6	12	7	8	2	2	1	1
205b	Not specified or unknown {W	768	450	28	9	4	7	8	12	18	20	17	28	40	67	50	7	1	2
	{C	442	216	14		3	2	9	20	17	26	29	16	30	22	28	4	5	1
UTAH.																		
	All causes	4,783	1,062	217	81	57	55	150	270	317	366	341	428	520	543	324	49	1	2
	I.—Epidemic, endemic, and infectious diseases	685	162	72	44	32	23	55	50	60	58	45	40	28	8	7	1		
1	Typhoid and paratyphoid fever	42					1	4	10	10	9	2	2	3	1				
6	Smallpox	10	4				1	1		1		1	1	1					
7	Measles	92	18	30	13	11	9	4	6		1								
8	Scarlet fever	20	2	1	3	3	3	4	4										
9	Whooping cough	146	94	27	14	5	2	4											
10	Diphtheria	62	4	2	8	9	3	23	6	4	1	1	1						
11a	Influenza (with pulmonary complications)	30	9	2			1	5	2		1	3	3	3		1			
11b	Influenza (other and unspecified)	8	2					1	2						1	2			
13	Mumps	1															1		
16	Dysentery	7	3	2									1		1				
21	Erysipelas	18	12							2		1		2		1			
22	Acute anterior poliomyelitis	5	1		1		1		1				1						
23	Lethargic encephalitis	2					1		1										
24	Meningococcus meningitis	10	2	1				3	1	2	1								
25	Other epidemic and endemic diseases	4	1	1				1	1										
28	Rabies	1			1														
29	Tetanus	3				1		1				1							
	Tuberculosis (total)	184	5	6	4	3	1	4	14	35	42	29	23	13	3	2			
31	Of the respiratory system	150	1	4	1	1	1	2	9	31	33	23	22	12	3	2			
32	Of the meninges, central nervous system	19	4	2	3	2		2	3			3							
33	Of the intestines, peritoneum	6								3	1	2							
34	Of the vertebral column	4							1		1	1	1						
35	Of the joints	1							1										
36	Of other organs	3								1	1			1					
37a	Disseminated (acute)	1									1								
38	Syphilis	30	4						1	4	3	5	7	5	1				
40	Gonococcus infection	4								1		2	1						
41	Purulent infection, septicemia	6	1						1	1				1	1	1			
	II.—General diseases not included in Class I	470	11	4	2	2	2	14	17	16	41	53	97	98	84	29			
	Cancer and other malignant tumors (total)	292				1	1	2	3	5	22	41	67	68	60	22			
43	Of the buccal cavity	10					1			1		3	1	3		1			
44	Of the stomach, liver	113							1	1	5	12	25	33	29	7			
45	Of the peritoneum, intestines, rectum	34						2		1	3	3	7	8	9	1			
46	Of the female genital organs	43									3	10	15	5	5	5			
47	Of the breast	27									3	7	7	2	5	3			
48	Of the skin	6												2	2	2			
49	Of other or unspecified organs	59				1			2	2	8	6	12	15	10	3			
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	4			1					1			1			1			
51	Acute rheumatic fever	19				1		4	8	2		1	2	1					
52	Chronic rheumatism, osteoarthritis, gout	5						1			1			2	1				
56	Rickets	1													1				
57	Diabetes mellitus	66		1			1	6	4	4	5	5	9	14	12	5			
58	Anemia, chlorosis	21	1							1	1	6	9	3					
60a	Exophthalmic goiter	13							1	4	3		2	2	1				
60b	Other diseases of the thyroid gland	3									1		2						
62	Diseases of the thymus gland	6	4	2															
63	Diseases of the adrenals (Addison's disease)	4									2	1			1				
64	Diseases of the spleen	1											1						
65a	Leukemia	10						1				3	2	1	3				
65b	Hodgkin's disease	3									1		1		1				
66	Alcoholism (acute or chronic)	8									2	1	3	1		1			
67a	Chronic lead poisoning	2									1		1						
68	Chronic poisoning by organic substances	2									1				1				
69	Other general diseases	10	6	1	1				1		1								

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown ago.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	UTAH—Continued.																		
	III.—Diseases of the nervous system and of the organs of special sense.	402	30	3	2	3	2	4	11	15	19	26	56	82	93	47	8	1	.....
70	Encephalitis	6	1	.....	.....	.....	.....	.....	1	1	1	1	.....	1	.....	.....	.....	.....	.....
71a	Simple meningitis	16	6	1	1	2	1	1	1	1	1	1	.....	.....	.....	.....	.....	.....	.....
71b	Nonepidemic cerebrospinal meningitis	11	3	1	.....	1	1	2	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....
72	Tabes dorsalis (locomotor ataxia)	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	.....	.....	.....	.....	.....
73	Other diseases of the spinal cord	14	.....	.....	.....	.....	.....	.....	.....	.....	1	2	2	5	3	1	.....	.....	.....
74a	Cerebral hemorrhage	268	1	.....	.....	.....	.....	.....	.....	4	4	13	42	69	83	43	8	1	.....
74b	Cerebral embolism and thrombosis	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	3	.....	.....	.....
75	Paralysis without specified cause	8	.....	.....	.....	.....	.....	.....	.....	1	2	1	1	1	2	.....	.....	.....	.....
76	General paralysis of the insane	11	.....	.....	.....	.....	.....	.....	.....	.....	3	3	2	1	2	.....	.....	.....	.....
77	Other forms of mental alienation	3	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....
78	Epilepsy	11	.....	.....	.....	.....	.....	.....	2	1	2	.....	2	3	1	.....	.....	.....	.....
80	Infantile convulsions (under 5 years)	14	13	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
81	Chorea	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
82	Neuralgia and neuritis	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
84	Other diseases of the nervous system	7	.....	.....	1	.....	.....	.....	2	.....	1	2	.....	1	.....	.....	.....	.....	.....
85	Diseases of the eye and annexa	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
86a	Diseases of the ear	15	5	.....	.....	.....	.....	1	2	3	1	2	.....	1	.....	.....	.....	.....	.....
86b	Diseases of the mastoid process	5	.....	.....	.....	.....	.....	.....	1	3	1	.....	.....	.....	.....	.....	.....	.....	.....
	IV.—Diseases of the circulatory system.	618	2	4	2	1	4	12	41	38	39	40	91	115	137	83	9	.....	.....
88	Endocarditis and myocarditis (acute)	27	1	.....	1	.....	1	2	6	2	2	3	2	3	1	3	.....	.....	.....
89	Angina pectoris	27	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	4	11	8	2	.....	.....	.....
90	Other diseases of the heart	513	.....	3	1	1	3	10	34	36	37	33	80	94	116	58	7	.....	.....
91a	Aneurysm	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....
91b,c	Other diseases of the arteries	38	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	4	11	19	2	.....	.....
92	Embolism and thrombosis (not cerebral)	9	1	.....	.....	.....	.....	.....	1	.....	.....	1	3	2	1	.....	.....	.....	.....
94	Diseases of the lymphatic system	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	V.—Diseases of the respiratory system.	578	191	54	14	6	11	15	23	19	34	31	33	47	52	41	7	.....	.....
97a	Diseases of the nasal fossae	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
97b	Diseases of the nasal fossae annexa	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
98	Diseases of the larynx	6	1	1	2	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
99a	Acute bronchitis	16	7	1	1	.....	.....	.....	1	.....	1	.....	.....	1	.....	3	1	.....	.....
99b	Chronic bronchitis	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	5	3	1	.....	.....
99c,d	Bronchitis (unspecified)	14	8	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	1	2	.....	.....	.....
100a	Bronchopneumonia	243	127	33	5	5	5	4	3	7	6	4	5	8	17	12	2	.....	.....
100b	Capillary bronchitis	8	6	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
101a	Lobar pneumonia	215	26	12	6	.....	3	10	17	11	22	23	19	28	22	15	1	.....	.....
101b	Pneumonia (unspecified)	31	14	3	.....	.....	.....	.....	1	1	1	.....	3	1	4	3	.....	.....	.....
102	Pleurisy	13	1	1	.....	1	2	1	.....	.....	1	.....	2	2	1	1	.....	.....	.....
103	Congestion and hemorrhagic infarct of the lung	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....
105	Asthma	10	1	1	.....	.....	.....	.....	.....	.....	.....	1	2	2	2	1	.....	.....	.....
107	Other diseases of the respiratory system (tuberculosis excepted)	6	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	2	.....	.....	.....	.....	.....
	VI.—Diseases of the digestive system.	468	103	54	8	7	3	22	48	32	38	36	32	40	33	10	2	.....	.....
108	Diseases of the mouth and annexa	3	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
109b	Other diseases of the pharynx, tonsils	38	9	4	3	.....	1	6	7	1	4	2	.....	1	.....	.....	.....	.....	.....
110	Diseases of the esophagus	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
111a	Ulcer of the stomach	25	.....	.....	.....	.....	.....	.....	1	3	2	5	9	2	2	1	.....	.....	.....
111b	Ulcer of the duodenum	7	.....	.....	.....	.....	.....	.....	.....	3	1	.....	2	.....	1	.....	.....	.....	.....
112	Other diseases of the stomach (cancer excepted)	12	3	.....	.....	.....	.....	.....	1	1	1	.....	2	4	.....	.....	.....	.....	.....
113	Diarrhea and enteritis (under 2 years)	125	76	49	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
114	Diarrhea and enteritis (2 years and over)	23	.....	.....	4	7	2	2	.....	1	1	1	2	1	1	1	.....	.....	.....
117	Appendicitis and typhlitis	103	2	.....	1	.....	.....	11	36	15	16	15	4	3	.....	.....	.....	.....	.....
118a	Hernia	16	.....	.....	.....	.....	.....	.....	.....	.....	4	1	.....	7	3	1	.....	.....	.....
118b	Intestinal obstruction	33	8	1	.....	.....	.....	2	2	3	1	1	4	3	6	1	1	.....	.....
119	Other diseases of the intestines	7	1	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	3	.....	.....	.....	.....
120	Acute yellow atrophy of the liver	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....
121	Hydatid tumor of the liver	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
122	Cirrhosis of the liver	25	.....	.....	.....	.....	.....	.....	.....	1	3	2	2	8	7	2	.....	.....	.....
123	Biliary calculi	18	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	3	4	4	3	1	.....	.....
124	Other diseases of the liver	20	1	.....	.....	.....	.....	.....	.....	.....	2	2	3	6	6	.....	.....	.....	.....
126	Peritonitis without specified cause	7	1	.....	.....	.....	.....	1	.....	1	.....	2	1	1	.....	.....	.....	.....	.....
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	329	5	3	.....	.....	.....	5	15	19	25	32	27	71	80	42	5	.....	.....
128	Acute nephritis (including unspecified under 10 years)	28	2	2	.....	.....	.....	2	4	2	3	3	1	2	2	4	1	.....	.....
129	Chronic nephritis (including unspecified 10 years and over)	244	.....	1	.....	.....	.....	3	10	14	18	21	20	63	61	29	4	.....	.....
131	Other diseases of the kidneys and annexa	7	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	2	.....	2	.....	.....	.....
132	Calculi of the urinary passages	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
133	Diseases of the bladder	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	.....	.....
135	Diseases of the prostate	22	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	14	5	.....	.....	.....
136	Nonvenereal diseases of the male genital organs	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
137	Cysts, other benign tumors of the ovary	4	.....	.....	.....	.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....	.....	.....	.....
138	Salpingitis and pelvic abscess (female)	7	.....	.....	.....	.....	.....	.....	.....	2	2	2	1	.....	.....	.....	.....	.....	.....
139	Benign tumors of the uterus	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	2	.....	1	.....	.....	.....	.....
141	Other diseases of the female genital organs	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	1	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	UTAH—Continued.																		
	VIII.—The puerperal state	106							6	46	40	14							
143	Accidents of pregnancy	5								3	1	1							
144	Puerperal hemorrhage	12								7	3	2							
145	Other accidents of labor	15								6	6	3							
146	Puerperal septicemia	43							4	18	18	3							
147	Puerperal phlegmasia alba dolens, embolus, etc	6								4	2								
148	Puerperal albuminuria and convulsions	22							2	7	9	4							
149	Following childbirth (undefined)	2									1	1							
150	Puerperal diseases of the breast	1								1									
	IX.—Diseases of the skin and of the cellular tissue	9	2							1		1	1		2	1	1		
151	Gangrene	4										1			1	1	1		
153	Acute abscess	3	1							1			1						
154	Other diseases of the skin and annexa	2	1												1				
	X.—Diseases of the bones and of the organs of locomotion	9						1	3	1	1			1	1	1			
155	Diseases of the bones (tuberculosis excepted)	8						1	3	1				1	1	1			
156	Diseases of the joints (tuberculosis and rheumatism excepted)	1									1								
	XI.—Malformations	94	90	1			1		2										
159a	Congenital hydrocephalus	8	7	1															
159b	Congenital malformations of the heart	55	53				1		1										
159c	Other congenital malformations	31	30						1										
	XII.—Early infancy	422	422																
160	Congenital debility, icterus, sclerema	34	34																
161a	Premature birth	295	295																
161b	Injury at birth	59	59																
162	Other diseases peculiar to early infancy	34	34																
164	XIII.—Old age (senility)	82												1	28	41	12		
	XIV.—External causes	399	9	15	9	5	8	20	52	66	65	54	36	28	17	12	3		
	Suicide (total)	45							4	9	15	6	8	2	1				
165	By poisons (corrosives excepted)	2								1			1						
166	By corrosive substances	4							1	1	2								
167	By poisonous gas	2									2								
168	By hanging or strangulation	6								1	2	2	1						
170	By firearms	26							3	6	7	4	4	1	1				
171	By cutting or piercing instruments	3									1		2						
173	By crushing	2									1			1					
	Homicide (total)	24								6	4	11	2	1					
197	By firearms	19								6	3	8	2						
198	By cutting or piercing instruments	5									1	3		1					
	Accidental or undefined (total)	330	9	15	9	5	8	20	48	51	46	37	26	25	16	12	3		
175	Poisoning by food	5	1						2		1			1					
176	Poisoning by venomous animals	1											1						
177	Other acute poisonings (gas excepted)	13		3					1	2	3	4							
178	Conflagration	7		1		1		1		1		2			1				
179	Burns (conflagration excepted)	18	1	4	2	2	1	1	2		1	2		1	1				
180	Mechanical suffocation	3	2												1				
181	Absorption of irrespirable, irritating, or poisonous gas	3								1	1					1			
182	Drowning	37	1	4	5	1	3	3	9	8	1		1	1					
183	Traumatism by firearms (except in war)	20					1	1	8	4	3	1		2					
184	Traumatism by cutting or piercing instruments	4						1		1				1		1			
185	Traumatism by fall	36	1	1	1				4	2	3	3	4	2	4	8	3		
186a	Traumatism in mines	27							1	6	12	6	2						
186b	Traumatism in quarries	2								2									
187	Traumatism by machines	4						1				2		1					
188a	Railroad accidents	28							3	7	8	4	3	2	1				
188b	Street-car accidents	13						1		1	1	2	5	1	1	1			
188c	Automobile accidents	53				1	1	6	11	9	5	3	3	9	5				
188e,f	Injuries by other vehicles	21		1			2	3	2	1	2	3	2	3	1	1			
188g	Landslide, other crushing	6		1					2		2		1						
189	Injuries by animals (not poisoning)	4			1			1	1					1					
193	Excessive cold	1													1				
195	Lightning	3								2		1							
196	Other accidental electric shocks	7							1	2	2	2							
202	Other external violence	11	2					1	1	1	1	2	3						
203	Violent deaths of unknown causation	3	1							1			1						
	XV.—Ill-defined diseases	112	35	7		1	1	2	2	4	6	9	15	9	8	10	1		2
204	Sudden death	4	2										1	1					
205a	Ill-defined	78	21	6		1		1	2	2	5	7	12	6	6	8	1		
205b	Not specified or unknown	30	12	1			1	1		2	1	2	2	2	2	2			2

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	VERMONT.																		
	All causes	4,999	617	77	31	26	28	82	127	203	243	330	500	784	1,130	703	102	6	10
	I.—Epidemic, endemic, and infectious diseases	483	45	19	16	12	11	24	42	72	59	57	43	28	39	13	2	....	1
1	Typhoid and paratyphoid fever	19	.....	.....	.....	.....	1	1	4	4	1	4	.....	2	2	.....	.....	.....	.....
5	Malaria	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
6	Smallpox	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
7	Measles	14	4	4	1	.....	1	.....	2	1	.....	.....	1	.....	.....	.....	.....	.....	.....
8	Scarlet fever	23	.....	2	5	3	3	6	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Whooping cough	27	15	5	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....
10	Diphtheria	28	2	3	.....	5	4	9	4	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
11a	Influenza (with pulmonary complications)	41	1	.....	1	.....	.....	.....	4	4	3	3	2	6	12	3	1	....	1
11b	Influenza (other and unspecified)	28	2	.....	.....	.....	.....	.....	3	1	1	1	3	1	10	6	.....	.....	.....
15	Cholera nostras	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
16	Dysentery	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....
21	Erysipelas	6	2	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....
22	Acute anterior poliomyelitis	10	.....	1	1	.....	.....	2	4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
23	Lethargic encephalitis	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....
24	Meningococcus meningitis	3	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
27	Anthrax	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
29	Tetanus	4	.....	.....	.....	.....	.....	1	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	245	14	2	3	2	2	2	18	52	43	45	32	18	10	2	.....	.....	.....
31	Of the respiratory system	198	2	1	1	.....	.....	.....	14	45	38	40	31	17	7	2	.....	.....	.....
32	Of the meninges, central nervous system	23	10	1	1	2	1	1	1	1	3	1	.....	.....	1	.....	.....	.....	.....
33	Of the intestines, peritoneum	5	.....	.....	.....	.....	.....	1	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....
34	Of the vertebral column	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
35	Of the joints	3	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	.....	.....	.....	.....
36	Of other organs	6	1	.....	.....	.....	1	.....	.....	2	1	1	.....	.....	.....	.....	.....	.....	.....
37a	Disseminated (acute)	6	1	.....	.....	.....	.....	.....	.....	2	1	.....	1	.....	1	.....	.....	.....	.....
37b	Disseminated (chronic or unspecified)	3	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....
38	Syphilis	16	4	.....	.....	.....	.....	.....	.....	3	8	1	.....	.....	.....	.....	.....	.....	.....
40	Gonococcus infection	3	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....
41	Purulent infection, septicemia	6	.....	.....	.....	.....	.....	1	.....	1	.....	1	1	.....	1	1	.....	.....	.....
	II.—General diseases not included in Class I	589	3	3	1	.....	1	2	6	6	37	61	111	148	142	58	6	....	4
	Cancer and other malignant tumors (total)	400	1	.....	.....	.....	.....	.....	1	2	20	37	78	106	104	42	6	....	3
43	Of the buccal cavity	12	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	4	4	1	.....	.....
44	Of the stomach, liver	117	.....	.....	.....	.....	.....	.....	.....	.....	6	10	21	37	32	8	1	.....	2
45	Of the peritoneum, intestines, rectum	61	.....	.....	.....	.....	.....	.....	1	.....	3	4	11	15	16	11	.....	.....	.....
46	Of the female genital organs	68	.....	.....	.....	.....	.....	.....	.....	1	5	14	17	19	10	1	1	.....	.....
47	Of the breast	46	.....	.....	.....	.....	.....	.....	.....	.....	.....	8	9	12	10	6	1	.....	.....
48	Of the skin	14	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	6	4	2	.....	.....
49	Of other or unspecified organs	82	1	.....	.....	.....	.....	.....	.....	1	6	1	19	19	26	8	.....	.....	1
51	Acute rheumatic fever	8	.....	.....	.....	.....	.....	.....	2	.....	.....	3	.....	3	.....	.....	.....	.....	.....
52	Chronic rheumatism, osteoarthritis, gout	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	2	.....	.....	.....
54	Pellagra	2	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
56	Rickets	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
57	Diabetes mellitus	87	.....	2	.....	.....	.....	1	1	.....	5	8	17	24	22	7	.....	.....	.....
58	Anemia, chlorosis	43	.....	.....	.....	.....	.....	.....	.....	1	3	7	6	10	10	6	.....	.....	.....
60a	Exophthalmic goiter	10	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	4	3	.....	.....	.....	.....	.....
60b	Other diseases of the thyroid gland	6	.....	.....	.....	.....	.....	.....	1	1	1	1	1	1	.....	.....	.....	.....	.....
61	Diseases of the parathyroid glands	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
63	Diseases of the adrenals (Addison's disease)	5	.....	.....	.....	.....	.....	.....	.....	2	1	.....	1	.....	1	.....	.....	.....	.....
65a	Leukemia	3	.....	.....	1	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
65b	Hodgkin's disease	4	.....	.....	.....	.....	.....	.....	1	.....	.....	2	.....	.....	1	.....	.....	.....	.....
66	Alcoholism (acute or chronic)	6	.....	.....	.....	.....	.....	.....	.....	.....	1	2	2	.....	.....	.....	.....	.....	1
68	Chronic poisoning by organic substances	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....
69	Other general diseases	5	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	2	1	.....	.....	.....
	III.—Diseases of the nervous system and of the organs of special sense	678	22	.....	1	.....	1	2	3	5	18	34	87	136	227	131	9	....	2
70	Encephalitis	4	1	.....	.....	.....	.....	1	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....
71a	Simple meningitis	17	8	.....	.....	.....	1	1	.....	1	1	1	3	1	.....	.....	.....	.....	.....
71b	Nonepidemic cerebrospinal meningitis	4	2	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
72	Tabes dorsalis (locomotor ataxia)	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	3	5	.....	.....	.....	.....
73	Other diseases of the spinal cord	35	.....	.....	.....	.....	.....	.....	.....	.....	1	3	6	8	12	5	.....	.....	.....
74a	Cerebral hemorrhage	506	.....	.....	.....	.....	.....	.....	.....	.....	4	26	58	107	183	118	9	....	1
74b	Cerebral embolism and thrombosis	17	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	4	7	3	.....	.....	.....
75	Paralysis without specified cause	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	6	1	.....	.....	.....
76	General paralysis of the insane	20	.....	.....	.....	.....	.....	.....	.....	1	4	.....	6	4	4	.....	.....	.....	1
77	Other forms of mental alienation	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	1	1	.....	.....	.....	.....
78	Epilepsy	16	1	.....	.....	.....	.....	.....	1	3	6	1	.....	2	1	1	.....	.....	.....
80	Infantile convulsions (under 5 years)	10	9	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
82	Neuralgia and neuritis	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....
83	Softening of the brain	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	4	3	.....	.....	.....
84	Other diseases of the nervous system	6	1	.....	.....	.....	.....	.....	.....	.....	1	1	.....	2	1	.....	.....	.....	.....
86a	Diseases of the ear	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
86b	Diseases of the mastoid process	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	1	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	VERMONT—Continued.																		
	IV.—Diseases of the circulatory system	1,116	8	1	.....	.....	.....	4	12	10	19	43	94	231	400	256	35	2	1
87	Pericarditis	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	1	.....	.....	.....
88	Endocarditis and myocarditis (acute)	27	3	1	.....	.....	.....	1	2	3	1	4	4	1	3	4	.....	.....	.....
89	Angina pectoris	78	.....	.....	.....	.....	.....	.....	.....	.....	1	4	10	24	31	6	1	.....	1
90	Other diseases of the heart	793	5	.....	.....	.....	.....	3	9	7	15	31	74	178	294	156	20	1	.....
91a	Aneurysm	4	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	2	.....	.....	.....	.....	.....
91b, c	Other diseases of the arteries	198	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	4	21	67	89	14	1	.....
92	Embolism and thrombosis (not cerebral)	9	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	3	3	.....	.....	.....	.....
93	Diseases of the veins	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....
	V.—Diseases of the respiratory system	430	67	26	2	5	4	18	10	14	14	19	32	59	87	62	10	1	.....
98	Diseases of the larynx	4	.....	.....	.....	1	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
99a	Acute bronchitis	20	4	1	.....	.....	.....	.....	.....	.....	.....	.....	1	2	3	7	2	.....	.....
99b	Chronic bronchitis	18	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	2	1	8	4	2	.....	.....
99c, d	Bronchitis (unspecified)	15	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	4	2	3	1	1	.....
100a	Bronchopneumonia	156	43	18	2	2	3	7	1	4	2	1	5	14	29	23	2	.....	.....
100b	Capillary bronchitis	9	4	.....	.....	1	.....	2	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
101a	Lobar pneumonia	133	7	5	.....	.....	.....	5	3	7	7	14	18	23	29	14	1	.....	.....
101b	Pneumonia (unspecified)	48	5	1	.....	1	.....	.....	2	3	1	2	2	11	12	7	1	.....	.....
102	Pleurisy	13	1	1	.....	.....	.....	1	1	.....	1	1	2	1	3	1	.....	.....	.....
103	Congestion and hemorrhagic infarct of the lung	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....
104	Gangrene of the lung	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
105	Asthma	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	2	.....	.....	.....
107	Other diseases of the respiratory system (tuberculosis excepted)	5	.....	.....	.....	.....	.....	1	1	.....	3	.....	.....	.....	.....	.....	.....	.....	.....
	VI.—Diseases of the digestive system	412	99	18	6	4	4	12	20	24	21	32	51	53	40	24	3	.....	1
108	Diseases of the mouth and annexa	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
109b	Other diseases of the pharynx, tonsils	27	1	1	.....	1	3	3	3	7	.....	1	2	4	1	.....	.....	.....	.....
111a	Ulcer of the stomach	15	.....	.....	.....	.....	.....	.....	1	1	2	3	3	2	3	.....	.....	.....	.....
111b	Ulcer of the duodenum	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	2	.....	.....	.....	.....
112	Other diseases of the stomach (cancer excepted)	31	11	1	.....	.....	.....	.....	.....	1	.....	1	3	4	2	8	.....	.....	.....
113	Diarrhea and enteritis (under 2 years)	95	80	15	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
114	Diarrhea and enteritis (2 years and over)	31	.....	.....	4	1	1	4	.....	1	1	1	3	4	4	5	2	.....	.....
117	Appendicitis and typhlitis	76	.....	1	.....	1	.....	2	14	12	9	12	17	4	4	.....	.....	.....	.....
118a	Hernia	15	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	4	4	4	2	.....	.....	.....
118b	Intestinal obstruction	32	4	.....	1	1	.....	1	2	1	3	3	3	6	3	3	.....	.....	1
119	Other diseases of the intestines	5	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....
120	Acute yellow atrophy of the liver	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
122	Cirrhosis of the liver	32	1	.....	.....	.....	.....	.....	.....	.....	2	3	6	11	6	3	.....	.....	.....
123	Biliary calculi	19	.....	.....	.....	.....	.....	.....	.....	1	1	3	6	6	1	1	.....	.....	.....
124	Other diseases of the liver	19	.....	.....	.....	.....	.....	2	.....	.....	1	1	2	3	8	1	1	.....	.....
125	Diseases of the pancreas	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
126	Peritonitis without specified cause	5	1	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	1	.....	.....	.....
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	432	5	.....	.....	.....	.....	3	4	7	18	32	57	94	121	81	9	1	.....
128	Acute nephritis (including unspecified under 10 years)	22	5	.....	.....	.....	.....	2	1	.....	6	1	1	2	1	2	.....	1	.....
129	Chronic nephritis (including unspecified 10 years and over)	350	.....	.....	.....	.....	.....	1	2	3	9	26	50	78	105	68	8	.....	.....
131	Other diseases of the kidneys and annexa	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	1	.....	.....	.....	.....
132	Calculi of the urinary passages	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....
133	Diseases of the bladder	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	3	4	1	.....	.....
134	Diseases of the urethra, etc.	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....
135	Diseases of the prostate	17	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	7	7	.....	.....
137	Cysts, other benign tumors of the ovary	3	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....
138	Salpingitis and pelvic abscess (female)	7	.....	.....	.....	.....	.....	.....	1	1	2	1	1	1	.....	.....	.....	.....	.....
139	Benign tumors of the uterus	10	.....	.....	.....	.....	.....	.....	.....	2	1	3	1	1	2	.....	.....	.....	.....
141	Other diseases of the female genital organs	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
	VIII.—The puerperal state	58	.....	.....	.....	.....	.....	.....	2	30	18	8	.....	.....	.....	.....	.....	.....	.....
143	Accidents of pregnancy	8	.....	.....	.....	.....	.....	.....	.....	4	3	1	.....	.....	.....	.....	.....	.....	.....
144	Puerperal hemorrhage	5	.....	.....	.....	.....	.....	.....	.....	2	3	.....	.....	.....	.....	.....	.....	.....	.....
145	Other accidents of labor	4	.....	.....	.....	.....	.....	.....	.....	2	1	1	.....	.....	.....	.....	.....	.....	.....
146	Puerperal septicemia	20	.....	.....	.....	.....	.....	.....	.....	11	5	4	.....	.....	.....	.....	.....	.....	.....
147	Puerperal phlegmasia alba dolens, embolus, etc.	3	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....
148	Puerperal albuminuria and convulsions	18	.....	.....	.....	.....	.....	.....	2	9	5	2	.....	.....	.....	.....	.....	.....	.....
	IX.—Diseases of the skin and of the cellular tissue	21	.....	1	.....	.....	.....	.....	1	.....	.....	1	1	1	10	5	1	.....	.....
151	Gangrene	13	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	6	5	1	.....	.....
152	Furuncle	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....
153	Acute abscess	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
154	Other diseases of the skin and annexa	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....
	X.—Diseases of the bones and of the organs of locomotion	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
156	Diseases of the joints (tuberculosis and rheumatism excepted)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
158	Other diseases of the organs of locomotion	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	Deaths at unknown age.
	VERMONT—Continued.																		
	XI.—Malformations	75	71	2				2											
159a	Congenital hydrocephalus	11	9					2											
159b	Congenital malformations of the heart	44	43	1															
159c	Other congenital malformations	20	19	1															
	XII.—Early infancy	286	286																
160	Congenital debility, icterus, sclerema	53	53																
161a	Premature birth	183	183																
161b	Injury at birth	32	32																
162	Other diseases peculiar to early infancy	18	18																
164	XIII.—Old age (senility)	82												1	14	45	20	2	
	XIV.—External causes	325	8	7	5	5	7	14	27	35	39	43	22	29	48	28	7		1
	Suicide (total)	48								8	13	8	5	8	6				
166	By corrosive substances	7								2	1	2			2				
168	By hanging or strangulation	8									3	1		3	1				
169	By drowning	7									2	1	3	1					
170	By firearms	24								6	7	4	2	3	2				
171	By cutting or piercing instruments	2												1	1				
	Homicide (total)	6							1	3	1				1				
197	By firearms	5							1	3	1								
199	By other means	1													1				
	Accidental or undefined (total)	271	8	7	5	5	7	14	26	24	25	35	17	21	41	28	7		1
175	Poisoning by food	2					1			1									
177	Other acute poisonings (gas excepted)	6		1	1	1						1	1		1				
178	Conflagration	27	1	2		2	2	4	3	3	1	2		2	4	1			
179	Burns (conflagration excepted)	9	1	1	1		1					3	1		1				
180	Mechanical suffocation	3	2								1								
182	Drowning	30		1	2	1	1	4	10	3	3	2	2		1				
183	Traumatism by firearms (except in war)	13						2	3	5	1	2							
184	Traumatism by cutting or piercing instruments	2									1		1						
185	Traumatism by fall	84		1	1			1	3	2	2	7	3	9	25	23	7		
186b	Traumatism in quarries	5									3	2							
187	Traumatism by machines	7								2	1	1	2	1					
188a	Railroad accidents	9							1	2	1	2	1			2			
188b	Street-car accidents	1												1					
188c	Automobile accidents	23	1				1	1	3	4	4	5	1		3				
188e,f	Injuries by other vehicles	12					1		1			1	1	4	3				1
188g	Landslide, other crushing	4						1			1	1			1				
189	Injuries by animals (not poisoning)	6		1					1			1	1	1		1			
194	Excessive heat	1	1																
195	Lightning	1									1								
196	Other accidental electric shocks	3								2	1								
202	Other external violence	21	2			1		1	1		4	4	3	2	2	1			
203	Violent deaths of unknown causation	2										1		1					
	XV.—Ill-defined diseases	10	3					1					1	3	2				
204	Sudden death	2	1										1						
205a	Ill-defined	3												2	1				
205b	Not specified or unknown	5	2					1						1	1				
	VIRGINIA.																		
	All causes—White	17,225	3,306	667	320	215	157	389	705	1,040	1,047	1,150	1,463	2,431	2,686	1,416	212	4	17
	All causes—Colored	11,309	2,217	417	165	92	84	222	794	1,304	1,116	1,158	1,216	1,103	799	428	116	50	28
	I.—Epidemic, endemic, and infectious diseases—White	3,105	374	207	144	100	85	161	235	399	334	308	217	250	207	73	9		2
	I.—Epidemic, endemic, and infectious diseases—Colored	2,779	339	138	75	29	37	100	429	693	366	230	160	104	52	17	4	1	5
1	Typhoid and paratyphoid fever—W	229	1			4	5	16	56	59	40	21	12	10	5				
	Typhoid and paratyphoid fever—C	150	1	1	4	1	6	11	50	34	22	13	2	1	4				
5	Malaria—W	18	1	1					4	6	2		2	1	1				
	Malaria—C	25	2	1	2			2	3	1	3	1	5	5					
6	Smallpox—W	8									1	2		3	2				
	Smallpox—C	1				1													
7	Measles—W	131	31	23	14	8	7	17	12	2	7	3	2		2	2			1
	Measles—C	45	19	11	4	1	1	4	4	1									
8	Scarlet fever—W	54	6	6	6	6	4	12	11	2	1								
	Scarlet fever—C	5		1				3	1										
9	Whooping cough—W	232	133	52	21	11	5	8	2										
	Whooping cough—C	221	106	64	24	7	7	11	2										
10	Diphtheria—W	327	34	52	54	51	44	67	17	5	1		2						
	Diphtheria—C	72	20	8	7	3	7	21	6										
11a	Influenza (with pulmonary complications)—W	128	11	1	6	2		4	5	8	8	13	20	20	19	10	1		
	Influenza (with pulmonary complications)—C	110	19	10	6	2		4	9	14	5	9	13	12	3	4			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	Deaths at unknown age.
	VIRGINIA—Continued.																			
	I.—Epidemic, endemic, and infectious diseases—Continued.																			
11b	Influenza (other and unspecified)	W	84	8	2	1	2	1	2	8	4	2	8	1	13	22	7	3		
		C	68	8	2	3			3	3	10	6	9	8	6	4	2	2	1	1
13	Mumps	W	3	2								1								
		C	1									1								
15	Cholera nostras	W	4	1												2	1			
		C	5	2											1	2				
16	Dysentery	W	223	52	38	23	7	7	10	6	3	9	6	7	17	18	15	5		
		C	99	31	17	5		3	1	3	4	1	6	9	6	6	6	1		
21	Erysipelas	W	34	11				1		4	1		4	2	4	5	2			
		C	3							1		1				1				
22	Acute anterior poliomyelitis	W	20	6	4	2	3	1	1		1	1		1						
		C	8	1		2	1	1	2	1										
23	Lethargic encephalitis	W	17	2	2	2				2	1	1	6			1				
		C	5		1				1	1	1			1						
24	Meningococcus meningitis	W	36	5	6	6	4	2	4	6	3									
		C	6	3			1	1	1											
25	Other epidemic and endemic diseases	W	7	2		1		2		1					1					
		C	1	1																
27	Anthrax	C	1										1							
28	Rabies	C	2							1					1					
29	Tetanus	W	24	5		1			3	6	3		2	3		1				
		C	25	13			1	1		4	2	1	2			1				
30	Mycoses	W	3	3																
		C	9																	
	Tuberculosis (total)	W	1,423	36	18	5	2	5	17	88	290	253	230	149	173	125	32			
		C	1,708	36	19	17	10	9	34	325	589	292	167	107	63	31	4	1		4
31	Of the respiratory system	W	1,257	16	3	1	1	2	6	77	268	244	210	130	159	113	27			
		C	1,543	19	10	9	7	6	25	290	547	284	151	100	56	30	4	1		4
32	Of the meninges, central nervous system	W	64	19	11	1	1	2	6	3	10	2	6		2		1			
		C	53	13	7	6	3	2	6	6	8			1	1					
33	Of the intestines, peritoneum	W	52	1	2			1	1	2	6	4	6	11	8	7	3			
		C	54	1	1	2		1		8	19	5	11	2	3	1				
34	Of the vertebral column	W	9			1			2	1	2		1	1		1				
		C	7							3	2		1	1						
35	Of the joints	W	4								1		1	1		1				
		C	11						2	5		1	1	1	1					
36	Of other organs	W	20		1				1	1	2	1	3	5	3	2	1			
		C	12	1	1				1	2	3		2	1	1					
37a	Disseminated (acute)	W	12			2			1	3	1	1	3	1						
		C	23	1						7	10	2	1	1	1					
37b	Disseminated (chronic or unspecified)	W	5		1					1		1			1	1				
		C	5	1						4										
38	Syphilis	W	71	19	1			1		6	8	5	10	12	6	1	1			1
		C	183	65	2	1	1	1	1	10	30	29	21	13	8		1			
40	Gonococcus infection	W	1								1									
		C	15	3						1	6	5								
41	Purulent infection, septicemia	W	28	5	1	2				1	2	2	3	4	2	3	3			
		C	10		1				1	4	1		1	2						
42	Other infectious diseases	C	1												1					
	II.—General diseases not included in Class I	White	1,539	34	9	11	5	4	16	57	50	99	199	278	380	288	101	5	1	2
		Colored	590	22	8	5	4	2	11	19	47	62	98	131	100	59	16	2	1	3
	Cancer and other malignant tumors (total)	W	1,007		1	2	1	3	2	14	22	57	130	176	283	224	85	5	1	1
		C	322		1		2		4	3	10	29	68	91	70	32	9	1	1	1
43	Of the buccal cavity	W	35						1		1		4	4	10	14	1			
		C	10		1							1		1	6			1		
44	Of the stomach, liver	W	355			1	1		1	2	4	8	36	64	117	93	28			
		C	103						2	1	2	10	13	34	26	9	5			1
45	Of the peritoneum, intestines, rectum	W	101							1	6	9	12	10	38	20	5			
		C	20				1			1	3	1	6	2	4	1	1			
46	Of the female genital organs	W	156								1	19	31	41	30	26	8			
		C	108								1	14	37	23	20	12	1			
47	Of the breast	W	97								3	9	20	23	24	11	7			
		C	26								1	3	3	10	6	2	1			
48	Of the skin	W	49					1					2	5	8	15	16	2		
		C	6										1	2	1	2				
49	Of other or unspecified organs	W	214		1	1		2		11	7	12	25	29	55	45	20	3	1	
		C	49				1		2	1	3		8	19	7	6	1		1	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	W	10										2	1	2	2	3			
		C	9					1				1	1	1	2	1	1	1		
51	Acute rheumatic fever	W	42		1	2	1		4	12	4	2	1	6	3	5	1			
		C	54	1	1				3	6	6	2	5	7	9	12	1			1
52	Chronic rheumatism, osteoarthritis, gout	W	24									1		4	8	8	3			
		C	10										2		1	4	3			
53	Scurvy	W	1		1															
		C	3	2	1															
54	Pellagra	W	52		1						1	4	11	13	14	7	1			
		C	67					1	1	2	14	16	11	12	7	3				
55	Beriberi	W	1										1							
56	Rickets	W	6	3	1	1			1											
		C	27	13	5	5	1		2	1										
57	Diabetes mellitus	W	179			1		1	4	19	11	12	19	48	39	21	3			1
		C	57						1	2	9	4	6	17	10	5	2			1
58	Anemia, chlorosis	W	62	2	1	3			1	4	4	3	8	10	14	8	4			
		C	10	1						2	3	2		1		1				
59	Diseases of the pituitary gland	W	1										1							

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
				Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	VIRGINIA—Continued.																			
	II.—General diseases not included in Class I—Continued.																			
60a	Exophthalmic goiter	W	14								1	3	4	4	1	1				
		C	4							1	1	1	1							
60b	Other diseases of the thyroid gland	W	13	1					1		1	3	2	3	1	1				
		C	4									3	1							
62	Diseases of the thymus gland	W	6	4	1		1													
63	Diseases of the adrenals (Addison's disease)	W	4										1		3					
64	Diseases of the spleen	W	3										2		1					
65a	Leukemia	W	18	1	1		1				1	2	2	6	2	2				
		C	3				1			1	1									
65b	Hodgkin's disease	W	9						1		2	1			2	3				
		C	1											1						
66	Alcoholism (acute or chronic)	W	36							1	1	9	11	7	5	1	1			
		C	7								2	2	2			1				
67a	Chronic lead poisoning	C	1									1								
68	Chronic poisoning by organic substances	W	7								1	1	1		1	3				
		C	1									1								
69	Other general diseases	W	44	23	1	2	1		2	7	1	1	3		1	2				
		C	10	5						1	1		1	1	1					
	III.—Diseases of the nervous system and of the organs of special sense	White	1,834	99	28	18	14	8	24	33	43	59	91	226	455	506	207	20		3
		Colored	1,180	95	18	6	3	6	11	30	53	73	181	236	207	161	70	17	6	7
70	Encephalitis	W	23	3		1	1	1	1	6	2	3	2			3				
		C	8	1						3		1	2	1						
71a	Simple meningitis	W	71	33	8	7	5	1	4	3	2	3		3	1	1				
		C	26	3	5	4	1	2	3	3	2		2		1					
71b	Nonepidemic cerebrospinal meningitis	W	39	12	5	3	3	1	5	4	3	1				1				1
		C	14	5	3			1	1	2	1	1								
72	Tabes dorsalis (locomotor ataxia)	W	30									2	6	7	7	6	2			
		C	5										2	3						
73	Other disease of the spinal cord	W	72				1		2	2	4	2	5	12	20	20	3			1
		C	35							1	2	3	3	6	6	7	1			
74a	Cerebral hemorrhage	W	1,081	4	1			1	2	2	5	18	48	166	334	343	143	13		1
		C	710		1				1	6	22	40	138	177	149	119	43	7	4	3
74b	Cerebral embolism and thrombosis	W	33									2	1	1	13	7	7	2		
		C	3											2	1					
75	Paralysis without specified cause	W	203		1				1	1	1	3	2	11	52	86	41	4		
		C	147		2			1			5	6	9	32	32	28	17	9	2	4
76	General paralysis of the insane	W	40								1	8	10	5	5	11				
		C	20								1	2	9	2	2	3	1			
77	Other forms of mental alienation	W	21									1	5	2	7	2	3	1		
		C	19							2	3	3	4	2	4	1				
78	Epilepsy	W	51	2	1	1			2	5	12	10	4	4	3	7				
		C	59	5	1				5	7	13	11	4	6	6	1				
79	Convulsions (nonpuerperal; 5 years and over)	W	6						2		1	1		1	1					
		C	3							2		1								
80	Infantile convulsions (under 5 years)	W	53	40	5	3	3	2												
		C	80	72	4	2	1	1												
81	Chorea	W	2							1		1								
82	Neuralgia and neuritis	W	4											3	1					
		C	7									1	4	1		1				
83	Softening of the brain	W	26											1	5	13	7			
		C	6										1	1	3	1				
84	Other diseases of the nervous system	W	40	3	3	2			1	2	6	2	6	7	2	5	1			
		C	24	7			1		1	1	3	3	2	2	1	2	1			
85	Diseases of the eye and annexa	W	2										1		1					
		C	1		1															
86a	Diseases of the ear	W	22	1	4	1			4	4	3		1	2	1	1				
		C	9	2	1					2	1		1	1	1					
86b	Diseases of the mastoid process	W	15	1			1	2		3	3	2		1	2					
		C	4					1		1		1			1					
	IV.—Diseases of the circulatory system	White	2,309	16	4	5	5	2	13	47	50	75	132	269	551	706	376	56		2
		Colored	1,347	4	3		3	1	6	33	58	142	224	264	270	209	99	21	7	3
87	Pericarditis	W	11	1						1		2		1	1	4	1			
		C	11				2		2	1	1	2		1	1				1	
88	Endocarditis and myocarditis (acute)	W	41	2	1	1		1		6	4	6	6	3	5	5		1		
		C	35	1						6	6	9	10	1	1	1				
89	Angina pectoris	W	135						1		2	3	13	31	41	32	12			
		C	28								2	4	5	9	6	1	1			
90	Other diseases of the heart	W	1,838	12	3	3	5	1	12	38	39	61	103	212	459	568	280	42		
		C	1,124	3	3		1	1	4	26	47	117	188	232	229	172	82	14	4	1
91a	Aneurysm	W	20								1		5	3	5	2	3			1
		C	28								1	9	10	2	5					1
91b,c	Other diseases of the arteries	W	226								1	1		13	34	88	75	13		1
		C	106										5	17	25	33	16	7	2	1
92	Embolism and thrombosis (not cerebral)	W	26							1	2	1	4	3	6	6	3			
		C	7								1	1	3		1	1				
93	Diseases of the veins	W	4			1								2			1			
		C	1										1							

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	VIRGINIA—Continued.																		
	IV.—Diseases of the circulatory system—Continued.																		
94	Diseases of the lymphatic system	W.. 4	1								1	1	1						
		C... 1												1					
95	Hemorrhage without specified cause	W.. 2							1							1			
		C... 4										2	2						
96	Other diseases of the circulatory system	W.. 2								1					1				
		C... 2												1	1				
	V.—Diseases of the respiratory system	White 1,221	247	92	23	18	10	36	50	53	52	66	86	150	180	133	24	....	1
		Colored 1,010	290	84	25	19	15	19	55	77	82	90	94	88	46	18	5	2	1
97a	Diseases of the nasal fossae	W.. 9	5										1	1	1	1			
		C... 15	13										1			1			
97b	Diseases of the nasal fossae annexa	W.. 7				1			1	4		1							
		C... 3		1				1		1									
98	Diseases of the larynx	W.. 22	3	4	3	4	2	2	1			1		1		1			
		C... 8	3		2			1			1			1					
99a	Acute bronchitis	W.. 25	10	1						1			1	1	6	3	2		
		C... 26	13	3		2			2		1	1	1	2	1				
99b	Chronic bronchitis	W.. 34	3										2	7	7	11	4		
		C... 15		1					2		1	3	4	2	2				
99c, d	Bronchitis (unspecified)	W.. 27	6	2				1				1	1		2	11	3		
		C... 35	9	1		3		1	3	2	5	6	1	4					
100a	Bronchopneumonia	W.. 401	134	51	15	6	5	11	10	6	6	6	21	33	48	41	8		
		C... 341	149	59	14	6	8	9	11	10	10	18	8	17	12	6	2	1	1
100b	Capillary bronchitis	W.. 15	4	4	1									1	1	4			
		C... 15	4	3	1				1	2	1	1	1	1					
101a	Lobar pneumonia	W.. 433	40	15	1	2	2	13	24	32	38	41	45	69	77	31	3		
		C... 334	41	9	5	4	5	6	25	43	48	34	48	40	20	5	1		
101b	Pneumonia (unspecified)	W.. 131	39	10	2	2	1	8	7	5	3	4	5	10	19	13	2		1
		C... 112	46	7	2	4	1	1	7	9	5	5	8	7	5	2	2	1	
102	Pleurisy	W.. 36	2	3	1			1	6	3	2	3	5	6	1	3			
		C... 28	3						4	4	1	7	7	2					
103	Congestion and hemorrhagic infarct of the lung	W.. 35	1	2		2			1	1		4	3	7	3	10	1		
		C... 20	4							1	4	1	2	2	3	3			
104	Gangrene of the lung	W.. 4										3			1				
		C... 2									1	1							
105	Asthma	W.. 29				1					1	2	1	7	12	4	1		
		C... 43	2		1		1			2	4	12	12	6	3				
106	Pulmonary emphysema	W.. 3												2	1				
		C... 3												1		1			
107	Other diseases of the respiratory system (tuberculosis excepted)	W.. 10								1	2		1	5	1				
		C... 10	3							2		1	1	3					
	VI.—Diseases of the digestive system	White 1,681	579	256	78	35	23	52	82	55	62	75	87	116	124	49	7	....	1
		Colored 1,033	416	110	22	6	8	22	41	70	71	88	80	54	27	13	1	3	1
108	Diseases of the mouth and annexa	W.. 15	3		1		1		1	1	1	3		3	1				
		C... 4	1									1		1	1				
109b	Other diseases of the pharynx, tonsils	W.. 53	5	4	1	2	6	9	9	6	3	1		4	2		1		
		C... 20		2				6	3	2	3	3	1						
110	Diseases of the esophagus	W.. 1						1											
		C... 1										1							
111a	Ulcer of the stomach	W.. 37			1					1	3	5	12	7	4	3	1		
		C... 41								5	4	13	8	7	3	1			
111b	Ulcer of the duodenum	W.. 2											1	1					
		C... 4							1	1	1		1						
112	Other diseases of the stomach (cancer excepted)	W.. 125	35	6	5	3	1	5	4	2	1	7	8	14	23	11			
		C... 119	29	7	1	2		1	1	8	14	20	19	8	6	3			
113	Diarrhea and enteritis (under 2 years)	W.. 730	499	231															
		C... 463	363	100															
114	Diarrhea and enteritis (2 years and over)	W.. 189			63	24	11	11	2	5	3	3	8	10	26	19	4		
		C... 103			19	3	5	5	4	9	14	13	9	11	4	4	1	1	1
115	Ancylostomiasis	W.. 2						1		1									
116	Diseases due to other intestinal parasites	W.. 8	2	2		2	1		1										
		C... 6	1	1	1	1	1		1										
117	Appendicitis and typhlitis	W.. 155		1	2		1	15	48	24	20	19	12	7	5				
		C... 76	1					6	22	15	11	11	4	5		1			
118a	Hernia	W.. 39	3	1		1			2	1	4	6	5	6	6	4			
		C... 19	3						1	5	1	1	2	3	2	1			
118b	Intestinal obstruction	W.. 111	22	9	3	2	1	6	6	6	13	7	6	14	12	3	1		
		C... 74	16		1		2	2	3	12	8	10	9	7	3	1			
119	Other diseases of the intestines	W.. 17	5		2				2	1		1			3	3			
		C... 10	1							3	1	2	2		1				
120	Acute yellow atrophy of the liver	W.. 5						1	1	2	1								
		C... 2								1		1							
122	Cirrhosis of the liver	W.. 68								1	2	5	15	18	24	3			
		C... 45								2	7	8	16	6	5	1			
123	Biliary calculi	W.. 44							1	1	4	3	8	19	8				
		C... 11							1	2	1	1	3		2		1		
124	Other diseases of the liver	W.. 53	2	2				1	2	3	6	9	8	10	9	1			
		C... 19						2	1	1	2	2	5	4		1		1	
125	Diseases of the pancreas	W.. 10							2			2	4	2					
		C... 2										1		1					
126	Peritonitis without specified cause	W.. 17	3			1	1	2	1			4		1	1	2			
		C... 14	1						3	4	4		1	1					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	Deaths at unknown age.
	VIRGINIA—Continued.																		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	White	1,472	7	9	1	2	.....	8	13	37	56	119	174	372	445	203	24	.....	2
		Colored	956	10	3	2	1	2	9	21	49	98	140	182	202	141	76	16	2	2
128	Acute nephritis (including unspecified under 10 years)	W	77	3	3	.....	1	.....	6	1	5	4	12	13	10	17	2	.....	.....	.....
		C	99	6	2	1	1	1	5	7	9	18	16	17	11	4	1	.....	.....	.....
129	Chronic nephritis (including unspecified 10 years and over)	W	1,198	.....	4	1	.....	.....	1	11	17	32	84	139	316	385	184	22	.....	2
		C	718	.....	1	1	.....	.....	3	9	26	54	104	150	166	124	62	15	1	2
131	Other diseases of the kidneys and annexa	W	48	4	2	.....	1	.....	1	.....	.....	4	10	5	12	8	.....	1	.....	.....
		C	15	3	.....	.....	.....	.....	1	.....	1	1	2	.....	1	3	2	.....	1	.....
132	Calculi of the urinary passages	W	15	.....	.....	.....	.....	.....	.....	1	.....	.....	1	7	3	1	2	.....	.....	.....
		C	4	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	1	.....	.....	.....	.....
133	Diseases of the bladder	W	21	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	6	9	6	.....	.....	.....
		C	10	.....	.....	.....	.....	.....	.....	.....	2	2	.....	.....	1	3	2	.....	.....	.....
134	Diseases of the urethra, etc.	W	3	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....
		C	11	.....	.....	.....	.....	.....	.....	.....	.....	2	2	3	4	.....	.....	.....	.....	.....
135	Diseases of the prostate	W	58	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	22	23	8	1	.....	.....
		C	37	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	7	15	5	8	.....	.....	.....
136	Nonvenereal diseases of the male genital organs	C	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....
137	Cysts, other benign tumors of the ovary	W	7	.....	.....	.....	.....	.....	.....	.....	1	2	1	.....	1	1	1	.....	.....	.....
		C	8	.....	.....	.....	.....	1	.....	.....	.....	2	2	2	.....	1	.....	.....	.....	.....
138	Salpingitis and pelvic abscess (female)	W	25	.....	.....	.....	.....	.....	.....	.....	11	10	3	1	.....	.....	.....	.....	.....	.....
		C	27	.....	.....	.....	.....	.....	.....	5	9	9	3	1	.....	.....	.....	.....	.....	.....
139	Benign tumors of the uterus	W	10	.....	.....	.....	.....	.....	.....	.....	.....	1	3	3	2	1	.....	.....	.....	.....
		C	18	.....	.....	.....	.....	.....	.....	.....	1	6	6	1	3	.....	1	.....	.....	.....
140	Nonpuerperal uterine hemorrhage	W	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
		C	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
141	Other diseases of the female genital organs	W	8	.....	.....	.....	.....	.....	.....	.....	1	2	4	1	.....	.....	.....	.....	.....	.....
		C	4	.....	.....	.....	.....	.....	.....	.....	1	2	1	.....	.....	.....	.....	.....	.....	.....
	VIII.—The puerperal state	White	276	.....	.....	.....	.....	.....	.....	22	116	110	28	.....	.....	.....	.....	.....	.....	.....
		Colored	215	.....	.....	.....	.....	.....	.....	48	91	67	9	.....	.....	.....	.....	.....	.....	.....
143	Accidents of pregnancy	W	21	.....	.....	.....	.....	.....	.....	1	11	5	4	.....	.....	.....	.....	.....	.....	.....
		C	20	.....	.....	.....	.....	.....	.....	1	8	10	1	.....	.....	.....	.....	.....	.....	.....
144	Puerperal hemorrhage	W	39	.....	.....	.....	.....	.....	.....	2	11	21	5	.....	.....	.....	.....	.....	.....	.....
		C	22	.....	.....	.....	.....	.....	.....	4	8	9	1	.....	.....	.....	.....	.....	.....	.....
145	Other accidents of labor	W	27	.....	.....	.....	.....	.....	.....	2	13	11	1	.....	.....	.....	.....	.....	.....	.....
		C	20	.....	.....	.....	.....	.....	.....	3	10	6	1	.....	.....	.....	.....	.....	.....	.....
146	Puerperal septicemia	W	87	.....	.....	.....	.....	.....	.....	6	42	30	9	.....	.....	.....	.....	.....	.....	.....
		C	76	.....	.....	.....	.....	.....	.....	18	30	24	4	.....	.....	.....	.....	.....	.....	.....
147	Puerperal phlegmasia alba dolens, embolus, etc.	W	10	.....	.....	.....	.....	.....	.....	.....	3	6	1	.....	.....	.....	.....	.....	.....	.....
		C	5	.....	.....	.....	.....	.....	.....	1	4	.....	.....	.....	.....	.....	.....	.....	.....	.....
148	Puerperal albuminuria and convulsions	W	90	.....	.....	.....	.....	.....	.....	11	35	36	8	.....	.....	.....	.....	.....	.....	.....
		C	71	.....	.....	.....	.....	.....	.....	21	31	17	2	.....	.....	.....	.....	.....	.....	.....
149	Following childbirth (undefined)	W	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
		C	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
	IX.—Diseases of the skin and of the cellular tissue	White	58	6	2	.....	1	.....	2	3	3	1	3	5	3	13	16	.....	.....	.....
		Colored	28	1	.....	.....	.....	.....	1	1	1	2	4	5	4	6	1	.....	1	1
151	Gangrene	W	30	2	1	.....	1	.....	1	2	.....	1	.....	1	2	7	12	.....	.....	.....
		C	16	.....	.....	.....	.....	.....	.....	1	.....	1	.....	3	4	5	1	.....	1	.....
152	Furuncle	W	8	.....	.....	.....	.....	.....	.....	.....	2	.....	1	2	1	2	.....	.....	.....	.....
		C	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
153	Acute abscess	W	13	2	.....	.....	.....	.....	1	1	1	.....	2	1	.....	3	2	.....	.....	.....
		C	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
154	Other diseases of the skin and annexa	W	7	2	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	2	.....	.....	.....
		C	8	1	.....	.....	.....	.....	.....	.....	1	1	3	.....	.....	1	.....	.....	.....	1
	X.—Diseases of the bones and of the organs of locomotion	White	19	.....	.....	.....	1	.....	2	8	1	2	3	1	1	.....	.....	.....	.....	.....
		Colored	5	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	1	1	.....	.....	.....	.....
155	Diseases of the bones (tuberculosis excepted)	W	15	.....	.....	.....	1	.....	2	6	1	2	1	1	1	.....	.....	.....	.....	.....
		C	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
156	Diseases of the joints (tuberculosis and rheumatism excepted)	W	3	.....	.....	.....	.....	.....	.....	1	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
		C	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....
158	Other diseases of the organs of locomotion	W	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		C	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Malformations	White	256	240	2	4	2	.....	4	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		Colored	77	71	2	1	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
159a	Congenital hydrocephalus	W	23	17	.....	1	2	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		C	9	5	2	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
159b	Congenital malformations of the heart	W	140	134	2	.....	.....	.....	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		C	30	29	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
159c	Other congenital malformations	W	93	89	.....	3	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		C	38	37	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
VIRGINIA—Continued.																			
	XII.—Early infancy	White	1,372	1,372															
		Colored	706	706															
160	Congenital debility, icterus, sclerema	W	245	245															
		C	225	225															
161a	Premature birth	W	888	888															
		C	374	374															
161b	Injury at birth	W	174	174															
		C	50	50															
162	Other diseases peculiar to early infancy	W	58	58															
		C	52	52															
163	Lack of care	W	7	7															
		C	5	5															
164	XIII.—Old age (senility)	White	286										1	3	69	162	48	3	
		Colored	213											10	50	86	44	22	1
	XIV.—External causes	White	1,253	67	37	31	26	20	64	140	226	187	114	96	84	82	64	11	4
		Colored	689	38	23	17	21	7	35	105	146	124	68	41	29	16	13	2	2
	Suicide (total)	W	165							5	22	37	35	34	19	10	2	1	
		C	19							1	7	4	4	3					
165	By poisons (corrosives excepted)	W	9							1	2	2	2	1		1			
166	By corrosive substances	W	17								6	4	2	3		2			
		C	1									1							
167	By poisonous gas	W	6									3		1	2				
168	By hanging or strangulation	W	24								1	6	6	8	2	1			
169	By drowning	W	6									1		2		1	1	1	
		C	1								1								
170	By firearms	W	87							4	12	18	22	15	11	4	1		
		C	16							1	6	3	4	2					
171	By cutting or piercing instruments	W	12								1		3	3	4	1			
		C	1											1					
173	By crushing	W	2									1		1					
174	By other means	W	2									2							
	Homicide (total)	W	148	5	1	1		1	1	11	48	42	21	10	2	3	1		1
		C	165	1					1	11	68	57	16	8	2				1
197	By firearms	W	123	1		1		1	1	9	45	35	17	8	1	3			1
		C	141						1	9	54	53	13	8	2				1
198	By cutting or piercing instruments	W	8							1	1	3	2	1					
		C	17							2	8	4	3						
199	By other means	W	17	4	1					1	2	4	2	1	1		1		
		C	7	1							6								
	Accidental or undefined (total)	W	940	62	36	30	26	19	63	124	156	108	58	52	63	69	61	10	3
		C	505	37	23	17	21	7	34	93	71	63	48	30	27	16	13	2	2	1
175	Poisoning by food	W	28	11		3	1	2			1	3	1	1	2	1	2		
		C	15	3	1	2					1	5	2	1					
176	Poisoning by venomous animals	W	2		1									1					
		C	1												1				
177	Other acute poisonings (gas excepted)	W	30	1	6	1	1		1		4	9	5	1	1				
		C	22		6	5		1	1	2	2	2	1		1	1			
178	Conflagration	W	9		1	1	1		1		2	2			1				
		C	14		2	1	3		1	2	1			1	1	1		1	
179	Burns (conflagration excepted)	W	111	1	12	19	12	11	13	8	6	4	2	2	5	8	8		
		C	78	4	9	5	12	4	15	4	6	4	1	3	6	2	3		
180	Mechanical suffocation	W	24	22					1			1							
		C	19	18	1														
181	Absorption of irrespirable, irritating, or poisonous gas	W	10	2							3	1		1	3				
		C	1							1									
182	Drowning	W	85	1	3	2			4	22	28	11	7	4	1		1		1
		C	60						3	25	15	4	7	4	1	1			
183	Traumatism by firearms (except in war)	W	70	1	2	1	1		7	27	14	9	3	3	2				
		C	53	1		2	2	1	4	20	10	8	4	1					
184	Traumatism by cutting or piercing instruments	W	9	1			2			1	1		2		1		1		
		C	2						1		1								
185	Traumatism by fall	W	148	5	1		2	2	2	6	12	10	3	7	13	41	35	8	1
		C	32	3	2	1	1			6	3	3	5	2		2	3	1	
186a	Traumatism in mines	W	27							5	12	4	5	1					
		C	13								2	3	3	3	1				1
187	Traumatism by machines	W	25					1	3	3	6	2	4	3	3				
		C	9							1	2	2	1		1	2			
188a	Railroad accidents	W	84	1					4	16	20	15	9	4	7	3	4		1
		C	43						1	5	11	9	6	4	2	2	3		
188b	Street-car accidents	W	9						2	1		1	3	2					
		C	8						1	3	2				2				
188c	Automobile accidents	W	97		1	1	3	2	17	15	14	13	6	11	9	5			
		C	43	1			2	1	4	10	5	7	8	2	2	1			
188d	Aeroplane and balloon accidents	W	12								9	3							
188e,f	Injuries by other vehicles	W	24						1	7	4	1	1	1	3	5	1		
		C	9							1		2	1	1	2	1	1		
188g	Landslide, other crushing	W	9						1		1	3		3	1				
		C	4		1					1		2							
189	Injuries by animals (not poisoning)	W	9	1			1			1		1	1	1	1		2		
		C	7						1	1	1		1	1	1		1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS), IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	Deaths at unknown age.
	VIRGINIA—Continued.																		
	XIV.—External causes—Continued.																		
190	Accidental or undefined—Continued.																		
	Wounds of war {W	1								1									
193	{C	1									1								
194	Excessive cold C	4									1			1		2			
	Excessive heat {W	11	1	1				1	2					4	1	1			
195	{C	16	1		1						6	3	1	2	1			1	
	Lightning {W	11						3	1	2	2	1			2				
	{C	10					1	5	1	1	1				1				
196	Other accidental electric shocks {W	10						1	4	3		1	1						
	{C	2							1				1						
201	Fracture (cause not specified) {W	15	1								1		1	2	2	6	2		
	{C	2							1				1						
202	Other external violence {W	55	9	5	2	2	1	5	6	8	7	4	3	2	1				
203	{C	29	5	1		1		1	5	4	2	4	3	1	1		1		
	Violent deaths of unknown causation {W	15	4	3				1	1	3	2			1					
	{C	8	1						1	2	1		2	1					
	XV.—Ill-defined diseases {White	544	265	21	5	6	5	7	11	7	10	12	23	66	66	32	8		
	{Colored	481	225	28	12	6	6	5	12	17	28	26	23	34	31	19	4	3	2
204	Sudden death {W	63	21			1					2	1	7	13	12	5	1		
	{C	48	15	1	1	1	1	1	1	1	4	3	4	6	6	3			
205a	Ill-defined {W	174	52	8	2		2	3	4	3	5	7	11	28	36	10	3		
	{C	156	37	14	7	1	2	1	8	4	17	19	12	17	6	8	2		1
205b	Not specified or unknown {W	307	192	13	3	5	3	4	7	4	3	4	5	25	18	17	4		
	{C	277	173	13	4	4	3	3	3	12	7	4	7	11	19	8	2	3	1
	WASHINGTON.																		
	All causes	13,254	1,512	219	139	104	87	371	659	991	1,108	1,257	1,675	2,168	1,920	887	125	7	25
	I.—Epidemic, endemic, and infectious diseases	2,025	146	54	35	33	43	163	246	376	312	211	178	134	66	25	2		1
1	Typhoid and paratyphoid fever	75			1			2	14	17	18	11	6	4	2				
5	Malaria	4		1							1		1			1			
6	Smallpox	9	3					2	1	1	1			1					
7	Measles	25	10	7	2	1	2		2			1							
8	Scarlet fever	30	4	1	1	5	2	11	2	2	2								
9	Whooping cough	51	31	12	6		1	1											
10	Diphtheria	123	2	2	5	8	16	56	27	5	1	1							
11a	Influenza (with pulmonary complications)	119	15		4	1	2	2	11	5	15	2	12	19	25	6			
11b	Influenza (other and unspecified)	70	11	1	1			4	7	5	7	1	10	5	12	6			
13	Mumps	1							1										
15	Cholera nostras	4	3	1															
16	Dysentery	18	3	2	2	2	1	2		1	1				2	2			
21	Erysipelas	26	12	1	1		1			2	2			4	1	2			
22	Acute anterior poliomyelitis	122	2	5	3	7	7	46	40	6	2	1	1		1		1		
23	Lethargic encephalitis	54	1	1			1	1	10	7	8	7	12	4	2				
24	Meningococcus meningitis	17	4			1		4	4	2		1	1						
25	Other epidemic and endemic diseases	2	1					1											
27	Anthrax	1								1									
29	Tetanus	6			1				3	1			1						
	Tuberculosis (total)	1,150	21	18	8	8	9	29	121	310	234	167	115	82	19	7	1		1
31	Of the respiratory system	926	3	5	1		2	8	96	265	208	144	101	69	18	4	1		1
32	Of the meninges, central nervous system	88	13	12	6	5	6	16	12	6	4	7	1						
33	Of the intestines, peritoneum	57	1		1	1	1	2	6	19	6	7	5	7		1			
34	Of the vertebral column	18				1		1	2	5	3	2	1	2		1			
35	Of the joints	7	1	1				1	1	1		1		1					
36	Of other organs	31	1			1			2	7	7	3	5	3	1	1			
37a	Disseminated (acute)	14	1					1	1	4	5	1	1						
37b	Disseminated (chronic or unspecified)	9	1						1	3	1	2	1						
38	Syphilis	96	20	2					1	8	18	16	16	13	1	1			
39	Soft chancre	1												1					
40	Gonococcus infection	6	1							3		1	1						
41	Purulent infection, septicemia	15	2				1	2	2		2	2	2	1	1				
	II.—General diseases not included in Class I	1,752	33	8	4	5	3	19	51	55	110	236	379	464	299	81	5		
	Cancer and other malignant tumors (total)	1,192		2	1		1		7	16	68	153	292	356	231	61	4		
43	Of the buccal cavity	35										5	10	7	7	5	1		
44	Of the stomach, liver	458									15	50	109	149	115	18	2		
45	Of the peritoneum, intestines, rectum	153			1					1	11	17	38	41	33	11			
46	Of the female genital organs	168		1						1	18	41	44	44	16	3			
47	Of the breast	104								2	6	14	44	22	13	2	1		
48	Of the skin	39								1	1	2	3	13	13	6			
49	Of other or unspecified organs	235		1			1		7	11	17	24	44	80	34	16			
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	13			1				3	1		1	3	2	1	1			
51	Acute rheumatic fever	35						8	11	6	2	1	1	1	3	2			
52	Chronic rheumatism, osteoarthritis, gout	22						1			1	2	3	2	8	4	1		
54	Pellagra	1												1					
55	Beriberi	3	2							1									

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	WASHINGTON—Continued.																		
	II.—General diseases not included in Class I—Continued.																		
56	Rickets	4	2	1	1														
57	Diabetes mellitus	210	1	2	1	3	1	7	23	13	10	17	36	54	34	8			
58	Anemia, chlorosis	83	1	1							3	19	17	26	15	1			
60a	Exophthalmic goiter	37							1	1	8	12	13	1	1				
60b	Other diseases of the thyroid gland	23	1	1					1	1	2	7	2	4	2	2			
62	Diseases of the thymus gland	17	14						1	1	1								
63	Diseases of the adrenals (Addison's disease)	4									2	2							
64	Diseases of the spleen	2				1			1										
65a	Leukemia	24		1		1		1		3	2	1	4	8	2	1			
65b	Hodgkin's disease	10								3	1	4		2					
66	Alcoholism (acute or chronic)	38							1	4	7	13	4	7	2				
67a	Chronic lead poisoning	3										3							
68	Chronic poisoning by organic substances	6								4	2								
69	Other general diseases	25	12				1	2	2	1	1	1	4			1			
	III.—Diseases of the nervous system and of the organs of special sense	1,470	37	10	6	3	4	19	27	39	74	115	228	372	368	155	11		2
70	Encephalitis	16		1					3	1	4	2	3	2					
71a	Simple meningitis	27	9		1	1	2	2	3	3	1		4	1					
71b	Nonepidemic cerebrospinal meningitis	14	2	3	1				1	3	1	2		1					
72	Tabes dorsalis (locomotor ataxia)	23										6	2	13	1	1			
73	Other diseases of the spinal cord	71		1		1	1	3	3	3	4	5	12	22	12	3	1		
74a	Cerebral hemorrhage	971	4					2		6	11	46	165	298	295	133	9		2
74b	Cerebral embolism and thrombosis	26										3	8	3	9	3			
75	Paralysis without specified cause	58						1	1		1	1	4	12	27	10	1		
76	General paralysis of the insane	92							1	3	27	29	18	5	9				
77	Other forms of mental alienation	36								4	12	6	6	6	2				
78	Epilepsy	44	2			1	1	2	7	7	6	8	2	2	6				
79	Convulsions (nonpuerperal; 5 years and over)	1									1								
80	Infantile convulsions (under 5 years)	16	11	4	1														
81	Chorea	3						2	1										
82	Neuralgia and neuritis	1													1				
83	Softening of the brain	8												2	3	3			
84	Other diseases of the nervous system	29	3	1	1			4	3	1	2	5	2	4	2	1			
85	Diseases of the eye and annexa	3	2								1								
86a	Diseases of the ear	19	4		1			2	2	6	1	1	1			1			
86b	Diseases of the mastoid process	12			1			1	2	2	2	1	1	1	1				
	IV.—Diseases of the circulatory system	2,119	4	3	3	4		15	52	62	94	159	311	548	550	274	35	4	1
87	Pericarditis	9						2				3	1	2	1				
88	Endocarditis and myocarditis (acute)	74	1	1	2	1		4	14	13	12	9	6	5	6				
89	Angina pectoris	119									2	5	27	36	42	7			
90	Other diseases of the heart	1,629	2	2	1	1		9	35	43	70	125	249	439	427	201	24		1
91a	Aneurysm	28									3	6	4	10	3	2			
91b,c	Other diseases of the arteries	212									1	4	16	47	68	61	11	4	
92	Embolism and thrombosis (not cerebral)	31							1	4	3	6	4	8	2	3			
93	Diseases of the veins	9							1	1	2	1	3	1					
94	Diseases of the lymphatic system	6	1			2			1	1	1								
95	Hemorrhage without specified cause	2											1		1				
	V.—Diseases of the respiratory system	966	174	51	26	12	10	34	33	26	53	78	84	120	159	88	17		1
97a	Diseases of the nasal fossae	2	1														1		
97b	Diseases of the nasal fossae annexa	10	2					1	1	1	1	3	1						
98	Diseases of the larynx	9	1	1	2	2			1			1	1						
99a	Acute bronchitis	21	4	1		1								2	6	5	2		
99b	Chronic bronchitis	28		1							1	2		4	7	10	3		
99c,d	Bronchitis (unspecified)	16	4			1							1	1	5	3	1		
100a	Bronchopneumonia	360	111	36	12	4	3	14	9	3	4	16	19	30	63	30	6		
100b	Capillary bronchitis	6	2				1	1			1					1			
101a	Lobar pneumonia	384	31	9	6	3	4	13	16	15	37	42	49	60	65	31	2		1
101b	Pneumonia (unspecified)	43	14	1	2	1	1	2	4	1	2	4	2	3	4	1	1		
102	Pleurisy	40	2	1	1		1		2	4	4	2	8	10	3	2			
103	Congestion and hemorrhagic infarct of the lung	15	2								1	2	1	2	3	3	1		
104	Gangrene of the lung	3										1	2						
105	Asthma	19		1	3			1		1		2		6	3	2			
107	Other diseases of the respiratory system (tuberculosis excepted)	10						2		1	2	3		2					
	VI.—Diseases of the digestive system	992	164	47	28	24	13	39	65	72	83	106	113	113	77	37	5		1
108	Diseases of the mouth and annexa	8	1								1	2	3	1					
109b	Other diseases of the pharynx, tonsils	70	3	2	3	6	4	10	15	8	5	6	2	4	1	1			
110	Diseases of the esophagus	2												1	1				
111a	Ulcer of the stomach	59				1				8	12	12	13	9	1	3			
111b	Ulcer of the duodenum	28		1					1	2	4	5	8	5	1	1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	WASHINGTON—Continued.																		
	VI.—Diseases of the digestive system—Continued.																		
112	Other diseases of the stomach (cancer excepted)	62	19		1	2	1	1	2	1	1	3		6	13	8	2		
113	Diarrhea and enteritis (under 2 years)	153	117	36															
114	Diarrhea and enteritis (2 years and over)	65			18	11	3	5	1			2	3	6	11	3	2		
117	Appendicitis and typhlitis	203	1	2	4	3	4	18	43	31	31	32	20	11	2	1			
118a	Hernia	31				1				1	2	5	8	4	7	3			
118b	Intestinal obstruction	93	17	3	1			2	2	9	7	15	13	12	6	6			
119	Other diseases of the intestines	14	2	1				1	1		1	1	2	1	2	2			
120	Acute yellow atrophy of the liver	2								1	1								
122	Cirrhosis of the liver	75								1	6	7	15	24	17	3	1		1
123	Biliary calculi	44									1	5	10	17	10	1			
124	Other diseases of the liver	58	1							8	6	9	16	9	4	5			
125	Diseases of the pancreas	7								1	1	1	2	2					
126	Peritonitis without specified cause	14	3	1	1		1	1		1	3		1	1	1				
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	4						1			1	1	1						
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	1,009	7	1	1	4		5	23	34	59	112	157	242	231	117	12	1	3
128	Acute nephritis (including unspecified under 10 years)	47	3	1	1	3		3	10	5	4	1	4	6	5	1			
129	Chronic nephritis (including unspecified 10 years and over)	781	1			1		2	12	17	32	81	127	210	188	99	8	1	2
131	Other diseases of the kidneys and annexa	23								2	2	6	4	5	3		1		
132	Calculi of the urinary passages	11									1		4	5	1				
133	Diseases of the bladder	15	2										1		4	7	1		
134	Diseases of the urethra, etc	4								1	3								
135	Diseases of the prostate	58									1		5	11	29	10	2		
136	Nonvenereal diseases of the male genital organs	1	1																
137	Cysts, other benign tumors of the ovary	10								1	1	4	4						
138	Salpingitis and pelvic abscess (female)	24							1	2	10	7	3	1					
139	Benign tumors of the uterus	22								1	3	10	5	3					
141	Other diseases of the female genital organs	13								5	2	3		1	1				1
	VIII.—The puerperal state	212							20	105	75	12							
143	Accidents of pregnancy	17							2	5	9	1							
144	Puerperal hemorrhage	19								9	7	3							
145	Other accidents of labor	21							1	8	10	2							
146	Puerperal septicemia	97							11	53	29	4							
147	Puerperal phlegmasia alba dolens, embolus, etc	8								3	5								
148	Puerperal albuminuria and convulsions	49							6	26	15	2							
149	Following childbirth (undefined)	1								1									
	IX.—Diseases of the skin and of the cellular tissue	36	10						1	1	2	2	2	3	3	9	3		
151	Gangrene	15	1								1			2	1	7	3		
152	Furuncle	7	1						1	1	1	2				1			
153	Acute abscess	3											1		1	1			
154	Other diseases of the skin and annexa	11	8										1	1	1				
	X.—Diseases of the bones and of the organs of locomotion	14			1		1	1	1	1	5	1	2	1					
155	Diseases of the bones (tuberculosis excepted)	10			1		1	1	1		3	1	2						
156	Diseases of the joints (tuberculosis and rheumatism excepted)	4								1	2			1					
	XI.—Malformations	183	173	7	3														
159a	Congenital hydrocephalus	15	12	2	1														
159b	Congenital malformations of the heart	112	108	2	2														
159c	Other congenital malformations	56	53	3															
	XII.—Early infancy	718	718																
160	Congenital debility, icterus, sclerema	80	80																
161a	Premature birth	427	427																
161b	Injury at birth	139	139																
162	Other diseases peculiar to early infancy	71	71																
163	Lack of care	1	1																
164	XIII.—Old age (senility)	161										1	4	11	59	64	21	1	
	XIV.—External causes	1,479	25	35	32	18	13	74	133	219	237	216	196	139	86	30	11		15
	Suicide (total)	288							5	38	55	65	60	40	16	7			2
165	By poisons (corrosives excepted)	23								4	5	2	7	1	3	1			
166	By corrosive substances	21							1	9	3	2	5	1					
167	By poisonous gas	29								4	6	8	4	4	2	1			
168	By hanging or strangulation	35							2	3	7	9	8	3	1	1			1
169	By drowning	19							1	2		3	3	8	1	1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	WASHINGTON—Continued.																		
	XIV.—External causes—Continued.																		
	Suicide—Continued.																		
170	By firearms	118							1	12	24	31	23	16	8	2			1
171	By cutting or piercing instruments	31								2	8	6	8	5	1	1			
172	By jumping from high places	4									2	1		1					
173	By crushing	3								1		2							
174	By other means	5								1		1	2	1					
	Homicide (total)	82			1				1	22	24	16	9	4	3				2
197	By firearms	62			1				1	17	19	15	4	1	2				2
198	By cutting or piercing instruments	5								1	2	1	1						
199	By other means	15								4	3		4	3	1				
	Accidental or undefined (total)	1,109	25	35	31	18	13	74	127	159	158	135	127	95	67	23	11		11
175	Poisoning by food	21		2	1				1	3		6	4	2		1			1
176	Poisoning by venomous animals	2						1			1								
177	Other acute poisonings (gas excepted)	30	1	6	1	2	1	4		1	4	3	3	2	2				
178	Conflagration	26		3	1	2	1	1		5		2	4	3	3	1			
179	Burns (conflagration excepted)	50	2	7	5	2	3	5	4	2	4	3	3	3	'5	2			
180	Mechanical suffocation	19	11				1	1	1	2	1	1		1					
181	Absorption of irrespirable, irritating, or poisonous gas	17								3	2	2	6	2	1				1
182	Drowning	182		4	9	7	1	22	50	33	17	20	8	6	2		1		2
183	Traumatism by firearms (except in war)	42				1		3	13	11	2	5	3	2					2
184	Traumatism by cutting or piercing instruments	9	2							2	1		2	1	1				
185	Traumatism by fall	140	2	4		1		4	9	10	17	17	11	11	29	16	8		1
186a	Traumatism in mines	6							1	2	1	2							
186b	Traumatism in quarries	1												1					
187	Traumatism by machines	41		1	1			1	1	13	9	4	7	3	1				
188a	Railroad accidents	90		1	3	1	1	1	5	11	21	21	11	10	2	1			1
188b	Street-car accidents	23			1		1	3		2	2	1	5	4	2	1	1		
188c	Automobile accidents	202		4	5	2	3	23	18	28	27	27	31	22	11	1			
188e, f	Injuries by other vehicles	31		1	1		1	3	6	4	2	2	2	7	2				
188g	Landslide, other crushing	46							3	8	18	5	8	1					3
189	Injuries by animals (not poisoning)	11							3		1		3	4					
193	Excessive cold	3							2					1					
195	Lightning	1										1							
196	Other accidental electric shocks	8							1	3	1		3						
202	Other external violence	86	5	2	3			2	7	13	23	12	8	8	2		1		
203	Violent deaths of unknown causation	22	2						2	3	4	1	5	1	4				
	XV.—Ill-defined diseases	118	21	3		1		2	7	1	4	8	16	21	22	7	3	1	1
204	Sudden death	16	2						1			1	3	4	3	1	1		
205a	Ill-defined	45	3	1		1				1	1	2	7	13	12	3			1
205b	Not specified or unknown	57	16	2				2	6		3	5	6	4	7	3	2	1	
	WISCONSIN.																		
	All causes	27,552	4,448	537	329	240	197	718	1,128	1,635	1,753	1 936	2,725	4,049	4,414	2,828	574	21	20
	I.—Epidemic, endemic, and infectious diseases	3,672	322	164	105	107	88	295	397	673	506	310	281	216	137	58	6	2	5
1	Typhoid and paratyphoid fever	81	2					10	11	21	18	7	7	3	2				
5	Malaria	1													1				
6	Smallpox	21	7				1		3	3	2	2	2	1					
7	Measles	51	20	11	1		1	9	6	2	1								
8	Scarlet fever	242	9	19	30	33	20	78	28	14	9	2							
9	Whooping cough	164	92	47	9	7	3	4	1						1				
10	Diphtheria	399	10	29	40	40	35	134	76	14	4	9	7						1
11a	Influenza (with pulmonary complications)	113	23	4	2	1	2	3	10	11	7	7	9	8	13	13			
11b	Influenza (other and unspecified)	97	18	4		1		7	7	5	5	6	5	10	18	8	3		
13	Mumps	6	1		1		1		1			2							
15	Cholera nostras	14	4	1		2		1		1			1		3	1			
16	Dysentery	65	26	3	2		2	2		1	2		3	3	7	12	1	1	
19	Spirochetal hemorrhagic jaundice	1										1							
21	Erysipelas	87	21	1	3			1		4	4	10	11	17	7	5	2		1
22	Acute anterior poliomyelitis	69	3	5	4	6	4	11	17	11	5	1	1						1
23	Lethargic encephalitis	50	3	1		1	1		9	10	5	9	5	4	1			1	
24	Meningococcus meningitis	30	7	1	1		5	1	7	4	3				1				
25	Other epidemic and endemic diseases	3	1	1				1											
29	Tetanus	36	6			2	1	4	9	5	3		2	3		1			
30	Mycoses	2	1											1					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	WISCONSIN—Continued.																		
	I.—Epidemic, endemic, and infectious diseases—Continued.																		
	Tuberculosis (total)	2,014	37	33	12	14	12	27	202	550	425	233	216	154	80	18			1
31	Of the respiratory system	1,688	11	7	5	1	1	5	166	495	389	199	184	141	69	14			1
32	Of the meninges, central nervous system	127	22	21	6	8	9	16	15	13	4	9	4						
33	Of the intestines, peritoneum	75					1	2	6	18	12	11	12	6	5	2			
34	Of the vertebral column	17	2			1			1	2	4		2	3	1	1			
35	Of the joints	16						2	3	4		2	2	1	2				
36	Of other organs	37			1	3	1	1	1	2	10	5	7	2	3	1			
37a	Disseminated (acute)	39	1	5		1		1	6	11	5	6	3						
37b	Disseminated (chronic or unspecified)	15	1						4	5	1	1	2	1					
38	Syphilis	80	27	2					1	7	8	13	12	8	1				1
40	Gonococcus infection	9							2	6	1								
41	Purulent infection, septicemia	36	4	2				2	6	4	4	8		4	2				
42	Other infectious diseases	1							1										
	II.—General diseases not included in Class I	3,834	74	11	11	8	7	44	85	123	177	393	753	1,050	825	242	27		4
	Cancer and other malignant tumors (total)	2,614	1	4	5	3		5	10	33	85	269	560	771	646	194	24		4
43	Of the buccal cavity	75				1					1	6	18	15	25	7	2		
44	Of the stomach, liver	1,187							1	5	21	93	252	386	322	100	7		
45	Of the peritoneum, intestines, rectum	352		1					2	3	17	28	63	107	99	27	4		1
46	Of the female genital organs	219								4	15	50	60	51	31	6	1		1
47	Of the breast	203									8	43	62	45	26	18	1		
48	Of the skin	59									3	3	6	18	17	6	6		
49	Of other or unspecified organs	519	1	3	5	2		5	7	21	20	46	99	149	126	30	3		2
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	12									1	1	1	3	6				
51	Acute rheumatic fever	132	1			1	1	9	24	14	16	11	14	22	13	6			
52	Chronic rheumatism, osteoarthritis, gout	44									1	2	7	16	15	3			
53	Scurvy	1	1																
54	Pellagra	1										1							
56	Rickets	18	12	4	1			1											
57	Diabetes mellitus	468	1		1	3	4	16	32	33	26	33	67	133	92	24	3		
58	Anemia, chlorosis	241	4	1		1		2	3	8	16	26	62	74	34	10			
60a	Exophthalmic goiter	65							3	12	8	16	11	10	5				
60b	Other diseases of the thyroid gland	30	2						4	6	3	5	4	3	2	1			
61	Diseases of the parathyroid glands	2	2																
62	Diseases of the thymus gland	24	21	1				2											
63	Diseases of the adrenals (Addison's disease)	21							1	2	4	4	5	3	1	1			
64	Diseases of the spleen	5					1		1		2		1						
65a	Leukemia	40	3		3			3	4	3	3	8	5	5	2	1			
65b	Hodgkin's disease	25						3	2	4	3	2	4	3	3	1			
66	Alcoholism (acute or chronic)	43							1	4	7	14	9	6	2				
67a	Chronic lead poisoning	5								1	1	1		1	1				
69	Other general diseases	43	26	1	1		1	3		3	1		3		3	1			
	III.—Diseases of the nervous system and of the organs of special sense	3,117	130	26	15	11	12	35	61	72	136	211	383	683	780	473	89		
70	Encephalitis	44	7	2	1	5	2	3	3	4	8	1	2	4	1	1			
71a	Simple meningitis	73	16	6	6	3	5	9	9	4	2	6	3	2	1	1			
71b	Nonepidemic cerebrospinal meningitis	33	6	6	2	1	1	7	4	1	3		1	1					
72	Tabes dorsalis (locomotor ataxia)	40									3	9	9	14	5				
73	Other diseases of the spinal cord	146	1				1	3	8	1	9	13	25	41	34	10			
74a	Cerebral hemorrhage	2,063	8							11	26	100	259	517	647	411	84		
74b	Cerebral embolism and thrombosis	51								2	4	2	6	15	10	11	1		
75	Paralysis without specified cause	100										3	12	19	39	26	1		
76	General paralysis of the insane	119								2	29	28	30	18	8	3	1		
77	Other forms of mental alienation	74							2	8	11	13	13	15	9	3			
78	Epilepsy	102	1	2			1	4	16	20	17	12	6	14	8	1			
79	Convulsions (nonpuerperal; 5 years and over)	2												1	1				
80	Infantile convulsions (under 5 years)	90	81	5	4														
81	Chorea	2							1	1									
82	Neuralgia and neuritis	9								1	1		1	1	3	1	1		
83	Softening of the brain	12									1		1	5	4		1		
84	Other diseases of the nervous system	97	4	1		1	1	4	8	9	16	19	11	13	7	3			
85	Diseases of the eye and annexa	1												1					
86a	Diseases of the ear	38	5	2	2	1	1	4	4	6	1	3	3	2	2	2			
86b	Diseases of the mastoid process	21	1	2				1	6	2	5	2	1		1				
	IV.—Diseases of the circulatory system	4,232	28	3	3	2	8	36	94	81	145	250	466	916	1,245	806	145	3	1
87	Pericarditis	23							1		1	2		10	6	2	1		
88	Endocarditis and myocarditis (acute)	205	13		3	2	3	11	27	26	32	29	16	18	19	6			
89	Angina pectoris	191		1				1	2	2	5	17	30	53	60	18	2		
90	Other diseases of the heart	3,249	10	2			5	24	61	50	98	189	388	750	975	600	94	2	1
91a	Aneurysm	29							1		2	3	6	12	2	3			
91b,c	Other diseases of the arteries	475									1	5	17	58	173	172	48	1	
92	Embolism and thrombosis (not cerebral)	36	1							1	3	3	6	9	8	5			
93	Diseases of the veins	13	1								2	1	3	4	2				
94	Diseases of the lymphatic system	5	2							1				2					
95	Hemorrhage without specified cause	5							2	1	1	1							
96	Other diseases of the circulatory system	1	1																

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	WISCONSIN—Continued.																		
	V.—Diseases of the respiratory system.	2,482	567	133	51	26	19	72	73	61	108	155	179	273	384	319	56	2	4
97a	Diseases of the nasal fossae	3	1												2				
97b	Diseases of the nasal fossae annexa	4								1			1	2					
98	Diseases of the larynx	11	3	2	2	1		1	1										1
99a	Acute bronchitis	118	46	7	1	2		3	1	1	1	2		5	19	22	7		1
99b	Chronic bronchitis	96	3					1	1	2	1	1	6	21	28	28	4		
99c,d	Bronchitis (unspecified)	77	33	5	1		2	2	1			1		2	11	17	2		
100a	Bronchopneumonia	847	309	73	31	13	10	20	15	8	15	27	36	61	116	97	13	2	1
100b	Capillary bronchitis	35	15	5	1							1	3	1	3	5	1		
101a	Lobar pneumonia	881	105	28	11	7	4	34	33	35	65	101	109	133	125	77	14		
101b	Pneumonia (unspecified)	227	42	6	1	2	1	4	8	7	12	11	11	26	43	41	11		1
102	Pleurisy	72	5	4	3	1	1	1	10	5	10	4	7	6	9	6			
103	Congestion and hemorrhagic infarct of the lung	41	3	1				1	1	1		1		6	10	14	3		
104	Gangrene of the lung	5						1	1		1	1				1			
105	Asthma	48		1			1	3			2	3	3	8	17	9	1		
106	Pulmonary emphysema	2													1	1			
107	Other diseases of the respiratory system (tuberculosis excepted)	15	2	1				1	1	1	1	2	3	2		1			
	VI.—Diseases of the digestive system.	2,714	847	136	87	43	26	103	136	136	173	168	216	268	218	134	22	1	
108	Diseases of the mouth and annexa	18	3	1					1	1	4	1	1	6					
109b	Other diseases of the pharynx, tonsils	107	3	5	4	3	4	18	26	14	11	6	6	5		1	1		
110	Diseases of the esophagus	3							1					2					
111a	Ulcer of the stomach	89	1				1		3	7	13	15	15	18	10	6			
111b	Ulcer of the duodenum	21						1	2	3	2	4	5	3	1				
112	Other diseases of the stomach (cancer excepted)	163	76	14	6	5		5	1	4	3	3	7	8	13	13	4	1	
113	Diarrhea and enteritis (under 2 years)	816	709	107															
114	Diarrhea and enteritis (2 years and over)	271			64	23	11	25	6	2	4	10	9	21	37	50	9		
117	Appendicitis and typhlitis	416	1	2	7	7	8	44	81	66	62	47	45	36	9	1			
118a	Hernia	91	2							1	5	9	16	26	23	8	1		
118b	Intestinal obstruction	181	33	5	4	4	2	4	4	17	21	12	14	17	26	13	5		
119	Other diseases of the intestines	33	2		1				2	3	2	3	6	6	5	3			
120	Acute yellow atrophy of the liver	9								2	1	1	1		2	2			
121	Hydatid tumor of the liver	3												2	1				
122	Cirrhosis of the liver	186	3						1	4	10	19	33	60	38	17	1		
123	Biliary calculi	147							1	4	18	16	38	36	24	10			
124	Other diseases of the liver	97	2	2	1			1	4	6	5	13	11	19	24	8	1		
125	Diseases of the pancreas	21							1		5	5	5		4	1			
126	Peritonitis without specified cause	40	11			1		5	2	2	7	3	4	3	1	1			
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	2	1									1							
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	1,877	18	2	4	4	2	13	36	52	96	146	235	414	503	303	47	1	1
128	Acute nephritis (including unspecified under 10 years)	111	13	2	1	3		4	15	5	12	9	15	16	12	4			
129	Chronic nephritis (including unspecified 10 years and over)	1,482	1		2	1	2	8	17	36	56	106	194	360	414	250	33	1	1
131	Other diseases of the kidneys and annexa	34	4		1					2	5	4	5	5	6		2		
132	Calculi of the urinary passages	6										1	2	2		1			
133	Diseases of the bladder	27							1				2	2	12	6	4		
134	Diseases of the urethra, etc	5										2		2	1				
135	Diseases of the prostate	122										2	1	23	51	37	8		
136	Nonvenereal diseases of the male genital organs	4						1		1					1	1			
137	Cysts, other benign tumors of the ovary	15								1	1	1	5	1	4	2			
138	Salpingitis and pelvic abscess (female)	32							3	6	14	7	1		1				
139	Benign tumors of the uterus	24									2	12	6	2	1	1			
140	Nonpuerperal uterine hemorrhage	2									2								
141	Other diseases of the female genital organs	13								1	4	2	4	1		1			
142	Nonpuerperal diseases of the breast (cancer excepted)																		
	VIII.—The puerperal state	358							29	137	141	51							
143	Accidents of pregnancy	27								11	13	3							
144	Puerperal hemorrhage	40								11	25	4							
145	Other accidents of labor	33								12	16	5							
146	Puerperal septicemia	138							13	54	47	24							
147	Puerperal phlegmasia alba dolens, embolus, etc	19							1	7	7	4							
148	Puerperal albuminuria and convulsions	98							15	41	32	10							
149	Following childbirth (undefined)	3								1	1	1							
	IX.—Diseases of the skin and of the cellular tissue	118	30	2				2	4	5	6	5	6	11	24	17	6		
151	Gangrene	50										3	2	2	3	19	15	6	
152	Furuncle	13	6	1				1	1	1	1	1			1				
153	Acute abscess	21	9						2	2	2		2	2	1	1			
154	Other diseases of the skin and annexa	34	15	1				1	1	2		2	2	6	3	1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 yrs.	4 yrs.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.	
	WISCONSIN—Continued.																		
	X.—Diseases of the bones and of the organs of locomotion	25	1		1		1	2	4	2	2	4	3	2	2	1			
155	Diseases of the bones (tuberculosis excepted)	21	1		1		1	2	3	2	1	3	3	2	1	1			
156	Diseases of the joints (tuberculosis and rheumatism excepted)	4							1		1	1			1				
	XI.—Malformations	347	328	7	4	2	1	2	3										
159a	Congenital hydrocephalus	38	28	2	2	1	1	1	3										
159b	Congenital malformations of the heart	196	188	5	1	1		1											
159c	Other congenital malformations	113	112		1														
	XII.—Early infancy	1,978	1,978																
160	Congenital debility, icterus, sclerema	273	273																
161a	Premature birth	1,199	1,199																
161b	Injury at birth	279	279																
162	Other diseases peculiar to early infancy	224	224																
163	Lack of care	3	3																
164	XIII.—Old age (senility)	718											2	13	158	377	154	12	2
	XIV.—External causes	1,964	55	48	47	37	33	111	201	292	260	238	193	194	133	97	22		3
	Suicide (total)	350							7	41	68	74	66	60	24	8	1		1
165	By poisons (corrosives excepted)	9								2	1	3	2	1					
166	By corrosive substances	36							1	10	8	6	4	5	2				
167	By poisonous gas	27									7	4	6	5	3	1	1		
168	By hanging or strangulation	110							2	9	16	28	21	18	13	3			
169	By drowning	31							1	2	6	6	10	5		1			
170	By firearms	102							3	13	25	21	17	18	4				1
171	By cutting or piercing instruments	26								2	4	4	6	6	1	3			
172	By jumping from high places	4								1	1			2					
173	By crushing	3								1		1			1				
174	By other means	2								1		1							
	Homicide (total)	60	5					1		14	18	11	4	4	2	1			
197	By firearms	40								9	15	8	4	3		1			
198	By cutting or piercing instruments	1										1							
199	By other means	19	5					1		5	3	2		1	2				
	Accidental or undefined (total)	1,554	50	48	47	37	33	110	194	237	174	153	123	130	107	88	21		2
175	Poisoning by food	27	3	2	3	3		2	4	3	1	3		2	1				
177	Other acute poisonings (gas excepted)	22	2	4	1	2	1	1		2	1	5	1	1	1				
178	Conflagration	16			1	1		3	3		1	1	2	2		1			1
179	Burns (conflagration excepted)	103	7	13	16	8	6	7	3	11	9	6	5	4	6	2			
180	Mechanical suffocation	26	18					1		1	2	1	1	1					1
181	Absorption of irrespirable, irritating, or poisonous gas	37		1		1				3	4	3	10	2	7	6			
182	Drowning	261		12	7	6	3	31	85	58	23	10	15	8	2	1			
183	Traumatism by firearms (except in war)	56		1	1	1		5	26	9	5	4	3	1					
184	Traumatism by cutting or piercing instruments	12							1	1	1	4	3	2					
185	Traumatism by fall	234	1	3	6	3	2	5	7	12	13	20	9	24	54	56	19		
186a	Traumatism in mines	3									2	1							
186b	Traumatism in quarries	5								2	1		1	1					
187	Traumatism by machines	56						6	4	14	9	4	8	5	4	2			
188a	Railroad accidents	140		2	1		3	4	8	29	26	26	20	12	6	3			
188b	Street-car accidents	39				1	1	2	2	6		7	5	2	1	4			
188c	Automobile accidents	205	2	1	3	7	10	27	17	30	33	19	14	30	7	4	1		
188d	Aeroplane and balloon accidents	4								4									
188e,f	Injuries by other vehicles	41	1	1	1	1	1	2	7	5		6	8	5	3				
188g	Landslide, other crushing	12							2	2	3	3		2					
189	Injuries by animals (not poisoning)	36			1	1	1	3	1	5	5	2	5	7	4	1			
190	Wounds of war	1								1									
193	Excessive cold	4									2	1	1						
194	Excessive heat	43	8	1	1		1	2	2	4	1	5	3	2	7	5	1		
195	Lightning	19						1	5	3	2	2		1					
196	Other accidental electric shocks	25							3	11	4	3	1	3					
201	Fracture (cause not specified)	7					1		1			1	1	3					
202	Other external violence	87	7	6	3	2	3	7	7	9	15	11	5	6	4	2			
203	Violent deaths of unknown causation	33	1	1	2			1	6	7	3	5	2	4		1			
	XV.—Ill-defined diseases	116	70	5	1			3	5	1	3	5	8	9	5	1			
204	Sudden death	22	10					1	1			2	2	6					
205a	Ill-defined	24	7	5	1			1	1	1	1		1	2	3	1			
205b	Not specified or unknown	70	53					1	3		2	3	5	1	2				

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND AGE OF DECEDENT: 1921.

[The numbers in parentheses after causes of death correspond to those of the 1920 revision of the detailed International List. The cities shown by color are those with a minimum of 25,000 colored population on Jan. 1, 1920.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
BIRMINGHAM, ALA. (TOTAL).																		
All causes	2,725	434	99	28	26	14	60	179	372	365	361	303	236	173	61	12	2	.....
Typhoid and paratyphoid fever (1)	34	.....	.....	.....	1	.....	1	14	11	6	.....	1	.....	.....	.....	.....	.....	.....
Measles (7)	10	5	4	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	3	.....	.....	1	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	15	7	3	2	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	10	1	2	.....	.....	4	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (11)	47	3	1	.....	1	.....	2	2	5	7	7	8	5	5	1	.....	.....	.....
Meningococcus meningitis (24)	7	1	.....	.....	.....	.....	1	3	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	225	1	.....	1	1	1	1	38	77	52	34	11	3	5	.....	.....	.....	.....
Other forms of tuberculosis (32–37)	45	7	3	3	2	.....	6	4	7	7	1	4	1	.....	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	124	1	.....	.....	.....	.....	1	.....	4	17	33	28	29	11	.....	.....	.....	.....
Diabetes mellitus (57)	26	.....	.....	.....	.....	.....	2	4	2	1	7	7	1	2	.....	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	139	1	.....	.....	.....	.....	.....	1	7	12	19	40	29	20	9	1	.....	.....
Other [organic] diseases of the heart (90)	241	1	.....	.....	.....	.....	3	5	15	18	48	49	44	42	15	1	.....	.....
Bronchitis (99)	14	4	.....	1	.....	.....	.....	1	.....	.....	1	2	1	3	.....	1	.....	.....
Bronchopneumonia (100)	67	23	12	1	6	.....	4	1	2	2	6	1	5	2	2	.....	.....	.....
Pneumonia (101)	176	21	9	4	2	.....	3	13	21	21	36	18	14	11	2	1	.....	.....
Diarrhea and enteritis (113, 114)	104	46	39	4	3	.....	1	.....	.....	6	3	.....	.....	.....	1	1	.....	.....
Appendicitis and typhlitis (117)	75	.....	1	.....	.....	1	6	14	16	15	12	6	4	.....	.....	.....	.....	.....
Hernia, intestinal obstruction (118)	36	2	.....	.....	1	.....	.....	2	6	8	8	5	3	1	.....	.....	.....	.....
Cirrhosis of the liver (122)	19	.....	.....	.....	.....	.....	.....	1	1	1	5	5	5	1	.....	.....	.....	.....
Nephritis (128, 129)	141	1	3	3	.....	.....	1	5	10	20	17	23	29	21	8	.....	.....	.....
Diseases of the female genital organs (137–141)	22	.....	.....	.....	.....	.....	.....	1	6	6	7	1	1	.....	.....	.....	.....	.....
Puerperal septicemia (146)	22	.....	.....	.....	.....	.....	.....	1	12	8	1	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	42	.....	.....	.....	.....	.....	.....	6	23	11	2	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	21	.....	.....	.....	.....	.....	.....	4	6	2	2	6	1	.....	.....	.....	.....	.....
Homicide (197–200)	98	2	.....	1	.....	.....	.....	7	37	26	19	4	2	.....	.....	.....	.....	.....
Other external causes (175–196, 201–203)	176	8	10	3	2	4	15	20	30	32	21	14	9	5	3	.....	.....	.....
All other causes	786	299	12	4	6	4	7	31	73	87	71	69	50	44	20	7	2	.....
BIRMINGHAM, ALA. (WHITE).																		
All causes	1,286	204	55	13	18	8	35	79	121	126	146	148	158	132	37	6	.....	.....
Typhoid and paratyphoid fever (1)	15	.....	.....	.....	1	.....	1	4	5	3	.....	1	.....	.....	.....	.....	.....	.....
Measles (7)	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	3	.....	.....	1	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	6	2	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	7	.....	2	.....	.....	2	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (11)	21	1	.....	.....	1	.....	1	.....	1	2	2	4	4	4	1	.....	.....	.....
Meningococcus meningitis (24)	5	1	.....	.....	.....	.....	.....	3	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	45	.....	.....	.....	1	.....	.....	7	9	12	6	3	2	5	.....	.....	.....	.....
Other forms of tuberculosis (32–37)	14	3	1	2	1	.....	2	1	1	1	.....	2	.....	.....	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	86	1	.....	.....	.....	.....	1	.....	2	8	21	23	21	9	.....	.....	.....	.....
Diabetes mellitus (57)	17	.....	.....	.....	.....	.....	2	3	2	1	4	4	.....	1	.....	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	68	1	.....	.....	.....	.....	.....	1	.....	2	5	21	20	12	6	.....	.....	.....
Other [organic] diseases of the heart (90)	111	1	.....	.....	.....	.....	1	2	3	7	10	19	27	31	9	1	.....	.....
Bronchitis (99)	6	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	.....	1	.....	.....
Bronchopneumonia (100)	26	10	4	.....	1	.....	.....	.....	.....	1	2	1	4	2	1	.....	.....	.....
Pneumonia (101)	67	5	3	2	2	.....	3	5	5	4	8	10	8	10	2	.....	.....	.....
Diarrhea and enteritis (113, 114)	61	24	27	3	3	.....	.....	.....	.....	1	1	.....	.....	.....	1	1	.....	.....
Appendicitis and typhlitis (117)	59	.....	1	.....	.....	1	4	11	10	11	12	6	3	.....	.....	.....	.....	.....
Hernia, intestinal obstruction (118)	20	2	.....	.....	1	.....	.....	1	4	2	5	2	2	1	.....	.....	.....	.....
Cirrhosis of the liver (122)	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	4	.....	.....	.....	.....	.....
Nephritis (128, 129)	80	1	2	1	.....	.....	1	2	.....	7	9	13	24	16	4	.....	.....	.....
Diseases of the female genital organs (137–141)	8	.....	.....	.....	.....	.....	.....	.....	1	2	5	.....	.....	.....	.....	.....	.....	.....
Puerperal septicemia (146)	14	.....	.....	.....	.....	.....	.....	.....	6	7	1	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	18	.....	.....	.....	.....	.....	.....	4	7	6	1	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	20	.....	.....	.....	.....	.....	.....	4	6	1	2	6	1	.....	.....	.....	.....	.....
Homicide (197–200)	33	2	.....	.....	.....	.....	.....	1	14	8	6	1	1	.....	.....	.....	.....	.....
Other external causes (175–196, 201–203)	111	6	5	1	1	3	9	13	17	18	14	9	8	4	3	.....	.....	.....
All other causes	357	142	9	1	5	2	5	17	28	22	29	22	28	34	10	3	.....	.....
BIRMINGHAM, ALA. (COLORED).																		
All causes	1,439	230	44	15	8	6	25	100	251	239	215	155	78	41	24	6	2	.....
Typhoid and paratyphoid fever (1)	19	.....	.....	.....	.....	.....	.....	10	6	3	.....	.....	.....	.....	.....	.....	.....	.....
Measles (7)	9	4	4	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	9	5	2	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	3	1	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (11)	26	2	1	.....	.....	.....	1	2	4	5	5	4	1	1	.....	.....	.....	.....
Meningococcus meningitis (24)	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	180	1	.....	1	.....	1	1	31	68	40	28	8	1	.....	.....	.....	.....	.....
Other forms of tuberculosis (32–37)	31	4	2	1	1	.....	4	3	6	6	1	2	1	.....	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	38	.....	.....	.....	.....	.....	.....	.....	2	9	12	5	8	2	.....	.....	.....	.....
Diabetes mellitus (57)	9	.....	.....	.....	.....	.....	.....	1	.....	.....	3	3	1	1	.....	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	71	.....	.....	.....	.....	.....	.....	.....	7	10	14	19	9	8	3	1	.....	.....
Other [organic] diseases of the heart (90)	130	.....	.....	.....	.....	.....	2	3	12	11	38	30	17	11	6	.....	.....	.....
Bronchitis (99)	8	3	.....	1	.....	.....	.....	1	.....	.....	1	2	.....	.....	.....	.....	.....	.....
Bronchopneumonia (100)	41	13	8	1	5	.....	4	1	2	1	4	.....	1	.....	1	.....	.....	.....
Pneumonia (101)	109	16	6	2	.....	.....	.....	8	16	17	28	8	6	1	.....	1	.....	.....
Diarrhea and enteritis (113, 114)	43	22	12	1	.....	.....	1	.....	.....	5	2	.....	.....	.....	.....	.....	.....	.....
Appendicitis and typhlitis (117)	16	.....	.....	.....	.....	.....	2	3	6	4	.....	.....	1	.....	.....	.....	.....	.....
Hernia, intestinal obstruction (118)	16	.....	.....	.....	.....	.....	.....	1	2	6	3	3	1	.....	.....	.....	.....	.....
Cirrhosis of the liver (122)	12	.....	.....	.....	.....	.....	.....	1	1	1	3	4	1	1	.....	.....	.....	.....
Nephritis (128, 129)	61	.....	1	2	.....	.....	.....	3	10	13	8	10	5	5	4	.....	.....	.....
Diseases of the female genital organs (137–141)	14	.....	.....	.....	.....	.....	.....	1	5	4	2	1	1	.....	.....	.....	.....	.....
Puerperal septicemia (146)	8	.....	.....	.....	.....	.....	.....	1	6	1	.....	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	24	.....	.....	.....	.....	.....	.....	2	16	5	1	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Homicide (197–200)	65	.....	.....	1	.....	.....	.....	6	23	18	13	3	1	.....	.....	.....	.....	.....
Other external causes (175–196, 201–203)	65	2	5	2	1	1	6	7	13	14	7	5	1	1	.....	.....	.....	.....
All other causes	429	157	3	3	1	2	2	14	45	65	42	47	22	10	10	4	2	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND AGE OF DECEDENT: 1921—Continued.

[See note at head of this table, p. 534.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
LOS ANGELES, CALIF. (TOTAL).																		
All causes	8,528	859	155	67	59	49	154	301	628	823	961	1,164	1,347	1,218	653	84	5	1
Typhoid and paratyphoid fever (1)	16					1	1	5	4	2	1	1		1				
Measles (7)	27	5	7	3	3	4	3		1				1					
Scarlet fever (8)	36	1	2	8	1	3	9	7	5									
Whooping cough (9)	8	7	1															
Diphtheria (10)	95	9	13	5	10	13	32	5	1	4	2	1						
Influenza (11)	33	5	4		1	1		2	3	8	3	2		2	1	1		
Meningococcus meningitis (24)	11	1	1	1		1	2	1	3				1					
Tuberculosis of the respiratory system (31)	920	8	3	4	1	1	13	78	210	244	157	99	61	33	8			
Other forms of tuberculosis (32–37)	137	14	14	7	3	1	8	17	29	13	12	10	4	4	1			
Cancer and other malignant tumors (43–49)	799	1		1	1		3	4	6	60	125	180	229	140	41	8		
Diabetes mellitus (57)	143						2	4	9	5	18	36	42	22	4	1		
Cerebral hemorrhage and softening (74, 83)	583			1			2		7	9	49	92	148	171	92	11	1	
Other [organic] diseases of the heart (90)	1,112	3					4	25	27	58	79	192	241	305	161	16	1	
Bronchitis (99)	87	21	5	1		2		2		3	1	13	5	15	18	1		
Bronchopneumonia (100)	195	50	20	9	1	1	3	7	7	12	10	12	21	20	18	4		
Pneumonia (101)	240	18	13	5	3	1	10	10	16	29	33	30	32	23	16	1		
Diarrhea and enteritis (113, 114)	255	168	32	9	9	2	8	3		4	4	1	6	3	6			
Appendicitis and typhlitis (117)	114				1		4	17	18	22	19	15	14	3	1			
Hernia, intestinal obstruction (118)	90	5	4	1		2		2	4	13	15	11	14	13	5			1
Cirrhosis of the liver (122)	64								1	4	9	19	15	11	5			
Nephritis (128, 129)	705	3		2	1		1	7	20	41	87	116	166	172	79	10		
Diseases of the female genital organs (137–141)	57								3	15	21	8	6	3	1			
Puerperal septicemia (146)	48							6	27	12	3							
Other puerperal causes (143–145, 147–150)	61							4	26	27	4							
Suicide (165–174)	172							5	32	36	37	27	23	8	4			
Homicide (197–200)	88	1						4	30	25	13	5	8	1	1			
Other external causes (175–196, 201–203)	481	15	12	2	9	7	14	40	64	59	64	68	56	42	26	3		
All other causes	1,951	524	24	8	15	9	35	46	75	118	195	226	254	226	165	28	3	
LOS ANGELES, CALIF. (WHITE).																		
All causes	7,995	763	142	56	52	49	147	279	566	747	881	1,096	1,293	1,194	645	81	3	1
Typhoid and paratyphoid fever (1)	14					1	1	5	4	1		1		1				
Measles (7)	26	5	7	3	2	4	3		1				1					
Scarlet fever (8)	35	1	2	7	1	3	9	7	5									
Whooping cough (9)	8	7	1															
Diphtheria (10)	93	9	12	5	9	13	32	5	1	4	2	1						
Influenza (11)	29	5	4		1	1		2	2	6	3	2		2	1			
Meningococcus meningitis (24)	9	1	1	1		1	2	1	1				1					
Tuberculosis of the respiratory system (31)	338	7	3	4	1	1	12	72	187	218	143	95	55	32	8			
Other forms of tuberculosis (32–37)	119	11	12	5	3	1	6	16	27	11	10	9	3	4	1			
Cancer and other malignant tumors (43–49)	758	1			1		2	4	5	54	116	167	222	138	40	8		
Diabetes mellitus (57)	142						2	4	9	5	18	35	42	22	4	1		
Cerebral hemorrhage and softening (74, 83)	558			1			2		6	9	46	82	145	165	91	11		
Other [organic] diseases of the heart (90)	1,057	3					3	23	23	56	67	180	228	300	159	15		
Bronchitis (99)	78	16	4	1		2		2		3	1	11	5	14	18	1		
Bronchopneumonia (100)	179	44	19	7	1	1	3	7	6	11	9	12	19	18	18	4		
Pneumonia (101)	217	15	11	4	3	1	9	8	13	26	31	26	30	23	16	1		
Diarrhea and enteritis (113, 114)	230	153	28	8	5	2	8	3		4	4	1	6	2	6			
Appendicitis and typhlitis (117)	107				1		4	15	17	22	16	14	14	3	1			
Hernia, intestinal obstruction (118)	84	5	4			2		2	3	12	13	11	14	13	4			1
Cirrhosis of the liver (122)	60								1	3	9	18	15	9	5			
Nephritis (128, 129)	669	3		1	1		1	6	17	38	81	107	158	170	77	9		
Diseases of the female genital organs (137–141)	51								2	12	20	7	6	3	1			
Puerperal septicemia (146)	44							6	25	10	3							
Other puerperal causes (143–145, 147–150)	57							3	24	26	4							
Suicide (165–174)	168							5	30	36	35	27	23	8	4			
Homicide (197–200)	75	1						4	28	21	12	4	5	1	1			
Other external causes (175–196, 201–203)	455	14	12	1	8	7	14	36	62	56	57	66	51	42	26	3		
All other causes	1,835	462	22	8	15	9	34	43	69	103	181	220	250	224	164	28	3	
LOS ANGELES, CALIF. (COLORED).																		
All causes	533	96	13	11	7		7	22	62	76	80	68	54	24	8	3	2	
Typhoid and paratyphoid fever (1)	2									1	1							
Measles (7)	1				1													
Scarlet fever (8)	1			1														
Whooping cough (9)																		
Diphtheria (10)	2		1		1													
Influenza (11)	4								1	2						1		
Meningococcus meningitis (24)	2								2									
Tuberculosis of the respiratory system (31)	82	1					1	6	23	26	14	4	6	1				
Other forms of tuberculosis (32–37)	18	3	2	2			2	1	2	2	2	1	1					
Cancer and other malignant tumors (43–49)	41			1			1		1	6	9	13	7	2	1			
Diabetes mellitus (57)	1											1						
Cerebral hemorrhage and softening (74, 83)	25								1		3	10	3	6	1		1	
Other [organic] diseases of the heart (90)	55						1	2	4	2	12	12	13	5	2	1	1	
Bronchitis (99)	9	5	1									2		1				
Bronchopneumonia (100)	16	6	1	2					1	1	1		2	2				
Pneumonia (101)	23	3	2	1			1	2	3	3	2	4	2					
Diarrhea and enteritis (113, 114)	25	15	4	1	4									1				
Appendicitis and typhlitis (117)	7							2	1		3	1						
Hernia, intestinal obstruction (118)	6			1					1	1	2				1			
Cirrhosis of the liver (122)	4									1		1		2				
Nephritis (128, 129)	36			1				1	3	3	6	9	8	2	2	1		
Diseases of the female genital organs (137–141)	6								1	3	1	1						
Puerperal septicemia (146)	4								2	2								
Other puerperal causes (143–145, 147–150)	4							1	2	1								
Suicide (165–174)	4								2		2							
Homicide (197–200)	13								4	4	1	1	3					
Other external causes (175–196, 201–203)	26	1		1	1			4	2	3	7	2	5					
All other causes	116	62	2				1	3	6	15	14	6	4	2	1			

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND AGE OF DECEDENT: 1921—Continued.

[See note at head of this table, p. 534.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
OAKLAND, CALIF.																		
All causes	2,356	218	47	15	15	19	71	54	118	162	230	344	401	398	221	42	1	.....
Typhoid and paratyphoid fever (1)	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
Measles (7)	3	.....	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	3	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	13	7	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	45	1	2	2	5	8	22	4	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (11)	25	4	1	.....	2	.....	.....	1	4	5	5	1	1	.....	1	.....	.....	.....
Meningococcus meningitis (24)	3	.....	.....	1	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	132	1	1	.....	.....	.....	3	9	32	19	23	21	15	8	.....	.....	.....	.....
Other forms of tuberculosis (32–37)	34	.....	2	5	2	.....	9	1	2	4	2	4	3	.....	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	234	.....	.....	.....	.....	1	.....	.....	1	14	36	62	62	43	10	5	.....	.....
Diabetes mellitus (57)	46	.....	.....	.....	.....	.....	.....	.....	1	5	1	11	10	13	4	1	.....	.....
Cerebral hemorrhage and softening (74, 83)	232	.....	1	.....	1	.....	.....	1	.....	5	15	26	61	82	36	4	.....	.....
Other [organic] diseases of the heart (90)	455	.....	.....	.....	.....	.....	4	5	8	9	34	81	108	123	76	7	.....	.....
Bronchitis (99)	22	2	.....	.....	.....	.....	1	.....	.....	1	.....	2	2	6	7	1	.....	.....
Bronchopneumonia (100)	65	21	7	1	1	1	4	2	2	.....	1	2	5	11	5	2	.....	.....
Pneumonia (101)	84	11	4	1	1	.....	4	.....	5	5	7	15	15	6	7	3	.....	.....
Diarrhea and enteritis (113, 114)	44	27	9	.....	.....	1	2	.....	.....	.....	1	1	.....	2	.....	1	.....	.....
Appendicitis and typhlitis (117)	33	.....	.....	1	.....	2	1	3	7	7	4	5	2	.....	1	.....	.....	.....
Hernia, intestinal obstruction (118)	34	5	.....	.....	.....	.....	.....	1	3	4	4	8	2	5	2	.....	.....	.....
Cirrhosis of the liver (122)	27	.....	.....	.....	.....	.....	.....	1	.....	2	3	7	7	7	.....	.....	.....	.....
Nephritis (128, 129)	155	1	.....	.....	.....	.....	.....	.....	4	6	17	29	34	39	21	3	1	.....
Diseases of the female genital organs (137–141)	18	.....	.....	.....	.....	.....	.....	.....	1	5	8	1	2	1	.....	.....	.....	.....
Puerperal septicemia (146)	9	.....	.....	.....	.....	.....	.....	1	5	1	2	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	9	.....	.....	.....	.....	.....	.....	.....	2	7	.....	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	58	.....	.....	.....	.....	.....	.....	1	5	13	14	10	13	1	1	.....	.....	.....
Homicide (197–200)	8	.....	.....	.....	.....	.....	.....	.....	.....	3	2	.....	2	1	.....	.....	.....	.....
Other external causes (175–196, 201–203)	136	2	6	3	.....	1	4	9	15	22	20	18	12	12	10	2	.....	.....
All other causes	427	136	6	1	3	4	14	15	19	24	29	40	45	38	40	13	.....	.....
SAN FRANCISCO, CALIF.																		
All causes	7,031	468	88	63	43	44	183	204	503	643	901	1,138	1,238	998	453	60	2	2
Typhoid and paratyphoid fever (1)	21	1	1	1	.....	.....	2	3	9	2	.....	1	1	.....	.....	.....	.....	.....
Measles (7)	9	3	1	.....	1	1	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	6	1	.....	1	1	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	26	18	5	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	141	3	8	10	13	18	60	22	6	.....	1	.....	.....	.....	.....	.....	.....	.....
Influenza (11)	36	4	1	.....	.....	1	2	2	5	4	2	7	5	3	.....	.....	.....	.....
Meningococcus meningitis (24)	19	5	3	.....	.....	.....	.....	4	4	2	1	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	533	5	1	3	.....	1	3	26	139	107	121	76	39	9	2	1	.....	.....
Other forms of tuberculosis (32–37)	115	5	12	9	6	6	15	6	15	18	13	7	3	.....	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	795	.....	.....	.....	.....	1	3	4	12	43	139	224	224	119	23	3	.....	.....
Diabetes mellitus (57)	130	.....	.....	.....	.....	.....	1	5	7	8	13	29	42	23	2	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	460	2	.....	.....	.....	.....	.....	.....	5	14	30	80	134	128	60	7	.....	.....
Other [organic] diseases of the heart (90)	1,179	2	1	.....	.....	.....	2	17	23	38	117	226	285	298	149	21	.....	.....
Bronchitis (99)	41	6	.....	1	.....	.....	1	.....	.....	2	1	2	7	9	10	2	.....	.....
Bronchopneumonia (100)	224	57	10	10	3	1	8	8	13	7	15	17	25	25	23	2	.....	.....
Pneumonia (101)	250	12	6	3	3	2	8	8	19	40	33	32	40	31	12	1	.....	.....
Diarrhea and enteritis (113, 114)	97	44	11	4	2	.....	2	2	4	12	5	7	3	.....	1	.....	.....	.....
Appendicitis and typhlitis (117)	103	.....	1	1	.....	.....	6	10	17	21	24	13	8	1	1	.....	.....	.....
Hernia, intestinal obstruction (118)	85	6	1	1	.....	.....	1	4	6	11	15	13	12	14	1	.....	.....	.....
Cirrhosis of the liver (122)	74	.....	.....	.....	.....	.....	1	.....	.....	5	11	15	21	15	5	1	.....	.....
Nephritis (128, 129)	580	2	1	2	.....	1	3	5	24	41	70	104	136	119	64	7	.....	1
Diseases of the female genital organs (137–141)	36	.....	.....	.....	.....	.....	.....	.....	6	9	14	4	2	1	.....	.....	.....	.....
Puerperal septicemia (146)	31	.....	.....	.....	.....	.....	.....	3	14	10	4	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	47	.....	.....	.....	.....	.....	.....	3	23	18	3	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	196	.....	.....	.....	.....	.....	.....	5	26	35	49	41	23	13	4	.....	.....	.....
Homicide (197–200)	50	1	.....	.....	.....	.....	1	2	10	16	14	3	3	.....	.....	.....	.....	.....
Other external causes (175–196, 201–203)	451	3	3	9	2	5	16	15	55	68	71	71	61	44	22	5	.....	1
All other causes	1,296	288	22	8	10	5	46	49	59	112	135	166	164	146	74	10	2	.....
DENVER, COLO.																		
All causes	3,715	390	65	37	28	17	76	135	352	416	427	479	559	467	241	24	2	.....
Typhoid and paratyphoid fever (1)	12	.....	1	1	.....	.....	1	4	1	1	2	1	.....	.....	.....	.....	.....	.....
Measles (7)	17	2	4	2	1	3	2	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	10	1	1	.....	3	1	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	17	9	5	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	39	4	3	3	6	1	11	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (11)	59	6	2	1	.....	.....	1	3	5	7	6	12	6	6	3	1	.....	.....
Meningococcus meningitis (24)	3	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	525	.....	1	.....	1	1	1	23	153	164	95	45	34	6	1	.....	.....	.....
Other forms of tuberculosis (32–37)	52	10	6	4	1	3	3	3	9	10	2	.....	1	.....	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	276	.....	.....	.....	.....	.....	1	.....	5	17	40	71	70	55	17	.....	.....	.....
Diabetes mellitus (57)	41	.....	.....	.....	.....	.....	2	8	3	4	2	6	10	5	1	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	243	.....	.....	.....	.....	.....	.....	1	3	5	19	34	67	75	37	2	.....	.....
Other [organic] diseases of the heart (90)	366	1	.....	1	.....	.....	2	10	16	21	35	62	91	85	41	1	.....	.....
Bronchitis (99)	15	3	.....	.....	1	1	.....	1	.....	.....	1	4	1	.....	3	.....	.....	.....
Bronchopneumonia (100)	155	49	11	3	2	2	5	2	2	4	12	14	19	18	12	.....	.....	.....
Pneumonia (101)	259	14	7	6	2	.....	2	5	17	21	31	40	46	42	24	1	1	.....
Diarrhea and enteritis (113, 114)	70	43	11	3	1	1	2	1	1	.....	1	1	.....	2	2	1	.....	.....
Appendicitis and typhlitis (117)	91	.....	.....	1	1	.....	6	8	16	16	15	13	11	2	1	1	.....	.....
Hernia, intestinal obstruction (118)	39	3	.....	1	.....	.....	1	1	3	4	6	7	8	3	2	.....	.....	.....
Cirrhosis of the liver (122)	17	.....	.....	.....	.....	.....	.....	.....	.....	1	3	5	4	4	.....	.....	.....	.....
Nephritis (128, 129)	229	1	2	1	.....	1	1	4	8	9	25	31	62	55	25	4	.....	.....
Diseases of the female genital organs (137–141)	21	.....	.....	.....	.....	.....	.....	1	5	9	3	2	1	.....	.....	.....	.....	.....
Puerperal septicemia (146)	22	.....	.....	.....	.....	.....	.....	.....	15	5	2	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	33	.....	.....	.....	.....	.....	.....	3	15	9	6	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	53	.....	.....	.....	.....	.....	.....	.....	4	13	14	7	9	5	1	.....	.....	.....
Homicide (197–200)	26	.....	.....	.....	.....	.....	.....	2	10	8	6	.....	.....	.....	.....	.....	.....	.....
Other external causes (175–196, 201–203)	162	6	3	3	3	.....	9	13	15	18	16	23	23	15	13	2	.....	.....
All other causes	863	236	8	7	5	2	23	26	46	70	85	100	96	89	58	11	1	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND AGE OF DECEDENT: 1921—Continued.

[See note at head of this table, p. 534.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
BRIDGEPORT, CONN.																		
All causes	1,503	270	53	28	29	21	49	61	97	123	156	186	193	149	76	11	.....	1
Typhoid and paratyphoid fever (1)	4	.....	.....	.....	.....	.....	.....	1	.....	1	2	.....	.....	.....	.....	.....	.....	.....
Measles (7)	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	23	.....	1	3	3	2	9	4	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	15	4	5	4	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	30	3	2	1	7	2	11	3	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Influenza (11)	9	.....	1	1	.....	.....	.....	1	2	.....	1	.....	.....	2	.....	1	.....	.....
Meningococcus meningitis (24)	3	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	125	3	1	.....	.....	.....	.....	14	32	32	20	14	6	2	1	.....	.....	.....
Other forms of tuberculosis (32–37)	17	1	2	.....	.....	3	2	.....	4	1	2	1	1	.....	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	131	.....	1	.....	.....	1	.....	.....	2	9	19	37	34	19	7	1	.....	1
Diabetes mellitus (57)	21	.....	.....	.....	1	.....	.....	1	.....	2	4	3	3	6	1	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	102	1	.....	.....	.....	.....	.....	.....	1	3	13	14	23	27	18	2	.....	.....
Other [organic] diseases of the heart (90)	190	.....	.....	.....	.....	.....	6	2	2	9	23	36	47	45	17	3	.....	.....
Bronchitis (99)	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....
Bronchopneumonia (100)	86	33	12	3	5	1	1	1	2	2	6	1	5	6	8	.....	.....	.....
Pneumonia (101)	55	6	4	1	2	.....	1	2	2	6	8	8	8	3	4	.....	.....	.....
Diarrhea and enteritis (113, 114)	65	46	10	2	2	1	1	.....	1	.....	.....	2	.....	.....	.....	.....	.....	.....
Appendicitis and typhlitis (117)	19	.....	.....	.....	.....	.....	.....	2	5	2	3	4	3	.....	.....	.....	.....	.....
Hernia, intestinal obstruction (118)	18	1	1	1	.....	.....	.....	1	.....	1	1	4	7	.....	1	.....	.....	.....
Cirrhosis of the liver (122)	9	.....	.....	.....	.....	.....	.....	.....	.....	1	1	4	2	1	.....	.....	.....	.....
Nephritis (128, 129)	80	2	.....	.....	.....	3	2	1	8	5	10	18	16	10	5	.....	.....	.....
Diseases of the female genital organs (137–141)	5	.....	.....	.....	.....	.....	.....	.....	1	1	3	.....	.....	.....	.....	.....	.....	.....
Puerperal septicemia (146)	10	.....	.....	.....	.....	.....	.....	.....	6	3	1	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	11	.....	.....	.....	.....	.....	.....	.....	6	3	2	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	16	.....	.....	.....	.....	.....	.....	.....	1	4	5	2	3	.....	1	.....	.....	.....
Homicide (197–200)	6	.....	.....	.....	.....	.....	.....	.....	2	4	.....	.....	.....	.....	.....	.....	.....	.....
Other external causes (175–196, 201–203)	91	1	1	7	8	5	8	7	6	7	10	10	12	5	3	1	.....	.....
All other causes	357	168	11	5	1	2	7	20	12	26	21	28	22	23	8	3	.....	.....
HARTFORD, CONN.																		
All causes	1,828	305	67	27	16	11	42	64	133	120	202	227	245	227	121	20	1	.....
Typhoid and paratyphoid fever (1)	11	.....	.....	.....	.....	.....	1	1	5	3	.....	1	.....	.....	.....	.....	.....	.....
Measles (7)	5	1	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	12	1	2	.....	1	.....	3	1	4	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	15	6	5	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Diphtheria (10)	25	1	7	4	4	4	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (11)	9	1	.....	.....	.....	.....	.....	.....	.....	1	3	2	.....	2	.....	.....	.....	.....
Meningococcus meningitis (24)	7	1	1	1	.....	.....	1	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	69	.....	1	.....	1	.....	.....	5	23	12	13	8	1	.....	.....	.....	.....	.....
Other forms of tuberculosis (32–37)	33	4	6	1	4	2	2	2	5	1	3	2	1	.....	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	175	.....	1	.....	.....	.....	.....	.....	2	12	24	45	51	32	8	.....	.....	.....
Diabetes mellitus (57)	42	.....	.....	.....	.....	.....	.....	.....	2	6	5	9	13	4	2	1	.....	.....
Cerebral hemorrhage and softening (74, 83)	114	.....	.....	.....	.....	.....	.....	.....	.....	2	9	20	36	28	19	.....	.....	.....
Other [organic] diseases of the heart (90)	237	.....	1	.....	.....	.....	3	4	5	8	13	35	51	73	34	9	1	.....
Bronchitis (99)	13	6	1	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	3	.....	.....	.....
Bronchopneumonia (100)	77	29	12	1	1	.....	4	2	2	4	4	4	4	7	3	.....	.....	.....
Pneumonia (101)	88	11	7	5	.....	.....	.....	1	11	6	19	5	11	8	4	.....	.....	.....
Diarrhea and enteritis (113, 114)	78	56	11	3	.....	.....	1	.....	.....	.....	1	2	1	2	1	.....	.....	.....
Appendicitis and typhlitis (117)	34	.....	.....	1	1	.....	3	6	9	2	5	4	3	.....	.....	.....	.....	.....
Hernia, intestinal obstruction (118)	19	3	.....	.....	.....	.....	.....	2	.....	.....	4	2	4	4	.....	.....	.....	.....
Cirrhosis of the liver (122)	10	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	2	3	3	.....	.....	.....	.....
Nephritis (128, 129)	128	1	.....	.....	.....	.....	.....	6	6	6	20	17	26	27	16	3	.....	.....
Diseases of the female genital organs (137–141)	14	.....	.....	.....	.....	.....	.....	.....	2	5	5	1	1	.....	.....	.....	.....	.....
Puerperal septicemia (146)	14	.....	.....	.....	.....	.....	.....	1	6	5	2	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	13	.....	.....	.....	.....	.....	.....	2	7	3	1	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	30	.....	.....	.....	.....	.....	.....	2	3	5	5	10	3	2	.....	.....	.....	.....
Homicide (197–200)	5	.....	.....	.....	.....	.....	.....	.....	1	2	.....	2	.....	.....	.....	.....	.....	.....
Other external causes (175–196, 201–203)	130	6	2	3	3	1	14	15	17	12	14	15	8	7	11	2	.....	.....
All other causes	421	178	7	7	.....	3	5	12	22	22	47	41	26	27	19	5	.....	.....
NEW HAVEN, CONN.																		
All causes	1,933	261	61	30	16	20	43	70	118	159	186	248	309	294	107	11	.....	.....
Typhoid and paratyphoid fever (1)	8	.....	.....	.....	.....	.....	1	2	1	.....	2	2	.....	.....	.....	.....	.....	.....
Measles (7)	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	13	.....	.....	3	.....	5	3	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	20	12	7	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	24	1	6	5	3	2	6	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (11)	6	.....	.....	.....	.....	.....	.....	2	.....	1	.....	2	.....	1	.....	.....	.....	.....
Meningococcus meningitis (24)	2	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	99	1	2	.....	.....	.....	1	11	21	30	14	9	8	2	.....	.....	.....	.....
Other forms of tuberculosis (32–37)	36	10	7	2	3	1	1	.....	3	3	3	1	2	.....	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	195	.....	.....	1	.....	.....	.....	.....	1	10	24	54	52	42	10	1	.....	.....
Diabetes mellitus (57)	47	.....	.....	.....	.....	.....	.....	2	2	2	6	8	17	7	3	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	167	.....	.....	.....	1	.....	.....	.....	1	2	16	31	52	44	19	1	.....	.....
Other [organic] diseases of the heart (90)	250	.....	.....	.....	.....	2	5	8	5	17	20	42	55	70	24	2	.....	.....
Bronchitis (99)	9	2	1	.....	.....	.....	.....	.....	.....	.....	.....	2	2	.....	2	.....	.....	.....
Bronchopneumonia (100)	68	22	10	2	1	.....	2	2	1	.....	2	2	7	8	8	1	.....	.....
Pneumonia (101)	97	7	8	2	2	.....	2	5	10	11	8	10	11	14	7	.....	.....	.....
Diarrhea and enteritis (113, 114)	50	32	6	3	.....	3	.....	.....	.....	1	.....	.....	2	2	1	.....	.....	.....
Appendicitis and typhlitis (117)	22	.....	.....	.....	.....	.....	1	6	3	4	5	2	1	.....	.....	.....	.....	.....
Hernia, intestinal obstruction (118)	21	5	.....	.....	.....	.....	.....	.....	3	1	1	3	5	3	.....	.....	.....	.....
Cirrhosis of the liver (122)	14	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	4	2	3	1	.....	.....	.....
Nephritis (128, 129)	131	.....	.....	.....	.....	.....	.....	.....	6	11	19	22	25	37	11	.....	.....	.....
Diseases of the female genital organs (137–141)	8	.....	.....	.....	.....	.....	.....	.....	1	2	2	3	.....	.....	.....	.....	.....	.....
Puerperal septicemia (146)	16	.....	.....	.....	.....	.....	.....	.....	6	8	2	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	16	.....	.....	.....	.....	.....	.....	1	6	8	1	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	31	.....	.....	.....	.....	.....	.....	.....	7	4	6	5	6	3	.....	.....	.....	.....
Homicide (197–200)	5	.....	.....	.....	.....	.....	.....	1	.....	4	.....	.....	.....	.....	.....	.....	.....	.....
Other external causes (175–196, 201–203)	121	1	4	2	3	3	9	13	23	16	9	12	8	13	4	1	.....	.....
All other causes	456	168	8	10	3	3	12	15	17	23	42	34	54	45	17	5	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND AGE OF DECEDENT: 1921—Continued.

[See note at head of this table, p. 534.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
WILMINGTON, DEL.																		
All causes	1,361	247	38	20	9	8	32	50	94	94	113	166	207	189	78	14	2	.....
Typhoid and paratyphoid fever (1)	7	.....	.....	.....	.....	.....	2	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (7)	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	6	.....	.....	1	.....	1	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	9	4	2	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	7	.....	1	1	1	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (11)	20	1	2	.....	1	.....	.....	2	.....	2	.....	2	.....	6	2	2	.....	.....
Meningococcus meningitis (24)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	92	2	2	1	.....	.....	2	14	21	26	10	6	8	.....	.....	.....	.....	.....
Other forms of tuberculosis (32–37)	29	7	2	2	.....	1	1	4	6	.....	3	1	1	1	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	87	.....	.....	1	.....	.....	.....	1	1	7	12	25	19	17	3	1	.....	.....
Diabetes mellitus (57)	20	.....	.....	.....	.....	.....	.....	.....	.....	2	1	6	8	3	.....	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	139	.....	.....	.....	.....	.....	.....	.....	1	.....	8	30	43	43	11	3	.....	.....
Other [organic] diseases of the heart (90)	131	2	.....	.....	.....	.....	1	1	5	11	11	23	33	29	15	.....	.....	.....
Bronchitis (99)	15	3	1	1	.....	.....	.....	.....	.....	1	.....	4	3	1	1	.....	.....	.....
Bronchopneumonia (100)	60	32	8	2	1	.....	5	.....	2	.....	.....	1	6	1	1	1	.....	.....
Pneumonia (101)	72	10	4	4	1	.....	1	2	5	4	15	8	7	7	3	1	.....	.....
Diarrhea and enteritis (113, 114)	73	61	7	1	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	1	.....	.....	.....
Appendicitis and typhlitis (117)	10	.....	.....	.....	.....	.....	2	1	2	1	2	2	.....	.....	.....	.....	.....	.....
Hernia, intestinal obstruction (118)	7	.....	1	.....	.....	.....	.....	.....	.....	.....	2	1	1	1	1	.....	.....	.....
Cirrhosis of the liver (122)	14	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	3	7	.....	.....	.....	.....
Nephritis (128, 129)	142	2	.....	.....	.....	1	1	1	1	4	15	24	36	37	19	1	.....	.....
Diseases of the female genital organs (137–141)	5	.....	.....	.....	.....	.....	.....	.....	1	2	1	.....	1	.....	.....	.....	.....	.....
Puerperal septicemia (146)	14	.....	.....	.....	.....	.....	.....	4	3	6	1	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	13	.....	.....	.....	.....	.....	.....	.....	6	4	3	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	14	.....	.....	.....	.....	.....	.....	.....	1	5	2	3	2	1	.....	.....	.....	.....
Homicide (197–200)	11	.....	.....	.....	.....	.....	.....	.....	7	2	2	.....	.....	.....	.....	.....	.....	.....
Other external causes (175–196, 201–203)	76	.....	.....	2	4	.....	10	8	14	5	6	3	9	10	3	2	.....	.....
All other causes	287	123	8	2	1	3	1	7	16	12	18	24	24	25	18	3	2	.....
WASHINGTON, D. C. (TOTAL)																		
All causes	6,055	750	120	65	36	34	114	202	496	527	734	817	868	854	384	50	4	.....
Typhoid and paratyphoid fever (1)	29	.....	.....	.....	1	.....	2	8	7	5	4	2	.....	.....	.....	.....	.....	.....
Measles (7)	15	3	4	3	2	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	9	.....	1	2	.....	1	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	18	8	6	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	57	4	1	5	5	6	25	7	1	2	1	.....	.....	.....	.....	.....	.....	.....
Influenza (11)	43	.....	1	.....	.....	.....	2	2	7	5	5	5	8	2	5	1	.....	.....
Meningococcus meningitis (24)	4	1	.....	1	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	476	1	3	1	3	.....	5	48	136	114	86	38	29	6	6	.....	.....	.....
Other forms of tuberculosis (32–37)	78	8	7	5	1	3	3	11	20	6	5	6	1	2	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	516	1	.....	.....	.....	.....	.....	4	10	34	98	124	121	92	30	2	.....	.....
Diabetes mellitus (57)	76	.....	.....	.....	1	.....	.....	2	6	6	10	20	20	8	3	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	467	.....	.....	.....	1	.....	.....	.....	5	7	42	107	144	114	38	8	1	.....
Other [organic] diseases of the heart (90)	844	1	.....	1	2	.....	2	12	21	31	113	165	173	226	87	10	.....	.....
Bronchitis (99)	36	8	.....	.....	1	.....	1	.....	2	.....	1	2	2	11	7	1	.....	.....
Bronchopneumonia (100)	271	85	33	16	3	1	4	7	10	8	16	18	22	28	19	1	.....	.....
Pneumonia (101)	223	19	5	5	2	1	5	10	19	33	28	26	27	33	10	.....	.....	.....
Diarrhea and enteritis (113, 114)	169	94	27	6	1	5	1	3	3	6	2	4	3	5	5	4	.....	.....
Appendicitis and typhlitis (117)	81	2	1	1	.....	.....	4	8	10	14	10	18	9	3	1	.....	.....	.....
Hernia, intestinal obstruction (118)	60	4	2	.....	1	.....	.....	.....	7	5	10	16	9	5	1	.....	.....	.....
Cirrhosis of the liver (122)	29	1	.....	.....	.....	.....	.....	.....	.....	1	6	8	6	6	1	.....	.....	.....
Nephritis (128, 129)	530	1	.....	.....	1	.....	5	5	22	35	78	97	110	118	53	4	1	.....
Diseases of the female genital organs (137–141)	39	.....	.....	.....	.....	.....	.....	1	8	15	8	3	3	.....	1	.....	.....	.....
Puerperal septicemia (146)	30	.....	.....	.....	.....	.....	.....	4	15	9	2	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	61	.....	.....	.....	.....	.....	.....	4	30	22	5	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	87	.....	.....	.....	.....	.....	.....	.....	17	13	22	22	9	3	1	.....	.....	.....
Homicide (197–200)	57	1	.....	1	1	.....	1	4	25	11	8	2	3	.....	.....	.....	.....	.....
Other external causes (175–196, 201–203)	271	8	10	8	3	10	22	29	38	24	29	17	34	26	13	.....	.....	.....
All other causes	1,479	500	19	8	6	6	26	30	77	120	145	117	135	160	103	19	2	.....
WASHINGTON, D. C. (WHITE).																		
All causes	3,965	432	63	41	23	22	76	98	267	282	389	523	679	692	338	40	.....	.....
Typhoid and paratyphoid fever (1)	17	.....	.....	.....	.....	1	.....	1	5	3	5	2	.....	.....	.....	.....	.....	.....
Measles (7)	12	3	4	1	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	8	.....	1	2	.....	1	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	8	3	1	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	51	3	1	5	4	6	22	7	.....	2	1	.....	.....	.....	.....	.....	.....	.....
Influenza (11)	29	.....	1	.....	.....	.....	1	1	3	3	3	4	7	2	3	1	.....	.....
Meningococcus meningitis (24)	3	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	210	.....	1	.....	.....	.....	.....	7	55	48	38	24	26	6	5	.....	.....	.....
Other forms of tuberculosis (32–37)	36	5	3	3	.....	.....	1	4	12	1	2	4	.....	1	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	402	1	.....	.....	.....	.....	.....	3	9	26	58	87	111	78	28	1	.....	.....
Diabetes mellitus (57)	57	.....	.....	.....	1	.....	.....	1	5	2	6	14	17	8	3	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	331	.....	.....	.....	1	.....	.....	.....	3	5	17	66	109	93	31	6	.....	.....
Other [organic] diseases of the heart (90)	596	.....	.....	1	1	.....	1	6	9	17	53	101	131	188	80	8	.....	.....
Bronchitis (99)	25	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	8	7	1	.....	.....
Bronchopneumonia (100)	116	25	7	5	1	1	3	2	.....	4	7	9	16	19	16	1	.....	.....
Pneumonia (101)	110	6	1	3	1	.....	3	6	3	16	10	13	17	23	8	.....	.....	.....
Diarrhea and enteritis (113, 114)	98	51	18	5	.....	2	.....	.....	.....	5	1	1	3	4	5	3	.....	.....
Appendicitis and typhlitis (117)	60	2	.....	1	.....	.....	.....	7	6	10	8	14	8	3	1	.....	.....	.....
Hernia, intestinal obstruction (118)	36	2	2	.....	.....	.....	.....	.....	3	2	4	9	9	4	1	.....	.....	.....
Cirrhosis of the liver (122)	19	1	.....	.....	.....	.....	.....	.....	.....	1	4	4	4	4	1	.....	.....	.....
Nephritis (128, 129)	335	.....	.....	.....	1	.....	2	3	12	14	38	52	75	90	44	4	.....	.....
Diseases of the female genital organs (137–141)	16	.....	.....	.....	.....	.....	.....	.....	3	6	3	2	1	.....	1	.....	.....	.....
Puerperal septicemia (146)	20	.....	.....	.....	.....	.....	.....	1	10	8	1	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	43	.....	.....	.....	.....	.....	.....	1	25	14	3	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	85	.....	.....	.....	.....	.....	.....	.....	16	13	21	22	9	3	1	.....	.....	.....
Homicide (197–200)	24	.....	.....	1	1	.....	1	2	11	1	3	1	3	.....	.....	.....	.....	.....
Other external causes (175–196, 201–203)	202	4	7	8	2	7	18	23	26	11	22	11	28	22	13	.....	.....	.....
All other causes	1,016	319	16	3	6	4	18	17	53	68	84	83	104	136	90	15	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND AGE OF DECEDENT: 1921—Continued.

[See note at head of this table, p. 534.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
WASHINGTON, D. C. (COLORED).																		
All causes	2,090	318	57	24	13	12	38	104	229	245	345	294	189	162	46	10	4	.....
Typhoid and paratyphoid fever (1)	12	.....	.....	.....	.....	.....	1	3	4	.....	2	2	.....	.....	.....	.....	.....	.....
Measles (7)	3	.....	.....	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	10	5	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	6	1	.....	.....	1	.....	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (11)	14	.....	.....	.....	.....	.....	1	1	4	2	2	1	1	.....	2	.....	.....	.....
Meningococcus meningitis (24)	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	266	1	2	1	3	.....	5	41	81	66	48	14	3	.....	1	.....	.....	.....
Other forms of tuberculosis (32–37)	42	3	4	2	1	3	2	7	8	5	3	2	1	1	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	114	.....	.....	.....	.....	.....	.....	1	1	8	40	37	10	14	2	1	.....	.....
Diabetes mellitus (57)	19	.....	.....	.....	.....	.....	.....	1	1	4	4	6	3	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	136	.....	.....	.....	.....	.....	.....	.....	2	2	25	41	35	21	7	2	1	.....
Other [organic] diseases of the heart (90)	248	1	.....	.....	1	.....	1	6	12	14	60	64	42	38	7	2	.....	.....
Bronchitis (99)	11	2	.....	.....	1	.....	1	.....	2	.....	1	.....	1	3	.....	.....	.....	.....
Bronchopneumonia (100)	155	60	26	11	2	.....	1	5	10	4	9	9	6	9	3	.....	.....	.....
Pneumonia (101)	113	13	4	2	1	1	2	4	16	17	18	13	10	10	2	.....	.....	.....
Diarrhea and enteritis (113, 114)	71	43	9	1	1	3	1	3	3	1	1	3	.....	1	.....	1	.....	.....
Appendicitis and typhlitis (117)	21	.....	1	.....	.....	.....	4	1	4	4	2	4	1	.....	.....	.....	.....	.....
Hernia, intestinal obstruction (118)	24	2	.....	.....	1	.....	.....	.....	4	3	6	7	.....	1	.....	.....	.....	.....
Cirrhosis of the liver (122)	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	4	2	2	.....	.....	.....	.....
Nephritis (128, 129)	195	1	.....	.....	.....	.....	3	2	10	21	40	45	35	28	9	.....	1	.....
Diseases of the female genital organs (137–141)	23	.....	.....	.....	.....	.....	.....	1	5	9	5	1	2	.....	.....	.....	.....	.....
Puerperal septicemia (146)	10	.....	.....	.....	.....	.....	.....	3	5	1	1	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	18	.....	.....	.....	.....	.....	.....	3	5	8	2	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
Homicide (197–200)	33	1	.....	.....	.....	.....	.....	2	14	10	5	1	.....	.....	.....	.....	.....	.....
Other external causes (175–196, 201–203)	69	4	3	.....	1	3	4	6	12	13	7	6	6	4	.....	.....	.....	.....
All other causes	463	181	3	5	.....	2	8	13	24	52	61	34	31	30	13	4	2	.....
ATLANTA, GA. (TOTAL).																		
All causes	3,078	414	112	37	20	30	70	150	395	363	405	370	336	268	96	11	1	.....
Typhoid and paratyphoid fever (1)	29	2	1	.....	1	.....	1	8	8	2	5	.....	1	.....	.....	.....	.....	.....
Measles (7)	27	7	6	5	.....	2	5	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....
Scarlet fever (8)	9	.....	2	.....	1	1	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	14	4	7	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	25	2	6	4	1	4	7	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Influenza (11)	44	6	4	.....	1	.....	1	2	2	9	4	7	1	4	3	.....	.....	.....
Meningococcus meningitis (24)	10	1	.....	.....	.....	2	1	2	.....	3	1	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	203	2	1	.....	1	.....	3	29	75	47	23	12	10	.....	.....	.....	.....	.....
Other forms of tuberculosis (32–37)	44	2	2	.....	1	.....	1	3	15	11	3	5	.....	1	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	170	.....	.....	.....	.....	.....	.....	1	9	19	35	27	42	32	3	2	.....	.....
Diabetes mellitus (57)	34	.....	.....	.....	.....	.....	.....	3	.....	2	8	12	5	4	.....	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	203	1	1	.....	.....	.....	.....	.....	4	15	42	54	36	38	11	1	.....	.....
Other [organic] diseases of the heart (90)	251	.....	.....	1	.....	.....	1	2	11	22	46	47	57	52	11	1	.....	.....
Bronchitis (99)	12	2	.....	.....	.....	.....	1	1	3	.....	1	.....	1	1	1	1	.....	.....
Bronchopneumonia (100)	91	28	10	5	2	3	6	2	3	6	4	8	7	3	3	1	.....	.....
Pneumonia (101)	143	12	4	.....	2	.....	6	13	27	23	11	16	19	3	6	1	.....	.....
Diarrhea and enteritis (113, 114)	131	64	35	6	1	3	3	1	4	1	3	5	1	3	1	.....	.....	.....
Appendicitis and typhlitis (117)	57	.....	.....	.....	1	.....	2	13	20	7	6	7	1	.....	.....	.....	.....	.....
Hernia, intestinal obstruction (118)	38	5	3	1	.....	.....	1	1	1	6	6	5	4	3	2	.....	.....	.....
Cirrhosis of the liver (122)	17	.....	.....	.....	.....	.....	.....	.....	1	5	6	3	1	1	.....	.....	.....	.....
Nephritis (128, 129)	306	2	1	.....	.....	1	1	7	17	26	55	58	58	60	19	1	.....	.....
Diseases of the female genital organs (137–141)	30	.....	.....	.....	.....	.....	.....	.....	7	11	9	2	1	.....	.....	.....	.....	.....
Puerperal septicemia (146)	27	.....	.....	.....	.....	.....	.....	5	16	6	.....	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	40	.....	.....	.....	.....	.....	.....	8	16	15	1	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	31	.....	.....	.....	.....	.....	.....	2	6	7	7	6	2	.....	1	.....	.....	.....
Homicide (197–200)	86	1	.....	.....	.....	.....	.....	2	38	26	12	7	.....	.....	.....	.....	.....	.....
Other external causes (175–196, 201–203)	189	6	6	5	5	7	15	19	26	26	17	15	23	7	10	2	.....	.....
All other causes	817	267	23	8	2	7	10	26	85	68	99	74	66	55	25	1	1	.....
ATLANTA, GA. (WHITE).																		
All causes	1,753	228	64	20	15	15	39	79	160	162	192	203	250	233	83	9	1	.....
Typhoid and paratyphoid fever (1)	12	.....	.....	.....	.....	1	.....	5	1	.....	4	.....	1	.....	.....	.....	.....	.....
Measles (7)	19	4	4	3	.....	1	5	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....
Scarlet fever (8)	7	.....	.....	.....	1	1	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	7	1	3	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	21	.....	6	4	1	3	6	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Influenza (11)	21	3	1	.....	1	.....	1	.....	1	4	1	1	1	4	3	.....	.....	.....
Meningococcus meningitis (24)	6	1	.....	.....	.....	1	1	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	74	2	.....	.....	.....	.....	.....	10	22	15	12	9	4	.....	.....	.....	.....	.....
Other forms of tuberculosis (32–37)	19	2	1	.....	1	.....	.....	2	3	4	1	4	.....	1	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	134	.....	.....	.....	.....	.....	.....	1	7	12	21	21	37	30	3	2	.....	.....
Diabetes mellitus (57)	21	.....	.....	.....	.....	.....	.....	2	.....	2	3	6	4	4	.....	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	114	1	1	.....	.....	.....	.....	.....	.....	3	17	22	28	32	9	1	.....	.....
Other [organic] diseases of the heart (90)	148	.....	.....	.....	.....	.....	.....	1	3	5	22	23	38	45	10	1	.....	.....
Bronchitis (99)	5	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	1	1	.....	.....
Bronchopneumonia (100)	38	12	1	1	1	.....	1	2	.....	2	2	5	5	2	3	1	.....	.....
Pneumonia (101)	71	4	2	.....	.....	.....	2	8	7	10	5	12	14	3	4	.....	.....	.....
Diarrhea and enteritis (113, 114)	77	41	22	3	1	1	1	.....	.....	1	.....	3	1	2	1	.....	.....	.....
Appendicitis and typhlitis (117)	45	.....	.....	.....	1	.....	1	11	15	5	5	6	1	.....	.....	.....	.....	.....
Hernia, intestinal obstruction (118)	26	4	2	1	.....	.....	.....	1	.....	4	4	3	3	3	1	.....	.....	.....
Cirrhosis of the liver (122)	9	.....	.....	.....	.....	.....	.....	.....	.....	2	2	3	1	1	.....	.....	.....	.....
Nephritis (128, 129)	181	1	.....	.....	.....	1	1	2	8	9	16	30	46	51	16	.....	.....	.....
Diseases of the female genital organs (137–141)	17	.....	.....	.....	.....	.....	.....	.....	5	6	6	.....	.....	.....	.....	.....	.....	.....
Puerperal septicemia (146)	14	.....	.....	.....	.....	.....	.....	2	10	2	.....	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	26	.....	.....	.....	.....	.....	.....	3	11	11	1	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	28	.....	.....	.....	.....	.....	.....	2	4	7	6	6	2	.....	1	.....	.....	.....
Homicide (197–200)	21	.....	.....	.....	.....	.....	.....	1	6	7	5	2	.....	.....	.....	.....	.....	.....
Other external causes (175–196, 201–203)	126	2	4	2	4	4	10	11	16	19	11	7	18	6	10	2	.....	.....
All other causes	466	149	17	4	2	3	5	13	40	31	46	40	46	47	21	1	1	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND AGE OF DECEDENT· 1921—Continued.

[See note at head of this table, p. 534.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
ATLANTA, GA. (COLORED).																	
All causes	1,325	186	48	17	5	15	31	71	235	201	213	167	86	35	13	2	.....	.....
Typhoid and paratyphoid fever (1)	17	2	1	.....	.....	.....	1	3	7	2	1	.....	.....	.....	.....	.....	.....	.....
Measles (7)	8	3	2	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	2	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	7	3	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	4	2	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (11)	23	3	3	.....	.....	.....	.....	2	1	5	3	6	.....	.....	.....	.....	.....	.....
Meningococcus meningitis (24)	4	.....	.....	.....	.....	1	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	129	.....	1	.....	1	.....	3	19	53	32	11	3	6	.....	.....	.....	.....	.....
Other forms of tuberculosis (32–37)	25	.....	1	.....	.....	.....	1	1	12	7	2	1	.....	.....	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	36	.....	.....	.....	.....	.....	.....	.....	2	7	14	6	5	2	.....	.....	.....	.....
Diabetes mellitus (57)	13	.....	.....	.....	.....	.....	.....	1	.....	.....	5	6	1	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	89	.....	.....	.....	.....	.....	.....	.....	4	12	25	32	8	6	2	.....	.....	.....
Other [organic] diseases of the heart (90)	103	.....	.....	1	.....	.....	1	1	8	17	24	24	19	7	1	.....	.....	.....
Bronchitis (99)	7	1	.....	.....	.....	.....	1	.....	3	.....	1	.....	1	.....	.....	.....	.....	.....
Bronchopneumonia (100)	53	16	9	4	1	3	5	.....	3	4	2	3	2	1	.....	.....	.....	.....
Pneumonia (101)	72	8	2	.....	2	.....	4	5	20	13	6	4	5	.....	2	1	.....	.....
Diarrhea and enteritis (113, 114)	54	23	13	3	.....	2	2	1	4	.....	3	2	.....	1	.....	.....	.....	.....
Appendicitis and typhlitis (117)	12	.....	.....	.....	.....	.....	1	2	5	2	1	1	.....	.....	.....	.....	.....	.....
Hernia, intestinal obstruction (118)	12	1	1	.....	.....	.....	1	.....	1	2	2	2	1	.....	1	.....	.....	.....
Cirrhosis of the liver (122)	8	.....	.....	.....	.....	.....	.....	.....	1	3	4	.....	.....	.....	.....	.....	.....	.....
Nephritis (128, 129)	125	1	1	.....	.....	.....	.....	5	9	17	39	28	12	9	3	1	.....	.....
Diseases of the female genital organs (137–141)	13	.....	.....	.....	.....	.....	.....	.....	2	5	3	2	1	.....	.....	.....	.....	.....
Puerperal septicemia (146)	13	.....	.....	.....	.....	.....	.....	3	6	4	.....	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	14	.....	.....	.....	.....	.....	.....	5	5	4	.....	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	3	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....
Homicide (197–200)	65	1	.....	.....	.....	.....	.....	1	32	19	7	5	.....	.....	.....	.....	.....	.....
Other external causes (175–196, 201–203)	63	4	2	3	1	3	5	8	10	7	6	8	5	1	.....	.....	.....	.....
All other causes	351	118	6	4	.....	4	5	13	45	37	53	34	20	8	4	.....	.....	.....
CHICAGO, ILL. (TOTAL).																		
All causes	30,819	5,048	1,058	493	417	328	999	1,213	2,280	2,965	3,342	4,119	4,176	2,874	1,319	180	6	2
Typhoid and paratyphoid fever (1)	34	.....	.....	.....	.....	.....	1	4	11	11	4	3	.....	.....	.....	.....	.....	.....
Measles (7)	138	38	61	13	5	6	11	1	1	1	1	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	197	5	17	25	37	20	64	16	9	1	2	.....	1	.....	.....	.....	.....	.....
Whooping cough (9)	153	75	51	12	7	2	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	681	42	80	101	107	80	202	43	10	4	9	.....	3	.....	.....	.....	.....	.....
Influenza (11)	125	7	11	8	2	1	2	3	15	26	16	13	14	4	3	.....	.....	.....
Meningococcus meningitis (24)	33	6	2	2	.....	2	7	9	4	.....	1	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	1,988	18	12	3	6	4	9	176	597	498	341	198	108	17	1	.....	.....	.....
Other forms of tuberculosis (32–37)	374	23	18	21	19	14	35	39	78	64	31	22	9	1	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	2,682	2	.....	4	1	4	7	10	55	186	483	783	704	354	85	4	.....	.....
Diabetes mellitus (57)	565	.....	2	3	.....	1	7	27	40	40	67	125	159	78	13	2	.....	1
Cerebral hemorrhage and softening (74, 83)	1,507	5	.....	1	1	.....	.....	2	11	54	140	308	409	394	156	24	2	.....
Other [organic] diseases of the heart (90)	4,365	13	4	2	4	9	82	179	185	292	484	795	1,005	817	437	56	1	.....
Bronchitis (99)	287	122	34	10	5	2	10	1	2	6	6	13	24	22	26	4	.....	.....
Bronchopneumonia (100)	1,159	505	196	74	40	34	33	15	22	27	33	45	64	35	34	2	.....	.....
Pneumonia (101)	1,252	105	54	33	23	10	35	58	93	152	182	187	164	106	49	1	.....	.....
Diarrhea and enteritis (113, 114)	2,112	1,576	335	59	28	23	23	7	6	9	5	12	15	7	6	1	.....	.....
Appendicitis and typhlitis (117)	554	1	4	3	6	7	36	96	96	113	86	65	31	8	1	1	.....	.....
Hernia, intestinal obstruction (118)	303	39	4	2	4	2	9	8	22	41	45	46	42	27	10	2	.....	.....
Cirrhosis of the liver (122)	264	.....	.....	.....	.....	.....	1	3	8	20	56	70	69	27	10	.....	.....	.....
Nephritis (128, 129)	2,459	20	8	10	11	10	31	65	90	183	249	492	546	474	233	35	2	.....
Diseases of the female genital organs (137–141)	276	.....	.....	.....	.....	.....	.....	1	57	95	72	34	13	2	2	.....	.....	.....
Puerperal septicemia (146)	163	.....	.....	.....	.....	.....	.....	13	80	63	7	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	201	.....	.....	.....	.....	.....	.....	13	90	80	18	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	461	.....	.....	.....	.....	.....	.....	16	62	126	100	81	46	29	1	.....	.....	.....
Homicide (197–200)	312	3	.....	2	1	.....	1	18	98	96	60	23	6	4	.....	.....	.....	.....
Other external causes (175–196, 201–203)	2,052	45	46	33	46	57	189	158	225	316	310	258	187	120	52	9	.....	1
All other causes	6,122	2,398	119	72	64	40	198	232	313	461	534	546	557	348	200	39	1	.....
CHICAGO, ILL. (WHITE).																		
All causes	28,709	4,748	991	461	392	314	957	1,120	1,958	2,619	2,993	3,859	4,023	2,794	1,294	179	5	2
Typhoid and paratyphoid fever (1)	34	.....	.....	.....	.....	.....	1	4	11	11	4	3	.....	.....	.....	.....	.....	.....
Measles (7)	130	33	60	12	5	5	11	1	1	1	1	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	194	5	17	25	36	20	64	14	9	1	2	.....	1	.....	.....	.....	.....	.....
Whooping cough (9)	130	67	43	7	6	2	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	665	41	78	101	105	76	197	41	10	4	9	.....	3	.....	.....	.....	.....	.....
Influenza (11)	114	6	11	8	2	1	2	3	13	23	15	11	12	4	3	.....	.....	.....
Meningococcus meningitis (24)	32	6	2	2	.....	2	7	9	3	.....	1	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	1,705	14	12	2	4	2	6	139	498	430	301	182	98	16	1	.....	.....	.....
Other forms of tuberculosis (32–37)	293	21	16	19	15	13	30	27	54	49	21	20	8	.....	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	2,593	2	.....	4	1	4	7	10	49	168	462	756	695	347	84	4	.....	.....
Diabetes mellitus (57)	542	.....	2	3	.....	1	7	27	36	35	60	125	153	77	13	2	.....	1
Cerebral hemorrhage and softening (74, 83)	1,443	5	.....	1	1	.....	.....	2	10	44	131	292	393	386	153	24	1	.....
Other [organic] diseases of the heart (90)	4,043	9	3	2	4	9	80	174	158	243	404	728	956	787	429	56	1	.....
Bronchitis (99)	270	116	32	9	5	2	9	.....	1	3	6	12	23	22	26	4	.....	.....
Bronchopneumonia (100)	1,038	443	174	60	32	32	32	14	20	23	31	44	62	35	34	2	.....	.....
Pneumonia (101)	1,155	103	50	32	22	10	33	54	79	130	157	177	156	103	48	1	.....	.....
Diarrhea and enteritis (113, 114)	2,033	1,519	320	58	27	23	20	7	6	9	5	10	15	7	6	1	.....	.....
Appendicitis and typhlitis (117)	515	1	4	3	6	6	34	90	86	105	74	65	31	8	1	1	.....	.....
Hernia, intestinal obstruction (118)	291	37	4	2	4	2	9	8	18	39	42	46	41	27	10	2	.....	.....
Cirrhosis of the liver (122)	247	.....	.....	.....	.....	.....	1	3	6	19	49	67	68	26	8	.....	.....	.....
Nephritis (128, 129)	2,298	18	8	10	10	10	29	63	85	152	220	444	526	458	228	35	2	.....
Diseases of the female genital organs (137–141)	225	.....	.....	.....	.....	.....	.....	1	41	74	63	31	12	2	2	.....	.....	.....
Puerperal septicemia (146)	145	.....	.....	.....	.....	.....	.....	12	69	57	7	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	188	.....	.....	.....	.....	.....	.....	10	84	76	18	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	450	.....	.....	.....	.....	.....	.....	14	61	120	98	81	46	29	1	.....	.....	.....
Homicide (197–200)	254	2	.....	2	1	.....	1	16	75	78	51	20	5	3	.....	.....	.....	.....
Other external causes (175–196, 201–203)	1,937	39	44	32	44	54	180	153	198	303	287	244	182	117	50	9	.....	1
All other causes	5,744	2,261	111	67	62	40	192	224	277	422	474	501	537	340	197	38	1	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND AGE OF DECEDENT: 1921—Continued.

[See note at head of this table, p. 534.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
CHICAGO, ILL. (COLORED).																		
All causes	2,110	300	67	32	25	14	42	93	322	346	349	260	153	80	25	1	1	
Typhoid and paratyphoid fever (1)																		
Measles (7)	8	5	1	1		1												
Scarlet fever (8)	3				1			2										
Whooping cough (9)	23	8	8	5	1		1											
Diphtheria (10)	16	1	2		2	4	5	2										
Influenza (11)	11	1							2	3	1	2	2					
Meningococcus meningitis (24)	1								1									
Tuberculosis of the respiratory system (31)	283	4		1	2	2	3	37	99	68	40	16	10	1				
Other forms of tuberculosis (32–37)	81	2	2	2	4	1	5	12	24	15	10	2	1	1				
Cancer and other malignant tumors (43–49)	89								6	18	21	27	9	7	1			
Diabetes mellitus (57)	23								4	5	7		6	1				
Cerebral hemorrhage and softening (74, 83)	64								1	10	9	16	16	8	3		1	
Other [organic] diseases of the heart (90)	322	4	1				2	5	27	49	80	67	49	30	8			
Bronchitis (99)	17	6	2	1			1	1	1	3		1	1					
Bronchopneumonia (100)	121	62	22	14	8	2	1	1	2	4	2	1	2					
Pneumonia (101)	97	2	4	1	1		2	4	14	22	25	10	8	3	1			
Diarrhea and enteritis (113, 114)	79	57	15	1	1		3					2						
Appendicitis and typhlitis (117)	39					1	2	6	10	8	12							
Hernia, intestinal obstruction (118)	12	2							4	2	3		1					
Cirrhosis of the liver (122)	17								2	1	7	3	1	1	2			
Nephritis (128, 129)	161	2			1		2	2	5	31	29	48	20	16	5			
Diseases of the female genital organs (137–141)	50								16	21	9	3	1					
Puerperal septicemia (146)	18							1	11	6								
Other puerperal causes (143–145, 147–150)	13							3	6	4								
Suicide (165–174)	11							2	1	6	2							
Homicide (197–200)	58	1						2	23	18	9	3	1	1				
Other external causes (175–196, 201–203)	115	6	2	1	2	3	9	5	27	13	23	14	5	3	2			
All other causes	378	137	8	5	2		6	8	36	39	60	45	20	8	3	1		
INDIANAPOLIS, IND. (TOTAL).																		
All causes	4,119	530	82	53	25	23	102	170	333	356	444	537	601	562	273	27	1	
Typhoid and paratyphoid fever (1)	23					2		4	6	5	2	2	2					
Measles (7)	3	2		1														
Scarlet fever (8)	21		7	1	4	1	1	2	3	2								
Whooping cough (9)	31	21	4	5			1											
Diphtheria (10)	84	2	12	9	8	7	32	11	1	1		1						
Influenza (11)	40	4	2				1	1	6	8	3	6	2	4	2	1		
Meningococcus meningitis (24)	4	1	1				1						1					
Tuberculosis of the respiratory system (31)	318	2	3	3			2	36	93	67	51	33	19	6	3			
Other forms of tuberculosis (32–37)	88	16	1		1	2	3	7	21	16	8	8	3	2				
Cancer and other malignant tumors (43–49)	334			2	2	1	1	1	7	23	59	91	81	55	11			
Diabetes mellitus (57)	62							2	8	2	5	8	19	17	1			
Cerebral hemorrhage and softening (74, 83)	282	2					1	1	1	3	26	45	77	94	31	1		
Other [organic] diseases of the heart (90)	523	2						10	15	27	58	83	113	133	77	5		
Bronchitis (99)	25	2	1						1		1	2	1	11	5		1	
Bronchopneumonia (100)	128	40	13	4		2	4	2	2	3	8	7	6	17	16	4		
Pneumonia (101)	158	19	4	4	2	1	5	9	10	24	18	16	22	19	5			
Diarrhea and enteritis (113, 114)	158	103	19	7		1	4		4	2	3	3	5	2	4	1		
Appendicitis and typhlitis (117)	82				2	1	7	17	13	9	14	11	6	2				
Hernia, intestinal obstruction (118)	42	2		2				2	6	6	2	11	7	1	2	1		
Cirrhosis of the liver (122)	32								2	2	2	13	6	5	2			
Nephritis (128, 129)	324	1	1		1		1	8	10	16	40	66	80	66	32	2		
Diseases of the female genital organs (137–141)	32							2	9	10	5	4		1	1			
Puerperal septicemia (146)	23								11	11	1							
Other puerperal causes (143–145, 147–150)	35							5	15	12	3							
Suicide (165–174)	45							2	6	9	11	9	5	3				
Homicide (197–200)	25							2	9	5	5	2	1		1			
Other external causes (175–196, 201–203)	188	3	6	2	3	1	18	20	24	16	28	27	22	10	5	3		
All other causes	1,009	308	8	13	2	4	20	26	50	77	91	89	123	114	75	9		
INDIANAPOLIS, IND. (WHITE.)																		
All causes	3,511	435	61	42	22	19	87	127	254	282	350	462	556	528	261	24	1	
Typhoid and paratyphoid fever (1)	18					2		2	6	3	2	1	2					
Measles (7)	3	2		1														
Scarlet fever (8)	19		5	1	4	1	1	2	3	2								
Whooping cough (9)	20	15	1	3			1											
Diphtheria (10)	77	2	12	9	7	6	30	9	1			1						
Influenza (11)	36	3	2				1	1	6	6	2	6	2	4	2	1		
Meningococcus meningitis (24)	3		1				1						1					
Tuberculosis of the respiratory system (31)	218	1	1	1			1	17	65	44	37	26	16	6	3			
Other forms of tuberculosis (32–37)	74	15	1			2	2	7	13	14	8	7	3	2				
Cancer and other malignant tumors (43–49)	305			2	1	1	1	1	7	20	43	83	78	52	11			
Diabetes mellitus (57)	54							2	8	2	2	4	18	17	1			
Cerebral hemorrhage and softening (74, 83)	259	2					1		1	2	17	41	75	90	29	1		
Other [organic] diseases of the heart (90)	442	2						8	9	17	42	66	98	124	72	4		
Bronchitis (99)	20	1									1	1	1	10	5		1	
Bronchopneumonia (100)	89	25	7	1		2	2	2	2	1	5	4	5	15	15	3		
Pneumonia (101)	125	13	3	3	2	1	4	9	8	15	11	14	20	17	5			
Diarrhea and enteritis (113, 114)	131	87	15	7			4		3	2	3	2	3	1	4			
Appendicitis and typhlitis (117)	72				2		4	15	11	8	14	11	5	2				
Hernia, intestinal obstruction (118)	37	2		2				2	4	6	2	8	7	1	2	1		
Cirrhosis of the liver (122)	29								2	2	2	11	5	5	2			
Nephritis (128, 129)	285	1	1		1		1	7	8	13	33	55	74	59	30	2		
Diseases of the female genital organs (137–141)	28							2	7	9	4	4		1	1			
Puerperal septicemia (146)	19								8	10	1							
Other puerperal causes (143–145, 147–150)	30							3	12	12	3							
Suicide (165–174)	44							2	5	9	11	9	5	3				
Homicide (197–200)	12								3	3	2	2	1		1			
Other external causes (175–196, 201–203)	163	2	5	2	3	1	14	14	20	16	22	25	21	10	5	3		
All other causes	899	262	7	10	2	3	19	22	42	66	78	81	116	109	73	9		

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND AGE OF DECEDENT: 1921—Continued.

[See note at head of this table, p. 534.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
INDIANAPOLIS, IND. (COLORED).																	
All causes	608	95	21	11	3	4	15	43	79	74	94	75	45	34	12	3	.....	.....
Typhoid and paratyphoid fever (1)	5	.....	.....	.....	.....	.....	.....	2	.....	2	.....	1	.....	.....	.....	.....	.....	.....
Measles (7)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	2	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	11	6	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	7	.....	.....	.....	1	1	2	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (11)	4	1	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....
Meningococcus meningitis (24)	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	100	1	2	2	.....	.....	1	19	28	23	14	7	3	.....	.....	.....	.....	.....
Other forms of tuberculosis (32–37)	14	1	.....	.....	1	.....	1	.....	8	2	.....	1	.....	.....	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	29	.....	.....	.....	1	.....	.....	.....	.....	3	11	8	3	3	.....	.....	.....	.....
Diabetes mellitus (57)	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	4	1	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	23	.....	.....	.....	.....	.....	.....	1	.....	1	9	4	2	4	2	.....	.....	.....
Other [organic] diseases of the heart (90)	81	.....	.....	.....	.....	.....	.....	2	6	10	16	17	15	9	5	1	.....	.....
Bronchitis (99)	5	1	1	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	.....	.....	.....
Bronchopneumonia (100)	39	15	6	3	.....	.....	2	.....	.....	2	3	3	1	2	1	1	.....	.....
Pneumonia (101)	33	6	1	1	.....	.....	1	.....	2	9	7	2	2	2	.....	.....	.....	.....
Diarrhea and enteritis (113, 114)	27	16	4	.....	.....	1	.....	.....	1	.....	.....	1	2	1	.....	1	.....	.....
Appendicitis and typhlitis (117)	10	.....	.....	.....	.....	1	3	2	2	1	.....	.....	1	.....	.....	.....	.....	.....
Hernia, intestinal obstruction (118)	5	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	3	.....	.....	.....	.....	.....	.....
Cirrhosis of the liver (122)	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....
Nephritis (128, 129)	39	.....	.....	.....	.....	.....	.....	1	2	3	7	11	6	7	2	.....	.....	.....
Diseases of the female genital organs (137–141)	4	.....	.....	.....	.....	.....	.....	.....	2	1	1	.....	.....	.....	.....	.....	.....	.....
Puerperal septicemia (146)	4	.....	.....	.....	.....	.....	.....	.....	3	1	.....	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	5	.....	.....	.....	.....	.....	.....	2	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Homicide (197–200)	13	.....	.....	.....	.....	.....	.....	2	6	2	3	.....	.....	.....	.....	.....	.....	.....
Other external causes (175–196, 201–203)	25	1	1	.....	.....	.....	4	6	4	.....	6	2	1	.....	.....	.....	.....	.....
All other causes	110	46	1	3	.....	1	1	4	8	11	13	8	7	5	2	.....	.....	.....
KANSAS CITY, KANS.																		
All causes	1,257	171	34	12	12	5	25	63	106	100	158	167	179	148	63	12	1	1
Typhoid and paratyphoid fever (1)	6	.....	.....	.....	.....	.....	.....	.....	2	1	1	1	1	.....	.....	.....	.....	.....
Measles (7)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	15	8	4	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	16	.....	3	2	2	2	4	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (11)	8	2	.....	.....	1	.....	.....	1	.....	1	.....	.....	1	1	1	.....	.....	.....
Meningococcus meningitis (24)	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	106	1	.....	.....	.....	.....	.....	18	29	23	19	10	5	1	.....	.....	.....	.....
Other forms of tuberculosis (32–37)	18	3	.....	.....	1	.....	2	5	2	1	1	.....	2	1	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	88	.....	.....	.....	.....	.....	.....	1	1	5	10	27	22	17	3	1	.....	1
Diabetes mellitus (57)	19	.....	.....	.....	.....	.....	.....	.....	4	.....	3	3	5	3	1	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	92	.....	.....	.....	.....	.....	.....	.....	.....	1	7	14	28	32	5	5	.....	.....
Other [organic] diseases of the heart (90)	115	.....	.....	1	.....	.....	.....	3	4	3	20	16	32	25	11	.....	.....	.....
Bronchitis (99)	17	5	1	.....	.....	.....	.....	1	.....	.....	2	1	.....	4	2	1	.....	.....
Bronchopneumonia (100)	50	19	8	2	1	2	1	1	1	3	.....	2	3	5	2	.....	.....	.....
Pneumonia (101)	50	8	2	.....	1	.....	.....	2	3	2	6	7	7	8	3	1	.....	.....
Diarrhea and enteritis (113, 114)	37	24	7	1	1	.....	.....	.....	1	.....	.....	.....	1	.....	2	.....	.....	.....
Appendicitis and typhlitis (117)	18	.....	.....	.....	1	.....	2	3	5	2	2	2	.....	1	.....	.....	.....	.....
Hernia, intestinal obstruction (118)	11	2	.....	.....	.....	.....	.....	.....	2	.....	2	3	2	.....	.....	.....	.....	.....
Cirrhosis of the liver (122)	8	.....	.....	.....	.....	.....	.....	.....	1	.....	3	2	1	1	.....	.....	.....	.....
Nephritis (128, 129)	115	1	1	.....	.....	.....	1	1	1	8	23	23	20	25	9	2	.....	.....
Diseases of the female genital organs (137–141)	13	.....	.....	.....	.....	.....	.....	.....	2	7	3	1	.....	.....	.....	.....	.....	.....
Puerperal septicemia (146)	16	.....	.....	.....	.....	.....	.....	2	10	3	1	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	6	.....	.....	.....	.....	.....	.....	.....	3	2	1	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	12	.....	.....	.....	.....	.....	.....	1	1	1	2	2	5	.....	.....	.....	.....	.....
Homicide (197–200)	22	1	.....	.....	.....	.....	.....	1	6	7	5	1	1	.....	.....	.....	.....	.....
Other external causes (175–196, 201–203)	66	1	3	2	2	1	5	7	6	7	7	10	4	5	6	.....	.....	.....
All other causes	332	96	5	3	1	.....	9	14	20	23	40	42	39	19	18	2	1	.....
LOUISVILLE, KY. (TOTAL).																		
All causes	3,314	357	52	36	23	21	65	133	266	287	377	458	569	453	189	26	2	.....
Typhoid and paratyphoid fever (1)	18	.....	.....	.....	.....	.....	3	4	1	2	5	1	1	.....	1	.....	.....	.....
Measles (7)	9	1	2	1	1	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	10	.....	.....	3	2	1	3	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	23	15	4	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	38	.....	5	5	7	6	9	4	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
Influenza (11)	23	.....	1	.....	.....	.....	1	.....	3	2	4	3	5	4	.....	.....	.....	.....
Meningococcus meningitis (24)	3	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	252	2	.....	.....	.....	.....	2	32	69	58	51	13	16	8	.....	1	.....	.....
Other forms of tuberculosis (32–37)	59	5	5	2	.....	1	6	8	12	6	5	4	4	1	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	242	.....	.....	1	.....	.....	.....	.....	2	11	38	71	73	36	10	.....	.....	.....
Diabetes mellitus (57)	44	.....	.....	.....	.....	.....	.....	.....	4	3	6	15	12	4	.....	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	241	2	.....	.....	.....	.....	.....	.....	2	6	18	48	68	67	27	3	.....	.....
Other [organic] diseases of the heart (90)	398	1	.....	.....	.....	1	2	10	12	21	37	71	113	100	29	1	.....	.....
Bronchitis (99)	45	1	6	.....	2	.....	1	1	1	4	6	6	5	6	6	.....	.....	.....
Bronchopneumonia (100)	104	28	9	6	2	1	3	2	9	6	4	1	11	11	10	1	.....	.....
Pneumonia (101)	122	10	2	3	.....	1	1	7	12	12	11	20	20	18	5	.....	.....	.....
Diarrhea and enteritis (113, 114)	112	73	13	6	1	1	.....	.....	.....	1	1	6	1	9	.....	.....	.....	.....
Appendicitis and typhlitis (117)	57	.....	.....	1	.....	1	4	8	12	13	6	8	2	2	.....	.....	.....	.....
Hernia, intestinal obstruction (118)	49	1	1	.....	.....	.....	.....	3	4	10	7	8	8	6	1	.....	.....	.....
Cirrhosis of the liver (122)	25	.....	.....	.....	.....	.....	1	.....	.....	.....	7	6	6	2	3	.....	.....	.....
Nephritis (128, 129)	302	.....	1	.....	.....	1	3	5	10	23	32	48	89	66	22	2	.....	.....
Diseases of the female genital organs (137–141)	25	.....	.....	.....	.....	.....	.....	.....	3	7	9	3	2	1	.....	.....	.....	.....
Puerperal septicemia (146)	22	.....	.....	.....	.....	.....	.....	2	12	6	2	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	20	.....	.....	.....	.....	.....	.....	2	10	6	2	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	43	.....	.....	.....	.....	.....	.....	2	8	7	13	6	3	4	.....	.....	.....	.....
Homicide (197–200)	38	.....	.....	.....	.....	.....	.....	1	13	14	6	3	1	.....	.....	.....	.....	.....
Other external causes (175–196, 201–203)	178	4	.....	4	.....	4	9	24	27	24	20	20	14	15	9	4	.....	.....
All other causes	812	212	3	2	7	1	14	17	40	44	85	97	115	93	66	14	2	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND AGE OF DECEDENT: 1921—Continued.

[See note at head of this table, p. 534.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
LOUISVILLE, KY. (WHITE).																		
All causes	2,514	288	38	33	21	15	51	92	167	185	261	318	462	392	169	22	.....	.....
Typhoid and paratyphoid fever (1)	8	.....	.....	.....	.....	.....	1	2	1	2	1	.....	.....	.....	1	.....	.....	.....
Measles (7)	8	1	1	1	1	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	10	.....	.....	3	2	1	3	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	18	12	3	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	32	.....	5	4	5	5	8	3	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
Influenza (11)	10	.....	.....	.....	.....	.....	1	.....	1	.....	2	1	2	3	.....	.....	.....	.....
Meningococcus meningitis (24)	3	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	152	2	.....	.....	.....	.....	1	17	38	34	35	6	14	4	.....	1	.....	.....
Other forms of tuberculosis (32–37)	42	5	3	2	.....	1	4	6	6	4	4	4	3	.....	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	213	.....	.....	1	.....	.....	.....	.....	2	8	32	59	65	36	10	.....	.....	.....
Diabetes mellitus (57)	37	.....	.....	.....	.....	.....	.....	.....	4	2	5	11	11	4	.....	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	188	2	.....	.....	.....	.....	.....	.....	2	5	9	33	55	54	25	3	.....	.....
Other [organic] diseases of the heart (90)	299	1	.....	.....	.....	.....	2	8	7	10	19	46	90	92	23	1	.....	.....
Bronchitis (99)	22	1	3	.....	2	.....	1	.....	.....	.....	.....	2	3	5	5	.....	.....	.....
Bronchopneumonia (100)	73	20	7	4	2	.....	3	1	4	1	4	.....	9	8	9	1	.....	.....
Pneumonia (101)	78	6	2	3	.....	.....	1	3	6	7	3	12	16	14	5	.....	.....	.....
Diarrhea and enteritis (113, 114)	90	61	10	6	1	1	.....	.....	.....	1	1	2	.....	7	.....	.....	.....	.....
Appendicitis and typhlitis (117)	48	.....	.....	1	.....	1	4	6	8	11	6	7	2	2	.....	.....	.....	.....
Hernia, intestinal obstruction (118)	35	.....	1	.....	.....	.....	.....	2	2	6	7	5	6	5	1	.....	.....	.....
Cirrhosis of the liver (122)	18	.....	.....	.....	.....	.....	1	.....	.....	.....	5	4	4	1	3	.....	.....	.....
Nephritis (128, 129)	229	.....	1	.....	.....	.....	2	4	6	18	21	31	69	58	18	1	.....	.....
Diseases of the female genital organs (137–141)	17	.....	.....	.....	.....	.....	.....	.....	1	5	7	1	2	1	.....	.....	.....	.....
Puerperal septicemia (146)	16	.....	.....	.....	.....	.....	.....	2	8	4	2	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	16	.....	.....	.....	.....	.....	.....	1	7	6	2	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	39	.....	.....	.....	.....	.....	.....	2	7	7	12	5	3	3	.....	.....	.....	.....
Homicide (197–200)	16	.....	.....	.....	.....	.....	.....	.....	4	8	2	2	.....	.....	.....	.....	.....	.....
Other external causes (175–196, 201–203)	144	1	.....	4	.....	3	7	20	23	17	16	16	11	13	9	4	.....	.....
All other causes	653	174	2	2	7	1	10	14	30	28	64	71	97	82	60	11	.....	.....
LOUISVILLE, KY. (COLORED).																		
All causes	800	69	14	3	2	6	14	41	99	102	116	140	107	61	20	4	2	.....
Typhoid and paratyphoid fever (1)	10	.....	.....	.....	.....	.....	2	2	.....	.....	4	1	1	.....	.....	.....	.....	.....
Measles (7)	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	5	3	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	6	.....	.....	1	2	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (11)	13	.....	1	.....	.....	.....	.....	.....	2	2	2	2	3	1	.....	.....	.....	.....
Meningococcus meningitis (24)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	100	.....	.....	.....	.....	.....	1	15	31	24	16	7	2	4	.....	.....	.....	.....
Other forms of tuberculosis (32–37)	17	.....	2	.....	.....	.....	2	2	6	2	1	.....	1	1	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	29	.....	.....	.....	.....	.....	.....	.....	.....	3	6	12	8	.....	.....	.....	.....	.....
Diabetes mellitus (57)	7	.....	.....	.....	.....	.....	.....	.....	.....	1	1	4	1	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	53	.....	.....	.....	.....	.....	.....	.....	.....	1	9	15	13	13	2	.....	.....	.....
Other [organic] diseases of the heart (90)	99	.....	.....	.....	.....	1	.....	2	5	11	18	25	23	8	6	.....	.....	.....
Bronchitis (99)	23	.....	3	.....	.....	.....	.....	1	1	4	6	4	2	1	1	.....	.....	.....
Bronchopneumonia (100)	31	8	2	2	.....	1	.....	1	5	5	.....	1	2	3	1	.....	.....	.....
Pneumonia (101)	44	4	.....	.....	.....	1	.....	4	6	5	8	8	4	4	.....	.....	.....	.....
Diarrhea and enteritis (113, 114)	22	12	3	.....	.....	.....	.....	.....	.....	.....	.....	4	1	2	.....	.....	.....	.....
Appendicitis and typhlitis (117)	9	.....	.....	.....	.....	.....	.....	2	4	2	.....	1	.....	.....	.....	.....	.....	.....
Hernia, intestinal obstruction (118)	14	1	.....	.....	.....	.....	.....	1	2	4	.....	3	2	1	.....	.....	.....	.....
Cirrhosis of the liver (122)	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	2	1	.....	.....	.....	.....
Nephritis (128, 129)	73	.....	.....	.....	.....	1	1	1	4	5	11	17	20	8	4	1	.....	.....
Diseases of the female genital organs (137–141)	8	.....	.....	.....	.....	.....	.....	.....	2	2	2	2	.....	.....	.....	.....	.....	.....
Puerperal septicemia (146)	6	.....	.....	.....	.....	.....	.....	.....	4	2	.....	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	4	.....	.....	.....	.....	.....	.....	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	4	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	1	.....	.....	.....	.....
Homicide (197–200)	22	.....	.....	.....	.....	.....	.....	1	9	6	4	1	1	.....	.....	.....	.....	.....
Other external causes (175–196, 201–203)	34	3	.....	.....	.....	1	2	4	4	7	4	4	3	2	.....	.....	.....	.....
All other causes	159	38	1	.....	.....	.....	4	3	10	16	21	26	18	11	6	3	2	.....
NEW ORLEANS, LA. (TOTAL).																		
All causes	6,468	798	171	62	40	22	88	298	696	708	838	915	896	631	257	37	6	5
Typhoid and paratyphoid fever (1)	36	.....	.....	.....	.....	.....	2	9	10	5	4	3	3	.....	.....	.....	.....	.....
Measles (7)	34	7	11	7	1	2	5	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	3	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	25	19	2	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
Diphtheria (10)	14	2	2	2	2	2	1	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (11)	56	8	4	3	1	1	1	3	7	3	3	5	8	5	4	.....	.....	.....
Meningococcus meningitis (24)	4	1	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	679	3	5	.....	.....	.....	2	55	209	140	121	84	41	16	2	.....	.....	1
Other forms of tuberculosis (32–37)	70	9	2	1	.....	3	2	7	11	16	8	5	6	.....	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	422	.....	.....	.....	.....	.....	.....	4	14	25	87	114	111	52	14	1	.....	.....
Diabetes mellitus (57)	78	.....	.....	.....	.....	.....	.....	3	3	9	6	18	26	13	.....	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	377	2	.....	.....	.....	.....	.....	1	4	18	52	85	104	77	30	3	1	.....
Other [organic] diseases of the heart (90)	853	1	.....	1	1	1	2	3	26	58	130	186	200	170	61	9	2	2
Bronchitis (99)	32	5	1	1	1	.....	1	.....	3	1	1	1	4	9	2	2	.....	.....
Bronchopneumonia (100)	207	81	27	10	3	2	10	8	14	7	8	8	8	16	5	.....	.....	.....
Pneumonia (101)	250	42	17	3	4	1	6	15	34	20	24	32	24	15	8	5	.....	.....
Diarrhea and enteritis (113, 114)	254	149	57	10	6	1	3	2	2	3	2	6	6	3	4	.....	.....	.....
Appendicitis and typhlitis (117)	135	.....	.....	.....	.....	.....	5	22	28	29	22	22	5	2	.....	.....	.....	.....
Hernia, intestinal obstruction (118)	71	8	.....	.....	1	1	.....	1	6	8	11	13	11	8	3	.....	.....	.....
Cirrhosis of the liver (122)	71	1	.....	.....	.....	.....	.....	1	.....	9	13	17	15	15	.....	.....	.....	.....
Nephritis (128, 129)	652	3	2	2	1	1	3	15	29	67	82	113	158	119	53	2	1	1
Diseases of the female genital organs (137–141)	57	.....	.....	.....	.....	.....	.....	1	13	19	18	4	2	.....	.....	.....	.....	.....
Puerperal septicemia (146)	51	.....	.....	.....	.....	.....	.....	6	24	18	2	1	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	68	.....	.....	.....	.....	.....	.....	14	25	25	4	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	64	.....	.....	.....	.....	.....	.....	3	13	11	17	11	7	2	.....	.....	.....	.....
Homicide (197–200)	80	.....	.....	.....	.....	.....	.....	10	36	18	10	4	2	.....	.....	.....	.....	.....
Other external causes (175–196, 201–203)	350	10	14	7	11	5	16	47	66	44	43	29	27	19	10	2	.....	.....
All other causes	1,475	447	25	12	8	1	26	67	117	154	170	154	128	90	61	13	2	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND AGE OF DECEDENT: 1921—Continued.

[See note at head of this table, p. 534.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
NEW ORLEANS, LA. (WHITE).																		
All causes	4,005	428	101	38	29	17	64	149	327	361	462	578	703	512	211	20	2	3
Typhoid and paratyphoid fever (1)	23						2	4	5	3	4	2	3					
Measles (7)	32	6	10	7	1	2	5		1									
Scarlet fever (8)	3					1	2											
Whooping cough (9)	16	13	1	2														
Diphtheria (10)	10	1	2		2	2	1	1	1									
Influenza (11)	33	5	2	2	1	1		1	2	2	1	2	6	4	4			
Meningococcus meningitis (24)	2		1				1											
Tuberculosis of the respiratory system (31)	360	1	1					21	89	68	68	60	36	14	1			1
Other forms of tuberculosis (32–37)	37	6	2			2	2	4	4	5	4	3	5					
Cancer and other malignant tumors (43–49)	324							3	9	17	55	88	94	44	13	1		
Diabetes mellitus (57)	68							3	2	8	4	14	26	11				
Cerebral hemorrhage and softening (74, 83)	259	1						1	3	11	24	53	81	58	24	2	1	
Other [organic] diseases of the heart (90)	529			1		1	1	1	8	22	48	94	154	142	53	3		1
Bronchitis (99)	20	2			1		1		1				3	8	2	2		
Bronchopneumonia (100)	122	36	16	6	2	1	6	5	5	5	8	7	6	14	5			
Pneumonia (101)	118	17	11	1	3		4	4	7	5	14	22	14	10	4	2		
Diarrhea and enteritis (113, 114)	145	88	30	6	5		3		1		2	3	3	1	3			
Appendicitis and typhlitis (117)	99						3	13	17	25	18	17	4	2				
Hernia, intestinal obstruction (118)	48	6				1		1	3	4	5	10	9	6	3			
Cirrhosis of the liver (122)	38							1		3	7	9	9	9				
Nephritis (128, 129)	419		1	2		1	3	8	13	27	41	56	128	98	39	1		1
Diseases of the female genital organs (137–141)	30								7	7	13	2	1					
Puerperal septicemia (146)	29							2	12	13	2							
Other puerperal causes (143–145, 147–150)	39							5	12	19	3							
Suicide (165–174)	57							2	12	9	17	9	6	2				
Homicide (197–200)	27							2	9	8	4	3	1					
Other external causes (175–196, 201–203)	249	6	8	5	8	4	11	29	47	24	29	24	24	18	10	2		
All other causes	869	240	16	6	6	1	19	38	57	76	91	100	90	71	50	7	1	
NEW ORLEANS, LA. (COLORED).																		
All causes	2,463	370	70	24	11	5	24	149	369	347	376	337	193	119	46	17	4	2
Typhoid and paratyphoid fever (1)	13							5	5	2		1						
Measles (7)	2	1	1															
Scarlet fever (8)																		
Whooping cough (9)	9	6	1	1														1
Diphtheria (10)	4	1		2						1								
Influenza (11)	23	3	2	1			1	2	5	1	2	3	2	1				
Meningococcus meningitis (24)	2	1	1															
Tuberculosis of the respiratory system (31)	319	2	4				2	34	120	72	53	24	5	2	1			
Other forms of tuberculosis (32–37)	33	3		1		1		3	7	11	4	2	1					
Cancer and other malignant tumors (43–49)	98							1	5	8	32	26	17	8	1			
Diabetes mellitus (57)	10								1	1	2	4		2				
Cerebral hemorrhage and softening (74, 83)	118	1							1	7	28	32	23	19	6	1		
Other [organic] diseases of the heart (90)	324	1			1		1	2	18	36	82	92	46	28	8	6	2	1
Bronchitis (99)	12	3	1	1					2	1	1	1	1	1				
Bronchopneumonia (100)	85	45	11	4	1	1	4	3	9	2		1	2	2				
Pneumonia (101)	132	25	6	2	1	1	2	11	27	15	10	10	10	5	4	3		
Diarrhea and enteritis (113, 114)	109	61	27	4	1	1		2	1	3		3	3	2	1			
Appendicitis and typhlitis (117)	36						2	9	11	4	4	5	1					
Hernia, intestinal obstruction (118)	23	2			1				3	4	6	3	2	2				
Cirrhosis of the liver (122)	33	1								6	6	8	6	6				
Nephritis (128, 129)	233	3	1		1			7	16	40	41	57	30	21	14	1	1	
Diseases of the female genital organs (137–141)	27							1	6	12	5	2	1					
Puerperal septicemia (146)	22							4	12	5		1						
Other puerperal causes (143–145, 147–150)	29							9	13	6	1							
Suicide (165–174)	7							1	1	2		2	1					
Homicide (197–200)	53							8	27	10	6	1	1					
Other external causes (175–196, 201–203)	101	4	6	2	3	1	5	18	19	20	14	5	3	1				
All other causes	606	207	9	6	2		7	29	60	78	79	54	38	19	11	6	1	
BALTIMORE, MD. (TOTAL).																		
All causes	10,380	1,598	310	119	83	61	178	377	762	882	1,127	1,299	1,586	1,353	573	68	4	
Typhoid and paratyphoid fever (1)	40		1		1	1	3	13	10	6		2	1	2				
Measles (7)	27	8	9	2	3	2	1		1			1						
Scarlet fever (8)	11		2	3		2	3		1									
Whooping cough (9)	105	59	32	6	4	1	2	1										
Diphtheria (10)	88	14	17	12	14	5	20	4	1		1							
Influenza (11)	82	7			1		1	4	10	8	12	8	11	13	7			
Meningococcus meningitis (24)	9	2	1				1	3	1	1								
Tuberculosis of the respiratory system (31)	904	5	4	5		2	7	87	266	201	169	81	54	20	3			
Other forms of tuberculosis (32–37)	143	11	19	4	5	1	14	20	24	23	14	5	2	1				
Cancer and other malignant tumors (43–49)	789			2		1		1	19	44	125	192	244	126	31	3	1	
Diabetes mellitus (57)	166						2	3	5	9	17	43	60	23	4			
Cerebral hemorrhage and softening (74, 83)	888		2						4	21	85	176	253	245	94	7	1	
Other [organic] diseases of the heart (90)	1,312	3	2	1	1	2	16	36	51	96	160	198	293	292	146	13	2	
Bronchitis (99)	105	26	3	2	2	1	2	1	2	3	4	6	12	21	19	1		
Bronchopneumonia (100)	521	199	57	24	9	3	7	11	15	17	20	25	48	63	21	2		
Pneumonia (101)	429	41	18	5	1	5	13	22	38	49	64	56	60	46	9	2		
Diarrhea and enteritis (113, 114)	485	339	72	13	5	5	6	2	6	5	3	6	8	6	9			
Appendicitis and typhlitis (117)	92			2		1	3	14	16	18	12	15	7	2	1	1		
Hernia, intestinal obstruction (118)	112	13						2	9	9	22	21	18	14	4			
Cirrhosis of the liver (122)	46									4	8	9	12	8	4	1		
Nephritis (128, 129)	1,083					1	5	12	34	72	142	213	247	248	100	9		
Diseases of the female genital organs (137–141)	40							1	5	11	15	4	2	1	1			
Puerperal septicemia (146)	49							3	29	15	2							
Other puerperal causes (143–145, 147–150)	73							9	26	28	10							
Suicide (165–174)	106							5	20	25	15	20	15	5	1			
Homicide (197–200)	70	4						3	24	18	9	7	5					
Other external causes (175–196, 201–203)	504	15	16	17	15	12	38	49	58	57	47	49	51	42	33	5		
All other causes	2,101	852	55	21	22	16	34	71	87	142	171	162	183	175	86	24		

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND AGE OF DECEDENT: 1921—Continued.

[See note at head of this table, p. 534.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
BALTIMORE, MD. (WHITE).																		
All causes	8,106	1,239	230	86	63	52	142	265	476	561	741	1,013	1,391	1,250	530	64	3	.....
Typhoid and paratyphoid fever (1)	29	.....	.....	.....	.....	1	1	11	7	5	.....	2	1	1	.....	.....	.....	.....
Measles (7)	25	7	9	2	3	1	1	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	10	.....	1	3	.....	2	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	82	49	23	4	3	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	76	12	13	12	14	5	16	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (11)	59	6	.....	.....	1	.....	.....	4	6	3	6	4	11	12	6	.....	.....	.....
Meningococcus meningitis (24)	8	2	1	.....	.....	.....	1	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	535	3	1	1	.....	.....	3	40	142	121	98	61	48	16	1	.....	.....	.....
Other forms of tuberculosis (32–37)	81	9	13	2	2	.....	6	10	12	11	10	3	2	1	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	716	.....	.....	2	.....	1	.....	1	16	30	106	169	237	120	30	3	1	.....
Diabetes mellitus (57)	153	.....	.....	.....	.....	.....	2	3	5	7	13	38	53	23	4	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	715	.....	2	.....	.....	.....	.....	.....	2	8	54	119	216	221	86	7	.....	.....
Other [organic] diseases of the heart (90)	1,009	3	.....	1	1	2	15	31	30	52	84	131	246	268	132	11	2	.....
Bronchitis (99)	80	17	2	2	1	1	1	.....	.....	2	3	4	8	20	18	1	.....	.....
Bronchopneumonia (100)	385	130	40	14	6	3	6	8	10	13	14	22	38	58	21	2	.....	.....
Pneumonia (101)	319	26	13	5	1	4	11	16	20	34	39	46	48	45	9	2	.....	.....
Diarrhea and enteritis (113, 114)	375	277	55	8	2	3	4	1	2	2	2	1	5	6	7	.....	.....	.....
Appendicitis and typhlitis (117)	72	.....	.....	2	.....	1	3	11	9	11	10	14	7	2	1	1	.....	.....
Hernia, intestinal obstruction (118)	90	10	.....	.....	.....	.....	.....	2	7	6	14	20	14	14	3	.....	.....	.....
Cirrhosis of the liver (122)	40	.....	.....	.....	.....	.....	.....	.....	.....	3	5	9	11	7	4	1	.....	.....
Nephritis (128, 129)	871	.....	.....	.....	.....	.....	4	11	23	43	91	160	209	225	93	7	.....	.....
Diseases of the female genital organs (137–141)	27	.....	.....	.....	.....	.....	.....	.....	3	8	9	3	2	1	1	.....	.....	.....
Puerperal septicemia (146)	34	.....	.....	.....	.....	.....	.....	2	18	12	2	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	60	.....	.....	.....	.....	.....	.....	6	21	24	9	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	100	.....	.....	.....	.....	.....	.....	4	19	23	14	19	15	5	1	.....	.....	.....
Homicide (197–200)	41	4	.....	.....	.....	.....	.....	2	13	6	6	5	5	.....	.....	.....	.....	.....
Other external causes (175–196, 201–203)	418	11	15	13	12	12	32	33	47	41	36	46	45	39	31	5	.....	.....
All other causes	1,696	673	42	15	17	16	31	62	61	90	116	136	165	166	82	24	.....	.....
BALTIMORE, MD. (COLORED).																		
All causes	2,274	359	80	33	20	9	36	112	286	321	386	286	195	103	43	4	1	.....
Typhoid and paratyphoid fever (1)	11	.....	1	.....	1	.....	2	2	3	1	.....	.....	.....	1	.....	.....	.....	.....
Measles (7)	2	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	23	10	9	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	12	2	4	.....	.....	.....	4	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
Influenza (11)	23	1	.....	.....	.....	.....	1	.....	4	5	6	4	.....	1	1	.....	.....	.....
Meningococcus meningitis (24)	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	369	2	3	4	.....	2	4	47	124	80	71	20	6	4	2	.....	.....	.....
Other forms of tuberculosis (32–37)	62	2	6	2	3	1	8	10	12	12	4	2	.....	.....	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	73	.....	.....	.....	.....	.....	.....	.....	3	14	19	23	7	6	1	.....	.....	.....
Diabetes mellitus (57)	13	.....	.....	.....	.....	.....	.....	.....	.....	2	4	5	2	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	173	.....	.....	.....	.....	.....	.....	.....	2	13	31	57	37	24	8	.....	1	.....
Other [organic] diseases of the heart (90)	303	.....	2	.....	.....	.....	1	5	21	44	76	67	47	24	14	2	.....	.....
Bronchitis (99)	25	9	1	.....	1	.....	1	1	2	1	1	2	4	1	1	.....	.....	.....
Bronchopneumonia (100)	136	69	17	10	3	.....	1	3	5	4	6	3	10	5	.....	.....	.....	.....
Pneumonia (101)	110	15	5	.....	.....	1	2	6	18	15	25	10	12	1	.....	.....	.....	.....
Diarrhea and enteritis (113, 114)	110	62	17	5	3	2	2	1	4	3	1	5	3	.....	2	.....	.....	.....
Appendicitis and typhlitis (117)	20	.....	.....	.....	.....	.....	.....	3	7	7	2	1	.....	.....	.....	.....	.....	.....
Hernia, intestinal obstruction (118)	22	3	.....	.....	.....	.....	.....	.....	2	3	8	1	4	.....	1	.....	.....	.....
Cirrhosis of the liver (122)	6	.....	.....	.....	.....	.....	.....	.....	.....	1	3	.....	1	1	.....	.....	.....	.....
Nephritis (128, 129)	212	.....	.....	.....	.....	1	1	1	11	24	51	53	38	23	7	2	.....	.....
Diseases of the female genital organs (137–141)	13	.....	.....	.....	.....	.....	.....	1	2	3	6	1	.....	.....	.....	.....	.....	.....
Puerperal septicemia (146)	15	.....	.....	.....	.....	.....	.....	1	11	3	.....	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	13	.....	.....	.....	.....	.....	.....	3	5	4	1	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	6	.....	.....	.....	.....	.....	.....	1	1	2	1	1	.....	.....	.....	.....	.....	.....
Homicide (197–200)	29	.....	.....	.....	.....	.....	.....	1	11	12	3	2	.....	.....	.....	.....	.....	.....
Other external causes (175–196, 201–203)	86	4	1	4	3	.....	6	16	11	16	11	3	6	3	2	.....	.....	.....
All other causes	405	179	13	6	5	.....	3	9	26	52	55	26	18	9	4	.....	.....	.....
BOSTON, MASS.																		
All causes	10,226	1,501	289	118	93	75	234	338	624	773	1,101	1,451	1,615	1,295	607	105	7	.....
Typhoid and paratyphoid fever (1)	24	.....	.....	.....	.....	.....	1	3	6	6	2	3	3	.....	.....	.....	.....	.....
Measles (7)	38	15	16	2	2	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	51	3	9	7	4	5	14	4	2	1	.....	2	.....	.....	.....	.....	.....	.....
Whooping cough (9)	32	13	11	4	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	150	16	14	19	22	17	44	13	4	.....	.....	1	.....	.....	.....	.....	.....	.....
Influenza (11)	21	4	2	1	.....	.....	.....	2	3	2	2	2	1	1	1	.....	.....	.....
Meningococcus meningitis (24)	28	5	7	.....	.....	2	4	7	1	1	1	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	740	20	18	3	1	1	3	57	169	151	145	96	59	16	1	.....	.....	.....
Other forms of tuberculosis (32–37)	142	25	17	11	9	6	11	10	22	16	9	4	1	1	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	1,058	1	3	1	1	.....	1	3	20	48	160	294	297	177	46	6	.....	.....
Diabetes mellitus (57)	150	2	.....	1	1	.....	3	6	7	4	15	33	55	19	4	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	695	1	1	.....	1	.....	.....	1	3	16	54	124	184	207	92	11	.....	.....
Other [organic] diseases of the heart (90)	1,684	1	.....	.....	1	1	11	51	47	67	165	256	411	409	227	37	.....	.....
Bronchitis (99)	57	18	1	.....	.....	1	1	1	.....	.....	1	3	7	7	14	3	.....	.....
Bronchopneumonia (100)	484	187	60	12	8	4	10	7	9	8	14	36	41	51	29	7	1	.....
Pneumonia (101)	459	33	25	8	5	5	16	12	28	43	63	81	77	43	16	1	3	.....
Diarrhea and enteritis (113, 114)	258	193	28	4	3	.....	4	.....	1	2	2	7	8	3	3	.....	.....	.....
Appendicitis and typhlitis (117)	160	.....	.....	1	2	4	12	27	27	25	31	16	12	3	.....	.....	.....	.....
Hernia, intestinal obstruction (118)	102	11	3	1	1	.....	.....	4	8	9	14	13	22	11	4	1	.....	.....
Cirrhosis of the liver (122)	61	.....	.....	.....	.....	.....	1	1	2	4	10	20	12	10	1	.....	.....	.....
Nephritis (128, 129)	476	3	2	2	.....	2	6	8	22	31	65	84	109	90	44	8	.....	.....
Diseases of the female genital organs (137–141)	83	.....	.....	.....	.....	.....	.....	.....	4	22	32	18	3	4	.....	.....	.....	.....
Puerperal septicemia (146)	64	.....	.....	.....	.....	.....	.....	6	34	24	.....	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	94	.....	.....	.....	.....	.....	.....	6	31	47	10	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	101	.....	.....	.....	.....	.....	.....	2	14	21	17	30	10	7	.....	.....	.....	.....
Homicide (197–200)	35	2	.....	.....	.....	.....	.....	1	11	11	6	4	.....	.....	.....	.....	.....	.....
Other external causes (175–196, 201–203)	565	10	12	12	13	16	43	36	58	63	65	65	78	57	32	4	1	.....
All other causes	2,414	938	60	29	16	10	46	70	91	151	218	259	225	179	93	27	2	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND AGE OF DECEDENT: 1921—Continued.

[See note at head of this table, p. 534.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years	5 to 9 years.	10 to 19 years.	20 to 29 years	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
CAMBRIDGE, MASS.																		
All causes	1,388	195	34	7	7	8	36	43	93	94	128	188	232	197	103	23	.....	.....
Typhoid and paratyphoid fever (1)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (7)	4	.....	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	2	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	11	6	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	12	1	1	.....	.....	1	6	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Influenza (11)	3	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
Meningococcus meningitis (24)	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	123	.....	1	1	.....	.....	.....	8	39	30	19	15	8	2	.....	.....	.....	.....
Other forms of tuberculosis (32–37)	15	1	.....	2	1	.....	2	1	3	3	.....	2	.....	.....	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	162	.....	.....	1	.....	1	1	1	2	5	23	53	44	23	6	2	.....	.....
Diabetes mellitus (57)	16	.....	1	.....	.....	.....	2	.....	.....	2	1	3	2	3	2	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	124	.....	.....	.....	.....	.....	1	.....	.....	3	6	19	37	41	13	4	.....	.....
Other [organic] diseases of the heart (90)	222	1	.....	1	.....	.....	2	6	10	10	16	33	63	53	23	4	.....	.....
Bronchitis (99)	14	4	1	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	5	1	.....	.....
Bronchopneumonia (100)	61	16	13	.....	.....	1	1	.....	.....	2	4	3	5	9	4	3	.....	.....
Pneumonia (101)	43	.....	1	.....	.....	.....	.....	1	2	4	11	8	9	2	5	.....	.....	.....
Diarrhea and enteritis (113, 114)	30	25	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Appendicitis and typhlitis (117)	11	.....	.....	.....	1	.....	2	2	.....	2	2	.....	2	.....	.....	.....	.....	.....
Hernia, intestinal obstruction (118)	23	.....	.....	.....	.....	.....	.....	.....	.....	5	3	7	3	4	1	.....	.....	.....
Cirrhosis of the liver (122)	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	.....	.....	2	.....	.....	.....
Nephritis (128, 129)	60	1	.....	.....	.....	.....	.....	1	3	4	6	8	15	14	8	.....	.....	.....
Diseases of the female genital organs (137–141)	13	.....	.....	.....	.....	.....	.....	.....	4	3	4	1	.....	1	.....	.....	.....	.....
Puerperal septicemia (146)	8	.....	.....	.....	.....	.....	.....	1	3	4	.....	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	15	.....	.....	.....	.....	.....	.....	.....	9	4	2	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	11	.....	.....	.....	.....	.....	.....	.....	1	1	3	1	3	2	.....	.....	.....	.....
Homicide (197–200)	5	1	.....	.....	.....	.....	.....	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Other external causes (175–196, 201–203)	65	1	3	2	2	4	12	12	5	3	5	5	6	1	3	1	.....	.....
All other causes	328	136	1	.....	2	.....	6	6	11	8	19	27	32	41	31	8	.....	.....
FALL RIVER, MASS.																		
All causes	1,717	423	104	30	29	17	37	59	76	84	137	205	232	187	91	6	.....	.....
Typhoid and paratyphoid fever (1)	3	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....
Measles (7)	28	8	16	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	2	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	31	14	14	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	22	1	4	1	2	4	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (11)	8	1	1	.....	.....	2	.....	.....	.....	2	2	.....	.....	.....	.....	.....	.....	.....
Meningococcus meningitis (24)	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	92	1	.....	1	.....	.....	.....	16	26	14	13	17	3	1	.....	.....	.....	.....
Other forms of tuberculosis (32–37)	25	3	6	1	1	2	3	4	2	.....	.....	2	1	.....	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	120	.....	.....	.....	.....	.....	.....	.....	.....	7	16	40	35	19	3	.....	.....	.....
Diabetes mellitus (57)	33	.....	.....	.....	.....	.....	.....	3	2	1	.....	7	8	9	3	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	109	.....	.....	.....	.....	1	.....	.....	1	4	12	11	35	26	18	1	.....	.....
Other [organic] diseases of the heart (90)	182	2	2	.....	.....	.....	1	4	2	8	11	29	50	50	22	1	.....	.....
Bronchitis (99)	36	15	.....	3	.....	.....	.....	1	.....	.....	.....	1	2	10	4	.....	.....	.....
Bronchopneumonia (100)	121	51	25	6	4	3	2	.....	2	2	2	3	6	6	9	.....	.....	.....
Pneumonia (101)	54	8	3	2	.....	.....	.....	3	6	5	11	8	7	.....	1	.....	.....	.....
Diarrhea and enteritis (113, 114)	169	131	20	5	7	.....	3	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....
Appendicitis and typhlitis (117)	22	1	.....	1	.....	.....	2	6	3	2	4	3	.....	.....	.....	.....	.....	.....
Hernia, intestinal obstruction (118)	22	4	2	.....	1	1	.....	.....	1	.....	3	3	2	3	2	.....	.....	.....
Cirrhosis of the liver (122)	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	.....	.....	.....	.....
Nephritis (128, 129)	135	1	.....	.....	1	.....	.....	2	2	6	17	34	40	18	12	2	.....	.....
Diseases of the female genital organs (137–141)	5	.....	.....	.....	.....	.....	.....	.....	2	2	1	.....	.....	.....	.....	.....	.....	.....
Puerperal septicemia (146)	7	.....	.....	.....	.....	.....	.....	.....	5	1	1	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	13	.....	.....	.....	.....	.....	.....	.....	3	9	1	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	7	.....	.....	.....	.....	.....	.....	.....	.....	2	2	1	2	.....	.....	.....	.....	.....
Homicide (197–200)	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Other external causes (175–196, 201–203)	71	4	1	4	3	2	7	6	6	3	11	11	5	5	3	.....	.....	.....
All other causes	392	176	10	1	8	1	8	13	11	16	29	32	32	39	14	2	.....	.....
LOWELL, MASS.																		
All causes	1,465	284	44	24	16	22	54	41	59	85	135	183	236	197	79	6	.....	.....
Typhoid and paratyphoid fever (1)	6	.....	.....	.....	.....	.....	1	.....	1	2	2	.....	.....	.....	.....	.....	.....	.....
Measles (7)	11	3	5	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	6	2	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	37	4	5	3	6	6	12	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (11)	2	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Meningococcus meningitis (24)	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	64	.....	.....	.....	1	1	.....	5	11	18	15	10	2	2	.....	.....	.....	.....
Other forms of tuberculosis (32–37)	30	8	3	1	2	4	2	2	5	1	1	.....	1	.....	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	117	.....	.....	.....	.....	.....	.....	.....	3	3	15	29	38	22	7	.....	.....	.....
Diabetes mellitus (57)	22	.....	.....	.....	.....	.....	.....	1	.....	.....	5	7	7	2	.....	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	111	.....	1	.....	.....	.....	.....	1	.....	1	6	16	34	39	13	.....	.....	.....
Other [organic] diseases of the heart (90)	165	.....	.....	.....	.....	.....	5	5	7	4	19	34	50	31	9	1	.....	.....
Bronchitis (99)	28	13	3	1	.....	.....	.....	.....	.....	.....	.....	2	3	2	4	.....	.....	.....
Bronchopneumonia (100)	92	40	9	5	4	1	1	.....	1	2	4	6	6	8	5	.....	.....	.....
Pneumonia (101)	46	2	.....	2	.....	2	4	.....	3	3	6	10	9	4	.....	1	.....	.....
Diarrhea and enteritis (113, 114)	86	71	10	.....	.....	.....	.....	.....	.....	1	1	1	1	1	.....	.....	.....	.....
Appendicitis and typhlitis (117)	22	.....	.....	.....	1	.....	7	3	3	3	2	3	.....	.....	.....	.....	.....	.....
Hernia, intestinal obstruction (118)	16	1	1	1	.....	.....	.....	.....	.....	2	3	3	4	1	.....	.....	.....	.....
Cirrhosis of the liver (122)	6	.....	.....	.....	.....	.....	.....	.....	1	.....	2	1	1	1	.....	.....	.....	.....
Nephritis (128, 129)	58	1	.....	.....	.....	.....	.....	3	2	8	9	12	12	9	2	.....	.....	.....
Diseases of the female genital organs (137–141)	11	.....	.....	.....	.....	.....	.....	.....	1	1	5	3	.....	1	.....	.....	.....	.....
Puerperal septicemia (146)	5	.....	.....	.....	.....	.....	.....	.....	3	1	1	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	10	.....	.....	.....	.....	.....	.....	.....	1	7	2	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	10	.....	.....	.....	.....	.....	.....	.....	1	2	3	2	2	.....	.....	.....	.....	.....
Homicide (197–200)	3	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....
Other external causes (175–196, 201–203)	89	3	3	2	1	3	11	9	7	8	11	8	10	8	5	.....	.....	.....
All other causes	410	136	2	5	1	5	9	10	9	17	20	36	56	66	34	4	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND AGE OF DECEDENT: 1921—Continued.

[See note at head of this table, p. 534.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
NEW BEDFORD, MASS.																		
All causes	1,384	347	69	24	17	12	37	49	89	97	96	140	167	166	63	10	1	
Typhoid and paratyphoid fever (1)	5							1	1	1	2							
Measles (7)																		
Scarlet fever (8)	1		1															
Whooping cough (9)	8	5	3															
Diphtheria (10)	27		4	2	5	1	12	1			2							
Influenza (11)	3	1		1								1						
Meningococcus meningitis (24)	1						1											
Tuberculosis of the respiratory system (31)	125	1	3			1	1	18	39	25	24	8	4			1		
Other forms of tuberculosis (32–37)	30	2	5	2	3	1	3	2	5		2	4	1					
Cancer and other malignant tumors (43–49)	88								1	8	8	24	20	20	7			
Diabetes mellitus (57)	25							2		1	3	10	8	1				
Cerebral hemorrhage and softening (74, 83)	85								2	1	4	11	26	29	11	1		
Other [organic] diseases of the heart (90)	152						2	3	2	6	14	21	41	40	19	3	1	
Bronchitis (99)	16	8	3										1	3	1			
Bronchopneumonia (100)	105	47	27	11	1	2	1		2	1	1	1	2	6	3			
Pneumonia (101)	27	2	2				2		3	5	2	5	3	1	2			
Diarrhea and enteritis (113, 114)	136	120	7	2	2			1		1	1	2						
Appendicitis and typhlitis (117)	8			1				4		1	2							
Hernia, intestinal obstruction (118)	13	2	1							1	2	3	1	3				
Cirrhosis of the liver (122)	7											4	1	2				
Nephritis (128, 129)	63	3			1		1	2	3	5	8	9	14	15	1	1		
Diseases of the female genital organs (137–141)	3									1	1	1						
Puerperal septicemia (146)	5							2	2	1								
Other puerperal causes (143–145, 147–150)	15							1	4	7	3							
Suicide (165–174)	13								1	3	1	2	4	2				
Homicide (197–200)	2							1	1									
Other external causes (175–196, 201–203)	53	3	3	2		5	6	8	5	3	7	7	2	1	1			
All other causes	368	156	10	2	3	7	9	5	15	24	13	27	34	42	18	3		
SPRINGFIELD, MASS.																		
All causes	1,542	243	36	18	21	13	40	55	90	106	160	178	233	225	110	14		
Typhoid and paratyphoid fever (1)	6							2		3			1					
Measles (7)	3	1	1		1													
Scarlet fever (8)	3			1	2													
Whooping cough (9)	3	2					1											
Diphtheria (10)	23		1	3	4	3	9	1	1	1								
Influenza (11)	10	1					1		1	1	2	2			1	1		
Meningococcus meningitis (24)	3					1	1				1							
Tuberculosis of the respiratory system (31)	77	2						7	19	14	20	10	3	1	1			
Other forms of tuberculosis (32–37)	27	3	5	2	2	1	2	2	5	2	2	1						
Cancer and other malignant tumors (43–49)	142			1					2	5	26	37	31	33	6	1		
Diabetes mellitus (57)	23					1		2	3	1	3	1	7	4	1			
Cerebral hemorrhage and softening (74, 83)	128									1	6	15	43	42	20	1		
Other [organic] diseases of the heart (90)	211	1		1	1		3	9	5	13	23	28	46	48	28	5		
Bronchitis (99)	8	5												2	1			
Bronchopneumonia (100)	70	25	10	3	2	2	2	1	2	2	2	6		6	6	1		
Pneumonia (101)	57	6	1				1	2	1	5	14	12	7	4	4			
Diarrhea and enteritis (113, 114)	50	40	2	1		1	1				1	1		2	1			
Appendicitis and typhlitis (117)	26					1	1	5	1	6	6	1	4	1				
Hernia, intestinal obstruction (118)	12	1									2	2	6		1			
Cirrhosis of the liver (122)	7									1	1	1	3		1			
Nephritis (128, 129)	148	2			1		1	3	6	8	15	25	37	35	13	2		
Diseases of the female genital organs (137–141)	5							1	1	1	1	1						
Puerperal septicemia (146)	6								3	3								
Other puerperal causes (143–145, 147–150)	19							1	11	6	1							
Suicide (165–174)	19								4	4	6	3	1	1				
Homicide (197–200)	9		1		1				1	5	1							
Other external causes (175–196, 201–203)	82	1	5	3	4	1	9	4	12	4	10	5	7	12	5			
All other causes	365	153	10	3	3	2	8	15	12	20	17	27	37	34	21	3		
WORCESTER, MASS.																		
All causes	2,387	371	58	32	21	20	64	75	137	179	238	296	345	369	151	31		
Typhoid and paratyphoid fever (1)	7							3	1	1	1	1						
Measles (7)	19	4	6	3		2	4											
Scarlet fever (8)	12	2		2	3		3	2										
Whooping cough (9)	10	6	4															
Diphtheria (10)	29	1	2	2	7	2	13			1		1						
Influenza (11)	7	2						1		1		1		1	1			
Meningococcus meningitis (24)	3	2	1															
Tuberculosis of the respiratory system (31)	141		2				2	8	30	36	32	19	9	3				
Other forms of tuberculosis (32–37)	49	10	7	4		2	4	6	4	8			3	1				
Cancer and other malignant tumors (43–49)	212							3	5	11	37	44	62	35	14	1		
Diabetes mellitus (57)	52					1		4	3	4	4	12	15	8	1			
Cerebral hemorrhage and softening (74, 83)	160	1							1	1	12	23	46	55	17	4		
Other [organic] diseases of the heart (90)	396						2	8	12	17	35	70	92	102	51	7		
Bronchitis (99)	17	7								1		1	1	4	3			
Bronchopneumonia (100)	125	39	13	3	2	4	6		8	2	3	6	7	18	12	2		
Pneumonia (101)	113	10	1	2	1		3	2	9	6	19	18	14	21	4	3		
Diarrhea and enteritis (113, 114)	103	84	10	5							2			2				
Appendicitis and typhlitis (117)	29			1	2		1	6	5	7	3	2	1	1				
Hernia, intestinal obstruction (118)	18	2	2		1					1	2	3	2	4	1			
Cirrhosis of the liver (122)	12										2	3	3	3	1			
Nephritis (128, 129)	83						2		4	3	12	14	21	16	9	2		
Diseases of the female genital organs (137–141)	13									4	8	1						
Puerperal septicemia (146)	19							2	10	7								
Other puerperal causes (143–145, 147–150)	30							4	11	14	1							
Suicide (165–174)	28							2	4	11	3	3	4	1				
Homicide (197–200)	2								1	1								
Other external causes (175–196, 201–203)	135	2	4	4	4	4	15	14	11	14	18	13	10	17	4	1		
All other causes	563	199	6	6	1	5	9	10	18	28	44	61	55	77	33	11		

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND AGE OF DECEDENT: 1921—Continued.

[See note at head of this table, p. 534.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
DETROIT, MICH. (TOTAL)																	
All causes	10,386	2,299	411	201	149	115	381	447	919	1,120	946	1,008	1,056	839	428	64	3	.....
Typhoid and paratyphoid fever (1)	57	.....	.....	1	1	1	4	13	17	11	4	5	.....	.....	.....	.....	.....	.....
Measles (7)	40	15	19	3	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	119	4	13	22	16	14	30	11	4	4	1	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	111	70	29	10	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	336	30	48	46	40	33	102	23	5	4	2	2	1	.....	.....	.....	.....	.....
Influenza (11)	40	7	1	1	.....	.....	2	2	3	9	5	2	5	3	.....	.....	.....	.....
Meningococcus meningitis (24)	22	5	2	.....	1	1	2	5	2	2	1	1	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	742	8	4	2	3	2	10	88	252	172	110	58	25	7	1	.....	.....	.....
Other forms of tuberculosis (32–37)	151	18	11	8	8	2	11	14	33	22	12	8	4	.....	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	695	.....	.....	1	.....	.....	4	3	14	64	113	154	209	103	27	3	.....	.....
Diabetes mellitus (57)	112	.....	.....	.....	.....	.....	2	6	7	13	9	24	30	16	5	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	482	.....	3	1	.....	.....	.....	1	10	29	34	95	122	118	60	9	.....	.....
Other [organic] diseases of the heart (90)	1,122	7	4	2	1	4	28	39	48	100	145	185	212	207	123	17	.....	.....
Bronchitis (99)	110	45	10	2	1	.....	2	3	1	1	4	1	8	13	19	.....	.....	.....
Bronchopneumonia (100)	420	190	61	24	11	8	16	4	9	16	19	18	20	14	8	2	.....	.....
Pneumonia (101)	481	72	21	7	8	3	21	22	47	79	56	53	46	35	11	.....	.....	.....
Diarrhea and enteritis (113, 114)	590	436	93	18	8	6	6	1	2	3	2	1	5	4	3	2	.....	.....
Appendicitis and typhlitis (117)	170	2	.....	.....	2	1	8	28	42	46	22	12	6	1	.....	.....	.....	.....
Hernia, intestinal obstruction (118)	113	28	1	1	1	1	3	2	6	13	12	10	17	15	2	1	.....	.....
Cirrhosis of the liver (122)	68	1	.....	.....	.....	.....	.....	.....	1	5	11	21	17	10	2	.....	.....	.....
Nephritis (128, 129)	488	5	.....	3	6	.....	5	19	23	46	50	75	116	100	36	4	.....	.....
Diseases of the female genital organs (137–141)	74	.....	.....	.....	.....	.....	.....	1	19	23	21	9	1	.....	.....	.....	.....	.....
Puerperal septicemia (146)	106	.....	.....	.....	.....	.....	.....	6	54	41	5	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	96	.....	.....	.....	.....	.....	.....	9	45	31	11	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	126	.....	.....	.....	.....	.....	.....	8	26	32	29	20	6	2	3	.....	.....	.....
Homicide (197–200)	106	.....	.....	.....	.....	.....	3	10	33	33	20	5	2	.....	.....	.....	.....	.....
Other external causes (175–196, 201–203)	583	30	19	20	15	19	48	54	77	92	66	61	33	26	20	2	1	.....
All other causes	2,826	1,326	72	29	24	20	72	75	139	229	182	188	171	165	108	24	2	.....
DETROIT, MICH. (WHITE).																		
All causes	9,653	2,159	373	189	141	112	369	409	785	968	854	963	1,020	822	424	63	2	.....
Typhoid and paratyphoid fever (1)	53	.....	.....	1	1	1	4	13	15	9	4	5	.....	.....	.....	.....	.....	.....
Measles (7)	40	15	19	3	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	115	4	12	21	15	14	30	11	4	3	1	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	98	62	24	10	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	328	29	47	44	39	33	100	22	5	4	2	2	1	.....	.....	.....	.....	.....
Influenza (11)	35	6	1	1	.....	.....	2	2	1	7	5	2	5	3	.....	.....	.....	.....
Meningococcus meningitis (24)	21	5	2	.....	1	1	2	5	1	2	1	1	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	629	8	3	2	2	2	7	69	203	149	97	56	24	6	1	.....	.....	.....
Other forms of tuberculosis (32–37)	125	15	7	7	8	2	11	12	23	17	12	8	3	.....	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	679	.....	.....	1	.....	.....	4	3	14	58	110	148	208	103	27	3	.....	.....
Diabetes mellitus (57)	109	.....	.....	.....	.....	.....	2	6	7	12	8	24	29	16	5	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	460	.....	3	1	.....	.....	.....	1	10	26	32	89	114	116	59	9	.....	.....
Other [organic] diseases of the heart (90)	1,039	6	4	2	1	4	27	34	35	79	123	177	204	204	122	17	.....	.....
Bronchitis (99)	103	42	9	.....	1	.....	2	3	1	1	3	1	8	13	19	.....	.....	.....
Bronchopneumonia (100)	369	165	48	22	11	7	15	4	7	13	18	17	18	14	8	2	.....	.....
Pneumonia (101)	437	66	19	7	6	3	20	20	39	68	47	52	44	35	11	.....	.....	.....
Diarrhea and enteritis (113, 114)	560	418	88	15	8	6	5	1	1	2	2	1	4	4	3	2	.....	.....
Appendicitis and typhlitis (117)	161	2	.....	.....	2	1	8	27	38	42	22	12	6	1	.....	.....	.....	.....
Hernia, intestinal obstruction (118)	109	27	1	1	1	1	3	2	6	11	12	10	16	15	2	1	.....	.....
Cirrhosis of the liver (122)	67	1	.....	.....	.....	.....	.....	.....	1	5	11	20	17	10	2	.....	.....	.....
Nephritis (128, 129)	459	5	.....	3	4	.....	4	18	21	43	45	70	110	97	35	4	.....	.....
Diseases of the female genital organs (137–141)	60	.....	.....	.....	.....	.....	.....	1	15	18	16	9	1	.....	.....	.....	.....	.....
Puerperal septicemia (146)	98	.....	.....	.....	.....	.....	.....	5	50	39	4	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	90	.....	.....	.....	.....	.....	.....	9	41	29	11	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	123	.....	.....	.....	.....	.....	.....	8	25	32	28	19	6	2	3	.....	.....	.....
Homicide (197–200)	77	.....	.....	.....	.....	.....	3	9	25	22	13	3	2	.....	.....	.....	.....	.....
Other external causes (175–196, 201–203)	563	29	19	20	15	18	48	52	74	86	63	59	32	26	20	1	1	.....
All other causes	2,646	1,254	67	28	23	19	70	72	123	191	164	178	168	157	107	24	1	.....
DETROIT, MICH. (COLORED).																		
All causes	733	140	38	12	8	3	12	38	134	152	92	45	36	17	4	1	1	.....
Typhoid and paratyphoid fever (1)	4	.....	.....	.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....	.....	.....	.....	.....
Measles (7)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	4	.....	1	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	13	8	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	8	1	1	2	1	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (11)	5	1	.....	.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....	.....	.....	.....	.....
Meningococcus meningitis (24)	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	113	.....	1	.....	1	.....	3	19	49	23	13	2	1	1	.....	.....	.....	.....
Other forms of tuberculosis (32–37)	26	3	4	1	.....	.....	.....	2	10	5	.....	.....	1	.....	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	16	.....	.....	.....	.....	.....	.....	.....	.....	6	3	6	1	.....	.....	.....	.....	.....
Diabetes mellitus (57)	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	22	.....	.....	.....	.....	.....	.....	.....	.....	3	2	6	8	2	1	.....	.....	.....
Other [organic] diseases of the heart (90)	83	1	.....	.....	.....	.....	1	5	13	21	22	8	8	3	1	.....	.....	.....
Bronchitis (99)	7	3	1	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Bronchopneumonia (100)	51	25	13	2	.....	1	1	.....	2	3	1	1	2	.....	.....	.....	.....	.....
Pneumonia (101)	44	6	2	.....	2	.....	1	2	8	11	9	1	2	.....	.....	.....	.....	.....
Diarrhea and enteritis (113, 114)	30	18	5	3	.....	.....	1	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....
Appendicitis and typhlitis (117)	9	.....	.....	.....	.....	.....	.....	1	4	4	.....	.....	.....	.....	.....	.....	.....	.....
Hernia, intestinal obstruction (118)	4	1	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	.....	.....	.....	.....	.....
Cirrhosis of the liver (122)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Nephritis (128, 129)	29	.....	.....	2	.....	1	1	2	3	5	5	6	3	1	.....	.....	.....	.....
Diseases of the female genital organs (137–141)	14	.....	.....	.....	.....	.....	.....	4	5	5	.....	.....	.....	.....	.....	.....	.....	.....
Puerperal septicemia (146)	8	.....	.....	.....	.....	.....	1	4	2	1	.....	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	6	.....	.....	.....	.....	.....	.....	4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	3	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Homicide (197–200)	29	.....	.....	.....	.....	.....	1	8	11	7	2	.....	.....	.....	.....	.....	.....	.....
Other external causes (175–196, 201–203)	20	1	.....	.....	.....	1	.....	2	3	6	3	2	1	.....	.....	1	.....	.....
All other causes	180	72	5	1	1	1	2	3	16	38	18	10	3	8	1	.....	1	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND AGE OF DECEDENT: 1921—Continued.

[See note at head of this table, p. 534.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
GRAND RAPIDS, MICH.																		
All causes	1,538	235	23	16	12	5	52	68	84	94	112	181	251	232	141	30	1	1
Typhoid and paratyphoid fever (1)	6							2		2	1		1					
Measles (7)	1		1															
Scarlet fever (8)	2						1	1										
Whooping cough (9)	4	3	1															
Diphtheria (10)	44	2	3	4	6	1	20	7	1									
Influenza (11)	4	1											1	1	1			
Meningococcus meningitis (24)	1						1											
Tuberculosis of the respiratory system (31)	63						1	10	24	10	6	4	5	3				
Other forms of tuberculosis (32–37)	27	3	3				2	5	5	2	2	3	2					
Cancer and other malignant tumors (43–49)	142							1	4	10	17	29	45	26	9	1		
Diabetes mellitus (57)	26					1			2	2	3	5	5	8				
Cerebral hemorrhage and softening (74, 83)	138				1					1	4	25	32	41	32	2		
Other [organic] diseases of the heart (90)	223	1		1			3	6	2	8	17	31	59	61	29	4	1	
Bronchitis (99)	13	3					1					1	2	2	2	2		
Bronchopneumonia (100)	36	15		1			3	2		2	2	2	3	3	1	2		
Pneumonia (101)	45	5	2	1			1	2	2	4	4	6	9	6	3			
Diarrhea and enteritis (113, 114)	51	36	6	3				2	1					2	1			
Appendicitis and typhlitis (117)	30			1			4	8	6	3	2	2	4					
Hernia, intestinal obstruction (118)	18	4			1	1		1	1	1	2	3	2	1	1			
Cirrhosis of the liver (122)	8										2	2	4					
Nephritis (128, 129)	110							1	5	8	9	18	21	24	21	2		1
Diseases of the female genital organs (137–141)	5									2	1	1			1			
Puerperal septicemia (146)	11								7	4								
Other puerperal causes (143–145, 147–150)	11								2	6	3							
Suicide (165–174)	19									4	7	5	2		1			
Homicide (197–200)	4									2		2						
Other external causes (175–196, 201–203)	71	4	1	3		1	5	9	6	4	7	10	9	5	5	2		
All other causes	425	158	6	2	4	1	10	11	16	19	23	32	45	49	34	15		
MINNEAPOLIS, MINN.																		
All causes	4,289	527	69	53	36	36	126	168	357	385	387	528	696	542	326	49	2	2
Typhoid and paratyphoid fever (1)	5								4		1							
Measles (7)	3		1				1		1									
Scarlet fever (8)	55	3	2	6	6	5	21	6	4	2								
Whooping cough (9)	18	9	6	1		1	1											
Diphtheria (10)	52	2	3	8	4	7	18	8		1		1						
Influenza (11)	34	1				1	2	3	3	4	6	3	7	3	1			
Meningococcus meningitis (24)	4		1	1			1	1										
Tuberculosis of the respiratory system (31)	283						2	25	91	69	36	31	24	5				
Other forms of tuberculosis (32–37)	50	7	3	3	1		2	7	7	7	5	3	4	1				
Cancer and other malignant tumors (43–49)	420		1				1	3	7	27	62	96	127	74	21	1		
Diabetes mellitus (57)	82						3	6	7	6	6	13	23	14	3	1		
Cerebral hemorrhage and softening (74, 83)	254	2							1	2	17	35	66	74	48	9		
Other [organic] diseases of the heart (90)	532						4	12	20	33	29	93	136	128	70	7		
Bronchitis (99)	22	2	3						1			1	5	3	5	2		
Bronchopneumonia (100)	158	47	13	9	1	3	8	1	4	7	10	10	14	18	11	1	1	
Pneumonia (101)	189	10	8	2		5	3	6	12	24	28	19	29	26	17			
Diarrhea and enteritis (113, 114)	58	33	9	1	3	1	2	2		1		3		2	1			
Appendicitis and typhlitis (117)	112		2	2	2	1	14	12	31	20	4	13	8	2	1			
Hernia, intestinal obstruction (118)	57	6	2					2	1	7	8	10	12	8	1			
Cirrhosis of the liver (122)	43							2	2	2		13	16	5	3			
Nephritis (128, 129)	285		2			1		7	8	16	34	35	68	65	43	5	1	
Diseases of the female genital organs (137–141)	29							1	2	6	14	3		2	1			
Puerperal septicemia (146)	25							1	14	8	2							
Other puerperal causes (143–145, 147–150)	48							3	25	20								
Suicide (165–174)	69							1	11	16	12	12	10	6	1			
Homicide (197–200)	28	2						2	8	5	4	2	3	1	1			
Other external causes (175–196, 201–203)	255	3	2	9	7	6	16	25	30	29	30	31	25	25	16	1		
All other causes	1,119	400	11	11	12	5	27	32	63	73	79	101	119	80	82	22		2
ST. PAUL, MINN.																		
All causes	2,555	304	28	32	24	15	66	97	215	231	215	331	431	388	154	24		
Typhoid and paratyphoid fever (1)	18							6	6	1	2	1	2					
Measles (7)	1	1																
Scarlet fever (8)	20		2	5	2	4	4	2	1									
Whooping cough (9)	2	1	1															
Diphtheria (10)	37	2	2	4	3	1	18	3	2	1	1							
Influenza (11)	19	3	1		4			1	2	1		2	1	4				
Meningococcus meningitis (24)	1			1														
Tuberculosis of the respiratory system (31)	196	2	5		1			15	64	47	25	22	12	3				
Other forms of tuberculosis (32–37)	39	2	2	1	2		1	7	12	6	3		2	1				
Cancer and other malignant tumors (43–49)	273				1	1	1	2	2	13	28	66	84	63	10	2		
Diabetes mellitus (57)	53				1		2	4	1	6	5	9	16	7	2			
Cerebral hemorrhage and softening (74, 83)	164							1	1	3	10	32	45	49	21	2		
Other [organic] diseases of the heart (90)	306	2				1	2	6	5	15	17	39	87	97	31	4		
Bronchitis (99)	12	3								1			1	1	5	1		
Bronchopneumonia (100)	53	21	3	1			1		2	1	3	3	6	8	3	1		
Pneumonia (101)	105	7		4			4	2	8	9	12	17	21	13	7	1		
Diarrhea and enteritis (113, 114)	36	26	4	2	1		1					1			1			
Appendicitis and typhlitis (117)	60		1	1		1	3	8	15	5	7	7	7	5				
Hernia, intestinal obstruction (118)	23	2	1						1	2	1	4	7	2	3			
Cirrhosis of the liver (122)	16										2	2	9	3				
Nephritis (128, 129)	191	1						2	4	13	25	39	38	51	17	1		
Diseases of the female genital organs (137–141)	22								3	9	5	3	1	1				
Puerperal septicemia (146)	20							4	5	10	1							
Other puerperal causes (143–145, 147–150)	21							1	11	8	1							
Suicide (165–174)	32							1	4	8	6	4	8	1				
Homicide (197–200)	17								7	4	1	3	1	1				
Other external causes (175–196, 201–203)	173	3	4	4	5	4	17	13	23	24	13	16	15	20	10	2		
All other causes	645	228	2	9	4	3	12	19	36	44	47	61	68	58	44	10		

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND AGE OF DECEDENT: 1921—Continued.

[See note at head of this table, p. 534.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
KANSAS CITY, MO. (TOTAL).																		
All causes	4,654	635	83	44	34	31	118	214	417	499	581	586	628	525	214	34	5	6
Typhoid and paratyphoid fever (1)	39	1	1			1	3	11	5	6	4	4	2	1				
Measles (7)	17	6	2	3			1	2	2				1					
Scarlet fever (8)	11		1		4	1	2	3										
Whooping cough (9)	4	2	1	1														
Diphtheria (10)	82	3	11	5	9	11	33	7	2		1							
Influenza (11)	49	2	4		2		3	2	4	2	9	8	9	2	2			
Meningococcus meningitis (24)	7	1					1		2	1	2							
Tuberculosis of the respiratory system (31)	286	3	2		1		1	24	71	58	52	41	25	6	2			
Other forms of tuberculosis (32–37)	49	4	5	2	1		2	4	11	8	5	4	2	1				
Cancer and other malignant tumors (43–49)	380						1	1	6	26	73	87	109	59	18			
Diabetes mellitus (57)	63					1	2	2	6	4	5	16	16	8	3			
Cerebral hemorrhage and softening (74, 83)	252	1					1		4	4	22	59	65	65	26	4	1	
Other [organic] diseases of the heart (90)	412	2	1		1		3	19	14	30	49	57	86	92	49	8		1
Bronchitis (99)	21	2		1					2	1	1		1	10	2	1		
Bronchopneumonia (100)	134	49	12	5	1	1		5	4	5	6	8	10	18	9	1		
Pneumonia (101)	198	22	7	2			3	8	19	27	30	23	25	19	10	3		
Diarrhea and enteritis (113, 114)	191	145	20	6	2		3		1	2	4	2	1	2	2			1
Appendicitis and typhlitis (117)	90	1			1	1	3	17	13	24	16	8	3	3				
Hernia, intestinal obstruction (118)	58	4				1		4	4	3	12	7	9	8	5	1		
Cirrhosis of the liver (122)	47								1	7	6	12	11	8	2			
Nephritis (128, 129)	408	4					4	6	20	30	48	78	90	93	27	8		
Diseases of the female genital organs (137–141)	57							1	12	15	21	5	3					
Puerperal septicemia (146)	26							2	11	12	1							
Other puerperal causes (143–145, 147–150)	26							4	12	10								
Suicide (165–174)	77							5	17	22	15	6	8	3	1			
Homicide (197–200)	96	1				1		5	36	27	17	3	5	1				
Other external causes (175–196, 201–203)	261	7	6	3	2	3	19	29	32	46	34	22	23	24	10	1		
All other causes	1,313	375	10	16	10	10	33	53	106	129	148	136	124	102	46	7	4	4
KANSAS CITY, MO. (WHITE).																		
All causes	3,891	561	63	37	33	29	112	181	312	362	435	473	582	475	202	29	2	3
Typhoid and paratyphoid fever (1)	35	1	1				2	10	5	6	3	4	2	1				
Measles (7)	14	4	1	3			1	2	2				1					
Scarlet fever (8)	11		1		4	1	2	3										
Whooping cough (9)	2	1	1															
Diphtheria (10)	81	2	11	5	9	11	33	7	2		1							
Influenza (11)	32	2	2		2		2	1	3		4	5	8	2	1			
Meningococcus meningitis (24)	6	1					1		2	1	1							
Tuberculosis of the respiratory system (31)	183	3	2		1		1	15	41	33	30	28	23	4	2			
Other forms of tuberculosis (32–37)	38	4	4	2			2	3	9	5	3	3	2	1				
Cancer and other malignant tumors (43–49)	351						1	1	5	25	65	78	101	59	16			
Diabetes mellitus (57)	58					1	2	2	5	4	5	13	16	7	3			
Cerebral hemorrhage and softening (74, 83)	229	1					1		4	2	20	51	59	62	26	2	1	
Other [organic] diseases of the heart (90)	335	2	1		1		3	16	10	17	31	41	80	79	46	7		1
Bronchitis (99)	19	1		1					2		1		1	10	2	1		
Bronchopneumonia (100)	96	33	3	4	1	1		3	4	3	3	4	10	17	9	1		
Pneumonia (101)	162	16	4	1			3	7	15	22	18	21	23	19	10	3		
Diarrhea and enteritis (113, 114)	177	137	16	6	2		3		1	2	4		1	2	2			1
Appendicitis and typhlitis (117)	79	1			1	1	3	16	9	20	14	8	3	3				
Hernia, intestinal obstruction (118)	53	4				1		4	3	3	11	5	9	7	5	1		
Cirrhosis of the liver (122)	33								1	5	2	7	10	6	2			
Nephritis (128, 129)	345	3					4	4	13	23	39	65	82	83	22	7		
Diseases of the female genital organs (137–141)	47							1	10	13	17	3	3					
Puerperal septicemia (146)	20							1	9	9	1							
Other puerperal causes (143–145, 147–150)	22							4	10	8								
Suicide (165–174)	72							4	15	22	15	5	7	3	1			
Homicide (197–200)	66	1				1		3	25	19	8	3	5	1				
Other external causes (175–196, 201–203)	223	5	6	3	2	3	18	28	26	32	27	20	23	19	10	1		
All other causes	1,102	339	10	12	10	9	30	46	81	88	112	109	113	90	45	6	1	1
KANSAS CITY, MO. (COLORED).																		
All causes	763	74	20	7	1	2	6	33	105	137	146	113	46	50	12	5	3	3
Typhoid and paratyphoid fever (1)	4					1	1	1			1							
Measles (7)	3	2	1															
Scarlet fever (8)																		
Whooping cough (9)	2	1		1														
Diphtheria (10)	1	1																
Influenza (11)	17		2				1	1	1	2	5	3	1		1			
Meningococcus meningitis (24)	1										1							
Tuberculosis of the respiratory system (31)	103							9	30	25	22	13	2	2				
Other forms of tuberculosis (32–37)	11		1		1			1	2	3	2	1						
Cancer and other malignant tumors (43–49)	29								1	1	8	9	8		2			
Diabetes mellitus (57)	5								1			3		1				
Cerebral hemorrhage and softening (74, 83)	23									2	2	8	6	3		2		
Other [organic] diseases of the heart (90)	77							3	4	13	18	16	6	13	3	1		
Bronchitis (99)	2	1								1								
Bronchopneumonia (100)	38	16	9	1				2		2	3	4		1				
Pneumonia (101)	36	6	3	1				1	4	5	12	2	2					
Diarrhea and enteritis (113, 114)	14	8	4									2						
Appendicitis and typhlitis (117)	11							1	4	4	2							
Hernia, intestinal obstruction (118)	5								1		1	2		1				
Cirrhosis of the liver (122)	14									2	4	5	1	2				
Nephritis (128, 129)	63	1						2	7	7	9	13	8	10	5	1		
Diseases of the female genital organs (137–141)	10								2	2	4	2						
Puerperal septicemia (146)	6							1	2	3								
Other puerperal causes (143–145, 147–150)	4								2	2								
Suicide (165–174)	5							1	2			1	1					
Homicide (197–200)	30							2	11	8	9							
Other external causes (175–196, 201–203)	38	2					1	1	6	14	7	2		5				
All other causes	211	36		4		1	3	7	25	41	36	27	11	12	1	1	3	3

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND AGE OF DECEDENT: 1921—Continued.

[See note at head of this table, p. 534.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
ST. LOUIS, MO. (TOTAL).																		
All causes	9,607	956	167	93	86	52	252	372	711	893	1,121	1,413	1,513	1,265	634	74	4	1
Typhoid and paratyphoid fever (1)	34						4	12	5	3	7	1	2					
Measles (7)	6	3		1		1	1											
Scarlet fever (8)	44		5	5	5	2	18	5	4									
Whooping cough (9)	65	38	11	7	3	2	3	1										
Diphtheria (10)	166	10	15	15	20	16	62	18	3	3	1	1	1	1				
Influenza (11)	42	3		1				3	6	7	7	5	4	3	3			
Meningococcus meningitis (24)	12	2	1	1		1	1	3	1	2								
Tuberculosis of the respiratory system (31)	602		4	1	1		3	73	190	151	92	47	35	4	1			
Other forms of tuberculosis (32–37)	85	10	3	5	2	2	5	10	19	13	7	4	3	1	1			
Cancer and other malignant tumors (43–49)	911		3		5		3	3	14	57	140	266	245	142	28	5		
Diabetes mellitus (57)	166							7	13	6	19	46	44	21	9	1		
Cerebral hemorrhage and softening (74, 83)	511	1					1	2	4	15	60	91	141	135	58	3		
Other [organic] diseases of the heart (90)	1,095	3	2		2	2	11	31	30	64	113	199	250	237	137	14		
Bronchitis (99)	129	25	3	2	4	1	3	3	2	3	3	12	12	24	27	5		
Bronchopneumonia (100)	439	136	40	19	8	4	15	9	14	16	15	32	36	50	41	4		
Pneumonia (101)	540	40	12	8	5	4	20	23	39	56	67	59	100	63	40	4		
Diarrhea and enteritis (113, 114)	208	118	28	12	3	1	3	2	5	5	4	2	6	10	7			
Appendicitis and typhlitis (117)	128		1	1			7	21	24	22	24	13	12	3				
Hernia, intestinal obstruction (118)	119	5			2		3	5	12	17	19	17	22	10	7			
Cirrhosis of the liver (122)	112						1		1	6	15	40	23	20	6			
Nephritis (128, 129)	1,078	3	3	1			5	20	21	65	124	210	259	247	102	17	1	
Diseases of the female genital organs (137–141)	95							2	20	25	33	11	3	1				
Puerperal septicemia (146)	54							5	27	18	4							
Other puerperal causes (143–145, 147–150)	57							3	24	24	6							
Suicide (165–174)	165							1	27	32	38	35	19	11	2			
Homicide (197–200)	128	1					1	3	40	43	21	12	4	2				1
Other external causes (175–196, 201–203)	484	11	14	5	10	5	33	33	58	65	53	54	67	49	25	2		
All other causes	2,134	547	22	9	16	11	49	74	108	175	249	256	225	231	140	19	3	
ST. LOUIS, MO. (WHITE).																		
All causes	8,306	809	139	78	73	49	228	302	547	697	889	1,238	1,400	1,188	603	65	1	
Typhoid and paratyphoid fever (1)	31						4	11	4	3	6	1	2					
Measles (7)	6	3		1		1	1											
Scarlet fever (8)	44		5	5	5	2	18	5	4									
Whooping cough (9)	53	31	8	6	2	2	3	1										
Diphtheria (10)	157	10	14	15	18	15	57	18	3	3	1	1	1	1				
Influenza (11)	35	3		1				1	4	6	6	5	3	3	3			
Meningococcus meningitis (24)	8	2	1			1	1	2	1									
Tuberculosis of the respiratory system (31)	428		1				1	51	118	111	76	33	32	4	1			
Other forms of tuberculosis (32–37)	59	7	3	3	1	2	3	7	11	11	2	4	3	1	1			
Cancer and other malignant tumors (43–49)	853		2		5		3	2	13	50	126	250	233	137	27	5		
Diabetes mellitus (57)	154							7	12	4	13	43	44	21	9	1		
Cerebral hemorrhage and softening (74, 83)	461	1					1	1	4	11	47	82	131	124	57	2		
Other [organic] diseases of the heart (90)	921	2	1		2	2	10	28	23	44	75	160	218	219	128	9		
Bronchitis (99)	107	16	3	1	4	1	3		2	2	1	9	12	22	26	5		
Bronchopneumonia (100)	375	112	34	13	6	4	11	7	12	11	14	26	34	48	39	4		
Pneumonia (101)	446	29	7	7	2	4	17	16	29	40	52	50	94	56	39	4		
Diarrhea and enteritis (113, 114)	188	106	26	12	3		3	1	4	5	4	2	5	10	7			
Appendicitis and typhlitis (117)	112		1				7	21	21	17	19	13	10	3				
Hernia, intestinal obstruction (118)	105	4			1		3	5	8	14	16	16	21	10	7			
Cirrhosis of the liver (122)	96								1	6	11	34	21	17	6			
Nephritis (128, 129)	950	3	3	1			4	18	18	47	86	183	243	236	92	16		
Diseases of the female genital organs (137–141)	75							2	14	20	26	9	3	1				
Puerperal septicemia (146)	48							3	25	16	4							
Other puerperal causes (143–145, 147–150)	47							3	18	20	6							
Suicide (165–174)	162							1	25	32	38	35	19	10	2			
Homicide (197–200)	91	1					1	3	28	29	14	11	3	1				
Other external causes (175–196, 201–203)	438	8	10	5	10	4	30	25	51	63	47	50	62	46	25	2		
All other causes	1,856	471	20	8	14	11	47	63	94	132	199	221	206	218	134	17	1	
ST. LOUIS, MO. (COLORED).																		
All causes	1,301	147	28	15	13	3	24	70	164	196	232	175	113	77	31	9	3	1
Typhoid and paratyphoid fever (1)	3							1	1		1							
Measles (7)																		
Scarlet fever (8)																		
Whooping cough (9)	12	7	3	1	1													
Diphtheria (10)	9		1		2	1	5											
Influenza (11)	7							2	2	1	1		1					
Meningococcus meningitis (24)	4			1				1		2								
Tuberculosis of the respiratory system (31)	174		3	1	1		2	22	72	40	16	14	3					
Other forms of tuberculosis (32–37)	26	3		2	1		2	3	8	2	5							
Cancer and other malignant tumors (43–49)	58		1					1	1	7	14	16	12	5	1			
Diabetes mellitus (57)	12								1	2	6	3						
Cerebral hemorrhage and softening (74, 83)	50							1		4	13	9	10	11	1	1		
Other [organic] diseases of the heart (90)	174	1	1				1	3	7	20	38	39	32	18	9	5		
Bronchitis (99)	22	9		1				3		1	2	3		2	1			
Bronchopneumonia (100)	64	24	6	6	2		4	2	2	5	1	6	2	2	2			
Pneumonia (101)	94	11	5	1	3		3	7	10	16	15	9	6	7	1			
Diarrhea and enteritis (113, 114)	18	12	2			1		1	1				1					
Appendicitis and typhlitis (117)	16			1					3	5	5		2					
Hernia, intestinal obstruction (118)	14	1			1				4	3	3	1	1					
Cirrhosis of the liver (122)	16						1				4	6	2	3				
Nephritis (128, 129)	128						1	2	3	18	38	27	16	11	10	1	1	
Diseases of the female genital organs (137–141)	20								6	5	7	2						
Puerperal septicemia (146)	6							2	2	2								
Other puerperal causes (143–145, 147–150)	10								6	4								
Suicide (165–174)	3								2				1					
Homicide (197–200)	37								12	14	7	1	1	1				1
Other external causes (175–196, 201–203)	46	3	4			1	3	8	7	2	6	4	5	3				
All other causes	278	76	2	1	2		2	11	14	43	50	35	19	13	6	2	2	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND AGE OF DECEDENT: 1921—Continued.

[See note at head of this table, p. 534.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
OMAHA, NEBR.																		
All causes	2,599	378	43	33	25	23	80	106	198	262	291	325	360	301	156	17	1	.....
Typhoid and paratyphoid fever (1)	10	.....	.....	.....	.....	.....	1	1	3	3	.....	2	.....	.....	.....	.....	.....	.....
Measles (7)	5	3	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	9	.....	2	2	.....	1	1	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	88	2	7	7	9	10	32	16	.....	4	1	.....	.....	.....	.....	.....	.....	.....
Influenza (11)	18	3	.....	.....	.....	.....	1	1	.....	1	1	4	1	3	3	.....	.....	.....
Meningococcus meningitis (24)	4	.....	.....	.....	.....	.....	2	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	124	2	2	.....	.....	.....	2	9	31	28	27	14	7	2	.....	.....	.....	.....
Other forms of tuberculosis (32–37)	28	4	4	1	.....	.....	2	.....	5	7	1	3	.....	1	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	237	1	.....	1	.....	1	1	3	4	18	41	53	70	39	4	1	.....	.....
Diabetes mellitus (57)	45	.....	.....	.....	.....	.....	2	4	1	7	3	12	10	4	2	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	144	.....	.....	.....	.....	.....	.....	.....	1	3	8	25	42	45	17	3	.....	.....
Other [organic] diseases of the heart (90)	270	2	.....	.....	1	1	2	2	12	19	31	41	67	58	31	3	.....	.....
Bronchitis (99)	5	2	1	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
Bronchopneumonia (100)	90	36	1	3	.....	.....	1	3	3	4	7	5	8	13	6	.....	.....	.....
Pneumonia (101)	125	13	1	1	.....	.....	3	2	9	10	16	13	22	24	9	2	.....	.....
Diarrhea and enteritis (113, 114)	55	34	9	4	1	.....	2	1	.....	.....	.....	1	.....	2	1	.....	.....	.....
Appendicitis and typhlitis (117)	77	.....	.....	1	1	1	4	12	27	5	13	7	5	1	.....	.....	.....	.....
Hernia, intestinal obstruction (118)	34	5	.....	.....	1	.....	.....	2	7	6	.....	1	6	5	1	.....	.....	.....
Cirrhosis of the liver (122)	11	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	2	4	2	1	.....	.....	.....
Nephritis (128, 129)	145	3	.....	2	.....	.....	1	2	4	10	21	25	31	27	19	.....	.....	.....
Diseases of the female genital organs (137–141)	27	.....	.....	.....	.....	.....	1	.....	3	6	9	3	5	.....	.....	.....	.....	.....
Puerperal septicemia (146)	20	.....	.....	.....	.....	.....	.....	3	7	10	.....	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	21	.....	.....	.....	.....	.....	.....	2	9	7	3	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	45	.....	.....	.....	.....	.....	.....	.....	6	11	13	10	3	1	1	.....	.....	.....
Homicide (197–200)	36	.....	.....	.....	.....	.....	.....	.....	10	12	10	2	1	1	.....	.....	.....	.....
Other external causes (175–196, 201–203)	144	2	4	4	5	4	12	19	15	16	17	11	12	13	10	.....	.....	.....
All other causes	780	265	11	6	7	5	9	23	37	73	69	90	65	60	51	8	1	.....
CAMDEN, N. J.																		
All causes	1,535	305	51	25	20	14	59	78	90	111	152	187	205	169	64	5	.....	.....
Typhoid and paratyphoid fever (1)	9	.....	.....	2	.....	.....	.....	1	1	3	1	.....	1	.....	.....	.....	.....	.....
Measles (7)	6	1	.....	3	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	7	2	.....	1	.....	1	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	19	11	5	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	25	1	1	1	4	1	12	3	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (11)	7	.....	.....	.....	.....	.....	.....	.....	1	4	1	.....	.....	1	.....	.....	.....	.....
Meningococcus meningitis (24)	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	89	.....	1	.....	.....	1	.....	11	17	21	17	12	7	2	.....	.....	.....	.....
Other forms of tuberculosis (32–37)	8	2	.....	.....	.....	.....	1	1	1	.....	2	1	.....	.....	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	105	.....	.....	.....	.....	.....	.....	.....	1	6	23	22	32	17	4	.....	.....	.....
Diabetes mellitus (57)	24	.....	.....	.....	.....	.....	.....	2	.....	3	2	8	6	3	.....	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	85	1	.....	.....	.....	.....	.....	.....	.....	.....	5	20	26	21	12	.....	.....	.....
Other [organic] diseases of the heart (90)	192	.....	.....	.....	1	.....	4	11	8	10	22	40	43	39	12	2	.....	.....
Bronchitis (99)	13	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	3	4	.....	.....	.....
Bronchopneumonia (100)	90	35	14	9	.....	.....	4	.....	2	2	5	6	6	5	1	1	.....	.....
Pneumonia (101)	113	16	4	1	3	4	2	7	9	12	10	16	14	14	1	.....	.....	.....
Diarrhea and enteritis (113, 114)	111	88	12	3	.....	1	3	1	1	.....	.....	1	.....	1	.....	.....	.....	.....
Appendicitis and typhlitis (117)	17	.....	1	.....	.....	.....	2	5	2	1	3	2	1	.....	.....	.....	.....	.....
Hernia, intestinal obstruction (118)	11	.....	1	.....	.....	.....	1	.....	.....	2	3	2	2	.....	.....	.....	.....	.....
Cirrhosis of the liver (122)	11	.....	.....	.....	.....	.....	.....	.....	.....	1	2	4	3	1	.....	.....	.....	.....
Nephritis (128, 129)	149	.....	1	1	.....	.....	3	3	2	5	18	28	35	35	17	1	.....	.....
Diseases of the female genital organs (137–141)	5	.....	.....	.....	.....	.....	.....	.....	3	.....	1	.....	1	.....	.....	.....	.....	.....
Puerperal septicemia (146)	13	.....	.....	.....	.....	.....	.....	3	4	6	.....	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	20	.....	.....	.....	.....	.....	.....	2	10	7	1	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	8	.....	.....	.....	.....	.....	.....	.....	.....	2	1	3	.....	1	1	.....	.....	.....
Homicide (197–200)	9	.....	.....	.....	.....	.....	.....	1	3	.....	3	2	.....	.....	.....	.....	.....	.....
Other external causes (175–196, 201–203)	112	5	6	2	8	3	13	11	16	12	14	7	4	9	2	.....	.....	.....
All other causes	276	140	5	1	4	1	11	14	9	12	16	12	23	17	10	1	.....	.....
JERSEY CITY, N. J.																		
All causes	3,601	683	157	75	48	37	123	148	224	293	342	474	483	366	129	18	1	.....
Typhoid and paratyphoid fever (1)	12	.....	1	.....	.....	.....	2	4	2	1	1	1	.....	.....	.....	.....	.....	.....
Measles (7)	29	4	15	6	1	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	9	.....	1	1	1	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	33	15	9	5	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	79	8	18	9	14	8	18	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (11)	27	9	.....	.....	.....	.....	1	1	1	4	4	2	3	2	.....	.....	.....	.....
Meningococcus meningitis (24)	12	.....	1	1	.....	.....	4	5	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	224	3	2	1	1	.....	2	18	52	49	51	34	7	3	1	.....	.....	.....
Other forms of tuberculosis (32–37)	39	4	1	2	2	1	4	7	7	5	4	1	.....	.....	1	.....	.....	.....
Cancer and other malignant tumors (43–49)	267	1	.....	.....	.....	1	.....	1	4	18	48	87	58	39	9	1	.....	.....
Diabetes mellitus (57)	52	.....	.....	.....	.....	.....	3	1	3	2	8	16	12	7	.....	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	220	.....	.....	.....	.....	.....	.....	.....	3	5	10	46	76	56	22	2	.....	.....
Other [organic] diseases of the heart (90)	460	6	1	1	.....	2	8	25	17	26	51	82	109	96	32	4	.....	.....
Bronchitis (99)	44	20	4	2	.....	1	.....	.....	1	.....	1	1	2	8	2	2	.....	.....
Bronchopneumonia (100)	171	60	29	14	7	2	5	2	1	2	6	9	14	10	9	1	.....	.....
Pneumonia (101)	205	20	17	5	2	2	13	9	20	20	26	20	29	17	5	.....	.....	.....
Diarrhea and enteritis (113, 114)	254	199	32	5	6	1	1	1	.....	1	.....	3	2	1	2	.....	.....	.....
Appendicitis and typhlitis (117)	47	.....	.....	.....	.....	.....	3	8	8	7	9	5	6	1	.....	.....	.....	.....
Hernia, intestinal obstruction (118)	46	7	1	1	1	.....	.....	.....	4	3	4	11	6	5	3	.....	.....	.....
Cirrhosis of the liver (122)	25	.....	.....	.....	.....	.....	.....	.....	.....	3	3	9	3	7	.....	.....	.....	.....
Nephritis (128, 129)	279	1	.....	.....	1	.....	2	9	10	21	34	53	71	57	19	1	.....	.....
Diseases of the female genital organs (137–141)	23	.....	.....	.....	.....	.....	.....	2	5	7	7	2	.....	.....	.....	.....	.....	.....
Puerperal septicemia (146)	30	.....	.....	.....	.....	.....	.....	3	12	15	.....	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	36	.....	.....	.....	.....	.....	.....	2	18	15	1	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	37	.....	.....	.....	.....	.....	.....	1	3	6	8	11	7	1	.....	.....	.....	.....
Homicide (197–200)	17	.....	.....	.....	.....	.....	.....	.....	6	4	6	.....	.....	1	.....	.....	.....	.....
Other external causes (175–196, 201–203)	206	6	5	6	5	10	27	11	22	31	19	28	16	13	7	.....	.....	.....
All other causes	718	320	20	16	5	5	23	35	24	48	41	52	62	42	17	7	1	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND AGE OF DECEDENT: 1921—Continued.

[See note at head of this table, p. 534.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
NEWARK, N. J.																		
All causes	4,638	839	131	57	36	32	119	170	311	423	531	604	652	496	214	20	2	
Typhoid and paratyphoid fever (1)	12							3	2	5	2							
Measles (7)	13	5	4	3			1											
Scarlet fever (8)	18	1	3	3	3	2	6											
Whooping cough (9)	26	15	7	1	1		1		1									
Diphtheria (10)	32	2	5	1	5	2	14	1		1	1							
Influenza (11)	22	1	4	1		1	2		2	6		2	2	1				
Meningococcus meningitis (24)	8	2					2	2		1	1							
Tuberculosis of the respiratory system (31)	281	8	3	1			1	30	69	66	51	28	17	6	1			
Other forms of tuberculosis (32–37)	64	9	6	8	4		8	7	4	7	6	3	2					
Cancer and other malignant tumors (43–49)	421				1		1	1	6	32	71	124	103	70	12			
Diabetes mellitus (57)	78							2	3	4	12	23	20	13	1			
Cerebral hemorrhage and softening (74, 83)	301						1	1	2	7	29	50	82	79	43	6	1	
Other [organic] diseases of the heart (90)	674					2	3	23	33	42	89	114	146	150	64	7	1	
Bronchitis (99)	56	35	3	1							2	1	3	5	6			
Bronchopneumonia (100)	124	58	18	8		2	5		4	4	6	5	5	5	3	1		
Pneumonia (101)	228	21	18	7	3	4	7	7	22	32	34	27	28	14	3	1		
Diarrhea and enteritis (113, 114)	243	191	25	7	4	1		1	3			5	3	1	2			
Appendicitis and typhlitis (117)	71	1					8	11	11	11	16	9	3	1				
Hernia, intestinal obstruction (118)	46	8		1			1	2	1	5	4	7	13	3	1			
Cirrhosis of the liver (122)	42			1			1			1	6	10	14	8	1			
Nephritis (128, 129)	354	2	2	1		1	8	9	15	35	41	60	84	68	27	1		
Diseases of the female genital organs (137–141)	36								3	11	16	4	2					
Puerperal septicemia (146)	32							3	17	9	3							
Other puerperal causes (143–145, 147–150)	45							1	22	20	2							
Suicide (165–174)	70							3	4	20	17	10	10	6				
Homicide (197–200)	24	2							6	9	3	3	1					
Other external causes (175–196, 201–203)	287	17	7	5	11	7	24	20	22	36	31	40	34	18	12	2		1
All other causes	1,030	461	26	8	4	10	25	43	59	59	88	79	80	48	38	2		
PATERSON, N. J.																		
All causes	1,746	257	35	30	13	13	55	73	106	115	193	249	292	198	105	12		
Typhoid and paratyphoid fever (1)	8						1	5			2							
Measles (7)	2		1	1														
Scarlet fever (8)	7	1		2		2		1	1									
Whooping cough (9)	6	3	2	1														
Diphtheria (10)	34	3	5	7	3	3	13											
Influenza (11)	5	1		1							2				1			
Meningococcus meningitis (24)	1								1									
Tuberculosis of the respiratory system (31)	115		1					10	29	22	24	18	10	1				
Other forms of tuberculosis (32–37)	25	5	2	1	1		1	1	3	4	3	3	1					
Cancer and other malignant tumors (43–49)	145			1				2	2	5	16	39	45	32	3			
Diabetes mellitus (57)	33									4	2	12	10	4	1			
Cerebral hemorrhage and softening (74, 83)	117	1								3	13	22	39	26	13			
Other [organic] diseases of the heart (90)	232	1					5	7	2	11	21	50	58	49	27	1		
Bronchitis (99)	8	3		2									1	1	1			
Bronchopneumonia (100)	78	29	12	3	1	2	3	3		3	4	4	3	6	5			
Pneumonia (101)	86	13		3	1	1	6	2	9	8	14	14	6	6	3			
Diarrhea and enteritis (113, 114)	43	34	3	1							1	1	1	1	1			
Appendicitis and typhlitis (117)	38				1		1	10	5	5	6	5	3	2				
Hernia, intestinal obstruction (118)	27	4								2	8	8	2	3				
Cirrhosis of the liver (122)	17								1	1	1	3	10	1				
Nephritis (128, 129)	126	1			1		1	4	2	7	17	16	46	15	14	2		
Diseases of the female genital organs (137–141)	11							1	2	1	5	2						
Puerperal septicemia (146)	9							2	2	4	1							
Other puerperal causes (143–145, 147–150)	21							1	12	4	4							
Suicide (165–174)	20							1	2	4	2	7	2	2				
Homicide (197–200)	6	1					1		1	2	1							
Other external causes (175–196, 201–203)	120		5	4	2	2	12	11	12	7	15	14	16	9	9	2		
All other causes	406	157	4	3	3	3	11	12	20	18	31	31	39	40	27	7		
TRENTON, N. J.																		
All causes	1,610	272	44	38	12	4	37	49	107	143	178	196	232	203	81	14		
Typhoid and paratyphoid fever (1)	11							1	2	3	2	1	2					
Measles (7)	4	2	1						1									
Scarlet fever (8)	9	1	1	3			2	1	1									
Whooping cough (9)	14	6	5	3														
Diphtheria (10)	16	1	1	7	3		3	1										
Influenza (11)	14	4		1			1	1	1		2		2	2				
Meningococcus meningitis (24)	2						1			1								
Tuberculosis of the respiratory system (31)	100	1	1	2				6	23	30	17	15	3	2				
Other forms of tuberculosis (32–37)	11		4	1			1	1	2	1	1							
Cancer and other malignant tumors (43–49)	118						1		2	4	24	30	31	20	6			
Diabetes mellitus (57)	16						3		2	1	1	3	4	1	1			
Cerebral hemorrhage and softening (74, 83)	99								1		6	19	29	29	11	4		
Other [organic] diseases of the heart (90)	213	1			1	1		7	9	12	22	31	46	53	26	4		
Bronchitis (99)	5	2						1			1				1			
Bronchopneumonia (100)	54	27	5	3	1					2	4	2	4	2	1	3		
Pneumonia (101)	80	14	2	3	1	1	3	4	1	3	12	13	14	8	1			
Diarrhea and enteritis (113, 114)	93	57	14	3			1		6	4	2	2	1	3				
Appendicitis and typhlitis (117)	13						2	2	2	2	1	2	1	1				
Hernia, intestinal obstruction (118)	15	4								3		4	3	1				
Cirrhosis of the liver (122)	13										3	6	2	2				
Nephritis (128, 129)	147	2	1	3			1	1	2	9	14	23	43	35	11	2		
Diseases of the female genital organs (137–141)	16								3	2	5	5	1					
Puerperal septicemia (146)	6								3	3								
Other puerperal causes (143–145, 147–150)	26							2	11	10	3							
Suicide (165–174)	19								1	2	9	6	1					
Homicide (197–200)	5	1							1	2				1				
Other external causes (175–196, 201–203)	109	1	3	6	4		11	11	11	15	14	6	8	13	6			
All other causes	382	148	6	3	2	2	7	10	22	34	35	28	37	30	17	1		

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND AGE OF DECEDENT: 1921—Continued.

[See note at head of this table, p. 534.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years	90 to 99 years.	100 years and over.	
ALBANY, N. Y.																	
All causes	1,742	183	30	17	11	12	38	43	110	134	174	230	291	306	152	10	1	.....
Typhoid and paratyphoid fever (1)	4	.....	.....	.....	.....	.....	1	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Measles (7)	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Scarlet fever (8)	3	.....	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	8	3	2	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	22	1	1	2	3	5	8	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Influenza (11)	14	1	1	.....	.....	.....	.....	2	1	.....	.....	1	5	1	2	.....	.....	.....
Meningococcus meningitis (24)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	113	3	.....	1	.....	.....	.....	6	31	22	21	21	6	1	1	.....	.....	.....
Other forms of tuberculosis (32–37)	22	2	4	1	.....	.....	4	.....	3	1	2	3	2	.....	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	172	.....	.....	.....	.....	.....	.....	1	4	10	26	36	50	36	9	.....	.....	.....
Diabetes mellitus (57)	36	.....	.....	.....	.....	.....	.....	2	1	4	2	8	10	9	.....	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	145	.....	.....	.....	.....	.....	.....	.....	.....	.....	10	25	41	52	17	.....	.....	.....
Other [organic] diseases of the heart (90)	270	2	.....	.....	.....	1	1	6	3	8	14	32	64	83	52	4	.....	.....
Bronchitis (99)	9	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	3	2	2	.....	.....	.....
Bronchopneumonia (100)	42	13	10	2	2	.....	.....	.....	1	1	1	4	2	2	4	.....	.....	.....
Pneumonia (101)	51	7	2	.....	1	.....	2	2	6	6	9	2	6	6	2	.....	.....	.....
Diarrhea and enteritis (113, 114)	40	30	3	1	1	1	1	.....	.....	1	.....	.....	1	.....	1	.....	.....	.....
Appendicitis and typhlitis (117)	18	.....	.....	.....	.....	.....	2	3	4	3	1	4	1	.....	.....	.....	.....	.....
Hernia, intestinal obstruction (118)	25	2	1	1	.....	.....	.....	.....	3	2	1	4	4	6	1	.....	.....	.....
Cirrhosis of the liver (122)	15	.....	.....	.....	.....	.....	.....	.....	.....	1	2	3	5	2	2	.....	.....	.....
Nephritis (128, 129)	153	.....	.....	.....	.....	1	1	.....	5	10	16	28	29	43	18	2	.....	.....
Diseases of the female genital organs (137–141)	13	.....	.....	.....	.....	.....	.....	.....	3	8	1	1	.....	.....	.....	.....	.....	.....
Puerperal septicemia (146)	7	.....	.....	.....	.....	.....	.....	1	4	2	.....	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	16	.....	.....	.....	.....	.....	.....	.....	8	7	1	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	24	.....	.....	.....	.....	.....	.....	.....	2	4	8	5	5	.....	.....	.....	.....	.....
Homicide (197–200)	8	.....	.....	.....	.....	.....	.....	.....	3	2	2	1	.....	.....	.....	.....	.....	.....
Other external causes (175–196, 201–203)	97	1	1	2	1	2	7	8	15	13	13	11	9	6	6	2	.....	.....
All other causes	413	118	4	5	3	.....	10	8	12	28	43	40	48	56	35	2	1	.....
BUFFALO, N. Y.																		
All causes	6,536	1,234	237	112	56	48	205	265	450	501	618	798	983	664	317	48	.....	.....
Typhoid and paratyphoid fever (1)	22	.....	.....	.....	.....	.....	1	3	6	10	1	1	.....	.....	.....	.....	.....	.....
Measles (7)	29	10	11	4	.....	.....	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	61	3	5	13	3	8	19	4	3	2	1	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	80	39	31	5	3	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	149	12	22	19	12	12	56	10	3	1	1	1	.....	.....	.....	.....	.....	.....
Influenza (11)	11	.....	1	1	.....	.....	.....	.....	1	1	2	.....	3	2	.....	.....	.....	.....
Meningococcus meningitis (24)	9	3	.....	.....	.....	.....	1	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	501	3	2	1	.....	.....	5	51	165	110	82	46	28	7	1	.....	.....	.....
Other forms of tuberculosis (32–37)	74	3	9	2	4	.....	11	9	12	11	4	6	1	1	1	.....	.....	.....
Cancer and other malignant tumors (43–49)	533	.....	.....	.....	.....	.....	.....	3	21	24	87	135	163	76	21	3	.....	.....
Diabetes mellitus (57)	116	.....	1	1	1	.....	1	2	7	7	7	24	42	22	1	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	431	1	1	.....	.....	.....	1	2	3	7	35	92	149	87	48	5	.....	.....
Other [organic] diseases of the heart (90)	850	4	.....	5	1	2	15	28	22	36	76	136	210	194	104	17	.....	.....
Bronchitis (99)	75	34	10	1	1	.....	1	1	1	2	.....	1	6	8	8	1	.....	.....
Bronchopneumonia (100)	201	71	34	18	3	5	8	2	2	8	6	11	16	10	4	3	.....	.....
Pneumonia (101)	189	16	15	8	2	1	3	13	12	23	29	24	26	11	6	.....	.....	.....
Diarrhea and enteritis (113, 114)	438	329	61	13	6	5	5	1	3	5	3	1	2	3	1	.....	.....	.....
Appendicitis and typhlitis (117)	110	.....	2	1	1	1	10	24	14	21	15	13	6	2	.....	.....	.....	.....
Hernia, intestinal obstruction (118)	69	6	2	2	2	.....	.....	2	1	9	11	13	9	8	4	.....	.....	.....
Cirrhosis of the liver (122)	31	.....	.....	.....	.....	.....	.....	.....	2	2	5	7	8	6	1	.....	.....	.....
Nephritis (128, 129)	456	7	1	1	1	1	2	8	12	23	53	85	128	88	44	2	.....	.....
Diseases of the female genital organs (137–141)	38	.....	.....	.....	.....	.....	.....	1	7	10	10	5	2	2	1	.....	.....	.....
Puerperal septicemia (146)	33	.....	.....	.....	.....	.....	.....	3	13	16	1	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	44	.....	.....	.....	.....	.....	.....	.....	19	21	4	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	53	.....	.....	.....	.....	.....	.....	2	14	8	15	6	6	2	.....	.....	.....	.....
Homicide (197–200)	34	.....	.....	1	.....	.....	.....	1	8	11	6	4	3	.....	.....	.....	.....	.....
Other external causes (175–196, 201–203)	315	7	7	8	8	7	31	37	37	40	47	33	29	20	4	.....	.....	.....
All other causes	1,584	686	22	8	8	6	30	.....	54	60	93	117	154	146	115	68	17	.....
NEW YORK, N. Y. (TOTAL).																		
All causes	64,603	9,594	1,954	981	711	574	1,696	2,536	4,640	5,724	7,226	9,249	9,762	6,849	2,767	332	7	1
Typhoid and paratyphoid fever (1)	127	.....	.....	.....	.....	.....	8	35	31	29	14	7	2	1	.....	.....	.....	.....
Measles (7)	267	63	104	35	23	14	21	5	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	426	23	50	72	61	44	107	31	25	11	1	1	.....	.....	.....	.....	.....	.....
Whooping cough (9)	379	215	102	36	14	6	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	881	78	169	157	122	90	202	35	8	15	2	1	1	1	.....	.....	.....	.....
Influenza (11)	366	44	24	10	8	3	12	22	38	35	50	35	46	25	13	1	.....	.....
Meningococcus meningitis (24)	156	37	17	8	10	8	23	24	10	10	2	3	3	1	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	5,186	37	21	10	8	6	22	439	1,333	1,200	1,009	666	330	97	8	.....	.....	.....
Other forms of tuberculosis (32–37)	808	122	92	39	26	32	71	92	137	86	66	22	17	4	2	.....	.....	.....
Cancer and other malignant tumors (43–49)	5,618	5	6	6	4	6	9	28	101	377	929	1,631	1,532	796	180	8	.....	.....
Diabetes mellitus (57)	1,387	1	1	2	2	1	12	34	30	82	145	381	461	190	39	6	.....	.....
Cerebral hemorrhage and softening (74, 83)	3,232	6	2	1	1	1	3	1	23	73	319	650	971	816	332	32	1	.....
Other [organic] diseases of the heart (90)	9,740	11	13	11	8	15	132	378	335	531	1,006	1,849	2,385	2,050	917	98	3	.....
Bronchitis (99)	527	215	48	22	6	2	7	3	6	11	16	31	36	56	61	7	.....	.....
Bronchopneumonia (100)	2,945	1,138	413	150	76	49	75	62	76	107	106	155	200	208	107	22	1	.....
Pneumonia (101)	3,709	320	210	89	58	30	82	188	367	450	505	512	493	284	110	10	.....	1
Diarrhea and enteritis (113, 114)	2,388	1,835	318	70	38	19	21	7	7	13	12	14	11	13	9	1	.....	.....
Appendicitis and typhlitis (117)	838	1	4	10	11	19	61	138	136	128	134	113	71	8	4	.....	.....	.....
Hernia, intestinal obstruction (118)	614	79	8	5	3	2	2	10	17	46	93	126	131	63	29	.....	.....	.....
Cirrhosis of the liver (122)	522	.....	1	2	.....	.....	1	6	7	40	80	148	150	72	14	1	.....	.....
Nephritis (128, 129)	5,574	17	12	15	12	9	25	80	180	349	649	1,119	1,434	1,162	454	56	1	.....
Diseases of the female genital organs (137–141)	365	.....	.....	.....	.....	.....	.....	2	52	126	125	35	19	6	.....	.....	.....	.....
Puerperal septicemia (146)	332	.....	.....	.....	.....	.....	.....	24	157	136	15	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	500	.....	.....	.....	.....	.....	.....	24	210	219	47	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	831	.....	.....	.....	.....	.....	.....	24	154	176	186	172	76	39	4	.....	.....	.....
Homicide (197–200)	340	10	2	1	2	2	1	12	121	119	44	12	13	.....	1	.....	.....	.....
Other external causes (175–196, 201–203)	3,485	65	86	91	97	107	420	351	385	433	436	379	316	215	89	15	.....	.....
All other causes	13,060	5,272	251	139	121	109	373	481	692	922	1,235	1,187	1,064	742	394	77	1	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND AGE OF DECEDENT: 1921—Continued.

[See note at head of this table, p. 534.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
NEW YORK, N. Y. (WHITE).																	
All causes	61,575	8,984	1,846	935	685	561	1,650	2,393	4,196	5,221	6,797	8,959	9,549	6,725	2,744	323	6	1
Typhoid and paratyphoid fever (1)	123						8	35	29	28	13	7	2	1				
Measles (7)	258	58	102	35	22	14	21	4	2									
Scarlet fever (8)	420	23	49	72	61	44	105	30	23	11	1	1						
Whooping cough (9)	352	204	91	33	13	5	6											
Diphtheria (10)	862	76	164	154	119	88	199	34	8	15	2	1	1	1				
Influenza (11)	351	43	23	9	8	3	11	21	36	33	48	34	46	25	10	1		
Meningococcus meningitis (24)	151	37	17	7	9	8	23	24	10	9	1	3	2	1				
Tuberculosis of the respiratory system (31)	4,729	34	17	9	4	6	18	388	1,184	1,076	937	635	317	96	8			
Other forms of tuberculosis (32–37)	732	113	87	36	25	32	67	82	107	79	61	22	17	3	1			
Cancer and other malignant tumors (43–49)	5,491	5	6	4	4	6	9	27	93	355	895	1,604	1,508	787	180	8		
Diabetes mellitus (57)	1,360	1	1	2	2	1	12	34	29	78	137	379	453	186	39	6		
Cerebral hemorrhage and softening (74, 83)	3,149	6	2		1	1	3	1	23	67	303	628	958	795	329	31	1	
Other [organic] diseases of the heart (90)	9,352	11	12	10	8	15	127	369	311	464	933	1,756	2,325	2,013	905	91	2	
Bronchitis (99)	507	205	47	18	6	2	7	3	5	11	14	30	36	55	61	7		
Bronchopneumonia (100)	2,752	1,032	379	138	73	46	71	58	71	101	98	155	195	205	107	22	1	
Pneumonia (101)	3,480	295	200	87	53	30	80	174	316	405	469	490	480	281	110	9		1
Diarrhea and enteritis (113, 114)	2,269	1,738	302	69	37	18	21	6	6	13	12	13	11	13	9	1		
Appendicitis and typhlitis (117)	804	1	4	10	11	18	60	137	125	119	128	109	70	8	4			
Hernia, intestinal obstruction (118)	597	77	8	4	3	2	2	8	16	43	87	125	130	63	29			
Cirrhosis of the liver (122)	512		1	2			1	6	7	39	77	145	149	70	14	1		
Nephritis (128, 129)	5,370	15	12	15	12	9	25	77	168	313	602	1,080	1,396	1,138	452	55	1	
Diseases of the female genital organs (137–141)	320								40	108	114	33	19	6				
Puerperal septicemia (146)	299							20	143	121	15							
Other puerperal causes (143–145, 147–150)	465							21	195	206	43							
Suicide (165–174)	809							22	147	170	179	172	76	39	4			
Homicide (197–200)	299	8	1	1	2	2	1	10	105	103	41	12	12		1			
Other external causes (175–196, 201–203)	3,381	62	86	88	94	105	408	336	370	414	419	374	310	212	88	15		
All other causes	12,381	4,940	235	132	113	106	365	466	627	840	1,168	1,151	1,036	727	393	76	1	
NEW YORK, N. Y. (COLORED).																		
All causes	3,028	610	108	46	26	13	46	143	444	503	429	290	213	124	23	9	1	
Typhoid and paratyphoid fever (1)	4								2	1	1							
Measles (7)	9	5	2		1			1										
Scarlet fever (8)	6		1				2	1	2									
Whooping cough (9)	27	11	11	3	1	1												
Diphtheria (10)	19	2	5	3	3	2	3	1										
Influenza (11)	15	1	1	1			1	1	2	2	2	1			3			
Meningococcus meningitis (24)	5			1	1					1	1		1					
Tuberculosis of the respiratory system (31)	457	3	4	1	4		4	51	149	124	72	31	13	1				
Other forms of tuberculosis (32–37)	76	9	5	3	1		4	10	30	7	5			1	1			
Cancer and other malignant tumors (43–49)	127			2				1	8	22	34	27	24	9				
Diabetes mellitus (57)	27								1	4	8	2	8	4				
Cerebral hemorrhage and softening (74, 83)	83			1						6	16	22	13	21	3	1		
Other [organic] diseases of the heart (90)	388		1	1			5	9	24	67	73	93	60	37	12	5	1	
Bronchitis (99)	20	10	1	4					1		2	1		1				
Bronchopneumonia (100)	193	106	34	12	3	3	4	4	5	6	8		5	3				
Pneumonia (101)	229	25	10	2	5		2	14	51	45	36	22	13	3		1		
Diarrhea and enteritis (113, 114)	119	97	16	1	1	1		1	1			1						
Appendicitis and typhlitis (117)	34					1	1	1	11	9	6	4	1					
Hernia, intestinal obstruction (118)	17	2		1				2	1	3	6	1	1					
Cirrhosis of the liver (122)	10									1	3	3	1	2				
Nephritis (128, 129)	204	2						3	12	36	47	39	38	24	2	1		
Diseases of the female genital organs (137–141)	45							2	12	18	11	2						
Puerperal septicemia (146)	33							4	14	15								
Other puerperal causes (143–145, 147–150)	35							3	15	13	4							
Suicide (165–174)	22							2	7	6	7							
Homicide (197–200)	41	2	1					2	16	16	3		1					
Other external causes (175–196, 201–203)	104	3		3	3	2	12	15	15	19	17	5	6	3	1			
All other causes	679	332	16	7	3	3	8	15	65	82	67	36	28	15	1	1		
NEW YORK, N. Y. (BRONX BOROUGH).																		
All causes	6,975	939	182	93	86	60	202	281	551	579	811	1,042	1,094	710	306	39		
Typhoid and paratyphoid fever (1)	14						1	3	7	2		1						
Measles (7)	13	4	5	1	2	1												
Scarlet fever (8)	61	3	7	6	12	5	16	5	5	2								
Whooping cough (9)	30	13	11	5	1													
Diphtheria (10)	107	8	22	21	13	8	33	1			1							
Influenza (11)	61	10	7	1	2		1	3	5	3	10	6	8	3	2			
Meningococcus meningitis (24)	18	4	2		1		4	1	2	2	1		1					
Tuberculosis of the respiratory system (31)	598	1	1			1	4	46	150	131	116	91	48	8	1			
Other forms of tuberculosis (32–37)	76	9	5	2	5	3	6	11	14	6	7	4	1	1	2			
Cancer and other malignant tumors (43–49)	680	1		2	1		1	4	15	50	116	202	171	93	24			
Diabetes mellitus (57)	194			1			2	7	9	7	23	49	64	23	9			
Cerebral hemorrhage and softening (74, 83)	347		1						1	9	38	71	103	91	31	2		
Other [organic] diseases of the heart (90)	1,013	3	1		1		15	40	37	58	98	198	260	199	94	9		
Bronchitis (99)	36	12	1	1		1		1	1		2	6	2	5	4			
Bronchopneumonia (100)	326	119	38	6	4	1	11	8	13	12	17	25	26	29	14	3		
Pneumonia (101)	403	33	22	8	4	2	10	25	40	45	60	60	58	22	12	2		
Diarrhea and enteritis (113, 114)	156	108	20	8	2	2	3	1	2	2	2		2	1	3			
Appendicitis and typhlitis (117)	101		1			2	10	14	21	14	13	13	10	2	1			
Hernia, intestinal obstruction (118)	85	11	1	1				3	2	7	8	14	22	11	5			
Cirrhosis of the liver (122)	46								1	2	10	11	13	8	1			
Nephritis (128, 129)	586	2	1				1	13	27	31	71	109	160	112	55	4		
Diseases of the female genital organs (137–141)	36								5	13	11	3	2	2				
Puerperal septicemia (146)	31							1	16	13	1							
Other puerperal causes (143–145, 147–150)	69							3	30	28	8							
Suicide (165–174)	86							2	24	17	20	15	5	3				
Homicide (197–200)	27	1		1	1				7	11	5		1					
Other external causes (175–196, 201–203)	318	5	14	10	12	18	54	32	32	26	40	28	22	12	12	1		
All other causes	1,457	592	22	19	25	16	30	57	85	88	133	136	115	85	36	18		

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND AGE OF DECEDENT: 1921—Continued.

[See note at head of this table, p. 534.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
NEW YORK, N. Y. (BROOKLYN BOROUGH, TOTAL).																	
All causes	22,184	3,237	645	379	247	202	633	901	1,523	1,823	2,360	3,086	3,420	2,547	1,053	126	2	.....
Typhoid and paratyphoid fever (1)	45	.....	.....	.....	.....	.....	2	10	12	12	4	5	.....	.....	.....	.....	.....	.....
Measles (7)	35	10	9	6	6	.....	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	117	4	10	25	15	13	34	8	5	2	.....	1	.....	.....	.....	.....	.....	.....
Whooping cough (9)	106	60	25	9	7	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	349	30	58	57	51	43	86	16	4	2	.....	.....	1	1	.....	.....	.....	.....
Influenza (11)	141	14	8	5	4	.....	7	7	16	17	15	15	18	12	2	1	.....	.....
Meningococcus meningitis (24)	51	7	5	5	2	2	11	12	3	1	1	1	.....	1	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	1,572	8	5	3	3	2	4	137	415	339	331	204	91	27	3	.....	.....	.....
Other forms of tuberculosis (32–37)	262	42	31	16	5	9	25	29	37	31	22	9	4	2	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	1,797	2	2	.....	.....	2	3	9	39	103	287	512	503	264	67	4	.....	.....
Diabetes mellitus (57)	458	1	1	1	1	.....	3	13	9	28	44	131	152	64	10	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	1,104	1	1	.....	.....	.....	1	.....	9	24	96	193	343	302	118	16	.....	.....
Other [organic] diseases of the heart (90)	3,751	2	4	8	1	4	48	143	125	193	387	669	925	834	366	41	1	.....
Bronchitis (99)	197	79	15	11	1	1	4	1	2	4	7	9	10	26	24	3	.....	.....
Bronchopneumonia (100)	1,000	382	148	64	32	15	32	19	19	41	40	43	60	66	31	8	.....	.....
Pneumonia (101)	1,289	116	79	36	21	13	31	68	109	153	174	181	154	105	46	3	.....	.....
Diarrhea and enteritis (113, 114)	370	647	126	33	13	12	11	3	2	3	4	6	3	5	2	.....	.....	.....
Appendicitis and typhlitis (117)	323	1	2	2	5	8	30	59	51	46	52	40	23	3	1	.....	.....	.....
Hernia, intestinal obstruction (118)	182	23	4	.....	.....	1	1	2	3	14	29	41	43	13	8	.....	.....	.....
Cirrhosis of the liver (122)	171	.....	.....	1	.....	.....	1	5	1	13	22	44	53	25	5	1	.....	.....
Nephritis (128, 129)	2,145	6	4	5	5	5	12	31	63	134	229	430	568	461	167	24	1	.....
Diseases of the female genital organs (137–141)	128	.....	.....	.....	.....	.....	.....	.....	18	45	46	11	6	2	.....	.....	.....	.....
Puerperal septicemia (146)	121	.....	.....	.....	.....	.....	.....	7	64	46	4	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	192	.....	.....	.....	.....	.....	.....	5	86	86	15	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	212	.....	.....	.....	.....	.....	.....	8	36	33	50	49	27	9	.....	.....	.....	.....
Homicide (197–200)	95	6	.....	.....	.....	1	.....	1	32	28	17	4	5	.....	1	.....	.....	.....
Other external causes (175–196, 201–203)	1,213	29	29	40	39	32	133	125	148	141	128	133	102	88	38	8	.....	.....
All other causes	4,258	1,767	79	52	36	36	148	183	215	284	356	355	329	237	164	17	.....	.....
NEW YORK, N. Y. (BROOKLYN BOROUGH, WHITE).																		
All causes	21,547	3,126	627	369	243	197	625	874	1,430	1,719	2,282	3,011	3,371	2,506	1,047	118	2	.....
Typhoid and paratyphoid fever (1)	44	.....	.....	.....	.....	.....	2	10	11	12	4	5	.....	.....	.....	.....	.....	.....
Measles (7)	35	10	9	6	6	.....	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	116	4	10	25	15	13	33	8	5	2	.....	1	.....	.....	.....	.....	.....	.....
Whooping cough (9)	101	59	23	8	7	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	347	30	58	57	50	42	86	16	4	2	.....	.....	1	1	.....	.....	.....	.....
Influenza (11)	135	14	8	5	4	.....	6	6	14	16	15	15	18	12	1	1	.....	.....
Meningococcus meningitis (24)	50	7	5	5	2	2	11	12	3	1	.....	1	.....	1	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	1,489	8	4	3	3	2	4	130	382	321	320	196	86	27	3	.....	.....	.....
Other forms of tuberculosis (32–37)	251	40	31	16	5	9	23	27	33	30	22	9	4	2	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	1,763	2	2	.....	.....	2	3	9	37	100	278	501	496	262	67	4	.....	.....
Diabetes mellitus (57)	452	1	1	1	1	.....	3	13	9	27	43	131	151	61	10	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	1,086	1	1	.....	.....	.....	1	.....	9	22	93	191	340	297	116	15	.....	.....
Other [organic] diseases of the heart (90)	3,663	2	4	7	1	4	48	142	120	176	372	646	915	824	364	37	1	.....
Bronchitis (99)	189	75	14	10	1	1	4	1	2	4	6	9	10	25	24	3	.....	.....
Bronchopneumonia (100)	975	372	141	62	31	15	31	19	18	39	40	43	60	65	31	8	.....	.....
Pneumonia (101)	1,237	114	79	35	21	13	31	64	94	141	166	176	150	105	46	2	.....	.....
Diarrhea and enteritis (113, 114)	346	630	123	32	13	11	11	3	1	3	4	5	3	5	2	.....	.....	.....
Appendicitis and typhlitis (117)	312	1	2	2	5	8	29	59	46	43	51	39	23	3	1	.....	.....	.....
Hernia, intestinal obstruction (118)	180	22	4	.....	.....	1	1	1	3	14	29	41	43	13	8	.....	.....	.....
Cirrhosis of the liver (122)	168	.....	.....	1	.....	.....	1	5	1	13	22	43	53	23	5	1	.....	.....
Nephritis (128, 129)	2,085	6	4	5	5	5	12	30	61	128	219	415	556	449	166	23	1	.....
Diseases of the female genital organs (137–141)	119	.....	.....	.....	.....	.....	.....	.....	16	40	44	11	6	2	.....	.....	.....	.....
Puerperal septicemia (146)	117	.....	.....	.....	.....	.....	.....	7	64	42	4	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	186	.....	.....	.....	.....	.....	.....	5	82	85	14	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	209	.....	.....	.....	.....	.....	.....	8	35	32	49	49	27	9	.....	.....	.....	.....
Homicide (197–200)	85	4	.....	.....	.....	1	.....	1	29	25	16	4	4	.....	1	.....	.....	.....
Other external causes (175–196, 201–203)	1,191	29	29	39	38	32	132	120	147	137	123	131	101	87	38	8	.....	.....
All other causes	4,116	1,695	75	50	35	34	147	178	204	264	348	349	324	233	164	16	.....	.....
NEW YORK, N. Y. (BROOKLYN BOROUGH, COLORED).																		
All causes	637	111	18	10	4	5	8	27	93	104	78	75	49	41	6	8	.....	.....
Typhoid and paratyphoid fever (1)	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (7)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	5	1	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	2	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (11)	6	.....	.....	.....	.....	.....	1	1	2	1	.....	.....	.....	.....	1	.....	.....	.....
Meningococcus meningitis (24)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	83	.....	1	.....	.....	.....	.....	7	33	18	11	8	5	.....	.....	.....	.....	.....
Other forms of tuberculosis (32–37)	11	2	.....	.....	.....	.....	2	2	4	1	.....	.....	.....	.....	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	34	.....	.....	.....	.....	.....	.....	.....	2	3	9	11	7	2	.....	.....	.....	.....
Diabetes mellitus (57)	6	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	3	.....	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	18	.....	.....	.....	.....	.....	.....	.....	.....	2	3	2	3	5	2	1	.....	.....
Other [organic] diseases of the heart (90)	88	.....	.....	1	.....	.....	.....	1	5	17	15	23	10	10	2	4	.....	.....
Bronchitis (99)	8	4	1	1	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
Bronchopneumonia (100)	25	10	7	2	1	.....	1	.....	1	2	.....	.....	.....	1	.....	.....	.....	.....
Pneumonia (101)	52	2	.....	1	.....	.....	.....	4	15	12	8	5	4	.....	.....	1	.....	.....
Diarrhea and enteritis (113, 114)	24	17	3	1	.....	1	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
Appendicitis and typhlitis (117)	11	.....	.....	.....	.....	.....	1	.....	5	3	1	1	.....	.....	.....	.....	.....	.....
Hernia, intestinal obstruction (118)	2	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cirrhosis of the liver (122)	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Nephritis (128, 129)	60	.....	.....	.....	.....	.....	.....	1	2	6	10	15	12	12	1	1	.....	.....
Diseases of the female genital organs (137–141)	9	.....	.....	.....	.....	.....	.....	.....	2	5	2	.....	.....	.....	.....	.....	.....	.....
Puerperal septicemia (146)	4	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	6	.....	.....	.....	.....	.....	.....	.....	4	1	1	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	3	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....
Homicide (197–200)	10	2	.....	.....	.....	.....	.....	.....	3	3	1	.....	1	.....	.....	.....	.....	.....
Other external causes (175–196, 201–203)	22	.....	.....	1	1	.....	1	5	1	4	5	2	1	1	.....	.....	.....	.....
All other causes	142	72	4	2	1	2	1	5	11	20	8	6	5	4	.....	1	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND AGE OF DECEDENT: 1921—Continued.

[See note at head of this table, p. 534.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
NEW YORK, N. Y. (MANHATTAN BOROUGH, TOTAL).																	
All causes	28,885	4,555	1,000	428	302	254	694	1,097	2,093	2,754	3,351	4,213	4,184	2,775	1,051	128	5	1
Typhoid and paratyphoid fever (1)	52						5	19	9	9	8		1	1				
Measles (7)	210	44	88	27	15	12	17	5	2									
Scarlet fever (8)	212	14	31	36	27	23	46	14	14	6	1							
Whooping cough (9)	208	119	60	17	6	2	4											
Diphtheria (10)	318	35	78	65	35	27	54	11	2	9	1	1						
Influenza (11)	123	16	7	2	1	2	3	11	10	14	18	12	15	4	8			
Meningococcus meningitis (24)	77	26	8	3	6	6	6	8	4	6		2	2					
Tuberculosis of the respiratory system (31)	2,504	26	12	6	5	3	13	206	613	610	473	320	158	55	4			
Other forms of tuberculosis (32–37)	409	63	50	18	14	19	36	44	75	40	30	9	10	1				
Cancer and other malignant tumors (43–49)	2,570	2	4	3	3	4	3	12	38	185	437	753	692	360	70	4		
Diabetes mellitus (57)	593				1		7	11	9	39	63	166	193	80	18	6		
Cerebral hemorrhage and softening (74, 83)	1,338	4		1	1	1	2	1	10	33	142	302	403	298	129	10	1	
Other [organic] diseases of the heart (90)	3,944	5	7	3	4	8	57	158	140	240	433	793	953	768	339	34	2	
Bronchitis (99)	247	102	30	9	5		3	1	2	4	7	16	20	20	24	4		
Bronchopneumonia (100)	1,378	532	203	72	29	25	21	33	36	43	46	73	105	99	50	10	1	
Pneumonia (101)	1,686	153	103	42	28	12	23	81	183	212	224	226	228	129	37	4		1
Diarrhea and enteritis (113, 114)	1,173	943	141	22	19	5	5	3	2	7	4	7	4	6	4	1		
Appendicitis and typhlitis (117)	319		1	6	6	7	16	49	47	51	51	49	34	1	1			
Hernia, intestinal obstruction (118)	263	33	2	2	1	1	1	3	10	23	43	58	44	31	11			
Cirrhosis of the liver (122)	232		1	1				1	5	24	38	75	61	22	4			
Nephritis (128, 129)	2,135	6	6	8	5	3	5	23	66	136	266	451	531	439	170	20		
Diseases of the female genital organs (137–141)	174							2	25	62	57	16	10	2				
Puerperal septicemia (146)	148							15	62	64	7							
Other puerperal causes (143–145, 147–150)	193							15	74	82	22							
Suicide (165–174)	463							13	84	109	102	91	39	24	1			
Homicide (197–200)	198	3	2		1	1	1	9	75	72	19	8	7					
Other external causes (175–196, 201–203)	1,614	25	37	34	39	48	208	152	162	205	224	189	163	96	27	5		
All other causes	6,104	2,404	129	51	51	45	158	197	334	469	635	596	511	339	154	30	1	
NEW YORK, N. Y. (MANHATTAN BOROUGH, WHITE).																		
All causes	26,756	4,096	921	398	280	247	660	1,001	1,778	2,390	3,032	4,029	4,048	2,705	1,039	127	4	1
Typhoid and paratyphoid fever (1)	50						5	19	9	8	7		1	1				
Measles (7)	201	39	86	27	14	12	17	4	2									
Scarlet fever (8)	208	14	30	36	27	23	45	13	13	6	1							
Whooping cough (9)	189	110	53	15	5	2	4											
Diphtheria (10)	305	34	73	65	33	26	51	10	2	9	1	1						
Influenza (11)	115	15	7	1	1	2	3	11	10	13	16	11	15	4	6			
Meningococcus meningitis (24)	73	26	8	2	5	6	6	8	4	5		2	1					
Tuberculosis of the respiratory system (31)	2,161	23	9	5	1	3	10	168	505	512	415	302	150	54	4			
Other forms of tuberculosis (32–37)	350	56	45	15	13	19	34	38	52	34	25	9	10					
Cancer and other malignant tumors (43–49)	2,486	2	4	2	3	4	3	11	32	169	413	737	678	354	70	4		
Diabetes mellitus (57)	576				1		7	11	9	36	57	164	188	79	18	6		
Cerebral hemorrhage and softening (74, 83)	1,285	4			1	1	2	1	10	30	130	288	395	284	128	10	1	
Other [organic] diseases of the heart (90)	3,684	5	6	3	4	8	54	150	123	191	382	733	913	746	332	33	1	
Bronchitis (99)	236	97	30	6	5		3	1	1	4	6	15	20	20	24	4		
Bronchopneumonia (100)	1,228	442	182	63	27	22	18	30	34	40	39	73	100	97	50	10	1	
Pneumonia (101)	1,522	132	94	41	23	12	21	72	149	182	197	211	219	127	37	4		1
Diarrhea and enteritis (113, 114)	1,079	864	128	22	18	5	5	2	2	7	4	7	4	6	4	1		
Appendicitis and typhlitis (117)	299		1	6	6	6	16	49	42	46	46	46	33	1	1			
Hernia, intestinal obstruction (118)	250	32	2	1	1	1	1	2	9	20	38	57	44	31	11			
Cirrhosis of the liver (122)	225		1	1				1	5	23	35	73	60	22	4			
Nephritis (128, 129)	2,015	5	6	8	5	3	5	22	60	109	233	430	511	429	169	20		
Diseases of the female genital organs (137–141)	141								16	49	50	14	10	2				
Puerperal septicemia (146)	121							12	49	53	7							
Other puerperal causes (143–145, 147–150)	169							13	63	73	20							
Suicide (165–174)	445							11	79	104	96	91	39	24	1			
Homicide (197–200)	170	3	1		1	1	1	8	62	60	18	8	7					
Other external causes (175–196, 201–203)	1,543	22	37	32	37	47	197	143	151	192	214	186	159	94	27	5		
All other causes	5,630	2,171	118	47	49	44	152	191	285	415	582	571	491	330	153	30	1	
NEW YORK, N.Y. (MANHATTAN BOROUGH, COLORED).																		
All causes	2,129	459	79	30	22	7	34	96	315	364	319	184	136	70	12	1	1	
Typhoid and paratyphoid fever (1)	2									1	1							
Measles (7)	9	5	2		1			1										
Scarlet fever (8)	4		1				1	1	1									
Whooping cough (9)	19	9	7	2	1													
Diphtheria (10)	13	1	5		2	1	3	1										
Influenza (11)	8	1		1						1	2	1			2			
Meningococcus meningitis (24)	4			1	1					1			1					
Tuberculosis of the respiratory system (31)	343	3	3	1	4		3	38	108	98	58	18	8	1				
Other forms of tuberculosis (32–37)	59	7	5	3	1		2	6	23	6	5			1				
Cancer and other malignant tumors (43–49)	84			1				1	6	16	24	16	14	6				
Diabetes mellitus (57)	17									3	6	2	5	1				
Cerebral hemorrhage and softening (74, 83)	53			1						3	12	14	8	14	1			
Other [organic] diseases of the heart (90)	260		1				3	8	17	49	51	60	40	22	7	1	1	
Bronchitis (99)	11	5		3					1		1	1						
Bronchopneumonia (100)	150	90	21	9	2	3	3	3	2	3	7		5	2				
Pneumonia (101)	164	21	9	1	5		2	9	34	30	27	15	9	2				
Diarrhea and enteritis (113, 114)	94	79	13		1			1										
Appendicitis and typhlitis (117)	20					1			5	5	5	3	1					
Hernia, intestinal obstruction (118)	13	1		1				1	1	3	5	1						
Cirrhosis of the liver (122)	7									1	3	2	1					
Nephritis (128, 129)	120	1						1	6	27	33	21	20	10	1			
Diseases of the female genital organs (137–141)	33							2	9	13	7	2						
Puerperal septicemia (146)	27							3	13	11								
Other puerperal causes (143–145, 147–150)	24							2	11	9	2							
Suicide (165–174)	18							2	5	5	6							
Homicide (197–200)	28		1					1	13	12	1							
Other external causes (175–196, 201–203)	71	3		2	2	1	11	9	11	13	10	3	4	2				
All other causes	474	233	11	4	2	1	6	6	49	54	53	25	20	9	1			

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND AGE OF DECEDENT: 1921—Continued.

[See note at head of this table, p. 534.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
NEW YORK, N. Y. (QUEENS BOROUGH).																		
All causes	5,032	662	91	65	64	47	135	198	333	418	546	718	852	626	249	28	.....	.....
Typhoid and paratyphoid fever (1)	11	.....	.....	.....	.....	.....	.....	2	1	4	2	1	1	.....	.....	.....	.....	.....
Measles (7)	7	3	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	36	2	2	5	7	3	11	4	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	21	14	1	5	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	82	4	6	9	20	10	23	6	1	3	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (11)	37	4	1	1	1	1	1	1	6	1	6	2	5	6	1	.....	.....	.....
Meningococcus meningitis (24)	8	.....	2	.....	1	.....	2	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	334	.....	3	1	.....	.....	1	36	92	73	58	38	28	4	.....	.....	.....	.....
Other forms of tuberculosis (32–37)	52	7	5	3	2	1	3	7	8	7	7	.....	2	.....	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	452	.....	.....	1	.....	.....	1	3	8	30	70	133	131	63	12	.....	.....	.....
Diabetes mellitus (57)	115	.....	.....	.....	.....	1	.....	3	3	4	12	29	42	19	2	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	368	1	.....	.....	.....	.....	.....	.....	2	6	34	72	101	104	44	4	.....	.....
Other [organic] diseases of the heart (90)	774	1	.....	.....	2	3	7	30	25	38	61	140	200	187	70	10	.....	.....
Bronchitis (99)	38	16	2	1	.....	.....	.....	.....	1	3	.....	.....	3	4	8	.....	.....	.....
Bronchopneumonia (100)	190	86	20	7	7	6	9	2	4	8	1	10	7	11	11	1	.....	.....
Pneumonia (101)	258	15	5	2	4	2	18	11	21	33	40	40	40	16	10	1	.....	.....
Diarrhea and enteritis (113, 114)	141	102	22	5	3	.....	2	.....	1	1	2	.....	2	1	.....	.....	.....	.....
Appendicitis and typhlitis (117)	78	.....	.....	2	.....	2	3	16	14	13	16	8	2	1	1	.....	.....	.....
Hernia, intestinal obstruction (118)	65	9	1	.....	2	.....	.....	1	1	2	9	9	19	7	5	.....	.....	.....
Cirrhosis of the liver (122)	58	.....	.....	.....	.....	.....	.....	.....	.....	1	7	14	18	14	4	.....	.....	.....
Nephritis (128, 129)	541	2	1	1	1	1	7	10	20	35	68	101	138	107	42	7	.....	.....
Diseases of the female genital organs (137–141)	22	.....	.....	.....	.....	.....	.....	.....	2	6	10	4	.....	.....	.....	.....	.....	.....
Puerperal septicemia (146)	28	.....	.....	.....	.....	.....	.....	1	13	11	3	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	41	.....	.....	.....	.....	.....	.....	1	18	20	2	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	64	.....	.....	.....	.....	.....	.....	1	9	14	14	15	5	3	3	.....	.....	.....
Homicide (197–200)	17	.....	.....	.....	.....	.....	.....	2	6	6	3	.....	.....	.....	.....	.....	.....	.....
Other external causes (175–196, 201–203)	236	5	1	5	6	6	19	22	29	43	28	24	22	17	9	.....	.....	.....
All other causes	958	391	17	16	8	9	28	38	46	54	93	78	86	62	27	5	.....	.....
NEW YORK, N. Y. (RICHMOND BOROUGH).																		
All causes	1,527	201	36	16	12	11	32	59	140	150	158	190	212	191	108	11	.....	.....
Typhoid and paratyphoid fever (1)	5	.....	.....	.....	.....	.....	.....	1	2	2	.....	.....	.....	.....	.....	.....	.....	.....
Measles (7)	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	14	9	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	25	1	5	5	3	2	6	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (11)	4	.....	1	1	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
Meningococcus meningitis (24)	2	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	178	2	.....	.....	.....	.....	.....	14	63	47	31	13	5	3	.....	.....	.....	.....
Other forms of tuberculosis (32–37)	9	1	1	.....	.....	.....	1	1	3	2	.....	.....	.....	.....	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	119	.....	.....	.....	.....	.....	1	.....	1	9	19	31	35	16	7	.....	.....	.....
Diabetes mellitus (57)	27	.....	.....	.....	.....	.....	.....	.....	.....	4	3	6	10	4	.....	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	75	.....	.....	.....	.....	.....	.....	.....	1	1	9	12	21	21	10	.....	.....	.....
Other [organic] diseases of the heart (90)	258	.....	1	.....	.....	.....	5	7	8	2	27	49	47	62	48	2	.....	.....
Bronchitis (99)	9	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....
Bronchopneumonia (100)	51	19	4	1	4	2	2	.....	4	3	2	4	2	3	1	.....	.....	.....
Pneumonia (101)	73	3	1	1	1	1	.....	3	14	7	7	5	13	12	5	.....	.....	.....
Diarrhea and enteritis (113, 114)	48	35	9	2	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Appendicitis and typhlitis (117)	17	.....	.....	.....	.....	.....	2	.....	3	4	2	3	2	1	.....	.....	.....	.....
Hernia, intestinal obstruction (118)	19	3	.....	2	.....	.....	.....	1	1	.....	4	4	3	1	.....	.....	.....	.....
Cirrhosis of the liver (122)	15	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	4	5	3	.....	.....	.....	.....
Nephritis (128, 129)	167	1	.....	1	1	.....	.....	3	4	13	15	28	37	43	20	1	.....	.....
Diseases of the female genital organs (137–141)	5	.....	.....	.....	.....	.....	.....	.....	2	.....	1	1	1	.....	.....	.....	.....	.....
Puerperal septicemia (146)	4	.....	.....	.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	5	.....	.....	.....	.....	.....	.....	.....	2	3	.....	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	6	.....	.....	.....	.....	.....	.....	.....	1	3	.....	2	.....	.....	.....	.....	.....	.....
Homicide (197–200)	3	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....
Other external causes (175–196, 201–203)	104	1	5	2	1	3	6	20	14	18	16	5	7	2	3	1	.....	.....
All other causes	283	118	4	1	1	3	9	6	12	27	18	22	23	19	13	7	.....	.....
ROCHESTER, N. Y.																		
All causes	3,663	545	92	48	37	31	106	122	179	259	305	470	605	550	278	36	.....	.....
Typhoid and paratyphoid fever (1)	10	.....	.....	.....	.....	.....	.....	1	3	3	1	1	1	.....	.....	.....	.....	.....
Measles (7)	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	24	1	4	2	3	2	10	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	42	22	15	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	84	1	11	8	10	6	31	10	1	3	1	2	.....	.....	.....	.....	.....	.....
Influenza (11)	5	1	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	.....	.....	.....	.....	.....
Meningococcus meningitis (24)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	160	5	.....	.....	.....	.....	1	15	40	30	19	34	12	3	1	.....	.....	.....
Other forms of tuberculosis (32–37)	47	4	2	2	3	3	4	5	5	7	6	3	2	1	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	350	.....	.....	.....	1	.....	1	2	8	22	39	86	101	72	16	2	.....	.....
Diabetes mellitus (57)	85	.....	.....	.....	.....	2	2	4	5	3	8	19	25	13	4	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	281	.....	.....	.....	.....	.....	.....	.....	.....	6	22	54	64	91	42	2	.....	.....
Other [organic] diseases of the heart (90)	594	.....	.....	1	.....	3	3	22	5	16	39	69	147	168	108	13	.....	.....
Bronchitis (99)	20	6	1	.....	.....	.....	.....	1	.....	1	.....	.....	3	4	4	.....	.....	.....
Bronchopneumonia (100)	97	41	11	5	.....	2	3	1	2	2	2	3	14	5	5	1	.....	.....
Pneumonia (101)	111	7	9	1	1	2	1	2	6	13	12	11	24	16	6	.....	.....	.....
Diarrhea and enteritis (113, 114)	192	138	24	6	3	2	3	1	.....	2	2	4	2	2	3	.....	.....	.....
Appendicitis and typhlitis (117)	50	.....	.....	.....	1	1	6	3	8	7	9	9	4	2	.....	.....	.....	.....
Hernia, intestinal obstruction (118)	36	1	1	.....	.....	.....	2	.....	1	7	5	9	3	4	3	.....	.....	.....
Cirrhosis of the liver (122)	28	.....	.....	.....	.....	.....	.....	1	.....	1	5	4	11	3	2	1	.....	.....
Nephritis (128, 129)	319	1	.....	1	.....	.....	4	2	7	15	34	54	81	72	40	8	.....	.....
Diseases of the female genital organs (137–141)	20	.....	.....	.....	.....	.....	.....	.....	3	5	7	5	.....	.....	.....	.....	.....	.....
Puerperal septicemia (146)	24	.....	.....	.....	.....	.....	.....	1	13	8	2	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	24	.....	.....	.....	.....	.....	.....	.....	12	11	1	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	36	.....	.....	.....	.....	.....	.....	.....	5	10	8	8	2	3	.....	.....	.....	.....
Homicide (197–200)	15	.....	.....	.....	.....	.....	.....	1	1	2	3	6	2	.....	.....	.....	.....	.....
Other external causes (175–196, 201–203)	200	11	4	10	5	1	13	25	22	21	17	19	18	17	13	4	.....	.....
All other causes	807	305	9	9	8	7	21	24	30	62	59	72	91	74	31	5	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND AGE OF DECEDENT: 1921—Continued.

[See note at head of this table, p. 534.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
SYRACUSE, N. Y.																		
All causes	2,139	355	44	27	20	21	68	85	89	163	198	271	327	317	135	19	.....	.....
Typhoid and paratyphoid fever (1)	7	.....	.....	.....	.....	.....	2	2	.....	.....	1	1	1	.....	.....	.....	.....	.....
Measles (7)	7	2	1	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	12	.....	.....	1	1	2	2	3	2	1	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	22	16	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	81	5	6	7	10	9	27	12	2	1	.....	1	1	.....	.....	.....	.....	.....
Influenza (11)	2	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Meningococcus meningitis (24)	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	89	.....	.....	1	.....	.....	.....	10	20	27	10	10	7	3	1	.....	.....	.....
Other forms of tuberculosis (32–37)	35	1	1	1	1	1	4	7	6	8	2	1	1	1	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	191	.....	.....	.....	.....	.....	.....	1	.....	12	34	58	41	38	7	.....	.....	.....
Diabetes mellitus (57)	49	.....	1	.....	.....	.....	.....	4	3	2	4	13	15	7	.....	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	163	1	.....	.....	.....	.....	.....	1	1	2	11	25	49	50	22	1	.....	.....
Other [organic] diseases of the heart (90)	339	1	.....	.....	.....	1	3	12	4	11	24	45	84	104	45	5	.....	.....
Bronchitis (99)	9	2	1	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	2	1	.....	.....
Bronchopneumonia (100)	54	27	3	3	2	4	.....	1	.....	2	1	1	2	4	4	.....	.....	.....
Pneumonia (101)	93	3	3	1	.....	.....	1	4	3	5	15	17	23	13	4	1	.....	.....
Diarrhea and enteritis (113, 114)	109	83	11	5	.....	.....	1	.....	.....	.....	3	1	1	1	3	.....	.....	.....
Appendicitis and typhlitis (117)	24	.....	.....	.....	1	.....	.....	3	3	4	6	4	2	1	.....	.....	.....	.....
Hernia, intestinal obstruction (118)	25	3	.....	.....	1	.....	.....	.....	2	1	2	10	3	3	.....	.....	.....	.....
Cirrhosis of the liver (122)	10	.....	.....	.....	.....	.....	.....	.....	.....	1	1	4	2	2	.....	.....	.....	.....
Nephritis (128, 129)	124	2	.....	.....	.....	.....	2	3	3	8	13	16	28	35	14	.....	.....	.....
Diseases of the female genital organs (137–141)	15	.....	.....	.....	.....	.....	.....	.....	.....	10	3	2	.....	.....	.....	.....	.....	.....
Puerperal septicemia (146)	8	.....	.....	.....	.....	.....	.....	1	5	1	1	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	13	.....	.....	.....	.....	.....	.....	1	4	7	1	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	21	.....	.....	.....	.....	.....	.....	.....	2	7	4	6	1	.....	1	.....	.....	.....
Homicide (197–200)	8	2	.....	.....	.....	.....	1	.....	1	2	.....	2	.....	.....	.....	.....	.....	.....
Other external causes (175–196, 201–203)	125	2	5	2	1	2	16	11	7	18	16	10	19	13	3	.....	.....	.....
All other causes	503	204	6	3	3	1	9	8	21	31	45	44	47	41	29	11	.....	.....
YONKERS, N. Y.																		
All causes	960	160	21	16	13	14	18	41	61	83	114	136	123	101	51	7	.....	1
Typhoid and paratyphoid fever (1)	4	.....	.....	.....	.....	.....	.....	1	.....	2	1	.....	.....	.....	.....	.....	.....	.....
Measles (7)	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	11	1	.....	1	1	4	1	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	5	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	13	1	2	2	3	2	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (11)	4	.....	1	.....	.....	.....	.....	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....
Meningococcus meningitis (24)	3	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	93	1	.....	.....	.....	.....	.....	8	18	26	24	8	6	2	.....	.....	.....	.....
Other forms of tuberculosis (32–37)	13	4	2	2	.....	.....	2	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	79	.....	.....	.....	.....	.....	.....	.....	1	3	11	23	22	13	5	1	.....	.....
Diabetes mellitus (57)	16	.....	.....	.....	.....	.....	.....	.....	.....	2	4	3	4	3	.....	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	69	.....	.....	.....	.....	.....	.....	.....	2	2	7	17	15	18	7	1	.....	.....
Other [organic] diseases of the heart (90)	117	1	.....	.....	.....	.....	3	4	3	3	12	29	28	21	11	2	.....	.....
Bronchitis (99)	8	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	3	.....	.....	.....
Bronchopneumonia (100)	26	9	8	2	1	1	.....	.....	.....	.....	.....	3	.....	.....	2	.....	.....	.....
Pneumonia (101)	54	8	1	3	2	.....	.....	5	4	8	4	6	6	7	.....	.....	.....	.....
Diarrhea and enteritis (113, 114)	33	29	2	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Appendicitis and typhlitis (117)	12	.....	.....	.....	.....	.....	.....	2	2	1	2	5	.....	.....	.....	.....	.....	.....
Hernia, intestinal obstruction (118)	9	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	3	.....	.....	.....	.....
Cirrhosis of the liver (122)	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	2	.....	.....	.....	.....	.....
Nephritis (128, 129)	78	.....	.....	.....	.....	.....	.....	1	1	5	17	14	16	15	8	1	.....	.....
Diseases of the female genital organs (137–141)	4	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	1	.....	.....	.....	.....	.....
Puerperal septicemia (146)	8	.....	.....	.....	.....	.....	.....	.....	4	3	1	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	12	.....	.....	.....	.....	.....	.....	1	2	7	2	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	13	.....	.....	.....	.....	.....	.....	1	4	.....	3	2	3	.....	.....	.....	.....	.....
Homicide (197–200)	4	.....	.....	.....	.....	.....	.....	1	1	.....	1	1	.....	.....	.....	.....	.....	.....
Other external causes (175–196, 201–203)	54	.....	2	1	6	2	5	7	6	7	2	7	3	2	3	1	.....	.....
All other causes	212	96	1	2	.....	4	3	8	10	12	18	14	16	14	12	1	.....	1
AKRON, OHIO.																		
All causes	1,564	325	35	28	22	17	71	62	142	152	136	138	184	170	77	5	.....	.....
Typhoid and paratyphoid fever (1)	13	.....	.....	.....	.....	.....	2	3	1	5	1	.....	.....	1	.....	.....	.....	.....
Measles (7)	2	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	14	.....	2	1	2	.....	2	5	1	.....	1	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	12	9	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	33	4	1	3	4	4	14	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (11)	13	3	1	.....	.....	.....	.....	1	1	2	2	1	2	.....	.....	.....	.....	.....
Meningococcus meningitis (24)	3	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	82	1	.....	.....	.....	.....	.....	6	34	11	16	8	4	2	.....	.....	.....	.....
Other forms of tuberculosis (32–37)	16	2	1	.....	.....	.....	.....	1	5	7	.....	.....	.....	.....	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	100	.....	.....	1	.....	1	.....	.....	1	7	17	24	33	13	3	.....	.....	.....
Diabetes mellitus (57)	16	.....	.....	.....	1	.....	.....	2	1	.....	.....	1	5	5	1	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	92	.....	.....	.....	.....	.....	.....	.....	.....	4	10	11	20	33	13	1	.....	.....
Other [organic] diseases of the heart (90)	181	1	.....	1	3	.....	.....	6	9	15	17	23	41	44	18	3	.....	.....
Bronchitis (99)	10	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	2	.....	.....	.....
Bronchopneumonia (100)	69	30	10	3	2	2	2	.....	4	.....	5	1	3	4	3	.....	.....	.....
Pneumonia (101)	87	11	3	1	1	.....	5	2	5	12	8	10	12	13	4	.....	.....	.....
Diarrhea and enteritis (113, 114)	64	53	5	3	1	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....
Appendicitis and typhlitis (117)	22	.....	.....	.....	3	.....	1	6	2	6	3	1	.....	.....	.....	.....	.....	.....
Hernia, intestinal obstruction (118)	16	2	.....	.....	.....	.....	1	2	1	.....	1	2	4	2	1	.....	.....	.....
Cirrhosis of the liver (122)	18	.....	.....	.....	.....	.....	.....	.....	.....	2	3	4	4	3	2	.....	.....	.....
Nephritis (128, 129)	78	.....	1	.....	.....	3	1	2	4	3	5	14	20	17	8	.....	.....	.....
Diseases of the female genital organs (137–141)	13	.....	.....	.....	.....	.....	.....	1	.....	4	5	1	1	.....	1	.....	.....	.....
Puerperal septicemia (146)	18	.....	.....	.....	.....	.....	.....	.....	12	5	1	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	20	.....	.....	.....	.....	.....	.....	2	9	8	1	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	28	.....	.....	.....	.....	.....	.....	.....	4	11	2	5	3	3	.....	.....	.....	.....
Homicide (197–200)	29	1	.....	.....	.....	.....	1	.....	9	9	5	2	2	.....	.....	.....	.....	.....
Other external causes (175–196, 201–203)	145	6	4	8	2	5	20	13	23	18	16	10	8	4	8	.....	.....	.....
All other causes	370	194	4	7	3	1	21	7	16	23	17	19	21	23	13	1	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND AGE OF DECEDENT: 1921—Continued.

[See note at head of this table, p. 534.]

AREA AND CAUSE OF DEATH	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
CINCINNATI, OHIO (TOTAL).																		
All causes	5,700	603	109	51	48	30	124	207	426	529	561	767	951	830	409	53	2	.....
Typhoid and paratyphoid fever (1)	15	.....	.....	.....	.....	.....	4	4	5	.....	2	.....	.....	.....	.....	.....	.....	.....
Measles (7)	14	1	4	6	.....	1	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Scarlet fever (8)	14	.....	2	1	3	1	4	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	41	18	10	6	4	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	71	2	4	5	14	7	30	6	.....	.....	2	.....	.....	1	.....	.....	.....	.....
Influenza (11)	39	6	1	.....	.....	.....	1	2	1	7	6	5	6	3	.....	1	.....	.....
Meningococcus meningitis (24)	5	.....	.....	.....	.....	1	.....	2	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	520	1	3	.....	.....	1	5	52	138	126	76	73	30	10	4	1	.....	.....
Other forms of tuberculosis (32–37)	96	9	6	4	4	2	8	9	21	13	6	4	8	2	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	512	1	1	.....	1	.....	1	3	9	29	84	124	149	88	20	2	.....	.....
Diabetes mellitus (57)	101	.....	.....	.....	.....	.....	.....	2	6	6	11	20	32	19	5	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	461	.....	.....	.....	.....	.....	1	3	3	12	31	94	132	112	64	9	.....	.....
Other [organic] diseases of the heart (90)	791	1	2	1	.....	.....	6	7	26	47	54	117	191	220	104	14	1	.....
Bronchitis (99)	40	7	.....	.....	1	.....	.....	.....	1	1	1	2	7	9	11	.....	.....	.....
Bronchopneumonia (100)	172	57	25	5	6	2	5	2	4	2	4	8	11	26	9	6	.....	.....
Pneumonia (101)	238	21	7	5	2	2	11	4	12	24	27	28	46	35	12	2	.....	.....
Diarrhea and enteritis (113, 114)	143	109	19	4	2	.....	3	1	.....	.....	.....	2	.....	1	2	.....	.....	.....
Appendicitis and typhlitis (117)	106	.....	1	1	2	.....	2	13	27	17	8	17	15	2	1	.....	.....	.....
Hernia, intestinal obstruction (118)	72	5	.....	1	.....	.....	1	5	5	9	7	14	9	12	4	.....	.....	.....
Cirrhosis of the liver (122)	46	1	.....	.....	.....	.....	.....	.....	.....	2	4	9	20	6	4	.....	.....	.....
Nephritis (128, 129)	507	5	1	.....	1	.....	4	7	17	33	45	84	117	127	62	4	.....	.....
Diseases of the female genital organs (137–141)	36	.....	.....	.....	.....	.....	.....	.....	7	9	8	7	4	1	.....	.....	.....	.....
Puerperal septicemia (146)	33	.....	.....	.....	.....	.....	.....	5	13	11	4	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	36	.....	.....	.....	.....	.....	.....	1	14	17	4	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	58	.....	.....	.....	.....	.....	.....	1	6	9	16	13	11	2	.....	.....	.....	.....
Homicide (197–200)	62	2	.....	.....	.....	.....	.....	6	27	19	5	1	1	1	.....	.....	.....	.....
Other external causes (175–196, 201–203)	312	4	9	3	3	8	19	38	34	27	37	32	41	33	20	4	.....	.....
All other causes	1,159	353	14	9	5	4	17	32	48	108	118	113	121	120	86	10	1	.....
CINCINNATI OHIO (WHITE).																		
All causes	4,954	515	83	40	42	24	110	160	312	406	449	688	895	784	394	51	1	.....
Typhoid and paratyphoid fever (1)	11	.....	.....	.....	.....	.....	4	2	3	.....	2	.....	.....	.....	.....	.....	.....	.....
Measles (7)	9	1	3	3	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Scarlet fever (8)	11	.....	1	.....	2	1	4	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	28	15	5	4	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	70	2	4	5	14	7	29	6	.....	.....	2	.....	.....	1	.....	.....	.....	.....
Influenza (11)	30	6	1	.....	.....	.....	1	2	1	.....	5	4	6	3	.....	1	.....	.....
Meningococcus meningitis (24)	3	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	391	.....	2	.....	.....	.....	3	29	94	100	57	62	29	10	4	1	.....	.....
Other forms of tuberculosis (32–37)	71	9	4	3	3	1	6	6	12	11	3	3	8	2	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	486	1	1	.....	1	.....	.....	3	7	27	78	118	143	85	20	2	.....	.....
Diabetes mellitus (57)	98	.....	.....	.....	.....	.....	.....	2	5	5	10	20	32	19	5	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	412	.....	.....	.....	.....	.....	.....	3	1	10	24	84	115	108	59	8	.....	.....
Other [organic] diseases of the heart (90)	710	1	2	1	.....	.....	5	7	22	30	38	100	183	207	100	14	.....	.....
Bronchitis (99)	34	3	.....	.....	.....	.....	.....	.....	1	.....	1	2	7	9	11	.....	.....	.....
Bronchopneumonia (100)	137	44	15	4	6	2	4	2	4	1	1	7	11	22	9	5	.....	.....
Pneumonia (101)	185	15	5	3	1	1	8	4	8	13	13	25	42	33	12	2	.....	.....
Diarrhea and enteritis (113, 114)	128	94	19	4	2	.....	3	1	.....	.....	.....	2	.....	1	2	.....	.....	.....
Appendicitis and typhlitis (117)	95	.....	1	1	1	.....	2	12	22	13	8	17	15	2	1	.....	.....	.....
Hernia, intestinal obstruction (118)	64	5	.....	1	.....	.....	1	4	4	6	7	14	8	10	4	.....	.....	.....
Cirrhosis of the liver (122)	42	1	.....	.....	.....	.....	.....	.....	.....	2	4	8	18	5	4	.....	.....	.....
Nephritis (128, 129)	451	5	.....	.....	1	.....	4	5	14	24	36	71	110	118	59	4	.....	.....
Diseases of the female genital organs (137–141)	26	.....	.....	.....	.....	.....	.....	.....	6	7	3	5	4	1	.....	.....	.....	.....
Puerperal septicemia (146)	26	.....	.....	.....	.....	.....	.....	3	10	11	2	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	33	.....	.....	.....	.....	.....	.....	.....	13	17	3	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	54	.....	.....	.....	.....	.....	.....	.....	4	9	16	13	10	2	.....	.....	.....	.....
Homicide (197–200)	34	2	.....	.....	.....	.....	.....	4	13	9	3	1	1	1	.....	.....	.....	.....
Other external causes (175–196, 201–203)	289	4	8	3	3	7	18	35	32	23	32	31	40	30	19	4	.....	.....
All other causes	1,026	307	12	8	5	4	16	27	34	88	101	101	113	115	84	10	1	.....
CINCINNATI, OHIO (COLORED).																		
All causes	746	88	26	11	6	6	14	47	114	123	112	79	56	46	15	2	1	.....
Typhoid and paratyphoid fever (1)	4	.....	.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (7)	5	.....	1	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	3	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	13	3	5	2	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (11)	9	.....	.....	.....	.....	.....	.....	.....	.....	7	1	1	.....	.....	.....	.....	.....	.....
Meningococcus meningitis (24)	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	129	1	1	.....	.....	1	2	23	44	26	19	11	1	.....	.....	.....	.....	.....
Other forms of tuberculosis (32–37)	25	.....	2	1	1	1	2	3	9	2	3	1	.....	.....	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	26	.....	.....	.....	.....	.....	1	.....	2	2	6	6	6	3	.....	.....	.....	.....
Diabetes mellitus (57)	3	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	49	.....	.....	.....	.....	.....	1	.....	2	2	7	10	17	4	5	1	.....	.....
Other [organic] diseases of the heart (90)	81	.....	.....	.....	.....	.....	1	.....	4	17	16	17	8	13	4	.....	1	.....
Bronchitis (99)	6	4	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Bronchopneumonia (100)	35	13	10	1	.....	.....	1	.....	.....	1	3	1	.....	4	.....	1	.....	.....
Pneumonia (101)	53	6	2	2	1	1	3	.....	4	11	14	3	4	2	.....	.....	.....	.....
Diarrhea and enteritis (113, 114)	15	15	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Appendicitis and typhlitis (117)	11	.....	.....	.....	1	.....	.....	1	5	4	.....	.....	.....	.....	.....	.....	.....	.....
Hernia, intestinal obstruction (118)	8	.....	.....	.....	.....	.....	.....	1	1	3	.....	.....	1	2	.....	.....	.....	.....
Cirrhosis of the liver (122)	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	.....	.....	.....	.....
Nephritis (128, 129)	56	.....	1	.....	.....	.....	.....	2	3	9	9	13	7	9	3	.....	.....	.....
Diseases of the female genital organs (137–141)	10	.....	.....	.....	.....	.....	.....	.....	1	2	5	2	.....	.....	.....	.....	.....	.....
Puerperal septicemia (146)	7	.....	.....	.....	.....	.....	.....	2	3	.....	2	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	3	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	4	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	1	.....	.....	.....	.....	.....
Homicide (197–200)	28	.....	.....	.....	.....	.....	.....	2	14	10	2	.....	.....	.....	.....	.....	.....	.....
Other external causes (175–196, 201–203)	23	.....	1	.....	.....	1	1	3	2	4	5	1	1	3	1	.....	.....	.....
All other causes	133	46	2	1	.....	.....	1	5	14	20	17	12	8	5	2	.....	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND AGE OF DECEDENT: 1921—Continued.

[See note at head of this table, p. 534.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
CLEVELAND, OHIO (TOTAL).																		
All causes	8,697	1,480	278	151	125	106	286	366	720	958	923	1,004	1,063	829	365	39	3	1
Typhoid and paratyphoid fever (1)	28						1	7	6	5	2	5	2					
Measles (7)	24	10	6	3	3	1		1										
Scarlet fever (8)	120	5	10	20	21	21	28	7	5	2	1							
Whooping cough (9)	48	28	13	5		1	1											
Diphtheria (10)	190	4	25	25	23	25	65	17	1	2	3							
Influenza (11)	36	4	3	3		1	1	2	2	9	3	3	3	1	1			
Meningococcus meningitis (24)	9	2	1			2		2	1				1					
Tuberculosis of the respiratory system (31)	664	12	4	1	1	1	3	85	193	180	72	66	28	15	3			
Other forms of tuberculosis (32–37)	149	7	15	6	7	4	14	22	24	24	8	8	5	3	1	1		
Cancer and other malignant tumors (43–49)	641		1			2	1		11	43	107	156	189	104	24	3		
Diabetes mellitus (57)	142	1		2		2	3	7	12	12	16	33	37	14	3			
Cerebral hemorrhage and softening (74, 83)	535	4		1			1	1	2	22	43	99	157	142	57	6		
Other [organic] diseases of the heart (90)	816	2	2	1	3		12	39	31	75	87	130	160	182	82	8	1	1
Bronchitis (99)	61	11	8	3	2	1	3		2		4	1	5	12	8	1		
Bronchopneumonia (100)	338	133	44	27	11	1	12	7	11	17	13	10	16	18	15	3		
Pneumonia (101)	410	43	25	9	4	5	17	12	39	41	62	56	51	31	14	1		
Diarrhea and enteritis (113, 114)	416	299	58	13	6	7	8	2	2	3	4		4	6	3	1		
Appendicitis and typhlitis (117)	143	1			2	1	10	19	47	22	21	11	8	1				
Hernia, intestinal obstruction (118)	101	21	4	1	1		5		5	15	11	17	7	9	5			
Cirrhosis of the liver (122)	48									2	9	14	16	6	1			
Nephritis (128, 129)	590	4	1		1		4	7	22	33	81	113	144	126	49	5		
Diseases of the female genital organs (137–141)	62							1	10	21	17	5	5	2	1			
Puerperal septicemia (146)	81							3	40	35	3							
Other puerperal causes (143–145, 147–150)	70							4	35	25	6							
Suicide (165–174)	117							2	11	36	22	21	16	7	2			
Homicide (197–200)	92	6		1	1			6	36	24	14	3		1				
Other external causes (175–196, 201–203)	521	14	13	9	15	14	52	56	57	79	68	66	32	22	23	1		
All other causes	2,245	869	45	21	24	17	45	57	115	231	246	187	177	127	73	9	2	
CLEVELAND, OHIO (WHITE).																		
All causes	8,019	1,392	248	136	121	104	274	305	592	844	830	944	1,028	804	358	36	2	1
Typhoid and paratyphoid fever (1)	25						1	5	6	4	2	5	2					
Measles (7)	21	9	6	2	3	1												
Scarlet fever (8)	118	5	10	20	21	20	28	6	5	2	1							
Whooping cough (9)	35	24	8	2		1												
Diphtheria (10)	186	3	23	25	23	25	65	16	1	2	3							
Influenza (11)	32	3	3	2		1	1	2	2	9	2	2	3	1	1			
Meningococcus meningitis (24)	7	1	1			2		1	1				1					
Tuberculosis of the respiratory system (31)	520	10	1		1	1	1	56	141	144	58	62	27	15	3			
Other forms of tuberculosis (32–37)	129	7	14	5	7	4	14	16	17	20	8	8	5	3	1			
Cancer and other malignant tumors (43–49)	620		1			2	1		10	40	107	147	185	100	24	3		
Diabetes mellitus (57)	137	1		2		2	3	7	12	12	12	32	37	14	3			
Cerebral hemorrhage and softening (74, 83)	502	4		1			1	1	1	18	37	92	151	135	56	5		
Other [organic] diseases of the heart (90)	766	2	1	1	3		12	34	26	63	77	123	154	179	81	8	1	1
Bronchitis (99)	60	10	8	3	2	1	3		2		4	1	5	12	8	1		
Bronchopneumonia (100)	299	119	37	22	11	1	10	6	9	15	11	9	13	18	15	3		
Pneumonia (101)	357	39	22	8	4	5	15	8	24	35	52	50	51	30	13	1		
Diarrhea and enteritis (113, 114)	403	291	55	13	6	7	8	2	2	3	4		3	5	3	1		
Appendicitis and typhlitis (117)	135	1			2	1	10	18	44	18	21	11	8	1				
Hernia, intestinal obstruction (118)	95	19	3	1	1		5		5	13	10	17	7	9	5			
Cirrhosis of the liver (122)	46									2	8	13	16	6	1			
Nephritis (128, 129)	548	4	1		1		4	6	19	29	70	104	137	122	47	4		
Diseases of the female genital organs (137–141)	49								4	18	15	4	5	2	1			
Puerperal septicemia (146)	74							3	35	33	3							
Other puerperal causes (143–145, 147–150)	64							4	32	22	6							
Suicide (165–174)	116							2	11	36	22	20	16	7	2			
Homicide (197–200)	77	6		1	1			5	30	20	11	2		1				
Other external causes (175–196, 201–203)	497	14	13	9	13	13	50	55	51	73	64	64	32	22	23	1		
All other causes	2,101	820	41	19	22	17	42	52	102	213	222	178	170	122	71	9	1	
CLEVELAND, OHIO (COLORED).																		
All causes	678	88	30	15	4	2	12	61	128	114	93	60	35	25	7	3	1	
Typhoid and paratyphoid fever (1)	3							2		1								
Measles (7)	3	1		1				1										
Scarlet fever (8)	2				1			1										
Whooping cough (9)	13	4	5	3			1											
Diphtheria (10)	4	1	2					1										
Influenza (11)	4	1		1							1	1						
Meningococcus meningitis (24)	2	1						1										
Tuberculosis of the respiratory system (31)	144	2	3	1			2	29	52	36	14	4	1					
Other forms of tuberculosis (32–37)	20		1	1				6	7	4						1		
Cancer and other malignant tumors (43–49)	21								1	3		9	4	4				
Diabetes mellitus (57)	5										4	1						
Cerebral hemorrhage and softening (74, 83)	33								1	4	6	7	6	7	1	1		
Other [organic] diseases of the heart (90)	50		1					5	5	12	10	7	6	3	1			
Bronchitis (99)	1	1																
Bronchopneumonia (100)	39	14	7	5			2	1	2	2	2	1	3					
Pneumonia (101)	53	4	3	1			2	4	15	6	10	6		1	1			
Diarrhea and enteritis (113, 114)	13	8	3										1	1				
Appendicitis and typhlitis (117)	8							1	3	4								
Hernia, intestinal obstruction (118)	6	2	1							2	1							
Cirrhosis of the liver (122)	2										1	1						
Nephritis (128, 129)	42							1	3	4	11	9	7	4	2	1		
Diseases of the female genital organs (137–141)	13							1	6	3	2	1						
Puerperal septicemia (146)	7								5	2								
Other puerperal causes (143–145, 147–150)	6								3	3								
Suicide (165–174)	1											1						
Homicide (197–200)	15							1	6	4	3	1						
Other external causes (175–196, 201–203)	24				2	1	2	1	6	6	4	2						
All other causes	144	49	4	2	2		3	5	13	18	24	9	7	5	2		1	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND AGE OF DECEDENT: 1921—Continued.

[See note at head of this table, p. 534.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
COLUMBUS, OHIO.																		
All causes	3,176	395	50	35	28	21	71	110	243	267	373	384	507	415	236	37	4	
Typhoid and paratyphoid fever (1)	11						1	1	1	4	1	1	2					
Measles (7)																		
Scarlet fever (8)	15			1	3	2	5	2	1	1								
Whooping cough (9)	14	7	4	2		1												
Diphtheria (10)	41		5	2	5	6	19	2		2								
Influenza (11)	24	3			2				1	3	4	1	4	3	3			
Meningococcus meningitis (24)	1		1															
Tuberculosis of the respiratory system (31)	189	4	2		1		1	12	56	39	35	15	15	7	2			
Other forms of tuberculosis (32–37)	42	2	3	2	1		2	8	10	5	3	3	3					
Cancer and other malignant tumors (43–49)	250							2	1	9	48	55	79	45	10	1		
Diabetes mellitus (57)	50						1	2	2	5	5	9	15	11				
Cerebral hemorrhage and softening (74, 83)	241	2							2	5	16	40	74	62	40			
Other [organic] diseases of the heart (90)	372						4	2	11	21	41	68	93	87	38	6	1	
Bronchitis (99)	14	1						1	1	1			2	3	2	3		
Bronchopneumonia (100)	124	46	12	5	3	1	3	1	1	2	5	8	9	13	13	1	1	
Pneumonia (101)	97	7	5	3	3		4	1	11	6	19	8	15	7	6	2		
Diarrhea and enteritis (113, 114)	86	58	8	3	2	1	2	1	1	1	2		4	1	2			
Appendicitis and typhlitis (117)	59				1	2	2	12	14	13	7	5	2	1				
Hernia, intestinal obstruction (118)	42	6	2					3	4	2	8	8	3	1	5			
Cirrhosis of the liver (122)	17								1	2	2	2	5	4	1			
Nephritis (128, 129)	153	1		1		1		2	4	13	22	25	35	34	14	1		
Diseases of the female genital organs (137–141)	49								9	12	18	8	1		1			
Puerperal septicemia (146)	21							3	12	4	2							
Other puerperal causes (143–145, 147–150)	22								11	8	3							
Suicide (165–174)	31							3	10	4	7	5	2					
Homicide (197–200)	25	1						1	4	8	8	1	2					
Other external causes (175–196, 201–203)	224	10	1	6	4	3	12	25	35	29	18	20	28	19	12	2		
All other causes	962	247	7	10	3	4	15	26	40	68	99	102	114	117	87	21	2	
DAYTON, OHIO.																		
All causes	1,734	236	35	20	19	12	35	54	105	129	181	214	289	248	133	24		
Typhoid and paratyphoid fever (1)	8							1	1	4	2							
Measles (7)	1		1															
Scarlet fever (8)	18	1	3	1	3	2	7	1										
Whooping cough (9)	13	6	4	1	1		1											
Diphtheria (10)	19		1	1	2	3	9	2			1							
Influenza (11)	16			1	1					3	4	3	1	2	1			
Meningococcus meningitis (24)	3						1			2								
Tuberculosis of the respiratory system (31)	120	1				1		10	27	25	20	15	12	8	1			
Other forms of tuberculosis (32–37)	22	4	2	1	2	1	1	1	4	2	1	1	1	1				
Cancer and other malignant tumors (43–49)	175		1							5	22	35	59	39	13	1		
Diabetes mellitus (57)	21										2	5	8	5	1			
Cerebral hemorrhage and softening (74, 83)	153							2		3	13	23	48	48	12	4		
Other [organic] diseases of the heart (90)	219	1		2		2	1			8	25	27	62	57	29	5		
Bronchitis (99)	8	1						1		1	2				2	1		
Bronchopneumonia (100)	38	15	4	1				1	1	2	1	2	4	6	1			
Pneumonia (101)	42	5	1				2		4	6	5	5	6	7	1			
Diarrhea and enteritis (113, 114)	59	40	9	3		1				1		1	1	2	1			
Appendicitis and typhlitis (117)	25				1			5	2	6	5	4	1	1				
Hernia, intestinal obstruction (118)	24	2	2	1	1			2	1	1	2	4	5	1	2			
Cirrhosis of the liver (122)	18										3	4	4	5	2			
Nephritis (128, 129)	118			1				1	5	7	14	21	29	17	20	3		
Diseases of the female genital organs (137–141)	20								6	3	5	2	3	1				
Puerperal septicemia (146)	11							2	6	2	1							
Other puerperal causes (143–145, 147–150)	15							1	8	6								
Suicide (165–174)	14							1	4	2	2	4		1				
Homicide (197–200)	16							1	5	4	4	2						
Other external causes (175–196, 201–203)	97	2	2	4	2		7	10	13	9	6	11	9	10	10	2		
All other causes	441	158	5	5	4	4	5	13	17	29	41	44	38	39	32	7		
TOLEDO, OHIO.																		
All causes	3,047	407	52	27	30	27	102	126	270	292	327	373	431	370	183	29	1	
Typhoid and paratyphoid fever (1)	22				1			3	2	7	6	1		2				
Measles (7)																		
Scarlet fever (8)	7	1		1	1	1		3										
Whooping cough (9)	13	8	3	1	1													
Diphtheria (10)	92	2	6	3	9	14	41	15	1	1								
Influenza (11)	24	4			1	1	1	3	1	5	1	1	3	2		1		
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	278	4	1	1			2	23	93	55	49	30	14	5	1			
Other forms of tuberculosis (32–37)	40	6	2	3			4	4	9	5	3	4						
Cancer and other malignant tumors (43–49)	229						1		5	17	27	68	71	32	8			
Diabetes mellitus (57)	44						5	4		4	5	7	12	6	1			
Cerebral hemorrhage and softening (74, 83)	245			1	1				4	8	14	41	64	74	33	5		
Other [organic] diseases of the heart (90)	344			1			1	5	8	23	33	60	87	80	40	6		
Bronchitis (99)	22	7	1				2		1	1			3	2	5			
Bronchopneumonia (100)	90	33	7	3	4		5	1	2	2	5	3	2	14	7	2		
Pneumonia (101)	77	6	6	1	1	1	10	4	6	9	8	4	6	9	6			
Diarrhea and enteritis (113, 114)	133	93	16	2	1	2	2			1	4	2	1	6	3			
Appendicitis and typhlitis (117)	49			2		1	2	6	11	9	7	6	4	1				
Hernia, intestinal obstruction (118)	47	3			1	1		5	6	5	8	6	3	6	3			
Cirrhosis of the liver (122)	26								1	2	3	5	9	4	2			
Nephritis (128, 129)	143			2		1	2	11	7	22	18	36	28	15	1			
Diseases of the female genital organs (137–141)	25						1	2	9	8	3	2						
Puerperal septicemia (146)	36						3	19	12	2								
Other puerperal causes (143–145, 147–150)	22						2	11	6	3								
Suicide (165–174)	49						3	11	12	8	11	3		1				
Homicide (197–200)	42	1					1	14	15	6	3	2						
Other external causes (175–196, 201–203)	178	2	2	4	3	1	14	23	21	26	19	22	20	9	10	2		
All other causes	770	237	8	4	4	5	11	15	31	51	86	78	89	90	48	12	1	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND AGE OF DECEDENT: 1921—Continued.

[See note at head of this table, p. 534.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
YOUNGSTOWN, OHIO.																		
All causes	1,554	358	66	30	23	17	53	64	116	174	160	143	167	115	60	8		
Typhoid and paratyphoid fever (1)	25					1		3	3	8	7	3						
Measles (7)	11	3	5	1	1	1												
Scarlet fever (8)	29	1	3	5	5	2	11	1	1									
Whooping cough (9)	17	12	4	1														
Diphtheria (10)	13		2	5	1		5											
Influenza (11)	5	1							1	1	1	1						
Meningococcus meningitis (24)	2						1			1								
Tuberculosis of the respiratory system (31)	77	1	1	1	1			4	20	20	18	7	3		1			
Other forms of tuberculosis (32–37)	29	3	4	1	1		4	4	5	3	1	2	1					
Cancer and other malignant tumors (43–49)	101							1	3	6	16	30	28	10	7			
Diabetes mellitus (57)	18							2		1	3	1	8	2	1			
Cerebral hemorrhage and softening (74, 83)	71								3	2	5	12	16	22	10	1		
Other [organic] diseases of the heart (90)	141	1	1			1	6	5	3	9	22	20	30	28	15			
Bronchitis (99)	4	1										1	1	1				
Bronchopneumonia (100)	128	74	16	6	4	4	1	4	3	3	3	1	5	3		1		
Pneumonia (101)	84	7	3	2	1	2	4	2	6	13	8	13	11	8	4			
Diarrhea and enteritis (113, 114)	114	84	16	1	2	1				1			4	1	3	1		
Appendicitis and typhlitis (117)	28				1		5	5	9	3	4	1						
Hernia, intestinal obstruction (118)	16	1	1							5	1	3	2	2	1			
Cirrhosis of the liver (122)	13								1	1	3	2	6					
Nephritis (128, 129)	63						1	1	5	6	9	14	11	9	7			
Diseases of the female genital organs (137, 141)	16							1	2	5	6	1	1					
Puerperal septicemia (146)	22								7	15								
Other puerperal causes (143–145, 147–150)	18								5	10	3							
Suicide (165–174)	18							2	3	5	5	3						
Homicide (197–200)	23							1	5	10	5	1	1					
Other external causes (175–196, 201–203)	108	6	1	3	5	4	11	13	15	12	15	8	8	6	1			
All other causes	360	163	9	4	1	1	4	15	16	34	25	19	31	23	10	5		
PORTLAND, OREG.																		
All causes	2,892	264	40	20	16	16	73	105	175	251	315	444	502	455	179	36	1	
Typhoid and paratyphoid fever (1)	7							3		1	3							
Measles (7)	6	1	1	1		1	1	1										
Scarlet fever (8)	3							2		1								
Whooping cough (9)	8	3	2	1		1	1											
Diphtheria (10)	53	4	3	4	5	4	18	11		3		1						
Influenza (11)	18	2	2			1	1			1	2		4	4	1			
Meningococcus meningitis (24)	1											1						
Tuberculosis of the respiratory system (31)	119							12	41	23	8	16	13	5	1			
Other forms of tuberculosis (32–37)	51	2	1		2	1	1	1	17	11	6	5	2	2				
Cancer and other malignant tumors (43–49)	336						1	3	5	16	50	97	96	53	15			
Diabetes mellitus (57)	69				1		1	4	1	6	8	18	19	8	3			
Cerebral hemorrhage and softening (74, 83)	251							1	1	5	21	33	61	92	31	6		
Other [organic] diseases of the heart (90)	395			1			4	9	14	13	37	66	91	101	51	7	1	
Bronchitis (99)	16		1	1				1			1	2	1		8	1		
Bronchopneumonia (100)	66	21	6		2	1	4	1	4	3	4	4	3	8	4	1		
Pneumonia (101)	120	11	5	3		2	3	8	6	10	14	13	23	18	3	1		
Diarrhea and enteritis (113, 114)	37	21	1	1				1	2	3		1	1	4	2			
Appendicitis and typhlitis (117)	49			1	1		3	6	3	13	9	9	3	1				
Hernia, intestinal obstruction (118)	24	1	1					1	1	2	3	6	5	3	1			
Cirrhosis of the liver (122)	23									1	6	4	8	3		1		
Nephritis (128, 129)	168	1						4	5	3	18	38	51	37	9	2		
Diseases of the female genital organs (137–141)	20							2	1	8	5	2	1	1				
Puerperal septicemia (146)	15							1	10	4								
Other puerperal causes (143–145, 147–150)	20							1	7	9	3							
Suicide (165–174)	54							1	4	12	14	14	7	2				
Homicide (197–200)	21								3	8	4	2	2	2				
Other external causes (175–196, 201–203)	177	5	2	3	3	2	12	13	23	25	25	15	19	22	6	2		
All other causes	765	192	15	4	2	3	23	18	27	70	74	97	92	89	44	15		
PHILADELPHIA, PA. (TOTAL).																		
All causes	23,697	3,408	625	301	198	159	538	792	1,652	1,958	2,469	3,214	3,666	3,035	1,467	203	12	
Typhoid and paratyphoid fever (1)	45						1	10	10	13	5	5	1					
Measles (7)	24	10	9	2			2			1								
Scarlet fever (8)	107	10	10	18	13	11	24	10	6	1	2	2						
Whooping cough (9)	154	84	35	13	11	5	6											
Diphtheria (10)	325	31	60	43	41	37	88	15	3	1	1							
Influenza (11)	208	28	12	3	2	2	3	6	18	20	19	29	24	26	15	1		
Meningococcus meningitis (24)	24	7	2		1	2	3	2	3	2	1		1					
Tuberculosis of the respiratory system (31)	1,851	14	4	6	1	2	11	159	524	425	333	188	136	41	6	1		
Other forms of tuberculosis (32–37)	308	26	27	13	17	7	26	31	56	36	31	20	13	1	3	1		
Cancer and other malignant tumors (43–49)	2,041	2		1	1	2	2	11	33	117	342	553	534	338	99	6		
Diabetes mellitus (57)	356					1	2	8	14	22	31	98	107	53	18	2		
Cerebral hemorrhage and softening (74, 83)	1,366	3	2		1		2	4	9	30	105	263	364	391	175	17		
Other [organic] diseases of the heart (90)	3,460	8	3	8	1	3	38	87	97	168	343	597	856	796	402	51	2	
Bronchitis (99)	210	68	11	4	2	3	7	1	1	4	5	10	28	32	25	8	1	
Bronchopneumonia (100)	1,176	443	143	52	20	7	39	18	27	28	50	52	97	124	67	7	2	
Pneumonia (101)	1,151	95	58	23	10	7	36	44	103	120	133	168	193	109	44	2	1	
Diarrhea and enteritis (113, 114)	925	704	120	20	9	1	12	5	4	7	9	6	11	14	3			
Appendicitis and typhlitis (117)	285	2		2	3	2	16	48	53	52	55	34	14	3		1		
Hernia, intestinal obstruction (118)	239	21	6	1	1	3	3	4	25	24	32	38	42	27	11	1		
Cirrhosis of the liver (122)	145							2	1	8	23	46	45	17	3			
Nephritis (128, 129)	2,449	9	2	6	4	6	10	43	69	133	245	460	581	561	280	39	1	
Diseases of the female genital organs (137–141)	139							3	31	43	34	16	11	1				
Puerperal septicemia (146)	148							12	74	53	9							
Other puerperal causes (143–145, 147–150)	198							12	87	81	18							
Suicide (165–174)	265							10	37	70	60	47	27	12	2			
Homicide (197–200)	112	1					2	11	34	36	12	9	2	2	3			
Other external causes (175–196, 201–203)	1,119	34	25	30	21	27	113	93	111	122	129	119	119	108	58	8	2	
All other causes	4,867	1,808	96	51	39	31	92	143	222	341	437	454	460	379	253	58	3	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND AGE OF DECEDENT: 1921—Continued.

[See note at head of this table, p. 534.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
PHILADELPHIA, PA. (WHITE).																		
All causes	21,206	2,991	536	275	184	147	488	667	1,291	1,582	2,078	2,921	3,476	2,946	1,419	197	8	.....
Typhoid and paratyphoid fever (1)	42	.....	.....	.....	.....	.....	1	10	9	12	5	4	1	.....	.....	.....	.....	.....
Measles (7)	22	8	9	2	.....	.....	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	104	9	10	17	13	11	24	10	6	1	1	2	.....	.....	.....	.....	.....	.....
Whooping cough (9)	119	61	27	13	9	4	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	302	23	55	48	39	34	85	14	2	1	1	.....	.....	.....	.....	.....	.....	.....
Influenza (11)	182	25	11	2	2	2	3	6	12	15	16	24	22	26	15	1	.....	.....
Meningococcus meningitis (24)	21	7	2	.....	1	2	3	1	2	1	1	.....	1	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	1,437	11	2	3	1	1	5	104	386	319	271	164	126	38	5	1	.....	.....
Other forms of tuberculosis (32–37)	235	20	20	12	15	5	20	18	39	26	25	18	12	1	3	1	.....	.....
Cancer and other malignant tumors (43–49)	1,945	2	.....	1	1	2	2	11	26	99	320	531	518	331	95	6	.....	.....
Diabetes mellitus (57)	329	.....	.....	.....	.....	.....	2	7	11	17	26	92	104	51	17	2	.....	.....
Cerebral hemorrhage and softening (74, 83)	1,253	3	2	.....	1	.....	2	4	7	22	86	220	342	379	168	17	.....	.....
Other [organic] diseases of the heart (90)	3,185	8	3	8	1	3	35	85	81	135	278	537	802	766	392	50	1	.....
Bronchitis (99)	192	56	8	4	2	3	6	1	1	4	5	9	27	32	25	8	1	.....
Bronchopneumonia (100)	991	360	113	44	18	7	32	13	15	19	41	43	91	120	66	7	2	.....
Pneumonia (101)	1,005	82	51	19	10	7	32	37	70	101	108	156	180	107	43	2	.....	.....
Diarrhea and enteritis (113, 114)	841	642	111	19	9	1	10	3	3	5	7	5	10	13	3	.....	.....	.....
Appendicitis and typhlitis (117)	255	2	.....	2	3	2	15	43	45	45	48	33	14	3	.....	.....	.....	.....
Hernia, intestinal obstruction (118)	219	20	6	1	1	3	3	4	20	17	28	38	41	26	10	1	.....	.....
Cirrhosis of the liver (122)	138	.....	.....	.....	.....	.....	.....	2	1	7	22	42	44	17	3	.....	.....	.....
Nephritis (128, 129)	2,273	8	2	6	3	6	9	39	59	113	209	410	553	548	271	37	.....	.....
Diseases of the female genital organs (137–141)	107	.....	.....	.....	.....	.....	.....	2	20	33	26	15	10	1	.....	.....	.....	.....
Puerperal septicemia (146)	133	.....	.....	.....	.....	.....	.....	9	66	50	8	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	187	.....	.....	.....	.....	.....	.....	12	83	75	17	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	259	.....	.....	.....	.....	.....	.....	10	34	68	59	47	27	12	2	.....	.....	.....
Homicide (197–200)	70	1	.....	.....	.....	.....	2	8	21	21	5	6	2	1	3	.....	.....	.....
Other external causes (175–196, 201–203)	1,036	25	24	26	20	26	105	86	101	109	115	111	117	105	56	8	2	.....
All other causes	4,324	1,618	80	48	35	28	85	128	171	266	350	414	432	369	242	56	2	.....
PHILADELPHIA, PA. (COLORED).																		
All causes	2,491	417	89	26	14	12	50	125	361	376	391	293	190	89	48	6	4	.....
Typhoid and paratyphoid fever (1)	3	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....
Measles (7)	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	3	1	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	35	23	8	.....	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	23	8	5	.....	2	3	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (11)	26	3	1	1	.....	.....	.....	.....	6	5	3	5	2	.....	.....	.....	.....	.....
Meningococcus meningitis (24)	3	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	414	3	2	3	.....	1	6	55	138	106	62	24	10	3	1	.....	.....	.....
Other forms of tuberculosis (32–37)	73	6	7	1	2	2	6	13	17	10	6	2	1	.....	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	96	.....	.....	.....	.....	.....	.....	.....	7	18	22	22	16	7	4	.....	.....	.....
Diabetes mellitus (57)	27	.....	.....	.....	.....	1	.....	1	3	5	5	6	3	2	1	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	113	.....	.....	.....	.....	.....	.....	.....	2	8	19	43	22	12	7	.....	.....	.....
Other [organic] diseases of the heart (90)	275	.....	.....	.....	.....	.....	3	2	16	33	65	60	54	30	10	1	1	.....
Bronchitis (99)	18	12	3	.....	.....	.....	1	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
Bronchopneumonia (100)	185	83	30	8	2	.....	7	5	12	9	9	9	6	4	1	.....	.....	.....
Pneumonia (101)	146	13	7	4	.....	.....	4	7	33	19	30	12	13	2	1	.....	1	.....
Diarrhea and enteritis (113, 114)	84	62	9	1	.....	.....	2	2	1	2	2	1	1	1	.....	.....	.....	.....
Appendicitis and typhlitis (117)	30	.....	.....	.....	.....	.....	1	5	8	7	7	1	.....	.....	.....	1	.....	.....
Hernia, intestinal obstruction (118)	20	1	.....	.....	.....	.....	.....	.....	5	7	4	.....	1	1	1	.....	.....	.....
Cirrhosis of the liver (122)	7	.....	.....	.....	.....	.....	.....	.....	.....	1	1	4	1	.....	.....	.....	.....	.....
Nephritis (128, 129)	176	1	.....	.....	1	.....	1	4	10	20	36	50	28	13	9	2	1	.....
Diseases of the female genital organs (137–141)	32	.....	.....	.....	.....	.....	.....	1	11	10	8	1	1	.....	.....	.....	.....	.....
Puerperal septicemia (146)	15	.....	.....	.....	.....	.....	.....	3	8	3	1	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	11	.....	.....	.....	.....	.....	.....	.....	4	6	1	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	6	.....	.....	.....	.....	.....	.....	.....	3	2	1	.....	.....	.....	.....	.....	.....	.....
Homicide (197–200)	42	.....	.....	.....	.....	.....	.....	3	13	15	7	3	.....	1	.....	.....	.....	.....
Other external causes (175–196, 201–203)	83	9	1	4	1	1	8	7	10	13	14	8	2	3	2	.....	.....	.....
All other causes	543	190	16	3	4	3	7	15	51	75	87	40	28	10	11	2	1	.....
PITTSBURGH, PA. (TOTAL).																		
All causes	8,499	1,528	298	135	91	86	243	396	675	839	933	1,056	1,024	815	349	28	3	.....
Typhoid and paratyphoid fever (1)	27	1	.....	.....	.....	.....	2	7	7	5	4	1	.....	.....	.....	.....	.....	.....
Measles (7)	28	6	9	7	2	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	50	1	3	3	7	8	15	6	.....	7	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	43	20	16	3	.....	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	129	4	19	14	24	19	36	9	1	2	1	.....	.....	.....	.....	.....	.....	.....
Influenza (11)	121	9	5	3	2	.....	3	8	12	21	17	19	15	4	3	.....	.....	.....
Meningococcus meningitis (24)	17	7	1	.....	1	2	1	3	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	494	7	4	3	2	.....	8	68	142	97	77	48	22	13	3	.....	.....	.....
Other forms of tuberculosis (32–37)	123	15	9	5	2	1	11	21	24	20	9	4	2	.....	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	571	2	1	.....	1	1	1	1	19	47	85	161	142	89	20	1	.....	.....
Diabetes mellitus (57)	93	.....	.....	.....	.....	.....	5	5	6	5	11	21	26	13	1	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	481	4	.....	.....	.....	1	.....	2	3	17	40	92	134	124	60	4	.....	.....
Other [organic] diseases of the heart (90)	730	2	1	2	1	1	14	28	38	63	91	129	150	143	62	4	1	.....
Bronchitis (99)	79	22	3	1	.....	1	4	2	.....	2	4	7	7	16	9	1	.....	.....
Bronchopneumonia (100)	601	168	75	26	10	7	13	10	19	27	34	43	52	72	43	1	1	.....
Pneumonia (101)	931	68	25	20	6	8	22	39	114	126	158	133	127	63	21	1	.....	.....
Diarrhea and enteritis (113, 114)	484	359	68	12	10	4	11	.....	1	1	1	4	6	5	1	1	.....	.....
Appendicitis and typhlitis (117)	128	.....	.....	2	2	1	7	18	25	29	19	16	8	1	.....	.....	.....	.....
Hernia, intestinal obstruction (118)	79	11	3	2	.....	.....	2	4	7	7	9	11	11	9	3	.....	.....	.....
Cirrhosis of the liver (122)	56	1	.....	.....	.....	.....	.....	1	2	5	11	14	16	4	1	1	.....	.....
Nephritis (128, 129)	462	3	3	1	1	.....	1	13	25	33	68	94	96	92	29	3	.....	.....
Diseases of the female genital organs (137–141)	64	.....	.....	.....	.....	.....	.....	3	11	20	21	5	3	1	.....	.....	.....	.....
Puerperal septicemia (146)	64	.....	.....	.....	.....	.....	.....	8	28	23	4	1	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	70	.....	.....	.....	.....	.....	.....	6	26	33	5	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	81	.....	.....	.....	.....	.....	.....	4	14	20	17	16	9	1	.....	.....	.....	.....
Homicide (197–200)	57	2	.....	.....	.....	1	2	3	13	18	12	5	1	.....	.....	.....	.....	.....
Other external causes (175–196, 201–203)	543	12	13	15	10	17	43	63	65	81	70	64	39	31	18	2	.....	.....
All other causes	1,893	804	40	16	10	11	37	64	73	129	164	168	158	134	75	9	1	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND AGE OF DECEDENT: 1921—Continued.

[See note at head of this table, p. 534.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
PITTSBURGH, PA. (WHITE).																		
All causes	7,684	1,391	262	124	87	74	222	334	557	730	800	968	974	790	343	26	2	
Typhoid and paratyphoid fever (1)	23	1					1	7	5	4	4	1						
Measles (7)	27	6	8	7	2	2	2											
Scarlet fever (8)	43	1	3	3	7	8	13	6		7								
Whooping cough (9)	36	15	15	3		1	2											
Diphtheria (10)	122	4	18	14	24	18	33	7	1	2	1							
Influenza (11)	106	9	5	3	2		3	6	10	16	14	19	12	4	3			
Meningococcus meningitis (24)	16	6	1		1	2	1	3		1	1							
Tuberculosis of the respiratory system (31)	399	7	3	3	1		6	45	109	80	66	43	22	11	3			
Other forms of tuberculosis (32–37)	95	14	9	4	1	1	6	14	20	15	7	3	1					
Cancer and other malignant tumors (43–49)	551	2	1		1	1	1	1	17	44	78	155	141	88	20	1		
Diabetes mellitus (57)	86						4	4	6	3	11	19	26	12	1			
Cerebral hemorrhage and softening (74, 83)	443	4						2	3	12	29	82	127	123	58	3		
Other [organic] diseases of the heart (90)	655	2	1	2	1	1	13	24	30	52	70	116	139	137	62	4	1	
Bronchitis (99)	74	19	3	1		1	4	2		2	3	7	6	16	9	1		
Bronchopneumonia (100)	533	146	64	22	9	6	12	9	15	20	28	41	50	68	42	1		
Pneumonia (101)	784	57	19	17	6	6	21	28	84	103	123	118	120	61	21			
Diarrhea and enteritis (113, 114)	437	324	61	11	10	4	10		1	1	1	2	5	5	1	1		
Appendicitis and typhlitis (117)	124			2	2	1	7	16	24	28	19	16	8	1				
Hernia, intestinal obstruction (118)	76	11	2	2			2	4	6	6	9	11	11	9	3			
Cirrhosis of the liver (122)	52	1						1	1	5	10	12	16	4	1	1		
Nephritis (128, 129)	428	2	2	1	1		1	12	21	30	60	85	92	90	28	3		
Diseases of the female genital organs (137–141)	55							2	9	17	19	5	2	1				
Puerperal septicemia (146)	60							8	26	21	4	1						
Other puerperal causes (143–145, 147–150)	63							4	22	32	5							
Suicide (165–174)	74							4	13	18	14	15	9	1				
Homicide (197–200)	41	2					2	2	8	15	9	3						
Other external causes (175–196, 201–203)	509	7	13	15	10	14	42	62	59	77	65	61	35	30	17	2		
All other causes	1,767	751	34	14	9	8	36	61	67	119	150	153	152	129	74	9	1	
PITTSBURGH, PA. (COLORED).																		
All causes	815	137	36	11	4	12	21	62	118	109	133	88	50	25	6	2	1	
Typhoid and paratyphoid fever (1)	4						1		2	1								
Measles (7)	1		1															
Scarlet fever (8)	2						2											
Whooping cough (9)	7	5	1				1											
Diphtheria (10)	7		1			1	3	2										
Influenza (11)	15							2	2	5	3		3					
Meningococcus meningitis (24)	1	1																
Tuberculosis of the respiratory system (31)	95		1		1		2	23	33	17	11	5		2				
Other forms of tuberculosis (32–37)	28	1		1	1		5	7	4	5	2	1	1					
Cancer and other malignant tumors (43–49)	20							2	3	7	6	1	1					
Diabetes mellitus (57)	7						1	1	2		2		1					
Cerebral hemorrhage and softening (74, 83)	38					1			5	11	10	7	1	2	1			
Other [organic] diseases of the heart (90)	75						1	4	8	11	21	13	11	6				
Bronchitis (99)	5	3									1		1					
Bronchopneumonia (100)	68	22	11	4	1	1	1	1	4	7	6	2	2	4	1		1	
Pneumonia (101)	147	11	6	3		2	1	11	30	23	35	15	7	2		1		
Diarrhea and enteritis (113, 114)	47	35	7	1			1					2	1					
Appendicitis and typhlitis (117)	4							2	1	1								
Hernia, intestinal obstruction (118)	3		1						1	1								
Cirrhosis of the liver (122)	4								1		1	2						
Nephritis (128, 129)	34	1	1					1	4	3	8	9	4	2	1			
Diseases of the female genital organs (137–141)	9							1	2	3	2		1					
Puerperal septicemia (146)	4								2	2								
Other puerperal causes (143–145, 147–150)	7							2	4	1								
Suicide (165–174)	7								1	2	3	1						
Homicide (197–200)	16					1		1	5	3	3	2	1					
Other external causes (175–196, 201–203)	34	5				3	1	1	6	4	5	3	4	1	1			
All other causes	126	53	6	2	1	3	1	3	6	10	14	15	6	5	1			
READING, PA.																		
All causes	1,437	238	18	14	16	8	51	49	78	102	136	171	216	225	105	10		
Typhoid and paratyphoid fever (1)	14						3	2	3	3	2		1					
Measles (7)	6	3	3															
Scarlet fever (8)	1			1														
Whooping cough (9)	14	8	2	2	1		1											
Diphtheria (10)	39	2	2	6	5	5	16	3										
Influenza (11)	22	4	1		1		1	1		2	6	1	2	2	1			
Meningococcus meningitis (24)	3	1					1				1							
Tuberculosis of the respiratory system (31)	66							4	15	13	11	10	8	5				
Other forms of tuberculosis (32–37)	12				1		1	1	1	2	1	3	1	1				
Cancer and other malignant tumors (43–49)	98								2	7	10	26	28	22	3			
Diabetes mellitus (57)	42							1	1	4	4	9	13	6	4			
Cerebral hemorrhage and softening (74, 83)	104	2								1	4	17	24	39	16	1		
Other [organic] diseases of the heart (90)	170	2					1	7	4	11	12	21	43	48	20	1		
Bronchitis (99)	8	3								1				3	1			
Bronchopneumonia (100)	48	21	1		1	1	1	1	1	3	1	2	4	5	6			
Pneumonia (101)	57	3	2	1	1		4	3		1	11	4	8	12	7			
Diarrhea and enteritis (113, 114)	70	58	2	1	2		1		1			1	1	2		1		
Appendicitis and typhlitis (117)	16						2		1	4	4	3	2					
Hernia, intestinal obstruction (118)	22	1	1				1	1	2		3	1	4	3	4	1		
Cirrhosis of the liver (122)	10					1					2	3	4					
Nephritis (128, 129)	131	2							3	3	10	25	33	30	24	1		
Diseases of the female genital organs (137–141)	12								5	1	3	2	1					
Puerperal septicemia (146)	22							2	10	9	1							
Other puerperal causes (143–145, 147–150)	14							3	8	2	1							
Suicide (165–174)	23								4	6	7	5	1					
Homicide (197–200)	5							1	1		3							
Other external causes (175–196, 201–203)	59	1		1		1	3	9	2	8	8	8	7	6	5			
All other causes	349	127	4	2	4		15	10	14	21	31	30	31	41	14	5		

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND AGE OF DECEDENT: 1921—Continued.

[See note at head of this table, p. 534.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
SCRANTON, PA.																		
All causes	1,949	318	60	34	25	16	59	101	143	167	211	271	258	194	81	11	.....	.....
Typhoid and paratyphoid fever (1)	9	.....	.....	.....	.....	1	.....	1	4	1	1	1	.....	.....	.....	.....	.....	.....
Measles (7)	2	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	4	1	.....	1	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	9	3	4	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	39	2	5	10	6	5	9	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (11)	26	4	1	.....	.....	.....	.....	.....	3	3	4	4	2	2	1	2	.....	.....
Meningococcus meningitis (24)	2	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	84	.....	.....	.....	.....	.....	.....	10	15	20	22	11	4	2	.....	.....	.....	.....
Other forms of tuberculosis (32–37)	23	4	2	2	1	1	1	1	6	.....	1	1	3	.....	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	121	.....	1	.....	.....	.....	.....	1	1	7	22	34	29	23	3	.....	.....	.....
Diabetes mellitus (57)	41	.....	.....	.....	.....	.....	.....	1	3	2	5	11	9	5	4	1	.....	.....
Cerebral hemorrhage and softening (74, 83)	112	1	.....	.....	.....	.....	.....	.....	.....	4	8	22	28	34	12	3	.....	.....
Other [organic] diseases of the heart (90)	188	2	.....	.....	.....	.....	3	12	10	11	15	39	43	42	11	.....	.....	.....
Bronchitis (99)	16	1	1	.....	.....	.....	1	1	.....	1	2	3	2	2	1	1	.....	.....
Bronchopneumonia (100)	93	32	11	5	1	.....	2	1	1	.....	4	10	11	6	9	.....	.....	.....
Pneumonia (101)	132	8	1	2	1	.....	2	8	15	14	22	19	24	9	7	.....	.....	.....
Diarrhea and enteritis (113, 114)	123	91	16	.....	6	1	2	1	2	1	.....	.....	.....	2	1	.....	.....	.....
Appendicitis and typhlitis (117)	38	.....	1	1	.....	.....	3	6	3	5	4	8	6	1	.....	.....	.....	.....
Hernia, intestinal obstruction (118)	21	2	.....	1	.....	.....	.....	.....	.....	2	6	2	4	2	2	.....	.....	.....
Cirrhosis of the liver (122)	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	4	1	1	.....	.....	.....
Nephritis (128, 129)	161	.....	1	.....	.....	.....	1	3	9	13	25	38	33	24	13	1	.....	.....
Diseases of the female genital organs (137–141)	9	.....	.....	.....	.....	.....	.....	.....	1	1	3	2	.....	2	.....	.....	.....	.....
Puerperal septicemia (146)	21	.....	.....	.....	.....	.....	.....	.....	13	8	.....	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	14	.....	.....	.....	.....	.....	.....	2	7	5	.....	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	15	.....	.....	.....	.....	.....	.....	1	4	1	4	2	3	.....	.....	.....	.....	.....
Homicide (197–200)	4	.....	.....	.....	.....	.....	.....	.....	.....	3	1	.....	.....	.....	.....	.....	.....	.....
Other external causes (175–196, 201–203)	182	4	5	4	6	3	18	18	20	37	29	18	11	7	2	.....	.....	.....
All other causes	451	163	11	7	4	4	14	31	25	27	31	45	42	30	14	3	.....	.....
PROVIDENCE, R.I.																		
All causes	3,185	552	90	33	37	17	75	98	176	228	308	442	499	434	168	26	1	1
Typhoid and paratyphoid fever (1)	8	1	.....	.....	.....	.....	.....	1	3	1	2	.....	.....	.....	.....	.....	.....	.....
Measles (7)	46	11	20	8	1	2	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	7	1	1	1	.....	1	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	8	3	2	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	18	1	1	1	3	4	6	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Influenza (11)	7	2	.....	.....	1	.....	.....	.....	.....	.....	1	1	1	.....	1	.....	.....	.....
Meningococcus meningitis (24)	8	4	1	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	181	.....	4	1	.....	2	3	18	35	36	44	17	12	8	1	.....	.....	.....
Other forms of tuberculosis (32–37)	54	9	7	3	3	3	3	7	5	5	2	6	1	.....	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	319	.....	.....	.....	1	.....	.....	4	5	15	36	92	86	60	18	2	.....	.....
Diabetes mellitus (57)	40	.....	.....	.....	.....	.....	1	1	.....	.....	3	8	14	12	1	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	281	.....	.....	.....	.....	.....	.....	.....	2	8	25	49	78	80	34	5	.....	.....
Other [organic] diseases of the heart (90)	408	2	2	.....	.....	.....	2	10	12	14	44	64	112	107	36	3	.....	.....
Bronchitis (99)	17	5	1	.....	.....	.....	.....	.....	1	.....	1	1	2	4	1	1	.....	.....
Bronchopneumonia (100)	118	40	8	3	2	.....	3	3	3	5	6	7	11	13	12	2	.....	.....
Pneumonia (101)	164	28	18	4	3	.....	5	6	8	12	11	23	23	13	9	1	.....	.....
Diarrhea and enteritis (113, 114)	133	111	9	.....	2	.....	2	.....	1	.....	1	1	.....	3	3	.....	.....	.....
Appendicitis and typhlitis (117)	54	.....	.....	.....	.....	.....	6	5	11	7	11	6	6	2	.....	.....	.....	.....
Hernia, intestinal obstruction (118)	38	1	1	.....	.....	.....	1	1	1	2	2	11	8	9	1	.....	.....	.....
Cirrhosis of the liver (122)	22	.....	.....	.....	.....	.....	.....	.....	.....	3	4	6	5	4	.....	.....	.....	.....
Nephritis (128, 129)	230	.....	.....	.....	1	1	1	5	9	17	26	52	50	48	17	3	.....	.....
Diseases of the female genital organs (137–141)	18	.....	.....	.....	.....	.....	.....	1	4	4	6	1	2	.....	.....	.....	.....	.....
Puerperal septicemia (146)	25	.....	.....	.....	.....	.....	.....	.....	10	13	2	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	32	.....	.....	.....	.....	.....	.....	.....	17	14	1	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	26	.....	.....	.....	.....	.....	.....	1	3	3	5	8	3	3	.....	.....	.....	.....
Homicide (197–200)	12	1	.....	.....	.....	.....	.....	2	4	1	2	.....	2	.....	.....	.....	.....	.....
Other external causes (175–196, 201–203)	167	3	4	4	10	4	20	14	11	18	16	19	23	14	6	1	.....	.....
All other causes	744	329	11	8	9	.....	13	18	29	50	56	70	59	54	28	8	1	.....
MEMPHIS, TENN. (TOTAL).																		
All causes	2,876	387	75	29	19	13	58	151	370	382	393	340	300	237	99	19	4	.....
Typhoid and paratyphoid fever (1)	20	.....	.....	.....	1	.....	.....	5	5	4	1	4	.....	.....	.....	.....	.....	.....
Measles (7)	13	2	4	1	3	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	3	1	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	6	4	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	23	1	3	4	3	2	7	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (11)	55	6	5	1	.....	.....	2	3	8	5	8	5	5	6	1	.....	.....	.....
Meningococcus meningitis (24)	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	232	3	3	1	.....	.....	2	31	72	53	33	18	11	5	.....	.....	.....	.....
Other forms of tuberculosis (32–37)	48	2	3	.....	1	.....	.....	5	11	15	5	3	1	1	1	.....	.....	.....
Cancer and other malignant tumors (43–49)	142	.....	1	.....	.....	.....	.....	.....	6	20	31	26	39	13	6	.....	.....	.....
Diabetes mellitus (57)	18	.....	.....	.....	.....	.....	.....	.....	2	2	4	5	3	2	.....	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	108	.....	.....	.....	.....	.....	.....	1	1	7	17	19	34	21	8	.....	.....	.....
Other [organic] diseases of the heart (90)	233	1	1	.....	.....	.....	1	2	17	19	40	59	41	41	8	3	.....	.....
Bronchitis (99)	18	4	1	1	.....	.....	.....	.....	2	.....	.....	2	4	4	.....	.....	.....	.....
Bronchopneumonia (100)	60	19	6	2	1	.....	3	1	3	2	2	3	2	7	4	.....	.....	.....
Pneumonia (101)	113	13	4	2	.....	1	5	10	8	17	14	17	12	6	2	2	.....	.....
Diarrhea and enteritis (113, 114)	89	34	22	5	1	2	2	.....	1	3	6	5	.....	6	1	1	.....	.....
Appendicitis and typhlitis (117)	84	.....	1	1	.....	.....	6	21	19	8	15	6	4	3	.....	.....	.....	.....
Hernia, intestinal obstruction (118)	44	4	.....	.....	.....	.....	1	2	5	7	8	5	5	2	5	.....	.....	.....
Cirrhosis of the liver (122)	18	.....	.....	.....	.....	.....	.....	1	.....	4	1	4	4	3	1	.....	.....	.....
Nephritis (128, 129)	273	4	2	.....	.....	2	1	6	19	22	45	45	51	51	21	4	.....	.....
Diseases of the female genital organs (137–141)	37	.....	.....	.....	.....	.....	.....	2	9	12	11	1	1	.....	1	.....	.....	.....
Puerperal septicemia (146)	20	.....	.....	.....	.....	.....	.....	3	12	5	.....	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	28	.....	.....	.....	.....	.....	.....	5	14	7	2	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	27	.....	.....	.....	.....	.....	.....	2	6	4	9	4	2	.....	.....	.....	.....	.....
Homicide (197–200)	98	.....	.....	.....	.....	.....	.....	4	33	34	20	5	1	1	.....	.....	.....	.....
Other external causes (175–196, 201–203)	160	5	1	2	3	1	10	19	33	20	21	21	7	8	7	1	1	.....
All other causes	905	284	17	8	5	4	14	26	78	112	100	83	73	57	33	8	3	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND AGE OF DECEDENT: 1921—Continued.

[See note at head of this table, p. 534.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown ago.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
MEMPHIS, TENN. (WHITE).																		
All causes	1,424	192	42	22	9	7	38	51	126	147	171	153	196	188	69	13		
Typhoid and paratyphoid fever (1)	8							1	1	3	1	2						
Measles (7)	9	1	2	1	2	1	2											
Scarlet fever (8)	3	1		1			1											
Whooping cough (9)	4	2	1		1													
Diphtheria (10)	16	1	2	4	2	2	3	2										
Influenza (11)	13	2		1						1	1		3	4	1			
Meningococcus meningitis (24)	1						1											
Tuberculosis of the respiratory system (31)	62	1						4	10	13	13	10	8	3				
Other forms of tuberculosis (32–37)	22	1	3		1			2	5	5	1	2		1	1			
Cancer and other malignant tumors (43–49)	104		1						2	14	18	15	35	13	6			
Diabetes mellitus (57)	16								2	1	3	5	3	2				
Cerebral hemorrhage and softening (74, 83)	67									3	10	9	19	18	8			
Other [organic] diseases of the heart (90)	98	1					1		6	3	12	18	22	28	5	2		
Bronchitis (99)	5	1											2	2				
Bronchopneumonia (100)	38	8	3	1	1		3	1	3	2	2	2	1	7	4			
Pneumonia (101)	45	6		2		1	2	3	1	3	6	6	7	6		2		
Diarrhea and enteritis (113, 114)	53	19	19	5			2				1	1		4	1	1		
Appendicitis and typhlitis (117)	53		1	1			5	16	10	5	6	4	3	2				
Hernia, intestinal obstruction (118)	20	3						2		4	4	3	1	1	2			
Cirrhosis of the liver (122)	15							1		3		3	4	3	1			
Nephritis (128, 129)	153	3	1			1	1	1	7	6	15	22	37	40	15	4		
Diseases of the female genital organs (137–141)	14							1	2	4	5		1		1			
Puerperal septicemia (146)	8								5	3								
Other puerperal causes (143–145, 147–150)	18							1	10	6	1							
Suicide (165–174)	25							1	5	4	9	4	2					
Homicide (197–200)	38							2	8	14	11	2		1				
Other external causes (175–196, 201–203)	88	3		1	1		7	5	18	11	11	12	5	8	5	1		
All other causes	428	139	9	5	1	2	10	8	31	39	41	33	43	45	19	3		
MEMPHIS, TENN. (COLORED).																		
All causes	1,452	195	33	7	10	6	20	100	244	235	222	187	104	49	30	6	4	
Typhoid and paratyphoid fever (1)	12				1			4	4	1		2						
Measles (7)	4	1	2		1													
Scarlet fever (8)																		
Whooping cough (9)	2	2																
Diphtheria (10)	7		1		1		4		1									
Influenza (11)	42	4	5				2	3	8	4	7	5	2	2				
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	170	2	3	1			2	27	62	40	20	8	3	2				
Other forms of tuberculosis (32–37)	26	1						3	6	10	4	1	1					
Cancer and other malignant tumors (43–49)	38								4	6	13	11	4					
Diabetes mellitus (57)	2									1	1							
Cerebral hemorrhage and softening (74, 83)	41							1	1	4	7	10	15	3				
Other [organic] diseases of the heart (90)	135		1					2	11	16	28	41	19	13	3	1		
Bronchitis (99)	13	3	1	1					2			2	2	2				
Bronchopneumonia (100)	22	11	3	1					5			1	1					
Pneumonia (101)	68	7	4				3	7	7	14	8	11	5		2			
Diarrhea and enteritis (113, 114)	36	15	3		1	2			1	3	5	4		2				
Appendicitis and typhlitis (117)	31						1	5	9	3	9	2	1	1				
Hernia, intestinal obstruction (118)	24	1					1		5	3	4	2	4	1	3			
Cirrhosis of the liver (122)	3									1	1	1						
Nephritis (128, 129)	120	1	1			1		5	12	16	30	23	14	11	6			
Diseases of the female genital organs (137–141)	23							1	7	8	6	1						
Puerperal septicemia (146)	12							3	7	2								
Other puerperal causes (143–145, 147–150)	10							4	4	1	1							
Suicide (165–174)	2							1	1									
Homicide (197–200)	60							2	25	20	9	3	1					
Other external causes (175–196, 201–203)	72	2	1	1	2	1	3	14	15	9	10	9	2		2	1		
All other causes	477	145	8	3	4	2	4	18	47	73	59	50	30	12	14	5	3	
NASHVILLE, TENN. (TOTAL).																		
All causes	1,978	240	56	20	13	14	39	107	197	232	240	241	260	200	109	9	1	
Typhoid and paratyphoid fever (1)	26				1		2	7	5	5	3	2	1					
Measles (7)	2			1			1											
Scarlet fever (8)	3		3															
Whooping cough (9)	26	9	7	4	1	2	2	1										
Diphtheria (10)	14			2	3	4	4			1								
Influenza (11)	42	3	4	1			2	3	1	3	4	3	9	7	2			
Meningococcus meningitis (24)	3	1							2									
Tuberculosis of the respiratory system (31)	152	3	1	2			2	22	46	34	18	17	4	3				
Other forms of tuberculosis (32–37)	42	3	2				3	5	6	9	7	6	1					
Cancer and other malignant tumors (43–49)	118							1	2	13	29	26	28	12	7			
Diabetes mellitus (57)	18								3	3		4	4	4				
Cerebral hemorrhage and softening (74, 83)	105		1						4	6	11	23	21	21	17	1		
Other [organic] diseases of the heart (90)	254						1	2	17	21	37	48	56	44	26	2		
Bronchitis (99)	13	2	1						1		2	1	2	2	2			
Bronchopneumonia (100)	62	24	4	1		2	2	1	2	1	6	5	4	7	3			
Pneumonia (101)	85	7	5		2	1	1	4	12	10	12	9	11	5	6			
Diarrhea and enteritis (113, 114)	72	39	17	3			1	1	1		3		2	1	4			
Appendicitis and typhlitis (117)	41					1	4	7	6	10	5	5	2	1				
Hernia, intestinal obstruction (118)	35	7						1	2	6	7	5	4	3				
Cirrhosis of the liver (122)	16						1			1	2	5	5	2				
Nephritis (128, 129)	148	1					1	6	6	11	18	23	40	29	11	2		
Diseases of the female genital organs (137–141)	23							1	6	4	10	1	1					
Puerperal septicemia (146)	18							5	8	4	1							
Other puerperal causes (143–145, 147–150)	27							7	7	10	3							
Suicide (165–174)	16							3	2	2	2	2	4	1				
Homicide (197–200)	40							2	12	18	5	2	1					
Other external causes (175–196, 201–203)	110	2	2	3	5		5	13	23	12	9	11	9	10	4	2		
All other causes	467	139	9	3	1	4	7	15	23	48	46	43	51	48	27	2	1	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND AGE OF DECEDENT: 1921—Continued.

[See note at head of this table, p. 534.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
NASHVILLE, TENN. (WHITE).																		
All causes	1,167	152	37	15	9	10	18	59	91	105	120	121	177	152	95	6	.....	.....
Typhoid and paratyphoid fever (1)	17	.....	.....	.....	1	.....	1	3	2	5	2	2	1	.....	.....	.....	.....	.....
Measles (7)	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	3	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	16	6	4	4	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	14	.....	.....	2	3	4	4	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (11)	26	1	1	.....	.....	.....	.....	2	1	2	2	1	8	6	2	.....	.....	.....
Meningococcus meningitis (24)	3	1	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	63	3	.....	1	.....	.....	.....	10	17	11	9	6	4	2	.....	.....	.....	.....
Other forms of tuberculosis (32–37)	19	3	2	.....	.....	.....	1	1	3	3	2	3	1	.....	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	81	.....	.....	.....	.....	.....	.....	.....	1	6	15	22	22	9	6	.....	.....	.....
Diabetes mellitus (57)	15	.....	.....	.....	.....	.....	.....	.....	1	3	.....	3	4	4	.....	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	68	.....	1	.....	.....	.....	.....	.....	2	2	4	11	17	16	15	.....	.....	.....
Other [organic] diseases of the heart (90)	116	.....	.....	.....	.....	.....	.....	2	5	4	12	18	26	30	19	.....	.....	.....
Bronchitis (99)	4	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....
Bronchopneumonia (100)	28	7	.....	.....	.....	2	.....	.....	1	.....	3	3	3	6	3	.....	.....	.....
Pneumonia (101)	47	5	2	.....	1	.....	.....	1	3	8	6	3	9	4	5	.....	.....	.....
Diarrhea and enteritis (113, 114)	45	21	13	3	.....	.....	1	1	.....	.....	1	.....	1	1	3	.....	.....	.....
Appendicitis and typhlitis (117)	34	.....	.....	.....	.....	1	3	6	5	7	5	4	2	1	.....	.....	.....	.....
Hernia, intestinal obstruction (118)	18	5	.....	.....	.....	.....	.....	.....	1	3	3	3	1	2	.....	.....	.....	.....
Cirrhosis of the liver (122)	9	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	2	4	2	.....	.....	.....	.....
Nephritis (128, 129)	81	1	.....	.....	.....	.....	.....	4	2	5	6	7	24	20	10	2	.....	.....
Diseases of the female genital organs (137–141)	11	.....	.....	.....	.....	.....	.....	1	2	1	6	.....	1	.....	.....	.....	.....	.....
Puerperal septicemia (146)	11	.....	.....	.....	.....	.....	.....	3	5	3	.....	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	18	.....	.....	.....	.....	.....	.....	5	5	6	2	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	14	.....	.....	.....	.....	.....	.....	3	1	2	1	2	4	1	.....	.....	.....	.....
Homicide (197–200)	17	.....	.....	.....	.....	.....	.....	.....	4	6	5	2	.....	.....	.....	.....	.....	.....
Other external causes (175–196, 201–203)	76	1	2	2	4	.....	3	7	17	7	7	5	7	8	4	2	.....	.....
All other causes	312	98	8	2	.....	2	3	10	11	20	29	24	38	39	26	2	.....	.....
NASHVILLE, TENN. (COLORED.)																		
All causes	811	88	19	5	4	4	21	48	106	127	120	120	83	48	14	3	1	.....
Typhoid and paratyphoid fever (1)	9	.....	.....	.....	.....	.....	1	4	3	.....	1	.....	.....	.....	.....	.....	.....	.....
Measles (7)	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	10	3	3	.....	1	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (11)	16	2	3	1	.....	.....	2	1	.....	1	2	2	1	1	.....	.....	.....	.....
Meningococcus meningitis (24)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	89	.....	1	1	.....	.....	2	12	29	23	9	11	.....	1	.....	.....	.....	.....
Other forms of tuberculosis (32–37)	23	.....	.....	.....	.....	.....	2	4	3	6	5	3	.....	.....	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	37	.....	.....	.....	.....	.....	.....	1	1	7	14	4	6	3	1	.....	.....	.....
Diabetes mellitus (57)	3	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	.....	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	37	.....	.....	.....	.....	.....	.....	.....	2	4	7	12	4	5	2	1	.....	.....
Other [organic] diseases of the heart (90)	138	.....	.....	.....	.....	.....	1	.....	12	17	25	30	30	14	7	2	.....	.....
Bronchitis (99)	9	2	.....	.....	.....	.....	.....	.....	1	.....	2	1	2	1	.....	.....	.....	.....
Bronchopneumonia (100)	34	17	4	1	.....	.....	2	1	1	1	3	2	1	1	.....	.....	.....	.....
Pneumonia (101)	38	2	3	.....	1	1	1	3	9	2	6	6	2	1	1	.....	.....	.....
Diarrhea and enteritis (113, 114)	27	18	4	.....	.....	.....	.....	.....	1	.....	2	.....	1	.....	1	.....	.....	.....
Appendicitis and typhlitis (117)	7	.....	.....	.....	.....	.....	1	1	1	3	.....	1	.....	.....	.....	.....	.....	.....
Hernia, intestinal obstruction (118)	17	2	.....	.....	.....	.....	.....	1	1	3	4	2	3	1	.....	.....	.....	.....
Cirrhosis of the liver (122)	7	.....	.....	.....	.....	.....	.....	.....	.....	1	2	3	1	.....	.....	.....	.....	.....
Nephritis (128, 129)	67	.....	.....	.....	.....	.....	1	2	4	6	12	16	16	9	1	.....	.....	.....
Diseases of the female genital organs (137–141)	12	.....	.....	.....	.....	.....	.....	.....	4	3	4	1	.....	.....	.....	.....	.....	.....
Puerperal septicemia (146)	7	.....	.....	.....	.....	.....	.....	2	3	1	1	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	9	.....	.....	.....	.....	.....	.....	2	2	4	1	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
Homicide (197–200)	23	.....	.....	.....	.....	.....	.....	2	8	12	.....	.....	1	.....	.....	.....	.....	.....
Other external causes (175–196, 201–203)	34	1	.....	1	1	.....	2	6	6	5	2	6	2	2	.....	.....	.....	.....
All other causes	155	41	1	1	1	2	4	5	12	28	17	19	13	9	1	.....	1	.....
DALLAS, TEX.																		
All causes	1,985	305	47	22	15	16	49	113	212	238	206	202	256	193	88	22	1	.....
Typhoid and paratyphoid fever (1)	21	.....	.....	.....	.....	.....	1	3	6	5	5	1	.....	.....	.....	.....	.....	.....
Measles (7)	6	1	2	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	5	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	14	.....	4	1	1	4	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (11)	21	.....	1	.....	.....	.....	1	.....	3	4	3	2	4	2	.....	.....	1	.....
Meningococcus meningitis (24)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	127	1	.....	.....	.....	.....	.....	16	33	30	18	16	6	5	2	.....	.....	.....
Other forms of tuberculosis (32–37)	17	3	3	.....	.....	.....	1	2	3	4	.....	1	.....	.....	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	121	1	.....	.....	1	.....	2	.....	7	17	11	23	32	21	5	1	.....	.....
Diabetes mellitus (57)	39	.....	.....	1	.....	.....	1	4	5	5	3	8	5	5	2	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	134	.....	.....	.....	.....	.....	.....	1	3	7	24	19	40	27	10	3	.....	.....
Other [organic] diseases of the heart (90)	130	.....	.....	.....	.....	.....	1	5	4	11	15	25	33	26	8	2	.....	.....
Bronchitis (99)	8	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	4	.....	.....
Bronchopneumonia (100)	47	14	10	2	1	.....	3	.....	1	.....	5	2	5	3	1	.....	.....	.....
Pneumonia (101)	75	9	4	5	.....	.....	3	7	6	6	7	9	11	5	2	1	.....	.....
Diarrhea and enteritis (113, 114)	55	32	7	.....	3	2	.....	.....	1	1	1	.....	2	4	2	.....	.....	.....
Appendicitis and typhlitis (117)	69	.....	.....	1	.....	.....	7	15	11	16	8	5	5	1	.....	.....	.....	.....
Hernia, intestinal obstruction (118)	9	1	.....	.....	.....	.....	.....	1	.....	1	2	1	2	.....	1	.....	.....	.....
Cirrhosis of the liver (122)	17	.....	.....	.....	.....	1	.....	.....	3	2	1	4	4	1	1	.....	.....	.....
Nephritis (128, 129)	144	1	.....	.....	.....	1	1	3	4	19	19	26	31	23	14	2	.....	.....
Diseases of the female genital organs (137–141)	31	.....	.....	.....	.....	.....	.....	1	9	7	11	2	1	.....	.....	.....	.....	.....
Puerperal septicemia (146)	28	.....	.....	.....	.....	.....	.....	6	15	7	.....	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	26	.....	.....	.....	.....	.....	.....	5	17	4	.....	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	36	.....	.....	.....	.....	.....	.....	2	7	11	6	7	1	2	.....	.....	.....	.....
Homicide (197–200)	39	.....	.....	.....	.....	1	1	2	16	9	5	2	3	.....	.....	.....	.....	.....
Other external causes (175–196, 201–203)	119	3	7	.....	4	2	9	10	19	17	12	8	10	11	5	2	.....	.....
All other causes	647	235	8	11	5	5	12	29	39	55	50	40	61	55	31	11	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND AGE OF DECEDENT: 1921—Continued.

[See note at head of this table, p. 534.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
HOUSTON, TEX. (TOTAL).																		
All causes	1,851	233	45	19	9	10	35	99	193	221	239	248	248	158	75	14	2	3
Typhoid and paratyphoid fever (1)	17					1		2	9	1		1	3					
Measles (7)																		
Scarlet fever (8)																		
Whooping cough (9)	8	6	1	1														
Diphtheria (10)	14	1	3	1	1	2	5					1						
Influenza (11)	21	2	1				1		1	2	4	7	2		1			
Meningococcus meningitis (24)	1						1											
Tuberculosis of the respiratory system (31)	151		1		1			20	40	37	25	15	10	2				
Other forms of tuberculosis (32–37)	15	1	1					3	5	1	3		1					
Cancer and other malignant tumors (43–49)	120		1					1	3	7	19	35	28	17	8			1
Diabetes mellitus (57)	22							1		4		3	13	1				
Cerebral hemorrhage and softening (74, 83)	104			1		1			4	2	11	29	25	23	6	1	1	
Other [organic] diseases of the heart (90)	137						1	4	8	11	20	25	27	26	10	4		1
Bronchitis (99)	6			1					1				2	1	1			
Bronchopneumonia (100)	33	10	5	1	1		2	1	2	2	2	1	3	2	1			
Pneumonia (101)	55	8	2	1		1	2	2	7	14	4	5	3	3	3			
Diarrhea and enteritis (113, 114)	75	42	10	4			1		1		5	2	5	1	2	2		
Appendicitis and typhlitis (117)	41			1			3	10	5	8	5	8	1					
Hernia, intestinal obstruction (118)	29	3		1					1	5	3	4	6	1				
Cirrhosis of the liver (122)	15								1	2	2	4	3	3				
Nephritis (128, 129)	139	2		2	1	1	1	1	8	7	19	24	39	17	15	2		
Diseases of the female genital organs (137–141)	22								4	10	6	1		1				
Puerperal septicemia (146)	12								8	3	1							
Other puerperal causes (143–145, 147–150)	17							1	9	4	3							
Suicide (165–174)	25							1	3	8	5	5	3					
Homicide (197–200)	29							2	8	10	8	1						
Other external causes (175–196, 201–203)	113	2	3	1	2	2	6	14	18	15	23	15	5	4	3			
All other causes	630	156	17	4	3	2	12	36	47	68	66	62	69	56	25	5	1	1
HOUSTON, TEX. (WHITE).																		
All causes	1,251	168	36	17	8	8	30	55	93	140	139	156	190	137	61	6		2
Typhoid and paratyphoid fever (1)	11								6	1		1	3					
Measles (7)																		
Scarlet fever (8)																		
Whooping cough (9)	7	5	1	1														
Diphtheria (10)	11		1	1	1	2	5					1						
Influenza (11)	12		1				1		1	2	3	2	1		1			
Meningococcus meningitis (24)	1						1											
Tuberculosis of the respiratory system (31)	97		1		1			8	19	32	15	11	8	2				
Other forms of tuberculosis (32–37)	6	1	1					1	3									
Cancer and other malignant tumors (43–49)	95		1					1	1	2	15	25	26	16	8			
Diabetes mellitus (57)	19							1		2		2	13	1				
Cerebral hemorrhage and softening (74, 83)	67			1					1	2	5	15	18	19	5	1		
Other [organic] diseases of the heart (90)	86						1	2	4	4	8	16	16	24	9	1		1
Bronchitis (99)	4			1									2		1			
Bronchopneumonia (100)	26	8	5		1		2	1		2	1		3	2	1			
Pneumonia (101)	34	4	2	1		1	1		2	7	4	4	2	3	3			
Diarrhea and enteritis (113, 114)	50	26	8	4			1				3	2	2	1	2	1		
Appendicitis and typhlitis (117)	34			1			3	10	4	4	4	7	1					
Hernia, intestinal obstruction (118)	21	2		1						4	6	2	5	1				
Cirrhosis of the liver (122)	9										1	3	3	2				
Nephritis (128, 129)	100			2	1	1	1	1	5	4	12	16	31	13	13			
Diseases of the female genital organs (137–141)	15								3	7	3	1		1				
Puerperal septicemia (146)	5								4	1								
Other puerperal causes (143–145, 147–150)	12								6	3	3							
Suicide (165–174)	24							1	3	7	5	5	3					
Homicide (197–200)	16							1	3	6	5	1						
Other external causes (175–196, 201–203)	85	2	2	1	1	2	4	9	13	15	16	11	4	4	1			
All other causes	404	120	13	3	3	2	10	19	20	35	30	31	49	48	17	3		1
HOUSTON, TEX. (COLORED).																		
All causes	600	65	9	2	1	2	5	44	95	81	100	92	58	21	14	8	2	1
Typhoid and paratyphoid fever (1)	6					1		2	3									
Measles (7)																		
Scarlet fever (8)																		
Whooping cough (9)	1	1																
Diphtheria (10)	3	1	2															
Influenza (11)	9	2									1	5	1					
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	54							12	21	5	10	4	2					
Other forms of tuberculosis (32–37)	9							2	2	1	3		1					
Cancer and other malignant tumors (43–49)	25								2	5	4	10	2	1				1
Diabetes mellitus (57)	3									2		1						
Cerebral hemorrhage and softening (74, 83)	37					1			3		6	14	7	4	1		1	
Other [organic] diseases of the heart (90)	51							2	4	7	12	9	11	2	1	3		
Bronchitis (99)	2								1					1				
Bronchopneumonia (100)	7	2		1					2		1	1						
Pneumonia (101)	21	4					1	2	5	7		1	1					
Diarrhea and enteritis (113, 114)	25	16	2						1		2		3			1		
Appendicitis and typhlitis (117)	7								1	4	1	1						
Hernia, intestinal obstruction (118)	8	1							1	1	2	2	1					
Cirrhosis of the liver (122)	6								1	2	1	1		1				
Nephritis (128, 129)	39	2							3	3	7	8	8	4	2	2		
Diseases of the female genital organs (137–141)	7								1	3	3							
Puerperal septicemia (146)	7								4	2	1							
Other puerperal causes (143–145, 147–150)	5							1	3	1								
Suicide (165–174)	1									1								
Homicide (197–200)	13							1	5	4	3							
Other external causes (175–196, 201–203)	28		1		1		2	5	5		7	4	1		2			
All other causes	226	36	4	1			2	17	27	33	36	31	20	8	8	2	1	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND AGE OF DECEDENT: 1921—Continued.

[See note at head of this table, p. 534.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
SAN ANTONIO, TEX.																		
All causes	2,678	637	139	59	22	15	65	160	306	240	242	247	240	188	95	16	2	5
Typhoid and paratyphoid fever (1)	30	.....	3	.....	.....	.....	4	9	3	7	2	1	1	.....	.....	.....	.....	.....
Measles (7)	32	11	12	4	1	1	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Whooping cough (9)	11	5	2	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	21	3	3	4	.....	.....	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (11)	26	2	2	1	.....	1	.....	2	2	4	3	3	4	2	.....	.....	.....	.....
Meningococcus meningitis (24)	6	3	.....	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	403	6	2	.....	2	.....	5	58	145	77	54	28	14	10	.....	.....	.....	2
Other forms of tuberculosis (32–37)	28	2	3	1	.....	1	3	2	5	3	4	3	1	.....	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	129	.....	.....	.....	.....	.....	.....	1	4	10	27	33	25	22	6	1	.....	.....
Diabetes mellitus (57)	22	.....	1	.....	.....	.....	.....	1	1	1	4	4	7	3	.....	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	103	3	.....	.....	.....	.....	.....	1	9	7	10	19	22	22	6	3	.....	1
Other [organic] diseases of the heart (90)	162	1	.....	.....	.....	.....	.....	5	6	12	21	27	43	30	16	1	.....	.....
Bronchitis (99)	24	2	1	2	.....	.....	.....	1	4	1	1	2	1	4	4	1	.....	.....
Bronchopneumonia (100)	64	29	6	3	2	1	3	1	1	2	2	2	5	1	6	.....	.....	.....
Pneumonia (101)	68	10	3	2	1	.....	1	5	13	8	6	7	5	4	2	1	.....	.....
Diarrhea and enteritis (113, 114)	382	245	74	16	3	2	4	3	2	1	5	6	8	6	6	1	.....	.....
Appendicitis and typhlitis (117)	30	.....	.....	.....	1	.....	1	6	7	7	5	2	1	.....	.....	.....	.....	.....
Hernia, intestinal obstruction (118)	29	4	1	.....	.....	.....	2	2	2	1	5	3	7	2	.....	.....	.....	.....
Cirrhosis of the liver (122)	16	.....	.....	.....	.....	.....	.....	.....	.....	3	3	3	4	3	.....	.....	.....	.....
Nephritis (128, 129)	124	2	.....	.....	.....	.....	.....	1	4	8	19	28	25	24	9	2	1	1
Diseases of the female genital organs (137–141)	15	.....	.....	.....	.....	.....	.....	2	6	5	1	.....	.....	1	.....	.....	.....	.....
Puerperal septicemia (146)	14	.....	.....	.....	.....	.....	.....	2	6	5	1	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	24	.....	.....	.....	.....	.....	.....	.....	13	10	1	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	31	.....	.....	.....	.....	.....	.....	4	4	6	5	6	4	1	1	.....	.....	.....
Homicide (197–200)	18	.....	.....	.....	.....	.....	.....	3	8	4	2	.....	1	.....	.....	.....	.....	.....
Other external causes (175–196, 201–203)	172	12	3	5	6	5	15	27	28	17	14	14	9	10	6	.....	.....	1
All other causes	692	297	23	17	5	3	14	22	32	41	47	55	53	43	33	6	1	.....
SALT LAKE CITY, UTAH.																		
All causes	1,503	251	55	17	9	13	47	75	107	130	139	183	186	179	97	15	.....	.....
Typhoid and paratyphoid fever (1)	7	.....	.....	.....	.....	.....	2	2	.....	1	.....	.....	2	.....	.....	.....	.....	.....
Measles (7)	24	5	11	3	.....	2	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	4	.....	1	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	17	14	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	22	.....	.....	1	4	2	9	3	1	.....	1	1	.....	.....	.....	.....	.....	.....
Influenza (11)	8	2	.....	.....	.....	.....	2	1	.....	1	1	.....	.....	.....	1	.....	.....	.....
Meningococcus meningitis (24)	5	.....	.....	.....	.....	.....	2	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	60	.....	1	.....	.....	.....	1	1	19	16	8	8	5	1	.....	.....	.....	.....
Other forms of tuberculosis (32–37)	15	.....	2	1	1	.....	1	2	3	1	4	.....	.....	.....	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	121	.....	.....	.....	.....	.....	.....	.....	2	10	22	32	27	18	10	.....	.....	.....
Diabetes mellitus (57)	30	.....	.....	.....	.....	.....	4	2	.....	3	2	6	6	5	2	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	94	.....	.....	.....	.....	.....	.....	.....	1	3	2	16	27	30	11	4	.....	.....
Other [organic] diseases of the heart (90)	183	.....	2	1	.....	1	2	10	11	11	15	34	35	38	19	4	.....	.....
Bronchitis (99)	9	3	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	2	.....	.....	.....
Bronchopneumonia (100)	49	17	10	3	.....	3	.....	.....	3	2	1	1	1	4	3	1	.....	.....
Pneumonia (101)	52	5	3	2	.....	.....	.....	4	2	3	7	5	8	7	6	.....	.....	.....
Diarrhea and enteritis (113, 114)	52	33	16	1	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Appendicitis and typhlitis (117)	43	1	.....	1	.....	.....	4	12	8	8	7	2	.....	.....	.....	.....	.....	.....
Hernia, intestinal obstruction (118)	24	4	1	.....	.....	.....	.....	1	3	3	1	1	5	4	1	.....	.....	.....
Cirrhosis of the liver (122)	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	4	5	1	.....	.....	.....
Nephritis (128, 129)	91	.....	.....	.....	.....	.....	1	5	6	9	9	5	23	21	9	3	.....	.....
Diseases of the female genital organs (137–141)	12	.....	.....	.....	.....	.....	.....	.....	2	2	3	4	.....	1	.....	.....	.....	.....
Puerperal septicemia (146)	17	.....	.....	.....	.....	.....	.....	.....	8	7	2	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	14	.....	.....	.....	.....	.....	.....	1	6	6	1	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	19	.....	.....	.....	.....	.....	.....	1	3	5	2	8	.....	.....	.....	.....	.....	.....
Homicide (197–200)	7	.....	.....	.....	.....	.....	.....	.....	.....	1	4	1	1	.....	.....	.....	.....	.....
Other external causes (175–196, 201–203)	94	.....	1	1	3	.....	7	12	6	14	16	13	8	9	3	1	.....	.....
All other causes	419	167	5	2	1	4	8	15	21	23	29	46	33	34	29	2	.....	.....
NORFOLK, VA. (TOTAL).																		
All causes	1,565	253	49	22	10	11	32	77	183	183	208	208	171	102	44	9	1	2
Typhoid and paratyphoid fever (1)	12	.....	.....	1	1	1	.....	1	3	3	2	.....	.....	.....	.....	.....	.....	.....
Measles (7)	6	2	2	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	5	.....	.....	.....	.....	.....	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	22	6	8	6	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	4	.....	.....	.....	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (11)	7	1	.....	.....	.....	.....	.....	1	1	1	.....	1	2	.....	.....	.....	.....	.....
Meningococcus meningitis (24)	5	1	.....	.....	.....	.....	1	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	109	1	1	.....	1	.....	1	10	35	27	17	11	4	1	.....	.....	.....	.....
Other forms of tuberculosis (32–37)	19	5	3	1	.....	.....	2	4	3	.....	1	.....	.....	.....	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	85	.....	.....	.....	.....	.....	.....	.....	2	10	18	20	17	13	5	.....	.....	.....
Diabetes mellitus (57)	19	.....	.....	.....	.....	.....	.....	1	2	2	2	7	4	.....	1	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	123	.....	.....	.....	.....	.....	.....	1	2	7	26	35	32	17	1	1	1	.....
Other [organic] diseases of the heart (90)	164	.....	.....	.....	.....	.....	1	2	7	18	33	35	31	21	12	4	.....	.....
Bronchitis (99)	13	3	3	.....	.....	.....	.....	1	.....	.....	.....	2	.....	1	2	1	.....	.....
Bronchopneumonia (100)	42	20	12	1	1	1	.....	1	.....	1	.....	.....	3	1	1	.....	.....	.....
Pneumonia (101)	71	7	1	1	.....	2	3	5	9	11	12	11	6	3	.....	.....	.....	.....
Diarrhea and enteritis (113, 114)	64	39	7	2	1	1	.....	1	1	2	1	3	3	3	.....	.....	.....	.....
Appendicitis and typhlitis (117)	32	.....	.....	.....	.....	.....	2	6	11	5	7	1	.....	.....	.....	.....	.....	.....
Hernia, intestinal obstruction (118)	21	4	.....	1	.....	.....	1	.....	8	4	1	.....	.....	1	1	.....	.....	.....
Cirrhosis of the liver (122)	8	.....	.....	.....	.....	.....	.....	.....	.....	2	3	1	.....	1	1	.....	.....	.....
Nephritis (128, 129)	99	2	.....	.....	.....	.....	.....	2	6	9	15	20	22	13	9	1	.....	.....
Diseases of the female genital organs (137–141)	10	.....	.....	.....	.....	.....	.....	1	1	6	2	.....	.....	.....	.....	.....	.....	.....
Puerperal septicemia (146)	14	.....	.....	.....	.....	.....	.....	4	7	3	.....	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	18	.....	.....	.....	.....	.....	.....	2	8	8	.....	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	22	.....	.....	.....	.....	.....	.....	.....	4	4	3	6	4	1	.....	.....	.....	.....
Homicide (197–200)	34	.....	.....	.....	.....	.....	.....	3	15	13	3	.....	.....	.....	.....	.....	.....	.....
Other external causes (175–196, 201–203)	100	5	3	4	1	3	10	13	23	10	12	5	6	3	2	.....	.....	.....
All other causes	437	157	9	4	3	2	5	16	31	37	48	49	38	22	11	3	.....	2

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND AGE OF DECEDENT: 1921—Continued.

[See note at head of this table, p. 534.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
NORFOLK, VA. (WHITE).																		
All causes	757	114	17	8	7	7	22	31	71	58	70	103	119	81	42	7	.....	.....
Typhoid and paratyphoid fever (1)	6	.....	.....	.....	1	1	.....	.....	1	3	.....	.....	.....	.....	.....	.....	.....	.....
Measles (7)	5	1	2	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	5	.....	.....	.....	.....	.....	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	11	6	2	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	4	.....	.....	.....	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (11)	7	1	.....	.....	.....	.....	.....	1	1	1	.....	1	2	.....	.....	.....	.....	.....
Meningococcus meningitis (24)	5	1	.....	.....	.....	.....	1	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	32	.....	1	.....	.....	.....	.....	3	6	9	7	4	2	.....	.....	.....	.....	.....
Other forms of tuberculosis (32–37)	7	2	1	1	.....	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	61	.....	.....	.....	.....	.....	.....	.....	2	7	11	11	13	12	5	.....	.....	.....
Diabetes mellitus (57)	16	.....	.....	.....	.....	.....	.....	1	1	1	2	6	4	.....	1	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	59	.....	.....	.....	.....	.....	.....	.....	.....	3	2	15	24	13	1	1	.....	.....
Other [organic] diseases of the heart (90)	81	.....	.....	.....	.....	.....	1	1	1	1	7	16	24	17	11	2	.....	.....
Bronchitis (99)	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....
Bronchopneumonia (100)	11	1	2	1	1	1	.....	.....	.....	1	.....	2	1	1	.....	.....	.....	.....
Pneumonia (101)	22	2	.....	.....	.....	.....	2	2	2	3	3	5	1	2	.....	.....	.....	.....
Diarrhea and enteritis (113, 114)	24	14	3	1	1	.....	.....	.....	1	.....	.....	1	1	2	.....	.....	.....	.....
Appendicitis and typhlitis (117)	19	.....	.....	.....	.....	.....	1	3	7	3	4	1	.....	.....	.....	.....	.....	.....
Hernia, intestinal obstruction (118)	4	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	1	1	.....	.....	.....
Cirrhosis of the liver (122)	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	1	.....	.....	.....
Nephritis (128, 129)	55	1	.....	.....	.....	.....	.....	1	2	2	6	9	14	10	9	1	.....	.....
Diseases of the female genital organs (137–141)	3	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....
Puerperal septicemia (146)	4	.....	.....	.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	7	.....	.....	.....	.....	.....	.....	.....	3	4	.....	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	21	.....	.....	.....	.....	.....	.....	.....	4	4	3	5	4	1	.....	.....	.....	.....
Homicide (197–200)	8	.....	.....	.....	.....	.....	.....	2	3	3	.....	.....	.....	.....	.....	.....	.....	.....
Other external causes (175–196, 201–203)	57	3	2	1	.....	3	6	5	16	4	5	3	5	3	1	.....	.....	.....
All other causes	216	82	4	1	2	1	5	10	13	4	17	23	24	16	11	3	.....	.....
NORFOLK, VA. (COLORED).																		
All causes	808	139	32	14	3	4	10	46	112	125	138	105	52	21	2	2	1	2
Typhoid and paratyphoid fever (1)	6	.....	.....	1	.....	.....	.....	1	2	.....	2	.....	.....	.....	.....	.....	.....	.....
Measles (7)	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	11	.....	6	4	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (11)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Meningococcus meningitis (24)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	77	1	.....	.....	1	.....	1	7	29	18	10	7	2	1	.....	.....	.....	.....
Other forms of tuberculosis (32–37)	12	3	2	.....	.....	.....	1	4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	24	.....	.....	.....	.....	.....	.....	.....	.....	3	7	9	4	1	.....	.....	.....	.....
Diabetes mellitus (57)	3	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	64	.....	.....	.....	.....	.....	.....	1	2	4	24	20	8	4	.....	.....	1	.....
Other [organic] diseases of the heart (90)	83	.....	.....	.....	.....	.....	.....	1	6	17	26	19	7	4	1	2	.....	.....
Bronchitis (99)	10	3	3	.....	.....	.....	.....	1	.....	.....	2	.....	1	.....	.....	.....	.....	.....
Bronchopneumonia (100)	31	19	10	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Pneumonia (101)	49	5	1	1	.....	2	1	3	7	8	9	6	5	1	.....	.....	.....	.....
Diarrhea and enteritis (113, 114)	40	25	4	1	.....	1	.....	1	.....	2	1	2	2	1	.....	.....	.....	.....
Appendicitis and typhlitis (117)	13	.....	.....	.....	.....	.....	1	3	4	2	3	.....	.....	.....	.....	.....	.....	.....
Hernia, intestinal obstruction (118)	17	4	.....	1	.....	.....	1	.....	7	3	1	.....	.....	.....	.....	.....	.....	.....
Cirrhosis of the liver (122)	4	.....	.....	.....	.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....	.....	.....	.....
Nephritis (128, 129)	44	1	.....	.....	.....	.....	.....	1	4	7	9	11	8	3	.....	.....	.....	.....
Diseases of the female genital organs (137–141)	7	.....	.....	.....	.....	.....	.....	1	1	4	1	.....	.....	.....	.....	.....	.....	.....
Puerperal septicemia (146)	10	.....	.....	.....	.....	.....	.....	4	5	1	.....	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	11	.....	.....	.....	.....	.....	.....	2	5	4	.....	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Homicide (197–200)	26	.....	.....	.....	.....	.....	.....	1	12	10	3	.....	.....	.....	.....	.....	.....	.....
Other external causes (175–196, 201–203)	43	2	1	3	1	.....	4	8	7	6	7	2	1	.....	1	.....	.....	.....
All other causes	221	75	5	3	1	1	.....	6	18	33	31	26	14	6	.....	.....	.....	2
RICHMOND, VA. (TOTAL).																		
All causes	2,567	437	74	42	20	12	39	115	216	237	293	316	342	279	131	13	1	.....
Typhoid and paratyphoid fever (1)	10	.....	.....	.....	.....	.....	.....	2	3	4	.....	1	.....	.....	.....	.....	.....	.....
Measles (7)	4	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	37	22	6	8	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	17	2	1	5	2	2	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (11)	29	4	.....	1	1	.....	1	.....	2	1	2	9	3	4	1	.....	.....	.....
Meningococcus meningitis (24)	4	2	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	212	3	1	.....	.....	1	2	23	70	47	37	15	11	2	.....	.....	.....	.....
Other forms of tuberculosis (32–37)	43	6	6	2	2	1	5	5	5	2	6	.....	2	.....	1	.....	.....	.....
Cancer and other malignant tumors (43–49)	152	.....	.....	1	.....	.....	.....	4	5	14	23	34	40	23	8	.....	.....	.....
Diabetes mellitus (57)	28	.....	.....	.....	.....	.....	.....	2	2	3	4	11	5	1	.....	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	206	.....	.....	.....	.....	1	1	1	4	8	24	47	60	45	13	2	.....	.....
Other [organic] diseases of the heart (90)	276	1	1	.....	.....	.....	.....	1	7	21	43	45	60	61	32	4	.....	.....
Bronchitis (99)	14	2	.....	.....	2	.....	1	1	.....	1	1	1	.....	2	3	.....	.....	.....
Bronchopneumonia (100)	95	39	15	2	.....	4	3	1	.....	5	6	3	5	7	4	1	.....	.....
Pneumonia (101)	118	7	4	2	.....	.....	1	6	15	14	13	24	16	10	6	.....	.....	.....
Diarrhea and enteritis (113, 114)	92	51	16	6	2	.....	.....	1	2	.....	4	3	1	3	3	.....	.....	.....
Appendicitis and typhlitis (117)	40	.....	1	2	.....	.....	.....	7	4	10	7	5	4	.....	.....	.....	.....	.....
Hernia, intestinal obstruction (118)	31	4	3	.....	.....	.....	.....	2	1	5	4	5	5	1	1	.....	.....	.....
Cirrhosis of the liver (122)	12	.....	.....	.....	.....	.....	.....	.....	1	.....	3	4	4	.....	.....	.....	.....	.....
Nephritis (128, 129)	214	.....	.....	1	1	.....	1	6	4	14	18	31	63	52	23	.....	.....	.....
Diseases of the female genital organs (137–141)	19	.....	.....	.....	.....	.....	.....	.....	5	5	5	3	.....	1	.....	.....	.....	.....
Puerperal septicemia (146)	15	.....	.....	.....	.....	.....	.....	3	6	4	2	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	38	.....	.....	.....	.....	.....	.....	7	20	9	2	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	19	.....	.....	.....	.....	.....	.....	.....	4	5	3	5	1	1	.....	.....	.....	.....
Homicide (197–200)	15	.....	.....	.....	.....	.....	.....	1	7	5	.....	.....	2	.....	.....	.....	.....	.....
Other external causes (175–196, 201–203)	110	10	1	4	3	.....	5	15	13	18	8	11	4	12	5	1	.....	.....
All other causes	716	282	18	7	6	2	13	26	36	42	78	59	56	54	31	5	1	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND AGE OF DECEDENT: 1921—Continued.

[See note at head of this table, p. 534.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
RICHMOND, VA. (WHITE).																		
All causes	1,491	232	37	27	15	5	23	50	83	112	128	161	241	243	120	13	1	.....
Typhoid and paratyphoid fever (1)	9	.....	.....	.....	.....	.....	.....	1	3	4	.....	1	.....	.....	.....	.....	.....	.....
Measles (7)	3	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	22	11	4	6	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	13	2	1	2	2	1	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (11)	13	2	.....	.....	1	.....	1	.....	1	.....	.....	3	.....	4	1	.....	.....	.....
Meningococcus meningitis (24)	2	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	92	2	.....	.....	.....	.....	.....	4	24	18	22	10	10	2	.....	.....	.....	.....
Other forms of tuberculosis (32–37)	19	4	2	.....	1	.....	3	2	2	.....	3	.....	1	.....	1	.....	.....	.....
Cancer and other malignant tumors (43–49)	123	.....	.....	1	.....	.....	.....	4	4	11	16	22	35	22	8	.....	.....	.....
Diabetes mellitus (57)	21	.....	.....	.....	.....	.....	.....	2	1	2	3	7	5	1	.....	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	134	.....	.....	.....	.....	1	.....	.....	1	4	3	21	46	43	13	2	.....	.....
Other [organic] diseases of the heart (90)	183	1	1	.....	.....	.....	.....	1	1	6	16	24	44	55	30	4	.....	.....
Bronchitis (99)	6	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	3	.....	.....	.....
Bronchopneumonia (100)	30	7	4	.....	.....	1	1	.....	.....	3	1	3	1	5	3	1	.....	.....
Pneumonia (101)	45	3	1	.....	.....	.....	1	1	4	5	5	6	8	7	4	.....	.....	.....
Diarrhea and enteritis (113, 114)	52	27	12	5	2	.....	.....	.....	.....	.....	.....	.....	.....	3	3	.....	.....	.....
Appendicitis and typhlitis (117)	25	.....	1	2	.....	.....	.....	5	2	6	3	5	1	.....	.....	.....	.....	.....
Hernia, intestinal obstruction (118)	19	2	3	.....	.....	.....	.....	2	1	3	.....	3	3	1	1	.....	.....	.....
Cirrhosis of the liver (122)	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	3	.....	.....	.....	.....	.....
Nephritis (128, 129)	155	.....	.....	1	1	.....	1	1	2	8	11	15	45	48	22	.....	.....	.....
Diseases of the female genital organs (137–141)	11	.....	.....	.....	.....	.....	.....	.....	3	4	2	1	.....	1	.....	.....	.....	.....
Puerperal septicemia (146)	5	.....	.....	.....	.....	.....	.....	1	2	1	1	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	13	.....	.....	.....	.....	.....	.....	1	7	4	1	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	17	.....	.....	.....	.....	.....	.....	.....	3	4	3	5	1	1	.....	.....	.....	.....
Homicide (197–200)	4	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	1	.....	.....	.....	.....	.....
Other external causes (175–196, 201–203)	65	5	1	3	2	.....	3	7	7	11	4	5	2	9	5	1	.....	.....
All other causes	404	162	7	6	5	2	7	17	14	16	34	28	35	39	26	5	1	.....
RICHMOND, VA. (COLORED).																		
All causes	1,076	205	37	15	5	7	16	65	133	125	165	155	101	36	11	.....	.....	.....
Typhoid and paratyphoid fever (1)	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (7)	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	15	11	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	4	.....	.....	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (11)	16	2	.....	1	.....	.....	.....	.....	1	1	2	6	3	.....	.....	.....	.....	.....
Meningococcus meningitis (24)	2	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	120	1	1	.....	.....	1	2	19	46	29	15	5	1	.....	.....	.....	.....	.....
Other forms of tuberculosis (32–37)	24	2	4	2	1	1	2	3	3	2	3	.....	1	.....	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	29	.....	.....	.....	.....	.....	.....	.....	1	3	7	12	5	1	.....	.....	.....	.....
Diabetes mellitus (57)	7	.....	.....	.....	.....	.....	.....	.....	1	1	1	4	.....	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	72	.....	.....	.....	.....	.....	1	1	3	4	21	26	14	2	.....	.....	.....	.....
Other [organic] diseases of the heart (90)	93	.....	.....	.....	.....	.....	.....	.....	6	15	27	21	16	6	2	.....	.....	.....
Bronchitis (99)	8	1	.....	.....	2	.....	1	1	.....	1	1	1	.....	.....	.....	.....	.....	.....
Bronchopneumonia (100)	65	32	11	2	.....	3	2	1	.....	2	5	.....	4	2	1	.....	.....	.....
Pneumonia (101)	73	4	3	2	.....	.....	.....	5	11	9	8	18	8	3	2	.....	.....	.....
Diarrhea and enteritis (113, 114)	40	24	4	1	.....	.....	.....	1	2	.....	4	3	1	.....	.....	.....	.....	.....
Appendicitis and typhlitis (117)	15	.....	.....	.....	.....	.....	.....	2	2	4	4	.....	3	.....	.....	.....	.....	.....
Hernia, intestinal obstruction (118)	12	2	.....	.....	.....	.....	.....	.....	.....	2	4	2	2	.....	.....	.....	.....	.....
Cirrhosis of the liver (122)	7	.....	.....	.....	.....	.....	.....	.....	1	.....	3	2	1	.....	.....	.....	.....	.....
Nephritis (128, 129)	59	.....	.....	.....	.....	.....	.....	5	2	6	7	16	18	4	1	.....	.....	.....
Diseases of the female genital organs (137–141)	8	.....	.....	.....	.....	.....	.....	.....	2	1	3	2	.....	.....	.....	.....	.....	.....
Puerperal septicemia (146)	10	.....	.....	.....	.....	.....	.....	2	4	3	1	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	25	.....	.....	.....	.....	.....	.....	6	13	5	1	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Homicide (197–200)	11	.....	.....	.....	.....	.....	.....	1	6	3	.....	.....	1	.....	.....	.....	.....	.....
Other external causes (175–196, 201–203)	45	5	.....	1	1	.....	2	8	6	7	4	6	2	3	.....	.....	.....	.....
All other causes	312	120	11	1	1	.....	6	9	22	26	44	31	21	15	5	.....	.....	.....
SEATTLE, WASH.																		
All causes	2,839	294	45	17	13	21	66	84	201	255	357	425	487	388	170	15	.....	1
Typhoid and paratyphoid fever (1)	7	.....	.....	.....	.....	.....	.....	2	1	3	1	.....	.....	.....	.....	.....	.....	.....
Measles (7)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	3	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	6	4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	22	.....	.....	.....	2	6	10	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (11)	38	10	.....	1	.....	.....	.....	3	1	6	.....	4	6	5	2	.....	.....	.....
Meningococcus meningitis (24)	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	151	1	2	.....	.....	.....	2	11	45	36	20	26	6	2	.....	.....	.....	.....
Other forms of tuberculosis (32–37)	72	4	5	4	1	1	8	6	19	10	7	3	2	1	1	.....	.....	.....
Cancer and other malignant tumors (43–49)	335	.....	1	1	.....	.....	.....	1	3	25	60	80	98	47	19	.....	.....	.....
Diabetes mellitus (57)	58	.....	1	.....	1	1	4	7	5	1	9	9	12	7	1	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	217	.....	.....	.....	.....	.....	.....	.....	1	6	17	41	69	59	23	1	.....	.....
Other [organic] diseases of the heart (90)	396	.....	1	1	1	.....	1	6	9	22	39	63	100	94	52	7	.....	.....
Bronchitis (99)	17	3	1	.....	.....	.....	.....	.....	.....	.....	1	.....	1	7	4	.....	.....	.....
Bronchopneumonia (100)	68	18	6	2	.....	.....	3	.....	2	2	3	2	8	16	4	2	.....	.....
Pneumonia (101)	91	8	1	1	.....	2	5	2	.....	14	10	13	12	15	8	.....	.....	.....
Diarrhea and enteritis (113,114)	27	17	6	.....	.....	2	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
Appendicitis and typhlitis (117)	42	.....	2	.....	.....	.....	2	4	6	8	10	7	2	.....	1	.....	.....	.....
Hernia, intestinal obstruction (118)	37	4	1	.....	1	.....	.....	1	1	4	11	8	3	2	1	.....	.....	.....
Cirrhosis of the liver (122)	20	.....	.....	.....	.....	.....	.....	.....	1	3	3	5	5	2	1	.....	.....	.....
Nephritis (128, 129)	238	1	.....	1	.....	.....	1	7	6	11	31	42	64	48	24	2	.....	.....
Diseases of the female genital organs (137–141)	19	.....	.....	.....	.....	.....	.....	.....	2	2	8	5	1	1	.....	.....	.....	.....
Puerperal septicemia (146)	18	.....	.....	.....	.....	.....	.....	1	11	4	2	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	19	.....	.....	.....	.....	.....	.....	.....	11	6	2	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	77	.....	.....	.....	.....	.....	.....	1	13	14	16	19	9	3	1	.....	.....	1
Homicide (197–200)	23	.....	.....	.....	.....	.....	.....	.....	7	5	7	2	1	1	.....	.....	.....	.....
Other external causes (175–196, 201–203)	167	3	6	3	5	5	10	13	14	26	28	22	14	14	4	.....	.....	.....
All other causes	670	221	10	3	2	4	19	15	41	46	72	73	73	64	24	3	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND AGE OF DECEDENT: 1921—Continued.

[See note at head of this table, p. 534.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
SPOKANE, WASH.																	
All causes	1,315	144	22	14	12	7	53	73	90	116	129	180	226	167	71	11	.....	.....
Typhoid and paratyphoid fever (1)	5	.....	.....	.....	.....	.....	.....	.....	1	2	1	1	.....	.....	.....	.....	.....	.....
Measles (7)	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	4	.....	.....	1	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	8	3	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	15	.....	.....	.....	1	1	9	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (11)	21	2	.....	.....	.....	.....	.....	3	.....	3	1	3	1	7	1	.....	.....	.....
Meningococcus meningitis (24)	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	49	.....	.....	.....	.....	.....	.....	2	11	12	11	5	5	3	.....	.....	.....	.....
Other forms of tuberculosis (32–37)	18	1	2	.....	.....	1	3	3	1	3	3	1	.....	.....	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	124	.....	1	.....	.....	.....	.....	2	3	12	11	32	34	25	4	.....	.....	.....
Diabetes mellitus (57)	22	.....	.....	.....	1	.....	.....	4	2	.....	1	3	6	4	1	.....	.....	.....
Cerebral hemorrhage and softening (74, 83)	83	.....	.....	.....	.....	.....	.....	.....	.....	1	3	16	23	23	14	3	.....	.....
Other [organic] diseases of the heart (90)	128	.....	.....	.....	.....	.....	3	4	6	7	12	22	35	22	16	1	.....	.....
Bronchitis (99)	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	5	1	.....	.....
Bronchopneumonia (100)	47	13	4	1	1	.....	2	1	.....	1	4	2	5	12	1	.....	.....	.....
Pneumonia (101)	77	7	3	.....	.....	2	.....	7	3	6	8	13	16	8	4	.....	.....	.....
Diarrhea and enteritis (113, 114)	20	12	2	1	1	1	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Appendicitis and typhlitis (117)	36	.....	.....	1	.....	.....	3	8	5	7	6	2	3	1	.....	.....	.....	.....
Hernia, intestinal obstruction (118)	11	2	.....	.....	.....	.....	.....	.....	1	.....	3	2	1	1	.....	.....	.....	.....
Cirrhosis of the liver (122)	4	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	2	.....	.....	.....	.....	.....
Nephritis (128, 129)	98	.....	.....	.....	2	.....	2	1	1	2	9	21	19	30	10	1	.....	.....
Diseases of the female genital organs (137–141)	17	.....	.....	.....	.....	.....	.....	.....	2	6	5	1	3	.....	.....	.....	.....	.....
Puerperal septicemia (146)	14	.....	.....	.....	.....	.....	.....	1	9	3	1	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	13	.....	.....	.....	.....	.....	.....	.....	6	6	1	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	35	.....	.....	.....	.....	.....	.....	1	3	9	6	7	8	1	.....	.....	.....	.....
Homicide (197–200)	9	.....	.....	1	.....	.....	.....	.....	3	2	3	.....	.....	.....	.....	.....	.....	.....
Other external causes (175–196, 201–203)	70	3	3	3	1	.....	8	7	9	8	7	8	8	4	1	.....	.....	.....
All other causes	376	101	3	4	5	2	18	25	23	25	31	41	56	24	13	5	.....	.....
MILWAUKEE, WIS.																		
All causes	4,587	877	137	73	53	43	139	158	297	335	370	542	650	590	277	44	1	1
Typhoid and paratyphoid fever (1)	9	.....	.....	.....	.....	.....	1	2	2	3	.....	1	.....	.....	.....	.....	.....	.....
Measles (7)	6	4	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	58	1	4	14	10	4	21	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	18	6	10	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	92	4	10	14	12	11	28	7	3	1	1	1	.....	.....	.....	.....	.....	.....
Influenza (11)	23	4	1	.....	.....	.....	2	2	.....	1	2	1	2	3	4	1	.....	.....
Meningococcus meningitis (24)	4	1	.....	1	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	256	6	5	.....	.....	.....	1	28	81	59	32	27	15	2	.....	.....	.....	.....
Other forms of tuberculosis (32–37)	72	5	13	1	2	5	4	12	13	8	5	2	.....	2	.....	.....	.....	.....
Cancer and other malignant tumors (43–49)	442	.....	.....	1	1	.....	.....	3	6	21	49	122	138	82	17	1	.....	1
Diabetes mellitus (57)	76	.....	.....	.....	.....	.....	1	1	3	11	10	10	24	14	1	1	.....	.....
Cerebral hemorrhage and softening (74, 83)	296	2	.....	.....	.....	.....	.....	.....	2	4	25	43	90	82	40	8	.....	.....
Other [organic] diseases of the heart (90)	488	.....	.....	.....	.....	.....	5	16	10	18	38	92	123	121	55	9	1	.....
Bronchitis (99)	74	30	6	2	.....	1	2	1	1	.....	2	2	5	14	7	1	.....	.....
Bronchopneumonia (100)	180	74	23	5	5	4	6	2	2	4	6	7	12	18	9	3	.....	.....
Pneumonia (101)	190	17	9	5	1	.....	7	6	9	14	23	26	30	27	14	2	.....	.....
Diarrhea and enteritis (113, 114)	226	163	26	7	2	2	3	.....	.....	1	2	1	2	7	8	2	.....	.....
Appendicitis and typhlitis (117)	80	.....	.....	1	1	1	6	15	17	15	12	8	3	1	.....	.....	.....	.....
Hernia, intestinal obstruction (118)	39	2	1	.....	1	1	.....	.....	4	4	5	9	5	6	1	.....	.....	.....
Cirrhosis of the liver (122)	48	1	.....	.....	.....	.....	.....	.....	1	3	6	12	12	9	4	.....	.....	.....
Nephritis (128, 129)	285	2	.....	1	.....	.....	.....	5	7	21	26	54	62	74	33	.....	.....	.....
Diseases of the female genital organs (137–141)	19	.....	.....	.....	.....	.....	.....	1	2	6	7	2	1	.....	.....	.....	.....	.....
Puerperal septicemia (146)	25	.....	.....	.....	.....	.....	.....	1	16	3	5	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	56	.....	.....	.....	.....	.....	.....	2	23	26	5	.....	.....	.....	.....	.....	.....	.....
Suicide (165–174)	86	.....	.....	.....	.....	.....	.....	1	13	17	20	15	12	5	2	1	.....	.....
Homicide (197–200)	18	2	.....	.....	.....	.....	.....	.....	1	7	3	1	3	1	.....	.....	.....	.....
Other external causes (175–196, 201–203)	233	8	6	6	7	9	22	15	36	31	22	26	16	16	11	2	.....	.....
All other causes	1,188	545	22	15	9	4	30	37	42	55	64	80	95	106	71	13	.....	.....

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1921.

[The numbers in parentheses after causes of death correspond to those of the 1920 revision of the detailed International List. The cities shown by color are those with a minimum of 25,000 colored population on Jan. 1, 1920.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
SUMMARY.													
THE REGISTRATION AREA. (Exclusive of Hawaii.)													
All causes	1,032,009	96,407	88,871	95,494	87,801	87,217	79,017	82,948	81,142	77,366	84,835	82,357	88,554
Typhoid and paratyphoid fever (1)	8,007	392	309	331	303	394	595	995	1,269	1,137	1,044	720	518
Malaria (5)	3,229	120	91	116	104	151	270	385	477	577	504	276	158
Measles (7)	3,790	786	638	824	593	484	285	137	78	41	48	60	116
Scarlet fever (8)	4,718	633	611	584	508	423	321	179	187	196	311	371	394
Whooping cough (9)	8,070	794	949	970	992	948	738	779	635	421	348	252	244
Diphtheria (10)	15,683	1,616	1,253	1,056	914	910	775	668	948	1,275	2,250	2,138	1,880
Influenza (11)	10,193	1,562	1,571	1,713	1,246	765	346	193	233	299	521	767	977
Dysentery (16)	3,570	93	85	88	223	377	523	567	572	431	315	161	135
Lethargic encephalitis (23)	1,355	198	268	199	148	110	95	69	67	52	64	45	40
Meningococcus meningitis (24)	1,296	104	151	133	115	103	133	104	97	90	82	82	102
Tuberculosis of the respiratory system (31)	76,298	6,941	6,683	7,567	7,365	7,200	6,301	6,016	5,758	5,331	5,737	5,464	5,935
Other forms of tuberculosis (32–37)	11,337	1,049	954	1,188	1,114	1,134	977	1,058	991	872	885	755	860
Bronchitis (99)	8,014	1,077	954	951	777	628	407	316	371	376	632	703	822
Bronchopneumonia (100)	34,889	5,361	4,891	4,685	3,286	2,495	1,502	1,130	1,333	1,461	2,192	2,863	3,690
Pneumonia (101)	43,374	6,611	5,931	6,006	4,187	3,244	1,915	1,259	1,439	1,475	2,651	3,788	4,868
Diarrhea and enteritis [under 2 years] (113)	37,192	1,588	1,468	1,774	2,084	2,687	3,310	5,655	6,119	5,385	3,632	1,931	1,559
Diarrhea and enteritis [2 years and over] (114)	8,645	431	381	417	521	675	833	1,322	1,360	1,074	772	490	369
Puerperal septicemia (146)	6,057	618	609	756	630	537	446	431	367	367	409	429	458
Other puerperal causes (143–145, 147–150)	8,970	765	759	780	801	825	769	748	710	697	656	661	709
External causes (165–203)	67,577	6,390	5,362	6,075	5,797	6,738	7,230	8,536	7,035	6,649	6,864	6,460	6,441
All other causes	657,245	59,578	54,953	59,191	56,093	56,389	51,246	52,401	51,096	49,160	54,918	53,941	58,279
REGISTRATION STATES.[1]													
All causes	1,009,673	94,437	87,072	93,563	85,806	85,298	77,216	81,031	79,310	75,707	82,995	80,605	86,633
Typhoid and paratyphoid fever (1)	7,763	373	298	314	286	384	572	963	1,225	1,107	1,028	714	499
Malaria (5)	3,104	113	88	111	100	143	253	376	454	556	486	269	155
Measles (7)	3,694	478	629	800	571	471	274	130	77	41	47	60	116
Scarlet fever (8)	4,681	630	608	581	505	422	319	179	185	190	306	367	389
Whooping cough (9)	7,967	788	948	961	973	939	724	762	624	416	343	248	241
Diphtheria (10)	15,520	1,606	1,243	1,049	905	903	763	653	939	1,261	2,222	2,109	1,867
Influenza (11)	9,897	1,512	1,535	1,675	1,208	745	337	190	227	292	502	742	932
Dysentery (16)	3,436	85	83	84	208	358	513	560	557	415	309	149	120
Lethargic encephalitis (23)	1,334	195	264	197	146	109	95	68	65	51	64	42	38
Meningococcus meningitis (24)	1,262	104	147	128	110	99	131	103	97	85	80	78	100
Tuberculosis of the respiratory system (31)	74,171	6,755	6,494	7,344	7,172	7,003	6,108	5,852	5,590	5,189	5,584	5,316	5,764
Other forms of tuberculosis (32–37)	11,568	1,028	933	1,150	1,087	1,107	957	1,035	966	859	872	739	835
Bronchitis (99)	7,872	1,061	939	930	762	612	400	309	362	372	622	692	811
Bronchopneumonia (100)	34,337	5,269	4,822	4,625	3,247	2,445	1,470	1,102	1,306	1,441	2,159	2,809	3,642
Pneumonia (101)	42,433	6,483	5,811	5,899	4,110	3,139	1,874	1,225	1,393	1,439	2,601	3,693	4,746
Diarrhea and enteritis [under 2 years] (113)	35,980	1,524	1,421	1,699	1,913	2,498	3,171	5,501	6,000	5,315	3,571	1,873	1,494
Diarrhea and enteritis [2 years and over] (114)	8,351	410	361	395	487	641	805	1,289	1,335	1,050	747	474	357
Puerperal septicemia (146)	5,881	608	590	742	612	523	436	414	350	348	397	416	445
Other puerperal causes (143–145, 147–150)	8,681	744	736	850	776	794	740	730	686	672	620	649	684
External causes (165–203)	77,516	6,212	5,218	5,893	5,655	6,595	7,070	8,360	6,847	6,453	6,682	6,300	6,231
All other causes	644,225	58,459	53,904	58,136	54,978	55,348	50,204	51,230	50,025	48,155	53,753	52,866	57,167
CITIES IN REGISTRATION STATES.[2]													
All causes	523,981	49,981	46,476	49,758	45,346	44,218	39,202	40,753	40,018	38,354	42,057	42,009	45,809
Typhoid and paratyphoid fever (1)	2,467	149	112	119	94	135	179	273	366	341	309	227	163
Malaria (5)	388	20	16	17	10	24	35	49	54	64	46	26	27
Measles (7)	1,737	240	275	351	245	215	145	73	47	18	23	37	68
Scarlet fever (8)	2,718	386	375	342	321	261	230	102	109	96	138	183	175
Whooping cough (9)	3,273	290	393	387	379	363	285	330	327	195	134	94	96
Diphtheria (10)	8,223	927	798	675	587	584	520	374	453	539	923	931	912
Influenza (11)	3,979	609	639	688	486	305	119	73	92	105	195	294	374
Dysentery (16)	716	22	23	26	35	45	76	109	136	106	59	45	34
Lethargic encephalitis (23)	924	147	181	135	98	72	62	54	43	33	40	31	28
Meningococcus meningitis (24)	727	63	85	85	70	59	68	64	52	45	36	47	53
Tuberculosis of the respiratory system (31)	36,007	3,286	3,238	3,628	3,537	3,379	2,870	2,778	2,648	2,531	2,685	2,609	2,818
Other forms of tuberculosis (32–37)	7,002	624	567	681	691	671	580	614	592	496	502	452	532
Bronchitis (99)	4,194	562	499	496	425	328	228	158	210	190	315	340	443
Bronchopneumonia (100)	19,675	2,781	2,616	2,687	1,929	1,466	946	713	827	871	1,244	1,564	2,031
Pneumonia (101)	23,541	3,409	3,222	3,299	2,368	1,844	1,130	733	808	838	1,431	1,952	2,507
Diarrhea and enteritis [under 2 years] (113)	18,443	899	895	970	980	1,071	1,271	2,801	3,203	2,728	1,795	995	835
Diarrhea and enteritis [2 years and over] (114)	3,221	202	170	173	204	218	249	496	514	387	267	201	140
Puerperal septicemia (146)	3,428	346	329	452	360	314	280	242	210	197	218	241	239
Other puerperal causes (143–145, 147–150)	4,492	383	396	426	408	377	389	376	363	355	321	330	368
External causes (165–203)	40,787	3,478	2,839	3,240	3,031	3,431	3,421	4,161	3,353	3,433	3,589	3,393	3,418
All other causes	338,039	31,158	28,808	30,881	29,088	29,056	26,119	26,180	25,611	24,786	27,787	28,017	30,548
RURAL PART OF REGISTRATION STATES.[3]													
All causes	485,692	44,456	40,596	43,805	40,460	41,080	38,014	40,278	39,292	37,353	40,938	38,596	40,824
Typhoid and paratyphoid fever (1)	5,296	224	186	195	192	249	393	690	859	766	719	487	336
Malaria (5)	2,716	93	72	94	90	119	218	327	400	492	440	243	128
Measles (7)	1,957	238	354	449	326	256	129	57	30	23	24	23	48
Scarlet fever (8)	1,963	244	233	239	184	161	89	77	76	94	168	184	214
Whooping cough (9)	4,694	498	555	574	594	576	439	432	297	221	209	154	145
Diphtheria (10)	7,297	679	445	374	318	319	243	279	486	722	1,299	1,178	955
Influenza (11)	5,918	903	896	987	722	440	218	117	135	187	307	448	558
Dysentery (16)	2,720	63	60	58	168	313	437	451	421	309	250	104	86
Lethargic encephalitis (23)	410	48	83	62	48	37	33	14	22	18	24	11	10
Meningococcus meningitis (24)	535	41	62	43	40	40	63	39	45	40	44	31	47
Tuberculosis of the respiratory system (31)	38,164	3,469	3,256	3,716	3,635	3,624	3,238	3,074	2,942	2,658	2,899	2,707	2,946
Other forms of tuberculosis (32–37)	4,566	404	366	469	396	436	377	421	374	363	370	287	303
Bronchitis (99)	3,678	499	440	434	337	284	172	151	152	182	307	352	368
Bronchopneumonia (100)	14,662	2,488	2,206	1,938	1,318	979	524	389	479	570	915	1,245	1,611
Pneumonia (101)	18,892	3,074	2,589	2,600	1,742	1,315	744	492	585	601	1,170	1,741	2,239
Diarrhea and enteritis [under 2 years] (113)	17,537	625	526	729	933	1,427	1,900	2,700	2,797	2,587	1,776	878	659
Diarrhea and enteritis [2 years and over] (114)	5,130	208	191	222	283	423	556	793	821	663	480	273	217
Puerperal septicemia (146)	2,453	262	261	290	252	209	156	172	140	151	179	175	206
Other puerperal causes (143–145, 147–150)	4,189	361	340	424	368	417	351	354	323	317	299	319	316
External causes (165–203)	36,729	2,734	2,379	2,653	2,624	3,164	3,649	4 199	3 494	3,020	3,093	2,907	2,813
All other causes	306,186	27,301	25,096	27,255	25,890	26,292	24,085	25,050	24,414	23,369	25,966	24,849	26,619

[1] Includes District of Columbia.
[2] Includes District of Columbia and municipalities of 10,000 inhabitants or more in 1920.
[3] The term "rural" embraces the area outside of municipalities of 10,000 inhabitants or more in 1920.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1921—Continued.

[See note at head of this table, p. 574.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
SUMMARY—Continued.													
REGISTRATION CITIES IN NONREGISTRATION STATES.													
All causes	22,336	1,970	1,799	1,931	1,995	1,919	1,801	1,917	1,832	1,659	1,840	1,752	1,921
Typhoid and paratyphoid fever (1)	244	19	11	17	17	10	23	32	44	30	16	6	19
Malaria (5)	125	7	3	5	4	8	17	9	23	21	18	7	3
Measles (7)	96	8	9	24	22	13	11	7	1		1		
Scarlet fever (8)	37	3	3	3	3	1	2		2	6	5	4	5
Whooping cough (9)	103	6	1	9	19	9	14	17	11	5	5	4	3
Diphtheria (10)	163	10	10	7	9	7	12	15	9	14	28	29	13
Influenza (11)	296	50	36	38	38	20	9	3	6	7	19	25	45
Dysentery (16)	134	8	2	4	20	19	10	7	15	16	6	12	15
Lethargic encephalitis (23)	21	3	4	2	2	1		1	2	1		3	2
Meningococcus meningitis (24)	34		4	5	5	4	2	1		5	2	4	2
Tuberculosis of the respiratory system (31)	2,127	186	189	223	193	197	193	164	168	142	153	148	171
Other forms of tuberculosis (32–37)	269	21	21	38	27	27	20	23	25	13	13	16	25
Bronchitis (99)	142	16	15	21	15	16	7	7	9	4	10	11	11
Bronchopneumonia (100)	552	92	69	60	39	50	32	28	27	20	33	54	48
Pneumonia (101)	941	128	120	107	77	85	41	34	46	36	50	95	122
Diarrhea and enteritis [under 2 years] (113)	1,212	64	47	75	171	189	139	154	119	70	61	58	65
Diarrhea and enteritis [2 years and over] (114)	294	21	20	22	34	34	28	33	25	24	25	16	12
Puerperal septicemia (146)	176	10	19	14	18	14	10	17	17	19	12	13	13
Other puerperal causes (143–145, 147–150)	289	21	23	20	25	31	29	18	24	25	36	12	25
External causes (165–203)	2,061	178	144	182	142	143	160	176	188	196	182	160	210
All other causes	13,020	1,119	1,049	1,055	1,115	1,041	1,042	1,171	1,071	1,005	1,165	1,075	1,112
ALL REGISTRATION CITIES.[1]													
All causes	546,317	51,951	48,275	51,689	47,341	46,137	41,003	42,670	41,850	40,013	43,897	43,761	47,730
Typhoid and paratyphoid fever (1)	2,711	168	123	136	111	145	202	305	410	371	325	233	182
Malaria (5)	513	27	19	22	14	32	52	58	77	85	64	33	30
Measles (7)	1,833	248	284	375	267	228	156	80	48	18	24	37	68
Scarlet fever (8)	2,755	389	378	345	324	262	232	102	111	102	143	187	180
Whooping cough (9)	3,376	296	394	396	398	372	299	347	338	200	139	98	99
Diphtheria (10)	8,386	937	808	682	596	591	532	389	462	553	951	960	925
Influenza (11)	4,275	659	675	726	524	325	128	76	98	112	214	319	419
Dysentery (16)	850	30	25	30	55	64	86	116	151	122	65	57	49
Lethargic encephalitis (23)	945	150	185	137	100	73	62	55	45	34	40	34	30
Meningococcus meningitis (24)	761	63	89	90	75	63	70	65	52	50	38	51	55
Tuberculosis of the respiratory system (31)	38,134	3,472	3,427	3,851	3,730	3,576	3,063	2,942	2,816	2,673	2,838	2,757	2,989
Other forms of tuberculosis (32–37)	7,271	645	588	719	718	698	600	637	617	509	515	468	557
Bronchitis (99)	4,336	578	514	517	440	344	235	165	219	194	325	351	454
Bronchopneumonia (100)	20,227	2,873	2,685	2,747	1,968	1,516	978	741	854	891	1,277	1,618	2,079
Pneumonia (101)	24,482	3,537	3,342	3,406	2,445	1,929	1,171	767	854	874	1,481	2,047	2,629
Diarrhea and enteritis [under 2 years] (113)	19,655	963	942	1,045	1,151	1,260	1,410	2,955	3,322	2,798	1,856	1,053	900
Diarrhea and enteritis [2 years and over] (114)	3,515	223	190	195	238	252	277	529	539	411	292	217	152
Puerperal septicemia (146)	3,604	356	348	466	378	328	290	259	227	216	230	254	252
Other puerperal causes (143–145, 147–150)	4,781	404	419	446	433	408	418	394	387	380	357	342	393
External causes (165–203)	42,848	3,656	2,983	3,422	3,173	3,574	3,581	4,337	3,541	3,629	3,771	3,553	3,628
All other causes	351,059	32,277	29,857	31,936	30,203	30,097	27,161	27,351	26,682	25,791	28,952	29,092	31,660
REGISTRATION STATES.													
CALIFORNIA.													
All causes	47,377	4,519	4,025	4,198	4,054	3,864	3,654	3,611	3,656	3,530	3,734	4,062	4,470
Typhoid and paratyphoid fever (1)	153	11	2	9	8	12	17	15	11	18	22	16	12
Malaria (5)	30	1		3	2		2	5	3	5	5	2	2
Measles (7)	144	13	24	32	17	25	17	9	3	1	2		1
Scarlet fever (8)	120	15	17	13	13	8	16	2	7	3	5	5	16
Whooping cough (9)	202	13	10	24	36	22	25	18	15	9	11	12	7
Diphtheria (10)	639	62	40	43	47	46	42	44	45	38	68	67	97
Influenza (11)	410	46	59	57	62	32	35	16	7	19	16	24	37
Dysentery (16)	97	5	3	4	5	6	7	18	6	8	17	14	4
Lethargic encephalitis (23)	66	2	4	9	11	3	5	5	4	3	10	8	2
Meningococcus meningitis (24)	70	3	6	7	10	6	6	5	7	7	1	4	8
Tuberculosis of the respiratory system (31)	4,775	430	440	454	462	438	371	345	375	329	362	388	381
Other forms of tuberculosis (32–37)	647	49	50	61	72	65	45	68	56	50	45	34	52
Bronchitis (99)	320	51	29	27	37	19	23	17	16	12	20	30	39
Bronchopneumonia (100)	1,331	190	174	145	112	91	71	56	48	72	78	134	160
Pneumonia (101)	1,722	234	190	175	166	134	95	78	88	84	99	166	213
Diarrhea and enteritis [under 2 years] (113)	1,084	81	45	52	56	91	105	132	111	101	108	121	81
Diarrhea and enteritis [2 years and over] (114)	313	30	18	19	21	23	26	35	45	20	27	32	17
Puerperal septicemia (146)	215	20	21	20	21	22	23	11	12	13	17	18	17
Other puerperal causes (143–145, 147–150)	279	28	19	31	26	28	27	21	19	20	21	21	18
External causes (165–203)	4,651	390	318	383	347	395	372	442	413	365	414	400	412
All other causes	30,109	2,845	2,556	2,630	2,523	2,398	2,324	2,269	2,365	2,353	2,386	2,566	2,894
COLORADO.													
All causes	11,878	1,190	1,010	1,059	1,026	988	957	941	981	878	951	896	1,001
Typhoid and paratyphoid fever (1)	97	8	1	4	5	2	2	6	13	13	21	14	8
Malaria (5)													
Measles (7)	81	14	12	18	16	9	8				2		2
Scarlet fever (8)	57	4	3	8	13	6	6		1	1	4	7	4
Whooping cough (9)	98	17	10	8	12	10	4	11	9	8	4	4	1
Diphtheria (10)	238	29	13	17	14	25	17	14	25	17	19	19	29
Influenza (11)	191	43	32	20	12	23	8	7	4	3	9	17	13
Dysentery (16)	19		2		2		1	1	4	5	1	2	1
Lethargic encephalitis (23)	11	2		2	1	2	2	1			1		
Meningococcus meningitis (24)	11	1	4	1	1		1						3
Tuberculosis of the respiratory system (31)	1,642	167	138	153	143	128	137	143	120	129	144	112	128
Other forms of tuberculosis (32–37)	133	13	7	11	12	11	10	13	11	15	12	7	11
Bronchitis (99)	57	7	5	3	7	7	4		3	6	5	4	6
Bronchopneumonia (100)	433	97	58	36	50	26	13	9	10	23	33	36	42
Pneumonia (101)	629	112	94	71	50	38	35	15	23	27	39	47	78
Diarrhea and enteritis [under 2 years] (113)	399	14	16	14	17	21	21	60	94	73	32	21	16
Diarrhea and enteritis [2 years and over] (114)	85	5	3	3	4	7	6	12	16	12	7	5	5
Puerperal septicemia (146)	77	7	12	8	10	10	4	3	6	4	4	5	4
Other puerperal causes (143–145, 147–150)	96	6	4	7	9	9	6	8	13	10	11	6	7
External causes (165–203)	1,104	66	71	87	63	90	188	99	107	86	89	82	76
All other causes	6,420	578	525	588	585	564	484	539	522	446	514	508	567

[1] Includes District of Columbia.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1921—Continued.

[See note at head of this table, p. 574.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION STATES—Continued.													
CONNECTICUT.													
All causes	16,167	1,534	1,454	1,493	1,416	1,352	1,215	1,280	1,221	1,186	1,301	1,290	1,425
Typhoid and paratyphoid fever (1)	51	1	3	2	4	4	4	7	3	6	7	6	4
Malaria (5)	3									2			1
Measles (7)	43	1	5	13	7	5	1		4	1		2	4
Scarlet fever (8)	101	15	11	13	9	9	10	6	4	3	3	5	13
Whooping cough (9)	133	18	18	20	14	13	8	11	9	8	5	5	4
Diphtheria (10)	176	20	14	14	12	11	14	13	9	9	21	15	24
Influenza (11)	165	35	30	17	23	12	5	1	4	7	9	9	13
Dysentery (16)	19		1	1			2	5	7		3		
Lethargic encephalitis (23)	29	5	3	2	7	5	2		2			1	2
Meningococcus meningitis (24)	30	1	2	3	2	3	4	2	3	3	3	3	1
Tuberculosis of the respiratory system (31)	1,172	112	102	125	127	104	105	87	92	96	80	66	76
Other forms of tuberculosis (32–37)	192	13	14	23	20	13	22	22	12	15	12	11	15
Bronchitis (99)	131	15	13	17	13	11	10	9	4	7	12	9	11
Bronchopneumonia (100)	603	92	90	78	50	51	38	22	27	18	45	39	53
Pneumonia (101)	698	124	96	97	77	55	38	21	15	25	39	44	67
Diarrhea and enteritis [under 2 years] (113)	504	26	18	22	21	23	17	85	86	87	67	40	12
Diarrhea and enteritis [2 years and over] (114)	125	5	3	5	3	7	8	29	17	17	17	9	5
Puerperal septicemia (146)	75	2	11	9	9	7	9	3	2	7	6	7	3
Other puerperal causes (143–145, 147–150)	105	12	12	12	9	11	11	4	6	3	8	6	11
External causes (165–203)	1,249	96	79	82	99	93	104	144	97	112	119	120	104
All other causes	10,563	941	929	938	910	915	803	809	818	760	845	893	1,002
DELAWARE.													
All causes	2,970	289	278	286	220	247	263	281	251	210	209	198	238
Typhoid and paratyphoid fever (1)	26	1	4		1		1	3	1	5	4	4	2
Malaria (5)	1									1			
Measles (7)	2						1	1					
Scarlet fever (8)	9	4	2			3							
Whooping cough (9)	35	3	3	3	4	3	6	7	2	1	2		1
Diphtheria (10)	14	3	1	2					1	1	3		3
Influenza (11)	47	6	19	15	2	1				1			3
Dysentery (16)	7	1			1			2	2	1			
Lethargic encephalitis (23)	3			1	1	1							
Meningococcus meningitis (24)	2		1							1			
Tuberculosis of the respiratory system (31)	271	30	22	20	16	20	29	35	26	16	21	16	20
Other forms of tuberculosis (32–37)	47	6	3	7	4	6	2	4	5	4	4	1	1
Bronchitis (99)	30	1	1	3	4	1	3	3	4	4	3	1	2
Bronchopneumonia (100)	108	17	23	22	4	11	4	3	4		6	7	7
Pneumonia (101)	127	38	23	11	6	4	5	4	1	6	5	11	13
Diarrhea and enteritis [under 2 years] (113)	138	5	7	6	4	4	12	24	27	24	13	8	4
Diarrhea and enteritis [2 years and over] (114)	20			2	2		2	2	4	5	1	2	
Puerperal septicemia (146)	15	1	1	2	1	3	1	2		2			2
Other puerperal causes (143–145, 147–150)	17	2	2		2	3	1	1	4	1			1
External causes (165–203)	203	20	10	20	11	20	22	28	20	16	12	5	19
All other causes	1,848	151	156	172	157	167	174	162	150	121	135	143	160
FLORIDA (TOTAL).													
All causes	11,774	1,086	946	1,082	1,025	1,036	870	893	925	877	952	1,016	1,066
Typhoid and paratyphoid fever (1)	179	13	13	18	13	18	18	21	25	11	9	10	10
Malaria (5)	237	8	15	24	13	11	25	26	23	38	22	22	10
Measles (7)	8			1	1	1	1	2		1		1	
Scarlet fever (8)	11	2		2	2	1				2	1		1
Whooping cough (9)	73		3	9	10	17	7	6	7	5	4	3	2
Diphtheria (10)	69	6	3	2	2	3	3	7	4	5	9	10	15
Influenza (11)	115	17	22	13	6	4	2	6	4	6	8	14	13
Dysentery (16)	109	20	8	5	10	12	10	8	9	4	4	9	10
Lethargic encephalitis (23)	7	2	1	1	2		1						
Meningococcus meningitis (24)	11	1	2			1	1		3	1	1		1
Tuberculosis of the respiratory system (31)	866	76	70	82	80	69	68	78	75	58	66	72	72
Other forms of tuberculosis (32–37)	93	9	7	12	3	10	7	8	7	7	8	2	13
Bronchitis (99)	72	8	7	9	5	5	3	4	8	4	4	11	4
Bronchopneumonia (100)	170	21	19	20	10	12	7	12	10	7	12	19	21
Pneumonia (101)	331	39	32	38	29	30	19	13	14	17	19	36	45
Diarrhea and enteritis [under 2 years] (113)	432	29	25	43	61	41	33	40	31	29	28	32	40
Diarrhea and enteritis [2 years and over] (114)	165	12	11	10	25	15	16	14	8	8	14	17	15
Puerperal septicemia (146)	86	6	7	9	7	8	6	5	10	5	7	6	10
Other puerperal causes (143–145, 147–150)	188	15	13	18	8	9	17	14	16	24	23	21	10
External causes (165–203)	1,163	110	96	116	98	92	90	72	101	95	84	98	111
All other causes	7,389	692	592	650	640	677	536	557	570	550	629	633	663
FLORIDA (WHITE).													
All causes	7,022	694	612	672	629	595	508	480	518	501	530	614	669
Typhoid and paratyphoid fever (1)	112	10	9	13	8	15	10	9	10	5	7	6	10
Malaria (5)	124	4	10	11	3	4	12	13	14	23	13	10	7
Measles (7)	6			1	1	1	1			1		1	
Scarlet fever (8)	10	2		2	2					2	1		1
Whooping cough (9)	37		1	8	4	7	4	4	2	3	1	2	1
Diphtheria (10)	60	6	3	2	2	3	3	7	3	4	7	7	13
Influenza (11)	68	10	14	8	4	3	2	5	4	3	2	8	5
Dysentery (16)	63	10	3	1	6	7	5	5	7	2	4	8	5
Lethargic encephalitis (23)	4	2	1	1									
Meningococcus meningitis (24)	6	1	1			1				1	1		1
Tuberculosis of the respiratory system (31)	372	43	33	37	38	26	29	23	28	20	25	35	35
Other forms of tuberculosis (32–37)	45	6	3	6		2	5	4	3	3	4	1	8
Bronchitis (99)	44	5	6	7	4	1	2	2	4	3	2	5	3
Bronchopneumonia (100)	101	11	14	12	5	10	4	6	5	2	7	8	17
Pneumonia (101)	169	22	15	20	14	13	7	6	7	8	8	23	26
Diarrhea and enteritis [under 2 years] (113)	265	18	21	29	39	24	20	21	19	16	19	17	22
Diarrhea and enteritis [2 years and over] (114)	120	12	8	7	20	9	13	12	5	3	8	12	11
Puerperal septicemia (146)	35	1	4	5	3	4	3	1	6	2		1	5
Other puerperal causes (143–145, 147–150)	114	7	11	11	4	5	11	8	8	15	13	13	8
External causes (165–203)	708	72	63	72	55	53	55	45	62	58	46	54	73
All other causes	4,559	452	392	419	417	407	322	309	331	327	362	403	418

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1921—Continued.

[See note at head of this table, p. 574.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION STATES—Continued.													
FLORIDA (COLORED).													
All causes	4,752	392	334	410	396	441	362	413	407	376	422	402	397
Typhoid and paratyphoid fever (1)	67	3	4	5	5	3	8	12	15	6	2	4	-------
Malaria (5)	113	4	5	13	10	7	13	13	9	15	9	12	3
Measles (7)	2	-------	-------	-------	-------	-------	-------	2	-------	-------	-------	-------	-------
Scarlet fever (8)	1	-------	-------	-------	-------	1	-------	-------	-------	-------	-------	-------	-------
Whooping cough (9)	36	-------	2	1	6	10	3	2	5	2	3	1	1
Diphtheria (10)	9	-------	-------	-------	-------	-------	-------	-------	1	1	2	3	2
Influenza (11)	47	7	8	5	2	1	-------	1	-------	3	6	6	8
Dysentery (16)	46	10	5	4	4	5	5	3	2	2	-------	1	5
Lethargic encephalitis (23)	3	-------	-------	-------	2	-------	1	-------	-------	-------	-------	-------	-------
Meningococcus meningitis (24)	5	-------	1	-------	-------	-------	1	-------	3	-------	-------	-------	-------
Tuberculosis of the respiratory system (31)	494	33	37	45	42	43	39	55	47	38	41	37	37
Other forms of tuberculosis (32–37)	48	3	4	6	3	8	2	4	4	4	4	1	5
Bronchitis (99)	28	3	1	2	1	4	1	2	4	1	2	6	1
Bronchopneumonia (100)	69	10	5	8	5	2	3	6	5	5	5	11	4
Pneumonia (101)	162	17	17	18	15	17	12	7	7	9	11	13	19
Diarrhea and enteritis [under 2 years] (113)	167	11	4	14	22	17	13	19	12	13	9	15	18
Diarrhea and enteritis [2 years and over] (114)	45	-------	3	3	5	6	3	2	3	5	6	5	4
Puerperal septicemia (146)	51	5	3	4	4	4	3	4	4	3	7	5	5
Other puerperal causes (143–145, 147–150)	74	8	2	7	4	4	6	6	8	9	10	8	2
External causes (165–203)	455	38	33	44	43	39	35	27	39	37	38	44	38
All other causes	2,830	240	200	231	223	270	214	248	239	223	267	230	245
ILLINOIS.													
All causes	73,424	6,941	6,453	6,686	6,104	6,272	5,351	6,068	5,697	5,576	6,190	5,864	6,222
Typhoid and paratyphoid fever (1)	396	23	19	17	10	15	32	43	53	56	65	40	23
Malaria (5)	78	4	5	3	3	1	5	12	14	10	15	3	3
Measles (7)	309	33	47	80	49	50	20	12	3	3	2	4	6
Scarlet fever (8)	413	45	49	51	47	34	32	11	12	17	30	38	47
Whooping cough (9)	495	45	57	43	57	68	50	58	39	27	18	22	11
Diphtheria (10)	1,478	137	122	93	88	92	84	56	81	92	231	223	179
Influenza (11)	585	106	81	75	71	44	13	16	19	26	43	32	59
Dysentery (16)	99	5	5	3	-------	2	12	15	21	21	10	3	2
Lethargic encephalitis (23)	91	17	28	12	8	5	2	1	4	3	6	1	4
Meningococcus meningitis (24)	76	3	15	9	4	3	6	7	6	4	7	7	5
Tuberculosis of the respiratory system (31)	4,825	436	400	487	441	474	361	376	363	384	369	331	403
Other forms of tuberculosis (32–37)	792	70	55	84	64	72	67	71	81	65	66	44	53
Bronchitis (99)	649	79	87	74	50	44	28	30	32	39	57	59	70
Bronchopneumonia (100)	2,445	405	368	318	224	173	101	82	92	100	155	205	222
Pneumonia (101)	2,771	452	375	373	276	216	95	96	79	95	164	227	323
Diarrhea and enteritis [under 2 years] (113)	3,250	204	212	226	192	200	211	417	479	494	323	165	127
Diarrhea and enteritis [2 years and over] (114)	641	36	30	34	30	41	47	82	107	105	71	31	27
Puerperal septicemia (146)	432	54	46	64	46	34	32	27	25	17	22	35	30
Other puerperal causes (143–145, 147–150)	512	48	45	43	46	48	51	51	41	34	32	33	40
External causes (165–203)	6,357	487	420	489	476	565	556	706	555	521	566	544	472
All other causes	46,730	4,252	3,987	4,108	3,922	4,091	3,546	3,899	3,591	3,463	3,938	3,817	4,116
INDIANA.													
All causes	35,220	3,325	3,028	3,072	2,857	2,942	2,620	2,950	2,816	2,759	3,006	2,839	3,006
Typhoid and paratyphoid fever (1)	366	17	22	9	5	6	14	43	73	60	61	33	23
Malaria (5)	30	2	-------	1	1	3	1	4	7	1	2	4	4
Measles (7)	84	8	17	19	18	11	5	1	-------	1	2	1	1
Scarlet fever (8)	164	28	20	22	16	12	8	8	4	6	8	17	15
Whooping cough (9)	373	61	58	49	44	44	38	30	16	13	7	5	8
Diphtheria (10)	707	46	36	31	40	22	24	29	24	73	149	132	101
Influenza (11)	385	62	71	44	25	35	6	7	12	17	32	29	45
Dysentery (16)	154	1	1	3	2	5	10	35	47	27	15	5	3
Lethargic encephalitis (23)	41	2	7	4	6	8	1	2	3	2	3	1	2
Meningococcus meningitis (24)	47	4	11	3	2	5	1	-------	4	5	4	2	6
Tuberculosis of the respiratory system (31)	2,280	205	186	233	203	237	195	192	160	155	150	182	182
Other forms of tuberculosis (32–37)	472	43	41	46	50	50	36	34	32	29	51	31	29
Bronchitis (99)	230	26	26	18	22	23	4	6	21	9	26	22	27
Bronchopneumonia (100)	1,000	200	122	134	77	49	31	24	28	48	65	96	126
Pneumonia (101)	1,231	230	149	164	111	85	45	25	45	40	81	104	152
Diarrhea and enteritis [under 2 years] (113)	1,207	40	46	46	39	58	75	227	183	235	162	55	41
Diarrhea and enteritis [2 years and over] (114)	339	11	12	15	13	18	28	74	67	30	40	18	13
Puerperal septicemia (146)	232	28	27	31	15	16	20	16	15	16	16	16	16
Other puerperal causes (143–145, 147–150)	236	21	28	17	26	24	16	22	21	16	18	14	13
External causes (165–203)	2,709	197	219	179	192	259	266	284	234	238	224	200	217
All other causes	22,933	2,093	1,929	2,004	1,950	1,972	1,796	1,887	1,820	1,738	1,890	1,872	1,982
KANSAS.													
All causes	18,106	1,732	1,549	1,630	1,487	1,422	1,253	1,549	1,409	1,316	1,578	1,502	1,679
Typhoid and paratyphoid fever (1)	153	5	2	3	5	6	11	23	26	30	20	16	6
Malaria (5)	12	-------	-------	1	-------	2	1	1	2	2	2	-------	1
Measles (7)	77	9	11	27	16	8	4	-------	-------	1	1	-------	-------
Scarlet fever (8)	125	16	21	9	8	5	3	4	6	5	17	18	13
Whooping cough (9)	107	20	11	8	10	14	9	10	7	9	6	1	2
Diphtheria (10)	372	37	28	20	13	9	8	6	19	30	87	64	51
Influenza (11)	156	26	13	32	22	8	3	5	4	6	7	16	14
Dysentery (16)	75	1	3	1	1	1	4	13	22	11	14	2	2
Lethargic encephalitis (23)	7	2	2	-------	-------	1	-------	-------	1	-------	-------	1	-------
Meningococcus meningitis (24)	19	-------	2	4	3	1	-------	1	-------	4	3	-------	1
Tuberculosis of the respiratory system (31)	646	58	54	56	71	52	47	52	56	29	48	55	68
Other forms of tuberculosis (32–37)	126	15	11	9	13	9	9	15	8	15	8	9	5
Bronchitis (99)	153	21	19	25	12	15	2	10	6	6	11	8	18
Bronchopneumonia (100)	521	112	74	64	51	26	12	15	12	17	34	39	65
Pneumonia (101)	555	108	65	94	43	32	17	14	15	19	36	63	49
Diarrhea and enteritis [under 2 years] (113)	451	14	26	22	17	23	46	103	82	38	35	24	21
Diarrhea and enteritis [2 years and over] (114)	171	4	4	8	4	8	8	41	39	28	12	11	4
Puerperal septicemia (146)	119	9	15	12	13	7	7	9	6	9	13	8	11
Other puerperal causes (143–145, 147–150)	148	12	11	15	12	9	16	10	15	13	9	10	16
External causes (165–203)	1,478	104	106	115	94	128	114	176	134	136	129	116	126
All other causes	12,635	1,159	1,071	1,105	1,079	1,058	932	1,041	949	908	1,086	1,041	1,260

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1921—Continued.

[See note at head of this table, p. 574.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION STATES—Continued.													
KENTUCKY (TOTAL).													
All causes	25,669	2,357	2,080	2,299	1,958	2,084	2,366	2,381	2,075	1,751	2,136	2,059	2,123
Typhoid and paratyphoid fever (1)	632	32	31	17	21	26	44	94	114	85	74	52	42
Malaria (5)	88	7	2	3	3	4	9	13	10	12	12	6	7
Measles (7)	179	30	32	45	30	16	12	5	2	-------	2	2	3
Scarlet fever (8)	64	9	13	7	3	5	3	1	2	1	9	5	6
Whooping cough (9)	284	21	35	37	27	24	30	37	27	14	14	8	10
Diphtheria (10)	632	60	29	21	24	12	10	15	43	71	153	108	86
Influenza (11)	278	46	37	41	29	15	4	4	4	5	17	32	44
Dysentery (16)	316	4	9	5	6	14	79	75	52	25	27	10	10
Lethargic encephalitis (23)	40	6	15	4	4	4	1	1	2	1	1	-------	1
Meningococcus meningitis (24)	54	6	7	4	2	4	9	7	3	3	3	5	1
Tuberculosis of the respiratory system (31)	2,795	254	228	275	261	279	242	246	226	186	201	199	198
Other forms of tuberculosis (32–37)	402	41	41	43	40	30	36	31	31	18	39	29	23
Bronchitis (99)	163	16	16	15	13	16	15	6	15	5	16	9	21
Bronchopneumonia (100)	716	113	89	68	49	54	29	19	26	31	49	76	113
Pneumonia (101)	1,129	175	153	157	72	67	40	27	38	35	85	134	146
Diarrhea and enteritis [under 2 years] (113)	1,076	18	21	25	27	81	268	265	136	94	84	32	25
Diarrhea and enteritis [2 years and over] (114)	318	13	13	18	12	22	68	67	38	22	23	15	7
Puerperal septicemia (146)	197	30	17	22	28	14	8	9	12	12	17	14	14
Other puerperal causes (143–145, 147–150)	225	19	20	22	24	24	20	24	18	10	12	16	16
External causes (165–203)	1,876	144	113	143	141	157	187	210	136	146	131	168	150
All other causes	14,205	1,313	1,159	1,327	1,142	1,216	1,252	1,225	1,090	975	1,167	1,139	1,200
KENTUCKY (WHITE).													
All causes	21,512	2,008	1,754	1,946	1,591	1,738	1,972	1,970	1,728	1,463	1,818	1,752	1,772
Typhoid and paratyphoid fever (1)	538	29	29	16	16	18	35	79	99	73	62	45	37
Malaria (5)	73	6	2	2	2	4	7	11	8	10	8	6	7
Measles (7)	175	28	32	45	30	16	12	4	2	-------	2	1	3
Scarlet fever (8)	61	9	12	7	3	5	3	-------	2	-------	9	5	6
Whooping cough (9)	241	21	29	32	20	23	25	29	21	12	14	7	8
Diphtheria (10)	591	56	26	18	22	12	7	14	41	66	145	102	82
Influenza (11)	222	40	31	30	24	9	3	4	3	1	11	27	39
Dysentery (16)	294	4	7	4	5	13	74	71	52	20	26	10	8
Lethargic encephalitis (23)	36	6	14	4	3	4	1	-------	2	1	1	-------	-------
Meningococcus meningitis (24)	50	6	7	4	2	3	6	7	3	3	3	5	1
Tuberculosis of the respiratory system (31)	2,106	196	184	213	194	198	187	178	160	138	150	150	158
Other forms of tuberculosis (32–37)	318	33	31	37	28	21	25	28	26	12	31	24	22
Bronchitis (99)	115	11	14	12	10	12	9	2	9	4	13	6	13
Bronchopneumonia (100)	594	100	69	56	34	47	24	14	23	27	38	68	94
Pneumonia (101)	946	156	128	138	58	55	28	24	30	29	71	109	120
Diarrhea and enteritis [under 2 years] (113)	957	17	18	22	24	70	238	233	124	85	76	29	21
Diarrhea and enteritis [2 years and over] (114)	278	10	11	17	11	19	60	61	33	18	18	14	6
Puerperal septicemia (146)	166	28	17	19	23	11	6	8	10	9	12	14	9
Other puerperal causes (143–145, 147–150)	191	15	18	19	21	20	17	19	14	10	11	16	11
External causes (165–203)	1,557	118	91	120	122	128	156	176	154	122	113	137	120
All other causes	12,003	1,119	984	1,131	939	1,050	1,049	1,008	912	823	1,004	977	1,007
KENTUCKY (COLORED).													
All causes	4,157	349	326	353	367	346	394	411	347	288	318	307	351
Typhoid and paratyphoid fever (1)	94	3	2	1	5	8	9	15	15	12	12	7	5
Malaria (5)	15	1	-------	1	1	-------	2	2	2	2	4	-------	-------
Measles (7)	4	2	-------	-------	-------	-------	-------	1	-------	-------	-------	1	-------
Scarlet fever (8)	3	-------	1	-------	-------	-------	-------	1	-------	1	-------	-------	-------
Whooping cough (9)	43	-------	6	5	7	1	5	8	6	2	-------	1	2
Diphtheria (10)	41	4	3	3	2	-------	3	1	2	5	8	6	4
Influenza (11)	56	6	6	11	5	6	1	-------	1	4	6	5	5
Dysentery (16)	22	-------	2	1	1	1	5	4	-------	5	1	-------	2
Lethargic encephalitis (23)	4	-------	1	-------	1	-------	-------	1	-------	-------	-------	-------	1
Meningococcus meningitis (24)	4	-------	-------	-------	-------	1	3	-------	-------	-------	-------	-------	-------
Tuberculosis of the respiratory system (31)	689	58	44	62	67	81	55	68	66	48	51	49	40
Other forms of tuberculosis (32–37)	84	8	10	6	12	9	11	3	5	6	8	5	1
Bronchitis (99)	48	5	2	3	3	4	6	4	6	1	3	3	8
Bronchopneumonia (100)	122	13	20	12	15	7	5	5	3	4	11	8	19
Pneumonia (101)	183	19	25	19	14	12	12	3	8	6	14	25	26
Diarrhea and enteritis [under 2 years] (113)	119	1	3	3	3	11	30	32	12	9	8	3	4
Diarrhea and enteritis [2 years and over] (114)	40	3	2	1	1	3	8	6	5	4	5	1	1
Puerperal septicemia (146)	31	2	-------	3	5	3	2	1	2	3	5	-------	5
Other puerperal causes (143–145, 147–150)	34	4	2	3	3	4	3	5	4	-------	1	-------	5
External causes (165–203)	319	26	22	23	19	29	31	34	32	24	18	31	30
All other causes	2,202	194	175	196	203	166	203	217	178	152	163	162	193
LOUISIANA (TOTAL).													
All causes	20,103	1,773	1,613	1,595	1,708	1,713	1,591	1,642	1,702	1,606	1,778	1,722	1,660
Typhoid and paratyphoid fever (1)	326	12	16	16	16	35	34	30	37	38	34	31	27
Malaria (5)	426	18	15	18	15	24	39	60	63	65	51	42	16
Measles (7)	111	15	25	21	19	20	4	4	-------	-------	-------	-------	3
Scarlet fever (8)	11	1	-------	1	1	-------	1	-------	2	1	2	-------	2
Whooping cough (9)	157	5	15	9	23	17	20	16	12	12	12	7	9
Diphtheria (10)	109	9	9	4	5	3	4	3	4	16	27	14	11
Influenza (11)	222	37	35	26	18	13	7	4	5	4	15	30	28
Dysentery (16)	156	6	8	12	15	18	19	12	14	13	12	15	12
Lethargic encephalitis (23)	10	1	-------	1	-------	3	-------	2	-------	-------	2	-------	1
Meningococcus meningitis (24)	8	1	1	1	1	1	2	-------	-------	-------	1	-------	-------
Tuberculosis of the respiratory system (31)	2,053	197	177	182	191	189	169	178	158	142	162	139	169
Other forms of tuberculosis (32–37)	175	13	14	21	14	22	11	16	11	11	12	15	15
Bronchitis (99)	127	13	8	12	8	10	6	5	10	7	15	18	15
Bronchopneumonia (100)	536	66	59	62	41	54	22	20	30	33	43	43	63
Pneumonia (101)	756	114	104	78	42	47	31	31	36	37	58	77	101
Diarrhea and enteritis [under 2 years] (113)	929	40	41	58	119	114	119	81	84	64	85	74	50
Diarrhea and enteritis [2 years and over] (114)	207	14	13	12	27	23	25	21	11	16	18	16	11
Puerperal septicemia (146)	149	16	12	16	10	11	11	12	14	9	11	14	13
Other puerperal causes (143–145, 147–150)	276	12	22	21	24	26	23	27	25	31	29	18	18
External causes (165–203)	1,638	137	118	144	122	122	133	153	146	124	130	171	138
All other causes	11,721	1,046	921	880	997	961	911	967	1,040	983	1,059	998	958

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1921—Continued.

[See note at head of this table, p. 574.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION STATES—Continued.													
LOUISIANA (WHITE).													
All causes	10,355	965	845	813	895	852	792	816	871	826	934	897	849
Typhoid and paratyphoid fever (1)	158	7	11	10	9	16	13	13	16	16	21	15	11
Malaria (5)	230	8	9	8	6	15	23	23	40	31	28	21	9
Measles (7)	82	14	22	16	13	12	1	2					2
Scarlet fever (8)	10	1		1	1		1		1	1	2		2
Whooping cough (9)	84	2	8	5	16	9	11	6	6	6	4	4	7
Diphtheria (10)	75	4	4	2	4	1	3	1	4	11	21	11	9
Influenza (11)	105	18	14	10	9	4	2	2	3	3	7	18	15
Dysentery (16)	81	5	3	5	9	11	10	6	7	7	6	7	5
Lethargic encephalitis (23)	6	1				2		1			2		
Meningococcus meningitis (24)	5	1	1	1	1		1						
Tuberculosis of the respiratory system (31)	697	73	60	62	66	60	57	61	46	47	54	40	71
Other forms of tuberculosis (32–37)	81	5	8	11	7	9	5	6	3	2	10	8	7
Bronchitis (99)	66	5	4	6	3	5	2	3	7	7	9	8	7
Bronchopneumonia (100)	309	42	42	36	13	25	12	11	16	18	27	29	38
Pneumonia (101)	357	50	49	31	21	24	14	15	17	22	28	37	49
Diarrhea and enteritis [under 2 years] (113)	498	20	21	31	68	67	59	45	41	24	49	51	22
Diarrhea and enteritis [2 years and over] (114)	106	8	9	6	16	11	14	11	6	6	8	7	4
Puerperal septicemia (146)	70	7	7	10	3	5	6	7	4	4	4	6	7
Other puerperal causes (143–145, 147–150)	148	7	16	9	10	12	11	15	14	21	17	8	8
External causes (165–203)	928	83	79	78	76	70	70	80	88	65	71	93	75
All other causes	6,259	604	478	475	544	494	477	499	552	535	566	534	501
LOUISIANA (COLORED).													
All causes	9,748	808	768	782	813	861	799	826	831	780	844	825	811
Typhoid and paratyphoid fever (1)	168	5	5	6	7	19	21	17	21	22	13	16	16
Malaria (5)	196	10	6	10	9	9	16	28	23	34	23	21	7
Measles (7)	29	1	3	5	6	8	3	2					1
Scarlet fever (8)	1								1				
Whooping cough (9)	73	3	7	4	7	8	9	10	6	6	8	3	2
Diphtheria (10)	34	5	5	2	1	2	1	2		5	6	3	2
Influenza (11)	117	19	21	16	9	9	5	2	2	1	8	12	13
Dysentery (16)	75	1	5	7	6	7	9	6	7	6	6	8	7
Lethargic encephalitis (23)	4			1		1		1					1
Meningococcus meningitis (24)	3					1	1				1		
Tuberculosis of the respiratory system (31)	1,356	124	117	120	125	129	112	117	112	95	108	99	98
Other forms of tuberculosis (32–37)	94	8	6	10	7	13	6	10	8	9	2	7	8
Bronchitis (99)	61	8	4	6	5	5	4	2	3		6	10	8
Bronchopneumonia (100)	227	24	17	26	28	29	10	9	14	15	16	14	25
Pneumonia (101)	399	64	55	47	21	23	17	16	19	15	30	40	52
Diarrhea and enteritis [under 2 years] (113)	431	20	20	27	51	47	60	36	43	40	36	23	28
Diarrhea and enteritis [2 years and over] (114)	101	6	4	6	11	12	11	10	5	10	10	9	7
Puerperal septicemia (146)	79	9	5	6	7	6	5	5	10	5	7	8	6
Other puerperal causes (143–145, 147–150)	128	5	6	12	14	14	12	12	11	10	12	10	10
External causes (165–203)	710	54	39	66	46	52	63	73	58	59	59	78	63
All other causes	5,462	442	443	405	453	467	434	468	488	448	493	464	457
MAINE.													
All causes	10,815	964	876	969	991	926	841	856	836	865	882	860	949
Typhoid and paratyphoid fever (1)	59	6	1	3	3	2	3	4	9	9	8	6	5
Malaria (5)	1	1											
Measles (7)	82	6	9	19	22	9	5	1	2	1	2	3	3
Scarlet fever (8)	22	2	2	4	1	2	1	2		3		1	4
Whooping cough (9)	68	10	8	10	9	7	5	4	3	3	5	3	1
Diphtheria (10)	110	11	1	12	9	9	13	8	2	7	8	12	18
Influenza (11)	138	19	14	23	31	11	9	1	3	4	5	8	10
Dysentery (16)	11		1		2	1			1	5			1
Lethargic encephalitis (23)	15	2	2	2		3	1	3		1	1		
Meningococcus meningitis (24)	5			2			1	1	1				
Tuberculosis of the respiratory system (31)	500	40	48	33	44	60	44	44	32	36	35	40	44
Other forms of tuberculosis (32–37)	134	8	14	14	4	18	14	9	7	14	7	9	16
Bronchitis (99)	108	11	10	5	17	5	7	6	2	3	14	14	14
Bronchopneumonia (100)	401	52	56	56	46	34	19	10	15	11	24	35	43
Pneumonia (101)	468	63	60	57	55	38	26	21	10	17	22	46	53
Diarrhea and enteritis [under 2 years] (113)	337	10	5	13	17	15	14	34	68	95	37	11	18
Diarrhea and enteritis [2 years and over] (114)	55	3	5	3	4		2	6	10	10	9	1	2
Puerperal septicemia (146)	34	4	1	3	3	3	3	4	1	3	2	2	5
Other puerperal causes (143–145, 147–150)	97	9	5	7	9	8	9	8	6	8	11	7	10
External causes (165–203)	676	53	35	40	42	55	73	86	71	55	67	56	43
All other causes	7,494	654	599	663	673	646	592	604	593	580	625	606	659
MARYLAND (TOTAL).													
All causes	19,980	1,816	1,733	2,062	1,599	1,573	1,621	1,751	1,540	1,464	1,680	1,520	1,621
Typhoid and paratyphoid fever (1)	152	6	2	3	3	12	12	20	25	22	23	13	11
Malaria (5)	4					2		1		1			
Measles (7)	47	3	3	12	7	7	5	1	2	3			4
Scarlet fever (8)	31	3	5	2	6	2	1	2	1		2	3	4
Whooping cough (9)	249	22	27	26	39	35	21	28	19	10	11	9	2
Diphtheria (10)	182	22	20	20	12	9	10	8	5	5	23	25	23
Influenza (11)	142	11	31	45	13	7	9	3	2	2	4	5	10
Dysentery (16)	67		1	1	2	3	13	12	14	7	8	6	
Lethargic encephalitis (23)	19	3	2	1	1	2	5		2		1		2
Meningococcus meningitis (24)	21			3	4		4	4	2		1	2	1
Tuberculosis of the respiratory system (31)	1,774	159	155	202	187	153	142	146	117	129	130	114	140
Other forms of tuberculosis (32–37)	223	22	19	23	21	23	20	24	12	18	14	8	19
Bronchitis (99)	203	32	30	37	19	17	6	3	8	10	14	12	15
Bronchopneumonia (100)	818	127	139	116	68	52	33	26	32	34	59	68	64
Pneumonia (101)	755	82	131	150	67	45	32	14	30	17	42	56	89
Diarrhea and enteritis [under 2 years] (113)	941	27	27	33	23	38	97	235	142	119	109	67	24
Diarrhea and enteritis [2 years and over] (114)	163	10	9	10	10	10	25	27	22	14	9	7	10
Puerperal septicemia (146)	87	9	9	15	4	6	4	7	3	6	10	7	7
Other puerperal causes (143–145, 147–150)	159	15	12	16	15	14	14	13	17	13	9	13	8
External causes (165–203)	1,344	107	80	100	90	113	139	131	129	114	134	95	112
All other causes	12,599	1,156	1,031	1,247	1,008	1,023	1,029	1,046	956	940	1,077	1,010	1,076

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1921—Continued.

[See note at head of this table, p. 574.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION STATES—Continued.													
MARYLAND (WHITE).													
All causes	15,135	1,377	1,320	1,563	1,206	1,197	1,196	1,307	1,172	1,128	1,300	1,148	1,221
Typhoid and paratyphoid fever (1)	91	5	2	2	2	7	6	13	12	15	13	8	6
Malaria (5)	3					1		1		1			
Measles (7)	41	3	2	11	7	6	4	1	2	2			3
Scarlet fever (8)	27	3	4	2	6	2	1		1		2	3	3
Whooping cough (9)	146	14	13	14	20	14	15	18	15	9	7	5	2
Diphtheria (10)	150	19	13	17	10	6	9	6	5	5	20	18	22
Influenza (11)	99	9	21	36	9	3	2	1	1	1	4	5	7
Dysentery (16)	47		1	1		1	9	9	11	5	5	5	
Lethargic encephalitis (23)	15	3	2			1	5		2				2
Meningococcus meningitis (24)	19			2	4		3	4	2		1	2	1
Tuberculosis of the respiratory system (31)	1,126	105	102	136	122	95	90	80	73	83	82	71	87
Other forms of tuberculosis (32–37)	126	15	12	13	11	16	11	14	4	6	6	6	12
Bronchitis (99)	144	20	20	26	14	14	4	2	7	9	10	9	9
Bronchopneumonia (100)	571	96	100	80	45	34	24	20	22	29	41	41	39
Pneumonia (101)	558	55	106	111	49	32	27	8	22	12	34	36	66
Diarrhea and enteritis [under 2 years] (113)	679	19	20	22	12	28	60	166	114	96	73	48	21
Diarrhea and enteritis (2 years and over](114)	115	6	6	5	8	5	19	19	16	12	8	3	8
Puerperal septicemia (146)	61	9	4	13	4	5	1	3	2	4	6	6	4
Other puerperal causes (143–145, 147–150)	117	7	11	14	12	10	9	10	9	11	6	11	7
External causes (165–203)	1,097	88	65	86	70	100	109	103	111	89	109	77	90
All other causes	9,903	901	816	972	801	817	788	829	741	739	873	794	832
MARYLAND (COLORED).													
All causes	4,845	439	413	499	393	376	425	444	368	336	380	372	400
Typhoid and paratyphoid fever (1)	61	1		1	1	5	6		13	7	10	5	5
Malaria (5)	1					1							
Measles (7)	6		1	1		1	1		1				1
Scarlet fever (8)	4		1					2					1
Whooping cough (9)	103	8	14	12	19	21	6	10	4	1	4	4	
Diphtheria (10)	32	3	7	3	2	3	1	2			3	7	1
Influenza (11)	43	2	10	9	4	4	7	2	1	1			3
Dysentery (16)	20				2	2	4	3	3	2	3	1	
Lethargic encephalitis (23)	4			1	1	1					1		
Meningococcus meningitis (24)	2			1			1						
Tuberculosis of the respiratory system (31)	648	54	53	66	65	58	52	66	44	46	48	43	53
Other forms of tuberculosis (32–37)	97	7	7	10	10	7	9	10	8	12	8	2	7
Bronchitis (99)	59	12	10	11	5	3	2	1	1	1	4	3	6
Bronchopneumonia (100)	247	31	39	36	23	18	9	6	10	5	18	27	25
Pneumonia (101)	197	27	25	39	18	13	5	6	8	5	8	20	23
Diarrhea and enteritis [under 2 years] (113)	262	8	7	11	11	10	37	69	28	23	36	19	3
Diarrhea and enteritis [2 years and over] (114)	48	4	3	5	2	5	6	8	6	2	1	4	2
Puerperal septicemia (146)	26		5	2		1	3	4	1	2	4	1	3
Other puerperal causes (143–145, 147–150)	42	8	1	2	3	4	5	3	8	2	3	2	1
External causes (165–203)	247	19	15	14	20	13	30	28	18	25	25	18	22
All other causes	2,696	255	215	275	207	206	241	217	215	201	204	216	244
MASSACHUSETTS.													
All causes	47,787	4,538	4,115	4,636	4,265	4,036	3,439	3,586	3,585	3,614	3,829	3,871	4,273
Typhoid and paratyphoid fever (1)	122	6	5	10	6	14	8	11	17	13	17	8	7
Malaria (5)													
Measles (7)	183	27	33	34	24	22	18	7	6	1	1	1	9
Scarlet fever (8)	187	25	18	34	20	15	14	7	8	7	15	15	9
Whooping cough (9)	204	17	29	30	24	17	11	17	17	18	6	8	10
Diphtheria (10)	615	70	66	53	42	51	37	33	34	36	64	64	65
Influenza (11)	193	33	33	24	26	18	6	2	4	3	9	12	23
Dysentery (16)	33			1	2			3	10	6	7	1	3
Lethargic encephalitis (23)	71	12	12	12	6	1	2	6	4	5	5	5	1
Meningococcus meningitis (24)	63	2	5	4	8	6	3	8	9	4	6	5	3
Tuberculosis of the respiratory system (31)	3,219	265	299	325	358	287	253	255	232	230	226	251	238
Other forms of tuberculosis (32–37)	651	60	53	59	58	64	44	53	64	47	49	42	56
Bronchitis (99)	462	73	49	69	51	48	27	10	19	19	19	37	41
Bronchopneumonia (100)	2,177	318	253	315	232	182	108	66	93	91	140	163	216
Pneumonia (101)	1,854	294	212	251	238	145	92	48	40	64	108	166	196
Diarrhea and enteritis [under 2 years] (113)	1,468	66	57	70	69	64	52	183	318	254	196	74	65
Diarrhea and enteritis (2 years and over (114)	229	26	14	13	16	9	14	26	33	32	22	15	9
Puerperal septicemia (146)	200	17	19	26	26	16	19	15	9	14	14	12	13
Other puerperal causes (143–145, 147–150)	401	33	39	46	31	39	35	32	26	37	23	31	29
External causes (165–203)	3,014	220	189	226	193	250	275	353	238	266	288	261	255
All other causes	32,441	2,972	2,730	3,034	2,835	2,788	2,421	2,451	2,404	2,467	2,614	2,700	3,025
MICHIGAN.													
All causes	44,132	4,083	3,797	4,138	3,829	3,688	3,274	3,507	3,682	3,632	3,516	3,439	3,547
Typhoid and paratyphoid fever (1)	292	15	11	14	13	11	15	18	49	58	35	35	18
Malaria (5)	7		1					2	1	1			2
Measles (7)	68	5	7	10	10	4	10	6	2	2		4	8
Scarlet fever (8)	344	51	59	44	46	21	29	9	11	18	18	18	20
Whooping cough (9)	323	24	44	35	39	45	25	24	39	17	18	5	8
Diphtheria (10)	949	94	77	77	68	64	62	36	59	67	130	126	89
Influenza (11)	246	41	45	28	25	18	11	7	8	12	9	20	22
Dysentery (16)	112	5		3	1	3	1	10	31	35	18	3	2
Lethargic encephalitis (23)	113	26	31	14	11	8	8	4	3	1	4	1	2
Meningococcus meningitis (24)	70	7	13	10	2	1	5	6	8	6	2	4	6
Tuberculosis of the respiratory system (31)	2,311	238	210	209	210	240	191	174	188	150	152	182	167
Other forms of tuberculosis (32–37)	444	33	36	74	38	37	35	43	36	30	22	29	31
Bronchitis (99)	525	57	74	77	49	43	31	18	16	23	50	45	42
Bronchopneumonia (100)	1,298	185	189	193	138	116	53	38	38	57	89	88	114
Pneumonia (101)	1,475	176	196	216	178	143	80	39	48	39	87	115	158
Diarrhea and enteritis [under 2 years] (113)	1,594	83	71	85	77	62	93	179	305	346	156	68	69
Diarrhe and enteritis [2 years and over] (114)	438	21	13	16	13	15	22	61	97	115	38	12	15
Puerperal septicemia (146)	295	46	26	40	39	27	20	22	9	15	20	16	15
Other puerperal causes (143–145, 147–150)	365	30	37	49	28	38	24	25	36	19	26	21	32
External causes (165–203)	3,318	258	218	220	234	265	339	426	300	275	277	258	248
All other causes	29,545	2,688	2,439	2,724	2,610	2,527	2,220	2,360	2,393	2,346	2,365	2,389	2,479

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1921—Continued.

[See note at head of this table, p. 574.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION STATES—Continued.													
MINNESOTA.													
All causes	22,806	2,042	2,000	2,299	2,137	1,972	1,703	1,750	1,708	1,678	1,877	1,796	1,844
Typhoid and paratyphoid fever (1)	88	5	3	4	11	6	4	7	7	11	13	10	7
Malaria (5)	32	2	3	7	3	3	5	3	1			1	4
Measles (7)	189	15	24	23	28	21	10	8	8	6	16	14	16
Scarlet fever (8)	155	21	21	29	18	19	6	12	8	6	6	4	5
Whooping cough (9)	220	18	13	15	20	16	16	9	17	16	22	36	22
Diphtheria (10)	172	7	21	33	38	18	6	2	5	10	13	15	4
Influenza (11)	36	1	1	2	2		1	3	8	9	4	4	1
Dysentery (16)	38	4	13	6	5	1	5	2	1			1	
Lethargic encephalitis (23)	33		5	3	2	1	5	5	6	2	2		2
Meningococcus meningitis (24)	1,572	136	153	154	163	161	133	137	106	95	106	105	123
Tuberculosis of the respiratory system (31)	303	28	28	43	25	19	26	27	19	22	23	20	23
Other forms of tuberculosis (32–37)	196	25	26	23	24	10	8	7	9	11	15	18	20
Bronchitis (99)	700	106	112	88	86	48	22	22	16	35	35	56	74
Bronchopneumonia (100)	873	106	123	153	105	63	33	30	25	36	59	51	89
Pneumonia (101)	387	30	22	39	32	29	17	27	40	57	35	30	29
Diarrhea and enteritis [under 2 years] (113)	153	7	10	11	4	7	5	14	29	34	15	10	7
Diarrhea and enteritis [2 years and over] (114)	149	10	11	21	23	15	11	8	5	6	8	15	16
Puerperal septicemia (146)	180	21	13	16	17	17	7	17	16	16	10	23	7
Other puerperal causes (143–145, 147–150)	1,910	124	110	138	145	177	198	218	181	166	186	130	137
External causes (165–203)	15,420	1,376	1,288	1,491	1,386	1,341	1,185	1,192	1,201	1,140	1,309	1,253	1,258
All other causes													
MISSISSIPPI (TOTAL).													
All causes	19,950	1,647	1,568	1,663	1,643	1,721	1,657	1,757	1,620	1,679	1,805	1,577	1,613
Typhoid and paratyphoid fever (1)	333	11	12	24	13	23	25	48	43	41	37	36	20
Malaria (5)	894	29	12	21	15	34	63	112	155	178	172	68	35
Measles (7)	28	1	3	7	9	2	4					1	1
Scarlet fever (8)	16	2			1	2	1	1			4	4	1
Whooping cough (9)	234	9	18	13	31	34	33	28	16	12	11	17	12
Diphtheria (10)	344	31	9	12	5	7	9	15	32	62	60	52	50
Influenza (11)	230	36	40	46	22	14	9	5	4	7	8	13	26
Dysentery (16)	158	4	6	4	26	24	29	20	9	11	15	7	3
Lethargic encephalitis (23)	4		1	1		1		1					
Meningococcus meningitis (24)	17	2			3	1	1	2	2			1	5
Tuberculosis of the respiratory system (31)	1,846	176	148	197	175	190	158	159	126	132	160	106	119
Other forms of tuberculosis (32–37)	143	18	12	8	15	16	7	14	5	18	11	10	9
Bronchitis (99)	74	6	10	10	7	9	3	3	3	6	4	10	3
Bronchopneumonia (100)	398	62	62	43	22	34	11	9	14	14	33	38	56
Pneumonia (101)	783	140	124	103	52	43	22	17	20	16	36	88	122
Diarrhea and enteritis [under 2 years] (113)	549	18	18	30	53	85	91	70	29	51	53	26	25
Diarrhea and enteritis [2 years and over] (114)	238	12	14	21	27	29	38	24	14	13	21	17	8
Puerperal septicemia (146)	143	11	15	18	9	11	15	10	10	9	12	13	10
Other puerperal causes (143–145, 147–150)	297	27	26	36	24	26	28	37	16	21	17	15	24
External causes (165–203)	1,440	124	110	86	146	151	128	121	101	108	107	114	144
All other causes	11,781	928	928	983	988	985	982	1,061	1,021	980	1,044	941	940
MISSISSIPPI (WHITE).													
All causes	7,325	674	606	554	575	591	595	609	551	610	666	639	655
Typhoid and paratyphoid fever (1)	108	3	5	5	3	10	9	16	15	14	10	10	8
Malaria (5)	302	11	2	4	5	10	18	36	47	50	65	38	16
Measles (7)	17		3	6	5		2						1
Scarlet fever (8)	8	2				1		1			2	2	
Whooping cough (9)	67	7	10	5	7	10	13	3	2	3	1	2	4
Diphtheria (10)	194	19	4	6	4	3	5	9	16	32	39	23	34
Influenza (11)	91	14	18	16	8	4	2		3	1	3	7	15
Dysentery (16)	75	3	2		10	9	15	10	5	7	8	5	1
Lethargic encephalitis (23)	4		1	1		1		1					
Meningococcus meningitis (24)	9	2			2	1		1				1	2
Tuberculosis of the respiratory system (31)	383	42	48	37	33	34	28	34	27	25	27	20	28
Other forms of tuberculosis (32–37)	40	4	3	3	4	2		3	2	7	3	5	4
Bronchitis (99)	42	2	7	6	3	5		2	3	5	3	5	1
Bronchopneumonia (100)	212	32	39	16	8	17	6	5	7	5	22	24	31
Pneumonia (101)	290	63	35	34	18	17	8	5	3	7	11	44	45
Diarrhea and enteritis [under 2 years] (113)	281	10	7	11	27	45	51	42	13	28	24	9	14
Diarrhea and enteritis [2 years and over] (114)	136	8	9	10	14	16	27	15	7	6	12	6	6
Puerperal septicemia (146)	52	4	6	5	1	4	7	1	4	5	7	5	3
Other puerperal causes (143–145, 147–150)	116	6	11	14	9	9	8	17	6	11	10	5	10
External causes (165–203)	549	45	39	23	72	63	41	45	38	39	38	52	54
All other causes	4,349	397	357	352	342	330	355	363	353	365	381	376	378
MISSISSIPPI (COLORED).													
All causes	12,625	973	962	1,109	1,068	1,130	1,062	1,148	1,069	1,069	1,139	938	958
Typhoid and paratyphoid fever (1)	225	8	7	19	10	13	16	32	28	27	27	26	12
Malaria (5)	592	18	10	17	10	24	45	76	108	128	107	30	19
Measles (7)	11	1		1	4	2	2					1	
Scarlet fever (8)	8				1	1	1				2	2	1
Whooping cough (9)	167	2	8	8	24	24	20	25	14	9	10	15	8
Diphtheria (10)	150	12	5	6	1	4	4	6	16	30	21	29	16
Influenza (11)	139	22	22	30	14	10	7	5	1	6	5	6	11
Dysentery (16)	83	1	4	4	16	15	14	10	4	4	7	2	2
Lethargic encephalitis (23)													
Meningococcus meningitis (24)	8				1		1	1	2				3
Tuberculosis of the respiratory system (31)	1,463	134	100	160	142	156	130	125	99	107	133	86	91
Other forms of tuberculosis (32–37)	103	14	9	5	11	14	7	11	3	11	8	5	5
Bronchitis (99)	32	4	3	4	4	4	3	1		1	1	5	2
Bronchopneumonia (100)	186	30	23	27	14	17	5	4	7	9	11	14	25
Pneumonia (101)	493	77	89	69	34	26	14	12	17	9	25	44	77
Diarrhea and enteritis [under 2 years] (113)	268	8	11	19	26	40	40	28	16	23	29	17	11
Diarrhea and enteritis [2 years and over] (114)	102	4	5	11	13	13	11	9	7	7	9	11	2
Puerperal septicemia (146)	91	7	9	13	8	7	8	9	6	4	5	8	7
Other puerperal causes (143–145, 147–150)	181	21	15	22	15	17	20	20	10	10	7	10	14
External causes (165–203)	391	79	71	63	74	88	87	76	63	69	69	62	90
All other causes	7,432	531	571	631	646	655	627	698	668	615	663	565	562

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1921—Continued.

[See note at head of this table, p. 574.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION STATES—Continued.													
MISSOURI.													
All causes	37,071	3,532	3,085	3,260	3,002	3,096	2,712	3,175	2,800	2,805	3,149	3,141	3,314
Typhoid and paratyphoid fever (1)	443	15	10	17	12	22	24	51	71	77	71	49	24
Malaria (5)	192	10	8	10	6	8	14	30	17	37	32	14	6
Measles (7)	72	6	10	23	10	9	6	2	.....	2	2	.....	2
Scarlet fever (8)	146	9	19	13	13	24	7	6	2	7	15	14	17
Whooping cough (9)	263	31	32	33	32	22	27	31	11	14	11	10	9
Diphtheria (10)	788	96	57	42	29	37	15	15	39	68	157	131	102
Influenza (11)	375	61	48	70	42	29	6	8	5	11	19	37	39
Dysentery (16)	215	2	1	3	6	14	24	51	42	38	16	12	6
Lethargic encephalitis (23)	18	3	3	2	1	2	2	.....	2	1	.....	2	.....
Meningococcus meningitis (24)	50	3	3	6	6	8	6	7	1	3	2	1	4
Tuberculosis of the respiratory system (31)	2,832	275	236	289	292	246	226	224	202	184	199	219	240
Other forms of tuberculosis (32–37)	350	24	24	31	31	31	31	36	31	29	38	22	22
Bronchitis (99)	328	53	36	32	32	24	20	12	16	5	22	32	44
Bronchopneumonia (100)	1,259	211	171	159	113	71	54	46	46	57	74	121	136
Pneumonia (101)	1,601	268	239	208	128	104	51	35	49	43	114	158	204
Diarrhea and enteritis [under 2 years] (113)	1,031	40	44	32	37	48	130	207	182	130	110	40	31
Diarrhea and enteritis [2 years and over] (114)	333	9	13	9	15	21	33	67	55	50	28	21	12
Puerperal septicemia (146)	259	26	28	28	26	18	19	21	19	15	23	20	16
Other puerperal causes (143–145, 147–150)	240	17	22	32	21	21	12	22	18	24	18	15	18
External causes (165–203)	2,755	197	174	204	219	237	221	304	252	261	231	227	228
All other causes	23,521	2,176	1,907	2,017	1,931	2,100	1,784	2,000	1,740	1,749	1,967	1,996	2,154
MONTANA.													
All causes	4,693	470	414	447	443	384	372	359	379	332	371	380	342
Typhoid and paratyphoid fever (1)	20	2	1	2	3	1	.....	3	2	2	3	1	.....
Malaria (5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (7)	35	13	8	5	4	3	.....	1	.....	.....	.....	1	.....
Scarlet fever (8)	10	1	1	1	.....	1	2	.....	.....	.....	.....	1	3
Whooping cough (9)	69	5	7	21	12	6	4	4	7	.....	1	1	1
Diphtheria (10)	47	5	5	3	3	2	4	3	2	.....	4	10	6
Influenza (11)	49	6	6	3	10	5	4	.....	.....	3	5	5	2
Dysentery (16)	11	.....	1	.....	.....	2	1	.....	3	4	.....	.....	.....
Lethargic encephalitis (23)	3	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Meningococcus meningitis (24)	7	1	.....	1	.....	.....	1	1	.....	.....	1	2	.....
Tuberculosis of the respiratory system (31)	315	27	23	36	46	19	32	32	20	16	20	22	22
Other forms of tuberculosis (32–37)	41	3	2	4	6	4	4	3	2	4	2	2	5
Bronchitis (99)	31	7	2	3	3	3	2	1	1	.....	3	1	5
Bronchopneumonia (100)	176	29	26	33	25	8	5	4	5	6	9	13	13
Pneumonia (101)	236	35	28	30	19	20	8	9	4	11	24	21	27
Diarrhea and enteritis [under 2 years] (113)	92	7	6	5	2	8	3	7	14	19	9	7	5
Diarrhea and enteritis [2 years and over] (114)	17	.....	.....	1	.....	.....	.....	3	6	2	2	1	2
Puerperal septicemia (146)	42	4	2	6	5	8	1	3	2	3	3	3	2
Other puerperal causes (143–145, 147–150)	47	6	3	5	3	5	2	4	4	2	3	2	8
External causes (165–203)	523	34	30	43	37	45	60	56	58	39	48	42	31
All other causes	2,922	284	261	245	265	244	239	225	249	221	234	245	210
NEBRASKA.													
All causes	12,017	1,162	1,023	1,151	1,034	1,033	908	874	965	895	1,022	942	1,008
Typhoid and paratyphoid fever (1)	66	5	4	1	2	.....	3	6	11	10	10	9	5
Malaria (5)	3	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....
Measles (7)	28	2	.....	5	7	5	.....	1	.....	3	.....	2	3
Scarlet fever (8)	94	7	10	14	16	13	5	4	.....	4	7	9	5
Whooping cough (9)	65	11	6	9	7	8	5	2	5	3	4	1	4
Diphtheria (10)	146	13	16	18	6	7	6	4	15	17	17	19	8
Influenza (11)	131	17	20	21	17	12	8	3	2	7	5	4	15
Dysentery (16)	28	.....	.....	1	1	1	1	2	9	6	5	1	1
Lethargic encephalitis (23)	24	1	2	2	.....	2	1	2	3	8	2	.....	1
Meningococcus meningitis (24)	16	.....	5	1	.....	.....	1	1	1	2	4	.....	1
Tuberculosis of the respiratory system (31)	406	41	34	53	41	38	36	25	29	30	26	22	31
Other forms of tuberculosis (32–37)	81	7	3	5	11	12	7	5	8	6	2	8	7
Bronchitis (99)	52	8	6	5	3	.....	2	2	3	2	3	4	14
Bronchopneumonia (100)	340	73	61	48	31	9	3	10	8	14	17	32	34
Pneumonia (101)	481	80	65	58	41	39	15	15	18	16	35	37	62
Diarrhea and enteritis [under 2 years] (113)	263	15	14	13	20	13	14	29	45	30	37	19	14
Diarrhea and enteritis [2 years and over] (114)	115	5	7	1	8	4	1	19	27	21	16	3	3
Puerperal septicemia (146)	86	8	6	16	13	7	2	8	10	3	6	3	4
Other puerperal causes (143–145, 147–150)	126	11	5	14	18	9	11	13	8	8	11	11	7
External causes (165–203)	969	68	64	70	71	85	93	117	87	78	90	84	62
All other causes	8,497	790	695	796	721	769	693	606	675	626	725	674	727
NEW HAMPSHIRE.													
All causes	6,102	581	549	538	502	492	468	446	493	496	520	510	507
Typhoid and paratyphoid fever (1)	16	.....	1	3	.....	1	.....	.....	2	3	1	2	3
Malaria (5)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
Measles (7)	12	2	5	1	.....	2	.....	.....	.....	.....	.....	2	.....
Scarlet fever (8)	22	4	6	1	2	1	.....	.....	1	1	3	2	1
Whooping cough (9)	36	5	5	5	5	3	3	2	3	2	2	.....	1
Diphtheria (10)	75	8	3	7	2	.....	3	3	8	9	13	9	10
Influenza (11)	62	11	14	9	10	5	3	.....	2	.....	.....	4	4
Dysentery (16)	9	.....	.....	.....	.....	.....	.....	2	.....	2	3	2	.....
Lethargic encephalitis (23)	3	.....	.....	2	.....	.....	.....	.....	1	.....	.....	.....	.....
Meningococcus meningitis (24)	5	1	.....	1	1	.....	1	.....	1	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	286	22	30	20	32	30	29	26	16	23	19	20	19
Other forms of tuberculosis (32–37)	65	5	6	6	5	5	8	9	10	3	4	1	3
Bronchitis (99)	73	9	12	6	8	9	3	3	1	2	4	10	6
Bronchopneumonia (100)	199	24	38	29	16	13	12	.....	9	9	15	12	22
Pneumonia (101)	233	42	30	35	15	19	14	10	10	6	15	20	17
Diarrhea and enteritis [under 2 years] (113)	159	7	5	8	6	8	6	14	37	37	19	6	6
Diarrhea and enteritis [2 years and over] (114)	34	1	3	2	3	1	2	4	2	(	6	4	.....
Puerperal septicemia (146)	17	1	2	.....	2	1	1	.....	2	2	1	2	3
Other puerperal causes (143–145, 147–150)	46	4	5	3	1	5	2	2	7	3	1	5	8
External causes (165–203)	370	27	18	26	33	31	30	47	47	32	27	29	23
All other causes	4,379	408	366	374	361	358	351	324	334	356	387	379	381

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1921—Continued.

[See note at head of this table, p. 574.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION STATES—Continued.													
NEW JERSEY.													
All causes	37,928	3,658	3,403	3,768	3,294	3,064	2,826	2,863	2,979	2,779	3,037	2,963	3,294
Typhoid and paratyphoid fever (1)	147	6	3	6	7	6	9	14	27	25	18	12	14
Malaria (5)	9	1	1	2				2		1	1	1	
Measles (7)	115	10	7	21	18	17	12	8	7	1	3	6	5
Scarlet fever (8)	236	23	41	28	34	21	26	11	9	8	11	11	13
Whooping cough (9)	333	25	50	51	35	39	29	31	33	16	12	5	7
Diphtheria (10)	600	38	62	47	49	52	38	25	33	33	64	51	58
Influenza (11)	333	34	62	77	47	29	5	6	8	8	13	19	25
Dysentery (16)	30			1	2	1	2	5	9	3	5	2	
Lethargic encephalitis (23)	47	7	12	11	1	4	1	4	2	1	2	2	
Meningococcus meningitis (24)	54	6	3	13	1	4	8	3	2	4	2	4	4
Tuberculosis of the respiratory system (31)	2,657	241	236	285	282	228	205	191	187	202	210	185	205
Other forms of tuberculosis (32–37)	386	36	27	34	34	30	32	33	41	33	33	24	29
Bronchitis (99)	333	43	36	45	37	24	11	9	15	14	26	31	37
Bronchopneumonia (100)	1,296	200	163	219	124	102	57	43	41	52	47	103	145
Pneumonia (101	1,885	293	260	294	212	121	95	46	73	51	102	146	192
Diarrhea and enteritis [under 2 years] (113)	1,502	67	63	70	55	68	89	249	308	240	144	73	76
Diarrhea and enteritis [2 years and over] (114)	252	14	18	16	9	15	20	37	39	33	17	23	11
Puerperal septicemia (146)	190	18	20	29	18	13	14	10	14	9	11	16	18
Other puerperal causes (143–145, 147–150)	268	24	24	30	28	20	18	19	19	15	28	20	23
External causes (165–203)	2,946	253	185	235	233	248	281	325	260	259	237	197	233
All other causes	24,309	2,264	2,130	2,254	2,068	2,022	1,874	1,792	1,852	1,771	2,051	2,032	2,199
NEW YORK.													
All causes	130,394	12,566	11,684	12,692	11,446	11,063	9,568	9,951	10,060	9,444	10,347	10,272	11,301
Typhoid and paratyphoid fever (1)	386	28	15	27	17	16	26	34	42	52	60	34	35
Malaria (5)	16	1				2	2	2	4	1	2		2
Measles (7)	518	99	110	79	46	52	40	22	15	3	4	14	34
Scarlet fever (8)	712	128	105	104	97	76	46	22	16	12	23	42	41
Whooping cough (9)	809	68	100	104	98	88	54	81	71	55	36	25	29
Diphtheria (10)	1,711	221	240	158	142	150	130	82	81	85	106	143	173
Influenza (11)	822	135	122	143	122	63	27	11	13	19	43	59	65
Dysentery (16)	81	3	5	2	1	2	9	5	14	17	11	7	5
Lethargic encephalitis (23)	223	31	37	28	24	23	20	14	9	13	13	5	6
Meningococcus meningitis (24)	206	23	21	20	18	17	23	19	13	12	10	15	15
Tuberculosis of the respiratory system (31)	9,402	852	786	961	852	884	811	732	733	656	696	681	758
Other forms of tuberculosis (32–37)	1,434	147	117	146	138	138	123	129	125	93	93	87	98
Bronchitis (99)	1,102	145	136	127	109	80	56	48	43	56	94	98	110
Bronchopneumonia (100)	4,766	601	633	675	478	361	220	204	233	228	290	355	488
Pneumonia (101)	5,945	850	830	845	638	489	301	200	209	203	352	468	560
Diarrhea and enteritis [under 2 years] (113)	4,095	203	199	219	226	202	209	616	783	664	403	194	177
Diarrhea and enteritis [2 years and over] (114)	746	40	33	32	39	40	49	97	142	106	79	47	42
Puerperal septicemia (146)	596	72	73	74	63	54	50	36	31	28	40	37	38
Other puerperal causes (143–145, 147–150)	908	69	78	90	87	79	73	75	66	61	73	70	87
External causes (165–203)	9,226	778	613	728	676	789	765	1,061	808	782	798	735	693
All other causes	86,690	8,072	7,431	8,130	7,575	7,458	6,534	6,461	6,609	6,298	7,121	7,156	7,845
NORTH CAROLINA (TOTAL).													
All causes	29,454	2,576	2,243	2,423	2,496	3,006	2,800	2,564	2,300	2,041	2,391	2,226	2,388
Typhoid and paratyphoid fever (1)	314	11	10	5	7	16	38	62	48	53	33	20	11
Malaria (5)	180	4	8	5	5	10	15	18	30	37	28	12	8
Measles (7)	147	13	17	33	28	32	11	5	3	3	2		
Scarlet fever (8)	45					3	2	2	3	8	6	11	10
Whooping cough (9)	385	16	26	51	42	61	59	53	26	12	19	10	10
Diphtheria (10)	372	35	13	23	8	7	1	13	33	49	71	77	42
Influenza (11)	378	60	53	49	39	43	22	4	5	11	17	32	43
Dysentery (16)	261	2	3	4	26	66	76	25	24	10	14	6	5
Lethargic encephalitis (23)	12	1		4	1	3	1					1	1
Meningococcus meningitis (24)	35	2	2	3	7	4	2	2	1	5	3	3	1
Tuberculosis of the respiratory system (31)	2,492	201	224	244	238	256	223	207	165	172	194	186	182
Other forms of tuberculosis (32–37)	247	21	19	21	25	28	17	23	21	15	21	16	20
Bronchitis (99)	161	28	19	18	14	11	5	6	8	8	16	13	15
Bronchopneumonia (100)	802	134	108	93	81	60	37	25	28	31	56	55	94
Pneumonia (101)	1,156	192	184	143	92	76	37	38	38	36	66	102	152
Diarrhea and enteritis [under 2 years] (113)	1,708	23	26	40	156	373	337	271	171	105	97	51	58
Diarrhea and enteritis [2 years and over] (114)	402	13	6	12	31	102	78	51	29	22	25	15	18
Puerperal septicemia (146)	167	14	14	19	18	11	14	15	12	17	10	14	9
Other puerperal causes (143–145, 147–150)	483	46	26	48	51	45	45	36	32	49	33	43	29
External causes (165–203)	1,721	169	123	131	116	117	154	147	171	122	151	147	173
All other causes	17,986	1,591	1,362	1,477	1,511	1,682	1,626	1,561	1,452	1,276	1,529	1,412	1,507
NORTH CAROLINA (WHITE).													
All causes	18,100	1,645	1,406	1,498	1,455	1,837	1,740	1,526	1,426	1,207	1,469	1,388	1,503
Typhoid and paratyphoid fever (1)	158	7	2	2	3	8	16	36	21	23	22	13	5
Malaria (5)	80	1	4	3	3	4	8	8	13	14	10	6	6
Measles (7)	115	12	15	28	20	24	9	1	2	2	2		
Scarlet fever (8)	40					3	2	1	2	8	5	10	9
Whooping cough (9)	227	11	14	30	23	42	38	29	17	7	5	6	5
Diphtheria (10)	297	26	9	21	4	5	1	7	25	41	54	69	35
Influenza (11)	242	40	39	31	21	29	10	1	2	7	12	21	29
Dysentery (16)	181	2	3	1	16	41	52	19	22	6	11	5	3
Lethargic encephalitis (23)	9			3	1	3						1	1
Meningococcus meningitis (24)	23	2	1	3	3	1	1	1	1	3	3	3	1
Tuberculosis of the respiratory system (31)	1,147	94	110	129	101	110	99	92	75	79	92	78	88
Other forms of tuberculosis (32–37)	119	9	10	13	9	13	11	8	11	9	10	10	6
Bronchitis (99)	86	17	12	10	7	5	2	4	5	2	9	5	8
Bronchopneumonia (100)	504	95	76	57	42	32	24	8	24	21	37	34	54
Pneumonia (101)	712	122	106	91	47	41	26	25	23	23	43	65	100
Diarrhea and enteritis [under 2 years] (113)	1,153	15	17	28	102	256	246	178	109	62	62	40	38
Diarrhea and enteritis [2 years and over] (114)	317	11	3	7	22	79	67	45	17	20	22	11	13
Puerperal septicemia (146)	85	8	10	11	8	7	6	2	8	3	5	11	6
Other puerperal causes (143–145, 147–150)	289	30	15	32	28	27	30	19	20	30	21	22	15
External causes (165–203)	1,070	110	77	80	63	73	106	93	108	76	97	86	101
All other causes	11,246	1,033	883	918	932	1,034	986	949	921	771	947	892	980

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1921—Continued.

[See note at head of this table, p. 574.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION STATES—Continued.													
NORTH CAROLINA (COLORED).													
All causes	11,354	931	837	925	1,041	1,169	1,060	1,038	874	834	922	838	885
Typhoid and paratyphoid fever (1)	156	4	8	3	4	8	22	26	27	30	11	7	6
Malaria (5)	100	3	4	2	2	6	7	10	17	23	18	6	2
Measles (7)	32	1	2	5	8	8	2	4	1	1			
Scarlet fever (8)	5							1	1		1	1	1
Whooping cough (9)	158	5	12	21	19	19	21	24	9	5	14	4	5
Diphtheria (10)	75	9	4	2	4	2		6	8	8	17	8	7
Influenza (11)	136	20	14	18	18	14	12	3	3	4	5	11	14
Dysentery (16)	80			3	10	25	24	6	2	4	3	1	2
Lethargic encephalitis (23)	3	1		1			1						
Meningococcus meningitis (24)	12		1		4	3	1	1		2			
Tuberculosis of the respiratory system (31)	1,345	107	114	115	137	146	124	115	90	93	102	108	94
Other forms of tuberculosis (32–37)	128	12	9	8	16	15	6	15	10	6	11	6	14
Bronchitis (99)	75	11	7	8	7	6	3	2	3	6	7	8	7
Bronchopneumonia (100)	298	39	32	36	39	28	13	17	4	10	19	21	40
Pneumonia (101)	444	70	78	52	45	35	11	13	15	13	23	37	52
Diarrhea and enteritis [under 2 years] (113)	555	8	9	12	54	117	91	93	62	43	35	11	20
Diarrhea and enteritis [2 years and over] (114)	85	2	3	5	9	23	11	6	12	2	3	4	5
Puerperal septicemia (146)	82	6	4	8	10	4	8	13	4	14	5	3	3
Other puerperal causes (143–145, 147–150)	194	16	11	16	23	18	15	17	12	19	12	21	14
External causes (165–203)	651	59	46	51	53	44	48	54	63	46	54	61	72
All other causes	6,740	558	479	559	579	648	640	612	531	505	582	520	527
OHIO.													
All causes	67,104	6,233	5,751	6,180	5,506	5,486	4,971	5,585	5,585	4,938	5,663	5,476	5,730
Typhoid and paratyphoid fever (1)	542	31	17	23	16	23	32	51	95	71	86	62	35
Malaria (5)	12			1		2				2	3	2	2
Measles (7)	146	9	16	26	26	30	12	7	2	3	8	1	6
Scarlet fever (8)	438	68	58	40	27	36	26	23	30	21	33	47	29
Whooping cough (9)	516	59	74	66	58	46	54	38	53	27	14	14	13
Diphtheria (10)	1,086	93	74	64	59	48	35	42	63	87	190	181	150
Influenza (11)	690	124	97	108	66	43	21	23	24	24	48	55	57
Dysentery (16)	190	5	6	3	6	2	10	36	59	30	18	7	8
Lethargic encephalitis (23)	136	26	28	29	19	12	4	5	3	1	5	3	1
Meningococcus meningitis (24)	56	7	5	7	4	5	2	5	4	3	4	3	7
Tuberculosis of the respiratory system (31)	4,437	417	390	460	423	424	359	332	351	326	313	306	336
Other forms of tuberculosis (32–37)	333	67	76	83	56	39	68	71	78	61	70	60	54
Bronchitis (99)	451	46	64	55	36	33	24	18	27	25	42	34	47
Bronchopneumonia (100)	2,395	341	348	338	212	167	85	71	87	91	178	210	267
Pneumonia (101)	2,511	383	339	373	223	168	99	75	84	85	175	218	289
Diarrhea and enteritis [under 2 years] (113)	2,179	74	67	80	67	73	143	402	488	387	225	101	72
Diarrhea and enteritis [2 years and over] (114)	556	20	20	18	25	31	51	111	118	66	43	31	22
Puerperal septicemia (146)	440	48	45	65	40	38	36	32	32	17	29	23	35
Other puerperal causes (143–145, 147–150)	494	35	44	41	56	48	52	39	45	31	26	41	36
External causes (165–203)	5,449	426	357	415	397	433	521	626	486	431	476	480	401
All other causes	43,547	3,954	3,626	3,885	3,690	3,735	3,337	3,578	3,456	3,149	3,677	3,597	3,863
OREGON.													
All causes	8,304	731	685	775	709	781	662	634	605	580	711	669	762
Typhoid and paratyphoid fever (1)	47	3	2	2	2	2	3	6	8	4	5	5	5
Malaria (5)	3			1		1					1		
Measles (7)	42	4	7	8	3	8	4		6		1		1
Scarlet fever (8)	14	2	3	3	1		1		1		2		1
Whooping cough (9)	36	6	3	5	5	3	2	2	4		1	1	4
Diphtheria (10)	112	11	12	1	6	5	8	10	10	10	14	15	10
Influenza (11)	102	11	13	12	11	16	9	2	2	5	5	10	6
Dysentery (16)	9				1				3	1	2		2
Lethargic encephalitis (23)	18	2	2	2	2		3		1	2	1	1	2
Meningococcus meningitis (24)	6	1	1		1			1	1			1	
Tuberculosis of the respiratory system (31)	490	54	42	53	46	56	49	29	39	32	34	22	34
Other forms of tuberculosis (32–37)	118	9	4	15	20	13	15	8	2	6	8	10	8
Bronchitis (99)	34	3	3	3	4	4	1	4	2		2	4	4
Bronchopneumonia (100)	199	36	28	24	22	8	6	8	5	12	12	22	16
Pneumonia (101)	333	35	42	38	23	28	22	15	18	15	24	28	45
Diarrhea and enteritis [under 2 years] (113)	79	4	6	5	6	8	2	8	7	11	11	6	5
Diarrhea and enteritis [2 years and over] (114)	44	3	3	1	4	2	3	3	6	3	6	6	4
Puerperal septicemia (146)	46	3	4	5	4	4	3	4	4	5	4	5	1
Other puerperal causes (143–145, 147–150)	69	4	9	9	1	1	6	9	3	5	6	9	7
External causes (165–203)	821	53	50	51	51	73	90	91	85	67	71	64	75
All other causes	5,682	487	451	537	496	549	435	434	398	402	501	460	532
PENNSYLVANIA.													
All causes	109,919	10,611	10,213	10,894	9,506	8,949	7,900	8,314	8,598	8,043	8,744	8,614	9,533
Typhoid and paratyphoid fever (1)	653	31	25	17	23	29	34	70	114	110	95	62	43
Malaria (5)	5				1			1	1	1	1		
Measles (7)	477	82	85	91	79	61	34	8	7	3	7	9	11
Scarlet fever (8)	648	91	76	95	65	59	41	29	31	33	32	39	57
Whooping cough (9)	784	96	118	101	100	86	33	56	68	37	34	26	29
Diphtheria (10)	1,983	218	172	159	133	145	110	85	107	147	216	243	248
Influenza (11)	1,529	208	244	346	197	97	51	18	36	33	57	102	140
Dysentery (16)	132	3	1	3	4	5	7	31	36	20	10	6	6
Lethargic encephalitis (23)	100	13	22	12	9	8	8	6	8	5	1	5	3
Meningococcus meningitis (24)	120	6	15	10	10	13	11	8	6	8	11	14	8
Tuberculosis of the respiratory system (31)	6,874	625	666	655	644	654	540	535	519	462	562	498	514
Other forms of tuberculosis (32–37)	1,323	113	102	99	146	129	111	106	117	97	99	96	108
Bronchitis (99)	863	122	119	116	89	75	42	27	22	32	54	72	93
Bronchopneumonia (100)	5,228	815	792	751	541	328	233	124	182	184	309	422	547
Pneumonia (101)	6,295	962	953	955	646	476	290	145	176	189	360	516	627
Diarrhea and enteritis [under 2 years] (113)	5,502	224	202	250	222	254	300	896	1,113	931	576	297	237
Diarrhea and enteritis [2 years and over] (114)	320	37	41	47	51	51	52	152	150	97	66	39	37
Puerperal septicemia (146)	668	63	69	87	72	70	42	50	44	42	35	47	47
Other puerperal causes (143–145, 147–150)	900	76	92	96	76	80	71	78	61	59	54	64	93
External causes (165–203)	8,526	737	596	679	620	712	796	852	713	734	738	642	707
All other causes	66,489	6,089	5,823	6,325	5,778	5,617	5,094	5,037	5,087	4,819	5,427	5,415	5,978

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1921—Continued.

[See note at head of this table, p. 574.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION STATES—Continued.													
RHODE ISLAND.													
All causes	7,756	736	680	749	685	621	588	570	658	620	609	572	668
Typhoid and paratyphoid fever (1)	17		2	2		1			5	4		2	1
Malaria (5)	2							1	1				
Measles (7)	82	2	15	35	16	5	7	1					1
Scarlet fever (8)	14	4		2	2	1	3	1	1				
Whooping cough (9)	57	8	6	10	1	5	3	5	6	5	2	2	4
Diphtheria (10)	80	14	6	9	9	2	2	2	7	6	6	8	9
Influenza (11)	39	8	11	3	6	1	1		5		1	2	1
Dysentery (16)	8				1			2	1	1	2	1	
Lethargic encephalitis (23)	10	1	1	1	1		2	1			3		
Meningococcus meningitis (24)	12	1	2		1	1		1	4	1			1
Tuberculosis of the respiratory system (31)	541	49	52	46	64	60	48	51	41	32	44	27	27
Other forms of tuberculosis (32–37)	122	4	10	13	11	12	12	16	3	11	9	9	12
Bronchitis (99)	70	14	15	14	3	1	1	1	3	1	8	6	3
Bronchopneumonia (100)	271	54	38	33	25	15	10	7	13	11	9	27	29
Pneumonia (101)	360	57	55	41	37	28	18	9	11	15	24	31	34
Diarrhea and enteritis [under 2 years] (113)	303	8	4	8	11	2	8	42	93	54	47	18	8
Diarrhea and enteritis [2 years and over] (114)	40			1	3	2	1	10	7	7	2	4	3
Puerperal septicemia (146)	46	3	4	3	7	5	3	4	4	4	2	4	3
Other puerperal causes (143–145, 147–150)	57	5	3	5	6	3	12	4	2	6	3	3	5
External causes (165–203)	493	46	26	40	31	46	41	61	40	43	35	40	44
All other causes	5,132	458	430	483	450	431	416	351	411	419	412	388	483
SOUTH CAROLINA (TOTAL).													
All causes	20,377	1,628	1,522	1,646	1,787	1,933	1,788	1,677	1,683	1,789	1,682	1,569	1,673
Typhoid and paratyphoid fever (1)	445	12	9	13	21	32	64	68	70	58	48	22	28
Malaria (5)	477	14	10	13	24	25	54	48	74	80	53	55	27
Measles (7)	88	7	21	21	8	9	4	3	5	5	1	2	2
Scarlet fever (8)	13		1					1	4	3		3	1
Whooping cough (9)	279	22	18	26	46	45	35	25	22	14	15	6	
Diphtheria (10)	210	7	6	9	8	7	3	9	30	46	47	21	17
Influenza (11)	291	51	42	42	42	20	7	4	6	5	12	30	30
Dysentery (16)	256	6	7	10	45	66	29	21	22	23	12	7	8
Lethargic encephalitis (23)	10	1	3	1	2		1		1		1		
Meningococcus meningitis (24)	19	3		1	3	1	2		2	2	2	1	2
Tuberculosis of the respiratory system (31)	1,759	161	147	167	166	156	165	139	135	128	135	118	142
Other forms of tuberculosis (32–37)	142	15	12	13	10	12	11	17	18	11	10	8	5
Bronchitis (99)	57	5	6	2	6	4	3	3	4	6	5	6	7
Bronchopneumonia (100)	343	52	48	38	30	27	14	8	13	16	19	29	49
Pneumonia (101)	986	133	134	112	96	79	43	14	32	45	61	108	129
Diarrhea and enteritis [under 2 years] (113)	1,014	31	24	56	123	166	162	110	100	98	67	43	34
Diarrhea and enteritis [2 years and over] (114)	207	8	5	11	28	39	32	23	19	15	10	8	9
Puerperal septicemia (146)	131	7	8	15	9	14	8	10	5	14	13	10	18
Other puerperal causes (143–145, 147–150)	364	32	27	30	36	38	29	31	29	34	28	23	27
External causes (165–203)	1,269	109	94	100	81	118	108	97	105	113	105	114	125
All other causes	12,017	952	900	966	1,003	1,075	1,014	1,046	987	1,073	1,038	955	1,008
SOUTH CAROLINA (WHITE).													
All causes	8,206	714	638	682	738	794	678	625	642	663	713	627	692
Typhoid and paratyphoid fever (1)	141	5	4	2	5	13	19	23	17	17	16	9	11
Malaria (5)	81	5		1	7	2	8	7	13	12	14	10	2
Measles (7)	58	6	17	20	6	3	1	1	2	2			
Scarlet fever (8)	13		1					1	4	3		3	1
Whooping cough (9)	91	12	9	10	16	10	12	5	7	4	3	2	1
Diphtheria (10)	128	2	5	5	2	4	2	6	18	28	32	13	11
Influenza (11)	149	20	24	26	21	10	1	2	2	3	8	15	17
Dysentery (16)	108	3	3	4	20	28	11	9	11	8	3	4	4
Lethargic encephalitis (23)	4	1	2	1									
Meningococcus meningitis (24)	12	3				1	2		1	2	1		2
Tuberculosis of the respiratory system (31)	393	42	39	35	37	39	39	22	26	25	31	26	32
Other forms of tuberculosis (32–37)	47	4	4	8	1	4	6	6	6	4	2	1	1
Bronchitis (99)	23	1	3	1	2	1			2	5	2	2	4
Bronchopneumonia (100)	173	29	28	16	12	13	5	3	9	9	10	16	23
Pneumonia(101)	374	62	53	36	38	36	5	5	16	15	22	34	52
Diarrhea and enteritis [under 2 years] (113)	483	7	6	21	58	87	84	57	42	49	33	21	18
Diarrhea and enteritis [2 years and over] (114)	95	3	1	3	16	21	16	12	6	4	5	4	4
Puerperal septicemia (146)	44	3	2	6	3	4	4	3	1	4	2	4	8
Other puerperal causes (143–145, 147–150)	152	18	10	14	16	15	12	11	7	13	15	10	11
External causes (165–203)	588	48	46	52	43	60	46	43	52	41	48	54	55
All other causes	5,049	440	381	421	435	443	405	409	400	415	466	399	435
SOUTH CAROLINA (COLORED).													
All causes	12,171	914	884	964	1,049	1,139	1,110	1,052	1,041	1,126	969	942	981
Typhoid and paratyphoid fever (1)	304	7	5	11	16	19	45	45	53	41	32	13	17
Malaria (5)	396	9	10	12	17	23	46	41	61	68	39	45	25
Measles (7)	30	1	4	1	2	6	3	2	3	3	1	2	2
Scarlet fever (8)													
Whooping cough (9)	188	10	9	16	30	35	23	20	15	10	12	4	4
Diphtheria (10)	82	5	1	4	6	3	1	3	12	18	15	8	6
Influenza (11)	142	31	18	16	21	10	6	2	4	2	4	15	13
Dysentery (16)	148	3	4	6	25	38	18	12	11	15	9	3	4
Lethargic encephalitis (23)	6		1		2		1		1		1		
Meningococcus meningitis (24)	7			1	3				1		1	1	
Tuberculosis of the respiratory system (31)	1,366	119	108	132	129	117	126	117	109	103	104	92	110
Other forms of tuberculosis (32–37)	95	11	8	5	9	8	5	11	12	7	8	7	4
Bronchitis (99)	34	4	3	1	4	3	3	3	2	1	3	4	3
Bronchopneumonia (100)	170	23	20	22	18	14	9	5	4	7	9	13	26
Pneumonia (101)	612	71	81	76	58	43	38	9	16	30	39	74	77
Diarrhea and enteritis [under 2 years] (113)	531	24	18	35	65	79	78	53	58	49	34	22	16
Diarrhea and enteritis [2 years and over] (114)	112	5	4	8	12	18	16	11	13	11	5	4	5
Puerperal septicemia (146)	87	4	6	9	6	10	4	7	4	10	11	6	10
Other puerperal causes (143–145, 147–150)	212	14	17	16	20	23	17	20	22	21	13	13	16
External causes (165–203)	681	61	48	48	38	58	62	54	53	72	57	60	70
All other causes	6,968	512	519	545	568	632	609	637	587	658	572	556	573

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1921—Continued.

[See note at head of this table, p. 574.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec
REGISTRATION STATES—Continued.													
TENNESSEE (TOTAL).													
All causes	25,219	2,248	2,086	2,112	1,930	2,180	2,104	2,273	1,967	1,826	2,299	2,037	2,157
Typhoid and paratyphoid fever (1)	617	16	25	19	18	15	51	118	114	82	71	56	32
Malaria (5)	340	8	9	3	12	11	16	34	41	71	81	30	24
Measles (7)	81	4	13	16	18	13	7	5	3	.....	.....	2	.....
Scarlet fever (8)	42	4	1	2	4	2	2	3	8	5	4	3	4
Whooping cough (9)	286	39	42	32	32	29	24	23	9	14	17	12	13
Diphtheria (10)	388	28	9	12	11	4	4	11	41	59	95	71	43
Influenza (11)	482	73	80	85	50	33	10	12	8	7	24	41	59
Dysentery (16)	315	5	3	7	16	62	80	53	25	23	25	5	11
Lethargic encephalitis (23)	24	3	4	3	4	2	6	.....	.....	.....	1	.....	1
Meningococcus meningitis (24)	33	2	2	2	5	6	10	1	.....	2	.....	1	2
Tuberculosis of the respiratory system (31)	2,895	275	268	278	284	275	234	218	208	174	231	223	227
Other forms of tuberculosis (32–37)	409	39	36	41	40	38	32	33	28	36	31	25	30
Bronchitis (99)	169	22	9	15	14	14	12	8	12	12	14	18	19
Bronchopneumonia (100)	701	107	101	86	50	43	30	19	32	28	42	65	98
Pneumonia (101)	1,059	176	144	126	87	75	33	24	32	28	67	111	156
Diarrhea and enteritis [under 2 years] (113)	804	18	12	19	42	91	171	169	95	69	61	41	16
Diarrhea and enteritis [2 years and over] (114)	395	20	17	17	16	37	66	81	44	32	32	20	13
Puerperal septicemia (146)	197	20	19	26	25	11	7	18	11	13	9	17	21
Other puerperal causes (143–145, 147–150)	273	24	27	12	17	26	34	21	27	29	23	25	8
External causes (165–203)	1,794	160	129	136	121	163	141	184	153	136	145	157	169
All other causes	13,915	1,205	1,136	1,175	1,064	1,230	1,134	1,238	1,076	1,006	1,326	1,114	1,211
TENNESSEE (WHITE).													
All causes	18,032	1,625	1,522	1,524	1,376	1,556	1,539	1,626	1,384	1,269	1,582	1,461	1,568
Typhoid and paratyphoid fever (1)	431	9	19	18	11	9	33	85	79	62	44	35	27
Malaria (5)	204	6	5	.....	7	6	8	21	25	36	52	17	21
Measles (7)	71	4	13	16	14	11	5	5	2	.....	.....	1	.....
Scarlet fever (8)	39	4	1	1	4	2	2	3	6	5	4	3	4
Whooping cough (9)	205	23	30	24	23	22	19	18	8	11	8	9	10
Diphtheria (10)	349	27	7	11	10	4	4	10	34	53	84	64	41
Influenza (11)	328	51	56	58	33	18	7	9	7	3	18	27	41
Dysentery (16)	270	2	2	7	15	54	69	47	23	20	19	2	10
Lethargic encephalitis (23)	19	1	3	3	3	1	6	.....	.....	.....	1	.....	1
Meningococcus meningitis (24)	29	2	2	1	3	5	10	1	.....	2	.....	1	2
Tuberculosis of the respiratory system (31)	1,775	178	162	173	172	160	141	129	134	98	133	140	155
Other forms of tuberculosis (32–37)	264	24	25	28	21	27	22	19	14	28	22	14	20
Bronchitis (99)	92	17	5	8	10	6	2	8	2	9	11	9	5
Bronchopneumonia (100)	518	80	72	63	32	30	26	13	24	21	32	54	71
Pneumonia (101)	745	129	103	90	61	53	18	12	23	18	43	79	116
Diarrhea and enteritis [under 2 years] (113)	682	17	9	16	37	78	147	144	76	59	50	34	15
Diarrhea and enteritis [2 years and over] (114)	315	14	15	12	12	27	60	67	32	26	27	16	7
Puerperal septicemia (146)	128	14	17	18	17	8	4	9	6	10	5	8	12
Other puerperal causes (143–145, 147–150)	220	19	23	9	13	20	26	18	23	27	16	18	8
External causes (165–203)	1,296	107	105	91	82	124	109	135	116	102	104	107	114
All other causes	10,052	897	848	877	796	891	821	873	750	679	909	823	888
TENNESSEE (COLORED).													
All causes	7,187	623	564	588	554	624	565	647	583	557	717	576	589
Typhoid and paratyphoid fever (1)	186	7	6	1	7	6	18	33	35	20	27	21	5
Malaria (5)	136	2	4	3	5	5	8	13	16	35	29	13	3
Measles (7)	10	.....	.....	.....	4	2	2	.....	1	.....	.....	1	.....
Scarlet fever (8)	3	.....	.....	1	.....	.....	.....	.....	2	.....	.....	.....	.....
Whooping cough (9)	81	16	12	8	9	7	5	5	1	3	9	3	3
Diphtheria (10)	39	1	2	1	1	.....	.....	1	7	6	11	7	2
Influenza (11)	154	22	24	27	17	15	3	3	1	4	6	14	18
Dysentery (16)	45	3	1	.....	1	8	11	6	2	3	6	3	1
Lethargic encephalitis (23)	5	2	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Meningococcus meningitis (24)	4	.....	.....	1	2	1	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	1,120	97	106	105	112	115	93	89	74	76	98	83	72
Other forms of tuberculosis (32–37)	145	15	11	13	19	11	10	14	14	8	9	11	10
Bronchitis (99)	77	5	4	7	4	8	10	.....	10	3	3	9	14
Bronchopneumonia (100)	183	27	29	23	18	13	4	6	8	7	10	11	27
Pneumonia (101)	314	47	41	36	26	22	15	12	9	10	24	32	40
Diarrhea and enteritis [under 2 years] (113)	122	1	3	3	5	13	24	25	19	10	11	7	1
Diarrhea and enteritis [2 years and over] (114)	80	6	2	5	4	10	6	14	12	6	5	4	6
Puerperal septicemia (146)	69	6	2	8	8	3	3	9	5	3	4	9	9
Other puerperal causes (143–145, 147–150)	53	5	4	3	4	6	8	3	4	2	7	7	.....
External causes (165–203)	498	53	24	45	39	39	32	49	37	34	41	50	55
All other causes	3,863	308	288	298	268	339	313	365	326	327	417	291	323
UTAH.													
All causes	4,783	490	467	437	412	402	332	403	316	374	370	358	422
Typhoid and paratyphoid fever (1)	42	1	.....	2	3	1	.....	1	5	10	7	5	7
Malaria (5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (7)	92	27	24	23	13	4	.....	.....	1	.....	.....	.....	.....
Scarlet fever (8)	20	1	1	.....	2	3	1	1	1	.....	1	6	3
Whooping cough (9)	146	28	26	20	20	18	9	8	1	8	5	3	.....
Diphtheria (10)	62	5	2	7	5	7	8	5	1	6	4	5	7
Influenza (11)	38	6	8	4	5	4	1	.....	1	1	1	2	5
Dysentery (16)	7	1	.....	1	.....	.....	.....	.....	.....	4	1	.....	.....
Lethargic encephaliti s(23)	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
Meningococcus meningitis (24)	10	2	3	1	1	.....	.....	.....	.....	.....	2	.....	1
Tuberculosis of the respiratory system (31)	150	10	12	16	19	13	14	12	6	15	10	10	13
Other forms of tuberculosis (32–37)	34	1	1	3	2	4	4	4	3	4	2	5	1
Bronchitis (99)	41	12	7	5	3	2	1	1	1	1	2	3	3
Bronchopneumonia (100)	251	60	55	23	11	19	9	6	10	6	17	12	23
Pneumonia (101)	246	39	26	33	19	13	12	11	11	10	19	16	37
Diarrhea and enteritis [under 2 years] (113)	125	8	6	3	1	4	7	12	10	31	27	13	3
Diarrhea and enteritis [2 years and over] (114)	23	1	1	1	.....	3	.....	.....	6	6	3	1	1
Puerperal septicemia (146)	43	3	3	1	7	3	6	4	2	3	2	5	4
Other puerperal causes (143–145, 147–150)	63	6	1	3	7	7	5	7	5	8	5	3	6
External causes (165–203)	399	29	31	29	25	42	33	51	34	34	30	28	33
All other causes	2,989	250	259	262	269	255	222	280	218	227	232	241	274

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1921—Continued.

[See note at head of this table, p. 574.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION STATES—Continued.													
VERMONT.													
All causes	4,999	437	457	458	418	448	362	390	383	401	419	386	440
Typhoid and paratyphoid fever (1)	19	2	1	3	----	4	2	1	1	3	1	1	----
Malaria (5)	1	----	----	----	----	----	----	----	----	1	----	----	----
Measles (7)	14	1	1	4	3	2	----	2	----	----	1	----	----
Scarlet fever (8)	23	2	6	2	2	2	3	1	1	----	3	----	1
Whooping cough (9)	27	5	4	1	3	4	----	1	5	2	1	----	1
Diphtheria (10)	28	3	1	1	----	2	1	----	1	3	5	6	5
Influenza (11)	69	13	10	10	11	4	3	1	1	----	4	7	5
Dysentery (16)	3	----	----	----	----	----	1	----	1	----	1	----	----
Lethargic encephalitis (23)	3	----	----	2	----	----	----	----	1	----	----	----	----
Meningococcus meningitis (24)	3	2	----	----	----	----	----	----	----	----	----	----	1
Tuberculosis of the respiratory system (31)	198	13	18	19	23	25	13	15	16	12	17	16	11
Other forms of tuberculosis (32-37)	47	2	5	8	6	5	----	6	5	2	1	3	4
Bronchitis (99)	53	9	5	4	4	4	6	5	2	5	1	4	4
Bronchopneumonia (100)	165	20	16	27	16	20	6	5	1	9	12	10	23
Pneumonia (101)	181	27	25	20	30	13	12	5	3	5	12	14	15
Diarrhea and enteritis [under 2 years] (113)	95	3	6	6	----	2	2	3	26	20	13	8	6
Diarrhea and enteritis [2 years and over] (114)	31	1	1	1	4	2	2	1	5	4	4	3	3
Puerperal septicemia (146)	20	3	1	----	2	3	2	3	----	1	2	1	2
Other puerperal causes (143-145, 147-150)	38	2	1	7	3	3	2	2	----	3	3	8	4
External causes (165-203)	325	31	37	15	21	26	30	43	28	29	27	20	18
All other causes	3,656	298	319	328	290	327	277	296	286	302	311	285	337
VIRGINIA (TOTAL).													
All causes	28,534	2,673	2,401	2,530	2,232	2,477	2,587	2,462	2,188	2,104	2,253	2,238	2,389
Typhoid and paratyphoid fever (1)	379	22	10	11	13	17	28	63	78	47	47	27	16
Malaria (5)	43	5	----	1	----	3	5	3	6	6	3	6	5
Measles (7)	176	25	47	35	27	13	12	8	3	3	----	1	2
Scarlet fever (8)	59	5	6	8	2	2	3	2	5	4	9	9	4
Whooping cough (9)	453	36	43	44	53	63	56	60	40	23	17	7	11
Diphtheria (10)	399	39	21	15	5	10	9	14	25	42	86	75	58
Influenza (11)	390	61	65	82	48	25	7	2	8	8	18	33	33
Dysentery (16)	322	2	4	3	15	45	81	79	37	22	16	8	10
Lethargic encephalitis (23)	22	5	5	3	4	1	2	1	1	----	----	----	----
Meningococcus meningitis (24)	42	8	5	4	1	4	10	1	3	1	2	----	3
Tuberculosis of the respiratory system (31)	2,800	243	262	265	272	250	216	202	228	223	198	199	242
Other forms of tuberculosis (32-37)	331	33	27	31	34	23	35	30	23	28	30	21	16
Bronchitis (99)	162	34	20	8	16	12	6	5	9	12	15	12	13
Bronchopneumonia (100)	772	128	120	96	55	54	39	30	20	24	45	69	92
Pneumonia (101)	1,010	172	130	152	85	67	41	22	30	27	52	109	123
Diarrhea and enteritis [under 2 years] (113)	1,193	19	21	27	47	155	265	210	161	117	84	50	37
Diarrhea and enteritis [2 years and over] (114)	292	11	9	10	12	40	56	52	28	27	20	14	13
Puerperal septicemia (146)	163	14	16	24	8	22	12	13	4	13	14	6	17
Other puerperal causes (143-145, 147-150)	328	31	32	29	24	38	27	23	25	28	20	24	27
External causes (165-203)	1,942	159	155	146	134	150	172	193	166	159	165	178	165
All other causes	17,256	1,621	1,403	1,536	1,377	1,483	1,505	1,449	1,288	1,290	1,412	1,390	1,502
VIRGINIA (WHITE).													
All causes	17,225	1,659	1,435	1,608	1,294	1,475	1,578	1,448	1,318	1,246	1,372	1,358	1,434
Typhoid and paratyphoid fever (1)	229	10	6	5	9	8	17	38	48	29	30	18	11
Malaria (5)	18	3	----	1	----	1	1	1	1	4	1	2	3
Measles (7)	131	18	36	27	21	9	7	8	2	2	----	----	1
Scarlet fever (8)	54	5	6	8	2	2	3	2	4	2	8	8	4
Whooping cough (9)	232	24	25	15	23	32	28	33	20	16	11	1	4
Diphtheria (10)	327	31	17	11	4	10	5	11	18	33	74	65	48
Influenza (11)	212	35	33	50	25	15	1	1	4	5	11	18	14
Dysentery (16)	223	2	2	3	5	29	58	57	31	13	11	3	9
Lethargic encephalitis (23)	17	5	5	1	4	----	1	1	----	----	----	----	----
Meningococcus meningitis (24)	36	8	4	2	1	3	9	1	2	1	2	----	3
Tuberculosis of the respiratory system (31)	1,257	110	118	140	114	105	105	86	97	93	86	96	107
Other forms of tuberculosis (32-37)	166	14	13	18	19	9	19	17	13	15	14	8	7
Bronchitis (99)	86	19	12	3	9	7	3	2	2	7	11	3	8
Bronchopneumonia (100)	416	78	64	49	25	29	19	11	11	10	20	42	58
Pneumonia (101)	564	105	69	92	50	37	22	10	15	15	23	64	62
Diarrhea and enteritis [under 2 years] (113)	730	14	12	13	19	87	178	133	101	73	47	32	21
Diarrhea and enteritis [2 years and over] (114)	189	3	4	6	6	31	43	36	17	20	11	8	4
Puerperal septicemia (146)	87	8	12	17	8	10	5	4	1	5	5	2	10
Other puerperal causes (143-145, 147-150)	189	19	22	17	16	25	12	12	15	15	10	11	15
External causes (165-203)	1,253	100	99	108	87	98	110	120	105	98	110	111	107
All other causes	10,309	1,048	876	1,022	847	928	932	864	811	790	887	866	938
VIRGINIA (COLORED).													
All causes	11,309	1,014	966	922	938	1,002	1,009	1,014	870	858	881	880	955
Typhoid and paratyphoid fever (1)	150	12	4	6	4	9	11	25	30	18	17	9	5
Malaria (5)	25	2	----	----	----	2	4	2	5	2	2	4	2
Measles (7)	45	7	11	8	6	4	5	----	1	1	----	1	1
Scarlet fever (8)	5	----	----	----	----	----	----	----	1	2	1	1	----
Whooping cough (9)	221	12	18	29	30	31	28	27	20	7	6	6	7
Diphtheria (10)	72	8	4	4	1	----	4	3	7	9	12	10	10
Influenza (11)	178	26	32	32	23	10	6	1	4	3	7	15	19
Dysentery (16)	99	----	2	----	10	16	23	22	6	9	5	5	1
Lethargic encephalitis (23)	5	----	----	2	----	1	1	----	1	----	----	----	----
Meningococcus meningitis (24)	6	----	1	2	----	1	1	----	1	----	----	----	----
Tuberculosis of the respiratory system (31)	1,543	133	144	125	158	145	111	116	131	130	112	103	135
Other forms of tuberculosis (32-37)	165	19	14	13	15	14	16	13	10	13	16	13	9
Bronchitis (99)	76	15	8	5	7	5	3	3	7	5	4	9	5
Bronchopneumonia (100)	356	50	56	47	30	25	20	19	9	14	25	27	34
Pneumonia (101)	446	67	61	60	35	30	19	12	15	12	29	45	61
Diarrhea and enteritis [under 2 years] (113)	463	5	9	14	28	68	87	77	60	44	37	18	16
Diarrhea and enteritis [2 years and over] (114)	103	8	5	4	6	9	13	16	11	7	9	6	9
Puerperal septicemia (146)	76	6	4	7	----	12	7	9	3	8	9	4	7
Other puerperal causes (143-145, 147-150)	139	12	10	12	8	13	15	11	10	13	10	13	12
External causes (165-203)	689	59	56	38	47	52	62	73	61	61	55	67	58
All other causes	6,447	573	527	514	530	555	573	585	477	500	525	524	564

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1921—Continued.

[See note at head of this table, p. 574.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION STATES—Continued.													
WASHINGTON.													
All causes	13,254	1,183	1,063	1,170	1,180	1,174	1,037	1,022	1,001	982	1,153	1,107	1,182
Typhoid and paratyphoid fever (1)	75	6	5	3	2	1	6	8	11	10	13	6	4
Malaria (5)	4		1				1		1	1			
Measles (7)	25	3	3	8	3	3	2	2			1		
Scarlet fever (8)	30	5	5	5	2	3	2		2	1	1	2	2
Whooping cough (9)	51	3	4	8	6	9	6	4	2	1	2	3	3
Diphtheria (10)	123	14	15	5	7	7	5	13	9	15	14	13	6
Influenza (11)	189	20	15	32	30	27	13	7	2	7	14	12	10
Dysentery (16)	18	1			1	2	3	2	4	3			2
Lethargic encephalitis (23)	54	7	10	7	11	1	6	1	3	3		2	3
Meningococcus meningitis (24)	17		2	2	1	1	1	2	1	2	2		3
Tuberculosis of the respiratory system (31)	926	98	61	90	101	96	80	65	76	51	68	69	71
Other forms of tuberculosis (32–37)	224	23	19	21	24	25	18	16	24	11	12	14	17
Bronchitis (99)	65	11	5	7	5	3	8	4	5	3	4	7	3
Bronchopneumonia (100)	366	51	41	43	33	30	17	18	15	25	33	26	34
Pneumonia (101)	427	58	30	50	37	36	22	15	13	23	44	51	48
Diarrhea and enteritis [under 2 years] (113)	153	14	10	8	15	15	12	16	17	12	11	15	8
Diarrhea and enteritis [2 years and over] (114)	65	1	2	3	6	3	6	10	15	7	9	2	1
Puerperal septicemia (146)	97	8	8	11	9	11	10	12	4	5	5	4	10
Other puerperal causes (143–145, 147–150)	115	8	10	8	11	11	8	7	16	10	11	8	7
External causes (165–203)	1,479	99	100	106	118	141	125	154	133	106	144	124	129
All other causes	8,751	753	717	753	758	749	686	666	648	686	765	749	821
WISCONSIN.													
All causes	27,552	2,522	2,278	2,615	2,354	2,390	2,086	2,188	2,200	2,223	2,296	2,171	2,229
Typhoid and paratyphoid fever (1)	81	8	8	4	3	5	6	8	9	5	6	9	10
Malaria (5)	1							1					
Measles (7)	51	2	7	17	8	9	3	3			2		
Scarlet fever (8)	242	36	24	29	21	29	14	12	4	10	21	18	24
Whooping cough (9)	164	18	17	21	16	11	23	18	10	10	9	8	3
Diphtheria (10)	399	47	40	28	17	31	26	20	28	30	36	54	42
Influenza (11)	210	37	34	31	25	15	6	2	6	10	11	9	24
Dysentery (16)	65	2	3		1			13	10	19	12	3	2
Lethargic encephalitis (23)	50	5	10	15	3	2	3	5	3	1	1	2	
Meningococcus meningitis (24)	30	5	2	2	6	2	4	3	3				3
Tuberculosis of the respiratory system (31)	1,688	129	139	173	168	160	151	133	128	127	144	111	125
Other forms of tuberculosis (32–37)	326	30	33	32	29	38	33	29	21	24	15	24	18
Bronchitis (99)	291	41	26	38	31	25	15	14	11	17	20	24	29
Bronchopneumonia (100)	882	135	112	113	102	76	38	31	47	35	59	70	64
Pneumonia (101)	1,108	161	140	167	101	102	46	34	47	49	61	92	108
Diarrhea and enteritis [under 2 years] (113)	816	47	40	63	47	52	30	60	118	185	90	36	48
Diarrhea and enteritis [2 years and over] (114)	271	12	8	12	15	10	9	27	72	60	29	10	7
Puerperal septicemia (146)	138	21	14	16	15	19	8	7	7	5	7	9	10
Other puerperal causes (143–145, 147–150)	220	25	15	23	15	17	21	20	17	17	11	18	21
External causes (165–203)	1,064	164	122	15	137	171	195	262	175	171	163	144	115
All other causes	18,555	1,597	1,484	168	1,594	1,616	1,455	1,486	1,484	1,448	1,599	1,530	1,576
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920.													
BIRMINGHAM, ALA. (TOTAL).													
All causes	2,725	247	224	227	243	238	232	248	219	189	218	211	229
Typhoid and paratyphoid fever (1)	34	4	2	1	1		5	4	8	5	2		2
Malaria (5)	7					1	1	1	1	1	2		
Measles (7)	10					1	6	3					
Scarlet fever (8)	3				1					1	1		
Whooping cough (9)	15	1		3	1		2	4	1	1	1		1
Diphtheria (10)	10		1	1	1			2		1	3	1	
Influenza (11)	47	8	5	7	6	4	2		2	2	2	2	7
Dysentery (16)	11	2			1	4		1	1	1			1
Lethargic encephalitis (23)	3		1		1							1	
Meningococcus meningitis (24)	7		1	1	1	1	1				1		1
Tuberculosis of the respiratory system (31)	225	14	14	19	19	23	33	18	19	16	14	18	18
Other forms of tuberculosis (32–37)	45	3	3	3	4	7	1	6	5	2	3	3	5
Bronchitis (99)	14	1		3	3	2					1	1	3
Bronchopneumonia (100)	67	9	10	12	5	5	5	2	3	3	4	3	6
Pneumonia (101)	176	23	18	24	10	21	10	11	8	5	11	14	21
Diarrhea and enteritis [under 2 years] (113)	85	7	2	3	9	19	8	10	10	7	3	3	4
Diarrhea and enteritis [2 years and over] (114)	19		2	1	2	2	2	3	1	3	1	1	1
Puerperal septicemia (146)	22		3	3	3	1	1	3	4	1	2	1	
Other puerperal causes (143–145, 147–150)	42	2	4	4	8	3	6	2	2	3	2	2	4
External causes (165–203)	295	20	19	25	29	21	20	30	28	17	24	39	23
All other causes	1,588	153	139	117	138	123	129	148	126	120	141	122	132
BIRMINGHAM, ALA. (WHITE).													
All causes	1,286	112	129	100	114	103	105	116	102	83	92	114	116
Typhoid and paratyphoid fever (1)	15	2	2				2	3	3	3			
Malaria (5)	3					1			1		1		
Measles (7)	1							1					
Scarlet fever (8)	3				1					1	1		
Whooping cough (9)	6	1					1	2		1	1		
Diphtheria (10)	7			1	1			2		1	1	1	
Influenza (11)	21	4	2	4	1	1				1	1	1	6
Dysentery (16)	5	2				2			1				
Lethargic encephalitis (23)	2				1							1	
Meningococcus meningitis (24)	5		1		1	1	1						1
Tuberculosis of the respiratory system (31)	45	4	5	6	4	5	2	2	6	4		4	3
Other forms of tuberculosis (32–37)	14	1	1	2	2	3	1	1	1			1	1
Bronchitis (99)	6			2							1	1	2
Bronchopneumonia (100)	26	1	7	4	1	1	4		1	1	1	1	4
Pneumonia (101)	67	9	8	8	2	6	7	7	3	1	3	5	8
Diarrhea and enteritis [under 2 years] (113)	51	3	2		5	13	7	8	4	4	1	2	2
Diarrhea and enteritis [2 years and over] (114)	10		1	1	1	2	1	1	1	1	1		
Puerperal septicemia (146)	14		2	2	1	1	1	2	2	1	1	1	
Other puerperal causes (143–145, 147–150)	18	1	1	2	4		2			2	2	1	3
External causes (165–203)	164	9	11	11	18	8	10	18	16	11	9	27	16
All other causes	803	75	86	57	71	59	66	69	63	51	68	68	70

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1921—Continued.

[See note at head of this table, p. 574.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920.													
BIRMINGHAM, ALA. (COLORED).													
All causes	1,439	135	95	127	129	135	127	132	117	106	126	97	113
Typhoid and paratyphoid fever (1)	19	2		1	1		3	1	5	2	2		2
Malaria (5)	4						1	1		1	1		
Measles (7)	9					1	6	2					
Scarlet fever (8)													
Whooping cough (9)	9			3	1		1	2	1				1
Diphtheria (10)	3		1								2		
Influenza (11)	26	4	3	3	5	3	2		2	1	1	1	1
Dysentery (16)	6				1	2		1		1			1
Lethargic encephalitis (23)	1		1										
Meningococcus meningitis (24)	2			1							1		
Tuberculosis of the respiratory system (31)	180	10	9	13	15	18	31	16	13	12	14	14	15
Other forms of tuberculosis (32–37)	31	2	2	1	2	4		5	4	2	3	2	4
Bronchitis (99)	8	1		1	3	2							1
Bronchopneumonia (100)	41	8	3	8	4	4	1	2	2	2	3	2	2
Pneumonia (101)	109	14	10	16	8	15	3	4	5	4	8	9	13
Diarrhea and enteritis [under 2 years] (113)	34	4		3	4	6	1	2	6	3	2	1	2
Diarrhea and enteritis [2 years and over] (114)	9		1		1		1	2		2		1	1
Puerperal septicemia (146)	8		1	1	2			1	2		1		
Other puerperal causes (143–145, 147–150)	24	1	3	2	4	3	4	2	2	1		1	1
External causes (165–203)	131	11	8	14	11	13	10	12	12	6	15	12	7
All other causes	785	78	53	60	67	64	63	79	63	69	73	54	62
LOS ANGELES, CALIF. (TOTAL).													
All causes	8,528	819	740	733	722	721	670	612	673	646	655	726	811
Typhoid and paratyphoid fever (1)	16	1		2	1		2	1	2	3	3		1
Malaria (5)	3						1		1	1			
Measles (7)	27	4	4	12	1	2	2	1	1				
Scarlet fever (8)	36	1	2	6	6	3	5		1	1	1	3	7
Whooping cough (9)	8			1				1	2	2		1	1
Diphtheria (10)	95	14	6	5	5	7	6	7	8	6	5	9	17
Influenza (11)	33	6	5	2	5		2		3	2	2	3	3
Dysentery (16)	10	1		2		1		1			2	3	
Lethargic encephalitis (23)	7	1	1	1						1	2	1	
Meningococcus meningitis (24)	11			2	3		2	1	1	1			1
Tuberculosis of the respiratory system (31)	920	64	90	74	98	99	77	69	66	62	72	78	71
Other forms of tuberculosis (32–37)	137	9	7	15	19	16	7	12	17	16	5	6	8
Bronchitis (99)	87	11	7	8	9	6	7	5	6	5	7	5	11
Bronchopneumonia (100)	195	23	24	25	17	11	9	7	7	10	15	16	31
Pneumonia (101)	240	28	22	22	19	27	11	11	13	10	15	28	34
Diarrhea and enteritis [under 2 years] (113)	200	16	10	13	8	16	15	25	20	18	16	28	15
Diarrhea and enteritis [2 years and over] (114)	55	7	4	5	5	6	5	4	3	6	3	7	
Puerperal septicemia (146)	48	2	4	4	2	7	7	4	2	3	6	3	4
Other puerperal causes (143–145, 147–150)	61	4	4	4	7	6	8	3	4	5	4	4	8
External causes (165–203)	741	61	53	51	53	72	53	54	63	58	75	64	84
All other causes	5,598	566	497	479	464	442	451	406	453	436	422	467	515
LOS ANGELES, CALIF. (WHITE).													
All causes	7,995	762	697	690	671	668	631	565	619	609	618	686	779
Typhoid and paratyphoid fever (1)	14	1		2	1		2	1		3	3		1
Malaria (5)	2						1			1			
Measles (7)	26	3	4	12	1	2	2	1	1				
Scarlet fever (8)	35	1	2	6	6	3	5		1	1	1	2	7
Whooping cough (9)	8			1				1	2	2		1	1
Diphtheria (10)	93	13	5	5	5	7	6	7	8	6	5	9	17
Influenza (11)	29	5	5	2	4		1		2	2	2	3	3
Dysentery (16)	8	1		1		1					2	3	
Lethargic encephalitis (23)	7	1	1	1						1	2	1	
Meningococcus meningitis (24)	9			2	2		2	1	1	1			
Tuberculosis of the respiratory system (31)	838	58	81	67	90	91	66	66	62	54	66	68	69
Other forms of tuberculosis (32–37)	119	9	7	12	16	12	7	11	16	11	5	5	8
Bronchitis (99)	78	8	7	7	9	5	5	5	5	5	7	5	10
Bronchopneumonia (100)	179	19	23	24	16	10	9	6	6	9	14	14	29
Pneumonia (101)	217	27	21	19	17	24	9	11	12	8	14	24	31
Diarrhea and enteritis [under 2 years] (113)	181	15	7	12	8	15	13	21	17	18	14	27	14
Diarrhea and enteritis [2 years and over] (114)	49	7	4	5	4	5	5	4	2	6	2	5	
Puerperal septicemia (146)	44	2	4	3	2	7	6	4	2	2	6	3	3
Other puerperal causes (143–145, 147–150)	57	4	3	4	7	5	8	2	3	5	4	4	8
External causes (165–203)	698	57	48	49	47	69	50	47	60	57	71	60	83
All other causes	5,304	531	475	456	436	412	434	377	419	417	400	452	495
LOS ANGELES, CALIF. (COLORED).													
All causes	533	57	43	43	51	53	39	47	54	37	37	40	32
Typhoid and paratyphoid fever (1)	2								2				
Malaria (5)	1								1				
Measles (7)	1	1											
Scarlet fever (8)	1											1	
Whooping cough (9)													
Diphtheria (10)	2	1	1										
Influenza (11)	4	1			1		1		1				
Dysentery (16)	2			1				1					
Lethargic encephalitis (23)													
Meningococcus meningitis (24)	2				1								1
Tuberculosis of the respiratory system (31)	82	6	9	7	8	8	11	3	4	8	6	10	2
Other forms of tuberculosis (32–37)	18			3	3	4		1	1	5		1	
Bronchitis (99)	9	3		1		1	2		1				1
Bronchopneumonia (100)	16	4	1	1	1	1		1	1	1	1	2	2
Pneumonia (101)	23	1	1	3	2	3	2		1	2	1	4	3
Diarrhea and enteritis [under 2 years] (113)	19	1	3	1		1	2	4	3		2	1	1
Diarrhea and enteritis [2 years and over] (114)	6				1	1			1		1	2	
Puerperal septicemia (146)	4			1			1			1			1
Other puerperal causes (143–145, 147–150)	4		1			1		1	1				
External causes (165–203)	43	4	5	2	6	3	3	7	3	1	4	4	1
All other causes	294	35	22	23	28	30	17	29	34	19	22	15	20

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1921—Continued.

[See note at head of this table, p. 574.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.													
OAKLAND, CALIF.													
All causes	2,356	228	201	174	200	171	200	163	189	171	198	222	239
Typhoid and paratyphoid fever (1)	2							1	1				
Malaria (5)													
Measles (7)	3		1				1				1		
Scarlet fever (8)	3		1		1		1						
Whooping cough (9)	13	3			3	2		1	2		1	1	
Diphtheria (10)	45	1		3	2	1	3	6	1	2	6	11	9
Influenza (11)	25	1	6	2	6	3		1		1		1	4
Dysentery (16)	3		1								1	1	
Lethargic encephalitis (23)	1						1						
Meningococcus meningitis (24)	3		1							1		1	
Tuberculosis of the respiratory system (31)	132	13	7	11	9	17	11	6	11	8	13	7	19
Other forms of tuberculosis (32–37)	34	4	1	4	4	2	3	7	2		2	2	3
Bronchitis (99)	22	1	3	1	3	3	1	1	1	1		2	5
Bronchopneumonia (100)	65	10	5	6	6	5	5	2	4	5	4	4	9
Pneumonia (101)	84	13	9	13	9	7	8	4	5		6	5	5
Diarrhea and enteritis [under 2 years] (113)	36	5	3	3		1	2	4	1	7	4	3	3
Diarrhea and enteritis [2 years and over] (114)	8	1	1		1			1	1	1		2	
Puerperal septicemia (146)	9	1	1		1	2	2		1			1	
Other puerperal causes (143–145, 147–150)	9	2	1		1	1		1			1	1	1
External causes (165–203)	202	17	24	11	9	10	23	20	17	15	22	20	14
All other causes	1,657	156	136	120	145	117	139	108	142	130	137	160	167
SAN FRANCISCO, CALIF.													
All causes	7,031	666	620	639	639	581	533	527	560	491	547	551	677
Typhoid and paratyphoid fever (1)	21	2		3	1		3	2	1	4		3	2
Malaria (5)	2								1				1
Measles (7)	9	2	1	2	1	1	1	1					
Scarlet fever (8)	6	2			1		1		1				1
Whooping cough (9)	26	2		2	9	4	1	4			3	1	
Diphtheria (10)	141	10	4	10	14	15	13	12	4	7	14	17	21
Influenza (11)	36	5	5	7	4	2		1	1	4		3	4
Dysentery (16)	6	1		2					1	2			
Lethargic encephalitis (23)	13		1		2	1	1	2	3		1	2	
Meningococcus meningitis (24)	19	2	1	1	2		2	2	4	1		1	3
Tuberculosis of the respiratory system (31)	533	54	60	46	60	48	30	35	38	35	41	33	44
Other forms of tuberculosis (32–37)	115	7	15	11	19	9	6	5	14	4	11	6	8
Bronchitis (99)	41	3	6	2	6	2		3	3	1	5	4	6
Bronchopneumonia (100)	224	33	20	25	22	22	11	12	7	14	12	18	28
Pneumonia (101)	250	37	29	31	30	9	10	14	17	12	13	20	28
Diarrhea and enteritis [under 2 years] (113)	55	6	8	2	3	5	2	3	4	3	7	8	4
Diarrhea and enteritis [2 years and over] (114)	42	5	4	3	3	3	1	7	6		4	5	1
Puerperal septicemia (146)	31	4	4	5	1	1	4	1		1	4	1	5
Other puerperal causes (143–145, 147–150)	47	7	5	4	3	3	6	5	5	3	2	2	2
External causes (165–203)	697	68	70	61	51	69	47	49	59	42	53	60	68
All other causes	4,717	416	387	422	407	387	385	369	391	358	377	367	451
DENVER, COLO.													
All causes	3,715	376	306	367	335	300	264	272	282	256	284	302	371
Typhoid and paratyphoid fever (1)	12	2		1	1		1	2	1		2	1	1
Malaria (5)													
Measles (7)	17	3	4	6	1	1	1				1		
Scarlet fever (8)	10	1		3	1	2	1					2	
Whooping cough (9)	17	1	1			2	1	3	5	3	1		
Diphtheria (10)	39	4	1	1	2	3	5	3	4	2	4	2	8
Influenza (11)	59	14	11	4	2	6	4	2			2	7	7
Dysentery (16)	4				1			1				1	1
Lethargic encephalitis (23)	5	2				1	1	1					
Meningococcus meningitis (24)	3	1			1								1
Tuberculosis of the respiratory system (31)	525	54	43	54	45	37	42	43	30	45	42	41	49
Other forms of tuberculosis (32–37)	52	6	4	5	7	3	5	5	3	4	4	2	4
Bronchitis (99)	15	2	2	1	1	2	2			1	3	1	
Bronchopneumonia (100)	155	26	21	12	22	10	5	5	2	11	8	12	21
Pneumonia (101)	259	46	39	36	19	15	12	4	13	10	15	18	32
Diarrhea and enteritis [under 2 years] (113)	54	2	1	3	5	3	1	3	12	10	4	8	2
Diarrhea and enteritis [2 years and over] (114)	16	1	1	1	1	1	1	2	1	2	2	1	2
Puerperal septicemia (146)	22	2	2	2	3	4	1	1	1	1		2	3
Other puerperal causes (143–145, 147–150)	33	2	1	2	5		2	2	3	4	5	4	3
External causes (165–203)	241	17	13	23	24	22	13	19	30	20	23	21	16
All other causes	2,177	190	162	213	194	188	166	176	177	143	168	179	221
BRIDGEPORT, CONN.													
All causes	1,503	149	144	133	146	136	115	110	105	103	116	114	132
Typhoid and paratyphoid fever (1)	4		1		1						2		
Malaria (5)													
Measles (7)	1					1							
Scarlet fever (8)	23	3	1		6	3	3	2	1			2	2
Whooping cough (9)	15	5	4	1	1	1	1	1					1
Diphtheria (10)	30	4	3	3	1	2	1	3	2		1	5	5
Influenza (11)	9	1	1		4				1	1	1		
Dysentery (16)													
Lethargic encephalitis (23)	4				3				1				
Meningococcus meningitis (24)	3			1			1				1		
Tuberculosis of the respiratory system (31)	125	8	14	10	13	15	11	12	14	8	5	6	9
Other forms of tuberculosis (32–37)	17	1	2	1	1		1	1	2	2	3		3
Bronchitis (99)	4			2		1	1						
Bronchopneumonia (100)	86	9	10	17	8	9	3	2	3	5	6	7	7
Pneumonia (101)	55	12	10	7	8	2	3		2	2	2	1	6
Diarrhea and enteritis [under 2 years] (113)	56	1	1	3	2	5	1	10	10	12	6	4	1
Diarrhea and enteritis [2 years and over] (114)	9		1	2		1			1	2	2		
Puerperal septicemia (146)	10	1	1		1		2	1	1			2	1
Other puerperal causes (143–145, 147–150)	11	2	1	2		1	2	1			1	1	
External causes (165–203)	113	16	5	7	8	8	6	9	13	9	14	12	6
All other causes	928	86	89	77	89	87	79	68	54	62	72	74	91

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1921—Continued.

[See note at head of this table, p. 574.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.													
HARTFORD, CONN.													
All causes	1,828	157	173	151	160	169	150	162	131	104	148	167	156
Typhoid and paratyphoid fever (1)	11		1			2	1	3		1		2	1
Malaria (5)													
Measles (7)	5		1	1		1			2				
Scarlet fever (8)	12	2				1	5	1			1		2
Whooping cough (9)	15	2	2	3		3		1	1	1	1	1	
Diphtheria (10)	25	1	4		2	3	3	2			6	2	2
Influenza (11)	9	1	2	1	1	2		1		1			
Dysentery (16)													
Lethargic encephalitis (23)	4		1		1	1			1				
Meningococcus meningitis (24)	7		1	1	1	2						2	
Tuberculosis of the respiratory system (31)	69	6	6	4	10	9	7	7	4	3	2	5	6
Other forms of tuberculosis (32–37)	33	1	4	6	2	3	3	8	3	1			2
Bronchitis (99)	13	2	2	1	1			1		1	1	4	
Bronchopneumonia (100)	77	9	12	11	2	8	6	5	3	2	8	3	8
Pneumonia (101)	88	14	11	15	10	5	5	3	2	2	5	9	7
Diarrhea and enteritis [under 2 years] (113)	67	3	2	3	5	4	2	12	15	6	6	7	2
Diarrhea and enteritis [2 years and over] (114)	11				1	2		4	1		2	1	
Puerperal septicemia (146)	14	1	2		3	1	3		1		2	1	
Other puerperal causes (143–145, 147–150)	13	2		1	1	1	2		2	1	2	1	
External causes (165–203)	165	14	14	6	14	17	19	13	10	12	19	14	13
All other causes	1,190	99	108	98	106	104	94	101	86	73	93	115	113
NEW HAVEN, CONN.													
All causes	1,933	183	178	210	162	152	124	155	140	140	141	163	185
Typhoid and paratyphoid fever (1)	8			1	2	1		1		2		1	
Malaria (5)													
Measles (7)	1			1									
Scarlet fever (8)	13	2	5	2		1						1	2
Whooping cough (9)	20	3	5	3	2	2	4	1					
Diphtheria (10)	24	4	1	3	3			1	1	3	3	2	3
Influenza (11)	6	1	1		1				1				2
Dysentery (16)	4							2	2				
Lethargic encephalitis (23)	3	2	1	2		2	1						1
Meningococcus meningitis (24)	2								2				
Tuberculosis of the respiratory system (31)	99	4	6	22	11	9	7	7	3	9	8	8	5
Other forms of tuberculosis (32–37)	36		3	6	4	3	5	2	1	1	3	5	3
Bronchitis (99)	9			1		1		1		3	1	1	1
Bronchopneumonia (100)	68	9	13	9	7	4	4	1	2	2	6	4	7
Pneumonia (101)	97	12	17	19	11	8	1	1	3	3	4	7	11
Diarrhea and enteritis [under 2 years] (113)	38		2	1		2	2	5	8	8	5	4	1
Diarrhea and enteritis [2 years and over] (114)	12		1				1	5	1	1	1	1	1
Puerperal septicemia (146)	16		4	3	2	2				1	3	1	
Other puerperal causes (143–145, 147–150)	16		2	1	1	1	2	2	2	1		2	2
External causes (165–203)	157	15	6	14	14	8	11	16	14	13	11	21	14
All other causes	1,298	131	111	122	104	108	86	110	100	93	96	105	132
WILMINGTON, DEL.													
All causes	1,361	155	148	127	117	112	114	116	107	94	86	85	100
Typhoid and paratyphoid fever (1)	7	1	1				1	2		1	1		
Malaria (5)													
Measles (7)	1							1					
Scarlet fever (8)	6	3	2			1							
Whooping cough (9)	9		2		2	2	2						1
Diphtheria (10)	7	2	1	1						1			2
Influenza (11)	20	4	11	3		1							1
Dysentery (16)	1	1											
Lethargic encephalitis (23)	3			1	1	1							
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	92	14	10	6	5	4	9	18	7	3	4	8	4
Other forms of tuberculosis (32–37)	29	5	1	5	3	5	1	2	1	3	3		
Bronchitis (99)	15			1	2		2		4	3	2		1
Bronchopneumonia (100)	60	11	12	12	3	6	2	1	3		4	1	5
Pneumonia (101)	72	23	16	6	3	2	4		1	1	4	5	7
Diarrhea and enteritis [under 2 years] (113)	68	4	5	4	3	3	1	12	11	12	6	5	2
Diarrhea and enteritis [2 years and over] (114)	5				1		1	1	1	1			
Puerperal septicemia (146)	14	1	1	1	1	3	1	2		2			2
Other puerperal causes (143–145, 147–150)	13	2	2		2	2	1	1	2	1			
External causes (165–203)	101	14	2	14	8	8	11	8	13	5	6	3	9
All other causes	838	70	82	73	83	74	78	68	64	61	56	63	66
WASHINGTON, D. C. (TOTAL).													
All causes	6,055	564	543	551	551	483	470	478	446	414	535	463	557
Typhoid and paratyphoid fever (1)	29	2	3	1			2	6	6	5	3		1
Malaria (5)	4		1	1						1		1	
Measles (7)	15		2	4	6	2					1		
Scarlet fever (8)	9	3	1	1	1						1		2
Whooping cough (9)	18	1			5	4		1	3	1	1	1	1
Diphtheria (10)	57	6	8	5	5	1	2	1	2	4	3	10	10
Influenza (11)	43	5	8	9	5	1		1	4	1	1	3	5
Dysentery (16)	8			1		1	1	1	1	1	1	1	
Lethargic encephalitis (23)	10	2	1	1	1	1		1	1				2
Meningococcus meningitis (24)	4		2								1		1
Tuberculosis of the respiratory system (31)	476	43	38	47	47	52	32	37	39	28	52	24	37
Other forms of tuberculosis (32–37)	78	6	5	6	6	6	5	9	9	7	9	3	7
Bronchitis (99)	36	3	3	3	7	1	2	1	1		2	6	7
Bronchopneumonia (100)	271	35	36	39	22	21	21	10	16	12	16	14	29
Pneumonia (101)	223	33	30	31	14	21	10	10	8	8	15	16	27
Diarrhea and enteritis [under 2 years] (113)	121	7	9	3	6	7	10	18	17	14	17	7	6
Diarrhea and enteritis [2 years and over] (114)	48	5	2		3	4	4	6	8	5	6	4	1
Puerperal septicemia (146)	30	2	4	1	5	1	5	1	4	2	2	2	1
Other puerperal causes (143–145, 147–150)	61	9	4	9	5	5	5	4	7	4	4	2	3
External causes (165–203)	415	36	22	26	41	36	30	40	33	34	44	30	43
All other causes	4,099	366	364	363	372	319	341	331	287	287	356	339	374

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1921—Continued.

[See note at head of this table, p. 574.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.													
WASHINGTON, D. C. (WHITE).													
All causes	3,965	383	377	368	379	302	296	297	269	280	328	326	360
Typhoid and paratyphoid fever (1)	17	2	3					4	3	4	1		
Malaria (5)	2		1									1	
Measles (7)	12		2	3	6						1		
Scarlet fever (8)	8	2	1	1							1		2
Whooping cough (9)	8				2	2		1	2	1			
Diphtheria (10)	51	6	8	5	5	1		1	2	3	2	10	8
Influenza (11)	29	4	7	7	5				1		1	3	1
Dysentery (16)	4						1	1			1	1	
Lethargic encephalitis (23)	8	2	1		1	1		1					2
Meningococcus meningitis (24)	3		1								1		1
Tuberculosis of the respiratory system (31)	210	22	16	25	25	24	16	12	14	14	18	9	15
Other forms of tuberculosis (32–37)	36	4	3	4		2	2	3	7	3	4	1	3
Bronchitis (99)	25	3	2	3	3		1	1	1		1	5	5
Bronchopneumonia (100)	116	21	16	18	7	5	6	3	7	6	8	8	11
Pneumonia (101)	110	19	19	17	7	12	5	2	1	2	7	4	15
Diarrhea and enteritis [under 2 years] (113)	69	6	9	1	3	3	6	9	8	8	5	6	5
Diarrhea and enteritis [2 years and over] (114)	29	4	1		1	3	3	3	3	3	4	4	
Puerperal septicemia (146)	20	1	2	1	4	1	4	1	3	1	1	1	
Other puerperal causes (143–145, 147–150)	43	6	4	7	4	4	2	2	5	2	3	2	2
External causes (165–203)	311	28	19	17	34	30	25	29	20	26	28	24	31
All other causes	2,854	253	262	259	271	214	225	224	192	207	241	247	269
WASHINGTON, D. C. (COLORED).													
All causes	2,090	181	166	183	172	181	174	181	177	134	207	137	197
Typhoid and paratyphoid fever (1)	12			1			2	2	3	1	2		1
Malaria (5)	2			1						1			
Measles (7)	3			1		2							
Scarlet fever (8)	1	1											
Whooping cough (9)	10	1			3	2			1		1	1	1
Diphtheria (10)	6						2			1	1		2
Influenza (11)	14	1	1	2		1		1	3	1			4
Dysentery (16)	4			1		1			1	1			
Lethargic encephalitis (23)	2			1					1				
Meningococcus meningitis (24)	1		1										
Tuberculosis of the respiratory system (31)	266	21	22	22	22	28	16	25	25	14	34	15	22
Other forms of tuberculosis (32–37)	42	2	2	2	6	4	3	6	2	4	5	2	4
Bronchitis (99)	11		1		4	1	1				1	1	2
Bronchopneumonia (100)	155	14	20	21	15	16	15	7	9	6	8	6	18
Pneumonia (101)	113	14	11	14	7	9	5	8	7	6	8	12	12
Diarrhea and enteritis [under 2 years] (113)	52	1		2	3	4	4	9	9	6	12	1	1
Diarrhea and enteritis [2 years and over] (114)	19	1	1		2	1	1	3	5	2	2		1
Puerperal septicemia (146)	10	1	2		1		1		1	1	1	1	1
Other puerperal causes (143–145, 147–150)	18	3		2	1	1	3	2	2	2	1		1
External causes (165–203)	104	8	3	9	7	6	5	11	13	8	16	6	12
All other causes	1,245	113	102	104	101	105	116	107	95	80	115	92	115
ATLANTA, GA. (TOTAL).													
All causes	3,078	274	247	265	263	238	274	246	251	237	264	241	278
Typhoid and paratyphoid fever (1)	29			1		3	5	2	5	8	2	2	1
Malaria (5)	3	1				1				1			
Measles (7)	27	5	2	8	6	5	1						
Scarlet fever (8)	9	3		1					1	3		1	
Whooping cough (9)	14	1	1	1		1	3	3	1	2	1		
Diphtheria (10)	25	1	1	1	2	1		2	3	3	5	3	3
Influenza (11)	44	5	5	8	8	1	1	1	1	1	2	4	7
Dysentery (16)	11	1				1	2		2	3			2
Lethargic encephalitis (23)	4		1	1						1			1
Meningococcus meningitis (24)	10		1	1	1	1				2	1	2	1
Tuberculosis of the respiratory system (31)	203	22	22	11	18	17	12	17	17	11	15	19	22
Other forms of tuberculosis (32–37)	44	5	1	11	4	4	6	4	3	2	1	1	2
Bronchitis (99)	12	1	3	2	1	2		1				1	1
Bronchopneumonia (100)	91	10	12	9	6	9	6	2	6	3	6	12	10
Pneumonia (101)	143	12	18	16	12	13	5	4	7	6	11	18	21
Diarrhea and enteritis [under 2 years] (113)	99	7	1	4	4	10	18	18	15	10	4	3	5
Diarrhea and enteritis [2 years and over] (114)	32	2	3		3	3	6	3	3	4	1	3	1
Puerperal septicemia (146)	27	5	1	1	3	2	4	1	1	3	2	3	1
Other puerperal causes (143–145, 147–150)	40	3	4	3	4	3	4	2		5	2	2	8
External causes (165–203)	306	31	24	23	21	23	18	19	35	22	40	16	34
All other causes	1,905	159	147	163	170	138	183	167	151	147	171	151	158
ATLANTA, GA. (WHITE).													
All causes	1,753	161	140	151	143	149	152	129	142	141	144	133	168
Typhoid and paratyphoid fever (1)	12			1		2	2		3	2		2	
Malaria (5)	2	1								1			
Measles (7)	19	4	1	8	3	3							
Scarlet fever (8)	7	3		1						2		1	
Whooping cough (9)	7	1				1	1	2	1		1		
Diphtheria (10)	21	1	1		2			2	2	3	4	3	3
Influenza (11)	21	3	2	3	3	1			1		2	3	3
Dysentery (16)	5					1	1		1				2
Lethargic encephalitis (23)	3		1	1						1			
Meningococcus meningitis (24)	6		1	1						2		1	1
Tuberculosis of the respiratory system (31)	74	9	9	4	6	6	4	5	5	8	3	7	8
Other forms of tuberculosis (32–37)	19	4		3	1	3	3	3				1	1
Bronchitis (99)	5		1	1	1	1							1
Bronchopneumonia (100)	38	6	4	4	2	2	4			2	3	6	5
Pneumonia (101)	71	5	8	11	6	9	4	2	4	3	4	3	12
Diarrhea and enteritis [under 2 years] (113)	63	3	1	3	1	7	13	10	3	6	3	3	5
Diarrhea and enteritis [2 years and over] (114)	14				2	2	4	2	1	2		1	
Puerperal septicemia (146)	14	4		1	2	1	1	1		1	2	1	
Other puerperal causes (143–145, 147–150)	26	2	4	1	2	2	2		5	2		2	6
External causes (165–203)	175	17	11	11	14	16	9	12	25	13	22	6	19
All other causes	1,151	98	96	97	98	92	104	90	91	90	100	93	102

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1921—Continued.

[See note at head of this table, p. 574.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.													
ATLANTA, GA. (COLORED).													
All causes	1,325	113	107	114	120	89	122	117	109	96	120	108	110
Typhoid and paratyphoid fever (1)	17					1	3	2	2	6	2		1
Malaria (5)	1					1							
Measles (7)	8	1	1		3	2	1						
Scarlet fever (8)	2								1	1			
Whooping cough (9)	7		1	1			2	1		2			
Diphtheria (10)	4			1		1			1		1		
Influenza (11)	23	2	3	5	5		1	1		1		1	4
Dysentery (16)	6	1					1		1	3			
Lethargic encephalitis (23)	1												1
Meningococcus meningitis (24)	4				1	1					1	1	
Tuberculosis of the respiratory system (31)	129	13	13	7	12	11	8	12	12	3	12	12	14
Other forms of tuberculosis (32–37)	25	1	1	8	3	1	3	1	3	2	1		1
Bronchitis (99)	7	1	2	1		1		1				1	
Bronchopneumonia (100)	53	4	8	5	4	7	2	2	6	1	3	6	5
Pneumonia (101)	72	7	10	5	6	4	1	2	3	3	7	15	9
Diarrhea and enteritis [under 2 years] (113)	36	4		1	3	3	5	8	7	4	1		
Diarrhea and enteritis [2 years and over] (114)	18	2	3		1	1	2	1	2	2	1	2	1
Puerperal septicemia (146)	13	1	1		1	1	3		1	2		2	1
Other puerperal causes (143–145, 147–150)	14	1		2	2	1	2	2			2		2
External causes (165–203)	131	14	13	12	7	7	9	7	10	9	18	10	15
All other causes	754	61	51	66	72	46	79	77	60	57	71	58	56
CHICAGO, ILL. (TOTAL).													
All causes	30,819	3,014	2,766	2,900	2,689	2,646	2,261	2,488	2,318	2,232	2,463	2,448	2,594
Typhoid and paratyphoid fever (1)	34	4	1	2			2	4	3	5	7	3	3
Malaria (5)	4	1								1	1		1
Measles (7)	138	10	17	31	24	23	10	9	2	2	2	3	5
Scarlet fever (8)	197	14	23	24	27	19	22	4	7	9	15	18	15
Whooping cough (9)	153	12	9	14	16	17	20	23	19	11	5	5	2
Diphtheria (10)	681	32	68	57	55	62	47	26	39	34	78	67	66
Influenza (11)	125	22	12	18	18	11	5	2	4	4	7	4	18
Dysentery (16)	15		2	2			1		2	6	1	1	
Lethargic encephalitis (23)	39	11	13	2	2	1	1	1	2	1	3		2
Meningococcus meningitis (24)	33	3	7	4	2	1	2	4	2	1	2	2	3
Tuberculosis of the respiratory system (31)	1,988	181	185	198	182	179	148	161	129	155	133	154	183
Other forms of tuberculosis (32–37)	374	25	28	41	36	30	34	28	44	26	33	23	26
Bronchitis (99)	287	32	44	33	22	20	14	19	15	24	19	24	21
Bronchopneumonia (100)	1,159	164	168	160	125	89	52	44	49	42	73	88	105
Pneumonia (101)	1,252	201	171	163	132	107	49	44	32	46	78	97	132
Diarrhea and enteritis [under 2 years] (113)	1,911	154	157	171	146	140	110	233	269	216	143	90	82
Diarrhea and enteritis [2 years and over] (114)	201	18	13	18	14	16	14	26	24	22	17	10	9
Puerperal septicemia (146)	163	16	14	20	18	13	18	10	13	8	7	14	12
Other puerperal causes (143–145, 147–150)	201	24	18	20	18	10	19	21	18	15	11	13	14
External causes (165–203)	2,825	226	176	230	223	253	232	315	238	228	256	230	218
All other causes	19,039	1,814	1,640	1,692	1,629	1,655	1,461	1,514	1,407	1,376	1,572	1,602	1,677
CHICAGO, ILL. (WHITE).													
All causes	28,709	2,807	2,599	2,705	2,499	2,461	2,090	2,320	2,149	2,068	2,296	2,289	2,426
Typhoid and paratyphoid fever (1)	34	4	1	2			2	4	3	5	7	3	3
Malaria (5)	4	1								1	1		1
Measles (7)	130	9	16	29	23	23	10	8	1	1	2	3	5
Scarlet fever (8)	194	13	23	24	26	19	22	4	7	8	15	18	15
Whooping cough (9)	130	12	6	10	12	14	18	17	18	11	5	5	2
Diphtheria (10)	665	31	67	56	55	59	43	26	38	32	76	66	66
Influenza (11)	114	20	11	16	18	9	5	2	2	4	7	4	16
Dysentery (16)	12		2	1					2	6	1		
Lethargic encephalitis (23)	36	10	13	1	2	1	1	1	1	1	3		2
Meningococcus meningitis (24)	32	3	7	4	2	1	1	4	2	1	2	2	3
Tuberculosis of the respiratory system (31)	1,705	159	157	173	160	155	128	126	112	128	110	136	161
Other forms of tuberculosis (32–37)	293	21	25	34	26	22	28	22	35	19	22	16	23
Bronchitis (99)	270	31	42	32	20	17	14	18	14	21	19	21	21
Bronchopneumonia (100)	1,038	151	155	136	107	82	50	39	45	37	65	76	95
Pneumonia (101)	1,155	185	161	149	122	99	45	42	30	40	69	89	124
Diarrhea and enteritis [under 2 years] (113)	1,839	147	147	164	140	136	104	227	263	206	140	87	78
Diarrhea and enteritis [2 years and over] (114)	194	18	13	16	14	15	14	25	24	20	16	10	9
Puerperal septicemia (146)	145	15	14	17	16	12	16	9	9	8	7	12	10
Other puerperal causes (143–145, 147–150)	188	24	15	19	17	10	18	20	17	15	11	9	13
External causes (165–203)	2,641	207	167	221	203	239	210	295	220	218	237	222	202
All other causes	17,890	1,696	1,557	1,601	1,536	1,548	1,361	1,431	1,306	1,286	1,481	1,510	1,577
CHICAGO, ILL. (COLORED).													
All causes	2,110	207	167	195	190	185	171	168	169	164	167	159	168
Typhoid and paratyphoid fever (1)													
Malaria (5)													
Measles (7)	8	1	1	2	1			1	1	1			
Scarlet fever (8)	3	1			1					1			
Whooping cough (9)	23		3	4	4	3	2	6	1				
Diphtheria (10)	16	1	1	1		3	4		1	2	2	1	
Influenza (11)	11	2	1	2		2			2				2
Dysentery (16)	3			1			1					1	
Lethargic encephalitis (23)	3	1		1					1				
Meningococcus meningitis (24)	1						1						
Tuberculosis of the respiratory system (31)	283	22	28	25	22	24	20	35	17	27	23	18	22
Other forms of tuberculosis (32–37)	81	4	3	7	10	8	6	6	9	7	11	7	3
Bronchitis (99)	17	1	2	1	2	3		1	1	3		3	
Bronchopneumonia (100)	121	13	13	24	18	7	2	5	4	5	8	12	10
Pneumonia (101)	97	16	10	14	10	8	4	2	2	6	9	8	8
Diarrhea and enteritis [under 2 years] (113)	72	7	10	7	6	4	6	6	6	10	3	3	4
Diarrhea and enteritis [2 years and over] (114)	7			2		1		1		2	1		
Puerperal septicemia (146)	18	1		3	2	1	2	1	4			2	2
Other puerperal causes (143–145, 147–150)	13		3	1	1		1	1	1			4	1
External causes (165–203)	184	19	9	9	20	14	22	20	18	10	19	8	16
All other causes	1,149	118	83	91	93	107	100	83	101	90	91	92	100

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1921—Continued.

[See note at head of this table, p. 574.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.													
INDIANAPOLIS, IND. (TOTAL).													
All causes	4,119	336	320	325	362	364	328	312	310	327	340	354	391
Typhoid and paratyphoid fever (1)	23	1	1			1	1	3	4	5	2	2	3
Malaria (5)	3					1		1	1				
Measles (7)	3		1								1	1	
Scarlet fever (8)	21	6	2	2	3	2	2	1				1	2
Whooping cough (9)	31	5	5	1	4	4	6	3	2	1			
Diphtheria (10)	84	2	5	2		1	3	5	3	13	20	17	13
Influenza (11)	40	5	8	1	3	5		1	1	1	4	2	9
Dysentery (16)	6							2	3	1			
Lethargic encephalitis (23)	3			1	1	1							
Meningococcus meningitis (24)	4			1	1							1	1
Tuberculosis of the respiratory system (31)	318	27	22	30	26	32	31	24	25	26	25	29	21
Other forms of tuberculosis (32–37)	88	7	8	7	12	13	8	8	6	4	7	4	4
Bronchitis (99)	25	2	4	1	1	4			1	1	6	2	3
Bronchopneumonia (100)	128	15	9	19	10	4	7	6	3	12	9	13	21
Pneumonia (101)	158	30	9	13	17	13	8	7	8	5	14	16	18
Diarrhea and enteritis [under 2 years] (113)	122	7	8	6	5	2	8	18	19	23	12	6	8
Diarrhea and enteritis [2 years and over] (114)	36	2	3		2		2	12	3	6	5	1	
Puerperal septicemia (146)	23	3	5	4	1	1	3	1	1	1	1	1	1
Other puerperal causes (143–145, 147–150)	35	3	1	1	7	3	1	2	6	5	1	3	2
External causes (165–203)	258	23	17	16	15	28	24	25	15	25	18	23	29
All other causes	2,710	248	212	220	254	249	224	193	209	198	215	232	256
INDIANAPOLIS, IND. (WHITE).													
All causes	3,511	323	285	274	305	314	272	257	270	270	289	316	336
Typhoid and paratyphoid fever (1)	18	1	1			1	1	2	1	5	2	1	3
Malaria (5)	2					1		1					
Measles (7)	3		1								1	1	
Scarlet fever (8)	19	6	1	2	3	1	2	1				1	2
Whooping cough (9)	20	3	4		3	1	5	1	2	1			
Diphtheria (10)	77	2	4	2		1	3	5	3	12	17	15	13
Influenza (11)	36	5	6	1	3	5		1	1	1	4	1	8
Dysentery (16)	6							2	3	1			
Lethargic encephalitis (23)	3			1	1	1							
Meningococcus meningitis (24)	3				1							1	1
Tuberculosis of the respiratory system (31)	218	21	15	23	19	26	16	18	14	17	13	21	15
Other forms of tuberculosis (32–37)	74	6	8	7	9	10	6	8	6	3	5	3	3
Bronchitis (99)	20	2	3	1	1	2				1	5	2	3
Bronchopneumonia (100)	89	8	8	12	5	3	5	6	3	11	6	8	14
Pneumonia (101)	125	23	7	11	11	12	6	6	7	4	12	14	12
Diarrhea and enteritis [under 2 years] (113)	102	6	7	3	3	2	6	14	17	20	11	5	8
Diarrhea and enteritis [2 years and over] (114)	29	2	3		2		2	9	3	3	4	1	
Puerperal septicemia (146)	19	3	4	3	1	1	2		1	1	1	1	1
Other puerperal causes (143–145, 147–150)	30	3	1	1	6	2	1	2	5	4	1	3	1
External causes (165–203)	219	22	13	15	15	20	20	21	15	18	16	20	24
All other causes	2,399	210	199	192	222	225	197	160	189	168	191	218	228
INDIANAPOLIS, IND. (COLORED).													
All causes	608	63	35	51	57	50	56	55	40	57	51	38	55
Typhoid and paratyphoid fever (1)	5							1	3			1	
Malaria (5)	1								1				
Measles (7)													
Scarlet fever (8)	2		1			1							
Whooping cough (9)	11	2	1	1	1	3	1	2					
Diphtheria (10)	7		1							1	3	2	
Influenza (11)	4		2									1	1
Dysentery (16)													
Lethargic encephalitis (23)													
Meningococcus meningitis (24)	1			1									
Tuberculosis of the respiratory system (31)	100	6	7	7	7	6	15	6	11	9	12	8	6
Other forms of tuberculosis (32–37)	14	1			3	3	2			1	2	1	1
Bronchitis (99)	5		1			2			1		1		
Bronchopneumonia (100)	39	7	1	7	5	1	2			1	3	5	7
Pneumonia (101)	33	7	2	2	6	1	2	1	1	1	2	2	6
Diarrhea and enteritis [under 2 years] (113)	20	1	1	3	2		2	4	2	3	1	1	
Diarrhea and enteritis [2 years and over] (114)	7							3		3	1		
Puerperal septicemia (146)	4		1	1			1	1					
Other puerperal causes (143–145, 147–150)	5				1	1			1	1			1
External causes (165–203)	39	1	4	1		8	4	4		7	2	3	5
All other causes	311	38	13	28	32	24	27	33	20	30	24	14	28
KANSAS CITY, KANS.													
All causes	1,257	128	97	125	101	95	76	93	94	97	115	121	115
Typhoid and paratyphoid fever (1)	6								1	2	1	1	1
Malaria (5)													
Measles (7)													
Scarlet fever (8)													
Whooping cough (9)	15	1		4	1	1		2	3	2		1	
Diphtheria (10)	16	3	2	1	1				1	3	2	2	1
Influenza (11)	8	2		1		1				1		1	2
Dysentery (16)	1								1				
Lethargic encephalitis (23)	1	1											
Meningococcus meningitis (24)	1									1			
Tuberculosis of the respiratory system (31)	106	13	5	7	10	6	8	11	15	5	4	10	12
Other forms of tuberculosis (32–37)	18		2		2	2	2	1	2	2	2	2	1
Bronchitis (99)	17	4	3	2	2	1		1		1			3
Bronchopneumonia (100)	50	6	6	8	4	2	1			3	5	6	9
Pneumonia (101)	50	13	6	8	2	3	1			2	2	9	4
Diarrhea and enteritis [under 2 years] (113)	31	2	3	1	1	2	1	9	5	1	3	2	1
Diarrhea and enteritis [2 years and over] (114)	6							3	1	2			
Puerperal septicemia (146)	16		3	1	2	1	1	1	2	2	2	1	
Other puerperal causes (143–145, 147–150)	6	1					1	1	1			2	
External causes (165–203)	100	8	10	7	7	8	8	7	4	7	15	11	8
All other causes	809	74	57	85	69	68	53	57	58	63	79	73	73

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1921—Continued.

[See note at head of this table, p. 574.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.													
LOUISVILLE, KY. (TOTAL).													
All causes	3,314	308	276	275	287	251	330	291	212	230	293	274	287
Typhoid and paratyphoid fever (1)	18	1	1		1		3	1	2	3	3	2	1
Malaria (5)	5	2			1			1					1
Measles (7)	9				1	1	2	3			1		1
Scarlet fever (8)	10	3	2	2		2					1		
Whooping cough (9)	23	1	3	1	4	3	3	5	1			1	1
Diphtheria (10)	38	8	4	1	3	1	1		2	2	3	7	6
Influenza (11)	23	4	2	7	1	4			1			1	3
Dysentery (16)	8						1	3		1	2	1	
Lethargic encephalitis (23)	9	1	3	2	1	1	1						
Meningococcus meningitis (24)	3		1					1		1			
Tuberculosis of the respiratory system (31)	252	17	21	25	30	22	26	26	16	17	23	18	11
Other forms of tuberculosis (32–37)	59	3	4	1	6	6	10	4	3	5	9	4	4
Bronchitis (99)	45	5	4	2	2	5	6		6	2	4	2	7
Bronchopneumonia (100)	104	10	14	11	6	13	8	3	2	5	7	15	10
Pneumonia (101)	122	9	18	13	11	10	9	4	3	6	9	15	15
Diarrhea and enteritis [under 2 years] (113)	86	4	1	2		3	19	28	9	8	4	5	3
Diarrhea and enteritis [2 years and over] (114)	26	1		2	2	1	2	4	3	4	4	1	2
Puerperal septicemia (146)	22	6	1	2	3	2	2	2	2		2		
Other puerperal causes (143–145, 147–150)	20	4	2	1	1	2	3	1			2	1	3
External causes (165–203)	259	13	14	27	20	18	26	24	25	21	22	24	25
All other causes	2,173	216	181	176	194	157	208	181	137	155	197	177	194
LOUISVILLE, KY. (WHITE).													
All causes	2,514	237	213	215	215	187	234	216	154	181	233	203	226
Typhoid and paratyphoid fever (1)	8	1	1						1	2	2		1
Malaria (5)	3	1						1					1
Measles (7)	8				1	1	2	2			1		1
Scarlet fever (8)	10	3	2	2		2					1		
Whooping cough (9)	18	1	2	1	3	2	2	5	1			1	
Diphtheria (10)	32	8	3	1	3	1			2	1	3	5	5
Influenza (11)	10	2	1	2		2						1	2
Dysentery (16)	6							2		1	2	1	
Lethargic encephalitis (23)	9	1	3	2	1	1	1						
Meningococcus meningitis (24)	3		1					1		1			
Tuberculosis of the respiratory system (31)	152	11	16	12	16	12	17	11	9	12	15	14	7
Other forms of tuberculosis (32–37)	42	2	4		4	4	4	4	2	3	8	3	4
Bronchitis (99)	22	2	3	1	2	4	3		2	1	3		1
Bronchopneumonia (100)	73	8	10	9	4	11	4	1	1	3	1	12	9
Pneumonia (101)	78	5	12	11	7	5	3	3	3	5	6	8	10
Diarrhea and enteritis [under 2 years] (113)	71	4	1	2		3	13	24	7	8	3	4	2
Diarrhea and enteritis [2 years and over] (114)	19			2	1		2	3	3	4	2	1	1
Puerperal septicemia (146)	16	5	1	2	2	1		2	2		1		
Other puerperal causes (143–145, 147–150)	16	2	2	1		2	3	1			1	1	3
External causes (165–203)	199	9	10	23	16	14	20	16	19	17	18	15	22
All other causes	1,719	172	141	144	155	122	160	140	102	123	166	137	157
LOUISVILLE, KY. (COLORED).													
All causes	800	71	63	60	72	64	96	75	58	49	60	71	61
Typhoid and paratyphoid fever (1)	10				1		3	1	1	1	1	2	
Malaria (5)	2	1			1								
Measles (7)	1							1					
Scarlet fever (8)													
Whooping cough (9)	5		1		1	1	1						1
Diphtheria (10)	6		1				1			1		2	1
Influenza (11)	13	2	1	5	1	2			1				1
Dysentery (16)	2						1	1					
Lethargic encephalitis (23)													
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	100	6	5	13	14	10	9	15	7	5	8	4	4
Other forms of tuberculosis (32–37)	17	1		1	2	2	6		1	2	1	1	
Bronchitis (99)	23	3	1	1		1	3		4	1	1	2	6
Bronchopneumonia (100)	31	2	4	2	2	2	4	2	1	2	6	3	1
Pneumonia (101)	44	4	6	2	4	5	6	1		1	3	7	5
Diarrhea and enteritis [under 2 years] (113)	15						6	4	2		1	1	1
Diarrhea and enteritis [2 years and over] (114)	7	1			1	1		1			2		1
Puerperal septicemia (146)	6	1			1	1	2				1		
Other puerperal causes (143–145, 147–150)	4	2			1						1		
External causes (165–203)	60	4	4	4	4	4	6	8	6	4	4	9	3
All other causes	454	44	40	32	39	35	48	41	35	32	31	40	37
NEW ORLEANS, LA. (TOTAL)													
All causes	6,468	611	554	523	537	550	503	465	566	514	550	523	572
Typhoid and paratyphoid fever (1)	36	2		3	2	5	3	2	4	2	6	5	2
Malaria (5)	12		2	1				2	1	1		1	4
Measles (7)	34	11	14	5	3	1							
Scarlet fever (8)	3				1						1		1
Whooping cough (9)	25		1	1	3	4	3	4	3	4	1		1
Diphtheria (10)	14	1	1	2		1	1			2	4		2
Influenza (11)	56	8	7	6	4	1	2	1	1	2	8	7	9
Dysentery (16)	17	2	1		1		3	2	1	1	3	1	2
Lethargic encephalitis (23)	5	1				2		1			1		
Meningococcus meningitis (24)	4	1				1	1				1		
Tuberculosis of the respiratory system (31)	679	69	54	48	64	54	49	54	62	51	64	43	67
Other forms of tuberculosis (32–37)	70	5	7	9	3	11	6	2	5	4	5	7	6
Bronchitis (99)	32	1	2	3		4	2	2	4	1	5	5	3
Bronchopneumonia (100)	207	30	19	26	17	19	10	5	15	15	17	14	20
Pneumonia (101)	250	34	42	32	15	22	14	12	16	13	14	15	21
Diarrhea and enteritis [under 2 years] (113)	206	15	12	16	31	23	29	14	16	12	12	13	13
Diarrhea and enteritis [2 years and over] (114)	48	7	3	4	4	3	3	7	1	1	6	5	4
Puerperal septicemia (146)	51	4	4	11	4	6	4	3	3	2	5	2	3
Other puerperal causes (143–145, 147–150)	68	3	5	3	5	7	7	7	7	10	5	2	7
External causes (165–203)	494	38	37	52	32	41	37	39	42	41	35	52	48
All other causes	4,157	379	343	301	348	345	329	308	385	352	357	351	359

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1921—Continued.

[See note at head of this table, p. 574.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.													
NEW ORLEANS, LA. (WHITE).													
All causes	4,005	396	341	320	351	331	306	276	352	310	355	327	340
Typhoid and paratyphoid fever (1)	23	1		1	2	3	1	2	3	2	5	2	1
Malaria (5)	3		1						1				1
Measles (7)	32	11	14	3	3	1							
Scarlet fever (8)	3				1						1		1
Whooping cough (9)	16		1		3	3	3	2		3			1
Diphtheria (10)	10	1	1	1			1			2	3		1
Influenza (11)	33	5	4	2	3		1	1	1	2	4	5	5
Dysentery (16)	10	2			1		2	1		1	1	1	1
Lethargic encephalitis (23)	4	1				1		1			1		
Meningococcus meningitis (24)	2	1					1						
Tuberculosis of the respiratory system (31)	360	42	27	28	36	26	29	28	27	23	35	22	37
Other forms of tuberculosis (32–37)	37	3	5	4	1	4	4	1	2	1	4	5	3
Bronchitis (99)	20	1	1	2		3	1	1	3	1	5	2	
Bronchopneumonia (100)	122	20	12	15	7	8	7	3	9	9	12	8	12
Pneumonia (101)	118	14	21	13	10	10	6	7	9	8	6	6	8
Diarrhea and enteritis [under 2 years] (113)	118	9	5	8	22	13	14	9	8	7	7	11	5
Diarrhea and enteritis [2 years and over] (114)	27	5	3	3	2	2	3	2			4	2	1
Puerperal septicemia (146)	29	3	2	7	2	3	3	3		1	2	1	2
Other puerperal causes (143–145, 147–150)	39	2	4	1	2	4	3	4	4	7	3		5
External causes (165–203)	333	27	30	33	23	29	23	21	33	22	24	34	34
All other causes	2,666	248	210	199	233	221	204	190	252	221	238	228	222
NEW ORLEANS, LA. (COLORED).													
All causes	2,463	215	213	203	186	219	197	189	214	204	195	196	232
Typhoid and paratyphoid fever (1)	13	1		2		2	2		1		1	3	1
Malaria (5)	9		1	1				2		1		1	3
Measles (7)	2			2									
Scarlet fever (8)													
Whooping cough (9)	9			1		1		2	3	1	1		
Diphtheria (10)	4			1		1					1		
Influenza (11)	23	3	3	4	1	1	1				4	2	1
Dysentery (16)	7		1				1	1	1		2		4
Lethargic encephalitis (23)	1					1							1
Meningococcus meningitis (24)	2					1					1		
Tuberculosis of the respiratory system (31)	319	27	27	20	28	28	20	26	35	28	29	21	30
Other forms of tuberculosis (32–37)	33	2	2	5	2	7	2	1	3	3	1	2	3
Bronchitis (99)	12		1	1		1	1	1	1			3	3
Bronchopneumonia (100)	85	10	7	11	10	11	3	2	6	6	5	6	8
Pneumonia (101)	132	20	21	19	5	12	8	5	7	5	8	9	13
Diarrhea and enteritis [under 2 years] (113)	88	6	7	8	9	10	15	5	8	5	5	2	8
Diarrhea and enteritis [2 years and over] (114)	21	2		1	2	1		5	1	1	2	3	3
Puerperal septicemia (146)	22	1	2	4	2	3	1		3	1	3	1	1
Other puerperal causes (143–145, 147–150)	29	1	1	2	3	3	4	3	3	3	2	2	2
External causes (165–203)	161	11	7	19	9	12	14	18	9	19	11	18	14
All other causes	1,491	131	133	102	115	124	125	118	133	131	119	123	137
BALTIMORE, MD. (TOTAL).													
All causes	10,380	949	935	1,164	839	831	836	782	782	772	880	794	816
Typhoid and paratyphoid fever (1)	40	1	2	2	1	4	3	5	1	5	6	6	4
Malaria (5)	1							1					
Measles (7)	27	3	2	6	3	5	3	1	2	2			
Scarlet fever (8)	11	1	4		3	1						1	1
Whooping cough (9)	105	9	12	10	12	16	13	7	8	5	8	5	
Diphtheria (10)	88	12	12	15	7	5	5	1	3	2	7	9	10
Influenza (11)	82	7	19	30	5	1	7	2	1	1	1	3	5
Dysentery (16)	29		1	1	2	1	3	2	10	3	2	4	
Lethargic encephalitis (23)	17	3	2		1	2	5		2		1		1
Meningococcus meningitis (24)	9			2	2		2		1			2	
Tuberculosis of the respiratory system (31)	904	85	76	98	107	77	69	60	67	72	64	60	69
Other forms of tuberculosis (32–37)	143	13	11	17	14	16	12	16	7	8	10	5	14
Bronchitis (99)	105	17	19	19	11	7	3	1	6	4	9	6	3
Bronchopneumonia (100)	521	56	85	82	45	38	25	20	24	25	40	44	37
Pneumonia (101)	429	41	69	95	39	29	16	7	22	9	27	28	47
Diarrhea and enteritis [under 2 years] (113)	411	15	15	17	10	15	46	84	61	51	46	37	14
Diarrhea and enteritis [2 years and over] (114)	74	5	6	6	5	5	13	6	8	6	5	5	4
Puerperal septicemia (146)	49	3	4	10	2	3	3	4	2	3	7	5	3
Other puerperal causes (143–145, 147–150)	73	5	5	7	9	5	5	4	9	8	6	7	3
External causes (165–203)	680	63	46	56	49	50	59	63	59	55	68	58	54
All other causes	6,582	610	545	691	512	551	544	498	489	513	573	509	547
BALTIMORE, MD. (WHITE).													
All causes	8,106	736	750	926	650	647	646	593	605	601	702	622	628
Typhoid and paratyphoid fever (1)	29	1	2	1	1	3	1	3	1	5	5	5	1
Malaria (5)	1							1					
Measles (7)	25	3	2	5	3	5	3	1	2	1			
Scarlet fever (8)	10	1	3		3	1						1	1
Whooping cough (9)	82	7	9	9	10	11	11	6	7	4	6	2	
Diphtheria (10)	76	12	8	14	5	2	4	1	3	2	7	9	9
Influenza (11)	59	5	13	26	5		1			1	1	3	4
Dysentery (16)	18		1	1			2	1	7	2		4	
Lethargic encephalitis (23)	14	3	2			1	5		2				1
Meningococcus meningitis (24)	8			2	2		1		1			2	
Tuberculosis of the respiratory system (31)	535	49	45	62	70	47	41	29	39	42	38	34	39
Other forms of tuberculosis (32–37)	81	9	7	9	8	11	6	9	3	2	5	3	9
Bronchitis (99)	80	9	15	13	8	7	3	1	6	4	6	6	2
Bronchopneumonia (100)	385	45	69	64	33	24	20	15	16	22	29	26	22
Pneumonia (101)	319	28	58	72	30	20	14	5	15	5	21	17	34
Diarrhea and enteritis [under 2 years] (113)	332	11	12	13	6	15	34	63	52	45	36	31	14
Diarrhea and enteritis [2 years and over] (114)	43	3	3	2	3	2	10	3	4	4	5	1	3
Puerperal septicemia (146)	34	3	3	9	2	2	1	1	1	1	3	5	3
Other puerperal causes (143–145, 147–150)	60	3	5	6	8	5	4	4	5	7	4	6	3
External causes (165–203)	559	53	40	50	38	44	48	44	51	41	56	48	46
All other causes	5,356	491	453	568	415	447	437	406	390	413	480	419	437

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1921—Continued.

[See note at head of this table, p. 574.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.													
BALTIMORE, MD. (COLORED).													
All causes	2,274	213	185	238	189	184	190	189	177	171	178	172	188
Typhoid and paratyphoid fever (1)	11			1		1	2	2			1	1	3
Malaria (5)													
Measles (7)	2			1						1			
Scarlet fever (8)	1		1										
Whooping cough (9)	23	2	3	1	2	5	2	1	1	1	2	3	
Diphtheria (10)	12		4	1	2	3	1						1
Influenza (11)	23	2	6	4		1	6	2	1				1
Dysentery (16)	11				2	1	1	1	3	1	2		
Lethargic encephalitis (23)	3				1	1					1		
Meningococcus meningitis (24)	1						1						
Tuberculosis of the respiratory system (31)	369	36	31	36	37	30	28	31	28	30	26	26	30
Other forms of tuberculosis (32-37)	62	4	4	8	6	5	6	7	4	6	5	2	5
Bronchitis (99)	25	8	4	6	3						3		1
Bronchopneumonia (100)	136	11	16	18	12	14	5	5	8	3	11	18	15
Pneumonia (101)	110	13	11	23	9	9	2	2	7	4	6	11	13
Diarrhea and enteritis [under 2 years] (113)	79	4	3	4	4		12	21	9	6	10	6	
Diarrhea and enteritis [2 years and over] (114)	31	2	3	4	2	3	3	3	4	2		4	1
Puerperal septicemia (146)	15		1	1		1	2	3	1	2	4		
Other puerperal causes (143-145, 147-150)	13	2		1	1		1		4	1	2	1	
External causes (165-203)	121	10	6	6	11	6	11	19	8	14	12	10	8
All other causes	1,226	119	92	123	97	104	107	92	99	100	93	90	110
BOSTON, MASS.													
All causes	10,226	945	873	1,002	933	863	737	754	779	764	795	841	940
Typhoid and paratyphoid fever (1)	24	1	1	3	1	3		2	4	1	6	1	1
Malaria (5)													
Measles (7)	38	3	9	5	3	3	3	4	2	1		1	4
Scarlet fever (8)	51	5	3	14	9	5	6	3	2	2		2	
Whooping cough (9)	32	3	5	8	4	3	3	1	1	3		1	
Diphtheria (10)	150	9	20	13	11	19	8	12	13	9	10	9	17
Influenza (11)	21	2	3	3	4	3	3		1			2	
Dysentery (16)	2								2				
Lethargic encephalitis (23)	26	6	5	6	1	1		2	1	1	1	2	
Meningococcus meningitis (24)	28	1	2	1	2	2	1	2	3	3	4	5	2
Tuberculosis of the respiratory system (31)	740	55	67	71	76	62	58	63	57	63	57	69	42
Other forms of tuberculosis (32-37)	142	13	13	16	11	13	11	11	12	11	7	9	15
Bronchitis (99)	57	9	6	3	9	6	4		5	1	1	6	7
Bronchopneumonia (100)	484	64	36	62	52	44	32	26	28	25	36	38	41
Pneumonia (101)	459	69	55	63	56	37	18	13	10	23	28	36	51
Diarrhea and enteritis [under 2 years] (113)	221	8	7	8	14	14	5	21	63	39	24	11	7
Diarrhea and enteritis [2 years and over] (114)	37	6	3	3	4			1	6	7	4	3	
Puerperal septicemia (146)	64	4	5	4	10	8	7	5	1	7	2	4	7
Other puerperal causes (143-145, 147-150)	94	9	3	13	9	10	10	12	4	5	6	5	8
External causes (165-203)	701	62	52	59	48	57	56	68	42	65	64	54	74
All other causes	6,855	616	578	647	609	573	512	508	522	498	545	583	664
CAMBRIDGE, MASS.													
All causes	1,388	139	135	127	117	135	99	101	98	104	90	111	132
Typhoid and paratyphoid fever (1)													
Malaria (5)													
Measles (7)	4	1		2					1				
Scarlet fever (8)	2						1				1		
Whooping cough (9)	11	1	3		2			2	2	1			
Diphtheria (10)	12	1	1	1	3	1	2	1	1				1
Influenza (11)	3		1		1							1	
Dysentery (16)	1			1									
Lethargic encephalitis (23)													
Meningococcus meningitis (24)	1		1										
Tuberculosis of the respiratory system (31)	123	7	11	10	16	13	6	11	5	15	8	11	10
Other forms of tuberculosis (32-37)	15	2	2	1	2		2	1	2	3			
Bronchitis (99)	14			2	2	1		1	2	1		2	3
Bronchopneumonia (100)	61	7	9	5	4	6	3	1	2	2	6	9	7
Pneumonia (101)	43	10	5	7	5	2	3			1	1	2	7
Diarrhea and enteritis [under 2 years] (113)	29		2	1		1	1	3	13	5	1		2
Diarrhea and enteritis [2 years and over] (114)	1					1							
Puerperal septicemia (146)	8		1	4			1	1	1				
Other puerperal causes (143-145, 147-150)	15	2	2	1	2	2		3	1			1	1
External causes (165-203)	81	8	6	5	4	13	8	5	7	5	11	6	3
All other causes	964	100	91	87	76	95	72	72	61	71	62	79	98
FALL RIVER, MASS.													
All causes	1,717	177	153	194	145	144	111	138	127	132	137	137	122
Typhoid and paratyphoid fever (1)	3		1			1				1			
Malaria (5)													
Measles (7)	28	5	12	4	3	4							
Scarlet fever (8)	2	1	1										
Whooping cough (9)	31	4	1	6	2	3	1	3	2	4	3		2
Diphtheria (10)	22	1	1	6	2	1	3	2	1	1	1	2	1
Influenza (11)	8	1	1	1	1	1				1	1		1
Dysentery (16)	2								1		1		
Lethargic encephalitis (23)	1							1					
Meningococcus meningitis (24)	1				1								
Tuberculosis of the respiratory system (31)	92	9	9	8	9	7	9	6	4	9	11	5	6
Other forms of tuberculosis (32-37)	25	2	2		1	4	2	3	3	2	2	4	
Bronchitis (99)	36	9	6	8	1	3	2		1	1	1	3	1
Bronchopneumonia (100)	121	24	13	23	14	8	7	3	6	2	3	8	10
Pneumonia (101)	54	11	6	9	6	3	3	1				8	7
Diarrhea and enteritis [under 2 years] (113)	151	8	9	11	9	3	5	10	34	28	23	4	7
Diarrhea and enteritis [2 years and over] (114)	18	3	1	1			2	2	6	1	2		
Puerperal septicemia (146)	7	1	1			1	1		1		1	1	
Other puerperal causes (143-145, 147-150)	13	2		2		2	1	1		4		1	
External causes (165-203)	81	9	2	8	5	4	9	8	7	8	9	6	6
All other causes	1,021	87	87	107	91	99	66	98	61	70	79	95	81

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1921—Continued.

[See note at head of this table, p. 574.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.													
LOWELL, MASS.													
All causes	1,465	169	131	155	118	117	96	114	107	98	117	104	139
Typhoid and paratyphoid fever (1)	6	1				1	1	1		1	1		
Malaria (5)													
Measles (7)	11	7	2	2									
Scarlet fever (8)													
Whooping cough (9)	6	1		2		1	1		1				
Diphtheria (10)	37	9	1	6	1	1		3	1	4	4	5	2
Influenza (11)	2	1									1		
Dysentery (16)													
Lethargic encephalitis (23)	2		1	1									
Meningococcus meningitis (24)	2				1				1				
Tuberculosis of the respiratory system (31)	64	7	12	7	4	6	3	3	3	3	5	5	6
Other forms of tuberculosis (32–37)	30	4	5		5	3	4		2		2	3	2
Bronchitis (99)	28	6	3	4	2	3		1	2	1	1	1	4
Bronchopneumonia (100)	92	13	9	17	9	7	3	2	1	2	9	7	13
Pneumonia (101)	46	7	6	5	5	2	3	1	1	2	1	6	7
Diarrhea and enteritis [under 2 years] (113)	81	4	5	2	3	3	2	25	13	8	11	4	1
Diarrhea and enteritis [2 years and over] (114)	5		1					1	2	1			
Puerperal septicemia (146)	5		1	1	2	1							
Other puerperal causes (143–145, 147–150)	10	1	1		2	2	2			1			1
External causes (165–203)	102	4	8	11	8	8	7	10	7	10	8	11	10
All other causes	936	104	76	97	77	78	70	67	73	65	74	62	93
NEW BEDFORD, MASS.													
All causes	1,384	134	129	134	125	113	107	100	110	108	106	116	102
Typhoid and paratyphoid fever (1)	5			1	2			1					1
Malaria (5)													
Measles (7)													
Scarlet fever (8)	1				1								
Whooping cough (9)	8		1	2	1		1	1	1			1	
Diphtheria (10)	27	5	3		3		5			1	2	5	3
Influenza (11)	3	1		1		1							
Dysentery (16)													
Lethargic encephalitis (23)													
Meningococcus meningitis (24)	1				1								
Tuberculosis of the respiratory system (31)	125	14	17	12	12	13	5	8	9	10	12	8	5
Other forms of tuberculosis (32–37)	30	1		6	4	2	4	2	3	3		1	4
Bronchitis (99)	16	2	3	5	2	2	1				1		
Bronchopneumonia (100)	105	20	15	17	8	8	6	6	1	4	5	8	7
Pneumonia (101)	27	6	4	2	2	5	1		1			3	3
Diarrhea and enteritis [under 2 years] (113)	127	4	5	5	5	6	3	12	24	32	15	8	8
Diarrhea and enteritis [2 years and over] (114)	9		3	1	1	1					2	1	
Puerperal septicemia (146)	5	1	2		1						1		
Other puerperal causes (143–145, 147–150)	15	2	2	1	2	3		1		1		2	1
External causes (165–203)	68	5	4	4	7	5	14	5	5	3	4	8	4
All other causes	812	73	70	77	73	67	67	64	66	54	64	71	66
SPRINGFIELD, MASS.													
All causes	1,542	134	145	166	128	123	106	99	137	112	124	113	155
Typhoid and paratyphoid fever (1)	6						1		3		1	1	
Malaria (5)													
Measles (7)	3			1		1			1				
Scarlet fever (8)	3	1		1									1
Whooping cough (9)	3						1		1	1			
Diphtheria (10)	23	4	1	1	1	4	2		1	1	2	5	1
Influenza (11)	10	2	4	2	2								
Dysentery (16)	1												1
Lethargic encephalitis (23)	3	1	2										
Meningococcus meningitis (24)	3		1		1				1				
Tuberculosis of the respiratory system (31)	77	6	7	10	10	6	5	7	4	5	6	2	9
Other forms of tuberculosis (32–37)	27	4	4		3	4			4	1	3		4
Bronchitis (99)	8		4	2	1				1				
Bronchopneumonia (100)	70	10	13	10	7	10	1	1	5	1	1	5	6
Pneumonia (101)	57	10	4	8	5	7	6	1	2	1	2	4	7
Diarrhea and enteritis [under 2 years] (113)	42			2	3		1	4	11	9	8	2	2
Diarrhea and enteritis [2 years and over] (114)	8	1	1	1	1		1		1			2	
Puerperal septicemia (146)	6	1	1	2				1		1			
Other puerperal causes (143–145, 147–150)	19	2	1	2	2		2	2	4	2	1		1
External causes (165–203)	110	7	7	10	11	8	8	12	3	11	15	8	10
All other causes	1,063	85	95	114	81	83	78	71	95	79	85	84	113
WORCESTER, MASS.													
All causes	2,387	217	205	251	214	210	169	182	177	159	192	182	229
Typhoid and paratyphoid fever (1)	7		1			1	2		2			1	
Malaria (5)													
Measles (7)	19	3		3	2	3	3	1	2				2
Scarlet fever (8)	12	2	1	1	1	1					3	2	1
Whooping cough (9)	10		1	1	1	1		2			1	1	2
Diphtheria (10)	29	4	2	3	1	1	1	3	1	3	4	2	4
Influenza (11)	7	1		1	3	1							1
Dysentery (16)	2								1		1		
Lethargic encephalitis (23)	4	1			2						1		
Meningococcus meningitis (24)	3				1	1		1					
Tuberculosis of the respiratory system (31)	141	8	8	21	15	17	11	12	14	3	9	10	13
Other forms of tuberculosis (32–37)	49	6	3	3	4	6	2	1	6	3	6	2	7
Bronchitis (99)	17	6	2	5	1	2					1		
Bronchopneumonia (100)	125	16	21	19	12	9	6	2	7	5	8	9	11
Pneumonia (101)	113	11	11	17	17	6	11	2	2	2	6	16	12
Diarrhea and enteritis [under 2 years] (113)	94	3	1	6	2	8	7	33	10	9	6	4	5
Diarrhea and enteritis [2 years and over] (114)	9	1	2			1		3	1		1		
Puerperal septicemia (146)	19	3		5	1	1	1	2	2		2		2
Other puerperal causes (143–145, 147–150)	30		6	4		4	6	2	2	2	1	2	1
External causes (165–203)	165	9	18	8	11	10	14	19	15	18	18	16	11
All other causes	1,532	143	130	154	140	137	105	99	112	114	124	117	157

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1921—Continued.

[See note at head of this table, p. 574.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.													
DETROIT, MICH. (TOTAL).													
All causes	10,386	982	870	946	959	942	774	830	870	773	795	817	828
Typhoid and paratyphoid fever (1)	57	2	1		1	4	6	9	12	9	5	5	3
Malaria (5)													
Measles (7)	40	2	4	5	6	3	6	2	2	1		2	7
Scarlet fever (8)	119	14	23	14	24	6	11	3	6	3	8	4	3
Whooping cough (9)	111	13	11	13	11	16	9	9	15	6	4	1	3
Diphtheria (10)	336	36	26	30	31	27	28	9	24	21	32	40	32
Influenza (11)	40	10	9	5	1	4	2		2	1	2		4
Dysentery (16)	7							3	2	2			
Lethargic encephalitis (23)	59	17	15	6	7	3	3	3	2		1		2
Meningococcus meningitis (24)	22	3	2	4		1	4	1	2	3		1	1
Tuberculosis of the respiratory system (31)	742	70	60	58	65	83	57	57	62	49	55	64	62
Other forms of tuberculosis (32–37)	151	18	13	22	12	12	13	19	8	5	8	10	11
Bronchitis (99)	110	13	11	15	16	5	7	6	3	4	12	9	9
Bronchopneumonia (100)	420	59	47	52	47	46	26	20	16	22	27	29	29
Pneumonia (101)	481	56	56	60	53	55	26	16	24	18	35	41	41
Diarrhea and enteritis [under 2 years] (113)	529	32	23	38	35	21	42	90	77	86	37	24	24
Diarrhea and enteritis [2 years and over] (114)	61	3	3	2	4	3	4	16	11	7	5	1	2
Puerperal septicemia (146)	106	16	8	15	13	11	6	6	4	6	6	10	5
Other puerperal causes (143–145, 147–150)	96	11	10	12	7	8	5	8	10	3	7	5	10
External causes (165–203)	815	62	41	57	67	79	74	93	78	67	72	60	65
All other causes	6,084	545	507	538	559	555	445	460	510	460	479	511	515
DETROIT, MICH. (WHITE).													
All causes	9,653	923	809	878	887	878	715	769	800	718	738	771	767
Typhoid and paratyphoid fever (1)	53	1	1		1	4	6	8	11	8	5	5	3
Malaria (5)													
Measles (7)	40	2	4	5	6	3	6	2	2	1		2	7
Scarlet fever (8)	115	14	22	14	23	5	11	2	6	3	8	4	3
Whooping cough (9)	98	13	10	11	11	15	7	6	11	6	4	1	3
Diphtheria (10)	328	34	26	28	31	27	27	8	24	21	30	40	32
Influenza (11)	35	9	7	5	1	4	2		1	1	2		3
Dysentery (16)	6							3	2	1			
Lethargic encephalitis (23)	58	17	15	5	7	3	3	3	2		1		2
Meningococcus meningitis (24)	21	3	2	4		1	4	1	1	3		1	1
Tuberculosis of the respiratory system (31)	629	63	54	49	53	74	49	47	47	41	44	56	52
Other forms of tuberculosis (32–37)	125	14	11	18	11	9	11	15	7	4	8	7	10
Bronchitis (99)	103	13	11	15	15	4	6	4	2	4	11	9	9
Bronchopneumonia (100)	369	53	42	46	36	38	21	17	13	20	26	28	29
Pneumonia (101)	437	55	50	53	49	49	23	12	19	17	32	39	39
Diarrhea and enteritis [under 2 years] (113)	506	28	20	35	34	20	41	86	76	84	35	23	24
Diarrhea and enteritis [2 years and over] (114)	54	1	3	2	2	3	4	15	10	6	5	1	2
Puerperal septicemia (146)	98	14	8	14	13	10	5	6	4	6	5	9	4
Other puerperal causes (143–145, 147–150)	90	9	10	10	7	8	5	8	10	3	7	5	8
External causes (165–203)	763	60	40	52	61	76	69	87	72	60	66	59	61
All other causes	5,725	520	473	512	526	525	415	439	480	429	449	482	475
DETROIT, MICH. (COLORED).													
All causes	733	59	61	68	72	64	59	61	70	55	57	46	61
Typhoid and paratyphoid fever (1)	4	1						1	1	1			
Malaria (5)													
Measles (7)													
Scarlet fever (8)	4		1		1	1		1					
Whooping cough (9)	13		1	2		1	2	3	4				
Diphtheria (10)	8	2		2			1	1			2		
Influenza (11)	5	1	2						1				1
Dysentery (16)	1									1			
Lethargic encephalitis (23)	1			1									
Meningococcus meningitis (24)	1								1				
Tuberculosis of the respiratory system (31)	113	7	6	9	12	9	8	10	15	8	11	8	10
Other forms of tuberculosis (32–37)	26	4	2	4	1	3	2	4	1	1		3	1
Bronchitis (99)	7				1	1	1	2	1		1		
Bronchopneumonia (100)	51	6	5	6	11	8	5	3	3	2	1	1	
Pneumonia (101)	44	1	6	7	4	6	3	4	5	1	3	2	2
Diarrhea and enteritis [under 2 years] (113)	23	4	3	3	1	1	1	4	1	2	2	1	
Diarrhea and enteritis [2 years and over] (114)	7	2			2			1	1	1			
Puerperal septicemia (146)	8	2		1		1	1				1	1	1
Other puerperal causes (143–145, 147–150)	6	2		2									2
External causes (165–203)	52	2	1	5	6	3	5	6	6	7	6	1	4
All other causes	359	25	34	26	33	30	30	21	30	31	30	29	40
GRAND RAPIDS, MICH.													
All causes	1,538	167	134	141	115	122	103	122	116	108	130	139	141
Typhoid and paratyphoid fever (1)	6	1	1	1					2				1
Malaria (5)													
Measles (7)	1							1					
Scarlet fever (8)	2										1		1
Whooping cough (9)	4		1	1				1			1		
Diphtheria (10)	44	5	5	4	2	2	3	2	2	1	3	7	8
Influenza (11)	4				1			1				1	1
Dysentery (16)	2			1							1		
Lethargic encephalitis (23)	2		2										
Meningococcus meningitis (24)	1							1					
Tuberculosis of the respiratory system (31)	63	7	6	8	5	7	2	8	6		4	6	4
Other forms of tuberculosis (32–37)	27	2	1	6	4	1	3	2	1		1	3	3
Bronchitis (99)	13	2	4	1			1				3	1	1
Bronchopneumonia (100)	36	7	4	3	2	2		1		2	5	4	6
Pneumonia (101)	45	4	7	6	3	4	1	3	1	4	2	4	6
Diarrhea and enteritis [under 2 years] (113)	42	3	4	2	1	1	2	3	8	8	6	2	2
Diarrhea and enteritis [2 years and over] (114)	9	2					1		1	4		1	
Puerperal septicemia (146)	11	3	2	2	1	2	1						
Other puerperal causes (143–145, 147–150)	11	1	2		1	1	1	1	1	1	1		1
External causes (165–203)	94	5	6	10	4	5	10	9	8	9	11	8	9
All other causes	1,121	125	89	96	91	97	78	89	86	79	91	102	98

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1921—Continued.

[See note at head of this table, p. 574.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.													
MINNEAPOLIS, MINN.													
All causes	4,239	411	386	442	379	366	319	324	276	319	351	345	371
Typhoid and paratyphoid fever (1)	5	1			1	1			1	1			
Malaria (5)													
Measles (7)	3		1				2						
Scarlet fever (8)	55	7	8	8	5	7	3		2	2	5	5	3
Whooping cough (9)	18	3	3	1	2	1		4	1	1		1	1
Diphtheria (10)	52	2	4	3	1	5	5	2	6	5	3	10	6
Influenza (11)	34	2	5	4	7	1	1	1	1	3	4	4	1
Dysentery (16)	2				1		1						
Lethargic encephalitis (23)	11		3	2	1		4					1	
Meningococcus meningitis (24)	4			1				1	1		1		
Tuberculosis of the respiratory system (31)	283	26	28	34	28	30	28	18	16	23	18	12	22
Other forms of tuberculosis (32–37)	50	7	3	11	6	2	6	2	1	4	3	3	2
Bronchitis (99)	22	2	2	2	4	2	1		2		2	1	4
Bronchopneumonia (100)	158	22	28	18	12	9	5	1	4	13	14	14	18
Pneumonia (101)	189	24	30	32	22	12	4	4	4	10	16	9	22
Diarrhea and enteritis [under 2 years] (113)	42	4	2	2	5	2	3	1	6	5	3	5	4
Diarrhea and enteritis [2 years and over] (114)	16	2	1	2		2		2	3	3	1		
Puerperal septicemia (146)	25			5		5	1	2		4	1	5	2
Other puerperal causes (143–145, 147–150)	48	5	3	2	6	3	2	4	5	6	2	8	2
External causes (165–203)	352	18	19	23	23	27	29	45	30	29	40	27	42
All other causes	2,920	286	246	292	255	257	224	237	193	210	238	240	242
ST. PAUL, MINN.													
All causes	2,555	244	225	290	219	207	184	203	178	168	192	223	222
Typhoid and paratyphoid fever (1)	18	2	1					3	1	3	6	1	1
Malaria (5)													
Measles (7)	1			1									
Scarlet fever (8)	20	3	2	2	3	4	4		1	1			
Whooping cough (9)	2		1								1		
Diphtheria (10)	37	3	1	6	7	3	1	1	1	3	3	4	
Influenza (11)	19	2	2	4	3	1					3	4	
Dysentery (16)	1			1									
Lethargic encephalitis (23)													
Meningococcus meningitis (24)	1							1					
Tuberculosis of the respiratory system (31)	196	15	22	19	16	17	20	18	14	11	13	17	4
Other forms of tuberculosis (32–37)	39	2	5	2	1	4	5		3	5	5	5	14
Bronchitis (99)	12	1	1	4	2			1			2		2
Bronchopneumonia (100)	53	9	6	8	3	3	2	2	2	2	4	6	1
Pneumonia (101)	105	11	13	19	13	7	3	3	5	8	6	10	6
Diarrhea and enteritis [under 2 years] (113)	30		7	3	2	2		3	1	3		4	7
Diarrhea and enteritis [2 years and over] (114)	6	1	1	1			1			1			5
Puerperal septicemia (146)	20			5	3		2	2	1		2	3	1
Other puerperal causes (143–145, 147–150)	21	4	1		3	1	1	4		2	2	2	2
External causes (165–203)	222	21	17	16	10	19	16	21	20	16	21	20	1
All other causes	1,752	170	145	200	152	146	129	144	129	113	124	147	25
KANSAS CITY, MO. (TOTAL).													153
All causes	4,654	430	374	361	377	377	333	395	332	372	406	440	457
Typhoid and paratyphoid fever (1)	39		2			4	2	5	6	8	7	3	2
Malaria (5)	3									1	2		
Measles (7)	17	1	3	4	2	1	2	1		1	2		
Scarlet fever (8)	11		3	2		1		1	1	1		1	1
Whooping cough (9)	4					1	1	1				1	
Diphtheria (10)	82	7	8	9	3	4	1	1	1	8	18	9	13
Influenza (11)	49	5	8	14	7	2	1	1	1	2	2	4	2
Dysentery (16)	8	1						1	2			1	3
Lethargic encephalitis (23)	4	1			1		1			1			
Meningococcus meningitis (24)	7			1	1		1				1	1	2
Tuberculosis of the respiratory system (31)	286	30	23	27	26	31	18	28	26	18	15	19	25
Other forms of tuberculosis (32–37)	49	5	4	3	3	4	3	5	4	4	8	4	2
Bronchitis (99)	21	4	2	1	1	3	1					5	4
Bronchopneumonia (100)	134	18	15	17	12	11	7	4	6	8	10	15	11
Pneumonia (101)	198	31	25	21	20	18	9		6	7	23	20	18
Diarrhea and enteritis [under 2 years] (113)	165	13	8	4	6	7	17	30	34	18	14	3	11
Diarrhea and enteritis [2 years and over] (114)	26	1	1		1	3	1	6	2	4	3	2	2
Puerperal septicemia (146)	26	1	2	3	4	2	3	2	3	1	2	1	2
Other puerperal causes (143–145, 147–150)	26	1	1	2	2	2	1	2	1	4	2	5	3
External causes (165–203)	434	40	30	27	28	28	24	54	39	52	47	34	31
All other causes	3,065	271	239	226	260	255	240	253	200	234	250	312	325
KANSAS CITY, MO. (WHITE).													
All causes	3,891	366	324	294	299	313	288	326	275	322	349	364	371
Typhoid and paratyphoid fever (1)	35		2			2	2	4	5	8	7	3	2
Malaria (5)	1										1		
Measles (7)	14	1	3	3	2	1	2				2		
Scarlet fever (8)	11		3	2		1		1	1	1		1	1
Whooping cough (9)	2						1	1					
Diphtheria (10)	81	7	8	9	3	4	1	1	1	8	17	9	13
Influenza (11)	32	4	6	10	2	1	1	1		2	1	3	1
Dysentery (16)	6	1							1			1	3
Lethargic encephalitis (23)	4	1			1		1			1			
Meningococcus meningitis (24)	6			1			1				1	1	2
Tuberculosis of the respiratory system (31)	183	23	17	15	13	22	11	22	13	10	10	13	14
Other forms of tuberculosis (32–37)	38	5	4	1	2	3	2	1	3	3	8	4	2
Bronchitis (99)	19	4	2	1	1	2	1					5	3
Bronchopneumonia (100)	96	12	10	12	9	8	5	3	5	7	7	10	8
Pneumonia (101)	162	27	23	18	16	11	7		6	6	15	17	16
Diarrhea and enteritis [under 2 years] (113)	153	11	8	4	6	7	16	28	30	16	13	3	11
Diarrhea and enteritis [2 years and over] (114)	24	1	1		1	3		6	2	4	3	2	1
Puerperal septicemia (146)	20	1	2	3	3	1	3	1	2	1	1	1	1
Other puerperal causes (143–145, 147–150)	22	1		1	2	2	1	2	1	3	2	5	2
External causes (165–203)	361	30	23	24	25	25	20	46	28	47	39	26	28
All other causes	2,621	237	212	190	213	220	213	209	177	205	222	260	263

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1921—Continued.

[See note at head of this table, p. 574.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.													
KANSAS CITY, MO. (COLORED).													
All causes	763	64	50	67	78	64	45	69	57	50	57	76	86
Typhoid and paratyphoid fever (1)	4					2		1	1				
Malaria (5)	2									1	1		
Measles (7)	3			1				1		1			
Scarlet fever (8)													
Whooping cough (9)	2					1						1	
Diphtheria (10)	1										1		
Influenza (11)	17	1	2	4	5	1			1		1	1	1
Dysentery (16)	2							1	1				
Lethargic encephalitis (23)													
Meningococcus meningitis (24)	1				1								
Tuberculosis of the respiratory system (31)	103	7	6	12	13	9	7	6	13	8	5	6	11
Other forms of tuberculosis (32–37)	11			2	1	1	1	4	1	1			
Bronchitis (99)	2					1							1
Bronchopneumonia (100)	38	6	5	5	3	3	2	1	1	1	3	5	3
Pneumonia (101)	36	4	2	3	4	7	2			1	8	3	2
Diarrhea and enteritis [under 2 years] (113)	12	2					1	2	4	2	1		
Diarrhea and enteritis [2 years and over] (114)	2					1							1
Puerperal septicemia (146)	6				1	1		1	1		1		1
Other puerperal causes (143–145, 147–150)	4		1	1						1			1
External causes (165–203)	73	10	7	3	3	3	4	8	11	5	8	8	3
All other causes	444	34	27	36	47	35	27	44	23	29	28	52	62
ST. LOUIS, MO. (TOTAL).													
All causes	9,607	975	851	862	782	827	700	811	689	651	777	809	873
Typhoid and paratyphoid fever (1)	34			2	2	2	4	8	4	4	4	3	1
Malaria (5)	8	1		1				2	2	1	1		
Measles (7)	6	1		1	2	1							1
Scarlet fever (8)	44	2	2	3	5	16	3	4		1	2	4	2
Whooping cough (9)	65	3	12	7	13	8	7	6	3	5		1	
Diphtheria (10)	166	30	21	12	9	14	9	5	6	9	15	19	17
Influenza (11)	42	7	4	13		4		1		2	2	4	5
Dysentery (16)	22			2				9	3	4	3	1	
Lethargic encephalitis (23)	5			2		1			1			1	
Meningococcus meningitis (24)	12			2	2	5		3					
Tuberculosis of the respiratory system (31)	602	54	46	53	50	46	54	55	52	39	39	63	51
Other forms of tuberculosis (32–37)	85	5	8	7	13	8	10	8	6	4	8	4	4
Bronchitis (99)	129	25	17	10	15	9	8	4	5	2	10	10	14
Bronchopneumonia (100)	439	61	53	57	36	26	38	25	28	21	20	35	39
Pneumonia (101)	540	75	87	70	43	29	18	23	23	18	34	54	66
Diarrhea and enteritis [under 2 years] (113)	146	11	9	6	6	7	12	23	23	20	13	10	6
Diarrhea and enteritis [2 years and over] (114)	60	3	3	2	6	4	7	10	6	3	4	6	6
Puerperal septicemia (146)	54	7	9	8	4	2	2	5	4	3	6	2	2
Other puerperal causes (143–145, 147–150)	57	5	5	8	5	5	3	7	4	4	4	2	5
External causes (165–203)	777	61	53	59	62	62	53	78	66	70	64	74	75
All other causes	6,314	624	522	537	509	578	472	535	453	441	548	516	579
ST. LOUIS, MO. (WHITE).													
All causes	8,306	863	747	742	658	718	599	698	588	557	679	700	757
Typhoid and paratyphoid fever (1)	31			2	1	2	4	8	4	4	2	3	1
Malaria (5)	7	1						2	2	1	1		
Measles (7)	6	1		1	2	1							1
Scarlet fever (8)	44	2	2	3	5	16	3	4		1	2	4	2
Whooping cough (9)	53	3	12	7	11	6	4	3	3	4			
Diphtheria (10)	157	30	20	12	9	10	9	4	5	9	14	19	16
Influenza (11)	35	5	4	12		3		1		2	1	4	3
Dysentery (16)	15			2				7	2	2	1	1	
Lethargic encephalitis (23)	3			1					1			1	
Meningococcus meningitis (24)	8			2	1	4		1					
Tuberculosis of the respiratory system (31)	428	39	29	38	33	34	44	35	30	24	33	46	43
Other forms of tuberculosis (32–37)	59	4	7	5	7	6	8	7	3	3	6	2	1
Bronchitis (99)	107	18	13	10	10	9	6	4	4	2	10	10	11
Bronchopneumonia (100)	375	57	49	49	28	21	23	21	24	19	16	30	38
Pneumonia (101)	446	64	76	57	34	25	14	19	18	14	28	40	57
Diarrhea and enteritis [under 2 years] (113)	132	11	8	6	6	6	9	19	20	19	13	10	5
Diarrhea and enteritis [2 years and over] (114)	56	3	3	2	6	3	7	8	6	3	3	6	6
Puerperal septicemia (146)	48	7	7	8	4	2	2	5	4	3	3	1	2
Other puerperal causes (143–145, 147–150)	47	5	4	7	5	5	2	5	3	4	2	2	3
External causes (165–203)	691	56	44	53	50	56	45	73	58	65	60	64	67
All other causes	5,558	557	469	465	446	509	419	472	401	378	484	457	501
ST. LOUIS, MO. (COLORED).													
All causes	1,301	112	104	120	124	109	101	113	101	94	98	109	116
Typhoid and paratyphoid fever (1)	3				1						2		
Malaria (5)	1			1									
Measles (7)													
Scarlet fever (8)													
Whooping cough (9)	12				2	2	3	3		1		1	
Diphtheria (10)	9		1			4		1	1		1		1
Influenza (11)	7	2		1		1					1		2
Dysentery (16)	7							2	1	2	2		
Lethargic encephalitis (23)	2			1		1							
Meningococcus meningitis (24)	4				1	1		2					
Tuberculosis of the respiratory system (31)	174	15	17	15	17	12	10	20	22	15	6	17	8
Other forms of tuberculosis (32–37)	26	1	1	2	6	2	2	1	3	1	2	2	3
Bronchitis (99)	22	7	4		5		2		1				3
Bronchopneumonia (100)	64	4	4	8	8	5	15	4	4	2	4	5	1
Pneumonia (101)	94	11	11	13	9	4	4	4	5	4	6	14	9
Diarrhea and enteritis [under 2 years] (113)	14		1			1	3	4	3	1			1
Diarrhea and enteritis [2 years and over] (114)	4					1		2			1		
Puerperal septicemia (146)	6		2								3	1	
Other puerperal causes (143–145, 147–150)	10		1	1			1	2	1		2		2
External causes (165–203)	86	5	9	6	12	6	8	5	8	5	4	10	8
All other causes	756	67	53	72	63	69	53	63	52	63	64	59	78

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1921—Continued.

[See note at head of this table, p. 574.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.													
OMAHA, NEBR.													
All causes	2,599	225	236	243	225	251	173	184	241	213	218	180	210
Typhoid and paratyphoid fever (1)	10	1	1					2	2	1	2	1	
Malaria (5)	1						1						
Measles (7)	5			2	1					1		1	
Scarlet fever (8)	9	1		2	2		1	2			1		
Whooping cough (9)	2		1	1									
Diphtheria (10)	88	10	6	11	4	2	3	3	12	9	12	11	5
Influenza (11)	18	1	1	6	5					2	1		2
Dysentery (16)	3								2			1	
Lethargic encephalitis (23)	11			1		1	1	2	2	2	1		1
Meningococcus meningitis (24)	4		1					1	1	1			
Tuberculosis of the respiratory system (31)	124	11	12	21	10	12	12	6	8	12	7	4	9
Other forms of tuberculosis (32–37)	28	2	1	2	8	5	3	1	3			2	1
Bronchitis (99)	5		1					1		1		1	1
Bronchopneumonia (100)	90	16	16	9	13	6		2	2	2	7	8	9
Pneumonia (101)	125	17	12	12	12	11		5	9	7	9	13	18
Diarrhea and enteritis [under 2 years] (113)	43		1	1	4	3	2	6	6	7	6	1	6
Diarrhea and enteritis [2 years and over] (114)	12	1			2	1		4	3			1	
Puerperal septicemia (146)	20	1	2	3	2	1	2	2	2	1	1	2	1
Other puerperal causes (143–145, 147–150)	21		1	2	3	3	3	2	2	1	1	2	1
External causes (165–203)	225	11	16	14	20	23	18	27	20	18	22	21	15
All other causes	1,755	153	164	156	139	183	127	118	167	148	148	111	141
CAMDEN, N. J.													
All causes	1,535	160	171	166	114	91	119	110	117	114	115	122	136
Typhoid and paratyphoid fever (1)	9		1					1		1	1	2	3
Malaria (5)													
Measles (7)	6		2			1	2		1				
Scarlet fever (8)	7	2	2	1		1			1				
Whooping cough (9)	19		7	1	1	2		2	5	1			
Diphtheria (10)	25	2	3	2		2	1	1	2	5	2	2	3
Influenza (11)	7		3	3	1								
Dysentery (16)	2						2						
Lethargic encephalitis (23)	2							1			1		
Meningococcus meningitis (24)	1			1									
Tuberculosis of the respiratory system (31)	89	4	13	9	7	9	5	9	3	6	6	7	11
Other forms of tuberculosis (32–37)	8	1			1		2		1		1	1	1
Bronchitis (99)	13			2	2	1		1	2	2	1	1	1
Bronchopneumonia (100)	90	7	17	15	19	3	8		1	5	2	3	10
Pneumonia (101)	113	19	18	18	12	5	5	2	7	3	5	9	10
Diarrhea and enteritis [under 2 years] (113)	100	4	5	5	1	5	9	15	19	16	12	2	7
Diarrhea and enteritis [2 years and over] (114)	11		1	1			2	2		1	1	3	
Puerperal septicemia (146)	13	2	2	3			3		1				2
Other puerperal causes (143–145, 147–150)	20	4	2		4	3		2		1		2	2
External causes (165–203)	129	14	4	16	3	6	20	17	12	6	11	10	10
All other causes	871	101	91	89	63	53	60	57	62	67	72	80	76
JERSEY CITY, N. J.													
All causes	3,601	341	349	385	337	302	256	291	253	273	269	269	276
Typhoid and paratyphoid fever (1)	12	1				2			1	5	1	1	1
Malaria (5)													
Measles (7)	29	2	1	3	7	7	2	1	2			2	2
Scarlet fever (8)	9	1	3		2		2			1			
Whooping cough (9)	33	2	5	7	3	2	2	4	1	2	2	2	1
Diphtheria (10)	79	16	8	7	6	4	5	6	5	3	4	8	7
Influenza (11)	27	2	3	4	5	4	1		1	1	2	1	3
Dysentery (16)	1											1	
Lethargic encephalitis (23)	7		3	3		1							
Meningococcus meningitis (24)	12	6	1	2			1			1		1	
Tuberculosis of the respiratory system (31)	224	22	27	27	22	21	16	17	16	18	13	13	12
Other forms of tuberculosis (32–37)	39	10	4	1	2	4	2	5	3		5	3	
Bronchitis (99)	44	7	7	7	2	3	1	1	4	2		6	4
Bronchopneumonia (100)	171	27	22	36	13	16	5	8	4	6	7	10	17
Pneumonia (101)	205	30	29	33	33	14	10	3	9	4	15	11	14
Diarrhea and enteritis [under 2 years] (113)	231	7	13	9	8	13	15	67	36	32	14	9	8
Diarrhea and enteritis [2 years and over] (114)	23			1		3	3	7	3		1	4	1
Puerperal septicemia (146)	30	1	2	4	4	1	4	3	2	3	1	2	3
Other puerperal causes (143–145, 147–150)	36	3	2	5	4	2	3	2	5	2	2	3	3
External causes (165–203)	260	22	24	31	24	22	17	26	19	25	19	10	21
All other causes	2,129	182	195	205	202	183	167	141	142	168	183	182	179
NEWARK, N. J.													
All causes	4,638	466	399	472	413	390	375	363	337	336	340	331	416
Typhoid and paratyphoid fever (1)	12	1	1	2		1	1	2	1	2	1		
Malaria (5)													
Measles (7)	13	1		4	2	1		1				1	3
Scarlet fever (8)	18	1	5		3	2	1	1	1		1	1	2
Whooping cough (9)	26	3	4	4	4	1	3	3	2	1	1		
Diphtheria (10)	32	5	4	3	3	2	3	1	2	2	2	2	3
Influenza (11)	22	3	3	3	4	2		1		1		2	3
Dysentery	1					1							
Lethargic encephalitis (23)	12	3	2	2		2		1			1	1	
Meningococcus meningitis (24)	8	1	1				2	1		1		1	1
Tuberculosis of the respiratory system (31)	281	29	16	28	34	31	27	15	21	17	22	16	25
Other forms of tuberculosis (32–37)	64	9	3	9	7	8	5	3	7	3	5	2	3
Bronchitis (99)	56	7	7	12	6	2	2	1	1	1	6	2	9
Bronchopneumonia (100)	124	24	14	23	14	8	3	7	4	6	6	4	11
Pneumonia (101)	228	35	30	34	29	12	12	8	11	6	6	22	23
Diarrhea and enteritis [under 2 years] (113)	216	7	9	7	8	9	12	35	51	34	14	16	14
Diarrhea and enteritis [2 years and over] (114)	27		2	4		3	1	7	3	3	1	2	1
Puerperal septicemia (146)	32	5	3	5	2		1	1	1	1	3	5	5
Other puerperal causes (143–145, 147–150)	45	6	1	4	3	2		12	4	2	4	2	5
External causes (165–203)	381	34	23	39	28	38	35	41	22	25	31	31	34
All other causes	3,040	292	271	289	266	265	267	222	206	231	236	221	274

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1921—Continued.

[See note at head of this table, p. 574.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.													
PATERSON, N. J.													
All causes	1,746	186	140	175	161	136	125	122	160	125	150	125	141
Typhoid and paratyphoid fever (1)	8			1				2	2		1	1	1
Malaria (5)	1							1					
Measles (7)	2						1		1				
Scarlet fever (8)	7	3	2					1			1		
Whooping cough (9)	6		1		1	1		1	2				
Diphtheria (10)	34	5	4	4	3	5	4		2	1		3	3
Influenza (11)	5	1		1	1	2							
Dysentery (16)	3								3				
Lethargic encephalitis (23)	3		1							1		1	
Meningococcus meningitis (24)	1			1									
Tuberculosis of the respiratory system (31)	115	10	6	10	18	4	12	10	6	11	14	6	8
Other forms of tuberculosis (32–37)	25	4	1	2	3	1	5	1	4		2		2
Bronchitis (99)	8	1		1		2	1		1	2			
Bronchopneumonia (100)	78	13	10	12	7	4	2	5	9	2	3	3	8
Pneumonia (101)	86	15	9	10	10	10	5	2	4	3	4	4	10
Diarrhea and enteritis [under 2 years] (113)	37	1	1	6	2	1	2	2	11	5	4		2
Diarrhea and enteritis [2 years and over] (114)	6	2		3					1				
Puerperal septicemia (146)	9			3	1		1		2	1		1	
Other puerperal causes (143–145, 147–150)	21	3	3		1	4			3		3	1	3
External causes (165–203)	146	7	9	12	9	10	8	14	15	13	19	17	13
All other causes	1,145	121	93	109	105	92	84	83	94	86	99	88	91
TRENTON, N. J.													
All causes	1,610	136	137	136	116	152	120	126	126	112	146	135	168
Typhoid and paratyphoid fever (1)	11	1					1	1	3	2	2	1	
Malaria (5)	1			1									
Measles (7)	4				1			3					
Scarlet fever (8)	9	3	1	1	1		1			1	1		
Whooping cough (9)	14			1		3	3	3	3		1		
Diphtheria (10)	16	2	3	1		2	1				2	4	1
Influenza (11)	14	1	2	7	1	2							1
Dysentery (16)	1								1				
Lethargic encephalitis (23)	1							1					
Meningococcus meningitis (24)	2			1									1
Tuberculosis of the respiratory system (31)	100	8	9	7	7	16	9	7	5	12	7	5	8
Other forms of tuberculosis (32–37)	11	1	1		1			1	1	2		2	2
Bronchitis (99)	5			1	1	1					1		1
Bronchopneumonia (100)	54	3	9	6	3	8	7	1	2		2	7	6
Pneumonia (101)	80	6	7	13	6	10	6	3	3	4	5	5	12
Diarrhea and enteritis [under 2 years] (113)	71	2	1	5	3	3	5	12	15	5	10	5	5
Diarrhea and enteritis [2 years and over] (114)	22	4		1	3	2	2	2	3	1	2	1	1
Puerperal septicemia (146)	6	1	1			3				1			
Other puerperal causes (143–145, 147–150)	26		1	3	1	4	6	1	2	2	2		4
External causes (165–203)	133	11	6	5	11	11	8	20	16	11	12	10	12
All other causes	1,029	93	96	83	77	87	71	71	72	71	99	95	114
ALBANY, N. Y.													
All causes	1,742	145	160	155	161	172	131	130	126	110	134	136	182
Typhoid and paratyphoid fever (1)	4	1	1							1			1
Malaria (5)													
Measles (7)	2	1		1									
Scarlet fever (8)	3			1	1				1				
Whooping cough (9)	8		1				1	2		3	1		
Diphtheria (10)	22	1	1	1	2	2	1	2	3		2	2	5
Influenza (11)	14	1	2			2				1		3	5
Dysentery (16)													
Lethargic encephalitis (23)	4	2						1				1	
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	113	9	9	7	17	12	9	7	11	5	7	9	11
Other forms of tuberculosis (32–37)	22	3	2	6	1	2	2	2	2			1	1
Bronchitis (99)	9		4		2	1	1					1	
Bronchopneumonia (100)	42	2	6	4	3	4	3			3	3	9	5
Pneumonia (101)	51	8	7	5	3	2	1	1	3	1	4	7	9
Diarrhea and enteritis [under 2 years] (113)	33		1		2	1	2	4	13	8	1		1
Diarrhea and enteritis [2 years and over] (114)	7			1	1			2			1	1	1
Puerperal septicemia (146)	7	1	1		1	1	1		1			1	
Other puerperal causes (143–145, 147–150)	16		1		1	1	1	2	5			4	1
External causes (165–203)	129	11	4	7	10	9	13	18	6	11	10	14	16
All other causes	1,256	105	120	122	117	135	96	89	81	77	105	83	126
BUFFALO, N. Y.													
All causes	6,536	654	610	615	574	566	471	506	506	501	523	513	497
Typhoid and paratyphoid fever (1)	22	1	2	3	1	1			2	6	2	3	1
Malaria (5)													
Measles (7)	29	7	9	1	7	2	2	1					
Scarlet fever (8)	61	8	7	5	5	7	7	4	1	4	2	6	5
Whooping cough (9)	80	10	10	16	16	7	5	4	3	7	2		
Diphtheria (10)	149	25	24	9	14	7	15	5	10	6	7	16	11
Influenza (11)	11	3	3	2	2						1		
Dysentery (16)	3	1	1						1				
Lethargic encephalitis (23)	9	2	2	4		1							
Meningococcus meningitis (24)	9	4	1	1			2						1
Tuberculosis of the respiratory system (31)	501	39	36	39	38	44	45	35	47	49	43	39	47
Other forms of tuberculosis (32–37)	74	6	4	9	5	7	6	7	5	6	7	7	5
Bronchitis (99)	75	14	14	13	9	1	7	4	2	3	1	3	4
Bronchopneumonia (100)	201	40	29	26	24	15	9	5	11	6	14	11	11
Pneumonia (101)	189	29	22	25	21	21	7	13	9	6	16	9	11
Diarrhea and enteritis [under 2 years] (113)	390	25	21	34	22	24	22	45	54	68	41	13	21
Diarrhea and enteritis [2 years and over] (114)	48	1	5	2	3	1	3	11	6	4	6	3	3
Puerperal septicemia (146)	33	5	6	5	2	1	2	2	1	2	2	3	2
Other puerperal causes (143–145, 147–150)	44	1	2	5	8	5	1	4	5	3	2	7	1
External causes (165–203)	402	36	22	28	29	49	29	55	30	25	35	35	29
All other causes	4,206	397	390	388	368	373	309	311	319	306	342	358	345

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1921—Continued.

[See note at head of this table, p. 574.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.													
NEW YORK, N. Y. (TOTAL).													
All causes	64,603	6,348	6,012	6,465	5,851	5,466	4,753	4,880	4,708	4,394	4,942	5,023	5,761
Typhoid and paratyphoid fever (1)	127	8	3	8	7	8	8	18	13	22	13	9	10
Malaria (5)	8					2		1	3		1		1
Measles (7)	267	42	48	29	19	35	26	16	10	2	2	10	28
Scarlet fever (8)	426	81	78	64	65	43	29	13	8		13	15	17
Whooping cough (9)	379	23	39	40	36	41	26	49	40	26	22	16	21
Diphtheria (10)	881	118	149	102	89	87	68	46	28	19	46	51	78
Influenza (11)	366	50	50	67	56	32	13	8	7	9	23	24	27
Dysentery (16)	20	1	1			2	6	3	2	2		2	1
Lethargic encephalitis (23)	150	22	25	18	16	15	13	10	5	10	8	3	5
Meningococcus meningitis (24)	156	16	16	14	14	15	17	14	11	9	8	10	12
Tuberculosis of the respiratory system (31)	5,186	472	441	561	471	478	443	386	399	351	388	379	417
Other forms of tuberculosis (32–37)	808	93	73	71	80	74	69	73	66	48	51	46	64
Bronchitis (99)	527	59	66	63	56	42	25	22	24	24	39	48	64
Bronchopneumonia (100)	2,945	354	382	406	298	214	138	143	144	154	179	208	325
Pneumonia (101)	3,709	525	539	555	398	302	197	116	128	127	210	271	341
Diarrhea and enteritis [under 2 years] (113)	2,153	112	94	105	133	112	134	395	416	290	179	92	91
Diarrhea and enteritis [2 years and over] (114)	235	19	13	11	16	10	17	36	35	32	20	15	11
Puerperal septicemia (146)	332	40	42	42	39	29	26	18	18	13	24	20	21
Other puerperal causes (143–145, 147–150)	500	44	46	53	49	38	33	38	27	40	48	37	47
External causes (165–203)	4,656	438	340	407	351	393	386	422	365	381	392	386	395
All other causes	40,772	3,831	3,567	3,849	3,658	3,494	3,079	3,053	2,959	2,835	3,276	3,386	3,785
NEW YORK, N. Y. (WHITE).													
All causes	61,575	6,088	5,739	6,174	5,554	5,181	4,512	4,627	4,455	4,188	4,725	4,829	5,503
Typhoid and paratyphoid fever (1)	123	8	3	8	7	8	7	17	12	21	13	9	10
Malaria (5)	8					2		1	3		1		1
Measles (7)	258	41	48	28	16	31	26	16	10	2	2	10	28
Scarlet fever (8)	420	81	78	63	64	43	28	13	8		13	14	15
Whooping cough (9)	352	21	39	36	33	40	22	45	38	22	21	14	21
Diphtheria (10)	862	118	145	101	86	86	67	45	27	19	44	48	76
Influenza (11)	351	50	50	64	53	31	13	7	6	8	20	22	27
Dysentery (16)	17	1	1			2	5	3	2	1		1	1
Lethargic encephalitis (23)	146	20	25	17	16	15	12	10	5	10	8	3	5
Meningococcus meningitis (24)	151	16	15	13	14	14	17	14	11	8	7	10	12
Tuberculosis of the respiratory system (31)	4,729	436	400	519	432	435	405	351	356	314	349	351	381
Other forms of tuberculosis (32–37)	732	90	64	63	71	65	65	62	60	45	47	44	56
Bronchitis (99)	507	56	63	62	54	40	24	21	23	23	38	43	60
Bronchopneumonia (100)	2,752	341	352	380	275	197	130	130	134	146	163	197	307
Pneumonia (101)	3,480	502	500	514	371	280	181	105	119	120	198	263	327
Diarrhea and enteritis [under 2 years] (113)	2,040	106	92	99	128	107	122	374	388	277	175	87	85
Diarrhea and enteritis [2 years and over] (114)	229	18	13	10	14	10	17	35	34	32	20	15	11
Puerperal septicemia (146)	299	35	33	40	35	25	24	18	17	12	22	20	18
Other puerperal causes (143–145, 147–150)	465	39	44	50	44	33	31	38	26	38	45	33	44
External causes (165–203)	4,489	424	328	397	344	380	369	400	347	374	374	371	381
All other causes	39,165	3,685	3,446	3,710	3,497	3,337	2,947	2,922	2,829	2,716	3,165	3,274	3,637
NEW YORK, N. Y. (COLORED).													
All causes	3,028	260	273	291	297	285	241	253	253	206	217	194	258
Typhoid and paratyphoid fever (1)	4						1	1	1	1			
Malaria (5)													
Measles (7)	9	1		1	3	4							
Scarlet fever (8)	6			1	1		1					1	2
Whooping cough (9)	27	2		4	3	1	4	4	2	4	1	2	
Diphtheria (10)	19		4	1	3	1	1	1	1		2	3	2
Influenza (11)	15			3	3	1		1	1	1	3	2	
Dysentery (16)	3						1			1		1	
Lethargic encephalitis (23)	4	2		1			1						
Meningococcus meningitis (24)	5		1	1		1				1	1		
Tuberculosis of the respiratory system (31)	457	36	41	42	39	43	38	35	43	37	39	28	36
Other forms of tuberculosis (32–37)	76	3	9	8	9	9	4	11	6	3	4	2	8
Bronchitis (99)	20	3	3	1	2	2	1	1	1	1	1		4
Bronchopneumonia (100)	193	13	30	26	23	17	8	13	10	8	16	11	18
Pneumonia (101)	229	23	39	41	27	22	16	11	9	7	12	8	14
Diarrhea and enteritis [under 2 years] (113)	113	6	2	6	5	5	12	21	28	13	4	5	6
Diarrhea and enteritis [2 years and over] (114)	6	1		1	2			1	1				
Puerperal septicemia (146)	33	5	9	2	4	4	2		1	1	2		3
Other puerperal causes (143–145, 147–150)	35	5	2	3	5	5	2		1	2	3	4	3
External causes (165–203)	167	14	12	10	7	13	17	22	18	7	18	15	14
All other causes	1,607	146	121	139	161	157	132	131	130	119	111	112	148
NEW YORK, N. Y. (BRONX BOROUGH).													
All causes	6,975	687	672	696	633	595	531	502	508	451	525	560	615
Typhoid and paratyphoid fever (1)	14	2		1	2	1	1		2	2	1		2
Malaria (5)													
Measles (7)	13		3	1	2	2	2	1				1	1
Scarlet fever (8)	61	11	10	13	7	4	6	4			2	2	2
Whooping cough (9)	30	2	6	7	1	3	3	1	3	1	2	1	
Diphtheria (10)	107	10	17	18	8	7	11	2	3	2	6	11	12
Influenza (11)	61	11	9	11	7	7	2	1	1		5	3	4
Dysentery (16)													
Lethargic encephalitis (23)	18	2	2	4	3	1	2	1			2		1
Meningococcus meningitis (24)	18	2	1	2		2		3	1	1	2	1	3
Tuberculosis of the respiratory system (31)	598	49	53	52	48	53	54	47	59	46	45	49	43
Other forms of tuberculosis (32–37)	76	12	9	5	7	6	9	3	4	6	6	4	5
Bronchitis (99)	36	1	6	4	3	3	4	1	2	3	3	3	3
Bronchopneumonia (100)	326	48	35	42	35	27	19	15	16	15	18	20	36
Pneumonia (101)	403	61	79	55	40	26	21	11	15	11	18	28	38
Diarrhea and enteritis [under 2 years] (113)	128	8	3	4	8	6	8	20	26	12	15	10	8
Diarrhea and enteritis [2 years and over] (114)	28	4	4	1	3			3	7	2	1	3	
Puerperal septicemia (146)	31	5	3	3	4	3		5	2	2	3		1
Other puerperal causes (143–145, 147–150)	69	6	6	7	9	5	6	6	4	4	4	3	9
External causes (165–203)	431	38	27	22	38	41	33	41	44	38	44	36	29
All other causes	4,527	415	399	444	408	308	350	337	319	306	348	385	418

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1921—Continued.

[See note at head of this table, p. 574.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.													
NEW YORK, N. Y. (BROOKLYN BOROUGH, TOTAL).													
All causes	22,184	2,143	2,091	2,271	1,987	1,835	1,598	1,639	1,635	1,538	1,747	1,747	1,953
Typhoid and paratyphoid fever (1)	45	1	3	4	1	2	1	6	5	6	7	5	4
Malaria (5)	1								1				
Measles (7)	35	2	2	7	5	1	3	3	2	1		3	6
Scarlet fever (8)	117	23	22	17	20	16	3	2	1		3	6	4
Whooping cough (9)	106	7	7	6	8	10	5	18	14	11	6	4	10
Diphtheria (10)	349	58	57	47	36	33	16	22	10	11	17	18	24
Influenza (11)	141	18	17	25	28	10	6	7	2	2	9	9	8
Dysentery (16)	7						2	3	1	1			
Lethargic encephalitis (23)	56	7	12	4	2	8	5	5	2	3	3	2	3
Meningococcus meningitis (24)	51	5	7	4	3	6	4	4	3	2	2	5	6
Tuberculosis of the respiratory system (31)	1,572	154	125	185	164	127	132	122	125	98	125	103	112
Other forms of tuberculosis (32–37)	262	32	22	27	24	20	18	20	20	20	20	17	22
Bronchitis (99)	197	22	28	18	26	16	7	5	9	15	11	16	24
Bronchopneumonia (100)	1,000	103	122	145	87	76	47	48	50	57	58	83	124
Pneumonia (101)	1,289	176	159	197	140	107	74	48	45	42	90	95	116
Diarrhea and enteritis [under 2 years] (113)	773	45	37	35	39	30	50	135	153	115	71	34	29
Diarrhea and enteritis [2 years and over] (114)	97	7	4	4	2	6	9	14	14	20	8	4	5
Puerperal septicemia (146)	121	11	17	15	17	7	13	8	6	3	7	13	4
Other puerperal causes (143–145, 147–150)	192	19	21	23	16	11	8	7	12	16	22	17	20
External causes (165–203)	1,520	136	107	141	117	128	132	141	112	126	124	126	130
All other causes	14,253	1,317	1,322	1,367	1,252	1,221	1,063	1,021	1,048	989	1,164	1,187	1,302
NEW YORK, N. Y., (BROOKLYN BOROUGH, WHITE).													
All causes	21,547	2,091	2,028	2,216	1,935	1,785	1,541	1,580	1,575	1,493	1,706	1,697	1,900
Typhoid and paratyphoid fever (1)	44	1	3	4	1	2		6	5	6	7	5	4
Malaria (5)	1								1				
Measles (7)	35	2	2	7	5	1	3	3	2	1		3	6
Scarlet fever (8)	116	23	22	17	19	16	3	2	1		3	6	4
Whooping cough (9)	101	7	7	6	8	10	4	16	14	10	5	4	10
Diphtheria (10)	347	58	57	47	35	32	16	22	10	11	17	18	24
Influenza (11)	135	18	17	23	27	10	6	6	2	2	8	8	8
Dysentery (16)	6						1	3	1	1			
Lethargic encephalitis (23)	54	7	12	3	2	8	4	5	2	3	3	2	3
Meningococcus meningitis (24)	50	5	7	3	3	6	4	4	3	2	2	5	6
Tuberculosis of the respiratory system (31)	1,489	150	115	175	156	122	125	113	114	94	119	99	107
Other forms of tuberculosis (32–37)	251	30	21	26	22	20	17	20	19	20	19	16	21
Bronchitis (99)	189	20	28	18	25	16	7	5	9	14	10	16	21
Bronchopneumonia (100)	975	101	119	140	86	73	46	46	49	57	56	79	123
Pneumonia (101)	1,237	173	145	193	136	102	71	42	43	39	88	94	111
Diarrhea and enteritis [under 2 years] (113)	753	44	36	35	38	30	48	131	147	113	71	33	27
Diarrhea and enteritis [2 years and over] (114)	93	7	4	3	1	6	9	13	13	20	8	4	5
Puerperal septicemia (146)	117	11	15	15	17	7	12	8	6	3	6	13	4
Other puerperal causes (143–145, 147–150)	186	19	21	22	16	11	8	7	12	16	22	14	18
External causes (165–203)	1,485	134	104	136	116	126	130	138	106	125	121	122	127
All other causes	13,883	1,281	1,293	1,343	1,222	1,187	1,027	990	1,016	956	1,141	1,156	1,271
NEW YORK, N. Y. (BROOKLYN BOROUGH, COLORED).													
All causes	637	52	63	55	52	50	57	59	60	45	41	50	53
Typhoid and paratyphoid fever (1)	1						1						
Malaria (5)													
Measles (7)													
Scarlet fever (8)	1				1								
Whooping cough (9)	5						1	2		1	1		
Diphtheria (10)	2				1	1							
Influenza (11)	6			2	1			1			1	1	
Dysentery (16)	1						1						
Lethargic encephalitis (23)	2			1			1						
Meningococcus meningitis (24)	1			1									
Tuberculosis of the respiratory system (31)	83	4	10	10	8	5	7	9	11	4	6	4	5
Other forms of tuberculosis (32–37)	11	2	1	1	2		1		1		1	1	1
Bronchitis (99)	8	2			1					1	1		3
Bronchopneumonia (100)	25	2	3	5	1	3	1	2	1		2	4	1
Pneumonia (101)	52	3	14	4	4	5	3	6	2	3	2	1	5
Diarrhea and enteritis [under 2 years] (113)	20	1	1		1		2	4	6	2		1	2
Diarrhea and enteritis [2 years and over] (114)	4			1	1			1	1				
Puerperal septicemia (146)	4		2				1				1		
Other puerperal causes (143–145, 147–150)	6			1								3	2
External causes (165–203)	35	2	3	5	1	2	2	3	6	1	3	4	3
All other causes	370	36	29	24	30	34	36	31	32	33	23	31	31
NEW YORK, N. Y. (MANHATTAN BOROUGH, TOTAL).													
All causes	28,885	2,886	2,659	2,867	2,700	2,517	2,121	2,198	2,044	1,944	2,140	2,206	2,603
Typhoid and paratyphoid fever (1)	52	3		1	3	4	5	9	4	12	5	2	4
Malaria (5)	5					1		1	1		1		1
Measles (7)	210	39	43	19	12	29	20	12	8	1	1	6	20
Scarlet fever (8)	212	42	40	30	34	18	13	6	7		7	6	9
Whooping cough (9)	208	13	19	21	25	24	17	25	19	14	11	11	9
Diphtheria (10)	318	38	61	28	35	36	30	13	12	5	15	14	31
Influenza (11)	123	17	17	22	17	11	5		3	5	7	7	12
Dysentery (16)	8	1	1			1	1			1		2	1
Lethargic encephalitis (23)	67	12	8	10	10	6	5	3	3	7	1	1	1
Meningococcus meningitis (24)	77	8	8	7	9	6	12	6	7	4	3	4	3
Tuberculosis of the respiratory system (31)	2,504	229	219	275	227	259	210	179	162	168	181	181	214
Other forms of tuberculosis (32–37)	409	41	38	33	42	42	37	43	35	22	20	21	35
Bronchitis (99)	247	31	26	31	24	19	12	15	11	4	23	19	32
Bronchopneumonia (100)	1,378	170	196	186	152	97	63	62	64	69	90	89	140
Pneumonia (101)	1,686	236	242	250	193	153	85	47	54	56	93	119	158
Diarrhea and enteritis [under 2 years] (113)	1,084	51	47	58	79	65	70	221	197	139	71	37	49
Diarrhea and enteritis [2 years and over] (114)	89	7	5	6	10	3	7	15	10	6	10	5	5
Puerperal septicemia (146)	148	17	17	19	15	18	9	5	8	8	9	7	16
Other puerperal causes (143–145, 147–150)	193	11	17	20	21	12	15	22	11	16	18	14	10
External causes (165–203)	2,275	237	179	211	164	184	178	194	168	182	182	190	206
All other causes	17,592	1,683	1,476	1,640	1,628	1,523	1,327	1,320	1,260	1,225	1,392	1,471	1,647

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1921—Continued.

[See note at head of this table, p. 574.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.													
NEW YORK, N. Y. (MANHATTAN BOROUGH, WHITE).													
All causes	26,756	2,700	2,469	2,653	2,481	2,302	1,953	2,029	1,880	1,803	1,981	2,082	2,423
Typhoid and paratyphoid fever (1)	50	3	.....	1	3	4	5	9	3	11	5	2	4
Malaria (5)	5	.....	.....	.....	.....	1	.....	1	1	.....	1	.....	1
Measles (7)	201	38	43	18	9	25	20	12	8	1	1	6	20
Scarlet fever (8)	208	42	40	29	34	18	12	6	7	.....	7	6	7
Whooping cough (9)	189	11	19	18	22	23	14	23	18	12	11	9	9
Diphtheria (10)	305	38	57	27	34	36	29	12	12	5	14	11	30
Influenza (11)	115	17	17	21	15	11	5	.....	2	4	5	6	12
Dysentery (16)	6	1	1	.....	.....	1	1	.....	.....	.....	.....	1	1
Lethargic encephalitis (23)	65	10	8	10	10	6	5	3	3	7	1	1	1
Meningococcus meningitis (24)	73	8	7	7	9	5	12	6	7	3	2	4	3
Tuberculosis of the respiratory system (31)	2,161	199	194	244	198	223	180	158	135	137	150	159	184
Other forms of tuberculosis (32–37)	350	40	30	26	36	34	34	34	30	20	17	20	29
Bronchitis (99)	236	30	24	30	23	17	11	14	10	4	23	19	31
Bronchopneumonia (100)	1,228	161	171	166	131	85	58	51	56	63	77	83	126
Pneumonia (101)	1,522	220	220	215	171	136	73	42	48	52	83	112	150
Diarrhea and enteritis [under 2 years] (113)	992	46	46	52	75	60	60	204	176	128	67	33	45
Diarrhea and enteritis [2 years and over] (114)	87	6	5	6	9	3	7	15	10	6	10	5	5
Puerperal septicemia (146)	121	12	11	17	11	15	8	5	7	7	8	7	13
Other puerperal causes (143–145, 147–150)	169	8	15	18	17	13	14	22	10	14	15	13	10
External causes (165–203)	2,158	226	171	206	159	174	164	176	160	176	170	180	196
All other causes	16,515	1,584	1,390	1,542	1,515	1,412	1,241	1,236	1,177	1,153	1,314	1,405	1,546
NEW YORK, N. Y. (MANHATTAN BOROUGH, COLORED).													
All causes	2,129	186	190	214	219	215	168	169	164	141	159	124	180
Typhoid and paratyphoid fever (1)	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....
Malaria (5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (7)	9	1	.....	1	3	4	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	4	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	2
Whooping cough (9)	19	2	.....	3	3	1	3	2	1	2	.....	2	.....
Diphtheria (10)	13	.....	4	1	1	.....	1	1	.....	.....	1	3	1
Influenza (11)	8	.....	.....	1	2	.....	.....	.....	1	1	2	1	.....
Dysentery (16)	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....
Lethargic encephalitis (23)	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Meningococcus meningitis (24)	4	.....	1	.....	.....	1	.....	.....	.....	1	1	.....	.....
Tuberculosis of the respiratory system (31)	343	30	25	31	29	36	30	21	27	31	31	22	30
Other forms of tuberculosis (32–37)	59	1	8	7	6	8	3	9	5	2	3	1	6
Bronchitis (99)	11	1	2	1	1	2	1	1	1	.....	.....	.....	1
Bronchopneumonia (100)	150	9	25	20	21	12	5	11	8	6	13	6	14
Pneumonia (101)	164	16	22	35	22	17	12	5	6	4	10	7	8
Diarrhea and enteritis [under 2 years] (113)	92	5	1	6	4	5	10	17	21	11	4	4	4
Diarrhea and enteritis [2 years and over] (114)	2	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Puerperal septicemia (146)	27	5	6	2	4	3	1	.....	1	1	1	.....	3
Other puerperal causes (143–145, 147–150)	24	3	2	2	4	5	1	.....	1	2	3	1	.....
External causes (165–203)	117	11	8	5	5	10	14	18	8	6	12	10	10
All other causes	1,077	99	86	98	113	111	86	84	83	72	78	66	101
NEW YORK, N. Y. (QUEENS BOROUGH).													
All causes	5,032	492	449	487	397	406	362	429	388	356	421	381	464
Typhoid and paratyphoid fever (1)	11	1	.....	1	1	1	1	1	1	2	.....	2	.....
Malaria (5)	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Measles (7)	7	.....	.....	1	.....	3	1	.....	.....	.....	1	.....	1
Scarlet fever (8)	36	5	6	4	4	5	7	1	.....	.....	1	1	2
Whooping cough (9)	21	1	3	5	1	1	1	3	3	.....	1	.....	2
Diphtheria (10)	82	9	10	7	6	9	10	7	2	1	5	5	11
Influenza (11)	37	3	6	8	4	4	.....	.....	1	2	2	5	2
Dysentery (16)	4	.....	.....	.....	.....	1	3	.....	.....	.....	.....	.....	.....
Lethargic encephalitis (23)	6	1	2	.....	1	.....	.....	.....	.....	.....	2	.....	.....
Meningococcus meningitis (24)	8	.....	.....	1	2	1	1	1	.....	1	1	.....	.....
Tuberculosis of the respiratory system (31)	334	31	23	37	19	26	33	26	33	21	30	27	28
Other forms of tuberculosis (32–37)	52	6	4	4	7	5	4	7	5	.....	5	3	2
Bronchitis (99)	38	3	6	6	3	3	2	1	2	1	2	5	4
Bronchopneumonia (100)	190	27	21	25	19	10	9	16	11	10	10	12	20
Pneumonia (101)	258	40	47	40	20	15	13	7	10	14	6	25	21
Diarrhea and enteritis [under 2 years] (113)	124	6	7	6	6	10	3	14	30	17	14	7	4
Diarrhea and enteritis [2 years and over] (114)	17	1	.....	.....	1	1	.....	3	3	4	1	3	.....
Puerperal septicemia (146)	28	7	4	5	3	1	2	.....	1	.....	5	.....	.....
Other puerperal causes (143–145, 147–150)	41	7	2	3	3	4	3	1	.....	3	4	3	8
External causes (165–203)	317	18	21	26	25	30	28	36	27	26	35	25	20
All other causes	3,420	323	287	308	272	276	241	305	258	254	296	258	339
NEW YORK, N. Y. (RICHMOND BOROUGH).													
All causes	1,527	140	141	144	134	113	141	112	133	105	109	129	126
Typhoid and paratyphoid fever (1)	5	1	.....	1	.....	.....	.....	2	1	.....	.....	.....	.....
Malaria (5)	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Measles (7)	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	14	.....	4	1	1	3	.....	2	1	.....	2	.....	.....
Diphtheria (10)	25	3	4	2	4	2	1	2	1	.....	3	3	.....
Influenza (11)	4	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	1
Dysentery (16)	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Lethargic encephalitis (23)	3	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....
Meningococcus meningitis (24)	2	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Tuberculosis of the respiratory system (31)	178	9	21	12	13	13	14	12	20	18	7	19	20
Other forms of tuberculosis (32–37)	9	2	.....	2	.....	1	1	.....	2	.....	.....	1	.....
Bronchitis (99)	9	2	.....	4	.....	1	.....	.....	.....	1	.....	.....	1
Bronchopneumonia (100)	51	6	8	8	5	4	.....	2	3	3	3	4	5
Pneumonia (101)	73	12	12	13	5	1	4	3	4	4	3	4	8
Diarrhea and enteritis [under 2 years] (113)	44	2	.....	2	1	1	3	5	10	7	8	4	1
Diarrhea and enteritis [2 years and over] (114)	4	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	1
Puerperal septicemia (146)	4	.....	1	.....	.....	.....	2	.....	1	.....	.....	.....	.....
Other puerperal causes (143–145, 147–150)	5	1	.....	.....	.....	.....	1	2	.....	1	.....	.....	.....
External causes (165–203)	113	9	6	7	7	10	15	10	14	9	7	9	10
All other causes	980	90	83	90	98	76	98	70	74	61	76	85	79

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1921—Continued.

[See note at head of this table, p. 574.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.													
ROCHESTER, N. Y.													
All causes	3,663	356	349	340	318	313	234	299	326	241	295	299	293
Typhoid and paratyphoid fever (1)	10	2	1			2		1	1	2			1
Malaria (5)													
Measles (7)	2			1	1								
Scarlet fever (8)	24	7	3	5	2	3		1		1	1	1	
Whooping cough (9)	42	2	5	7	9	7	3	5	3				1
Diphtheria (10)	84	8	14	9	5	9	6	6	4	6	5	8	4
Influenza (11)	5	1	3			1							
Dysentery (16)	1								1				
Lethargic encephalitis (23)	4	1			1		1			1			
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	160	19	19	14	12	12	14	10	13	15	15	6	11
Other forms of tuberculosis (32-37)	47	3	3	4	1	10	5	3	7	5	2	2	2
Bronchitis (99)	20	2	1	1	2	1	2	1		2	4	2	2
Bronchopneumonia (100)	97	12	14	16	12	10	4	2	4	3	6	5	9
Pneumonia (101)	111	14	10	17	15	7	5	5	3	6	3	14	12
Diarrhea and enteritis [under 2 years] (113)	162	6	14	14	6	5	3	23	35	19	22	10	5
Diarrhea and enteritis [2 years and over] (114)	30		2	3	1	2	6	5	7	2	1		1
Puerperal septicemia (146)	24	4	1	1	3	4	3	1	2		3	2	
Other puerperal causes (143-145, 147-150)	24	4	1		2	1	2	2	4	1	3	1	3
External causes (165-203)	251	24	23	15	17	19	15	33	23	13	24	23	22
All other causes	2,565	247	235	233	229	220	165	201	219	165	206	225	220
SYRACUSE, N. Y.													
All causes	2,139	213	209	220	181	182	168	134	163	161	157	174	177
Typhoid and paratyphoid fever (1)	7			1					2	3		1	
Malaria (5)													
Measles (7)	7		1	2	2	2							
Scarlet fever (8)	12	2	2	1		2		1			1	1	2
Whooping cough (9)	22	1	2	1	3	6		1	7		1		
Diphtheria (10)	81	7	8	8	1	9	4		9	7	2	13	13
Influenza (11)	2		1			1							
Dysentery (16)	2							1					1
Lethargic encephalitis (23)	2	1				1							
Meningococcus meningitis (24)	1		1										
Tuberculosis of the respiratory system (31)	89	11	8	10	9	6	9	2	8	5	3	9	9
Other forms of tuberculosis (32-37)	35	5	2	3	3	3	1	2	8	3		2	3
Bronchitis (99)	9	2	1	1	2		1			1		1	
Bronchopneumonia (100)	54	8	3	10	5	8	1	1	3	4	3	3	5
Pneumonia (101)	93	9	17	18	8	9	2	5	4	2	5	4	10
Diarrhea and enteritis [under 2 years] (113)	94	4	10	3	5		2	17	15	21	12	2	3
Diarrhea and enteritis [2 years and over] (114)	15	2			2	1		1	3	3	1	2	
Puerperal septicemia (146)	8	2		1	1	1	1				1	1	
Other puerperal causes (143-145, 147-150)	13	2	2	1	2	1	1		2		1	1	
External causes (165-203)	154	15	12	17	16	10	10	21	7	19	8	9	10
All other causes	1,439	142	139	143	122	122	136	82	95	93	119	125	121
YONKERS, N. Y.													
All causes	960	81	99	98	107	92	69	62	58	62	73	67	92
Typhoid and paratyphoid fever (1)	4				1		1				1	1	
Malaria (5)													
Measles (7)	1	1											
Scarlet fever (8)	11	2		4	2	1				2			
Whooping cough (9)	5	1	1						1		1		1
Diphtheria (10)	13	1	1		1	3				2	3	1	1
Influenza (11)	4		1	2		1							
Dysentery (16)													
Lethargic encephalitis (23)													
Meningococcus meningitis (24)	3				1						1	1	
Tuberculosis of the respiratory system (31)	93	5	12	8	10	10	8	10	7	4	5	8	6
Other forms of tuberculosis (32-37)	13	2	2		3	2	1	1	1	1			
Bronchitis (99)	8			2	2	2		1		1			
Bronchopneumonia (100)	26	3	3	3	5	2	2	1		1	2	3	1
Pneumonia (101)	54	7	5	8	6	7	5	2	1	2	2	3	6
Diarrhea and enteritis [under 2 years] (113)	31	1	3	2	6	2	2	2	2	5	3	1	2
Diarrhea and enteritis [2 years and over] (114)	2		1							1			
Puerperal septicemia (146)	8	1		2	1	2		1		1			
Other puerperal causes (143-145, 147-150)	12		1	1	1	2	2	1			1	1	2
External causes (165-203)	71	5	9	5	10	5	8	4	5	6	4	3	7
All other causes	601	52	60	61	58	53	40	39	41	36	50	45	66
AKRON, OHIO.													
All causes	1,564	135	126	193	145	108	123	119	124	123	144	116	108
Typhoid and paratyphoid fever (1)	13	2						1	3	5		2	
Malaria (5)													
Measles (7)	2			2									
Scarlet fever (8)	14	1	4	3	2						1	1	2
Whooping cough (9)	12			2	2	1	1	1		2	1	1	1
Diphtheria (10)	33	1		2	1	1		3	2	1	9	6	7
Influenza (11)	13	2	4	1	3			1			1		1
Dysentery (16)	2							1			1		
Lethargic encephalitis (23)	7	2	1	1	2		1						
Meningococcus meningitis (24)	3	2					1						
Tuberculosis of the respiratory system (31)	82	11	7	7	10	15	7	6	2	4	5	4	4
Other forms of tuberculosis (32-37)	16		4	2		2	1	4	1				2
Bronchitis (99)	10			2	2	1	1	2	1				1
Bronchopneumonia (100)	69	9	5	12	7	4	7	2	2	3	6	4	8
Pneumonia (101)	87	15	9	13	8	6	8	2	1	2	9	6	8
Diarrhea and enteritis [under 2 years] (113)	58	2		4	1		1	6	16	19	6	3	
Diarrhea and enteritis [2 years and over] (114)	6						1	1	2	1		1	
Puerperal septicemia (146)	18	1	4	8	1			2	1	1			
Other puerperal causes (143-145, 147-150)	20	1	2	2	1		1	1	5	2	1	1	3
External causes (165-203)	202	12	9	31	15	14	22	16	19	14	23	16	11
All other causes	897	74	77	101	90	64	71	70	69	69	81	71	60

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1921—Continued.

[See note at head of this table, p. 574.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.													
CINCINNATI, OHIO (TOTAL).													
All causes	5,700	532	476	529	475	450	458	489	438	417	441	474	521
Typhoid and paratyphoid fever (1)	15	1	.....	.....	.....	2	2	1	4	1	1	2	1
Malaria (5)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
Measles (7)	14	.....	1	2	4	5	1	.....	.....	1	.....	.....	.....
Scarlet fever (8)	14	.....	2	4	1	1	1	1	1	.....	1	.....	2
Whooping cough (9)	41	.....	3	5	9	5	7	1	9	1	1	.....	.....
Diphtheria (10)	71	7	4	7	3	3	5	2	4	6	8	9	13
Influenza (11)	39	8	5	5	4	4	.....	4	.....	1	2	1	5
Dysentery (16)	11	1	.....	.....	1	.....	1	4	.....	2	.....	.....	2
Lethargic encephalitis (23)	13	3	3	3	1	1	.....	.....	.....	.....	1	1	.....
Meningococcus meningitis (24)	5	1	1	1	1	.....	1	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	520	45	62	54	49	40	43	48	32	32	42	43	30
Other forms of tuberculosis (32–37)	96	8	5	7	6	8	11	9	7	8	12	7	8
Bronchitis (99)	40	7	2	3	1	2	3	4	5	1	4	2	6
Bronchopneumonia (100)	172	25	27	22	11	13	11	9	10	3	9	17	15
Pneumonia (101)	238	27	26	41	17	17	17	10	4	13	17	24	25
Diarrhea and enteritis [under 2 years] (113)	128	9	7	1	6	3	11	26	20	22	14	5	4
Diarrhea and enteritis [2 years and over] (114)	15	1	.....	1	2	.....	3	3	.....	1	2	2	.....
Puerperal septicemia (146)	33	2	2	8	4	2	3	3	1	2	2	2	2
Other puerperal causes (143–145, 147–150)	36	3	5	1	2	3	2	5	4	3	5	3	.....
External causes (165–203)	432	29	24	36	35	33	48	49	35	39	27	43	34
All other causes	3,766	355	297	328	318	308	288	310	302	281	293	313	373
CINCINNATI, OHIO (WHITE).													
All causes	4,954	461	422	457	411	377	389	424	384	362	375	419	473
Typhoid and paratyphoid fever (1)	11	1	.....	.....	.....	1	1	.....	4	1	.....	2	1
Malaria (5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (7)	9	.....	.....	.....	3	4	1	.....	.....	1	.....	.....	.....
Scarlet fever (8)	11	.....	2	3	1	1	1	.....	.....	.....	1	.....	2
Whooping cough (9)	28	.....	3	4	8	.....	5	.....	6	1	1	.....	.....
Diphtheria (10)	70	7	4	7	3	3	5	2	4	6	8	9	12
Influenza (11)	30	5	5	4	2	2	.....	4	.....	1	2	.....	5
Dysentery (16)	11	1	.....	.....	1	.....	1	4	.....	2	.....	.....	2
Lethargic encephalitis (23)	9	2	3	2	1	1	.....	.....	.....	.....	.....	.....	.....
Meningococcus meningitis (24)	3	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	391	31	46	40	33	35	28	40	27	24	27	33	27
Other forms of tuberculosis (32–37)	71	8	4	4	6	7	5	5	6	7	8	5	6
Bronchitis (99)	34	5	2	3	1	2	3	3	2	1	4	2	6
Bronchopneumonia (100)	137	15	21	21	8	9	9	7	8	3	8	13	15
Pneumonia (101)	185	22	23	31	13	11	13	8	2	8	13	18	23
Diarrhea and enteritis [under 2 years] (113)	113	8	7	1	3	3	11	22	19	20	12	4	3
Diarrhea and enteritis [2 years and over] (114)	15	1	.....	1	2	.....	3	3	.....	1	2	2	.....
Puerperal septicemia (146)	26	2	1	7	3	1	3	3	1	2	2	.....	1
Other puerperal causes (143–145, 147–150)	33	3	5	1	2	2	2	4	3	3	5	3	.....
External causes (165–203)	377	28	21	30	31	28	39	41	32	33	24	40	30
All other causes	3,390	321	274	298	289	267	259	278	270	248	258	288	340
CINCINNATI, OHIO (COLORED).													
All causes	746	71	54	72	64	73	69	65	54	55	66	55	48
Typhoid and paratyphoid fever (1)	4	.....	.....	.....	.....	1	1	1	.....	.....	1	.....	.....
Malaria (5)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
Measles (7)	5	.....	1	2	1	1	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	3	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....
Whooping cough (9)	13	.....	.....	1	1	5	2	1	3	.....	.....	.....	.....
Diphtheria (10)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
Influenza (11)	9	3	.....	1	2	2	.....	.....	.....	.....	.....	1	.....
Dysentery (16)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Lethargic encephalitis (23)	4	1	.....	1	.....	.....	.....	.....	.....	.....	1	1	.....
Meningococcus meningitis (24)	2	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	129	14	16	14	16	5	15	8	5	8	15	10	3
Other forms of tuberculosis (32–37)	25	.....	1	3	.....	1	6	4	1	1	4	2	2
Bronchitis (99)	6	2	.....	.....	.....	.....	.....	1	3	.....	.....	.....	.....
Bronchopneumonia (100)	35	10	6	1	3	4	2	2	2	.....	1	4	.....
Pneumonia (101)	53	5	3	10	4	6	4	2	2	5	4	6	2
Diarrhea and enteritis [under 2 years] (113)	15	1	.....	.....	3	.....	.....	4	1	2	2	1	1
Diarrhea and enteritis [2 years and over] (114)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Puerperal septicemia (146)	7	.....	1	1	1	1	.....	.....	.....	.....	.....	2	1
Other puerperal causes (143–145, 147–150)	3	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....
External causes (165–203)	55	1	3	6	4	5	9	8	3	6	3	3	4
All other causes	376	34	23	30	29	41	29	32	32	33	35	25	33
CLEVELAND, OHIO (TOTAL).													
All causes	8,697	815	815	855	732	714	610	728	704	580	708	735	701
Typhoid and paratyphoid fever (1)	28	2	.....	3	2	3	2	2	1	1	5	6	1
Malaria (5)	2	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....
Measles (7)	24	3	2	3	7	3	1	.....	.....	1	2	1	1
Scarlet fever (8)	120	20	15	7	6	20	13	8	6	4	9	9	3
Whooping cough (9)	48	2	3	2	2	4	7	6	12	2	3	3	2
Diphtheria (10)	190	17	18	14	15	14	8	6	9	15	29	25	20
Influenza (11)	36	10	5	6	4	2	.....	.....	1	1	2	3	2
Dysentery (16)	11	.....	1	.....	.....	1	.....	2	3	4	.....	.....	.....
Lethargic encephalitis (23)	24	4	6	5	3	1	1	1	2	.....	1	.....	.....
Meningococcus meningitis (24)	9	.....	1	2	1	.....	.....	2	.....	.....	.....	1	2
Tuberculosis of the respiratory system (31)	664	58	58	65	64	62	46	65	65	41	51	42	47
Other forms of tuberculosis (32–37)	149	18	11	16	11	16	14	13	9	12	6	15	8
Bronchitis (99)	61	6	14	8	7	8	1	.....	2	2	4	5	4
Bronchopneumonia (100)	338	31	55	45	40	22	13	16	13	13	33	23	34
Pneumonia (101)	410	55	64	64	37	17	11	11	17	13	30	31	60
Diarrhea and enteritis [under 2 years] (113)	357	17	15	25	18	15	21	42	66	51	38	25	24
Diarrhea and enteritis [2 years and over] (114)	59	2	4	1	1	5	5	6	18	9	3	3	2
Puerperal septicemia (146)	81	8	8	13	9	4	11	2	4	3	10	2	7
Other puerperal causes (143–145, 147–150)	70	3	5	4	6	6	16	6	9	2	4	5	4
External causes (165–203)	730	62	53	56	63	62	45	80	45	63	65	76	60
All other causes	5,286	497	477	516	436	448	395	460	422	343	412	460	420

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1921—Continued.

[See note at head of this table, p. 574.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.													
CLEVELAND, OHIO (WHITE).													
All causes	8,019	755	757	788	672	666	550	673	651	539	650	669	649
Typhoid and paratyphoid fever (1)	25	2		2	2	2	1	2	1	1	5	6	1
Malaria (5)	2					1					1		
Measles (7)	21	3	2	3	4	3	1			1	2	1	1
Scarlet fever (8)	118	19	15	7	6	20	12	8	6	4	9	9	3
Whooping cough (9)	35	1	1	2	2	3	5	5	7	2	3	2	2
Diphtheria (10)	186	17	18	13	14	14	7	6	9	15	28	25	20
Influenza (11)	32	10	5	5	4	2			1	1	1	2	1
Dysentery (16)	7							2	2	3			
Lethargic encephalitis (23)	23	4	5	5	3	1	1	1	2		1		
Meningococcus meningitis (24)	7		1	2	1			2					1
Tuberculosis of the respiratory system (31)	520	43	48	52	52	49	34	51	47	36	38	31	39
Other forms of tuberculosis (32–37)	129	18	9	15	10	14	11	9	9	9	6	12	7
Bronchitis (99)	60	6	13	8	7	8	1		2	2	4	5	4
Bronchopneumonia (100)	299	30	51	38	33	19	13	13	13	11	27	21	30
Pneumonia (101)	357	49	56	52	34	14	8	11	13	12	28	30	50
Diarrhea and enteritis [under 2 years] (113)	346	16	15	25	18	15	19	42	64	49	36	24	23
Diarrhea and enteritis [2 years and over] (114)	57	2	4	1	1	5	5	6	18	7	3	3	2
Puerperal septicemia (146)	74	8	7	13	8	4	10	1	3	3	8	2	7
Other puerperal causes (143–145, 147–150)	64	3	3	4	5	5	15	6	9	2	3	5	4
External causes (165–203)	690	59	53	53	61	60	40	73	43	62	56	70	60
All other causes	4,967	465	451	488	407	427	367	435	402	319	391	421	394
CLEVELAND, OHIO (COLORED).													
All causes	678	60	58	67	60	48	60	55	53	41	58	66	52
Typhoid and paratyphoid fever (1)	3			1		1	1						
Malaria (5)													
Measles (7)	3				3								
Scarlet fever (8)	2	1					1						
Whooping cough (9)	13	1	2			1	2	1	5			1	
Diphtheria (10)	4			1	1		1				1		
Influenza (11)	4			1							1	1	1
Dysentery (16)	4		1			1			1	1			
Lethargic encephalitis (23)	1		1										
Meningococcus meningitis (24)	2											1	1
Tuberculosis of the respiratory system (31)	144	15	10	13	12	13	12	14	18	5	13	11	8
Other forms of tuberculosis (32–37)	20		2	1	1	2	3	4		3		3	1
Bronchitis (99)	1		1										
Bronchopneumonia (100)	39	1	4	7	7	3		3		2	6	2	4
Pneumonia (101)	53	6	8	12	3	3	3		4	1	2	1	10
Diarrhea and enteritis [under 2 years] (113)	11	1					2		2	2	2	1	1
Diarrhea and enteritis [2 years and over] (114)	2									2			
Puerperal septicemia (146)	7		1		1		1	1	1		2		
Other puerperal causes (143–145, 147–150)	6		2		1	1	1				1		
External causes (165–203)	40	3		3	2	2	5	7	2	1	9	6	
All other causes	319	32	26	28	29	21	28	25	20	24	21	39	26
COLUMBUS, OHIO.													
All causes	3,176	310	261	262	258	270	216	290	257	227	301	254	270
Typhoid and paratyphoid fever (1)	11			1			1		4		3	2	
Malaria (5)													
Measles (7)													
Scarlet fever (8)	15	6	2	1	1			1			2	1	1
Whooping cough (9)	14	2			3	3	2			3	1		
Diphtheria (10)	41	1	5	2	3	2	1	5	2	3	11	2	4
Influenza (11)	24	5	3	3	6	2				1	2	2	
Dysentery (16)	3		1						1			1	
Lethargic encephalitis (23)	21	6	3	3	3	2	1			1		1	1
Meningococcus meningitis (24)	1			1									
Tuberculosis of the respiratory system (31)	189	18	20	21	19	12	12	24	13	15	11	12	12
Other forms of tuberculosis (32–37)	42	4	5	4	4	3	4	5	5	1	2	3	2
Bronchitis (99)	14	2		2	1	1				1	3	3	1
Bronchopneumonia (100)	124	20	12	20	7	6	6	4	4	8	10	14	13
Pneumonia (101)	97	17	8	10	12	11	4	3	1	2	6	12	11
Diarrhea and enteritis [under 2 years] (113)	66	2	1	2	1	1	2	14	13	18	6	5	1
Diarrhea and enteritis [2 years and over] (114)	20					2	1	2	5	5	2	2	1
Puerperal septicemia (146)	21	4	1		4	2	1	2	1	1		2	3
Other puerperal causes (143–145, 147–150)	22	3	2	2	5	1	1	1		1	1	3	2
External causes (165–203)	280	24	26	7	21	26	25	33	26	20	29	20	23
All other causes	2,171	196	172	183	168	196	155	196	182	147	212	169	195
DAYTON, OHIO.													
All causes	1,734	152	145	149	137	144	133	141	149	122	143	148	171
Typhoid and paratyphoid fever (1)	8	1	1		1	1	1	2			1		
Malaria (5)													
Measles (7)	1				1								
Scarlet fever (8)	18					3		3	6	1	4	1	
Whooping cough (9)	13	1	1	2	1	1	1	2	1	2	1		
Diphtheria (10)	19	1	1		4	1		1	2	1	3	3	2
Influenza (11)	16	1	3	3	1	1			1	1		2	3
Dysentery (16)	1												1
Lethargic encephalitis (23)	7		1	2	3						1		
Meningococcus meningitis (24)	3				2	1							
Tuberculosis of the respiratory system (31)	120	9	14	14	14	10	12	5	9	9	9	8	7
Other forms of tuberculosis (32–37)	22	4	2	3	1	1	2	1	1	4		3	
Bronchitis (99)	8		1			1	3		1	1	1		
Bronchopneumonia (100)	38	4	1	5	4	1			5	3	2	5	3
Pneumonia (101)	42	4	4	6	3	5	3	2	3	1		4	7
Diarrhea and enteritis [under 2 years] (113)	49	2	2		4	3		6	10	7	10	3	2
Diarrhea and enteritis [2 years and over] (114)	10			1	1		1	1	1		2	2	1
Puerperal septicemia (146)	11	1		5			2	2					1
Other puerperal causes (143–145, 147–150)	15	4	2		1		3		1	3			1
External causes (165–203)	127	9	8	7	10	14	14	13	9	10	7	11	15
All other causes	1,206	111	104	101	86	101	91	103	99	79	102	106	123

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1921—Continued.

[See note at head of this table, p. 574.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.													
TOLEDO, OHIO.													
All causes	3,047	298	264	273	273	259	215	224	226	217	254	265	279
Typhoid and paratyphoid fever (1)	22	2				1		2	1	2	7	5	2
Malaria (5)													
Measles (7)													
Scarlet fever (8)	7	2	2			2			1				
Whooping cough (9)	13	1	1	4			2		2	1		1	1
Diphtheria (10)	92	13	7	7	7	9	3	1	7	5	8	16	9
Influenza (11)	24	4	3	2	3	1	1	2	4	1		1	2
Dysentery (16)	5				1				1				3
Lethargic encephalitis (23)	5	2	1	1				1					
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	278	31	24	26	32	28	21	27	14	14	22	24	15
Other forms of tuberculosis (32–37)	40	3	3	6	1	5	2	2	4	3	5	4	2
Bronchitis (99)	22	3	4	6	1	2	1					2	3
Bronchopneumonia (100)	90	14	13	9	8	2	7	2	3	4	7	7	14
Pneumonia (101)	77	9	8	9	13	5	6	2	2	3	3	7	10
Diarrhea and enteritis [under 2 years] (113)	109	5	9	8	7	7	4	9	24	21	10	1	4
Diarrhea and enteritis [2 years and over] (114)	24	2	3	1	2	6	1	4	2			1	2
Puerperal septicemia (146)	36	4	7	4	5	2	3		3	1	2	1	4
Other puerperal causes (143–145, 147–150)	22	2	4	1	1	1	3	2	1	2	1		4
External causes (165–203)	269	26	20	17	17	17	27	30	19	18	28	31	19
All other causes	1,912	175	155	172	175	171	134	140	138	142	161	164	185
YOUNGSTOWN, OHIO.													
All causes	1,554	153	160	159	124	142	91	130	132	109	111	123	120
Typhoid and paratyphoid fever (1)	25			2			1	3	7	2	1	7	2
Malaria (5)													
Measles (7)	11		1	1	2	2	3	2					
Scarlet fever (8)	29	6	4	8	2	2	1	1		1	1	1	2
Whooping cough (9)	17	3	2	1	3			3	2	1	1		1
Diphtheria (10)	13	3							2	2	2	1	3
Influenza (11)	5	1		1							1	2	
Dysentery (16)	2						1		1				
Lethargic encephalitis (23)	6	1	2	1	1	1							
Meningococcus meningitis (24)	2			1		1							
Tuberculosis of the respiratory system (31)	77	6	3	8	9	12	5	7	8	5	5	4	5
Other forms of tuberculosis (32–37)	29	2	2	6	3	6	3	1	4		1		1
Bronchitis (99)	4				2								2
Bronchopneumonia (100)	128	19	24	16	14	15	2		3	7	8	8	12
Pneumonia (101)	84	19	12	15	8	8	3	4		2	5	4	4
Diarrhea and enteritis [under 2 years] (113)	100	2	3	6	1	5	8	24	25	10	7	8	1
Diarrhea and enteritis [2 years and over] (114)	14	2	1				1	2	4	3	1		
Puerperal septicemia (146)	22	1	3	4	2	2	2	2	1	1	1	2	1
Other puerperal causes (143–145, 147–150)	18	1	3	2	1	2		2	1	1		2	3
External causes (165–203)	149	16	12	11	12	13	12	7	13	15	14	12	12
All other causes	819	71	88	76	64	73	49	72	61	59	63	72	71
PORTLAND, OREG.													
All causes	2,892	266	243	281	242	252	208	226	198	195	234	266	281
Typhoid and paratyphoid fever (1)	7	1					1		1		1	2	1
Malaria (5)	3			1		1					1		
Measles (7)	6	1	1	2		1							1
Scarlet fever (8)	3			1			1				1		
Whooping cough (9)	8	1	1	1		1	1	1	1				1
Diphtheria (10)	53	5	8		2	1	1	6	5	7	9	5	4
Influenza (11)	18	1	1	4	2	2	1					6	1
Dysentery (16)	2				1				1				
Lethargic encephalitis (23)	11	2	1	2	2		2			1			1
Meningococcus meningitis (24)	1							1					
Tuberculosis of the respiratory system (31)	119	10	9	14	13	14	8	6	11	8	6	8	12
Other forms of tuberculosis (32–37)	51	6	1	8	9	5	4	2	1	4	3	6	2
Bronchitis (99)	16	2	1		3	3		1	1			2	3
Bronchopneumonia (100)	66	11	7	7	7	3		2	4	4	5	8	8
Pneumonia (101)	120	12	12	15	10	11	7	6	7	3	4	10	23
Diarrhea and enteritis [under 2 years] (113)	22	3	3	1	1	2		4	2	1	3		2
Diarrhea and enteritis [2 years and over] (114)	15	3	3		1	1	1	1	2		1		2
Puerperal septicemia (146)	15		1	2		1	1	3	1	2	2	1	1
Other puerperal causes (143–145, 147–150)	20		2	2			1	4	3	1	1	5	1
External causes (165–203)	252	20	21	17	18	20	36	25	21	16	22	20	16
All other causes	2,084	188	171	204	173	186	143	164	137	148	175	193	202
PHILADELPHIA, PA. (TOTAL).													
All causes	23,697	2,391	2,329	2,451	2,092	1,981	1,798	1,601	1,702	1,593	1,809	1,844	2,106
Typhoid and paratyphoid fever (1)	45	3	1	2	4	1	3	7	7	6	6	2	3
Malaria (5)	1								1				
Measles (7)	24	2	5	4	7	2	2	1	1				
Scarlet fever (8)	107	14	16	20	13	11	11	4	1	3		4	10
Whooping cough (9)	154	19	29	23	20	16	10	12	9	7	3	5	1
Diphtheria (10)	325	44	35	35	31	38	35	12	15	12	16	21	31
Influenza (11)	208	20	54	46	15	11	10	3	7	4	5	13	20
Dysentery (16)	9					1		3	2	1	1		1
Lethargic encephalitis (23)	32	6	7	2	1	3	4	4	3	1			1
Meningococcus meningitis (24)	24	1	4	2	1	1	3	2	3		3	2	2
Tuberculosis of the respiratory system (31)	1,851	184	177	196	176	179	128	138	153	115	154	121	130
Other forms of tuberculosis (32–37)	308	36	21	24	28	33	23	32	21	14	26	24	26
Bronchitis (99)	210	31	30	37	17	19	13	5	10	7	8	15	18
Bronchopneumonia (100)	1,176	174	205	172	118	61	61	27	43	47	60	104	104
Pneumonia (101)	1,151	198	213	180	85	81	45	22	31	39	57	87	113
Diarrhea and enteritis [under 2 years] (113)	824	32	46	58	52	49	62	95	145	132	82	38	33
Diarrhea and enteritis [2 years and over] (114)	101	9	7	9	12	6	5	12	7	13	8	9	4
Puerperal septicemia (146)	148	6	11	21	20	14	12	13	14	8	2	11	16
Other puerperal causes (143–145, 147–150)	198	13	22	19	16	15	21	17	14	15	15	17	14
External causes (165–203)	1,496	137	117	133	121	125	118	122	117	103	119	141	143
All other causes	15,305	1,462	1,329	1,468	1,355	1,315	1,232	1,070	1,098	1,066	1,244	1,230	1,436

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1921—Continued.

[See note at head of this table, p. 574.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.													
PHILADELPHIA, PA. (WHITE).													
All causes	21,206	2,133	2,104	2,192	1,865	1,776	1,606	1,4185	1,515	1,403	1,624	1,662	1,908
Typhoid and paratyphoid fever (1)	42	3	1	2	4	1	3	6	7	6	5	2	2
Malaria (5)	1								1				
Measles (7)	22	2	4	3	7	2	2	1	1				
Scarlet fever (8)	104	14	16	20	11	11	11	4	1	3		4	9
Whooping cough (9)	119	9	22	18	17	14	7	11	7	7	2	4	1
Diphtheria (10)	302	41	32	31	30	33	35	12	13	12	14	20	29
Influenza (11)	182	16	50	43	11	10	7	3	4	4	4	12	18
Dysentery (16)	8							3	2	1	1		1
Lethargic encephalitis (23)	30	6	6	2	1	2	4	4	3	1			1
Meningococcus meningitis (24)	21		4	2	1	1	3	2	2		3	1	2
Tuberculosis of the respiratory system (31)	1,437	141	150	155	131	144	98	109	121	75	120	92	101
Other forms of tuberculosis (32–37)	235	27	19	21	18	31	18	27	16	8	19	13	18
Bronchitis (99)	192	25	30	35	15	18	13	5	8	7	6	14	16
Bronchopneumonia (100)	991	147	176	143	95	53	43	23	35	41	49	94	92
Pneumonia (101)	1,005	171	187	159	75	66	35	16	25	37	48	83	103
Diarrhea and enteritis [under 2 years] (113)	753	29	43	57	48	42	54	82	134	121	77	34	32
Diarrhea and enteritis [2 years and over] (114)	88	8	7	9	9	4	5	11	5	12	6	8	4
Puerperal septicemia (146)	133	5	10	18	18	11	10	12	14	7	2	11	15
Other puerperal causes (143–145, 147–150)	187	13	21	18	16	15	20	16	12	14	13	17	12
External causes (165–203)	1,365	129	107	122	115	115	109	106	102	95	112	125	128
All other causes	13,989	1,347	1,219	1,334	1,243	1,203	1,129	965	1,002	952	1,143	1,128	1,324
PHILADELPHIA, PA. (COLORED).													
All causes	2,491	258	225	259	227	205	192	183	187	190	185	182	198
Typhoid and paratyphoid fever (1)	3							1			1		1
Malaria (5)													
Measles (7)	2		1	1									
Scarlet fever (8)	3				2								1
Whooping cough (9)	35	10	7	5	3	2	3	1	2		1	1	
Diphtheria (10)	23	3	3	4	1	5			2		2	1	2
Influenza (11)	26	4	4	3	4	1	3		3		1	1	2
Dysentery (16)	1					1							
Lethargic encephalitis (23)	2		1			1							
Meningococcus meningitis (24)	3	1							1			1	
Tuberculosis of the respiratory system (31)	414	43	27	41	45	35	30	29	32	40	34	29	29
Other forms of tuberculosis (32–37)	73	9	2	3	10	2	5	5	5	6	7	11	8
Bronchitis (99)	18	6		2	2	1			2		2	1	2
Bronchopneumonia (100)	185	27	29	29	23	8	18	4	8	6	11	10	12
Pneumonia (101)	146	27	26	21	10	15	10	6	6	2	9	4	10
Diarrhea and enteritis [under 2 years] (113)	71	3	3	1	4	7	8	13	11	11	5	4	1
Diarrhea and enteritis [2 years and over] (114)	13	1			3	2		1	2	1	2	1	
Puerperal septicemia (146)	15	1	1	3	2	3	2	1		1			1
Other puerperal causes (143–145, 147–150)	11		1	1			1	1	2	1	2		2
External causes (165–203)	131	8	10	11	6	10	9	16	15	8	7	16	15
All other causes	1,316	115	110	134	112	112	103	105	96	114	101	102	112
PITTSBURGH, PA. (TOTAL).													
All causes	8,499	829	806	848	779	747	575	652	621	558	637	725	722
Typhoid and paratyphoid fever (1)	27	2	1			1	1	4	3	5	4	5	1
Malaria (5)	1				1								
Measles (7)	28	1	3	5	5	9	1		2		1		1
Scarlet fever (8)	50	8	9	1	5	8	7	2	1	1	3	3	2
Whooping cough (9)	43	1	2	7	3	3	1	6	7	3	1	4	5
Diphtheria (10)	129	12	13	10	8	11	10	7	5	9	12	17	15
Influenza (11)	121	16	14	22	17	12	4	1	2	3	6	12	12
Dysentery (16)	6				1		2		1	2			
Lethargic encephalitis (23)	9	2	3	3	1								
Meningococcus meningitis (24)	17	1	2	2	1	3	1	2	1	1	1	1	1
Tuberculosis of the respiratory system (31)	494	55	41	51	43	44	37	38	36	43	44	34	28
Other forms of tuberculosis (32–37)	123	11	12	10	19	14	6	11	8	10	7	8	7
Bronchitis (99)	79	18	10	4	6	5	5		1	3	8	9	10
Bronchopneumonia (100)	601	85	73	89	60	41	29	20	23	18	37	59	67
Pneumonia (101)	931	120	122	137	133	85	51	19	24	19	58	72	91
Diarrhea and enteritis [under 2 years] (113)	427	21	16	19	12	24	22	82	71	62	35	40	23
Diarrhea and enteritis [2 years and over] (114)	57	1	1	2	5	5	3	9	11	7	4	4	5
Puerperal septicemia (146)	64	4	8	10	7	9	4	5	5	3	2	4	3
Other puerperal causes (143–145, 147–150)	70	7	8	4	7	7	5	8	7	2	3	6	6
External causes (165–203)	681	71	62	46	48	69	62	78	59	50	37	39	60
All other causes	4,541	393	406	426	397	397	324	360	354	317	374	408	385
PITTSBURGH, PA. (WHITE).													
All causes	7,684	749	734	777	687	671	524	587	547	509	568	664	667
Typhoid and paratyphoid fever (1)	23	2	1			1	1	2	3	4	4	4	1
Malaria (5)	1				1								
Measles (7)	27	1	3	5	5	9	1		1		1		1
Scarlet fever (8)	48	8	8		5	8	7	2	1	1	3	3	2
Whooping cough (9)	36	1	2	6	3	3	1	3	5	2	1	4	5
Diphtheria (10)	122	12	11	8	8	10	10	7	5	9	12	15	15
Influenza (11)	106	10	10	20	16	10	4	1	2	3	6	12	12
Dysentery (16)	5				1		2		1	1			
Lethargic encephalitis (23)	8	1	3	3	1								
Meningococcus meningitis (24)	16	1	2	1	1	3	1	2	1	1	1	1	1
Tuberculosis of the respiratory system (31)	399	44	35	45	33	33	29	29	23	39	31	30	23
Other forms of tuberculosis (32–37)	95	9	10	9	15	12	6	9	4	6	3	6	6
Bronchitis (99)	74	18	8	3	6	4	4		1	3	8	9	10
Bronchopneumonia (100)	533	79	58	83	50	37	26	18	22	13	31	53	63
Pneumonia (101)	784	101	107	115	104	77	39	18	21	12	50	62	78
Diarrhea and enteritis [under 2 years] (113)	385	17	16	17	12	21	20	69	64	57	33	38	21
Diarrhea and enteritis [2 years and over] (114)	52	1		2	4	5	3	9	11	7	2	4	4
Puerperal septicemia (146)	60	4	7	9	6	9	4	4	5	3	2	4	3
Other puerperal causes (143–145, 147–150)	63	7	8	3	7	5	5	8	7	1	2	5	5
External causes (165–203)	624	68	57	42	39	63	58	70	54	47	34	38	54
All other causes	4,223	365	388	406	370	356	303	336	316	300	344	376	363

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1921—Continued.

[See note at head of this table, p. 574.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.													
PITTSBURGH, PA. (COLORED).													
All causes	815	80	72	71	92	76	51	65	74	49	69	61	55
Typhoid and paratyphoid fever (1)	4							2		1		1	
Malaria (5)													
Measles (7)	1								1				
Scarlet fever (8)	2		1	1									
Whooping cough (9)	7			1				3	2	1			
Diphtheria (10)	7		2	2		1						2	
Influenza (11)	15	6	4	2	1	2							
Dysentery (16)	1									1			
Lethargic encephalitis (23)	1	1											
Meningococcus meningitis (24)	1			1									
Tuberculosis of the respiratory system (31)	95	11	6	6	10	6	8	9	13	4	13	4	5
Other forms of tuberculosis (32–37)	28	2	2	1	4	2		2	4	4	4	2	1
Bronchitis (99)	5		2	1		1	1						
Bronchopneumonia (100)	68	6	15	6	10	4	3	2	1	5	6	6	4
Pneumonia (101)	147	19	15	22	29	8	12	1	3	7	8	10	13
Diarrhea and enteritis [under 2 years] (113)	42	4		2		3	2	13	7	5	2	2	2
Diarrhea and enteritis [2 years and over] (114)	5		1		1						2		1
Puerperal septicemia (146)	4		1	1	1			1					
Other puerperal causes (143–145, 147–150)	7			1		2				1	1	1	1
External causes (165–203)	57	3	5	4	9	6	4	8	5	3	3	1	6
All other causes	318	28	18	20	27	41	21	24	38	17	30	32	22
READING, PA.													
All causes	1,437	135	127	167	133	107	122	104	96	114	114	101	117
Typhoid and paratyphoid fever (1)	14		1				1	4	4	3			1
Malaria (5)													
Measles (7)	6			1	2		1			1		1	
Scarlet fever (8)	1	1											
Whooping cough (9)	14	2	1	2	3			3		1	2		
Diphtheria (10)	39	5	2	2		4	5	3	2	4	2	7	3
Influenza (11)	22	5	1	12	1						2	1	
Dysentery (16)													
Lethargic encephalitis (23)	4		1				1	1				1	
Meningococcus meningitis (24)	3		1		1					1			
Tuberculosis of the respiratory system (31)	66	1	8	7	6	5	4	3	5	7	8	5	7
Other forms of tuberculosis (32–37)	12	3			3	1	1	1		1	2		
Bronchitis (99)	8		1	2	2	1							2
Bronchopneumonia (100)	48	11	7	7	4	2	3	2	1	3	3	4	1
Pneumonia (101)	57	18	8	17	3	4	2	1		1		2	1
Diarrhea and enteritis [under 2 years] (113)	60	2	1	4	4	2	3	4	13	13	11	2	1
Diarrhea and enteritis [2 years and over] (114)	10				1		3	2	3	1			
Puerperal septicemia (146)	22	2	1	5	4	2	2	1			1	2	2
Other puerperal causes (143–145, 147–150)	14	3	1	1	1	1	1				2	1	3
External causes (165–203)	87	11	4	5	7	7	12	4	9	7	5	8	8
All other causes	950	71	89	102	91	78	83	75	59	71	76	67	88
SCRANTON, PA.													
All causes	1,949	173	176	184	167	162	151	150	161	156	152	156	161
Typhoid and paratyphoid fever (1)	9	2		1				1		1	1	2	1
Malaria (5)													
Measles (7)	2	1		1									
Scarlet fever (8)	4			3							1		
Whooping cough (9)	9	3	1	2		2				1			
Diphtheria (10)	39	3	3		2	2	4	3	1	3	5	4	9
Influenza (11)	26	4	4	2	7	2	2			1		3	1
Dysentery (16)	8							4		2		1	1
Lethargic encephalitis (23)	9	1	3			2				1		2	
Meningococcus meningitis (24)	2							1				1	
Tuberculosis of the respiratory system (31)	84	10	9	8	11	7	8	7	8	4	6	4	2
Other forms of tuberculosis (32–37)	23	1	2	3	4	3	2	1	2	1	2		2
Bronchitis (99)	16	2	3	3		1		1	1			4	1
Bronchopneumonia (100)	93	24	8	11	11	10	2	5	2	3	5	5	7
Pneumonia (101)	132	9	17	15	17	12	9	3	8	8	10	12	12
Diarrhea and enteritis [under 2 years] (113)	107	3	1	5	4	10	3	20	26	18	12	1	4
Diarrhea and enteritis [2 years and over] (114)	16		1		1	1	1	4	4		2		2
Puerperal septicemia (146)	21	2	2	3	1	4	1	1	3		3	1	
Other puerperal causes (143–145, 147–150)	14	1	3	2	1	1		1	2	1	1	1	
External causes (165–203)	201	17	21	14	18	21	18	15	17	15	15	10	20
All other causes	1,134	90	98	111	90	84	101	83	87	97	89	105	99
PROVIDENCE, R. I.													
All causes	3,185	307	271	315	277	265	256	203	252	233	255	235	316
Typhoid and paratyphoid fever (1)	8			1		1			3	2		1	
Malaria (5)													
Measles (7)	46	1	5	24	10	2	2	1					1
Scarlet fever (8)	7	1				2	1	1	2				
Whooping cough (9)	8	1		1		1		1	1	1	1	1	
Diphtheria (10)	18	5	2	3	3				1	1			3
Influenza (11)	7	2	2	1		1			1				
Dysentery (16)	3								1		1	1	
Lethargic encephalitis (23)	4	1									3		
Meningococcus meningitis (24)	8	1	1		1			1	2	1			1
Tuberculosis of the respiratory system (31)	181	17	16	16	27	17	17	17	10	7	21	10	6
Other forms of tuberculosis (32–37)	54	2	3	5	7	4	4	7		4	7	5	6
Bronchitis (99)	17	2	4	4	2				1		2	2	
Bronchopneumonia (100)	118	13	18	19	5	11	8	2	7	6	8	9	12
Pneumonia (101)	164	29	20	19	18	14	7	3	3	7	8	12	24
Diarrhea and enteritis [under 2 years] (113)	120	3	1	1	4	2	5	20	28	21	22	10	3
Diarrhea and enteritis [2 years and over] (114)	13			1	2			3	2	1	1	1	2
Puerperal septicemia (146)	25	2	2	1	2	4	2	2	3	1	2	1	3
Other puerperal causes (143–145, 147–150)	32	2	3	2	2	3	7	2	1	2	2	3	3
External causes (165–203)	205	26	9	17	14	18	11	17	16	14	19	20	24
All other causes	2,147	199	185	200	180	185	192	126	170	165	158	159	228

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1921—Continued.

[See note at head of this table, p. 574.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.													
MEMPHIS, TENN. (TOTAL).													
All causes	2,876	240	220	232	214	249	244	253	214	236	273	228	273
Typhoid and paratyphoid fever (1)	20		2	1	1	2		1	6	2	1	4	
Malaria (5)	78	1	2		1	4	3	7	10	23	14	7	6
Measles (7)	13		2	4	5	1	1						
Scarlet fever (8)	3				1	1							1
Whooping cough (9)	6		1	1	1	1	2						
Diphtheria (10)	23	1		3	2			1	2	4	5	1	4
Influenza (11)	55	10	9	10	4	3	1	2	2	2	3	4	5
Dysentery (16)	16	2				1	3	4	1	1	2	2	
Lethargic encephalitis (23)	3	1		1		1							
Meningococcus meningitis (24)	1							1					
Tuberculosis of the respiratory system (31)	232	25	22	20	20	22	28	23	9	15	21	13	14
Other forms of tuberculosis (32–37)	48	8	2		2	5	4	4	5	5	3	4	6
Bronchitis (99)	18	2	1	1	2	2				1	4	2	3
Bronchopneumonia (100)	60	1	11	5	5	4	3	2	7	3	5	7	7
Pneumonia (101)	113	16	9	13	12	14	7	2	5	6	8	8	13
Diarrhea and enteritis [under 2 years] (113)	56	2	1	1	4	9	5	11	9	7	1	3	3
Diarrhea and enteritis [2 years and over] (114)	33	3	2	3	2	4	3	6	3	4		2	1
Puerperal septicemia (146)	20	2	3	3	1	1	2	1	3	1	1		2
Other puerperal causes (143–145, 147–150)	28	3	3	2	3		2	2	1	5	4	1	2
External causes (165–203)	285	30	20	15	24	24	30	29	14	20	23	27	29
All other causes	1,765	133	130	149	124	150	150	157	137	137	178	143	177
MEMPHIS, TENN. (WHITE).													
All causes	1,424	126	117	117	102	121	116	120	100	118	115	122	150
Typhoid and paratyphoid fever (1)	8		1	1	1	1			1	1	1	1	
Malaria (5)	27		1					3	2	8	5	2	6
Measles (7)	9		2	4	3								
Scarlet fever (8)	3				1	1							1
Whooping cough (9)	4			1		1	2						
Diphtheria (10)	16	1		2	2			1		3	2	1	4
Influenza (11)	13	1	2	1			1	1	1		1	3	2
Dysentery (16)	6	1				1	1	2		1			
Lethargic encephalitis (23)	2	1		1									
Meningococcus meningitis (24)	1							1					
Tuberculosis of the respiratory system (31)	62	6	5	6	6	4	3	6	5	2	4	8	7
Other forms of tuberculosis (32–37)	22	4			1	4	1	3	1	4	1	1	2
Bronchitis (99)	5	1		1	1					1	1		
Bronchopneumonia (100)	38	1	6	4	2	3	3	1	4	1	3	7	3
Pneumonia (101)	45	10	5	4	5	5	2	1	1	5	1	1	5
Diarrhea and enteritis [under 2 years] (113)	38	1	1	1	3	7	3	6	8	5			3
Diarrhea and enteritis [2 years and over] (114)	15	1	2	1	1	1	3	3	1	1		1	
Puerperal septicemia (146)	8	1	2			1	1		1		1		1
Other puerperal causes (143–145, 147–150)	18	2	1	1	2			2	1	5	2		2
External causes (165–203)	151	13	17	4	11	13	21	14	8	10	11	14	15
All other causes	933	82	72	85	63	79	75	76	66	71	82	83	99
MEMPHIS, TENN. (COLORED).													
All causes	1,452	114	103	115	112	128	128	133	114	118	158	106	123
Typhoid and paratyphoid fever (1)	12		1			1		1	5	1		3	
Malaria (5)	51	1	1		1	4	3	4	8	15	9	5	
Measles (7)	4				2	1	1						
Scarlet fever (8)													
Whooping cough (9)	2		1		1								
Diphtheria (10)	7			1					2	1	3		
Influenza (11)	42	9	7	9	4	3		1	1	2	2	1	3
Dysentery (16)	10	1					2	2	1		2	2	
Lethargic encephalitis (23)	1					1							
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	170	19	17	14	14	18	25	17	4	13	17	5	7
Other forms of tuberculosis (32–37)	26	4	2		1	1	3	1	4	1	2	3	4
Bronchitis (99)	13	1	1		1	2					3	2	3
Bronchopneumonia (100)	22		5	1	3	1		1	3	2	2		4
Pneumonia (101)	68	6	4	9	7	9	5	1	4	1	7	7	8
Diarrhea and enteritis [under 2 years] (113)	18	1			1	2	2	5	1	2	1	3	
Diarrhea and enteritis [2 years and over] (114)	18	2		2	1	3		3	2	3		1	1
Puerperal septicemia (146)	12	1	1	3	1		1	1	2	1			1
Other puerperal causes (143–145, 147–150)	10	1	2	1	1		2				2	1	
External causes (165–203)	134	17	3	11	13	11	9	15	6	10	12	13	14
All other causes	832	51	58	64	61	71	75	81	71	66	96	60	78
NASHVILLE, TENN. (TOTAL).													
All causes	1,978	185	161	179	152	152	157	179	165	135	180	163	170
Typhoid and paratyphoid fever (1)	26		2		2		3	2	5	2	7	3	
Malaria (5)	4			1			1			2			
Measles (7)	2			1	1								
Scarlet fever (8)	3			1					2				
Whooping cough (9)	26	9	5	1	5	4	1			1			
Diphtheria (10)	14		1	1	1				2	2	3	2	2
Influenza (11)	42	5	10	8	6	2			1	1	1	3	5
Dysentery (16)	11	1		1	2	2	2		1		2		
Lethargic encephalitis (23)	3						1				1		1
Meningococcus meningitis (24)	3		1		1								1
Tuberculosis of the respiratory system (31)	152	19	9	18	17	10	9	16	13	7	6	20	8
Other forms of tuberculosis (32–37)	42	3	5	5	5	1	2	9	2	3	2	3	2
Bronchitis (99)	13	2	2	2	2		1					2	2
Bronchopneumonia (100)	62	14	7	9	3	3	3	2	3	4	4	3	7
Pneumonia (101)	85	8	16	11	7	6	2	2	4	1	12	7	9
Diarrhea and enteritis [under 2 years] (113)	56	1	1	1	2	6	10	7	9	4	7	6	2
Diarrhea and enteritis [2 years and over] (114)	16	1	3			3	3	3		2		1	
Puerperal septicemia (146)	18		1	3	3		1	2	1	2		3	2
Other puerperal causes (143–145, 147–150)	27	1	2		1	3		2	5	7	3	3	
External causes (165–203)	166	18	10	11	8	16	14	17	12	18	13	11	18
All other causes	1,207	103	86	105	86	96	104	117	105	79	119	96	111

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1921—Continued.

[See note at head of this table, p. 574.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.													
NASHVILLE, TENN. (WHITE).													
All causes	1,167	96	103	107	92	91	92	104	98	80	113	92	99
Typhoid and paratyphoid fever (1)	17		1		2		2	2	3	1	3	3	
Malaria (5)	1						1						
Measles (7)	1			1									
Scarlet fever (8)	3			1					2				
Whooping cough (9)	16	4	3	1	3	3	1			1			
Diphtheria (10)	14		1	1	1				2	2	3	2	2
Influenza (11)	26	2	8	5	3	1			1	1	1	1	3
Dysentery (16)	7			1	2		1		1		2		
Lethargic encephalitis (23)	3						1				1		1
Meningococcus meningitis (24)	3		1		1								1
Tuberculosis of the respiratory system (31)	63	10	3	9	5	1	3	4	8	4	3	9	4
Other forms of tuberculosis (32–37)	19	2	2	3	2	1	1	3		1	1	1	2
Bronchitis (99)	4	1	1	1	1								
Bronchopneumonia (100)	28	4	3	4			3	1	2	2	4	2	3
Pneumonia (101)	47	3	6	6	5	5	1	2	2		5	4	8
Diarrhea and enteritis [under 2 years] (113)	34	1	1	1	2	3	5	4	4	3	3	5	2
Diarrhea and enteritis [2 years and over] (114)	11	1	1			2	3	2		1		1	
Puerperal septicemia (146)	11		1	2	2				1	1		3	1
Other puerperal causes (143–145, 147–150)	18	1	2			1		2	2	7	2	1	
External causes (165–203)	107	10	8	4	5	13	9	12	7	13	10	7	9
All other causes	734	57	61	67	58	61	61	72	63	43	75	53	63
NASHVILLE, TENN. (COLORED).													
All causes	811	89	58	72	60	61	65	75	67	55	67	71	71
Typhoid and paratyphoid fever (1)	9		1				1		2	1	4		
Malaria (5)	3			1						2			
Measles (7)	1				1								
Scarlet fever (8)													
Whooping cough (9)	10	5	2		2	1							
Diphtheria (10)													
Influenza (11)	16	3	2	3	3	1						2	2
Dysentery (16)	4	1				2	1						
Lethargic encephalitis (23)													
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	89	9	6	9	12	9	6	12	5	3	3	11	4
Other forms of tuberculosis (32–37)	23	1	3	2	3		1	6	2	2	1	2	
Bronchitis (99)	9	1	1	1	1		1					2	2
Bronchopneumonia (100)	34	10	4	5	3	3		1	1	2		1	4
Pneumonia (101)	38	5	10	5	2	1	1		2	1	7	3	1
Diarrhea and enteritis [under 2 years] (113)	22					3	5	3	5	1	4	1	
Diarrhea and enteritis [2 years and over] (114)	5		2			1		1		1			
Puerperal septicemia (146)	7			1	1		1	2		1			1
Other puerperal causes (143–145, 147–150)	9				1	2			3		1	2	
External causes (165–203)	59	8	2	7	3	3	5	5	5	5	3	4	9
All other causes	473	46	25	38	28	35	43	45	42	36	44	43	48
DALLAS, TEX.													
All causes	1,985	177	150	156	153	159	149	181	178	136	178	177	191
Typhoid and paratyphoid fever (1)	21	1	1	2	1		2	1	6	1			6
Malaria (5)	11	2			1	2	1	2	1		1	1	
Measles (7)	6	1		4	1								
Scarlet fever (8)													
Whooping cough (9)	5						1		1		1	2	
Diphtheria (10)	14	1		1	1			1	1	2	2	3	2
Influenza (11)	21	3		3	1	1	2	1			3	4	3
Dysentery (16)	8	1					1		1	3	1		1
Lethargic encephalitis (23)	5	2	1		1				1				
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	127	14	13	9	10	17	10	11	8	6	10	5	14
Other forms of tuberculosis (32–37)	17		2	2	2				2	1	1	2	5
Bronchitis (99)	8	3	1			1		2				1	
Bronchopneumonia (100)	47	7	3	3	4	6	2	2	2	3	2	8	5
Pneumonia (101)	75	11	11	3	10	8	1	3	3	2	1	9	13
Diarrhea and enteritis [under 2 years] (113)	39	4	4	2	6	5	4	7	4	2		1	
Diarrhea and enteritis [2 years and over] (114)	16	1		1	2	1	2	1	1	1	3	2	1
Puerperal septicemia (146)	28	1	3	4	3	1	2	4	2	2	1	4	1
Other puerperal causes (143–145, 147–150)	26	1	1	2		3	4	1	4	7	2		1
External causes (165–203)	194	21	10	17	18	11	9	14	14	13	20	15	32
All other causes	1,317	103	100	103	92	103	108	131	127	93	130	120	107
HOUSTON, TEX. (TOTAL).													
All causes	1,851	145	147	141	169	152	159	162	164	134	185	143	150
Typhoid and paratyphoid fever (1)	17	1	1		2	2	1	4	4	1			1
Malaria (5)	24				1		6	1	3	2	6	3	2
Measles (7)													
Scarlet fever (8)													
Whooping cough (9)	8	1			1	2	1	1	2				
Diphtheria (10)	14		1			1	2			2	3	3	2
Influenza (11)	21	1	4	1	1	1				1	4	4	4
Dysentery (16)	19	1		2	3			3	1	1	1	4	3
Lethargic encephalitis (23)	2			1								1	
Meningococcus meningitis (24)	1									1			
Tuberculosis of the respiratory system (31)	151	14	9	10	14	15	11	11	19	7	19	11	11
Other forms of tuberculosis (32–37)	15	1	2	2	5		4	1					
Bronchitis (99)	6		2	1	1					1			1
Bronchopneumonia (100)	33	3	2	2	4	3	1	3	5	1	4	3	2
Pneumonia (101)	55	8	6	3	5	3	3	4	4	2	2	4	11
Diarrhea and enteritis [under 2 years] (113)	52	1		2	9	5	6	6	7	4	5	3	4
Diarrhea and enteritis [2 years and over] (114)	23	1	1	2	3	2	3	2	4	2	1	1	1
Puerperal septicemia (146)	12				2	3			2	3		1	1
Other puerperal causes (143–145, 147–150)	17	2	1			2	3	1	2	1	4	1	
External causes (165–203)	167	15	16	12	8	13	17	11	18	17	14	12	14
All other causes	1,214	96	102	103	110	100	101	114	93	88	122	92	90

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1921—Continued.

[See note at head of this table, p. 574.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.													
HOUSTON, TEX. (WHITE).													
All causes	1,251	101	96	95	117	95	104	118	107	94	121	95	108
Typhoid and paratyphoid fever (1)	11	1	1		1			4	3				1
Malaria (5)	10						1	1	2	1	2	2	1
Measles (7)													
Scarlet fever (8)													
Whooping cough (9)	7	1				2	1	1	2				
Diphtheria (10)	11		1			1	2			2	2	2	1
Influenza (11)	12		4	1		1					1	1	4
Dysentery (16)	14	1		2	3			3		1	1	2	1
Lethargic encephalitis (23)	2			1								1	
Meningococcus meningitis (24)	1									1			
Tuberculosis of the respiratory system (31)	97	8	5	5	9	9	10	5	11	5	12	10	8
Other forms of tuberculosis (32–37)	6		1	1	1		2	1					
Bronchitis (99)	4		2		1								1
Bronchopneumonia (100)	26	2	1	2	4	3	1	2	4		3	3	1
Pneumonia (101)	34	5	4	2	3	2	3	3	2	2	1	2	5
Diarrhea and enteritis [under 2 years] (113)	34			2	6	5	4	4	5	3	2	2	1
Diarrhea and enteritis [2 years and over] (114)	16	1	1	1	3	1	2	2	3	1			1
Puerperal septicemia (146)	5					2			1	2			
Other puerperal causes (143–145, 147–150)	12	2				2	2		2		3	1	
External causes (165–203)	125	12	11	8	7	6	13	9	14	14	12	9	10
All other causes	824	68	65	70	79	61	63	83	58	62	82	60	73
HOUSTON, TEX. (COLORED).													
All causes	600	44	51	46	52	57	55	44	57	40	64	48	42
Typhoid and paratyphoid fever (1)	6				1	2	1		1	1			
Malaria (5)	14				1		5		1	1	4	1	1
Measles (7)													
Scarlet fever (8)													
Whooping cough (9)	1				1								
Diphtheria (10)	3										1	1	1
Influenza (11)	9	1			1					1	3	3	
Dysentery (16)	5								1			2	2
Lethargic encephalitis (23)													
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	54	6	4	5	5	6	1	6	8	2	7	1	3
Other forms of tuberculosis (32–37)	9	1	1	1	4		2						
Bronchitis (99)	2			1						1			
Bronchopneumonia (100)	7	1	1					1	1	1	1		1
Pneumonia (101)	21	3	2	1	2	1		1	2		1	2	6
Diarrhea and enteritis [under 2 years] (113)	18	1			3		2	2	2	1	3	1	3
Diarrhea and enteritis [2 years and over] (114)	7			1		1	1		1	1	1	1	
Puerperal septicemia (146)	7				2	1			1	1		1	1
Other puerperal causes (143–145, 147–150)	5		1				1	1		1	1		
External causes (165–203)	42	3	5	4	1	7	4	2	4	3	2	3	4
All other causes	390	28	37	33	31	39	38	31	35	26	40	32	20
SAN ANTONIO, TEX.													
All causes	2,678	228	223	251	288	237	190	211	202	223	178	218	229
Typhoid and paratyphoid fever (1)	30	6	2	3	6	1	2	4	3	1	1		1
Malaria (5)	17	1	1	2			1		8	1	1	2	
Measles (7)	32	1	6	9	9	4	1		1		1		
Scarlet fever (8)	2		1							1			
Whooping cough (9)	11			1	4		1	1	1			2	1
Diphtheria (10)	21	1	3		2	1	1	2			1	8	2
Influenza (11)	26	3	10	3	3	1			1	2		1	2
Dysentery (16)	37	1	1	1	9	5	3		3	2	2	4	6
Lethargic encephalitis (23)	1	1											
Meningococcus meningitis (24)	6		1	1	2	1				1			
Tuberculosis of the respiratory system (31)	403	36	29	54	34	38	36	29	23	27	30	33	34
Other forms of tuberculosis (32–37)	28	2	2	5	5	1		3	3	2	1	4	
Bronchitis (99)	24	3	1	2	4	1	1	1	2	1	3	4	1
Bronchopneumonia (100)	64	18	6	7	2	5	2	4	3	2	2	5	8
Pneumonia (101)	68	10	7	13	6	5	4	2	3	2	4	4	8
Diarrhea and enteritis [under 2 years] (113)	319	21	24	27	61	52	30	18	15	11	13	21	26
Diarrhea and enteritis [2 years and over] (114)	63	8	4	8	13	7	3	6	2	2	6	2	2
Puerperal septicemia (146)	14		2		1		2		2	3	1		3
Other puerperal causes (143–145, 147–150)	24	2	2	2	3	1	2	1	4	3	3	1	
External causes (165–203)	221	12	13	13	17	17	15	19	14	63	6	12	20
All other causes	1,267	102	108	100	107	97	86	121	114	99	103	115	115
SALT LAKE CITY, UTAH.													
All causes	1,503	155	122	111	127	127	113	146	102	119	120	113	148
Typhoid and paratyphoid fever (1)	7								1	3	1		2
Malaria (5)													
Measles (7)	24	15	7	1	1								
Scarlet fever (8)	4	1				2							1
Whooping cough (9)	17	2	3		3	2	4	1	1	1			
Diphtheria (10)	22	4		2	1	2	4	3		1	1	1	3
Influenza (11)	8	2			1		1			1		1	2
Dysentery (16)													
Lethargic encephalitis (23)	1												1
Meningococcus meningitis (24)	5	1	1	1	1						1		
Tuberculosis of the respiratory system (31)	60	4	7	5	8	5	6	9	3	4	3	1	5
Other forms of tuberculosis (32–37)	15		1	2	2	2	1	2	2	1		1	1
Bronchitis (99)	9	4		1	2						1		1
Bronchopneumonia (100)	49	14	5	6	1	4	3	1	3		5	3	4
Pneumonia (101)	52	8	3	3	2	2	4	4		1	6	5	14
Diarrhea and enteritis [under 2 years] (113)	49	2	4	1	1	2	2	5	4	13	11	2	2
Diarrhea and enteritis [2 years and over] (114)	3								2				1
Puerperal septicemia (146)	17	1	1		1		3	4	1	2	1	2	1
Other puerperal causes (143–145, 147–150)	14	3		1	2		1	3	1	2	1		
External causes (165–203)	120	9	11	11	10	9	7	13	9	8	12	11	10
All other causes	1,027	85	79	77	91	97	77	101	75	82	77	86	100

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1921—Continued.

[See note at head of this table, p. 574.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.													
NORFOLK, VA. (TOTAL).													
All causes	1,565	141	155	118	114	125	127	135	135	133	122	123	137
Typhoid and paratyphoid fever (1)	12	4			1	1		2	1	1	2		
Malaria (5)	2	1					1						
Measles (7)	6	1	2	2		1							
Scarlet fever (8)	5	1		1	1		1						1
Whooping cough (9)	22	2			2	2	2	4	3	2	1	2	2
Diphtheria (10)	4								1		1	1	1
Influenza (11)	7		4			1			1	1			
Dysentery (16)	3									1	1		1
Lethargic encephalitis (23)	2		1					1					
Meningococcus meningitis (24)	5	2					2				1		
Tuberculosis of the respiratory system (31)	109	5	18	9	14	9	7	6	8	4	7	6	16
Other forms of tuberculosis (32–37)	19		2		2	1	2	2	1	4	1	3	1
Bronchitis (99)	13	3	2			1			1	2	1	2	1
Bronchopneumonia (100)	42	4	10	1	2	4	1	2	1	1	6	4	6
Pneumonia (101)	71	13	11	8	3	4	2	2	3	3	5	8	9
Diarrhea and enteritis [under 2 years] (113)	46				3	12	10	4	6	6		3	2
Diarrhea and enteritis [2 years and over] (114)	18	2	1			3	1	3	5	1	1		1
Puerperal septicemia (146)	14	2	1		1	1		3	1	1	2	1	1
Other puerperal causes (143–145, 147–150)	18	3	2	1	1	1	3		3	2	2		
External causes (165–203)	156	12	16	14	14	11	15	13	8	13	14	12	14
All other causes	991	86	85	82	70	73	80	93	92	91	77	81	81
NORFOLK, VA. (WHITE).													
All causes	757	74	85	56	57	63	63	50	66	74	56	58	55
Typhoid and paratyphoid fever (1)	6	3				1			1		1		
Malaria (5)	1	1											
Measles (7)	5	1	2	2									
Scarlet fever (8)	5	1		1	1		1						1
Whooping cough (9)	11	2			2	1		2	1	2			1
Diphtheria (10)	4								1		1	1	1
Influenza (11)	7		4			1			1	1			
Dysentery (16)	3									1	1		1
Lethargic encephalitis (23)	2		1					1					
Meningococcus meningitis (24)	5	2					2				1		
Tuberculosis of the respiratory system (31)	32	2	9	1	6	2	3		4		1	1	3
Other forms of tuberculosis (32–37)	7				1	1	1	1	1	2			
Bronchitis (99)	3		1							1		1	
Bronchopneumonia (100)	11	3	1	1		2	1					2	1
Pneumonia (101)	22	6	3	2					1	1	2	3	4
Diarrhea and enteritis [under 2 years] (113)	17					5	4	1	1	3		2	1
Diarrhea and enteritis [2 years and over] (114)	7	1				1	1	1	2	1			
Puerperal septicemia (146)	4		1		1	1		1					
Other puerperal causes (143–145, 147–150)	7	2	2				1		2				
External causes (165–203)	86	2	10	10	8	6	10	6	3	7	8	8	8
All other causes	512	48	51	39	38	42	39	37	48	55	41	40	34
NORFOLK, VA. (COLORED).													
All causes	808	67	70	62	57	62	64	85	69	59	66	65	82
Typhoid and paratyphoid fever (1)	6	1			1			2		1	1		
Malaria (5)	1						1						
Measles (7)	1					1							
Scarlet fever (8)													
Whooping cough (9)	11					1	2	2	2		1	2	1
Diphtheria (10)													
Influenza (11)													
Dysentery (16)													
Lethargic encephalitis (23)													
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	77	3	9	8	8	7	4	6	4	4	6	5	13
Other forms of tuberculosis (32–37)	12		2		1		1	1		2	1	3	1
Bronchitis (99)	10	3	1			1			1	1	1	1	1
Bronchopneumonia (100)	31	1	9		2	2		2	1	1	6	2	5
Pneumonia (101)	49	7	8	6	3	4	2	2	2	2	3	5	5
Diarrhea and enteritis [under 2 years] (113)	29				3	7	6	3	5	3		1	1
Diarrhea and enteritis [2 years and over] (114)	11	1	1			2		2	3		1		1
Puerperal septicemia (146)	10	2						2	1	1	2	1	1
Other puerperal causes (143–145, 147–150)	11	1		1	1	1	2		1	2	2		
External causes (165–203)	70	10	6	4	6	5	5	7	5	6	6	4	6
All other causes	479	38	34	43	32	31	41	56	44	36	36	41	47
RICHMOND, VA. (TOTAL).													
All causes	2,567	258	200	216	206	211	242	223	172	187	213	218	221
Typhoid and paratyphoid fever (1)	10	2	1				1	2	1		1	2	
Malaria (5)	1											1	
Measles (7)	4		1			1	2						
Scarlet fever (8)	1											1	
Whooping cough (9)	37	3	2	1	1	2	6	8	10	3			1
Diphtheria (10)	17	3	1	1		1	1			2	2	5	1
Influenza (11)	29	6	4	5	3	4				1	2	2	2
Dysentery (16)	7								1	3	1	1	1
Lethargic encephalitis (23)	1				1								
Meningococcus meningitis (24)	4		1			1	1			1			
Tuberculosis of the respiratory system (31)	212	21	21	16	21	17	25	11	16	15	20	14	15
Other forms of tuberculosis (32–37)	43	3	1	3	6	3	8	2	2	3	4	5	3
Bronchitis (99)	14		1		2			1	3	1	2		4
Bronchopneumonia (100)	95	14	12	15	11	11	7	2	3	2	3	5	10
Pneumonia (101)	118	9	18	15	6	12	10	6	5	3	4	17	13
Diarrhea and enteritis [under 2 years] (113)	67	1			1	2	20	17	11	2	4	4	5
Diarrhea and enteritis [2 years and over] (114)	25	1	2		1	1	3	5	2	1	3	2	4
Puerperal septicemia (146)	15	2	1	2	1	1	2	1		2	2		1
Other puerperal causes (143–145, 147–150)	38	4	4	2		5	3	2	2	4	2	3	7
External causes (165–203)	144	16	12	11	7	11	15	13	5	16	14	12	12
All other causes	1,685	173	118	145	145	139	138	153	111	128	149	144	142

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1921—Continued.

[See note at head of this table, p. 574.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.													
RICHMOND, VA. (WHITE).													
All causes	1,491	162	100	140	114	131	138	131	98	110	127	121	119
Typhoid and paratyphoid fever (1)	9	2	1					2	1		1	2	
Malaria (5)	1											1	
Measles (7)	3					1	2						
Scarlet fever (8)	1											1	
Whooping cough (9)	22	2	1			1	3	6	7	2			
Diphtheria (10)	13	3	1	1		1	1			2	1	3	
Influenza (11)	13	2	1	3	2	3				1			1
Dysentery (16)	5								1	2	1		1
Lethargic encephalitis (23)	1				1								
Meningococcus meningitis (24)	2						1			1			
Tuberculosis of the respiratory system (31)	92	11	6	11	6	9	10	6	5	6	9	6	7
Other forms of tuberculosis (32–37)	19	1		1	3	1	3	2	1	1	3	2	1
Bronchitis (99)	6		1		2			1			1		1
Bronchopneumonia (100)	30	5	5	4	4	2	1		1		2	2	4
Pneumonia (101)	45	5	4	7	3	3	6		3	1	1	8	4
Diarrhea and enteritis [under 2 years] (113)	39	1				1	15	8	6	1	2	1	4
Diarrhea and enteritis [2 years and over] (114)	13		1		1	1	2	3	1	1	2		1
Puerperal septicemia (146)	5			1	1	1	1			1			
Other puerperal causes (143–145, 147–150)	13	1		1		2	1	1		2	2	1	2
External causes (165–203)	86	9	9	9	2	9	6	6	4	7	8	9	8
All other causes	1,073	120	70	102	89	96	86	96	68	82	94	85	85
RICHMOND, VA. (COLORED).													
All causes	1,076	96	100	76	92	80	104	92	74	77	86	97	102
Typhoid and paratyphoid fever (1)	1						1						
Malaria (5)													
Measles (7)	1		1										
Scarlet fever (8)													
Whooping cough (9)	15	1	1	1	1	1	3	2	3	1			1
Diphtheria (10)	4										1	2	1
Influenza (11)	16	4	3	2	1	1					2	2	1
Dysentery (16)	2									1		1	
Lethargic encephalitis (23)													
Meningococcus meningitis (24)	2		1			1							
Tuberculosis of the respiratory system (31)	120	10	15	5	15	8	15	5	11	9	11	8	8
Other forms of tuberculosis (32–37)	24	2	1	2	3	2	5		1	2	1	3	2
Bronchitis (99)	8								3	1	1		3
Bronchopneumonia (100)	65	9	7	11	7	9	6	2	2	2	1	3	6
Pneumonia (101)	73	4	14	8	3	9	4	6	2	2	3	9	9
Diarrhea and enteritis [under 2 years] (113)	28				1	1	5	9	5	1	2	3	1
Diarrhea and enteritis [2 years and over] (114)	12	1	1				1	2	1		1	2	3
Puerperal septicemia (146)	10	2	1	1			1	1		1	2		1
Other puerperal causes (143–145, 147–150)	25	3	4	1		3	2	1	2	2		2	5
External causes (165–203)	58	7	3	2	5	2	9	7	1	9	6	3	4
All other causes	612	53	48	43	56	43	52	57	43	46	55	59	57
SEATTLE, WASH.													
All causes	2,839	253	220	289	276	258	210	232	196	190	223	235	257
Typhoid and paratyphoid fever (1)	7	1						1	1	2	1	1	
Malaria (5)	1								1				
Measles (7)													
Scarlet fever (8)	3	1		1									1
Whooping cough (9)	6	1				2	1		1			1	
Diphtheria (10)	22	3	3	1	2	1		5	2	1		2	2
Influenza (11)	38	4	3	3	6	8	1	1	1	3	3	3	2
Dysentery (16)	1				1								
Lethargic encephalitis (23)	17	3	3	3	5		1			1			1
Meningococcus meningitis (24)	1							1					
Tuberculosis of the respiratory system (31)	151	14	8	18	14	16	13	9	15	7	12	15	10
Other forms of tuberculosis (32–37)	72	3	7	7	11	7	6	3	11	4	4	4	5
Bronchitis (99)	17		2	2	2	2	2	1	2	1	1	2	
Bronchopneumonia (100)	68	6	3	11	9	10	4	2	4	6	3	2	8
Pneumonia (101)	91	15	6	9	9	7	2	8	1	1	8	10	15
Diarrhea and enteritis [under 2 years] (113)	23	3		3	2	5	2	3	1				4
Diarrhea and enteritis [2 years and over] (114)	4				1		1		1	1			
Puerperal septicemia (146)	18	2	1	2	1	7	1	1			1	1	1
Other puerperal causes (143–145, 147–150)	19		3	2	2	3			2	3	2	2	
External causes (165–203)	267	22	15	21	21	28	20	26	17	18	26	27	26
All other causes	2,013	175	166	206	190	162	156	171	136	142	162	165	182
SPOKANE, WASH.													
All causes	1,315	123	107	111	123	110	106	78	97	98	120	122	120
Typhoid and paratyphoid fever (1)	5	1					1	1	1				1
Malaria (5)													
Measles (7)	1					1							
Scarlet fever (8)	4		1		1	1					1		
Whooping cough (9)	8			2	1	4			1				
Diphtheria (10)	15	1	2	2	1	1	1			4	2	1	
Influenza (11)	21	2	1	3	4	3	2	1		1	2	1	1
Dysentery (16)	1						1						
Lethargic encephalitis (23)	14	1	4	1	1	1	2	1	1			1	1
Meningococcus meningitis (24)	1									1			
Tuberculosis of the respiratory system (31)	49	4	3	4	5	4	5	3	3	4	4	5	5
Other forms of tuberculosis (32–37)	18	3	1		1	2	1	1	1	1	1	3	3
Bronchitis (99)	9	2	1		1		1	1	1	1	1		
Bronchopneumonia (100)	47	10	4	6	1	5	3	1	3	5	4	1	4
Pneumonia (101)	77	8	5	6	5	6	5	2	4	6	11	10	9
Diarrhea and enteritis [under 2 years] (113)	14	1	1		1	1	1		2	3	3	1	
Diarrhea and enteritis [2 years and over] (114)	6		1						3			1	1
Puerperal septicemia (146)	14	1		1	2		1	3	2	1		3	
Other puerperal causes (143–145, 147–150)	13		2	1				2	5	3			
External causes (165–203)	114	7	9	11	5	12	11	12	10	3	16	13	5
All other causes	884	82	72	74	94	69	71	50	60	65	75	82	90

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1921—Continued.

[See note at head of this table, p. 574.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.													
MILWAUKEE, WIS.													
All causes	4,587	438	393	443	396	410	316	351	352	377	373	376	362
Typhoid and paratyphoid fever (1)	9	2	.....	2	.....	.....	.....	2	1	1	.....	1	.....
Malaria (5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (7)	6	1	1	2	.....	2	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	58	11	4	9	4	4	4	3	2	4	5	2	6
Whooping cough (9)	18	.....	1	.....	2	1	3	2	4	1	1	1	2
Diphtheria (10)	92	14	11	12	6	7	4	3	3	6	6	13	7
Influenza (11)	23	4	7	4	3	.....	.....	.....	.....	.....	.....	4	1
Dysentery (16)	4	.....	.....	.....	.....	.....	.....	1	2	1	.....	.....	.....
Lethargic encephalitis (23)	7	1	2	3	.....	.....	.....	.....	1	.....	.....	.....	.....
Meningococcus meningitis (24)	4	1	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	256	17	18	27	20	28	22	15	31	23	20	16	19
Other forms of tuberculosis (32–37)	72	6	8	8	12	10	5	5	5	7	1	4	1
Bronchitis (99)	74	10	6	7	10	5	6	5	3	4	6	6	6
Bronchopneumonia (100)	180	21	17	23	23	20	8	12	17	7	10	12	10
Pneumonia (101)	190	32	27	24	10	17	6	10	11	6	9	19	19
Diarrhea and enteritis [under 2 years] (113)	189	14	11	10	12	8	6	15	26	43	19	12	13
Diarrhea and enteritis [2 years and over] (114)	37	2	1	.....	1	2	1	5	3	12	6	3	1
Puerperal septicemia (146)	25	4	2	1	4	5	2	.....	1	1	2	3	.....
Other puerperal causes (143–145, 147–150)	56	2	4	4	6	5	4	2	6	6	4	5	8
External causes (165–203)	337	33	28	26	18	31	20	34	26	32	36	33	20
All other causes	2,950	263	245	281	265	265	223	237	209	223	248	242	249

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1921.

[The numbers in parentheses after causes of death correspond to those of the 1920 revision of the detailed International List. The cities shown by color are those with a minimum of 25,000 colored population on Jan. 1, 1920.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 mos.
SUMMARY.															
THE REGISTRATION AREA (exclusive of Hawaii).															
All causes	160,011	30,767	9,261	7,096	13,321	60,445	10,775	7,062	5,643	83,925	13,415	10,446	23,087	16,383	12,755
Measles (7)	1,026	2	4	1	6	13	16	26	25	80	58	52	167	257	412
Scarlet fever (8)	230	-------	2	-------	2	4	9	3	7	23	15	11	32	57	92
Whooping cough (9)	4,630	7	-------	3	9	19	31	106	190	346	720	525	1,122	988	929
Diphtheria (10)	944	1	4	4	15	24	30	36	30	120	74	45	161	225	319
Influenza (11)	1,321	5	6	6	24	41	45	57	47	190	169	114	316	293	239
Dysentery (16)	849	-------	2	2	7	11	12	17	17	57	56	35	238	207	206
Erysipelas (21)	803	-------	1	1	10	12	62	84	82	240	214	95	129	81	44
Meningococcus meningitis (24)	310	-------	-------	1	7	8	4	4	7	23	25	35	88	82	57
Tetanus (29)	385	5	3	9	129	146	179	25	4	354	10	8	7	3	3
Tuberculosis of the respiratory system (31)	606	4	1	1	5	11	3	8	10	32	39	41	179	162	153
Tuberculosis of the meninges, etc. (32)	877	1	-------	-------	4	5	8	7	8	28	30	51	207	282	279
Other forms of tuberculosis (33–37)	331	2	-------	-------	1	3	3	5	6	17	25	38	91	88	72
Syphilis (38)	1,988	191	64	56	115	426	175	130	91	822	345	238	352	148	83
Convulsions (80)	1,671	58	95	143	310	606	215	85	70	976	139	96	223	128	109
Other [organic] diseases of the heart (90)	497	6	-------	-------	44	50	51	27	33	161	71	68	111	50	36
Bronchitis (99)	2,101	9	12	26	80	127	134	137	119	517	335	237	463	314	235
Bronchopneumonia (100)	12,969	33	76	133	357	599	571	586	579	2,335	1,612	1,317	3,132	2,470	2,103
Pneumonia (101)	5,072	17	35	58	175	285	227	228	190	930	568	466	1,246	1,054	808
Diseases of the stomach (111, 112)	1,953	7	15	27	122	171	154	109	105	539	317	239	459	243	156
Diarrhea and enteritis (113)	29,289	19	44	83	458	604	846	1,001	977	3,428	3,328	3,455	8,860	6,060	4,158
Congenital malformations (159)	12,810	2,831	1,248	1,209	2,150	7,438	1,240	681	500	9,859	962	527	828	388	246
Congenital debility (160)	8,953	996	407	443	1,166	3,012	945	639	490	5,086	1,132	860	1,242	438	195
Premature birth (161a)	37,512	19,192	4,663	2,559	3,807	30,221	3,139	1,608	946	35,914	946	315	250	64	23
Injury at birth (161b)	8,986	4,148	1,230	1,039	1,627	8,044	600	161	83	8,888	74	24	-------	-------	-------
Other diseases of early infancy (162, 163)	5,540	1,757	714	676	1,106	4,253	571	307	185	5,316	155	69	-------	-------	-------
External causes (175–203)	2,061	132	63	55	110	360	76	85	85	606	253	178	400	301	323
All other causes	16,297	1,344	572	561	1,475	3,952	1,429	900	757	7,038	1,743	1,257	2,784	2,000	1,475
REGISTRATION STATES.[1]															
All causes	156,329	30,098	9,037	6,965	12,988	59,088	10,494	6,929	5,540	82,051	13,106	10,187	22,543	16,005	12,437
Measles (7)	998	2	4	1	6	13	14	26	25	78	57	51	162	251	399
Scarlet fever (8)	229	-------	2	-------	2	4	9	3	7	23	15	11	32	56	92
Whooping cough (9)	4,574	6	-------	3	9	18	31	103	190	342	712	520	1,108	980	912
Diphtheria (10)	934	1	4	4	14	23	28	36	30	117	73	45	160	220	319
Influenza (11)	1,282	5	6	6	24	41	43	56	44	184	163	109	305	289	232
Dysentery (16)	810	-------	2	1	7	10	12	16	16	54	53	81	225	195	202
Erysipelas (21)	792	-------	1	1	10	12	60	81	81	234	212	94	127	81	44
Meningococcus meningitis (24)	300	-------	-------	1	7	8	4	4	7	23	24	33	85	81	54
Tetanus (29)	320	5	3	9	98	115	152	23	4	294	7	8	6	3	2
Tuberculosis of the respiratory system (31)	593	4	1	1	5	11	3	8	10	32	39	40	175	160	147
Tuberculosis of the meninges, etc. (32)	355	1	-------	-------	4	5	8	7	8	28	30	50	203	277	267
Other forms of tuberculosis (33–37)	323	2	-------	-------	1	3	3	5	6	17	24	38	89	84	71
Syphilis (38)	1,890	186	59	56	110	411	162	128	90	791	320	223	335	143	78
Convulsions (80)	1,649	58	93	137	306	594	212	83	70	959	138	95	222	127	108
Other [organic] diseases of the heart (90)	490	6	-------	-------	43	49	51	25	33	158	68	67	111	50	36
Bronchitis (99)	2,072	9	12	25	78	124	132	134	117	507	331	235	458	311	230
Bronchopneumonia (100)	12,766	32	73	129	352	586	557	577	570	2,290	1,585	1,290	3,087	2,440	2,074
Pneumonia (101)	4,943	16	34	56	169	275	217	220	188	900	553	453	1,217	1,029	791
Diseases of the stomach (111, 112)	1,920	7	15	27	117	166	152	108	102	528	312	235	452	239	154
Diarrhea and enteritis (113)	28,385	14	40	83	439	576	816	985	948	3,325	3,230	3,359	8,581	5,874	4,016
Congenital malformations (159)	12,606	2,778	1,223	1,192	2,117	7,310	1,215	676	494	9,695	949	518	821	379	244
Congenital debility (160)	8,711	963	398	431	1,134	2,926	912	626	477	4,941	1,107	835	1,216	421	191
Premature birth (161a)	36,603	18,739	4,540	2,508	3,695	29,482	3,068	1,567	929	35,046	923	311	240	61	22
Injury at birth (161b)	8,833	4,084	1,203	1,022	1,596	7,905	591	161	82	8,739	72	22	-------	-------	-------
Other diseases of early infancy (162, 163)	5,437	1,721	700	664	1,090	4,175	561	300	183	5,219	152	66	-------	-------	-------
External causes (175–203)	2,010	130	59	55	104	348	75	83	83	589	248	175	391	292	315
All other causes	16,004	1,329	565	553	1,451	3,898	1,406	888	746	6,938	1,709	1,223	2,735	1,962	1,437
CITIES IN REGISTRATION STATES.[2]															
All causes	78,487	14,992	4,642	3,662	6,527	29,823	4,833	3,254	2,715	40,625	6,354	4,961	11,560	8,467	6,520
Measles (7)	447	-------	-------	-------	-------	-------	1	5	6	12	15	10	62	127	221
Scarlet fever (8)	112	-------	-------	-------	1	1	5	-------	3	9	5	4	14	34	46
Whooping cough (9)	1,780	4	-------	-------	3	7	5	23	61	96	252	179	433	407	413
Diphtheria (10)	472	-------	1	-------	2	3	10	13	8	34	33	19	76	124	186
Influenza (11)	474	-------	2	1	6	9	9	20	16	54	51	47	113	118	91
Dysentery (16)	183	-------	1	-------	3	4	1	6	3	14	12	16	56	50	35
Erysipelas (21)	430	-------	1	-------	4	5	41	47	51	144	109	48	66	41	22
Meningococcus meningitis (24)	164	-------	-------	-------	3	3	3	1	3	10	13	18	47	46	30
Tetanus (29)	104	2	1	5	33	41	41	8	3	93	-------	5	3	2	1
Tuberculosis of the respiratory system (31)	310	1	-------	1	3	5	1	5	5	16	19	15	90	87	83
Tuberculosis of the meninges, etc. (32)	554	-------	-------	-------	2	2	4	1	3	10	15	29	132	186	182
Other forms of tuberculosis (33–37)	198	1	-------	-------	-------	1	1	3	4	9	12	20	50	60	47
Syphilis (38)	1,258	126	38	34	77	275	103	93	61	532	219	146	224	92	45
Convulsions (80)	633	18	33	58	116	225	54	24	26	329	51	41	92	67	53
Other [organic] diseases of the heart (90)	180	1	-------	-------	17	18	15	6	11	50	18	27	47	23	15
Bronchitis (99)	1,232	5	5	17	39	66	74	76	66	282	183	129	291	198	149
Bronchopneumonia (100)	7,327	18	44	79	203	344	255	300	298	1,197	803	701	1,812	1,504	1,310
Pneumonia (101)	2,318	8	14	23	83	128	92	85	71	376	216	180	571	509	466
Diseases of the stomach (111, 112)	639	1	5	11	31	48	49	39	38	174	107	68	163	79	48
Diarrhea and enteritis (113)	15,282	6	18	35	223	282	411	529	541	1,763	1,821	1,809	4,654	3,202	2,033
Congenital malformations (159)	6,771	1,428	643	626	1,145	3,842	652	324	258	5,076	561	310	477	217	130
Congenital debility (160)	3,830	301	148	178	493	1,120	348	256	224	1,948	529	425	630	213	85
Premature birth (161a)	18,618	9,262	2,389	1,361	1,888	14,900	1,549	797	490	17,736	528	179	127	31	17
Injury at birth (161b)	5,441	2,520	718	628	995	4,861	382	95	49	5,387	39	15	-------	-------	-------
Other diseases of early infancy (162, 163)	3,117	1,002	423	394	645	2,464	271	153	106	2,994	87	36	-------	-------	-------
External causes (175–203)	826	64	28	25	48	165	30	30	32	257	88	54	165	113	149
All other causes	5,787	224	130	186	464	1,004	426	315	278	2,023	568	431	1,165	937	663

[1] Includes District of Columbia.

[2] Includes District of Columbia and municipalities of 10,000 inhabitants or more in 1920.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1921—Continued.

[See note at head of this table, p. 619.]

SUMMARY—Continued.

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 mos.
RURAL PART OF REGISTRATION STATES.[1]															
All causes	77,842	15,106	4,395	3,303	6,461	29,265	5,661	3,675	2,825	41,426	6,752	5,226	10,983	7,538	5,917
Measles (7)	551	2	4	1	6	13	13	21	19	66	42	41	100	124	178
Scarlet fever (8)	117	.....	2	.....	1	3	4	3	4	14	10	7	18	22	46
Whooping cough (9)	2,794	2	.....	3	6	11	26	80	129	246	460	341	675	573	499
Diphtheria (10)	462	1	3	4	12	20	18	23	22	83	40	26	84	96	133
Influenza (11)	808	5	4	5	18	32	34	36	28	130	112	62	192	171	141
Dysentery (16)	627	.....	1	1	4	6	11	10	13	40	41	65	169	145	167
Erysipelas (21)	362	.....	.....	1	6	7	19	34	30	90	103	46	61	40	22
Meningococcus meningitis (24)	136	.....	.....	1	4	5	1	3	4	13	11	15	38	35	24
Tetanus (29)	216	3	2	4	65	74	111	15	1	201	7	3	3	1	1
Tuberculosis of the respiratory system (31)	283	3	1	.....	2	6	2	3	5	16	20	25	85	73	64
Tuberculosis of the meninges, etc. (32)	301	1	.....	.....	2	3	4	6	5	18	15	21	71	91	85
Other forms of tuberculosis (33–37)	125	1	.....	.....	1	2	2	2	2	8	12	18	39	24	24
Syphilis (38)	632	60	21	22	33	136	59	35	29	259	101	77	111	51	33
Convulsions (80)	1,016	40	60	79	190	369	158	59	44	630	87	54	130	60	55
Other [organic] diseases of the heart (90)	310	5	.....	.....	26	31	36	19	22	108	50	40	64	27	21
Bronchitis (99)	840	4	7	8	39	58	58	58	51	225	148	106	167	113	81
Bronchopneumonia (100)	5,439	14	29	50	149	242	302	277	272	1,093	782	589	1,275	936	764
Pneumonia (101)	2,625	8	20	33	86	147	125	135	117	524	337	273	646	520	325
Diseases of the stomach (111, 112)	1,281	6	10	16	86	118	103	69	64	354	205	167	289	160	106
Diarrhea and enteritis (113)	13,103	8	22	48	216	294	405	456	407	1,562	1,409	1,550	3,927	2,672	1,983
Congenital malformations (159)	5,835	1,350	580	566	972	3,468	563	352	236	4,619	388	208	344	162	114
Congenital debility (160)	4,881	662	250	253	641	1,806	564	370	253	2,993	578	410	586	208	106
Premature birth (161a)	17,985	9,477	2,151	1,147	1,807	14,582	1,519	770	439	17,310	395	132	113	30	5
Injury at birth (161b)	3,392	1,564	485	394	601	3,044	209	66	33	3,352	33	7	.....	.....	.....
Other diseases of early infancy (162, 163)	2,320	719	277	270	445	1,711	290	147	77	2,225	65	30	.....	.....	.....
External causes (175–203)	1,184	66	31	30	56	183	45	53	51	332	160	121	226	179	166
All other causes	10,217	1,105	435	367	987	2,894	980	573	468	4,915	1,141	792	1,570	1,025	774
REGISTRATION CITIES IN NONREGISTRATION STATES.[2]															
All causes	3,682	669	224	131	333	1,357	281	133	103	1,874	309	259	544	378	318
Measles (7)	28	.....	.....	.....	.....	.....	2	.....	.....	2	1	1	5	6	13
Scarlet fever (8)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
Whooping cough (9)	56	1	.....	.....	.....	1	.....	3	.....	4	8	5	14	8	17
Diphtheria (10)	10	.....	.....	.....	1	1	2	.....	.....	3	1	.....	1	5	.....
Influenza (11)	39	.....	.....	.....	.....	.....	2	1	3	6	6	5	11	4	7
Dysentery (16)	39	.....	.....	1	.....	1	.....	1	1	3	3	4	13	12	4
Erysipelas (21)	11	.....	.....	.....	.....	.....	2	3	1	6	2	1	2	.....	.....
Meningococcus meningitis (24)	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	3	1	3
Tetanus (29)	65	.....	.....	.....	31	31	27	2	.....	60	3	.....	1	.....	1
Tuberculosis of the respiratory system (31)	13	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	4	2	6
Tuberculosis of the meninges, etc. (32)	22	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	4	5	12
Other forms of tuberculosis (33–37)	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	4	1
Syphilis (38)	98	5	5	.....	5	15	13	2	1	31	25	15	17	5	5
Convulsions (80)	22	.....	2	6	4	12	3	2	.....	17	1	1	1	1	1
Other [organic] diseases of the heart (90)	7	.....	.....	.....	1	1	.....	2	.....	3	3	1	.....	.....	.....
Bronchitis (99)	29	.....	.....	1	2	3	2	3	2	10	4	2	5	3	5
Bronchopneumonia (100)	203	1	3	4	5	13	14	9	9	45	27	27	45	30	29
Pneumonia (101)	129	1	1	2	6	10	10	8	2	30	15	13	29	25	17
Diseases of the stomach (111, 112)	33	.....	.....	.....	5	5	2	1	3	11	5	4	7	4	2
Diarrhea and enteritis (113)	904	5	4	.....	19	28	30	16	29	103	98	96	279	186	142
Congenital malformations (159)	204	53	25	17	33	128	25	5	6	164	13	9	7	9	2
Congenital debility (160)	242	33	9	12	32	86	33	13	13	145	25	25	26	17	4
Premature birth (161a)	909	453	123	51	112	739	71	41	17	868	23	4	10	3	1
Injury at birth (161b)	153	64	27	17	31	139	9	.....	1	149	2	2	.....	.....	.....
Other diseases of early infancy (162, 163)	103	36	14	12	16	78	10	7	2	97	3	3	.....	.....	.....
External causes (175–203)	51	2	4	.....	6	12	1	2	2	17	5	3	9	9	8
All other causes	293	15	7	8	24	54	23	12	11	100	34	34	49	38	38
ALL REGISTRATION CITIES.[3]															
All causes	82,169	15,661	4,866	3,793	6,860	31,180	5,114	3,387	2,818	42,499	6,663	5,220	12,104	8,845	6,838
Measles (7)	475	.....	.....	.....	.....	.....	3	5	6	14	16	11	67	133	234
Scarlet fever (8)	113	.....	.....	.....	1	1	5	.....	3	9	5	4	14	35	46
Whooping cough (9)	1,836	5	.....	.....	3	8	5	26	61	100	260	184	447	415	430
Diphtheria (10)	482	.....	1	.....	3	4	12	13	8	37	34	19	77	129	186
Influenza (11)	513	.....	2	1	6	9	11	21	19	60	57	52	124	122	98
Dysentery (16)	222	.....	1	1	3	5	1	7	4	17	15	20	69	62	39
Erysipelas (21)	441	.....	1	.....	4	5	43	50	52	150	111	49	68	41	22
Meningococcus meningitis (24)	174	.....	.....	.....	3	3	3	1	3	10	14	20	50	47	33
Tetanus (29)	169	2	1	5	64	72	68	10	3	153	3	5	4	2	2
Tuberculosis of the respiratory system (31)	323	1	.....	1	3	5	1	5	5	16	19	16	94	89	89
Tuberculosis of the meninges, etc. (32)	576	.....	.....	.....	2	2	4	1	3	10	15	30	136	191	194
Other forms of tuberculosis (33–37)	206	1	.....	.....	.....	1	1	3	4	9	13	20	52	64	48
Syphilis (38)	1,356	131	43	34	82	290	116	95	62	563	244	161	241	97	50
Convulsions (80)	655	18	35	64	120	237	57	26	26	346	52	42	93	68	54
Other [organic] diseases of the heart (90)	187	1	.....	.....	18	19	15	8	11	53	21	28	47	23	15
Bronchitis (99)	1,261	5	5	18	41	69	76	79	68	292	187	131	296	201	154
Bronchopneumonia (100)	7,530	19	47	83	208	357	269	309	307	1,242	830	728	1,857	1,534	1,339
Pneumonia (101)	2,447	9	15	25	89	138	102	93	73	406	231	193	600	534	483
Diseases of the stomach (111, 112)	672	1	5	11	36	53	51	40	41	185	112	72	170	83	50
Diarrhea and enteritis (113)	16,186	11	22	35	242	310	441	545	570	1,866	1,919	1,905	4,933	3,388	2,175
Congenital malformations (159)	6,975	1,481	668	643	1,178	3,970	677	329	264	5,240	574	319	484	226	132
Congenital debility (160)	4,072	334	157	190	525	1,206	381	269	237	2,093	554	450	656	230	89
Premature birth (161a)	19,527	9,715	2,512	1,412	2,000	15,639	1,620	838	507	18,604	551	183	137	34	18
Injury at birth (161b)	5,594	2,584	745	645	1,026	5,000	391	95	50	5,536	41	17	.....	.....	.....
Other diseases of early infancy (162, 163)	3,220	1,038	437	406	661	2,542	281	160	108	3,091	90	39	.....	.....	.....
External causes (175–203)	877	66	32	25	54	177	31	32	34	274	93	57	174	122	157
All other causes	6,080	239	137	194	488	1,058	449	327	289	2,123	602	465	1,214	975	701

[1] The term "rural" embraces the area outside of municipalities of 10,000 inhabitants or more in 1920.
[2] A list of these cities may be found on p. 9.
[3] Includes District of Columbia.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1921—Continued.

[See note at head of this table, p. 619.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 mos.
REGISTRATION STATES.															
CALIFORNIA.															
All causes	4,806	913	301	191	409	1,814	303	204	183	2,504	422	326	718	471	365
Measles (7)	27							1		1	1	2	3	4	16
Scarlet fever (8)	4								1	1			2	1	
Whooping cough (9)	128						2	2	3	7	28	14	41	25	13
Diphtheria (10)	20						1	1	1	3	2	1	7	3	4
Influenza (11)	48						2	3	4	9	5	4	10	12	8
Dysentery (16)	29										4	2	8	8	7
Erysipelas (21)	20				1	1	4		3	8	5	3	4		
Meningococcus meningitis (24)	9												1	6	2
Tetanus (29)	7				3	3	3	1		7					
Tuberculosis of the respiratory system (31)	25										1	1	9	8	6
Tuberculosis of the meninges, etc. (32)	40				1	1				1	1	4	9	11	14
Other forms of tuberculosis (33–37)	14										2	2	2	3	5
Syphilis (38)	83	10	4	2	7	23	9	10	3	45	13	7	8	7	3
Convulsions (80)	32	4	2	3	7	16	3	1		20	2	2	3	2	3
Other [organic] diseases of the heart (90)	19				2	2	2			4	2	2	5	2	4
Bronchitis (99)	66						6	3	7	16	13	4	14	11	8
Bronchopneumonia (100)	378		5	2	13	20	21	18	15	74	44	47	99	55	59
Pneumonia (101)	186		2	2	4	8	6	7	6	27	27	21	59	34	18
Diseases of the stomach (111, 112)	52	1			3	4	4	5	5	18	8	9	11	3	3
Diarrhea and enteritis (113)	888	1	1	4	23	29	27	33	33	122	109	108	262	172	115
Congenital malformations (159)	423	81	42	40	70	233	29	15	31	308	34	22	33	14	12
Congenital debility (160)	273	20	18	14	42	94	23	23	13	153	36	26	36	17	5
Premature birth (161a)	1,211	621	158	79	123	981	97	52	34	1,164	32	7	6	2	
Injury at birth (161b)	250	111	38	30	41	220	20	4	4	248	2				
Other diseases of early infancy (162, 163)	173	56	24	11	44	135	20	6	4	165	5	3			
External causes (175–203)	75	4	2	2	3	11	2	3	2	18	9	5	11	21	11
All other causes	326	4	5	2	22	33	22	16	14	85	37	30	75	50	49
COLORADO.															
All causes	1,705	326	90	79	136	631	128	81	63	903	155	110	241	160	136
Measles (7)	20										1	3	5	3	8
Scarlet fever (8)	3													2	1
Whooping cough (9)	55						1	1	2	4	6	7	16	13	9
Diphtheria (10)	12	1				1	1			2	2	1			7
Influenza (11)	27			1	1	2	2	1	2	7	3	3	8	2	4
Dysentery (16)	3												3		
Erysipelas (21)	28				1	1	2	1	4	8	6	3	2	7	2
Meningococcus meningitis (24)	6										2	2	1	1	
Tetanus (29)	3				1	1		1		2			1		
Tuberculosis of the respiratory system (31)	1												1		
Tuberculosis of the meninges, etc. (32)	9											1	1	2	5
Other forms of tuberculosis (33–37)	10								1	1		1	3	3	2
Syphilis (38)	23	3			1	4	2	3	3	12	4	3	2	2	
Convulsions (80)	7		2	1	1	4	1			5			1	1	
Other [organic] diseases of the heart (90)	4						2			2	1	1			
Bronchitis (99)	8						1	1	1	3	1	2		1	1
Bronchopneumonia (100)	174			4	4	8	10	16	8	42	20	20	36	34	22
Pneumonia (101)	50		1	1	1	3	5	3	4	15	11	2	13	2	7
Diseases of the stomach (111, 112)	23			2	1	3	1	2	1	7	8	2	2	2	2
Diarrhea and enteritis (113)	326			3	5	8	15	12	9	44	44	35	96	60	47
Congenital malformations (159)	118	21	12	11	25	69	14	7	3	93	10	5	7	2	1
Congenital debility (160)	92	14	8	5	9	36	19	5	2	62	7	6	15	2	
Premature birth (161a)	423	228	48	31	42	349	28	18	10	405	11	2	2	3	
Injury at birth (161b)	70	20	8	9	19	56	9	2	2	69	1				
Other diseases of early infancy (162, 163)	72	32	6	6	13	57	6	3	5	71	1				
External causes (175–203)	31		2	3	1	6	2	3	2	13	1	3	7	1	6
All other causes	107	7	3	2	11	23	7	2	4	36	15	8	19	17	12
CONNECTICUT.															
All causes	2,492	465	229	119	210	1,023	164	114	104	1,405	192	168	326	228	173
Measles (7)	14							1		1	2			4	7
Scarlet fever (8)	4													3	1
Whooping cough (9)	67							1	4	5	10	9	14	13	16
Diphtheria (10)	9								1	1			1	2	5
Influenza (11)	20				1	1	1	1	2	5	5	1	3	3	3
Dysentery (16)	5												2	2	1
Erysipelas (21)	14						5	2	1	8	2	2	1		1
Meningococcus meningitis (24)	7				1	1				1		1		2	3
Tetanus (29)	2				1	1		1		2					
Tuberculosis of the respiratory system (31)	8				1	1				1			2	4	1
Tuberculosis of the meninges, etc. (32)	28										1		6	9	12
Other forms of tuberculosis (33–37)	4											2		1	1
Syphilis (38)	23	3			2	5	1	3	3	12	3	3	4		1
Convulsions (80)	21	1	1	2	3	7	2	1		10	1	5	3	1	1
Other [organic] diseases of the heart (90)	7						1		2	3	2	1		1	
Bronchitis (99)	42						3	2	3	8	9	9	8	5	3
Bronchopneumonia (100)	209			2	5	7	9	7	15	38	26	26	54	35	30
Pneumonia (101)	67		1		1	2	5	2	3	12	7	10	18	10	10
Diseases of the stomach (111, 112)	17			1	2	3		2	1	6	2	3	3	2	1
Diarrhea and enteritis (113)	430		3	2	8	13	12	18	18	61	52	46	130	92	49
Congenital malformations (159)	208	36	23	17	37	113	20	22	10	165	18	6	12	4	3
Congenital debility (160)	133	8	2	5	23	38	15	10	6	69	18	20	16	7	3
Premature birth (161a)	566	239	121	42	56	458	50	18	19	545	12	8	1		
Injury at birth (161b)	261	138	48	26	31	243	10	4	3	260	1				
Other diseases of early infancy (162, 163)	113	34	19	12	21	86	15	6	4	111	2				
External causes (175–203)	30	2	2	1	1	6	5	1		12	4	2	4	4	4
All other causes	183	4	9	9	16	38	10	12	9	69	15	14	44	24	17

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1921—Continued.

[See note at head of this table, p. 619.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 mos.
REGISTRATION STATES—Continued.															
DELAWARE.															
All causes	494	59	26	17	45	147	31	17	19	214	50	27	103	59	41
Measles (7)															
Scarlet fever (8)															
Whooping cough (9)	23								1	1	6	2	6	6	2
Diphtheria (10)	1													1	
Influenza (11)	5										2	1	1	1	
Dysentery (16)	1												1		
Erysipelas (21)															
Meningococcus meningitis (24)															
Tetanus (29)	3				2	2	1			3					
Tuberculosis of the respiratory system (31)	6										1		4		1
Tuberculosis of the meninges, etc. (32)	9												3	1	5
Other forms of tuberculosis (33-37)	2										1				1
Syphilis (38)	5				1	1		1		2		1	1	1	
Convulsions (80)	5					1	1			2	1	1			1
Other [organic] diseases of the heart (90)	5				1	1		1		2			2		1
Bronchitis (99)	8				1	1		1	1	3	3		1	1	
Bronchopneumonia (100)	45				1	1		1	2	4	7	3	15	12	4
Pneumonia (101)	23						3		1	4	1	2	7	6	2
Diseases of the stomach (111, 112)	6								3	3	2		1		
Diarrhea and enteritis (113)	119				2	2	4	1	2	9	16	9	43	23	19
Congenital malformations (159)	40	6	7	5	6	24	6	2	2	34	2	3		1	
Congenital debility (160)	33	3	1		5	9	4		2	15	3	1	13		1
Premature birth (161a)	93	31	14	8	18	71	7	7	4	89	3		1		
Injury at birth (161b)	16	9	1	2	3	15			1	16					
Other diseases of early infancy (162, 163)	11	5	2	1	1	9	1	1		11					
External causes (175-203)	3	1				1				1			1	1	
All other causes	32	4	1	1	4	10	4	1		15	2	4	3	5	3
FLORIDA, (TOTAL).															
All causes	1,735	356	102	89	172	719	150	68	60	997	124	100	219	166	129
Measles (7)	4								1	1	1		2		
Scarlet fever (8)	1													1	
Whooping cough (9)	38								2	2	7	4	6	8	11
Diphtheria (10)	2												1		1
Influenza (11)	16						1	1		2	1	1	4	5	3
Dysentery (16)	25				1	1	2		2	5	1	3	4	6	6
Erysipelas (21)	4		1			1				1	1	1	1		
Meningococcus meningitis (24)	1														1
Tetanus (29)	41	2			12	14	21	4	1	40		1			
Tuberculosis of the respiratory system (31)	5								1	1	2			1	1
Tuberculosis of the meninges, etc. (32)	4											1	1		2
Other forms of tuberculosis (33-37)	4											1	1	2	
Syphilis (38)	35	2	1	1	3	7	6	2	2	17	6	2	3	5	2
Convulsions (80)	22			3	4	7	5	1	2	15	3	1	1		2
Other [organic] diseases of the heart (90)	6										1	2	1		2
Bronchitis (99)	8						1	1		2	2		1	1	2
Bronchopneumonia (100)	56		1			1	3		3	7	2	5	25	10	7
Pneumonia (101)	50				3	3	3	3		9	5	3	17	10	6
Diseases of the stomach (111, 112)	20				1	1	2	1	1	5	3	2	4	4	2
Diarrhea and enteritis (113)	282	1	3	3	5	12	15	12	11	50	24	22	76	61	49
Congenital malformations (159)	83	20	11	8	10	49	9	1	6	65	8	1	6	2	1
Congenital debility (160)	123	21	10	11	19	61	11	7	4	83	10	8	15	4	3
Premature birth (161a)	415	218	41	30	51	340	29	14	9	392	12	6	4	1	
Injury at birth (161b)	59	32	10	7	6	55	2	1		58	1				
Other diseases of early infancy (162, 163)	65	11	10	9	16	46	6	5	1	58	5	2			
External causes (175-203)	29	2	1	1	2	6	2			8	3	2	7	5	4
All other causes	337	47	13	16	39	115	32	15	14	176	26	32	39	40	24
FLORIDA (WHITE).															
All causes	977	237	62	56	93	448	66	28	31	573	68	51	113	89	83
Measles (7)	3								1	1			2		
Scarlet fever (8)	1													1	
Whooping cough (9)	23								2	2	6	1	2	5	7
Diphtheria (10)	2												1		1
Influenza (11)	10						1	1		2	1		2	3	2
Dysentery (16)	13						1		1	2		1	1	3	6
Erysipelas (21)	4		1			1				1	1	1	1		
Meningococcus meningitis (24)	1														1
Tetanus (29)	8				2	2	4	1	1	8					
Tuberculosis of the respiratory system (31)	1										1				
Tuberculosis of the meninges, etc. (32)	3											1			2
Other forms of tuberculosis (33-37)	3												1	2	
Syphilis (38)	8	1			1	2				2	2	1		2	1
Convulsions (80)	8			2		2	1	1	2	6	1				1
Other [organic] diseases of the heart (90)	5										1	2			2
Bronchitis (99)	3										2			1	
Bronchopneumonia (100)	28		1			1	3		2	6	1	3	11	4	3
Pneumonia (101)	20				2	2	1	1		4	1	1	8	4	2
Diseases of the stomach (111, 112)	13							1	1	2	3	1	3	2	2
Diarrhea and enteritis (113)	155		1	2		3	4	4	4	15	13	13	42	36	36
Congenital malformations (159)	67	16	11	6	9	42	6	1	4	53	5	1	5	2	1
Congenital debility (160)	68	11	4	7	11	33	5	2	3	43	6	5	10	3	1
Premature birth (161a)	286	159	24	18	35	236	21	9	5	271	8	4	3		
Injury at birth (161b)	36	19	5	6	3	33	1	1		35	1				
Other diseases of early infancy (162, 163)	35	9	7	5	3	29	2	1	1	33	2				
External causes (175-203)	18		1	1	1	3				3	3	2	3	3	4
All other causes	155	22	7	9	21	59	16	5	4	84	10	14	18	18	11

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1921—Continued.

[See note at head of this table, p. 619.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months	9 to 11 mos.
REGISTRATION STATES—Continued.															
FLORIDA (COLORED.)															
All causes	758	119	40	33	79	271	84	40	29	424	56	49	106	77	46
Measles (7)	1										1				
Scarlet fever (8)															
Whooping cough (9)	15										1	3	4	3	4
Diphtheria (10)															
Influenza (11)	6											1	2	2	1
Dysentery (16)	12				1	1	1		1	3	1	2	3	3	
Erysipelas (21)															
Meningococcus meningitis (24)															
Tetanus (29)	33	2			10	12	17	3		32		1			
Tuberculosis of the respiratory system (31)	4								1	1	1			1	1
Tuberculosis of the meninges, etc. (32)	1												1		
Other forms of tuberculosis (33–37)	1											1			
Syphilis (38)	27	1	1	1	2	5	6	2	2	15	4	1	3	3	1
Convulsions (80)	14			1	4	5	4			9	2	1	1		1
Other [organic] diseases of the heart (90)	1												1		
Bronchitis (99)	5						1	1		2			1		2
Bronchopneumonia (100)	28								1	1	1	2	14	6	4
Pneumonia (101)	30				1	1	2	2		5	4	2	9	6	4
Diseases of the stomach (111, 112)	7				1	1	2			3		1	1	2	
Diarrhea and enteritis (113)	127	1	2	1	5	9	11	8	7	35	11	9	34	25	13
Congenital malformations (159)	16	4		2	1	7	3		2	12	3		1		
Congenital debility (160)	55	10	6	4	8	28	6	5	1	40	4	3	5	1	2
Premature birth (161a)	129	59	17	12	16	104	8	5	4	121	4	2	1	1	
Injury at birth (161b)	23	13	5	1	3	22	1			23					
Other diseases of early infancy (162, 163)	30	2	3	4	8	17	4	4		25	3	2			
External causes (175–203)	11	2			1	3	2			5			4	2	
All other causes	182	25	6	7	18	56	16	10	10	92	16	18	21	22	13
ILLINOIS.															
All causes	10,674	2,166	580	496	847	4,089	689	478	364	5,620	834	670	1,594	1,096	860
Measles (7)	73				1	1	1		2	4	3	2	5	18	41
Scarlet fever (8)	13						1			1	2	2		4	4
Whooping cough (9)	260							9	15	24	33	30	68	58	47
Diphtheria (10)	70				1	1	2	3	1	7	4	4	11	22	22
Influenza (11)	65	1				1	1	7	4	13	9	7	12	16	8
Dysentery (16)	16											3	6	2	5
Erysipelas (21)	43				1	1	3	6	3	13	10	3	6	9	2
Meningococcus meningitis (24)	15											2	4	7	2
Tetanus (29)	7						6			6	1				
Tuberculosis of the respiratory system (31)	28								1	1	1	4	8	6	8
Tuberculosis of the meninges, etc. (32)	52	1				1	1			2	5	2	10	20	13
Other forms of tuberculosis (33–37)	17						1	1		2			6	6	3
Syphilis (38)	124	16	5	4	6	31	14	12	5	62	17	11	21	7	6
Convulsions (80)	48	2	3	6	10	21	6	1		28	7	6	3	3	1
Other [organic] diseases of the heart (90)	20	1				1	2	1	1	5	4	1	7	2	1
Bronchitis (99)	182			2	8	10	15	8	6	39	27	18	39	29	30
Bronchopneumonia (100)	932	2	3	8	21	34	35	46	46	161	119	101	229	155	167
Pneumonia (101)	242	1	4	3	15	23	7	11	10	51	27	21	54	58	31
Disease of the stomach (111, 112)	75	1	2	1	6	10	2	3	3	18	14	9	22	7	5
Diarrhea and enteritis (113)	2,599	2	2	7	49	60	88	107	119	374	305	283	806	514	317
Congenital malformations (159)	1,010	247	92	102	171	612	107	46	30	795	64	51	61	23	16
Congenital debility (160)	294	37	15	16	56	124	40	31	12	207	30	21	20	11	5
Premature birth (161a)	2,320	1,225	265	164	220	1,874	191	105	43	2,213	51	24	29	2	1
Injury at birth (161b)	1,036	494	132	121	167	914	82	20	11	1,027	5	4			
Other diseases of early infancy (162, 163)	327	106	43	40	64	253	32	21	9	315	8	4			
External causes (175–203)	122	9	2	5	6	22	5	3	6	36	21	7	22	14	22
All other causes	684	21	12	17	45	95	47	37	37	216	67	50	145	103	103
INDIANA.															
All causes	4,861	1,036	315	222	411	1,984	308	201	195	2,688	371	302	678	450	372
Measles (7)	26				1	1	3	1		5			7	5	9
Scarlet fever (8)	8								1	1		1		2	4
Whooping cough (9)	221						1	7	17	25	40	23	40	47	46
Diphtheria (10)	28								1	1	2	2	3	6	14
Influenza (11)	47	1			1	2	2	3	5	12	4	4	6	9	12
Dysentery (16)	20			1		1				1		2	8	2	7
Erysipelas (21)	28						2	3	3	8	5	4	9	1	1
Meningococcus meningitis (24)	11						1		1	2		1	4	3	1
Tetanus (29)	9		1		3	4	3			7	1	1			
Tuberculosis of the respiratory system (31)	18	2				2			1	3	3	2	1	5	4
Tuberculosis of the meninges, etc. (32)	33						1			1	1		11	10	10
Other forms of tuberculosis (33–37)	21	1				1				1	2	1	7	6	4
Syphilis (38)	53	5	2	1	3	11	6	3	2	22	12	8	9	1	1
Convulsions (80)	22		1	3	8	12	4		2	18	2	1		1	
Other [organic] diseases of the heart (90)	15				1	1	2	2		5	3	2	2	2	1
Bronchitis (99)	32		1	1	2	4	3	3	3	13	5	3	6	3	2
Bronchopneumonia (100)	357		2	7	23	32	18	21	24	95	47	37	83	51	44
Pneumonia (101)	143		2	1	7	10	10	9	3	32	19	10	35	25	22
Diseases of the stomach (111, 112)	103	1	2	2	6	11	9	2	9	31	13	18	26	12	3
Diarrhea and enteritis (113)	910		1	4	9	14	20	35	38	107	100	100	295	183	125
Congenital malformations (159)	523	146	62	40	94	342	49	19	17	427	29	17	26	15	9
Congenital debility (160)	217	23	10	7	32	72	29	19	11	131	22	24	31	5	4
Premature birth (161a)	1,186	652	150	75	109	986	89	46	31	1,152	23	7	2	1	1
Injury at birth (161b)	257	115	43	33	55	246	4	3	4	257					
Other diseases of early infancy (162, 163)	216	79	32	34	24	169	19	10	8	206	8	2			
External causes (175–203)	56	2	2	1	3	8	3	1	2	14	4	9	14	9	6
All other causes	301	9	4	12	30	55	30	14	12	111	26	23	53	46	42

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1921—Continued.

[See note at head of this table, p. 619.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 mos.
REGISTRATION STATES—Continued.															
KANSAS.															
All causes	2,597	653	163	155	234	1,205	200	102	88	1,595	223	126	280	207	166
Measles (7)	17										2	3	4	4	4
Scarlet fever (8)	7											1	2	1	3
Whooping cough (9)	66						1	2	4	7	16	4	14	13	12
Diphtheria (10)	23							1	1	2	4	2	5	2	8
Influenza (11)	19			1		1	4	2		7	2		2	5	3
Dysentery (16)	8										1	2	1	1	3
Erysipelas (21)	8				1	1				1	2	1	2	1	1
Meningococcus meningitis (24)	2												1	1	
Tetanus (29)															
Tuberculosis of the respiratory system (31)	3												1	1	1
Tuberculosis of the meninges, etc. (32)	3													1	2
Other forms of tuberculosis (33–37)	6				1	1		1		2	1	1			2
Syphilis (38)	32	2	1	3	2	8	3	2	2	15	5	3	5	4	
Convulsions (80)	20	1		4	8	13	1			14		2	2	1	1
Other [organic] diseases of the heart (90)	18	1			4	5	2	1	2	10	3		4	1	
Bronchitis (99)	21			1		1	1	1	3	6	6		4	4	1
Bronchopneumonia (100)	187		1	3	6	10	11	7	14	42	33	22	44	32	14
Pneumonia (101)	84		2		1	3	3	6	7	19	12	10	17	19	7
Diseases of the stomach (111, 112)	44		2	1	7	10	7	3	2	22	5	2	9	5	1
Diarrhea and enteritis (113)	327			1	8	9	20	12	14	55	39	25	76	63	69
Congenital malformations (159)	278	77	28	36	39	180	27	10	9	226	22	8	10	6	6
Congenital debility (160)	179	23	16	15	34	88	20	12	10	130	12	13	18	4	2
Premature birth (161a)	684	416	69	47	53	585	44	20	9	658	14	6	5		1
Injury at birth (161b)	175	75	22	22	35	154	13	5		172	2	1			
Other diseases of early infancy (162, 163)	95	35	13	11	12	71	16	3	1	91	4				
External causes (175–203)	41	1	4		2	7			2	9	9	5	7	2	9
All other causes	250	22	5	10	21	58	27	14	8	107	29	15	47	36	16
KENTUCKY (TOTAL).															
All causes	4,168	757	252	159	340	1,508	300	201	151	2,160	348	256	558	424	422
Measles (7)	41	1	3			4	3	1	4	12	5	1	5	2	16
Scarlet fever (8)	3											1		1	1
Whooping cough (9)	153				1	1		3	9	13	17	18	36	31	38
Diphtheria (10)	46		1		2	3	1	3	2	9	3	1	5	11	17
Influenza (11)	37		1		3	4	2	3	1	10	6	2	6	8	5
Dysentery (16)	75				1	1	1	2	1	5	5	5	16	20	24
Erysipelas (21)	27						2	1	1	4	11	6	2	1	3
Meningococcus meningitis (24)	26				2	2	1	1		4	5	2	5	6	4
Tetanus (29)	11				3	3	4	2	1	10		1			
Tuberculosis of the respiratory system (31)	33							1		1	2	1	15	6	8
Tuberculosis of the meninges, etc. (32)	43				2	2		3	2	7	4	4	11	9	8
Other forms of tuberculosis (33–37)	8							1		1	1	3			3
Syphilis (38)	33	3		1	2	6	1		2	9	7	6	6	3	2
Convulsions (80)	47	1	3	1	7	12	12			24	4	1	9	6	3
Other [organic] diseases of the heart (90)	17				2	2	4		3	9	3	1	1	2	1
Bronchitis (99)	22		1		2	3	4	1		8	3	2	4	5	
Bronchopneumonia (100)	229		3		12	15	17	13	8	53	35	23	42	46	30
Pneumonia (101)	137		4	2	11	17	9	7	6	39	16	4	38	23	17
Diseases of the stomach (111,112)	83		1		2	3	12	3	6	24	15	10	13	10	11
Diarrhea and enteritis (113)	705			2	4	6	11	15	12	44	67	77	213	142	162
Congenital malformations (159)	182	39	20	20	27	106	16	9	9	140	18	4	10	6	4
Congenital debility (160)	249	35	13	15	27	90	26	26	11	153	25	22	35	10	4
Premature birth (161a)	1,163	571	150	78	132	931	103	47	38	1,119	22	14	6	2	
Injury at birth (161b)	113	41	20	15	25	101	6	6		113					
Other diseases of early infancy (162, 163)	97	24	13	15	19	71	11	9	4	95	2				
External causes (175–203)	67	2	1		2	5	1	6	4	16	10	7	6	12	16
All other causes	521	40	18	10	52	120	53	38	27	238	62	40	74	62	45
KENTUCKY (WHITE).															
All causes	3,682	700	230	138	298	1,366	253	175	139	1,933	299	216	477	377	380
Measles (7)	41	1	3			4	3	1	4	12	5	1	5	2	16
Scarlet fever (8)	3											1		1	1
Whooping cough (9)	133				1	1		2	8	11	14	16	33	28	31
Diphtheria (10)	41		1		2	3		3	2	8	2	1	4	11	15
Influenza (11)	34				2	2	2	3	1	8	6	2	6	7	5
Dysentery (16)	70				1	1	1	1	1	4	3	5	15	20	23
Erysipelas (21)	27						2	1	1	4	11	6	2	1	3
Meningococcus meningitis (24)	25				2	2	1	1		4	5	2	5	6	3
Tetanus (29)	10				3	3	4	1	1	9		1			
Tuberculosis of the respiratory system (31)	29										2	1	12	6	8
Tuberculosis of the meninges, etc. (32)	39				2	2		2	2	6	4	3	10	9	7
Other forms of tuberculosis (33–37)	6							1		1	1	2			2
Syphilis (38)	25	2		1	1	4			2	6	6	4	5	2	2
Convulsions (80)	30		2	1	5	8	7			15	3	1	5	3	3
Other [organic] diseases of the heart (90)	17				2	2	4		3	9	3	1	1	2	1
Bronchitis (99)	18		1		2	3	4			7	3	1	2	5	
Bronchopneumonia (100)	183		2		11	13	15	10	7	45	28	19	34	34	23
Pneumonia (101)	117		3	2	9	14	7	7	5	33	14	4	31	19	16
Diseases of the stomach (111,112)	67		1		1	2	10	3	6	21	12	7	11	7	9
Diarrhea and enteritis (113)	619			2	2	4	9	11	10	34	59	65	182	130	149
Congenital malformations (159)	171	38	20	17	27	102	15	9	8	134	16	3	8	6	4
Congenital debility (160)	213	33	12	11	26	82	19	23	10	134	18	20	29	9	3
Premature birth (161a)	1,062	531	138	70	117	856	89	43	36	1,024	20	11	6	1	
Injury at birth (161b)	103	35	19	15	24	93	5	5		103					
Other diseases of early infancy (162, 163)	75	19	11	10	13	53	11	8	2	74	1				
External causes (175–203)	56	2	1		1	4	1	5	4	14	7	6	4	11	14
All other causes	468	39	16	9	44	108	44	35	26	213	56	33	67	57	42

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1921—Continued.

[See note at head of this table, p. 619.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 mos
REGISTRATION STATES—Continued.															
KENTUCKY (COLORED).															
All causes	486	57	22	21	42	142	47	26	12	227	49	40	81	47	42
Measles (7)															
Scarlet fever (8)															
Whooping cough (9)	20							1	1	2	3	2	3	3	7
Diphtheria (10)	5						1			1	1		1		2
Influenza (11)	3		1		1	2				2				1	
Dysentery (16)	5							1		1	2		1		1
Erysipelas (21)															
Meningococcus meningitis (24)	1														1
Tetanus (29)	1							1		1					
Tuberculosis of the respiratory system (31)	4							1		1			3		
Tuberculosis of the meninges, etc. (32)	4							1		1		1	1		1
Other forms of tuberculosis (33–37)	2											1			1
Syphilis (38)	8	1			1	2	1			3	1	2	1	1	
Convulsions (80)	17	1	1		2	4	5			9	1		4	3	
Other [organic] diseases of the heart (90)															
Bronchitis (99)	4							1		1		1	2		
Bronchopneumonia (100)	46		1		1	2	2	3	1	8	7	4	8	12	7
Pneumonia (101)	20		1		2	3	2		1	6	2		7	4	1
Diseases of the stomach (111, 112)	16				1	1	2			3	3	3	2	3	2
Diarrhea and enteritis (113)	36				2	2	2	4	2	10	8	12	31	12	13
Congenital malformations (159)	11	1		3		4	1		1	6	2	1	2		
Congenital debility (160)	36	2	1	4	1	8	7	3	1	19	7	2	6	1	1
Premature birth (161a)	101	40	12	8	15	75	14	4	2	95	2	3		1	
Injury at birth (161b)	10	6	1		1	8	1	1		10					
Other diseases of early infancy (162, 163)	22	5	2	5	6	18		1	2	21	1				
External causes (175–203)	11				1	1		1		2	3	1	2	1	2
All other causes	53	1	2	1	8	12	9	3	1	25	6	7	7	5	3
LOUISIANA (TOTAL).															
All causes	3,301	552	151	103	229	1,035	223	115	84	1,457	349	301	531	377	286
Measles (7)	32							2	1	3		1	9	10	9
Scarlet fever (8)	1													1	
Whooping cough (9)	95							1	1	2	21	19	18	18	17
Diphtheria (10)	10						1			1		2	4	1	2
Influenza (11)	35		2			2	1	1		4	2	4	8	11	6
Dysentery (16)	19						1			1		4	6	4	4
Erysipelas (21)	9										6	1	2		
Meningococcus meningitis (24)	2											1		1	
Tetanus (29)	77	2		4	21	27	38	3	1	69	3	1		3	1
Tuberculosis of the respiratory system (31)	12	1				1		1		2		1	4	4	1
Tuberculosis of the meninges, etc. (32)	7												1	2	4
Other forms of tuberculosis (33–37)	3										1		1		1
Syphilis (38)	71	7	1	4	5	17	4	4	2	27	12	9	13	6	4
Convulsions (80)	31		4	2	2	8	9	2	2	21	3	2	2	1	2
Other [organic] diseases of the heart (90)	16				1	1			1	2	4	5	4		1
Bronchitis (99)	34	3			2	5	2	2	1	10	6	5	6	4	3
Bronchopneumonia (100)	237	1			2	3	9	7	6	25	34	34	64	43	37
Pneumonia (101)	130		2	1	6	9	5	7	6	27	20	14	33	22	14
Diseases of the stomach (111, 112)	39				3	3	2	1	1	7	13	4	8	5	2
Diarrhea and enteritis (113)	688	1		2	7	10	18	16	17	61	72	105	188	148	114
Congenital malformations (159)	230	50	12	14	31	107	14	12	5	138	32	15	24	13	8
Congenital debility (160)	184	34	10	12	18	74	17	9	8	108	22	12	25	12	5
Premature birth (161a)	524	303	68	25	51	447	36	17	9	509	12	1	2		
Injury at birth (161b)	121	64	18	18	13	113	6		1	120	1				
Other diseases of early infancy (162, 163)	71	21	5	3	19	48	12	5	5	70	1				
External causes (175–203)	56	1	1		4	6	3	1	1	11	5	9	15	9	7
All other causes	567	64	28	18	44	154	45	24	16	239	79	52	94	59	44
LOUISIANA (WHITE).															
All causes	1,661	339	89	60	103	591	95	54	39	779	159	142	256	177	148
Measles (7)	21							1	1	2			7	6	6
Scarlet fever (8)	1													1	
Whooping cough (9)	56							1		1	14	14	7	11	9
Diphtheria (10)	4						1			1			1	1	1
Influenza (11)	15		1			1				1	2	3		5	4
Dysentery (16)	6											1	3	1	1
Erysipelas (21)	7										4	1	2		
Meningococcus meningitis (24)	1											1			
Tetanus (29)	26	1		2	5	8	16		1	25					1
Tuberculosis of the respiratory system (31)	4												3	1	
Tuberculosis of the meninges, etc. (32)	6												1	1	4
Other forms of tuberculosis (33–37)	1										1				
Syphilis (38)	22	2		1	1	4	2	2	1	9	4	3	5	1	
Convulsions (80)	5			1		1	1	1	2	5					
Other [organic] diseases of the heart (90)	6								1	1		3	2		
Bronchitis (99)	14				1	1	2	1		4	4	2	1	2	1
Bronchopneumonia (100)	123				2	2	4	6	4	16	16	23	21	23	24
Pneumonia (101)	49		2	1	1	4	1	1	5	11	9	5	12	7	5
Diseases of the stomach (111, 112)	24				2	2	2		1	5	7	1	6	3	2
Diarrhea and enteritis (113)	354			2	3	5	8	10	6	29	33	47	113	71	61
Congenital malformations (159)	115	30	7	6	15	58	8	7	2	75	13	6	11	6	4
Congenital debility (160)	77	17	5	7	11	40	8	2	3	53	8	1	10	4	1
Premature birth (161a)	340	215	43	15	29	302	18	8	3	331	9				
Injury at birth (161b)	89	44	14	15	10	83	4		1	88	1				
Other diseases of early infancy (162, 163)	35	10	4	3	8	25	4	3	2	34	1				
External causes (175–203)	30	1			3	4	1	1	1	7	3	4	6	6	4
All other causes	230	19	13	7	12	51	15	10	5	81	30	27	45	27	20

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1921—Continued.

[See note at head of this table, p. 619.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 mos.
REGISTRATION STATES—Continued.															
LOUISIANA (COLORED).															
All causes	1,640	213	62	43	126	444	128	61	45	678	190	159	275	200	138
Measles (7)	11							1		1		1	2	4	3
Scarlet fever (8)															
Whooping cough (9)	39								1	1	7	5	11	7	8
Diphtheria (10)	6											2	3		1
Influenza (11)	20		1			1	1	1		3		1	8	6	2
Dysentery (16)	13						1			1		3	3	3	3
Erysipelas (21)	2										2				
Meningococcus meningitis (24)	1													1	
Tetanus (29)	51	1		2	16	19	22	3		44	3	1		3	
Tuberculosis of the respiratory system (31)	8	1				1		1		2		1	1	3	1
Tuberculosis of the meninges, etc. (32)	1													1	
Other forms of tuberculosis (33–37)	2												1		1
Syphilis (38)	49	5	1	3	4	13	2	2	1	18	8	6	8	5	4
Convulsions (80)	26		4	1	2	7	8	1		16	3	2	2	1	2
Other [organic] diseases of the heart (90)	10				1	1				1	4	2	2		1
Bronchitis (99)	20	3			1	4		1	1	6	2	3	5	2	2
Bronchopneumonia (100)	114	1				1	5	1	2	9	13	11	43	20	13
Pneumonia (101)	81				5	5	4	6	1	16	11	9	21	15	9
Diseases of the stomach (111, 112)	15				1	1		1		2	6	3	2	2	
Diarrhea and enteritis (113)	334	1			4	5	10	6	11	32	39	58	75	77	53
Congenital malformations (159)	115	20	5	8	16	49	6	5	3	63	19	9	13	7	4
Congenital debility (160)	107	17	5	5	7	34	9	7	5	55	14	11	15	8	4
Premature birth (161a)	184	88	25	10	22	145	18	9	6	178	3	1	2		
Injury at birth (161b)	32	20	4	3	3	30	2			32					
Other diseases of early infancy (162, 163)	36	11	1		11	23	8	2	3	36					
External causes (175–203)	26		1		1	2	2			4	2	5	9	3	3
All other causes	337	45	15	11	32	103	30	14	11	158	49	25	49	32	24
MAINE.															
All causes	1,559	169	210	60	135	574	79	69	72	794	133	110	267	159	96
Measles (7)	30						1	1	1	3	3	3	7	7	7
Scarlet fever (8)	2								1	1	1				
Whooping cough (9)	48						1	1	1	3	7	6	12	13	7
Diphtheria (10)	8										1		1	5	1
Influenza (11)	26							1		1	7	3	4	4	7
Dysentery (16)	6											1	3	1	1
Erysipelas (21)	4						1	2		3				1	
Meningococcus meningitis (24)	1													1	
Tetanus (29)															
Tuberculosis of the respiratory system (31)	3								1	1				2	
Tuberculosis of the meninges, etc. (32)	12							1		1		3	1	1	6
Other forms of tuberculosis (33–37)	5								1	1			3	1	
Syphilis (38)	9		1	1	1	3				3	2	3	1		
Convulsions (80)	23	2		2	3	7	2	2	3	14	2	1	5		1
Other [organic] diseases of the heart (90)	7				1	1	1	1	1	4			3		
Bronchitis (99)	20		1			1	1	1	3	6	4	3	4	2	1
Bronchopneumonia (100)	117	1		2	1	4	3	4	5	16	10	16	37	20	18
Pneumonia (101)	49		1			1	2	3	4	10	4	8	13	10	4
Diseases of the stomach (111, 112)	18				1	1	2		2	5	3	2	5	2	1
Diarrhea and enteritis (113)	300			2	2	4	5	8	10	27	35	36	111	63	28
Congenital malformations (159)	91	15	14	3	26	58	8	2	4	72	5		5	9	
Congenital debility (160)	125	11	10	11	12	44	9	7	7	67	27	10	16	4	1
Premature birth (161a)	374	106	138	16	28	288	30	26	12	356	11	4	3		
Injury at birth (161b)	83	19	25	10	23	77	4	1		82	1				
Other diseases of early infancy (162, 163)	56	8	13	6	18	45	3	3	3	54	1	1			
External causes (175–203)	6	1				1	1	1		3	1			1	1
All other causes	136	6	7	7	19	39	5	4	13	61	8	10	33	12	12
MARYLAND (TOTAL).															
All causes	3,462	623	148	140	235	1,146	197	138	115	1,596	288	262	573	459	284
Measles (7)	12												3	5	4
Scarlet fever (8)															
Whooping cough (9)	134							1	5	6	17	15	39	28	29
Diphtheria (10)	20							1		1	4	1	3	5	6
Influenza (11)	15						1	1		2		2	4	5	2
Dysentery (16)	27		1			1		1		2	1	1	7	9	7
Erysipelas (21)	13						2		1	3	1	2	3	1	3
Meningococcus meningitis (24)	2										1		1		
Tetanus (29)	5				2	2	2	1		5					
Tuberculosis of the respiratory system (31)	13										1	2	5	3	2
Tuberculosis of the meninges, etc. (32)	9												2	5	2
Other forms of tuberculosis (33–37)	8											1	1	2	4
Syphilis (38)	43	3	2	4	1	10	3	5	2	20	7	8	7		1
Convulsions (80)	46	1	4	3	4	12	6	2	2	22	4	6	7	2	5
Other [organic] diseases of the heart (90)	13	1			1	2	1			3	1	2	4	3	
Bronchitis (99)	57				3	3	2	4	8	17	3	6	21	8	2
Bronchopneumonia (100)	330			3	8	11	9	12	8	40	28	26	91	74	71
Pneumonia (101)	77				2	2	4	3	2	11	3	6	21	21	15
Diseases of the stomach (111, 112)	27				1	1	2	3	1	7	3	6	6	3	2
Diarrhea and enteritis (113)	790		2		6	8	11	16	22	57	90	100	241	215	87
Congenital malformations (159)	283	55	28	27	44	154	27	17	11	209	24	13	24	9	4
Congenital debility (160)	207	19	6	11	21	57	15	14	16	102	35	28	23	10	9
Premature birth (161a)	713	383	70	51	70	574	47	35	17	673	22	9	7	2	
Injury at birth (161b)	152	90	16	9	19	134	14	4		152					
Other diseases of early infancy (162, 163)	154	53	12	28	27	120	14	6	6	146	5	3			
External causes (175–203)	52	4			5	9	3	1	3	16	8	6	11	6	5
All other causes	260	14	7	4	21	46	34	11	11	102	30	19	42	43	24

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1921—Continued.

[See note at head of this table, p. 619.]

AREA AND CAUSE OF DEATH	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 mos.
REGISTRATION STATES—Continued.															
MARYLAND (WHITE).															
All causes	2,419	476	105	91	161	833	147	102	69	1,151	195	182	392	295	204
Measles (7)	9												2	4	3
Scarlet fever (8)															
Whooping cough (9)	90							1	2	3	13	11	26	17	20
Diphtheria (10)	15										3	1	2	3	6
Influenza (11)	8							1		1		1	2	3	1
Dysentery (16)	18		1			1				1	1		6	6	4
Erysipelas (21)	11						2		1	3		2	3		3
Meningococcus meningitis (24)	2										1		1		
Tetanus (29)	2				2	2				2					
Tuberculosis of the respiratory system (31)	4											1	1	1	1
Tuberculosis of the meninges, etc. (32)	8												1	5	2
Other forms of tuberculosis (33–37)	7											1	1	2	3
Syphilis (38)	21	1		1		2	3	2	1	8	1	7	4		1
Convulsions (80)	27	1	4	1	2	8	3	1		12	2	4	3	2	4
Other [organic] diseases of the heart (90)	10						1			1	1	2	4	2	
Bronchitis (99)	32				2	2	1	4	5	12	1	2	10	5	2
Bronchopneumonia (100)	205			3	6	9	7	11	7	34	20	16	54	35	46
Pneumonia (101)	44				2	2	1	2		5	2	3	12	12	10
Diseases of the stomach (111, 112)	22						1	3	1	5	3	6	3	3	2
Diarrhea and enteritis (113)	573				3	3	9	11	14	37	62	70	189	150	65
Congenital malformations (159)	223	41	22	22	34	119	22	14	8	163	17	13	18	8	4
Congenital debility (160)	143	14	5	7	13	39	10	11	10	70	23	19	18	7	6
Premature birth (161a)	540	302	50	34	46	432	39	26	11	508	19	8	4	1	
Injury at birth (161b)	119	69	14	7	15	105	10	4		119					
Other diseases of early infancy (162, 163)	107	38	7	16	20	81	10	6	4	101	3	3			
External causes (175–203)	36	4			4	8	3		2	13	5	3	6	4	5
All other causes	143	6	2		12	20	25	5	3	53	18	9	22	25	16
MARYLAND (COLORED).															
All causes	1,043	147	43	49	74	313	50	36	46	445	93	80	181	164	80
Measles (7)	3												1	1	1
Scarlet fever (8)															
Whooping cough (9)	44								3	3	4	4	13	11	9
Diphtheria (10)	5							1		1	1		1	2	
Influenza (11)	7						1			1		1	2	2	1
Dysentery (16)	9							1		1		1	1	3	3
Erysipelas (21)	2										1			1	
Meningococcus meningitis (24)															
Tetanus (29)	3						2	1		3					
Tuberculosis of the respiratory system (31)	9										1	1	4	2	1
Tuberculosis of the meninges, etc (32)	1												1		
Other forms of tuberculosis (33–37)	1														1
Syphilis (38)	22	2	2	3	1	8		3	1	12	6	1	3		
Convulsions (80)	19			2	2	4	3	1	2	10	2	2	4		1
Other [organic] diseases of the heart (90)	3	1			1	2				2				1	
Bronchitis (99)	25				1	1	1		3	5	2	4	11	3	
Bronchopneumonia (100)	125				2	2	2	1	1	6	8	10	37	39	25
Pneumonia (101)	33						3	1	2	6	1	3	9	9	5
Diseases of the stomach (111, 112)	5				1	1	1			2			3		
Diarrhea and enteritis (113)	217		2		3	5	2	5	8	20	28	30	52	65	22
Congenital malformations (159)	60	14	6	5	10	35	5	3	3	46	7		6	1	
Congenital debility (160)	64	5	1	4	8	18	5	3	6	32	12	9	5	3	3
Premature birth (161a)	173	81	20	17	24	142	8	9	6	165	3	1	3	1	
Injury at birth (161b)	33	21	2	2	4	29	4			33					
Other diseases of early infancy (162, 163)	47	15	5	12	7	39	4		2	45	2				
External causes (175–203)	16				1	1		1	1	3	3	3	5	2	
All other causes	117	8	5	4	9	26	9	6	8	49	12	10	20	18	8
MASSACHUSETTS.															
All causes	7,006	1,344	378	364	670	2,756	415	304	232	3,707	497	412	988	775	627
Measles (7)	55		1			1		1		2	1		7	20	25
Scarlet fever (8)	10						1		1	2			4	1	3
Whooping cough (9)	107						1		4	5	10	9	26	32	25
Diphtheria (10)	33											1	3	13	16
Influenza (11)	30							2	1	3	5	2	13	4	3
Dysentery (16)	8								1	1			3	1	3
Erysipelas (21)	53						7	7	2	16	17	7	9	4	
Meningococcus meningitis (24)	11										1	1	4	2	3
Tetanus (29)	7		1		1	2	3		1	6		1			
Tuberculosis of the respiratory system (31)	31										1	1	9	6	14
Tuberculosis of the meninges, etc. (32)	69								2	2	3	2	17	21	24
Other forms of tuberculosis (33–37)	22											3	5	9	5
Syphilis (38)	55	2	3	2	2	9	4	4	1	18	10	6	11	5	5
Convulsions (80)	55	2		3	8	13	6	1	2	22	5	2	14	10	2
Other organic diseases of the heart (90)	12				1	1			1	2	1		5	2	2
Bronchitis (99)	136				2	2	8	9	5	24	19	12	35	23	23
Bronchopneumonia (100)	747		4	5	27	36	16	37	24	113	66	63	183	169	153
Pneumonia (101)	131	1			3	4	5	6	5	20	8	13	29	31	30
Diseases of the stomach (111, 112)	48			1	2	3	6	5	1	15	8	5	17	1	2
Diarrhea and enteritis (113)	1,288		1	2	14	17	28	48	43	136	146	143	373	291	199
Congenital malformations (159)	709	151	55	70	115	391	80	38	31	540	56	22	52	16	23
Congenital debility (160)	267	20	11	14	40	85	28	21	18	152	26	41	34	12	2
Premature birth (161a)	1,636	759	179	148	207	1,293	120	80	56	1,549	47	20	16	1	3
Injury at birth (161b)	560	261	60	61	124	506	37	9	2	554	5	1			
Other diseases of early infancy (162, 163)	319	123	45	37	65	270	27	9	7	313	3	3			
External causes (175–203)	58	7	2	1	6	16	3	2	1	22	8	2	13	12	1
All other causes	549	18	16	20	53	107	35	25	23	190	51	52	106	89	61

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1921—Continued.

[See note at head of this table, p. 619.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 mos.
REGISTRATION STATES—Continued.															
MICHIGAN.															
All causes	7,571	1,587	478	354	640	3,059	525	335	293	4,212	605	457	1,021	732	544
Measles (7)	25							2		2		1	7	4	11
Scarlet fever (8)	17						2		1	3	1		1	2	10
Whooping cough (9)	201						1	2	11	14	30	24	46	48	39
Diphtheria (10)	60				1	1	1	4	5	11	9	3	5	16	16
Influenza (11)	31							2		2	3	4	6	9	7
Dysentery (16)	27							1		1	3	4	7	8	4
Erysipelas (21)	39				2	2	7	6	1	16	10	3	6	4	
Meningococcus meningitis (24)	18						2		1	3	1	1	6	2	5
Tetanus (29)	2				1	1	1			2					
Tuberculosis of the respiratory system (31)	20								1	1	2		7	6	4
Tuberculosis of the meninges, etc. (32)	29											3	3	11	12
Other forms of tuberculosis (33–37)	14								1	1	5	2	3	2	1
Syphilis (38)	56	5	5		3	13	7	7	2	29	12	3	8	3	1
Convulsions (80)	106	5	9	7	18	39	10	6	4	59	7	5	13	13	9
Other [organic] diseases of the heart (90)	34	1			3	4	3		5	12	5	4	7	2	4
Bronchitis (99)	163		2	3	5	10	9	12	6	37	29	15	27	30	25
Bronchopneumonia (100)	550	2	5	5	11	23	27	22	31	103	61	56	123	111	96
Pneumonia (101)	176	2		6	5	13	7	12	7	39	24	16	36	35	26
Diseases of the stomach (111, 112)	133			3	10	13	9	10	5	37	22	18	33	11	12
Diarrhea and enteritis (113)	1,294			5	26	31	35	44	47	157	148	152	416	249	172
Congenital malformations (159)	686	159	66	61	117	403	66	35	34	538	45	20	50	22	11
Congenital debility (160)	512	66	23	20	64	173	58	28	28	287	57	53	77	32	6
Premature birth (161a)	1,903	1,024	252	123	173	1,572	154	63	43	1,832	45	17	6	2	1
Injury at birth (161b)	435	175	63	51	70	359	47	17	4	427	6	2			
Other diseases of early infancy (162, 163)	314	107	37	48	57	249	22	25	9	305	8	1			
External causes (175–203)	108	3	1	7	6	17	6	8	11	42	11	12	15	13	15
All other causes	618	38	15	15	68	136	51	29	36	252	61	38	113	97	57
MINNESOTA.															
All causes	3,381	917	226	196	329	1,668	236	157	117	2,178	288	186	323	227	179
Measles (7)	10							1	1	2			1	3	4
Scarlet fever (8)	7												2	2	3
Whooping cough (9)	94							1	4	5	22	7	23	26	11
Diphtheria (10)	8							1		1	1			3	3
Influenza (11)	23				2	2				2	4	2	5	5	5
Dysentery (16)	13		1			1		1		2		1	4	4	2
Erysipelas (21)	12						1	2	1	4	3	1	2	2	
Meningococcus meningitis (24)	5										1		3	1	
Tetanus (29)	3				1	1	2			3					
Tuberculosis of the respiratory system (31)	8												4	2	2
Tuberculosis of the meninges, etc. (32)	17												3	8	6
Other forms of tuberculosis (33–37)	7											1	2	1	3
Syphilis (38)	28	3	1	2	4	10	1	1	2	14	7	2	2	1	2
Convulsions (80)	63	4	7	12	10	33	6	3	1	43	4	2	9	2	3
Other [organic] diseases of the heart (90)	10				1	1	2		2	5	1	2		2	
Bronchitis (99)	41			1	3	4	4	6	2	16	2	9	4	4	6
Bronchopneumonia (100)	291	2	2	5	9	18	8	18	20	64	51	33	66	42	35
Pneumonia (101)	85		1	2	4	7	5	6	3	21	10	14	15	14	11
Diseases of the stomach (111, 112)	29			4		4	2	1		7	4	8	5	4	1
Diarrhea and enteritis (113)	325			3	15	18	20	16	15	69	55	37	83	42	39
Congenital malformations (159)	336	76	33	27	56	192	23	15	16	246	33	17	22	8	10
Congenital debility (160)	208	31	10	23	37	101	21	14	8	144	22	11	24	5	2
Premature birth (161a)	987	615	91	47	68	821	71	42	17	951	21	10	2	2	1
Injury at birth (161b)	259	109	30	28	66	233	18	6	1	258	1				
Other diseases of early infancy (162, 163)	155	47	26	21	26	120	18	8	2	148	4	3			
External causes (175–203)	45	3	2	2	3	10	1	1	1	13	7	2	9	8	6
All other causes	312	27	22	19	24	92	33	14	21	160	35	24	33	36	24
MISSISSIPPI (TOTAL).															
All causes	3,157	623	175	132	268	1,198	274	140	106	1,718	258	202	405	322	252
Measles (7)	8												2	4	2
Scarlet fever (8)	3						1	1		2					1
Whooping cough (9)	137						3	4	5	12	19	20	33	28	25
Diphtheria (10)	28		1			1	2	2	1	6	1	1	5	6	9
Influenza (11)	36				1	1				1	6		8	10	11
Dysentery (16)	25				1	1	2			3	1	3	6	7	5
Erysipelas (21)	9				1	1		1		2	2	4	1		
Meningococcus meningitis (24)	1													1	
Tetanus (29)	23				6	6	13	1		20	1		2		
Tuberculosis of the respiratory system (31)	12										2	1	5	4	
Tuberculosis of the meninges, etc. (32)	6												2	4	
Other forms of tuberculosis (33–37)	1													1	
Syphilis (38)	48	5		2	2	9	6	1	2	18	3	5	10	9	3
Convulsions (80)	41	3		2	11	16	8	2	1	27	4	1	6	1	2
Other [organic] diseases of the heart (90)	12						1			1	2	2	3	4	
Bronchitis (99)	11						3	2	1	6	3	2			
Bronchopneumonia (100)	144			1	3	4	4	8	8	24	16	23	26	30	25
Pneumonia (101)	115		1	1	3	5	6	5	3	19	13	14	27	22	20
Diseases of the stomach (111, 112)	33				2	2		4	2	8	6	3	8	4	4
Diarrhea and enteritis (113)	321		2	4	8	14	18	7	10	49	39	26	71	67	69
Congenital malformations (159)	79	13	4	8	13	38	6	5	3	52	10	4	8	3	2
Congenital debility (160)	142	30	6	7	17	60	22	11	9	102	11	10	9	6	4
Premature birth (161a)	560	309	75	36	52	472	35	22	9	538	15	5	2		
Injury at birth (161b)	57	25	11	5	12	53	2	1		56	1				
Other diseases of early infancy (162, 163)	69	22	6	10	9	47	12	7	2	68		1			
External causes (175–203)	64	3	2	3	3	11	5	3	2	21	7	8	14	6	8
All other causes	1,172	213	67	53	124	457	125	53	48	683	96	69	157	105	62

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1921—Continued.

[See note at head of this table, p. 619.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 mos.
REGISTRATION STATES—Continued.															
MISSISSIPPI (WHITE).															
All causes	1,243	320	70	51	99	540	92	58	41	731	97	90	114	106	105
Measles (7)	4													2	2
Scarlet fever (8)	1														1
Whooping cough (9)	46						1	4	3	8	11	10	7	2	8
Diphtheria (10)	10										1			2	7
Influenza (11)	14				1	1				1	1		4	4	4
Dysentery (16)	12				1	1				1		3	2	4	2
Erysipelas (21)	6							1		1	2	3			
Meningococcus meningitis, (24)															
Tetanus (29)	10				3	3	5			8	1		1		
Tuberculosis of the respiratory system (31)	3											1	2		
Tuberculosis of the meninges, etc. (32)	3												2	1	
Other forms of tuberculosis (33–37)															
Syphilis (38)	4						2			2			2		
Convulsions (80)	8				3	3	3			6			1		1
Other [organic] diseases of the heart (90)	5										2	1		2	
Bronchitis (99)	4						2	2		4					
Bronchopneumonia (100)	68				2	2	2	7	5	16	9	10	9	14	10
Pneumonia (101)	21				1	1			1	2	3	7	2	2	5
Diseases of the stomach (111, 112)	9								2	2	3		1	2	1
Diarrhea and enteritis (113)	149		3	4	7	4	4	6	21	16	11	28	36	37	
Congenital malformations (159)	57	10	3	7	9	29	5	3	3	40	6	3	6	1	1
Congenital debility (160)	82	23	1	5	9	38	16	5	4	63	6	5	4	3	1
Premature birth (161a)	331	200	37	20	20	277	19	15	4	315	10	5	1		
Injury at birth (161b)	39	14	9	3	12	38				38	1				
Other diseases of early infancy (162, 163)	29	13	3	1	2	19	5	4	1	29					
External causes (175–203)	16			1	1	2	1	1	1	5		1	3	4	3
All other causes	312	60	17	11	31	119	27	12	11	169	25	30	39	27	22
MISSISSIPPI (COLORED).															
All causes	1,914	303	105	81	169	658	182	82	65	987	161	112	291	216	147
Measles (7)	4												2	2	
Scarlet fever (8)	2						1	1		2					
Whooping cough (9)	91						2		2	4	8	10	26	26	17
Diphtheria (10)	18		1			1	2	2	1	6		1	5	4	2
Influenza (11)	22										5		4	6	7
Dysentery (16)	13						2			2	1		4	3	3
Erysipelas (21)	3				1	1				1		1	1		
Meningococcus meningitis (24)	1													1	
Tetanus (29)	13				3	3	8	1		12			1		
Tuberculosis of the respiratory system (31)	9										2		3	4	
Tuberculosis of the meninges, etc. (32)	3													3	
Other forms of tuberculosis (33–37)	1													1	
Syphilis (38)	44	5		2	2	9	4	1	2	16	3	5	8	9	3
Convulsions (80)	33	3		2	8	13	5	2	1	21	4	1	5	1	1
Other [organic] diseases of the heart (90)	7						1			1		1	3	2	
Bronchitis (99)	7						1		1	2	3	2			
Bronchopneumonia (100)	76			1	1	2	2	1	3	8	7	13	17	16	15
Pneumonia (101)	94		1	1	2	4	6	5	2	17	10	7	25	20	15
Diseases of the stomach (111, 112)	24				2	2		4		6	3	3	7	2	3
Diarrhea and enteritis (113)	172		2	1	4	7	14	3	4	28	23	15	43	31	32
Congenital malformations (159)	22	3	1	1	4	9	1	2		12	4	1	2	2	1
Congenital debility (160)	60	7	5	2	8	22	6	6	5	39	5	5	5	3	3
Premature birth (161a)	229	109	38	16	32	195	16	7	5	223	5		1		
Injury at birth (161b)	18	11	2	2		15	2	1		18					
Other diseases of early infancy (162, 163)	40	9	3	9	7	28	7	3	1	39		1			
External causes (175–203)	48	3	2	2	2	9	4	2	1	16	7	7	11	2	5
All other causes	860	153	50	42	93	338	98	41	37	514	71	39	118	78	40
MISSOURI.															
All causes	4,597	948	280	203	394	1,825	348	189	179	2,541	396	287	611	411	351
Measles (7)	20						1	1	2	4	3		5	5	3
Scarlet fever (8)	4												1	2	1
Whooping cough (9)	153	1				1		9	7	17	27	14	38	30	27
Diphtheria (10)	32							1	4	5	4	1	8	3	11
Influenza (11)	39		1		1	2	1	3	1	7	8	2	11	5	6
Dysentery (16)	36							1		1	4		7	9	15
Erysipelas (21)	36				1	1		1	5	7	10	5	9	3	2
Meningococcus meningitis (24)	8										1	2	3	2	
Tetanus (29)	11				7	7	3	1		11					
Tuberculosis of the respiratory system (31)	22		1			1				1	1	2	5	6	7
Tuberculosis of the meninges, etc. (32)	19							1		1	1	2	4	7	4
Other forms of tuberculosis (33–37)	13												4	6	3
Syphilis (38)	101	10	2	1	6	19	8	4	8	39	16	14	23	8	1
Convulsions (80)	30	3		2	7	12	8		2	22	3		1	1	3
Other [organic] diseases of the heart (90)	16						3	2	1	6	3	4	2		1
Bronchitis (99)	51	1		1	3	5	3	1	3	12	7	6	10	10	6
Bronchopneumonia (100)	407	2	6	4	6	18	24	22	26	90	56	34	91	74	62
Pneumonia (101)	147			6	7	13	8	6	6	33	20	11	35	28	20
Diseases of the stomach (111, 112)	58	1	2	1	8	12	5	1	1	19	8	7	15	4	5
Diarrhea and enteritis (113)	728	2	2	3	14	21	32	21	27	101	91	98	194	130	114
Congenital malformations (159)	386	75	49	34	70	228	34	16	12	290	34	13	27	16	6
Congenital debility (160)	208	37	5	13	28	83	30	19	7	139	15	20	26	5	3
Premature birth (161a)	1,177	635	141	84	113	973	101	39	24	1,137	20	10	5	3	2
Injury at birth (161b)	210	91	27	22	43	183	18	3	3	207	2	1			
Other diseases of early infancy (162, 163)	141	42	23	12	28	105	15	7	9	136	5				
External causes (175–203)	57	4			3	7	2	2	4	15	6	7	14	5	10
All other causes	487	44	21	20	49	134	52	28	27	241	51	34	73	49	39

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1921—Continued.

[See note at head of this table, p. 619.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 mos.
REGISTRATION STATES—Continued.															
MONTANA.															
All causes	805	165	54	61	87	367	70	36	27	500	79	45	78	69	34
Measles (7)	12				2	2				2	2	1	2	2	3
Scarlet fever (8)	1												1		
Whooping cough (9)	40	1				1		4	2	7	7	3	8	9	6
Diphtheria (10)															
Influenza (11)	5						1			1	1			3	
Dysentery (16)	3										1			2	
Erysipelas (21)	8						1		1	2	4	1			1
Meningococcus meningitis (24)	1														1
Tetanus (29)															
Tuberculosis of the respiratory system (31)	4										2		1	1	
Tuberculosis of the meninges, etc. (32)	1												1		
Other forms of tuberculosis (33–37)	1														1
Syphilis (38)	8	1			1	2	1		2	5		2	1		
Convulsions (80)	14		1	2	3	6	4	1		11		1	2		
Other [organic] diseases of the heart (90)	4				1	1		1		2		1		1	
Bronchitis (99)	3			1		1		1		2				1	
Bronchopneumonia (100)	89	1			5	6	4	9	3	22	17	13	14	14	9
Pneumonia (101)	36	1		1	2	4	1	1	3	9	6	4	6	8	3
Diseases of the stomach (111, 112)	3											1	2		
Diarrhea and enteritis (113)	78			2	2	4	3	3	2	12	19	10	14	19	4
Congenital malformations (159)	84	19	8	19	12	58	4	2	1	65	3	3	7	3	3
Congenital debility (160)	42	5	3	2	9	19	7	3	2	31	3		6	2	
Premature birth (161a)	204	106	27	12	21	166	21	3	4	194	9		1		
Injury at birth (161b)	53	20	7	10	11	48	5			53					
Other diseases of early infancy (162, 163)	37	6	4	8	8	26	7	4		37					
External causes (175–203)	9	1	2			3	1		3	7	1			1	
All other causes	65	4	2	4	10	20	10	4	4	38	4	5	12	3	3
NEBRASKA.															
All causes	1,888	442	142	100	188	872	141	93	79	1,185	181	100	194	139	89
Measles (7)	7							1		1	1		3	1	1
Scarlet fever (8)	7		1			1				1	2		2	2	
Whooping cough (9)	44							5	3	8	9	3	11	4	9
Diphtheria (10)	4						1	1	1	3					1
Influenza (11)	18	1			2	3			1	4	3	1	4	5	1
Dysentery (16)	6												2	3	1
Erysipelas (21)	21							3	4	7	5	4	2	1	2
Meningococcus meningitis (24)	2				1	1				1				1	
Tetanus (29)	2						2			2					
Tuberculosis of the respiratory system (31)	6												2	2	2
Tuberculosis of the meninges, etc. (32)	4						1			1	1		1	1	
Other forms of tuberculosis (33–37)	4											1		3	
Syphilis (38)	8	1	1			2	1		1	4	2			1	1
Convulsions (80)	30	1	1	1	11	14	4	4	1	23	3		2	2	
Other [organic] diseases of the heart (90)	10				1	1	2	2		5	1	1	3		
Bronchitis (99)	14		1		1	2	1	1		4	3	2	3	2	
Bronchopneumonia (100)	144	1		2	4	7	7	8	9	31	27	14	36	20	16
Pneumonia (101)	75		3	1	2	6	7	4	2	19	16	8	14	14	4
Diseases of the stomach (111, 112)	25		2		3	5	2		1	8	4	2	5	3	3
Diarrhea and enteritis (113)	190				8	8	11	9	8	36	29	23	45	37	20
Congenital malformations (159)	184	50	24	16	26	116	9	6	9	140	10	12	7	11	4
Congenital debility (160)	152	30	10	15	27	82	13	10	5	110	20	5	11	5	1
Premature birth (161a)	523	288	68	31	44	431	41	19	12	503	11	5	4		
Injury at birth (161b)	91	34	10	15	19	78	5	4	3	90	1				
Other diseases of early infancy (162, 163)	71	20	14	8	14	56	9	3	2	70	1				
External causes (175–203)	34		1	1	1	3		4	4	11	5	5	5	4	4
All other causes	212	16	6	10	24	56	25	9	13	103	27	14	32	17	19
NEW HAMPSHIRE.															
All causes	878	142	86	54	76	358	50	46	30	484	70	67	120	83	54
Measles (7)	6	1				1			1	2			1	1	2
Scarlet fever (8)	1		1			1				1					
Whooping cough (9)	21										4	6	3	5	3
Diphtheria (10)	1												1		
Influenza (11)	7				1	1				1	1		1	3	1
Dysentery (16)															
Erysipelas (21)	5								1	1	1		3		
Meningococcus meningitis (24)	1													1	
Tetanus (29)															
Tuberculosis of the respiratory system (31)	2											1		1	
Tuberculosis of the meninges, etc. (32)	4												1	3	
Other forms of tuberculosis (33–37)	2													2	
Syphilis (38)	2											1	1		
Convulsions (80)	12			1	2	3		1		4	2	3	1	2	
Other [organic] diseases of the heart (90)	3												2	1	
Bronchitis (99)	14		1			1		1	1	3	3	2	3	3	
Bronchopneumonia (100)	71						2	5	1	8	8	8	17	15	15
Pneumonia (101)	27				1	1	2		4	7	1	4	6	2	7
Diseases of the stomach (111, 112)	15						1	1	1	3	1		4	5	2
Diarrhea and enteritis (113)	143				1	1	4	10	4	19	19	19	48	26	12
Congenital malformations (159)	79	5	10	7	16	38	8	8		54	3	8	9	2	3
Congenital debility (160)	73	7	4	4	11	26	4	4	4	38	16	9	7	2	1
Premature birth (161a)	236	95	56	25	18	194	18	12	7	231	3	2			
Injury at birth (161b)	63	26	10	10	11	57	3		2	62	1				
Other diseases of early infancy (162, 163)	34	8	4	4	9	25	3	1	1	30	3	1			
External causes (175–203)	7				1	1	1			2			4		1
All other causes	49			3	5	8	4	3	3	18	4	3	8	9	7

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1921—Continued.

[See note at head of this table, p. 619.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 mos.
REGISTRATION STATES—Continued.															
NEW JERSEY.															
All causes	5,800	973	301	235	468	1,977	355	278	229	2,839	435	408	892	659	517
Measles (7)	28				1	1				1	3		4	9	11
Scarlet fever (8)	9										1	1	2		5
Whooping cough (9)	190							5	8	13	26	24	48	33	46
Diphtheria (10)	33							3		3	1		6	10	13
Influenza (11)	38							3		3	6	5	7	7	10
Dysentery (16)	9							1		1		3		4	1
Erysipelas (21)	20						3	2	6	11	3	2	1	1	2
Meningococcus meningitis (24)	11								1	1	1	1	3	2	3
Tetanus (29)	5			1	2	3	2			5					
Tuberculosis of the respiratory system (31)	26							2		2	1	2	8	8	5
Tuberculosis of the meninges, etc. (32)	30												5	13	12
Other forms of tuberculosis (33–37)	12											1	5	4	2
Syphilis (38)	72	3	1	3	5	12	7	3	6	28	13	10	15	4	2
Convulsions (80)	47		4	2	7	13	5	5	5	28	4	2	5	4	4
Other [organic] diseases of the heart (90)	19				2	2	1		1	4	2	4	5	3	1
Bronchitis (99)	115	2	1	3	4	10	10	7	5	32	12	19	29	15	8
Bronchopneumonia (100)	509		2	4	14	20	20	15	23	78	51	51	128	97	104
Pneumonia (101)	232			1	3	4	4	13	6	27	15	26	56	55	53
Diseases of the stomach (111, 112)	47			1	2	3	5	2	2	12	3	7	8	10	7
Diarrhea and enteritis (113)	1,279	2		4	23	29	34	47	54	164	160	151	381	268	155
Congenital malformations (159)	528	123	45	51	77	296	60	28	16	400	46	19	33	18	12
Congenital debility (160)	302	16	8	13	40	77	29	25	23	154	38	35	51	19	5
Premature birth (161a)	1,205	547	147	89	143	926	111	74	40	1,151	36	6	8	4	
Injury at birth (161b)	371	173	44	40	78	335	27	5	2	369	1	1			
Other diseases of early infancy (162, 163)	227	85	36	17	42	180	17	12	7	216	8	3			
External causes (175–203)	79	10	5		2	17	2	1	5	25	11	2	12	12	17
All other causes	357	12	8	6	23	49	18	25	19	111	43	33	72	59	39
NEW YORK.															
All causes	18,093	3,552	927	798	1,403	6,680	1,121	814	619	9,234	1,501	1,145	2,682	1,947	1,584
Measles (7)	132				1	1	1		1	3	1	5	18	32	73
Scarlet fever (8)	34				1	1	1			2		1	5	7	19
Whooping cough (9)	449				1	1	1	9	15	26	63	46	105	96	113
Diphtheria (10)	121						2	3	3	8	6	6	18	32	51
Influenza (11)	111						4	4	3	11	18	11	24	26	21
Dysentery (16)	19								1	1	2	1	6	8	1
Erysipelas (21)	119				1	1	8	15	20	44	28	15	13	12	7
Meningococcus meningitis (24)	45							1		1	3	6	14	13	8
Tetanus (29)	11		1	2	4	7	3			10		1			
Tuberculosis of the respiratory system (31)	62	1			2	3	1	2	1	7		2	16	14	23
Tuberculosis of the meninges, etc. (32)	139						1	1		2	7	6	34	43	47
Other forms of tuberculosis (33–37)	39								1	1	4	2	13	9	10
Syphilis (38)	239	33	7	6	13	59	19	17	7	102	38	33	38	19	9
Convulsions (80)	107	2	6	10	14	32	8	5	3	48	15	8	12	13	11
Other [organic] diseases of the heart (90)	49				3	3	4	3	1	11	4	7	17	5	5
Bronchitis (99)	362	2	1	2	12	17	19	28	22	86	52	41	83	63	37
Bronchopneumonia (100)	1,725	5	3	14	46	68	75	91	76	310	189	135	423	358	310
Pneumonia (101)	460	3	1	4	14	22	16	18	11	67	41	21	109	100	122
Diseases of the stomach (111, 112)	155		1	4	5	10	14	8	8	40	29	23	27	19	17
Diarrhea and enteritis (113)	3,478		1	3	43	47	96	117	112	372	417	425	1,065	727	472
Congenital malformations (159)	1,493	324	137	118	241	820	146	88	52	1,106	111	72	121	53	30
Congenital debility (160)	996	71	21	39	85	216	79	64	62	421	160	118	207	68	22
Premature birth (161a)	4,236	2,142	472	296	409	3,319	369	190	119	3,997	139	57	36	7	
Injury at birth (161b)	1,310	668	155	143	230	1,196	68	20	10	1,294	13	3			
Other diseases of early infancy (162, 163)	769	246	92	106	170	614	72	38	25	749	14	6			
External causes (175–203)	178	16	7	9	11	43	6	9	7	65	18	8	31	28	28
All other causes	1,255	39	22	42	97	200	108	83	59	450	129	86	247	195	148
NORTH CAROLINA (TOTAL).															
All causes	6,633	1,184	354	255	491	2,284	439	269	252	3,244	605	455	994	714	621
Measles (7)	36						1	1	1	3	2	5	8	11	7
Scarlet fever (8)	4											1		2	1
Whooping cough (9)	226				1	1	4	4	6	15	48	23	55	44	41
Diphtheria (10)	58			1	1	2	3		4	9	7	4	16	7	15
Influenza (11)	45				1	1	2	1	1	5	3	4	13	13	7
Dysentery (16)	72								1	1	7	14	18	17	15
Erysipelas (21)	24								4	4	9	3	4	3	1
Meningococcus meningitis (24)	13							1	2	3		2	1	4	3
Tetanus (29)	17				7	7	10			17					
Tuberculosis of the respiratory system (31)	16				1	1			1	2			7	4	3
Tuberculosis of the meninges, etc. (32)	8										1	1	2	1	3
Other forms of tuberculosis (33–37)	5						1			1	1	1		1	1
Syphilis (38)	47	2	1	2	1	6	2	5	1	14	11	6	8	6	2
Convulsions (80)	59	3	3	7	12	25	8	1	6	40	5	2	9	1	2
Other [organic] diseases of the heart (90)	18				3	3	1		1	5	4	1	3	4	1
Bronchitis (99)	58			1	2	3	2	2	3	10	8	10	14	10	6
Bronchopneumonia (100)	365			2	6	8	16	6	16	46	52	37	94	79	57
Pneumonia (101)	191	1	2	2	3	8	9	6	7	30	17	24	42	40	38
Diseases of the stomach (111, 112)	91				4	4	5	4	2	15	9	13	28	15	11
Diarrhea and enteritis (113)	1,043	1			9	10	17	17	24	68	81	101	296	249	248
Congenital malformations (159)	264	36	29	26	33	124	24	15	19	182	19	18	24	9	12
Congenital debility (160)	375	45	11	15	51	122	34	29	24	209	50	27	52	24	13
Premature birth (161a)	1,361	709	159	93	129	1,090	116	53	43	1,302	41	9	5	3	1
Injury at birth (161b)	146	64	25	11	28	128	11	1	3	143	2	1			
Other diseases of early infancy (162, 163)	126	37	16	16	19	88	16	8	5	117	4	5			
External causes (175–203)	111	5	2	2	4	13	3	4	2	22	13	12	24	20	23
All other causes	1,854	281	106	77	176	640	154	111	76	981	211	131	271	147	110

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1921—Continued.

[See note at head of this table, p. 619.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—												
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 mos.
REGISTRATION STATES—Continued.															
NORTH CAROLINA (WHITE).															
All causes	4,062	853	204	161	278	1,496	249	164	161	2,070	357	284	558	424	369
Measles (7)	30						1	1		2	1	5	6	9	7
Scarlet fever (8)	3											1		1	1
Whooping cough (9)	139				1	1	2	3	5	11	34	15	26	25	28
Diphtheria (10)	38			1	1	2	3		2	7	3	2	10	6	10
Influenza (11)	16								1	1	2	2	2	6	3
Dysentery (16)	46								1	1	3	11	11	9	11
Erysipelas (21)	21								4	4	8	3	3	2	1
Meningococcus meningitis (24)	11							1	2	3		2	1	3	2
Tetanus (29)	5				3	3	2			5					
Tuberculosis of the respiratory system (31)	6								1	1			2	2	1
Tuberculosis of the meninges, etc. (32)	5										1		1		3
Other forms of tuberculosis (33–37)	1													1	
Syphilis (38)	20	1		2	1	4		1	1	6	7	4	1	2	
Convulsions (80)	30	2	1	5	6	14	3	1	3	21	3	2	2	1	1
Other [organic] diseases of the heart (90)	14				3	3	1			4	3		3	4	
Bronchitis (99)	26			1	1	2	2	2	1	7	3	4	7	3	2
Bronchopneumonia (100)	215			1	3	4	12	4	12	32	36	22	52	44	29
Pneumonia (101)	97	1		1	1	3	4	5	6	18	10	14	24	10	21
Diseases of the stomach (111, 112)	54				2	2	2	1	2	7	3	10	17	12	5
Diarrhea and enteritis (113)	667	1			3	4	11	7	14	36	41	66	189	166	169
Congenital malformations (159)	222	36	24	21	28	109	21	9	16	155	16	15	21	6	9
Congenital debility (160)	238	30	5	11	33	79	25	19	11	134	28	17	38	15	6
Premature birth (161a)	985	560	96	63	81	800	77	36	30	943	27	7	5	2	1
Injury at birth (161b)	107	46	18	9	19	92	9	1	2	104	2	1			
Other diseases of early infancy (162, 163)	68	20	7	8	12	47	6	6	2	61	4	3			
External causes (175–203)	59	4	1		2	7	2	1	1	11	9	5	11	12	11
All other causes	939	152	52	38	78	320	66	66	44	496	113	73	126	83	48
NORTH CAROLINA (COLORED)															
All causes	2,571	331	150	94	213	788	190	105	91	1,174	248	171	436	290	252
Measles (7)	6								1	1	1		2	2	
Scarlet fever (8)	1													1	
Whooping cough (9)	87						2	1	1	4	14	8	29	19	13
Diphtheria (10)	20								2	2	4	2	6	1	5
Influenza (11)	29				1	1	2	1		4	1	2	11	7	4
Dysentery (16)	26										4	3	7	8	4
Erysipelas (21)	3										1		1	1	
Meningococcus meningitis (24)	2													1	1
Tetanus (29)	12				4	4	8			12					
Tuberculosis of the respiratory system (31)	10				1	1				1			5	2	2
Tuberculosis of the meninges, etc. (32)	3														
Other forms of tuberculosis (33–37)	4						1			1	1	1	1	1	1
Syphilis (38)	27	1	1			2	2	4		8	4	2	7	4	2
Convulsions (80)	29	1	2	2	6	11	5		3	19	2		7		1
Other [organic] diseases of the heart (90)	4								1	1	1	1			1
Bronchitis (99)	32				1	1			2	3	5	6	7	7	4
Bronchopneumonia (100)	150			1	3	4	4	2	4	14	16	15	42	35	28
Pneumonia (101)	94		2	1	2	5	5	1	1	12	7	10	18	30	17
Diseases of the stomach (111, 112)	37				2	2	3	3		8	6	3	11	3	6
Diarrhea and enteritis (113)	376				6	6	6	10	10	32	40	35	107	83	79
Congenital malformations (159)	42		5	5	5	15	3	6	3	27	3	3	3	3	3
Congenital debility (160)	137	15	6	4	18	43	9	10	13	75	22	10	14	9	7
Premature birth (161a)	376	149	63	30	48	290	39	17	13	359	14	2		1	
Injury at birth (161b)	39	18	7	2	9	36	2		1	39					
Other diseases of early infancy (162, 163)	58	17	9	8	7	41	10	2	3	56		2			
External causes (175–203)	52	1	1	2	2	6	1	3	1	11	4	7	13	8	9
All other causes	915	129	54	39	98	320	88	45	32	485	98	58	145	64	65
OHIO.															
All causes	9,714	1,925	567	478	817	3,787	651	425	313	5,176	786	610	1,431	991	720
Measles (7)	43						1	1		2	2	2	6	11	20
Scarlet fever (8)	15								1	1	1	2	1	5	5
Whooping cough (9)	295			1	1	2	1	5	14	22	41	33	70	66	63
Diphtheria (10)	37				1	1		1		2	3	2	5	8	17
Influenza (11)	90		1	1	1	3	1	3	2	9	10	4	29	20	18
Dysentery (16)	41				1	1		1		2	1	1	16	8	13
Erysipelas (21)	48						3	5	2	10	13	5	8	11	1
Meningococcus meningitis (24)	14											2	5	4	3
Tetanus (29)	4				3	3				3	1				
Tuberculosis of the respiratory system (31)	46						1			1	2	2	17	10	14
Tuberculosis of the meninges, etc. (32)	44											5	13	13	13
Other forms of tuberculosis (33–37)	16							2		2	1	2	4	5	2
Syphilis (38)	135	10	4	4	7	25	15	12	8	60	23	14	19	12	7
Convulsions (80)	132	5	2	15	29	51	6	5	8	70	13	10	22	9	8
Other [organic] diseases of the heart (90)	24				1	1	2	1	1	5	6	5	5	3	
Bronchitis (99)	73				3	3	5	3	5	16	15	8	19	9	6
Bronchopneumonia (100)	861	7	15	12	24	58	53	35	31	177	127	98	191	140	128
Pneumonia (101)	262	1	3	4	11	19	13	8	8	48	30	18	74	45	47
Diseases of the stomach (111, 112)	168		1	2	9	12	24	15	7	58	23	18	42	22	5
Diarrhea and enteritis (113)	1,762		7	4	20	31	48	52	63	194	169	203	551	407	238
Congenital malformations (159)	855	197	77	78	152	504	86	49	22	661	61	41	57	28	7
Congenital debility (160)	605	55	25	30	63	173	70	40	40	323	80	57	107	28	10
Premature birth (161a)	2,422	1,243	294	165	241	1,943	205	107	62	2,317	67	16	19	1	2
Injury at birth (161b)	566	252	77	77	106	512	35	9	2	558	5	3			
Other diseases of early infancy (162, 163)	330	97	39	42	70	248	31	25	10	314	10	6			
External causes (175–203)	143	13	6	6	11	36	3	8	4	51	16	9	23	17	27
All other causes	683	45	16	37	63	161	48	38	23	270	66	44	128	109	66

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1921—Continued.

[See note at head of this table, p. 619.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 mos.
REGISTRATION STATES—Continued.															
OREGON.															
All causes	788	199	58	44	83	384	48	27	41	500	78	44	82	36	48
Measles (7)	5												2	2	1
Scarlet fever (8)															
Whooping cough (9)	26							1	1	2	4	8	4	3	5
Diphtheria (10)	6						1	1		2	1			1	2
Influenza (11)	11								3	3	2	1		2	3
Dysentery (16)	2										1		1		
Erysipelas (21)	8										5		2		1
Meningococcus meningitis (24)	2										2				
Tetanus (29)	1	1				1				1					
Tuberculosis of the respiratory system (31)															
Tuberculosis of the meninges, etc. (32)	1												1		
Other forms of tuberculosis (33–37)	2												1		1
Syphilis (38)	6										1	1	3	1	
Convulsions (80)	5	1	1		2	4				4			1		
Other [organic] diseases of the heart (90)	3								1	1		1		1	
Bronchitis (99)	2				1	1				1			1		
Bronchopneumonia (100)	63				5	5	5	3	4	17	13	4	11	11	7
Pneumonia (101)	24						1	2	1	4	7	3	6	1	3
Diseases of the stomach (111, 112)	7			1	2	3			1	4		2	1		
Diarrhea and enteritis (113)	65			1	1	2	2	5	7	16	10	6	16	7	10
Congenital malformations (159)	97	22	12	12	17	63	9	1	2	75	9	4	6	2	1
Congenital debility (160)	53	11	6	2	5	24	1	5	3	33	8	5	7		
Premature birth (161a)	219	134	27	9	18	188	12	6	7	213	5		1		
Injury at birth (161b)	47	17	7	8	8	40	4		3	47					
Other diseases of early infancy (162, 163)	34	8	3	5	11	27	3	2	1	33		1			
External causes (175–203)	14	1		1	1	3	1			4	2	1	3		4
All other causes	85	4	2	5	12	23	9	1	7	40	8	7	15	5	10
PENNSYLVANIA.															
All causes	20,133	3,141	1,017	857	1,587	6,602	1,318	968	709	9,597	1,780	1,488	3,320	2,311	1,637
Measles (7)	150							3	5	8	7	10	18	48	59
Scarlet fever (8)	38				1	1	2	1		4	4		3	9	18
Whooping cough (9)	445	1		1	1	3	4	10	13	30	66	51	96	116	86
Diphtheria (10)	110						2	4	1	7	6	4	23	27	43
Influenza (11)	196		1	1	1	3	6	3	7	19	25	17	53	50	32
Dysentery (16)	21				1	1	1	1	2	5	1	1	5	5	4
Erysipelas (21)	91			1		1	5	11	8	25	26	8	16	9	7
Meningococcus meningitis (24)	36			1	1	2		1	1	4	2	2	16	7	5
Tetanus (29)	12				4	4	3	2		9		1	1		1
Tuberculosis of the respiratory system (31)	78			1		1	1	1	2	5	9	9	18	19	18
Tuberculosis of the meninges, etc. (32)	104				1	1	2	1	1	5	4	7	26	36	26
Other forms of tuberculosis (33–37)	55								2	2	3	11	18	12	9
Syphilis (38)	235	15	7	5	14	41	20	18	10	89	41	28	50	17	10
Convulsions (80)	236	6	15	16	41	78	23	12	14	127	18	15	34	22	20
Other [organic] diseases of the heart (90)	74				10	10	4	3	5	22	11	14	14	4	9
Bronchitis (99)	297		1	3	6	10	14	18	18	60	64	36	64	38	35
Bronchopneumonia (100)	2,085	2	11	26	52	91	81	92	84	343	236	198	531	428	344
Pneumonia (101)	880	2	3	10	24	39	33	32	33	137	86	84	218	210	145
Diseases of the stomach (111, 112)	243		2	2	13	17	11	12	17	57	57	25	59	32	13
Diarrhea and enteritis (113)	4,665		6	11	71	88	129	187	144	548	568	612	1,497	913	527
Congenital malformations (159)	1,905	416	182	195	350	1,143	200	126	81	1,550	123	77	87	37	31
Congenital debility (160)	997	84	41	41	138	304	107	79	52	542	129	109	147	49	21
Premature birth (161a)	4,115	1,960	507	321	445	3,233	403	190	115	3,941	106	30	26	9	3
Injury at birth (161b)	965	424	137	118	173	852	73	18	8	951	10	4			
Other diseases of early infancy (162, 163)	617	168	75	67	135	445	71	36	26	578	26	13			
External causes (175–203)	189	9	3	4	9	25	6	8	5	44	17	22	39	29	38
All other causes	1,294	54	26	33	96	209	117	99	55	480	135	100	261	185	133
RHODE ISLAND.															
All causes	1,344	229	84	48	109	470	83	41	40	634	116	112	215	147	120
Measles (7)	17						1			1		1	1	4	10
Scarlet fever (8)	1													1	
Whooping cough (9)	37	2			1	3				3	7	5	11	5	6
Diphtheria (10)	6												3		3
Influenza (11)	7				1	1		1		2		1	2		2
Dysentery (16)	2												1	1	
Erysipelas (21)	8						1	1	2	4		1	1	1	1
Meningococcus meningitis (24)	5										1	1		1	2
Tetanus (29)															
Tuberculosis of the respiratory system (31)	4													3	1
Tuberculosis of the meninges, etc. (32)	19						2			2			8	6	3
Other forms of tuberculosis (33–37)	1														1
Syphilis (38)	22	4		1	1	6			2	8	2	4	4	1	3
Convulsions (80)	18		1	1	4	6	2	1		9		1	5	2	1
Other [organic] diseases of the heart (90)	4				1	1			1	2		1	1		
Bronchitis (99)	19				1	1	2		1	4	5	1	6	1	2
Bronchopneumonia (100)	104	1	1		5	7	3	3	3	16	17	18	16	19	18
Pneumonia (101)	55				1	1	1	3	1	6	4	5	15	12	13
Diseases of the stomach (111, 112)	10						1	1		2	4	1		3	
Diarrhea and enteritis (113)	274				2	2	4	5	4	15	25	46	91	58	39
Congenital malformations (159)	115	16	11	10	28	65	14	5	2	86	11	2	9	4	3
Congenital debility (160)	129	7	4	4	17	32	13	7	5	57	23	13	22	10	4
Premature birth (161a)	230	116	40	11	19	186	17	7	8	213	7	4		1	
Injury at birth (161b)	108	60	16	13	8	97	7	1	1	106	2				
Other diseases of early infancy (162, 163)	41	15	8	6	6	35	2	1	1	39	2				
External causes (175–203)	13	1				1	1	1	1	4	2		2	2	3
All other causes	95	7	3	2	14	26	12	4	8	50	4	7	17	12	5

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1921—Continued.

[See note at head of this table, p. 619.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 mos.
REGISTRATION STATES—Continued.															
SOUTH CAROLINA (TOTAL).															
All causes	4,851	810	302	188	471	1,771	373	204	153	2,501	422	290	728	500	410
Measles (7)	23						1		2	3	2	2	6	7	3
Scarlet fever (8)	2						1			1					1
Whooping cough (9)	169			1	1	2	4	2	3	11	28	17	43	39	31
Diphtheria (10)	31			1	4	5	1			6	5	4	6	6	4
Influenza (11)	64				5	5	2	3	1	11	8	6	15	10	14
Dysentery (16)	109				1	1	2	3	3	9	9	12	32	22	25
Erysipelas (21)	9							1		1	1	3	2	1	1
Meningococcus meningitis (24)	9										1		4	3	1
Tetanus (29)	21			1	7	8	6	5		19		1	1		
Tuberculosis of the respiratory system (31)	18								1	1	1		6	4	6
Tuberculosis of the meninges, etc. (32)	8												4	2	2
Other forms of tuberculosis (33–37)	3												3		
Syphilis (38)	79	6	4	2	4	16	7	2	2	27	15	9	23	4	1
Convulsions (80)	99	3	6	4	20	33	22	7	6	68	9	3	12	4	3
Other [organic] diseases of the heart (90)	10						2		1	3	3	1	2	1	
Bronchitis (99)	26				2	2	1	1		4	5		8	6	3
Bronchopneumonia (100)	156	1	2	1	6	10	8	5	3	26	17	16	38	37	22
Pneumonia (101)	261		1	1	7	9	12	10	12	43	34	28	80	53	23
Diseases of the stomach (111, 112)	108	2			6	8	2	3	5	18	12	10	33	17	18
Diarrhea and enteritis (113)	673		7	3	15	25	17	14	8	64	73	68	186	144	138
Congenital malformations (159)	123	19	13	10	20	62	9	11	8	90	9	4	9	9	2
Congenital debility (160)	361	34	11	7	60	112	39	21	23	195	55	30	45	16	20
Premature birth (161a)	1,527	666	207	111	237	1,221	162	74	36	1,493	19	8	3	4	
Injury at birth (161b)	79	33	11	14	12	70	5	2	1	78	1				
Other diseases of early infancy (162, 163)	121	21	23	19	16	79	17	9	6	111	7	3			
External causes (175–203)	67	10			1	11			3	14	9	5	18	13	8
All other causes	695	15	17	13	47	92	53	31	29	205	99	60	149	98	84
SOUTH CAROLINA (WHITE).															
All causes	1,747	365	130	75	138	708	121	66	60	955	136	90	235	175	156
Measles (7)	11						1		2	3	1	1	1	3	2
Scarlet fever (8)	2						1			1					1
Whooping cough (9)	62							1	1	2	17	7	13	15	8
Diphtheria (10)	10										3	2	2	3	
Influenza (11)	27				2	2	2	3	1	8	2	3	3	4	7
Dysentery (16)	36							1	2	3	4	4	10	5	10
Erysipelas (21)	7							1		1	1	2	1	1	1
Meningococcus meningitis (24)	6												3	2	1
Tetanus (29)	7			1	1	2	2	3		7					
Tuberculosis of the respiratory system (31)	4										1		3		
Tuberculosis of the meninges, etc. (32)	5												3	1	1
Other forms of tuberculosis (33–37)															
Syphilis (38)	11	1	1			2	1		1	4	3	3	1		
Convulsions (80)	18		2		3	5	3	4	1	13	2	1	1	1	
Other [organic] diseases of the heart (90)	7						1		1	2	2	1	1	1	
Bronchitis (99)	9										3			3	3
Bronchopneumonia (100)	65	1	2	1	3	7	4	1	1	13	9	5	21	9	8
Pneumonia (101)	74		1	1		2	2	4	4	12	15	7	18	17	5
Diseases of the stomach (111, 112)	31				1	1	1		3	5	4	4	10	1	7
Diarrhea and enteritis (113)	288			1	2	3	2	8	2	15	17	25	90	70	71
Congenital malformations (159)	91	14	13	10	15	52	7	10	7	76	6	3	3	3	
Congenital debility (160)	103	9	6		20	35	16	3	8	62	10	8	14	6	3
Premature birth (161a)	566	295	69	40	70	474	50	17	12	553	6	3	2	2	
Injury at birth (161b)	61	22	11	11	10	54	4	1	1	60	1				
Other diseases or early infancy (162 ,163)	51	14	16	5	1	36	9	2	2	49		2			
External causes (175–203)	23	5			1	6			1	7	5		5	3	3
All other causes	172	4	9	5	9	27	15	7	10	59	24	9	30	25	25
SOUTH CAROLINA (COLORED).															
All causes	3,104	445	172	113	333	1,063	252	138	93	1,546	286	200	493	325	254
Measles (7)	12										1	1	5	4	1
Scarlet fever (8)															
Whooping cough (9)	107			1	1	2	4	1	2	9	11	10	30	24	23
Diphtheria (10)	21			1	4	5	1			6	2	2	4	3	4
Influenza (11)	37				3	3				3	6	3	12	6	7
Dysentery (16)	73				1	1	2	2	1	6	5	8	22	17	15
Erysipelas (21)	2											1	1		
Meningococcus meningitis (24)	3										1		1	1	
Tetanus (29)	14				6	6	4	2		12		1	1		
Tuberculosis of the respiratory system (31)	14								1	1			3	4	6
Tuberculosis of the meninges, etc. (32)	3												1	1	1
Other forms of tuberculosis (33–37)	3												3		
Syphilis (38)	68	5	3	2	4	14	6	2	1	23	12	6	22	4	1
Convulsions (80)	81	3	4	4	17	28	19	3	5	55	7	2	11	3	3
Other [organic] diseases of the heart (90)	3						1			1	1		1		
Bronchitis (99)	17				2	2	1	1		4	2		8	3	
Bronchopneumonia (100)	91				3	3	4	4	2	13	8	11	17	28	14
Pneumonia (101)	187				7	7	10	6	8	31	19	21	62	36	18
Diseases of the stomach (111, 112)	77	2			5	7	1	3	2	13	8	6	23	16	11
Diarrhea and enteritis (113)	385		7	2	13	22	15	6	6	49	56	43	96	74	67
Congenital malformations (159)	32	5			5	10	2	1	1	14	3	1	6	6	2
Congenital debility (160)	258	25	5	7	40	77	23	18	15	133	45	22	31	10	17
Premature birth (161a)	961	371	138	71	167	747	112	57	24	940	13	5	1	2	
Injury at birth (161b)	18	11		3	2	16	1	1		18					
Other diseases of early infancy (162, 163)	70	7	7	14	15	43	8	7	4	62	7	1			
External causes (175–203)	44	5				5			2	7	4	5	13	10	5
All other causes	523	11	8	8	38	65	38	24	19	146	75	51	119	73	59

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1921—Continued.

[See note at head of this table, p. 619.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 mos.
REGISTRATION STATES—Continued.															
TENNESSEE (TOTAL).															
All causes	3,924	741	219	127	292	1,379	315	165	153	2,012	362	241	551	412	346
Measles (7)	20			1		1		3		4	3	1	6	2	4
Scarlet fever (8)	9								1	1			1	4	3
Whooping cough (9)	173				1	1	6	5	10	22	26	13	45	36	31
Diphtheria (10)	41		1	1		2	2	5	1	10	2	1	6	11	11
Influenza (11)	44	2				2	1	2	1	6	2	4	14	10	8
Dysentery (16)	64				1	1	1			2	5	7	12	19	19
Erysipelas (21)	23							1	1	2	10		8	1	2
Meningococcus meningitis (24)	14										2	2	2	5	3
Tetanus (29)	11				3	3	8			11					
Tuberculosis of the respiratory system (31)	30				1	1				1	2	3	10	11	3
Tuberculosis of the meninges, etc. (32)	18											1	7	6	4
Other forms of tuberculosis (33–37)	5										1		1	2	1
Syphilis (38)	57	6	4	3		13	7	3	4	27	8	5	9	6	2
Convulsions (80)	38	1	2	1	10	14	8	4		26	2	1	3	3	3
Other [organic] diseases of the heart (90)	8	1			1	2	2			4			4		
Bronchitis (99)	26			1		1	2	1	1	5	3	5	6	4	3
Bronchopneumonia (100)	211	1		4	6	11	8	5	10	34	28	19	62	37	31
Pneumonia (101)	119	2		2	3	7	5	2	5	19	15	8	27	32	18
Diseases of the stomach (111, 112)	64				6	6	8	2	2	18	8	3	16	12	7
Diarrhea and enteritis (113)	477			1	8	9	7	10	14	40	45	51	129	97	115
Congenital malformations (159)	194	42	14	13	29	98	20	13	12	143	18	10	13	5	5
Congenital debility (160)	221	45	18	8	23	94	30	19	15	158	25	11	13	8	6
Premature birth (161a)	798	428	103	48	74	653	75	27	16	771	19	2	5		1
Injury at birth (161b)	127	60	23	14	16	113	7	4	1	125	2				
Other diseases of early infancy (162, 163)	77	31	5	3	18	57	12	3	3	75	1	1			
External causes (175–203)	55	1	1	1	2	5	1	2	3	11	10	4	16	9	5
All other causes	1,000	121	48	26	90	285	105	54	53	497	125	89	136	92	61
TENNESSEE (WHITE).															
All causes	2,995	620	166	105	222	1,113	226	123	121	1,583	276	166	391	318	261
Measles (7)	16			1		1		3		4	2	1	4	2	3
Scarlet fever (8)	9								1	1			1	4	3
Whooping cough (9)	127				1	1	5	3	9	18	20	8	34	27	20
Diphtheria (10)	33		1	1		2	1	4	1	8		1	4	10	10
Influenza (11)	30	2				2		1	1	4	1	3	8	9	5
Dysentery (16)	52										3	4	10	19	16
Erysipelas (21)	22							1	1	2	10		7	1	2
Meningococcus meningitis (24)	14										2	2	2	5	3
Tetanus (29)	8				3	3	5			8					
Tuberculosis of the respiratory system (31)	20				1	1				1	2	1	7	8	1
Tuberculosis of the meninges, etc. (32)	17											1	7	6	3
Other forms of tuberculosis (33–37)	3												1	2	
Syphilis (38)	33	3	1	1		5	2	1	3	11	6	3	7	4	2
Convulsions (80)	19	1	1	1	6	9	2	2		13	1		1	2	2
Other [organic] diseases of the heart (90)	7	1			1	2	1			3			4		
Bronchitis (99)	12			1		1	1			2	2	3		4	1
Bronchopneumonia (100)	137	1		2	4	7	7	2	8	24	20	12	39	23	19
Pneumonia (101)	85	2		2	2	6	2	1	4	13	12	8	20	20	12
Diseases of the stomach (111, 112)	50				5	5	7	2	1	15	7	3	11	9	5
Diarrhea and enteritis (113)	391			1	5	6	5	8	12	31	39	40	97	81	103
Congenital malformations (159)	178	40	14	13	28	95	18	10	11	134	16	8	10	5	5
Congenital debility (160)	166	35	9	8	18	70	25	16	9	120	18	7	11	6	4
Premature birth (161a)	649	358	80	36	56	530	62	24	12	628	15	2	3		1
Injury at birth (161b)	110	49	19	14	14	96	7	4	1	108	2				
Other diseases of early infancy (162, 163)	59	28	3	3	11	45	8	2	2	57	1	1			
External causes (175–203)	37	1	1		2	4	1	1	2	8	7	2	9	8	3
All other causes	711	99	37	21	65	222	67	38	43	370	90	56	94	63	38
TENNESSEE (COLORED).															
All causes	929	121	53	22	70	266	89	42	32	429	86	75	160	94	85
Measles (7)	4										1		2		1
Scarlet fever (8)															
Whooping cough (9)	46						1	2	1	4	6	5	11	9	11
Diphtheria (10)	8						1	1		2	2		2	1	1
Influenza (11)	14						1	1		2	1	1	6	1	3
Dysentery (16)	12				1	1	1			2	2	3	2		3
Erysipelas (21)	1												1		
Meningococcus meningitis (24)															
Tetanus (29)	3						3			3					
Tuberculosis of the respiratory system (31)	10											2	3	3	2
Tuberculosis of the meninges, etc. (32)	1														1
Other forms of tuberculosis (33–37)	2										1				1
Syphilis (38)	24	3	3	2		8	5	2	1	16	2	2	2	2	
Convulsions (80)	19		1		4	5	6	2		13	1	1	2	1	1
Other [organic] diseases of the heart (90)	1						1			1					
Bronchitis (99)	14						1	1	1	3	1	2	6		2
Bronchopneumonia (100)	74			2	2	4	1	3	2	10	8	7	23	14	12
Pneumonia (101)	34				1	1	3	1	1	6	3		7	12	6
Diseases of the stomach (111, 112)	14				1	1	1		1	3	1		5	3	2
Diarrhea and enteritis (113)	86				3	3	2	2	2	9	6	11	32	16	12
Congenital malformations (159)	16	2			1	3	2	3	1	9	2	2	3		
Congenital debility (160)	55	10	9		5	24	5	3	6	38	7	4	2	2	2
Premature birth (161a)	149	70	23	12	18	123	13	3	4	143	4		2		
Injury at birth (161b)	17	11	4		2	17				17					
Other diseases of early infancy (162, 163)	18	3	2		7	12	4	1	1	18					
External causes (175–203)	18			1		1		1	1	3	3	2	7	1	2
All other causes	289	22	11	5	25	63	38	16	10	127	35	33	42	29	23

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1921—Continued.

[See note at head of this table, p. 619.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 mos.
REGISTRATION STATES—Continued.															
UTAH.															
All causes	1,062	258	47	48	82	435	76	50	48	609	90	63	121	92	87
Measles (7)	18										1		2	5	10
Scarlet fever (8)	2														2
Whooping cough (9)	94							2	6	8	14	13	19	19	21
Diphtheria (10)	4				1	1				1			1	2	
Influenza (11)	11						1		1	2		2	3	2	2
Dysentery (16)	3												2		1
Erysipelas (21)	12				1	1		2	1	4	2		1	4	1
Meningococcus meningitis (24)	2											1		1	
Tetanus (29)															
Tuberculosis of the respiratory system (31)	1											1			
Tuberculosis of the meninges, etc. (32)	4											2	1		1
Other forms of tuberculosis (33–37)															
Syphilis (38)	4						1	1	1	3			1		
Convulsions (80)	13		1	2		3	3	2		8	3		2		
Other [organic] diseases of the heart (90)															
Bronchitis (99)	15				1	1	2		3	6	2	1	5		1
Bronchopneumonia (100)	133		1	3	2	6	7	7	10	30	31	15	28	14	15
Pneumonia (101)	40						3	2	4	9	6	5	9	8	3
Diseases of the stomach (111, 112)	3							1		1	1				1
Diarrhea and enteritis (113)	76				1	1	2	6	2	11	5	6	20	18	16
Congenital malformations (159)	90	24	8	9	12	53	12	3	4	72	7	3	3	2	3
Congenital debility (160)	34	5	1	3	6	15	4	3	1	23	2	2	5	2	
Premature birth (161a)	205	185	24	15	24	248	26	9	3	286	8		1		
Injury at birth (161b)	59	32	6	7	9	54	3	1	1	59					
Other diseases of early infancy (162, 163)	34	6	3	4	9	22	6	4	2	34					
External causes (175–203)	9			1	1	2		1	1	4			3	2	
All other causes	106	6	3	4	15	28	6	6	8	48	8	12	15	13	10
VERMONT.															
All causes	617	117	70	21	46	254	35	44	20	353	58	35	88	50	33
Measles (7)	4												1	1	2
Scarlet fever (8)															
Whooping cough (9)	15								1	1	2		5	2	5
Diphtheria (10)	2												1		1
Influenza (11)	3										1		1	1	
Dysentery (16)	1														1
Erysipelas (21)	2							1		1	1				
Meningococcus meningitis (24)															
Tetanus (29)															
Tuberculosis of the respiratory system (31)	2											1		1	
Tuberculosis of the meninges, etc. (32)	10											1	1	4	4
Other forms of tuberculosis (33–37)	2													1	1
Syphilis (38)	4	1				1		1		2	1				1
Convulsions (80)	9	1	1		2	4				4	2		2		1
Other [organic] diseases of the heart (90)	5						1	1		2	1		1	1	
Bronchitis (99)	7				1	1		1		2	1	1	2		1
Bronchopneumonia (100)	47				1	1	2	2	2	7	9	5	15	8	3
Pneumonia (101)	12				1	1		2		3	1	1	3	3	1
Diseases of the stomach (111, 112)	11							1	1	2	2	2	4	1	
Diarrhea and enteritis (113)	80				1	1		5		6	14	7	33	14	6
Congenital malformations (159)	71	15	15	1	13	44	5	5	3	57	3	2	4	2	3
Congenital debility (160)	53	7	3	5	4	19	6	4	2	31	8	4	9		1
Premature birth (161a)	183	74	37	9	15	135	16	15	6	172	5	3	3		
Injury at birth (161b)	32	13	10	2	1	26	3	1	2	32					
Other diseases of early infancy (162, 163)	18	6	2	3	2	13	2	1		16	2				
External causes (175–203)	8		1			1			1	2		1	3		2
All other causes	36		1	1	5	7		4	2	13	5	7	3	8	
VIRGINIA (TOTAL).															
All causes	5,523	1,101	285	226	411	2,023	366	213	165	2,767	455	410	834	598	459
Measles (7)	50							5	2	7	4	5	9	7	18
Scarlet fever (8)	6										2	1	1		2
Whooping cough (9)	239	1			1	2		5	8	15	29	29	71	43	52
Diphtheria (10)	54		1	1	3	5	3	1	3	12	3	4	11	16	8
Influenza (11)	46			2	1	3	3		2	8	1	2	14	11	10
Dysentery (16)	83							2	3	5	4	10	26	14	24
Erysipelas (21)	11								3	3	4	2	2		
Meningococcus meningitis (24)	8				2	2				2		2	1	2	1
Tetanus (29)	18				3	3	14	1		18					
Tuberculosis of the respiratory system (31)	35							1		1	3	3	9	11	8
Tuberculosis of the meninges, etc. (32)	32								1	1		2	4	15	10
Other forms of tuberculosis (33–37)	5										1	1	3		
Syphilis (38)	84	11	2	1	6	20	5	2	2	29	16	12	16	6	5
Convulsions (80)	112	3	6	9	18	36	20	5	4	65	7	6	15	7	12
Other [organic] diseases of the heart (90)	15	1			1	2	4	4	1	11			1	2	1
Bronchitis (99)	41				1	1	2	1	1	5	7	7	10	7	5
Bronchopneumonia (100)	291	1		3	7	11	13	5	12	41	30	34	68	68	50
Pneumonia (101)	166	1		1	9	11	8	7	4	30	18	16	47	36	19
Diseases of the stomach (111, 112)	64	1			2	3	4	6	6	19	7	7	13	12	6
Diarrhea and enteritis (113)	862	1	1	1	6	9	19	25	17	70	63	108	282	202	137
Congenital malformations (159)	311	68	29	38	49	184	29	11	9	233	32	6	21	13	6
Congenital debility (160)	470	65	32	15	46	158	36	24	21	239	76	54	56	27	18
Premature birth (161a)	1,262	673	132	79	116	1,000	109	53	24	1,186	36	14	17	8	1
Injury at birth (161b)	224	123	27	25	39	214	6	1	1	222	1	1			
Other diseases of early infancy (162, 163)	122	35	10	13	23	81	23	8	7	119	2	1			
External causes (175–203)	105	10	4	3	1	18	4	3	1	26	18	15	18	19	9
All other causes	807	107	41	35	77	260	64	43	33	400	91	68	119	72	57

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1921—Continued.

[See note at head of this table, p. 619.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 mos.
REGISTRATION STATES—Continued.															
VIRGINIA (WHITE).															
All causes	3 306	813	173	144	246	1,376	204	136	105	1,821	265	208	426	320	266
Measles (7)	31							2	2	4	3	3	4	4	13
Scarlet fever (8)	6										2	1	1		2
Whooping cough (9)	133	1			1	2		3	5	10	20	16	38	23	26
Diphtheria (10)	34		1	1		2	3	1	2	8	1	1	5	13	6
Influenza (11)	19			1		1	2		2	5			5	3	6
Dysentery (16)	52							2		2	2	5	16	9	18
Erysipelas (21)	11								3	3	4	2	2		
Meningococcus meningitis (24)	5				1	1				1		2		1	1
Tetanus (29)	5				1	1	3	1		5					
Tuberculosis of the respiratory system (31)	16										2		4	4	6
Tuberculosis of the meninges, etc. (32)	19								1	1		1	1	8	8
Other forms of tuberculosis (33–37)	1												1		
Syphilis (38)	19	3			1	4	1			5	5	4	4	1	
Convulsions (80)	40	2	3	5	7	17	6	1	2	26	5	3	2	2	2
Other [organic] diseases of the heart (90)	12						4	4	1	9				2	1
Bronchitis (99)	19				1	1	1	1	1	4	3	3	4	4	1
Bronchopneumonia (100)	138	1		1	4	6	6	4	8	24	18	15	28	29	24
Pneumonia (101)	79	1			5	6	4	5	2	17	12	10	20	11	9
Diseases of the stomach (111, 112)	35				2	2	3	3	3	11	4	4	8	4	4
Diarrhea and enteritis (113)	499			1	5	6	5	13	10	34	36	57	163	121	88
Congenital malformations (159)	240	57	19	31	32	139	25	9	9	182	27	3	15	8	5
Congenital debility (160)	245	33	17	11	26	87	15	16	10	128	42	26	27	14	8
Premature birth (161a)	888	529	84	46	72	731	71	30	15	847	20	6	11	4	
Injury at birth (16b)	174	95	20	17	35	167	5	1	1	174					
Other diseases of early infancy (162, 163)	65	22	5	7	11	45	10	5	4	64	1				
External causes (175–203)	67	8		2	1	11	4	2	1	18	7	10	9	17	6
All other causes	454	61	24	21	41	147	36	33	23	239	51	36	58	38	32
VIRGINIA (COLORED).															
All causes	2,217	288	112	82	165	647	162	77	60	946	190	202	408	278	193
Measles (7)	19							3		3	1	2	5	3	5
Scarlet fever (8)															
Whooping cough (9)	106							2	3	5	9	13	33	20	26
Diphtheria (10)	20				3	3			1	4	2	3	6	3	2
Influenza (11)	27			1	1	2	1			3	1	2	9	8	4
Dysentery (16)	31								3	3	2	5	10	5	6
Erysipelas (21)															
Meningococcus meningitis (24)	3				1	1				1			1	1	
Tetanus (29)	13				2	2	11			13					
Tuberculosis of the respiratory system (31)	19							1		1	1	3	5	7	2
Tuberculosis of the meninges, etc. (32)	13											1	3	7	2
Other forms of tuberculosis (33–37)	4										1	1	2		
Syphilis (38)	65	8	2	1	5	16	4	2	2	24	11	8	12	5	5
Convulsions (80)	72	1	3	4	11	19	14	4	2	39	2	3	13	5	10
Other [organic] diseases of the heart (90)	3	1			1	2				2			1		
Bronchitis (99)	22						1			1	4	4	6	3	4
Bronchopneumonia (100)	153			2	3	5	7	1	4	17	12	19	40	39	26
Pneumonia (101)	87			1	4	5	4	2	2	13	6	6	27	25	10
Diseases of the stomach (111, 112)	29	1				1	1	3	3	8	3	3	5	8	2
Diarrhea and enteritis (113)	363	1	1		1	3	14	12	7	36	27	51	119	81	49
Congenital malformations (159)	71	11	10	7	17	45	4	2		51	5	3	6	5	1
Congenital debility (160)	225	32	15	4	20	71	21	8	11	111	34	28	29	13	10
Premature birth (161a)	374	144	48	33	44	269	38	23	9	339	16	8	6	4	1
Injury at birth (161b)	50	28	7	8	4	47	1			48	1	1			
Other diseases of early infancy (162, 163)	57	13	5	6	12	36	13	3	3	55	1	1			
External causes (175–203)	38	2	4	1		7		1		8	11	5	9	2	3
All other causes	353	46	17	14	36	113	28	10	10	161	40	32	61	34	25
WASHINGTON.															
All causes	1,512	355	119	89	182	745	110	71	59	985	121	94	139	99	74
Measles (7)	10										2	3		2	3
Scarlet fever (8)	4							1		1			2	1	
Whooping cough (9)	31							1	2	3	6	3	8	5	6
Diphtheria (10)	2													1	1
Influenza (11)	26						2	2		4	4	2	4	7	5
Dysentery (16)	3						1			1			2		
Erysipelas (21)	12						1	2	3	6	1	2	2		1
Meningococcus meningitis (24)	4											1	2		1
Tetanus (29)															
Tuberculosis of the respiratory system (31)	3													2	1
Tuberculosis of the meninges, etc. (32)	13								1	1		1	2	4	5
Other forms of tuberculosis (33–37)	5												1	2	2
Syphilis (38)	20	4			3	7		1	2	10	6	2	2		
Convulsions (80)	11			1	2	3		1		4		1	5	1	
Other [organic] diseases of the heart (90)	2				1	1				1			1		
Bronchitis (99)	8		1		1	2		1		3			1	2	2
Bronchopneumonia (100)	113	1		1	4	6	8	5	6	25	23	15	19	20	11
Pneumonia (101)	45			1	4	5		2	4	11	11	6	5	9	3
Diseases of the stomach (111, 112)	19				2	2	1		2	5	3	4	3	2	2
Diarrhea and enteritis (113)	117	1			4	5	5	9	6	25	13	20	30	16	13
Congenital malformations (159)	173	38	17	23	28	106	13	7	9	135	17	5	11	4	1
Congenital debility (160)	80	8	10	8	17	43	8	8	2	61	6	4	7	2	
Premature birth (161a)	427	219	60	21	51	351	38	18	7	414	4	2	6		1
Injury at birth (161b)	139	54	24	16	23	117	17	1	3	138	1				
Other diseases of early infancy (162, 163)	72	20	4	12	25	61	5	2	2	70	1	1			
External causes (175–203)	25				4	4	1	2		7	3	5	6		4
All other causes	148	10	3	6	13	32	10	8	10	60	20	17	20	10	12

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1921—Continued.

[See note at head of this table, p. 619.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 mos.
REGISTRATION STATES—Continued.															
WISCONSIN.															
All causes	4,448	1,078	262	228	437	2,005	321	227	148	2,701	323	242	567	355	260
Measles (7)	20								1	1	4		3	7	5
Scarlet fever (8)	9										1		2	2	4
Whooping cough (9)	92							1	3	4	14	16	31	14	13
Diphtheria (10)	10						2			2	1		1		6
Influenza (11)	41				1	1	2	3	2	8	6	7	10	5	5
Dysentery (16)	26						1	2	2	5	2	1	8	8	2
Erysipelas (21)	21						2	4		6	7	2	3	3	
Meningococcus meningitis (24)	7								1	1			4	1	1
Tetanus (29)	6			1	1	2	4			6					
Tuberculosis of the respiratory system (31)	11										2		1	5	3
Tuberculosis of the meninges, etc. (32)	22								1	1	1	2	6	5	7
Other forms of tuberculosis (33–37)	4	1				1	1			2		1			1
Syphilis (38)	27	4		1	2	7	1			8	5	1	8	4	1
Convulsions (80)	81	3	6	7	18	34	8	5	2	49	2	4	10	12	4
Other [organic] diseases of the heart (90)	10						2	2		4		2	2	1	1
Bronchitis (99)	82	1	1	5	10	17	6	10	3	36	9	4	17	8	8
Bronchopneumonia (100)	324		4	4	12	20	19	19	13	71	46	32	73	56	46
Pneumonia (101)	147	1		3	10	14	8	10	7	39	16	12	31	25	24
Diseases of the stomach (111, 112)	77			1	8	9	9	6	3	27	12	9	19	6	4
Diarrhea and enteritis (113)	709	1	1	6	19	27	38	39	27	131	75	93	200	136	74
Congenital malformations (159)	328	82	29	40	54	205	31	22	11	269	21	8	22	6	2
Congenital debility (160)	273	32	16	20	43	111	40	20	17	188	26	23	24	6	6
Premature birth (161a)	1,199	701	133	77	103	1,014	75	46	27	1,162	26	2	5	3	1
Injury at birth (161b)	279	130	32	24	66	252	16	5	3	276	3				
Other diseases of early infancy (162, 163)	227	96	30	25	46	197	14	7	3	221	5	1			
External causes (175–203)	55	2	3	1	5	11	1	3	1	16	6		14	6	13
All other causes	361	24	7	13	39	83	41	23	21	168	33	22	73	36	29
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920.															
BIRMINGHAM, ALA. (TOTAL).															
All causes	434	142	29	17	23	211	23	21	13	268	32	27	45	32	30
Measles (7)	5										1	1			3
Scarlet fever (8)															
Whooping cough (9)	7							1		1	3			1	2
Diphtheria (10)	1												1		
Influenza (11)	3												1	1	1
Dysentery (16)	1												1		
Erysipelas (21)	4							1	1	2	1	1			
Meningococcus meningitis (24)	1												1		
Tetanus (29)	1				1	1				1					
Tuberculosis of the respiratory system (31)	1												1		
Tuberculosis of the meninges, etc. (32)	4												2	1	1
Other forms of tuberculosis (33–37)	3													2	1
Syphilis (38)	20	2	4			6	1			7	4	4	2	2	1
Convulsions (80)	3			1		1				1	1	1			
Other [organic] diseases of the heart (90)	1											1			
Bronchitis (99)	4							1	1	2	1		1		
Bronchopneumonia (100)	23			1	1	2		1	2	5	2	4	6	3	3
Pneumonia (101)	21			1		1			1	2		5	7	6	1
Diseases of the stomach (111, 112)	2							1	1	2					
Diarrhea and enteritis (113)	46	1	1			2	1	1	3	7	6	4	11	10	8
Congenital malformations (159)	24	11	3	2	2	18	3			21		1	2		
Congenital debility (160)	25	10		2	1	13	5	2	1	21	1	1	2		
Premature birth (161a)	144	92	12	6	13	123	5	8	1	137	4		2		1
Injury at birth (161b)	17	10	2	1	1	14	3			17					
Other diseases of early infancy (162, 163)	22	12	3	1	3	19		3		22					
External causes (175–203)	10	1	2			3			1	4		2	1	1	2
All other causes	41	3	2	2	1	8	5	2	1	16	8	2	4	5	0
BIRMINGHAM, ALA. (WHITE).															
All causes	204	74	13	11	11	109	9	9	7	134	10	10	16	14	20
Measles (7)	1														1
Scarlet fever (8)															
Whooping cough (9)	2													1	1
Diphtheria (10)															
Influenza (11)	1														1
Dysentery (16)															
Erysipelas (21)	3								1	1	1	1			
Meningococcus meningitis (24)	1												1		
Tetanus (29)															
Tuberculosis of the respiratory system (31)															
Tuberculosis of the meninges, etc. (32)	2												1		1
Other forms of tuberculosis (33–37)	1													1	
Syphilis (38)	2										1			1	
Convulsions (80)	1			1		1				1					
Other [organic] diseases of the heart (90)	1											1			
Bronchitis (99)	1								1	1					
Bronchopneumonia (100)	10			1		1		1	2	4	2	1	1		2
Pneumonia (101)	5								1	1		2	2		
Diseases of the stomach (111, 112)															
Diarrhea and enteritis (113)	24		1			1		1		2	2	2	5	6	7
Congenital malformations (159)	22	10	3	2	2	17	2			19		1	2		
Congenital debility (160)	15	7		1	1	9		2		11	1	1	2		
Premature birth (161a)	69	47	6	3	4	60	2	4	1	67	1		1		
Injury at birth (161b)	9	4	1	1	1	7	2			9					
Other diseases of early infancy (162, 163)	6	3		1	2	6				6					
External causes (175–203)	8	1	1			2			1	3		1	1	1	2
All other causes	20	2	1	1	1	5	3	1		9	2			4	5

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1921—Continued.

[See note at head of this table, p. 619.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 mos.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
BIRMINGHAM, ALA. (COLORED).															
All causes	230	68	16	6	12	102	14	12	6	134	22	17	29	18	10
Measles (7)	4										1	1			2
Scarlet fever (8)															
Whooping cough (9)	5							1		1	3				1
Diphtheria (10)	1												1		
Influenza (11)	2												1	1	
Dysentery (16)	1												1		
Erysipelas (21)	1							1		1					
Meningococcus meningitis (24)															
Tetanus (29)	1				1	1				1					
Tuberculosis of the respiratory system (31)	1												1		
Tuberculosis of the meninges, etc. (32)	2												1	1	
Other forms of tuberculosis (33–37)	2													1	1
Syphilis (38)	18	2	4			6	1			7	3	4	2	1	1
Convulsions (80)	2										1	1			
Other [organic] diseases of the heart (90)															
Bronchitis (99)	3							1		1	1		1		
Bronchopneumonia (100)	13				1	1				1		3	5	3	1
Pneumonia (101)	16			1		1				1		3	5	6	1
Diseases of the stomach (111, 112)	2							1	1	2					
Diarrhea and enteritis (113)	22	1				1	1		3	5	4	2	6	4	1
Congenital malformations (159)	2	1				1	1			2					
Congenital debility (160)	10	3		1		4	5		1	10					
Premature birth (161a)	75	45	6	3	9	63	3	4		70	3		1		1
Injury at birth (161b)	8	6	1			7	1			8					
Other diseases of early infancy (162, 163)	16	9	3		1	13		3		16					
External causes (175–203)	2		1			1				1		1			
All other causes	21	1	1	1		3	2	1	1	7	6	2	4	1	1
LOS ANGELES, CALIF. (TOTAL).															
All causes	859	153	50	28	77	308	45	34	34	421	69	56	148	96	69
Measles (7)	5														5
Scarlet fever (8)	1								1	1					
Whooping cough (9)	7										1		6		
Diphtheria (10)	9						1			1	2		3	1	2
Influenza (11)	5							2		2		1	1	1	
Dysentery (16)	3												1	2	
Erysipelas (21)	4				1	1				1	2		1		
Meningococcus meningitis (24)	1													1	
Tetanus (29)	1				1	1				1					
Tuberculosis of the respiratory system (31)	8										1	1	3	2	1
Tuberculosis of the meninges, etc. (32)	10											2	1	1	6
Other forms of tuberculosis (33–37)	4													1	3
Syphilis (38)	16	1				1	2	4	1	8	1	2	1	4	
Convulsions (80)	4				1	1				1			2	1	
Other [organic] diseases of the heart (90)	3						1			1	1	1			
Bronchitis (99)	21						1		1	2	3		6	7	3
Bronchopneumonia (100)	50				3	3	1	2	2	8	3	8	11	5	15
Pneumonia (101)	18			1		1				1	2		6	5	4
Diseases of the stomach (111, 112)	8						1		2	3	1	1	3		
Diarrhea and enteritis (113)	168	1		1	6	8	5	2	6	21	21	19	54	37	16
Congenital malformations (159)	72	12	5	6	14	37	4	2	6	49	8	6	6	2	1
Congenital debility (160)	64	3	4	1	6	14	2	3	5	24	7	10	18	5	
Premature birth (161a)	216	109	30	9	21	169	17	14	5	205	7	1	2	1	
Injury at birth (161b)	35	14	4	7	7	32	2	1		35					
Other diseases of early infancy (162, 163)	40	11	7	2	12	32	3	1	1	37	2	1			
External causes (175–203)	16	1		1	1	3	1	1		5	1		2	5	3
All other causes	70	1			4	5	4	2	4	15	6	3	21	15	10
LOS ANGELES, CALIF. (WHITE).															
All causes	763	145	44	26	62	277	40	31	34	382	50	48	138	82	63
Measles (7)	5														5
Scarlet fever (8)	1								1	1					
Whooping cough (9)	7										1		6		
Diphtheria (10)	9						1			1	2		3	1	2
Influenza (11)	5							2		2		1	1	1	
Dysentery (16)	1												1		
Erysipelas (21)	4				1	1				1	2		1		
Meningococcus meningitis (24)	1													1	
Tetanus (29)	1				1	1				1					
Tuberculosis of the respiratory system (31)	7										1	1	2	2	1
Tuberculosis of the meninges, etc. (32)	7											1	1	1	4
Other forms of tuberculosis (33–37)	4													1	3
Syphilis (38)	15	1				1	2	4	1	8	1	2		4	
Convulsions (80)	4				1	1				1			2	1	
Other [organic] diseases of the heart (90)	3						1			1	1	1			
Bronchitis (99)	16						1		1	2	1		5	5	3
Bronchopneumonia (100)	44				1	1		2	2	5	3	7	10	5	14
Pneumonia (101)	15			1		1				1	1		6	3	4
Diseases of the stomach (111, 112)	7						1		2	3		1	3		
Diarrhea and enteritis (113)	153	1		1	6	8	5	2	6	21	15	17	53	33	14
Congenital malformations (159)	65	12	4	6	13	35	4	1	6	46	6	5	5	2	1
Congenital debility (160)	57	3	3	1	6	13	2	3	5	23	4	8	17	5	
Premature birth (161a)	190	101	27	7	15	150	14	12	5	181	5	1	2	1	
Injury at birth (161b)	33	14	3	7	6	30	2	1		33					
Other diseases of early infancy (162, 163)	35	11	7	2	9	29	3	1	1	34	1				
External causes (175–203)	15	1		1	1	3		1		4	1		2	5	3
All other causes	59	1			2	3	4	2	4	13	5	3	18	11	9

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1921—Continued.

[See note at head of this table, p. 619.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 mos.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
LOS ANGELES, CALIF. (COLORED).															
All causes	96	8	6	2	15	31	5	3	.....	39	19	8	10	14	6
Measles (7)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (11)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Dysentery (16)	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....
Erysipelas (21)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Meningococcus meningitis (24)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus (29)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
Tuberculosis of the meninges, etc. (32)	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2
Other forms of tuberculosis (33–37)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Syphilis (38)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
Convulsions (80)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other [organic] diseases of the heart (90)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Bronchitis (99)	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	2	.....
Bronchopneumonia (100)	6	.....	.....	.....	2	2	1	.....	.....	3	.....	1	1	.....	1
Pneumonia (101)	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	.....
Diseases of the stomach (111, 112)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Diarrhea and enteritis (113)	15	.....	.....	.....	.....	.....	.....	.....	.....	.....	6	2	1	4	2
Congenital malformations (159)	7	.....	1	.....	1	2	.....	1	.....	3	2	1	1	.....	.....
Congenital debility (160)	7	.....	1	.....	.....	1	.....	.....	.....	1	3	2	1	.....	.....
Premature birth (161a)	26	8	3	2	6	19	3	2	.....	24	2	.....	.....	.....	.....
Injury at birth (161b)	2	.....	1	.....	1	2	.....	.....	.....	2	.....	.....	.....	.....	.....
Other diseases of early infancy (162, 163)	5	.....	.....	.....	3	3	.....	.....	.....	3	1	1	.....	.....	.....
External causes (175–203)	1	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....
All other causes	11	.....	.....	.....	2	2	.....	.....	.....	2	1	.....	3	4	1
OAKLAND, CALIF.															
All causes	218	44	12	9	14	79	11	8	10	108	24	15	35	21	15
Measles (7)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9)	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	2	2	.....
Diphtheria (10)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
Influenza (11)	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	1	.....
Dysentery (16)	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....
Erysipelas (21)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Meningococcus meningitis (24)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus (29)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
Tuberculosis of the meninges, etc. (32)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other forms of tuberculosis (33–37)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Syphilis (38)	12	2	.....	.....	1	3	.....	2	1	6	1	.....	3	.....	2
Convulsions (80)	3	1	.....	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....	1
Other [ogranic] diseases of the heart (90)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Bronchitis (99)	2	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	1	.....	.....
Bronchopneumonia (100)	21	.....	.....	.....	1	1	.....	.....	1	2	1	3	5	6	4
Pneumonia (101)	11	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	3	5	1
Diseases of the stomach (111, 112)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Diarrhea and enteritis (113)	27	.....	.....	.....	2	2	1	1	.....	4	1	5	8	4	5
Congenital malformations (159)	28	7	2	5	3	17	.....	1	2	20	4	2	2	.....	.....
Congenital debility (160)	8	2	.....	1	.....	3	.....	.....	.....	3	1	1	2	1	.....
Premature birth (161a)	55	29	4	2	4	39	7	1	4	51	4	.....	.....	.....	.....
Injury at birth (161b)	11	3	5	1	1	10	1	.....	.....	11	.....	.....	.....	.....	.....
Other diseases of early infancy (162, 163)	4	.....	1	.....	1	2	.....	.....	.....	2	1	1	.....	.....	.....
External causes (175–203)	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	1	.....
All other causes	18	.....	.....	.....	1	1	2	2	.....	5	4	1	6	.....	2
SAN FRANCISCO, CALIF.															
All causes	468	115	25	13	39	192	27	17	15	251	41	28	58	59	31
Measles (7)	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2
Scarlet fever (8)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
Whooping cough (9)	18	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	1	7	4	1
Diphtheria (10)	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2
Influenza (11)	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	1
Dysentery (16)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
Erysipelas (21)	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....
Meningococcus meningitis (24)	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	4	.....
Tetanus (29)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31)	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	3	.....
Tuberculosis of the meninges, etc. (32)	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	1
Other forms of tuberculosis (33–37)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Syphilis (38)	10	3	3	1	.....	7	1	.....	.....	8	1	.....	.....	1	.....
Convulsions (80)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
Other [organic] diseases of the heart (90)	2	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	.....	.....
Bronchitis (99)	6	.....	.....	.....	.....	.....	.....	1	1	2	2	1	.....	.....	1
Bronchopneumonia (100)	57	.....	1	.....	.....	1	3	3	3	10	5	7	14	18	3
Pneumonia (101)	12	.....	.....	.....	.....	.....	1	1	.....	2	3	.....	4	3	.....
Diseases of the stomach (111, 112)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diarrhea and enteritis (113)	44	.....	.....	.....	.....	.....	.....	3	1	4	9	6	14	7	4
Congenital malformations (159)	37	4	1	2	3	10	5	.....	1	16	5	4	6	1	5
Congenital debility (160)	11	2	.....	1	3	6	1	2	1	10	.....	.....	.....	1	.....
Premature birth (161a)	141	78	14	7	20	119	9	3	4	135	5	1	.....	.....	.....
Injury at birth (161b)	30	16	2	1	5	24	4	.....	1	29	1	.....	.....	.....	.....
Other diseases of early infancy (162, 163)	23	11	3	1	4	19	1	1	2	23	.....	.....	.....	.....	.....
External causes (175–203)	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	1
All other causes	43	1	1	.....	4	6	1	3	1	11	2	4	7	10	9

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1921—Continued.

[See note at head of this table, p. 619.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 mos.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
DENVER, COLO.															
All causes	390	73	21	20	32	146	32	18	15	211	31	31	47	42	28
Measles (7)	2											1			1
Scarlet fever (8)	1													1	
Whooping cough (9)	9										2	1	2	3	1
Diphtheria (10)	4										2				2
Influenza (11)	6							1		1	1	1	2	1	
Dysentery (16)															
Erysipelas (21)	5						1			1	1	1	1	1	
Meningococcus meningitis (24)	2												1	1	
Tetanus (29)															
Tuberculosis of the respiratory system (31)															
Tuberculosis of the meninges, etc. (32)	4													1	3
Other forms of tuberculosis (33–37)	6								1	1		1	1	2	1
Syphilis (38)	12	1			1	2	2	1		5	2	1	2	2	
Convulsions (80)	2				1	1				1			1		
Other [organic] diseases of the heart (90)	1										1				
Bronchitis (99)	3						1			1	1			1	
Bronchopneumonia (100)	49				1	1	3	3	5	12	3	3	11	14	6
Pneumonia (101)	14						1		2	3	3	2	3		3
Diseases of the stomach (111, 112)															
Diarrhea and enteritis (113)	43						2	2		4	5	11	7	8	8
Congenital malformations (159)	37	4	5	4	5	18	7	3	1	29	2	3	2	1	
Congenital debility (160)	18	1	1	2		4	2	1	1	8	1	1	3		
Premature birth (161a)	110	56	11	10	11	88	6	6	3	103	4	1	1	1	
Injury at birth (161b)	14	6		1	3	10	2	1	1	14					
Other diseases of early infancy (162, 163)	21	5	3	2	7	17	3		1	21					
External causes (175–203)	6		1			1				1		1	3		1
All other causes	21			1	3	4	2			6	3	3	2	5	2
BRIDGEPORT, CONN.															
All causes	270	49	18	18	33	118	15	11	9	153	22	12	37	24	22
Measles (7)															
Scarlet fever (8)															
Whooping cough (9)	4										1				3
Diphtheria (10)	3														3
Influenza (11)															
Dysentery (16)															
Erysipelas (21)	5						4			4	1				
Meningococcus meningitis (24)															
Tetanus (29)															
Tuberculosis of the respiratory system (31)	3												1	1	1
Tuberculosis of the meninges, etc. (32)	1														1
Other forms of tuberculosis (33–37)															
Syphilis (38)	1												1		
Convulsions (80)															
Other [organic] diseases of the heart (90)															
Bronchitis (99)	1												1		
Bronchopneumonia (100)	33				2	2	1	1	2	6	5	3	9	3	7
Pneumonia (101)	6		1			1	2			3	2		1		
Diseases of the stomach (111, 112)															
Diarrhea and enteritis (113)	46			1	2	3		1	4	8	6	3	12	15	2
Congenital malformations (159)	36	5	2	5	8	20	4	4		28		1	3	2	2
Congenital debility (160)	16	1			3	4	1		1	6	4	3	2		1
Premature birth (161a)	51	22	8	9	6	45	1	3	1	50	1				
Injury at birth (161b)	36	17	6	1	8	32	2	1	1	36					
Other diseases of early infancy (162, 163)	10	4	1	2	3	10				10					
External causes (175–203)	1										1				
All other causes	17				1	1		1		2	1	2	7	3	2
HARTFORD, CONN.															
All causes	305	49	33	10	24	116	17	15	15	163	24	22	44	37	15
Measles (7)	1														1
Scarlet fever (8)	1													1	
Whooping cough (9)	6								1	1		2		2	1
Diphtheria (10)	1													1	
Influenza (11)	1												1		
Dysentery (16)															
Erysipelas (21)	2										1	1			
Meningococcus meningitis (24)	1													1	
Tetanus (29)															
Tuberculosis of the respiratory system (31)															
Tuberculosis of the meninges, etc. (32)	4												1	2	1
Other forms of tuberculosis (33–37)															
Syphilis (38)	6				1	1		2	1	4		2			
Convulsions (80)	5			1		1	1			2		1	1	1	
Other [organic] diseases of the heart (90)															
Bronchitis (99)	6						1		1	2		2	1	1	
Bronchopneumonia (100)	29							1	2	3	7	1	7	7	4
Pneumonia (101)	11											3	5	1	2
Diseases of the stomach (111, 112)	1										1				
Diarrhea and enteritis (113)	56						1	1	2	4	8	6	18	15	
Congenital malformations (159)	13	2	2		1	5	1	1	3	10	2		1		
Congenital debility (160)	17	3	1	1	2	7	1	2	1	11	1	1	2	2	
Premature birth (161a)	82	33	16	4	14	67	8	4	1	80	1	1			
Injury at birth (161b)	17	5	6	1	3	15	1		1	17					
Other diseases of early infancy (162, 163)	14	5	5	1	1	12	1			13	1				
External causes (175–203)	6	1	1			2		1		3	2			1	
All other causes	25		2	2	2	6	2	3	2	13		2	7	2	1

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1921—Continued.

[See note at head of this table, p. 619.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 mos.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
NEW HAVEN, CONN.															
All causes	261	43	36	9	19	107	23	13	11	154	17	12	34	20	24
Measles (7)															
Scarlet fever (8)															
Whooping cough (9)	12								1	1	2	1	4	1	3
Diphtheria (10)	1													1	
Influenza (11)															
Dysentery (16)	1												1		
Erysipelas (21)	1							1		1					
Meningococcus meningitis (24)															
Tetanus (29)															
Tuberculosis of the respiratory system (31)	1													1	
Tuberculosis of the meninges, etc. (32)	7												3	1	3
Other forms of tuberculosis (33–37)	3											1		1	1
Syphilis (38)	4	2			1	3				3	1				
Convulsions (80)	4			1	1	2	1			3		1			
Other [organic] diseases of the heart (90)															
Bronchitis (99)	2														2
Bronchopneumonia (100)	22						2	1	2	5		5	4	2	6
Pneumonia (101)	7								1	1			1	3	2
Diseases of the stomach (111, 112)	2				1	1				1				1	
Diarrhea and enteritis (113)	32				1	1	1	2	2	6	4	1	10	7	4
Congenital malformations (159)	19	2	4		3	9	1	4	1	15	3		1		
Congenital debility (160)	7				1	1		1		2	2	1	2		
Premature birth (161a)	55	21	14	5	3	43	8	1	1	53	2				
Injury at birth (161b)	27	12	10	2	2	26	1			27					
Other diseases of early infancy (162, 163)	26	5	6		5	16	7	2	1	26					
External causes (175–203)	1						1			1					
All other causes	27	1	2	1	1	5	1	1	2	9	3	2	8	2	3
WILMINGTON, DEL.															
All causes	247	31	11	12	26	80	12	7	12	111	25	11	49	29	22
Measles (7)															
Scarlet fever (8)															
Whooping cough (9)	4										1		1	2	
Diphtheria (10)															
Influenza (11)	1												1		
Dysentery (16)															
Erysipelas (21)															
Meningococcus meningitis (24)															
Tetanus (29)															
Tuberculosis of the respiratory system (31)	2										1		1		
Tuberculosis of the meninges, etc. (32)	6												2		4
Other forms of tuberculosis (33–37)	1										1				
Syphilis (38)	2											1		1	
Convulsions (80)	2										1				1
Other [organic] diseases of the heart (90)	2				1	1		1		2					
Bronchitis (99)	3										3				
Bronchopneumonia (100)	32							1	2	3	7	1	11	8	2
Pneumonia (101)	10								1	1		1	3	3	2
Diseases of the stomach (111, 112)	3								3	3					
Diarrhea and enteritis (113)	61				1	1	1	1	2	5	8	3	21	12	12
Congenital malformations (159)	20	1	3	2	3	9	5	1	2	17		2		1	
Congenital debility (160)	13	2	1		2	5			1	6	1		6		
Premature birth (161a)	49	17	6	6	12	41	3	2		46	2		1		
Injury at birth (161b)	12	7		2	2	11			1	12					
Other diseases of early infancy (162, 163)	7	2	1	1	1	5	1	1		7					
External causes (175–203)															
All other causes	17	2		1	1	7	2			9		3	2	2	1
WASHINGTON, D. C. (TOTAL).															
All causes	750	192	39	29	54	314	52	45	30	441	61	36	71	80	61
Measles (7)	3										1			1	1
Scarlet fever (8)															
Whooping cough (9)	8										2	2	2	1	1
Diphtheria (10)	4						2			2	1				1
Influenza (11)															
Dysentery (16)	3												2		1
Erysipelas (21)	3							1		1	1				1
Meningococcus meningitis (24)	1														1
Tetanus (29)	1												1		
Tuberculosis of the respiratory system (31)	1											1			
Tuberculosis of the meninges, etc. (32)	5												1	3	1
Other forms of tuberculosis (33–37)	3												2		1
Syphilis (38)	19	6			2	8	1	1	1	11	2	1	3		2
Convulsions (80)	7		1	2		3	1	1		5	1		1		
Other [organic] diseases of the heart (90)	1								1	1					
Bronchitis (99)	8				1	1			1	2		2	3	1	
Bronchopneumonia (100)	85	1	2	2	1	6	2	3	1	12	9	9	15	26	14
Pneumonia (101)	19				1	1	1	2		4	2	1	2	6	4
Diseases of the stomach (111, 112)	2													1	1
Diarrhea and enteritis (113)	94	1				1	1	4	5	11	13	8	23	21	18
Congenital malformations (159)	47	15	5	3	9	32	1	5	1	39	2	3	1	2	
Congenital debility (160)	49	4		1	5	10	5	5	4	24	4	3	7	7	4
Premature birth (161a)	226	118	17	12	22	169	22	13	9	213	9	1	1		2
Injury at birth (161b)	60	32	10	6	6	54	4	2		60					
Other diseases of early infancy (162, 163)	32	11	3	2	4	20	2	2	3	27	4	1			
External causes (175–203)	9	2				2		1	1	4	3			1	1
All other causes	60	2	1	1	3	7	10	5	3	25	7	4	7	10	7

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1921—Continued.

[See note at head of this table, p. 619.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 mos.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
WASHINGTON, D. C. (WHITE).															
All causes	432	125	22	18	33	198	36	26	19	279	29	20	33	39	32
Measles (7)	3										1			1	1
Scarlet fever (8)															
Whooping cough (9)	3										1		1		1
Diphtheria (10)	3						2			2	1				
Influenza (11)															
Dysentery (16)	1														1
Erysipelas (21)	3							1		1	1				1
Meningococcus meningitis (24)	1														1
Tetanus (29)															
Tuberculosis of the respiratory system (31)															
Tuberculosis of the meninges, etc. (32)	4													3	1
Other forms of tuberculosis (33–37)	1														1
Syphilis (38)	5	2				2	1			3	1				1
Convulsions (80)	3			1		1	1			2			1		
Other [organic] diseases of the heart (90)															
Bronchitis (99)	6				1	1			1	2		1	3		
Bronchopneumonia (100)	25						2	2	1	5	2	4	5	7	2
Pneumonia (101)	6							2		2				2	2
Diseases of the stomach (111, 112)	2													1	1
Diarrhea and enteritis (113)	51							4	2	6	6	5	11	13	10
Congenital malformations (159)	39	14	4	1	7	26	1	4	1	32	1	3	1	2	
Congenital debility (160)	37	4		1	3	8	5	3	4	20	1	3	6	4	3
Premature birth (161a)	134	73	11	9	13	106	11	6	3	126	5	1	1		1
Injury at birth (161b)	43	25	5	4	5	39	3	1		43					
Other diseases of early infancy (162, 163)	20	6	1	1	3	11	1	1	3	16	3	1			
External causes (175–203)	4	1				1			1	2	2				
All other causes	38		1	1	1	3	9	2	3	17	4	2	4	6	5
WASHINGTON, D. C. (COLORED).															
All causes	318	67	17	11	21	116	16	19	11	162	32	16	38	41	29
Measles (7)															
Scarlet fever (8)															
Whooping cough (9)	5										1	2	1	1	
Diphtheria (10)	1														1
Influenza (11)															
Dysentery (16)	2												2		
Erysipelas (21)															
Meningococcus meningitis (24)															
Tetanus (29)	1												1		
Tuberculosis of the respiratory system (31)	1											1			
Tuberculosis of the meninges, etc. (32)	1												1		
Other forms of tuberculosis (33–37)	2												2		
Syphilis (38)	14	4			2	6		1	1	8	1	1	3		1
Convulsions (80)	4		1	1		2		1		3	1				
Other [organic] diseases of the heart (90)	1								1	1					
Bronchitis (99)	2											1		1	
Bronchopneumonia (100)	60	1	2	2	1	6		1		7	7	5	10	19	12
Pneumonia (101)	13				1	1	1			2	2	1	2	4	2
Diseases of the stomach (111, 112)															
Diarrhea and enteritis (113)	43	1				1	1		3	5	7	3	12	8	8
Congenital malformations (159)	8	1	1	2	2	6		1		7	1				
Congenital debility (160)	12				2	2		2		4	3		1	3	1
Premature birth (161a)	92	45	6	3	9	63	11	7	6	87	4				1
Injury at birth (161b)	17	7	5	2	1	15	1	1		17					
Other diseases of early infancy (162, 163)	12	5	2	1	1	9	1	1		11	1				
External causes (175–203)	5	1				1		1		2	1			1	1
All other causes	22	2			2	4	1	3		8	3	2	3	4	2
ATLANTA, GA. (TOTAL).															
All causes	414	92	32	16	32	172	30	14	8	224	35	28	63	31	33
Measles (7)	7						1			1				2	4
Scarlet fever (8)															
Whooping cough (9)	4										1	2			1
Diphtheria (10)	2													2	
Influenza (11)	6										1		3		2
Dysentery (16)															
Erysipelas (21)															
Meningococcus meningitis (24)	1											1			
Tetanus (29)															
Tuberculosis of the respiratory system (31)	2												2		
Tuberculosis of the meninges, etc. (32)	2														2
Other forms of tuberculosis (33–37)															
Syphilis (38)	12				1	1	2			3	1	1	5		2
Convulsions (80)	5		1	2	1	4		1		5					
Other [organic] diseases of the heart (90)															
Bronchitis (99)	2						1			1				1	
Bronchopneumonia (100)	28		1			1	1	4	1	7	5	7	6	3	
Pneumonia (101)	12	1	1	1		3	1	1		5	2		2	1	2
Diseases of the stomach (111, 112)	4										2	1	1		
Diarrhea and enteritis (113)	64	1			1	2	2	1	1	6	5	5	20	14	14
Congenital malformations (159)	24	4	2	3	4	13	3		2	18	3	1	1	1	
Congenital debility (160)	34	9	3		3	15	2	1	1	19	2	2	8	2	1
Premature birth (161a)	115	57	18	8	9	92	12	3	1	108	5	1	1		
Injury at birth (161b)	19	10	1	1	6	18				18		1			
Other diseases of early infancy (162, 163)	14	5	3		3	11	1	1		13		1			
External causes (175–203)	7		1			1	1			2	2	1	2		
All other causes	50	5	1	1	4	11	3	2	2	18	6	4	12	5	

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1921—Continued.

[See note at head of this table, p. 619.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 mos.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
ATLANTA, GA. (WHITE).															
All causes	228	54	17	12	15	98	16	6	3	123	14	17	33	20	21
Measles (7)	4						1			1				1	2
Scarlet fever (8)															
Whooping cough (9)	1														1
Diphtheria (10)															
Influenza (11)	3										1		1		1
Dysentery (16)															
Erysipelas (21)															
Meningococcus meningitis (24)	1											1			
Tetanus (29)															
Tuberculosis of the respiratory system (31)	2												2		
Tuberculosis of the meninges, etc. (32)	2														2
Other forms of tuberculosis (33–37)															
Syphilis (38)	4											1	2		1
Convulsions (80)	3		1	1		2		1		3					
Other [organic] diseases of the heart (90)															
Bronchitis (99)	1													1	
Bronchopneumonia (100)	12						1	3		4	1	2	3	2	
Pneumonia (101)	4	1	1	1		3				3				1	
Diseases of the stomach (111, 112)	2										1	1			
Diarrhea and enteritis (113)	41	1				1	1		1	3	1	3	13	10	11
Congenital malformations (159)	21	4	1	2	4	11	3		2	16	3	1		1	
Congenital debility (160)	21	6	3		1	10	1			11		2	6	1	1
Premature birth (161a)	56	30	8	6		44	9			53	2	1			
Injury at birth (161b)	12	4	1	1	5	11				11		1			
Other diseases of early infancy (162, 163)	10	4	2		2	8		1		9		1			
External causes (175–203)	2										2				
All other causes	26	4		1	3	8		1		9	3	3	6	3	2
ATLANTA, GA. (COLORED).															
All causes	186	38	15	4	17	74	14	8	5	101	21	11	30	11	12
Measles (7)	3													1	2
Scarlet fever (8)															
Whooping cough (9)	3										1	2			
Diphtheria (10)	2													2	
Influenza (11)	3												2		1
Dysentery (16)															
Erysipelas (21)															
Meningococcus meningitis (24)															
Tetanus (29)															
Tuberculosis of the respiratory system (31)															
Tuberculosis of the meninges, etc. (32)															
Other forms of tuberculosis (33–37)															
Syphilis (38)	8				1	1	2			3	1		3		1
Convulsions (80)	2			1	1	2				2					
Other [organic] diseases of the heart (90)															
Bronchitis (99)	1						1			1					
Bronchopneumonia (100)	16		1			1		1	1	3	4	5	3	1	
Pneumonia (101)	8						1	1		2	2		2		2
Diseases of the stomach (111, 112)	2										1		1		
Diarrhea and enteritis (113)	23				1	1	1	1		3	4	2	7	4	3
Congenital malformations (159)	3		1	1		2				2			1		
Congenital debility (160)	13	3			2	5	1	1	1	8	2		2	1	
Premature birth (161a)	59	27	10	2	9	48	3	3	1	55	3		1		
Injury at birth (161b)	7	6			1	7				7					
Other diseases of early infancy (162, 163)	4	1	1		1	3	1			4					
External causes (175–203)	5		1			1	1			2		1	2		
All other causes	24	1	1		1	3	3	1	2	9	3	1	6	2	3
CHICAGO, ILL. (TOTAL).															
All causes	5,048	796	253	227	390	1,666	296	190	182	2,334	403	342	899	580	490
Measles (7)	38								1	1			2	11	24
Scarlet fever (8)	5											1		3	1
Whooping cough (9)	75							2	4	6	5	7	20	20	17
Diphtheria (10)	42				1	1	2	1		4	3		7	13	15
Influenza (11)	7								1	1	1		1	3	1
Dysentery (16)	5											1		1	3
Erysipelas (21)	14						2	1	2	5	3		2	3	1
Meningococcus meningitis (24)	6											2	2	2	
Tetanus (29)	1						1			1					
Tuberculosis of the respiratory system (31)	18											2	5	5	6
Tuberculosis of the meninges, etc. (32)	17										1		2	8	6
Other forms of tuberculosis (33–37)	6						1			1			3	2	
Syphilis (38)	58	8	2	2	4	16	5	8	4	33	6	5	10		4
Convulsions (80)	18			3	5	8	2			10	1	2	1	3	1
Other [organic] diseases of the heart (90)	13						2		1	3	2		6	2	
Bronchitis (99)	122			2	5	7	10	4	3	24	18	10	27	18	25
Bronchopneumonia (100)	505		2	5	11	18	13	20	20	71	52	54	139	83	106
Pneumonia (101)	105	1	2	2	8	13	3	1	1	18	13	10	22	28	14
Diseases of the stomach (111, 112)	29	1		1	2	4	2	1	1	8	5	4	9	2	1
Diarrhea and enteritis (113)	1,576			4	33	37	53	57	75	222	183	177	504	299	191
Congenital malformations.. (159)	466	96	49	55	81	281	45	18	16	360	35	26	31	7	7
Congenital debility (160)	114	10	6	3	28	47	14	12	5	78	13	8	8	5	2
Premature birth (161a)	813	385	99	65	88	637	74	39	17	767	25	9	11	1	
Injury at birth (161b)	427	221	51	44	66	382	34	4	5	425	1	1			
Other diseases of early infancy (162, 163)	193	67	32	29	33	161	16	8	5	190	3				
External causes (175–203)	48	2	2	2	3	9	2		2	13	6	1	12	6	10
All other causes	327	5	8	10	22	45	15	14	19	93	27	22	75	55	55

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1921—Continued.

[See note at head of this table, p. 619.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—												
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 mos.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
CHICAGO, ILL. (WHITE).															
All causes	4,748	750	234	216	374	1,574	280	180	172	2,206	383	323	853	540	443
Measles (7)	33								1	1			2	10	20
Scarlet fever (8)	5											1		3	1
Whooping cough (9)	67							2	4	6	4	5	20	17	15
Diphtheria (10)	41				1	1	2	1		4	3		7	12	15
Influenza (11)	6								1	1	1		1	2	1
Dysentery (16)	4											1		1	2
Erysipelas (21)	13						2	1	2	5	2		2	3	1
Meningococcus meningitis (24)	6											2	2	2	
Tetanus (29)	1						1			1					
Tuberculosis of the respiratory system (31)	14											2	4	3	5
Tuberculosis of the meninges, etc. (32)	15										1		2	6	6
Other forms of tuberculosis (33–37)	6						1			1			3	2	
Syphilis (38)	45	5	1	2	4	12	5	6	2	25	5	5	7		3
Convulsions (80)	17			2	5	7	2			9	1	2	1	3	1
Other [organic] diseases of the heart (90)	9						1			1	2		5	1	
Bronchitis (99)	116			2	5	7	10	4	3	24	18	9	25	17	23
Bronchopneumonia (100)	443		2	5	9	16	11	20	17	64	46	48	122	74	89
Pneumonia (101)	103	1	2	2	8	13	3	1	1	18	12	10	22	27	14
Diseases of the stomach (111, 112)	28	1		1	2	4	2	1	1	8	5	3	9	2	1
Diarrhea and enteritis (113)	1,519			4	32	36	50	53	72	211	179	173	490	288	178
Congenital malformations (159)	450	94	46	53	78	271	43	18	16	348	34	25	31	6	6
Congenital debility (160)	112	10	6	3	27	46	14	11	5	76	13	8	8	5	2
Premature birth (161a)	758	357	91	60	83	591	68	39	17	715	22	9	11	1	
Injury at birth (161b)	413	214	49	43	64	370	34	3	5	412	1				
Other diseases of early infancy (162, 163)	179	62	27	28	32	149	15	7	5	176	3				
External causes (175–203)	41	1	2	2	2	7	2		2	11	6		10	5	9
All other causes	304	5	8	9	22	44	14	13	18	89	25	20	69	50	51
CHICAGO, ILL. (COLORED).															
All causes	300	46	19	11	16	92	16	10	10	128	20	19	46	40	47
Measles (7)	5													1	4
Scarlet fever (8)															
Whooping cough (9)	3										1	2		3	2
Diphtheria (10)	1													1	
Influenza (11)	1													1	
Dysentery (16)	1														1
Erysipelas (21)	1										1				
Meningococcus meningitis (24)															
Tetanus (29)															
Tuberculosis of the respiratory system (31)	4												1	2	1
Tuberculosis of the meninges, etc. (32)	2													2	
Other forms of tuberculosis (33–37)															
Syphilis (38)	13	3	1			4		2	2	8	1		3		1
Convulsions (80)	1			1		1				1					
Other [organic] diseases of the heart (90)	4						1		1	2			1	1	
Bronchitis (99)	6											1	2	1	2
Bronchopneumonia (100)	62				2	2	2		3	7	6	6	17	9	17
Pneumonia (101)	2										1			1	
Diseases of the stomach (111, 112)	1											1			
Diarrhea and enteritis (113)	57				1	1	3	4	3	11	4	4	14	11	13
Congenital malformations (159)	16	2	3	2	3	10	2			12	1	1		1	1
Congenital debility (160)	2				1	1		1		2					
Premature birth (161a)	55	28	8	5	5	46	6			52	3				
Injury at birth (161b)	14	7	2	1	2	12		1		13		1			
Other diseases of early infancy (162, 163)	14	5	5	1	1	12	1	1		14					
External causes (175–203)	7	1			1	2				2		1	2	1	1
All other causes	23			1		1	1	1	1	4	2	2	6	5	4
INDIANAPOLIS, IND. (TOTAL).															
All causes	530	125	28	26	46	225	26	16	20	287	39	30	70	58	46
Measles (7)	2												1	1	
Scarlet fever (8)															
Whooping cough (9)	21								1	1	3	3	2	6	6
Diphtheria (10)	2												1		1
Influenza (11)	4										1	1	1		1
Dysentery (16)															
Erysipelas (21)	6										2	1	2		1
Meningococcus meningitis (24)	1														1
Tetanus (29)	1											1			
Tuberculosis of the respiratory system (31)	2								1	1					1
Tuberculosis of the meninges, etc. (32)	12												3	4	5
Other forms of tuberculosis (33–37)	4												1	2	1
Syphilis (38)	9				2	2		1		3	3	2	1		
Convulsions (80)	1			1		1				1					
Other [organic] diseases of the heart (90)	2							2		2					
Bronchitis (99)	2													2	
Bronchopneumonia (100)	40			1	1	2			2	4	7	4	13	8	4
Pneumonia (101)	19				2	2	1		1	4	2	1	4	4	4
Diseases of the stomach (111,112)	4											1	3		
Diarrhea and enteritis (113)	103				2	2	2	4	6	14	13	10	24	26	16
Congenital malformations (159)	56	23	1	4	12	40	6	1	2	49	2		3		2
Congenital debility (160)	12	1			2	3	3	1		7		4	1		
Premature birth (161a)	138	76	16	10	11	113	10	7	6	136	2				
Injury at birth (161b)	27	11	2	7	6	26	1			27					
Other diseases of early infancy (162, 163)	32	14	8	3	2	27	2			29	3				
External causes (175–203)	3											1	2		
All other causes	27		1		6	7	1		1	9	1	1	8	5	3

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1921—Continued.

[See note at head of this table, p. 619.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 mos.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
INDIANAPOLIS, IND. (WHITE).															
All causes	435	115	18	22	36	191	23	12	17	243	32	22	59	42	37
Measles (7)	2												1	1	
Scarlet fever (8)															
Whooping cough (9)	15								1	1	3	2	1	5	3
Diphtheria (10)	2												1		1
Influenza (11)	3										1		1		1
Dysentery (16)															
Erysipelas (21)	6										2	1	2		1
Meningococcus meningitis (24)															
Tetanus (29)	1											1			
Tuberculosis of the respiratory system (31)	1								1	1					
Tuberculosis of the meninges, etc. (32)	11												2	4	5
Other forms of tuberculosis (33–37)	4												1	2	1
Syphilis (38)	5										3	1	1		
Convulsions (80)	1			1		1				1					
Other [organic] diseases of the heart (90)	2							2		2					
Bronchitis (99)	1													1	
Bronchopneumonia (100)	25				1	1			2	3	3	2	12	2	3
Pneumonia (101)	13				2	2	1		1	4	2		3	2	2
Diseases of the stomach (111, 112)	4											1	3		
Diarrhea and enteritis (113)	87				2	2	2	2	5	11	11	9	21	20	15
Congenital malformations (159)	52	22	1	4	10	37	6	1	2	46	2		2		2
Congenital debility (160)	10	1			1	2	3	1		6		3	1		
Premature birth (161a)	114	68	10	7	8	93	8	6	5	112	2				
Injury at birth (161b)	25	10	2	7	5	24	1			25					
Other diseases of early infancy (162, 163)	27	14	4	3	2	23	2			25	2				
External causes (175–203)	2											1	1		
All other causes	22		1		5	6				6	1	1	6	5	3
INDIANAPOLIS, IND. (COLORED).															
All causes	95	10	10	4	10	34	3	4	3	44	7	8	11	16	9
Measles (7)															
Scarlet fever (8)															
Whooping cough (9)	6											1	1	1	3
Diphtheria (10)															
Influenza (11)	1											1			
Dysentery (16)															
Erysipelas (21)															
Meningococcus meningitis (24)	1														1
Tetanus (29)															
Tuberculosis of the respiratory system (31)	1														1
Tuberculosis of the meninges, etc. (32)	1												1		
Other forms of tuberculosis (33–37)															
Syphilis (38)	4				2	2		1		3		1			
Convulsions (80)															
Other [organic] diseases of the heart (90)															
Bronchitis (99)	1													1	
Bronchopneumonia (100)	15			1		1				1	4	2	1	6	1
Pneumonia (101)	6											1	1	2	2
Diseases of the stomach (111, 112)															
Diarrhea and enteritis (113)	16							2	1	3	2	1	3	6	1
Congenital malformations (159)	4	1			2	3				3			1		
Congenital debility (160)	2				1	1				1		1			
Premature birth (161a)	24	8	6	3	3	20	2	1	1	24					
Injury at birth (161b)	2	1			1	2				2					
Other diseases of early infancy (162, 163)	5		4			4				4	1				
External causes (175–203)	1												1		
All other causes	5				1	1	1		1	3			2		
KANSAS CITY, KANS.															
All causes	171	27	11	15	11	64	12	6	8	90	15	3	22	24	17
Measles (7)															
Scarlet fever (8)															
Whooping cough (9)	8												4	2	2
Diphtheria (10)															
Influenza (11)	2							1		1					1
Dysentery (16)															
Erysipelas (21)															
Meningococcus meningitis (24)															
Tetanus (29)															
Tuberculosis of the respiratory system (31)	1													1	
Tuberculosis of the meninges, etc. (32)	2														2
Other forms of tuberculosis (33–37)	1							1		1					
Syphilis (38)	11		1	1	1	3	2		1	6	2		2	1	
Convulsions (80)	1				1	1				1					
Other [organic] diseases of the heart (90)															
Bronchitis (99)	5								2	2	1			1	1
Bronchopneumonia (100)	19						1	2		3	1	1	5	6	3
Pneumonia (101)	8								1	1	1	1	2	3	
Diseases of the stomach (111, 112)	2									2					
Diarrhea and enteritis (113)	24						2	1	1	3	3		6	6	6
Congenital malformations (159)	8	3	1	3		7				7				1	
Congenital debility (160)	6		1	1	2	4			1	5		1			
Premature birth (161a)	35	15	6	5	3	29	2	1		32	3				
Injury at birth (161b)	14	6	1	3	2	12	1	1		14					
Other diseases of early infancy (162, 163)	7	3		2		5	2			7					
External causes (175–203)	2		1			1				1	1				
All other causes	15				2	2	2			4	3		3	3	2

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1921—Continued.

[See note at head of this table, p. 619.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 mos.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
LOUISVILLE, KY. (TOTAL).															
All causes	357	62	25	17	36	140	19	14	13	186	29	25	52	36	29
Measles (7)	1							1		1					
Scarlet fever (8)															
Whooping cough (9)	15								1	1		1	4	3	6
Diphtheria (10)															
Influenza (11)															
Dysentery (16)	1							1		1					
Erysipelas (21)	4										2	1		1	
Meningococcus meningitis (24)	2										1			1	
Tetanus (29)	2				2	2				2					
Tuberculosis of the respiratory system (31)	2													1	1
Tuberculosis of the meninges, etc. (32)	5												1	4	
Other forms of tuberculosis (33–37)															
Syphilis (38)	4								1	1	2	1			
Convulsions (80)	4						1			1				3	
Other [organic] diseases of the heart (90)	1													1	
Bronchitis (99)	1						1			1					
Bronchopneumonia (100)	28		1			1	2	1		4	4	1	8	5	6
Pneumonia (101)	10		1		1	2			1	3	1		3	2	1
Diseases of the stomach (111, 112)	1										1				
Diarrhea and enteritis (113)	73							1	4	5	8	13	24	11	12
Congenital malformations (159)	25	4		3	4	11	4	1	1	17	4	2	1		1
Congenital debility (160)	25	3		3	5	11	3	3	1	18	1	2	3		1
Premature birth (161a)	89	44	15	5	11	75	4	3	2	84	2	3			
Injury at birth (161b)	15	3	4	3	4	14	1			15					
Other diseases of early infancy (162, 163)	20	7	3	2	4	16	1	1	2	20					
External causes (175–203)	4							1		1	1	1		1	
All other causes	25	1	1	1	5	8	2	1		11	2		8	3	1
LOUISVILLE, KY. (WHITE).															
All causes	288	55	20	12	32	119	13	9	9	150	22	22	42	28	24
Measles (7)	1							1		1					
Scarlet fever (8)															
Whooping cough (9)	12								1	1			4	3	4
Diphtheria (10)															
Influenza (11)															
Dysentery (16)															
Erysipelas (21)	4										2	1		1	
Meningococcus meningitis (24)	2										1			1	
Tetanus (29)	2				2	2				2					
Tuberculosis of the respiratory system (31)	2													1	1
Tuberculosis of the meninges, etc. (32)	5												1	4	
Other forms of tuberculosis (33–37)															
Syphilis (38)	2										1	1			
Convulsions (80)	1													1	
Other [organic] diseases of the heart (90)	1													1	
Bronchitis (99)	1						1			1					
Bronchopneumonia (100)	20						2	1		3	2	1	7	2	5
Pneumonia (101)	6				1	1			1	2	1		1	1	1
Diseases of the stomach (111, 112)	1										1				
Diarrhea and enteritis (113)	61								3	3	7	13	18	10	10
Congenital malformations (159)	23	4		2	4	10	4	1	1	16	4	1	1		1
Congenital debility (160)	20	3		2	5	10	2	2	1	15	1	1	2		1
Premature birth (161a)	79	41	14	4	9	68	2	3	2	75	1	3			
Injury at birth (161b)	12	2	3	3	4	12				12					
Other diseases of early infancy (162, 163)	12	4	3		3	10	1	1		12					
External causes (175–203)	1											1			
All other causes	20	1		1	4	6	1			7	1		8	3	1
LOUISVILLE, KY. (COLORED).															
All causes	69	7	5	5	4	21	6	5	4	36	7	3	10	8	5
Measles (7)															
Scarlet fever (8)															
Whooping cough (9)	3											1			2
Diphtheria (10)															
Influenza (11)															
Dysentery (16)	1							1		1					
Erysipelas (21)															
Meningococcus meningitis (24)															
Tetanus (29)															
Tuberculosis of the respiratory system (31)															
Tuberculosis of the meninges, etc. (32)															
Other forms of tuberculosis (33–37)															
Syphilis (38)	2								1	1	1				
Convulsions (80)	3						1			1				2	
Other [organic] diseases of the heart (90)															
Bronchitis (99)															
Bronchopneumonia (100)	8		1			1				1	2		1	3	1
Pneumonia (101)	4		1			1				1			2	1	
Diseases of the stomach (111, 112)															
Diarrhea and enteritis (113)	12							1	1	2	1		6	1	2
Congenital malformations (159)	2			1		1				1		1			
Congenital debility (160)	5			1		1	1	1		3		1	1		
Premature birth (161a)	10	3	1	1	2	7	2			9	1				
Injury at birth (161b)	3	1	1			2	1			3					
Other diseases of early infancy (162, 163)	8	3		2	1	6			2	8					
External causes (175–203)	3							1		1	1			1	
All other causes	5		1		1	2	1	1		4	1				

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1921—Continued.

[See note at head of this table, p. 619.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 mos.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
NEW ORLEANS, LA. (TOTAL).															
All causes	798	150	43	27	49	269	38	38	23	368	80	68	123	89	70
Measles (7)	7												3	1	3
Scarlet fever (8)															
Whooping cough (9)	19										6	3	2	3	5
Diphtheria (10)	2											1	1		
Influenza (11)	8		1			1				1		2	1	1	3
Dysentery (16)	1												1		
Erysipelas (21)	1										1				
Meningococcus meningitis (24)	1													1	
Tetanus (29)	16	1		2	2	5	5	2	1	13		1		2	
Tuberculosis of the respiratory system (31)	3												2	1	
Tuberculosis of the meninges, etc. (32)	7												1	2	4
Other forms of tuberculosis (33–37)	2												1		1
Syphilis (38)	25	3		1	1	5	1	3	2	11	3	4	5	1	1
Convulsions (80)	6		1	1	1	3			2	5		1			
Other [organic] diseases of the heart (90)	1											1			
Bronchitis (99)	5	2				2	1			3	1			1	
Bronchopneumonia (100)	81	1			1	2	1	1	1	5	16	11	23	14	12
Pneumonia (101)	42		1		2	3		2	3	8	4	4	10	12	4
Diseases of the stomach (111, 112)	4										1	1		2	
Diarrhea and enteritis (113)	149			1		1	3	6	1	11	18	26	37	32	25
Congenital malformations (159)	111	20	5	6	15	46	4	8	4	62	16	6	16	8	3
Congenital debility (160)	19	2	1		2	5	3	1	2	11	2		3	2	1
Premature birth (161a)	166	88	29	8	13	138	12	9	3	162	4				
Injury at birth (161b)	44	25	5	7	4	41	3			44					
Other diseases of early infancy (162, 163)	18	6		1	5	12	2	2	2	18					
External causes (175–203)	10				2	2	1			3		1	4	1	1
All other causes	50	2			1	3	2	4	2	11	8	6	13	5	7
NEW ORLEANS, LA. (WHITE).															
All causes	428	86	28	17	26	157	13	18	13	201	36	35	62	49	45
Measles (7)	6												3	1	2
Scarlet fever (8)															
Whooping cough (9)	13										4	3	1	3	2
Diphtheria (10)	1												1		
Influenza (11)	5		1			1				1		2		1	1
Dysentery (16)	1												1		
Erysipelas (21)															
Meningococcus meningitis (24)															
Tetanus (29)	6	1		1	1	3	2		1	6					
Tuberculosis of the respiratory system (31)	1												1		
Tuberculosis of the meninges, etc. (32)	6												1	1	4
Other forms of tuberculosis (33–37)															
Syphilis (38)	13	1			1	2	1	2	1	6	3	1	2	1	
Convulsions (80)	3			1		1			2	3					
Other [organic] diseases of the heart (90)															
Bronchitis (99)	2						1			1				1	
Bronchopneumonia (100)	36				1	1				1	5	7	5	8	10
Pneumonia (101)	17		1		1	2			3	5	1	1	4	4	2
Diseases of the stomach (111, 112)	3										1			2	
Diarrhea and enteritis (113)	88			1		1	1	5		7	9	15	23	19	15
Congenital malformations (159)	42	8	4	3	6	21	1	3	1	26	4	2	7	2	1
Congenital debility (160)	13	2	1		1	4	1		1	6	1		3	2	1
Premature birth (161a)	98	54	17	5	8	84	4	5	2	95	3				
Injury at birth (161b)	30	17	4	5	2	28	2			30					
Other diseases of early infancy (162, 163)	8	2		1	3	6		1	1	8					
External causes (175–203)	6				2	2				2		1	1	1	1
All other causes	30	1				1		2	1	4	5	3	9	3	6
NEW ORLEANS, LA. (COLORED).															
All causes	370	64	15	10	23	112	25	20	10	167	44	33	61	40	25
Measles (7)	1														1
Scarlet fever (8)															
Whooping cough (9)	6										2		1		3
Diphtheria (10)	1											1			
Influenza (11)	3												1		2
Dysentery (16)															
Erysipelas (21)	1										1				
Meningococcus meningitis (24)	1														
Tetanus (29)	10			1	1	2	3	2		7		1		2	
Tuberculosis of the respiratory system (31)	2												1	1	
Tuberculosis of the meninges, etc. (32)	1													1	
Other forms of tuberculosis (33–37)	2												1		1
Syphilis (38)	12	2		1		3		1	1	5		3	3		1
Convulsions (80)	3		1		1	2				2		1			
Other [organic] diseases of the heart (90)	1											1			
Bronchitis (99)	3	2				2				2	1				
Bronchopneumonia (100)	45	1				1	1	1	1	4	11	4	18	6	2
Pneumonia (101)	25				1	1		2		3	3	3	6	8	2
Diseases of the stomach (111, 112)	1											1			
Diarrhea and enteritis (113)	61						2	1	1	4	9	11	14	13	10
Congenital malformations (159)	69	12	1	3	9	25	3	5	3	36	12	4	9	6	2
Congenital debility (160)	6				1	1	2	1	1	5	1				
Premature birth (161a)	68	34	12	3	5	54	8	4	1	67	1				
Injury at birth (161b)	14	8	1	2	2	13	1			14					
Other diseases of early infancy (162, 163)	10	4			2	6	2	1	1	10					
External causes (175–203)	4						1			1			3		
All other causes	20	1			1	2	2	2	1	7	3	3	4	2	1

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1921—Continued.

[See note at head of this table, p. 619.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 mos.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
BALTIMORE, MD. (TOTAL).															
All causes	1,598	311	70	63	96	540	82	64	41	727	122	98	268	226	157
Measles (7)	8												1	3	4
Scarlet fever (8)															
Whooping cough (9)	59							1	1	2	7	4	15	18	13
Diphtheria (10)	14										1	1	2	5	5
Influenza (11)	7											1	2	2	2
Dysentery (16)	16						1			1			5	7	3
Erysipelas (21)	10						2			2	1	2	2	1	2
Meningococcus meningitis (24)	2										1		1		
Tetanus (29)															
Tuberculosis of the respiratory system (31)	5												2	2	1
Tuberculosis of the meninges, etc. (32)	5												1	2	2
Other forms of tuberculosis (33–37)	6												1	2	3
Syphilis (38)	25	1	1	4		6	2	3	1	12	4	5	4		
Convulsions (80)	15		1		1	2	1	1		4	1	2	3	1	4
Other [organic] diseases of the heart (90)	3											1	1	1	
Bronchitis (99)	26				1	1		2	4	7	1	3	10	4	1
Bronchopneumonia (100)	199			1	4	5	4	7	5	21	17	17	54	45	45
Pneumonia (101)	41				1	1	1	2		4	2		12	11	12
Diseases of the stomach (111, 112)	4							1	1	2		1		1	
Diarrhea and enteritis (113)	339						5	7	7	19	41	39	105	94	41
Congenital malformations (159)	145	27	10	12	24	73	15	8	5	101	14	6	16	5	3
Congenital debility (160)	65	8	4	3	6	21	3	5	8	37	8	7	8	2	3
Premature birth (161a)	343	186	33	23	33	275	23	18	6	322	13	2	4	2	
Injury at birth (161b)	95	55	12	5	10	82	10	3		95					
Other diseases of early infancy (162, 163)	82	30	8	15	13	66	8	2	1	77	3	2			
External causes (175–203)	19	3			1	4	1		1	6	2	2	7	1	1
All other causes	65	1	1		2	4	7	3	1	15	6	3	12	17	12
BALTIMORE, MD. (WHITE).															
All causes	1,239	245	59	46	72	422	74	50	28	574	96	77	203	170	119
Measles (7)	7												1	3	3
Scarlet fever (8)															
Whooping cough (9)	49							1	1	2	6	4	11	14	12
Diphtheria (10)	12										1	1	2	3	5
Influenza (11)	6											1	2	2	1
Dysentery (16)	11												4	6	1
Erysipelas (21)	8						2			2		2	2		2
Meningococcus meningitis (24)	2										1		1		
Tetanus (29)															
Tuberculosis of the respiratory system (31)	3												1	1	1
Tuberculosis of the meninges, etc. (32)	4													2	2
Other forms of tuberculosis (33–37)	5												1	2	2
Syphilis (38)	13			1		1	2	1	1	5	1	5	2		
Convulsions (80)	14		1		1	2	1	1		4	1	2	2	1	4
Other [organic] diseases of the heart (90)	3											1	1	1	
Bronchitis (99)	17				1	1		2	2	5	1	2	5	3	1
Bronchopneumonia (100)	130			1	3	4	4	6	4	18	14	8	35	27	28
Pneumonia (101)	26				1	1	1	1		3	1		8	6	8
Diseases of the stomach (111, 112)	4							1	1	2		1		1	
Diarrhea and enteritis (113)	277						5	4	5	14	33	30	90	78	32
Congenital malformations (159)	114	16	7	12	18	53	14	7	3	77	10	6	13	5	3
Congenital debility (160)	56	6	4	3	4	17	3	5	6	31	6	7	8	2	2
Premature birth (161a)	273	151	30	17	21	219	20	14	3	256	11	2	3	1	
Injury at birth (161b)	78	45	10	3	10	68	7	3		78					
Other diseases of early infancy (162, 163)	63	23	6	9	11	49	7	2	1	59	2	2			
External causes (175–203)	15	3			1	4	1		1	6	2	1	5		1
All other causes	49	1	1		1	3	7	2		12	6	2	6	12	11
BALTIMORE, MD. (COLORED).															
All causes	359	66	11	17	24	118	8	14	13	153	26	21	65	56	38
Measles (7)	1														1
Scarlet fever (8)															
Whooping cough (9)	10										1		4	4	1
Diphtheria (10)	2													2	
Influenza (11)	1														1
Dysentery (16)	5							1		1			1	1	2
Erysipelas (21)	2										1			1	
Meningococcus meningitis (24)															
Tetanus (29)															
Tuberculosis of the respiratory system (31)	2												1	1	
Tuberculosis of the meninges, etc. (32)	1												1		
Other forms of tuberculosis (33–37)	1														1
Syphilis (38)	12	1	1	3		5		2		7	3		2		
Convulsions (80)	1												1		
Other [organic] diseases of the heart (90)															
Bronchitis (99)	9								2	2		1	5	1	
Bronchopneumonia (100)	69				1	1		1	1	3	3	9	19	18	17
Pneumonia (101)	15							1		1	1		4	5	4
Diseases of the stomach (111, 112)															
Diarrhea and enteritis (113)	62							3	2	5	8	9	15	16	9
Congenital malformations (159)	31	11	3		6	20	1	1	2	24	4		3		
Congenital debility (160)	9	2			2	4			2	6	2				1
Premature birth (161a)	70	35	3	6	12	56	3	4	3	66	2		1	1	
Injury at birth (161b)	17	10	2	2		14	3			17					
Other diseases of early infancy (162, 163)	19	7	2	6	2	17	1			18	1				
External causes (175–203)	4											1	2	1	
All other causes	16				1	1		1	1	3		1	6	5	1

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1921—Continued.

[See note at head of this table, p. 619.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 mos.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
BOSTON, MASS.															
All causes	1,501	279	62	84	143	568	113	55	50	786	89	89	219	178	140
Measles (7)	15												2	6	7
Scarlet fever (8)	3												1	1	1
Whooping cough (9)	13								2	2		3		4	4
Diphtheria (10)	16											1	2	9	4
Influenza (11)	4							1		1	1			1	1
Dysentery (16)	1												1		
Erysipelas (21)	13						2	2		4	2	4	2	1	
Meningococcus meningitis (24)	5										1		3		1
Tetanus (29)	1								1	1					
Tuberculosis of the respiratory system (31)	20												6	3	11
Tuberculosis of the meninges, etc. (32)	17										1		2	7	7
Other forms of tuberculosis (33–37)	8											2	2	3	1
Syphilis (38)	23			2	1	3	1	1		5	5	3	6	4	
Convulsions (80)	11	1			1	2	1			3	1	1	3	3	
Other [organic] diseases of the heart (90)	1												1		
Bronchitis (99)	18				1	1	1	1	1	4	2	1	4	3	4
Bronchopneumonia (100)	187		1	2	6	9	10	10	5	34	13	22	41	45	32
Pneumonia (101)	33	1				1	1	1	1	4	2	1	7	7	12
Diseases of the stomach (111, 112)	2						1			1	1				
Diarrhea and enteritis (113)	193				2	2	9	4	9	24	14	20	68	43	24
Congenital malformations (159)	172	28	11	10	31	80	24	11	3	118	15	6	20	7	6
Congenital debility (160)	43	3	1	1	5	10	6		3	19	3	10	8	3	
Premature birth (161a)	330	153	24	34	38	249	32	16	13	310	8	6	5		1
Injury at birth (161b)	146	61	16	21	37	135	9	1		145	1				
Other diseases of early infancy (162, 163)	60	26	5	7	10	48	5	3	3	59	1				
External causes (175–203)	12	2			1	3	1	1		5	2		4	1	
All other causes	154	4	4	7	10	25	10	3	9	47	16	9	31	27	24
CAMBRIDGE, MASS.															
All causes	195	53	10	10	22	95	12	13	8	128	7	11	25	8	16
Measles (7)															
Scarlet fever (8)															
Whooping cough (9)	6						1			1	2		2	1	
Diphtheria (10)	1														1
Influenza (11)	1												1		
Dysentery (16)															
Erysipelas (21)	3						2			2		1			
Meningococcus meningitis (24)	1														1
Tetanus (29)															
Tuberculosis of the respiratory system (31)															
Tuberculosis of the meninges, etc. (32)															
Other forms of tuberculosis (33–37)	1														1
Syphilis (38)															
Convulsions (80)	1													1	
Other [organic] diseases of the heart (90)	1												1		
Bronchitis (99)	4								1	1		1	2		
Bronchopneumonia (100)	16			1	1	2	1			3	1	2	4		6
Pneumonia (101)															
Diseases of the stomach (111, 112)	4			1	1	2				2	1		1		
Diarrhea and enteritis (113)	25							1		1	1	4	8	6	5
Congenital malformations (159)	29	9			3	12	3	4	5	24	2		3		
Congenital debility (160)	3	1		1		2		1		3					
Premature birth (161a)	58	33	2	2	8	45	3	5	1	54		3	1		
Injury at birth (161b)	15	6	3		2	11	2	1	1	15					
Other diseases of early infancy (162, 163)	14	3	4	3	4	14				14					
External causes (175–203)	2	1		1		2				2					
All other causes	10		1	1	3	5		1		6			2		2
FALL RIVER, MASS.															
All causes	423	54	13	11	34	112	20	16	10	158	33	20	86	61	65
Measles (7)	8										1			4	3
Scarlet fever (8)															
Whooping cough (9)	14												4	3	7
Diphtheria (10)	1														1
Influenza (11)	1												1		
Dysentery (16)															
Erysipelas (21)	1							1		1					
Meningococcus meningitis (24)															
Tetanus (29)															
Tuberculosis of the respiratory system (31)	1														1
Tuberculosis of the meninges, etc. (32)	3											1		1	1
Other forms of tuberculosis (33–37)															
Syphilis (38)	1										1				
Convulsions (80)	4			1	1	2	1			3				1	
Other [organic] diseases of the heart (90)	2										1		1		
Bronchitis (99)	15							1	1	2		2	6	1	4
Bronchopneumonia (100)	51						1			1	5	2	14	13	16
Pneumonia (101)	8										1	1	1	3	2
Diseases of the stomach (111, 112)	1										1				
Diarrhea and enteritis (113)	131						4	5	3	12	13	8	46	26	26
Congenital malformations (159)	33	7	2	3	5	17	5	2	1	25	2		6		
Congenital debility (160)	8				1	1		4		5	1	1	1		
Premature birth (161a)	60	26	5	6	12	49	3	2	2	56	3	1			
Injury at birth (161b)	31	13	5	1	8	27	4			31					
Other diseases of early infancy (162, 163)	12	7				7	2		1	10	1	1			
External causes (175–203)	6	1	1		2	4				4	1		1		
All other causes	31				5	5		1	2	8	2	3	5	9	4

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1921—Continued.

[See note at head of this table, p. 619.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 mos.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
LOWELL, MASS.															
All causes	284	46	16	9	19	90	16	7	7	120	19	18	54	34	39
Measles (7)	3														3
Scarlet fever (8)															
Whooping cough (9)	2													1	1
Diphtheria (10)	4													1	3
Influenza (11)															
Dysentery (16)															
Erysipelas (21)	3										3				
Meningococcus meningitis (24)															
Tetanus (29)															
Tuberculosis of the respiratory system (31)															
Tuberculosis of the meninges, etc. (32)	8								1	1	1		1	2	3
Other forms of tuberculosis (33–37)															
Syphilis (38)															
Convulsions (80)	3										1		2		
Other [organic] diseases of the heart (90)															
Bronchitis (99)	13				1	1				1	3	1	3	4	1
Bronchopneumonia (100)	40				2	2		1	2	5	2	3	16	8	6
Pneumonia (101)	2								1	1					1
Diseases of the stomach (111, 112)	3						1			1	1	1			
Diarrhea and enteritis (113)	71						2	1	1	4	5	8	24	13	17
Congenital malformations (159)	14	7	1		4	12	1			13			1		
Congenital debility (160)	21	1	1	2	4	8	1	1	1	11		5	3	1	1
Premature birth (161a)	46	23	9	4	2	38	5	1		44	1		1		
Injury at birth (161b)	19	8	4		3	15	1	3		19					
Other diseases of early infancy (162, 163)	17	6	1	2	3	12	4		1	17					
External causes (175–203)	3	1				1				1	1		1		
All other causes	12			1		1	1			2	1		3	3	3
NEW BEDFORD, MASS.															
All causes	347	46	18	15	29	108	14	7	12	141	32	26	63	49	36
Measles (7)															
Scarlet fever (8)															
Whooping cough (9)	5												2	1	2
Diphtheria (10)															
Influenza (11)	1										1				
Dysentery (16)															
Erysipelas (21)	2						1		1	2					
Meningococcus meningitis (24)															
Tetanus (29)															
Tuberculosis of the respiratory system (31)	1										1				
Tuberculosis of the meninges, etc. (32)	2														2
Other forms of tuberculosis (33–37)															
Syphilis (38)	4		1			1	1			2			1		1
Convulsions (80)	2								1	1			1		
Other [organic] diseases of the heart (90)															
Bronchitis (99)	8											1	4	3	
Bronchopneumonia (100)	47				3	3		1		4	5	1	11	15	11
Pneumonia (101)	2														2
Diseases of the stomach (111, 112)															
Diarrhea and enteritis (113)	120						4	3	4	11	19	18	34	23	15
Congenital malformations (159)	33	8	4	6	9	27	1	1	1	30		1		1	1
Congenital debility (160)	3						1		1	2		1			
Premature birth (161a)	48	20	7	3	6	36	5	1	3	45	3				
Injury at birth (161b)	15	8	1	3	1	13		1		14	1				
Other diseases of early infancy (162, 163)	22	8	2	3	9	22				22					
External causes (175–203)															
All other causes	32	2	3		1	6	1		1	8	2	4	10	6	2
SPRINGFIELD, MASS.															
All causes	243	54	19	7	23	103	15	11	6	135	14	16	34	25	19
Measles (7)	1														1
Scarlet fever (8)															
Whooping cough (9)	2												1	1	
Diphtheria (10)															
Influenza (11)	1												1		
Dysentery (16)															
Erysipelas (21)	1											1			
Meningococcus meningitis (24)															
Tetanus (29)															
Tuberculosis of the respiratory system (31)	2												1	1	
Tuberculosis of the meninges, etc. (32)	1												1		
Other forms of tuberculosis (33–37)	2												1		1
Syphilis (38)	1		1			1				1					
Convulsions (80)															
Other [organic] diseases of the heart (90)	1												1		
Bronchitis (99)	5						1	1		2	2	1			
Bronchopneumonia (100)	25				1	1		1	1	3	2	1	6	5	8
Pneumonia (101)	6										1	1	2	1	1
Diseases of the stomach (111, 112)															
Diarrhea and enteritis (113)	40						1	2		3	4	6	9	13	5
Congenital malformations (159)	33	6	2	3	4	15	3	1	4	23	3	3	3		1
Congenital debility (160)	7										1		4	2	
Premature birth (161a)	66	33	11	3	8	55	5	4	1	65	1				
Injury at birth (161b)	24	13	3		4	20	3	1		24					
Other diseases of early infancy (162, 163)	12	2	2	1	5	10	1	1		12					
External causes (175–203)	1													1	
All other causes	12				1	1	1			2		3	4	1	2

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1921—Continued.

[See note at head of this table, p. 619.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 mos.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
WORCESTER, MASS.															
All causes	371	74	20	13	35	142	29	29	7	207	21	17	49	47	30
Measles (7)	4												2	1	1
Scarlet fever (8)	2												1		1
Whooping cough (9)	6										1		1	3	1
Diphtheria (10)	1													1	
Influenza (11)	2												2		
Dysentery (16)															
Erysipelas (21)	4						1			1	2	1			
Meningococcus meningitis (24)	2												1	1	
Tetanus (29)															
Tuberculosis of the respiratory system (31)															
Tuberculosis of the meninges, etc. (32)	6											1		5	
Other forms of tuberculosis (33–37)	4											1		1	2
Syphilis (38)	2												1		1
Convulsions (80)															
Other [organic] diseases of the heart (90)															
Bronchitis (99)	7						3	1		4			1		2
Bronchopneumonia (100)	39		1		1	2	1	4	2	9	5	3	7	6	9
Pneumonia (101)	10						1	3		4			2	1	3
Diseases of the stomach (111, 112)	2							1		1			1		
Diarrhea and enteritis (113)	84				1	1	3	8	1	13	7	6	26	22	10
Congenital malformations (159)	13	2	2	2	4	10	2			12	1				
Congenital debility (160)	1						1			1					
Premature birth (161a)	106	45	9	8	18	80	12	7	3	102	3	1			
Injury at birth (161b)	35	20	3	1	6	30	4		1	35					
Other diseases of early infancy (162,163)	15	5	4	2	3	14		1		15					
External causes (175–203)	2											1		1	
All other causes	24	2	1		2	5	2	3		10	2	3	4	5	
DETROIT, MICH. (TOTAL).															
All causes	2,299	473	140	115	171	899	154	80	84	1,217	109	135	330	233	215
Measles (7)	15							1		1			6	2	6
Scarlet fever (8)	4													1	3
Whooping cough (9)	70						1	1		2	4	9	18	18	19
Diphtheria (10)	30				1	1	1	3	2	7	3	1	2	10	7
Influenza (11)	7											2	1	2	2
Dysentery (16)	1												1		
Erysipelas (21)	8						1	2		3	2		3		
Meningococcus meningitis (24)	5						1		1	2				1	2
Tetanus (29)															
Tuberculosis of the respiratory system (31)	8												2	2	4
Tuberculosis of the meninges, etc. (32)	14											1	1	8	4
Other forms of tuberculosis (33–37)	4										1	1	1		1
Syphilis (38)	27	1	2		1	4	4	1	1	10	9	1	5	2	
Convulsions (80)	13	2			2	4	1		1	6	1	1	1	2	2
Other [organic] diseases of the heart (90)	7						1			1			5		1
Bronchitis (99)	45			3	2	5	1	1	1	8	4	5	9	8	11
Bronchopneumonia (100)	190	1	3	2	4	10	4	6	7	27	19	17	49	40	38
Pneumonia (101)	72	1	1	3	2	7	4	1	2	14	8	6	17	8	19
Diseases of the stomach (111, 112)	25			1	2	3	2	3		8	6	1	5	2	3
Diarrhea and enteritis (113)	436				10	10	11	11	17	49	58	49	144	76	60
Congenital malformations (159)	167	49	18	12	25	104	17	6	8	135	10	5	11	5	1
Congenital debility (160)	107	7	3	2	15	27	11	6	10	54	11	15	16	7	4
Premature birth (161a)	625	316	80	54	55	505	62	28	17	607	12	4		1	1
Injury at birth (161b)	147	59	18	17	21	115	19	6	2	142	3	2			
Other diseases of early infancy (162, 163)	86	33	11	13	13	70	4	6	3	83	2	1			
External causes (175–203)	30		1	4	1	6	2		3	11	2	6	3	5	3
All other causes	156	4	3	4	17	28	7	3	9	47	14	8	30	33	24
DETROIT, MICH. (WHITE).															
All causes	2,159	446	131	112	165	854	144	78	80	1,156	158	129	311	206	199
Measles (7)	15							1		1			6	2	6
Scarlet fever (8)	4													1	3
Whooping cough (9)	62						1	1		2	4	7	18	15	16
Diphtheria (10)	29				1	1	1	3	1	6	3	1	2	10	7
Influenza (11)	6											2	1	2	1
Dysentery (16)	1												1		
Erysipelas (21)	8						1	2		3	2		3		
Meningococcus meningitis (24)	5						1		1	2				1	2
Tetanus (29)															
Tuberculosis of the respiratory system (31)	8												2	2	4
Tuberculosis of the meninges, etc. (32)	11											1	1	6	3
Other forms of tuberculosis (33–37)	4										1	1	1		1
Syphilis (38)	18		1			1	3	1	1	6	7	1	4		
Convulsions (80)	12	2			2	4	1			5	1	1	1	2	2
Other [organic] diseases of the heart (90)	6						1			1			4		1
Bronchitis (99)	42			3	2	5	1	1	1	8	4	4	9	8	9
Bronchopneumonia (100)	165	1	3	2	4	10	3	6	7	26	17	17	43	30	32
Pneumonia (101)	66	1	1	3	2	7	4	1	2	14	8	6	16	5	17
Diseases of the stomach (111, 112)	24			1	2	3	2	3		8	6		5	2	3
Diarrhea and enteritis (113)	418				9	9	10	11	16	46	56	48	137	72	59
Congenital malformations (159)	166	49	17	12	25	103	17	6	8	134	10	5	11	5	1
Congenital debility (160)	101	7	3	2	14	26	10	6	9	51	11	15	15	5	4
Premature birth (161a)	584	294	76	52	52	474	57	21	17	569	9	4		1	1
Injury at birth (161b)	143	58	17	16	21	112	18	6	2	138	3	2			
Other diseases of early infancy (162, 163)	83	31	10	13	13	67	4	6	3	80	2	1			
External causes (175–203)	29		1	4	1	6	2		3	11	2	5	3	5	3
All other causes	149	3	2	4	17	26	7	3	9	45	12	8	28	32	24

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1921—Continued.

[See note at head of this table, p. 619.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 mos.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
DETROIT, MICH. (COLORED).															
All causes	140	27	[illegible]	3	[illegible]	45	10	2	4	61	11	6	19	27	16
Measles (7)															
Scarlet fever (8)															
Whooping cough (9)	8											2		3	3
Diphtheria (10)	1								1	1					
Influenza (11)	1														1
Dysentery (16)															
Erysipelas (21)															
Meningococcus meningitis (24)															
Tetanus (29)															
Tuberculosis of the respiratory system (31)															
Tuberculosis of the meninges, etc. (32)	3													2	1
Other forms of tuberculosis (33–37)															
Syphilis (38)	9	1	1		1	3	1			4	2		1	2	
Convulsions (80)	1								1	1					
Other [organic] diseases of the heart (90)	1												1		
Bronchitis (99)	3											1			2
Bronchopneumonia (100)	25						1			1	2		6	10	6
Pneumonia (101)	6												1	3	2
Diseases of the stomach (111, 112)	1											1			
Diarrhea and enteritis (113)	18				1	1	1		1	3	2	1	7	4	1
Congenital malformations (159)	1		1			1				1					
Congenital debility (160)	6				1	1	1		1	3			1	2	
Premature birth (161a)	41	22	4	2	3	31	5	2		38	3				
Injury at birth (161b)	4	1	1	1		3	1			4					
Other diseases of early infancy (162, 163)	3	2	1			3				3					
External causes (175–203)	1											1			
All other causes	7	1	1			2				2	2		2	1	
GRAND RAPIDS, MICH.															
All causes	235	40	17	14	25	96	19	11	10	136	24	16	25	24	10
Measles (7)															
Scarlet fever (8)															
Whooping cough (9)	3												2	1	
Diphtheria (10)	2										1			1	
Influenza (11)	1							1		1					
Dysentery (16)															
Erysipelas (21)	6						1		1	2	3			1	
Meningococcus meningitis (24)															
Tetanus (29)															
Tuberculosis of the respiratory system (31)															
Tuberculosis of the meninges, etc. (32)	1											1			
Other forms of tuberculosis (33–37)	2										2				
Syphilis (38)															
Convulsions (80)	6		2	1	1	4			1	5				1	
Other [organic] diseases of the heart (90)	1														1
Bronchitis (99)	3							1	1	2	1				
Bronchopneumonia (100)	15				1	1	2			3		1	4	3	4
Pneumonia (101)	5								1	1	1	1	1	1	
Diseases of the stomach (111, 112)	5											2	3		
Diarrhea and enteritis (113)	36				1	1	1	4	3	9	4	7	7	6	3
Congenital malformations (159)	29	6	3	4	5	18	2	2		22	6		1		
Congenital debility (160)	13			1	2	3	1			4		2	3	4	
Premature birth (161a)	66	31	8	3	11	53	8	1		62	3	1			
Injury at birth (161b)	12	1	2	2	2	7	4			11	1				
Other diseases of early infancy (162, 163)	9	2	1	3	1	7		2		9					
External causes (175–203)	4												2		2
All other causes	16		1		1	2			3	5	2	1	2	6	
MINNEAPOLIS, MINN.															
All causes	527	165	29	34	51	279	30	25	12	346	54	18	45	39	25
Measles (7)															
Scarlet fever (8)	3												2	1	
Whooping cough (9)	9							1		1	2		4	2	
Diphtheria (10)	2							1		1				1	
Influenza (11)	1													1	
Dysentery (16)	1												1		
Erysipelas (21)	2												2		
Meningococcus meningitis (24)															
Tetanus (29)															
Tuberculosis of the respiratory system (31)															
Tuberculosis of the meninges, etc. (32)	4												1	2	1
Other forms of tuberculosis (33–37)	3													1	2
Syphilis (38)	16	2		2	2	6			2	8	5	1		1	1
Convulsions (80)	3			1		1				1			1		1
Other [organic] diseases of the heart (90)															
Bronchitis (99)	2														2
Bronchopneumonia (100)	47		1		1	2	1	4	2	9	10	5	12	7	4
Pneumonia (101)	10				1	1	2	1		4	1	1	1	3	
Diseases of the stomach (111, 112)	2			1		1				1			1		
Diarrhea and enteritis (113)	33						1	2		3	10	2	6	6	6
Congenital malformations (159)	63	11	7	6	8	32	5	1	2	40	11	3	4	2	3
Congenital debility (160)	19	3		1	5	9	1		2	12	2	2	2	1	
Premature birth (161a)	177	114	12	9	11	146	11	9	1	167	5	2	1	1	1
Injury at birth (161b)	49	19	2	5	16	42	5	2		49					
Other diseases of early infancy (162, 163)	25	10	2	7	3	22		1		23	1	1			
External causes (175–203)	5	2				2				2		1	1		1
All other causes	51	4	5	2	4	15	4	3	3	25	7		6	10	3

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1921—Continued.

[See note at head of this table, p. 619.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 mos.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
ST. PAUL, MINN.															
All causes	304	89	23	19	36	167	18	9	8	202	20	23	18	23	18
Measles (7)	1														1
Scarlet fever (8)															
Whooping cough (9)	1														1
Diphtheria (10)	2													1	1
Influenza (11)	3											1		1	1
Dysentery (16)	1		1			1				1					
Erysipelas (21)	2											1		1	
Meningococcus meningitis (24)															
Tetanus (29)															
Tuberculosis of the respiratory system (31)	2												2		
Tuberculosis of the meninges, etc. (32)	1												1		
Other forms of tuberculosis (33–37)	1												1		
Syphilis (38)	5	1			1	2				2	1	1			1
Convulsions (80)	2						1			1				1	
Other [organic] diseases of the heart (90)	2											1		1	
Bronchitis (99)	3											2	1		
Bronchopneumonia (100)	21				1	1		2	2	5	1	3	6	3	3
Pneumonia (101)	7							1		1		1		1	4
Diseases of the stomach (111, 112)	2						1			1				1	
Diarrhea and enteritis (113)	26				1	1	2	1	1	5	2	5	5	6	3
Congenital malformations (159)	26	6	4	3	6	19			1	20	3	1		1	1
Congenital debility (160)	15	2	2	1	1	6	1			7	4	1	2	1	
Premature birth (161a)	106	64	8	6	10	88	7	4	1	100	4	2			
Injury at birth (161b)	28	12	3	3	8	26	2			28					
Other diseases of early infancy (162, 163)	19	4	4	4	3	15	2	1		18	1				
External causes (175–203)	3				1	1				1				2	
All other causes	25		1	2	4	7	2		3	12	4	4		3	2
KANSAS CITY, MO. (TOTAL).															
All causes	635	96	37	21	47	201	52	21	29	303	92	52	102	61	25
Measles (7)	6								1	1			1	4	
Scarlet fever (8)															
Whooping cough (9)	2										1				1
Diphtheria (10)	3								1	1					2
Influenza (11)	2												2		
Dysentery (16)	3													3	
Erysipelas (21)	4										2	1	1		
Meningococcus meningitis (24)	1											1			
Tetanus (29)	2				1	1	1			2					
Tuberculosis of the respiratory system (31)	3										1		1		1
Tuberculosis of the meninges, etc. (32)	2												1	1	
Other forms of tuberculosis (33–37)	2													1	1
Syphilis (38)	49	3	2		2	7	4	1	4	16	12	6	13	2	
Convulsions (80)															
Other [organic] diseases of the heart (90)	2											2			
Bronchitis (99)	2											1	1		
Bronchopneumonia (100)	49	1	4	1	1	7	3	1		11	10	7	10	10	1
Pneumonia (101)	22			1	3	4				4	5	2	5	5	1
Diseases of the stomach (111, 112)	1				1	1				1					
Diarrhea and enteritis (113)	145		1		4	5	6	3	8	22	36	18	41	20	8
Congenital malformations (159)	67	14	6	1	6	27	10	2	3	42	11	4	6	4	
Congenital debility (160)	26	4		1	5	10	2		1	13	3	5	3	2	
Premature birth (161a)	127	60	14	11	9	94	15	7	7	123	2	1		1	
Injury at birth (161b)	33	10	6	6	6	28	3		1	32	1				
Other diseases of early infancy (162, 163)	15	9	2		5	10		3	1	14	1				
External causes (175–203)	8						1		1	2	2	1	2	1	
All other causes	59	1	2		4	7	7	4	1	19	5	3	15	7	10
KANSAS CITY, MO. (WHITE).															
All causes	561	87	31	17	41	176	47	19	24	266	84	48	88	52	23
Measles (7)	4												1	3	
Scarlet fever (8)															
Whooping cough (9)	1										1				
Diphtheria (10)	2								1	1					1
Influenza (11)	2												2		
Dysentery (16)	3													3	
Erysipelas (21)	4										2	1	1		
Meningococcus meningitis (24)	1											1			
Tetanus (29)	1														
Tuberculosis of the respiratory system (31)	3				1	1				1					
Tuberculosis of the meninges, etc. (32)	2										1		1		1
Other forms of tuberculosis (33–37)	2												1	1	
Syphilis (38)	41		1		1	2	3	1	3	9	12	5	13	2	
Convulsions (80)															
Other [organic] diseases of the heart (90)	2											2			
Bronchitis (99)	1											1			
Bronchopneumonia (100)	33		2	1	1	4	2	1		7	8	5	7	5	1
Pneumonia (101)	16			1	3	4				4	4	1	3	3	1
Diseases of the stomach (111, 112)	1				1	1				1					
Diarrhea and enteritis (113)	137		1		3	4	5	3	8	20	34	18	37	20	8
Congenital malformations (159)	63	13	6		6	25	10	2	2	39	10	4	6	4	
Congenital debility (160)	22	3		1	3	7	2		1	10	3	5	2	2	
Premature birth (161a)	123	59	14	10	8	91	15	6	7	119	2	1		1	
Injury at birth (161b)	27	8	4	4	6	22	3		1	26	1				
Other diseases of early infancy (162, 163)	11	3	1		4	8		2		10	1				
External causes (175–203)	6						1			1	1	1	2	1	
All other causes	53	1	2		4	7	6	4	1	18	4	3	12	6	10

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1921—Continued.

[See note at head of this table, p. 619.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 mos.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
KANSAS CITY, MO. (COLORED).															
All causes	74	9	6	4	6	25	5	2	5	37	8	4	14	9	2
easles (7)	2								1	1				1	
Scarlet fever (8)															
Whooping cough (9)	1														1
Diphtheria (10)	1														1
Influenza (11)															
Dysentery (16)															
Erysipelas (21)															
Meningococcus meningitis (24)															
Tetanus (29)	1						1			1					
Tuberculosis of the respiratory system (31)															
Tuberculosis of the meninges, etc. (32)															
Other forms of tuberculosis (33–37)															
Syphilis (38)	8	3	1		1	5	1		1	7		1			
Convulsions (80)															
Other [organic] diseases of the heart (90)															
Bronchitis (99)	1												1		
Bronchopneumonia (100)	16	1	2			3	1			4	2	2	3	5	
Pneumonia (101)	6										1	1	2	2	
Diseases of the stomach (111, 112)															
Diarrhea and enteritis (113)	8				1	1	1			2	2		4		
Congenital malformations (159)	4	1		1		2			1	3	1				
Congenital debility (160)	4	1			2	3				3			1		
Premature birth (161a)	4	1		1	1	3		1		4					
Injury at birth (161b)	6	2	2	2		6				6					
Other diseases of early infancy (162, 163)	4		1		1	2		1	1	4					
External causes (175–203)	2								1	1	1				
All other causes	6						1			1	1		3	1	
ST. LOUIS, MO. (TOTAL).															
All causes	956	186	57	44	89	376	55	26	48	505	78	57	133	98	85
Measles (7)	3										3				
Scarlet fever (8)															
Whooping cough (9)	38										11	1	9	7	10
Diphtheria (10)	10										1		4	2	3
Influenza (11)	3										1	1			5
Dysentery (16)	9										1		2	1	1
Erysipelas (21)	7								2	2	1	1	2		1
Meningococcus meningitis (24)	2												1	1	
Tetanus (29)	5				3	3	1	1		5					
Tuberculosis of the respiratory system (31)															
Tuberculosis of the meninges, etc. (32)	5										1	1		3	
Other forms of tuberculosis (33–37)	5													4	1
Syphilis (38)	29	4		1	1	6	4		1	11	2	4	8	4	
Convulsions (80)	2		1	1		2				2					
Other [organic] diseases of the heart (90)	3						1		1	2			1		
Bronchitis (99)	25			1	2	3	1		2	6	4	3	3	6	3
Bronchopneumonia (100)	136				1	1	4	6	9	20	15	14	35	27	25
Pneumonia (101)	40			1	1	2	5	1	2	10	4	1	9	9	7
Diseases of the stomach (111, 112)	3				1	1				1	1		1		
Diarrhea and enteritis (113)	118			2	2	4	4	5	10	23	11	14	30	21	19
Congenital malformations (159)	82	14	9	8	18	49	5	2	3	59	7	4	7	4	1
Congenital debility (160)	25	3		1	6	10	3			13	2	4	5		1
Premature birth (161a)	256	123	38	18	31	210	13	7	10	240	10	2	3	1	
Injury at birth (161b)	52	27	3	5	11	46	4	1		51	1				
Other diseases of early infancy (162, 163)	38	12	5	4	8	29	4	1	4	38					
External causes (175–203)	12	1			1	2		1		3		1	4		4
All other causes	48	2	1	2	3	8	6	1	4	19	2	6	9	8	4
ST. LOUIS, MO. (WHITE).															
All causes	809	159	53	37	82	331	48	23	40	442	61	54	106	79	67
Measles (7)	3										3				
Scarlet fever (8)															
Whooping cough (9)	31										8	1	8	6	8
Diphtheria (10)	10										1		4	2	3
Influenza (11)	3										1	1			1
Dysentery (16)	6										1				5
Erysipelas (21)	7								2	2	1	1	2		1
Meningococcus meningitis (24)	2												1	1	
Tetanus (29)	4				2	2	1	1		4					
Tuberculosis of the respiratory system (31)															
Tuberculosis of the meninges, etc. (32)	5										1	1		3	
Other forms of tuberculosis (33–37)	2													2	
Syphilis (38)	18	2		1	1	4	3			7	1	4	4	2	
Convulsions (80)	2		1	1		2				2					
Other [organic] diseases of the heart (90)	2								1	1			1		
Bronchitis (99)	16			1		1	1		2	4	3	3	3	3	
Bronchopneumonia (100)	112				1	1	4	6	8	19	12	12	27	22	20
Pneumonia (101)	29				1	1	5	1	2	9	2	1	7	7	3
Diseases of the stomach (111, 112)	3				1	1				1	1		1		
Diarrhea and enteritis (113)	106			2	2	4	3	5	10	22	9	13	26	19	17
Congenital malformations (159)	80	14	9	7	18	48	5	2	3	58	6	4	7	4	1
Congenital debility (160)	22	3		1	6	10	3			13	1	4	4		
Premature birth (161a)	216	103	36	15	28	182	10	6	6	204	7	2	2	1	
Injury at birth (161b)	50	25	3	5	11	44	4	1		49	1				
Other diseases of early infancy (162, 163)	33	10	4	4	7	25	4		4	33					
External causes (175–203)	9	1			1	2		1		3		1	1		4
All other causes	38	1			3	4	5		2	11	2	6	8	7	4

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1921—Continued.

[See note at head of this table, p. 619.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 mos.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
ST. LOUIS, MO. (COLORED).															
All causes	147	27	4	7	7	45	7	3	8	63	17	3	27	19	18
Measles (7)															
Scarlet fever (8)															
Whooping cough (9)	7										3		1	1	2
Diphtheria (10)															
Influenza (11)															
Dysentery (16)	3												2	1	
Erysipelas (21)															
Meningococcus meningitis (24)															
Tetanus (29)	1				1	1				1					
Tuberculosis of the respiratory system (31)															
Tuberculosis of the meninges, etc. (32)															
Other forms of tuberculosis (33–37)	3													2	1
Syphilis (38)	11	2				2	1		1	4	1		4	2	
Convulsions (80)															
Other [organic] diseases of the heart (90)	1						1			1					
Bronchitis (99)	9				2	2				2	1			3	3
Bronchopneumonia (100)	24								1	1	3	2	8	5	5
Pneumonia (101)	11			1		1				1	2		2	2	4
Diseases of the stomach (111, 112)															
Diarrhea and enteritis (113)	12						1			1	2	1	4	2	2
Congenital malformations (159)	2			1		1				1	1				
Congenital debility (160)	3										1		1		1
Premature birth (161a)	40	20	2	3	3	28	3	1	4	36	3		1		
Injury at birth (161b)	2	2				2				2					
Other diseases of early infancy (162, 163)	5	2	1		1	4		1		5					
External causes (175–203)	3												3		
All other causes	10	1	1	2		4	1	1	2	8			1	1	
OMAHA, NEBR.															
All causes	378	76	31	21	36	164	22	14	18	218	39	30	46	30	15
Measles (7)	3										1		2		
Scarlet fever (8)															
Whooping cough (9)	1										1				
Diphtheria (10)	2						1	1		2					
Influenza (11)	3												1	2	
Dysentery (16)	2												1	1	
Erysipelas (21)	2										1		1		
Meningococcus meningitis (24)															
Tetanus (29)															
Tuberculosis of the respiratory system (31)	2													1	1
Tuberculosis of the meninges, etc. (32)	1												1		
Other forms of tuberculosis (33–37)	3											1		2	
Syphilis (38)	4						1		1	2	1				1
Convulsions (80)	5				2	2	2			4	1				
Other [organic] diseases of the heart (90)	2												2		
Bronchitis (99)	2											2			
Bronchopneumonia (100)	36				3	3	1	2	2	8	6	4	7	10	1
Pneumonia (101)	13						2	1		3	3	1	2	2	2
Diseases of the stomach (111, 112)	2								1	1	1				
Diarrhea and enteritis (113)	34				2	2		1	3	6	6	10	9	2	1
Congenital malformations (159)	32	4	6	3	7	20			1	21	2	2	4	1	2
Congenital debility (160)	26	1	2	3	2	8	1		3	12	4	4	4	2	
Premature birth (161a)	114	52	18	10	7	87	9	5	2	103	5	3	3		
Injury at birth (161b)	24	9	2	3	7	21	1	1		23	1				
Other diseases of early infancy (162, 163)	17	9	3	2		14	1	1		16	1				
External causes (175–203)	2				1	1				1					1
All other causes	46	1			5	6	3	2	5	16	5	3	9	7	6
CAMDEN, N. J.															
All causes	305	44	8	9	20	81	20	15	12	128	24	16	62	42	33
Measles (7)	1														1
Scarlet fever (8)	2										1	1			
Whooping cough (9)	11							1	2	3		1	1	3	3
Diphtheria (10)	1														1
Influenza (11)															
Dysentery (16)	1													1	
Erysipelas (21)															
Meningococcus meningitis (24)															
Tetanus (29)	1				1	1				1					
Tuberculosis of the respiratory system (31)															
Tuberculosis of the meninges, etc. (32)	1													1	
Other forms of tuberculosis (33–37)	1												1		
Syphilis (38)	9	1			1	2	1	1	1	5	1	1	1	1	
Convulsions (80)	3						1			1					2
Other [organic] diseases of the heart (90)															
Bronchitis (99)	3			1		1	1			2		1			
Bronchopneumonia (100)	35		1			1	1	2	1	5	2	4	7	10	7
Pneumonia (101)	16						1	2		3	1		5	3	4
Diseases of the stomach (111, 112)	4										1	1	1	1	
Diarrhea and enteritis (113)	88						3	3	2	8	12	5	35	17	11
Congenital malformations (159)	40	14		3	8	25	4	3	4	36	1		2	1	
Congenital debility (160)	12	1		1	1	3	3		1	7	2	1	1	1	
Premature birth (161a)	44	25	4	2	6	37	4	1	1	43	1				
Injury at birth (161b)	9	1	1	2	2	6	1	1		8		1			
Other diseases of early infancy (162, 163)	4	1	2		1	4				4					
External causes (175–203)	5										1		4		
All other causes	14	1				1		1		2	1		4	3	4

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1921—Continued.

[See note at head of this table, p. 619.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 mos.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
JERSEY CITY, N. J.															
All causes	683	90	31	24	43	188	32	33	27	280	70	48	131	81	73
Measles (7)	4												1	2	1
Scarlet fever (8)															
Whooping cough (9)	15										2	2	5	2	4
Diphtheria (10)	8												2	4	2
Influenza (11)	9						1			1	1		1	2	4
Dysentery (16)															
Erysipelas (21)	1										1				
Meningococcus meningitis (24)															
Tetanus (29)	3			1	1	2	1			3					
Tuberculosis of the respiratory system (31)	3												1	2	
Tuberculosis of the meninges, etc. (32)	2												1		1
Other forms of tuberculosis (33–37)	2												1		1
Syphilis (38)	4										1	2	1		
Convulsions (80)	6		1			1		1		2	2		1		1
Other [organic] diseases of the heart (90)	6				1	1				1	1	1	2		1
Bronchitis (99)	20		1		2	3		2	2	7		5	6	2	
Bronchopneumonia (100)	60			1	4	5	1	1	4	11	4	3	21	9	12
Pneumonia (101)	20			1		1	2		1	4	2	2	1	4	7
Diseases of the stomach (111, 112)	4							1		1		1		2	
Diarrhea and enteritis (113)	199	1			3	4	8	7	9	28	26	21	61	36	27
Congenital malformations (159)	57	9	3	6	10	28	2	5	1	36	11	2	3	1	4
Congenital debility (160)	29	2	1		2	5	4	3	2	14	6	2	4	2	1
Premature birth (161a)	100	42	16	9	8	75	8	7	4	94	4	1		1	
Injury at birth (161b)	39	23	5	4	4	36	2		1	39					
Other diseases of early infancy (162, 163)	29	11	4	2	5	22	2	2	1	27	2				
External causes (175–203)	6										2		1	1	2
All other causes	57	2			3	5	2	3	2	12	5	6	18	11	5
NEWARK, N. J.															
All causes	839	131	40	36	85	292	49	44	36	421	66	47	124	96	85
Measles (7)	5													2	3
Scarlet fever (8)	1														1
Whooping cough (9)	15										2	1	5	2	5
Diphtheria (10)	2												1		1
Influenza (11)	1												1		
Dysentery (16)															
Erysipelas (21)	4						2	1		3					1
Meningococcus meningitis (24)	2								1	1	1				
Tetanus (29)															
Tuberculosis of the respiratory system (31)	8							1		1			2	2	3
Tuberculosis of the meninges, etc. (32)	8												1	3	4
Other forms of tuberculosis (33–37)	1													1	
Syphilis (38)	7						2			2	1	3			1
Convulsions (80)	1												1		
Other [organic] diseases of the heart (90)															
Bronchitis (99)	35	1		1	1	3	5	2	1	11	5	3	10	5	1
Bronchopneumonia (100)	58				2	2	2	1	3	8	4	3	14	13	16
Pneumonia (101)	21				1	1		1		2		2	6	5	6
Diseases of the stomach (111, 112)	6										1		1	3	1
Diarrhea and enteritis (113)	191				3	3	3	7	10	23	18	23	59	44	24
Congenital malformations (159)	61	13	4	4	8	29	8	1	3	41	9	3	3	2	3
Congenital debility (160)	49	2	4	3	10	19	3	6	3	31	6	3	9		
Premature birth (161a)	203	76	23	16	35	150	18	16	9	193	9		1		
Injury at birth (161b)	49	26	3	4	12	45	4			49					
Other diseases of early infancy (162, 163)	34	10	5	6	8	29	2	2	1	34					
External causes (175–203)	19	2			1	3			1	4	2	1	3	5	4
All other causes	58	1	1	2	4	8		6	4	18	8	5	7	9	11
PATERSON, N. J.															
All causes	257	48	11	23	29	111	16	6	9	142	20	20	35	22	18
Measles (7)															
Scarlet fever (8)	1												1		
Whooping cough (9)	3											1	1		1
Diphtheria (10)	3												1	1	1
Influenza (11)	1														1
Dysentery (16)															
Erysipelas (21)	1						1			1					
Meningococcus meningitis (24)															
Tetanus (29)															
Tuberculosis of the respiratory system (31)															
Tuberculosis of the meninges, etc. (32)	4												1	2	1
Other forms of tuberculosis (33–37)	1												1		
Syphilis (38)	2											2			
Convulsions (80)	1														1
Other [organic] diseases of the heart (90)	1												1		
Bronchitis (99)	3				1	1	1			2	1				
Bronchopneumonia (100)	29			1	1	2	1	1		4	2	2	11	4	6
Pneumonia (101)	13							1		1	1	1	2	6	2
Diseases of the stomach (111, 112)	2						1			1					1
Diarrhea and enteritis (113)	34				3	3	1		2	6	7	6	9	6	
Congenital malformations (159)	15	3		2	5	10		1	1	12	2			1	
Congenital debility (160)	18			1	4	5		1	1	7	1	3	5	1	1
Premature birth (161a)	56	26	4	10	5	45	7	1	3	56					
Injury at birth (161b)	30	11	4	6	6	27	3			30					
Other diseases of early infancy (162, 163)	15	8	3	1	2	14	1			15					
External causes (175–203)	1												1		
All other causes	23			2	2	4		1	2	7	6	5	1	1	3

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1921—Continued.

[See note at head of this table, p. 619.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 mos.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
TRENTON, N. J.															
All causes	272	63	10	10	25	108	15	11	8	142	17	21	44	27	21
Measles (7)	2													1	1
Scarlet fever (8)	1														1
Whooping cough (9)	6										2	1	1		2
Diphtheria (10)	1													1	
Influenza (11)	4												2	2	
Dysentery (16)															
Erysipelas (21)	1												1		
Meningococcus meningitis (24)															
Tetanus (29)															
Tuberculosis of the respiratory system (31)	1												1		
Tuberculosis of the meninges, etc. (32)															
Other forms of tuberculosis (33–37)															
Syphilis (38)	5	1				1			1	2			2	1	
Convulsions (80)	2		1		1	2				2					
Other [organic] diseases of the heart (90)	1								1	1					
Bronchitis (99)	2												1		1
Bronchopneumonia (100)	27			1		1	2	2		5	3	2	8	6	3
Pneumonia (101)	14											2	3	4	5
Diseases of the stomach (111, 112)															
Diarrhea and enteritis (113)	57				2	2	2	4	2	10	8	9	13	12	5
Congenital malformations (159)	24	6	2	3	4	15	4			19	1	1	3		
Congenital debility (160)	13				2	2		1	1	4	2	3	4		
Premature birth (161a)	57	35	3	3	7	48	3	2	2	55	1	1			
Injury at birth (161b)	30	16	1	3	7	27	3			30					
Other diseases of early infancy (162, 163)	10	5	2		2	9		1		10					
External causes (175–203)	2		1			1				1					1
All other causes	12						1	1	1	3		2	5		2
ALBANY, N. Y.															
All causes	183	52	7	11	20	90	10	2	8	110	9	6	25	22	11
Measles (7)															
Scarlet fever (8)															
Whooping cough (9)	3								1	1			1		1
Diphtheria (10)	1														1
Influenza (11)	1													1	
Dysentery (16)															
Erysipelas (21)	2								1	1	1				
Meningococcus meningitis (24)															
Tetanus (29)															
Tuberculosis of the respiratory system (31)	3												2		1
Tuberculosis of the meninges, etc. (32)	1												1		
Other forms of tuberculosis (33–37)	1													1	
Syphilis (38)	3	1				1				1	1		1		
Convulsions (80)	1			1		1				1					
Other [organic] diseases of the heart (90)	2						1			1			1		
Bronchitis (99)															
Bronchopneumonia (100)	13				1	1				1	2		4	5	1
Pneumonia (101)	7				1	1				1			3	1	2
Diseases of the stomach (111, 112)	1						1			1					
Diarrhea and enteritis (113)	30				1	1	1		2	4	1	2	10	9	4
Congenital malformations (159)	19	5	1	2	3	11	1			12	2	2		3	
Congenital debility (160)	5	1			2	3	1			4	1				
Premature birth (161a)	38	22	2	3	6	33	2		1	36		1	1		
Injury at birth (161b)	27	17	3		5	25	2			27					
Other diseases of early infancy (162, 163)	6	5		1		6				6					
External causes (175–203)	1													1	
All other causes	18	1	1	4	1	7	1	2	3	13	1	1	1	1	1
BUFFALO, N. Y.															
All causes	1,234	274	59	64	90	487	66	54	37	644	92	77	194	126	101
Measles (7)	10												2	4	4
Scarlet fever (8)	3													1	2
Whooping cough (9)	39						1			1	4	2	15	4	13
Diphtheria (10)	12										1	1	5	3	2
Influenza (11)															
Dysentery (16)	2												2		
Erysipelas (21)	6								1	1	2		1	1	1
Meningococcus meningitis (24)	3												1	2	
Tetanus (29)															
Tuberculosis of the respiratory system (31)	3												1	1	1
Tuberculosis of the meninges, etc. (32)	2													1	
Other forms of tuberculosis (33–37)	1											1			1
Syphilis (38)	11	2			1	3	2	1		6	3	1	1		
Convulsions (80)	5		1	1		2		1		3			2		
Other [organic] diseases of the heart (90)	4											1	3		
Bronchitis (99)	34				1	1	2	2	3	8	7	2	10	3	4
Bronchopneumonia (100)	71				2	2	3	4	2	11	6	6	13	16	19
Pneumonia (101)	16							3		3	2	2	3	3	3
Diseases of the stomach (111, 112)	11							1	1	2	1	1	3	3	1
Diarrhea and enteritis (113)	329				6	6	5	13	11	35	39	39	113	65	38
Congenital malformations (159)	110	28	7	11	10	56	15	4	8	83	5	10	5	4	3
Congenital debility (160)	31	3	4	5	3	15	2	6	2	25	5		1		
Premature birth (161a)	286	169	34	18	28	249	17	9	4	279	6			1	
Injury at birth (161b)	115	64	10	17	16	107	4	1		112	2	1			
Other diseases of early infancy (162, 163)	38	6		5	13	24	9	3	2	38					
External causes (175–203)	7			2		2				2	1	1	2		1
All other causes	85	2	3	5	10	20	7	5	3	35	8	9	11	14	8

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1921—Continued.

[See note at head of this table, p. 619.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 mos.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
NEW YORK, N. Y. (TOTAL).															
All causes	9,594	1,586	454	412	722	3,174	585	453	340	4,552	810	600	1,512	1,162	958
Measles (7)	63								1	1	1	3	5	16	37
Scarlet fever (8)	23				1	1	1			2		1	3	4	13
Whooping cough (9)	215				1	1		3	6	10	35	22	46	44	58
Diphtheria (10)	78							2	3	5	3	3	8	24	35
Influenza (11)	44						1	3	2	6	3	5	9	11	10
Dysentery (16)	5										1		1	3	
Erysipelas (21)	77				1	1	7	13	9	30	19	9	6	7	6
Meningococcus meningitis (24)	37										3	6	10	10	8
Tetanus (29)	3			1	1	2	1			3					
Tuberculosis of the respiratory system (31)	37	1			2	3	1	1	1	6		1	8	10	12
Tuberculosis of the meninges, etc. (32)	96						1			1	4	5	25	29	32
Other forms of tuberculosis (33–37)	26								1	1	2		10	6	7
Syphilis (38)	128	23	5	3	5	36	12	10	5	63	19	14	13	14	5
Convulsions (80)	33		1	2	5	8	2		1	11	4	2	5	7	4
Other [organic] diseases of the heart (90)	11				2	2	3	1		6		1	3		1
Bronchitis (99)	215	1	1	1	4	7	11	20	14	52	31	22	47	39	24
Bronchopneumonia (100)	1,138	4	1	9	35	49	44	58	48	199	117	79	288	241	214
Pneumonia (101)	320	2	1	2	11	16	11	7	9	43	25	15	72	72	93
Diseases of the stomach (111, 112)	55			3	2	5	3	2	3	13	10	6	10	6	10
Diarrhea and enteritis (113)	1,835		1	1	11	13	47	63	54	177	211	213	555	417	262
Congenital malformations (159)	661	122	56	42	110	330	85	41	24	480	52	30	62	25	12
Congenital debility (160)	585	19	6	17	42	84	35	42	37	198	92	80	150	47	18
Premature birth (161a)	2,099	969	242	160	203	1,574	203	102	71	1,950	82	37	25	5	
Injury at birth (161b)	603	277	67	73	129	546	29	13	6	594	8	1			
Other diseases of early infancy (162, 163)	477	148	64	78	105	395	35	18	18	466	9	2			
External causes (175–203)	75	7	2	3	3	15	3	7	1	26	10	3	14	9	13
All other causes	655	13	7	17	49	86	50	47	26	209	69	40	137	116	84
NEW YORK, N. Y. (WHITE).															
All causes	8 984	1,489	418	386	671	2,964	557	436	317	4,274	763	565	1,418	1,068	896
Measles (7)	58								1	1	1	3	4	14	35
Scarlet fever (8)	23				1	1	1			2		1	3	4	13
Whooping cough (9)	204				1	1		3	6	10	35	22	42	40	55
Diphtheria (10)	76							2	3	5	3	3	8	23	34
Influenza (11)	43						1	3	2	6	3	5	8	11	10
Dysentery (16)	5										1		1	3	
Erysipelas (21)	73				1	1	5	13	9	28	18	8	6	7	6
Meningococcus meningitis (24)	37										3	6	10	10	8
Tetanus (29)	3			1	1	2	1			3					
Tuberculosis of the respiratory system (31)	34	1			2	3	1	1	1	6		1	8	9	10
Tuberculosis of the meninges, etc. (32)	89						1			1	4	4	22	28	30
Other forms of tuberculosis (33–37)	24								1	1	2		8	6	7
Syphilis (38)	99	15	3	3	4	25	10	7	3	45	17	12	11	11	3
Convulsions (80)	30		1	2	5	8	2		1	11	4	2	3	7	3
Other [organic] diseases of the heart (90)	11				2	2	3	1		6		1	3		1
Bronchitis (99)	205	1	1	1	4	7	11	20	13	51	27	22	43	39	23
Bronchopneumonia (100)	1,032	3	1	9	31	44	42	57	48	191	112	73	262	200	194
Pneumonia (101)	295	2	1	2	10	15	10	6	7	38	24	15	67	67	84
Diseases of the stomach (111, 112)	51			3	2	5	3	2	3	13	9	6	9	6	8
Diarrhea and enteritis (113)	1,738		1	1	11	13	44	60	53	170	194	197	532	394	251
Congenital malformations (159)	646	119	53	40	107	319	84	41	24	468	52	30	61	23	12
Congenital debility (160)	549	16	5	16	39	76	35	39	34	184	83	76	144	45	17
Premature birth (161a)	1,959	908	223	149	184	1,464	191	100	61	1,816	79	36	24	4	
Injury at birth (161b)	579	269	63	70	124	526	28	11	5	570	8	1			
Other diseases of early infancy (162, 163)	444	139	57	73	98	367	33	17	17	434	8	2			
External causes (175–203)	70	5	2	3	2	12	3	7	1	23	10	3	12	9	13
All other causes	607	11	7	13	42	73	48	46	24	191	66	36	127	108	79
NEW YORK, N. Y. (COLORED).															
All causes	610	97	36	26	51	210	28	17	23	278	47	35	94	94	62
Measles (7)	5												1	2	2
Scarlet fever (8)															
Whooping cough (9)	11												4	4	3
Diphtheria (10)	2													1	1
Influenza (11)	1												1		
Dysentery (16)															
Erysipelas (21)	4						2			2	1	1			
Meningococcus meningitis (24)															
Tetanus (29)															
Tuberculosis of the respiratory system (31)	3													1	2
Tuberculosis of the meninges, etc. (32)	7											1	3	1	2
Other forms of tuberculosis (33–37)	2												2		
Syphilis (38)	29	8	2		1	11	2	3	2	18	2	2	2	3	2
Convulsions (80)	3												2		1
Other [organic] diseases of the heart (90)															
Bronchitis (99)	10								1	1	4		4		1
Bronchopneumonia (100)	106	1			4	5	2	1		8	5	6	26	41	20
Pneumonia (101)	25				1	1	1	1	2	5	1		5	5	9
Diseases of the stomach (111, 112)	4										1		1		2
Diarrhea and enteritis (113)	97						3	3	1	7	17	16	23	23	11
Congenital malformations (159)	15	3	3	2	3	11	1			12			1	2	
Congenital debility (160)	36	3	1	1	3	8		3	3	14	9	4	6	2	1
Premature birth (161a)	140	61	19	11	19	110	12	2	10	134	3	1	1	1	
Injury at birth (161b)	24	8	4	3	5	20	1	2	1	24					
Other diseases of early infancy (162, 163)	33	9	7	5	7	28	2	1	1	32	1				
External causes (175–203)	5	2			1	3				3			2		
All other causes	48	2		4	7	13	2	1	2	18	3	4	10	8	5

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1921—Continued.

[See note at head of this table, p. 619.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 mos.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
NEW YORK, N. Y. (BRONX BOROUGH).															
All causes	939	186	53	56	85	380	68	54	35	537	64	53	110	87	88
Measles (7)	4								1	1					3
Scarlet fever (8)	3														3
Whooping cough (9)	13								1	1	1		5	1	5
Diphtheria (10)	8											1	1	1	5
Influenza (11)	10								1	1		1	4	3	1
Dysentery (16)															
Erysipelas (21)	7							1	1	2	2	3			
Meningococcus meningitis (24)	4											2		1	1
Tetanus (29)															
Tuberculosis of the respiratory system (31)	1													1	
Tuberculosis of the meninges, etc. (32)	8										1		1	4	2
Other forms of tuberculosis (33–37)	1														1
Syphilis (38)	16	1				1	1	1		3	3	4	2	4	
Convulsions (80)															
Other [organic] diseases of the heart (90)	3						1			1			2		
Bronchitis (99)	12							1	1	2	4	1	3	1	1
Bronchopneumonia (100)	119			1	7	8	8	6	4	26	12	13	27	19	22
Pneumonia (101)	33				1	1	3	1	1	6	3	1	8	7	8
Diseases of the stomach (111, 112)	1												1		
Diarrhea and enteritis (113)	108						3	3	6	12	11	11	22	28	24
Congenital malformations (159)	81	14	14	7	13	48	10	7	5	70	3	3	2	1	2
Congenital debility (160)	54	4		4	4	12		7	3	22	5	7	14	4	2
Premature birth (161a)	239	108	24	18	21	171	30	16	8	225	7	3	4		
Injury at birth (161b)	79	40	4	8	17	69	6	2	1	78		1			
Other diseases of early infancy (162, 163)	63	18	9	14	17	58	1	3		62	1				
External causes (175–203)	6	1		1		2				2	3				1
All other causes	66		2	3	5	10	5	6	2	23	8	2	14	12	7
NEW YORK, N. Y. (BROOKLYN BOROUGH, TOTAL).															
All causes	3,237	538	153	172	281	1,144	204	148	94	1,590	255	199	508	376	309
Measles (7)	10										1	2	2	1	4
Scarlet fever (8)	4				1	1				1				1	2
Whooping cough (9)	60								2	2	13	13	10	11	11
Diphtheria (10)	30							1	1	2	1	1	4	9	13
Influenza (11)	14							1	1	2	2	1	3	1	5
Dysentery (16)	4										1			3	
Erysipelas (21)	21						4	1	2	7	5	1	3	3	2
Meningococcus meningitis (24)	7										2		2	2	1
Tetanus (29)	1						1			1					
Tuberculosis of the respiratory system (31)	8	1			2	3				3			2	1	2
Tuberculosis af the meninges, etc. (32)	33										1	4	10	10	8
Other forms of tuberculosis (33–37)	9												4	3	2
Syphilis (38)	31	7		1	1	9	2	2	1	14	7	3	2	3	2
Convulsions (80)	11		1		2	3	1		1	5	1	1	2	2	
Other [organic] diseases of the heart (90)	2						1			1					1
Bronchitis (99)	79				2	2	5	10	4	21	6	10	15	17	10
Bronchopneumonia (100)	382	1	1		9	11	11	16	18	56	40	23	102	82	79
Pneumonia (101)	116	2	1		5	8	4	2	3	17	11	8	27	20	33
Diseases of the stomach (111, 112)	11			2	1	3	2			5	1			2	3
Diarrhea and enteritis (113)	647				9	9	19	22	13	63	69	79	210	145	81
Congenital malformations (159)	248	45	16	18	50	129	33	16	8	186	20	9	21	9	3
Congenital debility (160)	143	6	1	7	15	29	13	9	4	55	18	18	38	10	4
Premature birth (161a)	717	321	74	73	74	542	62	42	19	665	26	12	13	1	
Injury at birth (161b)	228	95	29	31	55	210	12	2	1	225	3				
Other diseases of early infancy (162, 163)	190	54	27	32	40	153	17	8	9	187	3				
External causes (175–203)	35	3	1	2	2	8	3	4	1	16	4	3	2	4	6
All other causes	196	3	2	6	13	24	14	12	6	56	20	11	36	36	37
NEW YORK, N. Y. (BROOKLYN BOROUGH, WHITE).															
All causes	3,126	513	142	163	270	1,088	198	144	91	1,521	249	196	495	365	300
Measles (7)	10										1	2	2	1	4
Scarlet fever (8)	4				1	1				1				1	2
Whooping cough (9)	59								2	2	13	13	10	10	11
Diphtheria (10)	30							1	1	2	1	1	4	9	13
Influenza (11)	14							1	1	2	2	1	3	1	5
Dysentery (16)	4										1			3	
Erysipelas (21)	20						3	1	2	6	5	1	3	3	2
Meningococcus meningitis (24)	7										2		2	2	1
Tetanus (29)	1						1			1					
Tuberculosis of the respiratory system (31)	8	1			2	3				3			2	1	2
Tuberculosis of the meninges, etc. (32)	31										1	3	9	10	8
Other forms of tuberculosis (33–37)	9												4	3	2
Syphilis (38)	27	6		1	1	8	2	2		12	7	2	2	3	1
Convulsions (80)	11		1		2	3	1		1	5	1	1	2	2	
Other [organic] diseases of the heart (90)	2						1			1					1
Bronchitis (99)	75				2	2	5	10	4	21	5	10	13	17	9
Bronchopneumonia (100)	372	1	1		9	11	11	15	18	55	40	23	100	76	78
Pneumonia (101)	114	2	1		5	8	4	1	3	16	11	8	27	20	32
Diseases of the stomach (111, 112)	10			2	1	3	2			5	1			2	2
Diarrhea and enteritis (113)	630				9	9	18	21	12	60	66	79	205	141	79
Congenital malformations (159)	245	44	16	17	49	126	33	16	8	183	20	9	21	9	3
Congenital debility (160)	136	4	1	6	14	25	13	9	4	51	16	18	37	10	4
Premature birth (161a)	687	303	71	69	69	512	62	42	19	635	26	12	13	1	
Injury at birth (161b)	221	95	26	29	54	204	11	2	1	218	3				
Other diseases of early infancy (162, 163)	178	53	22	31	38	144	15	7	9	175	3				
External causes (175–203)	33	1	1	2	2	6	3	4	1	14	4	3	2	4	6
All other causes	188	3	2	6	12	23	13	12	5	53	20	10	34	36	35

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1921—Continued.

[See note at head of this table, p. 619.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 mos.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
NEW YORK, N. Y. (BROOKLYN BOROUGH, COLORED).															
All causes	111	25	11	9	11	56	6	4	3	69	6	3	13	11	9
Measles (7)															
Scarlet fever (8)															
Whooping cough (9)	1													1	
Diphtheria (10)															
Influenza (11)															
Dysentery (16)															
Erysipelas (21)	1						1			1					
Meningococcus meningitis (24)															
Tetanus (29)															
Tuberculosis of the respiratory system (31)															
Tuberculosis of the meninges, etc. (32)	2											1	1		
Other forms of tuberculosis (33–37)															
Syphilis (38)	4	1				1			1	2		1			1
Convulsions (80)															
Other [organic] diseases of the heart (90)															
Bronchitis (99)	4										1		2		1
Bronchopneumonia (100)	10							1		1			2	6	1
Pneumonia (101)	2							1		1					1
Diseases of the stomach (111, 112)	1														1
Diarrhea and enteritis (113)	17						1	1	1	3	3		5	4	2
Congenital malformations (159)	3	1		1	1	3				3					
Congenital debility (160)	7	2		1	1	4				4	2		1		
Premature birth (161a)	30	18	3	4	5	30				30					
Injury at birth (161b)	7		3	2	1	6	1			7					
Other diseases of early infancy (162, 163)	12	1	5	1	2	9	2	1		12					
External causes (175–203)	2	2				2				2					
All other causes	8				1	1	1		1	3		1	2		2
NEW YORK, N. Y. (MANHATTAN BOROUGH, TOTAL).															
All causes	4,555	703	211	152	291	1,357	251	207	177	1,992	410	290	767	607	489
Measles (7)	44											1	3	13	27
Scarlet fever (8)	14						1			1			3	3	7
Whooping cough (9)	119				1	1		3	2	6	14	5	27	30	37
Diphtheria (10)	35							1	2	3	2	1	1	11	17
Influenza (11)	16						1	1		2	1	2	2	5	4
Dysentery (16)	1												1		
Erysipelas (21)	46				1	1	3	11	5	20	10	5	3	4	4
Meningococcus meningitis (24)	26										1	4	8	7	6
Tetanus (29)	1			1		1				1					
Tuberculosis of the respiratory system (31)	26						1	1	1	3		1	4	8	10
Tuberculosis of the meninges, etc. (32)	48										2	1	12	14	19
Other forms of tuberculosis (33–37)	15								1	1	1		6	3	4
Syphilis (38)	78	13	5	2	4	24	9	7	4	44	9	6	9	7	3
Convulsions (80)	13			2	3	5	1			6	1		1	3	2
Other [organic] diseases of the heart (90)	5				2	2	1			3		1	1		
Bronchitis (99)	102	1	1	1	2	5	5	7	8	25	17	8	23	17	12
Bronchopneumonia (100)	532	3		5	17	25	22	29	26	102	52	39	131	118	90
Pneumonia (101)	153			2	4	6	4	3	5	18	9	5	35	39	47
Diseases of the stomach (111, 112)	38			1	1	2	1	2	1	6	9	6	9	3	5
Diarrhea and enteritis (113)	943		1	1	2	4	16	35	31	86	116	102	280	216	143
Congenital malformations (159)	249	45	18	10	37	110	31	11	10	162	21	15	34	13	4
Congenital debility (160)	316	4	3	4	15	26	16	20	25	87	163	41	85	29	11
Premature birth (161a)	960	457	129	58	89	733	94	33	32	892	38	20	6	4	
Injury at birth (161b)	225	104	25	29	47	205	6	7	2	220	5				
Other diseases of early infancy (162, 163)	193	66	25	30	40	161	12	6	7	186	5	2			
External causes (175–203)	28	3	1		1	5		3		8	3		9	2	6
All other causes	329	7	3	6	25	41	27	27	15	110	31	25	74	58	31
NEW YORK, N. Y. (MANHATTAN BOROUGH, WHITE).															
All causes	4,096	638	190	137	255	1,220	229	194	157	1,800	374	260	692	531	439
Measles (7)	39											1	2	11	25
Scarlet fever (8)	14						1			1			3	3	7
Whooping cough (9)	110				1	1		3	2	6	14	5	23	27	35
Diphtheria (10)	34							1	2	3	2	1	1	11	16
Influenza (11)	15						1	1		2	1	2	1	5	4
Dysentery (16)	1												1		
Erysipelas (21)	43				1	1	2	11	5	19	9	4	3	4	4
Meningococcus meningitis (24)	26										1	4	8	7	6
Tetanus (29)	1			1		1				1					
Tuberculosis of the respiratory system (31)	23						1	1	1	3		1	4	7	8
Tuberculosis of the meninges, etc. (32)	43										2	1	10	13	17
Other forms of tuberculosis (33–37)	13								1	1	1		4	3	4
Syphilis (38)	53	6	3	2	3	14	7	4	3	28	7	5	7	4	2
Convulsions (80)	11			2	3	5	1			6	1			3	1
Other [organic] diseases of the heart (90)	5				2	2	1			3		1	1		
Bronchitis (99)	97	1	1	1	2	5	5	7	7	24	14	8	22	17	12
Bronchopneumonia (100)	442	2		5	14	21	20	29	26	96	47	35	109	84	71
Pneumonia (101)	132			2	3	5	3	3	3	14	8	5	30	36	39
Diseases of the stomach (111, 112)	35			1	1	2	1	2	1	6	8	6	8	3	4
Diarrhea and enteritis (113)	864		1	1	2	4	14	33	31	82	102	86	262	197	135
Congenital malformations (159)	239	43	16	9	36	104	30	11	10	155	21	15	33	11	4
Congenital debility (160)	292	3	3	4	13	23	16	17	22	78	59	37	80	28	10
Premature birth (161a)	362	419	115	53	77	664	82	31	22	799	35	19	6	3	
Injury at birth (161b)	209	97	24	28	43	192	6	5	1	204	5				
Other diseases of early infancy (162, 163)	173	59	23	26	35	143	12	6	6	167	4	2			
External causes (175–203)	25	3	1			4		3		7	3		7	2	6
All other causes	295	5	3	2	19	29	26	26	14	95	30	22	67	52	29

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1921—Continued.

[See note at head of this table, p. 619.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 mos.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
NEW YORK, N. Y. (MANHATTAN BOROUGH, COLORED).															
All causes	459	65	21	15	36	137	22	13	20	192	36	30	75	76	50
Measles (7)	5												1	2	2
Scarlet fever (8)															
Whooping cough (9)	9												4	3	2
Diphtheria (10)	1														1
Influenza (11)	1												1		
Dysentery (16)															
Erysipelas (21)	3						1			1	1	1			
Meningococcus meningitis (24)															
Tetanus (29)															
Tuberculosis of the respiratory system (31)	3													1	2
Tuberculosis of the meninges, etc (32)	5												2	1	2
Other forms of tuberculosis (33–37)	2												2		
Syphilis (38)	25	7	2		1	10	2	3	1	16	2	1	2	3	1
Convulsions (80)	2												1		1
Other [organic] diseases of the heart (90)															
Bronchitis (99)	5								1	1	3		1		
Bronchopneumonia (100)	90	1			3	4	2			6	5	4	22	34	19
Pneumonia (101)	21				1	1	1		2	4	1		5	3	8
Diseases of the stomach (111, 112)	3										1		1		1
Diarrhea and enteritis (113)	79						2	2		4	14	16	18	19	8
Congenital malformations (159)	10	2	2	1	1	6	1			7			1	2	
Congenital debility (160)	24	1			2	3		3	3	9	4	4	5	1	1
Premature birth (161a)	98	38	14	5	12	69	12	2	10	93	3	1		1	
Injury at birth (161b)	16	7	1	1	4	13		2	1	16					
Other diseases of early infancy (162, 163)	20	7	2	4	5	18			1	19	1				
External causes (175–203)	3				1	1				1			2		
All other causes	34	2		4	6	12	1	1	1	15	1	3	7	6	2
NEW YORK, N. Y. (QUEENS BOROUGH).															
All causes	662	125	29	28	47	229	43	37	28	337	56	42	99	70	58
Measles (7)	3														3
Scarlet fever (8)	2											1			1
Whooping cough (9)	14										3	4	3	2	2
Diphtheria (10)	4												2	2	
Influenza (11)	4							1		1		1		2	
Dysentery (16)															
Erysipelas (21)	2								1	1	1				
Meningococcus meningitis (24)															
Tetanus (29)	1				1	1				1					
Tuberculosis of the respiratory system (31)															
Tuberculosis of the meninges, etc. (32)	6												2	1	3
Other forms of tuberculosis (33–37)	1										1				
Syphilis (38)	3	2				2				2		1			
Convulsions (80)	8										2		2	2	2
Other [organic] diseases of the heart (90)	1							1		1					
Bronchitis (99)	16						1	1	1	3	4	3	4	1	1
Bronchopneumonia (100)	86			2	2	4	3	6		13	9	3	25	18	18
Pneumonia (101)	15				1	1		1		2	2		2	5	4
Diseases of the stomach (111, 112)	3								1	1					2
Diarrhea and enteritis (113)	102						6	3	4	13	10	17	31	20	11
Congenital malformations (159)	65	14	7	7	6	34	6	7	1	48	6	3	4	2	2
Congenital debility (160)	47	3	2	2	5	12	5	5	3	25	2	6	9	4	1
Premature birth (161a)	140	64	13	9	11	97	11	8	11	127	10	1	2		
Injury at birth (161b)	54	30	4	5	9	48	3	1	2	54					
Other diseases of early infancy (162, 163)	27	9	3	2	7	21	4	1	1	27					
External causes (175–203)	5												3	2	
All other causes	53	3		1	5	9	4	2	3	18	6	2	10	9	8
NEW YORK, N. Y. (RICHMOND BOROUGH).															
All causes	201	34	8	4	18	64	19	7	6	96	25	16	28	22	14
Measles (7)	2													2	
Scarlet fever (8)															
Whooping cough (9)	9								1	1	4		1		3
Diphtheria (10)	1													1	
Influenza (11)															
Dysentery (16)															
Erysipelas (21)	1										1				
Meningococcus meningitis (24)															
Tetanus (29)															
Tuberculosis of the respiratory system (31)	2												2		
Tuberculosis of the meninges, etc. (32)	1						1			1					
Other forms of tuberculosis (33–37)															
Syphilis (38)															
Convulsions (80)	1											1			
Other [organic] diseases of the heart (90)															
Bronchitis (99)	6							1		1			2	3	
Bronchopneumonia (100)	19			1		1		1		2	4	1	3	4	5
Pneumonia (101)	3											1		1	1
Diseases of the stomach (111, 112)	2								1	1				1	
Diarrhea and enteritis (113)	35						3			3	5	4	12	8	3
Congenital malformations (159)	18	4	1		4	9	5			14	2		1		1
Congenital debility (160)	25	2			3	5	1	1	2	9	4	8	4		
Premature birth (161a)	43	19	2	2	8	31	6	3	1	41	1	1			
Injury at birth (161b)	17	8	5		1	14	2	1		17					
Other diseases of early infancy (162, 163)	4	1			1	2	1		1	4					
External causes (175–203)	1													1	
All other causes	11			1	1	2				2	4		3	1	1

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1921—Continued.

(See note at head of this table, p. 619.)

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 mos.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
ROCHESTER, N. Y.															
All causes	545	109	35	34	47	225	38	23	17	303	33	36	70	61	42
Measles (7)	1														1
Scarlet fever (8)	1													1	
Whooping cough (9)	22							2	1	3	1	1	6	4	7
Diphtheria (10)	1														1
Influenza (11)	1													1	
Dysentery (16)															
Erysipelas (21)	3								2	2				1	
Meningococcus meningitis (24)															
Tetanus (29)															
Tuberculosis of the respiratory system (31)	5												1		4
Tuberculosis of the meninges, etc. (32)	1													1	
Other forms of tuberculosis (33-37)	3											1		2	
Syphilis (38)	5										4		1		
Convulsions (80)															
Other [organic] diseases of the heart (90)															
Bronchitis (99)	6										1	1	1	2	1
Bronchopneumonia (100)	41			1		1	1	1	4	7	3	6	13	8	4
Pneumonia (101)	7				1	1				1	1	1	1	1	2
Diseases of the stomach (111, 112)	1											1			
Diarrhea and enteritis (113)	138				2	2	4	10	5	21	15	20	38	29	15
Congenital malformations (159)	54	9	9	6	9	33	5	2	1	41	2	2	2	5	2
Congenital debility (160)	7	1		1	3	5	1			6			1		
Premature birth (161a)	139	70	15	15	12	112	14	4	4	134	3	1	1		
Injury at birth (161b)	54	24	5	5	11	45	7	1		53	1				
Other diseases of early infancy (162, 163)	17	4	3	3	3	13	3			16	1				
External causes (175-203)	11	1	2		1	4		1		5	1		1	3	1
All other causes	27		1	3	5	9	3	2		14		2	4	3	4
SYRACUSE, N. Y.															
All causes	355	70	14	17	33	134	25	13	12	184	28	30	37	47	29
Measles (7)	2													1	1
Scarlet fever (8)															
Whooping cough (9)	16								1	1	1	1	2	8	3
Diphtheria (10)	5													1	4
Influenza (11)	1														1
Dysentery (16)	1													1	
Erysipelas (21)	3											1	2		
Meningococcus meningitis (24)															
Tetanus (29)	1			1		1				1					
Tuberculosis of the respiratory system (31)															
Tuberculosis of the meninges, etc. (32)	1														1
Other forms of tuberculosis (33-37)															
Syphilis (38)	2						1	1		2					
Convulsions (80)	4			1	1	2	1			3					1
Other [organic] diseases of the heart (90)	1													1	
Bronchitis (99)	2								2	2					
Bronchopneumonia (100)	27						2	2	1	5	3	7	3	5	4
Pneumonia (101)	3												1	1	1
Diseases of the stomach (111, 112)	2						1			1		1			
Diarrhea and enteritis (113)	83				1	1	4	4	2	11	11	14	20	20	7
Congenital malformations (159)	28	4	4	3	5	16	2	3	2	23	2	1			2
Congenital debility (160)	26	4		1	2	7	1	1	1	10	3	2	4	2	
Premature birth (161a)	74	38	5	9	9	61	7	1	2	71	1	1	1		
Injury at birth (161b)	33	20	4		8	32	1			33					
Other diseases of early infancy (162, 163)	10	3	1	1	3	8	2			10					
External causes (175-203)	4	1			1	2				2				1	1
All other causes	26			1	3	4	3	1	1	9	2	2	4	6	3
YONKERS, N. Y.															
All causes	160	27	14	8	16	65	10	11	7	93	13	6	29	10	9
Measles (7)															
Scarlet fever (8)	1												1		
Whooping cough (9)	3								1	1			2		
Diphtheria (10)	1												1		
Influenza (11)															
Dysentery (16)															
Erysipelas (21)	5								1	1		2	1	1	
Meningococcus meningitis (24)	1							1		1					
Tetanus (29)															
Tuberculosis of the respiratory system (31)	1												1		
Tuberculosis of the meninges, etc. (32)	4												2		2
Other forms of tuberculosis (33-37)															
Syphilis (38)	6		1		2	3		2		5			1		
Convulsions (80)															
Other [organic] diseases of the heart (90)	1														1
Bronchitis (99)	3							1		1	1			1	
Bronchopneumonia (100)	9						1	1	1	3		1	2	1	2
Pneumonia (101)	8												5	2	1
Diseases of the stomach (111, 112)	1												1		
Diarrhea and enteritis (113)	29				1	1		3	2	6	6	2	10	2	3
Congenital malformations (159)	10	1	2	1	4	8				8	1			1	
Congenital debility (160)	4						1		1	2	2				
Premature birth (161a)	45	16	5	5	7	33	5	3	1	42	2	1			
Injury at birth (161b)	16	8	4	1	2	15	1			16					
Other diseases of early infancy (162, 163)	6	2	2	1		5	1			6					
External causes (175-203)															
All other causes	6						1			1	1		2	2	

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1921—Continued.

[See note at head of this table, p. 619.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 mos.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
AKRON, OHIO.															
All causes	325	56	13	22	29	120	22	13	10	165	31	32	39	34	24
Measles (7)	1												1		
Scarlet fever (8)															
Whooping cough (9)	9								1	1	2			2	4
Diphtheria (10)	4										1		1	1	1
Influenza (11)	3										1		1		1
Dysentery (16)	1														1
Erysipelas (21)	2											1		1	
Meningococcus meningitis (24)	2												1	1	
Tetanus (29)															
Tuberculosis of the respiratory system (31)	1														1
Tuberculosis of the meninges, etc. (32)	2												1	1	
Other forms of tuberculosis (33–37)															
Syphilis (38)	4			1		1				1			1	2	
Convulsions (80)	2			1		1				1					1
Other [organic] diseases of the heart (90)	1													1	
Bronchitis (99)	5												2	3	
Bronchopneumonia (100)	30			1	2	3	1	1	2	7	5	4	5	5	4
Pneumonia (101)	11				1	1				1	4	2	1	2	1
Diseases of the stomach (111, 112)	3							1		1			2		
Diarrhea and enteritis (113)	53						4	2	3	9	7	10	10	11	6
Congenital malformations (159)	35	11		4	6	21	2	1	1	25	3	3	3		1
Congenital debility (160)	25	1	1		1	3	3	3	2	11	5	4	4	1	
Premature birth (161a)	74	34	9	5	12	60	10	2		72	1	1			
Injury at birth (161b)	10	3		4	2	9	1			10					
Other diseases of early infancy (162, 163)	21	7	2	5	3	17		2		19		2			
External causes (175–203)	7		1		1	2				2		1	2	1	1
All other causes	19			1	1	2	1	1	1	5	2	4	4	2	2
CINCINNATI, OHIO (TOTAL).															
All causes	603	122	39	28	43	232	38	26	30	326	45	45	80	64	43
Measles (7)	1														1
Scarlet fever (8)															
Whooping cough (9)	18								1	1	1	3	2	7	4
Diphtheria (10)	2													1	1
Influenza (11)	6							1		1		1	1	1	2
Dysentery (16)															
Erysipelas (21)	3							1		1				2	
Meningococcus meningitis (24)															
Tetanus (29)															
Tuberculosis of the respiratory system (31)	1												1		
Tuberculosis of the meninges, etc. (32)	8												4	1	3
Other forms of tuberculosis (33–37)	1													1	
Syphilis (38)	19				1	1	4	1	2	8	3	2	4	2	
Convulsions (80)	4				1	1				1				1	2
Other [organic] diseases of the heart (90)	1											1			
Bronchitis (99)	7							1		1	3		2		1
Bronchopneumonia (100)	57		1		2	3	2	2	4	11	8	4	16	10	8
Pneumonia (101)	21		1		1	2	1	1	1	5	3		4	4	5
Diseases of the stomach (111, 112)	3										1	1	1		
Diarrhea and enteritis (113)	109		1			1	3	3	8	15	9	22	27	24	12
Congenital malformations (159)	53	9	5	5	9	28	3	2	1	34	5	5	6	3	
Congenital debility (160)	17	1	1	1	3	6	3	2	1	12	2	1	1		1
Premature birth (161a)	161	85	21	10	13	129	12	6	10	157	3	1			
Injury at birth (161b)	50	23	4	8	6	41	6	3		50					
Other diseases of early infancy (162, 163)	13	1	4	2	3	10	1	1	1	13					
External causes (175–203)	6	1			1	2				2	1	1	1		1
All other causes	42	2	1	2	3	8	3	2	1	14	6	3	10	7	2
CINCINNATI, OHIO (WHITE).															
All causes	515	108	30	26	41	205	34	22	26	287	38	37	68	47	38
Measles (7)	1														1
Scarlet fever (8)															
Whooping cough (9)	15								1	1	1	3	2	5	3
Diphtheria (10)	2													1	1
Influenza (11)	6							1		1		1	1	1	2
Dysentery (16)															
Erysipelas (21)	2							1		1				1	
Meningococcus meningitis (24)															
Tetanus (29)															
Tuberculosis of the respiratory system (31)															
Tuberculosis of the meninges, etc. (32)	8												4	1	3
Other forms of tuberculosis (33–37)	1													1	
Syphilis (38)	16				1	1	3	1	2	7	2	2	4	1	
Convulsions (80)	3				1	1				1				1	1
Other [organic] diseases of the heart (90)	1											1			
Bronchitis (99)	3							1		1	2				
Bronchopneumonia (100)	44				2	2	2	1	3	8	7	3	12	7	7
Pneumonia (101)	15				1	1		1	1	3	3		3	1	5
Diseases of the stomach (111, 112)	3										1	1	1		
Diarrhea and enteritis (113)	94		1			1	3	3	8	15	7	16	23	22	11
Congenital malformations (159)	48	8	4	5	8	25	3	2	1	31	5	4	6	2	
Congenital debility (160)	14			1	3	4	3	2	1	10	1	1	1		1
Premature birth (161a)	138	76	17	8	12	113	11	4	7	135	2	1			
Injury at birth (161b)	48	22	4	8	6	40	6	2		48					
Other diseases of early infancy (162, 163)	13	1	4	2	3	10	1	1	1	13					
External causes (175–203)	6	1			1	2				2	1	1	1		1
All other causes	34			2	3	5	2	2	1	10	6	3	10	3	2

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1921—Continued.

[See note at head of this table, p. 619.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months	6 to 8 months.	9 to 11 mos.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
CINCINNATI, OHIO (COLORED).															
All causes	88	14	9	2	2	27	4	4	4	39	7	8	12	17	5
Measles (7)															
Scarlet fever (8)															
Whooping cough (9)	3													2	1
Diphtheria (10)															
Influenza (11)															
Dysentery (16)															
Erysipelas (21)	1													1	
Meningococcus meningitis (24)															
Tetanus (29)															
Tuberculosis of the respiratory system (31)	1												1		
Tuberculosis of the meninges, etc. (32)															
Other forms of tuberculosis (33–37)															
Syphilis (38)	3						1			1	1			1	
Convulsions (80)	1														1
Other [organic] diseases of the heart (90)															
Bronchitis (99)	4										1		2		1
Bronchopneumonia (100)	13		1			1		1	1	3	1	1	4	3	1
Pneumonia (101)	6		1			1	1			2			1	3	
Diseases of the stomach (111, 112)															
Diarrhea and enteritis (113)	15										2	6	4	2	1
Congenital malformations (159)	5	1	1		1	3				3		1		1	
Congenital debility (160)	3	1	1			2				2	1				
Premature birth (161a)	23	9	4	2	1	16	1	2	3	22	1				
Injury at birth (161b)	2	1				1		1		2					
Other diseases of early infancy (162, 163)															
External causes (175–203)															
All other causes	8	2	1			3	1			4				4	
CLEVELAND, OHIO (TOTAL).															
All causes	1,480	333	98	71	104	606	81	63	49	799	100	86	219	165	111
Measles (7)	10												1	2	7
Scarlet fever (8)	5										1		1	1	2
Whooping cough (9)	28										7		6	7	7
Diphtheria (10)	4										1		1		2
Influenza (11)	4										1			3	
Dysentery (16)	2													1	1
Erysipelas (21)	4										2		2		
Meningococcus meningitis (24)	2												1		1
Tetanus (29)															
Tuberculosis of the respiratory system (31)	12										1		4	4	3
Tuberculosis of the meninges, etc. (32)	6											1	2	1	2
Other forms of tuberculosis (33–37)	1											1			
Syphilis (38)	29	3				3	3	4	2	12	3	6	3	3	2
Convulsions (80)	25	1		3	1	5			4	9	4	1	7	3	1
Other [organic] diseases of the heart (90)	2										1		1		
Bronchitis (99)	11				1	1	3		1	5	1	1	3	1	
Bronchopneumonia (100)	133	1	1	1	2	5	8	6	4	23	20	15	25	19	31
Pneumonia (101)	43				1	1		2	1	4	1	2	16	13	7
Diseases of the stomach (111, 112)	17		1			1	2	5	1	9		1	5	1	1
Diarrhea and enteritis (113)	299		3	2	4	9	8	11	12	40	28	36	92	73	30
Congenital malformations (159)	107	28	13	7	13	61	13	7	2	83	7	6	6	5	
Congenital debility (160)	42	3	2	2	6	13	5	5	5	28	1	4	5	4	
Premature birth (161a)	393	215	46	26	40	327	29	11	8	375	11	3	4		
Injury at birth (161b)	110	54	18	18	16	106	2	2		110					
Other diseases of early infancy (162, 163)	51	15	8	6	10	39	4	4	2	49	2				
External causes (175–203)	20	3	3		2	8				8	1		3	2	6
All other causes	120	10	3	6	8	27	4	6	7	44	7	8	31	22	8
CLEVELAND, OHIO (WHITE).															
All causes	1,392	319	98	68	95	580	78	60	45	763	94	80	206	152	97
Measles (7)	9												1	2	6
Scarlet fever (8)	5										1		1	1	2
Whooping cough (9)	24										7	1	6	6	4
Diphtheria (10)	3										1				2
Influenza (11)	3										1			2	
Dysentery (16)	1														1
Erysipelas (21)	3										1		2		
Meningococcus meningitis (24)	1														1
Tetanus (29)															
Tuberculosis of the respiratory system (31)	10												3	4	3
Tuberculosis of the meninges, etc. (32)	6											1	2	1	2
Other forms of tuberculosis (33–37)	1											1			
Syphilis (38)	22	2				2	3	3	1	9	3	6	2	1	1
Convulsions (80)	25	1		3	1	5			4	9	4	1	7	3	1
Other [organic] diseases of the heart (90)	2										1		1		
Bronchitis (99)	10				1	1	3		1	5	1	1	3		
Bronchopneumonia (100)	119	1	1	1	2	5	8	6	3	22	19	14	22	16	26
Pneumonia (101)	39				1	1		2	1	4	1	2	15	11	6
Diseases of the stomach (111, 112)	17		1			1	2	5	1	9		1	5	1	1
Diarrhea and enteritis (113)	291		3	2	4	9	8	11	12	40	28	35	88	72	28
Congenital malformations (159)	103	28	13	7	10	58	13	7	2	80	7	5	6	5	
Congenital debility (160)	40	3	2	2	6	13	5	4	4	26	1	4	5	4	
Premature birth (161a)	371	203[3]	46	25	35	309	28	11	7	355	10	2	4		
Injury at birth (161b)	108	54[5]	18	17	15	104	2	2		108					
Other diseases of early infancy (162, 163)	46	14[3]	8	5	10	37	2	3	2	44	2				
External causes (175–203)	20	3[2]	3		2	8				8	1		3	2	6
All other causes	113	10	3	6	8	27	4	6	7	44	5	6	30	21	7

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1921—Continued.

[See note at head of this table, p. 619.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 mos.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
CLEVELAND, OHIO (COLORED).															
All causes	88	14		3	9	26	3	3	4	36	6	6	13	13	14
Measles (7)	1														1
Scarlet fever (8)															
Whooping cough (9)	4													1	3
Diphtheria (10)	1												1		
Influenza (11)	1													1	
Dysentery (16)	1													1	
Erysipelas (21)	1										1				
Meningococcus meningitis (24)	1												1		
Tetanus (29)															
Tuberculosis of the respiratory system (31)	2										1		1		
Tuberculosis of the meninges, etc. (32)															
Other forms of tuberculosis (33–37)															
Syphilis (38)	7	1				1		1	1	3			1	2	1
Convulsions (80)															
Other [organic] diseases of the heart (90)															
Bronchitis (99)	1													1	
Bronchopneumonia (100)	14								1	1	1	1	3	3	5
Pneumonia (101)	4												1	2	1
Diseases of the stomach (111, 112)															
Diarrhea and enteritis (113)	8											1	4	1	2
Congenital malformations (159)	4				3	3				3		1			
Congenital debility (160)	2							1	1	2					
Premature birth (161a)	22	12		1	5	18	1		1	20	1	1			
Injury at birth (161b)	2			1	1	2				2					
Other diseases of early infancy (162, 163)	5	1		1		2	2	1		5					
External causes (175–203)															
All other causes	7										2	2	1	1	1
COLUMBUS, OHIO.															
All causes	395	67	20	21	35	143	20	15	17	195	46	27	68	38	21
Measles (7)															
Scarlet fever (8)															
Whooping cough (9)	7								1	1	1		1	2	2
Diphtheria (10)															
Influenza (11)	3												2		1
Dysentery (16)	1				1	1				1					
Erysipelas (21)	2												2		
Meningococcus meningitis (24)															
Tetanus (29)															
Tuberculosis of the respiratory system (31)	4											1	1	1	1
Tuberculosis of the meninges, etc. (32)	1													1	
Other forms of tuberculosis (33–37)	1													1	
Syphilis (38)	10				1	1		2		3	4		1	2	
Convulsions (80)	5	1			2	3				3	1		1		
Other [organic] diseases of the heart (90)															
Bronchitis (99)	1										1				
Bronchopneumonia (100)	46		2	3		5	1	4	2	12	6	3	11	9	5
Pneumonia (101)	7										1	1	3		2
Diseases of the stomach (111, 112)	4										2		1	1	
Diarrhea and enteritis (113)	58						2		2	4	9	7	21	12	5
Congenital malformations (159)	30	8	2	1	7	18	2			20	2	2	4	1	1
Congenital debility (160)	49	1	4	2	4	11	7	1	2	21	9	8	9	1	1
Premature birth (161a)	92	45	8	6	6	65	6	6	8	85	5	1	1		
Injury at birth (161b)	12	7	2	2	1	12				12					
Other diseases of early infancy (162, 163)	20	4	1	4	10	19				19		1			
External causes (175–203)	11	1		1		2		1		3	2		3	2	1
All other causes	31		1	2	3	6	2	1	2	11	3	3	7	5	2
DAYTON, OHIO.															
All causes	236	46	15	6	29	96	19	6	9	130	18	16	34	28	10
Measles (7)															
Scarlet fever (8)	1													1	
Whooping cough (9)	6										1		3	1	1
Diphtheria (10)															
Influenza (11)															
Dysentery (16)															
Erysipelas (21)	1										1				
Meningococcus meningitis (24)															
Tetanus (29)															
Tuberculosis of the respiratory system (31)	1												1		
Tuberculosis of the meninges, etc. (32)	2													1	1
Other forms of tuberculosis (33–37)	2							1		1				1	
Syphilis (38)	7	2			1	3	1			4	2	1			
Convulsions (80)	2				2	2				2					
Other [organic] diseases of the heart (90)	1										1				
Bronchitis (99)	1												1		
Bronchopneumonia (100)	15			1		1				1	2	5	3	4	
Pneumonia (101)	5				1	1				1		2			2
Diseases of the stomach (111, 112)	4							1		1	1		2		
Diarrhea and enteritis (113)	40				1	1			2	3	5	4	14	10	4
Congenital malformations (159)	25	6	4	2	5	17	3	1		21		2	1	1	
Congenital debility (160)	17	1	1	2		4	3		1	8	3	2	3	1	
Premature birth (161a)	58	26	5	1	10	42	8	3	3	56	1		1		
Injury at birth (161b)	15	7	2		3	12	2		1	15					
Other diseases of early infancy (162, 163)	12	4	2		3	9	2		1	12					
External causes (175–203)	2				1	1				1			1		
All other causes	19		1		2	3			1	4	1		4	8	2

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1921—Continued.

[See note at head of this table, p. 619.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 mos.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
TOLEDO, OHIO.															
All causes	407	105	17	24	26	172	21	17	13	223	36	28	56	38	26
Measles (7)															
Scarlet fever (8)	1													1	
Whooping cough (9)	8								2	2	3		1	2	
Diphtheria)10)	2														2
Influenza (11)	4										1		1		2
Dysentery (16)															
Erysipelas (21)	2						1	1		2					
Meningococcus meningitis (24)															
Tetanus (29)															
Tuberculosis of the respiratory system (31)	4											1	1	1	1
Tuberculosis of the meninges, etc. (32)	4											1	1	1	1
Other forms of tuberculosis (33-37)	2							1		1					1
Syphilis (38)	9			1		1	3	1	1	6		1	1	1	
Convulsions (80)	4			1	1	2		1	1	4					
Other [organic] diseases of the heart (90)															
Bronchitis (99)	7										3	1	2		1
Bronchopneumonia (100)	33				1	1	1	1		3	3	6	5	9	7
Pneumonia (101)	6								1	1	1		1		3
Diseases of the stomach (111, 112)															
Diarrhea and enteritis (113)	93		1		1	2	2	3	4	11	14	12	32	18	6
Congenital malformations (159)	46	14	3	7	5	29	5	2	1	37	4	1	2	2	
Congenital debility (160)	17	4		1	2	7	2	1	1	11	2	1	2	1	
Premature birth (161a)	95	59	11	5	9	84	4	4	1	93	2				
Injury at birth (161b)	32	21	2	5	3	31	1			32					
Other diseases of early infancy (162, 163)	17	6		3	3	12	2	1	1	16	1				
External causes (175-203)	3			1		1				1		1	1		
All other causes	18	1			1	2		1		3	2	3	6	2	2
YOUNGSTOWN, OHIO.															
All causes	358	46	18	15	24	103	23	13	15	154	35	29	57	37	46
Measles (7)	3														3
Scarlet fever (8)	1													1	
Whooping cough (9)	12										1	2	2	3	4
Diphtheria (10)															
Influenza (11)	1												1		
Dysentery (16)															
Erysipelas (21)	2											1		1	
Meningococcus meningitis (24)															
Tetanus (29)															
Tuberculosis of the respiratory system (31)	1												1		
Tuberculosis of the meninges, etc. (32)	2												1	1	
Other forms of tuberculosis (33-37)	1												1		
Syphilis (38)	9		1			1				1	2	2	2		2
Convulsions (80)	3			1		1		2		3					
Other [organic] diseases of the heart (90)	1												1		
Bronchitis (99)	1											1			
Bronchopneumonia (100)	74	1		2	3	6	4	3	3	16	11	5	18	11	13
Pneumonia (101)	7	1				1	1			2	1		2	1	1
Diseases of the stomach (111, 112)															
Diarrhea and enteritis (113)	84						3	2	5	8	10	10	20	16	20
Congenital malformations (159)	20	2	2	1	6	11		2	2	15		2	2	1	
Congenital debility (160)	15			2	1	3	2		4	9	2		3	1	
Premature birth (161a)	69	33	8	4	9	54	10	1	1	66	3				
Injury at birth (161b)	17	7	5	2	2	16	1			17					
Other diseases of early infancy (162, 163)	10	1	2	2	2	7		2		9		1			
External causes (175-203)	6				1	1				1	1	1			3
All other causes	19	1		1		2	2	3		7	4	4	3	1	
PORTLAND, OREG.															
All causes	264	66	15	17	26	124	20	8	14	166	31	14	26	13	14
Measles (7)	1													1	
Scarlet fever (8)															
Whooping cough (9)	3								1	1	1	1			
Diphtheria (10)	4							1		1	1			1	1
Influenza (11)	2								1	1					1
Dysentery (16)	1												1		
Erysipelas (21)	4										3		1		
Meningococcus meningitis (24)															
Tetanus (29)															
Tuberculosis of the respiratory system (31)															
Tuberculosis of the meninges, etc. (32)	1												1		
Other forms of tuberculosis (33-37)	1												1		
Syphilis (38)	3											1	1	1	
Convulsions (80)	2				1	1				1			1		
Other [organic] diseases of the heart (90)															
Bronchitis (99)															
Bronchopneumonia (100)	21				2	2	1			3	5	1	4	6	2
Pneumonia (101)	11						1	1	1	3	3	1	2		2
Diseases of the stomach (111, 112)	3				1	1				1		1	1		
Diarrhea and enteritis (113)	21						1	1	2	4	4	4	5	1	3
Congenital malformations (159)	32	8	2	4	5	19	4		2	25	3	1	2	1	
Congenital debility (160)	10	1	1		1	3	1			4	4		2		
Premature birth (161a)	78	49	9	3	6	67	4	4	2	77	1				
Injury at birth (161b)	24	6	2	6	4	18	4		2	24					
Other diseases of early infancy (162, 163)	9	1		3	4	8		1		9					
External causes (175-203)	5			1		1				1	1	1			2
All other causes	28	1	1		2	4	4		3	11	5	3	4	2	3

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1921—Continued.

[See note at head of this table, p. 619.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 mos.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
PHILADELPHIA, PA. (TOTAL.)															
All causes	3,408	502	198	124	262	1,086	225	157	102	1,570	278	253	553	429	325
Measles (7)	10												2	2	6
Scarlet fever (8)	10										1		2	2	5
Whooping cough (9)	84	1			1	2	1			3	8	13	21	21	18
Diphtheria (10)	31							1		1	1	2	9	4	14
Influenza (11)	28						1		1	2	4	2	5	10	5
Dysentery (16)	2										1				1
Erysipelas (21)	11						1	1		2	4		2	2	1
Meningococcus meningitis (24)	7				1	1			1	2	1		2	2	
Tetanus (29)	1							1		1					
Tuberculosis of the respiratory system (31)	14			1		1		1		2	2	1	4	3	2
Tuberculosis of the meninges, etc. (32)	19										1		4	8	6
Other forms of tuberculosis (33–37)	7												3	4	
Syphilis (38)	50	6	1	2	6	15	5	5		25	5	4	11	4	1
Convulsions (80)	18		1		3	4	3	1	1	9	2		1	3	3
Other [organic] diseases of the heart (90)	8				1	1		1		2	3		2		1
Bronchitis (99)	68				2	2		4	2	8	17	12	13	8	10
Bronchopneumonia (100)	443	1	3	7	13	24	16	14	11	65	51	40	86	109	92
Pneumonia (101)	95		1	1	1	3	3	7	2	15	1	9	21	25	24
Diseases of the stomach (111, 112)	26				2	2	2	2		6	3	3	4	7	3
Diarrhea and enteritis (113)	704				13	13	18	24	20	75	73	87	235	151	83
Congenital malformations (159)	335	59	41	19	62	181	35	23	17	256	24	16	24	7	8
Congenital debility (160)	199	14	10	7	21	52	19	13	6	90	26	28	38	12	5
Premature birth (161a)	689	300	90	53	74	517	80	31	28	656	18	7	4	2	2
Injury at birth (161b)	172	73	32	20	25	150	13	5	1	169	1	2			
Other diseases of early infancy (162, 163)	123	43	15	11	22	91	13	6	4	114	6	3			
External causes (175–203)	35	2	2			4	1		1	6	2	6	6	6	9
All other causes	219	3	2	3	15	23	14	17	7	61	23	18	54	37	26
PHILADELPHIA, PA. (WHITE).															
All causes	2,991	464	182	112	229	987	199	138	90	1,414	241	228	482	360	266
Measles (7)	8												2	1	5
Scarlet fever (8)	9										1		2	2	4
Whooping cough (9)	61	1				1				1	8	12	14	15	11
Diphtheria (10)	23							1		1	1	2	5	3	11
Influenza (11)	25						1		1	2	3	2	5	8	5
Dysentery (16)	2										1				1
Erysipelas (21)	11						1	1		2	4		2	2	1
Meningococcus meningitis (24)	7				1	1			1	2	1		2	2	
Tetanus (29)	1							1		1					
Tuberculosis of the respiratory system (31)	11			1		1		1		2	2	1	4	2	
Tuberculosis of the meninges, etc. (32)	16										1		4	6	5
Other forms of tuberculosis (33–37)	4												3	1	
Syphilis (38)	25	4	1		4	9	1	4		14	3	2	5	1	
Convulsions (80)	16		1		3	4	3	1	1	9	2			3	2
Other [organic] diseases of the heart (90)	8				1	1		1		2	3		2		1
Bronchitis (99)	56				2	2		3	2	7	15	11	11	5	7
Bronchopneumonia (100)	360	1	2	5	9	17	16	12	9	54	41	33	68	90	74
Pneumonia (101)	82		1	1	1	3	3	7	2	15	1	9	20	18	19
Diseases of the stomach (111, 112)	23				2	2	1	2		5	3	3	3	6	3
Diarrhea and enteritis (113)	642				11	11	17	23	17	68	61	82	219	135	77
Congenital malformations (159)	315	57	38	18	60	173	31	22	16	242	23	16	21	7	6
Congenital debility (160)	162	14	9	6	13	42	16	9	4	71	20	24	34	11	2
Premature birth (161a)	616	276	84	47	63	470	71	25	25	591	15	5	2	1	2
Injury at birth (161b)	166	71	30	20	24	145	13	4	1	163	1	2			
Other diseases of early infancy (162, 163)	112	37	14	11	20	82	12	5	4	103	6	3			
External causes (175–203)	26	1	1			2			1	3	2	3	5	6	7
All other causes	204	2	1	3	15	21	13	16	6	56	23	18	49	35	23
PHILADELPHIA, PA. (COLORED).															
All causes	417	38	16	12	33	99	26	19	12	156	37	25	71	69	59
Measles (7)	2													1	1
Scarlet fever (8)	1														1
Whooping cough (9)	23				1	1	1			2		1	7	6	7
Diphtheria (10)	8												4	1	3
Influenza (11)	3										1			2	
Dysentery (16)															
Erysipelas (21)															
Meningococcus meningitis (24)															
Tetanus (29)															
Tuberculosis of the respiratory system (31)	3													1	2
Tuberculosis of the meninges, etc. (32)	3													2	1
Other forms of tuberculosis (33–37)	3													3	
Syphilis (38)	25	2		2	2	6	4	1		11	2	2	6	3	1
Convulsions (80)	2												1		1
Other [organic] diseases of the heart (90)															
Bronchitis (99)	12							1		1	2	1	2	3	3
Bronchopneumonia (100)	83		1	2	4	7		2	2	11	10	7	18	19	18
Pneumonia (101)	13												1	7	5
Diseases of the stomach (111, 112)	3						1			1			1	1	
Diarrhea and enteritis (113)	62				2	2	1	1	3	7	12	5	16	16	6
Congenital malformations (159)	20	2	3	1	2	8	4	1	1	14	1		3		2
Congenital debility (160)	37		1	1	8	10	3	4	2	19	6	4	4	1	3
Premature birth (161a)	73	24	6	6	11	47	9	6	3	65	3	2	2	1	
Injury at birth (161b)	6	2	2		1	5		1		6					
Other diseases of early infancy (162, 163)	11	6	1		2	9	1	1		11					
External causes (175–203)	9	1	1			2	1			3		3	1		2
All other causes	15	1	1			2	1	1	1	5			5	2	3

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1921—Continued.

[See note at head of this table, p. 619.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 mos.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
PITTSBURGH, PA. (TOTAL).															
All causes	1,528	270	76	64	115	525	72	60	40	697	132	98	279	201	121
Measles (7)	6													5	1
Scarlet fever (8)	1														1
Whooping cough (9)	20										1	1	8	6	4
Diphtheria (10)	4													2	2
Influenza (11)	9						1		1	2	1		3	1	2
Dysentery (16)	2							1		1			1		
Erysipelas (21)	5						1			1		1	2	1	
Meningococcus meningitis (24)	7												3	2	2
Tetanus (29)															
Tuberculosis of the respiratory system (31)	7										2		1	2	2
Tuberculosis of the meninges, etc. (32)	14								1	1			3	8	2
Other forms of tuberculosis (33–37)	1													1	
Syphilis (38)	44	1	3			4		2	1	7	8	9	12	5	3
Convulsions (80)	9	1	1	1		3		1		4	2	1	1	1	
Other [organic] diseases of the heart (90)	2												1	1	
Bronchitis (99)	22				1	1	1	1	1	4	7	1	4	4	2
Bronchopneumonia (100)	168		1	1	4	6	4	5	8	23	19	14	37	48	27
Pneumonia (101)	68				1	1	2	3	2	8	3	7	20	16	14
Diseases of the stomach (111, 112)	11			1		1	1	2	1	5	2	1	3		
Diarrhea and enteritis (113)	359			1		1	6	7	7	21	56	40	131	68	43
Congenital malformations (159)	136	36	7	9	27	79	12	9	3	103	10	9	7	4	3
Congenital debility (160)	45	3	4	4	7	18	3	6	1	28	6		7	2	2
Premature birth (161a)	330	170	41	33	34	278	24	11	7	320	7	1	1	1	
Injury at birth (161b)	102	43	11	8	23	85	12	3		100		2			
Other diseases of early infancy (162, 163)	46	12	8	5	13	38		4	2	44		2			
External causes (175–203)	14	3		1		4			1	5		1	7		1
All other causes	96	1			5	6	5	5	4	20	8	8	27	23	10
PITTSBURGH, PA. (WHITE).															
All causes	1,391	250	70	59	110	489	66	59	38	652	124	90	253	171	101
Measles (7)	6													5	1
Scarlet fever (8)	1														1
Whooping cough (9)	15										1	1	8	4	1
Diphtheria (10)	4													2	2
Influenza (11)	9						1		1	2	1		3	1	2
Dysentery (16)	1							1		1					
Erysipelas (21)	4											1	2	1	
Meningococcus meningitis (24)	6												3	2	1
Tetanus (29)															
Tuberculosis of the respiratory system (31)	7										2		1	2	2
Tuberculosis of the meninges, etc. (32)	13								1	1			3	7	2
Other forms of tuberculosis (33–37)	1													1	
Syphilis (38)	40	1	2			3		2	1	6	8	8	11	4	3
Convulsions (80)	8	1	1			2		1		3	2	1	1	1	
Other [organic] diseases of the heart (90)	2												1	1	
Bronchitis (99)	19				1	1	1	1	1	4	6	1	4	3	1
Bronchopneumonia (100)	146		1	1	4	6	4	5	8	23	19	13	31	40	20
Pneumonia (101)	57				1	1	2	3	1	7	3	5	17	14	11
Diseases of the stomach (111, 112)	11			1		1	1	2	1	5	2	1	3		
Diarrhea and enteritis (113)	324			1		1	5	7	7	20	51	36	121	55	41
Congenital malformations (159)	132	35	7	8	27	77	11	9	3	100	10	9	7	4	2
Congenital debility (160)	42	3	4	4	7	18	3	5	1	27	5		7	2	1
Premature birth (161a)	304	157	38	31	30	256	22	11	6	295	7	1	1		
Injury at birth (161b)	97	39	10	8	23	80	12	3		95		2			
Other diseases of early infancy (162, 163)	43	10	7	5	13	35		4	2	41		2			
External causes (175–203)	9	3				3			1	4		1	3		1
All other causes	90	1			4	5	4	5	4	18	7	8	26	22	9
PITTSBURGH, PA. (COLORED).															
All causes	137	20	6	5	5	36	6	1	2	45	8	8	26	30	20
Measles (7)															
Scarlet fever (8)															
Whooping cough (9)	5													2	3
Diphtheria (10)															
Influenza (11)															
Dysentery (16)	1												1		
Erysipelas (21)	1						1			1					
Meningococcus meningitis (24)	1														1
Tetanus (29)															
Tuberculosis of the respiratory system (31)															
Tuberculosis of the meninges, etc. (32)	1													1	
Other forms of tuberculosis (33–37)															
Syphilis (38)	4		1			1				1		1	1	1	
Convulsions (80)	1			1		1				1					
Other [organic] diseases of the heart (90)															
Bronchitis (99)	3										1			1	1
Bronchopneumonia (100)	22											1	6	8	7
Pneumonia (101)	11								1	1		2	3	2	3
Diseases of the stomach (111, 112)															
Diarrhea and enteritis (113)	35						1			1	5	4	10	13	2
Congenital malformations (159)	4	1		1		2	1			3					1
Congenital debility (160)	3							1		1	1				1
Premature birth (161a)	26	13	3	2	4	22	2		1	25				1	
Injury at birth (161b)	5	4	1			5				5					
Other diseases of early infancy (162, 163)	3	2	1			3				3					
External causes (175–203)	5			1		1				1			4		
All other causes	6				1	1	1			2	1		1	1	1

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1921—Continued.

[See note at head of this table, p. 619.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 mos.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
READING, PA.															
All causes	238	46	14	14	19	93	10	8	7	118	33	16	28	27	16
Measles (7)	3												1	1	1
Scarlet fever (8)															
Whooping cough (9)	8										1	1	1	2	3
Diphtheria (10)	2													2	
Influenza (11)	4										1	1	1	1	
Dysentery (16)															
Erysipelas (21)	1								1	1					
Meningococcus meningitis (24)	1													1	
Tetanus (29)															
Tuberculosis of the respiratory system (31)															
Tuberculosis of the meninges, etc. (32)															
Other forms of tuberculosis (33–37)															
Syphilis (38)	2	2				2				2					
Convulsions (80)	1				1	1				1					
Other [organic] diseases of the heart (90)	2								1	1		1			
Bronchitis (99)	3										1		1		1
Bronchopneumonia (100)	21		1			1	1	3		5	1	3	4	6	2
Pneumonia (101)	3												2	1	
Diseases of the stomach (111, 112)	1		1			1				1					
Diarrhea and enteritis (113)	58				1	1	1	1	4	7	17	8	13	6	7
Congenital malformations (159)	19	5	1	4	2	12	1		1	14	3		1	1	
Congenital debility (160)	14	1	1		2	4		1		5	5			4	
Premature birth (161a)	54	23	6	6	6	41	7	3		51	2	1			
Injury at birth (161b)	15	10	3	1	1	15				15					
Other diseases of early infancy (162, 163)	11	3	1	2	4	10				10		1			
External causes (175–203)	1			1		1				1					
All other causes	14	2			2	4				4	2		4	2	2
SCRANTON, PA.															
All causes	318	44	21	17	30	112	24	15	13	164	24	15	60	38	17
Measles (7)															
Scarlet fever (8)	1						1			1					
Whooping cough (9)	3								1	1	1		1		
Diphtheria (10)	2												1	1	
Influenza (11)	4												3	1	
Dysentery (16)															
Erysipelas (21)	2										1		1		
Meningococcus meningitis (24)															
Tetanus (29)															
Tuberculosis of the respiratory system (31)															
Tuberculosis of the meninges, etc. (32)	1													1	
Other forms of tuberculosis (33–37)	3								1	1		1			1
Syphilis (38)	3				1	1				1	2				
Convulsions (80)	4				1	1				1	1	1			1
Other [organic] diseases of the heart (90)	2				2	2				2					
Bronchitis (99)	1													1	
Bronchopneumonia (100)	32				2	2	2	1	3	8	2	1	11	7	3
Pneumonia (101)	8										1		3	3	1
Diseases of the stomach (111, 112)	1										1				
Diarrhea and enteritis (113)	91				2	2	4	4	2	12	10	10	30	21	8
Congenital malformations (159)	22	3	1	3	6	13	3	3		19		1	1		1
Congenital debility (160)	18		3	1	3	7	4	2	1	14	2	1	1		
Premature birth (161a)	69	30	11	8	6	55	7	1	3	66	1		2		
Injury at birth (161b)	18	7	3	2	3	15	1	1	1	18					
Other diseases of early infancy (162, 163)	7	3	2		1	6		1		7					
External causes (175–203)	4							1		1			1		2
All other causes	22	1	1	3	3	8	2	1	1	12	2		5	3	
PROVIDENCE, R. I.															
All causes	552	110	35	17	49	211	39	15	15	280	41	38	89	60	44
Measles (7)	11						1			1			1	1	8
Scarlet fever (8)	1													1	
Whooping cough (9)	3												2	1	
Diphtheria (10)	1												1		
Influenza (11)	2											1			1
Dysentery (16)	1													1	
Erysipelas (21)	4							1	1	2				1	1
Meningococcus meningitis (24)	4										1	1			2
Tetanus (29)															
Tuberculosis of the respiratory system (31)															
Tuberculosis of the meninges, etc. (32)	9												3	4	2
Other forms of tuberculosis (33–37)															
Syphilis (38)	10	2		1		3				3	1	2	3		1
Convulsions (80)	8		1		2	3	1			4		1	2	1	
Other [organic] diseases of the heart (90)	2								1	1			1		
Bronchitis (99)	5						1			1	1		2		1
Bronchopneumonia (100)	40	1	1		3	5		1	1	7	6	6	5	9	7
Pneumonia (101)	28				1	1	1	2		4	2	1	9	6	6
Diseases of the stomach (111, 112)	3							1		1	2				
Diarrhea and enteritis (113)	111				1	1		1	1	3	12	17	47	22	10
Congenital malformations (159)	32	5	2	2	9	18	4	2	1	25	3	1	1	1	1
Congenital debility (160)	38		1	2	7	10	5	2	3	20	6	2	3	5	2
Premature birth (161a)	111	55	18	3	10	86	13	4	4	107	3	1			
Injury at birth (161b)	61	35	9	7	4	55	4			59	2				
Other diseases of early infancy (162, 163)	16	7	1	1	4	13	2			15	1				
External causes (175–203)	4	1				1				1			1	1	1
All other causes	47	4	2	1	8	15	7	1	3	26	1	5	8	6	1

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1921—Continued.

[See note at head of this table, p. 619.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 mos.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
EMPHIS, TENN. (TOTAL).															
All causes	387	96	27	18	27	168	34	10	13	225	33	30	39	40	20
Measles (7)	2												2		
Scarlet fever (8)	1													1	
Whooping cough (9)	4										1	1	1	1	
Diphtheria (10)	1													1	
Influenza (11)	6											1	3	1	1
Dysentery (16)	4						1			1	1	1		1	
Erysipelas (21)	2										2				
Meningococcus meningitis (24)															
Tetanus (29)	1						1			1					
Tuberculosis of the respiratory system (31)	3												1	1	1
Tuberculosis of the meninges, etc. (32)	2												1		1
Other forms of tuberculosis (33–37)															
Syphilis (38)	20	3				3	2	2	3	10	5	2	2	1	
Convulsions (80)	2				1	1				1					1
Other [organic] diseases of the heart (90)	1												1		
Bronchitis (99)	4								1	1			2	1	
Bronchopneumonia (100)	19			1	1	2			2	4	2	2	6	1	1
Pneumonia (101)	13				1	1	1			2	1	1	2	4	3
Diseases of the stomach (111, 112)	1														1
Diarrhea and enteritis (113)	34							2	2	4	4	6	8	7	5
Congenital malformations (159)	18	3	1	2	4	10	2	2		14	1	2		1	
Congenital debility (160)	16	3	2	1	1	7	1			8	3	2	1	2	
Premature birth (161a)	119	62	16	10	12	100	12	2	1	115	3	1			
Injury at birth (161b)	22	11	4	3	1	19	3			22					
Other diseases of early infancy (162, 163)	11	5	1		3	9	1	1		11					
External causes (175–203)	5												2	1	2
All other causes	76	9	3	1	3	16	10	1	4	31	10	11	7	13	4
MEMPHIS, TENN. (WHITE).															
All causes	192	48	17	10	14	89	12	3	7	111	18	14	21	19	9
Measles (7)	1												1		
Scarlet fever (8)	1													1	
Whooping cough (9)	2										1		1		
Diphtheria (10)	1													1	
Influenza (11)	2												1	1	
Dysentery (16)	1													1	
Erysipelas (21)	2										2				
Meningococcus meningitis (24)															
Tetanus (29)															
Tuberculosis of the respiratory system (31)	1													1	
Tuberculosis of the meninges, etc. (32)	1												1		
Other forms of tuberculosis (33–37)															
Syphilis (38)	10	1				1			2	3	4	1	1	1	
Convulsions (80)															
Other [organic] diseases of the heart (90)	1												1		
Bronchitis (99)	1													1	
Bronchopneumonia (100)	8								1	1		2	4	1	
Pneumonia (101)	6										1	1	1	1	2
Diseases of the stomach (111, 112)															
Diarrhea and enteritis (113)	19							1	1	2	4	2	4	3	4
Congenital malformations (159)	17	3	1	2	4	10	2	1		13	1	2		1	
Congenital debility (160)	8	2		1	1	4				4	1	1	1	1	
Premature birth (161a)	57	29	10	3	6	48	6		1	55	1	1			
Injury at birth (161b)	15	5	3	3	1	12	3			15					
Other diseases of early infancy (162, 163)	7	4	1		1	6		1		7					
External causes (175–203)	3												1		2
All other causes	28	4	2	1	1	8	1		2	11	3	4	4	5	1
MEMPHIS, TENN. (COLORED).															
All causes	195	48	10	8	13	79	22	7	6	114	15	16	18	21	11
Measles (7)	1												1		
Scarlet fever (8)															
Whooping cough (9)	2											1		1	
Diphtheria (10)															
Influenza (11)	4											1	2		1
Dysentery (16)	3						1			1	1	1			
Erysipelas (21)															
Meningococcus meningitis (24)															
Tetanus (29)	1						1			1					
Tuberculosis of the respiratory system (31)	2												1		1
Tuberculosis of the meninges, etc. (32)	1														1
Other forms of tuberculosis (33–37)															
Syphilis (38)	10	2				2	2	2	1	7	1	1	1		
Convulsions (80)	2				1	1				1					1
Other [organic] diseases of the heart (90)															
Bronchitis (99)	3								1	1			2		
Bronchopneumonia (100)	11			1	1	2			1	3	2		2	3	1
Pneumonia (101)	7				1	1	1			2			1	3	1
Diseases of the stomach (111, 112)	1														1
Diarrhea and enteritis (113)	15							1	1	2		4	4	4	1
Congenital malformations (159)	1							1		1					
Congenital debility (160)	8	1	2			3	1			4	2	1		1	
Premature birth (161a)	62	33	6	7	6	52	6	2		60	2				
Injury at birth (161b)	7	6	1			7				7					
Other diseases of early infancy (162, 163)	4	1			2	3	1			4					
External causes (175–203)	2												1	1	
All other causes	48	5	1		2	8	9	1	2	20	7	7	3	8	3

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1921—Continued.

[See note at head of this table, p. 619.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 mos.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
NASHVILLE, TENN. (TOTAL).															
All causes	240	40	20	7	15	82	14	8	7	111	19	12	49	30	19
Measles (7)															
Scarlet fever (8)															
Whooping cough (9)	9										2		4	2	1
Diphtheria (10)															
Influenza (11)	3												2	1	
Dysentery (16)	3													1	2
Erysipelas (21)															
Meningococcus meningitis (24)	1												1		
Tetanus (29)															
Tuberculosis of the respiratory system (31)	3											1	1	1	
Tuberculosis of the meninges, etc. (32)	2													2	
Other forms of tuberculosis (33–37)	1													1	
Syphilis (38)	5		1	1		2				2	1		1	1	
Convulsions (80)															
Other [organic] diseases of the heart (90)															
Bronchitis (99)	2						1			1	1				
Bronchopneumonia (100)	24			1		1		1		2		3	10	6	3
Pneumonia (101)	7			1		1	1			2			1	1	3
Diseases of the stomach (111, 112)															
Diarrhea and enteritis (113)	39				2	2	2		1	5	3	2	13	9	7
Congenital malformations (159)	9	1		1	1	3	1	1	1	6			3		
Congenital debility (160)	26	3	4		3	10		3	1	14	6	4	2		
Premature birth (161a)	57	28	12		4	44	6	1	2	53	4				
Injury at birth (161b)	11	4	1		3	8	1	2		11					
Other diseases of early infancy (162, 163)	2		1		1	2				2					
External causes (175–203)	2											1	1		
All other causes	34	4	1	3	1	9	2		2	13	2	1	10	5	3
NASHVILLE, TENN. (WHITE).															
All causes	152	30	15	3	9	57	8	4	5	74	12	5	31	17	13
Measles (7)															
Scarlet fever (8)															
Whooping cough (9)	6												3	2	1
Diphtheria (10)															
Influenza (11)	1													1	
Dysentery (16)	3													1	2
Erysipelas (21)															
Meningococcus meningitis (24)	1												1		
Tetanus (29)															
Tuberculosis of the respiratory system (31)	3											1	1	1	
Tuberculosis of the meninges, etc. (32)	2													2	
Other forms of tuberculosis (33–37)	1													1	
Syphilis (38)	3		1			1				1	1		1		
Convulsions (80)															
Other [organic] diseases of the heart (90)															
Bronchitis (99)															
Bronchopneumonia (100)	7											1	3	2	1
Pneumonia (101)	5			1		1				1			1		3
Diseases of the stomach (111, 112)															
Diarrhea and enteritis (113)	21				1	1	1			2	2	1	7	5	4
Congenital malformations (159)	8	1		1	1	3	1	1	1	6			2		
Congenital debility (160)	12	2	1			3			1	4	4	2	2		
Premature birth (161a)	46	20	12		4	36	4	1	2	43	3				
Injury at birth (161b)	9	3	1		2	6	1	2		9					
Other diseases of early infancy (162, 163)															
External causes (175–203)	1												1		
All other causes	23	4		1	1	6	1		1	8	2		9	2	2
NASHVILLE, TENN. (COLORED).															
All causes	88	10	5	4	6	25	6	4	2	37	7	7	18	13	6
Measles (7)															
Scarlet fever (8)															
Whooping cough (9)	3										2		1		
Diphtheria (10)															
Influenza (11)	2												2		
Dysentery (16)															
Erysipelas (21)															
Meningococcus meningitis (24)															
Tetanus (29)															
Tuberculosis of the respiratory system (31)															
Tuberculosis of the meninges, etc. (32)															
Other forms of tuberculosis (33–37)															
Syphilis (38)	2			1		1				1				1	
Convulsions (80)															
Other [organic] diseases of the heart (90)															
Bronchitis (99)	2						1			1	1				
Bronchopneumonia (100)	17			1		1		1		2		2	7	4	2
Pneumonia (101)	2						1			1				1	
Diseases of the stomach (111, 112)															
Diarrhea and enteritis (113)	18				1	1	1		1	3	1	1	6	4	3
Congenital malformations (159)	1												1		
Congenital debility (160)	14	1	3		3	7		3		10	2	2			
Premature birth (161a)	11	8				8	2			10	1				
Injury at birth (161b)	2	1			1	2				2					
Other diseases of early infancy (162, 163)	2		1		1	2				2					
External causes (175–203)	1											1			
All other causes	11		1	2		3	1		1	5		1	1	3	1

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1921—Continued.

[See note at head of this table, p. 619.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 mos.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
DALLAS, TEX.'															
All causes	305	85	21	14	35	155	20	9	7	191	28	23	30	19	14
Measles (7)	1												1		
Scarlet fever (8)															
Whooping cough (9)	4												2	1	1
Diphtheria (10)															
Influenza (11)															
Dysentery (16)	2												1	1	
Erysipelas (21)															
Meningococcus meningitis (24)															
Tetanus (29)	2				1	1	1			2					
Tuberculosis of the respiratory system (31)	1												1		
Tuberculosis of the meninges, etc. (32)	2											1		1	
Other forms of tuberculosis (33-37)	1												1		
Syphilis (38)	11	1			1	2	2			4	4	3			
Convulsions (80)															
Other [organic] diseases of the heart (90)															
Bronchitis (99)															
Bronchopneumonia (100)	14						2		1	3		3	3	1	4
Pneumonia (101)	9				2	2				2			4	1	2
Diseases of the stomach (111, 112)	10				3	3				3	1	3	2	1	
Diarrhea and enteritis (113)	32							3	1	4	6	2	11	6	3
Congenital malformations (159)	32	5	1	4	5	15	4	1	1	21	4	3	2	1	1
Congenital debility (160)	18	1	1	1	2	5	1		1	7	3	4	2	1	1
Premature birth (161a)	115	70	13	4	10	97	5	5	3	110	4	1			
Injury at birth (161b)	20	6	4	2	5	17	3			20					
Other diseases of early infancy (162, 163)	13	2	2	2	3	9	2			11	1	1			
External causes (175-203)	3				1	1				1				2	
All other causes	15			1	2	3				3	5	2		3	2
HOUSTON, TEX. (TOTAL).															
All causes	233	33	16	6	24	79	18	9	10	116	20	21	42	15	19
Measles (7)															
Scarlet fever (8)															
Whooping cough (9)	6										2		1	1	2
Diphtheria (10)	1				1	1				1					
Influenza (11)	2											1	1		
Dysentery (16)	4											1	2	1	
Erysipelas (21)															
Meningococcus meningitis (24)															
Tetanus (29)	5				3	3	2			5					
Tuberculosis of the respiratory system (31)															
Tuberculosis of the meninges, etc. (32)															
Other forms of tuberculosis (33-37)	1										1				
Syphilis (38)	6										2	2	2		
Convulsions (80)															
Other [organic] diseases of the heart (90)															
Bronchitis (99)															
Bronchopneumonia (100)	10						1		1	2	2	1	5		
Pneumonia (101)	8						1			1	2	1	1	1	2
Diseases of the stomach (111, 112)	5				2	2				2	1			1	1
Diarrhea and enteritis (113)	42	2	2		1	5	1	1	2	9	3	5	15	5	5
Congenital malformations (159)	9	3	1		2	6	2	1		9					
Congenital debility (160)	11			1	1	2	2	2	2	8	2		1		
Premature birth (161a)	42	15	8	4	7	34	2	2	1	39	1		2		
Injury at birth (161b)	16	9	4		3	16				16					
Other diseases of early infancy (162, 163)	5	3			1	4			1	5					
External causes (175-203)	2		1			1				1				1	
All other causes	58	1		1	3	5	7	3	3	18	4	10	12	5	9
HOUSTON, TEX. (WHITE).															
All causes	168	29	11	3	19	62	13	5	6	86	15	15	27	12	13
Measles (7)															
Scarlet fever (8)															
Whooping cough (9)	5										2			1	2
Diphtheria (10)															
Influenza (11)															
Dysentery (16)	3											1	1	1	
Erysipelas (21)															
Meningococcus meningitis (24)															
Tetanus (29)	4				2	2	2			4					
Tuberculosis of the respiratory system (31)															
Tuberculosis of the meninges, etc. (32)															
Other forms of tuberculosis (33-37)	1										1				
Syphilis (38)	5										1	2	2		
Convulsions (80)															
Other [organic] diseases of the heart (90)															
Bronchitis (99)															
Bronchopneumonia (100)	8						1		1	2	1	1	4		
Pneumonia (101)	4						1			1	1			1	1
Diseases of the stomach (111, 112)	2				1	1				1	1				
Diarrhea and enteritis (113)	26								1	1	2	4	11	5	3
Congenital malformations (159)	9	3	1		2	6	2	1		9					
Congenital debility (160)	9			1	1	2	2	1	1	6	2		1		
Premature birth (161a)	34	14	6	1	6	27	2	1	1	31	1		2		
Injury at birth (161b)	15	9	3		3	15				15					
Other diseases of early infancy (162, 163)	5	3			1	4			1	5					
External causes (175-203)	2		1			1				1				1	
All other causes	36			1	3	4	3	2	1	10	3	7	6	3	7

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1921—Continued.

[See note at head of this table, p. 619.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 mos.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
HOUSTON, TEX. (COLORED).															
All causes	65	4	5	3	5	17	5	4	4	30	5	6	15	3	6
Measles (7)															
Scarlet fever (8)															
Whooping cough (9)	1												1		
Diphtheria (10)	1				1	1				1					
Influenza (11)	2											1	1		
Dysentery (16)	1												1		
Erysipelas (21)															
Meningococcus meningitis (24)															
Tetanus (29)	1				1	1				1					
Tuberculosis of the respiratory system (31)															
Tuberculosis of the meninges, etc. (32)															
Other forms of tuberculosis (33–37)															
Syphilis (38)	1										1				
Convulsions (80)															
Other [organic] diseases of the heart (90)															
Bronchitis (99)															
Bronchopneumonia (100)	2										1		1		
Pneumonia (101)	4										1	1	1		1
Diseases of the stomach (111, 112)	3				1	1				1				1	1
Diarrhea and enteritis (113)	16	2	2		1	5	1	1	1	8	1	1	4		2
Congenital malformations (159)															
Congenital debility (160)	2							1	1	2					
Premature birth (161a)	8	1	2	3	1	7		1		8					
Injury at birth (161b)	1		1			1				1					
Other diseases of early infancy (162, 163)															
External causes (175–203)															
All other causes	22	1				1	4	1	2	8	1	3	6	2	2
SAN ANTONIO, TEX.															
All causes	637	58	33	17	78	186	41	25	22	274	56	50	111	72	74
Measles (7)	11						1			1			3	3	4
Scarlet fever (8)															
Whooping cough (9)	5											1	3		1
Diphtheria (10)	3						1			1				2	
Influenza (11)	2											1			1
Dysentery (16)	15								1	1		1	6	4	3
Erysipelas (21)															
Meningococcus meningitis (24)	3														3
Tetanus (29)	13				8	8	4	1		13					
Tuberculosis of the respiratory system (31)	6											1		2	3
Tuberculosis of the meninges, etc. (32)	1												1		
Other forms of tuberculosis (33–37)	1													1	
Syphilis (38)	8				1	1		1		2	3		2	1	
Convulsions (80)	2				1	1				1					1
Other [organic] diseases of the heart (90)	1				1	1				1					
Bronchitis (99)	2						1			1				1	
Bronchopneumonia (100)	29		1	1	2	4	2	1		7	7	4	3	2	6
Pneumonia (101)	10				1	1				1		1	4	2	2
Diseases of the stomach (111, 112)	7						1		2	3			3		1
Diarrhea and enteritis (113)	245		1		7	8	7	4	10	29	31	35	68	39	43
Congenital malformations (159)	36	6	5	2	8	21	4	2		27	3	2	1	3	
Congenital debility (160)	37	1		1	7	9	5	4	3	21	5	1	5	5	
Premature birth (161a)	136	49	20	9	32	110	11	7	4	132	2	1	1		
Injury at birth (161b)	12	2	4	3	1	10			1	11	1				
Other diseases of early infancy (162, 163)	9		2	1	3	6	2	1		9					
External causes (175–203)	12				3	3		1		4	1		3	3	1
All other causes	31				3	3	2	3	1	9	3	2	8	4	5
SALT LAKE CITY, UTAH.															
All causes	251	69	12	13	19	113	17	11	10	151	10	14	31	26	19
Measles (7)	5													2	3
Scarlet fever (8)															
Whooping cough (9)	14							1		1	1	1	5	3	3
Diphtheria (10)															
Influenza (11)	2											1		1	
Dysentery (16)															
Erysipelas (21)	2								1	1					1
Meningococcus meningitis (24)															
Tetanus (29)															
Tuberculosis of the respiratory system (31)															
Tuberculosis of the meninges, etc. (32)															
Other forms of tuberculosis (33–37)															
Syphilis (38)															
Convulsions (80)	1												1		
Other [organic] diseases of the heart (90)															
Bronchitis (99)	3										1		1		1
Bronchopneumonia (100)	17								2	2	4	5	3	1	2
Pneumonia (101)	5						1			1			1	3	
Diseases of the stomach (111, 112)															
Diarrhea and enteritis (113)	33						1	2	1	4	1	3	12	9	4
Congenital malformations (159)	24	4	3	4	3	14	2	2	1	19	1		2	1	1
Congenital debility (160)	9	2			3	5	1			6	1	1		1	
Premature birth (161a)	74	50	3	3	8	64	6	2	1	73	1				
Injury at birth (161b)	17	7	4	3	1	15		1	1	17					
Other diseases of early infancy (162, 163)	15	3	1	1	4	9	4	2		15					
External causes (175–203)															
All other causes	30	3	1	2		6	2	1	3	12		3	6	5	4

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1921—Continued.

[See note at head of this table, p. 619.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 mos.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
NORFOLK, VA. (TOTAL).															
All causes	253	47	19	13	15	94	16	11	4	125	23	20	35	28	22
Measles (7)	2												1	1	
Scarlet fever (8)															
Whooping cough (9)	6								1	1	1			1	3
Diphtheria (10)															
Influenza (11)	1														1
Dysentery (16)	3										1	1	1		
Erysipelas (21)															
Meningococcus meningitis (24)	1													1	
Tetanus (29)	2						2			2					
Tuberculosis of the respiratory system (31)	1											1			
Tuberculosis of the meninges, etc. (32)	5												1	1	3
Other forms of tuberculosis (33–37)															
Syphilis (38)	5	1				1				1	1	1	1	1	
Convulsions (80)	1														1
Other [organic] diseases of the heart (90)															
Bronchitis (99)	3						1			1		1		1	
Bronchopneumonia (100)	20						1			1	3	4	4	3	5
Pneumonia (101)	7				1	1				1	1		2	3	
Diseases of the stomach (111, 112)	5								1	1	1		2	1	
Diarrhea and enteritis (113)	39						1	3		4	3	6	14	7	5
Congenital malformations (159)	10	1		1	2	4	1		1	6	3			1	
Congenital debility (160)	10	1		1	1	3		1		4	1	1	3	1	
Premature birth (161a)	78	34	14	8	5	61	7	5		73	2	1	2		
Injury at birth (161b)	15	7	1	2	5	15				15					
Other diseases of early infancy (162, 163)	8	3	3	1		7			1	8					
External causes (175–203)	5						1			1	1	2		1	
All other causes	26		1		1	2	2	2		6	5	2	4	5	4
NORFOLK, VA. (WHITE).															
All causes	114	32	7	7	11	57	3	3	4	67	12	7	9	7	12
Measles (7)	1													1	
Scarlet fever (8)															
Whooping cough (9)	6								1	1	1			1	3
Diphtheria (10)															
Influenza (11)	1														1
Dysentery (16)	3										1	1	1		
Erysipelas (21)															
Meningococcus meningitis (24)	1													1	
Tetanus (29)															
Tuberculosis of the respiratory system (31)															
Tuberculosis of the meninges, etc. (32)	2														2
Other forms of tuberculosis (33–37)															
Syphilis (38)															
Convulsions (80)															
Other [organic] diseases of the heart (90)															
Bronchitis (99)															
Bronchopneumonia (100)	1													1	
Pneumonia (101)	2				1	1				1	1				
Diseases of the stomach (111, 112)	3								1	1			2		
Diarrhea and enteritis (113)	14										2	3	4	2	3
Congenital malformations (159)	7	1		1	1	3			1	4	3				
Congenital debility (160)	1												1		
Premature birth (161a)	44	24	7	4	3	38	1	2		41	2	1			
Injury at birth (161b)	13	7		1	5	13				13					
Other diseases of early infancy (162, 163)	2			1		1			1	2					
External causes (175–203)	3						1			1		1		1	
All other causes	10				1	1	1	1		3	2	1	1		3
NORFOLK, VA. (COLORED).															
All causes	139	15	12	6	4	37	13	8		58	11	13	26	21	10
Measles (7)	1												1		
Scarlet fever (8)															
Whooping cough (9)															
Diphtheria (10)															
Influenza (11)															
Dysentery (16)															
Erysipelas (21)															
Meningococcus meningitis (24)															
Tetanus (29)	2						2			2					
Tuberculosis of the respiratory system (31)	1											1			
Tuberculosis of the meninges, etc. (32)	3												1	1	1
Other forms of tuberculosis (33–37)															
Syphilis (38)	5	1				1				1	1	1	1	1	
Convulsions (80)	1														1
Other [organic] diseases of the heart (90)															
Bronchitis (99)	3						1			1		1		1	
Bronchopneumonia (100)	19						1			1	3	4	4	2	5
Pneumonia (101)	5												2	3	
Diseases of the stomach (111, 112)	2										1			1	
Diarrhea and enteritis (113)	25						1	3		4	1	3	10	5	2
Congenital malformations (159)	3				1	1	1			2				1	
Congenital debility (160)	9	1		1	1	3		1		4	1	1	2	1	
Premature birth (161a)	34	10	7	4	2	23	6	3		32			2		
Injury at birth (161b)	2		1	1		2				2					
Other diseases of early infancy (162, 163)	6	3	3			6				6					
External causes (175–203)	2										1	1			
All other causes	16		1			1	1	1		3	3	1	3	5	1

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1921—Continued.

[See note at head of this table, p. 619.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 mos.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
RICHMOND, VA. (TOTAL).															
All causes	437	93	18	16	24	151	25	15	14	205	39	27	75	55	36
Measles (7)	2														2
Scarlet fever (8)															
Whooping cough (9)	22							1		1	2	1	7	4	7
Diphtheria (10)	2													1	1
Influenza (11)	4												1	2	1
Dysentery (16)	1												1		
Erysipelas (21)	2								1	1	1				
Meningococcus meningitis (24)	2				1	1				1				1	
Tetanus (29)	2						2			2					
Tuberculosis of the respiratory system (31)	3										1		1	1	
Tuberculosis of the meninges, etc. (32)	5													2	3
Other forms of tuberculosis (33–37)	1												1		
Syphilis (38)	11	2			1	3	1			4	2	1	3		1
Convulsions (80)	10				3	3		1		4		2	4		
Other [organic] diseases of the heart (90)	1														1
Bronchitis (99)	2								1	1			1		
Bronchopneumonia (100)	39			1	4	5	1	1	2	9	2	3	7	13	5
Pneumonia (101)	7								1	1	1		3	2	
Diseases of the stomach (111, 112)	4										1		2	1	
Diarrhea and enteritis (113)	51								3	3		6	19	15	8
Congenital malformations (159)	31	4	3	1	3	11	2	2		15	7	1	4	2	2
Congenital debility (160)	41	3		1	1	5	3	2	1	11	11	7	9	3	
Premature birth (161a)	118	67	10	5	3	85	12	7	4	108	4	2	2	1	1
Injury at birth (161b)	22	12	3	5		20	2			22					
Other diseases of early infancy (162, 163)	11	3		2	4	9	1			10		1			
External causes (175–203)	10		1			1				1	3		1	3	2
All other causes	33	2	1	1	4	8	1	1	1	11	4	3	9	4	2
RICHMOND, VA. (WHITE).															
All causes	232	65	12	10	9	96	11	8	6	121	21	6	35	26	23
Measles (7)	2														2
Scarlet fever (8)															
Whooping cough (9)	11							1		1	2		4	2	2
Diphtheria (10)	2													1	1
Influenza (11)	2												1		1
Dysentery (16)	1												1		
Erysipelas (21)	2								1	1	1				
Meningococcus meningitis (24)	1				1	1				1					
Tetanus (29)															
Tuberculosis of the respiratory system (31)	2										1		1		
Tuberculosis of the meninges, etc. (32)	4													1	3
Other forms of tuberculosis (33–37)															
Syphilis (38)	3												3		
Convulsions (80)	1												1		
Other [organic] diseases of the heart (90)	1														1
Bronchitis (99)	1								1	1					
Bronchopneumonia (100)	7				1	1		1		2		1		2	2
Pneumonia (101)	3										1		1	1	
Diseases of the stomach (111, 112)	2												1	1	
Diarrhea and enteritis (113)	27								1	1		1	10	9	6
Congenital malformations (159)	25	3	2	1	2	8	2	1		11	6	1	4	1	2
Congenital debility (160)	18						2	1	1	4	6	1	4	3	
Premature birth (161a)	74	49	6	3	2	60	5	3	2	70	2		1	1	
Injury at birth (161b)	16	8	3	4		15	1			16					
Other diseases of early infancy (162, 163)	6	3		2	1	6				6					
External causes (175–203)	5													3	2
All other causes	16	2	1		2	5	1	1		7	2	2	3	1	1
RICHMOND, VA. (COLORED).															
All causes	205	28	6	6	15	55	14	7	8	84	18	21	40	29	13
Measles (7)															
Scarlet fever (8)															
Whooping cough (9)	11											1	3	2	5
Diphtheria (10)															
Influenza (11)	2													2	
Dysentery (16)															
Erysipelas (21)															
Meningococcus meningitis (24)	1													1	
Tetanus (29)	2						2			2					
Tuberculosis of the respiratory system (31)	1													1	
Tuberculosis of the meninges, etc. (32)	1													1	
Other forms of tuberculosis (33–37)	1												1		
Syphilis (38)	8	2			1	3	1			4	2	1			1
Convulsions (80)	9				3	3		1		4		2	3		
Other [organic] diseases of the heart (90)															
Bronchitis (99)	1												1		
Bronchopneumonia (100)	32			1	3	4	1		2	7	2	2	7	11	3
Pneumonia (101)	4								1	1			2	1	
Diseases of the stomach (111, 112)	2										1		1		
Diarrhea and enteritis (113)	24								2	2		5	9	6	2
Congenital malformations (159)	6	1	1		1	3		1		4	1			1	
Congenital debility (160)	23	3		1	1	5	1	1		7	5	6	5		
Premature birth (161a)	44	18	4	2	1	25	7	4	2	38	2	2	1		1
Injury at birth (161b)	6	4		1		5	1			6					
Other diseases of early infancy (162, 163)	5				3	3	1			4		1			
External causes (175–203)	5		1			1				1	3		1		
All other causes	17			1	2	3			1	4	2	1	6	3	1

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1921—Continued.

[See note at head of this table, p. 619.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 mos.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
SEATTLE, WASH.															
All causes	294	71	26	23	44	164	17	10	6	197	19	17	28	22	11
Measles (7)															
Scarlet fever (8)															
Whooping cough (9)	4								1	1	1	1	1		
Diphtheria (10)															
Influenza (11)	10						1	1		2	1	1	2	2	2
Dysentery (16)															
Erysipelas (21)															
Meningococcus meningitis (24)															
Tetanus (29)															
Tuberculosis of the respiratory system (31)	1													1	
Tuberculosis of the meninges, etc. (32)	3												1	1	1
Other forms of tuberculosis (33–37)	1														1
Syphilis (38)	6	1			1	2		1		3	1	1	1		
Convulsions (80)															
Other [organic] diseases of the heart (90)															
Bronchitis (99)	3													2	1
Bronchopneumonia (100)	18	1		1	1	3	1			4	1	4	3	4	2
Pneumonia (101)	8				1	1		1		2	2	1	2	1	
Diseases of the stomach (111, 112)	3								1	1			2		
Diarrhea and enteritis (113)	17	1				1				1	2	4	7	3	
Congenital malformations (159)	38	4	4	7	4	19	2	1	1	23	7	2	4	2	
Congenital debility (160)	18	2	4	2	6	14	1	1		16			1	1	
Premature birth (161a)	80	43	11	2	14	70	4	4		78		1	1		
Injury at birth (161b)	34	14	3	5	8	30	4			34					
Other diseases of early infancy (162, 163)	21	4	2	3	8	17	3		1	21					
External causes (175–203)	3				1	1				1			1		1
All other causes	26	1	2	3		6	1	1	2	10	4	2	2	5	3
SPOKANE, WASH.															
All causes	144	42	11	4	15	72	8	7	6	93	8	10	15	9	9
Measles (7)															
Scarlet fever (8)															
Whooping cough (9)	3												1		2
Diphtheria (10)															
Influenza (11)	2													2	
Dysentery (16)															
Erysipelas (21)	1											1			
Meningococcus meningitis (24)															
Tetanus (29)															
Tuberculosis of the respiratory system (31)															
Tuberculosis of the meninges, etc. (32)	1													1	
Other forms of tuberculosis (33–37)															
Syphilis (38)	2								1	1	1				
Convulsions (80)															
Other [organic] diseases of the heart (90)															
Bronchitis (99)															
Bronchopneumonia (100)	13				1	1				1	1	4	5	1	1
Pneumonia (101)	7								2	2	2	2		1	
Diseases of the stomach (111, 112)	1										1				
Diarrhea and enteritis (113)	12							2		2			4	2	4
Congenital malformations (159)	12	3	1	1		5	1	2	1	9	2		1		
Congenital debility (160)	3		1	1		2				2			1		
Premature birth (161a)	46	32	2	2	4	40	3	1		44		1	1		
Injury at birth (161b)	24	7	6		7	20	2	1	1	24					
Other diseases of early infancy (162, 163)	2				2	2				2					
External causes (175–203)	3				1	1		1		2					1
All other causes	12		1			1	2		1	4	1	2	2	2	1
MILWAUKEE, WIS.															
All causes	877	225	48	52	96	421	53	34	19	527	53	42	113	88	54
Measles (7)	4												2	1	1
Scarlet fever (8)	1													1	
Whooping cough (9)	6											3		1	2
Diphtheria (10)	4														4
Influenza (11)	4											1	1	1	1
Dysentery (16)	3												1	2	
Erysipelas (21)	1							1		1					
Meningococcus meningitis (24)	1													1	
Tetanus (29)															
Tuberculosis of the respiratory system (31)	6											1		2	2
Tuberculosis of the meninges, etc. (32)	5											1	1	1	2
Other forms of tuberculosis (33–37)															
Syphilis (38)	9				1	1	1			2	3		2	2	
Convulsions (80)	10		1	3	1	5	2			7			1	1	1
Other [organic] diseases of the heart (90)															
Bronchitis (99)	30	1	1	2	3	7	4		1	12	1	1	8	4	4
Bronchopneumonia (100)	74			4	1	5	2	2	4	13	10	4	18	18	11
Pneumonia (101)	17				2	2			1	3			3	8	3
Diseases of the stomach (111, 112)	16				3	3	2	2		7	2	1	5		1
Diarrhea and enteritis (113)	163	1		2	4	7	4	8	4	23	17	25	48	32	13
Congenital malformations (159)	56	13	3	7	10	33	5	2	2	42	6	1	4	3	
Congenital debility (160)	33	6	1	3	5	15	3		3	21	3	4	3	1	1
Premature birth (161a)	246	143	26	16	31	216	16	9		241	4			1	
Injury at birth (161b)	59	26	6	6	13	51	4	3	1	59					
Other diseases of early infancy (162, 163)	66	31	8	9	13	61	3	1		65	1				
External causes (175–203)	10	1	2		1	4				4			4	2	
All other causes	53	3			8	11	7	6	3	27	5	1	11	6	

SUPPLEMENT

HAWAII

HAWAII.

In Hawaii the number of deaths from all causes during the year 1921 is 3,924 and the population as estimated by the Bureau of the Census is 265,800, giving a rate of 14.8 per 1,000 population against a rate of 17.7 in 1920. The populations used in computing these rates are estimated by the arithmetical method and are based on the Federal censuses of April 15, 1910, and January 1, 1920. The deaths are tabulated by sex, age, race, cause of death, and month of death.

The highest rates per 100,000 population in 1921 are from diarrhea and enteritis (under 2 years), 193; pneumonia (all forms), 182.8; tuberculosis (all forms), 162.1; congenital malformations and diseases of early infancy, 107.2; violent deaths (suicide excepted), 93.7; other (organic) diseases of the heart, 82; nephritis, 73.7; cerebral hemorrhage and softening, 73; and cancer, 58.7. These causes together account for 69.5 per cent of the total deaths.

In 1921 the death rate for infants under 1 year of age (140.9 per 1,000 estimated population under 1 year) shows an increase of nearly 14 per cent over the rate in 1920. About 65 per cent of this increase is due to increased rates from diarrhea and enteritis, 20 per cent to bronchopneumonia, and 5 per cent to infantile convulsions, a total of over 90 per cent of the whole increase. The increase in the death rate in 1921 for ages under 5 years is only slightly more than 1 per cent over the corresponding 1920 rate.

Exclusive of deaths of infants under 1 year of age, there is a great reduction in mortality in 1921. This reduction appears especially in age group 20 to 49 years, which has a specific rate of 8.8, a decrease of nearly 38 per cent from the 1920 rate for the same age group. This marked decline in the rate is largely due to the great decrease in the number of deaths from influenza, tuberculosis, and pneumonia (all forms), which, for this age group, show a decrease of 66 per cent from the 1920 rate, whereas the decrease from these causes at all ages is about 51 per cent.

TABLE 1.—POPULATION OF THE TERRITORY OF HAWAII AND ITS SUBDIVISIONS, BY RACE, ACCORDING TO THE CENSUS OF 1920.

RACE.	POPULATION JAN. 1, 1920.							
	Hawaii territory.	Hilo city.	Honolulu city.	Hawaii County (exclusive of Hilo city).	Honolulu County (exclusive of Honolulu city).	Kalawao County.	Kauai County.	Maui County.
Total	255,912	10,431	83,327	54,464	40,200	667	29,438	37,385
Hawaiian	23,723	789	8,459	5,408	2,276	399	1,728	4,664
Part Hawaiian	18,027	830	9,072	2,841	1,387	118	1,106	2,673
Caucasian-Hawaiian	11,072	488	5,970	1,540	853	85	634	1,502
Asiatic-Hawaiian	6,955	342	3,102	1,301	534	33	472	1,171
Caucasian	54,742	2,705	24,125	8,908	6,610	71	5,427	6,896
Portuguese	27,002	1,836	9,978	5,210	2,095	45	3,190	4,648
Porto Rican	5,602	122	841	1,946	964	4	891	834
Other Caucasian	22,138	747	13,306	1,752	3,551	22	1,346	1,414
Chinese	23,507	662	13,383	1,987	3,547	23	1,810	2,095
Japanese	109,274	4,849	24,522	28,032	19,945	24	14,582	17,320
Korean	4,950	93	1,319	1,188	1,045	13	642	650
Filipino	21,031	485	2,113	6,027	5,283	15	4,104	3,004
All others	658	18	334	73	107	4	39	83

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) AND DEATH RATES PER 1,000 POPULATION IN THE TERRITORY OF HAWAII AND ITS SUBDIVISIONS, BY RACE: 1921.

RACE.	DEATHS IN—								
	Hawaii territory.		Hilo city.	Honolulu city.	Hawaii County (exclusive of Hilo city).	Honolulu County (exclusive of Honolulu city).	Kalawao County.	Kauai County.	Maui County.
	Number.	Rate per 1,000 population.[1]							
Total	3,924	14.8	248	1,529	589	533	54	383	588
Hawaiian	809	34.6	42	326	139	65	35	58	144
Part Hawaiian	304	16.1	10	181	27	19	5	20	42
Caucasian-Hawaiian	202	17.7	7	126	14	13	3	12	27
Asiatic-Hawaiian	102	13.7	3	55	13	6	2	8	15
Caucasian	665	11.8	39	320	84	93	5	46	78
Portuguese	278	10.0	27	109	53	14	3	26	46
Porto Rican	92	16.1	2	16	22	29	.....	13	10
Other Caucasian	295	12.9	10	195	9	50	2	7	22
Chinese	305	12.8	10	176	24	32	6	27	30
Japanese	1,326	11.6	125	410	225	177	1	156	232
Korean	84	16.8	7	30	12	17	1	7	10
Filipino	421	17.6	15	80	78	129	1	68	50
All others	10	16.8	.....	6	.....	1	.....	1	2

[1] Estimated population, July 1, 1921.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE TERRITORY OF HAWAII AND ITS SUBDIVISIONS, BY SEX AND BY MONTH OF DEATH: 1921.

AREA AND SEX.	All deaths.	DEATHS OCCURRING IN—											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
Territory of Hawaii	3,924	370	331	376	360	329	315	312	317	281	285	322	326
Males	2,355	227	197	224	208	196	191	200	198	154	174	199	187
Females	1,569	143	134	152	152	133	124	112	119	127	111	123	139
Hilo city:													
Males	138	14	16	5	15	12	10	11	7	11	13	13	11
Females	110	12	8	8	7	15	10	10	8	6	12	8	6
Honolulu city:													
Males	918	80	73	81	66	88	81	80	79	60	73	81	76
Females	611	51	48	55	56	57	56	38	49	51	44	50	56
Hawaii County (exclusive of Hilo city):													
Males	334	37	26	39	31	28	25	32	24	25	15	28	24
Females	255	14	31	24	33	16	19	24	18	19	19	18	20
Honolulu County (exclusive of Honolulu city):													
Males	325	41	27	25	31	17	29	27	35	18	22	28	25
Females	208	22	22	19	16	14	13	13	16	22	10	18	23
Kalawao County:													
Males	32	1	3	8	2	2	3	5	2	1	4	.....	1
Females	22	1	.....	2	4	3	1	1	1	5	3	1	.....
Kauai County:													
Males	248	22	16	34	27	22	19	20	21	14	21	18	14
Females	135	17	10	19	13	15	8	9	11	9	5	9	10
Maui County:													
Males	360	32	36	32	36	27	24	25	30	25	26	31	36
Females	228	26	15	25	23	13	17	17	16	15	18	19	24

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE TERRITORY OF HAWAII, BY RACE, SEX, AND BY AGE OF DECEDENT: 1921.

RACE AND SEX.	All deaths.	DEATHS AT AGE OF—												
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.	30 to 34 years.	35 to 39 years.
Total	3,924	1,275	204	77	47	42	1,645	81	71	128	183	168	158	176
Males	2,355	716	107	39	21	21	904	41	40	62	95	89	91	104
Females	1,569	559	97	38	26	21	741	40	31	66	88	79	67	72
Hawaiian:														
Males	408	83	13	5	1	1	103	10	12	14	9	10	17	17
Females	401	85	14	2	3	3	107	12	11	24	26	24	13	15
Part Hawaiian:														
Males	163	97	5	4	----	2	108	5	3	3	5	3	7	3
Females	141	61	5	3	4	1	74	3	7	10	5	6	4	6
Caucasian-Hawaiian—														
Males	115	66	2	3	----	----	71	5	2	2	5	2	6	1
Females	87	35	4	2	4	----	45	2	4	8	4	1	2	2
Asiatic-Hawaiian—														
Males	48	31	3	1	----	2	37	----	1	1	----	1	1	2
Females	54	26	1	1	----	1	29	1	3	2	1	5	2	4
Caucasian:														
Males	431	96	13	3	5	3	120	9	7	12	25	16	18	23
Females	234	72	12	8	5	2	99	1	2	10	11	10	8	11
Portuguese—														
Males	156	54	5	2	3	3	67	4	3	1	2	5	2	7
Females	122	41	7	5	2	----	55	1	1	8	6	7	2	7
Porto Rican—														
Males	61	21	6	----	2	----	29	----	1	1	1	1	2	6
Females	31	16	3	1	----	1	21	----	1	2	1	2	----	----
Other Caucasian—														
Males	214	21	2	1	----	----	24	5	3	10	22	10	14	10
Females	81	15	2	2	3	1	23	----	----	----	4	1	6	4
Chinese:														
Males	234	29	5	3	2	----	39	2	2	4	4	3	4	1
Females	71	20	5	3	1	3	32	7	----	3	4	3	3	3
Japanese:														
Males	782	278	54	19	13	13	377	14	15	24	22	11	24	39
Females	544	224	43	17	9	9	302	15	11	17	28	29	32	29
Korean:														
Males	70	11	4	1	----	1	17	----	----	----	1	1	2	12
Females	14	4	3	3	1	1	12	----	----	----	2	----	----	----
Filipino:														
Males	259	122	13	4	----	1	140	1	----	5	29	44	19	9
Females	162	93	15	2	3	2	115	2	----	2	12	7	6	8
All others:														
Males	8	----	----	----	----	----	----	----	1	----	----	1	----	----
Females	2	----	----	----	----	----	----	----	----	----	----	----	1	----

RACE AND SEX.	DEATHS AT AGE OF—													Deaths at unknown age.
	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	
Total	171	208	206	159	151	139	99	78	39	24	15	9	12	4
Males	106	145	152	120	123	103	71	50	23	14	9	6	6	1
Females	65	63	54	39	28	36	28	28	16	10	6	3	6	3
Hawaiian:														
Males	19	28	30	20	20	34	20	17	10	7	4	3	4	----
Females	22	18	27	15	15	20	14	15	5	5	4	2	6	1
Part Hawaiian:														
Males	1	4	8	6	3	2	1	1	----	----	----	----	----	----
Females	3	8	3	6	1	2	1	----	2	----	----	----	----	----
Caucasian-Hawaiian—														
Males	1	2	8	3	3	2	1	1	----	----	----	----	----	----
Females	2	7	1	4	1	2	1	----	1	----	----	----	----	----
Asiatic-Hawaiian—														
Males	----	2	----	3	----	----	----	----	----	----	----	----	----	----
Females	1	1	2	2	----	----	----	----	1	----	----	----	----	----
Caucasian:														
Males	14	21	25	19	36	24	24	17	9	5	5	1	1	----
Females	6	9	7	6	8	6	10	13	9	5	2	1	----	----
Portuguese—														
Males	4	2	7	4	10	10	14	6	3	2	1	1	1	----
Females	2	3	3	4	3	5	4	5	5	1	----	----	----	----
Porto Rican—														
Males	2	6	3	1	3	----	3	1	1	----	----	----	----	----
Females	3	----	----	----	----	----	----	1	----	----	----	----	----	----
Other Caucasian—														
Males	8	13	15	14	23	14	7	10	5	3	4	----	----	----
Females	1	6	4	2	5	1	6	7	4	4	2	1	----	----
Chinese:														
Males	10	25	25	25	27	23	20	12	3	2	----	2	1	----
Females	2	3	2	4	2	1	2	----	----	----	----	----	----	----
Japanese:														
Males	43	52	55	47	31	17	6	3	1	----	----	----	----	1
Females	31	21	13	6	2	5	1	----	----	----	----	----	----	2
Korean:														
Males	15	7	9	2	2	2	----	----	----	----	----	----	----	----
Females	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Filipino:														
Males	2	6	----	1	2	1	----	----	----	----	----	----	----	----
Females	1	4	2	2	----	1	----	----	----	----	----	----	----	----
All others:														
Males	2	2	----	----	2	----	----	----	----	----	----	----	----	----
Females	----	----	----	----	----	1	----	----	----	----	----	----	----	----

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) AND DEATH RATES PER 100,000 POPULATION IN THE TERRITORY OF HAWAII, BY CAUSE OF DEATH: 1921.

[Numbers under causes of death correspond to those of the 1920 revision of the detailed International List.]

AREA.	DEATHS FROM—																
	All causes.	Typhoid and paratyphoid fever. 1	Malaria. 5	Smallpox. 6	Measles. 7	Scarlet fever. 8	Whooping cough. 9	Diphtheria. 10	Influenza. 11	Erysipelas. 21	Meningococcus meningitis. 24	Tuberculosis of the respiratory system. 31	Tuberculosis of the meninges, etc. 32	Other forms of tuberculosis. 33–37	Cancer and other malignant tumors. 43–49	Rheumatism. 51, 52	Diabetes mellitus. 57
Territory of Hawaii...	3,924	32	1	1	19	2	16	24	64	10	14	373	22	36	156	7	20
Hilo city	248	4						1	2		2	41	3	1	13	1	
Honolulu city	1,529	13	1	1	6	1	15	12	36	8	8	185	8	17	62	2	14
Hawaii County (exclusive of Hilo city)	589	5						7	3	2	1	36	2	9	22	2	1
Honolulu County (exclusive of Honolulu city)	533	6			3	1	1	2	9		1	29	5	4	22	2	1
Kalawao County	54											1			1		
Kauai County	383	2			9			2			2	32	4	2	19		1
Maui County	588	2			1				14			49		3	17		3
	DEATH RATE PER 100,000 POPULATION.																
Territory of Hawaii...	1,476.3	12.0	0.4	0.4	7.1	0.8	6.0	9.0	24.1	3.8	5.3	140.3	8.3	13.5	58.7	2.6	7.5

AREA.	DEATHS FROM—																
	Cerebral hemorrhage and softening. 74, 83	Other (organic) diseases of the heart. 90	Bronchitis. 99	Pneumonia (all forms). 100, 101	Diarrhea and enteritis (under 2 years). 113	Appendicitis and typhlitis. 117	Hernia, intestinal obstruction. 118	Cirrhosis of the liver. 122	Nephritis. 128, 129	Puerperal septicemia. 146	Other puerperal causes. 143–145, 147–150	Congenital malformations and diseases of early infancy. 159–163	Suicide. 165–174	Homicide. 197–200	Accidental and unspecified external causes. 175–196, 201–203	Unknown or ill-defined diseases. 204, 205	All other causes.
Territory of Hawaii...	194	218	56	486	513	42	28	25	196	22	58	285	64	26	223	7	684
Hilo city	7	24	2	38	17	2	1	1	11	2	3	17	2	1	10		42
Honolulu city	71	82	15	172	129	17	18	12	103	13	25	105	24	9	76		269
Hawaii County (exclusive of Hilo city)	37	36	22	77	87	4	3	6	31	2	6	41	9	5	25	6	102
Honolulu County (exclusive of Honolulu city)	20	17	12	88	110	4	3	1	16	1	8	32	12	4	51	1	67
Kalawao County		1		1	1							1	1	1			46
Kauai County	28	20	1	29	67	4	1	1	19	2	7	42	7	4	26		52
Maui County	31	38	4	81	102	11	2	4	16	2	9	47	9	2	35		106
	DEATH RATE PER 100,000 POPULATION.																
Territory of Hawaii...	73.0	82.0	21.1	182.8	193.0	15.8	10.5	9.4	73.7	8.3	21.8	107.2	24.1	9.8	83.9	2.6	257.3

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE TERRITORY OF HAWAII, BY RACE AND CAUSE OF DEATH: 1921.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	RACE.												
				Part Hawaiian.			Caucasian.								
			Hawaiian.	Total.	Caucasian-Hawaiian.	Asiatic-Hawaiian.	Total.	Portuguese.	Porto Rican.	Other Caucasian.	Chinese.	Japanese.	Korean.	Filipino.	All others.
	All causes	3,924	809	304	202	102	665	278	92	295	305	1,326	84	421	10
	I.—Epidemic, endemic, and infectious diseases	779	198	65	43	22	91	37	10	44	66	255	20	82	2
1	Typhoid and paratyphoid fever	32	9	5	4	1	2	1		1	2	14			
5	Malaria	1									1				
6	Smallpox	1									1				
7	Measles	19		2		2	2	1		1	1	11		3	
8	Scarlet fever	2					1			1	1				
9	Whooping cough	16	2	3	3		4	2		2	2	3		2	
10	Diphtheria	24	1				12	5		7	3	6	1	1	
11a	Influenza (with pulmonary complications)	53	11	4	2	2	5	3	1	1	4	22	1	6	
11b	Influenza (other and unspecified)	11	3	3	2	1	1	1				2	1	1	
13	Mumps	1										1			
16	Dysentery	12	4								2	3	2	1	
17	Plague	4		1	1							3			
19	Spirochetal hemorrhagic jaundice	5										4		1	
20	Leprosy	55	33	7	5	2	3	2		1	7	3		2	
21	Erysipelas	10										10			
23	Lethargic encephalitis	1					1			1					
24	Meningococcus meningitis	14	2	1	1		1			1	1	5		4	
25	Other epidemic and endemic diseases	1	1												
29	Tetanus	16	3	2	2		2	1		1	2	5		2	
30	Mycoses	1										1			
	Tuberculosis (total)	431	112	32	21	11	46	18	7	21	32	141	12	54	2
31	Of the respiratory system	373	101	23	14	9	39	15	6	18	30	120	11	47	2
32	Of the meninges, central nervous system	22	2	2	2		1	1				12		5	
33	Of the intestines, peritoneum	21	5	5	3	2	4	1	1	2		5	1	1	
34	Of the vertebral column	5					2	1		1		3			
36	Of other organs	6	2	2	2						1	1			
37a	Disseminated (acute)	4	2								1			1	
38	Syphilis	62	16	5	2	3	11	3	2	6	5	18	3	4	
40	Gonococcus infection	5	1								1	3			
41	Purulent infection, septicemia	2									1			1	
	II.—General diseases not included in Class I	340	42	16	13	3	49	20	8	21	29	164	11	28	1
	Cancer and other malignant tumors (total)	156	30	7	5	2	31	10	6	15	16	61	7	4	
43	Of the buccal cavity	7	2				2		1	1		3			
44	Of the stomach, liver	94	14	3	2	1	18	7	2	9	9	44	5	1	
45	Of the peritoneum, intestines, rectum	14	4	3	2	1	3	1	1	1		4			
46	Of the female genital organs	18	3	1	1		4	2	1	1	2	6		2	
47	Of the breast	7	2				3			3	1	1			
49	Of other or unspecified organs	16	5				1		1		4	3	2	1	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	1					1	1							
51	Acute rheumatic fever	7									2	5			
55	Beriberi	108										85	2	21	
56	Rickets	5	1	1	1		1	1					1	1	
57	Diabetes mellitus	20	3	6	5	1	8	5	1	2	2				1
58	Anemia, chlorosis	6		1	1		2			2	1	1		1	
60b	Other diseases of the thyroid gland	1										1			
62	Diseases of the thymus gland	4	1				1	1			1			1	
64	Diseases of the spleen	1										1			
65a	Leukemia	5	1				2	1		1		2			
65b	Hodgkin's disease	2	1									1			
66	Alcoholism (acute or chronic)	18	5	1	1		2		1	1	2	7	1		
68	Chronic poisoning by organic substances	5									5				
69	Other general diseases	1					1	1							
	III.—Diseases of the nervous system and of the organs of special sense	279	80	13	10	3	68	32	3	33	29	76	2	10	1
70	Encephalitis	2					1	1			1				
71a	Simple meningitis	15	1								3	11			
71b	Nonepidemic cerebrospinal meningitis	1										1			
73	Other diseases of the spinal cord	12	4	1	1		3	3			3	1			
74a	Cerebral hemorrhage	191	64	7	5	2	49	20	1	28	19	45	2	4	1
74b	Cerebral embolism and thrombosis	3	2				1	1							
75	Paralysis without specified cause	1	1												
76	General paralysis of the insane	14	5	1	1		5	1	1	3	1	2			
77	Other forms of mental alienation	1					1		1						
78	Epilepsy	2					1	1				1			
80	Infantile convulsions (under 5 years)	13		4	3	1	1	1				3		5	
84	Other diseases of the nervous system	5	1				2	2			2				
85	Diseases of the eye and annexa	1					1			1					
86a	Diseases of the ear	13	2				2	1		1		9			
86b	Diseases of the mastoid process	5					1	1				3		1	

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE TERRITORY OF HAWAII, BY RACE AND CAUSE OF DEATH: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	RACE.												
				Part Hawaiian.			Caucasian.								
			Hawaiian.	Total.	Caucasian-Hawaiian.	Asiatic-Hawaiian.	Total.	Portuguese.	Porto Rican.	Other Caucasian.	Chinese.	Japanese.	Korean.	Filipino.	All others.
	IV.—Diseases of the circulatory system	281	92	10	7	3	69	28	5	36	41	52	4	12	1
87	Pericarditis	2										1		1	
88	Endocarditis and myocarditis (acute)	16	2				1	1				12		1	
89	Angina pectoris	8		1	1		3		1	2	1	1	1	1	
90	Other diseases of the heart	218	68	8	6	2	57	24	3	30	38	35	3	8	1
91a	Aneurysm	5	3				1	1			1				
91b,c	Other diseases of the arteries	29	18	1		1	7	2	1	4	1	2			
92	Embolism and thrombosis (not cerebral)	2	1									1			
94	Diseases of the lymphatic system	1												1	
	V.—Diseases of the respiratory system	576	122	51	30	21	82	33	17	32	33	184	12	91	1
97a	Diseases of the nasal fossae	1												1	
99a	Acute bronchitis	41	1	3	2	1	3	1	2		2	18		14	
99b	Chronic bronchitis	6	2	1	1		2			2				1	
99c, 99d	Bronchitis (unspecified)	9	3	2	1	1						1		3	
100a	Bronchopneumonia	319	61	23	12	11	37	14	11	12	20	117	10	50	1
100b	Capillary bronchitis	18	1	4	2	2	1	1				9		3	
101a	Lobar pneumonia	145	45	14	10	4	29	11	4	14	11	26	1	19	
101b	Pneumonia (unspecified)	4	1				1			1		2			
102	Pleurisy	16	1	2	1	1	6	3		3		7			
103	Congestion and hemorrhagic infarct of the lung	3	1				1	1				1			
104	Gangrene of the lung	3	1									1	1		
105	Asthma	10	4	2	1	1	2	2				2			
107	Other diseases of the respiratory system (tuberculosis excepted)	1	1												
	VI.—Diseases of the digestive system	736	117	67	45	22	114	56	27	31	31	263	9	134	1
108	Diseases of the mouth and annexa	1										1			
109b	Other diseases of the pharynx, tonsils	11					5		1	4		6			
111a	Ulcer of the stomach	13	2	1	1		1	1				9			
111b	Ulcer of the duodenum	3	1				1			1		1			
112	Other diseases of the stomach (cancer excepted)	9	1	1	1		2	1		1		5			
113	Diarrhea and enteritis (under 2 years)	513	82	56	37	19	69	41	24	4	17	165	6	118	
114	Diarrhea and enteritis (2 years and over)	61	9	4	3	1	7	4	1	2	5	31		5	
116	Diseases due to other intestinal parasites	3					2	2						1	
117	Appendicitis and typhlitis	42	9				10	1		9	1	19	1	2	
118a	Hernia	9	1				4	3		1	1	2		1	
118b	Intestinal obstruction	19	1				3	2		1	4	9		2	
119	Other diseases of the intestines	2	1				1			1					
120	Acute yellow atrophy of the liver	1												1	
122	Cirrhosis of the liver	25	6	2	2		4	1		3	2	6	1	3	1
123	Biliary calculi	7	1				2			2		4			
124	Other diseases of the liver	11	2				2		1	1	1	4	1	1	
126	Peritonitis without specified cause	3	1	1		1	1			1					
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	3		2	1	1						1			
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	219	66	12	8	4	42	15	3	24	34	54	4	5	2
128	Acute nephritis (including unspecified under 10 years)	22	4	3	2	1	2	1		1	3	7	1	2	
129	Chronic nephritis (including unspecified 10 years and over)	174	55	8	5	3	33	14	2	17	30	40	3	3	2
131	Other diseases of the kidneys and annexa	1										1			
132	Calculi of the urinary passages	2	2												
133	Diseases of the bladder	1										1			
134	Diseases of the urethra, etc	2					1			1		1			
135	Diseases of the prostate	1					1			1					
137	Cysts, other benign tumors of the ovary	3	1				2		1	1					
138	Salpingitis and pelvic abscess (female)	6	2				3			3		1			
139	Benign tumors of the uterus	4	1	1	1						1	1			
140	Nonpuerperal uterine hemorrhage	1	1												
141	Other diseases of the female genital organs	1										1			
142	Nonpuerperal diseases of the breast (cancer excepted)	1										1			
	VIII.—The puerperal state	80	12	7	2	5	8	4	1	3	7	38		8	
143	Accidents of pregnancy	6	1									5			
144	Puerperal hemorrhage	18	4	2		2	1	1			1	8		2	
145	Other accidents of labor	12	2				1		1		2	4		3	
146	Puerperal septicemia	22	2	3	1	2	1			1	2	14			
147	Puerperal phlegmasia alba dolens, embolus, etc	3		1		1					1			1	
148	Puerperal albuminuria and convulsions	19	3	1	1		5	3		2	1	7		2	
	IX.—Diseases of the skin and of the cellular tissue	16	6				2	1	1			6		2	
152	Furuncle	7	2									3		2	
153	Acute abscess	6	1				2	1	1			3			
154	Other diseases of the skin and annexa	3	3												

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE TERRITORY OF HAWAII, BY RACE AND CAUSE OF DEATH: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	RACE.												
			Part Hawaiian.				Caucasian.								
			Hawaiian.	Total.	Caucasian-Hawaiian.	Asiatic-Hawaiian.	Total.	Portuguese.	Porto Rican.	Other Caucasian.	Chinese.	Japanese.	Korean.	Filipino.	All others.
	X.—Diseases of the bones and of the organs of locomotion	5	2	1	1						1	1			
155	Diseases of the bones (tuberculosis excepted)	4	2	1	1						1				
158	Other diseases of the organs of locomotion	1										1			
	XI.—Malformations	44	5	3	3		8	5	1	2	2	18	1	7	
159a	Congenital hydrocephalus	2					2	2							
159b	Congenital malformations of the heart	26	4	2	2		3	2		1		12		5	
159c	Other congenital malformations	16	1	1	1		3	1	1	1	2	6	1	2	
	XII.—Early infancy	241	29	43	29	14	51	26	7	18	12	88	4	14	
160	Congenital debility, icterus, sclerema	59	7	7	4	3	12	7	3	2		23	4	6	
161a	Premature birth	129	12	26	17	9	29	13	3	13	10	45		7	
161b	Injury at birth	21	4	2	2		9	6	1	2		6			
162	Other diseases peculiar to early infancy	32	6	8	6	2	1			1	2	14		1	
164	XIII.—Old age (senility)	8	3				3	1		2	1	1			
	XIV.—External causes	313	32	16	11	5	78	20	9	49	18	126	17	25	1
	Suicide (total)	64	4	1		1	10	2	3	5	5	35	7	2	
165	By poisons (corrosives excepted)	3					1			1		2			
166	By corrosive substances	11					4		2	2		7			
168	By hanging or strangulation	22					1			1	4	13	3	1	
169	By drowning	3									1	2			
170	By firearms	10	1	1		1	4	2	1	1		1	2	1	
171	By cutting or piercing instruments	11	2									7	2		
172	By jumping from high places	2										2			
174	By other means	2	1									1			
	Homicide (total)	26	3	1	1		7	2		5	1	8		6	
197	By firearms	9	1				5	2		3	1			2	
198	By cutting or piercing instruments	11	1									6		4	
199	By other means	6	1	1	1		2			2		2			
	Accidental or undefined (total)	223	25	14	10	4	61	16	6	39	12	83	10	17	1
175	Poisoning by food	10	1	4	4		3	2		1		1	1		
176	Poisoning by venomous animals	1									1				
177	Other acute poisonings (gas excepted)	1					1			1					
178	Conflagration	8	3				1			1	1	3			
179	Burns (conflagration excepted)	7					1	1				4		1	1
180	Mechanical suffocation	1					1	1							
182	Drowning	52	5	2	1	1	12	5	1	6	4	21	2	6	
183	Traumatism by firearms (except in war)	5					1			1		2	1	1	
184	Traumatism by cutting or piercing instruments	1										1			
185	Traumatism by fall	24	2	1		1	5			5	2	10	3	1	
186b	Traumatism in quarries	1											1		
187	Traumatism by machines	5					1		1			3		1	
188a	Railroad accidents	16	4				1			1		8		3	
188b	Street-car accidents	1					1		1						
188c	Automobile accidents	45	3	1		1	14	5		9	4	20	1	2	
188d	Aeroplane and balloon accidents	4					4			4					
188e,f	Injuries by other vehicles	11	3				7	1	1	5		1			
188g	Landslide, other crushing	2	1				1	1							
189	Injuries by animals (not poisoning)	2										1	1		
190	Wounds of war	1					1			1					
196	Other accidental electric shocks	3		1	1		2			2					
202	Other external violence	21	2	5	4	1	4		2	2		8		2	
203	Violent deaths of unknown causation	1	1												
	XV.—Ill-defined diseases	7	3								1			3	
205a	Ill-defined	1									1				
205b	Not specified or unknown	6	3											3	

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE TERRITORY OF HAWAII, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	All causes	3,924	1,275	204	77	47	42	81	199	351	334	379	365	290	177	63	24	12	4
	I.—Epidemic, endemic, and infectious diseases	779	100	33	22	11	14	21	100	163	93	95	74	38	10	2	2	.....	1
1	Typhoid and paratyphoid fever	32	1	.....	.....	.....	1	1	7	11	5	5	1	.....	.....	.....	.....	.....	.....
5	Malaria	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Smallpox	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Measles	19	4	8	4	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Scarlet fever	2	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Whooping cough	16	11	4	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
10	Diphtheria	24	.....	5	6	5	2	2	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11a	Influenza (with pulmonary complications)	53	16	.....	2	.....	4	.....	4	9	7	3	5	2	.....	.....	.....	.....	1
11b	Influenza (other and unspecified)	11	2	1	1	1	.....	.....	1	1	1	2	1	.....	.....	.....	.....	.....	.....
13	Mumps	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
16	Dysentery	12	1	1	1	1	.....	.....	.....	1	.....	.....	3	3	1	.....	.....	.....	.....
17	Plague	4	.....	.....	.....	.....	.....	.....	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
19	Spirochetal hemorrhagic jaundice	5	.....	.....	.....	.....	.....	.....	.....	1	2	2	.....	.....	.....	.....	.....	.....	.....
20	Leprosy	55	.....	.....	.....	.....	.....	.....	6	15	8	7	9	7	2	1	.....	.....	.....
21	Erysipelas	10	8	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
23	Lethargic encephalitis	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Meningococcus meningitis	14	1	1	.....	1	1	2	3	4	1	.....	.....	.....	.....	.....	.....	.....	.....
25	Other epidemic and endemic diseases	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
29	Tetanus	16	9	.....	.....	.....	1	2	1	.....	.....	1	2	.....	.....	.....	.....	.....	.....
30	Mycoses	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	431	13	10	7	1	4	12	68	111	63	69	46	20	4	1	2	.....	.....
31	Of the respiratory system	373	4	2	2	1	1	4	61	105	60	63	46	18	4	.....	2	.....	.....
32	Of the meninges, central nervous system	22	7	8	1	.....	1	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
33	Of the intestines, peritoneum	21	2	.....	3	.....	2	2	4	5	.....	2	.....	1	.....	.....	.....	.....	.....
34	Of the vertebral column	5	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	1	.....	1	.....	.....	.....
36	Of other organs	6	.....	.....	1	.....	.....	1	.....	.....	.....	4	.....	.....	.....	.....	.....	.....	.....
37a	Disseminated (acute)	4	.....	.....	.....	.....	.....	.....	1	1	2	.....	.....	.....	.....	.....	.....	.....	.....
38	Syphilis	62	29	1	1	.....	.....	.....	1	4	6	5	7	5	3	.....	.....	.....	.....
40	Gonococcus infection	5	2	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
41	Purulent infection, septicemia	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
	II.—General diseases not included in Class I	340	83	4	3	1	1	1	4	23	27	58	73	37	17	6	2	.....	.....
	Cancer and other malignant tumors (total)	156	.....	.....	.....	.....	.....	.....	1	4	13	41	50	28	14	3	2	.....	.....
43	Of the buccal cavity	7	.....	.....	.....	.....	.....	.....	.....	.....	1	4	.....	1	.....	.....	1	.....	.....
44	Of the stomach, liver	94	.....	.....	.....	.....	.....	.....	.....	1	4	17	40	20	9	3	.....	.....	.....
45	Of the peritoneum, intestines, rectum	14	.....	.....	.....	.....	.....	.....	.....	2	2	5	1	2	2	.....	.....	.....	.....
46	Of the female genital organs	18	.....	.....	.....	.....	.....	.....	.....	1	4	9	2	1	1	.....	.....	.....	.....
47	Of the breast	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	3	.....	.....	.....	.....	.....	.....
49	Of other or unspecified organs	16	.....	.....	.....	.....	.....	.....	1	.....	2	2	4	4	2	.....	1	.....	.....
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
51	Acute rheumatic fever	7	1	.....	1	.....	.....	.....	2	1	.....	1	.....	.....	1	.....	.....	.....	.....
55	Beriberi	108	75	.....	.....	.....	.....	.....	1	15	10	2	3	2	.....	.....	.....	.....	.....
56	Rickets	5	2	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
57	Diabetes mellitus	20	.....	.....	.....	.....	.....	1	.....	1	.....	5	7	2	1	3	.....	.....	.....
58	Anemia, chlorosis	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	3	1	.....	.....	.....	.....	.....
60b	Other diseases of the thyroid gland	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
62	Diseases of the thymus gland	4	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
64	Diseases of the spleen	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
65a	Leukemia	5	.....	.....	2	1	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
65b	Hodgkin's disease	2	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
66	Alcoholism (acute or chronic)	18	.....	.....	.....	.....	.....	.....	.....	1	2	6	7	2	.....	.....	.....	.....	.....
68	Chronic poisoning by organic substances	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	1	.....	.....	.....	.....
69	Other general diseases	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	III.—Diseases of the nervous system and of the organs of special sense	279	25	5	2	3	3	2	4	6	14	48	39	68	43	8	6	3	.....
70	Encephalitis	2	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
71a	Simple meningitis	15	7	.....	2	1	2	1	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
71b	Nonepidemic cerebrospinal meningitis	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
73	Other diseases of the spinal cord	12	.....	.....	.....	.....	.....	.....	.....	.....	1	1	3	4	3	.....	.....	.....	.....
74a	Cerebral hemorrhage	191	.....	1	.....	.....	.....	.....	.....	1	6	37	30	63	36	8	6	3	.....
74b	Cerebral embolism and thrombosis	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....
75	Paralysis without specified cause	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
76	General paralysis of the insane	14	.....	.....	.....	.....	.....	.....	.....	1	3	5	2	1	2	.....	.....	.....	.....
77	Other forms of mental alienation	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
78	Epilepsy	2	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
80	Infantile convulsions (under 5 years)	13	13	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
84	Other diseases of the nervous system	5	.....	.....	.....	1	.....	.....	.....	1	.....	2	1	.....	.....	.....	.....	.....	.....
85	Diseases of the eye and annexa	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
86a	Diseases of the ear	13	3	4	.....	1	.....	.....	2	1	1	.....	1	.....	.....	.....	.....	.....	.....
86b	Diseases of the mastoid process	5	1	.....	.....	.....	.....	.....	1	1	1	1	.....	.....	.....	.....	.....	.....	.....

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE TERRITORY OF HAWAII, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	IV.—Diseases of the circulatory system	281	6					6	13	17	21	35	49	64	47	17	5	1	
87	Pericarditis	2								1	1								
88	Endocarditis and myocarditis (acute)	16	3					1	3	2	2	3	2						
89	Angina pectoris	8								2	1	2	3						
90	Other diseases of the heart	218	2					5	9	12	17	29	39	59	34	8	3	1	
91a	Aneurysm	5											3	1	1				
91b,c	Other diseases of the arteries	29										1	1	4	12	9	2		
92	Embolism and thrombosis (not cerebral)	2							1				1						
94	Diseases of the lymphatic system	1	1																
	V.—Diseases of the respiratory system	576	287	73	16	10	8	11	17	29	25	30	24	20	14	10	1	1	
97a	Diseases of the nasal fossae	1									1								
99a	Acute bronchitis	41	32	5	1							1				1	1		
99b	Chronic bronchitis	6	1						1				1	1	2				
99c, 99d	Bronchitis (unspecified)	9	7					1						1					
100a	Bronchopneumonia	319	201	50	10	8	8	4	6	7	3	4	4	6	5	3			
100b	Capillary bronchitis	18	13	4	1														
101a	Lobar pneumonia	145	25	12	3	1		5	7	17	17	24	14	9	5	5		1	
101b	Pneumonia (unspecified)	4	1							1	2								
102	Pleurisy	16	5	2				1	2	1			3	1	1				
103	Congestion and hemorrhagic infarct of the lung	3			1					2									
104	Gangrene of the lung	3							1	1		1							
105	Asthma	10	2		1						2		1	2	1	1			
107	Other diseases of the respiratory system (tuberculosis excepted)	1											1						
	VI.—Diseases of the digestive system	736	463	73	28	11	7	14	9	17	28	31	27	15	9	4			
108	Diseases of the mouth and annexa	1					1												
109b	Other diseases of the pharynx, tonsils	11		1	2	1		2	1		3		1						
111a	Ulcer of the stomach	13							1		2	3	6	1					
111b	Ulcer of the duodenum	3										2	1						
112	Other diseases of the stomach (cancer excepted)	9	8												1				
113	Diarrhea and enteritis (under 2 years)	513	445	68															
114	Diarrhea and enteritis (2 years and over)	61			23	10	5	5	1	1	2	2	5	3	3	1			
116	Diseases due to other intestinal parasites	3		1	2														
117	Appendicitis and typhlitis	42		1			1	3	4	7	9	11	2	2	1	1			
118a	Hernia	9	2	1							1	2			2	1			
118b	Intestinal obstruction	19	6					3	2	4	1	1	1	1					
119	Other diseases of the intestines	2			1							1							
120	Acute yellow atrophy of the liver	1								1									
122	Cirrhosis of the liver	25	1							2	4	5	5	5	2	1			
123	Biliary calculi	7									3		2	2					
124	Other diseases of the liver	11		1						2	3	3	1	1					
126	Peritonitis without specified cause	3						1				1	1						
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	3	1										2						
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	219	8	2		3	2	2	5	9	22	31	50	32	30	12	5	4	2
128	Acute nephritis (including unspecified under 10 years)	22	5	1		2	1	2			5	1	3		2				
129	Chronic nephritis (including unspecified 10 years and over)	174	1	1		1	1		5	8	14	22	41	31	26	12	5	4	2
131	Other diseases of the kidneys and annexa	1	1																
132	Calculi of the urinary passages	2										1			1				
133	Diseases of the bladder	1											1						
134	Diseases of the urethra, etc	2									1			1					
135	Diseases of the prostate	1													1				
137	Cysts, other benign tumors of the ovary	3										2	1						
138	Salpingitis and pelvic abscess (female)	6									2	2	2						
139	Benign tumors of the uterus	4										2	2						
140	Nonpuerperal uterine hemorrhage	1								1									
141	Other diseases of the female genital organs	1										1							
142	Nonpuerperal diseases of the breast (cancer excepted)	1	1																
	VIII.—The puerperal state	80							9	26	38	7							
143	Accidents of pregnancy	6								1	5								
144	Puerperal hemorrhage	18								4	10	4							
145	Other accidents of labor	12							3	3	5	1							
146	Puerperal septicemia	22							3	10	8	1							
147	Puerperal phlegmasia alba dolens, embolus, etc	3								1	2								
148	Puerperal albuminuria and convulsions	19							3	7	8	1							
	IX.—Diseases of the skin and of the cellular tissue	16	7			1		1	2	1	2	2							
152	Furuncle	7	1					1	2	1	1	1							
153	Acute abscess	6	3			1					1	1							
154	Other diseases of the skin and annexa	3	3																

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE TERRITORY OF HAWAII, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	X.—Diseases of the bones and of the organs of locomotion	5	1					1	1			1	1						
155	Diseases of the bones (tuberculosis excepted)	4						1	1			1	1						
158	Other diseases of the organs of locomotion	1	1																
	XI.—Malformations	44	40	2	1	1													
159a	Congenital hydrocephalus	2	1		1														
159b	Congenital malformations of the heart	26	23	2		1													
159c	Other congenital malformations	16	16																
	XII.—Early infancy	241	241																
160	Congenital debility, icterus, sclerema	59	59																
161a	Premature birth	129	129																
161b	Injury at birth	21	21																
162	Other diseases peculiar to early infancy	32	32																
164	XIII.—Old age (senility)	8												1	1	1	2	3	
	XIV.—External causes	313	10	12	5	6	7	22	35	59	64	41	28	15	5	3			1
	Suicide (total)	64							2	14	19	16	6	4	3				
165	By poisons (corrosives excepted)	3							1			1	1						
166	By corrosive substances	11								6	5								
168	By hanging or strangulation	22								2	4	8	3	3	2				
169	By drowning	3									1	2							
170	By firearms	10								5	4	1							
171	By cutting or piercing instruments	11							1	1	4	3	2						
172	By jumping from high places	2									1				1				
174	By other means	2										1		1					
	Homicide (total)	26	1			1	1	2	1	12	4	2	1	1					
197	By firearms	9				1				7		1							
198	By cutting or piercing instruments	11					1	2	1	3	3		1						
199	By other means	6	1							2	1	1		1					
	Accidental or undefined (total)	223	9	12	5	5	6	20	32	33	41	23	21	10	2	3			1
175	Poisoning by food	10	4	1		1		1	1		1	1							
176	Poisoning by venomous animals	1								1									
177	Other acute poisonings (gas excepted)	1									1								
178	Conflagration	8		1				1	2			1	2	1					
179	Burns (conflagration excepted)	7	1	2	1				1			1		1					
180	Mechanical suffocation	1									1								
182	Drowning	52	1	5	3	3	2	6	6	9	5	6	4	2					
183	Traumatism by firearms (except in war)	5						1	1	2		1							
184	Traumatism by cutting or piercing instruments	1							1										
185	Traumatism by fall	24	1		1			1	4	3	5	2	4	1		2			
186b	Traumatism in quarries	1									1								
187	Traumatism by machines	5							2		2	1							
188a	Railroad accidents	16		1				1	1	2	5	2	2	1		1			
188b	Street-car accidents	1										1							
188c	Automobile accidents	45	1	1		1	4	5	9	6	7	3	3	2	2				1
188d	Aeroplane and balloon accidents	4								2	2								
188e,f	Injuries by other vehicles	11		1				3		2	3		2						
188g	Landslide, other crushing	2										1	1						
189	Injuries by animals (not poisoning)	2									1	1							
190	Wounds of war	1								1									
196	Other accidental electric shocks	3							1	1	1								
202	Other external violence	21	1					1	3	4	6	2	2	2					
	Violent deaths of unknown causation	1											1						
	XV.—Ill-defined diseases	7	4							1					1		1		
205a	Ill-defined	1													1				
205b	Not specified or unknown	6	4							1							1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE TERRITORY OF HAWAII, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1921.

[The numbers in parentheses after causes of death correspond to those of the 1920 revision of the detailed International List.]

CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
All causes	3,924	370	331	376	360	329	315	312	317	281	285	322	326
Typhoid and paratyphoid fever (1)	32	3	2	1	1	3	3	1	3	1	6	4	4
Malaria (5)	1	1											
Measles (7)	19	2	1	4	6		2	2		1			1
Scarlet fever (8)	2											1	1
Whooping cough (9)	16					2	4	4	1	1		1	3
Diphtheria (10)	24	1	2	2	2	5	2	4	1		1	3	1
Influenza (11)	64	17	9	10	3	5	1	2	5	1	4	4	3
Dysentery (16)	12	2		2	1		1				2	3	1
Lethargic encephalitis (23)	1		1										
Meningococcus meningitis (24)	14		1		6		2		2		1	1	1
Tuberculosis of the respiratory system (31)	373	50	32	32	30	44	21	19	23	25	29	35	33
Other forms of tuberculosis (32–37)	58	5	3	10	4	3	6	4	3	2	7	6	5
Bronchitis (99)	56	3	7	5	3	4	6	3	2	5	5	6	7
Bronchopneumonia (100)	337	21	30	29	31	31	36	27	31	18	28	26	29
Pneumonia (101)	149	13	10	17	9	13	11	9	15	15	8	14	15
Diarrhea and enteritis (under 2 years) (113)	513	61	50	54	56	37	32	44	37	40	31	24	47
Diarrhea and enteritis (2 years and over) (114)	61	7	9	5	2	4	3	3	7	7	8	4	2
Puerperal septicemia (146)	22	2	3	2		3	2	2		4	2	1	1
Other puerperal causes (143–145, 147–150)	58	1	5	9	3	3	3	4	7	5	5	5	8
External causes (165–203)	313	23	21	28	23	26	33	34	34	31	17	21	22
All other causes	1,799	158	145	166	180	146	147	150	146	125	131	163	142

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE TERRITORY OF HAWAII, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1921.

[The numbers in parentheses after causes of death correspond to those of the 1920 revision of the detailed International List.]

CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
All causes	1,275	105	19	36	65	225	73	44	41	383	220	135	244	166	127
Measles (7)	4												1	2	1
Scarlet fever (8)															
Whooping cough (9)	11											2	5	2	2
Diphtheria (10)															
Influenza (11)	18										1	3	6	3	5
Dysentery (16)	1												1		
Erysipelas (21)	8								2	2		1		2	3
Meningococcus meningitis (24)	1													1	
Tetanus (29)	9				5	5	4			9					
Tuberculosis of the respiratory system (31)	4												1	2	1
Tuberculosis of the meninges, etc. (32)	7										1		2	2	2
Other forms of tuberculosis (33–37)	2													2	
Syphilis (38)	29	1	1	2	1	5	3	3	1	12	4	4	2	5	2
Convulsions (80)	13				1	1	1	2	2	6	2	2	1		2
Other [organic] diseases of the heart (90)	2										1			1	
Bronchitis (99)	40	1		2		3	3	1		7	10	7	6	5	5
Bronchopneumonia (100)	214		1	1	3	5	6	5	14	30	34	28	49	40	33
Pneumonia (101)	26								1	1	3		7	7	8
Diseases of the stomach (111, 112)	8						1			1	4		2	1	
Diarrhea and enteritis (113)	445			2	6	8	20	9	10	47	99	60	121	73	45
Congenital malformations (159)	40	10	2	4	6	22	3		1	26	5	2	5		2
Congenital debility (160)	59	6	1	5	10	22	5	8	2	37	8	1	6	6	1
Premature birth (161a)	129	63	9	15	14	101	16	7	2	126	1	1	1		
Injury at birth (161b)	21	14	1	2	4	21				21					
Other diseases of early infancy (162, 163)	32	9	2	4	10	25	4	3		32					
External causes (175–203)	9	1				1	1			2	1			4	2
All other causes	143		2	1	3	6	6	6	6	24	46	24	28	8	13

APPENDIX

CERTAIN ADJUSTED AND SPECIFIC RATES.

TABLE 1.—NUMBER OF DEATHS, CRUDE AND ADJUSTED DEATH RATES AT ALL AGES, AND SPECIFIC DEATH RATES IN 13 AGE GROUPS, BY SEX, FROM ALL CAUSES AND CERTAIN SPECIFIED CAUSES, IN THE REGISTRATION STATES OF 1920, FOR 1920 AND 1921, AND THE DIFFERENCE IN THE RATES FOR 1920 WHEN COMPUTED ON AN ESTIMATED POPULATION, AND WHEN COMPUTED ON AN ENUMERATED POPULATION.

A minus sign (—) in "difference in rate," indicates a decrease in population in 1920 as compared with 1910. Rates at unknown age are not computed.]

CAUSE OF DEATH, SEX, AND AGE.	DEATHS IN THE REGISTRATION STATES OF 1920.														
	Total.					White.					Colored.				
	1921		1920			1921		1920			1921		1920		
	Number.	Rate per 100,000 population estimated as of July 1.	Rate per 100,000 population.			Number.	Rate per 100,000 population estimated as of July 1.	Rate per 100,000 population.			Number.	Rate per 100,000 population estimated as of July 1.	Rate per 100,000 population.		
			Estimated as of July 1.	Enumerated Jan. 1.	Difference in rate.			Estimated as of July 1.	Enumerated Jan. 1.	Difference in rate.			Estimated as of July 1.	Enumerated Jan. 1.	Difference in rate.
ALL CAUSES.[1]															
BOTH SEXES.															
All ages	1,009,673					895,593					114,080				
Adjusted rate		1,122.0	1 265.8	1,275.6	9.9		1,069.4	1,207.5	1,217.4	9.9		1,727.9	1,931.4	1,938.1	6.7
Crude rate		1,158.1	1,299.4	1,308.1	8.7		1,120.0	1,256.2	1,264.9	8.7		1,579.8	1,774.8	1,781.4	6.6
Under 1 year	156,329	8,810.1	9,657.8	9,670.9	13.1	135,876	8,381.4	9,200.2	9,216.8	16.6	20,453	13,343.6	14,448.1	14,399.6	—48.5
1 to 4 years	59,315	793.4	975.6	981.3	5.7	51,786	754.5	929.0	935.1	6.1	7,529	1,229.6	1,488.8	1,484.7	—4.1
Under 5 years	215,644	2,331.3	2,653.0	2,666.2	13.2	187,662	2,211.8	2,521.5	2,535.8	14.3	27,982	3,655.0	4,085.9	4,074.1	—11.8
5 to 9 years	25,587	281.4	296.3	298.6	2.3	23,029	278.7	287.6	290.0	2.4	2,558	309.2	381.8	382.4	0.6
10 to 14 years	17,807	210.4	228.2	229.9	1.7	15,258	199.3	213.0	214.6	1.6	2,549	316.7	371.9	373.2	1.3
15 to 19 years	25,174	339.0	408.7	409.3	0.6	19,949	297.0	360.5	361.0	0.5	5,225	736.8	864.9	865.5	0.6
20 to 24 years	33,608	451.5	570.3	570.7	0.4	25,956	386.0	499.5	499.8	0.3	7,652	1,064.0	1,233.3	1,235.4	2.1
25 to 34 years	71,155	496.1	683.2	687.4	4.2	58,209	441.1	627.0	631.0	4.0	12,946	1,130.1	1,325.8	1,329.1	3.3
35 to 44 years	82,160	684.6	819.2	826.3	7.1	68,551	623.1	753.6	760.0	6.4	13,609	1,362.6	1,544.1	1,559.7	15.6
45 to 54 years	100,330	1,109.3	1,207.5	1,220.0	12.5	87,315	1,044.6	1,136.3	1,147.9	11.6	13,015	1,899.4	2,080.1	2,106.3	26.2
55 to 64 years	126,956	2,219.2	2,361.9	2,390.2	28.3	116,810	2,159.0	2,300.8	2,329.5	28.7	10,146	3,266.6	3,408.4	3,421.5	13.1
65 to 74 years	148,318	4,946.2	5,226.0	5,274.9	48.9	139,434	4,919.5	5,184.3	5,234.1	49.8	8,884	5,406.3	5,939.2	5,971.5	32.3
75 years and over	161,782	12,539.1	13,363.7	13,506.5	142.8	152,728	12,559.8	13,368.6	13,515.1	146.5	9,054	12,200.0	13,284.5	13,366.9	82.4
Unknown	1,152					692					460				
MALES.															
All ages	533,267					475,172					58,095				
Adjusted rate		1,176.5	1,315.6	1,325.4	9.8		1,129.3	1,262.3	1,272.2	9.9		1,712.8	1,918.5	1,925.0	6.5
Crude rate		1,203.7	1,339.5	1,347.9	8.4		1,168.7	1,299.0	1,307.5	8.5		1,594.9	1,789.3	1,795.9	6.6
Under 1 year	88,795	9,897.4	10,849.3	10,863.3	14.0	77,592	9,448.9	10,353.0	10,371.1	18.1	11,203	14,743.1	16,154.6	16,095.7	—58.9
1 to 4 years	31,608	835.4	1,015.9	1,021.8	5.9	27,729	797.2	969.7	976.1	6.4	3,879	1,272.1	1,532.6	1,528.4	—4.2
Under 5 years	120,403	2,572.4	2,914.5	2,928.9	14.4	105,321	2,449.5	2,775.7	2,791.5	15.8	15,082	3,959.3	4,453.9	4,441.0	—12.9
5 to 9 years	13,383	302.6	314.0	316.4	2.4	12,561	300.9	308.1	310.6	2.5	1,322	320.3	373.1	373.8	0.7
10 to 14 years	9,630	225.8	242.6	244.3	1.7	8,422	217.9	231.0	232.8	1.8	1,208	301.6	352.8	353.9	1.1
15 to 19 years	12,654	344.1	421.4	421.8	0.4	10,353	310.1	382.1	382.5	0.4	2,301	678.9	808.2	808.3	0.1
20 to 24 years	16,103	446.8	544.4	543.8	—0.6	12,622	386.2	476.3	475.7	—0.6	3,481	1,038.2	1,210.2	1,211.1	0.9
25 to 34 years	35,095	486.1	647.7	650.7	3.0	29,090	436.1	597.4	600.4	3.0	6,005	1,095.9	1,254.3	1,254.7	0.4
35 to 44 years	41,102	706.2	834.6	841.5	6.9	37,241	650.0	776.4	782.7	6.3	6,861	1,331.5	1,482.8	1,496.9	14.1
45 to 54 years	55,041	1,141.6	1,245.9	1,258.9	13.0	48,095	1,087.6	1,184.7	1,196.6	11.9	6,946	1,738.5	1,929.7	1,959.2	29.5
55 to 64 years	69,714	2,323.0	2,462.5	2,492.2	29.7	64,349	2,278.5	2,416.1	2,446.4	30.3	5,365	3,034.3	3,192.2	3,208.0	15.8
65 to 74 years	78,660	5,150.0	5,421.5	5,473.6	52.1	73,898	5,138.2	5,389.1	5,442.2	53.1	4,762	5,340.4	5,939.7	5,974.1	34.4
75 years and over	77,286	12,793.5	13,612.1	13,744.5	132.4	72,776	12,806.2	13,601.9	13,736.7	134.8	4,510	12,592.5	13,773.1	13,867.3	94.2
Unknown	696					444					252				
FEMALES.															
All ages	476,406					420,421					55,985				
Adjusted rate		1,071.3	1,219.0	1,228.9	9.9		1,013.8	1,156.1	1,166.0	9.9		1,739.7	1,941.5	1,948.3	6.8
Crude rate		1,111.0	1,257.9	1,266.8	8.9		1,069.7	1,211.9	1,220.8	8.9		1,564.4	1,760.0	1,766.7	6.7
Under 1 year	67,534	7,698.2	8,439.1	8,451.0	11.9	58,284	7,285.7	8,016.6	8,031.5	14.9	9,250	11,967.8	12,768.4	12,729.1	—39.3
1 to 4 years	27,707	750.4	934.4	939.8	5.4	24,057	710.7	887.1	892.9	5.8	3,650	1,187.5	1,445.4	1,441.3	—4.1
Under 5 years	95,241	2,084.3	2,385.2	2,397.0	11.8	82,341	1,967.6	2,260.3	2,273.1	12.8	12,900	3,353.6	3,721.5	3,710.8	—10.7
5 to 9 years	11,704	259.9	278.3	280.5	2.2	10,468	256.0	266.8	269.0	2.2	1,236	298.2	390.5	391.0	0.5
10 to 14 years	8,177	194.8	213.7	215.2	1.5	6,836	180.3	194.7	196.1	1.4	1,341	331.6	390.8	392.2	1.4
15 to 19 years	12,520	334.1	396.3	396.9	0.6	9,596	284.1	339.2	339.7	0.5	2,924	789.9	916.9	918.0	1.1
20 to 24 years	17,505	455.8	594.7	596.3	1.6	13,334	385.8	521.6	522.9	1.3	4,171	1,086.5	1,253.6	1,256.8	3.2
25 to 34 years	36,060	505.2	719.4	724.8	5.4	29,119	446.2	657.5	662.6	5.1	6,941	1,161.5	1,391.9	1,398.1	6.2
35 to 44 years	38,058	661.1	802.5	809.8	7.3	31,310	593.8	728.8	735.3	6.5	6,748	1,395.8	1,609.5	1,626.9	17.4
45 to 54 years	45,289	1,072.5	1,163.8	1,175.6	11.8	39,220	996.2	1,082.0	1,093.1	11.1	6,069	2,124.5	2,287.9	2,308.3	20.4
55 to 64 years	57,242	2,104.6	2,251.0	2,277.7	26.7	52,461	2,028.6	2,175.0	2,201.8	26.8	4,781	3,573.5	3,692.7	3,701.5	8.8
65 to 74 years	69,658	4,734.5	5,023.1	5,069.0	45.9	65,536	4,694.1	4,973.4	5,020.0	46.6	4,122	5,484.8	5,938.6	5,968.4	29.8
75 years and over	84,496	12,315.2	13,144.2	13,295.8	151.6	79,952	12,343.7	13,163.1	13,319.6	156.5	4,544	11,833.9	12,829.8	12,901.9	72.1
Unknown	456					248					208				

[1] Exclusive of stillbirths.

TABLE 1.—NUMBER OF DEATHS, CRUDE AND ADJUSTED DEATH RATES AT ALL AGES, AND SPECIFIC DEATH RATES IN 13 AGE GROUPS, BY SEX, FROM ALL CAUSES AND CERTAIN SPECIFIED CAUSES, IN THE REGISTRATION STATES OF 1920, FOR 1920 AND 1921, AND THE DIFFERENCE IN THE RATES FOR 1920 WHEN COMPUTED ON AN ESTIMATED POPULATION, AND WHEN COMPUTED ON AN ENUMERATED POPULATION—Continued.

[A minus sign (—) in "difference in rate," indicates a decrease in population in 1920 as compared with 1910. Rates at unknown age are not computed.]

CAUSE OF DEATH, SEX, AND AGE.	DEATHS IN THE REGISTRATION STATES OF 1920.											
	Total.					White.				Colored.				
	1921		1920			1921		1920		1921		1920		
	Number.	Rate per 100,000 population estimated as of July 1.	Rate per 100,000 population.			Number.	Rate per 100,000 population estimated as of July 1.	Rate per 100,000 population.			Rate per 100,000 population estimated as of July 1.	Rate per 100,000 population.		
			Estimated as of July 1.	Enumerated Jan. 1.	Difference in rate.			Estimated as of July 1.	Enumerated Jan. 1.	Difference in rate.		Estimated as of July 1.	Enumerated Jan. 1.	Difference in rate.
Typhoid and paratyphoid fever.														
BOTH SEXES.														
All ages	7,763					6,134				1,629				
Adjusted rate		9.0	7.7	7.8	0.1		7.7	6.6	6.6		22.4	19.5	19.6	0.1
Crude rate		8.9	7.6	7.7	0.1		7.7	6.6	6.6		22.6	19.7	19.7	
Under 1 year	46	2.6	2.9	2.9		31	1.9	1.8	1.8	15	9.8	14.3	14.2	—0.1
1 to 4 years	340	4.5	4.1	4.2	0.1	248	3.6	3.3	3.4	0.1	92	15.0	13.0	13.0	
Under 5 years	386	4.2	3.9	3.9		279	3.3	3.0	3.1	0.1	107	14.0	13.2	13.2	
5 to 9 years	569	6.3	5.6	5.6		410	5.0	4.5	4.5		159	19.2	16.6	16.6	
10 to 14 years	805	9.5	8.7	8.7		594	7.8	6.8	6.8		211	26.2	26.3	26.4	0.1
15 to 19 years	1,241	16.7	13.7	13.7		935	13.9	11.6	11.6		306	43.2	33.8	33.8	
20 to 24 years	1,016	13.6	11.7	11.7		771	11.5	9.8	9.8		245	34.1	29.2	29.2	
25 to 34 years	1,298	9.0	8.0	8.1	0.1	1,082	8.2	7.3	7.3		216	18.9	16.6	16.6	
35 to 44 years	1,027	8.6	6.9	6.9		847	7.7	6.2	6.2		180	18.0	14.6	14.8	0.2
45 to 54 years	716	7.9	6.4	6.5	0.1	607	7.3	5.8	5.8		109	15.9	13.8	13.9	0.1
55 to 64 years	416	7.3	6.1	6.2	0.1	358	6.6	5.6	5.7	0.1	58	18.7	14.9	15.0	0.1
65 to 74 years	220	7.3	6.5	6.6	0.1	192	6.8	5.9	6.0	0.1	28	17.0	16.6	16.7	0.1
75 years and over	62	4.8	4.0	4.0		57	4.7	3.4	3.5	0.1	5	6.7	12.3	12.4	0.1
Unknown	7					2					5				
MALES.														
All ages	4,312					3,471				841				
Adjusted rate		9.9	8.5	8.6	0.1		8.7	7.4	7.4		23.4	20.9	21.0	0.1
Crude rate		9.7	8.4	8.5	0.1		8.5	7.3	7.3		23.1	20.9	20.9	
Under 1 year	22	2.5	3.0	3.0		15	1.8	1.8	1.8	7	9.2	15.7	15.6	—0.1
1 to 4 years	163	4.3	4.3	4.3		116	3.3	3.3	3.3	47	15.4	15.7	15.6	—0.1
Under 5 years	185	4.0	4.1	4.1		131	3.0	3.0	3.0	54	14.2	15.7	15.6	—0.1
5 to 9 years	292	6.4	5.8	5.8		214	5.1	4.7	4.8	0.1	78	18.9	16.0	16.1	0.1
10 to 14 years	360	8.4	8.1	8.2	0.1	271	7.0	6.2	6.3	0.1	89	22.2	26.1	26.2	0.1
15 to 19 years	680	18.5	14.5	14.6	0.1	518	15.5	12.4	12.4		162	47.8	35.7	35.7	
20 to 24 years	586	16.3	13.2	13.2		458	14.0	11.2	11.2		128	38.2	32.6	32.6	
25 to 34 years	731	10.1	9.2	9.2		628	9.4	8.4	8.4		103	18.8	19.0	19.0	
35 to 44 years	650	10.4	8.6	8.6		542	9.5	7.8	7.9	0.1	108	21.0	17.0	17.2	0.2
45 to 54 years	410	8.5	7.6	7.7	0.1	355	8.0	7.0	7.0		55	13.8	15.0	15.2	0.2
55 to 64 years	250	8.3	6.6	6.6		212	7.5	6.1	6.1		38	21.5	14.3	14.3	
65 to 74 years	135	8.8	7.2	7.3	0.1	115	8.0	6.8	6.9	0.1	20	22.4	13.6	13.7	0.1
75 years and over	29	4.8	4.4	4.4		26	4.6	3.9	4.0	0.1	3	8.4	11.3	11.4	0.1
Unknown	4					1					3				
FEMALES.														
All ages	3,451					2,663				788				
Adjusted rate		8.2	7.0	7.0			6.9	5.9	5.9		21.5	18.2	18.2	
Crude rate		8.0	6.9	6.9			6.8	5.8	5.8		22.0	18.4	18.5	0.1
Under 1 year	24	2.7	2.7	2.7		16	2.0	1.8	1.8	8	10.4	12.9	12.8	—0.1
1 to 4 years	177	4.8	4.0	4.0		132	3.9	3.4	3.4	45	14.6	10.4	10.3	—0.1
Under 5 years	201	4.4	3.7	3.8	0.1	148	3.5	3.1	3.1	53	13.8	10.9	10.8	—0.1
5 to 9 years	277	6.2	5.4	5.5	0.1	196	4.8	4.2	4.3	0.1	81	19.5	17.2	17.2	
10 to 14 years	445	10.6	9.2	9.3	0.1	323	8.5	7.4	7.4		122	30.2	26.4	26.5	0.1
15 to 19 years	561	15.0	12.8	12.9	0.1	417	12.3	10.8	10.8		144	38.9	32.0	32.0	
20 to 24 years	430	11.2	10.2	10.3	0.1	313	9.1	8.5	8.5		117	30.5	26.2	26.2	
25 to 34 years	567	8.0	6.9	6.9		454	7.0	6.2	6.3	0.1	113	18.9	14.4	14.4	
35 to 44 years	377	6.5	5.0	5.1	0.1	305	5.8	4.4	4.4		72	14.9	12.0	12.2	0.2
45 to 54 years	306	7.2	5.0	5.0		252	6.4	4.5	4.5		54	18.9	12.1	12.2	0.1
55 to 64 years	166	6.1	5.6	5.7	0.1	146	5.6	5.1	5.2	0.1	20	14.9	15.8	15.8	
65 to 74 years	85	5.8	5.8	5.9	0.1	77	5.5	5.0	5.1	0.1	8	10.6	20.2	20.3	0.1
75 years and over	33	4.8	3.6	3.6		31	4.8	3.0	3.0		2	5.2	13.2	13.2	
Unknown	3					1					2				
Measles.														
BOTH SEXES.														
All ages	3,694					3,445				249				
Adjusted rate		4.5	9.4	9.4			4.6	9.9	9.9		3.6	4.3	4.3	
Crude rate		4.2	8.8	8.9	0.1		4.3	9.3	9.3		3.4	4.1	4.1	
Under 1 year	998	56.2	102.3	102.5	0.2	906	55.9	107.6	107.8	0.2	92	60.0	47.3	47.1	—0.2
1 to 4 years	1,848	24.7	55.7	56.0	0.3	1,738	25.3	58.4	58.8	0.4	110	18.0	26.5	26.4	—0.1
Under 5 years	2,846	30.8	64.7	65.0	0.3	2,644	31.2	67.9	68.2	0.3	202	26.4	30.6	30.6	
5 to 9 years	376	4.1	9.0	9.0		358	4.3	9.5	9.6	0.1	18	2.2	3.5	3.5	
10 to 14 years	127	1.5	2.1	2.1		114	1.5	2.2	2.3	0.1	13	1.6	1.1	1.1	
15 to 19 years	91	1.2	2.8	2.8		83	1.2	2.9	2.9		8	1.1	1.7	1.7	
20 to 24 years	60	0.8	1.3	1.3		58	0.9	1.4	1.4		2	0.3	0.3	0.3	
25 to 34 years	58	0.4	0.8	0.8		55	0.4	0.9	0.9		3	0.3	0.1	0.1	
35 to 44 years	40	0.3	0.8	0.8		38	0.3	0.9	0.9		2	0.2	0.2	0.2	
45 to 54 years	33	0.4	0.8	0.8		33	0.4	0.8	0.8						
55 to 64 years	29	0.5	0.8	0.8		29	0.5	0.8	0.8				0.3	0.3	
65 to 74 years	20	0.7	1.3	1.3		19	0.7	1.3	1.3		1	0.6			
75 years and over	12	0.9	1.3	1.3		12	1.0	1.3	1.3				1.4	1.4	
Unknown	2					2									

TABLE 1.—NUMBER OF DEATHS, CRUDE AND ADJUSTED DEATH RATES AT ALL AGES, AND SPECIFIC DEATH RATES IN 13 AGE GROUPS, BY SEX, FROM ALL CAUSES AND CERTAIN SPECIFIED CAUSES, IN THE REGISTRATION STATES OF 1920, FOR 1920 AND 1921, AND THE DIFFERENCE IN THE RATES FOR 1920 WHEN COMPUTED ON AN ESTIMATED POPULATION, AND WHEN COMPUTED ON AN ENUMERATED POPULATION—Continued.

[A minus sign (−) in "difference in rate," indicates a decrease in population in 1920 as compared with 1910. Rates at unknown age are not computed.]

CAUSE OF DEATH, SEX, AND AGE.	DEATHS IN THE REGISTRATION STATES OF 1920.													
	Total.					White.				Colored.				
	1921		1920			1921		1920		1921		1920		
	Number.	Rate per 100,000 population estimated as of July 1.	Rate per 100,000 population.			Number.	Rate per 100,000 population estimated as of July 1.	Rate per 100,000 population.			Rate per 100,000 population estimated as of July 1.	Rate per 100,000 population.		
			Estimated as of July 1.	Enumerated Jan. 1.	Difference in rate.			Estimated as of July 1.	Enumerated Jan. 1.	Difference in rate.		Estimated as of July 1.	Enumerated Jan. 1.	Difference in rate.
Measles—Continued.														
MALES.														
All ages	1,960					1,824					136			
Adjusted rate		4.8	9.6	9.6			4.8	10.0	10.0			4.0	5.1	5.1	
Crude rate		4.4	8.9	9.0	0.1		4.5	9.3	9.4	0.1		3.7	4.8	4.8	
Under 1 year	574	64.0	110.4	110.6	0.2	518	63.1	114.6	114.8	0.2	56	73.7	65.3	65.1	−0.2
1 to 4 years	967	25.6	57.0	57.3	0.3	905	26.0	59.4	59.8	0.4	62	20.3	30.3	30.3	
Under 5 years	1,541	32.9	67.3	67.6	0.3	1,423	33.1	70.0	70.4	0.4	118	31.0	37.3	37.2	−0.1
5 to 9 years	203	4.4	8.7	8.7		196	4.7	9.2	9.3	0.1	7	1.7	3.4	3.4	
10 to 14 years	50	1.2	1.9	1.9		47	1.2	1.9	2.0	0.1	3	0.7	1.5	1.5	
15 to 19 years	63	1.7	3.3	3.3		58	1.7	3.4	3.4		5	1.5	2.1	2.1	
20 to 24 years	37	1.0	1.5	1.5		36	1.1	1.6	1.6		1	0.3	0.3	0.3	
25 to 34 years	17	0.2	0.5	0.5		16	0.2	0.5	0.5		1	0.2			
35 to 44 years	8	0.1	0.5	0.5		7	0.1	0.5	0.5		1	0.2			
45 to 54 years	12	0.2	0.6	0.6		12	0.3	0.6	0.7	0.1					
55 to 64 years	12	0.4	0.7	0.7		12	0.4	0.7	0.7						
65 to 74 years	12	0.8	1.1	1.1		12	0.8	1.2	1.2						
75 years and over	4	0.7	0.7	0.7		4	0.7	0.7	0.7						
Unknown	1					1									
FEMALES.														
All ages	1,734					1,621					113				
Adjusted rate		4.3	9.2	9.3	0.1		4.4	9.8	9.8			3.3	3.5	3.5	
Crude rate		4.0	8.7	8.8	0.1		4.1	9.2	9.3	0.1		3.2	3.4	3.4	
Under 1 year	424	48.3	94.1	94.2	0.1	388	48.5	100.4	100.6	0.2	36	46.6	29.6	29.5	−0.1
1 to 4 years	881	23.9	54.4	54.8	0.4	833	24.6	57.4	57.8	0.4	48	15.6	22.6	22.6	
Under 5 years	1,305	28.6	62.1	62.4	0.3	1,221	29.2	65.7	66.0	0.3	84	21.8	24.0	24.0	
5 to 9 years	173	3.8	9.3	9.4	0.1	162	4.0	9.9	9.9		11	2.7	3.6	3.6	
10 to 14 years	77	1.8	2.4	2.4		67	1.8	2.5	2.6	0.1	10	2.5	0.7	0.7	
15 to 19 years	28	0.7	2.2	2.3	0.1	25	0.7	2.3	2.4	0.1	3	0.8	1.4	1.4	
20 to 24 years	23	0.6	1.2	1.2		22	0.6	1.3	1.3		1	0.3	0.3	0.3	
25 to 34 years	41	0.6	1.2	1.2		39	0.6	1.3	1.3		2	0.3	0.2	0.2	
35 to 44 years	32	0.6	1.2	1.2		31	0.6	1.3	1.3		1	0.2	0.4	0.4	
45 to 54 years	21	0.5	0.9	1.0	0.1	21	0.5	1.0	1.0						
55 to 64 years	17	0.6	0.9	0.9		17	0.7	0.9	0.9				0.8	0.8	
65 to 74 years	8	0.5	1.4	1.4		7	0.5	1.5	1.5		1	1.3			
75 years and over	8	1.2	1.8	1.8		8	1.2	1.7	1.8	0.1			2.6	2.6	
Unknown	1					1									
Scarlet fever.														
BOTH SEXES.														
All ages	4,681					4,599					82				
Adjusted rate		5.7	4.9	4.9			6.1	5.3	5.3			1.1	0.8	0.8	
Crude rate		5.4	4.6	4.7	0.1		5.8	5.0	5.0			1.1	0.8	0.8	
Under 1 year	229	12.9	10.6	10.6		221	13.6	11.0	11.0		8	5.2	7.1	7.1	
1 to 4 years	2,013	26.9	22.9	23.1	0.2	1,988	29.0	24.7	24.9	0.2	25	4.1	3.2	3.2	
Under 5 years	2,242	24.2	20.5	20.6	0.1	2,209	26.0	22.1	22.2	0.1	33	4.3	4.0	4.0	
5 to 9 years	1,326	14.6	11.8	11.9	0.1	1,298	15.7	12.8	12.9	0.1	28	3.4	1.7	1.7	
10 to 14 years	407	4.8	4.1	4.2	0.1	400	5.2	4.5	4.5		7	0.9	0.6	0.6	
15 to 19 years	219	2.9	3.2	3.2		212	3.2	3.5	3.5		7	1.0	0.3	0.3	
20 to 24 years	167	2.2	2.2	2.2		166	2.5	2.4	2.4		1	0.1	0.4	0.4	
25 to 34 years	198	1.4	1.3	1.3		194	1.5	1.4	1.4		4	0.3	0.2	0.2	
35 to 44 years	83	0.7	0.6	0.6		82	0.7	0.6	0.6		1	0.1	0.2	0.2	
45 to 54 years	29	0.3	0.2	0.2		28	0.3	0.2	0.2		1	0.1	0.1	0.2	0.1
55 to 64 years	6	0.1	0.2	0.3	0.1	6	0.1	0.3	0.3						
65 to 74 years	3	0.1	0.2	0.2		3	0.1	0.2	0.2						
75 years and over															
Unknown	1					1									
MALES.														
All ages	2,291					2,251					40				
Adjusted rate		5.5	4.8	4.8			5.9	5.2	5.2			1.1	0.7	0.7	
Crude rate		5.2	4.5	4.5			5.5	4.8	4.9	0.1		1.1	0.7	0.7	
Under 1 year	133	14.8	13.0	13.0		128	15.6	13.4	13.5	0.1	5	6.6	7.8	7.8	
1 to 4 years	1,066	28.2	24.3	24.4	0.1	1,053	30.3	26.2	26.4	0.2	13	4.3	2.6	2.6	
Under 5 years	1,199	25.6	22.1	22.2	0.1	1,181	27.5	23.8	23.9	0.1	18	4.7	3.7	3.6	−0.1
5 to 9 years	647	14.1	10.8	10.9	0.1	633	15.2	11.7	11.8	0.1	14	3.4	1.9	1.9	
10 to 14 years	191	4.5	4.2	4.2		189	4.9	4.6	4.7	0.1	2	0.5	0.3	0.3	
15 to 19 years	99	2.7	2.9	2.9		95	2.8	3.2	3.2		4	1.2	0.6	0.6	
20 to 24 years	43	1.2	1.7	1.7		43	1.3	1.8	1.8						
25 to 34 years	58	0.8	0.9	0.9		57	0.9	0.9	0.9		1	0.2			
35 to 44 years	37	0.6	0.5	0.5		36	0.6	0.5	0.6	0.1	- 1	0.2			
45 to 54 years	13	0.3	0.2	0.2		13	0.3	0.2	0.2						
55 to 64 years	3	0.1	0.1	0.1		3	0.1	0.1	0.1						
65 to 74 years	1	0.1	0.3	0.3		1	0.1	0.3	0.3						
75 years and over															
Unknown															

TABLE 1.—NUMBER OF DEATHS, CRUDE AND ADJUSTED DEATH RATES AT ALL AGES, AND SPECIFIC DEATH RATES IN 13 AGE GROUPS, BY SEX, FROM ALL CAUSES AND CERTAIN SPECIFIED CAUSES, IN THE REGISTRATION STATES OF 1920, FOR 1920 AND 1921, AND THE DIFFERENCE IN THE RATES FOR 1920 WHEN COMPUTED ON AN ESTIMATED POPULATION, AND WHEN COMPUTED ON AN ENUMERATED POPULATION—Continued.

[A minus sign (—) in "difference in rate," indicates a decrease in population in 1920 as compared with 1910. Rates at unknown age are not computed.]

CAUSE OF DEATH, SEX, AND AGE.	DEATHS IN THE REGISTRATION STATES OF 1920.													
	Total.					White.					Colored.			
	1921		1920			1921		1920			1921		1920		
	Number.	Rate per 100,000 population estimated as of July 1.	Rate per 100,000 population.			Number.	Rate per 100,000 population estimated as of July 1.	Rate per 100,000 population.			Number.	Rate per 100,000 population estimated as of July 1.	Rate per 100,000 population.		
			Estimated as of July 1.	Enumerated Jan. 1.	Difference in rate.			Estimated as of July 1.	Enumerated Jan. 1.	Difference in rate.			Estimated as of July 1.	Enumerated Jan. 1.	Difference in rate.
Scarlet fever—Continued.															
FEMALES.															
All ages	2,390					2,348					42				
Adjusted rate		5.8	5.0	5.0			6.3	5.4	5.4			1.2	1.0	1.0	
Crude rate		5.6	4.7	4.8	0.1		6.0	5.1	5.1			1.2	1.0	1.0	
Under 1 year	96	10.9	8.2	8.2		93	11.6	8.4	8.4		3	3.9	6.4	6.4	
1 to 4 years	947	25.6	21.5	21.6	0.1	935	27.6	23.1	23.3	0.2	12	3.9	3.9	3.9	
Under 5 years	1,043	22.8	18.9	19.0	0.1	1,028	24.6	20.3	20.4	0.1	15	3.9	4.4	4.4	
5 to 9 years	679	15.1	12.8	12.9	0.1	665	16.3	13.9	14.0	0.1	14	3.4	1.5	1.5	
10 to 14 years	216	5.1	4.0	4.1	0.1	211	5.6	4.4	4.4		5	1.2	1.0	1.0	
15 to 19 years	120	3.2	3.4	3.4		117	3.5	3.8	3.8		3	0.8			
20 to 24 years	124	3.2	2.7	2.7		123	3.6	2.9	2.9		1	0.3	0.8	0.8	
25 to 34 years	140	2.0	1.8	1.8		137	2.1	1.9	1.9		3	0.5	0.3	0.3	
35 to 44 years	46	0.8	0.7	0.7		46	0.9	0.7	0.7				0.4	0.4	
45 to 54 years	16	0.4	0.2	0.2		15	0.4	0.2	0.2		1	0.4	0.4	0.4	
55 to 64 years	3	0.1	0.5	0.5		3	0.1	0.5	0.5						
65 to 74 years	2	0.1	0.1	0.1		2	0.1	0.1	0.1						
75 years and over															
Unknown	1					1									
Whooping cough.															
BOTH SEXES.															
All ages	7,967					6,472					1,495				
Adjusted rate		9.8	13.4	13.4			8.7	12.6	12.7	0.1		22.1	21.8	21.7	—0 1
Crude rate		9.1	12.5	12.6	0.1		8.1	11.7	11.8	0.1		20.7	20.6	20.7	0.1
Under 1 year	4,574	257.8	336.6	337.1	0.5	3,808	234.9	320.6	321.2	0.6	766	499.7	504.2	502.5	—1.7
1 to 4 years	3,046	40.7	57.0	57.3	0.3	2,389	34.8	52.9	53.3	0.4	657	107.3	101.8	101.6	—0.2
Under 5 years	7,620	82.4	111.0	111.6	0.6	6,197	73.0	104.5	105.1	0.6	1,423	185.9	182.5	181.9	—0.6
5 to 9 years	270	3.0	4.9	4.9		214	2.6	4.6	4.7	0.1	56	6.8	7.2	7.2	
10 to 14 years	29	0.3	0.7	0.7		25	0.3	0.7	0.7		4	0.5	1.0	1.0	
15 to 19 years	12	0.2	0.3	0.3		9	0.1	0.2	0.2		3	0.4	0.6	0.6	
20 to 24 years	5	0.1	0.1	0.1		3	(1)	0.1	0.1		2	0.3	0.3	0.3	
25 to 34 years	2	(1)	0.1	0.1		1	(1)	0.1	0.1		1	0.1			
35 to 44 years	3	(1)	0.1	0.1		3	(1)	0.1	0.1						
45 to 54 years	5	0.1	0.1	0.1		4	(1)	(1)	(1)	(1)	1	0.1	0.1	0.2	0.1
55 to 64 years	2	(1)	0.1	0.1		2	(1)	0.1	0.1				0.3	0.3	
65 to 74 years	6	0.2	0.1	0.1		6	0.2	0.1	0.1						
75 years and over	5	0.4	0.7	0.7		5	0.4	0.8	0.8						
Unknown	8					3					5				
MALES.															
All ages	3,650					2,933					717				
Adjusted rate		8.9	12.2	12.2			7.8	11.5	11.5			21.3	19.5	19.5	
Crude rate		8.2	11.3	11.4	0.1		7.2	10.7	10.7			19.7	18.3	18.3	
Under 1 year	2,197	244.9	325.2	325.6	0.4	1,805	219.8	310.9	311.4	0.5	392	515.9	478.1	476.4	—1.7
1 to 4 years	1,306	34.5	47.9	48.2	0.3	1,012	29.1	44.6	44.9	0.3	294	96.4	85.5	85.2	—0.3
Under 5 years	3,503	74.8	101.5	102.0	0.5	2,817	65.5	95.8	96.4	0.6	686	180.1	163.9	163.4	—0.5
5 to 9 years	120	2.6	4.2	4.2		95	2.3	3.9	4.0	0.1	25	6.1	6.6	6.6	
10 to 14 years	12	0.3	0.5	0.5		11	0.3	0.4	0.4		1	0.2	1.0	1.0	
15 to 19 years	4	0.1	0.2	0.2		3	0.1	0.2	0.2		1	0.3	0.3	0.3	
20 to 24 years	3	0.1	0.1	0.1		2	0.1	0.1	0.1		1	0.3			
25 to 34 years			0.1	0.1				0.1	0.1						
35 to 44 years			0.1	0.1				0.1	0.1						
45 to 54 years	1	(1)	(1)	(1)	(1)			(1)	(1)	(1)	1	0.3			
55 to 64 years			(1)	(1)	(1)			(1)	(1)	(1)					
65 to 74 years	2	0.1	0.1	0.1		2	0.1	0.1	0.1						
75 years and over	2	0.3	0.5	0.5		2	0.4	0.5	0.5						
Unknown	3					1					2				
FEMALES.															
All ages	4,317					3,539					778				
Adjusted rate		10.8	14.6	14.7	0.1		9.6	13.7	13.8	0.1		22.9	24.0	24.0	
Crude rate		10.1	13.7	13.8	0.1		9.0	12.8	12.9	0.1		21.7	23.1	23.2	0.1
Under 1 year	2,377	271.0	348.3	348.8	0.5	2,003	250.4	330.6	331.2	0.6	374	483.9	529.8	528.1	—1.7
1 to 4 years	1,740	47.1	66.3	66.7	0.4	1,377	40.7	61.5	61.9	0.4	363	118.1	118.1	117.7	—0.4
Under 5 years	4,117	90.1	120.8	121.4	0.6	3,380	80.8	113.3	114.0	0.7	737	191.6	200.8	200.3	—0.5
5 to 9 years	150	3.3	5.5	5.6	0.1	119	2.9	5.3	5.4	0.1	31	7.5	7.7	7.8	0.1
10 to 14 years	17	0.4	0.9	0.9		14	0.4	0.9	0.9		3	0.7	1.0	1.0	
15 to 19 years	8	0.2	0.3	0.3		6	0.2	0.2	0.2		2	0.5	0.8	0.8	
20 to 24 years	2	0.1	0.2	0.2		1	(1)	0.1	0.1		1	0.3	0.5	0.5	
25 to 34 years	2	(1)	0.1	0.1		1	(1)	0.1	0.1		1	0.2			
35 to 44 years	3	0.1	0.1	0.1		3	0.1	0.1	0.1						
45 to 54 years	4	0.1	0.1	0.1		4	0.1	0.1	0.1				0.4	0.4	
55 to 64 years	2	0.1	0.1	0.1		2	0.1	0.1	0.1				0.8	0.8	
65 to 74 years	4	0.3	0.1	0.1		4	0.3	0.1	0.1						
75 years and over	3	0.4	0.9	0.9		3	0.5	0.9	1.0	0.1					
Unknown	—5					2					3				

[1] Less than one-tenth of 1 per 100,000 population.

TABLE 1.—NUMBER OF DEATHS, CRUDE AND ADJUSTED DEATH RATES AT ALL AGES, AND SPECIFIC DEATH RATES IN 13 AGE GROUPS, BY SEX, FROM ALL CAUSES AND CERTAIN SPECIFIED CAUSES, IN THE REGISTRATION STATES OF 1920, FOR 1920 AND 1921, AND THE DIFFERENCE IN THE RATES FOR 1920 WHEN COMPUTED ON AN ESTIMATED POPULATION, AND WHEN COMPUTED ON AN ENUMERATED POPULATION—Continued.

[A minus sign (−) in "difference in rate," indicates a decrease in population in 1920 as compared with 1910. Rates at unknown age are not computed.]

CAUSE OF DEATH, SEX, AND AGE.	DEATHS IN THE REGISTRATION STATES OF 1920.													
	Total.					White.					Colored.			
	1921		1920			1921		1920			1921		1920		
	Number.	Rate per 100,000 population estimated as of July 1.	Rate per 100,000 population.			Number.	Rate per 100,000 population estimated as of July 1.	Rate per 100,000 population.			Number.	Rate per 100,000 population estimated as of July 1.	Rate per 100,000 population.		
			Estimated as of July 1.	Enumerated Jan. 1.	Difference in rate.			Estimated as of July 1.	Enumerated Jan. 1.	Difference in rate.			Estimated as of July 1.	Enumerated Jan. 1.	Difference in rate.
Diphtheria.															
BOTH SEXES.															
All ages	15,520					14,784					736				
Adjusted rate		18.8	16.2	16.3	0.1		19.6	16.9	17.0	0.1		10.4	8.7	8.7	
Crude rate		17.8	15.4	15.5	0.1		18.5	16.0	16.1	0.1		10.2	8.6	8.6	
Under 1 year	934	52.6	52.1	52.2	0.1	800	49.3	50.1	50.2	0.1	134	87.4	72.6	72.3	−0.3
1 to 4 years	7,423	99.3	89.5	90.0	0.5	7,139	104.0	93.9	94.5	0.6	284	46.4	40.9	40.8	−0.1
Under 5 years	8,357	90.3	82.3	82.7	0.4	7,939	93.6	85.5	86.0	0.5	418	54.6	47.3	47.1	−0.2
5 to 9 years	4,954	54.5	43.1	43.4	0.3	4,746	57.4	45.3	45.7	0.4	208	25.1	21.0	21.0	
10 to 14 years	1,224	14.5	11.6	11.7	0.1	1,161	15.2	12.4	12.5	0.1	63	7.8	4.8	4.8	
15 to 19 years	298	4.0	3.5	3.5		284	4.2	3.7	3.7		14	2.0	2.3	2.3	
20 to 24 years	147	2.0	1.7	1.7		136	2.0	1.8	1.8		11	1.5	0.8	0.8	
25 to 34 years	196	1.4	1.2	1.2		185	1.4	1.3	1.3		11	1.0	0.6	0.6	
35 to 44 years	165	1.4	1.0	1.0		161	1.5	1.1	1.1		4	0.4	0.3	0.3	
45 to 54 years	102	1.1	0.8	0.8		99	1.2	0.8	0.9	0.1	3	0.4	0.3	0.3	
55 to 64 years	42	0.7	0.9	1.0	0.1	39	0.7	1.0	1.0		3	1.0	0.6	0.7	0.1
65 to 74 years	22	0.7	0.7	0.8	0.1	22	0.8	0.7	0.7				1.2	1.2	
75 years and over	7	0.5	0.9	1.0	0.1	6	0.5	0.9	0.9		1	1.3	1.4	1.4	
Unknown	6					6									
MALES.															
All ages	7,968					7,596					372				
Adjusted rate		19.1	16.8	16.9	0.1		19.9	17.6	17.7	0.1		10.6	8.6	8.5	−0.1
Crude rate		18.0	15.8	15.9	0.1		18.7	16.5	16.6	0.1		10.2	8.3	8.3	
Under 1 year	550	61.3	61.4	61.4		470	57.2	59.8	59.9	0.1	80	105.3	78.4	78.1	−0.3
1 to 4 years	4,006	105.9	96.1	96.7	0.6	3,851	110.7	100.8	101.4	0.6	155	50.8	44.0	43.9	−0.1
Under 5 years	4,556	97.3	89.4	89.9	0.5	4,321	100.5	92.9	93.4	0.5	235	61.7	50.9	50.7	−0.2
5 to 9 years	2,440	53.2	43.3	43.6	0.3	2,343	56.1	45.8	46.2	0.4	97	23.5	18.5	18.5	
10 to 14 years	563	13.2	11.0	11.0		541	14.0	11.7	11.8	0.1	22	5.5	3.5	3.5	
15 to 19 years	145	3.9	3.5	3.5		137	4.1	3.8	3.8		8	2.4	1.2	1.2	
20 to 24 years	62	1.7	1.4	1.4		58	1.8	1.4	1.4		4	1.2	0.9	0.9	
25 to 34 years	71	1.0	0.9	0.9		69	1.0	1.0	1.0		2	0.4	0.2	0.2	
35 to 44 years	61	1.0	0.6	0.6		59	1.0	0.6	0.6		2	0.4	0.2	0.2	
45 to 54 years	38	0.8	0.6	0.6		38	0.9	0.6	0.6				0.5	0.5	
55 to 64 years	19	0.6	0.4	0.4		18	0.6	0.4	0.4		1	0.6			
65 to 74 years	6	0.4	0.7	0.7		6	0.4	0.7	0.7				1.1	1.1	
75 years and over	4	0.7	1.0	1.0		3	0.5	1.1	1.1		1	2.8			
Unknown	3					3									
FEMALES.															
All ages	7,552					7,188					364				
Adjusted rate		18.4	15.6	15.7	0.1		19.3	16.3	16.4	0.1		10.1	8.9	8.9	
Crude rate		17.6	14.9	15.0	0.1		18.3	15.5	15.6	0.1		10.2	8.9	9.0	0.1
Under 1 year	384	43.8	42.6	42.7	0.1	330	41.3	40.3	40.3		54	69.9	66.9	66.7	−0.2
1 to 4 years	3,417	92.5	82.7	83.2	0.5	3,288	97.1	86.8	87.4	0.6	129	42.0	37.8	37.7	−0.1
Under 5 years	3,801	83.2	74.9	75.3	0.4	3,618	86.5	77.9	78.3	0.4	183	47.6	43.7	43.6	−0.1
5 to 9 years	2,514	55.8	42.8	43.2	0.4	2,403	58.8	44.8	45.2	0.4	111	26.8	23.5	23.5	
10 to 14 years	661	15.7	12.3	12.4	0.1	620	16.3	13.0	13.1	0.1	41	10.1	6.0	6.0	
15 to 19 years	153	4.1	3.5	3.5		147	4.4	3.6	3.6		6	1.6	3.2	3.3	0.1
20 to 24 years	85	2.2	2.0	2.0		78	2.3	2.1	2.1		7	1.8	0.8	0.8	
25 to 34 years	125	1.8	1.6	1.6		116	1.8	1.6	1.6		9	1.5	1.0	1.0	
35 to 44 years	104	1.8	1.5	1.5		102	1.9	1.6	1.6		2	0.4	0.4	0.4	
45 to 54 years	64	1.5	1.0	1.0		61	1.5	1.1	1.1		3	1.1			
55 to 64 years	23	0.8	1.5	1.6	0.1	21	0.8	1.5	1.6	0.1	2	1.5	1.5	1.5	
65 to 74 years	16	1.1	0.8	0.8		16	1.1	0.7	0.7				1.3	1.4	0.1
75 years and over	3	0.4	0.9	0.9		3	0.5	0.8	0.8				2.6	2.6	
Unknown	3					3									
Tuberculosis (all forms).															
BOTH SEXES.															
All ages	85,739					68,179					17,560				
Adjusted rate		95.9	110.4	111.1	0.7		82.3	96.2	96.9	0.7		242.5	263.0	264.1	1.1
Crude rate		98.3	113.2	113.9	0.7		85.3	99.5	100.2	0.7		243.2	263.5	264.5	1.0
Under 1 year	1,771	99.8	111.4	111.6	0.2	1,494	92.2	103.4	103.6	0.2	277	180.7	195.1	194.4	−0.7
1 to 4 years	2,744	36.7	44.9	45.1	0.2	2,215	32.3	40.6	40.8	0.2	529	86.4	92.1	91.8	−0.3
Under 5 years	4,515	48.8	57.7	58.0	0.3	3,709	43.7	52.7	53.0	0.3	806	105.3	112.7	112.4	−0.3
5 to 9 years	1,413	15.5	18.7	18.9	0.2	1,049	12.7	14.9	15.0	0.1	364	44.0	57.1	57.2	0.1
10 to 14 years	1,902	22.5	26.1	26.3	0.2	1,239	16.2	19.0	19.1	0.1	663	82.4	93.6	93.9	0.3
15 to 19 years	6,585	88.7	100.4	100.5	0.1	4,527	67.4	78.2	78.3	0.1	2,058	290.2	310.0	310.2	0.2
20 to 24 years	11,379	152.9	173.0	173.1	0.1	8,115	120.7	138.8	138.9	0.1	3,264	453.8	493.2	494.0	0.8
25 to 34 years	20,354	141.9	166.3	167.3	1.0	15,829	119.9	145.0	145.9	0.9	4,525	395.0	409.9	411.0	1.1
35 to 44 years	15,235	126.9	148.8	150.1	1.3	12,420	112.9	133.8	134.9	1.1	2,815	281.9	314.8	318.0	3.2
45 to 54 years	10,810	119.5	135.9	137.3	1.4	9,107	108.9	125.0	126.3	1.3	1,703	248.5	269.5	272.9	3.4
55 to 64 years	7,342	128.3	141.5	143.2	1.7	6,583	121.7	134.3	136.0	1.7	759	244.4	264.4	265.4	1.0
65 to 74 years	4,376	145.9	162.9	164.4	1.5	4,001	141.2	155.9	157.4	1.5	375	228.2	282.3	283.9	1.6
75 years and over	1,727	133.9	150.5	152.1	1.6	1,553	127.7	145.4	146.9	1.5	174	234.5	233.3	234.7	1.4
Unknown	101					47					54				

TABLE 1.—NUMBER OF DEATHS, CRUDE AND ADJUSTED DEATH RATES AT ALL AGES, AND SPECIFIC DEATH RATES IN 13 AGE GROUPS, BY SEX, FROM ALL CAUSES AND CERTAIN SPECIFIED CAUSES, IN THE REGISTRATION STATES OF 1920, FOR 1920 AND 1921, AND THE DIFFERENCE IN THE RATES FOR 1920 WHEN COMPUTED ON AN ESTIMATED POPULATION, AND WHEN COMPUTED ON AN ENUMERATED POPULATION—Continued.

[A minus sign (—) in "difference in rate," indicates a decrease in population in 1920 as compared with 1910. Rates at unknown age are not computed.]

CAUSE OF DEATH, SEX, AND AGE.	DEATHS IN THE REGISTRATION STATES OF 1920.													
	Total.					White.					Colored.			
	1921		1920			1921		1920			1921		1920		
	Number.	Rate per 100,000 population estimated as of July 1.	Rate per 100,000 population.			Number.	Rate per 100,000 population estimated as of July 1.	Rate per 100,000 population.			Number.	Rate per 100,000 population estimated as of July 1.	Rate per 100,000 population.		
			Estimated as of July 1.	Enumerated Jan. 1.	Difference in rate.			Estimated as of July 1.	Enumerated Jan. 1.	Difference in rate.			Estimated as of July 1.	Enumerated Jan. 1.	Difference in rate.
Tuberculosis (all forms)—Con.															
MALES.															
All ages	45,106					36,457					8,649				
Adjusted rate		98.2	112.7	113.4	0.7		85.5	99.4	100.1	0.7		240.3	259.7	260.7	1.0
Crude rate		101.8	116.7	117.5	0.8		89.7	104.1	104.8	0.7		237.5	256.6	257.6	1.0
Under 1 year	947	105.6	121.4	121.5	0.1	799	97.3	114.3	114.5	0.2	148	194.8	197.3	196.5	—0.8
1 to 4 years	1,450	38.3	47.4	47.7	0.3	1,176	33.8	43.2	43.5	0.3	274	89.9	94.6	94.3	—0.3
Under 5 years	2,397	51.2	61.7	62.0	0.3	1,975	45.9	56.9	57.2	0.3	422	110.8	115.1	114.8	—0.3
5 to 9 years	724	15.8	18.7	18.9	0.2	548	13.1	15.3	15.5	0.2	176	42.6	52.7	52.8	0.1
10 to 14 years	688	16.1	18.0	18.2	0.2	462	12.0	13.9	14.0	0.1	226	56.4	58.0	58.2	0.2
15 to 19 years	2,370	64.4	75.4	75.5	0.1	1,582	47.4	56.1	56.1	.....	788	232.5	265.9	266.0	0.1
20 to 24 years	4,910	136.2	150.7	150.6	—0.1	3,470	106.2	118.1	117.9	—0.2	1,440	429.5	470.4	470.7	0.3
25 to 34 years	10,003	138.6	162.7	163.5	0.8	7,846	117.6	143.3	144.0	0.7	2,157	393.6	397.2	397.3	0.1
35 to 44 years	8,926	142.9	165.2	166.6	1.4	7,367	128.6	150.0	151.2	1.2	1,559	302.5	335.1	338.3	3.2
45 to 54 years	6,978	144.7	163.7	165.4	1.7	5,942	134.4	153.0	154.5	1.5	1,036	259.3	283.9	288.2	4.3
55 to 64 years	4,701	156.6	172.0	174.1	2.1	4,215	149.2	164.3	166.4	2.1	486	274.9	292.4	293.9	1.5
65 to 74 years	2,524	165.3	186.9	188.7	1.8	2,299	159.9	177.9	179.6	1.7	225	252.3	332.4	334.3	1.9
75 years and over	831	137.6	158.8	160.3	1.5	725	127.6	152.0	153.5	1.5	106	296.0	266.0	267.8	1.8
Unknown	54					26					28				
FEMALES.															
All ages	40,633					31,722					8,911				
Adjusted rate		94.1	108.6	109.3	0.7		79.7	93.5	94.1	0.6		245.4	266.9	268.1	1.2
Crude rate		94.8	109.5	110.2	0.7		80.7	94.7	95.4	0.7		249.0	270.5	271.5	1.0
Under 1 year	824	93.9	101.3	101.4	0.1	695	86.9	92.3	92.5	0.2	129	166.9	192.9	192.3	—0.6
1 to 4 years	1,294	35.0	42.2	42.5	0.3	1,039	30.7	37.9	38.1	0.2	255	83.0	89.6	89.4	—0.2
Under 5 years	2,118	46.4	53.7	53.9	0.2	1,734	41.4	48.4	48.6	0.2	384	99.8	110.4	110.1	—0.3
5 to 9 years	689	15.3	18.8	18.9	0.1	501	12.3	14.4	14.5	0.1	188	45.4	61.5	61.5	.....
10 to 14 years	1,214	28.9	34.4	34.6	0.2	777	20.5	24.2	24.4	0.2	437	108.1	128.8	129.2	0.4
15 to 19 years	4,215	112.5	124.9	125.1	0.2	2,945	87.2	100.2	100.4	0.2	1,270	343.1	350.4	350.8	0.4
20 to 24 years	6,469	168.4	194.0	194.5	0.5	4,645	134.4	158.5	158.9	0.4	1,824	475.1	513.2	514.5	1.3
25 to 34 years	10,351	145.3	169.9	171.2	1.3	7,983	122.3	146.7	147.9	1.2	2,368	396.2	421.7	423.6	1.9
35 to 44 years	6,309	109.6	131.0	132.1	1.1	5,053	95.8	116.1	117.2	1.1	1,256	259.8	293.0	296.2	3.2
45 to 54 years	3,832	90.7	104.1	105.2	1.1	3,165	80.4	93.6	94.5	0.9	667	233.5	249.7	252.0	2.3
55 to 64 years	2,641	97.1	107.9	109.2	1.3	2,368	91.6	101.6	102.9	1.3	273	204.1	227.6	228.1	0.5
65 to 74 years	1,852	125.9	138.0	139.2	1.2	1,702	121.9	133.4	134.6	1.2	150	199.6	223.1	224.2	1.1
75 years and over	896	130.6	143.1	144.8	1.7	828	127.8	139.5	141.2	1.7	68	177.1	202.8	203.9	1.1
Unknown	47					21					26				
Cancer and other malignant tumors.															
BOTH SEXES.															
All ages	75,113					71,491					3,622				
Adjusted rate		80.4	78.3	79.1	0.8		81.4	79.4	80.2	0.8		61.3	59.7	60.1	0.4
Crude rate		86.2	83.4	84.0	0.6		89.4	86.5	87.1	0.6		50.2	48.7	48.9	0.2
Under 1 year	49	2.8	3.4	3.4	.....	47	2.9	3.4	3.4	.....	2	1.3	3.2	3.2	.....
1 to 4 years	268	3.6	3.0	3.0	.....	246	3.6	3.1	3.1	.....	22	3.6	2.6	2.6	.....
Under 5 years	317	3.4	3.1	3.1	.....	293	3.5	3.1	3.2	0.1	24	3.1	2.7	2.7	.....
5 to 9 years	146	1.6	1.6	1.6	.....	128	1.5	1.6	1.6	.....	18	2.2	1.5	1.5	.....
10 to 14 years	129	1.5	1.6	1.6	.....	114	1.5	1.6	1.6	.....	15	1.9	1.6	1.6	.....
15 to 19 years	256	3.4	2.7	2.7	.....	239	3.6	2.8	2.8	.....	17	2.4	2.0	2.0	.....
20 to 24 years	370	5.0	5.0	5.0	.....	303	4.5	4.8	4.8	.....	67	9.3	6.3	6.3	.....
25 to 34 years	2,106	14.7	14.8	14.9	0.1	1,862	14.1	14.2	14.3	0.1	244	21.3	22.4	22.4	.....
35 to 44 years	6,802	56.7	56.5	57.0	0.5	6,149	55.9	55.4	55.9	0.4	653	65.4	69.2	69.9	0.7
45 to 54 years	14,242	157.5	153.6	155.1	1.5	13,306	159.2	155.2	156.8	1.6	936	136.6	133.4	135.1	1.7
55 to 64 years	19,864	347.2	341.7	345.7	4.0	19,078	352.6	347.0	351.3	4.3	786	253.1	250.1	251.1	1.0
65 to 74 years	18,935	631.4	604.5	610.2	5.7	18,376	648.3	622.2	628.2	6.0	559	340.2	300.8	302.4	1.6
75 years and over	11,894	921.9	894.2	903.7	9.5	11,604	954.3	925.6	935.7	10.1	290	390.8	384.7	387.0	2.3
Unknown	52					39					13				
MALES.															
All ages	32,027					30,880					1,147				
Adjusted rate		66.4	64.4	65.0	0.6		68.5	66.5	67.2	0.7		34.8	32.2	32.4	0.2
Crude rate		72.3	69.6	70.1	0.5		75.9	73.3	73.8	0.5		31.5	29.1	29.2	0.1
Under 1 year	33	3.7	3.2	3.2	.....	31	3.8	3.4	3.4	.....	2	2.6	1.3	1.3	.....
1 to 4 years	143	3.8	3.4	3.4	.....	132	3.8	3.5	3.5	.....	11	3.6	2.3	2.3	.....
Under 5 years	176	3.8	3.4	3.4	.....	163	3.8	3.5	3.5	.....	13	3.4	2.1	2.1	.....
5 to 9 years	72	1.6	1.8	1.9	0.1	65	1.6	1.9	1.9	.....	7	1.7	1.0	1.0	.....
10 to 14 years	63	1.5	1.5	1.5	.....	56	1.4	1.5	1.6	0.1	7	1.7	1.0	1.0	.....
15 to 19 years	135	3.7	2.6	2.6	.....	127	3.8	2.7	2.7	.....	8	2.4	2.1	2.1	.....
20 to 24 years	186	5.2	4.8	4.8	.....	162	5.0	4.9	4.8	—0.1	24	7.2	4.2	4.2	.....
25 to 34 years	702	9.7	9.7	9.7	.....	653	9.8	9.6	9.6	.....	49	8.9	11.1	11.1	.....
35 to 44 years	2,059	33.0	31.6	31.8	0.2	1,910	33.3	32.1	32.3	0.2	149	28.9	26.1	26.3	0.2
45 to 54 years	5,119	106.2	106.0	107.2	1.2	4,853	109.7	109.6	110.7	1.1	266	66.6	66.3	67.3	1.0
55 to 64 years	8,893	296.3	289.4	292.9	3.5	8,606	304.7	297.5	301.2	3.7	287	162.3	162.2	163.0	0.8
65 to 74 years	9,184	601.3	572.2	577.7	5.5	8,959	622.9	596.0	601.9	5.9	225	252.3	190.6	191.7	1.1
75 years and over	5,419	897.0	871.8	880.3	8.5	5,311	934.6	907.7	916.7	9.0	108	301.5	305.6	307.7	2.1
Unknown	19					15					4				

TABLE 1.—NUMBER OF DEATHS, CRUDE AND ADJUSTED DEATH RATES AT ALL AGES, AND SPECIFIC DEATH RATES IN 13 AGE GROUPS, BY SEX, FROM ALL CAUSES AND CERTAIN SPECIFIED CAUSES, IN THE REGISTRATION STATES OF 1920, FOR 1920 AND 1921, AND THE DIFFERENCE IN THE RATES FOR 1920 WHEN COMPUTED ON AN ESTIMATED POPULATION, AND WHEN COMPUTED ON AN ENUMERATED POPULATION—Continued.

[A minus sign (−) in "difference in rate," indicates a decrease in population in 1920 as compared with 1910. Rates at unknown age are not computed.]

CAUSE OF DEATH, SEX, AND AGE.	DEATHS IN THE REGISTRATION STATES OF 1920.													
	Total.					White.					Colored.			
	1921		1920			1921		1920			1921		1920	
	Number.	Rate per 100,000 population estimated as of July 1.	Rate per 100,000 population.			Number.	Rate per 100,000 population estimated as of July 1.	Rate per 100,000 population.			Number.	Rate per 100,000 population estimated as of July 1.	Rate per 100,000 population.	
			Estimated as of July 1.	Enumerated Jan. 1.	Difference in rate.			Estimated as of July 1.	Enumerated Jan. 1.	Difference in rate.			Estimated as of July 1.	Enumerated Jan. 1.	Difference in rate.
Cancer and other malignant tumors—Continued.														
FEMALES.														
All ages	43,086					40,611					2,475			
Adjusted rate		92.9	90.8	91.7	0.9		93.1	90.9	91.9	1.0		84.7	84.1	84.6	0.5
Crude rate		100.5	97.6	98.3	0.7		103.3	100.3	101.0	0.7		69.2	68.6	68.9	0.3
Under 1 year	16	1.8	3.5	3.5		16	2.0	3.4	3.4				5.1	5.1	
1 to 4 years	125	3.4	2.7	2.7		114	3.4	2.6	2.7	0.1	11	3.6	2.9	2.9	
Under 5 years	141	3.1	2.8	2.8		130	3.1	2.8	2.8		11	2.9	3.4	3.4	
5 to 9 years	74	1.6	1.3	1.3		63	1.5	1.2	1.2		11	2.7	1.9	1.9	
10 to 14 years	66	1.6	1.6	1.6		58	1.5	1.6	1.6		8	2.0	2.2	2.2	
15 to 19 years	121	3.2	2.9	2.9		112	3.3	3.0	3.0		9	2.4	1.9	1.9	
20 to 24 years	184	4.8	5.1	5.1		141	4.1	4.8	4.8		43	11.2	8.1	8.1	
25 to 34 years	1,404	19.7	20.1	20.2	0.1	1,209	18.5	18.9	19.0	0.1	195	32.6	32.8	32.9	0.1
35 to 44 years	4,743	82.4	83.7	84.4	0.7	4,239	80.4	80.8	81.5	0.7	504	104.3	115.4	116.6	1.2
45 to 54 years	9,123	216.0	207.8	209.9	2.1	8,453	214.7	206.4	208.6	2.2	670	234.5	226.2	228.2	2.0
55 to 64 years	10,971	403.4	399.3	404.0	4.7	10,472	404.9	401.1	406.0	4.9	499	373.0	365.7	366.6	0.9
65 to 74 years	9,751	662.8	638.0	643.8	5.8	9,417	674 5	649.2	655.3	6.1	334	444.4	431.4	433.5	2.1
75 years and over	6,475	943.7	914.0	924.5	10.5	6,293	971.6	941.3	952.5	11.2	182	474.0	458.2	460.8	2.6
Unknown	33					24					9				
Diabetes mellitus.														
BOTH SEXES.														
All ages	14,681					14,083					598			
Adjusted rate		16.1	15.5	15.6	0.1		16.5	15.9	16.0	0.1		9.8	9.6	9.6	
Crude rate		16.8	16.2	16.3	0.1		17.6	16.9	17.0	0.1		8.3	8.0	8.0	
Under 1 year	18	1.0	1.5	1.5		16	1.0	1.3	1.3		2	1.3	3.2	3.2	
1 to 4 years	155	2.1	2.2	2.2		152	2.2	2.3	2.3		3	0.5	0.3	0.3	
Under 5 years	173	1.9	2.0	2.0		168	2.0	2.1	2.1		5	0.7	0.9	0.9	
5 to 9 years	268	2.9	2.8	2.8		263	3.2	3.0	3.0		5	0.6	0.8	0.9	0.1
10 to 14 years	399	4.7	4.3	4.3		390	5.1	4.6	4.6		9	1.1	1.1	1.1	
15 to 19 years	376	5.1	4.6	4.6		362	5.4	4.9	4.9		14	2.0	1.3	1.3	
20 to 24 years	350	4.7	5.1	5.1		328	4.9	5.3	5.3		22	3.1	2.9	2.9	
25 to 34 years	864	6.0	5.6	5.7	0.1	808	6.1	5.8	5.8		56	4.9	3.8	3.8	
35 to 44 years	1,026	8.5	8.3	8.3		950	8.6	8.3	8.4	0.1	76	7.6	8.0	8.0	
45 to 54 years	2,118	23.4	22.9	23.1	0.2	1,971	23.6	23.1	23.4	0.3	147	21.5	20.0	20.3	0.3
55 to 64 years	3,963	69.3	64.9	65.7	0.8	3,842	71.0	66.2	67.0	0.8	121	39.0	43.5	43.6	0.1
65 to 74 years	3,457	115.3	113.1	114.2	1.1	3,358	118.5	116.8	117.9	1.1	99	60.2	49.8	50.1	0.3
75 years and over	1,675	129.8	128.5	129.8	1.3	1,637	134.6	132.2	133.7	1.5	38	51.2	66.8	67.3	0.5
Unknown	12					6					6				
MALES.														
All ages	6,470					6,207					263			
Adjusted rate		13.7	13.6	13.7	0.1		14.2	14.0	14.2	0.2		8.0	7.8	7.9	0.1
Crude rate		14.6	14.4	14.5	0.1		15.3	15.0	15.1	0.1		7.2	7.2	7.2	
Under 1 year	10	1.1	2.2	2.2		8	1.0	2.1	2.1		2	2.6	3.9	3.9	
1 to 4 years	87	2.3	2.3	2.3		85	2.4	2.5	2.5		2	0.7	0.3	0.3	
Under 5 years	97	2.1	2.3	2.3		93	2.2	2.4	2.4		4	1.1	1.0	1.0	
5 to 9 years	136	3.0	2.8	2.8		134	3.2	3.0	3.0		2	0.5	0.5	0.5	
10 to 14 years	206	4.8	3.8	3.8		201	5.2	4.0	4.0		5	1.2	1.5	1.5	
15 to 19 years	201	5.5	5.5	5.5		195	5.8	6.0	6.0		6	1.8	1.2	1.2	
20 to 24 years	185	5.1	5.6	5.6		178	5.4	5.7	5.7		7	2.1	3.9	3.9	
25 to 34 years	475	6.6	6.1	6.1		452	6.8	6.3	6.3		23	4.2	3.3	3.3	
35 to 44 years	534	8.6	8.4	8.5	0.1	503	8.8	8.5	8.6	0.1	31	6.0	7.1	7.2	0.1
45 to 54 years	885	18.4	19.1	19.3	0.2	831	18.8	19.4	19.6	0.2	54	13.5	15.2	15.4	0.2
55 to 64 years	1,553	51.7	50.8	51.4	0.6	1,499	53.1	52.1	52.8	0.7	54	30.5	30.8	31.0	0.2
65 to 74 years	1,443	94.5	93.3	94.2	0.9	1,389	96.6	96.6	97.6	1.0	54	60.6	40.8	41.1	0.3
75 years and over	752	124.5	128.4	129.6	1.2	732	128.8	131.5	132.8	1.3	20	55.8	79.2	79.8	0.6
Unknown	3										3				
FEMALES.														
All ages	8,211					7,876					335			
Adjusted rate		18.0	17.0	17.2	0.2		18.4	17.4	17.6	0.2		11.4	11.1	11.2	0.1
Crude rate		19.1	18.0	18.1	0.1		20.0	18.8	18.9	0.1		9.4	8.8	8.8	
Under 1 year	8	0.9	0.7	0.7		8	1.0	0.5	0.5				2.6	2.6	
1 to 4 years	68	1.8	2.0	2.0		67	2.0	2.2	2.2		1	0.3	0.3	0.3	
Under 5 years	76	1.7	1.7	1.8	0.1	75	1.8	1.8	1.8		1	0.3	0.8	0.8	
5 to 9 years	132	2.9	2.8	2.8		129	3.2	3.0	3.0		3	0.7	1.2	1.2	
10 to 14 years	193	4.6	4.7	4.8	0.1	189	5.0	5.2	5.2		4	1.0	0.7	0.7	
15 to 19 years	175	4.7	3.7	3.7		167	4.9	3.9	3.9		8	2.2	1.4	1.4	
20 to 24 years	165	4.3	4.6	4.6		150	4.3	4.9	4.9		15	3.9	2.1	2.1	
25 to 34 years	389	5.5	5.2	5.2		356	5.5	5.3	5.3		33	5.5	4.2	4.2	
35 to 44 years	492	8.5	8.1	8.2	0.1	447	8.5	8.0	8.1	0.1	45	9.3	8.9	9.0	0.1
45 to 54 years	1,233	29.2	27.2	27.5	0.3	1,140	29.0	27.3	27.6	0.3	93	32.6	26.7	27.0	0.3
55 to 64 years	2,410	88.6	80.5	81.4	0.9	2,343	90.6	81.6	82.6	1.0	67	50.1	60.1	60.2	0.1
65 to 74 years	2,014	136.9	133.6	134.8	1.2	1,969	141.0	137.6	138.9	1.3	45	59.9	60.5	60.8	0.3
75 years and over	923	134.5	128.5	130.0	1.5	905	139.7	132.9	134.5	1.6	18	46.9	55.3	55.6	0.3
Unknown	9					6					3				

TABLE 1.—NUMBER OF DEATHS, CRUDE AND ADJUSTED DEATH RATES AT ALL AGES, AND SPECIFIC DEATH RATES IN 13 AGE GROUPS, BY SEX, FROM ALL CAUSES AND CERTAIN SPECIFIED CAUSES, IN THE REGISTRATION STATES OF 1920, FOR 1920 AND 1921, AND THE DIFFERENCE IN THE RATES FOR 1920 WHEN COMPUTED ON AN ESTIMATED POPULATION, AND WHEN COMPUTED ON AN ENUMERATED POPULATION—Continued.

[A minus sign (—) in "difference in rate," indicates a decrease in population in 1920 as compared with 1910. Rates at unknown age are not computed.]

CAUSE OF DEATH, SEX, AND AGE.	DEATHS IN THE REGISTRATION STATES OF 1920.													
	Total.					White.					Colored.			
	1921		1920			1921		1920			1921		1920		
	Number.	Rate per 100,000 population estimated as of July 1.	Rate per 100,000 population.			Number.	Rate per 100,000 population estimated as of July 1.	Rate per 100,000 population.			Number.	Rate per 100,000 population estimated as of July 1.	Rate per 100,000 population.		
			Estimated as of July 1.	Enumerated Jan. 1.	Difference in rate.			Estimated as of July 1.	Enumerated Jan. 1.	Difference in rate.			Estimated as of July 1.	Enumerated Jan. 1.	Difference in rate.
Diarrhea and enteritis.															
BOTH SEXES.															
All ages	44,331					39,340					4,991				
Adjusted rate		53.9	56.5	56.9	0.4		52.1	54.8	55.1	0.3		75.0	76.3	76.1	—0.2
Crude rate		50.8	53.6	53.9	0.3		49.2	52.0	52.3	0.3		69.1	71.2	71.5	0.3
Under 1 year	23,385	1,599.7	1,699.6	1,701.9	2.3	25,293	1,560.2	1,668.4	1,671.4	3.0	3,092	2,017.2	2,027.0	2,020.2	—6.8
1 year	7,595	407.8	396.4	399.6	3.2	6,626	385.7	374.9	378.1	3.2	969	671.5	648.2	648.7	0.5
Under 2 years	35,980	989.4	1,036.5	1,041.4	4.9	31,919	955.9	1,007.2	1,012.5	5.3	4,061	1,364.7	1,361.3	1,359.4	—1.9
2 to 4 years	3,184	56.7	54.3	54.5	0.2	2,865	55.7	51.9	52.2	0.3	319	68.2	80.1	79.8	—0.3
5 to 9 years	626	6.9	6.3	6.3	.....	552	6.7	6.1	6.1	.....	74	8.9	8.2	8.3	0.1
10 to 14 years	156	1.8	1.6	1.6	.....	125	1.6	1.5	1.5	.....	31	3.9	2.8	2.8	.....
15 to 44 years	822	2.0	2.9	2.9	.....	630	1.7	2.5	2.5	.....	192	5.4	6.7	6.7	.....
45 to 64 years	969	6.6	9.3	9.5	0.2	815	5.9	8.7	8.8	0.1	154	15.5	17.8	18.0	0.2
65 years and over	2,576	60.1	59.2	59.8	0.6	2,419	59.7	58.7	59.3	0.6	157	65.8	68.3	68.6	0.3
Unknown	18	.....	.....	.....	.....	15	.....	.....	.....	.....	3	.....	.....	.....	.....
MALES.															
All ages	23,960					21,410					2,550				
Adjusted rate		57.8	61.5	61.8	0.3		56.2	59.9	60.3	0.4		76.3	79.5	79.4	—0.1
Crude rate		54.1	57.8	58.2	0.4		52.7	56.4	56.7	0.3		70.0	73.9	74.1	0.2
Under 1 year	15,936	1,776.3	1,896.6	1,899.1	2.5	14,281	1,739.1	1,865.7	1,868.9	3.2	1,655	2,178.0	2,227.4	2,219.2	—8.2
1 year	4,057	429.9	427.1	430.5	3.4	3,569	409.3	403.4	406.9	3.5	488	679.8	710.1	710.6	0.5
Under 2 years	19,993	1,086.0	1,148.1	1,153.5	5.4	17,850	1,054.2	1,117.5	1,123.4	5.9	2,143	1,450.2	1,493.6	1,491.3	—2.3
2 to 4 years	1,683	59.3	56.9	57.2	0.3	1,522	58.4	54.9	55.2	0.3	161	69.1	79.2	78.9	—0.3
5 to 9 years	322	7.0	6.5	6.6	0.1	288	6.9	6.5	6.6	0.1	34	8.2	6.3	6.3	.....
10 to 14 years	89	2.1	1.5	1.6	0.1	77	2.0	1.4	1.4	.....	12	3.0	2.8	2.8	.....
15 to 44 years	350	1.7	2.9	2.9	.....	281	1.5	2.7	2.7	.....	69	4.0	4.9	4.9	.....
45 to 64 years	445	5.7	9.1	9.2	0.1	385	5.3	8.8	8.9	0.1	60	10.4	12.8	12.9	0.1
65 years and over	1,067	50.1	52.9	53.4	0.5	999	49.8	52.4	52.9	0.5	68	54.4	60.7	61.1	0.4
Unknown	11	.....	.....	.....	.....	8	.....	.....	.....	.....	3	.....	.....	.....	.....
FEMALES.															
All ages	20,371					17,930					2,441				
Adjusted rate		49.9	51.5	51.8	0.3		47.8	49.6	49.9	0.3		73.4	72.8	72.7	—0.1
Crude rate		47.5	49.2	49.5	0.3		45.6	47.4	47.7	0.3		68.2	68.6	68.8	0.2
Under 1 year	12,449	1,419.1	1,498.2	1,500.3	2.1	11,012	1,376.5	1,465.8	1,468.5	2.7	1,437	1,859.2	1,829.8	1,824.1	—5.7
1 year	3,538	385.2	364.9	367.8	2.9	3,057	361.4	345.5	348.5	3.0	481	663.3	587.0	587.5	0.5
Under 2 years	15,987	890.3	922.2	926.5	4.3	14,069	854.8	893.7	898.4	4.7	1,918	1,280.3	1,230.6	1,229.1	—1.5
2 to 4 years	1,501	54.1	51.5	51.8	0.3	1,343	52.9	48.7	49.0	0.3	158	67.3	81.1	80.8	—0.3
5 to 9 years	304	6.7	6.0	6.0	.....	264	6.5	5.6	5.6	.....	40	9.7	10.2	10.2	.....
10 to 14 years	67	1.6	1.7	1.7	.....	48	1.3	1.6	1.6	.....	19	4.7	2.7	2.7	.....
15 to 44 years	472	2.3	2.9	2.9	.....	349	1.9	2.3	2.3	.....	123	6.7	8.5	8.5	.....
45 to 64 years	524	7.5	9.6	9.7	0.1	430	6.6	8.6	8.7	0.1	94	22.4	24.6	24.8	0.2
65 years and over	1,509	69.9	65.5	66.2	0.7	1,420	69.5	64.9	65.5	0.6	89	78.4	76.5	76.9	0.4
Unknown	7	.....	.....	.....	.....	7	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute and chronic nephritis.															
BOTH SEXES.															
All ages	74,040					65,971					8,069				
Adjusted rate		78.5	82.4	83.2	0.8		74.6	78.8	79.5	0.7		130.9	131.1	131.9	0.8
Crude rate		84.9	88.8	89.4	0.6		82.5	86.7	87.3	0.6		111.7	111.5	112.0	0.5
Under 1 year	478	26.9	31.7	31.7	.....	406	25.0	29.9	30.0	0.1	72	47.0	50.5	50.4	—0.1
1 to 4 years	669	8.9	9.1	9.1	.....	555	8.1	8.5	8.6	0.1	114	18.6	14.8	14.7	—0.1
Under 5 years	1,147	12.4	13.4	13.5	0.1	961	11.3	12.6	12.7	0.1	186	24.3	21.9	21.9	.....
5 to 9 years	533	5.9	5.8	5.8	.....	461	5.6	5.6	5.6	.....	72	8.7	7.5	7.5	.....
10 to 14 years	568	6.7	6.5	6.6	0.1	504	6.6	6.2	6.2	.....	64	8.0	9.8	9.8	.....
15 to 19 years	680	9.2	9.0	9.1	0.1	551	8.2	8.3	8.3	.....	129	18.2	16.1	16.1	.....
20 to 24 years	945	12.7	12.5	12.5	.....	751	11.2	11.1	11.1	.....	194	27.0	25.8	25.9	0.1
25 to 34 years	2,851	19.9	20.6	20.7	0.1	2,245	17.0	18.4	18.6	0.2	606	52.9	45.4	45.5	0.1
35 to 44 years	5,272	43.9	46.5	46.9	0.4	4,172	37.9	41.3	41.6	0.3	1,100	110.1	103.7	104.7	1.0
45 to 54 years	9,211	101.8	111.2	112.4	1.2	7,724	92.4	101.2	102.2	1.0	1,487	217.0	234.2	237.2	3.0
55 to 64 years	14,117	246.8	262.4	265.5	3.1	12,662	234.0	250.4	253.5	3.1	1,455	468.5	468.5	470.3	1.8
65 to 74 years	18,723	624.4	659.9	666.1	6.2	17,282	609.7	643.9	650.1	6.2	1,441	876.9	933.8	938.9	5.1
75 years and over	19,913	1,543.4	1,586.7	1,603.7	17.0	18,617	1,531.0	1,576.7	1,594.0	17.3	1,296	1,746.3	1,748.7	1,759.6	10.9
Unknown	80	.....	.....	.....	.....	41	.....	.....	.....	.....	39	.....	.....	.....	.....

TABLE 1.—NUMBER OF DEATHS, CRUDE AND ADJUSTED DEATH RATES AT ALL AGES, AND SPECIFIC DEATH RATES IN 13 AGE GROUPS, BY SEX, FROM ALL CAUSES AND CERTAIN SPECIFIED CAUSES, IN THE REGISTRATION STATES OF 1920, FOR 1920 AND 1921, AND THE DIFFERENCE IN THE RATES FOR 1920 WHEN COMPUTED ON AN ESTIMATED POPULATION, AND WHEN COMPUTED ON AN ENUMERATED POPULATION—Continued.

[A minus sign (−) in "difference in rate," indicates a decrease in population in 1920 as compared with 1910. Rates at unknown age are not computed.]

CAUSE OF DEATH, SEX, AND AGE.	DEATHS IN THE REGISTRATION STATES OF 1920.													
	Total.					White.					Colored.			
	1921		1920			1921		1920			1921		1920	
	Number.	Rate per 100,000 population estimated as of July 1.	Rate per 100,000 population.			Number.	Rate per 100,000 population estimated as of July 1.	Rate per 100,000 population.			Number.	Rate per 100,000 population estimated as of July 1.	Rate per 100,000 population.	
			Estimated as of July 1.	Enumerated Jan. 1.	Difference in rate.			Estimated as of July 1.	Enumerated Jan. 1.	Difference in rate.			Estimated as of July 1.	Enumerated Jan. 1.	Difference in rate.
Acute and chronic nephritis—Continued.														
MALES.														
All ages	38,658					34,415					4,243			
Adjusted rate		81.9	87.8	88.6	0.8		78.1	84.0	84.9	0.9		132.7	138.1	139.0	0.9
Crude rate		87.3	93.1	93.7	0.6		84.6	90.6	91.2	0.6		116.5	120.0	120.4	0.4
Under 1 year	283	31.5	37.7	37.7	.....	243	29.6	35.7	35.7	.....	40	52.6	58.8	58.6	−0.2
1 to 4 years	357	9.4	9.3	9.3	.....	299	8.6	8.7	8.8	0.1	58	19.0	15.7	15.6	−0.1
Under 5 years	640	13.7	14.8	14.8	.....	542	12.6	13.9	14.0	0.1	98	25.7	24.3	24.2	−0.1
5 to 9 years	265	5.8	6.1	6.1	.....	227	5.4	5.7	5.7	.....	38	9.2	10.0	10.0	.....
10 to 14 years	261	6.1	6.2	6.2	.....	230	6.0	5.9	6.0	0.1	31	7.7	8.8	8.8	.....
15 to 19 years	285	7.7	8.0	8.0	.....	233	7.0	7.3	7.3	.....	52	15.3	14.5	14.5	.....
20 to 24 years	424	11.8	11.2	11.2	.....	353	10.8	9.8	9.8	.....	71	21.2	24.8	24.8	.....
25 to 34 years	1,231	17.1	18.0	18.1	0.1	1,006	15.1	16.3	16.4	0.1	225	41.1	38.7	38.7	.....
35 to 44 years	2,434	39.0	41.7	42.1	0.4	1,931	33.7	38.1	38.4	0.3	503	97.6	82.4	83.2	0.8
45 to 54 years	4,659	96.6	109.1	110.2	1.1	3,898	88.2	99.7	100.7	1.0	761	190.5	214.0	217.3	3.3
55 to 64 years	7,565	252.1	277.6	280.9	3.3	6,741	238.7	264.7	268.1	3.4	824	466.0	479.8	482.2	2.4
65 to 74 years	10,197	667.6	716.1	723.0	6.9	9,337	649.2	693.1	699.9	6.8	860	964.4	1,084.5	1,090.8	6.3
75 years and over	10,651	1,763.1	1,833.0	1,850.8	17.8	9,895	1,741.2	1,813.2	1,831.2	18.0	756	2,110.8	2,145.1	2,159.7	14.6
Unknown	46	.....	.....	.....	.....	22	.....	.....	.....	.....	24	.....	.....	.....	.....
FEMALES.														
All ages	35,382					31,556					3,826			
Adjusted rate		76.2	78.4	79.2	0.8		72.3	74.9	75.7	0.8		130.7	126.7	127.5	0.8
Crude rate		82.5	84.4	85.0	0.6		80.3	82.7	83.3	0.6		106.9	103.0	103.3	0.3
Under 1 year	195	22.2	25.6	25.6	.....	163	20.4	24.0	24.0	.....	32	41.4	42.4	42.3	−0.1
1 to 4 years	312	8.5	8.8	8.9	0.1	256	7.6	8.4	8.4	.....	56	18.2	13.9	13.9	.....
Under 5 years	507	11.1	12.1	12.1	.....	419	10.0	11.4	11.4	.....	88	22.9	19.6	19.6	.....
5 to 9 years	268	6.0	5.4	5.5	0.1	234	5.7	5.5	5.5	.....	34	8.2	5.1	5.1	.....
10 to 14 years	307	7.3	6.8	6.9	0.1	274	7.2	6.4	6.5	0.1	33	8.2	10.7	10.7	.....
15 to 19 years	395	10.5	10.1	10.1	.....	318	9.4	9.3	9.3	.....	77	20.8	17.6	17.6	.....
20 to 24 years	521	13.6	13.8	13.8	.....	398	11.5	12.4	12.4	.....	123	32.0	26.7	26.8	0.1
25 to 34 years	1,620	22.7	23.2	23.4	0.2	1,239	19.0	20.6	20.8	0.2	381	63.8	51.5	51.7	0.2
35 to 44 years	2,838	49.3	51.6	52.1	0.5	2,241	42.5	44.8	45.2	0.4	597	123.5	126.3	127.7	1.4
45 to 54 years	4,552	107.8	113.7	114.8	1.1	3,826	97.2	102.9	103.9	1.0	726	254.1	262.2	264.5	2.3
55 to 64 years	6,552	240.9	245.6	248.5	2.9	5,921	229.0	234.7	237.6	2.9	631	471.6	453.6	454.7	1.1
65 to 74 years	8,526	579.5	601.7	607.2	5.5	7,945	569.1	593.3	598.9	5.6	581	773.1	755.3	759.0	3.7
75 years and over	9,262	1,349.9	1,369.1	1,384.9	15.8	8,722	1,346.6	1,368.4	1,384.7	16.3	540	1,406.3	1,379.9	1,387.6	7.7
Unknown	34	.....	.....	.....	.....	19	.....	.....	.....	.....	15	.....	.....	.....	.....
Puerperal septicemia.														
FEMALES.														
All ages	5,881					5,048					833			
Adjusted rate		13.7	13.2	13.3	0.1		12.9	12.4	12.4	.....		21.8	21.6	21.7	0.1
Crude rate		13.7	13.3	13.4	0.1		12.8	12.4	12.5	0.1		23.3	23.0	23.1	0.1
Under 15 years	8	0.1	0.18	0.1	.....	2	(1)	(1)	(1)	(1)	6	0.5	0.7	0.7	.....
15 to 19 years	593	15.8	14.9	14.9	.....	440	13.0	11.6	11.6	.....	153	41.3	45.2	45.3	0.1
20 to 24 years	1,355	35.3	33.3	33.3	.....	1,142	33.0	30.9	31.0	0.1	213	55.5	54.2	54.3	0.1
25 to 29 years	1,423	37.5	37.9	38.1	0.2	1,262	36.5	37.0	37.2	0.2	161	47.7	47.2	47.4	0.2
30 to 34 years	1,167	35.0	33.8	34.1	0.3	1,026	33.4	32.6	32.8	0.2	141	54.2	48.9	49.2	0.3
35 to 39 years	923	29.4	27.6	27.8	0.2	806	28.2	26.6	26.8	0.2	117	42.0	37.8	38.2	0.4
40 to 44 years	349	13.3	12.9	13.0	0.1	320	13.2	12.5	12.6	0.1	29	14.2	17.5	17.6	0.1
45 years and over	58	0.6	0.7	0.7	.....	47	0.5	0.6	0.6	.....	11	2.1	1.9	1.9	.....
Unknown	5	.....	.....	.....	.....	3	.....	.....	.....	.....	2	.....	.....	.....	.....
Other puerperal causes.														
FEMALES.														
All ages	8,681					7,356					1,325			
Adjusted rate		20.1	25.1	25.2	0.1		18.6	23.4	23.6	0.2		34.7	41.0	41.2	0.2
Crude rate		20.2	25.3	25.5	0.2		18.7	23.6	23.8	0.2		37.0	43.6	43.8	0.2
Under 15 years	27	0.2	0.3	0.3	.....	8	0.1	0.1	0.1	.....	19	1.6	2.2	2.2	.....
15 to 19 years	869	23.2	25.2	25.2	.....	610	18.1	19.1	19.2	0.1	259	70.0	80.4	80.5	0.1
20 to 24 years	1,653	43.0	56.0	56.2	0.2	1,371	39.7	52.7	52.9	0.2	282	73.5	85.9	86.1	0.2
25 to 29 years	1,864	49.2	66.8	67.2	0.4	1,603	46.4	64.8	65.3	0.5	261	77.4	87.0	87.3	0.3
30 to 34 years	1,784	53.5	71.6	72.2	0.6	1,595	51.9	69.3	69.9	0.6	189	72.6	99.4	99.9	0.5
35 to 39 years	1,644	52.4	58.9	59.4	0.5	1,428	50.0	56.7	57.2	0.5	216	77.6	81.8	82.6	0.8
40 to 44 years	717	27.4	30.0	30.3	0.3	642	26.6	28.4	28.7	0.3	75	36.6	48.4	48.9	0.5
45 years and over	112	1.2	1.5	1.5	.....	92	1.1	1.3	1.3	.....	20	3.8	4.9	5.0	0.1
Unknown	11	.....	.....	.....	.....	7	.....	.....	.....	.....	4	.....	.....	.....	.....

[1] Less than one-tenth of 1 per 100,000 population.

TABLE 1.—NUMBER OF DEATHS, CRUDE AND ADJUSTED DEATH RATES AT ALL AGES, AND SPECIFIC DEATH RATES IN 13 AGE GROUPS, BY SEX, FROM ALL CAUSES AND CERTAIN SPECIFIED CAUSES, IN THE REGISTRATION STATES OF 1920, FOR 1920 AND 1921, AND THE DIFFERENCE IN THE RATES FOR 1920 WHEN COMPUTED ON AN ESTIMATED POPULATION, AND WHEN COMPUTED ON AN ENUMERATED POPULATION—Continued.

[A minus sign (—) in "difference in rate," indicates a decrease in population in 1920 as compared with 1910. Rates at unknown age are not computed.]

CAUSE OF DEATH, SEX, AND AGE.	DEATHS IN THE REGISTRATION STATES OF 1920.													
	Total.					White.					Colored.			
	1921		1920			1921		1920			1921		1920		
	Number.	Rate per 100,000 population estimated as of July 1.	Rate per 100,000 population.			Number.	Rate per 100,000 population estimated as of July 1.	Rate per 100,000 population.			Number.	Rate per 100,000 population estimated as of July 1.	Rate per 100,000 population.		
			Estimated as of July 1.	Enumerated Jan. 1.	Difference in rate.			Estimated as of July 1.	Enumerated Jan. 1.	Difference in rate.			Estimated as of July 1.	Enumerated Jan. 1.	Difference in rate.
Violent deaths (suicide excepted).															
BOTH SEXES.															
All ages	66,610					59,130					7,480				
Adjusted rate		73.3	74.8	75.3	0.5		70.4	71.8	72.3	0.5		103.6	107.5	107.8	0.3
Crude rate		76.4	77.8	78.3	0.5		73.9	75.1	75.7	0.6		103.6	107.1	107.5	0.4
Under 1 year	2,010	113.3	119.3	119.4	0.1	1,655	102.1	108.1	108.3	0.2	355	231.6	236.5	235.7	—0.8
1 to 4 years	5,718	76.5	82.5	83.0	0.5	5,132	74.8	79.0	79.6	0.6	586	95.7	120.2	119.9	—0.3
Under 5 years	7,728	83.5	89.6	90.0	0.4	6,787	80.0	84.6	85.1	0.5	941	122.9	143.5	143.1	—0.4
5 to 9 years	4,399	48.4	50.6	51.0	0.4	4,028	48.7	49.8	50.2	0.4	371	44.8	58.2	58.3	0.1
10 to 14 years	3,199	37.8	40.1	40.4	0.3	2,829	36.9	39.5	39.8	0.3	370	46.0	45.7	45.8	0.1
15 to 19 years	4,210	56.7	58.6	58.7	0.1	3,560	53.0	54.7	54.7	.....	650	91.7	96.5	96.5	.....
20 to 24 years	4,993	67.1	70.3	70.4	0.1	4,082	60.7	63.4	63.5	0.1	911	126.7	135.1	135.3	0.2
25 to 34 years	9,729	67.8	68.1	68.5	0.4	8,280	62.7	63.1	63.5	0.4	1,449	126.5	125.9	126.2	0.3
35 to 44 years	8,797	73.3	71.2	71.8	0.6	7,618	69.2	67.7	68.3	0.6	1,179	118.0	109.0	110.1	1.1
45 to 54 years	6,887	76.1	76.4	77.2	0.8	6,186	74.0	74.7	75.4	0.7	701	102.3	97.7	98.9	1.2
55 to 64 years	5,472	95.6	96.1	97.2	1.1	5,118	94.6	95.0	96.2	1.2	354	114.0	115.2	115.6	0.4
65 to 74 years	4,790	159.7	160.6	162.1	1.5	4,524	159.6	160.4	161.9	1.5	266	161.9	164.9	165.8	0.9
75 years and over	6,179	478.9	485.6	490.8	5.2	5,976	491.4	495.8	501.2	5.4	203	273.5	320.6	322.5	1.9
Unknown	227					142					85				
MALES.															
All ages	48,725					43,127					5,598				
Adjusted rate		108.4	110.2	110.9	0.7		104.1	105.7	106.4	0.7		155.9	158.9	159.5	0.6
Crude rate		110.0	111.4	112.1	0.7		106.1	107.4	108.1	0.7		153.7	155.8	156.4	0.6
Under 1 year	1,103	122.9	131.2	131.4	0.2	915	111.4	119.6	119.8	0.2	188	247.4	254.7	253.8	—0.9
1 to 4 years	3,253	86.0	87.8	88.3	0.5	2,957	85.0	85.2	85.8	0.6	296	97.1	116.8	116.4	—0.4
Under 5 years	4,356	93.1	96.2	96.6	0.4	3,872	90.1	91.8	92.3	0.5	484	127.1	144.3	143.9	—0.4
5 to 9 years	2,915	63.5	65.2	65.7	0.5	2,700	64.7	66.4	67.0	0.6	215	52.1	53.5	53.6	0.1
10 to 14 years	2,533	59.4	63.4	63.8	0.4	2,253	58.3	62.5	63.0	0.5	280	69.9	71.4	71.6	0.2
15 to 19 years	3,518	95.7	97.5	97.6	0.1	2,974	89.1	91.0	91.0	.....	544	160.5	162.3	162.4	0.1
20 to 24 years	4,119	114.3	121.5	121.4	—0.1	3,388	103.7	109.6	109.4	—0.2	731	218.0	238.0	238.2	0.2
25 to 34 years	8,232	114.0	115.0	115.5	0.5	7,053	105.7	106.8	107.4	0.6	1,179	215.2	213.3	213.4	0.1
35 to 44 years	7,511	120.3	116.7	117.7	1.0	6,546	114.3	111.4	112.3	0.9	965	187.3	176.6	178.2	1.6
45 to 54 years	5,713	118.5	118.9	120.1	1.2	5,120	115.8	117.0	118.2	1.2	593	148.4	140.0	142.1	2.1
55 to 64 years	4,125	137.5	138.7	140.4	1.7	3,860	136.7	137.4	139.1	1.7	265	149.9	159.4	160.1	0.7
65 to 74 years	3,004	196.7	197.4	199.3	1.9	2,839	197.4	197.3	199.2	1.9	165	185.0	199.7	200.8	1.1
75 years and over	2,499	413.7	418.3	422.3	4.0	2,394	421.3	424.0	428.2	4.2	105	293.2	328.3	330.5	2.2
Unknown	200					128					72				
FEMALES.															
All ages	17,885					16,003					1,882				
Adjusted rate		40.5	42.0	42.3	0.3		39.0	40.1	40.4	0.3		55.5	60.3	60.4	0.1
Crude rate		41.7	43.0	43.3	0.3		40.7	41.7	42.0	0.3		52.6	57.6	57.8	0.2
Under 1 year	907	103.4	107.1	107.3	0.2	740	92.5	96.2	96.4	0.2	167	216.1	218.6	217.9	—0.7
1 to 4 years	2,465	66.8	77.0	77.5	0.5	2,175	64.3	72.7	73.2	0.5	290	94.3	123.6	123.2	—0.4
Under 5 years	3,372	73.8	82.9	83.3	0.4	2,915	69.7	77.3	77.7	0.4	457	118.8	142.7	142.3	—0.4
5 to 9 years	1,484	32.9	35.6	35.9	0.3	1,328	32.5	32.8	33.1	0.3	156	37.6	62.9	63.0	0.1
10 to 14 years	666	15.9	16.5	16.6	0.1	576	15.2	16.1	16.2	0.1	90	22.3	20.2	20.2	.....
15 to 19 years	692	18.5	20.4	20.5	0.1	586	17.4	18.7	18.7	.....	106	28.6	36.0	36.1	0.1
20 to 24 years	874	22.8	22.0	22.0	.....	694	20.1	19.5	19.5	.....	180	46.9	44.8	44.9	0.1
25 to 34 years	1,497	21.0	20.3	20.5	0.2	1,227	18.8	18.1	18.2	0.1	270	45.2	45.1	45.3	0.2
35 to 44 years	1,286	22.3	21.6	21.8	0.2	1,072	20.3	20.2	20.4	0.2	214	44.3	36.8	37.2	0.4
45 to 54 years	1,174	27.8	27.9	28.2	0.3	1,066	27.1	27.1	27.4	0.3	108	37.8	39.2	39.5	0.3
55 to 64 years	1,347	49.5	49.1	49.7	0.6	1,258	48.6	48.7	49.3	0.6	89	66.5	57.1	57.2	0.1
65 to 74 years	1,786	121.4	122.4	123.5	1.1	1,685	120.7	122.3	123.5	1.2	101	134.4	123.6	124.3	0.7
75 years and over	3,680	536.4	545.2	551.4	6.2	3,582	553.0	559.1	565.7	6.6	98	255.2	313.4	315.1	1.7
Unknown	27					14					13				

TABLE 2.—CRUDE AND ADJUSTED DEATH RATES AT ALL AGES, AND SPECIFIC DEATH RATES IN 13 AGE GROUPS, REGISTRATION CITY OF 100,000 POPULATION

[Rates in *italics* are based on less than 5 deaths.]

	CAUSE OF DEATH, SEX, AND AGE.	DEATH RATE PER 100,000 ENUMERATED POPULATION.										
		Birmingham.			Los Angeles.			Oakland.	San Francisco.			Denver.
		Total.	White.	Colored.	Total.	White.	Colored.		Total.	White.	Colored.	
	ALL CAUSES.[1]											
	BOTH SEXES.											
1	All ages—Adjusted rate	1,945.1	1,487.9	2,676.8	1,339.5	1,306.8	1,994.9	1,171.4	1,421.2	1,375.0	2,943.4	1,713.3
2	Crude rate	1,667.7	1,253.8	2,307.3	1,434.8	1,414.4	1,808.2	1,195.3	1,432.7	1,387.5	2,762.1	1,748.2
3	Under 1 year	13,508.2	9,192.9	21,406.0	10,994.8	10,922.8	11,634.0	9,023.7	8,502.2	8,390.8	10,606.1	13,771.6
4	1 to 4 years	1,368.2	1,025.2	2,044.6	1,144.6	1,102.2	1,630.7	965.0	1,024.7	951.5	2,597.4	1,315.7
5	Under 5 years	4,001.2	2,761.2	6,406.8	3,094.8	3,010.6	4,008.7	2,559.9	2,533.7	2,445.5	4,377.1	3,688.2
6	5 to 9 years	359.0	284.5	481.0	441.4	435.6	550.3	329.4	404.9	388.9	962.6	426.4
7	10 to 14 years	349.7	231.4	547.1	314.2	302.1	608.9	281.4	289.8	283.1	*599.7*	371.0
8	15 to 19 years	959.4	588.3	1,512.9	489.0	473.1	726.4	384.0	472.2	445.1	1,367.2	635.3
9	20 to 24 years	1,056.1	526.6	1,715.1	611.8	557.6	1,468.0	493.5	566.0	532.6	1,300.7	983.1
10	25 to 34 years	1,069.5	657.5	1,684.4	677.6	652.0	1,068.2	511.9	702.8	663.6	1,716.3	1,270.3
11	35 to 44 years	1,554.6	1,004.7	2,345.1	825.9	796.4	1,265.2	612.5	908.5	883.9	1,618.4	1,264.7
12	45 to 54 years	2,188.0	1,335.4	3,363.3	1,326.4	1,293.0	2,063.7	1,085.2	1,577.9	1,526.9	3,196.8	1,581.4
13	55 to 64 years	3,632.2	3,244.7	4,579.0	2,526.3	2,469.4	4,573.2	2,282.2	3,318.1	3,158.0	9,138.1	2,911.9
14	65 to 74 years	8,216.0	8,388.5	7,721.5	5,064.8	5,016.5	7,951.8	5,187.0	6,585.5	6,302.8	23,371.6	6,427.5
15	75 years and over	13,475.2	14,246.9	12,020.5	11,720.1	11,696.3	13,333.3	12,411.9	15,041.9	15,001.7	20,454.5	15,803.5
	MALES.											
16	All ages—Crude rate	1,768.2	1,304.0	2,512.9	1,567.1	1,549.0	1,853.2	1,183.5	1,588.2	1,519.1	3,113.9	1,852.8
17	Under 1 year	15,212.5	10,508.5	24,342.1	11,893.7	11,664.7	13,861.4	10,059.9	9,536.6	9,442.9	11,309.5	15,211.1
18	1 to 4 years	1,428.3	1,099.7	2,119.5	1,210.6	1,171.2	1,648.4	864.3	1,166.5	1,099.8	2,617.8	1,175.5
19	Under 5 years	4,423.4	3,101.9	7,153.5	3,353.5	3,236.0	4,588.8	2,722.3	2,876.3	2,795.2	4,588.4	3,909.9
20	5 to 9 years	345.1	238.8	523.1	490.9	486.2	574.7	342.1	373.9	348.2	1,250.0	539.6
21	10 to 14 years	345.0	271.7	472.2	347.2	344.2	*421.9*	256.2	348.7	344.3	*522.2*	395.6
22	15 to 19 years	1,057.8	665.4	1,687.3	546.5	533.7	794.6	362.0	613.0	576.0	1,536.3	727.9
23	20 to 24 years	995.2	560.2	1,839.3	651.4	595.1	1,521.7	417.5	619.1	587.1	1,111.9	855.6
24	25 to 34 years	957.2	563.6	1,600.5	713.9	703.1	868.1	461.4	753.3	691.1	1,972.2	1,364.2
25	35 to 44 years	1,474.8	924.5	2,306.9	898.5	871.7	1,202.3	631.0	1,042.1	1,006.6	1,784.3	1,413.3
26	45 to 54 years	2,491.6	1,543.7	3,679.2	1,461.2	1,436.6	1,861.1	1,117.1	1,780.8	1,696.7	3,599.3	1,859.7
27	55 to 64 years	4,197.3	3,671.9	5,410.3	2,934.4	2,869.4	4,689.3	2,129.9	3,756.6	3,506.9	9,345.8	3,034.5
28	65 to 74 years	9,424.8	9,142.3	10,209.4	5,810.1	5,724.8	9,958.5	5,414.8	7,526.5	7,043.7	25,229.4	6,926.0
29	75 years and over	15,800.9	17,508.4	12,727.3	12,264.5	12,175.4	18,309.9	13,328.7	16,174.4	16,120.8	21,428.6	16,250.0
	FEMALES.											
30	All ages—Crude rate	1,568.1	1,202.6	2,112.4	1,305.3	1,284.8	1,748.9	1,208.0	1,251.4	1,237.7	1,902.4	1,637.4
31	Under 1 year	11,810.6	7,827.6	18,693.0	10,046.3	10,144.9	9,141.3	7,926.4	7,427.0	7,297.1	9,876.5	12,247.4
32	1 to 4 years	1,308.5	948.1	1,976.3	1,077.2	1,032.0	1,611.5	1,066.3	881.8	801.9	2,577.3	1,456.0
33	Under 5 years	3,582.2	2,408.5	5,724.0	2,829.0	2,780.2	3,376.6	2,395.0	2,186.3	2,090.6	4,166.7	3,464.0
34	5 to 9 years	372.7	330.2	440.8	391.1	384.4	523.6	316.7	436.0	429.8	*659.3*	314.8
35	10 to 14 years	354.3	191.6	615.4	282.4	261.5	782.3	306.6	231.6	223.0	*704.2*	347.5
36	15 to 19 years	875.8	519.2	1,376.1	436.7	428.1	648.5	404.6	310.0	297.0	*974.0*	551.0
37	20 to 24 years	1,105.9	670.2	1,620.1	576.3	524.0	1,418.0	567.1	510.0	477.2	1,785.7	1,102.2
38	25 to 34 years	1,176.1	753.2	1,756.2	642.4	602.8	1,287.2	565.7	645.8	633.2	1,143.8	1,172.0
39	35 to 44 years	1,643.0	1,097.6	2,384.9	750.9	721.6	1,384.5	590.3	734.9	728.8	1,071.0	1,103.8
40	45 to 54 years	1,764.9	1,071.9	2,859.3	1,191.0	1,153.1	2,472.5	1,046.0	1,303.3	1,304.6	*1,194.0*	1,272.3
41	55 to 64 years	3,008.4	2,789.3	3,579.2	2,130.6	2,088.3	4,357.3	2,455.9	2,767.3	2,735.5	7,476.6	2,767.6
42	65 to 74 years	7,134.0	7,724.3	5,392.2	4,393.0	4,382.7	5,172.4	4,952.8	5,562.2	5,514.1	13,953.5	5,898.4
43	75 years and over	11,861.9	12,045.5	11,504.4	11,228.3	11,263.4	8,860.8	11,680.4	14,057.6	14,034.0	*18,750.0*	15,438.4
	Typhoid fever.											
	BOTH SEXES.											
44	All ages—Adjusted rate	14.7	4.2	30.5	2.5	2.2	6.8	5.4	2.7	2.2	14.6	5.3
45	Crude rate	15.1	4.6	31.3	2.6	2.2	*10.1*	6.0	3.0	2.2	*24.0*	5.5
46	Under 1 year											
47	1 to 4 years	*15.5*	*11.6*	*23.0*								
48	Under 5 years	*12.1*	*9.2*	*17.8*								
49	5 to 9 years	*5.7*		*15.0*	*5.0*	*5.3*		*5.9*				
50	10 to 14 years	*12.1*		*32.2*					*3.1*	*3.2*		
51	15 to 19 years	48.6		121.0	*5.3*	*5.6*			*8.6*	*5.9*	*97.7*	*16.0*
52	20 to 24 years	29.2	*8.8*	54.6	*2.1*		*35.0*	*16.6*	*4.4*	*4.6*		*17.4*
53	25 to 34 years	*11.2*	*9.3*	*13.9*	*3.6*	*2.9*	*14.6*	14.6	*1.9*	*1.0*	*25.2*	*8.4*
54	35 to 44 years	*7.8*	*6.2*	*8.9*	*3.9*	*3.1*	*15.4*	*5.2*	*4.2*	*3.2*	*31.1*	*2.4*
55	45 to 54 years	*12.2*		*29.0*	*2.6*	*2.7*		*3.7*	*4.6*	*3.1*	*50.0*	*6.3*
56	55 to 64 years											
57	65 to 74 years											
58	75 years and over											
	MALES.											
59	All ages—Crude rate	19.1	*1.8*	46.8	3.5	2.6	*17.7*	7.1	3.3	1.9	*33.3*	5.3
60	Under 1 year											
61	1 to 4 years											
62	Under 5 years											
63	5 to 9 years	*11.6*		*30.3*	*5.0*	*5.3*						
64	10 to 14 years	*12.3*		*33.7*								
65	15 to 19 years	79.3		206.6	*5.6*	*5.9*			*16.1*	*11.2*	*139.7*	*11.2*
66	20 to 24 years	*43.3*		*100.8*	*4.4*		*72.5*	*33.3*				*18.0*
67	25 to 34 years	*11.5*	*9.2*	*15.1*	*5.5*	*3.9*	*28.0*	*14.1*	*1.8*		*36.5*	*12.3*
68	35 to 44 years	*7.0*		*17.5*	*5.7*	*4.2*	*23.6*	*4.7*	*3.7*	*1.9*	*40.6*	
69	45 to 54 years	*20.9*		*47.2*	*2.6*	*2.8*		*6.7*	*8.0*	*5.8*	*60.0*	*6.0*
70	55 to 64 years											
71	65 to 74 years											
72	75 years and over											

[1] Exclusive of stillbirths.

FROM ALL CAUSES AND CERTAIN SPECIFIED CAUSES PER 100,000 ENUMERATED POPULATION, BY SEX, IN EACH OR MORE IN 1920: 1920.

[Rates in *italics* are based on less than 5 deaths.]

DEATH RATE PER 100,000 ENUMERATED POPULATION.															
Bridgeport.	Hartford.	New Haven.	Wilmington, Del.			Washington.			Atlanta.			Chicago.			
			Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.	
1,406.3	1,717.3	1,463.9	1,444.4	1,323.9	2,863.7	1,521.5	1,253.2	2,329.5	1,956.9	1,665.5	2,596.3	1,405.6	1,365.4	2,551.0	1
1,304.0	1,663.3	1,461.2	1,418.7	1,321.2	2,317.8	1,477.0	1,273.6	2,077.5	1,737.1	1,471.9	2,318.9	1,289.9	1,257.1	2,042.9	2
10,924.6	14,364.6	10,463.5	13,245.6	12,068.2	31,944.4	12,192.5	9,142.1	21,628.3	12,803.2	10,804.9	18,301.3	11,094.0	10,836.8	19,449.9	3
1,156.0	1,197.5	1,296.5	1,536.8	1,387.9	3,917.9	1,144.7	849.6	1,985.5	1,877.2	1,550.5	2,784.0	1,198.8	1,137.2	3,871.6	4
3,174.6	3,872.9	3,093.6	4,003.1	3,636.9	9,852.9	3,535.3	2,673.2	6,035.4	4,243.0	3,550.7	6,160.6	3,056.7	2,947.2	7,524.6	5
402.0	440.7	368.9	317.5	331.5	*139.9*	425.6	387.6	522.2	491.9	454.8	580.3	400.8	392.0	758.8	6
178.1	208.3	241.9	262.6	199.0	973.6	254.9	210.6	367.1	310.7	238.2	471.3	238.5	228.3	597.2	7
426.1	370.0	350.4	488.7	323.1	1,986.0	533.9	302.7	1,098.4	705.3	438.3	1,255.9	413.1	395.3	903.7	8
393.6	565.7	395.2	356.5	252.0	1,154.7	523.0	359.4	1,018.9	1,042.7	715.8	1,632.6	524.7	487.0	1,195.5	9
658.4	663.8	624.2	648.6	594.8	1,115.2	706.2	505.2	1,325.5	951.4	626.9	1,624.2	654.9	620.7	1,258.6	10
811.4	1,086.9	905.3	800.8	751.6	1,164.6	971.0	732.2	1,596.1	1,460.3	1,041.8	2,345.3	851.8	799.8	1,684.5	11
1,527.9	1,814.6	1,483.7	1,301.7	1,229.3	1,827.1	1,567.4	1,181.8	2,759.3	2,432.4	1,718.3	4,004.8	1,478.4	1,419.8	2,697.0	12
2,940.4	4,040.0	3,102.4	2,412.4	2,199.9	4,666.7	3,151.4	2,674.7	5,200.4	3,778.6	3,293.4	5,137.5	2,938.6	2,880.0	5,178.9	13
6,073.0	7,494.7	7,467.8	6,053.4	5,825.2	8,571.4	6,011.0	5,844.3	6,777.6	7,277.0	8,161.5	4,541.5	6,055.5	6,031.1	7,102.7	14
3,655.6	16,784.6	14,676.1	13,681.8	13,118.8	21,348.3	13,684.5	14,084.0	11,625.7	14,832.8	16,625.5	9,767.4	13,626.4	13,708.9	10,526.3	15
1,383.8	1,717.7	1,490.9	1,424.0	1,330.7	2,265.4	1,601.1	1,453.7	2,036.4	1,782.1	1,540.7	2,343.1	1,349.6	1,317.8	2,058.8	16
11,835.6	15,298.0	12,894.1	14,949.3	13,938.8	30,555.6	13,665.0	10,540.8	23,821.7	15,205.6	12,252.4	23,505.2	12,708.4	12,431.8	22,043.0	17
1,427.1	1,246.3	1,134.9	1,457.3	1,355.8	3,187.3	1,256.4	969.6	2,107.7	1,890.1	1,660.3	2,538.1	1,284.8	1,218.2	4,301.1	18
3,648.3	4,190.4	3,455.2	4,253.5	3,951.8	9,287.9	3,981.3	3,108.0	6,624.3	4,744.8	3,929.6	7,041.6	3,428.2	3,309.6	8,475.6	19
464.4	481.0	396.0	435.1	470.0	.....	433.2	432.1	436.0	477.5	465.6	506.2	451.8	439.0	976.6	20
270.3	238.4	222.1	304.7	280.8	*674.7*	295.3	285.9	319.5	363.2	327.2	448.1	260.1	252.3	557.5	21
540.8	281.4	378.3	483.6	398.8	1,333.3	492.1	369.1	820.2	655.4	434.3	1,138.1	433.6	410.7	1,074.0	22
377.5	574.3	465.0	333.6	239.9	1,011.6	578.6	497.0	814.0	903.6	611.0	1,484.3	512.3	475.0	1,141.3	23
620.6	609.7	593.8	632.2	532.7	1,513.8	789.1	616.1	1,319.3	780.7	465.1	1,524.8	638.7	602.1	1,283.7	24
805.8	1,169.4	904.9	908.1	868.5	1,206.0	1,115.8	952.9	1,543.7	1,397.6	1,013.4	2,264.4	888.2	834.2	1,713.6	25
1,663.4	1,935.7	1,590.4	1,437.2	1,393.5	1,732.7	1,650.0	1,344.5	2,551.3	2,474.3	1,864.6	3,785.7	1,575.1	1,526.6	2,466.7	26
2,994.8	4,528.3	3,364.7	2,402.7	2,132.4	4,802.3	3,294.2	2,903.5	4,977.0	4,613.3	4,311.9	5,468.8	3,137.8	3,100.4	4,513.7	27
6,741.6	8,663.2	7,235.7	6,469.8	6,039.8	11,111.1	7,212.2	7,150.1	7,497.7	8,333.3	9,943.0	3,564.7	6,202.9	6,173.6	7,547.2	28
16,258.4	16,637.2	15,096.8	11,718.7	11,231.1	16,326.5	14,413.4	14,770.7	12,470.0	15,883.3	17,660.0	10,975.6	13,763.0	13,866.8	9,090.9	29
1,219.8	1,608.9	1,432.3	1,413.3	1,311.3	2,374.5	1,369.1	1,117.1	2,113.2	1,695.5	1,405.8	2,298.2	1,228.4	1,194.8	2,025.5	30
9,940.8	13,347.8	7,983.9	11,627.9	10,297.9	33,333.3	10,680.2	7,670.1	19,538.8	10,418.9	9,352.0	13,293.7	9,444.8	9,204.0	16,986.0	31
886.5	1,148.4	1,458.7	1,615.4	1,419.9	4,561.4	1,034.1	728.5	1,871.5	1,864.1	1,437.7	3,028.6	1,110.8	1,054.2	3,467.1	32
2,695.7	3,548.1	2,729.6	3,757.7	3,326.6	10,364.1	3,090.6	2,230.2	5,483.9	3,735.0	3,163.6	5,290.8	2,676.6	2,575.9	6,626.9	33
339.4	400.1	341.5	202.6	196.5	*280.9*	418.1	343.6	604.9	506.6	443.8	653.3	349.5	344.7	544.5	34
85.1	179.0	261.5	222.6	121.3	1,347.7	216.3	137.9	411.3	261.4	151.3	491.2	216.9	204.2	631.4	35
323.3	449.2	325.3	493.5	251.4	2,494.8	570.5	241.8	1,315.3	747.6	441.9	1,348.9	394.1	380.9	750.7	36
408.0	558.1	335.3	380.1	264.3	1,318.0	481.0	258.0	1,184.0	1,151.1	804.4	1,743.2	535.3	497.2	1,246.8	37
702.1	721.8	654.4	667.2	665.7	680.3	637.7	413.8	1,330.7	1,103.4	782.4	1,699.5	671.5	639.9	1,232.5	38
818.1	998.8	905.7	677.4	616.6	1,118.6	846.6	542.1	1,640.9	1,521.6	1,070.7	2,417.8	809.3	759.9	1,646.9	39
1,369.2	1,681.2	1,375.0	1,147.1	1,045.7	1,951.2	1,489.0	1,030.9	2,970.5	2,386.5	1,560.5	4,253.0	1,367.8	1,299.2	3,042.6	40
2,883.6	3,557.2	2,851.7	2,422.1	2,265.7	4,471.5	3,025.7	2,473.0	5,396.5	3,036.4	2,381.6	4,848.5	2,723.9	2,642.8	5,952.4	41
5,465.5	6,492.9	7,669.2	5,680.5	5,633.8	6,206.9	5,130.1	4,886.4	6,250.0	6,410.3	6,727.8	5,392.2	5,920.7	5,900.4	6,743.0	42
12,054.8	16,868.7	14,404.7	14,955.6	14,285.7	27,500.0	13,173.0	13,595.0	11,076.4	14,202.3	16,010.5	9,022.6	13,525.9	13,592.0	11,315.8	43
1.8	6.1	6.1	14.2	9.7	52.6	6.3	5.0	9.8	14.2	17.2	6.6	1.1	1.1	0.7	44
2.1	7.2	6.8	14.5	10.1	55.6	6.6	5.5	9.9	14.0	16.7	8.0	1.1	1.2	*0.9*	45
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	46
.....	.....	.....	.....	.....	.....	.....	.....	.....	*7.4*	*10.1*	.....	*0.9*	*0.9*	.....	47
.....	.....	.....	.....	.....	.....	.....	.....	.....	*5.8*	*7.9*	.....	*0.7*	*0.8*	.....	48
.....	.....	*6.0*	.....	.....	.....	.....	.....	.....	*11.4*	*16.2*	.....	.....	.....	.....	49
.....	.....	.....	.....	.....	.....	*6.7*	.....	*23.7*	*5.9*	*8.5*	.....	*0.4*	*0.5*	.....	50
.....	.....	.....	58.2	*38.8*	*233.6*	17.9	*12.6*	*30.8*	27.3	*32.5*	*16.7*	2.5	2.6	.....	51
.....	*22.3*	.....	.....	.....	.....	*7.8*	*10.4*	.....	20.9	*13.0*	*35.2*	*0.8*	*0.4*	*7.6*	52
.....	*11.0*	*14.1*	28.8	*16.1*	*139.4*	8.9	8.8	*9.1*	*7.2*	*10.7*	.....	1.3	1.3	.....	53
4.7	*9.7*	*8.6*	*25.2*	*21.5*	*52.9*	*5.6*	*3.9*	*10.2*	*13.1*	*14.5*	*10.2*	1.7	1.8	.....	54
14.0	*6.5*	*17.3*	*8.5*	*9.7*	.....	*5.7*	*5.1*	*7.8*	*16.0*	*23.2*	.....	*1.4*	*1.5*	.....	55
.....	*12.5*	*9.8*	.....	.....	.....	*7.4*	*4.5*	*19.6*	*42.6*	*57.8*	.....	*1.3*	*1.3*	.....	56
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*1.6*	*1.6*	.....	57
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	58
2.7	14.5	7.5	17.8	13.8	*53.5*	8.8	9.2	7.8	17.6	20.8	*10.3*	1.8	1.8	*1.7*	59
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	60
.....	.....	.....	.....	.....	.....	.....	.....	.....	*14.8*	*20.0*	.....	*1.8*	*1.8*	.....	61
.....	.....	.....	.....	.....	.....	.....	.....	.....	*11.6*	*15.7*	.....	*1.5*	*1.5*	.....	62
.....	.....	*12.0*	.....	.....	.....	.....	.....	.....	*11.4*	*16.1*	.....	.....	.....	.....	63
.....	.....	.....	.....	.....	.....	.....	.....	.....	*12.1*	*17.2*	.....	*0.9*	*0.9*	.....	64
.....	.....	.....	*72.5*	*53.2*	*266.7*	*19.2*	*17.6*	*28.4*	*47.7*	*52.1*	*37.9*	*4.1*	*4.3*	.....	65
.....	*47.9*	.....	.....	.....	.....	*9.1*	*12.3*	.....	*28.1*	*14.2*	*55.0*	*1.7*	*0.9*	*15.6*	66
.....	*21.3*	*7.1*	*27.1*	*20.1*	*89.0*	17.2	19.6	*10.0*	*5.1*	*7.3*	.....	1.8	1.9	.....	67
8.6	*18.7*	*8.5*	*35.4*	*26.7*	*100.5*	*6.1*	*8.4*	.....	*13.2*	*19.1*	.....	2.7	2.9	.....	68
18.0	*12.4*	*22.9*	*16.0*	*18.3*	.....	*11.8*	*10.5*	*15.6*	*10.2*	*14.9*	.....	*1.3*	*1.4*	.....	69
.....	*25.2*	*20.0*	.....	.....	.....	*7.9*	.....	*41.3*	*67.8*	*91.7*	.....	*1.2*	*1.3*	.....	70
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*3.4*	*3.4*	.....	71
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	72

TABLE 2.—CRUDE AND ADJUSTED DEATH RATES AT ALL AGES, AND SPECIFIC DEATH RATES IN 13 AGE GROUPS, REGISTRATION CITY OF 100,000 POPULATION

[Rates in *italics* are based on less than 5 deaths.]

	CAUSE OF DEATH, SEX, AND AGE.	DEATH RATE PER 100,000 ENUMERATED POPULATION.										
		Birmingham.			Los Angeles.			Oakland.	San Francisco.			Denver.
		Total.	White.	Colored.	Total.	White.	Colored.		Total.	White.	Colored.	
	Typhoid fever—Continued.											
	FEMALES.											
1	All ages—Crude rate	11.1	7.4	16.6	1.7	1.8	.....	4.8	2.6	2.6	.....	5.6
2	Under 1 year	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	1 to 4 years	*30.8*	*23.7*	*48.9*	.....	.....	.....	.....	.....	.....	.....	.....
4	Under 5 years	*24.1*	*18.7*	*34.1*	.....	.....	.....	.....	.....	.....	.....	.....
5	5 to 9 years	.....	.....	.....	*5.1*	*5.3*	.....	*11.7*	.....	.....	.....	.....
6	10 to 14 years	*11.8*	.....	*30.8*	.....	.....	.....	.....	*6.3*	*6.4*	.....	.....
7	15 to 19 years	*22.5*	.....	*54.0*	*5.1*	*5.3*	.....	.....	.....	.....	.....	*20.4*
8	20 to 24 years	*17.7*	*16.3*	*19.3*	.....	.....	.....	.....	*8.9*	*9.2*	.....	*16.8*
9	25 to 34 years	*10.9*	*9.4*	*12.9*	*1.3*	*1.9*	.....	*15.0*	*2.0*	*2.1*	.....	*4.3*
10	35 to 44 years	*7.7*	*13.4*	.....	*2.0*	*2.1*	.....	*5.7*	*4.3*	*4.9*	.....	*5.0*
11	45 to 54 years	.....	.....	.....	*2.6*	*2.7*	.....	.....	.....	.....	.....	*6.7*
12	55 to 64 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	65 to 74 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
14	75 years and over	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (all forms).											
	BOTH SEXES.											
15	All ages—Adjusted rate	157.5	72.0	283.7	168.8	157.2	391.5	97.6	117.9	106.9	424.6	276.5
16	Crude rate	163.3	67.3	311.7	188.1	176.5	402.6	101.3	134.6	121.6	516.4	320.9
17	Under 1 year	*111.6*	.....	*316.0*	198.7	191.6	*261.4*	154.0	198.1	176.5	*606.1*	356.9
18	1 to 4 years	*23.2*	*23.3*	*23.0*	81.8	67.6	244.6	129.2	115.6	100.8	432.9	126.0
19	Under 5 years	42.4	*18.3*	89.0	104.9	91.7	248.6	134.1	132.2	116.0	471.4	170.0
20	5 to 9 years	51.3	*27.5*	90.2	53.0	42.5	250.1	29.4	32.7	30.6	*107.0*	.....
21	10 to 14 years	42.2	.....	112.6	69.2	61.0	*270.6*	44.8	37.8	35.4	*149.9*	32.3
22	15 to 19 years	230.7	91.3	438.7	172.8	166.8	302.7	114.5	92.1	83.1	*590.6*	213.5
23	20 to 24 years	233.6	*35.1*	480.7	249.7	214.6	803.9	138.6	156.7	141.1.	500.3	417.6
24	25 to 34 years	226.2	51.3	487.2	240.6	230.5	395.1	89.8	140.2	124.1	555.3	605.9
25	35 to 44 years	193.9	93.0	338.8	219.1	207.9	385.7	87.9	151.4	142.6	404.6	479.4
26	45 to 54 years	134.1	126.2	145.0	180.1	174.5	303.5	121.8	164.8	152.7	549.5	280.9
27	55 to 64 years	228.8	141.1	443.1	212.2	207.5	381.1	145.8	200.3	168.6	1,349.9	232.4
28	65 to 74 years	327.3	397.4	*126.6*	206.1	181.3	1,686.7	151.1	215.7	193.5	*1,632.6*	198.1
29	75 years and over	*88.7*	*135.7*	.....	272.1	266.3	*666.7*	*122.6*	*67.0*	*67.5*	.....	236.8
	MALES.											
30	All ages—Crude rate	158.4	58.4	318.9	233.2	220.7	430.8	108.1	164.6	146.0	575.4	389.7
31	Under 1 year	*167.8*	.....	*493.4*	180.6	172.8	*247.5*	*119.8*	179.4	157.4	*595.2*	*178.5*
32	1 to 4 years	*31.1*	*22.9*	*48.2*	103.6	77.6	392.5	106.1	115.1	104.4	*349.0*	70.0
33	Under 5 years	60.8	*18.0*	*149.0*	119.0	96.3	357.6	108.9	128.2	115.1	*404.9*	90.1
34	5 to 9 years	57.5	*18.4*	*123.1*	65.1	52.9	*287.4*	*35.4*	*11.9*	*6.1*	*208.3*	.....
35	10 to 14 years	*24.6*	.....	*67.5*	54.3	56.4	.....	*12.3*	31.7	32.5	.....	*22.0*
36	15 to 19 years	238.0	*85.9*	482.1	150.6	146.6	*227.0*	83.5	91.4	72.7	*558.7*	212.8
37	20 to 24 years	248.8	*19.0*	554.3	246.5	215.5	724.6	101.5	186.6	171.6	417.0	432.3
38	25 to 34 years	172.0	*37.0*	392.6	272.7	264.4	392.0	84.7	156.0	132.3	620.9	739.3
39	35 to 44 years	222.6	80.9	436.9	316.7	307.2	424.3	109.1	192.2	180.0	446.1	597.8
40	45 to 54 years	146.6	131.8	165.1	251.8	245.0	363.1	147.2	212.3	194.4	599.9	437.9
41	55 to 64 years	272.6	195.3	450.9	305.6	299.5	*468.9*	202.3	304.7	255.7	1,401.9	338.2
42	65 to 74 years	*138.6*	*188.5*	.....	275.9	221.8	2,904.6	298.1	292.3	250.2	*1,834.9*	256.5
43	75 years and over	.....	.....	.....	389.0	374.0	*1,408.5*	*69.1*	*108.1*	*109.2*	.....	328.9
	FEMALES.											
44	All ages—Crude rate	168.2	76.3	304.9	144.1	133.9	365.3	94.0	99.6	93.8	372.2	248.0
45	Under 1 year	*55.7*	.....	*152.0*	217.8	211.4	*277.0*	*190.2*	217.5	196.3	*617.3*	551.1
46	1 to 4 years	*15.4*	*23.7*	.....	59.5	57.3	*84.8*	152.3	116.0	97.2	*515.5*	182.0
47	Under 5 years	*24.1*	*18.7*	*34.1*	90.4	86.9	*129.9*	159.7	136.3	116.9	*537.6*	250.7
48	5 to 9 years	*45.2*	*36.7*	*68.8*	40.6	32.0	*209.4*	*23.5*	53.8	55.3	.....	.....
49	10 to 14 years	59.0	.....	153.8	83.7	65.4	*521.5*	76.7	43.8	38.2	*352.1*	*42.1*
50	15 to 19 years	224.6	96.2	404.7	193.0	185.0	*589.1*	143.6	93.0	94.8	.....	214.3
51	20 to 24 years	221.2	*49.0*	424.3	252.6	213.8	877.8	174.5	125.3	110.1	*714.3*	403.9
52	25 to 34 years	277.7	65.9	568.2	209.4	197.8	398.4	95.1	122.3	115.1	408.5	466.3
53	35 to 44 years	162.0	107.1	236.7	118.2	109.3	312.6	62.4	98.5	95.4	*267.7*	351.2
54	45 to 54 years	116.7	119.1	*112.9*	108.0	105.8	*183.2*	90.6	100.5	98.1	*298.5*	106.6
55	55 to 64 years	180.5	*88.3*	*433.8*	121.7	119.9	*217.9*	81.4	69.0	63.2	*984.6*	107.7
56	65 to 74 years	496.3	581.4	*245.1*	143.2	145.1	.....	.....	132.4	133.2	.....	136.1
57	75 years and over	*150.2*	*227.3*	.....	166.5	169.0	.....	*165.3*	*31.3*	*31.5*	.....	*161.4*
	Cancer and other malignant tumors.											
	BOTH SEXES.											
58	All ages—Adjusted rate	82.6	85.8	72.8	102.0	102.0	123.3	85.2	132.1	129.8	235.6	92.4
59	Crude rate	59.8	65.4	51.2	138.0	141.2	80.5	101.3	152.6	150.4	216.2	110.3
60	Under 1 year	.....	.....	.....	*13.2*	*14.7*	.....	.....	*15.2*	*16.0*	.....	.....
61	1 to 4 years	.....	.....	.....	16.4	17.8	.....	.....	*7.7*	*8.1*	.....	.....
62	Under 5 years	.....	.....	.....	15.7	17.2	.....	.....	*9.2*	*9.7*	.....	.....
63	5 to 9 years	*11.4*	*9.2*	*15.0*	*5.0*	*5.3*	.....	.....	*3.0*	*3.1*	.....	*10.9*
64	10 to 14 years	*12.1*	*19.3*	.....	.....	.....	.....	.....	*3.1*	*3.2*	.....	.....
65	15 to 19 years	*12.1*	*10.1*	*15.1*	*2.7*	*2.8*	.....	.....	*8.6*	*8.9*	.....	*16.0*
66	20 to 24 years	*9.7*	.....	*21.8*	14.6	13.3	*35.0*	.....	15.2	15.9	.....	.....
67	25 to 34 years	19.5	*14.0*	*27.8*	18.9	19.2	*14.6*	14.6	36.7	36.2	*50.5*	25.1
68	35 to 44 years	73.2	55.8	98.1	74.6	76.5	*46.3*	43.9	88.8	83.2	249.0	74.7
69	45 to 54 years	97.5	115.7	72.5	226.1	230.8	*121.4*	158.7	260.9	255.0	449.6	173.6
70	55 to 64 years	386.1	443.4	246.2	403.9	393.9	762.2	399.4	667.5	654.5	1,142.3	410.3
71	65 to 74 years	687.4	706.4	632.9	776.8	777.7	*722.9*	717.6	919.9	896.7	2,298.9	671.4
72	75 years and over	709.2	814.1	*511.5*	1,146.7	1,144.0	*1,533.3*	1,011.3	1,306.5	1,316.2	.....	1,065.4

FROM ALL CAUSES AND CERTAIN SPECIFIED CAUSES PER 100,000 ENUMERATED POPULATION, BY SEX, IN EACH OR MORE IN 1920: 1920—Continued.

[Rates in *italics* are based on less than 5 deaths.]

DEATH RATE PER 100,000 ENUMERATED POPULATION.														
Bridgeport.	Hartford.	New Haven.	Wilmington, Del.			Washington.			Atlanta.			Chicago.			
			Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.	
1.4	.....	6.1	11.1	*6.1*	*57.9*	4.7	*2.3*	11.8	10.6	12.8	*5.9*	0.5	0.5	.....	1
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4
.....	.....	.....	.....	.....	.....	.....	.....	.....	*11.5*	*16.4*	.....	.....	.....	.....	5
.....	.....	.....	.....	.....	.....	*18.1*	.....	*45.7*	.....	.....	.....	.....	.....	.....	6
.....	.....	.....	*44.9*	*26.1*	*207.9*	*16.8*	*8.1*	*36.5*	*10.1*	*15.2*	.....	*1.0*	*1.0*	.....	7
.....	.....	.....	.....	.....	.....	*6.9*	*9.1*	.....	*15.1*	*12.0*	*20.5*	.....	.....	.....	8
.....	.....	*21.1*	*30.8*	*11.5*	*194.4*	*2.0*	.....	*8.3*	*9.1*	*14.0*	.....	*0.7*	*0.8*	.....	9
.....	.....	*8.8*	*13.5*	*15.4*	.....	*5.2*	.....	*18.9*	*13.0*	*9.7*	*19.3*	*0.5*	*0.6*	.....	10
15.2	.....	*11.7*	.....	.....	.....	.....	.....	.....	*22.3*	*32.2*	.....	*1.5*	*1.6*	.....	11
.....	.....	.....	.....	.....	.....	*6.9*	*8.6*	.....	*20.1*	*27.4*	.....	*1.3*	*1.4*	.....	12
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	13
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	14
102.6	97.9	85.9	107.4	87.8	290.8	122.1	75.9	259.7	102.3	81.9	141.6	91.4	82.2	313.3	15
106.6	102.1	89.2	111.6	92.6	287.4	135.1	86.3	279.1	109.7	85.6	162.3	98.4	88.3	329.7	16
170.7	241.7	284.3	*164.5*	*174.9*	.....	*60.7*	*60.3*	*62.2*	*53.9*	*73.5*	.....	78.2	74.6	*196.5*	17
81.5	132.1	152.5	54.9	*35.0*	*373.1*	79.7	51.0	161.4	44.7	*40.5*	*56.2*	44.7	38.8	300.9	18
99.9	154.4	178.4	78.0	64.5	*294.1*	75.6	53.0	141.0	46.7	47.7	*44.0*	51.0	45.5	276.4	19
35.3	*8.3*	*12.1*	*30.7*	*33.2*	.....	43.6	32.7	71.2	*11.4*	.....	*38.7*	21.7	15.1	290.6	20
.....	*27.2*	*13.8*	*45.7*	*12.4*	*417.2*	23.5	*9.4*	59.2	29.3	*17.0*	*56.6*	25.6	18.4	274.4	21
179.9	113.8	62.3	128.0	77.5	584.1	158.1	42.0	441.4	164.0	89.3	318.2	106.5	96.5	381.2	22
126.2	171.2	83.2	80.2	*40.3*	384.9	144.9	72.9	363.3	175.9	110.6	293.6	138.2	116.4	525.4	23
121.3	106.4	109.3	153.7	128.6	371.7	180.2	110.5	394.9	129.7	96.2	199.3	135.3	123.7	339.9	24
126.6	101.4	120.7	126.1	128.8	*105.9*	161.6	134.0	233.8	114.6	101.3	142.8	130.5	122.1	265.8	25
133.2	104.1	103.9	119.1	106.5	*210.8*	151.4	111.6	274.4	111.8	123.8	85.2	111.6	101.7	317.8	26
133.0	112.6	58.7	100.5	94.3	*166.7*	151.3	86.4	430.1	138.4	130.0	*161.8*	117.4	111.3	350.3	27
126.9	132.4	120.8	237.4	194.2	*714.3*	141.6	120.7	237.8	170.7	197.7	*87.3*	76.8	77.0	*70.3*	28
.....	.....	.....	461.2	495.0	.....	*61.4*	*36.7*	*189.0*	*121.6*	*164.6*	.....	44.0	45.2	.....	29
116.7	105.6	96.0	110.4	94.9	249.7	160.7	113.1	300.9	85.0	65.2	130.9	108.0	96.2	369.8	30
219.2	*264.9*	394.1	*168.9*	*179.9*	.....	*80.0*	.....	*127.4*	*54.1*	*73.4*	.....	96.7	95.6	*134.4*	31
89.2	122.9	138.4	*44.2*	*46.8*	.....	101.2	56.4	234.2	*14.8*	.....	*56.4*	41.1	34.7	330.9	32
116.9	152.6	188.9	*70.0*	*74.2*	.....	85.5	43.8	212.0	*23.2*	*15.7*	*44.3*	51.5	46.1	284.6	33
42.2	*16.6*	.....	*41.4*	*44.8*	.....	54.2	47.0	*72.7*	*22.7*	.....	*77.9*	30.1	21.4	390.6	34
.....	*36.7*	*13.9*	*23.4*	.....	*287.4*	*27.5*	*19.1*	*49.2*	.....	.....	.....	17.0	12.0	209.1	35
100.1	*60.3*	*49.3*	*96.7*	*58.2*	*533.5*	102.3	*35.1*	281.2	107.2	*34.7*	265.6	81.2	69.2	417.7	36
125.8	95.7	*60.0*	*52.7*	*40.0*	*144.5*	154.9	98.2	318.5	93.7	99.5	*82.5*	130.3	104.6	562.9	37
122.8	106.3	141.4	162.6	130.7	445.2	216.3	150.0	419.8	107.2	72.7	188.5	138.9	125.4	377.2	38
162.9	102.9	109.9	129.7	147.0	.....	212.8	167.9	330.8	119.2	105.2	151.0	151.6	140.6	319.5	39
168.9	173.7	137.3	159.7	146.7	*247.5*	212.6	168.7	342.3	132.4	134.2	*128.3*	148.5	134.1	413.3	40
156.2	201.3	100.1	143.0	*127.3*	*232.5*	204.9	126.2	543.7	113.1	*91.7*	*173.6*	157.4	152.9	325.7	41
198.3	*114.7*	*86.7*	*188.4*	*68.6*	*1,481.5*	200.8	163.0	*574.9*	*94.7*	*68.3*	*187.6*	113.9	116.4	.....	42
.....	.....	.....	*195.3*	*216.0*	.....	*74.5*	*44.1*	*239.8*	.....	.....	.....	62.4	63.8	.....	43
95.9	98.7	82.6	113.0	90.1	328.2	112.8	62.9	260.1	132.5	105.2	189.3	88.5	80.2	285.9	44
118.3	*216.5*	*172.3*	*160.4*	*170.2*	.....	*92.3*	*123.7*	.....	*53.7*	*73.6*	.....	59.3	53.0	*255.4*	45
73.9	141.3	166.7	*65.5*	*23.3*	*701.8*	58.4	*45.5*	*93.6*	75.2	*32.2*	*56.1*	48.5	43.1	272.7	46
82.8	156.1	167.8	85.8	*54.8*	*560.2*	65.6	62.4	*74.4*	70.5	80.3	*43.7*	50.5	44.9	268.7	47
28.3	.....	*24.4*	*20.3*	*21.8*	.....	33.2	*18.6*	*69.8*	.....	.....	.....	13.2	8.8	192.2	48
.....	*17.9*	*15.8*	*66.8*	*24.3*	*539.1*	*19.7*	.....	*68.6*	56.8	*33.6*	*105.3*	34.1	24.9	330.7	49
251.5	161.7	73.9	157.0	*100.6*	*623.7*	206.9	48.4	566.3	212.1	137.1	359.7	130.1	122.0	348.5	50
126.6	237.2	103.2	108.6	*40.7*	*669.0*	137.4	54.3	399.4	242.3	120.1	451.2	145.0	126.5	489.8	51
119.5	106.4	77.4	143.7	126.2	*291.5*	150.3	77.9	374.3	149.8	118.8	207.6	131.5	122.0	301.3	52
82.9	99.9	131.9	121.9	107.9	*223.7*	117.6	104.8	150.9	110.1	97.3	135.4	105.9	100.5	196.5	53
91.3	*27.3*	69.9	*72.8*	*61.5*	*162.6*	93.3	58.6	205.4	89.2	112.6	*36.4*	69.4	65.1	174.4	54
103.8	*24.9*	*19.1*	*67.7*	*62.1*	.....	104.1	51.3	330.4	160.9	164.2	*151.5*	74.2	66.6	378.8	55
60.1	*147.6*	*150.4*	281.2	306.2	.....	98.2	89.7	*137.4*	233.1	305.8	.....	42.9	40.8	*127.2*	56
.....	.....	.....	633.7	667.6	.....	*52.3*	*31.4*	*156.0*	*194.6*	*262.5*	.....	*30.6*	*31.5*	.....	57
112.3	142.7	120.4	92.1	91.4	99.7	88.1	90.9	73.6	98.4	108.7	66.8	104.6	104.6	96.7	58
94.0	143.4	123.0	92.6	92.6	92.7	98.5	107.4	72.3	86.7	97.3	63.7	96.2	96.8	82.6	59
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	60
.....	.....	.....	.....	.....	.....	*8.4*	*11.3*	.....	.....	.....	.....	2.7	2.8	.....	61
.....	.....	.....	.....	.....	.....	*6.6*	*8.8*	.....	.....	.....	.....	2.2	2.3	.....	62
.....	.....	*6.0*	.....	.....	.....	*3.4*	*4.7*	.....	*5.7*	*8.1*	.....	*1.5*	*1.6*	.....	63
.....	.....	*6.9*	.....	.....	.....	.....	.....	.....	.....	.....	.....	3.1	3.2	.....	64
.....	.....	7.8	.....	.....	.....	.....	.....	.....	.....	.....	.....	3.0	2.6	*14.1*	65
.....	.....	*6.9*	.....	.....	.....	*3.9*	*5.2*	.....	*12.6*	*6.5*	*23.5*	7.7	6.0	38.1	66
10.4	29.3	*14.1*	*14.4*	*10.7*	*46.5*	10.0	10.3	*9.1*	24.0	24.9	*22.1*	19.5	19.3	*13.5*	67
61.0	115.9	86.2	82.0	85.9	*52.9*	68.9	60.2	91.5	117.9	101.3	153.0	68.3	66.9	89.9	68
259.3	292.7	242.5	153.1	145.2	*210.3*	189.7	190.2	188.1	218.2	239.9	170.4	232.8	233.2	224.8	69
505.6	725.5	538.3	344.6	361.4	*166.7*	420.7	432.1	371.5	340.6	375.6	242.7	493.8	491.0	600.5	70
818.1	1,218.2	1,046.7	801.2	776.7	*1,071.4*	715.1	758.6	515.3	746.9	960.2	*87.3*	788.9	795.8	492.3	71
1,526.7	1,093.2	1,164.0	1,306.7	1,320.1	*1,123.6*	829.4	916.9	*373.1*	972.6	1,070.0	*697.7*	1,074.6	1,098.7	*169.8*	72

TABLE 2.—CRUDE AND ADJUSTED DEATH RATES AT ALL AGES, AND SPECIFIC DEATH RATES IN 13 AGE GROUPS, REGISTRATION CITY OF 100,000 POPULATION

[Rates in *italics* are based on less than 5 deaths.]

	CAUSE OF DEATH, SEX, AND AGE.	DEATH RATE PER 100,000 ENUMERATED POPULATION.										
		Birmingham.			Los Angeles.			Oakland.	San Francisco.			Denver.
		Total.	White.	Colored.	Total.	White.	Colored.		Total.	White.	Colored.	
	Cancer and other malignant tumors—Continued.											
	MALES.											
1	All ages—Crude rate	39.3	51.1	20.5	119.9	123.4	64.9	81.3	147.8	143.0	253.9	94.0
2	Under 1 year											
3	1 to 4 years				*19.4*	*21.2*			*15.3*	*16.1*		
4	Under 5 years				*15.5*	*17.0*			*12.2*	*12.8*		
5	5 to 9 years				*5.0*	*5.3*						*22.0*
6	10 to 14 years								*6.3*	*6.5*		
7	15 to 19 years				*5.6*	*5.9*			*5.4*	*5.6*		*22.4*
8	20 to 24 years	*10.8*		*25.2*	22.0	*18.7*	*72.5*		25.4	27.1		
9	25 to 34 years				14.6	15.7		*4.7*	26.6	24.2	*73.0*	*12.3*
10	35 to 44 years	*20.9*	*34.7*		26.7	27.0	*28.6*	*19.0*	57.3	48.4	243.3	64.9
11	45 to 54 years	*31.4*	*37.7*	*23.6*	173.1	175.4	*136.2*	93.6	236.2	224.9	479.9	138.0
12	55 to 64 years	354.3	429.7	*180.3*	372.6	364.6	586.2	238.0	674.4	657.6	1,051.4	283.3
13	65 to 74 years	831.6	848.3	*785.3*	785.8	802.0		844.5	998.7	963.3	2,293.6	641.3
14	75 years and over	*649.4*	*1,010.1*		1,249.0	1,246.6	*1,408.5*	1,243.1	1,476.9	1,492.0		1,250.0
	FEMALES.											
15	All ages—Crude rate	80.2	80.0	80.4	155.7	158.3	101.0	122.7	158.1	158.9	124.1	127.6
16	Under 1 year				*27.2*	*30.2*			*31.1*	*32.7*		
17	1 to 4 years				*13.2*	*14.3*						
18	Under 5 years				*16.0*	*17.4*			*6.2*	*6.5*		
19	5 to 9 years	*22.6*	*18.3*	*29.4*	*5.1*	*5.3*			*6.0*	*6.1*		
20	10 to 14 years	*23.6*	*58.3*									
21	15 to 19 years	*22.5*	*19.2*	*27.0*					*12.4*	*12.6*		*10.2*
22	20 to 24 years	*8.3*		*19.3*	*7.9*	*8.4*			*4.5*	*4.6*		
23	25 to 34 years	38.1	*28.2*	*51.7*	23.1	22.6	*30.5*	25.0	48.1	49.3		38.5
24	35 to 44 years	131.1	80.3	200.3	124.2	125.8	*89.3*	73.8	129.7	127.2	*267.7*	85.3
25	45 to 54 years	189.6	214.4	*150.5*	279.3	284.9	*91.6*	238.8	294.4	294.4	*298.5*	213.2
26	55 to 64 years	421.2	458.0	*326.4*	434.2	421.8	1,089.3	583.4	658.9	650.7	*1,869.2*	560.0
27	65 to 74 years	558.3	581.4	*490.2*	768.6	755.9	*1,724.1*	587.2	834.3	825.8	*2,326.6*	703.3
28	75 years and over	750.8	*681.8*	*885.0*	1,054.4	1,051.2	*1,265.8*	826.4	1,158.4	1,164.3		914.5
	Acute nephritis and Bright's disease.											
	BOTH SEXES.											
29	All ages—Adjusted rate	128.4	103.6	167.1	79.8	78.3	124.4	75.6	95.3	92.7	150.1	84.3
30	Crude rate	98.4	78.3	129.5	105.8	106.1	100.6	90.6	108.0	105.3	186.1	96.3
31	Under 1 year	139.5	*86.3*	*237.0*	66.2	73.7		*30.8*	*15.2*		*303.0*	*29.7*
32	1 to 4 years				*6.5*	*7.1*		*15.2*	*3.9*	*4.0*		
33	Under 5 years	30.3	*18.3*	*51.4*	18.4	20.1		*18.3*	*6.1*	*3.2*	*67.3*	*5.7*
34	5 to 9 years	*11.4*		*30.1*	*5.0*	*5.3*		*5.9*	*6.0*	*6.1*		*5.5*
35	10 to 14 years	*6.0*	*9.6*		*8.0*	*8.3*			*9.4*	*9.7*		*21.5*
36	15 to 19 years	*18.2*		*45.4*	18.6	13.9	*121.1*		14.4	14.8		*10.7*
37	20 to 24 years	*19.5*	*8.8*	*32.8*	*8.3*	*8.9*		*16.6*	26.1	25.0	*60.0*	*4.4*
38	25 to 34 years	50.3	32.6	76.6	18.9	19.2	*14.6*	29.1	40.5	40.1	*60.5*	25.1
39	35 to 44 years	69.5	55.8	89.2	52.3	50.7	77.1	51.7	67.9	69.2	*81.1*	21.7
40	45 to 54 years	268.2	115.7	478.4	123.6	119.5	212.4	129.2	140.4	135.4	299.7	94.7
41	55 to 64 years	443.3	403.1	541.6	269.9	260.5	609.8	240.9	314.3	282.9	1,453.8	296.6
42	65 to 74 years	1,112.9	1,059.6	1,265.8	570.7	556.0	1,445.8	541.4	716.9	690.3	2,298.9	671.4
43	75 years and over	1,329.8	1,356.9	1,278.8	1,389.7	1,400.4	*666.7*	1,256.5	1,624.8	1,636.9		1,953.2
	MALES.											
44	All ages—Crude rate	113.5	78.4	169.7	116.1	115.2	129.8	95.6	122.5	117.3	236.9	93.2
45	Under 1 year	*167.8*	*84.7*	*328.9*	*77.4*	*86.4*						
46	1 to 4 years							*16.2*	*7.7*	*8.0*		
47	Under 5 years	*36.6*	*18.0*	*74.6*	*15.5*	*17.0*		*12.1*	*6.1*	*6.4*		
48	5 to 9 years	*11.5*		*30.8*	*10.0*	*10.6*		*11.8*				*11.0*
49	10 to 14 years				*10.9*	*11.3*			*12.7*	*13.0*		*11.0*
50	15 to 19 years	*26.4*		*63.9*	*22.3*	*11.7*	*227.0*		*21.5*	*22.4*		
51	20 to 24 years	*21.6*		*50.4*	*8.8*	*9.4*		*22.6*	21.2	*18.1*	*69.5*	
52	25 to 34 years	40.1	*18.5*	75.5	22.0	21.5	*28.0*	*9.4*	49.6	50.3	*36.5*	24.5
53	35 to 44 years	41.7	*34.7*	*52.4*	51.5	47.7	*94.3*	56.9	68.4	69.7	*40.6*	23.2
54	45 to 54 years	355.9	169.4	589.6	131.2	133.6	*90.8*	127.1	159.2	150.0	359.9	72.0
55	55 to 64 years	545.1	390.6	901.7	314.0	299.5	703.4	261.8	374.7	323.6	1,518.7	329.0
56	65 to 74 years	1,178.1	1,131.0	1,308.9	685.5	648.4	2,489.6	596.1	840.3	788.2	2,752.3	684.1
57	75 years and over	1,948.1	2,020.2	*1,818.2*	1,474.2	1,475.2	*1,408.5*	1,657.5	1,909.2	1,928.7		1,973.7
	FEMALES.											
58	All ages—Crude rate	83.5	78.2	91.5	95.7	97.3	62.2	85.3	91.0	91.6	*62.0*	99.5
59	Under 1 year	*111.4*	*88.0*	*152.0*	*54.5*	*60.4*		*68.4*	*31.1*		*617.3*	*61.2*
60	1 to 4 years				*13.2*	*14.3*		*15.2*				
61	Under 5 years	*24.1*	*18.7*	*34.1*	*21.3*	*23.2*		*24.6*	*6.2*		*184.4*	*11.4*
62	5 to 9 years	*11.3*		*29.4*					*11.9*	*12.3*		
63	10 to 14 years	*11.8*	*19.2*		*5.2*	*5.4*			*6.3*	*6.4*		*31.6*
64	15 to 19 years	*11.2*		*27.0*	*15.2*	*15.9*			*6.2*	*6.3*		*20.4*
65	20 to 24 years	*17.7*	*16.3*	*19.3*	*7.9*	*8.4*		*10.9*	31.3	32.1		*8.4*
66	25 to 34 years	59.9	47.1	77.5	16.0	17.0		50.1	30.1	28.8	*81.7*	25.7
67	35 to 44 years	100.3	80.3	127.4	53.2	53.6	*44.7*	45.4	67.2	68.5		*20.1*
68	45 to 54 years	145.9	*47.6*	301.0	115.9	105.8	457.9	131.8	114.9	116.3		119.9
69	55 to 64 years	330.9	416.3	*108.5*	227.3	223.3	*486.7*	217.1	238.5	233.7	*934.6*	258.5
70	65 to 74 years	1,054.6	996.7	1,225.5	467.2	473.4		485.1	582.7	586.0		657.9
71	75 years and over	900.9	*909.1*	*885.0*	1,313.4	1,332.8		936.6	1,377.6	1,384.5		1,936.5

FROM ALL CAUSES AND CERTAIN SPECIFIED CAUSES PER 100,000 ENUMERATED POPULATION, BY SEX, IN EACH OR MORE IN 1920: 1920—Continued.

[Rates in *italics* are based on less than 5 deaths.]

DEATH RATE PER 100,000 ENUMERATED POPULATION.														
Bridgeport.	Hartford.	New Haven.	Wilmington, Del.			Washington.			Atlanta.			Chicago.			
			Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.	
77.3	138.9	106.0	69.4	71.2	*53.5*	76.2	88.1	40.8	66.4	83.0	27.6	90.4	92.0	56.2	1
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
.....	.....	.....	.....	.....	.....	*16.9*	*22.5*	.....	.....	.....	.....	5.4	5.5	.....	3
.....	.....	.....	.....	.....	.....	*13.2*	*17.5*	.....	.....	.....	.....	4.4	4.5	.....	4
.....	.....	*12.0*	.....	.....	.....	.....	.....	.....	*11.4*	*16.1*	.....	*1.5*	*1.6*	.....	5
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*3.6*	*3.7*	.....	6
.....	.....	*16.4*	.....	.....	.....	.....	.....	.....	.....	.....	.....	*4.1*	*3.2*	*29.3*	7
.....	.....	*15.0*	.....	.....	.....	*4.6*	*6.1*	.....	*9.4*	*14.2*	.....	6.1	6.5	.....	8
.....	35.4	.....	*9.0*	.....	*89.0*	*4.9*	*3.3*	*10.0*	25.5	*29.1*	*17.1*	14.6	14.6	*13.2*	9
26.7	74.8	50.7	*35.4*	*40.1*	.....	39.5	37.8	*44.1*	59.6	57.4	*64.7*	47.3	47.0	50.8	10
233.9	297.8	171.6	*63.9*	*73.3*	.....	90.6	100.2	*62.2*	122.2	149.2	*64.2*	199.8	204.3	116.2	11
390.6	779.9	560.8	286.0	286.4	*282.5*	370.4	388.4	292.3	294.0	336.4	*173.6*	490.8	488.9	558.4	12
793.1	1,434.3	996.5	1,005.0	1,029.5	*740.7*	736.3	794.5	468.6	899.6	1,203.3	.....	871.3	883.4	*814.5*	13
2,004.5	*581.0*	1,290.3	976.6	1,079.9	.....	856.6	1,014.1	.....	*648.3*	*883.0*	.....	1,143.5	1,168.8	.....	14
111.7	148.0	139.7	116.7	114.7	135.1	117.9	124.1	99.7	105.6	110.9	94.6	102.2	101.8	111.4	15
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	16
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	17
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	18
.....	.....	.....	.....	.....	.....	*6.6*	*9.3*	.....	.....	.....	.....	*1.6*	*1.6*	.....	19
.....	.....	*18.8*	.....	.....	.....	.....	.....	.....	.....	.....	.....	*2.7*	*2.8*	.....	20
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*1.9*	*2.0*	.....	21
.....	.....	.....	.....	.....	.....	*3.4*	*4.6*	.....	*15.1*	.....	*41.0*	9.1	5.6	74.2	22
22.4	*22.8*	*28.1*	*20.5*	*28.0*	.....	14.2	16.1	*8.3*	22.7	*21.0*	*25.9*	24.5	25.1	*18.7*	23
103.6	159.8	123.1	135.5	138.7	*111.9*	94.1	79.5	132.0	174.8	146.0	232.1	92.8	90.0	140.4	24
239.1	287.0	314.6	254.9	225.5	*437.8*	283.6	273.6	316.0	323.4	337.8	290.8	270.7	265.9	387.6	25
625.7	671.6	516.7	403.7	434.5	.....	465.0	470.6	440.5	382.1	410.6	*303.0*	497.1	493.2	649.4	26
840.8	1,033.0	1,090.2	618.7	551.1	*1,379.3*	699.6	732.2	549.5	621.6	764.5	*163.4*	713.7	715.6	636.1	27
1,232.9	1,414.1	1,082.4	1,520.9	1,468.6	*2,500.0*	810.2	847.7	*624.0*	1,167.3	1,181.1	*1,127.3*	1,024.0	1,046.7	*263.2*	28
89.8	143.0	90.6	107.6	101.4	172.0	100.6	80.2	174.6	194.1	183.3	204.4	115.2	113.5	160.3	29
78.7	136.9	90.4	108.9	103.6	157.6	111.1	92.7	165.3	161.0	149.5	186.2	97.8	96.9	120.0	30
28.4	*34.5*	.....	.....	.....	.....	*30.4*	*40.2*	.....	*30.9*	*110.3*	.....	45.0	46.3	.....	31
7.4	*17.6*	.....	*22.0*	*11.7*	*186.6*	*8.4*	*11.3*	.....	*29.8*	*30.4*	*28.1*	16.3	16.6	.....	32
11.8	*21.0*	.....	*17.3*	*9.2*	*147.1*	*13.1*	*17.7*	.....	40.9	47.7	*22.0*	21.7	22.2	.....	33
14.1	*24.9*	.....	*10.2*	*11.1*	.....	*3.4*	*4.7*	.....	*5.7*	.....	*19.3*	11.2	11.1	*16.1*	34
8.5	.....	.....	.....	.....	.....	*6.7*	*4.7*	*11.8*	*11.7*	*8.5*	*18.9*	9.4	9.2	*16.1*	35
.....	*9.5*	.....	*11.6*	.....	*116.8*	17.9	*16.8*	*20.5*	*21.9*	*8.1*	*50.2*	12.9	13.3	.....	36
7.4	*14.9*	*6.9*	.....	.....	.....	13.7	13.0	*15.8*	33.5	32.5	*35.2*	15.4	15.4	*15.2*	37
27.7	22.0	38.8	24.0	26.8	.....	28.9	13.3	77.2	26.4	*10.7*	59.1	22.9	21.5	47.1	38
65.7	101.4	30.2	69.4	57.3	*158.8*	61.8	46.6	101.7	137.5	62.7	295.7	53.1	50.8	89.9	39
182.2	188.6	121.2	136.1	135.5	*140.5*	164.8	83.7	415.5	346.0	185.8	698.7	146.3	140.8	271.3	40
359.2	512.8	283.8	344.6	330.0	*500.0*	394.8	286.6	860.2	702.5	707.8	687.7	385.3	374.5	800.6	41
660.8	1,112.3	1,046.7	1,097.9	1,003.2	2,142.9	651.4	543.1	1,149.4	1,557.8	1,863.9	611.4	974.6	964.5	1,406.5	42
933.0	2,636.7	1,315.8	1,767.9	1,815.2	*1,123.6*	1,704.8	1,760.5	1,417.8	2,674.8	3,127.6	1,395.3	2,184.4	2,206.4	1,358.2	43
67.8	127.3	93.5	121.0	114.7	178.4	122.3	111.2	155.3	192.8	185.4	210.2	98.9	98.2	114.2	44
.....	*66.2*	.....	.....	.....	.....	*30.0*	*39.2*	.....	*108.2*	*146.7*	.....	42.6	43.8	.....	45
.....	.....	.....	*22.1*	*23.4*	.....	*16.9*	*22.5*	.....	*44.3*	*40.0*	*56.4*	19.7	20.1	.....	46
.....	*18.9*	.....	*17.5*	*18.6*	.....	*19.7*	*26.3*	.....	58.0	*62.9*	*44.3*	24.0	24.5	.....	47
14.1	*33.2*	.....	*20.7*	*22.4*	.....	.....	.....	.....	.....	.....	.....	13.9	14.2	.....	48
.....	.....	.....	.....	.....	.....	*6.9*	.....	*24.6*	*12.1*	.....	*40.7*	10.8	10.1	*34.8*	49
.....	.....	.....	.....	.....	.....	*12.8*	*8.8*	*25.4*	*35.7*	.....	*113.8*	11.3	11.7	.....	50
.....	*16.0*	.....	.....	.....	.....	*4.6*	*6.1*	.....	.....	.....	.....	17.5	16.7	*31.3*	51
45.3	*21.3*	56.5	*27.1*	*30.2*	.....	27.0	19.6	50.0	*20.4*	*7.3*	*51.4*	23.1	22.5	33.1	52
25.7	84.2	*25.4*	82.6	80.2	*100.5*	60.8	58.8	66.2	172.2	86.0	366.6	47.7	47.0	58.1	53
207.9	186.1	125.9	207.6	220.0	*123.8*	181.1	105.5	404.5	407.3	268.5	705.8	149.2	144.7	232.5	54
208.3	503.1	260.4	400.5	381.9	*565.0*	457.1	359.3	878.3	972.4	1,039.8	781.3	433.0	419.5	930.7	55
727.0	1,376.9	1,213.2	1,381.9	1,098.1	4,444.4	886.9	814.8	1,218.4	1,799.2	2,279.9	*375.2*	951.7	934.8	1,729.6	56
890.9	2,300.9	1,548.4	1,367.2	1,511.9	.....	2,011.2	2,072.3	1,678.7	4,213.9	5,077.3	*1,329.3*	2,380.5	2,412.1	*956.9*	57
90.2	146.5	87.5	96.3	92.2	135.1	101.3	76.6	174.0	131.5	115.1	165.6	96.7	95.5	126.2	58
59.2	.....	.....	.....	.....	.....	*30.8*	*41.2*	.....	*53.7*	*73.6*	.....	47.4	48.9	.....	59
14.8	*35.3*	.....	*21.8*	.....	*350.9*	.....	.....	.....	*15.0*	*20.5*	.....	12.8	13.1	.....	60
23.6	*23.4*	.....	*17.2*	.....	*280.1*	*6.6*	*8.9*	.....	*23.5*	*32.1*	.....	19.3	19.8	.....	61
14.1	*16.7*	.....	.....	.....	.....	*6.6*	*9.3*	.....	*11.5*	.....	*38.4*	8.5	8.0	*52.0*	62
17.0	.....	.....	.....	.....	.....	*6.6*	*9.2*	.....	*11.4*	*16.8*	.....	8.1	8.3	.....	63
.....	*18.0*	.....	*22.4*	.....	*207.9*	*22.4*	*24.2*	*18.3*	*10.1*	*15.2*	.....	14.3	14.9	.....	64
14.1	*14.0*	*12.9*	.....	.....	.....	20.6	*18.1*	*28.5*	60.6	60.0	*61.5*	13.6	14.3	.....	65
7.5	*22.8*	*21.1*	*20.5*	*23.0*	.....	30.5	*8.1*	99.8	31.8	*14.0*	64.9	22.7	20.5	61.6	66
113.9	119.9	*35.2*	*54.2*	*30.8*	*223.7*	62.7	36.1	132.0	103.6	*58.9*	232.1	59.4	55.2	131.0	67
152.1	191.4	116.5	*54.6*	*41.0*	*162.6*	149.3	63.5	426.6	278.8	96.5	690.7	144.1	136.5	329.5	68
516.9	522.4	306.2	288.4	279.3	*406.5*	340.0	222.5	844.3	462.5	410.6	606.1	334.0	326.1	649.4	69
600.6	885.4	902.3	843.6	918.6	.....	478.6	343.7	1,098.9	1,359.8	1,529.1	817.0	995.5	991.8	1,145.0	70
958.9	2,828.3	1,165.7	2,027.9	2,002.7	*2,500.0*	1,489.8	1,538.5	1,248.0	1,751.0	1,968.5	*1,127.3*	2,040.3	2,054.1	1,578.9	71

TABLE 2.—CRUDE AND ADJUSTED DEATH RATES AT ALL AGES, AND SPECIFIC DEATH RATES IN 13 AGE GROUPS, REGISTRATION CITY OF 100,000 POPULATION

[Rates in *italics* are based on less than 5 deaths.]

	CAUSE OF DEATH, SEX, AND AGE.	DEATH RATE PER 100,000 ENUMERATED POPULATION.										
		Birmingham.			Los Angeles.			Oakland.	San Francisco.			Denver.
		Total.	White.	Colored	Total.	White.	Colored.		Total.	White.	Colored.	
	Puerperal septicemia.											
	FEMALES.											
1	All ages—Crude rate	20.0	20.5	19.4	13.0	11.1	54.4	5.8	11.5	11.3	*20.7*	20.1
2	Under 15 years	*7.8*	.....	*20.9*	.....	.....	.....	.....	.....	.....	.....	.....
3	15 to 19 years	*11.2*	.....	*27.0*	*15.2*	*15.9*	.....	.....	*12.4*	*12.6*	.....	*20.4*
4	20 to 24 years	53.1	81.7	*19.3*	27.6	25.2	*67.5*	.....	40.3	36.7	*178.6*	58.9
5	25 to 29 years	47.5	*68.4*	*21.4*	34.5	29.4	*113.6*	*9.9*	30.9	31.7	.....	56.7
6	30 to 34 years	*12.8*	.....	*32.7*	25.6	*16.5*	*199.6*	*20.3*	*16.7*	*17.1*	.....	*18.1*
7	35 to 39 years	*39.1*	*47.1*	*29.1*	29.4	27.0	*77.8*	*81.0*	*17.5*	*17.9*	.....	46.5
8	40 to 44 years	.....	.....	.....	*8.5*	*8.9*	.....	.....	.....	.....	.....	*10.9*
9	45 years and over	.....	.....	.....	*1.2*	*1.3*	.....	.....	.....	.....	.....	*3.3*
	Other puerperal causes.											
	FEMALES.											
10	All ages—Crude rate	53.5	54.0	52.7	19.2	17.2	62.2	21.1	24.4	23.6	*62.0*	25.7
11	Under 15 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	15 to 19 years	89.8	*19.2*	188.9	*20.3*	*21.1*	.....	*52.2*	31.0	*25.3*	*324.7*	*20.4*
13	20 to 24 years	115.0	163.5	*57.9*	27.6	25.2	*67.5*	65.4	58.2	55.1	*178.6*	84.1
14	25 to 29 years	95.0	136.8	*42.7*	27.6	18.4	*170.5*	59.2	69.5	67.4	*144.3*	73.0
15	30 to 34 years	76.6	*62.8*	*98.0*	62.1	58.0	*133.1*	50.8	58.4	59.8	.....	72.5
16	35 to 39 years	117.2	141.3	*87.4*	51.4	50.1	*77.8*	*10.3*	21.9	22.4	.....	*9.3*
17	40 to 44 years	*37.8*	*31.0*	*48.5*	21.3	*17.7*	*104.9*	.....	*10.6*	*10.8*	.....	*10.9*
18	45 years and over	.....	.....	.....	*1.2*	*1.3*	.....	.....	.....	.....	.....	*3.3*

FROM ALL CAUSES AND CERTAIN SPECIFIED CAUSES PER 100,000 ENUMERATED POPULATION, BY SEX, IN EACH OR MORE IN 1920: 1920—Continued.

[Rates in *italics* are based on less than 5 deaths.]

DEATH RATE PER 100,000 ENUMERATED POPULATION.														
Bridgeport.	Hartford.	New Haven.	Wilmington, Del.			Washington.			Atlanta.			Chicago.			
			Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.	
14.3	23.2	13.4	24.1	24.6	*19.3*	10.7	6.9	22.0	30.7	28.4	35.5	13.4	12.8	27.8	1
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*0.3*	.....	*10.2*	2
.....	*18.0*	*29.6*	*22.4*	*25.1*	.....	*22.4*	*8.1*	*54.8*	70.7	*45.7*	*119.9*	13.4	10.9	*80.4*	3
66.3	*41.9*	.....	*54.3*	*61.0*	.....	34.4	*13.6*	99.9	75.7	72.0	*82.0*	20.4	18.3	*59.4*	4
54.2	*65.1*	*26.1*	*55.8*	*62.9*	.....	*14.4*	*9.5*	*30.1*	56.0	*50.1*	*66.4*	39.2	38.6	*49.6*	5
38.3	*50.8*	*45.3*	*91.5*	*101.5*	.....	*13.9*	*12.4*	*18.6*	63.0	78.9	*51.4*	29.4	29.4	*50.6*	6
.....	*78.0*	*32.7*	*25.1*	*28.5*	.....	*14.4*	*20.2*	.....	*11.3*	*17.3*	.....	26.0	26.7	*15.5*	7
.....	*22.1*	*38.1*	*29.5*	.....	*241.5*	*5.7*	*7.8*	.....	.....	.....	.....	11.9	12.5	.....	8
.....	.....	.....	.....	.....	.....	.....	.....	.....	*5.7*	*7.9*	.....	*1.2*	*1.2*	.....	9
28.6	40.6	13.4	22.2	18.4	*67.9*	22.6	17.2	38.9	43.2	42.6	44.4	19.2	19.1	22.3	10
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*0.3*	*0.3*	.....	11
18.0	.....	*14.8*	*67.3*	*25.1*	*415.8*	39.2	*24.2*	*73.1*	*30.3*	*15.2*	*60.0*	14.3	11.9	*80.4*	12
56.3	111.6	*51.6*	.....	.....	.....	27.5	*18.1*	*57.1*	90.9	84.0	102.5	34.0	32.6	*59.4*	13
81.2	96.5	*39.2*	93.1	104.8	.....	46.9	42.7	*60.2*	64.0	62.7	*66.4*	42.5	43.6	*24.8*	14
100.0	118.5	.....	*45.8*	*25.4*	*233.6*	60.4	55.7	*74.4*	73.5	78.9	*62.3*	51.7	53.7	*15.3*	15
55.9	*73.0*	*16.3*	*50.1*	*57.0*	.....	47.9	*27.0*	99.4	112.8	138.5	*64.7*	42.7	44.5	*15.5*	16
.....	*44.2*	*38.1*	.....	.....	.....	.....	.....	.....	*60.8*	*88.9*	.....	21.4	22.5	.....	17
.....	.....	.....	.....	.....	.....	*3.8*	*2.4*	*9.0*	.....	.....	.....	*1.2*	*0.3*	*12.2*	18

TABLE 2.—CRUDE AND ADJUSTED DEATH RATES AT ALL AGES, AND SPECIFIC DEATH RATES IN 13 AGE GROUPS, REGISTRATION CITY OF 100,000 POPULATION

[Rates in *italics* are based on less than 5 deaths.]

	CAUSE OF DEATH, SEX, AND AGE.	DEATH RATE PER 100,000 ENUMERATED POPULATION.									
		Indianapolis.			Kansas City, Kans.	Louisville.			New Orleans.		
		Total.	White.	Colored		Total.	White.	Colored.	Total.	White.	Colored.
	ALL CAUSES.[1]										
	BOTH SEXES.										
1	All ages—Adjusted rate	1,498.2	1,389.6	2,435.4	1,527.8	1,519.0	1,354.8	2,356.7	1,884.2	1,525.7	2,961.9
2	Crude rate	1,475.5	1,393.6	2,133.2	1,460.8	1,525.0	1,382.7	2,215.7	1,773.9	1,462.7	2,652.4
3	Under 1 year	12,170.3	11,174.5	20,212.8	11,660.3	11,270.3	9,585.2	23,266.2	12,214.1	9,004.3	21,929.8
4	1 to 4 years	1,241.1	1,131.7	2,295.3	1,529.0	1,121.7	997.1	1,941.2	1,047.9	846.3	1,687.3
5	Under 5 years	3,434.8	3,118.6	6,368.4	3,600.2	3,159.8	2,735.7	5,992.4	3,264.1	2,450.7	5,819.2
6	5 to 9 years	442.4	391.0	868.9	277.5	380.3	323.4	746.0	363.5	310.5	520.2
7	10 to 14 years	250.2	223.3	464.2	292.2	296.8	241.4	644.9	338.9	231.0	655.5
8	15 to 19 years	530.1	431.5	1,358.5	586.1	496.5	383.3	1,138.3	621.2	410.3	1,233.4
9	20 to 24 years	622.7	507.2	1,459.9	630.8	716.4	633.6	1,084.6	880.5	553.5	1,762.1
10	25 to 34 years	677.9	624.7	1,055.6	684.4	783.6	661.9	1,290.9	1,110.0	792.0	1,896.3
11	35 to 44 years	882.8	766.4	1,693.3	1,082.6	999.8	746.7	1,919.1	1,501.1	1,067.4	2,540.6
12	45 to 54 years	1,547.5	1,427.9	2,536.1	1,390.0	1,508.1	1,156.5	2,997.1	2,434.3	1,851.7	4,161.4
13	55 to 64 years	2,731.7	2,543.5	4,912.3	2,948.0	2,972.7	2,736.2	4,497.8	4,297.9	3,939.6	5,868.7
14	65 to 74 years	6,186.8	6,144.9	6,738.5	5,982.0	6,597.9	6,721.2	5,806.5	7,861.4	7,316.2	10,388.1
15	75 years and over	14,939.1	15,116.6	12,671.2	14,545.5	13,919.0	14,346.6	11,031.2	14,244.1	14,235.4	14,272.1
	MALES.										
16	All ages—Crude rate	1,467.5	1,386.2	2,111.3	1,480.8	1,604.0	1,450.0	2,353.3	1,911.9	1,577.0	2,917.3
17	Under 1 year	13,387.0	12,398.5	22,014.9	12,121.2	13,537.1	11,562.5	27,155.2	13,541.3	9,718.8	25,285.9
18	1 to 4 years	1,216.8	1,112.8	2,246.0	1,400.4	1,147.7	1,085.9	1,554.4	1,065.5	841.3	1,796.2
19	Under 5 years	3,695.9	3,389.4	6,650.0	3,749.3	3,628.0	3,193.4	6,516.3	3,525.9	2,572.2	6,599.1
20	5 to 9 years	494.0	444.2	911.2	326.3	401.8	363.6	662.3	427.7	403.1	501.3
21	10 to 14 years	269.2	223.9	642.6	341.1	308.2	281.4	484.3	475.1	314.9	967.2
22	15 to 19 years	470.7	376.2	1,264.8	597.9	558.0	432.1	1,284.0	653.2	437.6	1,359.4
23	20 to 24 years	556.5	406.1	1,656.2	603.4	708.5	675.4	871.1	792.1	509.3	1,702.4
24	25 to 34 years	579.3	504.0	1,123.9	641.0	711.3	568.8	1,333.7	1,092.5	828.9	1,820.1
25	35 to 44 years	823.3	720.3	1,510.1	1,083.1	1,001.7	767.1	1,835.8	1,680.1	1,175.6	2,943.3
26	45 to 54 years	1,553.2	1,433.2	2,471.9	1,414.0	1,696.5	1,291.3	3,214.0	2,881.7	2,319.2	4,470.2
27	55 to 64 years	2,841.8	2,703.5	4,315.0	2,858.9	3,356.0	2,993.8	5,575.5	5,199.8	4,750.6	7,266.4
28	65 to 74 years	6,790.0	6,777.5	6,940.9	5,878.4	7,604.0	7,807.3	6,315.8	9,366.5	8,866.0	11,933.5
29	75 years and over	14,680.0	15,117.0	9,016.4	16,396.8	14,536.7	15,077.2	10,596.0	16,074.8	15,552.0	17,857.1
	FEMALES.										
30	All ages—Crude rate	1,483.4	1,400.9	2,155.3	1,439.9	1,452.8	1,321.1	2,090.5	1,642.3	1,350.2	2,421.1
31	Under 1 year	10,907.6	9,882.7	18,581.1	11,122.7	8,959.4	7,585.3	19,069.8	10,893.9	8,288.4	18,665.0
32	1 to 4 years	1,265.5	1,150.7	2,342.2	1,654.1	1,095.0	905.9	2,337.9	1,030.2	851.4	1,581.8
33	Under 5 years	3,171.7	2,843.9	6,103.3	3,449.6	2,679.4	2,266.9	5,449.8	3,000.2	2,326.9	5,063.0
34	5 to 9 years	390.5	337.5	827.1	227.9	358.8	282.7	821.5	298.9	216.3	538.8
35	10 to 14 years	231.4	222.7	398.5	244.4	285.9	202.5	787.4	209.4	149.4	378.0
36	15 to 19 years	584.5	482.1	1,444.0	575.6	443.4	340.9	1,015.9	592.2	384.0	1,136.8
37	20 to 24 years	683.1	599.7	1,283.4	656.9	722.8	598.5	1,236.1	964.7	599.6	1,806.8
38	25 to 34 years	774.6	743.7	990.6	731.7	848.8	747.4	1,255.0	1,126.7	754.6	1,958.9
39	35 to 44 years	943.5	812.8	1,894.9	1,082.1	998.0	728.1	1,998.5	1,324.5	958.0	2,166.5
40	45 to 54 years	1,541.3	1,422.4	2,615.5	1,361.9	1,319.7	1,028.1	2,730.2	1,971.2	1,380.1	3,817.0
41	55 to 64 years	2,620.8	2,384.5	5,619.4	3,056.0	2,639.9	2,515.4	3,480.5	3,516.3	3,225.1	4,742.0
42	65 to 74 years	5,620.3	5,557.8	6,515.6	6,090.7	5,829.5	5,894.3	5,409.8	6,811.1	6,202.4	9,449.5
43	75 years and over	15,129.3	15,116.3	15,291.1	13,036.3	13,528.5	13,877.6	11,278.2	13,214.2	13,481.1	12,372.6
	Typhoid fever.										
	BOTH SEXES.										
44	All ages—Adjusted rate	5.3	3.9	17.6	7.1	5.6	5.5	5.4	7.2	6.9	8.5
45	Crude rate	5.7	4.3	17.2	6.9	5.5	5.1	*7.5*	7.0	6.6	7.9
46	Under 1 year				*48.0*						
47	1 to 4 years				*12.8*	*6.9*	*8.0*		*3.9*	*5.1*	
48	Under 5 years				*19.6*	*5.5*	*6.4*		*3.1*	*4.1*	
49	5 to 9 years	*4.1*	*4.5*			*5.3*	*6.1*		*2.9*	*3.8*	
50	10 to 14 years	*4.8*	*4.9*						16.9	*15.1*	*22.2*
51	15 to 19 years	*8.0*		*76.5*	*11.7*	*16.5*	*18.3*		13.7	*14.8*	*10.7*
52	20 to 24 years	*3.3*	*3.7*		*10.5*	*4.4*		*24.1*	12.2	*10.0*	*18.0*
53	25 to 34 years	8.2	*7.5*	*18.4*		*4.6*	*5.7*		6.9	*5.8*	*9.6*
54	35 to 44 years	9.9	*6.8*	*31.7*	*6.8*	*5.5*	*7.0*		*1.7*	*2.5*	
55	45 to 54 years				*9.2*	*7.0*		*36.5*			
56	55 to 64 years	*13.9*	*10.1*	*58.5*	*16.7*	*5.9*	*6.8*		*9.6*	*5.9*	*25.7*
57	65 to 74 years								*10.1*	*12.3*	
58	75 years and over										
	MALES.										
59	All ages—Crude rate	7.7	5.8	*22.9*	*3.9*	5.3	5.4	*5.2*	7.9	6.3	12.7
60	Under 1 year				*89.1*						
61	1 to 4 years								*7.7*	*10.0*	
62	Under 5 years				*19.5*				*6.2*	*8.1*	
63	5 to 9 years	*8.1*	*9.1*			*10.6*	*12.1*				
64	10 to 14 years								*23.2*	*23.0*	*23.6*
65	15 to 19 years	*16.8*		*158.1*		*22.3*	*26.2*		*17.3*	*15.1*	*24.7*
66	20 to 24 years								*5.0*		*21.0*
67	25 to 34 years	*6.7*	*7.6*						*11.3*	*7.7*	*21.3*
68	35 to 44 years	19.7	*13.6*	*60.4*		*11.5*	*14.8*				
69	45 to 54 years					*7.0*		*33.1*			
70	55 to 64 years	*18.5*	*20.3*		*30.4*				*20.6*	*12.5*	*57.7*
71	65 to 74 years										
72	75 years and over										

[1] Exclusive of stillbirths.

FROM ALL CAUSES AND CERTAIN SPECIFIED CAUSES PER 100,000 ENUMERATED POPULATION, BY SEX, IN EACH OR MORE IN 1920: 1920—Continued.

[Rates in *italics* are based on less than 5 deaths.]

DEATH RATE PER 100,000 ENUMERATED POPULATION.															
Baltimore.			Boston.			Cambridge.	Fall River.	Lowell.	New Bedford.	Springfield, Mass.	Worcester.	Detroit.			
Total.	White.	Colored.	Total.	White.	Colored.							Total.	White.	Colored.	
1,571.7	1,397.3	2,676.8	1,559.2	1,530.5	3,013.6	1,452.1	1,515.2	1,583.8	1,504.3	1,327.0	1,453.0	1,562.8	1,506.3	3,265.9	1
1,547.5	1,404.8	2,368.1	1,551.2	1,527.2	2,549.1	1,491.4	1,470.7	1,570.6	1,439.6	1,318.5	1,484.3	1,378.7	1,329.7	2,499.2	2
13,203.6	11,557.0	23,983.7	14,218.6	14,016.8	24,014.3	11,897.5	15,880.7	16,851.7	15,936.1	11,149.6	11,066.1	12,955.8	12,614.8	25,378.2	3
1,251.3	1,033.3	2,887.5	1,415.3	1,356.5	4,728.4	1,123.1	1,580.5	1,752.5	2,090.4	1,167.4	842.3	1,400.1	1,343.1	4,012.5	4
3,810.8	3,256.8	7,844.8	3,914.1	3,821.9	8,955.2	3,448.0	4,604.1	4,989.0	4,962.6	3,183.2	2,821.5	3,695.2	3,572.0	9,069.2	5
311.7	287.1	483.3	423.3	411.5	1,157.2	330.2	308.5	410.1	319.4	334.7	325.6	516.7	509.0	817.8	6
224.6	191.1	468.0	252.7	249.9	*456.3*	214.1	206.2	267.7	247.5	292.0	201.0	289.7	272.6	881.3	7
394.6	305.5	955.6	349.9	331.2	1,405.6	329.0	308.1	305.5	474.0	298.0	321.4	544.5	517.6	1,206.6	8
652.1	537.2	1,189.9	537.2	524.9	971.4	418.3	276.8	305.1	470.7	450.4	458.6	675.1	605.0	1,761.0	9
735.6	599.9	1,374.6	659.6	647.9	1,043.5	570.2	535.6	656.5	505.5	562.4	673.1	772.7	721.1	1,675.6	10
976.6	809.9	1,737.5	897.5	869.9	1,740.8	870.1	752.9	704.8	805.9	644.6	884.8	946.8	856.4	2,608.1	11
1,707.0	1,416.8	3,306.9	1,575.4	1,548.1	2,588.0	1,420.3	1,245.3	1,334.7	1,239.8	1,235.0	1,606.3	1,437.1	1,365.4	3,161.3	12
3,155.2	2,900.4	5,321.7	3,080.3	3,016.9	6,659.1	3,133.8	2,845.6	2,817.5	2,456.6	2,705.7	3,279.0	2,740.3	2,690.0	5,151.2	13
6,491.0	6,312.4	8,222.9	6,602.9	6,558.0	9,434.0	6,448.2	6,666.7	6,189.8	5,185.6	5,440.0	6,576.7	6,098.7	6,001.5	11,764.7	14
13,650.3	13,966.3	10,693.3	14,572.9	14,499.5	19,697.0	14,470.4	14,455.9	14,600.1	12,843.4	14,810.6	16,617.1	14,909.5	14,889.3	16,071.4	15
1,574.0	1,436.5	2,370.6	1,578.8	1,557.3	2,405.6	1,562.1	1,555.6	1,641.8	1,527.2	1,321.4	1,520.3	1,370.5	1,311.5	2,625.8	16
14,370.8	12,515.2	27,168.2	16,345.2	16,207.8	23,021.6	13,286.1	18,556.0	19,233.8	19,512.2	12,615.4	13,100.4	14,601.2	14,301.4	26,449.3	17
1,254.7	1,031.3	2,987.5	1,448.7	1,410.2	3,696.1	1,150.2	1,696.2	1,876.0	2,400.8	1,042.5	882.9	1,492.8	1,426.5	4,536.1	18
4,101.7	3,496.5	8,673.2	4,316.4	4,251.1	7,987.2	3,692.7	5,377.1	5,636.2	5,866.9	3,364.2	3,203.1	4,079.8	3,960.4	9,390.0	19
357.6	332.4	543.9	452.9	438.7	1,308.4	327.6	329.5	407.2	292.5	427.9	329.6	550.6	545.3	774.4	20
223.1	199.8	405.3	286.0	280.3	*668.2*	236.8	249.0	316.0	274.1	285.1	214.2	301.4	280.3	1,035.2	21
306.0	252.0	691.6	330.5	317.9	1,066.1	419.9	287.6	326.7	512.0	242.9	285.2	593.0	547.5	1,659.8	22
586.6	465.2	1,190.7	479.4	471.6	734.5	459.1	390.9	302.8	424.1	479.4	444.4	618.3	535.5	1,835.6	23
727.0	594.4	1,364.9	624.0	609.4	1,071.8	495.7	495.5	665.2	411.6	553.3	629.3	707.6	638.8	1,886.3	24
985.9	850.3	1,583.5	928.7	894.1	1,905.3	982.4	750.9	719.7	844.6	583.7	909.5	962.0	851.0	2,811.0	25
1,784.8	1,543.4	2,985.7	1,661.4	1,627.1	2,706.5	1,366.1	1,192.6	1,411.9	1,296.1	1,333.3	1,610.8	1,443.3	1,359.6	3,074.9	26
3,383.3	3,187.1	4,935.0	3,284.5	3,243.2	5,202.3	3,830.4	3,004.4	2,908.6	2,634.7	2,896.7	3,476.6	2,950.8	2,903.9	4,933.6	27
7,329.7	7,174.9	8,817.6	7,017.2	6,918.8	13,636.4	7,792.2	6,525.8	6,555.4	5,621.7	6,894.5	7,280.3	6,358.0	6,252.2	12,766.0	28
13,487.3	13,742.4	11,375.7	15,621.4	15,656.0	13,043.5	16,256.2	13,594.0	14,122.1	13,384.3	14,486.0	18,971.1	14,848.7	14,812.2	17,021.3	29
1,521.8	1,374.0	2,365.7	1,524.4	1,498.1	2,712.2	1,426.7	1,392.1	1,504.6	1,355.4	1,315.8	1,448.4	1,388.5	1,351.4	2,322.2	30
11,994.5	10,550.6	20,969.3	12,103.3	11,837.5	25,000.0	10,562.2	13,052.8	14,499.6	12,536.2	9,684.9	9,076.3	11,295.6	10,905.7	24,451.4	31
1,247.9	1,035.4	2,793.0	1,380.9	1,301.2	5,719.9	1,094.9	1,467.9	1,633.8	1,777.3	1,294.4	800.6	1,305.1	1,257.6	3,477.3	32
3,517.6	3,013.0	7,061.6	3,502.8	3,382.6	9,891.8	3,198.3	3,828.3	4,363.1	4,061.5	3,000.0	2,433.6	3,302.2	3,174.6	8,753.9	33
265.2	240.7	427.8	393.6	384.2	996.0	332.8	287.3	413.0	344.9	238.8	321.6	482.6	472.4	856.2	34
226.0	182.5	521.9	219.1	219.2	*212.8*	191.7	163.9	221.5	222.4	298.8	187.7	277.8	264.8	726.9	35
474.9	355.5	1,152.0	368.3	343.8	1,707.8	242.9	326.5	256.9	438.7	349.2	355.8	495.1	487.3	698.2	36
713.6	606.1	1,189.3	588.8	572.4	1,222.2	384.2	184.0	307.1	511.0	424.7	471.1	741.7	685.7	1,063.8	37
744.1	605.4	1,383.9	695.0	686.0	1,011.2	639.8	571.0	648.6	599.6	571.5	719.3	861.8	833.2	1,374.7	38
967.3	770.0	1,900.6	866.7	846.2	1,550.4	768.4	754.8	690.6	766.5	707.9	859.0	924.9	864.1	2,235.3	39
1,627.8	1,292.1	3,699.0	1,487.5	1,468.3	2,401.7	1,469.3	1,296.5	1,256.7	1,181.4	1,134.8	1,601.7	1,429.1	1,372.7	3,352.5	40
2,939.0	2,632.8	5,739.1	2,888.7	2,806.0	8,719.3	2,545.1	2,702.7	2,735.6	2,296.1	2,538.3	3,089.8	2,511.0	2,458.5	5,464.5	41
5,798.9	5,601.9	7,724.6	6,273.6	6,270.7	6,451.6	5,525.8	6,783.1	5,876.3	4,835.3	4,394.7	5,994.4	5,860.6	5,770.9	10,909.1	42
13,758.0	14,111.3	10,148.0	13,952.7	13,814.5	23,255.8	13,399.0	14,887.6	14,898.7	12,500.0	15,000.0	15,070.4	14,955.8	14,948.2	15,384.6	43
4.6	3.6	9.9	1.3	1.2	9.9	2.7	4.8	2.6	6.2	4.7	1.6	5.5	5.3	12.5	44
4.8	3.7	11.0	1.5	1.4	*5.7*	2.7	5.0	*2.7*	6.6	4.6	*1.7*	5.5	5.4	*9.6*	45
															46
										9.7		*1.1*		*52.1*	47
										7.8		*0.9*		*39.8*	48
			1.5		*96.4*							*4.5*	*3.5*	*45.4*	49
6.5	*7.4*					*10.7*	*16.5*			*10.1*		10.2	10.5		50
6.5	*3.7*	*23.6*							*9.9*		*7.3*	10.0	10.4		51
9.7	*6.7*	*23.5*	*1.5*	*1.5*				*19.7*	*8.6*	*16.7*		6.4	5.8	*15.1*	52
5.2	5.4	*4.2*	*2.2*	*2.3*		*10.2*	*5.4*		*8.9*			6.6	6.6	*7.7*	53
7.4	5.6	*15.5*	*0.9*	*0.9*			*6.5*	*6.2*	*11.7*	*5.0*		3.3	3.5		54
5.0	*1.5*	*24.3*	*3.3*	*3.4*			*7.8*		*7.9*	*6.9*	*10.2*	6.0	6.2		55
2.1	*2.3*		*2.0*	*2.0*			*13.1*		*13.9*			*4.6*	*4.7*		56
			4.2	*4.3*								*5.5*	*5.6*		57
															58
5.3	4.2	11.3	2.4	2.2	*10.7*	*1.9*	8.6		8.4	*4.7*	*2.2*	7.4	7.2	*12.4*	59
															60
										19.3		*2.2*		*103.1*	61
										15.4		*1.8*		*80.3*	62
			3.0		*186.9*							*6.8*	*4.6*	*96.8*	63
6.6	*7.4*						*33.2*					14.5	14.9		64
13.6	*7.8*	*55.5*										*8.5*	*8.8*		65
5.7	*3.4*	*17.0*	*3.1*	*3.2*					*18.4*			10.2	9.0	*26.6*	66
7.4	*7.2*	*8.6*	*3.0*	*3.0*		*10.5*			*17.9*			8.6	9.1		67
7.4	*6.8*	*10.0*	*1.8*	*1.8*			*13.2*		*11.6*	*9.7*		*3.4*	*3.6*		68
4.9	*3.0*	*14.7*	*4.4*	*4.6*			*15.9*			*13.7*	*20.0*	10.6	11.1		69
			4.1	*4.1*			*27.6*		*29.3*			*8.8*	*9.0*		70
			9.5	*9.6*											71
															72

TABLE 2.—CRUDE AND ADJUSTED DEATH RATES AT ALL AGES, AND SPECIFIC DEATH RATES IN 13 AGE GROUPS, REGISTRATION CITY OF 100,000 POPULATION

[Rates in *italics* are based on less than 5 deaths.]

	CAUSE OF DEATH, SEX, AND AGE.	DEATH RATE PER 100,000 ENUMERATED POPULATION.									
		Indianapolis.			Kansas City, Kans.	Louisville.			New Orleans.		
		Total.	White.	Colored.		Total.	White.	Colored.	Total.	White.	Colored.
	Typhoid fever—Continued.										
	FEMALES.										
1	All ages—Crude rate	3.8	*2.8*	*11.6*	10.1	5.7	4.9	*9.5*	6.1	6.9	*3.7*
2	Under 1 year										
3	1 to 4 years				*24.3*	*14.0*	*16.2*				
4	Under 5 years				*19.7*	*11.2*	*12.9*				
5	5 to 9 years								*5.7*	*7.7*	
6	10 to 14 years	*8.6*	*9.7*						*11.0*	*7.5*	*21.0*
7	15 to 19 years				*22.1*	*9.6*	*11.4*		*10.5*	*14.5*	
8	20 to 24 years	*6.3*	*7.1*		*20.5*	*8.0*		*41.2*	*19.0*	*20.4*	*15.7*
9	25 to 34 years	*9.8*	*7.5*	*26.1*		*8.8*	*11.0*		*2.7*	*3.9*	
10	35 to 44 years				*14.4*				*3.4*	*4.9*	
11	45 to 54 years				*20.0*	*7.0*		*40.7*			
12	55 to 64 years	*9.3*		*127.7*		*11.0*	*12.6*				
13	65 to 74 years								*17.2*	*21.2*	
14	75 years and over										
	Tuberculosis (all forms).										
	BOTH SEXES.										
15	All ages—Adjusted rate	125.8	97.1	351.9	102.2	132.8	109.3	241.7	192.4	145.6	318.3
16	Crude rate	132.1	103.1	365.1	109.7	141.8	116.0	266.7	210.0	158.1	356.4
17	Under 1 year	175.8	175.6	*177.3*		220.4	220.0	*223.7*	*62.2*	*82.3*	
18	1 to 4 years	83.4	70.4	*208.7*	*24.7*	34.6	39.9		30.8	30.4	*32.1*
19	Under 5 years	101.9	91.2	201.5	*19.6*	71.9	76.3	*42.5*	37.1	40.7	*25.6*
20	5 to 9 years	52.8	31.8	226.7	*10.3*	37.0	30.5	*78.5*	*11.5*	*7.7*	*22.6*
21	10 to 14 years	43.1	29.1	*154.7*	*44.9*	67.7	36.2	265.6	25.4	*11.4*	66.7
22	15 to 19 years	184.7	112.4	792.5	117.2	144.8	97.3	413.9	153.9	77.6	375.4
23	20 to 24 years	226.1	164.1	675.9	105.1	216.7	167.9	433.8	260.2	133.4	602.4
24	25 to 34 years	138.5	111.0	334.0	129.3	208.0	183.4	310.8	264.0	194.1	436.9
25	35 to 44 years	141.2	116.0	316.5	182.7	157.4	105.7	345.4	327.2	262.6	482.2
26	45 to 54 years	144.8	120.2	348.1	128.9	136.1	125.1	182.7	332.7	278.1	494.7
27	55 to 64 years	88.3	70.7	292.4	233.2	146.6	149.0	*181.0*	363.3	340.5	463.3
28	65 to 74 years	190.7	184.7	*269.5*	172.9	136.7	143.6	*92.2*	283.7	283.3	285.4
29	75 years and over	*74.6*	*80.4*			*80.9*	*85.5*		112.2	*88.1*	*190.8*
	MALES.										
30	All ages—Crude rate	130.9	99.7	377.6	115.8	149.8	115.0	319.0	252.3	203.1	400.1
31	Under 1 year	268.5	299.3			*163.8*	*125.0*	*431.0*	*93.6*	*124.1*	
32	1 to 4 years	78.5	75.6	*107.0*		*27.3*	*31.5*		46.0	*40.1*	*65.3*
33	Under 5 years	117.2	120.7	*83.1*		54.6	*50.3*	*89.5*	55.4	56.4	*52.0*
34	5 to 9 years	40.5	*27.2*	*151.9*	*20.4*	52.9	*48.5*	*82.8*			
35	10 to 14 years	*26.1*	*9.7*	*160.6*		*42.5*	*24.5*	*161.4*	29.0	*15.4*	*70.8*
36	15 to 19 years	117.7	47.0	711.5	*49.8*	122.8	65.5	453.2	104.1	52.8	271.9
37	20 to 24 years	185.5	101.5	799.5	107.8	206.7	154.0	464.6	209.2	111.0	525.4
38	25 to 34 years	146.5	106.1	438.6	103.4	204.6	155.7	418.4	277.4	215.9	447.0
39	35 to 44 years	122.1	108.7	211.4	254.8	190.0	132.8	393.4	442.7	346.3	683.9
40	45 to 54 years	181.8	158.6	359.6	170.4	167.6	141.5	265.1	476.3	423.5	625.5
41	55 to 64 years	129.6	91.1	539.4	273.7	189.3	176.1	*269.8*	597.2	564.1	749.7
42	65 to 74 years	295.2	277.1	*614.1*	*202.7*	229.6	232.6	*210.5*	468.3	471.3	*453.2*
43	75 years and over	*58.7*	*63.3*						*124.6*	*161.2*	
	FEMALES.										
44	All ages—Crude rate	133.2	106.3	352.5	103.3	134.4	117.0	219.0	169.5	113.8	318.1
45	Under 1 year	*79.6*	*45.1*	*337.8*		278.2	316.1		*31.0*	*41.4*	
46	1 to 4 years	88.3	65.1	*305.5*	*48.6*	*42.1*	*48.5*		*15.5*	*20.5*	
47	Under 5 years	86.6	61.3	*313.0*	*39.4*	89.7	103.0		*18.6*	*24.7*	
48	5 to 9 years	65.1	*36.5*	*300.8*		*21.1*	*12.3*	*74.7*	*23.0*	*15.5*	*44.9*
49	10 to 14 years	60.0	48.4	*149.3*	*88.9*	91.9	*47.6*	357.9	*22.0*	*7.5*	*63.0*
50	15 to 19 years	246.1	172.2	866.4	177.1	163.9	125.0	381.0	199.2	101.4	454.7
51	20 to 24 years	263.2	221.3	564.7	102.6	224.9	179.6	412.0	308.9	156.7	659.9
52	25 to 34 years	130.7	115.8	234.6	157.6	211.1	208.8	220.2	251.3	172.0	428.5
53	35 to 44 years	160.6	123.3	432.2	101.0	127.4	80.9	299.8	213.3	177.8	294.9
54	45 to 54 years	105.3	80.0	333.9	*80.1*	104.7	109.5	*81.5*	184.2	131.4	348.9
55	55 to 64 years	46.6	50.3		184.1	109.5	125.8		160.6	143.6	232.5
56	65 to 74 years	92.4	98.9		*141.6*	*65.7*	*75.9*		154.8	148.2	*183.5*
57	75 years and over	*86.2*	*93.0*			*50.5*	*58.3*		*105.2*	*46.2*	*291.1*
	Cancer and other malignant tumors.										
	BOTH SEXES.										
58	All ages—Adjusted rate	88.9	89.5	90.6	83.8	92.0	93.5	72.6	111.4	110.6	107.7
59	Crude rate	99.3	102.4	74.7	80.1	108.1	111.4	92.2	106.7	110.2	96.7
60	Under 1 year								*31.1*		*125.3*
61	1 to 4 years								*3.9*	*5.1*	
62	Under 5 years								*9.3*	*4.1*	*25.6*
63	5 to 9 years	*4.1*	*4.5*						*2.9*	*3.8*	
64	10 to 14 years										
65	15 to 19 years	*8.0*	*9.0*			*5.2*	*6.1*		*2.7*	*3.7*	
66	20 to 24 years	*9.8*	*11.2*		*10.5*	*8.8*	*5.4*	*24.1*	*7.3*	*10.0*	
67	25 to 34 years	16.5	16.9	*13.4*	*10.8*	*9.2*	*5.7*	*25.9*	29.0	21.4	48.0
68	35 to 44 years	81.5	91.0	*15.3*	67.7	99.4	81.0	166.3	109.1	98.2	135.3
69	45 to 54 years	179.7	186.4	124.3	174.9	192.0	185.6	219.3	210.4	196.3	252.2
70	55 to 64 years	334.5	292.7	818.7	316.5	445.6	480.9	218.3	583.3	610.6	463.3
71	65 to 74 years	829.4	841.2	673.9	726.1	671.0	732.4	*276.5*	719.3	739.0	627.9
72	75 years and over	270.9	777.3		818.2	804.2	887.8	*239.8*	942.1	997.9	761.2

FROM ALL CAUSES AND CERTAIN SPECIFIED CAUSES PER 100,000 ENUMERATED POPULATION, BY SEX, IN EACH OR MORE IN 1920: 1920—Continued.

[Rates in *italics* are based on less than 5 deaths.]

DEATH RATE PER 100,000 ENUMERATED POPULATION.														
Baltimore.			Boston.			Cambridge.	Fall River.	Lowell.	New Bedford.	Springfield, Mass.	Worcester.	Detroit.		
Total.	White.	Colored.	Total.	White.	Colored.							Total.	White.	Colored.
4.3	3.2	10.8	*0.5*	*0.5*	.....	*3.5*	*1.6*	*5.1*	*4.9*	*4.6*	*1.1*	3.3	3.2	*5.8*
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*2.3*	*2.3*	.....
6.4	*7.3*	.....	.....	.....	.....	*21.3*	.....	.....	.....	*19.9*	.....	*5.8*	*6.0*	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	*19.1*	.....	*14.2*	*11.5*	*12.0*	.....
13.4	9.8	*29.0*	.....	.....	.....	.....	.....	*36.1*	.....	*31.5*	.....	*2.0*	*2.1*	.....
3.0	*3.6*	.....	*1.5*	*1.5*	.....	*9.8*	*10.2*	.....	.....	.....	.....	*3.9*	*3.1*	*18.6*
7.4	*4.5*	*21.2*	.....	.....	.....	.....	.....	*12.1*	*11.8*	.....	.....	*3.3*	*3.4*	.....
5.0	.....	*35.9*	*2.3*	*2.3*	.....	.....	.....	.....	*16.2*	.....	.....	.....	.....	.....
4.1	*4.5*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*10.6*	*10.8*	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
141.1	106.2	337.9	122.3	115.4	414.2	124.6	102.7	103.2	134.1	77.5	109.4	96.8	89.3	274.0
150.6	114.2	359.7	129.7	122.2	438.1	133.1	104.6	106.4	136.1	81.0	115.2	102.2	93.7	298.0
188.5	100.9	762.2	311.0	310.0	*358.4*	217.1	*138.7*	436.2	222.9	*76.9*	242.9	94.3	92.3	*168.1*
80.7	54.1	280.9	108.7	103.5	*402.4*	*47.8*	83.7	129.8	223.6	126.5	103.7	72.3	64.8	416.9
103.8	64.0	394.0	148.2	143.7	392.8	84.3	95.3	195.5	223.5	116.5	130.6	76.7	70.3	358.0
26.4	14.2	111.5	33.5	27.8	*336.7*	*10.3*	*16.1*	47.7	50.4	*9.0*	59.2	23.8	20.9	*136.3*
37.2	16.5	187.2	22.8	21.5	*108.8*	53.5	*16.5*	61.8	76.2	*40.3*	*6.7*	46.6	35.9	414.7
111.6	63.7	412.9	113.7	99.7	903.6	102.1	117.8	*43.6*	167.9	74.5	87.7	124.0	115.7	329.1
228.9	150.6	595.0	150.9	141.5	485.7	149.4	92.3	78.7	188.3	100.1	113.1	139.8	117.7	481.6
184.4	139.2	397.6	156.1	148.7	397.5	132.4	146.1	148.7	129.7	89.2	147.9	123.3	115.5	260.1
184.4	145.7	360.9	176.0	162.8	580.3	223.9	164.5	111.3	146.0	94.2	142.5	116.6	107.5	284.1
192.4	173.1	299.2	154.8	147.5	424.3	216.1	172.3	122.0	158.9	76.3	122.4	91.7	89.3	149.1
192.2	179.8	297.9	143.5	146.0	.....	174.1	117.5	104.8	111.0	97.5	148.3	153.1	151.6	*224.0*
226.3	216.7	319.8	126.3	119.8	*539.1*	*105.7*	*28.1*	*55.0*	.....	*75.2*	170.8	82.7	84.1	.....
113.5	113.0	*117.5*	74.8	75.9	.....	*61.6*	*79.4*	*73.4*	*74.2*	*114.8*	*127.5*	76.1	77.4	.....
157.7	125.8	341.9	139.4	130.2	491.8	154.5	117.4	127.1	153.2	84.7	132.8	103.7	94.2	305.0
211.7	90.9	1,044.9	333.6	325.6	*719.4*	*265.7*	*135.0*	558.7	*304.9*	*76.9*	*218.3*	89.4	82.5	*362.3*
69.7	53.8	192.7	100.3	98.5	*205.3*	*46.9*	*75.4*	132.4	309.8	*57.9*	102.4	96.7	87.6	515.5
100.5	61.8	393.1	145.2	142.1	*319.5*	92.8	88.4	224.8	308.8	*61.7*	124.4	95.3	86.6	481.5
27.7	17.5	*103.6*	18.2	*12.4*	*378.8*	.....	*15.0*	*77.6*	*68.8*	*17.8*	*47.1*	29.3	25.4	*193.6*
19.7	*7.4*	*115.8*	*13.0*	*9.9*	*222.7*	*21.5*	*33.2*	*84.3*	*58.7*	.....	.....	37.7	23.9	517.6
71.4	27.1	387.3	97.0	87.7	*639.7*	140.0	*76.7*	*23.3*	184.3	*22.1*	75.1	87.5	82.4	*207.5*
173.7	106.0	510.3	109.7	106.6	*209.9*	174.9	102.9	*86.5*	147.5	88.8	121.2	93.2	74.2	372.4
178.4	145.5	336.9	172.6	164.5	419.4	*42.2*	184.4	118.0	116.3	85.7	152.9	116.9	110.0	234.2
226.1	186.4	400.9	203.1	182.8	772.4	349.9	171.3	164.1	127.3	136.2	190.7	132.1	116.1	398.7
241.3	218.8	353.0	207.1	191.2	694.0	276.5	222.6	167.0	234.2	123.7	140.1	116.2	113.3	*173.2*
257.6	256.3	267.8	186.8	190.8	.....	321.6	137.8	166.2	204.9	182.7	231.8	192.9	188.5	*379.5*
311.7	312.9	*300.6*	142.6	125.4	*1,298.7*	*129.9*	*62.2*	*59.6*	.....	*60.0*	264.1	138.2	140.5	.....
142.6	*127.8*	*284.6*	*86.3*	*87.5*	.....	*164.2*	*182.8*	*190.8*	*191.2*	*155.8*	*321.5*	*105.6*	*107.3*	.....
143.7	102.9	376.8	120.2	114.5	377.0	113.5	92.7	87.2	119.7	77.4	97.6	100.6	93.1	288.1
164.5	111.4	494.6	288.5	294.5	.....	*170.4*	*142.7*	*315.2*	*144.9*	*76.9*	267.0	99.2	102.2	.....
91.8	54.3	364.3	117.5	108.7	*691.7*	*48.7*	91.7	127.3	136.7	196.1	105.0	47.3	41.5	*316.1*
107.1	66.1	394.9	151.3	145.4	*463.7*	*75.7*	102.2	167.2	138.5	171.9	137.0	57.7	53.5	*236.6*
25.0	*10.8*	118.8	48.8	43.4	*398.4*	*20.8*	*15.1*	*18.8*	*32.9*	.....	71.5	18.2	16.4	*85.6*
54.1	25.6	248.5	32.7	33.2	.....	*85.2*	.....	*40.3*	92.7	*79.7*	*18.4*	55.6	48.1	*311.5*
148.0	98.0	432.0	129.6	111.1	1,138.5	*66.3*	154.6	*61.5*	152.6	123.3	99.6	161.2	149.5	465.5
280.6	193.3	667.2	187.9	172.6	777.8	128.1	*83.7*	*72.3*	223.6	110.1	108.0	194.3	168.3	623.9
190.4	132.9	455.8	139.6	133.0	372.5	216.6	112.2	176.9	143.2	92.7	142.6	132.2	123.0	297.2
142.7	105.5	318.5	149.4	143.1	357.8	109.8	158.3	60.6	165.1	50.6	92.0	94.3	95.3	*73.3*
142.7	128.0	233.4	101.3	103.4	.....	161.6	123.5	76.6	80.9	*23.0*	104.0	60.0	59.0	*95.3*
130.3	108.4	330.3	102.9	104.4	.....	*49.4*	*99.2*	*49.7*	*26.4*	*22.9*	*68.3*	109.8	111.7	.....
155.9	137.5	*336.9*	113.4	115.3	.....	*89.7*	.....	*51.1*	.....	*86.2*	*93.7*	*31.7*	*32.3*	.....
94.2	103.5	.....	*68.1*	*69.1*	.....	.....	.....	.....	.....	*90.9*	.....	*53.6*	*54.6*	.....
105.3	105.5	97.9	117.4	116.7	152.8	144.5	102.4	83.1	79.0	97.0	115.8	89.1	89.3	74.4
112.3	115.5	93.8	130.3	130.2	186.6	165.0	102.9	88.7	78.4	101.1	122.4	64.4	65.4	40.9
6.7	*7.8*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*4.5*	*4.6*	.....
5.5	*4.2*	*15.6*	8.8	*5.4*	*201.2*	.....	.....	.....	*9.7*	.....	.....	*2.2*	*2.3*	.....
5.8	*4.9*	*11.9*	7.1	*4.3*	*167.1*	.....	.....	.....	7.7	.....	.....	2.7	2.7	.....
1.6	*1.8*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*4.5*	*4.6*	.....
.....	.....	.....	*1.6*	*1.7*	.....	.....	*8.2*	.....	.....	.....	.....	.....	.....	.....
8.1	9.4	.....	*1.7*	*1.8*	.....	*11.3*	.....	.....	.....	*10.6*	*14.6*	.....	.....	.....
5.5	*5.0*	*7.8*	.....	.....	.....	*10.0*	.....	.....	*8.6*	*8.3*	*6.3*	5.5	5.8	.....
28.1	25.1	42.3	24.3	24.3	*24.3*	*20.4*	*21.6*	*10.3*	*4.5*	7.3	18.1	11.6	10.9	*23.0*
92.7	92.6	92.8	85.8	84.1	138.2	128.0	101.2	37.1	70.1	24.8	63.7	58.0	57.6	64.6
222.2	214.1	266.8	261.6	263.0	212.1	324.2	211.5	175.4	206.6	194.3	234.6	171.5	172.4	149.1
459.7	457.7	476.6	574.0	576.2	*451.5*	669.6	469.9	275.2	333.1	475.3	584.3	395.4	401.3	112.0
815.6	847.9	502.5	821.2	817.1	*1,078.2*	872.1	928.3	907.8	530.3	852.3	871.2	733.4	729.1	*980.4*
930.4	979.7	*470.0*	1,229.6	1,214.6	*2,272.7*	1,847.3	556.0	1,100.5	890.9	1,205.5	1,275.0	943.3	959.6	.....

TABLE 2.—CRUDE AND ADJUSTED DEATH RATES AT ALL AGES, AND SPECIFIC DEATH RATES IN 13 AGE GROUPS, REGISTRATION CITY OF 100,000 POPULATION

[Rates in *italics* are based on less than 5 deaths.]

	CAUSE OF DEATH, SEX, AND AGE.	DEATH RATE PER 100,000 ENUMERATED POPULATION.									
		Indianapolis.			Kansas City, Kans.	Louisville.			New Orleans.		
		Total.	White.	Colored.		Total.	White.	Colored.	Total.	White.	Colored.
	Cancer and other malignant tumors—Continued.										
	MALES.										
1	All ages—Crude rate	71.2	74.4	45.8	57.9	91.8	96.7	68.0	88.3	98.7	57.2
2	Under 1 year								*31.2*		*127.1*
3	1 to 4 years								*7.7*	*10.0*	
4	Under 5 years								*12.3*	*8.1*	*26.0*
5	5 to 9 years								*5.7*	*7.6*	
6	10 to 14 years										
7	15 to 19 years										
8	20 to 24 years	*13.7*	*15.6*		*21.6*	*19.7*	*11.8*	*58.1*	*5.0*	*6.5*	
9	25 to 34 years	*3.3*	*3.8*		*10.3*	*4.9*	*6.0*		*11.3*	*11.6*	*10.6*
10	35 to 44 years	35.5	36.2	*30.2*	*51.0*	63.3	36.9	157.4	52.3	53.7	*48.9*
11	45 to 54 years	103.9	117.5		*68.1*	146.6	150.4	*132.5*	178.0	195.4	128.8
12	55 to 64 years	231.4	222.8	*383.6*	182.5	416.4	454.9	*179.9*	545.7	539.0	576.7
13	65 to 74 years	866.0	852.5	*1,038.3*	608.1	717.4	830.6		862.7	1,001.5	*161.1*
14	75 years and over	587.2	632.5		1,012.1	798.7	908.3		1,183.8	1,289.3	*324.2*
	FEMALES.										
15	All ages—Crude rate	126.9	129.7	104.0	103.3	123.0	124.8	114.3	124.1	121.4	131.3
16	Under 1 year								*31.0*		*128.6*
17	1 to 4 years										
18	Under 5 years								*6.2*		*25.2*
19	5 to 9 years	*8.1*	*9.1*								
20	10 to 14 years										
21	15 to 19 years	*15.4*	*17.2*			*9.6*	*11.4*		*5.2*	*7.2*	
22	20 to 24 years	*6.3*	*7.1*						*9.5*	*13.6*	
23	25 to 34 years	29.4	29.9	*26.1*	*11.3*	*13.2*	*5.5*	*44.0*	45.9	31.3	78.7
24	35 to 44 years	128.5	146.1		86.6	132.7	121.3	174.9	165.1	143.2	215.5
25	45 to 54 years	260.6	258.6	278.2	300.4	237.4	219.1	326.0	243.9	197.2	389.9
26	55 to 64 years	438.4	362.2	1,404.9	478.6	471.0	503.1	*254.7*	615.8	673.7	371.9
27	65 to 74 years	795.0	830.7	*283.3*	819.9	635.5	657.7	*491.8*	619.2	550.4	917.4
28	75 years and over	819.0	883.7		*660.1*	807.7	874.6	*376.9*	806.2	831.0	727.8
	Acute nephritis and Bright's disease.										
	BOTH SEXES.										
29	All ages—Adjusted rate	104.2	99.0	150.1	135.0	117.3	108.1	161.7	181.4	150.4	282.4
30	Crude rate	113.6	110.6	138.0	125.5	129.4	121.7	167.0	173.5	147.6	246.8
31	Under 1 year	*39.1*	*22.0*	*177.3*	*96.0*	*27.6*	*31.4*		77.8	*62.1*	*125.3*
32	1 to 4 years				*12.3*	*20.8*	*8.0*	*104.9*	*15.4*	*10.1*	*32.1*
33	Under 5 years	*7.8*	*4.3*	*40.3*	*29.4*	*22.1*	*12.7*	*85.0*	27.8	20.4	*51.2*
34	5 to 9 years	*12.2*	*13.6*			*10.6*	*6.1*	*39.3*	22.9	*15.3*	*45.2*
35	10 to 14 years	*8.6*	*9.7*		*11.2*	*5.2*	*6.0*		22.6	22.7	*22.2*
36	15 to 19 years	*12.0*	*9.0*	*37.7*	*11.7*	*20.7*	*24.3*		30.2	25.9	*42.9*
37	20 to 24 years	26.2	18.6	*81.1*	*31.5*	35.4	37.9	*24.1*	38.9	16.7	98.9
38	25 to 34 years	14.8	13.2	*26.7*	*16.2*	27.7	20.1	59.8	67.7	44.6	124.8
39	35 to 44 years	41.8	34.1	95.0	67.7	66.3	42.3	153.5	135.1	88.3	247.0
40	45 to 54 years	179.7	168.3	273.5	165.7	150.1	125.1	255.8	359.6	281.4	591.7
41	55 to 64 years	343.8	323.0	584.8	416.4	369.4	338.6	567.7	573.7	434.5	1,184.0
42	65 to 74 years	896.1	872.0	1,212.9	1,175.7	944.3	919.1	1,106.0	1,377.8	1,317.9	1,655.3
43	75 years and over	1,839.4	1,849.4	1,712.3	2,636.4	2,072.4	2,130.7	1,678.7	1,996.4	1,995.9	1,998.1
	MALES.										
44	All ages—Crude rate	127.1	123.6	154.5	123.6	137.3	131.1	167.3	175.6	150.2	251.9
45	Under 1 year	*38.4*	*42.8*		*89.1*				*93.6*	*82.7*	*127.1*
46	1 to 4 years					*41.0*	*15.7*	*207.3*	*25.0*	*20.0*	*32.7*
47	Under 5 years	*7.8*	*8.6*		*19.5*	*32.8*	*12.6*	*167.1*	36.9	*32.3*	*52.0*
48	5 to 9 years	*16.2*	*18.1*			*21.1*	*12.1*	*82.8*	*17.1*	*7.6*	*45.6*
49	10 to 14 years	*8.7*	*9.7*		*22.7*	*10.6*	*12.2*		34.8	38.4	*23.6*
50	15 to 19 years	*8.4*		*79.1*					*17.3*	*22.6*	
51	20 to 24 years	*20.6*	*7.8*	*114.2*	*64.7*	*29.5*	*35.5*		39.9	*19.6*	105.1
52	25 to 34 years	*6.7*	*3.8*	*27.4*	*10.3*	*14.6*	*12.0*	*26.2*	79.2	54.0	149.0
53	35 to 44 years	39.4	36.2	*60.4*	76.5	80.6	73.8	*104.9*	104.6	58.5	219.8
54	45 to 54 years	202.6	188.0	314.6	187.4	153.6	150.4	165.7	384.9	299.7	625.5
55	55 to 64 years	388.8	364.5	647.2	395.4	429.0	381.6	719.4	772.2	664.3	1,268.7
56	65 to 74 years	1,121.8	1,065.6	1,799.5	743.2	1,147.8	1,063.1	1,684.2	1,454.3	1,413.8	1,661.6
57	75 years and over	2,348.8	2,466.8	*819.7*	3,441.3	2,555.9	2,634.0	*1,986.8*	2,056.1	1,853.3	2,747.3
	FEMALES.										
58	All ages—Crude rate	100.4	97.8	121.3	127.6	122.2	113.0	166.7	171.5	145.0	242.3
59	Under 1 year	*39.3*		*337.8*	*104.0*	*55.6*	*63.2*		*62.1*	*41.4*	*123.6*
60	1 to 4 years				*24.3*				*7.7*		*31.6*
61	Under 5 years	*7.9*		*78.2*	*39.4*	*11.2*	*12.9*		*18.6*	*8.2*	*50.4*
62	5 to 9 years	*8.1*	*9.1*						28.7	*23.2*	*44.9*
63	10 to 14 years	*8.6*	*9.7*						*11.0*	*7.5*	*21.0*
64	15 to 19 years	*16.4*	*17.2*		*22.1*	*38.6*	*45.5*		41.9	*29.0*	*75.8*
65	20 to 24 years	31.3	*28.6*	*51.3*		40.2	*39.9*	*41.2*	38.0	*13.6*	94.3
66	25 to 34 years	22.9	22.4	*26.1*	*22.5*	39.6	27.5	*88.1*	56.7	35.2	104.9
67	35 to 44 years	44.2	32.0	*153.0*	*57.7*	53.1	*13.5*	199.9	165.1	118.5	272.2
68	45 to 54 years	155.2	147.8	*222.6*	140.2	146.6	101.1	366.7	333.5	262.9	554.1
69	55 to 64 years	298.5	281.7	*510.9*	441.8	317.7	301.8	424.4	401.6	231.9	1,115.8
70	65 to 74 years	684.0	692.2	*566.6*	1,628.9	789.0	809.5	*655.7*	1,324.4	1,248.9	1,651.4
71	75 years and over	1,465.5	1,395.3	*2,562.9*	1,980.2	1,766.8	1,807.6	*1,503.8*	1,962.8	2,077.6	1,601.2

FROM ALL CAUSES AND CERTAIN SPECIFIED CAUSES PER 100,000 ENUMERATED POPULATION, BY SEX, IN EACH OR MORE IN 1920: 1920—Continued.

[Rates in *italics* are based on less than 5 deaths.]

DEATH RATE PER 100,000 ENUMERATED POPULATION.														
Baltimore.			Boston.			Cambridge.	Fall River.	Lowell.	New Bedford.	Springfield, Mass.	Worcester.	Detroit.		
Total.	White.	Colored.	Total.	White.	Colored.							Total.	White.	Colored.
101.8	107.4	69.5	109.6	109.9	96.2	137.3	74.2	92.1	60.6	81.6	93.8	45.7	46.9	20.6
13.2	*15.2*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3.7	*4.1*	.....	*6.9*	*7.0*	.....	.....	.....	.....	*19.4*	.....	.....	.....	.....	.....
5.7	*6.5*	.....	*5.6*	*5.7*	.....	.....	.....	.....	*15.4*	.....	.....	.....	.....	.....
3.1	*3.5*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*2.3*	*2.3*	.....
.....	.....	.....	*3.2*	*3.3*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*22.1*	*15.0*	.....	.....	.....
8.5	*6.3*	*17.0*	.....	.....	.....	*21.9*	.....	.....	.....	*17.3*	*13.5*	*3.4*	*3.6*	.....
23.8	21.5	*34.6*	29.5	28.9	*46.6*	*21.1*	*23.0*	*10.7*	.....	*7.3*	.....	8.6	8.3	*13.0*
61.2	68.2	*30.1*	42.4	40.2	*103.0*	*53.3*	92.2	*37.9*	69.4	*9.7*	58.7	31.6	31.1	*39.9*
196.9	204.0	161.3	193.9	195.7	*138.3*	178.9	127.2	167.0	171.3	110.0	130.1	95.1	97.7	*43.3*
425.1	430.4	382.6	572.4	576.5	*385.4*	672.5	385.9	277.0	204.9	417.5	431.4	333.2	341.1	.....
925.7	969.9	501.0	760.7	762.3	*649.4*	1,298.7	621.5	1,132.3	595.2	1,019.2	867.6	714.1	714.2	*709.2*
1,026.5	1,054.6	*793.7*	1,380.9	1,370.3	*2,173.9*	1,806.2	*865.6*	1,145.0	*382.4*	1,090.3	1,179.0	738.9	751.3	.....
122.5	123.4	117.2	150.5	149.8	182.4	190.3	129.5	85.5	95.4	119.9	150.8	86.7	87.4	69.1
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*9.0*	*9.3*	.....
7.3	*4.2*	*30.4*	*10.7*	*3.6*	*394.5*	.....	.....	.....	.....	.....	.....	*4.5*	*4.6*	.....
5.8	*3.3*	*23.2*	*8.6*	*2.9*	*309.1*	.....	.....	.....	.....	.....	.....	*5.4*	*5.5*	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*6.3*	*7.0*	.....
.....	.....	.....	.....	.....	.....	.....	*16.4*	.....	.....	.....	.....	.....	.....	.....
15.4	18.1	.....	*3.4*	*3.5*	.....	*22.1*	.....	.....	.....	.....	*14.2*	.....	.....	.....
2.7	*3.3*	.....	.....	.....	.....	.....	.....	.....	*16.0*	.....	.....	*7.9*	*8.4*	.....
32.5	28.7	49.7	19.1	19.6	.....	*19.7*	*20.4*	*9.8*	*8.9*	*7.7*	37.2	15.7	14.5	*37.2*
124.2	116.7	159.3	128.5	127.0	*178.9*	195.1	109.6	*56.3*	70.8	*40.5*	69.0	95.9	95.3	*109.9*
247.9	224.1	395.0	330.8	330.9	*327.6*	455.5	293.3	183.9	242.8	280.2	343.2	270.0	266.7	*383.1*
492.6	483.2	578.0	575.5	575.9	*545.0*	667.2	545.5	273.6	448.7	526.0	682.8	463.1	466.4	*273.2*
724.9	747.5	503.8	869.2	860.7	*1,332.5*	579.3	1,181.9	715.4	478.2	732.4	874.2	751.1	742.9	*1,212.1*
866.9	931.1	*211.4*	1,140.0	1,122.4	*2,325.6*	1,871.9	702.2	1,072.7	1,213.6	1,272.7	1,338.0	1,098.9	1,118.4	.....
140.3	126.8	231.1	58.1	56.6	152.1	71.4	103.4	69.2	70.6	127.2	59.2	70.7	70.0	81.2
145.4	134.5	207.9	61.2	60.0	113.8	80.2	99.6	73.6	68.5	133.5	61.8	51.9	51.7	57.7
33.7	*23.3*	*101.6*	50.6	51.7	.....	.....	.....	*79.3*	*74.3*	*76.9*	.....	44.9	46.1	.....
1.8	*2.1*	.....	*7.0*	*7.1*	.....	.....	*9.3*	*21.6*	*9.7*	.....	*13.0*	7.8	8.0	.....
8.7	*6.6*	*25.9*	15.5	15.8	.....	.....	*7.3*	*34.0*	*23.1*	*15.5*	*10.4*	15.2	15.5	.....
1.6	*1.8*	.....	*1.5*	*1.5*	.....	.....	*7.5*	.....	.....	*9.0*	.....	10.2	10.5	.....
8.1	*7.4*	*18.4*	*4.9*	*5.0*	.....	*10.7*	*8.2*	.....	*19.0*	*20.1*	*6.7*	11.6	10.5	*51.8*
16.2	18.7	.....	10.5	8.9	*100.4*	*34.0*	*9.1*	*10.9*	*19.8*	*10.6*	.....	8.6	8.9	.....
15.2	13.4	*23.5*	10.4	10.7	.....	.....	*9.2*	*9.8*	*8.6*	*16.7*	*6.3*	11.9	9.7	*45.2*
43.0	34.1	84.6	10.3	9.9	*24.8*	30.5	32.5	35.9	26.8	54.3	21.1	17.0	17.9	.....
88.0	71.2	165.0	35.9	36.2	*27.6*	57.6	88.6	74.2	58.4	64.5	45.0	42.0	35.8	154.9
232.1	177.5	533.6	86.8	86.9	*34.9*	169.8	117.5	137.3	95.4	173.5	30.6	104.8	104.2	*119.3*
451.3	404.0	853.9	182.8	170.1	902.9	241.1	391.6	170.4	263.7	499.7	261.6	189.7	191.3	*112.0*
1,217.1	1,149.4	1,873.0	459.0	449.2	*1,078.2*	422.8	872.0	412.7	471.4	752.1	478.3	590.0	588.9	*663.6*
2,189.9	2,197.9	2,115.2	1,015.7	997.7	*2,272.7*	800.5	1,509.1	880.4	890.9	2,411.0	1,020.0	1,232.3	1,238.2	*892.9*
149.1	139.5	204.7	60.2	59.3	96.2	89.6	98.4	60.8	58.9	130.3	70.3	50.3	49.8	61.8
89.7	*80.3*	*104.5*	*58.0*	*59.2*	.....	.....	.....	*79.8*	*76.2*	*163.8*	.....	*17.9*	*18.3*	.....
.....	.....	.....	*13.8*	*14.1*	.....	.....	*18.8*	.....	.....	.....	*25.6*	11.0	11.2	.....
8.6	*6.5*	*24.6*	22.3	22.7	.....	.....	*14.7*	*17.3*	*15.4*	*30.9*	*20.7*	12.4	12.6	.....
3.1	*3.5*	.....	.....	.....	.....	.....	*15.0*	.....	.....	*17.8*	.....	*6.8*	*6.9*	.....
.....	.....	.....	*6.5*	*6.6*	.....	.....	.....	.....	*19.6*	*20.4*	.....	*11.6*	*8.9*	*103.5*
27.2	31.0	.....	*10.8*	*7.3*	*213.2*	*25.3*	.....	.....	.....	*22.1*	.....	*5.6*	*5.9*	.....
17.1	*10.3*	*51.0*	*6.3*	*6.5*	.....	.....	.....	.....	.....	*17.3*	*13.5*	10.2	9.0	*26.6*
46.1	34.1	103.7	14.8	15.2	.....	*42.2*	*34.6*	*21.5*	*8.9*	54.5	29.4	17.9	19.0	.....
83.4	75.0	120.3	31.8	32.9	.....	67.3	65.9	63.1	69.4	*38.9*	*22.0*	33.9	27.5	139.6
246.2	204.0	455.9	88.1	91.0	.....	195.2	95.4	106.3	93.7	219.9	50.0	101.4	100.0	*129.9*
476.6	435.3	803.4	207.1	194.9	*770.7*	292.4	385.9	193.9	263.5	521.9	338.7	249.9	255.8	.....
1,435.7	1,355.7	2,204.4	475.4	453.5	*1,948.1*	519.5	1,118.7	298.0	595.2	839.3	603.5	518.3	503.5	*1,418.4*
2,338.2	2,396.9	1,851.9	1,093.2	1,078.7	*2,173.9*	1,149.4	1,645.3	1,145.0	*382.4*	2,492.2	1,286.2	1,583.4	1,574.2	*2,127.7*
141.8	129.7	211.0	62.2	60.6	133.8	71.6	100.7	85.5	77.6	136.6	53.2	53.8	53.9	51.9
27.4	*15.9*	*98.9*	*43.3*	*44.2*	.....	.....	.....	*78.8*	*72.5*	.....	.....	72.2	74.3	.....
3.7	*4.2*	.....	.....	.....	.....	.....	.....	*42.4*	*19.5*	.....	.....	*4.5*	*4.6*	.....
8.7	*6.6*	*23.2*	8.6	8.7	.....	.....	.....	*50.2*	*30.8*	.....	.....	18.0	18.5	.....
.....	.....	.....	*3.1*	*3.1*	.....	.....	.....	.....	.....	.....	.....	13.7	14.0	.....
15.9	*14.6*	*24.9*	*3.3*	*3.3*	.....	*21.3*	*16.4*	.....	*18.5*	*19.9*	*13.4*	*11.7*	*12.0*	.....
6.2	*7.3*	.....	*10.2*	*10.4*	.....	*44.2*	*17.2*	*20.5*	*38.1*	.....	.....	*11.5*	*13.0*	.....
13.4	16.4	.....	14.0	14.4	.....	.....	*16.7*	*18.1*	*16.0*	*15.7*	.....	13.9	10.5	*69.3*
39.9	34.1	66.3	*5.9*	*4.5*	*53.2*	*19.7*	*30.6*	49.1	44.7	54.1	*12.4*	15.7	16.5	.....
92.7	67.3	212.4	39.9	39.4	*59.6*	*48.8*	109.6	84.8	*47.2*	91.0	69.0	53.6	47.6	133.2
217.9	151.3	628.5	85.5	82.7	*218.3*	146.9	138.9	168.6	97.1	126.1	*10.4*	109.1	109.5	*95.8*
427.4	374.8	908.3	160.1	146.9	*1,089.9*	197.7	396.7	149.2	263.9	480.2	187.8	124.1	121.5	*273.2*
1,036.6	979.5	1,595.3	446.0	445.7	*460.8*	356.5	668.0	511.0	371.9	689.4	374.6	655.9	667.5	.....
2,092.0	2,069.1	2,325.6	969.9	949.7	*2,325.6*	591.1	1,404.5	715.1	1,213.6	2,363.6	845.1	964.9	982.0	.....

TABLE 2.—CRUDE AND ADJUSTED DEATH RATES AT ALL AGES, AND SPECIFIC DEATH RATES IN 13 AGE GROUPS, REGISTRATION CITY OF 100,000 POPULATION

[Rates in *italics* are based on less than 5 deaths.

	CAUSE OF DEATH, SEX, AND AGE.	DEATH RATE PER 100,000 ENUMERATED POPULATION.									
		Indianapolis.			Kansas City, Kans.	Louisville.			New Orleans.		
		Total.	White.	Colored.		Total.	White.	Colored.	Total.	White.	Colored.
	Puerperal septicemia.										
	FEMALES.										
1	All ages—Crude rate	22.7	19.9	46.2	18.2	17.1	12.8	38.1	24.2	13.2	53.6
2	Under 15 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	15 to 19 years	61.5	43.0	*216.6*	*44.3*	.....	.....	.....	*15.7*	.....	*56.8*
4	20 to 24 years	50.1	50.0	*51.3*	*20.5*	48.2	*29.9*	*123.6*	42.8	*20.4*	94.3
5	25 to 29 years	55.7	56.7	*48.7*	*20.6*	*32.6*	*40.6*	.....	64.2	*29.0*	140.2
6	30 to 34 years	48.5	39.5	*112.1*	*24.8*	47.7	*23.9*	*140.8*	77.5	51.0	139.6
7	35 to 39 years	*22.0*	*16.8*	*56.4*	*105.5*	*29.6*	*25.4*	*44.3*	*24.9*	*27.4*	*19.6*
8	40 to 44 years	.....	.....	.....	.....	*34.5*	28.8	*57.3*	38.5	*32.5*	*64.0*
9	45 years and over	*2.7*	*3.0*	.....	.....	.....	.....	.....	*2.5*	.....	*11.4*
	Other puerperal causes.										
	FEMALES.										
10	All ages—Crude rate	18.9	17.7	28.9	22.3	18.7	19.7	*14.3*	31.8	28.4	40.7
11	Under 15 years	.....	.....	.....	.....	.....	.....	.....	*3.9*	.....	*15.2*
12	15 to 19 years	*23.1*	*25.8*	.....	*22.1*	*9.6*	*11.4*	.....	52.4	43.5	*75.8*
13	20 to 24 years	43.9	42.8	*51.3*	*20.5*	80.3	89.8	*41.2*	76.0	88.6	*47.1*
14	25 to 29 years	37.2	35.5	*48.7*	*82.5*	*32.6*	*30.5*	*41.5*	64.2	50.7	93.4
15	30 to 34 years	55.4	55.3	*56.1*	*74.3*	*38.1*	*47.9*	.....	53.7	42.5	*79.8*
16	35 to 39 years	36.6	*33.7*	*56.4*	*26.4*	*29.6*	*25.4*	*44.3*	68.4	73.0	*58.7*
17	40 to 44 years	*8.9*	.....	*81.0*	*31.9*	*11.5*	*14.4*	.....	7.7	*10.3*	.....
18	45 years and over	.....	.....	.....	.....	.....	.....	.....	*2.5*	*3.2*	.....

FROM ALL CAUSES AND CERTAIN SPECIFIED CAUSES PER 100,000 ENUMERATED POPULATION, BY SEX, IN EACH OR MORE IN 1920: 1920—Continued.

[Rates in *italics* are based on less than 5 deaths.]

DEATH RATE PER 100,000 ENUMERATED POPULATION.															
Baltimore.			Boston.			Cambridge.	Fall River.	Lowell.	New Bedford.	Springfield, Mass.	Worcester.	Detroit.			
Total.	White.	Colored.	Total.	White.	Colored.							Total.	White.	Colored.	
13.7	10.4	32.5	18.7	18.6	*24.3*	10.5	9.6	8.5	16.2	9.1	14.4	21.8	22.0	*17.3*	1
2.0	.....	*16.0*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
24.7	18.1	*61.7*	17.1	17.4	.....	.....	.....	.....	.....	.....	.....	14.4	14.9	.....	3
45.4	39.3	72.5	39.3	37.4	*111.1*	*18.3*	*16.7*	*18.1*	*47.9*	*31.5*	58.9	37.7	40.0	.....	4
19.2	*13.4*	*44.5*	65.3	64.4	*94.2*	*18.1*	*37.8*	*18.3*	*33.6*	*57.2*	*22.6*	67.3	69.5	*31.2*	5
25.6	*11.6*	94.0	47.9	49.2	.....	*43.2*	*22.2*	*42.5*	*19.1*	.....	68.7	35.0	36.8	.....	6
16.8	20.6	.....	26.2	27.0	.....	*47.0*	*23.2*	*22.5*	*86.9*	.....	.....	44.7	41.1	*114.5*	7
12.4	*14.8*	.....	18.5	19.0	.....	.....	*25.6*	.....	.....	.....	.....	19.5	20.2	.....	8
1.2	*1.4*	.....	.....	.....	.....	.....	.....	.....	.....	.....	*5.0*	.....	.....	.....	9
23.9	23.4	27.0	30.1	29.9	*36.5*	26.2	32.0	35.9	12.9	13.7	42.1	35.7	35.5	40.3	10
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	11
33.9	21.8	102.9	17.1	*18.9*	*189.8*	*22.1*	.....	.....	.....	*41.1*	.....	20.1	20.9	.....	12
61.5	62.3	*58.0*	58.9	60.4	.....	*78.2*	*16.7*	*54.2*	*16.0*	*15.7*	82.4	79.3	75.7	*138.6*	13
65.7	70.6	*44.5*	68.0	67.2	*94.2*	*72.3*	113.3	109.7	*67.3*	*57.2*	90.4	81.5	86.4	.....	14
51.2	57.9	*18.8*	89.5	91.9	.....	*86.5*	155.1	148.7	*19.1*	*33.6*	164.9	89.7	89.6	*92.0*	15
37.1	37.1	*36.7*	81.9	81.1	*105.9*	*23.5*	*92.9*	*67.5*	*21.7*	.....	99.5	55.8	55.8	*57.3*	16
12.4	*14.8*	.....	33.3	34.2	.....	*25.4*	.....	*26.2*	*25.8*	.....	*66.8*	19.5	20.2	.....	17
1.2	*1.4*	.....	*1.1*	*1.1*	.....	.....	*15.2*	*7.5*	.....	.....	.....	*4.2*	*4.3*	.....	18

TABLE 2.—CRUDE AND ADJUSTED DEATH RATES AT ALL AGES, AND SPECIFIC DEATH RATES IN 13 AGE GROUPS, REGISTRATION CITY OF 100,000 POPULATION

[Rates in *italics* are based on less than 5 deaths.]

	CAUSE OF DEATH, SEX, AND AGE.	DEATH RATE PER 100,000 ENUMERATED POPULATION.											
		Grand Rapids.	Minneapolis.	St. Paul.	Kansas City, Mo.			St. Louis.			Omaha.	Camden.	Jersey City.	Newark, N. J.
					Total.	White.	Colored.	Total.	White.	Colored.				
	ALL CAUSES.[1]													
	BOTH SEXES.													
1	All ages—Adjusted rate	1,266.5	1,252.2	1,284.6	1,704.8	1,591.9	3,010.9	1,470.6	1,385.5	2,470.7	1,536.1	1,554.3	1,545.1	1,414.1
2	Crude rate	1,326.7	1,238.4	1,260.3	1,627.3	1,533.5	2,518.4	1,414.3	1,353.2	2,024.7	1,446.2	1,488.3	1,416.0	1,295.9
3	Under 1 year	12,287.0	8,857.4	9,019.3	16,710.4	15,907.5	28,282.8	10,328.8	9,389.3	21,093.8	13,705.4	13,572.0	11,627.6	11,211.5
4	1 to 4 years	930.8	749.7	776.3	1,369.6	1,265.9	2,981.3	1,247.4	1,106.7	3,153.7	1,119.3	1,265.0	1,482.0	1,207.2
5	Under 5 years	3,022.8	2,293.1	2,349.0	4,295.8	4,048.1	8,089.7	2,974.3	2,665.9	7,015.9	3,426.6	3,812.0	3,463.7	3,195.8
6	5 to 9 years	461.4	332.4	405.8	436.7	414.1	739.4	532.5	541.2	423.4	502.1	478.6	358.7	277.4
7	10 to 14 years	266.4	258.9	266.1	316.2	288.6	648.6	242.2	222.0	481.6	441.8	311.0	233.9	250.0
8	15 to 19 years	308.2	431.3	479.7	711.1	657.0	1,308.5	444.3	392.7	1,046.5	478.6	501.7	371.3	346.4
9	20 to 24 years	482.8	539.4	610.9	914.2	858.4	1,410.6	576.6	516.4	1,143.2	542.7	635.9	585.6	485.9
10	25 to 34 years	531.9	698.8	730.4	919.8	818.4	1,710.1	691.3	630.0	1,181.9	746.8	652.0	742.4	611.2
11	35 to 44 years	706.9	734.2	730.7	1,137.9	974.8	2,284.2	895.5	816.3	1,498.5	1,015.4	916.6	852.6	810.1
12	45 to 54 years	986.2	1,186.0	1,195.0	1,479.8	1,331.4	2,813.2	1,516.0	1,398.4	2,685.0	1,593.2	1,577.2	1,484.5	1,458.9
13	55 to 64 years	2,290.3	2,621.7	2,745.8	3,005.5	2,798.0	6,211.7	3,039.2	2,947.2	4,537.9	2,815.7	2,858.0	3,151.2	3,119.9
14	65 to 74 years	5,617.8	5,662.1	5,526.1	6,310.4	6,160.1	9,073.0	6,629.6	6,498.1	9,060.1	6,271.3	6,596.2	7,528.6	6,519.3
15	75 years and over	13,603.6	13,816.5	13,641.5	13,091.3	12,925.2	15,678.0	14,532.1	14,702.4	11,971.8	14,471.7	13,043.5	14,903.1	13,673.3
	MALES.													
16	All ages—Crude rate	1,325.6	1,337.6	1,314.7	1,765.2	1,682.6	2,541.5	1,484.3	1,436.7	1,947.6	1,494.6	1,516.6	1,465.3	1,323.6
17	Under 1 year	14,710.7	10,216.8	9,640.8	19,051.8	18,186.0	32,608.7	11,780.2	10,871.6	22,295.8	15,493.9	14,909.6	13,202.4	12,488.8
18	1 to 4 years	884.5	807.7	721.7	1,273.7	1,147.9	3,275.9	1,234.5	1,125.3	2,806.1	1,113.3	1,401.3	1,576.8	1,206.0
19	Under 5 years	3,322.2	2,570.0	2,418.6	4,647.9	4,379.1	8,913.6	3,247.8	2,962.4	7,174.7	3,801.6	4,175.7	3,856.2	3,430.7
20	5 to 9 years	554.1	384.5	389.1	478.9	448.9	899.7	607.7	623.3	406.5	514.7	413.7	394.2	314.8
21	10 to 14 years	299.3	234.8	266.0	369.9	331.2	854.7	235.3	215.2	487.4	483.7	449.4	242.6	275.3
22	15 to 19 years	316.7	513.3	462.5	878.6	825.2	1,509.9	427.1	392.7	842.9	421.6	533.5	378.8	322.3
23	20 to 24 years	429.0	542.4	600.7	1,104.3	1,109.9	1,051.9	534.7	485.1	1,009.2	457.6	672.8	562.7	469.5
24	25 to 34 years	384.8	674.3	689.7	903.8	821.9	1,546.1	665.5	595.3	1,229.0	647.5	601.2	668.9	569.4
25	35 to 44 years	609.6	763.6	753.0	1,205.9	1,059.8	2,182.0	957.7	903.1	1,343.2	912.2	855.5	899.4	824.7
26	45 to 54 years	970.4	1,253.3	1,258.6	1,618.0	1,459.6	2,910.9	1,582.6	1,484.9	2,414.9	1,699.7	1,551.7	1,603.3	1,588.9
27	55 to 64 years	2,077.2	2,963.2	3,035.9	3,405.6	3,171.8	6,849.3	3,467.5	3,440.8	3,876.9	3,035.6	2,863.6	3,340.5	3,521.7
28	65 to 74 years	5,828.3	6,204.2	6,204.9	6,864.5	6,872.3	6,719.4	7,136.3	7,019.8	9,217.4	6,870.2	6,828.9	8,442.2	6,801.0
29	75 years and over	14,658.6	15,254.2	15,567.3	13,526.3	13,245.4	18,000.0	15,670.0	15,676.3	15,566.0	15,714.3	16,075.2	14,688.1	13,058.9
	FEMALES.													
30	All ages—Crude rate	1,327.8	1,140.2	1,206.0	1,489.1	1,384.4	2,494.8	1,345.3	1,271.4	2,104.5	1,394.5	1,458.9	1,365.7	1,267.8
31	Under 1 year	10,053.3	7,513.9	8,385.5	14,348.4	13,584.9	24,528.3	8,816.5	7,842.4	19,864.6	11,832.3	12,260.0	10,003.1	9,915.9
32	1 to 4 years	978.3	690.1	832.4	1,467.5	1,386.7	2,693.6	1,260.7	1,087.5	3,474.7	1,125.4	1,128.6	1,385.1	1,208.5
33	Under 5 years	2,722.1	2,010.4	2,277.5	3,937.1	3,709.4	7,304.1	2,691.7	2,357.3	6,866.0	3,049.1	3,449.9	3,061.9	2,953.5
34	5 to 9 years	371.0	279.6	422.7	394.4	379.0	591.7	456.1	457.4	439.8	489.3	542.6	323.0	240.0
35	10 to 14 years	234.9	282.7	266.2	262.3	245.7	*456.1*	249.0	228.8	476.4	401.3	174.0	225.3	224.4
36	15 to 19 years	300.6	363.0	495.6	567.4	511.1	1,154.5	459.4	392.7	1,215.5	531.6	471.2	364.2	369.2
37	20 to 24 years	529.6	537.1	619.6	752.1	641.8	1,689.4	613.0	543.5	1,255.4	624.6	601.0	606.4	500.4
38	25 to 34 years	670.6	723.0	771.0	935.1	815.0	1,865.7	716.0	663.2	1,137.0	854.2	708.5	819.7	655.0
39	35 to 44 years	804.0	702.6	706.4	1,064.3	884.2	2,405.8	830.2	726.7	1,686.4	1,136.4	986.2	800.4	793.5
40	45 to 54 years	1,002.3	1,111.3	1,128.9	1,321.5	1,187.5	2,677.5	1,443.2	1,306.8	3,090.6	1,466.4	1,605.8	1,353.5	1,319.4
41	55 to 64 years	2,510.2	2,237.3	2,427.2	2,545.1	2,370.8	5,400.7	2,595.2	2,439.1	5,308.5	2,547.2	2,852.0	2,956.4	2,719.0
42	65 to 74 years	5,413.8	5,107.1	4,854.4	5,747.1	5,435.3	11,417.3	6,178.1	6,034.9	8,910.9	5,619.3	6,386.9	6,767.5	6,289.7
43	75 years and over	12,745.1	12,690.4	12,183.8	12,759.2	12,680.1	13,970.6	13,736.5	14,014.4	9,831.5	13,274.3	10,879.3	15,047.2	14,074.1
	Typhoid fever.													
	BOTH SEXES.													
44	All ages—Adjusted rate	2.3	2.3	2.2	8.5	8.1	12.2	2.7	1.8	13.3	7.1	7.7	3.9	1.9
45	Crude rate	*2.2*	2.6	2.1	8.0	7.5	*12.9*	2.6	1.9	10.0	7.8	7.7	4.0	1.9
46	Under 1 year	.....	.....	.....	*21.8*	*23.4*	.....	.....	.....	.....	.....	.....	.....	.....
47	1 to 4 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
48	Under 5 years	.....	.....	.....	*4.2*	*4.4*	.....	.....	.....	.....	.....	.....	.....	.....
49	5 to 9 years	.....	.....	.....	21.4	23.0	.....	*1.6*	.....	*22.3*	*6.0*	*8.5*	*13.2*	.....
50	10 to 14 years	.....	.....	*5.5*	*4.5*	.....	*59.0*	*6.5*	*3.5*	*41.9*	.....	*9.7*	*7.3*	.....
51	15 to 19 years	*3.8*	*7.1*	*5.3*	*16.7*	*18.2*	.....	9.5	*5.2*	*60.4*	*13.1*	*10.5*	.....	*5.9*
52	20 to 24 years	.....	.....	.....	*6.2*	*6.9*	.....	*1.3*	*1.5*	.....	*10.4*	*18.7*	*7.1*	*7.8*
53	25 to 34 years	*4.1*	*4.9*	*2.1*	11.6	9.8	*25.5*	*0.7*	*0.7*	.....	*7.7*	*4.7*	*3.6*	*1.8*
54	35 to 44 years	.....	*1.7*	*5.9*	*5.4*	*4.1*	*14.5*	*3.2*	*2.7*	*6.9*	17.1	*6.2*	*4.7*	*3.3*
55	45 to 54 years	.....	*2.5*	.....	*5.2*	*5.8*	.....	*2.2*	*2.4*	.....	*5.0*	*16.6*	.....	.....
56	55 to 64 years	.....	*7.7*	.....	.....	.....	.....	*1.9*	*2.0*	.....	*8.0*	.....	.....	.....
57	65 to 74 years	*19.6*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
58	75 years and over	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	MALES.													
59	All ages—Crude rate	*1.5*	2.6	*1.7*	9.2	8.2	*19.2*	2.9	2.3	*8.4*	9.1	8.4	6.0	2.4
60	Under 1 year	.....	.....	.....	*43.5*	*46.3*	.....	.....	.....	.....	.....	.....	.....	.....
61	1 to 4 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
62	Under 5 years	.....	.....	.....	*8.3*	*8.8*	.....	.....	.....	.....	.....	.....	.....	.....
63	5 to 9 years	.....	.....	.....	*8.6*	*9.2*	.....	.....	.....	.....	*12.0*	.....	*13.1*	.....
64	10 to 14 years	.....	.....	*11.1*	*9.0*	.....	*122.1*	*6.5*	*3.5*	*44.3*	.....	*19.5*	*7.4*	.....
65	15 to 19 years	*18.6*	.....	.....	*36.2*	*39.3*	.....	*10.2*	*7.3*	*44.4*	*13.6*	.....	.....	.....
66	20 to 24 years	.....	.....	.....	.....	.....	.....	*2.9*	*3.2*	.....	*10.6*	*38.4*	*15.0*	*16.0*
67	25 to 34 years	.....	*5.0*	.....	14.8	*10.0*	*52.4*	*1.3*	*1.5*	.....	*4.9*	*8.8*	*7.1*	*2.5*
68	35 to 44 years	.....	*3.4*	*5.7*	*3.5*	*4.0*	.....	*4.7*	*3.6*	*12.6*	*25.3*	.....	*9.0*	*3.1*
69	45 to 54 years	.....	*4.8*	.....	*9.8*	*11.0*	.....	*2.1*	*2.3*	.....	.....	*15.7*	.....	.....
70	55 to 64 years	.....	*7.3*	.....	.....	.....	.....	.....	.....	.....	*14.6*	.....	.....	.....
71	65 to 74 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	75 years and over	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

[1] Exclusive of stillbirths.

FROM ALL CAUSES AND CERTAIN SPECIFIED CAUSES PER 100,000 ENUMERATED POPULATION, BY SEX, IN EACH OR MORE IN 1920: 1920—Continued.

[Rates in *italics* are based on less than 5 deaths.]

DEATH RATE PER 100,000 ENUMERATED POPULATION.															
Paterson.	Trenton.	Albany.	Buffalo.	New York.			Bronx Borough	Brooklyn Borough.			Manhattan Borough.			Queens Borough	Richmond Borough.	
				Total.	White.	Colored.		Total.	White	Colored.	Total.	White.	Colored.			
1,351.5	1,652.2	1,436.0	1,539.9	1,447.2	1,420.3	2,552.6	1,268.5	1,391.6	1,373.5	2,632.5	1,589.3	1,546.4	2,598.8	1,292.3	1,537.0	1
1,285.0	1,581.0	1,574.9	1,475.0	1,305.9	1,286.0	1,984.0	1,079.6	1,269.0	1,253.7	2,179.4	1,427.0	1,400.9	1,918.5	1,172.8	1,528.3	2
10,609.3	13,314.9	10,526.3	13,472.9	10,393.2	10,043.3	24,113.7	7,806.5	9,490.3	9,330.5	19,749.2	12,445.1	11,815.6	26,110.5	8,792.1	11,623.7	3
1,113.4	1,133.8	1,047.9	1,309.8	1,321.8	1,283.8	3,242.4	818.2	1,254.9	1,227.3	3,618.1	1,679.3	1,618.3	3,338.4	951.9	1,063.1	4
2,847.1	3,500.4	2,862.4	3,685.8	3,083.3	2,977.1	8,171.3	2,116.9	2,858.9	2,800.6	7,534.2	3,827.4	3,638.5	8,722.9	2,394.4	3,009.8	5
297.4	419.8	241.3	487.4	350.1	345.9	593.5	315.0	318.0	315.4	558.4	398.0	390.9	632.7	344.3	339.5	6
166.7	238.3	262.9	291.9	227.7	222.5	537.6	197.3	215.1	210.4	676.7	263.3	255.3	528.3	184.4	223.9	7
344.1	442.8	379.8	340.3	364.7	345.1	1,244.4	293.8	354.7	341.8	1,319.3	397.0	362.6	1,247.4	370.1	387.6	8
380.9	667.0	347.1	576.9	509.8	487.1	1,096.0	435.2	490.5	470.7	1,394.6	547.5	520.3	934.0	431.3	881.4	9
600.1	871.6	711.4	655 0	632.0	613.8	1,059.3	531.5	631.9	619.5	1,188.3	669.1	643.5	991.6	548.2	886.3	10
822.5	873.4	766.1	868.2	850.6	821.7	1,559.6	725.3	815.1	797.7	1,582.8	923.1	876.8	1,571.7	781.6	922.5	11
1,444.0	1,697.5	1,369.1	1,467.9	1,544.5	1,524.9	2,260.1	1,473.7	1,455.8	1,444.5	2,078.2	1,668.7	1,642.1	2,266.6	1,373.3	1,563.3	12
2,680.3	3,678.3	3,513.7	2,892.3	3,197.9	3,175.5	4,546.3	2,969.4	3,155.9	3,128.5	5,419.5	3,393.2	3,366.7	4,434.9	2,887.1	2,684.1	13
6,539.4	7,151.7	7,252.6	6,939.8	6,816.3	6,805.4	7,579.9	6,830.2	6,600.0	6,590.7	7,414.1	7,049.0	7,036.9	7,641.5	6,288.1	7,950.3	14
15,044.9	16,177.7	15,111.3	15,189.1	14,206.8	14,221.7	13,166.1	14,259.6	14,015.5	13,984.6	17,045.5	14,098.6	14,127.4	12,680.1	14,721.5	16,095.7	15
1,301.2	1,619.4	1,613.2	1,550.5	1,368.2	1,346.6	2,109.0	1,101.6	1,300.7	1,284.8	2,249.0	1,531.5	1,504.0	2,050.0	1,199.0	1,680.2	16
11,037.3	13,322.9	10,866.9	15,257.9	11,664.4	11,263.4	28,009.1	9,040.7	10,596.9	10,427.7	22,408.0	13,802.4	13,047.3	30,247.6	10,513.3	13,000.9	17
1,148.3	1,210.3	1,172.9	1,413.9	1,368.6	1,327.1	3,523.4	788.6	1,292.2	1,264.0	3,726.1	1,773.4	1,706.1	3,668.2	979.9	1,056.3	18
2,976.8	3,564.9	2,977.3	4,110.6	3,369.5	3,250.1	9,263.5	2,313.7	3,116.4	3,056.7	8,049.5	4,169.2	3,946.9	10,088.4	2,725.6	3,274.9	19
357.6	514.8	283.5	501.1	379.3	376.9	520.4	326.7	350.5	348.1	577.5	439.5	436.9	527.2	329.2	386.1	20
255.6	326.9	285.4	307.0	236.8	231.8	564.2	236.5	226.6	222.4	668.9	257.8	251.1	504.2	208.3	208.3	21
301.2	515.2	282.9	330.9	378.0	355.3	1,512.3	312.7	365.2	350.6	1,513.7	418.5	378.5	1,520.4	337.0	459.2	22
417.9	553.4	338.9	533.6	510.9	484.2	1,214.7	447.8	456.9	434.5	1,453.6	571.9	540.8	1,021.3	406.6	994.3	23
549.5	847.0	743.9	638.9	623.5	608.0	989.9	468.4	613.8	604.2	1,060.9	676.0	657.6	907.9	526.9	1,101.3	24
813.2	789.8	927.8	1,025.4	917.7	888.4	1,620.4	758.6	840.2	822.6	1,629.3	1,033.2	987.7	1,641.7	837.9	1,046.2	25
1,535.7	1,704.8	1,254.9	1,582.0	1,716.1	1,695.0	2,429.2	1,530.0	1,600.3	1,587.1	2,251.0	1,905.7	1,880.3	2,439.9	1,442.8	1,893.2	26
2,363.5	4,215.5	3,651.0	3,155.0	3,439.7	3,425.7	4,296.4	3,060.8	3,368.9	3,341.0	5,671.6	3,739.5	3,740.4	3,703.7	3,045.2	2,622.6	27
6,994.5	8,288.8	8,922.5	7,336.7	6,939.5	6,908.0	9,466.7	6,901.5	6,594.9	6,579.1	8,050.8	7,342.0	7,276.4	11,302.2	6,158.9	7,889.2	28
17,348.6	18,619.2	15,322.6	15,955.4	14,527.3	14,512.6	15,765.8	14,537.7	14,325.9	14,255.3	23,214.3	14,488.1	14,426.9	18,260.9	14,632.6	16,331.4	29
1,269.2	1,541.3	1,539.1	1,399.3	1,244.0	1,225.7	1,861.7	1,057.9	1,237.4	1,222.6	2,110.8	1,323.8	1,299.0	1,789.1	1,146.8	1,359.1	30
10,157.6	13,305.8	10,199.3	11,680.1	9,088.2	8,788.4	20,403.7	6,535.9	8,343.5	8,190.7	17,401.1	11,061.3	10,559.5	21,919.3	7,055.6	10,202.2	31
1,077.8	1,056.1	919.3	1,204.5	1,273.9	1,239.4	2,969.6	849.2	1,217.0	1,189.9	3,510.5	1,582.9	1,528.1	3,022.3	923.3	1,070.0	32
2,713.8	3,434.9	2,745.7	3,256.7	2,789.9	2,696.9	7,115.9	1,912.1	2,595.5	2,538.7	7,035.9	3,477.7	3,322.3	7,397.1	2,057.1	2,740.4	33
236.4	326.5	197.3	473.4	320.6	314.5	662.7	303.0	285.6	282.8	540.5	356.3	344.5	732.6	359.8	280.6	34
78.9	151.3	240.2	277.0	218.6	213.1	515.3	157.0	203.7	198.4	683.6	268.9	259.6	547.9	165.2	240.5	35
382.7	378.4	462.9	348.9	352.3	335.6	1,038.3	276.1	344.7	333.5	1,150.4	377.4	348.0	1,041.7	401.6	311.4	36
348.8	771.3	353.8	615.5	509.0	489.7	999.2	425.4	519.7	502.2	1,340.1	527.5	503.4	864.2	453.3	753.1	37
650.7	899.4	681.0	671.7	640.4	619.5	1,127.1	592.3	650.4	635.2	1,310.7	662.3	629.6	1,074.5	568.2	639.0	38
832.0	973.6	610.3	698.8	778.1	749.9	1,490.4	687.6	788.1	770.9	1,534.5	805.6	759.2	1,490.1	722.2	780.9	39
1,346.3	1,689.4	1,479.0	1,346.7	1,360.5	1,343.2	2,047.3	1,413.6	1,301.8	1,293.0	1,848.3	1,414.4	1,388.3	2,052.4	1,298.4	1,173.5	40
2,980.7	3,139.0	3,390.2	2,628.2	2,956.1	2,925.4	4,789.3	2,880.4	2,946.6	2,919.9	5,169.9	3,044.4	2,989.8	5,139.1	2,725.3	2,758.4	41
6,142.9	6,170.7	5,954.7	6,587.8	6,709.0	6,715.7	6,289.9	6,768.2	6,604.3	6,600.2	6,940.1	6,785.9	6,820.2	5,359.9	6,398.9	8,025.9	42
13,365.2	14,545.5	14,973.7	14,678.3	13,978.0	14,013.2	11,778.8	14,052.5	13,801.8	13,797.5	14,166.7	13,823.8	13,914.8	9,913.8	14,781.9	15,812.0	43
0.8	7.9	4.3	5.0	2.4	2.4	2.5	1.3	2.6	2.6	.....	2.3	2.3	3.6	2.9	6.2	44
0.7	8.4	4.4	4.9	2.6	2.6	*2.5*	1.5	2.6	2.6	.....	2.5	2.5	*3.5*	3.2	6.9	45
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	46
.....	.....	.....	.....	1.1	1.1	.....	.....	*1.2*	*1.2*	.....	*1.8*	*1.8*	.....	.....	.....	47
.....	.....	.....	.....	0.9	0.9	.....	.....	*0.9*	*0.9*	.....	*1.4*	*1.5*	.....	.....	.....	48
.....	.....	.....	*6.3*	1.5	1.5	.....	*1.4*	2.4	2.5	.....	*1.0*	*1.0*	.....	.....	.....	49
.....	.....	.....	.....	2.6	2.7	.....	*1.5*	5.2	5.3	.....	*0.6*	*0.6*	.....	*2.8*	.....	50
.....	*10.5*	*11.9*	12.5	2.6	2.5	*10.1*	.....	2.9	2.9	.....	3.5	3.0	*14.9*	*2.6*	.....	51
7.8	*9.1*	*10.2*	12.9	2.9	2.9	*4.9*	*2.8*	2.6	2.6	.....	3.5	3.3	*6.7*	.....	*9.8*	52
.....	*13.6*	*14.2*	8.2	4.0	4.1	*2.2*	*2.0*	2.2	2.2	.....	5.0	5.1	*2.9*	6.9	*20.1*	53
.....	*17.5*	.....	*2.7*	2.9	3.0	.....	*2.9*	3.5	3.6	.....	1.9	2.0	.....	*4.2*	*12.1*	54
.....	8.1	.....	.....	2.6	2.5	*6.4*	*1.5*	*2.0*	*2.0*	.....	2.8	2.5	*9.4*	*4.1*	8.4	55
.....	*14.0*	.....	.....	*1.3*	*1.3*	.....	.....	0.9	0.9	.....	0.8	0.8	.....	*7.3*	.....	56
.....	.....	.....	*7.1*	0.8	0.8	.....	.....	*2.1*	*2.1*	.....	.....	.....	.....	.....	.....	57
.....	.....	.....	.....	*2.2*	*2.2*	.....	.....	5.7	5.8	.....	.....	.....	.....	.....	.....	58
1.5	8.2	*5.5*	6.3	3.2	3.2	*5.0*	1.9	3.2	3.2	.....	3.2	3.0	*7.0*	4.3	8.1	59
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	60
.....	.....	.....	.....	0.4	0.4	.....	.....	.....	.....	.....	*1.2*	*1.2*	.....	.....	.....	61
.....	.....	.....	.....	0.4	0.4	.....	.....	.....	.....	.....	0.9	1.0	.....	.....	.....	62
.....	.....	.....	*4.2*	2.2	2.3	.....	2.7	*3.9*	*4.0*	.....	1.0	1.0	.....	.....	.....	63
.....	.....	.....	.....	2.8	2.9	.....	*2.9*	5.2	5.3	.....	1.1	1.1	.....	.....	.....	64
.....	*32.4*	.....	*15.8*	3.6	3.3	*23.3*	.....	*3.6*	*3.6*	.....	4.8	*3.8*	*34.6*	*5.8*	.....	65
16.7	.....	.....	*18.2*	3.6	3.3	*10.9*	*3.2*	*3.3*	*3.4*	.....	*3.9*	*3.1*	*15.0*	.....	*18.4*	66
.....	*17.1*	*29.4*	10.1	5.3	5.4	*4.5*	*1.4*	2.7	2.7	.....	6.5	6.5	*5.9*	11.9	*28.2*	67
.....	*10.7*	.....	*5.2*	3.4	3.5	.....	*3.6*	5.4	5.5	.....	*1.6*	*1.7*	.....	*2.8*	*11.4*	68
.....	*15.4*	.....	.....	4.3	4.1	*11.5*	*2.8*	*2.8*	*2.9*	.....	5.4	4.8	*16.9*	7.8	.....	69
.....	.....	.....	.....	*0.6*	*0.6*	.....	.....	.....	.....	.....	.....	.....	.....	*7.2*	.....	70
.....	.....	.....	*15.2*	*1.6*	*1.7*	.....	.....	*4.5*	*4.6*	.....	.....	.....	.....	.....	.....	71
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	72

TABLE 2.—CRUDE AND ADJUSTED DEATH RATES AT ALL AGES, AND SPECIFIC DEATH RATES IN 13 AGE GROUPS, REGISTRATION CITY OF 100,000 POPULATION

[Rates in *italics* are based on less than 5 deaths.]

	CAUSE OF DEATH, SEX, AND AGE.	DEATH RATE PER 100,000 ENUMERATED POPULATION.												
		Grand Rapids.	Minneapolis.	St. Paul.	Kansas City, Mo.			St. Louis.			Omaha.	Camden.	Jersey City.	Newark, N. J.
					Total.	White.	Colored.	Total.	White.	Colored.				
	Typhoid fever—Continued.													
	FEMALES.													
1	All ages—Crude rate	*2.9*	2.6	*2.6*	6.8	6.8	*6.5*	2.3	1.4	*11.6*	6.5	*7.0*	*2.0*	*1.5*
2	Under 1 year	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	1 to 4 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Under 5 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	5 to 9 years	.....	.....	.....	*34.3*	*37.0*	.....	*3.3*	.....	*44.0*	.....	*17.0*	*13.2*	.....
6	10 to 14 years	.....	.....	.....	.....	.....	.....	*6.5*	*3.5*	*39.7*	.....	.....	*7.3*	.....
7	15 to 19 years	.....	*13.0*	*10.1*	.....	.....	.....	*8.9*	*8.2*	*73.7*	*12.7*	*20.5*	.....	*11.5*
8	20 to 24 years	.....	.....	.....	*11.5*	*12.8*	.....	.....	.....	.....	*10.2*	.....	.....	.....
9	25 to 34 years	*7.9*	*4.9*	*4.2*	*8.5*	*9.6*	.....	.....	.....	.....	*10.7*	.....	.....	.....
10	35 to 44 years	.....	.....	*6.2*	*7.5*	*4.8*	*31.7*	*1.6*	*1.8*	.....	*7.4*	*13.1*	.....	*3.5*
11	45 to 54 years	.....	.....	.....	.....	.....	.....	*2.8*	*2.5*	.....	*10.9*	*17.6*	.....	.....
12	55 to 64 years	.....	*8.2*	.....	.....	.....	.....	*3.9*	*4.1*	.....	.....	.....	.....	.....
13	65 to 74 years	*38.7*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
14	75 years and over	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (all forms).													
	BOTH SEXES.													
15	All ages—Adjusted rate	69.7	96.7	105.5	100.4	72.0	369.2	89.6	71.3	275.7	80.2	77.8	112.8	93.3
16	Crude rate	72.7	109.0	113.8	113.7	81.1	424.0	99.2	79.7	294.5	86.1	81.7	115.4	97.2
17	Under 1 year	*39.6*	*69.0*	*95.4*	174.7	186.9	.....	*35.8*	*39.0*	.....	*66.1*	*111.9*	107.4	146.8
18	1 to 4 years	*9.0*	38.2	73.1	25.7	27.4	.....	48.4	29.4	306.2	51.9	*29.2*	26.1	56.0
19	Under 5 years	*14.6*	42.2	77.4	54.2	57.7	.....	46.0	31.2	240.3	54.5	46.3	41.9	74.1
20	5 to 9 years	*31.3*	19.4	*19.6*	30.0	*13.8*	*246.5*	19.7	12.4	111.4	30.2	.....	23.0	25.9
21	10 to 14 years	*8.6*	36.5	44.4	45.2	29.4	*285.8*	19.5	8.8	146.6	33.0	*9.7*	25.6	45.2
22	15 to 19 years	79.3	81.3	126.5	92.0	50.2	553.6	101.5	75.8	402.5	72.1	83.6	133.2	88.8
23	20 to 24 years	116.5	168.6	161.2	111.6	65.5	521.3	142.2	106.8	474.0	130.5	102.9	150.0	129.9
24	25 to 34 years	142.1	167.9	167.9	148.0	91.7	587.0	137.2	110.6	350.4	89.8	83.8	168.8	109.6
25	35 to 44 years	98.0	122.1	130.2	154.8	119.3	404.8	110.1	95.7	220.0	143.6	110.7	111.3	131.7
26	45 to 54 years	54.4	83.6	113.2	107.0	89.9	260.5	131.4	110.0	344.5	74.9	182.6	194.0	129.0
27	55 to 64 years	60.3	154.2	103.5	167.7	138.9	613.5	105.4	101.7	165.6	80.2	86.6	109.3	121.0
28	65 to 74 years	*39.3*	126.6	100.5	132.3	107.3	*591.7*	73.9	55.0	423.4	132.6	160.1	231.6	113.1
29	75 years and over	.....	*65.7*	*37.9*	*76.7*	*81.6*	.....	76.9	70.3	*176.1*	*50.1*	.....	282.7	*84.1*
	MALES.													
30	All ages—Crude rate	59.2	131.1	109.1	121.9	85.9	460.9	110.6	89.7	313.4	83.9	88.1	116.3	109.5
31	Under 1 year	*82.6*	*29.7*	*94.5*	217.5	231.4	.....	*52.7*	*57.2*	.....	*129.1*	*225.9*	*90.6*	224.2
32	1 to 4 years	.....	34.2	66.6	*20.4*	*21.7*	.....	41.4	26.6	*255.1*	*44.5*	*38.9*	*22.1*	55.1
33	Under 5 years	*14.6*	33.4	71.9	57.8	61.4	.....	43.6	32.4	*197.9*	60.3	77.3	35.5	88.4
34	5 to 9 years	*47.5*	*12.8*	*19.5*	51.3	*27.5*	*385.6*	*13.0*	*10.5*	*45.2*	*23.9*	.....	*19.7*	*18.8*
35	10 to 14 years	.....	*22.0*	*11.1*	*56.1*	*19.5*	*244.2*	19.6	*10.6*	*132.9*	*13.4*	.....	*22.1*	47.6
36	15 to 19 years	*55.9*	38.9	55.1	81.5	*29.5*	696.9	98.3	77.1	354.9	*54.4*	*42.7*	74.1	54.7
37	20 to 24 years	89.4	188.7	73.9	60.6	*29.8*	350.6	135.8	98.9	489.3	85.1	*76.9*	75.0	99.4
38	25 to 34 years	108.8	201.5	189.2	133.3	83.5	524.1	136.1	106.0	377.2	79.1	70.7	138.0	120.9
39	35 to 44 years	72.3	171.6	141.5	204.5	159.4	505.6	143.3	131.5	226.0	133.0	104.0	152.9	170.5
40	45 to 54 years	*40.4*	125.3	139.8	127.1	104.3	313.5	180.9	146.4	475.1	119.4	250.8	289.8	182.4
41	55 to 64 years	*59.3*	218.4	128.0	226.5	167.4	1,095.9	112.9	108.3	*184.6*	131.3	*112.3*	131.7	164.4
42	65 to 74 years	*79.8*	178.8	144.3	100.9	*68.8*	*790.5*	92.2	68.2	*521.7*	*145.4*	*202.8*	350.4	114.5
43	75 years and over	.....	*99.7*	*88.0*	*118.1*	*125.5*	.....	133.5	*113.2*	*471.7*	.....	.....	*201.2*	*71.0*
	FEMALES.													
44	All ages—Crude rate	85.6	87.3	118.5	105.5	76.3	386.3	88.1	69.9	275.0	88.5	77.1	114.4	84.7
45	Under 1 year	.....	*88.1*	*96.4*	*131.6*	*141.5*	.....	*18.3*	*19.9*	.....	.....	.....	*124.6*	*68.2*
46	1 to 4 years	*18.1*	42.3	79.8	*31.2*	*38.3*	.....	55.6	32.3	353.4	*59.2*	*19.5*	*30.1*	57.0
47	Under 5 years	*14.6*	51.1	83.0	50.5	53.9	.....	48.5	29.9	280.2	*48.6*	*15.4*	48.5	59.3
48	5 to 9 years	*15.5*	*26.0*	*19.7*	*8.6*	.....	*118.3*	26.4	*14.3*	*175.9*	*36.7*	.....	*26.4*	32.9
49	10 to 14 years	*16.8*	50.7	77.6	54.3	*39.3*	*228.1*	19.4	*7.0*	*158.8*	*51.8*	*19.3*	*29.1*	42.8
50	15 to 19 years	100.2	116.7	192.2	101.0	68.1	444.0	104.4	74.7	442.0	88.6	122.9	190.0	121.1
51	20 to 24 years	140.2	152.8	235.3	155.0	96.3	654.0	147.6	113.7	461.2	174.1	127.5	218.0	157.0
52	25 to 34 years	173.6	134.8	146.7	162.0	99.5	646.8	138.3	114.9	324.9	101.4	98.4	201.2	97.7
53	35 to 44 years	123.7	68.8	117.7	101.2	76.5	284.9	75.3	58.7	212.7	156.0	118.3	65.0	87.8
54	45 to 54 years	68.7	37.4	85.5	84.0	73.8	*186.8*	77.3	71.4	148.6	*21.9*	105.9	88.4	69.4
55	55 to 64 years	*61.2*	82.0	76.6	100.2	106.3	.....	97.6	94.9	*143.5*	*17.8*	*59.4*	86.2	77.7
56	65 to 74 years	.....	*73.2*	*57.1*	164.2	151.6	*393.7*	57.5	43.2	*330.0*	*118.7*	*121.7*	132.7	112.0
57	75 years and over	.....	*39.0*	.....	*45.1*	*48.0*	.....	*37.3*	*40.0*	.....	*98.3*	.....	337.4	*92.6*
	Cancer and other malignant tumors.													
	BOTH SEXES.													
58	All ages—Adjusted rate	88.2	111.8	119.4	94.9	95.6	86.6	100.2	101.4	81.2	128.6	95.8	106.7	102.9
59	Crude rate	101.0	116.4	122.3	103.6	106.3	77.7	110.2	113.7	75.4	126.8	89.4	92.2	90.9
60	Under 1 year	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
61	1 to 4 years	*2.0*	*6.9*	*5.6*	.....	.....	.....	*2.1*	*2.3*	.....	.....	*9.7*	.....	*2.8*
62	Under 5 years	*7.3*	*5.6*	*4.6*	.....	.....	.....	*1.7*	*1.8*	.....	.....	*7.7*	.....	*2.2*
63	5 to 9 years	.....	*9.7*	*4.9*	*4.3*	*4.6*	.....	*3.3*	*3.5*	.....	*6.0*	.....	.....	.....
64	10 to 14 years	.....	.....	*6.5*	*9.0*	*9.8*	.....	*1.6*	*1.8*	.....	*18.2*	.....	.....	.....
65	15 to 19 years	*8.8*	.....	*6.3*	*4.2*	*4.6*	.....	*6.3*	*6.9*	.....	*18.1*	.....	*4.0*	*5.9*
66	20 to 24 years	.....	*2.6*	*3.5*	18.6	20.7	.....	8.0	7.4	*13.9*	*5.2*	.....	*3.6*	.....
67	25 to 34 years	*16.2*	18.5	25.2	29.0	27.8	*38.3*	19.1	18.6	*23.8*	25.7	*14.0*	23.6	12.9
68	35 to 44 years	46.4	75.0	71.0	91.8	88.4	115.7	77.4	79.5	61.9	75.2	86.1	52.1	65.9
69	45 to 54 years	163.2	253.4	180.3	180.1	188.5	*104.2*	233.5	231.9	249.5	249.7	166.0	184.3	194.7
70	55 to 64 years	371.7	501.2	517.5	428.7	426.7	460.1	475.2	482.0	364.4	609.7	360.9	540.4	531.5
71	65 to 74 years	746.4	841.2	1,019.1	722.6	729.8	*591.7*	808.1	833.4	*393.7*	1,042.1	992.6	999.0	781.5
72	75 years and over	1,126.1	1,226.2	1,743.1	588.1	625.9	.....	692.0	702.9	*528.2*	1,201.8	869.6	928.9	1,176.8

FROM ALL CAUSES AND CERTAIN SPECIFIED CAUSES PER 100,000 ENUMERATED POPULATION, BY SEX, IN EACH OR MORE IN 1920: 1920—Continued.

[Rates in *italics* are based on less than 5 deaths.]

DEATH RATE PER 100,000 ENUMERATED POPULATION.															
Paterson.	Trenton.	Albany.	Buffalo.	New York.			Bronx Borough.	Brooklyn Borough.			Manhattan Borough.			Queens Borough.	Richmond Borough.	
				Total.	White.	Colored.		Total.	White.	Colored.	Total.	White.	Colored.			
.....	8.5	*3.4*	3.6	1.9	2.0	.....	*1.1*	2.0	2.0	.....	1.9	2.0	.....	2.1	*5.4*	1
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
.....	.....	.....	.....	*1.8*	*1.8*	.....	.....	*2.3*	*2.4*	.....	*2.4*	*2.5*	.....	.....	.....	3
.....	.....	.....	.....	*1.4*	*1.5*	.....	.....	*1.9*	*1.9*	.....	*1.9*	*2.0*	.....	.....	.....	4
.....	.....	.....	*8.5*	*0.7*	*0.8*	.....	.....	*1.0*	*1.0*	.....	*1.0*	*1.0*	.....	.....	.....	5
.....	.....	.....	.....	2.4	2.5	.....	.....	5.2	5.3	.....	.....	.....	.....	*4.6*	.....	6
.....	.....	*23.0*	*9.6*	*1.7*	*1.7*	.....	.....	*2.3*	*2.3*	.....	*2.2*	*2.3*	.....	.....	.....	7
.....	*17.5*	*18.6*	*8.2*	2.4	2.5	.....	*2.5*	*1.9*	*2.0*	.....	*3.2*	*3.4*	.....	.....	.....	8
.....	*9.7*	.....	*6.3*	2.7	2.9	.....	*2.6*	*1.6*	*1.7*	.....	3.4	3.7	.....	*2.2*	*10.8*	9
.....	*25.6*	.....	.....	2.4	2.5	.....	*2.0*	*1.4*	*1.5*	.....	*2.2*	*2.4*	.....	*5.8*	*13.0*	10
.....	.....	.....	.....	*0.7*	*0.7*	.....	.....	*1.0*	*1.0*	.....	.....	.....	.....	.....	*13.3*	11
.....	*28.0*	.....	.....	*1.9*	*1.9*	.....	.....	*1.8*	*1.8*	.....	*1.5*	*1.6*	.....	*7.4*	.....	12
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	13
.....	.....	.....	.....	*3.8*	*3.8*	.....	.....	*9.7*	*9.8*	.....	.....	.....	.....	.....	.....	14
109.4	122.6	133.0	105.0	121.6	114.8	372.1	106.9	107.5	103.2	372.2	139.8	128.6	379.7	110.7	153.5	15
119.2	128.3	142.9	112.7	128.8	121.4	378.6	110.7	111.9	107.3	386.2	150.5	138.5	375.9	115.6	163.0	16
170.4	*89.5*	358.9	147.4	158.8	146.9	627.8	133.0	125.0	124.5	*156.7*	217.1	187.2	866.7	90.1	*135.7*	17
38.1	76.2	113.3	47.7	79.0	72.9	388.2	51.1	62.8	60.0	301.5	113.0	100.5	452.9	50.8	71.6	18
62.2	69.1	160.3	67.2	94.5	87.2	444.8	66.4	74.9	72.5	266.4	133.8	117.7	550.8	58.0	83.4	19
15.7	41.2	72.4	21.0	28.3	25.8	175.9	21.7	19.6	18.8	*93.1*	40.8	36.3	188.1	27.5	*16.2*	20
.....	*38.1*	*23.9*	33.0	29.3	26.3	207.7	29.2	26.8	22.8	416.4	35.4	31.9	150.9	*9.1*	53.7	21
83.9	84.3	95.0	102.6	115.0	103.4	637.4	83.0	105.5	97.5	703.6	134.5	114.7	623.7	125.1	96.9	22
93.3	201.0	122.5	157.1	161.5	151.1	427.6	148.8	152.7	144.5	529.0	163.3	148.5	373.6	174.5	323.2	23
194.4	163.4	237.1	162.5	149.1	140.1	361.3	125.0	143.7	138.1	396.1	161.0	146.8	340.3	129.9	236.7	24
227.9	198.0	123.2	127.5	167.6	160.7	338.3	141.8	154.1	151.2	282.1	185.8	173.3	361.8	158.6	194.2	25
174.6	177.8	186.7	147.2	189.9	182.8	446.9	195.3	149.2	143.4	464.9	223.1	213.5	440.2	172.4	226.9	26
92.0	111.9	134.7	138.3	177.3	172.5	466.3	162.8	138.1	133.5	519.7	214.4	208.8	431.2	183.0	172.2	27
101.8	*123.8*	107.4	114.0	169.5	168.9	*216.6*	187.1	150.1	151.9	.....	195.2	191.5	*377.4*	89.7	231.3	28
.....	*83.8*	*159.1*	*58.2*	128.1	125.4	*313.5*	142.4	108.9	110.0	.....	120.6	111.4	*576.4*	176.5	*258.6*	29
127.9	120.4	164.6	126.6	152.9	144.1	454.5	129.9	128.0	123.1	422.1	185.3	170.7	460.4	125.5	205.1	30
249.0	.....	*244.2*	98.1	168.6	150.4	908.4	110.4	141.7	143.7	.....	241.0	192.7	1,291.7	*67.2*	*89.0*	31
18.8	*75.6*	167.6	47.4	81.3	73.1	510.0	59.5	63.3	60.6	*302.1*	117.5	99.8	617.1	35.2	101.6	32
61.4	*60.9*	131.8	57.3	98.3	88.1	603.4	68.9	78.7	76.8	*232.2*	142.1	118.2	780.0	41.0	99.2	33
15.6	*33.2*	*47.2*	20.9	31.2	29.1	158.4	26.8	24.5	23.7	*96.2*	43.1	39.3	175.7	20.8	*15.8*	34
.....	*67.7*	.....	*18.9*	20.9	17.2	268.7	26.0	22.0	15.9	668.9	21.0	18.2	*126.1*	*9.0*	*17.4*	35
70.9	*67.2*	*51.4*	42.0	97.1	83.2	791.1	72.2	80.9	71.1	851.5	128.2	105.3	760.2	85.6	*41.7*	36
83.6	114.5	*90.4*	127.7	153.3	143.0	426.8	142.9	134.7	129.8	350.9	166.3	149.8	405.5	149.3	294.6	37
177.5	179.7	233.8	171.3	159.0	150.2	367.8	134.2	152.0	148.2	323.4	172.9	158.5	353.7	121.0	301.2	38
235.1	149.4	163.7	170.0	214.2	205.0	433.2	170.0	196.8	193.0	368.9	240.3	223.6	462.7	204.0	261.5	39
247.3	184.3	197.4	207.1	280.1	269.1	653.1	268.2	207.6	198.3	670.5	346.6	331.6	660.8	238.5	356.9	40
118.2	167.5	237.1	233.9	268.5	261.9	670.1	266.2	209.1	202.6	746.3	321.9	314.3	627.7	245.9	314.7	41
163.9	*133.7*	*195.0*	166.7	241.0	237.3	*533.3*	258.8	199.8	202.0	.....	292.4	281.0	*932.3*	97.1	365.7	42
.....	.....	*268.8*	*97.0*	222.7	220.0	*460.5*	238.3	154.6	155.9	.....	236.1	225.9	*869.6*	373.6	*355.0*	43
110.7	136.4	122.7	98.8	104.7	98.8	304.3	91.6	95.8	91.5	350.8	116.1	106.7	292.7	105.7	116.1	44
87.6	*79.7*	*468.9*	197.0	148.9	143.3	360.5	156.3	107.7	104.5	*295.0*	192.7	181.5	*436.2*	113.1	*183.8*	45
57.7	*76.8*	*57.5*	48.0	76.6	72.7	270.0	42.5	62.2	59.4	*300.9*	108.3	101.2	295.7	66.7	*41.2*	46
68.1	77.4	138.4	77.2	90.6	86.3	291.5	63.7	71.0	68.1	*299.4*	125.2	117.1	328.2	75.3	*67.2*	47
15.8	*49.0*	*98.6*	21.1	25.5	22.5	192.4	16.5	14.7	13.8	*90.1*	38.4	33.3	199.8	34.3	*16.5*	48
.....	*18.9*	*48.0*	46.9	37.7	35.5	156.8	32.6	31.5	29.7	*195.3*	49.8	45.7	171.2	*9.2*	92.5	49
95.7	99.6	132.2	157.7	131.8	122.4	519.2	93.1	128.8	122.6	575.2	140.1	123.3	520.8	162.7	155.7	50
101.7	280.5	149.0	183.4	168.3	158.1	428.2	153.3	168.4	157.3	693.2	160.9	147.5	348.1	196.9	355.6	51
211.3	145.1	193.2	153.2	139.3	130.0	355.0	116.1	135.2	127.7	461.2	149.3	135.2	327.0	138.1	162.5	52
220.5	256.2	84.2	81.7	117.4	112.9	230.3	109.8	108.2	106.2	191.8	127.8	119.9	244.0	110.7	117.1	53
97.2	170.6	176.4	83.5	93.1	90.7	187.4	117.5	86.9	85.2	*191.2*	90.7	87.5	167.5	101.2	*73.3*	54
67.2	*56.1*	*42.6*	42.2	86.1	83.0	268.2	62.2	68.4	65.7	*295.4*	106.0	102.5	*241.3*	118.5	.....	55
47.6	*115.3*	*38.4*	67.2	107.2	108.9	.....	124.9	109.0	110.3	.....	107.9	110.5	.....	83.3	*64.7*	56
.....	*139.9*	*87.6*	*32.3*	60.6	57.7	*240.4*	*71.0*	77.4	78.3	.....	*89.2*	*80.1*	*431.0*	*42.4*	*142.5*	57
102.5	82.0	113.5	97.3	104.9	105.2	78.9	114.6	95.1	95.1	85.9	112.1	112.8	81.2	99.0	99.7	58
103.8	77.1	144.7	98.1	95.0	95.9	64.8	93.4	86.1	86.2	77.8	104.4	106.6	61.6	89.1	99.5	59
.....	.....	.....	*9.8*	*2.8*	*2.8*	.....	*7.0*	*4.8*	*4.9*	.....	.....	.....	.....	.....	.....	60
.....	.....	*14.2*	*2.4*	4.9	5.0	.....	8.0	4.7	4.7	.....	4.8	4.9	.....	.....	*10.2*	61
.....	.....	*11.4*	*3.3*	4.5	4.6	.....	7.8	4.7	4.7	.....	3.8	4.0	.....	.....	*3.3*	62
.....	.....	.....	.....	1.7	1.7	.....	.....	*1.5*	*1.5*	.....	*2.0*	*2.1*	.....	*4.2*	.....	63
.....	.....	.....	.....	1.4	1.4	.....	*1.5*	.....	.....	.....	3.3	3.4	.....	.....	.....	64
16.8	*21.1*	*23.7*	*2.5*	3.3	3.4	.....	*5.0*	*2.3*	*2.3*	.....	4.0	4.2	.....	*2.6*	.....	65
.....	*9.1*	.....	*2.2*	5.3	5.3	*4.9*	8.3	4.1	4.2	.....	6.1	6.1	*6.7*	*2.4*	.....	66
12.7	*18.2*	*14.2*	16.5	16.2	15.7	26.9	17.5	14.9	14.7	*24.8*	19.0	18.4	26.4	5.7	*10.1*	67
69.4	58.2	48.2	71.9	77.0	76.3	92.8	73.3	77.1	75.6	141.0	82.2	82.3	80.4	65.1	30.3	68
228.4	153.6	235.1	204.2	210.7	211.7	172.4	231.8	180.0	181.3	*109.4*	231.4	233.0	196.7	213.0	168.1	69
494.7	363.6	527.6	460.0	524.8	526.4	427.4	556.6	497.6	497.4	519.7	555.8	559.0	431.2	424.5	602.8	70
814.2	681.1	966.9	847.9	824.0	829.6	433.1	955.7	715.7	717.7	*542.5*	873.8	884.0	*377.4*	861.1	896.2	71
897.2	670.6	1,219.5	795.3	993.8	1,001.3	*470.2*	1,037.4	900.0	903.4	*568.2*	1,039.9	1,049.3	*576.4*	1,159.6	969.6	72

TABLE 2.—CRUDE AND ADJUSTED DEATH RATES AT ALL AGES, AND SPECIFIC DEATH RATES IN 13 AGE GROUPS, REGISTRATION CITY OF 100,000 POPULATION

[Rates in *italics* are based on less than 5 deaths.]

	CAUSE OF DEATH, SEX, AND AGE.	DEATH RATE PER 100,000 ENUMERATED POPULATION.												
		Grand Rapids.	Minneapolis.	St. Paul.	Kansas City, Mo.			St. Louis			Omaha.	Camden.	Jersey City.	Newark, N. J.
					Total.	White.	Colored.	Total.	White.	Colored.				
	Cancer and other malignant tumors—Continued.													
	MALES.													
1	All ages—Crude rate	74.1	109.9	121.0	80.7	87.2	*19.2*	103.3	110.5	33.6	111.2	76.0	72.5	76.5
2	Under 1 year	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	1 to 4 years	.....	*13.7*	.....	.....	.....	.....	.....	.....	.....	.....	*19.5*	.....	*5.5*
4	Under 5 years	.....	*11.1*	.....	.....	.....	.....	.....	.....	.....	.....	*16.5*	.....	*4.4*
5	5 to 9 years	.....	*12.8*	*9.7*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	10 to 14 years	.....	.....	*11.1*	.....	.....	.....	.....	.....	.....	*12.0*	.....	.....	.....
7	15 to 19 years	*18.6*	.....	.....	.....	.....	.....	*3.4*	*3.7*	.....	*13.4*	.....	.....	.....
8	20 to 24 years	.....	.....	*9.2*	*26.9*	*29.8*	.....	*11.6*	*9.6*	*30.6*	*27.2*	.....	.....	*6.1*
9	25 to 34 years	*8.4*	19.9	*16.8*	17.8	20.0	.....	13.5	15.1	.....	*19.8*	.....	*7.5*	.....
10	35 to 44 years	*20.7*	57.2	45.3	48.5	47.8	*53.2*	54.5	60.4	*12.6*	50.7	57.8	.....	*7.6*
11	45 to 54 years	107.8	188.0	131.6	102.7	109.7	*44.8*	160.1	167.3	99.0	192.9	125.4	27.0	31.0
12	55 to 64 years	197.8	495.1	535.1	348.4	372.1	.....	523.3	545.4	*184.6*	452.4	308.8	123.3	146.8
13	65 to 74 years	678.6	822.5	1,298.7	686.5	723.4	.....	949.7	983.4	*347.8*	981.5	1,081.8	478.9	527.8
14	75 years and over	1,104.4	1,296.1	1,759.0	708.8	753.3	.....	720.8	764.0	.....	1,530.6	*835.1*	1,019.4	755.7
	FEMALES.												1,006.0	1,277.5
15	All ages—Crude rate	126.9	122.8	123.6	126.5	125.4	137.5	117.1	116.9	118.7	143.6	103.3	112.4	105.7
16	Under 1 year	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
17	1 to 4 years	*18.1*	.....	*11.4*	.....	.....	.....	*4.3*	*4.6*	.....	.....	.....	.....	.....
18	Under 5 years	*14.6*	.....	*9.2*	.....	.....	.....	*3.5*	*3.7*	.....	.....	.....	.....	.....
19	5 to 9 years	.....	*6.5*	.....	*8.6*	*9.2*	.....	*6.6*	*7.1*	.....	.....	.....	.....	.....
20	10 to 14 years	.....	.....	.....	*18.1*	*19.7*	.....	*3.2*	*3.5*	.....	*12.9*	.....	.....	.....
21	15 to 19 years	.....	.....	*10.1*	*7.8*	*8.5*	.....	*8.9*	*9.7*	.....	.....	.....	*7.9*	*5.8*
22	20 to 24 years	.....	*4.6*	*7.8*	*11.5*	*12.8*	.....	*5.0*	*5.5*	.....	*10.2*	.....	.....	.....
23	25 to 34 years	*23.7*	17.2	33.5	30.8	35.3	*74.6*	24.6	21.8	*46.4*	32.0	*29.5*	48.4	18.5
24	35 to 44 years	72.2	94.2	99.1	138.7	131.8	189.9	101.5	99.1	121.5	104.0	118.3	80.0	105.3
25	45 to 54 years	219.7	325.9	230.9	268.8	276.9	*186.8*	313.6	300.2	475.5	317.4	211.8	251.6	248.0
26	55 to 64 years	551.0	508.1	498.2	521.0	489.0	1,045.3	425.4	416.8	573.9	801.6	415.9	603.6	535.2
27	65 to 74 years	812.1	860.3	742.4	759.4	736.2	*1,181.1*	681.9	700.3	*350.0*	1,108.0	912.4	982.0	802.5
28	75 years and over	1,143.8	1,171.4	1,731.0	495.9	528.3	.....	671.9	659.7	*842.7*	885.0	894.2	877.2	1,111.1
	Acute nephritis and Bright's disease.													
	BOTH SEXES.													
29	All ages—Adjusted rate	86.8	69.0	107.2	106.0	95.9	236.9	131.7	124.5	223.2	62.5	152.8	122.8	119.9
30	Crude rate	100.3	68.8	106.9	111.6	103.6	187.7	136.5	131.4	187.8	61.6	136.7	102.0	103.0
31	Under 1 year	*118.9*	*14.8*	*23.9*	*65.5*	*46.7*	*336.7*	*26.9*	*9.7*	*223.2*	*33.0*	*37.3*	*30.7*	*45.2*
32	1 to 4 years	.....	.....	*16.9*	*10.3*	*11.0*	.....	10.5	11.3	.....	*7.4*	.....	*14.9*	19.6
33	Under 5 years	*21.9*	*2.8*	*18.2*	20.8	*17.8*	*68.0*	13.6	11.0	*48.1*	*12.1*	*7.7*	18.0	24.7
34	5 to 9 years	*15.6*	.....	*14.7*	*4.3*	*4.6*	.....	8.2	8.8	.....	*6.0*	*8.5*	*18.2*	11.8
35	10 to 14 years	43.0	.....	*11.1*	*18.1*	*9.8*	*117.9*	8.1	*5.3*	*41.9*	*13.2*	*29.2*	21.9	*10.6*
36	15 to 19 years	*8.8*	.....	*10.6*	25.1	*18.2*	*100.7*	19.0	15.5	*60.4*	*6.6*	*41.8*	*8.1*	*8.9*
37	20 to 24 years	*8.3*	*2.6*	*8.6*	24.8	17.2	*92.0*	20.1	19.3	*27.9*	.....	*23.1*	17.9	20.8
38	25 to 34 years	*16.2*	12.3	31.5	20.3	21.3	*12.8*	29.7	26.0	59.4	23.1	46.6	30.9	36.1
39	35 to 44 years	41.3	19.2	41.4	73.8	63.8	144.6	75.0	60.5	185.6	41.0	73.8	71.0	74.1
40	45 to 54 years	61.2	88.7	142.6	138.3	121.8	286.5	186.8	174.5	308.9	94.9	166.0	148.8	147.8
41	55 to 64 years	331.5	239.0	401.8	358.8	327.4	843.6	456.1	437.3	761.8	120.3	461.9	327.9	427.8
42	65 to 74 years	589.3	624.1	789.4	763.4	729.8	1,380.7	1,077.4	1,025.8	2,032.2	606.3	1,280.8	1,172.7	956.3
43	75 years and over	1,891.9	1,598.4	2,046.2	1,994.4	1,850.3	4,237.3	2,339.6	2,343.0	2,288.7	1,251.9	2,869.6	2,140.5	1,905.3
	MALES.													
44	All ages—Crude rate	120.0	71.3	109.1	131.8	126.1	185.6	147.6	142.4	198.7	76.8	121.6	96.4	95.6
45	Under 1 year	*165.3*	*29.7*	.....	*130.5*	*92.5*	*724.6*	*17.6*	.....	*220.8*	*64.6*	.....	.....	*67.3*
46	1 to 4 years	.....	.....	.....	*20.4*	*21.7*	.....	*8.3*	*8.9*	.....	*14.8*	.....	*14.7*	*22.0*
47	Under 5 years	*29.1*	*5.6*	.....	41.3	*35.1*	*139.3*	*10.1*	*7.2*	*49.5*	*24.1*	.....	*11.8*	30.9
48	5 to 9 years	*31.7*	.....	.....	*8.6*	*9.2*	.....	*9.7*	*10.5*	.....	.....	.....	.....	*9.4*
49	10 to 14 years	*17.6*	.....	.....	*27.1*	*9.7*	*244.2*	*9.8*	*3.5*	*83.6*	*13.4*	*58.6*	*14.7*	*5.3*
50	15 to 19 years	*18.6*	.....	*11.0*	*36.2*	*29.5*	*116.1*	16.9	18.3	.....	.....	*21.3*	*8.2*	*12.2*
51	20 to 24 years	.....	.....	.....	*20.2*	*22.3*	.....	23.1	22.3	*30.6*	.....	*19.2*	*15.0*	*22.1*
52	25 to 34 years	*8.4*	14.9	42.1	14.8	16.7	.....	29.6	21.2	97.3	*19.8*	*35.4*	31.9	22.7
53	35 to 44 years	*31.0*	*10.1*	*17.0*	65.8	67.7	*53.2*	65.4	51.6	163.2	31.7	57.8	45.0	71.3
54	45 to 54 years	80.9	81.9	172.8	156.4	131.7	358.3	205.9	197.5	277.1	137.8	125.4	172.7	115.7
55	55 to 64 years	356.1	247.5	383.9	444.2	418.6	821.9	534.6	521.3	738.5	145.9	336.9	311.3	406.7
56	65 to 74 years	838.3	733.1	750.4	948.9	936.2	*1,185.8*	1,189.4	1,129.4	2,260.9	799.7	1,555.1	1,338.0	1,053.4
57	75 years and over	2,610.4	1,645.1	2,990.3	2,598.9	2,385.4	6,000.0	2,936.5	2,914.5	3,301.9	1,734.7	3,131.5	2,313.9	2,342.1
	FEMALES.													
58	All ages—Crude rate	81.3	66.4	104.3	91.3	81.1	189.9	125.5	120.6	176.6	45.3	152.4	107.7	110.6
59	Under 1 year	*76.2*	.....	*48.2*	.....	.....	.....	*36.6*	*19.9*	*225.7*	.....	*73.9*	*62.3*	*22.7*
60	1 to 4 years	.....	.....	*34.2*	.....	.....	.....	*12.8*	*13.8*	.....	.....	.....	*15.1*	*17.1*
61	Under 5 years	*14.6*	.....	*36.9*	.....	.....	.....	17.3	*15.0*	*46.7*	.....	*16.4*	*24.3*	*18.2*
62	5 to 9 years	.....	.....	*29.5*	.....	.....	.....	*6.6*	*7.1*	.....	*12.2*	*17.0*	*26.4*	*14.1*
63	10 to 14 years	*67.1*	.....	*22.2*	*9.0*	*9.8*	.....	*6.5*	*7.0*	.....	*12.9*	.....	*29.1*	*16.0*
64	15 to 19 years	.....	.....	*10.1*	*16.5*	*8.5*	*88.8*	20.9	*13.0*	*110.5*	*12.7*	*61.5*	*7.9*	*5.8*
65	20 to 24 years	*15.6*	*4.6*	*15.7*	28.7	*12.8*	*163.5*	17.5	16.6	*25.6*	.....	*36.4*	*20.4*	*19.6*
66	25 to 34 years	*23.7*	*9.8*	21.0	25.6	25.7	*24.9*	29.7	30.5	*23.2*	26.7	59.0	29.8	50.2
67	35 to 44 years	51.5	29.0	68.2	82.4	59.5	253.2	85.1	69.7	212.7	52.0	92.0	100.1	77.2
68	45 to 54 years	*41.2*	96.2	111.2	117.6	110.8	*186.8*	165.9	150.1	356.6	*43.8*	211.8	122.4	183.5
69	55 to 64 years	306.1	229.5	421.6	260.5	223.3	871.1	374.6	350.8	789.1	89.1	594.2	344.9	448.9
70	65 to 74 years	348.0	512.5	828.1	574.7	519.7	*1,574.8*	977.7	933.8	1,815.2	395.7	1,034.1	1,035.0	877.2
71	75 years and over	1,307.2	1,561.9	1,331.6	1,532.9	1,440.9	*2,941.2*	1,922.4	1,939.2	1,685.4	786.6	2,682.6	2,024.3	1,620.4

FROM ALL CAUSES AND CERTAIN SPECIFIED CAUSES PER 100,000 ENUMERATED POPULATION, BY SEX, IN EACH OR MORE IN 1920: 1920—Continued.

[Rates in *italics* are based on less than 5 deaths.]

DEATH RATE PER 100,000 ENUMERATED POPULATION.															
Paterson.	Trenton.	Albany.	Buffalo.	New York.			Bronx Borough.	Brooklyn Borough.			Manhattan Borough.			Queens Borough.	Richmond Borough.	
				Total.	White.	Colored.		Total.	White.	Colored.	Total.	White.	Colored.			
71.4	49.5	131.7	90.3	87.0	88.1	49.1	78.8	79.6	80.1	48.2	98.4	100.8	52.5	73.3	97.7	1
.....	.....	.....	.....	*1.8*	*1.9*	.....	.....	*4.7*	*4.8*	.....	.....	.....	.....	.....	.....	2
.....	.....	*27.9*	*4.7*	3.9	4.0	.....	*6.3*	*3.5*	*3.5*	.....	*3.5*	*3.7*	.....	.....	*20.3*	3
.....	.....	*22.7*	*3.8*	3.5	3.6	.....	*5.1*	*3.7*	*3.7*	.....	*2.8*	*2.9*	.....	.....	*16.5*	4
.....	.....	.....	.....	*1.1*	*1.1*	.....	.....	*2.0*	*2.0*	.....	*1.0*	*1.0*	.....	.....	.....	5
.....	.....	.....	.....	*1.2*	*1.2*	.....	*2.9*	.....	.....	.....	*2.2*	*2.3*	.....	.....	.....	6
17.7	*22.4*	*51.4*	*5.3*	4.1	4.2	.....	*6.9*	*4.8*	*4.8*	.....	*3.6*	*3.8*	.....	.....	.....	7
.....	.....	.....	.....	5.2	5.0	*10.9*	*9.5*	*4.4*	*4.5*	.....	5.8	5.2	*15.0*	.....	.....	8
8.5	*8.6*	.....	12.1	14.4	14.2	*18.2*	12.3	12.8	13.1	.....	18.6	18.7	*17.7*	*2.4*	*9.4*	9
58.8	*42.7*	*43.7*	60.2	51.0	50.8	56.3	59.0	47.5	47.2	*61.5*	55.5	55.2	59.7	38.6	*11.4*	10
143.2	*46.1*	84.6	146.4	188.4	189.2	160.4	177.8	165.9	165.4	*191.6*	211.3	213.3	169.4	176.0	201.7	11
189.1	251.3	403.0	455.9	518.6	523.2	236.5	495.0	504.0	506.5	*298.5*	569.1	577.0	*251.1*	390.6	445.8	12
874.3	601.6	1,609.0	955.0	845.9	851.5	*400.0*	805.2	772.1	780.5	.....	921.3	924.3	*737.1*	835.4	888.2	13
818.3	*627.6*	1,209.7	872.9	1,002.1	1,008.6	*450.5*	1,191.6	927.9	935.2	.....	1,027.9	1,030.5	*869.6*	871.7	1,183.4	14
135.5	105.7	156.8	105.9	103.0	103.7	80.1	107.9	92.5	92.3	107.0	110.3	112.4	70.6	104.8	101.6	15
.....	.....	.....	*19.7*	*3.7*	*3.8*	.....	*14.2*	*4.9*	*5.0*	.....	.....	.....	.....	.....	.....	16
.....	.....	.....	.....	5.8	5.9	.....	*9.8*	5.9	5.9	.....	6.0	6.2	.....	.....	.....	17
.....	.....	.....	*3.9*	5.4	5.5	.....	*10.6*	5.7	5.8	.....	4.8	5.0	.....	.....	.....	18
.....	.....	.....	.....	2.2	2.3	.....	.....	*1.0*	*1.0*	.....	*3.0*	*3.1*	.....	*8.6*	.....	19
.....	.....	.....	.....	*1.6*	*1.7*	.....	.....	.....	.....	.....	*4.4*	*4.6*	.....	.....	.....	20
15.9	*19.9*	.....	.....	2.6	2.6	.....	*3.2*	.....	.....	.....	*4.4*	*4.6*	.....	*5.1*	.....	21
.....	*17.5*	.....	*4.1*	5.4	5.6	.....	*7.4*	*3.8*	*3.9*	.....	6.4	6.9	.....	*4.6*	.....	22
16.9	*29.0*	*27.6*	21.0	18.0	17.2	35.5	22.4	17.0	16.2	*48.5*	19.3	18.1	35.0	*8.9*	*10.8*	23
80.2	76.9	52.6	84.5	105.0	103.8	134.3	89.5	108.9	106.2	223.8	110.7	111.1	104.6	93.2	*52.1*	24
319.2	273.0	379.9	265.5	234.6	235.8	187.4	289.3	195.1	198.2	.....	253.0	254.0	230.4	252.9	128.3	25
784.4	476.5	639.7	464.2	531.0	529.6	613.0	616.5	491.4	488.4	738.6	542.5	540.9	604.6	459.2	792.6	26
761.9	749.7	461.0	752.9	804.8	810.4	455.8	1,086.4	669.1	665.7	*946.4*	831.1	847.5	*755.1*	883.2	906.1	27
954.7	699.3	1,225.9	743.6	987.9	996.0	*480.8*	922.6	880.8	881.3	*833.3*	1,048.3	1,062.7	*431.0*	1,355.4	712.3	28
98.6	150.8	130.5	121.5	129.7	128.7	179.6	123.4	143.3	142.2	226.1	119.0	117.9	155.4	126.4	160.4	29
92.7	138.3	164.1	114.6	107.6	107.6	108.4	89.6	121.3	120.7	161.7	98.7	99.5	83.3	103.7	153.6	30
.....	*118.5*	*69.8*	49.1	20.2	19.3	*36.9*	*7.0*	16.8	14.6	*156.7*	23.9	25.0	.....	*11.3*	*135.7*	31
9.5	*28.6*	.....	11.9	7.1	7.2	.....	*3.2*	7.6	7.6	.....	7.7	8.0	.....	*10.2*	.....	32
7.8	46.1	*11.4*	19.2	9.6	9.6	*8.7*	*3.9*	9.4	9.0	*58.1*	10.9	11.4	.....	10.4	*25.0*	33
7.8	*8.2*	.....	14.7	6.7	6.4	*22.0*	*5.4*	6.8	6.9	.....	6.5	6.2	*17.1*	*8.4*	*8.1*	34
.....	*9.5*	*12.0*	14.1	7.3	7.4	.....	8.8	6.3	6.4	.....	7.2	7.4	.....	*9.1*	*9.0*	35
8.4	.....	.....	*7.5*	10.4	10.1	*20.2*	10.0	11.0	11.2	.....	9.8	9.0	*23.7*	13.0	.....	36
15.6	*27.4*	*20.4*	19.4	13.4	13.1	*19.7*	9.7	19.0	18.4	*48.1*	8.3	8.5	*6.7*	17.0	*29.4*	37
21.1	27.2	47.4	25.7	25.1	24.7	33.7	25.5	29.2	29.1	*37.1*	20.5	20.0	26.4	27.6	40.3	38
51.5	58.2	112.5	61.0	58.3	56.6	101.8	39.0	73.9	71.0	203.7	50.6	48.5	80.4	60.9	72.8	39
87.3	191.0	103.7	150.8	167.8	166.0	236.2	141.4	201.1	201.2	191.4	149.5	145.8	234.1	156.2	181.9	40
276.1	559.4	538.8	384.8	448.8	446.6	582.9	399.1	493.2	491.1	668.2	418.8	417.7	462.0	468.4	488.0	41
992.4	1,300.3	1,031.4	1,075.9	1,128.7	1,126.2	1,299.4	1,129.5	1,186.7	1,181.7	1,627.5	1,027.3	1,025.2	1,132.1	1,193.0	1,647.9	42
2,001.4	2,682.3	2,120.9	2,230.8	2,541.9	2,522.2	3,918.5	2,705.5	2,751.5	2,721.6	5,631.8	2,418.7	2,403.4	3,170.0	2,016.6	2,391.7	43
83.3	158.3	171.9	112.4	103.2	103.6	90.7	82.9	114.8	114.5	132.6	96.8	98.4	66.5	108.8	131.9	44
.....	*156.7*	*122.1*	*59.2*	29.0	29.7	.....	*13.8*	*18.9*	*19.2*	.....	42.5	44.5	.....	*22.4*	*89.0*	45
18.8	.....	.....	*14.3*	10.5	10.7	.....	*3.1*	10.4	10.5	.....	14.1	14.6	.....	*10.0*	.....	46
15.3	*30.5*	*22.7*	19.1	14.1	14.4	.....	*5.1*	12 0	12.2	.....	19.8	20.5	.....	*12.3*	*16.5*	47
.....	.....	.....	20.9	7.8	7.9	.....	.....	6.9	6.9	.....	10.0	10.3	.....	*12.5*	*15.8*	48
.....	*19.2*	*23.8*	*9.4*	8.5	8.6	.....	*5.8*	7.3	7.4	.....	8.8	9.1	.....	*13.6*	*17.4*	49
.....	.....	.....	*15.8*	7.8	7.4	*23.3*	*10.3*	5.9	6.0	.....	8.5	7.5	*34.6*	*10.7*	.....	50
16.7	*19.1*	.....	*18.2*	13.2	12.1	*43.8*	*9.5*	18.8	16.9	*100.3*	6.8	6.2	*15.0*	*20.6*	*36.8*	51
8.5	*34.2*	*29.4*	24.2	20.8	20.5	27.2	23.3	24.6	24.6	*25.3*	14.3	14.0	*17.7*	28.5	47.1	52
49.0	*42.7*	174.7	62.8	58.7	57.1	95.7	39.4	70.3	67.1	215.2	52.4	51.3	67.2	77.2	*45.5*	53
91.1	215.0	56.4	175.0	156.1	157.3	114.6	127.0	188.7	192.5	.....	137.5	137.6	135.5	156.4	155.2	54
141.8	670.0	545.3	377.9	447.7	446.6	512.4	340.7	516.5	511.9	895.5	418.0	423.8	*188.3*	470.2	393.4	55
1,038.3	1,804.8	1,316.4	1,121.7	1,116.4	1,108.7	1,733.3	1,222.1	1,112.8	1,106.5	*1,694.9*	1,069.5	1,054.6	1,965.6	1,165.7	1,253.9	56
2,618.7	3,974.9	2,553.8	2,133.9	2,788.8	2,779.1	3,603.6	2,812.2	3,135.1	3,131.6	*3,671.4*	2,667.0	2,639.8	4,347.8	2,117.1	2,130.2	57
102.0	117.6	156.8	116.9	112.0	111.6	125.7	96.2	127.9	126.8	190.3	100.7	100.7	99.9	108.7	177.8	58
.....	*79.7*	.....	*59.1*	11.2	9.6	*72.1*	.....	*14.7*	*10.0*	*295.0*	*4.8*	*5.0*	.....	.....	*183.8*	59
.....	*57.6*	.....	*9.6*	3.6	3.7	.....	*3.3*	*4.7*	*4.7*	.....	*1.2*	*1.2*	.....	*10.3*	.....	60
.....	*61.9*	.....	19.3	5.1	4.8	*17.1*	*2.7*	6.6	5.8	*74.9*	*1.9*	*2.0*	.....	8.4	*53.6*	61
15.8	*16.3*	.....	*8.5*	5.6	5.0	*42.8*	*11.0*	6.8	6.9	.....	*3.0*	*2.1*	*33.3*	*4.3*	.....	62
.....	.....	.....	*18.8*	6.1	6.2	.....	*11.8*	5.2	5.3	.....	5.5	5.7	.....	*4.6*	.....	63
15.9	.....	.....	.....	12.8	12.7	*17.9*	*9.6*	15.8	16.0	.....	11.0	10.4	*26.0*	*15.3*	.....	64
14.5	*35.1*	*37.2*	20.4	13.5	14.1	.....	*9.9*	19.2	19.7	.....	9.6	10.3	.....	*13.7*	*20.9*	65
33.8	*19.3*	64.4	27.3	29.3	28.9	39.9	27.7	33.9	33.6	*48.5*	26.6	25.9	35.0	26.7	*32.5*	66
60.1	76.9	52.6	59.2	58.0	56.0	103.7	38.6	77.9	75.2	191.8	48.7	45.5	95.9	43.7	104.1	67
83.3	170.6	149.3	125.2	180.5	175.2	389.3	156.7	214.3	210.5	446.1	162.4	154.4	356.0	156.0	220.0	68
403.4	448.4	533.0	391.8	450.0	446.6	651.3	455.9	470.3	470.7	*448.1*	419.5	411.6	725.5	466.6	602.4	69
952.4	865.1	806.8	1,035.2	1,139.4	1,141.5	1,002.7	1,049.0	1,247.9	1,244.0	1,577.3	989.5	998.5	*612.6*	1,216.5	2,135.9	70
1,551.3	1,818.2	1,838.9	2,295.5	2,365.6	2,338.1	4,086.5	2,626.0	2,487.4	2,438.3	6,666.7	2,243.6	2,235.6	2,586.2	1,948.3	2,706.6	71

TABLE 2.—CRUDE AND ADJUSTED DEATH RATES AT ALL AGES, AND SPECIFIC DEATH RATES IN 13 AGE GROUPS, REGISTRATION CITY OF 100,000 POPULATION

[Rates in *italics* are based on less than 5 deaths.]

	CAUSE OF DEATH, SEX, AND AGE.	DEATH RATE PER 100,000 ENUMERATED POPULATION.											
		Grand Rapids.	Minneapolis.	St. Paul.	Kansas City, Mo.			St. Louis.			Omaha.	Camden.	Jersey City.	Newark, N. J.
					Total.	White.	Colored.	Total.	White.	Colored.				
	Puerperal septicemia.													
	FEMALES.													
1	All ages—Crude rate	10.0	17.8	11.9	21.0	17.7	52.4	14.4	14.1	17.4	14.0	19.3	16.3	18.0
2	Under 15 years	.....	.....	.....	*2.9*	*3.1*	.....	.....	.....	.....	.....	.....	.....	.....
3	15 to 19 years	.....	*6.6*	.....	*31.1*	*25.6*	*88.8*	29.8	26.0	*73.7*	*12.7*	*41.0*	.....	*17.3*
4	20 to 24 years	*15.6*	27.8	*15.7*	51.7	44.9	*109.0*	32.5	30.5	*51.2*	51.2	*54.6*	*13.6*	29.4
5	25 to 29 years	*29.5*	40.7	*30.8*	26.8	*24.3*	*45.2*	31.5	35.5	.....	*20.0*	.....	88.5	48.7
6	30 to 34 years	*50.9*	69.6	55.2	36.4	*20.4*	*165.8*	27.7	28.0	*24.9*	*11.5*	*88.9*	*32.9*	34.6
7	35 to 39 years	*19.3*	*25.8*	*22.2*	53.7	53.8	*53.2*	18.1	20.5	.....	*26.0*	*24.5*	*36.1*	50.7
8	40 to 44 years	.....	*8.3*	.....	*8.5*	*9.5*	.....	*7.2*	*4.0*	*37.0*	*17.3*	*28.4*	*11.2*	*31.5*
9	45 years and over	.....	.....	.....	.....	.....	.....	*2.3*	*2.5*	.....	*5.5*	.....	.....	.....
	Other puerperal causes.													
	FEMALES.													
10	All ages—Crude rate	25.7	20.9	27.3	13.6	12.9	*19.6*	14.9	15.5	*8.7*	31.3	38.5	28.4	21.4
11	Under 15 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	15 to 19 years	*33.4*	*19.4*	*20.2*	*31.1*	*25.6*	*88.8*	*8.9*	*6.5*	*36.8*	*25.3*	*20.5*	*7.9*	*5.8*
13	20 to 24 years	*62.3*	*18.5*	47.1	40.2	44.9	.....	42.5	44.4	*25.6*	*41.0*	109.3	68.1	39.3
14	25 to 29 years	*44.3*	36.1	61.5	26.8	*24.3*	*45.2*	36.4	38.2	*21.3*	79.9	*74.1*	47.7	68.2
15	30 to 34 years	84.8	80.3	101.2	*6.1*	*6.8*	.....	33.2	37.3	.....	68.8	*62.9*	98.7	63.4
16	35 to 39 years	*67.8*	58.0	*22.2*	33.6	*30.8*	*53.2*	18.1	20.5	.....	78.0	147.1	54.2	50.7
17	40 to 44 years	*22.2*	*8.3*	*42.1*	.....	.....	.....	*14.3*	*15.9*	.....	*52.0*	*28.4*	67.2	*15.7*
18	45 years and over	.....	.....	.....	.....	.....	.....	*1.1*	*1.2*	.....	.....	*8.8*	.....	.....

FROM ALL CAUSES AND CERTAIN SPECIFIED CAUSES PER 100,000 ENUMERATED POPULATION, BY SEX, IN EACH OR MORE IN 1920: 1920—Continued.

[Rates in *italics* are based on less than 5 deaths.]

DEATH RATE PER 100,000 ENUMERATED POPULATION.															
Paterson.	Trenton.	Albany.	Buffalo.	New York.			Bronx Borough.	Brooklyn Borough.			Manhattan Borough.			Queens Borough.	Richmond Borough.	
				Total.	White.	Colored.		Total.	White.	Colored.	Total.	White.	Colored.			
16.0	15.3	*1.7*	11.9	10.9	10.1	38.2	8.2	10.5	10.2	29.7	12.5	11.0	39.6	8.9	10.9	1
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
.....	.....	.....	*9.6*	3.0	2.6	*17.9*	.....	*4.5*	*3.4*	*82.2*	*2.2*	*2.3*	.....	.....	*22.2*	3
.....	*35.1*	.....	36.7	23.7	21.8	71.4	12.4	26.0	25.6	*46.2*	24.8	21.4	72.0	27.5	*20.9*	4
47.6	*72.2*	.....	35.4	30.8	27.9	96.9	19.1	29.3	29.0	*45.5*	37.2	31.7	105.1	*17.0*	*61.6*	5
72.4	*41.7*	*19.2*	31.5	31.2	29.2	78.8	38.4	26.3	25.7	*52.0*	34.6	31.3	78.8	23.4	*22.9*	6
57.3	*23.3*	.....	*15.5*	16.3	16.6	*10.5*	*10.3*	21.1	21.6	.....	13.0	12.9	*14.1*	26.6	.....	7
43.3	.....	.....	.....	10.3	10.1	*16.5*	*4.7*	12.7	11.4	*78.9*	11.2	11.8	.....	*6.4*	.....	8
.....	.....	.....	.....	*0.7*	*0.8*	.....	.....	.....	.....	.....	*1.8*	*1.8*	.....	.....	.....	9
11.7	47.7	10.2	25.3	19.8	19.4	33.3	18.5	21.7	20.9	65.4	17.9	17.4	25.8	22.9	21.8	10
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	11
.....	*39.8*	.....	.....	8.5	8.7	.....	.....	9.0	9.2	.....	9.9	10.4	.....	*10.2*	*22.2*	12
14.5	.....	.....	53.0	33.8	32.0	80.3	22.3	36.6	35.4	*92.4*	36.0	32.6	84.0	22.9	*62.3*	13
15.9	216.6	*35.3*	82.6	55.8	55.8	56.5	35.7	67.7	67.2	*91.1*	52.2	52.2	52.5	59.6	*61.6*	14
72.4	145.8	*19.2*	90.0	55.2	55.4	49.3	68.0	66.9	63.5	*207.9*	35.6	38.3	.....	84.1	*68.7*	15
37.3	116.3	.....	41.3	44.1	43.7	52.3	61.0	48.8	46.0	*161.2*	30.9	31.1	*28.2*	69.0	*48.2*	16
.....	*67.0*	*45.1*	*12.4*	16.9	16.9	*16.5*	*14.1*	17.5	17.9	.....	19.9	19.7	*22.8*	*6.4*	.....	17
.....	.....	*6.3*	.....	*0.7*	*0.8*	.....	*1.6*	*1.0*	*1.1*	.....	.....	.....	.....	*2.2*	.....	18

TABLE 2.—CRUDE AND ADJUSTED DEATH RATES AT ALL AGES, AND SPECIFIC DEATH RATES IN 13 AGE GROUPS, REGISTRATION CITY OF 100,000 POPULATION

[Rates in *italics* are based on less than 5 deaths.]

	CAUSE OF DEATH, SEX, AND AGE.	DEATH RATE PER 100,000 ENUMERATED POPULATION.								
		Rochester.	Syracuse.	Yonkers.	Akron.	Cincinnati.			Cleveland.		
						Total.	White.	Colored.	Total.	White.	Colored.
	ALL CAUSES.[1]										
	BOTH SEXES.										
1	All ages—Adjusted rate	1,255.4	1,504.1	1,266.1	1,426.3	1,442.4	1,339.3	2,827.2	1,399.4	1,347.7	2,771.3
2	Crude rate	1,273.0	1,537.4	1,151.0	1,172.1	1,513.5	1,437.9	2,444.4	1,253.1	1,209.4	2,208.8
3	Under 1 year	10,712.3	13,752.0	11,058.9	10,523.9	10,760.2	9,877.4	21,968.0	10,186.6	9,822.7	21,121.5
4	1 to 4 years	916.4	1,336.9	941.1	1,284.4	1,212.1	1,060.9	3,454.9	1,099.9	1,051.8	2,922.1
5	Under 5 years	2,686.0	3,766.5	2,784.1	3,185.0	3,071.3	2,763.1	7,500.0	2,806.6	2,690.3	7,008.0
6	5 to 9 years	350.3	353.0	265.7	460.9	402.3	363.0	954.2	349.6	346.1	477.8
7	10 to 14 years	233.2	211.4	234.6	291.7	268.6	238.5	678.6	237.7	223.9	679.9
8	15 to 19 years	272.9	336.5	268.3	736.8	406.0	356.2	1,096.7	395.1	378.0	802.4
9	20 to 24 years	394.5	603.9	458.6	644.1	643.7	527.3	1,843.8	464.2	407.3	1,316.1
10	25 to 34 years	454.3	682.7	562.7	712.0	703.7	613.1	1,597.1	695.8	644.0	1,540.7
11	35 to 44 years	587.5	897.7	791.3	724.2	907.8	815.4	1,809.6	908.7	830.0	2,267.3
12	45 to 54 years	1,254.4	1,386.2	1,146.2	1,245.4	1,319.6	1,196.8	2,821.0	1,428.0	1,361.3	2,847.8
13	55 to 64 years	2,879.9	2,656.9	2,314.5	2,551.7	2,942.2	2,870.6	4,501.4	2,923.4	2,883.3	4,565.2
14	65 to 74 years	5,876.3	6,309.1	6,927.7	5,341.2	5,857.5	5,731.8	9,239.1	6,332.9	6,280.4	9,210.5
15	75 years and over	14,772.7	15,509.4	12,278.9	14,986.6	15,272.8	15,267.4	15,420.6	14,979.8	14,847.2	20,714.3
	MALES.										
16	All ages—Crude rate	1,307.3	1,517.4	1,205.9	1,164.5	1,562.7	1,465.9	2,704.3	1,295.1	1,245.9	2,313.6
17	Under 1 year	12,619.6	16,277.6	13,435.9	12,692.5	11,955.8	10,838.3	25,991.2	11,314.2	10,906.8	23,595.5
18	1 to 4 years	931.3	1,389.1	1,017.1	1,398.5	1,340.2	1,173.0	3,896.1	1,186.5	1,121.8	3,597.9
19	Under 5 years	3,070.3	4,264.1	3,301.3	3,701.6	3,433.0	3,058.3	8,926.8	3,080.5	2,942.5	8,003.3
20	5 to 9 years	391.5	378.8	255.0	642.3	448.8	398.5	1,182.3	350.6	349.3	*399.6*
21	10 to 14 years	282.5	272.7	261.0	309.7	279.6	263.3	517.1	265.8	252.6	695.1
22	15 to 19 years	310.3	384.0	227.8	844.6	387.3	345.8	1,001.1	408.9	390.4	829.9
23	20 to 24 years	302.0	413.2	423.1	612.0	671.9	528.6	2,199.3	462.4	380.9	1,614.9
24	25 to 34 years	425.4	654.3	614.8	637.0	653.7	526.1	1,937.9	678.5	622.3	1,575.0
25	35 to 44 years	704.4	850.6	734.9	699.3	992.0	881.9	1,972.6	1,021.3	932.4	2,447.5
26	45 to 54 years	1,320.3	1,357.3	1,243.7	1,295.3	1,426.5	1,267.0	3,010.2	1,518.8	1,465.0	2,493.1
27	55 to 64 years	2,961.6	2,567.4	2,166.6	2,750.4	3,204.9	3,159.6	4,000.0	3,189.3	3,140.9	5,060.7
28	65 to 74 years	6,069.7	6,977.6	8,350.1	6,068.0	6,558.6	6,431.1	9,594.1	6,588.5	6,569.1	7,547.2
29	75 years and over	15,523.0	15,173.1	12,500.0	16,129.0	16,285.1	16,332.0	14,864.9	14,920.6	14,819.3	19,298.2
	FEMALES.										
30	All ages—Crude rate	1,239.9	1,557.4	1,098.4	1,182.6	1,467.3	1,411.8	2,180.3	1,207.7	1,170.3	2,082.0
31	Under 1 year	8,699.0	11,250.0	8,598.7	8,364.3	9,494.3	8,861.7	17,619.0	9,055.8	8,735.2	18,656.7
32	1 to 4 years	901.2	1,283.4	864.3	1,168.2	1,080.6	945.5	3,026.5	1,012.2	980.9	2,214.8
33	Under 5 years	2,291.0	3,260.2	2,259.2	2,661.5	2,697.9	2,457.5	6,081.8	2,529.6	2,435.3	5,977.8
34	5 to 9 years	308.4	326.9	276.7	287.8	355.6	327.2	740.1	348.6	342.8	549.5
35	10 to 14 years	184.1	150.5	207.3	273.9	257.6	213.6	821.2	209.7	195.1	665.4
36	15 to 19 years	238.7	292.6	306.0	598.2	423.0	365.6	1,174.3	382.0	366.3	773.9
37	20 to 24 years	474.8	781.4	488.9	701.0	618.9	526.2	1,547.3	466.0	432.1	1,001.7
38	25 to 34 years	482.8	713.1	515.3	837.7	750.6	695.3	1,287.1	715.7	668.8	1,499.7
39	35 to 44 years	467.2	947.2	846.0	764.4	827.1	752.9	1,624.5	765.8	701.3	1,997.8
40	45 to 54 years	1,188.5	1,416.4	1,045.2	1,175.8	1,216.1	1,131.2	2,542.4	1,316.3	1,235.8	3,485.5
41	55 to 64 years	2,804.7	2,744.7	2,457.5	2,330.5	2,700.7	2,610.3	5,218.9	2,648.5	2,617.7	3,990.6
42	65 to 74 years	5,720.1	5,771.0	5,864.7	4,645.8	5,314.1	5,194.2	8,896.8	6,104.0	6,022.7	11,034.5
43	75 years and over	14,279.5	15,741.4	12,131.7	14,176.8	14,657.2	14,616.9	15,714.3	15,020.4	14,866.4	21,686.7
	Typhoid fever.										
	BOTH SEXES.										
44	All ages—Adjusted rate	0.9	4.0	.....	3.6	2.9	1.9	13.3	2.7	2.4	7.1
45	Crude rate	*1.0*	4.1	.....	3.8	3.2	2.2	16.6	3.0	2.6	*11.5*
46	Under 1 year	.....	.....	.....	.....	.....	.....	.....	*6.0*	*6.2*	.....
47	1 to 4 years	.....	*7.6*	.....	.....	.....	.....	.....	.....	.....	.....
48	Under 5 years	.....	*6.1*	.....	.....	.....	.....	.....	*1.1*	*1.2*	.....
49	5 to 9 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	*1.5*	*1.5*	.....
51	15 to 19 years	.....	.....	.....	.....	*8.4*	*8.6*	.....	*3.4*	*3.5*	.....
52	20 to 24 years	*3.8*	*19.3*	.....	.....	*8.3*	.....	*98.8*	*6.3*	*2.8*	*42.5*
53	25 to 34 years	.....	.....	.....	*5.7*	*6.4*	*4.5*	*14.7*	4.2	3.2	*20.7*
54	35 to 44 years	.....	*7.5*	.....	*6.7*	*3.1*	*1.7*	*16.9*	4.9	5.1	.....
55	45 to 54 years	*6.1*	.....	.....	*6.3*	*4.0*	*4.3*	.....	*4.0*	*4.2*	.....
56	55 to 64 years	.....	*8.0*	.....	*12.4*	*8.0*	*9.2*	.....	.....	.....	.....
57	65 to 74 years	.....	.....	.....	*29.7*	.....	.....	.....	.....	.....	.....
58	75 years and over	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	MALES.										
59	All ages—Crude rate	*0.7*	*2.3*	.....	5.8	5.7	3.9	*26.3*	3.9	3.3	*15.7*
60	Under 1 year	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
61	1 to 4 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
62	Under 5 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
63	5 to 9 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
64	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
65	15 to 19 years	.....	.....	.....	.....	*7.0*	*7.5*	.....	*7.0*	*7.3*	.....
66	20 to 24 years	.....	*26.7*	.....	.....	*11.8*	.....	*137.5*	*10.9*	*5.9*	*82.8*
67	25 to 34 years	.....	.....	.....	*9.1*	*8.3*	*6.1*	*30.8*	*5.6*	*4.8*	*19.0*
68	35 to 44 years	.....	.....	.....	*5.5*	*6.4*	*3.6*	*31.8*	*4.4*	*4.6*	.....
69	45 to 54 years	*6.1*	.....	.....	*10.8*	*8.1*	*8.9*	.....	*4.8*	*5.1*	.....
70	55 to 64 years	.....	.....	.....	*23.5*	*6.3*	*6.7*	.....	.....	.....	.....
71	65 to 74 years	.....	.....	.....	*60.7*	.....	.....	.....	.....	.....	.....
72	75 years and over	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

[1] Exclusive of stillbirths

FROM ALL CAUSES AND CERTAIN SPECIFIED CAUSES PER 100,000 ENUMERATED POPULATION, BY SEX, IN EACH OR MORE IN 1920: 1920—Continued.

[Rates in *italics* are based on less than 5 deaths.]

DEATH RATE PER 100,000 ENUMERATED POPULATION.															
Columbus.			Dayton.	Toledo.	Youngstown.	Portland, Oreg.	Philadelphia.			Pittsburgh.			Reading.	Scranton.	Providence.	
Total.	White.	Colored.					Total.	White.	Colored.	Total.	White.	Colored.				
1,480.7	1,387.8	2,421.5	1,238.7	1,433.1	1,466.5	1,192.8	1,475.9	1,395.5	2,654.3	1,753.2	1,692.9	2,831.0	1,402.4	1,623.5	1,528.5	1
1,496.0	1,427.0	2,160.5	1,234.3	1,403.6	1,313.1	1,225.0	1,453.6	1,397.0	2,158.6	1,645.0	1,601.6	2,271.4	1,451.1	1,492.9	1,553.9	2
11,990.5	11,069.4	22,012.6	9,888.5	11,299.6	11,346.4	8,081.3	11,117.0	10,168.5	25,257.0	13,654.5	13,200.3	22,390.6	13,741.3	12,320.6	11,927.5	3
1,016.9	886.6	2,413.3	818.3	1,002.5	1,154.0	768.6	1,244.7	1,154.4	2,853.8	1,560.4	1,473.7	3,488.4	714.3	1,343.3	1,364.9	4
3,163.3	2,880.4	6,204.4	2,616.9	2,898.1	3,198.4	2,173.3	3,211.0	2,934.9	7,946.3	3,904.5	3,734.3	7,580.2	3,111.7	3,394.6	3,578.0	5
358.1	326.0	693.6	456.4	402.3	380.8	298.7	360.1	350.6	518.7	502.0	500.6	530.2	272.9	353.0	356.1	6
330.8	304.5	624.6	253.7	185.0	212.1	225.3	238.7	218.4	580.2	288.9	269.2	632.2	333.0	288.1	308.3	7
518.5	489.8	834.9	395.6	436.8	382.2	363.5	395.0	344.7	1,097.8	512.7	459.6	1,406.9	436.7	369.4	347.2	8
553.3	463.3	1,289.3	457.7	551.0	565.9	466.4	563.0	488.0	1,269.3	794.5	740.4	1,416.0	632.6	522.2	567.9	9
745.3	674.4	1,311.7	511.7	678.3	860.1	574.8	708.5	652.4	1,238.8	913.7	867.3	1,469.4	605.9	930.9	736.4	10
1,010.2	909.4	1,805.8	760.0	1,001.7	858.3	740.7	938.3	851.5	1,723.3	1,210.9	1,157.1	1,774.0	830.0	1,086.8	994.0	11
1,492.4	1,332.1	3,095.6	1,054.6	1,403.1	1,322.7	1,284.9	1,473.7	1,381.0	2,659.8	1,750.6	1,690.2	2,522.1	1,220.0	1,719.5	1,390.9	12
3,075.5	2,997.2	4,245.3	2,326.2	2,766.2	3,069.6	2,498.6	3,174.3	3,116.4	4,530.4	3,577.5	3,463.7	6,344.4	2,804.4	3,695.8	3,097.3	13
5,662.9	5,618.7	6,561.7	5,589.2	6,643.0	6,829.3	5,456.4	6,504.0	6,434.9	8,506.0	6,911.8	6,853.0	8,803.6	5,712.9	7,029.8	6,519.0	14
14,436.5	14,491.3	13,414.6	13,354.8	15,068.0	13,739.5	14,172.7	13,942.8	13,925.4	14,475.6	15,187.1	15,116.0	17,419.4	15,854.5	14,611.5	14,299.6	15
1,518.4	1,441.5	2,209.2	1,220.3	1,441.2	1,389.0	1,319.3	1,491.2	1,432.9	2,208.2	1,727.2	1,675.6	2,431.4	1,500.1	1,656.6	1,608.3	16
13,992.4	12,638.3	31,343.3	10,519.0	12,681.3	12,117.6	8,711.3	12,763.5	11,816.4	27,051.4	15,572.8	14,973.1	27,397.3	17,005.3	15,028.5	13,528.9	17
975.4	872.0	2,092.7	728.9	1,021.2	1,306.7	833.0	1,327.8	1,223.8	3,248.5	1,740.7	1,678.9	3,145.9	744.5	1,223.8	1,588.5	18
3,447.9	3,131.3	6,973.8	2,729.8	3,180.8	3,471.5	2,345.8	3,600.6	3,309.8	8,744.5	4,441.3	4,261.0	8,426.5	3,726.2	3,769.4	4,077.8	19
471.4	443.6	768.2	465.5	472.2	392.7	353.5	399.1	391.9	522.8	554.7	554.0	569.0	299.2	423.2	367.6	20
373.6	319.4	1,010.1	245.9	222.8	349.5	240.1	261.6	242.0	610.9	299.4	283.8	583.5	484.2	374.2	418.2	21
520.6	529.8	*412.7*	427.9	465.0	474.9	315.9	379.9	334.9	1,054.1	553.2	485.4	1,689.7	353.7	368.0	327.6	22
500.3	381.0	1,475.4	380.4	530.2	555.7	405.7	526.4	440.7	1,362.3	797.9	740.2	1,412.9	634.2	518.3	571.0	23
691.2	626.6	1,176.5	445.0	631.2	920.4	562.5	678.0	618.4	1,260.7	908.2	859.8	1,475.3	467.2	901.7	690.4	24
990.2	833.4	2,063.9	784.5	1,066.2	992.4	785.8	1,002.8	915.9	1,747.1	1,277.6	1,208.5	1,951.8	806.9	1,240.2	1,073.6	25
1,470.5	1,308.3	2,807.9	1,071.8	1,501.7	1,448.2	1,283.8	1,550.4	1,460.6	2,525.7	1,863.2	1,786.3	2,684.6	1,236.8	2,025.2	1,313.2	26
3,310.9	3,297.8	3,476.8	2,328.7	3,033.7	3,508.8	2,636.0	3,375.8	3,329.4	4,380.1	3,846.4	3,703.0	6,777.5	2,881.4	4,183.2	3,400.6	27
6,187.7	6,125.8	7,368.4	6,526.4	6,653.5	6,490.2	6,587.1	6,953.5	6,930.2	7,754.6	7,280.8	7,179.8	10,426.5	6,263.2	8,108.1	7,080.1	28
16,523.8	16,625.3	14,864.9	14,493.1	15,734.8	12,841.5	15,339.8	14,177.2	14,158.2	14,814.8	15,257.5	15,284.1	14,492.8	17,363.3	16,089.6	15,471.0	29
1,473.5	1,412.6	2,104.8	1,248.6	1,363.4	1,225.9	1,126.2	1,416.4	1,361.6	2,108.2	1,561.5	1,527.2	2,090.0	1,403.3	1,335.5	1,502.8	30
10,067.5	9,523.8	15,217.4	9,206.6	9,858.5	10,561.7	7,436.7	9,461.8	8,509.4	23,492.9	11,710.5	11,399.3	17,549.7	10,452.6	9,704.1	10,329.4	31
1,059.8	901.8	2,739.7	907.8	983.4	997.9	702.5	1,160.7	1,084.0	2,480.8	1,381.0	1,269.1	3,814.7	683.6	1,462.6	1,139.0	32
2,873.6	2,623.4	5,469.7	2,502.2	2,606.9	2,919.5	1,996.6	2,817.6	2,555.2	7,185.4	3,368.4	3,207.2	6,771.2	2,488.1	3,022.8	3,074.2	33
243.6	206.7	621.1	447.1	331.6	368.7	243.0	320.7	308.7	514.8	448.2	445.9	491.9	246.0	282.6	344.4	34
287.3	289.2	*267.4*	261.6	147.4	*74.0*	211.1	215.8	194.8	552.4	278.3	254.5	677.5	185.2	206.0	202.2	35
516.4	450.5	1,204.8	364.3	409.5	297.1	404.7	409.3	354.1	1,134.4	475.4	435.8	1,143.7	515.6	370.8	365.3	36
604.5	542.8	1,109.4	533.5	572.7	576.4	517.6	596.3	531.3	1,189.7	791.4	740.7	1,419.1	631.0	525.4	565.2	37
800.4	722.4	1,465.7	581.5	731.7	783.5	587.0	739.2	687.0	1,218.0	919.5	875.1	1,462.9	739.6	957.5	779.4	38
1,031.1	986.2	1,450.1	733.1	927.8	664.3	687.2	870.6	784.6	1,695.6	1,137.2	1,101.2	1,547.9	852.7	928.4	917.8	39
1,515.7	1,356.5	3,553.3	1,035.6	1,290.7	1,148.0	1,286.2	1,392.8	1,299.4	2,858.6	1,623.1	1,584.6	2,249.9	1,150.2	1,389.3	1,467.0	40
2,848.2	2,713.0	5,263.2	2,323.9	2,478.3	2,582.3	2,329.9	2,980.7	2,913.2	4,699.2	3,308.3	3,227.6	5,719.6	2,730.2	3,200.6	2,827.1	41
5,198.4	5,172.4	5,759.2	4,806.3	6,633.1	7,137.3	4,181.7	6,120.3	6,017.5	9,175.3	6,594.9	6,572.8	7,327.6	5,229.1	6,078.7	6,074.9	42
13,054.7	13,095.2	12,222.2	13,403.0	14,551.1	14,437.4	13,138.3	13,791.3	13,774.2	14,285.7	15,138.2	15,000.0	19,767.4	14,831.0	13,564.2	13,598.8	43
3.0	3.3	.....	8.3	7.8	9.5	3.0	3.3	2.9	7.9	5.5	5.5	5.8	6.6	1.4	3.4	44
3.0	3.3	.....	7.2	7.8	11.3	3.5	3.4	2.9	9.6	5.6	5.6	*5.3*	6.5	*1.5*	3.8	45
.....	.....	.....	.....	*23.9*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	46
.....	.....	.....	*8.9*	*10.8*	.....	*6.2*	*1.4*	*1.5*	.....	*2.0*	*2.1*	.....	.....	.....	*5.4*	47
.....	.....	.....	*7.1*	*13.2*	.....	*5.0*	*1.1*	*1.2*	.....	*1.6*	*1.7*	.....	.....	.....	*4.3*	48
.....	.....	.....	*15.7*	*9.7*	*7.3*	.....	*1.2*	*1.3*	.....	*3.5*	*3.6*	.....	.....	.....	.....	49
5.7	*6.2*	.....	*8.7*	*5.3*	.....	.....	5.2	4.8	*11.6*	*5.7*	*6.0*	.....	*10.4*	.....	.....	50
10.7	*11.7*	.....	*26.4*	*15.6*	.....	.....	5.6	6.0	.....	*6.2*	*4.4*	*37.0*	*11.5*	.....	*5.4*	51
.....	.....	.....	*6.7*	*4.2*	*8.1*	*9.1*	5.3	3.2	*24.4*	11.1	10.1	*23.2*	*10.9*	.....	.....	52
2.2	*2.5*	.....	*3.3*	*3.3*	*10.8*	*2.0*	3.0	3.0	*3.1*	5.5	6.0	.....	*10.9*	*4.4*	.....	53
5.3	*5.9*	.....	*3.6*	*8.0*	29.1	*4.5*	4.0	3.7	*7.4*	5.6	6.1	.....	.....	.....	*2.8*	54
3.6	*3.9*	.....	.....	*3.8*	*16.8*	*6.5*	4.4	2.6	*26.9*	*6.4*	*6.9*	.....	*7.9*	.....	*10.5*	55
.....	.....	.....	.....	*6.4*	*35.5*	.....	*1.7*	*0.9*	*20.7*	*6.0*	*6.2*	.....	.....	*13.3*	*17.9*	56
.....	.....	.....	.....	.....	.....	*11.3*	*1.8*	*1.9*	.....	*6.8*	*7.0*	.....	*24.6*	.....	.....	57
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	58
3.4	*3.7*	.....	9.1	11.2	18.4	6.1	5.4	4.4	17.6	7.1	6.9	*9.9*	*7.5*	*3.0*	5.2	59
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	60
.....	.....	.....	*17.8*	*10.6*	.....	*13.3*	*2.8*	*2.9*	.....	*4.0*	*4.2*	.....	.....	.....	.....	61
.....	.....	.....	*14.1*	*8.7*	.....	*9.9*	*2.2*	*2.4*	.....	*3.2*	*3.4*	.....	.....	.....	.....	62
.....	.....	.....	*31.0*	*19.3*	*14.5*	.....	*2.4*	*2.5*	.....	*6.8*	*7.2*	.....	.....	.....	.....	63
11.3	*12.3*	.....	*17.6*	*10.6*	.....	.....	7.8	6.9	*24.4*	*7.6*	*8.0*	.....	*21.1*	.....	.....	64
10.8	*11.8*	.....	*35.7*	*10.6*	.....	.....	8.6	9.2	.....	*4.8*	.....	*76.8*	*23.6*	.....	*11.3*	65
.....	.....	.....	.....	*8.3*	*16.9*	*9.9*	7.4	*4.1*	*39.7*	*11.7*	*8.6*	*45.6*	*22.7*	.....	.....	66
.....	.....	.....	.....	*15.6*	*12.9*	*3.9*	4.7	4.6	*6.4*	*5.4*	*5.9*	.....	.....	*9.3*	.....	67
5.2	*5.9*	.....	*3.3*	*15.0*	41.0	*3.2*	7.2	6.4	*13.3*	*3.5*	*9.4*	.....	.....	.....	*5.7*	68
6.9	*7.7*	.....	.....	*7.1*	*29.0*	*11.8*	6.7	*3.1*	*45.1*	*12.1*	*13.2*	.....	*15.5*	.....	*14.2*	69
.....	.....	.....	.....	.....	*67.5*	.....	*1.7*	.....	*39.1*	*6.0*	*6.3*	.....	.....	*26.5*	*25.4*	70
.....	.....	.....	.....	.....	.....	*21.3*	*4.0*	*4.1*	.....	.....	.....	.....	.....	.....	.....	71
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	72

TABLE 2.—CRUDE AND ADJUSTED DEATH RATES AT ALL AGES, AND SPECIFIC DEATH RATES IN 13 AGE GROUPS, REGISTRATION CITY OF 100,000 POPULATION

[Rates in *italics* are based on less than 5 deaths.]

	CAUSE OF DEATH, SEX, AND AGE.	DEATH RATE PER 100,000 ENUMERATED POPULATION.									
		Rochester.	Syracuse.	Yonkers.	Akron.	Cincinnati.			Cleveland.		
						Total.	White.	Colored.	Total.	White.	Colored.
	Typhoid fever—Continued.										
	FEMALES.										
1	All ages—Crude rate	*1.3*	5.8		*1.1*	*1.0*	*0.5*	*6.7*	2.1	1.9	*6.3*
2	Under 1 year								*12.1*	*12.5*	
3	1 to 4 years		*15.5*								
4	Under 5 years		*12.4*						*2.3*	*2.3*	
5	5 to 9 years										
6	10 to 14 years								*3.0*	*3.0*	
7	15 to 19 years										
8	20 to 24 years	*7.1*	*12.4*			*5.2*		*57.3*			
9	25 to 34 years					*2.6*	*2.9*		*2.6*	*1.4*	*22.7*
10	35 to 44 years		*15.4*		*8.8*				*5.5*	*5.8*	
11	45 to 54 years	*6.1*							*3.0*	*3.1*	
12	55 to 64 years		*15.9*								
13	65 to 74 years										
14	75 years and over										
	Tuberculosis (all forms).										
	BOTH SEXES.										
15	All ages—Adjusted rate	76.0	70.1	136.1	59.6	147.9	120.6	474.2	103.4	90.5	370.4
16	Crude rate	80.8	72.8	142.7	59.5	162.2	134.5	504.1	110.8	96.3	428.0
17	Under 1 year	113.4	*125.6*	*208.7*	139.7	183.8	180.2	*228.8*	96.3	87.1	*373.8*
18	1 to 4 years	58.3	99.3	81.3	54.3	72.7	64.7	*191.9*	44.6	40.0	*216.5*
19	Under 5 years	68.3	104.5	104.5	71.8	94.4	87.0	*200.0*	54.3	48.8	251.8
20	5 to 9 years	26.1	*14.1*	*18.3*		47.5	23.7	381.7	20.3	16.9	*143.3*
21	10 to 14 years	30.8	*7.5*	51.0	56.7	26.5	*7.1*	290.8	22.1	16.8	*194.3*
22	15 to 19 years	74.0	72.1	97.6	48.7	124.2	93.5	548.4	120.9	111.8	337.8
23	20 to 24 years	98.6	128.5	183.4	55.5	243.1	169.7	1,000.0	135.7	103.6	615.6
24	25 to 34 years	95.6	99.3	195.2	66.8	217.0	173.7	644.7	153.4	141.5	434.3
25	35 to 44 years	98.7	63.9	234.7	60.6	186.9	162.7	422.8	155.0	133.9	518.7
26	45 to 54 years	112.1	73.7	192.6	75.5	175.4	168.2	263.6	133.2	115.8	504.3
27	55 to 64 years	90.4	64.0	147.0	74.3	218.8	206.6	484.8	103.8	98.3	*326.1*
28	65 to 74 years	92.8	*68.8*	*86.1*	*89.0*	142.9	128.0	*543.5*	171.0	168.1	*328.9*
29	75 years and over			*104.1*	*178.4*	196.0	169.3	*934.6*	96.9	82.6	*714.3*
	MALES.										
30	All ages—Crude rate	92.8	75.6	163.2	56.9	182.7	144.6	631.7	125.5	108.5	477.4
31	Under 1 year	*147.2*	*126.2*	*410.3*	*140.0*	227.4	245.5		108.2	87.0	*749.1*
32	1 to 4 years	49.4	105.7	*92.5*	71.7	71.8	68.0	*189.9*	52.5	42.6	*423.3*
33	Under 5 years	67.3	109.6	150.9	85.6	102.5	102.6	*100.3*	63.0	50.9	495.0
34	5 to 9 years	*29.5*	*28.1*	*36.4*		56.9	*13.5*	689.7	17.7	12.9	*199.8*
35	10 to 14 years	*17.7*	*15.1*	*20.1*	*48.9*	*6.7*		*103.4*	20.7	18.3	*99.3*
36	15 to 19 years	77.6	*66.8*	*50.6*	*48.3*	91.5	60.1	556.2	83.9	73.0	*532.0*
37	20 to 24 years	57.1	*53.3*	149.3	48.2	224.0	128.9	1,237.1	134.1	87.9	786.7
38	25 to 34 years	112.7	108.0	217.0	54.9	203.1	134.6	892.0	168.8	153.2	417.5
39	35 to 44 years	125.3	44.0	258.6	71.0	256.8	221.4	572.7	194.4	169.5	593.3
40	45 to 54 years	181.7	115.5	306.4	86.4	231.0	218.6	354.1	166.6	147.8	507.8
41	55 to 64 years	99.4	96.9	186.8	*47.0*	336.4	308.6	823.5	153.1	151.8	*202.4*
42	65 to 74 years	*92.3*	*115.7*	*100.6*	*121.4*	133.8	124.0	*369.0*	237.1	229.2	*628.9*
43	75 years and over			*260.4*		259.2	223.1	*1,351.4*	*39.7*	*40.6*	
	FEMALES.										
44	All ages—Crude rate	69.2	69.9	123.1	63.0	143.1	125.0	374.5	94.9	83.2	368.2
45	Under 1 year	*77.7*	*125.0*		*139.4*	*187.6*	*111.2*	*476.2*	84.4	87.2	
46	1 to 4 years	67.4	92.8	*70.1*	*36.5*	73.7	61.3	*252.2*	36.4	37.4	
47	Under 5 years	69.2	99.2	*57.4*	57.9	86.0	70.8	*299.1*	45.5	46.7	
48	5 to 9 years	*22.6*				38.1	34.1	*92.5*	22.9	20.9	*91.6*
49	10 to 14 years	43.8		*82.9*	*64.5*	46.2	*14.2*	456.2	23.6	15.2	*285.2*
50	15 to 19 years	70.7	77.0	141.2	*55.6*	153.8	124.2	542.0	156.1	148.6	*343.9*
51	20 to 24 years	134.6	198.5	212.6	68.4	260.0	205.9	802.3	137.2	118.3	435.5
52	25 to 34 years	78.7	89.9	175.4	86.8	230.1	210.6	419.7	146.5	128.0	454.4
53	35 to 44 years	71.2	84.7	211.5	43.9	119.9	107.6	252.7	104.9	89.1	407.0
54	45 to 54 years	42.4	*30.1*	*74.7*	*60.3*	121.6	121.1	*130.4*	92.1	77.0	497.9
55	55 to 64 years	82.2	*31.7*	*108.4*	*104.7*	110.8	114.8		52.8	43.2	*469.5*
56	65 to 74 years	93.2	*31.0*	*75.2*	*58.1*	149.9	131.0	*711.7*	111.8	113.6	
57	75 years and over				*304.9*	157.6	136.4	*714.3*	136.1	*111.4*	*1,204.8*
	Cancer and other malignant tumors.										
	BOTH SEXES.										
58	All ages—Adjusted rate	103.9	83.3	99.1	64.9	105.8	105.8	101.9	101.9	102.5	96.1
59	Crude rate	115.6	95.5	87.8	42.2	132.8	136.1	92.9	83.8	85.6	46.0
60	Under 1 year			*52.2*	*46.6*				*6.0*	*6.2*	
61	1 to 4 years			*23.2*		*4.0*	*4.3*		*4.2*	*2.9*	*54.1*
62	Under 5 years			*28.5*	*9.6*	*5.3*	*5.5*		*4.5*	*3.5*	*42.0*
63	5 to 9 years	*3.7*				*3.2*	*3.4*		*5.1*	*5.2*	
64	10 to 14 years		*7.5*								
65	15 to 19 years					*6.7*	*7.2*		*5.1*	*5.3*	
66	20 to 24 years	*3.8*				*2.8*		*51.3*	*2.7*	*2.8*	
67	25 to 34 years	23.4	18.6	*23.0*	13.4	32.4	32.7	*29.3*	19.1	19.0	*20.7*
68	35 to 44 years	61.4	82.6	60.4	43.8	91.1	86.6	135.3	66.5	68.7	*39.6*
69	45 to 54 years	233.3	157.3	137.5	106.9	193.4	198.4	131.8	197.2	202.2	*89.0*
70	55 to 64 years	499.8	376.1	514.3	297.3	471.1	476.8	346.3	487.7	489.0	*434.8*
71	65 to 74 years	721.6	687.6	817.6	563.8	850.7	855.4	*724.6*	807.8	804.6	*986.8*
72	75 years and over	1,242.1	665.3	1,040.6	535.2	1,029.1	1,015.6	*1,401.9*	1,097.7	1,106.5	*714.3*

FROM ALL CAUSES AND CERTAIN SPECIFIED CAUSES PER 100,000 ENUMERATED POPULATION, BY SEX, IN EACH OR MORE IN 1920: 1920—Continued.

[Rates in *italics* are based on less than 5 deaths.]

DEATH RATE PER 100,000 ENUMERATED POPULATION.																
Columbus.			Dayton.	Toledo.	Youngstown.	Portland, Oreg.	Philadelphia.			Pittsburgh.			Reading.	Scranton.	Providence.	
Total.	White.	Colored.					Total.	White.	Colored.	Total.	White.	Colored.				
2.5	*2.8*	.....	*5.3*	4.3	*3.2*	*0.8*	1.4	1.4	*1.5*	4.1	4.4	.....	*5.5*	.....	*2.5*	1
.....	.....	.....	.....	*48.8*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
.....	.....	.....	.....	*10.9*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*10.8*	3
.....	.....	.....	.....	*17.9*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*8.6*	4
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	6
.....	.....	.....	.....	.....	.....	.....	*2.6*	*2.8*	.....	*3.8*	*4.0*	.....	.....	.....	.....	7
10.5	*11.6*	.....	*17.3*	*20.5*	.....	.....	*2.7*	*2.9*	.....	*8.0*	*8.5*	.....	.....	.....	.....	8
.....	.....	.....	*13.3*	.....	.....	*3.3*	*3.4*	*2.5*	*11.3*	*10.6*	*11.5*	.....	.....	.....	.....	9
4.4	*4.9*	.....	*6.8*	.....	*8.2*	.....	*1.2*	*1.3*	.....	*5.6*	*6.1*	.....	*21.4*	.....	.....	10
5.4	*6.0*	.....	*9.1*	.....	*11.9*	.....	*0.8*	*0.8*	.....	*2.4*	*2.6*	.....	.....	.....	.....	11
.....	.....	.....	.....	.....	.....	.....	*2.0*	*2.1*	.....	.....	.....	.....	.....	.....	*7.0*	12
.....	.....	.....	.....	*13.3*	.....	.....	*1.7*	*1.7*	.....	*6.0*	*6.2*	.....	.....	.....	*11.3*	13
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*12.7*	*13.0*	.....	*46.3*	.....	.....	14
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
110.5	92.0	279.5	89.3	126.0	78.9	77.5	128.8	111.3	344.7	116.7	104.5	303.1	83.7	72.8	110.7	15
117.7	98.7	300.3	94.4	137.8	85.4	82.9	138.4	119.5	373.2	120.5	108.1	299.4	83.5	74.8	114.1	16
105.9	*115.6*	.....	*36.0*	*95.6*	151.3	156.4	134.9	108.0	536.4	183.1	166.3	*505.1*	*214.7*	210.0	325.7	17
51.5	42.2	*150.3*	71.2	64.7	53.1	49.6	71.3	54.6	368.2	112.0	104.5	279.1	60.5	40.2	134.9	18
62.1	56.6	*121.7*	64.2	70.4	72.8	70.1	84.0	65.2	406.5	125.8	116.4	328.0	88.9	71.9	174.8	19
44.1	42.3	*63.1*	55.1	*14.5*	36.6	*19.3*	23.3	16.5	137.6	26.0	25.5	*35.3*	.....	*12.8*	*9.0*	20
62.7	37.3	347.0	*35.0*	*5.3*	*9.2*	*16.1*	33.8	22.7	220.5	43.7	26.1	351.2	62.4	*7.0*	24.5	21
112.3	87.5	385.4	87.9	156.0	72.3	113.9	115.1	88.2	491.4	101.7	72.6	592.4	149.4	61.6	97.6	22
162.5	113.4	564.1	107.7	220.4	88.9	99.6	192.2	158.1	512.6	198.6	179.6	417.8	141.8	91.2	160.2	23
150.4	125.1	352.4	130.4	169.6	118.8	114.2	174.4	150.5	400.5	135.4	115.8	370.3	54.6	97.5	101.3	24
100.2	83.2	234.5	103.6	205.7	121.2	78.1	190.7	172.5	355.0	123.2	120.2	154.3	114.0	110.3	171.3	25
138.9	117.5	352.7	98.5	140.3	84.2	87.2	181.5	164.1	404.0	141.3	140.3	154.9	39.6	99.5	94.8	26
147.9	151.4	*94.3*	75.0	134.8	106.5	108.2	184.7	177.5	351.7	226.8	205.0	755.3	113.7	160.1	149.5	27
147.7	142.1	*262.5*	156.3	191.4	*122.0*	90.4	112.7	114.7	*54.5*	81.7	84.3	.....	147.7	.....	175.2	28
217.3	229.0	.....	*102.2*	*69.8*	.....	*80.4*	149.2	154.0	.....	*79.6*	*82.2*	.....	*65.0*	*84.5*	*129.4*	29
120.4	101.0	294.0	92.1	150.6	100.3	87.0	159.1	136.7	434.6	128.9	113.0	345.9	82.7	85.9	138.1	30
108.0	*116.5*	.....	*69.2*	*140.4*	*180.0*	257.7	173.8	149.4	541.0	165.3	156.3	*342.5*	*213.9*	*284.9*	244.5	31
63.3	*56.4*	*149.5*	*35.6*	63.8	*60.1*	61.3	76.5	60.1	379.0	124.3	113.0	*381.3*	*72.0*	*48.3*	182.5	32
71.8	67.1	*124.5*	*42.4*	78.0	84.1	99.0	95.8	77.7	416.4	132.3	121.5	372.9	98.1	91.9	195.4	33
43.9	*48.0*	.....	*31.0*	*9.6*	*58.2*	*33.2*	22.6	16.3	130.7	37.7	36.0	*71.1*	.....	*12.8*	*17.9*	34
56.6	*12.3*	*577.2*	*17.6*	.....	*18.4*	*10.9*	27.3	16.5	219.9	22.7	*16.0*	*145.9*	*84.2*	*14.4*	*29.9*	35
119.3	106.0	*276.1*	*35.7*	126.8	*64.8*	105.3	91.7	62.7	527.0	90.8	45.8	844.9	*70.7*	*16.0*	90.4	36
151.9	80.2	737.7	108.7	232.0	*63.5*	89.0	175.9	137.0	555.5	148.6	132.6	319.1	135.9	*74.0*	186.9	37
121.0	112.6	183.8	98.2	155.9	135.2	94.4	185.4	153.6	496.6	132.3	102.3	484.1	*22.2*	*74.4*	122.7	38
103.1	82.7	242.8	115.6	255.3	155.8	78.2	240.1	215.1	454.0	153.8	150.8	183.7	102.5	124.0	218.2	39
172.6	147.1	382.9	143.6	170.8	86.9	106.5	250.2	228.5	484.8	166.4	162.1	211.9	77.5	177.9	127.8	40
180.6	181.8	*166.6*	113.6	198.1	168.7	140.2	254.2	247.9	391.1	333.9	294.0	1,150.9	154.4	264.8	177.6	41
209.8	193.2	*526.3*	214.7	225.5	*86.4*	127.9	158.9	164.5	.....	103.2	106.5	.....	*210.5*	.....	254.9	42
233.3	*248.1*	.....	*247.3*	.....	.....	.....	154.4	158.9	.....	*97.2*	*100.6*	.....	*160.8*	*208.7*	*172.9*	43
115.0	96.5	307.5	96.8	124.1	68.2	78.5	117.9	102.6	310.7	112.0	103.2	246.5	84.3	64.1	91.5	44
103.8	*114.7*	.....	.....	*48.3*	*122.1*	*52.7*	95.8	66.2	531.9	201.0	176.5	*662.3*	*215.5*	*137.6*	406.7	45
39.3	*23.6*	*152.2*	106.3	65.6	*46.1*	*37.6*	66.0	49.1	358.1	99.3	96.0	*181.7*	*48.3*	*32.1*	86.3	46
52.2	*45.3*	*118.9*	86.3	62.5	61.3	*40.5*	72.0	52.5	397.0	119.3	111.4	*285.1*	*79.6*	*52.1*	154.1	47
44.3	*36.5*	*124.2*	79.3	*19.5*	*14.7*	.....	24.0	16.6	144.2	*14.0*	*14.7*	.....	.....	*12.3*	.....	48
68.9	62.9	*133.7*	*52.3*	*10.5*	.....	*21.1*	40.3	29.0	220.9	64.3	36.4	542.0	*41.2*	.....	*19.3*	49
105.4	69.3	*481.9*	138.3	184.3	*79.2*	121.4	137.3	112.7	461.4	111.9	97.3	357.4	224.2	103.3	104.4	50
172.7	145.4	396.2	106.7	208.3	115.3	108.5	207.0	177.5	475.9	243.3	221.4	520.3	147.2	105.1	136.7	51
180.3	137.6	544.4	164.2	185.1	97.9	133.9	163.2	147.3	309.0	138.6	129.6	248.0	85.3	118.6	81.3	52
97.2	83.7	*228.1*	90.5	148.9	71.2	78.0	138.3	128.3	239.9	89.5	87.1	*116.3*	125.4	96.0	126.4	53
103.0	87.3	*304.6*	*48.7*	105.5	*30.6*	64.0	109.1	98.0	284.2	113.0	116.3	*59.2*	.....	*14.3*	62.6	54
116.3	122.8	.....	*37.2*	66.6	*37.4*	68.9	117.9	110.5	307.4	119.4	117.3	*184.5*	*74.5*	*53.3*	124.4	55
92.3	*97.1*	.....	*107.6*	159.2	*155.2*	*48.1*	73.3	72.3	*103.1*	63.3	65.2	.....	*92.5*	.....	112.1	56
206.4	*216.5*	.....	.....	*123.3*	.....	*57.4*	145.3	150.3	.....	*67.4*	*69.4*	.....	.....	.....	*103.4*	57
91.1	91.0	94.2	99.2	88.1	90.5	105.9	94.3	94.4	86.9	97.4	97.8	84.0	87.1	106.3	104.0	58
103.7	106.7	76.2	108.2	92.1	62.0	123.9	99.3	101.7	69.3	88.9	90.5	65.6	101.1	94.4	117.3	59
.....	.....	.....	*36.0*	.....	.....	.....	*8.4*	*9.0*	.....	.....	.....	.....	.....	.....	.....	60
.....	.....	.....	.....	.....	.....	*6.2*	*2.8*	*3.0*	.....	*2.0*	*2.1*	.....	.....	*16.1*	*5.4*	61
.....	.....	.....	*7.1*	.....	.....	*5.0*	3.9	4.1	.....	*1.6*	*1.7*	.....	.....	*13.1*	*4.3*	62
.....	.....	.....	.....	.....	.....	.....	*0.6*	*0.6*	.....	*5.2*	*5.5*	.....	.....	*6.4*	.....	63
5.5	*6.0*	.....	.....	*4.8*	.....	.....	*2.6*	*2.1*	*11.6*	*3.8*	*4.0*	.....	.....	.....	*9.8*	64
5.7	*6.2*	.....	.....	.....	.....	.....	*2.1*	*2.2*	.....	*4.2*	*4.4*	.....	.....	.....	*5.4*	65
.....	.....	.....	*8.3*	*5.2*	.....	*5.4*	*2.1*	*2.2*	.....	*4.2*	*4.4*	.....	.....	.....	*4.9*	66
4.4	*4.9*	.....	*20.2*	.....	*16.2*	*4.5*	5.3	3.9	*18.3*	9.3	10.1	.....	*21.8*	.....	.....	67
10.9	12.3	.....	*13.4*	14.5	*7.2*	21.7	19.9	17.7	40.4	21.2	21.0	*23.9*	*16.4*	*17.7*	19.8	68
73.9	74.3	*70.4*	77.7	93.5	38.8	84.8	63.3	63.8	59.2	61.6	60.1	77.1	38.0	78.8	70.2	69
206.6	207.6	195.9	197.0	185.8	143.2	209.8	209.3	211.4	181.8	179.9	180.1	177.0	221.8	220.3	242.4	70
425.8	416.5	566.0	384.6	372.2	390.3	494.6	462.5	468.2	331.0	480.4	481.5	453.2	303.2	507.0	484.3	71
627.8	632.9	*524.9*	781.7	642.4	935.0	756.9	703.7	703.5	708.8	735.4	744.3	*451.5*	714.1	918.3	725.7	72
900.3	915.9	*609.3*	1,175.9	906.9	955.8	1,216.5	867.1	871.2	738.6	1,015.1	1,026.9	*645.2*	1,104.6	844.6	1,100.0	73

TABLE 2.—CRUDE AND ADJUSTED DEATH RATES AT ALL AGES, AND SPECIFIC DEATH RATES IN 13 AGE GROUPS, REGISTRATION CITY OF 100,000 POPULATION

[Rates in *italics* are based on less than 5 deaths.]

	CAUSE OF DEATH, SEX, AND AGE.	DEATH RATE PER 100,000 ENUMERATED POPULATION.									
		Rochester.	Syracuse.	Yonkers.	Akron.	Cincinnati.			Cleveland.		
						Total.	White.	Colored.	Total.	White.	Colored.
	Cancer and other malignant tumors—Continued.										
	MALES.										
1	All ages—Crude rate	96.2	62.8	59.2	25.6	111.7	116.7	52.6	83.0	85.5	31.5
2	Under 1 year			*102.6*							
3	1 to 4 years			*46.2*		*8.0*	*8.5*		*5.5*	*2.8*	*105.8*
4	Under 5 years			*56.6*		*6.4*	*6.8*		*4.5*	*2.3*	*82.5*
5	5 to 9 years	*7.4*				*6.3*	*6.8*		*10.1*	*10.4*	
6	10 to 14 years		*15.1*								
7	15 to 19 years					*7.0*	*7.5*		*7.0*	*7.3*	
8	20 to 24 years										
9	25 to 34 years	25.4	30.0	*12.1*	*9.1*	13.9	*12.2*	*30.8*	15.6	16.6	
10	35 to 44 years	60.5	44.0	*27.2*	*10.9*	51.4	53.6	*31.8*	46.4	47.8	*24.7*
11	45 to 54 years	163.5	*28.9*	126.2	75.6	125.6	129.4	*88.5*	154.5	163.1	
12	55 to 64 years	367.7	274.5	261.5	258.6	425.2	436.0	*235.3*	561.3	560.1	*607.3*
13	65 to 74 years	715.4	616.8	704.2	424.8	1,085.7	1,100.3	*738.0*	960.8	980.3	
14	75 years and over	1,532.3	611.0	*520.8*	*215.1*	950.3	981.7		1,507.9	1,502.2	*1,754.4*
	FEMALES.										
15	All ages—Crude rate	134.4	128.2	115.3	65.3	152.7	154.2	133.8	84.8	85.7	63.5
16	Under 1 year				*92.9*				*12.1*	*12.5*	
17	1 to 4 years								*2.8*	*2.9*	
18	Under 5 years				*19.3*				*4.5*	*4.7*	
19	5 to 9 years										
20	10 to 14 years										
21	15 to 19 years					*6.4*	*6.9*		*3.3*	*3.5*	
22	20 to 24 years	*7.1*				*5.2*		*57.3*	*5.2*	*6.5*	
23	25 to 34 years	21.5	*6.4*	*32.9*	*20.4*	49.7	51.9	*28.0*	23.1	21.8	*45.4*
24	35 to 44 years	62.3	123.2	92.5	96.7	129.1	117.6	252.7	92.0	94.9	*37.0*
25	45 to 54 years	303.2	291.3	149.3	150.7	258.9	263.0	*195.6*	249.6	249.6	*249.0*
26	55 to 64 years	621.2	476.0	758.9	340.4	513.3	513.6	*505.1*	411.5	415.6	*234.7*
27	65 to 74 years	726.7	744.6	902.3	696.9	668.6	667.1	*711.7*	670.8	647.7	*2,069.0*
28	75 years and over	1,051.2	702.7	1,386.5	762.2	1,077.0	1,036.3	*2,142.9*	816.3	835.2	
	Acute nephritis and Bright's disease.										
	BOTH SEXES.										
29	All ages—Adjusted rate	115.8	86.5	97.7	57.4	102.4	99.9	154.3	96.1	93.5	165.1
30	Crude rate	122.7	98.4	83.9	35.5	122.4	122.3	122.7	74.0	72.3	112.0
31	Under 1 year	*18.9*	*31.4*			*33.4*	*36.0*		30.1	*24.9*	*186.9*
32	1 to 4 years	*12.5*	*22.9*	*46.5*	*12.1*				8.4	8.6	
33	Under 5 years	*13.7*	*24.6*	*38.0*	*9.6*	*6.5*	*7.0*		12.4	11.6	*42.0*
34	5 to 9 years	*11.2*				*9.5*	*10.2*		*3.8*	*3.9*	
35	10 to 14 years	*8.8*	*22.6*			*13.3*	*14.2*		8.9	9.1	
36	15 to 19 years	*9.3*			*12.2*	20.1	21.6		8.5	8.9	
37	20 to 24 years	*15.2*	*12.8*	*11.5*		16.6	18.2		13.3	12.8	*21.2*
38	25 to 34 years	27.0	18.6	*17.2*	13.4	14.8	14.8	*14.7*	16.1	14.0	51.7
39	35 to 44 years	48.2	67.6	46.9	16.8	72.2	64.1	152.2	39.8	36.9	88.9
40	45 to 54 years	160.6	191.7	155.9	88.1	91.7	81.9	210.9	121.2	108.8	385.6
41	55 to 64 years	361.8	288.1	275.5	185.8	361.7	356.0	484.8	358.0	350.8	652.2
42	65 to 74 years	989.7	515.7	946.6	415.4	805.2	788.0	1,268.1	713.5	708.5	*986.8*
43	75 years and over	2,272.7	1,289.0	1,560.9	1,338.1	2,025.5	2,014.2	2,336.4	2,082.3	2,064.4	*2,867.1*
	MALES.										
44	All ages—Crude rate	127.2	97.7	69.4	36.3	127.1	129.5	98.7	75.2	72.5	131.2
45	Under 1 year	*36.8*	*63.1*			*65.0*	*70.2*		*48.1*	*37.3*	*374.5*
46	1 to 4 years			*69.3*	*12.0*				*8.3*	*8.5*	
47	Under 5 years	*6.7*	*12.2*	*56.6*	*9.5*	*12.8*	*13.7*		15.7	13.9	*82.5*
48	5 to 9 years	*7.4*				*12.6*	*13.5*		*7.6*	*7.8*	
49	10 to 14 years	*8.8*	*30.3*			*6.7*	*7.1*		*11.8*	*12.2*	
50	15 to 19 years	*9.7*			*10.8*	42.3	45.1		*3.5*	*3.6*	
51	20 to 24 years	*24.5*	*18.3*			*17.7*	*19.3*		*8.2*	*5.9*	*41.4*
52	25 to 34 years	21.8	*12.0*	*12.1*	*9.1*	*11.1*	*12.2*		10.1	9.5	*19.0*
53	35 to 44 years	64.8	58.7		*10.9*	61.0	57.1	*95.5*	45.0	41.6	*98.9*
54	45 to 54 years	157.5	202.2	90.1	86.4	117.5	116.0	*152.8*	132.8	117.2	415.5
55	55 to 64 years	427.4	322.9	224.1	188.1	374.4	382.4	*235.3*	362.3	345.5	1,012.1
56	65 to 74 years	1,130.9	655.4	1,307.8	606.8	907.2	898.8	*1,107.0*	811.1	802.0	*1,257.9*
57	75 years and over	2,598.3	1,222.0	1,562.5	2,365.6	2,635.0	2,543.5	*5,405.4*	2,460.3	2,436.1	*3,508.8*
	FEMALES.										
58	All ages—Crude rate	118.5	99.1	97.7	34.4	117.9	115.7	147.1	72.8	72.1	88.9
59	Under 1 year								*12.1*	*12.5*	
60	1 to 4 years	*25.3*	*46.4*	*23.4*	*12.2*				*8.4*	*8.6*	
61	Under 5 years	*20.8*	*37.2*	*19.1*	*9.6*				*9.1*	*9.3*	
62	5 to 9 years	*15.0*				*6.3*	*6.8*				
63	10 to 14 years	*8.8*	*15.0*			*19.8*	*21.4*		*5.9*	*6.1*	
64	15 to 19 years	*3.8*			*13.9*				*13.3*	*13.8*	
65	20 to 24 years	*7.1*	*12.4*	*21.3*		*15.6*	*17.2*		18.1	19.3	
66	25 to 34 years	32.2	*25.7*	*21.9*	*20.4*	18.3	17.3	*28.0*	23.1	19.1	*90.9*
67	35 to 44 years	31.1	77.0	92.5	*26.4*	83.0	70.6	216.6	33.1	31.0	*74.0*
68	45 to 54 years	1,63.7½	180.8	224.0	90.4	66.7	50.1	325.9	107.0	98.6	*332.0*
69	55 to 64 years	½ 301.5½	253.8	325.3	183.3	350.0	332.3	841.8	353.5	356.2	*234.7*
70	65 to 74 years	875.7	403.4	676.7	*252.3*½	726.2	702.9	*1,423.5*	626.0	625.0	*689.7*
71	75 years and over	2,058.7	1,335.2	1,559.8	*609.8*	1,654.8	1,690.8	*714.3*	1,823.1	1,809.6	*2,409.6*

FROM ALL CAUSES AND CERTAIN SPECIFIED CAUSES PER 100,000 ENUMERATED POPULATION, BY SEX, IN EACH OR MORE IN 1920: 1920—Continued.

[Rates in *italics* are based on less than 5 deaths.]

DEATH RATE PER 100,000 ENUMERATED POPULATION.																
Columbus.			Dayton.	Toledo.	Youngstown.	Portland, Oreg.	Philadelphia.			Pittsburgh.			Reading.	Scranton.	Providence.	
Total.	White.	Colored.					Total.	White.	Colored.	Total.	White.	Colored.				
59.8	61.7	42.0	80.4	81.3	41.0	118.1	84.1	86.0	60.0	70.9	72.1	54.4	67.7	85.9	100.7	1
							11.2	*12.0*								2
						12.3	*4.2*	*4.4*						*32.2*	*10.7*	3
						9.9	5.6	5.9						*26.3*	*8.5*	4
11.0	*12.0*			*9.6*			*1.2*	*1.3*		*10.3*	*10.8*			*12.8*		5
11.3	*12.3*						*3.9*	*4.1*							*19.9*	6
				10.6			*2.9*	*3.1*								7
			27.2				*4.9*	*4.1*	*13.2*	*15.6*	*17.1*				*10.4*	8
			13.1	*11.7*		19.7	13.6	11.7	31.8	9.1	9.8				*10.2*	9
15.5	*11.8*	*40.5*	*24.8*	60.1	*8.2*	61.7	36.7	37.7	*27.5*	27.8	25.9	*45.9*		*41.3*	63.2	10
62.1	69.7		99.4	177.9	130.3	147.9	169.3	170.4	157.9	139.1	138.9	*141.3*	170.5	164.2	163.3	11
361.2	363.5	*331.1*	302.9	334.3	269.9	430.0	425.4	427.0	391.1	381.7	387.8	*255.8*	231.5	529.5	456.8	12
419.5	386.3	*1,052.6*	815.8	648.4	683.2	895.3	714.9	719.7	578.7	766.4	760.6	*947.9*	421.1	1,013.5	793.0	13
857.4	909.8		1,363.1	798.7	*819.7*	1,423.9	831.2	831.4	*823.0*	1,117.6	1,106.1	*1,449.3*	1,286.2	*814.7*	1,037.2	14
148.0	151.2	115.3	136.5	103.7	86.1	130.0	114.4	117.2	78.8	107.2	109.0	78.4	133.7	102.5	133.9	15
			74.9				*5.6*	*6.0*								16
							1.4	*1.6*		*4.0*	*4.2*					17
			14.4				*2.2*	*2.4*		*3.2*	*3.4*					18
																19
							1.3		*22.1*	*7.6*	*8.1*					20
			17.3			*10.1*	*1.4*	*1.5*		*8.0*	*8.5*				*10.4*	21
8.6	*9.7*		*13.3*		*32.9*	*8.3*	5.6	*3.7*	*22.7*	*3.5*	*3.8*		*42.1*			22
22.0	24.6		*13.7*	*17.6*	*16.3*	23.6	26.2	23.8	48.5	33.7	32.4	*49.6*	*32.2*	*33.9*	28.7	23
135.0	137.5	*111.5*	135.8	131.7	83.0	112.1	91.3	90.8	96.0	98.9	97.3	*116.3*	75.2	117.4	76.9	24
360.5	349.0	507.6	304.6	194.8	161.1	284.2	251.3	253.5	217.3	226.0	225.3	*236.8*	275.4	280.8	319.8	25
488.3	466.5	*877.2*	464.8	413.1	524.0	573.9	498.2	507.4	263.5	579.2	573.9	*793.0*	372.3	484.1	508.9	26
812.3	849.9		753.2	636.8	1,163.7	600.8	694.2	689.8	824.7	708.9	730.3		971.8	834.3	672.5	27
928.8	919.9	*1,111.1*	1,044.4	990.7	1,061.6	1,032.7	890.3	897.1	*691.2*	944.0	972.2		981.5	865.8	1,137.5	28
72.0	70.2	89.6	70.4	80.0	52.7	63.8	142.7	138.8	209.1	90.4	88.1	148.2	124.0	88.8	97.6	29
79.7	79.6	80.7	74.7	79.4	39.3	73.2	142.5	141.9	149.7	80.7	79.6	97.2	142.0	76.2	104.4	30
					30.3		53.4	48.0	*134.1*	41.6	43.8			*35.0*	*61.1*	31
						12.4	13.3	13.3	*15.2*	10.0	10.5			*16.1*	*16.2*	32
					6.1	*10.0*	21.3	20.1	*40.6*	16.1	16.9			*19.6*	25.6	33
16.5	*12.1*	*63.1*	*7.9*	*4.8*	*14.6*		7.2	7.0	*10.6*	*3.5*	*3.6*		*20.2*	*12.8*		34
5.7	*6.2*		*8.7*	*5.3*	*9.2*	*5.4*	13.7	12.4	*34.8*	*7.6*	*8.0*			*7.0*		35
16.0	*17.5*			*5.2*	*10.3*	*10.9*	19.5	18.7	*31.4*	*6.2*	*6.6*		*23.0*	*7.7*	*16.3*	36
13.2	*14.8*		*6.7*	*4.2*	*16.2*	*9.1*	14.1	13.0	*24.4*	13.0	12.1	*23.2*	*32.7*	*16.6*	*14.6*	37
15.3	14.7	*19.6*	*10.0*	18.6	*3.6*	19.7	30.0	27.2	55.9	35.0	33.9	*47.8*	38.2	22.2	14.8	38
52.8	41.6	140.7	38.9	45.4	*19.4*	49.1	69.6	65.0	110.9	62.7	62.6	64.3	88.7	68.3	64.6	39
92.6	90.1	*117.6*	57.9	94.8	84.2	87.2	184.9	172.0	350.1	126.9	121.2	199.1	166.4	127.9	112.4	40
236.6	246.1	*94.3*	178.2	269.6	319.4	226.7	492.2	470.8	993.0	298.4	288.9	528.7	416.9	293.5	334.8	41
578.6	555.4	*1,049.9*	781.7	628.8	243.9	463.2	1,180.1	1,170.0	1,472.2	681.0	639.0	2,031.6	886.5	570.0	838.3	42
1,210.8	1,210.3	*1,219.5*	1,533.7	1,744.0	716.8	1,155.7	2,689.7	2,714.8	1,920.2	1,512.7	1,519.8	*1,290.3*	2,274.2	1,689.2	1,682.3	43
85.9	82.3	117.6	89.5	70.9	39.6	84.0	136.4	136.3	137.6	78.6	76.4	108.7	157.9	87.3	102.5	44
							67.3	53.8	*270.5*	*33.1*	*34.7*			*71.2*	*122.2*	45
						24.5	11.1	10.3	*27.1*	*16.0*	*16.7*			*32.2*	*21.5*	46
						19.8	22.3	18.8	*33.3*	19.4	20.2			*39.4*	42.5	47
21.9	*12.0*	*128.0*		*9.6*	*14.5*		8.3	7.5	*21.8*	*6.8*	*7.2*		*39.9*	*25.6*		48
11.3	*12.8*				*18.4*		11.7	12.4		*11.4*	*12.0*			*14.4*		49
10.8	*11.8*					*11.7*	14.3	12.2	*45.8*				*23.6*		*33.9*	50
			18.6			*9.9*	17.2	14.9	*39.7*	*11.7*	*12.8*		*22.7*		*10.4*	51
4.8		*36.8*	*18.1*	19.5	*6.4*	*15.7*	29.5	26.7	57.3	25.4	21.6	*69.2*	*38.4*	*27.9*	*20.5*	52
61.9	41.4	202.3	49.5	45.1	*32.8*	41.1	70.4	67.4	96.3	51.3	49.5	*68.9*	76.8	72.3	63.2	53
110.5	108.4	*127.6*	77.3	113.9	86.9	106.5	174.1	168.3	236.8	118.0	112.5	176.6	217.1	123.2	63.9	54
264.9	272.7	*165.6*	284.0	284.8	303.6	271.1	479.0	466.8	743.1	333.9	312.8	767.3	488.8	370.7	329.9	55
629.3	607.1	*1,052.6*	1,073.4	394.7	*256.2*	532.9	1,282.9	1,275.0	1,504.6	751.7	699.7	2,369.7	1,052.6	675.7	877.9	56
1,792.7	1,737.0	*2,702.7*	1,610.9	1,677.3	*819.7*	1,359.2	2,932.8	2,922.1	3,292.2	1,700.7	1,759.7		2,893.9	2,036.7	2,420.1	57
73.6	77.0	*38.4*	59.6	88.4	39.0	61.8	148.6	147.5	162.1	82.9	82.8	84.0	126.4	65.5	106.2	58
					61.1		39.4	42.1		*50.3*	*52.9*					59
							15.5	16.4		*4.0*	*4.2*				*10.8*	60
					12.3		20.2	21.5		*12.9*	*13.5*				*8.6*	61
11.1	*12.2*		*16.0*		*14.7*		6.0	6.4								62
			17.4	*10.5*		*10.6*	15.6	12.4	*66.3*	*3.8*	*4.0*					63
21.1	*23.1*			*10.2*	*19.8*	*10.1*	24.5	24.9	*19.2*	*12.0*	*12.7*		*22.4*	*14.8*		64
25.9	*29.1*			*8.7*	*32.9*	*8.3*	11.2	11.2	*11.3*	*14.1*	*11.5*	*47.3*	*42.1*	*30.0*	*18.2*	65
26.4	29.5		*6.8*	*17.6*		23.6	30.4	27.7	54.5	44.9	46.6	*24.8*	*42.9*	*16.9*	*9.6*	66
43.2	41.8	*55.8*	*27.2*	45.8		58.5	68.6	62.5	128.0	75.3	76.8	*58.4*	100.3	64.0	66.0	67
73.6	71.4	*101.5*	*36.5*	73.1	*80.6*	64.0	196.3	175.7	518.2	137.0	130.8	*236.8*	113.4	133.0	159.9	68
209.3	221.0		*74.4*	253.2	336.8	172.2	504.8	474.6	1,273.6	262.7	265.4	*184.5*	347.5	215.2	339.3	69
533.8	510.0	*1,047.1*	538.0	849.0	*232.7*	384.5	1,093.3	1,081.5	1,443.3	620.3	586.9	*1,724.1*	740.4	476.8	807.0	70
825.6	865.8		1,479.5	1,795.7	*636.9*	975.3	2,532.6	2,580.2	1,152.1	1,382.3	1,354.2	*2,325.6*	1,853.9	1,443.0	1,241.0	71

TABLE 2.—CRUDE AND ADJUSTED DEATH RATES AT ALL AGES, AND SPECIFIC DEATH RATES IN 13 AGE GROUPS, REGISTRATION CITY OF 100,000 POPULATION

[Rates in *italics* are based on less than 5 deaths.]

	CAUSE OF DEATH, SEX, AND AGE.	DEATH RATE PER 100,000 ENUMERATED POPULATION.									
		Rochester.	Syracuse.	Yonkers.	Akron.	Cincinnati.			Cleveland.		
						Total.	White.	Colored.	Total.	White.	Colored.
	Puerperal septicemia.										
	FEMALES.										
1	All ages—Crude rate	8.7	8.2	*3.9*	43.5	16.4	15.1	33.4	17.0	15.8	44.4
2	Under 15 years										
3	15 to 19 years	*8.8*			*27.8*	*12.8*	*13.8*		*13.3*	*10.4*	*86.0*
4	20 to 24 years	*28.5*	*37.2*		68.4	31.2	*17.2*	*171.9*	31.1	24.8	*130.7*
5	25 to 29 years	*27.3*	*24.2*		132.5	39.7	44.0		57.0	55.7	*77.2*
6	30 to 34 years	*15.0*	*13.7*	*23.0*	72.6	33.2	30.3	*62.8*	42.0	41.3	*55.2*
7	35 to 39 years		*14.4*	*24.3*	*45.2*	51.6	50.6	*61.8*	19.3	20.4	
8	40 to 44 years	*19.5*			*42.1*	*19.9*	*21.5*		*17.3*	*18.0*	
9	45 years and over				*15.6*						
	Other puerperal causes.										
	FEMALES.										
10	All ages—Crude rate	20.0	37.3	25.4	34.4	19.8	16.7	60.2	17.5	17.4	*19.0*
11	Under 15 years								*0.9*	*0.9*	
12	15 to 19 years	*17.7*	*15.4*	*23.5*	*41.7*	32.0	*20.7*	*180.7*	*13.3*	*13.8*	
13	20 to 24 years	42.5	99.2		42.7	57.2	45.8	*171.9*	28.5	27.5	*43.6*
14	25 to 29 years	34.1	84.6	*41.8*	61.9	34.7	33.0	*50.5*	35.6	35.4	*38.6*
15	30 to 34 years	82.6	123.4	*92.2*	72.6	38.7	30.3	*126.5*	61.6	64.9	
16	35 to 39 years	40.9	86.3	*97.0*	75.4	34.4	37.9		35.3	34.0	*57.7*
17	40 to 44 years	*9.8*	*16.6*	*58.1*	*84.2*	*19.9*	*21.5*		*13.0*	*15.5*	
18	45 years and over					*8.6*	*1.9*	*39.2*			

FROM ALL CAUSES AND CERTAIN SPECIFIED CAUSES PER 100,000 ENUMERATED POPULATION, BY SEX, IN EACH OR MORE IN 1920: 1920—Continued.

[Rates in *italics* are based on less than 5 deaths.]

DEATH RATE PER 100,000 ENUMERATED POPULATION.																
Columbus.			Dayton.	Toledo.	Youngstown.	Portland, Oreg.	Philadelphia.			Pittsburgh.			Reading.	Scranton.	Providence.	
Total.	White.	Colored.					Total.	White.	Colored.	Total.	White.	Colored.				
14.4	13.9	*19.2*	15.9	22.1	35.7	10.3	12.9	12.7	14.9	29.8	28.4	50.4	16.5	12.8	18.0	1
																2
			34.7	*20.5*		*20.2*	12.2	13.2		24.0	*16.9*	*148.0*			*31.3*	3
34.5	*29.1*	*79.2*	66.7	60.7	98.8	*33.4*	23.5	22.3	*34.0*	67.1	68.7	*47.3*	*84.1*		54.7	4
58.4	56.1	*76.5*	*38.5*	40.7	76.7	*15.3*	39.5	41.5	*21.5*	62.5	48.9	228.0	*20.3*	*47.8*	55.2	5
37.2	*41.4*		*29.3*	57.6	139.6	*24.4*	27.4	25.9	*41.7*	65.0	65.9	*54.3*		*64.3*	59.8	6
19.9	*22.2*			*21.0*	*62.4*	*17.6*	35.1	36.0	*26.9*	85.7	94.0		*23.5*	*68.0*	*10.2*	7
				37.9			8.2	8.9		41.8	45.0		*80.8*			8
				4.0			*0.5*	*0.5*								9
25.4	27.8		22.5	25.5	24.4	19.0	23.4	22.3	37.2	30.8	29.9	44.8	27.5	39.9	44.1	10
																11
21.1	*23.1*		*52.0*	*30.7*		*20.2*	15.0	11.7	*67.7*	24.0	25.4		*44.8*	*29.7*	*20.9*	12
25.9	*29.1*		*26.7*	52.1		*33.4*	50.3	52.1	*34.0*	53.0	53.5	*47.3*	*42.1*	*45.0*	63.8	13
75.0	84.2		*51.3*	65.1	*46.0*	38.3	65.8	64.8	75.2	79.9	78.9	*91.2*	101.7	111.5	165.5	14
46.5	51.7		*29.3*	67.3	104.7	56.8	65.1	61.8	97.2	109.8	109.9	*103.7*	*90.7*	217.2	149.5	15
79.5	88.7		101.3	52.4	*88.3*	*26.4*	39.3	37.6	*58.7*	64.3	56.4	*145.9*		*68.0*	112.4	16
35.5	*38.9*			*12.6*	*55.2*	*32.8*	22.8	23.1	*19.8*	*15.7*	*16.9*		*58.9*	*23.8*		17
							3.0	3.1		*1.8*	*1.8*				*3.4*	18

TABLE 2.—CRUDE AND ADJUSTED DEATH RATES AT ALL AGES, AND SPECIFIC DEATH RATES IN 13 AGE GROUPS, REGISTRATION CITY OF 100,000 POPULATION

[Rates in *italics* are based on less than 5 deaths.]

	CAUSE OF DEATH, SEX, AND AGE.	DEATH RATE PER 100,000 ENUMERATED POPULATION.								
		Memphis.			Nashville.			Dallas.		
		Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.
	ALL CAUSES.[1]									
	BOTH SEXES.									
1	All ages—Adjusted rate	2,175.2	1,684.1	3,063.7	1,881.9	1,626.8	2,472.0	1,562.3	1,421.2	2,383.6
2	Crude rate	2,004.9	1,577.4	2,710.7	1,814.2	1,562.2	2,399.1	1,362.5	1,232.9	2,088.2
3	Under 1 year	16,652.9	12,101.1	26,614.0	13,623.7	12,291.5	17,625.2	11,727.2	10,960.8	17,586.2
4	1 to 4 years	1,514.5	1,211.9	2,226.9	1,284.8	1,038.3	2,014.8	1,282.4	1,249.6	1,538.5
5	Under 5 years	4,552.2	3,358.3	7,321.8	4,049.8	3,567.0	5,484.5	3,328.1	3,148.1	4,726.0
6	5 to 9 years	639.2	511.0	892.6	524.7	549.0	460.3	449.3	428.1	586.2
7	10 to 14 years	504.5	350.4	793.8	405.6	409.2	396.4	227.8	180.3	513.4
8	15 to 19 years	1,150.0	575.9	2,053.7	811.5	550.4	1,435.8	580.6	459.7	1,276.6
9	20 to 24 years	1,427.7	843.2	2,250.1	955.8	695.9	1,510.5	676.6	455.9	1,834.3
10	25 to 34 years	1,331.3	857.7	2,019.3	1,202.1	861.8	1,976.5	771.0	583.5	1,727.4
11	35 to 44 years	1,649.4	1,135.2	2,399.7	1,444.1	1,068.0	2,219.1	1,021.9	864.7	1,757.2
12	45 to 54 years	2,367.7	1,742.7	3,353.0	1,972.1	1,406.7	3,089.8	1,739.2	1,487.8	3,017.8
13	55 to 64 years	4,067.4	3,541.7	5,315.2	3,626.5	3,252.8	4,566.5	3,256.2	2,946.4	5,845.8
14	65 to 74 years	7,015.3	6,880.4	7,359.7	6,241.3	6,142.0	6,500.0	6,182.5	6,218.1	5,866.7
15	75 years and over	13,491.0	14,850.5	10,815.9	13,392.3	15,125.2	9,237.9	14,620.8	15,209.8	9,629.6
	MALES.									
16	All ages—Crude rate	2,174.0	1,695.5	3,001.7	1,814.2	1,604.4	2,330.5	1,493.0	1,355.9	2,273.3
17	Under 1 year	18,667.8	13,631.0	30,411.0	15,461.1	14,869.9	17,056.9	13,136.9	11,555.6	26,717.6
18	1 to 4 years	1,505.3	1,266.9	2,079.0	1,229.6	1,031.7	1,828.0	1,358.6	1,313.5	1,718.2
19	Under 5 years	4,908.7	3,700.3	7,798.7	4,477.0	4,118.3	5,533.0	3,640.9	3,310.8	6,311.4
20	5 to 9 years	607.0	548.3	726.4	553.2	576.5	490.9	437.5	446.8	*372.7*
21	10 to 14 years	544.6	423.1	783.5	298.7	306.4	*278.0*	200.2	154.0	*500.6*
22	15 to 19 years	1,253.6	588.7	2,338.2	754.0	544.8	1,314.8	576.2	464.8	1,193.8
23	20 to 24 years	1,631.8	784.2	2,936.4	863.7	619.6	1,425.0	609.1	402.0	1,709.4
24	25 to 34 years	1,371.9	840.0	2,225.8	1,111.2	878.7	1,716.9	773.0	582.7	1,818.8
25	35 to 44 years	1,744.2	1,202.5	2,578.5	1,355.8	1,076.4	1,990.9	1,099.1	934.7	1,891.0
26	45 to 54 years	2,336.3	1,812.5	3,116.9	1,946.4	1,388.9	3,000.0	1,887.5	1,669.7	2,866.9
27	55 to 64 years	4,917.2	4,322.7	6,336.3	3,630.8	3,239.7	4,588.9	3,979.1	3,678.6	6,398.1
28	65 to 74 years	8,310.2	8,160.1	8,695.7	6,690.6	7,056.9	5,620.6	7,504.1	7,566.6	6,951.9
29	75 years and over	15,235.0	15,384.6	14,925.4	13,504.3	13,948.0	12,345.7	18,267.4	18,816.1	13,793.1
	FEMALES.									
30	All ages—Crude rate	1,844.2	1,461.3	2,449.3	1,814.3	1,523.0	2,456.1	1,231.9	1,109.1	1,908.1
31	Under 1 year	14,617.9	10,493.8	23,096.4	11,692.0	9,729.1	18,333.3	10,311.8	10,348.0	10,062.9
32	1 to 4 years	1,524.1	1,154.0	2,376.0	1,340.1	1,045.0	2,196.7	1,203.9	1,183.3	1,360.5
33	Under 5 years	4,183.5	2,997.8	6,849.3	3,617.0	3,010.9	5,434.8	3,007.3	2,979.7	3,212.9
34	5 to 9 years	670.6	473.9	1,049.3	495.0	520.3	429.2	461.4	408.6	776.9
35	10 to 14 years	467.9	281.8	802.7	509.9	512.4	503.8	254.2	206.0	524.1
36	15 to 19 years	1,084.2	565.1	1,827.2	857.6	555.2	1,519.8	584.3	455.4	1,346.5
37	20 to 24 years	1,266.7	892.9	1,757.3	1,026.8	757.1	1,570.7	735.4	502.9	1,940.6
38	25 to 34 years	1,295.6	874.5	1,856.6	1,277.2	846.7	2,157.7	769.0	584.4	1,646.2
39	35 to 44 years	1,551.0	1,062.2	2,225.8	1,518.6	1,060.5	2,389.8	936.2	786.2	1,616.0
40	45 to 54 years	2,406.1	1,661.6	3,664.4	1,999.4	1,425.0	3,191.0	1,560.2	1,278.0	3,249.5
41	55 to 64 years	3,185.7	2,728.6	4,264.2	3,622.2	3,265.9	4,523.1	2,510.8	2,197.5	5,235.6
42	65 to 74 years	5,879.5	5,754.9	6,196.2	5,851.9	5,301.9	7,155.3	4,879.4	4,889.7	4,787.2
43	75 years and over	12,354.8	14,492.8	8,282.2	13,318.3	15,935.0	7,380.1	12,032.1	12,667.7	6,493.5
	Typhoid fever.									
	BOTH SEXES.									
44	All ages—Adjusted rate	9.5	4.2	19.0	10.2	6.9	18.6	15.1	11.1	39.3
45	Crude rate	8.6	*4.0*	16.3	10.1	7.3	16.8	14.5	11.1	33.2
46	Under 1 year									
47	1 to 4 years							*9.7*	*11.0*	
48	Under 5 years							*7.8*	*8.8*	
49	5 to 9 years	*23.7*		*70.6*	*19.4*		*70.8*	*15.8*	*9.1*	*58.6*
50	10 to 14 years	*15.8*	*12.1*	*22.7*	*27.7*	*25.6*	*53.0*	*24.4*	*9.5*	*114.1*
51	15 to 19 years	*21.6*	*11.8*	*37.0*	*8.3*	*12.5*				
52	20 to 24 years	*11.3*	*9.7*	*18.6*	*16.3*		*51.2*	*21.0*	*25.0*	
53	25 to 34 years	*5.8*	*4.9*	*7.2*				*5.6*	*3.4*	*17.1*
54	35 to 44 years	*8.6*		*9.0*	*11.6*	*8.6*	*17.8*	20.4	*14.8*	*46.2*
55	45 to 54 years	*5.7*		*14.8*	*7.4*	*11.2*		*13.6*	*8.1*	*41.8*
56	55 to 64 years				*18.9*	*19.5*		*39.9*	*29.8*	*124.4*
57	65 to 74 years									
58	75 years and over							*78.2*	*87.4*	
	MALES.									
59	All ages—Crude rate	11.4	*6.0*	20.7	14.3	*10.0*	*24.7*	13.8	13.3	*16.8*
60	Under 1 year									
61	1 to 4 years									
62	Under 5 years									
63	5 to 9 years	*16.0*		*48.4*	*19.1*		*70.1*	*15.6*	*17.9*	
64	10 to 14 years	*16.5*		*49.0*	*37.3*	*25.5*	*69.5*	*33.4*	*19.2*	*125.2*
65	15 to 19 years	*31.7*	*25.6*	*41.8*						
66	20 to 24 years	*25.7*	*21.2*	*32.6*	*18.8*		*62.0*	*11.3*	*13.4*	
67	25 to 34 years	*12.5*	*10.1*	*16.2*				*5.6*	*6.6*	
68	35 to 44 years	*7.1*		*18.2*	*25.3*	*18.2*	*41.5*	*31.0*	*28.0*	*45.0*
69	45 to 54 years				*14.4*	*22.0*		*12.4*	*16.2*	
70	55 to 64 years				*27.7*	*39.0*		*26.2*	*29.4*	
71	65 to 74 years									
72	75 years and over									

[1] Exclusive of stillbirths.

FROM ALL CAUSES AND CERTAIN SPECIFIED CAUSES PER 100,000 ENUMERATED POPULATION, BY SEX, IN EACH OR MORE IN 1920: 1920—Continued.

[Rates in *italics* are based on less than 5 deaths.]

DEATH RATE PER 100,000 ENUMERATED POPULATION.																
Houston.			San Antonio.			Salt Lake City.	Norfolk.			Richmond.			Seattle.	Spokane.	Milwaukee.	
Total.	White.	Colored.	Total.	White.	Colored.		Total.	White.	Colored.	Total.	White.	Colored.				
1,593.9	1,410.0	2,177.9	1,817.7	1,803.2	1,921.5	1,476.8	1,753.4	1,363.8	2,389.1	1,779.6	1,399.1	2,627.4	1,123.8	1,413.1	1,253.5	1
1,405.9	1,250.6	1,881.9	1,650.2	1,645.1	1,701.0	1,442.7	1,539.2	1,204.6	2,094.1	1,658.4	1,348.9	2,331.2	1,078.6	1,418.1	1,184.5	2
10,299.3	9,888.9	11,864.4	15,522.3	15,695.5	12,963.0	9,620.8	13,157.9	8,898.3	21,200.0	13,977.2	9,636.5	23,656.9	7,082.0	10,400.5	11,001.2	3
955.6	834.5	1,500.0	1,535.5	1,599.7	649.4	1,019.4	1,347.0	744.2	2,533.7	1,350.7	963.4	2,296.6	809.5	936.2	1,084.3	4
2,874.7	2,647.4	3,861.0	4,755.2	4,855.6	3,346.9	2,702.1	3,994.2	2,551.7	6,807.1	4,130.0	2,832.2	7,236.3	2,086.9	2,820.8	3,029.0	5
346.7	303.9	497.9	276.1	269.9	*352.7*	409.5	254.8	259.3	246.2	366.2	302.1	510.4	311.5	493.5	383.8	6
335.6	288.9	496.4	213.0	217.0	*166.9*	370.9	402.0	335.7	515.9	238.0	219.2	282.5	287.1	362.2	234.3	7
480.7	350.8	878.3	712.2	664.1	1,229.8	565.0	741.6	579.0	983.3	474.4	233.1	983.5	352.0	603.9	421.0	8
701.8	502.6	1,192.1	864.9	861.0	899.0	621.3	936.1	598.2	1,419.0	698.2	454.1	1,146.5	459.0	577.6	424.3	9
901.5	669.6	1,542.2	934.3	908.6	1,139.4	913.3	942.5	577.9	1,527.4	778.8	547.2	1,259.4	539.2	894.2	575.3	10
1,155.5	894.4	1,844.2	1,335.7	1,265.1	1,930.3	1,164.4	1,259.9	852.7	1,857.7	1,376.3	905.1	2,277.4	725.9	805.4	648.4	11
1,815.1	1,496.9	2,765.5	1,780.7	1,694.5	2,702.7	1,527.1	2,184.7	1,457.3	3,345.9	1,943.1	1,393.7	3,137.3	1,229.8	1,476.8	1,028.9	12
3,339.2	3,023.3	4,903.7	3,292.9	3,234.9	4,200.0	2,723.3	3,561.2	3,052.8	4,876.4	4,146.5	2,959.4	7,973.4	2,559.1	2,506.7	2,403.6	13
6,782.4	6,951.5	5,970.1	6,363.6	6,342.1	6,666.7	5,929.4	5,714.3	6,219.8	4,189.4	6,407.8	3,360.4	6,564.7	4,735.2	5,171.9	5,259.5	14
14,703.1	15,402.8	11,981.6	14,216.6	14,616.4	9,929.1	14,339.1	11,666.7	13,822.5	5,154.6	15,280.8	18,125.9	4,615.4	11,960.9	14,641.7	13,192.3	15
1,559.8	1,431.0	1,972.4	1,687.3	1,676.1	1,803.7	1,611.7	1,567.9	1,284.2	2,060.1	1,768.6	1,436.6	2,518.7	1,156.3	1,555.5	1,211.6	16
13,023.2	12,084.3	16,666.7	17,531.3	17,857.1	12,844.0	10,588.2	15,221.6	9,752.5	25,925.9	16,346.7	11,233.1	27,663.6	8,340.1	12,456.7	13,026.2	17
1,198.0	1,015.6	2,048.7	1,492.5	1,564.3	*514.1*	1,137.0	1,171.5	594.1	2,355.8	1,444.2	974.5	2,625.4	827.1	989.8	1,163.5	18
3,615.1	3,212.3	5,418.7	5,141.1	5,280.8	3,212.9	3,001.2	4,213.6	2,552.9	7,585.3	4,752.7	3,185.3	8,581.6	2,334.5	3,300.8	3,493.4	19
322.5	258.7	558.7	339.3	351.6	*180.8*	554.5	302.9	293.4	321.5	239.9	190.2	356.2	342.7	537.9	406.5	20
514.6	474.8	660.1	257.1	264.3	*172.1*	463.0	475.2	385.2	639.8	248.4	205.1	355.9	294.7	401.5	240.0	21
543.1	414.8	949.6	572.8	560.0	*699.3*	671.3	913.5	863.2	992.7	409.4	208.0	885.4	301.6	630.4	420.9	22
684.2	447.8	1,283.3	644.3	616.3	921.7	656.7	758.4	520.4	1,129.9	642.5	460.4	993.3	531.2	710.3	362.7	23
882.2	733.9	1,330.0	790.1	732.7	1,260.5	903.4	938.1	690.3	1,378.7	661.0	423.3	1,182.7	544.4	938.4	484.0	24
1,155.1	912.7	1,824.8	1,337.9	1,242.4	2,162.6	1,307.7	1,297.1	953.9	1,818.6	1,498.6	1,095.4	2,300.8	685.4	655.5	640.4	25
2,028.6	1,767.7	2,770.7	2,023.3	1,973.5	2,568.0	1,720.7	2,147.8	1,520.4	3,105.1	2,053.6	1,442.1	3,287.7	1,350.2	1,546.1	1,043.7	26
3,756.3	3,665.4	4,215.9	3,509.6	3,411.4	5,038.8	3,274.6	3,670.4	3,661.0	3,694.3	4,861.4	3,555.7	9,294.9	2,814.0	2,477.7	2,703.8	27
7,629.3	7,698.1	7,258.1	7,042.3	7,142.9	5,555.6	7,561.4	5,900.0	6,366.0	4,471.5	7,024.6	7,386.0	5,733.9	5,132.7	6,300.5	5,551.0	28
14,893.6	16,710.9	7,526.9	15,074.0	15,066.5	15,151.5	14,564.8	14,617.9	16,810.3	7,246.4	18,085.1	20,257.2	7,692.3	13,260.9	16,556.3	13,544.8	29
1,252.4	1,066.9	1,797.4	1,613.0	1,613.8	1,605.0	1,275.8	1,508.3	1,115.7	2,128.6	1,560.9	1,269.5	2,173.2	990.4	1,280.0	1,157.4	30
7,570.4	7,683.7	7,142.9	13,576.0	13,608.4	13,084.1	8,617.9	11,258.9	8,093.3	17,042.6	11,592.5	8,037.2	19,581.7	5,830.0	8,188.6	8,942.2	31
710.0	648.4	976.8	1,578.4	1,635.0	*787.4*	900.0	1,523.2	899.1	2,702.7	1,258.6	952.4	1,985.7	791.4	880.4	1,004.0	32
2,126.5	2,069.7	2,365.2	4,372.4	4,434.8	3,483.6	2,397.1	3,778.2	2,550.4	6,080.3	3,513.9	2,478.6	5,942.7	1,833.1	2,317.1	2,558.4	33
370.7	349.6	441.8	211.9	186.6	*516.4*	263.3	208.4	225.6	*177.0*	487.8	412.4	651.5	279.9	447.4	361.0	34
167.1	109.2	355.4	170.4	171.1	*162.1*	280.4	330.7	285.3	404.2	228.4	232.5	219.2	279.7	323.8	228.8	35
428.1	295.9	821.1	840.4	759.4	1,646.1	470.4	578.4	296.7	974.9	524.0	253.4	1,048.8	398.9	582.1	421.2	36
717.2	551.1	1,115.7	1,096.2	1,123.9	879.8	590.4	1,121.3	685.5	1,690.4	740.8	449.1	1,257.4	394.3	473.6	479.9	37
920.5	603.6	1,725.8	1,077.6	1,084.5	1,024.5	922.8	947.4	444.7	1,669.8	883.0	660.5	1,322.7	533.2	854.0	670.5	38
1,155.9	874.2	1,863.6	1,333.6	1,287.6	1,711.5	1,011.6	1,215.1	726.4	1,902.9	1,262.2	722.8	2,256.6	780.0	960.7	657.3	39
1,551.2	1,171.4	2,758.6	1,516.2	1,389.3	2,843.6	1,310.1	2,234.7	1,375.1	3,695.7	1,833.5	1,347.9	2,972.2	1,066.4	1,392.7	1,013.3	40
2,871.4	2,297.6	5,646.6	3,064.0	3,048.6	3,305.8	2,162.8	3,437.0	2,368.9	6,259.3	3,531.9	2,435.0	6,917.2	2,217.6	2,543.5	2,107.8	41
5,901.6	6,143.9	4,861.1	5,639.1	5,481.8	7,751.9	4,479.3	5,560.2	6,097.6	3,960.4	5,968.5	5,607.9	7,100.6	4,275.7	3,911.0	5,006.5	42
14,551.6	14,346.9	15,322.6	13,516.5	14,251.5	*6,833.3*	14,175.3	9,812.1	11,864.4	4,000.0	13,363.6	16,547.6	3,076.9	10,831.2	12,941.2	12,945.3	43
12.4	9.3	21.5	9.7	8.8	16.6	7.7	13.6	11.3	17.8	6.0	5.5	7.2	1.6	7.1	2.3	44
13.7	10.5	23.5	9.9	8.9	*20.6*	7.6	14.7	12.5	18.4	6.4	6.0	*7.4*	2.2	6.7	2.2	45
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	46
.....	.....	.....	.....	.....	.....	.....	*26.7*	*20.1*	*39.6*	*8.2*	*11.6*	.....	.....	.....	.....	47
.....	.....	.....	.....	.....	.....	.....	*20.7*	*15.7*	*30.5*	*6.4*	*9.1*	.....	.....	.....	.....	48
8.5	*10.9*	.....	.....	.....	.....	*8.2*	.....	.....	.....	.....	.....	.....	.....	.....	*2.3*	49
17.2	.....	*76.4*	*6.7*	*7.2*	.....	*8.8*	*22.3*	*17.7*	*30.3*	.....	.....	.....	.....	*23.4*	*2.6*	50
24.0	*21.3*	*32.5*	*26.1*	*21.4*	*76.9*	*9.6*	*19.8*	.....	*49.2*	*6.3*	.....	*19.7*	.....	*11.8*	*8.1*	51
13.0	*9.1*	*22.5*	*10.8*	*12.0*	.....	*27.8*	35.2	*23.9*	*51.3*	*21.0*	*24.3*	*14.9*	*3.6*	*11.6*	.....	52
10.2	*14.0*	.....	*3.3*	.....	*29.2*	*4.9*	*16.2*	*19.7*	*10.5*	*6.2*	.....	*19.1*	*6.0*	*11.2*	*4.6*	53
32.0	*18.9*	*66.5*	*13.4*	*10.0*	*42.0*	*6.0*	*10.7*	*18.0*	.....	*7.8*	*11.9*	.....	*1.7*	.....	.....	54
.....	.....	.....	*19.8*	*21.6*	.....	.....	.....	.....	.....	.....	.....	.....	*2.6*	*7.8*	*2.2*	55
14.7	*17.7*	.....	*24.0*	*25.6*	.....	*14.1*	.....	.....	.....	.....	.....	.....	.....	.....	.....	56
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*20.9*	*27.2*	.....	.....	.....	.....	57
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	58
18.8	15.2	30.4	7.4	6.8	*14.2*	13.6	15.0	*10.5*	22.8	8.7	*5.4*	*16.2*	3.6	9.6	*1.7*	59
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	60
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*16.6*	*23.2*	.....	.....	.....	.....	61
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*12.9*	*18.2*	.....	.....	.....	.....	62
.....	.....	.....	.....	.....	.....	*16.3*	.....	.....	.....	.....	.....	.....	.....	.....	.....	63
35.5	.....	*165.0*	*13.5*	*14.7*	.....	.....	*22.6*	.....	*64.0*	.....	.....	.....	.....	*23.6*	.....	64
17.5	*23.0*	.....	*13.6*	*14.8*	.....	*20.3*	.....	.....	.....	*14.6*	.....	*49.2*	.....	*26.3*	*11.5*	65
.....	.....	.....	*10.6*	*11.6*	.....	*59.7*	*55.2*	*22.6*	*105.9*	*12.1*	.....	*35.5*	*7.6*	.....	.....	66
20.7	*27.5*	.....	*6.5*	.....	*60.0*	*9.9*	*23.3*	*24.2*	*21.5*	*13.2*	.....	*42.2*	*8.5*	*23.5*	*2.2*	67
52.9	*36.0*	*99.5*	.....	.....	.....	*11.6*	*9.8*	*16.2*	.....	*16.2*	*24.3*	.....	*3.0*	.....	.....	68
.....	.....	.....	*12.6*	*13.8*	.....	.....	.....	.....	.....	.....	.....	.....	*4.6*	*14.2*	*4.3*	69
27.8	*33.3*	.....	*23.4*	*24.9*	.....	*28.0*	.....	.....	.....	.....	.....	.....	.....	.....	.....	70
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	71
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	72

TABLE 2.—CRUDE AND ADJUSTED DEATH RATES AT ALL AGES, AND SPECIFIC DEATH RATES IN 13 AGE GROUPS, REGISTRATION CITY OF 100,000 POPULATION

[Rates in *italics* are based on less than 5 deaths.]

	CAUSE OF DEATH, SEX, AND AGE.	DEATH RATE PER 100,000 ENUMERATED POPULATION.								
		Memphis.			Nashville.			Dallas.		
		Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.
	Typhoid fever—Continued.									
	FEMALES.									
1	All ages—Crude rate	6.0	*2.0*	*12.4*	*6.4*	*4.7*	*10.3*	15.1	8.9	49.1
2	Under 1 year							*19.7*	*22.3*	
3	1 to 4 years							*15.8*	*18.0*	
4	Under 5 years							*15.9*		*111.0*
5	5 to 9 years	*31.2*		*91.2*	*19.8*		*71.5*	*15.9*		*104.8*
6	10 to 14 years	*15.1*	*23.5*		*18.2*	*25.6*				
7	15 to 19 years	*13.1*		*33.2*	*15.9*	*23.1*				
8	20 to 24 years				*14.5*		*43.6*	*29.4*	*35.1*	
9	25 to 34 years							*5.6*		*32.3*
10	35 to 44 years							*8.6*		*47.5*
11	45 to 54 years	*12.7*		*34.2*				*15.0*		*104.8*
12	55 to 64 years							*54.0*	*30.1*	*261.8*
13	65 to 74 years									
14	75 years and over							*133.7*	*149.0*	
	Tuberculosis (all forms).									
	BOTH SEXES.									
15	All ages—Adjusted rate	196.1	104.4	343.2	197.3	125.3	359.9	103.6	69.7	290.8
16	Crude rate	208.2	109.8	370.7	209.6	131.8	390.0	113.2	71.9	344.6
17	Under 1 year	247.9	*120.4*	*527.0*	*139.0*	*61.8*	*371.1*	*39.9*	*45.1*	
18	1 to 4 years	124.5	88.7	208.8	66.9	*35.8*	*169.1*	*9.7*	*11.0*	
19	Under 5 years	149.3	94.9	275.3	83.1	*41.6*	206.2	*15.6*	*17.6*	
20	5 to 9 years	47.3	*35.7*	*70.5*	*38.9*	*40.2*	*35.4*	*31.5*	*27.3*	*58.6*
21	10 to 14 years	94.6	*12.1*	249.5	73.8	*38.4*	165.2	*32.5*	*38.0*	
22	15 to 19 years	237.2	82.3	481.0	264.6	100.1	658.1	139.9	98.5	378.3
23	20 to 24 years	351.3	126.0	668.2	343.1	168.0	716.8	173.1	62.5	753.4
24	25 to 34 years	221.9	88.7	415.3	301.7	193.0	549.0	137.4	67.1	496.0
25	35 to 44 years	200.3	122.7	313.4	249.4	180.9	390.6	93.6	74.1	185.0
26	45 to 54 years	235.1	168.6	339.7	192.8	111.6	353.1	142.7	113.8	289.4
27	55 to 64 years	244.3	208.3	329.6	194.5	233.7	*96.9*	146.2	104.2	*497.5*
28	65 to 74 years	336.5	324.2	*368.0*	194.2	191.9	*200.0*	324.0	270.4	*800.0*
29	75 years and over	*127.9*	*192.9*		*208.9*	*192.7*	*250.9*	78.2	*87.4*	
	MALES.									
30	All ages—Crude rate	219.9	131.7	372.6	207.1	138.1	377.1	111.9	71.0	345.2
31	Under 1 year	*328.9*	*235.0*	*547.9*	*90.4*	*123.9*				
32	1 to 4 years	142.4	*116.2*	*207.9*	*80.2*	*71.1*	*107.5*	*19.1*	*21.5*	
33	Under 5 years	179.4	138.8	276.5	*82.5*	*82.9*	*81.4*	*15.4*	*17.3*	
34	5 to 9 years	*31.9*	*23.8*	*48.4*	*57.2*	*78.6*		*31.3*	*35.7*	
35	10 to 14 years	*66.0*	*24.9*	*146.9*	*37.3*	*25.5*	*69.5*	*16.7*	*19.2*	
36	15 to 19 years	158.7	*51.2*	334.0	198.4	*81.7*	511.3	*60.7*	*35.8*	*199.8*
37	20 to 24 years	411.2	127.2	848.3	338.0	134.7	805.5	135.3	*53.6*	569.8
38	25 to 34 years	230.7	111.3	422.4	317.5	249.0	496.0	134.4	59.6	545.7
39	35 to 44 years	235.9	141.5	381.3	278.8	164.2	539.2	85.1	65.4	*180.1*
40	45 to 54 years	250.3	244.0	259.7	230.7	132.3	416.7	211.1	167.0	409.6
41	55 to 64 years	287.8	238.3	406.2	166.3	*166.1*	*191.2*	235.6	176.6	*710.9*
42	65 to 74 years	443.2	384.9	*592.9*	*179.2*	*160.4*	*254.2*	435.0	302.7	*1,604.3*
43	75 years and over	*162.1*	*240.4*		*341.9*	*472.8*				
	FEMALES.									
44	All ages—Crude rate	197.0	88.3	368.9	211.7	125.9	400.8	114.5	72.9	344.0
45	Under 1 year	*166.1*		*607.6*	*190.1*		*883.3*	*79.9*	*91.6*	
46	1 to 4 years	105.8	*60.7*	*209.6*	*58.6*		*209.2*			
47	Under 5 years	118.1	*48.7*	274.0	*83.6*		*334.4*	*15.8*	*18.0*	
48	5 to 9 years	*62.4*	*47.4*	*91.2*	*19.8*		*71.5*	*31.3*	*18.6*	*111.0*
49	10 to 14 years	120.7		338.0	109.3	*51.2*	*251.9*	*47.7*	*56.2*	
50	15 to 19 years	302.2	108.7	598.0	317.6	115.7	759.9	207.8	151.8	538.6
51	20 to 24 years	304.0	125.0	538.9	347.1	194.7	654.5	205.9	70.2	909.6
52	25 to 34 years	214.1	67.3	409.7	288.7	143.3	586.0	140.3	74.7	451.9
53	35 to 44 years	163.3	102.4	247.3	224.6	195.8	279.3	103.1	83.9	*190.1*
54	45 to 54 years	216.4	*81.1*	445.2	152.6	*90.5*	281.6	*60.0*	*52.5*	*104.8*
55	55 to 64 years	199.1	177.2	*250.8*	222.9	311.0		*54.0*	*30.1*	*261.8*
56	65 to 74 years	243.0	*270.8*	*172.1*	*207.1*	*220.9*	*174.5*	*214.5*	*238.5*	
57	75 years and over	*105.6*	*161.0*		*112.9*		*369.0*	*133.7*	*149.0*	
	Cancer and other malignant tumors.									
	BOTH SEXES.									
58	All ages—Adjusted rate	86.4	96.3	61.0	95.8	105.9	70.9	97.1	101.4	67.2
59	Crude rate	81.3	93.0	62.1	100.6	110.0	78.6	79.9	86.0	45.7
60	Under 1 year									
61	1 to 4 years	*10.4*	*14.8*		*26.8*	*17.9*	*53.0*	*19.4*	*21.9*	
62	Under 5 years	*8.3*	*11.9*		*20.3*	*15.9*	*41.2*	*15.6*	*17.6*	
63	5 to 9 years	*7.9*		*23.5*						
64	10 to 14 years							*21.0*	*24.6*	
65	15 to 19 years							*5.2*	*6.2*	
66	20 to 24 years	28.3	*19.4*	*40.9*				*11.2*	*10.1*	*17.1*
67	25 to 34 years	29.2	*19.7*	43.0	33.5	34.5	*31.4*	73.3	79.1	*46.2*
68	35 to 44 years	76.5	85.9	62.7	98.6	103.4	88.8	163.1	170.7	*124.0*
69	45 to 54 years	194.9	196.8	192.0	222.4	223.3	220.7	425.3	446.4	*348.8*
70	55 to 64 years	378.6	468.8	*164.8*	472.4	545.4	290.8	863.9	871.1	*800.0*
71	65 to 74 years	466.0	612.4	*92.0*	527.0	575.8	*400.0*	880.0	961.5	
72	75 years and over	703.3	771.5	*569.3*	679.8	963.4				

FROM ALL CAUSES AND CERTAIN SPECIFIED CAUSES PER 100,000 ENUMERATED POPULATION, BY SEX, IN EACH OR MORE IN 1920: 1920—Continued.

[Rates in *italics* are based on less than 5 deaths.]

DEATH RATE PER 100,000 ENUMERATED POPULATION.															
Houston.			San Antonio.			Salt Lake City.	Norfolk.			Richmond.			Seattle.	Spokane.	Milwaukee.	
Total.	White.	Colored.	Total.	White.	Colored.		Total.	White.	Colored.	Total.	White.	Colored.				
8.7	*5.8*	*17.1*	12.4	11.0	*26.5*	*1.7*	14.3	14.6	*13.9*	*4.4*	*6.5*	.....	*0.7*	*3.8*	2.6	1
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
.....	.....	.....	.....	.....	.....	.....	*53.4*	*40.9*	*77.2*	.....	.....	.....	.....	.....	.....	3
.....	.....	.....	.....	.....	.....	.....	*41.1*	*31.6*	*59.0*	.....	.....	.....	.....	.....	.....	4
16.8	*21.8*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*4.6*	5
.....	.....	.....	.....	.....	.....	*17.5*	*22.0*	*35.7*	.....	.....	.....	.....	.....	*23.1*	*5.2*	6
29.5	*19.7*	*58.7*	*57.6*	*37.6*	*187.2*	.....	*38.6*	.....	*92.9*	.....	.....	.....	.....	.....	*5.1*	7
24.3	*17.2*	*41.3*	*11.1*	*12.5*	.....	.....	*14.4*	*25.4*	.....	*27.8*	*43.5*	.....	.....	*20.6*	.....	8
.....	.....	.....	.....	.....	.....	.....	*8.5*	*14.3*	.....	.....	.....	.....	*3.2*	.....	*6.8*	9
9.5	.....	*33.3*	*26.5*	*19.8*	*81.5*	.....	*11.8*	*20.2*	.....	.....	.....	.....	.....	.....	.....	10
.....	.....	.....	*27.6*	*30.2*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	11
.....	.....	.....	*24.7*	*26.3*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*35.7*	*47.1*	.....	.....	.....	.....	13
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	14
101.4	77.3	162.2	264.8	260.7	331.8	69.9	164.9	92.0	273.7	147.7	108.1	224.5	88.7	68.2	84.4	15
112.1	82.5	202.9	280.7	274.5	342.9	74.5	174.5	95.5	305.4	157.9	115.7	249.6	91.3	70.9	87.7	16
176.1	*166.7*	*211.9*	293.4	250.6	*925.9*	*119.8*	230.8	*141.2*	*400.0*	262.6	253.6	*282.8*	182.6	.....	77.8	17
11.4	*13.9*	.....	70.2	65.9	*129.9*	*29.1*	146.7	*80.5*	277.1	65.9	*34.8*	141.8	103.8	*59.4*	46.1	18
45.2	*44.6*	*48.3*	121.6	108.5	*304.3*	46.9	165.6	93.9	305.3	109.2	82.0	174.4	119.8	*47.6*	52.3	19
8.5	.....	*33.3*	39.4	35.5	*88.2*	*8.2*	*42.5*	*32.4*	*61.5*	52.3	*18.9*	127.6	46.3	*21.9*	34.7	20
17.2	*22.2*	.....	53.3	57.9	.....	*8.8*	78.2	*17.7*	182.1	35.0	*19.9*	*70.6*	48.7	*35.1*	29.0	21
80.1	*31.9*	227.7	333.2	328.5	384.3	*19.2*	158.2	*33.1*	344.1	139.2	*28.0*	373.7	103.3	71.0	116.1	22
143.0	82.2	292.4	448.7	451.6	423.1	74.2	274.5	83.7	547.1	267.7	129.7	521.1	114.8	80.9	138.5	23
143.4	79.1	321.3	322.3	326.1	292.1	83.0	182.0	72.2	358.2	158.2	105.8	267.2	98.3	117.4	105.7	24
137.0	94.5	249.2	400.7	388.5	503.6	131.4	202.9	125.7	316.2	207.2	178.6	261.9	85.6	80.5	101.3	25
162.3	167.4	147.1	336.3	338.9	*308.9*	114.7	187.7	194.3	177.3	220.3	230.9	197.2	87.3	54.4	82.2	26
176.5	194.5	*87.6*	396.6	358.0	1,000.0	169.3	210.6	212.4	*206.0*	157.3	191.4	*47.5*	93.4	*48.7*	117.6	27
257.2	310.7	.....	259.7	250.3	*392.2*	*118.6*	*136.1*	*181.2*	.....	167.0	190.3	*89.9*	93.3	142.1	77.0	28
.....	.....	.....	*181.5*	*198.4*	.....	*149.4*	*128.2*	*170.6*	.....	*162.0*	*205.2*	.....	235.8	*77.9*	*62.2*	29
130.3	98.8	231.3	267.4	249.5	454.5	112.4	155.0	102.4	246.1	155.0	112.7	250.7	99.0	68.8	82.7	30
264.1	*221.7*	*427.4*	357.8	318.9	*917.4*	*235.3*	*192.7*	*145.6*	*284.9*	290.9	*168.9*	*560.7*	*162.7*	.....	132.2	31
22.6	*27.4*	.....	*35.1*	*37.7*	.....	*57.8*	*108.5*	*89.6*	*243.7*	83.0	.....	291.7	112.3	*58.2*	48.5	32
71.9	*66.0*	*98.5*	108.5	101.8	*200.8*	92.8	125.2	*62.3*	*252.8*	129.1	*86.4*	355.7	122.4	*46.5*	64.9	33
17.0	.....	*79.8*	*52.2*	*56.3*	.....	*16.3*	*64.9*	*32.6*	*138.6*	*53.3*	*19.0*	*133.6*	50.2	*21.5*	37.0	34
35.5	*45.2*	.....	*40.6*	*44.1*	.....	*17.8*	*67.9*	.....	*191.9*	.....	.....	.....	*39.3*	*28.6*	*10.7*	35
70.1	.....	*292.2*	218.2	207.1	*349.7*	.....	182.7	*66.4*	365.7	102.3	.....	344.3	58.4	*26.3*	80.7	36
111.7	*77.9*	*197.4*	253.5	220.9	576.0	119.4	151.7	*22.6*	353.1	194.0	92.1	390.2	129.0	*78.9*	84.8	37
179.2	100.9	415.6	287.3	263.8	480.2	89.3	131.8	84.8	215.4	152.0	105.8	253.4	98.7	129.0	100.3	38
114.6	60.0	265.4	431.0	400.8	692.0	208.3	224.3	177.8	294.9	251.1	219.1	314.8	83.8	79.1	100.5	39
226.9	234.5	*205.2*	429.9	441.6	*302.1*	200.5	177.8	196.2	*149.6*	204.2	203.6	205.5	119.4	85.1	107.8	40
250.4	266.6	*168.6*	561.5	498.0	*1,550.4*	251.9	251.9	250.8	*254.8*	218.8	251.7	*106.8*	138.7	*48.5*	139.4	41
378.3	448.4	.....	402.4	375.9	*793.7*	*189.0*	*100.0*	*132.6*	.....	250.9	*266.9*	*229.4*	174.0	*53.9*	*66.3*	42
.....	.....	.....	*269.2*	*296.4*	.....	*177.6*	*332.2*	*431.0*	.....	*266.0*	*321.5*	.....	*289.9*	*165.6*	*100.7*	43
93.9	65.8	176.3	294.1	299.8	238.8	37.0	195.5	87.9	365.6	160.4	118.4	248.7	82.6	72.9	92.8	44
88.0	*111.4*	.....	*231.1*	*184.7*	*934.6*	.....	*266.0*	*187.2*	*501.3*	*254.2*	*338.4*	.....	202.4	.....	*22.4*	45
.....	.....	.....	105.2	94.0	*262.5*	.....	187.1	*122.6*	*308.9*	*49.0*	*69.7*	.....	95.0	*60.7*	43.7	46
18.2	*22.5*	.....	134.5	115.2	*409.8*	.....	205.3	*125.9*	354.2	89.4	127.6	.....	117.2	*48.8*	39.5	47
.....	.....	.....	*26.5*	*14.4*	*172.1*	.....	*20.8*	*32.2*	.....	*51.3*	*18.7*	*122.1*	42.4	*22.4*	32.4	48
.....	.....	.....	65.5	71.3	.....	.....	*88.2*	*35.7*	*173.2*	67.2	*38.8*	*131.5*	57.9	*46.3*	46.8	49
88.6	*59.2*	*176.0*	439.0	441.8	*411.5*	*36.2*	135.0	.....	325.0	167.2	*50.7*	393.3	145.1	107.8	147.2	50
170.2	86.1	371.9	653.3	699.3	*293.3*	*34.7*	402.5	152.3	729.2	324.1	159.4	615.9	102.0	*82.4*	186.8	51
108.3	56.6	239.7	357.1	388.4	*113.8*	76.9	236.8	*57.4*	494.7	163.7	105.7	278.5	97.8	106.7	111.4	52
161.1	132.5	232.9	370.9	376.4	*326.0*	*49.3*	176.9	*60.5*	340.8	166.3	139.9	214.9	88.0	82.0	102.1	53
82.5	*86.8*	*69.0*	234.3	226.5	*316.0*	*18.7*	201.3	191.9	*217.4*	236.2	256.7	188.1	43.7	*17.2*	55.0	54
93.6	*118.0*	.....	222.4	210.2	*418.2*	*85.4*	*163.7*	*169.2*	*149.0*	104.5	138.4	.....	*32.8*	*55.3*	96.1	55
131.1	*161.7*	.....	*107.4*	*115.4*	.....	*56.0*	*166.0*	*221.7*	.....	*107.2*	*141.4*	.....	.....	*240.7*	86.3	56
.....	.....	.....	*109.9*	*119.8*	.....	*128.9*	.....	.....	.....	*90.9*	*119.0*	.....	*188.9*	.....	*35.3*	57
77.9	83.6	53.3	112.3	115.9	59.0	89.2	90.4	101.6	59.5	84.7	79.2	90.8	103.2	101.9	98.6	58
66.5	73.8	44.1	100.4	104.2	61.7	86.4	72.6	87.2	48.2	83.3	80.8	88.7	108.1	120.6	94.7	59
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*11.1*	60
.....	.....	.....	.....	.....	.....	.....	*13.3*	*20.1*	.....	.....	.....	.....	*5.2*	.....	*2.7*	61
.....	.....	.....	.....	.....	.....	.....	*10.3*	*15.7*	.....	.....	.....	.....	*4.1*	.....	*4.4*	62
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	63
.....	.....	.....	*6.7*	*7.2*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	64
.....	.....	.....	.....	.....	.....	*9.6*	.....	.....	.....	.....	.....	.....	.....	.....	*8.1*	65
.....	.....	.....	*10.8*	*12.0*	.....	.....	*14.1*	*23.9*	.....	26.2	*16.2*	*44.7*	*7.2*	*11.6*	.....	66
30.7	*18.6*	64.3	26.0	22.0	*58.4*	*14.7*	*16.2*	*19.7*	*10.5*	43.4	23.0	85.9	7.4	44.7	15.6	67
68.5	75.6	*49.8*	80.1	79.7	*83.9*	89.6	74.7	71.8	79.1	70.4	53.6	102.5	70.2	57.5	54.4	68
154.9	187.1	*58.8*	283.6	281.2	*308.9*	158.9	204.8	194.3	221.6	197.7	181.4	233.1	208.9	287.6	155.6	69
264.8	282.9	*175.1*	528.8	549.8	*200.0*	423.3	287.2	345.1	*187.4*	415.8	353.4	617.0	509.0	425.9	463.4	70
675.0	737.9	*373.1*	727.3	778.9	.....	800.5	361.7	1,147.3	.....	459.2	570.8	*89.9*	711.5	767.3	808.6	71
754.0	829.4	*460.8*	1,088.9	1,190.5	.....	597.5	641.0	*511.9*	*1,080.9*	647.9	820.8	.....	1,448.8	623.1	1,431.2	72

TABLE 2.—CRUDE AND ADJUSTED DEATH RATES AT ALL AGES, AND SPECIFIC DEATH RATES IN 13 AGE GROUPS, REGISTRATION CITY OF 100,000 POPULATION

[Rates in *italics* are based on less than 5 deaths.]

	CAUSE OF DEATH, SEX, AND AGE.	DEATH RATE PER 100,000 ENUMERATED POPULATION.								
		Memphis.			Nashville.			Dallas.		
		Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.
	Cancer and other malignant tumors—Continued.									
	MALES.									
1	All ages—Crude rate	46.8	53.9	34.5	53.6	62.8	30.9	67.9	78.4	*8.4*
2	Under 1 year									
3	1 to 4 years									
4	Under 5 years									
5	5 to 9 years									
6	10 to 14 years									
7	15 to 19 years							*30.3*	*35.8*	
8	20 to 24 years	*51.4*	*21.2*	*97.9*				*11.3*	*13.4*	
9	25 to 34 years	*12.5*	*10.1*	*16.2*				*5.6*	*6.6*	
10	35 to 44 years	*28.6*	*23.6*	*36.3*	*38.0*	*54.7*		54.2	65.4	
11	45 to 54 years	62.6	*52.3*	*77.9*	*57.7*	*44.1*	*83.3*	62.1	75.9	
12	55 to 64 years	215.9	272.3	*81.2*	277.2	312.3	*191.2*	392.7	441.4	
13	65 to 74 years	443.2	615.9		537.6	641.5	*234.2*	815.7	847.5	*634.8*
14	75 years and over	*648.3*	*961.5*		*683.8*	*945.6*		1,506.6	1,691.3	
	FEMALES.									
15	All ages—Crude rate	114.1	131.4	86.8	142.8	153.9	118.2	91.9	93.7	81.9
16	Under 1 year									
17	1 to 4 years	*21.2*	*30.4*		*53.6*	*36.0*	*104.6*	*39.5*	*44.7*	
18	Under 5 years	*16.9*	*24.4*		*41.8*	*27.9*	*83.6*	*31.7*	*35.9*	
19	5 to 9 years	*15.6*		*45.6*						
20	10 to 14 years									
21	15 to 19 years							*18.0*	*15.2*	
22	20 to 24 years	*10.1*	*17.9*							
23	25 to 34 years	43.9	*28.8*	64.0	61.2	65.1	*53.3*	*16.8*	*13.6*	*32.3*
24	35 to 44 years	126.2	153.6	88.3	149.7	146.8	155.2	94.5	94.3	*95.1*
25	45 to 54 years	356.5	364.7	342.5	396.8	407.1	375.4	285.0	280.1	*314.5*
26	55 to 64 years	547.5	673.3	*260.8*	668.7	777.6	*393.3*	459.0	451.5	*523.6*
27	65 to 74 years	485.9	609.3	*172.1*	517.9	515.5	*523.6*	911.5	894.5	*1,068.8*
28	75 years and over	739.2	*644.1*	*920.2*	677.2	975.6		*401.1*	*447.1*	
	Acute nephritis and Bright's disease.									
	BOTH SEXES.									
29	All ages—Adjusted rate	177.8	142.5	244.0	128.6	95.7	202.3	116.9	96.8	232.7
30	Crude rate	166.9	136.5	217.2	131.8	96.7	213.2	98.8	79.3	207.6
31	Under 1 year	*41.3*		*131.8*						
32	1 to 4 years							*19.4*	*21.9*	
33	Under 5 years	*8.3*		*27.5*				*15.6*	*17.6*	
34	5 to 9 years	*15.8*	*11.9*	*23.5*						
35	10 to 14 years	*15.8*		*45.4*	*18.4*		*66.1*	*16.3*	*9.5*	*57.0*
36	15 to 19 years	35.9		92.5	*35.3*	*25.0*	*59.8*	*7.0*		*47.3*
37	20 to 24 years	*17.0*	*29.1*		*8.2*		*25.6*	*5.2*	*6.2*	
38	25 to 34 years	46.7	34.5	64.4	28.7	*13.8*	*62.7*	25.2	*10.1*	102.6
39	35 to 44 years	156.6	85.9	259.7	98.6	51.7	195.3	65.1	44.5	161.8
40	45 to 54 years	338.2	234.2	502.2	200.2	111.6	375.2	278.6	162.6	868.1
41	55 to 64 years	635.2	520.8	906.5	472.4	331.1	824.0	372.1	297.6	995.0
42	65 to 74 years	1,113.1	936.6	1,563.9	1,165.0	1,074.9	1,400.0	890.9	871.1	*1,066.7*
43	75 years and over	2,877.2	3,085.8	2,466.8	1,563.6	1,445.1	1,847.6	1,876.5	1,923.1	*1,481.5*
	MALES.									
44	All ages—Crude rate	206.0	167.6	272.6	151.8	123.0	222.5	120.7	93.2	277.8
45	Under 1 year	*82.2*		*274.0*						
46	1 to 4 years							*19.1*	*21.5*	
47	Under 5 years	*16.3*		*55.3*				*15.4*	*17.3*	
48	5 to 9 years	*16.0*	*23.8*							
49	10 to 14 years				*18.7*		*69.5*	*16.7*		*125.2*
50	15 to 19 years	79.3		208.8	*59.5*	*27.2*	*146.1*			
51	20 to 24 years	*12.8*	*21.2*							
52	25 to 34 years	68.6	60.7	81.2	*21.2*	*29.3*		33.6	*13.2*	*145.5*
53	35 to 44 years	150.1	94.3	236.1	101.4	91.2	*124.4*	92.9	65.4	225.1
54	45 to 54 years	354.6	261.4	493.5	230.7	154.3	375.0	285.6	151.8	887.4
55	55 to 64 years	911.5	714.8	1,381.0	526.6	351.3	956.0	497.4	382.6	1,421.8
56	65 to 74 years	1,606.6	1,385.7	2,173.9	1,314.2	1,202.9	1,639.3	1,033.2	968.5	*1,604.3*
57	75 years and over	3,565.6	3,365.4	3,980.1	2,393.2	2,364.1	*2,469.1*	2,824.9	2,959.8	*1,724.1*
	FEMALES.									
58	All ages—Crude rate	129.8	105.9	167.4	113.9	72.3	205.5	76.8	65.4	139.2
59	Under 1 year									
60	1 to 4 years							*19.7*	*22.3*	
61	Under 5 years							*15.8*	*18.0*	
62	5 to 9 years	*15.6*		*45.6*						
63	10 to 14 years	*30.2*		*84.5*	*18.2*		*68.0*	*15.9*	*18.7*	
64	15 to 19 years				*15.9*	*23.1*		*13.0*		*89.8*
65	20 to 24 years	*20.3*	*35.7*		*14.5*		*43.6*	*9.8*	*11.7*	
66	25 to 34 years	27.4	*9.6*	*51.2*	*35.0*		*106.6*	*16.8*	*6.8*	*64.6*
67	35 to 44 years	163.3	76.8	282.6	96.2	*16.3*	248.3	*34.4*	*21.0*	*95.1*
68	45 to 54 years	318.3	202.6	513.7	167.9	*67.9*	375.4	270.0	175.1	888.6
69	55 to 64 years	348.4	318.9	418.1	417.9	311.0	688.3	243.0	210.7	*523.6*
70	65 to 74 years	680.3	541.6	1,032.7	1,035.7	957.3	1,221.6	750.7	775.2	*531.9*
71	75 years and over	2,428.7	2,898.6	1,533.7	1,015.8	813.0	*1,476.0*	1,203.2	1,192.3	*1,298.7*

FROM ALL CAUSES AND CERTAIN SPECIFIED CAUSES PER 100,000 ENUMERATED POPULATION, BY SEX, IN EACH OR MORE IN 1920: 1920—Continued.

[Rates in *italics* are based on less than 5 deaths.]

DEATH RATE PER 100,000 ENUMERATED POPULATION.															
Houston.			San Antonio.			Salt Lake City.	Norfolk.			Richmond.			Seattle.	Spokane.	Milwaukee.	
Total.	White.	Colored.	Total.	White.	Colored.		Total.	White.	Colored.	Total.	White.	Colored.				
52.1	64.6	*12.2*	86.7	92.2	*23.4*	71.6	58.3	73.5	31.9	65.7	68.0	60.6	108.0	118.5	87.9	1
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*22.0*	2
.....	.....	.....	.....	.....	.....	.....	*25.6*	*39.6*	.....	.....	.....	.....	*10.2*	.....	.....	3
.....	.....	.....	.....	.....	.....	.....	*20.9*	*31.1*	.....	.....	.....	.....	*8.2*	.....	*4.3*	4
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5
.....	.....	.....	*13.5*	*14.7*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	6
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*11.5*	7
.....	.....	.....	*10.6*	*11.6*	.....	.....	*18.8*	*22.6*	.....	*48.5*	*36.8*	*70.9*	*7.6*	*26.3*	.....	8
20.7	*27.5*	.....	*19.6*	*23.0*	.....	*19.9*	*7.8*	*12.1*	.....	39.7	*28.9*	*63.4*	*5.6*	93.8	*4.4*	9
70.5	72.1	*66.4*	*18.0*	*20.0*	.....	*45.3*	*39.0*	*48.5*	*24.6*	40.5	*36.5*	*48.4*	47.9	*33.9*	31.6	10
133.5	180.4	.....	278.2	289.8	*151.1*	116.9	133.3	122.6	*149.6*	113.5	101.8	*137.0*	156.1	198.6	155.3	11
222.6	266.6	.....	467.9	473.1	*337.6*	335.9	215.9	300.9	.....	340.3	314.7	*427.4*	505.7	304.3	439.0	12
378.3	448.4	.....	653.9	698.2	.....	819.2	800.0	1,061.0	.....	451.6	578.0	.....	804.7	969.3	845.1	13
212.8	*265.8*	.....	1,076.7	1,181.7	.....	*710.5*	1,661.1	*1,298.1*	*2,898.6*	664.9	803.9	.....	2,029.0	*662.3*	1,762.3	14
80.9	83.3	73.9	114.1	116.3	92.9	101.0	87.9	102.5	64.8	98.9	92.4	112.4	108.3	122.8	101.5	15
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	16
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*5.5*	17
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*4.4*	18
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	19
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	20
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*5.1*	21
.....	.....	.....	.....	.....	.....	*18.1*	.....	.....	.....	.....	.....	.....	.....	.....	.....	22
.....	.....	.....	*11.1*	*12.5*	.....	.....	*14.4*	*25.4*	.....	*9.3*	.....	*25.7*	*6.8*	.....	.....	
40.6	*9.4*	119.8	32.5	*22.0*	*113.8*	*9.6*	*25.4*	*28.7*	*20.6*	46.8	*17.6*	104.4	*9.6*	.....	27.3	23
66.3	79.5	*33.3*	141.3	138.7	*163.0*	135.7	118.0	100.9	142.0	98.3	69.9	150.4	100.0	82.0	79.8	24
181.5	195.2	*137.9*	289.5	271.8	*473.9*	205.9	302.0	287.8	326.1	281.2	256.7	338.6	280.6	395.5	155.9	25
312.1	301.3	*364.3*	593.0	630.7	.....	512.2	368.2	394.8	*298.1*	480.7	387.4	768.6	513.4	580.6	487.5	26
983.6	1,050.9	*694.4*	805.6	865.6	.....	783.9	912.9	1,219.5	.....	464.6	565.5	*147.9*	603.6	541.5	776.9	27
1,184.4	1,284.8	*806.5*	1,098.9	1,197.6	.....	*515.5*	.....	.....	.....	636.4	833.3	.....	944.6	*588.2*	1,199.3	28
122.0	114.4	140.6	92.7	81.7	207.3	99.3	117.7	121.5	96.3	153.3	148.6	159.5	66.7	78.9	72.0	29
107.8	102.6	123.5	83.0	72.9	185.2	93.1	98.5	102.5	91.8	139.8	145.4	127.6	67.6	85.2	69.3	30
44.0	*55.6*	.....	*29.3*	*31.3*	.....	.....	*46.2*	*70.6*	.....	*58.4*	*42.3*	*94.3*	.....	*239.1*	66.7	31
22.3	*27.8*	.....	.....	.....	.....	*9.7*	*26.7*	*40.2*	.....	*8.2*	*11.6*	.....	*15.6*	.....	*2.7*	32
27.1	*33.4*	.....	*6.8*	*7.2*	.....	*7.8*	*31.0*	*47.0*	.....	*19.3*	*18.2*	*21.8*	*12.4*	*47.6*	15.3	33
.....	.....	.....	.....	.....	.....	*16.4*	*10.6*	*16.2*	.....	*6.5*	*9.4*	.....	.....	*32.9*	*6.9*	34
8.6	*11.1*	.....	.....	.....	.....	*35.3*	*22.3*	*35.3*	.....	.....	.....	.....	*4.9*	.....	*10.5*	35
.....	.....	.....	*13.1*	*7.1*	*76.9*	*19.2*	*9.9*	*16.5*	.....	*6.3*	*9.3*	.....	*9.4*	*11.8*	13.5	36
6.5	.....	*22.5*	*21.6*	*24.1*	.....	.....	*14.1*	.....	*34.2*	*21.0*	*16.2*	*29.8*	*10.8*	.....	*6.7*	37
51.2	46.5	64.3	29.3	*18.3*	*116.9*	39.1	52.6	*26.3*	94.8	15.5	*13.8*	*19.1*	19.4	33.5	16.7	38
100.5	94.5	116.3	71.2	54.8	209.8	59.7	90.8	62.8	131.8	82.1	59.5	125.3	36.0	57.5	28.7	39
199.2	118.2	441.3	105.5	86.5	*308.9*	79.4	187.7	130.4	199.4	209.0	173.2	286.8	113.7	85.5	128.9	40
456.0	424.3	613.0	348.5	319.7	*800.0*	282.2	497.8	504.4	480.8	640.5	485.9	1,139.1	228.8	170.4	287.0	41
1,060.8	1,165.0	*559.7*	675.3	667.6	*784.3*	919.1	680.3	724.6	*546.4*	1,273.2	1,386.2	899.3	466.5	511.5	500.5	42
1,413.8	1,421.8	*1,382.5*	1,754.4	1,587.3	3,546.1	1,717.7	1,538.5	2,047.8	.....	2,699.8	3,214.8	*769.2*	1,280.3	1,713.4	1,140.8	43
124.6	119.7	140.0	102.7	86.8	269.8	92.0	103.3	102.4	104.8	145.1	141.3	153.6	72.8	99.4	75.7	44
.....	.....	.....	*59.6*	*63.8*	.....	.....	.....	.....	.....	*116.3*	*84.5*	*186.9*	.....	*461.4*	110.2	45
23.6	*27.4*	.....	.....	.....	.....	.....	.....	.....	.....	*16.6*	*23.2*	.....	*10.2*	.....	*5.4*	46
18.0	*22.0*	.....	*18.6*	*14.5*	.....	.....	.....	.....	.....	*38.7*	*36.4*	*44.5*	*8.2*	*93.0*	26.0	47
.....	.....	.....	.....	.....	.....	*16.3*	.....	.....	.....	.....	.....	.....	.....	*21.5*	*4.6*	48
.....	.....	.....	.....	.....	.....	*35.6*	*45.3*	*70.0*	.....	.....	.....	.....	*9.8*	.....	*16.0*	49
.....	.....	.....	.....	.....	.....	*20.3*	.....	.....	.....	.....	.....	.....	*9.7*	.....	*17.3*	50
.....	.....	.....	*13.6*	*14.8*	.....	.....	.....	.....	.....	.....	.....	.....	*7.6*	.....	*9.4*	51
.....	.....	.....	*21.1*	*23.3*	.....	.....	.....	.....	.....	*12.1*	*18.4*	.....	14.1	*46.9*	17.4	52
34.5	*36.7*	*27.7*	*19.6*	*14.7*	*60.0*	*59.7*	46.5	*36.3*	*64.6*	.....	.....	.....	32.9	56.5	40.2	53
88.2	72.1	*132.7*	98.8	60.1	432.5	92.6	107.3	80.8	147.5	81.0	85.2	*72.7*	114.8	*66.7*	116.4	54
280.3	180.4	564.4	151.7	138.0	*302.1*	83.5	207.4	171.7	261.9	249.6	203.6	342.5	252.9	195.6	355.4	55
500.8	499.8	*505.9*	467.9	398.4	*1,550.4*	195.9	611.7	601.8	636.9	753.5	440.5	1,816.2	587.2	700.1	580.0	56
1,450.2	1,569.5	*806.5*	1,006.0	1,020.4	*793.7*	1,008.2	600.0	*630.5*	*813.0*	1,354.7	1,413.0	1,146.8	1,376.8	1,986.8	1,158.1	57
1,489.4	1,591.5	*1,075.3*	1,480.5	1,034.0	*6,060.6*	1,776.2	1,993.4	2,586.2	.....	3,058.5	3,376.2	*1,538.5*				
91.0	85.2	108.1	63.3	58.9	106.1	94.3	93.3	102.5	78.7	135.1	149.2	105.6	61.6	71.0	63.0	58
88.0	*111.4*	.....	.....	.....	.....	.....	*88.7*	*137.2*	.....	.....	.....	.....	.....	.....	*22.4*	59
22.9	*28.2*	.....	.....	.....	.....	*19.6*	*53.4*	*81.7*	.....	.....	.....	.....	*21.1*	.....	.....	60
36.4	*45.0*	.....	.....	.....	.....	*15.3*	*61.6*	*94.6*	.....	.....	.....	.....	*16.7*	.....	*4.4*	61
.....	.....	.....	.....	.....	.....	*16.5*	*20.8*	*32.2*	.....	*12.8*	*18.7*	.....	.....	*44.7*	*9.3*	62
16.7	*21.8*	.....	.....	.....	.....	*35.0*	.....	.....	.....	.....	.....	.....	.....	.....	*5.2*	63
.....	.....	.....	*12.5*	.....	*137.2*	*18.1*	*19.3*	*33.0*	.....	*11.1*	*16.9*	.....	*9.1*	*21.6*	*10.1*	64
12.2	.....	*41.3*	*22.1*	*25.0*	.....	.....	*28.3*	.....	*66.3*	*27.8*	*14.6*	*51.3*	*13.6*	.....	*4.2*	65
67.7	56.6	*95.9*	39.0	*22.0*	*170.7*	*38.5*	59.2	*14.3*	123.7	29.2	*26.4*	*54.8*	25.2	*21.3*	15.9	66
113.7	119.2	*99.8*	44.2	49.5	.....	*24.7*	70.8	*40.4*	*113.6*	83.1	*35.0*	171.9	40.0	58.6	16.0	67
99.0	*43.4*	*276.9*	*55.1*	*30.2*	*316.0*	*74.9*	161.1	191.9	*108.7*	168.7	144.4	225.7	112.2	120.4	142.1	68
405.7	339.0	*728.6*	222.4	236.5	.....	369.9	368.2	394.8	*298.1*	543.4	525.7	597.8	196.6	138.2	219.7	69
655.7	727.6	*347.2*	322.2	288.5	*775.2*	839.9	746.9	886.9	*330.0*	1,215.2	1,366.6	739.6	327.0	300.8	431.6	70
1,353.6	1,284.8	*1,612.9*	1,978.0	2,035.9	*1,833.3*	1,675.3	1,252.6	1,694.9	.....	2,454.5	3,095.2	*384.6*	1,196.5	1,470.6	1,128.7	71

TABLE 2.—CRUDE AND ADJUSTED DEATH RATES AT ALL AGES, AND SPECIFIC DEATH RATES IN 13 AGE GROUPS, REGISTRATION CITY OF 100,000 POPULATION

[Rates in *italics* are based on less than 5 deaths.]

	CAUSE OF DEATH, SEX, AND AGE.	DEATH RATE PER 100,000 ENUMERATED POPULATION.								
		Memphis.			Nashville.			Dallas.		
		Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.
	Puerperal septicemia.									
	FEMALES.									
1	All ages—Crude rate	25.2	9.8	49.6	24.1	21.0	30.8	12.6	11.9	*16.4*
2	Under 15 years									
3	15 to 19 years	*39.4*		*99.7*	*31.8*		*101.3*			
4	20 to 24 years	60.8	*53.6*	*70.3*	*67.8*	*86.5*		*39.2*	*35.1*	*60.6*
5	25 to 29 years	*29.6*	*17.7*	*44.8*	*63.1*	*23.4*	*146.4*	*10.1*	*12.2*	
6	30 to 34 years	74.1	*21.1*	149.6	*19.6*	*29.4*		*25.3*	*30.7*	
7	35 to 39 years	*25.8*		*69.1*	*38.7*	*59.4*		*30.0*	*18.5*	*79.9*
8	40 to 44 years	*17.5*		*43.9*	*47.8*	*36.3*	*70.6*	*20.1*	*24.2*	
9	45 years and over									
	Other puerperal causes.									
	FEMALES.									
10	All ages—Crude rate	49.3	43.2	58.9	30.5	32.7	25.7	30.2	25.3	57.3
11	Under 15 years	*5.3*		*15.7*						
12	15 to 19 years	170.8	*65.2*	332 2	*15.9*	*23.1*		*77.9*	*60.7*	*179.5*
13	20 to 24 years	70.9	89.3	*46.9*	*57.8*	*43.3*	*87.3*	*29.4*	*23.4*	*60.6*
14	25 to 29 years	88.9	123.8	*44.8*	78.9	117.0		60.5	61.0	*58.1*
15	30 to 34 years	74.1	*63.2*	*89.8*	98.1	*88.1*	*118.3*	76.0	*46.0*	*217.7*
16	35 to 39 years	*51.6*	*68.8*	*29.5*	*19.3*	*29.7*		*45.0*	*55.4*	
17	40 to 44 years	*17.5*	*29.0*		*71.8*	*72.4*	*70.6*			
18	45 years and over									

FROM ALL CAUSES AND CERTAIN SPECIFIED CAUSES PER 100,000 ENUMERATED POPULATION, BY SEX, IN EACH OR MORE IN 1920: 1920—Continued.

[Rates in *italics* are based on less than 5 deaths.]

DEATH RATE PER 100,000 ENUMERATED POPULATION.																
Houston.			San Antonio.			Salt Lake City.	Norfolk.			Richmond.			Seattle.	Spokane.	Milwaukee.	
Total.	White.	Colored.	Total.	White.	Colored.		Total.	White.	Colored.	Total.	White.	Colored.				
15.9	17.4	*11.4*	28.5	28.7	*26.5*	13.5	16.1	*8.8*	27.8	22.0	16.2	34.1	14.9	15.4	15.8	1
																2
14.8	*19.7*		*37.6*	*41.4*			*57.8*	*33.0*	*92.9*	*22.3*		*65.6*	*9.1*		*5.1*	3
12.2	*17.2*		*33.2*	*25.0*	*97.8*	*17.4*	*43.1*	*50.8*	*33.1*	*18.5*	*14.5*	*25.7*	40.8	*61.8*	29.7	4
48.6	*52.1*	*40.5*	58.1	66.2		*54.6*	*29.8*		*69.8*	83.5	80.1	*39.7*	36.7	*41.8*	46.7	5
16.3	*20.7*		88.3	82.0	*143.9*	*20.4*				*53.2*	*58.7*	*41.6*	*26.1*	*43.6*	44.1	6
32.9	*47.2*		95.9	108.5		*66.6*	*20.6*		*46.6*	*54.6*	*21.7*	*109.9*	*14.5*	*21.1*	29.0	7
22.4		*86.8*											*8.9*		*14.3*	8
8.8	*11.1*												*6.6*		*2.3*	9
34.7	34.9	34.1	28.5	27.4	*39.8*	50.5	39.5	32.2	50.9	39.5	29.2	61.3	23.7	40.3	21.4	10
																11
							77.1	*33.0*	*139.3*	78.0	*33.8*	163.9	*27.2*	*21.6*	25.4	12
			75.3	69.0	*137.2*											
85.1	86.1	*82.6*	66.4	62.4	*97.8*	138.9	100.6	126.9	*66.3*	74.1	*58.0*	*102.6*	40.8	*61.8*	46.7	13
72.9	*52.1*	*121.5*	*54.8*	*39.7*		*72.8*				93.9	80.1	*119.6*	49.0	*83.6*	67.9	14
30.6	*41.3*		*29.4*	*32.8*		122.3	156.3	*95.7*	252.0	93.1	117.3	*41.6*	39.1	218.2	49.0	15
98.6	118.1	*54.0*	*48.0*	*54.2*		155.4	*20.6*	*36.8*		68.2	*21.7*	*146.6*	72.6	*65.4*	34.8	16
44.8	*60.3*		*59.2*	*43.8*	*198.8*	*88.3*	*55.4*	*44.7*	*72.6*				*17.3*		*7.1*	17
8.8	*11.1*					*17.5*										18

TABLE 3.—ENUMERATED POPULATION, DEATHS (EXCLUDING NONRESIDENTS), AND DEATH RATES PER 1,000 FOR WHITE PERSONS OF MOTHERS BORN IN THE UNITED STATES

[Populations enumerated as of June 1, 1900, April 15, 1910, and January 1, 1920. Death

	CAUSE OF DEATH, SEX, COLOR, AND YEAR.	All ages.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	ALL CAUSES.[1]											
	TOTAL.											
	Population:											
	Both sexes—											
1	1920	748,060	13,827	14,477	14,401	14,313	13,828	70,846	65,675	61,348	57,162	67,578
2	1910	670,585	13,570	12,349	13,187	12,937	11,682	63,725	56,779	55,316	55,866	67,150
3	1900	560,892	12,473	11,006	11,557	11,406	10,919	57,361	48,896	42,362	42,254	57,860
	Males—											
4	1920	368,756	6,895	7,386	7,316	7,248	6,972	35,817	32,900	30,770	27,839	31,914
5	1910	329,703	6,941	6,275	6,615	6,477	5,957	32,265	28,568	27,593	27,074	32,610
6	1900	274,922	6,215	5,574	5,761	5,664	5,414	28,628	24,495	21,202	19,965	26,199
	Females—											
7	1920	379,304	6,932	7,091	7,085	7,065	6,856	35,029	32,775	30,578	29,323	35,664
8	1910	340,882	6,629	6,074	6,572	6,460	5,725	31,460	28,211	27,723	28,792	34,540
9	1900	285,970	6,258	5,432	5,796	5,742	5,505	28,733	24,401	21,160	22,289	31,661
	Deaths:											
	Both sexes—											
10	1920	9,859	1,652	374	131	96	64	2,317	206	105	162	293
11	1910	10,294	2,051	422	173	123	70	2,839	216	133	185	269
12	1900	10,880	2,339	590	330	230	164	3,653	328	123	224	409
	Males—											
13	1920	4,835	933	185	76	45	31	1,270	109	55	74	115
14	1910	5,323	1,126	241	97	71	35	1,570	109	72	94	121
15	1900	5,533	1,309	331	160	131	78	2,009	161	55	117	210
	Females—											
16	1920	5,024	719	189	55	51	33	1,047	97	50	88	178
17	1910	4,971	925	181	76	52	35	1,269	107	61	91	148
18	1900	5,347	1,030	259	170	99	86	1,644	167	68	107	199
	Death rate per 1,000 enumerated population:											
	Both sexes—											
19	1920	13.18	119.48	25.83	9.10	6.71	4.63	32.70	3.14	1.71	2.83	4.34
20	1910	15.35	150.79	34.17	13.12	9.51	5.99	44.55	3.80	2.40	3.31	4.01
21	1900	19.40	187.53	53.61	28.55	20.16	15.02	63.68	6.71	2.90	5.30	7.07
	Males—											
22	1920	13.11	135.32	25.05	10.39	6.21	4.45	35.46	3.31	1.79	2.66	3.60
23	1910	16.14	162.22	38.41	14.66	10.96	5.88	48.66	3.82	2.61	3.47	3.71
24	1900	20.13	210.62	59.38	27.77	23 13	14.41	70.18	6.57	2.59	5.86	8.02
	Females—											
25	1920	13.25	103.72	26.65	7.76	7.22	4.81	29.89	2.96	1.64	3.00	4.99
26	1910	14.58	139.54	29.80	11.56	8.05	6.11	40.34	3.79	2.20	3.16	4 28
27	1900	18.70	164.59	47.68	29.33	17.24	15.62	57.22	6.84	3.21	4.80	6.29
	WHITE.											
	Population:											
	Both sexes—											
28	1920	730,485	13,548	14,184	14,180	14,051	13,610	69,573	64,638	60,429	56,166	65,725
29	1910	655,696	13,343	12,149	12,993	12,740	11,521	62,746	56,021	54,471	55,020	65,640
30	1900	548,083	12,260	10,835	11,354	11,237	10,729	56,415	48,185	41,764	41,488	56,306
	Males—											
31	1920	359,403	6,756	7,241	7,211	7,126	6,857	35,191	32,365	30,321	27,370	30,961
32	1910	321,802	6,850	6,171	6,520	6,377	5,890	31,808	28,195	27,208	26,699	31,344
33	1900	267,822	6,124	5,494	5,665	5,583	5,324	28,190	24,180	20,927	19,593	25,399
	Females—											
34	1920	371,082	6,792	6,943	6,969	6,925	6,753	34,382	32,273	30,108	28,796	34,764
35	1910	333,894	6,493	5,978	6,473	6,363	5,631	30,938	27,826	27,263	28,321	33,796
36	1900	280,261	6,136	5,341	5,689	5,654	5,405	28,225	24,005	20,837	21,895	30,907
	Deaths:											
	Both sexes—											
37	1920	9,455	1,590	348	127	87	61	2,213	195	100	150	277
38	1910	9,979	2,007	405	172	115	65	2,764	215	126	177	259
39	1900	10,519	2,267	563	320	224	157	3,531	321	115	216	392
	Males—											
40	1920	4,634	902	176	75	40	31	1,224	103	51	69	110
41	1910	5,158	1,104	231	97	66	33	1,531	109	68	88	121
42	1900	5,335	1,273	317	153	128	75	1,946	158	52	115	201
	Females—											
43	1920	4,821	688	172	52	47	30	989	92	49	81	167
44	1910	4,821	903	174	75	49	32	1,233	106	58	89	138
45	1900	5,184	994	246	167	96	82	1,585	163	63	101	191
	Death rate per 1,000 enumerated population:											
	Both sexes—											
46	1920	12.94	117.36	24.53	8.96	6.19	4.48	31.81	3.02	1.65	2.67	4.21
47	1910	15.22	150.42	33.34	13 24	9.03	5.64	44.05	3.84	2.31	3.22	3.95
48	1900	19.19	184.91	51.96	28.18	19.93	14.63	62.59	6.66	2.75	5.21	6.96
	Males—											
49	1920	12.89	133.51	24.31	10 40	5.61	4.52	34.78	3.18	1.68	2.52	3.55
50	1910	16.03	161.17	37.43	14.88	10.35	5.60	48.13	3.87	2.50	3.30	3.80
51	1900	19.92	207.87	57.70	27.01	22.93	14.09	69.03	6.53	2.48	5.87	7.95
	Females—											
52	1920	12.99	101.30	24.77	7.46	6.79	4.44	28.77	2.85	1.63	2.81	4.80
53	1910	14.44	139.07	29.11	11.59	7.70	5 68	39.85	3.81	2.13	3.14	4.08
54	1900	18.50	161.99	46.06	29.35	16.98	15.17	56.16	6.79	3.02	4.61	6.18
	COLORED.											
	Population:											
	Both sexes—											
55	1920	17,575	279	293	221	262	218	1,273	1,037	919	996	1,853
56	1910	14,889	227	200	194	197	161	979	758	845	846	1,510
57	1900	12,809	213	171	203	169	190	946	711	598	766	1,554
	Males—											
58	1920	9,353	139	145	105	122	115	626	535	449	469	953
59	1910	7,901	91	104	95	100	67	457	373	385	375	766
60	1900	7,100	91	80	96	81	90	438	315	275	372	800
	Females—											
61	1920	8,222	140	148	116	140	103	647	502	470	527	900
62	1910	6,988	136	96	99	97	94	522	385	460	471	744
63	1900	5,709	122	91	107	88	100	508	396	323	394	754

[1] Exclusive of stillbirths.

POPULATION, IN BOSTON, FROM CERTAIN CAUSES OF DEATH BY COLOR, SEX, AND AGE, AND BY SEX AND AGE AND OF MOTHERS BORN IN IRELAND: 1900, 1910, AND 1920.

rates not computed for white persons of mothers whose country of birth was unknown.]

25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 years and over.	Deaths at unknown age.	
72,214	63,631	61,346	52,864	49,352	40,467	28,711	22,160	14,251	9,496	5,520	2,513	983	276	61	1,606	1
67,703	60,635	58,722	48,207	39,431	30,909	21,277	17,122	11,947	7,687	4,333	2,098	766	190	47	675	2
64,882	55,722	48,547	36,918	28,403	24,323	16,687	13,689	8,724	5,828	3,302	1,617	552	168	29	2,768	3
35,438	32,348	30,822	25,814	25,104	20,279	14,015	10,616	6,492	4,025	2,186	851	317	105	17	1,087	4
33,489	29,847	29,231	24,209	19,812	15,350	10,265	7,733	5,330	3,117	1,701	778	258	58	12	403	5
31,759	28,603	24,862	18,886	13,981	11,929	7,977	6,168	3,800	2,387	1,299	585	176	41	13	1,967	6
36,776	31,283	30,524	27,050	24,248	20,188	14,696	11,544	7,759	5,471	3,334	1,662	666	171	44	519	7
34,214	30,788	29,491	23,998	19,619	15,559	11,012	9,389	6,617	4,570	2,632	1,320	508	132	35	272	8
33,123	27,119	23,685	18,032	14,422	12,394	8,710	7,521	4,924	3,441	2,003	1,032	376	127	16	801	9
368	346	417	437	570	633	620	717	692	718	565	393	203	74	22	1	10
348	435	534	563	574	630	561	707	649	566	508	330	172	73	(2)	2	11
593	519	553	477	449	521	533	530	577	496	373	301	150	56	15	.....	12
160	168	207	224	307	327	322	349	327	324	253	145	71	21	6	1	13
197	242	292	319	327	353	309	390	302	228	194	122	54	26	(2)	2	14
301	280	307	249	242	269	276	263	262	209	148	108	48	16	3	.....	15
208	178	210	213	263	306	298	368	365	394	312	248	132	53	16	.....	16
151	193	242	244	247	277	252	317	347	338	314	208	118	47	(2)	.....	17
292	239	246	228	207	252	257	267	315	287	225	193	102	40	12	.....	18
5.10	5.44	6.80	8.27	11.55	15.64	21.59	32.36	48.56	75.61	102.36	156.39	206.51	268.12	360.66	0.62	19
5.14	7.17	9.09	11.63	14.56	20.38	26.37	41.29	54.32	73.63	117.24	157.29	224.54	308.02	(2)	2.96	20
9.14	9.31	11.39	12.92	15.81	21.42	31.94	38.72	66.14	85.11	112.96	186.15	271.74	333.33	517.24	.....	21
4.51	5.19	6.72	8.68	12.23	16.13	22.98	32.87	50.37	80.50	115.74	170.39	223.97	200.00	352.94	0.92	22
5.88	8.11	9.99	13.18	16.51	23.00	30.10	50.43	56.66	73.15	114.05	156.81	209.30	371.43	(2)	4.96	23
9.48	9.79	12.35	13.18	17.31	22.55	34.60	42.64	68.95	87.56	113.93	184.62	272.73	390.24	230.77	.....	24
5.66	5.69	6.88	7.87	10.85	15.16	20.28	31.88	47.04	72.02	93.58	149.22	198.20	309.94	363.64	.....	25
4.41	6.27	8.21	10.17	12.59	17.80	22.88	33.76	52.44	73.96	119.30	157.58	232.28	281.44	(2)	.....	26
8.82	8.81	10.39	12.64	14.35	20.33	29.51	35.50	63.97	83.41	112.33	187.02	271.28	314.96	750.00	.....	27
70,061	61,759	59,307	51,284	47,941	39,521	28,200	21,785	14,022	9,354	5,446	2,489	962	272	52	1,499	28
65,692	58,775	56,830	46,325	38,416	30,192	20,850	16,830	11,791	7,597	4,287	2,074	752	187	43	657	29
62,904	54,039	47,100	35,935	27,628	23,761	16,428	13,510	8,628	5,771	3,268	1,602	541	166	25	2,619	30
34,347	31,293	29,727	24,967	24,251	19,691	13,696	10,416	6,389	3,974	2,154	845	313	104	14	1,014	31
32,421	28,831	28,174	23,404	19,188	14,909	10,030	7,579	5,257	3,033	1,681	773	254	57	12	395	32
30,654	27,567	23,958	18,262	13,514	11,586	7,839	6,078	3,750	2,367	1,286	583	173	39	13	1,864	33
35,714	30,466	29,580	26,317	23,690	19,830	14,504	11,369	7,633	5,380	3,292	1,644	649	168	38	485	34
33,271	29,944	28,656	23,421	19,228	15,283	10,820	9,251	6,534	4,514	2,606	1,301	498	130	31	262	35
32,250	26,472	23,142	17,673	14,114	12,175	8,589	7,432	4,878	3,404	1,982	1,019	368	127	12	755	36
348	328	394	403	540	612	588	695	674	704	550	390	198	74	21	1	37
330	414	511	533	541	610	543	692	642	558	497	325	169	71	(2)	2	38
562	497	528	450	426	500	519	519	568	489	370	298	148	56	14	.....	39
150	159	192	204	289	313	307	341	315	316	250	144	70	21	5	1	40
185	233	278	304	306	342	298	381	299	224	190	121	53	25	(2)	2	41
283	268	289	237	225	254	265	255	257	208	148	107	48	16	3	.....	42
198	169	202	199	251	299	281	354	359	388	300	246	128	53	16	.....	43
145	181	233	229	235	268	245	311	343	334	307	204	116	46	(2)	.....	44
279	229	239	213	201	246	254	264	311	281	222	191	100	40	11	.....	45
4.97	5.31	6.64	7.86	11.26	15.49	20.85	31.90	48.07	75.26	100.99	156.69	205.82	272.06	403.85	0.67	46
5.02	7.04	8.99	11.38	14.08	20.20	26.04	41.12	54.45	73.45	115.93	156.70	224.73	308.70	(2)	3.04	47
8.93	9.20	11.21	12.52	15.42	21.04	31.59	38.42	65.83	84.73	113.22	186.02	273.57	337.35	560.00	.....	48
4.37	5.08	6.46	8.17	11.92	15.90	22.42	32.74	49.30	79.52	116.06	170.41	223.64	201.92	357.14	0.99	49
5.71	8.08	9.87	12.99	15.95	22.94	29.71	50.27	56.88	72.66	113.03	156.53	208.66	362.32	(2)	5.06	50
9.23	9.72	12.06	12.98	16.65	21.92	33.81	41.95	68.53	87.87	115.09	183.53	277.46	410.26	230.77	.....	51
5.54	5.55	6.83	7.56	10.60	15.08	19.37	31.14	47.03	72.12	91.13	149.64	197.23	315.48	421.05	.....	52
4.36	6.04	8.13	9.78	12.22	17.54	22.64	33.62	52.49	73.99	117.81	156.80	232.93	285.71	(2)	.....	53
8.65	8.65	10.33	12.05	14.24	20.21	29.57	35.52	63.76	82.55	112.01	187.44	271.74	314.96	916.67	.....	54
2,153	1,872	2,039	1,580	1,411	946	511	375	229	142	74	24	21	4	9	107	55
2,011	1,860	1,892	1,382	1,015	717	427	292	156	90	46	24	14	3	4	18	56
1,978	1,683	1,447	983	775	562	259	179	96	57	34	15	11	2	4	149	57
1,091	1,055	1,095	847	853	588	319	200	103	51	32	6	4	1	3	73	58
1,068	1,016	1,057	805	624	441	235	154	73	34	20	5	4	1	.....	8	59
1,105	1,036	904	624	467	343	138	90	50	20	13	2	3	2	.....	103	60
1,062	817	944	733	558	358	192	175	126	91	42	18	17	3	6	34	61
943	844	835	577	391	276	192	138	83	56	26	19	10	2	4	10	62
873	647	543	359	308	219	121	89	46	37	21	13	8	.....	4	46	63

² Not tabulated separately; included in "90 to 94 years."

TABLE 3.—ENUMERATED POPULATION, DEATHS (EXCLUDING NONRESIDENTS), AND DEATH RATES PER 1,000 FOR WHITE PERSONS OF MOTHERS BORN IN THE UNITED STATES

[Populations enumerated as of June 1, 1900, April 15, 1910, and January 1, 1920. Death

	CAUSE OF DEATH, SEX, COLOR, AND YEAR.	All ages.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	ALL CAUSES[1]—Continued.											
	COLORED—continued.											
	Deaths:											
	Both sexes—											
1	1920	404	62	26	4	9	3	104	11	5	12	16
2	1910	315	44	17	1	8	5	75	1	7	8	10
3	1900	361	72	27	10	6	7	122	7	8	8	17
	Males—											
4	1920	201	31	9	1	5	.....	46	6	4	5	5
5	1910	165	22	10	.....	5	2	39	.....	4	6	.....
6	1900	198	36	14	7	3	3	63	3	3	2	9
	Females—											
7	1920	203	31	17	3	4	3	58	5	1	7	11
8	1910	150	22	7	1	3	3	36	1	3	2	10
9	1900	163	36	13	3	3	4	59	4	5	6	8
	Death rate per 1,000 enumerated population:											
	Both sexes—											
10	1920	22.99	222.22	88.74	18.10	34.35	13.76	81.70	10.61	5.44	12.05	8.63
11	1910	21.16	193.83	85.00	5.15	40.61	31.06	76.61	1.32	8.28	9.46	6.62
12	1900	28.18	338.03	157.89	49.26	35.50	36.84	128.96	9.85	13.38	10.44	10.94
	Males—											
13	1920	21.49	223.02	62.07	9.52	40.98	.....	73.48	11.21	8.91	10.66	5.25
14	1910	20.88	241.76	96.15	.....	50.00	29.85	85.34	.....	10.39	16.00	.....
15	1900	27.89	395.60	175.00	72.92	37.04	33.33	143.84	9.52	10.91	5.38	11.25
	Females—											
16	1920	24.69	221.43	114.86	25.86	28.57	29.13	89.64	9.96	2.13	13.28	12.22
17	1910	21.47	161.76	72.92	10.10	30.93	31.91	68.97	2.60	6.52	4.25	13.44
18	1900	28.55	295.08	142.96	28.04	34.09	40.00	116.14	10.10	15.48	15.23	10.61
	White.											
	Country of birth of mother—United States:											
	Population—											
	Both sexes—											
19	1920	218,978	5,672	5,901	5,674	5,335	5,134	27,716	22,408	20,019	17,986	20,420
20	1910	189,929	4,496	4,345	4,483	4,348	3,941	21,613	18,206	17,035	17,035	18,321
21	1900	169,083	4,092	3,784	3,933	3,861	3,656	19,326	16,508	14,590	13,883	16,437
	Males—											
22	1920	107,840	2,834	2,990	2,885	2,713	2,572	13,994	11,217	10,101	8,738	9,815
23	1910	92,913	2,295	2,225	2,227	2,170	1,991	10,908	9,082	8,691	8,351	8,985
24	1900	83,512	2,075	1,892	1,950	1,881	1,792	9,590	8,286	7,333	6,750	8,149
	Females—											
25	1920	111,138	2,838	2,911	2,789	2,622	2,562	13,722	11,191	9,918	9,248	10,614
26	1910	97,016	2,201	2,120	2,256	2,178	1,950	10,705	9,124	8,935	8,684	9,336
27	1900	85,571	2,017	1,892	1,983	1,980	1,864	9,736	8,222	7,257	7,133	8,288
	Deaths—											
	Both sexes—											
28	1920	2,710	762	129	41	34	24	990	77	29	41	93
29	1910	2,548	762	116	42	35	15	970	53	39	38	53
30	1900	2,835	816	153	92	59	52	1,172	101	34	53	73
	Males—											
31	1920	1,386	455	68	26	19	14	582	41	13	11	45
32	1910	1,345	432	63	27	19	11	552	28	20	17	28
33	1900	1,428	458	84	46	34	26	648	47	17	26	37
	Females—											
34	1920	1,324	307	61	15	15	10	408	36	16	30	48
35	1910	1,203	330	53	15	16	4	418	25	19	21	25
36	1900	1,407	358	69	46	25	26	524	54	17	27	36
	Death rate per 1,000 enumerated population—											
	Both sexes—											
37	1920	12.38	134.34	21.86	7.23	6.37	4.67	35.72	3.44	1.45	2.28	4.55
38	1910	13.42	169.48	26.70	9.37	8.05	3.81	44.88	2.91	2.21	2.23	2.89
39	1900	16.77	199.41	40.43	23.39	15.28	14.22	60.64	6.12	2.33	3.82	4.44
	Males—											
40	1920	12.85	160.55	22.74	9.01	7.00	5.44	41.59	3.66	1.29	1.26	4.58
41	1910	14.48	188.24	28.31	12.12	8.76	5.52	50.61	3.08	2.30	2.04	3.12
42	1900	17.10	220.72	44.40	23.59	18.08	14.51	67.57	5.67	2.32	3.85	4.54
	Females—											
43	1920	11.91	108.17	20.95	5.38	5.72	3.90	29.73	3.22	1.61	3.24	4.52
44	1910	12.40	149.93	25.00	6.65	7.35	2.05	39.05	2.74	2.13	2.42	2.68
45	1900	16.44	177.49	36.47	23.20	12.63	13.95	53.82	6.57	2.34	3.79	4.34
	Country of birth of mother—Ireland:											
	Population—											
	Both sexes—											
46	1920	171,421	1,659	1,790	1,852	1,913	1,951	9,165	10,168	11,399	12,056	13,849
47	1910	173,886	2,247	2,104	2,441	2,462	2,390	11,644	12,663	12,816	12,263	14,701
48	1900	174,705	3,193	2,756	2,901	2,855	2,777	14,482	12,249	10,398	11,103	18,272
	Males—											
49	1920	79,069	810	926	951	976	978	4,641	5,034	5,717	5,919	6,338
50	1910	80,985	1,111	1,053	1,237	1,191	1,252	5,844	6,468	6,369	5,807	6,545
51	1900	82,409	1,597	1,403	1,484	1,414	1,417	7,315	6,109	5,154	5,091	7,700
	Females—											
52	1920	92,352	849	864	901	937	973	4,524	5,134	5,682	6,137	7,511
53	1910	92,901	1,136	1,051	1,204	1,271	1,138	5,800	6,195	6,447	6,456	8,156
54	1900	92,296	1,596	1,353	1,417	1,441	1,360	7,167	6,140	5,244	6,012	10,572
	Deaths—											
	Both sexes—											
55	1920	2,765	184	37	18	13	4	256	35	26	37	64
56	1910	3,372	346	59	31	28	12	476	68	35	62	83
57	1900	3,969	613	159	91	65	42	970	80	32	74	171
	Males—											
58	1920	1,218	103	17	10	3	3	136	17	11	18	25
59	1910	1,627	181	37	16	12	5	251	35	20	31	36
60	1900	1,950	354	85	38	34	23	534	36	13	37	91
	Females—											
61	1920	1,547	81	20	8	10	1	120	18	15	19	39
62	1910	1,745	165	22	15	16	7	225	33	15	31	47
63	1900	2,019	259	74	53	31	19	436	44	19	37	80

[1] Exclusive of stillbirths.

POPULATION, IN BOSTON, FROM CERTAIN CAUSES OF DEATH BY COLOR, SEX, AND AGE, AND BY SEX AND AGE AND OF MOTHERS BORN IN IRELAND: 1900, 1910, AND 1920—Continued.

rates not computed for white persons of mothers whose country of birth was unknown.]

25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 years and over.	Deaths at unknown age.	
20	18	23	34	30	21	32	22	18	14	15	3	5	.....	1	.....	1
18	21	23	30	33	20	18	15	7	8	11	5	3	2	(2)	.....	2
31	22	25	27	23	21	14	11	9	7	3	3	2	.....	1	.....	3
10	9	15	20	18	14	15	8	12	8	3	1	1	.....	1	.....	4
12	9	14	15	21	11	11	9	3	4	4	1	1	1	(2)	.....	5
18	12	18	12	17	15	11	8	5	1	.....	1	.....	.....	.....	.....	6
10	9	8	14	12	7	17	14	6	6	12	2	4	.....	.....	.....	7
6	12	9	15	12	9	7	6	4	4	7	4	2	1	(2)	.....	8
13	10	7	15	6	6	3	3	4	6	3	2	2	.....	1	.....	9
9.29	9.62	11.28	21.52	21.26	22.20	62.62	58.67	78.60	98.59	202.70	125.00	238.10	.....	111.11	.....	10
8.95	11.29	12.16	21.71	32.51	27.89	42.15	51.37	44.87	88.89	239.13	208.33	214.29	285.71	(2)	.....	11
15.67	13.07	17.28	27.47	29.68	37.37	54.05	61.45	93.75	122.81	88.24	200.00	181.82	.....	250.00	.....	12
9.17	8.53	13.70	23.61	21.10	23.81	47.02	40.00	116.50	156.86	93.75	166.67	250.00	.....	333.33	.....	13
11.24	8.86	13.25	18.63	33.65	24.94	46.81	58.44	41.10	117.65	200.00	200.00	250.00	1,000.00	(2)	.....	14
16.29	11.58	19.91	19.23	36.40	43.73	79.71	88.89	100.00	50.00	.....	500.00	.....	.....	.....	.....	15
9.42	11.02	8.47	19.10	21.51	19.55	88.54	80.00	47.62	65.93	285.71	111.11	235.29	.....	.....	.....	16
6.36	14.22	10.78	26.00	30.69	32.61	36.54	43.48	48.19	71.43	269.23	210.53	200.00	166.67	(2)	.....	17
14.89	15.46	12.89	41.78	19.48	27.40	24.79	33.71	86.96	162.16	142.86	153.85	250.00	.....	250.00	.....	18
19,673	16,264	14,662	12,769	11,244	9,403	7,040	6,349	4,520	3,462	2,225	1,109	458	119	19	1,104	19
17,381	14,685	13,368	10,762	9,011	8,528	6,644	5,686	4,238	3,043	1,891	980	411	95	11	394	20
16,551	13,257	11,221	10,118	8,740	8,085	6,098	5,116	3,504	2,546	1,622	866	331	90	8	186	21
9,832	8,037	7,276	6,293	5,662	4,759	3,452	2,998	2,098	1,437	815	329	153	39	5	790	22
8,606	7,174	6,681	5,366	4,460	4,210	3,207	2,569	1,901	1,232	712	350	132	28	4	264	23
8,568	6,899	5,716	5,092	4,232	3,936	2,900	2,313	1,549	1,041	617	293	100	23	3	122	24
9,841	8,227	7,386	6,476	5,582	4,644	3,588	3,351	2,422	2,025	1,410	780	305	80	14	314	25
8,775	7,511	6,687	5,396	4,551	4,318	3,437	3,117	2,337	1,811	1,179	630	279	67	7	130	26
7,983	6,358	5,505	5,026	4,508	4,149	3,198	2,803	1,955	1,505	1,005	573	231	67	5	64	27
92	69	78	83	78	111	116	124	154	184	163	125	72	25	6	.....	28
68	79	74	70	67	117	103	141	166	135	161	119	68	27	(2)	.....	29
91	65	67	66	97	110	123	124	147	144	127	133	74	29	5	.....	30
36	29	36	44	33	60	72	62	83	91	69	46	25	5	3	.....	31
29	43	43	34	37	70	64	92	84	62	65	48	17	12	(2)	.....	32
45	39	38	33	52	60	64	64	72	71	39	46	23	6	1	.....	33
56	40	42	39	45	51	44	62	71	93	94	79	47	20	3	.....	34
39	36	31	36	30	47	39	49	82	73	96	71	51	15	(2)	.....	35
46	26	29	33	45	50	59	60	75	73	88	87	51	23	4	.....	36
4.68	4.24	5.32	6.50	6.94	11.80	16.48	19.53	34.07	53.15	73.26	112.71	157.21	210.08	315.79	.....	37
3.91	5.38	5.54	6.50	7.44	13.72	15.50	24.80	39.17	44.36	85.14	121.43	165.45	254.72	(2)	.....	38
5.50	4.90	5.97	6.52	11.10	13.61	20.17	24.24	41.95	56.56	78.30	153.58	223.56	322.22	625.00	.....	39
3.66	3.61	4.95	6.99	5.83	12.61	20.86	20.68	39.56	63.33	84.66	139.82	163.40	128.21	600.00	.....	40
3.37	5.99	6.44	6.34	8.30	16.63	19.96	35.81	44.19	50.32	91.29	137.14	128.79	375.00	(2)	.....	41
5.25	5.65	6.65	6.48	12.29	15.24	22.07	27.67	46.48	68.20	63.21	157.00	230.00	260.87	333.33	.....	42
5.69	4.86	5.69	6.02	8.06	10.98	12.26	18.50	29.31	45.93	66.67	101.28	154.10	250.00	214.29	.....	43
4.44	4.79	4.64	6.67	6.59	10.88	11.35	15.72	35.09	40.31	81.42	112.70	182.80	202.70	(2)	.....	44
5.76	4.09	5.27	6.57	9.98	12.05	18.45	21.41	38.36	48.50	87.56	151.83	220.78	343.28	800.00	.....	45
15,256	14,010	15,097	14,822	15,825	13,460	9,520	7,036	4,336	2,775	1,574	641	218	64	12	138	46
16,385	16,856	18,370	15,777	12,991	9,646	6,297	5,274	3,770	2,326	1,214	538	167	50	22	116	47
22,683	19,825	17,782	12,821	9,700	8,350	5,490	4,793	2,998	1,878	929	454	126	44	12	316	48
6,786	6,367	6,637	6,414	7,389	6,296	4,379	3,212	1,850	1,092	612	228	64	23	2	69	49
7,194	7,524	8,388	7,507	6,240	4,600	2,939	2,273	1,596	910	461	195	53	12	4	56	50
10,357	9,753	8,813	6,383	4,601	3,886	2,511	2,055	1,206	715	343	166	42	13	7	189	51
8,470	7,643	8,460	8,408	8,436	7,164	5,141	3,824	2,486	1,683	962	413	154	41	10	69	52
9,191	9,332	9,982	8,270	6,751	5,046	3,358	3,001	2,174	1,416	753	343	114	38	18	60	53
12,326	10,072	8,969	6,438	5,099	4,464	2,979	2,738	1,792	1,163	586	288	84	31	5	127	54
94	100	144	147	220	237	226	270	265	264	185	106	58	24	6	1	55
128	174	240	254	253	267	233	297	260	236	148	95	38	25	(2)	.....	56
263	259	280	225	178	237	238	246	266	194	122	83	31	15	5	.....	57
43	44	69	63	105	112	108	134	95	102	76	35	16	8	.....	1	58
76	98	128	142	143	132	118	141	99	79	51	32	10	5	(2)	.....	59
139	141	151	124	92	112	119	101	108	55	51	29	9	6	2	.....	60
51	56	75	84	115	125	118	136	170	162	109	71	42	16	6	.....	61
52	76	112	112	110	135	115	156	161	157	97	63	28	20	(2)	.....	62
124	118	129	101	86	125	119	145	158	139	71	54	22	9	3	.....	63

[2] Not tabulated separately; included in "90 to 94 years."

TABLE 3.—ENUMERATED POPULATION, DEATHS (EXCLUDING NONRESIDENTS), AND DEATH RATES PER 1,000 FOR WHITE PERSONS OF MOTHERS BORN IN THE UNITED STATES

[Populations enumerated as of June 1, 1900, April 15, 1910, and January 1, 1920. Death

	CAUSE OF DEATH, SEX, COLOR, AND YEAR.	All ages.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	ALL CAUSES [1]—Continued.											
	White—Continued.											
	Country of birth of mother—Ireland—Contd.											
	Death rate per 1,000 enumerated population—											
	Both sexes—											
1	1920	16.13	110.91	20.67	9.72	6.80	2.05	27.93	3.44	2.28	3.07	4.62
2	1910	19.39	153.98	28.04	12.70	11.37	5.02	40.88	5.37	2.73	5.06	5.65
3	1900	22.72	191.98	57.69	31.37	22 77	15.12	66.98	6.53	3.08	6.66	9.36
	Males—											
4	1920	15.40	127.16	18.36	10.52	3.07	3.07	29.30	3.38	1.92	3.04	3.94
5	1910	20.09	162.92	35.14	12.93	10.08	3.99	42.95	5.41	3.14	5.34	5.50
6	1900	23.66	221.67	60.58	25.61	24.05	16.23	73.00	5.89	2.52	7.27	11.82
	Females—											
7	1920	16.75	95.41	23.15	8.88	10.67	1.03	26.53	3.51	2.64	3.10	5.19
8	1910	18.78	145.25	20.93	12.46	12.59	6.15	38.79	5.33	2.33	4.80	5.76
9	1900	21.88	162.28	54.69	37.40	21.51	13.97	60.83	7.17	3.62	6.15	7.57
	Country of birth of mother—Unknown:											
	Population—											
	Both sexes—											
10	1920	[2] 42	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	1910	164	.....	3	1	1	1	6	25	22	21	13
12	1900	3,918	26	25	32	38	25	146	147	122	130	260
	Males—											
13	1920	[2] 29	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
14	1910	78	.....	1	1	.....	.....	2	14	13	6	4
15	1900	2,593	15	8	13	23	13	72	78	70	69	147
	Females—											
16	1920	[2] 13	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
17	1910	86	.....	2	.....	1	1	4	11	9	15	9
18	1900	1,325	11	17	19	15	12	74	69	52	61	113
	Deaths—											
	Both sexes—											
19	1920	445	2	.....	.....	.....	.....	2	.....	.....	1	3
20	1910	786	31	4	2	1	1	39	1	1	2	18
21	1900	715	52	11	6	3	.....	72	2	4	5	16
	Males—											
22	1920	224	2	.....	.....	.....	.....	2	.....	.....	.....	1
23	1910	421	12	3	2	1	1	19	1	.....	1	10
24	1900	392	33	7	1	1	.....	42	2	2	3	6
	Females—											
25	1920	221	.....	.....	.....	.....	.....	.....	.....	.....	1	2
26	1910	365	19	1	.....	.....	.....	20	.....	1	1	8
27	1900	323	19	4	5	2	.....	30	.....	2	2	10
	Tuberculosis of the lungs. [4]											
	TOTAL.											
	Deaths:											
	Both sexes—											
28	1920	760	12	7	4	4	.....	27	7	5	56	85
29	1910	1,081	13	17	5	5	3	43	9	17	68	114
30	1900	1,345	28	10	12	3	4	57	11	14	94	174
	Males—											
31	1920	409	5	2	4	.....	.....	11	1	1	23	28
32	1910	606	7	9	2	3	2	23	4	7	36	47
33	1900	730	18	4	7	3	2	34	3	3	45	93
	Females—											
34	1920	351	7	5	.....	4	.....	16	6	4	33	57
35	1910	475	6	8	3	2	1	20	5	10	32	67
36	1900	615	10	6	5	.....	2	23	8	11	49	81
	Death rate per 1,000 enumerated population:											
	Both sexes—											
37	1920	1.016	0.868	0.484	0.278	0.279	.....	0.381	0.107	0.082	0.980	1.258
38	1910	1.612	0.958	1.377	0.379	0.386	0.257	0.675	0.159	0.307	1.217	1.698
39	1900	2.398	2.245	0.909	1.038	0.263	0.366	0.994	0.225	0.330	2.225	3.007
	Males—											
40	1920	1.109	0.725	0.271	0.547	.....	.....	0.307	0.030	0.032	0.826	0.877
41	1910	1.838	1.009	1.434	0.302	0.463	0.336	0.713	0.140	0.254	1.330	1.441
42	1900	2.655	2.896	0.718	1.215	0.530	0.369	1.188	0.122	0.141	2.254	3.550
	Females—											
43	1920	0.925	0.010	0.705	.....	0.566	.....	0.457	0.183	0.131	1.125	1.598
44	1910	1.393	0.905	1.317	0.456	0.310	0.175	0.636	0.177	0.361	1.111	1.940
45	1900	2.151	1.598	1.105	0.863	.....	0.363	0.800	0.328	0.520	2.198	2.558
	WHITE.											
	Deaths:											
	Both sexes—											
46	1920	697	12	6	4	3	.....	25	5	4	48	78
47	1910	1,016	10	14	5	4	2	35	9	16	62	109
48	1900	1,258	24	7	11	2	2	46	9	11	89	168
	Males—											
49	1920	371	5	2	4	.....	.....	11	.....	.....	20	26
50	1910	569	5	7	2	2	2	18	4	6	32	47
51	1900	678	15	4	6	2	1	28	3	2	44	90
	Females—											
52	1920	326	7	4	.....	3	.....	14	5	4	28	52
53	1910	447	5	7	3	2	.....	17	5	10	30	62
54	1900	580	9	3	5	.....	1	18	6	9	45	78

[1] Exclusive of stillbirths.

[2] Not tabulated separately; included in "90 to 94 years."

POPULATION, IN BOSTON, FROM CERTAIN CAUSES OF DEATH BY COLOR, SEX, AND AGE, AND BY SEX AND AGE AND OF MOTHERS BORN IN IRELAND: 1900, 1910, AND 1920—Continued.

rates not computed for white persons of mothers whose country of birth was unknown.]

25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 years and over.	Deaths at unknown age.	
6.16	7.14	9.54	9.92	13.90	17.61	23.74	38.37	61.12	95.14	117.53	165.37	266.06	375.00	500.00	7.25	1
1.81	10.32	13.06	16.10	19.48	27.68	37.00	56.31	68.97	101.46	121.91	176.58	227.54	347.72	[2]	.....	2
11.59	13.06	15.75	17.55	18.35	28.38	43.35	51.32	88.73	103.30	131.32	182.82	246.03	340.91	416.67	.....	3
6.34	6.91	10.40	9.82	14.21	17.79	24.66	41.72	51.35	93.41	124.18	153.51	250.00	347.83	.....	14.49	4
10.56	13.02	15.26	18.92	22.92	28.70	40.15	62.03	62.03	86.81	110.63	164.10	188.68	312.50	[2]	.....	5
13.42	14.46	17.13	19.43	20.00	28.82	47.39	49.15	89.55	76.92	148.69	174.70	214.29	461.54	285.71	.....	6
6.02	7.33	8.87	9.99	13.63	17.45	22.95	35.56	68.38	96.26	113.31	171.91	272.73	390.24	600.00	.....	7
5.66	8.14	11.22	13.54	16.29	26.75	34.25	51.98	74.06	110.88	128.82	183.67	245.61	357.14	[2]	.....	8
10.06	11.72	14.38	15.69	16.87	28.00	39.95	52.96	88.17	119.52	121.16	187.50	261.90	290.32	600.00	.....	9
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	10
8	18	21	13	10	2	.....	2	2	.....	1	.....	.....	.....	.....	.....	11
291	217	172	134	108	89	52	56	33	25	9	9	5	1	.....	1,912	12
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	13
4	7	14	4	6	1	.....	1	1	.....	1	.....	.....	.....	.....	.....	14
191	123	106	81	70	50	32	31	18	12	5	8	2	.....	.....	1,428	15
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	16
4	11	7	9	4	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	17
100	94	66	53	38	39	20	25	15	13	4	1	3	1	.....	484	18
11	16	17	23	33	39	23	57	48	50	48	47	17	8	2	.....	19
17	24	52	58	55	69	69	84	79	65	70	43	30	8	.....	2	20
27	36	46	39	55	54	62	47	63	69	46	38	27	4	3	.....	21
6	5	11	12	22	14	11	30	30	29	22	17	9	3	.....	.....	22
11	10	32	36	32	42	39	50	51	24	31	15	13	2	.....	2	23
15	22	27	21	31	32	32	27	41	34	24	18	11	2	.....	.....	24
5	11	6	11	11	25	12	27	18	21	26	30	8	5	2	.....	25
6	14	20	22	23	27	30	34	28	41	39	28	17	6	.....	.....	26
12	14	19	18	24	22	30	20	22	35	22	20	16	2	3	.....	27
94	81	88	90	62	67	35	32	15	10	5	1	.....	.....	.....	.....	28
142	145	144	121	82	74	36	32	29	12	9	4	.....	.....	.....	.....	29
257	174	157	127	73	69	45	25	33	16	13	5	1	.....	.....	.....	30
50	43	48	55	40	51	22	20	7	6	2	1	.....	.....	.....	.....	31
70	91	78	74	60	47	23	23	13	6	4	.....	.....	.....	.....	.....	32
132	98	91	65	48	44	22	16	22	7	5	1	1	.....	.....	.....	33
44	38	40	35	22	16	13	12	8	4	3	.....	.....	.....	.....	.....	34
72	54	66	47	22	27	13	9	16	6	5	4	.....	.....	.....	.....	35
125	76	66	62	25	25	23	9	11	9	8	4	.....	.....	.....	.....	36
1.302	1.273	1.434	1.702	1.256	1.656	1.219	1.444	1.053	1.053	0.906	0.398	.....	.....	.....	.....	37
2.097	2.391	2.452	2.510	2.080	2.394	1.692	1.869	2.427	1.561	2.077	1.907	.....	.....	.....	.....	38
3.961	3.123	3.234	3.440	2.570	2.837	2.697	1.826	3.783	2.745	3.937	3.092	1.812	.....	.....	.....	39
1.411	1.329	1.557	2.131	1.593	2.515	1.570	1.884	1.078	1.491	0.915	1.175	.....	.....	.....	.....	40
2.090	3.049	2.668	3.057	3.028	3.062	2.241	2.974	2.439	1.925	2.352	.....	.....	.....	.....	.....	41
4.156	3.426	3.660	3.442	3.433	3.688	2.758	2.594	5.789	2.933	3.849	1.709	5.682	.....	.....	.....	42
1.196	1.215	1.310	1.294	0.907	0.793	0.885	1.040	1.031	0.731	0.900	.....	.....	.....	.....	.....	43
2.104	1.754	2.238	1.958	1.121	1.735	1.181	0.959	2.418	1.313	1.900	3.030	.....	.....	.....	.....	44
3.774	2.802	2.787	3.438	1.733	2.017	2.641	1.197	2.234	2.616	3.994	3.876	.....	.....	.....	.....	45
86	75	83	77	59	60	35	32	15	9	5	1	.....	.....	.....	.....	46
131	136	136	117	75	70	35	31	29	12	9	4	.....	.....	.....	.....	47
241	165	148	117	66	66	42	24	32	15	13	5	1	.....	.....	.....	48
47	39	44	46	37	44	22	20	7	5	2	1	.....	.....	.....	.....	49
65	86	73	74	54	43	22	22	13	6	4	.....	.....	.....	.....	.....	50
121	91	85	60	42	42	20	15	21	7	5	1	1	.....	.....	.....	51
39	36	39	31	22	16	13	12	8	4	3	.....	.....	.....	.....	.....	52
66	50	63	43	21	27	13	9	16	6	5	4	.....	.....	.....	.....	53
120	74	63	57	24	24	22	9	11	8	8	4	.....	.....	.....	.....	54

[3] Not tabulated in detail.

[4] Includes acute miliary tuberculosis.

TABLE 3.—ENUMERATED POPULATION, DEATHS (EXCLUDING NONRESIDENTS), AND DEATH RATES PER 1,000 FOR WHITE PERSONS OF MOTHERS BORN IN THE UNITED STATES

[Populations enumerated as of June 1, 1900, April 15, 1910, and January 1, 1920. Death

	CAUSE OF DEATH, SEX, COLOR, AND YEAR.	All ages.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	Tuberculosis of the lungs [1]—Continued.											
	WHITE—continued.											
	Death rate per 1,000 enumerated population:											
	Both sexes—											
1	1920	0.954	0.886	0.423	0.282	0.214	.....	0.359	0.077	0.066	0.855	1.187
2	1910	1.549	0.749	1.152	0.385	0.314	0.174	0.558	0.161	0.294	1.127	1.661
3	1900	2.295	1.958	0.646	0.969	0.178	0.186	0.315	0.187	0.263	2.145	2.984
	Males—											
4	1920	1.032	0.740	0.276	0.555	.....	.....	0.313	.....	.....	0.731	0.840
5	1910	1.768	0.730	1.134	0.307	0.314	0.340	0.566	0.142	0.221	1.199	1.476
6	1900	2.532	2.449	0.728	1.059	0.358	0.188	0.993	0.124	0.096	2.246	3.543
	Females—											
7	1920	0.879	1.031	0.576	.....	0.433	.....	0.407	0.155	0.133	0.972	1.496
8	1910	1.339	0.770	1.171	0.463	0.314	.....	0.549	0.180	0.367	1.059	1.835
9	1900	2.069	1.467	0.562	0.879	.....	0.185	0.638	0.250	0.432	2.055	2.524
	COLORED.											
	Deaths:											
	Both sexes—											
10	1920	63	.....	1	.....	1	.....	2	2	1	8	7
11	1910	65	3	3	.....	1	1	8	.....	1	6	5
12	1900	87	4	3	1	1	2	11	2	3	5	6
	Males—											
13	1920	38	.....	.....	.....	.....	.....	.....	1	1	3	2
14	1910	37	2	2	.....	1	.....	5	.....	1	4	.....
15	1900	52	3	.....	1	1	1	6	.....	1	1	3
	Females—											
16	1920	25	.....	1	.....	1	.....	2	1	.....	5	5
17	1910	28	1	1	.....	.....	1	3	.....	.....	2	5
18	1900	35	1	3	.....	.....	1	5	2	2	4	3
	Death rate per 1,000 enumerated population:											
	Both sexes—											
19	1920	3.585	.....	3.413	.....	3.817	.....	1.571	1.929	1.088	8.032	3.778
20	1910	4.366	13.216	15.000	.....	5.076	6.211	8.172	.....	1.183	7.092	3.311
21	1900	6.792	18.779	17.544	4.926	5.917	10.526	11.628	2.813	5.017	6.527	3.861
	Males—											
22	1920	4.063	.....	.....	.....	.....	.....	.....	1.869	2.227	6.397	2.099
23	1910	4.683	21.978	19.231	.....	10.000	.....	10.941	.....	2.597	10.667	.....
24	1900	7.324	32.967	.....	10.417	12.346	11.111	13.699	.....	3.636	2.688	3.750
	Females—											
25	1920	3.041	.....	6.757	.....	7.143	.....	3.091	1.992	.....	9.488	5.556
26	1910	4.007	7.353	10.417	.....	.....	10.638	5.747	.....	.....	4.246	6.720
27	1900	6.131	8.197	32.967	.....	.....	10.000	9.843	5.051	6.192	10.152	3.979
	White.											
	Country of birth of mother—United States:											
	Deaths—											
	Both sexes—											
28	1920	133	6	3	2	.....	.....	11	1	1	10	23
29	1910	167	5	7	.....	2	.....	14	1	2	14	25
30	1900	195	9	2	2	.....	.....	13	.....	3	20	30
	Males—											
31	1920	70	3	1	2	.....	.....	6	.....	.....	4	11
32	1910	85	2	4	.....	1	.....	7	.....	.....	8	14
33	1900	106	7	.....	2	.....	.....	9	.....	2	7	16
	Females—											
34	1920	63	3	2	.....	.....	.....	5	1	1	6	12
35	1910	82	3	3	.....	1	.....	7	1	2	6	11
36	1900	89	2	2	.....	.....	.....	4	.....	1	13	14
	Death rate per 1,000 enumerated population—											
	Both sexes—											
37	1920	0.607	1.058	0.508	0.352	.....	.....	0.397	0.045	0.050	0.556	1.126
38	1910	0.879	1.112	1.611	.....	0.460	.....	0.648	0.055	0.113	0.822	1.365
39	1900	1.153	2.199	0.529	0.509	.....	.....	0.673	.....	0.206	1.441	1.825
	Males—											
40	1920	0.649	1.059	0.334	0.693	.....	.....	0.429	.....	.....	0.458	1.121
41	1910	0.915	0.871	1.798	.....	0.461	.....	0.642	.....	.....	0.958	1.558
42	1900	1.269	3.373	.....	1.026	.....	.....	0.938	.....	0.273	1.037	1.963
	Females—											
43	1920	0.567	1.057	0.687	.....	.....	.....	0.364	0.089	0.101	0.649	1.131
44	1910	0.845	1.363	1.415	.....	0.459	.....	0.654	0.110	0.224	0.691	1.178
45	1900	1.040	0.992	1.057	.....	.....	.....	0.411	.....	0.138	1.822	1.689
	Country of birth of mother—Ireland:											
	Deaths:											
	Both sexes—											
46	1920	292	1	.....	.....	1	.....	2	1	3	15	26
47	1910	488	2	1	1	1	.....	5	2	11	30	33
48	1900	653	6	2	5	1	.....	14	5	3	39	79
	Males—											
49	1920	146	.....	.....	.....	.....	.....	.....	.....	.....	4	7
50	1910	291	2	.....	.....	.....	.....	2	1	6	18	13
51	1900	353	4	2	2	1	.....	9	1	.....	19	47
	Females—											
52	1920	146	1	.....	.....	1	.....	2	1	3	11	19
53	1910	197	.....	1	1	1	.....	3	1	5	12	20
54	1900	300	2	.....	3	.....	.....	5	4	3	20	32

[1] Includes acute miliary tuberculosis.

POPULATION, IN BOSTON, FROM CERTAIN CAUSES OF DEATH BY COLOR, SEX, AND AGE, AND BY SEX AND AGE AND OF MOTHERS BORN IN IRELAND: 1900, 1910, AND 1920—Continued.

rates not computed for white persons of mothers whose country of birth was unknown.]

25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 years and over.	Deaths at unknown age.	
1.228	1.214	1.399	1.501	1.231	1.518	1.241	1.469	1.070	0.962	0.918	0.402	.....	.....	.....	.....	1
1.994	2.314	2.393	2.499	1.952	2.318	1.679	1.842	2.460	1.580	2.099	1.929	.....	.....	.....	.....	2
3.831	3.053	3.142	3.256	2.389	2.778	2.557	1.776	3.709	2.599	3.978	3.121	1.848	.....	.....	.....	3
1.368	1.246	1.480	1.842	1.526	2.235	1.606	1.920	1.096	1.258	0.929	1.183	.....	.....	.....	.....	4
2.005	2.983	2.591	3.162	2.814	2.884	2.193	2.903	2.473	1.946	2.380	.....	.....	.....	.....	.....	5
3.947	3.301	3.548	3.286	3.108	3.625	2.551	2.468	5.600	2.957	3.888	1.715	5.780	.....	.....	.....	6
1.092	1.182	1.318	1.178	0.929	0.807	0.896	1.056	1.048	0.743	0.911	.....	.....	.....	.....	.....	7
1.984	1.670	2.198	1.836	1.092	1.767	1.201	0.973	2.449	1.329	1.919	3.075	.....	.....	.....	.....	8
3.721	2.795	2.722	3.225	1.700	1.971	2.561	1.211	2.255	2.350	4.036	3.925	.....	.....	.....	.....	9
8	6	5	13	3	7	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	10
11	9	8	4	7	4	1	1	.....	.....	.....	.....	.....	.....	.....	.....	11
16	9	9	10	7	3	3	1	1	1	.....	.....	.....	.....	.....	.....	12
3	4	4	9	3	7	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	13
5	5	5	.....	6	4	1	1	.....	.....	.....	.....	.....	.....	.....	.....	14
11	7	6	5	6	2	2	1	1	.....	.....	.....	.....	.....	.....	.....	15
5	2	1	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	16
6	4	3	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	17
5	2	3	5	1	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	18
3.716	3.205	2.452	8.228	2.126	7.400	.....	.....	.....	7.042	.....	.....	.....	.....	.....	.....	19
5.470	4.839	4.228	2.894	6.897	5.579	2.342	3.425	.....	.....	.....	.....	.....	.....	.....	.....	20
8.089	5.348	6.220	10.173	9.032	5.338	11.583	5.587	10.417	17.544	.....	.....	.....	.....	.....	.....	21
2.750	3.791	3.653	10.626	3.517	11.905	.....	.....	.....	19.608	.....	.....	.....	.....	.....	.....	22
4.682	4.921	4.730	.....	9.615	9.070	4.255	6.494	.....	.....	.....	.....	.....	.....	.....	.....	23
9.955	6.757	6.637	8.013	12.848	5.831	14.493	11.111	20.000	.....	.....	.....	.....	.....	.....	.....	24
4.708	2.448	1.059	5.457	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
6.363	4.739	3.593	6.932	2.558	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
5.727	3.091	5.525	13.928	3.247	4.566	8.264	.....	.....	27.027	.....	.....	.....	.....	.....	.....	27
20	9	10	16	7	8	4	5	3	4	1	.....	.....	.....	.....	.....	28
28	20	14	15	3	7	4	6	7	3	3	1	.....	.....	.....	.....	29
41	16	10	12	12	11	8	2	9	7	.....	1	.....	.....	.....	.....	30
12	3	6	9	5	5	4	1	1	2	1	.....	.....	.....	.....	.....	31
8	14	7	10	1	5	1	4	3	2	1	.....	.....	.....	.....	.....	32
21	11	5	5	10	9	4	1	4	2	.....	.....	.....	.....	.....	.....	33
8	6	4	7	2	3	.....	4	2	2	.....	.....	.....	.....	.....	.....	34
20	6	7	5	2	2	3	2	4	1	2	1	.....	.....	.....	.....	35
20	5	5	7	2	2	4	1	5	5	.....	1	.....	.....	.....	.....	36
1.017	0.553	0.682	1.253	0.623	0.851	0.568	0.788	0.664	1.155	0.449	.....	.....	.....	.....	.....	37
1.611	1.362	1.047	1.394	0.333	0.821	0.602	1.055	1.652	0.986	1.586	1.020	.....	.....	.....	.....	38
2.477	1.207	0.891	1.186	1.373	1.361	1.312	0.391	2.568	2.749	.....	1.155	.....	.....	.....	.....	39
1.221	0.373	0.825	1.430	0.883	1.051	1.159	0.334	0.477	1.392	1.227	.....	.....	.....	.....	.....	40
0.930	1.951	1.048	1 864	0.224	1.188	0.312	1.557	1.578	1.623	1.404	.....	.....	.....	.....	.....	41
2.451	1.594	0.875	0.982	2.363	2.287	1.379	0.432	2.582	1.921	.....	.....	.....	.....	.....	.....	42
0.813	0.729	0.542	1.081	0.358	0.646	.....	1.194	0.826	0.988	.....	.....	.....	.....	.....	.....	43
2.279	0.799	1.047	0.927	0.439	0.463	0.873	0.642	1.712	0.552	1.696	1.587	.....	.....	.....	.....	44
2.505	0.786	0.908	1.393	0.444	0.482	1.251	0.357	2.558	3.322	.....	1.745	.....	.....	.....	.....	45
30	33	43	35	33	26	15	16	9	2	2	1	.....	.....	.....	.....	46
65	66	81	64	40	40	14	17	11	6	1	2	.....	.....	.....	.....	47
134	96	90	66	35	37	16	16	12	3	6	2	.....	.....	.....	.....	48
17	15	21	19	20	17	10	10	3	1	1	1	.....	.....	.....	.....	49
39	42	45	39	31	24	10	11	6	3	1	.....	.....	.....	.....	.....	50
67	54	50	35	21	19	8	9	10	1	2	1	.....	.....	.....	.....	51
13	18	22	16	13	9	5	6	6	1	1	.....	.....	.....	.....	.....	52
26	24	36	25	9	16	4	6	5	3	.....	2	.....	.....	.....	.....	53
67	42	40	31	14	18	8	7	2	2	4	1	.....	.....	.....	.....	54

TABLE 3.—ENUMERATED POPULATION, DEATHS (EXCLUDING NONRESIDENTS), AND DEATH RATES PER 1,000 FOR WHITE PERSONS OF MOTHERS BORN IN THE UNITED STATES

[Populations enumerated as of June 1, 1900, April 15, 1910, and January 1, 1920. Death

	CAUSE OF DEATH, SEX, COLOR, AND YEAR.	All ages.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	Tuberculosis of the lungs[1]—Continued.											
	White—Continued.											
	Country of birth of mother—Ireland—Contd.											
	Death rate per 1,000 enumerated population:											
	Both sexes—											
1	1920	1.703	0.603			0.523		0.218	0.098	0.263	1.244	1.877
2	1910	2.806	0.890	0.475	0.410	0.406		0.429	0.158	0.858	2.446	2.245
3	1900	3.738	1.879	0.726	1.724	0.350		0.967	0.408	0.289	3.513	4.324
	Males—											
4	1920	1.846									0.676	1.104
5	1910	3.593	1.800					0.342	0.155	0.942	3.100	1.986
6	1900	4.284	2.505	1.426	1.348	0.707		1.231	0.164		3.732	6.104
	Females—											
7	1920	1.581	1.178			1.067		0.442	0.195	0.528	1.792	2.530
8	1910	2.121		0.951	0.831	0.787		0.517	0.161	0.776	1.859	2.452
9	1900	3.251	1.253		2.117			0.698	0.651	0.572	3.327	3.027
	Country of birth of mother—Unknown:											
	Deaths:											
	Both sexes—											
10	1920	11										
11	1910	63				1	1	2			1	7
12	1900	70		1				1			2	9
	Males—											
13	1920	5										
14	1910	32				1	1	2				2
15	1900	37		1				1			2	2
	Females—											
16	1920	6										
17	1910	31									1	5
18	1900	33										7
	Cancer and other malignant tumors.											
	TOTAL.											
	Deaths:											
	Both sexes—											
19	1920	778		2		1		3			1	
20	1910	580	1					1	1		2	1
21	1900	430	1			1		2		2	1	2
	Males—											
22	1920	307		1				1				
23	1910	220	1					1	1		2	
24	1900	156	1			1		2		1	1	
	Females—											
25	1920	471		1		1		2			1	
26	1910	360										1
27	1900	274								1		2
	Death rate per 1,000 enumerated population:											
	Both sexes—											
28	1920	1.040		0.138		0.070		0.042			0.017	
29	1910	0.865	0.074					0.016	0.018		0.036	0.015
30	1900	0.767	0.080			0.088		0.035		0.047	0.024	0.035
	Males—											
31	1920	0.833		0.135				0.028				
32	1910	0.667	0.144					0.031	0.035		0.074	
33	1900	0.567	0.161			0.177		0.070		0.047	0.051	
	Females—											
34	1920	1.242		0.141		0.142		0.057			0.034	
35	1910	1.056										0.029
36	1900	0.958								0.047		0.063
	WHITE.											
	Deaths:											
	Both sexes—											
37	1920	761		1		1		2			1	
38	1910	566	1					1	1		2	1
39	1900	420	1			1		2		2	1	2
	Males—											
40	1920	301		1				1				
41	1910	211	1					1	1		2	
42	1900	153	1			1		2		1	1	
	Females—											
43	1920	460				1		1			1	
44	1910	355										1
45	1900	267								1		2
	Death rate per 1,000 enumerated population:											
	Both sexes—											
46	1920	1.042		0.071		0.071		0.029			0.018	
47	1910	0.863	0.075					0.016	0.018		0.036	0.015
48	1900	0.766	0.082			0.089		0.035		0.048	0.024	0.036
	Males—											
49	1920	0.837		0.138				0.028				
50	1910	0.656	0.146					0.031	0.035		0.075	
51	1900	0.573	0.163			0.179		0.071		0.048	0.051	
	Females—											
52	1920	1.240				0.144		0.029			0.035	
53	1910	1.063										0.030
54	1900	0.952								0.048		0.061

[1] Includes acute miliary tuberculosis.

POPULATION, IN BOSTON, FROM CERTAIN CAUSES OF DEATH BY COLOR, SEX, AND AGE, AND BY SEX AND AGE AND OF MOTHERS BORN IN IRELAND: 1900, 1910, AND 1920—Continued.

rates not computed for white persons of mothers whose country of birth was unknown.]

25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 years and over.	Deaths at unknown age.	
1.966	2.355	2.848	2.361	2.085	1.932	1.576	2.274	2.076	0.721	1.271	1.560	.....	.....	.....	.....	1
3.967	3.916	4.409	4.057	3.079	4.147	2.223	3.223	2.918	2.580	0.824	3.717	.....	.....	.....	.....	2
5.908	4.842	5.061	5.148	3.608	4.431	2.914	3.338	4.003	1.597	6.459	4.405	.....	.....	.....	.....	3
2.505	2.356	3.164	2.962	2.707	2.700	2.284	3.113	1.622	0.916	1.634	4.386	.....	.....	.....	.....	4
5.421	5.582	5.365	5.195	4.968	5.217	3.403	4.839	3.759	3.297	2.169	.....	.....	.....	.....	.....	5
6.469	5.537	5.673	5.483	4.564	4.889	3.186	4.380	8.292	1.399	5.831	6.024	.....	.....	.....	.....	6
1.535	2.355	2.600	1.903	1.541	1.256	0.973	1.569	2.414	0.594	1.040	.....	.....	.....	.....	.....	7
2.829	2.572	3.606	3.023	1.333	3.171	1.191	1.999	2.300	2.119	.....	5.831	.....	.....	.....	.....	8
5.436	4.170	4.460	4.815	2.746	4.032	2.685	2.557	1.116	1.720	6.826	3.472	.....	.....	.....	.....	9
1	2	1	2	1	1	1	1	.....	.....	1	.....	.....	.....	.....	.....	10
4	7	7	11	3	3	7	3	4	1	2	1	.....	.....	.....	.....	11
8	7	7	5	6	8	6	1	4	1	3	1	1	.....	.....	.....	12
1	.....	.....	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	13
1	2	3	8	2	2	5	2	1	1	1	.....	.....	.....	.....	.....	14
5	3	3	2	4	6	1	1	4	1	1	.....	1	.....	.....	.....	15
.....	2	1	.....	.....	1	.....	1	.....	.....	1	.....	.....	.....	.....	.....	16
3	5	4	3	1	1	2	1	3	.....	1	1	.....	.....	.....	.....	17
3	4	4	3	2	2	5	.....	.....	.....	2	1	.....	.....	.....	.....	18
9	15	21	58	81	106	111	115	78	80	59	24	12	3	2	.....	19
7	17	29	48	54	56	75	98	56	63	35	23	11	3	.....	.....	20
8	12	25	30	50	56	61	59	44	45	22	5	6	.....	.....	.....	21
5	6	5	16	29	33	54	57	29	32	22	10	6	2	.....	.....	22
3	7	4	14	13	18	34	47	23	27	14	7	5	.....	.....	.....	23
2	5	10	6	21	15	24	21	12	22	10	2	2	.....	.....	.....	24
4	9	16	42	52	73	57	58	49	48	37	14	6	1	2	.....	25
4	10	25	34	41	38	41	51	33	36	21	16	6	3	.....	.....	26
6	7	15	24	29	41	37	38	32	23	12	3	4	.....	.....	.....	27
0.125	0.236	0.342	1.097	1.641	2.619	3.866	5.190	5.473	8.425	10.688	9.550	12.208	10.870	32.787	.....	28
0.103	0.280	0.494	0.996	1.369	1.812	3.525	5.724	4.687	8.196	8.078	10.963	14.360	15.789	.....	.....	29
0.123	0.215	0.515	0.813	1.760	2.302	3.656	4.310	5.044	7.721	6.663	3.092	10.870	.....	.....	.....	30
0.141	0.185	0.162	0.620	1.155	1.627	3.853	5.369	4.467	7.950	10.064	11.751	18.927	19.048	.....	.....	31
0.090	0.235	0.137	0.578	0.656	1.173	3.312	6.078	4.315	8.662	8.230	8.997	19.380	.....	.....	.....	32
0.063	0.175	0.402	0.318	1.502	1.257	3.009	3.405	3.158	9.217	7.698	3.419	11.105	.....	.....	.....	33
0.109	0.288	0.524	1.553	2.145	3.616	3.879	5.024	6.315	8.774	11.098	8.424	9.009	5.848	45.455	.....	34
0.117	0.325	0.848	1.417	2.090	2.442	3.723	5.432	4.987	7.877	7.979	12.121	11.811	22.727	.....	.....	35
0.181	0.258	0.633	1.331	2.011	3.308	4.248	5.053	6.499	6.684	5.991	2.907	10.638	.....	.....	.....	36
9	15	20	56	78	105	110	113	77	78	57	24	11	3	2	.....	37
7	16	29	45	52	55	75	94	55	63	34	23	10	3	.....	.....	38
7	12	24	28	49	52	60	59	44	45	22	5	6	.....	.....	.....	39
5	6	5	15	29	32	53	56	29	31	22	10	5	2	.....	.....	40
3	7	4	11	12	18	34	45	22	27	13	7	4	.....	.....	.....	41
2	5	10	6	20	14	23	21	12	22	10	2	2	.....	.....	.....	42
4	9	15	41	49	73	57	57	48	47	35	14	6	1	2	.....	43
4	9	25	34	40	37	41	49	33	36	21	16	6	3	.....	.....	44
5	7	14	22	29	38	37	38	32	23	12	3	4	.....	.....	.....	45
0.128	0.243	0.337	1.092	1.627	2.657	3.901	5.187	5.491	8.339	10.466	9.642	11.435	11.029	38.462	.....	46
0.107	0.272	0.510	0.961	1.354	1.822	3.597	5.585	4.665	8.293	7.931	11.090	13.298	16.043	.....	.....	47
0.111	0.222	0.510	0.779	1.774	2.188	3.652	4.367	5.100	7.798	6.732	3.121	11.091	.....	.....	.....	48
0.146	0.192	0.168	0.601	1.196	1.625	3.870	5.376	4.539	7.801	10.214	11.834	15.974	19.231	.....	.....	49
0.093	0.243	0.142	0.470	0.625	1.207	3.390	5.937	4.185	8.758	7.733	9.056	15.748	.....	.....	.....	50
0.065	0.181	0.417	0.329	1.480	1.208	2.934	3.455	3.200	9.294	7.776	3.431	11.561	.....	.....	.....	51
0.112	0.295	0.507	1.558	2.068	3.681	3.930	5.014	6.288	8.736	10.632	8.516	9.245	5.952	52.632	.....	52
0.120	0.301	0.872	1.452	2.080	2.421	3.789	5.297	5.051	7.975	8.058	12.298	12.048	23.077	.....	.....	53
0.155	0.264	0.605	1.245	2.055	3.121	4.308	5.113	6.560	6.757	6.054	2.944	10.870	.....	.....	.....	54

TABLE 3.—ENUMERATED POPULATION, DEATHS (EXCLUDING NONRESIDENTS), AND DEATH RATES PER 1,000 FOR WHITE PERSONS OF MOTHERS BORN IN THE UNITED STATES

[Populations enumerated as of June 1, 1900, April 15, 1910, and January 1, 1920. Death

	CAUSE OF DEATH, SEX, COLOR, AND YEAR.	All ages.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	Cancer and other malignant tumors—Con.											
	COLORED.											
	Deaths:											
	Both sexes—											
1	1920	17		1				1				
2	1910	14										
3	1900	10										
	Males—											
4	1920	6										
5	1910	9										
6	1900	3										
	Females—											
7	1920	11		1				1				
8	1910	5										
9	1900	7										
	Death rate per 1,000 enumerated population:											
	Both sexes—											
10	1920	0.967		3.413				0.786				
11	1910	0.940										
12	1900	0.781										
	Males—											
13	1920	0.642										
14	1910	1.139										
15	1900	0.423										
	Females—											
16	1920	1.338		6.757				1.546				
17	1910	0.716										
18	1900	1.226										
	White.											
	Country of birth of mother—United States:											
	Deaths—											
	Both sexes—											
19	1920	156		1				1			1	
20	1910	143	1					1			1	
21	1900	111										
	Males—											
22	1920	38		1				1				
23	1910	48	1					1			1	
24	1900	28										
	Females—											
25	1920	118									1	
26	1910	95										
27	1900	83										
	Death rate per 1,000 enumerated population—											
	Both sexes—											
28	1920	0.712		0.169				0.036			0.056	
29	1910	0.753	0.222					0.046			0.059	
30	1900	0.656										
	Males—											
31	1920	0.352		0.334				0.071				
32	1910	0.517	0.436					0.092			0.120	
33	1900	0.335										
	Females—											
34	1920	1.062									0.108	
35	1910	0.979										
36	1900	0.970										
	Country of birth of mother—Ireland:											
	Deaths—											
	Both sexes—											
37	1920	275										
38	1910	212										
39	1900	151										1
	Males—											
40	1920	118										
41	1910	75										
42	1900	55										
	Females—											
43	1920	157										
44	1910	137										
45	1900	96										1
	Death rate per 1,000 enumerated population—											
	Both sexes—											
46	1920	1.604										
47	1910	1.219										
48	1900	0.864										0.055
	Males—											
49	1920	1.492										
50	1910	0.926										
51	1900	0.667										
	Females—											
52	1920	1.700										
53	1910	1.475										
54	1900	1.040										0.095
	Country of birth of mother—Unknown:											
	Deaths—											
	Both sexes—											
55	1920	38										
56	1910	48										
57	1900	47										
	Males—											
58	1920	15										
59	1910	20										
60	1900	18										
	Females—											
61	1920	23										
62	1910	28										
63	1900	29										

POPULATION, IN BOSTON, FROM CERTAIN CAUSES OF DEATH BY COLOR, SEX, AND AGE, AND BY SEX AND AGE AND OF MOTHERS BORN IN IRELAND: 1900, 1910, AND 1920—Continued.

rates not computed for white persons of mothers whose country of birth was unknown.]

25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 ars.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 years and over.	Deaths at unknown age.	
.....	.....	1	2	3	1	1	2	1	2	2	.....	1	.....	.....	.....	1
.....	1	.....	3	2	1	.....	4	1	.....	1	.....	1	.....	.....	.....	2
1	.....	1	2	1	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	3
.....	.....	.....	1	.....	1	1	1	.....	1	.....	.....	1	.....	.....	.....	4
.....	.....	.....	3	1	.....	.....	2	1	.....	1	.....	1	.....	.....	.....	5
.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	6
.....	.....	1	1	3	.....	.....	1	1	1	2	.....	.....	.....	.....	.....	7
.....	1	.....	.....	1	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	8
1	.....	1	2	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	9
.....	.....	0.490	1.266	2.126	1.057	1.957	5.333	4.367	14.085	27.027	.....	47.619	.....	.....	.....	10
.....	0.538	.....	2.171	1.970	1.395	.....	13.699	6.410	.....	21.739	.....	71.429	.....	.....	.....	11
0.506	.....	0.691	2.035	1.290	7.117	3.861	.....	.....	.....	.....	.....	.....	.....	.....	.....	12
.....	.....	.....	1.181	.....	1.701	3.135	5.000	.....	19.608	.....	.....	250.000	.....	.....	.....	13
.....	.....	.....	3.727	1.603	.....	.....	12.987	13.699	.....	50.000	.....	250.000	.....	.....	.....	14
.....	.....	.....	.....	2.141	2.915	7.246	.....	.....	.....	.....	.....	.....	.....	.....	.....	15
.....	.....	1.059	1.364	5.376	.....	.....	5.714	7.937	10.989	47.619	.....	.....	.....	.....	.....	16
.....	1.185	.....	.....	2.558	3.623	.....	14.493	.....	.....	.....	.....	.....	.....	.....	.....	17
1.145	.....	1.842	5.571	.....	13.699	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	18
1	1	5	10	8	16	20	22	22	19	16	9	4	1	.....	.....	19
1	5	5	9	6	19	14	20	12	23	13	10	3	1	.....	.....	20
3	2	3	4	11	12	19	16	10	15	11	2	3	.....	.....	.....	21
.....	.....	1	3	.....	2	5	7	5	7	4	2	1	.....	.....	.....	22
.....	4	.....	.....	.....	5	7	9	3	13	3	2	.....	.....	.....	.....	23
1	1	1	.....	3	.....	4	5	1	8	4	.....	.....	.....	.....	.....	24
1	1	4	7	8	14	15	15	17	12	12	7	3	1	.....	.....	25
1	1	5	9	6	14	7	11	9	10	10	8	3	1	.....	.....	26
2	1	2	4	8	12	15	11	9	7	7	2	3	.....	.....	.....	27
0.051	0.061	0.341	0.783	0.711	1.702	2.841	3.465	4.867	5.488	7.191	8.115	8.734	8.403	.....	.....	28
0.058	0.340	0.374	0.836	0.666	2.228	2.107	3.517	2.832	7.558	6.875	10.204	7.299	10.526	.....	.....	29
0.181	0.151	0.267	0.395	1.259	1.484	3.116	3.127	2.854	5.892	6.782	2.309	9.063	.....	.....	.....	30
.....	.....	0.137	0.477	.....	0.420	1.448	2.335	2.383	4.871	4.903	6.079	6.536	.....	.....	.....	31
.....	0.558	.....	.....	.....	1.188	2.183	3.503	1.578	10.552	4.213	5.714	.....	.....	.....	.....	32
0.117	0.145	0.175	.....	0.709	.....	1.379	2.162	0.646	7.685	6.483	.....	.....	.....	.....	.....	33
0.102	0.122	0.542	1.081	1.433	3.015	4.181	4.476	7.019	5.926	8.511	8.974	9.836	12.500	.....	.....	34
0.114	0.133	0.748	1.668	1.318	3.242	2.037	3.529	3.851	5.522	8.482	12.698	10.753	14.925	.....	.....	35
0.251	0.157	0.363	0.796	1.775	2.892	4.690	3.924	4.604	4.651	6.965	3.490	12.987	.....	.....	.....	36
3	9	7	26	31	42	44	45	21	27	12	4	2	1	1	.....	37
2	7	14	21	24	21	37	36	19	17	5	6	2	1	.....	.....	38
2	3	12	9	18	20	17	30	17	12	9	.....	1	.....	.....	.....	39
2	5	3	6	10	12	24	25	9	12	5	2	2	1	.....	.....	40
.....	.....	3	6	7	6	15	15	10	6	4	2	1	.....	.....	.....	41
1	1	4	4	9	6	8	10	4	3	5	.....	.....	.....	.....	.....	42
1	4	4	20	21	30	20	20	12	15	7	2	.....	.....	1	.....	43
2	7	11	15	17	15	22	21	9	11	1	4	1	1	.....	.....	44
1	2	8	5	9	14	9	20	13	9	4	.....	1	.....	.....	.....	45
0.197	0.642	0.484	1.754	1.959	3.120	4.622	6.396	4.843	9.730	7.624	6.240	9.174	15.625	83.333	.....	46
0.122	0.415	0.762	1.331	1.847	2.177	5.876	6.826	5.040	7.309	4.119	11.152	11.976	20.000	.....	.....	47
0.088	0.151	0.675	0.702	1.856	2.395	3.097	6.259	5.670	6.390	9.688	.....	7.937	.....	.....	.....	48
0.295	0.785	0.452	0.935	1.353	1.906	5.481	7.783	4.865	10.989	8.170	8.772	31.250	43.478	.....	.....	49
.....	.....	0.358	0.799	1.122	1.304	5.104	6.599	6.266	6.593	8.677	10.256	18.868	.....	.....	.....	50
0.097	0.103	0.454	0.627	1.956	1.544	3.186	4.866	3.317	4.196	14.577	.....	.....	.....	.....	.....	51
0.118	0.523	0.473	2.379	2.489	4.188	3.890	5.230	4.827	8.913	7.277	4.843	.....	.....	100.000	.....	52
0.218	0.750	1.102	1.814	2.518	2.973	6.552	6.998	4.140	7.768	1.328	11.662	8.772	26.316	.....	.....	53
0.081	0.199	0.892	0.777	1.765	3.136	3.021	7.305	7.254	7.739	6.826	.....	11.905	.....	.....	.....	54
1	1	2	2	1	5	5	5	3	4	5	2	1	.....	1	.....	55
1	1	2	1	4	4	5	7	7	5	7	1	2	1	.....	.....	56
1	.....	.....	2	6	6	11	5	9	5	.....	1	1	.....	.....	.....	57
1	.....	.....	.....	1	.....	3	3	1	1	4	1	.....	.....	.....	.....	58
1	1	.....	.....	1	2	3	3	5	1	3	.....	.....	.....	.....	.....	59
.....	.....	.....	.....	1	1	6	2	5	2	.....	.....	1	.....	.....	.....	60
.....	1	2	2	.....	5	2	2	2	3	1	1	1	.....	1	.....	61
.....	.....	2	1	3	2	2	4	2	4	4	1	2	1	.....	.....	62
1	.....	.....	2	5	5	5	3	4	3	.....	1	.....	.....	.....	.....	63

TABLE 3.—ENUMERATED POPULATION, DEATHS (EXCLUDING NONRESIDENTS), AND DEATH RATES PER 1,000 FOR WHITE PERSONS OF MOTHERS BORN IN THE UNITED STATES

[Populations enumerated as of June 1, 1900, April 15, 1910, and January 1, 1920. Death

	CAUSE OF DEATH, SEX, COLOR, AND YEAR.	All ages.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	Pneumonia (all forms).											
	TOTAL.											
	Deaths:											
	Both sexes—											
1	1920	1,335	297	122	34	21	9	483	26	9	16	40
2	1910	1,287	275	138	53	17	9	492	19	3	9	23
3	1900	1,154	221	120	45	21	6	413	16	8	16	32
	Males—											
4	1920	709	159	70	22	12	6	269	16	7	8	14
5	1910	707	158	70	29	13	6	276	8	3	6	8
6	1900	582	122	70	20	13	4	229	5	5	12	22
	Females—											
7	1920	626	138	52	12	9	3	214	10	2	8	26
8	1910	580	117	68	24	4	3	216	11	.....	3	15
9	1900	572	99	50	25	8	2	184	11	3	4	10
	Death rate per 1,000 enumerated population:											
	Both sexes—											
10	1920	1.785	21.480	8.427	2.361	1.467	0.651	6.818	0.396	0.147	0.280	0.592
11	1910	1.919	20.265	11.175	4.019	1.314	0.770	7.721	0.335	0.054	0.161	0.343
12	1900	2.057	17.718	10.903	3.894	1.841	0 550	7.200	0.327	0.189	0.379	0.553
	Males—											
13	1920	1.923	23.060	9.477	3.007	1.656	0.861	7.510	0.486	0.227	0.287	0.439
14	1910	2.144	22.764	11.156	4.384	2.007	1.007	8.554	0.280	0.109	0.222	0.245
15	1900	2.117	19.630	12.558	3.472	2.295	0.739	7.999	0.204	0.236	0.601	0.840
	Females—											
16	1920	1.650	19.908	7.333	1.694	1.274	0.438	6.109	0.305	0.065	0.273	0.729
17	1910	1.701	17.650	11.195	3.652	0.619	0.524	6.866	0.390	.....	0.104	0.434
18	1900	2.000	15.820	9.205	4.313	1.393	0.363	6.404	0.451	0.142	0.179	0.316
	WHITE.											
	Deaths:											
	Both sexes—											
19	1920	1,273	280	108	34	19	9	450	26	7	15	40
20	1910	1,240	265	130	52	17	9	473	19	3	9	22
21	1900	1,116	215	112	44	21	5	397	16	8	16	29
	Males—											
22	1920	680	154	64	22	10	6	256	16	5	8	14
23	1910	685	154	65	29	13	6	267	8	3	6	8
24	1900	556	119	66	19	13	3	220	5	5	12	20
	Females—											
25	1920	593	126	44	12	9	3	194	10	2	7	26
26	1910	555	111	65	23	4	3	206	11	.....	3	14
27	1900	560	96	46	25	8	2	177	11	3	4	9
	Death rate per 1,000 enumerated population:											
	Both sexes—											
28	1920	1.743	20.667	7.614	2.398	1.352	0.661	6.468	0.402	0.116	0.267	0.609
29	1910	1.891	19.861	10.700	4.002	1.334	0.781	7.538	0.339	0.055	0.164	0.335
30	1900	2.036	17.537	10.337	3.875	1.869	0.466	7.037	0.332	0.192	0.386	0.515
	Males—											
31	1920	1.892	22.795	8.839	3.051	1.403	0.875	7.275	0.494	0.165	0.292	0.452
32	1910	2.129	22.482	10.533	4.448	2.039	1.019	8.394	0.284	0.110	0.225	0.251
33	1900	2.076	19.432	12.013	3.354	2.328	0.563	7.804	0.207	0.239	0.612	0.787
	Females—											
34	1920	1.598	18.551	6.337	1.722	1.300	0.444	5.642	0.310	0.066	0.243	0.748
35	1910	1.662	17.095	10.873	3.553	0.629	0.533	6.658	0.395	.....	0.106	0.414
36	1900	1.998	15.645	8.613	4.394	1.415	0.370	6.271	0.458	0.144	0.183	0.291
	COLORED.											
	Deaths:											
	Both sexes—											
37	1920	62	17	14	.....	2	.....	33	.....	2	1	.....
38	1910	47	10	8	1	.....	.....	19	.....	.....	.....	1
39	1900	38	6	8	1	.....	1	16	.....	.....	.....	3
	Males—											
40	1920	29	5	6	.....	2	.....	13	.....	2	.....	.....
41	1910	22	4	5	.....	.....	.....	9	.....	.....	.....	.....
42	1900	26	3	4	1	.....	1	9	.....	.....	.....	2
	Females—											
43	1920	33	12	8	.....	.....	.....	20	.....	.....	1	.....
44	1910	25	6	3	1	.....	.....	10	.....	.....	.....	1
45	1900	12	3	4	.....	.....	.....	7	.....	.....	.....	1
	Death rate per 1,000 enumerated population:											
	Both sexes—											
46	1920	3.528	60.932	47.782	.....	7.634	.....	25.923	.....	2.176	1.004	.....
47	1910	3.157	44.053	40.000	5.155	.....	.....	19.408	.....	.....	.....	0.662
48	1900	2.967	28.169	46.784	4.926	.....	5.263	16.913	.....	.....	.....	1.931
	Males—											
49	1920	3.101	35.971	41.379	.....	16.393	.....	20.767	.....	4.454	.....	.....
50	1910	2.784	43.956	48.077	.....	.....	.....	19.694	.....	.....	.....	.....
51	1900	3.662	32.967	50.000	10.417	.....	11.111	20.595	.....	.....	.....	2.500
	Females—											
52	1920	4.014	85.714	54.054	.....	.....	.....	30.912	.....	.....	1.898	.....
53	1910	3.578	44.118	31.250	10.101	.....	.....	19.157	.....	.....	.....	1.344
54	1900	2.102	24.590	43.956	.....	.....	.....	13.780	.....	.....	.....	1.326

POPULATION, IN BOSTON, FROM CERTAIN CAUSES OF DEATH BY COLOR, SEX, AND AGE, AND BY SEX AND AGE AND OF MOTHERS BORN IN IRELAND: 1900, 1910, AND 1920—Continued.

rates not computed for white persons of mothers whose country of birth was unknown.]

25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 years and over.	Deaths at unknown age.	
49	59	65	51	56	68	56	61	79	76	64	47	21	7	2	.....	1
29	43	64	61	63	71	59	86	82	67	58	37	12	7	2	.....	2
47	57	56	52	51	56	58	69	73	53	43	35	14	4	1	.....	3
23	35	37	27	32	40	34	35	48	31	28	17	4	2	2	.....	4
23	32	50	45	36	36	41	52	31	21	18	14	4	3	.....	.....	5
29	30	34	24	30	28	27	30	36	17	11	8	5	.....	.....	.....	6
26	24	28	24	24	28	22	26	31	45	36	30	17	5	.....	.....	7
6	11	14	16	27	35	18	34	51	46	40	23	8	4	2	.....	8
18	27	22	28	21	28	31	39	37	36	32	27	9	4	1	.....	9
0.679	0.927	1.060	0.965	1.135	1.680	1.950	2.753	5.543	8.003	11.594	18.703	21.363	25.362	32.787	.....	10
0.428	0.709	1.090	1.265	1.598	2.297	2.773	5.023	6.864	8.716	13.386	17.636	15.666	36.842	42.553	.....	11
0.724	1.023	1.154	1.409	1.796	2.302	3.476	5.041	8.368	9.094	13.022	21.645	25.362	23.810	34.483	.....	12
0.649	1.082	1.200	1.046	1.275	1.972	2.426	3.297	7.394	7.702	12.809	19.976	12.618	19.048	117.647	.....	13
0.687	1.072	1.710	1.859	1.817	2.345	3.994	6.724	5.816	6.737	10.582	17.995	15.504	51.724	.....	.....	14
0.913	1.049	1.368	1.271	2.146	2.347	3.385	4.864	9.474	7.122	8.468	13.675	28.409	.....	.....	.....	15
0.707	0.767	0.917	0.887	0.990	1.387	1 497	2.252	3.995	8.225	10.798	18.051	25.526	29.240	.....	.....	16
0.175	0.357	0.475	0.667	1.376	2.250	1.635	3.621	7.707	10.066	15.198	17.424	15.758	30.303	57.143	.....	17
0.543	0 996	0.929	1.553	1.456	2.259	3.559	5.185	7.514	10.462	15.976	26.163	23.936	31.496	62.500	.....	18
45	55	59	49	54	67	55	59	79	75	63	47	19	7	2	.....	19
27	40	61	55	60	67	57	85	81	66	58	36	12	7	2	.....	20
43	56	55	50	47	55	56	66	73	53	42	35	14	4	1	.....	21
21	33	32	26	30	40	34	34	48	30	28	17	4	2	2	.....	22
21	31	48	41	35	35	40	52	30	21	18	14	4	3	.....	.....	23
27	29	33	22	27	27	25	27	36	17	11	8	5	.....	.....	.....	24
24	22	27	23	24	27	21	25	31	45	35	30	15	5	.....	.....	25
6	9	13	14	25	32	17	33	51	45	40	22	8	4	2	.....	26
16	27	22	28	20	28	31	39	37	36	31	27	9	4	1	.....	27
0.642	0.891	0.995	0.955	1.126	1.695	1.950	2.708	5.634	8.018	11.568	18.883	19.751	25.735	38.462	.....	28
0.411	0.681	1.073	1.175	1.562	2.219	2.734	5.051	6.870	8.688	13.529	17.358	15.957	37.433	46.512	.....	29
0.684	1.036	1.168	1.391	1.701	2.315	3.409	4.885	8.461	9.184	12.852	21.848	25.878	24.096	40.000	.....	30
0.611	1.055	1.076	1.041	1.237	2.031	2.482	3.264	7.513	7.549	12.999	20.118	12.780	19.231	142.857	.....	31
0.648	1.075	1.704	1.752	1.824	2.348	3.988	6.861	5.707	6.812	10.708	18.111	15.748	52.632	.....	.....	32
0.881	1.052	1.377	1.205	1.998	2.330	3.189	4.442	9.600	7.182	8.553	13.722	28.902	.....	.....	.....	33
0.672	0.722	0.913	0.874	1.013	1.362	1.448	2.199	4.061	8.364	10.632	18.248	23.112	29.762	.....	.....	34
0.180	0.301	0.454	0.598	1.300	2.094	1.571	3.567	7.805	9.969	15.349	16.910	16.064	30.769	64.516	.....	35
0.496	1.020	0.951	1.584	1.417	2.300	3.609	5.248	7.585	10.576	15.641	26.497	24.457	31.496	83.333	.....	36
4	4	6	2	2	1	1	2	.....	1	1	.....	2	.....	.....	.....	37
2	3	6	3	4	2	1	1	1	1	.....	1	.....	.....	.....	.....	38
4	1	1	2	4	1	2	3	.....	.....	1	.....	.....	.....	.....	.....	39
2	2	5	1	2	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	40
2	1	2	4	1	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	41
2	1	1	2	3	1	2	3	.....	.....	.....	.....	.....	.....	.....	.....	42
2	2	1	1	.....	1	1	1	.....	.....	1	.....	2	.....	.....	.....	43
.....	2	1	2	2	3	1	1	.....	1	.....	1	.....	.....	.....	.....	44
2	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	45
1.858	2.137	2.943	1.266	1.417	1.057	1.957	5.333	.....	7.042	13.514	.....	95.238	.....	.....	.....	46
0.995	1.613	1.586	4.342	2.956	5.579	4.684	3.425	6.410	11.111	.....	41.667	.....	.....	.....	.....	47
2.022	0.594	0.691	2.035	5.161	1.779	7.722	16.760	.....	.....	29.412	.....	.....	.....	.....	.....	48
1.833	1.896	4.566	1.181	2.345	.....	.....	5.000	.....	19.608	.....	.....	.....	.....	.....	.....	49
1.873	0.984	1.892	4.969	1.603	2.268	4.255	.....	13.699	.....	.....	.....	.....	.....	.....	.....	50
1.810	0.965	1.105	3.212	6.424	2.916	14.493	33.333	.....	.....	.....	.....	.....	.....	.....	.....	51
1.883	2.448	1.059	1.364	.....	2.793	5.208	5.714	.....	.....	23.810	.....	117.647	.....	.....	.....	52
.....	2.370	1.198	3.466	5.115	10.870	5.208	7.246	.....	17.857	.....	52.632	.....	.....	.....	.....	53
2.291	.....	.....	.....	3.247	.....	.....	.....	.....	.....	47.619	.....	.....	.....	.....	.....	54

TABLE 3.—ENUMERATED POPULATION, DEATHS (EXCLUDING NONRESIDENTS), AND DEATH RATES PER 1,000 FOR WHITE PERSONS OF MOTHERS BORN IN THE UNITED STATES

[Populations enumerated as of June 1, 1900, April 15, 1910, and January 1, 1920. Death

	CAUSE OF DEATH, SEX, COLOR, AND YEAR.	All ages.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	Pneumonia (all forms)—Continued.											
	White.											
	Country of birth of mother—United States:											
	Deaths—											
	Both sexes—											
1	1920	356	101	35	7	6	6	155	8	2	2	14
2	1910	260	80	30	9	3	1	123	5	.....	.....	5
3	1900	281	62	30	12	4	2	110	4	3	4	5
	Males—											
4	1920	189	58	19	6	3	3	89	5	1	.....	5
5	1910	149	47	13	5	3	1	69	2	.....	.....	1
6	1900	142	33	20	4	2	2	61	.....	3	4	2
	Females—											
7	1920	167	43	16	1	3	3	66	3	1	2	9
8	1910	111	33	17	4	.....	.....	54	3	.....	.....	4
9	1900	139	29	10	8	2	.....	49	4	.....	.....	3
	Death rate per 1,000 enumerated population—											
	Both sexes—											
10	1920	1.626	17.807	5.931	1.234	1.125	1.169	5.592	0.357	0.100	0.111	0.685
11	1910	1.369	17.794	6.904	2.008	0.690	0.254	5.691	0.275	.....	.....	0.273
12	1900	1.662	15.152	7.928	3.051	1.036	0.547	5.692	0.242	0.206	0.288	0.304
	Males—											
13	1920	1.753	20.466	6.355	2.080	1.106	1.166	6.360	0.446	0.099	.....	0.509
14	1910	1.604	20.479	5.843	2.245	1.382	0.502	6.326	0.220	.....	.....	0.111
15	1900	1.700	15.904	10.571	2.051	1.063	1.116	6.361	.....	0.409	0.593	0.245
	Females—											
16	1920	1.503	15.152	5.496	0.359	1.144	1.171	4.810	0.268	0.101	0.216	0.848
17	1910	1.144	14.993	8.019	1.773	.....	.....	5.044	0.329	.....	.....	0.428
18	1900	1.624	14.378	5.285	4.034	1.010	.....	5.033	0.486	.....	.....	0.362
	Country of birth of mother—Ireland:											
	Deaths—											
	Both sexes—											
19	1920	319	25	8	3	2	.....	38	3	1	6	11
20	1910	423	32	23	9	3	1	68	7	1	4	12
21	1900	430	50	28	7	7	1	93	4	4	4	13
	Males—											
22	1920	155	14	6	2	.....	.....	22	1	1	5	5
23	1910	214	17	15	6	1	.....	39	2	1	2	4
24	1900	203	27	14	2	4	1	48	1	2	3	11
	Females—											
25	1920	164	11	2	1	2	.....	16	2	.....	1	6
26	1910	209	15	8	3	2	1	29	5	.....	2	8
27	1900	227	23	14	5	3	.....	45	3	2	1	2
	Death rate per 1,000 enumerated population—											
	Both sexes—											
28	1920	1.861	15.069	4.469	1.620	1.045	.....	4.146	0.295	0.088	0.498	0.794
29	1910	2.433	14.241	10.932	3.687	1.219	0.418	5.840	0.553	0.078	0.326	0.816
30	1900	2.461	15.659	10.160	2.413	2.452	0.360	6.422	0.327	0.385	0.360	0.711
	Males—											
31	1920	1.960	17.284	6.479	2.103	.....	.....	4.740	0.199	0.175	0.845	0.789
32	1910	2.642	15.302	14.245	4.850	0.840	.....	6.674	0.309	0.157	0.344	0.611
33	1900	2.463	16.907	9.979	1.348	2.829	0.706	6.562	0.164	0.388	0.589	1.429
	Females—											
34	1920	1.776	12.956	2.315	1.110	2.134	.....	3.537	0.390	.....	0.163	0.799
35	1910	2.250	13.204	7.612	2.492	1.574	0.879	5.000	0.807	.....	0.310	0.981
36	1900	2.460	14.411	10.347	3.528	2.082	.....	6.279	0.489	0.381	0.166	0.189
	Country of birth of mother—Unknown:											
	Deaths—											
	Both sexes—											
37	1920	61	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
38	1910	62	2	.....	.....	.....	.....	2	.....	.....	.....	1
39	1900	80	3	3	1	.....	.....	7	1	.....	.....	.....
	Males—											
40	1920	36	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
41	1910	40	1	.....	.....	.....	.....	1	.....	.....	.....	1
42	1900	40	1	2	.....	.....	.....	3	1	.....	.....	.....
	Females—											
43	1920	25	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
44	1910	22	1	.....	.....	.....	.....	1	.....	.....	.....	.....
45	1900	40	2	1	1	.....	.....	4	.....	.....	.....	.....

POPULATION, IN BOSTON, FROM CERTAIN CAUSES OF DEATH BY COLOR, SEX, AND AGE, AND BY SEX AND AGE AND OF MOTHERS BORN IN IRELAND: 1900, 1910, AND 1920—Continued.

rates not computed for white persons of mothers whose country of birth was unknown.]

25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 years and over.	Deaths at unknown age.	
14	16	11	11	8	18	9	10	18	20	14	16	4	5	1	.....	1
4	4	11	4	6	13	6	16	14	10	19	10	5	5	.....	.....	2
8	7	10	6	15	9	12	14	14	16	16	18	6	4	.....	.....	3
8	10	5	7	1	11	7	3	14	10	4	7	1	.....	1	.....	4
4	2	10	4	4	11	5	12	5	3	10	4	1	2	.....	.....	5
5	5	8	1	8	6	6	10	7	8	2	4	2	.....	.....	.....	6
6	6	6	4	7	7	2	7	4	10	10	9	3	5	.....	.....	7
.....	2	1	.....	2	2	1	4	9	7	9	6	4	3	.....	.....	8
3	2	2	5	7	3	6	4	7	8	14	14	4	4	.....	.....	9
0.712	0.984	0.750	0.861	0.711	1.914	1.278	1.575	3.982	5.777	6.292	14.427	8.734	42.017	52.632	.....	10
0.230	0.272	0.823	0.372	0.666	1.524	0.903	2.814	3.303	3.286	10.048	10.204	12.165	52.632	.....	.....	11
0.483	0.528	0.891	0.593	1.716	1.113	1.968	2.737	3.995	6.284	9.865	20.785	18.127	44.444	.....	.....	12
0.814	1.244	0.687	1.112	0.177	2.311	2.028	1.001	6.673	6.959	4.908	21.277	6.536	.....	200.000	.....	13
0.465	0.279	1.497	0.745	0.897	2.613	1.559	4.671	2.630	2.435	14.045	11.429	7.576	71.429	.....	.....	14
0.584	0.725	1.400	0.196	1.890	1.524	2.069	4.323	4.519	7.685	3.241	13.652	20.000	.....	.....	.....	15
0.610	0.729	0.812	0.618	1.254	1.507	0.557	2.089	1.652	4.938	7.092	11.538	9.836	62.500	.....	.....	16
.....	0.266	0.150	.....	0.439	0.463	0.291	1.283	3.851	3.865	7.634	9.524	14.337	44.776	.....	.....	17
0.376	0.315	0.363	0.995	1.553	0.723	1.876	1.427	3.581	5.316	13.930	24.433	17.316	59.701	.....	.....	18
10	12	18	15	22	23	25	23	29	34	25	15	8	1	.....	.....	19
11	19	26	30	32	36	30	40	38	35	23	7	3	.....	1	.....	20
24	31	26	27	23	29	29	37	40	22	11	9	4	.....	.....	.....	21
4	7	7	5	14	12	13	14	14	11	12	5	2	1	.....	.....	22
9	17	21	21	20	12	20	20	12	6	6	1	1	.....	.....	.....	23
13	15	13	14	13	14	13	12	18	6	3	2	2	.....	.....	.....	24
6	5	11	10	8	11	12	9	15	23	13	10	6	.....	.....	.....	25
2	2	5	9	12	24	10	20	26	29	17	6	2	.....	1	.....	26
11	16	13	13	10	15	16	25	22	16	8	7	2	.....	.....	.....	27
0.655	0.857	1.192	1.012	1.390	1.709	2.626	3.269	6.688	12.252	15.883	23.401	36.697	15.625	.....	.....	28
0.671	1.127	1.415	1.902	2.463	3.732	4.764	7.584	10.080	15.047	18.946	13.011	17.964	.....	45.455	.....	29
1.058	1.564	1.462	2.106	2.371	3.473	5.282	7.720	13.342	11.715	11.841	19.824	31.746	.....	.....	.....	30
0.589	1.099	1.055	0.780	1.895	1.906	2.969	4.359	7.568	10.073	19.608	21.930	31.250	43.478	.....	.....	31
1.251	2.259	2.504	2.797	3.205	2.609	6.805	8.799	7.519	6.593	13.015	5.128	18.868	.....	.....	.....	32
1.255	1.538	1.475	2.193	2.826	3.603	5.177	5.839	14.925	8.392	8.746	12.048	47.619	.....	.....	.....	33
0.708	0.654	1.300	1.189	0.948	1.535	2.334	2.354	6.034	13.666	13.514	24.213	38.961	.....	.....	.....	34
0.218	0.214	0.501	1.088	1.788	4.756	2.978	6.664	11.960	20.480	22.576	17.493	17.544	.....	55.556	.....	35
0.892	1.589	1.449	2.019	1.961	3.360	5.371	9.131	12.277	13.758	13.652	24.306	23.810	.....	.....	.....	36
2	4	3	5	3	6	4	6	10	5	6	6	.....	.....	.....	.....	37
2	4	7	6	4	6	7	6	4	2	4	6	1	.....	.....	.....	38
5	6	4	4	4	8	5	3	9	8	6	5	4	.....	1	.....	39
.....	3	3	3	2	3	4	4	7	2	2	3	.....	.....	.....	.....	40
2	2	6	4	3	5	6	6	1	.....	.....	3	.....	.....	.....	.....	41
4	4	2	2	3	4	2	1	7	2	3	1	1	.....	.....	.....	42
2	1	.....	2	1	3	.....	2	3	3	4	3	.....	.....	.....	.....	43
.....	2	1	2	1	1	1	.....	3	2	4	3	1	.....	.....	.....	44
1	2	2	2	1	4	3	2	2	6	3	4	3	.....	1	.....	45

TABLE 3.—ENUMERATED POPULATION, DEATHS (EXCLUDING NONRESIDENTS), AND DEATH RATES PER 1,000 FOR WHITE PERSONS OF MOTHERS BORN IN THE UNITED STATES

[Populations enumerated as of June 1, 1900, April 15, 1910, and January 1, 1920. Death

	CAUSE OF DEATH, SEX, COLOR, AND YEAR.	All ages.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	Organic diseases of the heart and acute nephritis and Bright's disease.[1]											
	TOTAL.											
	Deaths:											
	Both sexes—											
1	1920	2,003	8	3	3	3	1	18	16	22	30	18
2	1910	1,842	6	2	3	2	3	16	17	30	28	23
3	1900	1,353	11	.....	.....	3	4	18	22	17	20	34
	Males—											
4	1920	904	5	2	2	.....	.....	9	4	12	15	7
5	1910	817	1	1	2	.....	1	5	7	13	9	3
6	1900	662	4	.....	.....	.....	4	8	11	6	9	15
	Females—											
7	1920	1,099	3	1	1	3	1	9	12	10	15	11
8	1910	1,025	5	1	1	2	2	11	10	17	19	20
9	1900	691	7	.....	.....	3	.....	10	11	11	11	19
	Death rate per 1,000 enumerated population:											
	Both sexes—											
10	1920	2.678	0.579	0.207	0.208	0.210	0.072	0.254	0.244	0.359	0.525	0.266
11	1910	2.747	0.442	0.162	0.227	0.155	0.257	0.251	0.299	0.542	0.501	0.343
12	1900	2.412	0.882	.....	.....	0.263	0.366	0.314	0.450	0.401	0.473	0.588
	Males—											
13	1920	2.451	0.725	0.271	0.273	.....	.....	0.251	0.122	0.390	0.539	0.219
14	1910	2.478	0.144	0.159	0.302	.....	0.168	0.155	0.245	0.471	0.332	0.092
15	1900	2.408	0.644	.....	.....	.....	0.739	0.279	0.449	0.283	0.451	0.573
	Females—											
16	1920	2.897	0.433	0.141	0.141	0.425	0.146	0.257	0.366	0.327	0.512	0.308
17	1910	3.007	0.754	0.165	0.152	0.310	0.349	0.350	0.354	0.613	0.660	0.579
18	1900	2.416	1.119	.....	.....	0.522	.....	0.348	0.451	0.520	0.494	0.600
	WHITE.											
	Deaths:											
	Both sexes—											
19	1920	1,923	8	3	3	3	1	18	16	22	28	18
20	1910	1,777	6	1	3	2	3	15	17	29	27	21
21	1900	1,307	11	.....	.....	3	4	18	22	17	19	34
	Males—											
22	1920	871	5	2	2	.....	.....	9	4	12	13	7
23	1910	788	1	1	2	.....	1	5	7	13	8	3
24	1900	635	4	.....	.....	.....	4	8	11	6	9	15
	Females—											
25	1920	1,052	3	1	1	3	1	9	12	10	15	11
26	1910	989	5	.....	1	2	2	10	10	16	19	18
27	1900	672	7	.....	.....	3	.....	10	11	11	10	19
	Death rate per 1,000 enumerated population:											
	Both sexes—											
28	1920	2.632	0.590	0.212	0.212	0.214	0.073	0.259	0.248	0.364	0.499	0.274
29	1910	2.710	0.450	0.082	0.231	0.157	0.260	0.239	0.303	0.532	0.491	0.320
30	1900	2.385	0.897	.....	.....	0.267	0.373	0.319	0.457	0.407	0.458	0.604
	Males—											
31	1920	2.423	0.740	0.276	0.277	.....	.....	0.256	0.124	0.396	0.475	0.226
32	1910	2.449	0.146	0.162	0.307	.....	0.170	0.157	0.248	0.478	0.300	0.094
33	1900	2.371	0.653	.....	.....	.....	0.751	0.284	0.455	0.287	0.459	0.591
	Females—											
34	1920	2.835	0.442	0.144	0.143	0.433	0.148	0.262	0.372	0.332	0.521	0.316
35	1910	2.962	0.770	.....	0.154	0.314	0.355	0.323	0.359	0.587	0.671	0.533
36	1900	2.399	1.141	.....	.....	0.531	.....	0.354	0.458	0.528	0.457	0.615
	COLORED.											
	Deaths:											
	Both sexes—											
37	1920	80	.....	.....	.....	.....	.....	.....	.....	.....	2	.....
38	1910	65	.....	1	.....	.....	.....	1	.....	1	1	2
39	1900	46	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
	Males—											
40	1920	33	.....	.....	.....	.....	.....	.....	.....	.....	2	.....
41	1910	29	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
42	1900	27	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Females—											
43	1920	47	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
44	1910	36	.....	1	.....	.....	.....	1	.....	1	.....	2
45	1900	19	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
	Death rate per 1,000 enumerated population:											
	Both sexes—											
46	1920	4.552	.....	.....	.....	.....	.....	.....	.....	.....	2.008	.....
47	1910	4.366	.....	5.000	.....	.....	.....	1.021	.....	1.183	1.182	1.325
48	1900	3.591	.....	.....	.....	.....	.....	.....	.....	.....	1.305	.....
	Males—											
49	1920	3.528	.....	.....	.....	.....	.....	.....	.....	.....	4.264	.....
50	1910	3.670	.....	.....	.....	.....	.....	.....	.....	.....	2.667	.....
51	1900	3.803	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Females—											
52	1920	5.716	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
53	1910	5.152	.....	10.417	.....	.....	.....	1.916	.....	2.174	.....	2.688
54	1900	3.328	.....	.....	.....	.....	.....	.....	.....	.....	2.588	.....

[1] Endocarditis and myocarditis (unqualified, 60 years of age and over) excluded in 1900.

[2] Rate not computed; no population.

POPULATION, IN BOSTON, FROM CERTAIN CAUSES OF DEATH BY COLOR, SEX, AND AGE, AND BY SEX AND AGE AND OF MOTHERS BORN IN IRELAND: 1900, 1910, AND 1920—Continued.

rates not computed for white persons of mothers whose country of birth was unknown.]

25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 years and over.	Deaths at unknown age.	
23	25	64	63	127	160	177	245	249	266	228	149	85	32	6	.....	1
31	57	79	103	140	172	160	234	224	182	168	111	46	16	5	.....	2
65	57	82	82	103	132	152	135	161	138	76	54	21	3	1	.....	3
8	12	26	22	63	77	91	114	120	124	107	54	27	9	3	.....	4
13	23	31	56	67	84	73	125	104	70	66	42	17	7	2	.....	5
33	26	43	40	46	71	76	75	82	59	34	19	7	2	.....	.....	6
15	13	38	41	64	83	86	131	129	142	121	95	58	23	3	.....	7
18	34	48	47	73	88	87	109	120	112	102	69	29	9	3	.....	8
32	31	39	42	57	61	56	60	79	79	42	35	14	1	1	.....	9
0.318	0.393	1.043	1.192	2.573	3.954	6.165	11.056	17.472	28.012	41.304	59.292	86.470	115.942	98.361	.....	10
0.458	0.940	1.345	2.137	3.551	5.565	7.520	13.667	18.749	23.676	38.772	52.908	60.052	84.211	106.383	.....	11
1.002	1.023	1.689	2.221	3.626	5.427	7.910	9.862	18.455	23.679	23.016	33.395	38.043	17.857	34.483	.....	12
0.226	0.371	0.844	0.852	2.510	3.797	6.493	10.739	18.484	30.807	48.948	63.455	85.174	85.714	176.471	.....	13
0.388	0.771	1.060	2.313	3.382	5.472	7.112	16.164	19.512	22.457	38.801	53.985	65.891	120.689	166.667	.....	14
1.039	0.909	1.730	2.118	3.290	5.962	9.527	12.159	21.579	24.717	26.174	32.479	39.773	48.780	.....	.....	15
0.408	0.416	1.245	1.516	2.639	4.111	5.852	11.348	16.626	25.955	36.293	57.160	87.087	134.503	68.182	.....	16
0.526	1.104	1.628	1.959	3.721	5.656	7.900	11.609	18.135	24.508	38.754	52.273	57.088	68.182	85.714	.....	17
0.966	1.143	1.647	2.329	3.952	4.922	6.429	7.977	16.044	22.958	20.969	33.915	37.234	7.874	62.500	.....	18
23	22	62	58	120	156	157	236	242	259	219	147	83	32	5	.....	19
30	55	77	93	130	167	153	230	220	179	163	107	45	15	4	.....	20
62	54	75	75	99	126	128	132	159	135	75	53	21	3	.....	.....	21
8	10	25	21	60	77	84	111	114	120	105	53	27	9	2	.....	22
12	22	30	51	63	81	69	123	103	68	64	41	17	7	1	.....	23
32	25	37	36	43	65	73	74	81	58	34	19	7	2	.....	.....	24
15	12	37	37	60	79	73	125	128	139	114	94	56	23	3	.....	25
18	33	47	42	67	86	84	107	117	111	99	66	28	8	3	.....	26
30	29	38	39	56	61	55	58	78	77	41	34	14	1	.....	.....	27
0.328	0.356	1.045	1.131	2.503	3.947	5.567	10.833	17.259	27.689	40.213	59.060	86.279	117.647	96.154	.....	28
0.457	0.936	1.355	1.986	3.384	5.531	7.338	13.666	18.658	23.562	38.022	51.591	59.840	80.214	93.023	.....	29
0.986	0.999	1.592	2.087	3.583	5.303	7.792	9.771	18.428	23.393	22.950	33.084	38.817	18.072	.....	.....	30
0.233	0.320	0.841	0.841	2.474	3.910	6.133	10.657	17.843	30.196	48.747	62.722	86.262	86.538	142.857	.....	31
0.370	0.763	1.065	2.179	3.283	5.433	6.879	16.229	19.593	22.056	38.073	53.040	66.929	122.807	83.333	.....	32
1.044	0.907	1.541	1.971	3.182	5.610	9.312	12.175	21.600	24.504	26.439	32.590	40.462	51.283	.....	.....	33
0.420	0.394	1.251	1.406	2.533	3.984	5.033	10.995	16.769	25.836	34.629	57.178	86.287	136.905	78.947	.....	34
0.541	1.102	1.640	1.793	3.485	5.627	7.763	11.566	17.906	24.590	37.989	50.730	56.225	61.538	96.774	.....	35
0.930	1.095	1.642	2.207	3.968	5.010	6.404	7.804	15.990	22.615	20.606	33.366	38.044	7.874	.....	.....	36
.....	3	2	5	7	4	20	9	7	7	9	2	2	.....	1	.....	37
1	2	2	10	10	5	7	4	4	3	5	4	1	1	1	.....	38
3	3	7	7	4	6	4	3	2	3	1	1	.....	.....	1	.....	39
.....	2	1	1	3	.....	7	3	6	4	2	1	.....	.....	1	.....	40
1	1	1	5	4	3	4	2	1	2	2	1	.....	.....	1	.....	41
1	1	6	4	3	6	3	1	1	1	.....	.....	.....	.....	.....	.....	42
.....	1	1	4	4	4	13	6	1	3	7	1	2	.....	.....	.....	43
.....	1	1	5	6	2	3	2	3	1	3	3	1	1	.....	.....	44
2	2	1	3	1	.....	1	2	1	2	1	1	.....	.....	1	.....	45
.....	1.603	0.981	3.165	4.961	4.228	39.139	24.000	30.568	49.296	121.622	83.333	95.238	.....	111.111	.....	46
0.497	1.075	1.057	7.236	9.852	6.974	16.393	13.699	25.641	33.333	108.696	166.667	71.429	333.333	250.000	.....	47
1.517	1.783	4.838	7.121	5.161	10.676	15.444	16.760	20.833	52.632	29.412	66.667	.....	.....	250.000	.....	48
.....	1.896	0.913	1.181	3.517	.....	21.944	15.000	58.252	78.431	62.500	166.667	.....	.....	333.333	.....	49
0.936	0.984	0.946	6.211	6.410	6.803	17.021	12.987	13.699	58.824	100.000	200.000	.....	.....	(2)	.....	50
0.905	0.965	6.637	6.410	6.424	17.493	21.739	11.111	20.000	50.000	.....	.....	.....	.....	.....	.....	51
.....	1.224	1.059	5.457	7.168	11.173	67.708	34.286	7.937	32.967	166.667	55.556	117.647	.....	.....	.....	52
.....	1.185	1.198	8.666	15.345	7.246	15.625	14.493	36.145	17.857	115.385	157.895	100.000	500.000	.....	.....	53
2.291	3.091	1.842	8.357	3.247	.....	8.264	22.472	21.739	54.054	47.619	76.923	.....	.....	250.000	.....	54

TABLE 3.—ENUMERATED POPULATION, DEATHS (EXCLUDING NONRESIDENTS), AND DEATH RATES PER 1,000 FOR WHITE PERSONS OF MOTHERS BORN IN THE UNITED STATES

[Populations enumerated as of June 1, 1900, April 15, 1910, and January 1, 1920. Death

	CAUSE OF DEATH, SEX, COLOR, AND YEAR.	All ages.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	Organic diseases of the heart and acute nephritis and Bright's disease [1]—Con.											
	White.											
	Country of birth of mother—United States:											
	Deaths—											
	Both sexes—											
1	1920	445	5	1	1	1	1	9	4	7	9	6
2	1910	421	5	1	1	1	1	9	3	13	6	1
3	1900	364	5			1	2	8	7	9	6	8
	Males—											
4	1920	206	4	1	1			6	1	3	3	3
5	1910	217	1	1	1		1	4	1	6	2	
6	1900	194	2				2	4	5	2	4	3
	Females—											
7	1920	239	1			1	1	3	3	4	6	3
8	1910	204	4			1		5	2	7	4	1
9	1900	170	3			1		4	2	7	2	5
	Death rate per 1,000 enumerated population—											
	Both sexes—											
10	1920	2.032	0.882	0.169	0.176	0.187	0.195	0.325	0.179	0.350	0.500	0.294
11	1910	2.217	1.112	0.230	0.223	0.230	0.254	0.416	0.165	0.738	0.352	0.055
12	1900	2.153	1.222			0.259	0.547	0.414	0.424	0.617	0.432	0.487
	Males—											
13	1920	1.910	1.411	0.334	0.347			0.429	0.089	0.297	0.343	0.306
14	1910	2.336	0.436	0.449	0.449		0.502	0.367	0.110	0.690	0.239	
15	1900	2.323	0.964				1.116	0.417	0.603	0.273	0.593	0.368
	Females—											
16	1920	2.150	0.352			0.381	0.390	0.219	0.268	0.403	0.649	0.283
17	1910	2.103	1.817			0.459		0.467	0.219	0.783	0.461	0.107
18	1900	1.987	1.487			0.505		0.411	0.243	0.965	0.281	0.603
	Country of birth of mother—Ireland:											
	Deaths—											
	Both sexes—											
19	1920	686	2		1	1		4	2	4	4	4
20	1910	716			2			2	7	5	10	12
21	1900	554	3			1		4	8	4	6	19
	Males—											
22	1920	290	1					1		3	3	2
23	1910	272			1			1	3	1		2
24	1900	243	1					1	3	2	2	8
	Females—											
25	1920	396	1		1	1		3	2	1	1	2
26	1910	444			1			1	4	4	10	10
27	1900	311	2			1		3	5	2	4	11
	Death rate per 1,000 enumerated population—											
	Both sexes—											
28	1920	4.002	1.206		0.540	0.523		0.436	0.197	0.351	0.332	0.289
29	1910	4.118			0.819			0.172	0.553	0.390	0.815	0.816
30	1900	3.171	0.940			0.350		0.276	0.653	0.385	0.540	1.040
	Males—											
31	1920	3.668	1.235					0.215		0.525	0.507	0.316
32	1910	3.359			0.808			0.171	0.464	0.157		0.306
33	1900	2.949	0.626					0.137	0.491	0.388	0.393	1.039
	Females—											
34	1920	4.288	1.178		1.110	1.067		0.663	0.390	0.176	0.163	0.266
35	1910	4.779			0.831			0.172	0.646	0.620	1.549	1.226
36	1900	3.370	1.253			0.694		0.419	0.814	0.381	0.665	1.040
	Country of birth of mother—Unknown:											
	Deaths—											
	Both sexes—											
37	1920	133										
38	1910	206										3
39	1900	128								1	1	
	Males—											
40	1920	67										
41	1910	94										
42	1900	70										
	Females—											
43	1920	66										
44	1910	112										3
45	1900	58								1	1	

[1] Endocarditis and myocarditis (unqualified, 60 years of age and over) excluded in 1900.

POPULATION, IN BOSTON, FROM CERTAIN CAUSES OF DEATH BY COLOR, SEX, AND AGE, AND BY SEX AND AGE AND OF MOTHERS BORN IN IRELAND: 1900, 1910, AND 1920—Continued.

rates not computed for white persons of mothers whose country of birth was unknown.]

25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 years and over.	Deaths at unknown age.	
4	5	15	12	18	27	26	39	47	59	67	44	34	11	2	.....	1
8	11	13	14	25	37	27	45	60	39	47	38	19	4	2	.....	2
13	10	9	15	27	35	36	34	44	50	23	21	7	2	.....	.....	3
1	2	9	4	8	17	17	22	26	28	30	15	9	1	1	.....	4
4	7	5	6	15	21	14	29	32	18	21	21	8	2	1	.....	5
9	4	7	11	14	20	20	19	23	25	11	8	4	1	.....	.....	6
3	3	6	8	10	10	9	17	21	31	37	29	25	10	1	.....	7
4	4	8	8	10	16	13	16	28	21	26	17	11	2	1	.....	8
4	6	2	4	13	15	16	15	21	25	12	13	3	1	.....	.....	9
0.203	0.307	1.023	0 940	1.601	2.871	3.693	6.143	10.398	17.042	30.112	39.675	74.236	92.437	105.263	.....	10
0.460	0.749	0.972	1.301	2.774	4.339	4.064	7.914	14.158	12.816	24.855	38.776	46.229	42.105	181.818	.....	11
0.785	0.754	0.802	1.483	3.089	4.329	5.904	6.646	12.557	19.639	14.180	24.249	21.148	22.222	.....	.....	12
0.102	0.249	1.237	0.636	1.413	3.572	4.925	7.338	12.393	19.485	36.810	45.593	58.824	25.641	200.000	.....	13
0.465	0.976	0.748	1.118	3.363	4.988	4.365	11.288	16.833	14.610	29.494	60.000	60.606	71.429	250.000	.....	14
1.050	0.580	1.225	2.160	3.308	5.081	6.897	8.214	14.848	24.016	17.828	27.304	40.000	43.478	.....	.....	15
0.305	0.365	0.812	1.235	1.791	2.153	2.508	5.073	8.671	15.309	26.241	37.179	81.967	125.000	71.429	.....	16
0.456	0.533	1.196	1.483	2.197	3.705	3.782	5.133	11.981	11.596	22.053	26.984	39.427	29.851	142.857	.....	17
0.501	0.944	0.363	0.796	2.884	3.615	5.003	5.351	10.742	16.611	11.940	22.688	12.987	14.925	.....	.....	18
8	5	16	23	47	61	59	90	104	103	75	39	26	10	2	.....	19
14	26	34	43	62	68	71	100	89	76	50	28	12	6	1	.....	20
21	25	50	40	38	58	60	57	73	42	24	19	5	1	.....	.....	21
3	1	5	7	20	30	32	45	43	42	32	11	6	4	.....	.....	22
6	7	13	23	21	30	33	49	30	23	18	8	3	1	.....	.....	23
12	11	24	17	13	27	32	28	35	10	12	5	.....	1	.....	.....	24
5	4	11	16	27	31	27	45	61	61	43	28	20	6	2	.....	25
8	19	21	20	41	38	38	51	59	53	32	20	9	5	1	.....	26
9	14	26	23	25	31	28	29	38	32	12	14	5	.....	.....	.....	27
0.524	0.357	1.060	1.552	2.970	4.532	6.197	12.791	23.985	37.117	47.649	60.842	119.266	156.250	166.667	.....	28
0.854	1.542	1.851	2.725	4.773	7.050	11.275	18.961	23.607	32.674	41.186	52.045	71.856	120.000	45.455	.....	29
0.926	1.261	2.812	3.120	3.918	6.946	10.929	11.892	24.350	22.364	25.834	41.850	39.683	22.727	.....	.....	30
0.442	0.157	0.753	1.091	2.707	4.765	7.308	14.010	23.243	38.462	52.288	48.246	93.750	173.913	.....	.....	31
0.834	0.930	1.550	3.064	3.365	6.522	11.228	21.557	18.797	25.275	39.046	41.026	56.604	83.333	.....	.....	32
1.158	1.128	2.723	2.663	2.825	6.948	12.744	13.625	29.022	13.986	34.985	30.120	.....	76.923	.....	.....	33
0.590	0.523	1.300	1.903	3.201	4.327	5.252	11.768	24.537	36.245	44.699	67.797	129.870	146.341	200.000	.....	34
0.870	2.036	2.104	2.418	6.073	7.531	11.316	16.994	27.139	37.429	42.497	58.309	78.947	131.579	55.556	.....	35
0.730	1.390	2.899	3.573	4.903	6.944	9.399	10.592	21.205	27.515	20.478	48.611	59.524	.....	.....	.....	36
.....	.....	5	3	7	12	6	22	14	20	16	20	3	5	.....	.....	37
1	1	6	10	9	23	24	25	28	28	24	17	5	1	1	.....	38
2	4	4	5	11	12	8	13	20	23	11	8	5	.....	.....	.....	39
.....	.....	4	1	4	2	2	11	10	13	8	8	2	2	.....	.....	40
.....	1	3	5	5	12	9	10	20	9	11	5	3	1	.....	.....	41
1	3	1	3	6	6	6	9	13	12	4	4	2	.....	.....	.....	42
.....	.....	1	2	3	10	4	11	4	7	8	12	1	3	.....	.....	43
1	.....	3	5	4	11	15	15	8	19	13	12	2	.....	1	.....	44
1	1	3	2	5	6	2	4	7	11	7	4	3	.....	.....	.....	45

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION STATES,[1] FROM EACH CAUSE AND CLASS OF CAUSES, BY COLOR AND SEX: 1921.

Detailed Int. List No.	CAUSE OF DEATH.	ALL DEATHS.		WHITE.		COLORED.		NEGRO.		INDIAN.		CHINESE.		JAPANESE.		OTHER COLORED.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
	All causes	533,267	476,406	475,172	420,421	58,095	55,985	55,119	54,478	849	876	1,222	131	830	497	75	3
	I.—Epidemic, endemic, and infectious diseases	84,271	75,612	69,639	61,295	14,632	14,317	13,784	13,858	261	278	333	38	215	142	39	1
1	Typhoid and paratyphoid fever	4,312	3,451	3,471	2,663	841	788	816	775	7	3	5	1	13	9	.....	.....
2	Typhus fever	8	4	8	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Relapsing fever (spirillum obermeieri)	2	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Malta fever	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Malaria	1,551	1,553	777	723	774	830	774	828	.....	2	.....	.....	.....	.....	.....	.....
6	Smallpox	379	241	287	185	92	56	89	55	3	1	.....	.....	.....	.....	.....	.....
7	Measles	1,960	1,734	1,824	1,621	136	113	122	106	7	6	2	.....	5	1	.....	.....
8	Scarlet fever	2,291	2,390	2,251	2,348	40	42	37	41	1	.....	.....	.....	2	1	.....	.....
9	Whooping cough	3,650	4,317	2,933	3,539	717	778	681	751	17	14	5	2	13	11	1	.....
10	Diphtheria	7,968	7,552	7,596	7,188	372	364	363	356	2	1	3	5	4	2	.....	.....
11a	Influenza (with pulmonary complications)	2,979	2,806	2,567	2,428	412	378	397	364	5	8	7	1	2	5	1	.....
11b	Influenza (other and unspecified)	2,059	2,053	1,790	1,751	269	302	258	298	8	2	1	.....	2	2	.....	.....
12	Miliary fever	1	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Mumps	75	56	67	47	8	9	7	9	.....	.....	1	.....	.....	.....	.....	.....
15	Cholera nostras	123	108	106	92	17	16	16	15	1	1	.....	.....	.....	.....	.....	.....
16	Dysentery	1,725	1,711	1,378	1,368	347	343	337	334	9	5	.....	.....	1	4	.....	.....
17	Plague	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
18	Yellow fever	1	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
19	Spirochetal hemorrhagic jaundice	18	7	15	6	3	1	3	1	.....	.....	.....	.....	.....	.....	.....	.....
20	Leprosy	14	2	10	2	4	.....	3	.....	.....	.....	1	.....	.....	.....	.....	.....
21	Erysipelas	1,315	1,143	1,256	1,091	59	52	52	46	2	3	3	.....	2	3	.....	.....
22	Acute anterior poliomyelitis	888	701	860	672	28	29	27	28	1	.....	.....	.....	.....	1	.....	.....
23	Lethargic encephalitis	702	632	658	597	44	35	41	32	1	1	1	.....	1	2	.....	.....
24	Meningococcus meningitis	780	482	695	458	85	24	65	24	3	.....	13	.....	2	.....	2	.....
25	Other epidemic and endemic diseases	121	87	113	79	8	8	8	5	.....	2	.....	.....	.....	1	.....	.....
26	Glanders	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
27	Anthrax	25	6	21	6	4	.....	4	.....	.....	.....	.....	.....	.....	.....	.....	.....
28	Rabies	31	20	29	18	2	2	2	1	.....	.....	.....	.....	.....	1	.....	.....
29	Tetanus	1,034	435	824	320	210	115	208	113	.....	1	1	.....	1	1	.....	.....
30	Mycoses	103	92	57	48	46	44	46	44	.....	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	45,106	40,633	36,457	31,722	8,649	8,911	8,020	8,581	176	211	262	29	159	89	32	1
31	Of the respiratory system	39,083	35,088	31,453	27,082	7,630	8,006	7,088	7,741	149	188	246	24	120	52	27	1
32	Of the meninges, central nervous system	2,258	1,949	1,995	1,738	263	211	222	175	12	13	7	2	20	21	2	.....
33	Of the intestines, peritoneum	1,372	1,724	1,087	1,366	285	358	268	341	5	4	3	2	9	11	.....	.....
34	Of the vertebral column	542	368	450	322	92	46	88	43	1	.....	1	1	2	2	.....	.....
35	Of the joints	277	149	235	124	42	25	41	25	.....	.....	.....	.....	1	.....	.....	.....
36	Of other organs	647	500	533	439	114	61	111	58	1	3	.....	.....	2	.....	.....	.....
37a	Disseminated (acute)	698	656	512	485	186	171	171	166	4	2	4	.....	5	3	2	.....
37b	Disseminated (chronic or unspecified)	229	199	192	166	37	33	31	32	4	1	1	.....	.....	.....	1	.....
38	Syphilis	4,309	2,322	2,950	1,482	1,359	840	1,309	819	16	13	24	.....	8	8	2	.....
39	Soft chancre	3	2	1	1	2	1	1	1	.....	.....	1	.....	.....	.....	.....	.....
40	Gonococcus infection	102	493	61	341	41	152	38	151	.....	1	2	.....	.....	.....	1	.....
41	Purulent infection, septicemia	629	572	568	491	61	81	59	78	2	3	.....	.....	.....	.....	.....	.....
42	Other infectious diseases	4	5	3	2	1	3	.....	2	.....	.....	1	.....	.....	1	.....	.....
	II.—General diseases not included in Class I	48,742	63,003	46,307	58,473	2,435	4,530	2,235	4,456	38	44	117	9	45	21	.....	.....
	Cancer and other malignant tumors (total)	32,027	43,086	30,880	40,611	1,147	2,475	1,026	2,428	21	28	69	8	31	11	.....	.....
43	Of the buccal cavity	2,099	465	2,027	435	72	30	70	27	.....	2	2	1	.....	.....	.....	.....
44	Of the stomach, liver	14,665	13,378	14,093	12,845	572	533	499	514	13	14	39	2	21	3	.....	.....
45	Of the peritoneum, intestines, rectum	4,628	5,868	4,489	5,682	139	186	122	181	3	1	8	2	6	2	.....	.....
46	Of the female genital organs	.....	10,919	.....	9,807	.....	1,112	.....	1,096	.....	9	.....	2	.....	5	.....	.....
47	Of the breast	86	6,839	84	6,484	2	355	2	353	.....	2	.....	.....	.....	.....	.....	.....
48	Of the skin	1,466	929	1,447	907	19	22	18	22	.....	.....	1	.....	.....	.....	.....	.....
49	Of other or unspecified organs	9,083	4,688	8,740	4,451	343	237	315	235	5	.....	19	1	4	1	.....	.....
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	328	389	306	350	22	39	22	39	.....	.....	.....	.....	.....	.....	.....	.....
51	Acute rheumatic fever	1,518	1,694	1,335	1,474	183	220	178	215	4	4	.....	.....	1	1	.....	.....
52	Chronic rheumatism, osteoarthritis, gout	367	644	340	622	27	22	27	22	.....	.....	.....	.....	.....	.....	.....	.....
53	Scurvy	30	30	24	23	6	7	5	6	.....	.....	.....	.....	1	1	.....	.....
54	Pellagra	682	1,666	327	597	355	1,069	353	1,068	2	.....	.....	.....	.....	1	.....	.....
55	Beriberi	4	2	2	.....	2	2	.....	.....	.....	.....	1	.....	1	2	.....	.....
56	Rickets	288	222	208	160	80	62	80	61	.....	1	.....	.....	.....	.....	.....	.....
57	Diabetes mellitus	6,470	8,211	6,207	7,876	263	335	230	329	4	6	27	.....	2	.....	.....	.....
58	Anemia, chlorosis	2,093	2,658	2,044	2,597	49	61	43	58	.....	2	4	.....	2	1	.....	.....
59	Diseases of the pituitary gland	32	21	31	20	1	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....
60a	Exophthalmic goiter	168	1,301	160	1,232	8	69	6	68	.....	1	.....	1	1	1	.....	.....
60b	Other diseases of the thyroid gland	134	713	129	677	5	36	5	34	.....	2	.....	.....	.....	.....	.....	.....
61	Diseases of the parathyroid glands	37	31	30	27	7	4	6	3	.....	.....	1	.....	.....	1	.....	.....
62	Diseases of the thymus gland	358	205	332	192	26	13	24	12	.....	.....	1	.....	1	1	.....	.....
63	Diseases of the adrenals (Addison's disease)	186	175	180	174	6	1	5	1	.....	.....	1	.....	.....	.....	.....	.....
64	Diseases of the spleen	152	107	146	103	6	4	5	4	.....	.....	1	.....	.....	.....	.....	.....
65a	Leukemia	694	523	676	503	18	20	18	19	.....	.....	.....	.....	.....	1	.....	.....
65b	Hodgkin's disease	391	211	384	203	7	8	7	8	.....	.....	.....	.....	.....	.....	.....	.....
66	Alcoholism (acute or chronic)	1,452	121	1,356	95	96	26	87	25	6	.....	2	1	1	.....	.....	.....
67a	Chronic lead poisoning	137	1	130	1	7	.....	7	.....	.....	.....	.....	.....	.....	.....	.....	.....
67b	Other chronic mineral poisoning	11	4	8	1	3	3	3	3	.....	.....	.....	.....	.....	.....	.....	.....
68	Chronic poisoning by organic substances	136	84	119	78	17	6	10	6	.....	.....	7	.....	.....	.....	.....	.....
69	Other general diseases	1,047	904	953	857	94	47	87	46	1	1	2	.....	4	.....	.....	.....

[1] Including District of Columbia.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION STATES,[1] FROM EACH CAUSE AND CLASS OF CAUSES, BY COLOR AND SEX: 1921—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	ALL DEATHS.		WHITE.		COLORED.		NEGRO.		INDIAN.		CHINESE.		JAPANESE.		OTHER COLORED.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
	III.—Diseases of the nervous system and of the organs of special sense	55,114	51,684	50,672	47,141	4,442	4,543	4,276	4,477	42	48	91	5	31	13	2	.....
70	Encephalitis	593	484	529	432	64	52	61	49	.....	2	1	.....	1	1	1	.....
71a	Simple meningitis	1,475	1,162	1,350	1,076	125	86	115	80	3	.....	1	.....	6	6	.....	.....
71b	Nonepidemic cerebrospinal meningitis	541	404	496	359	45	45	41	41	1	2	1	2	2	.....	.....	.....
72	Tabes dorsalis (locomotor ataxia)	1,313	355	1,239	337	74	18	69	18	.....	.....	4	.....	1	.....	.....	.....
73	Other diseases of the spinal cord	2,387	2,084	2,256	1,971	131	113	125	113	1	.....	4	.....	1	.....	.....	.....
74a	Cerebral hemorrhage	34,055	35,365	31,771	33,060	2,284	2,305	2,199	2,773	17	25	60	3	8	4	.....	.....
74b	Cerebral embolism and thrombosis	1,087	1,199	1,040	1,146	47	53	47	52	.....	1	.....	.....	.....	.....	.....	.....
75	Paralysis without specified cause	2,468	2,914	2,031	2,285	437	629	429	620	7	9	.....	.....	1	.....	.....	.....
76	General paralysis of the insane	4,244	1,325	3,797	1,190	447	135	425	135	.....	.....	16	.....	5	.....	1	.....
77	Other forms of mental alienation	634	833	550	739	84	94	83	92	.....	2	.....	.....	1	.....	.....	.....
78	Epilepsy	1,594	1,160	1,365	1,025	229	135	227	134	2	1	.....	.....	.....	.....	.....	.....
79	Convulsions (nonpuerperal; 5 years and over)	50	85	31	59	19	26	18	26	1	.....	.....	.....	.....	.....	.....	.....
80	Infantile convulsions (under 5 years)	1,105	860	882	671	223	189	214	188	7	1	.....	.....	2	.....	.....	.....
81	Chorea	36	64	31	59	5	5	5	5	.....	.....	.....	.....	.....	.....	.....	.....
82	Neuralgia and neuritis	137	200	124	186	13	14	13	14	.....	.....	.....	.....	.....	.....	.....	.....
83	Softening of the brain	369	375	351	363	18	12	18	12	.....	.....	.....	.....	.....	.....	.....	.....
84	Other diseases of the nervous system	1,368	1,117	1,262	1,050	106	67	102	65	.....	1	3	.....	1	1	.....	.....
85	Diseases of the eye and annexa	49	32	44	28	5	4	5	4	.....	.....	.....	.....	.....	.....	.....	.....
86a	Diseases of the ear	995	741	942	698	53	43	50	41	1	1	1	.....	1	1	.....	.....
86b	Diseases of the mastoid process	614	425	581	407	33	18	30	15	2	3	.....	.....	1	.....	.....	.....
	IV.—Diseases of the circulatory system	82,493	75,989	76,042	69,489	6,451	6,500	6,203	6,408	44	67	171	13	31	12	2	.....
87	Pericarditis	498	365	436	316	62	49	61	49	.....	.....	1	.....	.....	.....	.....	.....
88	Endocarditis and myocarditis (acute)	2,560	2,690	2,314	2,407	246	283	239	277	1	2	4	.....	2	4	.....	.....
89	Angina pectoris	5,205	2,688	5,079	2,536	126	152	121	148	3	2	2	.....	.....	2	.....	.....
90	Other diseases of the heart	62,470	60,681	57,117	55,162	5,353	5,519	5,148	5,447	31	54	149	12	24	6	1	.....
91a	Aneurysm	1,114	392	903	332	211	60	204	60	.....	.....	5	.....	2	.....	.....	.....
91b,c	Other diseases of the arteries	9,553	8,091	9,168	7,737	385	354	367	348	7	5	10	1	1	.....	.....	.....
92	Embolism and thrombosis (not cerebral)	702	608	682	579	20	29	17	27	1	2	.....	.....	1	.....	1	.....
93	Diseases of the veins	194	283	178	275	16	8	16	8	.....	.....	.....	.....	.....	.....	.....	.....
94	Diseases of the lymphatic system	106	82	95	76	11	6	10	6	.....	.....	.....	.....	1	.....	.....	.....
95	Hemorrhage without specified cause	60	75	47	47	13	28	12	26	1	2	.....	.....	.....	.....	.....	.....
96	Other diseases of the circulatory system	31	34	23	22	8	12	8	12	.....	.....	.....	.....	.....	.....	.....	.....
	V.—Diseases of the respiratory system	50,387	42,772	44,341	37,871	6,046	4,901	5,718	4,720	124	105	116	16	80	60	8	.....
97a	Diseases of the nasal fossae	193	171	90	71	103	100	100	99	3	1	.....	.....	.....	.....	.....	.....
97b	Diseases of the nasal fossae annexa	256	158	240	145	16	13	16	13	.....	.....	.....	.....	.....	.....	.....	.....
98	Diseases of the larynx	447	334	419	301	28	33	27	33	.....	.....	.....	.....	1	.....	.....	.....
99a	Acute bronchitis	1,550	1,667	1,396	1,500	154	167	146	151	1	7	2	.....	5	9	.....	.....
99b	Chronic bronchitis	1,238	1,348	1,164	1,258	74	90	67	88	3	2	4	.....	.....	.....	.....	.....
99c 99d	Bronchitis (unspecified)	951	1,118	813	953	138	165	129	157	9	5	.....	2	.....	1	.....	.....
100a	Bronchopneumonia	17,353	15,804	15,464	14,151	1,889	1,653	1,783	1,590	38	28	34	7	33	28	1	.....
100b	Capillary bronchitis	585	595	505	524	80	71	78	69	.....	.....	1	2	1	.....	.....	.....
101a	Lobar pneumonia	21,076	16,061	18,518	14,300	2,558	1,761	2,413	1,719	44	22	62	3	33	17	6	.....
101b	Pneumonia (unspecified)	2,788	2,508	2,207	1,967	581	541	552	504	20	35	5	.....	4	2	.....	.....
102	Pleurisy	1,541	1,092	1,388	982	153	110	143	101	3	4	3	2	3	3	1	.....
103	Congestion and hemorrhagic infarct of the lung	740	804	648	762	92	42	90	42	1	.....	1	.....	.....	.....	.....	.....
104	Gangrene of the lung	137	50	131	48	6	2	6	2	.....	.....	.....	.....	.....	.....	.....	.....
105	Asthma	936	792	823	683	113	109	112	108	.....	1	1	.....	.....	.....	.....	.....
106	Pulmonary emphysema	91	51	88	45	3	6	3	6	.....	.....	.....	.....	.....	.....	.....	.....
107	Other diseases of the respiratory system (tuberculosis excepted)	505	219	447	181	58	38	53	38	2	.....	3	.....	.....	.....	.....	.....
	VI.—Diseases of the digestive system	53,038	45,450	47,758	40,533	5,280	4,917	4,987	4,749	86	75	74	17	131	75	2	1
108	Diseases of the mouth and annexa	337	244	296	207	41	37	39	37	.....	.....	2	.....	.....	.....	.....	.....
109a	Adenoid vegetations	10	2	7	2	3	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
109b	Other diseases of the pharynx, tonsils	1,849	1,649	1,714	1,503	135	146	125	142	1	3	4	1	5	.....	.....	.....
110	Diseases of the esophagus	72	43	65	39	7	4	6	4	.....	.....	.....	.....	1	.....	.....	.....
111a	Ulcer of the stomach	2,117	1,077	1,941	950	176	127	159	124	1	1	8	.....	8	2	.....	.....
111b	Ulcer of the duodenum	772	260	741	246	31	14	24	12	.....	1	2	.....	4	1	1	.....
112	Other diseases of the stomach (cancer excepted)	3,314	3,081	2,745	2,414	569	667	554	650	8	6	1	2	6	9	.....	.....
113	Diarrhea and enteritis (under 2 years)	19,993	15,987	17,850	14,069	2,143	1,918	2,040	1,833	51	40	2	9	50	36	.....	.....
114	Diarrhea and enteritis (2 years and over)	3,967	4,384	3,560	3,861	407	523	381	503	6	8	4	2	16	10	.....	.....
115	Ancylostomiasis	14	10	12	7	2	3	2	3	.....	.....	.....	.....	.....	.....	.....	.....
116	Diseases due to other intestinal parasites	81	72	51	37	30	35	30	35	.....	.....	.....	.....	.....	.....	.....	.....
117	Appendicitis and typhlitis	7,290	5,066	6,753	4,651	537	415	496	405	9	5	10	.....	21	5	1	.....
118a	Hernia	1,811	1,375	1,625	1,316	186	59	178	59	1	.....	6	.....	1	.....	.....	.....
118b	Intestinal obstruction	3,003	3,064	2,672	2,737	331	327	313	317	4	1	4	1	10	7	.....	1
119	Other diseases of the intestines	665	617	593	533	72	84	70	84	.....	.....	1	.....	1	.....	.....	.....
120	Acute yellow atrophy of the liver	140	218	123	207	17	11	16	10	.....	.....	1	.....	.....	1	.....	.....
121	Hydatid tumor of the liver	14	14	14	13	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
122	Cirrhosis of the liver	4,100	2,353	3,765	2,148	335	205	313	200	2	3	19	2	1	.....	.....	.....
123	Biliary calculi	942	2,478	912	2,422	30	56	25	52	1	1	2	.....	2	3	.....	.....
124	Other diseases of the liver	1,518	2,247	1,393	2,115	125	132	116	131	1	1	8	.....	.....	.....	.....	.....
125	Diseases of the pancreas	254	235	243	225	11	10	8	10	.....	.....	.....	.....	3	.....	.....	.....
126	Peritonitis without specified cause	701	920	617	784	84	136	82	130	1	5	.....	.....	1	1	.....	.....
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	74	54	66	47	8	7	7	7	.....	.....	.....	.....	1	.....	.....	.....

[1] Including District of Columbia.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION STATES,[1] FROM EACH CAUSE AND CLASS OF CAUSES, BY COLOR AND SEX: 1921—Continued.

Detailed List No.	CAUSE OF DEATH.	ALL DEATHS.		WHITE.		COLORED.		NEGRO.		INDIAN.		CHINESE.		JAPANESE.		OTHER COLORED.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	45,121	41,668	40,190	36,862	4,931	4,806	4,760	4,740	36	36	105	7	26	22	4	1
128	Acute nephritis (including unspecified under 10 years)	2,926	2,595	2,389	2,068	537	527	523	518	3	6	5	.....	4	3	2	.....
129	Chronic nephritis (including unspecified 10 years and over)	35,732	32,787	32,026	29,488	3,706	3,299	3,566	3,253	26	26	95	5	17	14	2	1
130	Chyluria	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
131	Other diseases of the kidneys and annexa	1,096	994	950	896	146	98	139	96	2	.....	.....	1	5	1	.....	.....
132	Calculi of the urinary passages	430	186	406	176	24	10	21	9	2	1	1	.....	.....	.....	.....	.....
133	Diseases of the bladder	852	234	734	203	118	31	117	31	.....	.....	1	.....	.....	.....	.....	.....
134	Diseases of the urethra, etc	287	24	189	21	98	3	96	3	.....	.....	2	.....	.....	.....	.....	.....
135	Diseases of the prostate	3,715	.....	3,427	.....	288	.....	284	.....	3	.....	1	.....	.....	.....	.....	.....
136	Nonvenereal diseases of the male genital organs	73	.....	59	.....	14	.....	14	.....	.....	.....	.....	.....	.....	.....	.....	.....
137	Cysts, other benign tumors of the ovary	.....	690	.....	630	.....	60	.....	57	.....	1	.....	1	.....	1	.....	.....
138	Salpingitis and pelvic abscess (female)	.....	1,732	.....	1,375	.....	357	.....	353	.....	1	.....	.....	.....	3	.....	.....
139	Benign tumors of the uterus	.....	1,731	.....	1,400	.....	331	.....	331	.....	.....	.....	.....	.....	.....	.....	.....
140	Nonpuerperal uterine hemorrhage	.....	59	.....	45	.....	14	.....	14	.....	.....	.....	.....	.....	.....	.....	.....
141	Other diseases of the female genital organs	.....	625	.....	549	.....	76	.....	75	.....	1	.....	.....	.....	.....	.....	.....
142	Nonpuerperal diseases of the breast (cancer excepted)	9	11	9	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	VIII.—The puerperal state	.....	14,562	.....	12,404	.....	2,158	.....	2,103	.....	27	.....	2	.....	26	.....	.....
143	Accidents of pregnancy	.....	1,216	.....	1,060	.....	156	.....	151	.....	4	.....	.....	.....	1	.....	.....
144	Puerperal hemorrhage	.....	1,494	.....	1,312	.....	182	.....	173	.....	1	.....	1	.....	7	.....	.....
145	Other accidents of labor	.....	1,468	.....	1,197	.....	271	.....	268	.....	2	.....	.....	.....	1	.....	.....
146	Puerperal septicemia	.....	5,881	.....	5,048	.....	833	.....	810	.....	13	.....	1	.....	9	.....	.....
147	Puerperal phlegmasia alba dolens, embolus, etc	.....	538	.....	503	.....	35	.....	33	.....	2	.....	.....	.....	.....	.....	.....
148	Puerperal albuminuria and convulsions	.....	3,877	.....	3,203	.....	674	.....	661	.....	5	.....	.....	.....	8	.....	.....
149	Following childbirth (undefined)	.....	83	.....	76	.....	7	.....	7	.....	.....	.....	.....	.....	.....	.....	.....
150	Puerperal diseases of the breast	.....	5	.....	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	IX.—Diseases of the skin and of the cellular tissue	1,916	1,433	1,776	1,273	140	160	129	156	2	4	6	.....	2	.....	1	.....
151	Gangrene	736	588	667	513	69	75	65	74	1	1	2	.....	1	.....	.....	.....
152	Furuncle	426	217	415	192	11	25	11	23	.....	2	.....	.....	.....	.....	.....	.....
153	Acute abscess	385	264	347	237	38	27	33	27	.....	.....	3	.....	1	.....	1	.....
154	Other diseases of the skin and annexa	369	364	347	331	22	33	20	32	1	1	1	.....	.....	.....	.....	.....
	X.—Diseases of the bones and of the organs of locomotion	782	440	737	409	45	31	43	30	1	1	.....	.....	1	.....	.....	.....
155	Diseases of the bones (tuberculosis excepted)	581	299	551	280	30	19	29	18	.....	1	.....	.....	1	.....	.....	.....
156	Diseases of the joints (tuberculosis and rheumatism excepted)	164	111	155	102	9	9	8	9	1	.....	.....	.....	.....	.....	.....	.....
157	Amputations	3	1	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
158	Other diseases of the organs of locomotion	34	29	28	26	6	3	6	3	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Malformations	7,688	5,890	7,297	5,578	391	312	358	281	6	9	3	5	24	17	.....	.....
159a	Congenital hydrocephalus	724	586	667	547	57	39	54	38	1	.....	.....	.....	2	1	.....	.....
159b	Congenital malformations of the heart	4,679	3,400	4,460	3,224	219	176	202	157	3	4	.....	3	14	12	.....	.....
159c	Other congenital malformations	2,285	1,904	2,170	1,807	115	97	102	86	2	5	3	2	8	4	.....	.....
	XII.—Early infancy	34,424	25,160	30,953	22,386	3,471	2,774	3,316	2,653	43	36	16	9	94	76	2	.....
160	Congenital debility, icterus, sclerema	5,062	3,649	4,331	3,084	731	565	696	547	12	9	4	.....	19	9	.....	.....
161a	Premature birth	20,714	15,889	18,610	14,109	2,104	1,780	2,020	1,710	22	13	8	7	54	50	.....	.....
161b	Injury at birth	5,490	3,343	5,226	3,163	264	180	255	170	1	3	3	1	5	6	.....	.....
162	Other diseases peculiar to early infancy	3,086	2,210	2,731	1,980	355	230	328	209	8	9	1	1	16	11	2	.....
163	Lack of care	72	69	55	50	17	19	17	17	.....	2	.....	.....	.....	.....	.....	.....
164	XIII.—Old age (senility)	4,509	6,209	3,711	5,148	798	1,061	771	1,026	16	34	11	1	.....	.....	.....	.....
	XIV.—External causes	57,155	20,361	51,302	18,397	5,853	1,964	5,435	1,890	80	33	175	9	148	32	15	.....
	Suicide (total)	8,430	2,476	8,175	2,394	255	82	183	70	10	2	30	4	28	6	4	.....
165	By poisons (corrosives excepted)	250	145	242	137	8	8	1	6	.....	.....	1	2	6	.....	.....	.....
166	By corrosive substances	711	554	698	535	13	19	11	19	.....	.....	.....	.....	1	.....	1	.....
167	By poisonous gas	913	472	901	463	12	9	9	7	.....	.....	3	1	.....	1	.....	.....
168	By hanging or strangulation	1,571	363	1,544	352	27	11	11	6	2	.....	11	.....	3	5	.....	.....
169	By drowning	430	275	411	263	19	12	14	11	1	1	3	.....	1	.....	.....	.....
170	By firearms	3,610	405	3,472	390	138	15	112	14	6	.....	10	1	9	.....	1	.....
171	By cutting or piercing instruments	609	93	590	92	19	1	12	.....	.....	1	2	.....	4	.....	1	.....
172	By jumping from high places	167	101	161	98	6	3	4	3	.....	.....	.....	.....	2	.....	.....	.....
173	By crushing	103	26	94	24	9	2	6	2	.....	.....	.....	.....	2	.....	1	.....
174	By other means	66	42	62	40	4	2	3	2	1	.....	.....	.....	.....	.....	.....	.....
	Homicide (total)	5,682	1,408	3,852	945	1,830	463	1,710	450	14	4	84	2	17	7	5	.....
197	By firearms	4,393	785	2,919	488	1,474	297	1,387	288	13	2	62	1	11	6	1	.....
198	By cutting or piercing instruments	516	171	318	80	198	91	188	90	.....	.....	5	1	3	.....	2	.....
199	By other means	773	452	615	377	158	75	135	72	1	2	17	.....	3	1	2	.....

[1] Including District of Columbia.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION STATES,[1] FROM EACH CAUSE AND CLASS OF CAUSES, BY COLOR AND SEX: 1921—Continued.

Detailed List No.	CAUSE OF DEATH.	ALL DEATHS.		WHITE.		COLORED.		NEGRO.		INDIAN.		CHINESE.		JAPANESE.		OTHER COLORED.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
	XIV.—External causes—Contd.																
	Accidental or undefined (total)	43,043	16,477	39,275	15,058	3,768	1,419	3,542	1,370	56	27	61	3	103	19	6	.....
175	Poisoning by food	480	407	415	351	65	56	59	52	2	3	2	.....	2	1	.....	.....
176	Poisoning by venomous animals	54	33	42	26	12	7	12	7	.....	.....	.....	.....	.....	.....	.....	.....
177	Other acute poisonings (gas excepted)	908	582	797	507	111	75	103	70	3	3	.....	1	4	1	1	.....
178	Conflagration	516	386	456	316	60	70	54	68	.....	1	4	.....	2	1	.....	.....
179	Burns (conflagration excepted)	2,180	2,996	1,891	2,526	289	470	279	466	3	3	3	.....	4	1	.....	.....
180	Mechanical suffocation	585	344	492	267	93	77	87	75	.....	.....	2	1	4	1	.....	.....
181	Absorption of irrespirable, irritating, or poisonous gas	1,228	534	1,191	515	37	19	34	18	.....	.....	2	1	1	.....	.....	.....
182	Drowning	5,581	787	4,953	724	628	63	595	53	11	3	9	.....	12	7	1	.....
183	Traumatism by firearms (except in war)	1,953	292	1,549	191	404	101	394	99	4	2	1	.....	5	.....	.....	.....
184	Traumatism by cutting or piercing instruments	348	115	312	100	36	15	35	15	.....	.....	1	.....	.....	.....	.....	.....
185	Traumatism by fall	5,146	4,790	4,379	4,658	267	132	247	126	6	5	7	.....	7	1	.....	.....
186a	Traumatism in mines	1,746	1	1,674	1	72	.....	70	.....	.....	.....	.....	.....	2	.....	.....	.....
186b	Traumatism in quarries	87	.....	84	.....	3	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
187	Traumatism by machines	1,492	44	1,359	40	133	4	128	4	1	.....	.....	.....	3	.....	1	.....
188a	Railroad accidents	4,496	680	4,102	640	394	40	373	40	7	.....	3	.....	11	.....	.....	.....
188b	Street-car accidents	1,066	361	1,018	342	48	19	43	18	.....	.....	1	.....	4	1	.....	.....
188c	Automobile accidents	7,411	2,492	7,081	2,405	330	87	288	82	2	1	15	.....	24	4	1	.....
188d	Aeroplane and balloon accidents	114	13	114	9	.....	4	.....	4	.....	.....	.....	.....	.....	.....	.....	.....
188 e, f	Injuries by other vehicles	1,445	216	1,352	189	93	27	78	23	3	3	4	.....	8	1	.....	.....
188g	Landslide, other crushing	465	24	424	22	41	2	38	2	1	.....	.....	.....	2	.....	.....	.....
189	Injuries by animals (not poisoning)	606	61	562	55	44	6	40	6	1	.....	1	.....	2	.....	.....	.....
190	Wounds of war	24	.....	21	.....	3	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
192	Starvation (deprivation of food or water)	11	6	10	6	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
193	Excessive cold	102	9	89	7	13	2	11	2	.....	.....	1	.....	.....	.....	1	.....
194	Excessive heat	634	304	554	266	80	38	75	36	1	2	2	.....	2	.....	.....	.....
195	Lightning	378	81	311	65	67	16	67	16	.....	.....	.....	.....	.....	.....	.....	.....
196	Other accidental electric shocks	706	18	671	18	35	.....	34	.....	1	.....	.....	.....	.....	.....	.....	.....
201	Fracture (cause not specified)	276	210	253	204	23	6	23	6	.....	.....	.....	.....	.....	.....	.....	.....
202	Other external violence	2,279	454	1,987	402	292	52	279	52	6	.....	2	.....	4	.....	1	.....
203	Violent deaths of unknown causation	726	237	632	206	94	31	89	30	4	1	1	.....	.....	.....	.....	.....
	XV.—Ill-defined diseases	7,627	6,173	4,447	3,162	3,180	3,011	3,104	2,931	70	79	4	.....	2	1	.....	.....
204	Sudden death	553	422	393	262	160	160	156	158	3	2	1	.....	.....	.....	.....	.....
205a	Ill-defined	2,257	1,736	1,471	1,056	786	680	778	676	6	3	1	.....	1	1	.....	.....
205b	Not specified or unknown	4,817	4,015	2,583	1,844	2,234	2,171	2,170	2,097	61	74	2	.....	1	.....	.....	.....

[1] Including District of Columbia.

INDEX.

Abortion, deaths from, 157.
Abscess, acute, deaths from, 157, 354; by age, 368, 398; by color, 380, 392, 766; by sex, 368, 766; in cities and rural districts, 354.
—— death rate, 157, 200.
Absorption of irrespirable or poisonous gas, deaths from, 158, 354; by age 370, 398; by color, 382, 394, 767; by sex, 370, 767; in cities and rural districts, 354.
—— death rate, 158, 202.
Accidental or undefined (total), deaths from, 88, 158, 313, 354; by age, 370, 398; by color, 95, 313, 382, 394, 767; by sex, 370, 767; in cities and rural districts, 354; in each major city by age, 534.
—— death rate, 88, 158, 161, 202.
Accuracy of statistics of causes of death, number of replies and per cent of changes, 98; number and per cent of deaths not certified in South Carolina, 100; in Vermont, 108.
Acute anterior poliomyelitis, deaths from, 46, 156, 342; by age, 360, 396; by color, 372, 384, 764; by sex, 360, 764; in cities and rural districts, 342.
—— death rate, 46, 156, 196.
Acute yellow atrophy of the liver, deaths from, 157, 348; by age, 366, 397; by color, 378, 390, 765; by sex, 366, 765; in cities and rural districts, 348.
—— death rate, 157, 198.
Addison's disease. *See* Adrenals, diseases of.
Adenoid vegetations, deaths from, 157, 348; by age, 366, 397; by color, 378, 390, 765; by sex, 366, 765; in cities and rural districts, 348.
—— death rate, 157, 198.
Adjusted death rates. *See* Death rates.
Adrenals, diseases of (Addison's disease), deaths from, 156, 342; by age, 362, 396; by color, 374, 386, 764; by sex, 362, 764; in cities and rural districts, 342.
—— death rate, 156, 196.
Aeroplane and balloon accidents, deaths from, 158, 354; by age, 370, 398; by color, 382, 394, 767; by sex, 370, 767; in cities and rural districts, 354.
—— death rate, 158, 202.
Age, deaths by, 11, 80, 95, 270, 298, 360, 396, 534, 619.
Agricultural machinery, accidental traumatism by, deaths from, 158.
—— death rate, 158.
Alcoholism (acute or chronic), deaths from, 69, 70, 156, 342; by age, 362, 396; by color, 374, 386, 764; by sex, 362, 764; in cities and rural districts, 342.
—— death rate, 69, 70, 156, 196.
Amputations, deaths from, 157, 354; by age, 368, 398; by color, 380, 392, 766; by sex, 368, 766; in cities and rural districts, 354.
—— death rate, 157, 200.
Ancylostomiasis, deaths from, 157, 348; by age, 366, 397; by color, 378, 390, 765; by sex, 366, 765; in cities and rural districts, 348.
—— death rate, 157, 198.
Anemia, chlorosis, deaths from, 156, 342; by age, 362, 396; by color, 374, 386, 764; by sex, 362, 764; in cities and rural districts, 342.
—— death rate, 156, 196.
Aneurysm, deaths from, 157, 348; by age, 364, 397; by color, 376, 388, 765; by sex, 364, 765; in cities and rural districts, 348.
—— death rate, 157, 198.
Angina pectoris, deaths from, 157, 348; by age, 364, 397; by color, 376, 388, 765; by sex, 364, 765; in cities and rural districts, 348.
—— death rate, 157, 198.
Animals, injuries by (not poisoning), deaths from, 158, 354; by age, 370, 398; by color, 382, 394, 767; by sex, 370, 767; in cities and rural districts, 354.
—— death rate, 158, 202.
Anthrax, deaths from, 49, 156, 342; by age, 360, 396; by color, 372, 384, 764; by sex, 360, 764; in cities and rural districts, 342.
—— death rate, 156, 196.
Appendicitis and typhlitis, deaths from, 157, 313, 348; by age, 366, 397; by color, 313, 378, 390, 765; by sex, 366, 765; in cities and rural districts, 348; in each major city by age, 534.
—— death rate, 157, 161, 198.
Arteries, diseases of, deaths from, 157, 348; by age, 364, 397; by color, 376, 388, 765; by sex, 364, 765; in cities and rural districts, 348.
—— death rate, 157, 198.
Arteriosclerosis, deaths from, 157.
—— death rate, 157.
Asiatic cholera, deaths from, 156, 342; by age, 360, 396; by color, 372, 384, 764; by sex, 360, 764; in cities and rural districts, 342.
—— death rate, 156, 196.
Asthma deaths from, 157, 348; by age, 364, 397; by color, 376, 388, 765; by sex, 364, 765; in cities and rural districts, 348.
—— death rate, 157, 198.
Australian Commonwealth, death rates of, 21; from puerperal causes, 83.
Austria, death rates of, 21.
Automobile accidents, deaths from, 90, 158, 354; by age, 370, 398; by color, 382, 394, 767; by sex, 370, 767; in cities and rural districts, 354.
—— death rate, 89, 158, 202.

Balloon accidents. *See* Aeroplane and balloon accidents.
Belgium, death rates of, 21.
Beriberi, deaths from, 156, 342; by age, 362, 396; by color, 374, 386, 764; by sex, 362, 764; in cities and rural districts, 342.
—— death rate, 156, 196.
Biliary calculi, deaths from, 157, 348; by age, 366, 397; by color, 378, 390, 765; by sex, 366, 765; in cities and rural districts, 348.
—— death rate, 157, 198.
Birth, injury at. *See* Injury at birth.
Bladder, diseases of, deaths from, 157, 348; by age, 366, 397; by color, 378, 390, 766; by sex, 366, 765; in cities and rural districts, 348.
—— death rate, 157, 200.
Bones and organs of locomotion, diseases of, deaths from, 157, 354; by age, 368, 398; by color, 380, 392, 766; by sex, 368, 766; in cities and rural districts, 354.
—— death rate, 157, 200.
Boston, special tables: Deaths by age, sex, certain causes, by color, by country of birth of mother, for 1900, 1910, and 1920 in Boston; deaths and death rates, 744.
—— text discussion and rates, 109.
Botalism, deaths from, 158.
—— death rate, 158.
Breast (cancer excepted) nonpuerperal, diseases of, deaths from, 157, 348; by age, 366, 397; by color, 378, 390, 766; by sex, 366, 765; in cities and rural districts, 348.
—— death rate, 157, 200.
Bronchitis, deaths from, 157, 313, 348; by age, 364, 397; by color, 313, 376, 388, 765; by sex, 364, 765; in cities and rural districts, 348; by month of death, 574; by age under 1 year, 619; in each major city by age, 534.
—— death rate, 157, 161, 198. Capillary. *See* Bronchopneumonia.
Bronchopneumonia, deaths from, 157, 348; by age, 364, 397; by color, 376, 388, 765; by sex, 364, 765; in cities and rural districts, 348; by month of death, 574; by age under 1 year, 619; in each major city by age, 534.
—— death rate, 32, 157, 161, 198.
Burns (conflagration excepted), deaths from, 158, 354; by age, 370, 398; by color, 382, 394, 767; by sex, 370, 767; in cities and rural districts, 354.
—— death rate, 158, 202.

Calculi of the urinary passages, deaths from, 157, 348; by age, 366, 397; by color, 378, 390, 766; by sex, 366, 765; in cities and rural districts, 348.
—— death rate, 157, 200.
Cancer and other malignant tumors, deaths from, 55, 156, 313, 342; by age, 66, 362, 396, 699; by color, 313, 374, 386, 699, 764; by sex, 66, 362, 699, 764; in cities and rural districts, 342; in each major city by age, 534, 706.
—— death rate, 12, 32, 56, 156, 160, 196, 699.
Capillary bronchitis. *See* Bronchopneumonia.
Carbolic acid, acute poisoning by, deaths from, 158.
—— death rate, 158.
Cause of death, 23, 342, 764; by age, 360, 396; by color, 312, 372, 764; by sex, 360 764; in cities and rural districts, 342; by month of death, 574; by age under 1 year, 619; in each major city by age, 534.
—— death rate, 12, 32, 156, 160, 196.
Cerebral embolism and thrombosis, deaths from, 156, 342; by age, 362, 396; by color, 374, 386, 765; by sex, 362, 765; in cities and rural districts, 342.
—— death rate, 156, 198.
Cerebral hemorrhage, deaths from, 156, 313, 342; by age, 362, 396; by color, 313, 374, 386, 765; by sex, 362, 765; in cities and rural districts, 342; in each major city by age, 534.
—— death rate, 32, 156, 198.
Cerebral hemorrhage and softening, deaths from, 156, 313, 342; by age, 362, 396; by color, 313, 374, 386, 765; by sex, 362, 765; in cities and rural districts, 342; in each major city by age, 534.
—— death rate, 156, 161, 198.

Cerebrospinal meningitis (nonepidemic), deaths from, 156, 342; by age, 362, 396; by color, 374, 386, 765; by sex, 362, 765; in cities and rural districts, 342.
—— death rate, 156, 198.
Cesarean section, deaths from, 157.
—— death rate, 157.
Ceylon, death rates, of, 21.
Chicken-pox, deaths from, 156.
—— death rate, 156.
Child-birth, deaths from, 157, 354; by age, 366, 398; by color, 378, 390, 766; by sex, 366, 765; in cities and rural districts, 354.
—— death rate, 157, 200.
Children under 1 year of age, deaths of, 270, 298, 360, 396, 534, 619; by cause, 360, 396, 534, 619; by sex, 360.
—— death rate, 96.
Chile, death rates of, 21.
Chinese population, deaths of, 19, 764; by age, 95, 298; by sex, 95, 298, 764.
—— death rate, 95.
Chlorosis. *See* Anemia, chlorosis.
Cholera nostras, deaths from, 156, 342; by age, 360, 396; by color, 372, 384, 764; by sex, 360, 764; in cities and rural districts, 342.
—— death rate, 156, 196.
Chorea, deaths from, 156, 348; by age, 364, 397; by color, 376, 388, 765; by sex, 364, 765; in cities and rural districts, 348.
—— death rate, 156, 198.
Chronic interstitial pneumonia, including occupational diseases of the respiratory system, deaths from, 165.
—— death rate, 157.
Chyluria, deaths from, 157, 348; by age, 366, 397; by color, 378, 390, 766; by sex, 366, 765; in cities and rural districts, 348.
—— death rate 157, 200.
Circulatory system, diseases of, deaths from, 157, 348; by age, 364, 397; by color, 95, 376, 388, 765; by sex, 364, 765; in cities and rural districts, 348.
—— death rate, 157, 198.
Cirrhosis of the liver, deaths from, 69, 70, 157, 313, 348; by age, 366, 397; by color, 313, 378, 390, 765; by sex, 366, 765; in cities and rural districts, 348; in each major city by age, 594.
—— death rate, 69, 70, 157, 161, 198.
Cities in registration States, population of, 120, 123, deaths in, 120, 123; by age, 270, 298; by color, 19, 120, 257, 270, 298, 312; by nativity, 257, 298; by sex, 298; by cause, 312, 342; by month of death, 246, 574; by age under 1 year, 619.
—— death rate, 120, 160, 196.
Cold, excessive, deaths from, 158, 354; by age, 370, 398; by color, 382, 394, 767; by sex, 370, 767; in cities and rural districts, 354.
—— death rate, 158, 202.
Color, deaths by, 10, 19, 94, 120, 257, 270, 298, 312, 372, 384, 764.
—— death rate, 12, 95, 120, 160, 196.
Colored population, 120; deaths of, 10, 19, 120, 257, 764; by age, 270, 298, 384; by sex, 10, 298, 384, 764; by cause, 312, 384, 764; in cities and rural districts, 342.
—— death rate, 12, 95, 120, 160, 196.
Conflagration, deaths from, 158, 354; by age, 370, 398; by color, 382, 394, 767; by sex, 370, 767; in cities and rural districts, 354.
—— death rate, 158, 202.
Congenital debility, icterus, sclerema, deaths from, 157, 354; by age, 368, 398; by color, 380, 392, 766; by sex, 368, 766; in cities and rural districts, 254; by age under 1 year, 619.
Congenital debility, death rate, 157, 161, 200.
Congenital malformations and diseases of early infancy, deaths from, 157, 313, 354; by age, 368, 398; by color, 313. 380, 392, 766; by sex, 368, 766; in cities and rural districts, 354; by age under 1 year, 619.
—— death rate, 157, 161, 200.
Congenital malformations of the heart, deaths from, 157, 354; by age, 368, 398; by color, 380, 392, 766; by sex, 368, 766; in cities and rural districts, 354.
—— death rate, 157, 161, 200.
Congestion and hemorrhagic infarct of the lung, deaths from, 157, 348; by age, 364, 397; by color, 376, 388, 765; by sex, 364, 765; in cities and rural districts, 348.
—— death rate, 157, 198.
Convulsions, deaths from, 156, 348; by age, 364, 397; by color, 376, 388, 765; by sex, 364, 765; in cities and rural districts, 348; by age under 1 year, 619.
—— death rate, 96, 156, 198.
Country of birth. Puerperal causes, 80; mortality rates in Boston, 109.
Crane, accidental traumatism by, deaths from, 158.
—— death rate, 158.
Crushing. *See* Landslide.
Cutting or piercing instruments traumatism by, deaths from, 158, 354; by age, 370, 298; by color, 382, 394, 767; by sex, 370, 767; in cities and rural districts, 354.
—— death rate, 158, 202.
Cysts and other benign tumors of the ovary, deaths from, 157, 348; by age, 366, 397; by color, 378, 390, 766; by sex, 366, 765; in cities and rural districts, 348.
—— death rate, 157, 200.

Death rates, 10, 12, 120, 123; by cause, 12, 32, 156, 160, 196, 695; in foreign countries, 21, 83.
—— specific death rates, 80, 95, 695.
—— adjusted death rates, 12, 17, 18, 95, 695; typhoid fever, 12, 34; tuberculosis, 12, 51; cancer, 12, 56; nephritis, 12, 56; puerperal causes, 12, 80.
Deaths, 10; by age, 11, 270, 298, 360, 396; by color, 10, 257, 270, 298, 312, 372, 384, 764; by nativity, 10, 257, 298; by sex, 10, 298, 360, 764; by cause, 312, 342, 360, 396, 764; in cities and rural districts, 120, 270, 342; by month of death, 12, 246, 574; by age under 1 year, 619; in each major city by age, 534.
Debility, congenital. *See* Congenital debility, etc.
Denmark, death rates of, 21.
Diabetes mellitus, deaths from, 68, 156, 313, 342; by age, 362, 396, 700; by color, 313, 374, 386, 700, 764; by sex, 362, 700, 764; in cities and rural districts, 342; in each major city by age, 534.
—— death rate, 12, 32, 68, 156, 161, 196, 700.
Diarrhea and enteritis, deaths from, 74, 147, 313, 348; by age, 366, 397, 701; by color, 313, 378, 390, 701, 765; by sex, 366, 701, 765; in cities and rural districts, 348; by month of death, 574; by age under 1 year, 619; in each major city by age, 534.
—— death rate, 12, 32, 74, 96, 157, 161, 198, 701.
Digestive system, diseases of, deaths from 157, 348; by age, 366, 397; by color, 95, 378, 390, 765; by sex, 366, 765; in cities and rural districts, 348.
—— death rate, 157, 198.
Diphtheria, deaths from, 43, 156, 312, 342; by age, 360, 396, 698; by color, 312, 372, 384, 698, 764; by sex, 360, 698, 764; in cities and rural districts, 342; by month of death, 574; by age under 1 year, 619; in each major city by age, 534.
—— death rate, 12, 32, 43, 96, 156, 160, 196, 698.
Drowning, deaths from, 158, 354; by age, 370, 398; by color, 382, 394, 767; by sex, 370, 767; in cities and rural districts, 354.
—— death rate, 158, 202.
Dysentery, deaths from, 156, 342; by age, 360, 396; by color, 372, 384, 764; by sex, 360, 764; in cities and rural districts, 342; by month of death, 574; by age under 1 year, 619.
—— death rate, 96, 156, 196.

Ear, diseases of, deaths from, 156, 348; by age, 364, 397; by color, 376, 388, 765; by sex, 364, 765; in cities and rural districts, 348.
—— death rate, 156, 198.
Early infancy, deaths from, 157, 354; by age, 368, 398; by color, 95, 380, 392, 766; by sex, 368, 766; in cities and rural districts, 354; by age under 1 year, 619.
—— death rate, 157, 161, 200.
Ectopic gestation, deaths from, 157.
—— death rate, 157.
Electric shocks, accidental, deaths from, 158, 354; by age, 370, 398; by color, 382, 394, 767; by sex, 370, 767; in cities and rural districts, 354.
—— death rate, 158, 202.
Elevator, accidental traumatism by, deaths from, 158.
—— death rate, 158.
Embolism and thrombosis (not cerebral), deaths from, 157, 348; by age, 364, 397; by color, 376, 388, 765; by sex, 364, 765; in cities and rural districts, 348.
—— death rate, 157, 198.
Embolism, cerebral. *See* Cerebral embolism.
Embolus, puerperal. *See* Pueperal phlegmasia alba dolens, etc.
Emphysema, pulmonary, deaths from, 157, 348; by age, 364, 397; by color, 376, 388, 765; by sex, 364, 765; in cities and rural districts, 348.
—— death rate, 157, 198.
Encephalitis, deaths from, 156, 342; by age, 362, 296; by color, 374, 386, 765; by sex, 362, 765; in cities and rural districts, 342.
—— death rate, 156, 198.
Encephalitis lethargic. *See* Lethargic encephalitis.
Endocarditis and myocarditis (acute), deaths from, 157, 348; by age, 364, 397; by color, 376, 388, 765; by sex, 364, 765; in cities and rural districts, 348.
—— death rate, 157, 198.
England and Wales, death rates of, 21; from puerperal causes, 83; from syphilis, 55.
Enteritis. *See* Diarrhea and enteritis.
Epilepsy, deaths from, 156, 348; by age, 364, 397; by color, 376, 388, 765; by sex, 364, 765; in cities and rural districts, 348.
—— death rate, 156, 198.
Erysipelas, deaths from, 156, 312, 342; by age, 360, 396; by color, 312, 372, 384, 764; by sex, 360, 764; in cities and rural districts, 342; by age under 1 year, 619.
—— death rate, 96, 156, 160, 196.

Esophagus, diseases of, deaths from, 157, 348; by age, 366, 397; by color, 378, 390, 765; by sex, 366, 765; in cities and rural districts, 348.
—— death rate, 157, 198.
External causes, deaths from, 158,354; by age, 368, 398, 703; by color, 95, 380, 392, 703, 766; by sex, 368, 703, 766; in cities and rural districts, 354; by month of death, 574; by age under 1 year, 619.
—— death rate, 96, 158, 200, 703.
Eye and annexa, diseases of, deaths from, 156, 348; by age, 364, 397; by color, 376, 388, 765; by sex, 364, 765; in cities and rural districts, 348.
—— death rate, 156, 198.

Fall, traumatism by, deaths from, 158, 354; by age, 370, 398; by color, 382, 394, 767; by sex, 370, 767; in cities and rural districts, 354.
—— death rate, 158, 202.
Female genital organs, diseases of, deaths from, 157, 348; by age, 366, 397; by color, 378, 390, 766; by sex, 366, 765; in cities and rural districts, 348; in each major city by age, 534.
—— death rate, 157, 200.
Finland, death rates of, 21.
Fire, fall into, deaths from, 158.
—— death rate, 158.
Firearms (except in war), traumatism by, deaths from, 158, 354; by age, 370, 398; by color, 382, 394, 767; by sex, 370, 767; in cities and rural districts, 354.
—— death rate, 158, 202.
Foreign countries, death rates of, 21; from puerperal causes, 83.
Foreign-born white population, deaths of, 257; by age, 298; by sex, 298.
Fracture (cause not specified), deaths from, 158, 354; by age, 370, 398; by color, 382, 394, 767; by sex, 370, 767; in cities and rural districts, 354.
—— death rate, 158, 202.
France, death rates of, 21.
Furuncle, deaths from, 157, 354; by age, 368, 398; by color, 380, 392, 766; by sex, 368, 766; in cities and rural districts, 354.
—— death rate, 157, 200.

Gangrene, deaths from, 157, 354; by age, 368, 398; by color, 380, 392, 766; by sex, 368, 766; in cities and rural districts, districts, 354.
—— death rate, 157, 200.
Gangrene of the lung, deaths from, 157, 348; by age, 364, 397; by color, 376, 388, 765; by sex, 364, 765; in cities and rural districts, 348.
—— death rate, 157, 198.
General diseases, deaths from, 156, 342; by age, 362, 396; by color, 374, 386, 764; by sex, 362, 764; in cities and rural districts, 342.
—— death rate, 156, 196.
General paralysis of the insane, deaths from, 55, 156, 342; by age, 362, 396; by color, 374, 386, 765; by sex, 362, 765; in cities and rural districts, 342.
—— death rate, 55, 156, 198.
Genitourinary system and annexa, nonvenereal diseases of, deaths from, 157, 348; by age, 366, 397; by color, 95, 378, 390, 766; by sex, 366, 765; in cities and rural districts, 348.
—— death rate, 157, 198.
German measles, deaths from, 156.
—— death rate, 156.
Germany, death rates of, 21.
Glanders, deaths from, 49, 156, 342; by age, 360, 396; by color, 372, 384, 764; by sex, 360, 764; in cities and rural districts, 342.
Glanders, death rate, 156, 196.
Goiter, exopthalmic. *See* Thyroid gland, diseases of.
Gonococcus infection, deaths from, 156, 342; by age, 360, 396; by color, 372, 384, 764; by sex, 360, 764; in cities and rural districts, 342.
—— death rate, 156, 196.
Gout. *See* Rheumatism.
Growth of the registration area, 9.

Hawaii, statistics of, 681.
Heart, diseases of, deaths from, 71, 157, 313, 348; by age, 364, 397; by color, 313, 376, 388, 765; by sex, 364, 765; in cities and rural districts, 348; by age under 1 year, 619; in each major city by age, 534.
—— death rate, 32, 71, 157, 161, 198.
Heat, excessive, deaths from, 158, 354; by age, 370, 398; by color, 382, 394, 767; by sex, 370, 767; in cities and rural districts, 354.
—— death rate, 158, 202.
Hemorrhage without specified cause, deaths from, 157, 348; by age, 364, 397; by color, 376, 388, 765; by sex, 364, 765; in cities and rural districts, 348.
—— death rate, 157, 198.
Hernia, deaths from, 157, 313, 348; by age, 366, 397; by color, 313, 378, 390, 765; by sex, 366, 765; in cities and rural districts, 348; in each major city by age, 534.
—— death rate, 157, 161, 198.
Hodgkin's disease, deaths from, 156, 342; by age, 362, 396; by color, 374, 386, 764; by sex, 362, 764; in cities and rural districts, 342.
—— death rate, 156, 196.
Homicide, deaths from, 158, 313, 354; by age, 370, 398; by color, 95, 313, 382, 394, 766; by sex, 370, 766; in cities and rural districts, 354; in each major city by age, 534.
—— death rate, 87, 158, 161, 200.
Hydatid tumor of the liver, deaths from, 157, 348; by age, 366, 397; by color, 378, 390, 765; by sex, 366, 765; in cities and rural districts, 348.
—— death rate, 157, 198.
Hydrocephalus (congenital), deaths from, 157, 354; by age, 368, 398; by color, 380, 392, 766; by sex, 368, 766; in cities and rural districts, 354.
—— death rate, 157, 161, 200.

Icterus (congenital). *See* Congenital debility, etc.
Ill-defined diseases, deaths from, 158, 313, 354; by age, 370, 398; by color, 95, 313, 382, 394, 767; by sex, 370, 767; in cities and rural districts, 354.
—— death rate, 94, 158, 161, 202.
Indian population, deaths of, 19, 764; by age, 95, 298; by sex, 10, 95, 298, 764.
—— death rate, 95.
Infanticide (number of infants less than 1 year of age), by age, 370, 398; by color, 382, 394, 766; by sex, 370, 766; in each major city by age, 534.
Influenza, deaths from 156, 312, 342; by age, 360, 396; by color, 312, 372, 384, 764; by sex, 360, 764; in cities and rural districts, 342; by month of death, 574; by age under 1 year, 619; in each major city by age, 534.
—— death rate, 156, 160, 196.
Influenza and pneumonia (all forms), deaths from, 44.
—— death rate, 32, 45, 159.
Injuries by vehicles, deaths from, 158, 354; by age, 370, 398; by color, 382, 394, 767; by sex, 370, 767; in cities and rural districts, 354.
—— death rate, 158, 202.
Injury at birth, deaths from, 157, 354; by age, 368, 398; by color, 380, 392, 766; by sex, 368, 766; in cities and rural districts, 354; by age under 1 year, 619.
—— death rate, 96, 157, 161, 200.
International List of Causes of Death, 23; changes in, 24.
Intestinal obstruction, deaths from, 157, 313, 348; by age, 366, 397; by color, 313, 378, 390, 765; by sex, 366, 765; in cities and rural districts, 348; in each major city by age, 534.
—— death rate, 157, 198.
Intestinal parasites, diseases due to, deaths from, 157, 348; by age, 366, 397; by color, 378, 390, 765; by sex, 366, 765; in cities and rual districts, 348.
—— death rate, 157, 198.
Intestines, diseases of, deaths from, 157, 348; by age, 366, 397; by color, 378, 390, 765; by sex, 366, 765; in cities and rural districts, 348.
—— death rate, 157, 198.
Ireland, death rates of, 21; from puerperal causes, 83.
Italy, death rates of, 21.

Jamaica, death rates of, 21.
Japan, death rates of, 21; from puerperal causes, 83.
Japanese population, deaths of, 19, 257, 764; by age, 95, 298; by sex, 10, 95, 298, 764.
—— death rate, 95.
Jaundice. *See* Spirochetal hemorrhagic jaundice.
Joints, diseases of (tuberculosis and rheumatism excepted), deaths from, 157, 354; by age, 368, 398; by color, 380, 392, 766; by sex, 368, 766; in cities and rural districts, 354.
—— death rate, 157, 200.

Kidneys and annexa (nonpuerperal), diseases of, deaths from, 157, 348; by age, 366, 397; by color, 378, 390, 766; by sex, 366, 765; in cities and rural districts, 348.
—— death rate, 157, 200.

Labor, accidents of, deaths from, 157, 354; by age, 366, 398; by color, 378, 390, 766; by sex, 366, 765; in cities and rural districts, 354.
—— death rate, 157, 200.
Lack of care, deaths from, 157, 354; by age, 368, 398; by color, 380, 392, 766; by sex, 368, 766; in cities and rural districts, 354; by age under 1 year, 619.
—— death rate, 157, 161, 200.
Land area, 10.
Landslide, crushing, deaths from, 158, 354; by age, 370, 398; by color, 382, 394, 767; by sex, 370, 767; in cities and rural districts, 354.
—— death rate, 158, 202.
Larynx, diseases of, deaths from, 157, 348; by age, 364, 397; by color, 376, 388, 765; by sex, 364, 765; in cities and rural districts, 348.
—— death rate, 157, 198.
Laudanum, acute poisoning by. *See* Opium.
Lead poisoning, chronic, deaths from, 156, 342; by age, 362, 396; by color, 374, 386, 764; by sex, 362, 764; in cities and rural districts, 342.
—— death rate, 156, 196.
Leprosy, deaths from, 156, 342; by age, 360, 396; by color, 372, 384, 764; by sex, 360, 764; in cities and rural districts, 342.
—— death rate, 156, 196.

Lethargic encephalitis, deaths from, 47, 156, 342; by age, 360, 396; by color, 372, 384, 764; by sex, 360, 764; in cities and rural districts, 342; by month of death, 574.
—— death rate, 47, 156, 196.
Leukemia, deaths from, 156, 342; by age, 362, 396; by color, 374, 386, 764; by sex, 362, 764; in cities and rural districts, 342.
—— death rate, 156, 196.
Lightning, deaths from, 158, 354; by age, 370, 398; by color, 382, 394, 767; by sex, 370, 767; in cities and rural districts, 354.
—— death rate, 158, 202.
Liver, diseases of, deaths from, 157, 348; by age, 366, 397; by color, 378, 390, 765; by sex, 366, 765; in cities and rural districts, 348.
—— death rate, 157, 198.
Locomotor ataxia. *See* Tabes dorsalis.
Lymphatic system, diseases of, deaths from, 157, 348; by age, 364, 397; by color, 376, 388, 765; by sex, 364, 765; in cities and rural districts, 348.
—— death rate, 157, 198.

Machines, traumatism by, deaths from, 158, 354; by age, 370, 398; by color, 382, 394, 767; by sex, 370, 767; in cities and rural districts, 354.
—— death rate, 158, 202.
Malaria, deaths from, 36, 156, 312, 342; by age, 360, 396; by color, 312, 372, 384, 764; by sex, 360, 764; in cities and rural districts, 342; by month of death, 574.
—— death rate, 37, 156, 160, 196.
Male genital organs, nonvenereal diseases of, deaths from, 157, 348; by age, 366, 397; by color, 378, 390, 766; by sex, 366, 765; in cities and rural districts, 348.
——death rate, 157, 200.
Malformations, deaths from, 157, 354; by age, 368, 398; by color, 95, 380, 392, 766; by sex, 368, 766; in cities and rural districts, 354; by age under 1 year, 619.
——death rate, 96, 157, 161, 200.
Malta fever, deaths from, 156, 342; by age, 360, 396; by color, 372, 384, 764; by sex, 360, 764; in cities and rural districts, 342.
—— death rate, 156, 196.
Mastoid process, diseases of, deaths from, 156, 348; by age, 364, 397; by color, 376, 388, 765; by sex, 364, 765; in cities and rural districts, 348.
—— death rate, 156, 198.
Measles, deaths from, 39, 156, 312, 342; by age, 360, 396, 695; by color, 312, 372, 384, 695, 764; by sex, 360, 696, 764; in cities and rural districts, 342; by month of death, 574; by age under 1 year, 619; in each major city by age, 534.
—— death rate, 12, 32, 39, 96, 156, 160, 196, 695.
Mechanical suffocation, deaths from, 158, 354; by age, 370, 398; by color, 382, 394, 767; by sex, 370, 767; in cities and rural districts, 354.
—— death rate, 158, 202.
Mediastinum, diseases of, deaths from, 157.
—— death rate, 157.
Meningitis. *See* Meningococcus meningitis, Meningitis (simple) and cerebrospinal meningitis (nonepidemic).
Meningitis (simple), deaths from, 156, 342; by age, 362, 396; by color, 374, 386, 765; by sex, 362, 765; in cities and rural districts, 342.
—— death rate, 156, 198.
Meningococcus meningitis, deaths from, 156, 312, 342; by age, 360, 396; by color, 312, 372, 384, 764; by sex, 360, 764; in cities and rural districts, 342; by month of death, 574; by age under 1 year, 619; in each major city by age, 534.
—— death rate, 156, 160, 196.
Mental alienation, deaths from, 156, 342; by age, 362, 396; by color, 374, 386, 765; by sex, 362, 765; in cities and rural districts, 342.
—— death rate, 156, 198.
Miliary fever, deaths from, 156, 342; by age, 360, 396; by color, 372, 384, 764; by sex, 360, 764; in cities and rural districts, 342.
—— death rate, 156, 196.
Mineral poisoning, chronic, deaths from, 156, 342; by age, 362, 396; by color, 374, 386, 764; by sex, 362, 764; in cities and rural districts, 342.
—— death rate, 156, 196.
Mines, traumatism in, deaths from, 158, 354; by age, 370, 398; by color, 382, 394, 767; by sex, 370, 767; in cities and rural districts, 354.
—— death rate, 158, 202.
Molten metal, accidental burns by, deaths from, 158.
—— death rate, 158.
Month of death, deaths by, 246; by cause, 574.
—— death rate, 12.
Morphin, acute poisoning by. *See* Opium.
Motorcycle accidents, deaths from, 158.
—— death rate, 158.
Mouth and annexa, diseases of, deaths from, 157, 348; by age, 366, 397; by color, 378, 390, 765; by sex, 366, 765; in cities and rural districts, 348.
—— death rate, 157, 198.
Mumps, deaths from, 156, 342; by age, 360, 396; by color, 372, 384, 764; by sex, 360, 764; in cities and rural districts, 342.
—— death rate, 156, 196.
Mycoses, deaths from, 50, 156, 342; by age, 360, 396; by color, 372, 384, 764; by sex, 360, 764; in cities and rural districts, 342.
—— death rate, 156, 196.
Myocarditis. *See* Endocarditis and myocarditis, acute.

Nasal fossæ, diseases of, deaths from, 157, 348; by age, 364, 397; by color, 376, 388, 765; by sex, 364, 765; in cities and rural districts, 348.
—— death rate, 157, 198.
Native white population, deaths of, 257; by age, 298; by sex, 298.
Nativity, deaths by, 10, 257, 298.
Negro population, deaths of, 18, 257, 764; by age, 95, 298; by sex, 10, 95, 298, 764.
—— death rate, 19, 95.
Nephritis, deaths from, 75, 157, 313, 348; by age, 366, 397, 701; by color, 313, 378, 390, 701, 766; by sex, 366, 702, 765; in cities and rural districts, 348; in each major city by age, 534, 708.
—— death rate, 12, 32, 76, 157, 161, 300, 701.
Nervous system and of the organs of special sense, diseases of, deaths from, 156, 342; by age, 362, 396; by color, 95, 374, 386, 764; by sex, 362, 764; in cities and rural districts, 342.
—— death rate, 156, 198.
Netherlands, death rates of, 21; from puerperal causes, 83.
Neuralgia and neuritis, deaths from, 156, 348; by age, 364, 397; by color, 376, 388, 765; by sex, 364, 765; in cities and rural districts, 348.
—— death rate, 156, 198.
Neuritis. *See* Neuralgia and neuritis.
New Zealand, death rates of, 21; from puerperal causes, 83.
Nonresidents, deaths of, 20, 123.
—— deaths and death rates for all causes, 123; typhoid fever, 35; cancer, 60; puerperal causes, 84; automobile accidents, 92.
Norway, death rates of, 21.

Old age (senility), deaths from, 157, 354; by age, 368, 398; by color, 95, 380, 392, 766; by sex, 368, 766; in cities and rural districts, 354.
—— death rate, 85, 157, 200.
Ontario, Province of, death rates of, 21.
Opium, morphin, laudanum, poisoning by, deaths from, 158.
—— death rate, 158.
Osteoarthritis. *See* Rheumatism.

Pancreas, diseases of, deaths from, 157, 348; by age, 366, 397; by color, 378, 390, 765; by sex, 366, 765; in cities and rural districts, 348.
—— death rate, 157, 198.
Paralysis without specified cause, deaths from, 156, 342; by age, 362, 396; by color, 374, 386, 765; by sex, 362, 765; in cities and rural districts, 342.
—— death rate, 156, 198.
Parathyroid glands, diseases of, deaths from, 156, 342; by age, 362, 396; by color, 374, 386, 764; by sex, 362, 764; in cities and rural districts, 342.
—— death rate, 156, 196.
Paratyphoid fever. *See* Typhoid and paratyphoid fever.
Parent nativity, deaths by, 10,257.
Pellagra, deaths from, 67, 156, 342; by age, 362, 396; by color, 374, 386, 764; by sex, 362, 764; in cities and rural districts, 342.
—— death rate, 67, 156, 196.
Pelvic abscess. *See* Salpingitis and pelvic abscess.
Pericarditis, deaths from, 157, 348; by age, 364, 397; by color, 376, 388, 765; by sex, 364, 765; in cities and rural districts, 348.
—— death rate, 157, 198.
Peritonitis without specified cause, deaths from, 157, 348; by age, 366, 397; by color, 378, 390, 765; by sex, 366, 765; in cities and rural districts, 348.
—— death rate, 157, 198.
Pharynx, tonsils, diseases of, deaths from, 157, 348; by age, 366, 397; by color, 378, 390, 765; by sex, 366, 765; in cities and rural districts, 348.
—— death rate, 157, 198.
Phlegmasia alba dolens. *See* Puerperal phlegmasia alba dolens, etc.
Pituitary gland, diseases of, deaths from, 156, 342; by age, 362, 396; by color, 374, 386, 764; by sex, 362, 764; in cities and rural districts, 342.
—— death rate, 156, 196.
Plague, deaths from, 156, 342; by age, 360, 396; by color, 372, 384, 764; by sex, 360, 764; in cities and rural districts, 342.
—— death rate, 156, 196.
Playing with fire, matches, etc., accidental burns from, deaths from, 158.
—— death rate, 158.
Pleurisy, deaths from, 157, 348; by age, 364, 397; by color, 376, 388, 765; by sex, 364, 765; in cities and rural districts, 348.
—— death rate, 157, 198.

Pneumonia, deaths from, 72, 157, 313, 348; by age, 364, 397; by color, 313, 376, 388, 765; by sex, 364, 765; in cities and rural districts, 348; by month of death, 574; by age under 1 year, 619; in each major city by age, 534.
—— death rate, 73, 157, 198.
Poisoning by food, deaths from, 158, 354; by age, 370, 398; by color, 382, 394, 767; by sex, 370, 767; in cities and rural districts, 354.
—— death rate, 158, 202.
Poisoning by organic substances, chronic, deaths from, 156, 342; by age, 362, 396; by color, 374, 386, 764; by sex, 362, 764; in cities and rural districts, 342.
—— death rate, 156, 196.
Poisoning by venomous animals, deaths from, 158, 354; by age, 370, 398; by color, 382, 394, 767; by sex, 370, 767; in cities and rural districts, 354.
—— death rate, 158, 202.
Poisonings, acute (gas excepted), deaths from, 158, 354; by age, 370, 398; by color, 382, 394, 767; by sex, 370, 767; in cities and rural districts, 354.
—— death rate, 158, 202.
Poisonous gas, absorption of. *See* Absorption of irrespirable or poisonous gas.
Poliomyelitis. *See* Acute anterior poliomyelitis.
Population of registration area, 10, and subdivisions, 120, 123.
Pregnancy, accidents of, deaths from, 157, 354; by age, 366, 398; by color, 378, 390, 766; by sex, 366, 765; in cities and rural districts, 354.
—— death rate, 157, 200.
Premature birth, deaths from, 157, 354; by age, 368, 398; by color, 380, 392, 766; by sex, 368, 766; in cities and rural districts, 354; by age under 1 year, 619.
—— death rate, 96, 157, 161, 200.
Prostate, diseases of, deaths from, 157, 348; by age, 366, 397; by color, 378, 390, 766; by sex, 366, 765; in cities and rural districts, 348.
—— death rate, 157, 200.
Puerperal albuminuria and convulsions, deaths from, 157, 354; by age, 366, 398; by color, 378, 390, 766; by sex, 366, 765; in cities and rural districts, 354.
—— death rate, 157, 200.
Puerperal diseases of the breast, deaths from, 157, 354; by age, 366, 398; by color, 378, 390, 766; by sex, 366, 765; in cities and rural districts, 354.
—— death rate, 157, 200.
Puerperal hemorrhage, deaths from, 157, 354; by age, 366, 398; by color, 378, 390, 766; by sex, 366, 765; in cities and rural districts, 354.
—— death rate, 157, 200.
Puerperal phlegmasia alba dolens, embolus, etc., deaths from, 157, 354; by age, 366, 398; by color, 378, 390, 766; by sex, 366, 765; in cities and rural districts, 354.
—— death rate, 157, 200.
Puerperal septicemia, deaths from, 157, 313, 354; by age, 366, 398, 702; by color, 313, 378, 390, 702, 766; by sex, 366, 702, 765; in cities and rural districts, 354; by month of death, 574; in each major city, by age, 534, 710.
—— death rate, 12, 78, 84, 157, 161, 200, 702.
Puerperal state, the, deaths from, 77, 157, 313, 354; by age, 366, 398, 702; by color, 95, 313, 378, 390, 702, 766; by sex, 366, 702, 765.
Puerperal state, the, deaths from, in cities and rural districts, 354; by month of death, 574; in each major city by age, 534, 710.
—— death rate, 12, 78, 84, 157, 200.
Pulmonary emphysema. *See* Emphysema, pulmonary.
Purulent infection, septicemia, deaths from, 156, 342; by age, 360, 396; by color, 372, 384, 764; by sex, 360, 764; in cities and rural districts, 342.
—— death rate, 156, 196.

Quarries, traumatism, deaths from, 158, 354; by age, 370, 398; by color, 382, 394, 767; by sex, 370, 767; in cities and rural districts, 354.
—— death rate, 158, 202.

Rabies, deaths from, 50, 156, 342; by age, 360, 396; by color, 372, 384, 764; by sex, 360, 764; in cities and rural districts, 342.
—— death rate, 156, 196.
Railroad accidents, deaths from, 158, 354; by age, 370, 398; by color, 382, 394, 767; by sex, 370, 767; in cities and rural districts, 354.
—— death rate, 158, 202.
Registration area, the, growth of, 9; States and cities included in, 9; population of, 10, 120; deaths in, 10, 120; by age, 11, 270, 298, 396; by color 10, 257, 270, 298, 312; by nativity, 10, 257, 298; by sex, 10, 298; in cities and rural districts, 342; by month of death, 246, 574; by age under 1 year, 619; by cause, 17, 32, 312, 342, 396.
—— death rate, 10, 17, 120, 123, 156, 160.
Registration cities, population of, 120, 123; deaths in, 120, 123; by age, 270, 299; by color, 120, 257, 270, 299, 318; by nativity, 257, 299; by sex, 299; by cause, 312, 342; by month of death, 246, 575; by age under 1 year, 620; in each major city by age, 534.
—— death rate, 14, 17, 120, 123, 160, 196.
Registration cities in nonregistration States, 9; population of, 120, 123; deaths in, 120, 123; by age, 270, 299, 534; by color, 120, 257, 299; by nativity, 257, 299; by sex, 299; by cause, 312, 342; by month of death, 246, 575; by age under 1 year, 620.
—— death rate, 17, 120, 160, 196.
Registration cities of 100,000 population or more in 1920 (major cities), deaths in, 534, 588, 638; by age, 534; by month of death, 588; by age under 1 year, 638.
—— death rate, 14, 18.
Registration States, 9; population of, 120; deaths in, 95, 120, 764; by age, 95, 257, 298, 360; by color, 18, 95, 120, 270, 298, 312, 372, 384, 764; by nativity, 95, 257, 298; by sex, 95, 298, 360, 764; by cause, 312, 342, 360, 396, 764; in cities and rural districts, 342; by month of death, 246, 574; by age under 1 year, 619.
—— death rate, 12, 17, 95, 120, 160, 196, 695.
—— cities of. *See* Cities in registration States.
—— rural part of. *See* Rural part of registration States.
Relapsing fever (spirillum obermeieri), deaths from, 156, 342; by age, 360, 396; by color, 372, 384, 764; by sex, 360, 764; in cities and rural districts, 342.
—— death rate, 156, 196.
Respiratory system, diseases of, deaths from, 157, 348; by age, 364, 397; by color, 95, 376, 388, 765; by sex, 364, 765; in cities and rural districts, 348.
—— death rate, 157, 198.
Rheumatic fever, deaths from, 156, 342; by age, 362, 396; by color, 374, 386, 764; by sex, 362, 764; in cities and rural districts, 342.
—— death rate, 156, 196.
Rheumatism (chronic), deaths from, 156, 313, 342; by age, 362, 396; by color, 313, 374, 386, 764; by sex, 362, 764; in cities and rural districts, 342.
—— death rate, 156, 161, 196.
Rickets, deaths from, 156, 342; by age, 362, 396; by color, 374, 386, 764; by sex, 362, 764; in cities and rural districts, 342.
—— death rate, 156, 196.
Rural part of registration States, population of, 120, 130; deaths in, 120, 130; by age, 270, 299; by color, 19, 120, 257, 270, 299, 312; by nativity, 257, 299; by sex, 299; by cause, 312, 342; by month of death, 246, 574; by age under 1 year, 620.
—— death rate, 17, 120, 130, 160, 196.

Salpingitis and pelvic abscess, deaths from, 157, 348; by age, 366, 397; by color, 378, 390, 766; by sex, 366, 765; in cities and rural districts, 348.
—— death rate, 157, 200.
Scalds, accidental, deaths from, 158.
—— death rate, 158.
Scarlet fever, deaths from, 40, 156, 312, 342; by age, 360, 396, 696; by color, 312, 372, 384, 696, 764; by sex, 360, 696, 764; in cities and rural districts, 342; by month of death, 574; by age under 1 year, 619; in each major city by age, 534.
—— death rate, 12, 32, 41, 96, 156, 160, 196, 696.
Sclerema, congenital. *See* Congenital debility, etc.
Scotland, death rates of, 21; from puerperal causes, 83.
Scurvy, deaths from, 156, 342; by age, 362, 396; by color, 374, 386, 764; by sex, 362, 764; in cities and rural districts, 342.
—— death rate, 156, 196.
Senility. *See* Old age.
Septicemia. *See* Purulent infection.
Sex, deaths by, 10, 11, 298, 360, 764.
—— death rates, 12, 80, 95.
Skin and cellular tissue, diseases of, deaths from, 157, 354; by age, 368, 398; by color, 95, 380, 392, 766; by sex, 368, 766; in cities and rural districts, 354.
—— death rate, 157, 200.
Smallpox, deaths from, 38, 156, 312, 342; by age, 360, 396; by color, 312, 372, 384, 764; by sex, 360, 764; in cities and rural districts, 342.
—— death rate, 38, 156, 160, 196.
Soft chancre, deaths from, 156, 342; by age, 360, 396; by color, 372, 384, 764; by sex, 360, 764; in cities and rural districts, 342.
—— death rate, 156, 196.
Softening of the brain, deaths from, 156, 313, 348; by age, 364, 397; by color, 313, 376, 388, 765; by sex, 364, 765; in cities and rural districts, 348; in each major city by age, 534.
—— death rate, 156, 161, 198.
South Carolina, number and per cent of deaths not certified, 100.
Spain, death rates of, 21.
Spinal cord, diseases of, deaths from, 156, 342; by age, 362, 396; by color, 374, 386, 765; by sex, 362, 765; in cities and rural districts, 342.
—— death rate, 156, 198.

Spirochetal hemorrhagic jaundice, deaths from, 156, 342; by age, 360, 396; by color, 372, 384, 764; by sex, 360, 764; in cities and rural districts, 342.
—— death rate, 156, 196.
Spleen, diseases of, deaths from, 156, 342; by age, 362, 396; by color, 374, 386, 764; by sex, 362, 764; in cities and rural districts, 342.
—— death rate, 156, 196.
Starvation (deprivation of food or water), deaths from, 158, 354; by age, 370, 398; by color, 382, 394, 767; by sex, 370, 767; in cities and rural districts, 354.
—— death rate, 158, 202.
States. *See* Registration States.
Statistics, accuracy of. *See* Accuracy of statistics.
Stomach (cancer excepted), diseases of, deaths from, 157, 348; by age, 366, 397; by color, 378, 390, 765; by sex, 366, 765; in cities and rural districts, 348; by age under 1 year, 619.
—— death rate, 96, 157, 198.
Street-car accidents, deaths from, 158, 354; by age, 370, 398; by color, 382, 394, 767; by sex, 370, 767; in cities and rural districts, 354.
—— death rate, 158, 202.
Strychnine, acute poisoning by, deaths from, 158.
—— death rate, 158.
Sudden death, deaths from, 158, 354; by age, 370, 398; by color, 382, 394, 767; by sex, 370, 767; in cities and rural districts, 354.
—— death rate, 158, 202.
Suicide, deaths from, 85, 158, 313, 354; by age, 368, 398; by color, 95, 313, 380, 392, 703, 766; by sex, 368, 766; in cities and rural districts, 354; by month of death, 574; in each major city by age, 534.
—— death rate, 86, 158, 161, 200.
Sweden, death rates of, 21; from puerperal causes, 83.
Switzerland, death rates of, 21.
Syphilis, deaths from, 54, 156, 342; by age, 360, 396; by color, 372, 384, 764; by sex, 360, 764; in cities and rural districts, 342; by age under 1 year, 619.
—— death rate, 55, 96, 156, 196.

Tabes dorsalis (locomotor ataxia), deaths from, 55, 156, 342; by age, 362, 396; by color, 374, 386, 765; by sex, 362, 765; in cities and rural districts, 342.
—— death rate, 55, 156, 198.
Tetanus, deaths from, 156, 342; by age, 360, 396; by color, 372, 384, 764; by sex, 360, 764; in cities and rural districts, 342; by age under 1 year, 619.
—— death rate, 96, 156, 196.
Thrombosis. *See* Cerebral embolism and thrombosis. *See* Embolism and thrombosis (not cerebral).
Thymus gland, diseases of, deaths from, 156, 342; by age, 362, 396; by color, 374, 386, 764; by sex, 362, 764; in cities and rural districts, 342.
—— death rate, 156, 196.
Thyroid gland, diseases of, deaths from, 156, 342; by age, 362, 396; by color, 374, 386, 764; by sex, 362, 764; in cities and rural districts, 342.
—— death rate, 156, 196.
Tonsils. *See* Pharynx.
Tuberculosis, deaths from, 51, 156, 312, 342; by age, 360, 396, 698; by color, 312, 372, 384, 698, 764; by sex, 360, 699, 764; in cities and rural districts, 342; by month of death, 574; by age, under 1 year, 619; in each major city by age, 534, 706.
—— death rate, 12, 32, 51, 96, 156, 160, 196, 698.
Tumors, benign and unqualified (tumors of the female genital organs excepted), deaths from, 156, 342; by age, 362, 396; by color, 374, 386, 764; by sex, 362, 764; in cities and rural districts, 342.
—— death rate, 156, 196.
Tumors of the uterus, benign, deaths from, 157, 348; by age, 366, 397; by color, 378, 390, 766; by sex, 366, 765; in cities and rural districts, 348.
—— death rate, 157, 200.
Typhlitis. *See* Appendicitis and typhlitis.
Typhoid and paratyphoid fever, deaths from, 34, 35, 156, 312, 342; by age, 360, 396, 695; by color, 312, 372, 384, 695, 764; by sex, 360, 695, 764; in cities and rural districts, 342; by month of death, 574; in each major city by age, 534, 704.
—— death rate, 12, 32, 34, 156, 160, 196, 695.
Typhus fever, deaths from, 156, 342; by age, 360, 396; by color, 372, 384, 764; by sex, 360, 764; in cities and rural districts, 342.
—— death rate, 156, 196.

Ulcer of the duodenum, deaths from, 157, 348; by age, 366, 397; by color, 378, 390, 765; by sex, 366, 765; in cities and rural districts, 348.
—— death rate, 157, 198.
Ulcer of the stomach, deaths from, 157, 348; by age, 366, 397; by color, 378, 390, 765; by sex, 366, 765; in cities and rural districts, 348.
—— death rate, 157, 198.
United Kingdom, death rates of, 21.
Unknown causes of death, deaths from, 158, 354; by age, 370, 398; by color, 382, 394, 767; by sex, 370, 767; in cities and rural districts, 354.
—— death rate, 96, 158, 202.
Unknown or ill-defined diseases, deaths from, 158, 313, 354; by age, 370, 398; by color, 313, 382, 394, 767; by sex, 370, 767; in cities and rural districts, 354.
—— death rate, 158, 161, 202.
Urethra, etc., diseases of, deaths from, 157, 348; by age, 366, 397; by color, 378, 390, 766; by sex, 366, 765; in cities and rural districts, 348.
—— death rate, 157, 200.
Uterine hemorrhage, nonpuerperal, deaths from, 157, 348; by age, 366, 397; by color, 378, 390, 766; by sex, 366, 765; in cities and rural districts, 348.
—— death rate, 157, 200.
Uterus, benign tumors of. *See* Tumors of the uterus, benign.

Veins, diseases of, deaths from, 157, 348; by age, 364, 397; by color, 376, 388, 765; by sex, 364, 765; in cities and rural districts, 348.
—— death rate, 157, 198.
Vermont, number and per cent of deaths not certified, 108.

Wales. *See* England, etc.
White population, 120; deaths of, 10, 120, 257, 764; by age, 95, 270, 298, 372; by nativity, 10, 298; by sex, 95, 298, 372; by cause, 312, 372, 764; in cities and rural districts, 342.
—— death rate, 12, 95, 160, 196.
Whooping-cough, deaths from, 42, 156, 312, 342; by age, 360, 396, 697; by color, 312, 372, 384, 697, 764; by sex, 360, 697, 764; in cities and rural districts, 342; by month of death, 574; by age under 1 year, 619; in each major city by age, 534.
—— death rate, 12, 32, 42, 96, 156, 160, 196, 697.
Wood alcohol, acute poisoning by, deaths from, 158.
—— death rate, 158.
Wounds of war, deaths from, 158, 354; by age, 370, 398; by color, 382, 394, 767; by sex, 370, 767; in cities and rural districts, 354.
—— death rate, 158, 202.

Yellow fever, deaths from, 156, 342; by age, 360, 396; by color, 372, 384, 764; by sex, 360, 764; in cities and rural districts, 342.
—— death rate, 156, 196.