DEPARTMENT OF COMMERCE
HERBERT HOOVER, SECRETARY
BUREAU OF THE CENSUS
W. M. STEUART, *Director*

MORTALITY STATISTICS

1923

TWENTY-FOURTH ANNUAL REPORT

PRICE, $1.50
Sold only by the Superintendent of Documents, Government Printing Office, Washington, D. C.

WASHINGTON
GOVERNMENT PRINTING OFFICE
1926

LETTER OF TRANSMITTAL

DEPARTMENT OF COMMERCE,
BUREAU OF THE CENSUS,
Washington, D. C., April 30, 1925.

SIR:

I transmit herewith the annual report on Mortality Statistics for 1923, which is the twenty-fourth compilation of such statistics prepared by the Bureau of the Census. It is based on transcripts of death certificates received from the registration area for deaths, which, in 1923, had an estimated population of 97,265,355, or 87.7 per cent of the total estimated population of the United States and the Territory of Hawaii.

The total number of deaths returned from this area for the calendar year 1923 was 1,197,652, corresponding to a death rate of 12.3 per 1,000 population. The State of Iowa was added to the death registration area in 1923.

Populations were estimated and diagrams were prepared by the Geographer's Division of the Bureau of the Census.

This report was prepared under the direction of Dr. William H. Davis, chief statistician for vital statistics, assisted by John B. Mitchell, supervising special agent, and Clyde D. Williams, expert chief of division.

Acknowledgment is made of the efficient service rendered in the preparation of this report by John O. Spain and Miss Maud E. Linder.

Respectfully,

W. M. STEUART,
Director of the Census.

Hon. HERBERT HOOVER,
Secretary of Commerce.

CONTENTS

TEXT

	Page
INTRODUCTION	7
Extent of the registration area in 1923	7
Growth of the registration area: 1880 to 1923e	7
Deaths and crude death rates	8
Deaths by color, nativity, parent nativity, age, and sex	8
Death rates by months	10
Adjusted rates	10
Death rates of the registration area	12
Death rates of the registration States	12
Death rates of large cities	13
Deaths and death rates of Negroes	15
Deaths of colored populations other than Negro	16
Deaths and death rates of Indians	16
Deaths and death rates of Japanese	16
Deaths of residents	17
Death rates of foreign countries	17
CAUSES OF DEATH	19
Detailed and abridged International Lists	19
Changes in the detailed International List	19
Death rates from certain important causes of death in the registration area and in the registration States of 1900 and of 1910	19
Typhoid and paratyphoid fever	23
Malaria	24
Smallpox	25
Measles	26
Scarlet fever	28
Whooping cough	29
Diphtheria	30
Influenza and pneumonia (all forms)	32
CAUSES OF DEATH—Continued.	
Acute anterior poliomyelitis	33
Lethargic encephalitis	34
Other epidemic and endemic diseases	35
Glanders	35
Anthrax	35
Rabies	36
Mycoses	37
Tuberculosis (all forms)	37
Tuberculosis of the respiratory system and acute disseminated tuberculosis	38
Syphilis	40
Cancer	41
Pellagra	51
Diabetes mellitus	52
Alcoholism and cirrhosis of the liver	53
Diseases of the heart	55
Pneumonia (all forms)	56
Diarrhea and enteritis (under 2 years)	58
Acute and chronic nephritis	59
Puerperal causes	60
Old age	67
Suicide	68
Homicide	70
Accidental or undefined external causes	71
Automobile accidents	72
Unknown or ill-defined diseases	74
Anesthetics	76
Adjusted and specific rates for white and colored	78
DEATHS OF CHILDREN UNDER 1 YEAR OF AGE	80
ACCURACY OF STATISTICS OF CAUSES OF DEATH	81

SUMMARY AND RATE TABLES

	Page
TABLE IA.—Population, deaths (exclusive of stillbirths), and death rates per 1,000 population, by color and sex, in urban and rural districts: 1923	84
Estimated population and death rates by color for registration area and cities in nonregistration States, by color and sex for total registration States and by color, sex, urban and rural for each registration State.	
TABLE IB.—Population, total deaths, deaths of residents, and death rates per 1,000 population, in each city and each county: 1923	87
TABLE II.—Deaths (exclusive of stillbirths) and death rates per 100,000 population, from each cause, in the registration area (exclusive of Hawaii): 1922 and 1923	112

GENERAL TABLES

TABLE 1.—Deaths (exclusive of stillbirths), by months: 1923	116
Deaths in the registration area and in urban and rural districts of each registration State.	
TABLE 2.—Deaths (exclusive of stillbirths), by color, general nativity, and parent nativity of white: 1923	118
Deaths of white, Negroes, Japanese, and other colored, in the registration area, and in urban and rural districts of each registration State.	
TABLE 3.—Deaths (exclusive of stillbirths), by age and color: 1923	120
Deaths of white and colored, by single years under 5 and by 5-year age periods, in the registration area, and in urban and rural districts of each registration State.	
TABLE 4.—Deaths (exclusive of stillbirths), by age, sex, color, and nativity of white: 1923	126
Deaths of white, Negroes, Indians, Chinese, Japanese, and other colored, by single years under 5 and by 5-year age periods, in the registration area, each registration State, and the total registration States of 1920.	

Page

TABLE 5.—Deaths (exclusive of stillbirths) from important causes, by color: 1923 142
Deaths from 33 causes, in the registration area, and each registration city, and by color for urban and rural districts of each registration State.

TABLE 6.—Deaths (exclusive of stillbirths) from each cause, in urban and rural districts: 1923 172

TABLE 7.—Deaths (exclusive of stillbirths) from each cause, by age, sex, and color, in the registration States (including District of Columbia): 1923 194
Causes of death by single years under 5 and by 5-year age periods.

TABLE 7A.—Deaths (exclusive of stillbirths) of Negroes, Indians, Chinese, Japanese, and other colored, from each cause by sex, in the registration States (including District of Columbia): 1923 216

TABLE 8.—Deaths (exclusive of stillbirths) from each cause, by age, in the registration area and each registration State: 1923 219
Causes of death by single years under 5, and by 5 and 10 year age periods.

TABLE 9.—Deaths (exclusive of stillbirths) from important causes, by age, in large cities: 1923 352
Deaths by single years under 5 and by 5 and 10 year age periods in cities of 100,000 population or more on January 1, 1920.

TABLE 10.—Deaths (exclusive of stillbirths) from important causes, by months, in each registration State: 1923 385

TABLE 10A.—Deaths (exclusive of stillbirths) from important causes, by months, in large cities: 1923 398
Deaths in cities of 100,000 population or more on January 1, 1920.

TABLE 11.—Deaths (exclusive of stillbirths) from important causes, for certain subdivisions of the first year of life, in registration States and large cities not in the birth registration area: 1923 423
The cities are those of 100,000 population or more on January 1, 1920.

MAP

GROWTH OF THE REGISTRATION AREA FOR DEATHS: 1880 TO 1923 6

DIAGRAMS

DIAGRAM 1.—Percentages which the population and land area of the registration area formed of the total population and land area of the United States for the years 1880, 1890, and 1900 to 1923, inclusive 8

DIAGRAM 2.—Per cent of deaths in the registration area (exclusive of Hawaii) by color, by nativity of white persons, and by parent nativity of the native white: 1923 9

DIAGRAM 3.—Number of deaths in the registration area (exclusive of Hawaii) at all ages, under 1 year of age, and from 1 to 4 years of age, for each of the years 1900 to 1923 9

DIAGRAM 4.—Per cent of deaths in the registration area (exclusive of Hawaii) under 1 year of age, from 1 to 4 years, and 5 years and over, for each of the years 1900 to 1923 10

DIAGRAM 5.—General death rates of the United States (registration area) and certain foreign countries for each of the years from 1900 to 1923 18

DIAGRAM 6.—Death rates from certain important causes of death in the registration area of the United States for the years 1900 and 1910 to 1923 22

DIAGRAM 7.—Refined death rates from cancer per 100,000 estimated population: 1923 47

DIAGRAM 8.—Adjusted and crude death rates from cancer per 100,000 estimated population, in the registration States of 1900, 1900 to 1923, and in certain States, 1910 to 1923 48

DIAGRAM 9.—Death rates from cancer, by sex, color, and age, per 100,000 estimated population, in the registration States of 1920 (including District of Columbia); (A) on an arithmetic scale and (B) on a semilogarithmic scale: 1923 50

SUPPLEMENT

HAWAII 436

APPENDIX

TABLE 1.—Deaths (exclusive of stillbirths) from each cause, by age, sex, and color, in the registration States of 1920 (including District of Columbia): 1923 448

TABLE 2.—Deaths (exclusive of stillbirths) and crude and adjusted death rates per 100,000 population, from certain causes, by age, sex, and color, in the registration States of 1920 (including District of Columbia): 1923 474

MORTALITY STATISTICS

1923

GROWTH OF THE REGISTRATION AREA FOR DEATHS: 1880 TO 1923

NOTE.—In addition to the registration States, the registration area in each year included certain cities in nonregistration States



MORTALITY STATISTICS: 1923

INTRODUCTION

The present report presents mortality statistics for the death registration area of the United States. For 1923 Iowa was added to the area.

Data presented in both the text and the general tables are based on all deaths in the registration area, exclusive of Hawaii. Because of the distant location of this Territory and the peculiar constitution of its population, deaths from this part of the registration area are not included in the general tables but are shown in special tables.

All death rates are based on total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Caution should always be exercised in drawing deductions from crude death rates, for due allowance must first be made for deaths of nonresidents, and for the peculiar composition of the population as regards age and sex distribution, color, and nativity, as well as for other factors.

To refine all death rates so that they would be strictly comparable and would truly represent the relative healthfulness of different localities is impossible from the data at hand. Certain partial refinements, however, are attempted. These partial refinements will be found as adjusted rates, based on the standard million population of England and Wales, 1901, and as refined rates, with the additional corrections for deaths of nonresidents.

EXTENT OF THE REGISTRATION AREA IN 1923

The registration area in 1923 includes 38 States, the District of Columbia, and 14 cities in nonregistration States. These States and cities were added to the area on the basis of approximately complete registration of deaths (at least 90 per cent of all deaths) and when the data at hand showed that the deaths were recorded properly under State law, or, for cities, under municipal ordinances. The States included in the registration area for 1923 are:

California	Kansas	Montana	Rhode Island
Colorado	Kentucky	Nebraska	South Carolina
Connecticut	Louisiana	New Hampshire	Tennessee
Delaware	Maine	New Jersey	Utah
Florida	Maryland	New York	Vermont
Georgia	Massachusetts	North Carolina	Virginia
Idaho	Michigan	Ohio	Washington
Illinois	Minnesota	Oregon	Wisconsin
Indiana	Mississippi	Pennsylvania	Wyoming
Iowa	Missouri		

The entire registration area comprises not only the States named but also the District of Columbia, Territory of Hawaii, and the following cities in nonregistration States:

Birmingham, Ala.	Sioux Falls, S. Dak.	Galveston, Tex.
Mobile, Ala.	Beaumont, Tex.	Houston, Tex.
Montgomery, Ala.	Dallas, Tex.	San Antonio, Tex.
Fargo, N. Dak.	El Paso, Tex.	Wheeling, W. Va.
Oklahoma City, Okla.	Fort Worth, Tex.	

GROWTH OF THE REGISTRATION AREA: 1880 TO 1923

The first mortality statistics published by the Federal Government related to 1850, and were based on data collected at the decennial census of that year and covered the entire United States. The decennial collection of vital statistics by census enumerators was continued through 1900, but for the census year 1880 there was established a registration area from which transcripts of death certificates were received in addition to enumerators' returns. So also for the census years 1890 and 1900 transcripts of death certificates were received from the States and cities included in the registration area.

The annual collection of mortality statistics for that part of the United States known as the registration area began with the calendar year 1900.

Table A shows the States which were included in the registration area of the United States from 1880 to 1923, with the year when each was added. The Territory of Hawaii was added in 1917, and in each year the registration area also included qualified cities in nonregistration States.

Table A

STATE	Year	STATE	Year	STATE	Year
Massachusetts	[1] 1880	Maryland	1906	North Carolina [6]	1916
New Jersey		Pennsylvania		South Carolina	
Dist. of Columbia [2]		South Dakota [4]		Tennessee	1917
Connecticut	[1] 1890	Washington	1908	Illinois	1918
Delaware [3]		Wisconsin		Louisiana	
New Hampshire		Ohio	1909	Oregon	
New York		Minnesota	1910	Delaware	1919
Rhode Island		Montana		Florida	
Vermont		North Carolina [5]		Mississippi	
Maine	[1] 1900	Utah		Nebraska	1920
Michigan		Kentucky	1911	Georgia	1922
Indiana	1900	Missouri		Idaho	
California	1906	Virginia	1913	Wyoming	
Colorado		Kansas	1914	Iowa	1923

[1] Census year ending May 31.
[2] Included in registration States.
[3] Dropped from the registration area in the census year 1900.
[4] Dropped from the registration area in 1910.
[5] Included only municipalities having a population of 1,000 or more in 1900.
[6] The remainder of the State of North Carolina was added to the registration area in 1916. (See footnote 5.)

Table B shows the growth of the registration area in both population and land area from 1880 to 1923, inclusive.

The percentages which the population and land area of the registration area, exclusive of Hawaii,

formed of the corresponding totals for the United States in 1880, 1890, and 1900 to 1923, inclusive, are presented in Diagram 1.

Table B

CALENDAR YEAR	CONTINENTAL UNITED STATES: Estimated population July 1	CONTINENTAL UNITED STATES: Land area (square miles)	REGISTRATION AREA (EXCLUSIVE OF HAWAII): Estimated population, July 1: Number	REGISTRATION AREA: Estimated population, July 1: Per cent of total	REGISTRATION AREA: Land area: Square miles	REGISTRATION AREA: Land area: Per cent of total
1923	110,663,502	2,973,776	96,986,371	87.6	2,021,237	68.0
1922	109,248,393	2,973,776	93,241,643	85.3	1,965,589	66.1
1921	107,833,284	2,973,776	88,667,602	82.2	1,726,012	58.0
1920	106,418,175	[1] 2,973,776	87,486,713	82.2	1,726,012	58.0
1919	105,003,065	2,973,890	85,166,043	81.1	1,649,281	55.5
1918	103,587,955	2,973,890	81,333,675	78.5	1,546,166	52.0
1917	102,172,845	2,973,890	74,984,498	73.4	1,349,629	45.4
1916	100,757,735	2,973,890	71,349,162	70.8	1,307,819	44.0
1915	99,342,625	2,973,890	67,095,681	67.5	1,228,704	41.3
1914	97,927,516	2,973,890	65,813,315	67.2	1,228,644	41.3
1913	96,512,407	2,973,890	63,200,625	65.5	1,147,039	38.6
1912	95,097,298	2,973,890	60,359,974	63.5	1,106,777	37.2
1911	93,682,189	2,973,890	59,183,071	63.2	1,106,734	37.2
1910	92,267,080	[2] 2,973,890	53,831,742	58.3	997,978	33.6
1909	90,691,354	2,974,159	50,870,518	56.1	765,738	25.7
1908	89,073,360	2,974,159	46,789,913	52.5	725,117	24.4
1907	87,455,366	2,974,159	43,016,990	49.2	603,151	20.3
1906	85,837,372	2,974,159	41,983,419	48.9	603,066	20.3
1905	84,219,378	2,974,159	34,052,201	40.4	212,744	7.2
1904	82,601,384	2,974,159	33,345,163	40.4	212,744	7.2
1903	80,983,390	2,974,159	32,701,083	40.4	212,762	7.2
1902	79,365,396	2,974,159	32,029,815	40.4	212,762	7.2
1901	77,747,402	2,974,159	31,370,952	40.3	212,770	7.2
1900	75,994,575	[4] 2,974,159	30,765,618	40.5	212,621	7.1
1900 [3]			28,807,269	37.9	176,878	5.9
1890 [3]	62,947,714	2,973,965	19,659,440	31.2	90,695	3.0
1880 [3]	50,155,783	2,973,965	8,538,366	17.0	16,481	0.6

[1] The net reduction of 114 square miles as compared with area stated by census of 1910 was due to irrigation projects.
[2] The net reduction of 269 square miles as compared with area stated by census of 1900 was due to drainage of lakes and swamps in Illinois and Indiana, building of the Roosevelt and Laguna Reservoirs, and overflow of the Colorado River into the Salton Sea in California.
[3] Census year ending May 31.
[4] The increase of 194 square miles as compared with area stated by census of 1890 was due to the reclamation of part of Potomac River Flats in the District of Columbia and of part of Lake Tulare in California.

DIAGRAM 1.—PERCENTAGES WHICH THE POPULATION AND LAND AREA OF THE REGISTRATION AREA FORMED OF THE TOTAL POPULATION AND LAND AREA OF THE UNITED STATES FOR THE YEARS 1880, 1890, AND 1900 TO 1923, INCLUSIVE



DEATHS AND CRUDE DEATH RATES

The total number of deaths returned from the registration area of the United States, exclusive of Hawaii, for the calendar year 1923, is 1,193,017, as reported to the Census Bureau by the State and municipal registration offices. The death rate is 12.3 per 1,000 estimated midyear population of 96,986,371, which is 87.6 per cent of the total estimated population of the United States. The rate for 1923 is slightly higher than the rate for 1922 (11.8).

Table C shows the number of deaths and death rates per 1,000 population for the census years ending May 31, 1880, 1890, and 1900, and for the calendar years 1900 to 1923.

Table C

CALENDAR YEAR	DEATHS FROM ALL CAUSES,[1] REGISTRATION AREA [2]: Number	Rate per 1,000 population [3]	CALENDAR YEAR	DEATHS FROM ALL CAUSES,[1] REGISTRATION AREA [2]: Number	Rate per 1,000 population [3]
1923	1,193,017	12.3	1909	732,538	14.4
1922	1,101,863	11.8	1908	691,574	14.8
1921	1,032,009	11.6	1907	687,034	16.0
1920	1,142,558	13.1	1906	658,105	15.7
1919	1,096,436	12.9	1905	545,533	16.0
1918	1,471,367	18.1	1904	551,354	16.5
1917	1,068,932	14.3	1903	524,415	16.0
1916	1,001,921	14.0	1902	508,640	15.9
1915	909,155	13.6	1901	518,207	16.5
1914	898,059	13.6	1900	539,939	17.6
1913	890,848	14.1	1900 [4]	512,669	17.8
1912	838,251	13.9	1890 [4]	386,212	19.6
1911	839,284	14.2	1880 [4]	169,453	19.8
1910	805,412	15.0			

[1] Exclusive of stillbirths.
[2] Exclusive of Hawaii.
[3] Estimated as of July 1.
[4] Census year ending May 31.

DEATHS BY COLOR, NATIVITY, PARENT NATIVITY, AGE, AND SEX

Table D shows, for the registration area, exclusive of Hawaii, the deaths in 1923, classified according to sex, color, nativity, and parent nativity.

Table D

COLOR, NATIVITY, AND PARENT NATIVITY	DEATHS FROM ALL CAUSES (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA:[1] 1923: Number: Total	Number: Male	Number: Female	Distribution per 1,000: Total	Distribution per 1,000: Male	Distribution per 1,000: Female
Aggregate	1,193,017	635,645	557,372	1,000.0	1,000.0	1,000.0
White	1,042,064	557,333	484,731	873.5	876.8	869.7
Native	790,186	415,478	374,708	662.3	653.6	672.3
Both parents native	466,883	242,214	224,669	391.3	381.1	403.1
One or both parents foreign born	215,914	114,031	101,883	181.0	179.4	182.8
Parentage unknown	107,389	59,233	48,156	90.0	93.2	86.4
Foreign born	236,537	130,539	105,998	198.3	205.4	190.2
Unknown	15,341	11,316	4,025	12.9	17.8	7.2
Colored	150,953	78,312	72,641	126.5	123.2	130.3
Negro	145,859	75,036	70,823	122.3	118.0	127.1
Indian	2,329	1,199	1,130	2.0	1.9	2.0
Chinese	1,244	1,107	137	1.0	1.7	0.2
Japanese	1,422	885	537	1.2	1.4	1.0
Other colored	99	85	14	0.1	0.1	(2)

[1] Exclusive of Hawaii.
[2] Less than one-tenth of 1 per 1,000.

The 1,193,017 deaths in 1923 in the registration area, exclusive of Hawaii, are distributed between the sexes and between white and colored as follows: Males, 53.3 per cent; females, 46.7 per cent; white, 87.3 per cent; colored, 12.7 per cent. Of the colored, the great majority, 96.6 per cent (equivalent to 12.2 per cent of the total for all races), are Negroes.

DIAGRAM 2.—PER CENT OF DEATHS IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) BY COLOR, BY NATIVITY OF WHITE PERSONS, AND BY PARENT NATIVITY OF THE NATIVE WHITE: 1923



The age distribution of decedents is shown in Table E.

Table E — DEATHS FROM ALL CAUSES (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA:[1] 1923

AGE	Number			Distribution per 1,000		
	Total	Male	Female	Total	Male	Female
All ages	1,193,017	635,645	557,372	1,000.0	1,000.0	1,000.0
Under 1 year	166,274	93,895	72,379	139.4	147.7	129.9
1 year	33,869	18,117	15,752	28.4	28.5	28.3
2 years	16,390	8,761	7,629	13.7	13.8	13.7
3 years	9,914	5,237	4,677	8.3	8.2	8.4
4 years	7,471	3,929	3,542	6.3	6.2	6.4
Under 5 years	233,918	129,939	103,979	196.1	204.4	186.6
5 to 9 years	24,259	13,142	11,117	20.3	20.7	19.9
10 to 14 years	18,101	9,919	8,182	15.2	15.6	14.7
15 to 19 years	28,969	14,441	14,528	24.3	22.7	26.1
20 to 24 years	38,032	18,634	19,398	31.9	29.3	34.8
25 to 29 years	40,334	19,936	20,398	33.8	31.4	36.6
30 to 34 years	41,831	21,512	20,319	35.1	33.8	36.5
35 to 39 years	48,559	26,290	22,269	40.7	41.4	40.0
40 to 44 years	50,544	28,035	22,509	42.4	44.1	40.4
45 to 49 years	56,348	31,720	24,628	47.2	49.9	44.2
50 to 54 years	65,915	37,163	28,752	55.3	58.5	51.6
55 to 59 years	69,696	39,067	30,629	58.4	61.5	55.0
60 to 64 years	85,581	47,607	37,974	71.7	74.9	68.1
65 to 69 years	92,150	50,166	41,984	77.2	78.9	75.3
70 to 74 years	94,659	50,080	44,579	79.3	78.8	80.0
75 to 79 years	86,283	43,990	42,293	72.3	69.2	75.9
80 to 84 years	64,422	30,546	33,876	54.0	48.1	60.8
85 to 89 years	34,941	15,603	19,338	29.3	24.5	34.7
90 to 94 years	12,650	5,205	7,445	10.6	8.2	13.4
95 to 99 years	2,961	1,168	1,793	2.5	1.8	3.2
100 years and over	1,221	457	764	1.0	0.7	1.4
Unknown	1,643	1,025	618	1.4	1.6	1.1

[1] Exclusive of Hawaii.

Table F and Diagrams 3 and 4 show for each of the years 1900 to 1923, inclusive, the number of deaths in the registration area at all ages, under 1 year of age, and under 5 years of age, and the percentages which the deaths under 1 and under 5 form of the total.

Table F — DEATHS FROM ALL CAUSES (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA[1]

CALENDAR YEAR	All ages	Under 1 year		Under 5 years	
		Number	Per cent of total	Number	Per cent of total
1923	1,193,017	166,274	13.9	233,918	19.6
1922	1,101,863	158,560	14.4	218,201	19.8
1921	1,032,009	160,011	15.5	220,688	21.4
1920	1,142,558	174,710	15.3	248,432	21.7
1919	1,096,436	161,621	14.7	229,313	21.0
1918	1,471,367	193,855	13.2	306,143	20.8
1917	1,068,932	171,024	16.0	243,708	22.8
1916	1,001,921	164,660	16.4	234,081	23.4
1915	909,155	148,561	16.3	203,223	22.4
1914	898,059	155,075	17.3	214,120	23.8
1913	890,848	159,435	17.9	225,129	25.3
1912	838,251	147,455	17.6	204,639	24.4
1911	839,284	149,322	17.8	209,482	25.0
1910	805,412	154,373	19.2	217,319	27.0
1909	732,538	140,057	19.1	196,534	26.8
1908	691,574	136,432	19.7	189,865	27.5
1907	687,034	131,110	19.1	183,774	26.7
1906	658,105	133,105	20.2	186,978	28.4
1905	545,533	105,553	19.3	147,384	27.0
1904	551,354	102,880	18.7	145,902	26.5
1903	524,415	96,857	18.5	139,940	26.7
1902	508,640	98,575	19.4	143,515	28.2
1901	518,207	97,477	18.8	141,678	27.3
1900	539,939	111,687	20.7	164,137	30.4

[1] Exclusive of Hawaii.

In 1900 the deaths under 1 year of age formed 20.7 per cent, and those under 5 years 30.4 per cent, of the total deaths at all ages, but in 1923 the corresponding percentages are 13.9 and 19.6.

DIAGRAM 3.—NUMBER OF DEATHS IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AT ALL AGES, UNDER 1 YEAR OF AGE, AND FROM 1 TO 4 YEARS OF AGE, FOR EACH OF THE YEARS 1900 TO 1923



DIAGRAM 4.—PER CENT OF DEATHS IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) UNDER 1 YEAR OF AGE, FROM 1 TO 4 YEARS, AND 5 YEARS AND OVER, FOR EACH OF THE YEARS 1900 TO 1923



DEATH RATES BY MONTHS

Table G shows for the registration area and the registration States of 1900, for 1900, 1910, 1920, and 1923, the annual death rate from all causes per 1,000 estimated midyear population, by months.

Table G — ANNUAL DEATH RATE FROM ALL CAUSES (EXCLUSIVE OF STILLBIRTHS) PER 1,000 ESTIMATED MIDYEAR POPULATION

MONTH	Registration area (exclusive of Hawaii)				Registration States of 1900 [1]			
	1923	1920	1910	1900	1923	1920	1910	1900
Total	12.3	13.1	15.0	17.6	12.9	13.8	15.6	17.2
January	14.6	15.1	15.5	17.9	15.0	16.6	16.2	17.0
February	16.7	24.8	15.9	19.1	18.7	26.6	16.6	18.4
March	15.0	15.7	16.7	21.3	16.3	16.0	17.7	21.0
April	13.4	13.0	15.4	21.2	14.5	14.2	16.5	20.8
May	12.0	12.3	14.1	17.6	12.7	13.4	14.7	17.0
June	11.3	11.1	13.8	15.0	11.8	11.5	14.2	14.4
July	10.6	10.4	15.3	18.2	10.5	10.6	16.3	18.0
August	10.4	10.5	15.3	17.8	10.7	11.0	15.9	18.1
September	10.5	10.7	14.5	16.7	10.7	11.3	15.1	17.2
October	10.8	10.9	13.7	15.4	11.2	11.3	14.2	15.3
November	11.4	11.5	14.3	15.0	11.8	11.8	14.5	14.4
December	11.6	11.8	15.4	15.8	12.0	12.5	16.0	15.2

[1] For States included, see Table A, p. 7.

In the registration area the highest annual rate from all causes in 1923, by month of death, is for February (16.7), and the lowest for August (10.4). Comparing the monthly rates of 1923 with those of 1920, every month but April, June, and July shows a lower rate in 1923—the greatest decrease in rates in 1923 is for February (from 24.8 to 16.7), the decrease being due largely to the reduction in deaths from influenza, pneumonia, and tuberculosis.

ADJUSTED RATES

For comparison of mortality rates of different areas or divisions of the population adjusted rates are much better than crude rates. Adjusted rates, sometimes called standardized rates, have been based on the standard million population of England and Wales, 1901. Table H shows together adjusted and crude rates for the registration States of 1920, and in other text tables many adjusted and crude rates are shown for each registration State and each city of 100,000 population or more in 1920. These rates will serve as a ready check against unwarranted conclusions which might be drawn from crude rates alone.

The adjusted and specific rates for the registration States of 1920 (including District of Columbia) have been computed by using estimated populations. (See Table I.) For the adjusted rates full corrections have been made for the deaths and populations at unknown age—the sum of the deaths in the standard million population, based on the specific rates, having been multiplied by the corrective factor R_d/R_p, where R_d is the ratio of total deaths to deaths at known age and R_p, the ratio of total population to population at known age.

As it is a big task to estimate, for many units, the populations by sex and age and then to compute specific and adjusted rates, and as the sex and age distribution of a given population does not usually change much in the first few years following a census enumeration, it has been assumed, in the computation of the adjusted rates shown in text tables for certain important causes, that the ratio of adjusted and crude rates for 1920, 1921, 1922, and 1923, was the same as the ratio of the adjusted and crude rates based on deaths and enumerated populations of 1920. In other words, to obtain adjusted rates, the ratio of the adjusted rate to the crude rate in 1920 (based on the enumerated population of 1920) has been applied to the crude rates of 1920, 1921, 1922, and 1923 (based on estimated populations). Discussion of some of these rates will be found farther on in the text under various causes of death.

Table H

Cause of death and year	Death rate per 100,000 estimated population in the registration states of 1920[1] (including District of Columbia)					
	Both sexes		Male		Female	
	Adjusted rate[a]	Crude rate	Adjusted rate	Crude rate	Adjusted rate	Crude rate
Total						
All causes (exclusive of stillbirths) 1923	1,188.4	1,240.0	1,258.8	1,302.0	1,124.0	1,176.3
1922	1,140.5	1,185.9	1,204.7	1,241.5	1,081.5	1,128.5
1921	1,122.0	1,158.1	1,176.5	1,203.7	1,071.3	1,111.0
1920	1,265.8	1,299.4	1,315.6	1,339.5	1,219.0	1,257.9
Typhoid and paratyphoid fever 1923	6.6	6.4	7.5	7.3	5.7	5.6
1922	7.0	6.9	8.0	7.8	6.2	6.0
1921	9.0	8.9	9.9	9.7	8.2	8.0
1920	7.7	7.6	8.5	8.4	7.0	6.9
Measles 1923	11.7	10.9	12.1	11.2	11.3	10.6
1922	4.9	4.5	5.2	4.8	4.6	4.3
1921	4.5	4.2	4.8	4.4	4.3	4.0
1920	9.4	8.8	9.6	8.9	9.2	8.7
Scarlet fever 1923	3.8	3.6	3.7	3.5	3.9	3.7
1922	3.8	3.6	3.6	3.3	4.1	3.9
1921	5.7	5.4	5.5	5.2	5.8	5.6
1920	4.9	4.6	4.8	4.5	5.0	4.7
Whooping cough 1923	10.6	9.8	9.7	9.0	11.5	10.7
1922	6.1	5.6	5.5	5.1	6.6	6.1
1921	9.8	9.1	8.9	8.2	10.8	10.1
1920	13.4	12.5	12.2	11.3	14.6	13.7
Diphtheria 1923	13.1	12.3	13.1	12.3	13.1	12.4
1922	15.7	14.8	15.9	14.9	15.5	14.8
1921	18.8	17.8	19.1	18.0	18.4	17.6
1920	16.2	15.4	16.8	15.8	15.6	14.9
Tuberculosis (all forms) 1923	92.2	94.7	95.2	99.1	89.8	90.1
1922	94.3	96.8	97.7	101.4	91.4	92.1
1921	95.9	98.3	98.2	101.8	94.1	94.8
1920	110.4	113.2	112.7	116.7	108.6	109.5
Cancer and other malignant tumors 1923	83.7	91.1	71.3	78.6	95.0	103.9
1922	82.1	88.7	69.4	76.1	93.5	101.8
1921	80.4	86.2	66.4	72.3	92.9	100.5
1920	78.3	83.4	64.4	69.6	90.8	97.6
Diabetes mellitus 1923	17.2	18.3	14.5	15.7	19.4	20.9
1922	17.9	18.8	15.2	16.3	20.1	21.5
1921	16.1	16.8	13.7	14.6	18.0	19.1
1920	15.5	16.2	13.6	14.4	17.0	18.0
Diarrhea and enteritis 1923	42.7	40.0	46.2	43.0	39.2	37.0
1922	41.6	39.2	45.2	42.3	38.0	36.0
1921	53.9	50.8	57.8	54.1	49.9	47.5
1920	56.5	53.6	61.5	57.8	51.5	49.2
Acute and chronic nephritis 1923	82.9	91.0	87.4	94.4	79.7	87.5
1922	81.4	88.8	86.1	92.5	78.0	85.0
1921	78.5	84.9	81.9	87.3	76.2	82.5
1920	82.4	88.8	87.8	93.1	78.4	84.4
Puerperal septicemia 1923	6.1	5.8	--------	--------	11.8	11.7
1922	5.9	5.6	--------	--------	11.3	11.3
1921	7.2	6.7	--------	--------	13.7	13.7
1920	6.9	6.5	--------	--------	13.2	13.3
Other puerperal causes 1923	10.0	9.6	--------	--------	19.2	19.4
1922	10.3	9.8	--------	--------	19.7	19.8
1921	10.5	10.0	--------	--------	20.1	20.2
1920	13.1	12.4	--------	--------	25.1	25.3
Violent deaths (suicide excepted) 1923	80.7	84.7	120.1	122.5	44.2	45.7
1922	74.3	77.8	109.9	111.9	41.2	42.5
1921	73.3	76.4	108.4	110.0	40.5	41.7
1920	74.8	77.8	110.2	111.4	42.0	43.0
White						
All causes (exclusive of stillbirths) 1923	1,125.4	1,193.5	1,199.2	1,256.5	1,057.7	1,128.5
1922	1,086.5	1,147.3	1,154.3	1,204.3	1,024.1	1,088.5
1921	1,069.4	1,120.0	1,129.3	1,168.7	1,013.8	1,069.7
1920	1,207.5	1,256.2	1,262.3	1,299.0	1,156.1	1,211.9
Typhoid and paratyphoid fever 1923	5.5	5.4	6.5	6.3	4.6	4.5
1922	5.8	5.7	6.7	6.6	4.9	4.8
1921	7.7	7.7	8.7	8.5	6.9	6.8
1920	6.6	6.6	7.4	7.3	5.9	5.8
Measles 1923	11.2	10.5	11.6	10.8	10.8	10.2
1922	5.0	4.7	5.3	4.9	4.8	4.5
1921	4.6	4.3	4.8	4.5	4.4	4.1
1920	9.9	9.3	10.0	9.3	9.8	9.2
Scarlet fever 1923	4.1	3.8	4.0	3.7	4.2	4.0
1922	4.1	3.9	3.8	3.6	4.4	4.2
1921	6.1	5.8	5.9	5.5	6.3	6.0
1920	5.3	5.0	5.2	4.8	5.4	5.1
Whooping cough 1923	9.1	8.5	8.4	7.8	9.9	9.2
1922	5.4	5.0	4.9	4.5	5.9	5.5
1921	8.7	8.1	7.8	7.2	9.6	9.0
1920	12.6	11.7	11.5	10.7	13.7	12.8
Diphtheria 1923	13.5	12.7	13.6	12.7	13.5	12.7
1922	16.2	15.2	16.3	15.3	16.1	15.2
1921	19.6	18.5	19.9	18.7	19.3	18.3
1920	16.9	16.0	17.6	16.5	16.3	15.5
Tuberculosis (all forms) 1923	79.4	82.4	83.3	87.8	76.1	76.9
1922	81.1	84.1	84.8	89.2	77.9	78.8
1921	82.3	85.3	85.5	89.7	79.7	80.7
1920	96.2	99.5	99.4	104.1	93.5	94.7

Table H—Con.

Cause of death and year	Death rate per 100,000 estimated population in the registration states of 1920[1] including District of Columbia)					
	Both sexes		Male		Female	
	Adjusted rate	Crude rate	Adjusted rate	Crude rate	Adjusted rate	Crude rate
White—continued						
Cancer and other malignant tumors 1923	84.6	94.2	73.3	82.3	94.8	106.4
1922	83.0	91.9	71.4	79.7	93.6	104.4
1921	81.4	89.4	68.5	75.9	93.1	103.3
1920	79.4	86.5	66.5	73.3	90.9	100.3
Diabetes mellitus 1923	17.5	19.0	14.9	16.4	19.7	21.7
1922	18.3	19.7	15.7	17.0	20.5	22.5
1921	16.5	17.6	14.2	15.3	18.4	20.0
1920	15.9	16.9	14.0	15.0	17.4	18.8
Diarrhea and enteritis 1923	40.3	37.9	43.8	41.0	36.8	34.8
1922	39.8	37.5	43.4	40.6	36.1	34.3
1921	52.1	49.2	56.2	52.7	47.8	45.6
1920	54.8	52.0	59.9	56.4	49.6	47.4
Acute and chronic nephritis 1923	78.8	88.3	83.2	91.4	75.5	85.1
1922	77.4	86.3	82.0	89.6	74.0	82.8
1921	74.6	82.5	78.1	84.6	72.3	80.3
1920	78.8	86.7	84.0	90.6	74.9	82.7
Puerperal septicemia 1923	5.7	5.4	--------	--------	11.0	10.9
1922	5.5	5.2	--------	--------	10.5	10.5
1921	6.7	6.3	--------	--------	12.9	12.8
1920	6.5	6.1	--------	--------	12.4	12.4
Other puerperal causes 1923	9.2	8.7	--------	--------	17.6	17.7
1922	9.5	9.0	--------	--------	18.3	18.4
1921	9.7	9.2	--------	--------	18.6	18.7
1920	12.3	11.6	--------	--------	23.4	23.6
Violent deaths (suicide excepted) 1923	76.7	81.1	113.8	116.8	42.2	44.4
1922	71.2	75.1	105.4	107.9	39.4	41.3
1921	70.4	73.9	104.1	106.1	39.0	40.7
1920	71.8	75.1	105.7	107.4	40.1	41.7
Colored						
All causes (exclusive of stillbirths) 1923	1,933.9	1,761.7	1,951.7	1,814.7	1,916.9	1,707.8
1922	1,771.7	1,615.2	1,782.1	1,659.1	1,761.0	1,570.5
1921	1,727.9	1,579.8	1,712.8	1,594.9	1,739.7	1,564.4
1920	1,931.4	1,774.8	1,918.5	1,789.3	1,941.5	1,760.0
Typhoid and paratyphoid fever 1923	17.8	17.9	18.3	18.0	17.3	17.8
1922	20.0	20.2	21.4	21.1	18.7	19.2
1921	22.4	22.6	23.4	23.1	21.5	22.0
1920	19.5	19.7	20.9	20.9	18.2	18.4
Measles 1923	16.8	15.7	17.5	16.0	16.2	15.5
1922	3.2	3.0	3.6	3.3	2.8	2.6
1921	3.6	3.4	4.0	3.7	3.3	3.2
1920	4.3	4.1	5.1	4.8	3.5	3.4
Scarlet fever 1923	1.0	1.0	0.9	0.9	1.1	1.1
1922	0.8	0.8	0.8	0.8	0.7	0.7
1921	1.1	1.1	1.1	1.1	1.2	1.2
1920	0.8	0.8	0.7	0.7	1.0	1.0
Whooping cough 1923	27.3	24.9	25.1	22.6	29.5	27.3
1922	13.8	12.8	13.0	11.9	14.6	13.6
1921	22.1	20.7	21.3	19.7	22.9	21.7
1920	21.8	20.6	19.5	18.3	24.0	23.1
Diphtheria 1923	8.4	8.0	8.0	7.4	8.8	8.5
1922	10.5	10.2	11.2	10.7	9.9	9.8
1921	10.4	10.2	10.6	10.2	10.1	10.2
1920	8.7	8.6	8.6	8.3	8.9	8.9
Tuberculosis (all forms) 1923	231.5	232.2	228.7	226.4	234.9	238.1
1922	237.4	238.2	241.4	238.0	234.7	238.3
1921	242.5	243.2	240.3	237.5	245.4	249.0
1920	263.0	263.5	259.7	256.6	266.9	270.5
Cancer and other malignant tumors 1923	68.0	56.8	40.0	36.9	92.9	77.0
1922	65.0	53.6	38.7	35.3	88.5	72.3
1921	61.3	50.2	34.8	31.5	84.7	69.2
1920	59.7	48.7	32.2	29.1	84.1	68.6
Diabetes mellitus 1923	12.1	10.2	8.7	8.1	15.1	12.3
1922	11.3	9.5	9.0	8.4	13.4	10.7
1921	9.8	8.3	8.0	7.2	11.4	9.4
1920	9.6	8.0	7.8	7.2	11.1	8.8
Diarrhea and enteritis 1923	70.3	63.4	73.7	66.0	66.6	60.7
1922	63.5	57.8	66.6	60.5	60.1	55.1
1921	75.0	69.1	76.3	70.0	73.4	68.2
1920	76.3	71.2	79.5	73.9	72.8	68.6
Acute and chronic nephritis 1923	140.9	120.6	144.7	127.4	139.7	113.8
1922	137.3	116.7	141.4	124.6	135.3	108.7
1921	130.9	111.7	132.7	116.5	130.7	106.9
1920	131.1	111.5	138.1	120.0	126.7	103.0
Puerperal septicemia 1923	10.2	10.4	--------	--------	19.6	20.9
1922	10.1	10.3	--------	--------	19.5	20.7
1921	11.4	11.5	--------	--------	21.8	23.3
1920	11.2	11.4	--------	--------	21.6	23.0
Other puerperal causes 1923	18.5	18.8	--------	--------	35.5	38.0
1922	17.5	17.8	--------	--------	33.7	35.9
1921	18.1	18.3	--------	--------	34.7	37.0
1920	21.3	21.6	--------	--------	41.0	43.6
Violent deaths (suicide excepted) 1923	124.5	124.6	189.6	187.0	64.7	61.1
1922	107.5	107.4	160.3	157.9	59.0	56.0
1921	103.6	103.6	155.9	153.7	55.5	52.6
1920	107.5	107.1	158.9	155.8	60.3	57.6

NOTE.—For explanation of adjusted rates, see p. 10

For States included, see Table A, p. 7.

Table I gives for 1921, 1922, and 1923 the estimated population, by age, sex, and color, in the registration States of 1920 (including the District of Columbia).

Table I — ESTIMATED POPULATION, JULY 1, IN THE REGISTRATION STATES OF 1920 [1] (INCLUDING DISTRICT OF COLUMBIA)

AGE AND COLOR	1923		1922		1921	
	Male	Female	Male	Female	Male	Female
All ages:						
White	41,695,839	40,440,490	41,177,508	39,872,010	40,659,173	39,303,533
Colored	3,695,718	3,631,916	3,669,075	3,605,255	3,642,435	3,578,597
Under 1 year:						
White	826,889	805,883	824,030	802,933	821,171	799,982
Colored	74,868	76,332	75,428	76,812	75,988	77,291
1 year:						
White	901,513	874,391	886,755	860,189	871,997	845,986
Colored	71,995	72,744	71,891	72,630	71,787	72,515
2 years:						
White	887,657	864,325	878,626	855,340	869,595	846,353
Colored	73,249	74,423	74,017	75,127	74,785	75,831
3 years:						
White	900,540	880,356	889,528	869,871	878,516	859,384
Colored	77,998	80,210	78,422	80,652	78,845	81,095
4 years:						
White	879,037	853,344	868,697	843,237	858,357	833,128
Colored	78,359	76,508	78,938	77,221	79,517	77,934
Under 5 years:						
White	4,395,636	4,278,299	4,347,636	4,231,570	4,299,636	4,184,833
Colored	376,469	380,217	378,696	382,442	380,922	384,666
5 to 9 years:						
White	4,310,087	4,222,111	4,242,387	4,155,835	4,174,688	4,089,560
Colored	415,462	416,751	414,227	415,609	412,802	414,467
10 to 14 years:						
White	3,978,299	3,903,777	3,921,689	3,848,116	3,865,080	3,792,456
Colored	405,590	410,239	403,040	407,322	400,490	404,405
15 to 19 years:						
White	3,351,752	3,399,202	3,345,270	3,388,351	3,338,789	3,377,501
Colored	339,193	371,935	339,060	371,055	338,927	370,175
20 to 24 years:						
White	3,251,208	3,491,851	3,259,821	3,474,223	3,268,433	3,456,598
Colored	336,210	387,837	335,743	385,874	335,278	383,909
25 to 29 years:						
White	3,487,798	3,551,079	3,463,280	3,502,150	3,438,763	3,453,222
Colored	299,301	342,382	299,349	339,804	299,397	337,226
30 to 34 years:						
White	3,316,117	3,173,069	3,274,291	3,122,839	3,232,465	3,072,611
Colored	249,363	265,852	248,969	263,120	248,575	260,387
35 to 39 years:						
White	3,262,934	2,954,258	3,208,694	2,905,432	3,154,454	2,856,607
Colored	306,146	290,017	300,679	284,262	295,212	278,507
40 to 44 years:						
White	2,647,689	2,501,922	2,611,264	2,459,128	2,574,838	2,416,336
Colored	228,170	213,694	224,129	209,315	220,089	204,935
45 to 49 years:						
White	2,520,740	2,213,344	2,469,243	2,170,455	2,417,745	2,127,568
Colored	253,471	171,217	244,908	167,922	236,345	164,627
50 to 54 years:						
White	2,073,603	1,880,317	2,038,908	1,844,902	2,004,212	1,809,489
Colored	169,406	124,401	166,303	122,723	163,200	121,045
55 to 59 years:						
White	1,607,756	1,478,333	1,573,050	1,444,803	1,538,342	1,411,275
Colored	97,805	72,744	96,845	72,319	95,885	71,894
60 to 64 years:						
White	1,352,915	1,230,969	1,319,387	1,202,880	1,285,859	1,174,791
Colored	82,458	62,313	81,692	62,103	80,924	61,895
65 to 69 years:						
White	899,775	850,007	883,170	835,685	866,565	821,362
Colored	55,747	44,144	55,200	43,793	54,653	43,441
70 to 74 years:						
White	593,411	596,972	582,524	585,869	571,637	574,764
Colored	35,457	32,499	34,987	32,107	34,517	31,715
75 to 79 years:						
White	360,264	386,923	353,138	378,531	346,012	370,137
Colored	20,517	19,029	20,173	18,743	19,829	18,457
80 to 84 years:						
White	156,861	190,836	154,293	186,642	151,725	182,446
Colored	9,416	10,725	9,311	10,648	9,206	10,573
85 to 89 years:						
White	57,804	76,413	56,787	74,654	55,771	72,892
Colored	3,999	4,821	3,970	4,773	3,940	4,728
90 to 94 years:						
White	12,352	18,833	12,203	18,428	12,054	18,024
Colored	1,535	2,412	1,538	2,414	1,542	2,415
95 to 99 years:						
White	2,496	3,849	2,432	3,745	2,368	3,641
Colored	719	1,046	715	1,041	712	1,035
100 years and over:						
White	376	617	366	597	357	576
Colored	585	1,213	586	1,201	586	1,190
Unknown:						
White	55,966	37,509	57,675	37,175	59,380	36,844
Colored	8,509	6,428	8,955	6,665	9,404	6,905

[1] For States included, see Table A, p. 7.

DEATH RATES OF THE REGISTRATION AREA

The death rates from all causes in the registration area and its main subdivisions, for 1918 to 1923, are shown in Table J.

Table J — DEATH RATE FROM ALL CAUSES (EXCLUSIVE OF STILLBIRTHS) PER 1,000 ESTIMATED POPULATION

AREA	1923	1922	1921	1920	1919	1918
The registration area (exclusive of Hawaii)	12.3	11.8	11.6	13.1	12.9	18.1
Registration States [1]	12.3	11.8	11.6	13.0	12.8	18.0
Cities in registration States [1]	13.2	12.7	12.3	14.1	13.9	19.9
Rural part of registration States	11.5	11.0	10.9	11.9	11.9	16.3
Registration cities in nonregistration States	13.8	14.0	15.1	17.0	15.6	23.0
All registration cities [1]	13.2	12.7	12.4	14.2	13.9	20.0

[1] Including District of Columbia.

The rates are higher in 1923 than in 1922 for all the subdivisions of the registration area, except registration cities in nonregistration States. In every year the rate for the rural part of the States is much lower than that for cities.

In view of the many changes which have taken place in the extent of the registration area since 1900, rates for the area usually are not strictly comparable year after year; therefore, in Table K rates are presented for 1918 to 1923 for the registration States of 1900—the "original registration States:" Connecticut, Indiana, Maine, Massachusetts, Michigan, New Hampshire, New Jersey, New York, Rhode Island, and Vermont, and the District of Columbia.

Table K — DEATH RATE FROM ALL CAUSES [1] PER 1,000 ESTIMATED POPULATION IN THE REGISTRATION STATES OF 1900 [2]

AREA	1923	1922	1921	1920	1919	1918
Total	12.9	12.6	12.2	13.8	13.5	18.9
Cities [2]	12.5	12.3	11.8	13.7	13.5	19.3
Rural districts	13.8	13.3	12.9	14.0	13.4	18.1

[1] Exclusive of stillbirths. [2] Including District of Columbia.

For the registration States of 1900 the rates for rural districts are higher than those for cities for 1920 to 1923.

The 1922 and 1923 city rates (12.3 and 12.5, respectively) for the States of 1900 are slightly lower than the city rates for the States in 1922 and 1923 (12.7 and 13.2, respectively), but the rural rates are very much lower for the States in 1922 and 1923 than for the States of 1900.

DEATH RATES OF THE REGISTRATION STATES

Table L shows for 1920 to 1923 adjusted death rates, and for 1918 to 1923 crude death rates, for the registration States.

Table L

STATE	DEATH RATE FROM ALL CAUSES [1] PER 1,000 ESTIMATED POPULATION									
	Adjusted rate				Crude rate					
	1923	1922	1921	1920	1923	1922	1921	1920	1919	1918
Registration States [2]	(3)	(3)	11.3	12.7	12.3	11.8	11.6	13.0	12.8	18.0
California	13.1	12.8	12.0	12.4	14.3	14.1	13.2	13.6	13.7	17.7
Colorado	12.4	13.5	12.3	14.4	12.4	13.5	12.4	14.5	12.9	19.3
Connecticut	11.4	11.4	10.8	12.9	12.0	12.0	11.4	13.6	13.3	20.4
Delaware	13.2	12.4	12.4	13.7	14.0	13.2	13.1	14.6	15.5	(4)
Florida	13.9	12.6	12.1	13.4	13.5	12.2	11.8	13.0	12.4	(4)
White	11.5	10.6	10.2	11.4	11.8	10.9	10.5	11.7	11.3	(4)
Colored	19.3	17.0	16.1	17.6	17.0	15.0	14.2	15.5	14.3	(4)
Georgia	(3)	(3)	(4)	(4)	11.3	10.4	(4)	(4)	(4)	(4)
White	(3)	(3)	(4)	(4)	9.9	9.2	(4)	(4)	(4)	(4)
Colored	(3)	(3)	(4)	(4)	13.3	12.2	(4)	(4)	(4)	(4)
Idaho	(3)	(3)	(4)	(4)	7.1	8.1	(4)	(4)	(4)	(4)
Illinois	11.9	11.2	11.0	12.5	12.0	11.3	11.1	12.6	12.0	16.2
Indiana	11.6	10.8	10.7	12.1	12.9	11.9	11.9	13.4	12.7	16.0
Iowa	(3)	(4)	(4)	(4)	10.3	(4)	(4)	(4)	(4)	(4)
Kansas	10.1	9.7	9.3	10.4	11.0	10.6	10.2	11.4	10.8	15.1
Kentucky	11.8	10.7	10.5	11.7	11.9	10.8	10.5	11.8	12.8	17.0
White	11.1	9.9	9.7	10.9	11.1	10.0	9.8	11.0	11.8	15.8
Colored	19.5	18.4	18.0	19.5	19.5	18.4	17.9	19.4	21.2	27.7
Louisiana	13.5	12.6	12.3	13.3	12.1	11.3	11.0	11.9	12.9	18.2
White	11.2	10.5	10.3	10.9	10.0	9.4	9.2	9.8	10.6	14.9
Colored	17.3	16.0	15.5	17.1	15.5	14.4	13.9	15.3	16.4	23.3
Maine	12.1	11.9	11.3	12.4	15.0	14.7	14.0	15.4	14.6	19.1
Maryland	14.4	13.4	13.3	14.4	14.7	13.6	13.6	14.7	15.3	23.6
White	12.8	11.9	11.8	12.8	13.3	12.4	12.3	13.3	13.8	21.7
Colored	22.9	20.7	21.0	22.7	21.4	19.4	19.6	21.2	22.3	33.0
Massachusetts	12.1	12.0	11.4	12.9	13.0	12.8	12.2	13.8	13.6	20.9
Michigan	11.8	10.7	11.1	13.2	12.4	11.3	11.6	13.9	12.6	15.4
Minnesota	9.9	9.3	9.2	10.5	10.1	9.5	9.4	10.7	10.5	13.4
Mississippi	12.4	11.8	12.1	13.4	11.4	10.8	11.1	12.3	12.7	(4)
White	9.6	9.1	9.0	9.7	9.1	8.7	8.6	9.2	9.6	(4)
Colored	15.0	14.2	15.0	16.8	13.5	12.8	13.5	15.1	15.4	(4)
Missouri	11.6	10.7	10.3	11.9	12.2	11.2	10.8	12.5	11.8	15.9
Montana	8.6	9.2	8.7	10.2	8.0	8.6	8.2	9.5	10.7	17.3
Nebraska	9.2	9.1	8.9	9.7	9.5	9.4	9.2	10.0	(4)	(4)
New Hampshire	12.0	11.7	10.9	12.2	15.1	14.6	13.7	15.2	14.7	21.8
New Jersey	12.4	12.3	11.8	13.1	12.3	12.2	11.7	13.0	13.1	20.6
New York	12.8	12.7	12.1	13.6	13.0	13.0	12.3	13.8	13.9	19.0
North Carolina	12.7	12.3	11.9	13.4	12.0	11.6	11.3	12.7	12.2	17.1
White	10.8	10.6	10.3	11.6	10.5	10.3	9.9	11.2	10.6	14.6
Colored	17.1	16.4	15.9	17.7	15.5	14.8	14.4	16.0	15.9	23.0
Ohio	11.4	10.5	10.6	11.9	12.3	11.3	11.3	12.8	12.7	16.8
Oregon	10.2	10.7	9.6	10.9	10.9	11.5	10.4	11.7	11.4	12.8
Pennsylvania	13.1	12.1	12.2	13.6	13.3	12.3	12.4	13.8	13.4	22.1
Rhode Island	13.2	12.6	12.2	13.8	13.8	13.1	12.6	14.3	14.2	20.9
South Carolina	13.2	13.3	13.2	15.6	11.8	12.0	11.9	14.0	13.8	19.5
White	10.3	10.5	10.5	12.3	9.5	9.7	9.8	11.4	10.6	15.6
Colored	16.2	16.3	16.0	18.9	14.1	14.2	14.0	16.5	16.7	23.2
Tennessee	12.3	11.2	11.0	12.5	11.9	10.8	10.7	12.1	12.2	16.1
White	10.6	9.7	9.6	10.9	10.4	9.5	9.4	10.7	10.8	14.0
Colored	19.8	17.4	17.0	19.2	18.7	16.4	16.0	18.1	18.4	24.6
Utah	9.9	10.9	10.9	12.0	9.5	10.4	10.4	11.5	11.0	14.2
Vermont	11.9	11.5	11.1	12.3	15.2	14.7	14.2	15.7	14.4	19.4
Virginia	13.3	12.5	12.6	13.6	12.8	12.1	12.2	13.1	13.7	19.3
White	11.1	10.4	10.5	11.4	11.0	10.3	10.4	11.3	11.5	16.9
Colored	18.5	17.7	17.6	18.9	17.2	16.4	16.3	17.6	18.8	24.9
Washington	9.6	10.0	9.5	11.0	9.7	10.1	9.5	11.1	10.7	13.3
Wisconsin	10.0	9.5	9.7	10.5	10.7	10.1	10.3	11.2	10.7	13.6
Wyoming	(3)	(3)	(4)	(4)	10.3	9.3	(4)	(4)	(4)	(4)

[1] Exclusive of stillbirths.
[2] Including District of Columbia.
[3] Not computed.
[4] Not added to registration area until a later date.

Crude death rates by no means tell the whole story regarding the healthfulness of different localities. Race stock, occupations of the inhabitants, the sex and age distribution of the population, and the relative number of deaths of nonresidents are factors which must be considered before it can be determined that one city or State is more healthful than another. For example, adjustments simply for differences in the sex and age distribution of the population in the States, give Montana in 1923 the lowest adjusted rate (8.6), and Maryland the highest (14.4).

DEATH RATES OF LARGE CITIES

Table M shows for 1920 to 1923 adjusted death rates, and for 1918 to 1923 crude death rates for cities of 100,000 population or more in 1920.

Table M

CITY	DEATH RATE FROM ALL CAUSES [1] PER 1,000 ESTIMATED POPULATION									
	Adjusted rate				Crude rate					
	1923	1922	1921	1920	1923	1922	1921	1920	1919	1918
CITIES OF 100,000 POPULATION OR MORE IN 1920										
Akron	(2)	9.2	9.1	13.8	(2)	7.5	7.5	11.3	10.9	12.9
Albany	14.8	14.3	13.8	14.3	16.2	15.7	15.1	15.7	16.4	23.0
Atlanta	20.3	17.7	16.7	19.3	18.1	15.7	14.8	17.2	15.8	19.1
White	15.2	13.6	13.9	16.4	13.4	12.0	12.3	14.5	13.3	15.6
Colored	32.1	27.1	23.0	25.7	28.7	24.2	20.6	23.0	21.2	26.8
Baltimore	15.2	14.4	14.0	15.6	15.0	14.2	13.8	15.4	15.7	25.7
White	13.4	12.9	12.6	13.9	13.5	13.0	12.7	13.9	14.3	23.6
Colored	26.5	24.1	23.1	26.6	23.5	21.3	20.5	23.5	23.5	36.5
Birmingham	18.2	16.0	17.1	19.2	15.6	13.7	14.6	16.5	16.6	25.2
White	14.3	12.4	13.5	14.7	12.0	10.4	11.4	12.4	12.7	19.7
Colored	24.5	21.8	22.8	26.4	21.1	18.8	19.7	22.8	22.7	33.8
Boston	15.0	15.0	13.6	15.5	14.9	14.9	13.5	15.4	15.7	23.6
Bridgeport	(2)	11.9	11.3	13.9	(2)	11.1	10.5	12.8	14.0	21.8
Buffalo	14.1	14.0	13.1	15.3	13.5	13.4	12.6	14.6	14.9	20.5
Cambridge	13.3	12.9	12.2	14.5	13.7	13.2	12.6	14.9	13.4	20.9
Camden	15.2	14.4	13.4	15.4	14.5	13.7	12.8	14.7	14.8	27.2
Chicago	12.7	12.2	12.1	13.9	11.7	11.2	11.1	12.8	12.5	16.9
Cincinnati	15.3	14.2	13.5	14.4	16.1	14.9	14.1	15.1	15.9	21.6
Cleveland	12.1	11.5	11.7	13.8	10.8	10.3	10.5	12.4	12.6	17.2
Columbus	15.1	13.0	12.7	14.6	15.3	13.2	12.8	14.8	14.1	18.6
Dallas	13.7	14.5	13.7	15.4	11.9	12.6	11.9	13.4	11.5	18.1
White	12.2	12.7	12.7	14.0	10.6	11.0	11.0	12.1	10.4	16.6
Colored	22.8	25.3	19.7	23.7	20.0	22.2	17.3	20.8	17.1	25.7
Dayton	11.8	11.1	11.0	12.2	11.8	11.0	11.0	12.2	11.7	17.4
Denver	14.4	15.7	13.8	17.0	14.7	16.0	14.1	17.3	14.7	20.9
Des Moines	(4)	(3)	(3)	(3)	11.4	(3)	(3)	(3)	(3)	(3)
Detroit	(2)	12.5	11.8	15.2	(2)	11.1	10.5	13.4	11.7	14.1
Fall River	14.1	16.5	14.7	15.1	13.7	16.0	14.2	14.7	14.4	23.8
Fort Worth	(4)	(4)	(3)	(3)	8.3	9.9	(3)	(3)	(3)	(3)
White	(4)	(4)	(3)	(3)	7.9	9.3	(3)	(3)	(3)	(3)
Colored	(4)	(4)	(3)	(3)	11.0	13.6	(3)	(3)	(3)	(3)
Grand Rapids	11.2	10.5	10.4	12.6	11.7	11.0	10.9	13.2	11.5	14.1
Hartford	13.5	14.5	13.7	16.9	13.1	14.0	13.2	16.4	15.7	23.6
Houston	15.0	15.4	14.5	15.7	13.3	13.6	12.7	13.9	13.5	19.4
White	12.8	13.2	12.8	13.9	11.4	11.7	11.3	12.3	12.3	17.7
Colored	22.5	22.8	19.9	21.6	19.4	19.7	17.2	18.6	17.1	24.6
Indianapolis	14.6	13.4	12.8	14.8	14.4	13.2	12.6	14.6	13.4	17.5
White	13.6	12.5	12.1	13.7	13.7	12.5	12.2	13.8	12.8	16.6
Colored	22.5	20.6	18.9	23.9	19.7	18.1	16.5	20.9	18.5	24.5
Jersey City	13.1	13.0	13.0	15.4	12.0	11.9	11.9	14.1	14.7	20.8
Kansas City, Kans	15.6	13.7	12.7	15.1	14.9	13.1	12.1	14.5	14.0	21.2
White	(4)	(4)	(4)	(4)	13.6	11.9	11.1	13.5	12.8	20.7
Colored	(4)	(4)	(4)	(4)	22.6	20.5	17.9	20.6	21.1	24.4
Kansas City, Mo	15.1	15.2	14.5	16.8	14.4	14.6	13.8	16.1	15.3	21.3
Los Angeles	(2)	14.2	13.1	13.1	(2)	15.2	14.0	14.1	13.6	17.4
Louisville	16.2	14.0	14.0	15.2	16.2	14.1	14.0	15.2	17.3	26.8
White	14.6	12.0	12.6	13.5	14.9	12.3	12.8	13.8	15.6	25.4
Colored	25.2	25.0	21.3	23.6	23.7	23.5	20.0	22.2	25.9	33.5
Lowell	14.7	13.5	13.0	15.8	14.6	13.4	12.9	15.7	15.2	22.1
Memphis	21.6	19.3	18.8	21.6	19.9	17.8	17.4	19.9	21.4	24.6
White	16.6	15.1	14.6	16.7	15.6	14.1	13.7	15.6	16.2	20.2
Colored	31.1	27.1	26.6	30.6	27.5	24.0	23.5	27.0	30.6	32.1
Milwaukee	11.4	10.4	10.3	12.4	10.8	9.9	9.8	11.7	11.0	14.7
Minneapolis	11.3	10.9	11.0	12.4	11.1	10.8	10.9	12.3	11.7	14.7
Nashville	19.3	17.2	16.8	18.8	18.6	16.6	16.2	18.1	18.5	27.0
White	16.2	15.3	14.2	16.2	15.5	14.7	13.6	15.5	16.0	23.9
Colored	26.8	21.8	23.1	24.8	26.0	21.2	22.4	24.0	24.3	34.1
New Bedford	12.7	12.8	11.6	14.9	12.2	12.3	11.1	14.2	13.5	24.7
New Haven	12.6	13.4	11.6	14.5	12.6	13.3	11.6	14.5	13.0	21.2
New Orleans	18.8	17.8	17.4	18.7	17.7	16.7	16.4	17.6	18.9	26.1
White	15.1	14.6	14.3	15.2	14.5	14.0	13.7	14.5	16.2	22.0
Colored	29.8	27.3	26.7	29.4	26.7	24.5	23.9	26.4	26.7	37.5
New York	13.0	13.3	12.4	14.4	11.7	12.0	11.2	13.0	13.3	17.9
Bronx Borough	10.6	10.8	10.5	12.4	9.0	9.2	9.0	10.6	11.5	15.9
Brooklyn Borough	12.2	12.7	11.7	13.8	11.1	11.6	10.7	12.6	12.9	17.6
Manhattan Borough	14.9	15.0	14.1	15.9	13.4	13.5	12.7	14.3	14.4	18.8
Queens Borough	12.3	11.8	11.1	12.7	11.1	10.7	10.1	11.5	11.6	16.0
Richmond Borough	13.3	13.7	12.7	15.2	13.2	13.6	12.6	15.1	15.9	22.8
Newark, N. J	12.7	12.8	11.9	14.0	11.6	11.7	10.9	12.9	12.9	20.2
Norfolk	13.1	13.8	14.7	17.3	11.5	12.1	12.9	15.2	16.6	24.7
White	9.4	10.2	11.3	13.4	8.3	9.0	10.0	11.8	12.6	21.1
Colored	19.5	19.8	20.2	23.6	17.1	17.3	17.7	20.7	23.3	30.8
Oakland	10.6	11.0	10.2	11.5	10.8	11.3	10.4	11.8	12.5	15.6

See footnotes at end of table.

Table M—Con.

CITY	DEATH RATE FROM ALL CAUSES [1] PER 1,000 ESTIMATED POPULATION									
	Adjusted rate				Crude rate					
	1923	1922	1921	1920	1923	1922	1921	1920	1919	1918
CITIES OF 100,000 POPULATION OR MORE IN 1920—continued										
Omaha	14.0	14.0	14.0	15.2	13.2	13.1	13.2	14.3	12.8	17.5
Paterson	13.8	13.4	13.4	13.5	13.1	12.7	12.7	12.8	13.3	20.1
Philadelphia	14.1	13.5	12.9	14.6	13.8	13.2	12.7	14.4	14.3	24.1
Pittsburgh	16.9	15.3	15.0	17.5	15.8	14.3	14.1	16.4	16.1	26.8
Portland, Oreg.	10.9	11.5	10.6	11.8	11.2	11.8	10.9	12.1	13.1	15.0
Providence	14.5	13.6	13.1	15.2	14.8	13.8	13.3	15.5	14.9	22.2
Reading	13.1	13.1	12.7	14.0	13.6	13.5	13.2	14.5	13.2	20.9
Richmond	16.8	15.9	15.7	17.7	15.6	14.8	14.6	16.5	15.7	22.8
White	13.0	12.7	12.7	13.8	12.6	12.2	12.3	13.3	13.4	19.6
Colored	25.7	23.2	22.3	26.2	22.8	20.6	19.8	23.3	20.6	29.6
Rochester	11.5	11.7	11.8	12.4	11.6	11.8	12.0	12.6	12.5	17.5
St. Louis	14.1	13.0	12.7	14.6	13.6	12.5	12.2	14.1	13.3	18.1
St. Paul	13.1	11.9	11.0	12.8	12.9	11.7	10.7	12.5	11.9	15.9
Salt Lake City	12.7	12.7	12.7	14.6	12.4	12.4	12.4	14.3	13.6	16.0
San Antonio	16.3	17.0	17.2	17.8	14.8	15.4	15.6	16.2	14.8	27.3
San Francisco	13.5	14.0	13.4	14.1	13.6	14.1	13.5	14.2	16.0	20.4
Scranton	14.8	14.8	15.2	16.2	13.6	13.6	14.0	14.9	13.8	22.7
Seattle	(2)	10.1	9.4	11.1	(2)	9.6	9.0	10.7	11.0	13.7
Spokane	11.7	13.5	12.5	14.1	11.7	13.5	12.6	14.2	11.4	14.6
Springfield, Mass.	12.0	11.5	11.4	13.1	11.9	11.4	11.3	13.0	13.7	20.7
Syracuse	12.7	12.4	11.8	14.9	13.0	12.7	12.1	15.2	12.9	20.8
Toledo	12.9	12.0	12.3	14.1	12.6	11.7	12.0	13.8	13.4	17.4
Trenton	14.6	16.3	13.7	16.4	14.0	15.6	13.1	15.7	15.6	25.3
Washington, D. C.	15.4	14.8	14.3	15.0	14.9	14.4	13.8	14.6	14.7	22.7
White	12.1	12.2	11.9	12.4	12.3	12.4	12.1	12.6	12.7	19.9
Colored	25.7	22.9	21.2	23.1	22.9	20.5	18.9	20.6	20.6	30.7
Wilmington, Del.	13.4	12.3	12.2	14.3	13.2	12.1	12.0	14.1	14.4	24.9
Worcester	12.9	12.7	12.6	14.4	13.1	13.0	12.9	14.7	14.8	21.6
Yonkers	11.2	11.7	10.2	12.5	10.1	10.7	9.3	11.4	10.7	16.3
Youngstown	12.6	12.6	13.1	14.4	11.3	11.3	11.7	12.9	14.5	22.5

[1] Exclusive of stillbirths.
[2] Rates are omitted pending the establishment of more satisfactory estimates of population.
[3] Not added to registration area until a later date.
[4] Not computed.

Because of certain conditions which do not permit satisfactory estimates of population, rates are not computed for the following cities: Akron, Bridgeport, Detroit, Los Angeles, and Seattle.

Of the 61 cities showing adjusted rates for 1922 and 1923, 36 have higher rates in 1923, the highest appearing for Memphis (21.6), Atlanta (20.3), Nashville (19.3), and New Orleans (18.8); the lowest are for Oakland (10.6) and Portland, Oreg. (10.9).

In Table N are shown for registration States and for cities of 100,000 population or more in 1920 refined and crude rates. A refined rate is a rate based on deaths of residents only and corrected for age and sex distribution of the population by applying as a corrective factor the ratio of the adjusted to the crude rate in 1920; that is, the ratio of the adjusted rate to the crude rate in 1920 is assumed to hold for 1921, 1922, and 1923.

Refinement of the crude rates produces the greatest increases in Louisiana and the greatest decreases in New Hampshire and Vermont. For the cities, Yonkers and Houston show the greatest increase in refinement and Albany the greatest decrease.

Table N

AREA	DEATH RATE FROM ALL CAUSES (EXCLUSIVE OF STILLBIRTHS) PER 1,000 ESTIMATED POPULATION								
	Refined rate [1]			Crude rate			Difference between refined and crude rates		
	1923	1922	1921	1923	1922	1921	1923	1922	1921
California	(2)	(2)	12.0	14.3	14.1	13.2	(2)	(2)	−1.2
Colorado	12.3	13.3	12.2	12.4	13.5	12.4	−0.1	−0.2	−0.2
Connecticut	11.4	11.4	10.8	12.0	12.0	11.4	−0.6	−0.6	−0.6
Delaware	13.3	12.6	12.5	14.0	13.2	13.1	−0.7	−0.6	−0.6
Florida	13.3	12.4	11.5	13.5	12.2	11.8	−0.2	+0.2	−0.3
White	10.7	10.3	9.4	11.8	10.9	10.5	−1.1	−0.6	−1.1
Colored	19.0	16.8	15.9	17.0	15.0	14.2	+2.0	+1.8	+1.7
Georgia	(3)	(3)	(4)	11.3	10.4	(4)	(3)	(3)	(4)
White	(3)	(3)	(4)	9.9	9.2	(4)	(3)	(3)	(4)
Colored	(3)	(3)	(4)	13.3	12.2	(4)	(3)	(3)	(4)
Idaho	(3)	(3)	(4)	7.1	8.1	(4)	(3)	(3)	(4)
Illinois	11.9	11.1	10.9	12.0	11.3	11.1	−0.1	−0.2	−0.2
Indiana	11.7	10.8	10.7	12.9	11.9	11.9	−1.2	−1.1	−1.2
Iowa	(3)	(4)	(4)	10.3	(4)	(4)	(3)	(4)	(4)
Kansas	10.0	9.6	9.3	11.0	10.6	10.2	−1.0	−1.0	−0.9
Kentucky	(2)	(2)	(2)	11.9	10.8	10.5	(2)	(2)	(2)
White	(2)	(2)	(2)	11.1	10.0	9.8	(2)	(2)	(2)
Colored	(2)	(2)	(2)	19.5	18.4	17.9	(2)	(2)	(2)
Louisiana	13.5	12.6	12.2	12.1	11.3	11.0	+1.4	+1.3	+1.2
White	11.1	10.5	10.2	10.0	9.4	9.2	+1.1	+1.1	+1.0
Colored	17.3	16.0	15.5	15.5	14.4	13.9	+1.8	+1.6	+1.6
Maine	12.1	11.9	11.4	15.0	14.7	14.0	−2.9	−2.8	−2.6
Maryland	14.2	13.1	13.1	14.7	13.6	13.6	−0.5	−0.5	−0.5
White	12.6	11.7	11.6	13.3	12.4	12.3	−0.7	−0.7	−0.7
Colored	22.8	20.8	20.9	21.4	19.4	19.6	+1.4	+1.4	+1.3
Massachusetts	12.1	11.9	11.3	13.0	12.8	12.2	−0.9	−0.9	−0.9
Michigan	11.8	10.8	11.1	12.4	11.3	11.6	−0.6	−0.5	−0.5
Minnesota	9.6	9.0	8.8	10.1	9.5	9.4	−0.5	−0.5	−0.6
Mississippi	12.5	11.8	12.2	11.4	10.8	11.1	+1.1	+1.0	+1.1
White	9.7	9.2	9.2	9.1	8.7	8.6	+0.6	+0.5	+0.6
Colored	15.0	14.2	15.0	13.5	12.8	13.5	+1.5	+1.4	+1.5
Missouri	11.6	10.7	10.4	12.2	11.2	10.8	−0.6	−0.5	−0.4
Montana	8.7	9.3	8.8	8.0	8.6	8.2	+0.7	+0.7	+0.6
Nebraska	9.3	9.1	8.8	9.5	9.4	9.2	−0.2	−0.3	−0.4
New Hampshire	11.9	11.6	10.8	15.1	14.6	13.7	−3.2	−3.0	−2.9
New Jersey	12.3	12.2	11.7	12.3	12.2	11.7	------	------	------
New York	12.7	12.7	12.0	13.0	13.0	12.3	−0.3	−0.3	−0.3
North Carolina	12.7	12.3	11.9	12.0	11.6	11.3	+0.7	+0.7	+0.6
White	10.9	10.7	10.3	10.5	10.3	9.9	+0.4	+0.4	+0.4
Colored	17.2	16.4	16.0	15.5	14.8	14.4	+1.7	+1.6	+1.6
Ohio	11.4	10.5	10.6	12.3	11.3	11.3	−0.9	−0.8	−0.7
Oregon	9.8	10.4	9.4	10.9	11.5	10.4	−1.1	−1.1	−1.0
Pennsylvania	13.1	12.2	12.3	13.3	12.3	12.4	−0.2	−0.1	−0.1
Rhode Island	13.2	12.6	12.2	13.8	13.1	12.6	−0.6	−0.5	−0.4
South Carolina	(2)	(2)	13.3	11.8	12.0	11.9	(2)	(2)	+1.4
White	(2)	(2)	10.6	9.5	9.7	9.8	(2)	(2)	+0.8
Colored	(2)	(2)	16.0	14.1	14.2	14.0	(2)	(2)	+2.0
Tennessee	(2)	(2)	10.9	11.9	10.8	10.7	(2)	(2)	+0.2
White	(2)	(2)	9.5	10.4	9.5	9.4	(2)	(2)	+0.1
Colored	(2)	(2)	16.8	18.7	16.4	16.0	(2)	(2)	+0.8
Utah	9.6	10.6	10.5	9.5	10.4	10.4	+0.1	+0.2	+0.1
Vermont	12.1	11.7	11.2	15.2	14.7	14.2	−3.1	−3.0	−3.0
Virginia	13.3	12.5	12.6	12.8	12.1	12.2	+0.5	+0.4	+0.4
White	11.2	10.4	10.5	11.0	10.3	10.4	+0.2	+0.1	+0.1
Colored	18.6	17.7	17.6	17.2	16.4	16.3	+1.4	+1.3	+1.3
Washington	9.5	9.9	9.4	9.7	10.1	9.5	−0.2	−0.2	−0.1
Wisconsin	10.1	9.5	9.7	10.7	10.1	10.3	−0.6	−0.6	−0.6
Wyoming	(3)	(3)	(4)	10.3	9.3	(4)	(3)	(3)	(4)
CITIES OF 100,000 POPULATION OR MORE IN 1920									
Akron	(5)	9.0	8.9	(5)	7.5	7.5	(5)	+1.5	+1.4
Albany	13.4	13.2	11.9	16.2	15.7	15.1	−2.8	−2.5	−3.2
Atlanta	19.2	16.3	15.3	18.1	15.7	14.8	+1.1	+0.6	+0.5
White	13.8	11.8	12.1	13.4	12.0	12.3	+0.4	−0.2	−0.2
Colored	31.6	26.5	20.5	28.7	24.2	20.6	+2.9	+2.3	+1.9
Baltimore	14.2	13.5	13.1	15.0	14.2	13.8	−0.8	−0.7	−0.7
White	12.5	11.9	11.7	13.5	13.0	12.7	−1.0	−1.1	−1.0
Colored	25.0	23.1	21.9	23.5	21.3	20.5	+1.5	+1.8	+1.4
Birmingham	15.6	13.4	14.7	15.6	13.7	14.6	------	−0.3	+0.1
White	11.6	9.5	10.8	12.0	10.4	11.4	−0.4	−0.9	−0.6
Colored	22.1	19.5	21.0	21.1	18.8	19.7	+1.0	+0.7	+1.3
Boston	13.5	13.3	11.9	14.9	14.9	13.5	−1.4	−1.6	−1.6
Bridgeport	(5)	11.4	11.0	(5)	11.1	10.5	(5)	+0.3	+0.5
Buffalo	13.5	13.5	12.6	13.5	13.4	12.6	------	+0.1	------
Cambridge	13.8	13.6	12.5	13.7	13.2	12.6	+0.1	+0.4	−0.1
Camden	13.9	12.9	12.4	14.5	13.7	12.8	−0.6	−0.8	−0.4
Chicago	12.6	12.0	11.9	11.7	11.2	11.1	+0.9	+0.8	+0.8
Cincinnati	14.7	13.7	12.8	16.1	14.9	14.1	−1.4	−1.2	−1.3
Cleveland	12.0	11.3	11.5	10.8	10.3	10.5	+1.2	+1.0	+1.0
Columbus	13.8	11.7	11.3	15.3	13.2	12.8	−1.5	−1.5	−1.5

See footnotes at end of table.

Table N—Con.

AREA	Death rate from all causes (exclusive of stillbirths) per 1,000 estimated population: Refined rate [1]			Crude rate			Difference between refined and crude rates		
	1923	1922	921	1923	1922	1921	1923	1922	1921
CITIES OF 100,000 POPULATION OR MORE IN 1920—CON.									
Dallas	11.8	12.6	11.7	11.9	12.6	11.9	−0.1	------	−0.2
White	10.4	10.9	10.6	10.6	11.0	11.0	−0.2	−0.1	−0.4
Colored	20.4	23.2	18.3	20.0	22.2	17.3	+0.4	+1.0	+1.0
Dayton	11.3	10.9	10.6	11.8	11.0	11.0	−0.5	−0.1	−0.4
Denver	13.5	14.9	13.1	14.7	16.0	14.1	−1.2	−1.1	−1.0
Des Moines	(3)	(4)	(4)	11.4	(4)	(4)	(3)	(4)	(4)
Detroit	(5)	12.4	11.7	(5)	11.1	10.5	(5)	+1.3	+1.2
Fall River	13.9	16.2	14.6	13.7	16.0	14.2	+0.2	+0.2	+0.4
Fort Worth	(3)	(3)	(4)	8.3	9.9	(4)	(3)	(3)	(4)
White	(3)	(3)	(4)	7.9	9.3	(4)	(3)	(3)	(4)
Colored	(3)	(3)	(4)	11.0	13.6	(4)	(3)	(3)	(4)
Grand Rapids	11.0	10.5	10.0	11.7	11.0	10.9	−0.7	−0.5	−0.9
Hartford	11.0	11.7	11.0	13.1	14.0	13.2	−2.1	−2.3	−2.2
Houston	14.7	14.9	14.2	13.3	13 6	12.7	+1.4	+1.3	+1.5
White	12.5	12.6	12.5	11.4	11.7	11.3	+1.1	+0.9	+1.2
Colored	22.2	22.3	19.8	19.4	19.7	17.2	+2.8	+2.6	+2.6
Indianapolis	14.1	12.8	12.4	14.4	13.2	12.6	−0.3	−0.4	−0.2
White	13.1	11.8	11.7	13.7	12.5	12.2	−0.6	−0.7	−0.5
Colored	22.7	20.5	19.0	19.7	18.1	16.5	+3.0	+2.4	+2.5
Jersey City	13.3	13.4	12.9	12.0	11.9	11.9	+1.3	+1.5	+1.0
Kansas City, Kans	14.3	12.7	12.7	14.9	13.1	12.1	−0.6	−0.4	+0.6
White	(3)	(3)	(3)	13.6	11.9	11.1	(3)	(3)	(3)
Colored	(3)	(3)	(3)	22.6	20.5	17.9	(3)	(3)	(3)
Kansas City, Mo	14.2	14.6	14.4	14.4	14.6	13.8	−0.2	------	+0.6
Los Angeles	(2)	(2)	13.1	(5)	15.2	14.0	(2)	(2)	−0.9
Louisville	(2)	(2)	(2)	16.2	14.1	14.0	(2)	(2)	(2)
White	(2)	(2)	(2)	14.9	12.3	12.8	(2)	(2)	(2)
Colored	(2)	(2)	(2)	23.7	23.5	20.0	(2)	(2)	(2)
Lowell	14.8	13.6	13.0	14.6	13.4	12.9	+0.2	+0.2	+0.1
Memphis	18.3	16.4	16.4	19.9	17.8	17.4	−1.6	−1.4	−1.0
White	12.9	11.8	11.9	15.6	14.1	13.7	−2.7	−2.3	−1.8
Colored	28.5	24.9	24.7	27.5	24.0	23.5	+1.0	+0.9	+1.2
Milwaukee	11.2	10.1	10.0	10.8	9.9	9.8	+0.4	+0.2	+0.2
Minneapolis	10.0	9.8	9.5	11.1	10.8	10.9	−1.1	−1.0	−1.4
Nashville	17.7	16.1	15.9	18.6	16.6	16.2	−0.9	−0.5	−0.3
White	14.4	14.1	13.2	15.5	14.7	13.6	−1.1	−0.6	−0.4
Colored	25.7	20.8	22.2	26.0	21.2	22.4	−0.3	−0.4	−0.2
New Bedford	12.9	12.8	11.6	12.2	12.3	11.1	+0.7	+0.5	+0.5
New Haven	11.3	12.3	10.9	12.6	13.3	11.6	−1.3	−1.0	−0.7
New Orleans	18.2	17.2	15.2	17.7	16.7	16.4	+0.5	+0.5	−1.2
White	14.5	14.0	12.6	14.5	14.0	13.7	------	------	−1.1
Colored	29.4	26.8	23.2	26.7	24.5	23.9	+2.7	+2.3	−0.7
New York	12.9	13.2	12.3	11.7	12.0	11.2	+1.2	+1.2	+1.1
Bronx Borough	10.6	10.7	10.5	9.0	9.2	9.0	+1.6	+1.5	+1.5
Brooklyn Borough	12.3	12.8	11.8	11.1	11.6	10.7	+1.2	+1.2	+1.1
Manhattan Borough	14.7	14.8	13.8	13.4	13.5	12.7	+1.3	+1.3	+1.1
Queens Borough	11.9	11.7	11.0	11.1	10.7	10.1	+0.8	+1.0	+0.9
Richmond Borough	13.0	13.4	12.1	13.2	13.6	12.6	−0.2	−0.2	−0.5
Newark, N. J	12.3	12.8	12.0	11.6	11.7	10.9	+0.7	+1.1	+1.1
Norfolk	12.1	12.9	13.9	11.5	12.1	12.9	+0.6	+0.8	+1.0
White	8.3	9.2	10.3	8.3	9.0	10.0	------	+0.2	+0.3
Colored	18.7	18.9	19.7	17.1	17.3	17.7	+1.6	+1.6	+2.0
Oakland	(2)	(2)	10.2	10.8	11.3	10.4	(2)	(2)	−0.2
Omaha	13.9	12.9	11.8	13.2	13.1	13.2	+0.7	−0.2	−1.4
Paterson	12.5	12.5	12.3	13.1	12.7	12.7	−0.6	−0.2	−0.4
Philadelphia	14.1	13.3	12.8	13.8	13.2	12.7	+0.3	+0.1	+0.1
Pittsburgh	15.4	14.2	13.7	15.8	14.3	14.1	−0.4	−0.1	−0.4
Portland, Oreg	9.5	10.3	9.4	11.2	11.8	10.9	−1.7	−1.5	−1.5
Providence	13.1	12.5	12.0	14.8	13.8	13.3	−1.7	−1.3	−1.3
Reading	12.5	12.4	12.2	13.6	13.5	13.2	−1.1	−1.1	−1.0
Richmond	15.6	14.1	14.6	15.6	14.8	14.6	------	−0.7	------
White	11.7	10.8	11.5	12.6	12.2	12.3	−0.9	−1.4	−0.8
Colored	24.7	22.0	21.5	22.8	20.6	19.8	+1.9	+1.4	+1.7
Rochester	10.9	11.2	11.3	11.6	11.8	12.0	−0.7	−0.6	−0.7
St. Louis	13.6	12.5	12.6	13.6	12.5	12.2	------	------	+0.4
St. Paul	11.5	10.5	9.6	12.9	11.7	10.7	−1.4	−1.2	−1.1
Salt Lake City	10.2	10.2	10.6	12.4	12.4	12.4	−2.2	−2.2	−1.8
San Antonio	15.7	16.1	16.3	14.8	15.4	15.6	+0.9	+0.7	+0.7
San Francisco	(2)	(2)	12.8	13.6	14.1	13.5	(2)	(2)	−0.7
Scranton	14.1	14.0	14.2	13.6	13.6	14.0	+0.5	+0.4	+0.2
Seattle	(5)	9.4	8.8	(5)	9.6	9.0	(5)	−0.2	−0.2
Spokane	9.6	11.1	10.5	11.7	13.5	12.6	−2.1	−2.4	−2.1
Springfield, Mass	10.8	10.4	9.9	11.9	11.4	11.3	−1.1	−1.0	−1.4
Syracuse	11.9	11.9	11.1	13.0	12.7	12.1	−1.1	−0.8	−1.0
Toledo	12.3	11.5	11.8	12.6	11.7	12.0	−0.3	−0.2	−0.2
Trenton	13.5	15.4	12.7	14.0	15.6	13.1	−0.5	−0.2	−0.4
Washington, D. C	14.6	14.4	13.6	14.9	14.4	13.8	−0.3	------	−0.2
White	11.5	11.8	11.4	12.3	12.4	12.1	−0.8	−0.6	−0.7
Colored	24.7	22.0	20.3	22.9	20.5	18.9	+1.8	+1.5	+1.4

See footnotes at end of table.

Table N—Con.

AREA	Death rate from all causes (exclusive of stillbirths) per 1,000 estimated population: Refined rate [1]			Crude rate			Difference between refined and crude rates		
	1923	1922	1921	1923	1922	1921	1923	1922	1921
CITIES OF 100,000 POPULATION OR MORE IN 1920—CON.									
Wilmington, Del	13.4	12.5	12.3	13.2	12.1	12.0	−0.2	+0.4	+0.3
Worcester	11.9	11.5	11.8	13.1	13.0	12.9	−1.2	−1.5	−1.1
Yonkers	11.7	12.6	10.8	10.1	10.7	9.3	+1.6	+1.9	+1.5
Youngstown	12.1	12.0	12.7	11.3	11.3	11.7	+0.8	+0.7	+1.0

[1] Refined rates have been found by first allocating deaths to areas of residence and computing rates, and then by applying to these rates the corrective factors necessary to change the crude rates to adjusted rates, based on the standard million population of England and Wales, 1901. (See p. 10.)
[2] Reliable data for nonresidents not available.
[3] Not computed.
[4] Not added to registration area until a later date.
[5] Rates are omitted pending the establishment of more satisfactory estimates of population.

DEATHS AND DEATH RATES OF NEGROES

The deaths of Negroes in the registration States in 1923 number 140,894, with a rate of 17 per 1,000 estimated population against 15.6 in 1922. Higher rates in 1923 than in 1922 are shown for 29 of the 37 States which appear for the two years. The distribution of these deaths is shown in Table O.

Table O

STATE	Deaths of Negroes (exclusive of stillbirths): Number			Rate per 1,000 estimated population		
	1923	1922	1921	1923	1922	1921
Registration States [1]	140,894	127,733	109,597	17.0	15.6	15.8
California	889	881	729	19.8	20.4	17.6
Colorado	274	337	297	24.3	29.9	26.3
Connecticut	437	417	413	18.9	18.5	18.8
Delaware	649	605	595	21.6	20.1	19.7
Florida	5,741	5,019	4,749	17.0	15.0	14.3
Georgia	16,226	14,787	(2)	13.3	12.2	(2)
Idaho	14	15	(2)	13.8	15.2	(2)
Illinois	5,010	3,786	3,497	24.0	18.8	18.1
Indiana	1,917	1,579	1,535	21.7	18.3	18.3
Iowa	330	(2)	(2)	16.1	(2)	(2)
Kansas	1,266	1,170	1,027	21.3	19.9	17.5
Kentucky	4,414	4,216	4,157	19.5	18.4	17.9
Louisiana	10,784	9,998	9,722	15.5	14.3	13.9
Maine	22	23	18	17.0	17.7	13.8
Maryland	5,338	4,804	4,836	21.4	19.4	19.6
Massachusetts	1,004	909	843	20.9	19.2	18.1
Michigan	1,917	1,317	1,119	25.4	18.5	16.8
Minnesota	197	190	140	20.9	20.5	15.4
Mississippi	12,618	11,966	12,608	13.5	12.8	13.5
Missouri	4,046	3,561	3,390	21.8	19.4	18.7
Montana	41	40	27	25.7	24.8	16.6
Nebraska	267	246	211	17.5	16.8	15.0
New Hampshire	9	7	7	14.0	11.0	11.1
New Jersey	2,699	2,449	2,322	21.3	19.7	19.1
New York	4,512	4,112	3,734	20.4	19.1	17.9
North Carolina	12,258	11,611	11,199	15.6	14.9	14.5
Ohio	4,820	3,898	3,695	22.6	19.0	18.7
Oregon	43	43	37	18.1	18.6	16.5
Pennsylvania	7,252	5,831	5,525	22.9	18.9	18.5
Rhode Island	247	259	205	24.2	25.5	20.3
South Carolina	12,384	12,427	12,168	14.2	14.2	14.0
Tennessee	8,316	7,318	7,184	18.7	16.4	16.0
Utah	25	26	27	16.1	17.1	18.1
Vermont	4	1	4	7.0	1.7	7.0
Virginia	11,970	11,392	11,282	17.2	16.4	16.3
Washington	137	121	134	19.1	17.1	19.1
Wisconsin	122	76	81	20.2	13.1	14.6
Wyoming	37	39	(2)	34.7	33.8	(2)
District of Columbia	2,658	2,257	2,080	23.0	19.8	18.9

[1] Including the District of Columbia.
[2] Not added to registrat on area until a later date.

DEATHS OF COLORED POPULATIONS OTHER THAN NEGRO

Deaths of colored, other than Negro, in the registration States, number 5,070 in 1923, and constitute 3.5 per cent of the deaths of the total colored in the same area. The distribution is shown in Table P.

Table P

AREA		DEATHS FROM ALL CAUSES (EXCLUSIVE OF STILLBIRTHS): 1923			
		Indian	Chinese	Japanese	Other colored
Registration States [1]		2,323	1,233	1,415	99
Cities in registration States [1]		169	921	777	42
Rural part of registration States		2,154	312	638	57
California	Urban	29	456	524	17
	Rural	314	245	455	37
Colorado	Urban	1	2	13	
	Rural	8		17	4
Connecticut	Urban	2	4	2	
	Rural	1	2		
Florida	Urban		1		
	Rural	1		1	
Georgia	Urban		4		
	Rural	1	1		
Idaho	Urban	3	6	2	
	Rural	114	6	6	
Illinois	Urban		49	6	4
	Rural	3	3		
Iowa	Urban	4	1	1	
	Rural	8			
Kansas	Urban	2		1	
	Rural	32			
Louisiana	Urban		12		2
	Rural	13	2	1	1
Maine	Rural	12			
Maryland	Urban		5	1	
	Rural		1		
Massachusetts	Urban	4	47	1	
	Rural	3		1	2
Michigan	Urban	18	8	2	2
	Rural	152		1	1
Minnesota	Urban	14	12		1
	Rural	209	1		
Mississippi	Urban		1		
	Rural	14	5		
Missouri	Urban	2	8		2
	Rural	2	2		
Montana	Urban	6	9	3	
	Rural	264	8	10	
Nebraska	Urban			3	
	Rural	128	1	4	
New Hampshire	Urban		1		
	Rural	1			
New Jersey	Urban		13	1	
	Rural		2	2	
New York	Urban	29	141	33	4
	Rural	55	4	4	
North Carolina	Urban		1	1	
	Rural	168	1		
Ohio	Urban	3	14	1	
	Rural	1	2		2
Oregon	Urban	11	37	17	1
	Rural	106	9	21	
Pennsylvania	Urban	1	28		2
	Rural	2	2	1	2
Rhode Island	Urban	1	4		
	Rural	1			1
South Carolina	Rural	2			
Tennessee	Urban		1		
Utah	Urban		10	21	
	Rural	48		12	2
Virginia	Urban	1	2	1	
	Rural	12	1		
Washington	Urban	18	34	139	7
	Rural	242	14	71	5
Wisconsin	Urban	16	1		
	Rural	167			
Wyoming	Urban	2	1	4	
	Rural	70		31	
Washington, D. C.		2	8		
CITIES IN REGISTRATION STATES [2]					
Fresno, Calif.			12	56	1
Los Angeles, Calif.		5	62	178	4
Oakland, Calif.			44	15	
Sacramento, Calif.		1	18	90	2
San Diego, Calif.		5	12	10	

[1] Including District of Columbia.
[2] The only cities shown are those which reported 10 or more deaths of either Indians, Chinese, Japanese, or other colored.

Table P—Con.

AREA	DEATHS FROM ALL CAUSES (EXCLUSIVE OF STILLBIRTHS): 1923			
	Indian	Chinese	Japanese	Other colored
CITIES IN REGISTRATION STATES—CON.				
San Francisco, Calif.	2	254	87	4
Stockton, Calif.		35	33	6
Denver, Colo.		2	13	
Chicago, Ill.		48	6	4
Boston, Mass.		29	1	
Newark, N. J.		10		
Buffalo, N. Y.	11	1		
New York, N. Y.	1	127	29	2
Cleveland, Ohio		11	1	
Portland, Oreg.	5	29	15	1
Philadelphia, Pa.	1	21		1
Ogden, Utah			10	
Salt Lake City, Utah		10	11	
Seattle, Wash.	4	28	105	4
Tacoma, Wash.	4		18	1

DEATHS AND DEATH RATES OF INDIANS

The number of deaths of Indians in the registration States in 1923 is 2,323, with a rate of 22.5 per 1,000 estimated population, against a rate of 19.2 in 1922.

Table Q shows the States in which most of the deaths of Indians occurred.

Table Q

STATE	DEATHS OF INDIANS (EXCLUSIVE OF STILLBIRTHS)					
	Number			Rate per 1,000 estimated population		
	1923	1922	1921	1923	1922	1921
Registration States [1]	2,323	1,978	1,725	22.5	19.2	17.5
California	343	243	241	19.4	13.8	13.8
Idaho	117	58	(2)	39.6	19.3	(2)
Michigan	170	126	170	34.5	24.6	32.0
Minnesota	223	116	121	25.8	13.4	13.9
Montana	270	293	249	24.5	26.6	22.7
Nebraska	128	158	96	48.0	57.9	34.4
New York	84	62	61	15.8	11.6	11.3
North Carolina	168	144	155	12.7	11.2	12.5
Oregon	117	107	63	26.5	24.0	14.0
Utah	48	56	59	18.7	21.5	22.3
Washington	260	275	211	31.1	32.1	24.1
Wisconsin	183	137	165	19.4	14.5	17.3
Wyoming	72	55	(2)	55.7	42.0	(2)
All other States	140	148	134	13.2	14.6	13.1

[1] Including District of Columbia.
[2] Not added to registration area until a later date.

For the total registration States, the higher rate (22.5) in 1923 than in 1922 (19.2) is for the most part due to the increase in deaths from tuberculosis and diseases of the respiratory system.

The highest rate (55.7) in 1923 is shown for Wyoming, and the lowest (12.7) for North Carolina.

DEATHS AND DEATH RATES OF JAPANESE

In the registration States in 1923 the deaths of Japanese number 1,415, with a rate of 11.5 per 1,000 estimated population against a rate of 12.1 in 1922. The rates are crude and therefore of limited value.

Table R shows the distribution of most of these deaths by States.

Table R

STATE	DEATHS OF JAPANESE (EXCLUSIVE OF STILLBIRTHS)					
	Number			Rate per 1,000 estimated population		
	1923	1922	1921	1923	1922	1921
Registration States [1]	1,415	1,434	1,327	11.5	12.1	11.8
California	979	991	910	11.8	12.4	11.9
Colorado	30	37	43	11.9	14.8	17.3
Oregon	38	58	46	8.6	13.4	10.8
Utah	33	39	51	10.2	12.4	16.6
Washington	210	201	204	11.1	10.8	11.3
All other States	125	108	73	11.8	10.4	9.8

[1] Including District of Columbia.

DEATHS OF RESIDENTS

Deaths of nonresidents have long been known to be an important factor in the crude death rates of certain places. In health resorts, for example, the number of deaths of nonresidents may be very large, and the same may be true of a city which offers hospital accommodations to an entire State or other large area. Some idea of the relative importance of this factor in the various cities and rural units in the registration area in 1923 may be obtained from Tables N, AT, AU, AV, and IB.

Residence has been determined in each case exactly as it was by the census enumerators in taking the population census in 1920.

Briefly stated, the principal points to be considered are as follows:

"Residents" indicates decedents whose "usual place of abode" was in the specified area, whether death occurred there or elsewhere in the registration area. As a rule the "usual place of abode" is the place where a person regularly sleeps.

Nonresidents, therefore, include—

Persons visiting a town.

Transient boarders or lodgers who have some other usual or permanent place of abode.

Students and children living or boarding in towns in order to attend some school or college, but not regarding the place as their home.

Servants or other persons working in town, but not sleeping there.

Decisions for special cases—

(*a*) Civilian employees of the United States are treated as resident at the place where they regularly sleep. For example, employees in the Government offices in Washington who regularly sleep in Washington are treated as resident at Washington, even though they may have "legal residence" elsewhere.

(*b*) Any person who was formerly a resident of the town, but has since become an inmate of an *out of town* asylum, almshouse, home for the aged, reformatory or prison, is treated as resident at the town in which the asylum or prison is located.

(*c*) Persons having an unknown residence should be treated exactly as those having no permanent home or usual place of abode and should be counted as residents of the place in which they die.

(*d*) Inmates of medical or surgical hospitals are usually there only for temporary treatment and are therefore treated as resident at their home towns.

It is very evident, however, that corrections for residence can be only partial, as it is impossible to allocate to a place the deaths of residents which occur outside of the registration area.

In Table I B, cities showing marked decreases in rates, when based on the exclusion of all nonresidents and the inclusion of residents who died elsewhere in the registration area, are Rochester, Minn., with a notable decrease of 38.9 (from 57.8 to 18.9); Long Branch, N. J., with a decrease of 14.1 (from 29.4 to 15.3); Iowa City, Iowa, with a decrease of 12.9 (from 28.9 to 16); St. Petersburg, Fla., a decrease of 7.7 (from 15.9 to 8.2); and Englewood, N. J., a decrease of 6.7 (from 19.3 to 12.6); increases in such rates are shown for Harrison, N. J. (from 8.1 to 12.3); Maywood, Ill. (from 7 to 10.9), and Ansonia, Conn. (from 9.5 to 12.8).

To correct partially the original rate of Ramsey County, Minn., an addition of 4.7 is needed; and an addition of 3.1 for Hartford County, Conn.; 2.9 for Middlesex County, Conn.; 2.6 for Douglas County, Wis.; and 2.4 for Lake County, Ind. On the other hand, a decrease of 9.5 is needed to correct partially the original rate of Adams County, Miss., and a decrease of 5.2 in the rate for Dukes County, Mass.

Corrections for deaths of nonresidents are needed also for the colored population. For example, for Montclair, N. J., an increase of 4.9 is needed, and for Jackson, Miss., a decrease of 15.8.

DEATH RATES OF FOREIGN COUNTRIES

Table S presents the latest available death rates per 1,000 population for the principal European countries and for certain other countries for the specified five-year periods from 1881 to 1920, and the calendar years 1921, 1922, and 1923.

Table S

COUNTRY	ANNUAL CRUDE DEATH RATE PER 1,000 POPULATION								Decrease between 1881 to 1885 and 1916 to 1920
	1923	1922	1921	1916 to 1920	1911 to 1915	1906 to 1910	1901 to 1905	1881 to 1885	
									Per ct.
United States (registration area, exclusive of Hawaii)	12.3	11.8	11.6	14.5	13.9	15.1	16.2	(1)	(1)
Australia	9.9	9.2	9.9	10.8	10.7	10.7	11.7	15.7	31.2
Austria	(1)	17.3	16.9	21.9	20.0	22.3	24.2	30.1	27.2
Belgium	(1)	(1)	13.8	15.8	14.6	15.9	17.0	20.6	23.3
Ceylon	30.6	27.8	31.2	30.1	30.6	30.8	26.7	(1)	(1)
Chile	(1)	28.4	32.7	30.6	28.9	31.3	30.2	26.9	[2] 13.8
Denmark	(1)	11.9	11.0	13.1	12.8	13.7	14.8	18.4	28.8
England and Wales	11.6	12.8	12.1	14.5	14.3	14.7	16.0	19.4	25.3
Finland	(1)	14.4	14.0	19.5	16.1	17.4	18.6	22.2	12.2
France	(1)	[3,4] 17.5	[3,4] 17.7	20.2	19.3	19.2	19.6	22.2	9.0
Germany	(1)	(1)	13.9	19.0	17.7	17.5	19.9	25.3	24.9
Ireland	(1)	[5] 14.1	14.2	16.6	16.8	17.3	17.6	18.0	7.8
Italy	(1)	(1)	16.1	21.8	19.3	21.0	21.9	27.3	20.1
Jamaica	22.7	22.9	28.3	26.0	22.4	24.4	22.6	(1)	(1)
Japan	(1)	22.3	22.7	23.6	20.0	20.9	20.5	(1)	(1)
Netherlands	(1)	11.4	11.1	13.7	12.8	14.3	16.0	21.4	36.0
New Zealand	9.0	8.8	8.7	10.7	9.2	9.8	9.9	10.9	1.8
Norway	[4] 11.5	[4] 11.9	11.5	14.1	13.2	13.8	14.5	17.2	18.0
Ontario, Province of	(1)	11.4	11.8	13.2	12.3	14.0	13.0	11.4	[2] 15.8
Scotland	12.9	14.9	13.6	15.0	15.7	16.1	17.0	19.6	23.5
Spain	(1)	(1)	21.1	24.6	22.1	24.0	25.9	32.6	24.5
Sweden	[4] 11.4	[4] 12.8	[4] 12.4	14.6	14.0	14.3	15.5	17.5	16.6
Switzerland	(1)	12.9	12.7	14.9	14.3	16.0	17.5	21.3	30.0

[1] Figures not available.
[2] Increase.
[3] Based on the civil population of 77 "departements," not invaded.
[4] The figures are provisional.
[5] Irish Free State.

NOTE.—The rates are taken from the annual reports on vital statistics of the various countries.

Table T presents for 1900 and each year from 1905 to 1923 crude death rates per 1,000 population for the registration area of the United States and for certain countries. These rates are shown in Diagram 5.

Table T

COUNTRY	DEATH RATE PER 1,000 POPULATION																			
	1900	1905	1906	1907	1908	1909	1910	1911	1912	1913	1914	1915	1916	1917	1918	1919	1920	1921	1922	1923
United States (registration area, exclusive of Hawaii)	17.6	16.0	15.7	16.0	14.8	14.4	15.0	14.2	13.9	14.1	13.6	13.6	14.0	14.3	18.1	12.9	13.1	11.6	11.8	12.3
Australia	11.8	10.9	10.9	11.0	11.1	10.3	10.4	10.7	11.2	10.7	10.5	10.6	11.0	9.7	10.0	12.7	10.5	9.9	9.2	9.9
Austria	25.4	25.1	22.6	22.7	22.5	22.9	21.2	21.9	20.5	18.2	18.1	21.3	20.9	22.9	26.4	20.3	19.0	16.9	17.3	(1)
Chile	35.6	34.9	32.7	29.6	31.6	31.2	31.0	31.1	29.7	30.1	27.8	26.0	26.3	29.5	29.5	37.0	30.7	32.7	28.4	(1)
England and Wales	18.2	15.3	15.5	15.1	14.8	14.6	13.5	14.6	13.3	13.8	14.0	[2] 15.7	[2] 14.4	[2] 14.4	[2] 17.6	13.7	12.4	12.1	12.8	11.6
France	21.9	19.6	19.9	20.2	18.9	19.1	17.8	19.6	17.5	17.7	[3] 20.7	[3] 21.0	[3] 19.8	[3] 20.2	[3] 24.6	[3] 19.3	[3,4] 17.2	[3,4] 17.7	[3,4] 17,5	(1)
Germany	22.1	19.8	18.2	18.0	18.1	17.2	16.2	17.3	15.6	15.0	19.0	21.4	19.2	20.5	24.7	15.6	15.1	13.9	(1)	(1)
Ireland	19.6	17.1	16.9	17.6	17.5	17.1	17.1	16.5	16.5	17.1	16.3	17.6	16.3	16.6	17.9	17.6	14.8	14.2	[5] 14.1	(1)
Italy	23.8	22.0	20.9	20.9	22.8	21.7	19.9	21.4	18.2	18.7	17.9	20.4	19.7	19.2	32.3	19.0	18.8	16.1	(1)	(1)
Japan	20.3	21.1	19.8	20.9	20.9	21.9	21.1	20.3	19.9	19.4	20.5	20.1	21.5	21.4	26.8	22.8	25.4	22.7	22.3	(1)
New Zealand	9.4	9.3	9.3	11.0	9.6	9.2	9.7	9.4	8.9	9.5	9.3	9.1	9.6	9.6	14.8	9.5	10.2	8.7	8.8	9.0
Scotland	18.5	16.2	16.4	16.6	16.6	15.8	15.3	15.1	15.3	15.5	15.5	17.1	14.7	14.4	16.3	15.6	14.0	13.6	14.9	12.9
Spain	28.9	25.6	25.8	24.2	23.5	23.6	22.9	23.3	21.1	22.1	22.0	22.0	21.3	22.3	33.1	23.3	23.2	21.1	(1)	(1)
Sweden	16.8	15.6	14.4	14.6	14.9	13.7	14.0	13.8	14.2	13.7	13.8	14.7	13.6	13.4	18.0	14.5	13.3	[4] 12.4	[4] 12.8	[4] 11.4

[1] Figures not available
[2] Based upon civilian deaths and estimated civilian population.
[3] Based upon the civil population of 77 "departements" not invaded.
[4] The figures are provisional.
[5] Irish Free State.

NOTE.—The rates are taken from the annual reports on vital statistics of the various countries.

DIAGRAM 5.—GENERAL DEATH RATES OF THE UNITED STATES (REGISTRATION AREA) AND CERTAIN FOREIGN COUNTRIES FOR EACH OF THE YEARS FROM 1900 TO 1923



CAUSES OF DEATH

Rate Table II and General Tables 5 to 11 present statistics of causes of death, the data covering the principal factors of area, age, sex, color, and month.

DETAILED AND ABRIDGED INTERNATIONAL LISTS

The International List of Causes of Death is made up of (1) a detailed list which serves as a basis for the specific presentation of deaths from disease and violence, and (2) an abridged list in which many of the titles are consolidations of the headings of the detailed list.

In some instances, where the title headings are identical in the two lists, the causes of death included are not the same. An example of this is title No. 25 of the detailed list, "Other epidemic and endemic diseases." Used in this sense "Other epidemic and endemic diseases" includes only those epidemic and endemic maladies which are not shown separately in titles 1 to 24 of this detailed classification; but when the same expression, "Other epidemic and endemic diseases," is used in reference to the abridged list it signifies a heading of that list which includes titles 3, 4, 12, 13, and 16 to 25 of the detailed list.

Table U shows the distribution of the 1923 deaths by the causes of the abridged list, together with corresponding rates and percentages. In parentheses after each title of the abridged list appears the number, or numbers, corresponding to the included title or titles of the detailed International List.

CHANGES IN THE DETAILED INTERNATIONAL LIST

The changes made at the last revision of the detailed International List of Causes of Death are shown on pages 24 to 31 in the report on Mortality Statistics, 1921.

Table U

Abridged Int. List No.	CAUSE OF DEATH [1]	DEATHS IN REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1923		
		Number	Rate per 100,000 estimated population	Per cent
	All causes (exclusive of stillbirths)	1,193,017	1,230.1	100.0
1	Typhoid and paratyphoid fever (1)	6,635	6.8	0.6
2	Typhus fever (2)	2	(2)	(3)
3	Malaria (5)	2,736	2.8	0.2
4	Smallpox (6)	131	0.1	(3)
5	Measles (7)	10,450	10.8	0.9
6	Scarlet fever (8)	3,440	3.5	0.3
7	Whooping cough (9)	9,440	9.7	0.8
8	Diphtheria (10)	11,733	12.1	1.0
9	Influenza (11)	43,370	44.7	3.6
10	Asiatic cholera (14)			
11	Cholera nostras (15)	153	0.2	(3)
12	Other epidemic and endemic diseases (3, 4, 12, 13, 16 to 25)	10,056	10.4	0.8
13	Tuberculosis of the respiratory system (31)	79,534	82.0	6.7
14	Tuberculosis of the meninges and central nervous system (32)	4,010	4.1	0.3
15	Other forms of tuberculosis (33 to 37)	7,188	7.4	0.6
16	Cancer and other malignant tumors (43 to 49)	86,754	89.4	7.3
17	Meningitis (71)	3,652	3.8	0.3
18	Cerebral hemorrhage and softening (74, 83)	87,707	90.4	7.4
19	Diseases of the heart (87 to 90)	170,033	175.3	14.3
20	Acute bronchitis (including unspecified under 5 years of age) (99a, 99c)	4,449	4.6	0.4
21	Chronic bronchitis (including unspecified 5 years and over) (99b, 99d)	4,366	4.5	0.4
22	Pneumonia (101)	59,459	61.3	5.0
23	Other diseases of the respiratory system (tuberculosis excepted) (97, 98, 100, 102 to 107)	55,771	57.5	4.7
24	Diseases of the stomach (cancer excepted) (111,112)	11,398	11.8	1.0
25a	Diarrhea and enteritis (under 2 years of age) (113)	31,444	32.4	2.6
25b	Diarrhea and enteritis (2 years and over) (114)	7,259	7.5	0.6
26	Appendicitis and typhlitis (117)	14,345	14.8	1.2
27	Hernia, intestinal obstruction (118)	10,211	10.5	0.9
28	Cirrhosis of the liver (122)	7,027	7.2	0.6
29	Acute and chronic nephritis (128, 129)	87,378	90.1	7.3
30	Noncancerous tumors and other diseases of the female genital organs (137 to 141)	5,107	5.3	0.4
31	Puerperal septicemia (146)	5,657	5.8	0.5
32	Other puerperal accidents of pregnancy and labor (143 to 145, 147 to 150)	9,448	9.7	0.8
33	Congenital debility and malformations (159, 160, 161)	70,227	72.4	5.9
34	Senility (164)	13,346	13.8	1.1
35	Violent deaths (suicide excepted) (175 to 203)	82,009	84.6	6.9
36	Suicide (165 to 174)	11,287	11.6	0.9
37	Other diseases (26 to 30, 38 to 42, 50 to 70, 72, 73, 75 to 82, 84 to 86, 91 to 96, 108 to 110, 115, 116, 119 to 121, 123 to 127, 130 to 136, 142, 151 to 158, 162, 163)	149,167	153.8	12.5
38	Unknown or ill-defined diseases (204, 205)	16,638	17.2	1.4

[1] Abridged International List of Causes of Death. The title or titles of the detailed International List that are included under each heading are indicated by numbers in parentheses.
[2] Less than one-tenth of 1 per 100,000 population.
[3] Less than one-tenth of 1 per cent.

DEATH RATES FROM CERTAIN IMPORTANT CAUSES OF DEATH IN THE REGISTRATION AREA AND IN THE REGISTRATION STATES OF 1900 AND OF 1910

Rates from 29 important causes or groups of causes of death in the registration area, exclusive of Hawaii, for the years 1900, 1910, and 1912 to 1923 are shown in Table V and for 14 of the most important of these causes in Diagram 6.

In Table W data corresponding to those shown for the registration area are presented for the registration States of 1900 and in Table X, for the registration States of 1910, for 1910 to 1923.

The States of 1900 represent about one-third, and the States of 1910 more than one-half, of the entire population of the registration area, exclusive of Hawaii.

Table V

Detailed Int. List No.	CAUSE OF DEATH	DEATH RATE PER 100,000 ESTIMATED POPULATION IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII)													
		1900	1910	1912	1913	1914	1915	1916	1917	1918	1919	1920	1921	1922	1923
	All causes (exclusive of stillbirths)	1,755.0	1,496.2	1,388.8	1,409.6	1,364.6	1,355.0	1,404.3	1,425.5	1,809.1	1,287.4	1,306.0	1,163.9	1,181.7	1,230.1
1	Typhoid and paratyphoid fever	35.9	23.5	16.5	17.9	15.5	12.4	13.3	13.5	12.6	9.2	7.8	9.0	7.5	6.8
5	Malaria	7.9	2.2	3.1	2.5	2.2	2.3	3.0	3.2	3.1	3.8	3.6	3.6	3.6	2.8
6	Smallpox	1.9	0.4	0.3	0.2	0.3	0.3	0.2	0.3	0.4	0.4	0.6	0.7	0.7	0.1
7	Measles	12.5	12.3	7.0	12.8	6.8	5.4	11.1	14.3	10.8	3.9	8.8	4.3	4.3	10.8
8	Scarlet fever	10.2	11.6	6.7	8.7	6.6	3.6	3.3	4.2	3.0	2.8	4.6	5.3	3.5	3.5
9	Whooping cough	12.1	11.4	9.3	10.0	10.4	8.1	10.2	10.5	16.9	5.5	12.5	9.1	5.6	9.7
10	Diphtheria	43.3	21.4	18.2	18.9	17.9	15.7	14.5	16.6	13.9	14.7	15.3	17.7	14.6	12.1
11, 101	Influenza and pneumonia	181.5	115.1	95.6	95.6	87.6	99.2	115.1	117.2	517.0	174.5	153.7	60.4	88.3	106.0
21	Erysipelas	5.1	4.5	3.8	4.0	3.8	3.5	3.8	3.8	3.2	2.6	3.1	2.8	2.5	2.7
24	Meningococcus meningitis	(1)	0.4	2.4	1.9	1.7	1.4	2.2	3.9	3.4	1.8	1.6	1.5	1.0	1.1
31, 37a	Tuberculosis of the respiratory system and acute disseminated tuberculosis	181.8	139.7	130.0	127.9	128.2	128.2	124.3	129.5	133.2	111.3	100.8	87.6	86.3	83.5
32-36, 37b	Other forms of tuberculosis	20.1	20.6	19.7	19.9	19.0	18.1	17.8	17.6	16.8	14.3	13.4	11.8	10.7	10.0
43-49	Cancer and other malignant tumors	63.0	76.2	77.1	79.0	79.6	81.4	82.1	82.0	80.3	80.5	83.4	86.0	86.8	89.4
57	Diabetes mellitus	9.7	14.9	15.0	15.3	16.2	17.5	17.1	17.0	15.9	14.9	16.1	16.8	18.4	17.9
74, 83, 92	Cerebral hemorrhage and softening, embolism and thrombosis (not cerebral)	75.5	79.4	81.0	80.0	83.7	85.2	86.9	88.1	84.6	82.2	86.4	85.1	87.7	92.2
87-90	Diseases of the heart	132.1	158.8	159.9	155.8	159.7	165.7	168.7	171.7	170.1	146.7	159.3	157.1	165.7	175.3
99, 100	Bronchitis and bronchopneumonia	67.6	70.5	66.3	67.2	66.3	67.3	65.4	67.0	85.7	60.6	67.9	48.3	54.6	56.7
113, 114	Diarrhea and enteritis [2]	133.2	117.4	84.1	90.3	79.6	72.1	79.5	79.3	72.7	55.2	54.4	51.6	39.5	39.9
117	Appendicitis and typhlitis	9.7	11.4	11.6	12.1	12.3	12.5	12.8	12.6	12.2	11.8	13.4	14.4	14.2	14.8
118	Hernia, intestinal obstruction [3]	12.2	12.4	11.9	11.6	11.7	11.3	11.3	11.6	11.5	10.4	10.6	10.7	10.6	10.5
122	Cirrhosis of the liver	12.9	13.9	13.5	13.4	13.0	12.6	12.3	11.4	9.6	7.9	7.1	7.4	7.5	7.2
128, 129	Acute and chronic nephritis	89.0	99.1	103.2	103.0	102.6	105.1	105.6	107.9	97.6	88.1	89.4	85.4	88.5	90.1
146	Puerperal septicemia	5.7	7.2	6.5	7.2	7.1	6.3	6.7	6.9	6.5	5.8	6.6	6.8	5.7	5.8
143-145, 147-150	Other puerperal causes	7.6	8.5	8.5	8.6	8.9	9.0	9.6	9.8	15.8	11.2	12.6	10.1	10.0	9.7
159-163	Congenital malformations and diseases of early infancy	91.8	88.1	95.4	98.5	95.5	92.1	94.0	91.9	92.3	79.7	84.9	84.4	78.2	78.0
165-174	Suicide	11.5	16.0	16.0	15.8	16.6	16.7	14.2	13.4	12.2	11.4	10.2	12.6	11.9	11.6
197-200	Homicide	2.1	5.9	6.6	7.2	7.4	7.0	7.1	7.7	6.8	7.5	7.1	8.5	8.4	8.1
175-196, 201-203	Accidental and unspecified external causes	79.0	84.3	82.4	85.5	78.6	76.6	84.2	88.2	82.2	72.0	71.5	68.7	70.0	76.4
204, 205	Unknown or ill-defined diseases	73.8	23.1	11.5	14.1	12.1	11.4	15.2	18.2	19.2	18.3	17.7	16.0	17.7	17.2

[1] Not tabulated separately. [2] Includes ulcer of the duodenum from 1900 to 1920. [3] Includes adhesions of intestines from 1900 to 1920.

Table W

Detailed Int. List No.	CAUSE OF DEATH	DEATH RATE PER 100,000 ESTIMATED POPULATION IN THE REGISTRATION STATES OF 1900 [1] (INCLUDING DISTRICT OF COLUMBIA)													
		1900	1910	1912	1913	1914	1915	1916	1917	1918	1919	1920	1921	1922	1923
	All causes (exclusive of stillbirths)	1,719.5	1,562.4	1,458.0	1,471.3	1,442.5	1,428.8	1,497.3	1,496.4	1,887.3	1,348.7	1,379.0	1,215.1	1,258.8	1,293.3
1	Typhoid and paratyphoid fever	31.3	18.0	13.2	12.6	10.8	9.2	8.8	8.1	7.0	4.8	5.0	5.3	3.9	3.6
5	Malaria	6.2	1.3	0.9	0.8	0.7	0.6	0.4	0.4	0.4	0.2	0.2	0.3	0.2	0.1
6	Smallpox	0.3	0.5	0.1	0.1	0.1	0.1	(2)	0.1	0.2	0.1	0.1	0.1	0.1	0.1
7	Measles	13.4	12.6	9.0	11.5	7.4	6.6	10.6	10.4	12.1	3.7	10.4	4.3	8.0	8.8
8	Scarlet fever	9.6	12.2	6.2	8.3	6.6	4.0	2.9	3.8	3.2	3.0	5.2	6.4	4.1	3.6
9	Whooping cough	12.2	10.7	8.0	9.0	8.8	8.9	9.1	8.8	15.3	4.9	11.9	8.3	5.8	8.3
10	Diphtheria	40.4	22.5	16.8	19.2	18.4	15.8	15.1	18.2	16.4	17.7	17.4	17.9	14.8	12.4
11, 101	Influenza and pneumonia	179.4	121.8	103.8	103.3	95.1	107.2	124.3	126.4	517.2	165.0	144.6	59.6	85.9	98.2
21	Erysipelas	5.4	4.9	4.5	4.3	4.6	4.3	4.4	4.5	3.5	3.0	3.6	3.2	2.9	3.1
24	Meningococcus meningitis	(3)	0.3	0.7	0.8	1.3	1.4	2.4	3.2	3.0	2.1	1.8	1.7	1.2	1.2
31, 37a	Tuberculosis of the respiratory system and acute disseminated tuberculosis	174.5	142.0	129.1	127.4	128.4	127.3	124.7	128.5	132.2	109.1	97.2	82.2	81.1	80.1
32-36, 37b	Other forms of tuberculosis	20.7	22.7	20.6	21.4	20.2	19.4	19.1	18.6	18.8	15.8	14.7	12.5	11.2	10.7
43-49	Cancer and other malignant tumors	64.0	83.0	86.0	88.8	89.2	92.0	93.9	95.0	94.7	95.8	98.9	102.6	105.0	106.6
57	Diabetes mellitus	11.0	17.6	17.7	18.6	19.4	21.5	20.7	21.7	20.2	19.2	20.4	20.8	23.5	22.5
74, 83, 92	Cerebral hemorrhage and softening, embolism and thrombosis (not cerebral)	80.7	92.3	93.7	93.0	99.4	98.3	101.9	105.6	102.7	99.4	102.2	99.4	103.7	106.5
87-90	Diseases of the heart	137.4	180.9	180.5	181.4	189.4	193.8	205.4	209.7	210.3	183.6	198.0	193.9	210.7	223.5
99, 100	Bronchitis and bronchopneumonia	68.1	79.2	74.2	75.9	74.6	75.5	76.1	75.3	104.8	71.6	82.1	54.5	65.9	65.6
113, 114	Diarrhea and enteritis [4]	139.9	119.4	87.6	89.9	80.9	76.2	76.6	74.3	70.6	53.3	55.7	48.0	36.6	34.2
117	Appendicitis and typhlitis	8.8	11.1	11.0	11.6	12.2	12.3	12.4	12.3	11.9	11.7	13.2	14.3	13.9	14.6
118	Hernia, intestinal obstruction [5]	11.9	12.6	12.3	12.2	12.0	11.1	11.8	11.6	12.0	10.9	11.1	11.2	10.8	10.9
122	Cirrhosis of the liver	12.5	14.4	13.8	13.7	13.8	13.5	13.8	12.4	10.2	8.3	7.7	8.1	8.2	7.7
128, 129	Acute and chronic nephritis	88.7	107.3	113.9	113.1	114.5	113.1	117.7	118.8	107.1	96.3	97.6	90.0	95.3	96.3
146	Puerperal septicemia	5.8	6.7	6.0	6.6	6.5	5.9	6.1	6.4	5.6	5.2	6.1	6.1	5.2	5.1
143-145, 147-150	Other puerperal causes	7.7	8.4	8.2	8.4	8.8	8.8	8.7	9.1	14.9	10.1	11.5	9.0	8.9	8.5
159-163	Congenital malformations and diseases of early infancy	88.2	94.6	102.2	105.5	101.3	99.3	98.6	97.3	98.7	86.5	91.0	89.0	82.3	82.2
165-174	Suicide	10.2	15.4	15.2	15.4	16.2	16.5	14.8	14.6	12.8	12.2	10.9	13.3	12.9	12.9
197-200	Homicide	1.2	3.9	4.1	4.5	4.3	4.1	4.0	4.6	3.7	4.3	4.2	4.6	4.3	4.6
175-196, 201-203	Accidental and unspecified external causes	72.3	77.8	79.1	82.1	76.2	74.0	83.8	90.7	83.1	72.7	70.7	68.6	71.1	78.6
204, 205	Unknown or ill-defined diseases	67.4	19.0	5.8	5.0	4.9	4.2	4.6	4.5	5.0	3.8	3.4	3.3	3.3	3.2

[1] For States included, see Table A, p. 7.
[2] Less than one-tenth of 1 per 100,000 estimated population.
[3] Not tabulated separately.
[4] Includes ulcer of the duodenum from 1900 to 1920.
[5] Includes adhesions of intestines from 1900 to 1920.

Detailed Int. List No.	Table X — CAUSE OF DEATH	DEATH RATE PER 100,000 ESTIMATED POPULATION IN THE REGISTRATION STATES OF 1910[1] (INCLUDING DISTRICT OF COLUMBIA)													
		1910	1911	1912	1913	1914	1915	1916	1917	1918	1919	1920	1921	1922	1923
	All causes (exclusive of stillbirths)	1,469.2	1,399.9	1,370.5	1,401.4	1,359.0	1,346.4	1,415.4	1,423.9	1,853.9	1,306.2	1,332.3	1,188.3	1,218.4	1,265.8
1	Typhoid and paratyphoid fever	22.5	18.0	14.8	15.3	12.3	10.4	10.2	9.1	8.4	5.7	5.3	6.0	4.4	4.2
5	Malaria	1.1	1.0	0.8	0.7	0.6	0.6	0.4	0.4	0.4	0.2	0.2	0.2	0.2	0.1
6	Smallpox	0.4	0.1	0.2	0.2	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.3	0.6	0.1
7	Measles	12.4	8.8	7.9	12.5	6.4	5.6	11.7	9.3	9.6	3.6	10.2	4.1	6.1	10.1
8	Scarlet fever	11.4	8.8	6.3	8.4	7.2	3.9	3.2	3.8	3.5	3.1	5.3	6.4	4.1	4.3
9	Whooping cough	11.6	10.5	8.7	9.5	9.1	7.9	9.8	8.8	14.7	4.7	12.6	8.5	5.7	8.7
10	Diphtheria	21.1	17.9	16.9	18.2	17.2	14.5	13.9	16.5	14.7	15.9	15.9	17.7	14.4	12.9
11,101	Influenza and pneumonia	109.9	101.3	92.4	94.0	86.7	97.8	115.6	117.6	537.7	165.7	147.4	62.3	86.6	100.4
21	Erysipelas	4.6	4.3	3.9	4.1	4.0	3.6	3.9	4.0	3.2	2.7	3.3	3.0	2.6	3.0
24	Meningococcus meningitis	0.3	0.7	1.0	1.3	1.5	1.4	2.0	4.0	3.0	1.8	1.6	1.5	1.0	1.1
31,37a	Tuberculosis of the respiratory system and acute disseminated tuberculosis	133.4	130.8	122.9	120.8	121.5	121.2	119.5	123.8	129.6	108.4	97.8	84.5	83.4	81.8
32-36, 37b	Other forms of tuberculosis	20.6	20.8	19.3	19.8	19.0	18.0	18.1	17.9	18.0	15.5	14.4	12.6	11.5	11.0
43-49	Cancer and other malignant tumors	76.3	76.7	79.5	82.4	83.4	85.3	88.1	89.3	88.6	90.5	93.6	96.4	99.0	101.5
57	Diabetes mellitus	15.3	15.7	15.6	16.3	17.4	18.8	18.7	19.1	18.0	17.1	18.6	19.2	21.3	20.6
74, 83, 92	Cerebral hemorrhage and softening, embolism and thrombosis (not cerebral)	81.7	84.8	85.5	85.2	89.1	90.3	93.8	96.6	94.8	92.4	95.9	94.3	98.0	102.1
87-90	Diseases of the heart	159.0	162.1	164.2	162.7	168.4	173.4	182.3	186.6	188.4	164.8	177.3	178.0	189.1	200.8
99, 100	Bronchitis and bronchopneumonia	70.0	65.7	67.5	69.9	68.7	70.6	70.9	71.5	97.0	68.1	75.8	58.9	61.8	64.0
113, 114	Diarrhea and enteritis [2]	114.4	87.8	81.2	87.9	77.1	70.5	75.8	73.5	71.2	53.4	53.8	48.9	37.9	37.2
117	Appendicitis and typhlitis	10.8	11.2	11.0	11.8	12.0	12.1	12.7	12.5	12.1	11.8	13.4	14.5	14.4	14.7
118	Hernia, intestinal obstruction [3]	12.1	11.7	11.8	11.8	11.6	11.1	11.5	11.6	11.8	10.8	11.1	11.1	11.0	11.0
122	Cirrhosis of the liver	13.3	13.9	13.1	13.4	13.2	12.8	13.0	12.2	10.3	8.4	7.6	7.9	8.0	7.9
128, 129	Acute and chronic nephritis	94.9	96.2	100.9	101.8	102.1	103.4	106.8	108.8	98.9	90.5	91.5	86.0	90.1	91.4
146	Puerperal septicemia	7.0	7.0	6.0	6.8	6.7	5.9	6.4	6.6	6.1	5.3	6.2	6.5	5.2	5.6
143-145, 147-150	Other puerperal causes	8.4	8.3	8.2	8.4	8.5	8.7	8.7	8.9	15.3	10.0	11.5	9.0	8.8	8.5
159-163	Congenital malformations and diseases of early infancy	88.5	94.2	97.0	100.8	98.4	95.1	95.2	93.6	95.9	83.9	88.3	87.5	81.5	81.2
165-174	Suicide	15.4	16.2	15.6	16.0	16.7	16.8	15.1	14.7	13.4	12.7	11.3	13.9	13.5	13.3
197-200	Homicide	4.6	4.9	4.9	5.3	5.5	5.1	5.4	6.0	5.1	5.2	4.9	5.8	5.4	5.5
175-198, 201-203	Accidental and unspecified external causes	84.6	86.7	83.2	87.9	80.6	77.4	87.9	94.2	88.8	76.4	75.0	71.8	73.9	82.0
204, 205	Unknown or ill-defined diseases	22.0	8.6	8.3	7.7	7.0	6.2	6.5	6.6	7.0	5.6	5.2	4.4	4.5	4.2

[1] Exclusive of North Carolina. For States included, see Table A, p. 7.
[2] Includes ulcer of the duodenum from 1910 to 1920.
[3] Includes adhesions of intestines from 1910 to 1920.

For the registration area (exclusive of Hawaii) and also for the registration States of 1900, typhoid and paratyphoid fever, tuberculosis (all forms), diphtheria, and congenital malformations and diseases of early infancy show in 1923 record low rates; that is, lower for 1923 than for any year since the publication, in 1900, of the first annual report. Record low rates also appear for smallpox in the registration area and for malaria, diarrhea and enteritis, and puerperal septicemia in the registration States of 1900.

On the other hand, the trend of mortality from cancer is decidedly upward, and shows a remarkable increase since 1900. For the registration area the rate is 89.4 per 100,000 estimated population in 1923, against 63 in 1900, and the increase is continuous from 1918; for the States of 1900 the rate is 106.6 in 1923, against 64 in 1900, and since then has continuously increased in every year of the series shown except 1918. That this increase can not be explained by differences in the age and sex distribution of the population is clearly shown by the adjusted rates given in Mortality Rates, 1910–1920, page 81. For both of these areas an upward trend is also shown in the rates from cerebral hemorrhage and softening, embolism and thrombosis (not cerebral), and diseases of the heart. For these causes the rates for the States of 1900 are higher in every year shown than those for the registration area.

For the registration area the rates from typhoid and paratyphoid fever are higher for the series of years than those for the States of 1900.

DIAGRAM 6.—DEATH RATES FROM CERTAIN IMPORTANT CAUSES OF DEATH IN THE REGISTRATION AREA OF THE UNITED STATES FOR THE YEARS 1900 AND 1910 TO 1923



TYPHOID AND PARATYPHOID FEVER

The number of deaths from typhoid and paratyphoid fever in 1923 is 6,635, corresponding to a crude death rate of 6.8 per 100,000 estimated population; this is the lowest rate shown in the annual reports, beginning in 1900.

Table Y shows adjusted rates per 100,000 estimated population for 1920 to 1923, and crude rates for 1918 to 1923, with rates of 40 and higher in bold-faced type.

Table Y

DEATH RATE FROM TYPHOID AND PARATYPHOID FEVER PER 100,000 ESTIMATED POPULATION

[Rates of 40 or more in bold-faced type]

AREA	Adjusted rate				Crude rate					
	1923	1922	1921	1920	1923	1922	1921	1920	1919	1918
The registration area (exclusive of Hawaii)	(1)	(1)	(1)	(1)	6.8	7.5	9.0	7.8	9.2	12.6
Registration States [2]	(1)	(1)	9.0	7.7	6.8	7.5	8.9	7.6	9.1	12.2
Cities in registration States [2]	(1)	(1)	(1)	(1)	4.6	4.8	5.8	5.5	6.1	8.7
Rural part of registration States	(1)	(1)	(1)	(1)	8.7	10.0	11.9	9.6	11.8	15.4
Registration cities in non-registration States	(1)	(1)	(1)	(1)	10.6	9.4	16.4	15.5	13.6	26.9
All registration cities [2]	(1)	(1)	(1)	(1)	4.8	4.9	6.1	5.9	6.4	9.6
California	4.0	4.7	4.3	4.8	4.0	4.7	4.3	4.8	5.4	6.0
Colorado	10.7	11.6	10.3	9.4	10.5	11.4	10.1	9.2	8.5	15.4
Connecticut	2.5	3.0	3.5	4.0	2.6	3.1	3.6	4.1	4.0	5.4
Delaware	8.5	11.3	11.9	11.6	8.2	10.9	11.5	11.2	17.6	(3)
Florida	16.8	16.0	18.0	14.7	16.7	15.9	17.9	14.6	18.3	(3)
White	13.6	12.4	17.2	13.6	13.3	12.1	16.8	13.3	17.7	(3)
Colored	24.1	23.9	20.2	17.3	24.0	23.8	20.1	17.2	19.4	(3)
Georgia	(1)	(1)	(3)	(3)	20.5	23.5	(3)	(3)	(3)	(3)
White	(1)	(1)	(3)	(3)	14.0	18.0	(3)	(3)	(3)	(3)
Colored	(1)	(1)	(3)	(3)	30.1	31.4	(3)	(3)	(3)	(3)
Idaho	(1)	(1)	(3)	(3)	6.0	8.9	(3)	(3)	(3)	(3)
Illinois	4.7	4.2	6.0	5.8	4.7	4.2	6.0	5.8	5.9	8.2
Indiana	7.3	8.1	12.7	10.0	7.1	7.9	12.3	9.7	11.4	13.8
Iowa	(1)	(3)	(3)	(3)	3.1	(3)	(3)	(3)	(3)	(3)
Kansas	6.3	6.2	8.7	8.1	6.2	6.1	8.6	8.0	7.3	16.6
Kentucky	19.6	19.3	26.3	20.5	19.3	19.0	25.9	20.2	26.9	27.2
White	18.9	18.4	24.8	19.4	18.6	18.1	24.4	19.1	24.7	25.0
Colored	26.1	28.4	40.6	30.3	26.0	28.3	40.5	30.2	47.2	46.2
Louisiana	14.6	18.0	18.0	15.6	14.5	17.9	17.9	15.5	22.8	39.9
White	13.1	14.5	14.5	12.0	12.8	14.1	14.1	11.7	20.3	35.4
Colored	17.2	24.0	23.8	21.3	17.4	24.2	24.0	21.5	26.6	46.7
Maine	6.6	6.2	7.5	8.9	6.7	6.3	7.6	9.0	5.7	7.7
Maryland	6.6	7.1	10.3	6.9	6.6	7.1	10.3	6.9	11.8	17.0
White	5.2	5.9	7.4	5.6	5.2	5.9	7.4	5.6	9.4	13.3
Colored	13.7	13.0	24.1	12.7	14.0	13.3	24.7	13.0	23.7	35.0
Massachusetts	1.6	2.1	3.0	2.4	1.7	2.2	3.1	2.5	2.7	4.1
Michigan	5.2	5.0	7.8	8.0	5.1	4.9	7.7	7.9	7.6	9.4
Minnesota	2.3	2.1	3.5	2.9	2.4	2.2	3.6	3.0	3.3	3.7
Mississippi	13.8	19.0	18.6	18.6	13.8	19.0	18.6	18.6	20.3	(3)
White	9.6	14.2	13.3	12.1	9.1	13.5	12.6	11.5	15.3	(3)
Colored	17.6	23.4	23.4	24.5	18.0	24.0	24.0	25.1	24.9	(3)
Missouri	8.9	10.0	13.2	10.2	8.7	9.8	12.9	10.0	12.5	19.6
Montana	2.5	3.4	3.4	4.7	2.6	3.5	3.5	4.8	7.2	10.1
Nebraska	3.1	3.8	5.0	4.5	3.1	3.8	5.0	4.5	(3)	(3)
New Hampshire	3.5	5.4	3.7	7.0	3.4	5.2	3.6	6.8	3.4	4.5
New Jersey	3.3	3.9	4.5	3.3	3.3	3.9	4.5	3.3	3.2	5.5
New York	2.9	3.0	3.6	3.6	2.9	3.0	3.6	3.6	3.6	5.7
North Carolina	9.7	11.2	12.0	12.5	9.7	11.2	12.0	12.5	17.5	22.8
White	7.0	8.5	8.8	9.5	6.9	8.3	8.6	9.3	14.4	17.6
Colored	15.7	17.7	19.3	19.4	16.1	18.2	19.8	19.9	24.5	34.4
Ohio	5.0	5.4	9.1	7.4	5.1	5.5	9.2	7.5	8.0	13.6
Oregon	4.4	3.9	5.5	4.6	4.7	4.2	5.9	4.9	4.9	9.5
Pennsylvania	4.9	4.7	7.4	5.7	4.9	4.7	7.4	5.7	7.1	10.9
Rhode Island	1.0	1.2	2.6	2.6	1.1	1.3	2.8	2.8	3.3	5.7
South Carolina	18.2	23.0	26.5	22.8	17.9	22.6	26.0	22.4	26.3	35.5
White	12.6	15.0	17.3	16.4	12.2	14.5	16.8	15.9	16.0	26.0
Colored	23.8	30.8	35.2	28.8	23.6	30.6	35.0	28.6	35.9	44.3
Tennessee	20.9	20.2	26.0	18.4	21.0	20.3	26.1	18.5	28.0	30.2
White	16.9	18.0	22.6	16.5	16.8	17.9	22.5	16.4	24.6	26.8
Colored	38.7	30.3	40.7	26.8	39.4	30.9	41.5	27.3	42.2	43.9
Utah	8.5	4.6	9.7	6.7	8.6	4.7	9.1	6.8	9.4	9.4
Vermont	3.2	4.7	5.0	11.0	3.1	4.5	5.4	10.5	3.1	8.5

See footnotes at end of table.

Table Y—Con.

DEATH RATE FROM TYPHOID AND PARATYPHOID FEVER PER 100,000 ESTIMATED POPULATION

[Rates of 40 or more in bold-faced type]

AREA	Adjusted rate				Crude rate					
	1923	1922	1921	1920	1923	1922	1921	1920	1919	1918
Virginia	10.6	11.5	16.2	11.3	10.5	11.4	16.1	11.2	15.5	17.9
White	7.6	8.5	14.2	9.8	7.4	8.3	13.9	9.6	13.1	15.7
Colored	18.1	18.4	21.3	14.7	18.3	18.7	21.6	14.9	21.3	23.0
Washington	5.1	4.7	5.3	5.5	5.2	4.8	5.4	5.6	4.2	7.4
Wisconsin	2.1	2.9	2.9	2.4	2.2	3.0	3.0	2.5	3.1	3.8
Wyoming	(1)	(1)	(3)	(3)	7.1	13.1	(3)	(3)	(3)	(3)
CITIES OF 100,000 POPULATION OR MORE IN 1920										
Akron	(4)	1.8	5.9	3.5	(4)	1.9	6.2	3.7	8.4	17.6
Albany	2.5	0.9	3.4	4.3	2.6	0.9	3.5	4.4	8.0	10.8
Atlanta	20.9	13.0	14.2	14.0	20.6	12.8	14.0	13.8	10.6	15.0
White	9.3	8.1	8.7	17.0	9.0	7.9	8.4	16.5	6.6	14.3
Colored	39.1	19.9	21.8	6.5	47.4	24.1	26.4	7.9	19.3	16.3
Baltimore	4.3	3.9	5.1	4.5	4.5	4.1	5.3	4.7	8.2	12.0
White	3.5	4.1	4.4	3.6	3.6	4.2	4.5	3.7	8.1	9.8
Colored	8.6	3.2	8.9	9.9	9.6	3.6	9.9	11.0	9.3	23.6
Birmingham	7.5	12.3	17.8	14.5	7.7	12.6	18.3	14.9	18.6	35.9
White	5.4	6.3	12.1	4.1	5.9	6.9	13.3	4.5	12.1	22.0
Colored	10.1	20.8	25.3	30.1	10.4	21.3	26.0	30.9	28.7	57.5
Boston	1.2	1.2	2.8	1.3	1.4	1.4	3.2	1.5	2.4	2.6
Bridgeport	(4)	0.6	2.4	1.8	(4)	0.7	2.8	2.1	3.5	4.4
Buffalo	4.3	3.8	4.2	4.9	4.3	3.8	4.2	4.9	6.6	7.7
Cambridge	3.6	0.9	-----	2.7	3.6	0.9	-----	2.7	1.8	3.7
Camden	4.0	7.4	7.5	7.7	4.0	7.4	7.5	7.7	9.5	9.7
Chicago	2.0	1.1	1.2	1.1	2.0	1.1	1.2	1.1	1.3	1.5
Cincinnati	2.9	2.9	3.4	2.9	3.2	3.2	3.7	3.2	3.0	4.8
Cleveland	2.1	2.0	3.1	2.7	2.3	2.2	3.4	3.0	2.7	5.4
Columbus	4.2	1.2	4.4	2.9	4.2	1.2	4.4	2.9	3.0	8.7
Dallas	12.0	6.0	13.1	14.9	11.5	5.8	12.6	14.3	10.8	13.0
White	11.5	6.8	11.3	11.0	11.5	6.8	11.3	11.0	9.0	13.6
Colored	13.8	-----	24.3	39.2	11.7	-----	20.5	33.1	20.9	9.7
Dayton	4.1	4.3	5.9	8.2	3.6	3.7	5.1	7.1	6.0	8.2
Denver	5.3	5.8	4.4	5.2	5.5	6.0	4.6	5.4	3.5	9.2
Des Moines	(1)	(3)	(3)	(3)	1.4	(3)	(3)	(3)	(3)	(3)
Detroit	(4)	5.1	5.7	5.4	(4)	5.1	5.7	5.4	5.2	7.9
Fall River	3.2	3.2	2.4	4.8	3.3	3.3	2.5	5.0	3.3	15.0
Fort Worth	(1)	(1)	(3)	(3)	7.6	8.2	(3)	(3)	(3)	(3)
White	(1)	(1)	(3)	(3)	7.2	5.7	(3)	(3)	(3)	(3)
Colored	(1)	(1)	(3)	(3)	10.9	23.7	(3)	(3)	(3)	(3)
Grand Rapids	1.5	2.2	4.4	2.3	1.4	2.1	4.2	2.2	5.1	7.5
Hartford	2.8	4.3	6.8	6.0	3.3	5.1	8.0	7.1	4.4	10.6
Houston	7.0	8.4	10.6	12.2	7.7	9.3	11.7	13.5	17.6	9.8
White	5.2	7.7	8.9	9.2	5.9	8.7	10.0	10.4	16.6	8.8
Colored	12.6	10.3	15.7	21.3	13.8	11.3	17.2	23.3	20.8	12.8
Indianapolis	3.3	5.0	6.6	5.3	3.5	5.4	7.1	5.7	4.5	6.6
White	2.7	4.0	5.6	3.8	3.0	4.4	6.2	4.2	4.0	7.4
Colored	7.8	13.4	13.9	17.3	7.6	13.1	13.6	16.9	8.8	-----
Jersey City	1.3	2.0	3.9	3.9	1.3	2.0	4.0	4.0	2.4	5.5
Kansas City, Kans	1.7	8.1	6.0	7.1	1.7	7.9	5.8	6.9	9.0	22.4
White	(1)	(1)	(1)	(1)	2.0	7.2	4.5	5.7	5.8	20.1
Colored	-----	(1)	(1)	(1)	-----	12.1	13.1	13.6	28.2	36.5
Kansas City, Mo	5.7	5.5	12.3	8.4	5.4	5.2	11.6	7.9	10.9	15.0
Los Angeles	(4)	4.2	2.5	2.4	(4)	4.4	2.6	2.5	4.8	3.9
Louisville	5.1	8.3	7.7	5.6	5.0	8.2	7.6	5.5	10.7	16.3
White	4.4	8.5	4.4	5.5	4.1	7.9	4.1	5.1	9.8	13.4
Colored	7.1	7.1	18.0	5.4	9.8	9.8	25.0	7.5	14.9	29.8
Lowell	5.4	2.5	5.1	2.6	3.5	2.6	5.3	2.7	4.4	1.8
Memphis	17.6	9.8	13.4	9.5	15.9	8.9	12.1	8.6	62.8	16.2
White	7.8	9.9	8.1	4.1	7.4	9.4	7.7	3.9	48.3	16.1
Colored	35.6	9.4	22.7	19.0	30.5	8.1	19.5	16.3	88.0	16.6
Milwaukee	1.3	3.2	2.0	2.3	1.2	3.1	1.9	2.2	3.7	6.3
Minneapolis	1.3	1.8	1.1	2.3	1.5	2.0	1.3	2.6	3.2	8.4
Nashville	12.3	17.7	21.5	10.2	12.2	17.5	21.3	10.1	16.1	38.5
White	8.7	11.2	18.7	6.8	9.2	11.8	19.8	7.2	14.6	41.9
Colored	21.7	34.4	27.5	18.7	19.6	31.1	24.8	16.9	19.6	30.8
New Bedford	0.8	-----	3.8	6.1	0.8	-----	4.0	6.5	2.5	9.4
New Haven	5.2	6.4	4.3	6.0	5.8	7.1	4.8	6.7	5.6	4.4
New Orleans	9.4	10.6	9.4	7.1	9.1	10.3	9.1	6.9	13.3	20.0
White	9.4	9.9	8.3	6.9	9.0	9.5	7.9	6.6	12.3	17.8
Colored	10.2	13.4	13.6	8.5	9.5	12.5	12.6	7.9	15.9	26.1
New York	2.2	2.1	2.0	2.3	2.4	2.3	2.2	2.5	2.2	3.6
Bronx Borough	1.8	1.3	1.6	1.3	2.1	1.5	1.8	1.5	1.7	2.5
Brooklyn Borough	2.0	2.2	2.2	2.6	2.0	2.2	2.2	2.6	2.2	4.0
Manhattan Borough	2.5	2.0	2.1	2.3	2.7	2.2	2.3	2.5	2.3	3.8
Queens Borough	2.4	3.2	2.0	2.8	2.6	3.5	2.2	3.1	2.2	2.0
Richmond Borough	3.5	5.0	3.7	6.1	3.9	5.6	4.1	6.8	5.2	4.5
Newark, N. J	2.5	3.0	2.8	1.9	2.5	3.0	2.8	1.9	2.2	4.5
Norfolk	3.5	7.4	9.2	13.4	3.8	8.0	9.9	14.5	13.2	11.8
White	2.7	7.0	7.1	11.0	3.0	7.7	7.9	12.2	16.9	10.2
Colored	5.0	8.2	12.7	17.5	5.2	8.5	13.1	18.1	7.0	14.3
Oakland	3.0	2.7	0.8	5.3	3.3	3.0	0.9	5.9	3.3	5.3

Table Y—Con.

AREA	DEATH RATE FROM TYPHOID AND PARATYPHOID FEVER PER 100,000 ESTIMATED POPULATION [Rates of 40 or more in bold-faced type]									
	Adjusted rate				Crude rate					
	1923	1922	1921	1920	1923	1922	1921	1920	1919	1918
CITIES OF 100,000 POPULATION OR MORE IN 1920—continued										
Omaha	2.6	5.5	4.6	7.1	2.9	6.0	5.1	7.8	5.3	5.9
Paterson	3.3	2.5	6.6	0.8	2.9	2.2	5.8	0.7	3.7	4.5
Philadelphia	1.5	2.7	2.3	3.3	1.5	2.8	2.4	3.4	4.3	4.9
Pittsburgh	4.1	5.3	4.4	5.5	4.2	5.4	4.5	5.6	6.5	10.7
Portland, Oreg	2.2	2.6	2.2	3.0	2.6	3.0	2.6	3.5	5.1	6.0
Providence	0.7	-----	3.0	3.4	0.8	-----	3.3	3.8	3.8	5.1
Reading	4.6	10.2	13.0	6.6	4.5	10.0	12.8	6.5	7.5	11.3
Richmond	5.7	4.7	5.3	6.0	6.1	5.0	5.7	6.4	3.5	7.2
White	2.2	2.9	6.8	5.4	2.4	3.2	7.4	5.9	4.3	6.1
Colored	14.2	9.0	1.8	7.2	14.6	9.2	1.8	7.4	1.9	9.3
Rochester	2.0	2.3	3.0	0.9	2.2	2.6	3.3	1.0	3.4	1.8
St. Louis	4.7	4.6	4.5	2.7	4.5	4.4	4.3	2.6	6.6	7.9
St. Paul	4.7	3.5	8.0	2.2	4.5	3.3	7.6	2.1	3.4	3.5
Salt Lake City	3.2	3.2	5.9	7.6	3.2	3.2	5.8	7.5	6.0	7.9
San Antonio	9.5	6.1	17.1	9.5	9.7	6.2	17.5	9.7	11.4	46.9
San Francisco	2.9	2.1	3.6	2.6	3.2	2.3	4.0	2.9	3.0	4.3
Scranton	4.7	1.3	6.1	1.3	5.0	1.4	6.5	1.4	1.5	6.6
Seattle	(4)	2.3	1.6	1.6	(4)	3.2	2.2	2.2	3.2	4.0
Spokane	8.2	5.1	5.1	7.1	7.7	4.8	4.8	6.7	-----	13.4
Springfield, Mass	1.4	2.1	4.5	4.7	1.4	2.1	4.4	4.6	4.7	3.2
Syracuse	2.1	1.7	3.8	3.9	2.2	1.7	3.9	4.0	7.1	9.0
Toledo	5.6	4.2	8.7	7.7	5.6	4.2	8.7	7.7	4.2	11.2
Trenton	11.1	10.5	8.5	7.8	11.8	11.2	9.0	8.3	7.6	10.4
Washington, D. C	5.6	4.8	6.3	6.2	5.9	5.0	6.6	6.5	3.7	11.6
White	5.1	4.2	4.7	4.9	5.6	4.6	5.2	5.4	3.4	7.7
Colored	6.8	6.2	10.7	9.8	6.9	6.3	10.8	9.9	4.5	23.1
Wilmington, Del	3.3	8.5	6.1	14.1	3.4	8.7	6.2	14.4	14.9	35.2
Worcester	2.4	3.0	3.6	1.6	2.6	3.2	3.8	1.7	2.8	3.4
Yonkers	(5)	-----	(5)	-----	0.9	-----	3.9	-----	1.0	2.1
Youngstown	6.7	7.0	15.9	9.3	8.0	8.3	18.9	11.1	17.7	39.1

[1] Not computed.
[2] Including District of Columbia.
[3] Not added to registration area until a later date.
[4] Rates are omitted pending the establishment of more satisfactory estimates of population.
[5] No deaths in 1920, therefore there is no factor to apply.

In 1923 no State shows an adjusted rate even approaching 40. Tennessee has the highest adjusted rate (20.9), followed by Kentucky (19.6), South Carolina (18.2), and Florida (16.8). The States with the lowest adjusted rates are Rhode Island (1), Massachusetts (1.6), Wisconsin (2.1), and Minnesota (2.3). Of the 34 States which show adjusted rates for both 1922 and 1923, 12 have higher rates in 1923.

Among the cities of 100,000 population in 1920, 28 of the 60 which show adjusted rates for both 1922 and 1923 have lower adjusted rates in 1923. Cities having the highest adjusted rates in 1923 are Atlanta (20.9), Memphis (17.6), Nashville (12.3), and Dallas (12).

For cities shown by color, Atlanta has for colored the very high adjusted rate of 39.1 and Kansas City, Kans., has no deaths from typhoid fever.

MALARIA

The fact that the term "Malaria" is used somewhat loosely in some sections of the country, undoubtedly has much to do with some of the higher rates recorded, especially in those sections where certification is not always made by physicians. But accepting the certification as reported, the number of deaths from malaria in 1923 is 2,736, corresponding to a rate of 2.8 per 100,000 estimated population; this is the lowest rate since 1915. The death rate from this cause was 7.9 in 1900, but after that year there was a continued decrease until 1910, when the rate was 2.2; from 1910 to 1919 the rate ranged between 2.2 and 3.8.

States having rates above 10 per 100,000 estimated population in 1923 are Mississippi (30.6), Florida (30), Louisiana (16.1), Georgia (15.7), and South Carolina (15.4). The rates for the colored in these States range from 21.8 for Georgia to 39.6 for Mississippi. Other States with rates well above the rate for the registration area as a whole (2.8 per 100,000) are Tennessee (8.9), North Carolina (6.3) and Missouri (3.8). Five States (Colorado, Delaware, Montana, Oregon, and Utah) and 45 cities have no deaths. For cities the highest rates are for Memphis (20), Houston (12.9), and Dallas (6.6). Although Memphis has the highest rate shown, special attention is called to the remarkable decline in its rate in late years; in 1904 its rate was 149.8, but in 1923 its rate is the lowest for the series of years shown. The rates for the colored in Memphis, Houston, and Dallas are 33.7, 38.7, and 15.7, respectively.

Table Z shows the rates per 100,000 estimated population for 1914 to 1923, with rates of 10 or more in bold-faced type.

Table Z

AREA	DEATH RATE FROM MALARIA PER 100,000 ESTIMATED POPULATION [Rates of 10 or more in bold-faced type]									
	1923	1922	1921	1920	1919	1918	1917	1916	1915	1914
The registration area (exclusive of Hawaii)	2.8	3.6	3.6	3.6	3.8	3.1	3.2	3.0	2.3	2.2
Registration States [1]	2.8	3.5	3.6	3.4	3.7	2.9	3.0	2.9	1.7	1.9
Cities in registration States [1]	0.6	0.9	0.9	0.9	0.9	0.9	1.0	0.7	0.7	0.8
Rural part of registration States	4.8	6.0	6.1	5.9	6.2	4.8	4.9	4.8	2.8	2.9
Registration cities in non-registration States	4.7	5.8	8.4	12.2	9.7	11.2	5.0	5.6	8.9	6.6
All registration cities [1]	0.8	1.0	1.2	1.2	1.3	1.3	1.5	1.4	1.9	1.6
California	0.6	0.8	0.8	0.7	0.7	1.3	1.3	1.3	1.8	1.8
Colorado	-----	0.2	-----	0.2	0.5	-----	0.2	0.6	0.2	-----
Connecticut	0.1	0.3	0.2	0.4	0.2	0.2	0.7	0.6	1.4	1.0
Delaware	-----	0.9	0.4	0.4	1.4	(2)	(2)	(2)	(2)	(2)
Florida	30.0	23.6	23.7	35.1	43.6	(2)	(2)	(2)	(2)	(2)
White	25.7	18.0	18.6	30.1	38.4	(2)	(2)	(2)	(2)	(2)
Colored	39.1	35.1	33.9	45.0	53.5	(2)	(2)	(2)	(2)	(2)
Georgia	15.7	16.9	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
White	11.5	12.5	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Colored	21.8	23.2	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Idaho	0.2	0.4	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Illinois	0.9	0.9	1.2	1.2	1.4	1.3	(2)	(2)	(2)	(2)
Indiana	0.5	0.8	1.0	0.7	0.8	1.2	1.2	1.4	2.1	2.5
Iowa	0.3	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Kansas	0.6	0.6	0.7	0.7	1.1	1.2	2.3	2.1	1.6	2.3
Kentucky	2.2	2.5	3.6	2.5	3.0	4.7	5.7	6.5	6.4	7.0
White	1.8	2.3	3.3	2.2	2.6	3.9	4.5	5.5	5.5	5.7
Colored	5.3	3.9	6.5	5.1	7.2	11.7	16.5	15.1	13.7	18.3
Louisiana	16.1	20.7	23.4	32.5	26.6	29.6	(2)	(2)	(2)	(2)
White	12.4	17.3	20.5	28.4	21.0	22.4	(2)	(2)	(2)	(2)
Colored	22.2	26.1	28.0	38.8	35.2	40.6	(2)	(2)	(2)	(2)
Maine	0.1	0.3	0.1	0.3	0.1	0.3	-----	0.1	0.1	0.9
Maryland	0.3	0.3	0.3	0.3	0.7	0.4	0.9	1.2	1.1	1.0
White	0.3	0.2	0.2	0.1	0.7	0.4	0.3	0.7	0.6	0.7
Colored	-----	1.2	0.4	1.2	0.8	0.4	3.3	3.7	3.3	2.5
Massachusetts	(3)	0.1	-----	0.1	0.1	0.1	0.1	0.2	0.2	0.2
Michigan	0.1	0.1	0.2	0.2	0.1	0.2	0.2	0.2	0.4	0.7

See footnotes at end of table.

Table Z—Con.

DEATH RATE FROM MALARIA PER 100,000 ESTIMATED POPULATION

[Rates of 10 or more in bold-faced type]

AREA	1923	1922	1921	1920	1919	1918	1917	1916	1915	1914
Minnesota	(3)	(3)	-----	-----	0.1	(3)	0.1	(3)	-----	0.1
Mississippi	30.6	38.2	49.9	38.2	36.5	(2)	(2)	(2)	(2)	(2)
White	20.7	28.7	35.4	22.2	24.3	(2)	(2)	(2)	(2)	(2)
Colored	39.6	46.9	63.2	52.9	47.4	(2)	(2)	(2)	(2)	(2)
Missouri	3.8	5.4	5.6	4.0	6.4	8.2	10.5	11.1	11.6	10.9
Montana	-----	-----	-----	-----	-----	0.4	-----	0.2	-----	-----
Nebraska	0.1	0.2	0.2	0.1	(2)	(2)	(2)	(2)	(2)	(2)
New Hampshire	0.2	-----	0.2	-----	-----	0.5	-----	0.2	0.5	0.9
New Jersey	(3)	0.1	0.3	0.2	0.1	0.4	0.2	0.3	0.5	0.3
New York	0.1	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.4	0.5
North Carolina	6.3	6.9	6.9	8.1	7.9	7.6	10.9	13.9	[4] 13.9	[4] 21.8
White	4.1	4.6	4.4	4.7	4.6	4.4	6.8	9.0	7.5	12.6
Colored	11.5	12.4	12.7	16.2	15.5	14.9	19.9	24.7	26.1	39.1
Ohio	0.1	0.2	0.2	0.2	0.3	0.4	0.3	0.4	0.5	0.6
Oregon	-----	0.1	0.4	0.1	0.5	0.1	(2)	(2)	(2)	(2)
Pennsylvania	0.1	0.1	0.1	0.2	0.1	0.2	0.2	0.2	0.4	0.2
Rhode Island	0.2	0.2	0.3	0.3	0.2	0.2	0.5	0.7	0.2	0.9
South Carolina	15.4	29.1	27.9	28.8	31.7	31.9	34.3	39.1	(2)	(2)
White	4.6	12.8	9.6	11.7	13.3	12.2	12.4	16.0	(2)	(2)
Colored	26.2	45.2	45.5	45.0	49.0	50.1	54.3	59.8	(2)	(2)
Tennessee	8.9	11.9	14.4	7.8	10.3	14.0	19.2	(2)	(2)	(2)
White	6.7	9.0	10.7	5.5	7.2	9.1	14.7	(2)	(2)	(2)
Colored	18.5	24.2	30.3	17.5	23.2	34.1	37.4	(2)	(2)	(2)
Utah	-----	-----	-----	-----	-----	-----	-----	0.2	-----	0.2
Vermont	0.6	-----	0.3	-----	0.3	0.3	-----	-----	0.8	0.3
Virginia	1.9	1.7	1.8	2.2	3.0	3.7	5.5	6.5	7.0	7.8
White	0.5	0.5	1.1	1.0	1.3	2.0	2.7	3.6	2.8	3.6
Colored	5.2	4.7	3.6	5.1	7.0	7.6	11.8	13.0	16.3	16.9
Washington	0.1	-----	0.3	0.1	0.2	0.2	0.3	0.1	0.3	0.1
Wisconsin	(3)	(3)	(3)	-----	(3)	-----	(3)	(3)	(3)	0.1
Wyoming	0.9	0.5	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
CITIES OF 100,000 POPULATION OR MORE IN 1920*										
Akron	-----	0.5	-----	-----	0.5	0.5	0.6	-----	0.7	0.8
Albany	-----	0.9	-----	-----	-----	-----	1.8	-----	0.9	1.9
Atlanta	0.9	2.3	1.4	3.0	2.0	2.6	1.6	2.2	3.3	5.7
White	0.6	1.3	1.4	3.6	1.5	1.5	1.5	1.6	2.5	4.2
Colored	1.5	4.5	1.6	1.6	3.2	4.9	1.7	3.4	5.2	8.8
Baltimore	0.1	0.1	0.1	0.1	0.7	0.2	0.6	0.3	0.2	0.7
White	0.2	-----	0.2	0.2	0.6	0.2	-----	0.2	0.2	0.6
Colored	-----	0.9	-----	-----	0.9	-----	4.0	1.0	-----	1.1
Birmingham	3.6	1.6	3.3	2.8	6.2	12.2	13.1	11.1	17.1	10.4
White	1.7	2.6	2.7	-----	3.7	3.8	5.9	5.1	3.1	2.2
Colored	6.5	-----	5.5	7.0	10.0	25.1	24.3	20.3	38.6	23.2
Boston	-----	-----	-----	-----	-----	-----	-----	0.1	-----	-----
Bridgeport	-----	-----	-----	-----	-----	0.7	-----	-----	1.6	1.7
Buffalo	-----	0.2	-----	-----	-----	-----	-----	-----	0.2	0.7
Chicago	0.1	0.2	0.1	0.2	0.3	0.2	0.2	0.2	0.4	0.4
Cincinnati	0.2	-----	0.2	0.2	0.5	1.5	0.5	0.5	0.3	0.8
Cleveland	-----	0.2	0.2	-----	0.1	0.3	-----	-----	-----	0.2
Columbus	-----	0.4	-----	0.4	0.4	-----	-----	0.5	-----	-----
Dallas	6.6	4.7	6.6	13.7	5.7	6.9	6.3	12.3	(2)	(2)
White	5.1	3.4	6.3	13.9	3.0	4.5	4.7	9.8	(2)	(2)
Colored	15.7	12.2	8.2	12.4	20.9	19.4	14.8	25.0	(2)	(2)
Dayton	-----	-----	-----	-----	-----	0.7	-----	0.7	-----	-----
Denver	-----	0.4	-----	0.4	0.8	-----	-----	0.4	-----	-----
Des Moines	-----	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Detroit	-----	-----	-----	0.2	0.1	0.1	0.1	0.1	0.3	0.1
Fall River	-----	-----	-----	-----	-----	-----	-----	1.7	0.8	-----
Fort Worth	-----	4.9	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
White	-----	4.8	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Colored	-----	5.9	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Grand Rapids	-----	-----	-----	-----	0.7	-----	-----	-----	0.8	1.6
Hartford	-----	-----	-----	-----	-----	-----	-----	-----	0.8	-----
Houston	12.9	9.3	16.5	22.8	18.3	15.5	13.5	(2)	(2)	(2)
White	5.0	3.5	9.1	15.1	10.7	6.6	4.6	(2)	(2)	(2)
Colored	38.7	28.2	40.1	46.6	41.6	41.7	39.3	(2)	(2)	(2)
Indianapolis	0.9	0.3	0.9	0.3	1.0	1.0	0.7	1.1	-----	1.1
White	0.3	-----	0.7	-----	1.1	0.7	0.8	1.2	-----	0.8
Colored	5.1	2.6	2.7	2.8	-----	3.0	-----	-----	-----	3.5
Jersey City	-----	0.3	-----	0.7	-----	-----	0.3	0.7	0.4	-----
Kansas City, Kans	1.7	1.8	-----	-----	1.0	-----	3.1	-----	2.2	3.3
White	-----	-----	-----	-----	-----	-----	2.4	-----	2.5	2.5
Colored	11.7	12.1	-----	-----	7.0	-----	7.6	-----	-----	8.6
Kansas City, Mo	0.6	1.2	0.9	0.3	1.6	2.2	2.3	1.7	2.1	2.8
Los Angeles	(5)	0.3	0.5	-----	-----	0.6	0.8	0.2	0.2	0.2
Louisville	1.6	0.4	2.1	1.3	2.1	2.1	2.6	1.3	3.0	3.9
White	0.9	0.5	1.5	0.5	1.5	1.6	1.6	-----	1.0	-----
Colored	4.9	-----	5.0	5.0	5.0	5.0	7.4	7.4	12.3	22.1
Lowell	-----	0.9	-----	0.9	0.9	-----	-----	-----	-----	-----
Memphis	20.0	25.0	47.1	22.0	31.4	37.2	38.4	(6)	76.2	56.6
White	12.1	20.8	26.0	6.9	12.6	11.8	21.8	(6)	38.6	23.2
Colored	33.7	32.3	82.7	47.2	64.2	81.0	66.5	(6)	137.9	110.4
Milwaukee	-----	0.2	-----	-----	-----	-----	-----	-----	-----	-----
Nashville	0.8	2.5	3.3	0.8	2.5	6.0	6.0	(6)	6.1	11.4
White	-----	1.2	1.2	-----	1.2	4.9	6.2	(6)	2.5	7.7
Colored	2.8	5.7	8.3	2.8	5.6	8.4	5.6	(6)	13.9	19.4

See footnotes at end of table.

Table Z—Con.

DEATH RATE FROM MALARIA PER 100,000 ESTIMATED POPULATION

[Rates of 10 or more in bold-faced type]

AREA	1923	1922	1921	1920	1919	1918	1917	1916	1915	1914
CITIES OF 100,000 POPULATION OR MORE IN 1920—con.										
New Haven	-----	0.6	-----	-----	-----	-----	1.3	1.3	3.4	1.4
New Orleans	1.2	4.0	3.0	1.0	4.4	4.5	3.5	7.0	9.9	8.9
White	0.7	2.0	1.0	1.4	2.8	3.2	1.8	4.0	5.9	6.0
Colored	2.8	9.6	8.7	-----	8.9	8.0	8.1	15.4	20.9	16.9
New York	0.1	0.1	0.1	0.2	0.2	0.3	2.0	0.3	0.3	0.4
Bronx Borough	-----	0.1	-----	-----	0.1	0.1	0.3	0.2	0.3	-----
Brooklyn Borough	-----	-----	(3)	0.2	0.2	0.5	0.1	0.4	0.4	0.6
Manhattan Borough	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.2
Queens Borough	-----	0.4	0.2	-----	0.2	0.5	0.7	0.7	0.8	0.3
Richmond Borough	-----	-----	0.8	0.8	-----	0.9	-----	0.9	-----	2.0
Newark, N. J	-----	-----	-----	-----	-----	-----	-----	-----	0.3	-----
Norfolk	-----	3.2	1.6	3.4	3.5	3.6	11.3	11.7	10.1	14.6
White	-----	-----	1.3	4.1	-----	-----	7.6	6.3	4.9	3.4
Colored	-----	8.5	2.2	2.3	9.3	9.5	17.2	20.2	18.1	32.0
Oakland	-----	-----	-----	0.9	-----	0.5	0.5	-----	0.5	1.1
Omaha	-----	-----	0.5	-----	-----	-----	-----	-----	1.8	-----
Paterson	-----	-----	0.7	-----	-----	-----	-----	0.8	0.8	-----
Philadelphia	0.2	0.2	0.1	0.1	0.1	0.3	0.3	0.2	0.2	0.5
Pittsburgh	-----	-----	0.2	0.2	0.2	0.2	-----	0.4	0.5	-----
Portland, Oreg	-----	0.4	1.1	0.4	0.4	-----	-----	0.4	2.2	-----
Providence	0.4	-----	-----	0.4	-----	-----	-----	0.4	-----	1.3
Reading	-----	-----	-----	-----	-----	-----	0.9	-----	1.0	-----
Richmond	-----	1.1	0.6	1.7	0.6	1.2	2.4	0.6	-----	0.7
White	-----	1.6	0.8	1.7	0.9	1.8	2.7	0.9	-----	-----
Colored	-----	-----	-----	1.8	-----	-----	1.9	-----	-----	2.1
Rochester	-----	-----	-----	0.3	0.3	-----	0.4	-----	-----	0.4
St. Louis	1.4	1.4	1.0	1.7	2.3	2.0	1.6	1.6	2.6	3.0
St. Paul	-----	-----	-----	-----	-----	-----	0.4	-----	-----	-----
San Antonio	3.8	10.1	9.9	12.1	10.1	10.6	14.5	19.6	14.5	13.6
San Francisco	0.2	-----	0.4	0.8	0.6	0.6	0.4	0.8	0.4	0.9
Scranton	-----	-----	-----	-----	-----	-----	0.7	-----	-----	-----
Seattle	-----	-----	0.3	-----	-----	-----	0.3	-----	-----	0.4
Spokane	-----	-----	-----	-----	1.0	-----	-----	-----	-----	-----
Springfield, Mass	-----	-----	-----	-----	-----	0.8	-----	-----	-----	0.9
Syracuse	0.5	-----	-----	0.6	-----	0.6	-----	-----	-----	-----
Toledo	-----	-----	-----	-----	-----	-----	-----	-----	1.0	0.5
Trenton	-----	-----	0.8	-----	0.8	0.9	-----	-----	-----	-----
Washington, D. C	0.4	0.7	0.9	0.2	1.4	-----	1.2	1.3	0.5	1.3
White	-----	0.6	0.6	-----	1.6	-----	0.3	1.4	-----	1.5
Colored	1.7	0.9	1.8	0.9	0.9	-----	3.8	1.0	1.9	1.0
Wilmington, Del	-----	-----	-----	-----	0.9	-----	1.0	-----	2.0	-----
Yonkers	-----	0.9	-----	1.0	-----	1.0	-----	1.1	1.1	1.1

[1] Including District of Columbia.
[2] Not added to registration area until a later date.
[3] Less than one-tenth of 1 per 100,000 population.
[4] Includes only municipalities having a population of 1,000 or more in 1910.
[5] Rates are omitted pending the establishment of more satisfactory estimates of population.
[6] Transcripts of death certificates not received.
*Seven cities (Cambridge, Camden, Minneapolis, New Bedford, Youngstown, Salt Lake City, and Worcester) had no deaths from this cause for the series of years.

SMALLPOX

Not for many years has smallpox been an important cause of death in this country.

In no year since the publication of the annual reports beginning in 1900 has smallpox reached a rate as high as 7 per 100,000 estimated population for the registration area. The highest rate from this cause in any year from 1900 to 1920 was 6.6 in 1902; in 1903 it was 4.2; in 1901, 3.5; 2.1 in 1904; and 1.9 in 1900. With the exception of these 5 years the rate for the registration area has never reached 1 per 100,000 estimated population.

The danger of smallpox, however, among an unvaccinated population must not be lost sight of, and the high rate (10.3) in 1923 for Salt Lake City should serve as a warning. There are but 6 other cities among those of 100,000 population or more in 1920, which reported deaths in 1923: Chicago, Denver, San Antonio, Seattle, Spokane, and Washington, D. C.

Table AA shows the rates per 100,000 estimated population for 1914 to 1923.

Table AA — AREA	DEATH RATE FROM SMALLPOX PER 100,000 ESTIMATED POPULATION									
	1923	1922	1921	1920	1919	1918	1917	1916	1915	1914
The registration area (exclusive of Hawaii)	0.1	0.7	0.7	0.6	0.4	0.4	0.3	0.2	0.3	0.3
Registration States [1]	0.1	0.7	0.7	0.6	0.4	0.4	0.2	0.1	0.1	0.2
Cities in registration States [1]	0.1	1.0	0.6	0.6	0.2	0.2	0.2	(2)	0.1	0.1
Rural part of registration States	0.1	0.4	0.6	0.6	0.6	0.5	0.3	0.2	0.2	0.3
Registration cities in non-registration States	0.4	1.6	1.4	0.7	0.6	1.9	0.8	0.9	1.6	1.5
All registration cities [1]	0.1	1.0	0.8	0.6	0.2	0.3	0.3	0.1	0.3	0.3
California	(2)	0.6	0.6	0.3	0.2	0.1	0.5	0.4	0.1	(2)
Colorado	1.6	27.8	4.7	1.1	0.5	1.4	0.1	0.2		0.1
Connecticut		0.4					0.2			
Delaware	0.4			0.9		(3)	(3)	(3)	(3)	(3)
Florida		0.5	1.5	0.2		(3)	(3)	(3)	(3)	(3)
White		0.4	0.9			(3)	(3)	(3)	(3)	(3)
Colored		0.6	2.7	0.6		(3)	(3)	(3)	(3)	(3)
Georgia	0.1	0.7	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White		0.5	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	0.2	0.9	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Idaho	0.4	0.2	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Illinois	(2)	0.4	0.4	0.2	0.1	0.2	(3)	(3)	(3)	(3)
Indiana	0.1	0.2	0.7	0.6	0.5	0.8	0.5	(2)	0.4	0.3
Iowa	0.2	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Kansas		3.9	2.8	0.2	0.1	1.5	0.4	0.2	0.6	0.5
Kentucky	(2)	(2)	0.7	0.9	0.7	0.5	0.1	0.2	(2)	0.8
White	(2)	(2)	0.8	1.0	0.7	0.5	0.1	0.2	(2)	0.7
Colored					0.4	0.4	0.4			1.6
Louisiana	0.2	0.2	3.2	9.2	9.8	1.0	(3)	(3)	(3)	(3)
White	0.1	0.1	2.2	5.3	2.4	0.7	(3)	(3)	(3)	(3)
Colored	0.4	0.3	4.7	15.4	21.2	1.6	(3)	(3)	(3)	(3)
Maine	0.4				0.3					0.3
Maryland		0.2					0.1			0.6
White		0.2					0.1			0.1
Colored										2.9
Massachusetts				0.1	0.1	(2)	0.3		0.3	(2)
Michigan	0.4	0.5	0.3	0.3	0.3	0.5	0.3	0.1	0.2	(2)
Minnesota	0.1	0.4	1.1	0.7	0.4	0.4	0.9	(2)	0.3	0.3
Mississippi	0.1	0.3	0.5	2.5	0.4	(3)	(3)	(3)	(3)	(3)
White	0.1	0.4	0.4	2.8		(3)	(3)	(3)	(3)	(3)
Colored	0.1	0.2	0.6	2.3	0.9	(3)	(3)	(3)	(3)	(3)
Missouri	0.1	2.4	5.6	0.8	0.5	2.5	0.9	0.3	0.4	0.5
Montana	0.5	0.3	0.5	0.4	1.7	1.1	1.2	0.4	0.2	1.1
Nebraska	0.1	0.5	0.7	1.7	(3)	(3)	(3)	(3)	(3)	(3)
New Hampshire								0.2		
New Jersey						(2)			(2)	(2)
New York	(2)	(2)	(2)	(2)		(2)	(2)	(2)		(2)
North Carolina	0.5	0.3	0.8	1.1	0.4	0.1	0.5	0.5	[4] 1.2	[4] 2.1
White	0.4	0.2	0.6	1.2	0.3	0.1	0.4	0.3	1.3	1.0
Colored	0.6	0.6	1.1	0.9	0.4	0.1	0.9	1.1	1.2	4.3
Ohio	0.1	0.1	0.3	0.3	0.2	0.4	0.2	0.1	0.1	0.3
Oregon		0.6	0.7	1.3	0.3		(3)	(3)	(3)	(3)
Pennsylvania		0.1	(2)	(2)	(2)	(2)				(2)
Rhode Island						0.2		0.2		
South Carolina	0.1	0.4	0.6	0.1	0.2	0.1		0.2	(3)	(3)
White	0.1	0.2	0.1	0.1	0.2				(3)	(3)
Colored	0.1	0.6	1.1	0.1	0.2	0.2		0.5	(3)	(3)
Tennessee	0.2	(2)	0.5	0.5	0.6	0.7	0.2	(3)	(3)	(3)
White	0.2		0.3	0.5	0.6	0.6	0.2	(3)	(3)	(3)
Colored	0.2	0.2	1.1	0.7	0.9	1.1	0.2	(3)	(3)	(3)
Utah	2.9	1.3	2.2	2.9	0.9	2.3	0.9			0.5
Vermont	0.6		0.3					0.3	0.3	
Virginia	(2)		0.4	0.5	0.4	0.2	0.1	(2)	0.2	0.8
White	0.1		0.5	0.6	0.3	0.1	0.1	0.1	0.1	0.4
Colored			0.1	0.4	0.6	0.6			0.4	1.8
Washington	0.6	0.1	0.6	1.3	0.6	0.3	0.1	0.1	0.1	0.2
Wisconsin	0.1	0.1	0.8	0.4	0.2	0.5	0.1	0.1	0.2	0.2
Wyoming	0.9	1.5	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
CITIES OF 100,000 POPULATION OR MORE IN 1920*										
Akron				0.5		0.5	0.6			
Albany							0.9			
Atlanta		0.5	1.4	0.5	1.5	0.5				0.6
White				0.7	0.7					
Colored		1.5	4.7		3.2	1.6				1.8
Baltimore		0.1								0.5
White		0.2								
Colored										3.2
Birmingham			0.5	1.7		1.2			0.6	0.7
White			0.9	2.7		1.0			1.0	
Colored						1.5				1.7

See footnotes at end of table.

Table AA—Con. — AREA	DEATH RATE FROM SMALLPOX PER 100,000 ESTIMATED POPULATION									
	1923	1922	1921	1920	1919	1918	1917	1916	1915	1914
CITIES OF 100,000 POPULATION OR MORE IN 1920—con.										
Boston				0.1						
Bridgeport		2.8								
Buffalo			0.2							
Chicago	(2)	0.5	0.1	(2)		0.2	0.1			(2)
Cincinnati			0.2			0.3				0.5
Cleveland					0.1		0.3			
Columbus					0.4	0.4				
Dallas							0.8		(3)	(3)
White									(3)	(3)
Colored							4.9		(3)	(3)
Dayton			0.6							
Denver	4.8	92.3	14.1	0.4						
Des Moines		(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Detroit			0.2	0.4	0.2	0.7	0.1	0.1	0.1	0.1
Fall River					1.7					
Fort Worth		0.8	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored		5.9	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Houston		0.7	0.7	0.7	0.7	1.6	5.9	(3)	(3)	(3)
White						2.2	3.4	(3)	(3)	(3)
Colored		2.8	2.9	2.9	3.0		13.1	(3)	(3)	(3)
Indianapolis		0.3	0.6			1.3	0.7			
White		0.3	0.3			1.1	0.4			
Colored			2.7			3.0	3.2			
Kansas City, Kans		29.0	17.3			4.1	1.0			1.1
White		11.3	6.8			4.7	1.2			
Colored		132.7	78.7							8.6
Kansas City, Mo		17.7	47.3	0.9	0.9	5.4	0.7		0.3	1.8
Los Angeles		0.8						0.4		
Louisville				0.4						
White				0.5						
Milwaukee		0.2				0.4				
Minneapolis		0.2	1.0	0.3	0.8	1.1	0.3		0.3	
Nashville		0.8						(6)		
Colored		2.8						(6)		
New Bedford									9.1	
New Orleans			9.9	34.4	1.6			1.1	1.4	
White			5.5	15.6	1.1			0.4	0.7	
Colored			22.3	87.3	3.0			3.1	3.1	
New York		(2)	(2)			(2)				
Bronx Borough			0.1							
Manhattan Borough		0.1				(2)				
Norfolk										4.2
Colored										10.7
Omaha		1.0	1.5	2.1	0.5					0.7
Pittsburgh										0.2
Portland, Oreg		0.7	0.4	0.8					0.4	
Providence						0.4				
St. Paul			1.3		0.4				0.4	
Salt Lake City	10.3	2.4	0.8	4.2	0.9	1.8				
San Antonio	2.7		1.2				15.9	12.3	9.1	
San Francisco			0.2		0.2		1.7			
Seattle	(3)		0.3	0.6	0.3					0.4
Spokane	1.0	1.0	1.0	3.8						
Toledo				0.4		0.4	0.4			
Washington, D. C	0.2		0.2		0.2					
White			0.3		0.3					
Colored	0.9									
Worcester							5.3			
Yonkers										1.1
Youngstown				0.7	1.5				1.8	

[1] Including District of Columbia.
[2] Less than one-tenth of 1 per 100,000 population.
[3] Not added to registration area until a later date.
[4] Includes only municipalities having a population of 1,000 or more in 1910.
[5] Rates are omitted pending the establishment of more satisfactory estimates of population.
[6] Transcripts of death certificates not received.

*Twenty-one cities had no deaths from this cause for the series of years.

MEASLES

The number of deaths from measles in 1923 is 10,450, or 10.8 per 100,000 estimated population, against a rate of 4.3 in 1922.

Table AB shows the rates per 100,000 estimated population for 1914 to 1923, with rates of 20 and higher in bold-faced type.

Table AB

DEATH RATE FROM MEASLES PER 100,000 ESTIMATED POPULATION

[Rates of 20 or more in bold-faced type]

AREA	1923	1922	1921	1920	1919	1918	1917	1916	1915	1914
The registration area (exclusive of Hawaii)	10.8	4.3	4.3	8.8	3.9	10.8	14.3	11.1	5.4	6.8
Registration States [1]	10.8	4.4	4.2	8.8	3.9	10.7	14.2	11.5	5.3	6.9
Cities in registration States [1]	10.8	7.2	4.1	10.3	4.3	10.7	10.4	12.9	7.1	7.7
Rural part of registration States	10.8	1.8	4.4	7.4	3.6	10.8	17.6	10.3	3.4	6.1
Registration cities in non-registration States	9.9	1.2	6.5	7.8	2.9	14.5	15.7	5.7	7.7	5.4
All registration cities [1]	10.8	7.0	4.2	10.2	4.2	10.9	11.1	11.9	7.2	7.4
California	8.5	0.5	4.0	6.3	0.7	6.0	7.2	2.2	5.3	5.9
Colorado	9.8	0.7	8.4	10.3	0.6	5.8	15.9	4.2	2.4	9.9
Connecticut	10.8	7.5	3.0	9.7	7.6	6.6	9.8	11.7	4.9	11.7
Delaware	25.2	1.8	0.9	16.1	0.9	(2)	(2)	(2)	(2)	(2)
Florida	9.7	0.2	0.8	1.3	5.4	(2)	(2)	(2)	(2)	(2)
White	9.2	-----	0.9	1.7	6.5	(2)	(2)	(2)	(2)	(2)
Colored	10.7	0.6	0.6	0.6	3.3	(2)	(2)	(2)	(2)	(2)
Georgia	12.7	0.2	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
White	15.4	0.1	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Colored	8.7	0.4	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Idaho	1.7	-----	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Illinois	8.5	3.1	4.7	7.6	4.8	5.6	(2)	(2)	(2)	(2)
Indiana	10.1	2.1	2.8	11.8	2.7	10.5	9.9	7.2	2.4	5.4
Iowa	5.2	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Kansas	4.6	0.5	4.3	4.5	0.8	18.3	16.8	9.0	4.2	4.4
Kentucky	16.9	4.5	7.3	11.1	9.8	17.2	40.3	8.0	3.6	11.6
White	17.2	4.3	7.9	11.8	10.2	18.5	41.5	8.4	3.8	12.2
Colored	13.7	6.5	1.7	5.1	6.3	6.2	29.7	4.1	1.6	6.4
Louisiana	7.0	0.8	6.1	2.4	2.2	19.7	(2)	(2)	(2)	(2)
White	8.2	1.0	7.3	3.1	2.5	21.5	(2)	(2)	(2)	(2)
Colored	5.0	0.6	4.1	1.3	1.7	16.9	(2)	(2)	(2)	(2)
Maine	7.5	2.6	10.6	3.9	0.5	13.2	20.0	2.0	2.4	5.7
Maryland	10.3	5.2	3.2	6.4	3.3	11.1	8.5	7.7	2.5	1.8
White	10.1	4.8	3.3	6.8	3.5	10.6	8.0	7.9	2.2	1.3
Colored	11.2	7.3	2.4	4.9	2.0	13.6	10.8	7.1	3.8	3.8
Massachusetts	8.5	5.6	4.7	9.2	4.9	13.8	10.1	12.9	7.5	5.6
Michigan	7.1	6.1	1.8	11.8	5.2	7.6	8.0	10.4	3.2	5.6
Minnesota	11.0	1.5	1.3	6.6	4.0	4.3	5.6	12.7	3.9	3.6
Mississippi	12.8	0.6	1.6	1.0	2.3	(2)	(2)	(2)	(2)	(2)
White	9.8	0.4	2.0	0.6	3.1	(2)	(2)	(2)	(2)	(2)
Colored	15.5	0.7	1.2	1.4	1.7	(2)	(2)	(2)	(2)	(2)
Missouri	9.6	0.5	2.1	8.4	3.6	11.2	25.4	15.8	4.6	12.4
Montana	3.1	-----	6.1	4.8	3.0	3.4	9.1	7.4	1.5	6.0
Nebraska	3.0	2.5	2.1	9.3	(2)	(2)	(2)	(2)	(2)	(2)
New Hampshire	6.5	6.7	2.7	9.0	0.7	10.4	11.6	10.7	2.1	8.5
New Jersey	11.5	10.0	3.5	9.6	2.1	19.0	4.8	13.2	7.8	8.2
New York	6.8	11.6	4.9	11.3	3.6	13.4	9.3	10.3	9.1	8.8
North Carolina	21.9	0.9	5.6	2.4	4.9	14.4	42.3	7.0	[3] 0.6	[3] 10.8
White	20.8	0.6	6.3	2.8	6.6	17.6	45.9	6.8	0.9	12.9
Colored	24.5	1.6	4.1	1.4	1.2	6.9	33.9	7.6	-----	6.7
Ohio	9.8	4.1	2.5	12.9	3.5	4.8	10.4	15.1	4.1	4.6
Oregon	3.4	-----	5.2	3.8	0.4	7.6	(2)	(2)	(2)	(2)
Pennsylvania	17.9	8.5	5.4	13.1	5.8	9.8	6.2	18.5	6.9	6.8
Rhode Island	31.6	8.4	13.4	11.4	2.7	21.0	12.6	24.7	10.4	10.0
South Carolina	12.0	0.5	5.1	3.3	3.2	21.3	40.3	4.6	(2)	(2)
White	12.8	0.2	6.9	4.2	3.2	22.1	53.2	4.8	(2)	(2)
Colored	11.3	0.7	3.4	2.4	3.2	20.6	28.6	4.4	(2)	(2)
Tennessee	21.8	0.8	3.4	10.7	7.1	17.6	34.0	(2)	(2)	(2)
White	21.7	0.6	3.7	12.3	8.0	19.8	35.2	(2)	(2)	(2)
Colored	22.3	2.0	2.2	3.5	3.3	8.3	29.3	(2)	(2)	(2)
Utah	1.0	0.6	20.0	3.5	0.4	7.8	24.4	8.8	1.0	3.0
Vermont	10.5	1.1	4.0	5.1	4.5	4.5	22.1	6.8	0.8	1.1
Virginia	22.3	1.5	7.5	4.0	3.2	13.9	15.9	18.3	2.6	5.3
White	23.5	1.9	7.9	4.2	3.8	15.8	17.3	16.2	2.5	5.8
Colored	19.5	0.4	6.5	3.6	1.9	9.6	12.8	23.1	2.9	4.3
Washington	1.7	0.2	1.8	5.5	1.4	6.8	15.4	6.6	1.4	4.1
Wisconsin	8.0	2.1	1.9	8.8	2.7	6.5	2.9	11.6	2.1	5.9
Wyoming	14.2	0.5	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
CITIES OF 100,000 POPULATION OR MORE IN 1920										
Akron	(4)	11.5	1.0	16.7	4.5	2.7	28.8	26.9	1.4	6.3
Albany	5.1	0.9	1.7	1.8	5.3	2.7	29.0	23.8	1.9	1.9
Atlanta	32.3	0.9	13.0	9.4	2.0	8.8	23.8	1.6	1.1	14.3
White	29.6	-----	13.3	3.6	2.9	9.8	20.9	0.8	1.6	10.1
Colored	38.5	3.0	12.4	11.0	-----	6.5	29.9	3.4	-----	22.9
Baltimore	7.4	5.6	3.6	6.5	1.0	12.3	8.8	5.3	3.3	1.0
White	7.3	5.4	3.9	6.7	1.1	11.9	8.1	5.3	3.2	1.2
Colored	7.9	7.1	1.8	5.5	-----	14.8	12.1	5.1	4.2	-----
Birmingham	15.8	0.5	5.4	0.6	3.9	16.2	52.5	-----	7.0	9.8
White	13.4	0.9	0.9	0.9	4.6	19.1	31.5	-----	6.3	12.9
Colored	19.5	-----	12.3	-----	2.9	11.8	85.0	-----	8.0	5.0
Boston	7.8	6.3	5.0	9.5	3.9	15.7	14.8	15.2	5.7	8.4
Bridgeport	(4)	7.0	0.7	7.6	9.9	11.7	12.0	14.8	6.4	27.5
Buffalo	13.6	1.9	5.6	8.4	7.0	8.5	2.1	15.5	10.7	2.2
Cambridge	7.2	8.1	3.6	12.7	1.8	26.6	13.8	7.4	5.6	11.2
Camden	40.3	6.6	5.0	15.3	3.5	18.6	10.8	-----	19.8	5.8
Chicago	7.6	5.9	5.0	3.5	7.7	2.3	9.7	5.4	10.7	3.2

See footnotes at end of table.

Table AB—Con.

DEATH RATE FROM MEASLES PER 100,000 ESTIMATED POPULATION

[Rates of 20 or more in bold-faced type]

AREA	1923	1922	1921	1920	1919	1918	1917	1916	1915	1914
CITIES OF 100,000 POPULATION OR MORE IN 1920—con.										
Cincinnati	4.9	7.7	3.5	18.9	2.5	4.5	6.0	15.9	3.8	-----
Cleveland	3.6	8.0	2.9	9.9	6.0	2.2	7.1	8.4	10.4	4.4
Columbus	11.1	1.6	-----	12.1	-----	4.4	30.0	15.6	6.6	11.6
Dallas	2.2	2.3	3.6	2.5	0.6	9.2	10.3	0.8	(2)	(2)
White	1.9	2.7	4.2	2.9	-----	10.0	9.4	1.0	(2)	(2)
Colored	3.9	-----	-----	-----	4.2	4.9	14.8	-----	(2)	(2)
Dayton	9.1	-----	0.6	12.3	4.0	1.4	11.2	1.4	2.2	5.3
Denver	15.4	0.4	6.5	9.7	0.4	0.8	9.8	2.1	1.3	4.3
Des Moines	4.3	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Detroit	(4)	17.6	4.0	8.6	8.4	14.1	6.9	13.2	6.8	6.0
Fall River	24.8	47.2	23.2	14.9	47.3	5.8	59.1	32.5	15.0	2.5
Fort Worth	0.7	-----	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
White	0.8	-----	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Grand Rapids	4.1	0.7	0.7	17.3	2.2	0.7	26.6	2.4	-----	4.1
Hartford	2.0	8.7	3.6	4.3	12.5	7.6	6.3	33.1	1.7	4.3
Houston	0.6	-----	-----	5.0	2.2	12.3	5.9	(2)	(2)	(2)
White	-----	-----	-----	6.6	2.9	13.2	8.0	(2)	(2)	(2)
Colored	2.8	-----	-----	-----	-----	9.6	-----	(2)	(2)	(2)
Indianapolis	8.8	1.8	0.9	8.8	1.9	3.3	19.0	9.5	-----	7.9
White	8.6	1.3	1.0	8.8	2.2	2.6	19.4	9.0	-----	6.7
Colored	10.1	5.2	-----	8.5	-----	9.1	15.9	13.3	-----	18.2
Jersey City	6.1	16.3	9.6	16.0	3.0	13.6	9.3	6.3	18.7	4.6
Kansas City, Kans	16.4	0.9	-----	15.7	-----	33.6	29.0	5.3	3.2	5.5
White	15.2	1.0	-----	14.9	-----	39.0	20.4	4.9	3.7	6.3
Colored	23.4	-----	-----	20.4	-----	-----	83.5	7.9	-----	-----
Kansas City, Mo	15.9	0.9	5.1	9.1	9.7	18.2	18.7	14.1	2.1	1.1
Los Angeles	(4)	0.8	4.4	6.1	0.4	2.8	6.4	2.0	4.1	1.4
Louisville	5.0	9.3	3.8	3.0	6.0	34.7	42.9	2.2	-----	8.7
White	5.5	10.2	4.1	3.1	6.2	41.4	39.0	2.6	-----	8.4
Colored	2.5	4.9	2.5	2.5	5.0	2.5	61.9	-----	-----	9.8
Lowell	24.3	1.7	9.7	38.9	6.2	14.3	8.1	26.3	0.9	11.0
Memphis	27.6	1.2	7.8	0.6	7.3	12.9	32.9	(5)	2.8	5.7
White	34.3	-----	8.7	1.0	8.4	18.2	40.4	(5)	3.4	4.6
Colored	16.1	3.2	6.5	-----	5.5	3.7	20.3	(5)	1.9	7.5
Milwaukee	6.8	4.0	1.3	11.9	0.2	12.8	3.2	28.1	4.3	9.1
Minneapolis	12.2	3.7	0.8	5.7	2.1	7.1	3.1	21.0	3.8	2.7
Nashville	52.2	-----	1.6	4.2	11.9	18.0	21.5	(5)	0.9	7.0
White	61.0	-----	1.2	6.0	14.6	20.9	26.2	(5)	1.3	6.4
Colored	30.8	-----	2.8	-----	5.6	11.2	11.2	(5)	-----	8.3
New Bedford	46.1	5.5	-----	18.8	12.5	21.3	23.5	15.1	37.3	3.7
New Haven	5.8	21.8	0.6	20.7	7.5	5.7	21.9	5.3	12.1	21.2
New Orleans	8.4	0.5	8.6	3.6	1.0	5.8	16.5	3.5	0.8	2.2
White	11.0	0.3	11.0	4.9	0.7	5.7	16.6	3.3	1.1	3.0
Colored	0.9	1.0	1.9	-----	2.0	6.0	16.3	4.1	-----	-----
New York	5.1	18.3	4.6	14.2	4.1	15.5	10.8	10.5	12.7	11.2
Bronx Borough	2.6	9.1	1.7	8.8	1.1	9.0	5.7	5.8	7.1	6.6
Brooklyn Borough	2.6	14.7	1.7	12.5	2.9	17.7	5.4	5.2	7.1	6.9
Manhattan Borough	9.5	26.6	9.2	19.4	6.3	16.5	17.5	17.6	19.4	16.7
Queens Borough	2.1	11.2	1.4	6.1	2.0	11.1	7.4	3.7	5.7	6.3
Richmond Borough	1.6	14.5	1.6	11.9	6.1	13.4	7.4	1.9	20.5	4.0
Newark, N. J	10.3	10.2	3.1	13.4	1.9	29.2	1.8	26.9	5.2	18.9
Norfolk	6.9	-----	4.9	4.3	0.9	10.9	5.6	10.7	12.1	5.2
White	6.9	-----	6.6	2.7	1.4	13.2	3.0	14.2	13.2	5.2
Colored	7.0	-----	2.2	6.8	-----	7.2	9.8	5.0	10.4	5.3
Oakland	9.6	-----	1.3	10.0	0.9	1.5	8.5	-----	2.7	15.7
Omaha	1.0	4.5	2.5	7.8	5.3	5.9	14.2	1.7	7.6	1.4
Paterson	7.9	10.1	1.5	11.7	0.7	15.6	5.3	18.9	0.8	10.0
Philadelphia	12.6	16.5	1.3	9.6	2.3	7.7	4.7	6.5	11.2	4.4
Pittsburgh	19.8	10.0	4.6	17.8	2.1	17.6	11.5	24.1	13.1	9.5
Portland, Oreg	4.8	-----	2.3	5.0	-----	9.9	7.3	3.3	1.7	9.2
Providence	50.3	2.5	19.2	10.9	1.7	23.4	14.9	27.5	9.9	16.1
Reading	21.6	11.8	5.5	0.9	14.9	4.7	-----	23.9	6.8	-----
Richmond	18.2	1.1	2.3	5.8	2.3	4.8	3.6	25.3	-----	0.7
White	12.7	1.6	2.5	5.9	2.6	4.4	0.9	14.7	-----	1.1
Colored	31.0	-----	1.8	5.5	1.9	5.6	9.3	46.9	-----	-----
Rochester	11.9	12.2	0.7	10.1	3.1	10.0	14.8	8.0	3.1	5.2
St. Louis	8.3	0.4	0.8	11.8	4.9	3.3	18.6	9.0	7.5	9.7
St. Paul	17.4	2.5	0.4	7.2	7.7	1.7	5.7	7.9	5.3	1.3
Salt Lake City	2.4	1.6	19.7	5.0	-----	6.2	11.7	12.0	-----	4.8
San Antonio	8.1	0.6	18.7	1.2	1.9	45.6	42.8	2.9	6.9	6.4
San Francisco	4.8	0.4	1.7	5.9	2.0	3.2	7.4	1.3	4.7	10.3
Scranton	19.2	6.4	1.4	15.9	1.5	1.5	8.8	3.7	6.0	7.5
Seattle	(4)	-----	-----	5.3	2.2	4.9	5.8	4.2	-----	0.4
Spokane	3.8	-----	1.0	12.4	1.0	1.9	10.5	15.3	-----	8.6
Springfield, Mass	-----	6.4	2.2	8.4	1.6	10.5	4.2	13.9	3.6	8.4
Syracuse	24.4	-----	3.9	13.2	1.2	32.4	9.2	-----	6.4	2.6
Toledo	9.3	14.6	-----	14.6	5.0	2.1	3.5	30.7	4.4	3.5
Trenton	3.9	24.0	3.3	1.7	8.5	5.2	4.4	17.1	18.4	2.8
Washington, D. C	8.8	-----	3.4	0.7	0.5	11.9	4.4	2.0	1.8	0.3
White	8.6	-----	3.7	0.9	0.6	14.4	5.3	1.7	2.1	-----
Colored	9.5	-----	2.7	-----	-----	4.6	1.9	2.9	1.0	1.0
Wilmington, Del	34.0	2.6	0.9	12.6	1.9	15.2	4.9	25.8	3.0	15.5
Worcester	7.8	3.7	10.3	1.7	13.5	4.0	7.6	33.4	1.2	11.2
Yonkers	4.7	7.6	1.0	8.9	-----	13.3	1.1	8.6	-----	18.1
Youngstown	18.6	10.6	8.3	3.7	12.3	6.4	5.8	38.1	1.8	12.3

[1] Including District of Columbia.
[2] Not added to registration area until a later date.
[3] Includes only municipalities having a population of 1,000 or more in 1910.
[4] Rates are omitted pending the establishment of more satisfactory estimates of population.
[5] Transcripts of death certificates not received.

Comparing the rates in 1922 and 1923 for the 37 registration States shown for both years, increases in 1923 are shown for 32 States, the largest increases appearing for Delaware (from 1.8 to 25.2), Rhode Island (from 8.4 to 31.6), Tennessee (from 0.8 to 21.8), North Carolina (from 0.9 to 21.9), and Virginia (from 1.5 to 22.3).

Among the 63 cities of 100,000 population or more in 1920, showing rates in 1923, 11 have rates in excess of 20, and 1 (Springfield, Mass.) has no deaths from measles. The highest rates are for Nashville (52.2), Providence (50.3), New Bedford (46.1), Camden (40.3), and Wilmington, Del. (34).

SCARLET FEVER

The number of deaths from scarlet fever in 1923 is 3,440, corresponding to a rate of 3.5 per 100,000 estimated population, the same as that shown for 1922.

Of the 37 States in the registration area for both 1922 and 1923, 18 have higher rates in 1923. The States showing the highest rates are Minnesota (9.3), Delaware (8.7), and Wisconsin (8.6). The lowest rates in 1923 are for Louisiana and South Carolina (0.4 each), and Florida, Mississippi, and New Hampshire (0.7 each).

Among the 63 cities of 100,000 population or more in 1920, which show rates in 1923, those with the highest are Pittsburgh (18.7), Milwaukee (17.3), and Youngstown (15.3). On the other hand, in 1923 no deaths from scarlet fever are charged against Camden. Of the 15 cities showing deaths by color, only Atlanta and Washington, D. C., have any deaths from this cause among the colored.

Table AC shows the rates per 100,000 estimated population for 1914 to 1923, with rates of 20 and higher in bold-faced type.

Table AC

DEATH RATE FROM SCARLET FEVER PER 100,000 ESTIMATED POPULATION

[Rates of 20 or more in bold-faced type]

AREA	1923	1922	1921	1920	1919	1918	1917	1916	1915	1914
The registration area (exclusive of Hawaii)	3.5	3.5	5.3	4.6	2.8	3.0	4.2	3.3	3.6	6.6
Registration States [1]	3.6	3.5	5.4	4.6	2.8	3.1	3.5	3.2	3.6	6.6
Cities in registration States [1]	3.9	3.6	6.4	5.4	3.2	3.2	4.1	3.5	4.1	8.3
Rural part of registration States	3.3	3.4	4.4	3.9	2.4	2.9	3.0	2.8	3.1	4.9
Registration cities in non-registration States	1.9	1.6	2.5	1.9	2.8	1.8	12.9	5.2	3.7	6.5
All registration cities [1]	3.8	3.6	6.2	5.2	3.2	3.2	5.4	3.8	4.0	8.1
California	3.2	2.5	3.3	2.6	1.7	1.8	1.9	1.4	2.2	3.4
Colorado	4.2	5.4	5.9	4.4	4.2	5.0	2.0	4.2	6.6	11.0
Connecticut	3.7	4.3	7.1	5.4	3.5	2.8	1.7	2.6	3.0	6.7
Delaware	8.7	9.2	4.0	14.7	1.8	(2)	(2)	(2)	(2)	(2)
Florida	0.7	0.6	1.1	0.9	0.4	(2)	(2)	(2)	(2)	(2)
White	0.6	0.7	1.5	1.4	0.6	(2)	(2)	(2)	(2)	(2)
Colored	0.9	0.3	0.3	-----	-----	(2)	(2)	(2)	(2)	(2)
Georgia	0.8	0.9	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
White	1.0	1.4	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Colored	0.4	0.3	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Idaho	2.3	2.6	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Illinois	3.4	4.5	6.2	5.7	3.5	2.6	(2)	(2)	(2)	(2)
Indiana	3.0	2.9	5.5	7.2	3.0	4.5	4.9	3.6	3.6	4.1
Iowa	5.9	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Kansas	4.0	4.8	7.0	6.3	3.1	4.6	3.3	3.6	1.9	1.9
Kentucky	2.1	1.8	2.6	2.6	2.2	2.0	2.1	2.4	2.3	2.6
White	2.2	1.9	2.8	2.7	2.3	2.2	2.3	2.5	2.5	2.8
Colored	0.4	0.9	1.3	0.9	0.8	0.4	0.4	0.8	1.2	1.6
Louisiana	0.4	0.3	0.6	0.8	0.3	0.3	(2)	(2)	(2)	(2)
White	0.5	0.5	0.9	1.3	0.4	0.5	(2)	(2)	(2)	(2)
Colored	0.1	-----	0.1	0.1	0.1	-----	(2)	(2)	(2)	(2)
Maine	2.1	3.5	2.8	3.0	1.4	1.7	0.8	0.5	1.7	2.3
Maryland	3.3	2.3	2.1	2.5	4.0	1.7	1.7	3.7	5.2	5.6
White	3.7	2.5	2.2	3.0	4.6	1.9	1.9	4.2	5.7	6.0
Colored	1.2	1.2	1.6	-----	0.8	0.8	0.8	1.7	2.5	3.4
Massachusetts	4.0	3.8	4.8	5.6	3.2	2.0	3.1	3.5	5.5	7.1
Michigan	7.8	5.7	9.1	8.2	5.0	5.1	10.0	5.2	3.4	5.6
Minnesota	9.3	7.1	7.8	4.8	3.9	6.8	4.0	5.3	6.5	15.1
Mississippi	0.7	0.3	0.9	1.3	0.7	(2)	(2)	(2)	(2)	(2)
White	1.2	0.7	0.9	1.9	0.7	(2)	(2)	(2)	(2)	(2)
Colored	0.3	-----	0.9	0.9	0.7	(2)	(2)	(2)	(2)	(2)
Missouri	3.5	2.6	4.3	4.6	3.4	3.2	4.9	5.4	2.2	6.3
Montana	2.8	3.2	1.7	3.9	10.6	13.8	17.1	3.9	3.4	7.3
Nebraska	4.4	4.2	7.2	4.6	(2)	(2)	(2)	(2)	(2)	(2)
New Hampshire	0.7	1.6	4.9	2.0	2.5	1.8	1.8	1.4	1.6	5.7
New Jersey	2.8	3.7	7.3	3.5	2.5	2.2	1.9	2.5	3.5	8.7
New York	2.6	4.4	6.7	4.5	2.7	3.2	2.8	2.1	4.4	7.5
North Carolina	1.1	2.9	1.7	1.5	0.9	1.0	1.7	2.5	[3] 1.6	[3] 0.6
White	1.4	3.7	2.2	2.1	1.2	1.3	2.2	3.4	2.5	0.6
Colored	0.5	1.1	0.6	0.3	0.4	0.4	0.5	0.5	-----	0.6
Ohio	5.3	4.3	7.4	6.6	2.4	3.1	3.6	3.9	4.2	4.5
Oregon	1.3	2.8	1.7	1.8	2.3	2.0	(2)	(2)	(2)	(2)
Pennsylvania	4.4	4.0	7.3	5.7	2.8	2.0	2.7	2.8	3.7	10.6
Rhode Island	1.6	1.6	2.3	4.4	2.5	4.2	4.9	5.3	4.7	8.1
South Carolina	0.4	1.0	0.8	0.6	0.6	0.5	1.3	2.4	(2)	(2)
White	0.7	1.5	1.5	0.8	0.7	1.0	1.7	3.9	(2)	(2)
Colored	0.1	0.6	-----	0.5	0.5	-----	0.9	1.1	(2)	(2)
Tennessee	1.5	1.8	1.7	2.3	2.4	1.9	2.1	(2)	(2)	(2)
White	1.5	2.2	2.0	2.5	2.8	2.4	2.5	(2)	(2)	(2)
Colored	1.6	-----	0.7	1.3	0.7	-----	0.7	(2)	(2)	(2)
Utah	1.7	1.9	4.3	1.5	2.5	11.4	8.8	5.9	2.9	3.4
Vermont	5.4	5.4	6.5	4.3	2.3	3.1	5.4	3.7	1.1	3.4
Virginia	1.9	1.6	2.5	1.4	1.5	1.1	0.8	1.3	1.1	1.8
White	2.5	2.0	3.3	1.7	1.9	1.4	1.0	1.8	1.4	2.6
Colored	0.3	0.4	0.7	0.7	0.4	0.3	0.3	0.3	0.4	-----
Washington	2.0	1.4	2.2	4.3	2.9	5.7	1.6	1.0	0.6	2.0
Wisconsin	8.6	6.2	9.0	9.7	5.8	7.8	9.8	5.0	3.6	8.8
Wyoming	2.4	0.5	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
CITIES OF 100,000 POPULATION OR MORE IN 1920										
Akron	(4)	7.2	6.7	26.9	3.5	2.7	2.9	2.5	5.7	5.5
Albany	4.3	1.7	2.6	1.8	-----	0.9	-----	-----	2.8	7.6
Atlanta	0.9	1.4	4.3	3.0	4.5	4.1	1.1	1.6	0.6	1.1
White	0.6	2.0	4.9	4.3	5.9	6.0	1.5	1.6	0.8	0.8
Colored	1.5	-----	3.1	-----	1.6	-----	-----	1.7	-----	1.8
Baltimore	2.8	1.2	1.5	1.9	4.8	1.4	1.8	5.1	5.5	5.4
White	3.3	1.4	1.6	2.2	5.3	1.3	2.1	6.1	5.9	5.0
Colored	-----	-----	0.9	-----	1.9	2.0	-----	-----	3.1	7.5
Birmingham	1.0	2.1	1.6	3.3	2.3	1.7	1.2	1.2	13.9	4.6
White	1.7	3.4	2.7	5.5	3.7	2.9	2.0	2.0	22.9	6.5
Colored	-----	-----	-----	-----	-----	-----	-----	-----	-----	1.7
Boston	7.8	6.2	6.7	9.5	4.0	3.2	6.1	5.4	11.5	9.3
Bridgeport	(4)	9.1	16.0	4.8	2.8	2.2	3.8	3.1	7.2	15.8
Buffalo	5.6	6.4	11.7	4.3	5.2	3.4	6.2	6.1	5.3	5.7
Cambridge	2.7	-----	1.8	3.6	-----	-----	2.8	1.9	3.7	1.9
Camden	-----	1.6	5.8	1.7	1.7	0.9	1.8	0.9	1.9	1.9
Chicago	3.0	4.1	7.1	7.0	4.6	2.2	24.6	6.4	3.4	10.0
Cincinnati	4.9	1.0	3.5	7.7	3.5	0.8	3.8	0.5	1.0	4.8
Cleveland	6.8	5.0	14.4	8.5	0.9	1.4	2.0	5.8	[1] 10.6	7.7
Columbus	1.9	0.8	6.1	5.8	2.1	1.7	3.6	2.3	1.4	1.5
Dallas	1.1	2.9	-----	1.2	2.5	0.8	-----	0.8	(2)	(2)
White	1.3	3.4	-----	1.5	3.0	0.9	-----	-----	(2)	(2)
Colored	-----	-----	-----	-----	-----	-----	-----	5.0	(2)	(2)
Dayton	4.8	0.6	11.4	6.5	0.7	2.7	4.2	10.0	6.6	6.8
Denver	1.1	3.4	3.8	2.7	1.6	2.8	1.6	1.2	3.8	11.2
Des Moines	12.8	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Detroit	(4)	4.5	12.0	10.1	7.4	5.0	17.1	6.7	3.5	7.6
Fall River	4.1	5.0	1.7	3.3	2.5	-----	2.5	1.7	5.0	10.0
Fort Worth	0.7	0.8	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
White	0.8	1.0	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Grand Rapids	2.7	2.8	1.4	2.9	0.7	1.5	1.5	1.6	0.8	17.9
Hartford	3.9	0.7	8.7	2.9	11.0	1.5	3.1	1.6	0.8	4.3
Houston	0.6	0.7	-----	-----	0.7	-----	0.8	(2)	(2)	(2)
White	0.8	0.9	-----	-----	1.0	-----	1.1	(2)	(2)	(2)
Colored	-----	-----	-----	-----	-----	-----	-----	(2)	(2)	(2)
Indianapolis	0.6	2.4	6.4	4.1	1.0	7.3	3.7	4.6	2.9	6.4
White	0.7	2.7	6.6	4.6	1.1	7.8	3.8	3.9	3.3	6.7
Colored	-----	-----	5.4	-----	-----	3.0	3.2	9.9	-----	3.5
Jersey City	3.2	3.6	3.0	2.7	3.7	3.4	3.1	4.2	5.3	7.8
Kansas City, Kans	1.7	2.6	-----	3.9	4.0	10.2	9.3	14.8	5.4	7.7
White	2.0	3.1	-----	4.6	4.7	11.8	10.8	14.6	5.0	8.8
Colored	-----	-----	-----	-----	-----	-----	-----	15.8	8.2	-----
Kansas City, Mo	2.6	2.6	3.3	5.2	4.7	4.2	11.2	27.6	1.4	1.4

See footnotes at end of table.

Table AC—Con.

AREA	DEATH RATE FROM SCARLET FEVER PER 100,000 ESTIMATED POPULATION [Rates of 20 or more in bold-faced type]									
	1923	1922	1921	1920	1919	1918	1917	1916	1915	1914
CITIES OF 100,000 POPULATION OR MORE IN 1920—con.										
Los Angeles	(4)	2.4	5.9	0.8	1.4	0.9	1.9	1.4	2.1	1.2
Louisville	0.4	0.4	4.2	2.1	2.6	1.7	1.3	0.4	0.9	5.2
White	0.5	-----	5.1	2.6	2.6	2.1	1.6	0.5	0.5	5.8
Colored	-----	2.5	-----	-----	2.5	-----	-----	-----	2.5	2.5
Lowell	5.2	1.7	-----	1.8	6.2	3.6	2.7	5.4	-----	1.8
Memphis	2.4	6.0	1.8	1.8	2.0	2.0	4.1	(5)	4.9	2.1
White	3.7	9.4	2.0	2.0	3.2	3.2	6.5	(5)	6.8	3.5
Colored	-----	-----	-----	1.6	-----	-----	-----	(5)	1.9	-----
Milwaukee	17.3	5.0	12.4	6.3	5.1	11.2	17.6	11.1	7.1	22.8
Minneapolis	8.3	8.2	14.0	6.8	6.6	9.0	3.1	4.5	3.2	26.8
Nashville	1.6	-----	2.5	0.8	2.5	2.6	0.9	(5)	1.7	-----
White	2.3	-----	3.5	1.2	3.6	3.7	1.2	(5)	2.5	-----
New Bedford	2.3	3.9	0.8	2.4	3.3	2.6	-----	1.8	8.2	28.0
New Haven	4.6	1.8	7.8	4.3	3.1	1.9	0.6	6.6	3.4	4.8
New Orleans	1.0	0.5	0.8	2.1	0.8	-----	0.5	0.3	0.5	0.6
White	1.3	0.7	1.0	2.4	1.1	-----	0.7	0.4	0.7	0.8
Colored	-----	-----	-----	1.0	-----	-----	-----	-----	-----	-----
New York	1.9	4.0	7.4	4.3	2.6	3.6	2.6	2.3	5.9	9.5
Bronx Borough	1.2	3.3	7.8	2.1	3.1	1.9	2.6	1.3	4.2	7.1
Brooklyn Borough	1.5	2.1	5.6	3.5	2.2	3.2	1.7	1.6	6.1	6.6
Manhattan Borough	2.8	6.0	9.3	5.8	2.8	4.4	2.8	3.0	6.2	12.2
Queens Borough	1.3	4.8	7.2	3.3	2.6	4.1	6.2	3.2	7.0	11.3
Richmond Borough	1.6	2.4	-----	4.2	0.9	1.8	-----	1.9	2.9	3.0
Newark, N. J	0.9	1.4	4.2	2.6	2.9	1.7	0.5	1.3	0.5	7.2
Norfolk	0.6	-----	4.1	-----	0.9	1.8	-----	-----	1.0	2.1
White	1.0	-----	6.6	-----	1.4	2.9	-----	-----	1.6	3.4
Oakland	1.7	1.3	1.3	2.7	1.9	1.0	0.5	-----	0.5	2.8
Omaha	1.5	0.5	4.6	6.2	3.7	4.3	5.5	32.2	13.5	12.2
Paterson	2.9	0.7	5.1	2.2	-----	0.7	0.8	2.3	-----	0.8
Philadelphia	2.0	4.8	5.7	6.6	3.4	2.7	2.0	2.5	1.6	8.1
Pittsburgh	18.7	5.1	8.3	3.6	1.5	1.9	2.3	3.7	9.8	33.7
Portland, Oreg	0.4	1.9	1.1	1.2	1.6	1.6	2.0	0.8	0.4	2.2
Providence	2.1	0.8	2.9	5.9	5.5	7.2	6.8	6.9	8.2	8.7
Reading	0.9	-----	0.9	-----	2.8	0.9	1.9	9.6	5.8	6.0
Richmond	0.6	1.7	0.6	-----	1.8	-----	0.6	1.8	0.6	1.4
White	0.8	2.4	0.8	-----	1.7	-----	0.9	2.8	0.9	2.2
Colored	-----	-----	-----	-----	1.9	-----	-----	-----	-----	-----
Rochester	1.9	3.2	7.9	9.4	3.4	3.3	13.7	0.8	2.7	10.9
St. Louis	3.7	1.3	5.6	3.2	2.6	2.8	7.5	6.5	3.0	19.3
St. Paul	13.6	15.8	8.4	6.4	6.4	18.6	3.5	3.5	13.3	20.6
Salt Lake City	1.6	0.8	3.3	1.7	1.7	15.9	9.0	6.5	1.9	2.9
San Antonio	1.1	-----	1.2	0.6	-----	0.7	-----	-----	-----	0.8
San Francisco	2.6	0.8	1.2	1.8	2.4	2.2	3.3	1.7	1.9	1.1
Scranton	1.4	-----	2.9	9.4	2.2	5.1	6.6	2.2	3.0	3.0
Seattle	(4)	1.3	1.0	4.1	1.9	5.3	0.3	-----	0.4	1.1
Spokane	2.9	3.8	3.8	2.9	8.6	2.9	1.9	1.0	2.9	1.9
Springfield, Mass	2.8	2.9	2.2	16.7	2.4	2.4	5.9	3.5	0.9	0.9
Syracuse	4.3	8.8	6.8	9.2	4.7	3.0	7.4	0.6	-----	7.9
Toledo	5.9	1.2	2.8	9.7	7.5	6.9	12.4	3.7	3.9	1.0
Trenton	3.1	0.8	7.3	2.5	0.8	0.9	-----	2.7	3.7	26.3
Washington, D. C	3.2	1.1	2.1	2.0	0.9	4.3	2.4	1.5	2.3	0.3
White	3.3	1.5	2.4	2.4	1.2	5.8	3.3	1.7	2.8	0.4
Colored	2.6	-----	0.9	0.9	-----	-----	-----	1.0	1.0	-----
Wilmington, Del	9.3	11.2	5.3	24.3	1.9	1.9	3.9	1.0	2.0	2.1
Worcester	3.1	6.9	6.5	12.1	2.2	1.1	4.1	1.8	1.8	4.4
Yonkers	5.6	5.7	10.6	3.0	2.0	8.2	6.3	6.5	2.2	4.5
Youngstown	15.3	6.0	21.9	16.3	0.8	-----	1.7	6.1	4.5	3.8

[1] Including District of Columbia.
[2] Not added to registration area until a later date.
[3] Includes only municipalities having a population of 1,000 or more in 1910.
[4] Rates are omitted pending the establishment of more satisfactory estimates of population.
[5] Transcripts of death certificates not received.

WHOOPING COUGH

The number of deaths from whooping cough in 1923 is 9,440, with a death rate of 9.7 per 100,000 estimated population, against a rate of 5.6 in 1922.

Of the 37 States in the registration area for both 1922 and 1923, every one but New Jersey shows a higher rate in 1923, the highest appearing for North Carolina (18.3), Rhode Island (17.9), and Maryland (17.5). The lowest rates are shown for Idaho and Montana (3.8 each) and Oregon (5). Of the 62 cities shown for both 1922 and 1923, 45 have higher rates in 1923; the highest are for Richmond (36.5), Atlanta (27.4), and Louisville (26), and the lowest, for Yonkers (2.8) and Trenton (3.1).

The rates for the colored are, for the most part, higher than for the white populations. Among the rates shown for colored, the highest in 1923 are for Richmond (91.3), Atlanta (60.8), and Maryland (54.9). On the other hand, Fort Worth has no deaths from whooping cough among the colored.

Table AD shows the rates per 100,000 estimated population for 1914 to 1923, with rates of 20 or more in bold-faced type.

Table AD

AREA	DEATH RATE FROM WHOOPING COUGH PER 100,000 ESTIMATED POPULATION [Rates of 20 or more in bold-faced type]									
	1923	1922	1921	1920	1919	1918	1917	1916	1915	1914
The registration area (exclusive of Hawaii)	9.7	5.6	9.1	12.5	5.5	16.9	10.5	10.2	8.1	10.4
Registration States [1]	9.7	5.6	9.1	12.5	5.5	16.9	10.6	10.6	8.3	10.3
Cities in registration States [1]	8.7	5.5	7.7	11.7	4.8	15.1	9.4	9.8	8.0	9.2
Rural part of registration States	10.6	5.6	10.5	13.2	6.2	18.5	11.5	11.4	8.6	11.4
Registration cities in non-registration States	12.5	7.6	6.9	15.7	6.2	14.7	9.1	4.4	5.7	10.8
All registration cities [1]	8.8	5.6	7.7	11.8	4.8	15.1	9.4	9.1	7.7	9.4
California	8.8	7.8	5.6	11.8	2.4	9.4	6.4	6.9	4.5	10.3
Colorado	10.5	6.0	10.2	26.4	5.0	15.9	6.4	5.1	10.1	9.1
Connecticut	8.7	5.6	9.4	15.6	4.3	20.1	7.9	12.1	11.4	11.2
Delaware	13.5	0.9	15.5	13.4	6.3	(2)	(2)	(2)	(2)	(2)
Florida	7.6	3.6	7.3	7.0	5.0	(2)	(2)	(2)	(2)	(2)
White	6.4	3.3	5.5	6.8	4.3	(2)	(2)	(2)	(2)	(2)
Colored	10.4	4.2	10.8	7.5	6.4	(2)	(2)	(2)	(2)	(2)
Georgia	9.2	4.7	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
White	7.1	3.0	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Colored	12.3	7.1	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Idaho	3.8	0.7	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Illinois	7.7	3.6	7.5	8.5	4.2	11.0	(2)	(2)	(2)	(2)
Indiana	9.5	2.9	12.6	10.6	2.6	17.4	9.5	9.2	5.8	10.1
Iowa	6.9	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Kansas	8.2	2.6	6.0	12.0	2.9	12.5	7.3	5.3	10.4	8.8
Kentucky	16.8	6.4	11.7	15.9	9.0	37.2	20.8	13.4	8.4	14.9
White	14.8	6.4	10.9	14.8	8.3	34.8	19.6	12.1	7.6	13.6
Colored	36.6	6.1	18.5	26.8	16.0	58.3	30.9	24.4	15.7	25.9
Louisiana	15.7	7.5	8.6	10.2	6.5	20.0	(2)	(2)	(2)	(2)
White	12.8	6.2	7.5	8.4	4.9	14.8	(2)	(2)	(2)	(2)
Colored	20.4	9.6	10.4	13.0	9.1	28.0	(2)	(2)	(2)	(2)
Maine	16.9	7.2	8.8	16.4	13.6	7.7	5.9	16.5	10.6	12.6
Maryland	17.5	5.2	16.9	9.9	5.2	32.5	9.6	12.4	6.7	14.3
White	10.1	3.2	11.9	6.9	4.0	22.2	6.9	7.5	4.7	9.1
Colored	54.9	14.9	41.7	24.8	11.1	82.7	22.7	35.8	16.3	39.1
Massachusetts	12.4	7.8	5.2	13.8	8.5	18.3	6.3	10.9	12.9	8.4
Michigan	8.6	6.2	8.5	13.8	5.2	13.9	10.6	6.8	7.2	9.1
Minnesota	6.1	3.2	6.4	12.4	4.1	13.3	4.1	9.7	7.4	8.7
Mississippi	14.6	10.8	13.1	8.8	8.7	(2)	(2)	(2)	(2)	(2)
White	9.3	6.9	7.8	5.8	6.9	(2)	(2)	(2)	(2)	(2)
Colored	19.4	14.3	17.8	11.5	10.3	(2)	(2)	(2)	(2)	(2)
Missouri	10.6	3.1	7.7	9.0	5.8	15.4	9.7	11.2	8.2	12.8
Montana	3.8	1.3	12.0	9.1	2.4	12.3	8.5	16.2	7.7	4.0
Nebraska	7.5	1.7	5.0	18.9	(2)	(2)	(2)	(2)	(2)	(2)
New Hampshire	15.2	4.5	8.1	8.1	14.7	22.7	12.5	12.1	11.0	11.9
New Jersey	6.9	7.5	10.2	13.0	3.0	18.5	9.8	9.3	8.7	9.5
New York	5.2	5.0	7.6	10.2	3.0	12.3	9.0	8.0	7.9	7.3
North Carolina	18.3	7.7	14.7	13.9	8.6	28.1	22.8	16.5	[3] 14.3	[3] 16.5
White	14.6	4.1	12.4	11.4	7.6	20.4	17.6	10.5	10.0	12.3
Colored	27.0	15.9	20.1	19.5	10.9	45.8	34.5	30.0	22.5	24.4
Ohio	8.5	4.9	8.7	14.5	4.4	12.0	10.8	12.6	6.7	7.2
Oregon	5.0	2.8	4.5	6.0	0.8	6.3	(2)	(2)	(2)	(2)
Pennsylvania	10.9	6.8	8.8	13.6	5.8	17.8	10.5	12.4	7.0	11.6
Rhode Island	17.9	13.2	9.3	15.1	15.6	28.4	8.3	8.1	19.6	14.4
South Carolina	14.5	7.6	16.3	22.0	13.3	45.5	12.4	17.2	(2)	(2)
White	10.4	4.1	10.8	18.0	9.1	25.6	3.7	9.8	(2)	(2)
Colored	18.6	11.1	21.6	25.8	17.1	63.9	20.3	23.9	(2)	(2)
Tennessee	12.0	7.9	12.1	12.6	8.4	24.1	17.8	(2)	(2)	(2)
White	9.8	6.4	10.7	11.5	8.0	21.7	15.9	(2)	(2)	(2)
Colored	21.6	14.3	18.1	17.3	9.9	33.6	25.6	(2)	(2)	(2)
Utah	5.9	4.5	31.7	24.7	2.5	13.5	3.7	7.6	20.8	12.1
Vermont	9.1	5.4	7.7	7.7	8.5	13.3	8.8	12.7	6.5	10.2
Virginia	16.7	8.0	19.3	19.9	12.7	31.7	22.0	19.8	14.5	31.4
White	10.7	4.7	14.0	16.3	8.0	21.4	13.7	13.5	9.3	18.2
Colored	31.4	16.2	31.8	28.6	23.5	55.4	41.1	34.1	26.1	60.1
Washington	5.3	4.6	3.7	7.5	3.7	5.4	8.7	5.9	3.4	4.5
Wisconsin	6.1	4.2	6.1	11.3	4.8	7.6	8.2	7.0	7.7	5.7
Wyoming	10.9	5.3	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)

See footnotes at end of table.

Table AD—Con.

DEATH RATE FROM WHOOPING COUGH PER 100,000 ESTIMATED POPULATION

[Rates of 20 or more in bold-faced type]

AREA	1923	1922	1921	1920	1919	1918	1917	1916	1915	1914
CITIES OF 100,000 POPULATION OR MORE IN 1920										
Akron	(4)	11.0	5.8	9.3	9.4	13.9	10.9	27.5	1.4	2.4
Albany	6.0	9.5	7.0	7.0	4.4	14.3	1.8	11.9	14.1	4.8
Atlanta	27.4	6.0	6.7	28.6	3.0	16.0	11.1	2.7	17.8	18.3
White	12.9	4.6	4.9	32.3	2.2	12.8	7.0	2.4	9.0	8.4
Colored	60.8	9.0	10.9	20.5	4.3	22.9	20.0	3.4	36.3	38.7
Baltimore	13.1	5.2	14.0	7.6	2.9	38.0	5.8	9.9	3.5	14.0
White	9.4	3.1	12.8	5.2	2.3	28.2	5.2	7.3	2.6	8.2
Colored	34.1	17.8	20.7	21.0	6.5	88.6	9.0	23.6	8.4	44.9
Birmingham	20.9	9.9	8.1	16.0	10.7	30.1	33.4	4.3	8.2	28.1
White	8.4	6.0	5.3	10.9	4.6	29.6	9.8	2.0	1.0	21.5
Colored	40.3	16.0	12.3	23.9	20.1	31.0	69.8	7.8	19.3	38.1
Boston	14.9	11.0	4.2	20.1	8.3	24.4	5.2	10.1	15.4	6.6
Bridgeport	(4)	3.5	10.4	16.5	-----	29.2	3.0	11.7	18.5	17.5
Buffalo	8.2	2.1	15.4	8.8	2.6	11.5	10.7	8.6	4.5	16.3
Cambridge	14.4	6.3	10.0	21.8	11.0	29.4	3.7	10.2	12.1	9.4
Camden	17.7	1.6	15.9	11.9	4.3	32.8	9.0	16.6	6.6	19.2
Chicago	5.1	3.5	5.5	5.8	5.4	6.9	7.8	4.0	2.7	9.2
Cincinnati	4.7	2.5	10.2	6.0	3.7	15.8	9.1	10.9	3.8	11.2
Cleveland	3.9	6.7	5.8	9.7	3.9	7.1	16.7	6.0	10.9	6.6
Columbus	14.6	4.7	5.6	11.3	0.9	17.1	2.2	13.3	4.7	6.8
Dallas	9.3	7.0	3.0	5.0	5.7	12.3	-----	8.2	(2)	(2)
White	8.3	6.1	1.4	5.8	6.8	12.7	-----	8.9	(2)	(2)
Colored	15.7	12.2	12.3	-----	-----	9.7	-----	5.0	(2)	(2)
Dayton	16.3	3.7	8.2	16.2	8.6	6.1	10.5	5.0	6.6	11.3
Denver	12.1	3.7	6.5	19.7	4.3	11.6	0.8	1.2	6.8	3.9
Des Moines	14.9	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Detroit	(4)	9.2	11.2	13.2	5.1	16.9	17.7	8.1	10.1	12.3
Fall River	11.6	12.4	25.7	11.6	9.1	24.1	18.3	14.2	22.5	18.4
Fort Worth	4.2	4.1	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
White	4.8	3.8	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Colored	-----	5.9	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Grand Rapids	8.9	4.2	2.8	17.3	4.4	6.7	9.1	4.7	1.6	4.9
Hartford	7.2	6.5	10.9	8.6	8.1	18.2	10.2	17.8	9.2	7.8
Houston	7.1	5.3	5.5	4.3	7.3	4.1	7.6	(2)	(2)	(2)
White	7.6	4.4	6.3	4.7	5.8	5.5	4.6	(2)	(2)	(2)
Colored	5.5	8.5	2.9	2.9	11.9	-----	16.4	(2)	(2)	(2)
Indianapolis	12.3	3.9	9.5	8.8	1.0	15.2	7.1	8.8	6.2	6.0
White	11.2	2.0	6.9	7.8	1.1	14.4	4.6	5.9	5.7	3.8
Colored	20.3	18.4	29.9	16.9	-----	21.3	28.6	33.2	10.4	25.5
Jersey City	9.1	11.4	10.9	19.0	4.0	19.8	10.0	5.6	13.7	4.3
Kansas City, Kans	14.7	5.3	14.4	23.5	6.0	9.2	20.7	5.3	14.0	13.2
White	10.1	6.2	12.4	21.8	2.3	10.6	14.4	4.9	12.4	10.1
Colored	40.9	-----	26.2	33.9	28.2	-----	60.7	7.9	24.7	34.4
Kansas City, Mo	8.0	2.3	1.2	11.6	2.2	12.8	16.1	2.7	3.8	11.7
Los Angeles	(4)	10.9	1.3	9.0	2.5	5.5	3.7	10.0	2.6	2.5
Louisville	26.0	2.3	9.7	10.2	6.4	17.1	12.0	11.2	4.8	7.4
White	24.9	2.3	9.2	7.2	3.6	12.9	9.3	8.9	4.2	7.4
Colored	32.0	2.5	12.5	25.0	19.9	37.2	24.8	22.2	7.4	7.4
Lowell	15.6	-----	5.3	18.6	3.6	17.9	6.3	10.0	17.3	8.2
Memphis	6.5	11.9	3.6	6.7	7.3	14.2	24.0	(5)	0.7	9.3
White	4.6	10.4	3.8	5.9	5.3	18.2	19.6	(5)	-----	4.6
Colored	9.6	14.5	3.2	8.1	11.0	7.4	31.4	(5)	1.9	16.8
Milwaukee	5.4	8.6	3.8	13.2	5.1	11.2	12.5	8.8	12.5	3.4
Minneapolis	5.9	6.0	4.6	12.5	2.9	21.4	5.0	7.7	4.9	13.1
Nashville	11.4	0.8	21.3	26.1	5.9	9.4	6.9	(5)	2.6	21.1
White	15.0	1.2	18.6	22.9	7.3	9.9	3.7	(5)	3.8	14.2
Colored	2.8	-----	27.6	33.7	2.8	8.4	14.0	(5)	-----	36.0
New Bedford	14.6	3.1	6.4	10.6	15.8	25.5	11.3	15.1	18.2	21.4
New Haven	5.2	10.0	12.0	18.3	1.2	25.9	9.7	12.5	6.7	4.8
New Orleans	15.1	3.3	6.3	5.4	3.1	18.4	5.9	3.8	4.9	5.3
White	12.4	4.1	5.5	4.9	2.1	18.6	4.3	3.3	3.3	4.9
Colored	22.7	1.0	8.7	6.9	6.0	18.1	10.2	5.1	9.4	6.3
New York	3.8	5.2	6.6	11.4	3.0	12.1	9.3	7.3	7.6	5.1
Bronx Borough	2.3	2.3	3.9	9.2	2.5	10.2	9.0	6.3	6.8	3.0
Brooklyn Borough	2.8	5.9	5.1	9.8	3.3	8.8	8.8	4.9	4.6	4.2
Manhattan Borough	5.2	5.8	9.1	13.5	3.0	13.7	10.2	9.5	10.1	6.3
Queens Borough	5.2	5.0	4.2	10.9	2.8	20.7	7.8	6.5	8.4	4.7
Richmond Borough	2.4	2.4	11.5	14.4	3.5	15.2	4.6	8.5	5.9	6.0
Newark, N. J	4.1	7.4	6.1	14.1	1.5	12.9	14.3	6.7	9.1	6.1
Norfolk	15.1	5.6	18.1	6.0	7.0	53.5	8.4	16.5	8.1	37.6
White	8.9	1.3	14.6	4.1	4.2	17.5	4.6	11.1	6.6	24.1
Colored	26.1	12.7	24.1	9.1	11.6	112.2	14.7	25.2	10.4	58.7
Oakland	6.7	8.6	5.7	5.0	3.3	13.1	3.5	2.6	10.2	15.7
Omaha	19.1	0.5	1.0	22.7	1.1	7.5	12.1	1.7	10.0	7.2
Paterson	5.7	7.2	4.4	3.7	0.7	14.1	7.5	2.3	6.9	5.4
Philadelphia	5.9	2.3	8.3	5.4	1.6	19.7	9.3	7.4	2.5	14.7
Pittsburgh	7.4	16.3	7.1	14.2	8.7	24.5	10.5	19.2	8.0	9.1
Portland, Oreg	4.8	3.7	3.0	8.1	0.4	6.8	1.2	3.3	1.3	1.3
Providence	15.3	11.2	3.3	14.3	12.7	28.9	2.1	5.2	17.3	10.4
Reading	6.3	1.8	12.8	10.2	-----	16.9	9.5	7.7	5.8	13.0
Richmond	36.5	6.2	21.1	23.1	11.2	13.1	26.7	29.0	6.3	49.7
White	12.7	4.8	18.1	6.7	9.5	7.0	12.6	12.9	-----	19.7
Colored	91.3	9.2	27.8	59.0	14.8	26.0	56.0	61.9	18.8	107.0

See footnotes at end of table.

Table AD—Con.

DEATH RATE FROM WHOOPING COUGH PER 100,000 ESTIMATED POPULATION

[Rates of 20 or more in bold-faced type]

AREA	1923	1922	1921	1920	1919	1918	1917	1916	1915	1914
CITIES OF 100,000 POPULATION OR MORE IN 1920—con.										
Rochester	6.5	4.2	13.8	7.4	1.7	20.3	7.0	9.1	9.4	2.4
St. Louis	13.2	0.4	8.3	4.4	-----	22.4	4.3	10.0	3.4	12.2
St. Paul	7.0	5.0	0.8	11.0	0.9	16.0	2.2	7.5	5.8	4.0
Salt Lake City	4.8	2.4	14.0	13.4	0.9	14.1	2.7	1.8	-----	5.8
San Antonio	4.9	3.9	6.4	11.5	5.1	5.3	13.1	5.8	19.0	5.6
San Francisco	5.4	4.2	5.0	5.9	2.2	7.1	5.8	3.8	4.5	12.1
Scranton	4.3	2.9	6.5	12.3	1.5	19.0	5.9	3.7	3.7	15.8
Seattle	(4)	2.2	1.9	6.3	3.9	2.6	4.1	6.3	1.8	3.7
Spokane	3.8	1.9	7.7	9.6	-----	3.8	2.9	4.8	14.4	-----
Springfield, Mass	4.9	2.9	2.2	13.7	2.4	25.9	5.9	2.6	18.0	1.9
Syracuse	7.0	6.1	12.4	5.8	2.9	16.2	5.5	14.4	5.8	12.5
Toledo	3.3	3.1	5.1	10.5	8.8	6.4	10.2	5.5	11.7	6.6
Trenton	8.1	14.4	11.4	7.5	8.5	14.7	10.6	11.7	2.8	21.6
Washington, D. C	8.4	1.6	4.1	4.1	4.6	10.2	4.1	9.3	4.9	5.0
White	5.6	1.2	2.4	3.6	0.9	4.8	2.6	4.4	2.8	2.2
Colored	17.2	2.7	9.0	5.4	15.5	25.9	8.4	22.9	10.6	12.8
Wilmington, Del	7.6	0.9	7.9	5.4	6.5	7.6	15.5	8.9	7.1	16.6
Worcester	6.8	7.4	5.4	6.1	17.4	3.4	18.1	5.4	12.8	8.1
Yonkers	2.8	9.5	4.8	13.9	2.0	15.5	7.4	10.8	13.2	6.8
Youngstown	6.6	5.3	12.8	11.9	6.2	12.8	10.8	29.5	2.7	2.8

[1] Including District of Columbia.
[2] Not added to registration area until a later date.
[3] Includes only municipalities having a population of 1,000 or more in 1910.
[4] Rates are omitted pending the establishment of more satisfactory estimates of population.
[5] Transcripts of death certificates not received.

DIPHTHERIA

As diphtheria is primarily a disease of childhood, the age constitution of populations must be considered in the study of the crude rates. Of the deaths from this cause in 1923, those of children under 5 years of age represent 57.1 per cent of the total.

The total number of deaths from diphtheria in 1923 is 11,733, corresponding to a rate of 12.1 per 100,000 estimated population. In 1900 the death rate from this cause in the registration area was 43.3. If we assume that these figures measure the reduction in the death rate from this cause in the United States since 1900, then in round numbers there is a saving of about 35,000 lives in 1923 to be credited to the advancement made in the treatment and prevention of this disease.

The rates in 1923 are lower than those in 1922 in 28 of the 37 States shown for these two years. The highest rates in 1923 are for Colorado (23.9), California (17.1), Michigan (16.9), and Pennsylvania (15.6). Low rates are shown for Wyoming (5.2), Washington (6.9), and Maine (7.5).

Among the 63 cities of 100,000 population or more in 1920 for which rates are shown in 1923, those with the highest rates are Youngstown (47.9), Camden (35.4), Denver (29.4), San Francisco (28.2), and Pittsburgh (26.1). Cities with the lowest rates are Nashville (4.1), Newark (4.8), Norfolk (5), and Louisville (5.4).

Each of the 10 States and 10 of the 15 cities shown by color in 1923 have lower rates for the colored than for the white, and 2 cities (Louisville and Nashville) have no deaths from diphtheria among the colored.

Table AE shows the rates per 100,000 estimated population for 1914 to 1923, with rates of 40 or more in bold-faced type.

Table AE

DEATH RATE FROM DIPHTHERIA PER 100,000 ESTIMATED POPULATION

[Rates of 40 or more in bold-faced type]

AREA	1923	1922	1921	1920	1919	1918	1917	1916	1915	1914
The registration area (exclusive of Hawaii)	12.1	14.6	17.7	15.3	14.7	13.9	16.6	14.5	15.7	17.9
Registration States [1]	12.2	14.8	17.8	15.4	14.8	13.9	15.7	14.0	15.3	17.3
Cities in registration States [1]	13.3	15.6	19.3	18.9	19.0	17.7	19.6	16.6	17.6	21.0
Rural part of registration States	11.1	14.0	16.4	12.1	11.2	10.5	12.3	11.7	12.9	13.8
Registration cities in non-registration States	7.6	7.2	11.0	12.8	10.5	10.9	28.1	21.0	21.2	25.1
All registration cities [1]	13.1	15.3	19.0	18.7	18.7	17.4	20.8	17.2	18.2	21.6
California	17.1	16.2	17.8	13.2	7.9	7.1	6.6	9.5	10.7	9.3
Colorado	23.9	27.4	24.8	14.6	6.8	8.8	5.9	4.6	5.9	7.6
Connecticut	12.9	13.1	12.4	17.0	18.9	15.2	18.0	14.9	15.6	19.2
Delaware	12.1	8.3	6.2	12.0	17.6	(2)	(2)	(2)	(2)	(2)
Florida	8.1	9.2	6.9	7.1	5.7	(2)	(2)	(2)	(2)	(2)
White	10.2	12.5	9.0	8.3	7.6	(2)	(2)	(2)	(2)	(2)
Colored	3.8	2.4	2.7	4.8	2.1	(2)	(2)	(2)	(2)	(2)
Georgia	9.7	13.3	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
White	11.7	14.8	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Colored	6.9	11.1	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Idaho	9.1	10.2	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Illinois	11.9	17.6	22.3	17.3	16.2	18.1	(2)	(2)	(2)	(2)
Indiana	14.2	18.3	23.8	12.3	11.3	14.9	15.6	13.7	10.8	13.9
Iowa	9.7	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Kansas	8.7	16.6	20.9	13.9	10.7	6.8	8.6	11.1	13.7	9.7
Kentucky	14.0	21.2	25.9	17.5	13.9	13.6	15.2	17.2	24.4	22.0
White	14.8	22.1	26.8	18.4	14.9	14.4	16.2	17.7	25.8	23.2
Colored	6.2	12.6	17.7	9.8	5.5	5.8	6.6	12.6	12.9	12.0
Louisiana	8.5	8.6	6.0	6.1	6.4	5.5	(2)	(2)	(2)	(2)
White	10.2	10.3	6.7	6.7	6.9	6.0	(2)	(2)	(2)	(2)
Colored	5.6	5.9	4.9	5.3	5.7	4.8	(2)	(2)	(2)	(2)
Maine	7.5	8.3	14.2	8.3	6.5	8.0	9.6	7.6	11.2	11.4
Maryland	10.4	10.9	12.4	13.2	15.6	9.6	9.7	12.2	13.3	13.0
White	11.1	11.4	12.2	14.9	17.3	10.6	10.7	13.5	14.6	14.2
Colored	6.8	8.9	13.0	4.5	7.4	4.9	5.0	5.8	7.1	7.1
Massachusetts	14.5	15.0	15.7	15.1	15.4	15.9	22.4	16.9	20.2	18.3
Michigan	16.9	16.2	25.0	23.8	20.8	19.4	24.9	14.9	11.0	16.1
Minnesota	8.3	7.8	9.0	10.3	12.9	12.3	10.9	7.5	8.6	16.2
Mississippi	9.8	16.0	19.2	15.9	7.3	(2)	(2)	(2)	(2)	(2)
White	12.1	20.0	22.7	19.7	10.5	(2)	(2)	(2)	(2)	(2)
Colored	7.7	12.3	16.0	12.3	4.5	(2)	(2)	(2)	(2)	(2)
Missouri	11.9	15.6	23.0	18.9	17.8	13.7	17.6	16.0	20.4	20.7
Montana	8.3	10.3	8.2	5.7	7.6	8.6	7.9	7.8	4.5	8.0
Nebraska	10.2	8.7	11.1	8.6	(2)	(2)	(2)	(2)	(2)	(2)
New Hampshire	9.2	11.0	16.9	11.7	9.0	8.4	10.9	10.9	7.3	10.3
New Jersey	14.2	18.2	18.5	17.8	18.5	16.9	14.9	15.8	17.6	21.9
New York	9.5	13.7	16.2	18.5	20.0	17.5	17.4	15.4	17.9	21.1
North Carolina	13.0	19.4	14.2	11.6	10.7	10.1	12.8	16.9	[3]11.7	[3]18.0
White	14.6	20.8	16.3	13.6	12.2	11.7	14.6	19.6	15.4	20.4
Colored	9.2	16.0	9.5	6.9	7.1	6.5	8.7	10.7	4.7	13.4
Ohio	11.4	14.0	18.4	11.2	11.4	9.2	13.6	11.6	12.7	15.1
Oregon	9.5	7.8	14.0	5.7	6.6	4.2	(2)	(2)	(2)	(2)
Pennsylvania	15.6	16.7	22.3	19.8	21.4	20.9	23.9	19.8	19.8	23.7
Rhode Island	12.6	10.8	13.0	21.2	20.0	17.1	26.2	24.4	17.2	19.0
South Carolina	8.9	10.9	12.3	11.9	9.7	8.4	9.6	8.5	(2)	(2)
White	11.3	14.0	15.2	15.6	13.4	11.4	12.0	11.6	(2)	(2)
Colored	6.6	7.9	9.4	8.3	6.1	5.6	7.5	5.7	(2)	(2)
Tennessee	10.6	13.4	16.4	16.6	13.8	12.0	14.7	(2)	(2)	(2)
White	10.8	14.5	18.2	18.2	14.7	13.3	16.2	(2)	(2)	(2)
Colored	9.7	8.7	8.7	9.8	9.9	6.6	8.5	(2)	(2)	(2)
Utah	10.5	13.9	13.4	7.3	9.0	16.5	10.0	14.9	11.8	9.6
Vermont	11.1	10.5	7.9	6.8	4.0	7.4	8.2	6.8	11.3	10.7
Virginia	14.1	19.5	17.0	14.4	12.1	9.6	9.8	14.2	17.0	15.7
White	16.0	22.4	19.8	17.2	13.6	10.7	11.4	16.7	18.9	17.8
Colored	9.3	12.5	10.4	7.7	8.5	7.0	6.3	8.8	12.9	11.0
Washington	6.9	7.2	8.9	9.2	9.7	6.5	3.8	2.9	3.2	3.8
Wisconsin	13.1	9.5	14.9	14.5	11.2	10.6	13.7	9.1	8.5	13.1
Wyoming	5.2	10.6	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
CITIES OF 100,000 POPULATION OR MORE IN 1920										
Akron	(4)	11.5	15.8	17.2	12.4	16.0	40.8	17.5	9.2	6.3
Albany	12.8	10.3	19.1	10.5	8.0	7.2	9.1	11.0	16.9	12.4
Atlanta	12.6	24.3	12.0	11.3	8.1	6.2	8.5	15.7	8.3	10.8
White	12.2	15.8	14.7	12.9	8.8	6.8	11.6	19.9	10.7	7.6
Colored	13.3	43.7	6.2	7.9	6.4	4.9	1.7	6.8	3.5	17.6
Baltimore	11.8	12.1	11.7	13.7	19.9	10.6	9.4	10.0	12.8	14.5
White	12.4	12.8	11.9	15.4	22.4	12.5	11.0	10.8	14.9	15.7
Colored	7.9	8.0	10.8	3.7	5.6	1.0	1.0	6.2	2.1	8.6
Birmingham	6.1	6.3	5.4	6.6	9.6	5.2	7.8	5.5	11.4	9.8
White	9.2	7.8	6.2	10.0	11.1	6.7	9.8	4.1	10.4	10.8
Colored	1.3	4.0	4.1	1.4	7.2	2.9	4.6	7.8	12.9	8.3
Boston	23.2	19.0	19.8	19.7	20.4	29.7	37.8	25.6	30.3	23.6
Bridgeport	(4)	16.7	20.9	30.2	29.7	25.5	18.8	17.9	24.9	36.7
Buffalo	10.2	13.4	28.7	60.1	59.1	23.1	22.7	14.5	16.4	14.6
Cambridge	9.9	9.0	10.9	6.4	4.6	11.0	14.8	14.8	26.1	15.9
Camden	35.4	31.2	20.9	15.3	20.0	17.7	28.0	26.7	28.2	23.1
Chicago	12.9	20.1	24.5	23.1	22.9	26.9	47.8	31.3	27.3	32.0
Cincinnati	6.4	13.3	17.6	13.2	13.7	11.0	12.8	15.9	12.2	18.6
Cleveland	12.8	15.7	22.9	16.2	24.1	14.0	20.9	17.8	23.6	24.5
Columbus	6.5	9.0	16.5	7.1	3.0	3.1	10.8	8.7	10.9	8.7

Table AE—Con.

DEATH RATE FROM DIPHTHERIA PER 100,000 ESTIMATED POPULATION

[Rates of 40 or more in bold-faced type]

AREA	1923	1922	1921	1920	1919	1918	1917	1916	1915	1914
CITIES OF 100,000 POPULATION OR MORE IN 1920—con.										
Dallas	8.8	7.6	8.4	14.9	15.3	6.1	7.9	4.1	(2)	(2)
White	8.9	7.5	8.4	16.1	15.8	7.3	9.4	3.9	(2)	(2)
Colored	7.8	8.1	8.2	8.3	12.5	-----	-----	5.0	(2)	(2)
Dayton	7.2	8.7	12.0	10.4	5.3	8.2	9.8	15.0	14.0	16.6
Denver	29.4	29.1	14.8	23.2	10.6	11.2	8.6	1.7	3.4	4.3
Des Moines	12.8	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Detroit	(4)	21.2	33.8	37.0	32.0	29.8	47.8	32.5	15.6	23.0
Fall River	17.4	43.0	18.2	32.4	20.8	22.4	30.8	16.7	27.5	21.7
Forth Worth	6.3	8.2	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
White	6.4	9.6	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Colored	5.5	-----	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Grand Rapids	12.3	13.2	31.2	28.1	8.1	23.9	26.6	7.1	12.0	26.9
Hartford	19.1	21.0	18.1	20.0	17.6	12.9	29.7	18.6	16.7	15.5
Houston	6.4	6.0	9.6	10.0	8.1	7.4	8.4	(2)	(2)	(2)
White	5.0	5.2	10.0	12.3	10.7	9.9	8.0	(2)	(2)	(2)
Colored	11.1	8.5	8.6	2.9	-----	-----	9.8	(2)	(2)	(2)
Indianapolis	13.1	20.6	25.8	8.5	17.1	29.7	38.0	19.3	7.7	10.9
White	14.2	21.9	26.7	9.6	17.0	32.2	37.2	20.0	8.2	11.7
Colored	5.1	10.5	19 0	-----	17.6	9.1	44.4	13.3	3.5	3.5
Jersey City	11.3	21.2	26.1	23.7	33.7	20.8	21.0	15.0	20.8	32.4
Kansas City, Kans	8.6	10.5	15.4	16.7	24.0	17.3	12.4	28.5	33.4	15.4
White	9.1	11.3	18.1	17.2	27.9	16.5	13.2	30.5	37.2	16.4
Colored	5.8	6.0	-----	13.6	-----	21.9	7.6	15.8	8.2	8.6
Kansas City, Mo	11.1	17.4	24.4	14.0	12.2	19.5	28.9	28.6	24.6	24.2
Los Angeles	(4)	16.2	15.6	12.2	5.1	10.2	7.6	3.9	8.4	6.9
Louisville	5.4	13.6	16.1	13.6	21.7	12.4	11.6	6.9	6.1	7.4
White	6.5	13.0	16.3	12.8	23.7	14.0	12.5	7.8	6.8	8.4
Colored	-----	17.2	15.0	17.5	12.4	5.0	5.0	2.5	2.5	2.5
Lowell	13.9	14.0	32.5	18.6	22.2	16.1	24.3	39.8	23.7	23.8
Memphis	10.0	12.5	13.9	12.2	15.4	8.8	17.2	(5)	13.4	15.8
White	7.4	10.4	15.4	11.8	12.6	10.7	21.8	(5)	17.0	12.8
Colored	14.5	16.1	11.4	13.0	20.2	5.5	9.2	(5)	7.5	20.6
Milwaukee	21.9	11.3	19.6	26.9	22.5	11.4	23.3	18.1	23.4	33.7
Minneapolis	12.2	12.7	13.2	11.4	18.1	23.9	18.9	19.6	18.3	43.2
Nashville	4.1	10.0	11.5	10.1	11.0	6.8	2.6	(5)	8.7	9.7
White	5.8	11.8	16.3	13.2	15.8	7.4	3.7	(5)	8.9	11.6
Colored	-----	5.7	-----	2.8	-----	5.6	-----	(5)	8.3	5.5
New Bedford	6.9	18.0	21.6	26.1	18.3	17.0	14.8	9.8	23.7	19.6
New Haven	11.0	8.8	14.4	11.6	9.9	17.1	16.8	15.8	22.8	19.2
New Orleans	8.2	9.3	3.5	5.4	4.4	5.0	8.3	10.0	31.0	31.1
White	9.4	11.2	3.4	6.3	4.9	5.7	7.6	10.3	29.7	28.3
Colored	4.7	3.8	3.9	2.9	3.0	3.0	9.2	9.3	34.4	39.1
New York	9.5	15.1	15.3	18.8	22.2	22.6	21.5	19.6	24.3	29.3
Bronx Borough	3.8	9.1	13.7	13.1	24.1	19.4	17.0	16.8	24.0	32.2
Brooklyn Borough	11.5	16.2	16.8	18.7	21.1	20.5	19.0	19.6	23.3	25.7
Manhattan Borough	8.8	16.7	14.0	19.4	22.9	25.8	25.4	21.0	26.2	33.2
Queens Borough	10.6	13.0	16.5	23.2	21.3	21.3	18.8	16.7	20.1	23.6
Richmond Borough	22.0	16.1	20.6	26.2	20.9	17.0	19.3	15.2	18.6	9.1
Newark, N. J	4.8	10.2	7.5	11.2	9.7	11.6	6.5	9.7	5.7	11.4
Norfolk	5.0	4.8	3.3	7.7	7.9	3.6	3.8	1.0	3.0	8.4
White	5.9	6.4	5.3	10.9	11.3	5.8	3.0	1.6	3.3	10.3
Colored	3.5	2.1	-----	2.3	2.3	-----	4.9	-----	2.6	5.3
Oakland	25.8	26.6	19.9	11.8	9.4	5.3	2.5	13.0	9.7	13.4
Omaha	21.0	19.9	44.6	25.3	10.5	27.4	9.9	20.1	21.7	40.9
Paterson	14.3	13.7	24.7	21.3	16.3	16.4	12.8	14.4	14.5	16.1
Philadelphia	14.1	15.0	17.4	22.6	24.3	21.6	25.4	22.6	18.9	19.3
Pittsburgh	26.1	17.9	21.4	20.1	17.6	21.8	24.4	22.2	27.4	28.3
Portland, Oreg	11.3	7.8	20.0	5.8	7.8	9.1	4.0	2.9	7.3	11.4
Providence	16.5	12.9	7.5	29.0	32.5	24.6	34.2	32.6	23.8	25.6
Reading	18.9	21.8	35.7	16.6	27.0	22.5	17.1	10.5	9.7	32.1
Richmond	6.6	9.0	9.7	11.6	8.8	7.8	5.5	3.1	3.8	2.9
White	7.9	8.9	10.7	13.5	11.2	7.9	7.2	4.6	4.7	3.3
Colored	3.7	9.2	7.4	7.4	3.7	7.4	1.9	-----	1.9	2.1
Rochester	11.0	16.0	27.5	27.8	16.1	14.1	19.3	9.1	7.1	11.7
St. Louis	8.6	8.4	21.1	31.0	33.4	16.9	29.7	21.3	26.7	35.2
St. Paul	21.1	14.2	15.6	24.6	33.4	25.0	17.8	9.7	13.3	30.9
Salt Lake City	10.3	14.5	18.1	9.2	9.4	23.0	7.2	14.8	29.3	13.5
San Antonio	9.7	7.9	12.3	14.6	10.8	6.6	10.4	11.6	11.4	18.4
San Francisco	28.2	23.2	27.1	17.8	10.4	8.3	14.9	27.6	24.7	19.1
Scranton	7.8	15.7	28.1	16.6	16.0	21.2	29.5	18.5	29.8	24.0
Seattle	(4)	3.8	7.0	10.6	13.8	7.9	2.4	2.4	0.7	2.6
Spokane	6.7	9.6	14.4	12.4	1.9	4.8	5.7	1.0	7.7	4.8
Springfield, Mass	13.9	17.1	16.9	12.1	19.6	25.1	52.9	16.5	9.9	12.2
Syracuse	16.3	28.7	45.6	17.3	14.7	14.4	20.9	13.2	10.3	10.5
Toledo	24.1	20.7	36.3	20.7	11.3	12.0	16.4	15.6	15.1	16.7
Trenton	14.9	20.8	13.0	6.6	11.9	15.5	11.5	17.1	24.8	22.5
Washington, D. C	9.0	10.3	13.0	14.2	27.8	9.7	8.5	8.8	7.0	7.7
White	10.3	12.2	15.6	14.8	28.2	11.8	8.9	9.2	7.0	8.3
Colored	5.2	4.5	5.4	12.6	26.4	3.7	7.5	7.6	6.8	5.9
Wilmington, Del	16.1	8.7	6.2	14.4	24.2	18.1	12.6	9.9	11.1	18.7
Worcester	19.8	15.4	15.7	7.7	11.2	12.0	24.0	14.3	13.4	11.8
Yonkers	17.7	21.8	12.6	22.7	12.1	16.5	25.3	16.2	9.9	30.5
Youngstown	47.9	41.6	9.8	8.2	16.9	12.0	17.5	5.2	7.2	18.9

[1] Including District of Columbia.
[2] Not added to registration area until a later date.
[3] Includes only municipalities having a population of 1,000 or more in 1910.
[4] Rates are omitted pending the establishment of more satisfactory estimates of population.
[5] Transcripts of death certificates not received.

INFLUENZA AND PNEUMONIA (ALL FORMS)

The mortality rate from influenza and pneumonia (all forms) for the registration area in 1923 is 153.7 per 100,000 estimated population against 133.5 in 1922.

For States the highest rates in 1923 are for Pennsylvania (201.5), Maryland (196), Tennessee (195), and Maine (193.3), and the lowest are for Idaho (80.4), Washington (84.6), Montana (91.2), and Florida (99.6).

For cities the highest rates in 1923 appear for Pittsburgh (377.7), Memphis (315.2), Nashville (270.7), Atlanta (256), and Birmingham (223), and the lowest are for Oakland (86.6), Minneapolis (99.2), Spokane (101.4), Fort Worth (102.9), and Rochester (103.8).

For the areas shown by color, the rates for the colored are far in excess of those for the white.

Table AF shows the rates per 100,000 estimated population for 1914 to 1923.

Table AF

AREA	DEATH RATE FROM INFLUENZA AND PNEUMONIA (ALL FORMS) PER 100,000 ESTIMATED POPULATION									
	1923	1922	1921	1920	1919	1918	1917	1916	1915	1914
The registration area [1]	153.7	133.5	99.8	208.3	222.3	587.0	167.8	164.3	149.1	136.4
Registration States [2]	153.6	133.4	99.5	207.3	221.8	584.6	165.8	164.7	147.2	133.7
Cities in registration States [2]	160.3	143.9	110.7	229.7	234.7	667.6	192.1	185.6	168.7	157.2
Rural part of registration States	147.5	123.6	88.6	186.3	210.5	509.8	142.7	145.7	125.8	110.7
Registration cities in nonregistration States	159.0	141.9	120.5	261.0	250.1	696.0	192.4	158.4	173.4	170.8
All registration cities [2]	160.2	143.9	111.1	230.7	235.2	668.9	192.1	181.9	169.4	159.1
California	122.1	138.2	96.5	164.5	214.7	537.8	115.7	112.7	102.4	95.9
Colorado	166.2	191.0	130.4	287.1	253.5	766.5	142.8	122.2	170.5	125.6
Connecticut	146.7	144.8	103.1	221.5	224.5	767.7	226.4	229.1	169.2	164.5
Delaware	187.1	140.1	124.7	207.1	289.7	(3)	(3)	(3)	(3)	(3)
Florida	99.6	83.3	61.5	164.4	164.7	(3)	(3)	(3)	(3)	(3)
White	81.7	73.4	50.6	153.5	146.1	(3)	(3)	(3)	(3)	(3)
Colored	136.9	103.6	83.3	185.9	200.2	(3)	(3)	(3)	(3)	(3)
Georgia	150.4	120.8	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	131.8	111.9	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	177.7	132.4	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Idaho	80.4	107.8	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Illinois	140.4	114.9	87.6	213.2	187.9	498.8	(3)	(3)	(3)	(3)
Indiana	164.0	138.9	88.2	211.7	213.7	408.1	146.2	147.1	126.1	113.5
Iowa	126.3	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Kansas	152.7	115.8	68.8	180.5	188.1	474.4	144.7	128.2	116.7	79.2
Kentucky	181.6	138.0	87.1	197.6	284.6	537.3	144.7	152.7	118.0	123.5
White	168.9	127.5	80.0	185.1	267.1	514.2	131.4	142.4	103.8	112.0
Colored	306.1	239.3	155.5	313.6	445.3	744.4	262.1	242.5	239.5	219.3
Louisiana	140.0	111.9	83.2	158.8	229.7	537.2	(3)	(3)	(3)	(3)
White	115.8	94.3	68.8	137.8	210.4	444.7	(3)	(3)	(3)	(3)
Colored	179.9	140.4	106.2	192.1	259.6	678.0	(3)	(3)	(3)	(3)
Maine	193.3	175.3	130.5	228.6	229.2	589.4	190.6	189.8	166.0	160.7
Maryland	196.0	129.2	116.4	200.7	238.4	803.6	205.6	202.1	171.0	166.7
White	164.9	111.7	100.1	175.6	204.4	758.5	162.2	167.5	140.3	138.9
Colored	352.5	216.5	197.3	324.6	404.9	1023.3	415.3	367.5	316.8	297.9
Massachusetts	151.4	147.0	107.5	197.0	207.8	726.7	184.4	193.4	170.7	162.8
Michigan	146.5	108.9	79.5	233.6	192.2	389.3	139.5	133.6	111.9	95.9
Minnesota	102.0	83.9	71.7	148.8	166.9	390.5	105.6	104.2	100.3	102.3
Mississippi	148.3	108.3	78.8	161.3	261.8	(3)	(3)	(3)	(3)	(3)
White	125.7	96.3	69.5	130.8	189.7	(3)	(3)	(3)	(3)	(3)
Colored	168.9	119.3	87.3	189.3	327.1	(3)	(3)	(3)	(3)	(3)
Missouri	188.1	146.4	94.6	261.2	206.1	476.6	181.4	167.9	144.2	120.4
Montana	91.2	121.5	80.1	157.8	225.4	762.7	145.9	122.1	117.7	107.8
Nebraska	122.5	109.2	72.6	143.1	(3)	(3)	(3)	(3)	(3)	(3)
New Hampshire	189.0	155.7	111.0	199.0	231.6	751.6	193.7	177.1	153.2	145.9
New Jersey	144.6	139.0	108.0	191.9	226.5	769.4	189.7	203.5	163.4	161.6
New York	146.1	144.0	109.0	205.4	233.7	598.2	195.2	187.4	185.2	167.5

Table AF—Con.

AREA	DEATH RATE FROM INFLUENZA AND PNEUMONIA (ALL FORMS) PER 100,000 ESTIMATED POPULATION									
	1923	1922	1921	1920	1919	1918	1917	1916	1915	1914
North Carolina	152.3	139.4	89.4	218.1	234.4	503.1	122.1	129.6	[4] 148.4	[4] 168.5
White	129.9	127.0	79.7	195.2	190.0	423.9	102.2	105.9	102.2	121.9
Colored	205.2	168.3	111.7	271.0	336.4	683.1	167.2	182.6	235.7	256.7
Ohio	158.4	122.0	94.7	201.4	222.0	494.3	160.3	161.9	135.2	114.5
Oregon	106.2	142.0	79.2	168.8	189.1	334.5	(3)	(3)	(3)	(3)
Pennsylvania	201.5	167.5	146.9	251.4	236.5	883.1	211.1	202.2	168.9	157.6
Rhode Island	159.6	155.4	109.2	223.0	239.2	681.2	211.9	195.8	185.8	157.2
South Carolina	152.8	143.1	94.7	247.3	291.5	632.6	137.4	131.9	(3)	(3)
White	121.1	131.3	82.8	197.4	215.8	528.0	106.4	104.5	(3)	(3)
Colored	184.4	154.7	106.2	294.8	362.6	729.5	165.8	156.5	(3)	(3)
Tennessee	195.0	146.0	94.9	220.0	234.8	476.0	135.3	(3)	(3)	(3)
White	166.2	130.3	83.1	194.3	207.1	423.4	114.9	(3)	(3)	(3)
Colored	321.5	213.7	145.1	328.1	349.8	691.1	217.5	(3)	(3)	(3)
Utah	110.7	162.7	116.0	252.4	270.8	508.8	123.6	128.6	119.5	121.3
Vermont	189.5	161.8	117.8	236.8	228.9	597.2	205.2	205.0	150.0	134.8
Virginia	174.8	125.0	92.5	202.9	267.2	621.1	145.4	157.5	131.1	117.0
White	149.2	106.4	72.1	169.6	210.8	581.2	110.6	117.6	102.0	88.5
Colored	237.0	169.5	141.1	281.7	398.4	712.8	224.4	246.7	195.7	179.5
Washington	84.6	103.1	70.7	175.7	187.9	411.5	76.5	81.2	78.4	62.1
Wisconsin	132.1	107.2	82.1	178.1	178.5	405.6	134.8	137.9	119.6	101.8
Wyoming	118.0	114.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
CITIES OF 100,000 POPULATION OR MORE IN 1920										
Akron	(5)	93.6	81.0	318.1	274.9	560.9	156.5	135.6	103.5	80.9
Albany	167.0	151.5	93.0	181.6	244.8	679.1	187.4	191.2	187.1	140.7
Atlanta	256.0	192.9	134.0	311.5	291.4	478.4	171.2	161.1	165.7	164.4
White	146.0	119.9	90.9	222.9	208.8	362.2	85.2	76.6	99.3	94.6
Colored	509.7	359.8	229.7	506.5	471.9	730.3	355.8	340.7	305.5	309.8
Baltimore	215.3	147.8	137.4	228.7	230.6	836.5	251.9	249.6	207.1	216.6
White	174.1	124.3	119.2	197.5	202.5	787.8	188.5	203.3	169.3	177.2
Colored	452.7	234.1	242.2	408.3	392.0	1086.9	580.5	492.1	406.0	426.6
Birmingham	223.0	166.5	155.9	304.6	319.1	843.6	334.7	168.4	158.1	198.3
White	143.7	105.1	100.9	200.0	218.3	676.3	140.6	98.3	114.7	131.3
Colored	345.9	261.3	240.8	466.2	494.9	1101.8	634.3	276.6	225.0	301.8
Boston	183.8	183.7	127.3	247.1	256.3	844.7	228.0	231.5	214.6	199.6
Bridgeport	(5)	142.8	104.5	240.9	272.3	825.4	304.0	357.7	206.0	189.9
Buffalo	139.0	111.0	77.2	183.9	206.2	637.5	184.0	173.5	168.7	147.3
Cambridge	157.9	173.9	96.9	201.0	180.0	676.5	164.2	177.0	157.3	171.1
Camden	220.7	189.5	175.4	251.2	290.8	1259.0	288.2	261.8	245.7	245.2
Chicago	134.7	112.1	91.2	223.9	191.5	516.6	201.7	168.4	172.7	181.4
Cincinnati	188.7	160.3	111.3	189.1	253.2	605.4	171.3	178.5	163.4	153.1
Cleveland	141.2	115.6	94.3	203.1	260.5	590.9	198.5	187.8	155.1	112.6
Columbus	193.4	111.2	98.9	243.1	213.5	451.9	168.1	187.2	136.5	121.2
Dallas	146.0	133.2	85.9	199.3	170.8	615.8	119.6	81.4	(3)	(3)
White	120.0	98.4	73.8	172.4	145.9	572.8	97.3	67.9	(3)	(3)
Colored	305.2	340.5	155.7	351.1	308.7	845.8	236.3	149.8	(3)	(3)
Dayton	145.6	92.7	60.7	176.2	154.6	525.2	157.8	150.5	142.7	102.1
Denver	193.4	205.2	179.7	348.3	228.5	727.7	134.4	143.6	184.8	147.8
Des Moines	127.7	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Detroit	(5)	151.2	94.7	316.7	242.4	413.4	194.7	179.6	148.1	137.7
Fall River	139.8	203.7	151.6	186.7	216.8	799.7	229.7	286.5	213.5	248.8
Fort Worth	102.9	107.8	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	93.2	85.0	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	169.7	249.0	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Grand Rapids	129.5	89.1	60.2	147.0	93.8	282.7	89.6	80.1	100.0	81.6
Hartford	145.2	149.2	126.0	272.0	319.8	876.5	337.6	289.7	211.9	194.2
Houston	121.8	101.3	75.1	194.6	204.0	519.7	109.9	(3)	(3)	(3)
White	100.9	80.3	65.3	143.5	185.2	485.8	98.0	(3)	(3)	(3)
Colored	190.8	169.0	106.0	352.5	261.2	618.5	143.9	(3)	(3)	(3)
Indianapolis	173.9	159.7	100.1	240.9	240.6	459.4	156.6	153.7	146.7	142.8
White	151.4	146.9	86.6	218.0	218.5	440.6	136.3	140.9	132.9	133.7
Colored	347.3	259.7	206.7	423.2	419.0	615.2	326.8	261.9	264.5	222.4
Jersey City	155.0	150.4	133.1	233.9	317.0	756.6	221.8	211.3	211.2	179.4
Kansas City, Kans	210.8	167.0	104.0	289.0	246.7	750.6	205.1	163.8	246.6	150.5
White	187.4	148.2	97.0	277.0	242.0	758.5	180.0	142.7	216.9	134.7
Colored	344.9	277.5	144.3	359.8	274.7	701.6	364.4	300.5	445.2	258.2
Kansas City, Mo	195.3	191.0	113.4	353.6	301.1	718.1	205.0	138.7	176.1	125.1
Los Angeles	(5)	127.6	76.7	118.8	186.8	484.5	93.3	90.0	87.4	80.5
Louisville	207.2	154.5	105.4	197.2	357.8	1012.9	209.5	185.2	156.5	172.7
White	175.1	118.4	82.1	161.3	310.9	1012.3	162.1	147.2	111.2	134.3
Colored	378.5	345.7	220.2	371.8	585.0	1015.5	435.9	365.7	369.6	351.5
Lowell	212.0	132.8	123.1	224.6	198.4	696.1	183.6	197.4	191.3	155.8
Memphis	315.2	204.3	137.6	311.4	340.6	666.1	219.0	(6)	179.3	178.3
White	212.3	135.0	92.3	216.6	261.5	608.0	124.5	(6)	111.4	91.6
Colored	493.3	322.8	214.1	469.2	478.6	766.0	379.0	(6)	290.7	318.2
Milwaukee	137.8	102.1	83.8	216.1	187.7	474.1	186.3	172.2	158.9	122.6
Minneapolis	99.2	99.5	97.0	191.4	169.4	387.7	126.3	124.1	121.6	128.7
Nashville	270.7	191.2	154.9	304.9	301.0	910.2	188.6	(6)	179.9	197.0
White	210.7	168.4	117.7	238.1	223.7	844.0	147.0	(6)	130.0	127.6
Colored	416.9	245.8	242.8	460.8	479.1	1060.4	281.8	(6)	288.7	346.0
New Bedford	166.8	163.8	108.0	244.1	222.6	895.1	228.0	211.8	195.7	193.0

See footnotes at end of table.

Table AF—Con. AREA	DEATH RATE FROM INFLUENZA AND PNEUMONIA (ALL FORMS) PER 100,000 ESTIMATED POPULATION									
	1923	1922	1921	1920	1919	1918	1917	1916	1915	1914
CITIES OF 100,000 POPULATION OR MORE IN 1920—con.										
New Haven	177.0	193.5	102.4	270.6	212.3	768.0	236.0	258.4	207.9	197.1
New Orleans	177.5	155.4	130.0	221.9	333.7	768.6	178.5	144.9	245.8	219.2
White	129.4	111.7	93.6	159.2	296.8	679.7	116.8	88.8	165.1	148.6
Colored	313.7	279.0	232.8	399.4	437.9	1019.0	352.0	302.8	472.3	417.1
New York	145.8	155.8	122.1	224.9	265.8	582.5	204.5	200.0	212.1	191.4
Bronx Borough	122.9	124.8	101.4	177.5	241.4	540.7	166.1	147.9	181.5	150.9
Brooklyn Borough	135.1	160.4	117.0	217.0	268.6	600.2	211.5	215.9	209.8	186.1
Manhattan Borough	168.5	169.9	140.0	257.4	278.3	580.1	214.4	205.9	231.6	213.0
Queens Borough	129.2	126.6	97.4	183.7	222.0	537.0	181.1	174.8	162.6	155.1
Richmond Borough	144.3	145.5	105.6	198.1	294.8	760.3	193.3	194.3	183.7	145.1
Newark, N. J.	133.6	135.5	88.0	214.4	213.3	680.4	184.0	187.0	146.6	197.3
Norfolk	135.1	121.7	99.0	249.9	344.9	795.1	180.1	220.4	179.2	171.4
White	61.0	69.4	53.0	161.9	257.9	739.8	83.5	94.8	98.8	70.4
Colored	266.1	208.2	175.2	396.8	488.4	885.6	335.9	420.8	305.8	328.2
Oakland	86.6	99.8	76.8	182.1	238.2	496.9	96.3	86.7	98.6	91.2
Omaha	160.0	165.4	118.2	225.9	191.8	660.8	207.1	182.7	150.9	131.3
Paterson	151.1	159.5	122.9	188.5	235.7	683.6	192.2	226.3	159.4	157.6
Philadelphia	179.1	159.9	135.8	239.2	222.9	932.5	228.0	194.4	189.2	176.4
Pittsburgh	377.7	290.9	274.4	437.1	431.8	1243.6	380.4	364.3	260.1	249.8
Portland, Oreg.	110.0	139.0	77.0	162.8	246.4	448.2	72.4	77.4	69.6	74.5
Providence	159.3	165.1	120.6	252.2	253.3	737.4	221.7	219.0	191.4	179.1
Reading	174.0	153.6	116.4	211.6	162.1	762.8	195.3	199.9	99.8	100.2
Richmond	161.3	156.5	137.7	238.8	269.5	661.0	199.5	207.0	209.9	194.4
White	94.2	90.5	72.5	143.1	175.3	555.8	107.7	112.0	131.5	100.8
Colored	315.9	306.0	283.2	448.4	472.4	883.4	390.2	401.2	367.0	373.6
Rochester	103.8	108.1	69.7	126.1	152.8	522.7	151.7	128.3	121.8	143.0
St. Louis	187.7	165.2	129.8	262.9	202.3	536.5	227.0	200.4	156.7	164.6
St. Paul	126.5	101.3	74.4	176.9	145.9	480.6	112.0	97.6	127.8	124.4
Salt Lake City	109.3	169.4	89.7	270.8	256.6	522.9	119.0	146.1	109.6	108.2
San Antonio	133.8	124.7	92.2	194.3	168.3	735.9	216.2	112.3	127.1	139.6
San Francisco	122.7	139.9	98.0	195.6	283.3	647.7	126.4	130.1	130.6	120.6
Scranton	169.9	219.6	180.6	311.9	247.5	985.7	240.9	226.1	223.7	254.4
Seattle	(5)	88.4	62.5	157.6	189.8	425.5	58.9	61.2	74.7	64.0
Spokane	101.4	151.1	138.8	251.8	210.7	487.4	102.5	89.0	91.9	83.3
Springfield, Mass.	143.5	117.1	100.9	172.4	235.3	751.5	185.5	195.7	163.3	150.9
Syracuse	136.6	106.1	83.9	246.3	155.9	704.6	155.2	141.8	120.5	141.5
Toledo	125.1	113.1	75.3	166.6	181.9	401.0	152.4	159.6	126.8	107.5
Trenton	168.0	211.1	120.6	230.8	224.3	1071.6	209.7	321.1	218.6	229.9
Washington, D.C.	214.3	135.7	122.7	234.0	225.9	758.0	166.8	171.8	189.8	139.4
White	137.2	89.3	78.0	176.2	172.6	694.3	114.0	118.6	129.9	95.8
Colored	452.7	272.8	254.7	406.2	382.1	942.0	316.9	320.9	354.9	257.4
Wilmington, Del.	190.2	132.4	134.0	235.5	282.3	1058.5	304.9	258.8	219.0	190.7
Worcester	158.9	148.6	132.5	241.8	248.9	727.1	192.3	239.3	188.9	171.2
Yonkers	116.2	138.5	81.3	163.0	191.7	542.1	172.7	187.4	159.8	119.6
Youngstown	182.8	193.4	164.0	329.6	410.8	977.8	356.5	293.8	221.4	108.7

[1] Exclusive of Hawaii.
[2] Including District of Columbia.
[3] Not added to registration area until a later date.
[4] Includes only municipalities having a population of 1,000 or more in 1910.
[5] Rates are omitted pending the establishment of more satisfactory estimates of population.
[6] Transcripts of death certificates not received.

NOTE.—Capillary bronchitis is excluded from 1914 to 1920, inclusive.

ACUTE ANTERIOR POLIOMYELITIS

The number of deaths from acute anterior poliomyelitis in 1923 is 850, corresponding to a rate of 0.9 per 100,000 estimated population against a rate of 0.8 in 1922. In striking contrast to these stands out the high rate (10) for 1916.

Of the 37 States in the registration area for both 1922 and 1923, 18 have lower rates in 1923.

Of the 65 cities showing rates in 1923 only 3 have rates of 2 or more (Lowell (4.3), Omaha (3.4), and Grand Rapids (2.1)). Twenty cities show no deaths from this cause in 1923.

Table AG shows the rates per 100,000 estimated population for 1914 to 1923, with rates of 2 or more in bold-faced type.

Table AG AREA	DEATH RATE FROM ACUTE ANTERIOR POLIOMYELITIS PER 100,000 ESTIMATED POPULATION [Rates of 2 or more in bold-faced type]									
	1923	1922	1921	1920	1919	1918	1917	1916	1915	1914
The registration area (exclusive of Hawaii)	0.9	0.8	1.8	0.9	0.9	1.2	1.6	10.0	1.0	1.1
Registration States [1]	0.9	0.8	1.8	0.9	0.9	1.2	1.4	10.6	1.1	1.1
Cities in registration States [1]	0.7	0.8	1.8	0.9	0.6	1.0	1.1	15.0	0.9	0.9
Rural part of registration States	1.0	0.9	1.9	0.9	1.1	1.4	1.7	6.5	1.2	1.3
Registration cities in non-registration States	0.4	1.3	0.5	0.5	1.2	0.8	4.1	2.2	0.7	0.9
All registration cities [1]	0.7	0.8	1.7	0.9	0.7	1.0	6.5	13.3	0.9	0.9
California	1.1	0.7	1.5	0.8	0.3	0.6	0.7	0.9	0.8	1.2
Colorado	0.3	0.5	0.8	0.6	0.9	1.0	0.3	0.4	0.7	0.9
Connecticut	0.6	1.1	1.8	1.2	0.6	0.7	1.3	18.6	1.0	0.5
Delaware	1.3	-----	-----	-----	1.4	(2)	(2)	(2)	(2)	(2)
Florida	0.7	0.8	0.3	0.6	0.6	(2)	(2)	(2)	(2)	(2)
White	0.8	0.9	0.3	0.5	0.8	(2)	(2)	(2)	(2)	(2)
Colored	0.3	0.6	0.3	0.9	0.3	(2)	(2)	(2)	(2)	(2)
Georgia	1.4	0.9	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
White	1.5	1.0	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Colored	1.2	0.8	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Idaho	0.9	1.5	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Illinois	0.7	0.8	2.3	0.9	1.2	1.8	(2)	(2)	(2)	(2)
Indiana	0.8	0.7	1.3	0.5	1.0	0.8	1.1	1.9	0.7	1.2
Iowa	0.9	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Kansas	1.6	0.7	2.0	0.6	1.1	0.6	1.0	1.4	1.2	0.8
Kentucky	0.9	1.2	0.9	0.8	1.0	2.2	1.7	2.1	1.0	1.2
White	0.9	1.1	1.0	0.7	0.9	2.1	1.7	2.1	1.0	1.2
Colored	0.4	1.7	0.4	1.7	1.7	2.9	1.6	2.0	0.4	0.4
Louisiana	0.9	0.7	0.3	0.8	0.6	0.7	(2)	(2)	(2)	(2)
White	0.9	0.7	0.4	0.7	0.7	1.1	(2)	(2)	(2)	(2)
Colored	1.0	0.6	0.1	0.9	0.4	0.1	(2)	(2)	(2)	(2)
Maine	0.9	0.8	2.2	1.2	0.3	0.9	0.7	3.7	0.8	1.1
Maryland	0.5	0.9	2.5	0.9	2.6	1.3	1.2	8.0	1.5	1.1
White	0.3	0.7	2.7	0.6	2.8	1.3	1.1	7.5	1.1	0.7
Colored	1.2	2.0	1.6	2.4	1.6	1.2	1.7	10.4	3.8	2.9
Massachusetts	0.9	0.9	1.2	3.9	0.4	1.0	1.3	12.6	1.1	1.4
Michigan	0.8	0.6	3.0	0.9	2.2	1.5	1.2	4.5	1.1	1.1
Minnesota	0.6	0.8	3.9	0.7	0.8	1.4	0.8	4.7	1.3	0.7
Mississippi	0.8	0.9	0.9	0.9	1.1	(2)	(2)	(2)	(2)	(2)
White	0.7	0.7	1.3	1.4	1.1	(2)	(2)	(2)	(2)	(2)
Colored	0.9	1.1	0.6	0.5	1.1	(2)	(2)	(2)	(2)	(2)
Missouri	0.9	0.6	1.7	0.9	1.1	0.9	1.5	1.4	1.2	1.1
Montana	1.0	1.2	0.3	0.9	0.6	1.3	1.6	4.9	0.2	0.9
Nebraska	1.9	0.4	2.2	0.8	(2)	(2)	(2)	(2)	(2)	(2)
New Hampshire	0.2	1.3	0.4	2.5	0.7	1.8	2.0	5.7	2.1	2.1
New Jersey	1.2	0.9	1.5	0.6	0.5	0.5	1.4	41.2	0.8	0.7
New York	1.2	1.5	2.6	0.6	0.6	0.8	1.2	33.9	0.7	0.9
North Carolina	0.9	0.8	1.0	0.9	0.7	0.8	1.4	2.0	[3] 1.2	[3] 2.5
White	0.8	0.7	1.0	1.1	0.9	0.6	1.5	2.1	0.3	1.9
Colored	1.2	0.9	0.9	0.4	0.3	1.3	1.2	1.7	3.0	3.7
Ohio	0.4	0.5	1.4	0.8	0.7	1.2	2.3	2.4	1.8	1.1
Oregon	0.5	0.2	2.5	0.6	0.3	0.3	(2)	(2)	(2)	(2)
Pennsylvania	0.7	0.4	0.9	0.6	0.6	1.2	1.7	8.0	1.0	0.8
Rhode Island	0.5	2.4	0.5	-----	0.2	0.8	1.2	7.4	1.2	1.6
South Carolina	0.9	0.9	1.0	0.7	1.1	1.1	1.0	1.8	(2)	(2)
White	0.9	0.8	1.1	0.7	1.2	1.3	1.3	2.0	(2)	(2)
Colored	0.8	1.0	0.9	0.7	0.9	1.0	0.8	1.8	(2)	(2)
Tennessee	1.1	0.9	1.3	0.8	0.9	1.4	1.2	(2)	(2)	(2)
White	1.0	1.0	1.2	0.7	0.7	1.3	1.2	(2)	(2)	(2)
Colored	1.6	0.7	1.8	1.1	1.3	1.8	1.1	(2)	(2)	(2)
Utah	0.2	0.9	1.1	0.2	0.7	0.5	0.2	0.7	0.7	1.2
Vermont	0.6	1.4	2.8	0.9	-----	0.3	4.2	3.4	5.1	15.2
Virginia	1.1	1.1	1.2	1.1	1.7	1.4	3.0	3.1	1.7	1.9
White	1.0	1.2	1.2	1.2	1.9	1.4	3.5	3.7	1.4	1.6
Colored	1.4	0.7	1.2	0.9	1.3	1.3	2.0	1.6	2.3	2.6
Washington	0.8	0.6	3.8	0.3	0.7	0.5	0.5	0.9	0.6	0.9
Wisconsin	0.7	0.9	2.6	0.7	1.9	3.8	1.0	2.7	0.5	0.8
Wyoming	0.5	1.0	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
CITIES OF 100,000 POPULATION OR MORE IN 1920										
Akron	-----	0.5	3.4	-----	1.0	0.5	10.9	4.4	11.3	3.1
Albany	1.7	-----	-----	-----	0.9	-----	0.9	3.7	0.9	1.9
Atlanta	1.3	0.9	-----	-----	2.0	0.5	0.5	0.5	1.1	0.6
White	-----	1.3	-----	-----	1.5	0.8	0.8	-----	-----	0.8
Colored	4.4	-----	-----	-----	3.2	-----	-----	1.7	3.5	-----

See footnotes at end of table.

Table AG—Con.

DEATH RATE FROM ACUTE ANTERIOR POLIOMYELITIS PER 100,000 ESTIMATED POPULATION

[Rates of 2 or more in bold-faced type]

AREA	1923	1922	1921	1920	1919	1918	1917	1916	1915	1914
CITIES OF 100,000 POPULATION OR MORE IN 1920—con.										
Baltimore	0.1	0.4	3.1	0.7	3.8	0.8	0.2	11.5	1.0	0.7
White	0.2	0.5	3.0	0.3	4.0	1.0	0.2	9.4	0.8	0.8
Colored	-----	-----	3.6	2.7	2.8	-----	-----	22.6	2.1	-----
Birmingham	1.0	2.1	-----	0.6	2.8	0.6	0.6	1.2	1.3	2.6
White	1.7	0.9	-----	-----	2.8	-----	-----	1.0	-----	1.1
Colored	-----	4.0	-----	1.4	2.9	1.5	1.5	1.6	3.2	5.0
Boston	1.3	1.6	1.7	6.5	0.5	1.4	0.5	23.3	0.7	1.4
Bridgeport	-----	1.4	2.8	0.7	0.7	-----	0.8	17.9	1.6	1.7
Buffalo	0.7	0.8	1.0	-----	0.2	1.0	0.2	1.0	1.1	0.7
Cambridge	-----	-----	-----	6.4	-----	1.8	0.9	3.7	-----	0.9
Camden	-----	0.8	-----	-----	-----	-----	1.8	22.1	0.9	-----
Chicago	0.2	0.6	1.1	0.7	0.8	1.1	7.5	2.0	0.6	0.9
Cincinnati	-----	0.2	0.7	0.5	0.2	1.0	1.5	1.3	0.5	0.3
Cleveland	0.2	0.2	0.7	0.4	0.3	0.7	0.7	1.5	2.0	0.8
Columbus	0.8	0.4	1.6	-----	0.4	2.6	0.9	1.8	0.5	0.5
Dallas	-----	1.7	-----	-----	0.6	1.5	0.8	2.5	(2)	(2)
White	-----	2.0	-----	-----	-----	1.8	-----	2.0	(2)	(2)
Colored	-----	-----	-----	-----	4.2	-----	4.9	5.0	(2)	(2)
Dayton	-----	1.2	2.5	0.6	1.3	-----	2.1	2.9	0.7	1.5
Denver	-----	0.4	1.1	0.8	0.4	0.8	-----	0.4	0.4	0.9
Des Moines	0.7	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Detroit	(4)	0.1	2.3	0.6	0.4	0.7	0.6	2.0	0.1	0.6
Fall River	1.7	0.8	-----	-----	-----	0.8	0.8	1.7	-----	2.5
Fort Worth	0.7	1.6	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
White	0.8	1.0	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Colored	-----	5.9	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Grand Rapids	2.1	2.1	0.7	0.7	-----	2.2	0.8	5.5	-----	2.4
Hartford	0.7	1.4	2.9	2.1	1.5	0.8	1.6	12.9	-----	-----
Houston	-----	-----	1.4	0.7	1.5	0.8	-----	-----	(2)	(2)
White	-----	-----	1.8	-----	1.9	-----	-----	-----	(2)	(2)
Colored	-----	-----	-----	2.9	-----	3.2	-----	-----	(2)	(2)
Indianapolis	0.6	-----	0.3	0.3	0.6	-----	0.3	2.1	0.4	1.1
White	0.7	-----	0.3	0.4	0.7	-----	0.4	2.3	0.4	1.3
Jersey City	0.6	0.3	1.3	0.7	0.3	0.7	0.7	12.2	0.4	-----
Kansas City, Kans	0.9	0.9	1.0	-----	1.0	2.0	2.1	1.1	2.2	-----
White	1.0	-----	1.1	-----	1.2	1.2	2.4	1.2	2.5	-----
Colored	-----	6.0	-----	-----	-----	7.3	-----	-----	-----	-----
Kansas City, Mo	1.1	-----	3.0	0.9	0.9	0.6	2.6	-----	1.0	0.4
Los Angeles	(4)	1.3	1.1	0.8	0.5	0.2	1.4	1.0	1.3	0.5
Louisville	0.8	0.4	0.4	1.3	0.4	0.4	1.3	0.4	-----	0.4
White	0.5	-----	0.5	1.0	0.5	-----	1.6	0.5	-----	0.5
Colored	2.5	2.5	-----	2.5	-----	2.5	-----	-----	-----	-----
Lowell	4.3	0.9	-----	5.3	2.7	3.6	1.8	3.6	1.8	2.7
Memphis	-----	-----	-----	0.6	-----	0.7	0.7	(5)	2.1	-----
White	-----	-----	-----	-----	-----	-----	1.1	(5)	-----	-----
Colored	-----	-----	-----	1.6	-----	1.8	-----	(5)	5.6	-----
Milwaukee	1.0	0.8	1.5	0.2	3.3	6.7	0.7	0.7	0.7	0.2
Minneapolis	0.5	0.2	2.5	0.8	0.5	0.5	0.6	3.1	0.6	0.9
Nashville	1.6	-----	0.8	-----	-----	1.7	-----	(5)	1.7	-----
White	1.2	-----	-----	-----	-----	2.5	-----	(5)	1.3	-----
Colored	2.8	-----	2.8	-----	-----	-----	-----	(5)	2.8	-----
New Bedford	0.8	3.9	-----	-----	0.8	-----	-----	0.9	0.9	0.9
New Haven	0.6	3.5	1.8	0.6	0.6	1.3	0.6	27.0	1.3	0.7
New Orleans	0.5	0.8	0.3	0.5	0.3	0.5	0.5	0.5	-----	0.3
White	0.7	0.7	0.3	0.7	-----	0.7	0.7	0.4	-----	0.4
Colored	-----	1.0	-----	-----	1.0	-----	-----	1.0	-----	-----
New York	1.2	1.0	2.5	0.7	.4	0.7	1.3	46.3	0.5	0.7
Bronx Borough	0.5	1.0	3.3	0.8	0.3	0.6	2.4	28.4	0.8	2.1
Brooklyn Borough	1.1	0.9	2.3	0.8	0.5	0.8	1.1	61.3	0.5	0.6
Manhattan Borough	1.2	1.2	2.2	0.4	0.4	0.6	1.0	31.8	0.5	0.5
Queens Borough	1.5	0.6	3.2	1.3	0.2	1.1	1.7	84.5	0.5	0.8
Richmond Borough	4.7	0.8	0.8	0.8	-----	-----	-----	55.9	-----	-----
Newark, N. J	1.4	0.7	1.4	1.4	0.7	1.0	2.5	87.4	0.3	-----
Norfolk	-----	-----	-----	-----	1.8	-----	-----	-----	1.0	2.1
White	-----	-----	-----	-----	1.4	-----	-----	-----	-----	1.7
Colored	-----	-----	-----	-----	2.3	-----	-----	-----	2.6	2.7
Oakland	-----	0.4	1.8	-----	-----	0.5	0.5	-----	-----	1.1
Omaha	3.4	-----	2.0	0.5	-----	1.6	2.2	-----	-----	1.4
Paterson	0.7	2.9	3.6	-----	-----	-----	0.8	17.4	0.8	1.5
Philadelphia	0.3	0.3	0.4	0.3	0.2	0.8	1.0	18.1	0.5	0.7
Pittsburgh	0.5	0.2	1.7	0.2	0.3	1.2	1.0	2.5	0.7	0.4
Portland, Oreg	0.4	-----	1.1	0.4	0.4	0.4	-----	1.2	-----	-----
Providence	-----	5.0	-----	-----	-----	0.4	0.9	8.6	0.4	-----
Reading	-----	-----	0.9	1.8	-----	-----	-----	-----	1.9	1.0
Richmond	-----	1.7	0.6	-----	0.6	1.8	0.6	1.8	0.6	0.7
White	-----	1.6	-----	-----	0.9	0.9	0.9	2.8	-----	-----
Colored	-----	1.8	1.8	-----	-----	3.7	-----	-----	1.9	2.1
Rochester	0.9	1.3	0.3	0.3	-----	1.1	-----	1.1	1.2	0.4
St. Louis	0.4	0.6	2.9	1.0	1.0	1.1	0.3	0.5	1.2	0.4
St. Paul	0.8	1.3	1.7	-----	0.4	0.9	0.4	3.5	0.4	-----
Salt Lake City	-----	1.6	3.3	0.8	-----	-----	0.9	-----	-----	1.9

See footnotes at end of table.

Table AG—Con.

DEATH RATE FROM ACUTE ANTERIOR POLIOMYELITIS PER 100,000 ESTIMATED POPULATION

[Rates of 2 or more in bold-faced type]

AREA	1923	1922	1921	1920	1919	1918	1917	1916	1915	1914
CITIES OF 100,000 POPULATION OR MORE IN 1920—con.										
San Antonio	-----	0.6	-----	-----	1.3	1.3	-----	2.9	2.3	-----
San Francisco	0.4	0.4	2.1	0.2	-----	0.6	0.2	0.8	0.2	1.3
Scranton	0.7	1.4	-----	1.4	0.7	0.7	2.2	3.0	0.7	2.3
Seattle	(4)	1.0	4.1	-----	-----	-----	1.0	1.0	-----	0.4
Spokane	1.0	1.0	17.2	1.0	1.0	1.0	-----	-----	-----	-----
Springfield, Mass	-----	-----	0.7	0.8	-----	0.8	6.7	20.0	2.7	1.9
Syracuse	0.5	6.1	1.1	0.6	0.6	-----	0.6	40.8	-----	3.9
Toledo	-----	0.8	0.8	1.2	1.3	1.3	1.3	11.4	2.0	1.0
Trenton	0.8	1.6	0.8	-----	0.8	-----	0.9	34.2	0.9	0.9
Washington, D. C	0.6	-----	1.8	0.2	-----	2.4	0.7	1.5	1.0	0.3
White	0.8	-----	2.1	0.3	-----	2.6	0.7	1.7	-----	-----
Colored	-----	-----	0.9	-----	-----	0.9	0.9	1.0	3.9	1.0
Wilmington, Del	-----	-----	-----	-----	-----	-----	2.9	20.8	3.0	1.0
Worcester	0.5	-----	-----	-----	-----	0.6	1.2	2.4	0.6	0.6
Yonkers	0.9	-----	1.9	1.0	2.0	2.1	-----	46.3	-----	-----
Youngstown	0.7	-----	2.3	-----	0.8	-----	0.8	3.5	2.7	0.9

[1] Including District of Columbia.
[2] Not added to registration area until a later date.
[3] Includes only municipalities having a population of 1,000 or more in 1910.
[4] Rates are omitted, pending the establishment of more satisfactory estimates of population.
[5] Transcripts of death certificates not received.

LETHARGIC ENCEPHALITIS

The number of deaths in 1923 from lethargic encephalitis is 1,966 against 1,268 in 1922.

Table AH gives for the registration area and its subdivisions all deaths when lethargic encephalitis was given either as a primary or a contributory cause.

Table AH

DEATHS FROM LETHARGIC ENCEPHALITIS AS EITHER A PRIMARY OR CONTRIBUTORY CAUSE: 1922 AND 1923

AREA		Total		Primary cause		Contributory cause	
		1923	1922	1923	1922	1923	1922
The registration area (exclusive of Hawaii)		1,988	1,284	1,966	1,268	22	16
Registration States [1]		1,961	1,258	1,939	1,242	22	16
Cities in registration States [1]		1,409	923	1,394	911	15	12
Rural part of registration States		552	335	545	331	7	4
Registration cities in nonregistration States		27	26	27	26	-----	-----
All registration cities [1]		1,436	949	1,421	937	15	12
California	Urban	46	46	45	45	1	1
	Rural	25	23	25	23	-----	-----
Colorado	Urban	5	18	5	18	-----	-----
	Rural	11	7	10	7	1	-----
Connecticut	Urban	52	30	52	30	-----	-----
	Rural	4	2	4	2	-----	-----
Delaware	Urban	3	1	3	1	-----	-----
	Rural	2	-----	2	-----	-----	-----
Florida	Urban	2	2	2	2	-----	-----
	Rural	4	2	4	2	-----	-----
Georgia	Urban	9	14	9	14	-----	-----
	Rural	7	9	6	9	1	-----
Idaho	Urban	2	1	2	1	-----	-----
	Rural	10	5	9	5	1	-----
Illinois	Urban	49	38	48	38	1	-----
	Rural	33	18	33	18	-----	-----
Indiana	Urban	26	13	26	13	-----	-----
	Rural	14	11	14	10	-----	1
Iowa	Urban	8	(2)	8	(2)	-----	(2)
	Rural	20	(2)	20	(2)	-----	(2)
Kansas	Urban	10	4	10	4	-----	-----
	Rural	20	8	20	8	-----	-----
Kentucky	Urban	6	4	6	4	-----	-----
	Rural	6	10	6	10	-----	-----

[1] Including District of Columbia.
[2] Not added to registration area until a later date.

Table AH—Con.

AREA		DEATHS FROM LETHARGIC ENCEPHALITIS AS EITHER A PRIMARY OR CONTRIBUTORY CAUSE: 1922 AND 1923					
		Total		Primary cause		Contributory cause	
		1923	1922	1923	1922	1923	1922
Louisiana	Urban	6	4	6	3		1
	Rural	2	2	2	2		
Maine	Urban	3	3	3	3		
	Rural	2	8	2	8		
Maryland	Urban	38	21	37	21	1	
	Rural	9	5	9	5		
Massachusetts	Urban	69	74	68	74	1	
	Rural	18	9	18	9		
Michigan	Urban	50	28	48	27	2	1
	Rural	23	23	23	22		1
Minnesota	Urban	86	25	83	24	3	1
	Rural	36	15	36	15		
Mississippi	Urban	4	4	4	4		
	Rural	4		4			
Missouri	Urban	29	21	28	21	1	
	Rural	20	9	19	8	1	1
Montana	Urban	8	3	8	3		
	Rural	5	4	5	4		
Nebraska	Urban	8	7	8	7		
	Rural	13	7	13	7		
New Hampshire	Urban	3	2	3	2		
New Jersey	Urban	92	39	92	39		
	Rural	23	11	22	11	1	
New York	Urban	400	259	398	255	2	4
	Rural	39	23	38	22	1	1
North Carolina	Urban	4	2	4	2		
	Rural	12	4	12	4		
Ohio	Urban	100	68	99	67	1	1
	Rural	48	39	48	39		
Oregon	Urban	22	4	21	4	1	
	Rural	10	7	9	7	1	
Pennsylvania	Urban	112	83	112	82		1
	Rural	53	20	53	20		
Rhode Island	Urban	10	12	10	12		
	Rural	1		1			
South Carolina	Urban	7	4	7	4		
	Rural	12	6	12	6		
Tennessee	Urban	12	10	12	10		
	Rural	11	13	11	13		
Utah	Urban	4	5	4	5		
	Rural	5		5			
Vermont	Urban		1		1		
	Rural		2		2		
Virginia	Urban	11	7	11	6		1
	Rural	10	8	10	8		
Washington	Urban	72	36	71	35	1	1
	Rural	23	13	23	13		
Wisconsin	Urban	28	18	28	18		
	Rural	15	12	15	12		
Wyoming	Rural	2		2			
Washington, D. C.		13	12	13	12		

The deaths and death rates from encephalitis and lethargic encephalitis in the registration area are shown in Table AI.

Table AI

CAUSE OF DEATH	DEATHS IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII)									
	Number					Rate per 100,000 estimated population				
	1923	1922	1921	1920	1919	1923	1922	1921	1920	1919
Total	3,232	2,295	2,828	2,602	1,492	3.3	2.5	3.2	3.0	1.8
Encephalitis	1,245	1,011	1,119	1,097	903	1.3	1.1	1.3	1.3	1.1
Lethargic encephalitis [1]	1,988	1,284	1,709	1,505	589	2.0	1.4	1.9	1.7	0.7

[1] Includes all deaths when lethargic encephalitis is given as cause of death.

The fairly constant death rate from encephalitis in recent years supports the contention that the marked increase in the rate from lethargic encephalitis since 1919 is real and not due to a shift in certification from encephalitis to lethargic encephalitis.

OTHER EPIDEMIC AND ENDEMIC DISEASES

In the detailed International List of Causes of Death, titles 1 to 25 are assigned to the epidemic and endemic diseases, of which 10 have been discussed. Of the others, no deaths are reported in 1923 for relapsing fever (spirillum obermeieri), miliary fever, Asiatic cholera, plague, and yellow fever. Every effort has been made by the Census Bureau to authenticate the returns of rare diseases before tabulating them under the designated titles; each case has been made the subject of a special inquiry, and either the existence of the disease has been verified or no reply has been received; in the latter case there is no alternative but to classify the death as reported. In 1923 typhus fever is the cause of 2 deaths: 1 each in La Grange and Savannah, Ga.; Malta fever caused 1 death in Salt Lake City, Utah; leprosy, 29 deaths: 13 in Iberville Parish, La., 5 in New Orleans, La., 3 in San Francisco, Calif., 2 each in Los Angeles and Contra Costa County, Calif., and 1 each in Santa Clara County, Calif., Key West, Fla., Plaquemines Parish, La., and Texas County, Mo. Mumps caused 83 deaths; cholera nostras, 153; dysentery, 3,118; spirochetal hemorrhagic jaundice, 29; erysipelas, 2,593; and meningococcus meningitis, 1,026.

Under the title "Other epidemic and endemic diseases" is included a miscellaneous collection of diseases, and in 1923 the number of deaths charged to these is 361, distributed as follows: Chicken pox, 165; German measles, 14; acrodynia, 7 deaths—1 each in Fresno and Sutter Counties, Calif., Chicago, Ill., Kenton County, Ky., Allen County, Ohio, Williamsport, Pa., and Ogden, Utah; dengue fever, 110 deaths—19 in Florida, 17 in Georgia, 52 in Louisiana, 5 in Mississippi, 2 in South Carolina, 1 each in Kentucky and Wisconsin; and 13 in registration cities in nonregistration States—2 in Alabama and 11 in Texas; Rocky Mountain spotted fever, 36 deaths; glandular fever, 13 deaths; Devil's grip, 12 deaths; milk-sickness, 3; and trypanosomiasis, 1 death in Wayne County, Nebr.

GLANDERS

In 1923 no deaths are reported as due to glanders. The distribution of deaths from this cause for 1913 to 1922, inclusive, is shown in Table AL, Mortality Statistics, 1922.

ANTHRAX

The distribution of deaths from anthrax for 1914 to 1923, inclusive, is shown in Table AJ.

Table AJ

AREA		NUMBER OF DEATHS FROM ANTHRAX									
		1923	1922	1921	1920	1919	1918	1917	1916	1915	1914
The registration area (exclusive of Hawaii)		24	40	32	39	45	43	62	28	35	19
Registration States [1]		22	37	31	37	45	41	60	25	34	16
Cities in registration States [1]		12	13	17	21	28	19	41	15	19	11
Rural part of registration States		10	24	14	16	17	22	19	10	15	5
Registration cities in nonregistration States		2	3	1	2	----	2	2	3	1	3
All registration cities [1]		14	16	18	23	28	21	43	18	20	14
California	Urban	1	1	----	----	1	2	3	----	1	----
	Rural	3	1	1	----	1	2	3	----	1	1
Colorado	Urban	----	----	----	----	2	----	----	----	----	----
	Rural	----	1	----	----	1	1	2	----	1	----
Connecticut	Urban	----	----	----	1	1	----	1	1	2	----
	Rural	----	----	----	----	----	1	----	----	1	1
Delaware	Urban	----	----	2	----	----	(2)	(2)	(2)	(2)	(2)
	Rural	----	1	----	----	----	(3)	(3)	(3)	(3)	(3)
Florida	Rural	1	1	----	----	----	(3)	(3)	(3)	(3)	(3)
Georgia	Rural	2	----	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Illinois	Urban	1	1	1	4	2	----	(2)	(2)	(2)	(2)
	Rural	----	3	----	----	1	----	(3)	(3)	(3)	(3)
Indiana	Urban	----	----	----	----	----	1	1	----	----	----
	Rural	----	1	1	----	----	2	----	----	1	----
Iowa	Urban	1	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Kansas	Urban	----	----	1	----	1	----	1	----	----	----
	Rural	----	2	----	----	1	1	1	----	----	----
Kentucky	Urban	----	----	----	----	----	1	----	----	----	----
	Rural	----	1	----	----	----	----	----	2	----	----
Louisiana	Urban	----	----	1	----	----	2	(3)	(3)	(3)	(3)
	Rural	----	1	1	5	3	4	(3)	(3)	(3)	(3)
Maine	Urban	----	----	----	----	----	----	----	----	----	1
	Rural	----	----	----	----	1	1	----	----	----	----
Maryland	Rural	1	----	----	----	----	----	1	----	----	----
Massachusetts	Urban	2	1	----	3	2	5	11	5	4	----
Michigan	Urban	----	----	----	1	1	----	----	1	----	----
	Rural	----	1	1	4	1	----	1	1	----	----
Minnesota	Urban	----	----	1	1	----	----	----	----	1	----
	Rural	----	----	----	2	1	----	----	----	1	----
Mississippi	Rural	----	----	1	----	----	(3)	(3)	(3)	(3)	(3)
Missouri	Urban	----	----	----	----	----	1	----	----	----	----
	Rural	----	1	----	----	----	----	1	1	----	----
Montana	Urban	----	----	----	1	----	----	----	----	----	----
	Rural	----	----	----	----	----	----	----	----	1	----
Nebraska	Urban	----	----	----	1	(2)	(2)	(2)	(2)	(2)	(2)
	Rural	----	1	----	----	(3)	(3)	(3)	(3)	(3)	(3)
New Hampshire	Urban	----	----	----	----	1	----	1	----	----	----
New Jersey	Urban	1	1	----	----	1	----	5	----	1	2
	Rural	----	----	----	1	----	2	1	----	1	----
New York	Urban	2	5	5	3	10	5	10	3	8	1
	Rural	----	----	1	2	1	3	2	1	5	----
North Carolina	Urban	----	----	----	1	----	----	----	----	----	----
	Rural	----	----	----	----	----	----	1	2	----	----
Ohio	Urban	----	----	1	1	----	1	----	----	----	1
	Rural	----	2	3	----	2	1	----	----	----	1
Oregon	Urban	----	----	----	----	1	----	(2)	(2)	(2)	(2)
	Rural	----	1	----	----	----	----	(3)	(3)	(3)	(3)
Pennsylvania	Urban	2	4	4	4	4	1	5	5	2	5
	Rural	3	----	1	----	1	2	5	2	2	1
South Carolina	Rural	----	----	1	----	----	2	----	----	(3)	(3)
Tennessee	Urban	----	----	1	----	----	----	----	(2)	(2)	(2)
	Rural	----	2	----	1	1	----	----	(3)	(3)	(3)
Utah	Rural	----	----	----	----	----	----	----	----	1	----
Vermont	Rural	----	----	1	1	1	----	1	----	----	----
Virginia	Urban	----	----	----	----	----	----	1	----	----	1
	Rural	----	2	1	----	----	----	----	----	----	----
Washington	Rural	----	----	1	----	----	----	----	1	----	----
Wisconsin	Urban	1	----	----	----	1	----	2	----	----	----
	Rural	----	1	----	----	1	----	----	----	----	1
Wyoming	Rural	----	1	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)

[1] Including District of Columbia.
[2] Included with cities in nonregistration States.
[3] Not added to registration area until a later date.

RABIES

In 1923 there are 55 deaths from rabies. The distribution of deaths from this cause is shown for 1914 to 1923, inclusive, in Table AK.

Table AK

AREA		NUMBER OF DEATHS FROM RABIES									
		1923	1922	1921	1920	1919	1918	1917	1916	1915	1914
The registration area (exclusive of Hawaii)		55	46	54	41	58	63	66	36	52	65
Registration States [1]		54	44	51	39	55	59	61	33	47	56
Cities in registration States [1]		23	25	26	18	30	35	36	16	32	34
Rural part of registration States		31	19	25	21	25	24	25	17	15	22
Registration cities in nonregistration States		1	2	3	2	3	4	5	3	5	9
All registration cities [1]		24	27	29	20	33	39	41	19	37	43
California	Urban	10	4	4	2	----	----	----	----	6	1
	Rural	2	----	2	2	----	----	----	1	----	2
Colorado	Urban	----	----	----	----	1	1	1	1	----	----
	Rural	1	----	----	----	1	----	1	----	----	----
Connecticut	Urban	----	----	----	----	----	----	3	----	----	----
Delaware	Rural	----	----	----	----	1	(2)	(2)	(2)	(2)	(2)
Florida	Urban	----	----	----	1	----	(3)	(3)	(3)	(3)	(3)
	Rural	1	----	1	1	2	(2)	(2)	(2)	(2)	(2)
Georgia	Urban	----	2	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
	Rural	----	6	(2)	(2)	(2)	(2)	(2)	(2)	(3)	(2)
Idaho	Urban	----	1	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
	Rural	1	----	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Illinois	Urban	----	----	1	1	1	1	(3)	(3)	(3)	(3)
	Rural	----	----	----	----	3	1	(2)	(2)	(2)	(2)
Indiana	Urban	1	----	1	----	1	----	----	----	----	----
	Rural	----	----	----	1	----	----	2	----	1	----
Iowa	Urban	1	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Kansas	Urban	1	----	----	----	----	----	----	1	----	1
	Rural	2	----	2	----	1	----	----	----	3	1
Kentucky	Urban	----	----	1	----	----	2	1	1	2	1
	Rural	----	----	1	1	1	1	----	1	2	3
Louisiana	Urban	----	----	----	----	2	3	(3)	(3)	(3)	(3)
	Rural	2	1	----	2	----	2	(2)	(2)	(2)	(2)
Maryland	Urban	----	----	----	----	1	----	----	----	----	----
	Rural	----	----	----	----	----	----	----	2	----	----
Massachusetts	Urban	1	4	3	----	1	----	----	----	5	3
	Rural	----	1	----	----	----	----	----	----	1	2
Michigan	Urban	----	----	----	----	----	1	1	2	----	1
	Rural	----	----	----	----	1	1	1	----	----	----
Minnesota	Urban	----	----	----	----	----	----	1	----	1	1
	Rural	----	----	1	----	----	----	1	1	----	1
Mississippi	Urban	----	1	----	----	----	(3)	(3)	(3)	(3)	(3)
	Rural	4	1	1	----	1	(2)	(2)	(2)	(2)	(2)
Missouri	Urban	1	1	1	2	4	4	11	2	1	2
	Rural	1	2	2	4	1	1	1	1	1	3
Montana	Urban	1	----	----	----	----	----	----	----	----	----
Nebraska	Urban	----	----	----	1	(3)	(3)	(3)	(3)	(3)	(3)
New Hampshire	Urban	----	----	----	----	----	----	----	----	----	1
	Rural	----	----	1	----	----	----	----	----	----	----
New Jersey	Urban	1	----	----	1	----	3	3	----	1	1
	Rural	2	1	1	----	1	----	----	1	2	1
New York	Urban	4	1	4	3	6	----	4	1	2	10
	Rural	----	----	----	----	1	----	1	1	1	1
North Carolina	Urban	1	----	1	1	----	----	----	----	1	----
	Rural	4	2	1	2	1	4	4	1	----	----
Ohio	Urban	----	2	1	1	7	7	2	1	6	3
	Rural	3	----	2	1	2	1	3	3	1	----
Oregon	Rural	1	1	----	----	----	----	(2)	(2)	(2)	(2)
Pennsylvania	Urban	----	5	3	2	4	4	3	4	5	8
	Rural	3	1	4	3	3	4	3	----	1	6
Rhode Island	Urban	----	1	3	1	----	----	----	----	----	----
	Rural	----	----	1	----	----	----	----	----	----	----
South Carolina	Urban	----	2	2	----	----	1	1	1	(3)	(3)
	Rural	1	3	1	2	1	2	4	3	(2)	(2)
Tennessee	Urban	----	----	----	2	----	2	2	(3)	(3)	(3)
	Rural	1	----	2	2	2	5	2	(2)	(2)	(2)
Utah	Urban	----	----	----	----	1	1	----	----	----	----
	Rural	----	----	1	----	----	----	----	----	----	----
Virginia	Urban	1	1	1	----	----	2	1	----	1	----
	Rural	2	----	1	----	2	2	----	2	1	2
Washington	Urban	----	----	----	----	1	1	----	2	----	----
	Rural	----	----	----	----	----	----	1	----	1	----
Wisconsin	Urban	----	----	----	----	----	2	2	----	----	----
	Rural	----	----	----	----	----	----	1	----	----	----
Washington, D. C.		----	----	----	----	----	----	----	----	1	1

[1] Including District of Columbia.
[2] Not added to registration area until a later date.
[3] Included with cities in nonregistration States.

MYCOSES

The total number of deaths from mycoses in 1923 is 185; of this number, 119, or 64.3 per cent, are due to thrush. Of these 119 deaths from thrush, 102 are from rural districts and 62 are deaths of colored children under 1 year of age.

TUBERCULOSIS (ALL FORMS)

Tuberculosis (all forms) includes seven titles of the detailed International List of Causes of Death. The number of deaths from this cause in 1923 is 90,732, corresponding to a crude rate of 93.6 per 100,000 estimated population, and constituting 7.6 per cent of deaths from all causes. The crude death rate for 1923 is the lowest rate recorded in the annual mortality reports, the first of which was published in 1900.

In former discussions of tuberculosis attention has been directed to the fact that there are many localities to which persons afflicted with this disease are attracted because of climatic conditions favorable to the treatment of this disease. States and cities which annually show high death rates from tuberculosis (all forms) are not always those which have conditions tending to the development of tuberculous diseases, but, in many instances, are health resorts.

Table AL shows adjusted and crude mortality rates from tuberculosis (all forms) per 100,000 estimated population. The adjusted rates are based on the standard million population of England and Wales, 1901. Rates of 175 or more are in bold-faced type.

Table AL

DEATH RATE FROM TUBERCULOSIS (ALL FORMS) PER 100,000 ESTIMATED POPULATION

[Rates of 175 or more in bold-faced type]

AREA	Adjusted rate				Crude rate					
	1923	1922	1921	1920	1923	1922	1921	1920	1919	1918
The registration area [1]	(2)	(2)	(2)	(2)	93.6	97.0	99.4	114.2	125.6	150.0
Registration States [3]	(2)	(2)	95.8	110.3	92.9	96.1	98.3	113.2	125.0	148.8
Cities in registration States [3]	(2)	(2)	(2)	(2)	93.9	97.7	100.9	118.5	133.8	164.2
Rural part of registration States	(2)	(2)	(2)	(2)	91.9	94.6	95.9	108.1	117.3	134.9
Registration cities in non-registration States	(2)	(2)	(2)	(2)	141.6	161.2	161.5	176.7	160.9	206.2
All registration cities [3]	(2)	(2)	(2)	(2)	95.3	99.5	103.0	120.4	134.8	166.1
California	138.5	144.5	137.2	144.9	152.5	159.1	151.1	159.6	175.3	186.7
Colorado	158.6	172.6	173.8	212.2	168.5	183.3	184.6	225.4	215.1	242.9
Connecticut	87.0	90.6	92.7	115.4	90.0	93.7	95.9	119.4	126.5	153.9
Delaware	110.6	115.9	136.2	141.5	114.1	119.6	140.6	146.0	163.6	(4)
Florida	104.0	101.4	96.2	104.7	103.4	100.8	95.7	104.1	104.8	(4)
White	69.2	64.3	61.9	66.6	69.7	64.8	62.4	67.1	74.9	(4)
Colored	171.0	171.5	159.7	173.7	174.0	174.5	162.5	176.8	161.6	(4)
Georgia	(2)	(2)	(4)	(4)	91.3	88.0	(4)	(4)	(4)	(4)
White	(2)	(2)	(4)	(4)	56.9	54.9	(4)	(4)	(4)	(4)
Colored	(2)	(2)	(4)	(4)	141.6	135.9	(4)	(4)	(4)	(4)
Idaho	(2)	(2)	(4)	(4)	36.6	44.0	(4)	(4)	(4)	(4)
Illinois	78.5	80.1	81.0	96.1	82.1	83.8	84.9	100.6	114.9	135.7
Indiana	90.6	84.6	89.8	105.1	93.8	87.6	92.8	108.8	114.1	140.2
Iowa	(2)	(4)	(4)	(4)	44.6	(4)	(4)	(4)	(4)	(4)
Kansas	42.6	42.9	42.3	47.1	43.6	43.9	43.3	48.2	50.6	59.8

See footnotes at end of table.

Table AL—Con.

DEATH RATE FROM TUBERCULOSIS (ALL FORMS) PER 100,000 ESTIMATED POPULATION

[Rates of 175 or more in bold-faced type]

AREA	Adjusted rate				Crude rate					
	1923	1922	1921	1920	1923	1922	1921	1920	1919	1918
Kentucky	139.0	138.3	136.6	159.2	133.5	132.8	131.2	152.9	165.3	199.0
White	125.0	121.6	115.6	137.1	118.8	115.6	109.9	130.3	143.1	169.3
Colored	272.1	292.7	326.1	356.2	277.9	299.0	333.1	363.8	367.8	466.0
Louisiana	119.7	125.7	128.4	148.2	114.1	119.8	122.4	141.2	143.9	185.8
White	70.9	73.7	73.8	86.0	66.7	69.4	69.4	80.9	80.8	109.0
Colored	198.5	208.0	213.7	243.6	192.5	201.7	207.2	236.2	241.7	302.9
Maine	77.7	81.2	79.1	99.9	80.7	84.4	82.1	103.8	103.4	121.4
Maryland	122.1	127.2	132.4	143.3	125.0	130.2	135.5	146.7	165.8	207.6
White	87.9	96.9	97.9	105.8	91.7	101.1	102.1	110.4	129.4	163.1
Colored	290.7	273.7	299.6	324.2	292.8	275.7	301.3	326.6	344.2	423.4
Massachusetts	84.9	90.0	94.6	109.2	88.5	93.8	98.5	113.8	128.0	159.0
Michigan	70.0	66.5	70.9	81.7	71.6	68.0	72.5	83.6	85.7	101.5
Minnesota	72.0	68.0	75.3	87.5	73.6	69.5	77.0	89.5	94.7	104.6
Mississippi	108.6	116.4	120.4	138.5	100.2	107.4	111.1	127.8	136.0	(4)
White	51.0	54.5	55.7	53.8	45.3	48.4	49.5	47.8	57.3	(4)
Colored	159.7	171.5	177.8	214.0	150.2	161.3	167.2	201.2	207.1	(4)
Missouri	88.4	90.7	89.0	102.2	92.5	94.9	93.0	106.9	117.2	144.4
Montana	59.1	59.0	56.5	68.7	64.6	64.5	61.8	75.1	88.9	96.8
Nebraska	34.2	36.1	36.6	42.5	34.6	36.5	37.1	43.0	(4)	(4)
New Hampshire	78.9	86.8	76.8	94.4	81.1	89.2	78.9	97.0	102.5	126.1
New Jersey	86.1	91.2	89.9	109.4	89.7	95.0	93.6	114.0	127.4	157.4
New York	92.0	93.8	96.3	113.6	97.9	99.8	102.4	120.9	140.9	167.9
North Carolina	111.5	115.1	117.7	130.8	99.3	102.5	104.8	116.5	122.4	138.7
White	80.8	79.7	77.8	92.9	72.0	71.0	69.3	82.8	86.0	94.7
Colored	184.4	198.5	211.1	218.8	163.7	176.2	187.4	194.2	205.9	238.8
Ohio	81.8	81.8	85.0	98.0	85.8	85.8	89.1	102.8	114.6	136.2
Oregon	75.3	68.6	72.9	85.4	78.5	71.6	76.0	89.1	90.6	88.1
Pennsylvania	84.4	87.7	90.7	103.2	85.9	89.2	92.3	105.0	119.1	151.6
Rhode Island	96.7	91.5	104.2	126.7	100.2	94.8	108.0	131.3	148.8	181.5
South Carolina	118.1	123.0	124.9	134.8	105.1	109.5	111.2	120.0	135.6	144.5
White	58.4	55.1	58.1	72.6	52.7	49.7	52.4	65.5	68.0	67.9
Colored	179.6	192.1	192.1	196.7	157.1	168.0	168.0	172.0	199.0	215.0
Tennessee	160.6	157.1	148.4	174.6	151.4	148.1	139.9	164.6	169.0	208.8
White	129.3	121.8	114.2	138.5	120.7	113.7	106.6	129.3	126.6	151.5
Colored	289.2	299.8	284.8	315.7	286.4	296.8	282.0	312.6	344.9	432.5
Utah	38.6	42.9	41.3	40.5	37.3	41.4	39.9	39.1	44.8	47.8
Vermont	78.4	87.8	65.9	77.6	82.6	92.5	69.5	81.8	91.0	104.5
Virginia	127.6	137.5	140.7	150.8	121.0	130.3	133.4	142.9	150.1	183.6
White	85.5	91.4	90.6	99.8	81.2	86.9	86.1	94.8	97.5	126.1
Colored	228.6	246.6	258.3	269.1	217.7	234.8	246.0	256.2	272.0	315.9
Washington	74.5	75.0	79.4	94.4	77.6	78.2	82.9	98.4	103.0	103.6
Wisconsin	65.9	70.0	73.9	84.2	67.0	71.2	75.2	85.6	84.1	94.4
Wyoming	(2)	(2)	(4)	(4)	36.3	41.6	(4)	(4)	(4)	(4)
CITIES OF 100,000 POPULATION OR MORE IN 1920										
Akron	(5)	53.8	47.0	57.7	(5)	53.7	46.9	57.6	60.1	68.8
Albany	107.0	106.5	109.3	132.3	115.0	114.4	117.4	142.2	169.4	207.9
Atlanta	107.9	103.9	111.0	101.1	115.7	111.4	119.0	108.4	118.0	132.7
White	66.5	63.1	62.2	80.9	69.5	65.9	65.0	84.6	77.9	98.9
Colored	193.9	187.8	208.5	140.5	222.3	215.3	239.0	161.0	205.5	205.8
Baltimore	119.3	122.9	130.7	140.1	127.3	131.2	139.5	149.5	170.0	238.2
White	81.6	89.6	89.6	105.4	87.8	96.4	96.3	113.3	128.7	180.3
Colored	334.0	311.9	364.6	335.5	355.5	332.0	388.1	357.1	407.8	536.6
Birmingham	128.5	134.4	139.9	155.3	133.2	139.3	145.1	161.0	170.3	210.4
White	50.4	55.3	55.8	70.9	47.1	51.7	52.2	66.3	65.0	87.0
Colored	259.7	249.9	262.7	280.0	266.5	274.6	288.6	307.6	332.8	401.2
Boston	96.5	103.9	109.7	121.7	102.3	110.2	116.4	129.1	156.9	191.5
Bridgeport	(5)	82.5	95.3	101.1	(5)	85.7	99.0	105.0	113.1	166.3
Buffalo	96.3	96.0	103.1	104.1	103.4	103.0	110.7	111.7	126.9	171.0
Cambridge	104.2	119.0	117.0	124.4	111.3	127.1	125.0	132.9	174.5	227.6
Camden	71.3	89.8	77.2	77.1	74.9	94.3	81.1	81.0	99.0	150.5
Chicago	75.2	73.4	79.0	90.5	81.0	79.0	85.0	97.4	121.3	146.2
Cincinnati	121.4	135.6	139.2	147.7	133.1	148.7	152.7	162.0	196.2	241.3
Cleveland	84.9	89.5	91.4	101.9	91.0	95.9	97.9	109.2	127.0	157.7
Columbus	99.6	92.6	87.6	109.2	106.1	98.6	93.2	116.3	128.5	176.8
Dallas	59.8	83.0	79.2	102.2	65.3	90.7	86.5	111.7	95.6	150.2
White	48.3	61.2	53.1	68.6	49.8	63.1	54.8	70.8	76.8	115.5
Colored	135.4	215.4	228.2	289.4	160.4	255.3	270.4	342.9	200.2	335.4
Dayton	89.7	78.3	84.9	88.3	94.8	82.8	89.8	93.3	108.8	151.7
Denver	180.5	188.7	188.9	274.1	209.5	219.0	219.2	318.1	280.8	331.8
Des Moines	(2)	(4)	(4)	(4)	56.8	(4)	(4)	(4)	(4)	(4)
Detroit	(5)	89.8	85.1	94.4	(5)	94.8	89.9	99.7	96.2	121.5
Fall River	114.5	111.3	95.1	102.6	116.6	113.4	96.9	104.5	137.9	209.5
Fort Worth	(2)	(2)	(4)	(4)	57.7	62.5	(4)	(4)	(4)	(4)
White	(2)	(2)	(4)	(4)	44.6	47.7	(4)	(4)	(4)	(4)
Colored	(2)	(2)	(4)	(4)	147.7	154.1	(4)	(4)	(4)	(4)
Grand Rapids	56.5	53.5	61.1	69.0	58.9	55.8	63.7	72.0	74.0	104.5
Hartford	74.4	61.1	70.9	96.5	77.6	63.7	73.9	100.6	99.2	147.8
Houston	107.3	101.2	103.5	100.0	118.6	111.9	114.4	110.5	117.4	181.4
White	82.6	65.4	87.4	76.0	88.2	69.8	93.3	81.1	78.0	144.8
Colored	174.7	198.2	144.3	160.7	218.5	247.9	180.5	201.0	237.5	288.4
Indianapolis	103.9	108.0	118.8	124.2	109.1	113.4	124.7	130.4	141.7	174.4
White	79.5	84.7	95.2	96.0	84.4	89.9	101.1	101.9	120.1	141.3
Colored	288.3	285.7	298.8	345.3	299.1	296.4	310.0	358.3	316.4	447.7

Table AL—Con. DEATH RATE FROM TUBERCULOSIS (ALL FORMS) PER 100,000 ESTIMATED POPULATION

[Rates of 175 or more in bold-faced type]

AREA	Adjusted rate				Crude rate					
	1923	1922	1921	1920	1923	1922	1921	1920	1919	1918
CITIES OF 100,000 POPULATION OR MORE IN 1920—con.										
Jersey City	83.8	82.4	84.9	112.2	85.7	84.3	86.9	114.8	122.7	154.4
Kansas City, Kans	112.6	104.8	111.2	101.3	120.9	112.5	119.4	108.7	129.8	137.4
White	(2)	(2)	(2)	(2)	84.2	94.7	76.7	88.1	87.3	113.5
Colored	(2)	(2)	(2)	(2)	333.2	217.2	367.3	230.8	387.4	285.0
Kansas City, Mo.	91.6	85.6	88.0	99.3	103.7	96.9	99.7	112.4	126.9	161.5
Los Angeles	(5)	169.6	155.6	165.6	(5)	189.0	173.4	184.5	200.6	219.1
Louisville	112.3	119.5	123.3	132.6	119.9	127.6	131.7	141.6	179.0	224.6
White	99.4	97.2	93.2	109.1	105.5	103.2	98.9	115.8	141.0	177.9
Colored	178.2	233.3	265.3	242.0	196.6	257.4	292.7	267.0	363.4	449.4
Lowell	89.3	90.7	80.2	103.0	92.1	93.5	82.7	106.2	137.0	179.8
Memphis	167.8	158.2	159.1	194.8	173.2	168.0	168.9	206.8	235.6	304.6
White	88.1	73.6	76.8	103.4	92.7	77.4	80.8	108.8	110.3	152.0
Colored	302.0	298.9	294.2	342.4	326.2	322.8	317.8	369.8	454.8	567.1
Milwaukee	65.0	63.5	67.4	83.7	67.5	66.0	70.0	87.0	83.4	106.0
Minneapolis	73.5	68.8	75.1	95.7	82.9	77.5	84.7	107.9	122.1	129.8
Nashville	145.1	155.7	149.7	196.5	154.1	165.4	159.0	208.8	198.4	250.7
White	94.1	94.0	90.9	124.5	99.0	98.9	95.6	131.0	131.3	146.6
Colored	266.0	299.9	285.2	360.4	288.2	325.0	309.0	390.5	353.0	486.8
New Bedford	93.9	107.3	122.2	132.7	95.3	108.9	124.0	134.7	148.4	224.9
New Haven	60.1	73.1	77.9	85.2	62.4	75.9	80.9	88.5	91.2	151.9
New Orleans	159.4	168.1	173.9	191.2	174.0	183.5	189.8	208.7	229.6	315.5
White	114.2	120.7	125.4	144.7	124.0	131.1	136.2	157.1	166.2	227.3
Colored	281.9	296.3	304.9	316.4	315.6	331.8	341.4	354.3	408.2	563.8
New York	91.5	96.0	98.5	120.7	96.9	101.7	104.3	127.8	153.1	185.8
Bronx Borough	74.5	81.4	83.6	104.7	77.1	84.3	86.6	108.4	144.1	170.6
Brooklyn Borough	77.8	80.3	84.8	106.3	81.0	83.6	88.3	110.7	128.7	158.0
Manhattan Borough	114.1	118.2	118.9	139.7	122.8	127.2	128.0	150.4	181.3	215.3
Queens Borough	76.7	76.7	74.2	108.5	80.1	80.1	77.5	113.3	119.7	149.8
Richmond Borough	101.1	136.3	145.2	151.5	107.4	144.7	154.2	160.9	207.0	297.8
Newark, N. J.	72.4	75.4	77.8	92.5	75.4	78.5	81.1	96.4	118.8	159.8
Norfolk	113.4	118.8	99.8	162.3	120.0	125.7	105.6	171.8	144.8	196.8
White	50.3	60.6	49.6	90.5	52.2	62.9	51.5	93.9	64.8	116.9
Colored	215.0	205.6	174.6	270.2	239.9	229.4	194.8	301.5	278.8	327.0
Oakland	58.2	72.6	70.6	96.2	60.4	75.4	73.3	99.8	105.3	114.1
Omaha	64.7	71.1	71.8	79.5	69.5	76.3	77.1	85.3	88.1	118.9
Paterson	80.2	100.8	93.5	108.9	87.4	109.8	101.9	118.7	106.4	154.2
Philadelphia	103.2	106.7	107.7	127.8	110.9	114.7	115.7	137.3	161.8	211.9
Pittsburgh	91.0	91.2	99.3	116.2	94.0	94.2	102.5	120.0	132.7	163.4
Portland, Oreg.	70.0	58.3	60.0	76.8	74.9	62.4	64.2	82.2	91.8	102.0
Providence	91.7	79.0	95.1	110.4	94.5	81.4	98.0	113.8	140.2	183.0
Reading	71.4	81.0	72.6	83.3	71.2	80.8	72.4	83.1	89.4	135.3
Richmond	124.5	125.8	135.8	146.5	133.1	134.5	145.2	156.6	170.9	201.0
White	73.3	71.0	85.5	107.0	78.4	76.0	91.5	114.5	121.3	145.8
Colored	233.2	240.6	238.3	224.1	259.3	267.5	264.9	249.1	277.9	318.1
Rochester	60.5	50.1	63.8	75.2	64.3	53.3	67.8	80.0	94.4	115.9
St. Louis	74.5	79.7	78.9	89.1	82.5	88.2	87.4	98.7	112.6	144.0
St. Paul	93.1	84.3	91.6	104.9	100.4	90.9	98.8	113.2	121.5	138.1
Salt Lake City	62.4	61.3	57.9	69.1	66.5	65.3	61.7	73.7	73.5	57.4
San Antonio	244.6	250.6	237.3	259.4	259.3	265.7	251.5	275.0	269.5	378.5
San Francisco	110.5	107.1	109.1	116.8	126.1	122.3	124.5	133.4	183.6	194.7
Scranton	71.2	74.6	74.9	72.5	73.2	76.6	77.0	74.5	98.9	106.9
Seattle	(5)	70.7	68.7	87.6	(5)	72.8	70.7	90.2	95.3	90.3
Spokane	51.6	50.5	61.8	68.1	53.6	52.5	64.2	70.8	67.0	75.7
Springfield, Mass.	50.4	57.4	73.2	76.4	52.7	60.0	76.5	79.8	91.0	126.5
Syracuse	53.7	46.9	67.3	69.2	55.8	48.7	69.9	71.9	74.8	111.1
Toledo	103.9	95.8	114.6	124.2	113.6	104.8	125.3	135.8	148.1	175.4
Trenton	83.2	94.7	86.5	121.4	87.1	99.1	90.5	127.0	134.5	169.2
Washington, D.C.	111.6	121.0	114.4	120.6	123.5	133.9	126.6	133.4	151.6	181.7
White	69.7	70.0	66.1	74.8	79.3	79.6	75.2	85.0	105.3	116.7
Colored	242.2	273.9	258.9	257.8	260.3	294.4	278.2	277.1	287.5	369.5
Wilmington, Del.	71.1	66.6	102.7	106.4	73.9	69.2	106.7	110.0	110.0	151.2
Worcester	75.2	79.1	97.5	108.4	79.2	83.3	102.7	114.1	126.3	145.5
Yonkers	77.2	71.5	97.9	134.8	80.9	75.0	102.6	141.3	124.1	145.3
Youngstown	73.7	80.9	74.0	77.5	79.8	87.6	80.1	83.9	102.2	119.8

[1] Exclusive of Hawaii.
[2] Not computed.
[3] Including District of Columbia.
[4] Not added to registration area until a later date.
[5] Rates are omitted pending the establishment of more satisfactory estimates of population.

The States having the highest adjusted rates in 1923 from tuberculosis (all forms) are Tennessee (160.6), Colorado (158.6), Kentucky (139), California (138.5), and Virginia (127.6). The States with the lowest rates are Nebraska (34.2), Utah (38.6), Kansas (42.6), and Montana (59.1).

Of the 61 cities showing adjusted rates in 1923, only 2 have rates higher than 175; those with the highest adjusted rates are San Antonio (244.6), Denver (180.5), Memphis (167.8), New Orleans (159.4), and Nashville (145.1); the lowest rates appear for Springfield, Mass. (50.4), Spokane (51.6), Syracuse (53.7), Grand Rapids (56.5), Oakland (58.2), and Dallas (59.8).

For the 9 States and 13 cities which show adjusted rates by color in 1923, the adjusted rate for the colored is higher than 175 for all but Florida (171), Mississippi (159.7), Houston (174.7), and Dallas (135.4).

TUBERCULOSIS OF THE RESPIRATORY SYSTEM AND ACUTE DISSEMINATED TUBERCULOSIS

The number of deaths in 1923 from tuberculosis of the respiratory system and acute disseminated tuberculosis is 80,993, and the crude death rate (83.5 per 100,000 estimated population) is the lowest rate recorded in the annual mortality reports. The deaths from these forms of tuberculosis represent 89.3 per cent of the deaths from all forms of tuberculosis in 1923, which is slightly higher than the corresponding per cent (89) in 1922.

Table AM shows the rates per 100,000 estimated population for 1914 to 1923, rates of 150 and higher being in bold-faced type.

Table AM DEATH RATE FROM TUBERCULOSIS OF THE RESPIRATORY SYSTEM AND ACUTE DISSEMINATED TUBERCULOSIS PER 100,000 ESTIMATED POPULATION

[Rates of 150 or more in bold-faced type]

AREA	1923	1922	1921	1920	1919	1918	1917	1916	1915	1914
The registration area [1]	83.5	86.3	87.6	100.8	111.3	133.2	129.4	124.3	128.2	128.2
Registration States [2]	82.8	85.5	86.7	99.8	110.6	132.0	127.3	122.1	124.2	124.7
Cities in registration States [2]	81.7	85.0	86.6	102.0	115.8	143.2	139.5	134.1	136.8	139.1
Rural part of registration States	83.9	85.9	86.6	97.7	106.1	122.0	116.5	111.1	111.8	110.6
Registration cities in nonregistration States	129.3	147.4	146.7	161.4	145.3	186.5	157.6	153.6	174.8	171.8
All registration cities [2]	83.1	86.8	88.6	104.0	117.0	145.2	142.0	136.8	142.3	143.7
California	136.4	143.6	135.1	141.8	156.3	167.6	157.1	154.4	166.8	165.9
Colorado	159.8	172.3	172.8	212.5	200.5	229.9	179.5	164.4	169.2	177.4
Connecticut	79.3	82.9	83.6	103.8	109.8	131.8	134.3	121.3	119.5	123.2
Delaware	102.4	110.0	122.0	131.7	153.2	(3)	(3)	(3)	(3)	(3)
Florida	95.8	93.5	87.8	95.1	98.8	(3)	(3)	(3)	(3)	(3)
White	64.3	58.7	56.1	59.7	69.7	(3)	(3)	(3)	(3)	(3)
Colored	162.2	164.7	151.4	164.4	154.3	(3)	(3)	(3)	(3)	(3)
Georgia	85.7	81.8	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	52.5	50.2	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	134.3	127.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Idaho	31.3	38.4	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Illinois	73.6	74.5	74.4	89.1	102.2	121.6	(3)	(3)	(3)	(3)
Indiana	80.8	75.8	78.2	92.9	97.7	120.5	119.9	114.3	121.8	124.0
Iowa	38.0	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Kansas	39.1	37.8	37.0	41.2	44.8	52.8	50.7	49.9	49.9	51.0

See footnotes at end of table.

Table AM—Con. DEATH RATE FROM TUBERCULOSIS OF THE RESPIRATORY SYSTEM AND ACUTE DISSEMINATED TUBERCULOSIS PER 100,000 ESTIMATED POPULATION

[Rates of 150 or more in bold-faced type]

AREA	1923	1922	1921	1920	1919	1918	1917	1916	1915	1914
Kentucky	119.7	118.2	115.6	133.9	146.0	177.6	174.7	171.2	179.2	182.6
White	106.4	102.2	96.1	113.4	125.5	149.9	144.8	141.9	147.9	151.9
Colored	250.9	274.2	299.9	325.5	333.6	426.5	438.7	424.6	445.4	439.1
Louisiana	107.6	113.2	115.2	132.7	135.3	173.6	(3)	(3)	(3)	(3)
White	61.3	64.4	63.5	74.4	74.7	100.2	(3)	(3)	(3)	(3)
Colored	184.1	192.7	197.9	224.5	229.2	285.4	(3)	(3)	(3)	(3)
Maine	65.7	70.5	66.1	85.1	84.9	98.2	95.3	97.7	102.0	95.4
Maryland	113.9	117.2	122.2	132.1	148.8	188.5	177.7	177.0	168.1	178.2
White	83.5	91.4	92.7	99.7	116.3	148.7	135.3	135.5	126.7	138.1
Colored	266.7	246.7	268.6	292.0	308.2	381.8	382.6	375.9	364.9	367.2
Massachusetts	77.4	81.7	84.3	96.9	109.8	138.1	125.3	125.0	119.3	119.8
Michigan	62.4	58.4	62.2	72.0	73.5	88.0	83.5	78.7	78.2	74.3
Minnesota	63.2	60.1	66.1	77.1	81.9	89.6	87.8	87.9	84.5	90.0
Mississippi	93.6	101.5	103.7	121.2	130.2	(3)	(3)	(3)	(3)	(3)
White	42.1	44.4	45.4	44.7	54.4	(3)	(3)	(3)	(3)	(3)
Colored	140.6	153.7	156.8	191.5	198.6	(3)	(3)	(3)	(3)	(3)
Missouri	83.5	84.9	84.0	97.9	104.6	131.6	135.2	128.6	132.5	133.6
Montana	57.0	57.3	55.7	65.6	80.0	85.0	96.4	93.5	99.8	88.7
Nebraska	29.1	30.6	32.1	35.4	(3)	(3)	(3)	(3)	(3)	(3)
New Hampshire	67.0	71.9	65.6	81.4	86.6	107.7	95.0	97.8	102.0	100.5
New Jersey	81.2	85.4	83.1	102.0	114.2	141.2	137.8	133.6	136.8	137.7
New York	87.7	88.8	90.4	106.1	124.6	148.6	147.6	142.0	148.6	151.9
North Carolina	91.4	93.5	96.5	106.4	111.5	127.6	124.5	133.3	[4] 207.6	[4] 221.4
White	66.2	64.0	63.4	75.3	78.1	86.4	84.1	90.2	134.7	160.4
Colored	150.6	162.4	173.6	178.2	188.3	221.3	215.7	229.8	345.3	336.7
Ohio	74.7	74.9	76.7	88.3	100.2	117.6	117.6	109.2	109.0	109.1
Oregon	65.7	59.3	63.2	73.2	74.1	73.3	(3)	(3)	(3)	(3)
Pennsylvania	75.1	76.7	79.2	91.5	103.5	133.5	119.9	114.8	112.6	108.8
Rhode Island	82.7	82.0	88.9	110.6	124.9	153.3	150.4	150.8	138.9	139.8
South Carolina	100.1	102.4	104.8	111.9	126.7	136.3	136.2	136.7	(3)	(3)
White	49.7	44.6	47.5	58.9	61.7	63.1	63.0	61.0	(3)	(3)
Colored	149.9	159.2	160.2	162.5	187.8	204.1	203.0	204.7	(3)	(3)
Tennessee	137.4	133.6	124.7	145.2	150.8	186.3	177.5	(3)	(3)	(3)
White	108.5	101.0	93.8	112.8	111.7	135.9	136.4	(3)	(3)	(3)
Colored	264.1	274.9	256.2	281.1	312.6	392.1	343.0	(3)	(3)	(3)
Utah	30.0	34.6	32.7	32.0	37.7	40.7	36.5	41.2	36.9	41.6
Vermont	67.0	79.5	57.9	67.0	75.4	88.7	76.7	93.0	76.5	82.1
Virginia	110.1	117.2	120.8	128.9	136.4	167.4	151.5	154.8	164.4	160.4
White	72.3	76.3	76.7	84.1	87.8	113.8	94.5	102.7	102.2	105.8
Colored	202.1	215.5	225.5	234.6	249.3	290.6	281.1	271.7	302.4	279.8
Washington	65.5	65.6	67.6	81.5	83.8	86.8	82.8	79.8	87.3	79.7
Wisconsin	57.1	61.4	64.5	74.0	72.8	81.1	83.6	78.9	82.4	84.4
Wyoming	29.8	34.8	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
CITIES OF 100,000 POPULATION OR MORE IN 1920										
Akron	(5)	43.7	39.8	48.3	51.1	60.2	63.3	48.1	55.3	49.5
Albany	99.7	94.6	99.9	115.9	149.0	186.4	196.4	202.2	254.8	240.5
Atlanta	104.1	99.9	105.0	95.6	104.9	111.0	117.3	120.9	114.5	118.7
White	63.0	58.6	53.1	72.4	68.4	81.5	75.9	76.5	75.5	82.8
Colored	198.6	194.2	220.4	146.8	184.6	174.8	206.2	215.2	196.8	193.6
Baltimore	115.4	116.2	122.1	133.5	150.2	214.7	204.3	194.5	190.9	199.0
White	79.0	85.4	84.4	101.9	112.7	162.1	145.9	143.9	139.4	151.9
Colored	325.7	293.9	339.5	315.1	366.1	485.4	507.2	459.2	462.6	450.1
Birmingham	114.3	123.0	123.6	140.1	144.9	180.3	196.3	194.2	196.0	229.1
White	37.8	42.2	39.8	49.1	55.7	75.5	60.0	77.0	85.5	101.2
Colored	232.7	248.0	253.0	280.9	282.6	342.2	406.7	375.0	366.5	426.1
Boston	88.0	95.8	100.9	110.1	132.2	165.9	156.4	151.2	142.8	144.3
Bridgeport	(5)	78.0	88.5	85.1	93.3	137.8	144.5	112.0	115.0	94.1
Buffalo	92.8	89.2	98.1	98.8	110.4	152.2	148.7	140.3	136.0	141.2
Cambridge	101.4	118.1	113.2	121.0	159.9	205.6	190.9	180.6	189.9	173.0
Camden	68.5	80.4	74.4	74.1	91.2	133.7	122.0	118.9	103.6	163.5
Chicago	71.7	69.2	73.9	85.5	107.0	128.1	132.0	131.7	151.6	145.2
Cincinnati	112.9	130.2	133.6	139.8	175.5	216.5	220.6	215.8	206.5	225.2
Cleveland	80.2	85.9	82.7	95.1	111.8	138.1	142.4	125.1	109.4	111.8
Columbus	84.3	79.9	78.7	94.2	106.3	140.0	136.3	123.7	130.7	136.2
Dallas	56.5	82.0	79.3	96.8	87.3	131.0	118.9	117.6	(3)	(3)
White	42.8	56.3	47.1	58.4	69.2	99.1	80.3	70.9	(3)	(3)
Colored	140.9	235.1	236.3	314.0	187.7	301.4	320.1	354.5	(3)	(3)
Dayton	79.1	72.3	79.1	75.1	92.9	127.9	129.1	111.0	140.6	113.5
Denver	96.3	201.1	201.8	296.1	256.4	311.0	243.7	215.4	252.0	255.5
Des Moines	50.4	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Detroit	(5)	80.9	77.0	85.0	80.8	106.3	98.6	103.4	89.8	81.8
Fall River	102.6	95.2	78.7	89.6	117.1	189.5	155.6	172.4	120.1	153.6
Fort Worth	52.1	55.1	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	39.8	42.0	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	136.8	136.3	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Grand Rapids	46.6	49.5	47.4	63.4	56.4	86.5	79.7	65.2	85.6	68.5
Hartford	60.5	49.3	51.4	77.1	70.6	111.4	118.8	92.8	65.1	82.9
Houston	106.3	107.9	106.8	98.4	106.4	171.6	136.0	(3)	(3)	(3)
White	78.1	65.5	89.7	67.9	67.3	137.1	82.0	(3)	(3)	(3)
Colored	199.1	245.1	160.4	192.3	225.6	272.4	291.2	(3)	(3)	(3)
Indianapolis	92.2	98.2	100.5	109.7	119.2	148.4	152.9	154.0	168.6	171.0
White	70.9	76.5	77.2	83.9	101.3	119.5	129.8	128.4	137.4	140.9
Colored	256.0	267.6	282.8	315.9	263.7	336.8	345.9	371.4	435.0	433.8

Table AM—Con. DEATH RATE FROM TUBERCULOSIS OF THE RESPIRATORY SYSTEM AND ACUTE DISSEMINATED TUBERCULOSIS PER 100,000 ESTIMATED POPULATION

[Rates of 150 or more in bold-faced type]

AREA	1923	1922	1921	1920	1919	1918	1917	1916	1915	1914
CITIES OF 100,000 POPULATION OR MORE IN 1920—con.										
Jersey City	79.3	75.8	75.7	101.8	107.9	136.3	145.4	153.2	152.8	146.0
Kansas City, Kans.	107.1	96.7	103.9	95.0	120.8	123.1	116.0	114.1	137.9	134.0
White	74.0	83.3	66.6	79.0	80.3	98.1	97.2	87.8	106.6	108.3
Colored	298.1	174.9	321.4	190.1	366.3	277.7	235.4	284.7	346.2	309.9
Kansas City, Mo.	92.7	84.9	87.5	100.5	109.8	147.1	150.9	141.1	157.3	136.8
Los Angeles	(5)	172.3	153.4	165.6	181.0	200.4	186.7	182.1	193.9	204.0
Louisville	105.9	114.5	109.2	118.2	153.9	196.4	159.7	164.6	169.9	188.7
White	91.3	90.7	79.5	95.3	116.3	152.0	111.2	116.9	125.3	144.9
Colored	184.3	240.3	255.2	229.6	336.0	409.7	391.3	390.4	379.5	393.3
Lowell	71.2	77.8	58.9	75.2	97.0	143.2	135.9	106.0	103.9	97.2
Memphis	161.7	153.7	146.0	178.6	200.3	275.5	253.9	(5)	270.4	280.0
White	80.7	67.0	62.5	91.1	86.1	132.7	123.3	(5)	119.3	113.7
Colored	302.1	301.9	287.1	324.2	399.8	521.0	475.1	(5)	518.1	548.3
Milwaukee	54.7	54.9	56.9	71.6	69.5	87.0	86.2	79.8	84.5	94.0
Minneapolis	70.6	67.6	75.3	94.6	106.2	115.7	123.5	121.6	127.7	116.2
Nashville	131.3	140.4	132.0	174.3	159.4	204.5	180.0	(5)	204.3	204.0
White	81.7	78.9	78.1	108.2	102.1	119.5	122.1	(5)	113.4	118.6
Colored	251.8	288.2	259.4	328.7	291.4	397.3	309.7	(5)	402.4	387.5
New Bedford	74.6	90.2	102.4	109.4	115.9	189.1	128.8	153.1	133.8	135.1
New Haven	45.7	58.2	60.5	67.1	68.3	121.5	123.8	94.0	87.8	109.5
New Orleans	160.9	171.7	175.8	195.3	214.7	287.3	290.5	260.4	266.1	271.4
White	114.4	120.9	126.2	147.0	153.9	208.7	194.9	161.7	160.6	182.5
Colored	292.9	315.4	316.2	331.7	386.3	508.5	559.5	537.5	562.0	520.5
New York	87.1	90.4	92.1	112.0	135.9	164.4	169.6	163.4	175.0	179.2
Bronx Borough	70.8	74.5	78.3	95.4	130.9	150.4	184.1	148.7	163.2	164.7
Brooklyn Borough	72.4	73.8	77.0	97.3	114.0	140.0	149.4	138.8	153.0	153.6
Manhattan Borough	110.0	112.9	112.8	130.5	159.8	189.8	188.0	189.6	203.0	210.2
Queens Borough	71.7	73.0	68.1	101.8	106.4	133.7	138.8	146.7	138.3	137.8
Richmond Borough	102.7	137.5	146.8	150.7	189.6	277.3	169.3	181.0	144.6	155.2
Newark, N. J.	65.9	67.4	66.8	80.6	101.7	135.1	154.3	152.4	167.7	162.5
Norfolk	108.1	110.5	90.7	147.1	126.4	170.5	146.3	159.3	172.2	166.2
White	43.3	47.5	43.6	80.3	53.6	99.4	59.2	77.4	70.8	92.8
Colored	222.6	214.6	168.6	258.5	246.5	286.4	286.8	289.8	331.7	280.1
Oakland	50.8	62.2	59.6	82.9	89.3	97.1	92.4	97.2	115.8	103.5
Omaha	59.7	65.3	66.5	67.2	71.7	94.0	87.7	96.6	89.2	96.8
Paterson	75.9	98.2	85.2	107.0	98.3	145.2	131.4	137.7	126.6	117.6
Philadelphia	97.4	100.2	101.5	121.2	142.1	190.9	173.3	169.1	163.1	166.7
Pittsburgh	79.3	77.3	85.2	98.0	110.3	138.0	131.2	112.8	110.1	110.6
Portland, Oreg.	58.8	47.5	47.9	61.4	71.1	81.0	62.3	70.8	78.7	70.1
Providence	73.0	67.2	75.9	89.8	111.9	143.9	155.4	146.9	135.7	129.5
Reading	49.6	63.6	60.5	71.1	73.6	114.6	96.7	84.2	94.9	116.2
Richmond	114.3	113.8	123.5	136.4	153.2	177.8	156.4	180.5	169.8	182.9
White	66.5	61.4	77.4	97.6	106.6	122.1	97.8	107.4	102.4	93.1
Colored	224.6	232.7	226.2	221.4	253.8	295.7	278.2	329.9	304.9	354.7
Rochester	49.9	44.6	53.7	67.6	74.2	98.5	93.1	90.4	99.0	89.8
St. Louis	72.9	76.1	77.7	87.5	97.2	128.5	142.3	131.7	131.1	147.0
St. Paul	87.2	77.6	84.1	95.0	105.7	116.1	125.9	107.7	114.0	120.4
Salt Lake City	55.4	51.6	49.3	63.7	62.4	47.7	44.2	40.7	42.5	51.2
San Antonio	241.4	248.2	235.7	264.1	255.6	358.7	320.0	276.8	334.2	352.9
San Francisco	109.5	105.5	105.9	113.2	156.4	171.7	158.2	165.5	176.3	177.3
Scranton	64.0	65.1	61.1	62.2	78.6	89.3	76.6	80.8	77.5	81.0
Seattle	(5)	52.3	49.5	65.1	65.8	65.9	70.7	66.8	57.9	76.9
Spokane	39.2	44.9	46.9	56.5	46.9	61.3	72.8	58.4	69.9	69.9
Springfield, Mass	45.8	52.1	58.2	61.5	75.3	103.8	86.4	62.6	73.1	91.0
Syracuse	40.6	39.2	52.9	51.2	53.0	91.9	87.1	85.9	84.0	105.9
Toledo	100.2	92.8	112.0	124.0	132.7	159.1	162.7	152.3	157.0	148.5
Trenton	77.7	87.9	82.3	114.6	122.7	152.8	127.8	132.2	157.1	152.0
Washington, D. C.	110.3	117.7	113.1	118.3	139.3	164.6	153.1	170.9	184.4	170.2
White	69.0	67.6	66.0	75.4	95.3	102.6	92.3	96.9	104.6	97.3
Colored	238.0	265.6	252.0	245.7	268.4	243.6	326.3	378.0	404.3	367.5
Wilmington, Del.	63.7	62.3	84.6	92.6	96.0	129.3	160.2	129.9	140.9	137.8
Worcester	71.4	71.6	79.4	93.1	105.0	118.0	125.7	130.1	112.1	117.0
Yonkers	74.4	61.7	91.9	121.5	105.9	125.7	126.4	115.3	97.0	120.7
Youngstown	66.5	65.7	59.7	63.1	73.8	87.8	110.8	87.6	77.7	79.3

[1] Exclusive of Hawaii.
[2] Including District of Columbia.
[3] Not added to registration area until a later date.
[4] Includes only municipalities having a population of 1,000 or more in 1910
[5] Rates are omitted pending the establishment of more satisfactory estimates of population.
[6] Transcripts of death certificates not received.

States with the highest rates in 1923 are Colorado (159.8), Tennessee (137.4), California (136.4), and Kentucky (119.7). States which have the lowest rates are Nebraska (29.1), Wyoming (29.8), Utah (30), and Idaho (31.3).

Only one State—Colorado—has a rate of 150 or higher for every one of the 10 years shown.

Of the 63 cities of 100,000 population or more in 1920, for which rates are shown in 1923, 2 have rates higher than 150 for each of the years shown. Very low rates in 1923 are for Spokane (39.2), Syracuse (40.6), New Haven (45.7), Springfield, Mass. (45.8), and Grand Rapids (46.6).

The 10 States shown by color have rates in 1923 nearly three times as high for the colored as for the white, and every city shown by color, except Dallas and Fort Worth, has a rate of 150 or more for colored in 1923.

The same caution which was given for tuberculosis (all forms) should be exercised in making comparisons for tuberculosis of the respiratory system and acute disseminated tuberculosis. The mortality from this cause among Negroes and among certain other races is markedly high, for which reason the composition of a given population in respect to color and race should be carefully considered.

SYPHILIS

The number of deaths credited to syphilis in 1923 is 7,695, corresponding to a rate of 7.9 per 100,000 estimated population as against 7,462 deaths in 1922 and a rate of 8. Death rates from syphilis, tabes dorsalis, and general paralysis of the insane are given in Table AN.

Table AN

YEAR	DEATHS				DEATH RATE PER 100,000 ESTIMATED POPULATION			
	Total	Syphilis	Tabes dorsalis	General paralysis of the insane	Total	Syphilis	Tabes dorsalis	General paralysis of the insane
	THE REGISTRATION AREA (EXCLUSIVE OF HAWAII)							
1923	15,811	7,695	1,695	6,421	16.3	7.9	1.7	6.6
1922	15,360	7,462	1,708	6,190	16.5	8.0	1.8	6.6
1921	14,252	6,962	1,694	5,596	16.1	7.9	1.9	6.3
1920	14,610	7,969	1,611	5,030	16.7	9.1	1.8	5.7
1919	13,861	7,347	1,691	4,823	16.3	8.6	2.0	5.7
1918	15,351	7,604	1,857	5,890	18.9	9.3	2.3	7.2
1917	14,834	7,811	1,772	5,251	19.8	10.4	2.4	7.0
1916	13,769	6,902	1,717	5,150	19.3	9.7	2.4	7.2
1915	12,590	5,819	1,757	5,014	18.8	8.7	2.6	7.5
1914	11,584	5,195	1,699	4,690	17.6	7.9	2.6	7.1
1913	10,634	4,589	1,674	4,371	16.8	7.3	2.6	6.9
1912	9,582	3,941	1,588	4,053	15.9	6.5	2.6	6.7
1911	9,433	3,821	1,624	3,988	15.9	6.5	2.7	6.7
1910	7,600	3,221	1,435	2.944	14.1	6.0	2.7	5.5
1909	6,828	2,858	1,386	2,584	13.4	5.6	2.7	5.1
1908	6,017	2,432	1,198	2,387	12.9	5.2	2.6	5.1
1907	5,478	2,235	1,127	2,116	12.7	5.2	2.6	4.9
1906	6,012	2,006	1,097	2,909	14.3	4.8	2.6	6.9
1905	4,867	1,534	883	2,450	14.3	4.5	2.6	7.2
1904	4,590	1,507	820	2,263	13.8	4.5	2.5	6.8
1903	4,333	1,368	813	2,152	13.3	4.2	2.5	6.6
1902	4,060	1,131	691	2,238	12.7	3.5	2.2	7.0
1901	3,928	1,137	722	2,069	12.5	3.6	2.3	6.6
1900	3,577	1,029	593	1,955	11.6	3.3	1.9	6.3

Table AN—Con.

YEAR	DEATHS				DEATH RATE PER 100,000 ESTIMATED POPULATION			
	Total	Syphilis	Tabes dorsalis	General paralysis of the insane	Total	Syphilis	Tabes dorsalis	General paralysis of the insane
	REGISTRATION STATES OF 1900 [1]							
1923	4,595	1,846	565	2,184	15.6	6.3	1.9	7.4
1922	4,627	1,824	620	2,183	16.0	6.3	2.1	7.5
1921	4,434	1,845	580	2,009	15.5	6.5	2.0	7.0
1920	4,788	2,345	623	1,820	17.0	8.3	2.2	6.5
1919	4,705	2,165	664	1,876	16.9	7.8	2.4	6.8
1918	5,406	2,500	691	2,215	19.8	9.1	2.5	8.1
1917	5,592	2,596	699	2,297	20.7	9.6	2.6	8.5
1916	5,580	2,479	728	2,373	21.0	9.3	2.7	8.9
1915	5,125	2,130	741	2,254	19.6	8.1	2.8	8.6
1914	4,756	1,905	716	2,135	18.5	7.4	2.8	8.3
1913	4,508	1,665	766	2,077	17.8	6.6	3.0	8.2
1912	4,064	1,410	707	1,947	16.3	5.7	2.8	7.8
1911	4,068	1,394	734	1,940	16.6	5.7	3.0	7.9
1910	3,618	1,307	686	1,625	15.0	5.4	2.8	6.7
1909	3,241	1,232	612	1,397	13.7	5.2	2.6	5.9
1908	3,150	1,121	594	1,435	13.6	4.8	2.6	6.2
1907	2,976	1.069	612	1,295	13.1	4.7	2.7	5.7
1906	3,282	873	619	1,790	14.8	3.9	2.8	8.1
1905	3,012	711	550	1,751	13.9	3.3	2.5	8.1
1904	2,962	747	545	1,670	13.9	3.5	2.6	7.8
1903	2,768	715	511	1,542	13.2	3.4	2.4	7.3
1902	2,652	611	432	1,609	12.8	3.0	2.1	7.8
1901	2,532	599	456	1,477	12.5	2.9	2.2	7.3
1900	2,403	534	393	1,476	12.0	2.7	2.0	7.4
	REGISTRATION STATES OF 1910 [2]							
1923	9,787	4,148	1,156	4,483	16.7	7.1	2.0	7.6
1922	9,554	3,993	1,224	4,337	16.5	6.9	2.1	7.5
1921	9,124	3,914	1,198	4,012	16.0	6.9	2.1	7.0
1920	9,551	4,855	1,156	3,540	17.0	8.7	2.1	6.3
1919	9,195	4,473	1,218	3,504	16.7	8.1	2.2	6.3
1918	10,366	4,736	1,373	4,257	19.1	8.7	2.5	7.8
1917	10,726	4,994	1,386	4,346	20.1	9.3	2.6	8.1
1916	10,250	4,645	1,369	4,236	19.5	8.8	2.6	8.1
1915	9,455	3,976	1,415	4,064	18.3	7.7	2.7	7.9
1914	8,783	3,584	1,348	3,851	17.3	7.0	2.6	7.6
1913	8,217	3,190	1,347	3,680	16.4	6.4	2.7	7.4
1912	7,504	2,787	1,278	3,439	15.3	5.7	2.6	7.0
1911	7,426	2,719	1,322	3,385	15.4	5.6	2.7	7.0
1910	6,407	2,498	1,263	2,646	13.5	5.3	2.7	5.6

[1] Including District of Columbia. For States included, see Table A, p. 7.
[2] Including District of Columbia and excluding North Carolina. For States included, see Table A, p. 7.

NOTE.—Prior to 1921, when syphilis was returned jointly with tabes dorsalis or with general paralysis of the insane, the assignment was to syphilis; in subsequent years the assignment is either to tabes dorsalis or to general paralysis of the insane.

For comparison a few rates are given in Table AO, for England and Wales.

Table AO

ENGLAND AND WALES	DEATH RATE PER 100,000 ESTIMATED POPULATION		
	Syphilis	Tabes dorsalis	General paralysis of the insane
1923	3.6	1.9	4.4
1922	3.9	2.1	4.4
1921	4.7	1.8	4.1
1920	5.4	1.6	4.0
1919	5.0	1.8	4.4
1918	5.8	2.0	5.6
1917	6.1	2.2	6.5
1916	5.5	2.3	5.8
1915	5.3	2.1	6.3
1914	5.8	1.9	6.1
1913	5.7	2.0	5.8
1912	5.1	1.8	6.2
1911	5.1	1.8	6.1
1910	4.6	1.6	6.2

From the Registrar-General's Statistical Review of England and Wales, 1923.

CANCER

The number of deaths in 1923 from cancer and other malignant tumors is 86,754, corresponding to a crude rate of 89.4 per 100,000 estimated population, against 86.8 in 1922, and 86 in 1921. The rate for 1923 shows an increase of 42 per cent over the rate for 1900 (63).

Comparisons of crude mortality rates from this cause, however, magnify somewhat the actual increase in mortality which has occurred, for crude rates do not take into account the fact that the percentage of our population at older ages is annually increasing. For example (on p. 81 of Mortality Rates, 1910–1920) the crude rates from cancer showed for the registration States of 1900 a rate of 64 in 1900 and a rate of 99.6 in 1920, suggesting an increase of 56 per cent, whereas the adjusted rates were, respectively, 60.7 and 87.8, or an increase of 45 per cent. Particular attention, therefore, is called to the following adjusted rates, based on the specific rates of each locality, by sex and age, in 1920, and on the standard million population of England and Wales, 1901 (see "Adjusted rates," p. 10).

The adjusted mortality rates from cancer for 1923 are higher than those for 1922 in 23 of the 34 States showing adjusted rates for both years.

The States which have the highest adjusted rates in 1923 are New York (102.6), Rhode Island (100.9), Massachusetts (99.8), Maryland (99.3), and California (96.8). The lowest adjusted rates are shown for South Carolina (52.2), Tennessee (54.9), North Carolina (56.8), Mississippi (58.5), and Kentucky (60.6). Seven of the 9 States shown by color for 1922 and 1923 have higher adjusted rates in 1923, Maryland having the highest adjusted rate from cancer for both the white and the colored populations (100.2 and 91.8, respectively). The lowest adjusted rate for the white population is 53.7 for Tennessee, and the lowest for the colored population is 43.1 for South Carolina.

Of the 61 cities showing adjusted rates for 1923, Norfolk is the only one which has a rate less than 80. The cities with the highest rates are San Francisco (137.3), Boston (133.3), Cambridge (127.3), New Orleans (126.4), and St. Paul (123.5); those with lowest rates are Norfolk (72.8), Atlanta (80.9), Wilmington, Del. (82), Grand Rapids (83.7), and Trenton (84.3). There is an increase in the adjusted rates for 1923 over those for 1922 in 36 of the 61 cities shown for both these years.

For cities especially, even adjusted rates do not serve as absolutely accurate measures of relative mortality from this disease, for allowance must still be made for deaths of nonresidents who go to the city for hospital treatment.

Table AP shows adjusted mortality rates from cancer per 100,000 estimated population for 1920 to 1923, and crude mortality rates for 1918 to 1923, with rates of 80 or more in bold-faced type.

Table AP — DEATH RATE FROM CANCER AND OTHER MALIGNANT TUMORS PER 100,000 ESTIMATED POPULATION

[Rates of 80 or more in bold-faced type]

AREA	Adjusted rate				Crude rate					
	1923	1922	1921	1920	1923	1922	1921	1920	1919	1918
The registration area [1]	(2)	(2)	(2)	(2)	89.4	86.8	86.0	83.4	80.5	80.3
Registration States [3]	(2)	(2)	81.2	78.5	89.5	86.9	86.2	83.4	80.5	80.3
Cities in registration States [3]	(2)	(2)	(2)	(2)	106.9	104.0	102.1	99.8	96.8	94.9
Rural part of registration States	(2)	(2)	(2)	(2)	73.5	71.0	70.9	68.0	66.4	67.1
Registration cities in nonregistration States	(2)	(2)	(2)	(2)	85.9	82.8	78.2	81.4	78.7	83.0
All registration cities [3]	(2)	(2)	(2)	(2)	106.3	103.4	101.3	99.2	96.1	94.3
California	96.8	95.1	87.7	85.8	123.3	121.1	111.7	109.2	105.3	101.3
Colorado	83.1	71.4	72.3	70.6	85.9	73.8	74.7	73.0	69.2	76.7
Connecticut	90.7	95.9	88.5	91.9	99.3	105.0	96.9	100.6	94.4	94.0
Delaware	67.9	78.1	66.9	74.8	80.3	92.4	79.1	88.4	86.1	(4)
Florida	67.0	58.6	55.4	56.3	62.1	54.3	51.3	52.1	48.5	(4)
White	70.2	63.5	61.1	57.2	72.6	65.7	63.2	59.2	59.1	(4)
Colored	53.0	40.8	36.4	50.0	40.2	31.0	27.6	38.0	28.2	(4)
Georgia	(2)	(2)	(4)	(4)	44.6	39.8	(4)	(4)	(4)	(4)
White	(2)	(2)	(4)	(4)	51.8	45.1	(4)	(4)	(4)	(4)
Colored	(2)	(2)	(4)	(4)	34.0	32.2	(4)	(4)	(4)	(4)
Idaho	(2)	(2)	(4)	(4)	48.1	52.9	(4)	(4)	(4)	(4)
Illinois	92.4	90.9	88.0	86.8	97.7	96.1	93.0	91.8	87.6	82.2
Indiana	79.9	76.9	74.2	72.4	99.2	95.5	92.2	89.9	87.4	88.7
Iowa	(2)	(4)	(4)	(4)	96.9	(4)	(4)	(4)	(4)	(4)
Kansas	72.1	69.6	69.3	63.3	82.4	79.6	79.3	72.4	69.2	72.8
Kentucky	60.6	55.9	55.7	57.6	59.2	54.6	54.4	56.3	52.6	53.1
White	60.1	55.6	55.3	57.5	58.3	54.0	53.7	55.8	51.6	53.0
Colored	63.8	57.3	57.8	57.2	67.5	60.6	61.2	60.5	61.5	54.2
Louisiana	76.8	76.2	67.6	62.0	60.9	60.4	53.6	49.2	49.6	49.2
White	79.9	80.7	73.3	64.6	64.7	65.3	59.3	52.3	54.7	52.9
Colored	71.3	68.7	57.9	57.8	54.5	52.5	44.3	44.2	41.7	43.6
Maine	88.8	86.3	80.8	84.9	128.0	124.4	116.5	122.4	116.2	110.1
Maryland	99.3	91.2	85.3	88.2	108.3	99.5	93.1	94.1	87.6	84.1
White	100.2	92.5	86.9	87.7	113.1	104.4	98.1	99.0	92.4	89.9
Colored	91.8	81.7	74.6	76.3	84.2	75.0	68.5	70.0	63.9	56.0
Massachusetts	99.8	98.4	99.6	97.3	118.2	116.6	118.0	115.3	107.0	108.7
Michigan	81.7	81.1	81.2	77.2	88.4	87.7	87.8	83.5	81.9	81.9
Minnesota	96.1	90.0	85.7	91.4	100.3	93.9	89.4	95.4	89.1	83.2
Mississippi	58.5	56.0	52.4	48.0	46.7	44.7	41.8	38.3	37.6	(4)
White	60.9	58.6	52.6	47.4	52.2	50.2	45.1	40.6	42.9	(4)
Colored	55.7	53.0	52.0	48.4	41.6	39.6	38.9	36.2	32.7	(4)
Missouri	80.5	75.0	74.0	67.3	92.2	85.9	84.8	77.1	74.9	73.5
Montana	65.6	69.6	65.9	60.9	54.5	57.8	54.7	50.6	55.9	53.4
Nebraska	77.5	79.5	79.4	73.9	80.4	82.5	82.4	76.7	(4)	(4)
New Hampshire	82.3	91.8	80.4	78.8	122.7	136.9	119.8	117.4	108.5	108.6
New Jersey	93.0	90.5	92.7	86.0	93.6	91.1	93.3	86.6	87.2	81.2
New York	102.6	99.2	96.0	91.8	112.9	109.2	105.7	101.0	98.7	97.3
North Carolina	56.8	58.0	53.7	49.4	45.4	46.3	42.9	39.5	39.5	42.8
White	56.7	57.4	52.9	50.5	47.8	48.4	44.6	42.6	42.1	45.1
Colored	55.0	57.5	53.7	44.5	39.7	41.5	38.8	32.1	33.4	37.8
Ohio	81.9	79.9	77.7	77.0	94.6	92.3	89.8	89.0	85.7	85.6
Oregon	86.3	85.5	80.2	78.7	102.0	101.0	94.8	93.0	88.1	84.3
Pennsylvania	89.3	85.2	84.1	82.1	90.7	86.5	85.4	83.4	80.9	78.3
Rhode Island	100.9	108.9	97.4	88.0	114.4	121.1	110.4	99.7	96.5	95.8
South Carolina	52.2	53.7	47.6	45.5	37.7	38.8	34.4	32.9	33.6	34.4
White	59.1	59.6	54.8	51.4	47.0	47.4	43.6	40.9	39.9	41.4
Colored	43.1	46.1	38.7	38.4	28.4	30.4	25.5	25.3	27.7	28.0
Tennessee	54.9	53.1	51.9	51.4	49.8	48.2	47.1	46.6	43.2	44.1
White	53.7	52.8	51.5	52.1	49.3	48.5	47.3	47.8	43.3	44.2
Colored	58.8	53.0	52.3	47.2	52.2	47.0	46.4	41.9	42.6	43.7
Utah	80.7	82.1	77.1	67.1	66.3	67.4	63.3	55.1	59.5	52.3
Vermont	84.7	88.0	77.2	85.7	124.6	129.4	113.5	126.0	113.2	103.4
Virginia	66.1	63.3	62.2	61.5	60.1	57.6	56.6	55.9	52.3	53.9
White	66.8	66.5	64.0	61.2	63.5	63.3	60.9	58.2	56.0	57.1
Colored	62.4	52.6	55.7	60.9	52.0	43.8	46.4	50.7	43.9	46.5
Washington	84.3	84.1	79.6	76.2	90.9	90.7	85.8	82.1	77.7	75.3
Wisconsin	81.4	81.7	85.9	77.7	92.5	92.8	97.6	88.2	87.3	81.4
Wyoming	(2)	(2)	(4)	(4)	54.8	46.9	(4)	(4)	(4)	(4)

See footnotes at end of table.

Table AP—Con. DEATH RATE FROM CANCER AND OTHER MALIGNANT TUMORS PER 100,000 ESTIMATED POPULATION

[Rates of 80 or more in bold-faced type]

AREA	Adjusted rate				Crude rate					
	1923	1922	1921	1920	1923	1922	1921	1920	1919	1918
CITIES OF 100,000 POPULATION OR MORE IN 1920										
Akron	(5)	96.6	73.8	62.9	(5)	62.8	48.0	40.9	52.6	31.4
Albany	114.3	128.2	117.3	113.0	145.7	163.5	149.5	144.0	133.0	137.1
Atlanta	80.9	99.3	93.0	97.4	71.3	87.5	81.9	85.8	82.2	70.7
White	86.2	103.8	104.7	107.2	77.2	92.9	93.7	96.0	97.8	80.7
Colored	60.6	79.0	58.6	66.2	57.8	75.3	55.9	63.1	48.2	49.0
Baltimore	119.0	112.0	98.5	104.5	126.9	119.4	105.1	111.4	103.0	102.5
White	120.2	112.2	102.2	104.7	131.6	122.8	111.9	114.6	106.6	108.6
Colored	104.2	103.7	68.6	97.3	99.8	99.4	65.7	93.2	82.5	70.9
Birmingham	101.5	93.2	92.0	81.5	73.5	67.5	66.6	59.0	53.0	58.0
White	109.2	98.4	99.8	84.6	83.2	75.0	76.1	64.5	63.2	75.5
Colored	83.2	79.6	73.9	71.9	58.5	56.0	52.0	50.6	37.3	31.0
Boston	133.3	132.4	125.8	116.9	148.0	147.0	139.6	129.8	121.1	129.7
Bridgeport	(5)	122.3	109.1	110.7	(5)	102.4	91.3	92.7	95.5	89.0
Buffalo	106.3	106.6	101.8	96.5	109.2	107.5	102.6	97.3	103.7	99.6
Cambridge	127.3	130.2	128.5	144.1	145.4	148.7	146.7	164.6	131.6	128.5
Camden	90.7	97.5	94.0	94.9	84.6	91.0	87.7	88.6	83.3	77.0
Chicago	110.9	107.9	104.9	103.6	102.0	99.2	96.5	95.3	95.3	92.4
Cincinnati	108.4	100.8	101.1	105.6	136.1	126.5	126.9	132.6	118.1	133.6
Cleveland	108.3	102.0	93.8	100.4	89.1	83.9	77.1	82.6	78.3	78.9
Columbus	97.9	98.9	88.6	90.0	111.5	112.7	100.9	102.6	113.2	101.0
Dallas	91.4	98.9	88.4	95.8	75.2	81.4	72.7	78.8	81.0	81.9
White	91.7	99.3	91.3	100.0	77.8	84.2	77.4	84.8	80.3	84.5
Colored	86.3	95.4	66.3	66.8	58.7	64.9	45.1	45.4	29.2	68.1
Dayton	86.9	91.8	101.5	98.0	94.8	100.1	110.7	106.9	90.9	103.4
Denver	105.0	82.9	87.9	91.6	125.4	99.0	104.9	109.4	103.8	117.3
Des Moines	(2)	(4)	(4)	(4)	106.4	(4)	(4)	(4)	(4)	(4)
Detroit	(5)	94.8	96.7	86.9	(5)	68.5	69.9	62.8	59.6	60.4
Fall River	105.4	104.6	98.9	102.4	105.9	105.1	99.4	102.9	80.5	87.3
Fort Worth	(2)	(2)	(4)	(4)	55.6	71.6	(4)	(4)	(4)	(4)
White	(2)	(2)	(4)	(4)	58.9	77.4	(4)	(4)	(4)	(4)
Colored	(2)	(2)	(4)	(4)	32.8	35.6	(4)	(4)	(4)	(4)
Grand Rapids	83.7	103.4	87.9	87.4	95.9	118.4	100.6	100.1	101.9	84.3
Hartford	118.4	140.6	126.2	140.7	119.0	141.3	126.8	141.4	125.0	115.9
Houston	98.2	87.4	96.9	76.8	83.8	74.6	82.7	65.6	66.8	74.3
White	100.9	98.9	97.5	82.4	89.1	87.3	86.1	72.7	77.0	86.6
Colored	80.3	40.9	86.5	52.8	66.4	33.8	71.6	43.7	35.6	38.5
Indianapolis	98.7	90.3	91.9	87.8	110.3	100.9	102.6	98.1	86.3	91.7
White	101.1	92.1	92.3	88.5	115.7	105.4	105.6	101.2	88.3	91.7
Colored	83.0	79.6	95.6	83.9	68.4	65.6	78.8	73.3	70.3	91.4
Jersey City	108.6	94.2	102.1	106.2	93.8	81.4	88.2	91.8	87.0	82.1
Kansas City, Kans	118.3	114.0	88.6	83.0	113.1	109.0	84.7	79.3	66.9	88.5
White	(2)	(2)	(2)	(2)	112.5	112.1	89.1	80.1	74.5	92.2
Colored	(2)	(2)	(2)	(2)	116.9	90.5	59.0	74.7	21.1	65.8
Kansas City, Mo.	108.1	104.4	103.5	93.7	118.0	114.0	113.0	102.3	101.1	96.9
Los Angeles	(5)	106.3	96.8	100.0	(5)	143.8	131.0	135.3	128.0	125.1
Louisville	92.2	87.1	87.2	91.9	108.3	102.4	102.5	108.0	109.6	93.3
White	93.6	87.4	91.1	93.3	111.5	104.1	108.6	111.2	117.3	100.3
Colored	71.6	73.4	57.2	72.7	90.9	93.2	72.6	92.3	72.2	59.6
Lowell	109.1	86.0	96.4	82.8	116.4	91.8	102.9	88.4	93.4	98.4
Memphis	95.6	100.6	91.1	85.9	90.0	94.7	85.7	80.8	87.5	92.1
White	100.9	110.5	103.5	95.4	97.4	106.7	100.0	92.1	93.5	98.5
Colored	75.7	73.0	60.5	60.8	77.1	74.3	61.6	61.9	77.0	81.0
Milwaukee	94.1	95.4	98.1	97.8	90.4	91.6	94.2	93.9	87.3	83.2
Minneapolis	121.4	105.2	102.7	110.6	126.4	109.5	106.9	115.2	105.7	96.1
Nashville	100.9	90.2	92.1	95.4	106.0	94.7	96.7	100.2	94.1	76.1
White	94.2	99.7	90.9	105.3	97.8	103.6	94.4	109.4	102.1	76.4
Colored	113.6	66.3	92.1	71.0	125.9	73.5	102.1	78.7	75.7	75.5
New Bedford	100.0	91.7	70.9	78.2	99.2	91.0	70.4	77.6	89.2	82.6
New Haven	104.7	129.6	114.3	119.3	107.0	132.4	116.8	121.9	103.7	104.4
New Orleans	126.4	129.9	111.6	110.7	121.1	124.4	106.9	106.0	109.7	102.4
White	119.8	125.3	111.5	109.9	119.4	125.3	111.1	109.5	115.5	105.3
Colored	140.4	135.7	105.9	107.1	126.1	121.8	95.1	96.2	93.3	94.5
New York	118.3	112.7	107.9	104.1	107.1	102.1	97.7	94.3	92.6	90.9
Bronx Borough	117.1	115.1	107.1	112.3	95.4	93.8	87.3	91.5	93.0	88.7
Brooklyn Borough	106.9	103.9	95.5	94.1	96.8	94.1	86.5	85.2	86.1	86.2
Manhattan Borough	130.7	123.1	121.2	112.1	121.7	114.6	112.9	104.4	101.0	97.8
Queens Borough	119.7	101.9	100.9	97.0	107.7	91.7	90.8	87.3	79.4	77.4
Richmond Borough	94.3	109.5	98.3	98.4	94.1	109.3	98.1	98.2	90.5	100.2
Newark, N. J.	110.5	102.2	112.2	102.1	97.6	90.3	99.1	90.2	92.2	85.6
Norfolk	72.8	75.7	87.3	88.9	58.5	60.8	70.1	71.4	72.8	74.3
White	81.4	83.8	94.0	99.9	69.9	71.9	80.7	85.7	74.7	90.6
Colored	47.3	52.5	64.9	58.8	38.3	42.5	52.6	47.6	69.8	47.7
Oakland	87.9	86.9	86.9	83.9	104.5	103.3	103.3	99.7	99.6	94.2

See footnotes at end of table.

Table AP—Con. DEATH RATE FROM CANCER AND OTHER MALIGNANT TUMORS PER 100,000 ESTIMATED POPULATION

[Rates of 80 or more in bold-faced type]

AREA	Adjusted rate				Crude rate					
	1923	1922	1921	1920	1923	1922	1921	1920	1919	1918
CITIES OF 100,000 POPULATION OR MORE IN 1920—con.										
Omaha	118.6	120.8	121.9	127.4	116.9	119.1	120.2	125.6	93.8	102.6
Paterson	109.6	106.3	104.2	102.1	111.0	107.6	105.5	103.4	102.7	100.5
Philadelphia	111.1	100.5	103.9	93.5	117.0	105.8	109.4	98.5	98.1	100.7
Pittsburgh	104.9	117.7	103.9	97.0	95.7	107.4	94.8	88.5	90.7	85.3
Portland, Oreg.	108.7	106.1	108.5	105.0	127.2	124.1	126.9	122.9	113.6	118.4
Providence	119.1	120.5	117.5	103.7	134.9	136.5	133.1	117.5	109.3	104.9
Reading	92.4	85.4	77.4	86.8	107.3	99.1	89.8	100.7	79.2	78.9
Richmond	88.8	89.0	88.0	84.1	87.3	87.5	86.5	82.7	77.5	78.1
White	94.7	99.8	99.4	78.4	96.6	101.8	101.4	80.0	90.3	87.8
Colored	67.3	56.3	54.6	90.7	65.7	55.0	53.3	88.6	50.0	57.7
Rochester	99.5	83.9	103.1	102.8	110.7	93.4	114.7	114.4	110.7	111.6
St. Louis	107.8	105.8	105.4	99.7	118.6	116.4	115.9	109.6	104.5	100.6
St. Paul	123.5	122.1	112.1	118.9	126.5	125.1	114.8	121.8	118.1	102.8
Salt Lake City	114.5	103.3	102.7	88.3	110.9	100.1	99.5	85.5	100.9	78.6
San Antonio	94.4	87.4	84.2	110.1	84.4	78.1	75.3	98.4	69.6	81.9
San Francisco	137.3	142.0	132.2	130.9	158.6	164.0	152.7	151.2	151.4	143.1
Scranton	114.3	94.7	98.4	106.5	101.0	83.7	87.0	94.1	97.5	81.3
Seattle	(5)	105.2	101.4	102.0	(5)	110.2	106.2	106.8	94.8	94.9
Spokane	115.5	109.9	100.3	101.9	136.7	130.1	118.7	120.6	111.1	112.0
Springfield, Mass.	100.5	108.9	100.3	95.5	104.7	113.5	104.5	99.5	105.9	102.1
Syracuse	94.1	95.9	93.9	82.3	107.9	109.9	107.6	94.4	105.9	100.3
Toledo	94.5	92.5	86.4	86.9	98.8	96.7	90.3	90.8	85.1	85.5
Trenton	84.3	100.3	102.2	81.1	79.3	94.3	96.1	76.3	99.9	87.2
Washington, D. C.	92.3	103.0	105.5	87.0	103.2	115.2	117.9	97.3	100.4	99.5
White	91.1	102.6	104.1	89.6	107.6	121.2	123.0	105.9	104.9	100.1
Colored	90.9	99.4	104.9	73.0	89.3	97.6	103.0	71.7	87.4	97.9
Wilmington, Del.	82.0	82.7	76.3	91.2	82.4	83.1	76.7	91.7	89.5	79.9
Worcester	106.0	91.9	108.4	114.7	112.0	97.1	114.6	121.2	112.4	116.9
Yonkers	107.1	84.5	86.3	98.1	94.9	74.9	76.5	86.9	79.7	77.3
Youngstown	92.1	110.4	111.4	88.9	63.1	75.6	76.3	60.9	55.4	69.4

[1] Exclusive of Hawaii.
[2] Not computed.
[3] Including District of Columbia.
[4] Not added to registration area until a later date.
[5] Rates are omitted pending the establishment of more satisfactory estimates of population.

Summarized briefly, the adjusted rates show that the Northern States have comparatively high, and the Southern States comparatively low cancer mortality, whereas there is little difference between the adjusted cancer rates of the white and colored races of the same States. In other words, the white and colored races seem about equally susceptible to cancer, but both races seem less susceptible in the South than in the North. Some of the adjusted rates on page 86 of Mortality Rates, 1910–1920, seem to afford a partial explanation at least for the higher rates from cancer for the whites of the North than for the whites of the South. Comparatively high adjusted rates from cancer are there shown for various race stocks, which constitute a much smaller proportion of the total population in the South than in the North. In 1920, in the State of New York, for example, an adjusted rate of 117.1 per 100,000 enumerated population appears for those having mothers born in Ireland and a rate of 108.2 for those having mothers born in Germany, as against 73.9 for those having mothers born in the United States. These differences are *not* to be accounted for on the basis

of better certification for some race stocks than for others. What possible reason, for example, is there for believing that certification for those whose mothers were born in the United States was poorer than for those whose mothers were born in Ireland?

Whether cancer is really increasing year after year or only apparently increasing has been a subject of controversy for years. Those who hold that the increase is only apparent maintain that improvement in diagnoses accounts for the increase in the recorded cancer rates, while the other side, admitting that improvement in diagnoses accounts for some of the recorded increase, still holds that there is an actual increase.

In the 1917 report of the Registrar-General of England and Wales, Dr. T. H. C. Stevenson presents some very convincing figures showing a recorded increase in the mortality from cancer of accessible sites, the argument being that here an actual increase can hardly be questioned, as we have no reason to think the diagnoses of cancer of accessible sites, such as the skin, mouth, and breast, are any better to-day than they were 20 years or more ago.

Table AQ substantiates these findings and shows conclusively that cancer of these sites increased very rapidly in this country between 1900 and 1920.

The 1923 adjusted rate (14.5) for these three accessible sites is the same as the 1920 rate.

Table AQ — DEATH RATE PER 100,000 POPULATION IN THE REGISTRATION STATES OF 1900 (INCLUDING DISTRICT OF COLUMBIA)

Sex and age	1923				1920				1910				1900			
	Total	Cancer			Total	Cancer			Total	Cancer			Total	Cancer		
		Of the buccal cavity	Of the breast	Of the skin		Of the buccal cavity	Of the breast	Of the skin		Of the buccal cavity	Of the breast [1]	Of the skin		Of the buccal cavity	Of the breast	Of the skin
Both Sexes																
All ages—Adjusted rate	14.5	2.9	9.3	2.3	14.5	2.9	9.2	2.5	13.1	2.7	7.9	2.5	8.4	1.4	5.0	1.9
Crude rate	16.5	3.6	10.2	2.7	16.3	3.5	9.9	2.9	14.0	3.1	8.2	2.8	8.8	1.6	5.1	2.1
Under 5 years	0.1	0.1	-------	0.1	0.3	0.1	-------	0.2	0.3	-------	0.1	0.2	0.2	0.1	-------	0.1
5 to 9 years	(2)	-------	-------	(2)	0.2	(2)	(2)	0.1	0.2	0.2	-------	-------	0.2	0.1	0.1	0.1
10 to 14 years	0.2	0.1	(2)	(2)	0.2	0.1	(2)	(2)	(2)	(2)	-------	-------	-------	-------	-------	-------
15 to 19 years	0.1	-------	0.1	(2)	0.1	(2)	-------	(2)	0.5	0.2	0.1	0.2	0.1	0.1	0.1	-------
20 to 24 years	0.3	0.1	0.1	0.1	0.5	0.1	0.2	0.2	0.4	-------	0.3	0.2	0.3	0.1	0.2	0.1
25 to 34 years	1.9	0.3	1.5	0.1	2.1	0.3	1.6	0.2	2.0	0.3	1.4	0.2	1.4	0.1	1.0	0.2
35 to 44 years	11.3	1.4	9.2	0.7	11.6	1.7	9.2	0.7	9.2	1.1	7.3	0.8	6.1	0.6	4.6	0.8
45 to 54 years	30.5	5.5	23.2	1.8	28.9	5.6	21.3	2.0	27.1	4.3	20.1	2.7	17.0	3.0	11.6	2.4
55 to 64 years	58.6	13.7	38.3	6.6	59.1	13.2	38.7	7.1	51.0	13.3	30.7	7.0	35.0	7.5	22.0	5.4
65 to 74 years	101.3	28.0	52.5	20.8	94.1	23.7	49.4	21.0	92.9	25.9	44.4	22.6	56.4	11.7	26.6	18.1
75 years and over	203.4	45.5	86.5	71.4	222.7	48.9	96.5	77.2	195.0	40.8	84.1	70.2	121.1	18.7	54.5	47.9
Males																
All ages—Adjusted rate	8.6	5.3	0.2	3.0	8.9	5.3	0.2	3.3	8.0	4.7	-------	3.3	5.1	2.2	0.2	2.7
Crude rate	9.6	6.1	0.3	3.3	9.8	5.9	0.2	3.6	8.5	5.0	-------	3.5	5.4	2.3	0.2	2.9
Under 5 years	0.1	-------	-------	0.1	0.5	0.3	-------	0.2	0.1	-------	-------	0.1	0.3	0.1	-------	0.2
5 to 9 years	-------	-------	-------	-------	0.2	-------	-------	0.2	0.1	0.1	-------	-------	0.3	0.1	0.1	0.1
10 to 14 years	0.2	0.2	-------	-------	0.2	0.1	0.1	0.1	0.1	0.1	-------	-------	-------	-------	-------	-------
15 to 19 years	-------	-------	-------	-------	0.2	0.1	-------	0.1	0.4	0.1	-------	0.3	0.1	0.1	-------	-------
20 to 24 years	0.2	0.1	-------	0.1	0.3	0.2	-------	0.1	0.3	-------	-------	0.3	0.2	0.1	0.1	-------
25 to 34 years	0.5	0.5	-------	0.1	0.7	0.4	-------	0.2	0.8	0.4	-------	0.3	0.6	0.2	0.1	0.3
35 to 44 years	3.2	2.3	0.1	0.7	3.9	2.8	(2)	1.0	2.9	1.8	-------	1.0	2.1	0.9	-------	1.1
45 to 54 years	11.4	8.9	0.3	2.2	12.8	9.4	0.3	3.1	11.0	7.7	-------	3.3	7.9	4.3	0.2	3.4
55 to 64 years	33.3	23.2	1.1	8.9	34.2	23.2	0.9	10.0	33.2	22.8	-------	10.4	19.9	11.5	0.8	7.6
65 to 74 years	78.2	48.4	1.9	27.9	71.7	43.3	1.6	26.7	74.4	44.2	-------	30.2	42.1	16.7	1.2	24.3
75 years and over	183.5	86.7	3.4	93.4	190.4	86.0	4.6	99.8	152.1	66.5	-------	85.6	101.6	29.4	4.2	67.9
Females																
All ages—Adjusted rate	19.8	0.9	17.1	1.7	19.2	0.8	16.9	1.8	17.5	1.0	14.7	1.8	11.2	0.8	9.2	1.2
Crude rate	23.5	1.1	20.3	2.1	22.9	1.0	19.8	2.1	19.6	1.1	16.5	2.1	12.2	0.9	10.0	1.4
Under 5 years	0.2	0.1	-------	0.1	0.1	-------	-------	0.1	0.6	-------	0.3	0.3	0.2	0.2	-------	-------
5 to 9 years	0.1	-------	-------	0.1	0.2	0.1	0.1	-------	0.3	0.3	-------	-------	-------	-------	-------	-------
10 to 14 years	0.2	0.1	0.1	0.1	0.1	0.1	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------
15 to 19 years	0.3	-------	0.2	0.1	-------	-------	-------	-------	0.5	0.3	0.2	0.1	0.1	-------	0.1	-------
20 to 24 years	0.4	0.1	0.2	0.1	0.7	-------	0.5	0.2	0.6	-------	0.5	0.1	0.3	-------	0.2	0.1
25 to 34 years	3.3	0.1	3.0	0.2	3.5	0.2	3.2	0.2	3.2	0.2	3.0	-------	2.2	0.1	2.0	0.2
35 to 44 years	20.0	0.4	18.9	0.7	19.8	0.5	18.9	0.5	15.9	0.3	15.0	0.6	10.4	0.3	9.5	0.5
45 to 54 years	51.2	1.8	48.0	1.3	46.2	1.5	44.0	0.7	44.1	0.8	41.3	2.0	26.4	1.7	23.4	1.3
55 to 64 years	84.5	3.9	76.5	4.2	84.6	3.0	77.3	4.2	69.0	3.6	61.7	3.6	49.8	3.6	42.8	3.3
65 to 74 years	123.3	8.4	100.8	14.1	115.5	5.0	94.9	15.6	110.4	8.6	86.5	15.3	69.8	6.9	50.7	12.2
75 years and over	219.1	13.0	152.2	53.9	248.6	19.2	170.2	59.2	231.3	19.1	155.0	57.2	138.4	9.3	98.9	30.3

[1] Not tabulated separately for males, but included in cancer of other organs.
[2] Less than one-tenth of 1 per 100,000 population.

NOTE.—Populations and deaths at unknown age are distributed in computing the adjusted rates, but not the specific rates. Enumerated populations are used for 1900, 1910, and 1920, and estimated populations for 1923. For States included, see Table A, p. 7.

Particular attention is called to the rates adjusted to the standard million population of England and Wales, 1901. In the registration States of 1900, the death rate from cancer of the buccal cavity was 1.4 per 100,000 population in 1900, 2.7 in 1910, and 2.9 in both 1920 and 1923; the death rate from cancer of the breast was 5 in 1900, 7.9 in 1910, 9.2 in 1920, and 9.3 in 1923; and the death rate from cancer of the skin was 1.9 in 1900, 2.5 each in 1910 and 1920, and 2.3 in 1923. Considering these three accessible sites together the adjusted rate of 8.4 in 1900 has increased to 14.5 in 1923, or 72.6 per cent in 23 years.

From the specific rates it appears that the increase between 1900 and 1923 is almost entirely due to increased rates at age periods above 35. The greatest increase from cancer of the buccal cavity appears for males aged 75 years and over, the 1900 rate being 29.4 per 100,000 population and the 1923 rate, 86.7, an increase of 194.9 per cent in 23 years, while males between 65 and 74 show a rate of 16.7 in 1900 and a rate of 48.4 in 1923, or an increase of 189.8 per cent. The greatest increase from cancer of the breast appears for females aged 75 years and over, the 1900 rate being 98.9 and the 1923 rate 152.2, an increase of 53.9 per cent in 23 years, whereas females between 65 and 74 show a rate of 50.7 in 1900 and a rate of 100.8 in 1923, or an increase of 98.8 per cent, and those between 55 and 64 show a rate of 42.8 in 1900 and a rate of 76.5 in 1923, or an increase of 78.7 per cent. The greatest increase from cancer of the skin appears for females aged 75 years and over, the 1900 rate being 30.3 per 100,000 population and the 1923 rate 53.9, an increase of 77.9 per cent, while males 75 years of age and over show a rate of 67.9 in 1900 and a rate of 93.4 in 1923, or an increase of only 37.6 per cent.

The death rates from cancer of these three sites in each registration State of 1900 are shown in Table AR.

Table AR

REA AND CAUSE OF DEATH	DEATH RATE PER 100,000 POPULATION IN EACH REGISTRATION STATE OF 1900							
	Adjusted rate			Crude rate				
	1923	1922	1920	1923	1922	1920	1910	1900
Cancer of the buccal cavity, breast, and skin:								
Connecticut	16.1	17.6	15.7	17.3	18.9	16.9	15.0	12.2
Indiana	13.3	13.0	12.6	16.7	16.4	15.9	12.8	5.0
Maine	13.7	12.3	13.4	19.9	17.8	19.4	18.6	10.5
Massachusetts	15.3	16.7	16.7	18.2	19.9	19.9	15.6	8.7
Michigan	11.3	11.6	11.1	13.1	13.4	12.9	12.4	10.2
New Hampshire	15.1	14.8	16.7	19.4	19.0	21.4	20.4	7.0
New Jersey	14.5	14.0	14.2	14.3	13.8	14.0	11.3	7.2
New York	15.5	15.2	14.6	16.9	16.5	15.9	13.6	9.1
Rhode Island	17.3	15.6	15.4	19.5	17.6	17.4	17.2	14.7
Vermont	14.3	12.7	14.4	21.6	19.3	21.8	20.8	9.6
District of Columbia	19.5	21.0	16.5	19.5	21.0	16.5	16.6	12.6

Table AR—Con.

AREA AND CAUSE OF DEATH	DEATH RATE PER 100,000 POPULATION IN EACH REGISTRATION STATE OF 1900							
	Adjusted rate			Crude rate				
	1923	1922	1920	1923	1922	1920	1910	1900
Cancer of the buccal cavity:								
Connecticut	3.2	3.7	2.7	3.7	4.3	3.1	3.3	1.9
Indiana	2.5	2.3	2.1	3.5	3.3	3.0	2.7	0.9
Maine	2.4	2.2	2.0	4.2	3.9	3.5	3.8	2.2
Massachusetts	3.1	3.3	3.5	3.8	4.0	4.3	3.5	1.5
Michigan	2.2	2.3	2.4	2.9	3.0	3.1	3.0	2.0
New Hampshire	1.8	3.7	3.1	2.2	4.5	3.8	3.9	1.7
New Jersey	3.1	2.6	2.5	3.3	2.8	2.7	2.2	1.5
New York	3.2	2.9	3.1	3.7	3.4	3.6	3.0	1.6
Rhode Island	4.3	4.2	3.9	5.1	5.0	4.6	5.0	2.6
Vermont	2.4	2.2	3.0	4.0	3.7	5.1	3.6	1.5
District of Columbia	7.3	5.1	4.2	5.9	4.1	3.4	3.9	1.8
Cancer of the breast:								
Connecticut	10.5	11.9	10.0	11.0	12.5	10.5	9.3	7.0
Indiana	7.2	7.4	6.6	8.1	8.3	7.4	6.5	2.4
Maine	8.6	7.4	8.6	11.2	9.6	11.2	10.5	5.5
Massachusetts	10.4	11.4	11.1	12.3	13.4	13.1	9.3	5.4
Michigan	7.4	6.6	6.7	8.0	7.2	7.3	6.6	5.5
New Hampshire	9.3	8.3	9.7	12.5	11.2	13.1	9.7	4.1
New Jersey	9.4	9.2	9.3	9.1	8.9	9.0	7.6	3.9
New York	10.2	9.9	9.5	10.8	10.5	10.1	8.2	5.4
Rhode Island	10.8	9.1	9.4	12.0	10.2	10.5	8.6	8.9
Vermont	7.9	6.8	8.9	11.1	9.6	12.5	12.1	5.2
District of Columbia	9.4	13.1	9.1	10.9	15.1	10.5	8.7	8.6
Cancer of the skin:								
Connecticut	2.4	1.9	3.0	2.6	2.1	3.3	2.4	3.3
Indiana	3.6	3.4	4.0	5.1	4.8	5.6	3.5	1.7
Maine	2.7	2.6	2.8	4.5	4.4	4.7	4.3	2.9
Massachusetts	1.8	2.1	2.2	2.1	2.5	2.6	2.9	1.7
Michigan	1.8	2.7	2.0	2.2	3.3	2.5	2.8	2.6
New Hampshire	4.1	2.9	3.9	4.7	3.4	4.5	6.7	1.2
New Jersey	2.0	2.3	2.3	1.9	2.2	2.2	1.5	1.8
New York	2.2	2.4	2.0	2.4	2.6	2.2	2.4	2.1
Rhode Island	2.2	2.2	2.1	2.4	2.4	2.3	3.7	3.3
Vermont	3.6	3.3	2.4	6.5	6.0	4.3	5.1	2.9
District of Columbia	3.3	2.2	3.1	2.7	1.8	2.5	3.9	2.2

NOTE.—Enumerated populations are used for 1900, and estimated populations for the other years.

Comparing the adjusted rates in 1923 from cancer of these three accessible sites, for each registration State of 1900, the highest rate (17.3 per 100,000 estimated population) appears for Rhode Island and the lowest (11.3) for Michigan; both of these rates are higher than the corresponding rates for 1920. But there is a bit of comfort in the fact that for this group of States the rate from cancer of the breast is but slightly higher in 1923 than in 1920; the rate from cancer of the buccal cavity is the same and that from cancer of the skin is lower than in 1920.

Cancer and other malignant tumors include seven titles of the detailed International List of Causes of Death, to three of which are charged nearly two-thirds of all deaths from this cause in 1923. The total number of deaths is 86,754, and 33,080 of these, or 38.1 per cent, are due to cancer of the stomach and liver; 11,951, or 13.8 per cent, to cancer of the peritoneum, intestines, and rectum; and 12,264, or 14.1 per cent, to cancer of the female genital organs.

The classification, by seat of disease, of the deaths from cancer in 1922 and 1923, with the rates per 100,000 estimated population, is shown in Table AS.

Table AS

SEAT OF DISEASE	DEATHS IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII)					
	Number		Rate per 100,000 estimated population		Per cent	
	1923	1922	1923	1922	1923	1922
Cancer and other malignant tumors	86,754	80,938	89.4	86.8	100.0	100.0
Cancer of the buccal cavity	2,992	2,772	3.1	3.0	3.4	3.4
Lip	462	467	0.5	0.5	0.5	0.6
Tongue	760	758	0.8	0.8	0.9	0.9
Mouth	335	262	0.3	0.3	0.4	0.3
Jaw	1,061	962	1.1	1.0	1.2	1.2
Others of this class	374	323	0.4	0.3	0.4	0.4
Cancer of the stomach and liver	33,080	31,128	34.1	33.4	38.1	38.5
Pharynx	957	959	1.0	1.0	1.1	1.2
Esophagus	1,445	1,342	1.5	1.4	1.7	1.7
Stomach	20,728	19,449	21.4	20.9	23.9	24.0
Liver and gall bladder	9,950	9,378	10.3	10.1	11.5	11.6
Cancer of the peritoneum, intestines, and rectum	11,951	10,868	12.3	11.7	13.8	13.4
Mesentery and peritoneum	775	653	0.8	0.7	0.9	0.8
Intestines (except rectum)	7,616	6,835	7.9	7.4	8.8	8.5
Rectum and anus	3,501	3,265	3.6	3.5	4.0	4.0
Others of this class	59	65	0.1	0.1	0.1	0.1
Cancer of the female genital organs	12,264	11,848	12.6	12.7	14.1	14.6
Ovary and Fallopian tube	976	826	1.0	0.9	1.1	1.0
Uterus	10,925	10,668	11.3	11.4	12.6	13.2
Vagina and vulva	315	303	0.3	0.3	0.4	0.4
Others of this class	48	51	(1)	0.1	0.1	0.1
Cancer of the breast	7,704	7,294	7.9	7.8	8.9	9.0
Cancer of the skin	2,618	2,617	2.7	2.8	3.0	3.2
Cancer of other or unspecified organs	16,145	14,411	16.6	15.5	18.6	17.8
Larynx	695	579	0.7	0.6	0.8	0.7
Lung and pleura	1,387	1,273	1.4	1.4	1.6	1.6
Pancreas	1,685	1,394	1.7	1.5	1.9	1.7
Kidneys and suprarenals	1,035	918	1.1	1.0	1.2	1.1
Prostate	2,282	2,022	2.4	2.2	2.6	2.5
Bladder	2,837	2,588	2.9	2.8	3.3	3.2
Brain	301	216	0.3	0.2	0.3	0.3
Bones (except jaw)	952	917	1.0	1.0	1.1	1.1
Testes	166	138	0.2	0.1	0.2	0.2
Others of this class	4,805	4,366	5.0	4.7	5.5	5.4

[1] Less than one-tenth of 1 per 100,000 population.

Of the total deaths from cancer, 48,764, or 56.2 per cent, are of females and 37,990, or 43.8 per cent, are of males. Year after year statistics show that more than half of those who die of cancer are females, although the male population of the registration area exceeds the female. Cancers of the following sites show a great excess of male deaths: Cancer of the buccal cavity (2,479 males and 513 females), cancer of the skin (1,612 males and 1,006 females), and cancer of other organs or of organs not specified (10,626 males and 5,519 females). Cancer of the stomach and liver (17,881 males and 15,199 females) caused nearly half of all cancer deaths of males, but only about one-third of the deaths of females. Cancer of the breast and cancer of the female genital organs caused 40.7 per cent of all cancer deaths among females in 1923.

In Table AT are shown for 1923, refined, adjusted, and crude rates from cancer for registration States and cities of 100,000 population or more in 1920. The refined rates have been found by first allocating deaths from cancer to areas of residence and computing rates, and then by applying to these rates the corrective factors necessary to change the crude rates from cancer to adjusted rates, based on the standard million population of England and Wales, 1901 (see "Adjusted rates," p. 10). The States with greatest decreases of refined from crude rates are New Hampshire (40), Maine (37.6), and Vermont (37.2), and those showing greatest increases are Louisiana (15.5), Montana (13.7), and Mississippi (12.5).

Among the cities Spokane's refined rate (88.1) is 48.6 below the crude rate (136.7); Albany shows a corresponding decrease of 43.4; Portland, Oreg., 38.8; Boston, 33.8; Cincinnati, 32.6; Minneapolis, 29; and Providence, 27.1; on the other hand, Jersey City's refined rate (116.9) is 23.1 above the crude rate (93.8). Youngstown shows a corresponding increase of 22.3; Yonkers, 18.4; Cleveland, 17.7; and Birmingham, 10.3.

Attention is called to the fact that the range between the high and low refined rates is less than between the high and low adjusted rates for States, but slightly more than the range between the high and low adjusted rates for cities, and much less than between the high and low crude rates for both States and cities (see Table AU).

Table AT

AREA	DEATH RATE FROM CANCER AND OTHER MALIGNANT TUMORS PER 100,000 ESTIMATED POPULATION: 1923			
	Refined rate [1]	Adjusted rate	Crude rate	Difference between refined and crude rate
California	(2)	96.8	123.3	(2)
Colorado	83.2	83.1	85.9	−2.7
Connecticut	91.2	90.7	99.3	−8.1
Delaware	69.3	67.9	80.3	−11.0
Florida	64.1	67.0	62.1	+2.0
White	66.6	70.2	72.6	−6.0
Colored	51.8	53.0	40.2	+11.6
Georgia	(3)	(3)	44.6	(3)
White	(3)	(3)	51.8	(3)
Colored	(3)	(3)	34.0	(3)
Idaho	(3)	(3)	48.1	(3)
Illinois	92.0	92.4	97.7	−5.7
Indiana	80.4	79.9	99.2	−18.8
Iowa	(3)	(3)	96.9	(3)
Kansas	72.5	72.1	82.4	−9.9
Kentucky	(2)	60.6	59.2	(2)
White	(2)	60.1	58.3	(2)
Colored	(2)	63.8	67.5	(2)
Louisiana	76.4	76.8	60.9	+15.5
White	78.9	79.9	64.7	+14.2
Colored	72.1	71.3	54.5	+17.6
Maine	90.4	88.8	128.0	−37.6
Maryland	95.9	99.3	108.3	−12.4
White	96.0	100.2	113.1	−17.1
Colored	92.6	91.8	84.2	+8.4
Massachusetts	98.4	99.8	118.2	−19.8
Michigan	82.4	81.7	88.4	−6.0
Minnesota	88.3	96.1	100.3	−12.0
Mississippi	59.2	58.5	46.7	+12.5
White	62.4	60.9	52.2	+10.2
Colored	55.4	55.7	41.6	+13.8
Missouri	79.4	80.5	92.2	−12.8
Montana	68.2	65.6	54.5	+13.7
Nebraska	79.7	77.5	80.4	−0.7
New Hampshire	82.7	82.3	122.7	−40.0
New Jersey	94.6	93.0	93.6	+1.0
New York	101.7	102.6	112.9	−11.2
North Carolina	57.6	56.8	45.4	+12.2
White	57.4	56.7	47.8	+9.6
Colored	56.1	55.0	39.7	+16.4
Ohio	82.1	81.9	94.6	−12.5
Oregon	82.2	86.3	102.0	−19.8

See footnotes at end of table.

Table AT—Con.

AREA	DEATH RATE FROM CANCER AND OTHER MALIGNANT TUMORS PER 100,000 ESTIMATED POPULATION: 1923			
	Refined rate [1]	Adjusted rate	Crude rate	Difference between refined and crude rate
Pennsylvania	89.9	89.3	90.7	−0.8
Rhode Island	101.8	100.9	114.4	−12.6
South Carolina	(2)	52.2	37.7	(2)
White	(2)	59.1	47.0	(2)
Colored	(2)	43.1	28.4	(2)
Tennessee	(2)	54.9	49.8	(2)
White	(2)	53.7	49.3	(2)
Colored	(2)	58.8	52.2	(2)
Utah	77.1	80.7	66.3	+10.8
Vermont	87.4	84.7	124.6	−37.2
Virginia	66.4	66.1	60.1	+6.3
White	67.1	66.8	63.5	+3.6
Colored	62.4	62.4	52.0	+10.4
Washington	84.9	84.3	90.9	−6.0
Wisconsin	82.9	81.4	92.5	−9.6
Wyoming	(3)	(3)	54.8	(3)
CITIES OF 100,000 POPULATION OR MORE IN 1920				
Akron	(4)	(4)	(4)	(4)
Albany	102.3	114.3	145.7	−43.4
Atlanta	65.1	80.9	71.3	−6.2
White	68.3	86.2	77.2	−8.9
Colored	51.3	60.6	57.8	−6.5
Baltimore	105.1	119.0	126.9	−21.8
White	105.3	120.2	131.6	−26.3
Colored	97.8	104.2	99.8	−2.0
Birmingham	83.8	101.5	73.5	+10.3
White	91.6	109.2	83.2	+8.4
Colored	66.5	83.2	58.5	+8.0
Boston	114.2	133.3	148.0	−33.8
Bridgeport	(4)	(4)	(4)	(4)
Buffalo	101.1	108.3	109.2	−8.1
Cambridge	128.9	127.3	145.4	−16.5
Camden	89.8	90.7	84.6	+5.2
Chicago	107.0	110.9	102.0	+5.0
Cincinnati	103.5	108.4	136.1	−32.6
Cleveland	106.8	108.3	89.1	+17.7
Columbus	86.4	97.9	111.5	−25.1
Dallas	76.0	91.4	75.2	+0.8
White	76.7	91.7	77.8	----------
Colored	69.0	86.3	58.7	----------
Dayton	82.0	86.9	94.8	−12.8
Denver	98.5	105.0	125.4	−26.9
Des Moines	(3)	(3)	106.4	(3)
Detroit	(4)	(4)	(4)	(4)
Fall River	98.7	105.4	105.9	−7.2
Fort Worth	(3)	(3)	55.6	(3)
White	(3)	(3)	58.9	(3)
Colored	(3)	(3)	32.8	(3)
Grand Rapids	82.6	83.7	95.9	−13.3
Hartford	92.8	118.4	119.0	−26.2
Houston	91.3	98.2	83.8	+7.5
White	94.2	100.9	89.1	+5.1
Colored	73.5	80.3	66.4	+7.1
Indianapolis	91.7	98.7	110.3	−18.6
White	93.3	101.1	115.7	−22.4
Colored	83.0	83.0	68.4	+14.6
Jersey City	116.9	108.6	93.8	+23.1
Kansas City, Kans	92.2	118.3	113.1	−20.9
White	(3)	(3)	112.5	(3)
Colored	(3)	(3)	116.9	(3)
Kansas City, Mo	97.9	108.1	118.0	−20.1
Los Angeles	(2)	(4)	(4)	(2)
Louisville	(2)	92.2	108.3	(2)
White	(2)	93.6	111.5	(2)
Colored	(2)	71.6	90.9	(2)
Lowell	109.1	109.1	116.4	−7.3
Memphis	75.6	95.6	90.0	−14.4
White	76.8	100.9	97.4	−20.6
Colored	64.7	75.7	77.1	−12.4
Milwaukee	91.9	94.1	90.4	+1.5
Minneapolis	97.4	121.4	126.4	−29.0
Nashville	92.4	100.9	106.0	−13.6
White	83.1	94.2	97.8	−14.7
Colored	111.0	113.6	125.9	−14.9
New Bedford	97.6	100.0	99.2	−1.6
New Haven	88.9	104.7	107.0	−18.1
New Orleans	118.5	126.4	121.1	−2.6
White	109.4	119.8	119.4	−10.0
Colored	140.4	140.4	126.1	+14.3
New York	115.2	118.3	107.1	+8.1
Bronx Borough	116.7	117.1	95.4	+21.3
Brooklyn Borough	106.9	106.9	96.8	+10.1
Manhattan Borough	124.1	130.7	121.7	+2.4
Queens Borough	116.6	119.7	107.7	+8.9
Richmond Borough	90.4	94.3	94.1	−3.7

Table AT—Con.

AREA	DEATH RATE FROM CANCER AND OTHER MALIGNANT TUMORS PER 100,000 ESTIMATED POPULATION: 1923			
	Refined rate [1]	Adjusted rate	Crude rate	Difference between refined and crude rate
CITIES OF 100,000 POPULATION OR MORE IN 1920—con.				
Newark, N. J	105.5	110.5	97.6	+7.9
Norfolk	62.6	72.8	58.5	+4.1
White	70.0	81.4	69.9	+0.1
Colored	40.7	47.3	38.3	+2.4
Oakland	(2)	87.9	104.5	(2)
Omaha	117.1	118.6	116.9	+0.2
Paterson	97.0	109.6	111.0	−14.0
Philadelphia	108.6	111.1	117.0	−8.4
Pittsburgh	91.5	104.9	95.7	−4.2
Portland, Oreg	88.4	108.7	127.2	−38.8
Providence	107.8	119.1	134.9	−27.1
Reading	89.3	92.4	107.3	−18.0
Richmond	74.1	88.8	87.3	−13.2
White	76.1	94.7	96.6	−20.5
Colored	63.6	67.3	65.7	−2.1
Rochester	92.1	99.5	110.7	−18.6
St. Louis	99.0	107.8	118.6	−19.6
St. Paul	106.1	123.5	126.5	−20.4
Salt Lake City	93.2	114.5	110.9	−17.7
San Antonio	89.6	94.4	84.4	+5.2
San Francisco	(2)	137.3	158.6	(2)
Scranton	110.2	114.3	101.0	+9.2
Seattle	(4)	(4)	(4)	(4)
Spokane	88.1	115.5	136.7	−48.6
Springfield, Mass	89.1	100.5	104.7	−15.6
Syracuse	89.8	94.1	107.9	−18.1
Toledo	87.7	94.5	98.8	−11.1
Trenton	80.2	84.3	79.3	+0.9
Washington, D. C	87.4	92.3	103.2	−15.8
White	87.3	91.1	107.6	−20.3
Colored	82.3	90.9	89.3	−7.0
Wilmington, Del	82.0	82.0	82.4	−0.4
Worcester	95.2	106.0	112.0	−16.8
Yonkers	113.3	107.1	94.9	+18.4
Youngstown	85.4	92.1	63.1	+22.3

[1] Refined rates have been found by first allocating deaths from cancer to areas of residence and computing rates, and then by applying to these rates the corrective factors necessary to change the crude rates from cancer to adjusted rates, based on the standard million population of England and Wales, 1901.
[2] Reliable data for nonresidents not available.
[3] Not computed.
[4] Rates are omitted pending the establishment of more satisfactory estimates of population.

Table AU

AREAS HAVING HIGHEST AND LOWEST RATES	Death rate from cancer in 1923 per 100,000 estimated population	Difference between high and low rate
STATES		
Highest refined rate—Rhode Island	101.8	44.2
Lowest refined rate—North Carolina	57.6	
Highest adjusted rate—New York	102.6	50.4
Lowest adjusted rate—South Carolina	52.2	
Highest crude rate—Maine	128.0	90.3
Lowest crude rate—South Carolina	37.7	
CITIES		
Highest refined rate—Cambridge	128.9	66.3
Lowest refined rate—Norfolk	62.6	
Highest adjusted rate—San Francisco	137.3	64.5
Lowest adjusted rate—Norfolk	72.8	
Highest crude rate—San Francisco	158.6	103.0
Lowest crude rate—Fort Worth	55.6	

Table AV shows for each registration State of 1900 refined and crude rates from cancer of the buccal cavity, breast, and skin, for 1923. For every State but New Jersey, the refined rate from these three sites is lower than the crude rate, Vermont and Maine showing decreases of 7.3 and 6.2, respectively.

DIAGRAM 7.—REFINED DEATH RATES FROM CANCER PER 100,000 ESTIMATED POPULATION: 1923

[Rates are shown in Table AT]



Table AV

AREA	DEATH RATE PER 100,000 ESTIMATED POPULATION IN 1923 FROM CANCER OF THE—															
	Buccal cavity, breast, and skin				Buccal cavity				Breast				Skin			
	Refined rate [1]	Adjusted rate	Crude rate	Difference between refined and crude rate	Refined rate [1]	Adjusted rate	Crude rate	Difference between refined and crude rate	Refined rate [1]	Adjusted rate	Crude rate	Difference between refined and crude rate	Refined rate [1]	Adjusted rate	Crude rate	Difference between refined and crude rate
Connecticut	16.1	16.2	17.3	−1.2	3.3	3.3	3.7	−0.4	10.5	10.6	11.0	−0.5	2.4	2.4	2.6	−0.2
Indiana	13.3	13.3	16.7	−3.4	2.5	2.5	3.5	−1.0	7.2	7.2	8.1	−0.9	3.7	3.7	5.1	−1.4
Maine	13.7	13.7	19.9	−6.2	2.4	2.4	4.2	−1.8	8.6	8.5	11.2	−2.6	2.7	2.7	4.5	−1.8
Massachusetts	15.2	15.5	18.2	−3.0	3.2	3.2	3.8	−0.6	10.3	10.5	12.3	−2.0	1.8	1.8	2.1	−0.3
Michigan	12.5	12.4	13.1	−0.6	2.4	2.4	2.9	−0.5	8.3	8.3	8.0	+0.3	1.9	1.9	2.2	−0.3
New Hampshire	13.4	13.2	19.4	−6.0	1.3	1.4	2.2	−0.9	9.5	9.1	12.5	−3.0	2.6	2.6	4.7	−2.1
New Jersey	14.9	14.6	14.3	+0.6	3.4	3.2	3.3	+0.1	9.6	9.4	9.1	+0.5	1.9	1.9	1.9	----------
New York	15.5	15.6	16.9	−1.4	3.1	3.2	3.7	−0.6	10.1	10.2	10.8	−0.7	2.3	2.2	2.4	−0.1
Rhode Island	17.3	17.3	19.5	−2.2	4.4	4.4	5.1	−0.7	10.8	10.8	12.0	−1.2	2.2	2.2	2.4	−0.2
Vermont	14.3	14.2	21.6	−7.3	2.6	2.4	4.0	−1.4	8.1	7.9	11.1	−3.0	3.5	3.7	6.5	−3.0
District of Columbia	17.3	17.7	19.5	−2.2	5.0	5.4	5.9	−0.9	9.3	9.5	10.9	−1.6	3.1	2.9	2.7	+0.4

[1] Refined rates have been found by first allocating deaths from cancer to areas of residence and computing rates, and then by applying to these rates the corrective factors necessary to change the crude rates from cancer to adjusted rates, based on the standard million population of England and Wales, 1901 (for explanation of adjusted rates, see p. 10).

Diagram 8 clearly pictures the course of cancer rates in the various States in recent years. Note that the crude rates are much higher than the adjusted rates in States where the proportion of old people is high, as in Maine, New Hampshire, and Vermont, whereas, in younger States, such as Montana and Utah, the adjusted rates are much higher than the crude. So also for the Maryland colored the younger population results in an adjusted rate higher than the crude.

Diagram 9 shows for 1923 cancer mortality rates by age and sex; (A) on an arithmetic scale and (B) on a semilogarithmic scale.

DEATH RATE FROM CANCER IN THE REGISTRATION STATES [1] OF 1900 PER 100,000 ESTIMATED POPULATION

Table AW

YEAR	Adjusted rate	Crude rate	YEAR	Adjusted rate	Crude rate
1900	60.7	64.0	1912	79.0	86.0
1901	62.7	66.2	1913	81.2	88.8
1902	62.4	66.1	1914	81.1	89.2
1903	65.8	69.8	1915	83.2	92.0
1904	67.2	71.5	1916	84.5	93.9
1905	69.1	73.7	1917	85.1	95.0
1906	69.2	73.9	1918	84.4	94.7
1907	71.3	76.3	1919	84.9	95.8
1908	72.0	77.2	1920	87.2	98.9
1909	74.0	79.6	1921	90.0	102.6
1910	77.0	83.0	1922	91.6	105.0
1911	77.5	83.9	1923	92.5	106.6

[1] Including District of Columbia. For States included, see Table A, p. 7.

NOTE.—The ratios of adjusted to crude rates in 1900, 1910, and 1920 were determined, and the ratios of adjusted to crude rates for the intervening and following years were estimated by assuming that they were in arithmetic progression. The adjusted rates shown in this table were obtained by applying the estimated ratio for each year to the crude rate for that year. For explanation of adjusted rates, see p. 10.

DIAGRAM 8.—ADJUSTED AND CRUDE DEATH RATES FROM CANCER PER 100,000 ESTIMATED POPULA-

[Rates are shown in Tables AW and AX]



TION, IN THE REGISTRATION STATES OF 1900, 1900 TO 1923, AND IN CERTAIN STATES, 1910 TO 1923

[Rates are shown in Table AX]



DIAGRAM 9.—DEATH RATES FROM CANCER, BY SEX, COLOR, AND AGE, PER 100,000 ESTIMATED POPULATION, IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA); (A) ON AN ARITHMETIC SCALE AND (B) ON A SEMILOGARITHMIC SCALE: 1923

[Rates are shown in Table 2 in Appendix]



Table AX

State		Death rate from cancer per 100,000 estimated population													
		1910	1911	1912	1913	1914	1915	1916	1917	1918	1919	1920	1921	1922	1923
California	Adjusted rate	74.9	72.2	77.9	82.2	81.1	79.8	79.4	82.4	81.8	83.8	85.8	87.7	95.1	96.8
	Crude rate	83.9	81.9	89.4	95.5	95.4	95.1	95.9	100.8	101.3	105.3	109.2	111.7	121.1	123.3
Colorado	Adjusted rate	67.3	63.8	66.8	58.1	66.5	60.7	67.4	70.7	77.1	68.2	70.6	72.3	71.4	83.1
	Crude rate	58.4	56.2	59.8	53.0	61.6	57.2	64.7	69.1	76.7	69.2	73.0	74.7	73.8	85.9
Connecticut	Adjusted rate	72.6	71.1	73.3	76.3	77.2	82.2	82.7	84.2	85.8	86.2	91.9	88.5	95.9	90.7
	Crude rate	79.7	78.0	80.4	83.7	84.6	90.1	90.6	92.3	94.0	94.4	100.6	96.9	105.0	99.3
Indiana	Adjusted rate	63.3	63.6	65.1	70.4	67.8	70.1	71.2	74.0	73.2	71.2	72.4	74.2	76.9	79.9
	Crude rate	70.1	71.2	73.7	80.6	78.5	82.1	84.3	88.7	88.7	87.4	89.9	92.2	95.5	99.2
Maine	Adjusted rate	72.8	70.8	79.0	77.1	77.2	76.3	81.0	75.8	76.9	80.9	84.9	80.8	86.3	88.8
	Crude rate	101.5	99.0	110.8	108.5	109.0	108.2	115.2	108.1	110.1	116.2	122.4	116.5	124.4	128.0
Maryland	Adjusted rate	71.5	71.1	76.1	79.1	76.9	83.7	81.0	82.2	78.3	80.9	86.2	85.3	91.2	99.3
	Crude rate	72.5	72.6	78.3	81.9	80.2	88.0	85.7	87.7	84.1	87.6	94.1	93.1	99.5	108.3
White	Adjusted rate	74.1	73.6	77.7	79.8	78.1	87.3	83.8	84.1	80.8	82.5	87.7	86.9	92.5	100.2
	Crude rate	77.6	77.6	82.6	85.4	84.2	94.9	91.8	92.8	89.9	92.4	99.0	98.1	104.4	113.1
Colored	Adjusted rate	55.2	55.7	65.2	72.1	67.4	60.9	62.2	69.1	61.3	69.8	76.3	74.6	81.7	91.8
	Crude rate	49.4	50.0	58.6	65.0	60.9	55.2	56.5	62.9	56.0	63.9	70.0	68.5	75.0	84.2
Massachusetts	Adjusted rate	84.2	85.2	87.2	90.1	89.6	91.6	95.7	94.5	93.0	90.9	97.3	99.6	98.4	99.8
	Crude rate	93.5	95.2	98.0	102.0	102.0	105.0	110.4	109.7	108.7	107.0	115.3	118.0	116.6	118.2
Michigan	Adjusted rate	66.9	65.8	68.2	69.9	68.3	71.0	73.4	73.1	75.2	75.5	77.2	81.2	81.1	81.7
	Crude rate	74.7	73.3	75.7	77.3	75.3	78.1	80.4	79.9	81.9	81.9	83.5	87.8	87.7	88.4
Minnesota	Adjusted rate	73.9	73.0	74.8	79.5	80.2	81.7	87.6	83.9	82.1	86.6	91.4	85.7	90.0	96.1
	Crude rate	67.2	67.3	69.8	75.2	76.9	79.4	86.3	83.9	83.2	89.1	95.4	89.4	93.9	100.3
Montana	Adjusted rate	61.5	57.7	56.6	67.1	67.9	64.1	67.0	71.1	67.4	68.9	60.9	65.9	69.6	65.6
	Crude rate	41.3	39.5	39.5	47.8	49.4	47.6	50.8	55.1	53.4	55.9	50.6	54.7	57.8	54.5
New Hampshire	Adjusted rate	69.5	68.2	75.3	73.0	70.2	75.9	77.0	72.5	73.6	73.2	78.8	80.4	91.8	82.3
	Crude rate	98.4	97.0	107.7	104.9	101.4	110.2	112.4	106.4	108.6	108.5	117.4	119.8	136.9	122.7
New Jersey	Adjusted rate	77.6	78.3	79.5	81.0	81.2	83.0	83.9	85.2	81.5	87.1	86.0	92.7	90.5	93.0
	Crude rate	74.1	75.2	76.7	78.6	79.2	81.4	82.7	84.4	81.2	87.2	86.6	93.3	91.1	93.6
New York	Adjusted rate	82.5	84.6	84.1	85.6	87.5	89.2	89.1	90.4	89.8	90.3	91.8	96.0	99.2	102.6
	Crude rate	84.5	87.3	87.3	89.5	92.2	94.7	95.2	97.3	97.3	98.7	101.0	105.7	109.2	112.9
Ohio	Adjusted rate	67.5	67.6	70.2	70.8	71.1	71.9	76.3	76.1	74.6	74.4	77.0	77.7	79.9	81.9
	Crude rate	75.2	75.6	78.8	79.7	80.4	81.6	86.9	87.0	85.6	85.7	89.0	89.8	92.3	94.6
Pennsylvania	Adjusted rate	70.2	70.1	71.6	75.7	75.9	76.9	79.4	81.4	78.2	80.2	82.1	84.1	85.2	89.3
	Crude rate	66.3	66.7	68.6	73.0	73.8	75.3	78.3	80.9	78.3	80.9	83.4	85.4	86.5	90.7
Rhode Island	Adjusted rate	83.9	85.2	86.8	90.2	88.2	89.0	89.4	91.9	86.1	85.9	88.0	97.4	106.9	100.9
	Crude rate	87.1	89.2	91.6	96.1	94.7	96.4	97.7	101.4	95.8	96.5	99.7	110.4	121.1	114.4
Utah	Adjusted rate	47.0	68.3	62.4	68.2	59.8	62.7	73.3	68.7	64.7	73.0	67.1	77.1	82.1	80.7
	Crude rate	35.7	52.2	48.1	53.0	46.8	49.5	58.3	55.1	52.3	59.5	55.1	63.3	67.4	66.3
Vermont	Adjusted rate	78.0	71.4	78.2	79.2	77.9	73.8	81.6	76.5	70.9	77.3	85.7	77.2	88.0	84.7
	Crude rate	110.4	101.5	111.5	113.3	112.0	106.5	118.2	111.2	103.4	113.2	126.0	113.5	129.4	124.6
Washington	Adjusted rate	62.5	56.8	65.7	66.8	77.3	71.4	77.4	72.8	74.0	74.2	76.2	79.6	84.1	84.3
	Crude rate	51.7	48.1	57.0	59.4	70.5	66.9	74.4	71.9	75.3	77.7	82.1	85.8	90.7	90.9
Wisconsin	Adjusted rate	72.6	71.1	72.7	73.3	75.0	74.3	76.3	74.8	73.0	77.6	77.7	85.9	81.7	81.4
	Crude rate	75.3	74.4	76.7	78.1	80.6	80.5	83.5	82.6	81.4	87.3	88.2	97.6	92.8	92.5

NOTE.—The ratios of adjusted to crude rates in 1910 and 1920 were determined, and the ratios of adjusted to crude rates for the intervening and following years were estimated by assuming that they were in arithmetic progression. The adjusted rates shown in this table were obtained by applying the estimated ratio for each year to the crude rate for that year. For explanation of adjusted rates, see p. 10.

PELLAGRA

The number of deaths caused by pellagra in 1923 is 2,352, corresponding to a death rate of 2.4 per 100,000 estimated population, against 2.8 in 1922. A considerable decrease in the number of deaths in 1923, as compared with 1922, shows for the rural part of South Carolina (194 against 270) and of North Carolina (193 against 256).

Table AY

Area		Number of deaths from pellagra									
		1923	1922	1921	1920	1919	1918	1917	1916	1915	1914
The registration area [1]		2,352	2,640	2,541	2,322	2,806	3,741	3,666	2,390	2,843	1,550
Registration States [2]		2,245	2,514	2,348	2,122	2,568	3,126	2,843	1,807	1,058	847
Cities in registration States [2]		597	688	610	594	693	930	801	558	437	391
Rural part of registration States		1,648	1,826	1,738	1,528	1,875	2,196	2,042	1,249	621	456
Registration cities in non-registration States		107	126	193	200	238	615	823	583	1,785	703
All registration cities [2]		704	814	803	794	931	1,545	1,624	1,141	2,222	1,094
California	Urban	14	6	9	5	11	16	8	14	11	14
	Rural	19	7	6	7	12	6	16	11	17	14
Colorado	Urban	-----	2	1	-----	2	2	2	2	-----	5
	Rural	4	2	4	1	1	-----	2	1	2	4
Connecticut	Urban	2	-----	1	1	4	4	4	1	1	4
	Rural	-----	-----	-----	-----	1	-----	1	-----	-----	2
Florida	Urban	27	17	31	30	30	(3)	(3)	(3)	(3)	(3)
	Rural	74	93	100	84	95	(4)	(4)	(4)	(4)	(4)
Georgia	Urban	123	149	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
	Rural	314	349	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Illinois	Urban	2	4	3	3	7	8	(3)	(3)	(3)	(3)
	Rural	3	4	6	8	10	18	(4)	(4)	(4)	(4)

Table AY—Con.

Area		Number of deaths from pellagra									
		1923	1922	1921	1920	1919	1918	1917	1916	1915	1914
Indiana	Urban	1	1	2	1	1	3	4	1	3	1
	Rural	-----	-----	4	2	4	9	2	3	6	1
Iowa	Rural	3	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Kansas	Urban	3	3	2	2	3	8	12	3	6	11
	Rural	1	6	4	6	16	14	16	7	22	7
Kentucky	Urban	4	7	15	10	17	27	37	8	14	18
	Rural	64	66	50	55	94	120	160	116	135	131
Louisiana	Urban	44	52	60	61	73	100	(3)	(3)	(3)	(3)
	Rural	108	82	121	142	154	163	(4)	(4)	(4)	(4)
Maine	Urban	2	1	1	-----	2	10	10	5	4	4
	Rural	3	6	7	4	3	6	9	10	6	5
Maryland	Urban	5	1	4	4	4	5	5	2	9	4
	Rural	1	3	2	4	5	13	11	1	7	3
Massachusetts	Urban	9	6	13	9	7	15	10	23	16	13
	Rural	2	3	-----	2	7	6	9	17	9	6
Michigan	Urban	5	1	2	4	2	7	5	3	8	2
	Rural	1	1	-----	1	2	2	1	2	4	2
Minnesota	Urban	3	1	1	-----	1	2	-----	-----	-----	2
	Rural	-----	1	1	1	1	2	-----	2	1	3
Mississippi	Urban	50	90	115	153	126	(3)	(3)	(3)	(3)	(3)
	Rural	359	360	568	405	369	(4)	(4)	(4)	(4)	(4)
Missouri	Urban	4	5	8	11	9	11	19	11	12	14
	Rural	8	9	12	14	16	45	40	30	22	10
Montana	Rural	-----	-----	-----	-----	-----	-----	-----	-----	-----	1
Nebraska	Urban	1	-----	-----	-----	(3)	(3)	(3)	(3)	(3)	(3)
	Rural	1	1	1	1	(4)	(4)	(4)	(4)	(4)	(4)
New Hampshire	Urban	1	2	-----	-----	1	2	3	8	2	9
	Rural	1	1	-----	1	1	-----	2	3	3	1
New Jersey	Urban	2	4	2	1	3	2	1	3	3	4
	Rural	-----	-----	-----	-----	1	-----	1	1	2	1
New York	Urban	13	4	12	8	13	18	28	22	8	12
	Rural	1	4	7	4	8	3	1	6	4	2
North Carolina	Urban	46	74	84	76	77	143	128	97	195	147
	Rural	193	256	254	242	323	553	492	388	[5] 152	[5] 101

See footnotes at end of table.

Table AY—Con.

AREA		NUMBER OF DEATHS FROM PELLAGRA									
		1923	1922	1921	1920	1919	1918	1917	1916	1915	1914
Ohio	Urban	-----	3	2	2	2	3	2	4	2	1
	Rural	1	2	1	1	6	4	1	1	3	-----
Oregon	Urban	-----	1	-----	-----	-----	1	(3)	(3)	(3)	(3)
	Rural	1	1	-----	-----	-----	1	(4)	(4)	(4)	(4)
Pennsylvania	Urban	6	5	4	2	3	4	5	2	5	5
	Rural	2	-----	2	2	3	3	-----	2	1	1
Rhode Island	Urban	1	2	4	3	4	7	6	8	9	13
	Rural	-----	-----	-----	-----	-----	-----	-----	-----	-----	1
South Carolina	Urban	138	157	129	102	126	273	241	257	(3)	(3)
	Rural	194	270	238	204	275	468	473	472	(4)	(4)
Tennessee	Urban	64	57	70	62	95	144	153	(3)	(3)	(3)
	Rural	234	216	259	240	340	532	597	(4)	(4)	(4)
Utah	Urban	-----	1	-----	-----	1	-----	-----	-----	-----	-----
Vermont	Urban	-----	-----	-----	-----	1	1	2	-----	1	-----
	Rural	1	-----	2	1	6	4	3	2	2	2
Virginia	Urban	25	28	32	39	57	104	101	74	110	94
	Rural	53	80	87	95	120	223	201	174	222	156
Washington	Urban	-----	1	-----	-----	1	-----	-----	-----	2	-----
	Rural	-----	1	1	-----	-----	-----	2	-----	-----	-----
Wisconsin	Urban	2	1	-----	-----	-----	1	1	1	-----	-----
	Rural	2	2	1	1	2	1	2	-----	1	2
Washington, D. C		-----	2	3	5	10	9	14	9	16	14

[1] Exclusive of Hawaii.
[2] Including District of Columbia.
[3] Included with cities in nonregistration States.
[4] Not added to registration area until a later date.
[5] Includes only municipalities having from 1,000 to 10,000 population in 1910.

DIABETES MELLITUS

The number of deaths from diabetes mellitus in 1923 is 17,357, corresponding to a crude death rate of 17.9 per 100,000 estimated population, against a rate of 18.4 for 1922. This slightly lower rate and the great discovery of the remedy "insulin" strengthen the hope that the peak of mortality from diabetes mellitus has been passed.

Table AZ shows the death rates per 100,000 estimated population for 1914 to 1923, with rates of 20 or more in bold-faced type.

Table AZ

AREA	DEATH RATE FROM DIABETES MELLITUS PER 100,000 ESTIMATED POPULATION [Rates of 20 or more in bold-faced type]									
	1923	1922	1921	1920	1919	1918	1917	1916	1915	1914
The registration area (exclusive of Hawaii)	17.9	18.4	16.8	16.1	14.9	15.9	17.0	17.1	17.5	16.2
Registration States [1]	17.9	18.5	16.8	16.2	14.9	16.0	17.0	17.1	17.7	16.3
Cities in registration States [1]	21.9	22.4	20.2	19.4	18.0	18.8	20.3	20.0	20.1	18.4
Rural part of registration States	14.3	14.9	13.6	13.1	12.2	13.4	14.1	14.4	15.4	14.3
Registration cities in nonregistration States	14.9	15.1	17.0	11.4	12.6	13.2	16.7	17.7	15.7	14.8
All registration cities [1]	21.7	22.2	20.1	19.1	17.8	18.6	19.8	19.7	19.4	17.9
California	20.9	22.3	20.3	17.1	17.3	16.4	18.9	18.1	17.6	18.1
Colorado	13.1	14.6	14.3	14.5	10.8	13.1	14.2	11.2	12.4	12.2
Connecticut	22.8	22.6	22.2	21.1	19.5	19.8	21.7	22.0	22.3	19.6
Delaware	13.5	16.2	14.6	10.7	11.3	(2)	(2)	(2)	(2)	(2)
Florida	10.6	10.3	10.4	8.8	7.2	(2)	(2)	(2)	(2)	(2)
White	12.0	12.9	13.3	11.4	9.9	(2)	(2)	(2)	(2)	(2)
Colored	7.7	4.8	4.5	3.6	2.1	(2)	(2)	(2)	(2)	(2)
Georgia	9.0	9.0	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
White	11.0	11.1	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Colored	6.1	5.9	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Idaho	10.6	14.6	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Illinois	20.3	20.9	18.0	17.9	15.9	16.8	(2)	(2)	(2)	(2)
Indiana	20.1	19.4	16.3	16.5	16.5	17.1	18.0	17.0	17.9	14.5
Iowa	18.6	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Kansas	17.7	19.9	15.6	16.6	15.2	15.3	18.1	17.7	17.3	13.6
Kentucky	10.8	8.1	8.7	7.5	7.8	7.5	9.7	9.7	8.5	7.4
White	11.2	7.7	8.5	7.2	7.8	7.0	9.7	9.5	8.4	7.4
Colored	7.5	11.3	11.2	10.2	7.6	12.1	10.3	11.4	9.7	7.6

See footnotes at end of table.

Table AZ—Con.

AREA	DEATH RATE FROM DIABETES MELLITUS PER 100,000 ESTIMATED POPULATION [Rates of 20 or more in bold-faced type]									
	1923	1922	1921	1920	1919	1918	1917	1916	1915	1914
Louisiana	9.6	9.2	9.4	7.8	6.6	6.3	(2)	(2)	(2)	(2)
White	11.0	11.6	11.9	9.5	7.9	8.5	(2)	(2)	(2)	(2)
Colored	7.3	5.2	5.6	5.1	4.7	2.8	(2)	(2)	(2)	(2)
Maine	22.5	25.3	26.0	21.8	20.9	21.9	27.8	20.0	23.1	20.0
Maryland	19.7	20.3	17.1	17.0	16.2	16.8	14.6	15.8	13.8	15.3
White	21.6	21.3	18.5	18.2	17.1	17.6	16.2	17.1	15.7	16.8
Colored	10.0	14.9	10.1	11.4	11.9	12.8	7.0	9.6	4.6	8.4
Massachusetts	21.4	24.0	20.2	20.9	19.5	20.9	21.3	23.3	21.6	19.8
Michigan	17.9	17.9	16.5	16.3	15.7	16.8	17.3	15.9	16.7	15.8
Minnesota	17.6	21.4	18.1	17.3	13.6	16.8	15.6	16.4	16.3	15.0
Mississippi	6.1	7.3	5.8	5.8	5.0	(2)	(2)	(2)	(2)	(2)
White	8.5	10.0	8.5	7.6	6.0	(2)	(2)	(2)	(2)	(2)
Colored	3.8	4.8	3.3	4.1	4.0	(2)	(2)	(2)	(2)	(2)
Missouri	17.2	18.2	15.9	12.1	13.9	14.6	14.4	15.4	14.3	13.9
Montana	9.5	12.0	9.9	10.8	10.0	14.9	12.9	15.2	13.9	11.5
Nebraska	22.0	22.9	19.5	20.7	(2)	(2)	(2)	(2)	(2)	(2)
New Hampshire	27.7	31.1	28.0	23.4	16.0	22.0	25.7	23.7	22.9	25.5
New Jersey	20.0	21.4	19.7	18.6	17.4	18.5	21.3	18.8	19.0	19.2
New York	25.7	26.9	23.4	23.3	21.2	22.4	24.2	22.5	24.5	21.4
North Carolina	8.6	8.7	7.5	7.7	6.2	7.2	6.5	6.6	[3] 9.0	[3] 10.8
White	9.2	9.9	8.3	8.6	7.2	7.9	7.7	7.6	11.3	13.6
Colored	7.4	5.9	5.6	5.6	3.9	5.4	3.7	4.4	4.7	5.5
Ohio	19.5	18.2	18.0	17.6	16.3	15.9	16.6	18.7	16.0	15.9
Oregon	17.4	23.5	21.2	17.5	21.1	17.1	(2)	(2)	(2)	(2)
Pennsylvania	18.8	17.9	17.3	16.3	14.5	15.5	16.9	15.8	15.8	14.8
Rhode Island	23.8	23.2	19.7	20.2	24.5	18.3	20.2	20.4	24.0	21.4
South Carolina	8.6	7.6	7.3	6.2	6.0	7.1	5.4	4.6	(2)	(2)
White	10.8	10.4	10.2	9.0	9.0	10.2	7.0	7.0	(2)	(2)
Colored	6.4	4.8	4.4	3.6	3.1	4.2	3.8	2.3	(2)	(2)
Tennessee	7.0	7.7	6.1	6.2	6.6	6.8	7.0	(2)	(2)	(2)
White	7.1	7.9	6.3	6.1	6.8	7.2	7.5	(2)	(2)	(2)
Colored	6.5	6.9	5.4	6.4	5.7	5.3	4.8	(2)	(2)	(2)
Utah	16.1	16.0	14.3	13.2	11.2	14.6	10.7	16.1	13.3	12.3
Vermont	22.1	27.0	24.7	19.6	24.7	22.1	23.2	27.7	21.2	22.9
Virginia	11.8	11.9	10.1	9.3	8.4	8.5	8.7	9.0	9.6	8.2
White	12.1	12.9	10.8	10.4	9.3	9.8	10.2	9.8	10.3	9.3
Colored	11.2	9.5	8.2	6.8	6.1	5.7	5.2	7.3	8.2	5.7
Washington	17.4	20.5	15.1	13.9	15.4	16.9	15.4	14.6	15.3	13.8
Wisconsin	19.9	20.0	17.5	18.7	15.1	15.5	16.3	17.3	18.2	15.5
Wyoming	9.9	11.1	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
CITIES OF 100,000 POPULATION OR MORE IN 1920										
Akron	(4)	10.6	7.7	10.7	10.4	8.0	9.2	7.5	12.0	9.4
Albany	33.2	31.8	31.3	29.0	16.8	32.3	28.1	28.4	28.2	31.4
Atlanta	13.5	18.8	16.4	12.8	12.6	14.5	12.7	17.9	13.3	11.4
White	14.2	17.8	14.7	15.1	17.6	18.1	13.2	20.7	14.8	14.4
Colored	11.9	21.1	20.2	7.9	1.6	6.5	11.6	11.9	10.4	5.3
Baltimore	24.2	26.0	22.1	20.6	19.9	19.2	19.7	19.7	17.8	19.4
White	26.4	27.2	23.9	21.4	20.2	20.7	21.9	21.6	20.6	21.7
Colored	11.4	18.6	11.7	15.5	18.5	11.8	8.0	10.3	3.1	7.5
Birmingham	13.3	9.4	14.0	6.6	8.5	12.2	13.1	8.0	16.4	3.9
White	16.0	10.3	15.0	10.0	10.2	13.4	13.8	10.1	19.8	3.2
Colored	9.1	8.0	12.3	1.4	5.7	10.3	12.1	4.7	11.3	5.0
Boston	24.8	29.3	19.8	24.2	23.5	19.6	21.3	26.6	27.1	25.5
Bridgeport	(4)	26.5	14.6	19.9	17.7	17.5	15.1	21.8	20.1	22.5
Buffalo	22.7	23.5	22.3	23.5	23.5	22.7	26.4	23.7	23.7	19.4
Cambridge	18.8	15.3	14.5	25.5	22.8	23.9	31.4	17.6	21.4	8.4
Camden	15.3	21.3	20.1	14.5	11.3	9.7	20.8	16.6	9.4	13.5
Chicago	21.8	23.2	20.3	20.4	18.7	18.9	19.1	20.3	17.6	17.4
Cincinnati	28.5	26.7	25.0	22.9	18.2	23.3	22.1	29.3	17.7	26.7
Cleveland	18.1	17.0	17.1	17.2	15.2	12.6	16.8	19.1	16.5	14.3
Columbus	26.8	16.8	20.2	22.1	19.6	17.9	13.0	21.6	20.8	14.1
Dallas	15.9	13.4	23.4	9.9	13.4	9.2	10.3	9.9	(2)	(2)
White	17.2	14.3	25.3	11.0	15.8	8.2	11.3	9.8	(2)	(2)
Colored	7.8	8.1	12.3	4.1	-----	14.6	4.9	10.0	(2)	(2)
Dayton	18.1	19.8	13.3	16.8	13.9	21.1	15.4	11.5	19.9	11.3
Denver	19.5	17.2	15.6	19.7	11.8	17.2	22.0	15.8	18.2	15.9
Des Moines	20.6	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Detroit	(4)	17.0	11.3	13.4	11.6	11.8	13.2	12.7	14.2	12.8
Fall River	22.3	26.5	27.3	14.9	18.3	15.8	23.3	25.8	20.8	20.0
Fort Worth	8.3	8.2	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
White	9.6	9.6	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Colored	-----	-----	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Grand Rapids	18.5	22.3	18.4	18.7	17.6	14.2	15.2	18.1	17.6	13.9
Hartford	34.2	31.2	30.4	23.6	16.2	22.7	26.6	23.4	33.4	22.4
Houston	10.3	12.7	15.2	10.0	11.0	13.1	12.7	(2)	(2)	(2)
White	9.2	11.3	17.2	12.3	12.7	14.3	15.9	(2)	(2)	(2)
Colored	13.8	16.9	8.6	2.9	5.9	9.6	3.3	(2)	(2)	(2)
Indianapolis	25.4	25.1	19.0	19.5	20.0	21.4	20.7	16.8	20.4	9.7
White	25.1	27.3	18.7	20.2	20.6	20.7	20.9	16.8	20.4	10.9
Colored	27.9	7.9	21.8	14.1	14.6	27.4	19.0	16.6	20.9	-----
Jersey City	23.3	18.6	17.2	16.4	18.2	24.9	21.4	19.5	21.1	17.8
Kansas City, Kans	19.0	14.1	18.3	17.6	16.0	11.2	19.7	11.6	20.5	11.0
White	21.3	15.4	19.2	16.0	17.5	11.8	19.2	13.4	19.8	12.6
Colored	5.8	6.0	13.1	27.2	7.0	7.3	22.8	-----	24.7	-----
Kansas City ,Mo	18.8	18.3	18.7	13.4	13.4	18.9	16.1	16.2	15.6	17.4

Table AZ—Con.

AREA	DEATH RATE FROM DIABETES MELLITUS PER 100,000 ESTIMATED POPULATION [Rates of 20 or more in bold-faced type]									
	1923	1922	1921	1920	1919	1918	1917	1916	1915	1914
CITIES OF 100,000 POPULATION OR MORE IN 1920—con.										
Los Angeles	(4)	25.2	23.4	16.8	16.3	17.2	19.6	22.7	19.3	16.9
Louisville	31.4	12.8	18.6	21.7	14.5	13.3	20.2	17.7	16.4	10.8
White	33.6	13.4	18.9	21.5	15.4	12.9	23.4	18.8	19.4	13.2
Colored	19.7	9.8	17.5	22.5	10.0	14.9	5.0	12.4	2.5	-----
Lowell	20.9	25.3	19.3	11.5	13.3	16.1	19.8	20.8	7.3	10.1
Memphis	13.5	10.7	10.9	12.8	12.7	5.4	11.0	(5)	11.3	10.7
White	17.6	12.3	15.4	17.6	13.7	8.6	13.1	(5)	11.4	12.8
Colored	6.4	8.1	3.2	4.9	11.0	-----	7.4	(5)	11.2	7.5
Milwaukee	20.8	19.5	16.2	19.7	17.6	16.6	16.7	16.7	19.4	19.5
Minneapolis	20.8	23.9	20.9	23.1	16.5	16.3	16.7	19.0	17.4	16.7
Nashville	18.8	20.8	14.7	15.2	15.3	12.8	15.5	(5)	14.0	11.4
White	23.0	22.4	17.5	13.2	15.8	14.8	18.7	(5)	16.6	15.5
Colored	8.4	17.0	8.3	19.7	14.0	8.4	8.4	(5)	8.3	2.8
New Bedford	18.5	18.0	20.0	14.7	19.2	20.4	18.3	17.8	17.3	14.9
New Haven	26.6	28.2	28.1	27.4	19.2	22.8	31.0	23.7	20.8	26.0
New Orleans	21.0	20.0	19.8	15.7	15.1	16.1	14.9	15.7	15.6	15.0
White	21.7	21.3	23.3	17.0	17.3	19.6	15.2	19.1	16.7	17.3
Colored	19.0	16.3	9.7	11.8	8.9	6.0	14.2	6.2	12.5	8.4
New York	27.4	27.9	24.1	23.4	21.2	22.3	24.3	22.8	24.1	21.7
Bronx Borough	23.1	26.7	24.9	24.6	24.4	23.5	22.6	24.5	31.7	22.4
Brooklyn Borough	26.2	26.0	22.0	20.5	20.2	21.0	22.1	21.0	22.5	21.4
Manhattan Borough	30.7	30.9	26.0	26.8	22.1	23.7	26.6	24.9	23.7	22.4
Queens Borough	24.8	23.6	23.1	19.6	18.1	19.3	25.9	18.1	24.5	18.7
Richmond Borough	26.7	29.7	22.3	17.8	13.9	20.6	18.4	17.1	16.6	19.1
Newark, N. J.	21.9	23.9	18.4	22.7	19.5	22.5	24.7	25.1	20.3	21.5
Norfolk	16.3	14.4	15.7	11.9	14.0	11.8	11.3	13.6	15.1	16.7
White	18.7	19.3	21.2	16.3	11.3	17.5	12.1	19.0	23.0	22.3
Colored	12.2	6.4	6.6	4.5	18.6	2.4	9.8	5.0	2.6	8.0
Oakland	17.9	24.0	20.3	18.2	17.9	17.0	18.1	17.1	20.5	19.6
Omaha	24.5	20.9	22.8	19.6	24.8	14.5	18.6	17.2	19.4	12.9
Paterson	24.4	23.8	24.0	20.5	19.9	18.6	17.3	18.9	23.6	22.3
Philadelphia	20.9	20.5	19.1	18.1	14.6	18.4	19.1	18.0	18.7	19.6
Pittsburgh	14.8	18.4	15.4	18.8	13.2	11.9	17.6	14.6	12.1	14.3
Portland, Oreg.	15.0	25.6	26.1	19.6	27.3	26.2	19.4	16.9	24.1	23.7
Providence	29.7	25.3	16.7	24.8	25.3	19.1	20.1	20.6	24.6	20.4
Reading	26.1	26.4	38.5	25.9	20.5	31.0	19.9	23.7	17.4	19.0
Richmond	19.3	17.9	15.9	16.2	11.7	14.9	17.0	11.7	13.2	10.1
White	18.2	17.0	17.3	17.7	13.8	19.3	24.2	11.9	14.1	13.2
Colored	21.9	20.2	12.9	12.9	7.4	5.6	1.9	11.2	11.3	4.2
Rochester	23.2	27.9	27.8	23.4	23.2	22.5	23.2	23.9	27.1	19.7
St. Louis	22.0	23.4	21.1	16.1	19.3	17.4	18.8	20.1	18.7	18.9
St. Paul	21.9	30.0	22.3	20.4	17.1	21.2	17.0	20.2	19.1	15.2
Salt Lake City	25.3	25.0	24.7	21.0	14.5	21.2	9.0	20.3	19.8	15.5
San Antonio	15.7	19.1	12.8	10.9	8.9	11.2	18.0	11.6	9.9	11.2
San Francisco	25.0	29.6	25.0	21.9	23.1	22.5	26.7	24.2	25.2	23.9
Scranton	26.3	22.2	29.5	21.0	17.5	16.1	18.4	20.0	8.9	21.0
Seattle	(4)	20.3	18.4	15.0	14.5	17.1	15.6	17.0	17.2	15.8
Spokane	29.6	27.7	21.1	22.0	18.2	26.8	15.3	12.4	27.8	13.4
Springfield, Mass.	17.3	20.7	16.9	24.3	17.3	15.4	22.7	24.3	24.4	17.8
Syracuse	22.8	29.8	27.6	24.7	21.8	33.6	24.5	13.2	24.4	24.3
Toledo	17.1	18.4	17.3	17.8	17.1	13.3	16.8	18.8	14.1	16.2
Trenton	13.3	19.2	13.0	18.3	18.6	12.1	18.5	20.7	22.0	12.2
Washington, D. C.	20.2	19.7	17.4	15.1	17.8	16.9	17.8	18.0	18.5	17.8
White	20.0	19.0	17.4	14.8	17.7	18.5	18.8	20.4	21.4	22.1
Colored	20.6	21.7	17.2	16.1	18.2	12.0	15.0	11.4	10.6	5.9
Wilmington, Del.	16.1	23.4	17.6	12.6	8.4	9.5	18.4	17.9	8.1	9.3
Worcester	22.9	35.6	28.1	20.9	18.5	24.1	23.4	25.7	31.1	16.8
Yonkers	15.8	16.1	15.5	22.7	20.2	14.4	15.8	16.2	14.3	10.2
Youngstown	12.6	12.8	13.6	12.6	10.0	18.4	12.5	12.1	8.1	15.1

[1] Including District of Columbia.
[2] Not added to registration area until a later date.
[3] Includes only municipalities having a population of 1,000 or more in 1910.
[4] Rates are omitted pending the establishment of more satisfactory estimates of population.
[5] Transcripts of death certificates not received.

Among the 38 registration States in 1923, 12 show rates of 20 or more, and of the 37 which were in the area for 1922 and 1923, 10 show increases over 1922. The States with the highest rates in 1923 are New Hampshire (27.7), New York (25.7), and Rhode Island (23.8); those with the lowest rates are Mississippi (6.1), Tennessee (7), and North Carolina and South Carolina (8.6 each). Of the 63 cities showing rates in 1923, 35 have rates above 20 and of the 62 which show rates for 1922 and 1923, 30 have higher rates in 1923. The greatest increases are for Louisville (from 12.8 in 1922 to 31.4 in 1923), Columbus (from 16.8 to 26.8), and Kansas City, Kans. (from 14.1 to 19). The cities with the highest rates in 1923 are Hartford (34.2), Albany (33.2), and Louisville (31.4). The lowest rates are for Fort Worth (8.3), Houston (10.3), and Youngstown (12.6).

In the 10 States and 15 cities showing rates by color, the rates for the colored are lower than those for the white in all but Houston, Indianapolis, Richmond, and Washington, D. C. Forth Worth has no deaths among the colored.

ALCOHOLISM AND CIRRHOSIS OF THE LIVER

Death rates from alcoholism and cirrhosis of the liver in recent years are of particular interest in view of war-time prohibition measures and later national prohibition.

The registration States of 1910 show a declining rate from alcoholism from 6.3 per 100,000 estimated population in 1917 to 1.2 in 1920, with an increase to 3.9 in 1923 and a declining rate from cirrhosis of the liver from 12.2 in 1917 to 7.6 in 1920, with a slight increase to 7.9 in 1923. States like Kansas, Maine, Tennessee, and North Carolina, which had prohibition laws long before the war and which already in 1917 had comparatively low mortality rates from alcoholism and cirrhosis of the liver, show for recent years either slight decreases or increases in death rates from these causes. Table BB gives death rates from alcoholism and cirrhosis of the liver per 100,000 estimated population for 1910 and 1913 to 1923, and Table BC shows the deaths and death rates from wood or denatured alcohol poisoning in the United States death registration area from 1920 to 1923.

[Rates in *italics* are based on less than 5 deaths]

Table BB

AREA	DEATH RATE PER 100,000 ESTIMATED POPULATION FROM— Alcoholism												Cirrhosis of the liver											
	1923	1922	1921	1920	1919	1918	1917	1916	1915	1914	1913	1910	1923	192	1921	1920	1919	1918	1917	1916	1915	1914	1913	1910
The registration area (exclusive of Hawaii)	3.2	2.6	1.8	1.0	1.6	2.7	5.2	5.8	4.4	4.9	5.9	5.4	7.2	7.5	7.4	7.1	7.9	9.6	11.4	12.3	12.6	13.0	13.4	13.9
Registration States of 1910 *	3.9	3.0	2.0	1.2	1.9	3.4	6.3	6.6	4.7	5.3	6.3	5.5	7.9	8.0	7.9	7.6	8.4	10.3	12.2	13.0	12.8	13.2	13.4	13.3
Registration States of 1900 [1]	4.4	3.3	1.9	1.2	1.8	3.0	6.4	7.4	4.8	5.4	6.6	5.6	7.7	8.2	8.1	7.7	8.3	10.2	12.4	13.8	13.5	13.8	13.7	14.4
Registration States [1]	3.3	2.6	1.8	1.0	1.6	2.7	5.2	5.7	4.4	5.0	6.0	5.5	7.2	7.5	7.4	7.1	7.9	9.5	11.0	11.9	12.2	12.5	12.9	13.3
Cities in registration States [1]	4.6	3.5	2.2	1.3	2.2	3.5	7.1	7.9	5.4	6.2	7.5	6.7	8.7	8.8	8.6	8.1	9.4	11.8	14.0	15.1	14.5	15.4	16.2	16.1
Rural part of registration States	2.0	1.8	1.4	0.7	1.1	2.0	3.5	3.8	3.4	3.7	4.4	4.1	5.9	6.2	6.2	6.1	6.5	7.5	8.3	8.9	9.8	9.7	9.7	10.2
Registration cities in nonregistration States	2.6	3.4	2.6	1.9	1.9	2.7	5.7	7.0	4.4	4.8	5.4	4.7	8.1	9.6	9.8	9.6	9.0	13.7	17.4	18.3	17.6	18.1	19.3	18.8
All registration cities [1]	4.5	3.5	2.3	1.4	2.1	3.4	6.9	7.8	5.2	6.0	7.2	6.3	8.7	8.8	8.7	8.2	9.4	11.9	14.4	15.6	15.0	15.8	16.7	16.6
California	2.9	2.9	2.0	1.0	2.6	4.3	6.5	6.6	6.2	6.9	7.5	8.7	10.0	10.5	9.8	9.5	12.5	14.2	15.1	15.4	14.6	15.4	17.7	18.4
Colorado	3.7	4.2	3.2	0.7	0.8	1.4	2.3	3.0	7.2	8.3	7.6	7.4	5.4	6.4	5.6	4.1	4.2	6.2	7.0	7.1	7.3	7.2	7.5	9.5
Connecticut	3.9	1.9	1.6	1.0	1.8	5.2	9.6	8.2	5.7	4.9	8.6	7.7	7.5	7.6	7.0	6.7	9.3	10.7	11.0	11.7	11.5	13.7	12.1	14.4
Delaware	5.2	6.1	*1.8*	*0.9*	2.3	(2)	(2)	(2)	(2)	(2)	(2)	(2)	5.2	7.9	8.0	5.4	5.9	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Florida	3.6	4.2	2.9	1.9	1.4	(2)	(2)	(2)	(2)	(2)	(2)	(2)	10.3	10.4	8.7	7.1	6.6	(2)	(2)	(2)	(2)	(2)	(2)	(2)
White	3.4	3.6	2.7	*2.3*	1.4	(2)	(2)	(2)	(2)	(2)	(2)	(2)	8.9	8.3	6.1	6.5	5.1	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Colored	4.1	5.4	3.3	*1.2*	*1.2*	(2)	(2)	(2)	(2)	(2)	(2)	(2)	13.3	14.9	13.8	8.4	9.4	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Georgia	1.8	2.5	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	3.5	3.8	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
White	1.7	2.3	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	3.4	3.5	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Colored	1.9	2.8	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	3.6	4.1	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Idaho	2.8	2.2	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	3.6	2.4	(2)	(2)	(	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Illinois	4.2	3.1	1.9	0.7	1.5	1.8	(2)	(2)	(2)	(2)	(2)	(2)	10.1	9.8	8.3	8.7	9.9	10.9	(2)	(2)	(2)	(2)	(2)	(2)
Indiana	1.6	1.7	1.1	0.5	0.8	1.2	3.9	5.1	3.2	3.5	4.0	3.3	8.3	9.4	9.6	9.8	8.9	11.3	12.8	13.6	13.8	12.9	12.1	11.3
Iowa	1.5	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	4.8	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Kansas	0.9	1.3	0.8	0.7	*0.2*	0.8	1.0	2.2	1.2	1.3	(2)	(2)	6.0	5.4	7.0	6.3	7.1	7.4	7.6	8.8	8.0	7.7	(2)	(2)
Kentucky	1.6	1.0	1.3	0.4	1.4	1.6	2.3	3.0	2.5	3.2	2.7	(2)	4.2	5.7	5.3	4.1	4.5	5.8	7.2	7.6	6.7	8.3	8.3	(2)
White	1.5	0.9	1.4	0.3	1.3	1.5	1.9	2.5	2.3	2.8	2.5	(2)	3.8	5.5	4.8	3.7	3.9	5.5	6.3	6.9	6.3	7.8	7.7	(2)
Colored	3.1	2.2	*0.9*	*1.3*	2.5	2.5	5.8	6.5	3.6	7.2	4.7	(2)	7.9	7.4	10.8	8.1	10.5	8.7	15.2	13.9	10.5	12.4	13.0	(2)
Louisiana	1.2	1.2	1.0	0.5	0.7	1.7	(2)	(2)	(2)	(2)	(2)	(2)	8.8	9.9	9.6	8.9	8.2	10.2	(2)	(2)	(2)	(2)	(2)	(2)
White	1.5	1.2	1.4	0.6	0.9	1.9	(2)	(2)	(2)	(2)	(2)	(2)	8.1	9.3	8.4	9.1	8.1	10.0	(2)	(2)	(2)	(2)	(2)	(2)
Colored	0.9	1.1	*0.4*	*0.3*	*0.3*	1.4	(2)	(2)	(2)	(2)	(2)	(2)	10.0	10.7	11.4	8.4	8.3	10.5	(2)	(2)	(2)	(2)	(2)	(2)
Maine	1.7	2.2	2.1	1.3	1.7	2.2	3.0	5.1	3.8	3.5	3.9	2.8	6.0	6.5	4.4	4.4	6.1	4.3	6.7	8.4	8.5	6.9	7.7	8.3
Maryland	5.7	3.0	2.0	0.7	1.7	3.7	5.0	5.5	4.3	5.1	5.8	4.5	6.8	7.0	6.2	6.2	8.2	9.5	11.4	10.9	9.1	9.8	10.3	9.6
White	5.3	2.7	2.0	0.7	1.8	4.1	4.7	5.5	3.6	4.7	5.5	4.7	7.1	7.6	6.4	6.3	8.8	9.6	11.9	11.2	9.3	9.9	9.9	10.0
Colored	8.0	4.8	2.0	*0.8*	*1.2*	2.1	6.2	5.0	7.5	7.1	7.2	3.4	5.2	4.4	5.3	6.1	5.3	9.1	8.7	9.6	8.4	9.7	12.2	7.7
Massachusetts	6.6	5.9	3.2	1.8	2.5	5.0	8.1	8.2	6.4	7.8	8.2	6.4	5.2	5.8	5.3	5.4	5.7	7.5	8.3	9.7	9.3	9.3	10.3	10.1
Michigan	5.3	3.7	2.2	1.5	1.1	2.5	7.5	7.1	3.1	3.6	4.6	3.6	7.8	7.1	7.6	8.3	8.0	9.5	10.9	13.2	11.8	12.2	10.6	12.2
Minnesota	3.2	2.6	1.8	0.8	1.4	2.4	4.3	4.3	4.9	6.2	6.1	5.1	5.6	4.9	6.0	4.8	6.0	7.0	6.9	6.6	7.6	9.2	7.5	6.6
Mississippi	1.0	0.6	0.6	0.3	0.6	(2)	(2)	(2)	(2)	(2)	(2)	(2)	4.9	4.0	4.2	5.0	3.7	(2)	(2)	(2)	(2)	(2)	(2)	(2)
White	1.3	0.7	1.3	*0.3*	0.9	(2)	(2)	(2)	(2)	(2)	(2)	(2)	4.4	4.2	2.9	4.1	2.9	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Colored	0.7	0.5	-----	*0.3*	*0.3*	(2)	(2)	(2)	(2)	(2)	(2)	(2)	5.3	3.7	5.3	5.8	4.5	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Missouri	2.9	2.3	1.0	0.4	1.1	2.1	2.8	3.2	3.2	3.7	5.2	(2)	9.1	10.3	9.3	8.0	9.5	10.9	13.1	12.2	12.9	13.1	13.5	(2)
Montana	4.1	3.7	3.3	1.8	1.9	11.5	24.6	17.7	14.1	14.6	17.1	14.7	4.7	6.2	6.1	6.6	5.7	8.0	13.1	10.9	9.8	12.0	12.5	9.7
Nebraska	1.8	0.9	1.1	0.5	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	6.4	5.4	5.1	4.5	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
New Hampshire	5.6	5.2	2.7	1.8	1.6	3.2	5.5	7.8	4.3	6.2	6.4	5.8	5.4	9.4	9.2	7.4	9.0	11.1	13.2	14.6	12.1	13.1	11.3	6.7
New Jersey	4.0	3.3	1.5	0.9	1.5	2.5	5.2	6.6	4.5	5.3	7.0	6.0	9.0	9.0	8.5	7.8	8.8	11.0	14.9	15.4	15.8	15.4	15.6	17.2
New York	4.3	2.9	1.5	1.2	2.0	3.0	6.4	8.2	5.2	5.9	7.3	6.6	8.4	9.3	9.0	8.3	9.1	11.6	14.4	16.2	15.7	16.8	16.9	18.2
North Carolina	0.9	1.0	1.3	1.0	0.8	0.5	0.9	1.3	[3]2.3	[3]3.8	[4]2.7	[4]2.8	3.7	4.1	3.9	3.7	3.3	4.4	4.1	4.8	[3]8.2	[3]5.7	[4]8.7	[4]9.9
White	0.8	0.8	1.3	1.1	1.0	0.5	1.0	1.4	3.1	4.5	3.4	3.8	3.8	4.2	3.9	3.3	3.0	4.4	3.6	5.1	7.5	6.8	8.4	11.5
Colored	1.0	1.4	1.5	1.0	*0.5*	0.7	*0.5*	1.2	*0.6*	*2.4*	*1.4*	*0.8*	3.6	3.8	3.8	4.8	4.1	4.4	5.3	4.1	9.5	3.7	9.1	7.0
Ohio	2.3	2.7	2.1	1.2	2.6	4.0	7.4	6.3	4.2	4.3	6.5	4.0	8.0	8.2	8.2	9.1	9.7	12.0	14.2	14.0	13.7	14.9	14.6	13.9
Oregon	1.8	3.1	2.6	1.6	0.8	0.9	(2)	(2)	(2)	(2)	(2)	(2)	6.2	5.8	6.6	6.3	7.6	4.7	(2)	(2)	(2)	(2)	(2)	(2)
Pennsylvania	4.3	2.8	2.2	1.2	2.1	3.7	6.8	6.0	3.7	3.8	4.4	4.1	9.4	8.4	8.3	8.0	8.9	11.6	12.8	13.5	13.0	12.9	14.3	12.9
Rhode Island	6.7	4.8	3.3	1.3	2.7	4.2	9.2	8.9	5.2	6.7	7.3	5.9	8.1	5.0	9.4	6.3	9.1	9.1	11.4	12.7	13.4	10.7	14.9	14.0
South Carolina	0.9	0.9	0.8	0.5	0.5	0.5	0.8	1.2	(2)	(2)	(2)	(2)	2.2	3.4	2.7	2.7	2.4	2.7	2.6	3.1	(2)	(2)	(2)	(2)
White	0.9	1.3	1.2	0.8	0.7	0.8	1.1	1.0	(2)	(2)	(2)	(2)	2.1	3.0	2.4	1.9	2.1	2.9	3.2	2.7	(2)	(2)	(2)	(2)
Colored	0.9	0.6	*0.3*	*0.1*	*0.2*	*0.2*	*0.5*	1.4	(2)	(2)	(2)	(2)	2.4	3.7	3.1	3.3	2.8	2.4	2.1	3.4	(2)	(2)	(2)	(2)
Tennessee	1.3	1.1	1.4	0.9	0.9	0.9	1.0	(2)	(2)	(2)	(2)	(2)	2.9	3.5	4.2	4.0	5.2	4.8	5.5	(2)	(2)	(2)	(2)	(2)
White	1.1	1.2	1.0	0.8	0.8	0.9	0.9	(2)	(2)	(2)	(2)	(2)	2.8	2.7	3.7	3.5	4.6	4.1	4.9	(2)	(2)	(2)	(2)	(2)
Colored	2.3	*0.7*	2.9	1.3	1.1	*0.9*	1.3	(2)	(2)	(2)	(2)	(2)	3.4	6.7	6.2	6.0	7.9	7.7	7.7	(2)	(2)	(2)	(2)	(2)
Utah	2.1	1.7	1.7	1.1	*0.7*	*0.7*	4.9	5.2	3.6	7.4	7.5	4.8	5.9	4.5	5.4	3.5	4.9	3.4	5.1	7.1	7.5	7.4	6.8	4.8
Vermont	3.7	3.7	1.7	1.4	2.3	3.1	3.4	2.8	4.5	4.8	5.1	3.9	5.1	5.7	9.1	6.2	4.3	4.5	10.2	5.7	13.3	11.9	9.9	9.0
Virginia	2.1	2.1	1.8	0.8	0.7	1.0	1.0	2.7	3.0	3.3	3.0	(2)	5.2	5.2	4.8	4.4	4.8	5.6	5.5	6.1	6.9	7.2	7.7	(2)
White	2.2	2.3	2.2	1.0	0.7	1.3	1.1	2.7	3.3	3.2	3.3	(2)	4.0	4.5	4.1	3.6	3.5	4.9	5.4	6.1	6.3	6.9	6.8	(2)
Colored	2.0	1.7	1.0	*0.1*	*0.6*	*0.3*	0.7	2.6	2.2	3.7	2.4	(2)	8.2	6.8	6.5	6.4	7.8	7.1	5.8	6.3	8.4	7.8	9.7	(2)
Washington	3.1	2.6	2.7	2.6	2.3	2.4	1.8	2.8	5.9	8.4	8.2	12.8	4.4	4.3	5.4	4.2	4.2	6.0	5.4	6.9	9.3	7.8	6.1	6.5
Wisconsin	2.8	1.8	1.6	0.8	1.5	3.8	4.2	5.6	4.2	4.1	4.8	4.4	7.4	7.4	6.9	7.1	8.0	8.2	11.2	11.4	11.3	12.1	13.4	11.0
Wyoming	8.0	3.9	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	4.2	4.8	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)

[1] Including District of Columbia.
[2] Not added to registration area until a later date.
[3] Includes only municipalities having a population of 1,000 or more in 1910.
[4] Includes only municipalities having a population of 1,000 or more in 1900.
* Including District of Columbia and excluding North Carolina.

NOTE.—For States included in 1900 and in 1910, see Table A, p. 7.

Table BC — DEATHS FROM WOOD OR DENATURED ALCOHOL POISONING IN THE REGISTRATION AREA	Number	Rate per 100,000 estimated population
1923	143	0.1
1922	201	0.2
1921	194	0.2
1920	359	0.4

DISEASES OF THE HEART

The number of deaths in 1923 from diseases of the heart, which includes titles 87 to 90, is 170,033, corresponding to a rate of 175.3 per 100,000 estimated population, and constituting 14.3 per cent of the deaths from all causes.

In making comparisons it must not be forgotten that nearly all persons who die of heart diseases have passed middle life, and therefore the crude death rates should be used with caution and considered only in connection with the age distribution of the population.

The greatest increases among the States in the 10-year period 1914 to 1923 are for California (from 182.1 to 234.2), New York (from 202.5 to 247.4), Vermont (from 227.4 to 269.8), Maryland (from 169.5 to 210.8), and New Jersey (from 170.4 to 209.1).

Table BD shows the rates per 100,000 estimated population for 1914 to 1923, with rates of 200 or more in bold-faced type.

Table BD — DEATH RATE FROM DISEASES OF THE HEART PER 100,000 ESTIMATED POPULATION

[Rates of 200 or more in bold-faced type]

AREA	1923	1922	1921	1920	1919	1918	1917	1916	1915	1914
The registration area [1]	175.3	165.7	157.1	159.3	146.7	170.1	171.7	168.7	165.7	159.7
Registration States [2]	176.1	166.3	157.3	159.7	147.1	170.5	171.3	168.7	165.0	159.4
Cities in registration States [2]	201.0	189.2	174.3	177.9	168.4	195.6	191.3	187.4	176.6	171.9
Rural part of registration States	153.3	145.3	141.1	142.5	128.5	147.8	153.6	151.6	153.5	147.1
Registration cities in nonregistration States	118.9	119.1	142.0	141.1	121.9	152.5	177.2	168.9	173.4	163.7
All registration cities [2]	198.6	187.2	173.2	176.6	166.7	193.7	189.3	184.9	176.1	170.7
California	234.2	231.4	213.1	202.7	195.6	207.3	197.9	201.6	195.1	182.1
Colorado	126.0	133.5	122.6	122.0	105.1	122.8	107.9	101.8	118.4	97.9
Connecticut	189.7	191.8	169.4	171.2	156.6	184.9	194.6	197.2	172.4	173.6
Delaware	195.3	180.9	172.4	174.5	158.6	(3)	(3)	(3)	(3)	(3)
Florida	150.1	126.2	119.1	114.8	98.0	(3)	(3)	(3)	(3)	(3)
White	153.0	125.2	119.1	119.6	95.5	(3)	(3)	(3)	(3)	(3)
Colored	143.8	128.0	119.0	105.6	102.7	(3)	(3)	(3)	(3)	(3)
Georgia	100.8	91.1	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	86.8	81.0	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	121.2	105.7	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Idaho	86.1	93.0	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Illinois	188.7	173.7	158.7	162.2	146.5	163.8	(3)	(3)	(3)	(3)
Indiana	188.2	172.4	164.2	166.8	155.1	181.4	177.2	168.0	162.9	154.4
Iowa	137.8	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Kansas	137.4	134.2	119.9	128.8	107.3	126.6	132.5	130.6	122.0	110.7
Kentucky	119.7	105.0	97.4	99.7	95.3	110.4	121.6	106.3	107.9	99.2
White	106.6	93.2	87.9	87.9	82.7	93.2	104.4	94.1	93.9	83.9
Colored	248.7	219.7	187.9	210.0	210.6	264.9	273.1	211.9	226.5	226.9
Louisiana	149.6	131.1	122.1	120.1	117.5	132.6	(3)	(3)	(3)	(3)
White	123.9	116.4	105.7	103.4	96.5	106.1	(3)	(3)	(3)	(3)
Colored	192.2	155.1	148.5	146.3	150.0	172.9	(3)	(3)	(3)	(3)
Maine	227.5	222.4	222.3	213.4	196.0	212.4	218.5	218.2	211.9	207.8
Maryland	210.8	191.8	184.7	181.8	171.0	216.2	199.9	176.7	169.6	169.5
White	202.3	179.2	172.1	171.5	156.9	197.2	183.4	163.1	158.6	154.6
Colored	253.5	254.4	247.2	232.5	239.9	309.0	280.0	242.0	222.4	239.9

See footnotes at end of table.

Table BD—Con. — DEATH RATE FROM DISEASES OF THE HEART PER 100,000 ESTIMATED POPULATION

[Rates of 200 or more in bold-faced type]

AREA	1923	1922	1921	1920	1919	1918	1917	1916	1915	1914
Massachusetts	240.9	223.0	206.7	215.6	198.5	237.1	226.7	222.2	205.0	210.9
Michigan	184.8	172.9	164.7	176.7	154.3	172.7	179.1	172.7	164.2	160.6
Minnesota	137.2	133.5	118.5	124.2	114.4	124.4	116.6	118.3	112.2	113.9
Mississippi	103.4	92.0	97.0	93.7	75.7	(3)	(3)	(3)	(3)	(3)
White	89.3	82.8	80.0	75.9	63.3	(3)	(3)	(3)	(3)	(3)
Colored	116.3	100.4	112.5	110.1	86.9	(3)	(3)	(3)	(3)	(3)
Missouri	139.3	129.3	121.7	136.2	112.5	130.1	125.0	121.8	116.9	108.3
Montana	94.1	100.3	90.9	93.0	93.5	104.6	111.6	111.6	101.5	96.2
Nebraska	113.4	122.7	113.6	107.5	(3)	(3)	(3)	(3)	(3)	(3)
New Hampshire	255.1	225.0	211.9	240.5	196.0	233.5	247.4	233.5	243.1	234.6
New Jersey	209.1	191.1	179.0	179.1	169.6	198.4	192.8	190.9	168.6	170.4
New York	247.4	235.8	211.3	212.7	200.9	224.3	224.8	220.7	211.8	202.5
North Carolina	112.2	110.1	109.2	102.2	87.6	104.7	104.3	97.5	[4] 139.3	[4] 145.1
White	104.1	102.2	99.7	94.1	78.5	95.1	95.5	89.9	110.3	103.1
Colored	131.3	128.6	131.2	120.8	108.7	126.7	124.2	114.6	194.3	224.3
Ohio	177.6	164.6	154.2	160.4	151.0	169.8	178.1	172.2	161.1	156.6
Oregon	161.2	162.8	150.8	168.7	146.5	145.2	(3)	(3)	(3)	(3)
Pennsylvania	188.0	169.8	158.2	160.6	150.7	181.0	175.7	167.8	162.5	157.0
Rhode Island	203.9	197.5	179.5	182.4	170.2	197.2	196.1	202.2	190.4	187.0
South Carolina	115.7	112.4	105.0	108.6	88.2	105.0	105.6	93.4	(3)	(3)
White	103.9	110.8	100.1	104.0	78.8	96.7	98.9	84.7	(3)	(3)
Colored	127.5	113.9	109.8	113.0	97.0	112.7	111.7	101.2	(3)	(3)
Tennessee	100.7	91.7	94.6	96.3	92.8	101.2	106.6	(3)	(3)	(3)
White	84.9	79.2	81.2	82.5	79.5	85.0	89.7	(3)	(3)	(3)
Colored	170.0	145.6	151.6	154.4	148.1	167.6	174.9	(3)	(3)	(3)
Utah	119.5	130.1	123.0	118.0	98.8	120.6	116.6	114.9	112.0	110.3
Vermont	269.8	261.9	255.9	259.5	229.7	248.5	250.5	258.4	233.9	227.4
Virginia	150.6	148.9	137.3	137.6	123.0	145.9	146.4	146.9	141.2	132.5
White	134.2	129.8	122.5	121.1	108.1	125.0	122.1	123.3	117.9	110.9
Colored	190.6	194.9	172.6	176.7	157.6	193.8	201.5	199.9	192.7	179.8
Washington	136.1	138.0	131.7	132.7	117.6	125.5	110.7	110.3	111.6	101.9
Wisconsin	156.6	144.7	137.0	131.6	115.8	124.4	132.9	134.7	127.1	124.4
Wyoming	83.5	85.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
CITIES OF 100,000 POPULATION OR MORE IN 1920										
Akron	(5)	93.1	93.6	106.3	91.3	108.7	97.8	94.4	81.5	68.3
Albany	322.0	313.2	262.4	257.2	254.5	272.4	264.3	273.5	264.2	271.8
Atlanta	179.0	172.8	142.2	147.9	126.1	163.1	145.4	138.3	153.5	129.6
White	125.4	127.8	121.6	125.4	98.5	113.9	103.8	96.5	105.8	92.1
Colored	302.3	275.5	187.8	197.2	186.2	269.6	234.5	227.1	253.8	207.7
Baltimore	219.8	212.0	189.6	193.4	180.5	254.5	231.1	208.0	188.4	206.0
White	209.4	194.6	173.6	176.7	162.0	224.9	206.7	185.8	169.4	179.0
Colored	279.3	312.5	281.8	289.5	286.4	406.6	357.6	323.9	288.9	349.6
Birmingham	123.0	114.6	157.4	155.0	135.9	172.8	179.6	105.1	125.9	142.3
White	105.0	97.4	110.6	119.0	101.2	118.5	119.0	87.1	80.3	107.6
Colored	150.8	141.3	229.8	210.7	189.4	256.6	273.2	132.8	196.1	195.6
Boston	280.2	273.0	234.5	248.9	241.8	280.7	248.5	249.1	224.5	248.0
Bridgeport	(5)	158.1	151.2	138.0	159.8	167.7	175.4	166.4	140.0	114.1
Buffalo	216.1	213.6	179.8	194.9	167.8	187.9	199.4	195.2	180.7	191.4
Cambridge	260.2	204.6	220.0	222.8	207.4	235.0	244.4	239.0	187.1	191.7
Camden	203.0	198.5	170.5	185.6	164.1	209.8	214.1	171.5	176.1	211.6
Chicago	201.9	190.2	171.8	176.8	158.6	288.2	181.1	176.7	172.2	158.9
Cincinnati	252.2	235.9	212.9	211.2	233.2	225.0	244.2	233.5	128.0	214.5
Cleveland	136.2	114.4	116.2	119.8	122.1	136.3	140.8	138.7	127.5	117.5
Columbus	222.5	198.5	167.1	160.5	147.8	171.9	180.7	169.7	153.9	150.3
Dallas	88.3	94.2	89.5	111.7	85.4	88.8	120.5	103.6	(3)	(3)
White	81.0	86.2	80.2	103.0	65.5	80.9	89.7	89.6	(3)	(3)
Colored	133.0	141.9	143.4	161.1	196.1	131.2	280.7	174.8	(3)	(3)
Dayton	194.5	174.3	148.0	149.6	141.3	200.7	211.5	181.3	164.9	155.1
Denver	168.4	181.2	172.5	161.2	141.6	169.7	130.4	131.1	151.4	130.1
Des Moines	139.1	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Detroit	(5)	141.8	125.0	126.4	112.0	118.4	132.8	136.2	111.8	121.1
Fall River	197.7	217.7	167.4	145.2	149.5	227.8	212.2	192.4	175.9	176.9
Fort Worth	74.4	78.2	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	73.3	77.4	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	82.1	83.0	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Grand Rapids	209.0	205.5	179.2	175.0	178.1	217.8	188.3	160.2	161.7	151.8
Hartford	209.7	222.4	187.6	198.5	139.7	202.3	217.3	124.3	186.8	185.6
Houston	129.5	112.6	105.4	113.3	90.3	113.6	117.4	(3)	(3)	(3)
White	108.4	101.2	87.0	107.6	78.0	93.2	102.5	(3)	(3)	(3)
Colored	199.1	149.3	163.3	131.1	127.6	173.0	160.3	(3)	(3)	(3)
Indianapolis	226.7	181.8	176.3	189.6	157.8	198.2	206.8	190.4	198.5	188.6
White	221.3	174.1	168.9	180.1	145.1	177.2	186.0	173.0	185.9	176.4
Colored	263.7	241.4	233.8	265.2	260.7	371.5	380.8	338.2	306.3	295.3
Jersey City	191.6	174.2	165.8	184.5	171.6	206.9	200.5	203.3	152.1	155.9
Kansas City, Kans.	139.9	130.1	132.8	134.2	125.8	144.4	121.2	179.6	143.3	124.1
White	111.5	114.2	125.2	120.2	(6)	127.6	103.2	161.0	135.1	118.4
Colored	304.0	223.2	177.1	217.2	(6)	248.5	235.4	300.5	197.8	163.6
Kansas City, Mo.	169.7	163.1	143.7	199.2	159.1	183.9	172.6	164.0	167.0	156.8
Los Angeles	(5)	236.3	208.9	206.3	178.0	189.1	175.6	187.2	176.8	162.2
Louisville	219.3	189.6	189.8	186.2	194.5	231.1	228.0	182.2	197.1	200.0
White	191.3	163.8	174.9	160.8	162.6	191.8	190.6	143.0	161.0	162.8
Colored	368.7	326.1	262.7	309.4	348.5	419.6	406.2	368.1	367.2	373.7
Lowell	194.6	181.8	160.9	171.5	162.8	177.2	203.4	201.9	174.0	208.1

Table BD—Con. AREA	DEATH RATE FROM DISEASES OF THE HEART PER 100,000 ESTIMATED POPULATION [Rates of 200 or more in bold-faced type]									
	1923	1922	1921	1920	1919	1918	1917	1916	1915	1914
CITIES OF 100,000 POPULATION OR MORE IN 1920—con.										
Memphis	184.0	162.0	156.3	138.9	148.9	166.5	172.3	(7)	175.8	169.7
White	163.2	131.2	109.6	131.3	115.5	127.4	125.5	(7)	133.0	129.9
Colored	220.1	214.7	235.1	151.5	207.2	233.8	251.4	(7)	246.0	233.9
Milwaukee	148.0	139.6	119.8	133.2	107.6	113.3	126.8	129.5	116.7	106.7
Minneapolis	165.7	163.4	144.3	142.7	130.1	139.8	123.3	135.8	129.7	122.1
Nashville	234.0	195.3	125.3	201.3	204.3	282.3	208.4	(7)	233.2	230.4
White	168.0	150.7	156.2	152.7	147.1	225.5	144.5	(7)	160.6	144.4
Colored	394.5	302.3	389.1	314.7	336.2	411.3	351.6	(7)	391.3	415.2
New Bedford	176.1	162.3	147.2	160.0	125.9	143.9	160.2	162.0	149.3	133.3
New Haven	199.5	180.0	168.9	184.7	178.2	218.9	224.4	201.2	203.9	177.2
New Orleans	310.4	270.0	240.0	227.4	236.5	277.3	253.3	231.7	252.1	250.0
White	247.1	224.2	206.1	203.1	206.0	219.4	209.4	187.0	200.4	216.0
Colored	490.1	399.8	335.6	304.2	322.7	440.2	395.7	357.3	397.2	345.3
New York	222.9	210.8	187.5	187.1	183.5	202.8	196.2	195.7	186.9	171.8
Bronx Borough	180.0	173.8	140.7	151.7	144.6	167.2	161.3	157.3	144.8	147.3
Brooklyn Borough	228.3	214.7	196.8	199.8	201.6	225.9	213.6	222.0	225.0	187.2
Manhattan Borough	236.3	223.4	196.3	189.9	184.3	200.3	195.1	187.0	169.6	167.5
Queens Borough	204.4	185.6	172.0	161.5	162.1	164.6	170.2	178.8	172.3	166.9
Richmond Borough	252.5	258.8	227.6	242.2	180.9	216.4	226.4	212.3	190.5	147.2
Newark, N. J.	183.3	174.9	173.2	182.1	166.6	205.4	186.3	187.5	160.6	153.2
Norfolk	174.1	196.1	159.2	159.9	186.0	244.8	208.2	192.3	179.2	179.8
White	125.0	150.3	124.3	132.0	121.2	195.9	144.3	132.7	131.7	120.3
Colored	260.8	271.9	216.8	206.3	293.0	324.6	311.3	287.2	254.0	272.1
Oakland	212.4	218.2	218.1	213.5	209.1	239.7	211.3	217.7	201.5	195.7
Omaha	167.3	177.3	153.7	152.0	119.6	126.3	128.8	111.5	99.2	116.9
Paterson	206.3	198.5	184.8	175.9	173.6	184.7	229.7	219.4	189.2	207.6
Philadelphia	245.8	226.2	202.2	205.1	203.5	249.8	236.7	223.2	228.7	223.6
Pittsburgh	171.0	164.5	136.9	146.5	145.6	167.1	159.8	166.3	136.4	133.8
Portland, Oreg.	174.0	170.5	171.0	177.4	171.4	165.7	127.8	141.6	121.7	140.7
Providence	206.3	207.0	189.4	203.1	187.0	214.0	190.9	211.8	178.0	198.6
Reading	199.2	160.9	181.4	172.8	167.7	193.5	171.7	201.8	193.7	218.4
Richmond	182.3	194.5	171.9	176.9	159.1	192.1	218.2	205.8	206.8	190.1
White	160.0	173.7	164.9	173.4	149.6	173.9	192.1	175.3	174.7	145.7
Colored	233.7	241.9	187.6	184.5	179.7	230.6	272.6	268.1	271.0	274.9
Rochester	238.3	231.1	213.3	194.0	192.1	211.9	250.3	225.1	218.4	228.4
St. Louis	186.6	168.6	156.2	177.0	152.4	175.6	163.7	157.6	152.4	146.6
St. Paul	163.7	160.9	137.5	122.2	131.0	171.4	156.0	152.1	128.6	126.2
Salt Lake City	158.4	179.2	166.1	140.0	125.7	134.2	133.5	128.5	127.5	96.6
San Antonio	115.8	119.1	109.1	107.5	100.6	119.6	136.8	106.5	103.5	109.1
San Francisco	250.6	274.4	244.6	232.2	250.8	262.2	241.1	269.9	257.6	240.7
Scranton	204.8	170.2	161.9	138.2	176.9	177.2	184.9	156.4	156.6	175.5
Seattle	(5)	149.5	140.5	140.6	137.8	156.6	119.1	119.3	122.0	118.5
Spokane	154.9	158.7	142.7	159.9	96.7	122.6	109.2	123.5	139.8	102.5
Springfield, Mass	215.6	160.7	180.3	176.9	125.5	195.4	193.0	184.4	171.4	157.5
Syracuse	221.7	239.8	216.9	248.0	189.4	253.5	233.2	225.7	194.3	219.1
Toledo	171.9	152.7	151.0	158.9	144.0	193.0	196.8	189.9	160.9	150.5
Trenton	251.2	251.0	192.2	210.1	171.8	215.9	217.6	181.7	168.1	203.6
Washington, D. C	242.0	246.6	217.1	208.6	207.8	270.2	270.6	249.3	246.5	226.4
White	204.4	226.1	201.9	200.3	192.7	238.5	231.6	226.8	222.6	204.7
Colored	358.3	307.1	261.9	233.1	252.0	362.0	381.6	312.3	312.4	284.9
Wilmington, Del.	175.8	151.4	130.5	139.3	138.9	193.1	199.1	191.4	179.4	153.4
Worcester	177.7	199.5	229.8	247.4	234.8	313.4	263.7	269.1	243.8	238.4
Yonkers	171.1	159.4	124.8	140.3	126.1	148.4	146.4	158.4	131.2	156.8
Youngstown	119.7	126.2	114.8	91.3	108.5	120.5	134.9	231.0	122.0	90.6

[1] Exclusive of Hawaii.
[2] Including District of Columbia.
[3] Not added to registration area until a later date.
[4] Including only municipalities having a population of 1,000 or more in 1910.
[5] Rates are omitted pending the establishment of more satisfactory estimates of population.
[6] Not tabulated separately.
[7] Transcripts of death certificates not received.

In both 1922 and 1923 the same 6 States have rates above 200 per 100,000 estimated population; these States are California, Maine, Massachusetts, New Hampshire, New York, and Vermont. New York and Vermont maintain such high rates for the series of years 1914 to 1923. The lowest rates in 1923 are for Wyoming (83.5), Idaho (86.1), and Montana (94.1).

Of the cities of 100,000 population or more in 1920, those showing the greatest increases in the 10-year period 1914 to 1923 are Columbus (from 150.3 to 222.5), Cambridge (from 191.7 to 260.2), Salt Lake City (from 96.6 to 158.4), New Orleans (from 250 to 310.4), and Springfield, Mass. (from 157.5 to 215.6). Six cities have rates of 200 or more for the series of years 1914 to 1923; of these, Albany has the highest rate (322) in 1923.

In 1923 the highest rate (253.5) shown for the colored in any State is for Maryland, and the lowest (116.3) is for Mississippi. Of the cities shown by color, New Orleans has the highest rate (490.1) and Fort Worth the lowest (82.1).

PNEUMONIA (ALL FORMS)

In 1923 the number of deaths due to pneumonia (all forms) is 105,680. Of these, 52,480 are due to lobar pneumonia, 46,221 to bronchopneumonia, and 6,979 to pneumonia (unspecified). The death rate from pneumonia (all forms) in 1923 is 109—much higher than the record low rate (88.3) in 1921.

Table BE shows the death rates per 100,000 estimated population for 1914 to 1923, rates of 200 and higher being printed in bold-faced type.

For the 37 States and 62 cities showing rates for 1922 and 1923, the rates are higher in 1923 for 26 States and for 35 cities. The only rates over 200 in 1923 appear for Pittsburgh, Lowell, and Camden.

Among the States the highest death rates in 1923 from pneumonia (all forms) are for Pennsylvania (156.8), Maryland (153.5), Delaware (148), Rhode Island (135.8), and Maine (131); the lowest are for Idaho (58.1), Washington (59.8), Montana (65.3), and Florida (66.6).

Table BE AREA	DEATH RATE FROM PNEUMONIA (ALL FORMS) PER 100,000 ESTIMATED POPULATION [Rates of 200 or more in bold-faced type]									
	1923	1922	1921	1920	1919	1918	1917	1916	1915	1914
The registration area [1]	109.0	102.1	88.3	137.3	123.5	286.2	150.5	137.8	133.1	127.3
Registration States [2]	109.0	102.1	88.1	136.8	123.3	284.8	148.3	137.5	131.3	124.7
Cities in registration States [2]	128.9	120.3	101.4	168.5	153.1	369.3	179.4	166.4	156.9	150.4
Rural part of registration States	90.7	85.3	75.3	107.0	97.3	208.7	120.8	111.2	105.9	99.6
Registration cities in nonregistration States	108.2	100.6	100.6	163.7	136.1	348.6	178.2	142.2	155.0	160.0
All registration cities [2]	128.3	119.8	101.4	168.3	152.4	368.4	179.2	163.1	156.7	151.7
California	95.0	98.0	85.1	101.7	97.9	227.9	106.7	99.3	94.3	91.1
Colorado	112.2	131.7	110.5	176.3	124.3	310.9	127.0	108.0	155.6	120.0
Connecticut	115.7	115.0	91.5	155.7	134.2	344.2	202.0	191.6	151.2	150.9
Delaware	148.0	120.0	103.9	178.5	185.2	(3)	(3)	(3)	(3)	(3)
Florida	66.6	57.1	50.0	80.0	72.8	(3)	(3)	(3)	(3)	(3)
White	55.2	47.5	40.4	71.6	64.6	(3)	(3)	(3)	(3)	(3)
Colored	90.5	76.8	69.2	96.6	88.4	(3)	(3)	(3)	(3)	(3)
Georgia	92.0	79.8	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	75.1	71.0	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	116.7	92.5	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Idaho	58.1	64.2	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Illinois	104.1	91.6	78.8	133.7	107.3	247.0	(3)	(3)	(3)	(3)
Indiana	104.2	95.5	75.2	133.7	110.1	210.0	125.1	113.1	109.2	104.2
Iowa	81.0	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)

See footnotes at end of table.

Table BE—Con.

DEATH RATE FROM PNEUMONIA (ALL FORMS) PER 100,000 ESTIMATED POPULATION

[Rates of 200 or more in bold-faced type]

AREA	1923	1922	1921	1920	1919	1918	1917	1916	1915	1914
Kansas	87.1	80.9	60.0	97.4	87.0	223.1	113.7	86.9	90.0	69.4
Kentucky	105.3	94.4	75.7	121.7	124.4	214.6	120.2	111.1	98.3	108.7
White	95.1	86.0	69.9	110.3	111.6	192.2	108.3	102.3	85.6	99.3
Colored	205.1	175.7	131.4	227.5	241.8	415.7	225.8	188.7	206.4	187.4
Louisiana	91.3	82.3	71.0	108.1	110.2	232.7	(3)	(3)	(3)	(3)
White	71.1	65.5	59.4	92.8	94.7	202.0	(3)	(3)	(3)	(3)
Colored	124.5	109.5	89.5	132.3	134.1	279.4	(3)	(3)	(3)	(3)
Maine	131.0	129.7	112.6	151.8	123.9	255.0	159.7	140.0	140.3	148.5
Maryland	153.5	113.2	106.8	153.3	152.9	441.1	188.9	176.9	156.2	155.8
White	129.5	97.3	92.0	133.2	131.5	403.4	147.6	144.9	126.8	129.1
Colored	274.3	192.7	179.9	252.5	257.9	624.6	388.4	330.1	295.9	281.9
Massachusetts	130.9	129.9	102.6	156.1	133.9	384.8	171.8	174.9	162.1	156.8
Michigan	112.3	91.5	73.0	152.3	108.8	199.1	124.0	105.7	95.8	86.4
Minnesota	73.8	64.2	64.6	79.0	78.1	140.6	96.1	86.0	89.7	97.5
Mississippi	77.9	77.6	66.0	102.8	93.5	(3)	(3)	(3)	(3)	(3)
White	64.5	66.9	58.8	81.5	71.4	(3)	(3)	(3)	(3)	(3)
Colored	90.1	87.4	72.5	122.4	113.5	(3)	(3)	(3)	(3)	(3)
Missouri	120.0	107.4	83.6	164.1	128.6	265.3	157.3	132.4	122.7	110.0
Montana	65.3	81.2	71.6	103.3	98.2	249.1	137.4	110.2	109.0	102.9
Nebraska	73.8	81.9	62.6	85.7	(3)	(3)	(3)	(3)	(3)	(3)
New Hampshire	121.5	116.3	97.1	130.7	120.2	294.2	160.7	141.8	124.2	128.7
New Jersey	117.6	117.8	97.8	154.2	158.7	466.4	175.8	180.1	152.4	154.3
New York	120.8	125.0	101.2	160.2	166.4	374.2	180.3	167.5	171.9	159.4
North Carolina	90.8	88.0	74.9	101.9	84.8	182.7	105.8	103.5	[4]129.3	[4]149.9
White	76.2	76.2	66.5	87.4	70.8	145.0	85.9	82.5	84.3	106.7
Colored	125.2	115.5	94.4	135.4	116.9	268.4	150.8	150.5	214.4	231.6
Ohio	108.2	93.3	83.0	135.9	122.7	235.5	142.8	131.7	116.7	104.5
Oregon	72.6	90.8	66.5	107.8	79.9	125.7	(3)	(3)	(3)	(3)
Pennsylvania	156.8	134.6	129.7	181.7	157.1	418.4	193.3	171.4	151.1	148.2
Rhode Island	135.8	126.9	102.8	163.1	144.7	312.7	190.5	167.8	172.6	148.6
South Carolina	90.6	88.3	77.7	110.1	102.2	252.3	118.9	105.2	(3)	(3)
White	65.5	76.3	65.1	87.6	81.1	233.1	93.5	81.5	(3)	(3)
Colored	115.6	100.0	89.9	131.5	122.0	270.0	142.1	126.5	(3)	(3)
Tennessee	98.2	87.6	74.5	117.2	102.1	203.5	110.7	(3)	(3)	(3)
White	81.2	75.9	66.0	100.5	87.9	169.1	91.5	(3)	(3)	(3)
Colored	172.9	138.0	110.8	187.5	161.1	344.2	188.0	(3)	(3)	(3)
Utah	82.8	114.1	107.8	126.0	90.5	183.9	113.1	113.0	106.5	114.9
Vermont	99.6	120.9	98.2	152.5	125.1	201.7	162.2	126.1	117.5	114.8
Virginia	91.5	83.4	75.9	103.4	99.2	204.0	124.7	124.6	112.4	105.0
White	74.3	67.8	69.3	81.7	75.8	158.5	91.7	88.0	84.9	77.6
Colored	133.3	120.8	115.5	154.7	153.7	308.6	199.6	206.5	173.3	165.1
Washington	59.8	64.2	57.1	93.7	86.5	170.8	67.4	64.1	66.8	57.7
Wisconsin	96.9	85.4	74.3	112.9	94.2	163.1	119.5	108.3	104.0	94.8
Wyoming	85.9	85.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
CITIES OF 100,000 POPULATION OR MORE IN 1920										
Akron	(5)	75.8	74.8	233.1	181.1	239.2	139.8	125.0	97.8	74.6
Albany	136.3	133.4	80.8	143.9	163.2	336.9	170.2	156.4	163.6	127.4
Atlanta	180.7	137.0	112.8	191.7	148.2	304.0	159.6	145.9	145.7	146.7
White	99.7	77.1	76.2	114.0	88.2	200.7	79.8	71.8	83.7	90.4
Colored	367.5	274.0	194.0	362.9	279.3	527.7	330.9	303.4	276.2	264.0
Baltimore	181.9	136.0	126.5	184.9	174.3	554.8	234.5	228.7	195.1	208.0
White	148.0	113.5	110.0	160.0	149.9	507.8	173.2	183.5	158.2	170.4
Colored	377.4	266.3	221.5	327.9	314.2	796.5	552.4	465.4	389.3	408.4
Birmingham	167.4	123.0	130.6	187.6	193.9	485.3	304.9	153.6	136.0	186.6
White	94.1	76.7	82.3	120.9	126.3	321.9	125.9	84.1	95.9	125.9
Colored	280.9	194.6	205.2	290.7	298.4	737.5	581.2	261.0	197.7	280.2
Boston	173.9	175.7	124.5	197.8	161.5	494.3	223.1	219.8	210.2	196.2
Bridgeport	(5)	118.4	98.2	159.9	157.0	478.3	292.0	338.3	194.7	184.1
Buffalo	127.8	103.2	75.1	147.5	144.5	378.0	176.4	163.4	162.3	144.9
Cambridge	153.4	163.1	94.2	169.2	130.7	395.6	156.8	166.8	151.7	165.5
Camden	201.4	172.3	169.6	216.3	212.7	750.8	273.7	230.5	227.8	238.5
Chicago	118.2	100.9	86.7	160.7	134.9	304.9	195.7	156.8	163.4	177.5
Cincinnati	139.0	121.8	101.6	131.1	122.1	293.7	153.2	150.7	144.4	136.8
Cleveland	123.5	106.0	90.0	153.4	173.2	336.5	187.1	172.4	144.5	108.7
Columbus	125.2	88.9	89.2	146.4	119.1	256.8	156.9	154.1	125.6	113.4
Dallas	92.2	97.7	73.3	119.2	84.1	316.3	103.0	62.5	(3)	(3)
White	72.1	72.6	64.7	102.3	70.7	277.3	82.2	56.1	(3)	(3)
Colored	215.2	247.3	122.9	214.8	158.5	525.0	211.7	94.9	(3)	(3)
Dayton	98.5	82.2	50.6	122.4	100.2	286.4	146.6	133.3	129.5	99.1
Denver	140.8	163.7	157.3	264.0	150.6	412.3	121.0	132.4	173.4	144.8
Des Moines	87.3	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Detroit	(5)	136.8	90.7	232.4	156.7	260.1	190.4	172.0	141.5	134.8
Fall River	118.3	165.6	145.0	159.3	135.4	330.0	220.5	260.7	211.8	244.6
Fort Worth	66.7	94.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	55.0	72.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	147.8	231.2	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Grand Rapids	96.6	75.2	57.4	119.6	71.8	153.7	88.1	70.7	96.0	75.9
Hartford	132.1	140.5	119.5	219.2	189.7	390.9	317.3	268.7	197.7	189.9
Houston	78.6	63.3	60.6	117.6	82.9	210.0	87.9	(3)	(3)	(3)
White	68.1	48.0	54.4	92.5	66.3	185.3	78.6	(3)	(3)	(3)
Colored	113.4	112.7	80.2	195.2	133.6	282.0	114.5	(3)	(3)	(3)
Indianapolis	125.8	118.5	87.8	178.6	151.4	324.2	144.1	136.9	137.9	137.2
White	105.2	106.8	74.1	157.8	132.4	300.4	123.0	123.3	124.3	128.3
Colored	283.9	209.9	195.8	344.2	304.7	520.8	320.5	252.0	254.1	215.1

Table BE—Con.

DEATH RATE FROM PNEUMONIA (ALL FORMS) PER 100,000 ESTIMATED POPULATION

[Rates of 200 or more in bold-faced type]

AREA	1923	1922	1921	1920	1919	1918	1917	1916	1915	1914
CITIES OF 100,000 POPULATION OR MORE IN 1920—con.										
Jersey City	133.6	137.3	124.2	192.5	222.2	537.5	210.1	196.7	204.5	175.5
Kansas City, Kans.	158.1	133.6	96.3	184.2	143.8	362.1	189.6	119.4	211.1	136.2
White	138.8	124.5	91.4	174.0	133.8	350.9	171.6	104.9	194.6	123.4
Colored	268.9	187.0	124.6	244.4	204.3	431.2	303.7	213.5	321.5	223.8
Kansas City, Mo.	142.4	150.0	98.8	247.3	207.2	434.7	192.9	122.9	156.7	118.0
Los Angeles	(5)	96.1	71.3	84.1	74.0	194.1	87.5	80.4	82.9	77.0
Louisville	168.8	129.6	95.7	154.3	252.0	550.3	194.5	151.2	140.5	152.3
White	142.4	97.6	77.0	122.4	206.9	507.7	152.2	116.9	97.0	121.7
Colored	309.7	299.1	187.7	309.4	470.5	754.8	398.3	313.8	345.0	295.0
Lowell	203.3	130.2	121.3	192.8	136.1	437.5	180.9	182.9	187.7	153.1
Memphis	192.3	138.2	104.4	222.1	220.4	373.0	197.7	(6)	141.2	159.7
White	140.0	91.6	79.8	147.0	165.9	299.7	120.1	(6)	90.9	83.5
Colored	282.8	217.9	146.0	347.0	315.4	499.0	329.1	(6)	223.6	282.6
Milwaukee	117.6	92.9	78.9	171.0	142.5	262.6	176.5	156.2	142.4	119.0
Minneapolis	79.2	82.5	88.3	106.1	91.6	174.6	120.5	115.0	114.9	124.5
Nashville	173.7	124.7	120.5	181.9	172.1	491.9	164.5	(6)	154.6	175.0
White	130.1	103.6	87.4	138.3	113.1	406.6	124.6	(6)	110.9	116.0
Colored	279.8	175.2	198.7	283.8	308.2	685.5	253.9	(6)	249.8	301.7
New Bedford	145.3	146.6	105.6	188.6	143.4	396.9	219.3	201.1	192.1	185.5
New Haven	149.2	160.0	98.8	179.8	125.4	325.8	225.0	221.6	195.8	190.9
New Orleans	143.1	126.1	115.8	185.5	184.5	439.7	148.6	117.9	194.0	187.5
White	100.0	87.0	82.3	127.2	146.5	362.9	96.9	67.5	118.6	118.8
Colored	265.4	236.8	210.5	350.3	291.9	656.2	294.0	259.5	405.6	380.1
New York	128.1	141.2	115.7	184.4	199.8	425.3	196.1	189.7	204.6	187.0
Bronx Borough	105.2	108.7	93.6	138.6	179.2	384.0	159.4	138.6	175.4	145.2
Brooklyn Borough	117.0	143.7	110.2	181.0	200.7	443.7	202.0	203.2	200.6	181.3
Manhattan Borough	150.5	156.7	134.6	210.5	210.2	425.2	205.6	197.3	225.1	209.2
Queens Borough	114.8	114.8	90.0	151.7	170.2	373.3	175.6	164.1	153.7	150.7
Richmond Borough	123.1	136.7	102.3	158.3	220.9	563.5	190.5	183.9	177.8	143.1
Newark, N. J.	113.5	120.7	82.8	176.8	167.8	494.6	173.2	168.8	140.3	191.5
Norfolk	94.9	84.9	93.2	137.7	160.6	396.2	167.9	190.3	166.1	165.1
White	35.4	43.7	43.7	84.4	87.4	269.0	71.4	69.5	88.9	60.1
Colored	200.0	153.0	175.2	226.7	281.4	603.9	323.6	333.0	287.7	328.2
Oakland	66.6	78.4	65.8	109.3	128.3	322.7	89.8	77.9	95.9	88.4
Omaha	128.2	146.5	109.1	167.0	142.3	312.1	197.8	164.9	137.4	123.4
Paterson	123.9	135.0	119.3	154.0	140.4	326.9	188.4	206.6	153.3	153.8
Philadelphia	157.5	141.4	124.7	191.7	176.3	525.8	213.8	170.6	168.8	166.7
Pittsburgh	328.2	255.5	254.3	341.3	330.9	898.5	364.2	337.2	249.4	243.5
Portland, Oreg.	87.0	100.7	70.2	125.2	103.1	181.6	65.5	63.8	63.6	68.8
Providence	149.4	142.3	117.7	196.4	140.6	347.7	205.0	190.7	180.2	172.1
Reading	132.5	109.1	96.2	149.7	113.7	373.9	181.1	168.3	87.2	94.2
Richmond	122.6	131.8	121.2	182.7	153.8	297.1	181.9	187.3	193.6	176.4
White	66.5	71.1	61.8	100.2	82.5	155.4	95.1	101.9	117.4	84.4
Colored	252.0	269.4	253.8	363.5	307.5	597.0	362.2	361.8	346.3	352.6
Rochester	90.6	100.1	68.1	104.0	115.9	294.5	146.5	119.6	115.9	137.0
St. Louis	168.7	148.8	124.5	212.0	162.7	358.7	204.9	177.1	144.6	155.1
St. Paul	104.2	83.4	66.4	106.1	86.0	183.1	103.7	87.5	118.9	119.5
Salt Lake City	87.1	142.8	83.1	153.4	101.8	197.0	118.1	128.5	103.9	105.3
San Antonio	102.9	92.7	77.0	119.0	94.9	358.7	181.7	81.1	100.5	117.9
San Francisco	105.4	107.8	91.1	119.9	131.3	274.3	123.7	126.1	128.4	118.2
Scranton	137.2	182.4	161.9	206.2	174.7	466.5	232.8	206.8	214.0	249.1
Seattle	(5)	58.0	50.4	96.8	91.5	173.4	54.2	48.7	67.2	62.2
Spokane	79.4	114.8	118.7	148.4	117.8	217.4	89.1	71.8	74.7	79.5
Springfield, Mass.	119.9	101.4	93.5	129.1	160.0	441.3	164.5	177.4	151.6	145.3
Syracuse	124.7	101.1	82.8	216.4	133.0	436.7	150.3	131.1	116.7	136.9
Toledo	101.0	86.3	65.8	125.3	102.6	194.7	141.8	141.8	111.2	103.5
Trenton	138.2	173.5	109.2	189.3	165.9	685.6	201.8	303.1	211.3	220.5
Washington, D. C.	179.0	123.6	112.9	184.6	149.3	386.8	145.8	149.8	163.3	122.7
White	109.9	79.5	69.1	128.2	96.2	297.9	96.9	98.9	106.7	83.1
Colored	392.6	253.8	242.1	352.4	304.8	643.7	285.0	292.3	319.1	229.9
Wilmington, Del.	160.5	122.0	116.4	213.0	205.0	687.6	288.4	226.1	198.7	171.0
Worcester	146.4	136.4	128.7	195.0	173.6	464.1	185.3	224.4	182.2	168.7
Yonkers	100.4	122.4	77.4	135.3	146.3	317.4	168.5	174.5	148.8	115.1
Youngstown	151.6	170.0	160.2	265.0	224.6	447.8	349.8	285.1	214.2	206.8

[1] Exclusive of Hawaii.
[2] Including District of Columbia.
[3] Not added to registration area until a later date.
[4] Includes only municipalities having a population of 1,000 or more in 1910.
[5] Rates are omitted pending the establishment of more satisfactory estimates of population.
[6] Transcripts of death certificates not received.

NOTE.—Capillary bronchitis is excluded from 1914 to 1920, inclusive.

Among the cities of 100,000 population or more in 1920, the highest rates in 1923 are for Pittsburgh (328.2), Lowell (203.3), Camden (201.4), Memphis (192.3), and Baltimore (181.9); the lowest are for Oakland (66.6), Fort Worth (66.7), Houston (78.6), and Minneapolis (79.2).

The highest rate shown for the colored in any State is 274.3 for Maryland, and the lowest is 90.1 for Mississippi; for the cities, Washington, D. C. has the highest rate (392.6), and Houston the lowest (113.4).

DIARRHEA AND ENTERITIS (UNDER 2 YEARS)

Diarrhea and enteritis in 1923 is the cause of death of 31,444 children under 2 years of age, corresponding to a rate of 32.4 per 100,000 estimated population at all ages. This is the lowest rate for any year since 1900, when the rate was 108.8, and this marked reduction is doubtless due, in large part, to measures now employed to prevent loss of child life. The great difference, however, which still exists between the rates of the various States and cities certainly suggests that at least some of these rates are still too high.

Table BF shows the death rates per 100,000 population at all ages for 1914 to 1923, with rates of 100 or more in bold-faced type.

Table BF — DEATH RATE FROM DIARRHEA AND ENTERITIS (UNDER 2 YEARS) PER 100,000 ESTIMATED POPULATION AT ALL AGES

[Rates of 100 or more in bold-faced type]

AREA	1923	1922	1921	1920	1919	1918	1917	1916	1915	1914
The registration area [1]	32.4	32.5	41.9	44.0	44.2	58.7	64.3	65.8	59.8	66.1
Registration States [2]	32.0	32.1	41.3	43.4	43.8	57.9	61.0	62.4	56.7	62.8
Cities in registration States [2]	33.3	35.1	43.3	52.2	52.0	68.6	70.2	72.1	68.8	75.7
Rural part of registration States	30.8	29.4	39.3	35.1	36.7	48.2	52.8	53.7	44.7	50.2
Registration cities in non-registration States	62.4	61.1	81.7	81.1	63.7	95.6	107.9	110.8	96.3	107.7
All registration cities [2]	34.2	35.8	44.6	53.2	52.5	69.8	75.5	77.4	72.8	80.2
California	38.7	30.3	30.2	34.4	26.2	32.6	32.9	27.7	27.0	29.8
Colorado	41.1	43.6	41.5	44.6	33.0	46.7	36.0	42.7	27.9	41.3
Connecticut	22.8	30.4	35.5	52.4	48.7	66.7	76.3	83.0	92.0	85.2
Delaware	44.3	63.1	61.0	69.6	60.4	(3)	(3)	(3)	(3)	(3)
Florida	41.9	35.8	43.1	41.3	41.6	(3)	(3)	(3)	(3)	(3)
White	42.1	32.7	39.7	39.2	39.5	(3)	(3)	(3)	(3)	(3)
Colored	41.4	42.3	50.1	45.6	45.6	(3)	(3)	(3)	(3)	(3)
Georgia	33.3	28.9	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	33.7	30.2	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	32.7	26.9	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Idaho	7.4	19.4	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Illinois	36.6	35.1	49.1	54.1	58.9	67.4	(3)	(3)	(3)	(3)
Indiana	31.9	27.2	40.7	39.6	38.3	46.4	53.3	61.9	41.1	57.4
Iowa	11.8	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Kansas	22.8	20.3	25.3	30.6	26.8	30.4	38.7	38.8	24.3	32.5
Kentucky	41.5	33.0	44.2	36.0	39.3	43.4	55.2	50.1	37.4	47.8
White	41.1	33.0	43.4	35.7	39.0	41.7	53.9	49.7	36.7	46.3
Colored	46.3	33.1	51.3	38.8	42.1	59.1	66.7	53.4	43.9	60.2
Louisiana	35.7	39.3	51.0	38.3	42.2	71.1	(3)	(3)	(3)	(3)
White	31.4	37.0	44.4	35.0	37.9	67.9	(3)	(3)	(3)	(3)
Colored	42.8	43.0	61.6	43.5	48.8	76.1	(3)	(3)	(3)	(3)
Maine	24.3	35.0	43.7	52.6	32.1	40.0	34.5	61.4	51.4	52.6
Maryland	49.2	60.4	63.9	81.2	78.8	112.4	94.5	93.0	83.2	91.2
White	39.3	51.0	55.4	73.3	71.4	99.2	81.3	80.2	75.9	84.9
Colored	99.1	107.6	106.2	120.5	115.0	176.9	158.0	154.2	117.9	121.0
Massachusetts	24.0	30.0	37.4	47.5	43.5	76.8	71.2	68.1	74.5	82.4
Michigan	33.9	26.8	41.9	47.4	46.6	48.7	50.3	62.3	38.1	52.5

Table BF—Con. — DEATH RATE FROM DIARRHEA AND ENTERITIS (UNDER 2 YEARS) PER 100,000 ESTIMATED POPULATION AT ALL AGES

[Rates of 100 or more in bold-faced type]

AREA	1923	1922	1921	1920	1919	1918	1917	1916	1915	1914
Minnesota	14.5	13.5	15.9	21.0	19.5	22.3	24.6	28.0	26.4	33.9
Mississippi	28.1	24.5	30.7	32.3	28.9	(3)	(3)	(3)	(3)	(3)
White	28.2	26.9	32.9	31.8	29.6	(3)	(3)	(3)	(3)	(3)
Colored	28.0	22.3	28.6	32.7	28.4	(3)	(3)	(3)	(3)	(3)
Missouri	25.5	21.7	30.1	31.4	30.3	36.3	48.7	49.0	36.9	54.9
Montana	16.2	16.2	16.0	22.1	29.6	29.9	42.8	37.4	22.2	37.0
Nebraska	16.0	14.9	20.0	20.7	(3)	(3)	(3)	(3)	(3)	(3)
New Hampshire	28.2	22.6	35.7	43.9	35.5	49.2	58.4	61.1	67.0	61.7
New Jersey	32.4	38.0	46.2	53.0	58.2	77.5	83.7	73.9	83.6	85.9
New York	27.9	32.4	38.7	45.8	42.0	53.7	60.1	59.3	69.3	67.0
North Carolina	54.2	54.2	65.3	54.2	55.5	79.7	95.8	76.9	[4]118.0	[4]133.8
White	47.7	50.8	63.1	51.0	54.7	71.6	88.4	73.1	89.9	111.9
Colored	69.6	62.3	70.6	61.8	57.3	98.2	112.4	85.6	171.2	175.4
Ohio	27.0	21.7	36.9	31.8	38.7	48.6	55.4	59.5	44.1	54.0
Oregon	10.2	8.0	9.9	10.6	14.0	16.6	(3)	(3)	(3)	(3)
Pennsylvania	47.6	49.2	61.9	63.0	66.6	98.4	97.2	103.9	92.4	96.9
Rhode Island	34.8	29.5	49.4	44.8	38.6	74.0	59.1	73.5	79.9	76.4
South Carolina	47.1	43.7	59.3	66.8	56.2	75.3	79.6	72.0	(3)	(3)
White	47.8	43.8	57.5	59.2	43.8	61.1	74.4	69.4	(3)	(3)
Colored	46.5	43.7	61.1	74.0	68.0	88.4	84.3	74.3	(3)	(3)
Tennessee	36.4	31.0	34.0	30.7	35.9	41.1	48.6	(3)	(3)	(3)
White	35.8	32.3	35.7	29.9	36.9	39.8	46.7	(3)	(3)	(3)
Colored	39.2	25.5	27.2	33.9	31.6	46.1	56.2	(3)	(3)	(3)
Utah	22.9	26.2	27.1	26.0	22.0	24.0	40.5	26.8	22.9	31.5
Vermont	13.9	17.0	27.0	35.5	25.5	43.1	28.0	42.1	45.2	54.5
Virginia	39.7	40.2	50.8	40.8	53.0	59.5	65.1	65.3	54.8	58.0
White	32.6	32.0	44.2	32.3	46.2	48.6	54.8	55.0	43.3	48.2
Colored	56.7	60.0	66.7	60.7	68.7	84.6	88.5	88.6	80.3	79.4
Washington	8.5	13.5	11.0	12.1	13.7	17.4	18.7	13.4	14.6	17.9
Wisconsin	21.0	21.3	30.5	28.2	26.8	28.0	29.9	38.4	29.6	36.1
Wyoming	22.2	23.2	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
CITIES OF 100,000 POPULATION OR MORE IN 1920										
Akron	(5)	14.9	27.8	21.4	41.7	59.1	79.4	84.4	43.9	74.6
Albany	17.0	25.8	28.7	18.4	17.7	30.5	43.5	59.5	67.7	43.7
Atlanta	60.5	42.2	47.7	44.4	30.3	44.9	99.4	55.9	48.4	75.4
White	47.0	32.9	44.0	40.1	25.0	37.7	90.7	56.6	42.7	59.1
Colored	91.9	63.2	55.9	53.7	41.7	60.4	118.1	54.2	60.4	109.1
Baltimore	38.4	62.8	54.7	89.4	84.3	127.5	103.3	96.4	80.9	99.3
White	32.6	56.5	51.9	84.0	80.3	117.6	93.8	85.5	80.5	95.9
Colored	71.8	99.4	71.1	120.6	107.5	178.2	152.7	153.8	82.7	117.6
Birmingham	50.5	28.8	45.7	47.4	55.3	80.0	195.1	79.3	72.1	80.3
White	51.3	31.9	45.1	43.6	52.0	74.5	137.7	84.1	70.9	79.6
Colored	49.4	24.0	46.5	53.4	60.3	88.5	283.8	71.9	73.9	81.2
Boston	21.8	30.5	29.2	51.4	47.3	64.3	59.8	51.6	65.2	66.5
Bridgeport	(5)	17.4	39.0	59.7	71.4	85.3	95.6	122.9	104.6	103.3
Buffalo	49.2	74.0	75.1	91.6	94.3	130.6	99.3	111.2	102.9	116.2
Cambridge	23.3	22.5	26.3	60.0	29.2	55.1	55.3	59.3	52.1	63.6
Camden	57.2	64.0	83.6	71.5	92.9	138.1	122.0	111.6	100.7	124.1
Chicago	40.6	47.4	68.7	84.9	97.7	114.2	114.5	140.3	112.0	130.4
Cincinnati	34.0	21.5	31.7	31.6	37.7	43.4	41.0	51.0	44.3	61.6
Cleveland	29.1	38.0	43.0	52.8	64.7	78.3	109.0	104.0	98.6	103.9
Columbus	30.3	20.7	26.6	25.0	28.2	29.3	34.5	26.2	22.2	45.1
Dallas	33.5	27.3	23.4	39.1	37.6	34.5	29.3	40.3	(3)	(3)
White	36.4	27.2	22.5	36.8	33.9	38.2	31.2	39.4	(3)	(3)
Colored	15.7	28.4	29.6	57.8	58.4	14.6	19.7	44.9	(3)	(3)
Dayton	29.0	17.3	31.0	25.3	34.5	34.0	50.2	61.6	22.8	52.2
Denver	27.9	32.5	20.5	22.0	26.0	22.4	19.2	14.1	15.6	27.1
Des Moines	14.2	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Detroit	(5)	41.8	53.2	65.3	63.8	71.9	83.9	94.6	73.5	96.4
Fall River	72.0	124.2	125.1	152.6	125.4	256.0	227.2	228.2	239.3	309.7
Fort Worth	16.0	18.9	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	15.9	20.1	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	16.4	11.9	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Grand Rapids	17.8	24.4	29.7	64.1	41.8	49.2	42.5	55.0	26.4	42.4
Hartford	33.5	44.9	48.5	64.3	53.7	87.9	108.6	96.0	111.8	82.0
Houston	36.1	38.0	35.8	34.2	28.6	65.4	44.8	(3)	(3)	(3)
White	30.2	30.5	30.8	34.9	29.2	55.9	39.9	(3)	(3)	(3)
Colored	55.3	62.0	51.6	32.0	26.7	92.9	58.9	(3)	(3)	(3)
Indianapolis	46.1	31.9	37.5	52.8	38.6	49.1	48.8	54.6	29.9	58.9
White	42.2	28.3	35.3	51.3	38.0	45.5	48.2	52.1	28.5	55.6
Colored	76.0	60.3	54.4	64.9	43.9	79.2	53.9	76.3	41.8	87.5
Jersey City	45.3	57.9	76.3	87.8	77.2	90.0	101.6	85.3	115.1	89.7
Kansas City, Kans	49.2	36.9	29.8	62.7	57.9	57.0	64.2	57.1	48.5	43.9
White	48.6	31.9	33.8	57.2	59.4	55.5	66.0	54.9	45.8	45.3
Colored	52.6	66.3	6.6	95.0	49.3	65.8	53.2	71.2	65.9	34.4
Kansas City, Mo.	37.2	34.9	49.1	68.5	47.1	39.7	42.6	47.1	42.9	53.3
Los Angeles	(5)	33.4	32.8	44.4	24.8	32.5	28.7	30.0	27.7	31.2
Louisville	39.6	28.4	36.4	39.5	33.3	39.4	49.4	46.1	32.4	44.7
White	38.3	29.6	36.2	35.9	29.8	34.6	44.7	41.7	28.8	43.7
Colored	46.7	22.1	37.5	57.4	49.8	62.1	71.8	66.7	49.3	49.2
Lowell	79.9	67.3	71.2	123.8	115.6	162.8	171.0	177.5	158.5	143.0

See footnotes at end of table.

Table BF—Con. DEATH RATE FROM DIARRHEA AND ENTERITIS (UNDER 2 YEARS) PER 100,000 ESTIMATED POPULATION AT ALL AGES

[Rates of 100 or more in bold-faced type]

AREA	1923	1922	1921	1920	1919	1918	1917	1916	1915	1914
CITIES OF 100,000 POPULATION OR MORE IN 1920—con.										
Memphis	39.4	29.2	33.8	42.2	40.1	55.5	53.5	(6)	37.4	61.6
White	27.8	32.1	36.5	45.1	44.1	56.7	51.3	(6)	34.1	51.0
Colored	59.5	24.2	29.2	37.5	33.0	53.4	57.3	(6)	42.9	78.6
Milwaukee	31.0	35.2	40.3	50.6	50.9	53.8	57.3	73.8	58.1	69.5
Minneapolis	7.1	8.2	10.7	13.8	13.3	17.4	22.5	31.0	27.3	42.0
Nashville	36.7	34.9	45.9	48.0	56.8	66.7	60.3	(6)	61.1	68.6
White	27.6	42.4	39.6	44.5	55.9	61.6	59.8	(6)	57.3	68.3
Colored	58.8	17.0	60.7	56.2	58.8	78.3	61.4	(6)	69.4	69.2
New Bedford	53.0	71.3	101.6	124.9	110.0	346.6	143.6	178.0	185.7	231.1
New Haven	22.5	32.4	22.8	50.0	48.4	51.2	58.7	67.7	65.0	68.4
New Orleans	37.3	47.5	52.2	44.1	44.7	76.1	90.2	71.1	104.7	88.6
White	29.8	41.0	40.5	39.6	35.9	64.6	71.2	61.6	86.2	73.1
Colored	58.8	66.2	85.4	56.9	69.5	103.5	143.4	97.8	156.4	132.0
New York	27.7	31.0	37.4	47.6	44.8	50.1	65.1	61.3	75.6	69.7
Bronx Borough	13.0	15.2	16.4	25.7	23.0	27.0	41.4	35.6	48.3	47.2
Brooklyn Borough	25.4	31.7	37.2	49.8	45.6	52.6	66.1	56.9	77.0	71.1
Manhattan Borough	36.5	37.1	47.6	56.8	51.2	56.5	71.8	74.6	82.2	73.0
Queens Borough	20.5	24.0	24.9	28.2	35.5	40.0	60.8	47.7	71.8	78.2
Richmond Borough	38.4	38.6	36.3	45.7	75.7	55.5	65.3	55.9	75.2	63.5
Newark, N. J.	32.1	44.0	50.8	58.1	71.8	84.4	87.6	75.3	79.5	107.8
Norfolk	32.7	38.4	37.9	36.6	56.2	83.4	66.6	78.7	74.5	88.8
White	15.8	20.6	22.5	16.3	26.8	52.6	28.9	39.5	32.9	48.1
Colored	62.6	68.0	63.5	70.3	104.7	133.7	127.5	141.1	140.0	152.1
Oakland	16.7	18.9	15.9	19.6	14.1	22.3	19.6	11.4	22.1	19.6
Omaha	18.6	18.4	21.8	32.6	25.3	37.1	22.5	39.7	21.1	38.0
Paterson	17.2	18.8	26.9	38.9	39.2	66.3	61.5	44.6	44.2	63.1
Philadelphia	33.0	43.1	44.2	61.1	62.6	88.4	93.2	87.6	89.3	106.7
Pittsburgh	59.8	49.4	70.9	76.8	86.6	119.3	131.2	120.0	99.1	105.1
Portland, Oreg.	6.9	7.4	8.3	9.2	15.6	19.5	17.0	9.1	6.9	10.5
Providence	37.5	24.5	50.1	42.4	27.4	62.8	58.5	63.6	63.9	76.5
Reading	30.7	70.0	55.0	74.8	71.7	112.9	79.7	85.1	74.6	63.1
Richmond	40.9	30.8	38.1	39.3	35.8	51.3	69.1	70.2	65.2	72.7
White	24.5	30.7	32.2	28.6	31.8	36.9	41.3	49.6	50.7	55.9
Colored	78.5	31.2	51.5	62.7	44.5	81.8	127.0	112.5	94.1	104.9
Rochester	27.0	37.6	53.1	48.5	37.9	55.8	70.1	75.6	64.0	71.3
St. Louis	18.9	14.3	18.6	27.5	26.0	42.0	45.8	50.9	45.8	62.1
St. Paul	19.4	15.8	12.6	17.4	16.7	33.2	28.3	28.6	26.6	44.3
Salt Lake City	20.6	25.0	40.3	35.2	21.4	19.4	37.0	25.0	14.2	33.8
San Antonio	129.4	163.4	186.1	180.3	136.0	263.6	333.1	241.3	255.0	238.2
San Francisco	9.1	9.1	10.6	14.9	16.5	14.4	17.0	17.7	19.6	22.2
Scranton	55.5	51.5	77.0	70.2	70.6	114.2	142.9	154.2	146.9	172.5
Seattle	(5)	6.0	7.3	8.8	10.3	13.5	7.8	6.3	8.9	12.9
Spokane	8.6	18.2	13.4	16.3	12.4	23.0	19.2	14.4	18.2	26.8
Springfield, Mass.	23.6	25.0	30.9	41.0	43.9	70.5	73.8	78.3	69.5	78.8
Syracuse	39.6	39.2	53.0	77.1	57.7	94.3	80.4	74.6	60.3	92.1
Toledo	34.2	23.4	43.0	46.2	40.9	50.3	60.7	95.6	52.2	78.8
Trenton	36.9	55.2	57.8	70.6	83.0	82.0	89.9	105.2	118.5	97.6
Washington, D.C.	29.4	27.2	27.7	32.5	35.9	52.0	56.3	45.6	43.5	40.0
White	25.9	17.4	21.1	22.6	28.6	35.5	35.3	27.5	26.3	18.9
Colored	40.4	56.0	47.0	61.9	57.3	99.7	116.3	96.2	90.9	97.3
Wilmington, Del.	48.4	62.3	60.0	78.2	64.3	117.0	130.1	116.0	87.2	98.4
Worcester	26.6	32.9	50.8	47.9	50.6	75.6	83.0	75.8	70.1	71.0
Yonkers	30.7	31.3	30.0	52.4	55.5	57.7	85.3	84.0	120.1	107.2
Youngstown	37.9	39.3	75.6	66.8	80.8	134.1	190.7	135.2	107.6	128.4

[1] Exclusive of Hawaii.
[2] Including District of Columbia.
[3] Not added to registration area until a later date.
[4] Including only municipalities having a population of 1,000 or more in 1910.
[5] Rates are omitted, pending the establishment of more satisfactory estimates of population.
[6] Transcripts of death certificates not received.

NOTE.—Includes ulcer of the duodenum from 1914 to 1920.

ACUTE AND CHRONIC NEPHRITIS

In 1923 the number of deaths from acute and chronic nephritis is 87,378, corresponding to a crude rate of 90.1 per 100,000 estimated population. Of these deaths, 5,976 are due to acute nephritis and 81,402 to chronic nephritis.

In a comparison of the 34 States which show adjusted rates for 1922 and 1923, 18 have higher rates in 1923.

The States which have the highest adjusted rates in 1923 are Maryland (126.5), Delaware (124.5), South Carolina (116.4), and Louisiana (115.8); those with the lowest rates are Oregon (52.6), Washington (53.3), Montana (55.1), Wisconsin (56.1), and Nebraska (57.1).

Of the 61 cities showing adjusted rates for both 1922 and 1923, 33 show increases for 1923; the greatest increase (62.6) is for Atlanta (from 186.1 in 1922 to 248.7 in 1923). Of the 28 cities showing decreases in 1923, Yonkers has the greatest (from 118.2 to 85.6). Cities showing the highest rates in 1923 are Atlanta (248.7), New Orleans (173.5), St. Louis (157.6), Philadelphia (148.6), and Richmond (147.8). Cities with lowest rates are Youngstown (52.6), Portland, Oreg. (55.8), Cambridge and Minneapolis (55.9 each), and Toledo (56.1). Of the areas shown by color, 2 States—Florida and Maryland—and 10 cities show for the colored a rate of 150 or more.

Table BG shows adjusted and crude mortality rates from acute and chronic nephritis per 100,000 estimated population. The adjusted rates are based on the standard million population of England and Wales, 1901. Rates of 150 or more are in bold-faced type.

Table BG DEATH RATE FROM ACUTE AND CHRONIC NEPHRITIS PER 100,000 ESTIMATED POPULATION

[Rates of 150 or more in bold-faced type]

AREA	Adjusted rate				Crude rate					
	1923	1922	1921	1920	1923	1922	1921	1920	1919	1918
The registration area [1]	(2)	(2)	(2)	(2)	90.1	88.5	85.4	89.4	88.1	97.6
Registration States [3]	(2)	(2)	79.0	83.2	90.1	88.5	84.9	88.8	87.7	96.8
Cities in registration States [3]	(2)	(2)	(2)	(2)	101.6	99.9	93.9	100.2	102.6	114.6
Rural part of registration States	(2)	(2)	(2)	(2)	79.4	77.9	76.3	78.1	74.7	80.8
Registration cities in nonregistration States	(2)	(2)	(2)	(2)	91.3	92.0	111.6	123.5	107.5	131.7
All registration cities [3]	(2)	(2)	(2)	(2)	101.4	99.6	94.5	101.0	102.8	115.3
California	74.5	76.2	73.5	73.3	95.8	98.0	94.5	94.3	93.0	95.3
Colorado	69.6	77.2	67.7	75.4	70.7	78.4	68.8	76.6	69.2	76.2
Connecticut	79.6	78.8	70.2	80.5	87.1	86.3	76.8	88.1	93.2	99.4
Delaware	124.5	107.6	117.2	105.9	148.0	127.9	139.3	125.9	137.0	(4)
Florida	111.5	99.0	93.4	98.5	108.9	96.7	91.2	96.2	82.5	(4)
White	91.7	83.8	79.1	88.4	98.7	90.2	85.2	95.2	80.4	(4)
Colored	156.7	132.2	124.4	118.0	130.2	109.9	103.4	98.1	86.6	(4)
Georgia	(2)	(2)	(4)	(4)	98.6	89.4	(4)	(4)	(4)	(4)
White	(2)	(2)	(4)	(4)	88.1	84.0	(4)	(4)	(4)	(4)
Colored	(2)	(2)	(4)	(4)	114.0	97.1	(4)	(4)	(4)	(4)
Idaho	(2)	(2)	(4)	(4)	38.1	41.8	(4)	(4)	(4)	(4)
Illinois	95.0	87.6	80.9	86.2	100.0	92.2	85.2	90.8	85.0	94.9
Indiana	81.2	76.9	74.1	81.6	105.1	99.5	95.9	105.6	98.0	102.1
Iowa	(2)	(4)	(4)	(4)	61.7	(4)	(4)	(4)	(4)	(4)
Kansas	62.6	63.0	62.8	65.8	78.1	78.7	78.4	82.2	75.1	81.0
Kentucky	75.4	75.5	74.9	77.2	77.1	77.2	76.5	78.9	78.7	87.7
White	68.9	67.1	69.0	70.4	69.8	68.0	69.9	71.3	69.5	77.9
Colored	134.9	150.3	126.0	136.1	149.1	166.1	139.2	150.4	163.0	175.8
Louisiana	115.8	105.2	109.3	106.0	94.9	86.2	89.6	86.9	88.9	99.0
White	99.5	89.2	95.5	92.0	81.6	73.1	78.3	75.4	78.0	86.1
Colored	143.0	131.5	131.7	128.5	116.9	107.5	107.7	105.1	105.8	118.8
Maine	67.9	67.1	63.2	72.8	104.1	102.9	96.9	111.7	104.3	108.
Maryland	126.5	130.3	122.8	128.0	138.2	142.3	134.1	139.8	142.0	158.
White	115.9	117.8	110.5	114.8	130.9	133.1	124.8	129.7	130.4	144.
Colored	187.0	201.3	192.3	202.5	175.3	188.7	180.3	189.8	198.5	230.
Massachusetts	64.5	67.7	61.4	64.9	75.1	78.8	71.5	75.5	79.9	89.
Michigan	61.0	56.6	57.6	62.6	67.8	62.9	64.0	69.5	63.5	71.

See footnotes at end of table.

Table BG—Con. DEATH RATE FROM ACUTE AND CHRONIC NEPHRITIS PER 100,000 ESTIMATED POPULATION

[Rates of 150 or more in bold-faced type]

AREA	Adjusted rate				Crude rate					
	1923	1922	1921	1920	1923	1922	1921	1920	1919	1918
Minnesota	58.1	60.6	55.7	63.0	60.8	63.5	58.3	66.0	67.8	70.3
Mississippi	99.4	96.5	91.9	97.0	85.4	82.9	78.9	83.3	70.5	(4)
White	84.8	79.5	75.3	77.6	76.1	71.3	67.6	69.6	65.0	(4)
Colored	113.3	112.8	107.6	115.7	93.8	93.4	89.1	95.8	75.5	(4)
Missouri	96.1	91.8	86.0	83.3	113.5	108.4	101.5	98.4	105.9	112.8
Montana	55.1	63.3	61.2	61.7	43.7	50.2	48.5	48.9	49.1	61.7
Nebraska	57.1	52.3	52.8	48.4	61.4	56.3	56.8	52.1	(4)	(4)
New Hampshire	65.8	69.3	67.5	67.7	97.9	103.1	100.4	100.7	94.0	118.3
New Jersey	105.9	105.1	99.0	106.3	105.0	104.2	98.2	105.4	106.0	124.8
New York	100.3	100.1	93.5	102.4	108.2	108.0	100.9	110.4	108.3	120.3
North Carolina	97.7	98.4	91.5	87.9	83.0	83.6	77.8	74.7	68.7	81.8
White	84.6	86.6	79.6	78.1	74.7	76.5	70.3	69.0	63.6	72.6
Colored	133.1	130.0	123.5	114.2	102.7	100.3	95.3	88.1	80.2	102.7
Ohio	67.2	62.7	61.5	64.5	79.4	74.1	72.7	76.2	77.4	83.9
Oregon	52.6	52.6	49.1	54.4	63.2	63.3	59.0	65.4	62.2	61.1
Pennsylvania	101.9	95.7	94.5	97.3	103.5	97.2	95.9	98.8	97.7	106.3
Rhode Island	87.5	91.7	87.7	87.3	97.0	101.6	97.2	96.8	107.1	110.3
South Carolina	116.4	109.7	115.1	112.3	86.9	81.9	85.9	83.8	78.1	91.0
White	100.5	95.4	101.4	98.1	80.5	76.4	81.2	78.6	73.1	86.8
Colored	132.1	123.6	128.2	125.6	93.3	87.3	90.5	88.7	82.9	94.9
Tennessee	70.9	66.8	70.8	68.4	68.0	64.1	67.9	65.6	62.6	71.4
White	59.4	55.5	59.2	56.3	57.6	53.8	57.4	54.6	54.2	58.9
Colored	121.9	116.8	120.8	120.1	113.7	108.9	112.6	112.0	97.6	122.6
Utah	72.4	81.2	69.8	79.0	61.2	68.7	59.0	66.8	54.8	58.3
Vermont	70.2	74.4	67.5	71.0	109.8	116.3	105.6	111.0	111.5	113.9
Virginia	99.8	106.6	94.5	96.0	94.1	100.5	89.1	90.5	91.3	106.9
White	83.7	88.0	78.6	84.2	82.1	86.3	77.1	82.6	77.5	90.8
Colored	142.5	155.6	136.0	126.1	123.3	134.6	117.7	109.1	123.4	143.8
Washington	53.3	56.0	56.6	58.6	56.1	58.9	59.6	61.7	61.2	60.4
Wisconsin	56.1	55.0	52.0	54.1	64.2	62.9	59.5	61.8	61.0	58.8
Wyoming	(2)	(2)	(4)	(4)	42.0	39.2	(4)	(4)	(4)	(4)
CITIES OF 100,000 POPULATION OR MORE IN 1920										
Akron	(5)	61.3	60.5	55.6	(5)	37.9	37.4	34.4	41.2	36.8
Albany	120.6	106.7	105.8	129.9	151.7	134.2	133.0	163.3	162.3	180.1
Atlanta	248.7	186.1	177.8	191.9	206.3	154.4	147.5	159.2	139.7	161.5
White	204.3	149.5	155.1	181.0	166.6	121.9	126.5	147.6	134.5	144.9
Colored	326.9	251.2	213.0	202.6	297.8	228.8	194.0	184.6	150.9	197.7
Baltimore	134.5	139.2	139.1	139.2	139.4	144.3	144.2	144.3	154.1	183.9
White	124.5	127.7	128.3	125.9	132.1	135.5	136.1	133.5	143.7	169.9
Colored	201.4	217.1	212.2	229.4	181.2	195.3	190.9	206.4	214.1	256.0
Birmingham	119.9	97.7	98.9	126.7	91.9	74.9	75.8	97.1	104.9	109.6
White	114.6	88.9	93.7	102.1	86.6	67.2	70.8	77.2	92.9	89.8
Colored	129.2	111.9	107.6	164.9	100.1	86.7	83.4	127.8	123.4	140.1
Boston	66.1	66.6	59.6	57.9	69.6	70.2	62.8	61.0	73.6	87.3
Bridgeport	(5)	85.8	63.6	88.5	(5)	75.2	55.7	77.6	99.7	103.5
Buffalo	119.1	116.2	93.1	120.5	112.3	109.6	87.8	113.7	103.7	136.3
Cambridge	55.9	67.4	48.3	71.2	62.8	75.7	54.3	80.0	55.7	85.4
Camden	146.8	159.5	139.2	151.3	131.3	142.7	124.5	135.4	118.9	160.3
Chicago	124.7	114.7	104.1	114.1	105.9	97.4	88.4	96.9	92.3	108.2
Cincinnati	121.5	110.3	105.2	102.1	145.2	131.9	125.7	122.1	135.1	168.6
Cleveland	90.0	89.1	92.2	94.8	69.3	68.6	71.0	73.0	72.6	83.8
Columbus	83.4	64.7	55.7	71.2	92.3	71.6	61.7	78.8	74.3	66.1
Dallas	92.2	94.9	102.3	115.4	77.9	80.2	86.5	97.5	68.8	79.7
White	82.5	91.2	91.1	95.5	67.6	74.7	74.6	78.2	66.2	66.4
Colored	157.9	127.2	174.5	231.6	140.9	113.5	155.7	206.6	83.4	150.7
Dayton	60.9	72.8	70.3	69.6	64.6	77.2	74.6	73.8	92.2	107.5
Denver	74.0	85.1	76.2	83.6	84.5	97.2	87.0	95.5	99.5	102.1
Des Moines	(2)	(4)	(4)	(4)	59.6	(4)	(4)	(4)	(4)	(4)
Detroit	(5)	72.1	66.9	68.9	(5)	52.9	49.1	50.6	46.3	49.7
Fall River	97.1	95.4	116.2	103.3	93.5	91.9	111.9	99.5	104.6	123.9
Fort Worth	(2)	(2)	(4)	(4)	54.9	60.1	(4)	(4)	(4)	(4)
White	(2)	(2)	(4)	(4)	50.2	47.8	(4)	(4)	(4)	(4)
Colored	(2)	(2)	(4)	(4)	87.6	136.3	(4)	(4)	(4)	(4)
Grand Rapids	79.4	67.5	67.4	86.0	91.8	78.0	77.9	99.4	98.2	96.2
Hartford	94.7	105.2	96.8	141.0	90.7	100.7	92.7	135.0	131.6	116.7
Houston	103.6	98.8	108.3	120.2	91.5	87.3	95.7	106.2	95.4	123.4
White	96.4	94.4	101.1	112.6	86.5	84.7	90.7	101.0	90.7	117.3
Colored	122.8	109.1	127.3	139.2	107.9	95.8	111.8	122.3	109.8	141.0
Indianapolis	105.2	94.5	91.3	103.0	114.7	103.0	99.5	112.3	101.8	100.6
White	99.8	92.6	88.3	97.9	111.5	103.4	98.7	109.4	98.4	93.2
Colored	151.6	108.4	115.3	147.3	139.4	99.7	106.0	135.4	128.9	181.4
ersey City	127.0	124.4	110.9	122.1	105.5	103.3	92.1	101.4	105.9	136.7
Kansas City, Kans	131.9	100.1	119.1	133.8	122.6	93.1	110.7	124.4	109.9	131.2
White	(2)	(2)	(2)	(2)	110.5	81.3	88.0	95.0	90.8	119.3
Colored	(2)	(2)	(2)	(2)	192.9	162.9	242.7	298.7	225.4	204.6
Kansas City, Mo.	121.5	122.9	115.3	104.8	127.9	129.4	121.4	110.3	117.9	145.2
Los Angeles	(5)	91.0	87.2	78.2	(5)	120.7	115.6	103.7	102.2	114.6
Louisville	139.3	117.5	115.9	117.1	153.7	129.6	127.9	129.2	148.4	190.4
White	119.1	95.4	103.7	107.8	134.1	107.4	116.8	121.4	123.5	174.7
Colored	249.9	239.7	176.8	161.9	258.1	247.6	182.6	167.2	268.8	265.7
Lowell	62.9	56.7	48.0	69.0	66.9	60.3	51.0	73.4	73.8	84.1

Table BG—Con. DEATH RATE FROM ACUTE AND CHRONIC NEPHRITIS PER 100,000 ESTIMATED POPULATION

[Rates of 150 or more in bold-faced type]

AREA	Adjusted rate				Crude rate					
	1923	1922	1921	1920	1923	1922	1921	1920	1919	1918
CITIES OF 100,000 POPULATION OR MORE IN 1920—con.										
Memphis	146.6	159.3	175.6	176.6	137.6	149.5	164.8	165.8	176.3	184.1
White	118.1	139.0	153.6	141.1	113.1	133.1	147.1	135.2	148.1	157.4
Colored	202.2	199.5	218.6	243.4	180.0	177.6	194.6	216.7	225.6	230.1
Milwaukee	69.0	68.2	63.2	71.5	66.4	65.6	60.8	68.8	71.2	65.9
Minneapolis	55.9	65.8	72.8	68.3	55.7	65.6	72.6	68.1	86.1	92.0
Nashville	124.9	111.9	118.4	128.2	128.0	114.7	121.3	131.4	102.6	142.0
White	94.5	85.0	93.4	95.2	95.5	85.9	94.4	96.2	82.7	113.4
Colored	196.4	174.3	175.4	202.6	207.0	183.7	184.9	213.5	148.5	207.1
New Bedford	71.3	63.8	51.9	69.9	69.2	61.9	50.4	67.8	52.5	56.2
New Haven	80.6	95.5	78.6	89.8	80.4	95.3	78.4	89.6	88.8	112.6
New Orleans	173.5	157.5	172.7	180.2	165.9	150.6	165.2	172.4	191.8	225.7
White	145.5	131.4	146.4	149.4	142.8	129.0	143.7	146.6	165.5	180.2
Colored	264.7	242.5	258.6	280.7	231.3	211.9	226.0	245.3	266.1	353.8
New York	125.2	126.8	116.8	128.7	103.9	105.2	96.9	106.8	104.3	115.6
Bronx Borough	87.2	92.7	103.7	120.9	63.3	67.3	75.3	87.3	88.9	107.8
Brooklyn Borough	141.5	140.6	121.9	142.0	119.8	119.0	103.2	120.2	104.9	106.4
Manhattan Borough	118.3	123.6	113.1	119.0	98.1	102.5	93.8	98.7	106.6	122.0
Queens Borough	135.0	132.1	126.4	124.0	116.1	113.6	108.7	106.6	106.6	116.9
Richmond Borough	162.1	136.8	143.8	158.3	155.2	131.0	137.7	151.6	136.6	187.8
Newark, N. J.	114.1	119.4	97.0	119.0	98.0	102.6	83.3	102.2	107.3	127.7
Norfolk	103.6	110.1	97.5	115.8	86.7	92.1	81.6	96.9	110.6	129.7
White	105.0	83.8	86.3	119.4	88.6	70.7	72.8	100.7	98.7	128.7
Colored	87.6	133.8	101.1	95.1	83.5	127.5	96.4	90.7	130.2	131.3
Oakland	64.7	81.5	57.1	74.4	77.5	97.7	68.4	89.2	97.7	90.8
Omaha	68.0	59.7	74.7	61.9	67.0	58.8	73.6	61.0	73.2	70.4
Paterson	111.3	97.5	97.5	98.3	104.6	91.7	91.7	92.4	133.0	153.4
Philadelphia	148.6	138.3	131.4	141.6	148.4	138.1	131.2	141.4	140.3	163.8
Pittsburgh	102.9	100.5	85.9	90.1	91.9	89.7	76.7	80.4	93.2	103.4
Portland, Oreg.	55.8	60.8	55.3	63.3	64.0	69.8	63.4	72.6	72.6	69.5
Providence	96.4	104.3	89.7	97.3	103.1	111.6	96.0	104.1	120.3	115.1
Reading	140.2	128.5	104.8	123.5	160.5	147.2	120.0	141.4	134.2	104.3
Richmond	147.8	161.1	133.6	152.1	134.8	146.9	121.8	138.7	138.6	176.6
White	144.1	149.4	130.6	147.1	141.0	146.2	127.8	143.9	133.2	174.8
Colored	160.6	185.5	135.6	159.1	120.5	148.4	108.5	127.3	150.0	180.4
Rochester	87.3	93.9	98.6	114.6	92.5	99.5	104.5	121.4	108.7	111.6
St. Louis	157.6	155.9	132.3	130.9	163.3	161.6	137.1	135.7	168.8	174.3
St. Paul	81.6	87.8	80.5	106.8	81.4	87.6	80.3	106.5	103.1	87.2
Salt Lake City	93.8	87.8	79.8	98.3	87.9	82.3	74.8	92.2	88.1	90.1
San Antonio	76.2	84.7	80.9	90.9	68.2	75.8	72.4	81.4	63.3	100.4
San Francisco	92.5	94.4	98.3	94.4	104.8	107.0	111.4	107.0	119.5	116.9
Scranton	117.7	129.2	134.9	88.6	101.0	110.9	115.8	76.0	83.7	100.3
Seattle	(5)	66.3	74.5	65.8	(5)	67.2	75.5	66.7	72.9	76.5
Spokane	85.0	82.3	86.9	78.9	91.8	88.9	93.8	85.2	91.9	83.3
Springfield, Mass	130.8	107.5	103.8	125.2	137.3	112.8	108.9	131.4	137.2	158.1
Syracuse	89.0	83.1	61.4	85.5	101.3	94.5	69.9	97.3	91.8	102.7
Toledo	56.1	57.6	56.8	78.8	55.7	57.2	56.4	78.2	71.8	79.1
Trenton	117.2	112.4	130.5	149.4	107.5	103.1	119.7	137.0	160.0	148.5
Washington, D.C.	113.7	104.9	109.7	99.3	125.6	115.9	121.1	109.7	116.4	160.1
White	94.0	90.0	88.7	79.1	108.7	104.0	102.5	91.4	95.0	128.5
Colored	187.8	159.3	186.0	173.3	177.8	150.8	176.1	164.1	179.3	251.2
Wilmington, Del.	130.9	125.7	123.7	106.6	132.5	127.2	125.2	107.9	128.6	112.2
Worcester	108.8	114.9	43.0	58.6	113.6	119.9	44.9	61.2	63.5	63.0
Yonkers	85.6	118.2	87.9	96.7	73.5	101.5	75.5	83.0	84.7	105.1
Youngstown	52.6	82.1	63.8	51.8	39.2	61.2	47.6	38.6	47.7	52.7

[1] Exclusive of Hawaii.
[2] Not computed.
[3] Including District of Columbia.
[4] Not added to registration area until a later date.
[5] Rates are omitted, pending the establishment of more satisfactory estimates of population.

PUERPERAL CAUSES

Are puerperal causes of death an increasing or a decreasing danger to the women of the United States?

If every State had had good birth and death registration since 1900 a satisfactory answer to this question would be possible, based on death rates from puerperal causes per 1,000 births, but as the birth registration area was not established until 1915, and then

included but 10 States and the District of Columbia, it is possible to show only a few such rates for a few years, and it must be borne in mind that even then rates are too high whenever birth registration is incomplete.

How do the death rates from puerperal causes per 1,000 live births in the birth registration area of the United States compare with the rates in foreign countries? Here again is a question of the greatest interest and importance which can not be answered satisfactorily both because of lack of data in this country and because there is no certainty that all deaths from these causes are classified in the same way in the various countries.

It was pointed out in a previous report that the very high death rate (9.2) in 1918 from all puerperal causes per 1,000 live births in the birth registration area was undoubtedly due to the influenza epidemic, and that the same factor in 1919 accounted for the difference between the rate (7.4) for that year and the rate (6.2) for the more normal year—1916. Again in 1920, with another epidemic of influenza in the early months of the year, there was an increased rate (8), and again a large part of the increase should be charged to influenza. Finally in 1923 the prevalence of influenza in the early months of the year undoubtedly accounts for some, at least, of the high rates from other puerperal causes.

Special attention is called to the fact that for both white and colored for each of the six years 1918 to 1923, rates from all puerperal causes and puerperal septicemia are, without exception, lower for the rural part of the birth registration area than for the urban.

For 1923 among the States in the birth registration area the highest rates from all puerperal causes per 1,000 live births appear for South Carolina (9.7), Mississippi (8.8), Maine (8.7), and Delaware (8.4). The lowest rates appear for Utah (5) and Connecticut, New Jersey, and New York (5.7 each).

Among the cities of 100,000 population or more in 1920 in the birth registration area the highest rates in 1923 from all puerperal causes per 1,000 live births appear for Norfolk (13), Kansas City, Kans. (11.4), Cincinnati (10.9), and Omaha (10.8), and the lowest rates are for Fall River (3), Oakland (3.6), and New Bedford (4.9).

Table BH gives for 1918 to 1923 the death rates from puerperal causes per 1,000 live births, for the States and cities of 100,000 population or more in 1920, in the birth registration area.

Table BH

DEATH RATE FROM PUERPERAL CAUSES PER 1,000 LIVE BIRTHS

[Rates in *italics* are based on less than 5 deaths]

AREA	All puerperal causes						Puerperal septicemia						Other puerperal causes					
	1923	1922	1921	1920	1919	1918	1923	1922	1921	1920	1919	1918	1923	1922	1921	1920	1919	1918
The birth registration area	6.7	6.6	6.8	8.0	7.4	9.2	2.5	2.4	2.7	2.7	2.5	2.5	4.1	4.2	4.1	5.3	4.9	6.6
White	6.3	6.3	6.4	7.6	7.0	8.9	2.4	2.3	2.6	2.6	2.3	2.4	3.9	4.0	3.8	5.0	4.6	6.4
Colored	10.9	10.7	10.8	12.8	12.4	13.9	3.8	3.9	3.9	4.0	4.1	4.3	7.1	6.8	6.9	8.8	8.4	9.6
Cities in the registration area [1]	7.4	7.3	7.7	8.6	7.9	9.6	3.1	2.8	3.3	3.2	2.9	2.9	4.3	4.5	4.4	5.4	4.9	6.7
White	7.1	7.0	7.4	8.2	7.6	9.3	2.9	2.7	3.2	3.0	2.8	2.8	4.2	4.3	4.2	5.2	4.8	6.6
Colored	12.3	12.4	13.1	15.1	13.9	16.7	5.6	5.3	5.7	6.2	5.8	6.6	6.7	7.1	7.4	8.9	8.1	10.1
Rural part of the registration area	5.9	5.9	5.9	7.4	6.9	8.7	1.9	1.9	2.1	2.2	2.0	2.2	4.0	4.0	3.8	5.2	4.9	6.5
White	5.3	5.5	5.4	6.9	6.3	8.4	1.8	1.8	2.0	2.1	1.8	2.1	3.5	3.7	3.4	4.8	4.5	6.3
Colored	10.2	9.8	9.7	11.7	11.8	12.5	2.9	3.2	3.1	2.9	3.3	3.1	7.3	6.6	6.6	8.8	8.5	9.4
California	6.7	7.2	6.8	7.7	8.0	(2)	2.6	2.6	3.0	2.6	2.5	(2)	4.1	4.6	3.9	5.1	5.5	(2)
Connecticut	5.7	5.7	5.3	6.8	6.2	7.5	2.1	2.0	2.2	2.2	2.0	1.5	3.6	3.7	3.1	4.6	4.2	6.0
Delaware	8.4	6.6	6.3	(2)	(2)	(2)	4.4	3.0	3.0	(2)	(2)	(2)	4.0	3.6	3.4	(2)	(2)	(2)
Illinois	6.4	6.3	(2)	(2)	(2)	(2)	2.7	2.4	(2)	(2)	(2)	(2)	3.8	3.9	(2)	(2)	(2)	(2)
Indiana	6.5	6.6	6.9	8.7	8.4	10.4	3.1	3.1	3.4	4.0	3.6	4.2	3.3	3.5	3.5	4.7	4.8	6.2
Kansas	6.8	7.6	6.4	8.4	8.2	11.4	3.2	3.3	2.9	3.5	3.1	4.3	3.7	4.3	3.6	5.0	5.1	7.1
Kentucky	6.0	6.1	6.3	6.4	6.3	8.0	2.5	2.8	2.9	2.8	2.3	2.7	3.5	3.3	3.3	3.7	4.0	5.3
White	5.4	5.4	5.7	6.0	5.9	7.5	2.2	2.4	2.6	2.5	2.0	2.5	3.3	3.0	3.0	3.5	3.8	5.0
Colored	15.4	18.5	14.8	13.0	12.5	15.4	7.7	9.4	7.0	7.0	6.1	5.3	7.7	9.1	7.7	6.0	6.4	10.1
Maine	8.7	7.6	7.4	8.5	8.6	8.6	1.8	2.1	1.9	1.6	1.9	1.3	6.9	5.5	5.5	6.9	6.6	7.3
Maryland	6.0	5.9	6.7	7.6	8.4	9.5	2.2	2.0	2.4	2.4	2.7	2.5	3.8	3.9	4.3	5.2	5.7	7.0
White	5.4	5.3	6.0	6.6	7.6	8.6	2.0	1.6	2.0	1.8	2.4	2.0	3.4	3.7	3.9	4.8	5.2	6.6
Colored	8.3	8.4	9.6	11.8	11.5	13.8	2.9	3.6	3.7	5.0	4.0	4.9	5.4	4.8	5.9	6.8	7.5	8.9
Massachusetts	6.3	6.8	6.5	7.5	7.1	9.2	2.0	2.1	2.2	2.4	2.1	2.1	4.3	4.6	4.3	5.1	5.0	7.1
Michigan	7.0	6.9	6.9	9.3	7.7	8.6	3.0	2.5	3.1	3.4	3.0	2.6	4.1	4.3	3.8	5.9	4.8	6.0
Minnesota	6.0	4.9	5.7	7.9	6.7	7.8	2.8	1.8	2.6	2.9	2.0	2.1	3.3	3.1	3.1	5.0	4.8	5.7
Mississippi	8.8	8.3	9.5	(2)	(2)	(2)	3.0	2.7	3.1	(2)	(2)	(2)	5.8	5.6	6.4	(2)	(2)	(2)
White	6.6	6.5	7.1	(2)	(2)	(2)	2.1	1.8	2.2	(2)	(2)	(2)	4.4	4.6	4.9	(2)	(2)	(2)
Colored	10.9	10.0	12.0	(2)	(2)	(2)	3.8	3.6	4.0	(2)	(2)	(2)	7.1	6.5	8.0	(2)	(2)	(2)
Montana	7.5	7.9	(2)	(2)	(2)	(2)	3.8	3.8	(2)	(2)	(2)	(2)	3.7	4.1	(2)	(2)	(2)	(2)
Nebraska	5.8	5.8	6.6	7.1	(2)	(2)	2.3	2.3	2.7	2.5	(2)	(2)	3.5	3.5	3.9	4.7	(2)	(2)
New Hampshire	7.4	6.5	6.2	7.1	8.0	7.8	1.6	0.9	1.7	1.3	1.9	1.7	5.8	5.5	4.5	5.8	6.0	6.1
New Jersey	5.7	6.4	5.9	(2)	(2)	(2)	2.3	2.6	2.4	(2)	(2)	(2)	3.4	3.8	3.4	(2)	(2)	(2)
New York	5.7	6.0	6.3	6.9	6.2	8.0	2.1	2.2	2.5	2.3	2.1	(2)	3.6	3.8	3.8	4.6	4.1	5.9
North Carolina	8.0	8.0	7.3	10.0	9.3	10.8	1.8	2.0	1.9	2.1	1.9	2.1	6.2	6.0	5.5	7.9	7.3	8.7
White	6.7	7.0	6.1	8.6	8.2	9.4	1.4	1.6	1.4	1.7	1.5	1.5	5.3	5.5	4.7	6.9	6.7	7.9
Colored	10.7	9.9	10.2	13.2	11.8	13.9	2.6	2.8	3.0	3.1	2.9	3.3	8.1	7.2	7.2	10.1	8.9	10.6
Ohio	7.2	6.6	7.2	8.0	7.4	9.7	2.9	2.5	3.4	3.4	2.9	3.2	4.3	4.2	3.8	4.5	4.5	6.5
Oregon	6.9	8.3	7.4	9.4	10.1	(2)	2.5	2.7	3.0	3.3	4.1	(2)	4.4	5.5	4.5	6.1	6.0	(2)
Pennsylvania	6.6	6.2	6.8	7.8	6.8	10.5	2.8	2.4	2.9	2.7	2.6	2.8	3.8	3.8	3.9	5.0	4.2	7.7
Rhode Island	6.3	5.5	7.1	(3)	(3)	9.8	2.4	1.5	3.2	(3)	(3)	2.1	3.9	4.0	3.9	(3)	(3)	7.7
South Carolina	9.7	10.7	9.8	12.2	11.2	(2)	2.1	3.1	2.6	2.8	3.2	(2)	7.6	7.6	7.2	9.4	8.0	(2)
White	7.4	8.5	7.8	9.0	7.8	(2)	1.4	1.8	1.7	1.8	1.8	(2)	6.0	6.8	6.0	7.1	6.0	(2)
Colored	12.2	12.8	11.8	15.4	14.4	(2)	2.9	4.5	3.4	3.7	4.5	(2)	9.3	8.3	8.4	11.7	9.9	(2)
Utah	5.0	5.5	7.3	7.9	8.4	8.6	1.7	1.5	2.9	2.0	2.1	2.1	3.3	4.0	4.3	5.9	6.2	6.5
Vermont	7.0	7.4	7.3	7.0	8.0	8.0	1.5	1.5	2.5	1.9	1.7	1.3	5.5	6.0	4.8	5.1	6.3	6.7

See footnotes at end of table.

Table BH—Con.

DEATH RATE FROM PUERPERAL CAUSES PER 1,000 LIVE BIRTHS

[Rates in *italics* are based on less than 5 deaths]

AREA	All puerperal causes						Puerperal septicemia						Other puerperal causes					
	1923	1922	1921	1920	1919	1918	1923	1922	1921	1920	1919	1918	1923	1922	1921	1920	1919	1918
Virginia	7.4	7.2	7.0	8.6	8.2	10.7	2.3	2.2	2.3	2.3	2.1	2.6	5.1	5.0	4.7	6.4	6.2	8.1
White	6.0	5.8	5.7	7.5	6.6	9.6	2.0	1.6	1.8	1.9	1.5	2.1	4.0	4.3	3.9	5.6	5.1	7.5
Colored	10.8	10.2	9.9	11.1	11.9	13.2	3.1	3.6	3.5	3.1	3.3	3.8	7.7	6.5	6.4	8.0	8.6	9.4
Washington	6.7	7.9	7.8	9.2	8.6	9.9	3.1	3.0	3.6	2.3	2.8	3.3	3.5	4.9	4.2	6.9	5.8	6.6
Wisconsin	5.8	5.6	5.8	6.7	4.8	6.0	2.3	1.9	2.2	2.1	1.6	1.9	3.5	3.7	3.6	4.6	3.2	4.1
Wyoming	7.3	7.1	(2)	(2)	(2)	(2)	1.2	2.1	(2)	(2)	(2)	(2)	6.1	5.0	(2)	(2)	(2)	(2)
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920																		
Akron	7.5	8.6	8.0	12.6	9.9	12.9	3.7	1.8	3.8	7.0	4.6	6.0	3.9	6.8	4.2	5.6	5.3	6.9
Albany	9.2	5.9	10.1	3.1	6.6	10.7	2.6	*1.7*	3.1	*0.4*	2.4	2.8	6.6	4.2	7.0	2.6	4.3	7.9
Baltimore	5.5	5.7	6.6	7.6	8.9	8.9	2.6	2.0	2.7	2.8	2.9	3.0	3.0	3.7	4.0	4.8	6.0	5.9
White	5.2	5.1	6.1	6.8	8.2	8.3	2.2	1.5	2.2	2.1	2.5	2.2	3.0	3.6	3.9	4.7	5.7	6.1
Colored	7.1	8.5	9.6	11.5	12.8	12.5	4.2	4.6	5.1	6.3	5.1	7.7	2.9	3.9	4.4	5.2	7.7	4.7
Boston	7.9	9.1	8.1	9.5	9.1	11.6	2.6	3.5	3.3	3.6	3.0	2.8	5.4	5.6	4.8	5.8	6.1	8.8
Bridgeport	6.1	5.6	5.1	7.2	5.5	8.3	2.4	2.0	2.4	2.4	1.8	1.6	3.7	3.5	2.7	4.8	3.8	6.7
Buffalo	6.9	9.1	5.8	7.1	7.8	7.6	2.3	3.4	2.5	2.3	3.3	1.8	4.5	5.7	3.3	4.8	4.5	5.9
Cambridge	6.3	9.0	7.5	7.4	6.5	11.6	*1.3*	3.0	2.6	2.1	2.2	3.4	4.9	6.0	4.9	5.3	4.4	8.2
Camden	7.9	11.7	9.9	(2)	(2)	(2)	4.1	5.4	3.9	(2)	(2)	(2)	3.8	6.3	6.0	(2)	(2)	(2)
Chicago	5.8	6.0	(2)	(2)	(2)	(2)	2.7	2.5	(2)	(2)	(2)	(2)	3.1	3.4	(2)	(2)	(2)	(2)
Cincinnati	10.9	8.1	8.5	9.6	9.5	11.5	4.3	3.3	4.1	4.4	4.8	5.2	6.6	4.8	4.4	5.2	4.8	6.3
Cleveland	6.7	5.9	7.6	6.8	5.6	7.7	3.0	2.2	4.1	3.4	2.3	2.8	3.6	3.7	3.5	3.5	3.3	5.0
Columbus	10.2	8.9	8.7	10.0	10.8	13.0	4.4	4.5	4.2	3.6	5.2	4.0	5.8	4.3	4.4	6.4	5.6	9.0
Dayton	6.4	11.1	8.1	8.9	6.7	13.4	1.6	3.3	3.4	3.7	2.9	4.9	4.8	7.9	4.7	5.2	3.8	8.5
Detroit	7.6	7.0	7.3	9.4	7.6	8.4	4.0	3.0	3.8	3.6	3.6	2.7	3.5	4.0	3.5	5.9	4.0	5.6
Fall River	3.0	5.7	5.4	7.4	4.1	5.5	*1.1*	2.5	1.9	1.7	1.5	1.9	1.9	3.1	3.5	5.7	2.6	3.6
Grand Rapids	6.0	7.6	6.5	8.0	8.5	11.6	3.0	2.5	3.2	2.2	4.3	3.9	3.0	5.1	3.2	5.8	4.3	7.8
Hartford	5.9	6.6	6.8	10.4	10.1	7.2	2.1	3.7	3.5	3.8	4.0	3.0	3.9	2.9	3.3	6.6	6.1	4.2
Indianapolis	7.2	9.3	8.2	9.6	9.1	9.5	4.0	5.4	3.3	5.3	5.1	4.4	3.2	3.9	5.0	4.4	3.9	5.2
White	6.8	9.0	7.9	8.7	8.7	9.0	3.6	5.1	3.1	4.6	5.0	3.9	3.2	3.9	4.8	4.1	3.7	5.0
Colored	9.7	11.8	10.9	17.2	12.1	14.7	6.5	7.9	4.8	10.6	*6.0*	8.1	*3.2*	*3.9*	6.0	6.6	*6.0*	*6.5*
Jersey City	6.6	8.0	8.1	(2)	(2)	(2)	3.1	4.5	3.7	(2)	(2)	(2)	3.4	3.4	4.4	(2)	(2)	(2)
Kansas City, Kans	11.4	11.1	9.2	8.9	11.1	18.3	5.9	6.2	6.7	4.0	6.3	9.4	5.5	4.9	2.5	4.9	4.8	8.9
White	10.0	8.8	9.4	7.4	10.1	14.4	4.2	5.1	6.6	3.4	5.3	6.9	5.8	3.7	2.8	3.9	4.8	7.5
Colored	23.3	30.0	7.5	23.1	*21.1*	56.2	19.9	*15.0*	7.5	*9.3*	*15.8*	33.7	*3.3*	*15.0*	-------	*13.9*	*5.3*	*22.5*
Los Angeles	7.3	8.0	8.6	8.1	8.9	(2)	3.3	3.0	3.8	3.3	3.3	(2)	4.1	4.9	4.8	4.8	5.6	(2)
Louisville	8.2	7.2	8.6	9.3	9.7	8.9	3.4	2.8	4.5	4.4	5.2	4.6	4.8	4.4	4.1	4.9	4.5	4.3
White	6.6	5.9	7.5	7.9	8.1	8.0	2.2	2.2	3.7	3.1	4.2	4.4	4.4	3.7	3.7	4.8	3.9	3.6
Colored	21.0	20.8	17.0	20.1	22.4	17.0	12.9	*9.2*	10.2	14.6	13.4	*6.4*	8.1	11.5	*6.8*	*5.5*	*8.9*	10.6
Lowell	8.6	7.2	4.8	8.2	7.2	7.6	2.8	*1.0*	1.6	1.6	2.0	*1.2*	5.9	6.2	3.2	6.7	5.2	6.4
Milwaukee	5.6	5.4	7.5	8.1	6.0	5.0	3.1	2.1	2.3	3.4	2.4	1.7	2.5	3.3	5.2	4.7	3.6	3.3
Minneapolis	6.6	4.9	7.7	8.1	7.3	6.9	4.4	1.9	2.7	3.7	2.8	1.6	2.2	3.0	5.1	4.4	4.4	5.3
New Bedford	4.9	3.3	5.5	5.1	4.7	8.7	1.5	*0.9*	1.4	2.9	2.1	2.6	3.3	2.4	4.1	2.3	2.7	6.1
New Haven	7.1	7.1	7.5	5.2	4.1	6.0	4.0	2.0	3.7	2.6	1.8	*0.8*	3.0	5.1	3.7	2.6	2.3	5.1
New York	5.3	5.6	6.2	6.5	5.7	7.3	2.1	2.2	2.5	2.3	2.2	2.0	3.2	3.4	3.7	4.2	3.6	5.4
Bronx Borough	5.3	5.2	6.5	6.7	6.9	6.7	2.3	1.7	2.0	2.1	3.0	2.3	3.0	3.4	4.5	4.7	3.9	4.4
Brooklyn Borough	5.6	6.1	6.3	6.6	5.6	7.1	2.2	2.3	2.4	2.2	2.1	1.8	3.4	3.8	3.8	4.5	3.5	5.3
Manhattan Borough	4.8	5.3	6.1	6.1	5.5	7.5	2.0	2.3	2.6	2.5	1.9	2.0	2.8	3.0	3.4	3.6	3.6	5.5
Queens Borough	6.5	6.6	7.1	8.0	6.8	8.7	2.0	*1.8*	2.9	2.2	3.0	1.6	4.4	4.7	4.2	5.7	3.8	7.1
Richmond Borough	3.5	4.5	3.2	6.5	4.0	7.5	1.8	2.8	*1.4*	2.2	*1.2*	2.6	1.8	1.7	1.8	4.3	2.8	4.9
Newark, N. J	5.8	6.4	6.6	(2)	(2)	(2)	2.2	2.5	2.7	(2)	(2)	(2)	3.7	3.8	3.8	(2)	(2)	(2)
Norfolk	13.0	9.8	11.4	10.8	10.4	18.0	4.8	4.9	5.0	3.1	2.9	3.3	8.2	4.9	6.4	7.7	7.6	14.7
White	5.5	7.1	6.1	7.6	9.1	14.7	*0.5*	*2.4*	*2.2*	*1.6*	*2.3*	*2.6*	4.9	4.7	3.9	6.0	6.8	12.2
Colored	25.5	14.7	21.0	16.6	12.7	23.9	11.8	9.5	10.0	5.8	*3.9*	*4.6*	13.7	5.3	11.0	10.7	8.8	19.3
Oakland	3.6	6.2	4.3	6.8	9.1	(2)	1.7	1.7	2.2	1.4	4.4	(2)	1.9	4.5	2.2	5.3	4.7	(2)
Omaha	10.8	8.2	8.5	9.3	(2)	(2)	6.7	3.2	4.2	2.9	(2)	(2)	4.1	5.0	4.4	6.4	(2)	(2)
Paterson	10.4	8.7	8.9	(2)	(2)	(2)	4.2	4.4	2.7	(2)	(2)	(2)	6.2	4.4	6.3	(2)	(2)	(2)
Philadelphia	7.5	7.4	8.0	7.6	7.3	9.7	2.8	2.8	3.4	2.7	2.7	2.9	4.6	4.5	4.6	4.9	4.5	6.7
Pittsburgh	8.7	7.3	8.5	12.0	8.4	10.1	3.9	2.9	4.1	5.9	3.7	3.5	4.8	4.3	4.4	6.1	4.8	6.6
Portland, Oreg	7.9	8.1	6.6	7.1	11.6	(2)	3.2	3.3	2.8	2.5	5.1	(2)	4.8	4.8	3.8	4.6	6.5	(2)
Providence	8.6	6.9	8.7	(3)	(3)	12.1	3.6	1.9	3.8	(3)	(3)	2.8	5.0	5.0	4.9	(3)	(3)	9.2
Reading	5.1	12.0	14.0	9.3	10.1	13.6	2.1	4.3	8.6	3.5	4.6	4.0	3.0	7.7	5.5	5.8	5.4	9.6
Richmond	9.5	9.0	12.2	13.3	8.7	13.5	2.6	3.4	3.5	4.8	1.3	3.9	7.0	5.6	8.8	8.6	7.4	9.6
White	6.4	5.5	6.2	10.0	6.0	10.3	2.5	1.8	1.7	3.6	*0.4*	2.3	3.9	3.7	4.5	6.4	5.6	8.0
Colored	15.6	15.5	24.3	20.0	14.4	20.6	*2.7*	6.3	6.9	7.2	*5.2*	7.4	12.9	9.1	17.4	12.9	11.2	13.2
Rochester	5.1	5.4	7.0	6.4	9.3	6.1	1.5	1.1	3.5	1.9	3.0	1.6	3.6	4.3	3.5	4.5	6.4	4.5
St. Paul	7.7	5.4	7.3	8.7	4.7	9.5	3.8	2.3	3.6	2.7	2.3	4.3	3.9	3.2	3.7	6.0	2.5	5.2
Salt Lake City	6.6	7.5	9.1	11.4	11.1	10.4	2.4	2.5	5.0	2.4	2.9	3.1	4.2	5.0	4.1	9.0	8.1	7.4
San Francisco	6.0	7.5	8.5	9.3	7.4	(2)	2.1	2.0	3.4	3.0	1.4	(2)	3.9	5.5	5.1	6.3	6.0	(2)
Scranton	9.1	12.5	11.6	12.5	11.8	12.1	4.0	5.0	7.0	3.0	2.4	3.2	5.0	7.5	4.6	9.5	9.4	8.9
Seattle	5.8	8.0	6.5	9.2	9.1	8.6	2.6	3.6	3.2	3.6	3.0	3.4	3.2	4.4	3.3	5.7	6.1	5.2
Spokane	8.9	10.1	10.4	11.9	10.7	9.1	7.6	6.1	5.4	3.3	5.1	3.2	*1.3*	4.1	5.0	8.6	5.6	5.9
Springfield, Mass	5.1	8.7	7.4	4.4	10.4	5.6	*1.2*	3.6	1.8	1.8	3.4	1.6	3.9	5.2	5.6	2.6	7.0	4.0
Syracuse	5.5	6.7	4.8	9.3	8.5	8.0	1.2	2.5	1.8	1.7	3.8	3.2	4.3	4.2	3.0	7.6	4.8	4.8
Toledo	8.1	9.5	10.7	10.5	9.8	12.7	3.4	3.4	6.6	4.9	2.9	5.8	4.7	6.1	4.1	5.6	6.9	6.9
Trenton	5.7	7.5	9.4	(2)	(2)	(2)	2.2	2.6	1.8	(2)	(2)	(2)	3.5	4.9	7.7	(2)	(2)	(2)
Washington, D. C	10.1	7.1	10.1	8.8	8.5	9.1	4.2	3.3	3.3	2.8	2.7	3.1	5.9	3.7	6.8	6.0	5.9	6.0
White	8.9	5.6	9.9	6.6	6.8	7.8	3.8	2.0	3.1	1.9	1.7	2.3	5.2	3.6	6.7	4.7	5.1	5.5
Colored	13.0	10.6	10.8	14.4	13.2	12.6	5.3	6.4	3.8	5.2	5.3	5.1	7.6	4.2	6.9	9.2	7.9	7.5
Wilmington, Del	9.0	6.1	10.2	(2)	(2)	(2)	6.4	2.4	5.3	(2)	(2)	(2)	2.6	3.6	4.9	(2)	(2)	(2)
Worcester	7.3	7.1	10.1	10.6	8.0	9.0	2.4	3.0	3.9	2.7	1.5	1.7	4.9	4.1	6.2	7.9	6.5	7.3
Yonkers	5.4	5.0	7.9	6.3	7.2	10.0	2.9	2.5	3.2	*0.8*	2.2	3.5	2.5	2.5	4.7	5.4	4.9	6.5
Youngstown	8.9	10.3	10.0	9.4	9.3	12.3	3.7	4.7	5.5	5.6	2.3	3.6	5.2	5.5	4.5	3.8	6.9	8.7

[1] Including District of Columbia. [2] Not added to registration area until a later date. [3] All transcripts of birth certificates not received.

The rates for mothers under 20 years of age are considerably higher than the rates for mothers 20 to 29, and a partial explanation, at least, is the comparatively large number of illegitimate children involved and the lack of care so common in such cases.

For each of the years 1917 to 1923, the rates from puerperal causes are higher for mothers aged 30 to 39 than for mothers aged 20 to 29, and higher for mothers aged 40 years and over than for mothers aged 30 to 39 years. These figures certainly point to the conclusion that childbearing becomes more and more dangerous as women grow older.

The figures by color and by birthplace of mother are most interesting, but they must be used with caution. For example, rates for colored mothers are nearly double those for white mothers. Probably so great a difference in the rates does not actually exist, for it is extremely likely that births of colored children are not as completely reported as are the births of white children, and that therefore the rates for colored mothers are exaggerated.

Other differences, such as comparatively high adjusted rates for mothers born in the United States and the very much lower rates for mothers born in Italy, appear to be actual differences and may well serve as a starting point for intensive study.

Tables BI and BJ throw considerable light on these questions and are well worth careful study.

CRUDE AND ADJUSTED DEATH RATES FROM PUERPERAL CAUSES, PER 1,000 LIVE BIRTHS IN THE BIRTH REGISTRATION AREA

Table BI — CAUSE OF DEATH AND YEAR	ALL AGES: Adjusted rate [1]	ALL AGES: Crude rate	10 to 19 years	20 to 29 years	30 to 39 years	40 years and over
All puerperal causes:						
1923	6.6	6.7	6.6	5.2	8.2	13.9
1922	6.6	6.6	6.8	5.2	8.3	13.3
1921	6.8	6.8	6.9	5.3	8.5	13.7
1920	8.0	8.0	7.7	6.4	9.9	14.8
1919	7.3	7.4	8.0	5.9	8.9	13.7
1918	9.1	9.2	9.4	7.9	10.7	14.1
1917	6.6	6.6	6.9	5.2	8.3	12.3
Puerperal septicemia:						
1923	2.5	2.5	2.7	2.2	2.8	3.9
1922	2.4	2.4	2.4	2.1	2.7	3.8
1921	2.7	2.7	2.8	2.3	3.2	4.5
1920	2.7	2.7	2.8	2.3	3.1	4.2
1919	2.4	2.5	2.9	2.1	2.7	4.0
1918	2.6	2.5	2.8	2.2	3.0	3.7
1917	2.7	2.7	3.0	2.4	3.2	4.0
Other puerperal causes:						
1923	4.1	4.1	3.9	3.0	5.4	9.9
1922	4.2	4.2	4.4	3.1	5.6	9.5
1921	4.1	4.1	4.1	3.0	5.4	9.2
1920	5.3	5.3	5.0	4.1	6.9	10.6
1919	4.9	4.9	5.1	3.8	6.2	9.7
1918	6.6	6.6	6.7	5.7	7.7	10.3
1917	3.9	3.9	4.0	2.8	5.1	8.3

[1] Corrected on basis of standard million live births of 1917.

NOTE.—The "specific" death rate is based on specified age groups. The "adjusted" death rate is the rate at all ages which would have resulted from the rates for the specified age groups if the age constitution of the mothers of live births had been identical with that of the standard million live births of 1917.

DEATH RATES FROM PUERPERAL CAUSES PER 1,000 LIVE BIRTHS, BY COUNTRY OF BIRTH OF MOTHER, IN THE BIRTH REGISTRATION AREA

[Unknown age is distributed in each nationality. Rates in *italics* are based on less than 5 deaths]

Table BJ — CAUSE OF DEATH, COLOR, AND COUNTRY OF BIRTH	ALL AGES: Adjusted rate [1]		ALL AGES: Crude rate		Under 15 years		15 to 19 years		20 to 24 years		25 to 29 years		30 to 34 years		35 to 39 years		40 to 44 years		45 years and over	
	1923	1922	1923	1922	1923	1922	1923	1922	1923	1922	1923	1922	1923	1922	1923	1922	1923	1922	1923	1922
The birth registration area:																				
All puerperal causes	6.6	6.6	6.7	6.6	21.0	20.5	6.4	6.7	4.8	4.7	5.6	5.7	7.2	7.2	9.9	10.0	13.2	12.9	20.5	16.8
Puerperal septicemia	2.5	2.4	2.5	2.4	6.3	5.3	2.6	2.4	2.1	1.9	2.3	2.2	2.6	2.5	3.1	3.1	3.7	3.7	6.0	5.2
Other puerperal causes	4.1	4.2	4.1	4.2	14.7	15.2	3.8	4.3	2.7	2.7	3.3	3.4	4.6	4.7	6.8	7.0	9.5	9.2	14.6	11.6
Total white:																				
All puerperal causes	6.2	6.2	6.3	6.3	10.9	19.1	5.5	5.9	4.5	4.4	5.4	5.3	6.9	6.9	9.4	9.7	12.6	12.4	19.9	15.3
Puerperal septicemia	2.4	2.2	2.4	2.3	*5.5*	*4.4*	2.3	2.1	2.0	1.8	2.2	2.1	2.6	2.5	3.0	3.0	3.6	3.5	*5.6*	4.2
Other puerperal causes	3.8	4.0	3.9	4.0	*5.5*	14.7	3.2	3.8	2.5	2.6	3.2	3.2	4.3	4.5	6.4	6.7	9.0	8.9	14.4	11.1
United States:																				
All puerperal causes	6.5	6.6	6.4	6.5	12.0	19.1	5.6	6.2	4.7	4.6	5.6	5.6	7.2	7.4	9.8	10.2	13.5	12.8	21.6	17.3
Puerperal septicemia	2.4	2.3	2.4	2.3	*6.0*	*4.8*	2.3	2.3	2.1	1.9	2.2	2.1	2.6	2.6	3.0	2.9	3.8	3.4	5.4	4.5
Other puerperal causes	4.1	4.3	4.0	4.2	*6.0*	14.3	3.3	3.9	2.6	2.7	3.4	3.5	4.6	4.8	6.8	7.2	9.7	9.4	16.2	12.8
Total foreign:																				
All puerperal causes	5.3	5.0	5.9	5.6	------	*21.3*	4.6	3.7	3.5	3.3	4.6	4.1	6.0	5.8	8.6	8.7	11.0	11.7	17.0	12.2
Puerperal septicemia	2.2	1.9	2.3	2.1	------	------	2.2	0.9	1.7	1.3	2.0	1.8	2.4	2.1	2.9	3.0	3.1	3.6	5.8	3.8
Other puerperal causes	3.1	3.2	3.6	3.6	------	*21.3*	2.4	2.8	1.8	2.0	2.6	2.2	3.6	3.7	5.7	5.8	7.8	8.0	11.2	8.4
Austria, Hungary—																				
All puerperal causes	5.3	4.9	6.0	5.3	------	------	5.3	5.3	3.3	3.3	4.0	4.1	5.9	5.1	9.3	8.0	12.9	9.4	*19.8*	*13.6*
Puerperal septicemia	2.5	2.1	2.6	2.3	------	------	3.5	*1.6*	1.8	1.2	2.0	2.2	2.4	2.5	3.7	2.8	3.6	3.8	*11.9*	*6.8*
Other puerperal causes	2.8	2.8	3.4	3.0	------	------	*1.8*	3.7	1.5	2.1	2.0	1.9	3.5	2.7	5.6	5.2	9.3	5.6	*7.9*	*6.8*
Canada—																				
All puerperal causes	7.3	6.7	8.0	7.4	------	------	7.6	*3.6*	4.9	5.9	5.3	4.8	8.2	8.0	13.0	11.0	16.2	12.1	*19.7*	*11.8*
Puerperal septicemia	2.6	2.3	2.7	2.5	------	------	*2.8*	*0.9*	2.1	2.5	2.0	1.9	3.2	2.7	3.1	3.1	5.0	3.5	*6.6*	------
Other puerperal causes	4.7	4.3	5.2	4.9	------	------	4.9	*2.7*	2.8	3.3	3.3	3.0	5.0	5.3	9.8	7.9	11.2	8.7	*13.2*	*11.8*
Denmark, Norway, and Sweden—																				
All puerperal causes	7.0	4.8	7.4	6.6	------	------	*13.2*	------	4.6	3.4	7.6	4.3	4.9	6.5	9.9	7.8	8.6	12.3	*17.9*	*10.7*
Puerperal septicemia	2.9	1.5	2.6	2.2	------	------	*8.8*	------	*1.5*	*0.6*	3.1	2.0	2.3	1.8	1.9	2.6	3.3	4.3	*11.9*	*5.3*
Other puerperal causes	4.2	3.3	4.8	4.4	------	------	*4.4*	------	3.1	2.9	4.5	2.3	2.6	4.6	8.1	5.2	5.3	8.0	*6.0*	*5.3*
England, Scotland, and Wales—																				
All puerperal causes	6.2	6.0	6.9	7.2	------	------	*3.0*	------	4.5	3.7	4.4	6.3	9.3	6.4	8.9	11.6	11.9	14.6	*30.3*	*10.9*
Puerperal septicemia	2.6	2.2	2.7	2.5	------	------	*1.5*	------	2.5	2.4	2.5	2.0	3.8	2.0	2.5	4.5	*1.6*	*2.3*	*10.1*	------
Other puerperal causes	3.5	3.8	4.2	4.7	------	------	*1.5*	------	2.0	1.3	1.9	4.4	5.5	4.4	6.5	7.2	10.3	12.3	*20.2*	*10.9*
Ireland—																				
All puerperal causes	6.0	7.0	7.2	8.2	------	------	------	*7.5*	4.4	4.3	6.9	6.4	7.4	7.8	6.3	10.7	12.4	14.6	*37.4*	*8.5*
Puerperal septicemia	2.1	2.5	1.8	2.9	------	------	------	------	3.8	*1.9*	1.3	3.8	2.2	2.3	1.1	3.0	*0.7*	4.2	*28.0*	------
Other puerperal causes	3.8	4.4	5.4	5.3	------	------	------	*7.5*	0.6	*2.5*	5.6	2.6	5.2	5.5	5.2	7.7	11.7	10.4	*9.3*	*8.5*
Germany—																				
All puerperal causes	6.2	6.2	7.6	7.9	------	------	*5.7*	*5.6*	4.2	4.6	4.1	4.4	8.9	6.5	10.6	11.6	9.8	14.2	*15.9*	------
Puerperal septicemia	2.7	2.1	3.3	2.7	------	------	*2.9*	------	2.3	2.6	*0.7*	*0.8*	4.3	2.8	5.0	3.3	4.3	5.1	*5.3*	------
Other puerperal causes	3.5	4.1	4.3	5.2	------	------	*2.9*	*5.6*	*1.9*	*2.1*	3.3	3.6	4.6	3.7	5.7	8.3	5.5	9.1	*10.6*	------

[1] Corrected on basis of standard million live births of 1917

DEATH RATES FROM PUERPERAL CAUSES PER 1,000 LIVE BIRTHS, BY COUNTRY OF BIRTH OF MOTHER, IN THE BIRTH REGISTRATION AREA—Continued

[Unknown age is distributed in each nationality. Rates in *italics* are based on less than 5 deaths]

Table BJ—Con. Cause of death, color, and country of birth	All ages: Adjusted rate		All ages: Crude rate		Under 15 years		15 to 19 years		20 to 24 years		25 to 29 years		30 to 34 years		35 to 39 years		40 to 44 years		45 years and over	
	1923	1922	1923	1922	1923	1922	1923	1922	1923	1922	1923	1922	1923	1922	1923	1922	1923	1922	1923	1922
Total foreign—Continued																				
Italy—																				
All puerperal causes	4.0	4.4	4.4	4.8	------	------	3.8	3.9	2.6	2.9	3.6	3.7	4.1	4.9	6.5	7.2	10.0	10.1	9.0	21.1
Puerperal septicemia	1.6	1.5	1.6	1.6	------	------	2.2	*0.7*	1.2	1.1	1.5	1.6	1.6	1.5	2.1	2.3	1.7	2.4	------	*7.0*
Other puerperal causes	2.5	3.0	2.8	3.3	------	------	1.6	3.1	1.4	1.8	2.0	2.1	2.5	3.4	4.5	5.0	8.3	7.8	9.0	14.0
Poland—																				
All puerperal causes	5.0	5.2	5.9	5.8	------	------	*2.7*	*3.4*	2.7	3.7	5.1	3.5	5.6	6.5	8.0	9.1	14.8	14.2	*7.0*	*7.5*
Puerperal septicemia	2.2	2.2	2.6	2.5	------	------	------	*0.9*	1.6	1.6	2.5	1.6	2.3	2.7	3.0	3.9	5.8	5.6	*3.5*	*3.7*
Other puerperal causes	2.8	3.0	3.3	3.4	------	------	*2.7*	*2.6*	1.1	2.1	2.5	2.0	3.2	3.8	5.0	5.2	9.0	8.6	*3.5*	*3.7*
Russia—																				
All puerperal causes	3.9	3.5	4.2	3.7	------	------	*1.0*	*3.5*	2.9	1.8	3.1	2.9	4.3	3.6	7.4	6.5	6.0	11.1	38.2	*7.1*
Puerperal septicemia	1.5	1.3	1.5	1.4	------	------	*1.0*	*0.9*	1.2	0.7	0.9	1.5	1.4	1.2	3.2	2.5	*2.6*	*2.0*	*7.6*	------
Other puerperal causes	2.4	2.2	2.7	2.3	------	------	------	*2.6*	1.7	1.1	2.2	1.4	2.9	2.4	4.2	4.1	3.3	9.1	*30.5*	*7.1*
Other foreign countries—																				
All puerperal causes	5.7	5.4	6.0	5.8	------	------	4.4	3.4	3.7	3.4	5.0	4.4	7.3	7.1	9.4	9.9	7.8	10.4	17.3	*12.1*
Puerperal septicemia	2.6	2.1	2.7	2.2	------	------	1.7	1.3	2.0	1.2	2.8	1.8	3.3	2.9	3.2	3.3	3.6	4.7	------	*3.0*
Other puerperal causes	3.1	3.4	3.2	3.6	------	------	2.8	2.1	1.7	2.2	2.3	2.6	4.0	4.2	6.1	6.7	4.3	5.7	17.3	*9.1*
Total colored:																				
All puerperal causes	11.0	10.9	10.9	10.7	31.5	22.0	11.5	10.9	7.7	7.2	9.1	11.2	12.9	11.7	16.6	14.6	21.9	20.1	25.5	30.5
Puerperal septicemia	3.8	4.0	3.8	3.9	7.2	*6.3*	4.4	3.8	2.9	3.0	3.6	4.5	4.0	3.8	4.7	4.5	6.0	6.1	9.4	14.5
Other puerperal causes	7.3	6.9	7.1	6.8	24.3	15.7	7.2	7.1	4.7	4.2	5.5	6.7	8.9	7.9	11.8	10.1	16.0	14.0	16.1	16.0

NOTE.—The "specific" death rate is based on specified age groups. The "adjusted" death rate is the rate at all ages which would have resulted from the rates for the specified age groups if the age constitution of the mothers of live births had been identical with that of the standard million live births of 1917.

Table BK Country and year	Death rate from puerperal causes per 1,000 live births: All puerperal causes	Puerperal septicemia	Other puerperal causes
United States (birth registration area of 1915):[1]			
1923	6.4	2.4	3.9
1922	6.2	2.2	4.0
1921	6.5	2.6	3.9
1920	7.6	2.6	5.1
1919	6.8	2.3	4.5
1918	8.9	2.3	6.6
1917	6.3	2.6	3.7
1916	6.2	2.5	3.7
1915	6.1	2.4	3.7
England and Wales			
1923	3.8	1.3	2.5
1922	3.8	1.4	2.4
1921	3.9	1.4	2.5
1920	4.3	1.8	2.5
1919	4.4	1.7	2.7
1918	3.8	1.3	2.5
1917	3.9	1.3	2.6
1916	4.1	1.4	2.7
1915	4.2	1.5	2.7
Australia:			
1923	5.1	1.7	3.4
1922	4.5	1.4	3.1
1921	4.7	1.5	3.2
1920	5.0	1.8	3.2
1919	4.7	1.4	3.3
1918	4.7	1.5	3.3
1917	5.6	1.9	3.7
1916	5.3	2.1	3.1
1915	4.3	1.3	2.9
Ireland:			
1922[2]	5.7	2.0	3.7
1921	5.0	1.7	3.3
1920	5.5	2.3	3.3
1919	4.7	1.5	3.2
1918	4.8	1.6	3.2
1917	4.9	1.5	3.4
1916	5.5	1.9	3.7
1915	5.4	1.8	3.6
Japan:			
1921	3.6	1.3	2.3
1920	3.5	1.3	2.2
1919	3.3	1.2	2.1
1918	3.8	1.4	2.4
1917	3.5	1.4	2.1
1916	3.5	1.4	2.1
1915	3.6	1.5	2.1
Netherlands:[3]			
1922	2.5	0.7	1.8
1921	2.3	0.7	1.6
1920	2.4	0.8	1.6
1919	3.4	1.2	2.1
1916	2.6	1.0	1.6
1915	2.5	0.8	1.7
New Zealand:			
1923	5.1	1.9	3.3
1922	5.1	1.8	3.3
1921	5.1	1.7	3.4
1920	6.5	2.2	4.2
1919	5.1	2.1	2.9
1918	5.2	1.9	3.3
1917	6.0	2.1	3.9
1916	5.9	2.1	3.8
1915	4.7	0.8	3.9
Scotland:			
1923	6.4	1.9	4.5
1922	6.6	2.0	4.6
1921	6.4	2.0	4.4
1920	6.2	1.8	4.4
1919	6.2	1.4	4.8
1918	7.0	1.2	5.8
1917	5.9	1.7	4.2
1916	5.7	1.7	4.0
1915	6.1	1.9	4.2
Sweden:			
1918	2.6	1.3	1.3
1917	2.5	1.1	1.3
1916	2.7	1.2	1.4
1915	2.9	1.2	1.7

[1] Exclusive of Rhode Island; for States included, see Birth Statistics, 1923, Table A, p. 9.
[2] Rates are for the Irish Free State.
[3] Reports for 1917 and 1918 not available.

NOTE.—The data are taken from the annual reports on vital statistics of the various countries.

Table BK shows the death rates from puerperal causes per 1,000 live births for several foreign countries and for the United States (the birth registration area of 1915).

As already pointed out, the classification of deaths from puerperal causes differs greatly in different countries. Higher rates in one country than in another, therefore, do not necessarily mean higher mortality from these causes. However, as classification in a given country presumably differs but little from year to year, the rates do presumably serve as useful measures of mortality from these causes within the country itself.

Comparing the rates of 1923 with those of 1915, for puerperal septicemia, the United States shows the same rate for both years, England and Wales a reduction of 13.3 per cent in its rate, Australia an increase of 30.8 per cent, New Zealand an increase of 137.5 per cent, and Scotland the same rate for both years. For other puerperal causes, the United States shows an increase of 5.4 per cent; England and Wales a decrease of 7.4 per cent; Australia an increase of 17.2 per cent; New Zealand a decrease of 15.4 per cent; and Scotland an increase of 7.1 per cent.

Table BL shows for 1920 to 1923, adjusted and crude death rates per 100,000 population from puerperal septicemia and other puerperal causes, for registration States and cities of 100,000 population or more in 1920.

Table BL

AREA	DEATH RATE PER 100,000 ESTIMATED POPULATION FROM— Puerperal septicemia								Other puerperal causes							
	Adjusted rate				Crude rate				Adjusted rate				Crude rate			
	1923	1922	1921	1920	1923	1922	1921	1920	1923	1922	1921	1920	1923	1922	1921	1920
California	5.8	5.4	6.2	5.3	5.6	5.2	6.0	5.1	9.1	9.5	8.3	10.4	8.6	9.0	7.8	9.8
Colorado	5.9	8.4	8.7	9.0	5.4	7.8	8.0	8.3	9.3	11.1	10.9	15.3	8.5	10.2	10.0	14.0
Connecticut	4.5	4.3	5.4	5.6	4.4	4.2	5.3	5.5	7.6	8.2	7.5	11.4	7.5	8.1	7.4	11.2
Delaware	9.3	6.6	7.1	8.6	8.7	6.1	6.6	8.0	8.5	8.1	8.2	13.7	7.8	7.4	7.5	12.5
Florida	10.1	9.9	9.1	7.3	9.6	9.4	8.6	6.9	21.6	20.3	19.8	19.4	20.5	19.3	18.8	18.4
White	8.8	8.0	5.9	5.2	7.8	7.1	5.2	4.6	19.5	19.8	19.1	18.7	17.4	17.7	17.1	16.7
Colored	12.5	13.1	14.4	10.8	13.3	14.0	15.3	11.5	25.5	21.5	21.1	20.6	26.9	22.6	22.2	21.7
Georgia	(1)	(1)	(2)	(2)	8.2	8.0	(2)	(2)	(1)	(1)	(2)	(2)	15.8	15.1	(2)	(2)
White	(1)	(1)	(2)	(2)	5.6	5.6	(2)	(2)	(1)	(1)	(2)	(2)	14.8	13.8	(2)	(2)
Colored	(1)	(1)	(2)	(2)	12.1	11.5	(2)	(2)	(1)	(1)	(2)	(2)	17.4	16.9	(2)	(2)
Idaho	(1)	(1)	(2)	(2)	3.4	7.0	(2)	(2)	(1)	(1)	(2)	(2)	7.9	9.6	(2)	(2)
Illinois	5.2	4.9	6.5	6.5	5.2	4.9	6.5	6.5	7.4	7.9	7.8	11.1	7.3	7.8	7.7	11.0
Indiana	7.5	7.4	8.6	9.7	6.8	6.7	7.8	8.8	7.9	8.0	8.7	11.3	7.3	7.4	8.0	10.4
Iowa	(1)	(2)	(2)	(2)	4.7	(2)	(2)	(2)	(1)	(2)	(2)	(2)	6.9	(2)	(2)	(2)
Kansas	7.6	7.9	7.4	8.5	6.9	7.2	6.7	7.7	8.8	10.1	9.1	12.2	8.0	9.2	8.3	11.1
Kentucky	7.4	8.0	9.2	8.2	6.5	7.0	8.1	7.2	10.4	9.5	10.4	10.7	9.2	8.4	9.2	9.5
White	6.8	7.4	8.6	7.7	5.9	6.4	7.5	6.7	10.2	9.2	10.0	10.8	8.9	8.0	8.7	9.4
Colored	12.1	13.3	13.6	12.6	11.9	13.1	13.4	12.4	11.9	12.6	14.7	10.7	11.9	12.6	14.7	10.7
Louisiana	7.6	7.2	8.5	7.8	7.3	6.9	8.2	7.5	17.8	17.4	15.8	17.8	17.1	16.7	15.2	17.1
White	5.5	6.0	6.6	5.9	5.1	5.6	6.2	5.5	15.6	14.7	14.3	15.6	14.4	13.6	13.2	14.4
Colored	10.8	8.9	11.2	10.5	10.9	9.0	11.3	10.6	21.3	21.4	18.0	20.8	21.7	21.8	18.3	21.2
Maine	4.7	5.4	5.2	4.1	4.0	4.6	4.4	3.5	18.2	14.5	14.6	18.1	15.7	12.5	12.6	15.6
Maryland	5.4	4.9	6.3	6.4	5.1	4.6	5.9	6.0	9.1	9.5	11.3	13.4	8.7	9.1	10.8	12.8
White	4.8	3.8	5.3	4.7	4.5	3.6	5.0	4.4	7.9	8.9	10.1	12.3	7.5	8.4	9.5	11.6
Colored	8.1	9.8	10.6	13.9	8.0	9.7	10.5	13.8	14.7	12.8	16.9	18.6	14.8	12.9	17.0	18.7
Massachusetts	4.3	4.7	5.1	5.6	4.3	4.7	5.1	5.6	9.4	10.0	10.0	11.8	9.6	10.2	10.2	12.0
Michigan	7.5	6.4	8.4	9.2	6.9	5.9	7.8	8.5	10.3	10.9	10.4	16.1	9.5	10.0	9.6	14.8
Minnesota	6.7	4.5	6.6	7.2	6.2	4.2	6.1	6.7	8.0	7.9	8.0	12.5	7.4	7.3	7.4	11.6
Mississippi	7.5	7.0	8.4	9.7	7.1	6.6	8.0	9.2	15.0	14.5	17.7	18.7	14.0	13.6	16.6	17.5
White	6.0	5.3	7.0	5.4	5.2	4.6	6.1	4.7	12.2	12.9	15.3	17.4	10.9	11.5	13.6	15.5
Colored	9.0	8.5	9.7	13.4	9.0	8.5	9.7	13.4	17.1	15.8	19.1	19.8	16.8	15.5	19.3	19.4
Missouri	7.0	6.9	8.0	7.5	6.6	6.5	7.6	7.1	8.1	7.7	7.4	7.3	7.7	7.3	7.0	6.9
Montana	7.3	7.7	8.2	8.4	6.5	6.9	7.3	7.5	7.1	8.4	9.1	12.3	6.4	7.6	8.2	11.1
Nebraska	5.6	5.7	7.2	6.3	5.2	5.3	6.6	5.8	8.5	9.0	10.4	12.0	7.9	8.3	9.6	11.1
New Hampshire	3.9	2.3	4.3	3.3	3.4	2.0	3.8	2.9	13.4	13.4	11.4	14.5	12.1	12.1	10.3	13.1
New Jersey	5.1	6.0	5.9	6.2	5.0	5.9	5.8	6.1	7.6	8.5	8.2	10.0	7.6	8.5	8.2	10.0
New York	4.4	4.7	5.5	5.0	4.5	4.8	5.6	5.1	7.4	7.9	8.3	10.0	7.7	8.2	8.6	10.4
North Carolina	6.4	6.8	7.2	7.5	5.7	6.1	6.4	6.7	22.0	21.1	21.1	28.4	19.3	18.5	18.5	24.9
White	5.1	5.6	5.5	6.3	4.4	4.8	4.7	5.4	18.9	19.1	18.3	25.5	16.3	16.5	15.8	22.0
Colored	9.0	9.4	10.8	10.0	8.6	9.0	10.4	9.6	29.0	25.4	27.2	34.9	26.4	23.1	24.7	31.7
Ohio	6.4	5.3	7.8	7.7	6.1	5.0	7.4	7.3	9.5	8.9	8.8	10.1	9.0	8.5	8.4	9.6
Oregon	5.0	5.7	6.3	7.0	4.5	5.1	5.7	6.3	8.7	11.1	9.3	12.5	8.0	10.2	8.6	11.5
Pennsylvania	7.2	6.1	8.0	7.4	6.7	5.7	7.5	6.9	9.6	9.9	10.8	13.5	9.0	9.2	10.1	12.6
Rhode Island	5.6	3.6	7.8	5.8	5.4	3.5	7.5	5.6	9.1	9.2	9.3	14.2	9.1	9.2	9.3	14.2
South Carolina	5.9	9.1	8.4	8.6	5.4	8.4	7.7	7.9	21.0	22.0	23.1	28.9	19.3	20.3	21.3	26.6
White	4.2	5.4	5.9	6.0	3.7	4.8	5.2	5.3	18.0	20.8	20.4	23.3	15.9	18.4	18.1	20.6
Colored	7.4	12.4	10.4	10.7	7.1	11.9	10.0	10.3	23.5	23.1	25.4	33.6	22.6	22.2	24.4	32.3
Tennessee	6.9	7.6	9.0	8.2	6.4	7.0	8.3	7.6	12.3	11.5	12.5	13.8	11.4	10.7	11.6	12.8
White	5.8	6.8	7.5	6.6	5.2	6.1	6.7	5.9	11.9	11.1	12.8	12.7	10.7	10.0	11.5	11.4
Colored	11.0	10.9	15.0	14.2	11.3	11.2	15.4	14.6	13.7	13.2	11.4	17.9	14.2	13.7	11.8	18.6
Utah	5.5	5.2	10.6	7.1	4.8	4.5	9.3	6.2	10.9	13.8	15.9	21.5	9.4	11.9	13.7	18.5
Vermont	3.5	3.5	6.4	4.5	3.1	3.1	5.7	4.0	13.4	15.2	12.8	12.8	11.3	12.8	10.8	10.8
Virginia	6.8	6.6	7.5	7.0	6.2	6.0	6.9	6.4	15.2	14.9	15.4	19.9	13.8	13.6	14.0	18.1
White	5.8	4.8	6.0	6.0	5.1	4.2	5.3	5.3	11.8	12.7	12.8	17.5	10.5	11.3	11.4	15.6
Colored	9.3	11.2	11.6	9.7	8.7	10.5	10.9	9.1	22.6	19.9	20.9	24.9	21.6	19.0	20.0	23.8
Washington	6.1	6.0	7.8	5.0	5.5	5.4	7.0	4.5	6.6	9.4	8.9	14.7	6.2	8.8	8.3	13.7
Wisconsin	5.4	4.4	5.8	5.1	4.9	4.0	5.2	4.6	8.3	8.8	9.0	11.3	7.6	8.0	8.2	10.3
Wyoming	(1)	(1)	(2)	(2)	2.8	5.3	(2)	(2)	(1)	(1)	(2)	(2)	14.2	12.6	(2)	(2)
CITIES OF 100,000 POPULATION OR MORE IN 1920																
Akron	(3)	3.8	8.6	17.6	(3)	3.8	8.6	17.6	(3)	14.9	9.9	14.4	(3)	14.4	9.6	13.9
Albany	4.5	3.0	5.4	0.8	5.1	3.4	6.1	0.9	10.4	7.0	11.3	4.3	12.8	8.6	13.9	5.3
Atlanta	14.1	12.2	10.8	13.1	17.0	14.7	13.0	15.8	18.1	17.4	15.6	17.9	22.4	21.5	19.3	22.2
White	11.3	8.1	8.6	12.5	12.9	9.2	9.8	14.3	16.8	18.9	15.4	18.1	19.9	22.4	18.2	21.5
Colored	20.4	20.7	15.4	14.4	26.7	27.1	20.2	18.9	20.4	14.2	15.7	17.2	28.2	19.6	21.7	23.7
Baltimore	5.7	4.5	6.4	6.8	5.8	4.6	6.5	6.9	6.4	8.0	9.3	11.5	6.7	8.3	9.7	12.0
White	4.8	3.3	5.2	5.1	4.9	3.4	5.3	5.2	6.4	7.9	9.2	11.5	6.5	8.0	9.4	11.7
Colored	10.3	10.4	12.2	14.8	11.4	11.5	13.5	16.4	7.0	8.7	10.4	12.2	7.9	9.8	11.7	13.7
Birmingham	8.4	6.8	10.2	8.5	9.7	7.9	11.8	9.9	18.4	13.1	19.5	22.8	21.4	15.2	22.6	26.5
White	7.5	7.0	11.0	8.9	8.4	7.8	12.4	10.0	21.1	13.9	14.3	23.7	23.5	15.5	15.9	26.4
Colored	10.3	7.0	9.6	8.6	11.7	8.0	10.9	9.8	15.2	12.2	27.3	22.2	18.2	14.7	32.8	26.7
Boston	6.1	8.1	8.0	9.1	6.4	8.5	8.4	9.5	12.4	12.9	11.7	14.3	13.2	13.7	12.4	15.2
Bridgeport	(3)	4.7	6.7	6.6	(3)	4.9	7.0	6.9	(3)	8.0	7.4	13.1	(3)	8.4	7.7	13.7
Buffalo	5.2	7.5	6.2	5.7	5.4	7.8	6.4	5.9	9.7	12.3	8.0	11.7	10.4	13.1	8.5	12.5
Cambridge	3.3	7.4	6.5	5.0	3.6	8.1	7.2	5.5	12.9	15.5	13.0	13.0	13.5	16.2	13.6	13.6
Camden	10.8	14.3	11.2	9.7	10.5	13.9	10.9	9.4	9.8	16.6	16.9	18.9	9.7	16.4	16.7	18.7
Chicago	4.9	4.8	5.5	6.0	5.3	5.2	5.9	6.5	5.5	6.5	6.6	8.6	6.0	7.1	7.2	9.4
Cincinnati	8.1	5.8	7.4	7.7	8.9	6.4	8.2	8.5	12.8	8.9	8.5	9.7	13.5	9.4	8.9	10.2
Cleveland	6.6	4.5	9.1	7.5	7.0	4.8	9.7	8.0	7.9	7.7	7.9	7.8	8.4	8.2	8.4	8.3
Columbus	8.3	8.1	7.7	6.4	9.2	9.0	8.5	7.1	11.0	7.7	8.0	11.2	12.3	8.6	8.9	12.5
Dallas	6.1	10.6	13.3	4.9	7.7	13.4	16.8	6.2	13.0	13.2	13.1	12.5	15.4	15.7	15.6	14.9
White	6.8	8.3	11.5	4.1	8.3	10.2	14.1	5.8	13.7	12.3	13.9	10.6	16.0	14.3	16.2	12.4
Colored	2.9	23.8	24.1	6.1	3.9	32.4	32.8	8.3	9.2	19.2	9.7	22.8	11.7	24.3	12.3	28.9

See footnotes at end of table.

Table BL—Con.

AREA	DEATH RATE PER 100,000 ESTIMATED POPULATION FROM— Puerperal septicemia								Other puerperal causes							
	Adjusted rate				Crude rate				Adjusted rate				Crude rate			
	1923	1922	1921	1920	1923	1922	1921	1920	1923	1922	1921	1920	1923	1922	1921	1920
CITIES OF 100,000 POPULATION OR MORE IN 1920—Con.																
Dayton	3.0	6.3	7.1	7.9	3.0	6.2	7.0	7.8	8.9	14.5	9.3	10.8	9.1	14.8	9.5	11.0
Denver	7.2	11.6	8.1	9.4	7.4	12.0	8.4	9.7	12.7	11.8	12.3	12.2	12.9	12.0	12.5	12.4
Des Moines	(1)	(2)	(2)	(2)	7.8	(2)	(2)	(2)	(1)	(2)	(2)	(2)	8.5	(2)	(2)	(2)
Detroit	(3)	7.2	10.0	9.0	(3)	7.7	10.7	9.7	(3)	9.7	9.0	14.8	(3)	10.4	9.7	15.9
Fall River	3.3	7.5	5.8	5.0	3.3	7.5	5.8	5.0	5.8	9.1	10.8	16.6	5.8	9.1	10.8	16.6
Fort Worth	(1)	(1)	(2)	(2)	7.6	4.1	(2)	(2)	(1)	(1)	(2)	(2)	4.2	8.2	(2)	(2)
White	(1)	(1)	(2)	(2)	6.4	3.8	(2)	(2)	(1)	(1)	(2)	(2)	4.0	5.7	(2)	(2)
Colored	(1)	(1)	(2)	(2)	16.4	5.9	(2)	(2)	(1)	(1)	(2)	(2)	5.5	23.7	(2)	(2)
Grand Rapids	6.5	5.3	7.3	4.7	6.9	5.6	7.8	5.0	6.7	10.8	7.6	12.7	6.9	11.1	7.8	13.0
Hartford	4.9	9.3	9.3	10.5	5.3	10.1	10.1	11.4	9.0	7.3	8.6	18.2	9.9	8.0	9.4	20.0
Houston	7.1	9.6	7.1	6.6	8.4	11.3	8.3	7.8	10.2	17.2	9.7	14.2	12.2	20.7	11.7	17.1
White	6.1	4.7	4.1	7.7	6.7	5.2	4.5	8.5	11.1	19.3	9.6	15.0	12.6	21.8	10.9	17.0
Colored	9.6	21.5	14.0	4.0	13.8	31.0	20.1	5.8	7.8	11.9	10.1	12.3	11.1	16.9	14.3	17.5
Indianapolis	7.9	10.3	6.9	10.9	8.2	10.7	7.1	11.3	6.2	7.2	9.9	8.7	6.7	7.8	10.7	9.4
White	7.1	9.8	6.4	9.6	7.3	10.1	6.6	9.9	6.2	7.3	9.8	8.3	6.6	7.7	10.4	8.8
Colored	14.7	15.2	10.5	21.8	15.2	15.7	10.9	22.6	5.9	6.1	10.6	11.0	7.6	7.9	13.6	14.1
Jersey City	7.0	10.3	9.4	7.6	7.4	10.8	9.9	8.0	7.9	8.0	11.6	13.6	8.1	8.2	11.9	14.0
Kansas City, Kans	13.6	13.1	15.2	8.7	13.8	13.2	15.4	8.8	12.8	10.3	5.7	10.6	13.0	10.5	5.8	10.8
White	(1)	(1)	(1)	(1)	10.1	11.3	15.8	8.0	(1)	(1)	(1)	(1)	14.2	8.2	6.8	9.2
Colored	(1)	(1)	(1)	(1)	35.1	24.1	13.1	13.6	(1)	(1)	(1)	(1)	5.8	24.1	------	20.4
Kansas City, Mo	6.1	7.3	6.9	9.3	6.8	8.1	7.7	10.4	9.0	7.4	7.0	6.1	9.9	8.1	7.7	6.7
Los Angeles	(3)	6.1	7.3	6.0	(3)	6.6	7.9	6.5	(3)	9.8	9.0	8.5	(3)	10.9	10.0	9.5
Louisville	6.5	4.8	8.2	7.8	7.4	5.5	9.3	8.9	9.5	7.8	7.7	8.9	10.5	8.6	8.5	9.8
White	4.6	4.1	7.3	6.0	5.1	4.6	8.2	6.7	9.5	7.4	7.7	9.6	10.1	7.9	8.2	10.2
Colored	14.8	7.4	11.3	15.1	19.7	9.8	15.0	20.0	9.0	9.0	7.3	5.5	12.3	12.3	10.0	7.5
Lowell	6.7	2.5	4.2	4.2	7.0	2.6	4.4	4.4	13.8	14.7	8.2	17.4	14.8	15.7	8.8	18.6
Memphis	7.8	11.9	10.0	10.6	9.4	14.3	12.1	12.8	16.6	14.7	14.9	22.1	18.8	16.7	16.9	25.1
White	8.2	13.3	6.8	4.3	9.3	15.1	7.7	4.9	16.3	15.0	15.2	19.0	18.5	17.0	17.3	21.6
Colored	7.2	9.6	14.6	19.5	9.6	12.9	19.5	26.1	17.3	14.4	14.5	27.8	19.3	16.1	16.2	31.0
Milwaukee	6.5	4.1	4.9	7.2	7.0	4.4	5.3	7.8	5.5	6.5	11.2	10.0	5.8	6.9	11.9	10.6
Minneapolis	8.8	3.8	5.4	7.4	10.5	4.5	6.4	8.8	4.4	6.2	10.5	8.9	5.1	7.2	12.2	10.4
Nashville	12.7	15.9	12.7	10.9	14.7	18.3	14.7	12.6	13.4	8.6	19.1	13.8	15.5	10.0	22.1	16.0
White	11.3	15.8	11.4	9.6	12.7	17.7	12.8	10.8	11.5	8.5	19.0	15.2	12.7	9.4	21.0	16.8
Colored	16.1	16.3	15.9	13.9	19.6	19.8	19.3	16.9	17.4	8.8	19.3	10.9	22.4	11.3	24.8	14.0
New Bedford	3.6	2.3	3.8	7.7	3.8	2.4	4.0	8.2	7.9	5.8	11.1	6.0	8.5	6.3	12.0	6.5
New Haven	9.2	4.6	9.5	6.6	9.3	4.7	9.6	6.7	6.9	11.8	9.6	6.7	6.9	11.8	9.6	6.7
New Orleans	7.8	9.0	11.5	11.0	8.7	10.0	12.9	12.3	17.6	16.3	15.7	14.8	19.3	17.8	17.2	16.2
White	4.7	7.3	9.3	6.2	5.0	7.8	9.9	6.6	15.2	17.0	12.9	13.7	15.7	17.6	13.4	14.2
Colored	15.0	12.9	16.8	20.5	19.0	16.3	21.3	28.5	24.3	15.0	23.2	17.8	29.4	18.2	28.1	21.6
New York	4.2	4.4	5.3	4.9	4.6	4.9	5.8	5.4	6.1	6.8	7.8	8.9	6.8	7.6	8.7	9.9
Bronx Borough	3.4	2.7	3.4	3.4	4.0	3.2	4.0	4.0	4.7	5.5	7.8	7.9	5.4	6.3	8.9	9.1
Brooklyn Borough	4.8	5.0	5.5	4.9	5.1	5.3	5.8	5.2	7.4	8.2	8.7	10.1	7.8	8.7	9.2	10.7
Manhattan Borough	3.9	4.6	5.6	5.4	4.6	5.4	6.5	6.3	5.5	6.1	7.4	7.8	6.3	7.0	8.5	9.0
Queens Borough	3.6	3.3	5.2	4.1	3.9	3.5	5.6	4.4	7.9	8.1	7.5	10.3	8.6	8.9	8.2	11.3
Richmond Borough	4.4	7.3	3.8	5.8	3.9	6.4	3.3	5.1	4.3	4.4	4.5	11.3	3.9	4.0	4.1	10.2
Newark, N. J	5.3	6.3	7.2	8.6	5.5	6.5	7.5	8.9	8.9	9.2	10.1	10.0	9.3	9.7	10.6	10.5
Norfolk	8.2	9.7	10.8	7.2	8.8	10.4	11.5	7.7	13.5	9.3	13.3	16.7	15.1	10.4	14.8	18.7
White	1.0	5.1	5.3	4.1	1.0	5.1	5.3	4.1	8.4	9.7	8.7	14.1	8.9	10.3	9.3	15.0
Colored	19.2	16.2	18.6	11.5	22.6	19.1	21.9	13.6	21.6	8.8	19.9	20.6	26.1	10.6	24.1	24.9
Oakland	2.5	2.6	3.4	2.3	2.9	3.0	4.0	2.7	3.6	8.3	4.3	10.8	3.3	7.7	4.0	10.0
Omaha	15.4	7.2	9.7	6.4	16.1	7.5	10.1	6.7	9.0	10.6	9.8	13.8	9.8	11.5	10.7	15.0
Paterson	8.7	9.5	6.1	7.6	9.3	10.1	6.5	8.1	12.9	9.6	14.5	5.6	13.6	10.1	15.3	5.9
Philadelphia	5.7	5.7	7.5	6.1	6.0	6.0	7.9	6.4	9.4	9.3	10.1	11.1	9.8	9.7	10.6	11.6
Pittsburgh	9.3	6.8	10.2	14.1	9.7	7.1	10.6	14.7	11.4	10.1	11.1	14.6	11.9	10.5	11.6	15.2
Portland, Oreg	5.8	6.3	5.7	5.0	5.8	6.3	5.7	5.0	8.1	8.6	7.0	8.5	8.8	9.3	7.6	9.2
Providence	9.8	5.2	10.7	9.5	9.5	5.0	10.4	9.2	12.7	12.8	12.9	21.9	13.2	13.3	13.4	22.7
Reading	4.5	9.1	20.2	8.3	4.5	9.1	20.2	8.3	6.4	16.8	13.1	14.2	6.3	16.4	12.8	13.9
Richmond	5.2	6.6	7.2	9.8	6.1	7.8	8.5	11.6	14.2	11.1	18.5	17.8	16.6	12.9	21.6	20.8
White	4.9	3.5	3.6	7.4	5.5	4.0	4.1	8.4	7.7	7.2	9.5	13.5	8.7	8.1	10.7	15.2
Colored	5.7	12.9	14.4	14.5	7.3	16.5	18.4	18.5	27.3	18.7	36.2	26.1	34.7	23.8	46.0	33.2
Rochester	3.0	2.2	7.7	4.2	3.1	2.2	7.9	4.3	7.1	8.6	7.5	9.5	7.5	9.0	7.9	10.0
St. Louis	6.6	6.4	6.4	6.7	7.1	6.9	6.9	7.2	6.8	6.1	6.5	6.7	7.6	6.8	7.3	7.5
St. Paul	8.1	4.6	7.1	5.0	9.5	5.4	8.4	5.9	8.8	6.7	7.8	11.7	9.9	7.5	8.8	13.2
Salt Lake City	6.0	6.2	13.4	6.4	6.3	6.5	14.0	6.7	10.8	12.6	11.2	24.6	11.1	12.9	11.5	25.2
San Antonio	6.4	9.2	7.5	12.7	7.0	10.1	8.2	14.0	12.1	12.0	13.0	13.0	13.0	12.9	14.0	14.0
San Francisco	3.3	3.2	6.0	5.3	3.3	3.2	6.0	5.3	6.2	8.9	8.8	10.9	6.3	9.1	9.0	11.1
Scranton	8.4	11.2	14.9	6.4	8.5	11.4	15.1	6.5	10.6	17.1	10.1	20.2	10.7	17.2	10.1	20.3
Seattle	(3)	5.6	5.3	6.4	(3)	6.0	5.7	6.9	(3)	6.7	5.5	10.1	(3)	7.3	6.0	11.0
Spokane	16.8	13.9	13.1	7.5	17.2	14.3	13.4	7.7	2.8	9.2	11.8	19.2	2.9	9.6	12.4	20.1
Springfield, Mass	2.6	7.2	4.0	4.2	2.8	7.9	4.4	4.6	8.9	11.2	13.8	6.7	9.0	11.4	14.0	6.8
Syracuse	2.6	5.4	4.4	3.9	2.7	5.5	4.5	4.0	9.5	9.1	7.1	17.8	9.8	9.4	7.3	18.4
Toledo	6.9	6.3	13.8	10.2	7.1	6.5	14.2	10.5	9.5	11.6	8.5	11.9	9.7	11.9	8.7	12.2
Trenton	5.5	6.4	4.9	7.5	5.5	6.4	4.9	7.5	8.5	11.9	21.0	23.0	8.6	12.0	21.2	23.2
Washington, D. C	6.6	5.7	5.7	4.6	8.0	6.9	6.9	5.6	9.0	6.3	11.3	9.7	11.1	7.8	13.9	12.0
White	5.3	3.1	4.8	2.8	6.7	4.0	6.1	3.6	7.4	5.6	10.6	7.2	9.2	7.0	13.2	9.0
Colored	10.2	13.0	7.6	9.9	12.0	15.4	9.0	11.7	13.6	7.9	12.9	16.3	17.2	9.9	16.3	20.6
Wilmington, Del	12.6	5.2	12.2	11.6	12.7	5.2	12.3	11.7	5.2	8.0	11.8	11.1	5.1	7.8	11.5	10.8
Worcester	5.7	6.9	10.3	7.2	5.7	6.9	10.3	7.2	11.0	9.1	15.4	19.9	11.5	9.6	16.2	20.9
Yonkers	5.9	5.1	6.9	1.8	6.5	5.7	7.7	2.0	5.1	5.2	10.5	11.6	5.6	5.7	11.6	12.8
Youngstown	9.1	12.6	16.3	16.0	9.3	12.8	16.6	16.3	12.7	14.4	13.0	10.6	13.3	15.1	13.6	11.1

[1] Not computed.
[2] Not added to registration area until a later date.
[3] Rates are omitted pending the establishment of more satisfactory estimates of population.

Among the States, the highest adjusted death rate in 1923 from puerperal septicemia (10.1 per 100,000 estimated population) is for Florida, and the lowest (3.5) is for Vermont; the highest rate from other puerperal causes (22) is for North Carolina, and the lowest (6.6) is for Washington.

Among the cities, Spokane has the highest adjusted rate (16.8) in 1923 from puerperal septicemia, and Oakland the lowest (2.5); Birmingham has the highest rate (18.4) from other puerperal causes, and Spokane the lowest (2.8).

Of the 9 States and 13 cities showing adjusted death rates by color in 1923, all but 2 (Dallas and Memphis) have higher rates from puerperal septicemia for the colored than for the white, and all but 5 (Birmingham, Dallas, Houston, Indianapolis, and Louisville) have higher rates from other puerperal causes.

It must be remembered that even adjusted rates based upon populations may be misleading, owing to the many nonresident women confined at some hospitals and to higher birth rates in some places than in others. The rates per 1,000 live births shown on preceding pages are, therefore, much better for comparison.

OLD AGE

In Table BM death rates from old age are given to enable one to estimate more easily the probable effect of these declining rates on rates from other causes of death. (See also on p. 75 death rates from unknown or ill-defined diseases.)

Table BM AREA	Year admitted	DEATH RATE FROM OLD AGE PER 100,000 ESTIMATED POPULATION																					
		1900	1903	1904	1905	1906	1907	1908	1909	1910	1911	1912	1913	1914	1915	1916	1917	1918	1919	1920	1921	1922	1923
Registration area [1]		50.4	39.1	38.8	36.1	33.5	31.8	29.5	26.5	25.3	23.6	23.8	22.0	19.8	18.5	17.0	15.5	15.1	14.3	14.2	12.3	13.2	13.8
REGISTRATION STATES																							
California	1906					29.1	27.4	30.0	28.2	23.0	23.0	21.7	21.1	18.0	14.8	11.8	10.7	10.7	11.3	8.5	9.6	9.1	11.9
Colorado	1906					24.9	29.8	25.7	27.6	26.9	27.7	36.0	35.1	32.8	30.0	21.5	17.2	13.8	14.8	13.9	14.4	14.1	10.6
Connecticut	1890	41.4	29.4	25.6	25.1	28.6	28.5	24.5	23.8	22.5	25.7	21.0	18.1	16.6	13.6	11.0	10.4	8.5	8.7	7.5	7.5	7.5	7.5
Delaware	1919																		17.6	8.0	12.8	14.0	15.6
Florida	1919																		31.1	28.1	21.3	26.0	31.1
Georgia	1922																					23.9	28.9
Idaho	1922																					18.3	17.4
Illinois	1918																	12.2	9.4	8.8	8.0	7.8	7.1
Indiana	1900	45.8	32.2	41.7	38.6	38.9	31.9	21.8	17.1	15.8	12.9	13.5	12.5	9.9	9.3	8.0	7.0	7.3	7.3	8.1	6.2	6.4	6.7
Iowa	1923																						30.2
Kansas	1914													37.1	36.3	32.3	29.2	28.7	27.7	27.8	23.1	25.0	25.9
Kentucky	1911										22.8	26.1	24.8	27.4	23.7	19.5	23.5	22.9	20.7	23.5	22.2	18.2	19.6
Louisiana	1918																	34.9	30.3	27.8	20.4	23.1	25.7
Maine	1900	88.6	86.0	95.8	91.4	87.4	72.7	63.4	61.5	77.3	71.5	68.3	67.0	67.8	51.0	43.5	38.6	38.6	36.9	32.9	29.7	30.7	37.1
Maryland	1906					35.2	41.0	36.9	37.2	35.0	32.5	33.2	27.3	26.1	19.2	17.2	15.6	17.0	11.0	9.8	9.5	10.9	9.2
Massachusetts	1880	56.0	49.7	39.8	37.1	33.9	36.2	29.0	25.8	23.1	18.5	16.4	14.5	12.1	9.2	7.0	6.5	5.9	5.0	4.9	3.8	4.4	3.9
Michigan	1900	48.8	42.3	48.4	48.0	46.9	48.4	48.5	49.5	51.4	48.6	50.6	44.1	44.3	40.6	40.9	30.0	18.6	19.5	18.5	14.3	16.4	16.4
Minnesota	1910									41.7	33.7	24.6	21.9	19.0	15.2	15.1	14.0	13.6	12.4	12.2	12.8	11.5	10.0
Mississippi	1919																		27.7	30.1	26.5	25.0	25.8
Missouri	1911										17.6	14.3	12.9	11.7	12.2	11.4	9.3	7.9	7.4	7.3	7.7	8.0	8.9
Montana	1910									11.8	15.1	14.7	15.7	16.4	20.5	17.7	22.2	14.2	15.0	12.0	9.9	11.8	10.5
Nebraska	1920																			29.0	18.1	23.1	20.6
New Hampshire	1890	90.6	75.4	84.2	73.6	78.7	71.3	71.6	69.9	69.9	77.1	67.8	65.3	48.2	46.4	39.9	31.8	33.3	28.3	29.5	28.3	26.7	25.2
New Jersey	1880	27.1	26.3	24.7	21.7	21.7	22.1	20.7	22.3	16.5	15.9	14.2	11.8	11.3	12.0	7.9	8.1	8.2	6.8	6.6	6.2	6.0	6.1
New York	1890	48.3	37.6	35.2	32.5	34.1	25.4	23.7	20.0	17.5	17.5	22.3	19.1	12.2	10.2	9.0	7.7	7.4	7.2	7.1	6.0	6.4	6.0
North Carolina [2]	1916															26.0	30.4	24.6	21.1	23.2	20.7	22.5	21.8
Ohio	1909								19.0	17.4	15.6	18.1	16.5	14.0	14.8	14.9	12.7	14.1	14.1	13.4	11.1	12.5	11.8
Oregon	1918																	28.7	23.0	24.3	17.9	20.8	16.9
Pennsylvania	1906					20.3	22.3	20.1	18.1	18.1	18.0	17.3	16.9	14.2	14.9	11.5	9.4	10.3	8.2	8.9	7.1	6.8	6.8
Rhode Island	1890	55.1	39.4	38.3	32.2	32.0	32.0	25.6	25.5	27.9	24.2	25.0	24.7	21.8	19.5	19.8	20.1	20.8	21.0	22.4	16.8	18.2	19.3
South Carolina	1916															29.5	29.1	29.9	26.6	32.1	26.7	27.4	25.4
South Dakota [3]	1906					40.9	39.2	45.0	34.1														
Tennessee	1917																24.9	19.4	18.4	17.9	15.6	15.4	18.2
Utah	1910									38.1	47.8	36.1	29.9	27.7	29.2	20.6	20.2	22.8	18.9	20.3	17.8	14.9	17.0
Vermont	1890	95.4	75.7	73.7	75.1	75.2	60.4	57.4	41.4	51.7	46.1	39.4	43.1	38.4	37.8	35.9	32.0	30.9	25.0	25.0	23.3	27.5	30.4
Virginia	1913												32.4	36.9	34.7	34.6	29.9	26.7	27.0	22.8	21.3	26.2	25.2
Washington	1908							20.7	24.0	20.0	21.1	19.2	23.1	21.3	18.9	20.9	17.2	16.4	14.7	13.2	11.6	10.3	9.9
Wisconsin	1908							47.0	47.1	45.5	46.4	46.8	44.4	39.1	42.0	41.7	36.5	29.0	30.2	28.6	26.8	25.0	23.6
Wyoming	1922																					17.4	22.2
CERTAIN REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1900																							
New York	1880	28.7	13.6	14.7	11.6	13.7	12.4	11.2	10.2	11.4	9.1	7.8	6.5	6.3	5.5	4.6	3.9	3.8	3.6	4.0	2.9	3.8	2.7
Philadelphia	1880	61.9	29.1	24.4	24.4	17.9	21.0	17.4	16.5	14.9	13.7	13.4	12.7	11.7	10.7	8.5	6.6	6.4	5.4	5.5	4.8	4.4	4.6
Chicago	1880	26.3	14.6	11.0	8.1	8.1	8.4	5.2	1.8	1.3	1.7	2.0	1.7	1.8	1.4	1.5	1.2	1.8	1.5	1.3	0.6	0.4	0.7
Boston	1880	36.4	33.4	30.1	24.3	18.8	22.9	15.9	5.9	6.8	4.3	4.7	2.8	3.4	3.6	2.3	3.6	1.6	0.9	1.5	2.0	0.8	0.5
Cleveland	1880	54.0	32.6	28.5	27.7	27.1	32.6	24.8	4.1	4.4	5.8	4.1	6.8	4.2	3.9	5.5	3.7	5.1	4.1	4.5	2.6	2.7	3.6
Washington, D. C.	1880	55.9	53.5	61.6	48.7	42.1	47.7	51.9	45.3	52.8	47.6	43.1	36.3	25.4	26.5	24.0	25.1	19.9	12.5	12.2	7.8	14.2	12.2
Baltimore	1880	93.6	40.2	34.9	32.7	31.1	40.0	39.3	35.7	31.1	27.1	31.8	22.4	24.3	15.3	12.2	13.6	15.6	8.1	7.2	6.9	7.9	7.2
St. Louis	1880	82.4	63.1	54.2	43.3	33.2	38.4	44.2	28.9	8.3	2.3	2.8	2.8	2.1	1.5	1.9	0.9	1.3	1.7	2.2	2.0	2.0	1.4
Cincinnati	1880	61.3	42.8	46.8	45.0	53.5	55.0	39.7	13.9	4.7	3.7	0.8	1.0	0.3	0.3	0.5	2.3	3.5	2.2	4.7	3.2	5.9	4.9
New Orleans	1880	81.4	74.8	68.4	88.6	75.8	82.0	71.6	65.7	34.7	29.8	31.1	24.2	18.3	11.5	7.6	8.0	8.2	16.4	9.0	3.5	6.5	9.9

[1] Exclusive of Hawaii.
[2] From 1910 to 1916 returns were received only from municipalities of 1,000 population or more.
[3] Dropped from registration area in 1910.

SUICIDE

The number of deaths from suicide in 1923 is 11,287, corresponding to a rate of 11.6 per 100,000 estimated population; this is lower than the rate for 1922 (11.9). Of the 37 States shown for both years, 14 have higher rates in 1923 than in 1922; those which show the highest rates in 1923 are California (26.6), Wyoming (17.9), Washington (16.5), Oregon (16), and Vermont (15). Each year since its admission to the registration area (1906) California has had the highest death rate from suicide. The States which have the lowest rates in 1923 are Mississippi (2.3), South Carolina (2.8), North Carolina (3.8), and Georgia and Virginia (5.7 each).

Among the 62 cities of 100,000 population or more in 1920, showing rates for both 1922 and 1923, 34 have lower rates in 1923. The 5 cities which show the highest rates in 1923 are San Francisco (33.4), Omaha (25.9), Oakland (24.6), Trenton (22.8), and St. Louis (21.4). The cities which have the lowest rates are Norfolk (3.8), Fall River (5.8), Scranton (6.4), Yonkers (6.5), and Lowell (7).

Under the title "Suicide" are included 9 headings, to 4 of which 82.1 per cent of all deaths from this cause are charged in 1923. Of these 4 the greatest number of deaths from suicide is due to firearms (3,900, with a rate of 4 per 100,000 estimated population), followed by hanging or strangulation (2,058, with a rate of 2.1), by poisons (1,779, with a rate of 1.8), and by poisonous gas (1,535, with a rate of 1.6).

Table BN shows the rates from suicide per 100,000 estimated population for 1914 to 1923.

Table BN

AREA	DEATH RATE FROM SUICIDE PER 100,000 ESTIMATED POPULATION [Rates in *italics* are based on less than 5 deaths]									
	1923	1922	1921	1920	1919	1918	1917	1916	1915	1914
The registration area (exclusive of Hawaii)	11.6	11.9	12.6	10.2	11.4	12.2	13.4	14.2	16.7	16.6
Registration States [1]	11.6	11.8	12.5	10.2	11.4	12.2	13.1	13.8	16.2	16.1
Cities in registration States [1]	14.2	14.3	15.0	12.0	13.6	14.2	16.2	17.0	19.2	19.5
Rural part of registration States	9.3	9.5	10.1	8.5	9.5	10.3	10.4	10.9	13.3	12.8
Registration cities in non-registration States	13.9	13.8	15.5	11.7	12.2	14.0	16.8	19.7	22.5	22.6
All registration cities [1]	14.1	14.3	15.0	12.0	13.6	14.2	16.3	17.4	19.7	19.9
California	26.6	25.3	27.0	20.1	24.8	24.9	28.7	30.6	34.3	32.5
Colorado	14.2	18.0	14.8	15.7	14.2	14.6	13.7	13.3	18.8	19.2
Connecticut	13.2	11.8	14.3	11.1	14.5	14.5	16.7	15.0	17.7	20.5
Delaware	8.7	7.9	11.1	7.6	8.6	(2)	(2)	(2)	(2)	(2)
Florida	8.0	9.2	9.8	5.4	6.7	(2)	(2)	(2)	(2)	(2)
White	11.3	12.6	13.9	6.9	9.1	(2)	(2)	(2)	(2)	(2)
Colored	*1.2*	2.1	1.5	2.4	2.1	(2)	(2)	(2)	(2)	(2)
Georgia	5.7	5.8	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
White	8.6	8.4	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Colored	1.4	2.1	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Idaho	9.6	8.1	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Illinois	13.1	13.5	14.7	11.6	14.2	13.3	(2)	(2)	(2)	(2)
Indiana	14.3	15.4	14.7	11.3	12.3	12.0	14.8	17.0	15.1	17.1
Iowa	12.9	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Kansas	10.5	10.7	11.7	10.7	12.0	12.1	9.4	10.1	11.3	11.7
Kentucky	7.5	8.7	7.2	7.4	7.2	8.2	8.4	7.6	10.9	9.9
White	7.8	9.0	7.5	8.0	7.8	8.5	9.0	8.3	11.3	10.5
Colored	4.4	5.7	4.3	2.6	*1.3*	5.8	2.5	*1.6*	7.3	5.6
Louisiana	5.8	5.4	7.3	4.7	4.9	6.5	(2)	(2)	(2)	(2)
White	7.7	7.6	10.4	7.2	6.5	9.3	(2)	(2)	(2)	(2)
Colored	2.7	1.9	2.1	0.9	2.3	2.1	(2)	(2)	(2)	(2)

Table BN—Con.

AREA	DEATH RATE FROM SUICIDE PER 100,000 ESTIMATED POPULATION [Rates in *italics* are based on less than 5 deaths]									
	1923	1922	1921	1920	1919	1918	1917	1916	1915	1914
Maine	12.4	12.3	12.8	10.4	14.5	14.0	13.8	14.6	15.6	14.2
Maryland	11.6	12.4	11.6	9.5	11.4	12.5	12.4	13.3	13.4	15.4
White	13.3	13.9	13.2	11.1	12.8	14.0	14.4	15.4	15.0	17.8
Colored	3.2	4.8	3.6	*1.6*	4.5	4.9	2.9	3.3	5.4	4.2
Massachusetts	11.2	11.4	12.0	10.1	11.6	13.0	13.3	12.3	14.0	13.5
Michigan	10.9	11.4	12.1	9.6	10.1	11.5	13.7	13.5	14.2	14.5
Minnesota	10.6	13.0	12.9	11.2	13.3	12.5	12.6	12.4	16.1	15.7
Mississippi	2.3	2.7	3.8	3.2	2.7	(2)	(2)	(2)	(2)	(2)
White	3.6	4.6	6.4	5.2	4.5	(2)	(2)	(2)	(2)	(2)
Colored	1.2	1.0	1.4	1.3	1.1	(2)	(2)	(2)	(2)	(2)
Missouri	14.5	12.7	13.3	11.9	13.0	13.4	16.8	16.9	20.1	21.0
Montana	12.6	14.8	16.3	15.4	15.9	18.6	22.4	23.2	22.0	27.7
Nebraska	12.3	11.3	12.6	12.0	(2)	(2)	(2)	(2)	(2)	(2)
New Hampshire	9.8	12.1	13.5	11.3	11.1	15.4	18.0	13.5	16.5	12.6
New Jersey	14.0	13.3	13.7	11.6	12.7	12.1	14.5	14.2	17.7	17.9
New York	13.6	13.5	13.6	11.5	12.7	13.0	14.8	15.5	18.1	17.0
North Carolina	3.8	4.2	4.3	3.9	3.3	4.3	3.2	3.4	[3] 7.0	[3] 6.6
White	4.6	5.0	5.1	4.8	4.0	5.4	4.0	4.1	9.1	9.1
Colored	1.7	2.1	2.5	1.7	1.6	1.7	1.3	1.7	3.0	*1.8*
Ohio	12.1	11.9	12.7	10.4	12.6	12.8	13.8	14.1	14.7	15.6
Oregon	16.0	21.8	16.1	13.8	12.5	13.3	(2)	(2)	(2)	(2)
Pennsylvania	11.0	11.6	11.2	9.0	9.8	11.4	11.2	12.1	13.1	12.7
Rhode Island	10.7	9.2	10.4	9.7	9.0	13.6	11.7	14.4	15.1	13.3
South Carolina	2.8	3.4	4.7	3.5	3.4	4.3	2.6	3.9	(2)	(2)
White	4.7	5.9	8.2	5.9	6.2	7.0	4.6	6.1	(2)	(2)
Colored	0.9	0.9	1.4	1.2	0.8	1.7	0.8	1.9	(2)	(2)
Tennessee	5.9	6.9	7.3	5.4	6.1	5.2	5.4	(2)	(2)	(2)
White	6.6	8.0	8.1	6.1	7.1	6.2	6.1	(2)	(2)	(2)
Colored	2.9	2.0	4.0	2.4	1.8	1.3	2.2	(2)	(2)	(2)
Utah	6.7	9.8	9.8	7.7	9.0	6.9	10.9	13.3	13.0	15.5
Vermont	15.0	12.2	13.6	12.5	13.0	13.6	17.8	17.2	16.9	13.0
Virginia	5.7	5.9	7.8	5.5	7.6	8.3	6.1	8.1	8.3	7.1
White	7.6	7.8	10.0	6.9	10.0	10.9	7.8	10.7	10.5	9.4
Colored	1.1	1.4	2.7	2.3	2.0	2.5	2.2	2.2	3.5	2.2
Washington	16.5	19.3	20.7	18.0	14.1	14.6	15.0	14.4	24.2	24.5
Wisconsin	11.4	11.6	13.1	10.0	11.9	12.6	13.8	13.9	13.6	14.5
Wyoming	17.9	16.9	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
CITIES OF 100,000 POPULATION OR MORE IN 1920										
Akron	(4)	9.6	13.4	9.3	12.9	9.1	9.8	7.5	13.5	14.9
Albany	14.5	18.9	20.9	11.4	11.5	17.0	13.6	11.9	16.9	11.4
Atlanta	12.1	11.0	14.9	10.3	13.6	7.2	10.0	10.8	18.9	16.0
White	16.7	14.5	19.6	14.3	17.6	9.8	14.7	14.4	24.6	21.1
Colored	*1.5*	*3.0*	*4.7*	*1.6*	*4.8*	*1.6*	-----	*3.4*	*6.9*	*5.3*
Baltimore	12.0	15.9	14.1	12.0	13.7	16.5	16.6	15.3	17.0	23.0
White	13.5	17.2	15.6	13.8	14.7	18.6	19.0	17.4	19.2	26.1
Colored	*3.5*	8.0	5.4	*1.8*	8.3	5.9	*4.0*	*4.1*	5.2	6.4
Birmingham	7.7	8.9	11.3	7.2	7.3	9.3	14.3	9.2	11.4	23.5
White	11.8	14.7	17.7	10.0	10.2	11.5	22.6	13.2	18.8	32.3
Colored	*1.3*	-----	*1.4*	*2.8*	*2.9*	*5.9*	*1.5*	*3.1*	-----	9.9
Boston	15.3	15.4	13.3	13.3	14.1	16.5	18.2	16.9	19.5	18.7
Bridgeport	(4)	16.0	11.1	13.7	18.4	19.0	12.8	32.7	26.5	22.5
Buffalo	11.2	14.8	10.2	9.6	11.1	9.5	10.3	8.8	10.0	12.8
Cambridge	8.1	6.3	10.0	8.2	7.3	9.2	4.6	9.3	9.3	*3.7*
Camden	17.7	9.0	6.7	11.9	15.6	8.0	13.6	9.2	15.1	16.4
Chicago	13.6	14.4	16.6	13.4	15.4	17.1	18.6	22.0	24.8	24.1
Cincinnati	18.7	14.6	14.4	11.7	21.7	18.0	17.4	17.2	19.3	16.0
Cleveland	11.5	12.1	14.1	12.7	13.8	10.8	17.7	19.4	19.0	22.1
Columbus	15.3	8.6	12.5	5.4	11.5	13.6	12.1	16.6	19.8	21.3
Dallas	14.3	14.5	21.6	12.4	15.3	23.0	19.0	28.0	(2)	(2)
White	16.0	10.6	23.9	11.0	18.1	26.4	19.8	31.5	(2)	(2)
Colored	*3.9*	*3.1*	*3.2*	20.7	-----	*4.9*	*14.8*	*10.0*	(2)	(2)
Dayton	9.7	15.4	8.9	13.0	14.6	16.3	14.7	25.1	22.8	24.2
Denver	21.3	23.5	20.1	20.9	19.7	21.2	22.8	15.8	28.3	24.1
Des Moines	17.7	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Detroit	(4)	13.5	12.7	8.7	10.1	8.8	16.7	14.1	15.8	15.0
Fall River	5.8	9.9	5.8	8.3	8.3	5.0	6.7	11.7	14.2	14.2
Fort Worth	11.8	14.8	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
White	13.5	17.2	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Grand Rapids	15.1	7.0	13.5	14.4	11.0	12.7	9.9	14.1	16.0	22.0
Hartford	15.1	13.0	21.7	11.4	19.1	22.0	18.0	16.9	18.3	18.1
Houston	16.8	18.0	17.2	10.0	16.1	18.8	23.7	(2)	(2)	(2)
White	18.5	20.9	21.8	12.3	20.5	24.1	27.3	(2)	(2)	(2)
Colored	*11.1*	*8.5*	*2.9*	*2.9*	*3.0*	*3.2*	*13.1*	(2)	(2)	(2)
Indianapolis	19.5	18.5	13.8	15.7	16.4	13.9	18.6	27.0	16.4	28.5
White	20.8	19.2	15.2	17.3	17.0	15.5	19.7	28.6	17.1	29.3
Colored	*10.1*	13.1	*2.7*	*2.8*	*11.7*	-----	*9.5*	*13.3*	*10.4*	21.9
Jersey City	9.7	10.5	12.2	7.7	9.4	8.5	13.4	12.2	19.7	16.0
Kansas City, Kans	16.4	8.8	11.6	14.7	16.0	18.3	13.5	11.6	14.0	22.0
White	19.3	10.3	12.4	13.7	17.5	21.3	14.4	13.4	16.1	23.9
Colored	-----	-----	*6.6*	*20.4*	*7.0*	-----	*7.6*	-----	-----	*8.6*
Kansas City, Mo	19.6	19.2	22.9	18.0	19.7	21.4	31.8	25.9	30.8	40.5
Los Angeles	(1)	30.7	28.2	19.7	23.6	22.9	31.8	29.2	34.4	34.7
Louisville	16.3	14.8	18.2	19.6	9.8	24.8	16.3	15.1	24.6	16.9
White	18.0	16.7	19.9	22.5	11.8	28.4	19.7	17.7	29.4	18.4
Colored	*7.4*	*4.9*	*10.0*	*5.0*	-----	*7.4*	-----	*2.5*	*2.5*	*9.8*
Lowell	7.0	10.5	8.8	8.8	7.1	6.3	9.9	8.2	13.7	9.2

See footnotes at end of table.

Table BN—Con.

DEATH RATE FROM SUICIDE PER 100,000 ESTIMATED POPULATION

[Rates in *italics* are based on less than 5 deaths]

AREA	1923	1922	1921	1920	1919	1918	1917	1916	1915	1914
CITIES OF 100,000 POPULATION OR MORE IN 1920—con.										
Memphis	14.7	13.7	16.3	9.2	11.4	14.2	15.1	(5)	25.4	19.3
White	21.3	21.7	24.0	11.8	16.8	18.2	21.8	(5)	36.4	23.2
Colored	*3.2*	-----	*3.2*	*4.9*	*1.8*	*7.4*	*3.7*	(5)	*7.5*	13.1
Milwaukee	14.4	13.0	18.3	11.9	14.3	15.5	18.9	16.0	16.8	21.4
Minneapolis	15.2	15.7	17.6	18.5	15.1	16.3	17.5	19.9	23.8	25.9
Nashville	17.1	15.0	13.1	8.4	8.5	14.5	*3.4*	(5)	14.0	15.8
White	19.6	21.2	16.3	10.8	12.2	20.9	*5.0*	(5)	16.6	16.8
Colored	*11.2*	-----	*5.5*	*2.8*	-----	-----	-----	(5)	*8.3*	13.8
New Bedford	10.0	7.1	10.4	10.6	10.8	11.9	20.9	19.6	14.6	14.0
New Haven	16.8	12.4	18.6	11.0	13.0	15.8	21.9	14.5	18.8	22.6
New Orleans	11.9	11.5	16.2	10.5	10.4	13.7	13.6	14.6	18.9	19.4
White	13.4	13.9	19.6	13.6	10.9	16.8	16.3	18.3	22.7	23.4
Colored	7.6	4.8	6.8	*2.0*	8.9	5.0	6.1	*4.1*	8.3	8.4
New York	14.2	13.8	14.4	11.9	12.9	13.4	15.3	16.0	19.0	18.3
Bronx Borough	10.8	9.1	11.0	10.4	10.7	10.4	14.8	17.5	16.4	21.0
Brooklyn Borough	9.9	10.9	10.2	9.7	10.4	11.1	13.7	10.6	16.2	14.2
Manhattan Borough	19.0	18.7	20.3	14.6	15.7	16.6	16.3	19.7	21.6	21.0
Queens Borough	18.1	12.6	12.9	11.3	13.9	11.1	16.4	18.1	20.9	18.7
Richmond Borough	8.6	10.5	4.9	11.9	10.4	14.3	20.2	16.1	18.6	13.1
Newark, N. J.	14.4	12.5	16.5	11.7	13.9	12.6	16.4	14.6	17.2	21.2
Norfolk	*3.8*	7.2	18.1	5.1	10.5	12.7	5.6	12.6	22.1	21.9
White	*3.0*	10.3	27.8	*5.4*	15.5	17.5	7.6	20.5	31.3	36.1
Colored	*5.2*	*2.1*	*2.2*	*4.5*	*2.3*	*4.8*	*2.5*	-----	*7.3*	-----
Oakland	24.6	16.3	25.6	19.1	25.4	22.8	28.1	24.4	27.5	37.5
Omaha	25.9	26.4	22.8	21.7	15.8	14.0	15.9	28.2	39.9	34.4
Paterson	12.9	17.3	14.5	10.3	14.8	18.6	18.0	18.2	23.6	19.2
Philadelphia	14.8	15.4	14.2	10.9	12.1	13.1	15.2	15.4	16.5	16.4
Pittsburgh	12.9	14.1	13.4	8.8	10.9	12.6	14.5	13.0	15.6	17.0
Portland, Oreg.	18.3	29.0	20.4	17.3	16.4	13.9	13.7	20.6	24.1	28.9
Providence	10.7	10.8	10.8	12.6	10.1	14.9	15.8	12.9	16.9	17.4
Reading	16.2	10.0	21.1	23.1	16.8	15.0	16.1	12.4	29.1	21.0
Richmond	13.3	7.3	10.8	7.5	7.6	13.7	9.7	8.0	11.3	10.1
White	19.0	8.9	14.0	10.9	10.3	18.4	12.6	11.9	14.1	15.3
Colored	-----	*3.7*	*3.7*	-----	*1.9*	*3.7*	*3.7*	-----	*5.6*	-----
Rochester	10.0	10.9	11.8	10.7	13.3	9.8	12.6	20.9	21.6	23.0
St. Louis	21.4	20.4	21.0	16.2	18.5	18.3	24.6	27.9	37.1	37.1
St. Paul	15.3	15.0	13.5	9.3	16.3	13.8	17.0	19.8	25.7	17.9
Salt Lake City	15.8	21.0	15.6	10.9	12.0	7.1	22.5	19.4	18.9	24.1
San Antonio	14.6	15.7	18.1	7.9	13.3	18.5	15.9	17.4	28.9	28.1
San Francisco	33.4	30.6	37.7	25.6	34.9	41.8	40.9	50.4	55.5	51.6
Scranton	6.4	10.0	10.8	8.7	5.8	10.3	4.4	8.2	17.9	15.0
Seattle	(4)	28.8	24.4	22.9	18.6	16.8	21.3	18.4	35.4	32.8
Spokane	20.1	22.0	33.5	22.0	18.2	11.5	16.3	16.3	28.7	37.4
Springfield, Mass.	8.3	11.4	14.0	8.4	14.1	7.3	10.9	13.0	14.4	11.3
Syracuse	11.4	16.0	11.8	13.2	10.6	12.0	14.7	21.3	23.1	21.1
Toledo	13.7	14.2	19.3	13.4	20.0	19.8	24.4	19.2	19.0	18.7
Trenton	22.8	20.8	15.5	14.1	18.6	13.8	13.2	17.1	12.9	21.6
Washington, D. C.	15.1	15.3	19.9	9.7	13.2	18.5	19.3	22.0	22.2	17.8
White	18.6	18.7	26.0	11.2	15.8	21.7	23.1	25.8	26.3	21.1
Colored	4.3	5.4	*1.8*	5.4	5.5	9.2	8.4	11.4	10.6	8.8
Wilmington, Del.	9.3	7.8	12.3	9.9	13.0	11.4	16.5	15.9	12.2	14.5
Worcester	13.5	9.0	15.1	6.6	11.2	12.6	13.4	12.5	12.2	16.8
Yonkers	6.5	13.3	12.6	*2.0*	*4.0*	7.2	13.7	7.5	9.9	13.5
Youngstown	8.0	9.8	13.6	9.6	7.7	11.2	18.3	15.6	9.0	17.0

[1] Including District of Columbia.
[2] Not added to registration area until a later date.
[3] Includes only municipalities having a population of 1,000 or more in 1910.
[4] Rates are omitted pending the establishment of more satisfactory estimates of population.
[5] Transcripts of death certificates not received.

Table BO gives deaths from suicide by poisons (gas excepted) and the number of deaths assigned to each poison for the registration area and each State by urban and rural districts, for 1923.

There are 1,779 suicides by poisons (gas excepted) in 1923; all registration cities show 1,189, and rural districts 590. The deaths from carbolic acid are 571; corrosive sublimate, 287; strychnin, 204; lysol, 159; arsenic, 111; cyanid of potassium, 109; opium, morphin, and laudanum, 25; hydrocyanic acid, 4; and from other poisons under this title, 309.

Table BO

NUMBER OF DEATHS FROM SUICIDE BY POISONS (GAS EXCEPTED): 1923

AREA		Total	Arsenic	Carbolic acid	Corrosive sublimate	Hydrocyanic acid	Opium, morphin, laudanum	Strychnin	Cyanid of potassium	Lysol	Others under this title
The registration area (exclusive of Hawaii)		1,779	111	571	287	4	25	204	109	159	309
Registration States [1]		1,702	110	547	260	4	25	201	107	156	292
Cities in registration States [1]		1,112	56	335	221	2	14	80	88	132	184
Rural part of registration States		590	54	212	39	2	11	121	19	24	108
Registration cities in nonregistration States		77	1	24	27	----	----	3	2	3	17
All registration cities [1]		1,189	57	359	248	2	14	83	90	135	201
California	Urban	103	3	5	20	----	2	28	18	7	20
	Rural	50	2	2	4	----	1	16	8	7	10
Colorado	Urban	22	1	6	5	----	----	5	4	1	----
	Rural	16	----	4	2	----	----	5	1	1	3
Connecticut	Urban	27	1	9	6	1	1	2	----	3	4
	Rural	4	1	----	----	----	----	----	----	----	3
Florida	Urban—W.	3	----	----	----	----	----	----	----	----	3
	Urban—C.	1	----	1	----	----	----	----	----	----	----
	Rural—W.	7	----	2	1	----	----	2	----	----	2
Georgia	Urban—W.	20	----	9	5	----	----	1	----	1	4
	Urban—C.	1	----	1	----	----	----	----	----	----	----
	Rural—W.	9	----	3	----	----	1	4	----	----	1
Idaho	Urban	2	----	----	----	----	----	1	----	----	1
	Rural	8	1	2	----	----	----	3	1	----	1
Illinois	Urban	78	3	25	13	1	1	2	6	12	15
	Rural	39	2	21	1	----	----	6	----	1	8
Indiana	Urban	73	2	39	12	----	----	4	2	5	9
	Rural	49	4	32	----	----	----	3	1	1	8
Iowa	Urban	25	1	7	4	----	1	6	1	1	4
	Rural	27	3	5	2	----	----	12	----	----	5
Kansas	Urban	18	----	7	2	----	----	3	----	1	5
	Rural	27	3	9	1	1	1	6	1	----	5
Kentucky	Urban—W.	10	----	3	1	----	----	1	1	3	1
	Urban—C.	1	----	1	----	----	----	----	----	----	----
	Rural—W.	22	3	11	----	----	1	4	----	----	3
	Rural—C.	1	----	----	----	----	----	----	----	----	1
Louisiana	Urban—W.	7	----	5	----	----	----	1	----	----	1
	Urban—C.	2	----	----	----	----	----	----	----	----	2
	Rural—W.	8	1	2	2	----	----	1	----	----	2
	Rural—C.	2	----	----	2	----	----	----	----	----	----
Maine	Urban	6	----	----	2	----	----	----	----	1	3
	Rural	2	----	----	----	----	----	1	----	----	1
Maryland	Urban—W.	6	----	1	4	----	----	----	----	1	----
	Rural—W.	8	1	3	----	----	----	2	----	----	2
Massachusetts	Urban	39	4	3	17	----	----	2	3	1	9
	Rural	5	1	2	2	----	----	----	----	----	----
Michigan	Urban	60	6	29	4	----	----	----	1	10	10
	Rural	20	----	10	2	----	1	2	----	----	5
Minnesota	Urban	23	1	9	1	----	1	1	2	4	4
	Rural	16	3	5	1	----	----	4	----	----	3
Mississippi	Urban—W.	2	----	1	1	----	----	----	----	----	----
	Urban—C.	1	----	----	----	----	----	----	----	----	1
	Rural—W.	1	----	1	----	----	----	----	----	----	----
Missouri	Urban	81	3	41	9	----	----	2	11	8	7
	Rural	41	1	24	1	----	1	6	----	2	6
Montana	Urban	11	----	5	----	----	----	1	----	5	----
	Rural	7	2	----	----	----	----	4	----	1	----
Nebraska	Urban	14	1	7	1	----	----	1	----	1	3
	Rural	26	2	4	2	1	----	11	1	1	4
New Hampshire	Urban	2	----	----	1	----	----	1	----	----	----
	Rural	2	1	----	----	----	----	----	1	----	----
New Jersey	Urban	45	3	6	11	----	----	----	8	11	6
	Rural	9	1	1	1	----	----	----	1	3	2
New York	Urban	129	10	19	23	----	3	5	18	22	29
	Rural	32	9	13	1	----	----	5	1	2	1
North Carolina	Urban—W.	4	----	2	2	----	----	----	----	----	----
	Rural—W.	8	1	3	1	----	----	2	----	----	1
	Rural—C.	1	1	----	----	----	----	----	----	----	----
Ohio	Urban	82	8	26	23	----	----	3	1	13	8
	Rural	34	5	16	2	----	1	1	1	1	7
Oregon	Urban	15	----	3	2	----	1	1	----	6	2
	Rural	8	----	1	2	----	----	3	----	----	2
Pennsylvania	Urban	87	5	20	32	----	3	1	5	6	15
	Rural	41	2	11	6	----	2	4	1	3	12
Rhode Island	Urban	4	1	----	1	----	----	----	----	----	2
South Carolina	Urban—W.	2	----	1	----	----	----	----	----	----	1
	Rural—W.	5	----	4	----	----	----	1	----	----	----
Tennessee	Urban—W.	23	----	8	10	----	----	2	----	1	2
	Urban—C.	3	----	2	----	----	----	----	----	----	1
	Rural—W.	11	----	8	----	----	----	2	----	----	1

[1] Including District of Columbia.

Table BO—Con.

AREA		NUMBER OF DEATHS FROM SUICIDE BY POISONS (GAS EXCEPTED): 1923									
		Total	Arsenic	Carbolic acid	Corrosive sublimate	Hydrocyanic acid	Opium, morphin, laudanum	Strychnin	Cyanid of potassium	Lysol	Others under this title
Utah	Urban	6	----	3	----	----	----	----	1	2	----
	Rural	1	----	----	----	----	----	----	----	----	1
Vermont	Rural	3	----	1	1	----	----	1	----	----	----
Virginia	Urban—W	10	1	4	1	----	----	----	1	1	2
	Urban—C	1	----	1	----	----	----	----	----	----	----
	Rural—W	12	2	5	----	----	2	1	----	----	2
Washington	Urban	32	----	11	2	----	----	4	5	3	7
	Rural	12	----	3	1	----	----	3	1	----	4
Wisconsin	Urban	24	2	15	3	----	----	1	----	1	2
	Rural	14	2	3	1	----	----	5	----	1	2
Wyoming	Urban	1	----	----	----	----	----	----	----	1	----
	Rural	2	----	1	----	----	----	1	----	----	----
District of Columbia	W	5	----	----	3	----	----	1	----	----	1
	C	1	----	----	----	----	1	----	----	----	----

HOMICIDE

The term "homicide," as here used, includes murder, manslaughter, justifiable homicide, and incendiarism, but not legal execution.

Table BP shows the rates from homicide per 100,000 estimated population for 1914 to 1923.

Table BP

AREA	DEATH RATE FROM HOMICIDE PER 100,000 ESTIMATED POPULATION [Rates in *italics* are based on less than 5 deaths]									
	1923	1922	1921	1920	1919	1918	1917	1916	1915	1914
The registration area [1]	8.1	8.4	8.5	7.1	7.5	6.8	7.7	7.1	7.0	7.4
White	5.1	5.6	6.2	5.0	5.3	4.8	5.7	5.3	5.3	5.6
Colored	38.5	34.7	33.7	29.6	30.5	30.5	32.8	31.3	37.5	40.5
Registration States [2]	7.9	8.0	8.1	6.8	7.1	6.4	7.0	6.4	6.0	6.4
Cities in registration States [2]	9.6	9.1	9.1	8.2	8.8	8.2	8.8	7.7	7.0	7.4
Rural part of registration States	6.4	7.0	7.2	5.4	5.7	4.8	5.4	5.2	5.0	5.3
Registration cities in non-registration States	23.4	31.7	30.7	27.0	26.6	22.0	17.2	16.3	18.6	19.9
All registration cities [2]	10.0	9.8	9.9	8.8	9.5	8.8	10.0	8.9	8.7	9.2
California	9.1	10.3	11.6	8.2	9.4	9.4	12.2	11.6	12.2	13.2
Colorado	9.2	11.7	11.8	9.2	10.6	7.5	8.9	8.2	10.6	16.0
Connecticut	3.0	2.9	2.9	3.9	5.0	3.8	4.3	2.9	3.5	3.2
Delaware	3.9	9.2	7.1	4.0	7.7	(3)	(3)	(3)	(3)	(3)
Florida	30.0	22.7	24.9	20.2	17.8	(3)	(3)	(3)	(3)	(3)
Georgia	11.3	9.3	14.1	8.8	8.6	(3)	(3)	(3)	(3)	(3)
White	69.2	50.0	46.5	42.5	35.2	(3)	(3)	(3)	(3)	(3)
Colored	17.2	18.9	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Idaho	7.2	8.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Illinois	31.9	33.8	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Indiana	3.4	3.0	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Iowa	9.3	9.8	8.8	7.4	8.5	6.6	(3)	(3)	(3)	(3)
Kansas	6.1	5.7	6.4	4.7	4.7	4.1	6.6	5.0	5.2	6.6
Kentucky	2.1	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	6.8	7.2	7.5	4.7	6.7	5.9	6.9	7.8	6.7	6.3
Colored	14.2	11.6	16.2	9.0	7.8	10.1	12.8	10.0	11.9	13.6
Louisiana	9.8	8.4	12.2	6.6	5.1	6.6	8.1	6.6	6.8	7.8
White	57.8	42.3	53.4	31.5	32.4	41.7	54.4	39.5	54.8	61.8
Colored	18.2	17.7	18.8	14.1	17.0	19.1	(3)	(3)	(3)	(3)
Maine	8.2	9.2	11.4	6.9	7.2	10.7	(3)	(3)	(3)	(3)
Maryland	34.7	31.5	30.6	25.4	32.2	32.0	(3)	(3)	(3)	(3)
White	1.7	1.7	2.2	1.4	1.6	1.3	0.9	1.2	2.4	2.0
Colored	6.3	7.5	7.8	4.8	5.4	6.6	6.0	6.9	5.9	5.5
Massachusetts	3.3	4.8	5.1	2.4	2.8	3.6	4.2	3.7	4.4	3.4
Michigan	21.7	20.6	21.1	16.7	18.0	21.4	14.5	22.0	13.0	15.5
Minnesota	2.7	2.6	2.8	2.1	2.8	2.3	2.9	3.2	3.3	3.3
Mississippi	6.3	4.4	4.8	5.5	4.3	3.0	5.7	3.8	3.0	3.2
White	2.8	3.6	4.4	3.1	3.2	2.9	3.3	3.3	3.4	4.5
Colored	17.4	19.6	21.1	19.8	19.0	(3)	(3)	(3)	(3)	(3)
Missouri	8.8	7.6	11.1	6.8	6.7	(3)	(3)	(3)	(3)	(3)
	25.2	30.5	30.1	31.7	30.2	(3)	(3)	(3)	(3)	(3)
	12.3	11.4	10.1	7.9	9.7	10.1	12.3	10.0	9.3	9.3

See footnotes at end of table.

Table BP—Con

AREA	DEATH RATE FROM HOMICIDE PER 100,000 ESTIMATED POPULATION [Rates in *italics* are based on less than 5 deaths]									
	1923	1922	1921	1920	1919	1918	1917	1916	1915	1914
Montana	4.3	7.1	7.1	8.2	8.0	11.1	18.2	17.7	11.3	12.9
Nebraska	4.0	4.5	4.9	4.1	(3)	(3)	(3)	(3)	(3)	(3)
New Hampshire	2.7	1.6	2.2	1.8	1.1	*0.9*	2.3	1.4	2.3	3.2
New Jersey	5.3	4.7	5.2	4.2	4.6	4.8	6.1	3.9	4.3	4.0
New York	4.3	4.9	4.9	4.6	4.6	4.0	4.3	4.5	4.6	4.8
North Carolina	9.9	9.2	8.6	9.8	8.5	7.6	7.3	8.3	[4] 13.7	[4] 21.1
White	4.5	5.1	5.5	4.8	3.8	4.5	3.6	4.6	6.9	9.1
Colored	22.9	18.9	15.8	21.2	19.3	14.6	15.7	16.8	26.7	41.0
Ohio	7.7	7.2	7.8	6.9	7.3	8.5	9.3	7.9	5.9	5.8
Oregon	3.9	5.9	7.7	4.1	4.9	4.0	(3)	(3)	(3)	(3)
Pennsylvania	7.0	6.0	6.3	5.6	6.0	6.5	6.7	6.4	4.9	4.9
Rhode Island	3.5	2.3	3.1	1.8	3.3	2.4	3.7	3.8	3.1	3.7
South Carolina	11.1	14.1	17.1	15.2	13.7	10.4	11.3	13.3	(3)	(3)
White	5.6	8.4	11.3	9.4	8.3	5.5	4.2	5.9	(3)	(3)
Colored	16.4	19.7	22.7	20.8	18.9	14.9	17.7	20.0	(3)	(3)
Tennessee	17.8	17.3	16.7	13.8	15.1	11.3	11.4	(3)	(3)	(3)
White	10.5	10.7	11.4	7.0	8.8	6.9	5.5	(3)	(3)	(3)
Colored	49.8	45.9	39.5	42.4	41.3	29.2	35.2	(3)	(3)	(3)
Utah	5.5	6.0	5.2	5.1	4.5	1.8	6.3	7.1	8.7	9.8
Vermont	1.4	*1.1*	1.7	2.3	2.0	2.0	1.7	2.5	2.0	2.0
Virginia	10.3	11.1	13.3	11.2	9.8	11.4	8.3	11.8	12.8	11.8
White	5.6	6.9	9.0	7.5	5.7	6.3	5.1	6.3	6.3	6.0
Colored	21.8	21.3	23.8	19.9	19.4	23.0	15.4	24.1	27.1	21.4
Washington	4.7	5.2	5.9	5.1	7.5	4.2	5.5	5.5	8.9	10.0
Wisconsin	2.2	1.8	2.2	1.7	1.9	1.9	3.2	1.6	2.2	3.0
Wyoming	13.7	16.9	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
CITIES OF 100,000 POPULATION OR MORE IN 1920										
Akron	(5)	5.3	13.9	19.5	14.9	13.9	15.0	13.8	7.1	3.9
Albany	*2.6*	6.0	7.0	*0.9*	*2.7*	*2.7*	4.5	11.9	*3.8*	5.7
Atlanta	37.2	43.5	41.5	39.9	40.3	23.7	25.4	31.5	36.7	34.3
White	7.7	16.5	14.7	9.3	14.7	6.0	13.2	11.2	10.7	19.4
Colored	105.2	105.4	100.9	107.3	96.3	62.1	51.6	74.6	91.5	65.1
Baltimore	6.3	8.7	9.3	6.4	6.5	10.1	8.4	8.1	6.7	7.3
White	2.3	5.4	6.4	3.3	2.9	4.6	6.0	3.5	4.4	4.2
Colored	29.8	27.5	26.1	23.7	26.9	38.4	21.1	31.8	18.8	23.5
Birmingham	53.1	58.6	52.7	46.9	47.9	51.6	43.0	39.3	43.0	76.4
White	20.2	26.7	29.2	17.3	16.7	16.2	16.7	11.1	14.6	25.8
Colored	104.0	108.0	88.9	92.7	96.1	106.2	83.5	82.8	86.8	154.2
Boston	4.8	4.2	4.6	4.5	5.6	3.7	3.7	4.1	5.3	3.8
Bridgeport	(5)	4.9	4.2	6.9	7.1	6.6	9.0	7.0	6.4	7.5
Buffalo	5.0	7.0	6.5	4.9	4.8	5.3	6.8	5.7	5.1	5.2
Cambridge	*1.8*	6.3	4.5	*2.7*	*1.8*	----	*1.8*	*1.9*	*1.9*	----
Camden	8.1	5.7	7.5	6.0	11.3	5.3	7.2	*3.7*	7.5	7.7
Chicago	11.1	11.8	11.2	9.7	11.3	8.2	10.8	11.2	9.0	10.0
Cincinnati	19.7	16.5	15.4	6.0	7.2	11.8	17.4	14.6	13.7	12.7
Cleveland	9.9	11.1	11.1	13.0	10.9	12.6	15.8	11.9	8.8	9.0
Columbus	8.0	8.6	10.1	6.7	12.0	17.5	13.9	9.7	5.2	7.3
Dallas	25.2	26.7	23.4	21.1	17.8	17.6	28.5	34.5	(3)	(3)
White	10.8	11.5	12.7	11.0	10.5	9.1	14.2	14.8	(3)	(3)
Colored	113.5	117.6	86.0	78.5	58.4	63.2	103.4	134.8	(3)	(3)
Dayton	6.6	12.4	10.1	*5.2*	3.3	6.8	11.9	17.9	*2.2*	5.3
Denver	10.7	9.0	9.9	12.0	5.5	10.0	7.7	4.6	8.0	7.3
Des Moines	4.3	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Detroit	(5)	8.7	10.7	13.7	8.6	6.2	14.1	9.0	5.1	5.9
Fall River	*2.5*	*3.3*	*2.5*	----	----	*0.8*	*0.8*	*1.7*	*3.3*	*1.7*
Fort Worth	14.6	26.3	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	13.5	21.0	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	*21.9*	59.3	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Grand Rapids	*0.7*	*1.4*	*2.8*	*2.2*	*1.5*	3.7	----	*2.4*	*2.4*	*3.3*
Hartford	5.3	*2.9*	3.6	5.0	14.7	*2.3*	*2.3*	4.0	*2.5*	5.2
Houston	20.6	35.3	20.0	15.0	21.3	18.0	41.4	(3)	(3)	(3)
White	9.2	20.9	14.5	4.7	15.6	9.9	34.2	(3)	(3)	(3)
Colored	58.1	81.7	37.3	46.6	38.6	41.7	62.2	(3)	(3)	(3)
Indianapolis	7.9	8.7	7.7	5.7	7.4	6.3	15.6	8.4	8.4	12.7
White	3.3	3.4	4.2	2.8	4.7	4.8	10.2	4.7	5.3	10.0
Colored	43.1	49.8	35.3	28.2	29.3	18.3	60.3	39.8	34.8	36.5
Jersey City	3.2	*0.7*	5.6	3.3	5.7	7.8	4.8	3.5	5.3	4.3
Kansas City, Kans	21.6	21.1	21.2	10.8	28.0	22.4	26.9	12.7	20.5	13.2
White	14.2	14.4	11.3	*3.4*	18.6	17.7	18.0	*4.9*	16.1	*5.0*
Colored	64.3	60.3	78.7	54.3	84.5	51.2	83.5	63.3	49.5	68.9
Kansas City, Mo	31.8	32.0	28.6	27.1	35.6	37.1	36.1	22.6	23.2	25.6
Los Angeles	(5)	13.2	14.4	10.4	7.1	9.8	12.6	9.2	10.1	13.0
Louisville	22.9	18.3	16.1	12.3	16.2	20.1	18.9	15.9	15.6	19.1
White	7.8	8.3	8.2	8.2	7.2	12.9	9.9	10.4	7.3	12.1
Colored	103.2	71.1	55.0	32.4	59.7	54.6	61.9	42.0	54.2	51.6
Lowell	*2.6*	*0.9*	*2.6*	*1.8*	*1.8*	*2.7*	*2.7*	*0.9*	*1.8*	*4.6*
Memphis	69.4	69.1	59.2	63.0	62.1	47.4	50.8	(6)	88.2	73.8
White	29.7	24.5	36.5	20.6	24.2	22.5	12.0	(6)	38.6	25.5
Colored	138.2	145.3	97.3	133.6	128.4	90.2	116.5	(6)	169.6	151.6
Milwaukee	4.3	3.1	3.8	3.0	2.2	4.3	6.6	2.6	3.3	5.3
Minneapolis	5.6	6.5	7.1	6.5	5.3	4.9	2.2	8.2	6.7	5.1
Nashville	36.7	31.6	32.8	13.5	24.6	24.8	18.1	(6)	29.7	32.5
White	20.7	17.7	19.8	*4.8*	17.0	14.8	12.5	(6)	19.1	12.9
Colored	75.5	65.0	63.5	33.7	42.0	47.6	30.7	(6)	52.7	74.7
New Bedford	*0.8*	*2.4*	*1.6*	*0.8*	*2.5*	*2.6*	*1.7*	*2.7*	----	*3.7*

Table BP—Con.

AREA	DEATH RATE FROM HOMICIDE PER 100,000 ESTIMATED POPULATION [Rates in *italics* are based on less than 5 deaths]									
	1923	1922	1921	1920	1919	1918	1917	1916	1915	1914
CITIES OF 100,000 POPULATION OR MORE IN 1920—con.										
New Haven	2.9	*1.2*	3.0	*2.4*	*1.2*	3.8	5.2	*2.6*	3.4	*1.4*
New Orleans	29.9	22.3	20.3	16.2	23.4	18.4	21.9	25.7	23.3	23.6
White	11.0	9.8	9.3	12.9	9.5	12.1	9.4	15.4	10.0	10.6
Colored	83.4	57.5	51.4	25.5	62.6	36.2	57.0	54.6	60.5	60.2
New York	5.6	6.1	5.9	6.2	5.7	4.8	4.7	5.2	5.3	6.0
Bronx Borough	3.7	1.9	3.5	1.9	3.5	2.2	3.7	3.4	3.4	3.0
Brooklyn Borough	3.6	5.1	4.6	5.2	4.0	4.7	3.9	4.1	3.7	5.7
Manhattan Borough	8.4	9.4	8.7	8.8	8.0	6.4	6.1	7.0	7.4	7.4
Queens Borough	4.5	3.3	3.4	5.9	5.0	1.8	2.6	3.7	3.7	3.8
Richmond Borough	4.7	*3.2*	*2.5*	*3.4*	4.3	*2.7*	*2.8*	*1.9*	*2.0*	*2.0*
Newark, N. J	8.4	7.9	5.6	4.1	7.1	4.9	6.5	5.4	5.7	4.8
Norfolk	15.7	14.4	28.0	37.4	50.9	41.7	19.7	25.2	35.2	26.1
White	6.9	*1.5*	10.6	24.5	18.3	16.1	7.6	17.4	13.2	8.6
Colored	31.3	36.1	56.9	59.0	104.7	83.5	39.2	37.8	70.0	53.4
Oakland	5.8	7.3	3.5	2.7	7.0	7.3	7.0	4.2	7.5	5.6
Omaha	17.1	20.9	18.3	11.4	12.6	5.9	7.7	10.9	12.9	14.3
Paterson	9.3	5.1	4.4	*2.9*	7.4	4.5	9.0	*3.0*	3.8	*1.5*
Philadelphia	9.3	7.3	6.0	6.4	6.6	7.4	6.7	6.4	4.8	4.9
Pittsburgh	13.5	9.2	9.5	10.3	10.4	10.4	10.1	13.2	7.8	5.7
Portland, Oreg	3.7	5.9	7.9	4.2	8.2	4.8	7.3	2.5	4.7	5.7
Providence	4.5	2.9	5.0	2.9	6.3	3.4	6.0	3.9	3.0	5.7
Reading	*3.6*	*2.7*	4.6	*2.8*	5.6	*1.9*	*0.9*	*1.9*	*2.9*	*2.0*
Richmond	8.3	13.5	8.5	7.5	8.8	10.7	10.9	16.6	17.5	27.4
White	4.0	4.0	*3.3*	*2.5*	5.2	8.8	*3.6*	4.6	7.5	5.5
Colored	18.3	34.8	20.2	18.5	16.7	14.9	26.1	41.2	37.6	69.3
Rochester	2.2	3.2	4.9	1.7	4.4	2.5	3.3	2.3	4.3	*1.6*
St. Louis	22.1	16.4	16.3	12.6	16.3	17.0	21.0	16.3	15.4	15.7
St. Paul	3.7	7.5	7.1	5.5	5.1	5.2	7.4	7.0	8.4	5.8
Salt Lake City	10.3	9.7	5.8	4.2	7.7	4.4	11.7	8.3	10.4	18.3
San Antonio	11.4	19.7	10.5	9.7	10.1	12.6	27.0	20.3	21.3	18.4
San Francisco	6.3	7.7	9.6	7.6	12.1	12.6	11.4	15.4	16.1	15.6
Scranton	*2.8*	3.6	*2.9*	5.1	3.6	*2.2*	7.4	5.9	4.5	5.3
Seattle	(3)	5.7	7.3	5.0	10.6	5.6	8.5	8.3	11.1	12.9
Spokane	7.7	*1.0*	8.6	*2.9*	6.7	*3.8*	6.7	7.7	13.4	9.6
Springfield, Mass	4.9	5.0	6.6	6.8	3.9	*3.2*	5.0	6.1	*2.7*	3.8
Syracuse	3.3	3.9	4.5	4.0	2.9	4.2	*2.5*	7.5	*0.6*	*2.6*
Toledo	11.9	8.4	16.6	11.8	20.0	18.1	21.3	16.0	12.2	10.6
Trenton	5.5	4.0	4.1	*2.5*	*0.8*	*3.5*	5.3	*3.6*	*2.8*	4.7
Washington, D. C	10.1	9.8	13.0	10.4	13.2	13.5	7.1	9.0	9.0	8.0
White	4.2	4.0	7.3	5.7	7.4	6.4	3.3	4.1	3.9	4.7
Colored	28.4	27.1	29.8	24.2	30.0	34.2	17.8	22.9	23.2	16.7
Wilmington, Del	5.1	13.8	9.7	4.5	13.0	*2.9*	8.7	5.0	9.1	5.2
Worcester	5.2	*2.1*	*1.1*	*2.2*	*1.1*	3.4	7.6	3.0	3.7	6.2
Yonkers	*0.9*	*1.9*	*3.9*	*3.0*	5.0	*2.1*	*4.2*	*1.1*	*2.2*	*1.1*
Youngstown	17.3	8.3	17.4	18.6	19.2	29.5	20.0	18.2	9.9	15.1

[1] Exclusive of Hawaii.
[2] Including District of Columbia.
[3] Not added to registration area until a later date.
[4] Including only municipalities having a population of 1,000 or more in 1910.
[5] Rates are omitted, pending the establishment of more satisfactory estimates of population.
[6] Transcripts of death certificates not received.

For 1923 the number of deaths from homicide in the registration area is 7,878, corresponding to a rate of 8.1 per 100,000 estimated population as against 8.4 in 1922. The higher rates in recent years are due to the addition of States with large colored populations.

The rate in the registration area for the white population is 5.1 in 1923 against 5.6 in 1914, and the rate for the colored is 38.5 against 40.5. Of the 37 States shown for 1922 and 1923, 18 have higher rates in 1923. The highest rates are for Florida (30), Louisiana (18.2), Tennessee (17.8), Mississippi (17.4), and Georgia (17.2); the lowest rates are for Vermont (1.4), Maine (1.7), Iowa (2.1), and Wisconsin (2.2).

For the cities of 100,000 population or more in 1920, the highest rates in 1923 are for Memphis (69.4), Birmingham (53.1), Atlanta (37.2), and Nashville (36.7). The extremely high rates for these cities are due to the high rates for the colored population; these range from 75.5 for Nashville to 138.2 for Memphis. Very low rates are shown for Grand Rapids (*0.7*), New Bedford (*0.8*), and Yonkers (*0.9*).

Among the 62 cities of 100,000 population or more in 1920, showing rates for both 1922 and 1923, 29 have higher rates from homicide in 1923; notable increases are shown for Youngstown, with a rate of 17.3 against 8.3 in 1922; New Orleans, with a rate of 29.9 against 22.3; Spokane, with a rate of 7.7 against *1;* and St. Louis, with a rate of 22.1 against 16.4.

From the standpoint of prevention, it is interesting to note that 71.7 per cent of all homicides in the registration area in 1923 are caused by firearms as against 63.5 per cent in 1914.

In Table BQ are shown for the registration cities of 100,000 population or more in 1900, populations, deaths and rates from suicide and homicide, for 1900 to 1923. The rate for suicide (22.6) in 1908 is the highest for the series of years shown and practically represents a steady increase up to that year; from then on, with a few exceptions, the rate has decreased, 1923 showing a rate of 15.3. Homicide rates show a decidedly upward trend, from 3.4 in 1900 to 10.1 in 1923.

Table BQ

CALENDAR YEAR	Estimated population July 1	DEATHS IN REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1900 FROM— Suicide		Homicide	
		Number	Rate per 100,000 population	Number	Rate per 100,000 population
1923	24,151,350	3,692	15.3	2,435	10.1
1922	23,716,781	3,626	15.3	2,211	9.3
1921	23,330,469	3,731	16.0	2,168	9.3
1920	22,996,227	2,910	12.7	1,930	8.4
1919	22,563,206	3,229	14.3	2,006	8.9
1918	22,038,899	3,351	15.2	1,865	8.5
1917	21,616,460	3,816	17.7	2,061	9.5
1916[1]	21,021,720	3,892	18.5	1,786	8.5
1915	20,729,640	4,455	21.5	1,698	8.2
1914	20,273,425	4,351	21.5	1,715	8.5
1913	19,847,428	3,957	19.9	1,702	8.6
1912	19,413,308	3,868	19.9	1,504	7.7
1911	18,958,147	3,880	20.5	1,505	7.9
1910	18,522,956	3,743	20.2	1,479	8.0
1909	18,018,210	3,772	20.9	1,252	6.9
1908	17,541,214	3,957	22.6	1,401	8.0
1907	17,072,832	3,319	19.4	1,455	8.5
1906	16,594,107	2,984	18.0	1,189	7.2
1905	16,104,214	3,126	19.4	983	6.1
1904	15,670,701	2,998	19.1	723	4.6
1903	15,286,581	2,758	18.0	636	4.2
1902	14,899,699	2,487	16.7	567	3.8
1901	14,513,283	2,247	15.5	520	3.6
1900	14,133,877	2,099	14.9	481	3.4

[1] Excludes Memphis, Tenn.; transcripts of death certificates not received.

ACCIDENTAL OR UNDEFINED EXTERNAL CAUSES

In 1923 the number of deaths due to accidental or undefined external causes is 74,131, which corresponds to a rate of 76.4 per 100,000 estimated population.

The greatest number of deaths under this title are due to automobile accidents (14,411, with a rate of 14.9); next in order are deaths due to traumatism by

fall (12,378, with a rate of 12.8); railroad accidents (7,100, with a rate of 7.3); burns (conflagration excepted) (6,503, with a rate of 6.7); accidental drowning (5,976, with a rate of 6.2); traumatism by firearms (2,578, with a rate of 2.7); absorption of irrespirable, irritating, or poisonous gas (2,378, with a rate of 2.5); traumatism in mines and quarries (2,308, with a rate of 2.4); and traumatism by machines (2,224, with a rate of 2.3).

The rate in 1923 from street-car accidents is 1.8, and the rate from injuries by other vehicles is 1.4, the lowest recorded since 1910. Deaths from conflagration number 1,445, with a rate of 1.5, and deaths from excessive heat number 529, with a rate of 0.5. Airplane and balloon accidents show a total of 145 deaths, with a rate of 0.1 per 100,000 estimated population.

Among the States, a notably high death rate in 1923 from accidental or undefined external causes is shown for Wyoming (195.4); of the 414 deaths reported from these causes, nearly two-thirds are due to accidents in mines (129), on railroads (72), and from automobiles (51). Next in order of high rates are those for California (108), Washington (94.6), Pennsylvania (90.9), and Florida (90.1). The lowest rates are for Mississippi (57), Nebraska (57.4), South Carolina (58), Tennessee (58.2), and Wisconsin (58.7).

AUTOMOBILE ACCIDENTS

The death rate from automobile accidents again shows an increase over the rate for the preceding year (14.9 per 100,000 estimated population in 1923 against 12.5 in 1922). The seven States showing the highest rates in 1923 are California (32.6), Wyoming (24.1), Delaware (23.9), New Jersey (19.9), Michigan (18.6), New York (17.8), and Ohio (17.6); those showing the lowest are Mississippi (4.4), Kentucky (6.7), South Carolina (6.8), and Tennessee (7.1).

Of the 62 cities showing rates for 1922 and 1923, in Table BR, 44 show increases for 1923. The cities showing the greatest increases are Reading (from 11.8 to 24.3), Wilmington, Del. (from 13 to 24.6), Cambridge (from 14.4 to 25.1), and Lowell (from 5.2 to 15.6); those showing the greatest decreases are New Bedford (from 16.5 to 6.2), Fort Worth (from 13.2 to 6.3), and Kansas City, Kans. (from 15.8 to 10.4). The highest death rates from automobile accidents in 1923 are shown for Camden (35.4), Scranton (29.2), Trenton (28.3), Paterson (27.9), and Memphis (27). Of course these rates, like all crude death rates, are simply rough indexes—not exact measures—of local conditions. Many deaths from automobile accidents charged against a city result from accidents outside city limits. On the other hand, some deaths from automobile accidents, charged to rural districts, result from accidents within city limits. The nonresident factor is also of importance. If more tourists pass through some cities than through others, more fatalities are to be expected in those cities.

In 1900, when an automobile was almost a curiosity, the mortality rate from "accidents and injuries by vehicles and horses" per 100,000 estimated population in the registration area was 1.3 (including automobile accidents)—a rate which stands in striking contrast with the rate 14.9 from automobile accidents in 1923.

A death rate from this cause in England and Wales for 1923 has been calculated by the Bureau of the Census as 4.8 per 100,000 estimated population, a marked contrast to the rate of 14.9 in the United States registration area.

One phase, which is particularly distressing, is the large number of deaths from this cause among children. In 1923, 26 per cent of the total number of deaths from automobile accidents are of children under 15 years of age, as contrasted with 7.4 per cent below that age from railroad accidents, and 11.8 per cent from street-car accidents.

The number of deaths charged by the Bureau of the Census to automobile accidents in any State or city may vary considerably from the number so charged by local officials. The rules of assignment in the Bureau of the Census are:

1. In collisions between automobiles and street cars assign the death to the heavier vehicle, i. e., the street car.

2. In collisions between automobiles and railroad trains assign the death to the heavier vehicle, i. e., the railroad train.

3. In collisions between automobiles and motorcycles assign the death to the heavier vehicle, i. e., the automobile.

If local officials charge all of these deaths against the automobile, their totals will, of course, be greater than those of the Bureau of the Census. The contributory cause table on page 91 of the report on Mortality Statistics, 1918, clearly shows how greatly totals would be changed if other rules of assignment were followed.

Deaths from motorcycles are not included in deaths from automobiles, but if included would raise the grand total for the registration area from 14,411 to 14,705 and raise the rate per 100,000 estimated population from 14.9 to 15.2.

In Table BR are given for 1917 to 1923 deaths and death rates from automobile accidents in the registration States and cities of 100,000 population or more in 1920.

Table BR

AREA	DEATHS FROM AUTOMOBILE ACCIDENTS													
	Number							Rate per 100,000 estimated population						
	1923	1922	1921	1920	1919	1918	1917	1923	1922	1921	1920	1919	1918	1917
The registration area (exclusive of Hawaii)	14,411	11,666	10,168	9,103	7,968	7,525	6,724	14.9	12.5	11.5	10.4	9.4	9.3	9.0
Registration States [1]	14,157	11,466	9,903	8,878	7,771	7,310	6,064	14.8	12.5	11.4	10.3	9.3	9.2	8.7
Cities in registration States [1]	8,948	7,446	6,535	6,121	5,263	4,942	3,890	19.6	16.9	15.3	14.7	13.5	13.1	11.9
Rural part of registration States	5,209	4,020	3,368	2,757	2,508	2,368	2,174	10.4	8.4	7.6	6.2	5.6	5.7	5.9
Registration cities in nonregistration States	254	200	265	225	197	215	660	18.5	15.6	17.9	15.6	12.7	12.0	12.4
All registration cities [1]	9,202	7,646	6,800	6,346	5,460	5,157	4,550	19.5	16.8	15.4	14.7	13.5	13.1	12.0
California	1,239	960	876	734	647	545	558	32.6	26.0	24.4	21.1	19.2	16.7	17.7
Colorado	157	159	121	117	118	120	95	15.9	16.3	12.6	12.4	12.7	13.1	10.5
Connecticut	249	216	220	218	207	184	192	16.9	14.9	15.5	15.6	15.1	13.7	14.6
Delaware	55	24	17	22	23	(2)	(2)	23.9	10.5	7.5	9.8	10.4	(2)	(2)
Florida	170	122	104	104	58	(2)	(2)	16.2	11.9	10.4	10.6	6.1	(2)	(2)
Georgia	259	215	(2)	(2)	(2)	(2)	(2)	8.6	7.2	(2)	(2)	(2)	(2)	(2)
Idaho	51	21	(2)	(2)	(2)	(2)	(2)	10.8	4.6	(2)	(2)	(2)	(2)	(2)
Illinois	1,031	1,003	887	728	522	466	(2)	15.2	15.0	13.4	11.2	8.1	7.3	(2)
Indiana	433	306	266	248	187	177	201	14.4	10.2	9.0	8.4	6.4	6.1	7.0
Iowa	242	(2)	(2)	(2)	(2)	(2)	(2)	9.8	(2)	(2)	(2)	(2)	(2)	(2)
Kansas	217	175	166	155	98	132	106	12.1	9.8	9.3	8.7	5.6	7.5	6.1
Kentucky	166	128	105	85	71	92	63	6.7	5.2	4.3	3.5	2.9	3.8	2.6
Louisiana	158	104	97	90	57	78	(2)	8.5	5.7	5.3	5.0	3.2	4.4	(2)
Maine	91	79	56	43	45	41	31	11.7	10.2	7.3	5.6	5.9	5.4	4.1
Maryland	243	224	177	142	153	167	138	16.1	15.0	12.0	9.7	10.6	11.7	9.8
Massachusetts	611	496	523	454	524	488	387	15.2	12.5	13.3	11.7	13.7	12.9	10.4
Michigan	738	574	441	419	318	257	328	18.6	14.8	11.6	11.3	8.8	7.3	9.5
Minnesota	328	260	216	178	171	185	161	13.1	10.5	8.9	7.4	7.2	7.9	7.0
Mississippi	78	60	46	39	41	(2)	(2)	4.4	3.4	2.6	2.2	2.3	(2)	(2)
Missouri	398	321	276	231	244	241	230	11.6	9.4	8.1	6.8	7.2	7.1	6.8
Montana	49	48	48	45	44	64	59	8.0	8.1	8.3	8.1	8.1	12.3	11.7
Nebraska	123	131	104	104	(2)	(2)	(2)	9.2	9.9	7.9	8.0	(2)	(2)	(2)
New Hampshire	59	49	38	50	38	22	35	13.2	11.0	8.5	11.3	8.6	5.0	8.0
New Jersey	672	543	484	405	424	393	345	19.9	16.4	14.9	12.7	13.6	12.8	11.5
New York	1,930	1,788	1,632	1,410	1,354	1,251	1,092	17.8	16.7	15.4	13.5	13.1	12.3	10.9
North Carolina	258	169	139	133	104	79	66	9.6	6.4	5.3	5.2	4.1	3.2	2.7
Ohio	1,078	818	734	717	631	661	608	17.6	13.6	12.4	12.3	11.1	11.8	11.0
Oregon	120	113	103	87	70	68	(2)	14.6	13.9	12.9	11.0	9.0	8.9	(2)
Pennsylvania	1,592	1,260	1,060	1,042	818	855	814	17.5	14.0	11.9	11.9	9.4	10.0	9.6
Rhode Island	97	93	83	78	87	70	58	15.5	15.0	13.5	12.8	14.5	11.8	9.9
South Carolina	119	76	74	91	73	62	32	6.8	4.4	4.3	5.4	4.4	3.7	2.0
Tennessee	171	160	134	130	100	82	69	7.1	6.7	5.7	5.5	4.3	3.5	3.0
Utah	60	59	53	51	37	46	32	12.6	12.6	11.5	11.3	8.3	10.5	7.4
Vermont	46	39	23	30	21	13	14	13.1	11.1	6.5	8.5	6.0	3.7	4.0
Virginia	200	137	140	97	116	103	54	8.3	5.8	6.0	4.2	5.1	4.5	2.4
Washington	240	173	202	184	148	158	118	16.7	12.3	14.5	13.5	11.0	11.9	9.1
Wisconsin	292	271	205	167	164	155	128	10.7	10.0	7.7	6.3	6.3	6.0	5.0
Wyoming	51	28	(2)	(2)	(2)	(2)	(2)	24.1	13.5	(2)	(2)	(2)	(2)	(2)
CITIES OF 100,000 POPULATION OR MORE IN 1920														
Akron	40	25	31	39	32	32	34	(3)	12.0	14.9	18.1	15.9	17.1	19.6
Albany	27	21	31	13	23	11	17	23.0	18.1	26.9	11.4	20.4	9.9	15.4
Atlanta	55	54	38	44	43	20	30	24.7	24.7	18.3	21.7	21.7	10.3	15.9
Baltimore	131	130	100	97	106	104	80	16.9	17.1	13.3	13.1	14.6	16.7	13.0
Birmingham	49	31	42	23	21	23	11	25.0	16.2	22.6	12.7	11.8	13.3	6.6
Boston	133	129	103	89	125	109	84	17.3	16.9	13.6	11.8	16.8	14.8	11.5
Bridgeport	23	28	28	30	33	22	30	(3)	19.5	19.5	20.6	23.3	16.0	22.6
Buffalo	137	106	81	104	68	90	83	25.5	20.1	15.6	20.4	13.5	18.2	17.1
Cambridge	28	16	19	22	21	14	15	25.1	14.4	17.2	20.0	19.2	12.9	13.8
Camden	44	34	27	21	26	24	11	35.4	27.9	22.6	17.9	22.6	21.2	9.9
Chicago	589	623	569	472	328	308	310	20.4	22.0	20.5	17.3	12.3	11.7	12.1
Cincinnati	102	76	79	57	67	59	57	25.1	18.8	19.6	14.2	16.7	14.8	14.3
Cleveland	203	142	148	155	126	168	137	22.8	16.6	17.8	19.2	16.0	22.0	18.6
Columbus	58	37	43	31	40	40	30	22.2	14.5	17.4	12.9	17.1	17.5	13.4
Dallas	34	27	27	29	19	13	21	18.7	15.7	16.3	18.0	12.1	10.0	16.6
Dayton	27	27	15	25	16	23	19	16.3	16.7	9.5	16.2	10.6	15.6	13.3
Denver	45	56	43	37	41	43	23	16.5	20.9	16.3	14.3	16.1	17.2	9.4
Des Moines	18	(2)	(2)	(2)	(2)	(2)	(2)	12.8	(2)	(2)	(2)	(2)	(2)	(2)
Detroit	252	176	133	175	139	125	157	(3)	17.7	13.4	17.2	14.4	13.7	18.2
Fall River	22	13	13	12	9	14	12	18.2	10.8	10.8	10.0	7.5	11.6	10.0
Fort Worth	9	16	(2)	(2)	(2)	(2)	(2)	6.3	13.2	(2)	(2)	(2)	(2)	(2)
Grand Rapids	27	23	15	16	16	9	14	18.5	16.0	10.6	11.5	11.7	6.7	10.6
Hartford	40	31	31	36	38	28	31	26.3	22.5	22.5	25.7	27.9	21.2	24.2
Houston	25	27	25	8	14	13	15	16.1	18.0	17.3	5.7	10.3	10.6	12.7
Indianapolis	53	47	40	36	26	27	31	15.5	14.0	12.3	11.3	8.4	8.9	10.5
Jersey City	37	36	36	43	40	30	23	12.0	11.8	11.9	14.3	13.5	10.2	7.9
Kansas City, Kans	12	18	12	11	11	9	9	10.4	15.8	11.6	10.8	11.0	9.2	9.3
Kansas City, Mo	86	63	67	56	42	64	56	24.4	18.3	19.9	17.1	13.1	20.5	18.4
Los Angeles	224	187	165	142	119	91	102	(3)	29.5	27.1	24.1	21.1	16.8	19.8
Louisville	66	42	35	28	19	28	22	25.6	16.4	14.8	11.9	8.1	12.0	9.4
Lowell	18	6	21	8	21	22	14	15.6	5.2	18.5	7.1	18.7	19.7	12.6
Memphis	46	42	25	43	26	19	23	27.0	25.0	15.1	26.3	17.4	12.9	15.8
Milwaukee	62	65	52	59	60	48	42	12.8	13.6	11.1	12.8	13.2	10.8	9.6
Minneapolis	60	71	49	41	38	44	43	14.7	17.7	12.5	10.7	10.1	11.9	11.9

See footnotes at end of table.

Table BR—Con.

AREA	DEATHS FROM AUTOMOBILE ACCIDENTS													
	Number							Rate per 100,000 estimated population						
	1923	1922	1921	1920	1919	1918	1917	1923	1922	1921	1920	1919	1918	1917
CITIES OF 100,000 POPULATION OR MORE IN 1920—con.														
Nashville	28	20	24	19	18	14	13	22.8	16.6	19.7	16.0	15.3	12.0	11.2
New Bedford	8	21	9	11	15	16	12	6.2	16.5	7.2	9.0	12.5	13.6	10.4
New Haven	28	33	21	29	24	28	22	16.2	19.4	12.6	17.7	14.9	17.7	14.2
New Orleans	68	46	43	50	36	29	45	16.8	11.5	10.9	12.8	9.4	7.6	12.0
New York	964	896	885	773	780	699	551	16.3	15.3	15.4	13.6	14.0	12.7	10.2
Bronx Borough	129	81	106	73	78	78	62	15.3	10.0	13.6	9.8	10.9	11.4	9.5
Brooklyn Borough	279	266	279	251	266	198	167	12.9	12.6	13.4	12.3	13.3	10.1	8.7
Manhattan Borough	474	463	420	385	368	367	272	20.9	20.4	18.4	16.9	16.1	16.0	11.8
Queens Borough	66	68	65	47	44	47	34	12.3	13.2	13.1	9.8	9.6	10.7	8.1
Richmond Borough	16	18	15	17	24	9	16	12.5	14.5	12.4	14.4	20.9	8.0	14.7
Newark, N. J.	107	81	68	77	82	62	62	24.4	18.8	16.0	18.4	19.9	15.3	15.6
Norfolk	13	11	22	20	24	14	4	8.2	8.8	18.1	17.0	21.1	12.7	3.8
Oakland	50	41	35	28	35	24	21	20.8	17.6	15.5	12.7	16.4	11.6	10.5
Omaha	40	24	23	41	28	26	23	19.6	12.0	11.7	21.2	14.8	14.0	12.6
Paterson	39	34	32	18	27	20	19	27.9	24.5	23.3	13.2	19.9	14.9	14.3
Philadelphia	294	267	190	226	191	228	169	15.3	14.1	10.2	12.3	10.6	12.8	9.6
Pittsburgh	146	123	107	98	94	105	100	23.5	20.2	17.8	16.6	16.1	18.1	17.4
Portland, Oreg	39	40	38	34	31	33	30	14.3	14.9	14.3	13.1	12.1	13.1	12.1
Providence	52	51	39	35	46	40	27	21.5	21.2	16.3	14.7	19.4	17.0	11.5
Reading	27	13	16	25	10	8	7	24.3	11.8	14.7	23.1	9.3	7.5	6.6
Richmond	26	20	19	12	10	9	10	14.4	11.2	10.8	6.9	5.9	5.4	6.1
Rochester	44	52	42	34	32	25	21	13.8	16.7	13.8	11.4	10.9	9.1	7.8
St. Louis	168	134	119	104	105	95	73	20.9	16.9	15.1	13.4	13.7	12.5	9.7
St. Paul	59	36	34	30	23	27	24	24.4	15.0	14.3	12.7	9.8	11.7	10.5
Salt Lake City	20	24	18	23	13	19	16	15.8	19.4	14.8	19.3	11.1	16.8	14.4
San Antonio	30	28	33	21	14	23	26	16.2	15.7	19.3	12.7	8.9	15.2	18.0
San Francisco	107	118	94	88	85	74	72	19.9	22.3	18.1	17.2	16.9	15.0	14.9
Scranton	41	29	25	21	20	16	14	29.2	20.7	18.0	15.2	14.6	11.7	10.3
Seattle	55	44	44	41	50	40	29	(3)	13.9	14.0	12.8	16.1	13.2	9.8
Spokane	15	10	19	18	12	10	8	14.3	9.6	18.2	17.2	11.6	9.6	7.7
Springfield, Mass	23	17	23	17	22	23	18	15.9	12.1	16.9	12.9	17.3	18.6	15.1
Syracuse	43	36	34	25	23	22	20	23.3	19.9	19.2	14.4	13.5	13.2	12.3
Toledo	63	45	37	44	34	32	26	23.4	17.3	14.6	17.8	14.2	13.8	11.5
Trenton	36	27	26	17	15	16	14	28.3	21.6	21.2	14.1	12.7	13.8	12.3
Washington, D. C.	86	64	53	50	58	55	50	18.1	14.6	12.1	11.3	13.4	13.1	12.2
Wilmington, Del	29	15	10	14	18	18	22	24.6	13.0	8.8	12.6	16.8	17.1	21.4
Worcester	33	26	37	24	25	30	27	17.2	13.8	20.0	13.2	14.0	17.2	15.8
Yonkers	17	13	17	11	18	15	10	15.8	12.3	16.5	10.9	18.2	15.5	10.5
Youngstown	37	27	36	36	36	40	36	24.6	20.4	25.7	26.7	27.7	31.9	30.0

[1] Including District of Columbia.
[2] Not added to registration area until a later date.
[3] Rates are omitted, pending the establishment of more satisfactory estimates of population.

UNKNOWN OR ILL-DEFINED DISEASES

The marked improvement in the certification of causes of death is shown in Table BS.

Although the per cent of total deaths classified as due to unknown or ill-defined diseases by no means tells the whole story in regard to certification, still it does serve as a very reliable index of the character of such certification. The per cent of certificates showing unknown or ill-defined diseases in the registration area fell steadily from 4.2 in 1900 to 0.8 in 1912. The slightly higher per cents in later years (reaching 1.4 in 1923) are largely accounted for by the addition of new territory to the registration area.

Corresponding death rates from these causes are also given to enable one to estimate more easily the probable effects of these declining rates on rates from other causes of death. (See also on p. 67 death rates from old age.)

Table BS

AREA	Year admitted	PER CENT OF TOTAL DEATHS DUE TO UNKNOWN OR ILL-DEFINED DISEASES																					
		1900	1903	1904	1905	1906	1907	1908	1909	1910	1911	1912	1913	1914	1915	1916	1917	1918	1919	1920	1921	1922	1923
Registration area [1]		4.2	2.8	2.5	2.5	2.4	2.1	2.0	1.7	1.5	0.9	0.8	1.0	0.9	0.8	1.1	1.3	1.1	1.4	1.4	1.4	1.5	1.4
California	1906					2.1	1.7	1.3	0.9	0.6	0.2	0.2	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2
Colorado	1906					1.3	1.2	0.6	0.5	0.6	0.3	0.2	0.2	0.1	0.2	0.2	0.2	0.2	0.3	0.3	0.2	0.3	0.2
Connecticut	1890	1.5	1.5	1.5	1.5	1.3	1.5	1.5	1.5	1.5	0.6	0.5	0.6	0.5	0.5	0.4	0.4	0.3	0.4	0.3	0.3	0.3	0.3
Delaware	1919																		0.3	0.3	0.4	0.2	0.2
Florida	1919																		5.5	5.1	5.3	5.2	5.3
Georgia	1922																					5.1	4.1
Idaho	1922																					2.2	1.9
Illinois	1918																	0.5	0.4	0.3	0.2	0.3	0.2
Indiana	1900	6.1	3.1	2.8	2.7	2.1	1.6	0.8	0.4	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.2	0.1
Iowa	1923																						0.6
Kansas	1914													1.8	1.7	1.5	1.3	1.1	1.1	0.9	1.2	1.1	1.0
Kentucky	1911										3.8	4.0	2.7	3.9	3.6	3.5	3.2	2.6	3.1	2.4	1.9	2.4	2.3
Louisiana	1918																	3.4	3.0	2.9	3.0	3.8	3.3
Maine	1900	5.5	4.7	4.6	3.6	4.4	3.6	2.7	2.8	3.0	1.6	1.8	1.5	1.6	1.3	1.7	1.6	1.2	1.3	1.1	1.2	1.3	1.0
Maryland	1906					4.2	4.1	4.0	3.9	4.0	1.8	1.5	1.2	1.3	1.5	1.3	1.1	0.7	1.0	0.8	0.9	0.9	0.6

[1] Exclusive of Hawaii.

Table BS—Con.

AREA	Year admitted	1900	1903	1904	1905	1906	1907	1908	1909	1910	1911	1912	1913	1914	1915	1916	1917	1918	1919	1920	1921	1922	1923
		PER CENT OF TOTAL DEATHS DUE TO UNKNOWN OR ILL-DEFINED DISEASES																					
Massachusetts	1880	3.6	2.9	2.1	2.2	2.2	2.2	2.4	1.7	1.2	0.5	0.5	0.4	0.5	0.4	0.5	0.5	0.4	0.4	0.3	0.3	0.2	0.3
Michigan	1900	4.7	3.1	3.3	3.8	3.3	3.1	2.7	2.3	2.3	1.0	1.2	0.9	0.8	0.6	0.7	0.6	0.6	0.6	0.5	0.6	0.7	0.6
Minnesota	1910	------	------	------	------	------	------	------	------	2.1	1.4	1.2	1.0	1.0	0.7	1.0	0.7	0.7	0.7	0.7	0.7	0.7	0.7
Mississippi	1919	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	11.1	10.3	10.5	10.8	10.8
Missouri	1911	------	------	------	------	------	------	------	------	------	1.7	1.6	1.5	1.4	1.6	1.5	1.3	1.1	1.4	1.4	1.2	1.2	1.1
Montana	1910	------	------	------	------	------	------	------	------	1.9	1.8	1.9	2.5	2.3	2.0	2.1	2.0	0.7	1.2	1.7	1.7	1.4	1.5
Nebraska	1920	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	1.3	1.2	1.4	1.2
New Hampshire	1890	6.0	3.2	3.1	3.2	2.6	2.7	2.4	2.0	1.8	0.7	0.5	0.7	0.5	0.4	0.5	0.4	0.2	0.5	0.3	0.3	0.3	0.3
New Jersey	1880	4.2	3.4	2.9	2.9	2.6	2.4	2.3	2.2	1.5	0.4	0.3	0.3	0.2	0.2	0.2	0.1	0.2	0.1	0.2	0.2	0.2	0.2
New York	1890	3.1	2.1	1.9	1.8	1.7	1.0	1.1	0.9	0.9	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
North Carolina [2]	1916	------	------	------	------	------	------	------	------	5.8	3.6	2.9	4.0	5.3	5.1	8.5	8.6	7.8	8.4	9.4	9.8	9.2	8.1
Ohio	1909	------	------	------	------	------	------	------	1.1	0.9	0.5	0.5	0.5	0.6	0.6	0.7	0.7	0.6	0.7	0.7	0.5	0.4	0.4
Oregon	1918	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	0.5	0.7	0.5	0.7	0.5	0.5
Pennsylvania	1906	------	------	------	------	2.8	2.6	2.4	2.3	2.3	1.0	1.0	0.9	0.7	0.6	0.5	0.5	0.4	0.4	0.4	0.4	0.4	0.4
Rhode Island	1890	2.0	1.4	1.3	1.4	1.3	1.3	1.3	1.8	1.3	0.7	0.5	0.5	0.5	0.5	0.4	0.6	0.5	0.5	0.5	0.6	0.5	0.4
South Carolina	1916	------	------	------	------	------	------	------	------	------	------	------	------	------	------	4.8	4.7	3.2	3.8	3.7	4.5	5.3	4.8
South Dakota [3]	1906	------	------	------	------	10.1	6.8	5.9	8.4	------	------	------	------	------	------	------	------	------	------	------	------	------	------
Tennessee	1917	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	6.6	4.7	5.5	5.8	6.5	6.3	6.6
Utah	1910	------	------	------	------	------	------	------	------	3.4	1.7	2.1	2.0	2.4	2.6	3.4	3.5	2.4	3.5	2.5	2.3	2.5	2.1
Vermont	1890	5.4	2.9	3.2	2.9	2.5	1.8	0.8	0.6	0.5	0.4	0.3	0.2	0.2	0.2	0.1	0.2	0.1	------	0.2	0.2	0.3	0.5
Virginia	1913	------	------	------	------	------	------	------	------	------	------	------	8.8	4.1	3.8	3.8	4.2	3.2	3.8	3.8	3.6	2.8	3.1
Washington	1908	------	------	------	------	------	------	2.2	2.2	1.8	1.5	1.6	1.4	1.3	1.5	1.2	1.0	0.9	0.8	0.9	0.9	0.9	0.7
Wisconsin	1908	------	------	------	------	------	------	2.9	2.7	2.2	0.9	0.7	0.9	0.5	0.3	0.3	0.8	0.6	0.7	0.4	0.4	0.5	0.3
Wyoming	1922	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	2.1	1.8
CERTAIN REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1900																							
New York	1880	2.2	1.9	1.5	1.6	1.4	0.9	1.0	0.8	0.9	0.1	0.1	0.1	0.1	0.1	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Philadelphia	1880	4.6	2.6	2.0	2.4	1.8	1.7	1.8	1.6	1.0	0.2	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	(4)	(4)	(4)
Chicago	1880	1.2	0.8	0.7	0.7	0.6	0.7	0.4	0.1	0.1	(4)	(4)	(4)	0.1	0.1	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Boston	1880	2.5	2.3	2.0	2.2	2.2	2.4	2.5	1.1	1.0	0.3	0.2	0.2	0.3	0.3	0.4	0.2	0.3	0.3	0.1	0.2	0.2	0.2
Cleveland	1880	10.0	3.3	2.7	2.4	2.3	2.2	2.5	0.3	0.3	0.1	(4)	0.2	0.6	0.8	1.4	1.5	1.5	1.5	1.8	0.4	0.1	0.1
Washington, D. C.	1880	2.0	2.0	1.8	1.5	1.3	1.7	1.5	1.6	1.5	0.3	0.3	0.2	0.1	0.1	0.1	0.1	0.1	(4)	0.1	0.1	(4)	(4)
Baltimore	1880	4.1	3.3	2.6	3.1	3.1	2.7	3.1	3.0	2.7	1.1	0.8	0.3	0.2	0.3	0.1	0.1	0.1	(4)	0.1	0.1	(4)	(4)
St. Louis	1880	4.2	2.7	2.1	1.9	1.8	1.6	1.6	1.2	0.4	0.1	(4)	0.1	0.1	(4)	(4)	(4)	(4)	0.1	0.1	(4)	0.1	(4)
Cincinnati	1880	5.1	2.2	1.9	2.0	2.2	1.8	0.9	0.9	0.4	0.2	(4)	(4)	0.1	(4)	0.6	------	0.1	0.1	0.2	0.2	(4)	0.1
New Orleans	1880	4.7	2.8	2.4	1.9	1.9	2.1	1.9	2.2	0.5	(4)	(4)	(4)	------	(4)	------	(4)	(4)	0.1	(4)	(4)	------	(4)
		DEATH RATE FROM UNKNOWN OR ILL-DEFINED DISEASES PER 100,000 ESTIMATED POPULATION																					
Registration area [1]	------	73.8	44.9	42.0	40.1	38.2	33.0	28.9	24.5	23.1	12.2	11.5	14.1	12.1	11.4	15.2	18.2	19.2	18.3	17.7	16.0	17.7	17.2
California	1906	------	------	------	------	29.3	25.1	19.0	12.0	8.5	2.3	2.4	1.8	2.0	2.5	1.6	1.7	2.5	1.7	1.4	1.8	2.1	3.0
Colorado	1906	------	------	------	------	17.6	17.6	8.5	7.0	8.0	3.7	2.3	2.1	0.8	2.6	2.7	2.4	3.6	4.1	3.8	2.6	4.5	2.9
Connecticut	1890	27.6	24.0	23.4	24.8	21.2	24.3	21.6	22.4	23.5	9.2	7.4	9.3	8.0	7.0	6.6	5.8	6.6	5.1	4.0	3.2	3.1	3.3
Delaware	1919	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	5.0	4.0	5.7	3.1	2.2
Florida	1919	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	68.3	66.3	62.7	63.5	71.7
Georgia	1922	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	53.2	46.7
Idaho	1922	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	17.6	13.2
Illinois	1918	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	8.0	4.4	3.5	2.2	3.1	3.0
Indiana	1900	86.5	38.0	39.1	35.9	27.4	20.2	9.9	5.3	3.7	1.7	1.1	1.4	1.1	1.0	0.7	1.1	2.3	2.3	1.7	1.9	2.0	1.2
Iowa	1923	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	6.2
Kansas	1914	------	------	------	------	------	------	------	------	------	------	------	------	18.7	17.8	17.1	14.8	17.2	11.7	10.5	12.1	11.7	10.8
Kentucky	1911	------	------	------	------	------	------	------	------	------	49.7	51.1	35.0	50.9	44.6	44.7	44.4	43.6	39.2	28.6	19.5	26.1	27.5
Louisiana	1918	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	62.4	38.2	34.8	33.6	42.5	40.1
Maine	1900	93.4	74.6	76.0	58.0	69.7	58.8	41.8	42.9	50.6	25.2	27.8	23.7	25.3	21.0	27.3	25.3	22.1	19.3	16.2	17.1	19.4	14.7
Maryland	1906	------	------	------	------	68.0	67.3	63.9	59.7	63.3	28.3	23.8	19.9	20.8	23.4	21.4	18.8	15.9	14.8	11.0	11.6	11.7	8.7
Massachusetts	1880	65.6	48.1	33.5	36.7	36.3	37.9	37.5	25.7	19.7	7.5	6.8	5.8	6.9	6.0	7.0	7.9	8.8	5.1	4.6	4.2	3.1	3.4
Michigan	1900	66.6	41.6	45.3	51.0	45.8	42.0	36.6	30.7	32.6	13.6	14.8	12.0	10.1	8.0	9.3	8.7	8.5	8.1	6.6	7.1	7.9	7.5
Minnesota	1910	------	------	------	------	------	------	------	------	22.7	14.8	11.8	10.9	10.2	7.6	10.9	6.9	8.9	6.8	7.2	6.3	6.4	6.7
Mississippi	1919	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	140.1	126.7	117.3	117.2	123.3
Missouri	1911	------	------	------	------	------	------	------	------	------	23.0	20.7	19.2	17.1	19.6	20.2	18.0	18.1	16.5	17.0	12.6	13.2	13.6
Montana	1910	------	------	------	------	------	------	------	------	20.3	17.9	19.0	28.9	24.6	21.8	25.3	26.6	11.5	13.3	15.8	13.7	12.1	11.6
Nebraska	1920	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	13.3	11.3	12.7	11.6
New Hampshire	1890	111.1	53.8	51.0	54.8	46.8	46.6	40.8	34.5	30.9	11.8	8.5	12.2	7.6	6.2	7.5	7.3	5.2	7.5	5.2	4.7	3.8	5.1
New Jersey	1880	75.1	53.4	48.3	45.4	41.9	38.1	34.6	32.1	23.4	5.6	4.6	3.8	3.5	2.3	2.8	2.1	3.4	1.9	2.1	2.0	2.5	2.4
New York	1890	56.5	34.2	34.1	30.9	28.0	17.2	17.2	13.7	14.0	1.9	2.1	1.5	1.9	1.9	1.8	1.6	2.2	1.4	1.3	1.2	1.0	1.4
North Carolina [2]	1916	------	------	------	------	------	------	------	------	------	------	------	------	------	------	110.0	118.8	133.0	102.0	118.8	110.2	107.0	97.0
Ohio	1909	------	------	------	------	------	------	------	14.4	11.7	6.1	7.1	7.3	7.1	7.3	9.1	10.1	10.9	8.3	8.9	5.3	4.9	4.7
Oregon	1918	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	6.0	8.1	6.0	6.9	6.0	5.1
Pennsylvania	1906	------	------	------	------	44.1	41.2	36.3	33.9	35.1	13.9	13.8	12.6	10.5	8.6	6.8	7.1	8.5	6.0	6.1	4.8	5.1	4.9
Rhode Island	1890	40.3	27.2	22.6	23.1	22.1	22.3	20.2	27.6	22.2	10.7	8.4	8.2	7.0	7.8	6.7	9.0	9.9	7.3	7.1	7.2	6.9	6.1
South Carolina	1916	------	------	------	------	------	------	------	------	------	------	------	------	------	------	66.2	68.8	62.7	51.8	52.1	54.0	64.2	56.5
South Dakota [3]	1906	------	------	------	------	85.2	61.5	54.7	71.3	------	------	------	------	------	------	------	------	------	------	------	------	------	------
Tennessee	1917	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	88.4	75.1	67.5	69.7	69.0	68.1	78.9
Utah	1910	------	------	------	------	------	------	------	------	36.8	17.8	21.2	22.1	24.4	26.8	36.0	38.2	34.3	38.2	28.2	24.3	25.8	20.1
Vermont	1890	89.6	46.3	51.0	50.0	41.2	29.5	13.3	9.0	7.9	6.2	4.5	3.1	3.7	2.5	1.4	3.1	1.7	------	3.4	2.8	5.1	7.4
Virginia	1913	------	------	------	------	------	------	------	------	------	------	------	121.2	56.8	52.5	55.1	59.9	61.9	52.1	49.8	43.7	33.4	40.0
Washington	1908	------	------	------	------	------	------	20.4	21.3	17.9	14.0	13.4	13.1	12.0	14.0	11.1	9.4	12.1	8.2	10.0	8.5	8.7	6.8
Wisconsin	1908	------	------	------	------	------	------	34.0	32.3	26.6	10.2	8.4	10.8	5.1	2.7	3.1	8.3	7.5	7.4	4.9	4.3	4.6	3.0
Wyoming	1922	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	19.3	18.4

[1] Exclusive of Hawaii.
[2] From 1910 to 1916 returns were received only from municipalities of 1,000 population or more.
[3] Dropped from the registration area in 1910.
[4] Less than one-tenth of 1 per cent.

Table BS—Con.

AREA	Year admitted	1900	1903	1904	1905	1906	1907	1908	1909	1910	1911	1912	1913	1914	1915	1916	1917	1918	1919	1920	1921	1922	1923
		DEATH RATE FROM UNKNOWN OR ILL-DEFINED DISEASES PER 100,000 ESTIMATED POPULATION																					
CERTAIN REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1900																							
New York	1880	44.8	33.4	31.1	28.6	24.9	17.0	16.2	12.4	15.2	1.5	1.3	1.0	0.8	0.8	0.7	0.4	0.8	0.4	0.4	0.5	0.4	0.4
Philadelphia	1880	96.2	48.4	37.5	42.3	33.7	32.3	31.1	25.8	17.5	3.0	2.1	2.9	2.4	1.5	0.9	1.4	1.7	1.0	1.1	0.5	0.4	0.5
Chicago	1880	18.2	12.3	10.2	10.2	8.5	11.2	5.2	1.1	1.6	0.4	0.4	0.6	1.0	0.8	0.4	0.2	0.7	0.5	0.1	0.2	0.2	0.1
Boston	1880	50.5	42.5	36.2	41.3	40.3	44.9	45.0	18.7	17.3	5.9	4.0	3.0	4.9	5.0	7.3	4.2	6.4	4.8	2.3	2.8	2.9	2.7
Cleveland	1880	176.3	53.7	40.2	33.0	34.4	33.8	33.4	4.0	4.1	1.9	0.3	2.2	7.4	10.0	19.1	22.5	26.0	19.2	21.8	4.2	1.1	1.2
Washington, D. C.	1880	44.9	39.3	38.0	31.4	25.7	35.1	28.3	30.0	29.4	5.5	5.1	3.5	1.9	2.1	1.8	1.2	1.4	0.5	1.6	1.4	0.7	0.6
Baltimore	1880	87.1	64.4	53.3	61.6	61.2	55.7	59.5	55.7	52.1	20.6	14.2	6.3	3.5	5.0	2.5	1.9	3.2	0.7	0.8	0.8	0.4	0.5
St. Louis	1880	75.1	50.0	39.4	31.6	29.1	24.9	23.5	19.0	6.8	1.1	0.3	1.0	1.4	0.4	0.7	0.1	0.4	1.2	1.3	0.4	0.8	0.5
Cincinnati	1880	92.1	40.7	38.8	37.3	44.7	32.7	17.0	15.0	6.9	2.7	0.3	0.8	2.3	0.8	10.9	------	1.3	1.0	3.7	2.2	0.7	1.0
New Orleans	1880	124.4	61.6	52.2	44.9	41.4	49.9	42.2	44.8	10.0	0.3	0.6	0.3	------	0.3	------	0.5	0.8	1.6	0.3	0.3	------	0.2

ANESTHETICS

A death connected with surgical anesthesia is usually charged to the condition (when known) for which the operation is performed. Tables BT and BU, however, include every case where any anesthetic was stated on the death certificate as a cause or as a contributory cause of death. The total number of such cases in 1923 is 474, with a rate of 0.5 per 100,000 population. The corresponding 1922 rate in England and Wales, where chloroform is used much more than in this country, is 0.9.

Table BT

DEATHS UNDER OR CONNECTED WITH THE ADMINISTRATION OF ANESTHETICS, IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1923

AGE AND SEX	Total	Chloroform	Ether	Ether and chloroform	Ether and gas	Ether and nitrous oxid	Gas, not specified	Carbon monoxid and oxygen	Nitrous oxid	Oxygen gas	Cocain	Novocain	Anesthesia, not specified
All ages—Males	220	7	134	----	2	3	5	1	5	2	1	1	59
All ages—Females	254	10	155	1	----	1	3	----	6	2	1	5	70
Under 1 year—M	5	----	2	----	----	----	----	----	----	----	----	----	3
Under 1 year—F	3	----	1	----	----	----	----	----	----	----	----	----	2
1 year—M	7	2	4	----	----	----	----	----	----	----	----	----	1
1 year—F	2	----	1	----	----	----	----	----	----	----	----	----	1
2 years—M	5	1	1	----	----	----	----	----	----	----	----	----	3
2 years—F	6	----	5	----	----	----	----	----	----	----	----	----	1
3 years—M	4	----	4	----	----	----	----	----	----	----	----	----	----
3 years—F	5	1	4	----	----	----	----	----	----	----	----	----	----
4 years—M	4	----	1	----	----	----	----	----	----	----	----	----	3
4 years—F	1	----	1	----	----	----	----	----	----	----	----	----	----
Under 5 years—M	25	3	12	----	----	----	----	----	----	----	----	----	10
Under 5 years—F	17	1	12	----	----	----	----	----	----	----	----	----	4
5 to 9 years—M	17	----	14	----	----	----	----	----	----	----	----	----	3
5 to 9 years—F	11	2	2	----	----	----	----	----	----	----	----	----	7
10 to 14 years—M	6	----	4	----	----	----	----	----	----	----	----	----	2
10 to 14 years—F	6	----	4	----	----	----	----	----	----	----	----	1	1
15 to 19 years—M	9	----	8	----	----	----	----	----	----	----	----	----	1
15 to 19 years—F	15	1	3	----	----	1	----	----	1	1	1	2	5
20 to 24 years—M	15	----	8	----	----	1	----	----	1	----	----	1	4
20 to 24 years—F	27	----	15	----	----	----	1	----	----	----	----	1	10
25 to 29 years—M	24	2	11	----	----	----	2	1	2	----	1	----	5
25 to 29 years—F	30	4	18	1	----	----	----	----	----	1	----	1	5
30 to 34 years—M	22	----	17	----	----	----	----	----	----	----	----	----	5
30 to 34 years—F	28	2	12	----	----	----	2	----	1	----	----	----	11
35 to 39 years—M	12	1	7	----	1	----	1	----	----	----	----	----	2
35 to 39 years—F	26	----	18	----	----	----	----	----	2	----	----	----	6
40 to 44 years—M	16	----	11	----	----	----	----	----	1	1	----	----	3
40 to 44 years—F	24	----	15	----	----	----	----	----	1	----	----	----	8
45 to 49 years—M	15	----	10	----	----	1	1	----	----	----	----	----	3
45 to 49 years—F	14	----	10	----	----	----	----	----	----	----	----	----	4
50 to 54 years—M	15	----	9	----	----	----	----	----	----	----	----	----	6
50 to 54 years—F	18	----	16	----	----	----	----	----	----	----	----	----	2
55 to 59 years—M	14	----	9	----	----	----	----	----	----	----	----	----	5
55 to 59 years—F	10	----	8	----	----	----	----	----	1	----	----	----	1
60 to 64 years—M	10	1	4	----	----	1	1	----	1	----	----	----	2
60 to 64 years—F	13	----	10	----	----	----	----	----	----	----	----	----	3
65 to 69 years—M	11	----	6	----	----	----	----	----	----	1	----	----	4
65 to 69 years—F	8	----	6	----	----	----	----	----	----	----	----	----	2
70 to 74 years—M	2	----	2	----	----	----	----	----	----	----	----	----	----
70 to 74 years—F	6	----	5	----	----	----	----	----	----	----	----	----	1
75 to 79 years—M	5	----	2	----	----	----	----	----	----	----	----	----	3
75 to 79 years—F	1	----	1	----	----	----	----	----	----	----	----	----	----
80 to 84 years—M	2	----	----	----	1	----	----	----	----	----	----	----	1

Table BU

DEATHS UNDER OR CONNECTED WITH THE ADMINISTRATION OF ANESTHETICS IN THE REGISTRATION AREA:[1] 1923

DETAILED INT. LIST NO. OF— Cause for which anesthetic was given	Assignment when different from col. 1	CONDITION FOR WHICH ANESTHETIC WAS GIVEN	Sex	Age in years
31	------	Pulmonary tuberculosis	F	25.
34	------	Tuberculosis of spine	M	19.
35	------	Tuberculosis of ankle joint	M	50.
36c	------	Tuberculosis of cervical glands	M	53.
36c	------	Tuberculosis of glands	F	30.
36c	------	Tuberculous adenitis	F	8 days.
36d	------	Tubercular testicle	M	31.
38	------	Specific infection of pelvic organs	F	24.
40	------	Gonorrhea	F	19, 25.
40	------	Gonorrheal salpingitis	F	21, 23, 28, 28.
41	181	Infected thumb	M	37.
43b	------	Cancer of tongue	M	55.
44c	------	Carcinoma of stomach	M	33, 61.
44d	------	Cancer of liver	M	68.
			F	74.
45c	------	Carcinoma of rectum	M	71.
46b	------	Cancer of uterus	F	32, 51, 66, 71.
49c	------	Cancer of pancreas	M	68.
			F	64.
49x	------	Carcinomatosis of cervical lymph-gland	M	51.
50	------	Papilloma of larynx	M	7.
50	------	Dermoid cyst of neck	F	41.
50	------	Parotid tumor	F	51.
51	------	Toxic condition of blood stream—Rheumatism.	M	22.
52	------	Artbritis	M	25, 41.
			F	25, 61.
52	88	Arthritis deformans	F	6.
52	------	Polyarthritis	F	32.
57	------	Diabetic gangrene	M	43.
			F	38.
60a	------	Exophthalmic goiter	F	21, 23, 24, 25, 43, 55.
60b	------	Goiter	M	77.
			F	10, 16, 22, 27, 28, 31, 50, 53.
62	------	Removal of part of thymus gland	M	1.
77	------	Violent mental derangement	M	33.
82	------	Facial neuralgia	M	63.
85	90	Evisceration of eye	F	36.
85	------	Removal of eye	F	76.
86a	------	Otitis media	F	6.
86b	------	Mastoiditis	M	8 mo., 29, 62.
86b	11b	Mastoiditis	F	8.
86b	------	Mastoiditis	F	16, 20, 24, 48.
93	------	Piles	M	65.
93	------	Varicose veins	F	34, 57.
94	------	Infection of cervical glands	F	5 mo.
97a	------	Deflected septum	F	24.
97a	------	Nasal obstruction	F	35.
97b	------	Disease of maxillary sinus	M	34.
97b	------	Frontal sinusitis	M	31.
97b	------	Empyema of maxillary sinus	F	73.
97b	------	Sinusitis	F	43.
98	------	Relief of abductor paralysis of vocal cords	F	60.
102	------	Empyema	M	21.
108	181	Extraction of teeth	M	6, 23, 29, 39, 62.
			F	24, 32, 32, 41, 43, 43.
108	11a	Extraction of teeth	F	27.
108	57	Extraction of teeth	F	38.
108	88	Extraction of teeth	F	37.
108	90	Extraction of teeth	F	68.

[1] Exclusive of Hawaii.

Table BU—Con.

DEATHS UNDER OR CONNECTED WITH THE ADMINISTRATION OF ANESTHETICS IN THE REGISTRATION AREA:[1] 1923

DETAILED INT. LIST NO. OF— Cause for which anesthetic was given	Assignment when different from col. 1	CONDITION FOR WHICH ANESTHETIC WAS GIVEN	Sex	Age in years
108	101a	Extraction of teeth	M	32.
108	107c	Extraction of teeth	M	36.
108		Infection after extraction of tooth	M	23.
108		Tumor of jaw due to swelling caused by ulcerated tooth.	M	26.
109a		Adenoids	M	5 mo., 6.
109b		Abscess of tonsil	M	38.
109b		Adenoids and tonsils	M	11.
109b		Circumcision and hypertrophied tonsils	M	11.
109b		Circumcision and tonsillectomy	M	7.
109b		Peritonsillar abscess	M	27, 27, 47.
109b		Pharyngeal abscess	M	2.
109b		Pus tonsils	F	7.
109b		Teeth and tonsils	F	31.
109b		Tonsillectomy	M	2, 3, 3, 4, 4, 4, 5, 5, 5, 5, 6, 6, 8, 10, 15, 18, 18, 19, 21, 21, 25, 27, 28, 29, 29, 30, 30, 31, 31, 34, 43, 45, 51.
109b		Tonsillectomy	F	2, 2, 2, 3, 3, 3, 4, 5, 6, 7, 8, 8, 9, 9, 11, 11, 12, 14, 16, 16, 19, 19, 19, 20, 21, 21, 21, 22, 22, 25, 25, 31, 35, 39, 42, 45, 62.
109b	60a	Tonsillectomy	F	22.
111a		Perforating ulcer of the stomach and chronic appendicitis.	M	26.
111a		Ulcer of stomach	M	10 mo., 34, 41, 59, 65.
			F	45.
111b		Ulcer of duodenum	M	48, 50.
112		Stenosis of pylorus	M	76.
117		Appendictomy	M	3, 5, 5, 7, 22, 22, 23, 23, 23, 24, 25, 25, 26, 27, 28, 28, 29, 30, 30, 30, 34, 35, 35, 40, 42, 42, 42, 43, 44, 47, 49, 52, 53, 55, 55, 57, 58, 68, 71.
			F	10, 17, 18, 18, 21, 26, 27, 27, 36, 36, 42, 50, 55, 60.
117		Appendicitis and cholelithiasis	F	34.
117		Appendicitis and chronic inflammation of gall bladder.	M	26.
117		Chronic appendicitis, abscess of mesentery, and obstruction of bowel.	F	31.
117		Chronic appendicitis and duodenal ulcer	M	37.
117		Subacute appendicitis, acute cholecystitis, acute pancreatitis.	F	25.
118a		Hernia	M	32, 47, 47, 48, 51, 66, 67.
			F	36.
118a		Diaphragmatic hernia	F	25.
118a		Incarcerated umbilical hernia	F	35.
118a		Inguinal hernia	M	1, 17, 28, 35, 45, 47.
			F	42.
118a		Strangulated femoral hernia	M	56, 75.
118a		Strangulated inguinal hernia	M	54.
			F	54.
118a		Strangulated umbilical hernia	F	71.
118a		Strangulated hernia	M	3 mo., 25, 45, 45, 58, 68, 81.
			F	66, 70.
118a		Ventral hernia	F	32, 40, 53, 53.
118a		Umbilical hernia	F	46.
118b		Intestinal adhesions	F	64.
118b		Intestinal obstruction	M	40, 65.
			F	2, 42, 49, 62, 64.
119	90	Dilatation of rectal sphincter	F	59.
119		Fistula in ano	F	53.
119		Stricture of rectum	F	34.
122b		Cirrhosis of the liver	M	20.
123		Gallstones	M	23, 33, 47, 54, 59, 64.
			F	30, 35, 37, 39, 43, 47, 49, 53, 54, 55, 57, 63, 66, 66.
123	31	Gallstones	F	38.
124		Cholecystectomy, chronic nephritis, cystic goiter.	M	58.
124		Cholecystitis	M	16, 24, 40, 42, 54, 58.
			F	34, 54, 56.
124		Empyema of gall bladder	F	33.
131	129	Decapsulation of kidney	F	49.

Table BU—Con.

DEATHS UNDER OR CONNECTED WITH THE ADMINISTRATION OF ANESTHETICS IN THE REGISTRATION AREA:[1] 1923

DETAILED INT. LIST NO. OF— Cause for which anesthetic was given	Assignment when different from col. 1	CONDITION FOR WHICH ANESTHETIC WAS GIVEN	Sex	Age in years
131		Disease of kidney	M	37.
132		Lithotomy	M	53.
132		Stone in ureter	M	26.
132		Vesical calculus	M	42.
133		Dilatation of urethral canal for retention of urine.	M	58.
134a	31	Stricture of urethra	M	53.
134b		Rupture of urethra	M	62.
135		Hypertrophy of prostate	M	63, 79.
135		Prostatectomy	M	62, 63, 68, 69 78, 84.
136	181	Circumcision	M	1, 1, 11.
137		Ovarian cyst	F	18, 25, 28, 36, 39, 45, 50.
137		Ovarian tumor	F	47.
138		Bilateral salpingitis and appendicitis	F	21, 40.
138		Chronic salpingitis and pelvic abscess	F	38.
138		Pus tubes	F	30.
138		Pyosalpinx	F	16.
138		Salpingectomy	F	27.
138		Salpingitis, ovarian cyst, and appendicitis	F	31.
138		Tuboovarian abscess	F	22.
139		Tumor of uterus	F	20, 29, 32, 33, 33, 34, 37, 37, 39, 39, 41, 42, 43, 44, 44, 44, 44, 48, 48, 49, 49, 51, 58, 63, 65
139		Fibroid of uterus, hysterectomy, and appendectomy.	F	51.
141		Chronic endometritis	F	24.
141		Chronic pelvic inflammatory disease	F	28, 38
141		Currettement, irrigation	F	33
141		Hematoma of Fallopian tube	F	27
141		Perineal laceration	F	61
141		Procidentia of uterus	F	65, 72.
141		Prolapse of uterus	F	40, 42, 43, 50, 58, 63.
141		Uterine trouble	F	22.
143a		Abortion	F	31.
143a		Curettement following miscarriage	F	25.
143b		Double ectopic pregnancy	F	33.
143b		Extrauterine pregnancy, ruptured	F	26.
143c		Dead fetus in utero	F	28.
143c		Pernicious vomiting of pregnancy	F	19.
144		Placenta praevia	F	40.
145a		Cesarean section	F	29, 29.
145b		Instrumental delivery	F	22, 25, 26, 36.
145b		Delivery of hydrocephalic child	F	23.
145c		Childbirth	F	29, 34.
145c		Version	F	31.
146		Septic gall-bladder infection from self-induced abortion.	F	39.
148		Parenchymatous nephritis and pregnancy	F	36.
148		Toxemia and incomplete abortion	F	18.
153	181	Abscess on neck	M	38.
			F	3.
155		Osteomyelitis	M	13, 16, 35.
			F	3.
155	90	Osteomyelitis of foot	M	60.
156		Suppuration arthritis of knee	M	58.
158		Clubfoot	M	15.
158	181	Fibrous adhesions of both knees	M	52.
158	181	Muscular pseudohypertrophy	M	11.
159c		Cleft palate	M	1, 2.
			F	8 mo., 1, 2.
159c		Cleft palate and harelip	M	8 days, 2, 43.
159c		Congenital clubfoot	M	4.
159c		Congenital hernia	M	1.
159c		Congenital malformation of bladder and penis.	M	3.
159c		Harelip	M	1.
179e		Skin grafting for burns	M	7.
179e		Stricture of the esophagus, accidentally swallowing lye some years ago.	M	41.
185d		Accidental fall	F	1, 50, 60, 69.
187d		Foundry accident	M	32.
187d		Machine-shop accident	M	26.
188a		Fall from hand car on Union Pacific track	M	56.
188c		Fall from auto truck	M	47.
188g		Crushing accident	M	2, 33, 51.
201		Broken femur (accident)	M	6.
201		Fracture of pelvis	M	31.
201	38	Grafting bone for old ununited fracture	M	35.
205	100a	Unspecified	F	21, 59.
205	181	Unspecified	M	5, 31, 49.
			F	2, 33, 51.

ADJUSTED AND SPECIFIC RATES FOR WHITE AND COLORED

Tables BV and BW contrast adjusted and crude mortality rates of the white, colored, Negro, Indian, Chinese, and Japanese in the registration States of 1920.

The lowest adjusted rate for both sexes, 1,125.4 per 100,000 estimated population, appears for the white, and the highest adjusted rate, 1,981.9, for the Chinese.

Next to the white come the Japanese with an adjusted rate of 1,317.8, then the Negro with a rate of 1,946.1, and the Indian with a rate of 1,972.2.

Higher rates are found for the Chinese than for the white for every age period. Higher rates are found for the Negro than for the white for every age period up to 75 years; higher rates for the Japanese than for the white are found for every age period except 35 to 44 and 75 years and over; and, for the Indian, in every age period up to 65.

Tuberculosis is one of the principal causes of the comparatively high rates of each of the colored races, though many other causes are also responsible, cancer, suicide, and diseases of the circulatory system among the Chinese being particularly noteworthy.

As most of the rates in Table BW are crude rates based on the entire population, interpretation of the figures should only be made after careful consideration of the populations and the number of deaths involved. For example, the very low Chinese rate (11.3) from the puerperal state is due entirely to the fact that females aged 15 to 44 years form such a small part of the total Chinese population.

Similarly, the low rates from malformations, early infancy, and old age among the Chinese are accounted for by the small proportions of infants and old persons in the Chinese population. (See Table BX.)

Table BV — DEATHS FROM ALL CAUSES (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION STATES OF 1920:[1] 1923

SEX AND AGE	Number							Rate per 100,000 estimated population						
	Total	White	Colored	Negro	Indian	Chinese	Japanese	Total	White	Colored	Negro	Indian	Chinese	Japanese
BOTH SEXES														
All ages	1,109,386	980,294	129,092	124,287	2,121	1,214	1,371							
Adjusted rate								1,188.4	1,125.4	1,933.9	1,946.1	1,972.2	1,981.9	1,317.8
Crude rate								1,240.0	1,193.5	1,761.7	1,764.2	2,160.7	2,278.3	1,142.5
Under 1 year	154,039	132,583	21,456	20,506	417	92	432	8,634.6	8,120.1	14,190.5	14,358.5	15,879.7	16,942.9	8,444.1
1 to 4 years	62,270	52,860	9,410	8,848	283	41	234	814.3	750.7	1,554.1	1,532.9	2,728.2	2,060.3	1,499.6
Under 5 years	216,309	185,443	30,866	29,354	700	133	666	2,293.7	2,137.9	4,079.1	4,076.7	5,385.0	5,250.7	3,214.3
5 to 9 years	22,600	20,014	2,586	2,426	96	16	48	241.3	234.6	310.7	300.0	751.3	717.8	565.2
10 to 14 years	16,638	14,189	2,449	2,323	100	9	17	191.3	180.0	300.2	290.5	886.3	505.6	598.0
15 to 19 years	26,485	20,933	5,552	5,377	119	25	29	354.9	310.1	780.7	775.9	1,174.8	1,039.1	611.4
20 to 24 years	34,529	26,544	7,985	7,776	93	46	54	462.4	393.6	1,102.8	1,113.2	1,164.5	1,083.4	516.3
25 to 34 years	75,475	60,967	14,508	14,062	155	112	146	514.0	450.7	1,254.0	1,273.7	1,298.6	1,300.4	511.2
35 to 44 years	91,634	76,133	15,501	15,054	127	120	186	738.7	669.8	1,493.3	1,526.6	1,218.0	1,296.9	616.5
45 to 54 years	113,746	97,906	15,840	15,394	119	163	157	1,209.2	1,126.9	2,204.6	2,238.1	1,419.5	1,636.2	1,365.3
55 to 64 years	145,872	133,688	12,184	11,692	157	277	52	2,437.2	2,357.8	3,864.0	3,911.0	2,707.8	3,232.6	2,838.4
65 to 74 years	175,351	164,933	10,418	10,009	164	226	14	5,641.9	5,609.7	6,206.8	6,220.2	4,476.0	7,508.3	6,965.2
75 years and over	189,278	178,624	10,654	10,284	282	85	2	14,086.9	14,091.2	14,015.3	14,070.1	11,619.3	18,599.6	10,000.0
Unknown age	1,469	920	549	536	9	2								
MALES														
All ages	590,981	523,914	67,067	63,971	1,084	1,079	848							
Adjusted rate								1,258.8	1,199.2	1,951.7	1,966.0	1,971.1	2,279.0	1,535.5
Crude rate								1,302.0	1,256.5	1,814.7	1,818.9	2,145.1	2,398.3	1,164.1
Under 1 year	87,036	75,229	11,807	11,302	223	56	220	9,651.8	9,097.8	15,770.4	15,974.8	16,641.8	21,621.6	8,917.7
1 to 4 years	33,177	28,253	4,924	4,632	142	21	127	857.2	791.7	1,632.6	1,609.9	2,753.5	2,089.6	1,683.5
Under 5 years	120,213	103,482	16,731	15,934	365	77	347	2,519.1	2,354.2	4,444.2	4,444.9	5,618.0	6,091.8	3,466.2
5 to 9 years	12,278	11,011	1,267	1,190	46	8	23	259.8	255.5	304.8	294.6	728.1	672.3	555.4
10 to 14 years	9,106	7,945	1,161	1,100	46	6	9	207.7	199.7	286.2	276.8	813.9	573.6	631.1
15 to 19 years	13,237	10,847	2,390	2,295	62	20	12	358.6	323.6	704.6	698.7	1,221.4	1,101.9	384.1
20 to 24 years	16,962	13,172	3,790	3,672	44	38	21	472.8	405.1	1,127.3	1,142.9	1,057.7	1,085.7	459.9
25 to 34 years	38,284	31,141	7,143	6,861	71	101	79	520.7	457.7	1,301.9	1,328.9	1,124.0	1,402.2	515.8
35 to 44 years	50,502	42,403	8,099	7,759	59	111	157	783.6	717.4	1,515.8	1,564.9	1,060.8	1,366.0	685.5
45 to 54 years	64,076	55,472	8,604	8,242	66	152	137	1,277.1	1,207.4	2,034.6	2,066.2	1,422.1	1,645.6	1,472.6
55 to 64 years	81,286	74,841	6,445	6,029	96	266	50	2,588.0	2,527.8	3,575.3	3,603.2	3,076.9	3,274.7	3,246.8
65 to 74 years	93,713	88,050	5,663	5,340	89	219	11	5,914.8	5,896.8	6,209.2	6,192.8	4,679.3	7,662.7	6,666.7
75 years and over	90,413	84,964	5,449	5,232	135	79	2	14,421.7	14,396.9	14,818.7	14,861.9	12,107.6	18,676.1	16,666.7
Unknown age	911	586	325	317	5	2								
FEMALES														
All ages	518,405	456,380	62,025	60,316	1,037	135	523							
Adjusted rate								1,124.0	1,057.7	1,916.9	1,927.0	1,974.5	1,710.4	1,144.3
Crude rate								1,176.3	1,128.5	1,707.8	1,709.7	2,177.2	1,627.5	1,109.2
Under 1 year	67,003	57,354	9,649	9,204	194	36	212	7,594.9	7,116.9	12,640.8	12,771.8	15,085.5	12,676.1	8,003.0
1 to 4 years	29,093	24,607	4,486	4,216	141	20	107	770.4	708.6	1,476.2	1,456.3	2,703.2	2,030.5	1,327.5
Under 5 years	96,096	81,961	14,135	13,420	335	56	319	2,062.8	1,915.7	3,717.6	3,711.7	5,152.3	4,412.9	2,978.8
5 to 9 years	10,322	9,003	1,319	1,236	50	8	25	222.5	213.2	316.5	305.3	774.0	770.0	574.6
10 to 14 years	7,532	6,244	1,288	1,223	54	3	8	174.6	159.9	314.0	304.0	959.0	408.7	564.6
15 to 19 years	13,248	10,086	3,162	3,082	57	5	17	351.3	296.7	850.1	845.4	1,128.0	846.0	1,050.0
20 to 24 years	17,567	13,372	4,195	4,104	49	8	33	452.8	382.9	1,081.6	1,088.0	1,280.7	1,072.4	559.9
25 to 34 years	37,191	29,826	7,365	7,201	84	11	67	507.2	443.6	1,210.9	1,225.2	1,494.9	780.1	505.9
35 to 44 years	41,132	33,730	7,402	7,295	68	9	29	690.1	618.2	1,469.5	1,487.8	1,397.7	798.6	399.0
45 to 54 years	49,670	42,434	7,236	7,152	53	11	20	1,131.6	1,036.6	2,447.8	2,475.5	1,416.4	1,517.2	910.7
55 to 64 years	64,586	58,847	5,739	5,663	61	11	2	2,270.7	2,172.0	4,249.3	4,302.2	2,277.8	2,466.4	684.9
65 to 74 years	81,638	76,883	4,755	4,669	75	7	3	5,358.2	5,313.3	6,204.1	6,251.8	4,256.5	4,605.3	8,333.3
75 years and over	98,865	93,660	5,205	5,052	147	6		13,794.1	13,824.9	13,262.5	13,334.4	11,204.3	17,647.1	
Unknown age	558	334	224	219	4									

[1] Including District of Columbia; for States included, see Table A, p. 7.

NOTE.—Unknown ages are not distributed, except for adjusted rates; for explanation of these rates, see p. 10.

Table BW

CAUSE OF DEATH	DEATH RATE PER 100,000 ESTIMATED POPULATION IN THE REGISTRATION STATES OF 1920:[1] 1923						
	Total	White	Colored	Negro	Indian	Chinese	Japanese
All causes (exclusive of stillbirths):							
Adjusted rate	1,188.4	1,125.4	1,933.9	1,946.1	1,972.2	1,981.9	1,317.8
Crude rate	1,240.0	1,193.5	1,761.7	1,764.2	2,160.7	2,278.3	1,142.5
I.—Epidemic, endemic, and infectious diseases	206.7	185.0	450.0	447.1	722.3	598.7	335.8
Tuberculosis	94.7	82.4	232.2	227.0	467.6	476.7	223.3
II.—General diseases not included in Class I	135.7	138.9	99.7	99.9	78.4	223.3	55.8
Cancer and other malignant tumors	91.1	94.2	56.8	56.7	55.0	123.9	35.8
III.—Diseases of the nervous system and of the organs of special sense	130.4	129.7	138.8	140.4	125.3	176.4	46.7
IV.—Diseases of the circulatory system	206.8	206.3	211.7	214.8	121.2	403.5	35.0
V.—Diseases of the respiratory system	129.9	122.5	213.0	212.5	333.1	232.7	146.7
VI.—Diseases of the digestive system	101.0	97.9	136.2	135.1	186.4	144.5	165.8
VII.—Nonvenereal diseases of the genito-urinary system and annexa	105.6	102.2	143.7	146.7	66.2	159.5	32.5
VIII.—The puerperal state	15.3	14.1	29.3	29.3	45.8	11.3	23.3
IX.—Diseases of the skin and of the cellular tissue	3.7	3.7	3.9	3.8	5.1	5.6	3.3
X.—Diseases of the bones and of the organs of locomotion	1.3	1.4	1.2	1.2	1.0	----------	0.8
XI.—Malformations	14.7	15.3	8.7	8.4	12.2	9.4	25.8
XII.—Early infancy	63.6	62.0	82.1	82.0	83.5	52.5	103.3
XIII.—Old age	12.8	11.5	26.4	26.3	67.2	22.5	----------
XIV.—External causes	96.5	93.6	128.8	127.2	146.7	227.1	164.2
Suicide	11.8	12.4	4.2	3.4	6.1	61.9	25.0
Homicide	7.8	5.0	38.2	39.1	12.2	18.8	17.5
Accidental or undefined	76.9	76.1	86.4	84.7	128.4	146.4	121.7
XV.—Ill-defined diseases	16.0	9.6	88.4	89.4	166.0	11.3	3.3

[1] Including District of Columbia; for States included, see Table A, p. 7.

NOTE.—For explanation of adjusted rates, see p. 10.

Table BX

AGE	POPULATION ESTIMATED JULY 1, 1923, FOR THE REGISTRATION STATES OF 1920[1]															
	Total		White		Colored		Negro		Indian		Chinese		Japanese		Other colored	
	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
All ages	45,391,557	44,072,406	41,695,839	40,440,490	3,695,718	3,631,916	3,516,944	3,527,807	50,534	47,630	44,990	8,295	72,846	47,149	10,404	1,035
Under 1 year	901,757	882,215	826,889	805,883	74,868	76,332	70,749	72,065	1,340	1,286	259	284	2,467	2,649	53	48
1 year	973,508	947,135	901,513	874,391	71,995	72,744	68,158	68,864	1,335	1,295	224	257	2,220	2,303	58	25
2 years	960,906	938,748	887,657	864,325	73,249	74,423	69,651	70,720	1,255	1,263	270	239	2,036	2,166	37	35
3 years	978,538	960,566	900,540	880,356	77,998	80,210	74,514	76,608	1,317	1,284	265	258	1,864	2,025	38	35
4 years	957,396	929,852	879,037	853,344	78,359	76,508	75,403	73,306	1,250	1,374	246	231	1,424	1,566	36	31
Under 5 years	4,772,105	4,658,516	4,395,636	4,278,299	376,469	380,217	358,475	361,563	6,497	6,502	1,264	1,269	10,011	10,709	222	174
5 to 9 years	4,725,739	4,638,862	4,310,087	4,222,111	415,652	416,751	403,873	404,792	6,318	6,460	1,190	1,039	4,141	4,351	130	109
10 to 14 years	4,383,889	4,314,016	3,978,299	3,903,777	405,590	410,239	397,372	402,367	5,652	5,631	1,046	734	1,426	1,417	94	90
15 to 19 years	3,690,945	3,771,137	3,351,752	3,399,202	339,193	371,935	328,457	364,576	5,076	5,053	1,815	591	3,124	1,619	721	96
20 to 24 years	3,587,418	3,879,688	3,251,208	3,491,851	336,210	387,837	321,294	377,218	4,160	3,826	3,500	746	4,566	5,894	2,690	153
25 to 29 years	3,787,099	3,893,461	3,487,798	3,551,079	299,301	342,382	285,212	330,814	3,445	3,054	3,791	773	4,586	7,614	2,267	127
30 to 34 years	3,565,480	3,438,921	3,316,117	3,173,069	249,363	265,852	231,079	256,932	2,872	2,565	3,412	637	10,730	5,629	1,270	89
35 to 39 years	3,569,080	3,244,275	3,262,934	2,954,258	306,146	290,017	285,583	282,496	3,036	2,641	4,002	606	12,263	4,189	1,262	85
40 to 44 years	2,875,859	2,715,616	2,647,689	2,501,922	228,170	213,694	210,230	207,823	2,526	2,224	4,124	521	10,640	3,080	650	46
45 to 49 years	2,774,211	2,384,561	2,520,740	2,213,344	253,471	171,217	239,792	167,230	2,561	2,020	4,394	394	6,178	1,544	546	29
50 to 54 years	2,243,009	2,004,718	2,073,603	1,880,317	169,406	124,401	159,113	121,687	2,080	1,722	4,843	331	3,125	652	245	9
55 to 59 years	1,705,561	1,551,077	1,607,756	1,478,333	97,805	72,744	90,451	70,883	1,665	1,391	4,493	252	1,098	211	98	7
60 to 64 years	1,435,373	1,293,282	1,352,915	1,230,969	82,458	62,313	76,872	60,748	1,455	1,287	3,630	194	442	81	59	3
65 to 69 years	955,522	894,151	899,775	850,007	55,747	44,144	52,607	42,997	1,100	1,018	1,867	95	138	29	35	5
70 to 74 years	628,868	629,471	593,411	596,972	35,457	32,499	33,622	31,686	802	744	991	57	27	7	15	5
75 to 79 years	380,781	405,952	360,264	386,923	20,517	19,029	19,728	18,476	490	523	281	19	6	8	12	3
80 to 84 years	166,277	201,561	156,861	190,836	9,416	10,725	9,000	10,332	317	380	95	11	2	-------	2	2
85 to 89 years	61,803	81,234	57,804	76,413	3,999	4,821	3,816	4,631	143	187	35	3	4	-------	1	-----
90 to 94 years	13,887	21,245	12,352	18,833	1,535	2,412	1,444	2,293	82	119	7	-------	-------	-------	2	-----
95 to 99 years	3,215	4,895	2,496	3,849	719	1,046	672	983	44	63	3	-------	-------	-------	-------	-----
100 years and over	961	1,830	376	617	585	1,213	544	1,172	39	40	2	1	-------	-------	-------	-----
Unknown	64,475	43,937	55,966	37,509	8,509	6,428	7,708	6,108	174	180	205	22	339	115	83	3

[1] Including District of Columbia; for States included, see Table A, p. 7.

DEATHS OF CHILDREN UNDER 1 YEAR OF AGE

Deaths of children under 1 year of age are usually considered in connection with the number of births, and the number of deaths under 1 year of age per 1,000 births is commonly spoken of as the infant mortality rate.

As the number of births is known only for the 30 States of the birth registration area, no consideration of infant mortality for the entire death registration area is possible. Therefore, it has been thought best to show in the annual report on Birth Statistics those infant mortality tables which relate exclusively to the birth registration area.

Table BY gives mortality rates per 1,000 estimated population under 1 year of age, for the registration States of 1900, for 1900, 1910, and 1920, and shows the improvement which has taken place in the rates for the first year of life in the various States.

Table BY

AREA	DEATH RATE FROM ALL CAUSES (EXCLUSIVE OF STILLBIRTHS), FOR CHILDREN UNDER 1 YEAR OF AGE, PER 1,000 ESTIMATED POPULATION UNDER 1 YEAR OF AGE		
	1920	1910	1900
Registration States of 1900 [1]	105.7	141.5	162.2
Registration States of 1910 [1] (exclusive of North Carolina)	100.8	132.0	----------
REGISTRATION STATES			
California	91.5	91.6	(2)
Colorado	101.9	104.2	(2)
Connecticut	103.1	142.9	177.7
Indiana	95.8	106.9	114.1
Maine	119.9	140.5	154.4
Maryland	125.6	151.9	(2)
Massachusetts	111.0	160.6	189.6
Michigan	108.9	126.8	133.1
Minnesota	75.4	92.3	(2)
Montana	66.3	89.2	(2)
New Hampshire	110.8	165.1	176.0
New Jersey	102.4	148.3	180.5
New York	104.7	143.5	167.4
Ohio	91.0	115.5	(2)
Pennsylvania	109.2	149.6	(2)
Rhode Island	108.3	181.2	215.7
Utah	83.4	82.1	(2)
Vermont	109.0	109.6	126.5
Washington	72.5	84.1	(2)
Wisconsin	84.5	108.0	(2)
District of Columbia	120.9	193.7	284.6

[1] Including District of Columbia. For States included, see Table A, p. 7.
[2] Not added to registration area until a later date.

In Table BZ for the birth registration States of 1915 and of 1920, specific rates and infant mortality rates (deaths of infants under 1 year of age per 1,000 live births) for 1920 to 1923 are presented for comparison. Specific rates should never be used as infant mortality rates; for example, for the State of California the 1923 infant mortality rate is 73 and the specific rate is 99.6, a figure more than 36 per cent greater than the infant mortality rate.

Table BZ

AREA	DEATHS [1] OF INFANTS UNDER 1 YEAR OF AGE PER—							
	1,000 estimated population under 1 year of age				1,000 live births			
	1923	1922	1921	1920	1923	1922	1921	1920
Birth registration States of 1920*	87.5	85.9	90.5	98.4	79.3	76.2	75.6	85.8
Birth registration States of 1915* (exclusive of Rhode Island)	90.0	90.0	94.5	105.7	77.0	79.2	78.7	89.9
California	99.6	90.8	85.8	91.5	73.0	71.1	66.5	74.4
Colorado	90.0	92.5	87.1	101.9	(2)	(2)	(2)	(2)
Connecticut	73.0	76.3	80.4	103.1	76.5	77.3	73.1	91.9
Delaware	97.3	98.3	104.0	127.0	104.0	100.2	97.6	(3)
Florida	88.1	81.1	84.1	89.1	(2)	(2)	(2)	(2)
Georgia	76.5	68.6	(4)	(4)	(2)	(2)	(2)	(2)
Idaho	44.6	54.9	(4)	(4)	(2)	(2)	(2)	(2)
Illinois	88.4	83.2	87.0	94.7	81.9	76.1	(3)	(3)
Indiana	84.4	78.3	88.0	95.8	71.0	67.4	71.2	81.8
Iowa	63.3	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Kansas	69.7	70.5	72.4	80.1	62.9	64.8	62.5	73.1
Kentucky	81.1	74.9	72.2	79.2	71.6	69.2	61.9	73.1
Louisiana	89.2	82.9	83.4	80.0	(2)	(2)	(2)	(2)
Maine	106.7	103.8	106.4	119.9	88.5	86.5	88.0	101.6
Maryland	107.1	106.8	114.6	125.6	94.6	94.1	93.6	104.1
Massachusetts	90.9	93.8	92.8	111.0	77.8	81.2	76.0	90.9
Michigan	90.3	82.8	95.1	108.9	80.3	74.5	78.6	91.7
Minnesota	69.2	66.2	68.2	75.4	61.7	57.9	58.8	66.4
Mississippi	70.8	70.3	73.6	80.0	68.1	68.0	68.4	(3)
Missouri	83.6	72.7	75.4	85.5	(2)	(2)	(2)	(2)
Montana	51.6	54.5	59.7	66.3	71.5	70.2	(3)	(3)
Nebraska	66.4	67.0	71.2	74.4	57.3	56.7	58.6	64.2
New Hampshire	111.6	99.7	111.7	110.8	93.2	79.8	86.7	88.0
New Jersey	79.0	87.7	87.9	102.4	71.6	78.6	74.1	(3)
New York	85.3	91.7	93.2	104.7	72.1	77.0	75.4	86.3
North Carolina	94.8	90.5	92.2	95.9	81.0	79.5	75.0	84.9
Ohio	82.3	76.3	85.2	91.0	74.7	71.7	75.1	82.9
Oregon	61.2	62.9	57.2	67.6	57.3	58.5	50.9	61.8
Pennsylvania	99.1	95.7	102.3	109.2	90.4	88.2	87.7	97.1
Rhode Island	103.9	93.7	104.2	108.3	94.3	85.2	92.7	(2)
South Carolina	95.5	96.3	107.7	122.2	96.3	92.9	96.1	115.8
Tennessee	76.7	70.5	70.3	78.1	(2)	(2)	(2)	(2)
Utah	64.6	77.4	86.7	83.4	59.1	69.0	72.8	71.4
Vermont	87.9	85.9	95.3	109.0	76.0	73.1	77.8	96.2
Virginia	97.3	89.6	99.4	98.9	84.0	76.8	78.7	83.6
Washington	55.8	61.8	60.3	72.5	56.5	61.7	55.5	66.4
Wisconsin	76.9	76.9	83.4	84.5	69.9	70.8	72.1	76.5
Wyoming	85.7	90.9	(4)	(4)	79.6	78.6	(3)	(3)
District of Columbia	118.4	112.1	111.0	120.9	91.8	84.9	83.5	91.0

*For States included, see Table A, p. 9, Birth Statistics, 1923.

[1] Exclusive of stillbirths.
[2] Not in birth registration area.
[3] Not added to birth registration area until a later date.
[4] Not added to death registration area until a later date.

ACCURACY OF STATISTICS OF CAUSES OF DEATH

It is obvious that the cause of death can not be classified correctly unless it has been stated accurately. It is not stated accurately when one or two of several factors are not given in the physician's report. Again, it is not stated accurately when the physician fails to enter on the death certificate a qualifying term which, if given, would modify the classification of the death. For example, the reporting of a death from tuberculous peritonitis as having been caused by "peritonitis" represents an error of omission which, if not corrected, would cause the death to be incorrectly classified, not only with reference to the title of the International List of Causes of Death, but also with reference to the class or group of causes into which the list is divided.

One of the principal difficulties in classifying deaths according to the International List is the fact that each year the Census Bureau receives several hundred thousand certificates of deaths on each of which the names of two or more diseases appear. Practically all systems of classification in present use are based on the principle that each death must be charged to a single cause. This means that if two or more morbid conditions are stated on a certificate with nothing to indicate which was the chief or primary cause, one of them must be selected as the cause under which the death shall be classified. In many cases no dependence can be placed upon the order in which the terms are written, nor can the compiler rely on the statements "cause of death" or "contributory cause," since these terms are sometimes used with diametrically opposed meanings by physicians.

In its effort to improve the statement of cause of death, the Bureau of the Census, at the beginning of the annual collection of mortality statistics, sent to every physician in the country a copy of the pamphlet "Relation of Physicians to Mortality Statistics," which, later, was superseded by the "Physicians' Pocket Reference to the International List of Causes of Death." These pamphlets were, first, to acquaint physicians with the form, scope, and requirements of the International List of Causes of Death, and, second, to emphasize the fact that the value of statistics of causes of death depends largely upon the precision and completeness with which the information is supplied by the medical profession. With these ends in view, the titles of the International List are included in each pamphlet, together with comments on some of the principal undesirable terms commonly used in reporting causes of death; these comments give the reasons why each such term is unsatisfactory and present suggestions for more precise statements.

Tables CC, CD, and CE show the results obtained in 1923 by sending queries to physicians.

Table CC

AREA	DEATHS IN 1923		
	All causes	Causes queried	
		Number	Per cent
The registration area (exclusive of Hawaii)	1,193,017	39,772	3.3
Alabama [1]	4,917	317	6.4
California	54,566	1,388	2.5
Colorado	12,302	656	5.3
Connecticut	17,735	354	2.0
Delaware	3,229	238	7.4
District of Columbia	7,105	206	2.9
Florida	14,110	763	5.4
Georgia	33,791	2,428	7.2
Idaho	3,330	265	8.0
Illinois	81,753	541	0.7
Indiana	38,846	1,749	4.5
Iowa	25,378	1,596	6.3
Kansas	19,773	1,138	5.8
Kentucky	29,292	1,991	6.8
Louisiana	22,372	535	2.4
Maine	11,665	268	2.3
Maryland	22,111	626	2.8
Massachusetts	52,166	892	1.7
Michigan	49,347	2,167	4.4
Minnesota	25,321	265	1.0
Mississippi	20,398	873	4.3
Missouri	42,043	1,314	3.1
Montana	4,893	187	3.8
Nebraska	12,632	754	6.0
New Hampshire	6,747	331	4.9
New Jersey	41,492	1,405	3.4
New York	141,085	3,493	2.5
North Carolina	32,142	1,788	5.6
North Dakota [1]	278	9	3.2
Ohio	75,054	645	0.9
Oklahoma [1]	1,275	75	5.9
Oregon	9,010	228	2.5
Pennsylvania	120,622	4,874	4.0
Rhode Island	8,622	322	3.7
South Carolina	20,667	936	4.5
South Dakota [1]	324	19	5.9
Tennessee	28,502	1,186	4.2
Texas [1]	11,164	588	5.3
Utah	4,513	24	0.5
Vermont	5,364	224	4.2
Virginia	30,760	392	1.3
Washington	13,856	116	0.8
West Virginia [1]	994	64	6.4
Wisconsin	29,291	1,385	4.7
Wyoming	2,180	157	7.2

[1] Nonregistration State; the only cities shown are those with satisfactory registration of deaths (see p. 7).

Detailed Int. List No.	Table CD — UNSATISFACTORY TERM	REPLIES RECEIVED FROM PHYSICIANS, 1923: Total number	Number of changes in classification	Per cent changed	International titles and subtitles (detailed list) increased most by queries
	Total	25,445	11,118	43.7	7, 9, 11a, 11b, 24, 31, 38, 40, 73, 74a, 101a, 113, 146, 148, 161a, 161b.
10	Croup, membranous laryngitis.	81	37	45.7	11a, 98, 99a, 100a.
33	Tabes mesenterica	10	1	10.0	72.
41	Septicemia, sepsis, blood poisoning.	346	221	63.9	108, 109b, 146, 184, 202b.
69	Autointoxication, toxemia	233	70	30.0	113, 119.
70	Cerebral abscess	123	63	51.2	11b, 86a, 97b.
71a	Meningitis, cerebral meningitis (undefined).	634	350	55.2	11b, 24, 32, 71b, 86a, 113.
71b	Cerebrospinal meningitis (undefined).	279	170	60.9	24, 32.
73	Sclerosis	27	24	88.9	91b.
74a	Cerebral congestion	22	5	22.7	71a.
75a	Hemiplegia	736	498	67.7	38, 74a, 74b, 129.
75b	Paralysis, general paralysis	1,351	843	62.4	38,73,74a,75a,76,84,129
76	Paresis	419	160	38.2	73, 74a, 75b, 84, 164.
78	Fit	2	1	50.0	100a.
79	Convulsions (5 years and over).	35	21	60.0	148.
80	Convulsions (under 5 years)	433	153	35.3	78, 112, 113, 161a, 161b.
83	Cerebral softening	69	37	53.6	38, 74b, 91b.
84	Acute hydrocephalus	12	9	75.0	91b, 159c.
90	Acute cardiac dilatation, cardiac insufficiency.	1,240	274	22.1	11b, 66, 88, 91b, 112, 129.
95	Hemorrhage	23	11	47.8	74a.
98	Edema of glottis	22	9	40.9	109b.
100a	Bronchopneumonia	7,898	1,842	23.3	7, 9, 10, 11a, 31, 38, 101a, 102, 113, 159b, 161b.
101b	Pneumonia (undefined), typhoid pneumonia.	4,021	3,456	85.9	7, 9, 11a, 31, 90, 100a, 101a, 129.
102	Pleurisy	120	65	54.2	11a, 31, 101a.
103	Pulmonary congestion, edema of lungs.	314	196	62.4	11a, 31, 74a, 90, 100a, 101a, 129, 185d.
107	Pulmonary abscess and hemorrhage.	288	151	52.4	11a, 31, 100a, 101a, 101b.
110	Stricture of esophagus	40	24	60.0	44b, 179e.
112	Gastritis, indigestion, acute indigestion.	1,364	439	32.2	44c, 66, 89, 90, 91b, 111a, 113, 114, 161a, 175b.
113	Intestinal congestion (−2 years).	1			
114	Intestinal congestion (2 years+).	1			
124	Liver trouble, disease of liver.	22	13	59.1	44d, 123.
126	Peritonitis, general and septic peritonitis.	326	208	63.8	33, 111a, 117, 138, 146.
128	Acute Bright's disease, acute nephritis.	1,747	471	27.0	7, 8, 11b, 38, 90, 109b, 129, 135, 148.
129	Bright's disease, nephritis, uremia.	614	183	29.8	11b, 128, 135, 148.
131	Renal congestion, disease of kidney.	17	9	52.9	128, 129.
133	Disease of bladder	1	1	100.0	129.
134b	Extravasation of urine	1	1	100.0	134a.
138	Salpingitis, pyosalpinx, pus tubes.	566	408	72.1	40, 146, 202b.
140	Uterine hemorrhage	5	4	80.0	143a, 144, 146.
141	Disease of pelvic organs (female).	5	1	20.0	146.
153	Abscess, cellulitis	8	6	75.0	97b, 107c, 131, 135.
159a	Hydrocephalus	113	17	15.0	32, 38, 84.
160	Inanition, debility, etc. (under 1 year).	1,377	407	29.6	31, 38, 56, 112, 113, 159b, 159c, 161a, 161b.
164	Senility, old age	7	3	42.9	91b, 133.
205a	Dropsy, heart failure, fever, natural causes, etc.	492	256	52.0	31, 38, 74a, 90, 91b, 113, 129, 164.

The first test inquiry was made for 1911. Five of the undesirable terms frequently used in reporting causes of death—"meningitis," "paralysis," "convulsions," "pneumonia," and "peritonitis"—were selected, and in cases where they had been employed *without qualification*, circular letters were sent to the physicians who had signed the death certificates. These letters requested such additional statements or information relative to the cause of death as might be needed for a more satisfactory classification, and with each was inclosed a copy of the "Physicians' Pocket Reference to the International List of Causes of Death," the paragraph therein referring to the unsatisfactory nature of the term used being marked. In Mortality Statistics, 1911 (pp. 36–38), the results of this test may be found. It is sufficient to say that approximately 2,000 replies were received, and the additional information obtained from the physicians enabled the bureau to improve the classifications in 57 per cent of the cases covered by replies.

In 1923, besides approximately 40 thousand queries sent out directly to physicians from the Bureau of the Census, there were some 14 thousand queries sent to State registrars for additional information regarding causes of death, and thousands of other queries regarding causes of death sent to physicians by 35 State special agents.

Detailed Int. List No.	Table CE — TITLE PRINCIPALLY AFFECTED BY QUERIES SENT TO PHYSICIANS	1923: Total deaths (including net changes by queries)	Net change by queries	Per cent change by queries
07	Measles	10,450	+507	+5.1
09	Whooping cough	9,440	+409	+4.5
11a	Influenza (with pulmonary complications specified)	27,847	+923	+3.4
24	Meningococcus meningitis	1,026	+244	+31.2
32	Tuberculosis of the meninges and central nervous system	4,010	+96	+2.5
38	Syphilis	7,695	+166	+2.2
40	Gonococcus infection	791	+320	+67.9
41	Purulent infection, septicemia [1]	1,340	−220	−14.1
69	Other general diseases [1]	2,069	−56	−2.6
70	Encephalitis [1]	1,245	−60	−4.6
71	Meningitis [1]	3,652	−462	−11.2
73	Other diseases of the spinal cord [1]	3,106	+179	+6.1
74a	Cerebral hemorrhage [1]	84,177	+926	+1.1
75	Paralysis without specified cause [1]	6,056	−1,268	−17.3
76	General paralysis of the insane [1]	6,421	−90	−1.4
80	Infantile convulsions (under 5 years of age) [1]	1,882	−152	−7.5
100a	Bronchopneumonia [1]	44,942	−518	−1.1
101a	Lobar pneumonia	52,480	+1,858	+3.7
101b	Pneumonia (unspecified) [1]	6,979	−3,424	−32.9
103	Congestion and hemorrhagic infarct of the lung [1]	1,617	−186	−10.3
107c	Other diseases of the respiratory system (tuberculosis excepted) [1]	828	−147	−15.1
109b	Diseases of the pharynx and tonsils	3,198	+78	+2.5
112	Other diseases of the stomach (cancer excepted) [1]	6,291	−395	−5.9
113, 114	Diarrhea and enteritis [1]	38,703	+561	+1.5
126	Peritonitis without specified cause [1]	1,854	−197	−9.6
128	Acute nephritis (including unspecified under 10 years of age) [1]	5,976	−404	−6.3
138	Salpingitis and pelvic abscess (female) [1]	1,690	−382	−18.4
146	Puerperal septicemia	5,657	+149	+2.7
148	Puerperal albuminuria and convulsions	3,929	+129	+3.4
160	Congenital debility, icterus, and sclerema [1]	8,621	−398	−4.4
161b	Injury at birth	9,276	+105	+1.1
202	Other external violence	4,492	+83	+1.9
205a	Cause of death ill-defined [1]	5,151	−254	−4.7

[1] Title under which one or more unsatisfactory terms were queried.

SUMMARY AND RATE TABLES

SUMMARY AND RATE TABLES

TABLE IA.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION, BY COLOR AND SEX, IN URBAN AND RURAL DISTRICTS: 1923

[Populations are estimated by the arithmetical method, based on the censuses of 1910 and 1920. Rates are based on total deaths, including deaths of nonresidents and deaths in hospitals and institutions. "Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural"]

AREA AND SEX	ESTIMATED POPULATION, JULY 1, 1923		DEATHS (EXCLUSIVE OF STILLBIRTHS): 1923				
			Number		Rate per 1,000 population		
	White	Colored	White	Colored	Total	White	Colored
The registration area (excl. of Hawaii)	88,154,444	8,831,927	1,042,034	150,953	12.3	11.8	17.1
Registration States[1]	87,037,624	8,576,220	1,028,101	145,964	12.3	11.8	17.0
Male	44,206,382	4,307,533	549,623	75,636	12.9	12.4	17.6
Female	42,831,242	4,268,687	478,478	70,328	11.7	11.2	16.5
Cities in registration States[1]	42,893,891	2,837,423	537,487	64,493	13.2	12.5	22.7
Male	20,973,765	1,351,737	284,546	34,129	14.3	13.6	25.2
Female	21,920,126	1,485,686	252,941	30,364	12.1	11.5	20.4
Rural part of registration States	44,143,733	5,738,797	490,614	81,471	11.5	11.1	14.2
Male	23,232,617	2,955,796	265,077	41,507	11.7	11.4	14.0
Female	20,911,116	2,783,001	225,537	39,964	11.2	10.8	14.4
Registration cities in nonregistration States[2]	1,116,820	255,707	13,963	4,989	13.8	12.5	19.5
All registration cities[1]	44,010,711	3,093,130	551,450	69,482	13.2	12.5	22.5
CALIFORNIA							
Total	3,627,043	178,110	51,600	2,966	14.3	14.2	16.7
Male	1,882,273	108,192	29,839	1,921	16.0	15.9	17.8
Female	1,744,770	69,918	21,761	1,045	12.6	12.5	14.9
Urban	2,114,802	90,270	30,023	1,650	14.4	14.2	18.3
Male	1,042,779	51,977	16,756	1,050	16.3	16.1	20.2
Female	1,072,023	38,293	13,267	600	12.5	12.4	15.7
Rural	1,512,241	87,840	21,577	1,316	14.3	14.3	15.0
Male	839,494	56,215	13,083	871	15.6	15.6	15.5
Female	672,747	31,625	8,494	445	12.7	12.6	14.1
COLORADO							
Total	974,823	15,497	11,983	319	12.4	12.3	20.6
Male	506,877	8,218	6,873	189	13.7	13.6	23.0
Female	467,946	7,279	5,110	130	11.0	10.9	17.9
Urban	369,189	9,746	5,446	223	15.0	14.8	22.9
Male	186,531	5,084	2,961	120	16.1	15.9	23.6
Female	182,658	4,662	2,485	103	13.8	13.6	22.1
Rural	605,634	5,751	6,537	96	10.8	10.8	16.7
Male	320,346	3,134	3,912	69	12.3	12.2	22.0
Female	285,288	2,617	2,625	27	9.2	9.2	10.3
CONNECTICUT							
Total	1,452,407	24,076	17,287	448	12.0	11.9	18.6
Male	729,989	12,823	8,987	243	12.4	12.3	19.0
Female	722,418	11,253	8,300	205	11.6	11.5	18.2
Urban	1,097,302	20,397	13,025	378	12.0	11.9	18.5
Male	545,302	10,321	6,811	200	12.6	12.5	19.4
Female	552,000	10,076	6,214	178	11.4	11.3	17.7
Rural	355,105	3,679	4,262	70	12.1	12.0	19.0
Male	184,687	2,502	2,176	43	11.9	11.8	17.2
Female	170,418	1,177	2,086	27	12.3	12.2	22.9
DELAWARE							
Total	200,371	30,089	2,580	649	14.0	12.9	21.6
Male	101,893	15,583	1,338	324	14.1	13.1	20.8
Female	98,478	14,506	1,242	325	13.9	12.6	22.4
Urban	106,337	11,391	1,305	245	13.2	12.3	21.5
Male	52,577	5,456	668	119	13.6	12.7	21.8
Female	53,760	5,935	637	126	12.8	11.8	21.2
Rural	94,034	18,698	1,275	404	14.9	13.6	21.6
Male	49,316	10,127	670	205	14.7	13.6	20.2
Female	44,718	8,571	605	199	15.1	13.5	23.2
FLORIDA							
Total	708,280	338,007	8,366	5,744	13.5	11.8	17.0
Male	361,928	169,860	4,806	3,106	14.9	13.3	18.3
Female	346,352	168,147	3,560	2,638	12.0	10.3	15.7
Urban	192,224	88,788	2,403	1,842	15.1	12.5	20.7
Male	87,949	39,148	1,400	990	18.8	15.9	25.3
Female	104,275	49,640	1,003	852	12.1	9.6	17.2
Rural	516,056	249,219	5,963	3,902	12.9	11.6	15.7
Male	273,979	130,712	3,406	2,116	13.6	12.4	16.2
Female	242,077	118,507	2,557	1,786	12.0	10.6	15.1
GEORGIA							
Total	1,781,880	1,217,316	17,559	16,232	11.3	9.9	13.3
Male	900,839	594,385	9,223	8,194	11.6	10.2	13.8
Female	881,041	622,931	8,336	8,038	10.9	9.5	12.9
Urban	356,994	212,284	4,861	5,474	18.2	13.6	25.8
Male	167,556	94,108	2,577	2,780	20.5	15.4	29.5
Female	189,438	118,176	2,284	2,694	16.2	12.1	22.8
Rural	1,424,886	1,005,032	12,698	10,758	9.7	8.9	10.7
Male	733,283	500,277	6,646	5,414	9.8	9.1	10.8
Female	691,603	504,755	6,052	5,344	9.5	8.8	10.6
IDAHO							
Total	464,043	6,136	3,179	151	7.1	6.9	24.6
Male	247,764	3,593	1,899	93	7.9	7.7	25.9
Female	216,279	2,543	1,280	58	6.1	5.9	22.8
Urban	39,033	896	466	16	12.1	11.9	17.9
Male	19,573	536	289	12	15.0	14.8	22.4
Female	19,460	360	177	4	9.1	9.1	11.1
Rural	425,010	5,240	2,713	135	6.6	6.4	25.8
Male	228,191	3,057	1,610	81	7.3	7.1	26.5
Female	196,819	2,183	1,103	54	5.8	5.6	24.7
ILLINOIS							
Total	6,577,784	212,740	76,678	5,075	12.0	11.7	23.9
Male	3,335,896	110,678	41,654	2,771	12.9	12.5	25.0
Female	3,241,888	102,062	35,024	2,304	11.2	10.8	22.6
Urban	3,900,512	178,996	45,911	4,075	12.3	11.8	22.8
Male	1,918,140	87,766	24,773	2,213	13.5	12.9	25.2
Female	1,982,372	91,230	21,138	1,862	11.1	10.7	20.4
Rural	2,677,272	33,744	30,767	1,000	11.7	11.5	29.6
Male	1,417,756	22,912	16,881	558	12.1	11.9	24.4
Female	1,259,516	10,832	13,886	442	11.3	11.0	40.8
INDIANA							
Total	2,924,459	88,675	36,929	1,917	12.9	12.6	21.6
Male	1,481,085	46,123	19,297	1,016	13.3	13.0	22.0
Female	1,443,374	42,552	17,632	901	12.5	12.2	21.2
Urban	1,204,918	76,211	15,211	1,603	13.1	12.6	21.0
Male	571,699	37,657	7,899	837	14.3	13.8	22.2
Female	633,219	38,554	7,312	766	12.0	11.5	19.9
Rural	1,719,541	12,464	21,718	314	12.7	12.6	25.2
Male	909,386	8,466	11,398	179	12.6	12.5	21.1
Female	810,155	3,998	10,320	135	12.8	12.7	33.8
IOWA							
Total	2,447,266	21,377	25,034	344	10.3	10.2	16.1
Male	1,247,223	11,452	13,285	190	10.7	10.7	16.6
Female	1,200,043	9,925	11,749	154	9.8	9.8	15.5
Urban	633,203	15,501	8,162	220	12.9	12.9	14.2
Male	301,828	7,806	4,354	116	14.4	14.4	14.9
Female	331,375	7,695	3,808	104	11.5	11.5	13.5
Rural	1,814,063	5,876	16,872	124	9.3	9.3	21.1
Male	945,395	3,646	8,931	74	9.5	9.4	20.3
Female	868,668	2,230	7,941	50	9.2	9.1	22.4
KANSAS							
Total	1,735,784	61,705	18,472	1,301	11.0	10.6	21.1
Male	885,978	31,648	10,030	689	11.7	11.3	21.8
Female	849,806	30,057	8,442	612	10.3	9.9	20.4
Urban	413,879	38,925	5,492	857	14.0	13.3	22.0
Male	191,371	17,848	2,911	448	16.1	15.2	25.1
Female	222,508	21,077	2,581	409	12.3	11.6	19.4
Rural	1,321,905	22,780	12,980	444	10.0	9.8	19.5
Male	694,607	13,800	7,119	241	10.4	10.2	17.5
Female	627,298	8,980	5,861	203	9.5	9.3	22.6
KENTUCKY							
Total	2,235,578	226,739	24,878	4,414	11.9	11.1	19.5
Male	1,137,268	113,944	12,928	2,286	12.2	11.4	20.1
Female	1,098,310	112,795	11,950	2,128	11.6	10.9	18.9
Urban	400,979	69,479	6,028	1,737	16.5	15.0	25.0
Male	179,688	31,767	3,068	864	18.6	17.1	27.2
Female	221,291	37,712	2,960	873	14.8	13.4	23.1
Rural	1,834,599	157,260	18,850	2,677	10.8	10.3	17.0
Male	957,580	82,177	9,860	1,422	10.9	10.3	17.3
Female	877,019	75,083	8,990	1,255	10.8	10.3	16.7

[1] Including District of Columbia.

A list of these cities can be found on p. 7.

TABLE 1A.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION, BY COLOR AND SEX, IN URBAN AND RURAL DISTRICTS: 1923—Continued

[See note at head of this table, p. 84]

AREA AND SEX	ESTIMATED POPULATION, JULY 1, 1923		DEATHS (EXCLUSIVE OF STILLBIRTHS): 1923				
			Number		Rate per 1,000 population		
	White	Colored	White	Colored	Total	White	Colored
LOUISIANA							
Total	1,152,680	697,066	11,557	10,815	12.1	10.0	15.5
Male	585,272	342,600	6,331	5,472	12.7	10.8	16.0
Female	567,408	354,466	5,226	5,343	11.5	9.2	15.1
Urban	377,888	154,566	5,530	4,085	18.1	14.6	26.4
Male	183,190	65,480	3,047	2,084	20.6	16.6	31.8
Female	194,698	89,086	2,483	2,001	15.8	12.8	22.5
Rural	774,792	542,500	6,027	6,730	9.7	7.8	12.4
Male	402,082	277,120	3,284	3,388	9.8	8.2	12.2
Female	372,710	265,380	2,743	3,342	9.5	7.4	12.6
MAINE							
Total	774,961	2,298	11,631	34	15.0	15.0	14.8
Male	391,670	1,301	6,090	15	15.5	15.5	11.5
Female	383,291	997	5,541	19	14.5	14.5	19.1
Urban	224,873	875	3,716	14	16.5	16.5	16.0
Male	99,484	331	1,886	7	19.0	19.0	21.1
Female	125,389	544	1,830	7	14.6	14.6	12.9
Rural	550,088	1,423	7,915	20	14.4	14.4	14.1
Male	292,186	970	4,204	8	14.4	14.4	8.2
Female	257,902	453	3,711	12	14.4	14.4	26.5
MARYLAND							
Total	1,255,966	249,329	16,766	5,345	14.7	13.3	21.4
Male	633,190	126,993	8,792	2,719	15.1	13.9	21.4
Female	622,776	122,336	7,974	2,626	14.2	12.8	21.5
Urban	738,229	121,263	10,136	2,862	15.1	13.7	23.6
Male	360,918	57,943	5,246	1,488	16.1	14.5	25.7
Female	377,311	63,320	4,890	1,374	14.2	13.0	21.7
Rural	517,737	128,066	6,630	2,483	14.1	12.8	19.4
Male	272,272	69,050	3,546	1,231	14.0	13.0	17.8
Female	245,465	59,016	3,084	1,252	14.2	12.6	21.2
MASSACHUSETTS							
Total	3,976,065	51,480	51,104	1,062	13.0	12.9	20.6
Male	1,947,534	27,117	25,552	583	13.2	13.1	21.5
Female	2,028,531	24,363	25,552	479	12.7	12.6	19.7
Urban	3,254,315	46,029	41,132	922	12.7	12.6	20.0
Male	1,581,398	25,968	20,422	491	13.0	12.9	18.9
Female	1,672,917	20,061	20,710	431	12.5	12.4	21.5
Rural	721,750	5,451	9,972	140	13.9	13.8	25.7
Male	366,136	1,149	5,130	92	14.2	14.0	80.1
Female	355,614	4,302	4,842	48	13.6	13.6	11.2
MICHIGAN							
Total	3,895,943	81,878	47,246	2,101	12.4	12.1	25.7
Male	2,052,131	47,155	25,841	1,272	12.9	12.6	27.0
Female	1,843,812	34,723	21,405	829	11.8	11.6	23.9
Urban	2,136,971	69,323	24,642	1,651	11.9	11.5	23.8
Male	1,058,900	36,927	13,362	1,004	13.1	12.6	27.2
Female	1,078,071	32,396	11,280	647	10.7	10.5	20.0
Rural	1,758,972	12,555	22,604	450	13.0	12.9	35.8
Male	993,231	10,228	12,479	268	12.7	12.6	26.2
Female	765,741	2,327	10,125	182	13.4	13.2	78.2
MINNESOTA							
Total	2,480,591	18,805	24,887	434	10.1	10.0	23.1
Male	1,284,867	10,070	13,867	228	10.9	10.8	22.6
Female	1,195,724	8,735	11,020	206	9.3	9.2	23.6
Urban	869,119	9,297	10,764	199	12.5	12.4	21.4
Male	426,576	5,933	5,976	112	14.1	14.0	18.9
Female	442,543	3,364	4,788	87	10.9	10.8	25.9
Rural	1,611,472	9,508	14,123	235	8.9	8.8	24.7
Male	858,291	4,137	7,891	116	9.3	9.2	28.0
Female	753,181	5,371	6,232	119	8.4	8.3	22.2
MISSISSIPPI							
Total	[1] 853,962	[1] 936,656	7,760	12,638	11.4	9.1	13.5
Male	433,396	463,728	4,144	6,187	11.5	9.6	13.3
Female	420,566	472,928	3,616	6,451	11.3	8.6	13.6
Urban	83,374	60,248	1,279	1,633	20.3	15.3	27.1
Male	40,245	26,755	709	823	22.9	17.6	30.8
Female	43,129	33,493	570	810	18.0	13.2	24.2
Rural	770,588	876,408	6,481	11,005	10.6	8.4	12.6
Male	393,151	436,973	3,435	5,364	10.6	8.7	12.3
Female	377,437	439,435	3,046	5,641	10.6	8.1	12.8
MISSOURI							
Total	3,257,531	186,440	37,981	4,062	12.2	11.7	21.8
Male	1,640,760	95,360	20,397	2,173	13.0	12.4	22.8
Female	1,616,771	91,080	17,584	1,889	11.4	10.9	20.7
Urban	1,289,017	129,990	17,261	2,867	14.2	13.4	22.1
Male	615,285	61,802	9,353	1,564	16.1	15.2	25.3
Female	673,732	68,188	7,908	1,303	12.4	11.7	19.1
Rural	1,968,514	56,450	20,720	1,195	10.8	10.5	21.2
Male	1,025,475	33,558	11,044	609	11.0	10.8	18.1
Female	943,039	22,892	9,676	586	10.6	10.3	25.6
MONTANA							
Total	596,874	14,325	4,552	341	8.0	7.6	23.8
Male	318,260	8,023	2,891	190	9.4	9.1	23.7
Female	278,614	6,302	1,661	151	6.4	6.0	24.0
Urban	122,442	1,363	1,538	42	12.8	12.6	30.8
Male	65,880	1,008	955	30	14.7	14.5	29.8
Female	56,562	355	583	12	10.5	10.3	33.8
Rural	474,432	12,962	3,014	299	6.8	6.4	23.1
Male	252,380	7,015	1,936	160	8.1	7.7	22.8
Female	222,052	5,947	1,078	139	5.3	4.9	23.4
NEBRASKA							
Total	1,314,883	19,039	12,229	403	9.5	9.3	21.2
Male	678,439	10,597	6,662	228	10.0	9.8	21.5
Female	636,444	8,442	5,567	175	8.9	8.7	20.7
Urban	289,201	13,931	3,733	238	13.1	12.9	17.1
Male	141,115	7,028	2,040	135	14.7	14.5	19.2
Female	148,086	6,903	1,693	103	11.6	11.4	14.9
Rural	1,025,682	5,108	8,496	165	8.4	8.3	32.3
Male	537,324	3,569	4,622	93	8.7	8.6	26.1
Female	488,358	1,539	3,874	72	8.1	7.9	46.8
NEW HAMPSHIRE							
Total	446,810	782	6,736	11	15.1	15.1	14.1
Male	223,740	470	3,431	4	15.3	15.3	8.5
Female	223,070	312	3,305	7	14.8	14.8	22.4
Urban	200,335	474	2,917	4	14.5	14.6	8.4
Male	95,313	425	1,433	1	15.0	15.0	2.4
Female	105,022	49	1,484	3	14.2	14.1	61.2
Rural	246,475	308	3,819	7	15.5	15.5	22.7
Male	128,427	45	1,998	3	15.6	15.6	66.7
Female	118,048	263	1,821	4	15.4	15.4	15.2
NEW JERSEY							
Total	3,250,221	128,742	38,775	2,717	12.3	11.9	21.1
Male	1,635,574	63,958	20,262	1,444	12.8	12.4	22.6
Female	1,614,647	64,784	18,513	1,273	11.8	11.5	19.6
Urban	2,116,229	87,490	24,552	1,832	12.0	11.6	20.9
Male	1,068,030	41,764	12,828	979	12.4	12.0	23.4
Female	1,048,199	45,726	11,724	853	11.5	11.2	18.7
Rural	1,133,992	41,252	14,223	885	12.9	12.5	21.5
Male	567,544	22,194	7,434	465	13.4	13.1	21.0
Female	566,448	19,058	6,789	420	12.3	12.0	22.0
NEW YORK							
Total	10,606,513	237,148	136,303	4,782	13.0	12.9	20.2
Male	5,286,390	118,263	71,462	2,573	13.7	13.5	21.8
Female	5,320,123	118,885	64,841	2,209	12.3	12.2	18.6
Urban	8,348,579	212,768	101,820	4,204	12.4	12.2	19.8
Male	4,091,666	102,345	53,523	2,253	13.3	13.1	22.0
Female	4,256,913	110,423	48,297	1,951	11.5	11.3	17.7
Rural	2,257,934	24,380	34,483	578	15.4	15.3	23.7
Male	1,194,724	15,918	17,939	320	15.1	15.0	20.1
Female	1,063,210	8,462	16,544	258	15.7	15.6	30.5
NORTH CAROLINA							
Total	1,885,901	800,424	19,713	12,429	12.0	10.5	15.5
Male	951,011	393,155	10,129	6,071	12.1	10.7	15.4
Female	934,890	407,269	9,584	6,358	11.9	10.3	15.6
Urban	250,548	125,909	3,262	2,838	16.2	13.0	22.5
Male	105,562	53,050	1,710	1,383	19.5	16.2	26.1
Female	144,986	72,859	1,552	1,455	13.8	10.7	20.0
Rural	1,635,353	674,515	16,451	9,591	11.3	10.1	14.2
Male	845,449	340,105	8,419	4,688	11.1	10.0	13.8
Female	789,904	334,410	8,032	4,903	11.5	10.2	14.7

[1] Population Jan. 1, 1920; decrease between 1910 and 1920 no estimate made.

TABLE IA.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION, BY COLOR AND SEX, IN URBAN AND RURAL DISTRICTS: 1923—Continued

[See note at head of this table, p. 84]

AREA AND SEX	ESTIMATED POPULATION, JULY 1, 1923		DEATHS (EXCLUSIVE OF STILLBIRTHS): 1923				
			Number		Rate per 1,000 population		
	White	Colored	White	Colored	Total	White	Colored
OHIO							
Total	5,902,484	214,638	70,211	4,843	12.3	11.9	22.6
Male	3,027,202	116,686	36,775	2,757	12.6	12.1	23.6
Female	2,875,282	97,952	33,436	2,086	12.0	11.6	21.3
Urban	3,330,825	169,080	38,303	3,825	12.0	11.5	22.6
Male	1,640,743	85,252	19,874	2,179	12.8	12.1	25.6
Female	1,690,082	83,828	18,429	1,646	11.3	10.9	19.6
Rural	2,571,659	45,558	31,908	1,018	12.6	12.4	22.3
Male	1,386,459	31,434	16,901	578	12.3	12.2	18.4
Female	1,185,200	14,124	15,007	440	12.9	12.7	31.2
OREGON							
Total	810,265	13,005	8,765	245	10.9	10.8	18.8
Male	420,432	7,463	5,161	148	12.4	12.3	19.8
Female	389,833	5,542	3,604	97	9.4	9.2	17.5
Urban	314,294	4,914	3,924	100	12.6	12.5	20.4
Male	154,719	3,602	2,245	68	14.6	14.5	18.9
Female	159,575	1,312	1,679	32	10.6	10.5	24.4
Rural	495,971	8,091	4,841	145	9.9	9.8	17.9
Male	265,713	3,861	2,916	80	11.1	11.0	20.7
Female	230,258	4,230	1,925	65	8.5	8.4	15.4
PENNSYLVANIA							
Total	8,780,627	319,699	113,332	7,290	13.3	12.9	22.8
Male	4,435,082	169,441	60,474	4,107	14.0	13.6	24.2
Female	4,345,545	150,258	52,858	3,183	12.5	12.2	21.2
Urban	4,441,181	254,435	59,639	5,788	13.9	13.4	22.7
Male	2,182,060	124,806	31,425	3,174	15.0	14.4	25.4
Female	2,259,121	129,629	28,214	2,614	12.9	12.5	20.2
Rural	4,339,446	65,264	53,693	1,502	12.5	12.4	23.0
Male	2,253,022	44,635	29,049	933	13.0	12.9	20.9
Female	2,086,424	20,629	24,644	569	12.0	11.8	27.6
RHODE ISLAND							
Total	616,146	10,526	8,368	254	13.8	13.6	24.1
Male	301,824	5,507	4,282	130	14.4	14.2	23.6
Female	314,322	5,019	4,086	124	13.2	13.0	24.7
Urban	511,935	9,308	7,018	226	13.9	13.7	24.3
Male	249,307	4,856	3,605	116	14.6	14.5	23.9
Female	262,628	4,452	3,413	110	13.2	13.0	24.7
Rural	104,211	1,218	1,350	28	13.1	13.0	23.0
Male	52,517	651	677	14	13.0	12.9	21.5
Female	51,694	567	673	14	13.1	13.0	24.7
SOUTH CAROLINA							
Total	868,785	875,623	8,281	12,386	11.8	9.5	14.1
Male	441,881	427,577	4,280	6,169	12.0	9.7	14.4
Female	426,904	448,046	4,001	6,217	11.7	9.4	13.9
Urban	111,635	72,845	1,627	2,085	20.1	14.6	28.6
Male	53,468	32,608	870	1,037	22.2	16.3	31.8
Female	58,167	40,237	757	1,048	18.3	13.0	26.0
Rural	757,150	802,778	6,654	10,301	10.9	8.8	12.8
Male	388,413	394,969	3,410	5,132	10.9	8.8	13.0
Female	368,737	407,809	3,244	5,169	10.8	8.8	12.7
TENNESSEE							
Total	1,948,925	444,152	20,185	8,317	11.9	10.4	18.7
Male	980,643	218,731	10,420	4,179	12.2	10.6	19.1
Female	968,282	225,421	9,765	4,138	11.6	10.1	18.4
Urban	344,144	135,702	5,148	3,791	18.6	15.0	27.9
Male	167,690	64,989	2,783	1,947	20.3	16.6	30.0
Female	176,454	70,713	2,365	1,844	17.0	13.4	26.1
Rural	1,604,781	308,450	15,037	4,526	10.2	9.4	14.7
Male	812,953	153,742	7,637	2,232	10.2	9.4	14.5
Female	791,828	154,708	7,400	2,294	10.2	9.3	14.8
UTAH							
Total	469,055	7,757	4,395	118	9.5	9.4	15.2
Male	239,892	4,843	2,457	65	10.3	10.2	13.4
Female	229,163	2,914	1,938	53	8.6	8.5	18.2
Urban	170,406	2,026	2,085	49	12.4	12.2	24.2
Male	83,243	1,435	1,152	34	14.0	13.8	23.7
Female	87,163	591	933	15	10.8	10.7	25.4
Rural	298,649	5,731	2,310	69	7.8	7.7	12.0
Male	156,649	3,408	1,305	31	8.3	8.3	9.1
Female	142,000	2,323	1,005	38	7.2	7.1	16.4
VERMONT							
Total	[1] 351,817	[1] 611	5,360	4	15.2	15.2	6.5
Male	178,504	350	2,750	3	15.4	15.4	8.6
Female	173,313	261	2,610	1	15.0	15.1	3.8
Urban	48,714	108	806	2	16.5	16.5	18.5
Male	23,319	57	395	1	16.9	16.9	17.5
Female	25,395	51	411	1	16.2	16.2	19.6
Rural	303,103	503	4,554	2	15.0	15.0	4.0
Male	155,185	293	2,355	2	15.2	15.2	6.8
Female	147,918	210	2,199	-------	14.8	14.9	------
VIRGINIA							
Total	1,700,143	698,298	18,773	11,987	12.8	11.0	17.2
Male	868,672	347,819	9,846	5,949	13.0	11.3	17.1
Female	831,471	350,479	8,927	6,038	12.7	10.7	17.2
Urban	422,243	201,432	4,737	3,840	13.8	11.2	19.1
Male	203,269	89,905	2,520	1,925	15.2	12.4	21.4
Female	218,974	111,527	2,217	1,915	12.5	10.1	17.2
Rural	1,277,900	496,866	14,036	8,147	12.5	11.0	16.4
Male	665,403	257,914	7,326	4,024	12.3	11.0	15.6
Female	612,497	238,952	6,710	4,123	12.7	11.0	17.3
WASHINGTON							
Total	1,395,725	38,273	13,189	667	9.7	9.4	17.4
Male	739,162	22,952	7,898	389	10.9	10.7	16.9
Female	656,563	15,321	5,291	278	8.3	8.1	18.1
Urban	660,494	18,695	6,670	294	10.3	10.1	15.7
Male	339,275	12,060	3,851	191	11.5	11.4	15.8
Female	321,219	6,635	2,819	103	8.9	8.8	15.5
Rural	735,231	19,578	6,519	373	9.1	8.9	19.1
Male	399,887	10,892	4,047	198	10.3	10.1	18.2
Female	335,344	8,686	2,472	175	7.7	7.7	20.1
WISCONSIN							
Total	2,723,787	15,787	28,985	306	10.7	10.6	19.4
Male	1,401,482	8,643	15,671	179	11.3	11.2	20.7
Female	1,322,305	7,144	13,314	127	10.1	10.1	17.8
Urban	1,018,299	5,417	12,011	92	11.8	11.8	17.0
Male	500,329	3,086	6,287	55	12.6	12.6	17.8
Female	517,970	2,331	5,724	37	11.1	11.1	15.9
Rural	1,705,488	10,370	16,974	214	10.0	10.0	20.6
Male	901,153	5,557	9,384	124	10.5	10.4	22.3
Female	804,335	4,813	7,590	90	9.5	9.4	18.7
WYOMING							
Total	208,108	3,756	2,035	145	10.3	9.8	38.6
Male	114,712	2,384	1,302	92	11.9	11.4	38.6
Female	93,396	1,372	733	53	8.3	7.8	38.6
Urban	29,660	654	467	22	16.1	15.7	33.6
Male	14,568	303	285	11	19.9	19.6	36.3
Female	15,092	351	182	11	12.5	12.1	31.3
Rural	178,448	3,102	1,568	123	9.3	8.8	39.7
Male	100,144	2,081	1,017	81	10.7	10.2	38.9
Female	78,304	1,021	551	42	7.5	7.0	41.1

[1] Population Jan. 1, 1920; decrease between 1910 and 1920; no estimate made.

TABLE IB.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1923

[Populations are estimated by the arithmetical method, based on the censuses of 1910 and 1920. Minor areas which are designated by asterisks (*) contain State insane asylums, State hospitals, etc. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. White and colored are shown separately for areas when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. A detailed explanation of this table can be found on p. 17.]

AREA AND COLOR	Estimated population, July 1, 1923	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1923			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
ALABAMA CITIES [1]					
Birmingham	195,901	3,053	15.6	2,625	13.4
White	118,994	1,429	12.0	1,160	9.7
Colored	76,907	1,624	21.1	1,465	19.0
Mobile	63,858	1,045	16.4	880	13.8
White	39,625	543	13.7	425	10.7
Colored	24,233	502	20.7	455	18.8
Montgomery	45,383	819	18.0	745	16.4
White	25,371	348	13.7	294	11.6
Colored	20,012	471	23.5	451	22.5
CALIFORNIA CITIES [2]					
Alameda	30,759	315	10.2	------	-----
Bakersfield	20,769	374	18.0	------	-----
Berkeley	62,995	569	9.0	------	-----
Eureka	13,311	299	22.5	------	-----
Fresno	54,966	656	11.9	------	-----
Glendale*	18,280	433	23.7	------	-----
Long Beach	69,214	1,084	15.7	------	-----
Los Angeles	(3)	10,750	(3)	------	-----
White	(3)	10,123	(3)	------	-----
Colored	(3)	627	(3)	------	-----
Oakland	240,086	2,604	10.8	------	-----
White	226,373	2,483	11.0	------	-----
Colored	13,713	121	8.8	------	-----
Pasadena	53,388	787	14.7	------	-----
Pomona	14,692	223	15.2	------	-----
Richmond	20,462	123	6.0	------	-----
Riverside	20,829	367	17.6	------	-----
Sacramento	69,950	1,187	17.0	------	-----
San Bernardino*	20,863	521	25.0	------	-----
San Diego	87,126	1,460	16.8	------	-----
San Francisco	539,038	7,318	13.6	------	-----
White	522,471	6,919	13.2	------	-----
Colored	16,567	399	24.1	------	-----
San Jose	41,957	451	10.7	------	-----
Santa Ana	18,027	305	16.9	------	-----
Santa Barbara	22,435	301	13.4	------	-----
Santa Cruz	[4] 10,917	252	23.1	------	-----
Santa Monica	17,919	384	21.4	------	-----
Stockton*	44,897	625	13.9	------	-----
Vallejo	24,629	187	7.6	------	-----
Venice	13,003	98	7.5	------	-----
COLORADO CITIES					
Boulder	11,535	145	12.6	135	11.7
Colorado Springs*	[4] 30,105	642	21.3	558	18.5
Denver	272,031	3,997	14.7	3,748	13.8
Greeley	11,959	151	12.6	128	10.7
Pueblo	43,519	574	13.2	529	12.2
Trinidad	10,977	160	14.6	158	14.4
CONNECTICUT CITIES					
Ansonia	18,539	176	9.5	237	12.8
Bridgeport	(3)	1,642	(3)	1,534	(3)
Bristol	23,186	241	10.4	263	11.3
Danbury town	[4] 22,325	429	19.2	373	16.7
Derby	12,047	200	16.6	138	11.5
East Hartford town	12,912	99	7.7	132	10.2
Enfield town	12,440	119	9.6	119	9.6
Fairfield town	13,401	92	6.9	126	9.4
Greenwich town	24,163	293	12.1	285	11.8
Hartford	152,138	1,992	13.1	1,614	10.6
Manchester town	20,075	191	9.5	188	9.4
Meriden	35,736	431	12.1	428	12.0
Middletown town*	22,627	506	22.4	446	19.7
Milford town	12,293	117	9.5	122	9.9
Naugatuck	15,890	116	7.3	159	10.0

AREA AND COLOR	Estimated population, July 1, 1923	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1923			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
CONNECTICUT CITIES—continued					
New Britain	64,867	562	8.7	602	9.3
New Haven	172,967	2,181	12.6	1,953	11.3
New London	27,861	418	15.0	344	12.3
Norwalk	29,015	398	13.7	390	13.4
Norwich town*	30,213	503	16.6	480	15.9
Orange town	18,539	274	14.8	308	16.6
Stamford town	44,114	519	11.8	490	11.1
Stonington town	10,625	110	10.4	117	11.0
Stratford town	14,738	118	8.0	158	10.7
Torrington town	23,935	198	8.3	199	8.3
Wallingford town	12,318	133	10.8	163	13.2
Waterbury	(3)	1,122	(3)	1,044	(3)
Windham town	14,232	223	15.7	204	14.3
DELAWARE CITIES					
Wilmington	117,728	1,550	13.2	1,555	13.2
White	106,337	1,305	12.3	1,311	12.3
Colored	11,391	245	21.5	244	21.4
DISTRICT OF COLUMBIA					
Washington	475,966	7,105	14.9	6,747	14.2
White	359,569	4,437	12.3	4,185	11.6
Colored	116,397	2,668	22.9	2,562	22.0
FLORIDA CITIES					
Jacksonville	100,046	1,726	17.3	1,467	14.7
White	55,341	734	13.3	559	10.1
Colored	44,705	992	22.2	908	20.3
Key West	[4] 18,749	216	11.5	219	11.7
White	14,693	165	11.2	167	11.4
Colored	4,056	51	12.6	52	12.8
Miami	38,258	696	18.2	647	16.9
White	26,419	404	15.3	354	13.4
Colored	11,839	292	24.7	293	24.7
Pensacola	33,937	456	13.4	450	13.3
White	23,459	264	11.3	264	11.3
Colored	10,478	192	18.3	186	17.8
St. Petersburg	24,403	389	15.9	201	8.2
White	20,751	322	15.5	139	6.7
Colored	3,652	67	18.3	62	17.0
Tampa	66,050	762	11.5	617	9.3
White	51,459	514	10.0	406	7.9
Colored	14,591	248	17.0	211	14.5
GEORGIA CITIES					
Albany	12,714	148	11.6	160	12.6
White	6,117	64	10.5	65	10.6
Colored	6,597	84	12.7	95	14.4
Athens	18,409	306	16.6	293	15.9
White	11,313	135	11.9	131	11.6
Colored	7,096	171	24.1	162	22.8
Atlanta	222,963	4,025	18.1	4,034	18.1
White	155,475	2,088	13.4	2,097	13.5
Colored	67,488	1,937	28.7	1,937	28.7
Augusta*	54,264	1,060	19.5	927	17.1
White	31,337	462	14.7	380	12.1
Colored	22,927	598	26.1	547	23.9
Brunswick	15,937	209	13.1	204	12.8
White	8,247	78	9.5	75	9.1
Colored	7,690	131	17.0	129	16.8
Columbus	33,110	743	22.4	717	21.7
White	24,027	398	16.6	384	16.0
Colored	9,083	345	38.0	333	36.7
La Grange	21,165	282	13.3	261	12.3
White	15,685	174	11.1	166	10.6
Colored	5,480	108	19.7	95	17.3
Macon	56,331	1,063	18.9	1,015	18.0
White	31,946	449	14.1	426	13.3
Colored	24,385	614	25.2	589	24.2

AREA AND COLOR	Estimated population, July 1, 1923	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1923			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
GEORGIA CITIES—con.					
Rome	13,667	335	24.5	290	21.2
White	10,493	213	20.3	176	16.8
Colored	3,174	122	38.4	114	35.9
Savannah*	89,448	1,695	18.9	1,579	17.7
White	48,269	581	12.0	516	10.7
Colored	41,179	1,114	27.1	1,063	25.8
Valdosta	11,910	152	12.8	139	11.7
White	5,800	58	10.0	48	8.3
Colored	6,110	94	15.4	91	14.9
Waycross	19,360	317	16.4	266	13.7
White	8,285	161	19.4	121	14.6
Colored	11,075	156	14.1	145	13.1
IDAHO CITIES					
Boise	22,806	286	12.5	293	12.8
Pocatello	17,123	196	11.4	198	11.6
ILLINOIS CITIES					
Alton	26,027	367	14.1	347	13.3
Aurora	39,051	521	13.3	489	12.5
Belleville	26,157	373	14.3	317	12.1
Berwyn	17,144	131	7.6	144	8.4
Bloomington	29,709	403	13.6	362	12.2
Blue Island	12,580	206	16.4	174	13.8
Cairo	15,438	262	17.0	208	13.5
White	10,579	171	16.2	125	11.8
Colored	4,859	91	18.7	83	17.1
Canton	10,991	191	17.4	182	16.6
Centralia	13,503	207	15.3	203	15.0
Champaign	17,521	202	11.5	179	10.2
Chicago	2,886,971	33,764	11.7	33,248	11.5
White	2,750,575	30,595	11.1	30,108	10.9
Colored	136,396	3,169	23.2	3,140	23.0
Chicago Heights	21,221	270	12.7	278	13.1
Cicero	55,968	295	5.3	343	6.1
Danville	35,805	607	17.0	505	14.1
Decatur	48,439	647	13.4	593	12.2
East St. Louis	69,729	938	13.5	924	13.3
White	61,703	721	11.7	708	11.5
Colored	8,026	217	27.0	216	26.9
Elgin*	27,987	653	23.3	595	21.3
Evanston	41,465	478	11.5	421	10.2
Forest Park	12,273	105	8.6	118	9.6
Freeport	20,317	330	16.2	275	13.5
Galesburg	24,462	414	16.9	344	14.1
Granite City	16,290	223	13.7	202	12.4
Herrin	12,473	136	10.9	135	10.8
Jacksonville*	15,851	504	31.8	429	27.1
Joliet	39,801	503	12.6	481	12.1
Kankakee	17,900	241	13.5	198	11.1
Kewanee	19,097	246	12.9	207	10.8
La Salle	13,595	173	12.7	149	11.0
Lincoln*	12,239	305	24.9	269	22.0
Mattoon	14,307	205	14.3	194	13.6
Maywood	13,455	94	7.0	147	10.9
Moline	32,754	344	10.5	315	9.6
Murphysboro	11,862	172	14.5	160	13.5
White	10,604	147	13.9	136	12.8
Colored	1,258	25	19.9	24	19.1
Oak Park	47,217	651	13.8	533	11.3
Ottawa	11,278	200	17.7	183	16.2
Pekin	12,874	139	10.8	146	11.3
Peoria	79,675	1,217	15.3	1,087	13.6
Quincy	[4] 37,478	600	16.0	534	14.2
Rock Island	38,293	315	8.2	314	8.2
Rockford	72,419	756	10.4	715	9.9

See footnotes at end of table.

TABLE 1B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1923—Continued

[See note at head of this table, p. 87]

AREA AND COLOR	Estimated population, July 1, 1923	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1923: Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
ILLINOIS CITIES—con.					
Springfield	61,833	1,049	17.0	875	14.2
Streator	14,968	211	14.1	194	13.0
Urbana	10,946	108	9.9	114	10.4
Waukegan	20,364	230	11.3	214	10.5
INDIANA CITIES					
Anderson	32,368	375	11.6	373	11.5
Bloomington	12,227	175	14.3	178	14.6
Clinton	12,667	88	6.9	115	9.1
Crawfordsville	10,388	157	15.1	165	15.9
East Chicago	42,084	438	10.4	467	11.1
Elkhart	26,076	336	12.9	321	12.3
Elwood	[4] 10,890	139	12.8	148	13.6
Evansville	90,569	1,060	11.7	1,019	11.3
Fort Wayne	93,673	1,212	12.9	1,112	11.9
Frankfort	12,517	167	13.3	169	13.5
Gary	69,054	864	12.5	816	11.8
Hammond	46,609	507	10.9	492	10.6
Huntington	15,218	187	12.3	193	12.7
Indianapolis	342,718	4,926	14.4	4,754	13.9
White	303,269	4,148	13.7	3,970	13.1
Colored	39,449	778	19.7	784	19.9
Jeffersonville	[4] 10,098	152	15.1	156	15.4
White	8,683	124	14.3	128	14.7
Colored	1,415	28	19.8	28	19.8
Kokomo	34,565	401	11.6	396	11.5
La Porte	16,674	230	13.8	224	13.4
Lafayette	23,316	482	20.7	401	17.2
Logansport	22,630	288	12.7	279	12.3
Marion	25,354	376	14.8	374	14.8
Michigan City	19,611	284	14.5	278	14.2
Mishawaka	16,133	230	14.3	218	13.5
Muncie	40,321	544	13.5	535	13.3
New Albany	[4] 22,992	318	13.8	297	12.9
New Castle	16,047	164	10.2	164	10.2
Peru	12,583	173	13.7	175	13.9
Richmond	28,581	319	11.2	321	11.2
South Bend	76,859	892	11.6	899	11.7
Terre Haute	69,439	973	14.0	894	12.9
Vincennes	17,867	262	14.7	246	13.8
Whiting	11,426	95	8.3	107	9.4
IOWA CITIES					
Boone	13,207	178	13.5	175	13.3
Burlington	[4] 24,057	393	16.3	358	14.9
Cedar Rapids	50,163	553	11.0	499	9.9
Clinton	[4] 24,151	320	13.2	307	12.7
Council Bluffs	38,637	512	13.3	458	11.9
Davenport	61,262	748	12.2	680	11.1
Des Moines	140,923	1,601	11.4	1,455	10.3
Dubuque	39,372	584	14.8	551	14.0
Fort Dodge	19,635	276	14.1	263	13.4
Fort Madison	13,207	178	13.5	162	12.3
Iowa City	11,691	338	28.9	187	16.0
Keokuk	14,570	273	18.7	248	17.0
Marshalltown	16,578	235	14.2	228	13.8
Mason City	23,142	265	11.5	225	9.7
Muscatine	[4] 16,068	244	15.2	228	14.2
Ottumwa	23,360	426	18.2	383	16.4
Sioux City	79,662	870	10.9	724	9.1
Waterloo	39,667	388	9.8	381	9.6
KANSAS CITIES					
Arkansas City	12,602	183	14.5	167	13.3
Atchison	[4] 12,630	177	14.0	177	14.0
White	11,131	140	12.6	141	12.7
Colored	1,499	37	24.7	36	24.0
Chanute	10,650	171	16.1	155	14.6
KANSAS CITIES—con.					
Coffeyville	13,726	194	14.1	185	13.5
White	12,176	155	12.7	148	12.2
Colored	1,550	39	25.2	37	23.9
El Dorado	13,830	124	9.0	128	9.3
Emporia	12,053	194	16.1	174	14.4
Fort Scott	10,774	202	18.7	180	16.7
Hutchinson	25,797	282	10.9	262	10.2
Independence	12,430	135	10.9	129	10.4
Kansas City	115,781	1,727	14.9	1,580	13.6
White	98,675	1,341	13.6	1,212	12.3
Colored	17,106	386	22.6	368	21.5
Lawrence	12,484	176	14.1	181	14.5
White	10,367	136	13.1	139	13.4
Colored	2,117	40	18.9	42	19.8
Leavenworth	[4] 16,912	298	17.6	278	16.4
White	14,921	253	17.0	233	15.6
Colored	1,991	45	22.6	45	22.6
Parsons	17,313	192	11.1	189	10.9
Pittsburg	19,179	187	9.8	181	9.4
Salina	17,079	199	11.7	163	9.5
Topeka	52,555	757	14.4	675	12.8
Wichita	79,261	1,151	14.5	1,020	12.9
KENTUCKY CITIES [2]					
Ashland	22,739	357	15.7	------	------
Covington	57,877	866	15.0	------	------
Henderson	12,426	203	16.3	------	------
White	9,475	127	13.4	------	------
Colored	2,951	76	25.8	------	------
Lexington*	43,673	1,023	23.4	------	------
White	30,753	677	22.0	------	------
Colored	12,920	346	26.8	------	------
Louisville	257,671	4,186	16.2	------	------
White	216,985	3,223	14.9	------	------
Colored	40,686	963	23.7	------	------
Newport	[4] 29,317	324	11.1	------	------
Owensboro	21,666	371	17.1	------	------
White	18,768	301	16.0	------	------
Colored	2,898	70	24.2	------	------
Paducah	25,446	435	17.1	------	------
White	20,027	275	13.7	------	------
Colored	5,419	160	29.5	------	------
LOUISIANA CITIES					
Alexandria	19,509	377	19.3	321	16.5
White	11,051	182	16.5	138	12.5
Colored	8,458	195	23.1	183	21.6
Baton Rouge	26,264	367	14.0	364	13.9
White	16,676	192	11.5	191	11.5
Colored	9,588	175	18.3	173	18.0
Lake Charles	13,677	223	16.3	188	13.7
White	9,193	129	14.0	95	10.3
Colored	4,484	94	21.0	93	20.7
Monroe	13,839	321	23.2	314	22.7
White	8,094	169	20.9	165	20.4
Colored	5,745	152	26.5	149	25.9
New Orleans	404,575	7,157	17.7	6,945	17.2
White	299,080	4,338	14.5	4,163	13.9
Colored	105,495	2,819	26.7	2,782	26.4
Shreveport*	54,590	1,170	21.4	992	18.2
White	33,794	520	15.4	393	11.6
Colored	20,796	650	31.3	599	28.8
MAINE CITIES					
Auburn	17,677	216	12.2	249	14.1
Augusta*	14,439	340	23.5	329	22.8
Bangor*	26,402	533	20.2	454	17.2
Bath	16,653	164	9.8	161	9.7
Biddeford	18,341	311	17.0	277	15.1
MAINE CITIES—con.					
Lewiston	33,790	651	19.3	537	15.9
Portland	73,129	1,144	15.6	1,015	13.9
Sanford town	11,283	160	14.2	168	14.9
Waterville	14,034	211	15.0	203	14.5
MARYLAND CITIES					
Annapolis	12,117	183	15.1	191	15.8
White	9,253	95	10.3	103	11.1
Colored	2,864	88	30.7	88	30.7
Baltimore	773,580	11,589	15.0	10,814	14.0
White	659,370	8,908	13.5	8,286	12.6
Colored	114,210	2,681	23.5	2,528	22.1
Cumberland	32,361	524	16.2	417	12.9
Frederick	11,301	282	25.0	274	24.2
White	10,149	246	24.2	238	23.5
Colored	1,152	36	31.3	36	31.3
Hagerstown	30,133	420	13.9	427	14.2
MASSACHUSETTS CITIES					
Adams town	[4] 12,967	105	8.1	113	8.7
Amesbury town	10,085	133	13.2	156	15.5
Arlington town	21,360	230	10.8	249	11.7
Attleboro	20,998	263	12.5	263	12.5
Belmont town	12,626	108	8.6	116	9.2
Beverly	23,969	287	12.0	273	11.4
Boston	770,400	11,509	14.9	10,341	13.4
White	751,893	11,085	14.7	9,917	13.2
Colored	18,507	424	22.9	424	22.9
Braintree town	11,487	151	13.1	164	14.3
Brockton	69,633	740	10.6	725	10.4
Brookline town	41,336	446	10.8	469	11.3
Cambridge	111,444	1,527	13.7	1,579	14.2
Chelsea	47,052	539	11.5	596	12.7
Chicopee	40,111	365	9.1	409	10.2
Clinton town	[4] 12,979	174	13.4	161	12.4
Danvers town*	11,721	329	28.1	358	30.5
Dedham town	11,335	118	10.4	150	13.2
Easthampton town	12,247	117	9.6	147	12.0
Everett	42,511	382	9.0	487	11.5
Fall River	120,912	1,655	13.7	1,636	13.5
Fitchburg	42,183	470	11.1	472	11.2
Framingham town	18,503	276	14.9	247	13.3
Gardner town	17,790	226	12.7	213	12.0
Gloucester	[4] 22,947	297	12.9	303	13.2
Greenfield town	17,275	166	9.6	160	9.3
Haverhill	57,405	626	10.9	617	10.7
Holyoke	61,094	844	13.8	787	12.9
Lawrence	97,289	1,134	11.7	1,144	11.8
Leominster	20,525	232	11.3	243	11.8
Lowell	115,089	1,680	14.6	1,686	14.6
Lynn	102,683	1,201	11.7	1,216	11.8
Malden	50,797	597	11.8	644	12.7
Marlborough	15,189	194	12.8	184	12.1
Medford	44,782	431	9.6	494	11.0
Melrose	19,100	231	12.1	214	11.2
Methuen	16,587	206	12.5	208	12.6
Milford town	13,619	182	13.4	163	12.0
Natick town	11,282	165	14.6	161	14.3
New Bedford	130,072	1,584	12.2	1,602	12.3
Newburyport	15,858	256	16.1	222	14.0
Newton	48,305	552	11.4	550	11.4
North Adams	22,377	286	12.8	261	11.7
Northampton*	22,858	446	19.5	405	17.7
Northbridge town	10,665	115	10.8	100	9.4

See footnotes at end of table.

TABLE 1B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1923—Continued

[See note at head of this table, p. 87]

AREA AND COLOR	Estimated population, July 1, 1923	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1923			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
MASSACHUSETTS CITIES—continued					
Norwood town	14,290	120	8.4	121	8.5
Peabody	20,931	229	10.9	233	11.1
Pittsfield	45,239	544	12.0	492	10.9
Plymouth town	13,371	157	11.7	152	11.4
Quincy	53,368	506	9.5	525	9.8
Revere	32,645	221	6.8	309	9.5
Salem	[4] 42,529	592	13.9	568	13.4
Saugus town	11,893	92	7.7	122	10.3
Somerville	98,807	1,105	11.2	1,268	12.8
Southbridge town	14,840	127	8.6	153	10.3
Springfield	144,227	1,719	11.9	1,553	10.8
Taunton*	38,173	655	17.2	659	17.3
Wakefield town	13,608	149	10.9	175	12.9
Waltham	32,025	441	13.8	431	13.5
Watertown town	24,551	154	6.3	235	9.6
Webster town	13,888	130	9.4	146	10.5
West Springfield town	14,962	134	9.0	132	8.8
Westfield town	19,525	238	12.2	247	12.7
Weymouth town	15,834	167	10.5	187	11.8
Winchester town	10,909	127	11.6	118	10.8
Winthrop town	17,373	149	8.6	158	9.1
Woburn	17,029	202	11.9	219	12.9
Worcester	191,927	2,521	13.1	2,327	12.1
MICHIGAN CITIES					
Adrian	12,278	197	16.0	198	16.1
Alpena	[4] 11,101	207	18.6	208	18.7
Ann Arbor*	21,210	613	28.9	461	21.7
Battle Creek	40,092	537	13.4	465	11.6
Bay City	48,415	593	12.2	577	11.9
Benton Harbor	13,331	180	13.5	174	13.1
Detroit	(3)	13,051	(3)	12,896	(3)
White	(3)	11,680	(3)	11,537	(3)
Colored	(3)	1,371	(3)	1,359	(3)
Escanaba	[4] 13,103	208	15.9	182	13.9
Flint	117,968	1,285	10.9	1,281	10.9
Grand Rapids	145,947	1,714	11.7	1,684	11.5
Hamtramck	69,689	433	6.2	458	6.6
Highland Park	62,911	520	8.3	533	8.5
Holland	12,792	128	10.0	131	10.2
Ironwood	16,790	173	10.3	172	10.2
Ishpeming	[4] 10,500	120	11.4	120	11.4
Jackson	54,482	663	12.2	636	11.7
Kalamazoo*	51,749	937	18.1	861	16.6
Lansing	65,871	774	11.8	762	11.6
Marquette	13,156	182	13.8	176	13.4
Monroe	13,260	163	12.3	170	12.8
Muskegon	40,718	580	14.2	575	14.1
Owosso	13,632	222	16.3	224	16.4
Pontiac*	41,389	598	14.4	609	14.7
Port Huron	28,496	414	14.5	423	14.8
Saginaw	69,754	977	14.0	967	13.9
Sault Ste. Marie	[4] 12,096	178	14.7	172	14.2
Traverse City*	[4] 10,925	338	30.9	342	31.3
Wyandotte	21,089	308	14.6	309	14.7
MINNESOTA CITIES					
Austin	11,256	133	11.8	134	11.9
Duluth	106,289	1,075	10.1	945	8.9
Faribault*	11,842	220	18.6	206	17.4
Hibbing	16,531	143	8.7	143	8.7
Mankato	13,225	208	15.7	173	13.1
Minneapolis	409,125	4,553	11.1	4,040	9.9
Rochester*	15,840	916	57.8	299	18.9
St. Cloud	17,774	220	12.4	189	10.6
St. Paul	241,891	3,116	12.9	2,734	11.3
Virginia	15,300	127	8.3	124	8.1
Winona	19,343	252	13.0	237	12.3

AREA AND COLOR	Estimated population, July 1, 1923	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1923			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
MISSISSIPPI CITIES					
Biloxi	11,977	155	12.9	150	12.5
White	10,296	123	11.9	119	11.6
Colored	1,681	32	19.0	31	18.4
Columbus	11,046	115	10.4	119	10.8
White	5,045	33	6.5	36	7.1
Colored	6,001	82	13.7	83	13.8
Greenville	14,763	339	23.0	274	18.6
White	5,963	123	20.6	79	13.2
Colored	8,800	216	24.5	195	22.2
Hattiesburg	13,788	130	9.4	108	7.8
White	8,654	87	10.1	72	8.3
Colored	5,134	43	8.4	36	7.0
Jackson*	23,378	635	27.2	388	16.6
White	13,664	250	18.3	157	11.5
Colored	9,714	385	39.6	231	23.8
Laurel	14,613	273	18.7	208	14.2
White	8,904	174	19.5	127	14.3
Colored	5,709	99	17.3	81	14.2
Meridian*	23,980	417	17.4	355	14.8
White	15,770	230	14.6	174	11.0
Colored	8,210	187	22.8	181	22.0
Natchez	12,902	230	17.8	219	17.0
White	6,060	72	11.9	61	10.1
Colored	6,842	158	23.1	158	23.1
Vicksburg*	[4] 18,072	618	34.2	455	25.2
White	8,920	187	21.0	153	17.2
Colored	9,152	431	47.1	302	33.0
MISSOURI CITIES					
Cape Girardeau	10,892	217	19.9	202	18.5
Carthage	10,318	135	13.1	127	12.3
Columbia	10,546	205	19.4	204	19.3
White	8,754	167	19.1	166	19.0
Colored	1,792	38	21.2	38	21.2
Hannibal	19,653	312	15.9	299	15.2
Independence	12,344	193	15.6	202	16.4
Jefferson City	15,351	202	13.2	198	12.9
White	13,353	173	13.0	169	12.7
Colored	1,998	29	14.5	29	14.5
Joplin	[4] 29,902	505	16.9	486	16.3
Kansas City	351,819	5,057	14.4	4,783	13.6
White	318,333	4,257	13.4	3,971	12.5
Colored	33,486	800	23.9	812	24.2
Moberly	13,487	166	12.3	145	10.8
St. Joseph*	78,232	1,286	16.4	1,128	14.4
St. Louis	803,853	10,924	13.6	10,489	13.0
White	724,291	9,222	12.7	8,812	12.2
Colored	79,562	1,702	21.4	1,677	21.1
Sedalia	22,163	303	13.7	302	13.6
Springfield	41,228	623	15.1	568	13.8
MONTANA CITIES					
Anaconda	12,221	141	11.5	142	11.6
Billings	16,927	217	12.8	193	11.4
Butte	42,409	544	12.8	542	12.8
Great Falls	27,787	260	9.4	240	8.6
Helena	[4] 12,037	186	15.5	174	14.5
Missoula	[4] 12,668	232	18.3	209	16.5
NEBRASKA CITIES					
Grand Island	15,000	251	16.7	248	16.5
Hastings	12,478	197	15.8	200	16.0
Lincoln	58,761	699	11.9	690	11.7
North Platte	12,511	128	10.2	131	10.5
Omaha	204,382	2,696	13.2	2,678	13.1
White	191,979	2,483	12.9	2,464	12.8
Colored	12,403	213	17.2	214	17.3

AREA AND COLOR	Estimated population, July 1, 1923	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1923			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
NEW HAMPSHIRE CITIES					
Berlin	17,662	170	9.6	160	9.1
Concord*	22,408	484	21.6	481	21.5
Dover	[4] 13,029	204	15.7	205	15.7
Keene	11,620	190	16.4	176	15.1
Laconia	11,153	211	18.9	200	17.9
Manchester	81,383	1,040	12.8	1,048	12.9
Nashua	29,234	449	15.4	409	14.0
Portsmouth	14,397	173	12.0	173	12.0
NEW JERSEY CITIES					
Asbury Park	13,210	182	13.8	196	14.8
White	10,045	134	13.3	138	13.7
Colored	3,165	48	15.2	58	18.3
Atlantic City	52,349	1,033	19.7	800	15.3
White	40,931	805	19.7	567	13.9
Colored	11,418	228	20.0	233	20.4
Bayonne	84,398	701	8.3	746	8.8
Belleville*	17,739	194	10.9	169	9.5
Bloomfield	24,523	172	7.0	248	10.1
Bridgeton	14,363	272	18.9	236	16.4
Camden	124,157	1,806	14.5	1,654	13.3
Carteret	12,943	81	6.3	80	6.2
Clifton	31,734	221	7.0	276	8.7
East Orange	56,601	456	8.1	576	10.2
Elizabeth	(3)	1,206	(3)	1,084	(3)
Englewood	12,240	236	19.3	154	12.6
Garfield	22,686	151	6.7	199	8.8
Gloucester	13,136	140	10.7	156	11.9
Hackensack	18,970	390	20.6	282	14.9
Harrison	16,162	131	8.1	199	12.3
Hoboken	[4] 68,166	884	13.0	810	11.9
Irvington	30,384	255	8.4	281	9.2
Jersey City	309,034	3,708	12.0	3,776	12.2
Kearny	29,629	318	10.7	307	10.4
Long Branch	13,600	400	29.4	208	15.3
Millville	15,498	248	16.0	238	15.4
Montclair	31,426	250	8.0	321	10.2
White	27,568	216	7.8	268	9.7
Colored	3,858	34	8.8	53	13.7
Morristown*	12,562	315	25.1	167	13.3
New Brunswick	36,090	523	14.5	430	11.9
Newark	438,699	5,110	11.6	4,950	11.3
White	418,665	4,631	11.1	4,473	10.7
Colored	20,034	479	23.9	477	23.8
Orange	34,629	586	16.9	424	12.2
White	30,576	524	17.1	367	12.0
Colored	4,053	62	15.3	57	14.1
Passaic	67,111	727	10.8	629	9.4
Paterson	139,579	1,825	13.1	1,663	11.9
Perth Amboy	45,162	426	9.4	405	9.0
Phillipsburg	18,011	171	9.5	200	11.1
Plainfield	30,276	444	14.7	370	12.2
Rahway	11,655	133	11.4	139	11.9
Summit	11,137	143	12.8	111	10.0
Trenton	127,390	1,781	14.0	1,642	12.9
Union	[4] 20,651	180	8.7	187	9.1
West Hoboken	41,758	266	6.4	374	9.0
West New York	35,825	188	5.2	260	7.3
West Orange	17,228	131	7.6	158	9.2
NEW YORK CITIES					
Albany	117,375	1,899	16.2	1,729	14.7
Amsterdam	34,336	393	11.4	359	10.5
Auburn	36,742	485	13.2	458	12.5
Batavia	14,144	259	18.3	216	15.3
Beacon*	11,056	212	19.2	207	18.7

See footnotes at end of table.

TABLE 1B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1923—Continued

[See note at head of this table, p. 87]

AREA AND COLOR	Estimated population, July 1, 1923	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1923: Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
NEW YORK CITIES—continued					
Binghamton *	73,416	1,167	15.9	1,104	15.0
Buffalo	536,718	7,269	13.5	6,954	13.0
Cohoes	[4] 22,987	315	13.7	318	13.8
Corning	16,573	251	15.1	234	14.1
Cortland	13,938	252	18.1	219	15.7
Dunkirk	20,097	280	13.9	267	13.3
Elmira	48,354	679	14.0	640	13.2
Fulton	13,967	196	14.0	193	13.8
Geneva	15,440	224	14.5	216	14.0
Glens Falls	17,139	268	15.6	229	13.4
Gloversville	22,590	332	14.7	293	13.0
Herkimer	11,511	179	15.6	184	16.0
Hornell	15,533	218	14.0	210	13.5
Hudson	11,826	217	18.3	191	16.2
Ilion	11,460	143	12.5	137	12.0
Ithaca	17,796	313	17.6	271	15.2
Jamestown	41,664	536	12.9	494	11.9
Johnstown	11,073	147	13.3	174	15.7
Kingston	26,969	528	19.6	431	16.0
Lackawanna *	19,132	393	20.5	357	18.7
Little Falls	13,301	150	11.3	152	11.4
Lockport	22,149	318	14.4	323	14.6
Middletown *	19,540	422	21.6	387	19.8
Mount Vernon	46,982	447	9.5	462	9.8
New Rochelle	38,860	344	8.9	372	9.6
New York	5,927,625	69,552	11.7	69,128	11.7
Bronx Borough	840,544	7,586	9.0	7,548	9.0
Brooklyn Borough	2,156,687	23,947	11.1	24,166	11.2
White	2,119,845	23,227	11.0	23,452	11.1
Colored	36,842	720	19.5	714	19.4
Manhattan Borough	2,267,001	30,376	13.4	29,986	13.2
White	2,133,696	27,889	13.1	27,471	12.9
Colored	133,305	2,487	18.7	2,515	18.9
Queens Borough	535,844	5,960	11.1	5,783	10.8
Richmond Borough	127,549	1,683	13.2	1,645	12.9
Newburgh	31,288	499	15.9	457	14.6
Niagara Falls	58,082	641	11.0	639	11.0
North Tonawanda	16,753	207	12.4	199	11.9
Ogdensburg*	[4] 14,609	488	33.4	383	26.2
Olean	22,582	309	13.7	264	11.7
Oneida	11,343	198	17.5	166	14.6
Oneonta	12,335	231	18.7	209	16.9
Ossining	[4] 10,739	178	16.6	166	15.5
Oswego	23,717	370	15.6	381	16.1
Peekskill	16,019	233	14.5	226	14.1
Plattsburg	[4] 10,909	237	21.7	200	18.3
Port Chester	17,928	256	14.3	255	14.2
Port Jervis	10,388	158	15.2	130	12.5
Poughkeepsie	37,545	547	14.6	498	13.3
Rensselaer	10,862	126	11.6	157	14.5
Rochester	318,892	3,712	11.6	3,516	11.0
Rome*	28,447	551	19.4	465	16.3
Saratoga Springs	[4] 13,181	236	17.9	205	15.6
Schenectady	98,773	1,024	10.4	927	9.4
Syracuse	184,511	2,392	13.0	2,240	12.1
Tonawanda	10,709	91	8.5	138	12.9
Troy	[4] 72,013	1,300	18.1	1,184	16.4
Utica*	103,457	1,591	15.4	1,479	14.3
Watertown	32,927	531	16.1	460	14.0
Watervliet	16,434	187	11.4	234	14.2
White Plains	22,452	252	11.2	246	11.0
Yonkers	107,520	1,091	10.1	1,139	10.6

AREA AND COLOR	Estimated population, July 1, 1923	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1923: Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
NORTH CAROLINA CITIES					
Asheville*	30,394	765	25.2	748	24.6
White	22,996	508	22.1	492	21.4
Colored	7,398	257	34.7	256	34.6
Charlotte	50,780	776	15.3	767	15.1
White	35,093	445	12.7	437	12.5
Colored	15,687	331	21.1	330	21.0
Durham	22,972	364	15.8	361	15.7
White	15,031	138	9.2	140	9.3
Colored	7,941	226	28.5	221	27.8
Gastonia	15,434	252	16.3	250	16.2
White	12,738	165	13.0	163	12.8
Colored	2,696	87	32.3	87	32.3
Goldsboro*	13,166	248	18.8	247	18.8
White	7,430	96	12.9	95	12.8
Colored	5,736	152	26.5	152	26.5
Greensboro	[14] 43,525	522	12.0	504	11.6
White	31,943	313	9.8	299	9.4
Colored	11,582	209	18.0	205	17.7
High Point	[14] 22,279	250	11.2	248	11.1
White	18,246	205	11.2	203	11.1
Colored	4,033	45	11.2	45	11.2
New Bern	12,210	223	18.3	225	18.4
White	5,520	80	14.5	82	14.9
Colored	6,690	143	21.4	143	21.4
Raleigh*	29,171	689	23.6	665	22.8
White	19,203	409	21.3	404	21.0
Colored	9,968	280	28.1	261	26.2
Rocky Mount	14,251	248	17.4	249	17.5
White	9,137	114	12.5	113	12.4
Colored	5,114	134	26.2	136	26.6
Salisbury	16,310	180	11.0	179	11.0
White	12,325	100	8.1	99	8.0
Colored	3,985	80	20.1	80	20.1
Wilmington	35,719	533	14.9	523	14.6
White	21,944	229	10.4	219	10.0
Colored	13,775	304	22.1	304	22.1
Wilson	12,016	208	17.3	208	17.3
White	6,003	101	16.8	103	17.2
Colored	6,013	107	17.8	105	17.5
Winston-Salem	58,230	842	14.5	822	14.1
White	32,939	359	10.9	341	10.4
Colored	25,291	483	19.1	481	19.0
NORTH DAKOTA [1] CITIES					
Fargo	24,841	278	11.2	192	7.7
OHIO CITIES					
Akron	(3)	1,702	(3)	1,681	(3)
Alliance	23,751	267	11.2	258	10.9
Ashtabula	24,296	293	12.1	274	11.3
Barberton	21,658	205	9.5	205	9.5
Bellaire	15,822	199	12.6	200	12.6
Bucyrus	11,255	132	11.7	134	11.9
Cambridge	13,692	203	14.8	184	13.4
Canton	99,248	1,030	10.4	1,025	10.3
Chillicothe	16,307	242	14.8	245	15.0
Cincinnati	406,387	6,527	16.1	6,287	15.5
White	373,055	5,597	15.0	5,369	14.4
Colored	33,332	930	27.9	918	27.5
Cleveland	888,519	9,593	10.8	9,542	10.7
White	844,150	8,636	10.2	8,580	10.2
Colored	44,369	957	21.6	962	21.7
Cleveland Heights	19,664	177	9.0	177	9.0

AREA AND COLOR	Estimated population, July 1, 1923	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1923: Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
OHIO CITIES—con.					
Columbus	261,082	3,983	15.3	3,650	14.0
White	235,266	3,427	14.6	3,107	13.2
Colored	25,816	556	21.5	543	21.0
Coshocton	11,296	167	14.8	173	15.3
Cuyahoga Falls	12,427	115	9.3	123	9.9
Dayton	165,530	1,950	11.8	1,871	11.3
East Cleveland	33,820	223	6.6	223	6.6
East Liverpool	21,779	326	15.0	294	13.5
East Youngstown	14,695	127	8.6	129	8.8
Elyria	22,720	250	11.0	245	10.8
Findlay	17,800	272	15.3	269	15.1
Fremont	13,378	140	10.5	138	10.3
Hamilton	41,458	560	13.5	524	12.6
Ironton	14,315	242	16.9	232	16.2
Kenmore	17,091	85	5.0	97	5.7
Lakewood	51,304	431	8.4	438	8.5
Lancaster	15,288	223	14.6	221	14.5
Lima	44,757	609	13.6	587	13.1
Lorain	40,527	449	11.1	442	10.9
Mansfield	30,366	386	12.7	373	12.3
Marietta	15,217	221	14.5	215	14.1
Marion	30,831	412	13.4	406	13.2
Martins Ferry	12,534	196	15.6	196	15.6
Massillon	18,636	236	12.7	217	11.6
Middletown	28,579	296	10.4	298	10.4
New Philadelphia	11,553	114	9.9	114	9.9
Newark	30,191	430	14.2	429	14.2
Niles	15,604	111	7.1	121	7.8
Norwood	28,130	160	5.7	181	6.4
Piqua	15,639	236	15.1	224	14.3
Portsmouth	37,648	536	14.2	526	14.0
Salem	10,795	189	17.5	163	15.1
Sandusky	23,944	330	13.8	321	13.4
Springfield	65,857	869	13.2	865	13.1
White	58,060	734	12.6	729	12.6
Colored	7,797	135	17.3	136	17.4
Steubenville	30,713	479	15.6	434	14.1
Tiffin	15,124	241	15.9	238	15.7
Toledo	269,338	3,391	12.6	3,255	12.1
Warren	31,905	389	12.2	378	11.8
Youngstown	150,436	1,697	11.3	1,630	10.8
Zanesville	30,124	487	16.2	454	15.1
OKLAHOMA [1] CITIES					
Oklahoma City	101,150	1,275	12.6	1,131	11.2
OREGON CITIES					
Astoria	15,623	173	11.1	151	9.7
Eugene	10,993	172	15.6	129	11.7
Portland	273,621	3,052	11.2	2,680	9.8
Salem (exclusive of State institutions)	18,971	315 312	[5] 33.1	264 312	[5] 30.4
PENNSYLVANIA CITIES					
Allentown	87,329	1,242	14.2	1,161	13.3
Altoona	64,468	803	12.5	769	11.9
Ambridge	15,443	116	7.5	132	8.5
Beaver Falls	13,021	190	14.6	191	14.7
Berwick	13,890	163	11.7	164	11.8
Bethlehem	59,628	519	8.7	573	9.6
Braddock	21,425	366	17.1	353	16.5
Bradford	15,697	241	15.4	251	16.0
Bristol	12,639	144	11.4	148	11.7
Butler	24,702	263	10.6	247	10.0
Canonsburg	12,449	112	9.0	118	9.5
Carbondale	19,215	296	15.4	280	14.6

See footnotes at end of table.

TABLE IB.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1923—Continued

[See note at head of this table, p. 87]

AREA AND COLOR	Estimated population, July 1, 1923	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1923: Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
PENNSYLVANIA CITIES—continued					
Carlisle	11,137	186	16.7	187	16.8
Carnegie	12,059	106	8.8	128	10.6
Carrick	12,085	100	8.3	123	10.2
Chambersburg	13,665	206	15.1	201	14.7
Charleroi	12,200	99	8.1	107	8.8
Chester	64,697	830	12.8	795	12.3
White	56,658	663	11.7	631	11.1
Colored	8,039	167	20.8	164	20.4
Coatesville	15,751	134	8.5	141	9.0
White	13,739	113	8.2	116	8.4
Colored	2,012	21	10.4	25	12.4
Columbia	[4] 10,836	160	14.8	160	14.8
Connellsville	14,149	182	12.9	190	13.4
Dickson City	11,669	82	7.0	87	7.5
Donora	15,976	114	7.1	129	8.1
Du Bois	14,061	174	12.4	162	11.5
Dunmore	21,199	251	11.8	268	12.6
Duquesne	20,194	176	8.7	205	10.2
Easton	35,720	612	17.1	540	15.1
Erie	(3)	1,347	(3)	1,292	(3)
Farrell	17,459	145	8.3	161	9.2
Greensburg	15,684	290	18.5	225	14.3
Harrisburg	81,129	1,221	15.1	1,150	14.2
Hazleton	34,737	426	12.3	374	10.8
Homestead	21,079	203	9.6	243	11.5
Jeannette	11,336	115	10.1	118	10.4
Johnstown	69,966	1,054	15.1	955	13.6
Lancaster	55,285	942	17.0	882	16.0
Lebanon	25,001	401	16.0	399	16.0
McKees Rocks	17,438	193	11.1	221	12.7
McKeesport	48,255	693	14.4	603	12.5
Mahanoy City	[4] 15,599	183	11.7	195	12.5
Meadville	15,212	241	15.8	223	14.7
Monessen	20,105	128	6.4	156	7.8
Mount Carmel	[4] 17,469	182	10.4	199	11.4
Nanticoke	23,962	357	14.9	315	13.1
New Castle	48,058	537	11.2	542	11.3
New Kensington	13,530	234	17.3	227	16.8
Norristown*	33,920	768	22.6	746	22.0
North Braddock	16,045	146	9.1	154	9.6
Oil City	22,538	266	11.8	247	11.0
Old Forge	12,567	117	9.3	117	9.3
Olyphant	10,859	88	8.1	98	9.0
Philadelphia	1,922,788	26,628	13.8	26,627	13.8
White	1,769,176	23,240	13.1	23,237	13.1
Colored	153,612	3,388	22.1	3,390	22.1
Phoenixville	[4] 10,484	191	18.2	182	17.4
Pittsburgh	620,367	9,821	15.8	8,972	14.5
White	577,717	8,730	15.1	7,917	13.7
Colored	42,650	1,091	25.6	1,055	24.7
Pittston	19,299	317	16.4	330	17.1
Plymouth	[4] 16,500	136	8.2	171	10.4
Pottstown	18,089	306	16.9	303	16.8
Pottsville	22,466	411	18.3	302	13.4
Punxsutawney	10,763	198	18.4	173	16.1
Reading	110,917	1,507	13.6	1,439	13.0
Scranton	140,636	1,919	13.6	1,824	13.0
Shamokin	21,551	221	10.3	249	11.6
Sharon	23,793	327	13.7	305	12.8
Shenandoah	[4] 24,726	284	11.5	300	12.1
Steelton	[4] 13,428	176	13.1	195	14.5
White	11,447	140	12.2	154	13.5
Colored	1,981	36	18.2	41	20.7

AREA AND COLOR	Estimated population, July 1, 1923	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1923: Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
PENNSYLVANIA CITIES—continued					
Sunbury	16,425	196	11.9	210	12.8
Swissvale	12,179	107	8.8	127	10.4
Tamaqua	13,407	131	9.8	148	11.0
Uniontown	[4] 15,692	341	21.7	329	21.0
Warren	14,808	189	12.8	166	11.2
Washington	22,453	401	17.9	409	18.2
West Chester*	[4] 11,717	374	31.9	313	26.7
White	9,879	294	29.8	249	25.2
Colored	1,838	80	43.5	64	34.8
Wilkes-Barre	76,258	1,209	15.9	1,046	13.7
Wilkinsburg	26,304	416	15.8	394	15.0
Williamsport	41,762	657	15.7	653	15.6
Woodlawn	16,596	144	8.7	160	9.6
York	48,506	676	13.9	680	14.0
RHODE ISLAND CITIES					
Bristol town	12,387	141	11.4	148	11.9
Central Falls	24,685	243	9.8	281	11.4
Cranston (exclusive of)	32,398	284	[5] 19.8	321	[5] 21.0
State institutions		359		359	
Cumberland town	[4] 10,077	127	12.6	141	14.0
East Providence town	23,949	255	10.6	301	12.6
Newport	31,374	356	11.3	341	10.9
Pawtucket	68,799	890	12.9	892	13.0
Providence	242,378	3,578	14.8	3,227	13.3
Warwick town	[6] 13,481	218	16.2	226	16.8
West Warwick town	[6] 15,461	198	12.8	214	13.8
Woonsocket	45,432	595	13.1	585	12.9
SOUTH CAROLINA CITIES [2]					
Anderson	10,899	270	24.8	------	------
White	7,991	183	22.9	------	------
Colored	2,908	87	29.9	------	------
Charleston	71,245	1,446	20.3	------	------
White	38,403	458	11.9	------	------
Colored	32,842	988	30.1	------	------
Columbia*	39,688	992	25.0	------	------
White	25,005	461	18.4	------	------
Colored	14,683	531	36.2	------	------
Florence	12,376	308	24.9	------	------
White	7,236	162	22.4	------	------
Colored	5,140	146	28.4	------	------
Greenville	25,789	385	14.9	------	------
White	16,928	205	12.1	------	------
Colored	8,861	180	20.3	------	------
Spartanburg	24,483	311	12.7	------	------
White	16,072	158	9.8	------	------
Colored	8,411	153	18.2	------	------
SOUTH DAKOTA CITIES [1]					
Sioux Falls	29,206	324	11.1	251	8.6
TENNESSEE CITIES					
Chattanooga	65,081	1,305	20.1	1,275	19.6
White	47,044	637	13.5	615	13.1
Colored	18,037	668	37.0	660	36.6
Jackson	19,537	290	14.8	278	14.2
White	13,185	155	11.8	147	11.1
Colored	6,352	135	21.3	131	20.6

AREA AND COLOR	Estimated population, July 1, 1923	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1923: Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
TENNESSEE CITIES—continued					
Johnson City*	13,664	316	23.1	305	22.3
White	12,039	266	22.1	255	21.2
Colored	1,625	50	30.8	50	30.8
Knoxville	88,869	1,359	15.3	1,186	13.3
White	77,157	1,062	13.8	911	11.8
Colored	11,712	297	25.4	275	23.5
Memphis	170,067	3,388	19.9	2,871	16.9
White	107,833	1,678	15.6	1,299	12.0
Colored	62,234	1,710	27.5	1,572	25.3
Nashville	122,628	2,281	18.6	2,094	17.1
White	86,886	1,350	15.5	1,202	13.8
Colored	35,742	931	26.0	892	25.0
TEXAS [1] CITIES					
Beaumont	46,841	525	11.2	450	9.6
White	31,579	295	9.3	232	7.3
Colored	15,262	230	15.1	218	14.3
Dallas	182,274	2,173	11.9	1,869	10.3
White	156,715	1,663	10.6	1,412	9.0
Colored	25,559	510	20.0	457	17.9
El Paso	96,319	1,882	19.5	1,814	18.8
Fort Worth	143,821	1,197	8.3	1,134	7.9
White	125,547	996	7.9	932	7.4
Colored	18,274	201	11.0	202	11.1
Galveston	46,877	601	12.8	561	12.0
White	36,271	387	10.7	352	9.7
Colored	10,606	214	20.2	209	19.7
Houston	155,170	2,058	13.3	2,014	13.0
White	119,013	1,355	11.4	1,319	11.0
Colored	36,157	703	19.4	695	19.2
San Antonio	184,727	2,728	14.8	2,639	14.3
White	168,790	2,486	14.7	2,399	14.2
Colored	15,937	242	15.2	240	15.1
UTAH CITIES					
Ogden	35,391	390	11.0	345	9.7
Provo	10,800	182	16.9	161	14.9
Salt Lake City	126,241	1,562	12.4	1,261	10.0
VERMONT CITIES					
Barre	[4] 10,008	171	17.1	163	16.3
Burlington	23,613	375	15.9	337	14.3
Rutland	15,462	262	16.9	250	16.2
VIRGINIA CITIES					
Alexandria	18,323	292	15.9	302	16.5
White	14,405	185	12.8	190	13.2
Colored	3,918	107	27.3	112	28.6
Charlottesville	11,021	182	16.5	175	15.9
White	8,221	133	16.2	121	14.7
Colored	2,800	49	17.5	54	19.3
Danville	22,446	359	16.0	297	13.2
White	16,957	234	13.8	200	11.8
Colored	5,489	125	22.8	97	17.7
Lynchburg	30,277	468	15.5	407	13.4
White	22,359	280	12.5	237	10.6
Colored	7,918	188	23.7	170	21.5
Newport News	[7] 35,596	339	9.5	343	9.6
White	21,466	132	6.1	137	6.4
Colored	14,130	207	14.6	206	14.6
Norfolk	159,089	1,825	11.5	1,685	10.6
White	101,577	840	8.3	743	7.3
Colored	57,512	985	17.1	942	16.4

See footnotes at end of table.

TABLE IB.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1923—Continued

[See note at head of this table, p. 87]

AREA AND COLOR	Estimated population, July 1, 1923	Deaths (exclusive of stillbirths) 1923: Including nonresidents: Number	Including nonresidents: Rate per 1,000 population	Excluding all nonresidents and including residents who died elsewhere in registration area: Number	Excluding: Rate per 1,000 population
VIRGINIA CITIES—continued					
Petersburg	34,294	528	15.4	479	14.0
White	19,741	239	12.1	208	10.5
Colored	14,553	289	19.9	271	18.6
Portsmouth	57,341	645	11.2	650	11.3
White	31,861	230	7.2	236	7.4
Colored	25,480	415	16.3	414	16.2
Richmond	181,044	2,833	15.6	2,630	14.5
White	126,279	1,586	12.6	1,428	11.3
Colored	54,765	1,247	22.8	1,202	21.9
Roanoke	55,502	798	14.4	674	12.1
White	45,720	613	13.4	500	10.9
Colored	9,782	185	18.9	174	17.8
Staunton*	10,629	308	29.0	290	27.3
White	9,102	265	29.1	247	27.1
Colored	1,527	43	28.2	43	28.2
WASHINGTON CITIES					
Aberdeen	15,870	180	11.3	144	9.1
Bellingham	25,995	352	13.5	311	12.0
Everett	28,699	329	11.5	289	10.1
Hoquiam	10,738	106	9.9	110	10.2
Seattle	(3)	3,017	(3)	2,790	(3)
White	(3)	2,826	(3)	2,619	(3)
Colored	(3)	191	(3)	171	(3)
Spokane	104,573	1,225	11.7	1,009	9.6
Tacoma	101,731	1,113	10.9	994	9.8
Vancouver	13,838	151	10.9	137	9.9
Walla Walla	[4] 15,503	186	12.0	162	10.4
Yakima	20,146	305	15.1	236	11.7
WEST VIRGINIA [1] CITIES					
Wheeling	[4] 56,208	994	17.7	749	13.3
WISCONSIN CITIES					
Appleton	20,566	277	13.5	248	12.1
Ashland	[4] 11,334	189	16.7	120	10.6
Beloit	23,503	290	12.3	281	12.0
Eau Claire*	21,841	375	17.2	253	11.6
Fond du Lac	25,095	376	15.0	323	12.9
Green Bay	33,100	591	17.9	442	13.4
Janesville	19,879	225	11.3	205	10.3
Kenosha	46,662	405	8.7	396	8.5
La Crosse	30,421	500	16.4	379	12.5
Madison	42,519	564	13.3	446	10.5
Manitowoc	19,198	239	12.4	218	11.4
Marinette	[4] 13,610	188	13.8	166	12.2
Milwaukee	484,595	5,227	10.8	5,111	10.5
Oshkosh	33,197	484	14.6	456	13.7
Racine	64,393	615	9.6	601	9.3
Sheboygan	32,597	406	12.5	392	12.0
Stevens Point	12,337	159	12.9	153	12.4
Superior	[4] 39,671	432	10.9	398	10.0
Waukesha	13,934	159	11.4	144	10.3
Wausau	19,669	266	13.5	218	11.1
West Allis	16,304	136	8.3	136	8.3
WYOMING CITIES					
Casper	15,634	296	18.9	268	17.1
Cheyenne	14,680	193	13.1	178	12.1
CALIFORNIA COUNTIES [2]†					
Alameda*	45,685	950	20.8	------	------
Alpine	[4] 243	2	8.2	------	------
White	141	------	------	------	------
Colored	102	2	19.6	------	------
Amador	[4] 7,793	93	11.9	------	------
CALIFORNIA COUNTIES—con.					
Butte	31,015	401	12.9	------	------
Calaveras	[4] 6,183	69	11.2	------	------
Colusa	9,851	110	11.2	------	------
Contra Costa	41,437	360	8.7	------	------
Del Norte	2,883	33	11.4	------	------
White	2,287	29	12.7	------	------
Colored	596	4	6.7	------	------
Eldorado	[4] 6,426	94	14.6	------	------
Fresno	92,963	964	10.4	------	------
Glenn	13,541	93	6.9	------	------
Humboldt	25,383	204	8.0	------	------
Imperial	54,220	527	9.7	------	------
White	47,389	435	9.2	------	------
Colored	6,831	92	13.5	------	------
Inyo	7,051	79	11.2	------	------
White	6,354	64	10.1	------	------
Colored	697	15	21.5	------	------
Kern	40,248	310	7.7	------	------
Kings	24,121	261	10.8	------	------
Lake	[4] 5,402	97	18.0	------	------
Lassen	9,841	95	9.7	------	------
Los Angeles	231,177	4,826	20.9	------	------
Madera	13,586	149	11.0	------	------
Marin	28,144	280	9.9	------	------
Mariposa	[4] 2,775	31	11.2	------	------
Mendocino	24,183	324	13.4	------	------
Merced	27,978	299	10.7	------	------
Modoc	[4] 5,425	52	9.6	------	------
Mono	[4] 960	7	7.3	------	------
White	694	7	10.1	------	------
Colored	266	------	------	------	------
Monterey	29,361	382	13.0	------	------
Napa*	20,994	642	30.6	------	------
Nevada	[4] 10,850	170	15.7	------	------
Orange	53,060	870	16.4	------	------
Placer	18,708	341	18.2	------	------
White	16,370	313	19.1	------	------
Colored	2,338	28	12.0	------	------
Plumas	5,832	69	11.8	------	------
Riverside	35,091	462	13.2	------	------
Sacramento	29,452	241	8.2	------	------
White	22,997	181	7.9	------	------
Colored	6,455	60	9.3	------	------
San Benito	9,339	111	11.9	------	------
San Bernardino*	58,555	1,052	18.0	------	------
San Diego	43,358	651	15.0	------	------
San Joaquin	45,526	907	19.9	------	------
White	40,115	809	20.2	------	------
Colored	5,411	98	18.1	------	------
San Luis Obispo	22,797	259	11.4	------	------
San Mateo	40,457	506	12.5	------	------
Santa Barbara	23,479	249	10.6	------	------
Santa Clara*	64,897	1,348	20.8	------	------
Santa Cruz	15,398	208	13.5	------	------
Shasta	[4] 13,361	157	11.8	------	------
Sierra	[4] 1,783	27	15.1	------	------
Siskiyou	[4] 18,545	205	11.1	------	------
Solano	20,674	179	8.7	------	------
Sonoma	53,422	786	14.7	------	------
Stanislaus	51,139	501	9.8	------	------
Sutter	11,481	88	7.7	------	------
Tehama	13,415	160	11.9	------	------
Trinity	[4] 2,551	29	11.4	------	------
Tulare	67,536	641	9.5	------	------
Tuolumne	[4] 7,768	133	17.1	------	------
Ventura	32,464	443	13.6	------	------
Yolo	18,250	233	12.8	------	------
Yuba	10,494	133	12.7	------	------
COLORADO COUNTIES †					
Adams*	16,426	290	17.7	318	19.4
Alamosa	(8)	91	(8)	92	(8)
Arapahoe	15,028	188	12.5	201	13.4
Archuleta	3,693	37	10.0	37	10.0
Baca	10,959	25	2.3	26	2.4
Bent*	11,386	113	9.9	120	10.5
Boulder	20,877	290	13.9	312	14.9
Chaffee*	7,800	145	18.6	146	18.7
Cheyenne	3,768	27	7.2	29	7.7
Clear Creek	[4] 2,891	45	15.6	50	17.3
Conejos	(9)	35	(9)	39	(9)
Costilla	(9)	4	(9)	5	(9)
Crowley	(8)	53	(8)	54	(8)
Custer	2,254	27	12.0	27	12.0
Delta	[4] 13,668	169	12.4	170	12.4
Dolores	1,460	8	5.5	8	5.5
Douglas	3,634	29	8.0	35	9.6
Eagle	3,530	13	3.7	14	4.0
El Paso*	14,175	228	16.1	252	17.8
Elbert	7,575	40	5.3	45	5.9
Fremont	[4] 17,883	259	14.5	265	14.8
Garfield	[4] 9,304	95	10.2	97	10.4
Gilpin	[4] 1,364	13	9.5	14	10.3
Grand	2,947	15	5.1	18	6.1
Gunnison	[4] 5,590	63	11.3	64	11.4
Hinsdale	[4] 538	6	11.2	7	13.0
Huerfano	18,161	219	12.1	227	12.5
Jackson	1,457	1	0.7	3	2.1
Jefferson*	14,461	277	19.2	298	20.6
Kiowa	4,064	19	4.7	19	4.7
Kit Carson	9,431	72	7.6	79	8.4
La Plata	11,364	160	14.1	160	14.1
Lake	[4] 6,630	112	16.9	116	17.5
Larimer	28,811	275	9.5	290	10.1
Las Animas	29,920	339	11.3	346	11.6
Lincoln	9,120	51	5.6	56	6.1
Logan	21,627	160	7.4	164	7.6
Mesa	22,309	278	12.5	281	12.6
Mineral	[4] 779	10	12.8	10	12.8
Moffat	(8)	44	(8)	46	(8)
Montezuma	6,702	75	11.2	77	11.5
Montrose	12,413	154	12.4	156	12.6
Morgan	18,483	177	9.6	184	10.0
Otero	(9)	322	(9)	327	(9)
Ouray	[4] 2,620	29	11.1	29	11.1
Park	[4] 1,977	9	4.6	11	5.6
Phillips	6,334	64	10.1	66	10.4
Pitkin	[4] 2,707	33	12.2	34	12.6
Prowers	15,403	134	8.7	139	9.0
Pueblo*	16,070	442	27.5	455	28.3
Rio Blanco	3,422	21	6.1	21	6.1
Rio Grande	8,321	100	12.0	106	12.7
Routt	(9)	72	(9)	73	(9)
Saguache	4,810	31	6.4	32	6.7
San Juan	[4] 1,700	18	10.6	18	10.6
San Miguel	5,490	47	8.6	50	9.1
Sedgwick	4,621	24	5.2	27	5.8
Summit	[4] 1,724	21	12.2	22	12.8
Teller	[4] 6,696	69	10.3	75	11.2
Washington	13,084	75	5.7	78	6.0
Weld	47,464	285	6.0	321	6.8
Yuma	15,843	106	6.7	117	7.4
CONNECTICUT COUNTIES †					
Fairfield	41,924	627	15.0	751	17.9
Hartford	81,357	835	10.3	1,089	13.4
Litchfield	54,492	683	12.5	733	13.5
Middlesex	25,613	300	11.7	374	14.6

See footnotes at end of table.

TABLE IB.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1923—Continued

[See note at head of this table, p. 87]

AREA AND COLOR	Estimated population, July 1, 1923	Deaths (exclusive of stillbirths) 1923: Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
CONNECTICUT COUNTIES—continued					
New Haven	46,570	465	10.0	593	12.7
New London	40,727	625	15.3	717	17.6
Tolland	27,489	310	11.3	335	12.2
Windham	40,188	487	12.1	527	13.1
DELAWARE COUNTIES†					
Kent	[4] 31,023	461	14.9	470	15.2
White	24,269	342	14.1	350	14.4
Colored	6,754	119	17.6	120	17.8
New Castle*	39,543	632	16.0	641	16.2
White	34,322	474	13.8	483	14.1
Colored	5,221	158	30.3	158	30.3
Sussex	[4] 43,741	586	13.4	598	13.7
White	36,479	459	12.6	467	12.8
Colored	7,262	127	17.5	131	18.0
FLORIDA COUNTIES †					
Alachua	[4] 31,689	456	14.4	466	14.7
White	17,114	208	12.2	218	12.7
Colored	14,575	248	17.0	248	17.0
Baker	5,917	62	10.5	66	11.2
White	4,401	44	10.0	48	10.9
Colored	1,516	18	11.9	18	11.9
Bay	(8)	140	(8)	140	(8)
White	(8)	101	(8)	101	(8)
Colored	(8)	39	(8)	39	(8)
Bradford	(10)	75	(10)	82	(10)
White	(10)	52	(10)	57	(10)
Colored	(10)	23	(10)	25	(10)
Brevard	9,872	120	12.2	110	11.1
White	6,977	83	11.9	75	10.7
Colored	2,895	37	12.8	35	12.1
Broward	(8)	81	(8)	87	(8)
White	(8)	48	(8)	51	(8)
Colored	(8)	33	(8)	36	(8)
Calhoun	9,347	61	6.5	62	6.6
White	6,813	49	7.2	48	7.0
Colored	2,534	12	4.7	14	5.5
Charlotte	(11)	27	(11)	28	(11)
White	(11)	17	(11)	18	(11)
Colored	(11)	10	(11)	10	(11)
Citrus	[4] 5,220	48	9.2	53	10.2
White	2,695	30	11.1	36	13.4
Colored	2,525	18	7.1	17	6.7
Clay	[4] 5,621	89	15.8	99	17.6
White	3,549	54	15.2	60	16.9
Colored	2,072	35	16.9	39	18.8
Columbia	[4] 14,290	216	15.1	216	15.1
White	7,291	110	15.1	110	15.1
Colored	6,999	106	15.1	106	15.1
Dade	(9)	147	(9)	147	(9)
White	(9)	98	(9)	97	(9)
Colored	(9)	49	(9)	50	(9)
De Soto	(10)	99	(10)	99	(10)
White	(10)	73	(10)	74	(10)
Colored	(10)	26	(10)	25	(10)
Dixie	(11)	10	(11)	11	(11)
White	(11)	4	(11)	5	(11)
Colored	(11)	6	(11)	6	(11)
Duval	27,331	315	11.5	355	13.0
White	20,081	206	10.3	227	11.3
Colored	7,250	109	15.0	128	17.7
Escambia	19,543	162	8.3	158	8.1
White	14,728	116	7.9	112	7.6
Colored	4,815	46	9.6	46	9.6
Flagler	(8)	25	(8)	25	(8)
White	(8)	10	(8)	10	(8)
Colored	(8)	15	(8)	15	(8)
Franklin	5,360	47	8.8	49	9.1
White	2,873	20	7.0	21	7.3
Colored	2,487	27	10.9	28	11.3
FLORIDA COUNTIES—continued					
Gadsden*	24,022	555	23.1	544	22.6
White	9,267	246	26.5	241	26.0
Colored	14,755	309	20.9	303	20.5
Glades	(11)	13	(11)	14	(11)
White	(11)	9	(11)	10	(11)
Colored	(11)	4	(11)	4	(11)
Hamilton	[4] 9,873	80	8.1	81	8.2
White	5,610	38	6.8	39	7.0
Colored	4,263	42	9.9	42	9.9
Hardee	(11)	46	(11)	52	(11)
White	(11)	33	(11)	37	(11)
Colored	(11)	13	(11)	15	(11)
Hernando	[4] 4,548	50	11.0	57	12.5
White	2,723	30	11.0	36	13.2
Colored	1,825	20	11.0	21	11.5
Highlands	(11)	50	(11)	48	(11)
White	(11)	38	(11)	36	(11)
Colored	(11)	12	(11)	12	(11)
Hillsborough	(9)	526	(9)	455	(9)
White	(9)	425	(9)	357	(9)
Colored	(9)	101	(9)	98	(9)
Holmes	13,316	86	6.5	87	6.5
Jackson	31,728	279	8.8	282	8.9
White	18,743	156	8.3	160	8.5
Colored	12,985	123	9.5	122	9.4
Jefferson	[4] 14,502	228	15.7	234	16.1
White	3,981	55	13.8	58	14.6
Colored	10,521	173	16.4	176	16.7
Lafayette	(10)	50	(10)	52	(10)
White	(10)	43	(10)	44	(10)
Colored	(10)	7	(10)	8	(10)
Lake	13,910	253	18.2	238	17.1
White	10,023	166	16.6	148	14.8
Colored	3,887	87	22.4	90	23.2
Lee	10,709	126	11.8	128	12.0
White	8,989	107	11.9	108	12.0
Colored	1,720	19	11.0	20	11.6
Leon	[4] 18,059	256	14.2	258	14.3
White	5,892	81	13.7	78	13.2
Colored	12,167	175	14.4	180	14.8
Levy	[4] 9,921	128	12.9	132	13.3
White	5,961	64	10.7	66	11.1
Colored	3,960	64	16.2	66	16.7
Liberty	5,115	51	10.0	53	10.4
White	2,827	32	11.3	34	12.0
Colored	2,288	19	8.3	19	8.3
Madison	[4] 16,516	259	15.7	266	16.1
White	8,021	104	13.0	110	13.7
Colored	8,495	155	18.2	156	18.4
Manatee	(10)	192	(10)	197	(10)
White	(10)	97	(10)	100	(10)
Colored	(10)	95	(10)	97	(10)
Marion	[4] 23,968	382	15.9	386	16.1
White	11,080	162	14.6	163	14.7
Colored	12,888	220	17.1	223	17.3
Monroe	[4] 801	5	6.2	6	7.5
White	515	2	3.9	3	5.8
Colored	286	3	10.5	3	10.5
Nassau	11,634	121	10.4	141	12.1
White	6,792	46	6.8	59	8.7
Colored	4,842	75	15.5	82	16.9
Okaloosa	(8)	95	(8)	94	(8)
White	(8)	75	(8)	74	(8)
Colored	(8)	20	(8)	20	(8)
Okeechobee	(8)	17	(8)	18	(8)
White	(8)	15	(8)	16	(8)
Colored	(8)	2	(8)	2	(8)
Orange	(9)	469	(9)	462	(9)
White	(9)	345	(9)	334	(9)
Colored	(9)	124	(9)	128	(9)
FLORIDA COUNTIES—continued					
Osceola	(9)	129	(9)	136	(9)
White	(9)	113	(9)	119	(9)
Colored	(9)	16	(9)	17	(9)
Palm Beach	(9)	321	(9)	267	(9)
White	(9)	195	(9)	153	(9)
Colored	(9)	126	(9)	114	(9)
Pasco	9,270	136	14.7	145	15.6
White	7,301	100	13.7	105	14.4
Colored	1,969	36	18.3	40	20.3
Pinellas	(8)	187	(8)	164	(8)
White	(8)	153	(8)	133	(8)
Colored	(8)	34	(8)	31	(8)
Polk	43,894	580	13.2	600	13.7
White	33,842	436	12.9	446	13.2
Colored	10,052	144	14.3	154	15.3
Putnam	15,097	227	15.0	227	15.0
White	8,375	118	14.1	119	14.2
Colored	6,722	109	16.2	108	16.1
St. Johns	(9)	270	(9)	249	(9)
White	(9)	149	(9)	128	(9)
Colored	(9)	121	(9)	121	(9)
St. Lucie	(9)	111	(9)	110	(9)
White	(9)	80	(9)	78	(9)
Colored	(9)	31	(9)	32	(9)
Santa Rosa	(9)	131	(9)	134	(9)
White	(9)	88	(9)	91	(9)
Colored	(9)	43	(9)	43	(9)
Sarasota	(11)	62	(11)	62	(11)
White	(11)	48	(11)	48	(11)
Colored	(11)	14	(11)	14	(11)
Seminole	(8)	212	(8)	208	(8)
White	(8)	84	(8)	79	(8)
Colored	(8)	128	(8)	129	(8)
Sumter	8,266	83	10.0	87	10.5
White	6,062	53	8.7	56	9.2
Colored	2,204	30	13.6	31	14.1
Suwannee	20,217	169	8.4	178	8.8
White	12,221	69	5.6	73	6.0
Colored	7,996	100	12.5	105	13.1
Taylor	12,703	64	5.0	68	5.4
White	7,483	35	4.7	39	5.2
Colored	5,220	29	5.6	29	5.6
Union	(11)	50	(11)	53	(11)
White	(11)	28	(11)	31	(11)
Colored	(11)	22	(11)	22	(11)
Volusia	(9)	419	(9)	413	(9)
White	(9)	300	(9)	294	(9)
Colored	(9)	119	(9)	119	(9)
Wakulla	5,245	43	8.2	44	8.4
White	2,894	19	6.6	20	6.9
Colored	2,351	24	10.2	24	10.2
Walton	(9)	94	(9)	92	(9)
White	(9)	64	(9)	62	(9)
Colored	(9)	30	(9)	30	(9)
Washington	(9)	80	(9)	81	(9)
White	(9)	60	(9)	60	(9)
Colored	(9)	20	(9)	21	(9)
GEORGIA COUNTIES†					
Appling	(9)	75	(9)	78	(9)
White	(9)	52	(9)	54	(9)
Colored	(9)	23	(9)	24	(9)
Atkinson	(8)	28	(8)	32	(8)
White	(8)	21	(8)	26	(8)
Colored	(8)	7	(8)	6	(8)
Bacon	(8)	75	(8)	74	(8)
White	(8)	60	(8)	57	(8)
Colored	(8)	15	(8)	17	(8)
Baker	8,415	75	8.9	77	9.2
White	2,839	37	13.0	38	13.4
Colored	5,576	38	6.8	39	7.0

See footnotes at end of table.

11.3

TABLE IB.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1923—Continued

[See note at head of this table, p. 87]

AREA AND COLOR	Estimated population, July 1, 1923	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1923			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
GEORGIA COUNTIES—continued					
Baldwin*	20,310	466	22.9	458	22.6
White	9,283	234	25.2	223	24.0
Colored	11,027	232	21.0	235	21.3
Banks	12,018	115	9.6	111	9.2
White	9,390	94	10.0	92	9.8
Colored	2,628	21	8.0	19	7.2
Barrow	(8)	134	(8)	135	(8)
White	(8)	104	(8)	105	(8)
Colored	(8)	30	(8)	30	(8)
Bartow	[4] 24,527	365	14.9	380	15.5
White	18,861	* 258	13.7	272	14.4
Colored	5,666	107	18.9	108	19.1
Ben Hill	15,585	133	8.5	130	8.3
White	9,789	85	8.7	83	8.5
Colored	5,796	48	8.3	47	8.1
Berrien	(9)	110	(9)	111	(9)
White	(9)	78	(9)	79	(9)
Colored	(9)	32	(9)	32	(9)
Bibb	20,257	123	6.1	146	7.2
White	9,615	54	5.6	62	6.4
Colored	10,642	69	6.5	84	7.9
Bleckley	(8)	128	(8)	130	(8)
White	(8)	59	(8)	61	(8)
Colored	(8)	69	(8)	69	(8)
Brantley	(11)	64	(11)	59	(11)
White	(11)	55	(11)	50	(11)
Colored	(11)	9	(11)	9	(11)
Brooks	24,791	280	11.3	280	11.3
White	10,488	107	10.2	105	10.0
Colored	14,303	173	12.1	175	12.2
Bryan	[4] 6,343	41	6.5	51	8.0
White	3,423	24	7.0	31	9.1
Colored	2,920	17	5.8	20	6.8
Bulloch	(9)	216	(9)	214	(9)
White	(9)	138	(9)	137	(9)
Colored	(9)	78	(9)	77	(9)
Burke	32,122	333	10.4	350	10.9
White	6,513	62	9.5	70	10.7
Colored	25,609	271	10.6	280	10.9
Butts	[4] 12,327	112	9.1	115	9.3
White	5,739	53	9.2	54	9.4
Colored	6,588	59	9.0	61	9.3
Calhoun	[4] 10,225	94	9.2	98	9.6
White	3,205	23	7.2	25	7.8
Colored	7,020	71	10.1	73	10.4
Camden	[4] 6,969	83	11.9	89	12.8
White	2,696	26	9.6	30	11.1
Colored	4,273	57	13.3	59	13.8
Campbell	12,011	89	7.4	98	8.2
White	7,662	47	6.1	53	6.9
Colored	4,349	42	9.7	45	10.3
Candler	(8)	78	(8)	78	(8)
White	(8)	46	(8)	46	(8)
Colored	(8)	32	(8)	32	(8)
Carroll	36,157	323	8.9	333	9.2
White	28,572	251	8.8	259	9.1
Colored	7,585	72	9.5	74	9.8
Catoosa	[4] 6,677	74	11.1	66	9.9
Charlton	(10)	55	(10)	57	(10)
White	(10)	40	(10)	43	(10)
Colored	(10)	15	(10)	14	(10)
Chatham	17,918	219	12.2	230	12.8
White	7,919	47	5.9	59	7.5
Colored	9,999	172	17.2	171	17.1

AREA AND COLOR	Estimated population, July 1, 1923	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1923			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
GEORGIA COUNTIES—continued					
Chattahoochee	[4] 5,266	36	6.8	37	7.0
White	3,296	20	6.1	21	6.4
Colored	1,970	16	8.1	16	8.1
Chattooga	14,565	161	11.1	165	11.3
White	12,322	127	10.3	130	10.6
Colored	2,243	34	15.2	35	15.6
Cherokee	19,257	165	8.6	165	8.6
Clarke	8,725	80	9.2	85	9.7
White	3,470	38	11.0	40	11.5
Colored	5,255	42	8.0	45	8.6
Clay	[4] 7,557	82	10.9	85	11.2
White	2,483	14	5.6	14	5.6
Colored	5,074	68	13.4	71	14.0
Clayton	11,412	109	9.6	117	10.3
White	6,273	51	8.1	58	9.2
Colored	5,139	58	11.3	59	11.5
Clinch	(9)	37	(9)	38	(9)
White	(9)	21	(9)	22	(9)
Colored	(9)	16	(9)	16	(9)
Cobb	31,173	392	12.6	405	13.0
White	24,805	286	11.5	297	12.0
Colored	6,368	106	16.6	108	17.0
Coffee	(9)	111	(9)	117	(9)
White	(9)	81	(9)	85	(9)
Colored	(9)	30	(9)	32	(9)
Colquitt	32,772	206	6.3	215	6.6
White	22,930	142	6.2	150	6.5
Colored	9,842	64	6.5	65	6.6
Columbia	[4] 11,718	76	6.5	88	7.5
White	3,467	23	6.6	29	8.4
Colored	8,251	53	6.4	59	7.2
Cook	(8)	72	(8)	73	(8)
White	(8)	45	(8)	46	(8)
Colored	(8)	27	(8)	27	(8)
Coweta	29,136	308	10.6	309	10.6
White	13,777	130	9.4	133	9.7
Colored	15,359	178	11.6	176	11.5
Crawford	9,104	103	11.3	103	11.3
White	3,805	41	10.8	42	11.0
Colored	5,299	62	11.7	61	11.5
Crisp	19,811	263	13.3	262	13.2
White	9,518	95	10.0	96	10.1
Colored	10,293	168	16.3	166	16.1
Dade	[4] 3,918	54	13.8	55	14.0
Dawson	[4] 4,204	27	6.4	29	6.9
De Kalb	36,217	493	13.6	466	12.9
White	27,352	332	12.1	302	11.0
Colored	8,865	161	18.2	164	18.5
Decatur	(10)	278	(10)	266	(10)
White	(10)	120	(10)	109	(10)
Colored	(10)	158	(10)	157	(10)
Dodge	23,409	215	9.2	224	9.6
White	14,193	121	8.5	127	8.9
Colored	9,216	94	10.2	97	10.5
Dooly	[4] 20,522	199	9.7	208	10.1
White	8,241	63	7.6	70	8.5
Colored	12,281	136	11.1	138	11.2
Dougherty	8,803	85	9.7	75	8.5
White	1,553	20	12.9	20	12.9
Colored	7,250	65	9.0	55	7.6
Douglas	11,028	116	10.5	114	10.3
White	7,793	83	10.7	83	10.7
Colored	3,235	33	10.2	31	9.6

AREA AND COLOR	Estimated population, July 1, 1923	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1923			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
GEORGIA COUNTIES—continued					
Early	19,292	198	10.3	196	10.2
White	8,265	84	10.2	84	10.2
Colored	11,027	114	10.3	112	10.2
Echols	3,314	15	4.5	16	4.8
White	2,250	15	6.7	15	6.7
Colored	1,064	------	------	1	0.9
Effingham	9,990	119	11.9	129	12.9
White	6,078	54	8.9	61	10.0
Colored	3,912	65	16.6	68	17.4
Elbert	[4] 23,905	183	7.7	186	7.8
White	13,178	97	7.4	98	7.4
Colored	10,727	86	8.0	88	8.2
Emanuel	(9)	170	(9)	174	(9)
White	(9)	85	(9)	88	(9)
Colored	(9)	85	(9)	86	(9)
Evans	(8)	39	(8)	44	(8)
White	(8)	19	(8)	22	(8)
Colored	(8)	20	(8)	22	(8)
Fannin	[4] 12,103	98	8.1	102	8.4
Fayette	11,551	70	6.1	72	6.2
White	7,276	42	5.8	44	6.0
Colored	4,275	28	6.5	28	6.5
Floyd	27,293	203	7.4	230	8.4
White	21,675	153	7.1	174	8.0
Colored	5,618	50	8.9	56	10.0
Forsyth	[4] 11,755	96	8.2	94	8.0
Franklin	20,699	167	8.1	169	8.2
White	16,064	115	7.2	118	7.3
Colored	4,635	52	11.2	51	11.0
Fulton	43,088	648	15.0	707	16.4
White	34,339	375	10.9	419	12.2
Colored	8,749	273	31.2	288	32.9
Gilmer	[4] 8,406	105	12.5	108	12.8
Glascock	[4] 4,192	44	10.5	46	11.0
White	2,991	33	11.0	35	11.7
Colored	1,201	11	9.2	11	9.2
Glynn	4,749	38	8.0	42	8.8
White	2,552	22	8.6	23	9.0
Colored	2,197	16	7.3	19	8.6
Gordon	18,412	196	10.6	211	11.5
Grady	20,971	180	8.6	182	8.7
White	13,636	99	7.3	101	7.4
Colored	7,335	81	11.0	81	11.0
Greene	19,137	183	9.6	191	10.0
White	8,094	74	9.1	76	9.4
Colored	11,043	109	9.9	115	10.4
Gwinnett	(9)	293	(9)	318	(9)
White	(9)	256	(9)	279	(9)
Colored	(9)	37	(9)	39	(9)
Habersham	10,944	138	12.6	140	12.8
Hall	27,214	344	12.6	329	12.1
White	23,916	281	11.7	265	11.1
Colored	3,298	63	19.1	64	19.4
Hancock	[4] 18,357	112	6.1	114	6.2
White	5,136	41	8.0	43	8.4
Colored	13,221	71	5.4	71	5.4
Haralson	14,773	144	9.7	146	9.9
White	12,754	115	9.0	117	9.2
Colored	2,019	29	14.4	29	14.4
Harris	[4] 15,775	107	6.8	116	7.4
White	4,564	42	9.2	46	10.1
Colored	11,211	65	5.8	70	6.2

See footnotes at end of table.

TABLE 1B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1923—Continued

[See note at head of this table, p. 87]

AREA AND COLOR	Estimated population, July 1, 1923	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1923			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
GEORGIA COUNTIES—continued					
Hart	18,567	156	8.4	155	8.3
White	12,747	103	8.1	103	8.1
Colored	5,820	53	9.1	52	8.9
Heard	[4] 11,126	95	8.5	92	8.3
White	7,756	66	8.5	64	8.3
Colored	3,370	29	8.6	28	8.3
Henry	20,597	201	9.8	206	10.0
White	10,066	87	8.6	91	9.0
Colored	10,531	114	10.8	115	10.9
Houston	[4] 21,964	240	10.9	252	11.5
White	7,455	68	9.1	75	10.1
Colored	14,509	172	11.9	177	12.2
Irwin	13,465	86	6.4	91	6.8
White	7,455	35	4.7	38	5.1
Colored	6,010	51	8.5	53	8.8
Jackson	(9)	208	(9)	220	(9)
White	(9)	153	(9)	160	(9)
Colored	(9)	55	(9)	60	(9)
Jasper	[4] 16,362	104	6.4	110	6.7
White	4,744	30	6.3	33	7.0
Colored	11,618	74	6.4	77	6.6
Jeff Davis	7,780	55	7.1	54	6.9
White	6,157	38	6.2	37	6.0
Colored	1,623	17	10.5	17	10.5
Jefferson	23,043	205	8.9	214	9.3
White	9,832	71	7.2	75	7.6
Colored	13,211	134	10.1	139	10.5
Jenkins	15,340	126	8.2	129	8.4
White	6,106	53	8.7	52	8.5
Colored	9,234	73	7.9	77	8.3
Johnson	13,778	127	9.2	133	9.7
White	8,075	68	8.4	72	8.9
Colored	5,703	59	10.3	61	10.7
Jones	13,328	129	9.7	127	9.5
White	3,885	31	8.0	33	8.5
Colored	9,443	98	10.4	94	10.0
Lamar	(11)	124	(11)	122	(11)
White	(11)	63	(11)	62	(11)
Colored	(11)	61	(11)	60	(11)
Lanier	(11)	34	(11)	33	(11)
White	(11)	21	(11)	22	(11)
Colored	(11)	13	(11)	11	(11)
Laurens	41,084	344	8.4	341	8.3
White	22,103	181	8.2	179	8.1
Colored	18,981	163	8.6	162	8.5
Lee	[4] 10,904	118	10.8	123	11.3
White	1,927	27	14.0	26	13.5
Colored	8,977	91	10.1	97	10.8
Liberty	(10)	50	(10)	54	(10)
White	(10)	17	(10)	19	(10)
Colored	(10)	33	(10)	35	(10)
Lincoln	10,107	52	5.1	55	5.4
White	4,966	36	7.2	40	8.1
Colored	5,141	16	3.1	15	2.9
Long	(11)	34	(11)	35	(11)
White	(11)	21	(11)	23	(11)
Colored	(11)	13	(11)	12	(11)
Lowndes	(10)	80	(10)	88	(10)
White	(10)	55	(10)	58	(10)
Colored	(10)	25	(10)	30	(10)
Lumpkin	[4] 5,240	32	6.1	33	6.3
McDuffie	11,935	116	9.7	121	10.1
White	5,741	45	7.8	49	8.5
Colored	6,194	71	11.5	72	11.6
McIntosh	[4] 5,119	106	20.7	106	20.7
White	1,316	16	12.2	17	12.9
Colored	3,803	90	23.7	89	23.4
Macon	18,623	206	11.1	207	11.1
White	6,074	43	7.1	44	7.2
Colored	12,549	163	13.0	163	13.0

AREA AND COLOR	Estimated population, July 1, 1923	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1923			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
GEORGIA COUNTIES—continued					
Madison	19,507	175	9.0	175	9.0
White	14,194	121	8.5	120	8.5
Colored	5,313	54	10.2	55	10.4
Marion	[4] 7,604	80	10.5	81	10.7
White	3,507	28	8.0	28	8.0
Colored	4,097	52	12.7	53	12.9
Meriwether	26,523	258	9.7	260	9.8
White	11,977	120	10.0	122	10.2
Colored	14,546	138	9.5	138	9.5
Miller	10,132	49	4.8	55	5.4
White	6,277	33	5.3	37	5.9
Colored	3,855	16	4.2	18	4.7
Milton	[4] 6,885	64	9.3	64	9.3
Mitchell	26,839	288	10.7	294	11.0
White	11,897	122	10.3	124	10.4
Colored	14,942	166	11.1	170	11.4
Monroe	(10)	203	(10)	215	(10)
White	(10)	68	(10)	78	(10)
Colored	(10)	135	(10)	137	(10)
Montgomery	(9)	94	(9)	99	(9)
White	(9)	42	(9)	47	(9)
Colored	(9)	52	(9)	52	(9)
Morgan	20,296	143	7.0	154	7.6
White	7,599	54	7.1	61	8.0
Colored	12,697	89	7.0	93	7.3
Murray	[4] 9,490	101	10.6	98	10.3
Muscogee	13,955	55	3.9	64	4.6
White	6,965	40	5.7	44	6.3
Colored	6,990	15	2.1	20	2.9
Newton	22,843	233	10.2	240	10.5
White	12,402	140	11.3	146	11.8
Colored	10,441	93	8.9	94	9.0
Oconee	[4] 11,067	61	5.5	59	5.3
White	6,348	45	7.1	42	6.6
Colored	4,719	16	3.4	17	3.6
Oglethorpe	20,865	174	8.3	173	8.3
White	9,312	76	8.2	78	8.4
Colored	11,553	98	8.5	95	8.2
Paulding	[4] 14,025	114	8.1	106	7.6
White	12,418	93	7.5	87	7.0
Colored	1,607	21	13.1	19	11.8
Pickens	[4] 8,222	80	9.9	88	10.7
Pierce	(9)	108	(9)	113	(9)
White	(9)	77	(9)	82	(9)
Colored	(9)	31	(9)	31	(9)
Pike	(10)	134	(10)	138	(10)
White	(10)	50	(10)	53	(10)
Colored	(10)	84	(10)	85	(10)
Polk	20,411	214	10.5	221	10.8
White	15,792	148	9.4	153	9.7
Colored	4,619	66	14.3	68	14.7
Pulaski	(9)	80	(9)	79	(9)
White	(9)	31	(9)	32	(9)
Colored	(9)	49	(9)	47	(9)
Putnam	15,610	161	10.3	160	10.2
White	5,100	52	10.2	51	10.0
Colored	10,510	109	10.4	109	10.4
Quitman	[4] 3,417	40	11.7	41	12.0
White	987	9	9.1	10	10.1
Colored	2,430	31	12.8	31	12.8
Rabun	5,813	46	7.9	51	8.8
Randolph	[4] 16,721	180	10.8	183	10.9
White	5,711	55	9.6	57	10.0
Colored	11,010	125	11.4	126	11.4
Richmond	11,160	102	9.1	123	11.0
White	5,269	55	10.4	64	12.1
Colored	5,891	47	8.0	59	10.0
Rockdale	9,738	81	8.3	83	8.5
White	6,224	54	8.7	56	9.0
Colored	3,514	27	7.7	27	7.7

AREA AND COLOR	Estimated population, July 1, 1923	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1923			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
GEORGIA COUNTIES—continued					
Schley	5,254	68	12.9	68	12.9
White	2,223	29	13.0	29	13.0
Colored	3,031	39	12.9	39	12.9
Screven	24,760	226	9.1	243	9.8
White	10,296	74	7.2	82	8.0
Colored	14,464	152	10.5	161	11.1
Seminole	(11)	61	(11)	65	(11)
White	(11)	23	(11)	27	(11)
Colored	(11)	38	(11)	38	(11)
Spalding	22,689	339	14.9	336	14.8
White	12,428	169	13.6	168	13.5
Colored	10,261	170	16.6	168	16.4
Stephens	11,751	94	8.0	101	8.6
White	9,400	67	7.1	73	7.8
Colored	2,351	27	11.5	28	11.9
Stewart	[4] 12,089	138	11.4	142	11.7
White	3,445	37	10.7	38	11.0
Colored	8,644	101	11.7	104	12.0
Sumter	29,836	403	13.5	392	13.1
White	10,474	113	10.8	107	10.2
Colored	19,362	290	15.0	285	14.7
Talbot	[4] 11,158	105	9.4	108	9.7
White	3,163	38	12.0	40	12.6
Colored	7,995	67	8.4	68	8.5
Taliaferro	8,866	97	10.9	97	10.9
White	2,716	18	6.6	18	6.6
Colored	6,150	79	12.8	79	12.8
Tattnall	(9)	114	(9)	122	(9)
White	(9)	76	(9)	82	(9)
Colored	(9)	38	(9)	40	(9)
Taylor	11,701	108	9.2	116	9.9
White	6,127	52	8.5	57	9.3
Colored	5,574	56	10.0	59	10.6
Telfair	16,012	139	8.7	139	8.7
White	10,917	82	7.5	83	7.6
Colored	5,095	57	11.2	56	11.0
Terrell	[4] 19,601	229	11.7	233	11.9
White	5,545	53	9.6	55	9.9
Colored	14,056	176	12.5	178	12.7
Thomas	34,476	406	11.8	405	11.7
White	17,148	150	8.7	147	8.6
Colored	17,328	256	14.8	258	14.9
Tift	15,575	102	6.5	109	7.0
White	11,099	45	4.1	52	4.7
Colored	4,476	57	12.7	57	12.7
Toombs	14,867	125	8.4	114	7.7
White	10,887	89	8.2	79	7.3
Colored	3,980	36	9.0	35	8.8
Towns	3,937	31	7.9	31	7.9
Treutlen	(8)	54	(8)	56	(8)
White	(8)	32	(8)	33	(8)
Colored	(8)	22	(8)	23	(8)
Troup	18,488	224	12.1	240	13.0
White	6,439	66	10.3	74	11.5
Colored	12,049	158	13.1	166	13.8
Turner	13,327	114	8.6	115	8.6
White	8,078	68	8.4	68	8.4
Colored	5,249	46	8.8	47	9.0
Twiggs	[4] 10,407	110	10.6	112	10.8
White	3,754	31	8.3	30	8.0
Colored	6,653	79	11.9	82	12.3
Union	[4] 6,455	41	6.4	42	6.5
Upson	15,518	197	12.7	201	13.0
White	8,163	92	11.3	95	11.6
Colored	7,355	105	14.3	106	14.4
Walker	25,055	252	10.1	259	10.3
White	22,558	220	9.8	224	9.9
Colored	2,497	32	12.8	35	14.0

See footnotes at end of table.

TABLE 1B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1923—Continued

[See note at head of this table, p. 87]

AREA AND COLOR	Estimated population, July 1, 1923	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1923			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
GEORGIA COUNTIES—continued					
Walton	(9)	216	(9)	220	(9)
White	(9)	118	(9)	120	(9)
Colored	(9)	98	(9)	100	(9)
Ware	(9)	52	(9)	84	(9)
White	(9)	37	(9)	65	(9)
Colored	(9)	15	(9)	19	(9)
Warren	[4] 11,828	136	11.5	143	12.1
White	4,007	46	11.5	50	12.5
Colored	7,821	90	11.5	93	11.9
Washington	[4] 28,147	294	10.4	280	9.9
White	11,742	122	10.4	116	9.9
Colored	16,405	172	10.5	164	10.0
Wayne	(10)	114	(10)	116	(10)
White	(10)	84	(10)	84	(10)
Colored	(10)	30	(10)	32	(10)
Webster	[4] 5,342	47	8.8	46	8.6
White	2,262	10	4.4	10	4.4
Colored	3,080	37	12.0	36	11.7
Wheeler	(8)	81	(8)	82	(8)
White	(8)	49	(8)	49	(8)
Colored	(8)	32	(8)	33	(8)
White	6,462	74	11.5	79	12.2
Whitfield	17,244	223	12.9	227	13.2
Wilcox	16,239	138	8.5	140	8.6
White	8,288	71	8.6	72	8.7
Colored	7,951	67	8.4	68	8.6
Wilkes	24,487	151	6.2	156	6.4
White	8,575	67	7.8	71	8.3
Colored	15,912	84	5.3	85	5.3
Wilkinson	11,842	102	8.6	109	9.2
White	6,050	53	8.8	58	9.6
Colored	5,792	49	8.5	51	8.8
Worth	25,562	259	10.1	256	10.0
White	11,920	115	9.6	113	9.5
Colored	13,642	144	10.6	143	10.5
IDAHO COUNTIES †					
Ada	14,617	78	5.3	82	5.6
Adams	(8)	14	(8)	17	(8)
Bannock	(9)	36	(9)	41	(9)
Bear Lake	9,163	57	6.2	59	6.4
Benewah	(8)	85	(8)	93	(8)
Bingham	(9)	176	(9)	181	(9)
Blaine	(9)	47	(9)	52	(9)
Boise	(9)	22	(9)	22	(9)
Bonner	(9)	103	(9)	117	(9)
Bonneville	(8)	137	(8)	142	(8)
Boundary	(8)	46	(8)	48	(8)
Butte	(8)	6	(8)	8	(8)
Camas	(8)	3	(8)	5	(8)
Canyon	(9)	236	(9)	240	(9)
Caribou	(8)	23	(8)	23	(8)
Cassia	(9)	53	(9)	58	(9)
Clark	(8)	2	(8)	2	(8)
Clearwater	(8)	55	(8)	56	(8)
Custer	3,747	16	4.3	17	4.5
Elmore	5,197	32	6.2	33	6.3
Franklin	(8)	60	(8)	66	(8)
Fremont	(9)	55	(9)	58	(9)
Gem	(8)	44	(8)	46	(8)
Gooding	(8)	45	(8)	46	(8)
Idaho	(9)	66	(9)	71	(9)
Jefferson	(8)	35	(8)	37	(8)
Jerome	(8)	22	(8)	24	(8)
Kootenai	(9)	145	(9)	164	(9)
Latah	[4] 18,092	138	7.6	150	8.3
Lemhi	5,300	41	7.7	46	8.7

AREA AND COLOR	Estimated population, July 1, 1923	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1923			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
IDAHO COUNTIES—continued					
Lewis	(8)	35	(8)	39	(8)
Lincoln	(9)	26	(9)	26	(9)
Madison	(8)	51	(8)	55	(8)
Minidoka	(8)	20	(8)	21	(8)
Nez Perce	(9)	217	(9)	219	(9)
Oneida	(9)	30	(9)	39	(9)
Owyhee	4,930	25	5.1	26	5.3
Payette	(8)	45	(8)	49	(8)
Power	(8)	20	(8)	20	(8)
Shoshone	14,352	197	13.7	209	14.6
Teton	(8)	26	(8)	26	(8)
Twin Falls	33,753	205	6.1	207	6.1
Valley	(8)	13	(8)	14	(8)
Washington	(8)	60	(9)	66	(9)
ILLINOIS COUNTIES †					
Adams	[4] 24,710	394	15.9	433	17.5
Alexander	8,986	131	14.6	135	15.0
White	7,876	102	13.0	106	13.5
Colored	1,110	29	26.1	29	26.1
Bond	[4] 16,045	173	10.8	188	11.7
Boone	[4] 15,322	179	11.7	183	11.9
Brown	[4] 9,336	102	10.9	109	11.7
Bureau	[4] 42,648	463	10.9	471	11.0
Calhoun	[4] 8,245	95	11.5	99	12.0
Carroll	19,817	200	10.1	203	10.2
Cass	18,085	213	11.8	245	13.5
Champaign	30,341	303	10.0	327	10.8
Christian	39,851	426	10.7	422	10.6
Clark	[4] 21,165	241	11.4	251	11.9
Clay	[4] 17,684	171	9.7	183	10.3
Clinton	22,988	210	9.1	221	9.6
Coles	21,013	249	11.8	248	11.8
Cook *	177,995	3,421	19.2	3,694	20.8
Crawford	[4] 22,771	234	10.3	236	10.4
Cumberland	[4] 12,858	127	9.9	134	10.4
De Kalb	[4] 31,339	395	12.6	407	13.0
De Witt	19,375	222	11.5	233	12.0
Douglas	19,608	199	10.1	207	10.6
Du Page	45,253	545	12.0	575	12.7
Edgar	[4] 25,769	293	11.4	294	11.4
Edwards	[4] 9,431	81	8.6	88	9.3
Effingham	[4] 19,556	273	14.0	278	14.2
Fayette	[4] 26,187	272	10.4	277	10.6
Ford	[4] 16,466	166	10.1	190	11.5
Franklin	68,595	695	10.1	703	10.2
Fulton	[4] 37,172	382	10.3	417	11.2
Gallatin	[4] 12,856	141	11.0	151	11.7
Greene	23,069	224	9.7	239	10.4
Grundy	[4] 18,580	201	10.8	216	11.6
Hamilton	[4] 15,920	146	9.2	149	9.4
Hancock	[4] 28,523	296	10.4	318	11.1
Hardin	7,719	72	9.3	69	8.9
Henderson	9,785	105	10.7	115	11.8
Henry	27,300	299	11.0	341	12.5
Iroquois	[4] 34,841	345	9.9	359	10.3
Jackson	25,930	299	11.5	315	12.1
Jasper	[4] 16,064	157	9.8	162	10.1
Jefferson	[4] 28,480	378	13.3	379	13.3
Jersey	[4] 12,682	139	11.0	155	12.2
Jo Daviess	[4] 21,917	222	10.1	240	11.0
Johnson	[4] 12,022	118	9.8	125	10.4
Kane	35,476	348	9.8	367	10.3
Kankakee *	28,549	504	17.7	531	18.6
Kendall	[4] 10,074	107	10.6	121	12.0
Knox	22,469	240	10.7	280	12.5

AREA AND COLOR	Estimated population, July 1, 1923	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1923			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
ILLINOIS COUNTIES—continued					
La Salle	54,089	548	10.1	606	11.2
Lake	60,852	597	9.8	616	10.1
Lawrence	[4] 21,380	222	10.4	237	11.1
Lee	28,096	348	12.4	345	12.3
Livingston	[4] 39,070	376	9.6	393	10.1
Logan	[4] 17,323	115	6.6	159	9.2
McDonough	27,141	302	11.1	289	10.6
McHenry	33,399	360	10.8	385	11.5
McLean	41,155	435	10.6	463	11.3
Macon	20,698	159	7.7	181	8.7
Macoupin	59,648	553	9.3	641	10.7
Madison	70,724	928	13.1	978	13.8
Marion	24,859	302	12.1	314	12.6
Marshall	[4] 14,760	146	9.9	163	11.0
Mason	[4] 16,634	159	9.6	182	10.9
Massac	[4] 13,559	173	12.8	170	12.5
White	11,502	134	11.7	133	11.6
Colored	2,057	39	19.0	37	18.0
Menard	[4] 11,694	99	8.5	123	10.5
Mercer	[4] 18,800	164	8.7	188	10.0
Monroe	[4] 12,839	116	9.0	127	9.9
Montgomery	43,598	518	11.9	459	10.5
Morgan	[4] 17,716	180	10.2	207	11.7
Moultrie	14,913	162	10.9	177	11.9
Ogle	[4] 26,830	314	11.7	311	11.6
Peoria *	36,165	565	15.6	586	16.2
Perry	23,193	277	11.9	271	11.7
Piatt	[4] 15,714	152	9.7	172	10.9
Pike	[4] 26,866	306	11.4	340	12.7
Pope	[4] 9,625	79	8.2	82	8.5
Pulaski	[4] 14,629	230	15.7	248	17.0
White	9,659	110	11.4	122	12.6
Colored	4,970	120	24.1	126	25.4
Putnam	7,584	55	7.3	65	8.6
Randolph	[1] 29,109	291	10.0	316	10.9
Richland	[4] 14,044	201	14.3	175	12.5
Rock Island *	29,143	362	12.4	387	13.3
St. Clair	46,637	500	10.7	551	11.8
Saline	41,290	456	11.0	465	11.3
Sangamon	41,758	424	10.2	509	12.2
Schuyler	[4] 13,285	178	13.4	180	13.5
Scott	[4] 9,489	99	10.4	106	11.2
Shelby	[4] 29,601	319	10.8	332	11.2
Stark	[4] 9,693	85	8.8	100	10.3
Stephenson	17,758	183	10.3	200	11.3
Tazewell	27,293	256	9.4	274	10.0
Union*	[4] 20,249	426	21.0	415	20.5
Vermilion (exclusive of) National Military Home	53,301	519 / 180	[12] 13.1	572 / 180	[12] 14.1
Wabash	[4] 14,034	142	10.1	149	10.6
Warren	[4] 21,488	260	12.1	275	12.8
Washington	[4] 18,035	157	8.7	171	9.5
Wayne	[4] 22,772	239	10.5	246	10.8
White	[4] 20,081	265	13.2	263	13.1
Whiteside	36,773	402	10.9	412	11.2
Will	56,187	676	12.0	712	12.7
Williamson	54,384	612	11.3	627	11.5
Winnebago	28,524	233	8.2	262	9.2
Woodford	[4] 19,340	166	8.6	185	9.6
INDIANA COUNTIES †					
Adams	[4] 20,503	195	9.5	200	9.8
Allen	28,169	299	10.6	317	11.3
Bartholomew	[4] 23,887	328	13.7	330	13.8
Benton	[4] 12,206	101	8.3	123	10.1
Blackford	[4] 14,084	151	10.7	154	10.9

See footnotes at end of table.

TABLE IB.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1923—Continued

[See note at head of this table, p. 87]

AREA AND COLOR	Estimated population, July 1, 1923	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1923			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
INDIANA COUNTIES—continued					
Boone	[4] 23,575	289	12.3	292	12.4
Brown	[4] 7,019	99	14.1	100	14.2
Carroll	[4] 16,315	200	12.3	212	13.0
Cass*	16,410	257	15.7	269	16.4
Clark	[4] 19,283	190	9.9	193	10.0
Clay	[4] 29,447	393	13.3	399	13.5
Clinton	15,601	191	12.2	204	13.1
Crawford	[4] 11,201	108	9.6	113	10.1
Daviess	[4] 26,856	300	11.2	303	11.3
De Kalb	25,796	308	11.9	317	12.3
Dearborn	[4] 20,033	259	12.9	271	13.5
Decatur	[4] 17,813	266	14.9	281	15.8
Delaware	17,844	230	12.9	238	13.3
Dubois	19,939	187	9.4	189	9.5
Elkhart	32,965	407	12.3	412	12.5
Fayette	18,124	207	11.4	201	11.1
Floyd	7,800	78	10.0	81	10.4
Fountain	[4] 18,823	253	13.4	263	14.0
Franklin	[4] 14,806	196	13.2	204	13.8
Fulton	[4] 16,478	197	12.0	197	12.0
Gibson	[4] 29,201	358	12.3	359	12.3
Grant	[4] 25,999	364	14.0	369	14.2
Greene	[4] 36,770	409	11.1	420	11.4
Hamilton	[4] 24,222	312	12.9	315	13.0
Hancock	[4] 17,210	256	14.9	261	15.2
Harrison	[4] 18,656	217	11.6	225	12.1
Hendricks	[4] 20,291	261	12.9	282	13.9
Henry	20,410	283	13.9	291	14.3
Howard	13,289	168	12.6	171	12.9
Huntington	17,423	209	12.0	211	12.1
Jackson	[4] 24,228	305	12.6	308	12.7
Jasper	14,291	154	10.8	154	10.8
Jay	[4] 23,318	283	12.1	290	12.4
Jefferson*	20,790	422	20.3	417	20.1
Jennings	[4] 13,280	177	13.3	177	13.3
Johnson	20,862	293	14.0	305	14.6
Knox	30,856	269	8.7	285	9.2
Kosciusko	[4] 27,120	333	12.3	339	12.5
La Porte	15,832	168	10.6	171	10.8
Lagrange	[4] 14,009	137	9.8	140	10.0
Lake	18,577	262	14.1	307	16.5
Lawrence	[4] 28,228	417	14.8	423	15.0
Madison	27,308	308	11.3	315	11.5
Marion	35,769	511	14.3	512	14.3
Marshall	[4] 23,744	312	13.1	321	13.5
Martin	[4] 11,865	167	14.1	170	14.3
Miami	[4] 16,085	182	11.3	187	11.6
Monroe	12,685	146	11.5	146	11.5
Montgomery	[4] 18,102	236	13.0	241	13.3
Morgan	[4] 20,010	272	13.6	273	13.6
Newton	[4] 10,144	102	10.1	116	11.4
Noble	[4] 22,470	317	14.1	324	14.4
Ohio	[4] 4,024	65	16.2	66	16.4
Orange	[4] 16,974	212	12.5	217	12.8
Owen	[4] 12,760	146	11.4	154	12.1
Parke	[4] 18,875	243	12.9	255	13.5
Perry	[4] 16,692	175	10.5	177	10.6
Pike	[4] 18,684	204	10.9	209	11.2
Porter	[4] 20,256	251	12.4	252	12.4
Posey	[4] 19,334	230	11.9	240	12.4
Pulaski	[4] 12,385	109	8.8	110	8.9
Putnam	[4] 19,880	271	13.6	275	13.8
Randolph	[4] 26,484	330	12.5	335	12.6
Ripley	[4] 18,694	224	12.0	229	12.2
Rush	[4] 19,241	259	13.5	266	13.8
INDIANA COUNTIES—continued					
St. Joseph	17,159	312	18.2	321	18.7
Scott	[4] 7,424	99	13.3	99	13.3
Shelby	[4] 25,982	329	12.7	339	13.0
Spencer	[4] 18,400	215	11.7	221	12.0
Starke	[4] 10,278	112	10.9	118	11.5
Steuben	[4] 13,360	176	13.2	189	14.1
Sullivan	[4] 31,630	399	12.6	407	12.9
Switzerland	[4] 9,311	115	12.4	120	12.9
Tippecanoe*	20,488	329	16.1	343	16.7
Tipton	[4] 16,152	191	11.8	202	12.5
Union	[4] 6,021	77	12.8	81	13.5
Vanderburg*	7,080	277	39.1	278	39.3
Vermilion	18,116	195	10.8	212	11.7
Vigo	35,200	410	11.6	439	12.5
Wabash	27,340	308	11.3	320	11.7
Warren	[4] 9,699	87	9.0	94	9.7
Warrick	[4] 19,862	212	10.7	214	10.8
Washington	[4] 16,645	178	10.7	180	10.8
Wayne*	21,134	382	18.1	387	18.3
Wells	[4] 20,509	258	12.6	260	12.7
White	[4] 17,351	163	9.4	183	10.5
Whitley	[4] 15,660	190	12.1	210	13.4
IOWA COUNTIES †					
Adair	[4] 14,259	126	8.8	132	9.3
Adams	[4] 10,521	89	8.5	99	9.4
Allamakee	[4] 17,285	171	9.9	177	10.2
Appanoose	[4] 31,196	317	10.2	298	9.6
Audubon	[4] 12,520	102	8.1	108	8.6
Benton	24,414	240	9.8	261	10.7
Black Hawk	21,122	184	8.7	195	9.2
Boone	17,502	130	7.4	144	8.2
Bremer	17,048	210	12.3	211	12.4
Buchanan*	19,941	306	15.3	298	14.9
Buena Vista	19,485	187	9.6	190	9.8
Butler	18,107	164	9.1	171	9.4
Calhoun	18,033	158	8.8	168	9.3
Carroll	22,065	234	10.6	233	10.6
Cass	19,555	211	10.8	207	10.6
Cedar	[4] 17,560	153	8.7	174	9.9
Cerro Gordo	15,017	120	8.0	134	8.9
Cherokee*	18,129	274	15.1	280	15.4
Chickasaw	15,451	177	11.5	179	11.6
Clarke	[4] 10,506	113	10.8	117	11.1
Clay	16,704	119	7.1	118	7.1
Clayton	[4] 25,032	235	9.4	241	9.6
Clinton	[4] 19,220	174	9.1	193	10.0
Crawford	20,821	168	8.1	178	8.5
Dallas	25,656	264	10.3	282	11.0
Davis	[4] 12,574	126	10.0	129	10.3
Decatur	16,644	171	10.3	172	10.3
Delaware	18,288	174	9.5	183	10.0
Des Moines	[4] 11,463	110	9.6	119	10.4
Dickinson	10,997	88	8.0	89	8.1
Dubuque	19,181	143	7.5	159	8.3
Emmet	13,639	97	7.1	97	7.1
Fayette	29,731	278	9.4	283	9.5
Floyd	19,487	164	8.4	164	8.4
Franklin	16,176	152	9.4	154	9.5
Fremont	[4] 15,447	136	8.8	143	9.3
Greene	16,625	171	10.3	180	10.8
Grundy	14,725	109	7.4	117	7.9
Guthrie	17,676	162	9.2	172	9.7
Hamilton	19,634	180	9.2	186	9.5
IOWA COUNTIES—continued					
Hancock	15,441	108	7.0	117	7.6
Hardin	24,208	238	9.8	247	10.2
Harrison	24,965	188	7.5	201	8.1
Henry*	[4] 18,298	261	14.3	268	14.6
Howard	13,988	127	9.1	125	8.9
Humboldt	13,228	99	7.5	108	8.2
Ida	11,829	93	7.9	91	7.7
Iowa	18,667	188	10.1	194	10.4
Jackson	[4] 19,931	221	11.1	232	11.6
Jasper	28,150	270	9.6	274	9.7
Jefferson	16,616	203	12.2	208	12.5
Johnson	14,967	197	13.2	195	13.0
Jones	[4] 18,607	178	9.6	181	9.7
Keokuk	[4] 20,983	218	10.4	227	10.8
Kossuth	26,202	176	6.7	181	6.9
Lee	12,971	120	9.3	128	9.9
Linn	28,630	268	9.4	313	10.9
Louisa	[4] 12,179	140	11.5	150	12.3
Lucas	16,488	148	9.0	156	9.5
Lyon	15,722	98	6.2	103	6.6
Madison	[4] 15,020	131	8.7	144	9.6
Mahaska	[4] 26,270	307	11.7	294	11.2
Marion	25,664	263	10.2	281	10.9
Marshall	16,900	183	10.8	190	11.2
Mills	[4] 15,422	153	9.9	168	10.9
Mitchell	14,096	150	10.6	158	11.2
Monona	17,301	133	7.7	144	8.3
Monroe	[4] 23,467	235	10.0	246	10.5
Montgomery	17,206	196	11.4	196	11.4
Muscatine	[4] 12,974	113	8.7	127	9.8
O'Brien	19,696	87	4.4	97	4.9
Osceola	10,679	76	7.1	73	6.8
Page*	24,185	379	15.7	379	15.7
Palo Alto	16,078	117	7.3	125	7.8
Plymouth	23,748	172	7.2	174	7.3
Pocahontas	15,887	115	7.2	124	7.8
Polk	28,821	224	7.8	241	8.4
Pottawattamie	24,975	191	7.6	206	8.2
Poweshiek	20,026	149	7.4	156	7.8
Ringgold	12,923	100	7.7	108	8.4
Sac	17,840	145	8.1	155	8.7
Scott	17,720	156	8.8	183	10.3
Shelby	[4] 16,065	130	8.1	136	8.5
Sioux	26,893	183	6.8	192	7.1
Story	26,941	233	8.6	259	9.6
Tama	[4] 21,861	224	10.2	238	10.9
Taylor	[4] 15,514	186	12.0	193	12.4
Union	17,503	183	10.5	185	10.6
Van Buren	[4] 14,060	165	11.7	175	12.4
Wapello	14,647	123	8.4	135	9.2
Warren	[4] 18,047	179	9.9	200	11.1
Washington	20,600	180	8.7	190	9.2
Wayne	[4] 15,378	140	9.1	150	9.8
Webster	19,051	132	6.9	139	7.3
Winnebago	14,057	103	7.3	112	8.0
Winneshiek	22,221	211	9.5	216	9.7
Woodbury	21,361	162	7.6	190	8.9
Worth	12,235	98	8.0	111	9.1
Wright	21,213	163	7.7	173	8.2
KANSAS COUNTIES†					
Allen	[4] 23,509	316	13.4	324	13.8
Anderson	[4] 12,986	125	9.6	136	10.5
Atchison	[4] 10,781	89	8.3	97	9.0
Barber	[4] 9,739	86	8.8	91	9.3
Barton	18,620	213	11.4	205	11.0

See footnotes at end of table.

TABLE IB.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1923—Continued

[See note at head of this table, p. 87]

AREA AND COLOR	Estimated population, July 1, 1923	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1923: Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
KANSAS COUNTIES—continued					
Bourbon	[4] 12,424	92	7.4	103	8.3
Brown	[4] 20,949	208	9.9	216	10.3
Butler	37,502	240	6.4	260	6.9
Chase	[4] 7,144	67	9.4	70	9.8
Chautauqua	11,658	106	9.1	112	9.6
Cherokee	[4] 33,609	360	10.7	368	10.9
Cheyenne	6,069	26	4.3	28	4.6
Clark	5,311	34	6.4	37	7.0
Clay	[4] 14,365	152	10.6	151	10.5
Cloud	[4] 17,714	217	12.3	215	12.1
Coffey	[4] 14,254	141	9.9	154	10.8
Comanche	6,030	28	4.6	30	5.0
Cowley	23,764	287	12.1	280	11.8
Crawford	46,451	464	10.0	460	9.9
Decatur	[4] 8,121	81	10.0	85	10.5
Dickinson	26,286	244	9.3	255	9.7
Doniphan	[4] 13,438	128	9.5	146	10.9
Douglas	[4] 11,514	98	8.5	102	8.9
Edwards	7,065	59	8.4	64	9.1
Elk	[4] 9,034	84	9.3	90	10.0
Ellis	14,845	166	11.2	146	9.8
Ellsworth	[4] 10,379	97	9.3	101	9.7
Finney	7,951	67	8.4	69	8.7
Ford	15,310	191	12.5	190	12.4
Franklin	22,328	280	12.5	277	12.4
Geary	13,729	145	10.6	145	10.6
Gove	[4] 4,748	30	6.3	33	7.0
Graham	[4] 7,624	49	6.4	52	6.8
Grant	1,087	7	6.4	7	6.4
Gray	5,283	31	5.9	32	6.1
Greeley	[4] 1,028	9	8.8	9	8.8
Greenwood	[4] 14,715	158	10.7	179	12.2
Hamilton	[4] 2,586	25	9.7	24	9.3
Harper	[4] 13,656	118	8.6	129	9.4
Harvey	21,300	264	12.4	241	11.3
Haskell	1,620	5	3.1	6	3.7
Hodgeman	4,023	20	5.0	20	5.0
Jackson	[4] 15,495	135	8.7	144	9.3
Jefferson	[4] 14,750	114	7.7	128	8.7
Jewell	[4] 16,240	127	7.8	131	8.1
Johnson	18,322	228	12.4	252	13.8
Kearny	[4] 2,617	24	9.2	24	9.2
Kingman	[4] 12,119	116	9.6	125	10.3
Kiowa	[4] 6,164	49	7.9	55	8.9
Labette*	17,680	264	14.9	259	14.6
Lane	2,936	26	8.9	26	8.9
Leavenworth (exclusive of National Military Home)	[4] 21,490	161 / 206	[12] 17.1	173 / 206	[12] 17.6
Lincoln	[4] 9,894	75	7.6	77	7.8
Linn	[4] 13,815	163	11.8	173	12.5
Logan	[4] 3,223	26	8.1	32	9.9
Lyon	14,543	119	8.2	128	8.8
McPherson	21,961	205	9.3	203	9.2
Marion	23,106	207	9.0	213	9.2
Marshall	[4] 22,730	216	9.5	226	9.9
Meade	5,718	43	7.5	48	8.4
Miami*	[4] 19,809	326	16.5	337	17.0
Mitchell	[4] 13,886	128	9.2	129	9.3
Montgomery	23,549	282	12.0	292	12.4
Morris	[4] 12,005	98	8.2	104	8.7
Morton	3,843	31	8.1	31	8.1
Nemaha	[4] 18,487	179	9.7	183	9.9
Neosho	13,438	115	8.6	121	9.0
Ness	8,068	49	6.1	53	6.6
Norton	[4] 11,423	150	13.1	140	12.3

AREA AND COLOR	Estimated population, July 1, 1923	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1923: Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
KANSAS COUNTIES—continued					
Osage	[4] 18,621	196	10.5	211	11.3
Osborne	[4] 12,441	91	7.3	93	7.5
Ottawa	[4] 10,714	88	8.2	103	9.6
Pawnee	9,489	98	10.3	93	9.8
Phillips	[4] 12,505	103	8.2	104	8.3
Pottawatomie	[4] 16,154	146	9.0	150	9.3
Pratt	13,540	108	8.0	110	8.1
Rawlins	6,950	51	7.3	48	6.9
Reno	20,992	184	8.8	198	9.4
Republic	[4] 15,855	140	8.8	144	9.1
Rice	[4] 14,832	133	9.0	136	9.2
Riley	22,404	214	9.6	221	9.9
Rooks	[4] 9,966	71	7.1	71	7.1
Rush	8,553	75	8.8	82	9.6
Russell	[4] 10,748	99	9.2	105	9.8
Saline	9,741	64	6.6	73	7.5
Scott	3,146	45	14.3	46	14.6
Sedgwick	19,872	147	7.4	175	8.8
Seward	6,987	74	10.6	69	9.9
Shawnee	19,230	325	16.9	333	17.3
Sheridan	[4] 5,484	43	7.8	48	8.8
Sherman	5,967	50	8.4	51	8.5
Smith	[4] 14,985	133	8.9	137	9.1
Stafford	[4] 11,559	100	8.7	107	9.3
Stanton	[4] 908	6	6.6	5	5.5
Stevens	4,479	36	8.0	38	8.5
Sumner	[4] 29,213	321	11.0	323	11.1
Thomas	5,539	58	10.5	57	10.3
Trego	6,052	41	6.8	46	7.6
Wabaunsee	[4] 11,424	94	8.2	100	8.8
Wallace	[4] 2,424	26	10.7	26	10.7
Washington	[4] 17,984	136	7.6	140	7.8
Wichita	[4] 1,856	12	6.5	12	6.5
Wilson	21,640	210	9.7	222	10.3
Woodson	[4] 8,984	105	11.7	111	12.4
Wyandotte	14,421	132	9.2	170	11.8
White	12,690	100	7.9	138	10.9
Colored	1,731	32	18.5	32	18.5
KENTUCKY COUNTIES[2]†					
Adair	17,572	180	10.2	------	------
Allen	17,436	193	11.1	------	------
Anderson	[4] 9,982	109	10.9	------	------
Ballard	[4] 12,045	111	9.2	------	------
White	10,659	96	9.0	------	------
Colored	1,386	15	10.8	------	------
Barren	25,377	325	12.8	------	------
White	22,181	278	12.5	------	------
Colored	3,196	47	14.7	------	------
Bath	[4] 11,996	174	14.5	------	------
Bell	35,983	368	10.2	------	------
Boone	9,625	113	11.7	------	------
Bourbon	18,762	270	14.4	------	------
White	14,133	173	12.2	------	------
Colored	4,629	97	21.0	------	------
Boyd	8,646	150	17.3	------	------
Boyle	15,117	203	13.4	------	------
White	12,275	139	11.3	------	------
Colored	2,842	64	22.5	------	------
Bracken	[4] 10,210	117	11.5	------	------
Breathitt	21,721	108	5.0	------	------
Breckenridge	[4] 19,652	246	12.5	------	------
Bullitt	[4] 9,328	120	12.9	------	------
Butler	[4] 15,197	102	6.7	------	------
Caldwell	[4] 13,975	167	11.9	------	------
White	12,067	132	10.9	------	------
Colored	1,908	35	18.3	------	------

AREA AND COLOR	Estimated population, July 1, 1923	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1923: Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
KENTUCKY COUNTIES—continued					
Calloway	21,139	165	7.8	------	------
Campbell	33,451	388	11.6	------	------
Carlisle	[4] 8,231	97	11.8	------	------
Carroll	8,431	118	14.0	------	------
Carter	22,656	257	11.3	------	------
Casey	17,836	167	9.4	------	------
Christian*	[4] 35,883	616	17.2	------	------
White	22,971	386	16.8	------	------
Colored	12,912	230	17.8	------	------
Clark	[4] 17,901	268	15.0	------	------
White	14,209	200	14.1	------	------
Colored	3,692	68	18.4	------	------
Clay	20,516	100	4.9	------	------
Clinton	8,745	57	6.5	------	------
Crittenden	[4] 13,125	146	11.1	------	------
Cumberland	10,935	72	6.6	------	------
Daviess	[4] 19,067	178	9.3	------	------
Edmonson	11,046	112	10.1	------	------
Elliott	[4] 8,887	69	7.8	------	------
Estill	16,756	111	6.6	------	------
Fayette	13,495	73	5.4	------	------
White	10,531	52	4.9	------	------
Colored	2,964	21	7.1	------	------
Fleming	[4] 15,614	199	12.7	------	------
Floyd	30,599	188	6.1	------	------
Franklin	[4] 19,357	287	14.8	------	------
White	16,495	222	13.5	------	------
Colored	2,862	65	22.7	------	------
Fulton	15,586	183	11.7	------	------
White	12,415	127	10.2	------	------
Colored	3,171	56	17.7	------	------
Gallatin	[4] 4,664	55	11.8	------	------
Garrard	12,722	112	8.8	------	------
White	10,940	86	7.9	------	------
Colored	1,782	26	14.6	------	------
Grant	[4] 10,435	145	13.9	------	------
Graves	[4] 32,483	357	11.0	------	------
Grayson	[4] 19,927	155	7.8	------	------
Green	[4] 11,391	108	9.5	------	------
Greenup	20,633	247	12.0	------	------
Hancock	[4] 6,945	73	10.5	------	------
Hardin	24,860	164	6.6	------	------
Harlan	39,110	461	11.8	------	------
Harrison	[4] 15,798	215	13.6	------	------
Hart	18,677	147	7.9	------	------
Henderson	[4] 15,183	154	10.1	------	------
White	12,441	122	9.8	------	------
Colored	2,742	32	11.7	------	------
Henry	[4] 13,411	182	13.6	------	------
White	11,923	162	13.6	------	------
Colored	1,488	20	13.4	------	------
Hickman	[4] 10,244	101	9.9	------	------
White	8,996	86	9.6	------	------
Colored	1,248	15	12.0	------	------
Hopkins	[4] 34,133	465	13.6	------	------
White	28,096	379	13.5	------	------
Colored	6,037	86	14.2	------	------
Jackson	12,030	53	4.4	------	------
Jefferson*	37,151	595	16.0	------	------
Jessamine	[4] 12,205	148	12.1	------	------
White	9,928	109	11.0	------	------
Colored	2,277	39	17.1	------	------

See footnotes at end of table.

TABLE IB.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1923—Continued

[See note at head of this table, p. 87]

Area and color	Estimated population, July 1, 1923	Deaths (exclusive of stillbirths) 1923: Including nonresidents: Number	Including nonresidents: Rate per 1,000 population	Excluding all nonresidents and including residents who died elsewhere in registration area: Number	Excluding: Rate per 1,000 population
KENTUCKY COUNTIES—continued					
Johnson	20,392	219	10.7	------	------
Kenton	16,693	174	10.4	------	------
Knott	11,967	69	5.8	------	------
Knox	24,912	255	10.2	------	------
Larue	[4] 10,004	99	9.9	------	------
Laurel	[4] 19,814	162	8.2	------	------
Lawrence	[4] 17,643	171	9.7	------	------
Lee	12,778	56	4.4	------	------
Leslie	10,500	80	7.6	------	------
Letcher	29,458	203	6.9	------	------
Lewis	[4] 15,829	174	11.0	------	------
Lincoln	[4] 16,481	211	12.8	------	------
White	14,290	184	12.9	------	------
Colored	2,191	27	12.3	------	------
Livingston	[4] 9,732	86	8.8	------	------
Logan	[4] 23,633	294	12.4	------	------
White	19,329	233	12.1	------	------
Colored	4,304	61	14.2	------	------
Lyon	[4] 8,795	83	9.4	------	------
White	7,611	68	8.9	------	------
Colored	1,184	15	12.7	------	------
McCracken	12,536	108	8.6	------	------
White	11,332	98	8.6	------	------
Colored	1,254	10	8.0	------	------
McCreary	(5)	91	(5)	------	------
McLean	[4] 12,502	147	11.8	------	------
Madison	[4] 26,284	307	11.7	------	------
White	21,373	227	10.6	------	------
Colored	4,911	80	16.3	------	------
Magoffin	13,933	108	7.8	------	------
Marion	[4] 15,527	212	13.7	------	------
White	13,826	186	13.5	------	------
Colored	1,701	26	15.3	------	------
Marshall	[4] 15,215	141	9.3	------	------
Martin	7,784	72	9.2	------	------
Mason	[4] 17,760	257	14.5	------	------
White	15,207	209	13.7	------	------
Colored	2,553	48	18.8	------	------
Meade	[4] 9,442	136	14.4	------	------
Menifee	[4] 5,779	59	10.2	------	------
Mercer	15,058	166	11.0	------	------
White	13,350	129	9.7	------	------
Colored	1,708	37	21.7	------	------
Metcalfe	[4] 10,075	102	10.1	------	------
Monroe	14,411	163	11.3	------	------
Montgomery	[4] 12,245	150	12.2	------	------
White	9,728	110	11.3	------	------
Colored	2,517	40	15.9	------	------
Morgan	16,609	136	8.2	------	------
Muhlenberg	35,066	475	13.5	------	------
Nelson	[4] 16,137	204	12.6	------	------
White	14,068	162	11.5	------	------
Colored	2,069	42	20.3	------	------
Nicholas	[4] 9,894	132	13.3	------	------
Ohio	[4] 26,473	245	9.3	------	------
Oldham	7,847	123	15.7	------	------
White	6,844	106	15.5	------	------
Colored	1,003	17	16.9	------	------
Owen	[4] 12,554	172	13.7	------	------
Owsley	[4] 7,820	38	4.9	------	------
Pendleton	[4] 11,719	128	10.9	------	------
Perry	31,373	359	11.4	------	------
Pike	55,893	506	9.1	------	------
Powell	6,917	38	5.5	------	------

Area and color	Estimated population, July 1, 1923	Deaths (exclusive of stillbirths) 1923: Including nonresidents: Number	Including nonresidents: Rate per 1,000 population	Excluding all nonresidents and including residents who died elsewhere in registration area: Number	Excluding: Rate per 1,000 population
KENTUCKY COUNTIES—continued					
Pulaski	(9)	342	(9)	------	------
Robertson	[4] 3,871	46	11.9	------	------
Rockcastle	15,742	93	5.9	------	------
Rowan	9,478	83	8.8	------	------
Russell	12,211	93	7.6	------	------
Scott	[4] 15,318	222	14.5	------	------
White	12,259	160	13.1	------	------
Colored	3,059	62	20.3	------	------
Shelby	18,707	245	13.1	------	------
White	15,704	194	12.4	------	------
Colored	3,003	51	17.0	------	------
Simpson	[4] 11,150	167	15.0	------	------
White	9,241	124	13.4	------	------
Colored	1,909	43	22.5	------	------
Spencer	7,862	110	14.0	------	------
Taylor	12,334	178	14.4	------	------
White	11,092	147	13.3	------	------
Colored	1,242	31	25.0	------	------
Todd	[4] 15,694	179	11.4	------	------
White	11,214	110	9.8	------	------
Colored	4,480	69	15.4	------	------
Trigg	[4] 14,208	143	10.1	------	------
White	11,261	103	9.1	------	------
Colored	2,947	40	13.6	------	------
Trimble	[4] 6,011	57	9.5	------	------
Union	[4] 18,040	227	12.6	------	------
White	15,847	186	11.7	------	------
Colored	2,193	41	18.7	------	------
Warren	30,956	387	12.5	------	------
White	26,415	309	11.7	------	------
Colored	4,541	78	17.2	------	------
Washington	15,072	95	6.3	------	------
White	13,378	87	6.5	------	------
Colored	1,694	8	4.7	------	------
Wayne	(9)	152	(9)	------	------
Webster	[4] 20,762	269	13.0	------	------
White	17,839	218	12.2	------	------
Colored	2,923	51	17.4	------	------
Whitley	(9)	288	(9)	------	------
Wolfe	[4] 8,783	44	5.0	------	------
Woodford	[4] 11,784	152	12.9	------	------
White	8,751	95	10.9	------	------
Colored	3,033	57	18.8	------	------
LOUISIANA PARISHES†					
Acadia	35,893	327	9.1	329	9.2
White	28,002	214	7.6	217	7.7
Colored	7,891	113	14.3	112	14.2
Allen	(5)	166	(5)	168	(5)
White	(5)	88	(5)	91	(5)
Colored	(5)	78	(5)	77	(5)
Ascension	[4] 22,155	186	8.4	189	8.5
White	12,664	56	4.4	59	4.7
Colored	9,491	130	13.7	130	13.7
Assumption	[4] 17,912	242	13.5	247	13.8
White	10,424	104	10.0	107	10.3
Colored	7,488	138	18.4	140	18.7
Avoyelles	35,732	216	6.0	220	6.2
White	25,949	119	4.6	123	4.7
Colored	9,783	97	9.9	97	9.9
Beauregard	(5)	154	(5)	162	(5)
White	(5)	98	(5)	104	(5)
Colored	(5)	56	(5)	58	(5)

Area and color	Estimated population, July 1, 1923	Deaths (exclusive of stillbirths) 1923: Including nonresidents: Number	Including nonresidents: Rate per 1,000 population	Excluding all nonresidents and including residents who died elsewhere in registration area: Number	Excluding: Rate per 1,000 population
LOUISIANA PARISHES—continued					
Bienville	[4] 20,977	179	8.5	189	9.0
White	12,358	89	7.2	95	7.7
Colored	8,619	90	10.4	94	10.9
Bossier	22,456	110	4.9	121	5.4
White	7,085	41	5.8	44	6.2
Colored	15,371	69	4.5	77	5.0
Caddo	37,711	461	12.2	508	13.5
White	20,083	145	7.2	174	8.7
Colored	17,628	316	17.9	334	18.9
Calcasieu	(9)	160	(9)	167	(9)
White	(9)	108	(9)	116	(9)
Colored	(9)	52	(9)	51	(9)
Caldwell	9,847	92	9.3	97	9.9
White	7,036	59	8.4	63	9.0
Colored	2,811	33	11.7	34	12.1
Cameron	[4] 3,952	22	5.6	23	5.8
White	3,366	16	4.8	17	5.1
Colored	586	6	10.2	6	10.2
Catahoula	11,311	85	7.5	89	7.9
White	6,220	48	7.7	50	8.0
Colored	5,091	37	7.3	39	7.7
Claiborne	28,907	268	9.3	274	9.5
White	14,160	143	10.1	149	10.5
Colored	14,747	125	8.5	125	8.5
Concordia	[4] 12,466	76	6.1	93	7.5
White	2,643	12	4.5	14	5.3
Colored	9,823	64	6.5	79	8.0
De Soto	29,983	315	10.5	325	10.8
White	12,076	91	7.5	99	8.2
Colored	17,907	224	12.5	226	12.6
East Baton Rouge	21,830	382	17.5	380	17.4
White	7,689	92	12.0	91	11.8
Colored	14,141	290	20.5	289	20.4
East Carroll	[4] 11,231	151	13.4	151	13.4
White	1,527	15	9.8	14	9.2
Colored	9,704	136	14.0	137	14.1
East Feliciana*	[4] 17,487	275	15.7	282	16.1
White	5,481	95	17.3	98	17.9
Colored	12,006	180	15.0	184	15.3
Evangeline	(5)	61	(5)	66	(5)
White	(5)	48	(5)	52	(5)
Colored	(5)	13	(5)	14	(5)
Franklin	28,465	215	7.6	230	8.1
White	15,779	115	7.3	126	8.0
Colored	12,686	100	7.9	104	8.2
Grant	[4] 14,403	102	7.1	122	8.5
White	10,356	65	6.3	81	7.8
Colored	4,047	37	9.1	41	10.1
Iberia	[4] 26,855	351	13.1	361	13.4
White	15,943	169	10.6	174	10.9
Colored	10,912	182	16.7	187	17.1
Iberville	[4] 26,806	346	12.9	342	12.8
White	11,425	114	10.0	111	9.7
Colored	15,381	232	15.1	231	15.0
Jackson	14,725	79	5.4	85	5.8
White	10,717	45	4.2	51	4.8
Colored	4,008	34	8.5	34	8.5
Jefferson	22,757	256	11.2	269	11.8
White	17,095	166	9.7	181	10.6
Colored	5,662	90	15.9	88	15.5
Jefferson Davis	(5)	174	(5)	186	(5)
White	(5)	119	(5)	129	(5)
Colored	(5)	55	(5)	57	(5)
La Salle	10,019	68	6.8	71	7.1
White	8,628	54	6.3	58	6.7
Colored	1,391	14	10.1	13	9.3

See footnotes at end of table.

TABLE IB.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1923—Continued

[See note at head of this table, p. 87]

AREA AND COLOR	Estimated population, July 1, 1923	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1923: Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
LOUISIANA PARISHES—continued					
Lafayette	31,601	362	11.5	364	11.5
White	20,755	187	9.0	188	9.1
Colored	10,846	175	16.1	176	16.2
Lafourche	[4] 30,344	333	11.0	345	11.4
White	24,450	226	9.2	234	9.6
Colored	5,894	107	18.2	111	18.8
Lincoln	[4] 16,962	133	7.8	137	8.1
White	10,651	77	7.2	81	7.6
Colored	6,311	56	8.9	56	8.9
Livingston	12,007	73	6.1	75	6.2
White	10,238	58	5.7	59	5.8
Colored	1,769	15	8.5	16	9.0
Madison	10,882	82	7.5	87	8.0
White	1,965	12	6.1	14	7.1
Colored	8,917	70	7.9	73	8.2
Morehouse	19,500	211	10.8	215	11.0
White	6,658	44	6.6	45	6.8
Colored	12,842	167	13.0	170	13.2
Natchitoches	39,376	430	10.9	437	11.1
White	18,544	142	7.7	147	7.9
Colored	20,832	288	13.8	290	13.9
Ouachita	18,098	176	9.7	178	9.8
White	10,033	87	8.7	86	8.6
Colored	8,065	89	11.0	92	11.4
Plaquemines	[4] 10,194	134	13.1	137	13.4
White	4,789	52	10.9	54	11.3
Colored	5,405	82	15.2	83	15.4
Pointe Coupee	[4] 24,697	231	9.4	231	9.4
White	9,715	72	7.4	71	7.3
Colored	14,982	159	10.6	160	10.7
Rapides *	45,305	532	11.7	538	11.9
White	27,502	279	10.1	286	10.4
Colored	17,803	253	14.2	252	14.2
Red River	16,705	101	6.0	109	6.5
White	8,620	37	4.3	43	5.0
Colored	8,085	64	7.9	66	8.2
Richland	22,694	217	9.6	232	10.2
White	10,146	80	7.9	90	8.9
Colored	12,548	137	10.9	142	11.3
Sabine	21,014	154	7.3	164	7.8
White	16,581	106	6.4	114	6.9
Colored	4,433	48	10.8	50	11.3
St. Bernard	[4] 4,968	50	10.1	57	11.5
White	3,370	33	9.8	40	11.9
Colored	1,598	17	10.6	17	10.6
St. Charles	[4] 8,586	111	12.9	121	14.1
White	4,239	35	8.3	45	10.6
Colored	4,347	76	17.5	76	17.5
St. Helena	[4] 8,427	50	5.9	51	6.1
White	4,198	33	7.9	34	8.1
Colored	4,229	17	4.0	17	4.0
St. James	[4] 21,228	260	12.2	267	12.6
White	9,624	89	9.2	93	9.7
Colored	11,604	171	14.7	174	15.0
St. John the Baptist	[4] 11,896	171	14.4	173	14.5
White	5,478	56	10.2	57	10.4
Colored	6,418	115	17.9	116	18.1
St. Landry	(9)	496	(9)	503	(9)
White	(9)	220	(9)	211	(9)
Colored	(9)	276	(9)	292	(9)
St. Martin	[4] 21,990	190	8.6	192	8.7
White	14,088	112	8.0	113	8.0
Colored	7,902	78	9.9	79	10.0
St. Mary	[4] 30,754	374	12.2	380	12.4
White	15,493	143	9.2	149	9.6
Colored	15,261	231	15.1	231	15.1
LOUISIANA PARISHES—continued					
St. Tammany	21,268	203	9.5	199	9.4
White	13,270	127	9.6	122	9.2
Colored	7,998	76	9.5	77	9.6
Tangipahoa	32,260	281	8.7	298	9.2
White	23,455	172	7.3	188	8.0
Colored	8,805	109	12.4	110	12.5
Tensas	[4] 12,085	148	12.2	165	13.7
White	1,769	13	7.3	19	10.7
Colored	10,316	135	13.1	146	14.2
Terrebonne	[4] 26,974	302	11.2	313	11.6
White	17,586	152	8.6	163	9.3
Colored	9,388	150	16.0	150	16.0
Union	[4] 19,621	152	7.7	154	7.8
White	13,507	108	8.0	110	8.1
Colored	6,114	44	7.2	44	7.2
Vermilion	26,514	338	12.7	343	12.9
White	21,920	264	12.0	269	12.3
Colored	4,594	74	16.1	74	16.1
Vernon	21,614	208	9.6	221	10.2
White	16,010	150	9.4	162	10.1
Colored	5,604	58	10.3	59	10.5
Washington	26,065	196	7.5	189	7.3
White	17,979	115	6.4	110	6.1
Colored	8,086	81	10.0	79	9.8
Webster	26,695	207	7.8	224	8.4
White	14,773	95	6.4	107	7.2
Colored	11,922	112	9.4	117	9.8
West Baton Rouge	[4] 11,092	127	11.4	126	11.4
White	3,607	29	8.0	28	7.8
Colored	7,485	98	13.1	98	13.1
West Carroll	9,796	45	4.6	47	4.8
White	7,551	33	4.4	35	4.6
Colored	2,245	12	5.3	12	5.3
West Feliciana	[4] 12,303	100	8.1	102	8.3
White	2,116	17	8.0	18	8.5
Colored	10,187	83	8.1	84	8.2
Winn	[4] 16,119	60	3.7	68	4.2
White	12,732	44	3.5	52	4.1
Colored	3,387	16	4.7	16	4.7
MAINE COUNTIES †					
Androscoggin	16,483	237	14.4	265	16.1
Aroostook	84,274	1,011	12.0	1,021	12.1
Cumberland	55,704	748	13.4	837	15.0
Franklin	20,079	258	12.8	265	13.2
Hancock	[4] 30,361	490	16.1	490	16.1
Kennebec (exclusive of)	35,725	518	[12]16.9	548	[12]17.7
National Military Home		85		85	
Knox	[4] 26,245	447	17.0	441	16.8
Lincoln	[4] 15,976	295	18.5	296	18.5
Oxford	38,218	557	14.6	590	15.4
Penobscot	62,147	785	12.6	853	13.7
Piscataquis	20,794	263	12.6	268	12.9
Sagadahoc	7,971	143	17.9	152	19.1
Somerset	37,483	576	15.4	587	15.7
Waldo	[4] 21,328	362	17.0	367	17.2
Washington	[4] 41,709	512	12.3	536	12.9
York	41,853	648	15.5	700	16.7
MARYLAND COUNTIES†					
Allegany	40,291	477	11.8	514	12.8
Anne Arundel*	34,840	477	13.7	521	15.0
White	23,822	222	9.3	250	10.5
Colored	11,018	255	23.1	271	24.6
Baltimore	78,981	1,131	14.3	1,289	16.3
White	68,870	995	14.4	1,127	16.4
Colored	10,111	136	13.5	126	16.0
MARYLAND COUNTIES—continued					
Calvert	[4] 9,744	131	13.4	138	14.2
White	4,955	51	10.3	55	11.1
Colored	4,789	80	16.7	83	17.3
Caroline	[4] 18,652	257	13.8	267	14.3
White	14,207	169	11.9	178	12.5
Colored	4,445	88	19.8	89	20.0
Carroll	34,357	536	15.6	573	16.7
Cecil	[4] 23,612	387	16.4	396	16.8
White	20,703	307	14.8	317	15.3
Colored	2,909	80	27.5	79	27.2
Charles	18,179	226	12.4	249	13.7
White	10,101	88	8.7	105	10.4
Colored	8,078	138	17.1	144	17.8
Dorchester*	[4] 27,895	469	16.8	475	17.0
White	19,175	282	14.7	285	14.9
Colored	8,720	187	21.4	190	21.8
Frederick	[4] 41,240	566	13.7	585	14.2
Garrett	[4] 19,678	226	11.5	239	12.1
Harford	29,768	406	13.6	442	14.8
White	25,349	319	12.6	352	13.9
Colored	4,419	87	19.7	90	20.4
Howard	[4] 15,826	199	12.6	238	15.0
White	12,316	147	11.9	173	14.0
Colored	3,510	52	14.8	65	18.5
Kent	[4] 15,026	244	16.2	252	16.8
White	9,780	116	11.9	121	12.4
Colored	5,246	128	24.4	131	25.0
Montgomery	35,940	497	13.8	526	14.6
White	27,998	365	13.0	381	13.6
Colored	7,942	132	16.6	145	18.3
Prince Georges	45,941	559	12.2	679	14.8
White	33,668	339	10.1	437	13.0
Colored	12,273	220	17.9	242	19.7
Queen Annes	[4] 16,001	234	14.6	241	15.1
White	10,846	127	11.7	134	12.4
Colored	5,155	107	20.8	107	20.8
St. Marys	[4] 16,112	243	15.1	254	15.8
White	9,674	132	13.6	140	14.5
Colored	6,438	111	17.2	114	17.7
Somerset	[4] 24,602	365	14.8	374	15.2
White	15,713	188	12.0	193	12.3
Colored	8,889	177	19.9	181	20.4
Talbot	[4] 18,306	287	15.7	286	15.6
White	12,138	181	14.9	180	14.8
Colored	6,168	106	17.2	106	17.2
Washington	33,194	415	12.5	421	12.7
Wicomico	28,652	464	16.2	443	15.5
White	22,204	326	14.7	315	14.2
Colored	6,448	138	21.4	128	19.9
Worcester	22,477	317	14.1	326	14.5
White	15,183	186	12.3	191	12.6
Colored	7,294	131	18.0	135	18.5
MASSACHUSETTS COUNTIES †					
Barnstable	[4] 26,670	498	18.7	516	19.3
Berkshire	35,253	462	13.1	513	14.6
Bristol	63,426	842	13.3	922	14.5
Dukes	[4] 4,372	112	25.6	89	20.4
Essex	64,778	887	13.7	956	14.8
Franklin	34,163	500	14.6	522	15.3
Hampden	45,238	565	12.5	648	14.3
Hampshire	36,755	414	11.3	491	13.4
Middlesex *	109,527	1,606	14.7	1,548	14.1
Nantucket	[4] 2,797	54	19.3	51	18.2
Norfolk	88,406	1,063	12.0	1,183	13.4
Plymouth	78,517	1,242	15.8	1,293	16.5
Worcester	136,719	1,867	13.7	1,992	14.6

See footnotes at end of table.

TABLE 1B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1923—Continued

[See note at head of this table, p. 87]

AREA AND COLOR	Estimated population, July 1, 1923	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1923: Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
MICHIGAN COUNTIES†					
Alcona	5,985	65	10.9	69	11.5
Alger	10,812	96	8.9	101	9.3
Allegan	[4] 37,540	534	14.2	548	14.6
Alpena	[4] 6,768	44	6.5	44	6.5
Antrim	[4] 11,543	146	12.6	153	13.3
Arenac	[4] 9,460	88	9.3	92	9.7
Baraga	8,215	74	9.0	78	9.5
Barry	[4] 21,383	275	12.9	287	13.4
Bay	21,603	209	9.7	216	10.0
Benzie	[4] 6,947	98	14.1	99	14.3
Berrien	52,577	597	11.4	625	11.9
Branch	[4] 23,997	378	15.8	381	15.9
Calhoun	38,694	530	13.7	534	13.8
Cass	[4] 20,395	308	15.1	312	15.3
Charlevoix	[4] 15,788	193	12.2	202	12.8
Cheboygan	[4] 13,991	196	14.0	205	14.7
Chippewa	12,845	107	8.3	117	9.1
Clare	[4] 8,250	102	12.4	106	12.8
Clinton	[4] 23,110	330	14.3	337	14.6
Crawford	4,090	48	11.7	49	12.0
Delta	18,094	149	8.2	173	9.6
Dickinson	[4] 19,456	183	9.4	197	10.1
Eaton	[4] 29,377	399	13.6	417	14.2
Emmet	[4] 15,639	244	15.6	220	14.1
Genesee	29,733	446	15.0	457	15.4
Gladwin	8,974	61	6.8	64	7.1
Gogebic	20,001	147	7.3	155	7.7
Grand Traverse	[4] 8,593	81	9.4	83	9.7
Gratiot	35,750	401	11.2	402	11.2
Hillsdale	[4] 28,161	363	12.9	370	13.1
Houghton	[4] 71,930	669	9.3	671	9.3
Huron	[4] 32,786	376	11.5	372	11.3
Ingham	25,865	351	13.6	367	14.2
Ionia	[4] 33,037	498	15.1	509	15.4
Iosco	[4] 8,199	88	10.7	91	11.1
Iron	24,610	183	7.4	187	7.6
Isabella	[4] 22,610	287	12.7	288	12.7
Jackson	24,946	319	12.8	331	13.3
Kalamazoo	23,369	276	11.8	306	13.1
Kalkaska	[4] 5,577	49	8.8	55	9.9
Kent*	45,708	873	19.1	861	18.8
Keweenaw	[4] 6,322	60	9.5	61	9.6
Lake	[4] 4,437	38	8.6	40	9.0
Lapeer*	[4] 25,782	450	17.5	453	17.6
Leelanau	[4] 9,061	100	11.0	101	11.1
Lenawee	[4] 35,489	508	14.3	524	14.8
Livingston*	[4] 17,522	249	14.2	251	14.3
Luce*	6,923	126	18.2	118	17.0
Mackinac	[4] 8,026	102	12.7	100	12.5
Macomb	40,085	615	15.3	612	15.3
Manistee	[4] 20,899	247	11.8	246	11.8
Marquette	[4] 22,130	240	10.8	251	11.3
Mason	[4] 19,831	229	11.5	232	11.7
Mecosta	[4] 17,765	223	12.6	227	12.8
Menominee	[4] 23,778	278	11.7	276	11.6
Midland	18,402	158	8.6	162	8.8
Missaukee	[4] 9,004	69	7.7	75	8.3
Monroe	25,368	317	12.5	324	12.8
Montcalm	[4] 30,441	441	14.5	450	14.8
Montmorency	4,209	29	6.9	30	7.1
Muskegon	29,498	336	11.4	349	11.8
Newaygo	[4] 17,378	221	12.7	225	12.9
Oakland	63,253	804	12.7	835	13.2
Oceana	[4] 15,601	194	12.4	200	12.8
Ogemaw	[4] 7,786	78	10.0	83	10.7
MICHIGAN COUNTIES—continued					
Ontonagon	13,790	99	7.2	113	8.2
Osceola	[4] 15,221	191	12.5	196	12.9
Oscoda	[4] 1,783	13	7.3	13	7.3
Otsego	[4] 6,043	70	11.6	71	11.7
Ottawa	35,719	433	12.1	449	12.6
Presque Isle	12,448	117	9.4	124	10.0
Roscommon	[4] 2,032	45	22.1	45	22.1
Saginaw	34,495	395	11.5	403	11.7
St. Clair	31,555	435	13.8	440	13.9
St. Joseph	27,292	371	13.6	391	14.3
Sanilac	[4] 31,237	382	12.2	387	12.4
Schoolcraft	10,443	104	10.0	105	10.1
Shiawassee	23,257	326	14.0	333	14.3
Tuscola	[4] 33,320	500	15.0	510	15.3
Van Buren	[4] 30,715	434	14.1	455	14.8
Washtenaw	30,042	409	13.6	422	14.0
Wayne*	81,395	1,512	18.6	1,593	19.6
Wexford	[4] 18,207	245	13.5	241	13.2
MINNESOTA COUNTIES†					
Aitkin	16,728	105	6.3	113	6.8
Anoka	16,755	203	12.1	220	13.1
Becker	24,298	237	9.8	248	10.2
Beltrami	(10)	274	(10)	262	(10)
Benton	13,027	93	7.1	103	7.9
Big Stone	9,910	92	9.3	85	8.6
Blue Earth	19,024	147	7.7	176	9.3
Brown	23,245	241	10.4	230	9.9
Carlton	20,052	169	8.4	190	9.5
Carver	[4] 16,946	136	8.0	156	9.2
Cass	17,439	199	11.4	197	11.3
Chippewa	16,537	147	8.9	149	9.0
Chisago	14,772	163	11.0	177	12.0
Clay	22,552	161	7.1	179	7.9
Clearwater	9,183	83	9.0	86	9.4
Cook	2,024	13	6.4	15	7.4
White	1,830	9	4.9	10	5.5
Colored	194	4	20.6	5	25.8
Cottonwood	15,261	128	8.4	132	8.6
Crow Wing	27,343	266	9.7	253	9.3
Dakota	30,336	295	9.7	331	10.9
Dodge	12,718	106	8.3	111	8.7
Douglas	19,534	186	9.5	182	9.3
Faribault	21,377	180	8.4	199	9.3
Fillmore	[4] 25,330	260	10.3	285	11.3
Freeborn	25,562	238	9.3	245	9.6
Goodhue	[4] 30,799	352	11.4	356	11.6
Grant	10,031	80	8.0	85	8.5
Hennepin	35,835	356	9.9	430	12.0
Houston	[4] 14,013	135	9.6	149	10.6
Hubbard	10,246	93	9.1	96	9.4
Isanti	13,518	122	9.0	126	9.3
Itasca	26,281	209	8.0	233	8.9
Jackson	16,483	131	7.9	138	8.4
Kanabec	10,033	59	5.9	65	6.5
Kandiyohi	23,175	251	10.8	253	10.9
Kittson	10,987	77	7.0	85	7.7
Koochiching	16,077	131	8.1	133	8.3
Lac qui Parle	15,598	119	7.6	130	8.3
Lake	8,337	61	7.3	60	7.2
Lake of the Woods	(11)	40	(11)	42	(11)
Le Sueur	[4] 17,870	131	7.3	156	8.7
Lincoln	11,770	89	7.6	93	7.9
Lyon	19,961	135	6.8	144	7.2
McLeod	21,076	183	8.7	192	9.1
MINNESOTA COUNTIES—continued					
Mahnomen	7,259	55	7.6	58	8.0
White	5,937	27	4.5	30	5.1
Colored	1,322	28	21.2	28	21.2
Marshall	20,562	166	8.1	163	7.9
Martin	22,371	177	7.9	187	8.4
Meeker	18,493	175	9.5	181	9.8
Mille Lacs	15,433	163	10.6	163	10.6
Morrison	26,487	255	9.6	265	10.0
Mower	15,945	129	8.1	143	9.0
Murray	14,307	96	6.7	95	6.6
Nicollet*	15,363	255	16.6	261	17.0
Nobles	18,893	160	8.5	171	9.1
Norman	15,395	127	8.2	144	9.4
Olmsted	14,163	123	8.7	148	10.4
Otter Tail*	52,541	557	10.6	539	10.3
Pennington	13,068	121	9.3	108	8.3
Pine	23,004	164	7.1	191	8.3
Pipestone	12,950	85	6.6	95	7.3
Polk	37,483	348	9.3	332	8.9
Pope	13,950	109	7.8	111	8.0
Ramsey	10,189	93	9.1	141	13.8
Red Lake	7,515	63	8.4	73	9.7
Redwood	21,801	124	5.7	126	5.8
Renville	23,817	191	8.0	225	9.4
Rice	17,328	150	8.7	170	9.8
Rock	11,232	76	6.8	74	6.6
Roseau	14,013	114	8.1	118	8.4
St. Louis	83,815	642	7.7	717	8.6
Scott	[4] 14,245	145	10.2	154	10.8
Sherburne	9,269	68	7.3	78	8.4
Sibley	15,668	146	9.3	152	9.7
Stearns	43,715	349	8.0	377	8.6
Steele	18,751	169	9.0	178	9.5
Stevens	10,314	68	6.6	73	7.1
Swift	15,864	149	9.4	145	9.1
Todd	27,015	206	7.6	222	8.2
Traverse	[4] 7,943	69	8.7	69	8.7
Wabasha	[4] 17,919	216	12.1	220	12.3
Wadena	11,436	113	9.9	120	10.5
Waseca	14,373	143	9.9	149	10.4
Washington	[4] 23,761	243	10.2	268	11.3
Watonwan	12,844	102	7.9	104	8.1
Wilkin	10,591	89	8.4	85	8.0
Winona	14,402	109	7.6	118	8.2
Wright	28,903	244	8.4	268	9.3
Yellow Medicine	16,961	136	8.0	136	8.0
MISSISSIPPI COUNTIES†					
Adams	[4] 9,281	259	27.9	171	18.4
White	871	57	65.4	29	33.3
Colored	8,410	202	24.0	142	16.9
Alcorn	22,523	216	9.6	218	9.7
White	18,482	165	8.9	167	9.0
Colored	4,041	51	12.6	51	12.6
Amite	[4] 18,960	141	7.4	148	7.8
White	9,617	62	6.4	64	6.7
Colored	9,343	79	8.5	84	9.0
Attala	[4] 24,831	192	7.7	202	8.1
White	14,663	91	6.2	98	6.7
Colored	10,168	101	9.9	104	10.2
Benton	[4] 9,851	109	11.1	111	11.3
White	5,231	53	10.1	55	10.5
Colored	4,620	56	12.1	56	12.1
Bolivar	60,827	863	14.2	921	15.1
White	11,473	115	10.0	136	11.9
Colored	49,354	748	15.2	785	15.9

See footnotes at end of table.

TABLE 1B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1923—Continued

[See note at head of this table, p. 87]

AREA AND COLOR	Estimated population, July 1, 1923	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1923: Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
MISSISSIPPI COUNTIES—continued					
Calhoun	[4] 16,823	95	5.6	96	5.7
White	13,936	68	4.9	69	5.0
Colored	2,887	27	9.4	27	9.4
Carroll	[4] 20,324	156	7.7	162	8.0
White	8,970	65	7.2	71	7.9
Colored	11,354	91	8.0	91	8.0
Chickasaw	[4] 22,212	295	13.3	298	13.4
White	11,155	115	10.3	117	10.5
Colored	11,057	180	16.3	181	16.4
Choctaw	[4] 12,491	69	5.5	75	6.0
White	8,940	43	4.8	46	5.1
Colored	3,551	26	7.3	29	8.2
Claiborne	[4] 13,019	146	11.2	154	11.8
White	3,425	25	7.3	30	8.8
Colored	9,594	121	12.6	124	12.9
Clarke	[4] 17,927	189	10.5	205	11.4
White	10,700	76	7.1	88	8.2
Colored	7,227	113	15.6	117	16.2
Clay	[4] 17,490	199	11.4	201	11.5
White	7,003	61	8.7	62	8.9
Colored	10,487	138	13.2	139	13.3
Coahoma	44,140	558	12.6	598	13.5
White	7,120	58	8.1	71	10.0
Colored	37,020	500	13.5	527	14.2
Copiah	[4] 28,672	294	10.3	320	11.2
White	13,567	116	8.6	129	9.5
Colored	15,105	178	11.8	191	12.6
Covington	[4] 14,869	90	6.1	104	7.0
White	10,593	57	5.4	67	6.3
Colored	4,276	33	7.7	37	8.7
De Soto	24,801	330	13.3	341	13.7
White	6,045	56	9.3	61	10.1
Colored	18,756	274	14.6	280	14.9
Forrest	7,636	155	20.3	160	21.0
White	5,676	70	12.3	72	12.7
Colored	1,960	85	43.4	88	44.9
Franklin	[4] 14,156	92	6.5	113	8.0
White	8,539	38	4.5	49	5.7
Colored	5,617	54	9.6	64	11.4
George	[4] 5,564	52	9.3	55	9.9
White	4,645	38	8.2	41	8.8
Colored	919	14	15.2	14	15.2
Greene	12,009	92	7.7	95	7.9
White	8,882	53	6.0	55	6.2
Colored	3,127	39	12.5	40	12.8
Grenada	[4] 13,607	149	11.0	156	11.5
White	5,160	49	9.5	54	10.5
Colored	8,447	100	11.8	102	12.1
Hancock	[4] 10,380	118	11.4	126	12.1
White	7,679	74	9.6	81	10.5
Colored	2,701	44	16.3	45	16.7
Harrison	(9)	338	(9)	327	(9)
White	(9)	231	(9)	221	(9)
Colored	(9)	107	(9)	106	(9)
Hinds	[4] 33,732	645	19.1	685	20.3
White	7,715	144	18.7	154	20.0
Colored	26,017	501	19.3	531	20.4
Holmes	(9)	399	(9)	419	(9)
White	(9)	68	(9)	75	(9)
Colored	(9)	331	(9)	344	(9)
Humphreys	(8)	237	(8)	255	(8)
White	(8)	25	(8)	30	(8)
Colored	(8)	212	(8)	225	(8)
Issaquena	[4] 7,618	110	14.4	119	15.6
White	702	13	18.5	14	19.9
Colored	6,916	97	14.0	105	15.2
Itawamba	16,050	119	7.4	119	7.4
Jackson	20,563	206	10.0	220	10.7
White	15,925	131	8.2	142	8.9
Colored	4,638	75	16.2	78	16.8

AREA AND COLOR	Estimated population, July 1, 1923	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1923: Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
MISSISSIPPI COUNTIES—continued					
Jasper	18,512	145	7.8	154	8.3
White	9,701	68	7.0	72	7.4
Colored	8,811	77	8.7	82	9.3
Jefferson	[4] 15,946	189	11.9	206	12.9
White	3,987	32	8.0	40	10.0
Colored	11,959	157	13.1	166	13.9
Jefferson Davis	[4] 12,755	130	10.2	135	10.6
White	6,004	63	10.5	67	11.2
Colored	6,751	67	9.9	68	10.1
Jones	19,398	112	5.8	133	6.9
White	15,716	87	5.5	107	6.8
Colored	3,682	25	6.8	26	7.1
Kemper	[4] 19,619	155	7.9	159	8.1
White	8,417	57	6.8	61	7.2
Colored	11,202	98	8.7	98	8.7
Lafayette	[4] 19,243	173	9.0	173	9.0
White	11,279	89	7.9	89	7.9
Colored	7,964	84	10.5	84	10.5
Lamar	13,275	110	8.3	119	9.0
White	10,106	65	6.4	71	7.0
Colored	3,169	45	14.2	48	15.1
Lauderdale	[4] 21,917	290	13.2	304	13.9
White	11,374	145	12.7	156	13.7
Colored	10,543	145	13.8	148	14.0
Lawrence	[4] 12,663	84	6.6	100	7.9
White	7,678	48	6.3	55	7.2
Colored	4,985	36	7.2	45	9.0
Leake	[4] 16,973	156	9.2	160	9.4
White	11,021	94	8.5	98	8.9
Colored	5,952	62	10.4	62	10.4
Lee	29,877	296	9.9	298	10.0
White	20,454	180	8.8	181	8.8
Colored	9,423	116	12.3	117	12.4
Leflore	37,603	466	12.4	476	12.7
White	9,075	94	10.4	97	10.7
Colored	28,528	372	13.0	379	13.3
Lincoln	[4] 24,652	285	11.6	297	12.0
White	15,677	165	10.5	174	11.1
Colored	8,975	120	13.4	123	13.7
Lowndes	[4] 16,586	144	8.7	147	8.9
White	4,639	32	6.9	33	7.1
Colored	11,947	112	9.4	114	9.5
Madison	[4] 29,292	363	12.4	380	13.0
White	6,446	59	9.2	65	10.1
Colored	22,846	304	13.3	315	13.8
Marion	(9)	161	(9)	147	(9)
White	(9)	93	(9)	81	(9)
Colored	(9)	68	(9)	66	(9)
Marshall	[4] 26,105	369	14.1	378	14.5
White	7,264	75	10.3	81	11.2
Colored	18,841	294	15.6	297	15.8
Monroe	[4] 32,613	355	10.9	358	11.0
White	17,260	182	10.5	184	10.7
Colored	15,353	173	11.3	174	11.3
Montgomery	[4] 13,805	152	11.0	158	11.4
White	8,072	76	9.4	80	9.9
Colored	5,733	76	13.3	78	13.6
Neshoba	19,780	117	5.9	127	6.4
White	16,357	86	5.3	96	5.9
Colored	3,423	31	9.1	31	9.1
Newton	[4] 20,727	203	9.8	212	10.2
White	13,663	108	7.9	115	8.4
Colored	7,064	95	13.4	97	13.7
Noxubee	[4] 23,710	231	9.7	236	10.0
White	4,906	32	6.5	36	7.3
Colored	18,804	199	10.6	200	10.6
Oktibbeha	[4] 16,872	185	11.0	186	11.0
White	6,820	50	7.3	51	7.5
Colored	10,052	135	13.4	135	13.4
Panola	[4] 27,845	376	13.5	393	14.1
White	10,093	88	8.7	98	9.7
Colored	17,752	288	16.2	295	16.6

AREA AND COLOR	Estimated population, July 1, 1923	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1923: Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
MISSISSIPPI COUNTIES—continued					
Pearl River	17,226	160	9.3	166	9.6
White	12,319	119	9.7	125	10.1
Colored	4,907	41	8.4	41	8.4
Perry	9,457	72	7.6	79	8.4
White	6,347	42	6.6	48	7.6
Colored	3,110	30	9.6	31	10.0
Pike	(9)	219	(9)	234	(9)
White	(9)	137	(9)	144	(9)
Colored	(9)	82	(9)	90	(9)
Pontotoc	20,060	149	7.4	152	7.6
White	15,913	120	7.5	123	7.7
Colored	4,147	29	7.0	29	7.0
Prentiss	17,848	157	8.8	158	8.9
White	15,569	129	8.3	130	8.3
Colored	2,279	28	12.3	28	12.3
Quitman	22,840	239	10.5	249	10.9
White	5,546	51	9.2	58	10.5
Colored	17,294	188	10.9	191	11.0
Rankin	[4] 20,272	187	9.2	201	9.9
White	8,969	64	7.1	72	8.0
Colored	11,303	123	10.9	129	11.4
Scott	[4] 16,420	132	8.0	147	9.0
White	10,230	62	6.1	75	7.3
Colored	6,190	70	11.3	72	11.6
Sharkey	(9)	136	(9)	146	(9)
White	(9)	18	(9)	19	(9)
Colored	(9)	118	(9)	127	(9)
Simpson	18,435	163	8.8	172	9.3
White	12,419	106	8.5	112	9.0
Colored	6,016	57	9.5	60	10.0
Smith	[4] 16,178	90	5.6	100	6.2
White	13,584	71	5.2	79	5.8
Colored	2,594	19	7.3	21	8.1
Stone	(8)	58	(8)	63	(8)
White	(8)	36	(8)	40	(8)
Colored	(8)	22	(8)	23	(8)
Sunflower	(9)	548	(9)	593	(9)
White	(9)	91	(9)	110	(9)
Colored	(9)	457	(9)	483	(9)
Tallahatchie	38,431	434	11.3	451	11.7
White	11,213	91	8.1	98	8.7
Colored	27,218	343	12.6	353	13.0
Tate	[4] 19,636	267	13.6	276	14.1
White	8,066	95	11.8	102	12.6
Colored	11,570	172	14.9	174	15.0
Tippah	15,703	141	9.0	147	9.4
White	13,447	110	8.2	114	8.5
Colored	2,256	31	13.7	33	14.6
Tishomingo	15,819	119	7.5	122	7.7
Tunica	21,013	258	12.3	272	12.9
White	2,302	22	9.6	28	12.2
Colored	18,711	236	12.6	244	13.0
Union	20,421	164	8.0	172	8.4
White	16,142	108	6.7	113	7.0
Colored	4,279	56	13.1	59	13.8
Walthall	(8)	65	(8)	71	(8)
White	(8)	44	(8)	47	(8)
Colored	(8)	21	(8)	24	(8)
Warren	[4] 15,290	123	8.0	137	9.0
White	3,125	14	4.5	18	5.8
Colored	12,165	109	9.0	119	9.8
Washington	(9)	313	(9)	362	(9)
White	(9)	14	(9)	31	(9)
Colored	(9)	299	(9)	331	(9)
Wayne	15,740	131	8.3	137	8.7
White	10,429	73	7.0	78	7.5
Colored	5,311	58	10.9	59	11.1
Webster	[4] 12,644	97	7.7	98	7.8
White	10,285	63	6.1	64	6.2
Colored	2,359	34	14.4	34	14.4

See footnotes at end of table.

TABLE 1B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1923—Continued

[See note at head of this table, p. 87]

AREA AND COLOR	Estimated population, July 1, 1923	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1923			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
MISSISSIPPI COUNTIES—continued					
Wilkinson	[4] 15,319	155	10.1	163	10.6
White	4,005	28	7.0	34	8.5
Colored	11,314	127	11.2	129	11.4
Winston	18,499	104	5.6	107	5.8
White	12,172	64	5.3	67	5.5
Colored	6,327	40	6.3	40	6.3
Yalobusha	[4] 18,738	190	10.1	199	10.6
White	10,271	96	9.3	104	10.1
Colored	8,467	94	11.1	95	11.2
Yazoo	(9)	455	(9)	469	(9)
White	(9)	111	(9)	115	(9)
Colored	(9)	344	(9)	354	(9)
MISSOURI COUNTIES †					
Adair	[4] 21,404	255	11.9	238	11.1
Andrew	[4] 14,075	161	11.4	144	10.2
Atchison	[4] 13,008	96	7.4	102	7.8
Audrain	[4] 20,589	252	12.2	248	12.0
Barry	[4] 23,473	165	7.0	171	7.3
Barton	16,924	163	9.6	170	10.0
Bates	[4] 23,933	249	10.4	262	10.9
Benton	[4] 12,989	103	7.9	109	8.4
Bollinger	[4] 13,909	75	5.4	77	5.5
Boone	[4] 19,126	182	9.5	197	10.3
Buchanan	15,690	142	9.1	176	11.2
Butler	25,359	295	11.6	296	11.7
Caldwell	[4] 13,849	154	11.1	161	11.6
Callaway *	[4] 23,007	350	15.2	343	14.9
White	19,776	278	14.1	272	13.8
Colored	3,231	72	22.3	71	22.0
Camden	[4] 10,474	51	4.9	51	4.9
Cape Girardeau	19,745	162	8.2	173	8.8
Carroll	[4] 20,480	242	11.8	247	12.1
Carter	8,193	38	4.6	45	5.5
Cass	[4] 21,536	241	11.2	259	12.0
Cedar	[4] 13,933	151	10.8	154	11.1
Chariton	[4] 21,769	239	11.0	254	11.7
Christian	[4] 15,252	111	7.3	113	7.4
Clark	[4] 11,874	120	10.1	129	10.9
Clay	20,507	306	14.9	310	15.1
Clinton	[4] 14,461	153	10.6	169	11.7
Cole	10,308	77	7.5	92	8.9
Cooper	[4] 19,308	251	13.0	254	13.2
White	16,904	206	12.2	209	12.4
Colored	2,404	45	18.7	45	18.7
Crawford	[4] 12,355	111	9.0	116	9.4
Dade	[4] 14,173	97	6.8	106	7.5
Dallas	[4] 12,033	89	7.4	92	7.6
Daviess	[4] 16,641	174	10.5	193	11.6
De Kalb	[4] 11,694	121	10.3	124	10.6
Dent	[4] 12,318	109	8.8	110	8.9
Douglas	[4] 15,436	52	3.4	55	3.6
Dunklin	33,653	443	13.2	450	13.4
Franklin	[4] 28,427	334	11.7	343	12.1
Gasconade	[4] 12,381	125	10.1	131	10.6
Gentry	[4] 15,634	181	11.6	200	12.8
Greene	29,223	336	11.5	341	11.7
Grundy	17,844	210	11.8	216	12.1
Harrison	[4] 19,719	209	10.6	220	11.2
Henry	[4] 25,116	279	11.1	284	11.3
Hickory	[4] 7,033	52	7.4	52	7.4
Holt	[4] 14,084	132	9.4	146	10.4
Howard	[4] 13,997	168	12.0	171	12.2
White	11,831	125	10.6	128	10.8
Colored	2,166	43	19.9	43	19.9
Howell	21,114	196	9.3	201	9.5
Iron	9,780	117	12.0	121	12.4

AREA AND COLOR	Estimated population, July 1, 1923	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1923			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
MISSOURI COUNTIES—continued					
Jackson	34,081	379	11.1	402	11.8
Jasper	[4] 35,721	433	12.1	453	12.7
Jefferson	[4] 26,555	298	11.2	317	11.9
Johnston	[4] 24,899	299	12.0	310	12.5
Knox	[4] 10,783	86	8.0	91	8.4
Laclede	[4] 16,857	145	8.6	152	9.0
Lafayette	[4] 30,006	383	12.8	401	13.4
Lawrence	[4] 24,211	345	14.2	351	14.5
Lewis	[4] 13,465	157	11.7	175	13.0
Lincoln	[4] 15,956	167	10.5	179	11.2
Linn	[4] 24,778	292	11.8	295	11.9
Livingston	[4] 18,857	269	14.3	271	14.4
McDonald	15,104	71	4.7	74	4.9
Macon	[4] 27,518	336	12.2	346	12.6
Madison	[4] 10,721	97	9.0	103	9.6
Maries	[4] 9,500	74	7.8	76	8.0
Marion	[4] 10,573	102	9.6	109	10.3
Mercer	[4] 11,281	103	9.1	102	9.0
Miller	[4] 15,567	104	6.7	108	6.9
Mississippi	[4] 12,860	167	13.0	174	13.5
White	11,549	133	11.5	139	12.0
Colored	1,311	34	25.9	35	26.7
Moniteau	[4] 13,532	152	11.2	150	11.1
Monroe	[4] 16,414	162	9.9	171	10.4
Montgomery	[4] 15,233	150	9.8	164	10.8
Morgan	[4] 12,015	93	7.7	93	7.7
New Madrid	27,232	301	11.1	316	11.6
Newton	[4] 24,886	292	11.7	295	11.9
Nodaway	[4] 27,744	325	11.7	347	12.5
Oregon	[4] 12,889	86	6.7	94	7.3
Osage	[4] 13,559	112	8.3	115	8.5
Ozark	[4] 11,125	51	4.6	51	4.6
Pemiscot	29,184	279	9.6	295	10.1
White	24,477	218	8.9	231	9.4
Colored	4,707	61	13.0	64	13.6
Perry	[4] 14,434	153	10.6	160	11.1
Pettis	14,333	128	8.9	133	9.3
Phelps	[4] 14,941	206	13.8	211	14.1
Pike	[4] 20,345	259	12.7	269	13.2
White	17,739	214	12.1	222	12.5
Colored	2,606	45	17.3	47	18.0
Platte	[4] 13,996	121	8.6	137	9.8
Polk	[4] 20,351	159	7.8	169	8.3
Pulaski	[4] 10,490	120	11.4	124	11.8
Putnam	[4] 13,115	144	11.0	149	11.4
Ralls	[4] 10,412	135	13.0	143	13.7
Randolph	14,668	144	9.8	154	10.5
Ray	[4] 20,508	221	10.8	230	11.2
Reynolds	10,290	43	4.2	50	4.9
Ripley	[4] 12,061	101	8.4	102	8.5
St. Charles	[4] 22,828	312	13.7	308	13.5
St. Clair	[4] 15,341	127	8.3	143	9.3
St. Francois	[4] 31,403	506	16.1	491	15.6
St. Louis*	107,341	1,423	13.3	1,530	14.3
Ste. Genevieve	[4] 9,809	92	9.4	96	9.8
Saline	[4] 28,826	378	13.1	394	13.7
White	25,699	326	12.7	341	13.3
Colored	3,127	52	16.6	53	16.9
Schuyler	[4] 8,383	79	9.4	82	9.8
Scotland	[4] 10,700	82	7.7	87	8.1
Scott	23,781	254	10.7	265	11.1
Shannon	12,016	90	7.5	90	7.5
Shelby	[4] 13,617	164	12.0	169	12.4
Stoddard	30,455	233	7.7	243	8.0
Stone	12,078	83	6.9	91	7.5

AREA AND COLOR	Estimated population, July 1, 1923	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1923			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
MISSOURI COUNTIES—continued					
Sullivan	[4] 17,781	147	8.3	152	8.5
Taney	[4] 8,178	75	9.2	78	9.5
Texas	[4] 20,548	165	8.0	177	8.6
Vernon	[4] 26,069	479	18.4	455	17.5
Warren	[4] 8,490	102	12.0	107	12.6
Washington	13,955	129	9.2	136	9.7
Wayne	[4] 13,012	100	7.7	105	8.1
Webster	[4] 16,609	174	10.5	178	10.7
Worth	[4] 7,642	33	4.3	37	4.8
Wright	[4] 17,733	127	7.2	134	7.6
MONTANA COUNTIES †					
Beaverhead	7,702	58	7.5	62	8.0
Big Horn	(8)	101	(8)	101	(8)
White	(8)	39	(8)	39	(8)
Colored	(8)	62	(8)	62	(8)
Blaine	(8)	71	(8)	74	(8)
White	(8)	35	(8)	39	(8)
Colored	(8)	36	(8)	35	(8)
Broadwater	[4] 3,239	21	6.5	24	7.4
Carbon	(9)	90	(9)	98	(9)
Carter	(8)	13	(8)	13	(8)
Cascade	(10)	73	(10)	82	(10)
Chouteau	(9)	73	(9)	74	(9)
Custer	(9)	108	(9)	105	(9)
Daniels	(11)	31	(11)	32	(11)
Dawson	(9)	84	(9)	82	(9)
Deer Lodge*	3,943	204	51.7	206	52.2
Fallon	(8)	22	(8)	24	(8)
Fergus	(10)	149	(10)	152	(10)
Flathead	22,756	201	8.8	206	9.1
Gallatin	16,507	119	7.2	127	7.7
Garfield	(8)	12	(8)	13	(8)
Glacier	(8)	60	(8)	62	(8)
White	(8)	13	(8)	15	(8)
Colored	(8)	47	(8)	47	(8)
Golden Valley	(11)	14	(11)	16	(11)
Granite	4,609	32	6.9	34	7.4
Hill	(8)	99	(8)	100	(8)
Jefferson	[4] 5,203	41	7.9	45	8.6
Judith Basin	(11)	16	(11)	18	(11)
Lewis and Clark	[4] 6,623	44	6.6	49	7.4
Liberty	(8)	12	(8)	16	(8)
Lincoln	9,296	61	6.6	69	7.4
McCone	(8)	22	(8)	22	(8)
Madison	7,591	53	7.0	57	7.5
Meagher	(9)	18	(9)	23	(9)
Mineral	(8)	19	(8)	19	(8)
Missoula	14,699	87	5.9	100	6.8
White	13,563	51	3.8	62	4.6
Colored	1,136	36	31.7	38	33.5
Musselshell	(8)	77	(8)	76	(8)
Park	11,545	105	9.1	109	9.4
Phillips	(8)	54	(8)	59	(8)
Pondera	(8)	45	(8)	43	(8)
Powder River	(8)	8	(8)	9	(8)
Powell	7,271	56	7.7	57	7.8
Prairie	(8)	25	(8)	26	(8)
Ravalli	[4] 10,098	93	9.2	96	9.5
Richland	(8)	57	(8)	55	(8)
Roosevelt	(8)	48	(8)	51	(8)
White	(8)	41	(8)	44	(8)
Colored	(8)	7	(8)	7	(8)
Rosebud	(9)	73	(9)	73	(9)
Sanders	5,331	30	5.6	38	7.1
Sheridan	(8)	50	(8)	53	(8)
Silver Bow	19,153	251	13.1	254	13.3
Stillwater	(8)	37	(8)	41	(8)

See footnotes at end of table.

TABLE 1B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1923—Continued

[See note at head of this table, p. 87]

AREA AND COLOR	Estimated population, July 1, 1923	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1923			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
MONTANA COUNTIES—continued					
Sweet Grass	(10)	32	(10)	33	(10)
Teton	(9)	34	(9)	39	(9)
Toole	(8)	32	(8)	35	(8)
Treasure	(8)	14	(8)	16	(8)
Valley	(10)	60	(10)	61	(10)
Wheatland	(8)	37	(8)	36	(8)
Wibaux	(8)	14	(8)	14	(8)
Yellowstone	(9)	73	(9)	83	(9)
NEBRASKA COUNTIES †					
Adams *	10,764	160	14.9	160	14.9
Antelope	15,689	121	7.7	124	7.9
Arthur	(8)	4	(8)	4	(8)
Banner	[4] 1,435	4	2.8	4	2.8
Blaine	1,816	4	2.2	5	2.8
Boone	14,508	99	6.8	104	7.2
Box Butte	9,228	103	11.2	104	11.3
Boyd	[4] 8,243	66	8.0	67	8.1
Brown	6,989	74	10.6	75	10.7
Buffalo *	24,464	264	10.8	266	10.9
Burt	[4] 12,559	111	8.8	114	9.1
Butler	[4] 14,606	109	7.5	110	7.5
Cass	[4] 18,029	170	9.4	173	9.6
Cedar	16,598	105	6.3	116	7.0
Chase	5,417	48	8.9	48	8.9
Cherry	12,236	84	6.9	86	7.0
Cheyenne	9,796	58	5.9	65	6.6
Clay	[4] 14,486	134	9.3	139	9.6
Colfax	11,629	98	8.4	99	8.5
Cuming	[4] 13,769	135	9.8	136	9.9
Custer	26,674	195	7.3	196	7.3
Dakota	8,102	73	9.0	91	11.2
Dawes	10,847	67	6.2	68	6.3
Dawson	16,020	133	8.3	136	8.5
Deuel	3,822	17	4.4	18	4.7
Dixon	11,936	83	7.0	95	8.0
Dodge	23,577	231	9.8	239	10.1
Douglas	13,112	69	5.3	70	5.3
Dundy	5,147	28	5.4	29	5.6
Fillmore	[4] 13,671	110	8.0	110	8.0
Franklin	[4] 10,067	87	8.6	89	8.8
Frontier	[4] 8,540	47	5.5	47	5.5
Furnas	[4] 11,657	109	9.4	111	9.5
Gage	[4] 29,721	321	10.8	322	10.8
Garden	(8)	27	(9)	28	(9)
Garfield	3,525	38	10.8	39	11.1
Gosper	[4] 4,669	26	5.6	26	5.6
Grant	1,627	11	6.8	11	6.8
Greeley	8,914	50	5.6	51	5.7
Hall	9,931	88	8.9	89	9.0
Hamilton	[4] 13,237	96	7.3	98	7.4
Harlan	[4] 9,220	82	8.9	82	8.9
Hayes	3,439	14	4.1	14	4.1
Hitchcock	6,272	44	7.0	45	7.2
Holt	17,729	125	7.1	128	7.2
Hooker	1,521	8	5.3	8	5.3
Howard	[4] 10,739	96	8.9	97	9.0
Jefferson	[4] 16,140	171	10.6	173	10.7
Johnson	[4] 8,940	83	9.3	85	9.5
Kearney	[4] 8,583	86	10.0	88	10.3
Keith	5,871	33	5.6	34	5.8
Keyapaha	3,644	26	7.1	26	7.1
Kimball	5,419	33	6.1	34	6.3
Knox	19,087	139	7.3	146	7.6
Lancaster*	31,506	286	9.1	290	9.2

AREA AND COLOR	Estimated population, July 1, 1923	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1923			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
NEBRASKA COUNTIES—continued.					
Lincoln	13,696	58	4.2	61	4.5
Logan	1,621	18	11.1	18	11.1
Loup	[4] 1,946	14	7.2	15	7.7
McPherson	(9)	4	(9)	4	(9)
Madison*	23,740	283	11.9	283	11.9
Merrick	10,900	98	9.0	101	9.3
Morrill	10,796	55	5.1	55	5.1
Nance	[4] 8,712	71	8.1	70	8.0
Nemaha	[4] 12,547	116	9.2	121	9.6
Nuckolls	13,313	111	8.3	112	8.4
Otoe	19,554	190	9.7	193	9.9
Pawnee	[4] 9,578	76	7.9	77	8.0
Perkins	4,470	27	6.0	28	6.3
Phelps	[4] 9,900	87	8.8	88	8.9
Pierce	10,881	75	6.9	76	7.0
Platte	19,629	187	9.5	187	9.5
Polk	10,783	67	6.2	68	6.3
Redwillow	11,569	89	7.7	89	7.7
Richardson	19,515	182	9.3	191	9.8
Rock	3,729	20	5.4	20	5.4
Saline	[4] 16,514	138	8.4	141	8.5
Sarpy	9,403	53	5.6	53	5.6
Saunders	[4] 20,589	175	8.5	178	8.6
Scotts Bluff	25,162	167	6.6	168	6.7
Seward	[4] 15,867	176	11.1	178	11.2
Sheridan	10,452	64	6.1	65	6.2
Sherman	9,091	68	7.5	68	7.5
Sioux	[4] 4,528	24	5.3	24	5.3
Stanton	7,833	41	5.2	45	5.7
Thayer	[4] 13,976	113	8.1	117	8.4
Thomas	1,983	9	4.5	11	5.5
Thurston	9,908	134	13.5	140	14.1
White	8,453	49	5.8	54	6.4
Colored	1,455	85	58.4	86	59.1
Valley	9,946	68	6.8	69	6.9
Washington	[4] 12,180	125	10.3	128	10.5
Wayne	[4] 9,725	84	8.6	88	9.0
Webster	[4] 10,922	107	9.8	111	10.2
Wheeler	2,615	18	6.9	18	6.9
York	[4] 17,146	186	10.8	186	10.8
NEW HAMPSHIRE COUNTIES †					
Belknap	[4] 10,025	154	15.4	178	17.8
Carroll	[4] 15,017	239	15.9	240	16.0
Cheshire	19,466	250	12.8	262	13.5
Coos	20,357	252	12.4	257	12.6
Grafton	[4] 40,572	652	16.1	601	14.8
Hillsborough	28,298	531	18.8	484	17.1
Merrimack	[4] 29,362	500	17.0	518	17.6
Rockingham	38,212	620	16.2	668	17.5
Strafford	[4] 25,517	327	12.8	335	13.1
Sullivan	21,493	301	14.0	298	13.9
NEW JERSEY COUNTIES †					
Atlantic	35,900	554	15.4	584	16.3
Bergen	183,016	1,673	9.1	2,031	11.1
Burlington	87,253	1,083	12.4	1,125	12.9
Camden	70,692	908	12.8	991	14.0
Cape May	[4] 19,460	386	19.8	339	17.4
Cumberland	33,722	552	16.4	557	16.5
Essex*	51,045	997	19.5	952	18.7
Gloucester	52,138	697	13.4	732	14.0
Hudson*	56,671	954	16.8	828	14.6
Hunterdon	[4] 32,885	466	14.2	511	15.5

AREA AND COLOR	Estimated population, July 1, 1923	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1913			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
NEW JERSEY COUNTIES—continued.					
Mercer	44,829	625	13.9	638	14.2
Middlesex	85,410	826	9.7	985	11.5
Monmouth	81,787	1,269	15.5	1,326	16.2
Morris*	73,013	1,032	14.1	1,155	15.8
Ocean	22,456	379	16.9	358	15.9
Passaic	36,350	325	8.9	394	10.8
Salem	40,023	432	10.8	451	11.3
White	35,818	354	9.9	374	10.4
Colored	4,205	78	18.5	77	18.3
Somerset	51,296	633	12.3	702	13.7
Sussex	[4] 24,905	375	15.1	376	15.1
Union	64,759	587	9.1	767	11.8
Warren	27,718	355	12.8	383	13.8
NEW YORK COUNTIES†					
Albany	33,795	412	12.2	455	13.5
Allegany	[4] 36,842	622	16.9	653	17.7
Broome	52,740	821	15.6	825	15.6
Cattaraugus	50,689	742	14.6	787	15.5
Cayuga	[4] 28,479	421	14.8	459	16.1
Chautauqua	57,272	805	14.1	867	15.1
Chemung	21,559	312	14.5	339	15.7
Chenango	[4] 34,969	647	18.5	650	18.6
Clinton	[4] 32,989	401	12.2	430	13.0
Columbia	[4] 27,104	427	15.8	459	16.9
Cortland	15,823	257	16.2	285	18.0
Delaware	[4] 42,774	706	16.5	740	17.3
Dutchess*	44,619	1,024	22.9	1,033	23.2
Erie	106,235	1,325	12.5	1,502	14.1
Essex	[4] 31,871	573	18.0	584	18.3
Franklin*	[4] 43,541	760	17.5	756	17.4
Fulton	11,405	187	16.4	197	17.3
Genesee	23,962	297	12.4	348	14.5
Greene	[4] 25,796	431	16.7	457	17.7
Hamilton	[4] 3,970	47	11.8	44	11.1
Herkimer	31,792	434	13.7	507	15.9
Jefferson	49,996	672	13.4	737	14.7
Lewis	[4] 23,704	276	11.6	306	12.9
Livingston	[4] 36,830	573	15.6	619	16.8
Madison	28,280	445	15.7	501	17.7
Monroe	57,954	758	13.1	886	15.3
Montgomery	23,722	372	15.7	408	17.2
Nassau	141,329	1,754	12.4	1,820	12.9
Niagara	31,335	486	15.5	500	16.0
Oneida	61,266	824	13.4	981	16.0
Onondaga	71,795	956	13.3	1,050	14.6
Ontario	37,342	623	16.7	574	15.4
Orange	60,013	848	14.1	889	14.8
Orleans	[4] 28,619	381	13.3	397	13.9
Oswego	[4] 33,361	601	18.0	631	18.9
Otsego	[4] 33,865	621	18.3	645	19.0
Putnam	[4] 10,802	146	13.5	161	14.9
Rensselaer	[4] 30,254	524	17.3	540	17.8
Rockland	[4] 45,548	693	15.2	697	15.3
St. Lawrence	[4] 73,512	946	12.9	1,034	14.1
Saratoga	[4] 46,848	626	13.4	677	14.5
Schenectady	18,207	219	12.0	232	12.7
Schoharie	[4] 21,303	336	15.8	360	16.9
Schuyler	[4] 13,098	230	17.6	238	18.2
Seneca*	[4] 24,735	585	23.7	592	23.9
Steuben	[4] 48,521	955	19.7	968	20.0
Suffolk*	115,324	2,262	19.6	2,291	19.9
Sullivan*	[4] 33,163	563	17.0	560	16.9
Tioga	[4] 24,212	384	15.9	416	17.2

See footnotes at end of table.

TABLE 1B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1923—Continued

[See note at head of this table, p. 87]

AREA AND COLOR	Estimated population, July 1, 1923	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1923: Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
NEW YORK COUNTIES—continued					
Tompkins	18,077	274	15.2	299	16.5
Ulster	[4] 48,010	717	14.9	793	16.5
Warren	[4] 14,534	234	16.1	253	17.4
Washington	[4] 44,888	643	14.3	685	15.3
Wayne	[4] 48,827	711	14.6	740	15.2
Westchester	106,064	1,438	13.6	1,499	14.1
Wyoming	[4] 30,314	439	14.5	458	15.1
Yates	[4] 16,641	295	17.7	315	18.9
NORTH CAROLINA COUNTIES†					
Alamance	34,162	438	12.8	443	13.0
White	26,537	309	11.6	313	11.8
Colored	7,625	129	16.9	130	17.0
Alexander	12,436	118	9.5	118	9.5
Alleghany	[4] 7,403	60	8.1	61	8.2
Anson	29,368	236	8.0	236	8.0
White	13,954	120	8.6	120	8.6
Colored	15,414	116	7.5	116	7.5
Ashe	21,696	211	9.7	212	9.8
Avery	(8)	69	(8)	69	(8)
Beaufort	31,078	429	13.8	430	13.8
White	19,286	192	10.0	191	9.9
Colored	11,792	237	20.1	239	20.3
Bertie	24,338	307	12.6	311	12.8
White	10,642	103	9.7	105	9.9
Colored	13,696	204	14.9	206	15.0
Bladen	20,393	234	11.5	236	11.6
White	12,369	96	7.8	97	7.8
Colored	8,024	138	17.2	139	17.3
Brunswick	15,035	158	10.5	158	10.5
White	9,676	100	10.3	100	10.3
Colored	5,359	58	10.8	58	10.8
Buncombe	38,929	547	14.1	543	13.9
Burke*	23,978	302	12.6	304	12.7
White	21,286	273	12.8	274	12.9
Colored	2,692	29	10.8	30	11.1
Cabarrus	36,430	397	10.9	400	11.0
White	29,991	270	9.0	271	9.0
Colored	6,439	127	19.7	129	20.0
Caldwell	(9)	190	(9)	192	(9)
Camden	[4] 5,382	72	13.4	72	13.4
White	3,257	32	9.8	32	9.8
Colored	2,125	40	18.8	40	18.8
Carteret	15,963	157	9.8	160	10.0
White	13,545	122	9.0	124	9.2
Colored	2,418	35	14.5	36	14.9
Caswell	16,084	150	9.3	153	9.5
White	8,163	82	10.0	85	10.4
Colored	7,921	68	8.6	68	8.6
Catawba	35,973	305	8.5	307	8.5
White	32,363	253	7.8	255	7.9
Colored	3,610	52	14.4	52	14.4
Chatham	24,239	269	11.1	274	11.3
White	16,370	160	9.8	163	10.0
Colored	7,869	109	13.9	111	14.1
Cherokee	15,641	174	11.1	176	11.3
Chowan	[4] 10,649	160	15.0	164	15.4
White	5,350	68	12.7	72	13.5
Colored	5,299	92	17.4	92	17.4
Clay	4,913	58	11.8	58	11.8
Cleveland	35,996	278	7.7	282	7.8
White	29,882	221	7.4	225	7.5
Colored	6,114	57	9.3	57	9.3
Columbus	30,882	369	11.9	372	12.0
White	20,975	229	10.9	231	11.0
Colored	9,907	140	14.1	141	14.2

AREA AND COLOR	Estimated population, July 1, 1923	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1923: Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
NORTH CAROLINA COUNTIES—continued					
Craven	18,083	173	9.6	174	9.6
White	9,252	62	6.7	63	6.8
Colored	8,831	111	12.6	111	12.6
Cumberland	(9)	484	(9)	477	(9)
White	(9)	263	(9)	257	(9)
Colored	(9)	221	(9)	220	(9)
Currituck	[4] 7,268	81	11.1	84	11.6
White	4,630	49	10.6	51	11.0
Colored	2,638	32	12.1	33	12.5
Dare	5,215	51	9.8	52	10.0
Davidson	37,292	351	9.4	354	9.5
White	33,751	295	8.7	298	8.8
Colored	3,541	56	15.8	56	15.8
Davie	13,646	143	10.5	146	10.7
White	11,719	110	9.4	112	9.6
Colored	1,927	33	17.1	34	17.6
Duplin	31,949	363	11.4	372	11.6
White	20,169	216	10.7	223	11.1
Colored	11,780	147	12.5	149	12.6
Durham	21,751	376	17.3	369	17.0
White	16,234	274	16.9	267	16.4
Colored	5,517	102	18.5	102	18.5
Edgecombe	33,015	414	12.5	413	12.5
White	12,706	151	11.9	151	11.9
Colored	20,309	263	12.9	262	12.9
Forsyth	29,839	393	13.2	395	13.2
White	24,631	277	11.2	279	11.3
Colored	5,208	116	22.3	116	22.3
Franklin	27,379	300	11.0	301	11.0
White	15,418	143	9.3	144	9.3
Colored	11,961	157	13.1	157	13.1
Gaston	40,920	458	11.2	461	11.3
White	34,126	351	10.3	353	10.3
Colored	6,794	107	15.7	108	15.9
Gates	10,567	94	8.9	95	9.0
White	5,347	44	8.2	45	8.4
Colored	5,220	50	9.6	50	9.6
Graham	4,916	16	3.3	17	3.5
Granville	27,474	285	10.4	286	10.4
White	14,579	129	8.8	129	8.8
Colored	12,895	156	12.1	157	12.2
Greene	17,341	235	13.6	236	13.6
White	8,401	105	12.5	106	12.6
Colored	8,940	130	14.5	130	14.5
Guilford	20,237	346	17.1	352	17.4
White	17,771	255	14.3	261	14.7
Colored	2,466	91	36.9	91	36.9
Halifax	45,973	556	12.1	561	12.2
White	19,500	164	8.4	168	8.6
Colored	26,473	392	14.8	393	14.8
Harnett	30,527	309	10.1	314	10.3
White	22,145	212	9.6	216	9.8
Colored	8,382	97	11.6	98	11.7
Haywood	24,389	235	9.6	237	9.7
Henderson	18,964	234	12.3	238	12.6
Hertford	16,603	212	12.8	213	12.8
White	6,341	74	11.7	75	11.8
Colored	10,262	138	13.4	138	13.4
Hoke	(8)	187	(8)	187	(8)
White	(8)	65	(8)	65	(8)
Colored	(8)	122	(8)	122	(8)
Hyde	[4] 8,386	64	7.6	65	7.8
White	5,120	33	6.4	34	6.6
Colored	3,266	31	9.5	31	9.5
Iredell	39,269	368	9.4	364	9.3
White	31,932	283	8.9	278	8.7
Colored	7,337	85	11.6	6	11.7

AREA AND COLOR	Estimated population, July 1, 1923	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1923: Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
NORTH CAROLINA COUNTIES—continued					
Jackson	13,541	161	11.9	157	11.6
Johnston	51,737	560	10.8	562	10.9
White	39,754	384	9.7	386	9.7
Colored	11,983	176	14.7	176	14.7
Jones	10,341	103	10.0	103	10.0
White	5,755	52	9.0	52	9.0
Colored	4,586	51	11.1	51	11.1
Lee	14,130	198	14.0	200	14.2
White	10,113	132	13.1	132	13.1
Colored	4,017	66	16.4	68	16.9
Lenoir	32,003	435	13.6	439	13.7
White	17,914	240	13.4	242	13.5
Colored	14,089	195	13.8	197	14.0
Lincoln	18,126	175	9.7	174	9.6
White	16,097	146	9.1	146	9.1
Colored	2,029	29	14.3	28	13.8
McDowell	17,927	174	9.7	176	9.8
White	15,991	148	9.3	149	9.3
Colored	1,936	26	13.4	27	13.9
Macon	13,137	129	9.8	130	9.9
Madison	[4] 20,083	168	8.4	169	8.4
Martin	21,921	301	13.7	303	13.8
White	11,818	139	11.8	141	11.9
Colored	10,103	162	16.0	162	16.0
Mecklenburg	34,840	330	9.5	336	9.6
White	23,442	198	8.4	201	8.6
Colored	11,398	132	11.6	135	11.8
Mitchell	(9)	116	(9)	116	(9)
Montgomery	[4] 14,607	162	11.1	164	11.2
White	11,322	117	10.3	119	10.5
Colored	3,285	45	13.7	45	13.7
Moore	22,967	225	9.8	226	9.8
White	16,309	150	9.2	150	9.2
Colored	6,658	75	11.3	76	11.4
Nash	36,591	375	10.2	379	10.4
White	20,026	176	8.8	178	8.9
Colored	16,565	199	12.0	201	12.1
New Hanover	7,995	95	11.9	98	12.3
White	4,840	34	7.0	36	7.4
Colored	3,155	61	19.3	62	19.7
Northampton	23,493	293	12.5	297	12.6
White	9,394	103	11.0	105	11.2
Colored	14,099	190	13.5	192	13.6
Onslow	14,910	166	11.1	167	11.2
White	10,398	119	11.4	120	11.5
Colored	4,512	47	10.4	47	10.4
Orange	18,914	264	14.0	270	14.3
White	13,022	155	11.9	160	12.3
Colored	5,892	109	18.5	110	18.7
Pamlico	[4] 9,060	84	9.3	84	9.3
White	5,846	49	8.4	49	8.4
Colored	3,214	35	10.9	35	10.9
Pasquotank	18,021	283	15.7	287	15.9
White	10,370	117	11.3	119	11.5
Colored	7,651	166	21.7	168	22.0
Pender	[4] 14,788	196	13.3	196	13.3
White	7,470	79	10.6	79	10.6
Colored	7,318	117	16.0	117	16.0
Perquimans	11,166	143	12.8	142	12.7
White	5,746	56	9.7	55	9.6
Colored	5,420	87	16.1	87	16.1
Persons	19,555	244	12.5	248	12.7
White	11,128	109	9.8	111	10.0
Colored	8,427	135	16.0	137	16.3
Pitt	48,895	699	14.3	699	14.3
White	24,090	325	13.5	325	13.5
Colored	24,805	374	15.1	374	15.1

See footnotes at end of table.

TABLE 1B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1923—Continued

[See note at head of this table, p. 87]

AREA AND COLOR	Estimated population, July 1, 1923	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1923: Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
NORTH CAROLINA COUNTIES—continued					
Polk	9,261	87	9.4	87	9.4
White	7,619	71	9.3	71	9.3
Colored	1,642	16	9.7	16	9.7
Randolph	31,347	356	11.4	358	11.4
White	27,747	308	11.1	309	11.1
Colored	3,600	48	13.3	49	13.6
Richmond	27,692	341	12.3	341	12.3
White	16,670	205	12.3	205	12.3
Colored	11,022	136	12.3	136	12.3
Robeson	(9)	550	(9)	553	(9)
White	(9)	259	(9)	262	(9)
Colored	(9)	291	(9)	291	(9)
Rockingham	46,926	523	11.1	539	11.5
White	36,204	370	10.2	380	10.5
Colored	10,722	153	14.3	159	14.8
Rowan	30,109	321	10.7	323	10.7
White	24,802	225	9.1	227	9.2
Colored	5,307	96	18.1	96	18.1
Rutherford	32,522	371	11.4	368	11.3
White	28,011	303	10.8	300	10.7
Colored	4,511	68	15.1	68	15.1
Sampson	38,172	385	10.1	388	10.2
White	25,028	224	8.9	227	9.1
Colored	13,144	161	12.2	161	12.2
Scotland	15,684	213	13.6	215	13.7
White	5,789	99	17.1	101	17.4
Colored	9,895	114	11.5	114	11.5
Stanly	30,139	268	8.9	269	8.9
White	26,062	209	8.0	210	8.1
Colored	4,077	59	14.5	59	14.5
Stokes	20,726	203	9.8	211	10.2
White	18,553	173	9.3	180	9.7
Colored	2,173	30	13.8	31	14.3
Surry	33,459	372	11.1	380	11.4
Swain	14,240	126	8.8	130	9.1
Transylvania	10,063	78	7.8	79	7.9
Tyrrell	[4] 4,849	66	13.6	66	13.6
White	3,373	45	13.3	45	13.3
Colored	1,476	21	14.2	21	14.2
Union	37,020	363	9.8	364	9.8
White	28,591	245	8.6	245	8.6
Colored	8,429	118	14.0	119	14.1
Vance	24,014	357	14.9	358	14.9
White	13,780	165	12.0	166	12.0
Colored	10,234	192	18.8	192	18.8
Wake	50,283	536	10.7	557	11.1
White	29,834	286	9.6	297	10.0
Colored	20,449	250	12.2	260	12.7
Warren	22,070	300	13.6	306	13.9
White	8,038	89	11.1	92	11.4
Colored	14,032	211	15.0	214	15.3
Washington	11,560	185	16.0	189	16.3
White	5,968	82	13.7	85	14.2
Colored	5,592	103	18.4	104	18.6
Watauga	(9)	164	(9)	163	(9)
Wayne*	33,337	458	13.7	460	13.8
White	18,843	169	9.0	172	9.1
Colored	14,494	289	19.9	288	19.9
Wilkes	33,495	342	10.2	344	10.3
Wilson	27,878	363	13.0	367	13.2
White	16,211	192	11.8	192	11.8
Colored	11,667	171	14.7	175	15.0
Yadkin	16,738	132	7.9	132	7.9
Yancey	16,182	87	5.4	87	5.4

AREA AND COLOR	Estimated population, July 1, 1923	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1923: Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
OHIO COUNTIES †					
Adams	[4] 22,403	296	13.2	302	13.5
Allen	27,664	340	12.3	352	12.7
Ashland	25,224	358	14.2	358	14.2
Ashtabula	43,411	603	13.9	624	14.4
Athens	51,380	798	15.5	821	16.0
Auglaize	[4] 29,527	297	10.1	306	10.4
Belmont	70,727	752	10.6	835	11.8
Brown	[4] 22,621	322	14.2	325	14.4
Butler	23,027	305	13.2	334	14.5
Carroll	16,007	146	9.1	147	9.2
Champaign	[4] 25,071	364	14.5	373	14.9
Clark	20,025	257	12.8	275	13.7
Clermont	[4] 28,291	395	14.0	417	14.7
Clinton	[4] 23,036	333	14.5	339	14.7
Columbiana	52,904	603	11.4	647	12.2
Coshocton	[4] 18,299	206	11.3	209	11.4
Crawford	25,525	319	12.5	327	12.8
Cuyahoga	60,530	881	14.6	874	14.4
Darke	[4] 42,911	458	10.7	464	10.8
Defiance	24,567	310	12.6	310	12.6
Delaware	[4] 26,013	373	14.3	373	14.3
Erie*	16,371	322	19.7	343	21.0
Fairfield	25,659	290	11.3	295	11.5
Fayette	[4] 21,518	281	13.1	286	13.3
Franklin	45,358	674	14.9	737	16.2
Fulton	[4] 23,445	285	12.2	293	12.5
Gallia*	[4] 23,311	506	21.7	492	21.1
Geauga	15,166	199	13.1	213	14.0
Greene	31,757	420	13.2	425	13.4
White	28,078	346	12.3	353	12.6
Colored	3,679	74	20.1	72	19.6
Guernsey	32,609	281	8.6	306	9.4
Hamilton	71,037	725	10.2	804	11.3
Hancock	20,787	217	10.4	219	10.5
Hardin	[4] 29,167	418	14.3	425	14.6
Harrison	19,822	266	13.4	274	13.8
Henry	[4] 23,362	247	10.6	249	10.7
Highland	[4] 27,610	395	14.3	401	14.5
Hocking	[4] 23,291	290	12.5	302	13.0
Holmes	[4] 16,965	197	11.6	202	11.9
Huron	[4] 32,424	497	15.3	502	15.5
Jackson	[4] 27,342	343	12.5	365	13.3
Jefferson	51,250	535	10.4	592	11.6
Knox	[4] 29,580	408	13.8	416	14.1
Lake	30,736	373	12.1	392	12.8
Lawrence	25,243	336	13.3	344	13.6
Licking	26,537	327	12.3	344	13.0
Logan	30,111	362	12.0	364	12.1
Lorain	32,619	398	12.2	407	12.5
Lucas	36,302	318	8.8	357	9.8
Madison	[4] 19,662	246	12.5	271	13.8
Mahoning	46,471	446	9.6	490	10.5
Marion	14,068	141	10.0	155	11.0
Medina	26,956	316	11.7	327	12.1
Meigs	26,403	363	13.7	372	14.1
Mercer	[4] 26,872	298	11.1	305	11.4
Miami	34,008	468	13.8	481	14.1
Monroe	[4] 20,660	222	10.7	231	11.2
Montgomery* (exclusive of)	60,502	782	[12] 17.5	818	[12] 18.0
National Military Home		274		274	
Morgan	[4] 14,555	211	14.5	213	14.6

AREA AND COLOR	Estimated population, July 1, 1923	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1923: Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
OHIO COUNTIES—con.					
Morrow	[4] 15,570	189	12.1	201	12.9
Muskingum	28,032	352	12.6	376	13.4
Noble	[4] 17,849	175	9.8	186	10.4
Ottawa	[4] 22,193	278	12.5	294	13.2
Paulding	[4] 18,736	204	10.9	217	11.6
Perry	36,351	372	10.2	401	11.0
Pickaway	[4] 25,788	378	14.7	384	14.9
Pike	[4] 14,151	192	13.6	195	13.8
Portage	38,419	457	11.9	466	12.1
Preble	[4] 23,238	296	12.7	305	13.1
Putnam	[4] 27,751	315	11.4	316	11.4
Richland	27,518	364	13.2	383	13.9
Ross	25,785	331	12.8	336	13.0
Sandusky	24,428	296	12.1	297	12.2
Scioto	30,388	375	12.3	385	12.7
Seneca	28,323	376	13.3	385	13.6
Shelby	26,376	312	11.8	323	12.2
Stark*	55,134	852	15.5	867	15.7
Summit	42,117	418	9.9	412	9.8
Trumbull	47,643	521	10.9	562	11.8
Tuscarawas	54,384	634	11.7	647	11.9
Union	[4] 20,918	245	11.7	254	12.1
Van Wert	[4] 28,210	294	10.4	303	10.7
Vinton	[4] 12,075	133	11.0	137	11.3
Warren	26,154	328	12.5	350	13.4
Washington	[4] 27,832	323	11.6	334	12.0
Wayne	42,530	478	11.2	490	11.5
Williams	[4] 24,627	291	11.8	299	12.1
Wood	[4] 44,892	533	11.9	553	12.3
Wyandot	[4] 19,481	221	11.3	235	12.1
OREGON COUNTIES†					
Baker	[4] 17,929	173	9.6	173	9.6
Benton	14,855	139	9.4	134	9.0
Clackamas	40,499	435	10.7	478	11.8
Clatsop	9,904	87	8.8	94	9.5
Columbia	15,179	129	8.5	170	11.2
Coos	23,805	271	11.4	256	10.8
Crook	(9)	40	(9)	46	(9)
Curry	3,379	25	7.4	26	7.7
Deschutes	(8)	121	(8)	115	(8)
Douglas	21,930	222	10.1	229	10.4
Gilliam	4,053	26	6.4	23	5.7
Grant	[4] 5,496	62	11.3	69	12.6
Harney	[4] 3,992	24	6.0	31	7.8
Hood River	8,422	79	9.4	76	9.0
Jackson	[4] 20,405	247	12.1	232	11.4
Jefferson	(8)	19	(8)	22	(8)
White	(8)	14	(8)	17	(8)
Colored	(8)	5	(8)	5	(8)
Josephine	[4] 7,655	107	14.0	101	13.2
Klamath	12,443	138	11.1	128	10.3
Lake	[4] 3,991	23	5.8	25	6.3
Lane	26,031	235	9.0	277	10.6
Lincoln	6,263	54	8.6	60	9.6
Linn	25,230	265	10.5	268	10.6
Malheur	11,737	78	6.6	60	5.1
Marion	30,887	241	7.8	292	9.5
Morrow	6,070	32	5.3	33	5.4
Multnomah	20,170	304	15.1	319	15.8
Polk	14,437	154	10.7	157	10.9
Sherman	[4] 3,826	11	2.9	14	3.7
Tillamook	9,727	102	10.5	113	11.6
Umatilla*	27,977	291	10.4	296	10.6
Union	16,795	185	11.0	160	9.5

See footnotes at end of table.

TABLE 1B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1923—Continued

[See note at head of this table, p. 87]

AREA AND COLOR	Estimated population, July 1, 1923	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1923: Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
OREGON COUNTIES—continued					
Wallowa	10,286	65	6.3	73	7.1
Wasco	[4] 13,648	144	10.6	134	9.8
Washington	28,126	232	8.2	267	9.5
Wheeler	2,900	12	4.1	18	6.2
Yamhill	21,338	214	10.0	235	11.0
PENNSYLVANIA COUNTIES†					
Adams	34,679	468	13.5	472	13.6
Allegheny	418,709	5,059	12.1	5,454	13.0
Armstrong	78,340	793	10.1	829	10.6
Beaver	78,553	961	12.2	970	12.3
Bedford	[4] 38,277	482	12.6	503	13.1
Berks*	96,294	1,471	15.3	1,490	15.5
Blair	70,898	788	11.1	813	11.5
Bradford	[4] 53,166	948	17.8	925	17.4
Bucks	71,980	1,003	13.9	1,054	14.6
Butler	54,219	619	11.4	647	11.9
Cambria	139,305	1,623	11.7	1,681	12.1
Cameron	[4] 6,297	79	12.5	83	13.2
Carbon	66,069	757	11.5	775	11.7
Centre	44,620	627	14.1	636	14.3
Chester	79,297	1,157	14.6	1,238	15.6
Clarion	[4] 36,170	383	10.6	402	11.1
Clearfield	92,589	995	10.7	1,015	11.0
Clinton	34,280	431	12.6	430	12.5
Columbia	[4] 34,459	457	13.3	463	13.4
Crawford	[4] 45,455	674	14.8	697	15.3
Cumberland	48,918	636	13.0	658	13.5
Dauphin	64,674	876	13.5	905	14.0
Delaware	128,278	1,397	10.9	1,514	11.8
Elk	[4] 34,981	380	10.9	388	11.1
Erie	54,671	676	12.4	725	13.3
Fayette	165,708	1,948	11.8	2,004	12.1
Forest	[4] 7,477	79	10.6	86	11.5
Franklin	49,510	671	13.6	688	13.9
Fulton	[4] 9,617	128	13.3	130	13.5
Greene	31,497	423	13.4	436	13.8
Huntingdon	40,404	556	13.8	568	14.1
Indiana	86,209	984	11.4	1,005	11.7
Jefferson	[4] 51,341	557	10.8	578	11.3
Juniata	[4] 14,464	199	13.8	205	14.2
Lackawanna	79,806	966	12.1	1,018	12.8
Lancaster	110,116	1,431	13.0	1,493	13.6
Lawrence	43,079	441	10.2	457	10.6
Lebanon	39,443	580	14.7	591	15.0
Lehigh*	60,799	996	16.4	1,000	16.4
Luzerne	237,470	2,598	10.9	2,779	11.7
Lycoming	42,161	553	13.1	570	13.5
McKean	33,620	368	10.9	389	11.6
Mercer	58,336	757	13.0	777	13.3
Mifflin	32,755	478	14.6	486	14.8
Monroe	24,782	341	13.8	347	14.0
Montgomery	158,065	1,994	12.6	2,088	13.2
Montour*	[4] 14,080	412	29.3	329	23.4
Northampton	77,997	878	11.3	927	11.8
Northumberland	70,476	860	12.2	880	12.5
Perry	[4] 22,875	306	13.4	325	14.2
Pike	[4] 6,818	107	15.7	119	17.5
Potter	[4] 21,089	277	13.1	294	13.9
Schuylkill	145,109	2,078	14.3	2,143	14.8
Snyder	17,246	196	11.4	202	11.7
Somerset	87,299	1,010	11.6	1,069	12.2
Sullivan	[4] 9,520	102	10.7	108	11.3
Susqqehanna	[4] 34,763	529	15.2	563	16.2
Tioga	[4] 37,118	597	16.1	611	16.5
PENNSYLVANIA COUNTIES—continued					
Union	[4] 15,850	239	15.1	263	16.6
Venango	37,665	573	15.2	598	15.9
Warren*	25,377	480	18.9	507	20.0
Washington	142,249	1,539	10.8	1,617	11.4
Wayne	[4] 27,435	439	16.0	451	16.4
Westmoreland	228,149	2,377	10.4	2,524	11.1
Wyoming	[4] 14,101	231	16.4	251	17.8
York	98,941	1,177	11.9	1,190	12.0
RHODE ISLAND COUNTIES†					
Bristol	12,712	117	9.2	132	10.4
Kent	9,176	126	13.7	149	16.2
Newport	12,802	155	12.1	176	13.7
Providence	45,800	599	13.1	679	14.8
Washington	[4] 24,932	381	15.3	403	16.2
SOUTH CAROLINA COUNTIES [2]†					
Abbeville	(9)	295	(9)	------	------
White	(9)	112	(9)	------	------
Colored	(9)	183	(9)	------	------
Aiken	46,916	521	11.1	------	------
White	22,515	232	10.3	------	------
Colored	24,401	289	11.8	------	------
Allendale	(8)	179	(8)	------	------
White	(8)	32	(8)	------	------
Colored	(8)	147	(8)	------	------
Anderson	67,895	576	8.5	------	------
White	44,488	341	7.7	------	------
Colored	23,407	235	10.0	------	------
Bamberg	21,835	259	11.9	------	------
White	6,943	81	11.7	------	------
Colored	14,892	178	12.0	------	------
Barnwell	(9)	140	(9)	------	------
White	(9)	30	(8)	------	------
Colored	(8)	110	(9)	------	------
Beaufort	(9)	446	(9)	------	------
White	(9)	26	(9)	------	------
Colored	(9)	420	(9)	------	------
Berkeley	[4] 22,558	342	15.2	------	------
White	6,199	50	8.1	------	------
Colored	16,359	292	17.8	------	------
Calhoun	19,015	247	13.0	------	------
White	6,460	27	4.2	------	------
Colored	12,555	220	17.5	------	------
Charleston	42,039	522	12.4	------	------
White	9,480	56	5.9	------	------
Colored	32,559	466	14.3	------	------
Cherokee	28,072	334	11.9	------	------
White	19,445	218	11.2	------	------
Colored	8,627	116	13.4	------	------
Chester	34,819	366	10.5	------	------
White	15,409	157	10.2	------	------
Colored	19,410	209	10.8	------	------
Chesterfield	34,012	292	8.6	------	------
White	20,632	156	7.6	------	------
Colored	13,380	136	10.2	------	------
Clarendon	35,849	325	9.1	------	------
White	10,123	55	5.4	------	------
Colored	25,726	270	10.5	------	------
Colleton	30,239	258	8.5	------	------
White	12,743	70	5.5	------	------
Colored	17,496	188	10.7	------	------
Darlington	40,244	510	12.7	------	------
White	17,706	172	9.7	------	------
Colored	22,538	338	15.0	------	------
SOUTH CAROLINA COUNTIES—continued					
Dillon	26,238	256	9.8	------	------
White	12,665	109	8.6	------	------
Colored	13,573	147	10.8	------	------
Dorchester	20,024	226	11.3	------	------
White	8,419	77	9.1	------	------
Colored	11,605	149	12.8	------	------
Edgefield	(9)	229	(9)	------	------
White	(9)	68	(9)	------	------
Colored	(9)	161	(9)	------	------
Fairfield	[4] 27,159	248	9.1	------	------
White	6,487	51	7.9	------	------
Colored	[4] 20,672	197	9.5	------	------
Florence	43,342	459	10.6	------	------
White	21,903	176	8.0	------	------
Colored	21,439	283	13.2	------	------
Georgetown	[4] 21,716	335	15.4	------	------
White	7,254	52	7.2	------	------
Colored	14,462	283	19.6	------	------
Greenville	69,962	805	11.5	------	------
White	54,422	576	10.6	------	------
Colored	15,540	229	14.7	------	------
Greenwood	(9)	416	(9)	------	------
White	(9)	192	(9)	------	------
Colored	(9)	224	(9)	------	------
Hampton	(9)	244	(9)	------	------
White	(9)	89	(9)	------	------
Colored	(9)	155	(9)	------	------
Horry	33,909	348	10.3	------	------
White	25,834	222	8.6	------	------
Colored	8,075	126	15.6	------	------
Jasper	(8)	125	(8)	------	------
White	(8)	25	(8)	------	------
Colored	(8)	100	(8)	------	------
Kershaw	30,229	372	12.3	------	------
White	12,940	175	13.5	------	------
Colored	17,289	197	11.4	------	------
Lancaster	29,341	315	10.7	------	------
White	16,259	149	9.2	------	------
Colored	13,082	166	12.7	------	------
Laurens	42,925	412	9.6	------	------
White	21,052	200	9.5	------	------
Colored	21,873	212	9.7	------	------
Lee	27,371	261	9.5	------	------
White	9,033	59	6.5	------	------
Colored	18,338	202	11.0	------	------
Lexington	36,986	321	8.7	------	------
White	25,225	179	7.1	------	------
Colored	11,761	142	12.1	------	------
McCormick	(8)	135	(8)	------	------
White	(8)	33	(8)	------	------
Colored	(8)	102	(8)	------	------
Marion	24,847	288	11.6	------	------
White	10,987	100	9.1	------	------
Colored	13,860	188	13.6	------	------
Marlboro	33,898	532	15.7	------	------
White	13,969	205	14.7	------	------
Colored	19,929	327	16.4	------	------
Newberry	35,899	377	10.5	------	------
White	15,761	140	8.9	------	------
Colored	20,138	237	11.8	------	------
Oconee	31,118	318	10.2	------	------
White	24,883	243	9.8	------	------
Colored	6,235	75	12.0	------	------
Orangeburg	68,155	806	11.8	------	------
White	23,266	148	6.4	------	------
Colored	44,889	658	14.7	------	------

See footnote at end of table.

TABLE 1B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1923—Continued

[See note at head of this table, p. 87]

AREA AND COLOR	Estimated population, July 1, 1923	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1923: Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
SOUTH CAROLINA COUNTIES—con.					
Pickens	29,376	276	9.4	------	------
White	24,626	207	8.4	------	------
Colored	4,750	69	14.5	------	------
Richland	46,717	453	9.7	------	------
White	22,385	156	7.0	------	------
Colored	24,332	297	12.2	------	------
Saluda	22,501	170	7.6	------	------
White	10,705	57	5.3	------	------
Colored	11,796	113	9.6	------	------
Spartanburg	73,674	672	9.1	------	------
White	54,339	448	8.2	------	------
Colored	19,335	224	11.6	------	------
Sumter	44,685	714	16.0	------	------
White	13,341	141	10.6	------	------
Colored	31,344	573	18.3	------	------
Union	30,537	296	9.7	------	------
White	16,952	157	9.3	------	------
Colored	13,585	139	10.2	------	------
Williamsburg	38,869	347	8.9	------	------
White	12,607	108	8.6	------	------
Colored	26,262	239	9.1	------	------
York	51,552	587	11.4	------	------
White	27,618	297	10.8	------	------
Colored	23,934	290	12.1	------	------
TENNESSEE COUNTIES [2]†					
Anderson	18,508	173	9.3	------	------
Bedford	[4] 21,737	260	12.0	------	------
White	17,378	195	11.2	------	------
Colored	4,359	65	14.9	------	------
Benton	[4] 12,046	97	8.1	------	------
Bledsoe	7,538	60	8.0	------	------
Blount	31,682	317	10.0	------	------
Bradley	19,486	279	14.3	------	------
Campbell	28,581	105	3.7	------	------
Cannon	[4] 10,241	100	9.8	------	------
Carroll	24,501	256	10.4	------	------
White	20,095	205	10.2	------	------
Colored	4,406	51	11.6	------	------
Carter	22,082	298	13.5	------	------
Cheatham	[4] 10,039	70	7.0	------	------
White	8,912	61	6.8	------	------
Colored	1,127	9	8.0	------	------
Chester	9,876	90	9.1	------	------
White	8,286	73	8.8	------	------
Colored	1,590	17	10.7	------	------
Claiborne	[4] 23,286	134	5.8	------	------
Clay	9,260	67	7.2	------	------
Cocke	21,279	240	11.3	------	------
Coffee	17,964	153	8.5	------	------
Crockett	17,928	206	11.5	------	------
White	14,290	161	11.3	------	------
Colored	3,638	45	12.4	------	------
Cumberland	10,371	64	6.2	------	------
Davidson*	51,797	673	13.0	------	------
White	43,791	508	11.6	------	------
Colored	8,006	165	20.6	------	------
De Kalb	[4] 15,370	149	9.7	------	------
Decatur	10,234	77	7.5	------	------
Dickson	[4] 19,342	158	8.2	------	------
White	16,995	127	7.5	------	------
Colored	2,347	31	13.2	------	------
Dyer	30,799	324	10.5	------	------
White	25,458	234	9.2	------	------
Colored	5,341	90	16.9	------	------
Fayette	31,946	360	11.3	------	------
White	8,127	84	10.3	------	------
Colored	23,819	276	11.6	------	------
Fentress	11,512	47	4.1	------	------
TENNESSEE COUNTIES—continued					
Franklin	20,694	190	9.2	------	------
White	18,159	153	8.4	------	------
Colored	2,535	37	14.6	------	------
Gibson	44,022	504	11.4	------	------
White	34,295	332	9.7	------	------
Colored	9,727	172	17.7	------	------
Giles	[4] 30,948	335	10.8	------	------
White	21,516	204	9.5	------	------
Colored	9,432	131	13.9	------	------
Grainger	[4] 13,369	135	10.1	------	------
Greene	33,451	338	10.1	------	------
Grundy	10,268	89	8.7	------	------
Hamblen	15,561	213	13.7	------	------
White	13,937	185	13.3	------	------
Colored	1,624	28	17.2	------	------
Hamilton	58,616	707	12.1	------	------
White	49,310	583	11.8	------	------
Colored	9,306	124	13.3	------	------
Hancock	[4] 10,454	65	6.2	------	------
Hardeman	[4] 22,278	235	10.5	------	------
White	13,028	116	8.9	------	------
Colored	9,250	119	12.9	------	------
Hardin	[4] 17,291	124	7.2	------	------
White	15,359	107	7.0	------	------
Colored	1,932	17	8.8	------	------
Hawkins	[4] 22,918	188	8.2	------	------
Haywood	[4] 25,386	364	14.3	------	------
White	8,427	94	11.2	------	------
Colored	16,959	270	15.9	------	------
Henderson	18,941	180	9.5	------	------
Henry	27,770	215	7.7	------	------
White	22,343	174	7.8	------	------
Colored	5,427	41	7.6	------	------
Hickman	[4] 16,216	112	6.9	------	------
White	14,288	96	6.7	------	------
Colored	1,928	16	8.3	------	------
Houston	[4] 6,212	44	7.1	------	------
White	5,525	39	7.1	------	------
Colored	687	5	7.3	------	------
Humphreys	[4] 13,482	125	9.3	------	------
Jackson	[4] 14,955	128	8.6	------	------
Jefferson	[4] 17,677	157	8.9	------	------
Johnson	[4] 12,230	134	11.0	------	------
Knox	30,812	414	13.4	------	------
Lake	9,208	77	8.4	------	------
White	6,235	65	10.4	------	------
Colored	2,973	12	4.0	------	------
Lauderdale	21,634	293	13.5	------	------
White	12,929	140	10.8	------	------
Colored	8,705	153	17.6	------	------
Lawrence	25,763	156	6.1	------	------
Lewis	[4] 5,707	32	5.6	------	------
White	5,021	29	5.8	------	------
Colored	686	3	4.4	------	------
Lincoln	[4] 25,786	273	10.6	------	------
White	20,928	204	9.7	------	------
Colored	4,858	69	14.2	------	------
Loudon	17,234	199	11.5	------	------
McMinn	26,607	290	10.9	------	------
McNairy	19,068	141	7.4	------	------
Macon	15,052	124	8.2	------	------
Madison	25,897	248	9.6	------	------
White	14,627	132	9.0	------	------
Colored	11,270	116	10.3	------	------
Marion	[4] 17,402	205	11.8	------	------
Marshall	17,555	194	11.1	------	------
White	14,582	155	10.6	------	------
Colored	2,973	39	13.1	------	------
TENNESSEE COUNTIES—continued					
Maury	[4] 35,403	466	13.2	------	------
White	23,453	311	13.3	------	------
Colored	11,950	155	13.0	------	------
Meigs	[4] 6,077	39	6.4	------	------
Monroe	22,544	192	8.5	------	------
Montgomery	[4] 32,265	331	10.3	------	------
White	20,333	171	8.4	------	------
Colored	11,932	160	13.4	------	------
Moore	[4] 4,491	44	9.8	------	------
Morgan	13,943	120	8.6	------	------
Obion	[4] 28,393	323	11.4	------	------
White	24,289	247	10.2	------	------
Colored	4,104	76	18.5	------	------
Overton	18,251	104	5.7	------	------
Perry	[4] 7,765	80	10.3	------	------
Pickett	5,247	22	4.2	------	------
Polk	14,289	129	9.0	------	------
Putnam	23,026	146	6.3	------	------
Rhea	[4] 13,812	138	10.0	------	------
Roane	25,258	324	12.8	------	------
Robertson	25,677	295	11.5	------	------
White	20,408	219	10.7	------	------
Colored	5,269	76	14.4	------	------
Rutherford	[4] 33,059	390	11.8	------	------
White	23,273	239	10.3	------	------
Colored	9,786	151	15.4	------	------
Scott	13,577	101	7.4	------	------
Sequatchie	[4] 3,632	40	11.0	------	------
Sevier	22,416	208	9.3	------	------
Shelby	64,605	1,079	16.7	------	------
White	25,218	308	12.2	------	------
Colored	39,387	771	19.6	------	------
Smith	[4] 17,134	141	8.2	------	------
Stewart	[4] 14,664	158	10.8	------	------
Sullivan	39,192	348	8.9	------	------
Sumner	28,459	303	10.6	------	------
White	23,961	227	9.5	------	------
Colored	4,498	76	16.9	------	------
Tipton	30,545	269	8.8	------	------
White	17,486	145	8.3	------	------
Colored	13,059	124	9.5	------	------
Trousdale	6,039	60	9.9	------	------
White	4,346	38	8.7	------	------
Colored	1,693	22	13.0	------	------
Unicoi	11,171	117	10.5	------	------
Union	11,687	100	8.6	------	------
Van Buren	[4] 2,624	24	9.1	------	------
Warren	17,583	203	11.5	------	------
Washington	22,219	190	8.6	------	------
Wayne	13,171	75	5.7	------	------
Weakley	[4] 31,053	299	9.6	------	------
White	15,801	193	12.2	------	------
Williamson	[4] 23,409	249	10.6	------	------
White	16,863	171	10.1	------	------
Colored	6,546	78	11.9	------	------
Wilson	26,546	278	10.5	------	------
White	21,024	227	10.8	------	------
Colored	5,522	51	9.2	------	------
UTAH COUNTIES†					
Beaver	5,291	41	7.7	48	9.1
Box Elder	20,553	143	7.0	151	7.3
Cache	28,408	268	9.4	262	9.2
Carbon	17,965	143	8.0	158	8.8
Daggett	(8)	------	(8)	------	(8)
Davis	11,903	84	7.1	93	7.8
Duchesne	(8)	62	(8)	68	(8)
Emery	7,650	56	7.3	50	6.5
Garfield	5,168	53	10.3	54	10.4
Grand	1,885	10	5.3	13	6.9

See footnotes at end of table.

TABLE IB.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1923—Continued

[See note at head of this table, p. 87]

AREA AND COLOR	Estimated population, July 1, 1923	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1923			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
UTAH COUNTIES—continued					
Iron	6,457	55	8.5	55	8.5
Juab	[4] 9,871	81	8.2	103	10.4
Kane	2,199	14	6.4	15	6.8
Millard	10,934	57	5.2	64	5.9
Morgan	2,568	19	7.4	22	8.6
Piute	3,142	18	5.7	22	7.0
Rich	1,891	13	6.9	15	7.9
Salt Lake	43,084	313	7.3	392	9.1
San Juan	3,741	12	3.2	15	4.0
White	2,982	12	4.0	15	5.0
Colored	759				
Sanpete	17,794	135	7.6	143	8.0
Sevier	11,825	107	9.0	110	9.3
Summit	[4] 7,862	107	13.6	115	14.6
Tooele	7,979	63	7.9	71	8.9
Uintah	(9)	74	(9)	79	(9)
White	(9)	49	(9)	54	(9)
Colored	(9)	25	(9)	25	(9)
Utah	31,018	269	8.7	285	9.2
Wasatch	(9)	33	(9)	34	(9)
Washington	7,356	65	8.8	69	9.4
Wayne	2,222	16	7.2	18	8.1
Weber	11,058	68	6.1	80	7.2
VERMONT COUNTIES †					
Addison	[4] 18,666	275	14.7	293	15.7
Bennington	21,647	294	13.6	302	14.0
Caledonia	[4] 25,762	364	14.1	365	14.2
Chittenden	20,547	312	15.2	295	14.4
Essex	[4] 7,364	106	14.4	109	14.8
Franklin	30,082	409	13.6	403	13.4
Grand Isle	3,792	38	10.0	42	11.1
Lamoille	[4] 11,858	159	13.4	177	14.9
Orange	[4] 17,279	292	16.9	310	17.9
Orleans	24,120	317	13.1	332	13.8
Rutland	[4] 30,751	446	14.5	472	15.3
Washington *	[4] 28,913	539	18.6	545	18.8
Windham *	[4] 26,373	538	20.4	544	20.6
Windsor	38,174	467	12.2	518	13.6
VIRGINIA COUNTIES †					
Accomac	[4] 34,795	500	14.4	522	15.0
White	21,581	251	11.6	266	12.3
Colored	13,214	249	18.8	256	19.4
Albemarle	[4] 26,005	544	20.9	425	16.3
White	18,436	353	19.1	274	14.9
Colored	7,569	191	25.2	151	19.9
Alleghany	15,750	162	10.3	174	11.0
White	13,373	126	9.4	139	10.4
Colored	2,377	36	15.1	35	14.7
Amelia	10,190	112	11.0	118	11.6
White	4,727	47	9.9	52	11.0
Colored	5,463	65	11.9	66	12.1
Amherst	20,073	264	13.2	276	13.7
White	13,048	156	12.0	165	12.6
Colored	7,025	108	15.4	111	15.8
Appomattox	9,383	109	11.6	123	13.1
White	6,635	64	9.6	71	10.7
Colored	2,748	45	16.4	52	18.9
Arlington	18,567	174	9.4	232	12.5
White	15,995	126	7.9	171	10.7
Colored	2,572	48	18.7	61	23.7
Augusta	35,474	411	11.6	429	12.1
White	31,408	346	11.0	361	11.5
Colored	4,066	65	16.0	68	16.7

AREA AND COLOR	Estimated population, July 1, 1923	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1923			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
VIRGINIA COUNTIES—continued					
Bath	[4] 6,389	73	11.4	85	13.3
White	5,458	64	11.7	69	12.6
Colored	931	9	9.7	16	17.2
Bedford	31,073	336	10.8	363	11.7
White	23,250	228	9.8	251	10.8
Colored	7,823	108	13.8	113	14.4
Bland	5,752	57	9.9	58	10.1
Botetourt	[4] 16,557	160	9.7	178	10.8
White	13,586	128	9.4	145	10.7
Colored	2,971	32	10.8	33	11.1
Bristol (city)	6,901	92	13.3	91	13.2
White	5,866	75	12.8	75	12.8
Colored	1,035	17	16.4	16	15.5
Brunswick	21,667	240	11.1	247	11.4
White	9,415	88	9.3	94	10.0
Colored	12,252	152	12.4	153	12.5
Buchanan	16,562	185	11.2	185	11.2
Buckingham	[4] 14,885	198	13.3	206	13.8
White	8,038	96	11.9	103	12.8
Colored	6,847	102	14.9	103	15.0
Buena Vista (city)	4,149	48	11.6	50	12.1
Campbell	28,041	333	11.9	351	12.5
White	19,590	191	9.7	208	10.6
Colored	8,451	142	16.8	143	16.9
Caroline	[4] 15,954	182	11.4	194	12.2
White	7,877	69	8.8	80	10.2
Colored	8,077	113	14.0	114	14.1
Carroll	21,344	191	8.9	192	9.0
Charles City	[4] 4,793	61	12.7	64	13.4
White	1,086	18	16.6	18	16.6
Colored	3,707	43	11.6	46	12.4
Charlotte	18,171	201	11.1	207	11.4
White	10,923	89	8.1	92	8.4
Colored	7,248	112	15.5	115	15.9
Chesterfield	21,468	214	10.0	229	10.7
White	14,088	122	8.7	133	9.4
Colored	7,380	92	12.5	96	13.0
Clarke	[4] 7,165	92	12.8	93	13.0
White	5,422	61	11.3	61	11.3
Colored	1,743	31	17.8	32	18.4
Clifton Forge* (city)	6,312	121	19.2	91	14.4
White	5,344	84	15.7	60	11.2
Colored	968	37	38.2	31	32.0
Craig	[4] 4,100	47	11.5	51	12.4
Culpeper	[4] 13,292	126	9.5	137	10.3
White	8,598	78	9.1	85	9.9
Colored	4,694	48	10.2	52	11.1
Cumberland	[4] 9,111	98	10.8	101	11.1
White	3,357	33	9.8	34	10.1
Colored	5,754	65	11.3	67	11.6
Dickinson	15,108	106	7.0	110	7.3
Dinwiddie*	18,053	382	21.2	407	22.5
White	6,715	73	10.9	87	13.0
Colored	11,338	309	27.3	320	28.2
Elizabeth City*		338		336	
White		163	[12] 20.2	165	
Colored	25,564	175	18.5	171	[12] 20.1
National Military Home	17,305				18.6
White	8,259	179	23.9	179	23.4
Colored		157		157	
		22		22	
Essex	[4] 8,542	90	10.5	93	10.9
White	3,644	20	5.5	21	5.8
Colored	4,898	70	14.3	72	14.7
Fairfax	22,739	283	12.4	315	13.9
White	18,233	210	11.5	231	12.7
Colored	4,506	73	16.2	84	18.6

AREA AND COLOR	Estimated population, July 1, 1923	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1923			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
VIRGINIA COUNTIES—continued					
Fauquier	[4] 21,869	275	12.6	293	13.4
White	14,934	172	11.5	185	12.4
Colored	6,935	103	14.9	108	15.6
Floyd	[4] 13,115	129	9.8	132	10.1
Fluvanna	8,627	123	14.3	134	15.5
White	5,181	60	11.6	67	12.9
Colored	3,446	63	18.3	67	19.4
Franklin	[4] 26,283	255	9.7	269	10.2
White	21,671	191	8.8	202	9.3
Colored	4,612	64	13.9	67	14.5
Frederick	[4] 12,461	158	12.7	171	13.7
Fredericksburg (city)	5,883	140	23.8	130	22.1
White	4,793	108	22.5	98	20.4
Colored	1,090	32	29.4	32	29.4
Giles	12,000	146	12.2	150	12.5
Gloucester	[4] 11,894	101	8.5	105	8.8
White	6,313	48	7.6	52	8.2
Colored	5,581	53	9.5	53	9.5
Goochland	[4] 8,863	126	14.2	133	15.0
White	4,080	51	12.5	55	13.5
Colored	4,783	75	15.7	78	16.3
Grayson	[4] 19,816	196	9.9	202	10.2
Greene	[4] 6,369	86	13.5	92	14.4
White	5,270	71	13.5	76	14.4
Colored	1,099	15	13.6	16	14.6
Greensville	[4] 11,606	143	12.3	153	13.2
White	4,779	41	8.6	50	10.5
Colored	6,827	102	14.9	103	15.1
Halifax	41,854	486	11.6	492	11.8
White	21,778	219	10.1	222	10.2
Colored	20,076	267	13.3	270	13.4
Hanover	18,407	219	11.9	240	13.0
White	11,172	124	11.1	141	12.6
Colored	7,235	95	13.1	99	13.7
Harrisonburg (city)	6,232	126	20.2	115	18.5
White	5,503	113	20.5	102	18.5
Colored	729	13	17.8	13	17.8
Henrico	22,598	270	11.9	302	13.4
White	15,472	166	10.7	191	12.3
Colored	7,126	104	14.6	111	15.6
Henry	20,879	271	13.0	278	13.3
White	13,479	169	12.5	175	13.0
Colored	7,400	102	13.8	103	13.9
Highland	[4] 4,931	57	11.6	59	12.0
Hopewell (city)	(8)	47	(8)	50	(8)
White	(8)	31	(8)	33	(8)
Colored	(8)	16	(8)	17	(8)
Isle of Wight	[4] 14,433	168	11.6	177	12.3
White	7,283	70	9.6	79	10.8
Colored	7,150	98	13.7	98	13.7
James City *	[4] 6,138	131	21.3	124	20.2
White	3,417	90	26.3	82	24.0
Colored	2,721	41	15.1	42	15.4
King and Queen	[4] 9,161	110	12.0	116	12.7
White	4,105	48	11.7	52	12.7
Colored	5,056	62	12.3	64	12.7
King George	[4] 5,762	79	13.7	84	14.6
White	3,470	44	12.7	48	13.8
Colored	2,292	35	15.3	36	15.7
King William	8,807	109	12.4	113	12.8
White	4,044	46	11.4	50	12.4
Colored	4,763	63	13.2	63	13.2
Lancaster	9,757	138	14.1	141	14.5
White	4,804	58	12.1	62	12.9
Colored	4,953	80	16.2	79	15.9
Lee	25,815	254	9.8	263	10.2

See footnotes at end of table.

TABLE IB.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1923—Continued

[See note at head of this table, p. 87]

AREA AND COLOR	Estimated population, July 1, 1923	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1923			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
VIRGINIA COUNTIES—continued					
Loudoun	[4] 20,577	270	13.1	283	13.8
White	15,765	179	11.4	191	12.1
Colored	4,812	91	18.9	92	19.1
Louisa	17,272	218	12.6	230	13.3
White	9,497	99	10.4	110	11.6
Colored	7,775	119	15.3	120	15.4
Lunenburg	16,153	210	13.0	213	13.2
White	8,893	99	11.1	100	11.2
Colored	7,260	111	15.3	113	15.6
Madison	[4] 9,595	124	12.9	131	13.7
White	6,727	80	11.9	84	12.5
Colored	2,868	44	15.3	47	16.4
Mathews	[4] 8,447	92	10.9	95	11.2
White	6,084	62	10.2	66	10.8
Colored	2,363	30	12.7	29	12.3
Mecklenburg	32,020	408	12.7	421	13.1
White	15,364	151	9.8	158	10.3
Colored	16,656	257	15.4	263	15.8
Middlesex	[4] 8,157	107	13.1	112	13.7
White	4,040	35	8.7	38	9.4
Colored	4,117	72	17.5	74	18.0
Montgomery	19,072	253	13.3	263	13.8
White	17,083	209	12.2	218	12.8
Colored	1,989	44	22.1	45	22.6
Nansemond	20,495	361	17.6	366	17.9
White	7,495	74	9.9	81	10.8
Colored	13,000	287	22.1	285	21.9
Nelson	17,440	172	9.9	196	11.2
White	12,500	103	8.2	121	9.7
Colored	4,940	69	14.0	75	15.2
New Kent	[4] 4,541	48	10.6	55	12.1
White	1,879	16	8.5	21	11.2
Colored	2,662	32	12.0	34	12.8
Norfolk	37,816	480	12.7	530	14.0
White	23,510	204	8.7	233	9.9
Colored	14,306	276	19.3	297	20.8
Northampton	18,276	196	10.7	205	11.2
White	8,588	69	8.0	76	8.8
Colored	9,688	127	13.1	129	13.3
Northumberland	11,784	129	10.9	137	11.6
White	6,691	62	9.3	68	10.2
Colored	5,093	67	13.2	69	13.5
Nottoway	14,413	215	14.9	212	14.7
White	8,111	73	9.0	77	9.5
Colored	6,302	142	22.5	135	21.4
Orange	[4] 13,320	181	13.6	190	14.3
White	8,455	96	11.4	102	12.1
Colored	4,865	85	17.5	88	18.1
Page	14,994	178	11.9	177	11.8
Patrick	[4] 16,850	146	8.7	143	8.5
Pittsylvania	58,577	686	11.7	707	12.1
White	38,630	378	9.8	397	10.3
Colored	19,947	308	15.4	310	15.5
Powhatan	6,714	107	15.9	111	16.5
White	2,662	32	12.0	34	12.8
Colored	4,052	75	18.5	77	19.0
Prince Edward	14,946	171	11.4	172	11.5
White	6,863	61	8.9	59	8.6
Colored	8,083	110	13.6	113	14.0
Prince George	(5)	193	(5)	204	(5)
White	(5)	73	(5)	78	(5)
Colored	(5)	120	(5)	126	(5)
Prince William	14,249	159	11.2	169	11.9
White	11,471	114	9.9	121	10.5
Colored	2,778	45	16.2	48	17.3

AREA AND COLOR	Estimated population, July 1, 1923	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1923			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
VIRGINIA COUNTIES—continued					
Princess Anne*	14,383	297	20.6	300	20.9
White	7,736	107	13.8	107	13.8
Colored	6,647	190	28.6	193	29.0
Pulaski	[4] 17,111	199	11.6	208	12.2
White	14,686	159	10.8	167	11.4
Colored	2,425	40	16.5	41	16.9
Radford (city)	4,779	67	14.0	68	14.2
White	4,304	57	13.2	59	13.7
Colored	475	10	21.1	9	18.9
Rappahannock	8,077	99	12.3	114	14.1
White	5,923	63	10.6	72	12.2
Colored	2,154	36	16.7	42	19.5
Richmond	7,440	104	14.0	106	14.2
White	4,523	49	10.8	49	10.8
Colored	2,917	55	18.9	57	19.5
Roanoke	24,490	323	13.2	350	14.3
White	21,775	269	12.4	291	13.4
Colored	2,715	54	19.9	59	21.7
Rockbridge	[4] 20,626	292	14.2	293	14.2
White	17,954	249	13.9	251	14.0
Colored	2,672	43	16.1	42	15.7
Rockingham	30,058	355	11.8	368	12.2
Russell	27,980	262	9.4	263	9.4
Scott	25,123	248	9.9	256	10.2
Shenandoah	[4] 20,808	299	14.4	312	15.0
Smyth	22,773	299	13.1	297	13.0
Southampton	28,007	359	12.8	373	13.3
White	10,787	106	9.8	114	10.6
Colored	17,220	253	14.7	259	15.0
Spotsylvania	10,799	151	14.0	159	14.7
White	7,404	96	13.0	102	13.8
Colored	3,395	55	16.2	57	16.8
Stafford	8,115	74	9.1	77	9.5
White	6,654	54	8.1	57	8.6
Colored	1,461	20	13.7	20	13.7
Suffolk (city)	9,704	180	18.5	152	15.7
White	5,867	86	14.7	68	11.6
Colored	3,837	94	24.5	84	21.9
Surry	[4] 9,305	132	14.2	136	14.6
White	3,612	40	11.1	44	12.2
Colored	5,693	92	16.2	92	16.2
Sussex	[4] 12,834	190	14.8	203	15.8
White	4,405	51	11.6	58	13.2
Colored	8,429	139	16.5	145	17.2
Tazewell	28,883	305	10.6	303	10.5
White	25,962	270	10.4	263	10.1
Colored	2,921	35	12.0	40	13.7
Warren	8,947	109	12.2	112	12.5
White	7,817	96	12.3	98	12.5
Colored	1,130	13	11.5	14	12.4
Warwick	11,925	60	5.0	61	5.1
White	8,440	27	3.2	27	3.2
Colored	3,485	33	9.5	34	9.8
Washington	[4] 32,376	376	11.6	373	11.5
Westmoreland	10,573	116	11.0	118	11.2
White	5,398	62	11.5	62	11.5
Colored	5,175	54	10.4	56	10.8
Winchester (city)	7,551	153	20.3	142	18.8
White	6,640	122	18.4	114	17.2
Colored	911	31	34.0	28	30.7
Wise	50,948	636	12.5	627	12.3
Wythe	[4] 20,217	256	12.7	269	13.3
York	8,149	86	10.6	90	11.0
White	4,818	36	7.5	38	7.9
Colored	3,331	50	15.0	52	15.6

AREA AND COLOR	Estimated population, July 1, 1923	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1923			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
WASHINGTON COUNTIES†					
Adams	[4] 9,623	43	4.5	54	5.6
Asotin	6,796	59	8.7	57	8.4
Benton	11,971	56	4.7	76	6.3
Chelan	22,996	229	10.0	218	9.5
Clallam	13,031	148	11.4	155	11.9
Clarke	21,378	157	7.3	185	8.7
Columbia	[4] 6,093	46	7.5	60	9.8
Cowlitz	[4] 11,791	179	15.2	194	16.5
Douglas	9,452	47	5.0	48	5.1
Ferry	5,266	43	8.2	51	9.7
White	4,462	39	8.7	46	10.3
Colored	804	4	5.0	5	6.2
Franklin	6,136	91	14.8	81	13.2
Garfield	[4] 3,875	31	8.0	39	10.1
Grant	[4] 4,771	46	5.9	54	6.9
Grays Harbor	21,437	161	7.5	204	9.5
Island	5,772	36	6.2	44	7.6
Jefferson	[4] 6,557	95	14.5	101	15.4
King	111,309	706	6.3	844	7.6
Kitsap	38,756	296	7.6	330	8.5
Kittitas	[4] 17,737	159	9.0	169	9.5
Klickitat	[4] 9,268	84	9.1	95	10.3
Lewis	38,538	388	10.1	380	9.9
Lincoln	[4] 15,141	86	5.7	103	6.8
Mason	[4] 4,919	69	14.0	63	12.8
Okanogan	18,610	119	6.4	131	7.0
Pacific	15,742	132	8.4	126	8.0
Pend Oreille	(6)	58	(6)	68	(6)
Pierce*	50,800	648	12.8	718	14.1
San Juan	3,605	45	12.5	42	11.7
Skagit*	34,861	429	12.3	432	12.4
Skamania	[4] 2,357	25	10.6	26	11.0
Snohomish	42,047	379	9.0	432	10.3
Spokane*	37,395	464	12.4	519	13.9
Stevens	(5)	189	(5)	192	(5)
Thurston	24,089	248	10.3	257	10.7
Wahkiakum	3,539	17	4.8	26	7.3
Walla Walla	[4] 12,036	112	9.3	120	10.0
Whatcom	24,997	222	8.9	255	10.2
Whitman	[4] 31,323	202	6.4	225	7.2
Yakima	51,495	348	6.8	401	7.8
WISCONSIN COUNTIES†					
Adams	9,534	79	8.3	86	9.0
Ashland	14,133	122	8.6	157	11.1
Barron	36,145	315	8.7	328	9.1
Bayfield	17,640	105	6.0	132	7.5
Brown	31,598	242	7.7	284	9.0
Buffalo	[4] 15,615	138	8.8	157	10.1
Burnett	11,352	89	7.8	95	8.4
Calumet	17,419	138	7.9	154	8.8
Chippewa	38,062	410	10.8	416	10.9
Clark	36,938	247	6.7	263	7.1
Columbia	[4] 30,468	316	10.4	328	10.8
Crawford	16,946	181	10.7	194	11.4
Dane	51,238	548	10.7	598	11.7
Dodge	50,573	510	10.1	530	10.5
Door	19,204	205	10.7	216	11.2
Douglas	10,947	74	6.8	103	9.4
Dunn	27,588	264	9.6	293	10.6
Eau Claire	15,030	142	9.4	171	11.4
Florence	3,681	29	7.9	34	9.2
Fond du Lac	32,649	282	8.6	314	9.6

See footnotes at end of table.

TABLE 1B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1923—Continued

[See note at head of this table, p. 87]

AREA AND COLOR	Estimated population, July 1, 1923	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1923			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
WISCONSIN COUNTIES—continued					
Forest	10,956	85	7.8	95	8.7
Grant	39,056	412	10.5	432	11.1
Green	[4] 21,568	218	10.1	230	10.7
Green Lake	[4] 14,875	148	9.9	154	10.4
Iowa	[4] 21,504	233	10.8	243	11.3
Iron	10,965	84	7.7	96	8.8
Jackson	17,988	138	7.7	150	8.3
Jefferson	35,279	425	12.0	443	12.6
Juneau	[4] 19,209	213	11.1	224	11.7
Kenosha	11,238	106	9.4	129	11.5
Kewaunee	[4] 16,091	135	8.4	147	9.1
La Crosse	14,064	124	8.8	142	10.1
Lafayette	[4] 20,002	192	9.6	204	10.2
Langlade	23,061	213	9.2	221	9.6
Lincoln	21,813	205	9.4	212	9.7
Manitowoc	34,848	327	9.4	353	10.1
Marathon	49,269	333	6.8	382	7.8
Marinette	20,948	154	7.4	185	8.8
Marquette	[4] 10,443	101	9.7	107	10.2
Milwaukee* (exclusive of) National Military Home	76,858	1,367 / 179	[12] 20.1	1,371 / 179	[12] 20.2
Monroe	[4] 28,666	300	10.5	311	10.8
Oconto	27,626	271	9.8	289	10.5
Oneida	14,920	167	11.2	166	11.1
Outagamie	36,714	316	8.6	352	9.6
Ozaukee	[4] 16,335	153	9.4	165	10.1

AREA AND COLOR	Estimated population, July 1, 1923	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1923			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
WISCONSIN COUNTIES—continued					
Pepin	[4] 7,481	62	8.3	76	10.2
Pierce	[4] 21,663	207	9.6	236	10.9
Polk	28,854	249	8.6	275	9.5
Portage	22,286	176	7.9	188	8.4
Price	20,219	146	7.2	164	8.1
Racine	22,332	216	9.7	240	10.7
Richland	20,188	194	9.6	213	10.6
Rock	26,594	284	10.7	314	11.8
Rusk	18,293	165	9.0	169	9.2
St. Croix	26,177	233	8.9	250	9.6
Sauk	[4] 32,548	361	11.1	385	11.8
Sawyer	8,968	62	6.9	70	7.8
White	8,203	58	7.1	65	7.9
Colored	765	4	5.2	5	6.5
Shawano	34,728	347	10.0	365	10.5
Sheboygan	29,126	319	11.0	336	11.5
Taylor	19,631	131	6.7	139	7.1
Trempealeau	25,074	211	8.4	238	9.5
Vernon	29,662	225	7.6	263	8.9
Vilas	[4] 5,649	73	12.9	84	14.9
Walworth	[4] 29,327	334	11.4	359	12.2
Washburn	12,522	73	5.8	86	6.9
Washington	26,407	277	10.5	289	10.9
Waukesha*	30,663	423	13.8	453	14.8
Waupaca	34,711	386	11.1	410	11.8
Waushara	[4] 16,712	152	9.1	166	9.9
Winnebago*	31,341	430	13.7	444	14.2
Wood	36,107	417	11.5	399	11.1

AREA AND COLOR	Estimated population, July 1, 1923	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1923			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
WYOMING COUNTIES*					
Albany	[4] 9,283	96	10.3	98	10.6
Big Horn	(9)	65	(9)	71	(9)
Campbell	(8)	30	(8)	32	(8)
Carbon	[4] 9,525	176	18.5	174	18.3
Converse	(9)	108	(9)	109	(9)
Crook	(9)	29	(9)	31	(9)
Freemont	(10)	158	(10)	162	(10)
White	(10)	84	(10)	87	(10)
Colored	(10)	74	(10)	75	(10)
Goshen	(8)	39	(8)	40	(8)
Hot Springs	(8)	58	(8)	58	(8)
Johnson	5,037	34	6.8	35	6.9
Laramie	(9)	25	(9)	28	(9)
Lincoln	(10)	188	(10)	189	(10)
Natrona	2,557	40	15.6	59	23.1
Niobrara	(8)	17	(8)	18	(8)
Park	(9)	52	(9)	52	(9)
Platte	(8)	71	(8)	73	(8)
Sheridan	18,851	182	9.7	183	9.7
Sublette	(11)	3	(11)	3	(11)
Sweetwater	14,384	182	12.7	180	12.5
Uinta	(9)	71	(9)	68	(9)
Washakie	(8)	30	(8)	30	(8)
Weston	(9)	34	(9)	35	(9)
Yellowstone National Park [13] (part of)	165	3	18.2	1	6.

[1] Nonregistration State; the only cities shown are those with satisfactory registration of deaths.
[2] Reliable data for nonresidents not available.
[3] Population not shown, pending the establishment of more satisfactory estimates.
[4] Population Jan. 1, 1920. Decrease between 1910 and 1920; no estimate made.
[5] Includes State institutions.
[6] Population Jan. 1, 1920. West Warwick town organized from Warwick town between 1910 and 1920; no estimate made.
[7] Population Jan. 1, 1920; no estimate made; annexations between 1910 and 1920 and in 1921.
[8] Population not estimated; county organized between 1910 and 1920. See Vol. I, Population, 1920.
[9] Population not estimated; part taken between 1910 and 1920 to form new county. See Vol. I, Population, 1920.
[10] Population not estimated; part taken since Jan. 1, 1920, to form new county.
[11] Population not estimated; county organized since Jan. 1, 1920.
[12] Includes National Military Home.
[13] Population and deaths returned for entire area.
[14] Special census.

† Exclusive of municipalities of 10,000 inhabitants or more in 1920.

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS) AND DEATH RATES PER 100,000 POPULATION, FROM EACH CAUSE, IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1922 AND 1923

List No., 1921	CAUSE OF DEATH	DEATHS IN THE REGISTRATION AREA [1] Number 1923	Number 1922	Rate per 100,000 population 1923	Rate per 100,000 population 1922
	All causes [2]	1,193,017	1,101,863	1,230.1	1,181.7
	I.—Epidemic, endemic, and infectious diseases	200,619	177,086	206.9	189.9
1	Typhoid and paratyphoid fever	6,635	6,981	6.8	7.5
	Typhoid fever	6,548	6,905	6.8	7.4
	Paratyphoid fever	87	76	0.1	0.1
2	Typhus fever	2	1	(3)	(3)
3	Relapsing fever (spirillum obermeieri)				
4	Malta fever	1	4	(3)	(3)
5	Malaria	2,736	3,336	2.8	3.6
6	Smallpox	131	628	0.1	0.7
7	Measles	10,450	4,042	10.8	4.3
8	Scarlet fever	3,440	3,256	3.5	3.5
9	Whooping cough	9,440	5,220	9.7	5.6
10	Diphtheria	11,733	13,659	12.1	14.6
11	Influenza	43,370	29,277	44.7	31.4
	With pulmonary complications specified	27,847	19,360	28.7	20.8
	Without pulmonary complications specified	15,523	9,917	16.0	10.6
12	Miliary fever				
13	Mumps	83	76	0.1	0.1
14	Asiatic cholera				
15	Cholera nostras	153	162	0.2	0.2
16	Dysentery	3,118	2,735	3.2	2.9
	Amebic	194	185	0.2	0.2
	Bacillary	289	351	0.3	0.4
	Unspecified or due to other causes	2,635	2,199	2.7	2.4
17	Plague		2		(3)
	Bubonic		2		(3)
	Pneumonic				
	Septicemic				
	Unspecified				
18	Yellow fever				
19	Spirochetal hemorrhagic jaundice	29	65	(3)	0.1
20	Leprosy	29	15	(3)	(3)
21	Erysipelas	2,593	2,315	2.7	2.5
22	Acute anterior poliomyelitis	850	790	0.9	0.8
23	Lethargic encephalitis	1,966	1,268	2.0	1.4
24	Meningococcus meningitis	1,026	895	1.1	1.0
25	Other epidemic and endemic diseases	361	782	0.4	0.8
	Chicken pox	165	141	0.2	0.2
	German measles	14	17	(3)	(3)
	Others under this title	182	624	0.2	0.7
26	Glanders		2		(3)
27	Anthrax	24	40	(3)	(3)
28	Rabies	55	46	0.1	(3)
29	Tetanus	1,644	1,586	1.7	1.7
30	Mycoses	185	184	0.2	0.2
	Tuberculosis (all forms)	90,732	90,452	93.6	97.0
31	Of the respiratory system	79,534	79,104	82.0	84.8
32	Of the meninges and central nervous system	4,010	4,113	4.1	4.4
33	Of the intestines and peritoneum	2,926	3,005	3.0	3.2
34	Of the vertebral column	907	938	0.9	1.0
35	Of the joints	359	416	0.4	0.4
36	Of other organs	1,180	1,123	1.2	1.2
	Of the skin and subcutaneous cellular tissue	40	34	(3)	(3)
	Of the bones (vertebral column excepted)	204	181	0.2	0.2
	Of the lymphatic system (mesenteric and retroperitoneal glands excepted)	217	257	0.2	0.3
	Of the genito-urinary system	643	552	0.7	0.6
	Of other organs other than the above	76	99	0.1	0.1
37	Disseminated tuberculosis	1,816	1,753	1.9	1.9
	Acute	1,459	1,369	1.5	1.5
	Chronic or unspecified	357	384	0.4	0.4
38	Syphilis	7,695	7,462	7.9	8.0
39	Soft chancre	5	13	(3)	(3)
40	Gonococcus infection	791	650	0.8	0.7
41	Purulent infection, septicemia	1,340	1,134	1.4	1.2
42	Other infectious diseases	2	8	(3)	(3)
	II.—General diseases not included in Class I	129,791	122,641	133.8	131.5
	Cancer and other malignant tumors	86,754	80,938	89.4	86.8
43	Cancer of the buccal cavity	2,992	2,772	3.1	3.0
	Lip	462	467	0.5	0.5
	Tongue	760	758	0.8	0.8
	Mouth	335	262	0.3	0.3
	Jaw	1,061	962	1.1	1.0
	Others of this class	374	323	0.4	0.3
44	Cancer of the stomach, liver	33,080	31,128	34.1	33.4
	Pharynx	957	959	1.0	1.0
	Esophagus	1,445	1,342	1.5	1.4
	II.—General diseases—Continued. Cancer and other malignant tumors—Con. Cancer of the stomach, liver—Con.				
	Stomach	20,728	19,449	21.4	20.9
	Liver and gall bladder	9,950	9,378	10.3	10.1
45	Cancer of the peritoneum, intestines, rectum	11,951	10,868	12.3	11.7
	Mesentery and peritoneum	775	653	0.8	0.7
	Intestines (except rectum)	7,616	6,885	7.9	7.4
	Rectum and anus	3,501	3,265	3.6	3.5
	Others of this class	59	65	0.1	0.1
46	Cancer of the female genital organs	12,264	11,848	12.6	12.7
	Ovary and Fallopian tube	976	826	1.0	0.9
	Uterus	10,925	10,668	11.3	11.4
	Vagina and vulva	315	303	0.3	0.3
	Others of this class	48	51	(3)	0.1
47	Cancer of the breast	7,704	7,294	7.9	7.8
48	Cancer of the skin	2,618	2,617	2.7	2.8
49	Cancer of other or unspecified organs	16,145	14,411	16.6	15.5
	Larynx	695	579	0.7	0.6
	Lung and pleura	1,387	1,273	1.4	1.4
	Pancreas	1,685	1,394	1.7	1.5
	Kidneys and suprarenals	1,035	918	1.1	1.0
	Prostate	2,282	2,022	2.4	2.2
	Bladder	2,837	2,588	2.9	2.8
	Brain	301	216	0.3	0.2
	Bones (except jaw)	952	917	1.0	1.0
	Testes	166	138	0.2	0.1
	Others of this class	4,805	4,366	5.0	4.7
50	Benign tumors and tumors not returned as malignant (tumors of the female genital organs excepted)	831	823	0.9	0.9
51	Acute rheumatic fever	2,931	2,975	3.0	3.2
52	Chronic rheumatism, osteoarthritis, gout	1,133	1,143	1.2	1.2
53	Scurvy	64	62	0.1	0.1
54	Pellagra	2,352	2,640	2.4	2.8
55	Beriberi	6	17	(3)	(3)
56	Rickets	484	428	0.5	0.5
57	Diabetes mellitus	17,357	17,182	17.9	18.4
58	Anemia, chlorosis	5,867	5,603	6.0	6.0
	Pernicious anemia	5,159	4,979	5.3	5.3
	Other anemias and chlorosis	708	624	0.7	0.7
59	Diseases of the pituitary gland	54	54	0.1	0.1
60	Dieases of the thyroid gland	2,753	2,612	2.8	2.8
	Exophthalmic goiter	2,077	1,915	2.1	2.1
	Other diseases of the thyroid glands	676	697	0.7	0.7
61	Diseases of the parathyroid gland	81	69	0.1	0.1
62	Diseases of the thymus gland	808	644	0.8	0.7
63	Diseases of the adrenals (Addison's disease)	346	374	0.4	0.4
64	Diseases of the spleen	110	122	0.1	0.1
65	Leukemia and Hodgkin's disease	2,239	2,032	2.3	2.2
	Leukemia	1,459	1,361	1.5	1.5
	Hodgkin's disease	780	671	0.8	0.7
66	Alcoholism (acute or chronic)	3,148	2,467	3.2	2.6
67	Chronic poisoning by mineral substances	172	158	0.2	0.2
	Chronic lead poisoning	141	137	0.1	0.1
	Others under this title	31	21	(3)	(3)
68	Chronic poisoning by organic substances	232	233	0.2	0.2
69	Other general diseases	2,069	2,065	2.1	2.2
	III.—Diseases of the nervous system and of the organs of special sense	125,007	115,732	128.9	124.1
70	Encephalitis	1,245	1,011	1.3	1.1
71	Meningitis	3,652	3,397	3.8	3.6
	Simple meningitis	2,661	2,535	2.7	2.7
	Nonepidemic cerebrospinal meningitis	991	862	1.0	0.9
72	Tabes dorsalis (locomotor ataxia)	1,695	1,708	1.7	1.8
73	Other diseases of the spinal cord	3,106	2,785	3.2	3.0
74	Cerebral hemorrhage, apoplexy	86,854	79,362	89.6	85.1
	Cerebral hemorrhage	84,177	76,955	86.8	82.5
	Cerebral embolism and thrombosis	2,677	2,407	2.8	2.6
75	Paralysis without specified cause	6,056	6,107	6.2	6.5
	Hemiplegia	2,034	1,882	2.1	2.0
	Others under this title	4,022	4,225	4.1	4.5
76	General paralysis of the insane	6,421	6,190	6.6	6.6
77	Other forms of mental alienation	1,614	1,602	1.7	1.7
78	Epilepsy	3,088	3,083	3.2	3.3
79	Convulsions (nonpuerperal; 5 years and over)	159	141	0.2	0.2
80	Infantile convulsions (under 5 years of age)	1,882	1,946	1.9	2.1
81	Chorea	102	85	0.1	0.1
82	Neuralgia and neuritis	354	355	0.4	0.4
83	Softening of the brain	853	829	0.9	0.9
84	Other diseases of the nervous system	4,575	4,180	4.7	4.5
85	Diseases of the eye and annexa	89	96	0.1	0.1
86	Diseases of the ear and of the mastoid process	3,262	2,855	3.4	3.1
	Diseases of the ear	1,967	1,774	2.0	1.9
	Diseases of the mastoid process	1,295	1,081	1.3	1.2

See footnotes at end of table.

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS) AND DEATH RATES PER 100,000 POPULATION, FROM EACH CAUSE, IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1922 AND 1923—Continued

List No., 1921	CAUSE OF DEATH	DEATHS IN THE REGISTRATION AREA[1]			
		Number		Rate per 100,000 population	
		1923	1922	1923	1922
	IV.—Diseases of the circulatory system	194,857	177,888	200.9	190.8
87	Pericarditis	903	871	0.9	0.9
88	Endocarditis and myocarditis (acute)	6,431	5,905	6.6	6.3
89	Angina pectoris	10,103	9,319	10.4	10.0
90	Other diseases of the heart	152,596	138,400	157.3	148.4
91	Diseases of the arteries	22,085	20,826	22.8	22.3
	Aneurysm	1,831	1,713	1.9	1.8
	Arteriosclerosis	19,933	18,803	20.6	20.2
	Other diseases of the arteries	321	310	0.3	0.3
92	Embolism and thrombosis (not cerebral)	1,668	1,560	1.7	1.7
93	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	597	553	0.6	0.6
94	Diseases of the lymphatic system (lymphangitis, etc.)	185	194	0.2	0.2
95	Hemorrhage without specified cause	170	160	0.2	0.2
96	Other diseases of the circulatory system	119	100	0.1	0.1
	V.—Diseases of the respiratory system	124,045	113,205	127.9	121.4
97	Diseases of the nasal fossae and their annexa	860	815	0.9	0.9
	Diseases of the nasal fossae	394	416	0.4	0.4
	Others under this title	466	399	0.5	0.4
98	Diseases of the larynx	695	740	0.7	0.8
99	Bronchitis	8,815	8,740	9.1	9.4
	Acute	3,512	3,613	3.6	3.9
	Chronic	2,909	2,773	3.0	3.0
	Unspecified (under 5 years of age)	937	983	1.0	1.1
	Unspecified (5 years and over)	1,457	1,371	1.5	1.5
100	Bronchopneumonia	46,221	42,130	47.7	45.2
	Bronchopneumonia	44,942	40,852	46.3	43.8
	Capillary bronchitis	1,279	1,278	1.3	1.4
101	Pneumonia	59,459	53,034	61.3	56.9
	Lobar	52,480	47,031	54.1	50.4
	Unspecified	6,979	6,003	7.2	6.4
102	Pleurisy	2,758	2,740	2.8	2.9
103	Congestion and hemorrhagic infarct of the lung	1,617	1,495	1.7	1.6
104	Gangrene of the lung	157	173	0.2	0.2
105	Asthma	2,179	2,036	2.2	2.2
106	Pulmonary emphysema	183	182	0.2	0.2
107	Other diseases of the respiratory system (tuberculosis excepted)	1,101	1,120	1.1	1.2
	Chronic intestinal pneumonia, including occupational diseases of the respiratory system	250	225	0.3	0.2
	Diseases of the mediastinum	23	20	(3)	(3)
	Others under this title	828	875	0.9	0.9
	VI.—Diseases of the digestive system	98,050	93,884	101.1	100.7
108	Diseases of the mouth and annexa	686	652	0.7	0.7
109	Diseases of the pharynx and tonsils (including adenoid vegetations)	3,215	3,017	3.3	3.2
	Adenoid vegetations	17	12	(3)	(3)
	Others under this title	3,198	3,005	3.3	3.2
110	Diseases of the esophagus	120	131	0.1	0.1
111	Ulcer of the stomach and duodenum	5,107	4,732	5.3	5.1
	Ulcer of the stomach	3,774	3,554	3.9	3.8
	Ulcer of the duodenum	1,333	1,178	1.4	1.3
112	Other diseases of the stomach (cancer excepted)	6,291	6,669	6.5	7.2
113	Diarrhea and enteritis (under 2 years of age)	31,444	30,308	32.4	32.5
114	Diarrhea and enteritis (2 years and over)	7,259	6,565	7.5	7.0
115	Ancylostomiasis	29	24	(3)	(3)
116	Diseases due to other intestinal parasites	122	131	0.1	0.1
	Cestodes (hydatids of the liver excepted)	3	4	(3)	(3)
	Trematodes		1		(3)
	Nematodes (other than ancylostoma)	26	35	(3)	(3)
	Coccidia	4	2	(3)	(3)
	Other parasites specified	8	1	(3)	(3)
	Parasites not specified	81	88	0.1	0.1
117	Appendicitis and typhlitis	14,345	13,229	14.8	14.2
118	Hernia, intestinal obstruction	10,211	9,844	10.5	10.6
	Hernia	3,543	3,350	3.7	3.6
	Intestinal obstruction	6,668	6,494	6.9	7.0
119	Other diseases of the intestines	1,372	1,346	1.4	1.4
120	Acute yellow atrophy of the liver	368	361	0.4	0.4
121	Hydatid tumor of the liver	23	24	(3)	(3)
122	Cirrhosis of the liver	7,027	6,977	7.2	7.5
	Specified as alcoholic	339	218	0.3	0.2
	Not specified as alcoholic	6,688	6,759	6.9	7.2
123	Biliary calculi	3,602	3,628	3.7	3.9
124	Other diseases of the liver	4,429	4,141	4.6	4.4
125	Diseases of the pancreas	537	443	0.6	0.5
126	Peritonitis without specified cause	1,854	1,654	1.9	1.8
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	9	8	(3)	(3)

List No., 1921	CAUSE OF DEATH	DEATHS IN THE REGISTRATION AREA[1]			
		Number		Rate per 100,000 population	
		1923	1922	1923	1922
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	101,759	96,259	104.9	103.2
128	Acute nephritis (including unspecified under 10 years of age)	5,976	5,714	6.2	6.1
129	Chronic nephritis (including unspecified 10 years and over)	81,402	76,804	83.9	82.4
130	Chyluria	1	1	(3)	(3)
131	Other diseases of the kidneys and annexa	2,531	2,407	2.6	2.6
132	Calculi of the urinary passages	679	711	0.7	0.8
133	Diseases of the bladder	1,081	1,067	1.1	1.1
134	Diseases of the urethra, urinary abscess, etc.	322	357	0.3	0.4
	Stricture of the urethra	209	247	0.2	0.3
	Others under this title	113	110	0.1	0.1
135	Diseases of the prostate	4,540	4,117	4.7	4.4
136	Nonvenereal diseases of the male genital organs	88	77	0.1	0.1
137	Cysts and other benign tumors of the ovary	784	694	0.8	0.7
138	Salpingitis and pelvic abscess (female)	1,690	1,693	1.7	1.8
139	Benign tumors of the uterus	1,783	1,859	1.8	2.0
140	Nonpuerperal uterine hemorrhage	67	52	0.1	0.1
141	Other diseases of the female genital organs	783	677	0.8	0.7
142	Nonpuerperal diseases of the breast (cancer excepted)	32	29	(3)	(3)
	VIII.—The puerperal state	15,105	14,657	15.6	15.7
143	Accidents of pregnancy	1,544	1,399	1.6	1.5
	Abortion	728	701	0.8	0.8
	Ectopic gestation	492	444	0.5	0.5
	Others under this title	324	254	0.3	0.3
144	Puerperal hemorrhage	1,444	1,424	1.5	1.5
145	Other accidents of labor	1,790	1,783	1.8	1.9
	Cesarean section	265	266	0.3	0.3
	Other surgical operations and instrumental delivery	144	149	0.1	0.2
	Others under this title	1,381	1,368	1.4	1.5
146	Puerperal septicemia	5,657	5,335	5.8	5.7
147	Puerperal phlegmasia alba dolens, embolus, sudden death	661	595	0.7	0.6
148	Puerperal albuminuria and convulsions	3,929	4,032	4.1	4.3
149	Following childbirth (not otherwise defined)	66	82	0.1	0.1
150	Puerperal diseases of the breast	14	7	(3)	(3)
	IX.—Diseases of the skin and of the cellular tissue	3,599	3,350	3.7	3.6
151	Gangrene	1,564	1,371	1.6	1.5
152	Furuncle	592	579	0.6	0.6
153	Acute abscess	693	611	0.7	0.7
154	Other diseases of the skin and annexa	750	789	0.8	0.8
	X.—Diseases of the bones and of the organs of locomotion	1,279	1,254	1.3	1.3
155	Diseases of the bones (tuberculosis excepted)	1,008	994	1.0	1.1
156	Diseases of the joints (tuberculosis and rheumatism excepted)	198	182	0.2	0.2
157	Amputations	6	9	(3)	(3)
158	Other diseases of the organs of locomotion	67	69	0.1	0.1
	XI.—Malformations	14,053	13,534	14.5	14.5
159	Congenital malformations (stillbirths not included)	14,053	13,534	14.5	14.5
	Congenital hydrocephalus	1,362	1,300	1.4	1.4
	Congenital malformations of the heart	8,261	7,981	8.5	8.6
	Others under this title	4,430	4,253	4.6	4.6
	XII.—Early infancy	61,573	59,406	63.5	63.7
160	Congenital debility, icterus, sclerema	8,621	8,283	8.9	8.9
161	Premature birth, injury at birth	47,553	45,991	49.0	49.3
	Premature birth	38,277	37,134	39.5	39.8
	Injury at birth	9,276	8,857	9.6	9.5
162	Other diseases peculiar to early infancy	5,238	4,981	5.4	5.3
163	Lack of care	161	151	0.2	0.2
	XIII.—Old age	13,346	12,353	13.8	13.2
164	Senility	13,346	12,353	13.8	13.2

See footnotes at end of table.

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS) AND DEATH RATES PER 100,000 POPULATION, FROM EACH CAUSE, IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1922 AND 1923—Continued

List No., 1921	CAUSE OF DEATH	DEATHS IN THE REGISTRATION AREA[1] Number 1923	Number 1922	Rate per 100,000 population 1923	Rate 1922
	XIV.—External causes	93,296	84,104	96.2	90.2
	Suicide	11,287	11,053	11.6	11.9
165, 166	By poisons (gas excepted)	1,779	1,846	1.8	2.0
	Arsenic	111	140	0.1	0.2
	Carbolic acid	571	645	0.6	0.7
	Corrosive sublimate	287	300	0.3	0.3
	Hydrocyanic acid	4	13	(3)	(3)
	Opium, morphin, laudanum	25	45	(3)	(3)
	Strychnin	204	202	0.2	0.2
	Cyanid of potassium	109	89	0.1	0.1
	Lysol	159	111	0.2	0.1
	Others under this title	309	301	0.3	0.3
167	By poisonous gas	1,535	1,449	1.6	1.6
168	By hanging or strangulation	2,058	1,893	2.1	2.0
169	By drowning	701	688	0.7	0.7
170	By firearms	3,900	3,912	4.0	4.2
171	By cutting or piercing instruments	754	732	0.8	0.8
172	By jumping from high places	346	288	0.4	0.3
173	By crushing	115	110	0.1	0.1
174	Other suicides	99	135	0.1	0.1
	Homicide	7,878	7,788	8.1	8.4
197	By firearms	5,648	5,714	5.8	6.1
198	By cutting or piercing instruments	945	833	1.0	0.9
199	By other means	1,285	1,241	1.3	1.3
200	(Infanticide—murder of infants less than 1 year of age)[4]	(143)	(133)	(0.1)	(0.1)
	Accidental or undefined	74,131	65,263	76.4	70.0
175	Poisoning by food	928	810	1.0	0.9
	Botulism	51	62	0.1	0.1
	Other food poisoning	877	748	0.9	0.8
176	Poisoning by venomous animals	89	79	0.1	0.1
177	Other acute accidental poisonings (gas excepted)	1,567	1,566	1.6	1.7
	Wood or denatured alcohol	143	201	0.1	0.2
	Carbolic acid	72	76	0.1	0.1
	Opium, morphin, laudanum	65	78	0.1	0.1
	Strychnin	219	176	0.2	0.2
	Other poisons (or kind not stated)	1,068	1,035	1.1	1.1
178	Conflagration	1,445	1,143	1.5	1.2
179	Burns (conflagration excepted)	6,503	5,962	6.7	6.4
	Molten metal	22	11	(3)	(3)
	Playing with fire, matches, etc.	432	436	0.4	0.5
	Fall into fire	164	145	0.2	0.2
	Scalds	1,394	1,407	1.4	1.5
	Others under this title	4,491	3,963	4.6	4.3
180	Mechanical suffocation	1,059	993	1.1	1.1
181	Absorption of irrespirable, irritating, or poisonous gas	2,378	2,038	2.5	2.2
182	Drowning	5,976	5,988	6.2	6.4

List No., 1921	CAUSE OF DEATH	DEATHS IN THE REGISTRATION AREA[1] Number 1923	Number 1922	Rate per 100,000 population 1923	Rate 1922
	XIV.—External causes—Continued				
	Accidental or undefined—Continued				
183	Traumatism—				
	By firearms (wounds of war excepted)	2,578	2,514	2.7	2.7
184	By cutting or piercing instruments	543	514	0.6	0.6
185	By fall	12,378	11,237	12.8	12.1
	Fall down stairs	1,428	1,226	1.5	1.3
	Fall in ships, docks, etc.	75	83	0.1	0.1
	Fall in building operations	618	590	0.6	0.6
	Others under this title	10,257	9,338	10.6	10.0
186	In mines and quarries	2,308	1,841	2.4	2.0
	Mines	2,207	1,737	2.3	1.9
	Quarries	101	104	0.1	0.1
187	By machines	2,224	1,827	2.3	2.0
	Agricultural machinery	224	213	0.2	0.2
	Elevator	483	366	0.5	0.4
	Crane	195	178	0.2	0.2
	Others under this title	1,322	1,070	1.4	1.1
188	By other crushing (vehicles, railways, landslides, etc.)	25,750	21,287	26.6	22.8
	Railroad accidents	7,100	5,687	7.3	6.1
	Street-car accidents	1,757	1,491	1.8	1.6
	Automobile accidents	14,411	11,666	14.9	12.5
	Airplane and balloon accidents	145	159	0.1	0.2
	Motorcycle accidents	294	268	0.3	0.3
	Injuries by other vehicles	1,367	1,412	1.4	1.5
	Landslide, other crushing	676	604	0.7	0.6
189	Injuries by animals (not poisoning)	649	647	0.7	0.7
190	Wounds of war	4	8	(3)	(3)
192	Starvation (deprivation of food or water)	16	10	(3)	(3)
	Excessive cold	202	188	0.2	0.2
193	Excessive heat	529	417	0.5	0.4
194	Lightning	451	426	0.5	0.5
195	Other accidental electric shocks	945	842	1.0	0.9
196	Fracture (cause not specified)	1,104	728	1.1	0.8
201	Other external violence	4,492	4,129	4.6	4.4
202	Foreign body in digestive or respiratory tract	604	581	0.6	0.6
	Others under this title	3,888	3,548	4.0	3.8
	Violent deaths of unknown causation	13	69	(3)	0.1
203	XV.—Ill-defined diseases	16,638	16,510	17.2	17.7
	Sudden death	1,309	1,202	1.3	1.3
204	Not specified or ill-defined	15,329	15,308	15.8	16.4
205	Ill-defined	5,151	5,165	5.3	5.5
	Not specified or unknown	10,178	10,143	10.5	10.9

[1] Exclusive of Hawaii.
[2] Exclusive of stillbirths.
[3] Less than one-tenth of 1 per 100,000 population.
[4] The figures for infanticide are included in those for homicide.

NOTE.—Populations for 1923 are shown in Table IA.

GENERAL TABLES

GENERAL TABLES

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY MONTHS: 1923

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural"]

AREA	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
The registration area (exclusive of Hawaii)	1,193,017	120,007	124,816	122,880	106,436	98,327	89,750	86,743	85,753	83,689	89,030	90,568	95,018
Registration States [1]	1,174,065	118,198	123,221	120,940	104,755	96,748	88,211	85,203	84,324	82,366	87,574	89,088	93,437
Cities in registration States [1]	601,980	59,774	63,796	61,700	54,023	49,752	45,357	42,536	42,470	41,777	45,224	46,468	49,103
Rural part of registration States	572,085	58,424	59,425	59,240	50,732	46,996	42,854	42,667	41,854	40,589	42,350	42,620	44,334
Registration cities in nonregistration States [2]	18,952	1,809	1,595	1,940	1,681	1,579	1,539	1,540	1,429	1,323	1,456	1,480	1,581
All registration cities [1]	620,932	61,583	65,391	63,640	55,704	51,331	46,896	44,076	43,899	43,100	46,680	47,948	50,684
California	54,566	4,895	4,963	5,043	4,463	4,617	4,219	4,145	4,014	4,154	4,284	4,521	5,248
Urban	31,673	2,884	2,893	3,005	2,569	2,620	2,406	2,322	2,273	2,404	2,531	2,713	3,053
Rural	22,893	2,011	2,070	2,038	1,894	1,997	1,813	1,823	1,741	1,750	1,753	1,808	2,195
Colorado	12,302	1,207	1,200	1,330	1,035	980	886	920	964	975	932	893	980
Urban	5,669	563	547	593	481	468	440	398	429	417	446	400	487
Rural	6,633	644	653	737	554	512	446	522	535	558	486	493	493
Connecticut	17,735	1,833	1,837	1,958	1,704	1,475	1,314	1,200	1,229	1,221	1,259	1,309	1,396
Urban	13,403	1,384	1,368	1,504	1,299	1,090	982	895	930	932	950	1,004	1,065
Rural	4,332	449	469	454	405	385	332	305	299	289	309	305	331
Delaware	3,229	358	358	317	282	254	233	227	239	243	210	246	262
Urban	1,550	185	200	148	139	122	97	98	109	92	108	113	139
Rural	1,679	173	158	169	143	132	136	129	130	151	102	133	123
Florida	14,110	1,350	1,244	1,183	1,102	1,045	1,017	982	1,105	1,078	1,261	1,350	1,393
Urban	4,245	412	421	411	310	296	316	311	313	313	336	369	437
Rural	9,865	938	823	772	792	749	701	671	792	765	925	981	956
Georgia	33,791	3,728	2,696	2,828	2,731	2,826	2,754	2,814	2,652	2,557	2,616	2,772	2,817
Urban	10,335	1,085	821	844	804	847	868	882	775	794	794	915	906
Rural	23,456	2,643	1,875	1,984	1,927	1,979	1,886	1,932	1,877	1,763	1,822	1,857	1,911
Idaho	3,330	331	312	340	269	288	253	262	247	266	277	254	231
Urban	482	50	24	43	44	48	43	53	39	34	31	39	34
Rural	2,848	281	288	297	225	240	210	209	208	232	246	215	197
Illinois	81,753	8,002	8,859	8,656	7,557	6,891	6,052	5,698	5,729	5,842	5,998	6,000	6,469
Urban	49,986	4,780	5,301	5,196	4,661	4,305	3,776	3,446	3,433	3,541	3,704	3,743	4,100
Rural	31,767	3,222	3,558	3,460	2,896	2,586	2,276	2,252	2,296	2,301	2,294	2,257	2,369
Indiana	38,846	3,676	4,126	4,121	3,490	3,242	2,862	2,871	2,827	2,784	2,863	2,919	3,065
Urban	16,814	1,569	1,734	1,740	1,453	1,379	1,290	1,275	1,254	1,234	1,243	1,297	1,346
Rural	22,032	2,107	2,392	2,381	2,037	1,863	1,572	1,596	1,573	1,550	1,620	1,622	1,719
Iowa	25,378	2,558	2,825	2,834	2,275	2,149	1,776	1,809	1,662	1,734	1,837	1,877	2,042
Urban	8,382	787	903	863	752	714	600	597	599	620	615	649	683
Rural	16,996	1,771	1,922	1,971	1,523	1,435	1,176	1,212	1,063	1,114	1,222	1,228	1,359
Kansas	19,773	1,917	2,354	2,243	1,699	1,503	1,349	1,431	1,535	1,342	1,402	1,502	1,496
Urban	6,349	598	707	674	561	478	437	481	501	433	490	487	502
Rural	13,424	1,319	1,647	1,569	1,138	1,025	912	950	1,034	909	912	1,015	994
Kentucky	29,292	3,404	3,164	2,952	2,481	2,215	2,117	2,467	2,230	1,984	2,014	2,131	2,133
Urban	7,765	791	777	772	678	663	574	642	603	552	541	573	599
Rural	21,527	2,613	2,387	2,180	1,803	1,552	1,543	1,825	1,627	1,432	1,473	1,558	1,534
Louisiana	22,372	1,914	2,120	2,093	1,873	1,771	1,686	1,900	1,694	1,656	1,839	1,897	1,929
Urban	9,615	887	903	899	739	771	740	794	724	715	760	811	872
Rural	12,757	1,027	1,217	1,194	1,134	1,000	946	1,106	970	941	1,079	1,086	1,057
Maine	11,665	1,116	1,411	1,332	1,020	948	843	795	811	805	841	845	898
Urban	3,730	337	488	427	338	297	257	273	235	241	278	256	303
Rural	7,935	779	923	905	682	651	586	522	576	564	563	589	595
Maryland	22,111	2,283	2,510	2,340	1,876	1,786	1,600	1,563	1,624	1,562	1,684	1,673	1,610
Urban	12,998	1,362	1,493	1,318	1,134	1,044	965	900	899	898	1,002	990	993
Rural	9,113	921	1,017	1,022	742	742	635	663	725	664	682	683	617
Massachusetts	52,166	5,660	5,806	5,666	4,787	4,356	3,775	3,485	3,424	3,402	3,855	3,875	4,075
Urban	42,054	4,649	4,668	4,596	3,807	3,462	3,014	2,776	2,761	2,703	3,139	3,157	3,322
Rural	10,112	1,011	1,138	1,070	980	894	761	709	663	699	716	718	753
Michigan	49,347	4,730	5,319	4,887	4,603	4,385	3,847	3,432	3,535	3,521	3,707	3,634	3,747
Urban	26,293	2,518	2,756	2,523	2,453	2,410	2,059	1,808	1,862	1,906	2,002	1,925	2,071
Rural	23,054	2,212	2,563	2,364	2,150	1,975	1,788	1,624	1,673	1,615	1,705	1,709	1,676
Minnesota	25,321	2,263	2,498	2,784	2,344	2,270	1,828	1,907	1,776	1,751	1,970	1,913	2,017
Urban	10,963	978	1,129	1,081	977	1,019	845	838	766	787	841	836	866
Rural	14,358	1,285	1,369	1,703	1,367	1,251	983	1,069	1,010	964	1,129	1,077	1,151
Mississippi	20,398	2,189	1,751	1,824	1,696	1,687	1,650	1,710	1,583	1,541	1,632	1,586	1,549
Urban	2,912	284	242	246	223	244	266	245	217	235	234	220	256
Rural	17,486	1,905	1,509	1,578	1,473	1,443	1,384	1,465	1,366	1,306	1,398	1,366	1,293
Missouri	42,043	4,181	4,620	4,517	3,716	3,338	3,044	3,053	3,033	2,941	3,028	3,219	3,353
Urban	20,128	1,918	2,002	1,995	1,791	1,680	1,554	1,466	1,454	1,439	1,533	1,600	1,696
Rural	21,915	2,263	2,618	2,522	1,925	1,658	1,490	1,587	1,579	1,502	1,495	1,619	1,657
Montana	4,893	478	474	492	435	421	409	372	363	357	358	348	386
Urban	1,580	160	165	141	151	122	99	108	141	122	129	107	135
Rural	3,313	318	309	351	284	299	310	264	222	235	229	241	251

[1] Including District of Columbia.

[2] A list of these cities can be found on p. 7.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY MONTHS: 1923—Continued

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural"]

AREA	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Nebraska	12,632	1,195	1,500	1,378	1,098	1,033	908	865	861	923	919	944	1,008
Urban	3,971	361	440	406	335	309	298	290	306	293	293	326	314
Rural	8,661	834	1,060	972	763	724	610	575	555	630	626	618	694
New Hampshire	6,747	663	781	693	602	533	541	439	493	465	510	500	527
Urban	2,921	292	328	292	278	234	243	197	193	183	224	214	243
Rural	3,826	371	453	401	324	299	298	242	300	282	286	286	284
New Jersey	41,492	4,247	4,821	4,449	3,736	3,247	3,159	2,883	2,952	2,700	2,976	3,113	3,209
Urban	26,384	2,736	3,125	2,826	2,394	2,050	2,041	1,807	1,816	1,659	1,825	2,022	2,083
Rural	15,108	1,511	1,696	1,623	1,342	1,197	1,118	1,076	1,136	1,041	1,151	1,091	1,126
New York	141,085	13,318	15,814	15,177	13,039	11,804	10,643	9,608	9,924	9,593	10,314	10,607	11,244
Urban	106,024	10,085	12,075	11,391	9,731	8,824	7,970	7,048	7,450	7,077	7,714	8,047	8,612
Rural	35,061	3,233	3,739	3,786	3,308	2,980	2,673	2,560	2,474	2,516	2,600	2,560	2,632
North Carolina	32,142	3,696	2,731	2,797	2,650	2,811	3,041	2,696	2,316	2,176	2,339	2,414	2,475
Urban	6,100	607	511	510	500	509	520	558	442	451	489	488	515
Rural	26,042	3,089	2,220	2,287	2,150	2,302	2,521	2,138	1,874	1,725	1,850	1,926	1,960
Ohio	75,054	7,380	8,381	7,634	6,940	6,179	5,347	5,305	5,393	5,366	5,612	5,725	5,792
Urban	42,128	4,170	4,582	4,044	3,810	3,471	3,049	3,024	3,068	3,065	3,234	3,301	3,310
Rural	32,926	3,210	3,799	3,590	3,130	2,708	2,298	2,281	2,325	2,301	2,378	2,424	2,482
Oregon	9,010	806	792	912	763	715	703	687	689	684	724	779	756
Urban	4,024	371	370	421	348	311	310	315	284	287	306	358	343
Rural	4,986	435	422	491	415	404	393	372	405	397	418	421	413
Pennsylvania	120,622	12,689	13,439	12,962	11,151	9,716	8,509	7,983	8,303	8,345	9,158	8,940	9,427
Urban	65,427	7,199	7,183	6,811	6,035	5,294	4,693	4,306	4,350	4,341	4,998	5,008	5,209
Rural	55,195	5,490	6,256	6,151	5,116	4,422	3,816	3,677	3,953	4,004	4,160	3,932	4,218
Rhode Island	8,622	904	917	974	858	708	632	565	583	540	641	637	663
Urban	7,244	761	765	807	719	601	531	490	491	454	536	535	554
Rural	1,378	143	152	167	139	107	101	75	92	86	105	102	109
South Carolina	20,667	2,196	1,668	1,731	1,710	1,836	1,752	1,824	1,563	1,486	1,637	1,550	1,714
Urban	3,712	373	266	350	275	302	287	340	311	251	337	303	317
Rural	16,955	1,823	1,402	1,381	1,435	1,534	1,465	1,484	1,252	1,235	1,300	1,247	1,397
Tennessee	28,502	3,475	2,640	2,699	2,474	2,112	2,222	2,510	2,180	1,980	2,008	2,078	2,124
Urban	8,939	965	730	862	816	672	739	760	702	682	634	681	696
Rural	19,563	2,510	1,910	1,837	1,658	1,440	1,483	1,750	1,478	1,298	1,374	1,397	1,428
Utah	4,513	408	376	520	415	377	317	307	328	330	370	342	423
Urban	2,134	168	173	245	203	161	156	161	139	157	169	180	222
Rural	2,379	240	203	275	212	216	161	146	189	173	201	162	201
Vermont	5,364	477	598	590	465	507	401	381	391	351	376	382	445
Urban	808	71	92	70	67	97	74	55	57	46	62	57	60
Rural	4,556	406	506	520	398	410	327	326	334	305	314	325	385
Virginia	30,760	3,739	2,989	3,088	2,665	2,413	2,543	2,362	2,274	2,055	2,128	2,202	2,302
Urban	8,577	860	812	849	715	662	777	702	591	604	658	664	683
Rural	22,183	2,879	2,177	2,239	1,950	1,751	1,766	1,660	1,683	1,451	1,470	1,538	1,619
Washington	13,856	1,197	1,172	1,350	1,234	1,148	1,053	1,103	1,023	1,046	1,147	1,200	1,183
Urban	6,964	610	578	681	595	590	550	538	520	512	595	602	593
Rural	6,892	587	594	669	639	558	503	565	503	534	552	598	590
Wisconsin	29,291	2,744	3,159	3,289	2,739	2,446	2,275	1,987	1,977	2,014	2,138	2,192	2,331
Urban	12,103	1,111	1,369	1,318	1,185	1,016	950	819	862	836	856	880	901
Rural	17,188	1,633	1,790	1,971	1,554	1,430	1,325	1,168	1,115	1,178	1,282	1,312	1,430
Wyoming	2,180	180	174	208	157	181	150	175	273	175	168	163	176
Urban	489	42	33	49	32	35	40	38	46	46	45	42	41
Rural	1,691	138	141	159	125	146	110	137	227	129	123	121	135

NOTE.—Populations are shown in Table 1A.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF WHITE: 1923

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural"].

AREA	All deaths	WHITE										Negro	Japanese	Other colored
		Total	Native							Foreign born	Nativity unknown			
			Total	Both parents native	Both parents foreign born	One parent foreign born, one native	One parent foreign born, one unknown	One parent native, one unknown	Both parents unknown					
The registration area (exclusive of Hawaii)	1,193,017	1,042,064	790,186	466,883	149,510	57,563	8,841	42,798	64,591	236,537	15,341	145,859	1,422	3,672
Registration States [1]	1,174,065	1,028,101	779,130	460,748	147,744	56,868	8,677	41,920	63,173	234,070	14,901	140,894	1,415	3,655
Cities in registration States [1]	601,980	537,487	372,666	187,855	102,059	34,757	5,000	16,639	26,356	157,852	6,969	62,584	777	1,132
Rural part of registration States	572,085	490,614	406,464	272,893	45,685	22,111	3,677	25,281	36,817	76,218	7,932	78,310	638	2,523
Registration cities in nonregistration States [2]	18,952	13,963	11,056	6,135	1,766	695	164	878	1,418	2,467	440	4,965	7	17
All registration cities [1]	620,932	551,450	383,722	193,990	103,825	35,452	5,164	17,517	27,774	160,319	7,409	67,549	784	1,149
California	54,566	51,600	35,906	15,688	7,572	3,243	709	2,593	6,101	14,482	1,212	889	979	1,098
Urban	31,673	30,023	20,489	9,065	4,386	1,965	455	1,559	3,059	8,860	674	624	524	502
Rural	22,893	21,577	15,417	6,623	3,186	1,278	254	1,034	3,042	5,622	538	265	455	596
Colorado	12,302	11,983	9,381	5,055	1,322	624	173	695	1,512	2,223	379	274	30	15
Urban	5,669	5,446	4,167	2,140	646	295	69	302	715	1,096	183	207	13	3
Rural	6,633	6,537	5,214	2,915	676	329	104	393	797	1,127	196	67	17	12
Connecticut	17,735	17,287	11,563	5,144	3,912	1,017	127	573	790	5,575	149	437	2	9
Urban	13,403	13,025	8,549	3,485	3,270	805	90	352	547	4,384	92	370	2	6
Rural	4,332	4,262	3,014	1,659	642	212	37	221	243	1,191	57	67	-------	3
Delaware	3,229	2,580	2,226	1,595	321	126	13	84	87	321	33	649	-------	-------
Urban	1,550	1,305	1,053	628	261	94	9	26	35	241	11	245	-------	-------
Rural	1,679	1,275	1,173	967	60	32	4	58	52	80	22	404	-------	-------
Florida	14,110	8,366	7,159	4,496	335	297	68	711	1,252	890	317	5,741	1	2
Urban	4,245	2,403	1,909	1,145	176	140	27	161	260	434	60	1,841	-------	1
Rural	9,865	5,963	5,250	3,351	159	157	41	550	992	456	257	3,900	1	1
Georgia	33,791	17,559	16,925	13,306	174	205	40	1,373	1,827	316	318	16,226	-------	6
Urban	10,335	4,861	4,557	3,518	132	105	21	337	444	235	69	5,470	-------	4
Rural	23,456	12,698	12,368	9,788	42	100	19	1,036	1,383	81	249	10,756	-------	2
Idaho	3,330	3,179	2,498	1,441	278	204	41	180	354	563	118	14	8	129
Urban	482	466	361	207	44	23	7	27	53	82	23	5	2	9
Rural	2,848	2,713	2,137	1,234	234	181	34	153	301	481	95	9	6	120
Illinois	81,753	76,678	52,875	26,828	13,418	4,436	763	2,664	4,766	22,724	1,079	5,010	6	59
Urban	49,986	45,911	28,595	11,884	10,016	2,959	491	1,071	2,174	16,679	637	4,016	6	53
Rural	31,767	30,767	24,280	14,944	3,402	1,477	272	1,593	2,592	6,045	442	994	-------	6
Indiana	38,846	36,929	33,066	22,884	2,939	1,412	357	2,599	2,875	3,517	346	1,917	-------	-------
Urban	16,814	15,211	12,909	8,221	1,720	688	177	1,021	1,082	2,167	135	1,603	-------	-------
Rural	22,032	21,718	20,157	14,663	1,219	724	180	1,578	1,793	1,350	211	314	-------	-------
Iowa	25,378	25,034	19,234	10,827	2,905	1,465	356	1,394	2,287	5,386	414	330	1	13
Urban	8,382	8,162	6,342	3,314	1,084	509	155	479	801	1,645	175	214	1	5
Rural	16,996	16,872	12,892	7,513	1,821	956	201	915	1,486	3,741	239	116	-------	8
Kansas	19,773	18,472	15,573	9,006	1,233	770	285	1,509	2,770	2,552	347	1,266	1	34
Urban	6,349	5,492	4,733	2,630	453	239	104	496	811	645	114	854	1	2
Rural	13,424	12,980	10,840	6,376	780	531	181	1,013	1,959	1,907	233	412	-------	32
entucky	29,292	24,878	23,661	19,775	833	353	114	1,076	1,510	922	295	4,414	-------	-------
Urban	7,765	6,028	5,272	3,624	616	199	73	257	503	667	89	1,737	-------	-------
Rural	21,527	18,850	18,389	16,151	217	154	41	819	1,007	255	206	2,677	-------	-------
Louisiana	22,372	11,557	10,209	6,992	925	558	69	633	1,032	1,080	268	10,784	1	30
Urban	9,615	5,530	4,613	2,820	770	413	43	191	376	850	67	4,071	-------	14
Rural	12,757	6,027	5,596	4,172	155	145	26	442	656	230	201	6,713	1	16
Maine	11,665	11,631	9,695	7,071	1,021	897	23	243	440	1,813	123	22	-------	12
Urban	3,730	3,716	2,834	1,786	517	323	9	71	128	844	38	14	-------	-------
Rural	7,935	7,915	6,861	5,285	504	574	14	172	312	969	85	8	-------	12
Maryland	22,111	16,766	14,262	9,743	1,860	863	161	694	941	2,309	195	5,338	1	6
Urban	12,998	10,136	8,163	4,973	1,509	630	121	363	567	1,874	99	2,856	1	5
Rural	9,113	6,630	6,099	4,770	351	233	40	331	374	435	96	2,482	-------	1
Massachusetts	52,166	51,104	33,334	15,658	10,738	3,648	379	1,410	1,501	17,481	289	1,004	2	56
Urban	42,054	41,132	25,981	11,366	9,151	3,042	329	993	1,100	14,914	237	870	1	51
Rural	10,112	9,972	7,353	4,292	1,587	606	50	417	401	2,567	52	134	1	5
Michigan	49,347	47,246	32,974	16,370	7,207	3,860	682	1,990	2,865	13,332	940	1,917	3	181
Urban	26,293	24,642	16,627	7,496	4,480	2,160	378	846	1,267	7,515	500	1,621	2	28
Rural	23,054	22,604	16,347	8,874	2,727	1,700	304	1,144	1,598	5,817	440	296	1	153
Minnesota	25,321	24,887	14,897	6,737	4,637	2,025	218	500	780	9,764	226	197	-------	237
Urban	10,963	10,764	6,793	2,970	2,133	962	113	266	349	3,879	92	172	-------	27
Rural	14,358	14,123	8,104	3,767	2,504	1,063	105	234	431	5,885	134	25	-------	210
Mississippi	20,398	7,760	7,390	5,506	106	100	28	648	1,002	163	207	12,618	-------	20
Urban	2,912	1,279	1,193	838	54	31	13	111	146	52	34	1,632	-------	1
Rural	17,486	6,481	6,197	4,668	52	69	15	537	856	111	173	10,986	-------	19
Missouri	42,043	37,981	32,062	19,839	3,475	1,519	481	2,783	3,965	4,916	1,003	4,046	-------	16
Urban	20,128	17,261	13,397	7,131	2,406	915	304	1,057	1,584	3,419	445	2,855	-------	12
Rural	21,915	20,720	18,665	12,708	1,069	604	177	1,726	2,381	1,497	558	1,191	-------	4

[1] Including District of Columbia.

[2] A list of these cities can be found on p. 7.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF WHITE: 1923—Continued

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural"]

AREA	All deaths	WHITE										Negro	Japanese	Other colored
		Total	Native							Foreign born	Nativity unknown			
			Total	Both parents native	Both parents foreign born	One parent foreign born, one native	One parent foreign born, one unknown	One parent native, one unknown	Both parents unknown					
Montana	4,893	4,552	3,151	1,463	628	334	50	196	480	1,244	157	41	13	287
Urban	1,580	1,538	1,021	434	255	103	16	67	146	459	58	24	3	15
Rural	3,313	3,014	2,130	1,029	373	231	34	129	334	785	99	17	10	272
Nebraska	12,632	12,229	8,857	5,093	1,367	675	128	490	1,104	3,164	208	267	7	129
Urban	3,971	3,733	2,724	1,391	537	241	40	161	354	916	93	235	3	-------
Rural	8,661	8,496	6,133	3,702	830	434	88	329	750	2,248	115	32	4	129
New Hampshire	6,747	6,736	5,092	2,772	682	445	55	386	752	1,415	229	9	-------	2
Urban	2,921	2,917	2,065	940	456	247	25	143	254	773	79	3	-------	1
Rural	3,826	3,819	3,027	1,832	226	198	30	243	498	642	150	6	-------	1
New Jersey	41,492	38,775	26,595	14,589	7,929	2,434	222	613	808	11,918	262	2,699	3	15
Urban	26,384	24,552	15,938	7,645	5,765	1,638	147	304	439	8,451	163	1,818	1	13
Rural	15,108	14,223	10,657	6,944	2,164	796	75	309	369	3,467	99	881	2	2
New York	141,085	136,303	88,518	42,252	30,193	9,219	710	2,578	3,566	46,649	1,136	4,512	37	233
Urban	106,024	101,820	60,933	25,465	25,315	6,914	425	1,162	1,652	40,126	761	3,997	33	174
Rural	35,061	34,483	27,585	16,787	4,878	2,305	285	1,416	1,914	6,523	375	515	4	59
North Carolina	32,142	19,713	19,307	16,773	78	97	27	1,226	1,106	140	266	12,258	1	170
Urban	6,100	3,262	3,132	2,579	44	33	10	206	260	71	59	2,836	1	1
Rural	26,042	16,451	16,175	14,194	34	64	17	1,020	846	69	207	9,422	-------	169
Ohio	75,054	70,211	56,568	35,223	9,576	3,741	705	2,960	4,363	12,356	1,287	4,820	1	22
Urban	42,128	38,303	28,602	15,812	6,892	2,304	410	1,264	1,920	9,145	556	3,807	1	17
Rural	32,926	31,908	27,966	19,411	2,684	1,437	295	1,696	2,443	3,211	731	1,013	-------	5
Oregon	9,010	8,765	6,731	3,592	707	521	143	653	1,115	1,771	263	43	38	164
Urban	4,024	3,924	2,850	1,443	396	254	66	272	419	977	97	34	17	49
Rural	4,986	4,841	3,881	2,149	311	267	77	381	696	794	166	9	21	115
Pennsylvania	120,622	113,332	88,427	55,012	19,368	6,573	858	3,085	3,531	23,926	979	7,252	1	37
Urban	65,427	59,639	43,459	24,059	11,802	3,833	508	1,386	1,871	15,634	546	5,757	-------	31
Rural	55,195	53,693	44,968	30,953	7,566	2,740	350	1,699	1,660	8,292	433	1,495	1	6
Rhode Island	8,622	8,368	5,448	2,570	1,981	634	30	86	147	2,863	57	247	-------	7
Urban	7,244	7,018	4,458	1,956	1,759	536	27	65	115	2,514	46	221	-------	5
Rural	1,378	1,350	990	614	222	98	3	21	32	349	11	26	-------	2
South Carolina	20,667	8,281	8,055	6,673	107	92	9	605	569	120	106	12,384	-------	2
Urban	3,712	1,627	1,525	1,061	76	45	2	118	223	78	24	2,085	-------	-------
Rural	16,955	6,654	6,530	5,612	31	47	7	487	346	42	82	10,299	-------	2
Tennessee	28,502	20,185	19,441	15,211	203	174	56	1,875	1,922	337	407	8,316	-------	1
Urban	8,939	5,148	4,761	3,446	145	83	38	465	584	238	149	3,790	-------	1
Rural	19,563	15,037	14,680	11,765	58	91	18	1,410	1,338	99	258	4,526	-------	-------
Utah	4,513	4,395	3,059	1,726	638	388	35	96	176	1,265	71	25	33	60
Urban	2,134	2,085	1,413	722	326	186	22	49	108	627	45	18	21	10
Rural	2,379	2,310	1,646	1,004	312	202	13	47	68	638	26	7	12	50
Vermont	5,364	5,360	4,375	2,862	508	367	36	222	380	926	59	4	-------	-------
Urban	808	806	601	340	116	68	6	31	40	199	6	2	-------	-------
Rural	4,556	4,554	3,774	2,522	392	299	30	191	340	727	53	2	-------	-------
Virginia	30,760	18,773	18,015	14,942	326	303	54	1,178	1,212	552	206	11,970	1	16
Urban	8,577	4,737	4,389	3,380	186	156	29	286	352	302	46	3,836	1	3
Rural	22,183	14,036	13,626	11,562	140	147	25	892	860	250	160	8,134	-------	13
Washington	13,856	13,189	9,089	4,984	1,464	873	172	576	1,020	3,747	352	137	210	320
Urban	6,964	6,670	4,485	2,447	849	452	77	266	394	2,030	155	96	139	59
Rural	6,892	6,519	4,604	2,537	615	421	95	310	626	1,717	198	41	71	261
Wisconsin	29,291	28,985	18,348	8,119	6,220	2,054	236	456	1,263	10,345	292	122	-------	184
Urban	12,103	12,011	7,719	3,176	2,916	935	114	199	379	4,178	114	75	-------	17
Rural	17,188	16,974	10,629	4,943	3,304	1,119	122	257	884	6,167	178	47	-------	167
Wyoming	2,180	2,035	1,468	830	196	113	17	112	200	417	150	37	35	73
Urban	489	467	358	217	38	23	3	34	43	66	43	15	4	3
Rural	1,691	1,568	1,110	613	158	90	14	78	157	351	107	22	31	70

NOTE.—Population in reports of Fourteenth Census of the United States, 1920: Vol. II, Ch. I, Tables, 5 and 24, and Thirteenth Census of the United States, 1910: Vol. I, Ch. II, Tables 18 and 45.

TABLE 3.—DEATHS (EXCLUSIVE OF STILL

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural"]

	AREA AND COLOR		All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
1	The registration area (exclusive of Hawaii)	White	1,042,064	141,580	27,896	13,781	8,517	6,526	198,300	21,250	15,203	22,389	28,497	31,298
		Colored	150,953	24,694	5,973	2,609	1,397	945	35,618	3,009	2,898	6,580	9,535	9,036
2	Registration States [1]	White	1,028,101	139,340	27,345	13,546	8,372	6,411	195,014	21,009	14,990	21,964	27,854	30,654
		Colored	145,964	24,014	5,835	2,536	1,360	927	34,672	2,933	2,843	6,357	9,162	8,656
3	Cities in registration States [1]	White	537,487	70,769	13,676	6,766	4,428	3,483	99,122	11,547	7,609	10,906	15,129	17,678
		Colored	64,493	9,591	2,460	1,049	525	369	13,994	1,040	913	2,429	4,153	4,514
4	Rural part of registration States	White	490,614	68,571	13,669	6,780	3,944	2,928	95,892	9,462	7,381	11,058	12,725	12,976
		Colored	81,471	14,423	3,375	1,487	835	558	20,678	1,893	1,930	3,928	5,009	4,142
5	Registration cities in nonregistration States [2]	White	13,963	2,240	551	235	145	115	3,286	241	213	425	643	644
		Colored	4,989	680	138	73	37	18	946	76	55	223	373	380
6	All registration cities [1]	White	551,450	73,009	14,227	7,001	4,573	3,598	102,408	11,788	7,822	11,331	15,772	18,322
		Colored	69,482	10,271	2,598	1,122	562	387	14,940	1,116	968	2,652	4,526	4,894
7	California	White	51,600	5,350	1,094	486	345	294	7,569	970	699	1,073	1,596	1,799
		Colored	2,966	508	145	81	33	28	795	63	57	81	148	155
8	Urban	White	30,023	2,824	551	253	191	177	3,996	554	372	553	898	1,068
		Colored	1,650	265	71	41	15	17	409	30	31	48	97	91
9	Rural	White	21,577	2,526	543	233	154	117	3,573	416	327	520	698	731
		Colored	1,316	243	74	40	18	11	386	33	26	33	51	64
10	Colorado	White	11,983	1,765	307	190	86	99	2,447	305	215	315	435	596
		Colored	319	36	5	4	3	1	49	5	8	8	20	20
11	Urban	White	5,446	690	112	74	37	42	955	106	81	122	198	267
		Colored	223	20	4	2	3	1	30	4	4	7	11	11
12	Rural	White	6,537	1,075	195	116	49	57	1,492	199	134	193	237	329
		Colored	96	16	1	2	----	----	19	1	4	1	9	9
13	Connecticut	White	17,287	2,273	433	226	138	109	3,179	386	237	297	351	501
		Colored	448	79	17	8	4	2	110	4	6	20	23	24
14	Urban	White	13,025	1,854	371	204	119	92	2,640	326	198	213	275	391
		Colored	378	67	17	7	4	2	97	3	6	14	16	22
15	Rural	White	4,262	419	62	22	19	17	539	60	39	84	76	110
		Colored	70	12	----	1	----	----	13	1	----	6	7	2
16	Delaware	White	2,580	350	91	42	27	18	528	60	34	36	70	66
		Colored	649	122	44	16	5	2	189	12	10	30	23	27
17	Urban	White	1,305	188	61	28	16	16	309	36	17	20	37	33
		Colored	245	42	18	7	2	----	69	4	3	4	7	14
18	Rural	White	1,275	162	30	14	11	2	219	24	17	16	33	33
		Colored	404	80	26	9	3	2	120	8	7	26	16	13
19	Florida	White	8,366	1,024	314	118	86	54	1,596	171	122	202	246	258
		Colored	5,744	804	139	72	43	23	1,081	100	110	245	417	372
20	Urban	White	2,403	271	58	29	20	16	394	48	25	48	81	80
		Colored	1,842	299	48	16	16	5	384	29	22	77	152	139
21	Rural	White	5,963	753	256	89	66	38	1,202	123	97	154	165	178
		Colored	3,902	505	91	56	27	18	697	71	88	168	265	233
22	Georgia	White	17,559	2,967	781	404	201	133	4,486	374	307	457	548	622
		Colored	16,232	2,482	614	311	168	115	3,690	337	389	780	1,139	1,000
23	Urban	White	4,861	749	211	90	48	33	1,131	90	62	123	170	214
		Colored	5,474	714	244	116	49	33	1,156	95	92	252	437	401
24	Rural	White	12,698	2,218	570	314	153	100	3,355	284	245	334	378	408
		Colored	10,758	1,768	370	195	119	82	2,534	242	297	528	702	599
25	Idaho	White	3,179	489	68	48	29	19	653	81	72	106	97	101
		Colored	151	19	1	2	2	1	25	5	1	8	11	8
26	Urban	White	466	57	12	5	2	1	77	8	5	14	17	25
		Colored	16	2	----	----	----	----	2	----	----	----	2	2
27	Rural	White	2,713	432	56	43	27	18	576	73	67	92	80	76
		Colored	135	17	1	2	2	1	23	5	1	8	9	6
28	Illinois	White	76,678	10,113	1,890	912	625	465	14,005	1,584	1,081	1,615	2,116	2,386
		Colored	5,075	696	211	90	41	33	1,071	91	60	197	325	368
29	Urban	White	45,911	6,302	1,219	551	412	299	8,783	1,055	648	958	1,304	1,549
		Colored	4,075	591	180	75	35	32	913	76	47	149	251	288
30	Rural	White	30,767	3,811	671	361	213	166	5,222	529	433	657	812	837
		Colored	1,000	105	31	15	6	1	158	15	13	48	74	80
31	Indiana	White	36,929	4,382	871	453	230	203	6,139	698	523	839	990	1,043
		Colored	1,917	269	70	29	9	9	386	35	34	79	115	139
32	Urban	White	15,211	2,000	390	210	96	94	2,790	315	216	383	476	534
		Colored	1,603	242	65	28	9	9	353	30	24	68	108	130
33	Rural	White	21,718	2,382	481	243	134	109	3,349	383	307	456	514	509
		Colored	314	27	5	1	----	----	33	5	10	11	7	9
34	Iowa	White	25,034	2,926	457	259	158	135	3,935	496	378	430	557	616
		Colored	344	38	9	3	1	1	52	1	3	12	19	12
35	Urban	White	8,162	905	167	80	55	49	1,256	184	127	157	210	281
		Colored	220	27	5	3	----	1	36	----	2	8	12	8
36	Rural	White	16,872	2,021	290	179	103	86	2,679	312	251	273	347	335
		Colored	124	11	4	----	1	----	16	1	1	4	7	4
37	Kansas	White	18,472	2,292	422	249	131	100	3,194	362	301	384	463	499
		Colored	1,301	171	35	15	9	3	233	19	18	51	56	58
38	Urban	White	5,492	705	143	81	34	26	989	97	91	128	166	202
		Colored	857	119	27	5	7	3	161	14	8	30	36	41
39	Rural	White	12,98	1,587	279	168	97	74	2,205	265	210	256	297	297
		Colored	444	52	8	10	2	----	72	5	10	21	20	17
40	Kentucky	White	24,878	4,085	1,121	474	269	191	6,140	512	444	813	988	858
		Colored	4,414	552	142	44	28	20	786	76	76	163	236	235
41	Urban	White	6,028	760	159	63	42	25	1,049	97	93	156	211	204
		Colored	1,737	189	44	14	11	6	264	26	18	56	75	99
42	Rural	White	18,850	3,325	962	411	227	166	5,091	415	351	657	777	654
		Colored	2,677	363	98	30	17	14	522	50	58	107	161	136

[1] Including District of Columbia.

BIRTHS), BY AGE AND COLOR: 1923

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural"]

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	
33,804	39,274	41,572	47,026	56,496	62,576	78,555	85,934	88,876	81,928	60,875	32,953	11,382	2,396	468	1,012	1
8,027	9,285	8,972	9,322	9,419	7,120	7,026	6,216	5,783	4,355	3,547	1,988	1,268	565	753	631	
33,199	38,575	40,884	46,280	55,662	61,817	77,658	85,015	88,003	81,199	60,436	32,752	11,321	2,377	454	984	2
7,691	8,857	8,600	8,894	8,990	6,897	6,803	6,066	5,670	4,270	3,483	1,954	1,245	559	740	622	
19,287	22,963	25,017	28,513	34,298	37,024	44,330	44,065	41,884	35,080	24,677	12,883	4,266	856	167	186	3
4,228	4,912	4,882	4,876	4,744	3,504	3,081	2,329	1,816	1,256	811	452	239	116	115	89	
13,912	15,612	15,867	17,767	21,364	24,793	33,328	40,950	46,119	46,119	35,759	19,869	7,055	1,521	287	798	4
3,463	3,945	3,718	4,018	4,246	3,393	3,722	3,737	3,854	3,014	2,672	1,502	1,006	443	625	533	
605	699	688	746	834	759	897	919	873	729	439	201	61	19	14	28	5
336	428	372	428	429	223	223	150	113	85	64	34	23	6	13	9	
19,892	23,662	25,705	29,259	35,132	37,783	45,227	44,984	42,757	35,809	25,116	13,084	4,327	875	181	214	6
4,564	5,340	5,254	5,304	5,173	3,727	3,304	2,479	1,929	1,341	875	486	262	122	128	98	
2,007	2,274	2,520	2,697	3,176	3,408	4,160	4,273	4,282	3,875	2,920	1,602	553	115	22	10	7
144	156	165	188	175	163	190	148	130	75	64	24	25	5	12	3	
1,099	1,321	1,527	1,674	2,006	2,105	2,607	2,578	2,550	2,228	1,626	892	302	53	12	2	8
91	87	88	122	111	106	116	86	60	40	18	8	9	1	1	----	
908	953	993	1,023	1,170	1,303	1,553	1,695	1,732	1,647	1,294	710	251	62	10	8	9
53	69	77	66	64	57	74	62	70	35	46	16	16	4	11	3	
556	609	548	557	594	628	844	829	823	771	527	260	81	20	2	21	10
33	17	28	21	14	19	25	19	11	8	7	1	1	----	2	3	
256	310	264	274	287	320	411	403	392	354	249	134	39	8	----	16	11
21	14	21	13	12	17	21	13	8	6	5	----	1	----	1	3	
300	299	284	283	307	308	433	426	431	417	278	126	42	12	2	5	12
12	3	7	8	2	2	4	6	3	2	2	1	----	----	1	----	
531	614	724	827	1,027	1,072	1,409	1,442	1,490	1,348	996	585	212	37	15	7	13
31	25	20	26	23	21	32	26	22	20	8	4	2	----	----	1	
427	484	587	670	808	847	1,090	1,058	1,053	869	609	325	127	20	6	2	14
29	22	16	22	21	20	25	24	14	19	5	2	----	----	----	1	
104	130	137	157	219	225	319	384	437	479	387	260	85	17	9	5	15
2	3	4	4	2	1	7	2	8	1	3	2	2	----	----	----	
77	77	80	91	114	141	216	206	255	239	156	94	33	4	1	2	16
28	32	27	34	32	31	41	46	37	22	14	10	2	1	----	1	
29	49	45	53	64	80	126	94	111	89	58	37	15	3	----	----	17
14	13	14	18	18	9	18	18	9	5	3	4	1	----	----	----	
48	28	35	38	50	61	90	112	144	150	98	57	18	1	1	2	18
14	19	13	16	14	22	23	28	28	17	11	6	1	1	----	1	
292	319	356	372	442	488	629	688	756	674	418	219	68	11	3	36	19
323	418	403	435	430	253	243	200	224	141	119	71	43	21	35	60	
93	108	132	113	168	169	221	195	174	180	111	45	15	3	----	----	20
109	168	147	166	146	79	66	42	29	34	22	14	8	4	1	4	
199	211	224	259	274	319	408	493	582	494	307	174	53	8	3	36	21
214	250	256	269	284	174	177	158	195	107	97	57	35	17	34	56	
598	639	665	694	779	729	1,156	1,336	1,401	1,319	832	406	141	37	10	23	22
778	973	912	939	1,043	724	711	642	598	466	438	235	175	71	133	59	
191	201	219	242	278	263	341	369	335	327	189	80	22	10	2	2	23
339	428	413	453	437	253	206	164	117	78	67	30	21	15	12	8	
407	438	446	452	501	466	815	967	1,066	992	643	326	119	27	8	21	24
439	545	499	486	606	471	505	478	481	388	371	205	154	56	121	51	
118	126	137	144	142	191	256	247	250	198	135	80	26	6	2	11	25
2	3	5	7	6	5	10	14	9	8	10	4	4	1	1	4	
25	16	28	25	20	29	42	34	33	30	21	10	4	----	----	3	26
1	1	----	----	1	1	1	1	2	----	1	----	----	----	----	1	
93	110	109	119	122	162	214	213	217	168	114	70	22	6	2	8	27
1	2	5	7	5	4	9	13	7	8	9	4	4	1	1	3	
2,714	3,225	3,320	3,641	4,415	4,959	5,944	6,128	6,071	5,586	4,382	2,382	909	172	33	10	28
382	409	407	398	338	272	202	158	132	108	69	40	22	9	16	1	
1,815	2,213	2,313	2,601	2,970	3,246	3,777	3,478	3,147	2,639	1,927	968	381	71	17	1	29
312	350	335	317	275	233	154	125	88	60	42	28	16	5	10	1	
899	1,012	1,007	1,040	1,445	1,713	2,167	2,650	2,924	2,897	2,455	1,414	528	101	16	9	30
70	59	72	81	63	39	48	33	44	48	27	12	6	4	6	----	
1,027	1,165	1,275	1,322	1,712	2,094	2,794	3,405	3,701	3,563	2,565	1,491	440	85	16	42	31
90	123	125	147	136	104	108	91	75	50	37	13	10	7	3	10	
512	604	703	680	833	976	1,168	1,291	1,288	1,112	735	441	124	17	3	10	32
80	111	101	126	110	86	80	64	52	34	22	10	4	4	2	4	
515	561	572	642	879	1,118	1,626	2,114	2,413	2,451	1,830	1,050	316	68	13	32	33
10	12	24	21	26	18	28	27	23	16	15	3	6	3	1	6	
594	723	782	937	1,134	1,416	1,837	2,196	2,446	2,506	2,173	1,275	488	92	10	13	34
17	15	28	22	17	26	26	24	25	19	12	6	3	1	2	2	
236	296	334	411	465	563	668	724	702	631	500	288	110	16	----	3	35
10	10	25	17	9	17	19	16	12	10	4	2	2	----	----	1	
358	427	448	526	669	853	1,169	1,472	1,744	1,875	1,673	987	378	76	10	10	36
7	5	3	5	8	9	7	8	13	9	8	4	1	1	2	1	
515	570	581	644	797	968	1,270	1,509	1,713	1,929	1,542	890	254	59	11	17	37
66	64	84	92	87	66	82	83	60	78	47	29	14	8	3	3	
186	225	209	252	283	312	407	415	475	481	319	192	43	10	3	7	38
44	42	57	62	69	45	58	46	45	42	24	15	10	5	2	1	
329	345	372	392	514	656	863	1,094	1,238	1,448	1,223	698	211	49	8	10	39
22	22	27	30	18	21	24	37	15	36	23	14	4	3	1	2	
792	872	819	851	1,039	1,138	1,455	1,792	1,933	1,899	1,389	754	245	54	17	74	40
230	253	265	298	312	266	253	230	219	185	115	70	40	24	27	55	
229	212	245	271	338	395	488	546	500	437	321	172	52	9	2	1	41
112	120	142	155	152	124	111	83	68	60	31	19	3	7	7	5	
563	660	574	580	701	743	967	1,246	1,433	1,462	1,068	582	193	45	15	73	42
118	133	123	143	160	142	142	147	151	125	84	51	37	17	20	50	

[2] A list of these cities can be found on p. 7.

TABLE 3.—DEATHS (EXCLUSIVE OF STILL

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural"].

	AREA AND COLOR		All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
1	Louisiana	White	11,557	1,776	442	206	101	88	2,613	245	187	311	447	433
		Colored	10,815	1,677	304	190	89	53	2,313	187	199	540	706	648
2	Urban	White	5,530	547	186	71	36	37	877	106	83	133	226	211
		Colored	4,085	481	111	66	28	11	697	55	60	174	261	298
3	Rural	White	6,027	1,229	256	135	65	51	1,736	139	104	178	221	222
		Colored	6,730	1,196	193	124	61	42	1,616	132	139	366	445	350
4	Maine	White	11,631	1,557	241	86	62	51	1,997	145	118	180	236	229
		Colored	34		3				3			1	3	
5	Urban	White	3,716	490	103	32	19	18	662	52	40	56	97	89
		Colored	14										2	
6	Rural	White	7,915	1,067	138	54	43	33	1,335	93	78	124	139	140
		Colored	20		3				3			1	1	
7	Maryland	White	16,766	2,212	436	218	120	84	3,070	273	218	327	423	424
		Colored	5,345	1,068	225	81	46	23	1,443	80	90	206	262	236
8	Urban	White	10,136	1,258	261	125	71	53	1,768	168	124	189	235	269
		Colored	2,862	456	113	40	21	13	643	33	47	93	139	163
9	Rural	White	6,630	954	175	93	49	31	1,302	105	94	138	188	155
		Colored	2,483	612	112	41	25	10	800	47	43	113	123	73
10	Massachusetts	White	51,104	6,770	1,243	589	419	325	9,346	974	591	786	1,072	1,346
		Colored	1,062	173	50	23	12	9	267	28	11	24	34	51
11	Urban	White	41,132	5,851	1,091	520	366	280	8,108	822	485	625	849	1,093
		Colored	922	153	44	19	12	7	235	23	7	19	30	42
12	Rural	White	9,972	919	152	69	53	45	1,238	152	106	161	223	253
		Colored	140	20	6	4		2	32	5	4	5	4	9
13	Michigan	White	47,246	7,161	1,199	624	417	320	9,721	1,061	663	1,025	1,361	1,466
		Colored	2,101	313	80	34	17	13	457	37	30	79	187	203
14	Urban	White	24,642	4,273	753	406	265	196	5,893	632	345	538	840	985
		Colored	1,651	255	65	28	13	11	372	27	22	61	150	178
15	Rural	White	22,604	2,888	446	218	152	124	3,828	429	318	487	521	481
		Colored	450	58	15	6	4	2	85	10	8	18	37	25
16	Minnesota	White	24,887	3,402	500	256	184	154	4,496	608	422	605	711	820
		Colored	434	70	33	9	5	5	122	9	11	18	19	17
17	Urban	White	10,764	1,304	219	112	80	70	1,785	279	181	241	324	401
		Colored	199	18	4	1	1	1	25	4	1	6	8	7
18	Rural	White	14,123	2,098	281	144	104	84	2,711	329	241	364	387	419
		Colored	235	52	29	8	4	4	97	5	10	12	11	10
19	Mississippi	White	7,760	1,110	334	194	92	60	1,790	179	152	203	241	224
		Colored	12,638	1,812	477	239	178	117	2,823	353	309	722	857	696
20	Urban	White	1,279	145	50	34	13	10	252	44	34	41	44	46
		Colored	1,633	152	38	17	11	10	228	22	24	88	128	123
21	Rural	White	6,481	965	284	160	79	50	1,538	135	118	162	197	178
		Colored	11,005	1,660	439	222	167	107	2,595	331	285	634	729	573
22	Missouri	White	37,981	4,425	1,011	550	277	210	6,473	725	562	897	1,051	1,068
		Colored	4,062	476	149	50	35	24	734	38	60	163	235	233
23	Urban	White	17,261	1,852	370	181	98	86	2,587	316	232	384	538	563
		Colored	2,867	320	111	40	25	16	512	29	34	105	169	171
24	Rural	White	20,720	2,573	641	369	179	124	3,886	409	330	513	513	505
		Colored	1,195	156	38	10	10	8	222	9	26	58	66	62
25	Montana	White	4,552	675	91	61	40	38	905	147	98	119	140	147
		Colored	341	73	18	12	8	5	116	17	18	14	13	11
26	Urban	White	1,538	200	25	18	8	12	263	41	21	48	56	56
		Colored	42	4	1				5	1	1		3	
27	Rural	White	3,014	475	66	43	32	26	642	106	77	71	84	91
		Colored	299	69	17	12	8	5	111	16	17	14	10	11
28	Nebraska	White	12,229	1,663	249	136	105	69	2,222	294	205	286	294	305
		Colored	403	69	15	10	3	3	100	14	10	20	14	21
29	Urban	White	3,733	481	66	35	45	18	645	94	57	82	121	125
		Colored	238	28	5	3	1	2	39	4	3	9	12	17
30	Rural	White	8,496	1,182	183	101	60	51	1,577	200	148	204	173	180
		Colored	165	41	10	7	2	1	61	10	7	11	2	4
31	New Hampshire	White	6,736	866	138	55	35	32	1,126	106	68	107	111	133
		Colored	11	2					2		1	1	1	1
32	Urban	White	2,917	494	77	29	18	24	642	51	28	41	47	59
		Colored	4	2					2					
33	Rural	White	3,819	372	61	26	17	8	484	55	40	66	64	74
		Colored	7								1	1	1	1
34	New Jersey	White	38,775	4,903	1,043	508	315	282	7,051	836	603	804	1,052	1,181
		Colored	2,717	448	127	42	23	22	662	54	44	83	140	138
35	Urban	White	24,552	3,396	714	344	209	188	4,851	578	415	523	701	799
		Colored	1,832	300	95	34	17	18	464	39	32	58	91	90
36	Rural	White	14,223	1,507	329	164	106	94	2,200	258	188	281	351	382
		Colored	885	148	32	8	6	4	198	15	12	25	49	48
37	New York	White	136,303	15,834	2,753	1,322	884	688	21,481	2,413	1,729	2,523	3,381	3,980
		Colored	4,782	767	165	59	36	23	1,050	68	64	130	274	364
38	Urban	White	101,820	12,635	2,266	1,093	744	573	17,311	2,041	1,405	1,963	2,671	3,196
		Colored	4,204	691	151	55	35	23	955	59	45	107	246	331
39	Rural	White	34,483	3,199	487	229	140	115	4,170	372	324	560	710	784
		Colored	578	76	14	4	1		95	9	19	23	28	33
40	North Carolina	White	19,713	4,046	1,064	449	235	161	5,955	501	321	479	609	647
		Colored	12,429	2,767	697	248	149	89	3,950	294	249	603	758	701
41	Urban	White	3,262	566	154	63	43	32	858	84	61	92	134	163
		Colored	2,838	605	126	57	34	16	838	46	35	135	211	221
42	Rural	White	16,451	3,480	910	386	192	129	5,097	417	260	387	475	484
		Colored	9,591	2,162	571	191	115	73	3,112	248	214	468	547	480

BIRTHS), BY AGE AND COLOR: 1923—Continued

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural"]

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	
449	469	536	548	690	580	718	852	864	723	450	277	84	35	9	37	1
566	685	604	730	636	480	448	455	405	344	298	222	138	75	84	52	
222	265	307	316	424	339	427	442	417	336	216	126	36	11	5	5	2
286	324	301	348	330	232	188	164	116	85	62	49	18	17	14	6	
227	204	229	232	266	241	291	410	447	387	234	151	48	24	4	32	3
280	361	303	382	306	248	260	291	289	259	236	173	120	58	70	46	
240	348	316	405	548	572	841	1,094	1,256	1,249	1,024	585	200	40	7	1	4
2	1	2	2	2	4	3	4	1	1	3	1	1				
89	149	138	167	217	207	281	331	380	327	252	130	36	12	3	1	5
	1	2	2	1	2		2	1		1						
151	199	178	238	331	365	560	763	876	922	772	455	164	28	4		6
2				1	2	3	2		1	2	1	1				
518	561	630	769	953	1,079	1,407	1,528	1,559	1,328	1,007	482	157	33	4	16	7
235	312	322	341	364	303	298	230	221	142	129	62	22	14	7	26	
337	368	450	509	684	747	920	923	911	714	491	231	73	21	3	1	8
161	218	222	245	246	186	153	112	88	58	25	14	9	5	2		
181	193	180	260	269	332	487	605	648	614	516	251	84	12	1	15	9
74	94	100	96	118	117	145	118	133	84	104	48	13	9	5	26	
1,397	1,757	2,027	2,313	3,018	3,416	4,222	4,568	4,670	3,995	3,082	1,706	622	155	21	20	10
55	65	64	83	64	54	59	63	60	34	23	15	5	1	2		
1,170	1,458	1,699	1,939	2,549	2,843	3,434	3,641	3,563	2,935	2,217	1,154	425	103	12	8	11
47	60	57	70	56	53	52	54	51	29	19	11	4	1	2		
227	299	328	374	469	573	788	927	1,107	1,060	865	552	197	52	9	12	12
8	5	7	13	8	1	7	9	9	5	4	4	1				
1,641	1,906	1,768	2,040	2,169	2,521	3,197	3,763	3,997	3,867	2,842	1,527	493	103	20	95	13
187	202	139	124	107	84	48	50	51	37	29	23	12	2	3	10	
1,074	1,239	1,143	1,261	1,229	1,363	1,644	1,656	1,633	1,404	1,011	524	157	31	11	29	14
161	166	115	111	84	61	37	29	30	16	13	10	3		1	4	
567	667	625	779	940	1,158	1,553	2,107	2,364	2,463	1,831	1,003	336	72	9	66	15
26	36	24	13	23	23	11	21	21	21	16	13	9	2	2	6	
875	1,046	963	1,032	1,247	1,480	1,867	2,048	1,893	1,856	1,483	940	389	83	12	11	16
24	27	26	26	23	24	23	17	18	14	12	1		2	1		
441	554	494	545	675	797	919	946	719	605	445	288	99	19	4	3	17
15	21	19	21	17	17	13	6	10	4	5						
434	492	469	487	572	683	948	1,102	1,174	1,251	1,038	652	290	64	8	8	18
9	6	7	5	6	7	10	11	8	10	7	1		2	1		
233	298	306	304	360	293	445	581	694	624	443	222	85	13	4	66	19
559	636	604	632	689	542	520	533	573	477	431	222	165	67	134	95	
46	58	70	62	76	62	90	98	86	61	61	28	11	1		8	20
113	106	121	122	131	105	71	60	55	52	33	20	9	2	10	10	
187	240	236	242	284	231	355	483	608	563	382	194	74	12	4	58	21
445	530	483	510	558	437	449	473	518	425	398	202	156	65	124	85	
1,166	1,380	1,427	1,669	2,012	2,226	2,922	3,175	3,344	3,274	2,494	1,458	467	94	18	79	22
222	318	304	311	283	248	198	196	161	130	84	50	33	17	9	35	
619	798	797	941	1,186	1,247	1,530	1,449	1,325	1,229	839	484	157	29	5	6	23
177	256	244	249	214	191	140	119	86	66	42	25	18	2	4	14	
547	582	630	728	826	979	1,392	1,726	2,019	2,045	1,655	974	310	65	13	73	24
45	62	60	62	69	57	58	77	75	64	42	25	15	15	5	21	
183	236	254	254	270	289	343	329	281	264	165	94	17	5	1	11	25
10	17	9	17	13	16	18	16	17	5	5	5		2	2		
64	85	109	105	99	119	139	106	87	73	41	21	2	1		2	26
3	3	1	7	2	3	2	4	5		1	1					
119	151	145	149	171	170	204	223	194	191	124	73	15	4	1	9	27
7	14	8	10	11	13	16	12	12	5	4	4		2	2		
342	392	401	435	529	673	876	1,028	1,161	1,124	939	501	160	39	8	15	28
21	34	31	19	20	21	19	16	11	11	12	2	4	1		2	
134	150	157	175	224	258	290	314	297	280	190	101	33	4	1	1	29
18	26	26	15	14	15	14	10	6	2	3	1	2	1		1	
208	242	244	260	305	415	586	714	864	844	749	400	127	35	7	14	30
3	8	5	4	6	6	5	6	5	9	9	1	2			1	
132	150	180	242	303	362	500	674	699	737	546	357	135	29	7	32	31
		1	1		1			1				1				
60	77	90	117	150	172	208	264	281	277	187	106	35	13	3	9	32
		1										1				
72	73	90	125	153	190	292	410	418	460	359	251	100	16	4	23	33
			1		1			1								
1,306	1,429	1,670	2,067	2,416	2,571	3,083	3,274	3,196	2,804	2,012	988	329	91	9	3	34
165	184	216	200	171	151	143	101	100	59	58	21	14	5	8		
881	932	1,156	1,391	1,636	1,682	1,970	1,985	1,851	1,512	1,002	496	150	36	5		35
123	129	154	141	128	98	89	52	56	33	31	12	7	2	3		
425	497	514	676	780	889	1,113	1,289	1,345	1,292	1,010	492	179	55	4	3	36
42	55	62	59	43	53	54	49	44	26	27	9	7	3	5		
4,521	5,471	6,244	7,450	9,127	10,016	11,915	11,902	11,551	9,981	7,116	3,798	1,322	257	49	76	37
352	410	389	360	319	242	213	173	141	88	75	39	14	9	7	1	
3,608	4,389	5,109	6,049	7,478	7,998	9,173	8,570	7,751	6,120	4,116	2,032	661	128	28	23	38
318	375	349	316	277	221	187	139	109	65	59	27	9	4	5	1	
913	1,082	1,135	1,401	1,649	2,018	2,742	3,332	3,800	3,861	3,000	1,766	661	129	21	53	39
34	35	40	44	42	21	26	34	32	23	16	12	5	5	2		
622	686	664	659	707	757	1,085	1,372	1,603	1,367	917	451	180	50	17	64	40
537	555	489	510	573	461	503	499	524	381	313	193	131	51	73	83	
145	142	163	147	149	162	202	208	200	169	105	54	16	2	1	5	41
159	179	150	143	173	108	121	86	82	52	40	28	12	6	5	8	
477	544	501	512	558	595	883	1,164	1,403	1,198	812	397	164	48	16	59	42
378	374	339	367	400	353	382	413	442	329	273	165	119	45	68	75	

TABLE 3.—DEATHS (EXCLUSIVE OF STILL

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural"]

	AREA AND COLOR		All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
1	Ohio	White	70,211	8,900	1,552	824	534	420	12,230	1,404	946	1,416	1,793	2,091
		Colored	4,843	705	171	66	40	24	1,006	82	72	153	366	365
2	Urban	White	38,303	5,076	877	483	325	266	7,027	860	546	797	1,110	1,330
		Colored	3,825	566	145	57	34	19	821	67	52	126	309	308
3	Rural	White	31,908	3,824	675	341	209	154	5,203	544	400	619	683	761
		Colored	1,018	139	26	9	6	5	185	15	20	27	57	57
4	Oregon	White	8,765	825	106	82	50	38	1,101	171	166	208	270	276
		Colored	245	34	9	10	3	2	58	14	8	12	9	11
5	Urban	White	3,924	309	45	23	22	13	412	82	61	89	132	137
		Colored	100	7	1	4		1	13	5	2	6	3	5
6	Rural	White	4,841	516	61	59	28	25	689	89	105	119	138	139
		Colored	145	27	8	6	3	1	45	9	6	6	6	6
7	Pennsylvania	White	113,332	18,441	3,606	1,793	1,069	818	25,727	2,553	1,643	2,381	2,826	3,136
		Colored	7,290	1,198	310	129	55	31	1,723	126	117	246	505	508
8	Urban	White	59,639	8,547	1,819	939	585	444	12,334	1,407	881	1,202	1,601	1,849
		Colored	5,788	952	257	103	46	23	1,381	103	95	195	401	407
9	Rural	White	53,693	9,894	1,787	854	484	374	13,393	1,146	762	1,179	1,225	1,287
		Colored	1,502	246	53	26	9	8	342	23	22	51	104	101
10	Rhode Island	White	8,368	1,318	297	116	89	58	1,878	149	98	135	169	202
		Colored	254	44	10	7	3	1	65	6	2	4	6	6
11	Urban	White	7,018	1,124	260	101	76	55	1,616	119	82	103	136	167
		Colored	226	42	10	7	2	1	62	5	1	3	6	6
12	Rural	White	1,350	194	37	15	13	3	262	30	16	32	33	35
		Colored	28	2			1		3	1	1	1		
13	South Carolina	White	8,281	1,594	467	159	102	68	2,390	193	161	197	241	227
		Colored	12,386	2,669	645	263	106	90	3,773	301	285	559	806	662
14	Urban	White	1,627	210	73	16	10	11	320	32	26	34	59	48
		Colored	2,085	356	85	42	15	22	520	33	34	95	148	155
15	Rural	White	6,654	1,384	394	143	92	57	2,070	161	135	163	182	179
		Colored	10,301	2,313	560	221	91	68	3,253	268	251	464	658	507
16	Tennessee	White	20,185	3,154	910	456	240	159	4,919	410	376	660	784	763
		Colored	8,317	1,037	311	129	70	62	1,609	171	216	436	589	571
17	Urban	White	5,148	687	181	93	58	35	1,054	110	81	166	242	236
		Colored	3,791	446	122	49	26	32	675	59	73	163	261	346
18	Rural	White	15,037	2,467	729	363	182	124	3,865	300	295	494	542	527
		Colored	4,526	591	189	80	44	30	934	112	143	273	328	225
19	Utah	White	4,395	783	99	56	40	37	1,015	128	101	146	142	129
		Colored	118	24	6	1	2	2	35	2	2	3	5	5
20	Urban	White	2,085	285	32	23	14	14	368	56	38	74	77	70
		Colored	49	6			1		7				1	4
21	Rural	White	2,310	498	67	33	26	23	647	72	63	72	65	59
		Colored	69	18	6	1	1	2	28	2	2	3	4	1
22	Vermont	White	5,360	556	91	48	31	14	740	52	65	92	88	104
		Colored	4	1					1					
23	Urban	White	806	110	10	4	5	2	131	6	8	18	15	22
		Colored	2											
24	Rural	White	4,554	446	81	44	26	12	609	46	57	74	73	82
		Colored	2	1					1					
25	Virginia	White	18,773	3,144	733	393	231	135	4,636	379	273	438	555	470
		Colored	11,987	2,256	454	199	105	66	3,080	219	213	506	655	577
26	Urban	White	4,737	637	120	75	53	29	914	95	66	106	125	144
		Colored	3,840	738	148	68	31	19	1,004	63	47	150	221	231
27	Rural	White	14,036	2,507	613	318	178	106	3,722	284	207	332	430	326
		Colored	8,147	1,518	306	131	74	47	2,076	156	166	356	434	346
28	Washington	White	13,189	1,310	166	103	95	59	1,733	292	243	341	422	437
		Colored	667	118	33	13	8	13	185	25	15	30	38	32
29	Urban	White	6,670	606	69	53	49	20	797	158	115	162	194	202
		Colored	294	48	15	5	3	5	76	8	3	9	15	11
30	Rural	White	6,519	704	97	50	46	39	936	134	128	179	228	235
		Colored	373	70	18	8	5	8	109	17	12	21	23	21
31	Wisconsin	White	28,985	4,072	570	334	238	186	5,400	659	482	633	739	804
		Colored	306	43	9	7		1	60	18	10	13	14	27
32	Urban	White	12,011	1,323	296	181	112	99	2,511	319	206	252	347	392
		Colored	92	11	1	1			13	6	4	2	6	9
33	Rural	White	16,974	2,249	274	153	126	87	2,889	340	276	381	392	412
		Colored	214	32	8	6		1	47	12	6	11	8	18
34	Wyoming	White	2,035	375	64	28	16	14	497	44	44	38	108	125
		Colored	145	19	14	1	3	2	39	4	1	5	8	9
35	Urban	White	467	106	14	5	6	5	136	10	11	12	34	36
		Colored	22	2	1			1	4				2	
36	Rural	White	1,568	269	50	23	10	9	361	34	33	26	74	89
		Colored	123	17	13	1	3	1	35	4	1	5	6	9

NOTE.—Population in reports of Fourteenth Census of the United States, 1920: Vol. II, Ch. III, Tables 13, 15, and 16, and Vol. III, Table 8, and Thirteenth Census of the United States, 1910: Vol. I, Ch. IV, Tables 43, 49, 50, 53, and 54.

BIRTHS), BY AGE AND COLOR: 1923—Continued

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural"]

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	
2,241	2,446	2,558	3,003	3,495	4,066	5,266	6,043	6,415	6,315	4,878	2,523	867	160	21	34	1
363	377	339	292	320	208	199	193	160	147	83	41	42	14	12	9	
1,491	1,628	1,641	1,948	2,219	2,433	3,067	3,146	3,058	2,619	1,970	992	334	68	8	11	2
305	329	295	240	257	154	155	132	105	76	37	19	21	7	7	3	
750	818	917	1,055	1,276	1,633	2,199	2,897	3,357	3,696	2,908	1,531	533	92	13	23	3
58	48	44	52	63	54	44	61	55	71	46	22	21	7	5	6	
319	335	380	409	540	567	712	755	838	727	552	284	109	24	3	19	4
11	12	12	9	6	13	9	19	13	14	2	6	3	1	1	2	
156	189	217	213	274	273	352	364	348	281	207	97	34	2	----	4	5
4	7	8	7	5	10	5	8	9	2	----	----	----	----	----	1	
163	146	163	196	266	294	360	391	490	446	345	187	75	22	3	15	6
7	5	4	2	1	3	4	11	4	12	2	6	3	1	1	1	
3,462	4,312	4,539	5,216	6,309	7,030	8,211	8,859	9,046	8,0[illegible]7	5,846	2,997	958	165	40	9	7
470	592	572	525	489	367	321	197	200	152	97	47	21	8	6	1	
2,060	2,599	2,740	3,155	3,809	4,119	4,681	4,683	4,508	3,675	2,515	1,326	397	77	17	4	8
374	472	459	439	404	302	252	144	140	102	65	32	10	5	5	1	
1,402	1,713	1,799	2,061	2,500	2,911	3,530	4,176	4,538	4,392	3,331	1,671	561	88	23	5	9
96	120	113	86	85	65	69	53	60	50	32	15	11	3	1	----	
221	255	309	394	504	568	695	688	713	623	424	239	75	25	3	1	10
13	14	14	19	20	20	13	18	15	9	5	1	1	2	1	----	
196	220	273	334	430	503	596	573	592	496	333	185	50	12	2	----	11
11	13	13	15	20	18	11	14	13	7	4	1	1	1	1	----	
25	35	36	60	74	65	99	115	121	127	91	54	25	13	1	1	12
2	1	1	4	----	2	2	4	2	2	1	----	----	1	----	----	
258	313	301	337	349	374	526	606	623	573	355	166	65	11	4	11	13
600	641	596	612	633	407	494	509	479	354	300	143	94	44	61	33	
65	70	66	103	95	123	138	136	108	103	63	27	11	----	----	----	14
151	139	152	138	152	91	98	60	42	40	16	5	7	2	5	2	
193	243	235	234	254	251	388	470	515	470	292	139	54	11	4	11	15
449	502	444	474	481	316	396	449	437	314	284	138	87	42	56	31	
792	804	727	802	843	940	1,170	1,418	1,610	1,429	1,024	452	175	45	10	32	16
482	493	463	518	547	400	409	372	313	234	201	114	68	34	47	30	
246	264	235	262	281	290	338	362	382	285	184	76	40	7	2	5	17
274	267	295	272	284	205	195	150	99	62	45	29	13	7	10	7	
546	540	492	540	562	650	832	1,056	1,228	1,144	840	376	135	38	8	27	18
208	226	168	246	263	195	214	222	214	172	156	85	55	27	37	23	
155	192	170	198	231	227	203	298	311	261	200	134	52	5	1	6	19
4	10	8	9	6	5	9	6	3	1	3	----	1	----	----	1	
79	103	106	117	121	124	156	144	152	126	93	56	21	2	----	2	20
3	6	6	6	4	1	5	2	1	----	2	----	1	----	----	----	
76	89	64	81	110	103	137	154	159	135	107	78	31	3	1	4	21
1	4	2	3	2	4	4	4	2	1	1	----	----	----	----	1	
108	124	156	197	250	295	409	534	587	634	509	268	117	27	3	1	22
1	----	1	1	----	----	----	----	----	----	----	----	----	----	----	----	
23	28	40	35	48	50	64	73	81	70	54	25	12	2	----	1	23
----	----	1	1	----	----	----	----	----	----	----	----	----	----	----	----	
85	96	116	162	202	245	345	461	506	564	455	243	105	25	3	----	24
1	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
504	573	636	679	843	808	1,218	1,510	1,690	1,662	1,075	557	186	50	14	17	25
493	536	663	690	803	678	720	505	540	361	317	199	111	53	41	27	
141	173	196	238	298	274	397	425	413	367	226	96	35	7	----	1	26
209	232	298	269	322	245	234	126	98	43	23	10	4	8	1	2	
363	400	440	441	545	534	821	1,085	1,277	1,295	849	461	151	43	14	16	27
234	304	365	421	481	433	486	379	442	318	294	189	107	45	40	25	
497	585	590	668	827	889	1,153	1,202	1,127	962	679	369	116	27	4	26	28
40	38	38	42	34	32	24	32	9	16	15	11	2	2	3	4	
231	306	283	368	476	512	661	650	561	438	311	184	46	9	1	5	29
18	23	24	24	22	23	12	9	7	6	2	----	1	----	1	----	
266	279	307	300	351	377	492	552	566	524	368	185	70	18	3	21	30
22	15	14	18	12	9	12	23	2	10	13	11	1	2	2	4	
917	963	1,036	1,096	1,352	1,620	2,141	2,369	2,603	2,382	1,999	1,177	465	109	20	19	31
14	17	14	13	15	14	13	19	9	13	7	5	7	1	2	1	
419	468	523	508	636	727	925	979	968	752	594	320	124	29	8	4	32
4	9	5	3	6	4	5	6	2	4	----	2	1	----	1	----	
498	495	513	588	716	893	1,216	1,390	1,635	1,630	1,405	857	341	80	12	15	33
10	8	9	10	9	10	8	13	7	9	7	3	6	1	1	1	
112	138	116	100	106	96	106	101	108	79	61	27	11	1	----	17	34
13	12	8	3	7	4	10	4	2	3	3	----	1	1	----	8	
25	19	36	25	22	25	15	19	9	14	10	5	2	1	----	1	35
3	2	2	3	1	1	1	1	----	1	1	----	----	----	----	----	
87	119	80	75	84	71	91	82	99	65	51	22	9	----	----	16	36
10	10	6	----	6	3	9	3	2	2	2	----	1	1	----	8	

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1923

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
THE REGISTRATION AREA (EXCLUSIVE OF HAWAII)																		
All ages	635,645	557,372	415,478	374,708	130,539	105,998	11,316	4,025	75,036	70,823	1,199	1,130	1,107	137	885	537	85	14
Under 1 year	93,895	72,379	79,940	60,995	208	152	173	112	13,049	10,652	235	209	56	38	228	218	6	3
1 year	18,117	15,752	14,745	12,766	155	141	40	49	3,023	2,654	76	79	10	10	68	52	----	1
2 years	8,761	7,629	7,308	6,266	84	82	19	22	1,263	1,188	48	34	4	5	34	32	1	----
3 years	5,237	4,677	4,445	3,905	69	67	18	13	665	655	21	25	2	1	17	11	----	----
4 years	3,929	3,542	3,395	3,019	39	40	19	14	449	437	12	13	5	4	9	14	1	1
Under 5 years	129,939	103,979	109,833	86,951	555	482	269	210	18,449	15,586	392	360	77	58	356	327	8	5
5 to 9 years	13,142	11,117	11,387	9,375	229	173	50	36	1,390	1,449	55	51	8	8	23	25	----	----
10 to 14 years	9,919	8,182	8,163	6,358	326	284	43	29	1,326	1,443	46	57	6	3	9	8	----	----
15 to 19 years	14,441	14,528	10,591	9,906	870	844	131	47	2,746	3,646	70	62	20	5	12	17	1	1
20 to 24 years	18,634	19,398	11,884	12,501	1,949	1,791	278	94	4,395	4,914	51	55	39	8	23	34	15	1
25 to 29 years	19,936	20,398	11,783	13,026	3,323	2,614	417	135	4,268	4,524	43	50	38	7	42	41	22	1
30 to 34 years	21,512	20,319	12,264	12,773	4,854	3,290	508	115	3,730	4,066	35	42	64	4	48	28	9	1
35 to 39 years	26,290	22,269	13,771	13,409	6,997	4,190	743	164	4,609	4,440	29	40	52	4	79	22	10	----
40 to 44 years	28,035	22,509	14,796	13,431	7,740	4,613	824	168	4,485	4,253	35	31	63	5	89	7	3	1
45 to 49 years	31,720	24,628	17,159	14,858	8,703	5,302	812	192	4,866	4,224	39	27	60	10	75	15	6	----
50 to 54 years	37,163	28,752	20,496	17,150	10,464	7,100	1,051	235	4,952	4,228	36	30	97	1	66	8	1	----
55 to 59 years	39,067	30,629	22,123	18,404	12,334	8,624	874	217	3,544	3,335	42	40	114	7	33	1	3	1
60 to 64 years	47,607	37,974	28,821	23,906	13,911	10,483	1,106	328	3,528	3,217	65	34	158	4	17	1	1	1
65 to 69 years	50,166	41,984	32,176	27,599	13,535	11,174	1,081	369	3,180	2,786	69	48	113	4	9	3	3	1
70 to 74 years	50,080	44,579	31,401	28,536	14,445	13,031	1,031	432	3,053	2,544	34	33	113	3	2	----	1	----
75 to 79 years	43,990	42,293	27,466	27,326	13,219	12,651	850	416	2,363	1,857	49	41	40	2	2	----	1	----
80 to 84 years	30,546	33,876	18,418	21,575	9,709	10,230	551	392	1,791	1,631	48	46	29	2	----	----	----	----
85 to 89 years	15,603	19,338	9,264	12,022	5,128	6,082	235	222	949	978	18	33	9	1	----	----	----	----
90 to 94 years	5,205	7,445	2,823	4,295	1,725	2,356	86	97	552	677	15	19	4	1	----	----	----	----
95 to 99 years	1,168	1,793	547	930	357	525	13	24	245	306	5	8	1	----	----	----	----	----
100 years and over	457	764	89	156	89	106	15	13	252	475	12	14	----	----	----	----	----	----
Unknown	1,025	618	223	221	77	53	348	90	363	244	11	9	2	----	----	----	1	1
REGISTRATION STATES OF 1920																		
All ages	590,981	518,405	388,269	350,736	125,377	102,011	10,268	3,633	63,971	60,316	1,084	1,037	1,079	135	848	523	85	14
Under 1 year	87,036	67,003	74,876	57,107	190	140	163	107	11,302	9,204	223	194	56	36	220	212	6	3
1 year	16,672	14,500	13,726	11,907	138	126	37	41	2,627	2,290	67	73	10	10	67	52	----	1
2 years	8,043	6,983	6,800	5,810	81	78	17	21	1,059	1,005	47	33	4	5	34	31	1	----
3 years	4,804	4,350	4,130	3,679	64	65	18	12	557	558	16	24	2	1	17	11	----	----
4 years	3,658	3,260	3,187	2,819	38	37	17	12	389	363	12	11	5	4	9	13	1	1
Under 5 years	120,213	96,096	102,719	81,322	511	446	252	193	15,934	13,420	365	335	77	56	347	319	8	5
5 to 9 years	12,278	10,322	10,753	8,809	212	165	46	29	1,190	1,236	46	50	8	8	23	25	----	----
10 to 14 years	9,106	7,532	7,597	5,953	313	265	35	26	1,100	1,223	46	54	6	3	9	8	----	----
15 to 19 years	13,237	13,248	9,898	9,266	826	780	123	40	2,295	3,082	62	57	20	5	12	17	1	1
20 to 24 years	16,962	17,567	11,073	11,587	1,848	1,702	251	83	3,672	4,104	44	49	38	8	21	33	15	1
25 to 29 years	18,296	18,521	10,934	12,015	3,222	2,519	381	119	3,620	3,778	40	42	37	7	40	40	22	1
30 to 34 years	19,988	18,670	11,415	11,876	4,727	3,196	462	101	3,241	3,423	31	42	64	4	39	27	9	1
35 to 39 years	24,379	20,424	12,835	12,426	6,796	4,081	668	143	3,918	3,711	28	37	50	4	74	22	10	----
40 to 44 years	26,123	20,708	13,809	12,457	7,542	4,478	753	145	3,841	3,584	31	31	61	5	83	7	3	1
45 to 49 years	29,502	22,826	15,982	13,889	8,479	5,146	743	166	4,125	3,575	32	26	60	10	75	14	6	----
50 to 54 years	34,574	26,844	19,090	16,088	10,212	6,932	966	213	4,117	3,577	34	27	92	1	62	6	1	----
55 to 59 years	36,736	28,787	20,752	17,322	11,952	8,367	790	202	3,056	2,851	39	36	111	7	33	1	3	1
60 to 64 years	44,550	35,799	26,891	22,475	13,464	10,194	992	287	2,973	2,812	57	25	155	4	17	1	1	1
65 to 69 years	46,951	39,566	30,082	25,920	13,022	10,806	960	345	2,708	2,441	58	46	109	4	9	3	3	1
70 to 74 years	46,762	42,072	29,252	26,861	13,806	12,560	928	391	2,632	2,228	31	29	110	3	2	----	1	----
75 to 79 years	41,134	39,737	25,692	25,641	12,550	12,059	773	382	2,033	1,615	44	38	39	2	2	----	1	----
80 to 84 years	28,494	31,761	17,356	20,247	9,031	9,723	514	364	1,522	1,383	45	42	26	2	----	----	----	----
85 to 89 years	14,552	18,121	8,713	11,324	4,786	5,725	218	198	811	842	15	31	9	1	----	----	----	----
90 to 94 years	4,779	6,938	2,623	4,035	1,605	2,228	77	87	456	571	14	16	4	1	----	----	----	----
95 to 99 years	1,062	1,664	512	876	327	493	11	22	206	266	5	7	1	----	----	----	----	----
100 years and over	392	644	84	145	81	98	11	13	204	375	12	13	----	----	----	----	----	----
Unknown	911	558	207	202	65	48	314	84	317	219	5	4	2	----	----	----	1	1
REGISTRATION STATES [1]																		
All ages	625,259	548,806	409,468	369,662	129,175	104,895	10,980	3,921	72,379	68,515	1,195	1,128	1,097	136	880	535	85	14
Under 1 year	92,255	71,099	78,700	60,028	191	142	170	109	12,671	10,355	235	209	56	37	226	216	6	3
1 year	17,746	15,434	14,463	12,537	138	127	37	43	2,954	2,585	76	79	10	10	68	52	----	1
2 years	8,598	7,484	7,194	6,154	81	78	18	21	1,218	1,160	48	34	4	5	34	32	1	----
3 years	5,145	4,587	4,375	3,838	64	65	18	12	648	635	21	25	2	1	17	11	----	----
4 years	3,857	3,481	3,336	2,967	39	38	17	14	438	430	12	13	5	4	9	14	1	1
Under 5 years	127,601	102,085	108,068	85,524	513	450	260	199	17,929	15,165	392	360	77	57	354	325	8	5
5 to 9 years	12,967	10,975	11,260	9,282	218	170	48	31	1,356	1,408	54	51	8	8	23	25	----	----
10 to 14 years	9,769	8,064	8,052	6,280	318	272	40	28	1,298	1,416	46	57	6	3	9	8	----	----
15 to 19 years	14,155	14,166	10,433	9,726	839	795	129	42	2,651	3,518	70	62	20	5	12	17	1	1
20 to 24 years	18,131	18,885	11,632	12,253	1,895	1,719	266	89	4,212	4,727	51	54	38	8	22	34	15	1
25 to 29 years	19,420	19,890	11,523	12,774	3,275	2,547	403	132	4,074	4,338	43	50	38	7	42	41	22	1
30 to 34 years	21,050	19,840	12,022	12,544	4,804	3,228	492	109	3,577	3,884	35	42	64	4	47	28	9	1
35 to 39 years	25,683	21,749	13,523	13,164	6,902	4,116	714	156	4,375	4,248	29	39	51	4	79	22	10	----
40 to 44 years	27,491	21,993	14,548	13,174	7,661	4,542	800	159	4,293	4,074	35	31	62	5	89	7	3	1
45 to 49 years	31,020	24,154	16,824	14,636	8,607	5,239	789	185	4,621	4,042	38	27	60	10	75	15	6	----
50 to 54 years	36,394	28,258	20,121	16,910	10,359	7,029	1,013	230	4,704	4,050	36	30	95	1	65	8	1	----
55 to 59 years	38,485	30,229	21,810	18,188	12,219	8,543	844	213	3,422	3,236	42	40	112	7	33	1	3	1
60 to 64 years	46,908	37,553	28,434	23,648	13,778	10,416	1,065	317	3,393	3,132	64	34	156	4	17	1	1	1
65 to 69 years	49,554	41,527	31,797	27,290	13,420	11,092	1,051	365	3,093	2,724	68	48	113	4	9	3	3	1
70 to 74 years	49,504	44,169	31,038	28,278	14,319	12,938	1,005	425	2,993	2,492	34	33	112	3	2	----	1	----
75 to 79 years	43,563	41,906	27,219	27,059	13,109	12,567	834	411	2,309	1,826	49	41	40	2	2	----	1	----
80 to 84 years	30,301	33,618	18,300	21,405	9,621	10,176	547	387	1,756	1,602	48	46	29	2	----	----	----	----
85 to 89 years	15,493	19,213	9,209	11,957	5,095	6,041	229	221	933	960	18	33	9	1	----	----	----	----
90 to 94 years	5,167	7,399	2,806	4,275	1,715	2,344	85	96	542	664	15	19	4	1	----	----	----	----
95 to 99 years	1,157	1,779	545	925	351	520	12	24	243	302	5	8	1	----	----	----	----	----
100 years and over	448	746	86	154	85	101	15	13	250	464	12	14	----	----	----	----	----	----
Unknown	998	608	218	216	72	50	339	89	355	243	11	9	2	----	----	----	1	1

[1] Including District of Columbia.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1923—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
CITIES IN REGISTRATION STATES [1]																		
All ages	318,675	283,305	194,325	178,341	84,890	72,962	5,331	1,638	32,698	29,886	105	64	809	112	480	297	37	5
Under 1 year	45,547	34,813	40,008	30,386	130	92	96	57	5,138	4,129	15	11	46	33	111	105	3	----
1 year	8,622	7,514	7,172	6,274	97	96	22	15	1,290	1,085	2	4	9	8	30	31	----	1
2 years	4,177	3,638	3,582	3,050	64	56	4	10	504	501	----	----	4	3	18	18	1	----
3 years	2,606	2,347	2,277	2,051	46	49	3	2	268	238	----	----	2	1	10	6	----	----
4 years	2,029	1,823	1,814	1,616	21	23	4	5	178	167	1	----	4	4	6	8	1	----
Under 5 years	62,981	50,135	54,863	43,377	358	316	129	89	7,378	6,120	18	15	65	49	175	168	5	1
5 to 9 years	6,900	5,687	6,198	5,053	147	119	19	11	512	479	5	1	7	6	12	18	----	----
10 to 14 years	4,669	3,853	3,965	3,178	241	201	16	8	430	457	5	1	4	3	8	5	----	----
15 to 19 years	6,558	6,777	4,874	4,829	583	566	46	8	1,021	1,353	8	6	19	5	6	10	1	----
20 to 24 years	9,354	9,928	5,826	6,509	1,329	1,294	127	44	2,011	2,049	5	3	31	7	16	22	9	----
25 to 29 years	10,956	11,236	6,127	7,015	2,287	1,985	197	67	2,270	2,133	7	6	31	7	29	23	8	----
30 to 34 years	12,404	11,111	6,497	6,567	3,436	2,471	260	56	2,120	1,997	9	2	54	4	26	14	2	----
35 to 39 years	15,612	12,263	7,519	6,882	4,916	3,137	424	85	2,656	2,137	3	3	45	3	47	16	2	----
40 to 44 years	17,069	12,830	8,259	7,104	5,591	3,474	506	83	2,615	2,159	4	5	52	2	41	3	1	----
45 to 49 years	18,990	14,399	9,497	8,117	6,247	4,079	479	94	2,653	2,090	7	2	52	7	52	10	3	----
50 to 54 years	22,063	16,979	11,189	9,218	7,653	5,535	595	108	2,506	2,112	7	2	79	1	34	3	----	----
55 to 59 years	22,641	17,387	11,462	9,619	8,876	6,470	483	114	1,707	1,674	5	2	90	6	16	1	2	1
60 to 64 years	26,073	21,338	14,066	11,895	9,830	7,796	598	145	1,453	1,495	5	1	110	4	11	1	----	1
65 to 69 years	24,528	21,866	13,777	12,605	9,078	7,945	497	163	1,090	1,143	4	3	76	3	5	3	1	1
70 to 74 years	22,029	21,671	11,883	11,859	8,783	8,794	401	164	898	847	4	5	58	2	1	----	1	----
75 to 79 years	17,335	19,001	9,053	10,411	7,412	7,827	235	142	611	617	1	2	21	2	1	----	1	----
80 to 84 years	10,999	14,489	5,645	7,895	4,805	6,014	176	142	359	435	5	2	9	1	----	----	----	----
85 to 89 years	5,299	8,036	2,690	4,364	2,354	3,351	55	69	196	251	----	1	4	----	----	----	----	----
90 to 94 years	1,606	2,899	761	1,469	741	1,256	17	22	85	151	1	1	1	----	----	----	----	----
95 to 99 years	331	641	131	303	155	260	----	7	45	71	----	----	----	----	----	----	----	----
100 years and over	105	177	23	41	46	52	4	1	31	82	1	1	----	----	----	----	----	----
Unknown	173	102	30	31	22	20	67	16	51	34	1	----	1	----	----	----	1	1
RURAL PART OF REGISTRATION STATES [2]																		
All ages	306,584	265,501	215,143	191,321	44,285	31,933	5,649	2,283	39,681	38,629	1,090	1,064	288	24	400	238	48	9
Under 1 year	46,708	36,286	38,692	29,642	61	50	74	52	7,533	6,226	220	198	10	4	115	111	3	3
1 year	9,124	7,920	7,291	6,263	41	31	15	28	1,664	1,500	74	75	1	2	38	21	----	----
2 years	4,421	3,846	3,612	3,104	17	22	14	11	714	659	48	34	----	2	16	14	----	----
3 years	2,539	2,240	2,098	1,787	18	16	15	10	380	397	21	25	----	----	7	5	----	----
4 years	1,828	1,658	1,522	1,351	18	15	13	9	260	263	11	13	1	----	3	6	----	1
Under 5 years	64,620	51,950	53,215	42,147	155	134	131	110	10,551	9,045	374	345	12	8	179	157	3	4
5 to 9 years	6,067	5,288	5,062	4,229	71	51	29	20	844	929	49	50	1	2	11	7	----	----
10 to 14 years	5,100	4,211	4,087	3,102	77	71	24	20	868	959	41	56	2	----	1	3	----	----
15 to 19 years	7,597	7,389	5,559	4,897	256	229	83	34	1,630	2,165	62	56	1	----	6	7	----	1
20 to 24 years	8,777	8,957	5,806	5,744	566	425	139	45	2,201	2,678	46	51	7	1	6	12	6	1
25 to 29 years	8,464	8,654	5,396	5,759	988	562	206	65	1,804	2,205	36	44	7	----	13	18	14	1
30 to 34 years	8,646	8,729	5,525	5,977	1,368	757	232	53	1,457	1,887	26	40	10	----	21	14	7	1
35 to 39 years	10,071	9,486	6,004	6,282	1,986	979	290	71	1,719	2,111	26	36	6	1	32	6	8	----
40 to 44 years	10,422	9,163	6,289	6,070	2,070	1,068	294	76	1,678	1,915	31	26	10	3	48	4	2	1
45 to 49 years	12,030	9,755	7,327	6,519	2,360	1,160	310	91	1,968	1,952	31	25	8	3	23	5	3	----
50 to 54 years	14,331	11,279	8,932	7,692	2,706	1,494	418	122	2,198	1,938	29	28	16	----	31	5	1	----
55 to 59 years	15,844	12,342	10,348	8,569	3,343	2,073	361	99	1,715	1,562	37	38	22	1	17	----	1	----
60 to 64 years	20,835	16,215	14,368	11,753	3,948	2,620	467	172	1,940	1,637	59	33	46	----	6	----	1	----
65 to 69 years	25,026	19,661	18,020	14,685	4,342	3,147	554	202	2,003	1,581	64	45	37	1	4	----	2	----
70 to 74 years	27,475	22,498	19,155	16,419	5,536	4,144	604	261	2,095	1,645	30	28	54	1	1	----	----	----
75 to 79 years	26,228	22,905	18,166	16,648	5,697	4,740	599	269	1,698	1,209	48	39	19	----	1	----	----	----
80 to 84 years	19,302	19,129	12,655	13,510	4,816	4,162	371	245	1,397	1,167	43	44	20	1	----	----	----	----
85 to 89 years	10,194	11,177	6,519	7,593	2,741	2,690	174	152	737	709	18	32	5	1	----	----	----	----
90 to 94 years	3,561	4,500	2,045	2,806	974	1,088	68	74	457	513	14	18	3	1	----	----	----	----
95 to 99 years	826	1,138	414	622	196	260	12	17	198	231	5	8	1	----	----	----	----	----
100 years and over	343	569	63	113	39	49	11	12	219	382	11	13	----	----	----	----	----	----
Unknown	825	506	188	185	50	30	272	73	304	209	10	9	1	----	----	----	----	----
REGISTRATION CITIES IN NONREGISTRATION STATES [3]																		
All ages	10,386	8,566	6,010	5,046	1,364	1,103	336	104	2,657	2,308	4	2	10	1	5	2	----	----
Under 1 year	1,640	1,280	1,240	967	17	10	3	3	378	297	----	----	----	1	2	2	----	----
1 year	371	318	282	229	17	14	3	6	69	69	----	----	----	----	----	----	----	----
2 years	163	145	114	112	3	4	1	1	45	28	----	----	----	----	----	----	----	----
3 years	92	90	70	67	5	2	----	1	17	20	----	----	----	----	----	----	----	----
4 years	72	61	59	52	----	2	2	----	11	7	----	----	----	----	----	----	----	----
Under 5 years	2,338	1,894	1,765	1,427	42	32	9	11	520	421	----	----	----	1	2	2	----	----
5 to 9 years	175	142	127	93	11	3	2	5	34	41	1	----	----	----	----	----	----	----
10 to 14 years	150	118	111	78	8	12	3	1	28	27	----	----	----	----	----	----	----	----
15 to 19 years	286	362	158	180	31	49	2	5	95	128	----	----	----	----	----	----	----	----
20 to 24 years	503	513	252	248	54	72	12	5	183	187	----	1	1	----	1	----	----	----
25 to 29 years	516	508	260	252	48	67	14	3	194	186	----	----	----	----	----	----	----	----
30 to 34 years	462	479	242	229	50	62	16	6	153	182	----	----	----	----	1	----	----	----
35 to 39 years	607	520	248	245	95	74	29	8	234	192	----	1	1	----	----	----	----	----
40 to 44 years	544	516	248	257	79	71	24	9	192	179	----	----	1	----	----	----	----	----
45 to 49 years	700	474	335	222	96	63	23	7	245	182	1	----	----	----	----	----	----	----
50 to 54 years	769	494	375	240	105	71	38	5	248	178	----	----	2	----	1	----	----	----
55 to 59 years	582	400	313	216	115	81	30	4	122	99	----	----	2	----	----	----	----	----
60 to 64 years	699	421	387	258	133	67	41	11	135	85	1	----	2	----	----	----	----	----
65 to 69 years	612	457	379	309	115	82	30	4	87	62	1	----	----	----	----	----	----	----
70 to 74 years	576	410	363	258	126	93	26	7	60	52	----	----	1	----	----	----	----	----
75 to 79 years	427	387	247	267	110	84	16	5	54	31	----	----	----	----	----	----	----	----
80 to 84 years	245	258	118	170	88	54	4	5	35	29	----	----	----	----	----	----	----	----
85 to 89 years	110	125	55	65	33	41	6	1	16	18	----	----	----	----	----	----	----	----
90 to 94 years	38	46	17	20	10	12	1	1	10	13	----	----	----	----	----	----	----	----
95 to 99 years	11	14	2	5	6	5	1	----	2	4	----	----	----	----	----	----	----	----
100 years and over	9	18	3	2	4	5	----	----	2	11	----	----	----	----	----	----	----	----
Unknown	27	10	5	5	5	3	9	1	8	1	----	----	----	----	----	----	----	----

[1] Including District of Columbia and municipalities of 10,000 inhabitants or more in 1920.
[2] The term "rural" embraces the area outside of cities of 10,000 inhabitants or more in 1920.
[3] A list of these cities can be found on p. 7.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1923—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
ALL REGISTRATION CITIES[1]																		
All ages	329,061	291,871	200,335	183,387	86,254	74,065	5,667	1,742	35,355	32,194	109	66	819	113	485	299	37	5
Under 1 year	47,187	36,093	41,248	31,353	147	102	99	60	5,516	4,426	15	11	46	34	113	107	3	
1 year	8,993	7,832	7,454	6,503	114	110	25	21	1,359	1,154	2	4	9	8	30	31		1
2 years	4,340	3,783	3,696	3,162	67	60	5	11	549	529			4	3	18	18	1	
3 years	2,698	2,437	2,347	2,118	51	51	3	3	285	258			2	1	10	6		
4 years	2,101	1,884	1,873	1,668	21	25	6	5	189	174	1		4	4	6	8	1	
Under 5 years	65,319	52,029	56,618	44,804	400	348	138	100	7,898	6,541	18	15	65	50	177	170	5	1
5 to 9 years	7,075	5,829	6,325	5,146	158	122	21	16	546	520	6	1	7	6	12	18		
10 to 14 years	4,819	3,971	4,076	3,256	249	213	19	9	458	484	5	1	4	3	8	5		
15 to 19 years	6,844	7,139	5,032	5,009	614	615	48	13	1,116	1,481	8	6	19	5	6	10	1	
20 to 24 years	9,857	10,441	6,078	6,757	1,383	1,366	139	49	2,194	2,236	5	4	32	7	17	22	9	
25 to 29 years	11,472	11,744	6,387	7,267	2,335	2,052	211	70	2,464	2,319	7	6	31	7	29	23	8	
30 to 34 years	12,866	11,590	6,739	6,796	3,486	2,533	276	62	2,273	2,179	9	2	54	4	27	14	2	
35 to 39 years	16,219	12,783	7,767	7,127	5,011	3,211	453	93	2,890	2,329	3	4	46	3	47	16	2	
40 to 44 years	17,613	13,346	8,507	7,361	5,670	3,545	530	92	2,807	2,338	4	5	53	2	41	3	1	
45 to 49 years	19,690	14,873	9,832	8,339	6,343	4,142	502	101	2,898	2,272	8	2	52	7	52	10	3	
50 to 54 years	22,832	17,473	11,564	9,458	7,758	5,606	633	113	2,754	2,290	7	2	81	1	35	3		
55 to 59 years	23,223	18,287	11,775	9,835	8,991	6,551	513	118	1,829	1,773	5	2	92	6	16	1	2	1
60 to 64 years	26,772	21,759	14,453	12,153	9,963	7,863	639	156	1,588	1,580	6	1	112	4	11	1		1
65 to 69 years	25,140	22,323	14,156	12,914	9,193	8,027	527	167	1,177	1,205	5	3	76	3	5	3	1	1
70 to 74 years	22,605	22,081	12,246	12,117	8,909	8,887	427	171	958	899	4	5	59	2	1		1	
75 to 79 years	17,762	19,388	9,300	10,678	7,522	7,911	251	147	665	648	1	2	21	2	1		1	
80 to 84 years	11,244	14,747	5,763	8,065	4,893	6,068	180	147	394	464	5	2	9	1				
85 to 89 years	5,409	8,161	2,745	4,429	2,387	3,392	61	70	212	269		1	4					
90 to 94 years	1,644	2,945	778	1,489	751	1,268	18	23	95	164	1	1	1					
95 to 99 years	342	655	133	308	161	265	1	7	47	75								
100 years and over	114	195	26	43	50	57	4	1	33	93	1	1						
Unknown	200	112	35	36	27	23	76	17	59	35	1		1				1	1
CALIFORNIA																		
All ages	31,760	22,806	19,932	15,974	8,885	5,597	1,022	190	475	414	181	162	611	90	602	377	52	2
Under 1 year	3,288	2,570	2,981	2,319	21	19	8	2	43	33	27	19	42	19	162	158	4	1
1 year	615	624	509	540	28	16	1		7	14	11	11	6	6	53	37		
2 years	306	261	251	210	9	14	1	1	5	1	6	5	4	4	29	26	1	
3 years	199	179	171	160	7	7			1		4	4	1	1	15	7		
4 years	162	160	141	140	7	3	2	1	2	2		4	4	2	5	8	1	
Under 5 years	4,570	3,794	4,053	3,369	72	59	12	4	58	50	48	43	57	32	264	236	6	1
5 to 9 years	587	446	520	385	33	27	2	3	4	3	4	7	6	5	18	16		
10 to 14 years	406	350	338	281	41	38	1		2	13	11	9	6	2	7	7		
15 to 19 years	611	543	474	401	90	100	7	1	9	19	11	5	12	3	8	13		1
20 to 24 years	983	761	636	496	242	187	25	10	39	31	5	11	17	4	11	22	8	
25 to 29 years	1,098	856	696	611	273	170	41	8	28	25	10	6	13	6	25	30	12	
30 to 34 years	1,265	886	723	609	409	204	56	6	34	33	4	12	14	3	20	19	5	
35 to 39 years	1,524	906	788	599	544	254	82	7	40	26	7	3	15	4	40	13	8	
40 to 44 years	1,639	1,046	907	712	512	278	98	13	31	28	1	6	22	4	66	5	2	
45 to 49 years	1,784	1,101	1,010	754	554	286	84	9	49	32	7	2	24	7	52	11	4	
50 to 54 years	2,125	1,226	1,236	827	642	350	109	12	44	28	6	5	43	1	44	3	1	
55 to 59 years	2,214	1,357	1,228	882	742	427	118	11	37	28	8	3	55	5	25	1	1	
60 to 64 years	2,707	1,643	1,556	1,090	876	501	120	17	31	27	7	5	101	3	15		1	
65 to 69 years	2,701	1,720	1,568	1,151	916	522	100	16	23	22	8	6	79	2	4	1	3	
70 to 74 years	2,585	1,827	1,399	1,162	999	621	82	19	16	17	3	5	83	3	2		1	
75 to 79 years	2,192	1,758	1,262	1,082	838	635	38	20	14	14	8	5	31	2	1			
80 to 84 years	1,582	1,402	888	888	622	476	28	18	7	6	14	12	23	2				
85 to 89 years	827	799	469	460	341	318	6	8	2	6	3	6	6	1				
90 to 94 years	272	305	148	174	104	118	5	4	6	5	6	4	3	1				
95 to 99 years	56	64	29	36	24	21	1	4		1	1	2	1					
100 years and over	20	14	4	4	9	5					7	5						
Unknown	12	1		1	2		7		1		2							
COLORADO																		
All ages	7,062	5,240	5,145	4,236	1,438	785	290	89	163	111	6	3	1	1	16	14	3	1
Under 1 year	991	810	971	792	1			1	11	8	2	1			6	7		1
1 year	156	156	151	151	1	2	2		1	2					1	1		
2 years	88	106	85	104	1					2					2			
3 years	47	42	45	41					2	1								
4 years	53	47	50	45	3			1		1								
Under 5 years	1,335	1,161	1,302	1,133	6	2	2	2	14	14	2	1			9	8		1
5 to 9 years	162	148	152	145	6	1	1		1	2					2			
10 to 14 years	122	101	112	93	4	4	2		3	3	1	1						
15 to 19 years	162	161	149	146	7	9	3	1	3	5								
20 to 24 years	270	185	207	162	41	14	10	1	12	7				1				
25 to 29 years	353	263	273	229	53	25	11	5	13	4					1		2	
30 to 34 years	353	236	245	190	66	30	20	5	21	8						3	1	
35 to 39 years	366	260	242	199	89	48	25	6	9	6					1	1		
40 to 44 years	340	236	206	171	98	51	18	4	15	9	1	1	1		1			
45 to 49 years	330	248	210	193	89	44	17	4	13	7					1			
50 to 54 years	369	239	226	175	111	50	23	9	8	4					1	1		
55 to 59 years	388	259	237	184	123	61	18	5	10	9								
60 to 64 years	525	344	318	237	166	89	25	9	16	8						1		
65 to 69 years	529	319	334	223	145	75	41	11	8	10	1							
70 to 74 years	508	326	320	230	159	80	24	10	5	6								
75 to 79 years	448	331	299	235	121	85	23	8	5	3								
80 to 84 years	303	231	185	161	96	62	18	5	4	3								
85 to 89 years	124	137	88	94	32	42	3	1	1									
90 to 94 years	46	36	24	24	19	9	3	2		1								
95 to 99 years	12	8	9	6	3	2												
100 years and over	3	1	2							1	1							
Unknown	14	10	5	6	4	2	3	1	2	1								

[1] Including District of Columbia.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1923—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
CONNECTICUT																		
All ages	9,230	8,505	6,013	5,550	2,873	2,702	101	48	234	203	1	2	6		2			
Under 1 year	1,339	1,013	1,289	975	2	4	3		45	34								
1 year	246	204	230	197	4	2			12	5								
2 years	133	101	125	98	2	1			6	2								
3 years	76	66	70	63	3	2			3	1								
4 years	55	56	53	54	1		1			2								
Under 5 years	1,849	1,440	1,767	1,387	12	9	4		66	44								
5 to 9 years	225	165	218	162	4	2			3	1								
10 to 14 years	140	103	129	92	7	9			4	2								
15 to 19 years	168	149	139	125	17	15	1		11	9								
20 to 24 years	181	193	139	134	29	44	4	1	8	14			1					
25 to 29 years	274	251	161	147	95	95	2	1	16	8								
30 to 34 years	304	258	163	146	117	100	3	2	20	10					1			
35 to 39 years	347	292	156	146	172	134	5	1	13	11					1			
40 to 44 years	426	318	199	168	208	140	7	2	12	8								
45 to 49 years	498	355	248	189	221	155	12	2	17	9								
50 to 54 years	609	441	310	248	275	183	11		12	10			1					
55 to 59 years	585	508	293	264	275	231	5	4	12	9								
60 to 64 years	761	680	371	364	363	299	10	2	13	15			4					
65 to 69 years	751	717	441	393	297	299	6	6	7	18		1						
70 to 74 years	765	747	441	428	306	302	9	4	9	12		1						
75 to 79 years	622	746	366	426	241	297	11	7	4	16								
80 to 84 years	402	602	252	359	143	225	4	13	2	5	1							
85 to 89 years	229	360	157	248	67	109	3	1	2	2								
90 to 94 years	74	140	52	103	19	37	1		2									
95 to 99 years	10	27	8	16	1	10	1	1										
100 years and over	5	10	1	5	4	5												
Unknown	5	3	2			2	2	1	1									
DELAWARE																		
All ages	1,662	1,567	1,122	1,104	189	132	27	6	324	325								
Under 1 year	252	220	185	165					67	55								
1 year	77	58	49	40	1			1	27	17								
2 years	25	33	20	22					5	11								
3 years	12	20	9	18					3	2								
4 years	9	11	8	10					1	1								
Under 5 years	375	342	271	255	1			1	103	86								
5 to 9 years	38	34	32	27	1				5	7								
10 to 14 years	24	20	17	15			1	1	6	4								
15 to 19 years	29	37	13	20	2		1		13	17								
20 to 24 years	52	41	32	29	8		1		11	12								
25 to 29 years	47	46	27	26	5	7	1		14	13								
30 to 34 years	55	50	35	29	7	6			13	15								
35 to 39 years	56	53	28	29	14	5	1		13	19								
40 to 44 years	60	47	34	25	10	6	5		11	16								
45 to 49 years	62	63	33	35	11	9	2	1	16	18								
50 to 54 years	76	70	38	46	19	10	1		18	14								
55 to 59 years	99	73	67	51	15	6	2		15	16								
60 to 64 years	145	112	103	79	17	16		1	25	16								
65 to 69 years	152	100	100	63	26	13	4		22	24								
70 to 74 years	137	155	103	117	19	13	2	1	13	24								
75 to 79 years	124	137	92	110	16	17	3	1	13	9								
80 to 84 years	74	96	55	76	11	12	2		6	8								
85 to 89 years	42	62	30	49	7	7	1		4	6								
90 to 94 years	12	23	10	19		4			2									
95 to 99 years		5		3		1				1								
100 years and over		1		1														
Unknown	3		2						1									
DISTRICT OF COLUMBIA																		
All ages	3,585	3,520	1,891	1,805	299	287	107	48	1,279	1,379	1	1	8					
Under 1 year	473	354	259	182	1	1	5	4	207	167			1					
1 year	88	91	37	45			5	4	46	42								
2 years	43	35	18	19		1		1	25	14								
3 years	24	20	11	14			1		11	6			1					
4 years	18	14	13	10					5	4								
Under 5 years	646	514	338	270	1	2	11	9	294	233			2					
5 to 9 years	61	46	36	28			5		20	18								
10 to 14 years	37	39	17	21	1	1	2		17	17								
15 to 19 years	82	90	28	26		2	3	1	51	61								
20 to 24 years	109	148	55	62	4	4	5	1	44	81			1					
25 to 29 years	149	138	67	57	6	6	5	1	71	73		1						
30 to 34 years	152	144	77	66	11	9	2	2	62	67								
35 to 39 years	207	169	89	71	15	12	3	3	100	83								
40 to 44 years	192	184	77	59	23	8	3	3	87	114			2					
45 to 49 years	211	204	93	94	11	5	8	6	98	99			1					
50 to 54 years	287	239	134	104	23	16	13	3	116	116			1					
55 to 59 years	218	220	116	99	29	19	6	1	67	101								
60 to 64 years	276	257	160	142	28	26	11		75	89	1		1					
65 to 69 years	261	290	165	159	22	34	9	4	65	93								
70 to 74 years	265	279	172	174	43	43	5	6	45	56								
75 to 79 years	204	244	124	172	41	38	7	3	32	31								
80 to 84 years	138	179	91	119	24	37	5	3	18	20								
85 to 89 years	69	90	42	58	12	18	3	2	12	12								
90 to 94 years	15	33	9	15	3	7	1		2	11								
95 to 99 years	4	10	1	7	1				2	3								
100 years and over	2	3		2	1				1	1								
Unknown																		

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1923—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
FLORIDA																		
All ages	7,912	6,198	4,018	3,141	575	315	213	104	3,104	2,637		1	1		1			
Under 1 year	995	833	554	464			4	2	437	366		1						
1 year	252	201	177	131		2	2	2	73	66								
2 years	97	93	57	56		1	1	3	39	33								
3 years	70	59	45	39			1	1	24	19								
4 years	40	37	28	24		1	1		11	12								
Under 5 years	1,454	1,223	861	714		4	9	8	584	496		1						
5 to 9 years	155	116	108	60	1		1	1	45	55								
10 to 14 years	129	103	75	43	1		2	1	51	59								
15 to 19 years	187	260	90	99	3	4	2	4	92	153								
20 to 24 years	329	334	123	103	8	4	7	1	191	226								
25 to 29 years	331	299	108	117	16	4	10	3	197	175								
30 to 34 years	321	294	126	126	20	8	9	3	165	157					1			
35 to 39 years	391	346	138	135	18	16	8	4	227	191								
40 to 44 years	449	310	162	117	35	19	16	7	236	167								
45 to 49 years	472	335	169	136	43	14	5	5	255	180								
50 to 54 years	503	369	196	143	54	33	12	4	241	189								
55 to 59 years	476	265	237	136	63	24	23	5	153	100								
60 to 64 years	520	352	286	205	74	38	18	8	141	101			1					
65 to 69 years	534	354	340	236	49	31	21	11	124	76								
70 to 74 years	568	412	360	264	55	41	25	11	128	96								
75 to 79 years	479	336	326	246	57	26	13	6	83	58								
80 to 84 years	308	229	179	144	48	25	14	8	67	52								
85 to 89 years	153	137	87	86	21	15	4	6	41	30								
90 to 94 years	56	55	31	21	5	7	1	3	19	24								
95 to 99 years	11	21	2	4	2	2		1	7	14								
100 years and over	18	20	1		1		1		15	20								
Unknown	68	28	13	6	1		12	4	42	18								
GEORGIA																		
All ages	17,417	16,374	8,849	8,076	187	129	187	131	8,189	8,037	1		4	1				
Under 1 year	3,042	2,407	1,683	1,278			5	1	1,354	1,127				1				
1 year	751	644	428	352				1	323	291								
2 years	364	351	207	197					157	154								
3 years	219	150	128	73					91	77								
4 years	113	135	64	68				1	49	66								
Under 5 years	4,489	3,687	2,510	1,968			5	3	1,974	1,715				1				
5 to 9 years	364	347	197	176	1				166	171								
10 to 14 years	383	313	186	121					197	192								
15 to 19 years	576	661	226	226	1	1	2	1	347	433								
20 to 24 years	769	918	235	306	1	1	3	2	530	609								
25 to 29 years	709	913	258	344	2	2	6	10	443	557								
30 to 34 years	612	764	276	306	2	1	8	5	326	452								
35 to 39 years	736	876	268	339	10	4	11	7	446	526			1					
40 to 44 years	764	813	311	331	6	6	8	3	438	473			1					
45 to 49 years	853	780	351	301	10	8	14	10	478	461								
50 to 54 years	1,043	779	442	294	15	9	11	8	573	468			2					
55 to 59 years	779	674	395	284	23	9	13	5	348	376								
60 to 64 years	1,058	809	614	468	28	15	16	15	400	311								
65 to 69 years	1,122	856	711	560	21	12	23	9	367	275								
70 to 74 years	1,123	876	733	594	19	12	27	16	344	254								
75 to 79 years	924	861	616	632	19	22	22	8	267	199								
80 to 84 years	564	706	311	465	21	16	6	13	226	212								
85 to 89 years	274	367	150	232	4	9	1	10	118	116	1							
90 to 94 years	130	186	43	88	2		3	5	82	93								
95 to 99 years	48	60	12	23		1		1	36	35								
100 years and over	48	95		7		1	2		46	87								
Unknown	49	33	4	11	2		6		37	22								
IDAHO																		
All ages	1,992	1,338	1,437	1,061	357	206	105	13	9	5	66	51	12		6	2		
Under 1 year	265	243	252	235	1	1			1		7	6			4	1		
1 year	34	35	33	35							1							
2 years	28	22	28	20								1				1		
3 years	19	12	18	11							1	1						
4 years	9	11	8	9	1	1						1						
Under 5 years	355	323	339	310	2	2			1		9	9			4	2		
5 to 9 years	43	43	36	41	3	1					4	1						
10 to 14 years	43	30	40	28	2	1	1					1						
15 to 19 years	71	43	62	36	4	2	1	1	1		3	4						
20 to 24 years	65	43	49	34	9	3	1	1		1	6	4						
25 to 29 years	53	56	45	43	4	7	2			1	2	5						
30 to 34 years	58	62	43	53	10	9	3				1				1			
35 to 39 years	76	53	53	45	16	5	6	1	1	1		1						
40 to 44 years	88	54	53	42	24	11	6	1			4				1			
45 to 49 years	89	62	61	48	12	11	11	1		1	5	1						
50 to 54 years	81	67	54	53	19	11	5		1		1	3	1					
55 to 59 years	135	61	85	43	38	17	8				3	1	1					
60 to 64 years	190	76	129	51	42	19	14	1	1		3	5	1					
65 to 69 years	174	87	111	66	39	19	11	1	1		9	1	3					
70 to 74 years	165	94	116	68	31	23	12		2		2	3	2					
75 to 79 years	136	70	75	36	50	28	5	4		1	5	1	1					
80 to 84 years	89	56	46	35	26	18	10		1		3	3	3					
85 to 89 years	46	38	28	18	15	18	1				2	2						
90 to 94 years	18	12	9	7	7	1	1	1			1	3						
95 to 99 years	4	3	2	2	2							1						
100 years and over	2	1			1		1					1						
Unknown	11	4	1	2	1		6	1			3	1						

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1923—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
ILLINOIS																		
All ages	44,425	37,328	28,194	24,681	12,652	10,072	808	271	2,717	2,293	1	2	46	6	4	2	3	1
Under 1 year	6,145	4,664	5,763	4,317	11	7	11	4	359	331		1	1	3		1		
1 year	1,151	950	1,018	849	9	12	1	1	123	88								
2 years	537	465	485	413	6	5	1	2	45	45								
3 years	351	315	327	289	6	3			18	23								
4 years	263	235	242	218		4	1		20	13								
Under 5 years	8,447	6,629	7,835	6,086	32	31	14	7	565	500		1	1	3		1		
5 to 9 years	900	775	849	710	10	13	1	1	40	50				1				
10 to 14 years	646	495	586	439	25	26	5		30	30								
15 to 19 years	915	897	745	749	64	52	4	1	101	95			1					
20 to 24 years	1,218	1,223	881	936	136	138	16	9	181	138			1	1	2	1	1	
25 to 29 years	1,416	1,338	860	916	321	253	25	11	206	158			2				2	
30 to 34 years	1,716	1,380	943	882	515	390	37	7	216	161			5					
35 to 39 years	2,114	1,520	1,101	959	702	384	61	18	243	159			6		1			
40 to 44 years	2,215	1,512	1,072	889	851	437	57	14	229	172			6					
45 to 49 years	2,360	1,679	1,198	1,010	873	481	65	14	216	174			8					
50 to 54 years	2,756	1,997	1,435	1,151	1,033	672	107	17	174	157			6		1			
55 to 59 years	2,928	2,303	1,491	1,315	1,233	832	74	14	125	141			5	1				
60 to 64 years	3,534	2,612	1,934	1,536	1,409	952	87	26	101	97			3					1
65 to 69 years	3,409	2,877	1,978	1,719	1,271	1,051	79	30	79	76		1	2					
70 to 74 years	3,278	2,925	1,839	1,593	1,296	1,248	68	27	74	57	1							
75 to 79 years	2,849	2,845	1,523	1,517	1,215	1,256	51	24	60	48								
80 to 84 years	2,131	2,320	1,104	1,257	955	1,000	38	28	34	35								
85 to 89 years	1,116	1,306	593	684	491	589	12	13	20	20								
90 to 94 years	377	554	184	272	179	262	4	8	10	12								
95 to 99 years	69	112	34	54	31	51		2	4	5								
100 years and over	24	25	7	5	9	12			8	8								
Unknown	7	4	2	2	1	2	3		1									
INDIANA																		
All ages	20,313	18,533	17,050	16,016	2,010	1,507	237	109	1,016	901								
Under 1 year	2,690	1,961	2,540	1,835	2	1	3	1	145	124								
1 year	484	457	446	422		3			38	32								
2 years	253	229	241	209	2			1	10	19								
3 years	119	120	115	114	1				3	6								
4 years	110	102	103	98	1		1		5	4								
Under 5 years	3,656	2,869	3,445	2,678	6	4	4	2	201	185								
5 to 9 years	397	336	372	322	2	1	1		22	13								
10 to 14 years	308	249	288	229	1	3		2	19	15								
15 to 19 years	458	460	407	405	8	14	3	2	40	39								
20 to 24 years	523	582	438	496	27	24	3	2	55	60								
25 to 29 years	563	619	425	515	60	31	10	2	68	71								
30 to 34 years	546	571	419	502	78	21	6	1	43	47								
35 to 39 years	640	648	449	547	110	44	9	6	72	51								
40 to 44 years	736	664	554	566	101	43	10	1	71	54								
45 to 49 years	784	685	592	558	106	53	10	3	76	71								
50 to 54 years	961	887	743	748	121	79	17	4	80	56								
55 to 59 years	1,198	1,000	1,000	853	130	85	16	10	52	52								
60 to 64 years	1,595	1,307	1,358	1,154	154	93	24	11	59	49								
65 to 69 years	1,874	1,622	1,627	1,446	173	124	24	11	50	41								
70 to 74 years	2,027	1,749	1,707	1,486	246	208	36	18	38	37								
75 to 79 years	1,832	1,781	1,552	1,495	228	259	23	6	29	21								
80 to 84 years	1,255	1,347	981	1,095	239	219	14	17	21	16								
85 to 89 years	688	816	513	666	164	137	6	5	5	8								
90 to 94 years	203	247	148	191	46	50	3	2	6	4								
95 to 99 years	29	63	21	47	6	10		1	2	5								
100 years and over	7	12	4	7	1	1	1	2	1	2								
Unknown	33	19	7	10	3	4	17	1	6	4								
IOWA																		
All ages	13,475	11,903	10,066	9,168	2,934	2,452	285	129	181	149	7	5	1		1			
Under 1 year	1,690	1,274	1,676	1,246		1	2	1	12	24		2						
1 year	255	211	250	205		1		1	3	4	1				1			
2 years	146	116	143	115			1		2	1								
3 years	91	68	90	68							1							
4 years	69	67	69	66						1								
Under 5 years	2,251	1,736	2,228	1,700		2	3	2	17	30	2	2			1			
5 to 9 years	251	246	248	240	2	3	1	2		1								
10 to 14 years	215	166	210	157	1	5	3	2	1	1		1						
15 to 19 years	248	194	232	182	5	8	3		8	3		1						
20 to 24 years	259	317	231	294	16	9	5	2	6	12	1							
25 to 29 years	278	350	243	328	16	19	9	1	8	2	1		1					
30 to 34 years	304	307	250	281	33	18	11	1	8	7	2							
35 to 39 years	382	356	314	320	49	21	15	4	4	10		1						
40 to 44 years	427	383	344	322	55	38	15	8	13	15								
45 to 49 years	502	457	394	376	81	69	10	7	17	5								
50 to 54 years	611	540	493	456	89	70	17	9	12	5								
55 to 59 years	765	677	542	525	185	141	20	3	18	8								
60 to 64 years	1,028	835	751	632	226	181	33	14	18	8								
65 to 69 years	1,241	979	857	718	320	244	48	9	16	8								
70 to 74 years	1,384	1,087	898	721	439	338	32	18	14	10	1							
75 to 79 years	1,315	1,210	813	731	466	452	27	17	9	10								
80 to 84 years	1,118	1,067	560	643	540	407	13	10	5	7								
85 to 89 years	610	671	309	373	288	284	9	12	4	2								
90 to 94 years	230	261	126	144	97	114	4	3	3									
95 to 99 years	42	51	19	23	22	26	1	1		1								
100 years and over	6	6	2	2	3	2	1			2								
Unknown	8	7	2		1	1	5	4		2								

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1923—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
KANSAS																		
All ages	10,719	9,054	8,355	7,218	1,422	1,130	253	94	670	596	18	16			1			
Under 1 year	1,413	1,050	1,313	966	3	4	4	2	90	78	3							
1 year	264	193	238	179	1	2		2	24	9	1	1						
2 years	143	121	136	111	1	1			5	8	1	1						
3 years	73	67	70	58		3			3	5		1						
4 years	50	53	47	53					3									
Under 5 years	1,943	1,484	1,804	1,367	5	10	4	4	125	100	5	3						
5 to 9 years	225	156	210	147	2	1	1	1	12	6		1						
10 to 14 years	166	153	153	138	3	4	1	2	7	9	2							
15 to 19 years	249	186	217	152	1	5	7	2	22	25	2	2						
20 to 24 years	231	288	185	243	15	11	6	3	23	31	2							
25 to 29 years	237	320	184	278	15	7	12	3	25	31		1			1			
30 to 34 years	280	301	213	263	18	12	9		40	25		1						
35 to 39 years	329	305	250	255	31	17	13	4	34	28	1	1						
40 to 44 years	321	344	246	265	31	31	5	3	39	45								
45 to 49 years	390	346	279	287	45	22	10	1	56	36								
50 to 54 years	487	397	374	322	45	31	21	4	47	40								
55 to 59 years	550	484	426	376	77	69	16	4	29	33	2	2						
60 to 64 years	773	579	590	459	128	69	17	7	37	43	1	1						
65 to 69 years	895	697	677	511	147	130	31	13	39	43	1							
70 to 74 years	996	777	727	568	208	173	30	7	31	27		2						
75 to 79 years	1,114	893	788	651	251	200	28	11	45	31	2							
80 to 84 years	885	704	607	503	232	176	17	7	29	17		1						
85 to 89 years	455	464	316	326	108	117	13	10	18	11								
90 to 94 years	139	129	85	85	47	33	1	3	6	8								
95 to 99 years	36	31	22	16	11	10			3	5								
100 years and over	4	10	1	6	2	1	1			2		1						
Unknown	14	6	1			1	10	5	3									
KENTUCKY																		
All ages	15,214	14,078	12,272	11,389	458	464	198	97	2,286	2,128								
Under 1 year	2,594	2,043	2,274	1,804	1		4	2	315	237								
1 year	678	585	600	519	1			1	77	65								
2 years	254	264	236	235			1	2	17	27								
3 years	155	142	142	127					13	15								
4 years	106	105	93	98					13	7								
Under 5 years	3,787	3,139	3,345	2,783	2		5	5	435	351								
5 to 9 years	334	254	299	210	1	1	1		33	43								
10 to 14 years	283	237	253	187		1	1	2	29	47								
15 to 19 years	470	506	397	406	1		7	2	65	98								
20 to 24 years	596	628	483	495		2	8		105	131								
25 to 29 years	514	579	389	452	5	3	5	4	115	120								
30 to 34 years	490	532	357	418	7	2	6	2	120	110								
35 to 39 years	510	615	384	462	11	6	7	2	108	145								
40 to 44 years	519	565	375	410	12	8	10	4	122	143								
45 to 49 years	603	546	404	404	17	10	11	5	171	127								
50 to 54 years	740	611	531	459	13	13	15	8	181	131								
55 to 59 years	768	636	568	494	37	23	10	6	153	113								
60 to 64 years	927	781	743	628	39	28	12	5	133	120								
65 to 69 years	1,086	936	887	778	62	42	16	7	121	109								
70 to 74 years	1,127	1,025	916	850	64	70	25	8	122	97								
75 to 79 years	1,081	1,003	885	825	69	87	20	13	107	78								
80 to 84 years	763	741	623	580	65	98	13	10	62	53								
85 to 89 years	364	460	293	366	37	47	4	7	30	40								
90 to 94 years	122	163	86	125	14	16	2	2	20	20								
95 to 99 years	33	45	23	26		5			10	14								
100 years and over	23	21	11	4			1	1	11	16								
Unknown	74	55	20	27	2	2	19	4	33	22								
LOUISIANA																		
All ages	11,803	10,569	5,553	4,656	600	480	178	90	5,449	5,335	7	6	13	1	1		2	1
Under 1 year	1,906	1,547	988	778	1	1	6	2	908	764	3	2						
1 year	398	348	231	205	1		3	2	162	141	1							
2 years	206	190	106	97			2	1	98	92								
3 years	99	91	54	43		1	2	1	43	46								
4 years	76	65	54	33		1			22	31								
Under 5 years	2,685	2,241	1,433	1,156	2	3	13	6	1,233	1,074	4	2						
5 to 9 years	227	205	130	111	2	1		1	95	92								
10 to 14 years	212	174	113	69			2	3	97	101		1						
15 to 19 years	386	465	151	147	1	5	2	5	232	308								
20 to 24 years	558	595	209	217	9	6	4	2	335	369	1	1						
25 to 29 years	534	547	208	193	14	6	7	5	301	342	1	1	2		1			
30 to 34 years	494	521	213	193	19	11	9	4	253	313								
35 to 39 years	577	577	228	192	22	14	8	5	319	366								
40 to 44 years	573	567	255	238	16	13	8	6	293	308			1	1				1
45 to 49 years	732	546	291	190	39	15	11	2	388	339			3					
50 to 54 years	770	556	393	226	33	22	13	3	331	305								
55 to 59 years	619	441	301	199	43	26	7	4	266	212			1				1	
60 to 64 years	660	506	363	231	60	45	14	5	222	224		1	1					
65 to 69 years	722	585	389	322	76	46	17	2	237	215	1		2					
70 to 74 years	691	578	349	350	78	55	22	10	241	163			1					
75 to 79 years	572	495	269	265	89	74	15	11	196	145			2				1	
80 to 84 years	342	406	132	181	61	62	5	9	144	154								
85 to 89 years	238	261	92	103	29	47	5	1	112	110								
90 to 94 years	85	137	19	42	4	16	1	2	61	77								
95 to 99 years	42	68	6	17	2	8	1	1	33	42								
100 years and over	32	61	1	3		3	2		29	55								
Unknown	52	37	8	11	1	2	12	3	31	21								

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1923—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
MAINE																		
All ages	6,105	5,560	5,065	4,630	938	875	87	36	11	11	4	8						
Under 1 year	863	694	853	690	10	3		1										
1 year	133	111	127	103	5	6				1	1	1						
2 years	40	46	39	43	1	3												
3 years	35	27	32	27	3													
4 years	36	15	32	14	4	1												
Under 5 years	1,107	893	1,083	877	23	13		1		1	1	1						
5 to 9 years	90	55	85	51	5	4												
10 to 14 years	77	41	72	37	5	4												
15 to 19 years	89	92	78	88	9	3	2					1						
20 to 24 years	108	131	87	110	18	19	2		1	1		1						
25 to 29 years	94	135	75	119	18	16	1											
30 to 34 years	121	121	91	92	26	27	4			1		1						
35 to 39 years	184	165	121	128	57	36	6			1								
40 to 44 years	166	152	115	118	45	33	5		1	1								
45 to 49 years	219	188	158	142	54	45	6		1	1								
50 to 54 years	287	263	210	185	73	75	3	2	1	1								
55 to 59 years	300	276	225	211	71	62	2	1	2	1		1						
60 to 64 years	446	398	348	307	95	83	1	7	1		1	1						
65 to 69 years	613	485	518	386	84	92	8	6	3	1								
70 to 74 years	684	573	550	463	124	103	9	7	1									
75 to 79 years	622	628	513	528	96	94	13	5		1								
80 to 84 years	530	497	444	411	73	81	11	4		1	2							
85 to 89 years	271	315	217	264	46	48	8	2				1						
90 to 94 years	77	124	57	93	15	29	5	1				1						
95 to 99 years	17	23	16	16	1	7												
100 years and over	2	5	2	4		1												
Unknown	1						1											
MARYLAND																		
All ages	11,511	10,600	7,379	6,883	1,271	1,038	142	53	2,713	2,625			5	1	1			
Under 1 year	1,832	1,448	1,243	964	1	1		3	588	479				1				
1 year	356	305	236	196		1	1	2	119	106								
2 years	157	142	117	101					40	41								
3 years	88	78	69	47		4			19	27								
4 years	62	45	48	36					14	9								
Under 5 years	2,495	2,018	1,713	1,344	1	6	1	5	780	662				1				
5 to 9 years	188	165	148	125					40	40								
10 to 14 years	161	147	123	93	1	1			37	53								
15 to 19 years	257	276	168	137	10	10	1	1	78	128								
20 to 24 years	324	361	189	197	18	12	6	1	111	151								
25 to 29 years	315	345	181	204	18	13	7	1	108	127			1					
30 to 34 years	362	391	209	233	41	28	4	3	108	127								
35 to 39 years	489	384	243	218	66	24	8	2	171	140					1			
40 to 44 years	526	426	294	233	54	43	5	1	173	149								
45 to 49 years	620	490	342	289	86	38	10	4	182	159								
50 to 54 years	709	608	403	364	107	62	14	3	185	179								
55 to 59 years	742	640	446	406	121	89	15	2	158	143			2					
60 to 64 years	911	794	580	556	153	98	17	3	159	137			2					
65 to 69 years	890	868	624	635	142	109	11	7	113	117								
70 to 74 years	892	888	637	613	142	150	11	6	102	119								
75 to 79 years	772	698	529	497	150	134	14	4	79	63								
80 to 84 years	522	614	351	437	95	111	8	5	68	61								
85 to 89 years	227	317	155	214	43	66	2	2	27	35								
90 to 94 years	65	114	37	63	18	37		2	10	12								
95 to 99 years	14	33	5	18	5	5			4	10								
100 years and over	4	7	1	1		2			3	4								
Unknown	26	16	1	6			8	1	17	9								
MASSACHUSETTS																		
All ages	26,135	26,031	16,835	16,499	8,533	8,948	184	105	538	466	5	2	40	7		2		2
Under 1 year	3,926	3,017	3,799	2,927	22	13	6	3	96	71	1	1	2	2				
1 year	684	609	647	566	12	17		1	25	23				2				
2 years	338	274	319	255	10	5			9	14								
3 years	229	202	221	187	3	8			5	7								
4 years	176	158	167	155	3				6	2				1				
Under 5 years	5,353	4,260	5,153	4,090	50	43	6	4	141	117	1	1	2	5				
5 to 9 years	525	477	493	452	18	10	1		13	13				1		1		
10 to 14 years	342	260	317	228	23	22		1	2	9								
15 to 19 years	395	415	334	332	51	69			9	13			1	1				
20 to 24 years	515	591	381	409	111	168	3		16	14			4					
25 to 29 years	664	733	415	467	214	238	9	3	22	23	1		3			1		1
30 to 34 years	711	741	378	427	293	291	6	2	31	20			3					1
35 to 39 years	944	878	435	486	461	362	10	3	34	27			4					
40 to 44 years	1,137	954	564	485	517	441	17	3	37	25			2					
45 to 49 years	1,299	1,097	616	523	621	538	10	5	49	31			3					
50 to 54 years	1,612	1,470	763	718	789	725	17	6	37	21			6					
55 to 59 years	1,859	1,611	891	750	920	824	19	12	26	25			3					
60 to 64 years	2,192	2,089	1,174	1,056	963	999	17	13	31	21	1		6					
65 to 69 years	2,351	2,280	1,351	1,225	955	1,013	16	8	27	33		1	2					
70 to 74 years	2,258	2,472	1,249	1,368	948	1,065	23	17	38	22								
75 to 79 years	1,792	2,237	1,042	1,292	723	915	15	8	11	22	1							
80 to 84 years	1,276	1,829	742	1,123	520	681	5	11	7	14	1		1					
85 to 89 years	623	1,098	373	716	243	368	2	4	5	10								
90 to 94 years	206	421	133	279	71	136	1	2	1	4								
95 to 99 years	57	99	27	67	30	31				1								
100 years and over	10	13	3	4	6	8			1	1								
Unknown	14	6	1	2	6	1	7	3										

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1923—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
MICHIGAN																		
All ages	27,113	22,234	17,446	15,528	7,650	5,682	745	195	1,169	748	94	76	6	2	1	2	2	1
Under 1 year	4,267	3,207	4,036	3,057	32	16	12	8	165	111	20	14	1	1	1			
1 year	681	598	630	548	11	4	3	3	33	38	4	4				1		
2 years	337	321	316	290	7	9		2	12	18	2	2						
3 years	222	212	202	200	7	6	1	1	11	3	1	2						
4 years	171	162	162	153		1	2	2	5	6	1		1					
Under 5 years	5,678	4,500	5,346	4,248	57	36	18	16	226	176	28	22	2	1	1	1		
5 to 9 years	572	526	527	481	23	22	7	1	13	19	2	3						
10 to 14 years	391	302	345	269	27	14	4	4	12	13	3	2						
15 to 19 years	578	526	469	426	59	62	8	1	39	33	3	4						
20 to 24 years	799	749	525	584	130	101	16	5	120	52	5	5	1	1			2	1
25 to 29 years	869	800	514	554	202	156	33	7	119	80	1	2				1		
30 to 34 years	1,027	801	547	550	326	176	36	6	115	67	3	2						
35 to 39 years	1,210	898	577	589	414	242	75	9	140	57	4	1						
40 to 44 years	1,160	747	575	497	434	194	62	6	87	48	2	2						
45 to 49 years	1,222	942	647	647	440	248	46	12	85	31	4	4						
50 to 54 years	1,306	970	674	622	501	293	70	9	56	41	5	5						
55 to 59 years	1,536	1,069	822	643	624	384	41	7	41	32	6	3	2					
60 to 64 years	1,822	1,423	1,034	844	699	543	65	12	20	22	4	2						
65 to 69 years	2,153	1,660	1,275	1,045	794	573	58	18	22	22	4	2						
70 to 74 years	2,264	1,784	1,238	1,020	937	730	60	12	27	22	2							
75 to 79 years	2,047	1,857	1,068	1,053	899	774	55	18	16	10	8	2	1					
80 to 84 years	1,380	1,491	731	836	606	617	27	25	12	9	4	4						
85 to 89 years	739	811	391	428	329	354	10	15	7	8	2	6						
90 to 94 years	221	284	99	152	111	121	6	4	3	4	2	3						
95 to 99 years	48	57	24	28	23	27	1			1		1						
100 years and over	13	10	4	3	8	5			1	1		1						
Unknown	78	27	14	9	7	10	47	8	8		2							
MINNESOTA																		
All ages	14,095	11,226	8,142	6,755	5,537	4,227	188	38	109	88	108	115	11	2				1
Under 1 year	1,980	1,492	1,942	1,455	1	3		1	9	7	28	25		1				
1 year	284	249	268	226	4	2				4	12	17						
2 years	153	112	146	107		3			1		6	2						
3 years	109	80	106	76		1	1		1		1	3						
4 years	97	62	91	59		2	2				4	1						
Under 5 years	2,623	1,995	2,553	1,923	5	11	3	1	11	11	51	48		1				
5 to 9 years	346	271	332	264	5	4	2	1	3	1	4	1						
10 to 14 years	224	209	219	196	1	6					4	7						
15 to 19 years	312	311	285	286	18	15	1		3	4	5	6						
20 to 24 years	367	363	319	324	40	26	1	1	2	6	5	5		1				
25 to 29 years	410	427	337	366	58	50	8	1	4	4	2	6	1					
30 to 34 years	488	411	329	326	140	72	6	2	7	7	4	4	2					
35 to 39 years	580	493	349	354	211	122	8	2	10	10	2	5						
40 to 44 years	560	429	328	291	200	124	18	2	10	7	4	5						
45 to 49 years	597	461	332	276	229	172	21	2	12	9	1	2	2					
50 to 54 years	742	528	375	306	333	213	16	4	14	3	2	2	2					
55 to 59 years	885	619	371	307	489	297	13	3	10	9	2	2						1
60 to 64 years	1,143	747	505	333	600	404	25		6	7	6	3	1					
65 to 69 years	1,230	835	513	336	687	485	22	5	2	2	4	7	2					
70 to 74 years	1,126	785	388	269	701	511	22	2	8	2	6	1	1					
75 to 79 years	1,016	854	269	228	728	618	13		4	3	2	5						
80 to 84 years	744	751	178	189	557	553	3	3	3	3	3	3						
85 to 89 years	489	452	110	108	375	337	4	6				1						
90 to 94 years	168	221	40	57	127	162	1	2										
95 to 99 years	33	52	7	12	25	39					1	1						
100 years and over	5	8	1	2	4	5						1						
Unknown	7	4	2	2	4	1	1	1										
MISSISSIPPI																		
All ages	10,331	10,067	3,906	3,484	112	51	126	81	6,175	6,443	7	7	5	1				
Under 1 year	1,617	1,305	599	508			1	2	1,015	793	2	1		1				
1 year	449	362	193	137			3	1	252	224	1							
2 years	234	199	107	87					126	112	1							
3 years	130	140	42	48				2	87	90	1							
4 years	100	77	36	23			1		63	54								
Under 5 years	2,530	2,083	977	803			5	5	1,543	1,273	5	1		1				
5 to 9 years	262	270	95	80	1		1	2	164	188	1							
10 to 14 years	224	237	79	72			1		143	163	1	2						
15 to 19 years	406	519	99	100			3	1	304	417		1						
20 to 24 years	505	593	119	111	1	1	8	1	377	480								
25 to 29 years	379	541	94	122	1	2	4	1	280	416								
30 to 34 years	338	453	104	119	2	3	3	2	229	329								
35 to 39 years	396	538	133	157	1		6	1	256	380								
40 to 44 years	389	521	136	160	2	4	2	2	248	354		1	1					
45 to 49 years	460	476	152	133	5	2	9	3	294	337		1						
50 to 54 years	530	519	182	156	8	5	5	4	334	354			1					
55 to 59 years	457	378	165	112	10	1	4	1	278	264								
60 to 64 years	538	427	248	165	15	3	11	3	263	256			1					
65 to 69 years	637	477	313	243	8	1	10	6	306	227								
70 to 74 years	750	517	375	267	16	6	19	11	338	233			2					
75 to 79 years	604	497	307	279	14	7	8	9	275	202								
80 to 84 years	447	427	184	223	16	6	7	7	240	191								
85 to 89 years	195	249	81	114	8	7	5	7	101	121								
90 to 94 years	114	136	35	35	3	3	2	7	74	91								
95 to 99 years	34	46	3	10					31	36								
100 years and over	49	89	2	1				1	47	86		1						
Unknown	87	74	23	22	1		13	7	50	45								

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1923—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
MISSOURI																		
All ages	22,570	19,473	17,020	15,042	2,705	2,211	672	331	2,159	1,887	3	1	10				1	1
Under 1 year	2,731	2,170	2,454	1,959	3	1	4	4	270	206								
1 year	628	532	554	455	1	1			73	75		1						
2 years	300	300	277	268	2	2		1	21	29								
3 years	175	137	152	123			1	1	22	13								
4 years	121	113	109	98		1	1	1	11	13								
Under 5 years	3,955	3,252	3,546	2,903	6	5	6	7	397	336		1						
5 to 9 years	424	339	401	316	3	3	1	1	19	19								
10 to 14 years	365	257	324	224	7	4	2	1	31	28	1							
15 to 19 years	542	518	450	418	8	12	6	3	78	85								
20 to 24 years	598	688	449	542	28	13	13	6	107	127			1					
25 to 29 years	606	695	433	554	28	19	26	8	119	114								
30 to 34 years	694	694	502	537	66	30	21	10	105	117								
35 to 39 years	918	780	634	580	66	47	35	18	182	135			1					
40 to 44 years	952	779	645	583	85	56	44	14	177	126			1					
45 to 49 years	1,126	854	767	635	121	70	51	25	186	124			1					
50 to 54 years	1,330	965	942	722	170	98	56	24	159	121			3					
55 to 59 years	1,414	1,060	990	812	236	116	57	15	130	117			1					
60 to 64 years	1,766	1,354	1,327	1,038	270	191	62	34	106	91			1					
65 to 69 years	1,894	1,477	1,408	1,117	289	240	93	28	104	92								
70 to 74 years	1,895	1,610	1,345	1,216	396	292	63	32	90	70			1					
75 to 79 years	1,780	1,624	1,249	1,154	407	373	54	37	70	60								
80 to 84 years	1,264	1,314	901	926	286	312	40	29	37	47								
85 to 89 years	725	783	521	511	169	223	16	18	19	31								
90 to 94 years	210	290	141	182	49	88	5	2	14	18	1							
95 to 99 years	41	70	24	43	11	15	1		5	12								
100 years and over	12	15	6	3	3	3		3	2	6	1							
Unknown	59	55	15	26	1	1	20	16	22	11							1	1
MONTANA																		
All ages	3,081	1,812	1,884	1,267	866	378	141	16	26	15	138	132	16	1	10	3		
Under 1 year	417	331	378	296	1				1	1	32	33	1		4	1		
1 year	53	56	42	47	1	1			1		9	8						
2 years	38	35	31	29	1						6	6						
3 years	31	17	27	13							4	4						
4 years	27	16	24	13		1					3	1				1		
Under 5 years	566	455	502	398	3	2			2	1	54	52	1		4	2		
5 to 9 years	97	67	86	55	2	4					8	7	1			1		
10 to 14 years	79	37	66	29	3						10	8						
15 to 19 years	85	48	66	40	7	4	2		1	1	9	3						
20 to 24 years	93	60	74	50	5	5	6		1		5	5	2					
25 to 29 years	82	76	55	58	19	9	4	2	1		3	7						
30 to 34 years	103	90	65	63	31	18	4	2	1	2	1	5	1					
35 to 39 years	149	104	73	72	60	23	7	1	3	1	4	7			2			
40 to 44 years	176	87	90	60	80	21	2	1		2	4	3						
45 to 49 years	196	75	81	49	94	20	9	1	6	1	4	3	1	1	1			
50 to 54 years	183	100	80	65	81	29	15			1	5	5			2			
55 to 59 years	201	104	91	54	89	39	16			2	2	9	2		1			
60 to 64 years	253	108	111	60	107	45	20		2		10	3	3					
65 to 69 years	255	90	143	46	82	38	18	2	4	2	8	2						
70 to 74 years	196	102	102	59	71	32	13	4	2	2	4	5	4					
75 to 79 years	181	88	97	41	70	43	12	1			2	3						
80 to 84 years	101	69	60	37	34	30	4		2		1	2						
85 to 89 years	58	41	31	24	22	13	2	2	1		1	2	1					
90 to 94 years	12	5	8	4	4	1												
95 to 99 years	4	3	2	2		1					2							
100 years and over	1	2				1					1	1						
Unknown	10	1	1	1	2		7											
NEBRASKA																		
All ages	6,890	5,742	4,753	4,104	1,755	1,409	154	54	154	113	69	59	1		4	3		
Under 1 year	1,005	727	956	700	2	1	3	1	20	11	23	12			1	2		
1 year	143	121	133	114			1	1	5	2	3	4			1			
2 years	85	61	79	57						4	6							
3 years	62	46	60	45					1			1			1			
4 years	36	36	33	36					2		1							
Under 5 years	1,331	991	1,261	952	2	1	4	2	28	17	33	17			3	2		
5 to 9 years	154	154	144	146	3	1			4	2	3	5						
10 to 14 years	108	107	103	100	1	1				3	4	3						
15 to 19 years	179	127	162	110	6	5	3		5	6	3	6						
20 to 24 years	150	158	134	132	9	14	2	3	4	9	1							
25 to 29 years	143	183	109	163	15	12	4	2	12	5	2		1			1		
30 to 34 years	178	185	135	156	23	17	8	3	12	7		2						
35 to 39 years	208	218	136	176	45	25	8	2	17	12	1	3			1			
40 to 44 years	223	209	149	164	42	30	14	2	15	11	3	2						
45 to 49 years	251	203	170	157	62	38	7	1	11	7	1							
50 to 54 years	300	249	198	178	75	65	12	1	14	3	1	2						
55 to 59 years	387	307	248	194	122	93	12	4	4	12	1	4						
60 to 64 years	541	354	328	209	187	133	16	3	6	8	4	1						
65 to 69 years	595	449	346	277	222	160	16	7	9	3	2	2						
70 to 74 years	637	535	374	307	243	219	14	4	4	2	2	3						
75 to 79 years	621	514	339	279	263	224	13	6	2	1	4	4						
80 to 84 years	504	447	241	232	249	202	7	8	3	2	4	3						
85 to 89 years	261	242	125	120	132	115	4	5		1		1						
90 to 94 years	85	79	43	39	39	38	1		2	1		1						
95 to 99 years	18	22	7	9	10	13			1									
100 years and over	3	5	1	4	2	1												
Unknown	13	4			3	2	9	1	1	1								

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1923—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
NEW HAMPSHIRE																		
All ages	3,435	3,312	2,609	2,483	698	717	124	105	3	6	1			1				
Under 1 year	495	373	489	367	4	5	1		1					1				
1 year	72	66	69	64	3	1		1										
2 years	27	28	26	27		1	1											
3 years	23	12	21	11	2	1												
4 years	17	15	16	13	1	2												
Under 5 years	634	494	621	482	10	10	2	1	1					1				
5 to 9 years	55	51	50	46	4	3	1	2										
10 to 14 years	37	32	34	28	3	1		2		1								
15 to 19 years	56	52	49	36	3	11	4	4		1								
20 to 24 years	51	61	40	50	6	11	4		1									
25 to 29 years	49	85	35	65	12	17	1	3	1									
30 to 34 years	65	67	36	44	27	20	2	3										
35 to 39 years	67	83	38	54	26	27	3	2										
40 to 44 years	96	85	51	55	44	29	1			1								
45 to 49 years	131	112	83	75	42	32	5	5			1							
50 to 54 years	147	156	87	97	56	53	4	6										
55 to 59 years	194	169	122	108	61	56	11	4		1								
60 to 64 years	264	236	176	161	77	62	11	13										
65 to 69 years	365	309	279	218	78	77	8	14										
70 to 74 years	370	330	269	224	92	93	9	12		1								
75 to 79 years	382	355	285	260	76	87	21	8										
80 to 84 years	245	301	182	227	44	68	19	6										
85 to 89 years	147	210	116	171	26	33	5	6										
90 to 94 years	46	90	38	63	7	20	1	6		1								
95 to 99 years	12	17	11	13	1	4												
100 years and over	3	4	2	3			1	1										
Unknown	19	13	5	3	3	3	11	7										
NEW JERSEY																		
All ages	21,706	19,786	13,724	12,871	6,338	5,580	200	62	1,427	1,272			14	1	3			
Under 1 year	3,075	2,276	2,810	2,082	4	1	4	2	257	191								
1 year	616	554	538	492	8	5			69	57			1					
2 years	308	242	282	222	4				22	20								
3 years	167	171	154	154	4	3			9	14								
4 years	159	145	145	136		1			14	8								
Under 5 years	4,325	3,388	3,929	3,086	20	10	4	2	371	290			1					
5 to 9 years	503	387	463	356	8	8	1		31	23								
10 to 14 years	371	276	333	240	15	14	1		22	22								
15 to 19 years	446	441	357	354	48	43	1	1	40	43								
20 to 24 years	590	602	412	421	110	108	1		67	73								
25 to 29 years	643	676	390	439	175	166	10	1	67	70					1			
30 to 34 years	769	702	381	429	283	199	13	1	89	73			3					
35 to 39 years	914	699	418	380	381	234	14	2	99	83			1		1			
40 to 44 years	1,076	810	459	409	462	306	28	6	127	89								
45 to 49 years	1,317	950	652	505	528	355	25	2	111	88			1					
50 to 54 years	1,470	1,117	751	620	605	408	26	6	86	83			1		1			
55 to 59 years	1,490	1,232	725	640	688	503	8	7	66	82			3					
60 to 64 years	1,742	1,484	952	815	704	595	13	4	72	69			1	1				
65 to 69 years	1,723	1,652	981	959	685	633	8	8	49	52								
70 to 74 years	1,590	1,706	887	957	632	687	23	10	46	52			2					
75 to 79 years	1,283	1,580	766	968	478	579	9	4	29	29			1					
80 to 84 years	894	1,176	538	732	313	415	9	5	34	24								
85 to 89 years	400	609	235	376	150	223	3	1	12	9								
90 to 94 years	124	219	78	141	42	65	1	2	3	11								
95 to 99 years	30	66	17	38	10	26			3	2								
100 years and over	4	13		6	1	2			3	5								
Unknown	2	1				1	2											
NEW YORK																		
All ages	74,035	67,050	46,026	42,492	24,577	22,072	859	277	2,346	2,166	50	34	139	6	34	3	4	
Under 1 year	9,331	7,270	8,849	6,901	26	26	20	12	423	318	9	8	3	4	1	1		
1 year	1,537	1,381	1,424	1,280	23	22	2	2	86	73		3	2	1				
2 years	730	651	679	599	20	23		1	30	28	1							
3 years	486	434	458	404	8	13		1	19	16	1							
4 years	387	324	369	307	5	6	1		12	11								
Under 5 years	12,471	10,060	11,779	9,491	82	90	23	16	570	446	11	11	5	5	1	1		
5 to 9 years	1,391	1,090	1,319	1,032	36	24		2	35	30	1	1				1		
10 to 14 years	958	835	862	744	67	56			29	32		3						
15 to 19 years	1,360	1,293	1,097	1,043	199	175	7	2	47	70	6	2	3	1	1			
20 to 24 years	1,815	1,840	1,241	1,283	417	422	13	5	135	126	1	4	5		2		1	
25 to 29 years	2,213	2,131	1,268	1,350	714	614	30	4	183	159	2	4	10		5		1	
30 to 34 years	2,585	2,288	1,358	1,342	989	785	41	6	158	154	6	1	27		6			
35 to 39 years	3,373	2,508	1,633	1,363	1,432	964	71	8	210	172	2	1	14		10		1	
40 to 44 years	3,803	2,830	1,891	1,506	1,601	1,143	90	13	200	167	4		14		3	1		
45 to 49 years	4,481	3,329	2,294	1,882	1,885	1,286	90	13	195	148	2		11		3		1	
50 to 54 years	5,326	4,120	2,674	2,129	2,387	1,818	100	19	143	154	4		16		2			
55 to 59 years	5,615	4,643	2,802	2,421	2,612	2,101	63	17	118	103	2	1	18					
60 to 64 years	6,470	5,658	3,426	3,085	2,848	2,439	93	24	94	110	3		5		1			
65 to 69 years	6,200	5,875	3,506	3,380	2,567	2,370	54	25	66	97	1	3	6					
70 to 74 years	5,736	5,956	3,193	3,197	2,413	2,655	59	34	66	69	2	1	3					
75 to 79 years	4,822	5,247	2,642	2,996	2,100	2,172	42	29	37	50			1					
80 to 84 years	3,238	3,953	1,871	2,268	1,314	1,611	22	30	30	43	1	1						
85 to 89 years	1,530	2,307	855	1,364	642	910	13	14	17	19	2		1					
90 to 94 years	486	850	256	489	215	343	10	9	5	8		1						
95 to 99 years	83	183	44	103	35	73		2	4	5								
100 years and over	24	32	7	13	14	14		1	3	4								
Unknown	55	22	8	11	8	7	38	4	1									

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1923—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
NORTH CAROLINA																		
All ages	16,200	15,942	9,884	9,423	83	57	162	104	5,994	6,264	74	94	2		1			
Under 1 year	3,755	3,058	2,250	1,783			8	5	1,478	1,248	19	22						
1 year	922	839	560	501	1		1	1	351	328	9	9						
2 years	363	334	237	210			2		117	116	7	8						
3 years	181	203	120	112			2	1	57	88	2	2						
4 years	128	122	85	76					42	46	1							
Under 5 years	5,349	4,556	3,252	2,682	1		13	7	2,045	1,826	38	41						
5 to 9 years	395	400	252	247			1	1	140	146	2	6						
10 to 14 years	292	278	176	143		1	1		114	132	1	2						
15 to 19 years	501	581	253	221		1	4		243	357	1	2						
20 to 24 years	622	745	272	321	2	1	10	3	337	415	1	5						
25 to 29 years	595	753	275	351	7	1	8	5	302	396	3							
30 to 34 years	498	661	269	334	5	2	8	4	215	316	1	5						
35 to 39 years	498	741	259	412	3	5	3	4	231	316	2	4						
40 to 44 years	524	629	301	343	4	3	8	5	210	277		1	1					
45 to 49 years	557	612	323	321	3	4	5	3	224	282	1	2			1			
50 to 54 years	678	602	360	318	9	4	13	3	295	276	1	1						
55 to 59 years	652	566	413	318	12	2	6	6	215	238	5	2	1					
60 to 64 years	800	788	544	504	6	5	16	10	233	266	1	3						
65 to 69 years	1,013	858	724	617	10	5	11	5	264	226	4	5						
70 to 74 years	1,179	948	866	694	9	7	14	13	287	231	3	3						
75 to 79 years	902	846	670	652	2	3	20	20	207	166	3	5						
80 to 84 years	578	652	380	512	8	4	7	6	180	127	3	3						
85 to 89 years	286	358	179	257	1	4	5	5	100	90	1	2						
90 to 94 years	124	187	61	113	1	4	1		59	68	2	2						
95 to 99 years	46	55	17	28		1	2	2	27	24								
100 years and over	32	58	4	12				1	27	45	1							
Unknown	79	68	34	23			6	1	39	44								
OHIO																		
All ages	39,532	35,522	28,992	27,576	6,794	5,562	989	298	2,736	2,084	3	1	16		1		1	1
Under 1 year	5,471	4,134	5,063	3,806	12	7	8	4	385	316	1		1				1	1
1 year	939	784	824	711	7	6	3	1	105	66								
2 years	496	394	456	363	3	2			37	29								
3 years	295	279	271	253	3	5	2		19	21								
4 years	239	205	226	186	3	3	1	1	9	15								
Under 5 years	7,440	5,796	6,840	5,319	28	23	14	6	555	447	1		1				1	1
5 to 9 years	828	658	770	614	11	5	2	2	45	37								
10 to 14 years	553	465	501	415	18	11	1		33	39								
15 to 19 years	798	771	675	634	47	46	13	1	63	90								
20 to 24 years	1,076	1,083	738	845	97	82	27	4	212	152			2					
25 to 29 years	1,237	1,219	783	883	211	161	42	11	199	164	1		1					
30 to 34 years	1,314	1,290	787	931	260	207	51	5	216	147								
35 to 39 years	1,583	1,240	901	874	390	221	54	6	237	139			1					
40 to 44 years	1,619	1,278	938	949	396	209	58	8	225	112			2					
45 to 49 years	1,813	1,482	1,088	1,133	480	230	58	14	185	105	1		1					
50 to 54 years	2,065	1,750	1,339	1,291	465	303	75	22	183	134			3					
55 to 59 years	2,348	1,926	1,590	1,417	582	399	67	11	107	99			2					
60 to 64 years	2,985	2,480	2,103	1,898	683	475	85	22	113	85			1					
65 to 69 years	3,340	2,896	2,521	2,243	630	537	80	32	106	84			2		1			
70 to 74 years	3,375	3,200	2,469	2,418	733	670	87	38	86	73		1						
75 to 79 years	3,261	3,201	2,289	2,366	778	729	112	41	82	65								
80 to 84 years	2,295	2,666	1,590	1,929	566	657	98	38	41	42								
85 to 89 years	1,125	1,439	789	981	285	404	39	25	12	29								
90 to 94 years	363	546	232	360	105	156	6	8	20	22								
95 to 99 years	72	102	41	63	23	29	2	2	6	8								
100 years and over	10	23	4	7	2	5	2	1	2	10								
Unknown	32	11	4	6	4	3	16	1	8	1								
OREGON																		
All ages	5,309	3,701	3,833	2,898	1,118	653	210	53	25	18	56	61	41	5	25	13	1	
Under 1 year	467	392	449	375				1		1	10	12	1	1	7	2		
1 year	60	55	55	50				1			3	1			2	3		
2 years	51	41	41	36	2		2	1		2	4	1		1	2			
3 years	27	26	24	23	1		1	1			1	1				1		
4 years	22	18	21	17							1			1				
Under 5 years	627	532	590	501	3		3	4		3	19	15	1	3	11	6		
5 to 9 years	107	78	95	66	3	3	2	2		1	5	5	1		1	1		
10 to 14 years	104	70	99	62	3	2			1	1	1	3		1		1		
15 to 19 years	118	102	105	91	5	5	2			1	5	4			1	1		
20 to 24 years	163	116	136	104	19	7	3	1	2		2	2			1	2		
25 to 29 years	151	136	123	115	15	11	9	3	2	3	2	3				1		
30 to 34 years	181	149	135	125	27	20	11	1	1	1	2	1	1		3	1	1	
35 to 39 years	211	136	146	106	50	24	7	2	2	1		3	3		3			
40 to 44 years	239	153	151	129	61	20	19		4		1	4	2		1			
45 to 49 years	240	178	162	136	61	36	11	3	3			3			3			
50 to 54 years	332	214	215	163	87	49	24	2	1		1		3		1			
55 to 59 years	339	241	236	169	76	64	18	4	6	3	1	1	2					
60 to 64 years	466	255	307	180	126	70	26	3			1	2	6					
65 to 69 years	489	285	323	204	131	71	22	4	1	2	5	3	7	1				
70 to 74 years	549	302	346	209	172	83	21	7		1	1	2	9					
75 to 79 years	446	295	311	209	114	75	11	7	2		6	4	2					
80 to 84 years	292	262	178	195	107	60	7	5				2						
85 to 89 years	161	129	106	93	46	30	5	4			3	2	1					
90 to 94 years	60	52	47	30	10	20	1	1		1	1		1					
95 to 99 years	15	10	13	7	2	2						1						
100 years and over	1	3	1	1		1						1						
Unknown	18	3	8	3			8						2					

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1923—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
PENNSYLVANIA																		
All ages	64,581	56,041	45,957	42,470	13,794	10,132	723	256	4,076	3,176	1	2	27	3		1	3	1
Under 1 year	11,277	8,362	10,566	7,817	16	15	19	8	675	521			1			1		
1 year	2,137	1,779	1,942	1,627	8	12	2	5	175	134				1				
2 years	1,040	882	960	817	4	7	1	4	75	54								
3 years	595	529	553	497	10	5	4		28	27								
4 years	455	394	439	371	4	2		2	12	19								
Under 5 years	15,504	11,946	14,470	11,129	42	41	26	19	965	755			1	1		1		
5 to 9 years	1,422	1,257	1,353	1,162	15	16	4	3	50	76								
10 to 14 years	993	767	902	683	30	25	1	2	60	57								
15 to 19 years	1,373	1,254	1,152	1,049	98	71	10	1	113	133								
20 to 24 years	1,660	1,671	1,131	1,272	226	176	15	6	286	217			2					
25 to 29 years	1,966	1,678	1,158	1,173	475	299	20	11	309	193		1	2	1			2	
30 to 34 years	2,109	1,823	1,144	1,213	655	404	40	6	266	200			4					
35 to 39 years	2,800	2,104	1,373	1,292	1,012	564	61	10	351	238			3					
40 to 44 years	3,046	2,065	1,519	1,288	1,105	542	75	10	345	225			1				1	
45 to 49 years	3,377	2,364	1,792	1,557	1,213	582	60	12	310	213			2					
50 to 54 years	3,895	2,903	2,145	1,892	1,395	786	72	19	280	206			3					
55 to 59 years	4,164	3,233	2,425	2,160	1,473	894	61	17	201	161			4	1				
60 to 64 years	4,646	3,886	2,948	2,692	1,443	1,040	70	18	180	136	1		4					
65 to 69 years	4,742	4,314	3,368	3,140	1,208	1,052	62	29	104	91		1						1
70 to 74 years	4,626	4,620	3,251	3,290	1,224	1,204	50	27	100	99			1					
75 to 79 years	4,063	4,156	2,882	3,047	1,065	1,001	43	29	73	79								
80 to 84 years	2,519	3,424	1,794	2,557	654	792	27	22	44	53								
85 to 89 years	1,243	1,801	871	1,341	325	434	18	8	29	18								
90 to 94 years	359	620	240	440	109	161	3	5	7	14								
95 to 99 years	56	117	32	77	21	34		1	3	5								
100 years and over	11	35	3	16	6	13	2			6								
Unknown	7	3	4			1	3	1		1								
RHODE ISLAND																		
All ages	4,412	4,210	2,818	2,630	1,420	1,443	44	13	123	124	2		4				1	
Under 1 year	790	572	752	556	5	5			33	11								
1 year	149	158	144	147	3	3			2	8								
2 years	77	46	72	43	1				4	3								
3 years	49	43	46	41	1	1			2	1								
4 years	31	28	29	25	1	3			1									
Under 5 years	1,096	847	1,043	812	11	12			42	23								
5 to 9 years	93	62	84	60	4	1			5	1								
10 to 14 years	62	38	56	36	3	2	1		2									
15 to 19 years	78	61	59	53	17	6			1	2			1					
20 to 24 years	81	94	59	56	20	33		1	2	4								
25 to 29 years	104	104	60	71	38	32	1		5	1								
30 to 34 years	109	125	60	77	39	42	2	1	5	5			2				1	
35 to 39 years	135	134	63	80	61	51			11	3								
40 to 44 years	170	153	89	79	74	64	1	2	6	8								
45 to 49 years	225	188	111	89	101	89	3	1	9	9	1							
50 to 54 years	284	240	133	120	136	107	8		7	13								
55 to 59 years	316	272	121	115	181	144	6	1	7	12			1					
60 to 64 years	363	345	183	162	170	172	6	2	4	9								
65 to 69 years	355	351	182	178	162	162	4		7	11								
70 to 74 years	362	366	192	173	159	185	3	1	7	7	1							
75 to 79 years	283	349	150	179	128	162	3	1	2	7								
80 to 84 years	183	246	99	150	78	91	5	1	1	4								
85 to 89 years	80	160	51	93	29	66				1								
90 to 94 years	25	51	17	32	7	17	1	1		1								
95 to 99 years	7	20	6	13	1	4		1		2								
100 years and over		4		2		1				1								
Unknown	1				1													
SOUTH CAROLINA																		
All ages	10,449	10,218	4,139	3,916	75	45	66	40	6,167	6,217	2							
Under 1 year	2,367	1,896	900	688			3	3	1,464	1,205								
1 year	596	516	253	213			1		342	303								
2 years	219	203	87	70			2		130	133								
3 years	112	96	51	50	1				60	46								
4 years	74	84	30	37				1	44	46								
Under 5 years	3,368	2,795	1,321	1,058	1		6	4	2,040	1,733								
5 to 9 years	257	237	103	86			2	2	152	149								
10 to 14 years	234	212	97	63			1		136	149								
15 to 19 years	320	436	81	113			2	1	237	322								
20 to 24 years	433	614	114	123	1		2	1	316	490								
25 to 29 years	392	497	107	113	2		3	2	280	382								
30 to 34 years	366	492	110	140		2	4	2	251	348	1							
35 to 39 years	393	561	123	184	5	1			265	376								
40 to 44 years	421	476	136	157	2		3	3	280	316								
45 to 49 years	486	463	174	153	3	2	5		304	308								
50 to 54 years	523	459	182	156	5	2	3	1	333	300								
55 to 59 years	413	368	190	164	12	2	3	3	208	199								
60 to 64 years	592	428	296	211	11	2	4	2	280	213	1							
65 to 69 years	613	502	312	272	9	7	5	1	287	222								
70 to 74 years	604	498	311	280	11	8	10	3	272	207								
75 to 79 years	492	435	274	267	7	10	9	6	202	152								
80 to 84 years	291	364	132	210	1	6	2	4	156	144								
85 to 89 years	130	179	51	107	3	2		3	76	67								
90 to 94 years	57	102	16	46	2	1			39	55								
95 to 99 years	18	37	3	7				1	15	29								
100 years and over	22	43	1	3					21	40								
Unknown	24	20	5	3			2	1	17	16								

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1923—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
TENNESSEE																		
All ages	14,599	13,903	9,989	9,452	202	135	229	178	4,178	4,138			1					
Under 1 year	2,326	1,865	1,750	1,364	1		20	19	555	482								
1 year	662	559	485	418			3	4	174	137								
2 years	306	279	232	224					74	55								
3 years	154	156	114	125			1		39	31								
4 years	112	109	80	78				1	32	30								
Under 5 years	3,560	2,968	2,661	2,209	1		24	24	874	735								
5 to 9 years	315	266	228	178		1	1	2	86	85								
10 to 14 years	314	278	205	167	1		2	1	106	110								
15 to 19 years	508	588	326	324		1	4	5	178	258								
20 to 24 years	648	725	347	415	2	1	9	10	290	299								
25 to 29 years	609	725	315	425	5	3	7	8	282	289								
30 to 34 years	578	696	353	414	6	1	11	7	208	274								
35 to 39 years	635	662	367	407	8	6	10	6	250	243								
40 to 44 years	573	617	325	375	7	4	11	5	230	233								
45 to 49 years	659	661	388	382	10	3	16	3	245	273								
50 to 54 years	747	643	442	367	9	3	11	11	285	262								
55 to 59 years	742	598	496	393	21	9	14	7	210	189			1					
60 to 64 years	831	748	594	517	22	9	16	12	199	210								
65 to 69 years	985	805	754	603	15	13	22	11	194	178								
70 to 74 years	965	958	749	767	36	17	27	14	153	160								
75 to 79 years	853	810	668	678	31	21	16	15	138	96								
80 to 84 years	604	621	473	487	13	24	13	14	105	96								
85 to 89 years	265	301	202	217	9	11	3	10	51	63								
90 to 94 years	113	130	68	83	5	8	6	5	34	34								
95 to 99 years	40	39	14	29	1		1		24	10								
100 years and over	20	37	3	6				1	17	30								
Unknown	35	27	11	9			5	7	19	11								
UTAH																		
All ages	2,522	1,991	1,716	1,343	684	581	57	14	16	9	17	31	9	1	21	12	2	
Under 1 year	453	354	445	336			1	1	1	1	2	8			4	8		
1 year	62	43	60	39							2	2				2		
2 years	29	28	29	27								1						
3 years	27	15	27	12		1						1				1		
4 years	20	19	20	17								2						
Under 5 years	591	459	581	431		1	1	1	1	1	4	14			4	11		
5 to 9 years	73	57	72	54	1	1						2						
10 to 14 years	54	49	50	49	2						2							
15 to 19 years	89	60	81	58	5	1	1				2	1						
20 to 24 years	82	65	68	57	10	4	3		1			3				1		
25 to 29 years	68	66	44	57	17	8	3		3	1					1			
30 to 34 years	91	68	65	56	21	8	3	2		2					1		1	
35 to 39 years	115	87	73	67	32	14	5	1	2	2		3			3			
40 to 44 years	114	64	67	47	36	13	5	2	2			2			4			
45 to 49 years	125	82	87	59	28	20	4					2	1	1	5			
50 to 54 years	137	100	83	75	45	23	4	1	1	1	1		1		2			
55 to 59 years	141	91	87	57	46	31	4	2	1	1	2						1	
60 to 64 years	177	125	104	80	60	45	4		3		2		4					
65 to 69 years	174	130	92	60	72	67	6	1	1		1	2	1		1			
70 to 74 years	158	156	60	56	87	99	8	1	1		2							
75 to 79 years	141	121	45	34	94	85	2	1				1						
80 to 84 years	103	100	32	22	68	76		2			1		2					
85 to 89 years	56	78	15	16	41	62												
90 to 94 years	25	28	7	8	18	19				1								
95 to 99 years	1	4	1			4												
100 years and over	1				1													
Unknown	6	1	2				4					1						
VERMONT																		
All ages	2,753	2,611	2,235	2,140	476	450	39	20	3	1								
Under 1 year	317	240	313	240	3				1									
1 year	42	49	41	47	1	2												
2 years	32	16	31	16	1													
3 years	14	17	14	17														
4 years	10	4	8	3	2	1												
Under 5 years	415	326	407	323	7	3			1									
5 to 9 years	22	30	21	28	1	2												
10 to 14 years	34	31	32	28	2	3												
15 to 19 years	44	48	34	43	10	5												
20 to 24 years	43	45	39	42	3	3	1											
25 to 29 years	44	60	37	53	3	6	4	1										
30 to 34 years	51	58	41	49	9	9			1									
35 to 39 years	60	64	45	55	13	7	2	2										
40 to 44 years	83	74	58	64	22	10	2		1									
45 to 49 years	106	92	71	69	34	22	1			1								
50 to 54 years	129	121	96	98	30	23	3											
55 to 59 years	149	146	104	111	41	35	4											
60 to 64 years	223	186	177	142	42	43	4	1										
65 to 69 years	280	254	228	205	49	44	3	5										
70 to 74 years	317	270	257	219	57	49	3	2										
75 to 79 years	327	307	261	237	62	67	4	3										
80 to 84 years	254	255	203	197	46	55	5	3										
85 to 89 years	113	155	81	117	30	37	2	1										
90 to 94 years	47	70	34	48	13	21		1										
95 to 99 years	12	15	9	10	2	5	1											
100 years and over		3		1		1		1										
Unknown		1		1														

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1923—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
VIRGINIA																		
All ages	15,795	14,965	9,368	8,647	344	208	134	72	5,941	6,029	4	9	3		1			
Under 1 year	2,953	2,447	1,724	1,413			2	5	1,227	1,028		1						
1 year	638	549	412	317			2	2	224	230								
2 years	325	267	218	172			2	1	105	93		1						
3 years	173	163	118	109		1	1	2	54	50		1						
4 years	103	98	63	70	1			1	39	27								
Under 5 years	4,192	3,524	2,535	2,081	1	1	7	11	1,649	1,428		3						
5 to 9 years	309	289	202	174	1		2		104	114		1						
10 to 14 years	262	224	156	115		1		1	106	107								
15 to 19 years	457	487	234	196	3	2	3		215	288	2	1						
20 to 24 years	568	642	289	255	1	4	3	3	273	380			1		1			
25 to 29 years	485	562	214	238	9	2	7		255	321		1						
30 to 34 years	461	536	221	260	13	6	4		223	270								
35 to 39 years	548	561	274	266	18	7	7	1	249	287								
40 to 44 years	586	713	264	340	17	7	5	3	298	363	1		1					
45 to 49 years	714	655	344	296	24	7	4	4	341	347		1	1					
50 to 54 years	900	746	431	360	25	15	10	2	434	369								
55 to 59 years	813	673	431	310	35	18	9	5	338	339		1						
60 to 64 years	1,010	928	631	530	25	15	11	6	343	377								
65 to 69 years	1,060	955	762	674	31	28	10	5	257	248								
70 to 74 years	1,143	1,087	812	786	35	34	15	8	280	259	1							
75 to 79 years	1,082	941	797	757	51	29	23	5	211	150								
80 to 84 years	675	717	472	535	31	21	8	8	164	153								
85 to 89 years	335	421	212	315	17	7	2	4	104	94		1						
90 to 94 years	119	178	61	111	6	4	2	2	50	61								
95 to 99 years	40	63	17	31	1			1	22	31								
100 years and over	16	39	5	9					11	30								
Unknown	20	24	4	8			2	3	14	13								
WASHINGTON																		
All ages	8,287	5,569	5,223	3,866	2,362	1,385	313	40	91	46	126	134	43	5	119	91	10	2
Under 1 year	844	584	777	521	4	4	2	2	5	3	19	22	2	1	34	31	1	
1 year	97	102	77	80	3	3		3	1		5	7	1		10	8		1
2 years	74	42	67	33	2		1				3	4			1	5		
3 years	58	45	54	38	2			1			1	4			1	2		
4 years	38	34	28	23	1	3	3	1	1		1	2			4	4		1
Under 5 years	1,111	807	1,003	695	12	10	6	7	7	3	29	39	3	1	50	50	1	2
5 to 9 years	190	127	166	108	6	6	5	1	3		8	6		1	2	5		
10 to 14 years	139	119	121	102	10	5	2	3		1	4	8			2			
15 to 19 years	196	175	161	148	14	13	5		1	1	10	10	2		2	3	1	
20 to 24 years	253	207	191	156	32	34	8	1	2	4	13	5			4	7	3	
25 to 29 years	252	217	179	169	49	32	6	2	3	3	6	5	1		5	6	3	
30 to 34 years	332	205	207	157	81	32	19	1	8	5	8	5	2	1	7	4		
35 to 39 years	386	237	203	169	135	52	23	3	8	2	4	3	2		10	8	1	
40 to 44 years	422	206	228	152	143	46	21		13	5	5	2	4		8	1		
45 to 49 years	434	276	253	191	128	71	25		13	5	5	5		1	9	3	1	
50 to 54 years	534	327	294	205	174	111	41	2	14	4	1	3	2		8	2		
55 to 59 years	590	331	292	213	247	110	25	2	7	3	4	3	8		7			
60 to 64 years	724	453	379	277	289	169	37	2	4	3	5	2	9		1			
65 to 69 years	765	469	406	286	299	171	37	3	2	2	12	4	6	1	3	2		
70 to 74 years	711	425	424	267	267	152	17			2		4	3					
75 to 79 years	572	406	340	254	213	140	10	5	4	1	3	6	1		1			
80 to 84 years	378	316	219	177	147	126	7	3	1		4	10						
85 to 89 years	195	185	122	96	68	79	3	1		1	2	8						
90 to 94 years	62	56	27	33	35	20		1				2						
95 to 99 years	13	16	5	8	7	5		2			1	1						
100 years and over	3	4	1	3					1		1	1						
Unknown	25	5	2		6	1	16	1		1	1	2						
WISCONSIN																		
All ages	15,850	13,441	9,781	8,567	5,644	4,701	246	46	74	48	105	78		1				
Under 1 year	2,391	1,724	2,362	1,705		2	1	2	6	3	22	11		1				
1 year	323	256	316	251	1	1	1				5	4						
2 years	199	142	192	140	2				1		4	2						
3 years	137	101	135	101	2													
4 years	95	92	94	90	1	1						1						
Under 5 years	3,145	2,315	3,099	2,287	6	4	2	2	7	3	31	18		1				
5 to 9 years	349	328	338	321					3	2	8	5						
10 to 14 years	255	237	244	223	8	6	1		1	3	1	5						
15 to 19 years	333	313	313	290	15	14	1		1		3	9						
20 to 24 years	368	385	331	355	23	23	6	1	5	4	3	2						
25 to 29 years	410	421	335	365	54	45	5		10	7	6	4						
30 to 34 years	481	450	374	378	97	64	4		5	5	1	3						
35 to 39 years	522	458	365	363	121	89	23	2	12	1	1	3						
40 to 44 years	592	458	349	353	212	102	20		6	1	5	2						
45 to 49 years	621	488	368	340	218	142	27	1	4	4	4	1						
50 to 54 years	725	642	415	432	278	203	22	2	3	1	7	4						
55 to 59 years	946	688	505	384	416	291	17	7	4	2	4	4						
60 to 64 years	1,222	932	634	528	555	398	24	2	1	3	8	1						
65 to 69 years	1,315	1,073	647	570	629	491	28	4	5	2	6	6						
70 to 74 years	1,428	1,184	575	520	828	655	20	5	2	3	3	1						
75 to 79 years	1,273	1,122	413	362	835	743	19	10	1	4	5	3						
80 to 84 years	994	1,012	264	272	709	732	15	7			6	1						
85 to 89 years	593	589	144	141	438	446	7	1	3		1	1						
90 to 94 years	210	262	52	63	153	195	2		1	2	2	2						
95 to 99 years	49	61	12	12	37	48						1						
100 years and over	8	14	1	4	7	8				1		1						
Unknown	11	9	3	4	5	2	3	2				1						

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1923—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
WYOMING																		
All ages	1,394	786	847	621	320	97	135	15	29	8	37	35	1		25	10		
Under 1 year	222	172	213	162					2		5	7			2	3		
1 year	34	44	26	38					1		7	6						
2 years	17	12	16	12							1							
3 years	12	7	9	7							3							
4 years	8	8	8	5				1				1				1		
Under 5 years	293	243	272	224				1	3		16	14			2	4		
5 to 9 years	31	17	26	16		1	1				4							
10 to 14 years	22	23	19	21	2	1	1					1						
15 to 19 years	23	20	15	16	3	4					5							
20 to 24 years	76	40	44	32	21	4	6	1	4	1		1			1	1		
25 to 29 years	84	50	43	44	31		5	2	3			3			2	1		
30 to 34 years	88	37	38	28	32	4	8	2	2	2	1				7	1		
35 to 39 years	110	40	53	34	31	5	14	1	6		1				5			
40 to 44 years	89	35	31	22	34	9	18	2	1	2					5			
45 to 49 years	74	29	36	22	25	5	11	1	1		1					1		
50 to 54 years	85	28	42	19	24	7	14		1		1				3	2		
55 to 59 years	70	30	36	14	21	9	13	3		1		3						
60 to 64 years	82	34	49	22	18	7	10		1	1	4	4						
65 to 69 years	66	39	36	26	18	11	9	1	1		1	1	1					
70 to 74 years	70	40	39	34	24	5	6		1			1						
75 to 79 years	54	28	23	19	24	6	7			1		2						
80 to 84 years	36	28	27	15	3	12	4		2			1						
85 to 89 years	11	16	9	10	2	5		1										
90 to 94 years	10	2	5	1	4	1			1									
95 to 99 years	1	1		1					1									
100 years and over																		
Unknown	19	6	4	1	3	1	8		1		3	4						

NOTE.—Populations in reports of Fourteenth Census of the United States, 1920: Vol. II, Ch. III, Tables 13 and 14, and Thirteenth Census of the United States, 1910: Vol. I, Ch. IV, Tables 43 and 44.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

"Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR		All causes	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors
				1	5	6	7	8	9	10	11	21	24	31	32	33-37	43-49
1	The registration area (exclusive of Hawaii)	White	1,042,064	4,905	1,298	111	9,155	3,360	7,411	11,054	36,942	2,499	950	62,164	3,507	5,640	82,001
		Colored	150,953	1,730	1,438	20	1,295	80	2,029	679	6,428	94	76	17,370	503	1,548	4,753
2	Registration States [1]	White	1,028,101	4,804	1,266	106	9,047	3,335	7,288	10,961	36,417	2,481	940	60,919	3,456	5,562	80,981
		Colored	145,964	1,686	1,405	20	1,267	79	1,981	668	6,256	93	76	16,861	488	1,502	4,594
3	Cities in registration States [1]	White	537,487	1,699	130	55	4,446	1,725	3,239	5,844	12,318	1,285	565	29,468	2,295	2,977	46,533
		Colored	64,493	427	163	6	492	46	739	239	2,025	53	49	7,025	322	860	2,357
4	Rural part of registration States	White	490,614	3,105	1,136	51	4,601	1,610	4,049	5,117	24,099	1,196	375	31,451	1,161	2,585	34,448
		Colored	81,471	1,259	1,242	14	775	33	1,242	429	4,231	40	27	9,836	166	642	2,237
5	Registration cities in nonregistration States	White	13,963	101	32	5	108	25	123	93	525	18	10	1,245	51	78	1,020
		Colored	4,989	44	33		28	1	48	11	172	1		509	15	46	159
6	All registration cities [1]	White	551,450	1,800	162	60	4,554	1,750	3,362	5,937	12,843	1,303	575	30,713	2,346	3,055	47,553
		Colored	69,482	471	196	6	520	47	787	250	2,197	54	49	7,534	337	906	2,516
7	California	White	51,600	139	16	1	295	121	299	624	981	68	44	4,618	239	370	4,571
		Colored	2,966	15	6		28	1	36	25	52	4	8	474	49	52	122
8	Urban	White	30,023	84	7	1	155	73	145	408	432	35	33	2,280	136	240	3,088
		Colored	1,650	7	2		15	1	18	15	22	2	8	238	34	28	85
9	Rural	White	21,577	55	9		140	48	154	216	549	33	11	2,338	103	130	1,483
		Colored	1,316	8	4		13		18	10	30	2		236	15	24	37
10	Colorado	White	11,983	101		16	96	42	102	233	530	33	7	1,488	37	59	825
		Colored	319	3			1		2	4	5			78	2	5	26
11	Urban	White	5,446	26		13	50	13	41	107	211	10	2	748	28	34	435
		Colored	223	2			1		2	2	3			52	2	2	21
12	Rural	White	6,537	75		3	46	29	61	126	319	23	5	740	9	25	390
		Colored	96	1						2	2			26		3	5
13	Connecticut	White	17,287	37	2		157	53	122	189	447	36	27	1,083	73	97	1,444
		Colored	448	1			2	1	7	1	11	1		63	4	9	22
14	Urban	White	13,025	28	1		131	42	87	164	343	26	24	737	67	83	1,093
		Colored	378	1			2	1	6	1	8	1		44	4	8	19
15	Rural	White	4,262	9	1		26	11	35	25	104	10	3	346	6	14	351
		Colored	70						1		3			19		1	3
16	Delaware	White	2,580	10			51	19	19	28	73	6	1	151	4	20	168
		Colored	649	9		1	7	1	12		17			77	3	8	17
17	Urban	White	1,305	2			38	10	7	19	31	3	1	58	3	8	92
		Colored	245	2			2	1	2		4			14	2	2	5
18	Rural	White	1,275	8			13	9	12	9	42	3		93	1	12	76
		Colored	404	7		1	5		10		13			63	1	6	12
19	Florida	White	8,366	94	182		65	4	45	72	188	15	13	451	14	29	514
		Colored	5,744	81	132		36	3	35	13	157		2	537	5	46	136
20	Urban	White	2,403	25	6		5	1	8	20	43	4	6	166	9	7	184
		Colored	1,842	18	14		10	1	9	6	54		2	214	1	24	46
21	Rural	White	5,963	69	176		60	3	37	52	145	11	7	285	5	22	330
		Colored	3,902	63	118		26	2	26	7	103			323	4	22	90
22	Georgia	White	17,559	249	205		274	18	126	208	1,011	44	13	921	25	67	923
		Colored	16,232	366	265	3	106	5	150	84	742	3	8	1,608	11	105	414
23	Urban	White	4,861	42	10		107	5	34	35	180	9	7	233	11	23	299
		Colored	5,474	87	28		67	2	53	20	190		3	509	5	54	125
24	Rural	White	12,698	207	195		167	13	92	173	831	35	6	688	14	44	624
		Colored	10,758	279	237	3	39	3	97	64	552	3	5	1,099	6	51	289
25	Idaho	White	3,179	22	1	1	8	10	18	43	102	6	10	108	6	17	225
		Colored	151	6		1		1			3	1		35	4	2	1
26	Urban	White	466				3	1	1	2	11		1	19	2	1	39
		Colored	16											2			1
27	Rural	White	2,713	22	1	1	5	9	17	41	91	6	9	89	4	16	186
		Colored	135	6		1		1			3	1		33	4	2	
28	Illinois	White	76,678	293	54	2	520	227	436	788	2,354	163	61	4,246	216	355	6,437
		Colored	5,075	24	5		56	2	85	23	112	6	1	656	33	66	199
29	Urban	White	45,911	122	11	1	329	120	208	494	960	107	41	2,243	153	210	4,137
		Colored	4,075	19			45	1	65	23	74	5	1	445	29	54	164
30	Rural	White	30,767	171	43	1	191	107	228	294	1,394	56	20	2,003	63	145	2,300
		Colored	1,000	5	5		11	1	20		38	1		211	4	12	35
31	Indiana	White	36,929	204	11	4	284	89	253	424	1,732	96	34	2,175	99	299	2,924
		Colored	1,917	10	3		20	1	33	3	69	2		207	6	41	66
32	Urban	White	15,211	84	3	2	146	30	115	179	553	29	13	795	44	109	1,268
		Colored	1,603	8	3		19	1	25	3	56	2		174	6	36	54
33	Rural	White	21,718	120	8	2	138	59	138	245	1,179	67	21	1,380	55	190	1,656
		Colored	314	2			1		8		13			33		5	12
34	Iowa	White	25,034	76	7	6	128	143	165	238	1,114	72	18	871	49	130	2,374
		Colored	344					2	5	1	5			44	2	5	17
35	Urban	White	8,162	19	4	2	59	41	48	96	257	19	8	305	19	70	775
		Colored	220					2	5		4			21	2	3	9
36	Rural	White	16,872	57	3	4	69	102	117	142	857	53	10	566	30	60	1,599
		Colored	124							1	1			23		2	8
37	Kansas	White	18,472	93	8		78	71	133	153	1,107	58	9	562	22	55	1,420
		Colored	1,301	18	3		5	1	14	3	73	1	1	130	2	12	62
38	Urban	White	5,492	34	2		36	11	46	36	254	9	5	183	12	20	466
		Colored	857	7	3		4		9	3	50	1	1	80	2	9	43
39	Rural	White	12,980	59	6		42	60	87	117	853	49	4	379	10	35	954
		Colored	444	11			1	1	5		23			50		3	19

[1] Including District of Columbia.

FROM IMPORTANT CAUSES, BY COLOR: 1923

[Subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Rheumatism 51, 52	Diabetes mellitus 57	Cerebral hemorrhage and softening 74, 83	Diseases of the heart 87–90	Bronchitis 99	Pneumonia (all forms) 100, 101	Diarrhea and enteritis (under 2 years) 113	Appendicitis and typhlitis 117	Hernia, intestinal obstruction 118	Cirrhosis of the liver 122	Nephritis 128, 129	Puerperal septicemia 146	Other puerperal causes 143–145, 147–150	Congenital malformations and diseases of early infancy 159–163	Suicide 165–174	Homicide 197–200	Automobile accidents 188c	Other external causes 175–188b, 188d–196, 201–203	Unknown or ill-defined diseases 204, 205	All other causes	
3,565	16,502	80,370	153,994	7,912	89,975	27,151	13,076	9,096	6,439	76,738	4,722	7,808	67,920	10,942	4,481	13,518	53,163	8,879	154,816	1
499	855	7,337	16,039	903	15,705	4,293	1,269	1,115	588	10,640	935	1,640	7,706	345	3,397	893	6,557	7,759	24,435	
3,533	16,328	79,633	152,813	7,827	88,997	26,420	12,756	8,927	6,349	75,866	4,632	7,662	66,930	10,766	4,348	13,296	52,455	8,612	152,388	2
486	825	7,079	15,588	885	15,198	4,168	1,197	1,063	567	10,258	907	1,600	7,445	330	3,209	861	6,360	7,395	23,567	
1,738	9,542	37,657	83,870	3,998	50,153	13,436	8,917	5,664	3,677	41,658	2,838	4,072	35,233	6,262	2,556	8,423	26,552	1,128	77,534	3
209	466	3,331	8,063	522	8,813	1,794	778	595	293	4,848	431	525	3,397	211	1,818	525	2,622	783	9,666	
1,795	6,786	41,976	68,943	3,829	38,844	12,984	3,839	3,263	2,672	34,208	1,794	3,590	31,697	4,504	1,792	4,873	25,903	7,484	74,854	4
277	359	3,748	7,525	363	6,385	2,374	419	468	274	5,410	476	1,075	4,048	119	1,391	336	3,738	6,612	13,901	
32	174	737	1,181	85	978	731	320	169	90	872	90	146	990	176	133	222	708	267	2,428	5
13	30	258	451	18	507	125	72	52	21	382	28	40	261	15	188	32	197	364	868	
1,770	9,716	38,394	85,051	4,083	51,131	14,167	9,237	5,833	3,767	42,530	2,928	4,218	36,223	6,438	2,689	8,645	27,260	1,395	79,962	6
222	496	3,589	8,514	540	9,320	1,919	850	647	314	5,230	459	565	3,658	226	2,006	557	2,819	1,147	10,534	
138	769	3,969	8,601	337	3,328	1,347	609	490	365	3,493	200	303	2,489	964	303	1,185	2,709	89	7,526	7
5	25	111	312	31	285	126	33	24	15	153	12	26	176	47	43	54	163	25	428	
75	500	2,362	5,073	204	1,950	588	429	319	229	2,261	133	174	1,412	632	175	591	1,414	38	4,347	8
3	16	67	200	19	151	51	29	16	10	102	10	16	89	28	28	30	75	3	232	
63	269	1,607	3,528	133	1,378	759	180	171	136	1,232	67	129	1,077	332	128	594	1,295	51	3,179	9
2	9	44	112	12	134	75	4	8	5	51	2	10	87	19	15	24	88	22	196	
33	127	756	1,208	63	1,076	399	244	123	52	684	52	82	785	140	83	152	650	27	1,678	10
-------	3	14	40	-------	35	8	5	1	1	16	1	2	9	1	8	5	12	2	30	
10	61	377	592	30	493	125	121	54	15	322	26	42	330	71	33	60	182	6	778	11
-------	3	13	30	-------	22	4	5	1	1	13	1	2	7	1	6	2	6	1	18	
23	66	379	616	33	583	274	123	69	37	362	26	40	455	69	50	92	468	21	900	12
-------	-------	1	10	-------	13	4	-------	-------	-------	3	-------	-------	2	-------	2	3	6	1	12	
63	330	1,587	2,734	138	1,653	326	172	135	108	1,262	61	109	1,212	195	39	247	816	47	2,286	13
1	6	32	67	8	55	10	3	5	2	24	4	2	26	-------	6	2	16	1	56	
45	267	1,084	1,985	78	1,291	256	155	112	84	909	53	95	1,002	148	29	209	652	25	1,720	14
1	6	26	57	7	53	9	3	4	1	21	4	2	21	-------	6	1	12	1	48	
18	63	503	749	60	362	70	17	23	24	353	8	14	210	47	10	38	164	22	566	15
-------	-------	6	10	1	2	1	-------	1	1	3	-------	-------	5	-------	-------	1	4	-------	8	
10	29	233	378	9	241	75	22	14	12	285	14	13	155	19	5	48	118	3	347	16
3	2	47	72	11	100	27	4	3	-------	56	6	5	42	1	4	7	20	2	85	
8	17	122	178	4	151	44	16	10	8	133	13	5	76	10	3	28	56	1	150	17
2	2	24	29	8	38	13	2	3	-------	23	2	1	12	1	3	1	13	-------	34	
2	12	111	200	5	90	31	6	4	4	152	1	8	79	9	2	20	62	2	197	18
1	-------	23	43	3	62	14	2	-------	-------	33	4	4	30	-------	1	6	7	2	51	
25	85	554	1,084	33	391	298	82	67	63	699	55	123	500	80	80	129	469	287	1,576	19
20	26	302	486	28	306	140	46	52	45	440	45	91	241	4	234	41	304	463	1,247	
5	31	160	372	7	117	69	29	26	16	213	14	32	149	31	24	56	130	21	417	20
4	10	109	177	13	132	71	16	20	22	164	14	21	105	2	75	9	67	26	386	
20	54	394	712	26	274	229	53	41	47	486	41	91	351	49	56	73	339	266	1,159	21
16	16	193	309	15	174	69	30	32	23	276	31	70	136	2	159	32	237	437	861	
57	196	1,113	1,547	66	1,339	601	228	136	61	1,570	99	263	1,325	153	128	176	836	504	3,077	22
58	74	817	1,475	76	1,421	398	109	127	44	1,388	147	212	770	17	388	83	758	896	3,104	
15	69	316	493	11	367	167	105	52	21	537	37	65	377	63	40	77	237	41	776	23
11	30	328	634	46	606	161	42	49	19	583	57	53	240	7	139	45	224	139	918	
42	127	797	1,054	55	972	434	123	84	40	1,033	62	198	948	90	88	99	599	463	2,301	24
47	44	489	841	30	815	237	67	78	25	805	90	159	530	10	249	38	534	757	2,186	
10	50	226	394	14	239	35	59	27	16	177	16	37	287	44	15	51	283	56	566	25
-------	-------	7	11	-------	34	-------	-------	-------	1	2	-------	-------	5	1	1	-------	3	6	26	
-------	8	34	61	-------	20	4	15	7	3	27	7	3	38	7	4	15	28	4	101	26
-------	-------	2	3	-------	2	-------	-------	-------	-------	-------	-------	-------	1	-------	1	-------	-------	-------	4	
10	42	192	333	14	219	31	44	20	13	150	9	34	249	37	11	36	255	52	465	27
-------	-------	5	8	-------	32	-------	-------	-------	1	2	-------	-------	4	1	-------	-------	3	6	22	
315	1,337	5,527	12,096	816	6,389	2,342	1,110	691	666	6,453	320	465	4,895	873	437	984	3,906	188	10,716	28
23	43	199	718	43	678	143	59	36	21	335	30	31	232	19	197	47	241	14	698	
198	892	2,881	7,377	510	4,095	1,490	863	471	459	4,010	225	299	3,009	560	303	759	2,269	26	6,079	29
17	40	163	593	39	614	118	52	31	17	275	28	24	192	17	167	42	177	3	541	
117	445	2,646	4,719	306	2,294	852	247	220	207	2,443	95	166	1,886	313	134	225	1,637	162	4,637	30
6	3	36	125	4	64	25	7	5	4	60	2	7	40	2	30	5	64	11	157	
103	589	3,211	5,413	193	2,855	909	439	311	233	3,041	193	207	2,151	425	115	419	1,923	31	5,540	31
2	18	94	258	14	284	52	26	12	18	127	13	12	95	5	70	14	77	4	261	
39	249	1,097	2,126	76	1,259	452	305	190	101	1,181	104	96	965	188	81	231	838	12	2,251	32
1	14	58	212	14	261	48	25	11	13	101	11	10	86	5	61	9	61	4	211	
64	340	2,114	3,287	117	1,596	457	134	121	132	1,860	89	111	1,186	237	34	188	1,085	19	3,289	33
1	4	36	46	-------	23	4	1	1	5	26	2	2	9	-------	9	5	16	-------	50	
94	458	2,282	3,361	170	1,955	289	361	288	115	1,497	115	169	1,675	317	44	235	1,278	151	4,789	34
2	2	23	42	-------	44	3	8	5	3	27	-------	2	15	1	8	7	14	2	55	
28	123	672	1,059	53	598	96	196	139	47	473	49	57	524	118	19	97	443	23	1,626	35
1	2	20	28	-------	31	2	6	4	3	18	-------	1	9	1	6	5	8	2	27	
66	335	1,610	2,302	117	1,357	193	165	149	68	1,024	66	112	1,151	199	25	138	835	128	3,163	36
1	-------	3	14	-------	13	1	2	1	-------	9	-------	1	6	-------	2	2	6	-------	28	
60	306	1,670	2,291	131	1,431	379	302	178	100	1,303	115	137	1,172	186	88	213	984	180	3,477	37
4	12	88	178	12	135	31	6	15	7	100	9	7	62	3	34	4	52	15	202	
18	105	443	583	27	443	150	137	63	38	391	45	53	368	60	43	66	313	17	1,015	38
4	7	53	122	7	92	21	2	12	6	67	8	5	46	1	26	2	32	8	124	
42	201	1,227	1,708	104	988	229	165	115	62	912	70	84	804	126	45	147	671	163	2,462	39
-------	5	35	56	5	43	10	4	3	1	33	1	2	16	2	8	2	20	7	78	

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR		All causes	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors
				1	5	6	7	8	9	10	11	21	24	31	32	33-37	43-49
1	Kentucky	White	24,878	416	41	1	385	50	331	330	1,649	58	51	2,363	86	207	1,304
		Colored	4,414	59	12		31	1	83	14	229	4	2	563	15	52	153
2	Urban	White	6,028	35	5		39	12	83	29	181	14	4	414	23	37	440
		Colored	1,737	12	3		6	1	28	2	55	2		164	4	20	68
3	Rural	White	18,850	381	36	1	346	38	248	301	1,468	44	47	1,949	63	170	864
		Colored	2,677	47	9		25		55	12	174	2	2	399	11	32	85
4	Louisiana	White	11,557	147	143	1	94	6	148	118	515	27	9	700	14	55	746
		Colored	10,815	121	155	3	35	1	142	39	386	2	9	1,228	8	106	380
5	Urban	White	5,530	50	8	1	40	5	46	36	139	13	8	375	14	28	439
		Colored	4,085	21	17	2	7		25	9	98		7	433	6	51	172
6	Rural	White	6,027	97	135		54	1	102	82	376	14	1	325		27	307
		Colored	6,730	100	138	1	28	1	117	30	288	2	2	795	2	55	208
7	Maine	White	11,631	51	1	3	58	16	129	58	484	19	6	501	39	79	992
		Colored	34	1					2					6	1	1	3
8	Urban	White	3,716	13			36	2	32	18	128	3	2	139	17	24	317
		Colored	14	1										2		1	1
9	Rural	White	7,915	38	1	3	22	14	97	40	356	16	4	362	22	55	675
		Colored	20						2					4	1		2
10	Maryland	White	16,766	65	4		127	47	127	139	445	36	11	1,035	45	72	1,420
		Colored	5,345	35			28	3	137	17	195	4	3	633	16	81	210
11	Urban	White	10,136	31	1		60	23	69	86	225	24	8	545	35	46	974
		Colored	2,862	14			10		40	10	93	4	2	367	12	47	120
12	Rural	White	6,630	34	3		67	24	58	53	220	12	3	490	10	26	446
		Colored	2,483	21			18	3	97	7	102		1	266	4	34	90
13	Massachusetts	White	51,104	70	1		339	156	485	583	882	115	57	2,937	234	229	4,701
		Colored	1,062				5	4	16	3	5	1	2	142	14	9	59
14	Urban	White	41,132	63	1		291	135	409	517	583	94	53	2,136	206	184	3,813
		Colored	922				3	4	14	3	3	1	2	116	12	8	53
15	Rural	White	9,972	7			48	21	76	66	239	21	4	801	28	45	888
		Colored	140				2		2		2			26	2	1	6
16	Michigan	White	47,246	201	3	14	272	309	323	665	1,307	139	44	2,177	162	202	3,456
		Colored	2,101	2			10	1	21	9	52	2	1	255	14	38	60
17	Urban	White	24,642	103	3	8	169	173	173	409	547	92	26	1,206	122	115	1,746
		Colored	1,651	2			9	1	19	8	38	1	1	167	12	25	42
18	Rural	White	22,604	98		6	103	136	150	256	760	47	18	971	40	87	1,710
		Colored	450				1		2	1	14	1		88	2	13	18
19	Minnesota	White	24,887	59	1	2	273	229	146	207	691	53	18	1,466	107	189	2,482
		Colored	434	1			1	4	7	1	14			67	7	4	24
20	Urban	White	10,764	27		2	151	83	51	120	194	29	11	564	49	99	1,250
		Colored	199	1			1	4	2		4			30		1	17
21	Rural	White	14,123	32	1		122	146	95	87	497	24	7	902	58	90	1,232
		Colored	235						5	1	10			37	7	3	7
22	Mississippi	White	7,760	78	177	1	84	10	79	103	523	23	8	358	8	21	446
		Colored	12,638	169	371	1	145	3	182	72	738	3	2	1,302	20	85	390
23	Urban	White	1,279	9	13	1	11	2	12	8	58	5	1	37	1	8	90
		Colored	1,633	20	14		11	2	12	7	53	1		132	2	17	77
24	Rural	White	6,481	69	164		73	8	67	95	465	18	7	321	7	13	356
		Colored	11,005	149	357	1	134	1	170	65	685	2	2	1,170	18	68	313
25	Missouri	White	37,981	264	121	3	301	119	307	397	2,181	102	42	2,317	92	205	3,035
		Colored	4,062	36	11	1	30	3	59	12	165	4	2	507	4	61	141
26	Urban	White	17,261	68	15		126	43	122	137	485	47	16	787	49	89	1,573
		Colored	2,867	17	2		26	1	43	2	97	2	1	317	3	45	107
27	Rural	White	20,720	196	106	3	175	76	185	260	1,696	55	26	1,530	43	116	1,462
		Colored	1,195	19	9	1	4	2	16	10	68	2	1	190	1	16	34
28	Montana	White	4,552	15		3	17	16	23	51	147	21	6	259	14	25	325
		Colored	341	1			2	1			11		1	85	7	5	8
29	Urban	White	1,538	7		2	9	2	1	15	33	10	2	95	7	9	114
		Colored	42											7			2
30	Rural	White	3,014	8		1	8	14	22	36	114	11	4	164	7	16	211
		Colored	299	1			2	1			11		1	78	7	5	6
31	Nebraska	White	12,229	41	1	2	36	59	95	134	636	45	11	326	23	50	1,064
		Colored	403				4		5	2	13	2		47	3	12	8
32	Urban	White	3,733	8			3	8	42	62	105	10	5	111	11	17	367
		Colored	238						5		8			31	2	7	5
33	Rural	White	8,496	33	1	2	33	51	53	72	531	35	6	215	12	33	697
		Colored	165				4			2	5	2		16	1	5	3
34	New Hampshire	White	6,736	15	1		29	3	68	41	302	14	5	293	32	37	549
		Colored	11											1			
35	Urban	White	2,917	8	1		17	2	33	17	97	7	5	111	26	27	223
		Colored	4														
36	Rural	White	3,819	7			12	1	35	24	205	7		182	6	10	326
		Colored	7											1			
37	New Jersey	White	38,775	98	1		357	91	200	463	861	90	46	2,390	118	177	3,056
		Colored	2,717	13			31	4	33	17	50	2		300	13	33	106
38	Urban	White	24,552	74			202	52	125	290	488	61	41	1,258	80	122	1,949
		Colored	1,832	7			18	1	21	13	34	1		153	10	24	80
39	Rural	White	14,223	24	1		155	39	75	173	373	29	5	1,132	38	55	1,107
		Colored	885	6			13	3	12	4	16	1		147	3	9	26

FROM IMPORTANT CAUSES, BY COLOR: 1923—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Rheumatism 51, 52	Diabetes mellitus 57	Cerebral hemorrhage and softening 74, 83	Diseases of the heart 87–90	Bronchitis 99	Pneumonia (all forms) 100, 101	Diarrhea and enteritis (under 2 years) 113	Appendicitis and typhlitis 117	Hernia, intestinal obstruction 118	Cirrhosis of the liver 122	Nephritis 128, 129	Puerperal septicemia 146	Other puerperal causes 143–145, 147–150	Congenital malformations and diseases of early infancy 159–163	Suicide 165–174	Homicide 197–200	Automobile accidents 188c	Other external causes 175–188b, 188d–196, 201–203	Unknown or ill-defined diseases 204, 205	All other causes	
87	250	1,449	2,383	162	2,127	918	280	163	86	1,560	132	200	1,598	174	218	145	1,218	616	3,840	1
19	17	231	564	50	465	105	35	33	18	338	27	27	165	10	131	21	180	61	699	
18	120	467	778	54	513	175	124	53	38	487	27	38	338	60	42	75	268	23	1,014	2
11	10	106	270	32	221	44	17	18	6	157	13	8	56	4	63	15	47	6	268	
69	130	982	1,605	108	1,614	743	156	110	48	1,073	105	162	1,260	114	176	70	950	593	2,826	3
8	7	125	294	18	244	61	18	15	12	181	14	19	109	6	68	6	133	55	431	
31	127	596	1,428	73	820	362	187	99	93	941	59	166	692	89	95	122	647	264	1,943	4
30	51	493	1,340	65	868	298	77	81	70	815	76	151	476	19	242	36	497	477	2,038	
14	84	334	847	22	359	112	138	70	57	525	25	67	270	50	51	72	305	9	917	5
15	25	210	639	30	376	99	48	44	33	368	33	51	193	11	125	20	172	14	731	
17	43	262	581	51	461	250	49	29	36	416	34	99	422	39	44	50	342	255	1,026	6
15	26	283	701	35	492	199	29	37	37	447	43	100	283	8	117	16	325	463	1,307	
35	175	1,212	1,765	124	1,016	189	141	78	47	808	31	122	804	96	13	91	488	113	1,847	7
		2	3		2			1		1			1				2	1	7	
9	61	293	547	24	368	57	68	41	13	258	12	42	271	32	2	36	174	45	632	8
		2	1														2		4	
26	114	919	1,218	100	648	132	73	37	34	550	19	80	533	64	11	55	314	68	1,215	9
			2		2			1		1			1					1	3	
60	271	1,440	2,541	175	1,626	494	126	146	89	1,644	57	94	1,014	167	41	206	716	64	2,222	10
28	25	373	632	60	684	247	34	36	13	437	20	37	329	8	54	37	183	67	679	
36	191	820	1,555	97	1,064	245	103	120	54	990	40	60	629	98	21	135	419	7	1,325	11
18	14	204	345	24	443	96	19	19	6	217	13	11	145	4	36	28	95	3	403	
24	80	620	986	78	562	249	23	26	35	654	17	34	385	69	20	71	297	57	897	12
10	11	169	287	36	241	151	15	17	7	220	7	26	184	4	18	9	88	64	276	
121	845	4,480	9,530	479	5,147	947	527	369	206	2,972	171	381	3,410	445	101	602	2,152	133	7,357	13
2	16	66	171	6	127	19	8	6	2	53	3	6	68	5	9	9	65	4	157	
94	692	3,334	7,459	362	4,350	828	492	328	174	2,409	161	349	2,943	357	84	502	1,775	103	5,851	14
1	15	59	145	5	115	17	8	6	2	45	3	6	60	3	9	5	59	4	136	
27	153	1,146	2,071	117	797	119	35	41	32	563	10	32	467	88	17	100	377	30	1,506	15
1	1	7	26	1	12	2				8			8	2		4	6		21	
180	703	3,853	7,122	572	3,988	1,308	599	454	304	2,630	266	362	3,484	420	172	711	2,479	284	8,081	16
4	11	80	230	21	479	39	32	13	5	67	9	17	111	13	78	27	86	13	301	
81	360	1,511	3,301	233	2,544	810	433	277	144	1,262	197	217	2,048	237	130	452	1,230	76	4,207	17
3	9	53	179	15	424	25	29	10	2	38	7	15	97	12	77	18	75	2	236	
99	343	2,342	3,821	339	1,444	498	166	177	160	1,368	69	145	1,436	183	42	259	1,249	208	3,874	18
1	2	27	51	6	55	14	3	3	3	29	2	2	14	1	1	9	11	11	65	
76	435	1,780	3,388	175	1,797	347	428	267	141	1,504	149	181	1,964	262	66	322	1,355	140	4,187	19
1	4	9	42	1	48	16	4	1		15	6	3	16	2	4	6	19	27	80	
20	174	679	1,395	55	739	118	249	141	69	554	90	73	782	129	36	159	543	12	2,117	20
	4	5	33		20	3	3	1		7	2		4	1	3	4	5		44	
56	261	1,101	1,993	120	1,058	229	179	126	72	950	59	108	1,182	133	30	163	812	128	2,070	21
1		4	9	1	28	13	1			8	4	3	12	1	1	2	14	27	36	
22	73	427	763	28	551	241	128	62	38	650	44	93	462	31	75	57	378	410	1,308	22
31	36	391	1,089	37	844	262	121	96	50	879	84	157	296	11	236	21	565	1,798	2,151	
2	11	78	115	8	61	52	45	18	4	126	10	21	67	8	11	20	87	19	260	23
5	5	55	193	5	113	21	55	19	6	133	12	13	32	2	37	7	105	141	326	
20	62	349	648	20	490	189	83	44	34	524	34	72	395	23	64	37	291	391	1,048	24
26	31	336	896	32	731	241	66	77	44	746	72	144	264	9	199	14	460	1,657	1,825	
119	572	2,594	4,284	311	3,549	801	559	307	275	3,538	208	244	2,029	491	266	365	1,703	430	5,850	25
14	21	181	514	39	585	76	40	35	38	372	19	21	141	9	157	33	142	37	552	
44	294	1,021	2,146	145	1,724	315	385	179	162	1,763	109	111	899	291	190	267	783	61	2,815	26
8	16	107	383	31	465	48	34	29	30	281	11	14	92	7	130	28	92	6	392	
75	278	1,573	2,138	166	1,825	486	174	128	113	1,775	99	133	1,130	200	76	98	920	369	3,035	27
6	5	74	131	8	120	28	6	6	8	91	8	7	49	2	27	5	50	31	160	
25	58	262	553	20	363	88	92	56	27	261	36	35	382	76	23	48	413	53	759	28
		9	22	3	36	11	5	2	2	6	4	4	25	1	3	1	8	18	60	
3	17	86	186	3	126	29	44	24	15	116	12	11	116	29	8	25	108	4	270	29
		2	6		5		2		1	4	1		1		2		1		8	
22	41	176	367	17	237	59	48	32	12	145	24	24	266	47	15	23	305	49	489	30
		7	16	3	31	11	3	2	1	2	3	4	24	1	1	1	7	18	52	
55	292	1,058	1,473	76	935	203	261	178	84	794	68	102	893	159	38	118	628	142	2,149	31
2	1	14	40	1	50	10	6		1	25	2	3	19	5	16	5	15	13	79	
12	82	273	446	17	313	52	116	84	22	233	36	36	267	63	26	51	172	5	678	32
	1	11	32	1	23	3	5		1	17		1	11	4	15	3	8	1	43	
43	210	785	1,027	59	622	151	145	94	62	561	32	66	626	96	12	67	456	137	1,471	33
2		3	8		27	7	1			8	2	2	8	1	1	2	7	12	36	
15	124	721	1,139	76	544	126	63	75	24	437	15	54	465	43	12	59	281	23	1,051	34
		1	3							1			1	1			1		2	
8	51	275	464	32	235	93	40	42	9	196	7	24	259	22	6	33	137	10	400	35
		1											1						2	
7	73	446	675	44	309	33	23	33	15	241	8	30	206	21	6	26	144	13	651	36
			3							1				1			1			
168	656	3,222	6,694	362	3,560	1,009	424	318	298	3,318	155	236	2,375	464	141	645	1,939	73	4,770	37
12	20	120	371	43	414	86	23	14	7	229	14	21	184	8	38	27	133	9	342	
104	444	1,787	4,093	257	2,395	699	371	240	209	2,047	131	177	1,682	292	107	471	1,243	38	3,023	38
11	13	71	246	36	304	65	19	9	5	150	11	19	121	7	31	20	92	4	236	
64	212	1,435	2,601	105	1,165	310	53	78	89	1,271	24	59	693	172	34	174	696	35	1,747	39
1	7	49	125	7	110	21	4	5	2	79	3	2	63	1	7	7	41	5	106	

MORTALITY STATISTICS

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR		All causes	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors
				1	5	6	7	8	9	10	11	21	24	31	32	33-37	43-49
1	New York	White	136,303	308	7	1	704	283	519	1,008	2,680	344	115	8,636	591	601	12,039
		Colored	4,782	10			28	2	42	19	67	8	5	694	30	59	208
2	Urban	White	101,820	233	4		580	229	364	852	1,661	284	104	6,236	510	471	9,222
		Colored	4,204	9			25	2	40	19	52	7	4	594	28	55	181
3	Rural	White	34,483	75	3	1	124	54	155	156	1,019	60	11	2,400	81	130	2,817
		Colored	578	1			3		2		15	1	1	100	2	4	27
4	North Carolina	White	19,713	131	77	8	392	26	276	276	1,013	52	23	1,236	33	88	902
		Colored	12,429	129	92	5	196	4	216	74	640	6	7	1,192	20	98	318
5	Urban	White	3,262	22	6	2	56	4	49	32	105	3	5	290	8	8	176
		Colored	2,338	21	24	1	27	2	28	6	152		2	248	6	30	82
6	Rural	White	16,451	109	71	6	336	22	227	244	908	49	18	946	25	80	726
		Colored	9,591	108	68	4	169	2	188	68	488	6	5	944	14	68	236
7	Ohio	White	70,211	283	5	5	574	320	463	677	2,921	178	60	3,846	222	432	5,613
		Colored	4,843	28		1	26	7	56	21	152	8	1	628	32	91	171
8	Urban	White	38,303	113	3	1	309	193	228	433	1,183	85	41	2,086	147	268	3,176
		Colored	3,825	22		1	21	4	44	18	105	7	1	469	30	78	133
9	Rural	White	31,908	170	2	4	265	127	235	244	1,738	93	19	1,760	75	164	2,437
		Colored	1,018	6			5	3	12	3	47	1		159	2	13	38
10	Oregon	White	8,765	39			28	11	39	77	268	18	4	485	28	75	832
		Colored	245						2	1	9	1		47	3	8	8
11	Urban	White	3,924	11			16	2	18	37	90	12	1	233	12	45	417
		Colored	100							1	1	1		18		6	6
12	Rural	White	4,841	28			12	9	21	40	178	6	3	252	16	30	415
		Colored	145						2		8			29	3	2	2
13	Pennsylvania	White	113,332	420	9		1,564	392	915	1,385	3,872	286	71	5,785	361	606	8,005
		Colored	7,290	27	1		68	8	76	32	192	6	5	918	61	86	248
14	Urban	White	59,639	183	4		731	212	331	738	1,550	131	45	2,926	234	303	4,530
		Colored	5,788	22			58	8	56	28	142	4	5	667	52	73	212
15	Rural	White	53,693	237	5		833	180	584	647	2,322	155	26	2,859	127	303	3,475
		Colored	1,502	5	1		10		20	4	50	2		251	9	13	36
16	Rhode Island	White	8,368	7	1		193	10	104	79	147	15	15	474	63	57	700
		Colored	254				5		8		2	1		31	2	1	17
17	Urban	White	7,018	6	1		166	10	85	69	115	14	15	322	55	42	597
		Colored	226				5		8		1	1		24	2	1	17
18	Rural	White	1,350	1			27		19	10	32	1		152	8	15	103
		Colored	28								1			7			
19	South Carolina	White	8,281	106	40	1	111	6	90	98	483	20	9	425	10	23	408
		Colored	12,386	207	229	1	99	1	163	58	602	2	2	1,291	10	75	249
20	Urban	White	1,627	16	2		8	1	15	17	73	3	3	66	3	4	102
		Colored	2,085	24	11		6		20	8	89			181	2	20	47
21	Rural	White	6,654	90	38	1	103	5	75	81	410	17	6	359	7	19	306
		Colored	10,301	183	218	1	93	1	143	50	513	2	2	1,110	8	55	202
22	Tennessee	White	20,185	327	130	3	422	30	191	211	1,656	40	34	2,094	86	172	960
		Colored	8,317	175	82	1	99	7	96	43	660	11	5	1,136	23	113	232
23	Urban	White	5,148	35	14		124	8	32	26	252	9	5	342	32	43	307
		Colored	3,791	52	28	1	43	2	17	14	281	6	4	395	8	60	123
24	Rural	White	15,037	292	116	3	298	22	159	185	1,404	31	29	1,752	54	129	653
		Colored	4,526	123	54		56	5	79	29	379	5	1	741	15	53	109
25	Utah	White	4,395	40		14	5	8	28	50	131	18	4	119	10	28	312
		Colored	118	1							2	1		20	1		4
26	Urban	White	2,085	5		13	3	2	9	18	42	9	3	74	8	16	170
		Colored	49								2	1		8	1		3
27	Rural	White	2,310	35		1	2	6	19	32	89	9	1	45	2	12	142
		Colored	69	1										12			1
28	Vermont	White	5,360	11	2	2	37	19	32	39	316	13	3	229	20	42	438
		Colored	4								1						1
29	Urban	White	806	3	1	1	11	3	6		30	3		46	4	10	68
		Colored	2														1
30	Rural	White	4,554	8	1	1	26	16	26	39	286	10	3	183	16	32	370
		Colored	2								1						
31	Virginia	White	18,773	125	9	1	400	43	182	272	1,274	26	18	1,221	71	89	1,079
		Colored	11,987	128	36		136	2	219	65	724	4	4	1,391	36	93	363
32	Urban	White	4,737	17	1		69	7	41	49	158	10	2	237	26	18	321
		Colored	3,840	22	12		34		100	8	174		1	399	20	40	101
33	Rural	White	14,036	108	8	1	331	36	141	223	1,116	16	16	984	45	71	758
		Colored	8,147	106	24		102	2	119	57	550	4	3	992	16	53	262
34	Washington	White	13,189	74	2	7	19	28	63	93	337	36	16	790	57	110	1,270
		Colored	667	1		1	5		13	6	19	2	1	132	12	12	33
35	Urban	White	6,670	42	1	4	12	17	26	42	146	16	7	260	38	64	778
		Colored	294	1			5		3	4	4	2		29	11	9	25
36	Rural	White	6,519	32	1	3	7	11	37	51	191	20	9	530	19	46	492
		Colored	373			1			10	2	15		1	103	1	3	8
37	Wisconsin	White	28,985	60	1	2	217	234	164	359	954	86	12	1,493	120	165	2,522
		Colored	306	1			3	2	4		9			49	4	5	11
38	Urban	White	12,011	28		1	112	134	68	187	268	41	6	542	70	54	1,086
		Colored	92				1	1			4			7	1	1	5
39	Rural	White	16,974	32	1	1	105	100	96	172	686	45	6	951	50	111	1,436
		Colored	214	1			2	1	4		5			42	3	4	6

FROM IMPORTANT CAUSES, BY COLOR: 1923—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (* death correspond to those of the 1920 revision of the detailed International List]

Rheumatism 51, 52	Diabetes mellitus 57	Cerebral hemorrhage and softening 74, 83	Diseases of the heart 87–90	Bronchitis 99	Pneumonia (all forms) 100, 101	Diarrhea and enteritis (under 2 years) 113	Appendicitis and typhlitis 117	Hernia, intestinal obstruction 118	Cirrhosis of the liver 122	Nephritis 128, 129	Puerperal septicemia 146	Other puerperal causes 143–145, 147–150	Congenital malformations and diseases of early infancy 159–163	Suicide 165–174	Homicide 197–200	Automobile accidents 188c	Other external causes 175–188b, 188d–196, 201–203	Unknown or ill-defined diseases 204, 205	All other causes	
477	2,712	9,862	26,171	1,090	12,360	2,910	1,584	1,183	890	11,425	459	807	8,093	1,450	412	1,889	6,612	137	17,944	1
20	74	164	653	29	740	113	47	37	22	309	28	26	298	26	57	41	226	10	690	
374	2,205	6,172	19,186	737	9,873	2,451	1,419	978	689	8,789	391	665	6,369	1,112	366	1,514	4,860	57	12,863	2
17	66	139	579	22	688	100	46	34	19	275	25	22	267	24	54	33	189	5	584	
103	507	3,690	6,985	353	2,487	459	165	205	201	2,636	68	142	1,724	338	46	375	1,752	80	5,081	3
3	8	25	74	7	52	13	1	3	3	34	3	4	31	2	3	8	37	5	106	
52	173	1,284	1,963	85	1,437	899	189	125	71	1,408	83	307	1,746	87	84	196	819	1,226	2,946	4
44	59	674	1,051	67	1,002	557	89	75	29	822	69	211	664	14	183	62	531	1,381	1,848	
3	32	205	321	7	186	130	74	40	12	250	16	48	300	22	23	68	162	49	548	5
8	16	184	241	23	313	146	42	28	10	217	18	40	193	2	61	22	119	103	423	
49	141	1,079	1,642	78	1,251	769	115	85	59	1,158	67	259	1,446	65	61	128	657	1,177	2,398	6
36	43	490	810	44	689	411	47	47	19	605	51	171	471	12	122	40	412	1,278	1,425	
235	1,155	6,619	10,274	424	5,867	1,548	801	662	467	4,564	329	511	4,499	729	288	1,020	3,805	276	10,539	7
13	38	226	591	27	751	103	51	23	21	293	42	38	242	12	184	58	227	13	668	
112	667	3,223	5,397	202	3,308	954	630	437	253	2,410	231	332	2,623	411	214	715	2,128	53	5,737	8
8	27	156	438	23	663	86	46	18	11	223	36	34	196	10	167	52	171	7	520	
123	488	3,396	4,877	222	2,559	594	171	225	214	2,154	98	179	1,876	318	74	305	1,677	223	4,802	9
5	11	70	153	4	88	17	5	5	10	70	6	4	46	2	17	6	56	6	148	
24	143	863	1,305	45	575	83	159	95	51	510	37	64	493	126	29	116	606	35	1,502	10
		17	22	1	23	1	2	1		10		2	17	6	3	4	12	7	38	
8	56	360	592	21	277	24	89	39	21	210	18	29	203	53	7	49	199	3	772	11
		9	10		9		2	1		5			5	3	3	3	3		14	
16	87	503	713	24	298	59	70	56	30	300	19	35	290	73	22	67	407	32	730	12
		8	12	1	14	1				5		2	12	3		1	9	7	24	
423	1,666	8,349	16,260	856	12,916	4,111	1,095	903	833	8,943	568	784	7,647	977	402	1,545	6,334	426	14,623	13
19	46	300	850	42	1,357	218	66	67	26	476	42	38	422	27	232	47	347	18	922	
215	908	3,753	8,904	419	7,257	1,899	838	576	444	5,247	356	473	3,672	571	239	928	3,266	99	7,657	14
15	36	216	693	38	1,138	159	59	60	20	394	34	33	341	21	178	35	253	9	729	
208	758	4,596	7,356	437	5,659	2,212	257	327	389	3,696	212	311	3,975	406	163	617	3,068	327	6,966	15
4	10	84	157	4	219	59	7	7	6	82	8	5	81	6	54	12	94	9	193	
32	148	810	1,237	82	823	212	68	79	49	593	34	55	622	65	19	95	325	36	1,119	16
	1	25	41	3	28	6	2	2	2	15		2	21	2	3	2	5	2	25	
27	124	680	1,036	67	710	180	68	77	42	502	34	51	524	56	16	82	282	31	932	17
	1	24	38	3	27	6	1	2	1	10		2	19	2	3	1	4	1	22	
5	24	130	201	15	113	32		2	7	91		4	98	9	3	13	43	5	187	18
		1	3		1		1		1	5			2			1	1	1	3	
22	94	565	903	25	569	415	65	38	18	699	32	138	736	41	49	84	398	198	1,362	19
44	56	591	1,116	22	1,012	407	69	55	21	817	62	198	1,022	8	144	35	495	787	2,436	
3	21	135	198	5	80	51	35	13	4	170	6	26	110	10	14	33	65	6	329	20
6	10	163	225	6	160	80	25	18	3	196	13	23	187	2	43	9	63	17	428	
19	73	430	705	20	489	364	30	25	14	529	26	112	626	31	35	51	333	192	1,033	21
38	46	428	891	16	852	327	44	37	18	621	49	175	835	6	101	26	432	770	2,008	
60	139	891	1,655	60	1,582	698	292	126	55	1,123	102	209	1,137	128	204	130	885	1,230	3,123	22
26	29	323	755	42	768	174	81	78	15	505	50	63	216	13	221	41	336	658	1,240	
9	58	256	481	14	416	147	181	60	23	358	33	57	323	53	83	86	281	130	870	23
17	10	166	367	21	406	84	65	48	8	266	21	27	125	7	149	27	155	199	589	
51	81	635	1,174	46	1,166	551	111	66	32	765	69	152	814	75	121	44	604	1,100	2,253	24
9	19	157	388	21	362	90	16	30	7	239	29	36	91	6	72	14	181	459	651	
15	76	291	562	24	382	100	90	45	28	291	22	45	452	31	22	59	326	78	689	25
	1	5	8	1	13	9		1		1	1		4	1	4	1	11	18	10	
7	37	151	269	8	149	34	52	27	17	152	13	21	178	22	12	30	126	24	384	26
	1	4	5		2	1				1			1	1	2	1	5	2	8	
8	39	140	293	16	233	66	38	18	11	139	9	24	274	9	10	29	200	54	305	27
		1	3	1	11	8		1			1		3		2		6	16	2	
18	78	593	951	53	351	48	52	33	18	387	11	40	331	53	5	46	224	26	839	28
						1											1			
4	7	67	128	8	49	10	13	5	2	63	5	11	71	3	1	15	32	3	123	29
																	1			
14	71	526	823	45	302	38	39	28	16	324	6	29	260	50	4	31	192	23	716	30
						1														
63	205	1,271	2,282	108	1,264	555	185	118	68	1,395	87	179	1,544	129	96	154	895	466	2,899	31
52	78	849	1,331	71	931	396	74	88	57	861	61	151	822	8	152	46	437	494	1,827	
5	75	371	639	18	287	103	91	52	23	473	22	46	381	48	25	68	253	22	779	32
16	29	337	451	27	398	159	42	46	27	250	25	46	264	4	59	16	129	70	534	
58	130	900	1,643	90	977	452	94	66	45	922	65	133	1,163	81	71	86	642	444	2,120	33
36	49	512	880	44	533	237	32	42	30	611	36	105	558	4	93	30	308	424	1,293	
43	246	1,098	1,911	56	797	106	218	145	60	784	76	82	775	222	51	231	1,058	68	2,260	34
	3	12	41	5	60	16	5	5	3	21	3	7	41	14	16	9	59	29	81	
20	138	525	1,043	29	406	40	142	98	32	454	46	37	378	133	33	123	369	11	1,160	35
	3	7	25	3	26	4	3	3	2	17	3	4	19	9	11	4	21		37	
23	108	573	868	27	391	66	76	47	28	330	30	45	397	89	18	108	689	57	1,100	36
		5	16	2	34	12	2	2	1	4		3	22	5	5	5	38	29	44	
152	544	2,447	4,263	286	2,600	563	397	266	202	1,744	132	201	2,180	311	55	290	1,299	78	4,586	37
2	2	12	26	2	54	12	2	4		14	3	6	14	2	6	2	16	5	34	
57	237	870	1,681	126	1,145	280	227	144	94	750	79	85	967	137	33	146	506	11	1,839	38
1	1	1	14	1	14	3	1	2		3	1	1	4	2	5	2	5		11	
95	307	1,577	2,582	160	1,455	283	170	122	108	994	53	116	1,213	174	22	144	793	67	2,747	39
1	1	11	12	1	40	9	1	2		11	2	5	10		1		11	5	23	

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR		All causes	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors
				1	5	6	7	8	9	10	11	21	24	31	32	33–37	43–49
1	Wyoming	White	2,035	15	2	2	22	5	23	11	65	6	2	47	3	9	113
		Colored	145				8				3			15	1	2	3
2	Urban	White	467	3	2		5	2	9	3	9	1	2	20	1	2	25
		Colored	22											2	1		1
3	Rural	White	1,568	12		2	17	3	14	8	56	5		27	2	7	88
		Colored	123				8				3			13		2	2
	ALABAMA [1]																
4	Birmingham	White	1,429	7	2		16	2	10	11	59	1	1	45	3	8	99
		Colored	1,624	8	5		15		31	1	50	1		174	12	19	45
5	Mobile	White	543	6	3		1		5	3	15			22		1	42
		Colored	502	7	1		1		5		19			43		2	21
6	Montgomery	White	348	1	2		7	1	1	1	16	1		14	2	2	19
		Colored	471	5	3		8	1		1	17			40		4	16
	CALIFORNIA																
7	Alameda		315	3			2	1	4	2	11			5	1	1	28
8	Bakersfield		374				3		1	6	8	1	2	32	3	3	27
9	Berkeley		569	1			5	3	1	6	9			28	1	5	60
10	Eureka		299	1			2	2	2	3	7	1	1	23	5	3	35
11	Fresno		656	2			1	3	6	5	13	4	1	39	5	10	54
12	Glendale*		433		1		1			5	3			30	2	3	58
13	Long Beach		1,084	3		1	6		2	15	19	2	1	43	1	7	106
14	Los Angeles	White	10,123	28	1		54	25	32	123	88	12	10	978	57	74	1,011
		Colored	627	1	1		2		5	4	8	1	2	98	12	11	32
15	Oakland	White	2,483	8			22	4	13	62	45	4	2	106	10	15	246
		Colored	121				1		3		3			12		2	5
16	Pasadena		787	2				2	5	2	12		1	65	3	8	89
17	Pomona		223	1				1			5			14	3		12
18	Richmond		123	1					2	3	5	1		1	1	2	9
19	Riverside		367						1	3	12		1	52		4	32
20	Sacramento		1,187	11	1		9	4	5	13	22	1	2	81	9	22	94
21	San Bernardino*		521	2			5	1	7		10			87	3	3	29
22	San Diego		1,460	2			3	6	22	10	31	1	1	122	6	10	153
23	San Francisco	White	6,919	16	1		22	14	25	145	90	5	10	504	29	65	826
		Colored	399	1			4		4	7	3		5	68	9	5	29
24	San Jose		451		1		4		9		9			21	1	4	47
25	Santa Ana		305		1		2	1	4	1	3	2	1	15	1	1	22
26	Santa Barbara		301	1			4		7	2	7			15		2	34
27	Santa Cruz		252	1				1			8			10	1	2	23
28	Santa Monica		384						2	2	3		1	20	2	3	40
29	Stockton*		625	6	2		8	3	1	3	17	1		33	5	1	44
30	Vallejo		187				10	3		1	3	1		11		1	17
31	Venice		98											5		1	11
	COLORADO																
32	Boulder		145	1			2			3	5			24	1		9
33	Colorado Springs*		642	1			1	8	3		26	1		167	2	8	48
34	Denver		3,997	15		13	42	3	33	80	143	8	2	528	20	22	341
35	Greeley		151	3					1	3	6			15	2		16
36	Pueblo		574	3			3	1	2	16	27	1		47	3	6	36
37	Trinidad		160	5			3	1	4	7	7			19	2		6
	CONNECTICUT																
38	Ansonia		176				3	3		5	6			6		1	11
39	Bridgeport		1,642	2			43	4	18	27	35	3	7	113	9	6	153
40	Bristol		241				3		8	2	4			12		3	17
41	Danbury town		429	2				1			12	3	2	20	2	5	39
42	Derby		200	1			2		2	3	4	1		4		3	7
43	East Hartford town		99						1	4	3			4		1	10
44	Enfield town		119	1			2			4	7			4			15
45	Fairfield town		92					1	1		3			3		2	12
46	Greenwich town		293	1			4		1		11	1		17	1	1	26
47	Hartford		1,992	5			3	6	11	29	20	3	3	90	15	13	181
48	Manchester town		191					1	1	2	13			8	1	2	20
49	Meriden		431				6		3	4	13	2		28	4	7	43
50	Middletown town*		506				1	2	5	5	11			31		1	28
51	Milford town		117				1		1	1	2			4		1	13
52	Naugatuck		116				1		2	4	5			6	1		13
53	New Britain		562				6	1	3	10	25			33	1	3	32
54	New Haven		2,181	10			10	8	9	19	48	6	3	75	14	19	185
55	New London		418	1	1				8	2	6	2	2	16		2	37
56	Norwalk		398	2			2			6	22			23	2		44
57	Norwich town*		503				3			6	21	1		75	5	4	40
58	Orange town		274				1			1	4	1		113	1	1	12
59	Stamford town		519				1	1	3	4	20			16	6	1	35
60	Stonington town		110				4		2	2	2			5		5	7
61	Stratford town		118	1			1	2	1		3		1	9			7
62	Torrington town		198	1				2	3		13			10	1		16
63	Wallingford town		133						1	4	1			5	1		11
64	Waterbury		1,122	1			36	11	9	20	32	4	5	43	5	9	85
65	Windham town		223	1						1	5		1	8	2	1	13

[1] Nonregistration State; the only cities shown are those with satisfactory registration of deaths.

FROM IMPORTANT CAUSES, BY COLOR: 1923—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Rheumatism 51, 52	Diabetes mellitus 57	Cerebral hemorrhage and softening 74, 83	Diseases of the heart 87–90	Bronchitis 99	Pneumonia (all forms) 100, 101	Diarrhea and enteritis (under 2 years) 113	Appendicitis and typhlitis 117	Hernia, intestinal obstruction 118	Cirrhosis of the liver 122	Nephritis 128, 129	Puerperal septicemia 146	Other puerperal causes 143–145, 147–150	Congenital malformations and diseases of early infancy 159–163	Suicide 165–174	Homicide 197–200	Automobile accidents 188c	Other external causes 175–188b, 188d–196, 201–203	Unknown or ill-defined diseases 204, 205	All other causes	
7	20	102	171	5	159	46	56	25	8	88	5	29	204	37	19	51	335	23	320	1
------	1	2	6	1	23	1	------	------	1	1	1	1	3	1	10	------	28	16	17	
------	2	17	29	3	40	14	17	6	2	16	1	11	60	8	7	19	52	2	77	2
------	------	1	3	------	1	------	------	------	1	------	------	------	1	1	4	------	3	------	3	
7	18	85	142	2	119	32	39	19	6	72	4	18	144	29	12	32	283	21	243	3
------	1	1	3	1	22	1	------	------	------	1	1	1	2	------	6	------	25	16	14	
2	19	69	125	5	112	61	38	17	7	103	10	28	128	14	24	36	96	42	229	4
3	7	67	116	6	216	38	23	17	1	77	9	14	107	1	80	13	69	206	193	
3	10	23	88	2	24	14	13	10	2	71	2	11	31	5	2	9	34	6	85	5
2	2	32	82	1	39	13	2	6	2	75	------	3	29	2	13	3	17	5	75	
1	3	29	32	------	18	13	11	2	2	22	3	4	18	3	7	14	20	3	76	6
------	3	38	39	1	48	14	8	2	------	49	4	4	14	------	17	------	14	16	105	
1	4	46	75	6	14	3	2	2	1	22	3	3	13	7	1	4	14	------	36	7
------	6	26	55	2	20	27	6	5	2	27	5	2	25	2	2	12	17	------	47	8
2	14	77	116	3	37	6	6	6	1	34	1	5	30	4	1	6	26	------	75	9
------	3	14	50	2	17	5	2	5	------	17	1	4	23	4	------	3	19	3	42	10
3	10	35	86	2	50	30	17	10	5	34	4	7	53	15	8	19	30	------	95	11
1	7	36	89	4	20	4	4	6	3	44	------	6	16	1	1	9	17	------	62	12
5	18	110	209	8	55	15	14	5	11	93	6	8	48	13	2	24	80	2	152	13
23	147	697	1,535	84	619	285	123	121	79	781	50	62	524	212	85	207	475	20	1,501	14
1	6	27	65	3	53	23	7	8	------	49	5	6	37	8	17	17	22	2	94	
5	43	232	489	28	149	39	34	21	18	175	7	8	129	57	11	48	112	1	340	15
------	------	6	21	5	11	1	1	------	2	11	------	------	3	2	3	2	7	------	20	
1	13	92	134	7	31	11	11	7	6	80	5	7	25	12	2	15	20	------	119	16
1	3	26	34	3	8	1	3	4	3	13	3	1	18	3	1	7	13	1	41	17
1	1	8	6	------	16	------	1	------	4	15	1	2	14	3	1	8	8	------	9	18
1	4	28	58	4	32	15	2	2	------	12	2	2	13	1	2	10	21	2	51	19
5	18	83	157	5	89	28	22	13	13	83	7	5	56	23	12	31	69	2	192	20
------	7	32	49	2	33	31	14	6	3	42	5	4	30	6	3	4	30	1	72	21
5	29	148	236	5	89	18	22	6	11	84	3	7	58	44	2	19	65	------	242	22
14	131	468	1,297	30	534	43	118	73	54	545	17	28	249	174	32	104	305	3	948	23
2	4	18	54	9	34	6	7	3	4	20	1	6	18	6	2	3	15	1	51	
3	7	39	98	7	33	6	4	2	6	36	------	4	15	11	2	10	13	------	59	24
------	4	32	42	1	19	18	11	6	2	20	2	3	13	5	------	13	11	1	48	25
1	14	26	57	1	14	7	3	4	1	17	1	1	7	7	------	9	13	1	45	26
------	4	33	64	1	11	------	2	3	2	20	2	1	6	4	1	4	13	------	35	27
1	6	33	57	1	18	4	6	3	3	35	1	3	39	9	1	9	26	------	56	28
1	10	39	94	------	68	10	10	9	4	32	10	3	30	16	9	18	29	1	108	29
1	3	8	26	------	18	3	6	4	1	11	1	2	7	6	1	5	11	------	26	30
------	------	10	20	------	9	------	------	1	------	11	------	------	2	5	1	1	8	------	13	31
1	------	13	27	------	11	------	2	1	------	5	------	1	5	1	1	------	10	------	22	32
2	7	33	56	5	51	6	14	5	3	40	------	1	37	7	2	9	16	------	83	33
5	53	282	458	18	383	76	88	40	12	230	20	35	227	58	29	45	135	6	547	34
------	3	10	12	------	8	2	6	1	------	13	2	2	10	------	------	1	6	------	29	35
2	1	41	55	6	48	29	14	7	------	40	5	5	40	6	6	7	17	1	99	36
------	------	11	14	1	14	16	2	1	1	7	------	------	18	------	1	------	4	------	16	37
1	2	13	24	4	20	13	1	1	1	9	------	------	9	3	1	1	6	8	24	38
8	32	113	268	3	159	26	17	15	15	91	8	12	138	17	3	23	94	1	179	39
------	5	17	28	------	35	9	3	2	1	23	1	1	20	2	1	4	7	1	32	40
1	8	35	57	1	32	9	5	4	5	40	5	3	30	3	------	12	27	------	66	41
------	4	15	21	1	22	6	8	2	1	15	1	5	23	3	3	5	20	1	17	42
------	2	19	21	1	5	2	------	------	------	10	------	------	5	1	1	3	3	------	3	43
------	4	12	19	------	9	9	------	------	------	10	------	------	9	2	------	2	5	------	5	44
1	1	8	20	3	9	1	------	------	------	4	------	------	5	1	------	1	8	1	7	45
1	4	28	54	6	33	2	4	1	2	18	1	3	17	------	------	3	9	------	44	46
3	52	144	319	14	201	51	29	18	12	138	8	15	159	23	8	40	106	------	273	47
1	2	20	30	1	9	3	3	2	1	14	------	2	15	1	------	4	5	1	29	48
2	9	41	75	3	28	1	4	2	3	31	1	2	30	6	1	7	17	2	56	49
1	6	36	76	4	78	5	4	6	5	35	------	3	24	3	------	5	20	2	109	50
------	2	19	20	------	9	------	1	1	1	6	------	2	4	2	------	2	10	------	15	51
------	3	6	16	4	21	4	1	------	------	7	------	------	8	1	1	2	2	------	8	52
1	11	49	46	3	81	17	5	9	5	39	1	8	68	3	2	6	30	------	64	53
10	46	176	345	7	258	39	24	16	7	139	16	12	171	29	5	28	115	1	331	54
1	4	28	88	4	26	5	6	7	3	29	2	4	39	4	2	8	31	------	50	55
1	11	50	54	4	33	3	3	1	4	26	------	3	23	5	------	11	13	------	52	56
------	12	47	70	1	38	6	10	7	5	30	1	1	27	4	1	6	19	------	63	57
------	------	25	42	2	14	2	1	------	------	6	------	------	12	2	1	5	9	1	18	58
2	9	61	92	2	41	5	7	3	1	49	3	2	41	14	2	6	23	1	68	59
------	5	15	20	1	7	1	------	------	1	7	------	------	5	1	------	1	4	------	15	60
------	1	12	31	2	13	1	------	1	1	11	------	------	5	1	------	1	3	1	9	61
------	7	15	31	1	15	4	4	3	------	13	1	2	16	3	------	5	12	------	20	62
4	2	18	22	1	14	------	------	1	------	14	------	------	4	1	------	------	5	------	24	63
8	22	66	121	9	120	34	13	12	10	102	8	14	98	12	3	15	49	5	141	64
------	7	22	32	3	14	7	5	2	1	14	------	3	18	1	------	4	12	------	46	65

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR		All causes	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors
				1	5	6	7	8	9	10	11	21	24	31	32	33-37	43-49
	DELAWARE																
1	Wilmington	White	1,305	2			38	10	7	19	31	3	1	58	3	8	92
		Colored	245	2			2	1	2		4			14	2	2	5
	DISTRICT OF COLUMBIA																
2	Washington	White	4,437	20			31	12	20	37	98	4	3	243	23	19	387
		Colored	2,668	8	2	1	11	3	20	6	70	1	4	272	10	21	104
	FLORIDA																
3	Jacksonville	White	734	3	4		3	1	1	12	10	3	5	36	3	1	56
		Colored	992	9	2		4		3	6	16			127		14	25
4	Key West	White	165	3							9			27	1		19
		Colored	51	2							3		1	6			2
5	Miami	White	404	2					3	4	10		1	20	2		26
		Colored	292	2	2				3		15		1	33	1	5	5
6	Pensacola	White	264	4			1		2		5			10		3	16
		Colored	192	1				1			15			17			4
7	St. Petersburg	White	322	2	1					1	5	1		21	1		35
		Colored	67	1	1		4		2		2			5			2
8	Tampa	White	514	11	1		1		2	3	4			52	2	3	32
		Colored	248	3	9		2		1		3			26		5	8
	GEORGIA																
9	Albany	White	64	1	3		1	1		1	3			3			3
		Colored	84	1	1		1				6			6		1	1
10	Athens	White	135	1			4			1	1			6			5
		Colored	171	2					1	4	7			22		3	6
11	Atlanta	White	2,088	14	1		46	1	20	19	72	5	4	97	5	6	120
		Colored	1,937	32	1		26	1	41	9	96		3	125	3	22	39
12	Augusta*	White	462	2	3		10		2	2	14			31	1	3	36
		Colored	598	6	2		13		1	1	10			75	2	6	21
13	Brunswick	White	78						1		2			4			5
		Colored	131	1	2		1				3			13		1	3
14	Columbus	White	398	1			10	1	1	3	11	1		20		3	22
		Colored	345	1	1		6		2		17			27		3	13
15	La Grange	White	174	2			11		2	1	25		2	9		1	7
		Colored	108	4			3				15			12			
16	Macon	White	449	6			7		4	4	12	1		20	1	1	27
		Colored	614	13	7		7		1		9			67		5	19
17	Rome	White	213	4			3	2		2	14		1	14	1	2	11
		Colored	122	2							6			7			1
18	Savannah*	White	581	2	1		9		3	1	18	1		25	2	5	51
		Colored	1,114	13	11		5	1	4	5	21			129		11	18
19	Valdosta	White	58								3			1			4
		Colored	94	5	1					1				12		1	2
20	Waycross	White	161	9	2		6		1	1	5	1		3	1	2	8
		Colored	156	7	2		5		3					14		1	2
	IDAHO																
21	Boise		286					1			8			16	2	1	23
22	Pocatello		196				3		1	2	3		1	5			17
	ILLINOIS																
23	Alton		367	2			1	1	12	4	13	1		12		2	25
24	Aurora		521	1			1			9	5	1	1	19		3	51
25	Belleville		373	2	1		1		4	5	20	3		14		1	30
26	Berwyn		131				2	1	2	3	1			8			13
27	Bloomington		403				1				7	2		15	2	2	36
28	Blue Island		206	2			1		1	4	8		1	8		1	14
29	Cairo	White	171	1			2		1		7	1	1	5	2		7
		Colored	91	2			2		1		10			15			3
30	Canton		191				2			1	7	1		5	4		12
31	Centralia		207	3			6	2	4	1	9			11	2	4	12
32	Champaign		202	2			1		1	4	7	1		2		3	21
33	Chicago	White	30,595	50	4	1	187	85	105	352	438	73	29	1,661	113	144	2,819
		Colored	3,169	8			33	1	42	20	37	5	1	354	26	42	126
34	Chicago Heights		270				31		3	5	6	1		8			12
35	Cicero		295				7	2	3	4	9			13	1	1	28
36	Danville		607	7			1	2		8	49	2		24	1	3	35
37	Decatur		647	2			1	3	4	7	26			27	1	4	55
38	East St. Louis	White	721	6	1		10	1	10	9	33	1	1	23	1	3	52
		Colored	217	2			3		13		9			19	1	2	4
39	Elgin *		653		1		3			4	17	1		38	4	5	36
40	Evanston		478	1				1	2	5	8			12	4	2	54
41	Forest Park		105				1		1	1	3			2			9
42	Freeport		330				1	1		7	8		1	8	1	2	31
43	Galesburg		414	3			1	1	6	2	10		1	15			44
44	Granite City		223		2		5		5	5	13	1		12		1	12

FROM IMPORTANT CAUSES, BY COLOR: 1923—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Rheumatism 51, 52	Diabetes mellitus 57	Cerebral hemorrhage and softening 74, 83	Diseases of the heart 87–90	Bronchitis 99	Pneumonia (all forms) 100, 101	Diarrhea and enteritis (under 2 years) 113	Appendicitis and typhlitis 117	Hernia, intestinal obstruction 118	Cirrhosis of the liver 122	Nephritis 128, 129	Puerperal septicemia 146	Other puerperal causes 143–145, 147–150	Congenital malformations and diseases of early infancy 159–163	Suicide 165–174	Homicide 197–200	Automobile accidents 188c	Other external causes 175–188b, 188d–196, 201–203	Unknown or ill-defined diseases 204, 205	All other causes	
8	17	122	178	4	151	44	16	10	8	133	13	5	76	10	3	28	56	1	150	1
2	2	24	29	8	38	13	2	3	-------	23	2	1	12	1	3	1	13	-------	34	
8	72	366	735	25	395	93	62	52	28	391	24	33	253	67	15	60	165	1	695	2
5	24	175	417	23	457	47	25	29	7	207	14	20	154	5	33	26	73	2	392	
3	12	43	104	3	42	25	11	10	5	64	9	13	52	8	9	17	36	5	125	3
3	8	71	104	7	62	33	8	7	13	96	9	9	50	1	55	4	32	9	205	
-------	-------	7	24	-------	2	8	-------	2	1	13	-------	1	8	4	1	-------	5	3	27	4
1	-------	4	6	-------	4	2	-------	-------	-------	5	-------	-------	-------	-------	-------	-------	-------	3	12	
-------	4	38	64	-------	12	2	9	2	3	36	1	5	33	3	5	17	23	2	77	5
-------	-------	12	24	6	31	24	1	6	1	12	1	7	27	-------	11	3	7	1	51	
-------	2	15	40	3	22	10	4	2	2	17	-------	5	20	1	3	5	29	3	40	6
-------	-------	5	13	-------	19	5	1	3	3	30	1	-------	12	-------	3	-------	11	4	44	
1	7	35	62	-------	15	4	1	4	3	40	-------	3	5	6	-------	2	5	1	61	7
-------	-------	4	6	-------	5	2	-------	-------	-------	2	-------	2	3	-------	-------	-------	5	2	19	
1	6	22	78	1	24	20	4	6	2	43	4	5	31	9	6	15	32	7	87	8
-------	2	13	24	-------	11	5	6	4	5	19	3	3	13	1	6	2	12	7	55	
-------	3	2	6	-------	4	4	2	1	-------	8	-------	-------	3	-------	1	-------	2	-------	12	9
-------	1	5	6	-------	8	-------	-------	1	-------	9	-------	2	5	-------	-------	1	5	4	20	
-------	6	7	24	-------	8	2	2	3	1	11	-------	2	12	2	1	1	10	-------	25	10
1	3	9	29	3	13	-------	3	3	1	15	1	3	9	-------	2	1	7	-------	23	
5	22	145	195	4	155	73	48	21	10	259	20	31	162	26	12	37	98	7	348	11
5	8	117	204	16	248	62	18	18	8	201	18	19	92	1	71	18	67	42	306	
4	10	26	48	1	34	13	11	7	2	47	5	4	29	8	9	3	21	1	75	12
-------	8	43	66	3	64	19	3	8	1	57	10	1	20	1	10	5	27	1	114	
1	3	12	4	-------	5	2	-------	-------	1	4	-------	1	2	1	1	3	7	1	18	13
1	-------	14	14	1	15	4	1	-------	-------	17	-------	-------	4	-------	2	4	5	1	24	
-------	6	25	40	3	36	22	2	3	1	44	-------	10	30	8	2	7	15	14	57	14
-------	2	16	34	4	35	9	2	2	-------	45	7	2	10	1	8	5	18	25	50	
-------	-------	10	5	1	19	10	2	-------	-------	18	-------	2	20	-------	2	5	4	2	14	15
-------	2	10	6	-------	6	4	-------	2	-------	14	1	2	5	-------	2	-------	3	2	15	
1	3	28	48	1	43	7	10	5	-------	67	3	7	35	8	3	6	23	6	62	16
2	2	29	64	5	75	16	6	5	3	63	10	7	29	2	18	4	18	28	100	
-------	1	11	18	-------	18	9	5	3	2	12	1	2	13	1	3	4	14	4	38	17
-------	2	8	13	1	15	2	-------	-------	-------	12	-------	3	5	-------	-------	-------	9	6	30	
3	15	36	85	1	33	16	14	7	1	48	6	1	55	7	1	8	35	-------	91	18
2	2	71	169	11	111	41	9	8	4	127	7	11	49	1	18	5	49	11	190	
1	-------	4	6	-------	1	-------	3	2	1	4	-------	3	6	1	2	1	2	2	11	19
-------	-------	2	6	1	5	1	-------	2	2	12	1	1	3	1	2	-------	4	7	22	
-------	-------	10	14	-------	11	9	6	-------	2	15	2	2	10	1	3	2	6	4	25	20
-------	-------	4	23	1	11	3	-------	-------	-------	11	2	2	9	-------	6	2	12	12	24	
-------	6	23	45	-------	10	1	6	2	2	17	4	1	16	4	2	8	14	3	71	21
-------	2	13	19	-------	12	3	9	5	1	10	3	2	23	3	3	7	14	1	34	22
1	4	40	38	7	21	15	7	7	2	31	4	2	23	3	2	6	20	1	60	23
3	15	47	83	2	44	15	17	7	5	38	2	5	33	5	1	3	20	-------	85	24
-------	8	30	23	11	27	14	5	4	6	46	2	5	20	6	2	5	27	-------	51	25
1	1	6	19	5	16	3	-------	-------	1	12	-------	-------	12	4	-------	2	5	-------	14	26
6	12	39	62	4	24	5	7	1	1	28	1	5	22	5	2	3	21	1	89	27
1	6	18	26	-------	13	4	6	2	1	10	3	3	22	1	3	4	18	-------	25	28
-------	1	16	13	2	7	5	12	2	1	17	4	4	8	2	2	5	9	2	32	29
-------	-------	14	5	1	9	3	2	-------	-------	2	-------	-------	5	-------	3	2	4	1	7	
-------	1	21	36	-------	21	3	3	1	1	16	1	4	12	1	2	1	7	-------	28	30
1	2	11	13	3	12	11	3	3	6	18	1	3	23	1	4	4	10	-------	24	31
1	4	17	19	2	9	6	4	3	2	23	4	1	11	4	1	5	14	-------	30	32
148	594	1,652	5,329	355	2,906	1,092	520	303	323	2,822	131	157	2,021	379	203	554	1.510	2	3,533	33
14	35	114	500	27	506	81	39	27	15	234	22	16	146	13	118	35	123	1	408	
1	-------	12	20	2	36	15	2	2	4	11	4	5	23	5	12	6	12	-------	32	34
-------	1	16	57	2	29	16	2	-------	2	34	-------	2	31	2	2	-------	10	-------	21	35
1	9	46	76	1	46	16	16	6	8	33	2	8	37	8	6	9	44	1	102	36
1	15	39	71	4	38	23	7	14	3	69	2	6	51	6	3	5	27	2	131	37
2	15	58	81	10	68	22	18	10	8	44	6	5	42	10	11	16	58	2	84	38
1	-------	6	14	6	31	10	4	1	-------	10	1	1	17	2	17	-------	15	1	27	
3	8	38	97	3	41	2	9	3	2	35	2	3	18	12	3	6	19	-------	240	39
2	7	32	77	3	29	7	15	8	4	40	-------	7	42	6	1	16	21	-------	72	40
1	4	14	24	5	5	2	-------	-------	1	16	-------	-------	1	2	-------	-------	1	-------	12	41
1	7	25	42	1	25	6	9	5	3	43	1	1	18	5	1	-------	17	-------	60	42
-------	7	42	50	1	25	11	17	5	2	40	1	4	23	7	3	5	21	1	66	43
-------	2	12	14	3	20	16	2	-------	1	19	5	2	11	3	16	2	16	1	22	44

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor
contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors
			1	5	6	7	8	9	10	11	21	24	31	32	33-37	43-49
	ILLINOIS—continued															
1	Herrin	136	3			4		1	2	5		1	12	1		3
2	Jacksonville *	504	3							13	1		40	1	3	32
3	Joliet	503	1			2	2	3	3	24		1	18	4	3	40
4	Kankakee	241	1			1		1		4	1		7		1	10
5	Kewanee	246	4				1	4	1	16			11			14
6	La Salle	173	1					1	1	3			5	1		13
7	Lincoln*	305	2			10	3	2	2	15	1		25		3	24
8	Mattoon	205	1			4		5	1	8			3		4	22
9	Maywood	94				1				1	1		5			11
10	Moline	344	4			4		2	1	7			17	2	1	39
11	Murphysboro White	147	1						2	18			11			20
	Murphysboro Colored	25								1			1			
12	Oak Park	651						2	2	7			17	1	2	90
13	Ottawa	200	2			2		1		3			5	3	1	15
14	Pekin	139				3		3		5			7		2	14
15	Peoria	1,217	11	1		6	6	4	4	41	6	1	40	2	6	101
16	Quincy	600	2	1		2	1	2	3	11	1		17		1	59
17	Rock Island	315	1			3		5	8	8	1	1	25			27
18	Rockford	756	1			12	3	8	10	35	2	1	21	1	5	69
19	Springfield	1,049	3			10		4	8	39	3		48	3	6	108
20	Streator	211	1			2	4	5	2	2			9			23
21	Urbana	108				1				3			6			14
22	Waukegan	230	5			3			7	5	1	1	8		1	12
	INDIANA															
23	Anderson	375	2	1		1	1	1	3	14	1		22		2	31
24	Bloomington	175	2			1	1		2	7	1		17		2	8
25	Clinton	88	1			1	2			2			10		1	5
26	Crawfordsville	157								8			13			16
27	East Chicago	438	1			10	1	2	8	17		1	31	2	2	19
28	Elkhart	336				2	1	3	1	11		2	12	1	5	36
29	Elwood	139	2					1	1	2		1	10	1	1	15
30	Evansville	1,060	4			19	3	10	13	26	3		66	3	10	104
31	Fort Wayne	1,212	31			2	5	7	18	41	4		43	3	16	122
32	Frankfort	167						1	1	9	1		11		1	14
33	Gary	864	1			42	1	13	17	31	2	2	44	5	8	26
34	Hammond	507	7			5	2	8	3	27			12	2	3	30
35	Huntington	187	4					3		4			5			16
36	Indianapolis White	4,148	9	1		26	2	34	43	140	5	3	213	21	22	351
	Indianapolis Colored	778	3	2		4		8	2	25	1		97	4	17	27
37	Jeffersonville White	124	1					1		6	1		12			7
	Jeffersonville Colored	28						1		2			4			
38	Kokomo	401				4		9	9	20			27		7	33
39	La Porte	230	1			2		1		10			11		3	28
40	Lafayette	482				3	1	3	3	10	1		25	1	1	62
41	Logansport	288	2			2			4	23	1		15		1	26
42	Marion	376				4		3	3	24	4		17		3	27
43	Michigan City	284	2		1	2		1	3	2		1	17	1		22
44	Mishawaka	230	2			4		3	1	10		1	10		2	17
45	Muncie	544	3			4		6	5	20			39	1	7	39
46	New Albany	318		1					4	13	1	1	22		1	24
47	New Castle	164			1	3		3	1	4			12		1	12
48	Peru	173	1					1	6	10	2		13		4	15
49	Richmond	319	3			3		1	2	26			15		4	32
50	South Bend	892	4			8	7	8	16	21			50	4	7	61
51	Terre Haute	973	4	1		12	4	8	7	25	1	1	48		9	82
52	Vincennes	262	2						3	17	2		19	1	3	13
53	Whiting	95				1			3	2			7		2	2
	IOWA															
54	Boone	178								5	1		4	1	1	18
55	Burlington	393		1		4		3	5	10	3		8	4	5	39
56	Cedar Rapids	553					8	1	8	21	1		22	2	6	55
57	Clinton	320	2				1		5	11			10	1	7	31
58	Council Bluffs	512	2	1	2		1	4	6	20	1	1	10		1	37
59	Davenport	748	1			10	3	4	13	8	1		54	1	10	63
60	Des Moines	1,601	2			6	18	21	18	57	3	1	70	2	8	150
61	Dubuque	584				9			3	13			37	2	3	58
62	Fort Dodge	276					1	4	2	8	2		15	4	1	23
63	Fort Madison	178	2	2				2	1	13		1	7		4	9
64	Iowa City	338					3		6	8			7	1	8	51
65	Keokuk	273	4				1		1	7	1		6		1	24
66	Marshalltown	235						3	1	8			2		1	16
67	Mason City	265					1	1	4	6	1		9		6	17
68	Muscatine	244				3		3	1	9	2	1	10	1	2	25
69	Ottumwa	426	2			10	1	2	4	17	1	1	19	1	4	41
70	Sioux City	870	4			12	2	4	16	26	2	2	26	1	5	82
71	Waterloo	388				5	3	1	2	14		1	10			45

FROM IMPORTANT CAUSES, BY COLOR: 1923—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Rheumatism 51, 52	Diabetes mellitus 57	Cerebral hemorrhage and softening 74, 83	Diseases of the heart 87–90	Bronchitis 99	Pneumonia (all forms) 100, 101	Diarrhea and enteritis (under 2 years) 113	Appendicitis and typhlitis 117	Hernia, intestinal obstruction 118	Cirrhosis of the liver 122	Nephritis 128, 129	Puerperal septicemia 146	Other puerperal causes 143–145, 147–150	Congenital malformations and diseases of early infancy 159–163	Suicide 165–174	Homicide 197–200	Automobile accidents 188c	Other external causes 175–188b, 188d–196, 201–203	Unknown or ill-defined diseases 204, 205	All other causes	
3	1	6	3	-------	13	6	1	1	1	3	2	1	26	1	5	2	5	5	19	1
1	6	29	84	-------	57	2	10	6	-------	28	2	3	13	4	2	2	15	-------	147	2
1	12	34	62	10	36	31	11	5	6	34	2	3	34	3	5	23	19	-------	71	3
-------	5	18	41	2	15	10	9	4	1	17	1	4	16	1	1	4	19	-------	47	4
1	2	21	23	2	31	6	4	7	4	12	1	2	19	3	1	2	10	-------	44	5
1	2	14	23	3	15	4	4	4	3	19	-------	3	17	-------	1	1	18	1	15	6
1	8	20	38	2	34	6	6	3	2	19	2	-------	9	1	-------	1	14	-------	52	7
-------	4	29	19	-------	7	3	4	-------	-------	25	-------	3	17	-------	1	2	9	-------	34	8
-------	-------	9	22	-------	11	1	1	2	-------	9	-------	1	6	2	-------	-------	2	-------	9	9
-------	10	22	39	4	31	3	9	5	5	24	2	2	20	10	3	5	19	-------	54	10
-------	4	13	15	-------	8	3	5	2	-------	6	2	3	5	3	2	-------	6	-------	18	11
-------	-------	1	7	-------	3	2	-------	-------	-------	-------	1	-------	1	-------	1	-------	1	-------	6	
2	11	59	102	2	39	4	23	7	7	62	4	8	56	3	4	12	27	-------	98	12
-------	5	20	37	4	16	11	3	1	5	11	-------	3	13	2	-------	4	10	-------	23	13
-------	-------	7	20	2	10	5	3	1	1	9	-------	-------	5	1	1	3	7	1	29	14
5	29	88	190	5	113	21	26	13	8	98	12	13	72	15	7	11	56	1	205	15
3	10	86	101	17	46	11	17	1	5	49	4	6	31	6	-------	1	19	-------	87	16
-------	1	38	50	9	14	3	5	2	2	15	1	2	19	4	1	4	14	-------	52	17
2	23	53	86	11	74	20	19	9	5	45	7	5	59	6	4	8	47	-------	105	18
5	29	76	133	9	73	26	18	9	12	90	10	9	51	13	9	13	46	4	182	19
-------	5	17	38	6	14	6	2	5	4	4	-------	2	12	3	1	1	14	1	28	20
-------	6	12	17	-------	11	2	1	-------	-------	7	-------	-------	6	1	1	-------	7	-------	13	21
1	1	7	31	1	30	19	8	1	3	8	1	1	22	3	2	8	13	-------	27	22
2	8	27	41	-------	34	11	11	4	-------	34	-------	5	29	9	1	6	18	-------	56	23
-------	1	13	15	2	12	11	7	1	1	21	3	1	12	-------	-------	4	12	-------	18	24
1	1	-------	10	1	8	2	-------	-------	1	4	1	-------	17	3	2	1	3	-------	11	25
-------	-------	19	32	-------	11	1	2	1	1	8	2	1	8	-------	-------	1	4	1	28	26
-------	5	8	40	-------	77	49	1	3	7	11	3	-------	38	7	12	8	47	1	27	27
2	9	37	61	2	32	7	6	-------	1	20	1	3	22	1	3	7	13	-------	35	28
-------	3	11	19	1	3	5	3	2	2	18	-------	-------	14	-------	-------	1	3	1	19	29
2	22	60	138	7	88	18	38	12	10	95	6	3	60	9	16	12	45	3	155	30
1	24	103	144	9	97	24	23	12	5	86	14	7	60	13	5	21	48	4	220	31
-------	2	14	28	-------	7	4	5	-------	1	19	-------	-------	9	3	-------	-------	13	-------	24	32
4	6	17	61	8	164	23	27	9	2	30	8	8	67	6	30	22	84	-------	96	33
2	7	13	41	1	71	33	9	6	6	35	2	5	40	5	13	19	52	-------	48	34
-------	3	21	51	-------	11	3	1	3	1	14	2	2	5	2	-------	1	9	-------	26	35
6	76	313	671	15	319	128	87	45	24	338	22	20	259	63	10	52	139	-------	691	36
-------	11	27	106	5	112	30	7	5	9	55	6	3	51	4	17	1	19	-------	120	
-------	-------	8	18	3	8	3	2	4	-------	13	-------	-------	3	2	1	-------	10	-------	21	37
-------	1	1	5	-------	4	1	-------	1	-------	3	-------	-------	-------	-------	-------	1	1	-------	3	
2	3	33	63	2	30	15	11	5	4	23	3	2	23	1	-------	5	21	-------	46	38
1	5	21	30	1	16	4	7	6	-------	23	-------	-------	12	2	-------	3	7	-------	36	39
4	6	52	78	5	23	3	8	9	5	43	4	3	22	7	-------	4	23	-------	73	40
1	5	18	34	-------	16	3	5	7	-------	37	2	4	10	7	1	1	28	-------	35	41
-------	3	25	64	1	35	4	6	4	8	32	5	3	23	-------	2	-------	23	2	51	42
-------	4	15	36	2	36	16	4	5	3	20	1	1	15	6	3	3	23	-------	39	43
1	4	23	25	1	22	7	-------	4	-------	11	2	1	20	2	1	6	18	1	31	44
2	10	48	62	4	44	8	9	3	3	36	2	10	30	4	6	8	21	1	109	45
3	7	29	53	8	20	3	4	6	3	25	3	2	8	4	2	5	13	-------	53	46
-------	2	14	17	-------	12	11	5	3	1	10	1	2	10	1	-------	2	12	-------	24	47
-------	3	12	23	2	16	2	-------	3	-------	12	-------	-------	11	-------	-------	2	8	-------	27	48
-------	1	26	73	1	24	9	4	2	2	29	1	2	7	8	3	2	11	-------	28	49
2	15	55	141	5	68	31	11	12	6	54	7	9	76	7	4	16	66	2	119	50
3	9	81	124	4	63	18	20	17	6	92	10	6	67	14	9	16	73	-------	139	51
1	6	8	24	-------	20	6	7	7	1	22	4	2	17	2	1	8	22	-------	44	52
-------	1	3	10	-------	17	7	-------	-------	1	9	-------	1	6	1	-------	2	10	-------	10	53
1	3	15	22	2	16	2	3	1	-------	18	1	1	7	3	2	4	7	1	39	54
2	4	37	43	7	28	6	13	4	1	27	3	1	26	2	-------	4	26	1	76	55
2	14	51	91	4	27	7	13	12	6	35	-------	2	31	12	1	9	34	1	77	56
1	6	28	42	4	22	4	10	5	1	20	-------	2	20	4	2	2	20	-------	59	57
-------	6	39	70	1	52	8	13	10	3	37	1	5	27	2	2	7	30	-------	113	58
3	7	61	128	5	69	7	5	12	9	38	4	3	32	13	1	7	25	1	150	59
7	29	113	196	4	123	20	33	22	10	84	11	12	122	25	6	18	96	5	309	60
1	12	65	71	5	42	3	11	5	2	40	2	5	38	6	1	4	38	5	103	61
1	4	8	33	-------	33	9	9	10	1	13	3	1	26	2	-------	6	18	1	38	62
-------	1	16	25	1	10	-------	3	4	2	11	1	-------	14	2	-------	4	15	2	26	63
3	8	22	21	2	19	-------	6	9	-------	20	4	3	12	3	-------	1	7	-------	114	64
1	3	24	43	3	15	5	8	5	2	19	6	3	13	3	1	4	7	1	62	65
1	8	28	29	-------	12	-------	8	4	2	20	-------	2	4	3	-------	2	9	-------	72	66
1	5	24	28	3	18	5	9	6	1	11	-------	4	15	3	-------	4	23	-------	60	67
1	3	27	35	2	12	2	4	2	1	20	1	2	9	5	-------	4	10	-------	47	68
-------	2	36	59	1	36	5	9	4	-------	21	3	2	38	9	2	2	18	1	75	69
3	7	47	108	5	59	10	37	23	8	38	7	8	66	19	7	14	51	6	165	70
1	3	51	43	4	36	5	8	5	1	19	2	2	33	3	-------	6	17	-------	68	71

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor
contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR		All causes	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors
				1	5	6	7	8	9	10	11	21	24	31	32	33-37	43-49
	KANSAS																
1	Arkansas City		183	2			1	3		1	11			7	2		16
2	Atchison	White	140							1	7			2		1	13
		Colored	37								4						3
3	Chanute		171	1	1				2		8			4		1	11
4	Coffeyville	White	155	3			6		2		17			4			9
		Colored	39	2	1					1	2			6			1
5	El Dorado		124	1			2			3	2			2			6
6	Emporia		194						5	1	9			9	1		22
7	Fort Scott		202	2			1	1	2	1	11	1		3	1		22
8	Hutchinson		282	6							18			12			24
9	Independence		135	2			1		1	1	7			5		2	7
10	Kansas City	White	1,341	2			15	2	10	9	48	2	2	72	6	5	111
		Colored	386		2		4		7	1	13		1	50	1	6	20
11	Lawrence	White	136							2	9			5			11
		Colored	40								1			5		1	3
12	Leavenworth	White	253				1		5		4			5		2	27
		Colored	45						1		5						
13	Parsons		192	1	1					5	18	1		7		1	12
14	Pittsburg		187	2			1			2	13			2	1	1	13
15	Salina		199	2			3	1	2	2	10			5		2	14
16	Topeka		757	2			2	3	14	2	30	2	1	27		3	62
17	Wichita		1,151	13			3	1	4	7	57	4	2	31	2	4	102
	KENTUCKY																
18	Ashland		357	1			11	1	10	4	20	1		18	1	2	20
19	Covington		866	14			4	5	6	4	37	2	1	70	4	3	64
20	Henderson	White	127	1					2		3	1		11			10
		Colored	76	1			1	1	1		3			10		1	3
21	Lexington*	White	677	2	1					1	20	1		56	1	3	48
		Colored	346	3					9	1	10			35	3	6	15
22	Louisville	White	3,223	9	2		12	1	54	14	71	7	2	195	13	21	242
		Colored	963	4	2		1		13		28	2		72		8	37
23	Newport		324	5			3	4	5	2	12	2		29	1	3	27
24	Owensboro	White	301	3			4	1	2	4	12			22	2	4	18
		Colored	70	1							2			9		1	5
25	Paducah	White	275	1	2		8		6		9		1	24	2	2	14
		Colored	160	2	1		1		3	1	9			27		3	5
	LOUISIANA																
26	Alexandria	White	182	6	2		2		1	2	9		1	5		1	11
		Colored	195	3	8		1		1	1	5			21		5	4
27	Baton Rouge	White	192		1				2	1	15			7	1		11
		Colored	175		1					1	18			21		2	7
28	Lake Charles	White	129	3			2		1	2	4			6		1	11
		Colored	94				2			1	4			5			3
29	Monroe	White	169	3			2				9	2	1	3			8
		Colored	152		2	1	2				3			14			4
30	New Orleans	White	4,338	27	2		33	4	37	28	88	8	6	340	9	22	357
		Colored	2,819	10	3		1		24	5	51		4	305	4	24	133
31	Shreveport*	White	520	11	3	1	1	1	5	3	14	3		14	4	4	41
		Colored	650	8	3	1	1			1	17		3	67	2	20	21
	MAINE																
32	Auburn		216				2	1	2		6			8	1	1	24
33	Augusta*		340	3					1		7			22		3	13
34	Bangor*		533	1			3		4	3	7	1		28	5	5	34
35	Bath		164								4			7			18
36	Biddeford		311	1			10		1		21			8			19
37	Lewiston		651	4			5		12	2	22		2	24	3	7	63
38	Portland		1,144	4			3		7	9	27	1		33	5	7	120
39	Sanford town		160				13		3	2	15	1		3	1	2	14
40	Waterville		211	1				1	2	2	19			8	2		13
	MARYLAND																
41	Annapolis	White	95	1					2	1	9	1		1	1	1	5
		Colored	88	1						1	5		1	8	1		2
42	Baltimore	White	8,908	24	1		48	22	62	82	172	18	7	511	28	40	868
		Colored	2,681	11			9		39	9	86	4	1	351	11	44	114
43	Cumberland		524	4			6	1	4	1	19	5		9	3	1	45
44	Frederick	White	246	1					1	2	10			13	2	2	27
		Colored	36	1			1		1		1			2		3	1
45	Hagerstown		420	2			6				16		1	17	1	2	32
	MASSACHUSETTS																
46	Adams town		105	1			2	1			3			2			8
47	Amesbury town		133	1			1		1	2	10			6			5
48	Arlington town		230				3		3	2	1			8		1	22
49	Attleboro		263				1		1		10	1		29	2	3	28
50	Belmont town		108						1					4	1		13

FROM IMPORTANT CAUSES, BY COLOR: 1923—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Rheumatism 51, 52	Diabetes mellitus 57	Cerebral hemorrhage and softening 74, 83	Diseases of the heart 87–90	Bronchitis 99	Pneumonia (all forms) 100, 101	Diarrhea and enteritis (under 2 years) 113	Appendicitis and typhlitis 117	Hernia, intestinal obstruction 118	Cirrhosis of the liver 122	Nephritis 128, 129	Puerperal septicemia 146	Other puerperal causes 143–145, 147–150	Congenital malformations and diseases of early infancy 159–163	Suicide 165–174	Homicide 197–200	Automobile accidents 188c	Other external causes 175–188b, 188d–196, 201–203	Unknown or ill-defined diseases 204, 205	All other causes	
------	2	12	14	------	13	6	4	2	1	11	4	1	12	------	4	3	16	1	34	1
------	6	13	9	------	7	------	2	2	1	12	2	------	12	------	------	2	12	1	35	2
------	------	3	9	------	4	1	------	2	------	4	------	1	------	------	1	------	2	------	3	
------	5	20	17	1	13	2	6	7	1	5	1	3	9	------	2	------	10	4	37	3
------	2	9	17	------	6	9	2	2	------	8	1	3	10	2	2	1	5	1	34	4
------	------	1	2	------	5	------	------	------	------	2	------	------	2	------	4	------	1	3	6	
------	2	18	19	2	8	4	2	2	------	10	------	1	11	2	1	1	11	1	13	5
2	4	10	23	------	13	6	6	4	2	16	1	------	9	1	3	5	12	2	28	6
1	5	16	25	------	12	6	9	2	------	14	1	2	8	------	2	2	11	------	41	7
1	12	28	29	2	20	7	4	2	2	23	4	3	12	6	2	3	12	2	48	8
------	1	9	20	2	7	3	5	3	1	11	------	------	6	------	------	1	6	------	34	9
5	21	77	110	10	137	48	20	12	10	109	10	14	109	19	14	12	88	------	232	10
1	1	19	52	1	46	9	1	5	1	33	6	1	18	------	11	------	17	3	56	
------	1	12	20	1	7	1	6	2	3	5	------	1	7	1	------	1	10	------	31	11
1	------	6	4	------	3	------	------	------	------	2	------	------	2	------	2	------	2	------	8	
1	2	29	38	------	26	2	4	3	4	26	3	2	15	2	2	2	9	------	39	12
1	------	5	12	1	4	1	------	------	2	6	------	------	1	------	------	------	------	------	6	
2	1	23	17	------	22	4	4	1	------	12	------	3	13	1	1	1	11	------	30	13
------	------	22	16	2	28	4	1	------	1	19	1	1	13	3	2	2	5	2	30	14
------	5	15	25	1	13	5	10	3	------	8	4	2	16	1	2	5	13	1	29	15
5	14	63	100	3	54	22	20	8	4	54	6	9	53	9	5	9	38	2	131	16
2	28	86	127	8	87	31	33	13	11	68	9	11	76	14	9	18	54	2	234	17
------	6	18	23	------	26	26	12	4	1	16	3	1	24	2	7	4	30	2	63	18
3	11	69	121	6	84	10	24	11	11	68	4	2	44	6	6	3	41	9	119	19
1	1	11	25	1	9	5	2	------	------	7	------	------	5	------	1	1	5	2	23	20
------	------	6	11	------	5	3	1	3	------	5	------	1	3	------	2	------	2	------	13	
2	9	57	118	1	40	16	19	2	1	40	8	6	30	4	7	8	28	2	146	21
2	2	25	61	1	49	11	3	4	------	20	3	1	10	------	10	3	7	2	50	
7	73	246	415	41	309	83	51	34	17	291	11	22	189	39	17	56	134	4	541	22
9	8	62	150	23	126	19	12	9	6	105	8	5	25	3	42	10	20	1	153	
2	10	31	40	4	29	14	1	------	2	16	1	1	21	3	4	2	11	1	38	23
------	6	24	31	1	18	21	3	------	4	36	------	4	9	3	3	1	17	1	47	24
------	------	6	11	------	4	4	------	------	------	12	1	------	5	------	1	1	1	------	6	
3	4	13	22	3	17	3	13	3	2	19	1	2	22	4	2	1	12	3	57	25
------	------	5	20	5	18	4	------	1	------	9	------	1	7	------	3	------	7	2	26	
------	2	2	15	1	8	4	13	3	------	12	2	2	17	2	2	3	20	4	30	26
------	3	22	22	2	5	12	2	1	------	23	------	5	6	------	7	------	5	3	50	
------	2	14	25	1	18	3	6	3	------	12	2	2	16	1	1	------	18	------	30	27
------	------	20	23	1	7	5	3	1	1	13	------	2	9	1	2	2	7	1	27	
------	2	10	13	------	1	------	5	2	------	16	------	5	8	------	------	3	8	1	25	28
------	------	6	8	2	5	9	1	------	------	14	3	------	2	------	1	------	3	7	18	
------	1	7	12	2	10	2	9	2	------	13	4	5	11	2	3	2	17	------	39	29
------	1	7	16	4	21	3	2	3	------	15	2	3	2	------	1	1	11	------	34	
12	65	278	739	16	299	89	72	52	53	427	15	47	198	40	33	55	211	------	676	30
12	20	150	517	18	280	62	23	28	31	244	20	31	153	8	88	13	105	1	451	
2	12	23	43	2	23	14	33	8	4	45	2	6	20	5	12	9	31	4	117	31
3	4	24	53	3	58	8	17	11	1	59	8	10	21	2	26	4	41	2	151	
------	5	26	37	2	23	5	------	------	------	20	------	------	13	3	------	1	9	3	24	32
------	4	35	59	1	40	1	5	4	2	21	------	4	14	1	------	3	18	------	79	33
------	14	39	68	5	47	------	14	8	1	25	2	2	24	7	------	6	23	21	136	34
------	4	11	39	1	14	1	4	1	1	16	1	------	10	1	------	------	11	------	20	35
1	11	19	30	2	42	18	5	4	3	15	------	6	27	2	------	3	15	2	46	36
3	9	43	82	5	46	15	13	7	1	40	3	11	76	7	------	6	40	12	88	37
3	8	88	190	6	129	10	19	14	2	97	3	12	72	6	2	12	48	6	201	38
------	3	14	17	------	10	2	3	1	1	8	1	2	20	4	------	------	5	1	14	39
2	3	20	26	2	17	5	5	2	2	16	2	5	15	1	------	5	7	------	28	40
------	------	6	11	2	10	6	2	------	1	6	1	1	5	2	------	3	4	------	13	41
1	------	4	14	------	3	10	2	1	------	3	------	2	2	------	1	1	6	------	19	
33	174	745	1,381	85	976	215	72	98	50	871	32	43	542	89	15	107	349	4	1,144	42
16	13	196	319	20	431	82	17	17	5	207	13	9	140	4	34	24	84	------	371	
1	5	20	65	1	44	15	14	12	1	58	2	8	49	5	6	16	33	------	71	43
------	5	25	36	3	7	2	12	8	------	13	3	------	10	1	1	6	14	1	41	44
------	------	2	5	2	2	------	------	1	1	3	------	------	1	------	------	2	1	2	4	
3	8	26	69	8	34	11	3	2	2	46	2	8	25	1	------	4	23	3	65	45
------	3	7	17	1	11	1	2	2	2	3	------	------	11	2	------	1	2	------	23	46
------	2	28	20	2	11	1	------	------	------	10	1	------	9	3	------	------	5	------	15	47
1	4	24	61	------	30	1	------	3	1	15	------	2	11	4	------	5	4	------	24	48
2	5	23	32	2	18	5	4	1	------	27	2	2	21	2	1	2	12	2	25	49
------	2	8	29	------	18	1	------	2	------	5	------	1	4	1	------	------	1	------	17	50

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors
			1	5	6	7	8	9	10	11	21	24	31	32	33-37	43-49
	MASSACHUSETTS—continued															
1	Beverly	287	2					8		4			10	1	1	26
2	Boston, White	11,085	11			60	57	113	177	75	29	21	616	60	46	1,112
	Boston, Colored	424					3	2	2	1		1	59	4	3	28
3	Braintree town	151						2	1	4			38		2	15
4	Brockton	740				5		5	2	9	2		16	5	5	69
5	Brookline town	446						4	1	5	2		9		5	80
6	Cambridge	1,527	4			8	3	16	11	5	1		113	3	8	162
7	Chelsea	539	2			3	1	9	3	9	3		26	1	2	37
8	Chicopee	365				1	1	4	6	11	2		33		1	28
9	Clinton town	174					1	1		3			6	2	1	13
10	Danvers town*	329					1		2	1	1		27		3	15
11	Dedham town	118				1			2	2		1	3		1	10
12	Easthampton town	117					2	7		3			7			9
13	Everett	382				3	1	6	3	6	2		13		3	39
14	Fall River	1,655	4			30	5	14	21	26	2	3	121	7	13	128
15	Fitchburg	470	2			1	4	2	10	1		3	24	5	3	46
16	Framingham town	276	1				1			6	1	1	4			28
17	Gardner town	226						1	3	6	1		9	3		16
18	Gloucester	297					1	4	6	17		1	14			25
19	Greenfield town	166					1	3		3			3	1	1	19
20	Haverhill	626	2			1	5	8	5	13	1	1	33		3	55
21	Holyoke	844	1			1	4	3	15	13	3	1	51	6	2	74
22	Lawrence	1,134	4			10	1	17	23	13		1	57	11	1	98
23	Leominster	232				1	1	1	2	10			10	1	1	25
24	Lowell	1,680	4			28	6	18	16	10		2	82	16	8	134
25	Lynn	1,201	3			12	1	16	9	26	3	5	59	7	6	112
26	Malden	597				2	4	9	13	10	1	2	30	3	3	43
27	Marlborough	194				1				3			7		2	18
28	Medford	431				1		4	2	4	2		17	3	1	52
29	Melrose	231					1	1	1	3	1		3			33
30	Methuen	206				3	1	2	3	2	2		6	2	1	27
31	Millford town	182				1	1			3			9	2	2	13
32	Natick town	165				1	1			5			8		1	24
33	New Bedford	1,584	1			60	3	19	9	28	7	4	95	22	7	129
34	Newburyport	256	4					3	2	8			8	1	1	23
35	Newton	552		1		1	2	4	6	5		1	7	1	1	59
36	North Adams	286	5					2	1	6			10	2		18
37	Northampton*	446						5	1	12	2		55		2	42
38	Northbridge town	115	1					3		1			6	2		11
39	Norwood town	120								1			1	3		7
40	Peabody	229						6	6	3	1		10	1		20
41	Pittsfield	544					2	3	14	11	1		25	2	7	55
42	Plymouth town	157						6		6			2			9
43	Quincy	506					1	2	5	14	2		26	2	3	55
44	Revere	221				6	1	9	5	3			5			28
45	Salem	592					2	7	21	7			24	4	2	61
46	Saugus town	92						1		5			4	1	1	8
47	Somerville	1,105	1			3	4	17	17	13	4	3	46	3	7	82
48	Southbridge town	127	1			1			3			1	4			11
49	Springfield	1,719	2				4	7	20	34	3		63	6	7	151
50	Taunton*	655	1			18	2	12	1	8	3		54	6	3	33
51	Wakefield town	149					1	2		4	3		8	2		8
52	Waltham	441					2	3	12	24	1		15	2	3	41
53	Watertown town	154							2	2	1		5	1		10
54	Webster town	130				1		4	4	4	1		7	1	4	12
55	West Springfield town	134				1		3	2	11			2		1	11
56	Westfield town	238				1		4	6	1			34		2	14
57	Weymouth town	167						1	1	5			14			19
58	Winchester town	127								1			4	1		14
59	Winthrop town	149							1	4			3		1	17
60	Woburn	202				6		1		5			7			14
61	Worcester	2,521	5			15	6	13	38	24	6	3	136	9	7	215
	MICHIGAN															
62	Adrian	197	1					1		10			7		2	12
63	Alpena	207				1	6	3	5	4			6		1	21
64	Ann Arbor*	613	1			4	4	1	3	6	1	3	25	2	11	96
65	Battle Creek	537				2	5	4	5	13	1		9	1	3	56
66	Bay City	593	11				3	3	7	25	1		28	1	4	41
67	Benton Harbor	180	1			2	2		3	10			5	1	2	8
68	Detroit, White	11,680	42			82	86	72	203	170	52	19	704	75	39	759
	Detroit, Colored	1,371	2			5	1	14	6	26	1	1	143	11	20	33
69	Escanaba	208	4						3	5			11	1	1	11
70	Flint	1,285	5	1	4	23	10	12	55	58	5		43	4	4	68
71	Grand Rapids	1,714	2			6	4	13	18	48	5	1	64	12	10	140
72	Hamtramck	433	1			6	5	6	19	8			27		3	6
73	Highland Park	520			1	6	9	5	5	12	4		16	4	2	42
74	Holland	128					5	1	2	3			4			14

FROM IMPORTANT CAUSES, BY COLOR: 1923—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Rheumatism 51, 52	Diabetes mellitus 57	Cerebral hemorrhage and softening 74, 83	Diseases of the heart 87–90	Bronchitis 99	Pneumonia (all forms) 100, 101	Diarrhea and enteritis (under 2 years) 113	Appendicitis and typhlitis 117	Hernia, intestinal obstruction 118	Cirrhosis of the liver 122	Nephritis 128, 129	Puerperal septicemia 146	Other puerperal causes 143–145, 147–150	Congenital malformations and diseases of early infancy 159–163	Suicide 165–174	Homicide 197–200	Automobile accidents 188c	Other external causes 175–188b, 188d–196, 201–203	Unknown or ill-defined diseases 204, 205	All other causes	
1	8	25	72	3	18	3	1	3	1	13	------	1	20	1	------	1	13	1	50	1
18	183	707	2,095	82	1,285	162	148	100	50	519	46	100	758	116	32	129	559	20	1,599	2
------	8	27	64	3	55	6	3	3	------	17	3	2	25	2	5	4	30	1	63	2
------	4	15	22	------	10	1	------	------	1	10	------	------	10	------	------	1	4	------	11	3
3	12	71	153	7	60	2	8	7	8	42	2	9	54	10	2	13	31	1	127	4
1	16	56	119	4	28	------	2	2	4	30	------	2	6	2	1	2	8	------	57	5
5	21	146	290	12	171	26	10	7	3	70	4	15	101	9	2	28	66	1	206	6
1	13	29	119	4	48	9	8	2	3	36	------	4	33	1	4	11	36	1	81	7
------	2	23	62	6	48	27	1	------	2	24	1	------	45	1	------	1	10	------	25	8
1	5	22	36	2	18	2	2	5	1	1	------	2	16	1	1	1	5	3	23	9
------	4	18	49	------	58	------	------	1	------	18	------	------	6	3	------	2	6	2	112	10
------	2	14	27	------	14	1	------	------	------	4	------	------	13	1	1	2	2	------	17	11
------	------	14	18	1	12	5	------	1	1	5	------	1	15	1	------	1	4	------	10	12
------	8	35	74	5	35	2	3	2	4	28	1	3	35	3	------	1	9	------	58	13
6	27	123	239	22	143	87	24	21	14	113	4	7	150	7	3	22	62	6	201	14
------	14	35	82	5	43	12	6	6	------	25	------	4	51	4	------	6	19	------	57	15
------	5	22	55	2	30	3	3	2	1	15	1	3	21	4	1	5	22	2	37	16
------	5	19	44	1	14	7	4	4	------	19	1	4	15	2	------	3	8	------	37	17
3	7	32	57	2	18	5	2	2	------	9	------	3	20	3	------	2	17	------	47	18
------	3	31	25	2	19	3	3	3	------	13	------	1	6	3	------	2	7	2	12	19
2	8	53	107	------	63	7	6	10	2	31	5	7	50	9	------	7	32	6	94	20
3	14	56	136	5	86	34	11	4	7	69	7	10	78	5	1	9	34	------	101	21
3	17	101	151	6	150	42	17	7	3	70	2	10	81	3	6	19	61	20	129	22
1	4	19	43	1	20	6	2	1	2	13	1	1	10	3	------	4	6	------	43	23
8	24	99	224	38	234	92	26	8	6	77	8	17	117	8	3	18	57	2	290	24
3	16	89	235	6	118	14	19	7	6	77	9	11	84	8	------	20	52	1	167	25
1	7	63	118	3	56	6	9	7	1	42	5	8	32	5	------	7	29	1	77	26
------	2	22	31	1	24	2	3	2	2	6	1	2	12	1	1	7	8	2	34	27
2	8	51	102	2	31	8	------	------	1	29	3	3	30	2	------	1	11	------	61	28
------	6	21	42	3	20	4	6	2	1	7	2	2	19	3	1	1	11	------	37	29
------	1	19	34	3	16	6	3	2	------	15	1	3	11	1	------	1	4	9	28	30
------	2	20	35	2	24	------	5	3	1	9	1	2	12	3	------	4	5	------	23	31
------	4	17	38	1	10	2	1	------	------	6	4	2	10	3	------	2	8	------	17	32
2	24	110	229	20	189	69	17	12	2	90	5	11	129	13	1	8	72	3	194	33
------	7	19	57	4	19	2	2	3	------	16	------	2	22	1	------	3	11	2	36	34
2	5	55	130	4	54	4	5	2	1	40	1	5	32	4	------	9	25	------	86	35
------	6	27	70	9	19	1	6	2	2	19	2	2	22	2	1	3	7	------	42	36
1	6	60	58	2	26	4	4	------	1	34	------	4	21	3	------	3	12	2	86	37
------	3	3	22	1	19	3	------	1	2	10	1	------	13	------	------	2	6	------	5	38
------	2	7	25	4	18	1	1	1	------	3	3	3	13	------	------	2	9	------	16	39
1	4	20	47	4	19	5	2	1	1	8	1	------	14	6	------	4	11	3	31	40
4	7	44	95	4	43	5	12	6	2	29	2	7	38	3	3	6	34	3	77	41
------	3	13	35	------	17	2	2	2	1	10	1	------	18	1	------	1	8	1	19	42
3	11	43	114	2	53	4	5	2	1	32	3	4	28	5	------	11	19	1	55	43
1	7	20	44	1	26	2	------	1	3	10	1	2	12	5	1	1	9	------	18	44
1	7	59	127	10	40	12	5	6	1	23	4	9	48	4	------	6	26	------	76	45
------	1	18	13	------	10	------	------	------	------	6	------	------	3	2	1	2	1	------	15	46
2	22	123	240	7	133	12	10	8	8	43	2	8	70	9	2	13	33	------	160	47
1	1	14	23	3	14	1	1	------	2	6	------	------	17	------	1	1	2	1	18	48
5	25	140	311	6	173	34	20	19	9	198	4	13	142	12	7	23	75	1	205	49
1	7	48	99	7	85	11	7	6	3	25	2	10	33	------	------	6	19	1	144	50
1	1	13	36	4	7	2	------	------	------	8	------	------	6	1	------	1	10	------	31	51
2	18	38	68	2	37	7	2	4	------	17	2	1	37	4	------	6	20	1	72	52
------	1	14	54	1	21	2	------	------	------	12	------	------	4	4	------	2	2	1	15	53
------	1	16	22	5	6	2	1	------	1	8	------	------	11	2	------	------	4	------	13	54
------	1	8	30	1	13	1	------	------	2	15	------	------	10	1	------	2	8	------	11	55
1	1	25	21	1	19	6	2	------	1	22	1	------	28	8	------	2	8	------	30	56
------	4	16	42	4	11	1	1	2	------	9	------	2	10	------	------	2	4	------	19	57
------	3	15	27	------	12	------	2	1	1	4	1	2	8	------	------	3	6	------	22	58
------	6	17	30	2	16	4	2	------	------	9	1	3	6	2	------	------	4	4	17	59
------	3	18	37	1	18	2	5	------	1	8	1	1	16	2	1	7	13	------	35	60
2	44	206	341	19	281	51	44	23	3	218	11	22	190	26	10	33	116	------	404	61
------	3	13	27	3	18	5	3	3	3	21	2	1	7	------	------	------	6	------	49	62
1	4	17	26	1	19	7	3	3	3	14	1	2	12	1	------	3	10	1	32	63
2	21	22	67	2	39	1	12	8	6	26	2	8	44	6	1	11	22	1	155	64
2	15	46	86	9	33	13	12	5	7	27	------	3	40	11	2	7	35	------	85	65
2	6	50	81	6	28	19	20	8	5	21	5	3	44	2	1	16	36	3	113	66
------	2	20	29	------	19	3	1	------	1	7	1	6	13	------	------	4	11	1	28	67
35	158	563	1,456	115	1,504	444	215	132	73	561	109	88	1,033	122	100	239	586	19	1,825	68
2	6	41	143	12	383	19	24	10	1	34	5	11	81	10	66	13	57	2	188	
------	2	19	28	6	10	9	6	1	1	14	3	2	20	4	------	6	15	------	26	69
7	14	63	150	13	146	86	11	10	1	48	8	18	125	14	12	21	60	3	183	70
7	27	142	305	15	141	26	24	19	10	134	10	10	106	22	1	27	66	------	299	71
3	2	10	31	5	71	52	1	2	2	11	2	3	78	2	2	------	16	3	56	72
2	2	23	58	2	77	10	17	3	2	24	4	13	55	2	2	15	24	5	74	73
------	6	11	13	4	5	1	2	1	1	9	1	2	7	1	------	3	6	------	26	74

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

"[Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor
contain State insane asylums, State hospitals, etc. Numbers under causes o

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors
			1	5	6	7	8	9	10	11	21	24	31	32	33-37	43-49
	MICHIGAN—continued															
1	Ironwood	173				1	3	4	2	5	1		10		1	10
2	Ishpeming	120				2			1		1		7		1	10
3	Jackson	663	1			5	2	5	3	18	4	1	25		3	61
4	Kalamazoo*	937	3			4	1	1	15	24	4		43	3	4	63
5	Lansing	774	6			5	6	7	8	32	2		28	1	7	63
6	Marquette	182				1	1		4	3	1		3	1	2	15
7	Monroe	163	1		3	1	1	1	1	4	1		8	1	2	10
8	Muskegon	580	4	1		1	4	5	8	20			20		2	44
9	Owosso	222				1		2	5	19	1		5	1	1	13
10	Pontiac*	598				3	2	8	6	10	2		28	5	4	28
11	Port Huron	414	2	1			2	3	2	11	4		11	2	2	31
12	Saginaw	977	13			6	10	14	18	34	1		45	6	7	82
13	Sault Ste. Marie	178				4	1	1	1	3			10		1	14
14	Traverse City*	338	3			1		2	1	1	1	1	27			19
15	Wyandotte	308	2			6	1	4	8	3		1	11	2	1	18
	MINNESOTA															
16	Austin	133	1			5		2		3	1	1	5	4	1	12
17	Duluth	1,075	3		1	16	8	2	9	14	1	1	49	12	7	115
18	Faribault*	220				19	5	1	4	8	1		13	1	1	12
19	Hibbing	143	1			8	3	3		3			5		1	5
20	Mankato	208				5	1		1	10			4	1	1	22
21	Minneapolis	4,553	6			50	34	24	50	82	11	4	277	15	47	517
22	Rochester*	916	1		1	1			1	3	4		16		14	217
23	St. Cloud	220	1			6		3	3	4			10	1	2	17
24	St. Paul	3,116	11			42	33	17	51	54	9	5	202	15	26	306
25	Virginia	127	4				3	1		6	1		6			8
26	Winona	252							1	11	1		7			36
	MISSISSIPPI															
27	Biloxi, White	123	1					2	2	4					2	7
	Biloxi, Colored	32							1	2			2	1	1	3
28	Columbus, White	33								4			1			2
	Columbus, Colored	82	1	2				2		4			9		2	2
29	Greenville, White	123	2	3		3	1	2								4
	Greenville, Colored	216	5	3		4	2	2		2			17		3	17
30	Hattiesburg, White	87	1				1			9			3		1	3
	Hattiesburg, Colored	43								3			5			2
31	Jackson*, White	250	1	1		2		2	1	14			4	1	3	24
	Jackson*, Colored	385	2	2		1		7	2	8			31		7	23
32	Laurel, White	174	2	1		3		1	3	13	1		11			11
	Laurel, Colored	99	6						1	3	1		8			3
33	Meridian*, White	230	1	3	1	3		4	1	9	3	1	9		1	21
	Meridian*, Colored	187	2	3		1				14			22		1	6
34	Natchez, White	72	1	2				1	1	3			1		1	5
	Natchez, Colored	158	1	1		2		1	1	7			12	1	1	5
35	Vicksburg*, White	187		3						2	1		8			13
	Vicksburg*, Colored	431	3	3		3			2	10			26		2	16
	MISSOURI															
36	Cape Girardeau	217	2			2		1	2	15			6	1	2	18
37	Carthage	135								9	2		7	1	1	15
38	Columbia, White	167	1			1		2	2	19	1	1	8	1	1	15
	Columbia, Colored	38	1			1			1	1			4		1	1
39	Hannibal	312	4			8	1		4	28			17		3	16
40	Independence	193	1			2	1	4	5	20	1		8	3		18
41	Jefferson City, White	173		1			3	1	2	12			5		1	9
	Jefferson City, Colored	29											4		1	
42	Joplin	505	3	1		2		6	3	29			57	2	3	45
43	Kansas City, White	4,257	15	1		48	9	24	39	142	9	3	220	13	29	391
	Kansas City, Colored	800	4	1		8		4		44	1		92	3	8	24
44	Moberly	166	1			1				13			9		4	12
45	St. Joseph*	1,286	1			5		6	4	40	5		49	2	6	90
46	St. Louis, White	9,222	28	11		50	29	71	68	119	26	12	379	25	33	884
	St. Louis, Colored	1,702	8			17	1	35	1	34		1	194		32	69
47	Sedalia	303	7			4		7	3	11	1		16		6	23
48	Springfield	623	9	2		3		4	5	46	3		29	1	3	50
	MONTANA															
49	Anaconda	141				3				1			10	2		13
50	Billings	217	2			3			5	6			8		2	14
51	Butte	544	2		1	3	1		3	8	3	1	54	4	3	34
52	Great Falls	260					1		5	2	1	1	15	1	3	21
53	Helena	186	1					1		5	5		8			15
54	Missoula	232	2		1				2	11	1		7		1	19

FROM IMPORTANT CAUSES, BY COLOR: 1923—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Rheumatism 51, 52	Diabetes mellitus 57	Cerebral hemorrhage and softening 74, 83	Diseases of the heart 87–90	Bronchitis 99	Pneumonia (all forms) 100, 101	Diarrhea and enteritis (under 2 years) 113	Appendicitis and typhlitis 117	Hernia, intestinal obstruction 118	Cirrhosis of the liver 122	Nephritis 128, 129	Puerperal septicemia 146	Other puerperal causes 143–145, 147–150	Congenital malformations and diseases of early infancy 159–163	Suicide 165–174	Homicide 197–200	Automobile accidents 188c	Other external causes 175–188b, 188d–196, 201–203	Unknown or ill-defined diseases 204, 205	All other causes	
1	3	10	21	3	13	6	6	1	------	9	3	2	13	------	1	1	12	3	28	1
2	2	3	22	2	9	3	3	3	------	5	1	1	17	2	------	------	3	------	20	2
1	15	73	90	5	44	12	14	5	6	51	1	9	39	6	4	10	43	4	103	3
2	11	61	149	7	55	8	14	14	3	51	8	12	49	5	1	10	41	2	269	4
2	13	73	114	3	50	16	17	10	4	36	5	9	67	5	4	11	43	2	125	5
1	1	18	34	3	7	2	5	1	------	17	1	------	16	3	------	1	10	4	27	6
------	3	17	25	------	14	4	------	4	1	6	3	1	11	1	1	7	11	1	19	7
2	8	42	70	3	57	13	9	6	4	29	7	3	60	2	------	4	29	9	114	8
------	------	20	25	3	19	4	5	8	2	11	------	2	16	3	------	2	13	------	41	9
5	5	40	78	5	45	9	5	3	1	27	9	3	43	6	4	18	28	1	167	10
------	7	39	83	2	31	14	7	3	1	22	2	5	24	1	------	4	22	------	76	11
3	20	89	156	10	60	21	16	17	5	41	7	6	63	10	2	20	47	4	144	12
------	1	11	36	4	9	7	3	1	1	8	------	2	16	2	2	1	15	1	23	13
2	10	14	47	2	30	2	4	4	1	21	1	4	9	3	------	3	10	1	114	14
------	2	14	30	3	32	19	3	2	1	15	3	3	37	3	1	13	28	8	34	15
2	2	4	21	------	8	5	2	2	------	3	------	2	15	------	------	2	5	------	25	16
1	13	88	131	3	66	27	27	10	9	54	15	9	100	15	3	22	45	------	199	17
------	2	8	29	1	23	1	5	6	------	14	------	2	10	1	------	3	7	------	43	18
------	1	7	8	1	10	2	4	4	3	6	------	2	23	1	------	1	19	------	22	19
1	5	22	21	2	17	1	8	2	------	17	1	1	15	4	1	4	11	------	30	20
9	85	288	678	19	324	29	87	58	40	228	43	21	324	62	23	60	240	5	813	21
2	12	28	74	1	17	1	24	13	6	18	2	6	17	7	2	1	15	------	412	22
1	1	7	27	2	14	5	11	6	------	9	1	------	31	------	------	4	19	1	34	23
4	53	200	396	21	282	47	77	37	10	197	23	24	223	37	9	59	165	1	510	24
------	1	5	15	------	9	3	3	------	1	6	4	------	16	2	1	4	10	1	17	25
------	3	27	28	5	19	------	4	4	------	9	3	6	12	1	------	3	12	4	56	26
------	1	7	10	4	8	7	------	1	1	15	------	------	15	------	------	3	5	1	27	27
------	------	5	6	------	------	------	------	------	------	3	1	1	1	------	1	------	3	------	1	
------	------	6	4	------	1	1	------	------	------	2	------	------	------	1	2	------	2	------	7	
------	------	1	22	1	6	------	------	1	------	2	------	------	3	------	------	------	4	5	15	28
------	3	5	15	1	10	5	6	------	1	11	------	------	6	1	1	2	14	------	27	29
1	2	12	16	------	17	7	7	3	------	23	2	5	3	1	1	------	12	15	34	
------	1	2	3	------	5	9	8	------	------	6	------	2	1	1	1	3	11	1	15	30
------	------	2	4	------	5	1	2	------	------	2	1	------	------	------	1	------	3	4	8	
1	4	19	14	1	5	10	13	5	1	31	5	4	12	------	1	4	10	4	53	31
2	1	13	21	------	14	3	12	4	2	29	2	4	11	1	14	5	22	27	115	
1	------	13	13	------	10	10	7	3	------	6	3	10	6	1	1	------	12	5	27	32
------	------	2	7	------	16	2	6	1	------	9	2	------	3	------	2	------	11	2	14	
------	2	13	25	------	4	5	7	5	------	19	1	3	12	3	4	7	17	------	46	33
2	------	2	30	1	8	5	8	------	2	14	1	1	3	------	7	------	11	16	27	
------	------	4	12	2	2	2	------	2	------	10	------	------	4	------	------	1	2	1	15	34
------	------	8	15	------	13	1	1	------	1	22	------	2	2	------	2	------	7	27	25	
------	------	9	19	------	16	3	4	2	1	26	1	2	11	1	1	------	14	7	43	35
------	2	10	72	3	34	2	19	10	1	29	3	------	6	------	9	2	32	45	87	
------	1	11	11	------	17	8	15	3	------	12	4	4	19	3	3	2	18	1	36	36
------	------	7	20	------	7	1	2	1	------	15	------	------	2	4	1	1	9	4	26	37
2	4	17	17	------	14	7	4	1	1	4	2	3	12	3	1	------	3	------	20	38
------	1	3	5	------	7	------	2	------	------	------	------	1	1	------	1	1	1	------	5	
1	3	17	36	3	26	10	9	2	1	15	3	1	24	2	------	3	21	5	49	39
1	2	10	26	1	17	1	1	1	1	15	1	3	7	3	1	2	11	------	26	40
------	6	11	18	1	14	------	6	2	------	11	3	2	8	5	4	1	11	3	33	41
1	1	------	2	------	8	------	------	------	1	3	------	------	1	------	1	1	1	------	4	
1	4	26	41	2	41	17	5	1	------	23	3	2	30	12	2	5	34	39	66	42
12	61	249	496	29	393	116	94	39	38	373	20	31	254	66	56	77	183	6	721	43
1	5	27	101	2	108	15	9	9	13	77	4	4	33	3	56	9	18	2	115	
------	2	16	18	------	11	1	5	------	3	10	5	1	7	3	------	1	16	------	27	44
2	24	94	147	9	104	23	47	25	5	88	14	5	66	13	9	17	53	2	331	45
22	168	523	1,261	96	1,046	127	175	94	114	1,144	50	53	417	169	111	152	391	4	1,370	46
5	9	54	239	27	310	25	18	17	13	169	7	8	49	3	67	16	60	------	214	
------	8	17	27	1	24	4	4	2	------	54	2	4	14	2	4	2	14	1	41	47
4	11	46	64	5	42	8	23	11	2	31	2	3	47	7	3	5	31	------	123	48
------	2	6	16	1	12	3	2	1	------	13	3	3	10	------	1	1	11	1	26	49
------	3	13	24	------	14	8	9	4	1	15	2	1	23	1	1	1	13	------	44	50
1	7	28	69	1	47	5	19	11	7	44	4	2	29	8	7	7	48	2	81	51
1	------	11	30	------	24	4	6	2	4	16	2	3	23	12	------	3	13	1	55	52
------	1	19	30	------	15	3	3	4	2	9	2	1	7	2	1	8	12	------	32	53
1	4	11	23	1	19	6	7	2	2	23	------	1	25	6	------	5	12	------	40	54

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTH S

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor
contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors
			1	5	6	7	8	9	10	11	21	24	31	32	33-37	43-49
	NEBRASKA															
1	Grand Island	251						2	1	12			6		1	27
2	Hastings	197				1		1		5	2		5		3	18
3	Lincoln	699	2				4	5	13	20			12	3	3	78
4	North Platte	128					1		5	11			4			10
5	Omaha, White	2,483	6			2	3	34	43	57	8	5	86	8	12	234
	Omaha, Colored	213						5		8			29	2	5	5
	NEW HAMPSHIRE															
6	Berlin	170	1					6		5	1	3	8		4	12
7	Concord*	484						3		25	3		20	1	7	39
8	Dover	204	2					1		9			7	2	2	16
9	Keene	190	1			2		1	1	5			7			13
10	Laconia	211	1					2		8			8		5	13
11	Manchester	1,040	3	1		8	1	13	15	29	2		44	19	8	80
12	Nashua	449				7		6	1	10		2	14	4	1	37
13	Portsmouth	173					1	1		6	1		3			13
	NEW JERSEY															
14	Asbury Park, White	134				3			1	3			4			17
	Asbury Park, Colored	48				1		1		2			5			8
15	Atlantic City, White	805	2			6		1	7	9	1		19	3	4	57
	Atlantic City, Colored	228				3		1	3	2	1		12	3	6	9
16	Bayonne	701	1				2	5	10	21	1	3	41	2		45
17	Belleville*	194	1			4	5	3	23	1	2	2	51		2	13
18	Bloomfield	172	2					1		3			3			13
19	Bridgeton	272	2				1		1	11	1		11		1	27
20	Camden	1,806	5			50		22	44	24	7	1	84	3	6	105
21	Carteret	81							2	1	1		5			2
22	Clifton	221				5	1	3	4	3		1	12			17
23	East Orange	456						2	1	8	1		18			63
24	Elizabeth	1,206	3			19	5	18	33	30	4	3	50	6	4	98
25	Englewood	236								4			5	1	2	23
26	Garfield	151				7		3	3	8		1	13	3	2	9
27	Gloucester	140				3	1	2	2	2			12		5	10
28	Hackensack	390	1					2	2	13	1		13	2	2	25
29	Harrison	131				2			1	5		1	10			9
30	Hoboken	884	2				1	5	14	9	1	2	43	3	4	52
31	Irvington	255				1	1	2	1	9	1	1	15		1	22
32	Jersey City	3,708	4			19	10	28	35	66	8	3	239	8	18	290
33	Kearny	318	2			1	1	2	2	5	1		15		1	27
34	Long Branch	400	2			1			1	8	1		12	4	4	25
35	Millville	248				10			1	13			19		1	22
36	Montclair, White	216						3	2	5		3	9			24
	Montclair, Colored	34								2			1			1
37	Morristown*	315	5			1	2		1	2	1	1	9		3	27
38	New Brunswick	523	5			3	3		8	13	3	2	25	2	3	37
39	Newark, White	4,631	10			42	4	13	19	80	8	9	225	13	24	405
	Newark, Colored	479	1			3		5	2	8			58	2	9	23
40	Orange, White	524	1			4			1	9	2		17	1	4	57
	Orange, Colored	62								1			8	1		5
41	Passaic	727				4	3	4	15	16		2	42	9	7	35
42	Paterson	1,825	4			11	4	8	20	38	5	3	102	8	12	155
43	Perth Amboy	426	4			5	2	2	10	1	2	1	25	1	3	32
44	Phillipsburg	171				3		3	1	6	1		7	1	1	11
45	Plainfield	444	5				1			8	1	1	15	5	5	33
46	Rahway	133	1				1		5	5			5			11
47	Summit	143								4		1	7	1	1	13
48	Trenton	1,781	15			5	4	4	19	38	6		97	6	8	101
49	Union	180	1				1		2	7	1		9		2	18
50	West Hoboken	266	2					1	2	10			15	2	1	21
51	West New York	188				4		1	5	7			14			16
52	West Orange	131						1		2			10			16
	NEW YORK															
53	Albany	1,899	3			6	5	7	15	36	2	4	115	10	10	171
54	Amsterdam	393				2			8	5			21	1		28
55	Auburn	485	1			1		1	8	12	2	1	32	3	4	46
56	Batavia	259				2			2	8	1		6			22
57	Beacon*	212	1			1			2	7			17	1	2	12
58	Binghamton*	1,167	4			13	2	12	7	26	2	1	53	2	6	93
59	Buffalo	7,269	23			73	30	44	55	60	14	4	487	37	31	586
60	Cohoes	315	1					1	6	3	1	1	21		1	34
61	Corning	251	3					2	3	14			7		1	17
62	Cortland	252	1				1	2		6			5	3	1	34

FROM IMPORTANT CAUSES, BY COLOR: 1923—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Rheumatism 51, 52	Diabetes mellitus 57	Cerebral hemorrhage and softening 74, 83	Diseases of the heart 87-90	Bronchitis 99	Pneumonia (all forms) 100, 101	Diarrhea and enteritis (under 2 years) 113	Appendicitis and typhlitis 117	Hernia, intestinal obstruction 118	Cirrhosis of the liver 122	Nephritis 128, 129	Puerperal septicemia 146	Other puerperal causes 143-145, 147-150	Congenital malformations and diseases of early infancy 159-163	Suicide 165-174	Homicide 197-200	Automobile accidents 188c	Other external causes 175-188b, 188d-196, 201-203	Unknown or ill-defined diseases 204, 205	All other causes	
-------	4	15	31	1	25	1	8	9	1	14	1	5	21	5	-------	-------	13	-------	48	1
2	6	19	23	2	5	3	7	6	-------	24	-------	4	18	3	1	2	9	2	26	2
3	21	74	74	2	33	7	20	20	3	64	2	4	44	5	2	10	41	4	126	3
-------	2	8	8	1	11	6	7	2	-------	11	-------	4	11	1	3	2	5	-------	15	4
7	49	158	315	11	240	36	75	47	18	122	33	20	175	50	20	37	106	-------	466	5
-------	1	10	27	1	22	2	4	-------	1	15	-------	-------	9	3	15	3	6	-------	40	
1	3	15	16	1	11	8	4	2	-------	4	1	2	29	2	1	1	10	-------	19	6
2	5	50	104	6	40	2	3	7	1	38	1	3	20	5	1	2	13	1	82	7
-------	3	23	32	1	16	2	3	3	-------	17	1	1	17	1	-------	-------	15	-------	30	8
-------	2	19	29	2	15	1	6	3	1	26	-------	1	7	1	1	4	12	-------	30	9
-------	10	19	31	3	8	1	3	6	-------	11	-------	1	24	-------	-------	1	12	2	42	10
3	16	94	172	10	96	58	13	12	1	34	2	9	114	11	2	12	43	4	111	11
1	9	35	57	6	35	17	4	8	3	49	2	6	37	2	-------	8	24	1	63	12
1	3	21	23	3	14	4	4	1	3	17	-------	1	12	-------	1	5	8	2	25	13
1	3	17	36	1	6	4	-------	-------	-------	13	-------	-------	8	3	1	-------	5	-------	8	14
-------	-------	-------	9	-------	7	1	-------	-------	-------	7	-------	1	2	-------	-------	-------	-------	-------	4	
-------	21	44	186	8	58	9	18	6	11	79	6	8	51	19	2	25	45	-------	100	15
2	2	16	27	8	24	10	4	2	3	14	-------	2	12	2	8	1	9	1	41	
1	10	56	108	13	67	30	3	8	4	43	5	11	76	3	2	14	48	-------	68	16
1	1	7	32	3	10	2	-------	1	-------	7	-------	-------	5	-------	-------	1	6	-------	11	17
2	2	25	45	3	15	2	1	2	3	16	-------	-------	7	1	1	1	4	-------	20	18
-------	4	19	57	2	22	5	8	5	1	20	-------	2	10	-------	1	9	11	-------	41	19
4	19	114	252	15	250	71	22	18	15	163	13	12	116	22	10	44	105	-------	190	20
-------	-------	3	6	1	10	11	-------	-------	3	2	-------	1	14	-------	2	2	9	-------	6	21
-------	4	10	44	5	21	7	-------	-------	1	20	2	2	17	2	1	2	7	1	29	22
1	9	62	109	7	31	3	1	1	2	59	-------	-------	10	4	-------	1	6	-------	57	23
9	26	77	178	10	155	30	11	7	6	67	7	7	72	11	11	19	84	2	144	24
1	2	13	37	1	30	2	2	2	3	21	1	3	14	3	1	7	16	1	41	25
2	-------	4	26	5	14	15	-------	-------	1	9	-------	-------	7	3	-------	1	3	1	11	26
-------	1	7	13	2	12	10	-------	-------	-------	18	1	3	16	1	1	-------	5	-------	13	27
2	5	37	55	3	32	5	7	6	3	44	3	3	27	6	3	11	26	-------	51	28
-------	2	5	25	1	12	12	-------	-------	3	17	-------	-------	9	-------	-------	-------	7	1	9	29
2	26	80	180	6	122	29	14	10	8	67	6	3	38	11	4	18	48	1	75	30
-------	5	29	48	3	16	2	1	3	1	23	2	1	13	2	-------	6	12	-------	34	31
21	72	251	592	41	413	140	61	40	33	326	23	25	248	30	10	37	183	4	430	32
3	7	38	59	1	24	4	1	4	5	35	-------	1	22	2	-------	7	18	2	28	33
2	7	37	55	3	21	12	12	4	-------	35	6	4	40	4	2	19	27	1	51	34
2	1	21	31	1	22	7	3	3	2	23	-------	2	22	2	-------	2	8	1	29	35
1	9	23	49	1	24	6	-------	2	2	15	1	-------	9	3	1	-------	5	-------	19	36
-------	-------	1	7	-------	1	-------	-------	-------	-------	11	-------	-------	6	-------	-------	-------	1	-------	3	
-------	3	16	41	-------	42	6	5	4	2	32	1	3	31	1	1	7	9	-------	59	37
1	4	35	75	2	50	17	10	6	4	29	2	5	33	8	2	13	33	7	83	38
21	93	325	740	66	409	119	96	38	37	394	22	36	355	63	27	101	236	4	597	39
5	3	8	64	7	89	22	8	3	-------	36	2	5	24	-------	10	6	23	2	51	
2	16	31	85	5	49	6	10	12	4	46	1	6	40	5	1	10	16	-------	83	40
-------	-------	3	10	-------	10	-------	-------	-------	-------	6	-------	1	7	-------	-------	2	1	-------	7	
3	7	30	101	13	64	32	19	6	6	52	7	7	66	13	8	19	36	2	99	41
7	34	131	288	21	173	24	32	21	22	146	13	19	101	18	13	39	91	2	260	42
3	7	12	52	2	42	24	6	1	3	27	3	5	32	7	1	8	44	3	56	43
3	5	20	29	-------	19	5	-------	-------	-------	22	1	1	10	1	1	3	5	-------	12	44
1	10	32	73	3	50	11	12	5	-------	25	5	3	35	10	3	8	29	-------	55	45
1	2	19	17	-------	15	2	3	1	-------	9	-------	2	8	1	1	3	4	1	16	46
-------	1	6	26	-------	14	2	1	2	-------	13	2	-------	5	2	1	5	9	-------	24	47
3	17	127	320	14	176	47	14	16	13	137	7	11	138	29	7	36	86	4	276	48
1	4	12	38	2	13	7	4	6	3	17	-------	1	11	1	1	1	3	1	13	49
2	6	25	54	7	38	6	-------	2	3	28	-------	-------	13	1	-------	1	2	-------	24	50
3	4	11	22	5	24	3	-------	2	7	13	-------	-------	14	3	-------	2	6	-------	22	51
2	3	19	38	2	3	2	1	-------	-------	11	-------	-------	6	2	-------	-------	4	-------	9	52
2	39	136	378	16	160	20	26	24	17	178	6	15	116	17	3	27	79	2	254	53
-------	10	33	71	3	24	8	8	4	3	34	-------	5	29	4	3	11	25	1	52	54
1	4	52	86	6	21	15	2	6	1	41	2	3	30	4	1	6	18	1	74	55
-------	3	19	44	1	17	6	5	5	1	13	3	3	30	6	-------	3	13	2	44	56
1	2	26	33	-------	15	3	2	3	2	21	-------	3	6	1	-------	2	12	-------	37	57
2	12	103	237	7	95	23	14	11	4	97	4	4	63	7	2	19	47	1	194	58
20	122	448	1,160	91	686	264	102	78	49	603	29	56	545	60	27	137	341	-------	1,007	59
3	1	25	61	1	29	6	2	2	2	30	3	2	22	1	-------	2	18	-------	36	60
2	5	17	40	-------	27	3	4	1	4	20	2	3	20	1	-------	7	14	-------	34	61
-------	4	33	45	3	18	4	2	6	1	12	3	1	16	3	-------	5	8	-------	35	62

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR		All causes	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors
				1	5	6	7	8	9	10	11	21	24	31	32	33-37	43-49
	NEW YORK—continued																
1	Dunkirk		280	2			2	3	6	3	26	1		13	2	2	13
2	Elmira		679	4			3	2	6		21	1		13	5	2	52
3	Fulton		196	3			3	1	3		4			5		3	13
4	Geneva		224	2			5			1	9			8		1	17
5	Glens Falls		268	4							5			8			27
6	Gloversville		332	1			2	2		1	10		1	7	1	1	35
7	Herkimer		179	1			7	8			1			6	1	1	12
8	Hornell		218	1				1			14			4	3	2	20
9	Hudson		217						6	2	4	1		12	3	2	22
10	Ilion		143				2	1		1	1			2	1	2	14
11	Ithaca		313					1	1	1	8			4	5	2	32
12	Jamestown		536	5			1		4	1	14			23	2	2	44
13	Johnstown		147					1			7			5	1	1	11
14	Kingston		528	4				1		3	12			38	4	1	47
15	Lackawanna*		393	2			10		3	6	2	1	1	13	2	2	16
16	Little Falls		150				2	1		10	4			6	2		10
17	Lockport		318				1	3	6		6	1		7			24
18	Middletown*		422	1			2				8			33	1	1	32
19	Mount Vernon		447				4		1	3	13		1	18	2		42
20	New Rochelle		344	1					3	2	7	2		13	1	2	28
21	New York	White	66,085	137	3		285	112	196	547	1,005	202	79	4,539	326	311	6,198
		Colored	3,467	4			20	2	31	19	47	5	4	501	25	42	148
22	Bronx Borough		7,586	18			22	10	19	32	149	31	8	577	36	35	802
23	Brooklyn Borough	White	23,227	42			53	32	55	249	377	61	27	1,430	110	109	2,060
		Colored	720	1			2		5		13	1	1	85		12	28
24	Manhattan Borough	White	27,889	58	3		197	61	94	183	377	97	37	2,052	152	140	2,654
		Colored	2,487	3			18	2	23	17	32	4	2	385	25	30	105
25	Queens Borough		5,960	14			11	7	28	57	77	11	8	381	28	20	577
26	Richmond Borough		1,683	5			2	2	3	28	27	2		130		7	120
27	Newburgh		499	1					4	1	10	2		41	3	1	43
28	Niagara Falls		641	2			2	2	3	6	27	2	3	15	5	1	34
29	North Tonawanda		207				2	3		2	3			10	1	2	10
30	Ogdensburg*		488						1	2	2	4		33		4	25
31	Olean		309				5	7	3	2	14	1		5	1	3	22
32	Oneida		198	1			1	1	2	1	7			6			16
33	Oneonta		231						2	1	3			3	1		19
34	Ossining		178				1			1	3			8		1	19
35	Oswego		370	1				4		1	7			6			34
36	Peekskill		233				2	2		1	6	3		15		1	15
37	Plattsburg		237	2			2		1	1	1	1		7	1	1	19
38	Port Chester		256	1							8	1	1	8		2	24
39	Port Jervis		158				3	1	1		9	1		6		1	11
40	Poughkeepsie		547	1				1	1	5	17	3		16	6	1	51
41	Rensselaer		126						2		2			8	1		20
42	Rochester		3,712	7			38	6	21	35	42	9	1	158	23	24	353
43	Rome*		551				3	3	4	5	13	2	1	65		3	39
44	Saratoga Springs		236				1		2		6			11			34
45	Schenectady		1,024	3			18	5	4	12	17	5		36	4	5	89
46	Syracuse		2,392	4	1		45	8	13	30	22	8		73	20	10	199
47	Tonawanda		91	1			1	1			3	1		2	1	1	6
48	Troy		1,300	2			4		1	12	27	2		51	8	6	103
49	Utica*		1,591	2			25	2	1	22	21	5	1	82	9	12	133
50	Watertown		531	3				1		1	10			24	4	4	43
51	Watervliet		187							5	6			12	1	1	19
52	White Plains		252	1				1			5		1	8		3	21
53	Yonkers		1,091	1			5	6	3	19	17	5	3	79	5	3	102
	NORTH CAROLINA																
54	Asheville*	White	508				5		11	1	23			164	3	3	18
		Colored	257	1	1		1		2		38		1	31	2	1	4
55	Charlotte	White	445	3	1		5	1	9	4	11			20	2	2	22
		Colored	331	6	4	1		1	6		25		1	20		2	14
56	Durham	White	138				5	1	1		10			11			9
		Colored	226	1			5		6	1	11			16	1	4	10
57	Gastonia	White	165	2		1	9		8		3	1		7			4
		Colored	87				3			1	2			8			1
58	Goldsboro	White	96		1		6				1			5			6
		Colored	152	1	5		2		2	1	14			12		2	4
59	Greensboro	White	313	6	2	1	2		1	2	10			12			25
		Colored	209	1	1		2		4		5			22		4	6
60	High Point	White	205	2			1		6	2	8	2		8	1		17
		Colored	45							2	5			2			1
61	New Bern	White	80	1	2					3	4						4
		Colored	143	2	8						10			7		2	2

FROM IMPORTANT CAUSES, BY COLOR: 1923—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Rheumatism 51, 52	Diabetes mellitus 57	Cerebral hemorrhage and softening 74, 83	Diseases of the heart 87–90	Bronchitis 99	Pneumonia (all forms) 100, 101	Diarrhea and enteritis (under 2 years) 113	Appendicitis and typhlitis 117	Hernia, intestinal obstruction 118	Cirrhosis of the liver 122	Nephritis 128, 129	Puerperal septicemia 146	Other puerperal causes 143–145, 147–150	Congenital malformations and diseases of early infancy 159–163	Suicide 165–174	Homicide 197–200	Automobile accidents 188c	Other external causes 175–188b, 188d–196, 201–203	Unknown or ill-defined diseases 204, 205	All other causes	
-------	4	17	40	3	13	8	6	-------	3	18	2	3	21	2	-------	9	17	-------	41	1
1	15	55	130	2	51	9	12	8	2	73	2	4	63	4	2	4	36	1	96	2
-------	4	21	45	-------	14	2	1	2	1	8	-------	3	20	3	-------	2	12	1	22	3
1	7	20	46	-------	13	6	1	3	4	13	-------	3	15	-------	1	5	8	1	34	4
1	7	25	44	3	20	1	12	2	3	16	-------	1	21	1	2	6	21	2	36	5
-------	7	38	78	7	11	-------	6	5	3	33	-------	3	17	-------	-------	2	20	-------	41	6
-------	5	16	25	2	15	4	7	1	4	19	1	2	13	2	-------	2	6	-------	18	7
2	3	17	50	3	11	2	6	1	1	18	-------	1	13	1	-------	1	15	-------	28	8
1	6	10	31	4	15	1	3	2	-------	17	1	-------	10	-------	1	8	20	-------	35	9
-------	4	12	24	1	3	1	3	3	2	17	-------	6	10	2	-------	6	6	-------	19	10
1	5	30	57	1	22	5	4	2	2	29	-------	2	13	5	-------	6	19	1	55	11
3	10	46	73	9	40	5	9	14	4	47	1	4	45	8	-------	11	27	1	83	12
-------	2	17	31	2	10	1	-------	-------	-------	17	1	1	14	3	-------	1	5	-------	16	13
2	8	49	89	6	26	9	14	9	2	35	2	6	38	4	2	14	22	1	80	14
-------	5	9	24	7	52	38	8	4	5	10	1	5	50	2	6	10	43	-------	56	15
-------	3	14	19	1	10	2	5	6	-------	11	1	1	12	1	-------	2	16	-------	11	16
1	2	25	78	2	14	15	2	4	3	13	2	2	20	2	-------	8	22	1	54	17
2	3	44	80	4	26	3	10	6	4	53	-------	1	14	6	-------	6	17	-------	65	18
3	12	25	90	4	33	8	5	4	2	52	2	6	28	6	1	5	20	-------	57	19
3	7	30	71	4	34	6	11	3	2	27	2	2	12	2	1	8	9	2	49	20
260	1,565	3,318	12,751	383	7,010	1,563	892	584	461	5,926	251	386	3,865	820	287	939	3,075	22	7,787	21
17	58	110	459	17	581	81	37	27	13	232	23	20	229	22	42	25	145	4	477	
42	194	292	1,513	40	884	109	99	83	41	532	34	45	454	91	31	129	285	4	945	22
113	553	1,171	4,803	145	2,424	531	332	174	158	2,504	104	163	1,444	210	72	275	1,009	10	2,427	23
4	13	22	120	5	99	17	6	5	5	79	5	5	54	3	5	4	34	1	86	
83	651	1,362	5,070	157	2,971	771	352	260	198	2,083	89	129	1,530	413	157	453	1,443	4	3,608	24
12	45	73	287	11	441	57	28	21	7	140	16	13	156	17	34	21	99	2	361	
18	133	386	1,095	32	615	110	91	54	59	622	21	46	367	97	24	66	254	2	649	25
5	34	122	322	10	157	49	21	14	6	198	5	5	89	11	6	16	96	3	188	26
3	6	40	110	4	25	2	9	6	-------	52	1	2	29	1	-------	7	28	-------	68	27
1	15	29	107	4	65	17	11	7	2	30	2	8	68	4	3	10	57	2	97	28
-------	4	10	18	9	14	11	4	3	2	11	2	2	19	4	-------	7	22	-------	32	29
2	3	30	111	2	31	9	5	6	1	29	1	4	39	6	2	1	14	-------	121	30
1	4	29	44	-------	23	7	10	8	-------	18	2	2	30	2	1	4	22	-------	39	31
2	5	16	35	2	23	2	1	1	-------	12	-------	1	12	3	-------	3	15	-------	30	32
-------	2	29	41	2	24	3	8	3	-------	16	3	3	15	3	-------	5	19	-------	26	33
1	-------	14	33	-------	19	-------	5	3	1	12	-------	1	8	-------	-------	3	22	-------	23	34
1	8	36	89	4	31	4	1	3	4	29	3	4	38	3	-------	4	18	1	36	35
2	3	26	42	11	18	8	1	-------	2	21	-------	-------	12	-------	-------	6	8	-------	28	36
-------	5	25	34	3	14	11	5	5	-------	8	1	3	18	3	-------	7	10	3	46	37
2	4	19	27	5	29	5	7	3	3	15	1	2	19	2	3	8	18	-------	39	38
1	1	6	28	3	4	3	4	3	5	12	1	4	10	4	1	4	8	1	22	39
3	6	53	110	10	46	12	3	4	2	26	4	2	43	3	1	4	28	-------	85	40
-------	2	9	18	-------	15	4	-------	1	1	12	-------	-------	4	1	1	-------	6	-------	19	41
9	90	330	760	27	289	86	44	31	34	295	10	24	254	32	7	44	136	2	491	42
6	6	39	78	12	34	17	7	3	3	59	1	2	28	2	-------	5	33	-------	78	43
-------	7	22	43	-------	13	1	6	4	-------	30	1	1	11	3	2	4	14	-------	20	44
4	17	83	185	9	91	17	12	10	9	56	6	8	69	3	4	19	56	-------	168	45
5	42	177	409	18	230	73	34	21	13	187	5	18	182	21	6	43	122	3	350	46
-------	1	8	16	1	3	5	-------	1	-------	7	-------	1	5	1	-------	1	7	-------	17	47
6	25	144	282	11	102	47	17	13	7	110	7	13	66	5	1	9	56	1	162	48
5	40	120	273	11	116	43	26	22	7	145	7	11	98	12	3	17	68	-------	252	49
1	10	52	110	6	35	4	10	4	1	20	5	3	43	7	-------	7	34	4	85	50
-------	-------	13	35	4	17	5	-------	1	1	20	-------	3	11	-------	-------	-------	8	-------	25	51
2	4	27	53	1	26	-------	3	4	-------	20	2	2	10	4	3	9	8	1	33	52
5	17	85	184	7	108	33	11	12	5	79	7	6	75	7	1	17	56	-------	128	53
1	3	22	50	2	23	17	8	4	1	31	3	4	30	4	-------	11	20	2	44	54
-------	1	17	24	1	35	8	7	3	-------	11	2	1	14	-------	4	1	10	3	33	
-------	4	37	42	2	29	13	8	6	5	33	2	12	43	4	7	11	16	4	87	55
-------	1	28	31	3	43	19	3	1	1	20	-------	3	24	-------	9	1	10	4	50	
-------	1	11	13	-------	6	6	2	-------	-------	8	-------	1	14	-------	-------	3	2	5	29	56
1	1	9	12	1	25	15	5	1	-------	19	2	8	15	-------	6	-------	1	8	42	
1	2	7	8	-------	6	11	3	1	1	8	1	3	18	-------	-------	4	10	14	32	57
-------	1	4	9	-------	12	5	2	2	1	10	-------	2	6	-------	-------	1	5	4	8	
-------	-------	8	8	1	3	3	4	1	-------	10	2	1	11	-------	1	3	8	-------	13	58
1	1	3	11	3	17	6	4	-------	-------	9	1	1	8	-------	3	1	3	6	31	
-------	1	17	30	-------	24	9	8	4	3	23	4	8	33	4	3	6	22	2	51	59
2	6	14	17	-------	17	6	3	1	1	12	2	3	16	1	8	1	8	8	38	
-------	6	9	27	-------	13	10	4	2	-------	13	1	1	17	1	-------	3	12	6	33	60
2	-------	-------	2	1	2	2	1	1	-------	3	-------	1	3	-------	4	2	5	2	4	
-------	-------	4	15	1	5	2	3	1	1	7	-------	1	5	2	-------	3	6	-------	10	61
1	-------	16	19	2	12	5	-------	-------	-------	10	2	4	8	1	3	2	9	2	16	

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

"Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR		All causes	Typhoid and paratyphoid fever 1	Malaria 5	Smallpox 6	Measles 7	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Influenza 11	Erysipelas 21	Meningococcus meningitis 24	Tuberculosis of the respiratory system 31	Tuberculosis of the meninges, etc. 32	Other forms of tuberculosis 33–37	Cancer and other malignant tumors 43–49
	NORTH CAROLINA—continued																
1	Raleigh *	White	409	1			9	1	1	6	10		1	26			17
		Colored	280	3			1		1		8			18	2	3	11
2	Rocky Mount	White	114	1			4	1	1	3	3			2		2	9
		Colored	134		1		4				3			9		3	3
3	Salisbury	White	100				2			2	4		1	3			7
		Colored	80		1		2				4			14		2	2
4	Wilmington	White	229	2					6		9		1	10	1	1	16
		Colored	304	2	1				3		16			29		3	13
5	Wilson	White	101	1			3		2	1	4		1	5			3
		Colored	107	2	2		2				3			13			5
6	Winston-Salem	White	359	3			5		3	8	5		1	17	1		19
		Colored	483	2			5	1	4	1	8			47	1	4	6
	NORTH DAKOTA [1]																
7	Fargo		278	1			1	1	4	2	8			12		2	32
	OHIO																
8	Akron		1,702	4			13	19	9	24	42	5	3	89	13	6	121
9	Alliance		267	1		1	4	3	2		12	1		16			19
10	Ashtabula		293	5			3	1	2	4	14	4		11			20
11	Barberton		205				2		2		5			16		3	15
12	Bellaire		199	4			3	2	11	2	5		1	5	2		13
13	Bucyrus		132				3		1	4	1			4	1	2	9
14	Cambridge		203	3						4	7			9	1	2	16
15	Canton		1,030	2			2	2	7	19	30	2	2	56	3	2	73
16	Chillicothe		242				2		6	1	6	1		8		2	19
17	Cincinnati	White	5,597	11	1		19	20	13	24	175	15	6	327	17	43	520
		Colored	930	2			1		6	2	27	1		118	9	27	33
18	Cleveland	White	8,636	13			31	58	26	111	142	18	13	550	31	55	757
		Colored	957	7			1	2	9	3	15	2		137	9	27	35
19	Cleveland Heights		177				1	1		1		1		6	1	1	19
20	Columbus	White	3,427	8			27	4	33	14	149	4	2	157	14	34	269
		Colored	556	3			2	1	5	3	29		1	59	4	9	22
21	Coshocton		167	1			2			3	9			6	2		14
22	Cuyahoga Falls		115				1		5	2	1	2		4		1	14
23	Dayton		1,950	6			15	8	27	12	78	6	1	127	13	17	157
24	East Cleveland		223				2	3		1	7	1		4	1	1	31
25	East Liverpool		326	1			4	2	3	4	13	2		15	2	4	16
26	East Youngstown		127				8	1	4	4	3		1	6			1
27	Elyria		250				2		1		7			15	1	3	19
28	Findlay		272				8			1	10	2		7		2	19
29	Fremont		140				1	1	1		8	1		9		3	14
30	Hamilton		560	1			4		6	6	26		1	23	3	4	49
31	Ironton		242	2			1			2	11			20	1	3	15
32	Kenmore		85					1	2	3	3			3			3
33	Lakewood		431					5		3	20			23	3	1	33
34	Lancaster		223				1	3	1	1	15	4		11		1	16
35	Lima		609	1			8	3	8	2	23	2		17	3	7	71
36	Lorain		449	5			8	7	11	4	16	1	1	19	1	1	35
37	Mansfield		386	2			8		6	6	10			20		3	28
38	Marietta		221							4	12		4	5	1		14
39	Marion		412	5	1		6	2	6	3	31	1		14		4	34
40	Martins Ferry		196	1			4		2		6		1	6	1	2	9
41	Massillon		236	1				1	1	4	7			15	3	3	17
42	Middletown		296	1			12		7	2	13			21	5	2	24
43	New Philadelphia		114				1		1		7	1		3		1	10
44	Newark		430	1			2	1	6	1	27	1		27		1	32
45	Niles		111						1	3	3			7			10
46	Norwood		160	1					3		9			6	1	2	14
47	Piqua		236	1				1		2	12			16		2	17
48	Portsmouth		536	5			22	1	1	5	14	1	1	34	6	2	38
49	Salem		189		1					1	13			6		1	13
50	Sandusky		330	2			7	1	3	1	8	1		17	1	1	30
51	Springfield	White	734	2			12	2	3	6	42	1		34	1	10	61
		Colored	135	1			2				3			14			8
52	Steubenville		479	5			4	2	6	5	16	2	1	22		2	37
53	Tiffin		241				8		3	4	5			14	1		19
54	Toledo		3,391	15			25	16	9	65	65	7	1	264	12	30	266
55	Warren		339				8		1	1	8			14		1	33
56	Youngstown		1,697	12			28	23	10	72	47	2	1	96	9	15	95
57	Zanesville		487			1	2		2	2	21		1	23	1	3	33
	OKLAHOMA [1]																
58	Oklahoma City		1,275	15	1		3	1	5	12	72	2		58		3	117

[1] Nonregistration State; the only cities shown are those with satisfactory registration of deaths.

FROM IMPORTANT CAUSES, BY COLOR: 1923—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Rheumatism 51, 52	Diabetes mellitus 57	Cerebral hemorrhage and softening 74, 83	Diseases of the heart 87-90	Bronchitis 99	Pneumonia (all forms) 100, 101	Diarrhea and enteritis (under 2 years) 113	Appendicitis and typhlitis 117	Hernia, intestinal obstruction 118	Cirrhosis of the liver 122	Nephritis 128, 129	Puerperal septicemia 146	Other puerperal causes 143-145, 147-150	Congenital malformations and diseases of early infancy 159-163	Suicide 165-174	Homicide 197-200	Automobile accidents 188c	Other external causes 175-188b, 188d-196, 201-203	Unknown or ill-defined diseases 204, 205	All other causes	
-------	7	26	49	1	19	10	5	4	1	32	1	5	27	3	5	8	21	6	107	1
-------	2	15	25	3	15	10	9	7	1	34	4	4	22	-------	7	2	20	7	46	
-------	1	1	11	-------	4	2	6	1	-------	12	-------	3	17	-------	1	3	10	-------	16	2
1	1	6	14	4	9	6	3	3	1	12	1	1	11	-------	2	4	8	4	20	
-------	2	11	11	-------	3	7	4	1	-------	7	-------	2	10	1	1	2	4	-------	15	3
-------	-------	8	2	1	6	2	-------	-------	1	6	-------	-------	3	-------	-------	1	7	9	9	
1	3	12	19	-------	14	10	7	3	-------	32	1	2	21	2	3	2	12	2	37	
-------	1	36	28	1	25	18	2	2	2	28	2	6	18	-------	4	-------	9	4	51	
-------	1	3	8	-------	1	7	3	1	-------	12	-------	3	9	-------	1	-------	6	6	20	5
-------	-------	6	5	-------	8	2	1	1	-------	7	2	2	8	-------	1	1	8	9	19	
-------	1	37	30	-------	36	23	9	11	-------	22	1	2	45	1	1	9	13	2	54	6
-------	1	22	42	3	87	42	2	6	2	36	-------	4	37	-------	10	5	16	33	56	
-------	5	10	23	-------	19	5	22	6	3	12	3	2	16	7	-------	1	12	-------	69	7
4	30	133	195	4	183	45	32	25	5	81	18	19	161	23	27	40	90	-------	239	8
1	5	32	45	-------	22	2	1	2	1	14	2	1	21	4	1	6	16	3	29	9
1	9	23	39	-------	22	4	10	4	1	12	1	4	29	4	-------	11	16	-------	39	10
2	1	11	28	-------	17	11	5	1	-------	6	2	1	19	4	4	7	13	1	29	11
-------	1	13	24	1	22	6	1	3	-------	5	-------	3	16	2	3	5	22	-------	24	12
-------	3	12	15	3	10	1	5	1	1	9	-------	2	8	1	1	4	5	-------	26	13
-------	2	33	13	-------	14	5	4	4	-------	16	-------	5	9	-------	1	5	18	-------	32	14
5	24	88	161	2	122	25	21	8	7	53	9	11	73	6	11	22	76	3	103	15
2	3	22	41	1	21	3	2	-------	2	16	3	4	20	5	-------	4	15	1	32	16
11	109	480	886	30	430	122	86	61	37	525	27	43	291	75	28	95	267	3	800	17
2	7	32	139	6	135	16	9	6	4	65	9	12	48	1	52	7	26	1	127	
36	156	665	1,141	55	907	244	123	81	73	562	53	69	666	98	57	189	415	7	1,234	18
-------	5	34	69	7	190	15	10	3	2	54	9	6	55	4	31	14	39	4	159	
3	2	24	38	2	17	-------	1	2	2	18	-------	1	6	2	-------	-------	9	1	18	19
9	63	268	504	16	232	66	62	45	21	202	20	29	188	40	10	52	150	3	732	20
2	7	30	77	5	95	13	11	1	-------	39	4	3	22	-------	11	6	20	1	71	
2	3	18	39	1	7	-------	6	2	-------	10	1	-------	4	2	-------	3	11	-------	21	21
-------	1	13	15	-------	10	4	-------	1	-------	6	-------	-------	4	2	-------	2	7	-------	20	22
4	30	142	322	13	163	48	42	28	15	107	5	15	119	16	11	27	113	1	262	23
1	5	27	40	3	19	3	2	1	1	13	1	2	8	1	1	2	15	-------	27	24
2	6	21	42	2	30	16	10	3	4	10	2	5	26	3	5	2	22	2	47	25
-------	-------	3	8	1	31	8	-------	1	1	1	1	-------	19	-------	3	1	11	-------	10	26
-------	4	22	47	-------	18	3	5	5	1	17	1	2	16	6	-------	1	17	2	35	27
1	8	49	53	2	9	6	3	3	-------	15	1	1	17	1	-------	6	14	-------	34	28
1	2	14	20	1	15	6	-------	3	-------	5	-------	2	6	-------	-------	-------	7	-------	20	29
-------	6	47	81	6	36	18	12	1	1	40	1	7	36	2	3	14	46	1	79	30
2	3	22	30	5	16	12	5	1	1	12	-------	1	21	-------	-------	1	14	2	39	31
-------	2	10	16	-------	8	6	1	1	-------	6	-------	-------	6	1	-------	-------	3	-------	10	32
1	7	45	63	1	45	8	7	3	2	28	1	5	36	6	-------	5	13	-------	67	33
-------	1	23	33	1	9	3	8	2	1	16	3	3	14	-------	3	3	13	-------	34	34
-------	7	50	72	1	51	9	16	13	1	37	7	5	38	2	-------	9	55	2	89	35
3	6	26	47	-------	38	25	5	4	7	23	5	7	46	7	5	13	29	5	39	36
2	9	42	60	2	23	1	9	2	3	29	-------	4	20	4	4	6	31	1	51	37
1	5	36	24	-------	19	2	2	5	2	11	4	3	7	1	-------	5	16	-------	38	38
1	8	42	58	1	19	10	7	2	-------	30	1	1	34	9	2	3	30	-------	47	39
1	1	11	22	-------	31	3	1	4	3	7	1	4	13	-------	4	5	35	-------	18	40
3	5	26	23	1	15	1	2	1	-------	23	1	2	19	3	4	4	19	1	31	41
1	2	24	28	-------	20	12	5	1	1	23	-------	2	29	2	5	5	13	1	35	42
-------	4	20	13	-------	7	3	-------	-------	1	6	-------	-------	11	-------	-------	2	2	-------	21	43
-------	5	28	70	-------	42	10	5	5	5	28	3	5	15	2	2	4	23	-------	79	44
-------	1	7	15	1	16	3	-------	1	-------	6	-------	-------	9	1	-------	1	7	3	16	45
1	7	11	32	4	5	3	-------	-------	-------	20	-------	-------	5	1	-------	3	7	-------	25	46
-------	2	32	27	1	14	2	4	2	1	24	3	3	14	1	1	3	17	-------	34	47
1	5	37	45	2	35	31	8	8	2	33	4	2	52	4	8	14	39	-------	76	48
-------	3	13	29	4	15	4	9	6	2	11	1	3	7	1	-------	4	13	1	28	49
1	11	32	60	1	26	5	2	6	2	22	2	1	20	3	1	5	17	-------	41	50
3	11	73	106	4	57	17	9	11	9	43	7	7	48	5	-------	14	38	3	95	51
-------	1	7	17	-------	31	6	-------	-------	1	9	2	1	6	-------	2	-------	10	-------	13	
1	4	32	48	1	62	5	7	6	4	17	8	3	23	7	18	5	53	1	72	52
-------	4	28	49	-------	9	5	2	3	-------	13	1	1	13	2	-------	1	10	-------	46	53
6	46	262	463	23	272	92	49	47	28	150	19	26	218	37	32	63	163	2	618	54
1	8	47	46	3	45	2	7	3	-------	19	4	3	30	4	3	14	36	-------	48	55
2	19	87	180	6	228	57	28	19	6	59	14	20	147	12	26	37	109	3	228	56
-------	15	50	77	2	36	13	15	4	3	27	6	7	31	4	-------	13	24	1	70	57
6	18	83	117	-------	108	43	43	10	13	80	10	11	79	17	18	19	70	19	222	58

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

"Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor
contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors
			1	5	6	7	8	9	10	11	21	24	31	32	33-37	43-49
	OREGON															
1	Astoria	173	1						1	2			9	3		19
2	Eugene	172	2				1	3	1	10	1		3		1	18
3	Portland	3,052	7			13	1	13	31	63	9	1	157	8	40	348
4	Salem (exclusive of)	315	1					2	4	12	1		15	1	4	35
5	State institutions	312				3			1	4	2		67		6	3
	PENNSYLVANIA															
6	Allentown	1,242	6	1		13	6	2	15	17	4	1	68	4	6	75
7	Altoona	803	3			9	1	4	12	18	1		24	1	6	57
8	Ambridge	116	1			4	1	4		2			4		2	6
9	Beaver Falls	190	2			1		1	2	9			9	1		3
10	Berwick	163	1			1	2	3	2	11			11		1	10
11	Bethlehem	519	2			17	3	2	15	2	2		34	1	2	33
12	Braddock	366	6					2	1	22	1		8	2	3	8
13	Bradford	241				2		4		3	1		13	2	2	22
14	Bristol	144	1					1	8	12			12			6
15	Butler	263	8			1	2	3	2	6			5	4	2	15
16	Canonsburg	112	2			3			3	6			5	1	2	6
17	Carbondale	296	1			1	1	4	2	15	1		9		3	10
18	Carlisle	186	1					2		11	1		8	1	1	14
29	Carnegie	106				2		2	1	6			9			13
20	Carrick	100				1			1	9			6			10
21	Chambersburg	206	5			3	1	1		19	1		5		1	14
22	Charleroi	99							2	5			7		2	3
23	Chester — White	663	1			23	1	8	4	21	4		45	8	5	33
	Chester — Colored	167	3			3	1	8	1	6			9		2	3
24	Coatesville — White	113	1			4	1		1	7	1		6		1	9
	Coatesville — Colored	21	1							2			2	1	1	1
25	Columbia	160	4			7			1	11			10			13
26	Connellsville	182	1			3	2	3	1	11			8		1	12
27	Dickson City	82				2		1	2	3			2		1	5
28	Donora	114				11				5	1		3		1	4
29	Du Bois	174	1				1	7		3		1	6			12
30	Dunmore	251				8		3	2	7		1	13	1		9
31	Duquesne	176				10		6	4	8	1		9	2		7
32	Easton	612	2			9		10	6	8		1	27	4	4	52
33	Erie	1,347	3			13	7	13	14	61	1		76	8	5	92
34	Farrell	145	1			7	9		18	12			13	1	1	3
35	Greensburg	290	3			7	1	3	1	7			5		2	17
36	Harrisburg	1,221	3			31	2	11	5	18	1		58	4	7	80
37	Hazleton	426	5			2		1	4	5	2	1	17		1	32
38	Homestead	203				11	1		5	4	1		15			11
39	Jeannette	115				4		3	4	1		1	4	1	1	2
40	Johnstown	1,054	7			5	5	1	22	41	3		48	4	4	59
41	Lancaster	942	6			16	1	3	7	25	2		37	5	5	93
42	Lebanon	401	2			18	2	2	5	10		1	12		1	14
43	McKees Rocks	193				4		9	6	7	1		13	3		6
44	McKeesport	693	4			2		9	3	39			20	2	2	49
45	Mahanoy City	183				1			3	11	1		5	1		6
46	Meadville	241	1						2	2	1		3		2	19
47	Monessen	128	2					1	3	6	1		8	1		2
48	Mount Carmel	182	1					4	3	2	1		10	4	2	10
49	Nanticoke	357				9	2		3	6			12	1	2	20
50	New Castle	537	1					12	6	23			13		3	35
51	New Kensington	234	6			1			2	17			7		3	9
52	Norristown *	768	2			5	1	5	4	15	1		45	1	11	38
53	North Braddock	146				6		1	2	6	1		11		2	5
54	Oil City	266	1			3		5		22			11	1	2	22
55	Old Forge	117	1					2	2	1			6	1		1
56	Olyphant	88				2		2	2	2			7			5
57	Philadelphia — White	23,240	23	3		217	34	82	255	351	49	21	1,396	100	115	2,111
	Philadelphia — Colored	3,388	6			25	5	31	17	64	1	2	441	34	47	138
58	Phoenixville	191	1			5		1		3	2		9		1	12
59	Pittsburgh — White	8,730	23			108	114	34	154	276	23	9	376	36	39	563
	Pittsburgh — Colored	1,091	3			15	2	12	8	31	3	3	108	11	13	31
60	Pittston	317				4		4	4	18	3		7		1	10
61	Plymouth	136						1	3	10			4			18
62	Pottstown	306				15	1			24	1		5		6	30
63	Pottsville	411	4			1			1	4			13	1	1	33
64	Punxsutawney	198	1					7		4			6		2	16
65	Reading	1,507	5			24	1	7	21	46	2		54	12	13	119
66	Scranton	1,919	7			27	2	6	11	46	4	1	90	5	8	142
67	Shamokin	221	1					3	5	13	1		10		1	7
68	Sharon	327	5			6	1	1	5	24			14	2		21
69	Shenandoah	284	1						10	8			9		1	5

FROM IMPORTANT CAUSES, BY COLOR: 1923—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Rheumatism 51, 52	Diabetes mellitus 57	Cerebral hemorrhage and softening 74, 83	Diseases of the heart 87–90	Bronchitis 99	Pneumonia (all forms) 100, 101	Diarrhea and enteritis (under 2 years) 113	Appendicitis and typhlitis 117	Hernia, intestinal obstruction 118	Cirrhosis of the liver 122	Nephritis 128, 129	Puerperal septicemia 146	Other puerperal causes 143–145, 147–150	Congenital malformations and diseases of early infancy 159–163	Suicide 165–174	Homicide 197–200	Automobile accidents 188c	Other external causes 175–188b, 188d–196, 201–203	Unknown or ill-defined diseases 204, 205	All other causes	
-------	2	16	20	2	13	2	6	-------	2	9	1	3	10	2	-------	1	22	-------	27	1
-------	7	11	25	-------	6	-------	8	-------	1	7	1	1	9	-------	-------	2	10	1	43	2
7	41	281	476	17	238	19	71	35	16	175	16	24	180	50	10	39	156	1	509	3
1	6	39	56	1	17	3	6	5	2	20	-------	-------	9	2	-------	10	9	1	53	4
-------	-------	22	25	1	12	-------	-------	-------	-------	4	-------	1	-------	2	-------	-------	5	-------	154	5
4	26	130	182	7	90	47	20	11	7	104	4	11	84	7	2	13	65	-------	210	6
-------	16	42	118	1	94	18	7	10	3	69	8	7	54	10	4	20	72	4	110	7
1	1	6	15	1	18	11	-------	-------	-------	2	1	1	12	2	-------	-------	9	-------	12	8
-------	4	17	20	5	31	3	4	4	3	7	-------	2	10	-------	2	2	17	1	30	9
1	9	10	22	-------	11	4	2	1	4	6	1	4	18	1	1	1	5	-------	20	10
5	9	54	71	6	54	25	-------	-------	4	48	-------	1	37	6	1	4	26	2	53	11
-------	-------	15	25	3	95	30	12	2	5	13	4	7	14	4	9	7	20	-------	48	12
1	4	15	33	-------	25	4	7	1	1	18	-------	3	14	1	3	4	17	2	39	13
1	-------	9	19	2	10	7	-------	-------	1	9	-------	2	10	1	-------	4	13	-------	16	14
2	4	24	20	-------	24	4	5	6	4	16	2	2	21	2	4	8	19	-------	48	15
1	2	7	11	-------	12	7	1	-------	-------	6	1	2	5	-------	-------	3	14	-------	12	16
1	4	18	24	1	58	12	10	3	2	21	3	4	25	1	-------	3	30	-------	29	17
1	3	17	26	5	17	2	1	1	-------	20	2	1	9	4	-------	-------	5	-------	33	18
-------	-------	1	15	-------	17	10	1	-------	2	8	-------	-------	9	-------	1	-------	5	-------	4	19
1	-------	8	14	-------	13	3	-------	-------	-------	11	-------	1	6	-------	-------	-------	2	-------	14	20
-------	1	22	31	2	7	5	2	3	-------	13	2	1	14	3	-------	4	8	1	37	21
1	1	11	13	-------	13	7	-------	1	1	5	1	1	6	-------	1	2	6	-------	10	22
-------	6	36	90	4	93	32	7	5	5	54	5	3	37	5	2	8	40	-------	78	23
1	2	8	21	-------	31	6	-------	-------	1	16	4	-------	8	-------	8	-------	8	-------	17	
-------	2	2	18	-------	16	4	1	-------	-------	12	-------	-------	10	1	-------	1	5	-------	10	24
-------	-------	2	2	-------	1	-------	1	-------	-------	1	-------	-------	2	-------	-------	-------	2	-------	2	
-------	-------	10	31	-------	16	3	4	1	1	12	1	2	5	1	1	1	7	-------	18	25
-------	2	16	26	-------	15	7	3	-------	1	12	1	1	12	3	2	8	10	2	19	26
-------	-------	1	7	-------	7	15	-------	-------	-------	8	-------	-------	7	-------	-------	1	14	-------	6	27
-------	-------	9	6	2	20	9	-------	-------	2	3	-------	-------	19	-------	-------	3	7	-------	9	28
-------	4	13	20	2	9	8	5	-------	2	6	2	1	18	1	2	7	18	3	22	29
-------	1	11	48	1	46	22	-------	1	1	8	-------	1	23	1	1	1	10	-------	31	30
1	-------	8	11	-------	40	7	-------	-------	1	7	3	1	21	1	1	-------	16	-------	11	31
2	4	57	82	7	41	14	14	15	4	49	3	8	32	11	4	17	52	-------	73	32
9	22	115	197	7	138	29	19	14	12	104	9	12	72	9	8	43	71	-------	164	33
-------	-------	3	6	-------	24	8	1	-------	-------	4	-------	1	9	1	1	-------	6	3	13	34
2	2	16	27	4	27	4	8	2	3	10	3	7	25	1	6	9	37	13	38	35
5	19	100	197	3	106	19	37	11	11	123	10	14	69	12	2	19	65	-------	179	36
2	9	30	45	10	41	16	11	6	1	41	4	6	43	2	1	6	24	-------	58	37
-------	1	7	26	4	41	9	-------	3	1	20	-------	-------	15	2	-------	-------	11	-------	15	38
-------	2	3	12	1	10	8	-------	-------	3	6	1	-------	16	3	1	1	4	14	9	39
7	13	47	116	7	151	55	20	14	8	54	10	7	76	6	11	18	84	3	148	40
4	20	64	168	2	65	29	20	13	8	78	5	7	56	3	3	22	48	-------	127	41
2	10	41	44	3	57	14	9	4	3	33	2	6	25	4	2	5	21	2	47	42
-------	2	7	13	-------	48	22	-------	2	2	4	-------	-------	15	3	-------	-------	10	-------	16	43
2	10	37	81	7	112	19	15	22	4	42	9	3	44	4	3	16	50	1	82	44
1	5	19	18	1	17	11	-------	-------	-------	14	-------	2	17	1	-------	3	15	3	28	45
-------	3	36	38	1	22	2	5	2	6	12	1	2	17	1	2	5	14	-------	42	46
1	2	4	8	-------	20	7	1	-------	1	4	1	2	15	3	2	2	5	6	20	47
-------	2	9	34	1	31	16	-------	-------	2	12	1	1	10	-------	-------	2	12	-------	12	48
2	5	11	41	-------	54	29	5	4	2	17	9	3	26	4	-------	11	44	-------	35	49
2	9	42	62	4	73	7	9	2	4	40	7	1	55	8	5	5	25	9	75	50
2	6	11	15	-------	30	4	6	4	1	9	5	-------	16	1	4	11	30	-------	34	51
4	12	63	100	9	62	12	7	7	4	52	10	7	45	3	3	13	32	-------	195	52
-------	-------	13	16	3	27	17	-------	-------	1	5	-------	1	12	-------	1	1	5	-------	10	53
-------	8	20	36	-------	20	6	6	3	1	16	2	2	26	-------	-------	5	9	1	38	54
-------	-------	4	11	3	27	9	-------	2	1	6	2	1	14	1	-------	1	11	-------	10	55
1	1	2	13	-------	8	8	-------	2	-------	4	-------	-------	4	1	-------	-------	13	-------	11	56
84	379	1,365	4,265	198	2,451	550	295	207	160	2,608	99	165	1,193	270	95	281	991	7	2,820	57
9	22	111	461	26	578	85	34	42	9	246	17	24	179	14	84	13	135	3	485	
-------	2	15	19	1	17	6	3	2	1	20	-------	2	17	2	1	5	13	1	30	58
32	87	457	966	46	1,727	336	123	71	87	513	50	69	594	76	48	137	472	7	1,077	59
2	5	35	95	1	309	35	11	4	2	57	10	5	77	4	36	9	51	2	101	
3	1	16	30	8	73	13	2	3	2	20	1	3	19	2	3	3	23	2	39	60
-------	1	4	16	1	14	14	-------	2	1	11	-------	1	9	-------	-------	-------	9	-------	17	61
-------	3	35	45	1	21	5	-------	4	1	22	2	1	12	2	1	6	17	2	44	62
5	14	13	45	1	44	9	16	10	3	51	5	9	30	4	3	16	29	-------	46	63
1	7	7	26	-------	8	9	3	2	3	21	4	3	19	4	1	1	19	1	23	64
4	29	111	221	9	147	34	21	19	16	178	5	7	89	18	4	27	70	1	193	65
5	37	122	288	22	193	78	24	21	9	142	12	15	120	9	4	41	162	2	264	66
-------	2	26	38	-------	24	13	-------	1	4	18	1	-------	10	3	-------	1	10	-------	29	67
-------	9	17	26	3	30	8	3	6	2	27	4	4	15	4	2	11	24	4	49	68
1	1	14	29	8	61	24	-------	-------	4	18	4	4	41	2	-------	1	11	1	26	69

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor
contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR		All causes	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors
				1	5	6	7	8	9	10	11	21	24	31	32	33-37	43-49
	PENNSYLVANIA—continued																
1	Steelton	White	140				13		1	3		1		14		1	10
		Colored	36				1			1	3			3		2	2
2	Sunbury		196					1	1	2	3			5	1		19
3	Swissvale		107	1						7	10			6			16
4	Tamaqua		131				2			1	7			3			9
5	Uniontown		341	4			8	1	1	5	4		1	26	2	3	16
6	Warren		189				3		2	1	10			5		2	16
7	Washington		401	6			4	1	7	4	16	1		18	2	1	29
8	West Chester*	White	294				3			1	2	2		10	1	3	27
		Colored	80	1										5	1	2	7
9	Wilkes-Barre		1,209	3			6		1	14	32	4	1	47	2	2	77
10	Wilkinsburg		416	5			8		5	7	22	1		14	1	1	36
11	Williamsport		657				2	1	6	7	20		2	21		1	52
12	Woodlawn		144	2			3		4		11		1	12	2	2	8
13	York		676	1			4	2	2	5	22	1	2	29	2	3	67
	RHODE ISLAND																
14	Bristol town		141				1		5		9			8	4	1	13
15	Central Falls		243				2		5		8			7	4		15
16	Cranston (exclusive of)		284				1	1	2	1	5			6		1	23
17	State institutions		359								14	3		20		2	24
18	Cumberland town		127					1	1	5	4			4			10
19	East Providence town		255				6		3	1	7			23	3	1	17
20	Newport		356				5		5	5	4	2	3	22	1	1	47
21	Pawtucket		890	2			13	1	6	8	21		1	32	5	3	74
22	Providence		3,578	2	1		122	5	37	40	24	5	9	169	34	26	327
23	Warwick town		218				4		3	1	4		1	21		1	23
24	West Warwick town		198	1			8		15	4	5	3	1	7	3	2	15
25	Woonsocket		595	1			9	2	11	4	11	2		27	3	5	26
	SOUTH CAROLINA																
26	Anderson	White	183	5			4		5	2	15	1		10			6
		Colored	87	3	1				2	5	10			6		1	3
27	Charleston	White	458	3				1	4	2	22		1	19		2	31
		Colored	988	6	8		3		12		34			76	1	15	24
28	Columbia*	White	461	4	1		1		4	6	18		1	21	1	2	23
		Colored	531	3	1		2		3	1	22			54	1	2	8
29	Florence	White	162	1	1		3		1	6	6	1		1			9
		Colored	146	9	1		1				1			13		1	4
30	Greenville	White	205	2					1		6			6	2		19
		Colored	180	2					3	1	17			20		1	4
31	Spartanburg	White	158	1						1	6	1	1	9			14
		Colored	153	1						1	5			12			4
	SOUTH DAKOTA [1]																
32	Sioux Falls		324		1			6	2	1	6			11	2	1	36
	TENNESSEE																
33	Chattanooga	White	637	2			15	1	1	5	20		1	33	9	6	40
		Colored	668	19	5		22		8	3	46			73	2	12	17
34	Jackson	White	155	3			1			1	8			13	1		12
		Colored	135	5	1				1		5			14			2
35	Johnson City*	White	266	4			2		5	2	22			59		7	12
		Colored	50	1							4			25			1
36	Knoxville	White	1,062	10	1		16	1	8	5	54	1	2	81	11	11	53
		Colored	297	1		1		2	1	2	46			26	1	4	10
37	Memphis	White	1,678	8	13		37	4	5	8	78	6	1	86	4	10	105
		Colored	1,710	19	21		10		6	9	131	5	4	171	4	28	48
38	Nashville	White	1,350	8			53	2	13	5	70	2	1	70	7	9	85
		Colored	931	7	1		11		1		49	1		86	1	16	45
	TEXAS [1]																
39	Beaumont	White	295	1	5		2		4		10	1		20	1	3	23
		Colored	230	1	2		2		1	1	8			34		2	3
40	Dallas	White	1,663	18	8		3	2	13	14	75	3	2	67	5	6	122
		Colored	510	3	4		1		4	2	23			36	1	4	15
41	El Paso		1,882	17	1		52	2	54	8	103	1	2	414	16	9	99
42	Fort Worth	White	996	9			1	1	6	8	48	2		50	1	5	74
		Colored	201	2						1	4			25		2	6
43	Galveston	White	387	1				2	1	2	3			17		2	40
		Colored	214											23		2	7
44	Houston	White	1,355	7	6			1	9	6	39			93	6	6	106
		Colored	703	5	14		1		2	4	28			71		8	24
45	San Antonio	White	2,486	10	4	5	15	2	8	18	54	5	5	409	12	23	147
		Colored	242	8	3				1		3			31	1	3	9

[1] Nonregistration State; the only cities shown are those with satisfactory registration of deaths.

FROM IMPORTANT CAUSES, BY COLOR: 1923—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Rheumatism 51, 52	Diabetes mellitus 57	Cerebral hemorrhage and softening 74, 83	Diseases of the heart 87–90	Bronchitis 99	Pneumonia (all forms) 100, 101	Diarrhea and enteritis (under 2 years) 113	Appendicitis and typhlitis 117	Hernia, intestinal obstruction 118	Cirrhosis of the liver 122	Nephritis 128, 129	Puerperal septicemia 146	Other puerperal causes 143–145, 147–150	Congenital malformations and diseases of early infancy 159–163	Suicide 165–174	Homicide 197–200	Automobile accidents 188c	Other external causes 175–188b, 188d–196, 201–203	Unknown or ill-defined diseases 204, 205	All other causes	
1	1	9	16		21	9			1	9			7				9		14	1
		4	4		5	2				2							5		2	
1	2	13	36	1	9	3	3	2	3	34	2	2	17			2	7		27	2
		7	12		22	7				3			4			1	1		10	3
	3	9	21		18	10				16	1		10		2	1	3		15	4
1	6	8	27		31	9	11	4	2	27	4	2	23	3	16	13	27		56	5
	5	14	33		8	1	3	4	3	11	4	2	10			3	14		35	6
	3	22	36	1	42	13	9	5	1	23	4	6	35	2	5	8	29	2	66	7
	2	13	45		37	5	3	5		30	2	2	22	4	2	5	20		48	8
	1	3	9		8	6	2	3		7	1		4			3			17	
4	23	65	179	2	124	36	19	20	9	96	7	11	85	9	1	29	111	3	187	9
1	5	26	43	1	89	2	7	4	3	25	2	3	25	6	1	8	14		51	10
1	17	79	103	6	62	15	12	4	2	64	4	5	30	5	1	8	42		85	11
1		2	6	2	19	6				5	1	3	18	1	2	4	9		20	12
4	9	64	112		68	29	7	9	2	63	5	6	35	9	1	6	24		83	13
2	3	12	15	1	18	6			2	7			10	1		1	1	3	18	14
1	6	26	26	9	25	12		1		19		1	30	4		1	10		31	15
1	5	38	53	4	27	4	1	1	3	21		4	33	2	1		11	3	32	16
3	2	32	73	3	26					18			2	4			14		119	17
2		14	17	4	17	6	1			8			9	1		2	2	1	18	18
2	6	30	38	1	30	6			4	25			15	3	1		15		18	19
	7	41	73	1	24	2		2	2	17			24	1	3	5	18	1	40	20
4	13	77	147	10	97	22	17	20	3	84	4	6	72	6	2	13	32	2	93	21
9	72	344	500	24	362	91	44	47	21	250	23	32	259	26	11	52	152	17	441	22
	3	38	26	1	10	1	1	2	3	16			11	5	1	1	13		28	23
	1	18	28	3	26	8				7		2	14				2	1	24	24
3	7	34	78	9	75	28	5	6	5	40	7	8	64	5		8	16	4	92	25
	2	10	22	1	15	11	1			11		4	19	1	2	4	6		26	26
		3	7		4		2	4		6		1	1		4		4	3	17	
2	5	39	70		25	15	5	3	1	75	1	4	36	2	4	4	16	3	63	27
4	3	89	110	4	74	42	10	6	2	120	5	11	116		17	4	21	6	165	
1	5	54	41	2	22	9	7	3	1	42	2	9	19	2	3	6	11	1	139	28
1	3	40	56	1	37	23	7	1	1	35	4	3	26		10		15		171	
	1	8	18	2	4	5	10	1		12		2	15	1	1	6	12	2	33	29
		3	17		6	5	4	3		9	2	2	21		6	1	7	5	25	
	5	15	30		9	4	6	2	2	14	2	4	12	2	2	9	14		37	30
1	3	17	14	1	23	6		3		11	1	5	15	1	4	3	8		16	
	3	9	17		5	7	6	4		16	1	3	9	2	2	4	6		31	31
	1	11	21		16	4	2	1		15	1	1	8	1	2	1	8	3	34	
1	11	21	28	2	22	6	12	5	4	25	5	4	21	4	1	7	15	3	61	32
	5	31	54	3	40	14	16	9	1	45	3	7	56	7	11	16	47	24	115	33
5	2	40	43	5	87	13	4	9		43	4	3	8	1	20	5	28	57	84	
	2	8	7	1	11	3	8	1		21	1	3	5	1	1		9	9	25	34
		2	6		9	6		2	1	12	4	1	5		1	2	4	25	27	
	1	11	17		14	15	2	3	1	7	2	2	15	2	3	2	15	3	38	35
1			9										2		2		1		4	
3	11	55	81	2	87	61	30	7	4	80	6	14	62	3	18	13	50	32	189	36
	1	10	31	1	34	7	3	1	1	25		3	11		13	1	14	6	41	
3	19	76	176	6	151	30	79	28	12	122	10	20	100	23	32	34	86	38	268	37
9	4	53	137	4	176	37	46	25	4	112	6	12	71	2	86	12	67	79	312	
3	20	75	146	2	113	24	46	12	5	83	11	11	85	17	18	21	74	24	235	38
2	3	61	141	11	100	21	12	11	2	74	7	8	28	4	27	7	41	32	121	
	5	18	16	1	14	5	6	3	2	33	3	1	19	2	5	9	27	9	47	39
	2	7	16		19	8	3	3	1	12	1	5	17	2	6	2	10	12	50	
3	27	129	127	5	113	57	53	20	8	106	13	25	163	25	17	30	72	1	331	40
4	2	38	34	4	55	4	12	5	3	36	1	3	40	1	29	4	22		120	
4	11	51	93	32	122	224	19	9	9	61	10	13	111	18	17	18	50	7	225	41
5	12	71	92	3	69	20	18	16	4	63	8	5	84	17	17	8	49	15	215	42
1		10	15		27	3	2	2		16	3	1	8		4	1	10	11	47	
1	8	29	46	2	22	8	5	3	1	47		1	24	10	3	7	26		76	43
	2	11	29	1	10	3	3		4	31		1	11	2	3		9	2	60	
	11	79	129	5	81	36	22	29	5	103	8	15	75	22	11	23	82	111	229	44
2	5	31	72	4	41	20	10	9	10	39	5	4	14	4	21	2	22	105	126	
3	27	88	187	20	169	231	41	27	19	97	12	22	167	26	14	27	75	54	463	45
1	2	9	27	1	21	8	2	2		29	1	2	12	1	7	3	8	4	43	

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR		All causes	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors
				1	5	6	7	8	9	10	11	21	24	31	32	33–37	43–49
	UTAH																
1	Ogden		390	1					3	5	9	3		10	4	4	26
2	Provo		182								7			4	1		7
3	Salt Lake City		1,562	4		13	3	2	6	13	28	7	3	68	4	12	140
	VERMONT																
4	Barre		171				2	2	1		10	1		25		1	11
5	Burlington		375	2		1	8	1	5		14	2		11	2	8	33
6	Rutland		262	1	1		1				6			10	2	1	25
	VIRGINIA																
7	Alexandria	White	185	1				1	4	3	10			7			8
		Colored	107						2		5			10		1	4
8	Charlottesville	White	133				1			2	11			8		2	10
		Colored	49							1	4			4			4
9	Danville	White	234		1		6			10	11			11	3	2	13
		Colored	125	1	1		2		2		4			14		3	3
10	Lynchburg	White	280	1			13	2		2	4	1		18	1	2	13
		Colored	188				4		2		9			13		4	7
11	Newport News	White	132					1	1	4	8			9		2	9
		Colored	207	1					1	2	15			40	2	2	2
12	Norfolk	White	840	3			7	1	9	6	26	1	1	44	8	1	71
		Colored	985	3			4		15	2	38			127	4	7	22
13	Petersburg	White	239	2					2	4	13			11		3	12
		Colored	289	2	1		2		15		11			21	1	5	8
14	Portsmouth	White	230	3			2	1	2	2	6	1		16	1		12
		Colored	415	3	10				12	1	38			29	1	3	10
15	Richmond	White	1,586	3			16	1	16	10	35	3		83	12	4	122
		Colored	1,247	8			17		50	2	35			121	10	11	36
16	Roanoke	White	613	3			24		7	5	27	1	1	13		1	32
		Colored	185	4			5		1		12		1	17	2	4	2
17	Staunton*	White	265	1						1	7	3		17	1	1	19
		Colored	43								3			3			3
	WASHINGTON																
18	Aberdeen		180	2					1		2			11		6	22
19	Bellingham		352	2					5	3	12			23	3	3	38
20	Everett		329	10			1		1	2	2		1	12	3	2	27
21	Hoquiam		106							2	4			2			4
22	Seattle	White	2,826	7		2	5	6	11	15	62	8	4	119	18	27	379
		Colored	191	1			5		2	4	3	1		21	8	6	12
23	Spokane		1,225	8		1	4	3	4	7	23	5		39	5	12	143
24	Tacoma		1,113	6		1		7	4	10	15	3	2	34	10	13	118
25	Vancouver		151	1						1	5			5	1	1	18
26	Walla Walla		186	2	1				1	2	11			8			14
27	Yakima		305	4			2	1			11	1		15	1	3	28
	WEST VIRGINIA [1]																
28	Wheeling		994	13			7	4	5	8	37	2		45	4	7	77
	WISCONSIN																
29	Appleton		277	2				1		5	9	2		8	1	3	32
30	Ashland		189	5			2	3		1			1	10		1	19
31	Beloit		290				3	3		1	18	1		13	1		34
32	Eau Claire*		375	1			2	2	1	2	5		2	38		1	31
33	Fond du Lac		376						2		7			16	1		39
34	Green Bay		591	2			7	18	7	13	8	2		23	5	7	54
35	Janesville		225				3			2	5			6	1	2	26
36	Kenosha		405			1	15	1	2	3	12	1	2	16	4	1	28
37	La Crosse		500	2			4	4	2		9	3	1	13	3	3	59
38	Madison		564				3	1	1	6	7	2		20	5	2	62
39	Manitowoc		239				1	1		2	7	1		12			20
40	Marinette		188	1			1	1		2	12	2		11	1	1	15
41	Milwaukee		5,227	6			33	84	26	106	98	17		264	39	24	438
42	Oshkosh		484	1			4	3	6	1	6	1		19	2	2	53
43	Racine		615	1			12	2	11	14	23	3		21	3	1	58
44	Sheboygan		406	1			5	4	3	11	12	1		9	1	2	40
45	Stevens Point		169	2			4				4	3		8			12
46	Superior		432	1			5	2	7	2	13			24	1	3	24
47	Waukesha		159				1	2		1	11	2		7	2	1	10
48	Wausau		266	3			6	1		8	3			8			31
49	West Allis		136				2	2		7	3			3	1	1	6
	WYOMING																
50	Casper		296	2	2		5	1	9	1	5		2	12	1		14
51	Cheyenne		193	1				1		2	4	1		10	1	2	12

[1] Nonregistration State; the only cities shown are those with satisfactory registration of deaths.

FROM IMPORTANT CAUSES, BY COLOR: 1923—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Rheumatism 51, 52	Diabetes mellitus 57	Cerebral hemorrhage and softening 74, 83	Diseases of the heart 87–90	Bronchitis 99	Pneumonia (all forms) 100, 101	Diarrhea and enteritis (under 2 years) 113	Appendicitis and typhlitis 117	Hernia, intestinal obstruction 118	Cirrhosis of the liver 122	Nephritis 128, 129	Puerperal septicemia 146	Other puerperal causes 143–145, 147–150	Congenital malformations and diseases of early infancy 159–163	Suicide 165–174	Homicide 197–200	Automobile accidents 188c	Other external causes 175–188b, 188d–196, 201–203	Unknown or ill-defined diseases 204, 205	All other causes	
4	4	26	61	2	30	7	12	6	5	23	3	5	34	2	1	7	20	2	71	1
------	2	15	13	2	11	2	5	3	1	19	2	2	14	1	------	4	7	------	60	2
3	32	114	200	4	110	26	35	18	11	111	8	14	131	20	13	20	104	24	261	3
1	1	21	22	------	14	1	3	2	------	7	1	3	10	1	------	3	4	1	23	4
1	3	23	59	8	21	6	9	2	------	36	3	4	43	1	1	7	13	------	48	5
2	3	23	47	------	14	3	1	1	2	20	1	4	18	1	------	5	16	2	52	6
------	3	11	24	------	8	4	3	------	1	26	3	6	20	2	------	1	16	2	21	7
------	2	11	9	4	17	7	------	1	1	4	------	------	4	------	5	------	7	1	12	
------	3	11	23	------	8	6	1	------	------	8	1	------	4	1	------	------	3	7	23	8
------	------	4	17	------	2	3	------	------	------	4	------	------	1	------	------	------	1	1	3	
1	4	15	28	1	13	4	9	2	1	10	------	6	24	2	1	2	15	4	35	9
------	------	4	16	------	5	7	1	4	------	13	2	1	6	------	5	------	3	------	28	
------	3	16	49	------	18	3	10	4	3	17	2	4	22	1	1	6	20	2	42	10
------	1	15	22	------	19	2	2	4	1	26	1	------	13	------	5	2	7	3	26	
------	2	13	14	------	7	4	2	------	1	7	------	------	16	1	1	1	8	------	21	11
------	2	20	20	------	22	12	2	1	2	12	------	------	7	1	4	------	7	4	26	
------	19	69	127	3	36	16	17	6	6	90	1	9	67	3	7	9	50	1	126	12
5	7	78	150	3	115	36	14	16	2	48	13	15	74	3	18	4	33	5	124	
------	4	16	34	------	16	1	2	3	------	44	2	1	10	2	------	5	14	------	38	13
------	3	33	23	1	34	17	2	1	8	32	------	4	13	------	4	2	8	7	31	
------	3	28	33	3	12	4	3	2	1	28	------	1	14	3	------	4	10	2	33	14
4	2	45	45	5	32	20	1	4	------	21	2	3	38	------	4	------	10	3	69	
1	23	145	202	9	84	31	28	20	5	178	7	11	133	24	5	22	68	2	283	15
5	12	108	128	14	138	43	13	11	13	66	4	19	92	------	10	4	46	43	188	
3	8	30	71	1	43	27	13	12	5	34	5	8	66	7	9	11	35	2	109	16
1	------	16	12	------	10	11	5	4	------	19	3	2	14	------	4	3	7	3	23	
------	3	17	34	1	42	3	3	3	------	31	1	------	5	2	1	7	14	------	48	17
1	------	3	9	------	4	1	2	------	------	5	------	2	2	------	------	1	------	------	4	
------	2	9	24	2	12	------	5	2	1	11	2	------	10	3	4	5	23	1	20	18
------	9	23	47	1	14	2	7	8	1	26	1	2	23	2	------	7	25	1	64	19
2	9	29	54	1	25	4	8	4	2	21	2	------	19	6	3	8	23	------	48	20
------	2	8	12	------	11	1	4	------	------	5	2	1	9	5	------	3	15	------	16	21
6	57	250	452	9	160	9	52	40	18	184	11	14	153	65	12	51	141	3	476	22
------	------	4	16	3	17	3	2	2	2	7	3	3	13	8	11	4	7	------	23	
6	31	65	162	6	83	9	33	22	4	96	18	3	65	21	8	15	67	2	255	23
3	20	83	198	5	73	4	21	14	2	74	6	11	66	26	4	21	61	3	195	24
2	4	20	32	1	7	------	2	2	1	12	------	1	4	2	------	5	9	------	15	25
1	1	21	29	------	8	3	3	3	1	10	2	2	12	1	------	3	11	------	36	26
------	6	20	42	4	22	9	8	4	2	25	2	4	23	3	2	5	8	1	49	27
3	12	52	99	8	116	22	24	18	11	67	7	7	63	8	5	18	96	------	149	28
------	6	23	45	2	22	5	9	7	2	15	1	------	16	2	------	8	9	------	42	29
------	1	11	22	1	20	2	6	4	1	9	2	1	11	1	1	3	17	------	34	30
2	4	25	29	7	23	5	10	5	------	19	2	4	23	2	------	4	9	------	43	31
2	4	26	65	5	30	7	4	2	------	16	3	7	25	------	------	4	13	------	77	32
2	12	38	71	1	23	13	5	7	1	26	------	2	29	6	1	6	16	------	52	33
1	4	54	43	4	42	12	18	11	4	41	6	6	43	3	1	10	26	------	116	34
1	6	6	41	1	19	3	6	4	2	15	2	1	12	3	------	2	18	------	38	35
1	8	15	45	4	51	18	10	3	5	24	7	3	38	4	------	7	19	------	57	36
4	14	41	86	2	43	2	12	4	2	35	4	2	38	6	2	4	13	------	83	37
2	11	38	75	2	48	9	18	9	1	35	3	4	47	6	4	8	24	------	111	38
1	4	18	34	2	9	6	8	5	1	24	1	------	24	3	------	5	8	------	42	39
1	5	12	30	------	11	1	5	------	1	17	------	5	9	3	2	1	11	------	27	40
28	101	361	717	72	570	150	78	56	55	322	34	28	428	70	21	62	214	3	722	41
------	6	41	87	6	54	2	8	6	2	18	4	6	36	3	------	6	18	2	81	42
5	7	40	75	4	59	17	7	2	5	56	4	4	49	8	2	5	26	1	90	43
1	12	39	71	6	22	4	6	7	4	25	2	2	35	6	------	1	11	2	61	44
1	6	16	15	3	14	5	2	3	1	8	------	3	16	1	------	4	5	------	23	45
1	10	25	65	------	38	5	10	9	3	17	3	------	49	6	3	4	35	2	65	46
1	11	14	18	1	15	4	2	1	------	8	------	2	7	3	1	4	5	1	24	47
3	5	25	38	2	19	6	4	1	2	19	1	6	20	------	------	------	11	------	44	48
1	1	3	23	2	27	7	------	------	2	4	1	------	16	3	------	------	3	------	18	49
------	------	11	17	1	28	7	8	4	1	10	------	7	37	4	10	18	39	1	39	50
------	2	7	15	2	13	7	9	2	2	6	1	4	24	5	1	1	16	1	41	51

NOTE.—Populations are shown in Tables IA and IB.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM

["Urban" includes cities of 10,000 inhabitants or more in

List No.	CAUSE OF DEATH	Registration area (exclusive of Hawaii)	REGISTRATION STATES			Registration cities in nonregistration States [2]	All registration cities [1]	CALIFORNIA		COLORADO		CONNECTICUT	
			Total [1]	Urban [1]	Rural			Urban	Rural	Urban	Rural	Urban	Rural
	All causes	1,193,017	1,174,065	601,980	572,085	18,952	620,932	31,673	22,893	5,669	6,633	13,403	4,332
	I.—Epidemic, endemic, and infectious diseases	200,619	196,766	87,901	108,865	3,853	91,754	4,965	4,464	1,421	1,582	1,985	636
1	Typhoid and paratyphoid fever	6,635	6,490	2,126	4,364	145	2,271	91	63	28	76	29	9
2	Typhus fever	2	2	2			2						
3	Relapsing fever (spirillum obermeieri)												
4	Malta fever	1	1	1			1						
5	Malaria	2,736	2,671	293	2,378	65	358	9	13			1	1
6	Smallpox	131	126	61	65	5	66	1		13	3		
7	Measles	10,450	10,314	4,938	5,376	136	5,074	170	153	51	46	133	26
8	Scarlet fever	3,440	3,414	1,771	1,643	26	1,797	74	48	13	29	43	11
9	Whooping cough	9,440	9,269	3,978	5,291	171	4,149	163	172	43	61	93	36
10	Diphtheria	11,733	11,629	6,083	5,546	104	6,187	423	226	109	128	165	25
11a	Influenza (with pulmonary complications)	27,847	27,376	10,097	17,279	471	10,568	306	373	145	200	252	77
11b	Influenza (other and unspecified)	15,523	15,297	4,246	11,051	226	4,472	148	206	69	121	99	30
12	Miliary fever												
13	Mumps	83	82	41	41	1	42		2			1	
14	Asiatic cholera												
15	Cholera nostras	153	151	32	119	2	34		2		3	1	
16	Dysentery	3,118	3,026	688	2,338	92	780	57	55	4	21	15	5
17	Plague												
18	Yellow fever												
19	Spirochetal hemorrhagic jaundice	29	29	11	18		11	1	2			1	
20	Leprosy	29	29	11	18		11	5	3				
21	Erysipelas	2,593	2,574	1,338	1,236	19	1,357	37	35	10	23	27	10
22	Acute anterior poliomyelitis	850	845	342	503	5	347	20	22		3	7	2
23	Lethargic encephalitis	1,966	1,939	1,394	545	27	1,421	45	25	5	10	52	4
24	Meningococcus meningitis	1,026	1,016	614	402	10	624	41	11	2	5	24	3
25	Other epidemic and endemic diseases	361	347	137	210	14	151	5	3	3	2	4	1
26	Glanders												
27	Anthrax	24	22	12	10	2	14	1	3				
28	Rabies	55	54	23	31	1	24	10	2		1		
29	Tetanus	1,644	1,560	798	762	84	882	26	20	1	1	18	3
30	Mycoses	185	183	60	123	2	62	6	2		1		
	Tuberculosis (all forms)	90,732	88,788	42,947	45,841	1,944	44,891	2,956	2,846	866	803	943	386
31	Of the respiratory system	79,534	77,780	36,493	41,287	1,754	38,247	2,518	2,574	800	766	781	365
32	Of the meninges, central nervous system	4,010	3,944	2,617	1,327	66	2,683	170	118	30	9	71	6
33	Of the intestines, peritoneum	2,926	2,866	1,447	1,419	60	1,507	98	73	9	9	26	5
34	Of the vertebral column	907	891	551	340	16	567	38	13	6	4	11	4
35	Of the joints	359	351	173	178	8	181	10	5	1	1	6	2
36	Of other organs	1,180	1,164	608	556	16	624	55	23	7	5	20	1
37a	Disseminated (acute)	1,459	1,439	878	561	20	898	62	36	9	8	23	2
37b	Disseminated (chronic or unspecified)	357	353	180	173	4	184	5	4	4	1	5	1
38	Syphilis	7,695	7,442	4,622	2,820	253	4,875	324	141	50	33	63	5
39	Soft chancre	5	5	2	3		2						
40	Gonococcus infection	791	766	591	175	25	616	17	8	5	1	4	1
41	Purulent infection, septicemia	1,340	1,317	641	676	23	664	29	28	4	11	10	1
42	Other infectious diseases	2	2	1	1		1						
	II.—General diseases not included in Class I	129,791	127,972	72,695	55,277	1,819	74,514	4,355	2,212	635	578	1,685	494
	Cancer and other malignant tumors	86,754	85,575	48,890	36,685	1,179	50,069	3,173	1,520	456	395	1,112	354
43	Of the buccal cavity	2,992	2,962	1,663	1,299	30	1,693	105	58	13	19	40	15
44	Of the stomach, liver	33,080	32,675	17,700	14,975	405	18,105	1,063	634	187	172	361	147
45	Of the peritoneum, intestines, rectum	11,951	11,815	7,199	4,616	136	7,335	500	189	60	54	188	50
46	Of the female genital organs	12,264	12,031	7,224	4,807	233	7,457	463	197	66	33	159	38
47	Of the breast	7,704	7,624	4,463	3,161	80	4,543	323	120	32	22	120	42
48	Of the skin	2,618	2,588	996	1,592	30	1,026	50	54	7	24	25	13
49	Of other or unspecified organs	16,145	15,880	9,645	6,235	265	9,910	669	268	91	71	219	49
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	831	813	455	358	18	473	27	20	3	3	7	5
51	Acute rheumatic fever	2,931	2,898	1,503	1,395	33	1,536	45	40	6	21	40	9
52	Chronic rheumatism, osteoarthritis, gout	1,133	1,121	444	677	12	456	33	25	4	2	6	9
53	Scurvy	64	64	36	28		36	1				3	
54	Pellagra	2,352	2,245	597	1,648	107	704	14	19		4	2	
55	Beriberi	6	6	1	5		1		3				
56	Rickets	484	479	301	178	5	306	7	6	1	2	5	4
57	Diabetes mellitus	17,357	17,153	10,008	7,145	204	10,212	516	278	64	66	273	63
58	Anemia, chlorosis	5,867	5,793	3,032	2,761	74	3,106	206	113	30	24	75	25
59	Diseases of the pituitary gland	54	54	35	19		35		1	1		1	
60a	Exophthalmic goiter	2,077	2,048	1,291	757	29	1,320	72	33	4	7	6	3
60b	Other diseases of the thyroid gland	676	663	402	261	13	415	13	5	3	6	5	1
61	Diseases of the parathyroid glands	81	81	38	43		38	2	2			1	1
62	Diseases of the thymus gland	808	801	587	214	7	594	36	8	6	1	17	1
63	Diseases of the adrenals (Addison's disease)	346	343	197	146	3	200	7	8	1	2	8	1
64	Diseases of the spleen	110	109	58	51	1	59	4		1	2	3	1
65a	Leukemia	1,459	1,424	915	509	35	950	62	25	11	10	31	3
65b	Hodgkin's disease	780	771	454	317	9	463	22	12	9	5	8	2
66	Alcoholism (acute or chronic)	3,148	3,112	2,102	1,010	36	2,138	52	57	23	14	50	7
67a	Chronic lead poisoning	141	138	85	53	3	88	2	3	1		2	
67b	Other chronic mineral poisoning	31	31	16	15		16						
68	Chronic poisoning by organic substances	232	225	149	76	7	156	10	16	3	2		1
69	Other general diseases	2,069	2,025	1,099	926	44	1,143	51	18	8	12	30	4
	III.—Diseases of the nervous system and of the organs of special sense	125,007	123,501	57,501	66,000	1,506	59,007	3,242	2,591	519	578	1,472	654
70	Encephalitis	1,245	1,213	651	562	32	683	53	21	6	5	16	8
71a	Simple meningitis	2,661	2,603	1,415	1,188	58	1,473	77	35	16	9	53	8
71b	Nonepidemic cerebrospinal meningitis	991	969	447	522	22	469	24	30	6	10	12	4
72	Tabes dorsalis (locomotor ataxia)	1,695	1,671	852	819	24	876	64	47	4	4	20	4
73	Other diseases of the spinal cord	3,106	3,062	1,410	1,652	44	1,454	97	70	8	27	33	15
74a	Cerebral hemorrhage	84,177	83,213	39,184	44,029	964	40,148	2,291	1,563	363	369	1,059	487
74b	Cerebral embolism and thrombosis	2,677	2,653	1,492	1,161	24	1,516	113	68	26	9	42	18
75	Paralysis without specified cause	6,056	5,948	1,626	4,322	108	1,734	79	76	14	19	21	10
76	General paralysis of the insane	6,421	6,380	2,781	3,599	41	2,822	60	380	10	43	46	40
77	Other forms of mental alienation	1,614	1,591	634	957	23	657	21	60	7	3	12	10

[1] Including District of Columbia.

EACH CAUSE, IN URBAN AND RURAL DISTRICTS: 1923

1920; the remainder of the State is included in "rural"]

DELAWARE		DISTRICT OF COLUMBIA		FLORIDA				GEORGIA				IDAHO		ILLINOIS		INDIANA		List No.
				Urban		Rural		Urban		Rural								
Urban	Rural	White	Colored	White	Colored	White	Colored	White	Colored	White	Colored	Urban	Rural	Urban	Rural	Urban	Rural	
1,550	1,679	4,437	2,668	2,403	1,842	5,963	3,902	4,861	5,474	12,698	10,758	482	2,848	49,986	31,767	16,814	22,032	
223	335	560	501	343	455	992	874	798	1,230	2,784	2,889	52	408	6,436	5,352	2,679	3,925	
4	15	20	8	25	18	69	63	42	87	207	279		28	141	176	92	122	1
								2										2
																		3
			2	6	14	176	118	10	28	195	237		1	11	48	6	8	4
	1		1								3		2	1	1	2	2	5
40	18	31	11	5	10	60	26	107	67	167	39	3	5	374	202	165	139	6
11	9	12	3	1	1	3	2	5	2	13	3	1	10	121	108	31	59	7
9	22	20	20	8	9	37	26	34	53	92	97	1	17	273	248	140	146	8
19	9	37	6	20	6	52	7	35	20	173	64	2	41	517	294	182	245	9
22	35	66	52	31	21	80	42	128	122	521	302	6	57	760	908	365	702	10
13	20	32	18	12	33	65	61	52	68	310	250	5	37	274	524	244	490	11a
																		11b
						1	1	1	1	1				1	3	4	4	12
																		13
			3				2		1	10	3		1		2			14
2	8	3	6	5	12	32	19	20	43	195	130	1	4	23	41	27	66	15
																		16
																		17
				1														18
				1													1	19
3	3	4	1	4		11		9		35	3		7	112	57	31	67	20
	3	3		3	1	3		2	4	25	10		4	19	29	7	18	21
3	2	9	4	2		2	2	6	3	6		2	9	48	33	26	14	22
1		3	4	6	2	7		7	3	6	5	1	9	42	20	13	21	23
	1				2	8	12	3	2	7	8	1	6	12	4	1	2	24
																		25
		1				1				2				1				26
							1						1			1		27
1	2	2	3	7	22	14	24	14	16	14	17	1	2	57	41	31	31	28
		2		1		1	4		1		13		1	7	2		1	29
87	176	285	303	182	239	312	349	267	568	746	1,156	24	148	3,134	2,438	1,164	1,663	30
72	156	243	272	166	214	285	323	233	509	688	1,099	21	122	2,688	2,214	969	1,413	31
5	2	23	10	9	1	5	4	11	5	14	6	2	8	182	67	50	55	32
5	6	5	6	3	11	9	13	12	30	21	23	1	9	93	70	65	97	33
2	1	2	2	1	3	2		3	4	5			1	42	24	17	18	34
	1	1	3	1	1	1			4	3	4			13	13	6	3	35
	2	6	4	1	5	5	2	5	2	2	10		3	36	27	21	38	36
3	5	5	5	1	4	3	7	3	14	12	13		4	75	22	25	27	37a
	3		1			2				1	1		1	5	1	11	12	37b
7	9	22	48	15	59	38	105	45	124	40	226	2	6	340	132	116	94	38
													[2]	1				39
1		5	6	2	3	2	3	4	10	4	24		3	127	6	10	7	40
	2	3	2	6	3	18	7	5	7	15	20	2	9	40	35	21	23	41
																		42
142	117	542	168	271	113	548	187	518	296	1,147	596	59	287	6,451	3,346	1,907	2,399	
97	88	387	104	184	46	330	90	299	125	624	289	40	186	4,301	2,335	1,322	1,668	
2	8	20	8	12	1	14	3	13	4	28	3		7	145	91	34	70	43
34	25	117	38	57	19	120	28	79	29	203	83	15	82	1,668	964	499	689	44
20	8	47	4	17	3	30	8	24	8	55	17	6	25	593	278	177	212	45
16	13	54	27	32	14	52	24	68	47	116	97	6	22	598	285	249	193	46
7	11	40	12	10	3	24	9	22	11	60	38	2	13	357	194	104	140	47
2	6	11	2	12		16	5	13	4	52	2	3	8	72	114	48	107	48
16	17	98	13	44	6	74	13	80	22	110	49	8	29	868	409	211	257	49
2		8	1	2	1	1	4	8	4	9	12		2	29	13	14	16	50
6	2	4	3	3	4	13	12	7	7	27	39		8	197	83	33	45	51
4	1	4	2	2		7	4	8	4	15	8		2	18	40	7	20	52
			1			1		1			1			3		3	1	53
				5	22	38	36	43	80	180	134			2	3	1		54
																		55
1	1		6		7	3		6	7	5	11			52	8	3	2	56
19	12	72	24	31	10	54	16	69	30	127	44	8	42	932	448	263	344	57
2	5	24	3	17	9	36	3	21	3	25	16	4	10	256	159	91	132	58
										1				2	2	1	1	59
		2	3	2	2	2		10	1	12			3	166	49	49	52	60a
1		1	1	2	2	1	2	2	1	6	3	2	4	26	13	21	21	60b
							1				2			1	2		1	61
1		1	2	1		1				1			2	27	17	11	4	62
		2				1	1							16	10	2	8	63
						1				3				3	7	1	2	64
1		9	4	5		4	2	8	4	11		1	2	75	37	18	23	65a
	1	2				2		3	1	9	1			32	22	6	11	65b
6	6	15	3	10	6	14	8	9	10	22	13		13	226	59	30	19	66
		1		1		2	1		1		1			7	5	1	1	67a
					1	1	1		1	1	2							67b
		2		3		5		1		4	3		1	7	4		3	68
2	1	8	11	3	3	31	6	23	17	65	17	4	12	73	30	30	25	69
170	212	531	232	231	160	614	384	454	432	1,298	899	48	314	4,165	3,886	1,632	3,014	
1	7	5	2	5	1	5	3	8	7	11	9		4	45	9	16	23	70
3	3	13	3	4	4	10	7	15	11	38	15	1	8	62	46	46	51	71a
2	1	1	1	3	1	2	3	8	1	10	7		4	12	14	23	23	71b
2	3	9		3	2	6	2	4	1	8	7		4	59	73	35	29	72
2	5	16	4	7	12	22	8	9	9	27	11	1	11	129	129	44	93	73
144	133	356	166	154	106	381	190	310	324	779	485	35	183	2,900	2,536	1,124	2,075	74a
2		8	9	5	3	9	3	1	2	9	1	1	12	126	99	21	47	74b
2	21	13	6	15	17	96	88	33	31	205	182	1	21	46	61	67	170	75
1	13	52	22	8	2	4	15	11	8	31	35		8	189	406	78	192	76
	1	8	3	3		11	19	2	6	18	16	1	13	51	93	8	37	77

[2] A list of these cities can be found on p. 7.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH

["Urban" includes cities of 10,000 inhabitants or more in

List No.	CAUSE OF DEATH	Registration area (exclusive of Hawaii)	REGISTRATION STATES			Registration cities in nonregistration States [2]	All registration cities [1]	CALIFORNIA		COLORADO		CONNECTICUT	
			Total [1]	Urban [1]	Rural			Urban	Rural	Urban	Rural	Urban	Rural
	III.—Diseases of the nervous system and of the organs of special sense—Continued												
78	Epilepsy	3,088	3,063	950	2,113	25	975	38	77	7	30	16	13
79	Convulsions (nonpuerperal; 5 years and over)	159	155	44	111	4	48	2	1		1	1	2
80	Infantile convulsions (under 5 years)	1,882	1,866	712	1,154	16	728	16	16		5	22	7
81	Chorea	102	101	48	53	1	49	1	3	2	1	1	
82	Neuralgia and neuritis	354	344	140	204	10	150	7	4	2	6		2
83	Softening of the brain	853	846	312	534	7	319	25	20	1	2	9	4
84	Other diseases of the nervous system	4,575	4,511	2,468	2,043	64	2,532	156	84	23	19	61	17
85	Diseases of the eye and annexa	89	89	50	39		50	3	2			1	
86a	Diseases of the ear	1,967	1,943	1,324	619	24	1,348	74	23	13	10	31	2
86b	Diseases of the mastoid process	1,295	1,280	961	319	15	976	41	11	11	6	16	3
	IV.—Diseases of the circulatory system	194,857	193,021	104,608	88,413	1,836	106,444	5,930	4,184	742	753	2,305	905
87	Pericarditis	903	889	408	481	14	422	26	22	8	2	5	4
88	Endocarditis and myocarditis (acute)	6,431	6,324	4,182	2,142	107	4,289	191	116	42	34	84	15
89	Angina pectoris	10,103	9,965	4,877	5,088	138	5,015	338	243	55	49	148	66
90	Other diseases of the heart	152,596	151,223	82,466	68,757	1,373	83,839	4,718	3,259	517	541	1,805	674
91a	Aneurysm	1,831	1,797	1,160	637	34	1,194	91	57	19	8	17	6
91b,c	Other diseases of the arteries	20,254	20,116	9,994	10,122	138	10,132	472	426	91	106	199	130
92	Embolism and thrombosis (not cerebral)	1,668	1,651	984	667	17	1,001	73	48	6	7	34	7
93	Diseases of the veins	597	586	360	226	11	371	16	5	2	4	9	2
94	Diseases of the lymphatic system	185	182	108	74	3	111	3	5	1		4	
95	Hemorrhage without specified cause	170	170	51	119		51	2	1	1	1		1
96	Other diseases of the circulatory system	119	118	18	100	1	19		2		1		
	V.—Diseases of the respiratory system	124,045	122,307	68,298	54,009	1,738	70,036	2,538	1,832	588	694	1,523	452
97a	Diseases of the nasal fossae	394	390	86	304	4	90	4	1			1	1
97b	Diseases of the nasal fossae annexa	466	456	323	133	10	333	14	7	4	1	5	
98	Diseases of the larynx	695	687	263	424	8	271	6	9	3	6	3	2
99a	Acute bronchitis	3,512	3,476	2,011	1,465	36	2,047	91	53	9	8	29	30
99b	Chronic bronchitis	2,909	2,874	1,423	1,451	35	1,458	84	62	17	11	29	14
99c	Bronchitis (unspecified, under 5 years)	937	924	442	482	13	455	18	16		5	14	5
99d	Bronchitis (unspecified, 5 years and over)	1,457	1,438	644	794	19	663	30	14	4	9	13	12
100a	Bronchopneumonia	44,942	44,409	25,614	18,795	533	26,147	986	693	179	254	607	177
100b	Capillary bronchitis	1,279	1,268	659	609	11	670	24	12	7	7	12	5
101a	Lobar pneumonia	52,480	51,716	30,869	20,847	764	31,633	1,022	693	298	287	700	179
101b	Pneumonia (unspecified)	6,979	6,802	1,824	4,978	177	2,001	69	114	31	48	25	3
102	Pleurisy	2,758	2,719	1,779	940	39	1,818	73	35	4	11	37	6
103	Congestion and hemorrhagic infarct of the lung	1,617	1,584	770	814	33	803	35	38	2	10	20	12
104	Gangrene of the lung	157	154	104	50	3	107	5	4	1		5	
105	Asthma	2,179	2,143	927	1,216	36	963	52	54	13	12	19	5
106	Pulmonary emphysema	183	181	93	88	2	95	1	1	1			
107	Other diseases of the respiratory system (tuberculosis excepted)	1,101	1,086	467	619	15	482	24	26	15	25	4	1
	VI.—Diseases of the digestive system	98,050	95,656	52,610	43,046	2,394	55,004	2,631	1,900	483	707	973	227
108	Diseases of the mouth and annexa	686	673	323	350	13	336	9	9	3	4	6	3
109a	Adenoid vegetations	17	17	12	5		12	1	1				
109b	Other diseases of the pharynx, tonsils	3,198	3,136	1,802	1,334	62	1,864	102	43	15	24	43	8
110	Diseases of the esophagus	120	115	71	44	5	76	7	3		2	2	
111a	Ulcer of the stomach	3,774	3,711	2,336	1,375	63	2,399	175	80	32	24	56	8
111b	Ulcer of the duodenum	1,333	1,312	989	323	21	1,010	72	7	12	10	21	2
112	Other diseases of the stomach (cancer excepted)	6,291	6,120	2,037	4,083	171	2,208	77	105	14	36	37	19
113	Diarrhea and enteritis (under 2 years)	31,444	30,588	15,230	15,358	856	16,086	639	834	129	278	265	71
114	Diarrhea and enteritis (2 years and over)	7,259	7,074	2,792	4,282	185	2,977	143	153	17	45	51	24
115	Ancylostomiasis	29	29	3	26		3						
116	Diseases due to other intestinal parasites	122	121	25	96	1	26	1	2				
117	Appendicitis and typhlitis	14,345	13,953	9,695	4,258	392	10,087	458	184	126	123	158	17
118a	Hernia	3,543	3,490	2,386	1,104	53	2,439	102	49	13	18	47	7
118b	Intestinal obstruction	6,668	6,500	3,873	2,627	168	4,041	233	130	42	51	69	17
119	Other diseases of the intestines	1,372	1,326	658	668	46	704	29	22	6	6	17	1
120	Acute yellow atrophy of the liver	368	358	199	159	10	209	11	5	1	1	2	
121	Hydatid tumor of the liver	23	23	14	9		14	2					
122	Cirrhosis of the liver	7,027	6,916	3,970	2,946	111	4,081	239	141	16	37	85	25
123	Biliary calculi	3,602	3,549	2,417	1,132	53	2,470	130	40	29	13	59	8
124	Other diseases of the liver	4,429	4,304	2,474	1,830	125	2,599	138	59	23	24	34	7
125	Diseases of the pancreas	537	525	372	153	12	384	20	6	1	3	6	2
126	Peritonitis without specified cause	1,854	1,808	928	880	46	974	43	26	4	8	15	8
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	9	8	4	4	1	5		1				
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	101,759	100,103	55,247	44,856	1,656	56,903	2,830	1,484	431	434	1,070	374
128	Acute nephritis (including unspecified under 10 years)	5,976	5,837	2,948	2,889	139	3,087	100	71	19	42	43	15
129	Chronic nephritis (including unspecified 10 years and over)	81,402	80,287	43,558	36,729	1,115	44,673	2,263	1,212	316	323	887	341
130	Chyluria	1	1		1								
131	Other diseases of the kidneys and annexa	2,531	2,457	1,444	1,013	74	1,518	87	39	16	5	30	2
132	Calculi of the urinary passages	679	660	471	189	19	490	33	4	6	2	5	1
133	Diseases of the bladder	1,081	1,066	386	680	15	401	23	20	7	8	8	4
134	Diseases of the urethra, etc	322	308	223	85	14	237	8	4			2	
135	Diseases of the prostate	4,540	4,443	2,539	1,904	97	2,636	120	73	30	28	48	3
136	Nonvenereal diseases of the male genital organs	88	84	63	21	4	67	3	1			1	1
137	Cysts, other benign tumors of the ovary	784	762	531	231	22	553	29	14	5	5	8	1
138	Salpingitis and pelvic abscess (female)	1,690	1,613	1,215	398	77	1,292	61	23	16	8	11	
139	Benign tumors of the uterus	1,783	1,726	1,293	433	57	1,350	79	19	11	7	19	6
140	Nonpuerperal uterine hemorrhage	67	67	25	42		25	1	2		1		
141	Other diseases of the female genital organs	783	760	529	231	23	552	23	2	5	5	8	
142	Nonpuerperal diseases of the breast (cancer excepted)	32	32	22	10		22						

[1] Including District of Columbia.

CAUSE, IN URBAN AND RURAL DISTRICTS: 1923—Continued

1920; the remainder of the State is included in "rural"]

DELAWARE		DISTRICT OF COLUMBIA		FLORIDA				GEORGIA				IDAHO		ILLINOIS		INDIANA		List No.
				Urban		Rural		Urban		Rural								
Urban	Rural	White	Colored	White	Colored	White	Colored	White	Colored	White	Colored	Urban	Rural	Urban	Rural	Urban	Rural	
3	8	12	6	4	1	14	18	4	7	49	51		13	77	124	28	87	78
				2		3	1	1	2	3	7		2		1		1	79
4	8	1	2	5	8	14	17	7	9	21	41	2	10	18	19	11	15	80
										2				1	4	5	2	81
			1			8	1	1	2	8	2			5	13	6	7	82
	1	2		1		4		5	2	9	3		2	18	47	10	28	83
2	7	18	3	9	1	17	6	14	2	48	22	4	10	183	148	43	85	84
			1			1			1	2			1	3	4	1	1	85
		12	2			6	2	13	3	13	3	1	5	156	49	29	33	86a
2	1	5	1	3	2	1	1	8	4	7	2	1	3	85	11	37	15	86b
231	278	850	477	405	189	797	335	551	683	1,164	890	71	401	8,731	5,584	2,705	3,970	
		4	2		3	6	2	3	5	17	17	1		32	24	18	19	87
7	4	36	41	12	19	18	10	25	51	19	31	4	23	356	142	160	63	88
8	19	45	4	58	5	65	9	42	24	96	42	4	21	265	271	143	279	89
192	220	650	370	302	150	623	288	423	554	922	751	55	297	7,317	4,407	2,017	2,972	90
7	3	10	9	2	2	9	4	3	16	7	9	1	2	102	42	28	26	91a
13	28	96	48	28	7	55	17	42	28	72	28		48	553	657	309	574	91b,c
2	2	4	1	2		8	1	8	2	11	2	6	5	59	25	23	16	92
1		2		1	2	1	1	3	1	5	1		1	33	11	5	13	93
1		3	2		1	2	1		1	3			2	10	1	2	6	94
	2					5	1	1		3	4		1	3	2		2	95
						5	1	1	1	9	5		1	1	2			96
223	179	467	511	147	157	356	228	415	699	1,134	933	27	284	5,695	2,984	1,740	1,886	
						4	10	1	1	7	22	1		12	2	1	2	97a
1		6		2	1		1	1		4	1			43	14	12	7	97b
	3	2	2	3		1		2	1	12	7		5	13	29	11	14	98
4	3	7	9		8	4	4	4	18	12	10		2	284	96	39	35	99a
2	4	13	2	3	2	11	2	5	3	15	8		11	129	112	32	57	99b
5	1			1	3	3	3	1	5	11	6			77	38	6	4	99c
1		5	12	3		8	6	1	20	17	6		1	59	64	13	21	99d
81	69	180	244	54	49	99	48	144	199	343	185	5	100	1,903	1,018	626	688	100a
1	5	2	10	2	10		4	2	3	3	7		4	69	41	13	14	100b
105	58	192	190	49	60	88	48	175	305	334	251	11	103	2,696	1,257	825	794	101a
2	20	21	13	12	13	87	74	46	99	292	372	6	44	41	42	56	123	101b
5	3	16	12	7	6	7	10	12	20	28	12		3	196	56	41	32	102
5	3	7	4	1		14	1	12	3	20	6	1	4	64	66	19	32	103
1	1	1		1	1	1		1	2	2				12	6	4	2	104
9	7	8	9	5	1	17	8	6	11	26	30		5	76	103	27	41	105
				2		2			3					7	8	4	6	106
1	2	7	4	2	3	10	9	2	6	8	10	3	2	14	32	11	14	107
134	99	362	183	255	234	642	308	502	491	1,145	766	62	202	4,947	2,577	1,741	1,529	
1	1	1	1	3	2	7	1	5	2	16	12	1	1	30	18	6	13	108
										1								109a
1		10	8	3	6	9	7	10	11	26	15	3	11	193	89	56	62	109b
								1		1	1			4		2	5	110
6	2	15	6	16	11	21	5	21	10	28	17	8	14	215	88	57	54	111a
1		11	3	2	1	4	1	8	6	6	1	1	3	89	15	26	14	111b
6	15	12	17	21	48	78	64	20	74	123	165	5	14	105	181	83	135	112
57	45	93	47	69	71	229	69	167	161	434	237	4	31	1,608	877	500	461	113
10	11	20	19	28	10	79	38	32	64	138	71	5	16	216	291	105	157	114
				1		8	1	1		7	1							115
		1	1	1		3	4			2	2			2	2		1	116
18	8	62	25	29	16	53	30	105	42	123	67	15	44	915	254	330	135	117
4	3	14	9	5	2	9	7	18	12	20	23	1	6	223	70	47	33	118a
9	1	38	20	21	18	32	25	34	37	64	55	6	14	279	155	154	89	118b
2	1	3	6	6	9	13	13	9	14	23	10	2	5	49	41	24	17	119
	2	3	1		2	2		2	4	7	2			14	16	6	6	120
				1						1	1			2	1			121
8	4	28	7	16	22	47	23	21	19	40	25	3	14	476	211	114	137	122
1		20	2	5		5	3	14	2	14	5	1	6	246	92	81	59	123
6	4	15	5	19	11	33	11	22	13	46	30	4	14	207	125	98	101	124
1		7	3	1		1		2	1	1		1	2	19	7	10	4	125
3	2	9	3	8	5	9	6	10	19	24	25	2	7	55	44	42	46	126
											1							127
178	193	446	243	257	198	561	342	617	678	1,135	914	37	178	5,146	2,784	1,534	2,080	
9	6	21	32	14	28	54	50	38	134	91	112	2	20	188	111	147	122	128
147	179	370	175	199	136	432	226	499	449	942	693	25	132	4,097	2,392	1,135	1,764	129
																		130
4	2	10	5	9	3	17	13	15	12	30	24	1	7	134	30	39	34	131
2		4	2	5		5	1	6	1	5	5		1	48	10	15	6	132
	3	3		1	5	8	12	1	9	13	21	1	3	26	27	17	31	133
			1	2	3		5	3	7	1	4		1	12	2	2	1	134
8	1	17	10	15	7	26	7	23	14	26	25	4	8	268	131	62	74	135
									3					8		1		136
1	1	4	2	1	1		3	5	4	4	3	1		65	19	15	11	137
6	1	7	7	5	4	9	9	8	18	3	10		3	105	20	50	15	138
1		7	6	3	9	4	7	10	20	8	5	3	1	142	27	35	15	139
		1	1	1			3	1	1	2	1				2		2	140
		2	2	2	2	6	6	8	5	10	10		2	50	12	16	5	141
									1		1			3	1			142

[2] A list of these cities can be found on p. 7.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH

["Urban" includes cities of 10,000 inhabitants or more in

List No.	CAUSE OF DEATH	Registration area (exclusive of Hawaii)	REGISTRATION STATES			Registration cities in nonregistration States [2]	All registration cities [1]	CALIFORNIA		COLORADO		CONNECTICUT	
			Total [1]	Urban [1]	Rural			Urban	Rural	Urban	Rural	Urban	Rural
	VIII.—The puerperal state	15,105	14,801	7,866	6,935	304	8,170	333	208	71	66	154	22
143	Accidents of pregnancy	1,544	1,509	787	722	35	822	40	20	14	8	13	3
144	Puerperal hemorrhage	1,444	1,417	723	694	27	750	31	26	5	7	12	4
145	Other accidents of labor	1,790	1,766	811	955	24	835	29	27	10	4	22	
146	Puerperal septicemia	5,657	5,539	3,269	2,270	118	3,387	143	69	27	26	57	8
147	Puerperal phlegmasia alba dolens, embolus, etc.	661	651	374	277	10	384	13	9	4	3	3	2
148	Puerperal albuminuria and convulsions	3,929	3,840	1,865	1,975	89	1,954	76	56	11	18	46	5
149	Following childbirth (undefined)	66	65	26	39	1	27	1	1			1	
150	Puerperal diseases of the breast	14	14	11	3		11						
	IX.—Diseases of the skin and of the cellular tissue	3,599	3,533	1,796	1.737	66	1,862	81	45	19	11	49	8
151	Gangrene	1,564	1,530	591	939	34	625	30	25	12	6	14	5
152	Furuncle	592	585	368	217	7	375	16	6	2	1	9	
153	Acute abscess	693	679	442	237	14	456	19	8	3	2	14	2
154	Other diseases of the skin and annexa	750	739	395	344	11	406	16	6	2	2	12	1
	X.—Diseases of the bones and of the organs of locomotion	1,279	1,251	846	405	28	874	33	10	5	6	25	5
155	Diseases of the bones (tuberculosis excepted)	1,008	985	698	287	23	721	29	8	4	4	24	5
156	Diseases of the joints (tuberculosis and rheumatism excepted)	198	194	119	75	4	123	4	2	1	2	1	
157	Amputations	6	6	2	4		2						
158	Other diseases of the organs of locomotion	67	66	27	39	1	28						
	XI.—Malformations	14,053	13,861	7,426	6,435	192	7,618	293	210	49	76	180	35
159a	Congenital hydrocephalus	1,362	1,342	734	608	20	754	31	19	1	6	25	1
159b	Congenital malformations of the heart	8,261	8,171	4,290	3,881	90	4,380	177	140	31	47	72	24
159c	Other congenital malformations	4.430	4,348	2,402	1,946	82	2,484	85	51	17	23	83	10
	XII.—Early infancy	61,573	60,514	31,204	29,310	1,059	32,263	1,208	954	288	381	843	180
160	Congenital debility, icterus, sclerema	8,621	8,479	3,561	4,918	142	3,703	137	180	35	49	111	29
161a	Premature birth	38,277	37,593	18,971	18,622	684	19,655	762	583	188	258	453	99
161b	Injury at birth	9,276	9,140	5,704	3,436	136	5,840	197	125	34	32	195	28
162	Other diseases peculiar to early infancy	5,238	5,157	2,906	2,251	81	2,987	108	61	29	41	84	24
163	Lack of care	161	145	62	83	16	78	4	5	2	1		
164	XIII.—Old age (senility)	13,346	13,147	3,102	10,045	199	3,301	220	231	50	55	56	54
	XIV.—External causes	93,296	91,625	48,969	42,656	1,671	50,640	2,973	2,495	361	690	1,057	264
	Suicide	11,287	11,096	6,473	4,623	191	6,664	660	351	72	69	148	47
165, 166	By poisons (gas excepted)	1,779	1,702	1,111	591	77	1,188	103	50	22	16	27	4
167	By poisonous gas	1,535	1,527	1,394	133	8	1,402	174	17	5	1	28	3
168	By hanging or strangulation	2,058	2,049	949	1,100	9	958	61	60	5	7	33	14
169	By drowning	701	699	368	331	2	370	30	20	3	2	14	4
170	By firearms	3,900	3,825	1,838	1,987	75	1,913	232	163	29	35	28	18
171	By cutting or piercing instruments	754	737	438	299	17	455	34	26	8	8	8	4
172	By jumping from high places	346	345	296	49	1	297	18	4			7	
173	By crushing	115	114	55	59	1	56	5	7			2	
174	By other means	99	98	24	74	1	25	3	4			1	
	Homicide	7,878	7,557	4,374	3,183	321	4,695	203	143	39	52	35	10
197	By firearms	5,648	5,422	3,010	2,412	226	3,236	139	114	31	49	11	7
198	By cutting or piercing instruments	945	884	588	296	61	649	26	8	3	1	3	
199	By other means	1,285	1,251	776	475	34	810	38	21	5	2	21	3
	Accidental or undefined	74,131	72,972	38,122	34,850	1,159	39,281	2,110	2,001	250	569	874	207
175	Poisoning by food	928	897	347	550	31	378	31	18	3	11	6	5
176	Poisoning by venomous animals	89	87	28	59	2	30	2	9	1	3		1
177	Other acute poisonings (gas excepted)	1,567	1,534	811	723	33	844	69	30	11	14	16	4
178	Conflagration	1,445	1,427	604	823	18	622	33	21	7	6	10	2
179	Burns (conflagration excepted)	6,503	6,379	3,490	2,889	124	3,614	143	94	15	20	96	9
180	Mechanical suffocation	1,059	1,048	396	652	11	407	17	24	4	7	10	1
181	Absorption of irrespirable, irritating, or poisonous gas	2,378	2,357	2,064	293	21	2,085	94	24	8	3	55	1
182	Drowning	5,976	5,927	2,186	3,741	49	2,235	90	242	6	55	59	43
183	Traumatism by firearms (except in war)	2,578	2,520	822	1,698	58	880	37	72	12	32	16	4
184	Traumatism by cutting or piercing instruments	543	532	272	260	11	283	23	8	3	4	6	1
185	Traumatism by fall	12,378	12,225	7,212	5,013	153	7,365	404	234	42	53	187	41
186a	Traumatism in mines	2,207	2,157	495	1,662	50	545	3	19	3	75		
186b	Traumatism in quarries	101	101	37	64		37	2	1				
187	Traumatism by machines	2,224	2,183	1,273	910	41	1,314	73	55	7	17	23	7
188a	Railroad accidents	7,100	6,989	3,093	3,896	111	3,204	135	201	24	63	45	16
188b	Street-car accidents	1,757	1,727	1,374	353	30	1,404	132	45	7		31	4
188c	Automobile accidents	14,411	14,157	8,948	5,209	254	9,202	621	618	62	95	210	39
188d	Airplane and balloon accidents	145	136	52	84	9	61	13	20	2	2		
188e,f	Injuries by other vehicles	1,661	1,640	775	865	21	796	31	35	7	25	24	5
188g	Landslide, other crushing	676	667	287	380	9	296	24	34	3	10	9	1
189	Injuries by animals (not poisoning)	649	637	170	467	12	182	16	17	2	12	4	3
190	Wounds of war	4	3	2	1	1	3					1	
192	Starvation (deprivation of food or water)	16	15	7	8	1	8	4	2				
193	Excessive cold	202	202	51	151		51		1		16	4	2
194	Excessive heat	529	514	283	231	15	298		14			6	1
195	Lightning	451	449	37	412	2	39	1	1	1	15		3
196	Other accidental electric shocks	945	925	431	494	20	451	20	41	2	8	13	1
201	Fracture (cause not specified)	1,104	1,089	478	611	15	493	8	8			11	5
202	Other external violence	4,492	4,435	2,087	2,348	57	2,144	84	113	18	23	32	8
203	Violent deaths of unknown causation	13	13	10	3		10						
	XV.—Ill-defined diseases	16,638	16,007	1,911	14,096	631	2,542	41	73	7	22	26	22
204	Sudden death	1,309	1,301	150	1,151	8	158	6			1	8	2
205a	Ill-defined	5,151	4,567	742	3,825	584	1,326	2	27	7	10	10	11
205b	Not specified or unknown	10,178	10,139	1,019	9,120	39	1,058	30	46		11	8	9

[1] Including District of Columbia.

CAUSE, IN URBAN AND RURAL DISTRICTS: 1923—Continued

1920; the remainder of the State is included in "rural"]

DELAWARE		DISTRICT OF COLUMBIA		FLORIDA				GEORGIA				IDAHO		ILLINOIS		INDIANA		List No.
				Urban		Rural		Urban		Rural								
Urban	Rural	White	Colored	White	Colored	White	Colored	White	Colored	White	Colored	Urban	Rural	Urban	Rural	Urban	Rural	
21	17	57	34	46	35	132	101	102	110	260	249	10	43	576	270	221	204	
1	4	8	3	6	2	12	3	6	7	22	21	1	4	58	27	12	19	143
1	1	6	3	2	3	12	3	12	5	21	26	--------	4	52	25	23	16	144
--------	1	7	2	1	4	20	24	8	7	30	41	1	4	49	39	16	18	145
15	5	24	14	14	14	41	31	37	57	62	90	7	9	253	97	115	91	146
--------	1	1	1	1	--------	2	1	7	1	7	2	--------	7	22	11	3	8	147
4	5	11	11	21	12	44	39	32	33	117	67	1	15	136	71	52	51	148
--------	--------	--------	--------	1	--------	1	--------	--------	--------	1	2	--------	--------	3	--------	--------	1	149
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	3	--------	--------	--------	150
10	7	14	8	11	8	22	6	15	15	36	22	3	7	132	86	50	67	
6	7	5	5	5	4	6	2	7	8	7	11	2	4	35	44	18	37	151
2	--------	3	--------	2	--------	7	1	4	1	12	2	--------	1	41	12	6	8	152
1	--------	2	2	3	2	5	3	1	2	6	8	1	1	21	11	13	6	153
1	--------	4	1	1	2	4	--------	3	4	11	1	--------	1	35	19	13	16	154
--------	--------	6	1	3	--------	5	1	5	3	9	7	--------	3	63	22	19	12	
--------	--------	4	1	2	--------	3	1	4	3	5	2	--------	3	57	15	17	11	155
--------	--------	2	--------	--------	--------	1	--------	--------	--------	3	2	--------	--------	9	4	1	1	156
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	157
--------	--------	--------	--------	1	--------	1	--------	1	--------	1	3	--------	--------	2	3	1	--------	158
20	11	56	13	16	9	63	11	50	20	124	37	8	39	729	351	218	276	
2	1	8	3	1	2	7	4	4	3	18	15	1	4	67	30	19	20	159a
15	8	31	6	9	2	31	3	28	11	62	9	5	26	458	212	136	180	159b
3	2	17	4	6	5	25	4	18	6	44	13	2	9	204	109	63	76	159c
68	98	197	141	133	96	288	125	327	220	824	493	31	214	2,472	1,575	833	919	
9	33	13	15	10	12	44	25	46	64	164	104	6	28	125	111	77	114	160
45	48	139	102	96	59	202	78	222	130	566	309	17	133	1,424	1,007	519	578	161a
5	9	28	14	20	10	29	12	39	8	46	24	3	39	684	400	132	124	161b
9	7	17	9	7	13	10	10	18	16	46	50	5	14	231	57	105	100	162
--------	1	--------	1	--------	2	3	--------	2	2	2	6	--------	--------	8	--------	--------	3	163
14	22	41	17	23	9	160	133	49	43	299	475	15	67	115	367	45	158	164
115	107	307	137	241	153	517	430	417	415	876	831	55	343	4,294	2,410	1,474	1,574	
11	9	67	5	31	2	49	2	63	7	90	10	7	38	577	315	193	237	
--------	--------	5	1	3	1	7	--------	20	1	9	--------	2	8	78	39	73	49	165, 166
3	--------	22	--------	4	--------	3	--------	6	--------	--------	--------	--------	--------	160	13	11	7	167
1	3	10	--------	1	--------	4	--------	2	--------	8	1	2	3	87	68	22	55	168
2	--------	4	--------	7	--------	5	1	1	--------	2	--------	--------	4	27	23	12	17	169
5	5	15	3	9	1	24	--------	31	5	61	6	2	22	162	139	59	90	170
--------	1	8	--------	5	--------	3	1	2	1	4	3	1	--------	41	19	13	11	171
--------	--------	3	1	--------	--------	--------	--------	--------	--------	2	--------	--------	1	19	7	1	1	172
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	1	5	2	7	173
--------	--------	--------	--------	2	--------	3	--------	1	--------	4	--------	--------	--------	2	2	--------	--------	174
6	3	15	33	24	75	56	159	40	139	88	249	5	11	470	164	142	43	
2	2	10	18	19	54	45	109	30	94	72	184	4	9	338	127	113	30	197
3	--------	1	7	2	17	5	26	2	36	11	34	--------	--------	51	10	16	4	198
1	1	4	8	3	4	6	24	8	9	5	31	1	2	81	27	13	9	199
98	95	225	99	186	76	412	269	314	269	698	572	43	294	3,247	1,931	1,139	1,294	
1	1	5	2	9	5	15	10	3	8	20	16	1	3	17	21	8	13	175
--------	--------	--------	--------	--------	--------	3	2	1	--------	3	--------	--------	1	4	1	1	1	176
4	3	8	3	11	3	15	10	11	9	30	23	1	2	55	32	22	16	177
1	1	3	1	1	--------	6	3	4	3	7	16	--------	5	45	51	16	25	178
15	3	17	15	11	13	23	32	23	49	89	110	--------	11	229	95	93	76	179
1	--------	1	--------	3	1	2	5	3	11	25	30	--------	5	19	30	14	22	180
6	1	26	5	2	1	2	1	2	1	3	1	--------	4	238	22	39	5	181
8	22	9	10	22	8	54	31	13	17	29	42	5	47	134	189	47	100	182
3	6	2	5	8	6	28	33	15	32	42	70	--------	11	74	72	25	53	183
--------	--------	1	2	--------	2	2	10	2	3	5	6	--------	2	28	7	8	4	184
14	12	50	11	21	3	57	18	70	21	115	32	5	30	556	288	191	284	185
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	3	--------	1	27	36	149	26	54	186a
--------	--------	--------	--------	--------	--------	1	--------	--------	--------	--------	--------	--------	--------	2	6	2	2	186b
1	2	5	2	4	4	13	6	10	5	27	20	2	9	118	48	44	22	187
3	6	8	1	12	6	40	23	33	25	75	42	5	17	323	371	168	213	188a
1	1	7	2	2	--------	1	--------	7	3	3	--------	1	--------	199	49	64	41	188b
29	26	60	26	56	9	73	32	77	45	99	38	15	36	801	230	240	193	188c
--------	1	5	--------	1	--------	8	--------	--------	--------	2	--------	--------	1	1	8	1	5	188d
2	3	5	3	2	3	4	5	6	7	16	19	--------	18	78	50	21	31	188e,f
1	--------	--------	1	1	--------	2	4	2	3	5	7	--------	13	20	16	9	7	188g
--------	3	--------	--------	--------	1	4	1	2	2	12	5	--------	6	11	29	5	19	189
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	190
--------	1	--------	--------	--------	--------	1	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	192
1	--------	--------	--------	--------	--------	--------	1	--------	--------	1	--------	--------	1	5	2	1	--------	193
2	--------	1	2	--------	1	2	2	--------	--------	4	3	--------	--------	28	17	5	7	194
--------	--------	--------	--------	1	1	5	3	1	1	16	13	--------	1	2	23	2	14	195
--------	--------	2	1	3	--------	8	1	2	2	8	2	4	10	40	26	16	18	196
--------	1	2	--------	5	1	6	6	2	2	5	2	--------	1	10	4	6	15	201
5	2	8	7	11	8	37	30	25	20	54	75	3	33	165	94	65	54	202
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	9	1	--------	--------	203
1	4	1	2	21	26	266	437	41	139	463	757	4	58	29	173	16	19	
--------	1	--------	--------	2	2	23	20	3	10	65	67	--------	6	3	21	--------	2	204
1	2	1	2	11	15	108	146	7	52	140	242	2	22	8	73	7	12	205a
--------	1	--------	--------	8	9	135	271	31	77	258	448	2	30	18	79	9	5	205b

[2] A list of these cities can be found on p. 7.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH

["Urban" includes cities of 10,000 inhabitants or more in

List No.	CAUSE OF DEATH	IOWA		KANSAS		KENTUCKY				LOUISIANA			
						Urban		Rural		Urban		Rural	
		Urban	Rural	Urban	Rural	White	Colored	White	Colored	White	Colored	White	Colored
	All causes	8,382	16,996	6,349	13,424	6,028	1,737	18,850	2,677	5,530	4,085	6,027	6,730
	I.—Epidemic, endemic, and infectious diseases	1,111	2,283	963	1,975	948	342	5,399	837	911	900	1,402	1,904
1	Typhoid and paratyphoid fever	19	57	41	70	35	12	381	47	50	21	97	100
2	Typhus fever												
3	Relapsing fever (spirillum obermeieri)												
4	Malta fever												
5	Malaria	4	3	5	6	5	3	36	9	8	17	135	138
6	Smallpox	2	4					1		1	2		1
7	Measles	59	69	40	43	39	6	346	25	40	7	54	28
8	Scarlet fever	43	102	11	61	12	1	38		5		1	1
9	Whooping cough	53	117	55	92	83	28	248	55	46	25	102	117
10	Diphtheria	96	143	39	117	29	2	301	12	36	9	82	30
11a	Influenza (with pulmonary complications)	146	463	180	488	121	35	858	111	92	75	256	161
11b	Influenza (other and unspecified)	115	395	124	388	60	20	610	63	47	23	120	127
12	Miliary fever												
13	Mumps			2	1			1			1		2
14	Asiatic cholera												
15	Cholera nostras	1	3	2	1	1		14	1			1	1
16	Dysentery	6	33	20	38	15	9	173	23	17	12	57	51
17	Plague												
18	Yellow fever												
19	Spirochetal hemorrhagic jaundice												
20	Leprosy									2	3	10	4
21	Erysipelas	19	53	10	49	14	2	44	2	13		14	2
22	Acute anterior poliomyelitis	3	18	8	21	2	1	19		3	2	7	5
23	Lethargic encephalitis	8	20	10	20	6		5	1	4	2	2	
24	Meningococcus meningitis	8	10	6	4	4		47	2	8	7	1	2
25	Other epidemic and endemic diseases	1	3	1	2			4	1	6	6	23	18
26	Glanders												
27	Anthrax	1											
28	Rabies	1		1	2							2	
29	Tetanus	8	18	21	21	9	4	28	9	29	40	34	71
30	Mycoses	1	3	1	1	1		5				2	2
	Tuberculosis (all forms)	420	681	306	477	474	188	2,182	442	417	490	352	852
31	Of the respiratory system	326	589	263	429	414	164	1,949	399	375	433	325	795
32	Of the meninges, central nervous system	21	30	14	10	23	4	63	11	14	6		2
33	Of the intestines, peritoneum	25	27	12	11	13	9	88	14	12	13	12	10
34	Of the vertebral column	13	8	4	6	9	1	10	3	4	2	3	1
35	Of the joints	5	3	2	3		1	10	2		2	4	2
36	Of other organs	16	7	4	7	6	2	34	4	4	8	4	7
37a	Disseminated (acute)	11	11	4	7	6	4	10	2	4	21	3	34
37b	Disseminated (chronic or unspecified)	3	6	3	4	3	3	18	7	4	5	1	1
38	Syphilis	56	43	57	50	27	30	36	30	75	134	38	175
39	Soft chancre										1		
40	Gonococcus infection	11	7	14	8	3	1	2	3	2	20		6
41	Purulent infection, septicemia	30	38	9	15	8		20	1	10	3	12	10
42	Other infectious diseases												
	II.—General diseases not included in Class I	1,138	2,374	776	1,441	692	104	1,288	126	657	271	472	345
	Cancer and other malignant tumors	784	1,607	509	973	440	68	864	85	439	172	307	208
43	Of the buccal cavity	19	52	22	36	12	3	27	1	25	4	10	
44	Of the stomach, liver	299	675	180	428	162	17	348	31	154	61	105	55
45	Of the peritoneum, intestines, rectum	104	246	50	128	75	5	90	12	37	29	28	16
46	Of the female genital organs	106	125	86	99	70	30	127	21	69	42	54	72
47	Of the breast	68	134	50	98	36	3	64	7	34	10	18	21
48	Of the skin	21	60	15	50	14	1	66		21	4	31	5
49	Of other or unspecified organs	167	315	106	134	71	9	142	13	99	22	61	39
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	3	14	5	10	11	3	12	1	6	3	4	2
51	Acute rheumatic fever	15	34	14	23	13	11	47	6	8	14	9	11
52	Chronic rheumatism, osteoarthritis, gout	14	33	8	19	5		22	2	6	1	8	4
53	Scurvy	1	1			1		1			1	2	
54	Pellagra		3	3	1	4		60	4	15	29	33	75
55	Beriberi											1	1
56	Rickets	4	3	2	1		2	7	1	1	2	2	2
57	Diabetes mellitus	125	335	112	206	120	10	130	7	84	25	43	26
58	Anemia, chlorosis	72	183	45	102	34	1	49	2	24	4	17	4
59	Diseases of the pituitary gland	2	1	2									
60a	Exophthalmic goiter	25	29	21	19	16	4	14	4	9	3	6	
60b	Other diseases of the thyroid gland	12	11	13	11	7		7	1	1	2	1	3
61	Diseases of the parathyroid glands	2	1	1	2			1		1	1		
62	Diseases of the thymus gland	7	6	5	4	2		2		13	2	4	3
63	Diseases of the adrenals (Addison's disease)	4	8	1	6	3		1					
64	Diseases of the spleen	1	3	2	2			2		2			
65a	Leukemia	19	27	13	16	7	2	10		11		9	2
65b	Hodgkin's disease	10	22	1	10	6		6		5	2	2	
66	Alcoholism (acute or chronic)	20	18	9	8	13	2	20	5	9	6	8	
67a	Chronic lead poisoning	2				1						1	
67b	Other chronic mineral poisoning							1					
68	Chronic poisoning by organic substances	2		3	4	1		1		3	1		
69	Other general diseases	14	35	7	24	8	1	31	8	20	3	15	4
	III.—Diseases of the nervous system and of the organs of special sense	971	2,264	683	1,825	688	156	1,672	243	481	279	454	483
70	Encephalitis	15	25	12	25	9		19	4	8	2	8	5
71a	Simple meningitis	18	31	15	27	12		102	5	11	6	8	10
71b	Nonepidemic cerebrospinal meningitis	3	7	3	9	5	1	43	4	5	1	7	5
72	Tabes dorsalis (locomotor ataxia)	20	28	10	16	12	1	23	3	7	2	8	8
73	Other diseases of the spinal cord	22	72	20	70	16	2	45	9	16	3	20	3
74a	Cerebral hemorrhage	661	1,553	473	1,206	447	105	949	123	321	202	252	271
74b	Cerebral embolism and thrombosis	19	45	15	39	9	1	8	2	10	6	5	9
75	Paralysis without specified cause	32	113	35	118	41	13	192	28	18	11	41	62
76	General paralysis of the insane	25	104	11	73	40	18	56	38	24	25	17	35
77	Other forms of mental alienation	8	47	3	49	18	3	32	6	7	1	6	12

CAUSE, IN URBAN AND RURAL DISTRICTS: 1923—Continued

1920; the remainder of the State is included in "rural"]

MAINE		MARYLAND				MASSACHUSETTS		MICHIGAN		MINNESOTA		MISSISSIPPI				MISSOURI		List No.
		Urban		Rural								Urban		Rural				
Urban	Rural	White	Colored	White	Colored	Urban	Rural	Urban	Rural	Urban	Rural	White	Colored	White	Colored	Urban	Rural	
3,730	7,935	10,136	2,862	6,630	2,483	42,054	10,112	26,293	23,054	10,963	14,358	1,279	1,633	6,481	11,005	20,128	21,915	
459	1,083	1,315	766	1,060	583	5,159	1,473	3,839	3,011	1,661	2,252	196	354	1,410	3,152	2,883	5,133	
14	38	31	14	34	21	63	7	105	98	28	32	9	20	69	149	85	215	1
																		2
																		3
																		4
	1	1		3		1		3			1	13	14	164	357	17	115	5
	3							8	6	2		1			1		4	6
36	22	60	10	67	18	294	50	178	104	152	122	11	11	73	134	152	179	7
2	14	23		24	3	139	21	174	136	87	146	2	2	8	1	44	78	8
32	99	69	40	58	97	423	78	192	152	53	100	12	12	67	170	165	201	9
18	40	86	10	53	7	520	66	417	257	120	88	8	7	95	65	139	270	10
96	180	176	71	147	64	445	155	397	393	149	324	38	24	256	344	422	1,104	11a
32	176	49	22	73	38	141	86	188	381	49	183	20	29	209	341	160	660	11b
																		12
		1				4	2	3	1							1	1	13
																		14
	5						1	5	4		1			1	1	1	6	15
1	5	35	9	26	5	11		27	38	2	11	14	4	63	78	45	144	16
																		17
																		18
						1	2		1		1	1					1	19
																	1	20
3	16	24	4	12		95	21	93	48	29	24	5	1	18	2	49	57	21
3	4	1		3	3	33	5	17	14	7	8			6	8	9	21	22
3	2	34	3	7	2	68	18	48	23	83	36	4		3	1	28	19	23
2	4	8	2	3	1	55	4	27	18	11	7	1		7	2	17	27	24
2	3	2	1	1	1	8		5	4	4	2	1	1		4	4	3	25
																		26
				1		2												27
						1								2	2	1	1	28
2	4	9	6	7	4	19	4	20	22	16	21	1	10	10	29	39	35	29
		1	1	1	1	4		1	4	2	3		1	1	3	1	2	30
183	444	626	426	526	304	2,662	903	1,647	1,201	743	1,097	46	151	341	1,256	1,290	1,896	
141	366	545	367	490	266	2,252	827	1,373	1,059	594	939	37	132	321	1,170	1,104	1,720	31
17	23	35	12	10	4	218	30	134	42	49	65	1	2	7	18	52	44	32
13	20	12	16	13	15	74	14	40	47	23	27	5	9	6	25	50	65	33
5	13	10	6	4	2	37	5	22	12	15	14		1	3	13	32	15	34
1	3	2	1	1	2	10	2	7	3	8	5		1		4	5	6	35
3	13	9		4	4	37	10	27	19	19	19	2	2	2	12	15	24	36
2	2	11	22	3	10	29	12	37	13	26	22		2	2	13	32	19	37a
1	4	2	2	1	1	5	3	7	6	9	6	1	2		1		3	37b
22	16	62	132	7	11	128	42	193	69	99	30	2	46	11	171	164	71	38
																	2	39
4	1	5	14	1	2	8	1	24	3	6		3	19	1	14	29	4	40
4	6	12	1	6	1	34	7	67	34	19	15	4	2	5	19	21	16	41
																		42
444	932	1,396	184	622	119	5,583	1,243	2,916	2,663	1,843	1,879	135	137	589	701	2,443	2,113	
318	677	974	120	446	90	3,866	894	1,788	1,728	1,267	1,239	90	77	356	313	1,680	1,496	
7	26	27	7	14	4	123	31	60	57	46	57	2	2	17	3	72	61	43
116	273	369	43	196	36	1,338	297	674	802	472	621	30	16	121	81	559	657	44
45	108	136	12	45	11	698	182	247	198	191	124	9	9	36	22	231	168	45
51	95	134	25	50	19	552	106	285	181	143	94	18	22	59	128	287	154	46
35	52	90	17	37	5	398	97	164	153	87	74	7	11	31	33	147	116	47
10	25	16	3	23	2	58	27	27	61	23	28	5		29	6	46	73	48
54	98	202	13	81	13	699	154	331	276	305	241	19	17	63	40	338	267	49
	5	5	1	4	1	31	7	21	20	20	11	1	4	7	3	16	17	50
6	14	30	18	16	7	64	18	54	63	15	32		4	17	25	41	53	51
3	12	6		8	3	31	10	30	37	5	25	2	1	3	1	11	28	52
		1		1	1	1		2			1				1	1	1	53
2	3	4	1	1		9	2	5	1	3		13	37	75	284	4	8	54
																		55
2	5	3	3	1		16	2	12	13	2	3		1	1		6	6	56
61	114	191	14	80	11	707	154	369	345	178	261	11	5	62	31	310	283	57
25	43	40	1	15	1	266	68	175	229	110	156	2	1	15	12	99	96	58
	1					5		1	1	3	2							59
1	6	25	1	10	1	40	4	88	61	65	20	6	3		1	59	28	60a
2	4	9	3	2		8	3	25	16	13	9		1	1	2	10	10	60b
		3				1		7	3	1	2						1	61
	4	9	1	1		68	7	44	15	21	8					18	4	62
4	6	6		1		17	1	8	8	8	8					1	7	63
		1				4	2	2		4						6	2	64
2	6	20	4	9		43	18	35	21	34	26		1	9	6	39	25	65a
4	4	10		2		34	6	17	9	12	17	1	1	2	1	15	10	65b
1	12	49	16	17	4	237	30	158	52	52	28	3	1	8	6	82	17	66
	3	1				10	3	2	2	3	1					2	1	67a
			1												1			67b
1	1	1				3		10	4					1		15	3	68
12	12	8		8		122	14	63	35	27	30	6		32	14	28	17	69
419	1,130	1,066	260	900	241	4,539	1,480	2,458	3,197	1,048	1,538	112	91	555	637	1,786	2,330	
	2	10	1	7	3	43	7	33	32	16	17	1	3	12	12	24	23	70
13	22	21	4	16	5	86	17	121	36	18	23	7		9	17	45	37	71a
3	5	2	2	5	1	29	5	32	17	9	11			4	7	12	16	71b
7	13	13	5	6	2	51	12	28	50	15	19		3	9	2	26	35	72
8	27	17	5	18	2	104	32	57	58	29	39	4	2	15	14	53	89	73
280	891	790	197	598	165	3,268	1,112	1,499	2,279	649	1,062	75	54	333	326	1,085	1,599	74a
13	22	24	7	15	3	106	36	56	69	30	32	3	1	8	5	28	22	74b
9	36	32	7	85	17	88	27	112	205	19	48	4	7	81	127	71	152	75
32	9	30	9	59	13	213	66	120	136	58	81	5	11	12	32	176	81	76
10	8	1	2	3	3	19	4	27	25	16	13			7	8	22	29	77

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH

["Urban" includes cities of 10,000 inhabitants or more in

List No.	CAUSE OF DEATH	IOWA		KANSAS		KENTUCKY				LOUISIANA			
		Urban	Rural	Urban	Rural	Urban		Rural		Urban		Rural	
						White	Colored	White	Colored	White	Colored	White	Colored
	III.—Diseases of the nervous system and of the organs of special sense—Continued												
78	Epilepsy	22	58	13	56	6	7	52	6	3	3	21	22
79	Convulsions (nonpuerperal; 5 years and over)			1	1			4		1	2	2	1
80	Infantile convulsions (under 5 years)	10	18	12	13	12	1	25	8	5	3	13	24
81	Chorea				2	1		2		2			
82	Neuralgia and neuritis	3	7	3	10	3		8		1		4	1
83	Softening of the brain	12	15	8	17	11		25		3	2	5	3
84	Other diseases of the nervous system	47	107	28	66	27	2	44	7	25	4	20	6
85	Diseases of the eye and annexa	2	2	1	1			3		1		2	
86a	Diseases of the ear	21	22	12	13	9	1	28		7	3	14	5
86b	Diseases of the mastoid process	31	10	8	14	10	1	12		6	3	1	1
	IV.—Diseases of the circulatory system	1,306	2,756	833	2,095	929	301	1,844	327	962	728	637	761
87	Pericarditis	3	12	6	13	4	1	18	3	2	7	3	5
88	Endocarditis and myocarditis (acute)	52	55	43	54	59	41	42	11	32	47	22	19
89	Angina pectoris	77	200	50	122	55	8	89	7	45	13	45	26
90	Other diseases of the heart	955	2,049	606	1,575	660	220	1,456	273	768	572	511	651
91a	Aneurysm	21	19	16	20	5	14	11	7	12	21	6	7
91b,c	Other diseases of the arteries	155	360	91	265	135	14	210	25	93	58	37	44
92	Embolism and thrombosis (not cerebral)	35	40	17	34	5	3	9		5	6	6	1
93	Diseases of the veins	4	14	3	7	2		5		2	2	1	3
94	Diseases of the lymphatic system	2	3		2	3				1		1	1
95	Hemorrhage without specified cause		1		1	1		2	1	1	2	3	3
96	Other diseases of the circulatory system	2	3	1	2			2		1		2	1
	V.—Diseases of the respiratory system	766	1,644	625	1,245	648	271	1,858	289	417	447	561	583
97a	Diseases of the nasal fossae	4	6	1	4	1		4				2	7
97b	Diseases of the nasal fossae annexa	10	2	3	3	4	1	2		2	2		
98	Diseases of the larynx	2	19		9	3	1	17		1	1	6	1
99a	Acute bronchitis	15	25	6	33	14	13	21	4	3	13	20	15
99b	Chronic bronchitis	23	44	10	42	23	6	51	8	12	10	16	8
99c	Bronchitis (unspecified, under 5 years)	5	9	7	9	6	4	9	4	2	3	10	9
99d	Bronchitis (unspecified, 5 years and over)	10	39	11	25	11	9	27	2	5	4	5	3
100a	Bronchopneumonia	237	489	240	440	207	74	635	92	182	173	192	183
100b	Capillary bronchitis	3	21	5	11	4	3	18	2	1	1	5	11
101a	Lobar pneumonia	283	538	272	521	280	131	693	114	157	191	183	229
101b	Pneumonia (unspecified)	106	322	18	59	22	13	268	36	19	11	81	69
102	Pleurisy	19	22	12	25	16	10	27	5	17	21	13	12
103	Congestion and hemorrhagic infarct of the lung	23	39	15	28	26	1	26	4	3	5	11	7
104	Gangrene of the lung	2	1	2	2	1		3		1	2		2
105	Asthma	19	45	10	19	19	4	35	11	7	9	10	19
106	Pulmonary emphysema		4	2	1	1		1				2	1
107	Other diseases of the respiratory system (tuberculosis excepted)	5	19	11	14	10	1	21	7	5	1	5	7
	VI.—Diseases of the digestive system	831	1,083	670	1,106	588	145	1,715	195	553	343	566	523
108	Diseases of the mouth and annexa	6	4	3	6	4	1	15	2	3	1	6	3
109a	Adenoid vegetations									1	1		
109b	Other diseases of the pharynx, tonsils	35	44	19	36	10	3	31	5	8	9	13	11
110	Diseases of the esophagus	4			3	1		1					
111a	Ulcer of the stomach	37	54	24	50	19	7	34	11	26	7	14	13
111b	Ulcer of the duodenum	20	11	10	12	8		6	4	9	4		
112	Other diseases of the stomach (cancer excepted)	26	71	33	95	24	18	178	33	14	24	74	96
113	Diarrhea and enteritis (under 2 years)	98	194	171	239	175	44	743	61	112	99	250	199
114	Diarrhea and enteritis (2 years and over)	44	93	51	139	36	7	198	17	40	33	50	52
115	Ancylostomiasis							1					
116	Diseases due to other intestinal parasites		2					3			1	1	5
117	Appendicitis and typhlitis	202	167	139	169	124	17	156	18	138	48	49	29
118a	Hernia	47	38	25	40	17	8	27	6	33	10	8	10
118b	Intestinal obstruction	96	112	50	78	36	10	83	9	37	34	21	27
119	Other diseases of the intestines	17	34	6	28	10	4	29	3	6	7	11	11
120	Acute yellow atrophy of the liver	2	7	1	6	2	1	5		5			1
121	Hydatid tumor of the liver							1					
122	Cirrhosis of the liver	50	68	44	63	38	6	48	12	57	33	36	37
123	Biliary calculi	53	54	39	48	26		38	2	12	5	4	
124	Other diseases of the liver	70	85	41	67	36	11	69	2	43	22	18	16
125	Diseases of the pancreas	7	5	6	6	5	1	6		2		1	
126	Peritonitis without specified cause	17	40	8	21	15	7	43	10	7	5	10	13
127	Other diseases of the digestive system (cancer and tuberculosis excepted)					2							
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	687	1,254	584	1,135	553	184	1,228	209	615	456	459	519
128	Acute nephritis (including unspecified under 10 years)	26	60	34	70	33	18	77	15	51	58	45	64
129	Chronic nephritis (including unspecified 10 years and over)	465	973	424	875	454	139	996	166	474	310	371	383
130	Chyluria												
131	Other diseases of the kidneys and annexa	28	37	16	37	18	3	30	6	21	5	19	14
132	Calculi of the urinary passages	5	13	10	10	1		6		3	2	3	
133	Diseases of the bladder	9	17	9	16	1	1	30	6	7	2	4	6
134	Diseases of the urethra, etc	3	1	3	2	4			1	3	11		6
135	Diseases of the prostate	77	103	42	89	20	1	39	6	21	19	10	18
136	Nonvenereal diseases of the male genital organs			3			1	1			1		1
137	Cysts, other benign tumors of the ovary	8	11	8	12	3	4	7	1	6	6	2	2
138	Salpingitis and pelvic abscess (female)	20	14	16	7	7	5	15	2	14	18	1	6
139	Benign tumors of the uterus	30	15	11	11	7	9	16	5	9	19	2	10
140	Nonpuerperal uterine hemorrhage	1	2		1		1	1		1			1
141	Other diseases of the female genital organs	14	8	8	5	5	2	10	1	4	5	2	8
142	Nonpuerperal diseases of the breast (cancer excepted)	1								1			

CAUSE, IN URBAN AND RURAL DISTRICTS: 1923—Continued

1920; the remainder of the State is included in "rural"]

MAINE		MARYLAND				MASSACHUSETTS		MICHIGAN		MINNESOTA		MISSISSIPPI				MISSOURI		List No.
		Urban		Rural								Urban		Rural				
Urban	Rural	White	Colored	White	Colored	Urban	Rural	Urban	Rural	Urban	Rural	White	Colored	White	Colored	Urban	Rural	
14	20	13	5	27	10	71	84	56	74	23	32	2	3	18	23	53	84	78
1	1	1		2		1	2	1	3		1		1	2	9	1	1	79
6	11	9	8	15	15	78	11	60	50	16	42	1	2	11	30	4	24	80
	1	1				1	1	3	3	1					1	2	3	81
1	1	6	1	2		5	1	13	11	5	4	1		4	3	4	4	82
2	6	6		7	1	19	5	9	21	5	11			8	5	15	26	83
6	41	59	3	28	1	217	48	102	94	79	65	2	2	14	7	83	64	84
						3		3	1	2		1				3	1	85
8	11	22	2	5		78	6	85	21	37	23	1		8	8	53	29	86a
6	3	9	2	2		59	4	41	12	21	15	5	2		1	26	11	86b
699	1,475	1,725	373	1,122	322	9,149	2,664	4,113	4,493	1,689	2,289	136	215	739	998	3,039	2,740	
2	10	2		3	2	24	8	27	29	6	5		2	11	9	24	29	87
18	8	29	12	26	11	239	43	191	101	52	63	7	9	20	18	115	59	88
55	150	108	9	66	14	446	174	164	254	59	93	9	9	59	14	121	163	89
473	1,052	1,416	324	891	260	6,895	1,872	3,098	3,488	1,311	1,841	99	173	558	855	2,269	2,018	90
1	3	8	3	6	1	60	15	41	17	19	15	3	2	6	12	51	38	91a
142	239	140	23	122	34	1,375	527	510	540	199	241	17	17	68	66	410	400	91b,c
4	7	10	1	5		73	12	47	42	26	14	1	1	6	3	30	20	92
4	4	10		1		29	10	19	14	15	9		1		2	13	5	93
		2	1			4	2	10	5	2	2			2	2	4	3	94
	1			1		4	1	6	1		5		1	3	11	2	4	95
	1			1					2		1			6	6		1	96
415	794	1,216	480	702	306	5,093	985	3,449	2,083	917	1,323	87	130	541	809	2,561	2,276	
				3	4	2		2	7	2	5			2	8	2	1	97a
1	1	5	1	1		13	2	10	8	9	2	4	1	2		11	7	97b
2	3	1	1	5	4	23	6	19	27	10	16			1	2	9	16	98
7	42	43	11	30	20	164	48	110	142	13	35	3	1	4	7	75	60	99a
8	20	44	6	27	6	105	32	64	126	29	61	3	2	8	9	84	82	99b
3	15	4	5	3	7	33	11	40	32	3	6	1	2	2	7	6	11	99c
6	23	6	2	18	3	65	27	34	45	10	19	1		6	9	11	21	99d
184	261	596	244	294	132	2,559	438	1,181	577	312	491	20	32	165	178	943	870	100a
2	13	10	4	9	9	39	17	25	47	1	13	4	1	5	5	15	31	100b
153	299	450	192	245	88	1,834	326	1,633	720	429	520	34	65	242	394	1,220	1,000	101a
29	77	8	3	14	12	33	28	129	155	17	62	3	15	78	154	11	44	101b
4	7	20	5	12	6	119	19	82	54	44	19	6	1	8	11	85	33	102
7	19	14		11	5	35	13	30	39	12	31	3	2	7	2	21	21	103
1	2				1	6		3	1	2	2					3	2	104
6	8	8	4	16	3	33	9	60	68	14	26	3	3	8	12	45	48	105
	1					5	1	2	9	3	3		1	1	1	4	8	106
2	3	7	2	14	6	25	8	25	26	7	12	2	4	2	10	16	21	107
303	466	788	208	496	251	2,858	409	2,653	1,730	1,053	988	188	150	597	700	1,755	1,687	
8	4	10	3	1		14	5	19	15	4	7			8	3	10	18	108
						1		1										109a
8	15	26	6	15	6	115	14	126	87	53	44	4	1	16	24	56	40	109b
1	1	1				6		5	2	3						3	1	110
17	16	26	8	8	11	137	19	96	67	58	51	6	3	12	9	75	63	111a
5	4	15		2		97	8	45	18	52	12	4		6	3	27	13	111b
26	58	25	17	42	18	69	33	162	141	16	50	7	16	63	73	51	135	112
57	132	245	96	249	151	845	121	835	512	121	242	52	21	189	241	363	514	113
9	24	43	21	54	14	107	36	141	145	56	71	16	15	74	83	89	250	114
																		115
2		1		1		1			3	1					6		2	116
68	73	103	19	23	15	500	35	462	169	252	180	45	55	83	66	419	180	117
14	13	48	4	6	6	150	21	95	64	74	50	2	3	7	18	87	40	118a
27	25	72	15	20	11	184	20	192	116	68	76	16	16	37	59	121	94	118b
7	6	9	2	5	3	36	11	29	31	8	23	1	1	11	15	23	32	119
	2	6	3			11	2	13	6	3	6			1	2	13	15	120
						1			1	1						2		121
13	34	54	6	35	7	176	32	146	163	69	72	4	6	34	44	192	121	122
22	27	39	1	7	1	214	14	76	42	117	55	6	1	12	5	88	56	123
12	15	38	4	18	5	124	26	122	108	72	27	21	8	32	28	89	72	124
2	5	10		3		37	3	21	5	5	5					17	2	125
5	12	17	3	7	3	33	8	67	35	20	17	4	4	12	21	30	39	126
							1											127
321	628	1,125	245	692	233	2,987	628	1,659	1,657	821	1,148	156	186	597	855	2,435	2,081	
18	24	44	18	50	34	117	30	114	83	24	43	12	23	41	89	86	104	128
240	527	946	199	604	186	2,337	541	1,186	1,314	537	915	114	110	483	657	1,958	1,762	129
																		130
5	11	25	4	9		90	12	65	48	60	28	9	4	27	21	67	27	131
7		8		4		37	3	8	5	15	9		1	2		15	7	132
1	10	2	2	7	2	25	3	20	51	5	17	1	6	6	8	22	26	133
2		2		1	1	14	1	7	3	2	2		3	1	6	15	3	134
13	33	61	2	8	6	167	20	101	98	87	98	9	10	20	30	101	104	135
						3		4			1		1		1	2	1	136
5	6	4	2	2	1	30	7	22	9	11	5	4	2	1	4	22	9	137
10	1	9	3		1	46	3	52	16	24	8	1	17	4	15	80	14	138
15	12	17	13	2	2	77	7	52	20	40	14	3	6	5	16	53	13	139
						1		3	1	1	1			5			2	140
5	3	7	2	5		42	1	23	9	14	6	3	3	2	8	14	9	141
	1					1		2		1	1							142

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH

["Urban" includes cities of 10,000 inhabitants or more in

List No.	CAUSE OF DEATH	IOWA		KANSAS		KENTUCKY				LOUISIANA			
		Urban	Rural	Urban	Rural	Urban		Rural		Urban		Rural	
						White	Colored	White	Colored	White	Colored	White	Colored
	VIII.—The puerperal state	107	179	111	157	65	21	267	33	92	84	133	143
143	Accidents of pregnancy	10	16	11	17	7	2	30		19	3	15	12
144	Puerperal hemorrhage	5	19	7	9	6		20	3	8	6	17	7
145	Other accidents of labor	11	33	9	14	4	3	41	6	11	2	20	16
146	Puerperal septicemia	49	66	53	71	27	13	105	14	25	33	34	43
147	Puerperal phlegmasia alba dolens, embolus, etc.	10	9	4	11	1		4			2		1
148	Puerperal albuminuria and convulsions	20	36	27	34	20	3	63	10	28	38	44	63
149	Following childbirth (undefined)	1			1			3		1		3	1
150	Puerperal diseases of the breast	1						1					
	IX.—Diseases of the skin and of the cellular tissue	36	72	18	57	22	5	51	5	21	15	21	14
151	Gangrene	17	46	7	26	10		19	5	4	7	2	10
152	Furuncle	3	9	4	6	6		11		5	2	9	1
153	Acute abscess	9	4	3	9	5	3	7		8	5	1	1
154	Other diseases of the skin and annexa	7	13	4	16	1	2	14		4	1	9	2
	X.—Diseases of the bones and of the organs of locomotion	14	10	5	11	8	3	12	2	14	4	7	3
155	Diseases of the bones (tuberculosis excepted)	11	6	4	8	8	2	10	1	11	2	6	3
156	Diseases of the joints (tuberculosis and rheumatism excepted)	2	1	1	3		1	2		3	1	1	
157	Amputations												
158	Other diseases of the organs of locomotion	1	3						1		1		
	XI.—Malformations	103	263	68	170	54	2	169	13	69	43	86	48
159a	Congenital hydrocephalus	7	32	4	9	4	1	11		3		9	10
159b	Congenital malformations of the heart	55	152	48	109	37		96	6	47	39	46	29
159c	Other congenital malformations	41	79	16	52	13	1	62	7	19	4	31	9
	XII.—Early infancy	430	894	346	650	284	54	1,091	96	201	150	336	235
160	Congenital debility, icterus, sclerema	71	168	54	114	31	13	193	16	23	28	41	81
161a	Premature birth	260	532	223	422	197	24	738	59	126	101	233	110
161b	Injury at birth	60	121	43	69	28	8	100	7	34	8	43	14
162	Other diseases peculiar to early infancy	37	73	25	45	28	8	57	14	18	13	19	25
163	Lack of care	2		1			1	3					5
164	XIII.—Old age (senility)	160	585	99	366	81	14	353	34	50	23	163	240
	XIV.—External causes	697	1,207	543	1,021	445	129	1,310	213	478	328	475	466
	Suicide	119	199	61	128	60	4	114	6	50	11	39	8
165, 166	By poisons (gas excepted)	25	27	18	27	10	1	22	1	7	2	8	2
167	By poisonous gas	21	5	1		1		1		3			
168	By hanging or strangulation	19	70	5	25	14		23	1	3		3	
169	By drowning	7	8	1	10	6		9		1	1		2
170	By firearms	35	70	29	52	22	1	48	2	33	6	27	1
171	By cutting or piercing instruments	11	12	6	7	4		8	1	3		1	2
172	By jumping from high places	1	1			3	1	2			1		1
173	By crushing		4		1		1				1		
174	By other means		2	1	6			1	1				
	Homicide	25	27	69	53	42	63	176	68	51	125	44	117
197	By firearms	19	17	48	37	34	51	160	56	38	98	38	87
198	By cutting or piercing instruments		2	7	2	3	12	6	9	6	22	2	16
199	By other means	6	8	14	14	5		10	3	7	5	4	14
	Accidental or undefined	553	981	413	840	343	62	1,020	139	377	192	392	341
175	Poisoning by food	10	16	8	19	9		14	6	6	3	15	7
176	Poisoning by venomous animals		4		4			2		1		3	
177	Other acute poisonings (gas excepted)	11	27	11	20	6	1	26	1	11	18	10	13
178	Conflagration	9	18	28	24	8	2	11	6	4	2	7	5
179	Burns (conflagration excepted)	32	68	31	55	25	7	157	18	42	29	36	45
180	Mechanical suffocation	11	25	14	15	2		17	4	3	3	3	10
181	Absorption of irrespirable, irritating, or poisonous gas	33	9	7	7	2		1	1	12	3		
182	Drowning	32	67	16	60	24	3	73	9	36	11	66	70
183	Traumatism by firearms (except in war)	19	34	11	31	14	4	72	12	14	14	24	33
184	Traumatism by cutting or piercing instruments	4	4	5	13		1	15	4	3	3	3	2
185	Traumatism by fall	88	191	77	158	60	5	151	11	76	15	26	24
186a	Traumatism in mines	2	23		25	7	2	128	22				
186b	Traumatism in quarries				1	1		3	2				
187	Traumatism by machines	20	28	19	23	9	3	22		11	7	26	14
188a	Railroad accidents	60	95	52	91	49	3	120	14	30	21	33	24
188b	Street-car accidents	21	3	6	4	7		1		11	2		
188c	Automobile accidents	102	140	68	149	75	15	70	6	72	20	50	16
188d	Airplane and balloon accidents		2	2	2								
188e,f	Injuries by other vehicles	9	41	6	26	3		15	6	4	4	12	4
188g	Landslide, other crushing	7	5	1	7	7	3	6	1	3	4	1	3
189	Injuries by animals (not poisoning)	6	14	2	19	3	1	13	1	2	2	3	
190	Wounds of war												
192	Starvation (deprivation of food or water)							1					
193	Excessive cold	2	1	3	1			2	1		1		4
194	Excessive heat	3	10	9	7	3	5	5	2		3	1	5
195	Lightning	2	11		21		1	14		2		18	9
196	Other accidental electric shocks	7	17	6	13	7		8		11	1	4	
201	Fracture (cause not specified)	26	66		3	4	2	8		4	4	4	5
202	Other external violence	37	62	31	42	18	4	65	12	19	22	47	48
203	Violent death of unknown causation												
	XV.—Ill-defined diseases	25	128	25	170	23	6	593	55	9	14	255	463
204	Sudden death	1	12		1	2		40	5			28	41
205a	Ill-defined	16	61	8	57	12	5	205	15	5	4	58	109
205b	Not specified or unknown	8	55	17	112	9	1	348	35	4	10	169	313

CAUSE, IN URBAN AND RURAL DISTRICTS: 1923—Continued

1920; the remainder of the State is included in "rural"]

MAINE		MARYLAND				MASSACHUSETTS		MICHIGAN		MINNESOTA		MISSISSIPPI				MISSOURI		List No.
		Urban		Rural								Urban		Rural				
Urban	Rural	White	Colored	White	Colored	Urban	Rural	Urban	Rural	Urban	Rural	White	Colored	White	Colored	Urban	Rural	
54	99	100	24	51	33	519	42	436	218	165	174	31	25	106	216	245	247	
5	17	15		11	6	38	3	46	34	15	11	1	2	12	20	40	18	143
7	10	7	6	11	4	50	5	46	24	12	25	3	1	10	19	16	24	144
8	11	12		1	4	85	7	38	26	9	15	1	3	10	36	13	33	145
12	19	40	13	17	7	164	10	204	71	92	63	10	12	34	72	120	107	146
7	9	2	1		1	54	9	18	12	10	17		1	2	1	9	4	147
14	31	23	4	10	11	125	8	81	49	27	41	16	6	37	67	47	60	148
1	2			1		3		2	2		2			1	1		1	149
		1						1										150
15	25	26	5	27	4	105	23	80	100	29	31	7	5	14	20	63	77	
9	19	9	4	19	4	24	12	24	59	10	18		4	6	11	21	38	151
2	1	9		2		30	4	14	7	4	4	1		4	2	17	17	152
2	1	6		3		22	2	20	13	5	2	6	1	1	4	18	7	153
2	4	2	1	3		29	5	22	21	10	7			3	3	7	15	154
3	4	11	3	4	2	62	6	38	23	20	19	4	2	4	9	29	12	
2	4	10	3	3	1	50	4	29	15	14	12	3	1	3	7	27	9	155
1		1		1		11	1	8	4	3	5	1			1	2	1	156
								1	1								1	157
					1	1	1		3	3	2		1	1	1		1	158
36	91	136	23	78	22	679	97	371	287	138	245	10	2	55	15	210	222	
3	12	22	3	3	1	90	9	40	25	17	29		2	7	6	24	14	159a
21	49	91	19	54	14	364	64	195	169	62	134	5		20	2	108	147	159b
12	30	23	1	21	7	225	24	136	93	59	82	5		28	7	78	61	159c
235	443	493	122	307	162	2,324	378	1,774	1,163	648	949	57	30	340	249	781	957	
37	101	54	5	52	43	238	63	261	235	54	112	4	2	54	44	58	147	160
143	261	310	84	183	89	1,322	212	1,120	676	431	604	45	24	230	172	531	632	161a
38	42	55	8	36	11	524	60	249	131	108	131	4	3	33	11	119	99	161b
17	36	73	24	36	18	234	43	143	119	55	100	3	1	23	22	70	75	162
	3	1	1		1	6		1	2		2	1				3	4	163
36	252	59	3	55	22	96	60	198	455	39	212	15	14	128	305	43	262	164
246	444	673	163	457	119	2,794	594	2,231	1,755	880	1,156	126	151	415	682	1,788	1,378	
32	64	98	4	69	4	360	90	249	184	130	134	8	2	23	9	298	202	
6	2	6		8		39	5	60	20	23	16	2	1	1		81	41	165, 166
4		28	1			111	7	34	6	23	1	1				38	1	167
2	13	22	2	11		69	28	39	48	26	49			3		33	34	168
4	10	5		5	1	31	10	13	15	6	16			2	2	15	14	169
11	35	27	1	39	1	57	28	73	74	31	43	5		16	4	95	95	170
3	4	6		4	1	30	9	20	14	15	6		1		1	21	12	171
1		4		1		19	1	8	2	5	1			1		12		172
				1	1	4	1			1	1					1	1	173
1							1	2	5		1				2	2	4	174
2	11	21	36	20	18	93	17	207	43	39	31	11	37	64	199	320	103	
	7	15	23	13	10	40	11	144	30	25	16	8	27	55	158	244	76	197
1	1	1	9	2	3	11	2	39	5	1	4	2	5	2	21	38	9	198
1	3	5	4	5	5	42	4	24	8	13	11	1	5	7	20	38	18	199
212	369	554	123	368	97	2,341	487	1,775	1,528	711	991	107	112	328	474	1,170	1,073	
6	6	8	2	4	4	12	8	17	21	2	9	2	3	5	9	15	25	175
								1	2	1						3	3	176
6	5	15	2	8		40	1	44	27	20	21			11	8	28	25	177
	14	6	2	10	4	43	11	12	52	9	35	2	4		18	17	31	178
9	24	46	21	19	12	240	24	155	83	53	61	12	14	40	89	89	83	179
1	6	1	2	8	7	38	7	36	35	13	16		3	4	14	9	22	180
5	1	39	4	8		181	14	53	14	47	6	1				36	5	181
18	60	37	15	64	21	160	94	97	185	41	136	9	8	20	50	35	113	182
3	22	12	4	18	10	18	7	44	55	12	44	10	24	30	78	37	56	183
4	5	2	1	3	1	18	1	12	13	6	14		2	2	7	7	12	184
66	76	119	13	42	5	564	101	274	209	162	143	7	4	56	31	266	192	185
		2		6				4	34	8	15					4	34	186a
	2		1	1	1	2			1	1						4	4	186b
4	17	16	7	7	1	78	7	53	35	26	38	3	3	16	11	34	23	187
14	19	36	6	26	2	94	46	164	146	52	106	18	13	34	32	92	121	188a
9	3	16	3	7		63	5	78	38	12		1				31	1	188b
36	55	135	28	71	9	507	104	470	268	163	165	20	7	37	14	295	103	188c
		1				2		1	1		2			1		2	1	188d
5	14	17	2	8	3	60	14	25	42	17	42		1	7	12	33	37	188ef
1	2	2	1	3		16		16	19	5	4	1	1	2	5	9	16	188g
1	5	3		2	2	7	3	4	25	6	24	1	1	5	4	8	31	189
																		190
						1		1	1									192
2	3	1	1	4	1	4	3	1	11	1	16			1	2	1	2	193
2	1	5	2	7	3	17	3	17	8	2	4	1			2	14	14	194
				8	4			2	20		6			12	16	1	16	195
4	3	8		6	2	22	10	16	26	11	14	1		4	3	19	22	196
	2	3		13	1	24	4	70	55	3	2	8	4	3	10	19	8	201
16	24	24	6	15	4	129	19	108	102	38	68	10	20	38	59	62	73	202
						1	1											203
45	69	7	3	57	64	107	30	78	219	12	155	19	141	391	1,657	67	400	
18	12			1	1	9	6	3	15	1	19	1	7	37	103		26	204
11	16	5	2	25	17	79	19	38	77	3	48	4	20	51	103	49	112	205a
16	41	2	1	31	46	19	5	37	127	8	88	14	114	303	1,451	18	262	205b

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH

["Urban" includes cities of 10,000 inhabitants or more in

List No.	CAUSE OF DEATH	MONTANA		NEBRASKA		NEW HAMPSHIRE		NEW JERSEY		NEW YORK		NORTH CAROLINA			
												Urban		Rural	
		Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	White	Colored	White	Colored
	All causes	1,580	3,313	3,971	8,661	2,921	3,826	26,384	15,108	106,024	35,061	3,262	2,838	16,451	9,591
	I.—Epidemic, endemic, and infectious diseases	239	576	512	1,210	367	509	3,431	2,445	13,752	4,669	630	644	3,271	2,362
1	Typhoid and paratyphoid fever	7	9	8	33	8	7	81	30	242	76	22	21	109	108
2	Typhus fever														
3	Relapsing fever (spirillum obermeieri)														
4	Malta fever														
5	Malaria				1	1			1	4	3	6	24	71	68
6	Smallpox	2	1		2						1	2	1	6	4
7	Measles	9	10	3	37	17	12	220	168	605	127	56	27	336	169
8	Scarlet fever	2	15	8	51	2	1	53	42	231	54	4	2	22	2
9	Whooping cough	1	22	47	53	33	35	146	87	404	157	49	28	227	188
10	Diphtheria	15	36	62	74	17	24	303	177	871	156	32	6	244	68
11a	Influenza (with pulmonary complications)	21	78	72	275	72	127	410	260	1,208	597	79	106	623	316
11b	Influenza (other and unspecified)	12	47	41	261	25	78	112	129	505	437	26	46	285	172
12	Miliary fever														
13	Mumps				2			4	2	8	4			3	1
14	Asiatic cholera														
15	Cholera nostras		1	1	1			1	1	3			3	3	1
16	Dysentery	2	6	3	13	1	3	16	9	23	18	3	17	125	72
17	Plague														
18	Yellow fever														
19	Spirochetal hemorrhagic jaundice								1	5	3				2
20	Leprosy														
21	Erysipelas	10	11	10	37	7	7	62	30	291	61	3		49	6
22	Acute anterior poliomyelitis	2	4	9	16	1		26	16	89	39	1	2	14	8
23	Lethargic encephalitis	8	5	8	13	3		92	22	398	38	4		8	4
24	Meningococcus meningitis	2	5	5	6	5		41	5	108	12	5	2	18	5
25	Other epidemic and endemic diseases	1	13	1	4	1	1	3	5	19	3			5	1
26	Glanders														
27	Anthrax							1		2					
28	Rabies	1						1	2	4		1		2	2
29	Tetanus	3	1	5	13		1	37	12	75	10	10	15	9	17
30	Mycoses	1						2		10	2		2	1	10
	Tuberculosis (all forms)	118	277	179	282	164	199	1,647	1,384	7,894	2,717	306	284	1,051	1,026
31	Of the respiratory system	102	242	142	231	111	183	1,411	1,279	6,830	2,500	290	248	946	944
32	Of the meninges, central nervous system	7	14	13	13	26	6	90	41	538	83	8	6	25	14
33	Of the intestines, peritoneum	4	10	9	10	14	3	59	26	170	51	4	18	44	33
34	Of the vertebral column	1	2		5	1		10	6	76	13	2		6	6
35	Of the joints	1		1	2			12	4	17	12		4	5	7
36	Of other organs	2	4	5	12	9	3	21	14	86	30	2	3	12	10
37a	Disseminated (acute)	1	3	7	8	2	4	40	13	162	19		4	13	10
37b	Disseminated (chronic or unspecified)		2	2	1	1		4	1	15	9		1		2
38	Syphilis	17	26	36	23	7	9	140	52	648	117	13	45	31	98
39	Soft chancre														
40	Gonococcus infection	2	1	6		1	1	14	3	44	4	2	7	3	4
41	Purulent infection, septicemia	3	8	8	13	2	4	19	7	60	33	6	6	26	10
42	Other infectious diseases									1					
	II.—General diseases not included in Class I	187	342	572	1,111	322	490	3,007	1,617	14,014	3,998	282	138	1,210	431
	Cancer and other malignant tumors	116	217	372	700	223	326	2,029	1,133	9,403	2,844	176	82	726	236
43	Of the buccal cavity	3	6	17	19	2	8	67	46	305	93	3	3	21	12
44	Of the stomach, liver	49	96	148	316	76	106	780	424	3,471	1,072	57	17	266	59
45	Of the peritoneum, intestines, rectum	22	25	54	98	41	62	295	180	1,533	410	16	6	75	13
46	Of the female genital organs	13	24	51	62	38	42	281	161	1,143	333	39	38	115	88
47	Of the breast	8	19	22	48	27	29	188	119	879	290	19	5	62	20
48	Of the skin	3	4	9	24	4	17	28	35	168	94	5		50	5
49	Of other or unspecified organs	18	43	71	133	35	62	390	168	1,904	552	37	13	137	39
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	1	3	2	5	2	3	16	14	89	28	3		9	7
51	Acute rheumatic fever	2	14	10	36	7	2	96	49	324	67	2	6	35	32
52	Chronic rheumatism, osteoarthritis, gout	1	8	2	9	1	5	19	16	67	39	1	2	14	4
53	Scurvy							1	2	9					1
54	Pellagra			1	1	1	1	2		13	1	28	18	127	66
55	Beriberi														
56	Rickets	1	3	1	4			10	6	53	7	4	4	6	4
57	Diabetes mellitus	17	41	83	210	51	73	457	219	2,271	515	32	16	141	43
58	Anemia, chlorosis	16	12	36	65	13	42	96	54	442	219	13		41	3
59	Diseases of the pituitary gland			1				1	2	8	2			1	
60a	Exophthalmic goiter	4	12	6	14	2	1	26	10	186	52	2		10	3
60b	Other diseases of the thyroid gland	3	2	6	5	1	2	16	4	54	14	1	3	7	4
61	Diseases of the parathyroid glands			1					3	7	5			3	1
62	Diseases of the thymus gland	3	1	9	5	1	1	19	4	81	17	2		5	4
63	Diseases of the adrenals (Addison's disease)	2	1	2	2	3		8	4	30	16	1		3	
64	Diseases of the spleen				1		1	3		7	2			4	
65a	Leukemia	2	4	14	11	2	1	32	16	190	30	2	1	14	2
65b	Hodgkin's disease	2	2	2	11	1	1	23	12	121	21	1		8	1
66	Alcoholism (acute or chronic)	11	14	14	10	9	16	87	47	401	68	4	3	12	5
67a	Chronic lead poisoning					1	6	4	1	20	5		1	1	
67b	Other chronic mineral poisoning			1				2	1	2	1	2			
68	Chronic poisoning by organic substances		1	1		2	1	2	1	55	4			2	
69	Other general diseases	6	7	8	22	2	8	58	19	181	41	8	2	41	15
	III.—Diseases of the nervous system and of the organs of special sense	126	319	380	1,113	370	558	2,528	1,999	9,110	4,905	339	250	1,687	837
70	Encephalitis	3	4	10	6	1	4	46	20	73	25	6	2	18	12
71a	Simple meningitis	1	9	5	11	13	7	62	29	212	63	9	5	50	23
71b	Nonepidemic cerebrospinal meningitis	1	10	1	6	4	1	30	9	72	29	9	3	19	10
72	Tabes dorsalis (locomotor ataxia)	2	4	8	16	6	10	39	31	142	57	2		12	7
73	Other diseases of the spinal cord	6	14	12	37	8	17	69	38	204	123	6	6	31	2
74a	Cerebral hemorrhage	84	179	271	755	256	430	1,790	1,432	5,996	3,526	200	179	1,048	484
74b	Cerebral embolism and thrombosis	2	3	12	27	19	13	60	42	275	137	2	4	19	5
75	Paralysis without specified cause	4	14	13	54	5	17	74	74	211	125	21	22	274	135
76	General paralysis of the insane	2	39	4	45	23	8	67	146	548	333	7		15	19
77	Other forms of mental alienation	1	10	2	16	3	7	15	25	160	40	25	1	22	18

CAUSE, IN URBAN AND RURAL DISTRICTS: 1923—Continued

1920; the remainder of the State is included in "rural"]

OHIO		OREGON		PENNSYLVANIA		RHODE ISLAND		SOUTH CAROLINA				TENNESSEE				UTAH		List No.
								Urban		Rural		Urban		Rural				
Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	White	Colored	White	Colored	White	Colored	White	Colored	Urban	Rural	
42,128	32,926	4,024	4,986	65,427	55,195	7,244	1,378	1,627	2,085	6,654	10,301	5,148	3,791	15,037	4,526	2,134	2,379	
6,576	5,501	574	694	9,322	9,152	1,023	281	235	435	1,354	2,703	1,033	1,015	4,775	1,658	255	288	
135	176	11	28	205	242	6	1	16	24	90	183	35	52	292	123	5	36	1
																		2
																		3
																1		4
3	2			4	6	1		2	11	38	218	14	28	116	54			5
2	4									1	1		1	3		13	1	6
330	270	16	12	789	843	171	27	8	6	103	93	124	43	298	56	3	2	7
197	130	2	9	220	180	10		1		5	1	8	2	22	5	2	6	8
272	247	18	23	387	604	93	19	15	20	75	143	32	17	159	79	9	19	9
451	247	38	40	766	651	69	10	17	8	81	50	26	14	185	29	18	32	10
902	1,041	57	98	1,270	1,570	72	21	52	70	288	265	171	212	945	231	29	53	11a
386	744	34	88	422	802	44	12	21	19	122	248	81	69	459	148	15	36	11b
4				3	4	1								2		1	1	12
																		13
																		14
1	3			4	24	2				1	1		1	7	1			15
37	52	1	4	27	42	13		3	6	88	132	34	13	181	40	2	1	16
																		17
1	1				2													18
																		19
92	94	13	6	135	157	15	1	3		17	2	9	6	31	5	10	9	20
8	18	3	1	22	44	3			1	8	6	2	1	18	6		1	21
99	48	21	9	112	53	10	1	7		8	4	10	2	11		4	5	22
42	19	1	3	50	26	15		3		6	2	5	4	29	1	3	1	23
6	7		4	16	6	2			1	2	3			7		2	3	24
																		25
				2	3													26
	3		1		3						1			1				27
46	48		6	92	57	2	1	2	19	8	16	8	14	25	9	4	3	28
3	6	1		6	2	1			1	2	28	1		4				29
3,078	2,173	314	332	4,255	3,562	446	182	73	203	385	1,173	417	463	1,935	809	107	71	30
2,555	1,919	251	281	3,593	3,110	346	159	66	181	359	1,110	342	395	1,752	741	82	57	31
177	77	12	19	286	136	57	8	3	2	7	8	32	8	54	15	9	2	32
136	76	26	10	157	137	19	5	1	3	5	24	21	25	79	23	6	3	33
53	28	4	3	59	36	8	1		2	3	1	7	3	6	2	4	3	34
11	11	3	1	11	21	3	1	1	1	2	5	1	2	5	4	2		35
53	23	13	8	50	40	1	2		1	4	10	6	6	21	9	2	4	36
69	27	4	5	68	57	10	3	2	10	5	12	5	22	16	15	2	2	37a
24	12	1	5	31	25	2	3		3		3	3	2	2				37b
382	127	35	23	415	191	36	5	9	41	20	114	41	62	31	52	25	3	38
47	9	5		54	11	2			4		3	7	9	2	1			39
52	32	4	7	66	66	9	1	3	1	6	16	8	2	12	4			40
					1										5	2	5	41
																		42
4,959	3,589	575	611	6,865	5,246	890	157	196	165	543	448	495	199	1,089	205	277	223	
3,309	2,475	423	417	4,742	3,511	614	103	102	47	306	202	307	123	653	109	173	143	
115	107	14	14	174	108	30	2	7	2	10	8	11	5	27		4		43
1,258	1,053	155	197	1,714	1,494	195	37	26	12	105	73	91	33	234	28	55	72	44
449	324	68	53	678	460	99	25	13	7	17	6	35	7	65	9	27	15	45
509	296	47	38	714	488	97	12	23	15	67	63	55	45	90	50	26	11	46
261	211	48	33	492	324	65	10	3	3	19	11	29	12	65	9	18	13	47
72	98	7	16	93	124	13	2	3	1	28	11	16		53	1	4	13	48
645	386	84	66	877	513	115	15	27	7	60	30	70	21	119	12	39	19	49
40	23	1	4	39	18	2	1	2	1	4	2	1	1	7	1	2	1	50
88	80	6	11	182	143	15	3	1	5	15	29	2	15	31	8	5	6	51
32	48	2	5	48	69	12	2	2	1	4	9	7	2	20	1	2	2	52
1	1			4	1	1					2							53
	1		1	6	2	1		42	96	80	114	43	21	187	47			54
																		55
20	6	4		38	28	2	1				3	1		2	1			56
694	499	56	87	944	768	125	24	21	10	73	46	58	10	81	19	38	39	57
239	171	26	24	239	243	29	10	8		6	4	26	4	43	1	19	6	58
				4	1											1		59
154	98	20	23	86	75	4	1	1		2	4	10	5	7	5	8	3	60a
29	11	8	7	47	16			1		3	1	2	5	5	1	1	1	60b
1	2			4	3	1			1		1	1		2				61
62	22	4	6	62	26	8	1	3		5	1	1	1	1		2	3	62
17	11	3	1	16	7	2		1				4		3	1	1	2	63
5	6		1	4	4			2		1	1	1			1			64
51	30	11	3	78	39	10	1	1	1	7	1	6	1	8	1	7	3	65a
33	25		4	32	26	6	1			1	3	2	1	2		1	2	65b
110	32	7	8	195	194	35	7	2	1	6	7	12	6	9	4	5	5	66
6	3			9	3	2							1	1		1	2	67a
2	1	1		1	1	1				1	1				1		1	67b
11	3			5	2					2		1		3		2		68
55	41	3	9	80	66	20	2	7	2	27	17	10	3	24	4	9	4	69
4,654	4,623	544	647	5,702	6,482	910	159	201	224	655	834	396	264	1,138	308	240	194	
35	29	8	6	65	54	10		2	2	7	11	9		8	3	3	3	70
101	58	5	4	180	158	17	3	6	7	19	13	15	11	31	4	6	2	71a
31	31	4	4	45	42	8	5	1	1	6	9	5	2	23	2		3	71b
86	62	8	8	99	106	14	2	1		4	4	9		10			1	72
119	98	17	13	129	127	13	2	3	3	14	8	8	14	35	10	3	5	73
3,263	3,350	342	497	3,745	4,527	671	126	129	162	424	422	238	162	613	152	154	136	74a
86	56	25	9	197	110	29	5	4	1		3	12	4	14	4	1	5	74b
61	163	11	42	171	177	18	7	6	8	114	225	28	38	172	46	3	5	75
355	243	57	12	293	373	40	1	12	16	3	6	10	3	53	20	16		76
47	37	18	10	37	47	10		6	9	2	3	3		21	7	16	3	77

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH

["Urban" includes cities of 10,000 inhabitants or more in

List No.	CAUSE OF DEATH	MONTANA		NEBRASKA		NEW HAMPSHIRE		NEW JERSEY		NEW YORK		NORTH CAROLINA			
												Urban		Rural	
		Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	White	Colored	White	Colored
	III.—Diseases of the nervous system and of the organs of special sense—Con.														
78	Epilepsy	1	7	2	40	9	11	29	51	143	142	10	4	42	57
79	Convulsions (nonpuerperal; 5 years and over)		3				1	3		7	4	1		8	8
80	Infantile convulsions (under 5 years)	1	5	4	21	1	3	26	23	58	38	4	4	28	27
81	Chorea		2		1			3		8	3			4	1
82	Neuralgia and neuritis		1	1	6	1	2	4	3	25	6	1	1	3	
83	Softening of the brain	2	1	1	6	1	3	8	10	40	52	3	1	12	1
84	Other diseases of the nervous system	7	8	13	48	13	18	83	52	485	144	19	11	54	19
85	Diseases of the eye and annexa					1		1	4	4	2	2	1	1	
86a	Diseases of the ear	6	4	13	13	3	5	48	7	243	32	5	3	21	4
86b	Diseases of the mastoid process	3	2	8	5	3	1	71	3	204	24	7	3	6	5
	IV.—Diseases of the circulatory system	223	420	567	1,190	552	872	4,769	3,070	21,980	8,373	360	269	1,746	865
87	Pericarditis	1		6	8		3	18	10	44	29	1	1	9	6
88	Endocarditis and myocarditis (acute)	10	22	19	31	14	14	242	101	633	159	13	12	29	18
89	Angina pectoris	5	19	23	78	70	72	196	183	969	456	33	9	77	25
90	Other diseases of the heart	176	342	430	918	380	589	3,883	2,432	18,119	6,415	274	219	1,527	761
91a	Aneurysm	3	6	18	15	2	3	37	15	205	49	6	10	12	5
91b,c	Other diseases of the arteries	21	23	58	102	70	180	321	300	1,746	1,191	25	11	69	33
92	Embolism and thrombosis (not cerebral)	1	5	9	25	15	11	45	20	182	60	5	4	13	2
93	Diseases of the veins	4	2	3	7	1		19	6	65	12	1	1	1	1
94	Diseases of the lymphatic system		1	1	4			7	1	12	1	1		3	2
95	Hemorrhage without specified cause	2			2			1	2	4			1	1	7
96	Other diseases of the circulatory system									1	1	1	1	5	5
	V.—Diseases of the respiratory system	152	320	391	783	288	380	3,186	1,492	12,036	3,131	222	366	1,444	818
97a	Diseases of the nasal fossae	1	1		3			6	2	16	3	2	2	10	21
97b	Diseases of the nasal fossae annexa	1		10	3		1	10	1	58	6	2	1	7	3
98	Diseases of the larynx		7	5	7	2	1	14	8	42	20	1	3	18	3
99a	Acute bronchitis	1	9	4	17	15	15	151	49	382	165	2	8	24	10
99b	Chronic bronchitis	1	5	10	19	13	11	74	33	226	113	3	4	19	9
99c	Bronchitis (unspecified, under 5 years)		4	1	3	2	5	36	12	46	32		6	17	17
99d	Bronchitis (unspecified, 5 years and over)	1	2	3	20	2	13	32	18	105	50	2	5	18	8
100a	Bronchopneumonia	50	108	131	244	97	139	1,047	486	4,338	1,161	93	118	544	263
100b	Capillary bronchitis		3	1	9	1	9	18	18	212	55		7	8	8
101a	Lobar pneumonia	74	119	179	276	119	136	1,545	714	5,727	1,203	76	159	489	263
101b	Pneumonia (unspecified)	7	38	25	120	18	25	89	57	284	120	17	29	210	155
102	Pleurisy	4	5	8	15	8	6	75	32	331	78	6	5	21	12
103	Congestion and hemorrhagic infarct of the lung	1	7	5	21	6	11	25	27	87	50	9	3	17	9
104	Gangrene of the lung			1	1	1	1	5	2	17	1			1	
105	Asthma	4	9	4	24	2	4	36	12	87	50	6	12	24	18
106	Pulmonary emphysema	1	2					5	8	23	2			2	
107	Other diseases of the respiratory system (tuberculosis excepted)	6	1	4	1	2	3	18	13	55	22	3	4	15	19
	VI.—Diseases of the digestive system	176	273	442	793	255	184	2,304	855	8,134	1,883	364	327	1,596	770
108	Diseases of the mouth and annexa		2	4	7	2	2	15	8	50	19	3	1	12	4
109a	Adenoid vegetations									1					
109b	Other diseases of the pharynx, tonsils	8	15	18	37	6	9	73	36	251	54	10	7	37	16
110	Diseases of the esophagus			2	1	1	1	5	1	9	5			2	2
111a	Ulcer of the stomach	9	4	15	25	12	8	99	19	428	95	11	8	32	14
111b	Ulcer of the duodenum	4	10	7	9		2	25	8	166	19	4		9	1
112	Other diseases of the stomach (cancer excepted)	3	16	14	53	18	21	67	71	168	217	11	28	120	89
113	Diarrhea and enteritis (under 2 years)	29	70	55	158	93	33	764	331	2,551	472	130	146	769	411
114	Diarrhea and enteritis (2 years and over)	6	28	15	71	13	16	133	68	308	185	32	31	231	81
115	Ancylostomiasis													2	1
116	Diseases due to other intestinal parasites								1	2	1	1		4	5
117	Appendicitis and typhlitis	46	51	121	146	40	23	390	57	1,465	166	74	42	115	47
118a	Hernia	9	15	24	23	14	10	127	31	458	70	9	7	19	18
118b	Intestinal obstruction	15	19	60	71	28	23	122	52	554	138	31	21	66	29
119	Other diseases of the intestines	5	5	10	17	3	2	36	10	89	29	1	3	12	6
120	Acute yellow atrophy of the liver	1	1		4		1	8	3	35	6			4	
121	Hydatid tumor of the liver									2	1			1	
122	Cirrhosis of the liver	16	13	23	62	9	15	214	91	708	204	12	10	59	19
123	Biliary calculi	6	11	27	37	10	3	112	28	342	44	16	1	23	2
124	Other diseases of the liver	18	7	28	43	3	10	65	21	364	105	14	11	52	11
125	Diseases of the pancreas		1	4	7			26	7	55	10	1		5	1
126	Peritonitis without specified cause	1	5	15	22	3	5	23	12	128	43	4	11	22	13
127	Other diseases of the digestive system (cancer and tuberculosis excepted)														
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	144	178	348	670	230	272	2,503	1,437	10,313	2,979	313	270	1,282	687
128	Acute nephritis (including unspecified under 10 years)	14	13	14	43	17	19	148	84	348	152	23	39	97	66
129	Chronic nephritis (including unspecified 10 years and over)	106	134	236	526	179	223	2,049	1,266	8,716	2,518	227	178	1,061	539
130	Chyluria														
131	Other diseases of the kidneys and annexa	4	8	14	10	3		54	13	209	61	17	8	39	22
132	Calculi of the urinary passages	1	2	3	2	1	1	16	5	93	16	7		5	2
133	Diseases of the bladder	2	3	1	10	5	7	14	13	36	44		2	20	12
134	Diseases of the urethra, etc	2		1				11	2	34	4	2	1	2	5
135	Diseases of the prostate	4	9	37	53	14	13	78	31	402	116	17	6	33	16
136	Nonvenereal diseases of the male genital organs			1		1		5	1	6	1		1		
137	Cysts, other benign tumors of the ovary	1	2	4	3			19	2	84	16	3	1	3	1
138	Salpingitis and pelvic abscess (female)	3	5	18	12	2	4	48	7	156	18	7	18	6	11
139	Benign tumors of the uterus	3	2	13	8	6	4	41	12	169	20	5	12	6	11
140	Nonpuerperal uterine hemorrhage							2			3		1	3	
141	Other diseases of the female genital organs	4		5	3	2	1	16	1	56	8	5	3	7	2
142	Nonpuerperal diseases of the breast (cancer excepted)			1				2		4	2				

CAUSE, IN URBAN AND RURAL DISTRICTS: 1923—Continued

1920; the remainder of the State is included in "rural"]

OHIO		OREGON		PENNSYLVANIA		RHODE ISLAND		SOUTH CAROLINA				TENNESSEE				UTAH		List No.
								Urban		Rural		Urban		Rural				
Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	White	Colored	White	Colored	White	Colored	White	Colored	Urban	Rural	
50	149	18	11	82	221	19	1	8	8	9	26	6	9	40	26	6	4	78
6	6			4	5					1	7	2	1	7	1	1	2	79
56	60	2	7	115	162	14	3	1	2	10	78	5	5	20	13	2	7	80
1	5	1		11	4	1				1	1	1		1				81
8	24	1		15	16	1				2	3	1		5	2	3		82
30	60	2	5	27	43	4		2		6	3	6		8	1			83
158	121	22	11	274	199	25	3	11	1	18	7	17	8	47	15	15	15	84
2	1			8	4			2					1	3				85
85	49	2	4	123	58	12	1	3	4	5	2	15	6	17		10	2	86a
74	21	1	4	82	49	4		4		10	3	6		10	2	1	1	86b
6,780	5,909	744	816	10,760	8,668	1,211	228	268	292	782	960	549	404	1,289	411	303	323	
31	24	4	8	52	39	3		1	2	2	13	3	3	11	9	2		87
330	106	36	18	550	307	41	10	11	14	33	32	24	22	26	7	18	13	88
324	361	60	71	385	472	75	19	20	7	60	24	41	4	81	9	17	15	89
5,150	4,539	502	628	8,610	6,695	955	175	166	202	610	822	413	338	1,056	363	237	268	90
77	35	8	8	115	48	8	1	4	5	7	7	10	9	16	5		1	91a
773	789	116	75	915	985	111	23	64	59	46	34	45	17	87	14	19	16	91b,c
59	29	14	4	79	82	14		2	2	5	1	8	4	7		8	7	92
24	17	3	1	30	26	4				3	1	4	1	1			1	93
6	1		1	15	8				1		1		2	1	2	1	1	94
3	7			8	5					4	16	1	4	2	2	1	1	95
3	1	1	2	1	1					12	9			1				96
4,479	3,090	344	378	9,527	6,829	851	140	94	179	543	1,049	474	452	1,282	411	173	285	
3	3	2	1	4	5	1		1	1	6	99	1	3	2	1		2	97a
17	8	3		24	17	2				1	1	6		3		3	2	97b
18	14	1	8	31	50	2	1		1	1	3	1	1	11	1	1	5	98
101	68	8	9	206	191	27	7		5	8	2	4	7	8	3	2	5	99a
84	87	5	12	148	129	20	3	2	1	5	3	4	7	28	5	3	2	99b
12	17			50	56	11	2			1	10	2	3	4	5	1	6	99c
28	54	8	4	53	65	12	3	3		6	1	4	4	6	8	2	4	99d
1,825	1,322	121	138	3,567	2,682	271	38	28	61	143	131	200	180	466	127	74	114	100a
37	43		2	73	74	5	3		2	5	6	1		7	2	1	4	100b
2,088	1,212	151	132	4,508	2,831	416	66	43	90	212	306	207	201	581	198	74	97	101a
21	70	14	40	247	291	45	7	9	7	129	409	8	25	112	35	2	29	101b
100	41	8	11	212	100	14	1	4	6	6	19	9	12	15	4	5	2	102
52	46	7	5	142	63	15	4		2	6	7	7	2	5			2	103
3	3	1		12	8	1					1	1						104
61	75	9	8	138	156	5	5	2	2	8	21	15	6	24	17	2	4	105
9	5		1	16	13									1				106
20	22	6	7	96	98	4		2	1	6	30	4	1	9	5	3	7	107
3,648	2,190	318	367	5,829	4,627	541	79	149	188	658	830	626	364	1,316	276	222	198	
28	18	1	7	27	32	1		1		4	9	3	6	8	6	1		108
	1			4		1				1								109a
154	75	20	15	143	111	12	4	4	6	17	26	20	4	32	8	11	7	109b
2	2			7	2					1		1	1	1				110
151	74	16	25	207	84	19	7	3	5	12	10	22	12	30	12	24	4	111a
62	21	10	7	76	26	14		5	1	2	1	11	1	6	1	5	1	111b
139	238	15	28	307	350	28	11	2	9	98	240	18	52	109	36	4	6	112
1,040	611	24	60	2,058	2,271	186	32	51	80	364	327	147	84	551	90	35	74	113
169	191	17	23	333	334	28	3	8	32	46	62	44	33	253	41	8	12	114
										2				1				115
1	2			3	3				2	1	12			4	6			116
676	176	91	70	897	264	69	1	35	25	30	44	181	65	111	16	52	38	117
155	76	18	16	239	99	39		4	4	2	8	11	15	17	6	11	5	118a
300	154	22	40	397	235	40	2	9	14	23	29	49	33	49	24	16	14	118b
47	41	4	5	52	48	6	3	1	1	3	8	9	13	13	7	3	2	119
17	5	1	1	17	14	2			1	2	3	2		1	1	2	2	120
				1	1											1		121
264	224	21	30	464	395	43	8	4	3	14	18	23	8	32	7	17	11	122
193	81	19	15	203	97	16	3	4		13	3	32	2	21	3	9	4	123
149	126	29	17	246	157	23	3	11	3	15	22	35	15	51	6	16	10	124
22	8	2	1	44	17	4	1	2	2	4	1	5		3		3	3	125
79	65	8	7	103	87	10	1	5		4	7	13	20	23	6	4	5	126
	1			1														127
3,216	2,528	296	365	6,398	4,184	578	105	196	234	577	746	450	347	862	263	195	160	
175	161	15	19	413	274	36	6	10	29	42	74	29	39	77	25	9	9	128
2,458	2,063	200	286	5,228	3,504	476	90	160	167	487	547	329	227	688	214	144	130	129
	1																	130
86	41	12	9	118	76	11	1	5	7	25	57	14	8	22	4	5	6	131
22	10	3	2	50	12	3	1	2		3	3	4	2	4	3	3	2	132
35	54	1	3	37	51	4	1		1	5	16	1	6	17	3	1	2	133
15	1	2	1	14	9	1			2		2	3	10	2	1	2		134
146	119	34	26	188	162	11	4	9	8	5	11	31	12	32	7	14	5	135
4	7			7	2				1	1		1				2	1	136
33	13	9	2	54	18	10			3		3	4	4	3	1	3	2	137
90	25	7	5	120	29	12		4	8	1	17	11	12	3		1	1	138
99	25	7	6	112	33	9	1	4	5	4	9	17	24	5	1	8		139
	1		2	3		1	1		1		1	1		2				140
52	7	6	4	51	12	4		2	2	4	6	5	3	7	4	3	2	141
1				3	2													142

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH

["Urban" includes cities of 10,000 inhabitants or more in

List No.	CAUSE OF DEATH	MONTANA		NEBRASKA		NEW HAMPSHIRE		NEW JERSEY		NEW YORK		NORTH CAROLINA			
												Urban		Rural	
		Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	White	Colored	White	Colored
	VIII.—The puerperal state	24	55	73	102	31	38	338	88	1,103	217	64	58	326	222
143	Accidents of pregnancy	2	8	10	18	3	3	35	9	106	24	6	10	32	17
144	Puerperal hemorrhage	1	3	7	14	5	7	35	11	140	22	8	4	40	22
145	Other accidents of labor		9	4	9	7	4	39	13	151	27	7	3	55	36
146	Puerperal septicemia	13	27	36	34	7	8	142	27	416	71	16	18	67	51
147	Puerperal phlegmasia alba dolens, embolus, etc.	3	1	3	4	1	3	17	4	64	14	2		5	9
148	Puerperal albuminuria and convulsions	5	7	13	23	8	12	69	23	220	57	25	23	126	87
149	Following childbirth (undefined)						1	1	1	3	1			1	
150	Puerperal diseases of the breast									3	1				
	IX.—Diseases of the skin and of the cellular tissue	4	13	11	27	14	11	81	40	290	121	11	6	45	16
151	Gangrene	2	5	4	18	6	9	27	27	55	65	3	1	13	6
152	Furuncle		2	1	2	2	1	14	5	65	12	2		10	1
153	Acute abscess	1	5	3	5		1	24	4	98	20	2	4	11	1
154	Other diseases of the skin and annexa	1	1	3	2	6		16	4	72	24	4	1	11	8
	X.—Diseases of the bones and of the organs of locomotion		7	4	7	3	2	47	13	145	25	12	1	19	3
155	Diseases of the bones (tuberculosis excepted)		6	4	6	3	1	39	8	123	19	12		14	2
156	Diseases of the joints (tuberculosis and rheumatism excepted)		1		1		1	6	3	20	5		1	3	1
157	Amputations													1	
158	Other diseases of the organs of locomotion							2	2	2	1			1	
	XI.—Malformations	24	48	50	134	55	45	367	172	1,224	394	43	8	207	35
159a	Congenital hydrocephalus	2	5	4	18	7	4	26	19	123	37	3	1	23	9
159b	Congenital malformations of the heart	16	28	25	87	27	23	222	116	659	233	22	2	91	8
159c	Other congenital malformations	6	15	21	29	21	18	119	37	442	124	18	5	93	18
	XII.—Early infancy	93	242	228	500	205	161	1,436	584	5,412	1,361	257	185	1,239	436
160	Congenital debility, icterus, sclerema	6	46	35	74	27	37	181	87	589	187	30	40	207	99
161a	Premature birth	59	148	148	324	131	80	842	368	3,075	788	174	120	897	285
161b	Injury at birth	24	24	25	65	29	20	264	89	1,149	245	36	7	78	23
162	Other diseases peculiar to early infancy	4	24	20	37	18	23	144	45	595	132	17	15	56	26
163	Lack of care						1	5	5	4	9		3	1	3
164	XIII.—Old age (senility)	11	53	45	230	21	92	82	124	297	359	41	9	291	245
	XIV.—External causes	173	400	342	642	198	199	2,263	1,132	8,152	2,561	275	204	911	586
	Suicide	29	48	67	97	22	22	299	173	1,136	340	22	2	65	12
165, 166	By poison (gas excepted)	11	7	14	26	2	2	45	9	128	33	4		8	1
167	By poisonous gas			10	2	8		82	35	382	14				
168	By hanging or strangulation	1	5	14	18	6	4	39	50	179	117	1		8	1
169	By drowning	1	1	3	4	1	2	11	9	69	44	1		4	2
170	By firearms	12	28	22	34	4	13	81	56	176	99	15		40	5
171	By cutting or piercing instruments	3	3	2	6		1	29	7	58	25	1	1	4	1
172	By jumping from high places		3	2	1	1		8	4	125	4				
173	By crushing	1			3			4	2	16	1				1
174	By other means		1		3				1	3	3		1	1	1
	Homicide	10	16	41	13	6	6	138	41	420	49	23	61	61	122
197	By firearms	6	13	34	9	6	4	72	22	249	23	17	48	44	90
198	By cutting or piercing instruments		2	4			2	16	7	53	5	2	6	7	10
199	By other means	4	1	3	4			50	12	118	21	4	7	10	22
	Accidental or undefined	134	336	234	532	170	171	1,826	918	6,596	2,172	230	141	785	452
175	Poisoning by food	3	8	2	11		1	15	4	17	19	6	3	26	8
176	Poisoning by venomous animals		2		1					2	1				2
177	Other acute poisonings (gas excepted)	3	4	2	12	2	2	38	19	121	41	1	6	15	20
178	Conflagration	2	17	4	10	3	6	21	15	165	46	2	3	13	9
179	Burns (conflagration excepted)	12	12	17	27	12	16	195	57	524	84	27	19	128	118
180	Mechanical suffocation	2	3	4	12	2	4	14	18	51	28	2	6	24	24
181	Absorption of irrespirable, irritating, or poisonous gas		1	16	12	13	1	121	29	672	40	1	2		
182	Drowning	1	53	8	48	9	30	126	160	537	326	3	5	52	44
183	Traumatism by firearms (except in war)	2	15	8	40	6	10	21	25	50	62	8	10	49	54
184	Traumatism by cutting or piercing instruments	1	1		4	1	2	16	3	48	9	1		7	2
185	Traumatism by fall	19	32	41	94	43	33	330	118	1,314	313	29	6	126	17
186a	Traumatism in mines	22	35						5	2	4			5	2
186b	Traumatism in quarries									2	2		4	1	1
187	Traumatism by machines	1	6	9	16	5	3	47	14	188	37	8	6	20	13
188a	Railroad accidents	8	34	28	52	14	11	173	139	326	285	34	17	55	38
188b	Street-car accidents	3		5		2		34	12	280	26	4	1		
188c	Automobile accidents	25	24	54	69	33	26	491	181	1,547	383	68	22	128	40
188d	Airplane and balloon accidents				1				5	4	2	1		2	
188e,f	Injuries by other vehicles	5	11	7	34	6	1	34	20	122	50	7	2	14	6
188g	Landslide, other crushing	3	9	1	6		1	9	5	38	17		6	3	1
189	Injuries by animals (not poisoning)	1	9	4	18		4	7	4	21	16	1		11	6
190	Wounds of war									1	1				
192	Starvation (deprivation of food or water)										1				
193	Excessive cold	1	4	1		1		3	6	6	10			6	2
194	Excessive heat		1	5	2	2		21	10	55	16		2	1	1
195	Lightning	2	12	1	12			1	7	3	8			17	15
196	Other accidental electric shocks	5	2	2	8	3	1	13	10	45	34	3		10	2
201	Fracture (cause not specified)		11	5	3	2	5	14	7	144	200	5	1	17	2
202	Other external violence	13	30	10	40	11	14	82	44	311	111	19	20	55	25
203	Violent deaths of unknown causation								1						
	XV.—Ill-defined diseases	4	67	6	149	10	13	42	40	62	85	49	103	1,177	1,278
204	Sudden death		5		8	2	2	1		5	12	5	5	145	99
205a	Ill-defined	1	13	4	76	6	6	35	33	39	51	7	16	240	159
205b	Not specified or unknown	3	49	2	65	2	5	6	7	18	22	37	82	792	1,020

CAUSE, IN URBAN AND RURAL DISTRICTS: 1923—Continued

1920; the remainder of the State is included in "rural"]

OHIO		OREGON		PENNSYLVANIA		RHODE ISLAND		SOUTH CAROLINA				TENNESSEE				UTAH		List No.
								Urban		Rural		Urban		Rural				
Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	White	Colored	White	Colored	White	Colored	White	Colored	Urban	Rural	
633	287	47	56	896	536	87	4	32	36	138	224	90	48	221	65	34	34	
78	42	5	8	89	44	4	2	4	3	11	22	8	4	24	5	1	5	143
51	31	3	4	78	61	10		4	2	15	15	8	1	20	4	2	7	144
66	29	5	9	88	48	13		1	3	26	62	6	6	37	11	3	6	145
267	104	18	19	390	220	34		6	13	26	49	33	21	69	29	13	10	146
36	17	2		42	31	6			2	8	3	2		8		1	1	147
131	60	14	16	206	129	19	2	17	13	52	72	33	16	63	16	13	5	148
3	4			2	2	1					1					1		149
1				1	1													150
115	122	9	19	214	215	45	4	3	4	10	25	16	8	36	5	7	5	
37	71	2	11	79	119	14	3		2	2	14	2	7	19	4	4	2	151
31	16	2	2	35	18	7		1		2	1	4		8		1		152
26	9		2	53	37	14	1	2	1	4	4	5	1	5		2	2	153
21	26	5	4	47	41	10			1	2	6	5		4	1		1	154
66	13	7	6	96	32	10	1	5	2	6	4	9	4	10	5	7	2	
50	6	4	5	78	19	8	1	2	1	4	2	9	1	7	4	6	1	155
12	4	2	1	14	10	1		2	1	1	2		2	2		1	1	156
	1												1					157
4	2	1		4	3	1		1		1				1	1			158
568	410	43	59	916	986	84	15	14	5	67	39	40	1	110	6	40	48	
46	31	5	2	73	69	9	2	3	1	5	16	5		6		4	7	159a
350	289	22	44	592	686	41	11	8	3	35	7	16	1	59	3	24	26	159b
172	90	16	13	251	231	34	2	3	1	27	16	19		45	3	12	15	159c
2,251	1,512	165	243	3,097	3,070	459	85	96	182	559	796	283	124	704	85	139	229	
212	273	16	37	402	478	85	14	11	74	82	155	27	15	122	19	7	16	160
1,421	928	87	148	1,917	1,959	215	42	68	86	416	598	212	92	483	50	77	172	161a
479	193	45	36	486	377	125	20	14	10	34	10	30	6	58	3	40	25	161b
137	115	17	21	291	255	31	8	3	9	25	30	13	11	40	12	15	16	162
2	3		1	1	1	3	1		3	2	3	1		1	1			163
255	468	35	104	206	412	77	44	10	5	120	308	54	24	261	96	17	64	164
3,868	2,455	320	582	5,491	4,420	446	70	122	117	450	565	503	338	844	273	199	256	
421	320	56	76	592	412	58	9	10	2	31	6	53	7	75	6	23	9	
82	34	15	8	87	41	4		2		5		23	3	11		6	1	165, 166
12	1	5		114	11	28		1				2				3		167
86	97	11	17	94	116	10	2	2				1		15	3	4		168
19	23	8	3	26	19	3	1			1		4		3		1	1	169
160	136	11	41	201	177	11	3	5		23	5	19	4	37	3	9	6	170
38	16	4	3	30	27	1	2		1		1	3		8				171
17	1	2		31	7				1									172
5	10		1	7	5	1												173
2	2		3	2	9		1			2		1		1			1	174
381	91	10	22	417	217	19	3	14	43	35	101	83	149	121	72	14	12	
257	64	7	13	281	166	10	1	11	30	25	78	71	102	94	58	12	9	197
54	8			58	15	3			10	1	12	6	36	10	9		2	198
70	19	3	9	78	36	6	2	3	3	9	11	6	11	17	5	2	1	199
3,066	2,044	254	484	4,482	3,791	369	58	98	72	384	458	367	182	648	195	162	235	
24	27	4	7	29	39	3		5		10	15	5	7	16	7	3	2	175
2	1		1	4	1				1	3				2		2		176
61	48	2	7	58	54	6	2	3		4	21	10	8	21	3	6	3	177
30	48	3	7	58	83	5				76	14	3	7	9	6	5		178
315	131	12	19	557	305	40	2	9	12	61	123	35	27	93	41	15	7	179
25	43	1	8	30	42	6		3		10	7	3	2	11	4	3	3	180
57	15	5	2	185	35	29			1			3	2			2	4	181
106	159	31	95	182	271	29	13	1	8	26	31	8	4	56	14	4	26	182
69	51	3	13	68	94	3	3	3	7	17	50	12	17	46	15	4	15	183
17	15	1	2	15	20	2			1	5	2	4	2	10	1	3		184
622	383	50	44	870	611	81	10	18	2	34	15	68	19	107	15	26	12	185
33	107		2	320	627	1						6		17	5	8	44	186a
3	2	1	4	6	20							2	1	1	1			186b
127	33	16	30	163	86	12	1	1	1	6	21	23	6	14	5	5	7	187
318	286	28	35	412	470	22	3	6	3	31	30	45	17	62	22	18	24	188a
107	57	2		118	27	24	3	1		1		5	1	2		4	3	188b
767	311	52	68	963	629	83	14	33	9	51	26	86	27	44	14	31	29	188c
8	5		1	2	1	1				1				1		1		188d
42	26	1	12	105	66	2	1	1	2	9	14	10	4	18	2	8	10	188e,f
18	18	7	38	14	20	2			2	4	4		4	4	1	4		188g
11	16		5	16	25	2		1		1	4	2	1	17	3		4	189
																		190
1					1													192
4	1		1	4	15		2			1	4			1	1		1	193
24	17	1	4	37	18	2					4			2	4			194
4	11		1	4	24					4	13	1		11	2		1	195
42	28		10	54	69	2	2		4	1	4	9	3	7	2	1	7	196
54	77	2	4	11	4	4		3	3	8	6	5		6			8	201
175	128	32	64	197	134	8	2	10	16	20	50	22	23	70	27	9	25	202
																		203
60	229	3	39	108	336	32	6	6	17	192	770	130	199	1,100	459	26	70	
3	17		4	10	45	3	1		1	4	7	14	19	105	42	1	2	204
28	75	1	17	59	134	13	2	6	14	122	455	15	18	210	59	24	41	205a
29	137	2	18	39	157	16	3		2	66	308	101	162	785	358	1	27	205b

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, IN URBAN AND RURAL DISTRICTS: 1923—Continued

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural"]

List No.	CAUSE OF DEATH	VERMONT		VIRGINIA				WASHINGTON		WISCONSIN		WYOMING	
		Urban	Rural	Urban		Rural		Urban	Rural	Urban	Rural	Urban	Rural
				White	Colored	White	Colored						
	All causes	808	4,556	4,737	3,840	14,036	8,147	6,964	6,892	12,103	17,188	489	1,691
	I.—Epidemic, endemic, and infectious diseases	130	676	706	898	3,353	2,248	936	1,189	1,661	2,549	72	204
1	Typhoid and paratyphoid fever	3	8	17	22	108	106	43	32	28	33	3	12
2	Typhus fever												
3	Relapsing fever (spirillum obermeieri)												
4	Malta fever												
5	Malaria	1	1	1	12	8	24	1	1		1	2	
6	Smallpox	1	1			1		4	4	1	1		2
7	Measles	11	26	69	34	331	102	17	7	113	107	5	25
8	Scarlet fever	3	16	7		36	2	17	11	135	101	2	3
9	Whooping cough	6	26	41	100	141	119	29	47	68	100	9	14
10	Diphtheria		39	49	8	223	57	46	53	187	172	3	8
11a	Influenza (with pulmonary complications)	21	177	108	131	776	378	93	115	191	409	7	35
11b	Influenza (other and unspecified)	9	110	50	43	340	172	57	91	81	282	2	24
12	Miliary fever												
13	Mumps						1				1		
14	Asiatic cholera												
15	Cholera nostras		2	1		7	2				1		
16	Dysentery	2	5	10	11	129	62	6	16	10	14	3	5
17	Plague												
18	Yellow fever												
19	Spirochetal hemorrhagic jaundice										1		
20	Leprosy												
21	Erysipelas	3	10	10		16	4	18	20	41	45	1	5
22	Acute anterior poliomyelitis		2		1	17	9	7	4	8	11	1	
23	Lethargic encephalitis			8	3	7	3	71	23	28	15		2
24	Meningococcus meningitis		3	2	1	16	3	7	10	6	6	2	
25	Other epidemic and endemic diseases			2	1	12	2	1	2	6			7
26	Glanders												
27	Anthrax									1			
28	Rabies				1	2							
29	Tetanus	2	2	11	8	14	11	3	2	10	9		2
30	Mycoses			1		4	8				3		
	Tuberculosis (all forms)	60	231	281	459	1,100	1,061	411	702	675	1,161	26	51
31	Of the respiratory system	46	183	237	399	984	992	289	633	549	993	22	40
32	Of the meninges, central nervous system	4	16	26	20	45	16	49	20	71	53	2	2
33	Of the intestines, peritoneum	2	13	8	21	41	28	30	21	22	45	2	3
34	Of the vertebral column	3	2	4	4	9	1	13	4	5	18		1
35	Of the joints	1	2	1	1	4	4	2	1	7	4		
36	Of other organs	1	9	1	4	8	6	13	18	13	17		4
37a	Disseminated (acute)	3	4	3	8	6	12	12	5	4	19		1
37b	Disseminated (chronic or unspecified)		2	1	2	3	2	3		4	12		
38	Syphilis	5	9	29	55	49	114	86	41	49	51	4	5
39	Soft chancre												
40	Gonococcus infection	1	2	3	8	3	7	10	3	7	3	1	
41	Purulent infection, septicemia	2	6	6		13	1	9	5	16	22	1	4
42	Other infectious diseases												
	II.—General diseases not included in Class I	93	537	509	178	1,133	415	1,150	728	1,719	2,186	42	150
	Cancer and other malignant tumors	69	370	321	101	758	262	803	500	1,091	1,442	26	90
43	Of the buccal cavity	2	12	15	1	22	3	21	17	34	51		1
44	Of the stomach, liver	19	132	90	36	297	85	296	218	454	688	12	50
45	Of the peritoneum, intestines, rectum	11	80	38	3	81	19	102	52	166	201	4	6
46	Of the female genital organs	14	32	57	32	108	82	134	58	129	123	5	10
47	Of the breast	8	31	37	14	66	30	57	44	67	93	1	2
48	Of the skin	1	22	13	1	48	3	22	14	20	37		6
49	Of other or unspecified organs	14	61	71	14	136	40	171	97	221	249	4	15
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)		3	1	1	11	4	3	2	12	4		1
51	Acute rheumatic fever	3	8	5	12	34	31	13	14	42	68		5
52	Chronic rheumatism, osteoarthritis, gout	1	6		4	24	5	7	9	16	28		2
53	Scurvy					4	2				3		
54	Pellagra		1	16	9	37	16			2	2		
55	Beriberi							1					
56	Rickets		1		5	1	7	2		4	7	1	2
57	Diabetes mellitus	7	71	75	29	130	49	141	108	238	308	2	19
58	Anemia, chlorosis	2	36	26	4	44	5	47	44	104	145	3	3
59	Diseases of the pituitary gland			1		1				1	2		
60a	Exophthalmic goiter	1	7	7	3	13	7	33	5	48	37	2	4
60b	Other diseases of the thyroid gland		4	3		4	1	15	6	21	18		2
61	Diseases of the parathyroid glands					3		1			1		
62	Diseases of the thymus gland		2	5	1	4		12	3	19	10		
63	Diseases of the adrenals (Addison's disease)	4	3	2		2	2	5	3	8	7		1
64	Diseases of the spleen		1			1				2			
65a	Leukemia	2	4	13		11	4	15	3	17	15		
65b	Hodgkin's disease		2	4	1	8	3	5	1	17	27	1	
66	Alcoholism (acute or chronic)	3	10	18	5	19	9	29	16	41	36	6	11
67a	Chronic lead poisoning					2		2	4	1			1
67b	Other chronic mineral poisoning				1								
68	Chronic poisoning by organic substances			2		3		2			1		
69	Other general diseases	1	8	10	2	19	8	14	10	35	25	1	9
	III.—Diseases of the nervous system and of the organs of special sense	77	659	516	427	1,410	831	691	897	1,199	2,228	28	124
70	Encephalitis		5	8	4	11	5	5	5	17	18		2
71a	Simple meningitis	1	18	11	5	42	17	12	5	46	26		1
71b	Nonepidemic cerebrospinal meningitis	1	4	5	1	20	10	2	2	19	21	1	2
72	Tabes dorsalis (locomotor ataxia)		6	7	4	17	7	13	15	8	16	1	3
73	Other diseases of the spinal cord	1	19	14	5	40	13	19	26	22	46		3
74a	Cerebral hemorrhage	61	502	350	327	865	493	512	551	836	1,534	18	83
74b	Cerebral embolism and thrombosis	5	21	12	8	18	13	14	20	33	40		2
75	Paralysis without specified cause	4	6	18	25	162	109	18	37	23	79		4
76	General paralysis of the insane		12	16	2	47	25	14	97	10	114	2	9
77	Other forms of mental alienation		2	5	1	12	19	7	50	9	72		1

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, IN URBAN AND RURAL DISTRICTS: 1923—Continued

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural"]

List No.	CAUSE OF DEATH	VERMONT		VIRGINIA				WASHINGTON		WISCONSIN		WYOMING	
		Urban	Rural	Urban		Rural		Urban	Rural	Urban	Rural	Urban	Rural
				White	Colored	White	Colored						
	III.—Diseases of the nervous system and of the organs of special sense—Con.												
78	Epilepsy		10	9	7	46	34	16	32	17	79		4
79	Convulsions (nonpuerperal; 5 years and over)		1				6			1			
80	Infantile convulsions (under 5 years)		14	7	20	30	47	6	11	46	63	1	1
81	Chorea						1		1	1	3		
82	Neuralgia and neuritis	1	3	1	1	6	3	4	3	1	5		
83	Softening of the brain	1	3	9	2	17	6	6	7	2	14		1
84	Other diseases of the nervous system		25	18	9	44	12	19	25	53	78	2	5
85	Diseases of the eye and annexa					2		1	1	1			
86a	Diseases of the ear	2	5	11	3	20	7	20	7	34	15		2
86b	Diseases of the mastoid process		3	15	3	11	4	3	2	20	5	3	1
	IV.—Diseases of the circulatory system	155	997	717	495	1,831	943	1,213	1,075	1,893	2,955	37	167
87	Pericarditis	1	3	3	6	5	5	4	5	4	19	1	
88	Endocarditis and myocarditis (acute)	2	13	18	24	26	19	44	22	131	95		14
89	Angina pectoris	5	77	64	19	127	24	104	59	78	134	2	9
90	Other diseases of the heart	120	730	554	402	1,485	832	916	798	1,482	2,346	29	122
91a	Aneurysm	2	1	8	20	12	9	14	17	14	8	1	1
91b,c	Other diseases of the arteries	24	161	61	22	145	45	103	164	146	306	2	15
92	Embolism and thrombosis (not cerebral)	1	9	7	1	16	2	20	6	20	28		4
93	Diseases of the veins		3	2		6	3	4	2	13	12	2	2
94	Diseases of the lymphatic system					1		1		4	3		
95	Hemorrhage without specified cause					2	1	1	2	1	4		
96	Other diseases of the circulatory system				1	6	3	2					
	V.—Diseases of the respiratory system	66	369	357	478	1,188	650	508	515	1,374	1,793	49	158
97a	Diseases of the nasal fossae			5	2	15	23	1	2		2		1
97b	Diseases of the nasal fossae annexa		1	5		8		6	4	8	2	1	
98	Diseases of the larynx	1	5	2	2	17	4	3	4	13	14		2
99a	Acute bronchitis	3	12	5	11	27	12	14	4	60	57	2	
99b	Chronic bronchitis	3	14	10	10	37	7	11	14	34	48		1
99c	Bronchitis (unspecified, under 5 years)		8	1	3	13	11	2	4	11	17	1	2
99d	Bronchitis (unspecified, 5 years and over)	2	11	2	3	13	14	5	7	22	39		
100a	Bronchopneumonia	14	96	130	177	446	200	171	180	458	592	22	64
100b	Capillary bronchitis	1	5	1	8	4	10	2	3	15	12	1	
101a	Lobar pneumonia	24	171	145	199	397	228	245	213	632	754	15	45
101b	Pneumonia (unspecified)	10	30	11	14	130	95	14	29	54	137	3	32
102	Pleurisy	2	7	14	17	25	5	18	21	30	35	1	3
103	Congestion and hemorrhagic infarct of the lung	3	3	10	8	25	9	5	6	10	21	1	1
104	Gangrene of the lung			1	1			2		1			
105	Asthma	3	5	12	11	18	21	7	18	21	46	2	4
106	Pulmonary emphysema				1	1			1	2	2		
107	Other diseases of the respiratory system (tuberculosis excepted)		1	3	11	12	11	2	5	3	15		3
	VI.—Diseases of the digestive system	51	238	420	396	1,045	553	567	414	1,150	1,139	55	148
108	Diseases of the mouth and annexa			4	3	4	7	4	1	13	13		5
109a	Adenoid vegetations				1				1				
109b	Other diseases of the pharynx, tonsils	2	9	14	7	44	17	37	25	51	41	4	4
110	Diseases of the esophagus		1	1		2		1	1	1	2		
111a	Ulcer of the stomach	4	18	20	16	18	17	37	27	42	63	2	4
111b	Ulcer of the duodenum		6	14	2	2	3	17	11	16	14		2
112	Other diseases of the stomach (cancer excepted)	2	13	13	32	84	65	22	28	37	88	1	7
113	Diarrhea and enteritis (under 2 years)	10	39	103	159	452	237	44	78	283	292	14	33
114	Diarrhea and enteritis (2 years and over)	2	24	34	29	121	53	20	26	66	78	3	12
115	Ancylostomiasis				1	2							
116	Diseases due to other intestinal parasites				3	7	11			1			
117	Appendicitis and typhlitis	13	39	91	42	94	32	145	78	228	171	17	39
118a	Hernia	2	6	22	17	14	14	31	19	56	35		2
118b	Intestinal obstruction	3	22	30	29	52	28	70	30	90	89	6	17
119	Other diseases of the intestines	1	3	5	6	20	9	9	8	12	10		2
120	Acute yellow atrophy of the liver	1	1	1	1	2	2		4	3	7	1	1
121	Hydatid tumor of the liver									1	1		
122	Cirrhosis of the liver	2	16	23	27	45	30	34	29	94	108	3	6
123	Biliary calculi	3	11	12	1	29	8	44	19	75	64	1	3
124	Other diseases of the liver	6	24	26	15	34	9	33	19	55	41	1	5
125	Diseases of the pancreas		4	2		1	1	8	5	7	5		1
126	Peritonitis without specified cause		2	5	5	18	10	11	5	18	17	2	5
127	Other diseases of the digestive system (cancer and tuberculosis excepted)									1			
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	80	366	574	323	1,035	700	615	416	914	1,144	31	98
128	Acute nephritis (including unspecified under 10 years)	7	28	33	27	40	67	20	15	47	48	5	7
129	Chronic nephritis (including unspecified 10 years and over)	56	296	440	223	882	544	451	319	706	957	11	66
130	Chyluria												
131	Other diseases of the kidneys and annexa	3	8	22	9	30	15	24	15	22	22	4	
132	Calculi of the urinary passages	1	1	6	2	6	2	9	1	4	4		
133	Diseases of the bladder		3	4	6	15	13	2	7	14	20		2
134	Diseases of the urethra, etc			3	8	3		2	2	1	3		2
135	Diseases of the prostate	10	13	38	16	42	27	50	30	57	56		10
136	Nonvenereal diseases of the male genital organs							2		1	1		
137	Cysts, other benign tumors of the ovary		3	4	5	2	5	4	5	7	6	1	1
138	Salpingitis and pelvic abscess (female)	1	6	11	14	6	12	18	8	27	7	7	7
139	Benign tumors of the uterus	1	7	9	9	4	6	18	7	15	12	1	1
140	Nonpuerperal uterine hemorrhage			1				1	1		1		
141	Other diseases of the female genital organs	1	1	3	4	4	8	14	6	12	7	2	2
142	Nonpuerperal diseases of the breast (cancer excepted)					1	1			1			

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, IN URBAN AND RURAL DISTRICTS: 1923—Continued

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural"]

List No.	CAUSE OF DEATH	VERMONT		VIRGINIA				WASHINGTON		WISCONSIN		WYOMING	
		Urban	Rural	Urban		Rural		Urban	Rural	Urban	Rural	Urban	Rural
				White	Colored	White	Colored						
	VIII.—The puerperal state	16	35	68	71	198	141	90	78	166	176	12	24
143	Accidents of pregnancy	3	8	7	1	27	16	8	12	15	14		6
144	Puerperal hemorrhage	2	2	8	3	27	14	6	4	9	17	1	2
145	Other accidents of labor	4	4	6	9	25	26	7	10	16	26	2	2
146	Puerperal septicemia	5	6	22	25	65	36	49	30	80	55	1	5
147	Puerperal phlegmasia alba dolens, embolus, etc.		2	1	2	8	4		3	14	18	1	1
148	Puerperal albuminuria and convulsions	2	13	24	31	46	45	20	18	31	43	7	8
149	Following childbirth (undefined)								1	1	3		
150	Puerperal diseases of the breast												
	IX.—Diseases of the skin and of the cellular tissue	3	17	14	13	42	17	27	18	33	66	1	5
151	Gangrene	1	14	2	10	19	12	13	12	18	42	1	4
152	Furuncle	1	1	4	1	5	1	6		8	3		
153	Acute abscess	1	1	5	1	6	2	1	3	1	7		
154	Other diseases of the skin and annexa		1	3	1	12	2	7	3	6	14		1
	X.—Diseases of the bones and of the organs of locomotion	1	5	5	1	11	3	12	2	20	21	1	
155	Diseases of the bones (tuberculosis excepted)	1	3	5	1	7	2	11	2	17	19	1	
156	Diseases of the joints (tuberculosis and rheumatism excepted)		2			2		1		3			
157	Amputations												
158	Other diseases of the organs of locomotion					2	1				2		
	XI.—Malformations	10	54	62	30	155	38	74	87	161	207	2	25
159a	Congenital hydrocephalus	1	8	5	2	14	10	6	4	21	17		
159b	Congenital malformations of the heart	5	29	39	25	85	8	47	53	72	112		15
159c	Other congenital malformations	4	17	18	3	56	20	21	30	68	78	2	10
	XII.—Early infancy	61	206	319	234	1,008	520	323	332	810	1,016	59	121
160	Congenital debility, icterus, sclerema	11	32	33	48	193	183	27	46	86	170	6	16
161a	Premature birth	38	126	224	136	666	260	210	205	505	595	37	80
161b	Injury at birth	7	30	43	22	91	37	58	50	137	138	10	14
162	Other diseases peculiar to early infancy	5	17	19	28	57	37	28	30	80	109	6	11
163	Lack of care		1			1	3		1	2	4		
164	XIII.—Old age (senility)	10	97	54	18	303	229	44	98	156	491	4	43
	XIV.—External causes	52	277	394	208	880	435	703	957	836	1,145	94	387
	Suicide	3	50	48	4	81	4	142	94	139	174	9	29
165, 166	By poisons (gas excepted)		3	10	1	12		32	12	24	14	1	2
167	By poisonous gas		1	10	1	1		34		23	3		
168	By hanging or strangulation		10	5		11		11	23	27	70		2
169	By drowning		2			6	1	14	12	17	10		1
170	By firearms	1	29	18	2	41	2	39	37	34	55	7	19
171	By cutting or piercing instruments	2	4	4		5	1	8	7	11	15	1	1
172	By jumping from high places		1	1				3	2	1			1
173	By crushing					1		1		2	5		1
174	By other means					4			1		2		2
	Homicide	1	4	25	59	71	93	44	23	38	23	11	18
197	By firearms		3	14	50	54	75	31	16	16	17	9	15
198	By cutting or piercing instruments			1	7	6	9	3	4	5			2
199	By other means	1	1	10	2	11	9	10	3	17	6	2	1
	Accidental or undefined	48	223	321	145	728	338	517	840	659	948	74	340
175	Poisoning by food		2	5	3	15	7	6	10	4	13	1	2
176	Poisoning by venomous animals			1	1	1			1				1
177	Other acute poisonings (gas excepted)		5	14	7	14	6	15	15	7	22	5	3
178	Conflagration		4	4	6	9	27	6	18	5	14		3
179	Burns (conflagration excepted)	7	15	33	22	113	64	26	34	44	50	6	13
180	Mechanical suffocation		6	2	2	22	7	8	15	10	16		1
181	Absorption of irrespirable, irritating, or poisonous gas	1	1	8	2	5		20	4	19	7	5	4
182	Drowning	1	25	19	14	62	22	48	152	68	121	4	13
183	Traumatism by firearms (except in war)	2	11	11	16	44	43	12	27	11	60	4	5
184	Traumatism by cutting or piercing instruments	2		1	1	4	6	4	9	6	8		2
185	Traumatism by fall	12	62	66	15	103	28	82	72	120	184	8	20
186a	Traumatism in mines			1	1	39	8	3	15		4		129
186b	Traumatism in quarries	1	5			1	1			2			
187	Traumatism by machines	2	10	6	6	18	8	27	38	20	27	3	3
188a	Railroad accidents		17	32	9	71	24	21	84	66	79	4	68
188b	Street-car accidents	1		11	2	4	1	23	5	30	6		
188c	Automobile accidents	15	31	68	16	86	30	127	113	148	144	19	32
188d	Airplane and balloon accidents					5		1	2		1	3	1
188e,f	Injuries by other vehicles		6	7	1	13	3	14	17	18	31	2	7
188g	Landslide, other crushing		1	4	2	4	5	11	51	10	14	2	1
189	Injuries by animals (not poisoning)		5	1	2	16	3	4	13	5	23	1	2
190	Wounds of war												
192	Starvation (deprivation of food or water)												
193	Excessive cold		1			3	3		2	3	9		2
194	Excessive heat		2	1	1	4	11	1	1	3	11		
195	Lightning		1			5	2			1	8	2	9
196	Other accidental electric shocks	2	5	4		7	3	8	11	12	16	1	
201	Fracture (cause not specified)			4		10	1		1	3	3		1
202	Other external violence	2	8	18	16	50	25	50	130	44	77	4	18
203	Violent deaths of unknown causation												
	XV.—Ill-defined diseases	3	23	22	70	444	424	11	86	11	72	2	37
204	Sudden death	1	1		6	46	35		9	2	7		
205a	Ill-defined	1	12	9	44	152	147	3	27	5	11	1	17
205b	Not specified or unknown	1	10	13	20	246	242	8	50	4	54	1	20

NOTE.—Populations are shown in Table 1 A.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	All causes	1,174,065	163,354	33,180	16,082	9,732	7,338	229,686	23,942	17,833	28,321	37,016
	Both sexes: White	1,028,101	139,340	27,345	13,546	8,372	6,411	195,014	21,009	14,990	21,964	27,854
	Both sexes: Colored	145,964	24,014	5,835	2,536	1,360	927	34,672	2,933	2,843	6,357	9,162
	Males: White	549,623	79,061	14,638	7,293	4,457	3,392	108,841	11,526	8,410	11,401	13,793
	Males: Colored	75,636	13,194	3,108	1,305	688	465	18,766	1,441	1,359	2,754	4,338
	Females: White	478,478	60,279	12,707	6,253	3,915	3,019	86,173	9,483	6,580	10,563	14,061
	Females: Colored	70,328	10,820	2,727	1,231	672	462	15,912	1,492	1,484	3,603	4,824
	I.—Epidemic, endemic, and infectious diseases:											
	Males: White	83,884	8,622	5,262	2,935	1,954	1,442	20,215	4,197	2,024	3,160	4,759
	Males: Colored	18,513	2,158	1,043	461	292	195	4,149	618	491	1,214	1,966
	Females: White	75,629	7,417	4,810	2,714	1,795	1,380	18,116	3,920	2,161	4,555	6,143
	Females: Colored	18,740	1,999	975	467	281	191	3,913	667	799	1,999	2,526
1	Typhoid and paratyphoid fever: M. wh.	2,832	16	18	24	27	23	108	159	210	394	431
	M. col.	854	13	14	6	9	9	51	65	92	174	154
	F. wh.	1,972	11	26	25	14	27	103	160	224	339	242
	F. col.	832	7	8	10	11	12	48	84	128	164	142
2	Typhus fever: M. wh.	2										1
	M. col.											
	F. wh.											
	F. col.											
3	Relapsing fever (spirillum obermeieri): M. wh.											
	M. col.											
	F. wh.											
	F. col.											
4	Malta fever: M. wh.	1										
	M. col.											
	F. wh.											
	F. col.											
5	Malaria: M. wh.	672	60	42	22	25	11	160	49	39	42	30
	M. col.	642	75	56	33	19	19	202	78	28	37	36
	F. wh.	594	46	26	20	18	19	129	48	54	32	35
	F. col.	763	62	40	28	38	17	185	66	55	64	70
6	Smallpox: M. wh.	63	6	2	1			9		2	1	5
	M. col.	9		1				1				1
	F. wh.	43	7		2		1	10	2	1	2	4
	F. col.	11	1					1				1
7	Measles: M. wh.	4,724	1,208	1,455	638	291	200	3,792	480	119	113	61
	M. col.	651	173	179	84	44	33	513	55	18	29	21
	F. wh.	4,323	984	1,263	542	283	167	3,239	428	127	96	63
	F. col.	616	155	164	59	35	12	425	55	38	42	18
8	Scarlet fever: M. wh.	1,640	82	174	225	192	156	829	420	138	89	43
	M. col.	37	5	5	3	3	3	19	8	7		1
	F. wh.	1,695	61	143	179	169	155	707	422	156	96	95
	F. col.	42	4	5	3	4	3	19	9	6	1	3
9	Whooping cough: M. wh.	3,388	2,008	828	261	123	46	3,266	89	14	5	3
	M. col.	906	496	242	79	30	15	862	35	1	1	3
	F. wh.	3,900	2,145	998	353	134	101	3,731	132	9	8	2
	F. col.	1,075	534	294	118	40	29	1,015	47	6	3	
10	Diphtheria: M. wh.	5,561	415	779	784	728	604	3,310	1,529	375	121	55
	M. col.	314	84	38	46	38	21	227	60	7	2	4
	F. wh.	5,400	289	676	717	654	527	2,863	1,620	400	130	83
	F. col.	354	70	41	40	39	28	218	87	17	4	9
11a	Influenza (with pulmonary complications): M. wh.	11,606	1,446	667	303	151	97	2,664	241	156	374	346
	M. col.	1,927	295	136	51	35	14	531	47	39	98	112
	F. wh.	11,873	1,172	531	279	144	95	2,221	223	152	302	310
	F. col.	1,970	241	131	47	27	14	460	60	58	111	128
11b	Influenza (other and unspecified): M. wh.	6,120	818	197	141	82	62	1,300	197	163	172	136
	M. col.	1,124	235	65	27	17	7	351	27	24	41	32
	F. wh.	6,818	702	218	108	81	61	1,170	166	132	189	166
	F. col.	1,235	186	50	30	15	12	293	32	37	49	56
12	Miliary fever: M. wh.											
	M. col.											
	F. wh.											
	F. col.											
13	Mumps: M. wh.	40	3	5	4	2		14	2	3	5	2
	M. col.	5	1			1	1	3	1			
	F. wh.	33	4	1	3		1	9	3	3	1	
	F. col.	4	1	1	1			3	1			
14	Asiatic cholera: M. wh.											
	M. col.											
	F. wh.											
	F. col.											
15	Cholera nostras: M. wh.	67	18	8	5	1		32		2		
	M. col.	13	4	2		1		7			1	
	F. wh.	58	15	7	1	2		25	1	2		
	F. col.	13	4	2				6				
16	Dysentery: M. wh.	1,157	312	210	94	26	19	661	27	15	8	8
	M. col.	419	116	98	22	8	4	248	8	3	7	3
	F. wh.	1,061	225	170	84	24	16	519	28	5	9	9
	F. col.	389	131	77	20	6	3	237	7	4	5	10
17	Plague: M. wh.											
	M. col.											
	F. wh.											
	F. col.											
18	Yellow fever: M. wh.											
	M. col.											
	F. wh.											
	F. col.											
19	Spirochetal hemorrhagic jaundice: M. wh.	14	3	1	2			6				2
	M. col.	1									1	
	F. wh.	13	2			1		3				1
	F. col.	1										

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1923

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
39,310	40,890	47,432	49,484	55,174	64,652	68,714	84,461	91,081	93,673	85,469	63,919	34,706	12,566	2,936	1,194	1,606	
30,654	33,199	38,575	40,884	46,280	55,662	61,817	77,658	85,015	88,003	81,199	60,436	32,752	11,321	2,377	454	984	
8,656	7,691	8,857	8,600	8,894	8,990	6,897	6,803	6,066	5,670	4,270	3,483	1,954	1,245	559	740	622	
15,201	17,318	21,139	23,009	26,220	31,493	34,873	43,277	46,268	46,362	41,162	28,468	14,533	4,606	908	186	629	
4,219	3,732	4,544	4,482	4,800	4,901	3,612	3,631	3,286	3,142	2,401	1,833	960	561	249	262	369	
15,453	15,881	17,436	17,875	20,060	24,169	26,944	34,381	38,747	41,641	40,037	31,968	18,219	6,715	1,469	268	355	
4,437	3,959	4,313	4,118	4,094	4,089	3,285	3,172	2,780	2,528	1,869	1,650	994	684	310	478	253	
5,161	5,323	5,566	5,287	4,867	4,599	3,840	3,764	3,370	2,907	2,284	1,400	750	257	50	11	93	
1,723	1,350	1,419	1,291	1,052	924	583	536	344	310	196	143	76	44	10	11	63	
5,831	4,952	4,235	3,381	2,859	2,638	2,413	2,538	2,772	2,969	2,678	1,850	1,086	362	79	20	71	
1,999	1,455	1,226	925	790	545	430	364	293	242	163	152	88	54	20	29	61	
266	259	239	174	161	120	99	97	59	33	10	6	3				4	1
73	38	48	43	30	24	19	13	10	8	6	1					5	
198	141	123	106	80	72	55	54	27	29	7	6	2	1			3	
76	52	40	20	31	16	8	8	6	4	2	1				1	1	
						1											
																	3
	1																4
19	32	31	21	45	40	27	24	30	34	23	12	9	1	1		3	5
31	15	28	25	26	29	17	21	11	19	14	8	7	2	1	1	6	
28	29	35	15	23	18	16	18	24	38	27	13	8	2			2	
31	35	29	27	37	39	17	24	17	21	14	10	10	2	3	4	3	
2	4	5	4	7	4	3		8	6	2	1						6
1		1		1			1	1	2								
2	5	3	2	3	3	3				2	1						
1			1				2	1	1	1	1	1					
26	16	14	15	13	13	14	12	14	13	4						5	7
4	4	1	2		1			1		1						1	
56	50	46	36	40	35	19	20	17	13	16	15	4	1			2	
13	8	5	2	4	2		1	1	1							1	
34	31	21	12	9	4	5	1	1	1	1	1						8
1					1												
83	59	40	9	17	3	1	2	3			1					1	
1	1		2														
					1			1	3	1	1	2	1			1	9
					1											3	
1	2	1		1	1	2		1	3	1	2					3	
1				1					1							1	
28	21	19	23	19	26	8	10	6	5	1	2	1				2	10
4	2	2	4	1					1								
69	42	42	35	37	24	23	11	9	3	5	1	1				2	
3	4	4	2	1		1	1			1		1				1	
305	414	537	575	527	630	604	761	856	941	796	511	262	80	13		13	11a
99	91	131	119	108	129	88	99	53	74	35	32	20	7	3	1	11	
441	528	591	479	433	498	570	720	923	1,179	1,005	724	416	122	19	5	12	
112	115	119	106	108	107	82	97	83	75	43	45	14	17	3	12	15	
133	154	169	202	201	225	219	286	403	505	606	533	342	131	29	9	5	11b
35	27	37	64	62	65	35	67	44	57	57	41	27	19	3	7	2	
186	216	197	188	162	229	218	314	428	621	820	677	481	182	54	12	10	
50	61	69	55	76	61	50	46	54	56	50	58	38	21	9	7	7	
																	12
1	1	2	1	1	2	3	1			1		1					13
1																	
4				3	1	2		2		3	1	1					
																	14
2	1		1	3	2	1	3	4	7	4	4		1				15
1					3				1								
1	1				1	4	2	5	5	3	5	2	1				
							2	2	2				1				
5	9	14	17	10	22	23	45	42	56	71	72	31	16	3		2	16
8	3	7	9	6	17	14	12	10	15	11	17	10	8	1		2	
11	12	16	17	17	10	14	41	42	64	94	82	47	17	4	1	2	
6	4	7	5	14	12	12	10	15	8	7	12	3	6	4		1	
																	17
																	18
1	1		1	1		1		1									19
	3	1		2		1	1			1							
1																	

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR		All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	I.—Epidemic, endemic, and infectious diseases—Continued												
20	Leprosy	M. wh.	17										
		col.	8										3
		F. wh.	3										
		col.	1										
21	Erysipelas	M. wh.	1,333	368	34	7	5	2	416	20	8	24	20
		col.	46	15	1				16			2	1
		F. wh.	1,148	373	40	12	3	3	431	9	11	19	26
		col.	47	15	4				19		2		2
22	Acute anterior poliomyelitis	M. wh.	441	40	70	39	44	23	216	75	59	32	17
		col.	51	10	10	3	8	7	38	6	3		2
		F. wh.	317	44	68	37	27	14	190	45	32	19	11
		col.	36	10	4	4	3	5	26	6	2	1	
23	Lethargic encephalitis	M. wh.	950	29	42	25	14	14	124	58	41	70	62
		col.	54	4	1			1	6	3	2	9	1
		F. wh.	888	22	37	26	15	16	116	49	44	64	75
		col.	47		3	3	1	1	8	2	3	8	8
24	Meningococcus meningitis	M. wh.	563	141	79	46	21	13	300	62	45	28	26
		col.	43	8	3	3	2	2	18	1	7	8	6
		F. wh.	377	94	42	30	20	14	200	45	33	14	14
		col.	33	7	2	2	1	2	14	4	5	2	1
25	Other epidemic and endemic diseases	M. wh.	170	55	24	8	1	5	93	16	5	4	2
		col.	33	9	5				14	1		3	
		F. wh.	106	28	16	4	5	5	58	8	5	2	1
		col.	38	7	2	1		1	11	2			2
26	Glanders	M. wh.											
		col.											
		F. wh.											
		col.											
27	Anthrax	M. wh.	20							2		2	1
		col.											
		F. wh.	2								1		
		col.											
28	Rabies	M. wh.	32		1	2	2	1	6	8	6	2	1
		col.	6					1	1	3	1		
		F. wh.	12				1		1	2	3		
		col.	4					1	1			1	1
29	Tetanus	M. wh.	868	91	8	5	13	23	140	158	156	75	29
		col.	259	102	2	2	5	2	113	18	30	18	12
		F. wh.	282	55	4	9	12	9	89	65	17	10	11
		col.	151	94				1	95	13	8	3	8
30	Mycoses	M. wh.	74	23	1				24			2	6
		col.	42	30	8	1			39				
		F. wh.	29	11	1				12				
		col.	38	30	4				34				
	Tuberculosis (all forms)	M. wh.	37,666	707	558	277	197	133	1,872	552	410	1,548	3,380
		col.	9,154	142	145	82	66	49	484	184	220	756	1,467
		F. wh.	32,271	582	494	260	181	140	1,657	434	703	3,130	4,816
		col.	9,697	140	117	88	55	44	444	180	412	1,460	1,933
31	Of the respiratory system	M. wh.	32,983	220	143	71	51	27	512	190	209	1,296	3,069
		col.	8,087	63	95	36	30	23	247	106	160	657	1,335
		F. wh.	27,936	177	125	64	49	36	451	145	504	2,802	4,443
		col.	8,774	75	68	41	30	20	234	129	348	1,340	1,802
32	Of the meninges, central nervous system	M. wh.	1,857	352	350	148	109	83	1,042	240	103	77	88
		col.	267	57	27	27	15	12	138	35	14	16	14
		F. wh.	1,599	295	290	151	97	77	910	208	83	98	77
		col.	221	42	30	31	19	10	132	28	14	11	12
33	Of the intestines, peritoneum	M. wh.	983	56	34	28	16	9	143	34	26	52	75
		col.	293	5	2	7	7	5	26	19	16	39	50
		F. wh.	1,255	36	28	17	11	9	101	25	37	92	132
		col.	335	9	4	3		6	22	14	26	46	53
34	Of the vertebral column	M. wh.	473	7	5	8	9	4	33	34	27	37	35
		col.	88	1	2	1	3	2	9	5	7	8	10
		F. wh.	290	13	4	4	4	6	31	20	17	22	16
		col.	40	1	1	1	1	1	5	1	6	4	8
35	Of the joints	M. wh.	166	4	2	3		2	11	17	9	11	10
		col.	42	1			1		2	6	2	6	6
		F. wh.	116	5	8	1	1		15	12	8	8	5
		col.	27					1	1	1	3	4	2
36	Of other organs	M. wh.	556	14	3	9	4	2	32	14	18	33	32
		col.	106	2	4	4	4	2	16	5	8	11	8
		F. wh.	424	17	9	6	4	6	42	8	12	24	35
		col.	78	2	3	3	1	1	10	5	6	6	9
37a	Disseminated (acute)	M. wh.	505	51	19	10	5	6	91	18	14	35	61
		col.	226	11	14	7	4	4	40	6	10	15	39
		F. wh.	513	33	26	16	13	6	94	15	35	71	92
		col.	195	10	11	8	3	4	36		9	46	41
37b	Disseminated (chronic or unspecified)	M. wh.	143	3	2		3		8	5	4	7	10
		col.	45	2	1		2	1	6	2	3	4	5
		F. wh.	138	6	4	1	2		13	1	7	13	16
		col.	27	1		1	1	1	4	2		3	6
38	Syphilis	M. wh.	3,111	659	35	11	5	3	713	20	14	22	58
		col.	1,766	333	31	18	5	6	393	16	8	24	100
		F. wh.	1,517	454	37	12	3	2	508	12	21	35	64
		col.	1,048	292	25	12	6	5	340	11	16	48	84
39	Soft chancre	M. wh.	2									1	
		col.	1										
		F. wh.											
		col.	2									1	

IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1923—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
3		3	5		1	3		1		1							
1	1	1		1			1										
1		1			1												20
							1										
29	33	55	58	66	75	67	105	90	90	85	46	33	10		1	2	
1	2	1	3		1	4	8	1	3	1	1			1			
26	25	39	43	57	52	52	65	67	80	55	52	26	12	1			21
1	5	3	2	1	4	2	2		1		1	2					
10	8	4	7	1	1	7		2		1						1	
	1															1	
3	3	2	4	2	2			2	1	1							22
				1													
66	73	85	69	73	72	55	49	27	14	9	1	1				1	
3	1	5	9	1	8	1	2	3									
70	64	59	64	67	65	40	48	26	24	4	4	4				1	23
5	2	3	2	2	2	2											
19	17	11	17	7	4	11	7	4	4		1						
1	1			1													
8	10	7	5	11	6	4	4	9	2	1	1	3					24
3	3		1														
	4	6	3	5	3	5	11	5	2	3	1	1	1				
			2		5	3	2			2			1				
1	2	2	4	4	2	4		3	6	2	2						25
5	1	3	2	4	1	1	1	1	1		1	1		1			
																	26
		5	2	2	3			1	1	1							
					1												27
2			2	2	3												
			1														
1	1			2		2											28
							1										
40	31	42	34	29	34	30	26	14	20	6	2					2	
13	10	6	10	4	6	4	5	5	2	2	1						
10	8	14	10	9	10	5	11	9	1	2	1						29
5	5	3	4	2	3	2											
2	3	6	3	7	4	4	8		4		1						
		1	1				1										
	1	2	1	1	1	1	3	2	3		1	1					30
		1	1		1	1											
4,033	4,000	4,022	3,694	3,318	2,919	2,355	2,051	1,582	1,050	594	171	60	11	2	1	41	
1,308	1,008	943	792	616	494	297	229	154	90	39	29	10	5	1	2	26	
4,445	3,575	2,790	2,170	1,737	1,437	1,285	1,152	1,102	866	601	237	82	18		1	33	
1,540	1,036	819	591	434	255	203	136	87	60	38	19	15	4		4	27	
3,757	3,712	3,728	3,458	3,104	2,704	2,186	1,875	1,434	951	535	159	56	9	2		37	
1,218	935	860	735	565	462	269	208	139	85	36	28	10	4	1	2	25	
4,170	3,320	2,554	1,947	1,562	1,288	1,134	1,019	967	756	543	210	71	16		1	33	31
1,459	968	764	550	403	233	190	126	79	53	34	18	14	3		3	24	
53	60	52	30	29	25	23	15	11	1	7		1					
8	11	12	6	5	7		1										
53	41	43	26	20	12	8	11	4	2	2		1					32
8	6	1	4	1	2	1		1									
62	74	77	64	64	70	50	63	50	48	23	5	1				2	
24	25	23	18	19	10	8	6	7	1	1			1				
113	97	95	93	75	69	80	73	71	55	31	9	5	2				33
40	34	31	20	22	8	4	1	3	5	2	1		1		1	1	
45	39	34	40	29	33	25	27	16	12	6	1						
18	9	10	4	1	2	3	2										
13	19	16	20	21	21	19	18	13	16	3	4	1					34
4	2	5	1		2				1	1							
17	8	11	5	9	16	8	15	10	4	4	1						
7	2	4	1		2	3			1								
3	5	4	10	10	5	8	4	5	9	2	2	1					35
	4			1	2		5	1		1		1				1	
35	45	65	51	37	39	41	28	39	27	11	4	2	1		1	1	
7	3	6	10	7	5	6	6	4	2	2							
25	39	27	48	27	26	21	19	28	21	13	7	2					36
7	7	6	8	2	4	3	3	2									
52	52	40	34	32	22	16	20	7	5	4			1			1	
22	21	21	16	17	4	6	4	2	1		1					1	
58	42	35	18	17	10	10	5	7	2	1	1						37a
19	11	11	8	4	3	5	1		1								
12	10	15	12	14	10	6	8	15	2	4	1						
4	2	7	2	2	2	2	2	2									
10	12	16	8	5	6	5	3	7	5	6	4	1					37b
3	4	1		1	1			1								1	
102	174	235	308	317	338	257	223	173	95	39	14	2	1			6	
127	134	197	192	176	126	93	63	45	32	21	11	1	1			6	
75	82	130	126	119	133	73	53	43	15	16	9	2			1		38
85	82	92	79	57	37	41	27	22	8	6	4	2	2		1	4	
								1									
		1															39
												1					

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR		All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	I.—Epidemic, endemic, and infectious diseases—Continued												
40	Gonococcus infection	M. wh.	79	12					12			2	5
		col.	65	3	1				4			1	2
		F. wh.	402	15	3				18	2	5	27	84
		col.	220	5					5		2	28	45
41	Purulent infection, septicemia	M. wh.	671	102	24	11	4	7	148	33	44	24	29
		col.	83	5		1	1	1	8	2	1	2	5
		F. wh.	491	76	9	11	4	7	107	16	21	31	31
		col.	72	3	1	1		1	6	1		4	5
42	Other infectious diseases	M. wh.											
		col.											
		F. wh.	1										
		col.	1										
	II.—General diseases not included in Class I:												
	Males	White	54,310	1,270	276	182	154	109	1,991	510	487	611	596
		Colored	2,935	171	56	24	10	4	265	38	39	36	66
	Females	White	65,435	970	219	149	113	80	1,531	432	536	568	617
		Colored	5,292	110	37	18	12	4	181	32	48	104	196
	Cancer and other malignant tumors	M. wh.	35,974	33	38	41	33	28	173	88	73	143	174
		col.	1,478	4	4	1	3		12	9	5	6	17
		F. wh.	45,007	34	31	40	23	20	148	80	67	111	156
		col.	3,116	1	2	3	5	1	12	5	8	11	40
43	Of the buccal cavity	M. wh.	2,374		1	2	2	2	7	1	4	5	6
		col.	82										2
		F. wh.	467	1	1	1			3	3	3	3	3
		col.	39								1		1
44	Of the stomach, liver	M. wh.	16,898	6	9	5	3	4	27	10	8	13	28
		col.	751	2	2				4	2		2	2
		F. wh.	14,316	9	6	5	1	4	25	15	6	7	18
		col.	710	1	1				2	1	1	1	8
45	Of the peritoneum, intestines, rectum	M. wh.	5,035	6	2	3	4	2	17	9	7	18	38
		col.	168				1		1		2		2
		F. wh.	6,356	3	5	2			10	9	9	12	20
		col.	256							2	1	1	7
46	Of the female genital organs	F. wh.	10,642			2			2	2	8	14	50
		col.	1,389				1		1		3	4	11
47	Of the breast	M. wh.	101								1	2	2
		col.	9										
		F. wh.	7,094							1	1	3	4
		col.	420									1	6
48	Of the skin	M. wh.	1,556	1		5			6	1		3	2
		col.	36										1
		F. wh.	955				1		1	2	1	2	5
		col.	41										1
49	Of other or unspecified organs	M. wh.	10,010	20	26	26	24	20	116	67	53	102	98
		col.	432	2	2	1	2		7	7	3	4	10
		F. wh.	5,177	21	19	30	21	16	107	48	39	70	56
		col.	261		1	3	4	1	9	2	2	4	6
50	Tumors, benign and unqualified (tumors of the female genital organs excepted).	M. wh.	313	7	5	3	4	6	25	6	3	8	10
		col.	29		1	1			2	2		1	1
		F. wh.	422	5	2	4	5	2	18	2	7	11	8
		col.	49										1
51	Acute rheumatic fever	M. wh.	1,165	5	5	15	18	21	64	157	163	110	61
		col.	178	4	2		1		7	9	13	2	9
		F. wh.	1,322	5	6	11	20	22	64	156	179	121	60
		col.	233	1	1	1			3	6	16	16	10
52	Chronic rheumatism, osteoarthritis, gout	M. wh.	370		2				2	3	5	4	9
		col.	37								1		2
		F. wh.	676	1			1		2	2	3	4	5
		col.	38							1		2	1
53	Scurvy	M. wh.	19	11	4	1			16		1		
		col.	5	3	1				4				
		F. wh.	32	25	2			2	29	1			
		col.	8	5	1	1			7				
54	Pellagra	M. wh.	380		2	1			3	6	4	3	3
		col.	234	1	5	1		1	8	8	8	9	9
		F. wh.	763	3		1	1	1	6	1	2	11	33
		col.	868		2	1	2	1	6	9	11	53	103
55	Beriberi	M. wh.											
		col.	3										
		F. wh.	1										
		col.	2	2					2				
56	Rickets	M. wh.	197	141	38	6	4	1	190	5	1	1	
		col.	81	53	20	7			80	1			
		F. wh.	151	94	34	9	5	3	145	2	2	2	
		col.	50	28	15	4	2		49	1			
57	Diabetes mellitus	M. wh.	7,149	11	19	24	28	13	95	87	125	171	162
		col.	353	2	1				3	3	8	7	4
		F. wh.	9,179	9	9	12	16	9	55	86	166	132	129
		col.	472		1				1	4	8	3	12
58	Anemia, chlorosis	M. wh.	2,578	61	23	19	19	4	126	22	23	31	36
		col.	53	12	3			1	16			2	3
		F. wh.	3,079	47	19	8	8	2	84	22	25	41	47
		col.	83	4	2	1	1	1	9	1	3	7	12
59	Diseases of the pituitary gland	M. wh.	25		1				1		1	2	1
		col.	1										
		F. wh.	28		1				1	1	3		2
		col.											
60a	Exophthalmic goiter	M. wh.	237	1					1	1	1	11	10
		col.	7										1
		F. wh.	1,709							2	7	56	88
		col.	95		1				1			4	4

IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1923—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
8	5	5	7	7	8	3	4	7	2	3						1	40
3	8	3	10	10	6	3	7	3	2	2	1						
86	58	58	41	14	5	3			1								
51	35	22	17	12	1	1	1										
25	31	36	32	36	45	35	40	38	21	22	20	2	4	2		4	41
8	4	6	5	9	8	5	5	3	4	5	1	1	1				
25	35	36	26	18	28	16	19	27	15	12	15	6	6	1			
8	6	7	6	5	4	7	4	4	3	1			1				
																	42
								1									
1																	
808	1,181	1,691	2,484	3,328	4,934	6,056	7,549	7,609	6,498	4,602	2,268	881	185	34	3	54	
98	113	173	229	289	345	275	266	235	175	125	101	32	17	8	2	8	
964	1,528	2,582	3,898	5,324	6,749	7,597	8,685	8,240	6,942	4,991	2,687	1,164	292	58	5	45	
288	336	502	574	621	615	462	368	330	252	162	81	65	20	17	8	30	
281	471	774	1,359	2,088	3,344	4,314	5,524	5,763	5,018	3,629	1,820	717	160	26	3	32	
33	37	66	110	164	225	177	173	159	123	82	48	16	10	1		5	
390	870	1,735	2,855	3,974	4,931	5,474	6,142	5,862	5,048	3,795	2,121	932	240	43	4	29	
110	154	307	346	423	445	341	246	243	171	107	58	43	15	10	6	15	
11	22	44	87	141	239	268	379	351	314	240	159	79	15		1	1	43
2	3	2	10	8	19	10	5	7	8	3	1	1	1				
6	5	16	7	23	38	42	55	65	44	55	51	33	9	2	1		
2		2		3	9	4	1	5	4	3	1	2	1				
68	133	304	611	1,043	1,693	2,219	2,793	2,874	2,418	1,630	740	226	38	6	1	15	44
11	13	39	51	91	121	100	85	86	66	35	25	8	6	1		3	
59	130	288	541	873	1,218	1,674	2,181	2,267	2,201	1,563	882	294	58	10		6	
21	27	46	67	82	106	81	72	71	46	37	18	15	3		1	4	
53	96	151	235	291	476	614	759	803	665	500	212	67	19	1		4	45
5	7	10	15	15	26	23	25	11	11	7	4	2	2				
61	118	194	310	416	671	778	866	910	805	647	329	148	34	6		3	
15	17	37	20	34	27	29	19	15	20	2	3	4	1	2			
140	354	689	1,062	1,358	1,422	1,382	1,329	1,121	789	553	243	92	17	2		13	46
52	81	169	194	201	195	150	104	92	55	33	16	11	6	2	2	7	
2	1	1	7	3	10	10	19	14	10	10	6	3					47
1			3	1			2		1			1					
43	151	331	617	864	976	948	952	725	572	434	265	152	46	6	1	2	
6	17	34	40	67	69	50	30	34	23	20	10	6	2	4		1	
3	13	18	30	65	66	105	178	193	239	247	191	129	52	11	1	3	48
	5	2	4		6	6	2	5	1	3	1						
6	7	17	23	20	34	47	71	99	137	156	146	122	46	10	2	1	
1	2	4	1	2	4	6	3	3	5	3	1	2	1	1		1	
144	206	256	389	545	860	1,098	1,396	1,528	1,372	1,002	512	213	36	8		9	49
14	9	13	27	49	53	38	54	50	36	34	17	4	1			2	
75	105	200	295	420	572	603	688	675	500	387	205	91	30	7		4	
13	10	15	24	34	35	21	17	23	18	9	9	3	1	1	3	2	
15	11	12	17	17	19	32	38	30	19	31	14	6					50
3	2	1	1	3	2	4	2	2		1	2						
13	15	9	22	31	42	25	48	33	47	43	30	12	5			1	
4	1	4	9	3	5	3	8	1	3	4	1	1				1	
40	39	52	59	50	51	49	58	51	62	55	29	10	2	1		2	51
6	12	9	10	12	16	14	14	9	7	9	9	6	1	1	2	1	
59	50	54	52	72	59	66	56	68	84	47	41	28	4		1	1	
14	18	14	16	25	21	15	12	9	13	13	3	3	1	2	2	1	
13	6	13	15	17	27	26	28	46	71	32	34	18	1				52
1	2	1	3	3	2	2	7	3	1	1	3	3		2			
2	5	13	22	34	49	50	61	108	98	103	67	33	9	5		1	
1		1	2	4	6	2	4	5	2	2			2	3			
1		1															53
1																	
		1		1													
	1																
5	11	17	18	33	44	38	48	52	48	28	13	5				1	54
12	13	15	25	21	17	19	20	13	11	6	15	2	1	2			
43	49	73	95	82	71	59	80	64	52	29	7	4				2	
110	104	109	89	80	42	35	28	32	22	18	4	4	1			8	
																	55
			1			1				1							
	1																
																	56
167	201	208	266	349	587	797	1,036	1,050	889	591	265	80	10	6		7	57
11	14	21	20	44	50	37	32	30	26	17	17	4	3	1		1	
145	164	231	279	463	881	1,216	1,491	1,472	1,146	679	314	104	16	4		6	
11	26	23	61	49	65	53	54	31	34	13	10	9	1	1		3	
30	52	79	130	200	303	318	386	345	261	156	48	25	7				58
3	4	2	3	2	4	4	3	1	1	1	2		1	1			
79	88	128	202	240	319	346	451	420	292	187	59	30	15	3		1	
8	3	6	7	5	6	3	5	2	3	1	1			1			
3	1	6	2	3	1		3	1									59
							1										
1	6	3	2	1	2	3	2		1								
15	14	24	25	28	24	31	27	12	6	5	1	1					
	1	1	1					2	1								
103	119	134	192	228	205	180	174	102	60	40	14	2	1			2	
9	7	17	22	11	9	2	3	2		1		2					

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR		All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	II.—General diseases not included in Class I—Con.												
60b	Other diseases of the thyroid gland	M. wh.	94	8	6	1	1		16	2	3	4	3
		M. col.	8										
		F. wh.	518	7	6	2	2		17	2	4	19	20
		F. col.	43							1		2	1
61	Diseases of the parathyroid glands	M. wh.	43	35	4		1		40	2		1	
		M. col.	5	3	1		1		5				
		F. wh.	28	14	8	3	1		26				
		F. col.	5	1	1			1	3				
62	Diseases of the thymus gland	M. wh.	424	337	37	11	4	6	395	9	7	4	1
		M. col.	42	28	5	4	1		38	1	1		1
		F. wh.	315	249	22	7	3	1	282	12	4	4	3
		F. col.	20	15	2	1			18				
63	Diseases of the adrenals (Addison's disease)	M. wh.	159							1		3	6
		M. col.	6										
		F. wh.	171	1					1	1	3	5	6
		F. col.	7										
64	Diseases of the spleen	M. wh.	50	2					2	6		3	1
		M. col.	4	1					1	1		1	
		F. wh.	54	1	2	2	1	1	7	1	2	4	1
		F. col.	1										1
65a	Leukemia	M. wh.	774	25	24	21	23	11	104	58	37	46	29
		M. col.	36	1		1			2	2		2	2
		F. wh.	592	19	9	21	13	12	74	32	29	24	21
		F. col.	22		1	1			2	1	1	2	2
65b	Hodgkin's disease	M. wh.	485	11	5	3	3	3	25	26	18	32	33
		M. col.	15			4			4			1	2
		F. wh.	259	8	2	4	2		16	6	11	5	15
		F. col.	12	1					1	1		1	
66	Alcoholism (acute or chronic)	M. wh.	2,623								2	15	34
		M. col.	210									4	10
		F. wh.	224									2	9
		F. col.	55									3	7
67a	Chronic lead poisoning	M. wh.	124										1
		M. col.	10										1
		F. wh.	4			1			1				
		F. col.											
67b	Other chronic mineral poisoning	M. wh.	15		1				1				
		M. col.	8										1
		F. wh.	6							2			2
		F. col.	2										
68	Chronic poisoning by organic substances	M. wh.	123									5	10
		M. col.	20										1
		F. wh.	71									2	4
		F. col.	11										1
69	Other general diseases	M. wh.	989	582	62	36	16	16	712	31	20	14	12
		M. col.	112	59	13	5	4	2	83	2	3	1	2
		F. wh.	824	448	66	24	12	5	555	21	22	14	8
		F. col.	100	52	8	5	2		67	2	1		1
	III.—Diseases of the nervous system and of the organs of special sense:												
	Males	White	58,596	1,805	518	260	184	157	2,924	605	490	525	538
		Colored	5,760	337	73	40	24	17	491	47	58	89	110
	Females	White	53,353	1,291	390	243	145	111	2,180	508	417	463	456
		Colored	5,792	243	49	23	15	15	345	80	65	83	89
70	Encephalitis	M. wh.	580	60	24	20	5	10	119	32	28	31	32
		M. col.	77	10	2	2		3	17	7	1	8	6
		F. wh.	498	46	18	21	5	6	96	37	27	33	22
		F. col.	58	9	5	1	2	2	19	6	5	1	3
71a	Simple meningitis	M. wh.	1,365	345	145	86	48	30	654	126	69	51	42
		M. col.	146	39	16	14	7	3	79	9	8	12	4
		F. wh.	972	252	109	75	41	20	497	101	53	42	31
		F. col.	120	26	12	8	1	3	50	19	11	5	5
71b	Nonepidemic cerebrospinal meningitis	M. wh.	502	140	50	26	15	18	249	55	32	31	27
		M. col.	62	17	9	7	4	2	39	4	5	3	1
		F. wh.	358	100	36	23	14	12	185	52	23	21	12
		F. col.	47	9	7	1		2	19	11	1	3	4
72	Tabes dorsalis (locomotor ataxia)	M. wh.	1,180									2	1
		M. col.	103										3
		F. wh.	367										1
		F. col.	21										
73	Other diseases of the spinal cord	M. wh.	1,449	23	11	9	8	7	58	20	22	26	32
		M. col.	103	3			1	1	5		2	3	3
		F. wh.	1,406	14	12	17	5	7	55	21	21	21	17
		F. col.	104		1	1		1	3	3	1		2
74a	Cerebral hemorrhage	M. wh.	38,067	102	22	13	8	13	158	23	21	40	63
		M. col.	3,214	12	2	1	1		16	2	5	12	18
		F. wh.	38,250	55	18	10	4	2	89	25	27	51	52
		F. col.	3,682	7		1			8	9	9	16	22
74b	Cerebral embolism and thrombosis	M. wh.	1,204	10	1		2	2	15	4	3	4	9
		M. col.	65										
		F. wh.	1,304	4	3	1	1		9	5	6	10	12
		F. col.	80	1					1	1		1	2
75	Paralysis without specified cause	M. wh.	2,250	20	5	1	2	2	30	10	2	9	6
		M. col.	596	3	3		1		7	4	4	6	7
		F. wh.	2,378	12	9	3	2	3	29	6	5	10	4
		F. col.	724	3	1		3	1	8	2	1	4	5
76	General paralysis of the insane	M. wh.	4,306								2	8	14
		M. col.	550									1	8
		F. wh.	1,320								1	6	13
		F. col.	204									3	7
77	Other forms of mental alienation	M. wh.	568								1	8	33
		M. col.	77								1	6	6
		F. wh.	833								1	17	44
		F. col.	113								1	9	9

IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1923—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
7	6	9	6	6	5	11	5	6	3	2							
			2	1	2			1	1	1							
31	32	29	37	57	52	63	58	38	38	12	5	4					60b
3	4	2	3	9	7	2	2	3	1		1	1				1	
		1								1							61
			1				1										
1	4					1				1	1						
1																	
2	3	2	1	1	1												62
2																	
8	9	19	10	16	14	17	26	20	8	1	1						
		1	1	2			1				1						
9	15	19	11	26	14	16	10	14	8	10	3						63
1	2	1	1				1	1									
3	3	4	3	1	5	4	4	3	6	2							
				1													
3	5	5	3	2	4	4	4		3	1	2	1	1	1			64
40	40	43	42	39	70	59	62	50	28	16	9	1	1				
1	3	3	6	2	4	3	3	2			1						
25	33	33	31	46	60	43	56	30	30	17	3	4				1	65a
2	1	3	2	2	1	1	1		1								
40	38	31	36	31	32	44	38	31	13	8	6	2				1	
2	1	1		2	1	1											
22	20	24	29	17	22	24	18	11	9	6	3	1					65b
2	1		3	1	1	1											
101	228	355	399	412	374	275	231	120	40	19	7	1				10	
21	19	44	38	29	17	5	9	9	2	2						1	
14	27	53	45	26	19	10	10	4	4							1	66
8	8	7	7	4	5	2	2				1					1	
5	6	10	17	14	19	16	16	11	5	3	1						
		2	3	2		1		1									
1			1				1										67a
1	3	1	1	4			1	1	1	1							
	1		1		2	1		1				1					
1		1															67b
		1		1													
15	19	10	15	11	7	9	6	5	3	5	2	1					
2	2	5	2	1	2	2	1		1	1							
7	12	9	10	5	4	4	4	2	2	3	2	1					68
2	2	2	1	1		1				1							
17	19	23	14	9	8	15	12	12	17	17	17	14	4	1		1	
1	2	1	2		1	4		2	1	3	3		1				
14	14	25	9	18	14	14	19	12	20	18	16	8	1	2			69
1	4	5	4	3	2	1	1	1	1	2	2	2					
684	1,086	1,666	2,201	2,645	3,603	4,751	6,416	7,503	8,165	7,213	4,705	2,132	558	95	20	71	
123	180	291	387	500	604	508	562	514	474	349	217	132	51	26	11	36	
557	730	1,058	1,451	2,237	3,204	3,816	5,299	6,609	7,359	7,378	5,643	2,907	833	179	32	37	
128	151	293	393	482	688	563	562	528	445	326	245	138	87	31	48	22	
28	39	36	39	47	34	37	35	14	10	10	7	2					
3	6	6	5	4	3	4	1		2	1						3	
26	25	34	30	34	32	23	28	16	9	11	12	2	1				70
4	1	6	3	3	2	2		2		1							
41	38	58	47	53	42	50	28	22	21	6	9	4	1			3	
7	2	5	8	9	1		2										
33	18	30	20	22	39	23	21	18	11	7	2	1	2			1	71a
2	6	6	2	3	9	1		1									
15	15	12	11	17	13	6	6	3	6	1	2					1	
2	1	4		1	1	1											
6	15	15	5	2	4	7	3	2	2	3	1						71b
4	1	2	2														
9	21	27	86	108	142	199	204	172	117	62	26	4					
2	3	8	14	11	16	9	6	15	7	5	1	3					
4	8	10	17	34	48	53	68	61	23	26	10	4					72
2	1		5	3	1	3	1	2	2			1					
36	49	35	62	89	122	128	186	175	164	123	82	31	5	3		1	
5	5	7	10	8	13	11	8	7	6	6	1	2	1				
36	36	39	54	99	115	129	180	178	155	130	73	36	9	1	1		73
	6	11	10	8	6	8	12	10	7	5	4	1	3	2	1	1	
123	184	416	694	1,222	2,204	3,295	4,864	5,914	6,591	5,977	3,885	1,793	460	79	17	44	
31	72	118	193	286	398	351	410	371	338	251	170	96	34	15	5	22	
102	198	415	778	1,428	2,259	2,915	4,215	5,354	6,123	6,157	4,711	2,450	703	147	25	26	74a
44	71	151	266	355	513	440	437	383	317	242	167	96	61	23	38	14	
11	20	25	37	36	81	106	146	183	194	139	107	59	23	1		1	
1	4	4	2	4	11	5	5	11	9	6	3						
31	20	28	27	50	83	82	120	168	199	217	136	73	22	5	1		74b
2	5	3	6	6	14	7	10	7	3	5	3	1	3				
6	4	28	42	54	78	125	218	309	428	416	296	133	43	5		8	
8	8	19	15	32	55	45	76	67	89	61	36	24	15	9	6	3	
6	17	15	29	43	85	125	213	302	395	412	402	198	59	14	4	5	75
12	15	27	29	49	81	64	65	94	88	56	59	31	18	6	7	3	
96	354	640	778	633	501	407	291	222	154	104	63	27	5	3		4	
17	38	76	104	100	70	49	32	26	14	7	2	1				5	
49	89	147	164	144	147	128	72	96	86	89	60	20	6	1	1	1	76
13	14	29	41	16	27	17	12	7	6	3	2	2	1		1	3	
40	42	57	56	51	52	48	54	38	32	27	19	6	3			1	
10	11	11	4	6	2	5	2	6	3	1	1	1				1	
55	67	67	90	101	85	81	68	52	32	25	21	18	4	2		3	77
15	15	14	4	7	13	3	5	8	4	5	1						

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR		All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	III.—Diseases of the nervous system and of the organs of special sense—Continued												
78	Epilepsy	M. wh.	1,517	57	13	13	18	15	116	57	87	127	131
		col.	254	20	1	1	3	2	27	6	15	27	37
		F. wh.	1,105	20	14	11	4	6	55	26	60	98	124
		col.	187	15	3	1	2	2	23	9	20	21	15
79	Convulsions (nonpuerperal; 5 years and over)	M. wh.	45							17	3	3	1
		col.	15							4	6	1	
		F. wh.	63							10	6	12	6
		col.	32							6	7	6	5
80	Infantile convulsions (under 5 years)	M. wh.	822	680	80	34	22	6	822				
		col.	241	197	28	10	4	2	241				
		F. wh.	616	504	56	30	16	10	616				
		col.	187	157	15	9	3	3	187				
81	Chorea	M. wh.	36	1	1				2	5	3	5	1
		col.	2	1					1				
		F. wh.	58	3		1			4	1	12	9	7
		col.	5								1	1	1
82	Neuralgia and neuritis	M. wh.	129	1				1	2	1	1	1	2
		col.	11										1
		F. wh.	190			1		1	2			1	4
		col.	14							1	1	1	
83	Softening of the brain	M. wh.	430										2
		col.	18										
		F. wh.	378										1
		col.	20										
84	Other diseases of the nervous system	M. wh.	2,313	76	31	12	19	9	147	65	58	50	53
		col.	126	11	2	4	1	2	20	5	5	8	10
		F. wh.	1,971	66	31	19	15	14	145	50	56	65	43
		col.	101	2					2	3	2	8	5
85	Diseases of the eye and annexa	M. wh.	48	12	4	1	1	1	19	5	1	1	1
		col.	3	1					1				
		F. wh.	35	4	3	1		3	11	2		2	1
		col.	3							1		1	
86a	Diseases of the ear	M. wh.	1,074	206	92	27	23	23	371	93	78	67	49
		col.	54	19	8	1	1	1	30	4	2	1	5
		F. wh.	759	180	57	19	17	11	284	100	72	33	22
		col.	56	11	2	1	3	1	18	8	3	1	3
86b	Diseases of the mastoid process	M. wh.	711	72	39	18	13	20	162	92	79	61	39
		col.	43	4	2		1	1	8	2	4	1	1
		F. wh.	492	31	24	11	21	16	103	72	47	32	40
		col.	34	3	3		1		7	1	2	2	1
	IV.—Diseases of the circulatory system:												
	Males	White	93,982	573	111	105	75	106	970	570	789	871	817
		Colored	8,879	52	12	19	5	8	96	51	72	88	166
	Females	White	81,887	439	101	79	80	100	799	666	891	911	878
		Colored	8,273	31	18	12	10	5	76	66	82	121	223
87	Pericarditis	M. wh.	416	9	5	8	3	2	27	17	20	14	9
		col.	85	3					3	2	3		5
		F. wh.	331	9	3	4	2	1	19	14	11	15	3
		col.	57			1			1	1	1	3	2
88	Endocarditis and myocarditis (acute)	M. wh.	2,799	222	42	34	23	18	339	162	132	122	150
		col.	390	12	3	6	2	2	25	11	8	15	26
		F. wh.	2,717	154	33	27	28	34	276	177	173	181	194
		col.	418	7	5	3	2	1	18	18	17	24	31
89	Angina pectoris	M. wh.	6,382	2					2	1	1	2	5
		col.	245									1	4
		F. wh.	3,130							4	3	3	10
		col.	208								6	2	3
90	Other diseases of the heart	M. wh.	71,376	254	52	55	42	79	482	374	622	712	626
		col.	7,251	28	9	13	3	6	59	38	61	65	120
		F. wh.	65,662	223	53	43	44	60	423	457	687	693	639
		col.	6,934	14	11	8	8	4	45	46	54	85	173
91a	Aneurysm	M. wh.	1,081	1			1		2		4	4	6
		col.	251									1	6
		F. wh.	376	3			3		6			2	3
		col.	89										1
91b,c	Other diseases of the arteries	M. wh.	10,613										1
		col.	539										
		F. wh.	8,504										
		col.	460									1	3
92	Embolism and thrombosis (not cerebral)	M. wh.	915	43	2	1	2	5	53	12	4	8	13
		col.	33	1					1			1	2
		F. wh.	669	16	3	1	2	5	27	5	12	13	17
		col.	34								1	2	3
93	Diseases of the veins	M. wh.	218			1	1		2	3	1	1	2
		col.	15	1					1			2	
		F. wh.	333	5		1			6		3	1	5
		col.	20										
94	Diseases of the lymphatic system	M. wh.	87	30	10	4	3	2	49		3	3	1
		col.	11	3					3				
		F. wh.	67	22	9	1	1		33	4	1		3
		col.	17	4	1				5	1	3	1	2
95	Hemorrhage without specified cause	M. wh.	51	11		2			13	1	2	5	4
		col.	36	4					4			3	3
		F. wh.	57	7		2			9	5	1	3	4
		col.	26	6	1				7			3	5
96	Other diseases of the circulatory system	M. wh.	44	1					1				
		col.	23										
		F. wh.	41										
		col.	10										

IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1923—Continued

25 to 29 years	30 to 34 years	35 to 40 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
123	120	131	119	85	81	80	61	62	59	39	26	7	2			4	78
23	16	17	15	17	22	13	3	6	3	5		1		1			
90	103	91	74	88	68	44	42	55	43	23	10	10	1				
15	6	21	10	12	10	9	7	2	4	2	1						
1	2	1	4	3	2	1	1	2	2		1				1		
		1	2		1												79
6	4	6	5	1	1			3		1			1			1	
2	1	3					1									1	
																	80
1			1	4	1	3	2	1	2	5							81
		1															
2		2	2		4	3	4	1	3	2	1			1			
			1						1								
1	1	4	8	8	8	13	17	16	22	15	6	2	1				82
1		1	1	1	1	1	1	2		1							
3	7	9	4	9	17	12	22	25	17	29	16	9	3	1			
1	1	2	2	1				3	1								
1	2	2	7	6	3	17	32	61	80	106	72	29	6	1	1	2	83
		1		2	1	4	5			3	1		1				
2	1	3	4	6	13	13	25	35	65	83	74	37	12	4			
1					1	2	4	2	3	2	2	1	1		1		
69	112	118	129	153	175	173	206	259	245	163	94	32	8	2		2	84
8	9	10	10	12	6	5	7	1	1	2	2	3		1		1	
66	73	94	110	124	161	137	174	200	177	141	102	42	9	2			
5	4	9	7	13	7	6	5	6	6	4	5	4					
3			2			2	3		4	2	5						
					1				1								85
	1	1	1	1	1	1	4	3	1	3	1			1			
												1					
46	51	47	41	49	39	43	39	29	18	6	4	3			1		86a
1	1		2	4		4											
22	22	28	22	25	27	23	17	24	13	11	9	4	1				
2	1	8	2	3	3		2		1	1							
34	32	29	38	27	25	18	23	21	16	12	1		1	1			86b
4	4	2	2	3	2	1	4	2	1			1				1	
18	26	24	15	26	15	17	23	16	5	8	2	3					
4	3	1	3	3	1	1	1	1	2		1						
957	1,235	1,923	2,725	3,998	5,966	7,696	10,863	12,546	13,357	12,762	9,399	4,739	1,426	247	50	76	
254	340	566	712	933	1,054	824	780	777	762	581	391	219	98	44	33	38	
1,068	1,275	1,775	2,219	3,037	4,149	5,175	7,843	9,752	11,618	11,822	9,782	5,643	2,043	426	62	53	
266	374	547	687	807	913	713	767	674	615	478	363	202	133	67	61	38	
11	11	22	21	25	28	27	43	35	43	27	24	7	5				87
8	4	7	7	7	7	5	6	8	4	1	3	3			1	1	
8	10	13	7	29	21	23	22	26	42	35	21	9	3				
6	3	1	4	4	7	1	5	4	3	3	2	3	1	1		1	
152	169	235	321	126	129	150	140	146	112	98	69	35	12				88
37	38	56	73	29	25	16	10	8	6	1	2	2				2	
196	238	262	284	80	72	96	89	108	109	74	57	28	17	5		1	
55	43	71	62	19	12	13	14	6	7	4	2			1		1	
21	63	100	249	379	552	729	1,055	1,099	903	680	384	124	26	1		6	89
9	13	29	23	29	33	32	20	15	16	9	4	4	1		1	2	
18	26	62	88	136	180	259	404	512	515	469	284	115	33	5	1	3	
11	12	19	18	25	19	16	14	17	19	12	5	5	1	2		2	
726	925	1,429	1,916	3,167	4,786	6,087	8,559	9,811	10,323	9,649	6,848	3,222	872	149	37	54	90
176	255	427	552	787	919	704	685	672	630	461	310	177	74	30	21	28	
790	934	1,351	1,722	2,655	3,612	4,428	6,691	8,208	9,595	9,481	7,415	4,146	1,371	284	37	43	
186	304	430	570	713	833	646	675	582	511	394	309	160	96	45	45	32	
15	29	69	91	122	140	153	161	114	71	50	34	9	4			3	91a
15	21	33	44	44	27	21	12	10	6	4	4	1				2	
6	11	20	31	20	28	47	48	52	44	39	13	3	1	2			
2	7	13	15	19	10	3	5	7	3	1		3					
5	8	19	53	87	208	415	752	1,199	1,784	2,173	1,986	1,301	500	96	13	13	91b, c
2	3	7	8	22	30	37	43	55	90	100	65	28	22	14	10	3	
2	6	10	34	51	148	224	469	716	1,229	1,627	1,914	1,309	608	127	24	6	
1		6	6	18	23	28	49	52	70	59	44	30	34	18	16	2	
19	18	35	52	64	95	100	118	101	89	60	40	30	3	1			92
2	1	1	3	5	5	4	1	3	3				1				
25	31	32	29	36	48	39	61	80	56	59	62	28	7	2			
2	4	5	4	2	5	3			1	1			1				
4	9	8	14	21	24	28	22	31	20	15	8	3	2				93
	3	1	1	1		3		1	1	1							
16	12	23	19	23	36	48	47	37	19	24	9	3	1	1			
		1	2	3	2	2	2	5	1	2							
2	1	2	1	4	1	3	4	2	3	2	2	4					94
1		2			2	1				1		1					
3	1		1	3		5	2	3	3	2	2	1					
1		1	2							1							
1		4	5	1	1	1	1	4	2	1	1	2	2				95
3	2	2	1	4	2	1	2	2	3	1		3					
4	5	1	1	1	2	3	5	3	2	6	2						
2	1			3	1		1			1	1	1					
1	2		2	2	2	3	8	4	7	7	3	2					96
1		1		5	4		1	3	3	2	3						
	1	1	3	3	2	3	5	7	4	6	3	1	2				
			4	1	1	1	2	1									

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR		All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	V.—Diseases of the respiratory system:												
	Males	White	56,475	11,761	3,635	1,466	687	423	17,972	1,100	582	1,053	1,127
		Colored	9,838	2,503	816	314	143	67	3,843	175	146	357	595
	Females	White	48,480	9,006	3,099	1,218	628	389	14,340	914	608	736	814
		Colored	7,514	1,951	708	302	125	81	3,167	174	146	268	374
97a	Diseases of the nasal fossae	M. wh.	99	37	2	3			42	2	2	1	5
		M. col.	131	93	6	2	1		102	4	2	4	4
		F. wh.	78	32	2	1	2		37	1	2	3	4
		F. col.	82	59	3	1		1	64	2	3	2	
97b	Diseases of the nasal fossae annexa	M. wh.	281	10	4	1	1	2	18	12	11	31	24
		M. col.	17	1			1		2	3	2	2	
		F. wh.	148	7	2	2	1	1	13	13	8	13	9
		F. col.	10										1
98	Diseases of the larynx	M. wh.	350	68	54	33	31	18	204	42	9	2	6
		M. col.	28	13	4	3	1		21				
		F. wh.	274	64	37	27	17	13	158	26	7	4	1
		F. col.	35	14	7	2	3	1	27			1	1
99a	Acute bronchitis	M. wh.	1,473	626	103	45	19	14	807	19	10	7	5
		M. col.	183	91	20	11	4	2	128	4	2	3	5
		F. wh.	1,631	507	90	37	20	11	665	17	6	6	9
		F. col.	189	83	21	9	2	4	119	2	3	6	4
99b	Chronic bronchitis	M. wh.	1,314	30	9	4		3	46	8	2	2	2
		M. col.	87	10	4		1		15			4	3
		F. wh.	1,373	29	10	5		1	45	1	4	7	4
		F. col.	100	9	4	3			16			4	4
99c,d	Bronchitis (unspecified)	M. wh.	951	332	58	21	10	3	424	6	6	6	1
		M. col.	168	70	12	9	3	1	95	2		4	2
		F. wh.	1,085	247	48	19	5	5	324	11	3	6	5
		F. col.	158	58	16	3	2	1	80		2	2	6
100a	Bronchopneumonia	M. wh.	19,858	7,339	2,118	742	331	200	10,730	410	153	149	177
		M. col.	2,957	1,330	465	147	65	31	2,038	58	36	44	70
		F. wh.	18,986	5,586	1,833	676	315	166	8,576	339	173	158	157
		F. col.	2,608	1,026	391	163	62	44	1,686	68	44	56	71
100b	Capillary bronchitis	M. wh.	552	336	54	26	14	7	437	4	1	1	
		M. col.	109	67	12	11	1		91	1	2		1
		F. wh.	513	242	53	20	7	6	328	11	1	1	
		F. col.	94	51	16	2	3		72	2		1	
101a	Lobar pneumonia	M. wh.	25,062	2,151	944	435	195	132	3,857	434	306	706	747
		M. col.	4,637	439	193	86	39	22	779	73	64	242	422
		F. wh.	19,121	1,626	771	311	199	144	3,051	389	317	443	527
		F. col.	2,896	344	146	78	40	15	623	63	65	144	215
101b	Pneumonia (unspecified)	M. wh.	2,597	581	169	78	50	20	898	68	43	71	69
		M. col.	1,006	346	73	42	19	9	489	24	28	37	52
		F. wh.	2,308	493	139	69	39	21	761	44	43	39	43
		F. col.	891	281	95	34	10	12	432	26	18	30	40
102	Pleurisy	M. wh.	1,413	105	91	64	29	20	309	60	27	52	62
		M. col.	193	11	16	2	4	1	34	4	9	8	23
		F. wh.	979	65	86	38	21	15	225	37	27	39	33
		F. col.	134	8	4	5			17	4	4	7	19
103	Congestion and hemorrhagic infarct of the lung.	M. wh.	692	103	8	4	4	1	120	6	1	3	3
		M. col.	61	22	4		1		27			1	3
		F. wh.	773	78	17	3		2	100	6	4	3	7
		F. col.	58	9	2			1	12	2		4	
104	Gangrene of the lung	M. wh.	104	1	2			1	4	1		3	4
		M. col.	10									1	
		F. wh.	35			2			2	2	1		1
		F. col.	5									1	
105	Asthma	M. wh.	984	11	10	9		2	32	16	3	4	3
		M. col.	140	6	4		1	1	12	2	1		
		F. wh.	853	8	4	3		3	18	8	4	2	5
		F. col.	166	2	1	1	1	2	7	3	2	4	5
106	Pulmonary emphysema	M. wh.	110	3	1				4	5		2	1
		M. col.	3									1	
		F. wh.	60	3					3	1	1	1	
		F. col.	8	1					1	1			
107	Other diseases of the respiratory system (tuberculosis excepted).	M. wh.	635	28	8	1	3		40	7	8	13	18
		M. col.	108	4	3	1	2		10			6	10
		F. wh.	263	19	7	5	2	1	34	8	7	11	9
		F. col.	80	6	2	1	2		11	1	5	6	8
	VI.—Diseases of the digestive system:												
	Males	White	46,244	13,570	3,475	1,246	555	401	19,247	1,244	1,083	1,144	1,088
		Colored	5,894	1,910	709	213	70	53	2,955	122	104	135	204
	Females	White	38,138	10,134	2,918	1,027	469	335	14,883	1,134	842	862	927
		Colored	5,380	1,607	586	194	73	39	2,499	131	108	164	231
108	Diseases of the mouth and annexa	M. wh.	339	52	7	5	2	8	74	14	15	12	12
		M. col.	44	9	1	1			11	1	1	2	3
		F. wh.	242	33	7	2	3	2	47	19	9	4	6
		F. col.	48	12		1			13	3		1	3
109a	Adenoid vegetations	M. wh.	12	3	1	3			7	5			
		M. col.	1	1					1				
		F. wh.	3	1			1		2		1		
		F. col.	1	1					1				
109b	Other diseases of the pharynx, tonsils	M. wh.	1,510	125	72	86	73	76	432	205	118	100	114
		M. col.	127	12	11	3	8	9	43	16	8	7	7
		F. wh.	1,330	73	54	63	68	51	309	211	117	106	87
		F. col.	169	13	5	8	1	5	32	14	14	14	16
110	Diseases of the esophagus	M. wh.	64	9		1	2		12	2			
		M. col.	4										
		F. wh.	42	3	1			1	5	3			
		F. col.	5		1				1	1		1	

IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1923—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
1,174	1,661	2,200	2,386	2,639	2,779	2,822	3,497	3,459	3,694	3,442	2,708	1,510	506	110	19	35	
536	484	600	528	565	464	306	316	249	230	167	136	41	30	23	12	35	
1,034	1,139	1,346	1,308	1,414	1,690	1,901	2,794	3,246	3,894	4,156	3,752	2,272	857	197	33	35	
348	305	352	342	294	322	285	259	226	187	153	128	73	49	21	23	18	
7	3	4	4	4	1	3	3	3	6	3	2	2	2				
1		1	2		1	2	3		2	1	1			1			
1	1	4	1	6		2	1	1	1		5	3	3	2			97a
	3	3		1		1	1			1	1						
19	29	34	21	25	19	19	6	5	3	4			1				
4	2				1					1							
12	11	9	12	11	8	10	7	6	5	1							97b
1	2	2		2	2												
5	7	9	5	6	6	9	6	4	9	12	3	5	1				
		2	2		1	1	1										
6	5	5	6	5	7	3	8	9	7	5	6	3	2	1			98
		2		1	1	1			1								
3	8	9	15	15	18	30	39	36	68	104	129	89	39	20	3		
1	3	6	7	5	3	3	7	1	1	2	1	1					
12	5	6	12	15	22	23	34	59	99	169	209	161	81	15	6		99a
5	3	1	6	4	6	6	4	2	6	4	2	4		1	1		
7	10	15	21	37	61	72	103	134	185	209	221	129	42	5	1	2	
2	5	4	4	3	3	4	9	4	7	8	6	3	1	1	1		
9	11	8	14	14	29	38	87	139	213	270	261	147	58	10	4		99b
4	2	2	6	6	1	7	7	11	9	9	5	4	1	1	1		
2	4	11	10	11	15	18	26	34	60	93	106	71	40	6		1	
5	4	5	6	4	7	6	6	4	8	4	2	2	1		1		
3	3	8	13	4	15	23	26	43	78	135	169	131	68	15	1	1	99c, d
5	5	2	3	5	6	7	8	5	4	5	7	1	4		1		
179	252	354	377	439	474	571	754	909	1,068	1,150	957	539	166	40	5	5	
55	57	73	57	79	65	50	63	53	51	47	35	9	8		1	8	
207	222	297	284	273	369	460	780	997	1,334	1,541	1,493	896	322	86	12	10	100a
53	49	48	60	35	73	63	60	60	53	36	40	19	15	5	8	6	
	2	3	1	4	4	8	7	8	12	20	19	13	5	1	2		
		2	3	2	1	1	3	1						1			
2	1	4	3	3	3	6	7	16	21	35	34	28	7	2			100b
	2	2	3		1			1	2	3	2	2				1	
811	1,173	1,503	1,625	1,760	1,830	1,725	2,089	1,851	1,784	1,387	881	428	126	20	5	14	
387	364	447	367	390	298	183	172	146	119	73	54	18	11	8	4	16	
633	734	866	810	910	1,001	1,122	1,529	1,622	1,703	1,515	1,130	589	177	32	7	14	101a
218	191	217	196	174	176	141	131	106	79	54	39	24	18	8	7	7	
42	68	76	102	99	84	84	133	147	174	164	149	86	25	7	3	5	
38	24	33	32	35	43	26	29	20	24	19	24	5	4	7	4	9	
65	45	53	63	58	87	66	106	138	154	178	174	123	45	14	1	8	101b
38	29	31	31	25	30	32	28	20	19	22	17	10	5	4	3	1	
68	55	86	80	88	92	98	88	76	74	47	28	20	2			1	
17	10	9	18	16	14	6	9	4	4	2	1	1	3	1			
45	53	39	41	37	59	55	56	57	58	56	38	15	7	2			102
12	4	15	11	12	6	5	6	4	3	2	1		1	1			
8	7	9	17	16	21	17	24	41	56	87	108	93	46	8		1	
	2	3	3	2	2	6	1	2	4	2		2	1				
4	7	7	7	9	15	15	17	37	76	122	127	128	64	16	2		103
	1	5	7	4	2	3	3	4	1	2	1	3	2		1	1	
3	5	8	9	8	17	11	13	8	4	4	2						
1		1	2	2		1	1									1	
1	5	2	2	2	3	1	4	3	2	2		1	1				104
1	2		1														
5	13	25	45	67	77	70	127	134	136	106	78	29	9			5	
4	5	7	13	15	19	13	8	12	10	6	9		1	3			
22	16	25	25	49	57	63	104	105	113	101	83	37	14	2			105
5	8	14	10	19	15	10	11	11	9	12	10	5	3	1	1	1	
1	3	3	3	4	4	10	6	15	19	13	13	1		2		1	
1																1	
1	1	1	1	1	1	1	5	3	8	9	11	4	6			1	106
				1	1	2			1	1							
14	22	51	51	56	56	77	73	54	36	39	12	5	2	1			
20	8	7	12	12	6	4	4	2		2	3			1	1		
11	19	12	14	17	14	13	23	11	22	17	12	6	2			1	107
6	4	8	8	5	2	7		2		2	3	1				1	
1,124	1,354	1,692	1,830	2,121	2,363	2,287	2,414	2,208	1,856	1,571	983	431	143	24	5	32	
191	191	277	266	294	302	209	178	149	133	76	45	24	15	6	5	13	
1,026	1,200	1,376	1,401	1,567	1,884	1,870	1,961	1,880	1,788	1,549	1,120	568	232	40	11	17	
267	260	275	234	252	233	195	147	100	95	55	54	32	17	10	14	7	
15	10	16	18	29	28	25	20	20	13	6	8	2	2				
2	5	3	3	1	5		2	2	1	1			1				
14	17	21	13	16	12	12	15	6	8	14	5	1	2	1			108
4	7	2	3	2	4	2	1		2				1				
																	109a
85	76	57	49	47	48	45	34	27	24	21	17	7	4				
8	4	6	9	2	4	4	1	5	1	1	1						
90	71	60	55	37	40	27	34	22	14	23	17	8	2				109b
11	15	7	9	11	5	5	5	4	3		1	1	1	1			
		1	3	2	5	9	8	5	6	6	4	1					
		2	2														
2		1	1	1	1	4	5	3	7	5	2	2					110
		1	1														

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR		All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	VI.—Diseases of the digestive system—Con.												
111a	Ulcer of the stomach	M. wh.	2,323	4		2			6	2	10	21	53
		col.	203	1					1		1	3	11
		F. wh.	1,042	6	3	2		2	13	5	3	19	41
		col.	143			1			1	1	2	3	10
111b	Ulcer of the duodenum	M. wh.	972	7			1		8	2	2	7	29
		col.	50	2					2				3
		F. wh.	273	1				1	2	1	1	7	9
		col.	17		1				1			1	3
112	Other diseases of the stomach (cancer excepted).	M. wh.	2,579	791	102	42	25	22	982	40	14	10	12
		col.	676	159	44	19	6	6	234	11	9	10	24
		F. wh.	2,115	544	98	53	22	8	725	37	15	19	19
		col.	750	128	26	20	11	5	190	13	8	14	27
113	Diarrhea and enteritis (under 2 years)	M. wh.	14,784	11,719	3,065				14,784				
		col.	2,247	1,631	616				2,247				
		F. wh.	11,636	9,002	2,634				11,636				
		col.	1,921	1,387	534				1,921				
114	Diarrhea and enteritis (2 years and over)	M. wh.	2,998			900	285	127	1,312	183	71	36	43
		col.	459			159	36	24	219	32	5	8	8
		F. wh.	3,059			742	238	135	1,115	176	56	34	40
		col.	558			139	47	17	203	34	12	15	28
115	Ancylostomiasis	M. wh.	12			1	1		2	5	1	3	
		col.	1			1			1				
		F. wh.	13		1	2			3	2	5		1
		col.	3							1	1		
116	Disease due to other intestinal parasites	M. wh.	29	1	5	3	3	1	13	7			2
		col.	30	2	5	12	3	1	23	5			
		F. wh.	31	2	6	5	4	4	21	5			
		col.	31	4	5	9	3	2	23	7			
117	Appendicitis and typhlitis	M. wh.	7,650	27	42	92	78	103	342	602	708	800	628
		col.	654	4	5	1	7	5	22	30	60	66	83
		F. wh.	5,106	14	16	68	70	90	258	515	540	508	429
		col.	543	3		3	2	2	10	37	50	58	63
118a	Hernia	M. wh.	1,724	75	12	10	3	4	104	6	1	16	18
		col.	222	10	2	1			13		4	1	14
		F. wh.	1,483	16	1	2	1	2	22	4	1		4
		col.	61	3	1	1			5	1			
118b	Intestinal obstruction	M. wh.	2,962	566	119	58	46	29	818	91	66	66	78
		col.	382	48	14	11	5	4	82	15	6	12	26
		F. wh.	2,758	310	56	47	29	15	457	53	23	55	76
		col.	398	39	8	8	5	2	62	9	3	29	27
119	Other diseases of the intestines	M. wh.	560	50	10	10	8	9	87	14	6	11	13
		col.	88	16	2	1	1		20	1		3	5
		F. wh.	567	46	12	5	6	2	71	9	8	6	19
		col.	111	5	1	2	1	1	10	2	2	5	11
120	Acute yellow atrophy of the liver	M. wh.	131	2	1	2	2		7	1	2	2	5
		col.	23	3					3			1	4
		F. wh.	190	2	1	1		1	5		2	7	23
		col.	14	1					1			2	1
121	Hydatid tumor of the liver	M. wh.	11		1				1				
		col.	1					1	1				
		F. wh.	11	1					1		1		
		col.											
122	Cirrhosis of the liver	M. wh.	4,187	2	3	2	3	3	13	9	10	9	21
		col.	359		1		1		2	2	2	5	2
		F. wh.	2,162	4	2	2	4	4	16	8	13	9	12
		col.	208					1	1	1		1	7
123	Biliary calculi	M. wh.	889					1	1			2	6
		col.	31									1	
		F. wh.	2,576								1	10	28
		col.	53	1					1				1
124	Other diseases of the liver	M. wh.	1,553	43	9	12	5	4	73	15	19	19	31
		col.	158	5	1	2	1		9	4	2	9	7
		F. wh.	2,406	26	11	11	5	1	54	23	10	20	60
		col.	187	6	2			1	9	2	5	4	15
125	Diseases of the pancreas	M. wh.	245	2					2	2	2	3	3
		col.	13										1
		F. wh.	260	1			1	2	4	3	1	3	9
		col.	7									1	
126	Peritonitis without specified cause	M. wh.	705	88	26	17	18	14	163	39	37	27	20
		col.	120	7	6	2	2	3	20	5	6	7	6
		F. wh.	831	47	15	22	17	14	115	60	35	55	64
		col.	152	4	2	2	3	3	14	5	11	15	19
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	M. wh.	5	4					4		1		
		col.	1		1				1				
		F. wh.	2	2					2				
		col.											
	VII.—Nonvenereal diseases of the genito-urinary system and annexa:												
	Males	White	46,555	329	76	100	77	59	641	236	228	286	391
		Colored	6,325	59	34	23	13	16	145	39	31	55	101
	Females	White	41,385	241	109	80	67	48	545	233	273	408	670
		Colored	5,838	36	21	25	15	11	108	27	39	126	218
128	Acute nephritis (including unspecified under 10 years)	M. wh.	2,448	170	43	71	52	34	370	129	96	79	81
		col.	633	40	23	13	9	11	96	26	13	18	29
		F. wh.	2,085	133	60	53	40	30	316	115	86	84	88
		col.	671	23	14	23	13	7	80	16	9	40	45
129	Chronic nephritis (including unspecified 10 years and over)	M. wh.	37,511	10	12	17	13	18	70	84	119	186	264
		col.	4,857	3	2	7	4	5	21	9	17	32	59
		F. wh.	33,822	6	9	16	18	14	63	88	163	223	299
		col.	4,097	1	4	1		3	9	8	22	46	82

IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1923—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
86	153	202	227	250	302	237	245	201	136	106	59	20	4			3	111a
11	17	29	23	24	34	14	13	6	7	5	2	2					
50	49	57	76	87	117	94	99	97	86	68	47	27	4	2		1	
14	18	14	9	20	11	19	9	2	3	2		2		1	1	1	
54	83	89	109	123	119	100	92	80	39	21	10	3	1			1	111b
5	7	6	5	6	5	6	2	2		1							
11	21	21	26	28	36	33	22	22	18	6	7	1				1	
2	1	1	1		4	1	2										
21	39	68	78	105	125	138	154	180	170	178	154	58	39	5	2	7	112
20	25	42	44	50	49	41	36	34	26	13	4	2	1		1		
24	28	47	51	50	50	74	117	129	170	190	190	105	57	12	2	4	
37	31	48	60	73	63	49	35	33	23	10	19	8	4	3	2		
																	113
35	55	59	61	68	93	82	111	115	176	199	151	104	32	7	2	3	114
8	13	18	12	16	22	19	17	14	16	10	8	2	6	2	2	2	
37	56	54	45	71	67	73	119	166	239	256	236	142	62	10	3	2	
21	22	22	19	32	25	27	18	16	15	13	10	11	2	5	8		
								1									115
1				1													
		1															
2			1		2	1	1										116
1				1													
		1	2	1	1												
	1																
574	593	669	582	566	455	390	291	209	123	76	22	9	2			9	117
66	39	77	59	41	42	22	17	16	7	2	3		1	1			
379	378	368	319	294	304	254	248	131	93	44	30	10	1			3	
69	73	62	33	25	25	17	5	3	5	6	1					1	
31	36	63	75	100	127	154	204	200	192	211	117	48	17	4			118a
11	15	10	13	21	24	11	21	16	9	16	10	6	2	2	2	1	
7	23	48	81	99	185	195	205	192	172	141	61	28	11	1	2	1	
	6	2	10	5	7	5	7	6	2	2	2	1					
78	103	106	128	155	180	176	196	198	179	173	110	46	11	2	1	1	118b
22	29	28	32	28	26	19	15	11	15	5	4	5				2	
144	132	170	165	169	182	153	158	189	201	200	133	64	26	7		1	
50	31	44	29	19	25	23	23	5	4	5	7		1			2	
11	17	24	25	31	36	40	44	41	45	46	41	18	9	1			119
4	7	2	6	10	5	3	8	3	5		1	2	1	1		1	
16	24	21	25	32	36	39	34	48	47	47	36	31	16	1	1		
12	13	12	5	7	7	4	8	4	2		2	2	1			2	
8	11	9	7	8	10	7	15	12	11	7	5	3				1	120
	2	1		1	2	2		2	4	1							
18	13	16	23	17	13	11	11	7	10	8	6						
2	3			1		1		2	1								
1		2	2	1		1	2				1						121
2			1	1		2	2		1								
25	53	143	235	366	506	555	619	586	462	337	156	60	15	5		2	122
13	9	27	26	62	47	48	32	23	29	14	7	2	3			4	
15	58	79	103	139	206	226	247	302	289	211	145	62	17	2	1	2	
6	8	16	27	16	28	20	21	13	16	10	5	4	4		3	1	
13	22	31	61	90	98	122	129	128	89	48	34	13				2	123
1	1	1	3	5	7	3	2	3	1		1	1				1	
76	106	176	196	261	314	366	333	260	204	135	71	28	11				
4		5	4	10	9	6	3	2	5	3							
46	59	103	112	106	145	132	175	156	142	102	82	28	5			3	124
8	11	17	18	16	23	7	7	4	6	5	2	2				1	
74	121	146	144	184	240	252	251	251	194	176	123	54	22	4	2	1	
16	20	26	10	16	13	11	7	8	12	2	5	3	3				
9	16	18	19	21	42	34	34	15	11	11	1	2					125
1	2	2			4		3										
11	24	26	25	34	38	21	24	22	7	6	1	1					
			3	2	1												
30	28	32	38	53	42	39	40	34	38	23	11	9	2				126
10	5	6	11	10	3	10	2	8	6	2	2					1	
55	79	64	50	45	42	34	37	33	28	19	10	4	1			1	
19	11	12	11	13	6	5	3	2	2	2	2						
																	127
549	734	1,085	1,432	2,064	2,843	3,685	5,087	6,275	7,004	6,526	4,462	2,234	618	111	28	36	
161	173	277	357	509	652	555	661	643	674	555	380	174	95	33	23	32	
962	1,322	1,724	2,191	2,426	2,781	3,133	3,990	4,743	5,004	4,734	3,658	1,865	570	98	20	35	
319	392	507	575	594	548	463	474	389	365	245	187	114	69	23	32	24	
94	123	140	138	163	168	147	145	168	148	110	78	52	15			4	128
27	30	37	50	51	61	39	46	36	29	19	11	8	2	1	2	2	
93	119	127	131	110	114	110	106	122	137	95	75	39	15			3	
41	55	62	58	70	60	38	29	26	12	11	10	2	1	1	1	4	
392	517	845	1,160	1,744	2,445	3,185	4,314	5,219	5,753	5,311	3,534	1,747	485	90	22	25	129
102	123	201	272	400	518	458	531	527	544	443	318	139	75	24	17	27	
417	660	933	1,345	1,667	2,212	2,714	3,637	4,372	4,661	4,478	3,459	1,761	527	94	19	30	
141	184	270	364	416	428	386	412	345	341	223	175	109	67	22	29	18	

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR		All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	VII.—Nonvenereal diseases of the genito-urinary system and annexa—Continued												
130	Chyluria	M. wh.	1	1					1				
		M. col.											
		F. wh.											
		F. col.											
131	Other diseases of the kidneys and annexa	M. wh.	1,141	104	21	10	11	7	153	17	10	16	31
		M. col.	187	11	8	2			21	4	1	3	6
		F. wh.	1,014	91	39	10	9	4	153	23	9	24	35
		F. col.	115	12	3	1	1	1	18	3	2	2	6
132	Calculi of the urinary passages	M. wh.	397	2		1			3	2	1	2	7
		M. col.	33		1	1			2				1
		F. wh.	223							4	1	1	7
		F. col.	7										
133	Diseases of the bladder	M. wh.	711	8			1		9	4	2	1	3
		M. col.	137	2					2			2	2
		F. wh.	192	2	1	1			4	2		2	1
		F. col.	26										1
134	Diseases of the urethra, etc.	M. wh.	188	2					2			2	2
		M. col.	105										2
		F. wh.	12									2	
		F. col.	3										1
135	Diseases of the prostate	M. wh.	4,087										
		M. col.	356										2
136	Nonvenereal diseases of the male genital organs.	M. wh.	67	29		1			30				2
		M. col.	17	3					3				
137	Cysts, other benign tumors of the ovary	F. wh.	670									6	31
		F. col.	92								1	3	9
138	Salpingitis and pelvic abscess (female)	F. wh.	1,267								7	42	158
		F. col.	346				1		1		4	22	56
139	Benign tumors of the uterus	F. wh.	1,367									4	10
		F. col.	359										4
140	Nonpuerperal uterine hemorrhage	F. wh.	56								3	5	6
		F. col.	11									1	
141	Other diseases of the female genital organs	F. wh.	652							1	4	14	34
		F. col.	108								1	12	14
142	Nonpuerperal diseases of the breast (cancer excepted).	M. wh.	4	3					3				1
		M. col.											
		F. wh.	25	9					9			1	1
		F. col.	3										
	VIII.—The puerperal state:												
	Females	White	12,294								12	986	2,428
		Colored	2,507								39	474	574
143	Accidents of pregnancy	F. wh.	1,290									61	194
		F. col.	219								1	27	52
144	Puerperal hemorrhage	F. wh.	1,223									39	147
		F. col.	194								3	8	34
145	Other accidents of labor	F. wh.	1,405								2	79	235
		F. col.	361								6	52	74
146	Puerperal septicemia	F. wh.	4,632								7	400	1,072
		F. col.	907								7	181	232
147	Puerperal phlegmasia alba dolens, embolus, etc.	F. wh.	608									30	113
		F. col.	43									4	4
148	Puerperal albuminuria and convulsions	F. wh.	3,064								3	369	653
		F. col.	776								21	202	178
149	Following childbirth (undefined)	F. wh.	58									5	12
		F. col.	7								1		
150	Puerperal diseases of the breast	F. wh.	14									3	2
		F. col.											
	IX.—Diseases of the skin and of the cellular tissue:												
	Males	White	1,843	300	27	15	7	6	355	19	29	39	43
		Colored	176	17	2	1	2		22	3	1	1	5
	Females	White	1,370	256	22	11	6	8	303	24	24	37	32
		Colored	144	10	1	3			14	2	2	2	6
151	Gangrene	M. wh.	784	19	2	5	4		30	3	2	3	2
		M. col.	87	1					1	2			2
		F. wh.	572	16	5	2	2	1	26	7	4	2	3
		F. col.	87							1		2	2
152	Furuncle	M. wh.	384	40	3	1	1	1	46	3	11	17	20
		M. col.	12	1					1				
		F. wh.	179	33	3		1		37	1	5	15	12
		F. col.	10	2					2				
153	Acute abscess	M. wh.	351	80	11	6	1	5	103	12	13	13	17
		M. col.	42	6	1	1	1		9	1	1	1	3
		F. wh.	256	68	8	7	2	7	92	12	9	12	9
		F. col.	30	4	1	3			8	1	2		2
154	Other diseases of the skin and annexa	M. wh.	324	161	11	3	1		176	1	3	6	4
		M. col.	35	9	1		1		11				
		F. wh.	363	139	6	2	1		148	4	6	8	8
		F. col.	17	4					4				2
	X.—Diseases of the bones and of the organs of locomotion:												
	Males	White	698	40	12	19	12	14	97	99	92	47	29
		Colored	61	4	1		1		6	7	7	4	7
	Females	White	454	26	18	15	8	18	85	65	58	20	12
		Colored	38	2	1		1		4	3	2	5	2
155	Diseases of the bones (tuberculosis excepted)	M. wh.	575	26	10	18	10	12	76	88	85	42	24
		M. col.	42	3	1		1		5	7	7	2	4
		F. wh.	344	20	16	13	7	17	73	61	48	16	9
		F. col.	24	1	1		1		3	2	1	3	2
156	Diseases of the joints (tuberculosis and rheumatism excepted).	M. wh.	92	9	1	1	2	1	14	9	6	5	4
		M. col.	12	1					1				3
		F. wh.	82	3	2	2	1	1	9	3	9	4	3
		F. col.	8	1					1	1	1	2	

IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1923—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
																	130
33	47	48	57	62	76	92	101	108	102	81	61	34	9	1	1	1	
10	8	12	9	16	20	5	12	10	15	20	6	5	3			1	131
53	45	58	59	66	76	95	60	77	66	50	38	15	9	1		2	
10	10	9	12	3	9	4	10	6	4	4	1		1			1	
18	22	25	31	36	47	32	39	55	36	21	17	3					
4			2	2	3	5	4	3	3	3	1						132
9	14	19	18	22	27	13	27	25	13	11	5	6	1				
		1		1		3				1						1	
5	5	6	5	7	15	26	42	73	98	140	142	87	29	8	3	1	
3	2	3	4	7	19	11	10	16	13	18	11	6	3	3	2		133
3	1	4	6	6	7	8	11	16	25	25	29	28	11	3			
2	1	1	2	1	1	1	5	1	2	2	1	3			2		
5	10	10	17	19	21	26	29	19	4	9	10	2				1	
10	7	21	12	16	11	8	6	3	5	2	1		1				134
1		1	1	3	1	1		2									
	2																
1	7	7	22	31	70	174	410	628	860	851	619	309	80	12	2	4	135
4	2	1	6	14	18	28	51	48	64	50	32	16	11	5	2	2	
1	3	4	2	2	1	3	7	5	3	3	1						136
1	1	2	2	3	2	1	1		1								
51	67	83	64	62	67	57	47	38	35	32	23	5	2				137
11	15	10	12	9	9	2	6	3	1	1							
223	227	219	171	111	53	25	16	4	4	3	1	3					138
66	71	59	34	20	8	4	1										
42	105	196	291	310	167	60	40	46	43	26	20	6	1				139
32	40	79	78	60	26	20	8	6	3	3							
5	6	3	12	5	4	2	1	2		1	1						140
3	2	1	1		2	1											
61	76	79	90	64	52	47	45	39	20	13	7	2	3		1		141
12	12	14	14	14	5	4	3	1	2								
																	142
4	2	2	3		1	1							1				
1		1						1									
2,872	2,642	2,225	992	121	8	1										7	
462	398	366	155	29	1											9	
335	316	271	102	11													
45	42	39	10	1												2	143
257	273	311	174	18	4												
37	37	44	22	7												2	144
318	326	293	139	10												3	
62	70	66	25	4												2	145
1,162	978	698	272	37	2	1										3	
191	127	108	51	9	1												146
132	149	125	51	8													
12	7	11	5														147
642	592	515	250	37	2											1	
113	113	96	42	8												3	148
20	7	10	4														
2	2	2															149
6	1	2															
																	150
37	41	51	71	61	69	93	108	158	134	175	174	128	45	11	1	1	
3	8	5	13	11	9	7	17	10	18	12	14	8	1	5		3	
47	27	36	32	56	55	41	59	78	105	125	128	97	45	15	4		
5	4	3	6	10	12	6	10	13	13	7	13	7	2	2	5		
3	5	9	12	13	19	25	43	81	94	135	141	113	39	11		1	
2	2	2	3	4	5	4	9	9	10	8	11	7	1	3		2	
4	3	5	5	16	13	13	25	44	70	97	99	81	38	13	4		151
	2	1	2	3	9	4	6	11	12	6	13	5	2	1	5		
20	20	24	28	20	29	32	28	36	15	17	13	4	1				
	1		1	2	1	1	1		2			1				1	
9	7	14	6	11	12	12	8	11	9	3	3	4					152
	1		1	1		2	3										
11	13	12	21	21	14	21	26	24	12	7	5	4	2				
1	5	2	7	3	1	1	3	1	1	2							
22	10	9	7	12	15	9	7	8	6	9	5	2	1				153
4	1		3	5	2		1										
3	3	6	10	7	7	15	11	17	13	16	15	7	3	1	1		
		1	2	2	2	1	4		5	2	3			2			
12	7	8	14	17	15	7	19	15	20	16	21	10	6	2			154
1		2		1	1			2	1	1		2					
21	31	30	22	31	29	32	39	27	24	23	16	6	2			1	
6	4	3	5	1	3	5	1	1				1					
24	17	15	16	20	16	14	13	27	18	18	6	4	4	2			
4	1	2	1	1		2	3	2	2	3		1					
20	25	25	18	26	24	19	30	23	16	17	11	4	1			1	
3	3	2	4		1	3	1										
19	9	10	8	14	9	7	8	17	11	14	5	3	2	1			155
3	1	1	1	1		1	2	1		2							
1	4	5	4	2	3	12	7	4	4	3	3	2					
3		1	1		1	1		1									
3	5	5	6	6	5	6	4	6	5	2			1				156
1						1			1								

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR		All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	X.—Diseases of the bones and of the organs of locomotion—Continued												
157	Amputations	M. wh.	3								1		
		col.	1									1	
		F. wh.	2										
		col.											
158	Other diseases of the organs of locomotion	M. wh.	28	5	1			1	7	2			1
		col.	6									1	
		F. wh.	26	3					3	1	1		
		col.	6										
	XI.—Malformations:												
	Males	White	7,436	6,898	180	83	47	32	7,240	79	45	27	17
		Colored	388	339	18	6	3	2	368	11	5	1	2
	Females	White	5,728	5,289	173	59	25	20	5,566	78	32	25	9
		Colored	309	266	18	11	2	4	301	4	2	1	1
159a	Congenital hydrocephalus	M. wh.	632	465	61	23	20	13	582	25	11	8	2
		col.	58	34	8	4	1	2	49	6	3		
		F. wh.	596	477	57	17	6	7	564	16	7	5	
		col.	56	31	7	6	2	4	50	4	2		
159b	Congenital malformations of the heart	M. wh.	4,543	4,290	80	41	16	12	4,439	38	29	15	9
		col.	220	211	4	2			217	1			1
		F wh.	3,229	3,012	76	30	13	9	3,140	41	18	15	8
		col.	179	165	8	4			177			1	1
159c	Other congenital malformations	M. wh.	2,261	2,143	39	19	11	7	2,219	16	5	4	6
		col.	110	94	6		2		102	4	2	1	1
		F. wh.	1,903	1,800	40	12	6	4	1,862	21	7	5	1
		col.	74	70	3	1			74				
	XII.—Early infancy:												
	Males	White	30,942	30,942					30,942				
		Colored	3,747	3,747					3,747				
	Females	White	22,824	22,824					22,824				
		Colored	3,001	3,001					3,001				
160	Congenital debility, icterus, sclerema	M. wh.	4,134	4,134					4,134				
		col.	742	742					742				
		F. wh.	2,982	2,982					2,982				
		col.	621	621					621				
161a	Premature birth	M. wh.	18,814	18,814					18,814				
		col.	2,276	2,276					2,276				
		F. wh.	14,572	14,572					14,572				
		col.	1,931	1,931					1,931				
161b	Injury at birth	M. wh.	5,304	5,304					5,304				
		col.	318	318					318				
		F. wh.	3,338	3,338					3,338				
		col.	180	180					180				
162	Other diseases peculiar to early infancy	M. wh.	2,631	2,631					2,631				
		col.	386	386					386				
		F. wh.	1,894	1,894					1,894				
		col.	246	246					246				
163	Lack of care	M. wh.	59	59					59				
		col.	25	25					25				
		F. wh.	38	38					38				
		col.	23	23					23				
164	XIII.—Old age (senility):												
	Males	White	4,512										
		Colored	1,148										
	Females	White	6,170										
		Colored	1,317										
	XIV.—External causes:												
	Males	White	59,277	966	877	830	682	630	3,985	2,819	2,522	3,587	4,347
		Colored	8,128	212	135	127	87	79	640	276	364	703	1,039
	Females	White	21,588	760	669	606	555	517	3,107	1,473	699	956	1,021
		Colored	2,632	188	117	111	105	98	619	224	94	190	272
	Suicide	M. wh.	8,094							4	22	113	359
		col.	250									9	21
		F. wh.	2,672								13	167	267
		col.	80									9	14
165, 166	By poisons (gas excepted)	M. wh.	884								1	10	55
		col.	24									1	4
		F. wh.	768								1	87	135
		col.	26									5	8
167	By poisonous gas	M. wh.	963								1	8	33
		col.	19									1	1
		F. wh.	538									16	33
		col.	7										1
168	By hanging or strangulation	M. wh.	1,609							1	13	21	36
		col.	32									1	3
		F. wh.	402									7	16
		col.	6										1
169	By drowning	M. wh.	403								1	2	14
		col.	18										
		F. wh.	268								2	5	14
		col.	10									2	1
170	By firearms	M. wh.	3,311							3	6	68	193
		col.	107									5	10
		F. wh.	392								10	47	55
		col.	15									2	
171	By cutting or piercing instruments	M. wh.	609									2	13
		col.	27										1
		F. wh.	96									2	1
		col.	5										
172	By jumping from high places	M. wh.	186									1	7
		col.	15									1	
		F. wh.	136									2	8
		col.	8										2

IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1923—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
						1			1								157
					1			1									
	2			3	2		2		3	3	2		1				158
	1			1	1	1						1					
2	3		2		1	1	1	3	2	2	1	1	1	1			
		1					1	1	1	1		1					
12	3	4	6	1		2											
1																	
6	4	2	1	4		1											
1	1	2															159a
2				2													
6		2	4			1											159b
1																	
3	3	1															
5	2		2	1		1											159c
1	1	1	1	2		1											
																	160
																	161a
																	161b
																	162
																	163
					1	12	46	112	399	809	1,174	1,096	658	164	38	3	164
					2	2	12	33	126	155	247	193	169	69	131	9	
					3	12	49	145	479	933	1,678	1,564	970	272	58	7	
			1		8	3	18	32	129	159	280	194	200	91	195	7	
4,612	4,600	5,122	4,524	4,324	4,127	3,406	3,187	2,657	1,965	1,491	1,029	543	177	52	8	193	
1,049	817	854	589	520	401	219	165	157	85	63	46	21	14	5	7	94	
1,018	984	982	932	909	908	867	993	1,028	1,221	1,458	1,470	964	461	92	14	31	
251	185	128	106	77	85	56	74	51	54	39	54	28	12	16	12	5	
553	670	879	843	925	882	761	733	555	360	242	113	42	10	1	1	26	
32	21	44	26	27	30	20	4	8	5	2						1	
288	294	276	272	267	221	203	172	90	64	47	18	8	1		1	3	
16	12	10	10	3	2	1	1				1			1			
79	76	98	88	105	104	88	67	51	26	24	8	1	1	1		1	165
2	4	1	4	1	2			2	2	1							
121	100	77	67	53	32	40	30	15	5	4	1						166
5	4	2	1	1													
55	74	89	97	111	131	108	98	67	35	32	18	4				2	167
2	2	2	5	3	2	1											
59	49	48	60	76	53	44	39	26	14	12	7	2					
1	1	1	2			1											
71	113	162	162	176	181	177	163	143	89	51	30	15	3		1	1	168
1	1	4	2	2	4	7	1	4	2								
18	37	46	51	47	56	42	31	16	20	10	3	2					
	1	1		1	1						1						
20	24	42	43	51	46	43	38	26	22	16	7	6				2	169
2		5	1	2	2	4	1			1							
17	24	22	21	29	30	26	37	16	12	8	4					1	
1	1	1	2	1			1										
262	309	368	336	378	324	269	290	209	149	88	39	9	1			10	170
21	11	17	9	13	13	5	1	1								1	
45	55	48	33	29	29	15	12	4	3	5						2	
5	3	2	3														
37	38	84	75	68	67	54	59	39	29	24	9	4	4			3	171
2	1	7	4	4	3	2	1	1	1								
3	9	10	14	11	7	14	10	4	5	4	1	1					
	2	2	1														
20	23	20	27	25	17	10	11	13	4	3	1	2	1			1	172
2	1	7			3	1											
17	11	12	18	15	10	16	9	7	3	3	2	1	1		1		
3		1			1									1			

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR		All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	XIV.—External causes—Continued												
	Suicide—Continued	M. wh.	80										5
		col.	4										1
173	By crushing	F. wh.	30									1	2
		col.											
		M. wh.	49									1	3
		col.	4										1
174	By other means	F. wh.	42										3
		col.	3										1
		M. wh.	3,472	75	3	5	2	4	89	19	41	145	409
		col.	2,624	8	2	2	1		13	8	26	156	468
	Homicide	F. wh.	876	55	10	6	8	5	84	20	15	84	132
		col.	585	10		1	1	2	14	4	8	75	143
		M. wh.	2,622	1		3	1		5	9	31	115	348
		col.	1,994	1	1	2	1		5	7	19	117	351
197	By firearms	F. wh.	433	1	4	2	3	3	13	6	8	44	62
		col.	373			1		2	3	2	5	52	95
		M. wh.	285	2		1		1	4	1	2	13	36
		col.	397	1					1	1	3	22	84
198	By cutting or piercing instruments	F. wh.	66	2	1	1	2		6	2	2	6	7
		col.	136							1		21	39
		M. wh.	565	72	3	1	1	3	80	9	8	17	25
		col.	233	6	1				7		4	17	33
199	By other means	F. wh.	377	52	5	3	3	2	65	12	5	34	63
		col.	76	10			1		11	1	3	2	9
		M. wh.	47,711	891	874	825	680	626	3,896	2,796	2,459	3,329	3,579
		col.	5,254	204	133	125	86	79	627	268	338	538	550
	Accidental or undefined	F. wh.	18,040	705	659	600	547	512	3,023	1,453	671	705	622
		col.	1,967	178	117	110	104	96	605	220	86	106	115
		M. wh.	368	39	29	26	16	16	126	19	17	11	14
		col.	73	4	2	5	2	3	16	3	4	5	2
175	Poisoning by food	F. wh.	374	44	35	24	20	14	137	20	11	17	16
		col.	82	9	8	4	1	2	24		1	5	5
		M. wh.	46	4	4	2	1	2	13	8	1	2	3
		col.	3							1	1		
176	Poisoning by venomous animals	F. wh.	34	6	2	2	2	3	15	6	2	1	
		col.	4	2					2	1			
		M. wh.	801	36	127	79	33	16	291	16	10	16	28
		col.	123	4	29	19	7	5	64	7	4	2	8
177	Other acute poisonings (gas excepted)	F. wh.	513	34	96	42	21	16	209	12	9	25	35
		col.	97	6	19	18	6	5	54	4	1	5	9
		M. wh.	716	18	27	29	29	29	132	55	29	19	27
		col.	125	7	7	7	7	9	37	17	4	6	5
178	Conflagration	F. wh.	474	27	19	23	14	24	107	65	36	20	24
		col.	112	10	7	8	8	5	38	8	7	6	4
		M. wh.	2,308	91	284	330	210	124	1,039	153	61	66	101
		col.	434	24	51	57	34	21	187	38	17	24	26
179	Burns (conflagration excepted)	F. wh.	2,951	77	231	267	290	241	1,106	426	99	76	97
		col.	686	23	45	58	73	68	267	121	38	23	29
		M. wh.	569	326	5	1		2	334	17	17	23	17
		col.	120	92	1	1			94		2	3	3
180	Mechanical suffocation	F. wh.	282	251	5	1			257	1	2		1
		col.	77	71					71	2			
		M. wh.	1,599	12	9	1	9	3	34	14	17	51	84
		col.	84	2	2			1	5	1	3	1	5
181	Absorption of irrespirable, irritating, or poisonous gas.	F. wh.	653	14	2	2	6	2	26	7	17	31	43
		col.	21			2			2				1
		M. wh.	4,592	19	104	97	50	60	330	422	564	658	527
		col.	604	3	8	8	3	5	27	37	84	119	108
182	Drowning	F. wh.	665	14	74	45	19	9	161	66	91	98	45
		col.	66	4	12	5	1	2	24	7	7	9	1
		M. wh.	1,663	2	7	10	12	16	47	109	294	388	170
		col.	504	2	1	3	6	7	19	34	90	105	64
183	Traumatism by firearms (except in war)	F. wh.	220	3	3	10	5	6	27	42	31	29	19
		col.	133	1	2	6	4	5	18	19	12	17	26
		M. wh.	336	6	6	4	7	1	24	30	19	18	16
		col.	57		2	2	1		5	2	3	4	4
184	Traumatism by cutting or piercing instruments.	F. wh.	115	5		2	5	2	14	9	6	4	4
		col.	24	1					1		1	3	
		M. wh.	6,194	65	67	59	34	30	255	157	144	174	213
		col.	368	16	12	9	2	3	42	13	20	16	14
185	Traumatism by fall	F. wh.	5,459	35	59	51	26	23	194	67	41	31	30
		col.	204	16	10	2	4	2	34	11	8	3	4
		M. wh.	2,053								4	134	230
		col.	104									3	10
186a	Traumatism in mines	F. wh.											
		col.											
		M. wh.	83							1	1	7	10
		col.	17							1		2	1
186b	Traumatism in quarries	F. wh.	1							1			
		col.											
		M. wh.	1,863		2	6	4	5	17	39	46	180	207
		col.	241				1		1	3	4	41	35
187	Traumatism by machines	F. wh.	71		1	2	3	3	9	6	4	8	3
		col.	8									2	1
		M. wh.	5,560	6	17	14	12	15	64	121	159	416	519
		col.	605	1	1	3	2	1	8	8	12	61	73
188a	Railroad accidents	F. wh.	780	9	10	14	9	9	51	44	48	68	65
		col.	44			2			2	2		4	3
		M. wh.	1,273	6	5	15	12	12	50	45	36	49	76
		col.	58			1	2	1	4	8		3	1
188b	Street-car accidents	F. wh.	378	3	4	11	7	9	34	16	8	21	20
		col.	18	1					1				2

IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1923—Continued

25 to 29 years	30 to 34 years	~~40 to 44~~ 35 to 39 years	~~35 to 39~~ 40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	75 to 79 years	70 to 74 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
8	7	12	10	6	9	7	3	1	4	2		1				5	173
		1	1	1													
5	5	4	4	2	1	3	1	1	1								
1	6	4	5	5	3	5	4	6	2	2	1					1	174
	1			1	1												
3	4	9	4	5	3	3	3	1	1	1		2					
1			1														
540	515	491	387	282	220	117	80	61	26	21	5	4	1			19	
532	403	402	217	176	108	41	24	13	3	3	1	1	1			28	
129	119	78	64	49	36	17	22	8	10	4	1	1				3	
127	83	48	35	20	11	7	6		4								
439	431	392	290	213	158	72	46	32	11	11	3	1				15	197
415	333	302	156	132	81	25	16	7	2	2			1			23	
69	52	52	37	31	24	11	12	3	5	1						3	
72	66	31	23	7	8	4	2		3								
51	33	35	43	18	14	12	6	8	7	2							198
93	50	64	33	19	12	5	3	2			1	1				3	
7	8	4	7	7	1	4	3	1	1								
36	12	9	6	8	2	1	1										
50	51	64	54	51	48	33	28	21	8	8	2	3	1			4	199
24	20	36	28	25	15	11	5	4	1	1						2	
53	59	22	20	11	11	2	7	4	4	3	1	1					
19	5	8	6	5	1	2	3		1								
3,519	3,415	3,752	3,294	3,117	3,025	2,528	2,374	2,041	1,579	1,228	911	497	166	51	7	148	
485	393	408	346	317	263	158	137	136	77	58	45	20	13	5	7	65	
601	571	628	596	593	651	647	799	930	1,147	1,407	1,451	955	460	92	13	25	
108	90	70	61	54	72	48	67	51	50	39	53	28	12	15	12	5	
18	10	19	9	16	17	21	15	16	15	12	10	2				1	175
2	1	8	6	5	5	2	4	5	2	2					1		
15	15	20	21	12	15	14	13	16	14	12	5	1					
4	4	9	3	3	10	3	4	2	2	1	2						
		3	2	2	4	3		1	1		2	1					
				1													176
2		1	2	1	3					1							
	1																
32	45	71	67	52	48	46	29	20	10	7	6	6				1	177
5	8	9	7	2	2	1	1			1						2	
43	41	35	30	17	17	12	13	5	4	2	2	1				1	
6	3	3	5	1	2	1	2			1							
43	42	51	40	34	47	40	32	37	36	16	17	8	1			10	178
9	3	2	2	8	5	3	6	3	3	2	3	2	1		1	3	
24	17	28	19	17	11	14	13	12	23	18	13	7	1	2		3	
6	4	5	2	2	5	1	8	5	2		5	2	1	1			
110	90	129	96	74	75	52	66	55	52	36	30	15	5			3	179
21	7	11	14	12	17	6	7	11	8	10	9	3	5	1			
110	89	97	90	84	79	70	87	97	89	101	80	45	21	5	2	1	
15	20	14	11	14	21	16	14	16	15	9	15	9	4	5	6	4	
19	29	28	21	23	15	8	10	5		3							180
4	4	3	2	3	1		1										
1	1	1	3	2	1	2	1	2	2	3	1	1					
1	2							1									
79	106	125	137	156	191	153	148	112	85	59	25	17	2	3		1	181
9	11	11	4	7	4	7	2	8	3	2	1						
31	33	30	32	41	40	51	72	44	63	52	25	13	2				
3	1	1	4	2		1	1	1	2	1		1					
333	311	305	283	220	202	141	106	70	44	26	10	7	1			32	182
47	36	44	25	20	11	13	2	9	2	3	1	1	1		1	13	
39	29	30	26	17	18	13	7	10	5	2	3					5	
3	2			2	1	1		2	2		1	2		1		1	
134	102	99	77	63	53	43	34	22	12	9	2					5	183
56	38	35	14	19	11	4	4	2	1			1				7	
9	16	12	8	4	11	5	1	3		3							
15	6	8	5	4	1		1	1									
13	22	13	26	21	26	29	26	27	14	6	5	1					184
4	2	4	4	4	5	3	2	2	2	2	2				2	1	
	8	6	10	6	9	8	8	7	4	7	5						
1	3	2	4		1		2	2	2		1				1		
257	293	396	379	423	422	395	449	394	405	451	493	324	128	35	4	3	185
20	29	33	27	29	26	19	20	23	11	9	8	5	2			2	
24	37	64	59	96	120	131	258	410	630	934	1,102	753	390	75	9	4	
12	10	6	3	9	10	13	14	7	11	12	15	9	3	6	4		
300	287	324	229	196	156	84	57	30	16	1						5	186a
20	13	19	12	11	9	1	1									5	
6	9	12	4	12	5	6	4	3	1	1	1						186b
4	1	2		2	2	2											
192	206	204	151	174	149	92	83	69	31	11	8	1				3	187
29	28	15	29	22	7	11	8	4	1		1					2	
1	5	2	6	12	3	3	1	5	1	1	1						
3				1	1												
587	533	574	505	444	404	352	280	257	153	85	46	13	2	2	1	43	188a
90	71	58	60	45	38	22	9	19	6	5	1	1	1			17	
53	64	47	48	42	54	46	34	28	40	27	14	3	1			3	
5	6	6	1	1	3	2	5		1	2	1						
99	103	125	108	87	100	93	82	79	55	48	25	8	3			2	188b
4	11	4	4	4	6	1	2	4		1		1					
21	25	23	18	18	24	31	29	28	26	24	8	3				1	
1	1		2	1	2	1		2	1	1	3						

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR		All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	XIV.—External causes—Continued												
	Accidental or undefined—Continued												
188c	Automobile accidents	M. wh.	9,876	29	37	75	183	222	546	1,265	640	636	737
		col.	671	3	3	1	8	13	28	60	44	49	73
		F. wh.	3,420	22	36	56	99	115	328	561	185	228	187
		col.	190	3		1	3	4	11	30	6	20	21
188d	Airplane and balloon accidents	M. wh.	131									2	29
		col.	1										1
		F. wh.	4									1	1
		col.											
188e, 188f	Injuries by other vehicles	M. wh.	1,308	4	4	16	12	23	59	100	102	90	84
		col.	126	1			1	2	4	10	7	9	10
		F. wh.	184	7	6	6	5	11	35	17	11	9	6
		col.	22		1		1		2	2			
188g	Landslide, other crushing	M. wh.	572	1	2	3	2	3	11	11	26	33	61
		col.	70	1	1				2	2	3	8	13
		F. wh.	24	2		2	1	1	6	3	4	3	1
		col.	1										1
189	Injuries by animals (not poisoning)	M. wh.	525	2	7	7	7	10	33	49	42	17	12
		col.	44			1	2		3	2	5	5	3
		F. wh.	61	2	2	1		2	7	13	3	1	1
		col.	7	1					1	2			
190	Wounds of war	M. wh.	3										
		col.											
		F. wh.											
		col.											
192	Starvation (deprivation of food or water)	M. wh.	12							2			
		col.											
		F. wh.	3										
		col.											
193	Excessive cold	M. wh.	142			1		1	2	1		4	2
		col.	28									2	1
		F. wh.	26	1					1	2	4		
		col.	6	1					1				
194	Excessive heat	M. wh.	296	34	10	2			46	2	1	1	4
		col.	71	10	1	2	1		14		1	2	4
		F. wh.	124	26	9	1	1		37	1	3	4	1
		col.	23	6	3				9		1		
195	Lightning	M. wh.	304	1					1	8	34	51	30
		col.	69			1		2	3	7	11	8	9
		F. wh.	59							11	13	6	5
		col.	17							3	1	4	3
196	Other accidental electric shocks	M. wh.	860							18	35	94	139
		col.	39								1	9	5
		F. wh.	24							2	1	4	1
		col.	2									1	
201	Fracture (cause not specified)	M. wh.	540	3		3	2	4	12	12	13	17	22
		col.	54		2				2		2	3	7
		F. wh.	479	2	1		1	3	7	3	5	3	4
		col.	16			1		1	2	2	2		
202	Other external violence	M. wh.	3,107	187	121	45	45	32	430	122	147	172	217
		col.	561	34	10	5	7	6	62	14	16	48	65
		F. wh.	661	121	64	38	13	19	255	52	37	17	13
		col.	106	23	10	3	3	2	41	6	1	4	4
203	Violent deaths of unknown causation	M. wh.	11										
		col.											
		F. wh.	1										
		col.	1										1
	XV.—Ill-defined diseases:												
	Males	White	4,869	1,985	189	52	23	13	2,262	48	39	51	41
		Colored	3,844	1,685	209	77	38	24	2,033	54	41	71	77
	Females	White	3,743	1,626	179	52	24	13	1,894	36	27	36	54
		Colored	3,551	1,376	196	65	33	14	1,684	82	58	66	112
204	Sudden death	M. wh.	498	108	8	2	2		120	1	2	3	6
		col.	244	52	9	1	1		63	3	2	3	4
		F. wh.	323	81	6	1	1		89	2	3	2	4
		col.	236	37	3	4	1	3	48	1	4	2	10
205a	Ill-defined	M. wh.	1,629	310	117	20	9	6	462	24	24	15	10
		col.	916	211	88	23	10	6	338	18	4	15	20
		F. wh.	1,206	273	102	29	8	8	420	11	9	13	24
		col.	816	149	95	19	9	2	274	26	13	20	27
205b	Not specified or unknown	M. wh.	2,742	1,567	64	30	12	7	1,680	23	13	33	25
		col.	2,684	1,422	112	53	27	18	1,632	33	35	53	53
		F. wh.	2,214	1,272	71	22	15	5	1,385	23	15	21	26
		col.	2,499	1,190	98	42	23	9	1,362	55	41	44	75

NOTE.—For populations, see reference in Table 3.

IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1923—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
675	622	684	638	615	584	508	498	443	357	248	124	44	2	1	1	8	188c
62	58	56	63	46	38	22	31	11	8	6	5	2	2	1	1	5	
174	153	181	168	168	185	198	191	192	152	92	49	19	5	1		3	
16	13	11	14	6	8	6	10	7	3	5	2		1				
50	26	15	5			1										3	188d
1																1	
83	76	68	64	63	81	104	93	97	74	54	14	1	1				188e, 188f
6	11	11	7	9	11	5	7	7	5	2	2			2		1	
10	1	10	12	12	4	11	14	12	9	6	4	1					
3	3		1	2	2		2	1		1	2		1				
56	55	59	67	59	39	29	28	14	11	8	2					3	188g
8	4	7	5	4	5	3	2	2	2								
2	1		1		1		1	1									
15	21	21	24	31	47	49	37	57	36	17	14	1	2				189
3	2	3	1	4	1	3	1	2	1	2	2					1	
1	2	3		6	3	5	2	2	2	6	3					1	
					1		1		1			1					
3																	190
			2		1	1	1	3		1	1						192
				1					1			1					
4	7	9	11	11	20	15	16	12	11	8	4	5					193
2	1	1		2	2	2	4	2	3	1	2	2		1			
1		1	1	2	1		3	1	2	1	4	1				1	
									1		1	1	1		1		
7	13	24	9	25	33	24	23	22	23	20	11	3	3	2			194
6	3	8	3	5	6	4	3	3	5	2		1				1	
3	4	3	3	2	8	6	4	6	10	11	7	7	4				
1	2		1		1		2	2	2	1	1						
30	19	39	20	17	18	10	11	9	5	1						1	195
3	4	3	6	6	3	1	2			1			1			1	
4	7	2	4	1	2		2	1		1							
1	2		1	2													
140	135	82	66	47	41	32	14	6	5	1	2					3	196
2	3	4	2	5	2	4			1							1	
3	3	1	2	1	2	1	1				2						
1																	
23	27	37	42	31	42	36	47	32	34	35	38	22	10	4		4	201
9	3	4	3	6	4	3	2	2	1		3						
2	3	2	6	3	11	7	25	32	53	84	107	81	34	6	1		
					1				1	3	1	2	1	1			
210	226	232	210	219	205	161	185	149	92	64	21	18	6	4	1	16	202
60	41	53	46	36	42	16	16	17	12	7	5	1			1	3	
27	16	29	27	28	29	19	19	16	17	19	16	18	2	3	1	1	
11	7	5	4	4	2	3	1	2	4	2	3	1		1			
1		4	2	2					1							1	203
	1																
62	69	109	91	141	180	191	307	344	359	264	150	83	31	10	3	34	
74	72	79	105	126	141	119	137	174	155	122	113	39	27	20	27	38	
44	61	80	53	86	84	103	157	227	244	195	194	85	46	11	9	17	
100	98	112	119	137	119	107	126	142	129	79	93	52	41	12	51	32	
5	10	14	17	15	34	19	50	65	58	44	20	6	4	3		2	204
6	1	6	11	16	20	15	22	20	21	15	6	5	2	1	1	1	
	5	9	6	13	11	12	18	39	29	31	33	11	2	4			
8	5	12	13	17	12	23	13	19	12	9	14	6	5		3		
23	20	52	33	69	70	109	156	158	168	123	67	28	6	4	1	7	205a
18	20	26	42	51	54	49	47	73	47	37	32	9	2	3	4	7	
21	24	31	26	36	46	54	85	101	106	86	63	31	11	1	3	4	
28	28	38	40	43	44	31	41	60	35	20	23	8	5	3	4	5	
										70	75	25	23	16			
34	39	43	41	57	76	63	101	121	133	97	63	49	21	3	2	25	205b
50	51	47	52	59	67	55	68	81	87	70	75	25	23	16	22	30	
23	32	40	21	37	27	37	54	87	109	78	98	43	33	6	6	13	
64	65	62	66	77	63	53	72	63	82	50	56	38	31	9	44	27	

TABLE 7A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NEGROES, INDIANS, CHINESE, JAPANESE, AND OTHER COLORED, FROM EACH CAUSE BY SEX, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1923

Detailed Int. List No.	CAUSE OF DEATH AND SEX		Negro	Indian	Chinese	Japanese	Other colored
	All causes		140,894	2,323	1,233	1,415	99
	Males		72,379	1,195	1,097	880	85
	Females		68,515	1,128	136	535	14
	I.—Epidemic, endemic, and infectious diseases:						
	Males		17,542	389	281	260	41
	Females		18,144	401	40	149	6
1	Typhoid and paratyphoid fever	M	838	6	2	8	
		F	817	12		3	
5	Malaria	M	640	1		1	
		F	761	1		1	
6	Smallpox	M	9				
		F	9	2			
7	Measles	M	615	20	3	13	
		F	595	12	2	7	
8	Scarlet fever	M	33	2		2	
		F	40	2			
9	Whooping cough	M	879	16	2	9	
		F	1,031	31	3	9	1
10	Diphtheria	M	297	2	7	8	
		F	332	7	6	9	
11a	Influenza (with pulmonary complications)	M	1,876	32	8	10	1
		F	1,927	32	1	9	1
11b	Influenza (other and unspecified)	M	1,103	19	1	1	
		F	1,212	20		3	
13	Mumps	M	5				
		F	4				
15	Cholera nostras	M	13				
		F	12	1			
16	Dysentery	M	411	3		3	2
		F	378	5		6	
19	Spirochetal hemorrhagic jaundice	M	1				
		F	1				
20	Leprosy	M	4	2	1	1	
		F	1				
21	Erysipelas	M	40	2	2	2	
		F	41	3		3	
22	Acute anterior poliomyelitis	M	48	2		1	
		F	35		1		
23	Lethargic encephalitis	M	53		1		
		F	45			2	
24	Meningococcus meningitis	M	37	1	3	2	
		F	31		1	1	
25	Other epidemic and endemic diseases	M	32	1			
		F	38				
28	Rabies	M	6				
		F	3			1	
29	Tetanus	M	255	2		2	
		F	150	1			
30	Mycoses	M	41	1			
		F	38				
	Tuberculosis (all forms)	M	8,447	259	230	180	38
		F	9,319	256	26	92	4
31	Of the respiratory system	M	7,481	223	218	133	32
		F	8,476	216	22	56	4
32	Of the meninges, central nervous system	M	218	17	4	26	2
		F	183	19	2	17	
33	Of the intestines, peritoneum	M	267	9	5	11	1
		F	309	11	2	13	
34	Of the vertebral column	M	86		1		1
		F	39	1			
35	Of the joints	M	40	1		1	
		F	27				
36	Of other organs	M	100	2	2	2	
		F	73	4		1	
37a	Disseminated (acute)	M	213	5		6	2
		F	186	4		5	
37b	Disseminated (chronic or unspecified)	M	42	2		1	
		F	26	1			
38	Syphilis	M	1,722	13	18	13	
		F	1,033	12		3	
39	Soft chancre	M	1				
		F	2				
40	Gonococcus infection	M	61	3		1	
		F	220				
41	Purulent infection, septicemia	M	75	2	3	3	
		F	68	4			
42	Other infectious diseases	F	1				
	II. General diseases not included in Class I:						
	Males		2,742	35	111	45	2
	Females		5,209	50	11	22	
	Cancer and other malignant tumors	M	1,363	21	65	29	
		F	3,063	36	3	14	
43	Of the buccal cavity	M	77	3	2		
		F	38	1			
44	Of the stomach, liver	M	679	11	36	25	
		F	689	13	1	7	
45	Of the peritoneum, intestines, rectum	M	151	3	13	1	
		F	248	6		2	
	II.—General diseases not included in Class I—Con.						
46	Of the female genital organs	F	1,373	11	1	4	
47	Of the breast	M	9				
		F	419			1	
48	Of the skin	M	34	1	1		
		F	39	2			
49	Of other or unspecified organs	M	413	3	13	3	
		F	257	3	1		
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	M	28		1		
		F	45	4			
51	Acute rheumatic fever	M	174	1	2		1
		F	228	3	1	1	
52	Chronic rheumatism, osteoarthritis, gout	M	37				
		F	37	1			
53	Scurvy	M	5				
		F	8				
54	Pellagra	M	234				
		F	867	1			
55	Beriberi	M	1			2	
		F				2	
56	Rickets	M	81				
		F	49		1		
57	Diabetes mellitus	M	320	5	25	2	1
		F	468	2	2		
58	Anemia, chlorosis	M	46	1	4	2	
		F	81	1	1		
59	Diseases of the pituitary gland	M			1		
60a	Exophthalmic goiter	M	6			1	
		F	94			1	
60b	Other diseases of the thyroid gland	M	7	1			
		F	42	1			
61	Diseases of the parathyroid glands	M	5				
		F	5				
62	Diseases of the thymus gland	M	40		1	1	
		F	20				
63	Diseases of the adrenals (Addison's disease)	M	5		1		
		F	7				
64	Diseases of the spleen	M	4				
		F	1				
65a	Leukemia	M	35			1	
		F	21			1	
65b	Hodgkin's disease	M	14			1	
		F	10		1	1	
66	Alcoholism (acute or chronic)	M	202	5	1	2	
		F	55				
67a	Chronic lead poisoning	M	10				
67b	Other chronic mineral poisoning	M	8				
		F	2				
68	Chronic poisoning by organic substances	M	10		8	2	
		F	10		1		
69	Other general diseases	M	107	1	2	2	
		F	96	1	1	2	
	III.—Diseases of the nervous system and of the organs of special sense:						
	Males		5,548	76	87	45	4
	Females		5,719	52	9	12	
70	Encephalitis	M	72	2		3	
		F	55	2	1		
71a	Simple meningitis	M	137	1	1	7	
		F	113	2	2	3	
71b	Nonepidemic cerebrospinal meningitis	M	54	3	1	4	
		F	45	2			
72	Tabes dorsalis (locomotor ataxia)	M	95	2	5		1
		F	21				
73	Other diseases of the spinal cord	M	101	1		1	
		F	100	2		2	
74a	Cerebral hemorrhage	M	3,106	33	58	16	1
		F	3,649	25	6	2	
74b	Cerebral embolism and thrombosis	M	61	2	2		
		F	79	1			
75	Paralysis without specified cause	M	590	5	1		
		F	718	6			
76	General paralysis of the insane	M	524	6	11	7	2
		F	202	2			
77	Other forms of mental alienation	M	72	1	3	1	
		F	111			2	
78	Epilepsy	M	248	3	1	2	
		F	185	2			
79	Convulsions (nonpuerperal; 5 years and over)	M	14	1			
		F	32				
80	Infantile convulsions (under 5 years)	M	231	8		2	
		F	180	6		1	
81	Chorea	M	2				
		F	5				

TABLE 7A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NEGROES, INDIANS, CHINESE, JAPANESE, AND OTHER COLORED, FROM EACH CAUSE BY SEX, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1923—Continued

Detailed Int. List No.	CAUSE OF DEATH AND SEX		Negro	Indian	Chinese	Japanese	Other colored
	III.—Diseases of the nervous system and of the organs of special sense—Con.						
82	Neuralgia and neuritis	M	11				
		F	14				
83	Softening of the brain	M	18				
		F	20				
84	Other diseases of the nervous system	M	121	4	1		
		F	98	1		2	
85	Diseases of the eye and annexa	M	3				
		F	3				
86a	Diseases of the ear	M	50	1	1	2	
		F	56				
86b	Diseases of the mastoid process	M	38	3	2		
		F	33	1			
	IV.—Diseases of the circulatory system:						
	Males		8,565	73	201	35	5
	Females		8,191	57	17	7	1
87	Pericarditis	M	83			2	
		F	56	1			
88	Endocarditis and myocarditis (acute)	M	379	1	8	2	
		F	415	2		1	
89	Angina pectoris	M	240	1	3	1	
		F	203	5			
90	Other diseases of the heart	M	6,987	62	174	23	5
		F	6,862	49	16	6	1
91a	Aneurysm	M	243	1	3	4	
		F	89				
91b,c	Other diseases of the arteries	M	517	8	12	2	
		F	460				
92	Embolism and thrombosis (not cerebral)	M	33				
		F	34				
93	Diseases of the veins	M	14		1		
		F	20				
94	Diseases of the lymphatic system	M	11				
		F	16		1		
95	Hemorrhage without specified cause	M	35			1	
		F	26				
96	Other diseases of the circulatory system	M	23				
		F	10				
	V.—Diseases of the respiratory system:						
	Males		9,429	190	110	100	9
	Females		7,224	187	17	83	3
97a	Diseases of the nasal fossae	M	129	2			
		F	81	1			
97b	Diseases of the nasal fossae annexa	M	16			1	
		F	10				
98	Diseases of the larynx	M	26	2			
		F	33	1			1
99a	Acute bronchitis	M	170	4	5	4	
		F	183	3	1	2	
99b	Chronic bronchitis	M	79	2	5	1	
		F	95	4	1		
99c,d	Bronchitis (unspecified)	M	162	5		1	
		F	155	3			
100a	Bronchopneumonia	M	2,818	66	22	49	2
		F	2,500	53	11	43	1
100b	Capillary bronchitis	M	104	1	3	1	
		F	91	2	1		
101a	Lobar pneumonia	M	4,485	57	59	30	6
		F	2,799	63	2	31	1
101b	Pneumonia (unspecified)	M	948	46	6	5	1
		F	834	53		4	
102	Pleurisy	M	184		5	4	
		F	131	1	1	1	
103	Congestion and hemorrhagic infarct of the lung	M	57	1	2	1	
		F	57			1	
104	Gangrene of the lung	M	10				
		F	5				
105	Asthma	M	134	2	2	2	
		F	165	1			
106	Pulmonary emphysema	M	3				
		F	7	1			
107	Other diseases of the respiratory system (tuberculosis excepted)	M	104	2	1	1	
		F	78	1		1	
	VI.—Diseases of the digestive system:						
	Males		5,598	108	69	119	
	Females		5,203	81	10	85	1
108	Diseases of the mouth and annexa	M	41	1	1	1	
		F	48				
109a	Adenoid vegetations	M	1				
		F	1				
	VI.—Diseases of the digestive system—Continued						
109b	Other diseases of the pharynx, tonsils	M	119	3		5	
		F	165	1		3	
110	Diseases of the esophagus	M	4				
		F	4	1			
111a	Ulcer of the stomach	M	187		11	5	
		F	142	1			
111b	Ulcer of the duodenum	M	45		1	4	
		F	16	1			
112	Other diseases of the stomach (cancer excepted)	M	663	7	4	2	
		F	740	4	1	5	
113	Diarrhea and enteritis (under 2 years)	M	2,124	59	7	57	
		F	1,830	40	4	46	1
114	Diarrhea and enteritis (2 years and over)	M	433	11	7	8	
		F	534	8	2	14	
115	Ancylostomiasis	M	1				
		F	3				
116	Diseases due to other intestinal parasites	M	28			2	
		F	30	1			
117	Appendicitis and typhlitis	M	621	10	10	13	
		F	529	5	1	8	
118a	Hernia	M	220	1	1		
		F	58	3			
118b	Intestinal obstruction	M	361	5	3	13	
		F	389	4	2	3	
119	Other diseases of the intestines	M	85	3			
		F	110			1	
120	Acute yellow atrophy of the liver	M	22		1		
		F	12			2	
121	Hydatid tumor of the liver	M	1				
122	Cirrhosis of the liver	M	342	3	12	2	
		F	206	2			
123	Biliary calculi	M	23	3	3	2	
		F	48	5			
124	Other diseases of the liver	M	150		5	3	
		F	182	4		1	
125	Diseases of the pancreas	M	12		1		
		F	7				
126	Peritonitis without specified cause	M	114	2	2	2	
		F	149	1		2	
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	M	1				
	VII.—Nonvenereal diseases of the genito-urinary system and annexa:						
	Males		6,187	36	76	20	6
	Females		5,781	29	9	19	
128	Acute nephritis (including unspecified under 10 years)	M	626		3	4	
		F	668		1	2	
129	Chronic nephritis (including unspecified 10 yrs. and over)	M	4,742	29	68	13	5
		F	4,056	25	5	11	
131	Other diseases of the kidneys and annexa	M	180	2	3	1	1
		F	110	1	1	3	
132	Calculi of the urinary passages	M	30		2	1	
		F	7				
133	Diseases of the bladder	M	137				
		F	26				
134	Diseases of the urethra, etc.	M	105				
		F	3				
135	Diseases of the prostate	M	350	5		1	
136	Nonvenereal diseases of the male genital organs	M	17				
137	Cysts, other benign tumors of the ovary	F	90	1	1		
138	Salpingitis and pelvic abscess (female)	F	343	1		2	
139	Benign tumors of the uterus	F	357	1	1		
140	Nonpuerperal uterine hemorrhage	F	11				
141	Other diseases of the female genital organs	F	107			1	
142	Nonpuerperal diseases of the breast (cancer excepted)	F	3				
	VIII.—The puerperal state		2,426	46	6	29	
143	Accidents of pregnancy	F	207	2	2	8	
144	Puerperal hemorrhage	F	181	8		5	
145	Other accidents of labor	F	344	13	1	3	
146	Puerperal septicemia	F	877	17	2	11	
147	Puerperal phlegmasia alba dolens, embolus, etc.	F	42			1	
148	Puerperal albuminuria and convulsions	F	768	6	1	1	
149	Following childbirth (undefined)	F	7				

TABLE 7A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NEGROES, INDIANS, CHINESE, JAPANESE, AND OTHER COLORED, FROM EACH CAUSE BY SEX, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1923—Continued.

Detailed Int. List No.	CAUSE OF DEATH AND SEX		Negro	Indian	Chinese	Japanese	Other colored
	IX.—Diseases of the skin and of the cellular tissue:						
	Males		168	2	3	3	------
	Females		140	3	------	1	------
151	Gangrene	M	86	------	------	1	------
		F	85	2	------	------	------
152	Furuncle	M	12	------	------	------	------
		F	10	------	------	------	------
153	Acute abscess	M	36	2	3	1	------
		F	29	1	------	------	------
154	Other diseases of the skin and annexa	M	34	------	------	1	------
		F	16	------	------	1	------
	X.—Diseases of the bones and of the organs of locomotion:						
	Males		59	1	------	1	------
	Females		38	------	------	------	------
155	Diseases of the bones (tuberculosis excepted)	M	41	------	------	1	------
		F	24	------	------	------	------
156	Diseases of the joints (tuberculosis and rheumatism excepted)	M	11	1	------	------	------
		F	8	------	------	------	------
157	Amputations	M	1	------	------	------	------
158	Other diseases of the organs of locomotion	M	6	------	------	------	------
		F	6	------	------	------	------
	XI.—Malformations:						
	Males		364	4	3	17	------
	Females		285	8	2	14	------
159a	Congenital hydrocephalus	M	55	------	------	3	------
		F	54	------	------	2	------
159b	Congenital malformations of the heart	M	206	4	2	8	------
		F	161	8	2	8	------
159c	Other congenital malformations	M	103	------	1	6	------
		F	70	------	------	4	------
	XII.—Early infancy:						
	Males		3,624	45	17	59	2
	Females		2,881	42	11	66	1
160	Congenital debility, icterus, sclerema	M	715	13	4	10	------
		F	595	12	1	13	------
161a	Premature birth	M	2,222	17	6	31	------
		F	1,865	18	8	40	------
161b	Injury at birth	M	297	8	3	8	2
		F	169	6	------	4	1
162	Other diseases peculiar to early infancy	M	367	7	3	9	------
		F	230	6	2	8	------
163	Lack of care	M	23	------	1	1	------
		F	22	------	------	1	------
164	XIII.—Old age (senility):						
	Males		1,106	30	12	------	------
	Females		1,271	45	1	------	------
	XIV.—External causes:						
	Males		7,708	112	120	173	15
	Females		2,543	38	3	47	1
	Suicide	M	184	6	35	24	1
		F	73	------	------	7	------
165, 166	By poisons (gas excepted)	M	20	------	3	1	------
		F	23	------	------	3	------
167	By poisonous gas	M	12	------	5	1	1
		F	6	------	------	1	------
168	By hanging or strangulation	M	10	1	14	7	------
		F	3	------	------	3	------
169	By drowning	M	15	------	1	2	------
		F	10	------	------	------	------
170	By firearms	M	88	5	7	7	------
		F	15	------	------	------	------
171	By cutting or piercing instruments	M	20	------	3	4	------
		F	5	------	------	------	------
172	By jumping from high places	M	11	------	2	2	------
		F	8	------	------	------	------
173	By crushing	M	4	------	------	------	------
174	By other means	M	4	------	------	------	------
		F	3	------	------	------	------
	XIV.—External causes—Con.						
	Homicide	M	2,585	10	10	18	1
		F	578	3	------	4	------
197	By firearms	M	1,969	6	6	12	1
		F	368	2	------	3	------
198	By cutting or piercing instruments	M	391	2	1	3	------
		F	135	------	------	1	------
199	By other means	M	225	2	3	3	------
		F	75	1	------	------	------
	Accidental or undefined	M	4,939	96	75	131	13
		F	1,892	35	3	36	1
175	Poisoning by food	M	69	3	1	------	------
		F	80	2	------	------	------
176	Poisoning by venomous animals	M	2	1	------	------	------
		F	4	------	------	------	------
177	Other acute poisonings (gas excepted)	M	116	2	1	2	2
		F	94	1	------	2	------
178	Conflagration	M	119	------	1	5	------
		F	102	1	------	9	------
179	Burns (conflagration excepted)	M	422	3	4	5	------
		F	670	7	1	8	------
180	Mechanical suffocation	M	113	3	1	2	1
		F	75	1	------	1	------
181	Absorption of irrespirable, irritating, or poisonous gas	M	72	1	10	1	------
		F	21	------	------	------	------
182	Drowning	M	555	18	8	21	2
		F	56	3	------	6	1
183	Traumatism by firearms (except in war)	M	496	5	1	2	------
		F	132	1	------	------	------
184	Traumatism by cutting or piercing instruments	M	55	1	------	1	------
		F	24	------	------	------	------
185	Traumatism by fall	M	343	10	6	9	------
		F	196	6	1	1	------
186a	Traumatism in mines	M	82	1	------	21	------
186b	Traumatism in quarries	M	16	1	------	------	------
187	Traumatism by machines	M	230	2	3	6	------
		F	8	------	------	------	------
188a	Railroad accidents	M	573	10	5	16	1
		F	43	------	------	1	------
188b	Street-car accidents	M	51	------	3	4	------
		F	18	------	------	------	------
188c	Automobile accidents	M	612	11	18	26	4
		F	178	7	------	5	------
188d	Airplane and balloon accidents	M	1	------	------	------	------
188e,f	Injuries by other vehicles	M	117	4	3	2	------
		F	21	1	------	------	------
188g	Landslide, other crushing	M	69	1	------	------	------
		F	1	------	------	------	------
189	Injuries by animals (not poisoning)	M	41	1	------	2	------
		F	7	------	------	------	------
193	Excessive cold	M	26	2	------	------	------
		F	5	------	------	------	------
194	Excessive heat	M	69	------	1	1	------
		F	22	------	1	------	------
195	Lightning	M	68	1	------	------	------
		F	16	1	------	------	------
196	Other accidental electric shocks	M	39	------	------	------	------
		F	2	------	------	------	------
201	Fracture (cause not specified)	M	53	1	------	------	------
		F	13	2	------	1	------
202	Other external violence	M	530	14	9	5	3
		F	103	1	------	2	------
203	Violent deaths of unknown causation	F	1	------	------	------	------
	XV.—Ill-defined diseases:						
	Males		3,739	94	7	3	1
	Females		3,460	89	------	1	1
204	Sudden death	M	241	3	------	------	------
		F	233	3	------	------	------
205a	Ill-defined	M	902	11	2	1	------
		F	804	11	------	1	------
205b	Not specified or unknown	M	2,596	80	5	2	1
		F	2,423	75	------	------	1

NOTE.—For populations, see reference in Table 4.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	THE REGISTRATION AREA (EXCLUSIVE OF HAWAII)																		
	All causes	1,193,017	166,274	33,869	16,390	9,914	7,471	24,259	18,101	28,969	38,032	40,334	41,831	99,103	122,263	155,277	186,809	202,478	1,643
	I.—Epidemic, endemic, and infectious diseases	200,619	20,587	12,297	6,691	4,395	3,256	9,517	5,558	11,166	15,773	15,119	13,365	23,946	18,659	14,675	13,373	11,948	294
1	Typhoid and paratyphoid fever	6,635	49	68	65	62	72	479	670	1,100	992	629	502	808	542	358	180	46	13
2	Typhus fever	2									1					1			
4	Malta fever	1											1						
5	Malaria	2,736	248	16[illegible]	106	100	68	245	179	180	174	113	118	223	263	168	195	176	14
6	Smallpox	131	14		3		1	3	3	3	13	6	10	17	18	9	19	9	
7	Measles	10,450	2,544	3,109	1,347	662	424	1,029	304	281	165	99	78	122	108	67	60	42	9
8	Scarlet fever	3,440	153	329	414	370	319	864	309	192	143	119	91	85	34	9	5	3	1
9	Whooping cough	9,440	5,268	2,416	826	337	193	307	31	17	8	2	2	1	5	2	9	8	8
10	Diphtheria	11,733	868	1,545	1,606	1,480	1,196	3,313	802	259	153	105	70	132	108	54	24	13	5
11a	Influenza (with pulmonary complications)	27,847	3,236	1,505	697	370	222	579	411	895	921	982	1,162	2,707	2,587	3,057	4,230	4,233	53
11b	Influenza (other and unspecified)	15,523	1,973	538	308	198	144	429	356	458	394	412	469	1,015	1,106	1,247	2,197	4,254	25
13	Mumps	83	9	7	8	3	2	7	6	6	2	6	1	4	7	6	2	7	
15	Cholera nostras	153	41	19	6	4		1	4	1		4	2	1	9	12	27	22	
16	Dysentery	3,118	811	566	229	68	43	70	28	31	30	34	29	95	114	174	261	528	7
19	Spirochetal hemorrhagic jaundice	29	5	1	2	1				1	3	2	4	2	3	3	1	1	
20	Leprosy	29									3	5	1	10	3	5	1	1	
21	Erysipelas	2,593	771	80	19	8	5	29	23	45	49	59	67	206	258	307	334	331	2
22	Acute anterior poliomyelitis	850	105	152	84	82	49	135	96	52	30	13	12	17	7	7	5	2	2
23	Lethargic encephalitis	1,966	55	85	54	30	32	114	91	151	148	145	141	303	295	201	96	23	2
24	Meningococcus meningitis	1,026	254	127	81	44	31	114	90	53	47	31	32	42	29	26	19	6	
25	Other epidemic and endemic diseases	361	103	47	13	6	11	27	10	10	6	6	7	23	28	28	20	16	
27	Anthrax	24						2	1	2	1	1		8	6		2	1	
28	Rabies	55		1	2	3	3	14	10	3	2	3	1	3	7	3			
29	Tetanus	1,644	364	15	17	32	37	267	223	109	62	72	56	130	106	87	51	14	2
30	Mycoses	185	94	15	1					2	6	3	4	16	14	18	9	3	
	Tuberculosis (all forms)	90,732	1,591	1,334	723	507	371	1,374	1,778	7,053	11,884	11,642	9,835	16,243	11,440	7,818	5,044	1,965	130
31	Of the respiratory system	79,534	541	437	219	165	106	581	1,246	6,244	10,922	10,893	9,137	14,990	10,531	7,112	4,513	1,775	122
32	Of the meninges, central nervous system	4,010	757	710	364	241	186	522	216	205	192	127	119	176	106	59	19	11	
33	Of the intestines, peritoneum	2,926	107	69	56	35	30	92	109	232	315	250	236	436	343	287	243	83	3
34	Of the vertebral column	907	23	12	14	17	13	61	58	72	72	81	72	133	111	94	58	16	
35	Of the joints	359	10	10	4	2	3	36	22	31	23	27	20	36	49	43	30	12	1
36	Of other organs	1,180	35	19	22	13	11	32	44	75	85	77	96	225	149	128	124	44	1
37a	Disseminated (acute)	1,459	106	70	42	26	20	39	68	167	238	158	126	186	110	68	25	8	2
37b	Disseminated (chronic or unspecified)	357	12	7	2	8	2	11	15	27	37	29	29	61	41	27	32	16	1
38	Syphilis	7,695	1,806	132	55	19	17	61	60	135	322	404	482	1,406	1,344	853	447	136	16
39	Soft chancre	5								2				1			1	1	
40	Gonococcus infection	791	35	4				2	7	63	142	152	110	168	64	22	15	6	1
41	Purulent infection, septicemia	1,340	190	34	25	9	16	52	66	62	72	69	78	158	154	133	117	101	4
42	Other infectious diseases	2										1					1		
	II.—General diseases not included in Class I	129,791	2,556	607	382	299	204	1,024	1,122	1,347	1,510	2,219	3,239	12,331	22,588	31,670	30,604	17,949	140
	Cancer and other malignant tumors	86,754	72	77	86	68	52	185	157	277	392	844	1,573	7,724	15,866	22,686	22,619	13,994	82
43	Of the buccal cavity	2,992	1	2	3	2	2	4	9	8	14	21	30	171	487	770	807	660	1
44	Of the stomach, liver	33,080	18	18	10	4	9	28	16	23	56	163	313	1,983	5,316	9,324	10,126	5,644	29
45	Of the peritoneum, intestines, rectum	11,951	9	7	5	6	2	22	19	31	68	141	241	985	1,985	3,151	3,272	2,000	7
46	Of the female genital organs	12,264			2	1		2	11	18	62	198	452	2,181	3,247	3,011	2,072	987	20
47	Of the breast	7,704						1	2	6	12	53	172	1,056	2,013	2,028	1,390	968	3
48	Of the skin	2,618	1		5	1		3	1	5	9	10	28	99	201	424	691	1,135	5
49	Of other or unspecified organs	16,145	43	50	61	54	39	125	99	186	171	258	337	1,249	2,617	3,978	4,261	2,600	17
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	831	12	9	9	9	8	10	10	20	20	37	29	77	126	166	135	151	3
51	Acute rheumatic fever	2,931	15	14	27	40	43	330	373	252	142	121	123	271	310	287	306	272	5
52	Chronic rheumatism, osteoarthritis, gout	1,133	1	2		1		6	10	10	17	17	13	70	143	180	340	322	1
53	Scurvy	64	44	8	2		2	1	1			2	1	2	1				
54	Pellagra	2,352	6	9	4	3	3	25	25	78	153	176	186	453	407	354	315	143	12
55	Beriberi	6	2										1	1		1		1	
56	Rickets	484	318	110	26	11	4	9	3	3									
57	Diabetes mellitus	17,357	24	30	37	45	25	183	309	322	312	341	412	1,132	2,528	4,767	4,717	2,156	17
58	Anemia, chlorosis	5,867	126	47	29	28	8	46	52	82	103	124	151	562	1,094	1,531	1,340	543	1
59	Diseases of the pituitary gland	54		2				1	4	2	3	4	7	13	7	9	2		
60a	Exophthalmic goiter	2,077	1	1				3	8	71	107	129	145	425	510	420	188	67	2
60b	Other diseases of the thyroid gland	676	15	12	3	3		5	8	26	25	43	44	90	142	142	91	26	1
61	Diseases of the parathyroid glands	81	53	14	3	3	1	2		1				2		1		1	
62	Diseases of the thymus gland	808	635	67	23	8	7	22	12	8	5	6	7	3	2	1		2	
63	Diseases of the adrenals (Addison's disease)	346	1					2	3	8	13	18	26	63	73	71	51	17	
64	Diseases of the spleen	110	4	2	2	1	1	8	2	8	3	6	8	15	13	16	12	9	
65a	Leukemia	1,459	45	36	44	38	24	94	67	77	57	70	77	169	231	231	144	54	1
65b	Hodgkin's disease	780	20	7	11	6	3	34	29	40	51	66	61	125	108	127	64	27	1
66	Alcoholism (acute or chronic)	3,148							2	25	63	148	288	956	896	548	179	30	13
67a	Chronic lead poisoning	141			1						2	6	7	33	36	35	17	4	
67b	Other chronic mineral poisoning	31		1				2			3	2	4	5	7	2	3	2	
68	Chronic poisoning by organic substances	232								7	16	26	36	56	32	29	13	17	
69	Other general diseases	2,069	1,162	159	75	35	23	56	47	30	23	33	40	84	56	66	68	111	1
	III.—Diseases of the nervous system and of the organs of special sense	125,007	3,722	1,058	578	380	306	1,253	1,048	1,181	1,224	1,515	2,179	7,872	14,244	22,784	31,896	33,598	169
70	Encephalitis	1,245	127	51	45	15	22	82	63	74	64	64	72	165	165	130	55	48	3
71a	Simple meningitis	2,661	675	291	188	97	59	259	143	115	84	84	65	180	182	127	75	33	4
71b	Nonepidemic cerebrospinal meningitis	991	272	105	59	35	35	122	61	61	47	28	32	51	38	23	13	8	1
72	Tabes dorsalis (locomotor ataxia)	1,695								2	5	17	34	173	369	548	405	142	
73	Other diseases of the spinal cord	3,106	43	25	27	14	16	45	46	51	58	79	98	231	464	675	709	523	2
74a	Cerebral hemorrhage	84,177	181	45	25	15	15	59	65	123	157	304	539	3,101	8,860	17,158	25,631	27,790	109
74b	Cerebral embolism and thrombosis	2,677	16	4	1	3	2	10	9	15	24	45	49	135	289	486	778	810	1
75	Paralysis without specified cause	6,056	39	18	4	8	6	22	14	30	23	36	46	211	498	953	1,795	2,334	19
76	General paralysis of the insane	6,421							3	18	44	175	496	1,988	1,645	1,020	617	402	13
77	Other forms of mental alienation	1,614							4	40	92	123	136	307	326	270	177	134	5
78	Epilepsy	3,088	112	31	27	27	26	99	185	273	310	252	247	482	386	263	235	129	4
79	Convulsions (nonpuerperal; 5 years and over)	159						37	22	23	13	9	8	23	8	3	7	4	2
80	Infantile convulsions (under 5 years)	1,882	1,548	183	85	45	21												

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	THE REGISTRATION AREA (EXCLUSIVE OF HAWAII)—Continued																		
	III.—Diseases of the nervous system and of the organs of special sense—Continued.																		
81	Chorea	102	5	1	1			6	16	15	9	3		7	10	12	8	9	
82	Neuralgia and neuritis	354	1		1		2	2	2	3	8	6	9	33	47	69	88	83	
83	Softening of the brain	853									3	4	3	17	33	103	246	442	2
84	Other diseases of the nervous system	4,575	156	66	35	38	25	128	125	131	117	152	203	496	664	716	899	621	3
85	Diseases of the eye and annexa	89	17	7	2	1	4	8	1	4	2	3	1	4	3	10	9	13	
86a	Diseases of the ear	1,967	420	161	48	46	36	206	56	105	83	71	75	153	152	129	85	41	
86b	Diseases of the mastoid process	1,295	110	70	30	36	37	168	133	98	81	60	66	115	105	89	64	32	1
	IV.—Diseases of the circulatory system	194,857	1,101	243	219	170	223	1,365	1,852	2,015	2,110	2,586	3,281	11,359	21,176	34,998	50,531	61,419	209
87	Pericarditis	903	21	8	13	5	4	36	35	34	19	33	29	83	129	134	168	150	2
88	Endocarditis and myocarditis (acute)	6,431	397	84	72	55	56	371	332	351	409	444	496	1,399	509	538	503	411	4
89	Angina pectoris	10,103	2					5	11	9	22	60	117	598	1,380	2,563	3,130	2,193	13
90	Other diseases of the heart	152,596	522	125	121	97	151	921	1,438	1,567	1,575	1,912	2,460	8,543	17,719	28,741	40,667	45,876	161
91a	Aneurysm	1,831	4			4			4	7	17	38	69	325	420	455	315	168	5
91b,c	Other diseases of the arteries	20,254								1	4	10	17	144	595	2,034	5,238	12,187	24
92	Embolism and thrombosis (not cerebral)	1,668	61	5	2	4	10	18	17	24	35	50	56	162	264	328	336	296	
93	Diseases of the veins	597	6		2	1		3	5	4	7	20	24	71	113	153	118	70	
94	Diseases of the lymphatic system	185	59	20	5	4	2	5	7	4	6	7	2	9	11	15	11	18	
95	Hemorrhage without specified cause	170	28	1	4			6	3	14	16	10	8	14	15	14	16	21	
96	Other diseases of the circulatory system	119	1									2	3	11	21	23	29	29	
	V.—Diseases of the respiratory system	124,045	25,572	8,375	3,345	1,616	976	2,399	1,502	2,478	2,998	3,155	3,655	9,218	10,353	12,337	15,348	20,594	124
97a	Diseases of the nasal fossae	394	223	13	7	3	2	9	9	10	13	9	7	19	13	17	13	27	
97b	Diseases of the nasal fossae annexa	466	18	6	3	3	3	28	22	48	36	36	44	80	70	43	19	7	
98	Diseases of the larynx	695	160	104	65	53	32	70	16	8	8	11	12	32	27	29	30	38	
99a	Acute bronchitis	3,512	1,323	237	104	45	31	43	21	23	23	21	20	62	88	148	276	1,047	
99b	Chronic bronchitis	2,909	78	28	12	1	4	9	6	19	14	22	29	76	155	331	712	1,411	2
99c,d	Bronchitis (unspecified)	2,394	717	135	54	20	10	19	11	19	14	15	17	58	74	124	239	866	2
100a	Bronchopneumonia	44,942	15,468	4,854	1,745	790	447	888	412	412	487	505	588	1,569	1,840	2,838	4,577	7,493	29
100b	Capillary bronchitis	1,279	701	137	59	25	13	19	4	3	1	2	5	21	18	32	62	176	1
101a	Lobar pneumonia	52,480	4,654	2,093	928	486	317	972	762	1,579	1,966	2,095	2,504	6,127	6,640	7,171	7,470	6,664	52
101b	Pneumonia (unspecified)	6,979	1,733	493	228	120	66	166	134	183	215	187	172	437	483	517	713	1,109	23
102	Pleurisy	2,758	191	199	110	54	37	106	68	108	142	143	125	303	330	327	284	230	1
103	Congestion and hemorrhagic infarct of the lung	1,617	213	32	7	5	4	14	5	11	13	13	17	61	73	89	225	833	2
104	Gangrene of the lung	157	2	2	2		1	3	1	5	5	6	12	26	33	31	17	10	1
105	Asthma	2,179	27	20	13	2	8	29	10	10	13	36	43	173	326	413	537	513	6
106	Pulmonary emphysema	183	7	1				7	1	4	2	3	4	8	12	24	46	61	3
107	Other diseases of the respiratory system (tuberculosis excepted)	1,101	57	21	8	9	1	17	20	36	46	51	56	166	171	203	128	109	2
	VI.—Diseases of the digestive system	98,050	27,904	7,936	2,746	1,201	845	2,669	2,187	2,368	2,549	2,705	3,106	7,556	9,253	9,464	8,340	7,147	74
108	Diseases of the mouth and annexa	686	107	16	10	5	10	38	25	20	26	35	39	81	98	78	53	45	
109a	Adenoid vegetations	17	6	1	3	1		5	1										
109b	Other diseases of the pharynx, tonsils	3,198	226	146	163	155	141	454	262	231	229	199	170	256	201	157	103	105	
110	Diseases of the esophagus	120	12	4	1	2	1	6		1		2		12	10	28	21	20	
111a	Ulcer of the stomach	3,774	11	3	5		2	8	16	46	118	167	243	650	863	739	542	356	5
111b	Ulcer of the duodenum	1,333	10	1		1	1	3	3	15	44	74	115	261	325	263	163	52	2
112	Other diseases of the stomach (cancer excepted)	6,291	1,642	278	139	66	42	101	50	55	87	108	129	462	597	664	778	1,081	12
113	Diarrhea and enteritis (under 2 years)	31,444	24,372	7,072															
114	Diarrhea and enteritis (2 years and over)	7,259			1,991	625	312	428	145	98	124	102	149	300	410	485	772	1,310	8
115	Ancylostomiasis	29		1	4	1		8	7	3	1	1		1	1		1		
116	Diseases due to other intestinal parasites	122	10	21	29	13	8	24			2	3	1	4	5	2			
117	Appendicitis and typhlitis	14,345	49	65	166	162	205	1,203	1,394	1,478	1,244	1,122	1,125	2,226	1,811	1,274	595	213	13
118a	Hernia	3,543	104	17	14	4	6	11	6	18	36	51	82	310	573	816	800	693	2
118b	Intestinal obstruction	6,668	979	203	127	87	51	170	100	163	225	312	304	727	805	780	817	810	8
119	Other diseases of the intestines	1,372	122	25	19	16	12	27	17	25	50	47	63	128	167	191	197	263	3
120	Acute yellow atrophy of the liver	368	8	2	3	2	1	2	4	12	34	30	30	58	53	48	50	30	1
121	Hydatid tumor of the liver	23	1	1			1		1			3		5	2	7	1	1	
122	Cirrhosis of the liver	7,027	6	6	4	8	8	20	25	24	45	61	132	666	1,394	1,803	1,742	1,073	10
123	Biliary calculi	3,602	1				1		1	13	39	96	133	484	804	980	698	349	3
124	Other diseases of the liver	4,429	81	23	25	12	6	46	36	53	118	151	221	597	770	856	795	634	5
125	Diseases of the pancreas	537	3			1	2	5	3	7	13	21	43	95	146	120	55	23	
126	Peritonitis without specified cause	1,854	147	50	43	40	35	110	90	106	114	120	127	233	218	173	157	89	2
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	9	7	1					1										
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	101,759	684	248	236	176	139	543	581	900	1,428	2,059	2,714	8,355	12,724	18,315	25,429	27,097	131
128	Acute nephritis (including unspecified under 10 years)	5,976	374	144	165	116	85	292	206	226	247	261	331	770	819	676	696	555	13
129	Chronic nephritis (including unspecified 10 years and over)	81,402	21	28	41	37	41	189	327	496	724	1,081	1,520	5,505	10,066	15,841	22,024	23,358	103
130	Chyluria	1	1																
131	Other diseases of the kidneys and annexa	2,531	228	74	26	21	13	48	23	50	83	110	117	273	336	382	397	345	5
132	Calculi of the urinary passages	679	2	1	2			6	2	4	15	34	39	101	140	124	138	70	1
133	Diseases of the bladder	1,081	12	1	1	1		6	2	5	7	13	10	31	67	116	247	561	1
134	Diseases of the urethra, etc.	322	2							4	6	18	19	63	75	74	35	25	1
135	Diseases of the prostate	4,540									2	5	9	39	139	684	1,634	2,022	6
136	Nonvenereal diseases of the male genital organs	88	32		1			1			2	2	4	10	11	12	9	4	
137	Cysts, other benign tumors of the ovary	784							2	9	42	64	87	174	150	114	77	65	
138	Salpingitis and pelvic abscess (female)	1,690				1			11	67	226	306	320	496	198	49	9	7	
139	Benign tumors of the uterus	1,783								4	14	77	157	667	574	136	98	56	
140	Nonpuerperal uterine hemorrhage	67							3	6	6	8	8	17	11	4	2	2	
141	Other diseases of the female genital organs	783						1	5	28	52	75	91	203	137	102	62	26	1
142	Nonpuerperal diseases of the breast (cancer excepted)	32	12							1	2	5	2	6	1	1	1	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	THE REGISTRATION AREA (EXCLUSIVE OF HAWAII)—Continued																		
	VIII.—The puerperal state	15,105							52	1,501	3,085	3,394	3,095	3,800	161	1			16
143	Accidents of pregnancy	1,544							1	91	254	389	365	430	12				2
144	Puerperal hemorrhage	1,444							3	50	185	299	315	560	30				2
145	Other accidents of labor	1,790							8	135	311	382	401	534	14				5
146	Puerperal septicemia	5,657							15	595	1,340	1,384	1,123	1,147	49	1			3
147	Puerperal phlegmasia alba dolens, embolus, etc	661								35	119	144	163	192	8				
148	Puerperal albuminuria and convulsions	3,929							24	587	862	768	717	919	48				4
149	Following childbirth (undefined)	66							1	5	12	22	10	16					
150	Puerperal diseases of the breast	14								3	2	6	1	2					
	IX.—Diseases of the skin and of the cellular tissue	3,599	588	53	31	17	15	50	57	79	90	96	81	222	293	347	537	1,039	4
151	Gangrene	1,564	36	7	8	8	2	15	6	7	9	9	13	41	86	131	338	845	3
152	Furuncle	592	77	6	1	2	1	4	16	32	33	30	29	74	76	89	74	47	1
153	Acute abscess	693	159	22	17	4	12	26	25	26	33	39	29	63	78	70	52	38	
154	Other diseases of the skin and annexa	750	316	18	5	3		5	10	14	15	18	10	44	53	57	73	109	
	X.—Diseases of the bones and of the organs of locomotion	1,279	73	33	35	23	34	177	162	80	52	55	54	94	104	113	102	87	1
155	Diseases of the bones (tuberculosis excepted)	1,008	51	28	32	20	30	161	144	66	41	45	39	69	78	73	69	61	1
156	Diseases of the joints (tuberculosis and rheumatism excepted)	198	14	4	3	3	3	13	16	11	10	8	9	22	17	33	21	11	
157	Amputations	6							1	1					1	1	2		
158	Other diseases of the organs of locomotion	67	8	1			1	3	1	2	1	2	6	3	8	6	10	15	
	XI.—Malformations	14,053	12,959	396	166	78	62	177	85	54	29	19	7	13	5	3			
159a	Congenital hydrocephalus	1,362	1,019	134	52	29	28	54	23	13	2	3	1	2	2				
159b	Congenital malformations of the heart	8,261	7,760	170	79	30	22	82	47	31	19	10	3	7		1			
159c	Other congenital malformations	4,430	4,180	92	35	19	12	41	15	10	8	6	3	4	3	2			
	XII.—Early infancy	61,573	61,573																
160	Congenital debility, icterus, sclerema	8,621	8,621																
161a	Premature birth	38,277	38,277																
161b	Injury at birth	9,276	9,276																
162	Other diseases peculiar to early infancy	5,238	5,238																
163	Lack of care	161	161																
164	XIII.—Old age (senility)	13,346												1	15	157	1,494	11,653	26
	XIV.—External causes	93,296	2,158	1,822	1,710	1,440	1,344	4,860	3,722	5,565	6,881	7,107	6,731	13,509	11,552	9,087	7,321	8,153	334
	Suicide	11,287						4	35	310	681	906	1,014	2,404	2,396	1,923	1,093	490	31
165, 166	By poisons (gas excepted)	1,779							2	111	213	214	194	355	312	230	105	42	1
167	By poisonous gas	1,535							1	25	70	119	128	305	377	291	142	75	2
168	By hanging or strangulation	2,058						1	13	29	56	90	153	431	472	422	274	116	1
169	By drowning	701							3	9	29	41	49	137	161	151	76	42	3
170	By firearms	3,900						3	16	126	264	339	381	833	803	607	372	143	13
171	By cutting or piercing instruments	754								4	16	42	51	203	162	145	80	47	4
172	By jumping from high places	346								4	17	43	35	85	71	47	27	16	1
173	By crushing	115								1	8	13	12	32	19	15	7	3	5
174	By other means	99								1	8	5	11	23	19	15	10	6	1
	Homicide	7,878	152	15	14	12	12	52	94	482	1,217	1,381	1,172	1,782	942	327	129	44	51
197	By firearms	5,648	3	5	8	5	6	25	66	343	902	1,038	917	1,324	685	195	65	19	42
198	By cutting or piercing instruments	945	6	1	2	2	1	5	7	67	184	196	117	210	85	36	19	4	3
199	By other means	1,285	143	9	4	5	5	22	21	72	131	147	138	248	172	96	45	21	6
	Accidental or undefined	74,131	2,006	1,807	1,696	1,428	1,332	4,804	3,593	4,773	4,983	4,820	4,545	9,323	8,214	6,837	6,099	7,619	252
175	Poisoning by food	928	99	78	63	40	35	43	34	38	37	41	30	101	86	78	76	48	1
176	Poisoning by venomous animals	89	13	7	4	3	5	16	4	3	3	2	1	8	11	3	2	4	
177	Other acute poisonings (gas excepted)	1,567	83	278	161	67	42	39	24	50	82	90	97	233	144	108	39	26	4
178	Conflagration	1,445	62	60	68	58	67	145	76	53	62	82	69	155	132	117	121	101	17
179	Burns (conflagration excepted)	6,503	217	619	725	613	460	750	220	196	263	265	212	476	385	324	349	421	8
180	Mechanical suffocation	1,059	748	11	3		2	21	21	26	21	26	36	59	45	22	10	8	
181	Absorption of irrespirable, irritating, or poisonous gas	2,378	28	13	5	15	6	22	38	87	134	122	154	345	443	437	323	205	1
182	Drowning	5,976	41	198	157	74	76	536	755	888	684	424	384	720	496	286	144	60	53
183	Traumatism by firearms (except in war)	2,578	8	13	29	27	35	207	432	546	288	222	167	268	172	94	41	15	14
184	Traumatism by cutting or piercing instruments	543	12	8	8	13	3	42	29	30	27	18	35	72	72	78	63	32	1
185	Traumatism by fall	12,378	134	148	124	66	59	250	214	229	271	322	375	982	1,148	1,315	1,916	4,815	10
186a	Traumatism in mines	2,207							4	142	249	333	303	595	378	146	46	1	10
186b	Traumatism in quarries	101						3	1	9	11	10	10	18	21	12	4	2	
187	Traumatism by machines	2,224		3	8	8	8	48	57	239	249	230	244	414	375	199	112	24	6
188a	Railroad accidents	7,100	16	28	33	23	25	179	220	560	678	745	685	1,328	1,042	757	511	207	63
188b	Street-car accidents	1,757	10	9	28	22	23	70	45	74	102	128	143	288	249	240	198	125	3
188c	Automobile accidents	14,411	57	76	138	295	363	1,941	884	964	1,041	947	855	1,845	1,675	1,489	1,201	623	17
188d	Airplane and balloon accidents	145								3	33	54	29	20		1			5
188e,f	Injuries by other vehicles	1,661	12	11	22	19	36	132	121	109	102	104	92	176	189	237	206	92	1
188g	Landslide, other crushing	676	4	3	5	3	4	17	33	45	76	69	61	141	109	63	30	10	3
189	Injuries by animals (not poisoning)	649	5	9	11	9	12	66	50	23	19	21	25	52	95	99	103	48	2
190	Wounds of war	4										4							
192	Starvation (deprivation of food or water)	16		1				2						2	2	2	4	3	
193	Excessive cold	202	2		1		1	3	4	6	3	7	8	23	38	40	32	33	1
194	Excessive heat	529	77	23	5	2		3	6	7	10	17	23	56	83	67	73	76	1
195	Lightning	451	1		1		2	31	59	69	47	38	32	75	49	26	15	4	2
196	Other accidental electric shocks	945						22	37	108	152	149	145	158	100	53	12	5	4
201	Fracture (cause not specified)	1,104	5	3	4	3	8	17	22	23	34	37	33	97	101	120	156	437	4
202	Other external violence	4,492	372	208	93	68	60	199	203	246	304	312	296	610	572	424	311	194	20
203	Violent deaths of unknown causation	13									1	1	1	6	2		1		1
	XV.—Ill-defined diseases	16,638	6,797	801	251	119	67	225	173	235	303	305	324	827	1,136	1,326	1,834	1,794	121
204	Sudden death	1,309	232	26	8	5	3	7	11	10	24	20	22	88	139	172	264	225	3
205a	Ill-defined	5,151	1,045	428	95	37	25	84	58	74	99	112	114	363	530	649	804	611	23
205b	Not specified or unknown	10,178	5,470	347	148	77	39	134	104	151	180	173	188	376	467	505	766	958	95

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	CALIFORNIA																		
	All causes	54,566	5,858	1,239	567	378	322	1,033	756	1,154	1,744	1,954	2,151	5,115	6,236	7,921	8,833	9,292	13
	I.—Epidemic, endemic, and infectious diseases	9,429	673	452	234	172	168	494	305	486	760	803	754	1,426	1,054	762	530	355	1
1	Typhoid and paratyphoid fever	154		3		1	2	9	9	20	15	17	19	24	21	9	3	2	
5	Malaria	22	1	1				1	1	2	2	1		1	7	2	1	2	
6	Smallpox	1													1				
7	Measles	323	61	105	35	19	17	43	12	19	4	3	2	1		1		1	
8	Scarlet fever	122	2	7	10	8	20	20	17	11	8	9	3	4	3				
9	Whooping cough	335	191	81	33	14	6	7	1			1				1			
10	Diphtheria	649	27	47	61	61	72	242	87	14	9	9	3	7	3	6	1		
11a	Influenza (with pulmonary complications)	679	61	39	22	8	5	23	15	21	16	21	38	60	72	80	99	99	
11b	Influenza (other and unspecified)	354	41	16	3	6	3	5	11	4	15	7	20	29	22	31	47	94	
13	Mumps	2											1					1	
15	Cholera nostras	2	1	1															
16	Dysentery	112	35	13	7		3	6			1	1	6	7	4	7	12	10	
19	Spirochetal hemorrhagic jaundice	3				1										1		1	
20	Leprosy	8										1	1	3	1	2			
21	Erysipelas	72	21	4						1	7	2	3	7	7	7	3	10	
22	Acute anterior poliomyelitis	42	2	7	7	3	2	4	7	4	1		1	2	2				
23	Lethargic encephalitis	70	4	7	1		1	5	3	3	5	5	1	10	9	11	4	1	
24	Meningococcus meningitis	52	11	5	2	2	1	6	9	3	5		1	2	2	2	1		
25	Other epidemic and endemic diseases	8	1	1	2	1	1	2											
27	Anthrax	4						1			1				2				
28	Rabies	12				1	2	4	1			1		1	1	1			
29	Tetanus	46	10			5	1	6	5	3	1	3	1	6	3	1		1	
30	Mycoses	8	2								1				1	3	1		
	Tuberculosis (all forms)	5,802	114	108	47	41	30	101	119	372	650	697	622	1,173	790	523	303	111	1
31	Of the respiratory system	5,092	35	29	17	17	9	47	85	337	595	643	580	1,094	732	486	282	103	1
32	Of the meninges, central nervous system	288	55	54	19	18	15	40	15	16	14	5	6	13	13	4	1		
33	Of the intestines, peritoneum	171	12	9	2	1	3	6	9	11	21	21	13	29	13	14	7		
34	Of the vertebral column	51		1		2		4	4	4	4	6	2	8	7	5	4		
35	Of the joints	15										1	1	4	3	3	2	1	
36	Of other organs	78	1		2	1	2		1		7	4	12	13	14	9	6	6	
37a	Disseminated (acute)	98	11	15	7	1	1	3	5	4	7	16	6	12	6	2	1	1	
37b	Disseminated (chronic or unspecified)	9				1		1			2	1	2		2				
38	Syphilis	465	81	4	4		1	4	5	7	9	20	27	76	94	65	50	18	
40	Gonococcus infection	25	2					1			4	4	3	6	2	2	1		
41	Purulent infection, septicemia	57	5	3		1	1	4	3	2	6	1	2	7	7	7	4	4	
	II.—General diseases not included in Class I	6,567	84	24	13	15	10	33	40	52	62	92	152	597	1,197	1,695	1,572	929	
	Cancer and other malignant tumors	4,693	4	4	1	2	3	7	9	12	15	42	77	408	913	1,295	1,175	726	
43	Of the buccal cavity	163					1					1	2	6	28	47	47	31	
44	Of the stomach, liver	1,697	1	2					2		3	9	16	101	278	497	499	289	
45	Of the peritoneum, intestines, rectum	689	1					2	2		6	9	11	64	137	187	162	108	
46	Of the female genital organs	660						1			3	11	17	107	182	182	99	58	
47	Of the breast	443						1		1		2	10	54	121	112	93	49	
48	Of the skin	104											2	4	5	21	31	41	
49	Of other or unspecified organs	937	2	2	1	2	2	3	5	11	3	10	19	72	162	249	244	150	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	47	1			1	1	1	1			3	1	4	4	8	10	12	
51	Acute rheumatic fever	85				3	1	10	13	9	6	5	3	5	6	7	12	5	
52	Chronic rheumatism, osteoarthritis, gout	58						1		1		2	1	5	6	8	16	18	
53	Scurvy	1		1															
54	Pellagra	33										1	5	4	7	5	9	2	
55	Beriberi	3	2											1					
56	Rickets	13	8	3	1	1													
57	Diabetes mellitus	794	1	1	1	2	3	4	8	11	12	11	13	59	109	202	232	125	
58	Anemia, chlorosis	319	8	2		1		1	2	5	6	6	10	30	50	92	76	30	
59	Diseases of the pituitary gland	1													1				
60a	Exophthalmic goiter	105								1	4	6	10	18	31	21	14		
60b	Other diseases of the thyroid gland	18	1									2		5	6	3		1	
61	Diseases of the parathyroid glands	4	1	3															
62	Diseases of the thymus gland	44	17	5	3	3		2	2	5	4	1	1	1					
63	Diseases of the adrenals (Addison's disease)	15										1	2	2	2	3	4	1	
64	Diseases of the spleen	4						1					1			1	1		
65a	Leukemia	87	3	3	3	1	1	5	2	4	7	5	6	10	14	14	7	2	
65b	Hodgkin's disease	34	1	1	2	1				1	1	2	4	5	6	5	5		
66	Alcoholism (acute or chronic)	109								1	1	3	10	28	34	24	8		
67a	Chronic lead poisoning	5													1	3	1		
68	Chronic poisoning by organic substances	26									4	1	7	7	2	3	1	1	
69	Other general diseases	69	37	1	2		1	1	3	2	2	1	1	5	5	1	1	6	
	III.—Diseases of the nervous system and of the organs of special sense	5,833	102	47	29	13	20	66	38	33	54	66	105	390	660	1,132	1,522	1,555	1
70	Encephalitis	74	6	4	2		3	3	4	4	2	7	3	7	13	12	2	2	
71a	Simple meningitis	112	23	15	12	3	5	8	2	3	8	3	4	9	10	4	1	2	
71b	Nonepidemic cerebrospinal meningitis	54	10	5	3	1	3	8	4	6	1	2	5	1	1	1	2	1	
72	Tabes dorsalis (locomotor ataxia)	111										2	2	11	17	40	31	8	
73	Other diseases of the spinal cord	167		2	2		1	4	4	1	3	4	7	14	22	31	46	26	
74a	Cerebral hemorrhage	3,854	4	2			1	5	1	1	6	12	24	140	384	799	1,201	1,273	1
74b	Cerebral embolism and thrombosis	181	1			1		1	2	1	1	1	2	8	20	37	47	59	
75	Paralysis without specified cause	155					1				1		1	3	7	26	52	64	
76	General paralysis of the insane	440									1	7	21	140	99	91	42	39	
77	Other forms of mental alienation	81									7	8	10	18	13	19	3	3	
78	Epilepsy	115	3	1	3	1		2	5	7	13	9	14	12	16	12	11	6	
79	Convulsions (nonpuerperal; 5 years and over)	3						2							1				
80	Infantile convulsions (under 5 years)	32	23	6	1	2													
81	Chorea	4						1	1							1		1	
82	Neuralgia and neuritis	11											1		2	2		6	
83	Softening of the brain	45													3	2	19	21	
84	Other diseases of the nervous system	240	5	1	2	2	1	8	5	2	3	8	5	20	40	46	55	37	
85	Diseases of the eye and annexa	5	2							1						1		1	
86a	Diseases of the ear	97	18	9	4	1	3	12	7	4	7	1	4	3	9	7	6	2	
86b	Diseases of the mastoid process	52	7	2		2	2	12	3	3	1	2	2	4	3	1	4	4	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	CALIFORNIA—Continued																		
	IV.—Diseases of the circulatory system	10,114	40	8	9	4	6	49	71	62	84	110	139	534	1,112	1,893	2,703	3,288	2
87	Pericarditis	48	4					2	6			2	2	3	4	10	6	9	
88	Endocarditis and myocarditis (acute)	307	13	4	5		3	19	14	16	26	19	22	75	21	32	16	22	
89	Angina pectoris	581							1		1	4	4	33	74	147	196	121	
90	Other diseases of the heart	7,977	16	3	4	3	2	26	50	42	50	76	103	374	929	1,531	2,167	2,600	1
91a	Aneurysm	148								1	3	1	4	18	29	45	26	21	
91b,c	Other diseases of the arteries	898									1	1		11	30	96	261	497	1
92	Embolism and thrombosis (not cerebral)	121	2				1			2	3	5	2	15	22	28	26	15	
93	Diseases of the veins	21						1				2	2	4	3	3	4	2	
94	Diseases of the lymphatic system	8	4	1		1		1		1									
95	Hemorrhage without specified cause	3	1											1		1			
96	Other diseases of the circulatory system	2															1	1	
	V.—Diseases of the respiratory system	4,370	874	259	105	50	38	88	51	73	91	93	136	309	375	471	568	789	
97a	Diseases of the nasal fossae	5	1					1			1			2					
97b	Diseases of the nasal fossae annexa	21						1	2		2	4	1	3	2	2	4		
98	Diseases of the larynx	15		1	2	2		6	1				1			1		1	
99a	Acute bronchitis	144	56	6	5	2	3	1	2	1		2	1		2	9	12	42	
99b	Chronic bronchitis	146	2	3									5	1	7	20	40	68	
99c,d	Bronchitis (unspecified)	78	29	2	1		2	1				1		2	2	3	8	27	
100a	Bronchopneumonia	1,679	544	159	66	27	13	34	22	13	19	16	22	75	81	120	165	303	
100b	Capillary bronchitis	36	18	2	2					1						1	2	10	
101a	Lobar pneumonia	1,715	161	64	24	14	16	33	18	49	54	57	85	181	212	250	258	239	
101b	Pneumonia (unspecified)	183	53	12	4	4	3	4	4	3	3	3	9	11	12	15	20	23	
102	Pleurisy	108	3	7			1	2	1	3	7	6	5	12	19	20	12	10	
103	Congestion and hemorrhagic infarct of the lung	73	4	3		1		1	1			1		1	2		14	45	
104	Gangrene of the lung	9											3		2	1	3		
105	Asthma	106	1					4		1	1	1		10	23	21	26	18	
106	Pulmonary emphysema	2													1		1		
107	Other diseases of the respiratory system (tuberculosis excepted)	50	2		1					2	4	2	4	11	10	8	3	3	
	VI.—Diseases of the digestive system	4,531	1,324	318	94	65	30	93	71	95	95	120	156	399	498	488	361	323	1
108	Diseases of the mouth and annexa	18		1					1	1	1	1	3	1	3	3	1	2	
109a	Adenoid vegetations	2	2																
109b	Other diseases of the pharynx, tonsils	145	11	7	6	7	6	29	15	9	9	9	11	5	4	8	4	5	
110	Diseases of the esophagus	10														7		3	
111a	Ulcer of the stomach	255	3							3	3	7	6	51	66	53	31	32	
111b	Ulcer of the duodenum	79										4	6	10	30	19	7	3	
112	Other diseases of the stomach (cancer excepted)	182	46	9	4	2	2	1	1		2	1	5	11	9	17	20	52	
113	Diarrhea and enteritis (under 2 years)	1,473	1,192	281															
114	Diarrhea and enteritis (2 years and over)	296			69	42	12	22	3	6	1	6	7	18	23	26	31	30	
116	Diseases due to other intestinal parasites	3									1	1			1				
117	Appendicitis and typhlitis	642	4	4	3	9	6	22	40	61	47	47	58	129	117	67	24	4	
118a	Hernia	151	4		3	1					2	2	2	11	24	33	39	30	
118b	Intestinal obstruction	363	48	9	5	3	1	8	5	5	8	23	18	53	51	47	36	43	
119	Other diseases of the intestines	51	1	1	1		2	2			1		3	6	9	10	7	8	
120	Acute yellow atrophy of the liver	16	1							1	5	1	1		1	1	2	3	
121	Hydatid tumor of the liver	2										1		1					
122	Cirrhosis of the liver	380						1	5	2	3	2	9	36	78	99	87	57	1
123	Biliary calculi	170								1	2	3	7	27	32	42	39	17	
124	Other diseases of the liver	197	1	2				3		4	7	6	15	26	36	45	24	28	
125	Diseases of the pancreas	26						1	1			2	1	5	10	4	2		
126	Peritonitis without specified cause	69	10	4	3	1	1	4		2	3	4	4	9	4	7	7	6	
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	1	1																
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	4,314	28	11	6	2	6	12	28	27	62	70	126	369	525	812	1,054	1,175	1
128	Acute nephritis (including unspecified under 10 years)	171	14	4	3	1	4	5	10	6	9	9	6	19	24	20	20	17	
129	Chronic nephritis (including unspecified 10 years and over)	3,475		1	1	1	2	5	15	13	35	41	67	242	417	717	912	1,005	1
131	Other diseases of the kidneys and annexa	126	12	6	2			2	2	3	5	3	9	12	15	19	14	22	
132	Calculi of the urinary passages	37							1			1	5	5	8	7	5	5	
133	Diseases of the bladder	43												1	2	3	9	28	
134	Diseases of the urethra, etc	12											2	1	2	3	4		
135	Diseases of the prostate	193												1	4	22	74	92	
136	Nonvenereal diseases of the male genital organs	4	2								1						1		
137	Cysts, other benign tumors of the ovary	43									1		6	11	7	7	9	2	
138	Salpingitis and pelvic abscess (female)	84								2	6	13	22	31	9	1			
139	Benign tumors of the uterus	98									2	2	7	38	33	7	6	3	
140	Nonpuerperal uterine hemorrhage	3												3					
141	Other diseases of the female genital organs	25								3	3	1	2	5	4	6		1	
	VIII.—The puerperal state	541								51	105	131	112	138	4				
143	Accidents of pregnancy	60								3	11	13	16	16	1				
144	Puerperal hemorrhage	57								3	5	20	12	17					
145	Other accidents of labor	56								2	11	17	12	13	1				
146	Puerperal septicemia	212								22	47	50	45	46	2				
147	Puerperal phlegmasia alba dolens, embolus, etc	22								1	3	6	5	7					
148	Puerperal albuminuria and convulsions	132								20	27	25	22	38					
149	Following childbirth (undefined)	2									1			1					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	CALIFORNIA—Continued																		
	IX.—Diseases of the skin and of the cellular tissue	126	13	2	1			1	2	2	10	4	6	8	16	16	10	35	
151	Gangrene	55						1			2	1	3		5	7	8	28	
152	Furuncle	22	4							1	2		2	3	6	2		2	
153	Acute abscess	27	1		1				2	1	3	3	1	4	3	5	1	2	
154	Other diseases of the skin and annexa	22	8	2							3			1	2	2	1	3	
	X.—Diseases of the bones and of the organs of locomotion	43	1	2	1		1	6	8	2	2		1	7	5	3	2	2	
155	Diseases of the bones (tuberculosis excepted)	37	1	2	1		1	6	8	2			1	5	4	3	2	1	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	6									2			2	1			1	
	XI.—Malformations	503	446	17	8	6	1	9	5	4	2	1		3	1				
159a	Congenital hydrocephalus	50	30	7	2	5	1	4	1										
159b	Congenital malformations of the heart	317	294	5	5	1		3	2	2	2	1		2					
159c	Other congenital malformations	136	122	5	1			2	2	2				1	1				
	XII.—Early infancy	2,162	2,162																
160	Congenital debility, icterus, sclerema	317	317																
161a	Premature birth	1,345	1,345																
161b	Injury at birth	322	322																
162	Other diseases peculiar to early infancy	169	169																
163	Lack of care	9	9																
164	XIII.—Old age (senility)	451														3	50	398	
	XIV.—External causes	5,468	83	90	67	50	42	180	136	267	414	463	459	925	776	627	447	437	5
	Suicide	1,011							1	19	52	80	79	238	226	189	80	46	1
165, 166	By poisons (gas excepted)	153								4	14	19	15	30	30	25	10	6	
167	By poisonous gas	191								3	5	17	13	43	52	37	10	11	
168	By hanging or strangulation	121								3	4	5	9	28	28	26	16	2	
169	By drowning	50									2	2	1	10	15	12	4	4	
170	By firearms	395							1	8	23	32	30	95	80	68	37	20	1
171	By cutting or piercing instruments	60									1	3	4	21	10	15	3	3	
172	By jumping from high places	22								1		2	3	4	8	4			
173	By crushing	12									2		2	5	2	1			
174	By other means	7									1		2	2	1	1			
	Homicide	346	4	2				1	2	17	33	64	55	102	41	17	5	2	1
197	By firearms	253		1					1	11	25	48	45	76	34	9	2	1	
198	By cutting or piercing instruments	34								1	3	11	5	13	1				
199	By other means	59	4	1				1	1	5	5	5	5	13	6	8	3	1	1
	Accidental or undefined	4,111	79	88	67	50	42	179	133	231	329	319	325	585	509	421	362	389	3
175	Poisoning by food	49	6	1	2	2		2	1		4	3	1	6	7	7	3	4	
176	Poisoning by venomous animals	11		3			1	1	1		1				1	1	1	1	
177	Other acute poisoning (gas excepted)	99	3	12	7	2		1	1		7	9	13	16	12	9	5	2	
178	Conflagration	54	1	3	1	3		3	6	2	4	2	1	5	7	2	7	7	
179	Burns (conflagration excepted)	237	11	20	17	11	10	15	4	5	16	12	15	34	14	15	19	19	
180	Mechanical suffocation	41	24	1				2	1	1	3	2	2	3	1		1		
181	Absorption of irrespirable, irritating, or poisonous gas	118	1			2			1	3	8	7	12	12	16	23	22	11	
182	Drowning	332	4	25	16	2	2	23	24	43	40	28	28	44	26	20	3	2	2
183	Traumatism by firearms (except in war)	109		1	2		1	10	14	28	5	7	12	15	7	4	2	1	
184	Traumatism by cutting or piercing instruments	31		1	1	1		2	1	1			1	5	7	4	5	2	
185	Traumatism by fall	638	3	4	3	4	4	15	11	8	24	17	26	55	77	56	97	233	1
186a	Traumatism in mines	22									2	1	3	8	7	1			
186b	Traumatism in quarries	3									1	1		1					
187	Traumatism by machines	128			1				1	10	17	18	15	28	19	12	6	1	
188a	Railroad accidents	336	1	1	3	3	1	12	7	21	29	38	35	56	58	39	20	12	
188b	Street-car accidents	177	2			2		2	7	8	12	19	13	27	27	24	20	14	
188c	Automobile accidents	1,239	8	6	9	13	20	76	45	82	110	85	92	187	156	166	118	66	
188d	Airplane and balloon accidents	33									5	19	6	2		1			
188e,f	Injuries by other vehicles	66			1	1		3	3	7	4	10	2	8	7	7	11	2	
188g	Landslide, other crushing	58						1		1	4	8	14	16	9	5			
189	Injuries by animals (not poisoning)	33						5	2			1	5	4	5	3	7	1	
192	Starvation (deprivation of food or water)	6						2						2	1		1		
193	Excessive cold	1													1				
194	Excessive heat	14	5	2											3		2	2	
195	Lightning	2									1			1					
196	Other accidental electric shocks	61								3	7	11	15	11	9	5			
201	Fracture (cause not specified)	16						1			1			4		3	3	4	
202	Other external violence	197	10	8	4	4	3	3	3	8	24	21	14	35	32	14	9	5	
	XV.—Ill-defined diseases	114	28	9		1		2	1		3	1	5	10	13	19	14	6	2
204	Sudden death	2	2																
205a	Ill-defined	36	10	7				2			1			1	4	7	4		
205b	Not specified or unknown	76	16	2		1			1		2	1	5	9	9	12	10	6	2
	COLORADO																		
	All causes	12,302	1,801	312	194	89	100	310	223	323	455	616	589	1,202	1,186	1,516	1,682	1,680	24
	I.—Epidemic, endemic, and infectious diseases	3,003	255	128	89	45	54	158	81	126	251	345	289	483	284	187	122	103	3
1	Typhoid and paratyphoid fever	104	4	3	5	2	2	12	13	21	11	6	9	4	5	6		1	
6	Smallpox	16	1									1	3	6	4		1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	COLORADO—Continued																		
	I.—Epidemic, endemic, and infectious diseases—Continued																		
7	Measles	97	22	18	14	3	5	19	5	4	3	1			1	1	1		
8	Scarlet fever	42	3	4	6	3	4	13	2	3	2	1		1					
9	Whooping cough	104	55	32	7	3	3	4											
10	Diphtheria	237	9	16	25	23	26	74	34	11	3	2	2	3	6	2	1		
11a	Influenza (with pulmonary complications)	345	53	18	14	4	3	9	4	9	16	14	13	27	30	44	43	44	
11b	Influenza (other and unspecified)	190	33	6	7	2	6	12	2	7	5	9	7	17	10	14	18	35	
15	Cholera nostras	3		1	1													1	
16	Dysentery	25	10	7	1				1							1	2	3	
21	Erysipelas	33	16								1			5	3	2	2	4	
22	Acute anterior poliomyelitis	3		2	1														
23	Lethargic encephalitis	15	1	2			1		1		2	1	1	2	1	1	2		
24	Meningococcus meningitis	7	1		1	2		2					1						
25	Other epidemic and endemic diseases	5	1	1					1						1	1			
28	Rabies	1							1										
29	Tetanus	2							1						1				
30	Mycoses	1													1				
	Tuberculosis (all forms)	1,669	10	15	7	3	4	12	14	68	204	304	249	406	204	108	44	14	3
31	Of the respiratory system	1,566	1	4	2	1	2	6	10	62	199	293	236	393	193	106	41	14	3
32	Of the meninges, central nervous system	39	6	10	3	1	2	4	2	2		3	4	1	1				
33	Of the intestines, peritoneum	18	1						1		1	3	2	3	4	2	1		
34	Of the vertebral column	10						1		1	2	3	1				2		
35	Of the joints	2													2				
36	Of other organs	12	1		1			1	1	1		1	1	3	2				
37a	Disseminated (acute)	17	1	1	1	1				1	2	1	4	3	2				
37b	Disseminated (chronic or unspecified)	5								1			1	3					
38	Syphilis	83	31	3				1		1	2	4	4	8	16	6	7		
40	Gonococcus infection	6								1	1	1		3					
41	Purulent infection, septicemia	15	5						2	1	1	1		1	1	1	1	1	
	II.—General diseases not included in Class I	1,213	21	5	5	5	3	14	12	15	17	23	29	88	194	332	277	167	6
	Cancer and other malignant tumors	851	1		1	1		2	1	6	6	11	14	68	140	254	208	133	5
43	Of the buccal cavity	32								1				3	3	10	7	8	
44	Of the stomach, liver	359						1	1	2	2	3	6	23	59	104	100	55	3
45	Of the peritoneum, intestines, rectum	114				1				1		2	2	10	14	38	25	21	
46	Of the female genital organs	99									2	3	2	13	21	30	17	10	1
47	Of the breast	54										1		5	14	17	9	7	1
48	Of the skin	31											1	1	3	7	7	12	
49	Of other or unspecified organs	162	1		1			1		2	2	2	3	13	26	48	43	20	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	6												1	3		1	1	
51	Acute rheumatic fever	27					2	6	3	2	1	1		2	1	4	4	1	
52	Chronic rheumatism, osteoarthritis, gout	6												1	1		2	2	
54	Pellagra	4						1		1	1		1						
56	Rickets	3	2		1														
57	Diabetes mellitus	130		1	1	1	1	4	5	5	4	2		4	15	35	31	21	
58	Anemia, chlorosis	54			1	1			1				1	2	12	14	19	3	
59	Diseases of the pituitary gland	1														1			
60a	Exophthalmic goiter	11									2	1	1	1	2	2	1	1	
60b	Other diseases of the thyroid gland	9		1								2	2	1		3			
62	Diseases of the thymus gland	7	3	2									1		1				
63	Diseases of the adrenals (Addison's disease)	3											1		1		1		
64	Diseases of the spleen	3	1										1		1				
65a	Leukemia	21				2		1		1	1	1	1	2	4	4	3	1	
65b	Hodgkin's disease	14							2		2	1	1		1	3	1	2	1
66	Alcoholism (acute or chronic)	37										2	3	5	10	11	6		
67a	Chronic lead poisoning	1														1			
68	Chronic poisoning by organic substances	5										1	1	1	2				
69	Other general diseases	20	14	1	1							1	1					2	
	III.—Diseases of the nervous system and of the organs of special sense	1,097	21	9	9	3	6	12	10	17	12	17	30	67	112	211	260	301	
70	Encephalitis	11							3		1	1	1	1	1	2	1		
71a	Simple meningitis	25	6	2	3		1	2	2	2		2	2	1	1	1			
71b	Nonepidemic cerebrospinal meningitis	16	6	1	1	1	1	2	1		1	1	1						
72	Tabes dorsalis (locomotor ataxia)	8											2		1	3	2		
73	Other diseases of the spinal cord	35			2		1		1		1		2	1	5	6	9	7	
74a	Cerebral hemorrhage	732	3					1		2	3	6	7	21	68	158	207	256	
74b	Cerebral embolism and thrombosis	35											1	3	3	6	11	11	
75	Paralysis without specified cause	33											1			6	12	14	
76	General paralysis of the insane	53										2	4	22	12	8	4	1	
77	Other forms of mental alienation	10									1		2	1	3	2		1	
78	Epilepsy	37						1	2	5	1	4	3	8	4	2	5	2	
79	Convulsions (nonpuerperal; 5 years and over)	1												1					
80	Infantile convulsions (under 5 years)	5	3	1	1														
81	Chorea	3										1			1	1			
82	Neuralgia and neuritis	8								1			1		1	4	1		
83	Softening of the brain	3														1		2	
84	Other diseases of the nervous system	42				1				4	1		2	6	6	8	7	7	
86a	Diseases of the ear	23	1	4	1	1	1	3		1	1		1	2	5	1	1		
86b	Diseases of the mastoid process	17	2	1	1		2	3	1	2	2				1	2			
	IV.—Diseases of the circulatory system	1,495	11	2	2	1		16	23	26	12	32	25	106	147	279	404	404	5
87	Pericarditis	10						1				2		1	2		3	1	
88	Endocarditis and myocarditis (acute)	76	4	1	1			1	6	5	3	5	5	14	7	10	9	5	
89	Angina pectoris	104												5	16	21	41	21	
90	Other diseases of the heart	1,058	4	1				14	16	20	8	24	18	76	111	222	284	255	5

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	COLORADO—Continued																		
	IV.—Diseases of the circulatory system—Continued																		
91a	Aneurysm	27				1						1		6	3	8	5	3	
91b,c	Other diseases of the arteries	197												2	4	17	58	116	
92	Embolism and thrombosis (not cerebral)	13	3						1				2		3		1	3	
93	Diseases of the veins	6									1			1	1	1	2		
94	Diseases of the lymphatic system	1			1														
95	Hemorrhage without specified cause	2								1							1		
96	Other diseases of the circulatory system	1												1					
	V.—Diseases of the respiratory system	1,282	283	58	24	10	9	24	13	14	17	26	33	97	114	139	190	228	3
97b	Diseases of the nasal fossae annexa	5							1	1					1	2			
98	Diseases of the larynx	9	2	2			1	4											
99a	Acute bronchitis	17	7	1								1					1	7	
99b	Chronic bronchitis	28										2		2	1	2	11	10	
99c,d	Bronchitis (unspecified)	18	5							1		1		1	1	1	1	7	
100a	Bronchopneumonia	433	185	32	15	5	4	3	5	2	2	2	3	14	16	18	50	77	
100b	Capillary bronchitis	14	6	1	3										2			2	
101a	Lobar pneumonia	585	61	20	5	4	2	14	5	7	12	18	27	58	69	94	92	95	2
101b	Pneumonia (unspecified)	79	16	2			2	3	2	2	2		2	8	4	4	21	11	
102	Pleurisy	15								1		1		4	4	1	2	2	
103	Congestion and hemorrhagic infarct of the lung	12	1		1								1			1	1	7	
104	Gangrene of the lung	1																1	
105	Asthma	25												3	3	6	7	5	1
106	Pulmonary emphysema	1																1	
107	Other diseases of the respiratory system (tuberculosis excepted)	40				1					1	1		7	13	10	4	3	
	VI.—Diseases of the digestive system	1,190	370	77	39	11	15	23	30	30	26	39	44	94	103	129	92	65	3
108	Diseases of the mouth and annexa	7	1	1					2						1		2		
109b	Other diseases of the pharynx, tonsils	39	1		5	2	2	7	8		2	3	2	4	1		1	1	
110	Diseases of the esophagus	2															1	1	
111a	Ulcer of the stomach	56										3	5	6	13	12	13	2	2
111b	Ulcer of the duodenum	22										1	1	5	6	6	3		
112	Other diseases of the stomach (cancer excepted)	50	18	1	3							2	1	3	5	4	6	7	
113	Diarrhea and enteritis (under 2 years)	407	337	70															
114	Diarrhea and enteritis (2 years and over)	62			22	4	6	3	1	1		2	1		3	3	8	8	
117	Appendicitis and typhlitis	249	2		5	2	6	9	18	28	20	16	21	41	31	33	13	4	
118a	Hernia	31	1		1		1							1	4	9	8	6	
118b	Intestinal obstruction	93	9	2	2			2			1	7	2	15	15	16	11	11	
119	Other diseases of the intestines	12				1							1	1		1	1	7	
120	Acute yellow atrophy of the liver	2	1												1				
122	Cirrhosis of the liver	53		1	1			1				1	1	5	5	17	11	10	
123	Biliary calculi	42									1	1	3	7	9	17	3	1	
124	Other diseases of the liver	47									2	2	4	5	7	9	11	6	1
125	Diseases of the pancreas	4										1	2		1				
126	Peritonitis without specified cause	12		2		2		1	1	1				1	1	2		1	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	865	10	1	2			11	13	12	12	18	29	69	88	131	228	240	1
128	Acute nephritis (including unspecified under 10 years)	61	7					6	5	4	1	1	6	5	5	8	8	5	
129	Chronic nephritis (including unspecified 10 years and over)	639		1	2			4	7	5	5	11	12	38	61	109	186	197	1
131	Other diseases of the kidneys and annexa	21	3					1			2		1	5	3	1	4	1	
132	Calculi of the urinary passages	8										1			1	1	3	2	
133	Diseases of the bladder	15															7	8	
135	Diseases of the prostate	58												2	3	9	18	26	
137	Cysts, other benign tumors of the ovary	10										1	5		1	1	1	1	
138	Salpingitis and pelvic abscess (female)	24							1	2	3	3	2	8	5				
139	Benign tumors of the uterus	18											1	7	8	2			
140	Nonpuerperal uterine hemorrhage	1									1								
141	Other diseases of the female genital organs	10								1		1	2	4	1		1		
	VIII.—The puerperal state	137								11	29	31	32	32	2				
143	Accidents of pregnancy	22									3	6	9	4					
144	Puerperal hemorrhage	12								1	3	1	1	5	1				
145	Other accidents of labor	14								1	5	5	2	1					
146	Puerperal septicemia	53								6	8	12	14	13					
147	Puerperal phlegmasia alba dolens, embolus, etc	7									4	2		1					
148	Puerperal albuminuria and convulsions	29								3	6	5	6	8	1				
	IX.—Diseases of the skin and of the cellular tissue	30	4		1			1						1	4	2	5	12	
151	Gangrene	18						1							3		3	11	
152	Furuncle	3												1		1	1		
153	Acute abscess	5	1		1										1		1	1	
154	Other diseases of the skin and annexa	4	3													1			
	X.—Diseases of the bones and of the organs of locomotion	11	2					1		1		1		1		2		3	
155	Diseases of the bones (tuberculosis excepted)	8	1					1		1		1				1		3	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	3	1											1		1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	COLORADO—Continued																		
	XI.—Malformations	125	119	1	1	1			2					1					
159a	Congenital hydrocephalus	7	5			1								1					
159b	Congenital malformations of the heart	78	76	1					1										
159c	Other congenital malformations	40	38		1				1										
	XII.—Early infancy	669	669																
160	Congenital debility, icterus, sclerema	84	84																
161a	Premature birth	446	446																
161b	Injury at birth	66	66																
162	Other diseases peculiar to early infancy	70	70																
163	Lack of care	3	3																
164	XIII.—Old age (senility)	105														1	15	89	
	XIV.—External causes	1,051	29	27	21	13	13	49	39	71	79	84	78	163	135	98	85	64	3
	Suicide	141								8	11	11	8	30	31	20	16	5	1
165, 166	By poisons (gas excepted)	38								3	5	6	2	6	8	4	4		
167	By poisonous gas	6												1	3	2			
168	By hanging or strangulation	12								3			2	2	2	1	2		
169	By drowning	5												2	2	1			
170	By firearms	64								2	6	4	3	17	11	11	7	3	
171	By cutting or piercing instruments	16										1	1	2	5	1	3	2	1
	Homicide	91					1	1	2	4	15	13	15	23	11	3		1	2
197	By firearms	80					1	1	2	3	13	12	15	19	9	2		1	2
198	By cutting or piercing instruments	4									2			1		1			
199	By other means	7								1		1		3	2				
	Accidental or undefined	819	29	27	21	13	12	48	37	59	53	60	55	110	93	75	69	58	
175	Poisoning by food	14		1	1	1	2	3			1		1	2	1		1		
176	Poisoning by venomous animals	4						1						1	1			1	
177	Other acute poisonings (gas excepted)	25	3	7	3	2		1			2	3	2	2					
178	Conflagration	13	2		1		3					1			3		1	2	
179	Burns (conflagration excepted)	35		3	4	4	4	2	1	2		2	1	3	3	4	1	1	
180	Mechanical suffocation	11	10														1		
181	Absorption of irrespirable, irritating, or poisonous gas	11								2			1	1	3	1	3		
182	Drowning	61	3	6	6	1		8	6	13	5	2	2	3	3	1	2		
183	Traumatism by firearms (except in war)	44						6	4	5	4	5	2	6	3	4	4	1	
184	Traumatism by cutting or piercing instruments	7									1			1	3	2			
185	Traumatism by fall	95						4	6	3	3	2	1	5	9	7	15	40	
186a	Traumatism in mines	78							1	3	6	11	10	23	12	9	3		
187	Traumatism by machines	24			1				1	1	1	3	4	5	4	1	3		
188a	Railroad accidents	87		1				3		6	7	10	9	19	15	10	6	1	
188b	Street-car accidents	7						1	1				1		1	2	1		
188c	Automobile accidents	157	1	1	2	2		15	9	9	11	13	11	22	16	21	18	6	
188d	Airplane and balloon accidents	4										1		3					
188e,f	Injuries by other vehicles	32			1	2	1	1	1	4	2	2	1	2	4	4	3	4	
188g	Landslide, other crushing	13								2		1	1	2	3	3	1		
189	Injuries by animals (not poisoning)	14	1	1				1	3			1		1	4		1	1	
193	Excessive cold	16					1	1	2	1			1	3		3	3	1	
195	Lightning	16							1	3	2	1	5	3	1				
196	Other accidental electric shocks	10									4	1		2	1	1	1		
202	Other external violence	41	9	7	2	1	1	1	1	5	4	1	2	1	3	2	1		
	XV.—Ill-defined diseases	29	7	4	1			1							3	5	4	4	
204	Sudden death	1	1																
205a	Ill-defined	17	5	3	1										3	1	2	2	
205b	Not specified or unknown	11	1	1				1								4	2	2	
	CONNECTICUT																		
	All causes	17,735	2,352	450	234	142	111	390	243	317	374	525	562	1,383	1,903	2,534	2,980	3,227	8
	I.—Epidemic, endemic, and infectious diseases	2,621	270	186	100	69	43	136	63	129	167	207	188	352	254	204	134	118	1
1	Typhoid and paratyphoid fever	38						2	3	4	1	2	3	18	1	1	2	1	
5	Malaria	2													1			1	
7	Measles	159	53	46	23	8	5	17	3	1		2					1		
8	Scarlet fever	54	1	6	4	8	4	15	3	3	3	2	1	3	1				
9	Whooping cough	129	63	42	16	3	2	1					1		1				
10	Diphtheria	190	9	29	25	30	18	54	11	4	1	1	2	2	3	1			
11a	Influenza (with pulmonary complications)	329	52	17	10	1	5	6	3	6	6	7	9	24	35	37	39	72	
11b	Influenza (other and unspecified)	129	16	5	2	4	1	3	3	1	3	5	4	10	6	20	20	26	
13	Mumps	1			1														
15	Cholera nostras	1																1	
16	Dysentery	20	5	5	2	1						1		2		1	3		
19	Spirochetal hemorrhagic jaundice	1	1																
21	Erysipelas	37	12					1	1	2	2	2		2	5	4	3	3	
22	Acute anterior poliomyelitis	9			1	1	1		3		1	1	1						
23	Lethargic encephalitis	56	1	2	4	1	2	3	3	3	3	3	4	14	11	2			
24	Meningococcus meningitis	27	5	3	3	1	2	3	2	1	1		1		2	1	2		
25	Other epidemic and endemic diseases	5	3		1			1											
29	Tetanus	21	1			1	1	7	4	2			1	2			2		
	Tuberculosis (all forms)	1,329	25	30	8	10	2	22	24	102	144	179	157	258	174	123	57	13	1
31	Of the respiratory system	1,146	3	5		1		4	13	83	138	173	147	241	162	113	51	11	1
32	Of the meninges, central nervous system	77	13	21	5	6		9	4	5	1	2	3	5	3				
33	Of the intestines, peritoneum	31	1	1	2	1	1		2	8	1	1		7	1	2	2	1	
34	Of the vertebral column	15	2			1	1	3	2		1	1	1	1	2				
35	Of the joints	8								1					2	2	2	1	
36	Of other organs	21	1	1		1		3	1		1	1	3	1	3	3	2		
37a	Disseminated (acute)	25	3	1	1			2	2	5	2		3	2	1	3			
37b	Disseminated (chronic or unspecified)	6	2	1				1				1		1					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	CONNECTICUT—Continued																		
	I.—Epidemic, endemic, and infectious diseases—Continued																		
38	Syphilis	68	23	1							1	1	3	14	10	10	4	1	
40	Gonococcus infection	5									1		1	1	1	1			
41	Purulent infection, septicemia	11						1				1		2	3	3	1		
	II.—General diseases not included in Class I	2,179	46	9	9	9	1	23	28	14	19	32	50	203	383	562	493	296	2
	Cancer and other malignant tumors	1,466	1	1	1	2		2	5	2	8	12	18	132	270	405	378	229	
43	Of the buccal cavity	55											2	3	13	18	12	7	
44	Of the stomach, liver	508									1	2	2	39	87	154	151	72	
45	Of the peritoneum, intestines, rectum	238									2		5	15	34	68	67	47	
46	Of the female genital organs	197									2	3	4	31	50	38	47	22	
47	Of the breast	162										2	2	23	38	47	28	22	
48	Of the skin	38												2	2	8	13	13	
49	Of other or unspecified organs	268	1	1	1	2		2	5	2	3	5	3	19	46	72	60	46	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	12									2	2		1	3	2	1	1	
51	Acute rheumatic fever	49		1	2	1		10	11	3	1	3	2	5	3	2	3	2	
52	Chronic rheumatism, osteoarthritis, gout	15								1					3	1	2	8	
53	Scurvy	3												2	1				
54	Pellagra	2														2			
56	Rickets	9	1	4		1	1	1	1										
57	Diabetes mellitus	336			2	2		3	5	1	6	7	7	20	53	99	87	43	1
58	Anemia, chlorosis	100	1	1	1	1		1		1		3	4	18	20	26	14	9	
59	Diseases of the pituitary gland	1											1						
60a	Exophthalmic goiter	9								1	1	2		1	4				
60b	Other diseases of the thyroid gland	6								1			1	1	2			1	
61	Diseases of the parathyroid glands	2	2																
62	Diseases of the thymus gland	18	16	1	1														
63	Diseases of the adrenals (Addison's disease)	9									1			2	2	3	1		
64	Diseases of the spleen	4			1					1				2					
65a	Leukemia	34	2		1	1		4	2	2		1	5	4	3	5	3	1	
65b	Hodgkin's disease	10						1	2				1	2	3		1		
66	Alcoholism (acute or chronic)	57										1	9	12	14	16	2	2	1
67a	Chronic lead poisoning	2										1		1					
68	Chronic poisoning by organic substances	1													1				
69	Other general diseases	34	23	1		1		1	2	1			2		1	1	1		
	III.—Diseases of the nervous system and of the organs of special sense	2,126	59	20	16	10	8	23	11	24	14	20	21	107	215	397	546	634	1
70	Encephalitis	24	2		3		1	1		5		1	1	3	1	4		2	
71a	Simple meningitis	61	20	5	7	4	3	4	2		2	1	1	5	5	1		1	
71b	Nonepidemic cerebrospinal meningitis	16	5	5	1		1	1		1		1			1				
72	Tabes dorsalis (locomotor ataxia)	24												2	5	7	10		
73	Other diseases of the spinal cord	48	1			2	1					1		6	7	15	10	5	
74a	Cerebral hemorrhage	1,546	3	2	1					2	2	5	4	40	132	320	473	561	1
74b	Cerebral embolism and thrombosis	60	1					1				1	2	1	8	9	15	22	
75	Paralysis without specified cause	31												1	2	8	5	15	
76	General paralysis of the insane	86								1	1	4	6	30	24	9	6	5	
77	Other forms of mental alienation	22								1		1	3	3	6	5	2	1	
78	Epilepsy	29	1			1		1	1	5	3	2		6	6	1	2		
79	Convulsions (nonpuerperal; 5 years and over)	3						2									1		
80	Infantile convulsions (under 5 years)	29	19	3	4	2	1												
81	Chorea	1							1										
82	Neuralgia and neuritis	2															2		
83	Softening of the brain	13														1	1	11	
84	Other diseases of the nervous system	78	1	2		1		6	1	3	1	1	3	5	13	14	17	10	
85	Diseases of the eye and annexa	1																1	
86a	Diseases of the ear	33	6	1			1	2	4	1	2	1	1	5	4	3	2		
86b	Diseases of the mastoid process	19		2				5	2	5	3	1			1				
	IV.—Diseases of the circulatory system	3,210	15	1	3	4	4	31	29	24	21	39	49	147	324	598	874	1,046	1
87	Pericarditis	9	1					2					1	1			3	1	
88	Endocarditis and myocarditis (acute)	99	11			1	1	8	5	7	3	5	15	17	8	4	8	6	
89	Angina pectoris	214										1	4	11	33	51	74	40	
90	Other diseases of the heart	2,479	2	1	2	2	3	19	22	15	17	28	27	110	263	500	669	798	1
91a	Aneurysm	23							1			1			6	6	8	1	
91b,c	Other diseases of the arteries	329												2	5	25	102	195	
92	Embolism and thrombosis (not cerebral)	41	1					1	1	2	1	2	2	4	9	6	7	5	
93	Diseases of the veins	11										2		2		5	2		
94	Diseases of the lymphatic system	4				1		1								1	1		
95	Hemorrhage without specified cause	1			1														
	V.—Diseases of the respiratory system	1,975	336	129	40	14	17	33	21	19	24	31	50	144	190	228	282	416	1
97a	Diseases of the nasal fossae	2			1												1		
97b	Diseases of the nasal fossae annexa	5							1	1	1		1		1				
98	Diseases of the larynx	5	2						1					1			1		
99a	Acute bronchitis	59	17	7			2					1				2	9	21	
99b	Chronic bronchitis	43	3					1	1				2		2	3	9	22	
99c,d	Bronchitis (unspecified)	44	16	2	1				1					3		1	7	13	
100a	Bronchopneumonia	784	224	72	25	5	7	9	4		9	1	12	22	41	64	99	190	
100b	Capillary bronchitis	17	8	1		2										1		5	
101a	Lobar pneumonia	879	56	35	9	6	8	16	12	17	13	24	34	108	134	138	138	130	1
101b	Pneumonia (unspecified)	28	3	4	1			2	1		1	2		3	2	3	4	2	
102	Pleurisy	43		8	3			4		1		2	1	3	4	6	4	7	
103	Congestion and hemorrhagic infarct of the lung	32	6													1	3	22	
104	Gangrene of the lung	5						1				1		1		1	1		
105	Asthma	24												3	5	6	6	4	
107	Other diseases of the respiratory system (tuberculosis excepted)	5	1			1									1	2			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	CONNECTICUT—Continued																		
	VI.—Diseases of the digestive system	1,200	336	65	26	11	10	39	26	24	19	32	34	100	134	134	122	88	
108	Diseases of the mouth and annexa	9	1		1			1				1			1	2	2		
109b	Other diseases of the pharynx, tonsils	51	4	5	1	1	1	8	2	7	4	3	3	6	3	1		2	
110	Diseases of the esophagus	2				1											1		
111a	Ulcer of the stomach	64					1					7	4	10	19	14	3	6	
111b	Ulcer of the duodenum	23										1		6	5	4	6	1	
112	Other diseases of the stomach (cancer excepted)	56	17	2	1	1	1	2	1			2		3	3	5	8	10	
113	Diarrhea and enteritis (under 2 years)	336	287	49															
114	Diarrhea and enteritis (2 years and over)	75			19	6	2	3	1				2	4	2	7	7	22	
117	Appendicitis and typhlitis	175		3	1	2	2	21	17	13	11	12	10	25	17	21	17	3	
118a	Hernia	54	2	1									3	5	15	11	8	9	
118b	Intestinal obstruction	86	23	3	2			1	4	2	2	4	3	8	14	6	9	5	
119	Other diseases of the intestines	18		1							1		2	1	2	2	3	6	
120	Acute yellow atrophy of the liver	2														1	1		
122	Cirrhosis of the liver	110					1	1						12	21	28	35	12	
123	Biliary calculi	67					1			1	1	2	1	12	18	17	8	6	
124	Other diseases of the liver	41								1			3	5	6	12	8	6	
125	Diseases of the pancreas	8											1	1	4	1	1		
126	Peritonitis without specified cause	23	2	1	1		1	2	1				2	2	4	2	5		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	1,444	6	3	5	1		11	6	12	14	33	33	102	205	260	365	388	
128	Acute nephritis (including unspecified under 10 years)	58	2	3	4	1		3	2	3		5	6	7	8	3	6	5	
129	Chronic nephritis (including unspecified 10 years and over)	1,228	1		1			5	4	9	11	23	23	72	166	239	322	352	
131	Other diseases of the kidneys and annexa	32	3					3			3			5	5	7	3	3	
132	Calculi of the urinary passages	6													2		3	1	
133	Diseases of the bladder	12										1			1	1	3	6	
134	Diseases of the urethra, etc	2													1	1			
135	Diseases of the prostate	51											1		3	5	24	18	
136	Nonvenereal diseases of the male genital organs	2											1				1		
137	Cysts, other benign tumors of the ovary	9												1	3	1	1	3	
138	Salpingitis and pelvic abscess (female)	11										2	2	5	2				
139	Benign tumors of the uterus	25										2		9	11	2	1		
141	Other diseases of the female genital organs	8												3	3	1	1		
	VIII.—The puerperal state	176							1	8	24	39	49	54	1				
143	Accidents of pregnancy	16								1	1	4	6	4					
144	Puerperal hemorrhage	16								1		3	2	10					
145	Other accidents of labor	22								1	1	7	6	7					
146	Puerperal septicemia	65							1	1	19	12	19	13					
147	Puerperal phlegmasia alba dolens, embolus, etc	5											3	2					
148	Puerperal albuminuria and convulsions	51								4	3	12	13	18	1				
149	Following childbirth (undefined)	1										1							
	IX.—Diseases of the skin and of the cellular tissue	57	18		1		1				2	2	1	3	5	4	9	11	
151	Gangrene	19													2		7	10	
152	Furuncle	9	4								2			2		1			
153	Acute abscess	16	7		1		1					2	1		1	3			
154	Other diseases of the skin and annexa	13	7											1	2		2	1	
	X.—Diseases of the bones and of the organs of locomotion	30	1		1		3	2	7	2		3	2	1	3	1	4		
155	Diseases of the bones (tuberculosis excepted)	29	1		1		3	2	6	2		3	2	1	3	1	4		
156	Diseases of the joints (tuberculosis and rheumatism excepted)	1							1										
	XI.—Malformations	215	194	6	4		3	4	2	1	1								
159a	Congenital hydrocephalus	26	19	1	1		2	2			1								
159b	Congenital malformations of the heart	96	87	2	2		1	1	2	1									
159c	Other congenital malformations	93	88	3	1			1											
	XII.—Early infancy	1,023	1,023																
160	Congenital debility, icterus, sclerema	140	140																
161a	Premature birth	552	552																
161b	Injury at birth	223	223																
162	Other diseases peculiar to early infancy	108	108																
164	XIII.—Old age (senility)	110														1	14	94	1
	XIV.—External causes	1,321	33	28	29	24	21	87	48	60	68	87	83	168	185	138	130	131	1
	Suicide	195								6	10	17	21	38	38	33	27	5	
165, 166	By poisons (gas excepted)	31									1	5	7	8	7	2	1		
167	By poisonous gas	31								1	3	2	4	7	5	4	4	1	
168	By hanging or strangulation	47								1	2	4	3	9	12	7	8	1	
169	By drowning	18								1	2	3	2	4	1	2	3		
170	By firearms	46								3	2	2	4	3	9	14	8	1	
171	By cutting or piercing instruments	12												4	2	3	2	1	
172	By jumping from high places	7										1	1	1	1	1	1	1	
173	By crushing	2												1	1				
174	By other means	1												1					
	Homicide	45	4				1			2	6	8	6	8	6	1	3		
197	By firearms	18								2	3	4	4	3	1		1		
198	By cutting or piercing instruments	3										2				1			
199	By other means	24	4				1				3	2	2	5	5		2		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	CONNECTICUT—Continued																		
	XIV.—External causes—Continued																		
	Accidental or undefined	1,081	29	28	29	24	20	87	48	52	52	62	56	122	141	104	100	126	1
175	Poisoning by food	11	2	1				1		4			1		1			1	
176	Poisoning by venomous animals	1													1				
177	Other acute poisonings (gas excepted)	20		3					1		1	1	1	4	1	6	2		
178	Conflagration	12	1		1			2	1	1		1		1	1	2	1		
179	Burns (conflagration excepted)	105	2	15	14	13	6	14	3	2	8			5	7	3	8	5	
180	Mechanical suffocation	11	8							1		1	1						
181	Absorption of irrespirable, irritating, or poisonous gas	56			1			1	4	3		1	3	11	9	8	10	5	
182	Drowning	102		2	4	2	2	12	16	14	6	6	10	10	12	6			
183	Traumatism by firearms (except in war)	20					2	3	1	5	3		3	2				1	
184	Traumatism by cutting or piercing instruments	7	1							1			1		3		1		
185	Traumatism by fall	228	2	5	2		2	5	1	3	5	4	3	22	21	28	41	84	
187	Traumatism by machines	30						1	2	3	1	6	1	5	8	1	2		
188a	Railroad accidents	61		1			1	3	2	2	4	13	8	11	9	4	3		
188b	Street-car accidents	35	2		1		1	1					2	6	9	5	5	2	1
188c	Automobile accidents	249			4	6	5	42	13	9	16	19	11	33	38	29	13	11	
188e,f	Injuries by other vehicles	29			1	2			3	2	3	1	4	1	6	1	3	2	
188g	Landslide, other crushing	10						1				1	1	3	3		1		
189	Injuries by animals (not poisoning)	7	1						1			1			1	1	2		
190	Wounds of war	1										1							
193	Excessive cold	6												1	1	1	1	2	
194	Excessive heat	7	4												1		2		
195	Lightning	3												2				1	
196	Other accidental electric shocks	14								1	1	3	2	1	4	2			
201	Fracture (cause not specified)	16	1								1	1	1		1	1	1	9	
202	Other external violence	40	5	1	1	1	1	1		1	3	2	3	4	4	6	4	3	
	XV.—Ill-defined diseases	48	15	3				1	1		1		2	2	4	7	7	5	
204	Sudden death	10	4								1			1	1	1	1	1	
205a	Ill-defined	21	4	3				1					2		1	3	4	3	
205b	Not specified or unknown	17	7						1					1	2	3	2	1	
	DELAWARE																		
	All causes	3,229	472	135	58	32	20	72	44	66	93	93	105	216	271	429	544	576	3
	I.—Epidemic, endemic, and infectious diseases	558	60	47	33	12	6	38	19	34	34	34	44	44	44	47	37	23	2
1	Typhoid and paratyphoid fever	19					1	1	1	3	5	1		2	2	2	1		
6	Smallpox	1		1															
7	Measles	58	15	19	14	3	3	2	2										
8	Scarlet fever	20		1	1	1		11	2			1	2	1					
9	Whooping cough	31	16	8	5	1	1												
10	Diphtheria	28		8	7	3	1	7	2										
11a	Influenza (with pulmonary complications)	57	5	1	3	2		2		1	1	2	4	5	5	11	10	5	
11b	Influenza (other and unspecified)	33	2	2				4		2	1	2	1		1	6	4	8	
16	Dysentery	10	1	2		1								1		2	1	2	
21	Erysipelas	6	1						1	1					1	1		1	
22	Acute anterior poliomyelitis	3		1				1	1										
23	Lethargic encephalitis	5						1		1					1	2			
24	Meningococcus meningitis	1	1																
25	Other epidemic and endemic diseases	1		1															
29	Tetanus	3						1							1	1			
	Tuberculosis (all forms)	263	9	3	2	1		8	10	26	26	26	37	35	30	20	21	7	2
31	Of the respiratory system	228	6	2	1			4	7	21	23	23	34	35	28	18	18	6	2
32	Of the meninges, central nervous system	7		1	1	1		2	1			1							
33	Of the intestines, peritoneum	11	1					1		1	1	1	2		1	1	1	1	
34	Of the vertebral column	3							2				1						
35	Of the joints	1										1							
36	Of other organs	2						1								1			
37a	Disseminated (acute)	8	2							4	2								
37b	Disseminated (chronic or unspecified)	3													1		2		
38	Syphilis	16	10								1	1			2	2			
40	Gonococcus infection	1										1							
41	Purulent infection, septicemia	2			1										1				
	II. General diseases not included in Class I	259	4	2				2	2	2		6	5	22	49	63	65	37	
	Cancer and other malignant tumors	185						1				2	4	14	34	45	51	34	
43	Of the buccal cavity	10												1		4	4	1	
44	Of the stomach, liver	59										1		1	13	12	26	6	
45	Of the peritoneum, intestines, rectum	28											1	2	2	12	8	3	
46	Of the female genital organs	29										1	2	4	7	8	3	4	
47	Of the breast	18												3	7	1	2	5	
48	Of the skin	8																8	
49	Of other or unspecified organs	33						1					1	3	5	8	8	7	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	2													1			1	
51	Acute rheumatic fever	8						1		1		1			3	2			
52	Chronic rheumatism, osteoarthritis, gout	5													1	2	2		
56	Rickets	2	2																
57	Diabetes mellitus	31							1			2		1	6	9	10	2	
58	Anemia, chlorosis	7		1						1					1	2	2		
60b	Other diseases of the thyroid gland	1		1															
62	Diseases of the thymus gland	1	1																
65a	Leukemia	1														1			
65b	Hodgkin's disease	1											1						
66	Alcoholism (acute or chronic)	12										1		6	3	2			
69	Other general diseases	3	1						1					1					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	DELAWARE—Continued																		
	III.—Diseases of the nervous system and of the organs of special sense	382	15	6	2	1	2	4	1		6	5	5	12	36	74	108	105	
70	Encephalitis	8		2	1			1				2	1				1		
71a	Simple meningitis	6	1	3							1						1		
71b	Nonepidemic cerebrospinal meningitis	3					2		1										
72	Tabes dorsalis (locomotor ataxia)	5													1		4		
73	Other diseases of the spinal cord	7									1				1	1	2	2	
74a	Cerebral hemorrhage	277	1									1	1	7	29	65	84	89	
74b	Cerebral embolism and thrombosis	2			1													1	
75	Paralysis without specified cause	23													2	3	9	9	
76	General paralysis of the insane	14									1		1	5	1	2	1	3	
77	Other forms of mental alienation	1																1	
78	Epilepsy	11	1			1					2	2	2		1		2		
80	Infantile convulsions (under 5 years)	12	11	1															
83	Softening of the brain	1															1		
84	Other diseases of the nervous system	9	1					2			1					3	2		
86b	Diseases of the mastoid process	3						1							1		1		
	IV.—Diseases of the circulatory system	509	4					3	3	5	3	6	11	30	45	95	134	169	1
88	Endocarditis and myocarditis (acute)	11						1	2		1	1		4	1	1			
89	Angina pectoris	27						1						1	1	10	7	7	
90	Other diseases of the heart	412	3					1	1	4	2	5	11	20	39	80	114	131	1
91a	Aneurysm	10												4	2	2	2		
91b,c	Other diseases of the arteries	41												1		2	8	30	
92	Embolism and thrombosis (not cerebral)	4															3	1	
93	Diseases of the veins	1													1				
94	Diseases of the lymphatic system	1	1																
95	Hemorrhage without specified cause	2								1					1				
	V.—Diseases of the respiratory system	402	103	47	14	8	8	1	1	9	10	8	7	24	29	44	45	44	
97b	Diseases of the nasal fossae annexa	1								1									
98	Diseases of the larynx	3	1		1			1											
99a	Acute bronchitis	7	4		2													1	
99b	Chronic bronchitis	6	2															4	
99c,d	Bronchitis (unspecified)	7	2	3	1										1				
100a	Bronchopneumonia	150	61	30	5	2	4			3	1	1		1	2	10	14	16	
100b	Capillary bronchitis	6	4	1														1	
101a	Lobar pneumonia	163	22	8	2	2	2		1	2	6	7	5	15	23	28	23	17	
101b	Pneumonia (unspecified)	22	5	2	2	1				1			1	4	1	2	2	1	
102	Pleurisy	8	1	1	1	2					2		1						
103	Congestion and hemorrhagic infarct of the lung	8	1											1			2	4	
104	Gangrene of the lung	2									1				1				
105	Asthma	16		1			2			2				3	1	4	3		
107	Other diseases of the respiratory system (tuberculosis excepted)	3		1		1											1		
	VI.—Diseases of the digestive system	233	88	24	5	4		3	3	1	8	4	9	14	14	24	17	15	
108	Diseases of the mouth and annexa	2	1	1															
109b	Other diseases of the pharynx, tonsils	1																1	
111a	Ulcer of the stomach	8									2	1	1	1	1			2	
111b	Ulcer of the duodenum	1												1					
112	Other diseases of the stomach (cancer excepted)	21	2									2		1	2	4	5	5	
113	Diarrhea and enteritis (under 2 years)	102	82	20															
114	Diarrhea and enteritis (2 years and over)	21			5	2		2			1				2	1	3	5	
117	Appendicitis and typhlitis	26		3		1			1	1	3		3	5	2	5	2		
118a	Hernia	7										1			3	2	1		
118b	Intestinal obstruction	10	1						1		1		2		1	2	2		
119	Other diseases of the intestines	3	1												1	1			
120	Acute yellow atrophy of the liver	2											1					1	
122	Cirrhosis of the liver	12												2	1	7	1	1	
123	Biliary calculi	1									1								
124	Other diseases of the liver	10						1	1				1	2	1	2	2		
125	Diseases of the pancreas	1												1					
126	Peritonitis without specified cause	5	1			1							1	1			1		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	371	1	3			1	2	3	1	6	4	6	23	28	55	113	125	
128	Acute nephritis (including unspecified under 10 years)	15	1	2					2		1	1	2	2	1	1	2		
129	Chronic nephritis (including unspecified 10 years and over)	326						2	1		2	1	3	19	23	52	105	118	
131	Other diseases of the kidneys and annexa	6		1			1				1			1			1	1	
132	Calculi of the urinary passages	2									1							1	
133	Diseases of the bladder	3															1	2	
135	Diseases of the prostate	9														2	4	3	
137	Cysts, other benign tumors of the ovary	2												1	1				
138	Salpingitis and pelvic abscess (female)	7								1	1	2	1		2				
139	Benign tumors of the uterus	1													1				
	VIII.—The puerperal state	38							1	4	8	10	4	11					
143	Accidents of pregnancy	5									1	3		1					
144	Puerperal hemorrhage	2											1	1					
145	Other accidents of labor	1								1									
146	Puerperal septicemia	20							1	2	5	6	2	4					
147	Puerperal phlegmasia alba dolens, embolus, etc	1									1								
148	Puerperal albuminuria and convulsions	9								1	1	1	1	5					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	DELAWARE—Continued																		
	IX.—Diseases of the skin and of the cellular tissue	17						1		1				1	1	3	6	4	
151	Gangrene	13						1							1	2	5	4	
152	Furuncle	2								1				1					
153	Acute abscess	1														1			
154	Other diseases of the skin and annexa	1															1		
	XI.—Malformations	31	29		1			1											
159a	Congenital hydrocephalus	3	3																
159b	Congenital malformations of the heart	23	21		1			1											
159c	Other congenital malformations	5	5																
	XII.—Early infancy	166	166																
160	Congenital debility, icterus, sclerema	42	42																
161a	Premature birth	93	93																
161b	Injury at birth	14	14																
162	Other diseases peculiar to early infancy	16	16																
163	Lack of care	1	1																
164	XIII.—Old age (senility)	36															3	33	
	XIV.—External causes	222		5	3	7	3	17	11	9	18	16	14	35	25	22	16	21	
	Suicide	20								1	1	2	2	4	4	4	2		
167	By poisonous gas	3													2	1			
168	By hanging or strangulation	4									1			2	1				
169	By drowning	2											1			1			
170	By firearms	10								1		2	1	2		2	2		
171	By cutting or piercing instruments	1													1				
	Homicide	9								1	3	2	1	1		1			
197	By firearms	4								1	1		1	1					
198	By cutting or piercing instruments	3									1	2							
199	By other means	2									1					1			
	Accidental or undefined	193		5	3	7	3	17	11	7	14	12	11	30	21	17	14	21	
175	Poisoning by food	2				1												1	
177	Other acute poisonings (gas excepted)	7		1						1	1	2			1		1		
178	Conflagration	2															2		
179	Burns (conflagration excepted)	18		2	2	2		5	1	1		1	1		1	1	1		
180	Mechanical suffocation	1													1				
181	Absorption of irrespirable, irritating, or poisonous gas	7				1		1			2			1		1	1		
182	Drowning	30				1		1	1	3	1	2	2	10	5	3	1		
183	Traumatism by firearms (except in war)	9							3		2	1	1			2			
185	Traumatism by fall	26				1	1				1		1	1	2	1	2	16	
187	Traumatism by machines	3						1			1		1						
188a	Railroad accidents	9									3	1	1	2		2			
188b	Street-car accidents	2						1							1				
188c	Automobile accidents	55			1	1	2	6	3	1	2	2	4	15	6	7	4	1	
188d	Airplane and balloon accidents	1										1							
188e,f	Injuries by other vehicles	5		1					1			2			1				
188g	Landslide, other crushing	1													1				
189	Injuries by animals (not poisoning)	3													1			2	
192	Starvation (deprivation of food or water)	1															1		
193	Excessive cold	1																1	
194	Excessive heat	2		1										1					
201	Fracture (cause not specified)	1													1				
202	Other external violence	7						2	2	1	1						1		
	XV.—Ill-defined diseases	5	2	1												2			
204	Sudden death	1	1																
205a	Ill-defined	3		1												2			
205b	Not specified or unknown	1	1																
	DISTRICT OF COLUMBIA																		
	All causes—White	4,437	452	91	39	26	23	69	42	60	131	142	167	366	510	637	836	846	
	All causes—Colored	2,668	375	88	39	18	9	38	34	112	126	145	129	386	431	334	259	145	
	I.—Epidemic, endemic, and infectious diseases—White	560	42	40	14	14	10	32	10	18	39	44	42	75	58	57	40	25	
	I.—Epidemic, endemic, and infectious diseases—Colored	501	46	20	11	6	1	12	11	54	66	58	33	84	45	26	18	10	
1	Typhoid and paratyphoid fever—W	20							1	2		2	2	6	5	1	1		
	Typhoid and paratyphoid fever—C	8						1	1	1	2	1	1				1		
5	Malaria—C	2								1					1				
	Smallpox—C	1									1								
7	Measles—W	31	7	10	3	2	2	7											
	Measles—C	11	4	6	1														
8	Scarlet fever—W	12			1	1	2	2	3		1				1			1	
	Scarlet fever—C	3				2		1											
9	Whooping cough—W	20	10	8	2														
	Whooping cough—C	20	11	7				1	1										
10	Diphtheria—W	37	1	7	6	4	4	12	3										
	Diphtheria—C	6	2		2	2													
11a	Influenza (with pulmonary complications)—W	66	1	5		2		1		2	2	1	2	7	9	10	10	14	
	Influenza (with pulmonary complications)—C	52	5	3	1	1		1		4	3	1	5	4	7	6	6	5	
11b	Influenza (other and unspecified)—W	32	6		1					1		3	1		2	8	3	7	
	Influenza (other and unspecified)—C	18								1		1		3	3	3	5	2	
15	Cholera nostras—C	3	1							1					1				
16	Dysentery—W	3	2	1															
	Dysentery—C	6	2					1			1	1			1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	DISTRICT OF COLUMBIA—Continued																			
	I.—Epidemic, endemic, and infectious diseases—Continued																			
21	Erysipelas	W	4	2													1	1		
		C	1	1																
22	Acute anterior poliomyelitis	W	3				1	1				1								
23	Lethargic encephalitis	W	9	1			1		2				2		3					
		C	4	1							1		1				1			
24	Meningococcus meningitis	W	3	1		1			1											
		C	4	1				1			1	1								
27	Anthrax	W	1													1				
29	Tetanus	W	2						1								1			
		C	3								1	1			1					
30	Mycoses	W	2														1	1		
	Tuberculosis (all forms)	W	285	4	9		3	1	6	3	11	33	33	34	55	37	32	22	2	
		C	303	3	2	3	1		7	9	42	53	47	25	64	27	14	4	2	
31	Of the respiratory system	W	243	1	1			1	1	1	10	31	30	29	53	33	29	21	2	
		C	272	1	1				2	6	38	51	47	25	57	26	13	3	2	
32	Of the meninges, central nervous system	W	23	2	7		3		5	2	1	1	1		1					
		C	10	1		1			3	1	2				2					
33	Of the intestines, peritoneum	W	5	1								1		2			1			
		C	6						1	1		2			2					
34	Of the vertebral column	W	2														2			
		C	2							1							1			
35	Of the joints	W	1											1						
		C	3						1		1				1					
36	Of other organs	W	6		1									1	1	2		1		
		C	4	1		1									1			1		
37a	Disseminated (acute)	W	5										2	1		2				
		C	5		1	1	1				1					1				
37b	Disseminated (chronic or unspecified)	C	1												1					
38	Syphilis	W	22	6							1	2	1	1	3	3	3	2		
		C	48	15	2	4					1	2	4	2	10	3	2	2	1	
40	Gonococcus infection	W	5								1		2	1	1					
		C	6									1	2		1	2				
41	Purulent infection, septicemia	W	3	1										1					1	
		C	2									1			1					
	II.—General diseases not included in Class I	White	542	8		1	1		1	2	4	7	14	15	53	106	119	135	76	
		Colored	168	18	3		1		1	1	3	1	5	5	29	45	33	17	6	
	Cancer and other malignant tumors	W	387	1		1			1			3	7	9	35	76	92	98	64	
		C	104				1				1		3	3	19	34	25	14	4	
43	Of the buccal cavity	W	20	1									1		1	2	5	5	5	
		C	8												1	3	3	1		
44	Of the stomach, liver	W	117											2	10	18	35	33	19	
		C	38												7	11	11	7	2	
45	Of the peritoneum, intestines, rectum	W	47									1	2	2	3	8	8	15	8	
		C	4											1	1		1		1	
46	Of the female genital organs	W	54									1	1		6	18	15	9	4	
		C	27										2		9	10	4	1	1	
47	Of the breast	W	40											1	7	13	8	6	5	
		C	12										1	2		6	1	2		
48	Of the skin	W	11											1		2	3	1	4	
		C	2												1		1			
49	Of other or unspecified organs	W	98			1			1			1	3	3	8	15	18	29	19	
		C	13				1				1					4	4	3		
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	W	8								1	1				1	1	2	2	
		C	1														1			
51	Acute rheumatic fever	W	4							1		1	1			1				
		C	3							1								1	1	
52	Chronic rheumatism, osteoarthritis, gout	W	4															4		
		C	2											1		1				
53	Scurvy	C	1	1																
56	Rickets	C	6	5	1															
57	Diabetes mellitus	W	72								1	2	3	1	4	15	17	22	7	
		C	24									1	1	1	5	8	5	2	1	
58	Anemia, chlorosis	W	24								1		1	1	3	4	4	8	2	
		C	3	1											1		1			
60a	Exophthalmic goiter	W	2												2					
		C	3								1		1		1					
60b	Other diseases of the thyroid gland	W	1											1						
		C	1													1				
62	Diseases of the thymus gland	W	1	1																
		C	2	1	1															
63	Diseases of the adrenals (Addison's disease)	W	2												2					
65a	Leukemia	W	9				1			1				1	1	1	3		1	
		C	4						1		1				1		1			
65b	Hodgkin's disease	W	2								1					1				
66	Alcoholism (acute or chronic)	W	15										2		5	6	2			
		C	3												2	1				
67a	Chronic lead poisoning	W	1												1					
68	Chronic poisoning by organic substances	W	2											1		1				
69	Other general diseases	W	8	6										1				1		
		C	11	10	1															
	III.—Diseases of the nervous system and of the organs of special sense	White	531	3	4	3			8	3	2	8	11	23	36	68	87	134	141	
		Colored	232	5	1			1	2	1	1	2	3	7	35	55	60	40	19	
70	Encephalitis	W	5		1							2			1	1				
		C	2		1				1											
71a	Simple meningitis	W	13		1	1			5		1			1	1	3				
		C	3					1		1			1							

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	DISTRICT OF COLUMBIA—Continued																			
	III.—Diseases of the nervous system and of the organs of special sense—Continued																			
71b	Nonepidemic cerebrospinal meningitis	W	1							1										
		C	1												1					
72	Tabes dorsalis (locomotor ataxia)	W	9														6	3		
73	Other diseases of the spinal cord	W	16											2	1	4	5	2	2	
		C	4											1	2	1				
74a	Cerebral hemorrhage	W	356											2	9	39	65	116	125	
		C	166									2			16	43	54	35	16	
74b	Cerebral embolism and thrombosis	W	8											2		1	1	3	1	
		C	9	1											1	1	2	3	1	
75	Paralysis without specified cause	W	13													3	3	2	5	
		C	6												1	1	3		1	
76	General paralysis of the insane	W	52										2	11	19	11	4	3	2	
		C	22										1	3	12	4		2		
77	Other forms of mental alienation	W	8											2	1	2	1	1	1	
		C	3										1	1		1				
78	Epilepsy	W	12			1					1	2	5	1		1		1		
		C	6								1			1		3	1			
80	Infantile convulsions (under 5 years)	W	1	1																
		C	2	2																
82	Neuralgia and neuritis	C	1												1					
83	Softening of the brain	W	2															1	1	
84	Other diseases of the nervous system	W	18		1					1		3	1	1	3	2	1	1	4	
		C	3	1										1	1					
85	Diseases of the eye and annexa	C	1																1	
86a	Diseases of the ear	W	12	2	1	1			1	1		1	2	1		1	1			
		C	2	1												1				
86b	Diseases of the mastoid process	W	5						2				1		1			1		
		C	1						1											
	IV.—Diseases of the circulatory system	White	850	4	1			2	5	6	9	10	12	7	41	84	163	228	278	
		Colored	477	1	2	2			4	1	7	7	12	19	73	115	103	83	48	
87	Pericarditis	W	4									1					3			
		C	2													2				
88	Endocarditis and myocarditis (acute)	W	36	1	1			1	2		3	4	4	1	14	1	2	1	1	
		C	41	1		1			1		1		5	5	24	1	1	1		
89	Angina pectoris	W	45												1	5	10	11	18	
		C	4												3	1				
90	Other diseases of the heart	W	650	2				1	3	6	6	5	8	6	24	73	138	190	188	
		C	370		2	1			3	1	6	7	7	13	43	102	92	62	31	
91a	Aneurysm	W	10												2	1	4	2	1	
		C	9											1	2		4	2		
91b,c	Other diseases of the arteries	W	96													2	4	22	68	
		C	48													9	6	18	15	
92	Embolism and thrombosis (not cerebral)	W	4													1	1	1	1	
		C	1																	
93	Diseases of the veins	W	2												1					
94	Diseases of the lymphatic system	W	3	1												1		1		
		C	2															2		
	V.—Diseases of the respiratory system	White	467	56	25	6	4	6	4	2	4	13	7	8	36	50	48	94	104	
		Colored	511	110	46	18	7	5	6	8	19	17	15	26	78	61	39	35	21	
97b	Diseases of the nasal fossae annexa	W	6					1					1			1	2	1		
98	Diseases of the larynx	W	2			1									1					
		C	2		1											1				
99a	Acute bronchitis	W	7	1												1		2	3	
		C	9	3	1											3			2	
99b	Chronic bronchitis	W	13	1													1	4	7	
		C	2															1	1	
99c,d	Bronchitis (unspecified)	W	5															3	2	
		C	12									1		1	1	1	2	3	3	
100a	Bronchopneumonia	W	180	41	14	2	3	5	1			3	1	1	9	10	16	32	42	
		C	244	91	36	10	6	4	4	3	7	3	6	7	18	16	13	12	8	
100b	Capillary bronchitis	W	2		1														1	
		C	10	6		3			1											
101a	Lobar pneumonia	W	192	5	6	3	1		2	2	4	8	2	6	20	32	23	44	34	
		C	190	8	7	4	1	1		5	11	10	8	15	48	32	17	17	6	
101b	Pneumonia (unspecified)	W	21	6								2	1		2	2	1	3	4	
		C	13	2	1	1			1			2	1		1	1	2	1		
102	Pleurisy	W	16		3								2		2	2	4	2	1	
		C	12									1		1	5	4	1			
103	Congestion and hemorrhagic infarct of the lung	W	7	2															5	
		C	4								1						2		1	
104	Gangrene of the lung	W	1												1					
105	Asthma	W	8													1	1	2	4	
		C	9											1	3	3	1	1		
107	Other diseases of the respiratory system (tuberculosis excepted)	W	7		1				1					1	1	1		1	1	
		C	4											1	2		1			
	VI.—Diseases of the digestive system	White	362	86	15	6	5	1	6	5	1	8	11	20	43	50	39	42	24	
		Colored	183	39	13	5	2	1	1	4	4	7	12	12	21	27	15	17	3	
108	Diseases of the mouth and annexa	W	1													1				
		C	1															1		
109b	Other diseases of the pharynx, tonsils	W	10		1		1	1	1			1		1	1	1	2			
		C	8	1	1			1		1			1	1			1	1		
111a	Ulcer of the stomach	W	15									1	1	2	4	6			1	
		C	6										1		2	2	1			
111b	Ulcer of the duodenum	W	11										1	1	3	2	3	1		
		C	3									1	1					1		
112	Other diseases of the stomach (cancer excepted)	W	12		1	1	1								3		1	2	3	
		C	17	1	1							1	1	1	1	5	3	3		
113	Diarrhea and enteritis (under 2 years)	W	93	80	13															
		C	47	36	11															
114	Diarrhea and enteritis (2 years and over)	W	20			3			3				1	1	2	2	1	2	5	
		C	19			3	1				1	2		1	4	1	2	2	2	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	DISTRICT OF COLUMBIA—Continued																			
	VI. Diseases of the digestive system—Continued																			
116	Diseases due to other intestinal parasites	W	1												1					
		C	1			1														
117	Appendicitis and typhlitis	W	62			1			2	5		3	6	7	13	10	6	8	1	
		C	25			1	1		1	2	1	3	4	2	4	4	1	1		
118a	Hernia	W	14	1											1	2	3	3	4	
		C	9											1	1	3		3	1	
118b	Intestinal obstruction	W	38	5		1	1						1	2	5	9	7	4	3	
		C	20	1							2		3		5	3	3	3		
119	Other diseases of the intestines	W	3											1	1			1		
		C	6											2	2	2				
120	Acute yellow atrophy of the liver	W	3											1			1		1	
		C	1															1		
122	Cirrhosis of the liver	W	28				1								3	5	6	10	3	
		C	7												1	4	2			
123	Biliary calculi	W	20										1	1	2	4	6	5	1	
		C	2														2			
124	Other diseases of the liver	W	15								1			2	1	6	3	1	1	
		C	5											4				1		
125	Diseases of the pancreas	W	7											1	1	2		3		
		C	3										1		1	1				
126	Peritonitis without specified cause	W	9				1					3			2			2	1	
		C	3							1						2				
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	White	446	2		2		1	4		2	4	8	12	31	54	82	114	130	
		Colored	243					1		1	8	4	13	10	32	61	50	39	24	
128	Acute nephritis (including unspecified under 10 years)	W	21	1		2		1	2				2	2	1	4	4	2		
		C	32					1			2	1	2	6	2	7	5	5	1	
129	Chronic nephritis (including unspecified 10 years and over)	W	370								1	4	5	6	21	40	73	100	120	
		C	175							1	4	1	5	2	23	47	39	32	21	
131	Other diseases of the kidneys and annexa	W	10	1					2				1		1	2	1	2		
		C	5								1		1		2		1			
132	Calculi of the urinary passages	W	4												2	1		1		
		C	2										1					1		
133	Diseases of the bladder	W	3														1	1	1	
134	Diseases of the urethra, etc.	C	1										1							
135	Diseases of the prostate	W	17											1			1	7	8	
		C	10										1			2	4	1	2	
137	Cysts, other benign tumors of the ovary	W	4													2		1	1	
		C	2													2				
138	Salpingitis and pelvic abscess (female)	W	7								1			3	2		1			
		C	7									2	1	2	2					
139	Benign tumors of the uterus	W	7												3	4				
		C	6										1		2	3				
140	Nonpuerperal uterine hemorrhage	W	1													1				
		C	1														1			
141	Other diseases of the female genital organs	W	2												1		1			
		C	2								1				1					
	VIII.—The puerperal state	White	57								4	19	9	14	10	1				
		Colored	34								4	11	5	6	8					
143	Accidents of pregnancy	W	8									2	2	2	2					
		C	3									2			1					
144	Puerperal hemorrhage	W	6								1	2			3					
		C	3											1	2					
145	Other accidents of labor	W	7										1	5	1					
		C	2											1	1					
146	Puerperal septicemia	W	24								2	9	5	4	4					
		C	14								3	5	4	1	1					
147	Puerperal phlegmasia alba dolens, embolus, etc.	W	1									1								
		C	1									1								
148	Puerperal albuminuria and convulsions	W	11								1	5	1	3		1				
		C	11								1	3	1	3	3					
	IX.—Diseases of the skin and of the cellular tissue	White	14	2								1		2			4	1	4	
		Colored	8							1					1	1		2	3	
151	Gangrene	W	5														1	1	3	
		C	5															2	3	
152	Furuncle	W	3											2			1			
		C																		
153	Acute abscess	W	2	1													1			
		C	2							1					1					
154	Other diseases of the skin and annexa	W	4	1								1					1		1	
		C	1													1				
	X.—Diseases of the bones and of the organs of locomotion	White	6									3	1			2				
		Colored	1	1																
155	Diseases of the bones (tuberculosis excepted)	W	4									1	1			2				
		C	1	1																
156	Diseases of the joints (tuberculosis and rheumatism excepted)	W	2									2								
	XI.—Malformations	White	56	50	2			1		1	1	1								
		Colored	13	12		1														
159a	Congenital hydrocephalus	W	8	5	2					1										
		C	3	3																
159b	Congenital malformations of the heart	W	31	29				1			1									
		C	6	5		1														
159c	Other congenital malformations	W	17	16								1								
		C	4	4																

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	DISTRICT OF COLUMBIA—Continued																			
	XII.—Early infancy	White	197	197																
		Colored	141	141																
160	Congenital debility, icterus, sclerema	W	13	13																
		C	15	15																
161a	Premature birth	W	139	139																
		C	102	102																
161b	Injury at birth	W	28	28																
		C	14	14																
162	Other diseases peculiar to early infancy	W	17	17																
		C	9	9																
163	Lack of care	C	1	1																
164	XIII.—Old age (senility)	White	41														2	10	29	
		Colored	17													1	2	4	10	
	XIV.—External causes	White	307	2	4	7	2	2	9	13	15	18	25	24	41	37	36	37	35	
		Colored	137	2	2	2	2		12	6	12	11	22	10	25	20	6	4	1	
	Suicide	W	67								1	3	13	7	14	9	8	8	4	
		C	5								1		2			2				
165, 166	By poisons (gas excepted)	W	5									1	1	1	1		1			
		C	1													1				
167	By poisonous gas	W	22									1	5	1	4	3	3	3	2	
168	By hanging or strangulation	W	10								1		1	2	1	2		3		
169	By drowning	W	4											1	1	1	1			
170	By firearms	W	15									1	4	1	3	2	2	1	1	
		C	3								1		1			1				
171	By cutting or piercing instruments	W	8										1	1	2	1	1	1	1	
172	By jumping from high places	W	3										1		2					
		C	1										1							
	Homicide	W	15							2	1		2	3	1	2	3	1		
		C	33						1	1	3	3	10	4	8	2	1			
197	By firearms	W	10							1	1		2	2		1	3			
		C	18						1		3	2	4	2	4	2				
198	By cutting or piercing instruments	W	1							1										
		C	7									1	2	2	1		1			
199	By other means	W	4											1	1	1		1		
		C	8							1			4		3					
	Accidental or undefined	W	225	2	4	7	2	2	9	11	13	15	10	14	26	26	25	28	31	
		C	99	2	2	2	2		11	5	8	8	10	6	17	16	5	4	1	
175	Poisoning by food	W	5				1									1	1	1	1	
		C	2										1	1						
177	Other acute poisonings (gas excepted)	W	8			1						1		3		1		1	1	
		C	3		2										1					
178	Conflagration	W	3			1												1	1	
		C	1													1				
179	Burns (conflagration excepted)	W	17	1	2	3	1	1	1			1	4		1		2			
		C	15			1	2		3	1	1	2	1		1	2		1		
180	Mechanical suffocation	W	1												1					
181	Absorption of irrespirable, irritating, or poisonous gas	W	26									2		1	4	5	5	4	5	
		C	5											1	1	1		2		
182	Drowning	W	9			1			1		1	2	1	1		2				
		C	10						2	3					3	1	1			
183	Traumatism by firearms (except in war)	W	2									1			1					
		C	5						1	1	1	1	1							
184	Traumatism by cutting or piercing instruments	W	1														1			
		C	2													2				
185	Traumatism by fall	W	50	1		1			1		2			2	2	7	4	12	18	
		C	11	1								1	1	1	1	3	2		1	
187	Traumatism by machines	W	5						1		1			2		1				
		C	2						1		1									
188a	Railroad accidents	W	8								1	1		2	2	2				
		C	1															1		
188b	Street-car accidents	W	7												1		1	2	3	
		C	2						1						1					
188c	Automobile accidents	W	60					1	5	9	5	5	1	3	10	7	7	5	2	
		C	26						3		4	3	5	2	5	3	1			
188d	Airplane and balloon accidents	W	5								1	1	1		2					
188e, 188f	Injuries by other vehicles	W	5							1	2		1					1		
		C	3													3				
188g	Landslide, other crushing	C	1												1					
194	Excessive heat	W	1															1		
		C	2			1											1			
196	Other accidental electric shocks	W	2										1		1					
		C	1												1					
201	Fracture (cause not specified)	W	2														2			
202	Other external violence	W	8		2					1		1	1		1		2			
		C	7	1							1	1	1	1	2					
	XV.—Ill-defined diseases	White	1															1		
		Colored	2		1									1						
205a	Ill-defined	W	1															1		
		C	2		1									1						
	FLORIDA																			
	All causes	White	8,366	1,024	314	118	86	54	171	122	202	246	258	292	675	814	1,117	1,444	1,393	36
		Colored	5,744	804	139	72	43	23	100	110	245	417	372	323	821	865	496	424	430	60
	I.—Epidemic, endemic, and infectious diseases	White	1,335	107	75	39	31	21	70	41	52	67	88	89	158	136	131	127	97	6
		Colored	1,329	147	43	19	18	8	33	30	97	157	139	107	208	160	83	39	33	8
	Typhoid and paratyphoid fever	W	94		4		2		7	5	12	11	10	9	13	7	9	2	3	
		C	81	1	2	1		3	6	6	10	13	10	5	10	10	3			1
	Malaria	W	182	12	8	4	6	4	19	14	4	11	11	4	19	23	8	27	8	
		C	132	10	11	6	6	2	10	4	9	12	7	6	7	19	7	8	8	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	FLORIDA—Continued																			
	I.—Epidemic, endemic, and infectious diseases—Continued																			
7	Measles	W	65	14	15	8	4	4	4	3	3	1	1	1	1	3	1	1		1
		C	36	8	4	5	5		1	3	4	1	2	1	1	1				
8	Scarlet fever	W	4		1			1	2											
		C	3							2						1				
9	Whooping cough	W	45	22	14	3	1		3		1									1
		C	35	22	7	4		1	1											
10	Diphtheria	W	72	9	12	15	11	4	16	1		1			2		1			
		C	13	3	1	1			5	1	1	1								
11a	Influenza (with pulmonary complications)	W	111	10	3	1	2	1	3	5	1	2	7	3	7	9	22	17	18	
		C	63	9	3				1	1	3	8	4	1	7	12	5	5	3	1
11b	Influenza (other and unspecified)	W	77	4	1		1	1	2	1	3	1	1	3	4	4	8	14	28	1
		C	94	18	2		2			1	4	6	3	3	12	16	8	5	14	
13	Mumps	W	1									1								
		C	1				1													
15	Cholera nostras	C	2	1												1				
16	Dysentery	W	37	8	5	1	1	2	1						2	1	3	8	5	
		C	31	12	4					1		1	3	1	1	1	4	3		
19	Spirochetal hemorrhagic jaundice	W	1														1			
20	Leprosy	W	1										1							
21	Erysipelas	W	15		1						2	1			2	3		3	3	
22	Acute anterior poliomyelitis	W	6		2		2		2											
		C	1	1																
23	Lethargic encephalitis	W	4					1			1			1			1			
		C	2							1								1		
24	Meningococcus meningitis	W	13		2	1	1		1	3	1			1	2			1		
		C	2	2																
25	Other epidemic and endemic diseases	W	8	2					1					1			1	2	1	
		C	14	2	1						1		1		1	3	3	1	1	
27	Anthrax	W	1												1					
28	Rabies	C	1						1											
29	Tetanus	W	21	5	1			1	4	4	1				1	2	2			
		C	46	26			2	1	2		3	2		2	3	2		3		
30	Mycoses	W	2		1											1				
		C	4	3	1															
	Tuberculosis (all forms)	W	494	3	5	4		1	3	4	19	36	53	59	92	75	61	49	28	2
		C	588	5	5	1	2		6	9	55	93	93	74	128	72	31	8	2	4
31	Of the respiratory system	W	451	2	3			1	1	1	16	32	52	57	84	70	59	43	28	2
		C	537	2	3		2		4	9	50	85	88	67	117	67	30	8	1	4
32	Of the meninges, central nervous system	W	14		1	2			2	1		2			3		2	1		
		C	5	2		1			1		1									
33	Of the intestines, peritoneum	W	12		1						1	1	1	2	3	2		1		
		C	24	1					1		1	6	2	3	7	1	1		1	
34	Of the vertebral column	W	3	1						1								1		
		C	3								1		1	1						
35	Of the joints	W	2			1					1									
		C	1													1				
36	Of other organs	W	6							1					1	2		2		
		C	7		1							1	1	2	2					
37a	Disseminated (acute)	W	4			1					1	1				1				
		C	11		1						2	1	1	1	2	3				
37b	Disseminated (chronic or unspecified)	W	2												1			1		
38	Syphilis	W	53	14		1					2	1	2	5	9	7	8	1	3	
		C	164	24	2	1		1		1	7	18	11	14	36	21	19	3	4	2
40	Gonococcus infection	W	4									1	2							1
		C	6									1	3		1		1			
41	Purulent infection, septicemia	W	24	4		1		1	2	1	2			2	3	1	5	2		
		C	10									1	2		1	1	2	2	1	
	II.—General diseases not included in Class I.	White	819	20	4	5	4	2	8	6	12	6	15	28	72	141	198	181	115	2
		Colored	300	9	7		1		4	4	6	17	11	19	58	81	31	32	17	3
	Cancer and other malignant tumors	W	514			1	2	1	2	1	4	1	5	11	48	89	140	122	86	1
		C	136									5	3	7	25	53	16	16	8	3
43	Of the buccal cavity	W	26												6	1	7	4	8	
		C	4									1				3				
44	Of the stomach, liver	W	177						1					3	3	28	56	52	34	
		C	47									1	3		7	23	4	3	5	1
45	Of the peritoneum, intestines, rectum	W	47											1	4	7	14	14	7	
		C	11									1		1	3	3	1	2		
46	Of the female genital organs	W	84										2	5	10	30	23	11	3	
		C	38									1		3	10	12	5	5	1	1
47	Of the breast	W	34										1	1	9	5	11	3	4	
		C	12									1		1	2	4	1	3		
48	Of the skin	W	28												2	4	2	9	10	1
		C	5												1	1	1		2	
49	Of other or unspecified organs	W	118			1	2	1	1	1	4	1	2	1	14	14	27	29	20	
		C	19											2	2	7	4	3		1
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	W	3										1					1	1	
		C	5												1	1		1	2	
51	Acute rheumatic fever	W	16							2	2	1	1		1	2	1	4	2	
		C	16		1				1	2	1			1		3	3	1	3	
52	Chronic rheumatism, osteoarthritis, gout	W	9						1							2	1	4	1	
		C	4												2			1	1	
53	Scurvy	W	1	1																
54	Pellagra	W	43						1		1	2	3	3	6	8	9	6	3	1
		C	58		1				2	1	2	7	6	9	17	6	3	3	1	
56	Rickets	W	3	2		1														
		C	7	3	3		1													
57	Diabetes mellitus	W	85		1				1	2		1	3	5	4	15	22	25	6	
		C	26		1					1		1	2		2	6	6	6	1	
58	Anemia, chlorosis	W	53	1	1	2	1			1	1	1	1	3	3	7	13	13	5	
		C	12	1	1						1	4			1	2	1	1		
60a	Exophthalmic goiter	W	4											1		1		1	1	
		C	2												1	1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	FLORIDA—Continued																			
	II.—General diseases not included in Class I—Continued																			
60b	Other diseases of the thyroid gland	W							1						1		1			
		C	4								1					2			1	
61	Diseases of the parathyroid glands	C	1	1																
62	Diseases of the thymus gland	W	2	1															1	
63	Diseases of the adrenals (Addison's disease)	W	1														1			
		C	1											1						
64	Diseases of the spleen	W	1													1				
65a	Leukemia	W	9		1		1		1		2			1	1	1	1			
		C	2												1	1				
65b	Hodgkin's disease	W	2	1														1		
66	Alcoholism (acute or chronic)	W	24								1			2	4	11	5	1		
		C	14								1			1	6	4	1	1		
67a	Chronic lead poisoning	W	3													1		2		
		C	1													1				
67b	Other chronic mineral poisoning	W	1												1					
		C	2													1	1			
68	Chronic poisoning by organic substances	W	8										1	2	2				3	
69	Other general diseases	W	34	14	1	1		1	1		1				1	3	4	1	6	
		C	9	4					1						2			2		
	III.—Diseases of the nervous system and of the organs of special sense	White	845	31	7	2	2	1	7		8	7	5	11	36	97	160	247	212	3
		Colored	544	31	3	1	1	1	7	6	12	12	18	22	75	126	81	78	63	7
70	Encephalitis	W	10	1		1				1	1				1	2	3			
		C	4	1											1	1				1
71a	Simple meningitis	W	14	5	2				2	2					1			1	1	
		C	11	3	2				3	2						1				
71b	Nonepidemic cerebrospinal meningitis	W	5	1	1				1	1		1								
		C	4				1		1		1	1								
72	Tabes dorsalis (locomotor ataxia)	W	9													4	3	2		
		C	4												1	1	1	1		
73	Other diseases of the spinal cord	W	29	1			1			1	1		1	1	1	9	4	2	7	
		C	20								2		1	1	4	5	4		3	
74a	Cerebral hemorrhage	W	535	4					1				2	3	18	62	111	182	150	2
		C	296	3					1	2	4	6	5	13	52	76	57	38	35	4
74b	Cerebral embolism and thrombosis	W	14									1			3	3	3	1	3	
		C	6						1							1	1	1	2	
75	Paralysis without specified cause	W	111	1										2		5	24	42	36	1
		C	105	1							1	1	4	1	5	26	13	30	21	2
76	General paralysis of the insane	W	12												1		1	5	5	
		C	17								1				4	4	3	4	1	
77	Other forms of mental alienation	W	14								1	1			2	5	4	1		
		C	19								1	2	4	4	2	3		2	1	
78	Epilepsy	W	18	2	1					3	1	3	1	1	1	2		2	1	
		C	19						1		2	1	2	1	3	5	2	2		
79	Convulsions (nonpuerperal; 5 years and over)	W	5								1			1	3					
		C	1												1					
80	Infantile convulsions (under 5 years)	W	19	15	1	1	1	1												
		C	25	22	1	1		1												
82	Neuralgia and neuritis	W	8									1		1				4	2	
		C	1													1				
83	Softening of the brain	W	5															1	4	
84	Other diseases of the nervous system	W	26						1	1	2		1	1	2	5	6	4	3	
		C	7	1								1	1	1	2	1				
85	Diseases of the eye and annexa	W	1														1			
86a	Diseases of the ear	W	6		2				1		1				2					
		C	2							1						1				
86b	Diseases of the mastoid process	W	4	1					1					1	1					
		C	3							1			1	1						
	IV.—Diseases of the circulatory system	White	1,202	8	1	2	3	1	6	8	6	12	12	22	58	118	225	387	331	2
		Colored	524	1				1	5	5	6	12	26	20	101	124	92	59	66	6
87	Pericarditis	W	6							1		1				2	1	1		
		C	5											1	1	1	1		1	
88	Endocarditis and myocarditis (acute)	W	30	1		1	1		3	2	1	2	2	2	6	2	3	2	2	
		C	29						3		1	1	5	2	10	4	1		2	
89	Angina pectoris	W	123									1	1	2	7	11	37	42	22	
		C	14										1		5	3	3	2		
90	Other diseases of the heart	W	925	6	1	1	2	1	3	5	3	7	7	17	42	92	173	309	254	2
		C	438	1				1	2	5	5	11	17	16	79	109	81	53	53	5
91a	Aneurysm	W	11												1	5	1	1	3	
		C	6										1	1	2	1				1
91b,c	Other diseases of the arteries	W	83												1	3	9	23	47	
		C	24												3	3	5	4	9	
92	Embolism and thrombosis (not cerebral)	W	10	1							1	1	1			1		4	1	
		C	1												1					
93	Diseases of the veins	W	2															1	1	
		C	3													2	1			
94	Diseases of the lymphatic system	W	2													1	1			
		C	2										1						1	
95	Hemorrhage without specified cause	W	5								1		1	1	1			1		
		C	1										1							
96	Other diseases of the circulatory system	W	5													1		3	1	
		C	1													1				
	V.—Diseases of the respiratory system	White	503	89	35	10	13	3	13	6	10	7	18	15	36	37	51	63	95	2
		Colored	385	89	29	21	7		8	10	14	17	24	17	44	47	26	13	18	1
97a	Diseases of the nasal fossae	W	4	1												1	1		1	
		C	10	9													1			
97b	Diseases of the nasal fossae annexa	W	2											1		1				
		C	2							1				1						
98	Diseases of the larynx	W	4	1			1		1										1	
99a	Acute bronchitis	W	4	1					1										2	
		C	12		4				1		1		2		3	1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	FLORIDA—Continued																			
	V.—Diseases of the respiratory system—Continued																			
99b	Chronic bronchitis	W	14	1										1			1	4	7	
		C	4	1							1	1			1					
99c,d	Bronchitis (unspecified)	W	15	2	1		1		1						1	1	1	2	5	
		C	12	4	1		1		1			1		1		1	1	1		
100a	Bronchopneumonia	W	153	44	19	4	5	1	2	3	2	1	2	2	5	9	8	15	30	1
		C	97	30	7	8	4		1	1	4	6	5	3	11	5	6	1	5	
100b	Capillary bronchitis	W	2	1															1	
		C	14	9	4	1														
101a	Lobar pneumonia	W	137	15	5	3	3	2	2		4	2	7	9	14	11	19	21	20	
		C	108	16	5	5	1		3	2	5	4	12	7	15	21	8	3	1	
101b	Pneumonia (unspecified)	W	99	20	9	2	3		3	1	2	3	4	1	12	7	9	12	10	1
		C	87	18	8	7	1		2	4	3	3	2	4	9	8	5	4	8	1
102	Pleurisy	W	14	1		1				1			2			2	3	1	3	
		C	16	1						1		1	2		3	4	2		2	
103	Congestion and hemorrhagic infarct of the lung	W	15	1					1					1		1	1	2	8	
		C	1															1		
104	Gangrene of the lung	W	2									1				1				
		C	1											1						
105	Asthma	W	22	1					1		1		3		1	2	6	3	4	
		C	9	1						1						2	1	3	1	
106	Pulmonary emphysema	W	4						1						1			1	1	
107	Other diseases of the respiratory system (tuberculosis excepted)	W	12		1					1	1				2	1	2	2	2	
		C	12									1	1		2	5	2		1	
	VI.—Diseases of the digestive system	White	897	167	158	41	15	11	24	21	20	15	11	17	66	75	83	86	83	4
		Colored	542	138	29	14	7	4	13	11	13	35	26	24	67	85	34	30	18	4
108	Diseases of the mouth and annexa	W	10					1	1	1					3		1	2	1	
		C	3	1										1		1				
109b	Other diseases of the pharynx, tonsils	W	12				3							1	2	3	2	1		
		C	13			1	2	2	1	1	1	1		1	1	1			1	
111a	Ulcer of the stomach	W	37							1		4		3	9	4	5	7	4	
		C	16								1	1	1	1	2	4	3	1	2	
111b	Ulcer of the duodenum	W	6									1				1	2	1		1
		C	2											2						
112	Other diseases of the stomach (cancer excepted)	W	99	7	3	3	1	1	4	2	3	1		3	5	12	10	22	22	
		C	112	9			1		4		2	6	6	7	21	28	13	12	3	
113	Diarrhea and enteritis (under 2 years)	W	298	153	145															
		C	140	113	27															
114	Diarrhea and enteritis (2 years and over)	W	107			29	10	5	5	3	2			1	5	8	6	11	21	1
		C	48			10	2	2	5	2	1	2	1	1	5	7	4	3	3	
115	Ancylostomiasis	W	9		1	3			1	2	1					1				
		C	1												1					
116	Diseases due to other intestinal parasites	W	4			2			2											
		C	4	1	1	1			1											
117	Appendicitis and typhlitis	W	82					2	3	6	11	5	6	3	19	11	7	6	3	
		C	46	1					1	5	1	7	5	4	13	5		2	1	1
118a	Hernia	W	14											1			4	4	5	
		C	9	1								2	2		2			1	1	
118b	Intestinal obstruction	W	53	3	4	2	1	1	1	3		1	1	2	8	7	7	5	7	
		C	43	7		2				2	4	2	7	1	6	7	3	1		1
119	Other diseases of the intestines	W	19		2	1			2				1	2	2	3	3		3	
		C	22	3						1	2	3		4	4	1	1	1	2	
120	Acute yellow atrophy of the liver	W	2			1						1								
		C	2									1		1						
121	Hydatid tumor of the liver	W	1														1			
122	Cirrhosis of the liver	W	63	1				1				1			4	11	20	18	7	
		C	45				1					2		1	8	14	7	7	3	2
123	Biliary calculi	W	10												1	3	4	1	1	
		C	3													3				
124	Other diseases of the liver	W	52	2	2				3	1	3		2	1	5	6	9	7	9	2
		C	22	2					1			7	3		2	3	1	1	2	
125	Diseases of the pancreas	W	2												1	1				
126	Peritonitis without specified cause	W	17	1	1				2	2		1	1		2	4	2	1		
		C	11		1		1				1	1	1		2	1	2	1		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	White	818	8	5	1	4	1	2	1	8	9	12	24	68	88	157	215	212	3
		Colored	540	3	4	5	1	1	5	3	8	21	30	27	86	118	94	76	54	4
128	Acute nephritis (including unspecified under 10 years)	W	68	5	2		3	1	2		1		2	6	8	9	9	12	8	
		C	78	2	4	3	1	1	3	1	3	9	6	2	8	13	12	4	5	1
129	Chronic nephritis (including unspecified 10 years and over)	W	631		1		1				2	7	8	10	43	68	134	179	176	2
		C	362			1			2	1	2	7	15	16	57	82	71	62	43	3
131	Other diseases of the kidneys and annexa	W	26	2	2	1				1	1		1	1	6	2	3	4	2	
		C	16			1							1	1	1	4	2	4	2	
132	Calculi of the urinary passages	W	10									1		1	1	1	2	4		
		C	1														1			
133	Diseases of the bladder	W	9	1													1	3	4	
		C	17	1									2			8	2	3	1	
134	Diseases of the urethra, etc.	W	2												1		1			
		C	8											1	3	2	2			
135	Diseases of the prostate	W	41													3	5	13	19	1
		C	14									1			1	3	3	3	3	
137	Cysts, other benign tumors of the ovary	W	1								1									
		C	4											2	1		1			
138	Salpingitis and pelvic abscess (female)	W	14								3	1	1	5	3				1	
		C	13								1	4	3		5					
139	Benign tumors of the uterus	W	7											1	2	2	1		1	
		C	16										2	3	7	4				
140	Nonpuerperal uterine hemorrhage	W	1													1				
		C	3										1	1		1				
141	Other diseases of the female genital organs	W	8												4	2	1		1	
		C	8							1	2			1	3	1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	FLORIDA—Continued																			
	VIII.—The puerperal state	White	178							1	30	39	40	26	40	2				
		Colored	136							4	32	36	16	20	26	1				1
143	Accidents of pregnancy	W	18								2	2	5	4	5					
		C	5									2	2		1					
144	Puerperal hemorrhage	W	14									2	1	3	7	1				
		C	6							1		1		1	2	1				
145	Other accidents of labor	W	21								3	3	5	5	5					
		C	28								4	6	3	4	10					1
146	Puerperal septicemia	W	55								12	7	17	6	12	1				
		C	45							1	9	16	6	7	6					
147	Puerperal phlegmasia alba dolens, embolus, etc.	W	3								1	1			1					
		C	1								1									
148	Puerperal albuminuria and convulsions	W	65							1	11	23	12	8	10					
		C	51							2	18	11	5	8	7					
149	Following childbirth (undefined)	W	2								1	1								
	IX.—Diseases of the skin and of the cellular tissue	White	33	7					1			1	2	1	2	5	2	3	9	
		Colored	14		1					1	1	1			4	2	2		2	
151	Gangrene	W	11	1											2		1	1	6	
		C	6									1			1		2		2	
152	Furuncle	W	9										2	1		2		1	3	
		C	1													1				
153	Acute abscess	W	8	4					1			1				2				
		C	5		1					1	1				2					
154	Other diseases of the skin and annexa	W	5	2												1	1	1		
		C	2												1	1				
	X.—Diseases of the bones and of the organs of locomotion	White	8						2				1			1	1	3		
		Colored	1												1					
155	Diseases of the bones (tuberculosis excepted)	W	5						2							1	1	1		
		C	1												1					
156	Diseases of the joints (tuberculosis and rheumatism excepted)	W	1										1							
158	Other diseases of the organs of locomotion	W	2															2		
	XI.—Malformations	White	79	74	1		1	1	1		1									
		Colored	20	17	2				1											
159a	Congenital hydrocephalus	W	8	4	1		1	1	1											
		C	6	4	1				1											
159b	Congenital malformations of the heart	W	40	39							1									
		C	5	5																
159c	Other congenital malformations	W	31	31																
		C	9	8	1															
	XII.—Early infancy	White	421	421																
		Colored	221	221																
160	Congenital debility, icterus, sclerema	W	54	54																
		C	37	37																
161a	Premature birth	W	298	298																
		C	137	137																
161b	Injury at birth	W	49	49																
		C	22	22																
162	Other diseases peculiar to early infancy	W	17	17																
		C	23	23																
163	Lack of care	W	3	3																
		C	2	2																
164	XIII.—Old age (senility)	White	183														4	29	150	
		Colored	142													1	3	37	99	2
	XIV.—External causes	White	758	14	16	14	12	11	32	26	52	79	48	50	125	89	72	51	56	11
		Colored	583	14	6	8	5	7	18	26	45	91	72	55	103	69	17	20	13	14
	Suicide	W	80								4	6	5	7	18	16	12	8	2	2
		C	4									2	1		1					
165	By poisons (gas excepted)	W	10								2			1	2	2	1	2		
166		C	1									1								
167	By poisonous gas	W	7										2	1	1	2		1		
168	By hanging or strangulation	W	5													2	3			
169	By drowning	W	12									1	1	1	4	2	2			1
		C	1									1								
170	By firearms	W	33								2	5	2	3	9	3	5	2	1	1
		C	1												1					
171	By cutting or piercing instruments	W	8											1	2	2	1	2		
		C	1										1							
174	By other means	W	5													3		1	1	
	Homicide	W	80								1	13	8	8	21	15	8	4	1	1
		C	234				1			1	18	50	34	27	55	30	8	4	2	4
197	By firearms	W	64									11	6	6	19	13	8			1
		C	163							1	14	38	22	18	38	22	4	2	1	3
198	By cutting or piercing instruments	W	7								1	2	1		1	1		1		
		C	43								2	10	10	7	11		1		1	1
199	By other means	W	9										1	2	1	1		3	1	
		C	28				1				2	2	2	2	6	8	3	2		
	Accidental or undefined	W	598	14	16	14	12	11	32	26	47	60	35	35	86	58	52	39	53	8
		C	345	14	6	8	4	7	18	25	27	39	37	28	47	39	9	16	11	10
175	Poisoning by food	W	24	2	2	1		3	2		2	1			3	4	2	1		1
		C	15	2	2							1			4	6				
176	Poisoning by venomous animals	W	3									2			1					
		C	2						1							1				
177	Other acute poisonings (gas excepted)	W	26	2	5	1	4				1	1	1	3	3	3	1	1		
		C	13		3	2			2		1				2	1	1			1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	FLORIDA—Continued																			
	XIV.—External causes—Continued																			
	Accidental or undefined—Continued.																			
178	Conflagration	W	7						1		1	1				3	1			
		C	3										1			2				
179	Burns (conflagration excepted)	W	34	3	3	3	1	1	2	3	3	3		1	2	3	1	1	3	1
		C	45			4	2	3	9	3	4	6	1	1		4	2	3	3	
180	Mechanical suffocation	W	5	4						1										
		C	6	5											1					
181	Absorption of irrespirable, irritating, or poisonous gas	W	4							1			1				1	1		
		C	2										1		1					
182	Drowning	W	76		1	2	1	1	7	5	6	7	7	7	13	5	8	3	1	2
		C	39		1			2		7	6	9	4	3	4					3
183	Traumatism by firearms (except in war)	W	36					2	2	3	5	5	3	3	5	6	2			
		C	39					1	2	5	3	6	6	4	5	6				1
184	Traumatism by cutting or piercing instruments	W	2									1						1		
		C	12			1					1	2		1	3	1	2		1	
185	Traumatism by fall	W	78	1	1	1			4	1	6	2	2	1	8	7	5	10	29	
		C	21	3						3	1	1	1	2	3	3		1	3	
186b	Traumatism in quarries	W	1													1				
187	Traumatism by machines	W	17								2	4		1	4	2	3	1		
		C	10								2	2		1	2	1		1		1
188a	Railroad accidents	W	52					1		3	2	8	1	2	15	4	8	5	3	
		C	29								1	1	8	7	6	1	1		1	3
188b	Street-car accidents	W	3		1							1						1		
188c	Automobile accidents	W	129			4	6	3	10	6	11	13	8	11	18	12	12	7	8	
		C	41	1		1	1		2	2	4	4	8	2	7	3	2	3		1
188d	Airplane and balloon accidents	W	9								1	1	4	1	1					1
188e, 188f	Injuries by other vehicles	W	6								1	1	1		1		1		1	
		C	8				1			1		1	1		2	2				
188g	Landslide, other crushing	W	3									1	1						1	
		C	4							1	1			1	1					
189	Injuries by animals (not poisoning)	W	4						1		1						1		1	
		C	2						1	1										
192	Starvation (deprivation of food or water)	W	1														1			
193	Excessive cold	C	1																1	
194	Excessive heat	W	2															2		
		C	3							1			1					1		
195	Lightning	W	6									1	1	1	1	1		1		
		C	4							1	1					1			1	
196	Other accidental electric shocks	W	11							2		3	4		2					
		C	1									1								
201	Fracture (cause not specified)	W	11												2	2	1	3	3	
		C	7										1	1	1	2	1	1		
202	Other external violence	W	48	2	3	2			3	1	5	4	1	4	7	5	4	1	3	3
		C	38	3				1	1		2	5	4	5	5	5		6	1	
	XV.—Ill-defined diseases	White	287	78	12	4	1	2	5	3	3	4	6	9	14	25	33	52	33	3
		Colored	463	134	15	4	3	1	6	10	11	18	10	12	48	61	33	40	47	10
204	Sudden death	W	25	4								1		2		5	5	5	3	
		C	22							2		1		1	3	7	3	3	2	
205a	Ill-defined	W	119	14	6	2		2	3	1	1	2		4	9	12	16	31	15	1
		C	161	16	10	2	2		3	2	4	7	6	3	23	31	12	19	18	3
205b	Not specified or unknown	W	143	60	6	2	1		2	2	2	1	6	3	5	8	12	16	15	2
		C	280	118	5	2	1	1	3	6	7	10	4	8	22	23	18	18	27	7
	GEORGIA																			
	All causes	White	17,559	2,967	781	404	201	133	374	307	457	548	622	598	1,304	1,473	1,885	2,737	2,745	23
		Colored	16,232	2,482	614	311	168	115	337	389	780	1,139	1,000	778	1,885	1,982	1,435	1,240	1,518	59
	I.—Epidemic, endemic, and infectious diseases	White	3,582	421	295	184	110	53	158	106	157	203	219	186	362	275	245	314	286	8
		Colored	4,119	433	209	108	59	43	135	158	379	521	411	275	524	340	209	162	145	8
1	Typhoid and paratyphoid fever	W	249	1	5	4	3	3	20	26	34	35	19	21	32	13	16	12	5	
		C	366	5	7	3	3	4	35	50	81	59	33	17	32	11	14	7	4	1
2	Typhus fever	W	2									1					1			
5	Malaria	W	205	11	11	7	9	6	20	16	16	8	6	9	20	19	15	9	23	
		C	265	15	13	16	7	6	31	16	13	22	10	13	23	26	24	9	18	3
6	Smallpox	C	3									1						1	1	
7	Measles	W	274	54	69	46	19	6	22	10	4	5	6	3	5	9	7	6	3	
		C	106	27	35	16	3	2	11	3	3	3	1	1			1			
8	Scarlet fever	W	18	3	6	1	2	3	2	1										
		C	5	2			1	1		1										
9	Whooping cough	W	126	76	26	12	6		3	1	1									1
		C	150	80	35	20	5	2	6		1									1
10	Diphtheria	W	208	24	44	36	46	19	33	4	1		1							
		C	84	25	12	14	10	5	8	1		1	1	2	5					
11a	Influenza (with pulmonary complications)	W	649	81	53	25	9	4	15	11	24	23	26	35	69	49	52	92	79	2
		C	424	40	23	9	10	4	7	13	35	28	33	20	53	43	30	39	36	1
11b	Influenza (other and unspecified)	W	362	45	14	9	8	4	11	11	9	9	11	6	22	20	23	67	93	
		C	318	67	16	9	4	2	7	9	12	12	9	7	34	35	16	35	44	
13	Mumps	W	2						1							1				
		C	1	1																
15	Cholera nostras	W	10		4	1										1		3	1	
		C	4													1	1	1	1	
16	Dysentery	W	215	54	49	29	1	2	5	3		2	1	1		5	12	17	34	
		C	173	55	45	10	5	1	2	2	1	4	2	2	4	11	7	5	17	
21	Erysipelas	W	44	21	1	2			1		2		3		3	3	1	2	5	
		C	3	3																
22	Acute anterior poliomyelitis	W	27	6	5	3	3	1	5	3								1		
		C	14	2	3	2	2	4								1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	GEORGIA—Continued																			
	I.—Epidemic, endemic, and infectious diseases—Continued																			
23	Lethargic encephalitis	W	12	1							2	1		1	5	1	1			
		C	3			1			1				1							
24	Meningococcus meningitis	W	13	3			1	1	3		1	1		1		2				
		C	8	1	1				1	3		1	1							
25	Other epidemic and endemic diseases	W	10			1				2	1				1	1	2	1	1	
		C	10	2				1					1		2	2	2			
27	Anthrax	W	2						1		1									
29	Tetanus	W	28	5				1	6	2	2	5	2		2	1	1		1	
		C	33	18						6	3	1	3	1	1					
30	Mycoses	C	14	10	3	1														
	Tuberculosis (all forms)	W	1,013	12	6	6	2	3	7	15	57	106	129	103	180	142	103	98	41	3
		C	1,724	13	10	7	8	9	22	45	211	362	262	186	303	157	79	35	13	2
31	Of the respiratory system	W	921	5	2	2	2	2	3	9	54	100	124	93	167	133	96	90	36	3
		C	1,608	10	10	4	5	7	16	38	193	340	251	179	294	144	70	32	13	2
32	Of the meninges, central nervous system	W	25	6	3	2			2	2	1	2		1	3	1		1	1	
		C	11	3		2	2		1		1					1	1			
33	Of the intestines, peritoneum	W	33					1	1		1	1		5	4	7	5	5	3	
		C	53					1	3	6	7	12	5	5	6	4	3	1		
34	Of the vertebral column	W	8	1		1				1				2	1		1	1		
		C	4						1		1	1	1							
35	Of the joints	W	3							2					1					
		C	8						1		3	1		1		1	1			
36	Of other organs	W	7							1		1	1		2		1	1		
		C	12			1	1			1	1	2				3	2	1		
37a	Disseminated (acute)	W	15		1	1			1		1	2	4	2	2				1	
		C	27					1			5	6	5	1	3	4	1	1		
37b	Disseminated (chronic or unspecified)	W	1													1				
		C	1														1			
38	Syphilis	W	85	22	1	1	1		1		1	5	11	5	16	7	11	2		1
		C	350	65	5		1	2	4	8	12	24	38	21	61	47	27	27	8	
40	Gonococcus infection	W	8										3	1	4					
		C	34		1						5	2	8	4	4	1	5	2	2	
41	Purulent infection, septicemia	W	20	2	1	1			2	1	1	2	1		3	1		4		1
		C	27	2						1	2	1	8	1	2	5	3	1	1	
	II.—General diseases not included in Class I.	White	1,665	47	21	10	6	6	18	17	21	27	39	54	172	293	332	356	244	2
		Colored	892	25	13	6	3	1	9	11	13	37	51	52	152	207	132	104	71	5
	Cancer and other malignant tumors	W	923		1			1	3	4	5	3	14	23	80	180	212	236	159	2
		C	414						2	2		8	14	19	74	123	71	68	32	1
43	Of the buccal cavity	W	41											1	3	7	7	13	10	
		C	7												1	2	1	1	2	
44	Of the stomach, liver	W	282						1	2		2	5	5	21	44	68	89	45	
		C	112									1	5	5	14	31	16	27	13	
45	Of the peritoneum, intestines, rectum	W	79										2	2	5	17	21	20	12	
		C	25									3	1	2	2	10	4	2	1	
46	Of the female genital organs	W	184								1		1	8	24	44	48	31	26	1
		C	144							2		3	3	6	43	40	24	18	5	
47	Of the breast	W	82											1	9	23	21	12	16	
		C	49										2	1	9	19	11	5	2	
48	Of the skin	W	65										1		2	7	14	18	23	
		C	6											1		2	2	1		
49	Of other or unspecified organs	W	190		1			1	2	2	4	1	5	6	16	38	33	53	27	1
		C	71						2			1	3	4	5	19	13	14	9	1
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	W	17				1								2	2	3	5	4	
		C	16								1		2		2	2	5	1	3	
51	Acute rheumatic fever	W	34		1				5	4	1	1		2	4	3	1	7	5	
		C	46				1		3	2	2	1	1	1	3	9	7	6	10	
52	Chronic rheumatism, osteoarthritis, gout	W	23									1		1	1	3	4	7	6	
		C	12							1		1				4	2	2	2	
53	Scurvy	W	1	1																
		C	1											1						
54	Pellagra	W	223						1		1	7	8	10	42	41	43	43	27	
		C	214		1					1	7	17	26	23	53	39	27	12	6	2
56	Rickets	W	11	8	1	1	1													
		C	18	12	4	2														
57	Diabetes mellitus	W	196				1	1	4	4	6	8	4	7	18	35	48	32	28	
		C	74	2					2	4		2	3	3	6	15	15	12	9	1
58	Anemia, chlorosis	W	46	3							3	4	4	2	3	3	7	12	5	
		C	19	3	1	1		1			2	4	2		1	2		1	1	
59	Diseases of the pituitary gland	W	1												1					
60a	Exophthalmic goiter	W	22									1	2	3	6	6	2		2	
		C	1													1				
60b	Other diseases of the thyroid gland	W	8		1								1	2	1	1	1	1		
		C	4												1	2		1		
61	Diseases of the parathyroid glands	C	2	1	1															
62	Diseases of the thymus gland	W	1		1															
64	Diseases of the spleen	W	3		2										1					
65a	Leukemia	W	19	1			1	1	2	2	2	1	1		2	2	2	1	1	
		C	4						1	1			1				1			
65b	Hodgkin's disease	W	12						1	1	1	1	1	1		2	3		1	
		C	2	1										1						
66	Alcoholism (acute or chronic)	W	31							1			1	3	8	11	5	2		
		C	23								1	4	2	1	6	7		1		1
67a	Chronic lead poisoning	C	2													1	1			
67b	Other chronic mineral poisoning	W	1		1															
		C	3											1	1	1				
68	Chronic poisoning by organic substances	W	5										1			2		2		
		C	3												1		1		1	
69	Other general diseases	W	88	34	13	9	2	3	2	1	2		2		3	2	1	8	6	
		C	34	6	6	3	2		1					2	4	1	2		7	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	GEORGIA—Continued																			
	III.—Diseases of the nervous system and of the organs of special sense	White	1,752	65	13	11	5	11	18	14	20	21	27	29	125	194	300	490	408	1
		Colored	1,331	69	10	9	4	4	15	27	13	32	26	39	152	284	226	216	195	10
70	Encephalitis	W	19	1		2		1		1	3	2			3	2	1		3	
		C	16	6	1			1	2		1	2	1	1	1					
71a	Simple meningitis	W	53	16	8	3	3	3	7	2	2	2		1	4	1	1			
		C	26	7	1	2		1	6	2		1	3	1	1	1				
71b	Nonepidemic cerebrospinal meningitis	W	18	3	1	3	1		2	2	1				2	2		1		
		C	8		1	2	2		1	1			1							
72	Tabes dorsalis (locomotor ataxia)	W	12											1	3	1	1	5	1	
		C	8									1				3	1	1	2	
73	Other diseases of the spinal cord	W	36								1			2	3	1	12	7	10	
		C	20			1				1		3		1	4	3	3	1	3	
74a	Cerebral hemorrhage	W	1,089	7		1		1	1	2	3	1	10	6	72	136	231	347	270	1
		C	809	4		1	1		1	4	1	9	9	17	95	215	158	158	127	9
74b	Cerebral embolism and thrombosis	W	10	1											1		1	7		
		C	3											1		1	1			
75	Paralysis without specified cause	W	238	2					1		1	2	2	2	7	14	30	78	99	
		C	213	2			1			1	1	3	3	6	18	36	42	44	55	1
76	General paralysis of the insane	W	42										4	4	8	9	3	10	4	
		C	43									1	2	4	13	9	9	5		
77	Other forms of mental alienation	W	20								1		2		6	7		2	2	
		C	22							1	1		2	5	5	2	2	3	1	
78	Epilepsy	W	53	3				2	2	2	2	9	7	6	7	4	6	1	2	
		C	58	4					2	10	7	7	3	1	7	9	5		3	
79	Convulsions (nonpuerperal; 5 years and over)	W	4										1		1	1		1		
		C	9						2	3	1	1	1		1					
80	Infantile convulsions (under 5 years)	W	28	24		1		3												
		C	50	43	4	3														
81	Chorea	W	2						1									1		
82	Neuralgia and neuritis	W	9									1		1	1	1		4	1	
		C	4												1		1	1	1	
83	Softening of the brain	W	14											1			3	7	3	
		C	5										1			1	2	1		
84	Other diseases of the nervous system	W	62	1	2				1	2		1	1	4	5	11	7	17	10	
		C	24	2				1		1	1	3		2	6	2	2	1	3	
85	Diseases of the eye and annexa	W	2								1						1			
		C	1															1		
86a	Diseases of the ear	W	26	6	2	1	1	1	3	2	3	1			1	3	2			
		C	6	1	3			1		1										
86b	Diseases of the mastoid process	W	15	1						1	2	2		1	1	1	1	2	3	
		C	6						1	2		1				2				
	IV.—Diseases of the circulatory system	White	1,715	17	3	5	3		5	16	22	20	21	28	88	182	312	510	481	2
		Colored	1,573	7	2	2	3	3	10	24	20	49	62	82	250	381	250	224	196	8
87	Pericarditis	W	20			1				1	1			1	2	1	3	9	1	
		C	22						1			2	3		3	2	2	5	3	1
88	Endocarditis and myocarditis (acute)	W	44	2	1	1	1		2	3	4	4	5	4	7	4	2	2	2	
		C	82		1	1		2	1	6	5	7	13	11	27	3	4	1		
89	Angina pectoris	W	138										1	2	8	24	29	49	25	
		C	66							3	1	1	6	3	10	23	9	6	4	
90	Other diseases of the heart	W	1,345	10	2	2	2		3	12	14	15	13	18	62	138	258	403	391	2
		C	1,305	7	1	1	3	1	8	15	12	35	40	64	195	332	222	196	166	7
91a	Aneurysm	W	10	1											1	2	3	2	1	
		C	25								1	1		2	10	6	1	2	2	
91b,c	Other diseases of the arteries	W	114												5	7	9	40	53	
		C	56												5	11	10	12	18	
92	Embolism and thrombosis (not cerebral)	W	19								3		2	1	1	2	4	2	4	
		C	4									1		1			1		1	
93	Diseases of the veins	W	8									1				3	2	1	1	
		C	2															2		
94	Diseases of the lymphatic system	W	3	2															1	
		C	1									1								
95	Hemorrhage without specified cause	W	4	1		1								1					1	
		C	4								1	1		1					1	
96	Other diseases of the circulatory system	W	10	1										1	2	1	2	2	1	
		C	6													4	1		1	
	V.—Diseases of the respiratory system	White	1,549	369	112	45	29	17	39	27	42	32	53	41	97	91	121	221	213	
		Colored	1,632	407	107	67	28	20	49	42	85	109	88	65	153	163	99	66	83	1
97a	Diseases of the nasal fossae	W	8	6									1						1	
		C	23	17		1			1		2				1				1	
97b	Diseases of the nasal fossae annexa	W	5	1	1									1			1	1		
		C	1								1									
98	Diseases of the larynx	W	14	6	1	3	1		1							1			1	
		C	8	2		1	1	1									2	1		
99a	Acute bronchitis	W	16	7														4	5	
		C	28	11	1	2				1		3	2			4	3		1	
99b	Chronic bronchitis	W	20	1												1	6	4	8	
		C	11								2	1	1		4		2		1	
99c,d	Bronchitis (unspecified)	W	30	8	2	2											2	6	10	
		C	37	10		1					1	1	3	1	4	8	3	2	3	
100a	Bronchopneumonia	W	487	187	55	18	9	8	6	2	9	5	6	2	17	15	17	58	73	
		C	384	148	41	30	8	8	11	10	16	10	8	10	20	22	16	12	13	1
100b	Capillary bronchitis	W	5	2	1													1	1	
		C	10	4		1	1								2		1		1	
101a	Lobar pneumonia	W	509	63	26	6	7	6	15	13	23	17	30	17	50	51	56	87	42	
		C	556	60	26	14	8		18	16	39	67	47	40	78	66	36	24	17	
101b	Pneumonia (unspecified)	W	338	77	25	13	9	3	14	10	8	7	10	15	23	13	19	42	50	
		C	471	150	36	14	9	10	14	13	16	24	20	11	26	47	26	20	35	
102	Pleurisy	W	40		1	3	3		2	1	2		4	4	3	3	6	3	5	
		C	32		1	1	1	1	1	1	5	1	2	2	7	3	3	2	1	
103	Congestion and hemorrhagic infarct of the lung	W	32	9											1		1	7	14	
		C	9	1							1				3	1			3	
104	Gangrene of the lung	W	3	1											1		1			
		C	2								1		1							

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	GEORGIA—Continued																			
	V.—Diseases of the respiratory system—Continued																			
105	Asthma	W	32						1			2	2		2	6	8	8	3	
		C	41	2	1	1			3	1	1	1			6	9	5	5	6	
106	Pulmonary emphysema	C	3						1				1			1				
107	Other diseases of the respiratory system (tuberculosis excepted)	W	10	1						1		1		2		1	4			
		C	16	2	1	1						1	3	1	2	2	2		1	
	VI.—Diseases of the digestive system	White	1,647	399	287	97	23	15	45	46	43	35	48	55	92	109	104	140	108	1
		Colored	1,257	294	172	65	21	8	30	29	36	61	50	52	117	135	89	57	40	1
108	Diseases of the mouth and annexa	W	21	6	2				1		1		2		2		3	3	1	
		C	14	2		2			1		1	1	2	1		1	1	1	1	
109a	Adenoid vegetations	W	1						1											
109b	Other diseases of the pharynx, tonsils	W	36	2	2	4	1	3	9		1	1	3		1		2	3	4	
		C	26	2		2		1	2	1	2	3		3	3	4	1	2		
110	Diseases of the esophagus	W	2	1													1			
		C	1						1											
111a	Ulcer of the stomach	W	49		1					2	2	1	3	2	6	10	7	12	3	
		C	27								2	4	3	2	5	6	2	2	1	
111b	Ulcer of the duodenum	W	14										3	1	3	4	1	1	1	
		C	7									1	1	1	1	2		1		
112	Other diseases of the stomach (cancer excepted)	W	143	30	7	5	3		4	1	1	1	2	2	11	17	17	25	17	
		C	239	25	11	4	4		2	7	3	15	13	9	32	46	36	18	14	
113	Diarrhea and enteritis (under 2 years)	W	601	332	269															
		C	398	250	148															
114	Diarrhea and enteritis (2 years and over)	W	170			78	9	7	7	2	1		5	1	1	4	9	15	31	
		C	135			51	11	4	8	1	2	5	4	4	9	16	8	5	7	
115	Ancylostomiasis	W	8						4	3	1									
		C	1						1											
116	Diseases due to other intestinal parasites	W	2				1										1			
		C	2			2														
117	Appendicitis and typhlitis	W	228	1		1	1	2	10	24	28	23	16	27	40	27	12	11	4	1
		C	109			1			9	14	11	14	13	10	18	11	4	3	1	
118a	Hernia	W	38	3								1	1	2	5	6	5	6	9	
		C	35			1				3		4	1	3	1	8	4	3	7	
118b	Intestinal obstruction	W	98	12	4	4	4	2	7	2	2	1	6	4	6	10	8	14	12	
		C	92	7	6	1	5		3		4	7	4	8	12	15	14	3	3	
119	Other diseases of the intestines	W	32	2	2	2				4	1	1	2	1	1	2	4	4	6	
		C	24	4	1		1		1			1	2	3	2	3	1	2	2	1
120	Acute yellow atrophy of the liver	W	9							1		1	1	1		2	1	1	1	
		C	6								1	1				1	2	1		
121	Hydatid tumor of the liver	W	1	1																
		C	1					1												
122	Cirrhosis of the liver	W	61	1			1						1	4	2	13	21	8	10	
		C	44		1			1			1	2	2	2	12	8	7	6	2	
123	Biliary calculi	W	28												4	6	2	13	3	
		C	7	1								1			1	2	1	1		
124	Other diseases of the liver	W	68	5		1	1		1	1		1	1	7	7	6	10	21	6	
		C	43		2	1				3	3	2	3	3	10	5	3	7	1	
125	Diseases of the pancreas	W	3									1		1				1		
		C	1												1					
126	Peritonitis without specified cause	W	34	3		2	2	1	1	6	5	3	2	2	3	2		2		
		C	44	3	2			1	2		6		2	3	10	7	5	2	1	
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	C	1		1															
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	White	1,752	7	4	15		4	6	9	13	25	32	25	110	168	315	500	519	
		Colored	1,592	10	8	5	6	4	12	10	40	51	63	58	238	290	298	251	240	8
128	Acute nephritis (including unspecified under 10 years)	W	129	3	1	13		3	3	3	5	4	3	6	11	17	14	26	17	
		C	246	6	7	4	5	3	8	3	13	17	9	13	46	41	34	19	18	
129	Chronic nephritis (including unspecified 10 years and over)	W	1,441		2			1	2	5	5	13	17	11	78	135	281	435	456	
		C	1,142	1	1	1	1	1	4	7	19	21	36	37	156	219	236	209	187	6
131	Other diseases of the kidneys and annexa	W	45	4	1	2			1			1	3		1	4	7	10	11	
		C	36	3							1	2	3	2	5	3	6	2	8	1
132	Calculi of the urinary passages	W	11								1				2	5	2	1		
		C	6													1	1	2	1	1
133	Diseases of the bladder	W	14							1						1	4	1	7	
		C	30									2			1	4	7	3	13	
134	Diseases of the urethra, etc	W	4										1		1	1			1	
		C	11										1		3	3	3	1		
135	Diseases of the prostate	W	49												1		5	21	22	
		C	39												1	5	7	13	13	
136	Nonvenereal diseases of the male genital organs	C	3												1	1	1			
137	Cysts, other benign tumors of the ovary	W	9									1			2	1	1	2	2	
		C	7										3	1	2	1				
138	Salpingitis and pelvic abscess (female)	W	11									2	3	2	2	2				
		C	28								3	6	6	2	7	4				
139	Benign tumors of the uterus	W	18											3	9	2		3	1	
		C	25									1	2	3	11	5	2	1		
140	Nonpuerperal uterine hemorrhage	W	3									2							1	
		C	2								1		1							
141	Other diseases of the female genital organs	W	18								2	2	5	3	3		1	1	1	
		C	15								3	2	1		5	3	1			
142	Nonpuerperal diseases of the breast (cancer excepted)	C	2										1					1		
	VIII.—The puerperal state	White	362								37	76	73	72	101	2				1
		Colored	359							8	60	87	72	42	83	5				2
143	Accidents of pregnancy	W	28								2	6	5	4	11					
		C	28				1				7	8	6	2	4					1
144	Puerperal hemorrhage	W	33								1	6	8	7	11					
		C	31								2	4	5	5	13	1				1
145	Other accidents of labor	W	38								7	7	6	7	9	1				1
		C	48								3	9	10	10	15	1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	GEORGIA—Continued																			
	VIII.—The puerperal state—Con.																			
146	Puerperal septicemia	W	99								10	24	22	17	26					
		C	147								28	41	33	12	30	3				
147	Puerperal phlegmasia alba dolens, embolus, etc.	W	14								1	2	3	3	5					
		C	3										1		2					
148	Puerperal albuminuria and convulsions	W	149								16	31	28	34	39	1				
		C	100							7	20	25	16	13	19					
149	Following childbirth (undefined)	W	1										1							
		C	2							1			1							
	IX.—Diseases of the skin and of the cellular tissue	White	51	13	2						3	2	3	1	4	3	7	8	5	
		Colored	37			1	1		2				2	3	1	6	5	8	7	1
151	Gangrene	W	14	3											2		2	3	4	
		C	19											1		3	3	6	5	1
152	Furuncle	W	16	1							2	1	2		1		4	4	1	
		C	3											1		1	1			
153	Acute abscess	W	7	2	1						1		1		1	1				
		C	10			1	1		2				1	1	1	1	1	1		
154	Other diseases of the skin and annexa	W	14	7	1							1		1		2	1	1		
		C	5										1			1		1	2	
	X.—Diseases of the bones and of the organs of locomotion	White	14			1		1	3	1	2		2	1			1	1	1	
		Colored	10						1	1	1	1	1		1	1		1	2	
155	Diseases of the bones (tuberculosis excepted)	W	9					1	3		2		1	1				1		
		C	5						1	1	1	1	1							
156	Diseases of the joints (tuberculosis and rheumatism excepted)	W	3			1				1							1			
		C	2													1		1		
158	Other diseases of the organs of locomotion	W	2										1						1	
		C	3												1				2	
	XI.—Malformations	White	174	156	4	1	1		6	2	2	1	1							
		Colored	57	36	11	2	2	2	1	1	1		1							
159a	Congenital hydrocephalus	W	22	17	3					1	1									
		C	18	5	5	2	2	2	1	1										
159b	Congenital malformations of the heart	W	90	80	1	1	1		4	1	1	1								
		C	20	16	2						1		1							
159c	Other congenital malformations	W	62	59					2				1							
		C	19	15	4															
	XII.—Early infancy	White	1,151	1,151																
		Colored	713	713																
160	Congenital debility, icterus, sclerema	W	210	210																
		C	168	168																
161a	Premature birth	W	788	788																
		C	439	439																
161b	Injury at birth	W	85	85																
		C	32	32																
162	Other diseases peculiar to early infancy	W	64	64																
		C	66	66																
163	Lack of care	W	4	4																
		C	8	8																
164	XIII.—Old age (senility)	White	348														3	41	304	
		Colored	518													1	7	50	458	2
	XIV.—External causes	White	1,293	58	33	30	21	24	68	62	91	100	94	101	139	133	108	81	143	7
		Colored	1,246	77	23	28	28	29	61	71	124	172	145	88	155	106	53	35	43	8
	Suicide	W	153								3	12	11	20	31	29	28	12	4	3
		C	17								1		3	1	8	3	1			
165, 166	By poisons (gas excepted)	W	29								1	4	4	4	6	4	4	2		
		C	1												1					
167	By poisonous gas	W	6									1	1		2				1	1
168	By hanging or strangulation	W	10										1	2	2	1	2	1	1	
		C	1												1					
169	By drowning	W	3												1	1			1	
170	By firearms	W	92								2	7	5	10	17	20	21	7	1	2
		C	11								1		2	1	5	2				
171	By cutting or piercing instruments	W	6											2	1	1	1	1		
		C	4										1		1	1	1			
172	By jumping from high places	W	2											1		1				
174	By other means	W	5											1	2	1		1		
	Homicide	W	128	1		1				1	5	15	21	27	29	13	10	2	3	
		C	388	5		1			1	6	39	89	80	41	67	39	13	2	2	3
197	By firearms	W	102							1	5	13	16	24	24	9	6	1	3	
		C	278			1			1	4	27	67	57	32	48	28	9	1		3
198	By cutting or piercing instruments	W	13									2	3	1	1	3	2	1		
		C	70	1							9	18	18	5	12	5	1		1	
199	By other means	W	13	1		1							2	2	4	1	2			
		C	40	4						2	3	4	5	4	7	6	3	1	1	
	Accidental or undefined	W	1,012	57	33	29	21	24	68	61	83	73	62	54	79	91	70	67	136	4
		C	841	72	23	27	28	29	60	65	84	83	62	46	80	64	39	33	41	5
175	Poisoning by food	W	23	2	2	1	2	2	1				1	2	1	4	1	2	2	
		C	24	1	1	1		1	1	1		3	3		6		2	1	3	
176	Poisoning by venomous animals	W	4	1											1	2				
177	Other acute poisonings (gas excepted)	W	41	4	9	3	3	3		1	2	2	2	2	5	3		2		
		C	32	3	8	3	4	1	1	1		4	1	1	1	1	1		2	
178	Conflagration	W	11					1		1	3	1	2			1	1		1	
		C	19	1	1	1	2	1			1	1	2		2	1	2	1	3	
179	Burns (conflagration excepted)	W	112	7	8	13	9	10	14	3	2	3	8	1	7	2	8	5	12	
		C	159	8	6	17	17	20	25	10	7	4	7	4	9	6	7	6	6	
180	Mechanical suffocation	W	28																	
		C	41	35					2	1	1		1			1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	GEORGIA—Continued																			
	XIV.—External causes—Continued																			
	Accidental or undefined—Continued																			
181	Absorption of irrespirable, irritating, or poisonous gas	W	5		1									2	1	1				
		C	2									1							1	
182	Drowning	W	42	1	2	1			3	4	11	8	1	2	2	2	2	2	1	
		C	59	1					6	6	13	14	6	2	5			2	2	2
183	Traumatism by firearms (except in war)	W	57	1		1		2	7	14	12	2	5	4	3	5	1			
		C	102	1		2		2	9	20	24	15	10	5	8	4	1		1	
184	Traumatism by cutting or piercing instruments	W	7	1						2	1				1		1	1		
		C	9		1				1				1			1		3	2	
185	Traumatism by fall	W	185	2	3	1	2		3	3	2	5	4	3	6	12	8	33	98	
		C	53	4	2	1		1	3	5	3	2	3	2	2	6	5	5	8	1
186a	Traumatism in mines	W	3									2			1					
187	Traumatism by machines	W	37					1	1	4	7	4	2	3	9	4	1	1		
		C	25							2	8	4	2	1	3	1	4			
188a	Railroad accidents	W	108		3	2			2	3	11	12	10	14	8	19	13	4	5	2
		C	67			2			1	1	5	10	7	10	11	8	4	6	1	1
188b	Street-car accidents	W	10						1	1			2		2		1	1	2	
		C	3						1							1	1			
188c	Automobile accidents	W	176			2	3	4	18	9	15	21	16	14	19	22	15	8	8	2
		C	83	1			1	2	6	6	5	10	8	8	13	13	4	2	3	1
188d	Airplane and balloon accidents	W	2									1	1							
188e, 188f	Injuries by other vehicles	W	22			1			3	5			3		3	2	4	1		
		C	26	1	1			1	2	2	2	1		5	1	2	4	3	1	
188g	Landslide, other crushing	W	7						1	2	1				1	1	1			
		C	10							1	2	4		1	1	1				
189	Injuries by animals (not poisoning)	W	14			1			2	2	1	1				1	2	2	2	
		C	7								1				2	1		1	2	
193	Excessive cold	W	1														1			
194	Excessive heat	W	4							1	1			1				1		
		C	3							1		1				1				
195	Lightning	W	17						4	1	4	3	3		1		1			
		C	14						1	5	2	1		1	2	2				
196	Other accidental electric shocks	W	10								1	3		1	2	3				
		C	4								2					1	1			
201	Fracture (cause not specified)	W	7							1	1					1	2		2	
		C	4		1											1			2	
202	Other external violence	W	79	10	5	3	2	1	8	4	8	5	2	5	6	6	7	4	3	
		C	95	16	2		4		1	3	8	8	11	6	14	12	3	3	4	
	XV.—Ill-defined diseases	White	504	264	7	5	3	2	8	7	4	6	10	5	14	23	37	75	33	1
		Colored	396	411	59	18	13	1	12	7	8	19	28	22	59	63	67	66	38	5
204	Sudden death	W	68	13						1	1	1		1		7	7	24	13	
		C	77	19	1		1		1			2	3		12	7	11	12	8	
205a	Ill-defined	W	147	44	5	3	1	2	4	3	1		7		9	9	20	30	9	
		C	294	66	34	8	6		6	2	4	6	11	8	30	29	30	38	15	1
205b	Not specified or unknown	W	289	207	2	2	2		4	3	2	5	3	4	5	7	10	21	11	1
		C	525	326	24	10	6	1	5	5	4	11	14	14	17	27	26	16	15	4
	IDAHO																			
	All causes		3,330	508	69	50	31	20	86	73	114	108	109	120	271	299	462	520	475	15
	I.—Epidemic, endemic, and infectious diseases		460	41	22	15	10	8	37	21	24	28	32	27	56	34	35	35	31	4
1	Typhoid and paratyphoid fever		28			1		1	2	2	2	6	4	2	5	2				1
5	Malaria		1															1		
6	Smallpox		2														1	1		
7	Measles		8	1	4	2			1											
8	Scarlet fever		11	2	1	2	1		1	1		1	1							1
9	Whooping cough		18	13	2		1	2												
10	Diphtheria		43	2	3	4	2	3	19	4	1	1	1	1	1	1				
11a	Influenza (with pulmonary complications)		63	8	1	1	3		2	2	4	1	3	3	8	1	5	15	6	
11b	Influenza (other and unspecified)		42	2	1	1			3	4	3	2	1	3	3		2	5	12	
15	Cholera nostras		1																1	
16	Dysentery		5	1		1	1		1						1					
21	Erysipelas		7	2											2			1	2	
22	Acute anterior poliomyelitis		4		3				1											
23	Lethargic encephalitis		11			1			1		1	2		1	1	2		2		
24	Meningococcus meningitis		10		2		1		1				2	1			2	1		
25	Other epidemic and endemic diseases		7						1						1	1	4			
28	Rabies		1										1							
29	Tetanus		3		1										1					1
30	Mycoses		1												1					
	Tuberculosis (all forms)		172	7	3	1	1	2	3	8	13	13	16	13	30	23	20	8	10	1
31	Of the respiratory system		143	1	3			2	2	3	12	12	13	11	27	22	18	6	10	1
32	Of the meninges, central nervous system		10	5			1			2			1		1					
33	Of the intestines, peritoneum		10			1				1	1		1	2		1	1	2		
34	Of the vertebral column		1														1			
36	Of other organs		3						1						2					
37a	Disseminated (acute)		4	1						2		1								
37b	Disseminated (chronic or unspecified)		1										1							
38	Syphilis		8	2	1									1		3		1		
40	Gonococcus infection		3									1		1		1				
41	Purulent infection, septicemia		11	1		1			1			1	3	1	2		1			
	II.—General diseases not included in Class I		346	8	5	2		3	5	6	9	8	6	7	28	51	85	79	44	
	ancer and other malignant tumors		226	1				2		1	3	1	3	4	20	34	62	60	35	
43	Of the buccal cavity		7												1			6		
44	Of the stomach, liver		97					1					1		7	12	39	21	16	
45	Of the peritoneum, intestines, rectum		31	1							2		1			6	9	8	4	
46	Of the female genital organs		28							1		1		2	7	7	3	5	2	
47	Of the breast		15											1	3	5	1	4	1	
48	Of the skin		11														1	6	4	
49	Of other or unspecified organs		37					1			1		1	1	2	4	9	10	8	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	IDAHO—Continued																		
	II.—General diseases not included in Class I—Continued																		
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	2											1					1	
51	Acute rheumatic fever	8						2		1	1					3		1	
52	Chronic rheumatism, osteoarthritis, gout	2													1			1	
57	Diabetes mellitus	50			1		1	1	5	3	3	1		3	6	6	17	3	
58	Anemia, chlorosis	14	1					1			1			3	2	4	2		
60a	Exophthalmic goiter	3								1					1	1			
60b	Other diseases of the thyroid gland	6									1	1	1			3			
62	Diseases of the thymus gland	2		2															
65a	Leukemia	3			1			1						1					
66	Alcoholism (acute or chronic)	13									1		1	1	7	3			
68	Chronic poisoning by organic substances	1																1	
69	Other general diseases	16	6	3						1		1				3		2	
	III.—Diseases of the nervous system and of the organs of special sense	362	15	4	3	2		4	7	8	1	10	4	19	34	85	84	79	3
70	Encephalitis	4	1												1	2			
71a	Simple meningitis	9	3	1	1				1	1					1	1			
71b	Nonepidemic cerebrospinal meningitis	4	1	1		1			1										
72	Tabes dorsalis (locomotor ataxia)	4													1	3			
73	Other diseases of the spinal cord	12			1							1			2	6	1	1	
74a	Cerebral hemorrhage	218								2		3		9	17	63	64	57	3
74b	Cerebral embolism and thrombosis	13										1	1	2	2	1	3	3	
75	Paralysis without specified cause	22								1		1			1		7	12	
76	General paralysis of the insane	8										1		1	1	3	2		
77	Other forms of mental alienation	14									1	1		1	4	2	2	3	
78	Epilepsy	13						1	2	3			1	4		1	1		
79	Convulsions (nonpuerperal; 5 years and over)	2						1									1		
80	Infantile convulsions (under 5 years)	12	9	1	1	1													
83	Softening of the brain	2																2	
84	Other diseases of the nervous system	14	1					1	1				1	1	2	3	3	1	
85	Diseases of the eye and annexa	1										1							
86a	Diseases of the ear	6		1				1				1	1		2				
86b	Diseases of the mastoid process	4							2	1				1					
	IV.—Diseases of the circulatory system	472	5	1	1	1	1	10	1	15	8	7	15	26	44	95	137	104	1
87	Pericarditis	1									1								
88	Endocarditis and myocarditis (acute)	27	4	1		1		2		3	2	1	6	4	1		1	1	
89	Angina pectoris	25													2	6	14	3	
90	Other diseases of the heart	352	1		1		1	7	1	10	5	5	8	17	36	76	104	80	
91a	Aneurysm	3												1	1	1			
91b,c	Other diseases of the arteries	48												2	1	8	18	18	1
92	Embolism and thrombosis (not cerebral)	11						1		1		1	1	1	2	2		2	
93	Diseases of the veins	1														1			
94	Diseases of the lymphatic system	2												1	1				
95	Hemorrhage without specified cause	1								1									
96	Other diseases of the circulatory system	1														1			
	V.—Diseases of the respiratory system	311	75	20	7	8	1	4	5	5	8	2	7	22	23	38	56	28	2
97a	Diseases of the nasal fossae	1							1										
98	Diseases of the larynx	5	2			1			1								1		
99a	Acute bronchitis	2	1														1		
99b	Chronic bronchitis	11														3	3	5	
99c,d	Bronchitis (unspecified)	1															1		
100a	Bronchopneumonia	105	31	14	5	1		3	1	1	2	1	1	2	4	12	17	10	
100b	Capillary bronchitis	4	3	1															
101a	Lobar pneumonia	114	16	2	1	2	1	1	2	2	3	1	6	15	15	14	25	6	2
101b	Pneumonia (unspecified)	50	19	3	1	4				1	1			2	3	6	6	4	
102	Pleurisy	3								1	1				1				
103	Congestion and hemorrhagic infarct of the lung	5	3															2	
105	Asthma	5												1		2	2		
107	Other diseases of the respiratory system (tuberculosis excepted)	5									1			2		1		1	
	VI.—Diseases of the digestive system	264	43	6	10	4	2	9	10	13	11	12	9	26	29	30	26	23	1
108	Diseases of the mouth and annexa	2										1				1			
109b	Other diseases of the pharynx, tonsils	14	1	1	2			1		1	1	1	2	2		1		1	
111a	Ulcer of the stomach	22								3	1		2	2	6	1	3	4	
111b	Ulcer of the duodenum	4											1	2		1			
112	Other diseases of the stomach (cancer excepted)	19	7	1										2	1	3	1	4	
113	Diarrhea and enteritis (under 2 years)	35	32	3															
114	Diarrhea and enteritis (2 years and over)	21			4	4	2	1	1					2		1	2	4	
117	Appendicitis and typhlitis	59	1	1				3	7	8	7	7	1	8	7	5	3		1
118a	Hernia	7	1												2	2	2		
118b	Intestinal obstruction	20	1		1			2	1			1	1	3	3	4	2	1	
119	Other diseases of the intestines	7			1					1			1	1		2	1		
122	Cirrhosis of the liver	17						1						1		4	5	6	
123	Biliary calculi	7													1	2	3	1	
124	Other diseases of the liver	18									1	1		2	8	1	3	2	
125	Diseases of the pancreas	3														2	1		
126	Peritonitis without specified cause	9			2			1	1		1	1	1	1	1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	IDAHO—Continued																		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	215	3	1		1		2	9	1	3	1	10	16	22	37	54	55	
128	Acute nephritis (including unspecified under 10 years)	22	2	1		1		1	4		2		3	1	1	3	2	1	
129	Chronic nephritis (including unspecified 10 years and over)	157						1	5	1	1	1	6	8	16	30	45	43	
131	Other diseases of the kidneys and annexa	8	1											1	2		2	2	
132	Calculi of the urinary passages	1														1			
133	Diseases of the bladder	4												1			1	2	
134	Diseases of the urethra, etc.	1																1	
135	Diseases of the prostate	12														2	4	6	
137	Cysts, other benign tumors of the ovary	1												1					
138	Salpingitis and pelvic abscess (female)	3											1	2					
139	Benign tumors of the uterus	4												2	1	1			
141	Other diseases of the female genital organs	2													2				
	VIII.—The puerperal state	53								2	9	14	11	15	2				
143	Accidents of pregnancy	5									1	2	2						
144	Puerperal hemorrhage	4									1		1	2					
145	Other accidents of labor	5									1		1	2	1				
146	Puerperal septicemia	16									5	6	3	1	1				
147	Puerperal phlegmasia alba dolens, embolus, etc.	7										1	2	4					
148	Puerperal albuminuria and convulsions	16								2	1	5	2	6					
	IX.—Diseases of the skin and of the cellular tissue	10	1											1	2	1	1	4	
151	Gangrene	6												1		1	1	3	
152	Furuncle	1													1				
153	Acute abscess	2	1												1				
154	Other diseases of the skin and annexa	1																1	
	X.—Diseases of the bones and of the organs of locomotion	3			1				1			1							
155	Diseases of the bones (tuberculosis excepted)	3			1				1			1							
	XI.—Malformations	47	44		1		1				1								
159a	Congenital hydrocephalus	5	5																
159b	Congenital malformations of the heart	31	28		1		1				1								
159c	Other congenital malformations	11	11																
	XII.—Early infancy	245	245																
160	Congenital debility, icterus, sclerema	34	34																
161a	Premature birth	150	150																
161b	Injury at birth	42	42																
162	Other diseases peculiar to early infancy	19	19																
164	XIII.—Old age (senility)	82															5	76	1
	XIV.—External causes	398	11	9	10	4	4	14	13	37	31	24	29	61	52	43	34	19	3
	Suicide	45								2	5	5	4	11	6	6	6		
165, 166	By poisons (gas excepted)	10								1	1	2		1	2	1	2		
168	By hanging or strangulation	5											1	1		2	1		
169	By drowning	4									1			1	2				
170	By firearms	24								1	3	2	3	8	2	2	3		
171	By cutting or piercing instruments	1										1							
172	By jumping from high places	1														1			
	Homicide	16								2	1	3	2	3	2	1	2		
197	By firearms	13								1	1	2	2	2	2	1	2		
199	By other means	3								1		1		1					
	Accidental or undefined	337	11	9	10	4	4	14	13	33	25	16	23	47	44	36	26	19	3
175	Poisoning by food	4							1		1					1	1		
176	Poisoning by venomous animals	1					1												
177	Other acute poisonings (gas excepted)	3									1			1			1		
178	Conflagration	5	1	1				2				1							
179	Burns (conflagration excepted)	11	1	1	3	2							1		2		1		
180	Mechanical suffocation	5	1					1		1				1	1				
181	Absorption of irrespirable, irritating, or poisonous gas	4								3	1								
182	Drowning	52	1	6	4	1		4	2	6	6	1	6	5	4	3	3		
183	Traumatism by firearms (except in war)	11					1		1	5		1			2	1			
184	Traumatism by cutting or piercing instruments	2						1								1			
185	Traumatism by fall	35	1					1	3	1	2		1	1	1	3	5	15	1
186a	Traumatism in mines	23								2	3	1	4	11	2	4	1		
187	Traumatism by machines	11									1	3	2	3	1	1			
188a	Railroad accidents	22						1		4	1		1	3	6	2	3		1
188b	Street-car accidents	1											1						
188c	Automobile accidents	51			1	1	1	2	2	6	1	3	2	11	8	9	4		
188d	Airplane and balloon accidents	1										1							
188e,f	Injuries by other vehicles	18					1	1		1	3			1	2	2	4	3	
188g	Landslide, other crushing	13								2	1	2	3	3	1		1		
189	Injuries by animals (not poisoning)	6		1	1			1				1			2				
193	Excessive cold	1														1			
195	Lightning	1												1					
196	Other accidental electric shocks	14							2	1	2	2	1	1	4	1			
201	Fracture (cause not specified)	1														1			
202	Other external violence	36	6		1				2	1	2		1	5	8	6	2	1	1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	IDAHO—Continued.																		
	XV.—Ill-defined diseases	62	17	1		1		1					1	1	6	13	9	12	
204	Sudden death	6	3												1			2	
205a	Ill-defined	24	1	1		1		1					1	1	3	9	3	3	
205b	Not specified or unknown	32	13												2	4	6	7	
	ILLINOIS																		
	All causes	81,753	10,809	2,101	1,002	666	498	1,675	1,141	1,812	2,441	2,754	3,096	7,361	8,792	11,377	12,489	13,728	11
	I.—Epidemic, endemic, and infectious diseases	11,788	1,096	657	379	279	201	641	294	621	989	905	846	1,558	1,104	882	691	644	1
1	Typhoid and paratyphoid fever	317	2	2	5	1		19	28	49	62	33	20	31	27	23	12	3	
5	Malaria	59	4	3	1	2	1		4	5	3		3	1	3	14	11	4	
6	Smallpox	2										1		1					
7	Measles	576	156	173	64	40	25	65	17	12	6	2	3	8	1	2		2	
8	Scarlet fever	229	7	13	28	24	19	70	30	10	12	3	6	3	3	1			
9	Whooping cough	521	255	148	55	20	15	23	2	2								1	
10	Diphtheria	811	52	106	96	116	75	243	50	16	17	6	6	9	10	4	4	1	
11a	Influenza (with pulmonary complications)	1,668	206	83	51	19	21	36	15	46	51	55	71	194	156	208	203	252	1
11b	Influenza (other and unspecified)	798	80	31	24	7	11	28	18	24	23	17	23	62	58	57	122	213	
13	Mumps	4	1					1		2									
15	Cholera nostras	2		1													1		
16	Dysentery	64	14	5	1	1	2	1	1		1		1	3	7	2	10	15	
21	Erysipelas	169	44	4	1	1	1	1		1	4	5	5	22	16	18	24	22	
22	Acute anterior poliomyelitis	48	10	9	4	5		8	6	2	2	2							
23	Lethargic encephalitis	81	5	5	2	1	1	5	2	11	2	6	6	11	7	14	3		
24	Meningococcus meningitis	62	19	4	9	4	1	7	6	3	2	1		2	3	1			
25	Other epidemic and endemic diseases	16	8	1	1	1		2	2					1					
27	Anthrax	1							1										
29	Tetanus	98	11	1	2	1	3	23	11	5	1	2	8	14	8	6	2		
30	Mycoses	9	2								2			1	2	1		1	
	Tuberculosis (all forms)	5,572	89	58	30	34	25	99	90	421	770	721	631	1,053	704	474	260	113	
31	Of the respiratory system	4,902	33	21	9	10	5	37	64	374	713	662	584	983	645	432	231	99	
32	Of the meninges, central nervous system	249	38	30	17	19	14	39	13	15	12	15	8	15	8	3	1	2	
33	Of the intestines, peritoneum	163	7	2	2	3	2	6	4	8	13	15	18	21	24	17	15	6	
34	Of the vertebral column	66	2				2	4	4	6	4	8	5	6	9	9	5	2	
35	Of the joints	26	1			1		6		2	3	1	1	2	3	2	3	1	
36	Of other organs	63	2	2	1			3	2	5	2	10	4	14	6	4	5	3	
37a	Disseminated (acute)	97	6	3	1	1	2	4	3	11	22	9	11	12	7	5			
37b	Disseminated (chronic or unspecified)	6									1	1			2	2			
38	Syphilis	472	121	7	4	2	1	5	4	4	10	19	37	96	77	50	27	8	
39	Soft chancre	1												1					
40	Gonococcus infection	133	3	1				1	2	7	17	26	26	35	8	3	4		
41	Purulent infection, septicemia	75	7	2	1			4	5	1	4	6		10	14	4	8	9	
	II.—General diseases not included in Class I	9,797	159	37	24	16	17	85	87	103	106	186	275	971	1,765	2,448	2,231	1,287	
	Cancer and other malignant tumors	6,636	3		3	2	2	11	8	20	24	72	137	610	1,256	1,794	1,685	1,009	
43	Of the buccal cavity	236							2	1	1	6	3	16	41	70	50	46	
44	Of the stomach, liver	2,632					1				2	16	19	158	429	775	790	442	
45	Of the peritoneum, intestines, rectum	871							1	5	2	10	25	83	162	219	226	138	
46	Of the female genital organs	883			1					2	3	13	40	167	233	208	163	53	
47	Of the breast	551								1	1	3	20	82	150	163	81	50	
48	Of the skin	186											1	6	15	26	38	100	
49	Of other or unspecified organs	1,277	3		2	2	1	11	5	11	15	24	29	98	226	333	337	180	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	42		1		1		1			1	2	1	6	8	8	4	9	
51	Acute rheumatic fever	280	3	2	9	6	8	42	38	24	13	10	14	27	27	21	21	15	
52	Chronic rheumatism, osteoarthritis, gout	58								1		2		5	7	11	12	20	
53	Scurvy	3	1				2												
54	Pellagra	5						1						2	1	1			
56	Rickets	60	38	20	1		1												
57	Diabetes mellitus	1,380	1	1	3	3	2	10	26	31	31	42	49	106	190	373	333	179	
58	Anemia, chlorosis	415	7	3		2		5	6	6	5	6	10	31	81	111	107	35	
59	Diseases of the pituitary gland	4									1			2	1				
60a	Exophthalmic goiter	215	1							8	12	22	19	35	49	40	24	5	
60b	Other diseases of the thyroid gland	39	1	1		1				3	1	2	2	4	5	9	8	2	
61	Diseases of the parathyroid glands	3	2	1															
62	Diseases of the thymus gland	44	34	2	2	1		3	1				1						
63	Diseases of the adrenals (Addison's disease)	26						1	1		1	2	2	7	4	3	5		
64	Diseases of the spleen	10	1					1		1		1		1		3	1	1	
65a	Leukemia	112	3	2	1			7	3	4	2	5	6	15	22	23	14	5	
65b	Hodgkin's disease	54	3		1		1			3	4	2	3	11	11	9	4	2	
66	Alcoholism (acute or chronic)	285								1	8	12	28	97	90	34	13	2	
67a	Chronic lead poisoning	12										1		5	4	2			
68	Chronic poisoning by organic substances	11									1	1	1	3	2	2		1	
69	Other general diseases	103	61	4	4		1	3	4	1	2	4	2	4	7	4		2	
	III.—Diseases of the nervous system and of the organs of special sense	8,051	126	47	33	25	13	81	64	73	83	116	183	608	951	1,545	1,940	2,162	1
70	Encephalitis	54	4	1	2			5	3	4	1	6	4	11	6	4	2	1	
71a	Simple meningitis	108	15	4	12	5	1	17	5	4	3	3	1	14	8	8	5	3	
71b	Nonepidemic cerebrospinal meningitis	26	7	1	2	2	1	2	2	1	2			4	1	1			
72	Tabes dorsalis (locomotor ataxia)	132											1	17	29	43	31	11	
73	Other diseases of the spinal cord	258	3	4	2	3	1	4	7	11	7	9	6	15	28	53	63	42	
74a	Cerebral hemorrhage	5,436	14	2	1	1		2	4	8	7	15	39	209	563	1,158	1,567	1,845	1
74b	Cerebral embolism and thrombosis	225		1								2	4	14	22	47	59	76	
75	Paralysis without specified cause	107						2						3	13	19	30	40	
76	General paralysis of the insane	595							1	3	3	12	56	194	164	83	51	28	
77	Other forms of mental alienation	144								4	12	16	17	28	23	25	11	8	
78	Epilepsy	201	8	1	4	4		6	7	18	28	21	25	26	23	15	7	8	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	ILLINOIS—Continued.																		
	III.—Diseases of the nervous system and of the organs of special sense—Continued																		
79	Convulsions (nonpuerperal; 5 years and over)	1													1				
80	Infantile convulsions (under 5 years)	37	28	7	2														
81	Chorea	5							2	2				1					
82	Neuralgia and neuritis	18												2	5	4	2	5	
83	Softening of the brain	65												1	2	7	19	36	
84	Other diseases of the nervous system	331	8	5	7		3	6	8	2	7	11	15	42	39	54	75	49	
85	Diseases of the eye and annexa	7	2	1			1										2	1	
86a	Diseases of the ear	205	31	17	1	7	4	23	13	11	8	13	10	18	13	17	11	8	
86b	Diseases of the mastoid process	96	6	3		3	2	14	12	5	5	8	5	9	11	7	5	1	
	IV.—Diseases of the circulatory system	14,315	115	18	31	21	22	132	150	161	149	199	262	967	1,602	2,612	3,436	4,437	1
87	Pericarditis	56	1	1	2	1	1	2	6	2		2	1	5	5	7	9	11	
88	Endocarditis and myocarditis (acute)	498	67	9	9	4	5	28	26	27	28	30	28	94	33	37	38	35	
89	Angina pectoris	536	1									3		32	66	133	174	127	
90	Other diseases of the heart	11,724	39	6	19	16	16	100	118	131	115	157	224	784	1,397	2,224	2,863	3,514	1
91a	Aneurysm	144									1	4	4	24	34	47	23	7	
91b,c	Other diseases of the arteries	1,210											1	9	42	130	299	729	
92	Embolism and thrombosis (not cerebral)	84	3	1						1	3	3	3	12	14	16	20	8	
93	Diseases of the veins	44			1			1			1		1	6	8	15	7	4	
94	Diseases of the lymphatic system	11	4	1							1				2	2	1		
95	Hemorrhage without specified cause	5						1						1	1		1	1	
96	Other diseases of the circulatory system	3														1	1	1	
	V.—Diseases of the respiratory system	8,679	1,752	665	252	122	82	172	92	133	199	194	254	726	783	911	932	1,409	1
97a	Diseases of the nasal fossae	14	4	1					1	1	3		1		1		1	1	
97b	Diseases of the nasal fossae annexa	57			1			3	1	6	6	10	2	11	7	7	2	1	
98	Diseases of the larynx	42	12	4	3	5	3	3		1	1			2	1	2	1	4	
99a	Acute bronchitis	380	178	32	21	6	6	4	1	1		1	1	7	8	6	14	94	
99b	Chronic bronchitis	241	6	5			3	1			1	1	1	8	12	30	49	124	
99c,d	Bronchitis (unspecified)	238	77	25	8	4	1	2	2	3	1	1	1	2	4	9	23	75	
100a	Bronchopneumonia	2,921	1,071	403	131	66	39	72	25	16	27	25	28	93	114	175	224	412	
100b	Capillary bronchitis	110	62	17	6	2	2	1								1	3	16	
101a	Lobar pneumonia	3,953	278	145	65	34	21	73	50	99	146	138	198	536	567	599	511	492	1
101b	Pneumonia (unspecified)	83	21	6	4		1		4	1	2	3	4	4	9	6	6	12	
102	Pleurisy	252	28	24	11	5	6	12	6	4	9	10	9	30	32	23	20	23	
103	Congestion and hemorrhagic infarct of the lung	130	10	2				1	1					2	2	5	19	88	
104	Gangrene of the lung	18			1								1	7	3	5	1		
105	Asthma	179	3		1				1			5	4	15	15	33	44	58	
106	Pulmonary emphysema	15											1	1	1	4	6	2	
107	Other diseases of the respiratory system (tuberculosis excepted)	46	2	1						1	3		3	8	7	6	8	7	
	VI.—Diseases of the digestive system	7,524	2,241	500	149	95	73	185	158	205	189	211	260	591	716	752	635	564	
108	Diseases of the mouth and annexa	48	7			2	1	1	1		1	2		6	12	7	4	4	
109b	Other diseases of the pharynx, tonsils	282	12	8	21	14	9	30	27	28	27	20	17	28	17	16	5	3	
110	Diseases of the esophagus	4	1													1		2	
111a	Ulcer of the stomach	303	2					2	1	5	7	12	28	56	62	57	38	33	
111b	Ulcer of the duodenum	104	3						2	2	3	11	8	21	26	17	7	4	
112	Other diseases of the stomach (cancer excepted)	286	78	11	2	2	2	3			1	3	2	16	22	23	46	75	
113	Diarrhea and enteritis (under 2 years)	2,485	2,031	454															
114	Diarrhea and enteritis (2 years and over)	507			105	45	31	32	10	6	4	4	12	18	31	28	62	119	
116	Diseases due to other intestinal parasites	4						1						1	2				
117	Appendicitis and typhlitis	1,169	3	4	9	19	17	93	102	132	102	95	106	189	141	103	40	14	
118a	Hernia	293	11					1		1	1	4	3	27	44	78	67	56	
118b	Intestinal obstruction	434	76	17	6	6	6	14	5	13	14	14	26	31	46	43	55	62	
119	Other diseases of the intestines	90	6	3		2		1	1	2	4	2	2	7	15	10	15	20	
120	Acute yellow atrophy of the liver	30	1	1	1					3	2	2	2	5	5	5	2	1	
121	Hydatid tumor of the liver	3												1	1	1			
122	Cirrhosis of the liver	687		1	1	2		1	1	1	2	7	16	77	139	185	159	95	
123	Biliary calculi	338								1	6	12	16	48	66	96	66	27	
124	Other diseases of the liver	332	3	1			1	1	1	6	9	14	11	47	72	64	56	46	
125	Diseases of the pancreas	26						1				1	2	6	10	3	3		
126	Peritonitis without specified cause	99	7		4	3	6	4	7	5	6	8	9	7	5	15	10	3	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	7,930	68	19	17	18	11	40	45	65	96	160	232	634	924	1,449	1,958	2,193	1
128	Acute nephritis (including unspecified under 10 years)	299	30	10	11	10	6	16	10	11	11	14	21	23	36	32	20	38	
129	Chronic nephritis (including unspecified 10 years and over)	6,489	2	1	5	4	4	22	31	47	54	86	151	426	745	1,260	1,712	1,938	1
131	Other diseases of the kidneys and annexa	164	28	8		4	1	1	1	1	4	5	4	18	20	26	24	19	
132	Calculi of the urinary passages	58						1			1	8	2	8	15	11	8	4	
133	Diseases of the bladder	53	2		1								2	2		6	11	29	
134	Diseases of the urethra, etc	14											1	2	2	6	2	1	
135	Diseases of the prostate	399											1	3	7	73	159	156	
136	Nonvenereal diseases of the male genital organs	8	5											1	1		1		
137	Cysts, other benign tumors of the ovary	84								1	6	3	13	20	17	14	8	2	
138	Salpingitis and pelvic abscess (female)	125							1	2	16	27	20	42	14	1	2		
139	Benign tumors of the uterus	169									1	8	13	68	57	13	5	4	
140	Nonpuerperal uterine hemorrhage	2								1		1							
141	Other diseases of the female genital organs	62							2	1	3	8	4	20	10	7	6	1	
142	Nonpuerperal diseases of the breast (cancer excepted)	4	1							1				1				1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	ILLINOIS—Continued																		
	VIII.—The puerperal state	846							1	70	161	224	196	183	11				
143	Accidents of pregnancy	85								2	7	22	30	24					
144	Puerperal hemorrhage	77								2	12	20	14	25	4				
145	Other accidents of labor	88								8	15	22	20	23					
146	Puerperal septicemia	350								33	73	92	93	54	5				
147	Puerperal phlegmasia alba dolens, embolus, etc	33								1	5	8	8	10	1				
148	Puerperal albuminuria and convulsions	207							1	23	48	58	30	46	1				
149	Following childbirth (undefined)	3								1	1		1						
150	Puerperal diseases of the breast	3										2		1					
	IX.—Diseases of the skin and of the cellular tissue	218	42	6	3	1	2	5	2	4	4	2	4	17	10	20	36	59	1
151	Gangrene	79	5		1		1	1					1		1	5	20	43	1
152	Furuncle	53	12	2	1		1	1	1	1	3	2		10	5	6	6	2	
153	Acute abscess	32	7	2		1		2	1		1			2	2	3	7	4	
154	Other diseases of the skin and annexa	54	18	2	1			1		3			3	5	2	6	3	10	
	X.—Diseases of the bones and of the organs of locomotion	90	7	2	1	1		16	7	7	3	4	6	8	8	6	6	8	
155	Diseases of the bones (tuberculosis excepted)	72	4	2		1		12	6	5	3	3	4	6	7	6	6	7	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	13	2		1			4	1	1		1	1	1	1				
158	Other diseases of the organs of locomotion	5	1							1			1	1				1	
	XI.—Malformations	1,080	1,004	41	11	4	4	7	3	5			1						
159a	Congenital hydrocephalus	97	78	10	1	1	2	1	2	2									
159b	Congenital malformations of the heart	670	634	21	6		1	5	1	1			1						
159c	Other congenital malformations	313	292	10	4	3	1	1		2									
	XII.—Early infancy	4,047	4,047																
160	Congenital debility, icterus, sclerema	236	236																
161a	Premature birth	2,431	2,431																
161b	Injury at birth	1,084	1,084																
162	Other diseases peculiar to early infancy	288	288																
163	Lack of care	8	8																
164	XIII.—Old age (senility)	482														13	55	414	
	XIV.—External causes	6,704	101	105	99	82	73	310	235	362	460	548	572	1,077	895	715	534	531	5
	Suicide	892								24	55	79	104	174	182	145	80	48	1
165, 166	By poisons (gas excepted)	117								10	15	17	18	19	20	13	3	2	
167	By poisonous gas	173								2	9	13	23	24	36	39	17	10	
168	By hanging or strangulation	155								4	7	7	12	35	27	26	31	6	
169	By drowning	50								2	2	2	3	7	20	6	4	4	
170	By firearms	301								6	19	29	38	67	60	44	19	18	1
171	By cutting or piercing instruments	60									1	3	7	16	11	12	3	7	
172	By jumping from high places	26									1	8	2	4	3	5	3		
173	By crushing	6									1			1	3			1	
174	By other means	4											1	1	2				
	Homicide	634	15		1	2		5	8	36	78	112	107	159	73	21	13	4	
197	By firearms	465			1			3	5	25	56	87	90	121	54	13	9	1	
198	By cutting or piercing instruments	61								3	14	10	10	16	6		2		
199	By other means	108	15			2		2	3	8	8	15	7	22	13	8	2	3	
	Accidental or undefined	5,178	86	105	98	80	73	305	227	302	327	357	361	744	640	549	441	479	4
175	Poisoning by food	38	3	4	3	1	2	3	2	1	1	2	1	4	4	2	3	2	
176	Poisoning by venomous animals	5			1							1		1	1		1		
177	Other acute poisonings (gas excepted)	87	3	13	7	2	3	3	1	4	2	5	6	11	10	12	2	3	
178	Conflagration	96	1	5	7	3	6	2	1	3	2	10	9	13	9	6	14	5	
179	Burns (conflagration excepted)	324	6	36	38	36	14	25	10	9	17	16	13	26	17	22	19	20	
180	Mechanical suffocation	49	35	1				2	1	2			2	4	2				
181	Absorption of irrespirable, irritating, or poisonous gas	260	1	1		2	2	2	4	11	12	12	17	37	53	54	36	16	
182	Drowning	323	1	9	6	3		22	41	47	36	25	18	44	38	17	8	7	1
183	Traumatism by firearms (except in war)	146			3	1	2	11	27	26	17	13	13	18	7	3	2	2	1
184	Traumatism by cutting or piercing instruments	35	1			1		3	1	1	4		5	5	3	4	5	2	
185	Traumatism by fall	844	7	14	9	6	5	13	15	12	20	19	33	80	93	93	121	304	
186a	Traumatism in mines	185								14	22	28	20	53	26	14	7		1
186b	Traumatism in quarries	8								2		1	1	3	1				
187	Traumatism by machines	166						3	4	14	24	17	13	35	32	13	8	3	
188a	Railroad accidents	694	1	3	5			12	19	56	59	66	70	143	99	80	57	23	1
188b	Street-car accidents	248	2	2	2	2	4	8	3	15	18	25	24	35	34	33	28	13	
188c	Automobile accidents	1,031	5	4	10	20	25	169	61	46	58	68	59	137	118	113	89	49	
188d	Airplane and balloon accidents	9									4	3	2						
188e,f	Injuries by other vehicles	128		1	2		4	8	7	3	6	7	14	19	13	30	9	5	
188g	Landslide, other crushing	36							5	3	2	3	7	5	7	3	1		
189	Injuries by animals (not poisoning)	40			1		3	3	3		3	3	2	5	6	3	4	4	
193	Excessive cold	7												2	1	2		2	
194	Excessive heat	45	3	1				1	1	2		1	2	7	10	5	5	7	
195	Lightning	25							5	4	1	2	1	4	4	1	3		
196	Other accidental electric shocks	66						2	2	15	4	11	11	10	3	6	2		
201	Fracture (cause not specified)	14									1			2	1	1	4	5	
202	Other external violence	259	17	11	4	3	3	13	14	12	14	18	17	36	46	32	12	7	
203	Violent deaths of unknown causation	10										1	1	5	2		1		
	XV.—Ill-defined diseases	202	51	4	3	2		1	3	3	2	5	5	21	23	24	35	20	
204	Sudden death	24	1								1		3	5	3	4	5	2	
205a	Ill-defined	81	21	3	1			1	1	3		1		7	5	14	16	8	
205b	Not specified or unknown	97	29	1	2	2			2		1	4	2	9	15	6	14	10	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	INDIANA																		
	All causes	38,846	4,651	941	482	239	212	733	557	918	1,105	1,182	1,117	2,688	3,317	5,100	7,272	8,280	52
	I.—Epidemic, endemic, and infectious diseases	6,604	627	347	207	116	103	303	186	346	474	445	359	646	549	580	673	637	6
1	Typhoid and paratyphoid fever	214	1	2	1	3	1	15	22	40	20	24	11	28	15	21	7	3	
5	Malaria	14	1			1					1	1	1	2	2	2	1	2	
6	Smallpox	4					1									1	2		
7	Measles	304	76	90	43	15	8	32	10	9	4	5	1	4	2		3	2	
8	Scarlet fever	90	1	10	15	8	10	19	8	7	4	2	4	2					
9	Whooping cough	286	176	63	24	10	3	9	1										
10	Diphtheria	427	25	44	51	48	45	131	41	16	7	5	4	4	3	2	1		
11a	Influenza (with pulmonary complications)	1,067	111	61	24	6	15	17	15	31	18	32	35	76	91	114	219	201	1
11b	Influenza (other and unspecified)	734	79	16	15	5	6	21	23	22	20	21	22	54	46	64	103	217	
13	Mumps	8	1	1						1		1			1			3	
16	Dysentery	93	20	9	6	2						1	1	1	4	4	13	32	
19	Spirochetal hemorrhagic jaundice	1										1							
21	Erysipelas	98	20	5				1	1	3	1		5	4	7	15	11	25	
22	Acute anterior poliomyelitis	25	3	6	4	2	1	2	2	1	1	1	1	1					
23	Lethargic encephalitis	40	2	5	2			8	2	2	2	5	1	4	3		4		
24	Meningococcus meningitis	34	5	1	2	1		6	3	1	2	4	3			2	4		
25	Other epidemic and endemic diseases	3	1	1							1								
28	Rabies	1													1				
29	Tetanus	62	4		1	1	3	11	3	1	3	4	4	6	6	8	7		
30	Mycoses	1																1	
	Tuberculosis (all forms)	2,827	53	29	17	13	8	31	49	205	379	329	249	402	323	308	286	143	3
31	Of the respiratory system	2,382	20	11	8	2		10	32	178	336	296	231	340	277	258	250	131	2
32	Of the meninges, central nervous system	105	24	15	5	5	5	12	8	2	9	4	2	6	4	2	2		
33	Of the intestines, peritoneum	162	5		3	2	1	4	5	15	18	14	8	22	19	25	17	3	1
34	Of the vertebral column	35	1	1	1			3	1	2	3	3		6	5	6	2	1	
35	Of the joints	9		1					1			1	2		2	1	1		
36	Of other organs	59		1		2		1	2	4	2	4	2	13	5	7	10	6	
37a	Disseminated (acute)	52	3			2	1	1		3	9	7	4	8	8	5	1		
37b	Disseminated (chronic or unspecified)	23					1			1	2			7	3	4	3	2	
38	Syphilis	210	42	4	1				5	2	4	4	15	51	38	31	9	3	1
40	Gonococcus infection	17	1							1	3	3	2	3	2	1	1		
41	Purulent infection, septicemia	44	5		1	1	2		1	4	4	2		4	5	7	2	5	1
	II.—General diseases not included in Class I	4,306	56	18	11	4	2	24	33	35	41	56	94	319	637	1,051	1,210	712	3
	Cancer and other malignant tumors	2,990		3	3	1	1	3	5	7	11	18	51	203	441	736	929	576	2
43	Of the buccal cavity	104										1		5	10	15	45	28	
44	Of the stomach, liver	1,188					1			2	2	5	12	45	134	321	416	250	
45	Of the peritoneum, intestines, rectum	389						1			1	3	3	28	60	115	106	72	
46	Of the female genital organs	442									4	5	17	67	113	101	93	41	1
47	Of the breast	244								1		2	3	34	65	60	51	28	
48	Of the skin	155											2	2	7	24	61	58	1
49	Of other or unspecified organs	468		3	3	1		2	5	4	4	2	14	22	52	100	157	99	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	30							2	3		2	2		5	4	7	5	
51	Acute rheumatic fever	78		1	1	1		12	14	4	5	2	1	4	6	6	10	11	
52	Chronic rheumatism, osteoarthritis, gout	27									1		2	1	1	5	9	8	
53	Scurvy	4	2	1	1														
54	Pellagra	1													1				
56	Rickets	5	1	2	1			1											
57	Diabetes mellitus	607		1	1	2	1	5	8	11	15	8	18	28	82	176	171	80	
58	Anemia, chlorosis	223	6	1	1			1		3	1	6	2	19	49	67	46	21	
59	Diseases of the pituitary gland	2										2							
60a	Exophthalmic goiter	101							1	3	3	5	6	26	24	26	6	1	
60b	Other diseases of the thyroid gland	42	1					1	1		2	6	2	6	5	9	8	1	
61	Diseases of the parathyroid glands	1		1															
62	Diseases of the thymus gland	15	10	1	1			1		1		1							
63	Diseases of the adrenals (Addison's disease)	10										1		1	2	3	2	1	
64	Diseases of the spleen	3								1						1	1		
65a	Leukemia	41	1	2	2				1		2	3	6	5	5	4	7	3	
65b	Hodgkin's disease	17		1								1		8	3	1	2	1	
66	Alcoholism (acute or chronic)	49									1	1	2	16	10	10	7	1	1
67a	Chronic lead poisoning	2													1		1		
68	Chronic poisoning by organic substances	3											1			1	1		
69	Other general diseases	55	35	4					1	2			1	2	2	2	3	3	
	III.—Diseases of the nervous system and of the organs of special sense	4,646	82	29	18	10	8	31	36	46	36	48	79	250	405	830	1,305	1,425	8
70	Encephalitis	39	4	1	1	1		2	2	2		3	2	4	5	6	3	3	
71a	Simple meningitis	97	20	8	8	5	1	8	7	5	3	2	3	7	4	8	8		
71b	Nonepidemic cerebrospinal meningitis	46	16	4	1		1	5	2	4	4	1		4	3		1		
72	Tabes dorsalis (locomotor ataxia)	64										2	2	3	14	22	16	5	
73	Other diseases of the spinal cord	137	2	1	1				1	3	2		3	6	17	32	34	35	
74a	Cerebral hemorrhage	3,199	3	2			3	3	3	1	5	7	22	89	246	605	1,053	1,151	6
74b	Cerebral embolism and thrombosis	68						1			1	2		3	3	7	20	31	
75	Paralysis without specified cause	237		1						1			1	1	9	33	73	116	2
76	General paralysis of the insane	270							1		1	9	31	79	53	43	30	23	
77	Other forms of mental alienation	45									3	1	2	10	9	8	7	5	
78	Epilepsy	115	6		3			1	7	16	6	11	5	17	17	13	8	5	
79	Convulsions (nonpuerperal; 5 years and over)	1														1			
80	Infantile convulsions (under 5 years)	26	20	3	1	1	1												
81	Chorea	7	2							1		1			1	1		1	
82	Neuralgia and neuritis	13													1	6	3	3	
83	Softening of the brain	38											1	1		10	8	18	
84	Other diseases of the nervous system	128	1			1		1	2	5	2	3	3	11	12	26	36	25	
85	Diseases of the eye and annexa	2										1						1	
86a	Diseases of the ear	62	7	6	3	2	2	5	7	3	2	2	1	6	7	5	2	2	
86b	Diseases of the mastoid process	52	1	3				5	4	5	7	3	3	9	4	4	3	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	INDIANA.—Continued																		
	IV.—Diseases of the circulatory system	6,675	28	4	9	3	7	42	57	54	50	73	79	291	539	1,051	1,849	2,530	9
87	Pericarditis	37	1					2	1	3	1		1	4	5	3	7	9	
88	Endocarditis and myocarditis (acute)	223	8	2	3	1	1	16	14	5	6	12	12	46	18	32	29	18	
89	Angina pectoris	422						1			1	1	4	24	48	98	128	117	
90	Other diseases of the heart	4,989	18	2	6	2	6	23	41	44	41	56	58	202	431	827	1,450	1,775	7
91a	Aneurysm	54									1			8	20	9	8	3	
91b,c	Other diseases of the arteries	883										1	1	2	10	66	214	587	2
92	Embolism and thrombosis (not cerebral)	39										1	1	3	6	11	7	10	
93	Diseases of the veins	18										1	2	1	1	5	4	4	
94	Diseases of the lymphatic system	8	1							2		1		1			1	2	
95	Hemorrhage without specified cause	2							1								1		
	V.—Diseases of the respiratory system	3,626	676	208	104	35	30	75	48	57	64	89	89	218	241	337	531	818	6
97a	Diseases of the nasal fossae	3	2											1					
97b	Diseases of the nasal fossae annexa	19	1		2			1		2	1		3	2	3	3	1		
98	Diseases of the larynx	25	4	6	1	1	1	2	1		1				1		4	3	
99a	Acute bronchitis	74	16	3	4	2	3	1						2		3	6	34	
99b	Chronic bronchitis	89	2		1									3	5	7	21	50	
99c,d	Bronchitis (unspecified)	44	9	1											1	3	7	23	
100a	Bronchopneumonia	1,314	422	120	65	21	8	27	9	5	9	13	14	43	34	74	153	294	3
100b	Capillary bronchitis	27	17	1			2		1						1		1	4	
101a	Lobar pneumonia	1,619	147	66	23	9	15	35	28	42	47	63	58	141	162	205	266	310	2
101b	Pneumonia (unspecified)	179	42	7	3	1		1	3	2	5	3	6	10	12	13	26	44	1
102	Pleurisy	73	3	1	5	1	1	5	3	5	1	5	4	6	8	10	10	5	
103	Congestion and hemorrhagic infarct of the lung	51	7	2					1			2		2	4	1	8	24	
104	Gangrene of the lung	6							1			1	1		1	2			
105	Asthma	68	1	1								2	2	3	7	11	20	21	
106	Pulmonary emphysema	10	1					1						2	1	2	2	1	
107	Other diseases of the respiratory system (tuberculosis excepted)	25	2					2	1	1			1	3	1	3	6	5	
	VI.—Diseases of the digestive system	3,270	846	251	83	36	24	100	62	89	81	89	87	226	259	339	365	332	1
108	Diseases of the mouth and annexa	19	3	2					1			1	1	2	4	3	2		
109b	Other diseases of the pharynx, tonsils	118	7	5	8	2	7	20	10	12	7	9	5	8	1	7	2	8	
110	Diseases of the esophagus	7	1											2			2	2	
111a	Ulcer of the stomach	111								2	1	6	3	11	20	21	26	21	
111b	Ulcer of the duodenum	40	1							1	1		6	6	8	7	7	3	
112	Other diseases of the stomach (cancer excepted)	218	61	4	7		1	5	1	2	1	4	2	10	12	27	29	51	1
113	Diarrhea and enteritis (under 2 years)	961	732	229															
114	Diarrhea and enteritis (2 years and over)	262			60	23	7	9	1	1	4	6	7	5	15	18	36	70	
116	Diseases due to other intestinal parasites	1				1													
117	Appendicitis and typhlitis	465			4	5	5	52	44	53	39	34	34	71	54	44	17	9	
118a	Hernia	80	1							1	1		1	5	8	24	23	16	
118b	Intestinal obstruction	243	31	9	4	2	2	4	1	6	9	11	11	30	22	26	43	32	
119	Other diseases of the intestines	41	2			1	1			1	3	2	1	3	3	7	7	10	
120	Acute yellow atrophy of the liver	12		1							1		1	1	1	3	4		
122	Cirrhosis of the liver	251						1			1	3	3	15	44	65	73	46	
123	Biliary calculi	140								1	3	5	3	14	26	39	34	15	
124	Other diseases of the liver	199	1			1		1	2	4	4	5	3	29	26	30	50	43	
125	Diseases of the pancreas	14												3	3	6	1	1	
126	Peritonitis without specified cause	88	6	1		1	1	8	2	5	6	3	6	11	12	12	9	5	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	3,614	23	8	8	2	2	15	15	33	38	54	81	213	327	592	985	1,213	5
128	Acute nephritis (including unspecified under 10 years)	269	14	7	8	2	2	9	9	8	10	7	10	34	39	30	38	42	
129	Chronic nephritis (including unspecified 10 years and over)	2,899						5	5	15	15	23	39	111	243	501	871	1,066	5
131	Other diseases of the kidneys and annexa	73	9	1					1		4	2	3	8	8	21	7	9	
132	Calculi of the urinary passages	21									1	2	1	3	3	5	4	2	
133	Diseases of the bladder	48						1		1				1	4	3	12	26	
134	Diseases of the urethra, etc	3								1		1				1			
135	Diseases of the prostate	136											2	1	5	18	45	65	
136	Nonvenereal diseases of the male genital organs	1														1			
137	Cysts, other benign tumors of the ovary	26									1	3	6	6	4	3	2	1	
138	Salpingitis and pelvic abscess (female)	65								6	6	11	13	22	3	4			
139	Benign tumors of the uterus	50										1	2	22	16	3	5	1	
140	Nonpuerperal uterine hemorrhage	2								1						1			
141	Other diseases of the female genital organs	21								1	1	4	5	5	2	1	1	1	
	VIII.—The puerperal state	425								47	100	105	67	103	3				
143	Accidents of pregnancy	31								4	4	9	7	7					
144	Puerperal hemorrhage	39								5	8	5	5	16					
145	Other accidents of labor	34								3	8	7	4	12					
146	Puerperal septicemia	206								21	53	56	31	44	1				
147	Puerperal phlegmasia alba dolens, embolus, etc	11								1	2	4	2	2					
148	Puerperal albuminuria and convulsions	103								13	25	24	18	21	2				
149	Following childbirth (undefined)	1												1					
	IX.—Diseases of the skin and of the cellular tissue	117	19	1	1	2	1		1	3	1	1	1	8	10	7	20	41	
151	Gangrene	55			1	2							1	1	3	1	14	32	
152	Furuncle	14	1											2	1	3	4	3	
153	Acute abscess	19	5				1		1	1		1		4	2	2		2	
154	Other diseases of the skin and annexa	29	13	1						2	1			1	4	1	2	4	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	INDIANA—Continued																		
	X.—Diseases of the bones and of the organs of locomotion	31			2	1		8	4	1	2	2	1	3		2	4	1	
155	Diseases of the bones (tuberculosis excepted)	28			2	1		8	4	1	1	2	1	3		1	3	1	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	2														1	1		
158	Other diseases of the organs of locomotion	1									1								
	XI.—Malformations	494	466	9	2	3	2	6	3	1		2							
159a	Congenital hydrocephalus	39	28	2	1		2	2	1	1		2							
159b	Congenital malformations of the heart	316	306	4	1	2		2	1										
159c	Other congenital malformations	139	132	3		1		2	1										
	XII.—Early infancy	1,752	1,752																
160	Congenital debility, icterus, sclerema	191	191																
161a	Premature birth	1,097	1,097																
161b	Injury at birth	256	256																
162	Other diseases peculiar to early infancy	205	205																
163	Lack of care	3	3																
164	XIII.—Old age (senility)	203														4	13	186	
	XIV.—External causes	3,048	63	62	37	27	33	129	112	206	218	218	179	410	343	302	311	384	14
	Suicide	430								14	32	32	27	84	85	81	58	17	
165, 166	By poisons (gas excepted)	122								8	16	12	10	20	21	22	6	7	
167	By poisonous gas	18										1	2	5	6	3	1		
168	By hanging or strangulation	77								1	2	5	5	13	14	16	19	2	
169	By drowning	29									2		1	5	6	9	2	4	
170	By firearms	149								5	11	13	8	32	31	25	23	1	
171	By cutting or piercing instruments	24									1	1		7	4	3	6	2	
172	By jumping from high places	2													2				
173	By crushing	9											1	2	1	3	1	1	
	Homicide	185	5		1		1	1	1	8	31	34	21	42	24	9	5		2
197	By firearms	143	1		1		1	1	1	4	23	26	19	35	21	7	1		2
198	By cutting or piercing instruments	20								3	4	6	1	5			1		
199	By other means	22	4							1	4	2	1	2	3	2	3		
	Accidental or undefined	2,433	58	62	36	27	32	128	111	184	155	152	131	284	234	212	248	367	12
175	Poisoning by food	21	2	1	1	1	1	1				1	1	3	1	4	2	2	
176	Poisoning by venomous animals	2	1	1															
177	Other acute poisonings (gas excepted)	38		10	4		1	1		3	1	5	1	6	3	2	1		
178	Conflagration	41	1	1	1		2	9	3	2	3	4		8	1	1	2	2	1
179	Burns (conflagration excepted)	169	3	25	13	12	7	13	4	8	9	15	3	12	10	6	9	20	
180	Mechanical suffocation	36	27	1						1	2	1	2				1	1	
181	Absorption of irrespirable, irritating, or poisonous gas	44	2	2	1		2			2	3	2	1	8	4	4	4	8	1
182	Drowning	147	1	3	3	1	2	16	24	34	18	6	7	14	10	6	2		
183	Traumatism by firearms (except in war)	78	1			1	1	2	13	21	9	5	3	9	6	6	1		
184	Traumatism by cutting or piercing instruments	12				1							2	3	3	2	1		
185	Traumatism by fall	475		6	2			2	6	10	3	7	7	17	21	44	83	267	
186a	Traumatism in mines	80							1	5	12	10	10	16	15	8	2		1
186b	Traumatism in quarries	4								1			1		2				
187	Traumatism by machines	66				1				7	6	5	10	13	16	4	4		
188a	Railroad accidents	381	1	1	1	3	3	14	19	33	39	27	34	52	51	40	42	12	9
188b	Street-car accidents	105	1		3	1	1	5	2	6	6	5	8	21	12	17	12	5	
188c	Automobile accidents	433		4	5	2	10	51	19	36	31	30	26	67	49	29	47	27	
188d	Airplane and balloon accidents	6									1	4		1					
188e,f	Injuries by other vehicles	52	1	1			2	2	5	1		3	3	4	6	12	8	4	
188g	Landslide, other crushing	16		1					1	2	1	1	2	3	1	1	2	1	
189	Injuries by animals (not poisoning)	24				1		2	1		1	2	1	2	3	1	9	1	
193	Excessive cold	1														1			
194	Excessive heat	12	1	1								1			1	2	3	3	
195	Lightning	16							3	4	2	1	1	1	1	1	2		
196	Other accidental electric shocks	34							2	4	3	8	5	5	3	4			
201	Fracture (cause not specified)	21							2			2			2	1	2	12	
202	Other external violence	119	16	4	2	3		10	6	4	5	7	3	19	13	16	9	2	
	XV.—Ill-defined diseases	35	13	4									1	1	4	5	6	1	
204	Sudden death	2														1	1		
205a	Ill-defined	19	4	4										1	4	2	3	1	
205b	Not specified or unknown	14	9										1			2	2		
	IOWA																		
	All causes	25,378	2,964	466	262	159	136	497	381	442	576	628	611	1,548	2,110	3,305	4,691	6,587	15
	I.—Epidemic, endemic, and infectious diseases	3,394	340	169	103	71	66	216	111	123	183	195	190	307	300	277	295	445	3
1	Typhoid and paratyphoid fever	76			1			4	5	6	14	3	6	8	11	14	3	1	
5	Malaria	7											1	1	2		1	2	
6	Smallpox	6			1			1		1	2						1		
7	Measles	128	21	36	10	13	3	25	6	5	3	2	1	1	2				
8	Scarlet fever	145	5	15	12	8	18	41	16	4	7	8	4	4	3				
9	Whooping cough	170	104	35	15	7	2	3	2								1	1	
10	Diphtheria	239	8	20	27	21	25	86	27	6	2		7	3	4	2	1		
11a	Influenza (with pulmonary complications)	609	58	22	11	8	6	9	4	18	19	16	24	45	45	67	106	151	
11b	Influenza (other and unspecified)	510	60	10	12	2	8	17	10	8	12	11	12	28	27	28	62	203	
15	Cholera nostras	4	1									2					1		
16	Dysentery	39	7	3	1									2		4	3	19	
21	Erysipelas	72	19	2				1		1	1	2	1	3	11	11	5	14	1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	IOWA—Continued																		
	I.—Epidemic, endemic, and infectious diseases—Continued																		
22	Acute anterior poliomyelitis	21	2	3	3	3		2	4	1	2						1		
23	Lethargic encephalitis	28	1		2	1		3	3	1		3	1	4	6	3			
24	Meningococcus meningitis	18	4	3		2	1	3	2	1				1	1				
25	Other epidemic and endemic diseases	4	1					1	1									1	
27	Anthrax	1												1					
28	Rabies	1							1										
29	Tetanus	26	1		2	1	1	4	6			1		5	1	1	3		
30	Mycoses	4	2													2			
	Tuberculosis (all forms)	1,101	18	18	4	5	2	10	20	63	114	138	119	168	157	125	92	46	2
31	Of the respiratory system	915	3	6	1	2	1	4	16	47	95	123	102	145	129	113	81	45	2
32	Of the meninges, central nervous system	51	11	9	2	3	1	3	2	6	3	1	3	2	3	2			
33	Of the intestines, peritoneum	52	2	1	1					5	7	5	7	5	10	4	4	1	
34	Of the vertebral column	21						2		1	2	2	1	5	6	2			
35	Of the joints	8	1								2	1			4				
36	Of other organs	23	1									3	3	5	1	3	7		
37a	Disseminated (acute)	22							2	4	4	3	3	2	3	1			
37b	Disseminated (chronic or unspecified)	9		2				1			1			4	1				
38	Syphilis	99	27	1	2			1		1	1	4	7	18	19	14	3	1	
40	Gonococcus infection	18								2	2	3	1	8	2				
41	Purulent infection, septicemia	68	1	1				5	4	5	4	2	6	7	9	6	12	6	
	II.—General diseases not included in Class I	3,512	55	16	6	7	2	22	25	23	30	33	52	227	478	843	966	726	1
	Cancer and other malignant tumors	2,391		1	3		1	2		5	10	20	23	126	350	597	685	567	1
43	Of the buccal cavity	71										1		2	9	21	18	20	
44	Of the stomach, liver	974			1					1	2	1		31	120	234	318	266	
45	Of the peritoneum, intestines, rectum	350									1	6	6	19	49	81	103	85	
46	Of the female genital organs	231										2	5	28	53	77	43	23	
47	Of the breast	202									1	1	3	20	58	59	37	23	
48	Of the skin	81											1	2	8	12	19	39	
49	Of other or unspecified organs	482		1	2		1	2		4	6	9	8	24	53	113	147	111	1
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	17											1	2		3	6	5	
51	Acute rheumatic fever	49	2			2		2	9	2	2	1	1	6	3	6	6	7	
52	Chronic rheumatism, osteoarthritis, gout	47									2		1	1	7	8	13	15	
53	Scurvy	2	1	1															
54	Pellagra	3						1							1		1		
56	Rickets	7	6	1															
57	Diabetes mellitus	460		1	2	1		9	11	10	7	7	7	26	51	105	140	83	
58	Anemia, chlorosis	255	3	2				1	1	3	2	1	3	24	32	72	82	29	
59	Diseases of the pituitary gland	3		1										1		1			
60a	Exophthalmic goiter	54						1			3	1	1	9	12	18	8	1	
60b	Other diseases of the thyroid gland	23	1								1	2		3	3	6	4	3	
61	Diseases of the parathyroid glands	3	3																
62	Diseases of the thymus gland	13	10	1				2											
63	Diseases of the adrenals (Addison's disease)	12											1		2	2	6	1	
64	Diseases of the spleen	4												1		2		1	
65a	Leukemia	46	1	1		2		2	3		1		4	6	5	8	6	7	
65b	Hodgkin's disease	32	1	3	1		1	1	1	2	2		2	7	3	4	4		
66	Alcoholism (acute or chronic)	38										1	6	12	6	9	4		
67a	Chronic lead poisoning	2												1		1			
68	Chronic poisoning by organic substances	2											2						
69	Other general diseases	49	27	4		2		1		1				2	3	1	1	7	
	III.—Diseases of the nervous system and of the organs of special sense	3,235	73	24	12	4	8	20	19	30	26	31	39	169	282	524	897	1,075	2
70	Encephalitis	40	5	3				1	1	3	2		3	5	7	6	3	1	
71a	Simple meningitis	49	11	7	2	1	2	5	3	3	3	2	4	3	2			1	
71b	Nonepidemic cerebrospinal meningitis	10	3	1			2			3				1					
72	Tabes dorsalis (locomotor ataxia)	48												7	8	17	10	6	
73	Other diseases of the spinal cord	94	1	1	1	1		1		2	3	2	1	5	9	27	28	12	
74a	Cerebral hemorrhage	2,214	7	1				1		2	4	7	5	49	162	374	708	893	1
74b	Cerebral embolism and thrombosis	64											1	5	7	11	19	21	
75	Paralysis without specified cause	145												3	5	15	49	73	
76	General paralysis of the insane	129								1		5	7	41	32	17	16	10	
77	Other forms of mental alienation	55								2	4	3	3	12	9	11	7	4	
78	Epilepsy	80		1	1		1		5	8	5	6	8	13	11	9	6	6	
80	Infantile convulsions (under 5 years)	28	22	4	1	1													
82	Neuralgia and neuritis	10											1	1	2	2	2	2	
83	Softening of the brain	27												1	1		9	15	1
84	Other diseases of the nervous system	154	6	1	2	1	2	2	3	3	1	4	3	14	17	32	36	27	
85	Diseases of the eye and annexa	4	2												1		1		
86a	Diseases of the ear	43	11	3	1			4	7	1	3	2	1	1	4	1		4	
86b	Diseases of the mastoid process	41	5	2	4		1	6		2	1		2	8	5	2	3		
	IV.—Diseases of the circulatory system	4,062	25	4	4	2	5	30	31	29	35	42	39	149	291	637	1,136	1,601	2
87	Pericarditis	15						1						3	3	1	4	3	
88	Endocarditis and myocarditis (acute)	107	2	2	2			13	7	9	9	13	6	23	3	2	10	6	
89	Angina pectoris	277									2	1	1	11	24	61	105	71	1
90	Other diseases of the heart	3,004	18	1	2		3	14	23	20	22	27	29	103	238	496	853	1,154	1
91a	Aneurysm	40				1							1	2	3	15	12	6	
91b,c	Other diseases of the arteries	515													7	36	131	341	
92	Embolism and thrombosis (not cerebral)	75	4			1	2	1	1		1	1	1	7	11	17	14	14	
93	Diseases of the veins	18						1			1		1		1	7	6	1	
94	Diseases of the lymphatic system	5	1	1											1			2	
95	Hemorrhage without specified cause	1																1	
96	Other diseases of the circulatory system	5														2	1	2	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	IOWA—Continued																		
	V.—Diseases of the respiratory system	2,410	395	99	51	19	8	53	26	43	42	40	36	108	132	230	379	745	4
97a	Diseases of the nasal fossae	10	5										1		2		1	1	
97b	Diseases of the nasal fossae annexa	12	1	1				1	1	2	1		1	3	1				
98	Diseases of the larynx	21	2	1	5	1		5	2		1				2		1	1	
99a	Acute bronchitis	40	8	2				2				1					7	20	
99b	Chronic bronchitis	67						1						1	4	6	15	40	
99c,d	Bronchitis (unspecified)	63	13				1	1			1					3	10	34	
100a	Bronchopneumonia	726	230	44	25	7	4	18	7	6	8	6	10	16	20	44	78	203	
100b	Capillary bronchitis	24	8	1		1								1	1	1	1	10	
101a	Lobar pneumonia	821	54	29	15	4	1	15	15	25	18	26	18	68	60	102	163	206	2
101b	Pneumonia (unspecified)	428	66	18	6	5	1	8	1	6	7	6	3	12	23	43	65	157	1
102	Pleurisy	41	2	2		1	1	2		3	5			3	5	5	4	8	
103	Congestion and hemorrhagic infarct of the lung	62	3	1								1			2	5	9	40	1
104	Gangrene of the lung	3													2		1		
105	Asthma	64											2		6	17	20	19	
106	Pulmonary emphysema	4															1	3	
107	Other diseases of the respiratory system (tuberculosis excepted)	24	3							1	1		1	4	4	4	3	3	
	VI.—Diseases of the digestive system	1,914	295	86	47	24	15	61	69	47	58	62	63	151	208	245	230	253	
108	Diseases of the mouth and annexa	10	2							1				1	3	2	1		
109b	Other diseases of the pharynx, tonsils	79	4	4		2	3	14	8	6	6	8	5	7	4	4	2	2	
110	Diseases of the esophagus	4										1		1		1		1	
111a	Ulcer of the stomach	91	1								1	2	5	8	22	22	12	18	
111b	Ulcer of the duodenum	31									1		1	4	7	9	7	2	
112	Other diseases of the stomach (cancer excepted)	97	20	1	3	1		1	2			1	1	1	3	11	18	34	
113	Diarrhea and enteritis (under 2 years)	292	228	64															
114	Diarrhea and enteritis (2 years and over)	137			29	11	7	8	2	1			3	4	6	13	17	36	
116	Diseases due to other intestinal parasites	2		1							1								
117	Appendicitis and typhlitis	369	2	6	6	7	3	28	44	28	27	28	26	61	53	29	17	4	
118a	Hernia	85	1					2		1		1	1	6	14	19	21	19	
118b	Intestinal obstruction	208	27	6	6	1		2	3	5	8	5	8	18	22	22	34	41	
119	Other diseases of the intestines	51	5	2				2			3		1	2	5	6	7	18	
120	Acute yellow atrophy of the liver	9									2	3		1	1		2		
122	Cirrhosis of the liver	118							3				2	7	19	30	32	25	
123	Biliary calculi	107										5	2	10	23	30	22	15	
124	Other diseases of the liver	155	2		1			1	1	1	5	3	5	15	18	38	32	33	
125	Diseases of the pancreas	12								1				3	1	4	1	2	
126	Peritonitis without specified cause	57	3	2	2	2	2	3	6	3	4	5	3	2	7	5	5	3	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	1,941	13	3	2	3	3	9	11	12	29	33	33	107	185	301	488	708	1
128	Acute nephritis (including unspecified under 10 years)	86	8	1	2		3	4	3	4	4	3	2	1	15	4	7	25	
129	Chronic nephritis (including unspecified 10 years and over)	1,438	1	1		1		3	7	5	14	20	17	65	125	239	393	546	1
131	Other diseases of the kidneys and annexa	65	3	1		2		2		1	1	2	3	5	11	11	10	13	
132	Calculi of the urinary passages	18	1										1	1	5	1	5	4	
133	Diseases of the bladder	26									1				2	2	7	14	
134	Diseases of the urethra, etc.	4														4			
135	Diseases of the prostate	180												2	5	22	55	96	
137	Cysts, other benign tumors of the ovary	19									1	1	2	1	4	2	3	5	
138	Salpingitis and pelvic abscess (female)	34								2	7	5	6	7	4	2	1		
139	Benign tumors of the uterus	45										1	2	15	11	9	3	4	
140	Nonpuerperal uterine hemorrhage	3												3					
141	Other diseases of the female genital organs	22							1		1	1		6	3	5	4	1	
142	Nonpuerperal diseases of the breast (cancer excepted)	1												1					
	VIII.—The puerperal state	286								21	65	73	57	65	5				
143	Accidents of pregnancy	26								1	4	5	8	8					
144	Puerperal hemorrhage	24								2	3	7	5	6	1				
145	Other accidents of labor	44								1	6	13	10	13	1				
146	Puerperal septicemia	115								10	35	27	21	19	3				
147	Puerperal phlegmasia alba dolens, embolus, etc.	19									3	7	4	5					
148	Puerperal albuminuria and convulsions	56								7	13	13	9	14					
149	Following childbirth (undefined)	1									1								
150	Puerperal diseases of the breast	1										1							
	IX.—Diseases of the skin and of the cellular tissue	108	11					1	1	2	1	3		4	3	13	16	53	
151	Gangrene	63	1							1					1	6	9	45	
152	Furuncle	12								1	1			2		2	3	3	
153	Acute abscess	13	4						1			1		1	2	3		1	
154	Other diseases of the skin and annexa	20	6					1				2		1		2	4	4	
	X.—Diseases of the bones and of the organs of locomotion	24		1				3	2	1		2	2		1	3	2	7	
155	Diseases of the bones (tuberculosis excepted)	17		1				2	2	1		2	1		1	3	1	3	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	3											1				1	1	
158	Other diseases of the organs of locomotion	4						1										3	
	XI.—Malformations	366	336	8	3	3	2	4	6	1	2			1					
159a	Congenital hydrocephalus	39	35	1	2		1												
159b	Congenital malformations of the heart	207	187	5		1	1	3	6	1	2			1					
159c	Other congenital malformations	120	114	2	1	2		1											

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	IOWA—Continued																		
	XII.—Early infancy	1,324	1,324																
160	Congenital debility, icterus, sclerema	239	239																
161a	Premature birth	792	792																
161b	Injury at birth	181	181																
162	Other diseases peculiar to early infancy	110	110																
163	Lack of care	2	2																
164	XIII.—Old age (senility)	745														8	80	657	
	XIV.—External causes	1,904	45	51	34	26	27	77	79	109	103	112	98	258	217	190	189	287	2
	Suicide	318							2	7	16	21	23	74	67	53	40	14	1
165, 166	By poisons (gas excepted)	52								3	4	7	3	13	9	7	4	2	
167	By poisonous gas	26								1		3	1	4	4	6	4	3	
168	By hanging or strangulation	89							1	1	4	3	4	20	24	14	13	5	
169	By drowning	15									1	1	1	1		6	4	1	
170	By firearms	105							1	2	6	4	12	30	24	16	9	1	
171	By cutting or piercing instruments	23									1	1	2	4	5	3	5	2	
172	By jumping from high places	2													1	1			
173	By crushing	4										2		1					1
174	By other means	2												1			1		
	Homicide	52	1						2	3	7	5	3	15	5	7	3		1
197	By firearms	36							2	2	4	4	2	13	5	4			
198	By cutting or piercing instruments	2									1					1			
199	By other means	14	1							1	2	1	1	2		2	3		1
	Accidental or undefined	1,534	44	51	34	26	27	77	75	99	80	86	72	169	145	130	146	273	
175	Poisoning by food	26	1		4		1	2	1	1	3		1	3	4	1	4		
176	Poisoning by venomous animals	4		1				1	1					1					
177	Other acute poisonings (gas excepted)	38	1	17	4	1	1	1	1	3		1	1	4	2		1		
178	Conflagration	27	1	3	1	3	2	3	3					2		2	3	4	
179	Burns (conflagration excepted)	100	3	10	8	6	7	10	1	2	1	9	5	12	10	3	5	8	
180	Mechanical suffocation	36	21					1	1	4	2	3	2			1		1	
181	Absorption of irrespirable, irritating, or poisonous gas	42						1		2	6	2	3	3	9	7	3	6	
182	Drowning	99	2	4	3	3		6	18	15	16	9	5	3	5	2	6	2	
183	Traumatism by firearms (except in war)	53		1	2			5	7	13	2	8		8	3	2	2		
184	Traumatism by cutting or piercing instruments	8			1	1		2			1	1	1		1				
185	Traumatism by fall	279		4	1	5	1	1	4	1	6	3	4	11	19	24	49	146	
186a	Traumatism in mines	25								3	2	3	4	4	5	1	3		
187	Traumatism by machines	48			2		1	1	3	2	3	5	6	10	8	5	2		
188a	Railroad accidents	155	1		2			4	3	13	9	14	16	36	17	19	11	10	
188b	Street-car accidents	24			1			1	2	1	3	1	1	5	2	3	2	2	
188c	Automobile accidents	242	4	2	2	5	4	20	11	19	19	12	10	35	31	31	21	16	
188d	Airplane and balloon accidents	2								1			1						
188e,f	Injuries by other vehicles	50		1	1		1	7	4	3	1	3		4	6	8	10	1	
188g	Landslide, other crushing	12					1			2			1	3	1	2		2	
189	Injuries by animals (not poisoning)	20						1	5	1	1		1	2	3	1	2	3	
193	Excessive cold	3										1			1	1			
194	Excessive heat	13	2						1					1	2	2	2	3	
195	Lightning	13						1	1	4	1			3	2	1			
196	Other accidental electric shocks	24							2	3	2	3	4	7	2		1		
201	Fracture (cause not specified)	92					1	1		3			3	3	3	6	14	58	
202	Other external violence	99	8	8	2	2	7	8	6	3	2	8	3	9	9	8	5	11	
	XV.—Ill-defined diseases	153	52	5				1	1	1	2	2	2	2	8	34	13	30	
204	Sudden death	13	3						1			1			2	2	1	3	
205a	Ill-defined	77	10	4						1	2	1	2	2	3	24	9	19	
205b	Not specified or unknown	63	39	1				1							3	8	3	8	
	KANSAS																		
	All causes	19,773	2,463	457	264	140	103	381	319	435	519	557	581	1,299	1,620	2,386	3,365	4,864	20
	I.—Epidemic, endemic, and infectious diseases	2,938	303	156	95	52	44	160	103	125	175	174	161	275	246	225	265	378	1
1	Typhoid and paratyphoid fever	111	2				2	4	13	12	24	12	5	17	8	8	3	1	
5	Malaria	11					1	1	1		2				3		1	2	
7	Measles	83	12	29	9	4	5	12	3	2		1		4	1			1	
8	Scarlet fever	72	3	5	6	9	4	18	13	6	2	1	4					1	
9	Whooping cough	147	75	32	15	9	7	8	1										
10	Diphtheria	156	9	16	20	14	15	51	10	4	3	3	4	3	3	1			
11a	Influenza (with pulmonary complications)	668	89	35	20	6	6	17	10	18	22	23	25	52	64	58	97	126	
11b	Influenza (other and unspecified)	512	46	8	9	4	1	16	12	14	9	13	10	30	35	41	74	190	
13	Mumps	3		1											1		1		
15	Cholera nostras	3	1														2		
16	Dysentery	58	8	8	8	2		1				1	1		1	5	8	15	
21	Erysipelas	59	16	1			1		1	2	3			5	6	2	9	13	
22	Acute anterior poliomyelitis	29	4	5	1			4	6	4	2	3							
23	Lethargic encephalitis	30				1			2	2	3	3	1	3	5	6	3	1	
24	Meningococcus meningitis	10	1			1		2	2	1			1	1				1	
25	Other epidemic and endemic diseases	3	1	2															
28	Rabies	3						1	1		1								
29	Tetanus	42	1	2				14	7	5	1		1	4	2	3	1	1	
30	Mycoses	2													2				
	Tuberculosis (all forms)	783	10	11	6	1	2	8	15	49	96	100	95	137	90	80	61	22	
31	Of the respiratory system	692	3	2	1	1		1	15	44	89	98	90	129	78	70	50	21	
32	Of the meninges, central nervous system	24	6	7	3		1	2			1			2	1	1			
33	Of the intestines, peritoneum	23			1			1		1	2		1	2	5	4	6		
34	Of the vertebral column	10					1	2		1				1	4	1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	KANSAS—Continued																		
	I.—Epidemic, endemic, and infectious diseases—Continued.																		
	Tuberculosis—Continued.																		
35	Of the joints	5								1			1	2	1				
36	Of other organs	11			1			1		1			1			3	4		
37a	Disseminated (acute)	11	1	2				1		1	1	2	1				1	1	
37b	Disseminated (chronic or unspecified)	7									3		1	1	1	1			
38	Syphilis	107	21	1		1			3	4	2	6	10	13	22	19	4		1
40	Gonococcus infection	22									5	7	4	6					
41	Purulent infection, septicemia	24	4		1			3	3	2		1			3	2	1	4	
	II.—General diseases not included in Class I	2,217	25	5	3	6	2	17	26	24	17	37	39	176	313	533	569	422	3
	Cancer and other malignant tumors	1,482	1		1	1		4	2	6	4	16	17	117	217	360	417	318	1
43	Of the buccal cavity	58									1			1	9	9	15	23	
44	Of the stomach, liver	608			1	1		2				2	3	35	65	141	209	149	
45	Of the peritoneum, intestines, rectum	178								2		4	1	14	27	40	59	31	
46	Of the female genital organs	185									1	4	6	28	42	57	27	20	
47	Of the breast	148									1	1	4	21	30	47	24	20	
48	Of the skin	65										1		2	3	13	14	32	
49	Of other or unspecified organs	240	1					2	2	4	1	4	3	16	41	53	69	43	1
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	15	1								1			1		5	1	6	
51	Acute rheumatic fever	37	1	1				6	6	3	1			1	2	6	6	4	
52	Chronic rheumatism, osteoarthritis, gout	27						1				1		3	3	2	9	8	
54	Pellagra	4										1			2		1		
56	Rickets	3	3																
57	Diabetes mellitus	318			1		1	3	10	6	4	6	9	19	31	80	91	55	2
58	Anemia, chlorosis	147	3	1			1			1	2	3	1	12	29	42	34	18	
59	Diseases of the pituitary gland	2							1					1					
60a	Exophthalmic goiter	40							1	2	2	5	1	4	9	11	4	1	
60b	Other diseases of the thyroid gland	24				1		1		1	1		2	4	4	8	2		
61	Diseases of the parathyroid glands	3	1	1	1														
62	Diseases of the thymus gland	9	7						1						1				
63	Diseases of the adrenals (Addison's disease)	7								1	1				1	3		1	
64	Diseases of the spleen	4										1	1		1			1	
65a	Leukemia	29	1					1	2	1	1	1	3	4	4	7	1	3	
65b	Hodgkin's disease	11							1	1		1	1	2	1	2	1	1	
66	Alcoholism (acute or chronic)	17											3	2	6	5		1	
68	Chronic poisoning by organic substances	7								2		1	1	1		1	1		
69	Other general diseases	31	7	2		4		1	2			1		5	2	1	1	5	
	III.—Diseases of the nervous system and of the organs of special sense	2,508	54	14	9	8	6	19	17	22	16	26	32	120	222	398	651	891	3
70	Encephalitis	37	4		2	1		3	1	2	1	4	1	6	6	4	1	1	
71a	Simple meningitis	42	12	3	4	1		3	1	2	1	4		4	1	3	1	2	
71b	Nonepidemic cerebrospinal meningitis	12	2				1	2		1	1	1		1	1	1	1		
72	Tabes dorsalis (locomotor ataxia)	26												2	10	9	4	1	
73	Other diseases of the spinal cord	90	2		3		1	1	1	1		1		5	13	21	17	24	
74a	Cerebral hemorrhage	1,679	4					2	1	3	3	6	6	40	134	275	507	697	1
74b	Cerebral embolism and thrombosis	54								1	2			2	3	9	16	21	
75	Paralysis without specified cause	153	1						1		1		1		8	18	46	76	1
76	General paralysis of the insane	84										1	7	26	17	10	13	10	
77	Other forms of mental alienation	52								1	1	3	3	6	9	15	3	10	1
78	Epilepsy	69	1	1		2			5	4	4	4	7	12	6	9	8	6	
79	Convulsions (nonpuerperal; 5 years and over)	2						1			1								
80	Infantile convulsions (under 5 years)	25	17	5		2	1												
81	Chorea	2													1		1		
82	Neuralgia and neuritis	13											1		1	2	7	2	
83	Softening of the brain	25										1			1	3	4	16	
84	Other diseases of the nervous system	94	3	1		1		3	1	2			3	14	8	15	20	23	
85	Diseases of the eye and annexa	2					1		1										
86a	Diseases of the ear	25	6	1				4	4	2	1	1	1		2	1	1	1	
86b	Diseases of the mastoid process	22	2	3		1	2		1	3			2	2	1	3	1	1	
	IV.—Diseases of the circulatory system	2,923	23	2	3		3	17	24	27	29	31	41	136	250	414	772	1,156	
87	Pericarditis	19			1				1	1		2	1		1	3	4	5	
88	Endocarditis and myocarditis (acute)	97	8				1	5	4	9	6	8	10	20	6	3	8	9	
89	Angina pectoris	172									2			9	19	44	41	57	
90	Other diseases of the heart	2,181	10	2	2		2	12	17	16	20	19	25	95	198	319	615	829	
91a	Aneurysm	36									1	1	2	8	8	4	9	3	
91b, c	Other diseases of the arteries	356											1	2	7	27	82	237	
92	Embolism and thrombosis (not cerebral)	51	4						1				2	1	10	11	10	12	
93	Diseases of the veins	10							1			1		1	1	2	2	2	
94	Diseases of the lymphatic system	2	1														1		
95	Hemorrhage without specified cause	1								1									
96	Other diseases of the circulatory system	3														1		2	
	V.—Diseases of the respiratory system	1,870	361	77	41	19	10	26	28	28	46	37	45	112	104	182	269	485	
97a	Diseases of the nasal fossae	5	2															3	
97b	Diseases of the nasal fossae annexa	6						1		1			1	2	1				
98	Diseases of the larynx	9	4	1	1								1				1	1	
99a	Acute bronchitis	39	15	1											2	2	5	14	
99b	Chronic bronchitis	52										1				4	15	32	
99c, d	Bronchitis (unspecified)	52	15		1					1				2		1	2	30	
100a	Bronchopneumonia	680	229	43	23	13	7	15	4	6	6	6	6	23	18	37	75	169	
100b	Capillary bronchitis	16	10	2	1												1	2	
101a	Lobar pneumonia	793	68	20	13	5	3	6	18	18	38	24	33	67	64	109	133	174	
101b	Pneumonia (unspecified)	77	12	5	2	1		1	4		1	3	2	6	7	8	6	19	
102	Pleurisy	37	1	4				1	2		1	3	1	4	5	7	4	4	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	KANSAS—Continued																		
	V.—Diseases of the respiratory system—Continued.																		
103	Congestion and hemorrhagic infarct of the lung	43	5					1		1					3	2	10	21	
104	Gangrene of the lung	4		1										1		1		1	
105	Asthma	29						1						3	1	6	10	8	
106	Pulmonary emphysema	3												1			1	1	
107	Other diseases of the respiratory system (tuberculosis excepted)	25								1			1	3	3	5	6	6	
	VI.—Diseases of the digestive system	1,776	344	152	79	26	16	66	38	46	49	58	53	116	148	174	192	218	1
108	Diseases of the mouth and annexa	9	3					2	1	1			2						
109b	Other diseases of the pharynx, tonsils	55	4		2	1	1	11	6	8	3	5		6	2	1	4	1	
110	Diseases of the esophagus	3	1													1		1	
111a	Ulcer of the stomach	74						1			1	4	5	11	17	13	16	6	
111b	Ulcer of the duodenum	22									1	1	3	4	4	4	3	2	
112	Other diseases of the stomach (cancer excepted)	128	30	3	1	1	2	4					2	5	9	17	18	36	
113	Diarrhea and enteritis (under 2 years)	410	274	136															
114	Diarrhea and enteritis (2 years and over)	190			67	15	3	11	1	2	4	3	4	1	6	12	15	46	
117	Appendicitis and typhlitis	308		1	3	4	5	30	26	28	29	25	25	45	40	23	17	7	
118a	Hernia	65	4				1			1		2		4	9	9	15	19	1
118b	Intestinal obstruction	128	22	8	4	3	3	4	2	5	7	8	3	9	8	10	13	19	
119	Other diseases of the intestines	34	1	2	2					1		1	1	4	1	4	6	11	
120	Acute yellow atrophy of the liver	7									1					2	2	2	
122	Cirrhosis of the liver	107									2		2	2	19	18	34	30	
123	Biliary calculi	87										1	1	9	15	28	23	10	
124	Other diseases of the liver	108	1			1		1	2			4	5	12	12	20	24	26	
125	Diseases of the pancreas	12	1									1		1	4	3	1	1	
126	Peritonitis without specified cause	29	3	2		1	1	2			1	3		3	2	9	1	1	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	1,719	14	2	2	8	2	10	10	15	20	20	39	103	144	265	446	619	
128	Acute nephritis (including unspecified under 10 years)	104	6	2	2	7	1	6	2	5	4	3	5	10	11	14	11	15	
129	Chronic nephritis (including unspecified 10 years and over)	1,299				1	1	3	8	4	10	9	19	66	100	206	362	510	
131	Other diseases of the kidneys and annexa	53	8							2	2		2	1	6	12	7	13	
132	Calculi of the urinary passages	20						1				1		3	4	3	5	3	
133	Diseases of the bladder	25														4	9	12	
134	Diseases of the urethra, etc.	5											1		1	1	1	1	
135	Diseases of the prostate	131													4	18	47	62	
136	Nonvenereal diseases of the male genital organs	3									1			1				1	
137	Cysts, other benign tumors of the ovary	20								1		1	4	4	5	4	1		
138	Salpingitis and pelvic abscess (female)	23								2	2	6	5	6	2				
139	Benign tumors of the uterus	22											2	7	8	1	3	1	
140	Nonpuerperal uterine hemorrhage	1														1			
141	Other diseases of the female genital organs	13								1	1		1	5	3	1		1	
	VIII.—The puerperal state	268								23	61	60	65	57	2				
143	Accidents of pregnancy	28								3	4	7	5	9					
144	Puerperal hemorrhage	16								1	3	4	3	5					
145	Other accidents of labor	23								1	7	1	6	8					
146	Puerperal septicemia	124								14	28	29	32	19	2				
147	Puerperal phlegmasia alba dolens, embolus, etc.	15									2	5	5	3					
148	Puerperal albuminuria and convulsions	61								4	17	14	13	13					
149	Following childbirth (undefined)	1											1						
	IX.—Diseases of the skin and of the cellular tissue	75	7	1				1	1	1	1	2	2	4	7	5	12	31	
151	Gangrene	33													1	3	6	23	
152	Furuncle	10							1	1	1	1			4		1	1	
153	Acute abscess	12	3					1					1	2	1	1	1	2	
154	Other diseases of the skin and annexa	20	4	1								1	1	2	1	1	4	5	
	X.—Diseases of the bones and of the organs of locomotion	16		1		1		4	1	1				2	1		2	3	
155	Diseases of the bones (tuberculosis excepted)	12		1		1		3	1	1				1			2	2	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	4						1						1	1			1	
	XI.—Malformations	238	231	2	2			2		1									
159a	Congenital hydrocephalus	13	10	1	1					1									
159b	Congenital malformations of the heart	157	157																
159c	Other congenital malformations	68	64	1	1			2											
	XII.—Early infancy	996	996																
160	Congenital debility, icterus, sclerema	168	168																
161a	Premature birth	645	645																
161b	Injury at birth	112	112																
162	Other diseases peculiar to early infancy	70	70																
163	Lack of care	1	1																
164	XIII.—Old age (senility)	465														5	46	414	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	KANSAS—Continued																		
	XIV.—External causes	1,564	45	38	29	19	20	58	70	119	102	110	99	193	166	163	111	210	12
	Suicide	189						1	1	4	12	9	17	33	43	41	18	10	
165, 166	By poisons (gas excepted)	45									5	3	6	5	10	11	5		
167	By poisonous gas	1																1	
168	By hanging or strangulation	30									1	1	2	7	7	8	2	2	
169	By drowning	11									1			1	2	4	2	1	
170	By firearms	81						1	1	4	5	4	8	14	21	13	5	5	
171	By cutting or piercing instruments	13											1	3	2	4	3		
173	By crushing	1															1		
174	By other means	7										1		3	1	1		1	
	Homicide	122	3	1					2	9	13	21	16	31	11	8	3	1	3
197	By firearms	85							1	8	9	15	13	22	8	6	1		2
198	By cutting or piercing instruments	9									2	2	1	2	1		1		
199	By other means	28	3	1					1	1	2	4	2	7	2	2	1	1	1
	Accidental or undefined	1,253	42	37	29	19	20	57	67	106	77	80	66	129	112	114	90	199	9
175	Poisoning by food	27	4				3		3			1	1	2		7	3	3	
176	Poisoning by venomous animals	4						2						1	1				
177	Other acute poisonings (gas excepted)	31	1	10	5	2					2	1	2	3	2	3			
178	Conflagration	52	2	1	1	1	3	4	1	3	1	4	3	4	3	3	6	7	5
179	Burns (conflagration excepted)	86	3	11	12	5	5	5	2	5	8	5	1	8	3	6	1	6	
180	Mechanical suffocation	29	17					3			2	2	1	1	2	1			
181	Absorption of irrespirable, irritating, or poisonous gas	14	1				1			1	2	3	1	2	1	1	1		
182	Drowning	76	1	5	1	1	1	5	14	22	5	4	3	4	3	2	3	1	1
183	Traumatism by firearms (except in war)	42			1	1		1	12	13	3	2	1	3	1	4			
184	Traumatism by cutting or piercing instruments	18	3			1		2	1	1	1	1		2	2		1	3	
185	Traumatism by fall	235	2	1	1	2	1	5	2	5	5	1	4	11	9	25	29	132	
186a	Traumatism in mines	25								3	1		5	6	7	1	2		
186b	Traumatism in quarries	1													1				
187	Traumatism by machines	42						2	1	2	7	3	4	7	6	7	1	2	
188a	Railroad accidents	143		2	1			2	5	16	14	19	11	20	21	12	9	8	3
188b	Street-car accidents	10								1			3	3	1			2	
188c	Automobile accidents	217		3	4	3	3	15	10	24	11	15	14	27	29	23	17	19	
188d	Airplane and balloon accidents	4										2	1	1					
188e,f	Injuries by other vehicles	32			1	1		2	2	1	2	2	1	5	6	4	4	1	
188g	Landslide, other crushing	8						1	1	1		1	1	1	1	1			
189	Injuries by animals (not poisoning)	21		1				3	4	1			2		2	5	2	1	
193	Excessive cold	4																4	
194	Excessive heat	16	1						1		1	1		2	3	3	2	2	
195	Lightning	21						2	1	2	1	3	2	6	2	1	1		
196	Other accidental electric shocks	19						1		3	4	4	2	3	2				
201	Fracture (cause not specified)	3																3	
202	Other external violence	73	7	3	2	2	3	2	7	2	7	6	3	7	4	5	8	5	
	XV.—Ill-defined diseases	195	60	7	1	1		1	1	3	3	2	5	5	17	22	30	37	
204	Sudden death	1	1																
205a	Ill-defined	65		3	1				1		2	1	1	2	7	12	15	20	
205b	Not specified or unknown	129	59	4		1		1		3	1	1	4	3	10	10	15	17	
	KENTUCKY																		
	All causes—White	24,878	4,085	1,121	474	269	191	512	444	813	988	858	792	1,691	1,890	2,593	3,725	4,358	74
	All causes—Colored	4,414	552	142	44	28	20	76	76	163	236	235	230	518	610	519	449	461	55
	I.—Epidemic, endemic, and infectious diseases—White	6,347	720	447	224	133	89	224	169	389	461	419	338	616	494	495	594	514	21
	I.—Epidemic, endemic, and infectious diseases—Colored	1,179	114	57	18	14	10	36	47	101	125	95	94	130	127	95	61	48	7
1	Typhoid and paratyphoid fever—W	416	4	1	5	4	6	27	58	82	56	41	29	38	31	20	11	2	1
	Typhoid and paratyphoid fever—C	59	1			2		5	5	11	12	3	3	7	4	2	3		1
5	Malaria—W	41	3	4	3		1	2		2	4	1	2	1	4	1	10	3	
	Malaria—C	12		2				1			1		1	1	5	1			
6	Smallpox—W	1															1		
7	Measles—W	385	84	80	52	26	9	33	17	16	9	9	4	10	13	11	4	6	2
	Measles—C	31	6	8	4	2	2		3	2		1	2	1					
8	Scarlet fever—W	50	6	6	8	8	4	11	4	2		1							
	Scarlet fever—C	1					1												
9	Whooping cough—W	331	167	95	26	14	9	16	2		1							1	
	Whooping cough—C	83	36	28	6	3	2	5	1		1	1							
10	Diphtheria—W	330	68	73	49	37	31	56	12	1		1						2	
	Diphtheria—C	14	5	2	1			4			1	1							
11a	Influenza (with pulmonary complications)—W	979	112	56	21	19	15	21	14	34	29	37	48	102	69	87	156	153	6
	Influenza (with pulmonary complications)—C	146	14	6	1	2		4	3	3	12	6	10	8	15	25	23	13	1
11b	Influenza (other and unspecified)—W	670	93	28	16	1	4	14	17	22	18	16	19	35	39	46	122	178	2
	Influenza (other and unspecified)—C	83	10	4	2		1		2	4	2	2		6	8	17	7	17	1
13	Mumps—W	1							1										
15	Cholera nostras—W	15	3	2	1				1						1	2	4	1	
	Cholera nostras—C	1														1			
16	Dysentery—W	188	47	36	13	4	3	9	3	4	2	1		5	6	5	18	32	
	Dysentery—C	32	7	4					1					4	3	4	3	5	1
21	Erysipelas—W	58	15	2	1	2		1		2	2	1	1	5	7	6	7	6	
	Erysipelas—C	4	2													1		1	
22	Acute anterior poliomyelitis—W	21	4	7	2	4		1	1					1		1			
	Acute anterior poliomyelitis—C	1											1						
23	Lethargic encephalitis—W	11								3	2		1	3	2				
	Lethargic encephalitis—C	1													1				
24	Meningococcus meningitis—W	51	25	10		3	2	3		3	1		1	1	2				
	Meningococcus meningitis—C	2	1								1								
25	Other epidemic and endemic diseases—W	4		2					1	1									
	Other epidemic and endemic diseases—C	1						1											
29	Tetanus—W	37	8			1		7	4	4	1		1	5		2	3	1	
	Tetanus—C	13	3			1		1	1	1	1		2		2	1			
30	Mycoses—W	6	4	1											1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	KENTUCKY—Continued																			
	I.—Epidemic, endemic, and infectious diseases—Continued.																			
	Tuberculosis (all forms)	W	2,656	57	40	26	9	5	22	34	212	328	308	228	390	310	301	250	126	10
		C	630	14	3	4	4	4	15	31	77	89	79	71	89	78	36	23	10	3
31	Of the respiratory system	W	2,363	26	18	5	5	3	11	25	188	315	299	215	360	280	271	223	109	10
		C	563	5	2	2	3	2	13	26	69	83	71	63	80	77	34	22	9	2
32	Of the meninges, central nervous system	W	86	22	16	15	4	1	6	4	7	1		2	3	2	1	1	1	
		C	15	4	1	1	1	2	1	1	2			2						
33	Of the intestines, peritoneum	W	101	1	1	1					6	5	2	6	17	16	20	17	9	
		C	23	1					1	2	3	3	5	2	4			1	1	
34	Of the vertebral column	W	19	1	2				1	2	6		1	1			1	3	1	
		C	4							1	1		1	1						
35	Of the joints	W	10	1	1				1		1		1		2	1	2			
		C	3	1						1							1			
36	Of other organs	W	40	5		5		1	2		1	3	3	3	2	6	3	4	2	
		C	6			1					1	2	1	1						
37a	Disseminated (acute)	W	16	1	1				1	2	2	1	1		2	3	2			
		C	6	1								1		1	2		1			
37b	Disseminated (chronic or unspecified)	W	21		1					1	1	3	1	1	4	2	1	2	4	
		C	10	2							1		1	1	3	1				1
38	Syphilis	W	63	15	1	1	1					4	1	1	17	7	9	5	1	
		C	60	15							2	5	1	3	13	10	7	2	2	
39	Soft chancre	W																		
		C																		
40	Gonococcus infection	W	5	1										2	1			1		
		C	4								1		1	1	1					
41	Purulent infection, septicemia	W	28	4	3				1		1	4	2	1	2	2	4	2	2	
		C	1													1				
	II.—General diseases not included in Class I.	White	1,980	34	13	6	3	4	9	20	24	27	42	36	179	296	493	459	332	3
		Colored	230	5		2			1	2	4	1	6	9	47	50	44	36	22	1
	Cancer and other malignant tumors	W	1,304	3		3		2	2	5	8	10	16	15	117	201	346	333	241	2
		C	153								1		3	7	28	39	29	28	18	
43	Of the buccal cavity	W	39					1				1	1		5	5	9	11	6	
		C	4												2			1	1	
44	Of the stomach, liver	W	510	1		1		1	1	1	2	2	2	7	34	61	136	157	104	
		C	48								1				6	15	16	7	3	
45	Of the peritoneum, intestines, rectum	W	165							3	1	2	2	3	14	22	53	41	24	
		C	17										1	2	2	4	3	3	2	
46	Of the female genital organs	W	197									2	4	2	28	58	51	37	14	1
		C	51										1	4	14	12	6	9	5	
47	Of the breast	W	100							1		1		1	15	28	27	15	12	
		C	10										1		2	3		2	2	
48	Of the skin	W	80			1					1				1	1	16	19	41	
		C	1																1	
49	Of other or unspecified organs	W	213	2		1			1		4	2	7	2	20	26	54	53	40	1
		C	22											1	2	5	4	6	4	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	W	23											3	1	5		7	7	
		C	4												1		1	1		1
51	Acute rheumatic fever	W	60							6	5	3	4	1	3	8	15	8	7	
		C	17						1	1	1		1	1	2	3	3	2	2	
52	Chronic rheumatism, osteoarthritis, gout	W	27							1			1	1	1	1	3	8	11	
		C	2														1	1		
53	Scurvy	W	2	1	1															
54	Pellagra	W	64			1			1	1	1	1	3	4	10	8	15	13	6	
		C	4													2	1	1		
56	Rickets	W	7	4	3															
		C	3	3																
57	Diabetes mellitus	W	250		1		1	1	4	4	6	5	6	5	16	33	61	63	43	1
		C	17												4	2	7	3	1	
58	Anemia, chlorosis	W	83	4	1			1	1	1	2	2	3	2	5	12	27	13	9	
		C	3								1		1		1					
60a	Exophthalmic goiter	W	30										2	2	10	8	3	3	2	
		C	8								1				7					
60b	Other diseases of the thyroid gland	W	14	2								1		1	1	1	5	3		
		C	1											1						
61	Diseases of the parathyroid glands	W	1	1																
62	Diseases of the thymus gland	W	4	2		1	1													
63	Diseases of the adrenals (Addison's disease)	W	4												2		1		1	
64	Diseases of the spleen	W	2										1			1				
65a	Leukemia	W	17	1	1		1				1	1	3			4	3	2		
		C	2													2				
65b	Hodgkin's disease	W	12								1				2	3	5	1		
66	Alcoholism (acute or chronic)	W	33									3	3	1	7	11	6	2		
		C	7									1	1		3	1	1			
67a	Chronic lead poisoning	W	1												1					
67b	Other chronic mineral poisoning	W	1						1											
68	Chronic poisoning by organic substances	W	2															1	1	
69	Other general diseases	W	39	16	6	1				2		1		1	3		3	2	4	
		C	9	2		2				1					1	1	1		1	
	III.—Diseases of the nervous system and of the organs of special sense	White	2,360	121	39	22	9	8	31	26	36	29	27	28	122	220	370	633	632	7
		Colored	399	17	3	1		1	2	1	1	1	10	9	53	86	71	78	57	8
70	Encephalitis	W	28	2	4	2	1		2	1			3		2	2	6	2	1	
		C	4	1		1		1						1						
71a	Simple meningitis	W	114	46	16	8	3	5	10	10	2	4	1		5	2	2			
		C	5	2												3				
71b	Nonepidemic cerebrospinal meningitis	W	48	15	7	4	3		6	1	1	4	1	1	3	2				
		C	5	3					1						1					
72	Tabes dorsalis (locomotor ataxia)	W	35								2				2	9	14	6	2	
		C	4												1	1		1	1	
73	Other diseases of the spinal cord	W	61	3					1		1	1	2	1	1	10	6	17	18	
		C	11	1											2	6		2		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	KENTUCKY—Continued																			
	III.—Diseases of the nervous system and of the organs of special sense—Continued.																			
74a	Cerebral hemorrhage	W	1,396	3	2	2		1	5	1	11	5	9	15	54	123	243	454	467	1
		C	228		1							1	4	5	24	47	51	56	37	2
74b	Cerebral embolism and thrombosis	W	17										1	1	1	1	3	7	3	
		C	3													1			2	
75	Paralysis without specified cause	W	233	1	1				2	1	1				5	15	37	75	90	5
		C	41		1								1		2	9	7	11	10	
76	General paralysis of the insane	W	96									2	1	3	16	26	19	18	11	
		C	56										1		13	14	10	7	6	5
77	Other forms of mental alienation	W	50									3	1		10	7	12	12	5	
		C	9										1	2	3	2	1			
78	Epilepsy	W	58	5	1	1			2	1	5	6	3	1	10	8	4	7	3	1
		C	13							1			2	1	4	2	2	1		
79	Convulsions (nonpuerperal; 5 years and over)	W	4						1		1				1			1		
80	Infantile convulsions (under 5 years)	W	37	32	4			1												
		C	9	8	1															
81	Chorea	W	3							1		1					1			
82	Neuralgia and neuritis	W	11													3	1	2	5	
83	Softening of the brain	W	36												3		5	13	15	
84	Other diseases of the nervous system	W	71	1	2				2	1	4		3	5	5	9	11	16	12	
		C	9	2							1		1		2	1			1	1
85	Diseases of the eye and annexa	W	3		1	1												1		
86a	Diseases of the ear	W	37	10		3	1			5	6	1	2	1	2	2	3	1		
		C	1						1											
86b	Diseases of the mastoid process	W	22	3	1	1	1	1		4	2	2			2	1	3	1		
		C	1												1					
	IV.—Diseases of the circulatory system	White	2,773	17	8	5	6	2	15	28	28	37	40	46	104	231	424	799	973	10
		Colored	628	1	1				2	5	4	7	15	29	91	136	111	97	112	17
87	Pericarditis	W	22				1									4	6	6	5	
		C	4											1	2				1	
88	Endocarditis and myocarditis (acute)	W	101	4		3			7	4	5	1	8	9	21	5	8	16	9	1
		C	52							1	1	2	3	7	12	12	10	2	1	1
89	Angina pectoris	W	144								1		2	1	7	17	29	56	31	
		C	15											1	4	1		4	4	1
90	Other diseases of the heart	W	2,116	11	3	2	5	2	8	23	22	35	29	36	71	192	345	626	697	9
		C	493	1	1				2	4	2	5	10	19	64	116	92	76	89	12
91a	Aneurysm	W	16												3	3	5	3	2	
		C	21										1	1	7	7	1	2	1	1
91b	Other diseases of the arteries	W	345												1	6	26	88	224	
		C	39												1		8	13	15	2
92	Embolism and thrombosis (not cerebral)	W	14	2	2					1					1	2	3		3	
		C	3								1		1		1					
93	Diseases of the veins	W	7									1	1			2		2	1	
94	Diseases of the lymphatic system	W	3		3															
95	Hemorrhage without specified cause	W	3														1	1	1	
		C	1																1	
96	Other diseases of the circulatory system	W	2														1	1		
	V.—Diseases of the respiratory system	White	2,506	478	196	84	34	25	53	26	80	69	47	57	136	143	192	347	532	7
		Colored	560	126	39	15	7	2	9	8	12	26	21	15	54	50	58	56	59	3
97a	Diseases of the nasal fossae	W	5	2							1				1			1		
97b	Diseases of the nasal fossae annexa	W	6									1			2		2		1	
		C	1										1							
98	Diseases of the larynx	W	20	5	1	5	2	1	2			1				1	1	1		
		C	1	1																
99a	Acute bronchitis	W	35	10	2	1	1											4	17	
		C	17	9			1	1		1	1			1	2	1				
99b	Chronic bronchitis	W	74	2	1										2	2	5	22	40	
		C	14			1	1					1			1		1	4	5	
99c,d	Bronchitis (unspecified)	W	53	10	3	2									1	1		5	31	
		C	19	5	3							1		1	1	1	4	1	2	
100a	Bronchopneumonia	W	842	273	111	34	17	10	13	9	11	13	9	9	22	24	43	80	163	1
		C	166	49	18	8	2		7	1	5	4	2	3	9	9	13	19	17	
100b	Capillary bronchitis	W	22	9	5	2		1					1			1		1	2	
		C	5	1	4															
101a	Lobar pneumonia	W	973	106	37	23	10	8	27	14	49	39	29	37	75	79	104	156	179	1
		C	245	42	9	3	3	1	1	5	4	14	14	8	28	30	36	25	21	1
101b	Pneumonia (unspecified)	W	290	55	29	13	2	1	7	1	13	10	2	4	18	20	22	41	47	5
		C	49	18	4	2			1		2	4	1	1	2	4	1	3	5	1
102	Pleurisy	W	43	1	2	3	2	2	3		5	2	3	3	3	3	3	3	5	
		C	15		1	1				1			1		5	2	1	1	2	
103	Congestion and hemorrhagic infarct of the lung	W	52	3	1					1				2	1	2	2	10	30	
		C	5	1											1				3	
104	Gangrene of the lung	W	4		1							1						2		
105	Asthma	W	54	1	1	1		2		1		1		1	3	5	10	16	12	
		C	15									1	1		3	2	1	2	4	1
106	Pulmonary emphysema	W	2	1														1		
107	Other diseases of the respiratory system (tuberculosis excepted)	W	31		2				1		1	1	3	1	8	5		4	5	
		C	8									1	1	1	2	1	1	1		
	VI.—Diseases of the digestive system	White	2,303	715	335	75	37	19	62	63	58	66	44	53	135	134	144	180	182	1
		Colored	340	91	33	6	2	1	7	2	7	19	11	23	23	37	30	21	21	3
108	Diseases of the mouth and annexa	W	19	4					3		1		1	1	3		4		2	
		C	3											2		1				
109b	Other diseases of the pharynx, tonsils	W	41	5	1		2	2	6	1	1	6	2	3	3	1	2	3	3	
		C	8						1		3	1	1		1				1	
110	Diseases of the esophagus	W	2	1												1				
111a	Ulcer of the stomach	W	53						1		1	4	2	3	6	8	10	13	5	
		C	18						1				1	3	1	4	3	3	2	
111b	Ulcer of the duodenum	W	14								2			1	4	1	5		1	
		C	4													1	2		1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	KENTUCKY—Continued																			
	VI.—Diseases of the digestive system—Continued.																			
112	Other diseases of the stomach (cancer excepted)	W	202	60	19	3	4	1	4	4	2	5	2	3	6	6	15	30	37	1
		C	51	11	4	1						4	2	4	3	4	7	4	7	
113	Diarrhea and enteritis (under 2 years)	W	918	610	308															
		C	105	76	29															
114	Diarrhea and enteritis (2 years and over)	W	234			69	23	9	4	9	2	5	1	4	4	10	15	29	50	
		C	24			5	1	1	1		1	1		1	1	4	3	3	2	
115	Ancylostomiasis	W	1						1											
116	Diseases due to other intestinal parasites	W	3					1	2											
117	Appendicitis and typhlitis	W	280		1			1	32	41	37	26	23	18	42	25	16	12	6	
		C	35						2	1	2	5	5	2	9	7		1	1	
118a	Hernia	W	44	2								1		2	4	6	7	10	12	
		C	14									1		1		6		4	1	1
118b	Intestinal obstruction	W	119	16	4	1	6	4	4	4	5	3	7	5	12	14	11	9	14	
		C	19	3					2			1	1	3	3	3			3	
119	Other diseases of the intestines	W	39	3					2	1		3	1		6	5	4	4	10	
		C	7	1							1	3			1			1		
120	Acute yellow atrophy of the liver	W	7				1	1			1				2	1	1			
		C	1											1						
121	Hydatid tumor of the liver	W	1														1			
122	Cirrhosis of the liver	W	36										1	2	11	12	21	22	17	
		C	18									1	1	1	1	3	8	1	1	1
123	Biliary calculi	W	64									3		3	9	14	15	15	5	
		C	2													1	1			
124	Other diseases of the liver	W	105	5	1						2	5	2	2	15	18	16	25	14	
		C	13										1	2	3		4	2	1	
125	Diseases of the pancreas	W	11												4	2		3	2	
		C	1													1				
126	Peritonitis without specified cause	W	58	7	1	2	1		3	3	4	5	2	6	4	10	1	5	4	
		C	17				1			1		2	2	3		2	2	2	1	1
127	Other diseases of the digestive system (cancer amd tuberculosis excepted)	W	2	2																
	VII.—Nonvenereal diseases of the genito urinary system and annexa	White	1,781	10	8	6	6	3	16	12	15	27	26	25	103	167	297	492	564	4
		Colored	393	2				1	1	1	4	5	14	9	52	73	77	72	76	6
128	Acute nephritis (including unspecified under 10 years)	W	110	6	4	5	3	1	9	5	4	6	2		11	12	10	25	7	
		C	33	1				1			2	1		1	6	13	3	3	2	
129	Chronic nephritis (including unspecified 10 years and over)	W	1,450		1	1	2	2	5	6	8	14	12	13	71	128	264	420	499	4
		C	305							1	1	3	8	5	36	49	66	66	64	6
131	Other diseases of the kidneys and annexa	W	48	2	3		1		1				3	4	3	6	7	12	6	
		C	9	1					1						1	2	1	1	2	
132	Calculi of the urinary passages	W	7												1	1	1	1	3	
133	Diseases of the bladder	W	31	2					1	1					1	1	1	12	12	
		C	7													1	2	1	3	
134	Diseases of the urethra, etc	W	4											1		2	1			
		C	1														1			
135	Diseases of the prostate	W	59													1	7	17	34	
		C	7														1	1	5	
136	Nonvenereal diseases of the male genital organs	W	1															1		
		C	1														1			
137	Cysts, other benign tumors of the ovary	W	10									2			1	3	2	1	1	
		C	5										1		1	2	1			
138	Salpingitis and pelvic abscess (female)	W	22								1	4	8	3	4	1	1			
		C	7									1	3	1	2					
139	Benign tumors of the uterus	W	23								1		1	2	6	7	3	1	2	
		C	14										1	2	5	6				
140	Nonpuerperal uterine hemorrhage	W	1												1					
		C	1												1					
141	Other diseases of the female genital organs	W	15								1	1		2	4	5		2		
		C	3								1		1				1			
	VIII.—The puerperal state	White	332							1	47	73	57	60	91	1				2
		Colored	54								8	12	10	11	13					
143	Accidents of pregnancy	W	37								2	7	10	6	12					
		C	2									2								
144	Puerperal hemorrhage	W	26									7	3	5	11					
		C	3									1		1	1					
145	Other accidents of labor	W	45								8	5	8	9	14					1
		C	9									1	4	3	1					
146	Puerperal septicemia	W	132								17	30	26	23	35					1
		C	27								3	7	6	4	7					
147	Puerperal phlegmasia alba dolens, embolus, etc	W	5								1		1	1	2					
148	Puerperal albuminuria and convulsions	W	83							1	19	23	7	15	17	1				
		C	13								5	1		3	4					
149	Following childbirth (undefined)	W	3										2	1						
150	Puerperal diseases of the breast	W	1									1								
	IX.—Diseases of the skin and of the cellular tissue	White	73	14	3		1		1	2	3	3	2	2	6	7	8	11	10	
		Colored	10												1	1	2	3	3	
151	Gangrene	W	29	1	1						1	1			1	2	4	9	9	
		C	5														1	2	2	
152	Furuncle	W	17	1								2	1	2	3	5	2	1		
153	Acute abscess	W	12	4						1	2		1		2			1	1	
		C	3													1	1		1	
154	Other diseases of the skin and annexa	W	15	8	2		1		1	1							2			
		C	2												1			1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	KENTUCKY—Continued																			
	X.—Diseases of the bones and of the organs of locomotion	White	20						3	3	1			1	1	3	2	3	2	1
		Colored	5									1				1	1	1	1	
155	Diseases of the bones (tuberculosis excepted)	W	18						2	3				1	1	3	2	3	2	1
		C	3									1				1			1	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	W	2						1		1									
		C	1														1			
158	Other diseases of the organs of locomotion	C	1															1		
	XI.—Malformations	White	223	212	4	2		1	3	1										
		Colored	15	15																
159a	Congenital hydrocephalus	W	15	13	2															
		C	1	1																
159b	Congenital malformations of the heart	W	133	127		2		1	2	1										
		C	6	6																
159c	Other congenital malformations	W	75	72	2				1											
		C	8	8																
	XII.—Early infancy	White	1,375	1,375																
		Colored	150	150																
160	Congenital debility, icterus, sclerema	W	224	224																
		C	29	29																
161a	Premature birth	W	935	935																
		C	83	83																
161b	Injury at birth	W	128	128																
		C	15	15																
162	Other diseases peculiar to early infancy	W	85	85																
		C	22	22																
163	Lack of care	W	3	3																
		C	1	1																
164	XIII.—Old age (senility)	White	434														6	46	381	1
		Colored	48													1	1	5	39	2
	XIV.—External causes	White	1,755	56	42	45	37	39	90	85	125	190	148	137	181	166	134	103	163	14
		Colored	342	6	3	2	5	5	17	10	22	38	50	31	52	42	24	12	15	8
	Suicide	W	174							2	7	21	20	14	22	33	37	11	7	
		C	10								2		1		4	1		2		
165	By poisons (gas excepted)	W	32								3	6	4	6	3	4	4	2		
166		C	2								1							1		
167	By poisonous gas	W	2										1				1			
168	By hanging or strangulation	W	37							2			3	1	3	12	11	2	3	
		C	1															1		
169	By drowning	W	15									2	3	1	3	3	3			
170	By firearms	W	70								4	12	8	6	7	12	14	5	2	
		C	3								1		1			1				
171	By cutting or piercing instruments	W	12									1			5	1	2	2	1	
		C	1												1					
172	By jumping from high places	W	5										1		1		2		1	
		C	1												1					
173	By crushing	C	1												1					
174	By other means	W	1													1				
		C	1												1					
	Homicide	W	218	2	1		1		3	2	19	40	33	32	47	26	5	1	3	3
		C	131							1	10	18	34	22	23	18	4			1
197	By firearms	W	194						3	2	16	37	31	30	42	24	5	1		3
		C	107							1	9	13	25	22	19	15	2			1
198	By cutting or piercing instruments	W	9		1		1				1	3	1		1	1				
		C	21								1	4	9		3	3	1			
199	By other means	W	15	2							2		1	2	4	1			3	
		C	3									1			1		1			
	Accidental or undefined	W	1,363	54	41	45	36	39	87	81	99	129	95	91	112	107	92	91	153	11
		C	201	6	3	2	5	5	17	9	10	20	15	9	25	23	20	10	15	7
175	Poisoning by food	W	23	7		3	3	2	1	1		3		1			1	1		
		C	6					2								2	2			
176	Poisoning by venomous animals	W	2								1								1	
177	Other acute poisonings (gas excepted)	W	32	4	6	2		2	2	1			3	2	6	2	2			
		C	2			1						1								
178	Conflagration	W	19		1	1	1		1		1	1			1	6	3	2	1	
		C	8					2	1					1			2		2	
179	Burns (conflagration excepted)	W	182	3	20	28	21	20	23	5	4	5	5	9	7	6	6	9	10	1
		C	25			1	2	1	8	1		1	1		2	2	2	2	2	
180	Mechanical suffocation	W	19	19																
		C	4	4																
181	Absorption of irrespirable, irritating, or poisonous gas	W	3							1						1	1			
		C	1																1	
182	Drowning	W	97	1	2	4	2		11	14	20	11	9	6	4	7	3	1	2	
		C	12						1		2	2	2	1	1	1		1		1
183	Traumatism by firearms (except in war)	W	86		1	1	2	2	11	16	16	14	3	3	8	6	2	1		
		C	16				1			4	4	2	3	2						
184	Traumatism by cutting or piercing instruments	W	15		1	1				2	1			1	1	2	3	2	1	
		C	5												2	1	2			
185	Traumatism by fall	W	211	6	1	1		6	2	2	5	5	4	8	6	6	18	33	108	
		C	16	1	2				1		1	1		1	1	1	2	2	3	
186a	Traumatism in mines	W	135							1	12	31	27	20	22	14	2	3		3
		C	24								1	4	3	1	9	1				5
186b	Traumatism in quarries	W	4									1			1	1	1			
		C	2												1		1			
187	Traumatism by machines	W	31						3	1	5	6	1	4	3	5	2	1		
		C	3									1	1				1			
188a	Railroad accidents	W	169	2	2		2	1	5	4	15	25	24	16	17	18	16	12	5	5
		C	17							2	1	4		1	1	4	3			1
188b	Street-car accidents	W	8											1	2	1	2	1	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	KENTUCKY—Continued																			
	XIV.—External causes—Continued.																			
	Accidental or undefined—Continued																			
188c	Automobile accidents	W	145		2	2	2	1	18	19	10	15	9	7	14	15	12	15	4	
		C	21						4	2		1		2	4	3	3		2	
188e, 188f	Injuries by other vehicles	W	18				1	1	3	3	1		1		2	2	1	2	1	
		C	6				1				1		1			2			1	
188g	Landslide, other crushing	W	13	1						3	2	3	1	1			1	1		
		C	4										1			1	1	1		
189	Injuries by animals (not poisoning)	W	16	1				1	1	2					1	1	5	2	2	
		C	2									1					1			
192	Starvation (deprivation of food or water)	W	1																1	
193	Excessive cold	W	2												1		1			
		C	1															1		
194	Excessive heat	W	8	1	1	1										1	2		2	
		C	7				1								1	3		1	1	
195	Lightning	W	14							1	2	1	2	2	3	2			1	
		C	1													1				
196	Other accidental electric shocks	W	15									3	1	2	3	4			1	1
201	Fracture (cause not specified)	W	12	1							1					2	1	1	6	
		C	2						1				1							
202	Other external violence	W	83	8	4	1	2	3	6	5	3	5	5	8	10	5	7	4	6	1
		C	16	1	1				1			2	2		3	1		2	3	
	XV.—Ill-defined diseases	White	616	333	26	5	3	1	5	8	7	6	6	9	17	28	28	58	73	3
		Colored	61	25	6				1			1			2	6	5	7	8	
204	Sudden death	W	42	10	3		1							1	1	4	4	8	10	
		C	5	2												2			1	
205a	Ill-defined	W	217	70	14	2			4	4	3	4	3	3	11	13	17	33	34	2
		C	20	4	3										1	4	3	3	2	
205b	Not specified or unknown	W	357	253	9	3	2	1	1	4	4	2	3	5	5	11	7	17	29	1
		C	36	19	3				1			1			1		2	4	5	
	LOUISIANA																			
	All causes	White	11,557	1,776	442	206	101	88	245	187	311	447	433	449	1,005	1,238	1,298	1,716	1,578	37
		Colored	10,815	1,677	304	190	89	53	187	199	540	706	648	566	1,289	1,366	928	860	1,161	52
	I.—Epidemic, endemic, and infectious diseases	White	2,313	311	161	90	44	33	87	50	112	166	170	141	252	230	151	167	145	3
		Colored	2,804	349	87	67	38	24	85	89	248	355	293	217	376	272	134	73	92	5
1	Typhoid and paratyphoid fever	W	147		3			1	8	11	26	30	24	6	20	9	4	3	2	
		C	121	3		2	1		10	16	27	21	9	6	14	8	3		1	
5	Malaria	W	143	22	8	4	6	5	13	13	10	8	5	6	7	12	4	13	7	
		C	155	20	5	8	9	5	18	15	13	12	6	3	12	6	6	8	9	
6	Smallpox	W	1							1										
		C	3												1		1	1		
7	Measles	W	94	24	24	14	2	2	10	3		3	2	1	3	1	1	1	3	
		C	35	7	7	5	5		3	3	1	3	1							
8	Scarlet fever	W	6	1	1	1	1	1			1									
		C	1							1										
9	Whooping cough	W	148	94	30	13	3	2	4		1									1
		C	142	77	27	16	6	5	10	1										
10	Diphtheria	W	118	12	35	27	17	10	15	1					1					
		C	39	15	3	5	6	3	6					1						
11a	Influenza (with pulmonary complications)	W	348	43	26	12	6	2	9	4	15	18	13	17	47	30	25	43	38	
		C	236	31	21	9	2	2	7	4	14	16	16	19	29	28	11	13	12	2
11b	Influenza (other and unspecified)	W	167	23	6	5	3		6	2	7	4	8	3	7	6	9	17	60	1
		C	150	25	2	5		2	3	4	6	8	4	5	11	19	12	7	37	
13	Mumps	C	3	1					2											
15	Cholera nostras	W	1											1						
		C	1										1							
16	Dysentery	W	74	13	12	6	1	1	2			1	2	2	5	4	9	10	6	
		C	63	9	6	3			2			1	1		6	9	9	6	11	
20	Leprosy	W	12										2		5	1	2	1	1	
		C	7									3	1		1	1	1			
21	Erysipelas	W	27	11	1	1			2	1		2	1	1	2	3	1	1		
		C	2							1		1								
22	Acute anterior poliomyelitis	W	10		3	1	1		2	1	1	1								
		C	7	1	1	3	1				1									
23	Lethargic encephalitis	W	6						1	1			2	1		1				
		C	2												2					
24	Meningococcus meningitis	W	9	2	1		2	1	1		1					1				
		C	9	2	1		1			2	1	1		1						
25	Other epidemic and endemic diseases	W	29	4					1		1			2	4	3	3	5	6	
		C	24	5	1				1			2	3	1	3	3		1	4	
28	Rabies	W	2							1						1				
29	Tetanus	W	63	27			1	4	7	6	4	2	3		3	5		1		
		C	111	67			1	1	10	10	5	3	2	2	3	2	4		1	
30	Mycoses	W	2	2																
		C	2	2																
	Tuberculosis (all forms)	W	769	3	8	4	1	2	4	4	41	90	105	92	128	126	81	63	16	1
		C	1,342	9	5	5	4	3	11	27	167	255	221	152	238	152	59	21	11	2
31	Of the respiratory system	W	700					1	2	3	37	85	100	90	121	115	76	55	14	1
		C	1,228	8	4	2	2	3	8	20	147	235	206	143	228	137	53	20	10	2
32	Of the meninges, central nervous system	W	14	2	7	2					1	1				1				
		C	8	1	1	2			1	1		1				1				
33	Of the intestines, peritoneum	W	24									3	1	2	3	5	4	5	1	
		C	23				1		1	1		4	2	4	5	5				
34	Of the vertebral column	W	7	1				1	1		1					1	1		1	
		C	3									1	1				1			
35	Of the joints	W	4		1				1						1	1				
		C	4									2	1	1						
36	Of other organs	W	8										2		3	1		2		
		C	15			1				1	3	2	1			3	3	1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	LOUISIANA—Continued																			
	I.—Epidemic, endemic, and infectious diseases—Continued																			
	Tuberculosis—Continued																			
37a	Disseminated (acute)	W	7			2				1	2		2							
		C	55							4	17	8	9	4	5	5	2		1	
37b	Disseminated (chronic or unspecified)	W	5				1					1				2		1		
		C	6				1		1			2	1			1				
38	Syphilis	W	113	29	1	2		2			2	6	2	8	18	23	9	6	5	
		C	309	75	8	6	2	3	2	4	9	25	22	21	48	39	26	14	4	1
39	Soft chancre	C	1								1									
40	Gonococcus infection	W	2								1	1								
		C	26							1	3	3	5	5	6	3				
41	Purulent infection, septicemia	W	22	1	2				2	1	1		1	1	2	4	3	3	1	
		C	13									1	1	1	2	2	2	2	2	
	II.—General diseases not included in Class I	White	1,129	41	11	3	4	2	10	11	17	10	18	31	115	229	260	240	125	2
		Colored	616	8	2	4	3	1	7	6	10	22	34	35	104	140	99	75	61	5
	Cancer and other malignant tumors	W	746		1		2	1	3	4	3	4	9	17	74	166	188	182	91	1
		C	380				2		2			4	20	16	68	102	67	53	42	4
43	Of the buccal cavity	W	35											1	5	11	11	6	1	
		C	4									1				2		1		
44	Of the stomach, liver	W	259						1	1				5	16	56	72	77	30	1
		C	116										4	3	18	35	23	18	13	2
45	Of the peritoneum, intestines, rectum	W	65							1		1			4	12	16	25	6	
		C	45						2			1	4	2	11	8	9	5	3	
46	Of the female genital organs	W	123										3	6	30	30	23	26	5	
		C	114										8	5	25	36	19	10	9	2
47	Of the breast	W	52											2	6	17	15	7	5	
		C	31									1		2	4	8	5	4	7	
48	Of the skin	W	52												2	5	10	14	21	
		C	9											3	1	1		1	3	
49	Of other or unspecified organs	W	160		1		2	1	2	2	3	3	6	3	11	35	41	27	23	
		C	61				2					1	4	1	9	12	11	14	7	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	W	10	1	1	1					2						2	2	1	
		C	5		1												1	1	2	
51	Acute rheumatic fever	W	17	1							2		1		3	2	4	3	1	
		C	25							1	1	1	1	3	3	7	6		2	
52	Chronic rheumatism, osteoarthritis, gout	W	14												1	2	1	5	5	
		C	5								1				1		2		1	
53	Scurvy	W	2	2																
		C	1		1															
54	Pellagra	W	48	1			1				1	2	1	1	7	12	12	8	2	
		C	104					1	3	4	6	11	11	13	19	12	8	8	7	1
55	Beriberi	W	1											1						
		C	1														1			
56	Rickets	W	3	3																
		C	4	2		2														
57	Diabetes mellitus	W	127						2	1	3	1	3	2	12	21	30	31	21	
		C	51						1			1		2	7	14	10	11	5	
58	Anemia, chlorosis	W	41	2			1			1	1	1		1	6	12	9	6	1	
		C	8	1							1	2			1		2		1	
60a	Exophthalmic goiter	W	15						1				2	2	4	2	3		1	
		C	3										1			1	1			
60b	Other diseases of the thyroid gland	W	2										1		1					
		C	5						1			1			1	1		1		
61	Diseases of the parathyroid glands	W	1	1																
		C	1												1					
62	Diseases of the thymus gland	W	17	15	2															
		C	5	3		1				1										
64	Diseases of the spleen	W	2												1			1		
65a	Leukemia	W	20	1	1			1	1	4	4		1	1	1	3	1	1		
		C	2								1	1								
65b	Hodgkin's disease	W	7									1		1	1	2	2			
		C	2			1										1				
66	Alcoholism (acute or chronic)	W	17								1	1		1	2	6	5			1
		C	6									1	1		2	1		1		
67a	Chronic lead poisoning	W	1														1			
68	Chronic poisoning by organic substances	W	3											2	1					
		C	1												1					
69	Other general diseases	W	35	14	6	2			3	1				2	1	1	2	1	2	
		C	7	2			1							1		1	1		1	
	III.—Diseases of the nervous system and of the organs of special sense	White	935	42	12	5	5	2	14	9	14	23	13	17	67	141	173	218	177	[illegible]
		Colored	762	40	4	1	4		6	6	16	14	13	18	90	142	146	116	142	4
70	Encephalitis	W	16	1		2			1	2		2	1		2	3	1	1		
		C	7	2						1		2					1			1
71a	Simple meningitis	W	19	6	2		2		2	2	1	2		1	1					
		C	16	6	1		2		1		2		1		2	1				
71b	Nonepidemic cerebrospinal meningitis	W	12	2	1		1	1	2		1	2		1		1				
		C	6	1	1					1	1	2								
72	Tabes dorsalis (locomotor ataxia)	W	15													3	6	5	1	
		C	10												1	3	2	3	1	
73	Other diseases of the spinal cord	W	36	3	2				1	2		2	1	1	3	6	5	6	4	
		C	6										1	1	1			2	1	
74a	Cerebral hemorrhage	W	573	3	1	1			2		1	3	2	5	30	90	129	158	146	2
		C	473	1						3	2		4	10	38	100	110	84	118	3
74b	Cerebral embolism and thrombosis	W	15										1	1	2	2	1	7	1	
		C	15											1	5	2	4	3		
75	Paralysis without specified cause	W	59		1		1				2			1	3	4	9	20	18	
		C	73				1		1		2		1		7	10	15	20	16	
76	General paralysis of the insane	W	41										1	3	11	12	6	8		
		C	60									3		3	23	19	8	2	2	
77	Other forms of mental alienation	W	13								1	2			3	2	3	2		
		C	13								1	2		3	2	2		2	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	LOUISIANA—Continued																			
	III.—Diseases of the nervous system and of the organs of special sense—Continued																			
78	Epilepsy	W	24		1						4	3	2	1	3	3	3	2	2	
		C	25	1			1		1	1	5	4	2		4	3	3			
79	Convulsions (nonpuerperal; 5 years and over)	W	3									1			1					1
		C	3						3											
80	Infantile convulsions (under 5 years)	W	18	13	2	2	1													
		C	27	25	1	1														
81	Chorea	W	2							1					1					
82	Neuralgia and neuritis	W	5													3		2		
		C	1									1								
83	Softening of the brain	W	8									1			1	2		1	3	
		C	5												1	1	3			
84	Other diseases of the nervous system	W	45	3					1	2	3	2	3	1	5	9	8	6	2	
		C	10								3		3		1				3	
85	Diseases of the eye and annexa	W	3	1	1												1			
86a	Diseases of the ear	W	21	9	1			1	3		1	2	1		1	1	1			
		C	8	3									1		4					
86b	Diseases of the mastoid process	W	7	1					2			1	1	2						
		C	4	1	1										1	1				
	IV.—Diseases of the circulatory system	White	1,599	7	2		1	5	6	5	11	22	20	32	97	191	279	472	446	3
		Colored	1,489	5		2	1		6	10	13	29	47	57	223	321	243	235	288	9
87	Pericarditis	W	5										1		2		1	1		
		C	12	1							1		1		2	4	2		1	
88	Endocarditis and myocarditis (acute)	W	54	3	1			2	1	1	1	4		8	12	5	5	7	4	
		C	66			2			4	2	3	6	10	8	20	6	3		1	1
89	Angina pectoris	W	90											5	7	19	22	25	11	1
		C	39							1			3	2	4	9	8	6	6	
90	Other diseases of the heart	W	1,279	4	1		1	3	5	4	9	13	17	19	68	156	234	389	354	2
		C	1,223	2			1		2	7	7	21	31	41	186	286	217	194	220	8
91a	Aneurysm	W	18										1		4	5	3	3	2	
		C	28										1	3	8	7	4	4	1	
91b,c	Other diseases of the arteries	W	130												1	3	10	41	75	
		C	102									1			1	4	9	31	56	
92	Embolism and thrombosis (not cerebral)	W	11									1			3	1	3	3		
		C	7								1			1	1	4				
93	Diseases of the veins	W	3									1				1	1			
		C	5	1										1		1			2	
94	Diseases of the lymphatic system	W	2									2								
		C	1									1								
95	Hemorrhage without specified cause	W	4								1	1	1					1		
		C	5	1							1		1	1					1	
96	Other diseases of the circulatory system	W	3													1		2		
		C	1												1					
	V.—Diseases of the respiratory system	White	978	252	84	36	16	10	20	17	18	29	26	33	69	73	71	105	117	2
		Colored	1,030	285	81	39	17	7	26	20	51	67	48	45	87	88	57	52	56	4
97a	Diseases of the nasal fossae	W	2	1														1		
		C	7	7																
97b	Diseases of the nasal fossae annexa	W	2		1									1						
		C	2											1	1					
98	Diseases of the larynx	W	7	3	2		1										1			
		C	2		1											1				
99a	Acute bronchitis	W	23	8	5	2				1				1		1	1	1	3	
		C	28	14	4	2			2		1	1				1	1		2	
99b	Chronic bronchitis	W	28	1	1										2		5	10	9	
		C	18	3	1	1					1			1	2	2	3	2	2	
99c,d	Bronchitis (unspecified)	W	22	6	5	1			1						1			2	6	
		C	19	10	2				1			1		1				1	3	
100a	Bronchopneumonia	W	374	161	42	18	7	6	9	4	2	3	4	2	16	12	16	33	39	
		C	356	149	56	18	9	4	10	9	7	17	7	7	17	15	11	13	7	
100b	Capillary bronchitis	W	6	2	1	2													1	
		C	12	6		2			1	1									1	1
101a	Lobar pneumonia	W	340	43	16	10	2	3	7	9	12	22	14	22	38	40	33	37	31	1
		C	420	65	11	12	6	2	11	8	33	31	35	27	52	55	30	23	19	
101b	Pneumonia (unspecified)	W	100	22	7		5		2	3	2	3	4	2	7	10	6	11	16	
		C	80	24	3	3	1				5	7	3	2	8	6	4	3	8	3
102	Pleurisy	W	30	2	2	2	1		1		1		1	3	3	5	3	3	2	1
		C	33	2	1	1			1	2	2	8	1	2	3	5	1	1	3	
103	Congestion and hemorrhagic infarct of the lung	W	14	2	1	1							1			1	1	2	5	
		C	12	4	1			1							1		2	3		
104	Gangrene of the lung	W	1											1						
		C	4								1		1	1			1			
105	Asthma	W	17					1				1	1		1	2	2	5	4	
		C	28	1	1							1		2	2	3	3	5	10	
106	Pulmonary emphysema	W	2	1															1	
		C	1															1		
107	Other diseases of the respiratory system (tuberculosis excepted)	W	10		1						1		1	1	1	2	3			
		C	8				1				1	1	1	1	1		1		1	
	VI.—Diseases of the digestive system	White	1,119	287	133	34	15	14	41	35	23	29	30	32	76	105	104	81	79	1
		Colored	866	273	83	32	12	8	16	21	27	24	39	29	67	99	53	42	39	2
108	Diseases of the mouth and annexa	W	9	4					1			1	1						2	
		C	4	2							1		1							
109a	Adenoid vegetations	W	1						1											
		C	1	1																
109b	Other diseases of the pharynx, tonsils	W	21	1	1	2		1	5	2	1		1	1	1		2		3	
		C	20	3	1	2			2	2	1			1	2	3		2	1	
111a	Ulcer of the stomach	W	40									2	3	1	3	13	5	8	5	
		C	20								1	1	1	2	4	4	3	3	1	
111b	Ulcer of the duodenum	W	9									1			1	3	4			
		C	4									1	2	1						
112	Other diseases of the stomach (cancer excepted)	W	88	23	6	3		2	3	1			2		8	4	5	16	15	
		C	120	25	1	2	2	3	3	1	2	5	4	5	12	26	15	6	8	
113	Diarrhea and enteritis (under 2 years)	W	362	242	120															
		C	298	224	74															

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	LOUISIANA—Continued																			
	VI.—Diseases of the digestive system—Continued																			
114	Diarrhea and enteritis (2 years and over)	W	90			23	12	6	6	3	1	2			2	5	7	7	15	1
		C	85			23	8	3	3	4	5	2	2	3	4	5	7	6	10	
116	Diseases due to other intestinal parasites	W	1			1														
		C	6	1	1	2	1	1												
117	Appendicitis and typhlitis	W	187			1	2	5	24	25	18	19	11	14	20	27	13	7	1	
		C	77	2					3	8	10	8	16	6	12	5	4	1	2	
118a	Hernia	W	41		1								1	1	4	9	8	10	7	
		C	20	1					1		1	1		1	2	8			5	
118b	Intestinal obstruction	W	58	15	3	2	1		1			1		7	4	5	8	2	9	
		C	61	11	5	2	1	1	1	1	1	2	4	5	8	9	4	2	3	1
119	Other diseases of the intestines	W	17	1							1	2			2	1	3	2	5	
		C	18								1		2	1	4	2	2	4	2	
120	Acute yellow atrophy of the liver	W	5									1	3			1				
		C	1												1					
122	Cirrhosis of the liver	W	93		1						1		1		10	19	32	19	10	
		C	70						2		1		2	2	9	23	13	14	4	
123	Biliary calculi	W	16												9	3	2	2		
		C	5										1		1	2	1			
124	Other diseases of the liver	W	61			1				2	1		4	6	9	13	10	8	7	
		C	38	3							2	3	3	1	4	11	3	4	3	1
125	Diseases of the pancreas	W	3										1				2			
126	Peritonitis without specified cause	W	17	1	1	1				2			2	2	3	2	3			
		C	18		1	1			1	5	1	1	1	1	4	1	1			
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	White	1,074	14	3	4	3	5	7	2	8	16	29	33	115	142	166	298	217	12
		Colored	975	8	2	5	2	1	4	4	18	26	34	52	132	198	151	168	164	6
128	Acute nephritis (including unspecified under 10 years)	W	96	7	1	2	2	5	3	2	1	8	6	6	16	16	8	8	3	2
		C	122	6	1	4	2	1	3	3	7	8	5	13	13	30	12	7	7	
129	Chronic nephritis (including unspecified 10 years and over)	W	845			1	1		2		6	6	19	19	73	109	143	263	193	10
		C	693		1	1				1	7	8	13	22	88	143	129	137	137	6
131	Other diseases of the kidneys and annexa	W	40	7	2	1			1		1		2	1	7	4	3	7	4	
		C	19	2					1			2	1	2	3	1		2	5	
132	Calculi of the urinary passages	W	6												1		2	2	1	
		C	2													1	1			
133	Diseases of the bladder	W	11						1						1			2	7	
		C	8													3			5	
134	Diseases of the urethra, etc	W	3														3			
		C	17									1	3	1	6	3		3		
135	Diseases of the prostate	W	31													3	7	14	7	
		C	37									1	1			2	6	17	10	
136	Nonvenereal diseases of the male genital organs	C	2												1			1		
137	Cysts, other benign tumors of the ovary	W	8										1	1	2	2			2	
		C	8									3		1	2	2				
138	Salpingitis and pelvic abscess (female)	W	15									1	1	4	8	1				
		C	24								4	1	5	8	6					
139	Benign tumors of the uterus	W	11											2	5	4				
		C	29										6	4	8	7	3	1		
140	Nonpuerperal uterine hemorrhage	W	1													1				
		C	1											1						
141	Other diseases of the female genital organs	W	6									1			1	2		2		
		C	13									2			5	6				
142	Nonpuerperal diseases of the breast cancer excepted)	W	1												1					
	VIII.—The puerperal state	White	225							1	29	40	42	48	61	4				
		Colored	227								47	53	38	33	50	3				3
143	Accidents of pregnancy	W	34								3	5	6	11	9					
		C	15								2	5	1	3	3					1
144	Puerperal hemorrhage	W	25								1	5	4	2	12	1				
		C	13								1	2	4	1	5					
145	Other accidents of labor	W	31								4	2	8	6	11					
		C	18								2	4	2	4	5					1
146	Puerperal septicemia	W	59							1	5	13	10	11	17	2				
		C	76								15	18	14	12	17					
147	Puerperal phlegmasia alba dolens, embolus, etc	C	3									1	2							
148	Puerperal albuminuria and convulsions	W	72								16	14	13	17	11	1				
		C	101								27	23	15	12	20	3				1
149	Following childbirth (undefined)	W	4									1	1	1	1					
		C	1											1						
	IX.—Diseases of the skin and of the cellular tissue	White	42	5					2	1	5	3	3	3	3	3	5	4	5	
		Colored	29	2		1					1			1	1	7	4	3	9	
151	Gangrene	W	6													1	1	2	2	
		C	17								1				1	2	3	2	8	
152	Furuncle	W	14	1					1		1	1	1	2	1		2	1	3	
		C	3											1		1		1		
153	Acute abscess	W	9						1		2	2		1	2		1			
		C	6	1		1										4				
154	Other diseasesof the skin and annexa	W	13	4						1	2		2			2	1	1		
		C	3	1													1		1	
	X.—Diseases of the bones and of the organs of locomotion	White	21	1		2		1	6	2	2	1			1		3	1	1	
		Colored	7				1		1	1		1			1	1	1			
155	Diseases of the bones (tuberculosis excepted)	W	17	1		2		1	6	1	2				1		2	1		
		C	5				1		1	1					1		1			
156	Diseases of the joints (tuberculosis and rheumatism excepted)	W	4							1		1					1		1	
		C	1									1								
158	Other diseases of the organs of locomotion	C	1													1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	LOUISIANA—Continued																			
	XI.—Malformations	White	155	139	7	1		1		5	1				1					
		Colored	91	84	1				2	1	1	2								
159a	Congenital hydrocephalus	W	12	6	3			1		2										
		C	10	7					2	1										
159b	Congenital malformations of the heart	W	93	86	4					2	1									
		C	68	66								2								
159c	Other congenital malformations	W	50	47		1				1					1					
		C	13	11	1						1									
	XII.—Early infancy	White	537	537																
		Colored	385	385																
160	Congenital debility, icterus, sclerema	W	64	64																
		C	109	109																
161a	Premature birth	W	359	359																
		C	211	211																
161b	Injury at birth	W	77	77																
		C	22	22																
162	Other diseases peculiar to early infancy	W	37	37																
		C	38	38																
163	Lack of care	C	5	5																
164	XIII.—Old age (senility)	White	213														2	34	177	
		Colored	263														1	25	235	2
	XIV.—External causes	White	953	21	25	27	11	14	44	48	69	106	77	72	138	106	68	59	61	7
		Colored	794	29	23	27	8	11	28	39	101	101	92	71	122	57	25	26	27	7
	Suicide	W	89							1	2	9	10	8	19	23	5	10	1	1
		C	19								1	3	1	2	7	2	1	1	1	
165	By poisons (gas excepted)	W	15							1	1	1	1	1	2	1	3	4		
166		C	4									1		2				1		
167	By poisonous gas	W	3													3				
168	By hanging or strangulation	W	6											1	3	1			1	
169	By drowning	W	1															1		
		C	3												1		1		1	
170	By firearms	W	60								1	8	8	5	13	17	2	5		1
		C	7								1	1	1		3	1				
171	By cutting or piercing instruments	W	4										1	1	1	1				
		C	2												1	1				
172	By jumping from high places	C	2												2					
173	By crushing	C	1									1								
	Homicide	W	95							2	5	14	10	16	24	20	2	1	1	
		C	242			1			1	3	28	48	43	31	54	23	6	2		2
197	By firearms	W	76							1	4	11	8	14	19	16	1	1	1	
		C	185			1				1	16	32	34	29	48	18	3	1		2
198	By cutting or piercing instruments	W	8							1		1	1	2	1	1	1			
		C	38						1	1	8	12	6	1	2	4	2	1		
199	By other means	W	11								1	2	1		4	3				
		C	19							1	4	4	3	1	4	1	1			
	Accidental or undefined	W	769	21	25	27	11	14	44	45	62	83	57	48	95	63	61	48	59	6
		C	533	29	23	26	8	11	27	36	72	50	48	38	61	32	18	23	26	5
175	Poisoning by food	W	21	2	2	3			1		1		1		3	4		2	2	
		C	10						1					1	2	3	2	1		
176	Poisoning by venomous animals	W	4	2							1					1				
177	Other acute poisonings (gas excepted)	W	21		5	3	1		1			2	1		4	4				
		C	31	3	8	10		1	2		1	2	1		2	1				
178	Conflagration	W	11			1			2		3		1		2	1				1
		C	7						1		1	2			1			1	1	
179	Burns (conflagration excepted)	W	78	3	8	10	6	9	10		4	5	2	1	6	1	7	3	3	
		C	74	3	6	12	5	6	9	3	1	1	4	2	2	4	1	5	10	
180	Mechanical suffocation	W	6	4						1							1			
		C	13	10		1									1			1		
181	Absorption of irrespirable, irritating, or poisonous gas	W	12											1	1	1	4	1	4	
		C	3						1				2							
182	Drowning	W	102	1	3	1	2		7	14	14	17	11	3	13	5	5	4		2
		C	81		1				5	13	22	16	3	5	5	4	2	2	1	2
183	Traumatism by firearms (except in war)	W	38					1	3	5	12	5	1		4	3	2	1	1	
		C	47			2		1	2	8	12	3	6	5	5		1	1		1
184	Traumatism by cutting or piercing instruments	W	6			1			1	2					1		1			
		C	5		1								1			1	1		1	
185	Traumatism by fall	W	102	4	2	4			4		1	6	5	4	10	5	12	10	34	1
		C	39	5	4		1	1		4	2	1	2	1	4	3	2	3	6	
187	Traumatism by machines	W	37								5	5	4	4	12	5	1	1		
		C	21						1		4	3	2	6	4	1				
188a	Railroad accidents	W	63						1	2	2	10	7	11	11	6	6	3	2	2
		C	45					1			7	7	7	5	10	1	2	2	2	1
188b	Street-car accidents	W	11							1			1	2	2	2	1	1	1	
		C	2				1						1							
188c	Automobile accidents	W	122	1		3	1	3	6	9	8	19	11	12	9	8	9	16	7	
		C	36						2	5	6	4	5	3	7	1		2	1	
188e, 188f	Injuries by other vehicles	W	16					1	2	1	2		1	1	3	2	1	1	1	
		C	8						1						2	1	1	2	1	
188g	Landslide, other crushing	W	4									1	1		1	1				
		C	7								2	3	1			1				
189	Injuries by animals (not poisoning)	W	5								1					2		2		
		C	2								1	1								
193	Excessive cold	C	5	1								1		1			1	1		
194	Excessive heat	W	1													1				
		C	8										2	3	2	1				
195	Lightning	W	20						3	1	3	3	2	2	1	1	3	1		
		C	9								3	1			2	1	1		1	
196	Other accidental electric shocks	W	15							3		4	3	2	3					
		C	1									1								
201	Fracture (cause not specified)	W	8									1		1	1	1	1	1	2	
		C	9							2	1		2		1			1	2	
202	Other external violence	W	66	4	5	1	1		3	6	5	5	5	4	8	9	7	1	2	
		C	70	7	3	1	1	1	2	1	9	4	9	6	11	9	4	1		1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	LOUISIANA—Continued																		
	XV.—Ill-defined diseases. White	264	119	4	4	2	1	8	1	2	2	5	7	10	14	16	37	28	4
	XV.—Ill-defined diseases. Colored	477	209	21	12	3	1	6	2	7	12	10	8	36	38	14	45	48	5
204	Sudden death. W	28	7					3					1	1	2	2	7	5	
204	Sudden death. C	41	19	1	1						1	1	1	1	5	1	6	4	
205a	Ill-defined. W	63	9	1		1		2	1		1	2	1	2	8	7	13	13	2
205a	Ill-defined. C	113	20	10	3	2	1	1	1	3	4	2	1	16	15	2	14	18	
205b	Not specified or unknown. W	173	103	3	4	1	1	3		2	1	3	5	7	4	7	17	10	2
205b	Not specified or unknown. C	323	170	10	8	1		5	1	4	7	7	6	19	18	11	25	26	5
	MAINE																		
	All causes	11,665	1,557	244	86	62	51	145	118	181	239	229	242	667	957	1,420	2,355	3,111	1
	I.—Epidemic, endemic, and infectious diseases	1,542	204	101	33	24	22	50	29	60	101	87	87	183	136	132	131	162	
1	Typhoid and paratyphoid fever	52	1					5	1	6	7	3	4	9	8	5	3		
5	Malaria	1																1	
6	Smallpox	3							1						1			1	
7	Measles	58	20	21	6		1	3	2	1		1			2	1			
8	Scarlet fever	16			1	1	1	4	1		1	1	2	3			1		
9	Whooping cough	131	77	36	8	5	1	3	1										
10	Diphtheria	58	5	3	7	8	9	15	3		1	3	1	1	1	1			
11a	Influenza (with pulmonary complications)	276	28	15	4	4	4	3		5	5	5	11	19	23	38	55	57	
11b	Influenza (other and unspecified)	208	41	15	4	1	1	4	1	3	1	4	6	15	7	11	20	74	
15	Cholera nostras	5	3															2	
16	Dysentery	6	4						2										
21	Erysipelas	19	4												4	4	4	3	
22	Acute anterior poliomyelitis	7	2	1	1				1	1	1								
23	Lethargic encephalitis	5					1				1			1	1	1			
24	Meningococcus meningitis	6	1			2		1	1		1								
25	Other epidemic and endemic diseases	5	3	1											1				
29	Tetanus	6					1	1	1			1			2				
	Tuberculosis (all forms)	627	9	8	2	3	3	10	14	44	80	67	60	123	73	65	45	21	
31	Of the respiratory system	507	2		2	2		4	9	34	65	63	53	101	62	54	35	21	
32	Of the meninges, central nervous system	40	6	7		1	2	5	1	5	7		3	2			1		
33	Of the intestines, peritoneum	33	1	1			1	1			2	1	1	8	8	6	3		
34	Of the vertebral column	18							2	2	3	1		4	2	2	2		
35	Of the joints	4								2			1				1		
36	Of other organs	16							1	1	2		2	5	1	1	3		
37a	Disseminated (acute)	4							1					2		1			
37b	Disseminated (chronic or unspecified)	5									1	2		1		1			
38	Syphilis	38	6					1			1	2	1	10	9	4	3	1	
40	Gonococcus infection	5									1			1	3				
41	Purulent infection, septicemia	10		1							1		2	1	1	2		2	
	II.—General diseases not included in Class I	1,376	24	6	3	1	2	9	10	8	8	7	17	78	208	297	412	286	
	Cancer an other malignant tumors	995	1	3	1			1	1	4	3	3	11	44	154	214	319	236	
43	Of the buccal cavity	33													2	9	11	11	
44	Of the stomach, liver	389		3									4	14	58	70	143	97	
45	Of the peritoneum, intestines, rectum	153							1					7	16	36	54	39	
46	Of the female genital organs	146								1	2	2	7	15	37	36	31	15	
47	Of the breast	87												2	17	23	27	18	
48	Of the skin	35													2	9	5	19	
49	Of other or unspecified organs	152	1		1			1		3	1	1		6	22	31	48	37	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	5												2	1			2	
51	Acute rheumatic fever	20				1		4	4		1			2			5	3	
52	Chronic rheumatism, osteoarthritis, gout	15									1				2	3	3	6	
54	Pellagra	5														4	1		
56	Rickets	7	5	1						1									
57	Diabetes mellitus	175	1				1	2	3	2	1	3	3	11	23	39	59	27	
58	Anemia, chlorosis	68			1			1						5	12	28	13	8	
59	Diseases of the pituitary gland	1												1					
60a	Exophthalmic goiter	7													3	2	2		
60b	Other diseases of the thyroid gland	6												2	1		3		
62	Diseases of the thymus gland	4	3	1															
63	Diseases of the adrenals (Addison's disease)	10							1				1	2	3	1	1	1	
65a	Leukemia	8			1					1					3	2	1		
65b	Hodgkin's disease	8									2			2		2	2		
66	Alcoholism (acute or chronic)	13											1	3	6	2	1		
67a	Chronic lead poisoning	3										1	1	1					
68	Chronic poisoning by organic substances	2												1				1	
69	Other general diseases	24	14	1			1	1	1					2			2	2	
	III.—Diseases of the nervous system and of the organs of special sense	1,549	35	11	5	2		9	7	9	8	12	12	60	112	240	449	578	
70	Encephalitis	2										1						1	
71a	Simple meningitis	35	13	2	1	1		4	1	1	1	3	1	1	2	1	2	1	
71b	Nonepidemic cerebrospinal meningitis	8	2	2	1			2					1						
72	Tabes dorsalis (locomotor ataxia)	20												2	5	5	8		
73	Other diseases of the spinal cord	35				1					1		2	5	6	5	12	3	
74a	Cerebral hemorrhage	1,171	2		1					1	1	1	1	22	67	196	371	508	
74b	Cerebral embolism and thrombosis	35												1	3	3	15	13	
75	Paralysis without specified cause	45		1					1					2		7	13	21	
76	General paralysis of the insane	41											1	14	13	6	5	2	
77	Other forms of mental alienation	18									1	2	1	2	5		5	2	
78	Epilepsy	34	2							7	4	3	1	5	6	1	4	1	
79	Convulsions (nonpuerperal; 5 years and over)	2						1										1	
80	Infantile convulsions (under 5 years)	17	12	3	2														
81	Chorea	1												1					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MAINE—Continued																		
	III.—Diseases of the nervous system and of the organs of special sense—Continued																		
82	Neuralgia and neuritis	2												1		1			
83	Softening of the brain	8														2	1	5	
84	Other diseases of the nervous system	47							1			1	2	2	3	9	13	16	
86a	Diseases of the ear	19	3	3				2	3			1	1	1		3		2	
86b	Diseases of the mastoid process	9	1						1				1	1	2	1		2	
	IV.—Diseases of the circulatory system	2,174	11					4	3	10	8	12	13	50	135	320	663	944	1
87	Pericarditis	12	1												1	2	4	4	
88	Endocarditis and myocarditis (acute)	26	4					2		2	1		1	5	2	1	4	4	
89	Angina pectoris	205										1		3	19	51	76	54	1
90	Other diseases of the heart	1,525	6					1	2	7	6	10	11	41	106	234	469	632	
91a	Aneurysm	4														3		1	
91b,c	Other diseases of the arteries	381										1			5	27	106	242	
92	Embolism and thrombosis (not cerebral)	11								1	1			1			2	6	
93	Diseases of the veins	8							1				1		1	2	2	1	
95	Hemorrhage without specified cause	1						1											
96	Other diseases of the circulatory system	1													1				
	V.—Diseases of the respiratory system	1,209	211	81	19	10	6	6	8	20	20	17	12	57	86	126	214	316	
97b	Diseases of the nasal fossae annexa	2								1							1		
98	Diseases of the larynx	5	3										1			1			
99a	Acute bronchitis	49	14	2	2	1									1	1	4	24	
99b	Chronic bronchitis	28													2	2	7	17	
99c,d	Bronchitis (unspecified)	47	13	3	1	1											6	23	
100a	Bronchopneumonia	445	121	46	9	5	3	1	3	4	5	1	2	12	21	26	76	110	
100b	Capillary bronchitis	15	7	3											2			3	
101a	Lobar pneumonia	452	31	14	4	3	1	4	5	10	12	16	9	40	52	84	89	78	
101b	Pneumonia (unspecified)	106	17	11	2		1	1		3	2			2	5	7	19	36	
102	Pleurisy	11								1	1			1	2	2	1	3	
103	Congestion and hemorrhagic infarct of the lung	26	5														5	16	
104	Gangrene of the lung	3					1			1							1		
105	Asthma	14		2										1	1	2	4	4	
106	Pulmonary emphysema	1															1		
107	Other diseases of the respiratory system (tuberculosis excepted)	5			1									1		1		2	
	VI.—Diseases of the digestive system	769	217	25	10	8	6	30	19	13	19	16	9	61	85	76	75	100	
108	Diseases of the mouth and annexa	12	1							1	1			2	2		1	4	
109b	Other diseases of the pharynx, tonsils	23	2		1			2	3		3	1	2	2	1	2	2	2	
110	Diseases of the esophagus	2														1	1		
111a	Ulcer of the stomach	33									1	2	1	3	13	3	7	3	
111b	Ulcer of the duodenum	9										2		4	2	1			
112	Other diseases of the stomach (cancer excepted)	84	27	2	1			4			1			4	7	7	6	25	
113	Diarrhea and enteritis (under 2 years)	189	174	15															
114	Diarrhea and enteritis (2 years and over)	33			4	2	1	1	2		1			2	4	4	6	6	
116	Diseases due to other intestinal parasites	2	1												1				
117	Appendicitis and typhlitis	141		3	4	4	5	21	13	11	4	7	3	24	20	15	6	1	
118a	Hernia	27	2											2	4	5	6	8	
118b	Intestinal obstruction	52	8	4				1	1	1	3			3	4	6	10	11	
119	Other diseases of the intestines	13				1								1	1	3	1	6	
120	Acute yellow atrophy of the liver	2													1			1	
122	Cirrhosis of the liver	47									1			4	5	11	10	16	
123	Biliary calculi	49									1	3		3	13	9	11	9	
124	Other diseases of the liver	27	1									1	1	4	4	5	5	6	
125	Diseases of the pancreas	7									1		1	1	1	1	1	1	
126	Peritonitis without specified cause	17	1	1		1		1			2		1	2	2	3	2	1	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	949	3	1	2	1	1	3	2	4	7	12	20	42	106	135	280	330	
128	Acute nephritis (including unspecified under 10 years)	42	2	1	2		1	2	1	1	2	2	1	3	5	7	4	8	
129	Chronic nephritis (including unspecified 10 years and over)	767							1	3	2	4	9	21	80	113	259	275	
131	Other diseases of the kidneys and annexa	16	1			1						1	1		2	1	5	4	
132	Calculi of the urinary passages	7						1					2	3		1			
133	Diseases of the bladder	11													1		1	9	
134	Diseases of the urethra, etc	2										1		1					
135	Diseases of the prostate	46													1	6	9	30	
137	Cysts, other benign tumors of the ovary	11										1		2	4	1		3	
138	Salpingitis and pelvic abscess (female)	11									3	2	2	1	1	2			
139	Benign tumors of the uterus	27											1	9	12	2	2	1	
141	Other diseases of the female genital organs	8										1	4	2		1			
142	Nonpuerperal diseases of the breast (cancer excepted)	1														1			
	VIII.—The puerperal state	153								15	29	30	27	50	2				
143	Accidents of pregnancy	22								2	5	4	3	8					
144	Puerperal hemorrhage	17									2	6	3	6					
145	Other accidents of labor	19								2	2	3	5	7					
146	Puerperal septicemia	31								4	7	6	5	9					
147	Puerperal phlegmasia alba dolens, embolus, etc	16								1	3	2	2	7	1				
148	Puerperal albuminuria and convulsions	45								5	9	9	9	12	1				
149	Following childbirth (undefined)	3								1	1			1					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MAINE—Continued																		
	IX.—Diseases of the skin and of the cellular tissue	40	4						2			1		1	2	3	13	14	
151	Gangrene	28							1			1		1	1	1	9	14	
152	Furuncle	3														2	1		
153	Acute abscess	3	1						1								1		
154	Other diseases of the skin and annexa	6	3												1		2		
	X.—Diseases of the bones and of the organs of locomotion	7				1		1						1	1	3			
155	Diseases of the bones (tuberculosis excepted)	6				1		1						1	1	2			
156	Diseases of the joints (tuberculosis and rheumatism excepted)	1														1			
	XI.—Malformations	127	112	6	2			4	1	1			1						
159a	Congenital hydrocephalus	15	12	2				1											
159b	Congenital malformations of the heart	70	60	3	2			2	1	1			1						
159c	Other congenital malformations	42	40	1				1											
	XII.—Early infancy	678	678																
160	Congenital debility, icterus, sclerema	138	138																
161a	Premature birth	404	404																
161b	Injury at birth	80	80																
162	Other diseases peculiar to early infancy	53	53																
163	Lack of care	3	3																
164	XIII.—Old age (senility)	288															22	266	
	XIV.—External causes	690	15	10	10	14	14	28	35	41	37	34	41	74	79	79	78	101	
	Suicide	96								1	4	7	8	15	12	24	19	6	
165, 166	By poisons (gas excepted)	8									1	1		1	1	3		1	
167	By poisonous gas	4											1	1	1	1			
168	By hanging or strangulation	15										1	1	4	2	4	2	1	
169	By drowning	14									1		1	1	2	2	6	1	
170	By firearms	46								1	2	5	4	3	5	12	11	3	
171	By cutting or piercing instruments	7											1	3	1	2			
172	By jumping from high places	1												1					
174	By other means	1												1					
	Homicide	13								4			2	2	3	1	1		
197	By firearms	7								3			1		2		1		
198	By cutting or piercing instruments	2								1						1			
199	By other means	4											1	2	1				
	Accidental or undefined	581	15	10	10	14	14	28	35	36	33	27	31	57	64	54	58	95	
175	Poisoning by food	12	3	1								1	1	2	1	3			
177	Other acute poisonings (gas excepted)	11	1	1	2		1	1						2	2	1			
178	Conflagration	14	1		1	2	2				1		1	2	2	1	1		
179	Burns (conflagration excepted)	33	2	2	2	5	1	5	2					3	3	3	2	3	
180	Mechanical suffocation	7	5							1				1					
181	Absorption of irrespirable, irritating, or poisonous gas	6									1	1		1		1	2		
182	Drowning	78		3	2	1	1	7	15	11	6	2	7	11	9	2	1		
183	Traumatism by firearms (except in war)	25						3	3	5	2	6	4		1		1		
184	Traumatism by cutting or piercing instruments	9			1									3	2		2	1	
185	Traumatism by fall	142	1	1	2	1			1	2		1	4	9	10	15	20	75	
186b	Traumatism in quarries	2										1				1			
187	Traumatism by machines	21							2	2	3	1	4	3	4		2		
188a	Railroad accidents	33								5	3	3	4	5	5	5	3		
188b	Street-car accidents	12					1			1	1	2	1		2		2	2	
188c	Automobile accidents	91				4	4	11	7	8	12	4	2	8	12	6	9	4	
188e,f	Injuries by other vehicles	19					4		1	1		1		1	2	3	4	2	
188g	Landslide, other crushing	3											1		1	1			
189	Injuries by animals (not poisoning)	6						1							2	2	1		
193	Excessive cold	5										2				2		1	
194	Excessive heat	3												1			1	1	
196	Other accidental electric shocks	7									2	1	1	2		1			
201	Fracture (cause not specified)	2														1		1	
202	Other external violence	40	2	2		1			4		2	1	1	3	6	6	7	5	
	XV.—Ill-defined diseases	114	43	3	2	1		1	2		2	1	3	10	5	9	18	14	
204	Sudden death	30	8											3	2	4	8	5	
205a	Ill-defined	27	5	3	1	1			1					2	2	3	6	3	
205b	Not specified or unknown	57	30		1			1	1		2	1	3	5	1	2	4	6	
	MARYLAND																		
	All causes—White	16,766	2,212	436	218	120	84	273	218	327	423	424	518	1,191	1,722	2,486	3,087	3,011	16
	All causes—Colored	5,345	1,068	225	81	46	23	80	90	206	262	236	235	634	705	601	451	376	26
	I.—Epidemic, endemic, and infectious diseases—White	2,375	230	137	94	61	27	96	59	104	169	157	165	290	262	232	180	111	1
	I.—Epidemic, endemic, and infectious diseases—Colored	1,349	189	69	31	24	8	27	47	117	150	124	105	207	134	71	24	19	3
1	Typhoid and paratyphoid fever—W	65					1	4	8	12	8	4	5	9	9	4			1
	Typhoid and paratyphoid fever—C	35				1		4	6	3	8	6	1	3	3				
5	Malaria—W	4													1	1		2	
7	Measles—W	127	32	39	19	12	2	11	3	1	1		2	3	2				
	Measles—C	28	14	2	2	1	2	2	2	1				1	1				
8	Scarlet fever—W	47	2	8	8	3	4	8	4	2	1	2	3	1	1				
	Scarlet fever—C	3						1	1					1					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MARYLAND—Continued																			
	I.—Epidemic, endemic, and infectious diseases—Continued																			
9	Whooping cough	W	127	76	27	10	5	1	7									1		
		C	137	86	30	11	5		5											
10	Diphtheria	W	139	11	17	21	25	12	30	14	2		1	1	2	3				
		C	17	6	1		1	1	1	1		1		1	3			1		
11a	Influenza (with pulmonary complications)	W	323	41	14	14	7		8	3	5	8	6	10	29	27	46	64	41	
		C	135	20	10	4	6	1	2		9	5	7	6	18	19	11	11	5	1
11b	Influenza (other and unspecified)	W	122	11	1	3	1	3	3	4	1	3	3	1	11	12	10	22	33	
		C	60	10	5	1	1		1		1	2	3	2	5	9	8	5	7	
13	Mumps	W	1						1											
16	Dysentery	W	61	22	10	10		1	1						1	2	1	5	8	
		C	14	7	2			1									4			
21	Erysipelas	W	36	5	3						1		3	1	1	4	10	6	2	
		C	4		1									1	1		1			
22	Acute anterior poliomyelitis	W	4		1	1			1					1						
		C	3				1		2											
23	Lethargic encephalitis	W	41						5	2	4	2	3	2	9	5	7	1	1	
		C	5		2							1			2					
24	Meningococcus meningitis	W	11	1	1	3	1			2					1			2		
		C	3	1						2										
25	Other epidemic and endemic diseases	W	3	3																
		C	2	1		1														
27	Anthrax	W	1												1					
29	Tetanus	W	16	1		1			4	1	1	2		1	4				1	
		C	10	2	1				1	3	1						1		1	
30	Mycoses	W	2	1												1				
		C	2	1												1				
	Tuberculosis (all forms)	W	1,152	15	15	4	7	2	11	17	71	140	130	130	209	176	136	71	18	
		C	730	17	14	11	8	3	7	32	100	124	93	76	127	70	36	6	4	2
31	Of the respiratory system	W	1,035	3	1	1	1		7	11	62	134	127	123	198	162	126	64	15	
		C	633	9	6	3	3	2	4	27	89	114	89	67	113	67	31	4	3	2
32	Of the meninges, central nervous system	W	45	12	10	2	5	2	4		4	2	1	1	1				1	
		C	16	2	1	3	1	1	1		1	2	1	1	1	1				
33	Of the intestines, peritoneum	W	25		1					2	1	1	1	1	5	7	2	3	1	
		C	31		1	1			2	3	5	6	2	3	4	1	2	1		
34	Of the vertebral column	W	14				1			1	1		1	2		4	2	2		
		C	8			1	1			1				2	2	1				
35	Of the joints	W	3		1	1											1			
		C	3								1			1			1			
36	Of other organs	W	13							1	2			2	2		3	2	1	
		C	4										1		1		1		1	
37a	Disseminated (acute)	W	14		2					2	1	3			2	2	2			
		C	32	6	5	3	2			1	4	1		2	6		1	1		
37b	Disseminated (chronic or unspecified)	W	3											1	1	1				
		C	3		1		1					1								
38	Syphilis	W	69	8	1					1	2	1	5	3	5	17	15	8	3	
		C	143	24	1	1			1		1	4	12	17	43	27	9	1	2	
40	Gonococcus infection	W	6									3		1	1	1				
		C	16								1	5	3	1	2	3	1			
41	Purulent infection, septicemia	W	18	1				1	2		2			4	2	2	2		2	
		C	2												1	1				
	II.—General diseases not included in Class I	White	2,018	26	9	6	3	4	20	15	20	25	30	45	176	337	532	520	248	2
		Colored	303	5	2		1		1	4	6	8	5	16	63	79	59	31	23	
	Cancer and other malignant tumors	W	1,420	3	1	2	1	2	2	3	6	8	11	21	122	236	403	391	207	1
		C	210				1					4	4	8	37	63	49	26	18	
43	Of the buccal cavity	W	41				1		1					1	2	4	13	13	6	
		C	11												1	4	4		2	
44	Of the stomach, liver	W	565					1				2		5	28	83	168	191	86	1
		C	79									1	2	1	12	27	19	10	7	
45	Of the peritoneum, intestines, rectum	W	181								1	1	4	3	15	24	52	47	34	
		C	23										1		6	7	2	5	2	
46	Of the female genital organs	W	184							1	1	1	2	2	33	48	51	33	12	
		C	44										1	4	13	10	10	4	2	
47	Of the breast	W	127									1		2	21	28	40	22	13	
		C	22											1	3	6	7	4	1	
48	Of the skin	W	39								1	1	1	1	2	3	6	7	17	
		C	5									1					4			
49	Of other or unspecified organs	W	283	3	1	2		1	1	2	3	2	4	7	21	46	73	78	39	
		C	26				1					2		2	2	9	3	3	4	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	W	9												1	1	4	3		
		C	2						1									1		
51	Acute rheumatic fever	W	46	1	1			1	8	3	4	3	1	3	4	3	6	3	5	
		C	25	1						3	4	2		2	6	3	3	1		
52	Chronic rheumatism, osteoarthritis, gout	W	14											1	1	3	1	4	4	
		C	3												1	1			1	
53	Scurvy	W	2	2																
		C	1	1																
54	Pellagra	W	5										1			4				
		C	1													1				
56	Rickets	W	4	3	1															
		C	3	1	1					1										
57	Diabetes mellitus	W	271		1				2	5	2	4	4	5	10	40	74	98	26	
		C	25								1		1	2	5	6	3	3	4	
58	Anemia, chlorosis	W	55			2				1	1	1	1	5	4	14	12	12	2	
		C	2		1												1			
60a	Exophthalmic goiter	W	35								3	4	5	3	5	7	6	2		
		C	2												2					
60b	Other diseases of the thyroid gland	W	11										1		2	4	3	1		
		C	3												2		1			
61	Diseases of the parathyroid glands	W	3	1	2															
62	Diseases of the thymus gland	W	10	9					1											
		C	1	1																
63	Diseases of the adrenals (Addison's disease)	W	7									1	1		2	3				
64	Diseases of the spleen	W	1						1											

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MARYLAND—Continued																			
	II.—General diseases not included in Class I—Continued																			
65a	Leukemia	W	29		2	2	2		4	3	3	2	1			2	7	1		
		C	4	1							1	1		1						
65b	Hodgkin's disease	W	12						1				1		4	1	4		1	
66	Alcoholism (acute or chronic)	W	66									2	3	5	18	19	12	5	1	1
		C	20									1		3	10	4	2			
67a	Chronic lead poisoning	W	1												1					
67b	Other chronic mineral poisoning	C	1													1				
68	Chronic poisoning by organic substances	W	1								1									
69	Other general diseases	W	16	7	1			1	1					2	2				2	
	III.—Diseases of the nervous system and of the organs of special sense	White	1,966	48	11	6	8	2	11	21	17	12	15	27	104	187	381	560	553	3
		Colored	501	25	5	1	1		4	1	5	5	10	11	48	112	105	95	71	2
70	Encephalitis	W	17	1	1	1	1		1	1		1	1	1	2	2	2	1	1	
		C	4						2					1		1				
71a	Simple meningitis	W	37	11	2	1	3	1	4	2	1	1	2		1	3	3	2		
		C	9	5	1						1	1		1						
71b	Nonepidemic cerebrospinal meningitis	W	7	3	1					1	1				1					
		C	3		1				1	1										
72	Tabes dorsalis (locomotor ataxia)	W	19												3	2	8	3	3	
		C	7												2	3	1	1		
73	Other diseases of the spinal cord	W	35								1		1	1	1	5	5	10	11	
		C	7												2	3	2			
74a	Cerebral hemorrhage	W	1,388	2	1							2	1	5	43	122	301	448	460	3
		C	362								1	1	2	6	33	88	87	77	66	1
74b	Cerebral embolism and thrombosis	W	39										1		2	1	10	15	10	
		C	10									1			1	3	3	2		
75	Paralysis without specified cause	W	117									1			1	6	18	45	46	
		C	24											1	2	4	3	10	4	
76	General paralysis of the insane	W	89										3	10	30	24	10	9	3	
		C	22										4		6	5	4	1	1	1
77	Other forms of mental alienation	W	4									1				1	1		1	
		C	5								1		1	1				2		
78	Epilepsy	W	40	1			1			6	6	2		7	5	3	4	4	1	
		C	15						1		2	2	2		1	5	1	1		
79	Convulsions (nonpuerperal; 5 years and over)	W	3						1		2									
80	Infantile convulsions (under 5 years)	W	24	19	2	2	1													
		C	23	20	2	1														
81	Chorea	W	1							1										
82	Neuralgia and neuritis	W	8									1			1	1	1	3	1	
		C	1										1							
83	Softening of the brain	W	13														2	4	7	
		C	1														1			
84	Other diseases of the nervous system	W	87	5	2		1	1	2	3	5	1	3	2	12	16	10	15	9	
		C	4											1	1		2			
86a	Diseases of the ear	W	27	5					2	7	1	1	3	1		1	4	1		
		C	2				1										1			
86b	Diseases of the mastoid process	W	11	1	2	1	1		1			1			2		2			
		C	2		1													1		
	IV.—Diseases of the circulatory system	White	2,847	11	5	3	2	3	14	23	33	22	20	48	124	280	531	803	923	2
		Colored	695	12	1	1		1	6	9	9	13	6	16	76	147	154	134	105	5
87	Pericarditis	W	5						1			1				1	2			
		C	2								1							1		
88	Endocarditis and myocarditis (acute)	W	55	3					1	2	5	3	4	4	11	8	1	6	7	
		C	23	2		1				3				3	11	1	1		1	
89	Angina pectoris	W	174											2	11	28	55	45	33	
		C	23									1			4	3	6	3	5	1
90	Other diseases of the heart	W	2,307	7	4	3	2	3	12	20	27	18	15	40	99	231	436	677	712	1
		C	584	10	1			1	6	6	8	12	4	13	58	137	131	114	80	3
91a	Aneurysm	W	14													4	3	2	5	
		C	4										1		1	1	1			
91b,c	Other diseases of the arteries	W	262													5	26	65	165	1
		C	57										1		1	4	15	16	19	1
92	Embolism and thrombosis (not cerebral)	W	15	1						1	1				1	1	5	4	1	
		C	1													1				
93	Diseases of the veins	W	11										1	2	1	2	2	3		
94	Diseases of the lymphatic system	W	2		1												1			
		C	1												1					
95	Hemorrhage without specified cause	W	1												1					
96	Other diseases of the circulatory system	W	1															1		
	V.—Diseases of the respiratory system	White	1,918	387	150	55	15	10	27	23	27	29	32	45	121	153	208	296	340	
		Colored	786	223	87	32	11	4	12	10	15	27	23	34	74	71	62	45	53	3
97a	Diseases of the nasal fossae	W	3	1														1	1	
		C	4	4																
97b	Diseases of the nasal fossae annexa	W	6	1						1	2				1	1				
		C	1				1													
98	Diseases of the larynx	W	6		1	2	1		1									1		
		C	5	4											1					
99a	Acute bronchitis	W	73	28	1	3				1	2				1		5	13	19	
		C	31	13	7	2	1				1	1			2			2	2	
99b	Chronic bronchitis	W	71	1	1			1		1			1		1	7	9	18	31	
		C	12	1							1			1		2	1	2	4	
99c,d	Bronchitis (unspecified)	W	31	4	1	1	1								1	1		7	15	
		C	17	10		1	1							1		1	2		1	
100a	Bronchopneumonia	W	890	274	101	32	9	5	12	7	3	5	6	11	36	44	70	121	154	
		C	376	151	68	20	6	4	6	4	4	7	5	8	12	14	19	23	23	2
100b	Capillary bronchitis	W	19	15	3													1		
		C	13	9	3										1					
101a	Lobar pneumonia	W	695	48	33	15	4	4	10	10	15	19	23	28	77	89	112	116	92	
		C	280	23	6	5	2		6	4	8	19	15	22	56	49	34	15	16	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MARYLAND—Continued																			
	V.—Diseases of the respiratory system—Continued																			
101b	Pneumonia (unspecified)	W	22	7	3					1		1	1	2	2	2		1	2	
		C	15	4	1	2							1	1	1		2	1	2	
102	Pleurisy	W	32	5	4	2			3		5	2				3	3	2	3	
		C	11		1	1				1	1		2			2	2	1		
103	Congestion and hemorrhagic infarct of the lung	W	25	2	1				1	1		1				1	1	3	14	
		C	5	4	1															
104	Gangrene of the lung	C	1																	1
105	Asthma	W	24											2	1	3	7	7	4	
		C	7											1	1	2		1	2	
107	Other diseases of the respiratory system (tuberculosis excepted)	W	21	1	1					1		1	1	2	1	2	1	5	5	
		C	8			1				1						1	2		3	
	VI.—Diseases of the digestive system	White	1,284	453	91	28	15	8	24	20	25	12	24	36	88	140	124	109	87	
		Colored	459	223	46	10	5	5	11	8	11	15	14	10	32	26	18	12	12	1
108	Diseases of the mouth and annexa	W	11	4					1			2				2	1	1		
		C	3	2								1								
109b	Other diseases of the pharynx, tonsils	W	41	5	6	5	1		5	2	6	1	3	1	1		2	3		
		C	12	2	2			1	1	1		1			2	1	1			
110	Diseases of the esophagus	W	1					1												
111a	Ulcer of the stomach	W	34							1			1	6	7	8	5	5	1	
		C	19							1		2		2	5	2	4	2	1	
111b	Ulcer of the duodenum	W	17										1		5	4	5	1	1	
112	Other diseases of the stomach (cancer excepted)	W	67	14	2		2				2	1	3	1	3	11	9	11	8	
		C	35	11	1		1	1	1			2	3		2	5	2	4	2	
113	Diarrhea and enteritis (under 2 years)	W	494	415	79															
		C	247	204	43															
114	Diarrhea and enteritis (2 years and over)	W	97			21	8	6	7	4		1		2	3	7	6	10	22	
		C	35			8	3	1	1			3	1	3	6	3	2	3	1	
116	Diseases due to other intestinal parasites	W	2				1										1			
117	Appendicitis and typhlitis	W	126		3	1	1	1	8	10	12	2	9	14	28	20	10	6	1	
		C	34			2	1		5	5	7	2	2	1	5	3		1		
118a	Hernia	W	54								1			2	5	7	18	9	12	
		C	10										1		2	2	2	1	2	
118b	Intestinal obstruction	W	92	11	1		1		2	1	2	3	2	3	7	18	11	15	15	
		C	26	4				1			1	2	5	3	3	3	2		2	
119	Other diseases of the intestines	W	14									1			4	3	1	2	3	
		C	5								1	1	1		1	1				
120	Acute yellow atrophy of the liver	W	6											1	3		1		1	
		C	3								1					1	1			
122	Cirrhosis of the liver	W	89								1		1		5	20	24	25	13	
		C	13											1	3	2	3		3	1
123	Biliary calculi	W	46											2	5	18	12	7	2	
		C	2												1	1				
124	Other diseases of the liver	W	56									1	2	2	5	15	13	12	6	
		C	9						1				1		2	2	1	1	1	
125	Diseases of the pancreas	W	13												4	3	5	1		
126	Peritonitis without specified cause	W	24	4		1	1		1	2	1		2	2	3	4		1	2	
		C	6					1	2	1	1	1								
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	White	1,817	7	2	2	2	2	8	15	14	22	25	45	121	212	347	478	515	
		Colored	478	7	2	1		1			6	6	14	12	78	101	103	86	57	4
128	Acute nephritis (including unspecified under 10 years)	W	94	4		1	1	1	6	4	3	4	5	5	13	10	13	17	7	
		C	52	6	2	1					2		3	1	10	15	6	5	1	
129	Chronic nephritis (including unspecified 10 years and over)	W	1,550				1	1	1	8	9	13	16	32	86	187	305	427	464	
		C	385					1			2	3	10	10	58	78	92	77	50	4
131	Other diseases of the kidneys and annexa	W	34	3	2	1			1	2	2		1	1	7	5	6	1	2	
		C	4	1											1	1	1			
132	Calculi of the urinary passages	W	12									1		2	3	2		2	2	
133	Diseases of the bladder	W	9															1	8	
		C	4												1		1	1	1	
134	Diseases of the urethra, etc	W	3														2	1		
		C	1															1		
135	Diseases of the prostate	W	69														16	23	30	
		C	8													1	1	2	4	
137	Cysts, other benign tumors of the ovary	W	6									1			2		2	1		
		C	3									2				1				
138	Salpingitis and pelvic abscess (female)	W	9							1		1	2	2	2	1				
		C	4								2		1	1						
139	Benign tumors of the uterus	W	19									1		3	6	3	2	4		
		C	15												7	5	2		1	
141	Other diseases of the female genital organs	W	12									1	1		2	4	1	1	2	
		C	2									1			1					
	VIII.—The puerperal state	White	151								13	33	32	36	35	2				
		Colored	57							1	14	7	10	10	14	1				
143	Accidents of pregnancy	W	26								1	4	9	6	6					
		C	6									1	1		4					
144	Puerperal hemorrhage	W	18									1	3	7	6	1				
		C	10									1	3	2	4					
145	Other accidents of labor	W	13									4	4	1	4					
		C	4								1		1		1	1				
146	Puerperal septicemia	W	57								6	15	10	14	11	1				
		C	20								7	4	4	3	2					
147	Puerperal phlegmasia alba dolens, embolus, etc	W	2									1	1							
		C	2											2						
148	Puerperal albuminuria and convulsions	W	33								5	8	4	8	8					
		C	15							1	6	1	1	3	3					
149	Following childbirth (undefined)	W	1										1							
150	Puerperal diseases of the breast	W	1								1									

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MARYLAND—Continued																			
	IX.—Diseases of the skin and of the cellular tissue	White	53	3			1		2	1	1		1	1	4	3	4	14	18	
		Colored	9	1												1	1	2	4	
151	Gangrene	W	28												2		3	7	16	
		C	8													1	1	2	4	
152	Furuncle	W	11	2			1						1		2	1		3	1	
153	Acute abscess	W	9						2					1		1	1	4		
154	Other diseases of the skin and annexa	W	5	1						1	1					1			1	
		C	1	1																
	X.—Diseases of the bones and of the organs of locomotion	White	15	1			1	3	1	1	1			1	1	2	1	2		
		Colored	5						1	1			1				2			
155	Diseases of the bones (tuberculosis excepted)	W	13				1	2	1	1	1			1	1	2	1	2		
		C	4						1	1			1				1			
156	Diseases of the joints (tuberculosis and rheumatism excepted)	W	2	1				1												
158	Other diseases of the organs of locomotion	C	1														1			
	XI.—Malformations	White	214	195	9	3	1	2	2	1							1			
		Colored	45	44					1											
159a	Congenital hydrocephalus	W	25	17	3	2	1	1	1											
		C	4	3					1											
159b	Congenital malformations of the heart	W	145	137	5			1	1	1										
		C	33	33																
159c	Other congenital malformations	W	44	41	1	1											1			
		C	8	8																
	XII.—Early infancy	White	800	800																
		Colored	284	284																
160	Congenital debility, icterus, sclerema	W	106	106																
		C	48	48																
161a	Premature birth	W	493	493																
		C	173	173																
161b	Injury at birth	W	91	91																
		C	19	19																
162	Other diseases peculiar to early infancy	W	109	109																
		C	42	42																
163	Lack of care	W	1	1																
		C	2	2																
164	XIII.—Old age (senility)	White	114														2	11	99	2
		Colored	25														1	3	21	
	XIV.—External causes	White	1,130	25	18	21	11	23	67	39	71	97	88	67	126	141	115	106	110	5
		Colored	282	14	7	5	4	4	16	8	23	30	29	21	42	29	21	12	10	7
	Suicide	W	167							3	1	9	15	14	27	48	30	14	6	
		C	8								1		1	2	1	1	1	1		
165, 166	By poisons (gas excepted)	W	14										4	1	1	4	4			
167	By poisonous gas	W	28									2	1	1	2	9	7	4	2	
		C	1											1						
168	By hanging or strangulation	W	33							2			2	1	8	12	4	2	2	
		C	2												1		1			
169	By drowning	W	10										1	2	2	3	2			
		C	1										1							
170	By firearms	W	66							1	1	7	6	7	12	15	9	7	1	
		C	2								1			1						
171	By cutting or piercing instruments	W	10										1		1	3	3	1	1	
		C	1															1		
172	By jumping from high places	W	5											2	1	2				
173	By crushing	W	1														1			
		C	1													1				
	Homicide	W	41	2					1		2	4	7	4	5	7	4	2	3	
		C	54	1						1	4	11	11	8	10	7				1
197	By firearms	W	28								1	3	6	4	3	7	2	1	1	
		C	33							1	3	9	6	4	7	2				1
198	By cutting or piercing instruments	W	3						1						1		1			
		C	12								1	1	3	3	2	2				
199	By other means	W	10	2							1	1	1		1		1	1	2	
		C	9	1								1	2	1	1	3				
	Accidental or undefined	W	922	23	18	21	11	23	66	36	68	84	66	49	94	86	81	90	101	5
		C	220	13	7	5	4	4	16	7	18	19	17	11	31	21	20	11	10	6
175	Poisoning by food	W	12		2	2	1		2			2		1	1		1			
		C	6		1								1		3		1			
177	Other acute poisonings (gas excepted)	W	23	3	3	1		1		1	1		3	1	4	1	3	1		
		C	2			1			1											
178	Conflagration	W	16						1	1	1					3	6	3	1	
		C	6	1	1		1						1	1					1	
179	Burns (conflagration excepted)	W	65	2	6	7	4	7	9	1	2	2		2	5	5	5	4	4	
		C	33	1	4	2	2	3	5	1	2		1	2	4	1	2	1	2	
180	Mechanical suffocation	W	9	7						1				1						
		C	9	9																
181	Absorption of irrespirable, irritating, or poisonous gas	W	47	1	1		1			2	2	1	2	2	7	7	10	8	3	
		C	4							1				1	1			1		
182	Drowning	W	101	1	1	2		1	4	6	16	24	8	8	13	6	6	3		2
		C	36						1	1	5	6	3	2	8	4	3	1		2
183	Traumatism by firearms (except in war)	W	30		1	2				5	4	7	1	1	3	1	2	1	1	1
		C	14				1		3	1	2	2	2			2				1
184	Traumatism by cutting or piercing instruments	W	5						2			1					1		1	
		C	2								1	1								
185	Traumatism by fall	W	161	3	1	1		2	3	4	5	6	4	2	13	18	8	22	69	
		C	18	1	1	1				1			1		3	3	4	2	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MARYLAND—Continued																			
	XIV.—External causes—Continued																			
	Accidental or undefined—Continued																			
186a	Traumatism in mines	W	8									1	2		4		1			
186b	Traumatism in quarries	W	1								1									
		C	2													1	1			
187	Traumatism by machines	W	23						1	1	5	1	2	4	3	2	3	1		
		C	8									3	1		1	1	2			
188a	Railroad accidents	W	62		1				2	2	3	6	8	8	11	4	8	5	4	
		C	8								1		1	1	1	1	1		1	1
188b	Street-car accidents	W	23				1	1			1		1	1	6	4	3	3	2	
		C	3												1			1	1	
188c	Automobile accidents	W	206			2	3	10	42	6	14	17	22	11	15	24	11	20	7	2
		C	37						6	2	3	3	1	3	7	4	3	1	3	1
188d	Airplane and balloon accidents	W	1											1						
188e, 188f	Injuries by other vehicles	W	25			1				1	6	3	4		3		5	2		
		C	5										2			2				1
188g	Landslide, other crushing	W	5							1			1			2	1			
		C	1								1									
189	Injuries by animals (not poisoning)	W	5							2						1		2		
		C	2								1						1			
193	Excessive cold	W	5														2	1	2	
		C	2													1			1	
194	Excessive heat	W	12	1										2	1	1		4	3	
		C	5			1							1					3		
195	Lightning	W	8							1	2	4				1				
		C	4					1			1	2								
196	Other accidental electric shocks	W	14							1	1	5	2	2	2	1				
		C	2								1			1						
201	Fracture (cause not specified)	W	16		1							1	2				2	6	4	
		C	1														1			
202	Other external violence	W	39	5	1	3	1	1			4	3	4	2	3	5	3	4		
		C	10	1								2	2		2	1	1	1		
	XV.—Ill-defined diseases	White	64	26	4				1		1	2		2	1	3	8	8	7	1
		Colored	67	41	6				1	1		1				4	4	7	1	1
204	Sudden death	W	1															1		
		C	1															1		
205a	Ill-defined	W	30	2	3				1		1	2		1	1	3	6	5	5	
		C	19	6	4											3	3	3		
205b	Not specified or unknown	W	33	24	1									1			2	2	2	1
		C	47	35	2				1	1		1				1	1	3	1	1
	MASSACHUSETTS																			
	All causes		52,166	6,943	1,293	612	431	334	1,002	602	810	1,106	1,397	1,452	3,913	5,478	7,751	9,361	9,661	20
	I.—Epidemic, endemic, and infectious diseases		6,632	710	465	254	200	146	389	157	314	475	543	450	823	639	489	349	226	3
1	Typhoid and paratyphoid fever		70					1	5	2	9	6	13	8	16	6	2	2		
5	Malaria		1														1			
7	Measles		344	114	117	45	12	18	28	6	1		1				1	1		
8	Scarlet fever		160	8	12	16	23	13	34	16	8	6	7	7	6	2		2		
9	Whooping cough		501	280	140	32	23	8	17			1								
10	Diphtheria		586	39	66	76	92	65	195	20	10	4	3	1	3	5	6	1		
11a	Influenza (with pulmonary complications)		600	43	22	8	7	1	6	8	11	9	16	23	55	76	84	121	109	1
11b	Influenza (other and unspecified)		227	20	6	5	3	3	5	5	12	2	2	9	13	21	19	43	59	
13	Mumps		6			3							1			1	1			
15	Cholera nostras		1													1				
16	Dysentery		11	3		3					1					1			3	
19	Spirochetal hemorrhagic jaundice		3	1		1												1		
21	Erysipelas		116	20	2	1	1		2	3	2	3	3	4	9	14	21	21	10	
22	Acute anterior poliomyelitis		38	3	5	4	2	5	6	6	4	1	1	1						
23	Lethargic encephalitis		86	5	2	4	2	3	4	2	7	9	4	3	13	11	7	7	2	1
24	Meningococcus meningitis		59	11	6	8	1	2	10	3	3	2	3	2	4	3	1			
25	Other epidemic and endemic diseases		8	4	2			1							1					
27	Anthrax		2								1				1					
28	Rabies		1												1					
29	Tetanus		23					1	6	4	3	1	1			3	4			
30	Mycoses		4											1	2		1			
	Tuberculosis (all forms)		3,565	97	76	46	32	24	69	76	238	428	475	378	670	460	320	135	40	1
31	Of the respiratory system		3,079	26	20	11	10	5	23	51	211	400	449	363	619	433	302	119	36	1
32	Of the meninges, central nervous system		248	53	46	33	15	15	37	8	12	5	9	3	5	6	1			
33	Of the intestines peritoneum		88	7	7	2	4	3	3	7	8	9	4	5	13	8	2	6		
34	Of the vertebral column		42	2					1	6	2	4	4		9	3	6	4	1	
35	Of the joints		12		1				1	2	1			1	3		1		2	
36	Of other organs		47	4	1			1	1	1	2	3	2	3	10	8	7	3	1	
37a	Disseminated (acute)		41	5	1		3		2	1	2	7	3	3	10	1		3		
37b	Disseminated (chronic or unspecified)		8						1				4		1	1	1			
38	Syphilis		170	50	5	1	1		2	3	3	2	7	11	25	29	20	11		
40	Gonococcus infection		9	2									5		2					
41	Purulent infection, septicemia		41	10	4	1	1	1		3	1	1	1	2	2	6	1	4	3	
	II.—General diseases not included in Class I		6,826	206	25	12	16	9	47	34	38	43	63	136	606	1,176	1,814	1,698	901	2
	Cancer and other malignant tumors		4,760	1	2	1	4	2	11	6	7	11	29	76	386	866	1,334	1,306	716	2
43	Of the buccal cavity		154							1				2	5	21	46	45	34	
44	Of the stomach, liver		1,635		1		1		3			2	7	22	105	264	526	474	230	
45	Of the peritoneum, intestines, rectum		880	1					1		1		3	18	70	148	231	261	146	
46	Of the female genital organs		658									3	8	16	97	161	180	137	55	1
47	Of the breast		495									1	1	7	51	118	130	116	70	1
48	Of the skin		85											1	3	11	8	28	34	
49	Of other or unspecified organs		853		1	1	3	2	7	5	6	5	10	10	55	143	213	245	147	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MASSACHUSETTS—Continued																		
	II.—General diseases not included in Class I—Continued																		
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	38		1	1	1		2		1		1	1	1	3	13	5	8	
51	Acute rheumatic fever	82	2	1		3	3	13	10	9	1	5	1	10	11	2	6	5	
52	Chronic rheumatism, osteoarthritis, gout	41	1								1	1		1	9	4	10	14	
53	Scurvy	1	1																
54	Pellagra	11										1	2	1	5	1		1	
56	Rickets	18	13	3		1	1												
57	Diabetes mellitus	861		2		1	1	7	11	13	14	6	15	47	111	255	257	121	
58	Anemia, chlorosis	334	6	1	2			2	1	1	6	1	10	27	72	96	83	26	
59	Diseases of the pituitary gland	5										1		2		2			
60a	Exophthalmic goiter	44								2	1	3	7	13	4	8	3	3	
60b	Other diseases of the thyroid gland	11	1											3	1	2	3	1	
61	Diseases of the parathyroid glands	1	1																
62	Diseases of the thymus gland	75	61	9	2		1	1	1										
63	Diseases of the adrenals (Addison's disease)	18											4	5	2	4	2	1	
64	Diseases of the spleen	6											1	3		1		1	
65a	Leukemia	61	3	2	2	2	1	6	2	2	1	2		5	11	15	5	2	
65b	Hodgkin's disease	40			1			3	2	1	4	1	1	12	4	7	3	1	
66	Alcoholism (acute or chronic)	267								1	3	10	17	83	75	65	12	1	
67a	Chronic lead poisoning	13										1		5	1	4	2		
68	Chronic poisoning by organic substances	3									1			1	1				
69	Other general diseases	136	116	4	3	4		2	1	1		1	1	1		1	1		
	III.—Diseases of the nervous system and of the organs of special sense	6,019	168	57	24	16	16	44	55	54	42	62	71	328	676	1,139	1,566	1,700	1
70	Encephalitis	50	5	2	4		2	1	6	3	4	2	3	5	6	6	1		
71a	Simple meningitis	103	24	18	4	4	3	11	4	4	3	2	3	9	8	2	4		
71b	Nonepidemic cerebrospinal meningitis	34	10	2	2	2	2	4	2				1	2	3	1	2	1	
72	Tabes dorsalis (locomotor ataxia)	63										1		3	19	18	13	9	
73	Other diseases of the spinal cord	136	5	1	1		3	1		7	2	5	4	15	18	27	34	13	
74a	Cerebral hemorrhage	4,380	4	2	1	1	1	2	2	3	1	8	15	141	426	889	1,351	1,532	1
74b	Cerebral embolism and thrombosis	142	1	1					1	1	1	1	1	6	15	37	38	39	
75	Paralysis without specified cause	115	1				1	1	2				1	3	12	17	33	44	
76	General paralysis of the insane	279								1		7	17	76	86	66	18	8	
77	Other forms of mental alienation	23									1	1	2	6	5	4	4		
78	Epilepsy	155	4	1	1		1	7	15	16	13	20	12	26	16	11	8	4	
79	Convulsions (nonpuerperal; 5 years and over)	3							1	1				1					
80	Infantile convulsions (under 5 years)	89	71	12	4	2													
81	Chorea	2								1						1			
82	Neuralgia and neuritis	6												1		2	1	2	
83	Softening of the brain	24														2	9	13	
84	Other diseases of the nervous system	265	10	4	3	3		3	10	7	11	11	9	24	52	41	44	33	
85	Diseases of the eye and annexa	3	2	1															
86a	Diseases of the ear	84	27	9	3	3		7	2	5	2		2	7	4	10	2	1	
86b	Diseases of the mastoid process	63	4	4	1	1	3	7	10	5	4	4	1	3	6	5	4	1	
	IV.—Diseases of the circulatory system	11,813	47	14	8	7	15	71	86	86	92	125	126	536	1,083	2,113	3,262	4,138	4
87	Pericarditis	32	1					1		2		2	2	5	4	4	10	1	
88	Endocarditis and myocarditis (acute)	282	20	3	2	5	6	20	15	18	20	17	25	62	16	17	20	16	
89	Angina pectoris	620								1	3	3	5	25	60	160	224	139	
90	Other diseases of the heart	8,767	20	11	6	2	7	47	70	65	68	100	89	405	909	1,686	2,500	2,779	3
91a	Aneurysm	75										1	2	12	20	21	15	3	1
91b,c	Other diseases of the arteries	1,902										1	1	11	57	194	466	1,172	
92	Embolism and thrombosis (not cerebral)	85	2				1	2					2	9	10	13	21	25	
93	Diseases of the veins	39	1											7	7	15	6	3	
94	Diseases of the lymphatic system	6	3				1		1							1			
95	Hemorrhage without specified cause	5						1			1	1				2			
	V.—Diseases of the respiratory system	6,078	1,296	465	154	83	38	90	44	63	85	102	130	381	524	687	859	1,075	2
97a	Diseases of the nasal fossae	2											1	1					
97b	Diseases of the nasal fossae annexa	15	2								3		1	6	3				
98	Diseases of the larynx	29	5	3	2	2	1	3		1		1	1	1	4	2	2	1	
99a	Acute bronchitis	212	74	18	6	3	2	3	2		1		2	1	5	15	13	67	
99b	Chronic bronchitis	137	6							1	2	2	3	3	7	19	32	62	
99c,d	Bronchitis (unspecified)	136	29	13		1	1		1	1		1	1	4	2	8	17	56	1
100a	Bronchopneumonia	2,997	972	317	98	55	27	53	17	20	13	29	35	99	132	242	368	520	
100b	Capillary bronchitis	56	32	6	2			1				1		2	1	3	2	6	
101a	Lobar pneumonia	2,160	136	96	35	15	6	26	20	35	55	53	77	231	332	361	378	304	
101b	Pneumonia (unspecified)	61	16	3	3	3	1		1	1	1	1		3	5	1	4	18	
102	Pleurisy	138	12	8	8	4		2	3	3	10	9	8	16	17	14	15	9	
103	Congestion and hemorrhagic infarct of the lung	48	8					1							1	3	11	24	
104	Gangrene of the lung	6								1		1		1	2	1			
105	Asthma	42	1					1				1		4	9	7	14	4	1
106	Pulmonary emphysema	6														2	2	2	
107	Other diseases of the respiratory system (tuberculosis excepted)	33	3	1								3	1	9	4	9	1	2	
	VI.—Diseases of the digestive system	3,267	925	163	65	28	36	82	64	65	69	83	122	268	383	408	312	194	
108	Diseases of the mouth and annexa	19						2	1	1	1	2	2	2	1	3	3	1	
109a	Adenoid vegetations	1			1														
109b	Other diseases of the pharynx, tonsils	129	10	10	15	7	6	17	6	10	8	7	5	5	8	10	2	3	
110	Diseases of the esophagus	6	2													1	2	1	
111a	Ulcer of the stomach	156			1					2	5	2	13	33	37	25	29	9	
111b	Ulcer of the duodenum	105	2							1		6	8	15	24	27	19	3	
112	Other diseases of the stomach (cancer excepted)	102	35	6	5	1	1	1		2	1	2		6	5	11	8	18	
113	Diarrhea and enteritis (under 2 years)	966	832	134															

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MASSACHUSETTS—Continued																		
	VI.—Diseases of the digestive system—Continued																		
114	Diarrhea and enteritis (2 years and over)	143			32	8	11	7	3	1	3	3	5	10	12	8	16	24	
116	Diseases due to other intestinal parasites	1										1							
117	Appendicitis and typhlitis	535	1	4	8	7	18	46	51	42	31	37	42	79	75	58	28	8	
118a	Hernia	171	4	1								1		10	35	46	43	31	
118b	Intestinal obstruction	204	25	6	1	1		7	1	1	13	6	8	27	30	27	35	16	
119	Other diseases of the intestines	47	5	2	1							1	2	4	9	8	6	9	
120	Acute yellow atrophy of the liver	13									1	1	1	3	2	5			
121	Hydatid tumor of the liver	1										1							
122	Cirrhosis of the liver	208								1	2		8	23	43	56	50	25	
123	Biliary calculi	228								2	1	3	10	28	52	71	42	19	
124	Other diseases of the liver	150	1			2				1	2	5	9	13	34	38	24	21	
125	Diseases of the pancreas	40				1				1		3	3	4	12	10	3	3	
126	Peritonitis without specified cause	41	8		1	1		2	1		1	2	6	6	4	4	2	3	
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	1							1										
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	3,615	16	1	9	5	3	18	23	26	38	71	99	335	506	677	917	871	
128	Acute nephritis (including unspecified under 10 years)	147	9	1	8	2	1	9	5	6	3	7	13	21	22	15	13	12	
129	Chronic nephritis (including unspecified 10 years and over)	2,878			1	2	2	8	14	18	22	42	58	221	389	571	783	747	
131	Other diseases of the kidneys and annexa	102	5			1			4		4	5	6	20	17	14	18	8	
132	Calculi of the urinary passages	40						1			1	3	1	3	10	9	11	1	
133	Diseases of the bladder	28												2	2	1	6	17	
134	Diseases of the urethra, etc	15								1				2	2	6	2	2	
135	Diseases of the prostate	187												2	4	34	69	78	
136	Nonvenereal diseases of the male genital organs	3	1									1				1			
137	Cysts, other benign tumors of the ovary	37									2	1	1	10	7	7	7	2	
138	Salpingitis and pelvic abscess (female)	49								1	4	9	9	14	8	3		1	
139	Benign tumors of the uterus	84									1	1	5	30	36	7	1	3	
140	Nonpuerperal uterine hemorrhage	1												1					
141	Other diseases of the emale genital organs	43									1	2	6	9	9	9	7		
142	Nonpuerperal diseases of the breast (cancer excepted)	1	1																
	VIII.—The puerper state	561								18	94	150	136	158	5				
143	Accidents of pregnancy	41									5	12	12	12					
144	Puerperal hemorrhage	55									3	11	12	29					
145	Other accidents of labor	92								2	16	21	20	32	1				
146	Puerperal septicemia	174								11	39	53	37	33	1				
147	Puerperal phlegmasia alba dolens, embolus, etc	63								2	15	12	19	15					
148	Puerperal albuminuria and convulsions	133								3	16	39	36	36	3				
149	Following childbirth (undefined)	3										2		1					
	IX.—Diseases of the skin and of the cellular tissue	128	29	3	1	2		2	1	7	2	4		9	13	12	18	25	
151	Gangrene	36	1			2								1	3	3	8	18	
152	Furuncle	34	4						1	4	1	2		4	5	5	6	2	
153	Acute abscess	24	7	2	1			2		2		1		1	2	2	2	2	
154	Other diseases of the skin and annexa	34	17	1						1	1	1		3	3	2	2	3	
	X.—Diseases of the bones and of the organs of locomotion	68	7	1	2	2	3	7	7	2	2	4	2	6	7	5	5	6	
155	Diseases of the bones (tuberculosis excepted)	54	6	1	2	1	3	7	7	2	2	2	1	4	4	3	3	6	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	12	1			1						2	1	2	2	1	2		
158	Other diseases of the organs of locomotion	2													1	1			
	XI.—Malformations	776	718	25	11	3	1	7	4	4		1	1			1			
159a	Congenital hydrocephalus	99	84	6	2	2		3	1	1									
159b	Congenital malformations of the heart	428	398	14	6	1		3	3	2		1							
159c	Other congenital malformations	249	236	5	3		1	1		1			1			1			
	XII.—Early infancy	2,702	2,702																
160	Congenital debility, icterus, sclerema	301	301																
161a	Premature birth	1,534	1,534																
161b	Injury at birth	584	584																
162	Other diseases peculiar to early infancy	277	277																
163	Lack of care	6	6																
164	XIII.—Old age (senility)	156														2	11	143	
	XIV.—External causes	3,388	85	63	72	69	67	242	127	131	162	189	175	455	452	385	339	370	5
	Suicide	450								7	22	36	43	88	108	77	50	18	1
165, 166	By poisons (gas excepted)	44								3	8	3	5	11	9	4	1		
167	By poisonous gas	118								2	4	8	10	21	31	21	17	4	
168	By hanging or strangulation	97									2	6	11	17	21	21	12	7	
169	By drowning	41									3	4	5	4	12	6	6	1	
170	By firearms	85								2	4	5	9	17	18	14	11	4	1
171	By cutting or piercing instruments	39									1	5	3	12	9	7	2		
172	By jumping from high places	20										4		4	6	3	1	2	
173	By crushing	5												2	2	1			
174	By other means	1										1							

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MASSACHUSETTS—Continued																		
	XIV.—External causes—Contd.																		
	Homicide	110	12				1	3	2	4	9	14	19	20	15	9		1	1
197	By firearms	51					1		1	2	2	11	13	11	7	2			1
198	By cutting or piercing instruments	13	1								1	3		3	2	3			
199	By other means	46	11					3	1	2	6		6	6	6	4		1	
	Accidental or undefined	2,828	73	63	72	69	66	239	125	120	131	139	113	347	329	299	289	3 1	3
175	Poisoning by food	20		4	1		2		1	2		1			2		2	5	
177	Other acute poisonings (gas excepted)	41	4	1	2	3	1	1				4	2	11	6	4	2		
178	Conflagration	54	1	1	3	2	2	5	4		1	1	2	8	7	8	8	1	
179	Burns (conflagration excepted)	264	9	27	35	27	15	34	3	2	7	6	6	16	18	19	20	20	
180	Mechanical suffocation	45	24						1			3	3	7	4	1		2	
181	Absorption of irrespirable, irritating, or poisonous gas	195	1			2		1		6	6	11	6	31	33	46	35	17	
182	Drowning	254	1	5	5	3	10	40	42	27	15	14	14	32	16	17	8	3	2
183	Traumatism by firearms (except in war)	25						3	1	9	5	1	1	3	2				
184	Traumatism by cutting or piercing instruments	19				1				2	1	4		2	1	5	3		
185	Traumatism by fall	665	10	12	8	1	5	11	6	8	9	11	13	60	66	83	108	254	
186b	Traumatism in quarries	2											1		1				
187	Traumatism by machines	85						2	2	8	12	6	8	14	18	7	6	2	
188a	Railroad accidents	140		1	1	2		3	3	7	7	17	9	30	31	14	13	2	
188b	Street-car accidents	68		1	3		1	5	1	1	2	3	3	18	8	7	8	7	
188c	Automobile accidents	611	2		10	23	29	120	45	27	41	38	29	67	58	60	42	20	
188d	Airplane and balloon accidents	2									1		1						
188e,f	Injuries by other vehicles	74	1	1	1	1		7	7	6	5	6	6	6	9	6	11	1	
188g	Landslide, other crushing	16						2	1		3	1	1	5	1		2		
189	Injuries by animals (not poisoning)	10				1		1			1			3	1		1	2	
192	Starvation (deprivation of food or water)	1													1				
193	Excessive cold	7											1	1	2	1	1	1	
194	Excessive heat	20	3	3										1	6	4		3	
196	Other accidental electric shocks	32						1	2	5	8	5	1	7	2		1		
201	Fracture (cause not specified)	28									1	1	1	6	9	1	3	6	
202	Other external violence	148	17	7	3	3	1	3	6	10	6	6	5	18	27	16	15	5	
203	Violent deaths of unknown causation	2												1					1
	XV.—Ill-defined diseases	137	34	11				3		2	2		4	8	14	19	25	12	3
204	Sudden death	15	4	1							1		1			2	4	2	
205a	Ill-defined	98	21	10				1					2	6	14	15	19	10	
205b	Not specified or unknown	24	9					2		2	1		1	2		2	2		3
	MICHIGAN																		
	All causes	49,347	7,474	1,279	658	434	333	1,098	693	1,104	1,548	1,669	1,828	4,015	4,440	5,850	7,861	8,958	105
	I.—Epidemic, endemic, and infectious diseases	6,850	690	432	247	186	162	453	186	387	576	569	443	798	507	424	406	374	10
1	Typhoid and paratyphoid fever	203	2	2	2		2	12	11	17	29	21	21	41	22	16	4		1
5	Malaria	3		1											1	1			
6	Smallpox	14	4								2	1				2	4	1	
7	Measles	282	81	93	26	22	6	28	4	3	5	1	3	4	3	2			1
8	Scarlet fever	310	11	28	41	39	30	73	17	13	14	15	14	12	2			1	
9	Whooping cough	344	196	89	26	8	10	13	1									1	
10	Diphtheria	674	38	75	78	64	80	215	48	16	14	7	4	16	10	4	4	1	
11a	Influenza (with pulmonary complications)	790	73	40	22	9	7	8	11	27	26	37	32	97	67	85	133	114	2
11b	Influenza (other and unspecified)	569	75	20	15	8	6	12	10	20	12	16	15	30	28	49	85	168	
13	Mumps	4	1			1			1						1				
15	Cholera nostras	9	5	1	1				1						1				
16	Dysentery	65	21	6	1	6	2	1			1				1	3	6	17	
19	Spirochetal hemorrhagic jaundice	1		1															
21	Erysipelas	141	36	4				4	1	2		4	3	12	14	22	24	15	
22	Acute anterior poliomyelitis	31	2	7	5	4		5	3	2				2			1		
23	Lethargic encephalitis	71	1	4	1	1		6	1	5	2	5	8	11	11	3	9	3	
24	Meningococcus meningitis	45	12	7	5	2	1	7	3	2	1	2	2	1					
25	Other epidemic and endemic diseases	9	4	1			2	1		1									
29	Tetanus	42	7				1	1	6	4	4	4	1	4	3	3	3	1	
30	Mycoses	5	1											2		1	1		
	Tuberculosis (all forms)	2,848	50	45	23	19	15	59	60	266	439	431	313	499	280	198	109	39	3
31	Of the respiratory system	2,432	14	15	4	4	2	21	39	233	397	404	285	453	247	180	99	33	2
32	Of the meninges, central nervous system	176	28	26	16	12	9	30	10	10	9	6	4	10	5			1	
33	Of the intestines, peritoneum	87	2			1		2	4	10	10	9	8	9	13	12	5	2	
34	Of the vertebral column	34	1	2	1	1	1	1	1	2	2	2	4	5	4	4	2	1	
35	Of the joints	10					1	1		1	1		2	2	1	1			
36	Of other organs	46	1	1	1			3	2	2	6	4	3	13	5	1	2	2	
37a	Disseminated (acute)	50	4	1			2		4	7	13	4	6	4	4				1
37b	Disseminated (chronic or unspecified)	13			1	1		1		1	1	2	1	3	1		1		
38	Syphilis	262	49	6		1		3	3	4	11	14	18	51	51	30	17	2	2
40	Gonococcus infection	27								2	11	7	1	4	1			1	
41	Purulent infection, septicemia	101	21	2	1	2		5	5	3	5	4	8	12	11	5	6	10	1
	II.—General diseases not included in Class I	5,579	151	30	21	21	6	41	40	53	65	109	159	539	890	1,209	1,387	843	15
	Cancer and other malignant tumors	3,516	4	7	3	8	1	10	4	13	14	32	78	303	592	842	979	618	8
43	Of the buccal cavity	117		1									1	9	15	24	38	29	
44	Of the stomach, liver	1,476		3	1			1		2	3	6	12	89	192	368	503	290	6
45	Of the peritoneum, intestines, rectum	445			1				1	1	2	6	10	35	74	113	113	88	1
46	Of the female genital organs	466							1		1	9	25	84	131	109	79	26	1
47	Of the breast	317								1	1	3	10	39	95	65	61	42	
48	Of the skin	88				1				1		1		3	4	18	27	33	
49	Of other or unspecified organs	607	4	3	1	7	1	9	2	8	7	7	20	44	81	145	158	110	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	41	1		1	1		1			1	1	2	3	7	7	6	10	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MICHIGAN—Continued																		
	II.—General diseases not included in Class I—Continued.																		
51	Acute rheumatic fever	117				1		13	11	1	4	6	4	11	15	17	11	11	
52	Chronic rheumatism, osteoarthritis, gout	67		1		1			1		2	1		7	3	12	18	21	
53	Scurvy	2	2																
54	Pellagra	6											1	1		2	2		
56	Rickets	25	16	4	3		1	1											
57	Diabetes mellitus	714	1	3	3	3	1	6	18	10	22	22	28	53	84	153	199	106	2
58	Anemia, chlorosis	404	9		3	3	1	1	2	4	8	11	5	39	66	81	119	52	
59	Disease of the pituitary gland	2							1							1			
60a	Exophthalmic goiter	149							1	5	7	9	9	26	38	31	13	10	
60b	Other diseases of the thyroid gland	41	1								1	2	2	4	12	11	6	2	
61	Diseases of the parathyroid glands	10	7	1	1	1													
62	Diseases of the thymus gland	59	48	7	2		1		1										
63	Diseases of the adrenals (Addison's disease)	16								1		2	1	4	3	1	3	1	
64	Diseases of the spleen	2												1		1			
65a	Leukemia	56	2		3		1	3		4	2	4	3	7	9	7	9	2	
65b	Hodgkin's disease	26	1			1		1		2	2	5	2	1	3	5	1	2	
66	Alcoholism (acute or chronic)	210									1	11	21	72	54	31	15		5
67a	Chronic lead poisoning	4											1	2	1				
68	Chronic poisoning by organic substances	14									1	1	1	3	2	4	1	1	
69	Other general diseases	98	59	7	2	2		5	1	1		2	1	2	1	3	5	7	
	III.—Diseases of the nervous system and of the organs of special sense	5,655	223	51	28	10	15	53	35	43	34	64	94	331	580	991	1,470	1,623	10
70	Encephalitis	65	7	2	1		2	8	2	2	2	4	6	6	9	8	2	4	
71a	Simple meningitis	157	25	9	7	5	2	11	6	6	3	8	5	25	19	16	7	2	1
71b	Nonepidemic cerebrospinal meningitis	49	15	6	4	1	3	5	2	3	1	1	2	2	1	3			
72	Tabes dorsalis (locomotor ataxia)	78										4		11	17	21	16	9	
73	Other diseases of the spinal cord	115	2		1		1	1	1	1	1		1	10	22	23	32	19	
74a	Cerebral hemorrhage	3,778	14	3	4		2	1	1	5	7	12	16	108	353	718	1,161	1,369	4
74b	Cerebral embolism and thrombosis	125	2					1	1		3	4	1	6	12	22	37	35	1
75	Paralysis without specified cause	317	5							1	1	1	4	12	15	54	112	112	
76	General paralysis of the insane	256									2	8	24	64	58	51	31	16	2
77	Other forms of mental alienation	52								1	1	2	5	13	11	10	4	3	2
78	Epilepsy	130	4			1	2	4	3	7	3	8	11	38	22	11	10	6	
79	Convulsions (nonpeurperal; 5 years and over)	4							1	2								1	
80	Infantile convulsions (under 5 years)	110	93	13	3	1													
81	Chorea	6		1							1				1	1		2	
82	Neuralgia and neuritis	24									1		1	3	3	4	4	8	
83	Softening of the brain	30													2	2	12	14	
84	Other diseases of the nervous system	196	14	1	3		1	4	8	7	4	5	11	20	25	41	33	19	
85	Diseases of the eye and annexa	4	2					1									1		
86a	Diseases of the ear	106	28	11	3	2		10	6	5	3	5	6	7	8	3	5	4	
86b	Diseases of the mastoid process	53	12	5	2		2	7	4	3	1	2	1	6	2	3	3		
	IV.—Diseases of the circulatory system	8,606	63	16	8	12	12	60	84	95	90	112	146	429	794	1,381	2,297	2,989	18
87	Pericarditis	56	2	1	2		1	2	1	3	1		1	4	10	8	5	15	
88	Endocarditis and myocarditis (acute)	292	19	6	2	6	4	19	17	16	18	25	13	67	14	22	19	25	
89	Angina pectoris	418							1		1	1	3	17	50	116	123	106	
90	Other diseases of the heart	6,586	29	9	3	5	7	35	63	73	66	78	115	311	657	1,098	1,842	2,184	11
91a	Aneurysm	58				1							3	8	17	12	13	4	
91b,c	Other diseases of the arteries	1,050											2	6	29	103	269	634	7
92	Embolism and thrombosis (not cerebral)	89	5					2	1	2	2	4	6	7	13	13	17	17	
93	Diseases of the veins	33	1								1	3	2	6	3	6	7	4	
94	Diseases of the lymphatic system	15	6		1			1	1				1	1	1	2	1		
95	Hemorrhage without specified cause	7	1					1		1	1	1		2					
96	Other diseases of the circulatory system	2														1	1		
	V.—Diseases of the respiratory system	5,532	1,177	349	143	66	40	103	61	103	167	202	265	531	439	466	593	818	9
97a	Diseases of the nasal fossae	9	5									1						3	
97b	Diseases of the nasal fossae annexa	18		1				2		1	2	2	2	4	3	1			
98	Diseases of the larynx	46	11	3	3	4	3	6	2		2	1		2	2	3	1	3	
99a	Acute bronchitis	252	89	17	13	5	2	4	1		2	1	2	6	4	2	20	84	
99b	Chronic bronchitis	190	3					2		1			1	8	11	15	54	94	1
99c,d	Bronchitis (unspecified)	151	63	6	1	2		1		2		1		4	5	7	4	55	
100a	Bronchopneumonia	1,758	693	211	74	34	21	35	18	11	22	30	24	66	69	89	128	231	2
100b	Capillary bronchitis	72	29	10	4		2	3	1	1				1	1	2	7	11	
101a	Lobar pneumonia	2,353	189	75	36	15	9	39	25	69	113	149	210	384	280	271	271	214	4
101b	Pneumonia (unspecified)	284	65	17	10	4	2	6	6	8	9	10	11	17	19	27	31	41	1
102	Pleurisy	136	11	7	1	1	1	1	6	6	16	4	6	17	16	15	17	11	
103	Congestion and hemorrhagic infarct of the lung	69	16	1						1			1	1	4	4	9	32	
104	Gangrene of the lung	4												1		1		2	
105	Asthma	128	1					2	1			1	3	13	20	21	41	25	
106	Pulmonary emphysema	11						2		1					1		2	4	1
107	Other diseases of the respiratory system (tuberculosis excepted)	51	2	1	1	1			1	2	1	2	5	7	4	8	8	8	
	VI.—Diseases of the digestive system	4,383	1,338	265	121	64	41	139	114	101	114	102	149	341	381	394	389	327	3
108	Diseases of the mouth and annexa	34	5	3		2	1					1	1	6	4	7		4	
109a	Adenoid vegetations	1						1											
109b	Other diseases of the pharynx, tonsils	213	13	5	11	8	9	29	16	16	19	10	16	19	13	9	13	7	
110	Diseases of the esophagus	7								1						2	2	2	
111a	Ulcer of the stomach	163								1	6	4	10	23	44	38	19	18	
111b	Ulcer of the duodenum	63								1	2	1	5	9	19	8	15	3	
112	Other diseases of the stomach (cancer excepted)	303	115	14	4	2	1	4	1		1	3	5	23	24	26	35	43	2
113	Diarrhea and enteritis (under 2 years)	1,347	1,118	229															
114	Diarrhea and enteritis (2 years and over)	286			80	29	13	17	10	4	1	3	3	12	13	19	30	52	
116	Diseases due to other intestinal parasites	3		1		1								1					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MICHIGAN—Continued																		
	VI.—Diseases of the digestive system—Continued.																		
117	Appendicitis and typhlitis	631	2	1	13	6	11	66	72	62	60	51	51	104	62	44	19	7	
118a	Hernia	159	7	1				1		2	2	4	1	17	19	41	28	36	
118b	Intestinal obstruction	308	53	8	5	7	4	10	4	7	10	12	15	24	24	42	45	38	
119	Other diseases of the intestines	60	10	1		3	1	2			1	2	2	9	7	5	9	8	
120	Acute yellow atrophy of the liver	19							1		1	1	3	8	2	1	1	1	
121	Hydatid tumor of the liver	1							1										
122	Cirrhosis of the liver	309	1				1		2		2		8	21	68	69	88	48	1
123	Biliary calculi	118								1		2	3	19	25	31	24	13	
124	Other diseases of the liver	230	3	1	5	1		4	1	2	3	3	11	29	35	37	54	41	
125	Diseases of the pancreas	26	2							1	1	1	2	3	9	4	1	2	
126	Peritonitis without specified cause	102	9	1	3	5		5	6	3	5	4	13	14	13	11	6	4	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	3,316	31	7	9	6	7	18	13	27	47	60	113	276	358	572	838	927	7
128	Acute nephritis (including unspecified under 10 years)	197	17	3	7	4	4	9	3	6	9	6	11	29	16	24	26	22	1
129	Chronic nephritis (including unspecified 10 years and over)	2,500	2	1	1	1	2	6	9	18	20	34	59	167	266	478	679	752	5
131	Other diseases of the kidneys and annexa	113	6	3	1	1	1	2	1		1	2	8	6	18	13	28	21	1
132	Calculi of the urinary passages	13											1	3	2		5	2	
133	Diseases of the bladder	71	1					1					1	1	1	8	20	38	
134	Diseases of the urethra, etc	10											2	2	3			3	
135	Diseases of the prostate	199											2	1	5	37	71	83	
136	Nonvenereal diseases of the male genital organs	4	4																
137	Cysts, other benign tumors of the ovary	31								1	1	2	3	8	6	4	4	2	
138	Salpingitis and pelvic abscess (female)	68								2	12	10	15	21	6	2			
139	Benign tumors of the uterus	72									1	3	5	28	25	5	3	2	
140	Nonpuerperal uterine hemorrhage	4									1	1		1	1				
141	Other diseases of the female genital organs	32									2	2	5	9	9	1	2	2	
142	Nonpuerperal diseases of the breast (cancer excepted)	2	1										1						
	VIII.—The puerperal state	654								52	141	150	148	155	7				1
143	Accidents of pregnancy	80								3	16	17	15	28	1				
144	Puerperal hemorrhage	70								4	10	16	21	18	1				
145	Other accidents of labor	64								10	9	18	13	14					
146	Puerperal septicemia	275								24	66	68	56	57	4				
147	Puerperal phlegmasia alba dolens, embolus, etc	30								2	7	7	7	7					
148	Puerperal albuminuria and convulsions	130								9	32	21	35	31	1				1
149	Following childbirth (undefined)	4										3	1						
150	Puerperal diseases of the breast	1									1								
	IX.—Diseases of the skin and of the cellular tissue	180	45	1	4	1				5	4	1	3	8	8	12	27	60	1
151	Gangrene	83	2		1									2		7	17	53	1
152	Furuncle	21	3							4	1	1	2	2	3	1	3	1	
153	Acute abscess	33	11		2					1	3		1	2	4	4	3	2	
154	Other diseases of the skin and annexa	43	29	1	1	1								2	1		4	4	
	X.—Diseases of the bones and of the organs of locomotion	61	2	2	1	1		5	4	5	5		2	9	9	4	7	5	
155	Diseases of the bones (tuberculosis excepted)	44	1	2	1	1		4	3	5	5		1	7	5	2	3	4	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	12	1					1	1					2	2	1	4		
157	Amputations	2													1	1			
158	Other diseases of the organs of locomotion	3											1		1			1	
	XI.—Malformations	658	622	16	6	2	1	5	1	1	1	2			1				
159a	Congenital hydrocephalus	65	53	7	2			3											
159b	Congenital malformations of the heart	364	350	6	1		1	2	1	1		2							
159c	Other congenital malformations	229	219	3	3	2					1				1				
	XII.—Early infancy	2,937	2,937																
160	Congenital debility, icterus, sclerema	496	496																
161a	Premature birth	1,796	1,796																
161b	Injury at birth	380	380																
162	Other diseases peculiar to early infancy	262	262																
163	Lack of care	3	3																
164	XIII.—Old age (senility)	653														5	57	591	
	XIV.—External causes	3,986	102	91	68	63	47	217	151	227	301	292	301	579	445	360	349	363	30
	Suicide	433							3	16	34	33	42	83	78	59	58	23	4
165, 166	By poisons (gas excepted)	80								10	10	12	5	12	9	9	11	1	1
167	By poisonous gas	40									4	4	4	8	12	2	5	1	
168	By hanging or strangulation	87								2	2	1	7	17	20	15	14	8	1
169	By drowning	28							1		2		1	8	3	4	7	2	
170	By firearms	147							2	4	12	14	17	23	28	21	17	9	
171	By cutting or piercing instruments	34									2	1	4	11	5	6	3	1	1
172	By jumping from high places	10									2		3	3				1	1
174	By other means	7										1	1	1	1	2	1		
	Homicide	250	1					4	3	12	44	44	41	59	23	12	3	2	2
197	By firearms	174						2		10	32	29	30	43	18	5	2	2	1
198	By cutting or piercing instruments	44								1	10	9	7	9	3	3	1		1
199	By other means	32	1					2	3	1	2	6	4	7	2	4			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MICHIGAN—Continued																		
	XIV.—External causes—Continued.																		
	Accidental or undefined	3,303	101	91	68	63	47	213	145	199	223	215	218	437	344	289	288	338	24
175	Poisoning by food	38	9	3	3	2	1	2	2		2		1	5	1	1	3	3	
176	Poisoning by venomous animals	3	1					1								1			
177	Other acute poisonings (gas excepted)	71	6	11	9	3	2		1	1	4	2	4	19	4	2	1		2
178	Conflagration	64	3	3	3	1	3	1	1	2	4		5	8	7	7	7	4	5
179	Burns (conflagration excepted)	238	8	29	26	25	14	23	8	9	8	15	14	17	9	7	17	9	
180	Mechanical suffocation	71	42	2				4	1	1	2	2	3	5	7	1	1		
181	Absorption of irrespirable, irritating, or poisonous gas	67	1	1				2	1		5	7	10	8	10	5	11	6	
182	Drowning	282	1	10	9	4	3	23	35	46	40	28	19	31	17	6	6	2	2
183	Traumatism by firearms (except in war)	99		1	1			7	16	19	8	10	10	12	6	6	3		
184	Traumatism by cutting or piercing instruments	25				1	1	4	1	2	1	3			2	4	6		
185	Traumatism by fall	483	1	8	3	5	3	8	4	8	13	11	10	46	52	46	72	192	1
186a	Traumatism in mines	38								1	3	3	5	17	7	2			
186b	Traumatism in quarries	1															1		
187	Traumatism by machines	88			1			5	1	10	8	7	11	16	13	15			1
188a	Railroad accidents	310	1		1		1	8	9	20	34	30	37	59	46	35	21	4	4
188b	Street-car accidents	116			2			3	5	4	11	7	17	20	18	13	10	5	1
188c	Automobile accidents	738	3	6	4	16	13	94	36	51	53	55	40	104	84	74	64	36	5
188d	Airplane and balloon accidents	2									2								
188e,f	Injuries by other vehicles	67	1	1	1	2	1	10	5	2	2	3	2	5	9	9	8	6	
188g	Landslide, other crushing	35	1		1		1		1	1	3	4	2	8	7	5		1	
189	Injuries by animals (not poisoning)	29		1			2		2	1		1	1	4	3	6	7	1	
192	Starvation (deprivation of food or water)	2															1	1	
193	Excessive cold	12						1	1				1		2	1	4	1	1
194	Excessive heat	25	5	2										3	3	2	5	5	
195	Lightning	22						1	6	2	3			5	1	2	2		
196	Other accidental electric shocks	42						1	1	6	5	4	7	6	6	4	1	1	
201	Fracture (cause not specified)	125					1	4	4	2	3	8	6	11	7	15	19	45	
202	Other external violence	210	18	13	4	4	1	11	4	11	9	15	13	28	23	20	18	16	2
	XV.—Ill-defined diseases	297	93	19	2	2	2	4	4	5	3	6	5	19	21	32	41	38	1
204	Sudden death	18	3						1			1		1	1	2	5	4	
205a	Ill-defined	115	14	15	2	1			1	3	2	1	1	9	9	18	25	14	
205b	Not specified or unknown	164	76	4		1	2	4	2	2	1	4	4	9	11	12	11	20	1
	MINNESOTA																		
	All causes	25,321	3,472	533	265	189	159	617	433	623	730	837	899	2,062	2,328	3,394	3,976	4,793	11
	I.—Epidemic, endemic, and infectious diseases	3,913	353	255	121	94	73	286	125	220	312	310	281	487	330	232	205	227	2
1	Typhoid and paratyphoid fever	60		1				4	6	10	7	4	6	13	6	3			
5	Malaria	1										1							
6	Smallpox	2												1	1				
7	Measles	274	38	94	28	19	8	56	11	10	5	1		3	1				
8	Scarlet fever	233	6	28	27	30	19	72	14	15	9	7	1	3	2				
9	Whooping cough	153	103	25	15	4	4	1	1										
10	Diphtheria	208	7	19	15	15	20	76	23	10	6	10	1	3	3				
11a	Influenza (with pulmonary complications)	473	66	20	10	6	4	14	6	11	12	12	13	39	30	45	63	122	
11b	Influenza (other and unspecified)	232	30	12	6	3	2	14	8	5	4	10	4	13	16	12	21	72	
15	Cholera nostras	1		1															
16	Dysentery	13		6				2						1	1		3		
19	Spirochetal hemorrhagic jaundice	1											1						
21	Erysipelas	53	20					1					1	3	3	6	9	10	
22	Acute anterior poliomyelitis	15		4		1	1	4	2	1		1		1					
23	Lethargic encephalitis	119	1	2		1	1	3	2	9	12	10	12	22	22	13	7	2	
24	Meningococcus meningitis	18	5	3	1			1	2	2			2	2					
25	Other epidemic and endemic diseases	6	1	2		1		2											
29	Tetanus	37	3	3			1	5	3	2	3	4	3	3	3	1	2	1	
30	Mycoses	5	1							1	2			1					
	Tuberculosis (all forms)	1,840	43	29	18	14	12	30	42	142	241	245	224	349	213	134	85	17	2
31	Of the respiratory system	1,533	16	9	6	5	2	8	24	120	204	229	201	314	189	111	77	16	2
32	Of the meninges, central nervous system	114	18	14	9	6	10	13	6	10	8	5	2	5	4	4			
33	Of the intestines, peritoneum	50	2	1				1	3	2	8	5	3	11	5	7	2		
34	Of the vertebral column	29				1		1	4	2	4	2	3	8	1	1	2		
35	Of the joints	13		1				2	1	1			1	1	1	4	1		
36	Of other organs	38	1	1					2	3	2	2	7	5	9	3	3		
37a	Disseminated (acute)	48	6	3	3	2		5	1	3	13	1	5	3	1	2			
37b	Disseminated (chronic or unspecified)	15							1	1	2	1	2	2	3	2		1	
38	Syphilis	129	22	3				1	1	1	6	4	10	24	27	16	13	1	
40	Gonococcus infection	6									2		1	2		1			
41	Purulent infection, septicemia	34	7	3	1		1		4	1	3	1	2	4	2	1	2	2	
	II.—General diseases not included in Class I	3,722	89	13	10	8	7	32	38	56	50	69	77	314	557	943	913	545	1
	Cancer and other malignant tumors	2,506	1	3	4	2	4	6	7	8	12	20	39	188	390	687	708	426	1
43	Of the buccal cavity	103		1		1						1	2	4	14	17	29	34	
44	Of the stomach, liver	1,093	1				1	2	1			3	8	42	148	308	379	199	1
45	Of the peritoneum, intestines, rectum	315		1						1	2	3	4	25	40	104	84	51	
46	Of the female genital organs	237			1					2	2	1	1	41	53	79	38	19	
47	Of the breast	161										4	3	25	45	33	37	14	
48	Of the skin	51			1						1			2	5	7	12	23	
49	Of other or unspecified organs	546		1	2	1	3	4	6	5	7	8	21	49	85	139	129	86	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	31	2		1					2	2	1	1	5	3	9	3	2	
51	Acute rheumatic fever	47					2	9	5	9	3	1	1	3	2	3	1	8	
52	Chronic rheumatism, osteoarthritis, gout	30							1	1					2	6	10	10	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MINNESOTA—Continued																		
	II.—General diseases not included in Class I—Continued.																		
53	Scurvy	1	1																
54	Pellagra	3										1		1	1				
56	Rickets	5	3	1	1														
57	Diabetes mellitus	439	3	3	1	2		6	11	20	15	17	12	32	55	98	96	68	
58	Anemia, chlorosis	266	3		1			1	4	2	2	4	6	22	51	77	70	23	
59	Diseases of the pituitary gland	5						1	1	1	1			1					
60a	Exophthalmic goiter	85								8	6	7	3	16	19	20	5	1	
60b	Other diseases of the thyroid gland	22	2	1				1	1	1		3	1	4	2	5	1		
61	Diseases of the parathyroid glands	3		2										1					
62	Diseases of the thymus gland	29	28									1							
63	Diseases of the adrenals (Addison's disease)	16								1	1	2	1	3	1	4	2	1	
64	Diseases of the spleen	4				1									1	1	1		
65a	Leukemia	60	1	1	1	3	1	6	5	2	4	4	2	7	6	8	9		
65b	Hodgkin's disease	29						1	3	1	1	4	1	4	3	6	3	2	
66	Alcoholism (acute or chronic)	80									3	4	8	26	20	15	3	1	
67a	Chronic lead poisoning	4											1	1	1	1			
69	Other general diseases	57	45	2	1			1					1			3	1	3	
	III.—Diseases of the nervous system and of the organs of special sense	2,586	92	27	9	6	10	30	38	28	32	29	55	161	243	460	669	697	
70	Encephalitis	33	4	4	1		1	5	2	3	4	1	1	3	1	1		2	
71a	Simple meningitis	41	11	8	1			1	4	2	1	1		4	1	4	3		
71b	Nonepidemic cerebrospinal meningitis	20	9		1	1	1	4	1	2	1								
72	Tabes dorsalis (locomotor ataxia)	34											2	4	10	13	5		
73	Other diseases of the spinal cord	68		1				2	3	1	2	1	3	5	14	10	16	10	
74a	Cerebral hemorrhage	1,711	5	3					1	1	4	5	7	53	144	342	544	602	
74b	Cerebral embolism and thrombosis	62	1									4	1	2	1	15	23	15	
75	Paralysis without specified cause	67				1	1			1				1		10	19	34	
76	General paralysis of the insane	139										1	13	43	35	29	8	10	
77	Other forms of mental alienation	29									3	1	3	7	5	5	4	1	
78	Epilepsy	55	2		1		1	6	2	3	5	7	2	8	2	5	6	5	
79	Convulsions (nonpuerperal; 5 years and over)	1						1											
80	Infantile convulsions (under 5 years)	58	47	6	3	1	1												
81	Chorea	1												1					
82	Neuralgia and neuritis	9														3	5	1	
83	Softening of the brain	16														4	5	7	
84	Other diseases of the nervous system	144	4		1	1	2	1	6	9	9	6	15	20	22	15	24	9	
85	Diseases of the eye and annexa	2		1			1												
86a	Diseases of the ear	60	9	2	1	1	1	6	12	3		1	6	5	5	3	4	1	
86b	Diseases of the mastoid process	36		2		1	1	4	7	3	3	1	2	5	3	1	3		
	IV.—Diseases of the circulatory system	3,978	11	5		4	4	17	45	32	36	54	72	192	330	697	987	1,487	5
87	Pericarditis	11		1									1	1	1	5	1	1	
88	Endocarditis and myocarditis (acute)	115	2	3		1		4	8	7	6	9	12	25	13	7	11	7	
89	Angina pectoris	152											3	11	7	39	53	39	
90	Other diseases of the heart	3,152	6	1		2	3	13	36	25	29	41	51	144	275	580	815	1,127	4
91a	Aneurysm	34									1		2	1	9	11	8	2	
91b,c	Other diseases of the arteries	440												3	7	40	88	301	1
92	Embolism and thrombosis (not cerebral)	40	1				1					2	1	4	12	8	5	6	
93	Diseases of the veins	24				1			1			2	1	3	5	5	5	1	
94	Diseases of the lymphatic system	4	1													1		2	
95	Hemorrhage without specified cause	5	1										1			1	1	1	
96	Other diseases of the circulatory system	1													1				
	V.—Diseases of the respiratory system	2,240	424	94	44	21	17	42	31	46	48	44	54	150	151	231	283	560	
97a	Diseases of the nasal fossae	7	6								1								
97b	Diseases of the nasal fossae annexa	11						1	1	2	1	1	2	2		1			
98	Diseases of the larynx	26	5	6	4	1	2	3					2		1	1		1	
99a	Acute bronchitis	48	13	2		2	1	2						1		4	1	22	
99b	Chronic bronchitis	90	2						1			1		1	5	9	22	49	
99c,d	Bronchitis (unspecified)	38	7		2			1				1			1		4	22	
100a	Bronchopneumonia	803	285	52	21	7	9	15	9	6	5	8	6	29	27	43	68	213	
100b	Capillary bronchitis	14	6				1										1	6	
101a	Lobar pneumonia	949	60	27	11	9	4	16	14	34	35	26	41	101	99	149	157	166	
101b	Pneumonia (unspecified)	79	33	5	3	1		2	2	2		2		2	2	3	7	15	
102	Pleurisy	63	2		2			2	3		3	3	3	8	12	10	9	6	
103	Congestion and hemorrhagic infarct of the lung	43	5		1									1			2	34	
104	Gangrene of the lung	4									1					1	1	1	
105	Asthma	40		1										4	2	6	9	18	
106	Pulmonary emphysema	6										1				1	1	3	
107	Other diseases of the respiratory system (tuberculosis excepted)	19		1		1			1	2	2	1		1	2	3	1	4	
	VI.—Diseases of the digestive system	2,041	374	80	34	21	24	85	68	69	58	64	87	198	244	260	192	182	1
108	Diseases of the mouth and annexa	11	3								1			2	1	2	2		
109b	Other diseases of the pharynx, tonsils	97	6	8	3	2	6	16	8	7	7	8	4	4	4	9		5	
110	Diseases of the esophagus	3												1	1	1			
111a	Ulcer of the stomach	109					1			2	2	2	6	11	27	27	20	11	
111b	Ulcer of the duodenum	64						1			1	3	6	19	16	7	8	3	
112	Other diseases of the stomach (cancer excepted)	66	18									1	1	4	3	5	11	23	
113	Diarrhea and enteritis (under 2 years)	363	301	62															
114	Diarrhea and enteritis (2 years and over)	127			21	9	8	14	5	3	3	3	7	10	9	2	9	24	
116	Diseases due to other intestinal parasites	1												1					
117	Appendicitis and typhlitis	432	4	2	8	6	6	43	48	48	37	35	33	53	49	37	16	7	
118a	Hernia	124	3	1				1				1	2	17	19	30	26	24	
118b	Intestinal obstruction	144	25	5	2	3	1	3	3	1	2	4	5	18	19	12	18	23	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MINNESOTA—Continued																		
	VI.—Diseases of the digestive system—Continued.																		
119	Other diseases of the intestines	31	5			1	2							3	4	4	7	5	
120	Acute yellow atrophy of the liver	9	1									1	3	1	1	1		1	
121	Hydatid tumor of the liver	1														1			
122	Cirrhosis of the liver	141		1				1	2	1	1	1	2	11	23	39	31	27	1
123	Biliary calculi	172										2	7	19	39	66	26	13	
124	Other diseases of the liver	99	1					1	1	2	2	2	7	18	21	16	14	14	
125	Diseases of the pancreas	10								1			2	3	1	1	2		
126	Peritonitis without specified cause	37	7	1				5	1	4	2	1	2	3	7		2	2	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	1,969	25	4	3	1	2	12	12	24	21	47	51	150	183	324	493	617	
128	Acute nephritis (including unspecified under 10 years)	67	8	1	2			5	2	6	3	3	1	13	8	4	5	6	
129	Chronic nephritis (including unspecified 10 years and over)	1,452					1	7	10	11	13	22	32	87	126	265	391	487	
131	Other diseases of the kidneys and annexa	88	13	3	1	1	1			4	2	2	3	9	12	13	10	14	
132	Calculi of the urinary passages	24											2	4	4	3	7	4	
133	Diseases of the bladder	22	1								1					1	5	14	
134	Diseases of the urethra, etc	4													1	1	1	1	
135	Diseases of the prostate	185												1	3	25	66	90	
136	Nonvenereal diseases of the male genital organs	1	1																
137	Cysts, other benign tumors of the ovary	16										3	1	5	1	3	2	1	
138	Salpingitis and pelvic abscess (female)	32								3	2	7	7	9	2	2			
139	Benign tumors of the uterus	54										3	4	21	19	1	6		
140	Nonpuerperal uterine hemorrhage	2										1				1			
141	Other diseases of the female genital organs	20										6	1	1	7	5			
142	Nonpuerperal diseases of the breast (cancer excepted)	2	2																
	VIII.—The puerperal state	339								22	59	75	80	99	4				
143	Accidents of pregnancy	26								2	3	6	5	10					
144	Puerperal hemorrhage	37								1	3	4	9	19	1				
145	Other accidents of labor	24									3	2	8	10	1				
146	Puerperal septicemia	155								13	26	34	44	38					
147	Puerperal phlegmasia alba dolens, embolus, etc	27									8	6	5	8					
148	Puerperal albuminuria and convulsions	68								6	15	22	9	14	2				
149	Following childbirth (undefined)	2									1	1							
	IX.—Diseases of the skin and of the cellular tissue	60	11	1					1	1	3		2	5	4	4	7	21	
151	Gangrene	28												1	1	4	4	18	
152	Furuncle	8	2							1				1	2		2		
153	Acute abscess	7	2						1		2		1	1					
154	Other diseases of the skin and annexa	17	7	1							1		1	2	1		1	3	
	X.—Diseases of the bones and of the organs of locomotion	39	4	2	2	1		6	8	3		1	3	2	1	4	1	1	
155	Diseases of the bones (tuberculosis excepted)	26			2	1		4	7	2		1	3	1		4		1	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	8	2	1				1	1	1				1			1		
158	Other diseases of the organs of locomotion	5	2	1				1							1				
	XI.—Malformations	383	349	13	7	1		8	2	1	1				1				
159a	Congenital hydrocephalus	46	33	3	3			4		1	1				1				
159b	Congenital malformations of the heart	196	182	6	4			2	2										
159c	Other congenital malformations	141	134	4		1		2											
	XII.—Early infancy	1,597	1,597																
160	Congenital debility, icterus, sclerema	166	166																
161a	Premature birth	1,035	1,035																
161b	Injury at birth	239	239																
162	Other diseases peculiar to early infancy	155	155																
163	Lack of care	2	2																
164	XIII.—Old age (senility)	251														2	23	226	
	XIV.—External causes	2,036	64	30	34	30	21	98	64	119	110	142	137	301	276	217	185	207	1
	Suicide	264								7	10	21	16	66	66	39	27	12	
165, 166	By poisons (gas excepted)	39								1	6	6	2	9	6	4	4	1	
167	By poisonous gas	24									1	4	1	4	8	4	1	1	
168	By hanging or strangulation	75										5	6	24	14	12	7	7	
169	By drowning	22												7	8	6	1		
170	By firearms	74								5	3	6	7	13	21	10	7	2	
171	By cutting or piercing instruments	21												5	7	2	6	1	
172	By jumping from high places	6								1				3	1	1			
173	By crushing	2												1			1		
174	By other means	1													1				
	Homicide	70	4		1			1	1		5	7	12	17	12	8	2		
197	By firearms	41									2	5	7	11	10	5	1		
198	By cutting or piercing instruments	5						1	1			1		1			1		
199	By other means	24	4		1						3	1	5	5	2	3			
	Accidental or undefined	1,702	60	30	33	30	21	97	63	112	95	114	109	218	198	170	156	195	1
175	Poisoning by food	11	1			2					1	1	1	2	1		2		
176	Poisoning by venomous animals	1			1														
177	Other acute poisonings (gas excepted)	41	3	5	4	1	1	1		2	2	2	4	5	4	3	2	2	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MINNESOTA—Continued																		
	XIV.—External causes—Continued.																		
	Accidental or undefined—Continued.																		
178	Conflagration	44	2		1	3	1	10	2	2	3	3	2	3	5	2	2	3	
179	Burns (conflagration excepted)	114	4	9	15	10	5	12	4	5	1	8	1	15	6	4	5	10	
180	Mechanical suffocation	29	20						1	1			2	1	1	1	2		
181	Absorption of irrespirable, irritating, or poisonous gas	53	2			3					3	3	3	11	8	10	5	5	
182	Drowning	177	2	7	8	1	4	16	13	22	17	12	12	27	18	8	9	1	
183	Traumatism by firearms (except in war)	56	1				1	1	13	10	4	7	4	5	7	2	1		
184	Traumatism by cutting or piercing instruments	20						2	2	1	2	1		3	3	4	1	1	
185	Traumatism by fall	305	2	3		2	1	6	5	7	5	8	18	22	21	29	48	127	1
186a	Traumatism in mines	23								2	1	5	3	8	4				
186b	Traumatism in quarries	1												1					
187	Traumatism by machines	64				1		2	3	4	7	4	5	14	12	8	4		
188a	Railroad accidents	158	2			1		2	4	10	10	15	15	24	30	25	18	2	
188b	Street-car accidents	12					1	1				1	1	2	3			3	
188c	Automobile accidents	328	4	1	1	3	5	26	7	26	24	26	26	43	44	44	27	21	
188d	Airplane and balloon accidents	2									1			1					
188e,f	Injuries by other vehicles	59	1				2	6	4	1	4	3	2	6	7	6	12	5	
188g	Landslide, other crushing	9								1		3		2		3			
189	Injuries by animals (not poisoning)	30		1	1			1	2	2	1	1	1	1	7	3	7	2	
193	Excessive cold	17							1			1	2		4	4	1	4	
194	Excessive heat	6													1	1		4	
195	Lightning	6						1		1	1	1		1	1				
196	Other accidental electric shocks	25						1		5	2	3	3	6	1	3	1		
201	Fracture (cause not specified)	5			1										1	2		1	
202	Other external violence	106	16	4	1	3		9	2	10	6	6	4	15	9	8	9	4	
	XV.—Ill-defined diseases	167	79	9	1	2	1	1	1	2		2		3	4	20	18	23	1
204	Sudden death	20	11	1											1	2	2	3	
205a	Ill-defined	51	7	2		1	1					2			1	11	12	14	
205b	Not specified or unknown	96	61	6	1	1		1	1	2				3	2	7	4	6	1
	MISSISSIPPI																		
	All causes — White	7,760	1,110	334	194	92	60	179	152	203	241	224	233	604	664	738	1,275	1,391	66
	All causes — Colored	12,638	1,812	477	239	178	117	353	309	722	857	696	558	1,240	1,321	1,062	1,106	1,496	95
	I.—Epidemic, endemic, and infectious diseases — White	1,606	190	107	86	44	27	77	47	54	79	75	70	165	139	107	150	173	16
	I.—Epidemic, endemic, and infectious diseases — Colored	3,506	402	194	96	81	54	174	132	345	386	330	207	364	292	174	124	122	29
1	Typhoid and paratyphoid fever — W	78	1	1	2			4	6	11	12	9	3	10	8	3	5	1	2
	Typhoid and paratyphoid fever — C	169	1	2	2	1	2	18	19	43	30	14	8	11	7	4	5	1	1
5	Malaria — W	177	19	6	9	5	2	22	16	12	5	9	9	17	16	11	6	8	5
	Malaria — C	371	28	29	16	16	16	50	25	27	20	9	10	29	31	19	19	22	5
6	Smallpox — W	1																1	
	Smallpox — C	1										1							
7	Measles — W	84	16	14	9	4	3	11	4	2	2		1	6	4	1	5	1	1
	Measles — C	145	29	23	18	8	5	15	13	22	6	1	1	3	1				
8	Scarlet fever — W	10	1	2	3		1	2	1										
	Scarlet fever — C	3	1					2											
9	Whooping cough — W	79	39	17	11	3	2	4	2	1									
	Whooping cough — C	182	100	46	11	7	7	9		1									1
10	Diphtheria — W	103	10	19	25	19	14	13			1			1					1
	Diphtheria — C	72	10	7	11	12	6	20	3	1				1		1			
11a	Influenza (with pulmonary complications) — W	294	41	22	9	5	1	5	7	7	9	12	6	38	29	21	36	45	1
	Influenza (with pulmonary complications) — C	368	60	30	9	13	3	12	14	23	17	20	13	31	39	35	20	22	7
11b	Influenza (other and unspecified) — W	229	35	6	7	3		8	5	2	6	2	5	4	20	18	37	71	
	Influenza (other and unspecified) — C	370	71	18	11	11	5	12	11	21	15	18	12	23	33	24	34	48	3
15	Cholera nostras — W	1														1			
	Cholera nostras — C	1															1		
16	Dysentery — W	77	8	14	8	1	2	1				1	1	6		5	8	20	2
	Dysentery — C	82	15	20	4	3		1		2	1		3	5	6	3	8	11	
19	Spirochetal hemorrhagic jaundice — W	1									1								
21	Erysipelas — W	23	7					1	1			1	1	1	1	2	4	4	
	Erysipelas — C	3	1	1												1			
22	Acute anterior poliomyelitis — W	6	1	3	1			1											
	Acute anterior poliomyelitis — C	8	2		1	1	1	3											
23	Lethargic encephalitis — W	7		1						1	1		1	2	1				
	Lethargic encephalitis — C	1										1							
24	Meningococcus meningitis — W	8	1				1	1			2	1			1	1			
	Meningococcus meningitis — C	2											1	1					
25	Other epidemic and endemic diseases — W	1	1																
	Other epidemic and endemic diseases — C	5		1						1				1	1	1			
28	Rabies — W	2			1			1											
	Rabies — C	2					1									1			
29	Tetanus — W	11	3	1				1	1	1	1		1	1	1				
	Tetanus — C	39	19			1		1	4	2	3	3		3	1	1	1		
30	Mycoses — W	1															1		
	Mycoses — C	4	4																
	Tuberculosis (all forms) — W	387	4	1	1	4		1	2	15	38	39	40	71	55	43	47	22	4
	Tuberculosis (all forms) — C	1,407	14	10	10	7	7	28	43	184	270	241	141	210	134	60	24	13	11
31	Of the respiratory system — W	358	3	1	1	3			1	15	36	39	38	66	51	41	43	17	3
	Of the respiratory system — C	1,302	10	6	7	3	4	16	36	170	254	230	137	201	123	59	22	13	11
32	Of the meninges, central nervous system — W	8	1			1			1		1		1	2			1		
	Of the meninges, central nervous system — C	20	2	2	2	3		5	1		1	1		1	2				
33	Of the intestines, peritoneum — W	11						1						1	1	1	2	4	1
	Of the intestines, peritoneum — C	34	2					3	2	5	5	3	3	5	4		2		
34	Of the vertebral column — W	3											1		1		1		
	Of the vertebral column — C	14							1	2	6	1	1	1	2				
35	Of the joints — C	5				1		1	1			1			1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MISSISSIPPI—Continued																			
	I.—Epidemic, endemic, and infectious diseases—Continued.																			
	Tuberculosis—Continued.																			
36	Of other organs	W	4									1			1	1			1	
		C	14					2	3	2	3		1		1	2				
37a	Disseminated (acute)	W	2												1	1				
		C	15		2	1					3	3	4		1		1			
37b	Disseminated (chronic or unspecified)	W	1														1			
		C	3					1			1	1								
38	Syphilis	W	13	3						1		1		1	3	3		1		
		C	217	46	7	2		1	3		14	20	15	8	32	33	21	11	3	1
40	Gonococcus infection	W	4										1	1	2					
		C	33								4	4	6	8	8	1	1		1	
41	Purulent infection, septicemia	W	9					1	1	1	2				3		1			
		C	21	1		1	1						1	2	6	5	2	1	1	
	II.—General diseases not included in Class I.	White	724	13	14	7	6	2	4	10	9	8	16	18	80	123	121	184	102	7
		Colored	838	6	5	5	4	2	10	12	30	49	48	58	154	157	115	99	77	7
	Cancer and other malignant tumors	W	446		1	3		1	1	2	2	1	8	10	51	81	70	135	76	4
		C	390		1		1		1	3	2	5	10	19	65	99	75	60	46	3
43	Of the buccal cavity	W	19											1	3	2	4	4	5	
		C	5													3		2		
44	Of the stomach, liver	W	151			1					1		3	2	14	29	23	52	25	1
		C	97		1				1			1	1	4	13	20	25	19	12	
45	Of the peritoneum, intestines, rectum	W	45										1	1	4	6	6	21	6	
		C	31				1			2		1		2	3	8	8	4	2	
46	Of the female genital organs	W	77							1			2	2	16	21	20	9	4	2
		C	150								1	1	6	11	37	42	23	12	15	2
47	Of the breast	W	38											2	10	10	3	10	3	
		C	44								1		1	1	4	14	8	7	8	
48	Of the skin	W	34												2		2	15	15	
		C	6										1		1	1	2	1		
49	Of other or unspecified organs	W	82		1	2		1	1	1	1	1	2	2	2	13	12	24	18	1
		C	57							1		2	1	1	7	11	9	15	9	1
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	W	8							1			2			1	1	1	2	
		C	7										2		2	1	2			
51	Acute rheumatic fever	W	17						1	1	1	2		1	1	1	3	1	5	
		C	29	1					1			2	1	3	4	6	4	2	5	
52	Chronic rheumatism; osteoarthritis, gout	W	5												1	1		1	2	
		C	2										1		1					
53	Scurvy	C	1			1														
54	Pellagra	W	88		2					2	4	3	5	5	14	14	15	17	7	
		C	321		2	1	1	1	6	5	22	36	28	31	67	39	29	26	23	4
56	Rickets	W	1						1											
		C	1	1																
57	Diabetes mellitus	W	73				2			2	1	1	1		4	14	18	20	7	3
		C	36							2	1	1	2	3	9	8	2	5	3	
58	Anemia, chlorosis	W	17		1	1			1		1				4	4	2	2	1	
		C	13	1			1	1	1	2	4	2						1		
60a	Exophthalmic goiter	W	6												1	2	1	2		
		C	4										1		3					
60b	Other diseases of the thyroid gland	W	1														1			
		C	3										1			2				
65a	Leukemia	W	9	1	2							1		1	1	1	1	1		
		C	7									1		1	1		3	1		
65b	Hodgkin's disease	W	3							1					1	1				
		C	2										1			1				
66	Alcoholism (acute or chronic)	W	11											1	1	3	5	1		
		C	7									1	1	1	1	1		2		
67b	Other chronic mineral poisoning	C	1															1		
68	Chronic poisoning by organic substances	W	1														1			
69	Other general diseases	W	38	12	8	3	4	1		1					1		3	3	2	
		C	14	3	2	3	1		1		1	1			1			1		
	III.—Diseases of the nervous system and of the organs of special sense	White	667	27	8	4	3		11	4	6	10	8	6	37	67	107	203	163	3
		Colored	728	33	8	5	1	2	17	17	16	15	8	17	75	106	127	141	134	6
70	Encephalitis	W	13	2					1	2	2	2			1	1	2			
		C	15	1	2					1	2		1		7	1				
71a	Simple meningitis	W	16	4	3	2			3				2			1	1			
		C	17	2	2	1			4	1	3			1	2	1				
71b	Nonepidemic cerebrospinal meningitis	W	4	2	1										1					
		C	7	3		1			2		1									
72	Tabes dorsalis (locomotor ataxia)	W	9												1		1	4	3	
		C	5									1		1	1	1		1		
73	Other diseases of the spinal cord	W	19						1				1		1	1	6	6	3	
		C	16						1					1	1	2	4	3	4	
74a	Cerebral hemorrhage	W	408	3			1		1			2	2		22	42	73	148	111	3
		C	380						3	3	5	4	5	4	33	65	88	90	78	2
74b	Cerebral embolism and thrombosis	W	11						1				3	1		2	3	1		
		C	6											1		3	2			
75	Paralysis without specified cause	W	85	1	1	1					1				2	8	9	30	32	
		C	134	1							1			1	7	14	23	39	46	2
76	General paralysis of the insane	W	17											2	2	4	5	1	3	
		C	43								1	1	1	5	14	13	5	2		1
77	Other forms of mental alienation	W	7												1	1	1	4		
		C	8									1	1	1	2		1	1	1	
78	Epilepsy	W	20	1			2		1	1	1	2		1	4	3	2		2	
		C	26					1	2	4	1	5		1	6	4	1		1	
79	Convulsions (nonpuerperal; 5 years and over)	W	2								1	1								
		C	10							4	2	2		1						1
80	Infantile convulsions (under 5 years)	W	12	12																
		C	32	25	3	2	1	1												
81	Chorea	C	1															1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MISSISSIPPI—Continued																			
	III.—Diseases of the nervous system and of the organs of special sense—Continued.																			
82	Neuralgia and neuritis	W	5														2	2	1	
		C	3						1	1								1		
83	Softening of the brain	W	8															1	7	
		C	5														1	2	2	
84	Other diseases of the nervous system	W	16	2						1	1	1		1	1	3		5	1	
		C	9			1			2			1				2	1		2	
85	Diseases of the eye and annexa	W	1		1															
86a	Diseases of the ear	W	9		2	1			1			2				1	1	1		
		C	8	1	1				2	1					2			1		
86b	Diseases of the mastoid process	W	5						2					1	1		1			
		C	3							2							1			
	IV.—Diseases of the circulatory system	White	875	3	1	3		2	3	9	5	12	10	16	39	76	143	261	286	6
		Colored	1,213	5		3	2	2	7	9	25	32	30	34	144	242	209	219	244	6
87	Pericarditis	W	11							1	1				1	1	2	4	1	
		C	11						1			1	1			3	1	2	2	
88	Endocarditis and myocarditis (acute)	W	27			1		1	1	2		2	2	1	7		1	5	4	
		C	27						2		1	4	3	4	10	1		2		
89	Angina pectoris	W	68									2	1		3	9	11	23	18	1
		C	23								1		1	3	3	7	1	2	4	1
90	Other diseases of the heart	W	657	3		1		1	2	6	4	8	7	15	25	60	111	197	212	5
		C	1,028	2		3	2	2	4	8	22	23	24	24	118	219	193	190	189	5
91a	Aneurysm	W	9												1	1	3	3	1	
		C	14											2	6	1	4	1		
91b,c	Other diseases of the arteries	W	85												1	2	12	27	43	
		C	83										1		2	7	8	19	46	
92	Embolism and thrombosis (not cerebral	W	7			1									1	2	1		2	
		C	4											1	2			1		
93	Diseases of the veins	C	3												1	1	1			
94	Diseases of the lymphatic system	W	2		1													1		
		C	2							1					1					
95	Hemorrhage without specified cause	W	3													1			2	
		C	12	3							1	4				1		2	1	
96	Other diseases of the circulatory system	W	6														2	1	3	
		C	6												1	2	1		2	
	V.—Diseases of the respiratory system	White	628	108	42	14	8	5	14	10	17	16	16	27	53	49	52	74	121	2
		Colored	939	187	56	31	23	12	26	26	60	75	35	34	91	77	64	65	68	9
97a	Diseases of the nasal fossae	W	2	2																
		C	8	7								1								
97b	Diseases of the nasal fossae annexa	W	6						1				2	1			1	1		
		C	1													1				
98	Diseases of the larynx	W	1				1													
		C	2		1										1					
99a	Acute bronchitis	W	7		1				1			1							4	
		C	8	4					1	1	1	1								
99b	Chronic bronchitis	W	11												1		2	2	6	
		C	11	1	4							1				1	2		2	
99c,d	Bronchitis (unspecified)	W	10	3												1	1		5	
		C	18	7	1		1						1		1		3	2	2	
100a	Bronchopneumonia	W	185	53	15	9	2		5	4	3	3	3	6	10	7	12	16	37	
		C	210	74	17	14	9	3	7	4	6	10	1	3	16	15	8	10	12	1
100b	Capillary bronchitis	W	9	5				1								1	1		1	
		C	6	3											1		1		1	
101a	Lobar pneumonia	W	276	27	13	3	3	4	4	4	11	9	6	17	34	33	25	39	44	
		C	459	35	20	14	8	5	12	11	46	50	20	25	53	42	39	43	31	5
101b	Pneumonia (unspecified)	W	81	15	11	2	1		2	2	2	3	4		7	5	5	7	14	1
		C	169	54	13	3	4	4	4	8	3	7	7	6	9	13	7	9	16	2
102	Pleurisy	W	14	1	2						1		1	1			2	3	3	
		C	12						2	1	1	3	2		3					
103	Congestion and hemorrhagic infarct of the lung	W	10	2			1									1		1	5	
		C	4												2		2			
105	Asthma	W	11						1					1	1	1	2	4	1	
		C	15	2			1			1			1		3	3	1	1	2	
106	Pulmonary emphysema	W	1																1	
		C	2								1									1
107	Other diseases of the respiratory system (tuberculosis excepted)	W	4											1			1	1		1
		C	14								2	2	3		2	2	1		2	
	VI.—Diseases of the digestive system	White	785	136	135	57	11	5	21	33	30	22	17	20	56	53	40	79	65	5
		Colored	850	185	114	35	19	7	29	22	39	39	38	24	69	81	46	48	52	3
108	Diseases of the mouth and annexa	W	8						1	2				1	1			1	2	
		C	3									1				1	1			
109b	Other diseases of the pharynx, tonsils	W	20	3		1	1	3	3	1	1	1		2	2			1	1	
		C	25	5	1		1		4	2	4	2	2		2			1	1	
111a	Ulcer of the stomach	W	18										3	1	4	2	1	4	3	
		C	12						1				1	1	1	2	4		2	
111b	Ulcer of the duodenum	W	10						1				1		4	1	3			
		C	3									1				1	1			
112	Other diseases of the stomach (cancer excepted)	W	70	11	2	7	2			1			1	3	6	6	3	15	12	1
		C	89	9	8	2	2		2		4	2	3	1	14	17	9	10	6	
113	Diarrhea and enteritis (under 2 years)	W	241	111	130															
		C	262	159	103															
114	Diarrhea and enteritis (2 years and over)	W	90			43	6		4	1	3		1	2	2	2	2	9	15	
		C	98			26	14	2	7	2	3	3	1	2	5	10	5	9	8	1
116	Diseases due to other intestinal parasites	C	6			3			3											
117	Appendicitis and typhlitis	W	128	1		1	1	1	8	24	20	15	7	5	14	13	8	6	1	3
		C	121		1			1	6	14	19	15	14	9	20	10	6	3	3	
118a	Hernia	W	9												2	2	3	1	1	
		C	21	1								1		2	1	5	5	2	4	
118b	Intestinal obstruction	W	53	6	1	5			2	1	4	1	2		6	6	2	10	7	
		C	75	8		2	1	2	3	2	7	8	11	4	8	9	3	1	6	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MISSISSIPPI—Continued																			
	VI.—Diseases of the digestive system—Continued																			
119	Other diseases of the intestines	W	12	1	1				1		1	1				1		3	3	
		C	16	2	1	1			1				1			3	3		2	2
120	Acute yellow atrophy of the liver	W	1														1			
		C	2	1												1				
122	Cirrhosis of the liver	W	38							1					1	4	10	12	10	
		C	50						1			1	1	1	9	7	7	12	11	
123	Biliary calculi	W	18									1		1	2	2	2	8	2	
		C	6													3		2	1	
124	Other diseases of the liver	W	53	2	1		1	1	1	1		1	2	3	8	11	5	7	8	1
		C	36				1		1	1	1	2	2	4	6	7	2	2	7	
126	Peritonitis without specified cause	W	16	1						1	1	2		2	4	3		2		
		C	25			1		2		1	1	3	2		3	5		6	1	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	White	753	7	2	3	2	1	6	5	10	9	11	13	59	69	107	216	223	10
		Colored	1,041	6	3	4	6	6	9	5	17	30	32	28	117	170	167	194	240	7
128	Acute nephritis (including unspecified under 10 years)	W	53	4		3	2		3		2	2	3	3	5	5	10	5	3	3
		C	112	3	2	4	6	5	9	2	6	6	4	3	16	14	12	10	9	1
129	Chronic nephritis (including unspecified 10 years and over)	W	597		2				2	4	2	2	7	7	35	53	89	190	198	6
		C	767					1		2	8	16	15	16	68	134	139	162	202	4
131	Other diseases of the kidneys and annexa	W	36	3				1	1		3	2		1	8	3	5	7	1	1
		C	25	3	1					1	1	1	1		3	4	2	3	4	1
132	Calculi of the urinary passages	W	2													1			1	
		C	1														1			
133	Diseases of the bladder	W	7												1			3	3	
		C	14										1		2	2	1	3	5	
134	Diseases of the urethra, etc	W	1								1									
		C	9										1	1	3	1	2		1	
135	Diseases of the prostate	W	29													1	2	9	17	
		C	40													2	6	13	18	1
136	Nonvenereal diseases of the male genital organs	C	2										1			1				
137	Cysts, other benign tumors of the ovary	W	5									1			2	2				
		C	6											2	3	1				
138	Salpingitis and pelvic abscess (female)	W	5									1		1	3					
		C	32								1	3	5	3	13	5	2			
139	Benign tumors of the uterus	W	8								1			1	2	3		1		
		C	22									1	4	1	5	6	1	3	1	
140	Nonpuerperal uterine hemorrhage	W	5							1	1	1			2					
141	Other diseases of the female genital organs	W	5										1		1	1	1	1		
		C	11								1	3		2	4		1			
	VIII.—The puerperal state	White	137							1	16	31	28	20	39	2				
		Colored	241							6	55	56	40	34	46	4				
143	Accidents of pregnancy	W	13									5	1	1	4	2				
		C	22							1	2	6	4	7	2					
144	Puerperal hemorrhage	W	13								1		3	2	7					
		C	20							1		2	1	6	8	2				
145	Other accidents of labor	W	11							1	3	1	2	1	3					
		C	39							3	7	6	7	8	8					
146	Puerperal septicemia	W	44								3	12	9	9	11					
		C	84								25	24	14	4	15	2				
147	Puerperal phlegmasia alba dolens, embolus, etc	W	2									2								
		C	2										1		1					
148	Puerperal albuminuria and convulsions	W	53								9	11	13	7	13					
		C	73							1	21	18	13	9	11					
149	Following childbirth (undefined)	W	1												1					
		C	1												1					
	IX.—Diseases of the skin and of the cellular tissue	White	21	4		2		1	1		1	1	1		3	2	2	1	2	
		Colored	25	1		1						3	3		2	2	1	4	8	
151	Gangrene	W	6			1			1							1	1	1	1	
		C	15									1	2		2	1		3	6	
152	Furuncle	W	5	1								1			1		1		1	
		C	2	1															1	
153	Acute abscess	W	7			1		1			1		1		2	1				
		C	5			1						2	1				1			
154	Other diseases of the skin and annexa	W	3	3																
		C	3													1		1	1	
	X.—Diseases of the bones and of the organs of locomotion	White	8					1	3	1	1			1			1			
		Colored	11				1		1	4	2			1			1		1	
155	Diseases of the bones (tuberculosis excepted)	W	6					1	3	1	1									
		C	8				1			4	2						1			
156	Diseases of the joints (tuberculosis and rheumatism excepted)	W	1														1			
		C	1						1											
158	Other diseases of the organs of locomotion	W	1											1						
		C	2											1					1	
	XI.—Malformations	White	65	61	1		1	1	1											
		Colored	17	6	4	1		1	3	2										
159a	Congenital hydrocephalus	W	7	6			1													
		C	8	2	3	1		1		1										
159b	Congenital malformations of the heart	W	25	22	1			1	1											
		C	2	2																
159c	Other congenital malformations	W	33	33																
		C	7	2	1				3	1										

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MISSISSIPPI—Continued																			
	XII.—Early infancy	White	397	397																
		Colored	279	279																
160	Congenital debility, icterus, sclerema	W	58	58																
		C	46	46																
161a	Premature birth	W	275	275																
		C	196	196																
161b	Injury at birth	W	37	37																
		C	14	14																
162	Other diseases peculiar to early infancy	W	26	26																
		C	23	23																
163	Lack of care	W	1	1																
164	XIII.—Old age (senility)	White	143													1		15	126	1
		Colored	319													2	1	35	280	1
	XIV.—External causes	White	541	15	9	10	13	13	33	30	46	45	37	38	58	59	30	33	63	9
		Colored	833	34	24	19	22	15	43	50	91	125	84	74	86	68	33	25	31	9
	Suicide	W	31								1	4	2	5	2	7	3	4	3	
		C	11									3		2	1	3	1			1
165, 166	By poisons (gas excepted)	W	3									2		1						
		C	1									1								
167	By poisonous gas	W	1													1				
168	By hanging or strangulation	W	3												1			2		
169	By drowning	W	2																2	
		C	2													1	1			
170	By firearms	W	21								1	2	2	4	1	6	2	2	1	
		C	4									1		1		1				1
171	By cutting or piercing instruments	C	2												1	1				
172	By jumping from high places	W	1														1			
174	By other means	C	2									1		1						
	Homicide	W	75		1						5	8	11	10	16	17	3	3		1
		C	236	1			1		1	1	18	55	46	41	40	26	4	1		1
197	By firearms	W	63								3	8	11	10	14	12	3	1		1
		C	185				1		1	1	12	39	38	35	34	21	1	1		1
198	By cutting or piercing instruments	W	4								2				1	1				
		C	26								4	10	4	2	3	2	1			
199	By other means	W	8		1										1	4		2		
		C	25	1							2	6	4	4	3	3	2			
	Accidental or undefined	W	435	15	8	10	13	13	33	30	40	33	24	23	40	35	24	26	60	8
		C	586	33	24	19	21	15	42	49	73	67	38	31	45	39	28	24	31	7
175	Poisoning by food	W	7	1	1		1				1				2			1		
		C	12	2	1	2				1	2			1	1		1	1		
177	Other acute poisonings (gas excepted)	W	11	1		3							1		2	2			2	
		C	8		1	4	1		1						1					
178	Conflagration	W	2							2										
		C	22	1	1	1	2	3	4	3	3		1		1				2	
179	Burns (conflagration excepted)	W	52	2	2	3	8	7	9	2	2	4	1	1	2	1		4	4	
		C	103	6	12	6	15	6	11	5	8	5		4	2	2	4	3	14	
180	Mechanical suffocation	W	4	4																
		C	17	13							1			1	1		1			
181	Absorption of irrespirable, irritating, or poisonous gas	W	1						1											
182	Drowning	W	29					1	3	5	7	2	5	1	1		1			3
		C	58		3	1	1	1	4	6	13	7	7	3	3	3	3	1	1	1
183	Traumatism by firearms (except in war)	W	40				1		2	8	6	1	2	2	7	7	2	1		1
		C	102	2	1	1	2	2	3	12	19	26	9	7	10	5		1		2
184	Traumatism by cutting or piercing instruments	W	2						1									1		
		C	9							1	1		1		1			2	2	1
185	Traumatism by fall	W	63	2		1			4		1	2	1	1	1		6	7	37	
		C	35	3	3	1			4	4	2		1	3	2	2	2	5	3	
187	Traumatism by machines	W	19								5	2	3	1	4	2		1		1
		C	14							1	4		1	1	2	2	2	1		
188a	Railroad accidents	W	52	1	1		1		2	3	4	7	3	4	9	5	3	5	2	2
		C	45						1	2	7	11	6	3	6	5	2	1		1
188b	Street-car accidents	W	1														1			
188c	Automobile accidents	W	57			2	1	2	4	4	5	5	5	5	5	10	2	1	5	1
		C	21						1	2	3	5	2	1	1	1	3	2		
188d	Airplane and balloon accidents	W	1											1						
188e, 188f	Injuries by other vehicles	W	7					1	1						1		2	2		
		C	13						1	2			1	1	1	2	2	2	1	
188g	Landslide, other crushing	W	3						1		1					1				
		C	6						1	1	1	1				1		1		
189	Injuries by animals (not poisoning)	W	6					2	2					1					1	
		C	5							2		1					1		1	
193	Excessive cold	W	1														1			
		C	2										1			1				
194	Excessive heat	W	1														1			
		C	2													1			1	
195	Lightning	W	12							3	1	4		1	2		1			
		C	16						4		2	3	1	3	2		1			
196	Other accidental electric shocks	W	5							1	1	1		1		1				
		C	3							1	1				1					
201	Fracture (cause not specified)	W	11				1					1		1		2	1	1	4	
		C	14						1	1	1		1	1	1	3	2	1	2	
202	Other external violence	W	48	4	4	1			3	2	6	4	3	3	4	4	3	2	5	
		C	79	6	2	3		3	6	5	5	8	6	2	9	11	4	3	4	2
	XV.—Ill-defined diseases	White	410	149	15	8	4	2	5	2	8	8	5	4	15	24	28	59	67	7
		Colored	1,798	668	69	39	19	16	34	24	42	47	48	47	92	120	124	152	239	18
204	Sudden death	W	38	3	1					1					3	5	1	13	10	1
		C	110	7		1		1		2	1	4	2	1	10	19	22	19	20	1
205a	Ill-defined	W	55	14	1	4	3		1	1		1	1	1	4	3	7	6	7	1
		C	123	22	8	4			3		5	5	4	5	6	9	16	16	17	3
205b	Not specified or unknown	W	317	132	13	4	1	2	4		8	7	4	3	8	16	20	40	50	5
		C	1,565	639	61	34	19	15	31	22	36	38	42	41	76	92	86	117	202	14

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MISSOURI																		
	All causes	42,043	4,901	1,160	600	312	234	763	622	1,060	1,286	1,301	1,388	3,429	4,275	5,594	6,876	8,128	114
	I.—Epidemic, endemic, and infectious diseases	8,016	788	471	255	154	106	331	209	433	545	497	480	842	709	662	775	730	29
1	Typhoid and paratyphoid fever	300	1	5	6	1	2	26	33	46	46	25	19	36	19	20	14		1
5	Malaria	132	15	9	6	7	3	5	7	12	7	3	11	10	9	6	13	8	1
6	Smallpox	4	1	1							1		1						
7	Measles	331	66	92	43	22	15	26	13	14	14	9	3	3	8	1	2		
8	Scarlet fever	122	6	15	14	10	7	38	7	14	4	1	2	2	2				
9	Whooping cough	366	212	87	32	16	10	6	2					1					
10	Diphtheria	409	28	68	45	57	36	119	26	16	5	5	1	1		2			
11a	Influenza (with pulmonary complications)	1,526	163	67	38	16	12	33	24	48	41	42	63	136	117	160	294	266	6
11b	Influenza (other and unspecified)	820	88	22	9	4	6	15	15	21	15	18	23	40	56	66	151	263	8
13	Mumps	2			1							1							
15	Cholera nostras	7	2		1												1	3	
16	Dysentery	189	45	40	25	4	3	4			1	1		4	6	7	11	37	1
19	Spirochetal hemorrhagic jaundice	1														1			
20	Leprosy	1												1					
21	Erysipelas	106	25	1	1			3		2	4	1	4	5	10	22	15	13	
22	Acute anterior poliomyelitis	30	6	8	2	2	1	6	2					1	2				
23	Lethargic encephalitis	47	1	2	1			1	1	2	2	4		2	10	15	5	1	
24	Meningococcus meningitis	44	13	4	3	2	1	4	6	5	1	1	1	2	1				
25	Other epidemic and endemic diseases	7	3	3										1					
28	Rabies	2						1								1			
29	Tetanus	74	9	1	1	2	1	8	15	7	1	1	5	10	4	7	1	1	
30	Mycoses	3	1									1			1				
	Tuberculosis (all forms)	3,186	45	41	24	11	9	30	51	239	382	367	325	538	415	324	247	127	11
31	Of the respiratory system	2,824	20	19	11	4	3	17	42	220	346	347	298	479	381	291	219	117	10
32	Of the meninges, central nervous system	96	16	18	7	4	3	7	3	2	12	3	5	9	3	1	3		
33	Of the intestines, peritoneum	115	2	1	3	1		2		6	12	4	8	23	16	17	16	4	
34	Of the vertebral column	47	2	1	2	1	1	2	3	3	2	5	6	6	4	6	3		
35	Of the joints	11						1	1			2		1	2		2	1	1
36	Of other organs	39					1	1	1	2	2	3	3	10	5	5	4	2	
37a	Disseminated (acute)	51	5	2	1	1	1		1	5	7	3	5	10	4	4		2	
37b	Disseminated (chronic or unspecified)	3								1	1							1	
38	Syphilis	235	55	5	2			3	5	2	11	5	17	40	39	25	18	8	
39	Soft chancre	2								1							1		
40	Gonococcus infection	33								2	7	9	2	7	5		1		
41	Purulent infection, septicemia	37	3		1			3	2	2	3	3	3	2	5	5	1	3	1
	II.—General diseases not included in Class I	4,556	51	22	8	4	9	32	31	45	45	72	104	415	773	1,110	1,092	734	9
	Cancer and other malignant tumors	3,176	2	4	1	1	2	6	6	8	14	25	51	283	550	835	821	562	5
43	Of the buccal cavity	133								1				5	28	28	31	40	
44	Of the stomach, liver	1,216	1	1				1		1	1	5	6	63	192	343	363	237	2
45	Of the peritoneum, intestines, rectum	399		1					1	3	4	5	8	37	57	106	111	66	
46	Of the female genital organs	441								1		7	17	85	105	129	62	34	1
47	Of the breast	263											9	37	70	64	45	37	1
48	Of the skin	119						1			1			5	10	20	33	49	
49	Of other or unspecified organs	605	1	2	1	1	2	4	5	2	8	8	11	51	88	145	176	99	1
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	33	1				1	1	1				2	1	8	6	5	7	
51	Acute rheumatic fever	94	1		2		1	9	8	4	7	4	6	5	11	10	10	13	3
52	Chronic rheumatism, osteoarthritis, gout	39							1			1	1		7	3	14	11	1
53	Scurvy	2	2																
54	Pellagra	12									1		3	3	2		2	1	
56	Rickets	12	5	7															
57	Diabetes mellitus	593	1	3	2	2	1	7	11	16	8	11	13	36	65	137	180	100	
58	Anemia, chlorosis	195	3	1		1		3		4	2	4	4	15	39	57	40	22	
60a	Exophthalmic goiter	87								3	3	5	9	15	27	15	6	4	
60b	Other diseases of the thyroid gland	20	1									1		3	5	6	3	1	
61	Diseases of the parathyroid glands	1		1															
62	Diseases of the thymus gland	22	13	1			1	1				2	1	1		1		1	
63	Diseases of the adrenals (Addison's disease)	8												2	1	2	3		
64	Diseases of the spleen	8								2	1	1			2		1	1	
65a	Leukemia	64	3	2	3		2	2	3	4	3	3	2	6	16	11	3	1	
65b	Hodgkin's disease	25						2	1	1	2	4	3	3	4	3		2	
66	Alcoholism (acute or chronic)	99								1		7	8	33	31	17		2	
67a	Chronic lead poisoning	3										1				2			
68	Chronic poisoning by organic substances	18									1	1		7	4	3	1	1	
69	Other general diseases	45	19	3			1	1		2	3	2	1	2	1	2	3	5	
	III.—Diseases of the nervous system and of the organs of special sense	4,116	87	27	14	7	4	36	48	36	39	45	77	258	497	733	993	1,206	9
70	Encephalitis	47	5	2	2			4	3	1	1		4	5	12	2	3	3	
71a	Simple meningitis	82	18	11	4	3	1	6	9	3	4	1		4	8	6	1	3	
71b	Nonepidemic cerebrospinal meningitis	28	7	1	1			3	2	1	3	3	2	1	2	2			
72	Tabes dorsalis (locomotor ataxia)	61									1		1	7	12	18	13	9	
73	Other diseases of the spinal cord	142	3		2				1	2	2	1	3	5	19	29	33	42	
74a	Cerebral hemorrhage	2,684	8		1		1	1	4	4	6	11	18	97	271	544	763	947	8
74b	Cerebral embolism and thrombosis	50	1	1					1	2		1	2	2	4	6	7	23	
75	Paralysis without specified cause	223	1	2									1	6	13	27	69	104	
76	General paralysis of the insane	257										7	18	66	72	42	34	17	1
77	Other forms of mental alienation	51								2	1	4	3	11	19	4	5	2	
78	Epilepsy	137		1				4	10	9	15	10	13	28	18	13	11	5	
79	Convulsions (nonpuerperal; 5 years and over)	2									1							1	
80	Infantile convulsions (under 5 years)	28	25	2	1														
81	Chorea	5								2					1		2		
82	Neuralgia and neuritis	8												1	1		3	3	
83	Softening of the brain	41												1	2	4	11	23	
84	Other diseases of the nervous system	147	3	2		1		4	1	8	2	4	5	12	25	31	28	21	
85	Diseases of the eye and annexa	4						2							1			1	
86a	Diseases of the ear	82	14	4	3	2	1	10	12	1	3	3	3	8	8	2	7	1	
86b	Diseases of the mastoid process	37	2	1		1	1	2	5	1			4	4	9	3	3	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MISSOURI—Continued																		
	IV.—Diseases of the circulatory system	5,779	23	4	5	7	4	36	48	59	58	75	67	316	580	1,021	1,435	2,027	14
87	Pericarditis	53			1			3	1	1	1	1	2	4	12	6	10	11	
88	Endocarditis and myocarditis (acute)	174	6		3	3	1	3	8	7	8	11	9	20	22	30	22	21	
89	Angina pectoris	284							1			2	2	14	33	70	88	74	
90	Other diseases of the heart	4,287	13	3	1	3	2	28	36	48	48	57	48	258	468	798	1,100	1,363	13
91a	Aneurysm	89								1	1	1	4	12	16	28	16	9	1
91b,c	Other diseases of the arteries	810											1	2	17	73	183	534	
92	Embolism and thrombosis (not cerebral)	50	2			1		1	2	1		1		5	8	8	11	10	
93	Diseases of the veins	18										2		1	2	6	5	2	
94	Diseases of the lymphatic system	7	1	1			1	1							1			2	
95	Hemorrhage without specified cause	6	1							1			1		1	2			
96	Other diseases of the circulatory system	1																1	
	V.—Diseases of the respiratory system	4,837	831	266	117	51	33	89	58	97	100	119	122	331	400	519	672	1,022	10
97a	Diseases of the nasal fossae	3	1	1												1			
97b	Diseases of the nasal fossae annexa	18	2						3	1	1		1	3	4	1		2	
98	Diseases of the larynx	25	3	7	2	1	1	1	1	2				1		1	3	2	
99a	Acute bronchitis	135	34	10		3	1	1		5	1	2		2	3	10	16	47	
99b	Chronic bronchitis	166	5	1	3						2		3	3	7	18	50	74	
99c,d	Bronchitis (unspecified)	49	10	2	5			2				1	1		4	3	4	17	
100a	Bronchopneumonia	1,813	556	168	60	27	13	28	18	14	19	22	23	53	66	119	187	436	4
100b	Capillary bronchitis	46	23	2	2		1							4		1	3	10	
101a	Lobar pneumonia	2,220	173	62	41	16	13	42	31	71	67	83	82	243	272	312	362	345	5
101b	Pneumonia (unspecified)	55	11	3		1		2	2	2	1	2	2	4	3	4	5	13	
102	Pleurisy	118	5	8	3	3	3	10	2	2	8	6	4	11	19	11	12	11	
103	Congestion and hemorrhagic infarct of the lung	42	3				1	1			1		1		2	6	4	23	
104	Gangrene of the lung	5											1		1	2	1		
105	Asthma	93		1	1			2					1	2	15	20	20	30	1
106	Pulmonary emphysema	12	1						1				1			1	2	6	
107	Other diseases of the respiratory system (tuberculosis excepted)	37	4	1								3	2	5	4	9	3	6	
	VI.—Diseases of the digestive system	3,442	712	283	142	32	31	88	82	98	102	104	105	296	351	358	341	315	2
108	Diseases of the mouth and annexa	28	6	1	1				1			1	2	5	5		3	3	
109b	Other diseases of the pharynx, tonsils	96	7	4	5	1	4	14	6	5	7	7	7	15	5	2	2	5	
110	Diseases of the esophagus	4	1	1												1		1	
111a	Ulcer of the stomach	138			1				2	1	7	9	9	21	33	22	16	17	
111b	Ulcer of the duodenum	40									2	2	3	7	10	9	4	3	
112	Other diseases of the stomach (cancer excepted)	186	43	2	3		1	2			5	4	4	18	12	17	30	45	
113	Diarrhea and enteritis (under 2 years)	877	611	266															
114	Diarrhea and enteritis (2 years and over)	339			120	23	13	14	7	4	4	2	3	9	20	18	40	62	
116	Diseases due to other intestinal parasites	2			1			1											
117	Appendicitis and typhlitis	599	1	1	3	4	9	42	58	71	56	46	40	98	73	65	23	8	1
118a	Hernia	127	3		1						1	2	4	7	20	24	40	25	
118b	Intestinal obstruction	215	20	6	5		2	5	3	6	7	7	12	33	29	28	22	29	1
119	Other diseases of the intestines	55	6			1		1				3	2	7	6	9	9	11	
120	Acute yellow atrophy of the liver	28				1		1		1	3	1	1	2	3	3	6	6	
121	Hydatid tumor of the liver	2		1													1		
122	Cirrhosis of the liver	313	1			1		2		2	2	6	4	29	60	77	84	45	
123	Biliary calculi	144										4	2	17	31	36	32	22	
124	Other diseases of the liver	161	6		2			3	1	2	4	4	5	16	31	37	24	26	
125	Diseases of the pancreas	19									2		3	4	6	3		1	
126	Peritonitis without specified cause	69	7	1		1	2	3	4	6	2	6	4	8	7	7	5	6	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	4,516	20	8	7	7	3	22	25	39	60	63	87	319	494	802	1,141	1,411	8
128	Acute nephritis (including unspecified under 10 years)	190	9	4	3	2	3	13	9	7	12	6	3	26	19	19	32	23	
129	Chronic nephritis (including unspecified 10 years and over)	3,720	1	2	2	3		7	14	24	21	24	50	203	417	708	1,012	1,225	7
131	Other diseases of the kidneys and annexa	94	9	2	2	2		1	1	3	1	3	3	10	11	21	15	10	
132	Calculi of the urinary passages	22						1			1	2	2	1	2	6	2	5	
133	Diseases of the bladder	48	1								1	3	1	2	1	4	10	25	
134	Diseases of the urethra, etc	18									1		2	7	5	1	1	1	
135	Diseases of the prostate	205													3	22	61	118	1
136	Nonvenereal diseases of the male genital organs	3											1	1			1		
137	Cysts, other benign tumors of the ovary	31								1		6	4	5	4	7	3	1	
138	Salpingitis and pelvic abscess (female)	94								3	19	17	16	26	12		1		
139	Benign tumors of the uterus	66									1	2	3	31	15	9	2	3	
140	Nonpuerperal uterine hemorrhage	2							1				1						
141	Other diseases of the female genital organs	23								1	3		1	7	5	5	1		
	VIII.—The puerperal state	492							2	49	104	94	103	134	6				
143	Accidents of pregnancy	58								5	7	11	19	15	1				
144	Puerperal hemorrhage	40								1	8	8	7	16					
145	Other accidents of labor	46								2	9	3	9	22	1				
146	Puerperal septicemia	227							2	24	56	50	47	47	1				
147	Puerperal phlegmasia alba dolens, embolus, etc	13									3	1	4	5					
148	Puerperal albuminuria and convulsions	107								17	21	21	16	29	3				
149	Following childbirth (undefined)	1											1						
150	Puerperal diseases of the breast																		
	IX. Diseases of the skin and of the cellular tissue	140	20		1		1	1	2	2	6	3	3	3	10	12	28	48	
151	Gangrene	59	3						1				1		5	3	11	35	
152	Furuncle	34	5					1			5	1	1		2	5	7	7	
153	Acute abscess	25	4		1		1		1	1	1	2	1	2	3	2	5	1	
154	Other diseases of the skin and annexa	22	8							1				1		2	5	5	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MISSOURI—Continued																		
	X.—Diseases of the bones and of the organs of locomotion	41	1	2	2			7	3	4	4	1		3	1	7	3	3	
155	Diseases of the bones (tuberculosis excepted)	36	1	2	2			7	3	4	4	1		2	1	5	2	2	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	3												1		2			
157	Amputations	1															1		
158	Other diseases of the organs of locomotion	1																1	
	XI.—Malformations	432	390	7	8	5	2	9	6		3	2							
159a	Congenital hydrocephalus	38	28	1	3	1	1	2	1			1							
159b	Congenital malformations of the heart	255	237	4	4	2		4	3		1								
159c	Other congenital malformations	139	125	2	1	2	1	3	2		2	1							
	XII.—Early infancy	1,738	1,738																
160	Congenital debility, icterus, sclerema	205	205																
161a	Premature birth	1,163	1,163																
161b	Injury at birth	218	218																
162	Other diseases peculiar to early infancy	145	145																
163	Lack of care	7	7																
164	XIII.—Old age (senility)	305														6	36	262	1
	XIV.—External causes	3,166	51	53	39	43	40	108	107	189	213	221	237	492	427	321	291	312	22
	Suicide	500							1	15	27	30	54	108	106	86	44	26	3
165, 166	By poisons (gas excepted)	122								5	12	9	19	28	21	18	6	4	
167	By poisonous gas	39								1	2		4	5	12	9	4	2	
168	By hanging or strangulation	67								1	1	2	7	12	17	12	8	7	
169	By drowning	29									1	1	1	10	3	6	3	3	1
170	By firearms	190							1	6	10	16	20	40	40	31	17	7	2
171	By cutting or piercing instruments	33								1		1	2	7	10	7	2	3	
172	By jumping from high places	12										1		4	1	2	4		
173	By crushing	2												2					
174	By other means	6								1	1		1		2	1			
	Homicide	423	1						2	28	61	78	72	114	42	10	6	2	7
197	By firearms	320							1	21	50	63	57	82	28	6	5		7
198	By cutting or piercing instruments	47								3	6	10	9	14	3	1	1		
199	By other means	56	1						1	4	5	5	6	18	11	3		2	
	Accidental or undefined	2,243	50	53	39	43	40	108	104	146	125	113	111	270	279	225	241	284	12
175	Poisoning by food	40		4	1	4	1	4	2	1	2	2	1	6	3	2	4	3	
176	Poisoning by venomous animals	6	1			1	1	2							1				
177	Other acute poisonings (gas excepted)	53	3	7	6	3	1	1	1	3	3	1	4	5	8	3	2	2	
178	Conflagration	48	2	6	4	3	5	5	1	1	2	3	2	4	2	2	2	4	
179	Burns (conflagration excepted)	172	7	10	10	13	12	9	9	3	3	10	5	22	22	13	9	13	2
180	Mechanical suffocation	31	23							2				1	3	1	1		
181	Absorption of irrespirable, irritating, or poisonous gas	41		1						1	2	4		2	10	9	5	7	
182	Drowning	148	1	4	5	2	2	9	25	22	14	9	8	18	13	7	4	3	2
183	Traumatism by firearms (except in war)	93	1		1	2	1	4	9	19	10	5	6	12	8	9	5		1
184	Traumatism by cutting or piercing instruments	19							1	2			3	2	5		5	1	
185	Traumatism by fall	458	4	8	5	2	3	7	8	9	8	8	4	34	34	49	78	196	1
186a	Traumatism in mines	38								4	5	2	5	9	10	2	1		
186b	Traumatism in quarries	8								1			1	1	1	2	1	1	
187	Traumatism by machines	57				1	2	1	1	6	8	3	4	8	12	7	4		
188a	Railroad accidents	213		1	1		2	5	3	18	13	21	17	38	33	30	24	4	3
188b	Street-car accidents	32								2	1	1	2	5	3	9	7	2	
188c	Automobile accidents	398	1	1	2	7	9	39	23	34	28	22	23	50	45	40	47	27	
188d	Airplane and balloon accidents	3											2	1					
188e,f	Injuries by other vehicles	70	1		1			6	6	4	3	3	4	6	11	13	11	1	
188g	Landslide, other crushing	25						1	3		3	2	2	1	8	4	1		
189	Injuries by animals (not poisoning)	39				2		6	5					5	5	3	9	3	1
193	Excessive cold	3													1	2			
194	Excessive heat	28	1								2	1		2	10	5	5	2	
195	Lightning	17								3	2	2	1	4	3	2			
196	Other accidental electric shocks	41						2		2	6	7	6	10	4	3			1
201	Fracture (cause not specified)	27								2		2	1	4	4	3	4	6	1
202	Other external violence	135	5	11	3	3	1	7	7	7	10	5	10	20	20	5	12	9	
	XV.—Ill-defined diseases	467	189	17	2	2	1	4	1	9	7	5	3	20	27	43	69	58	10
204	Sudden death	26	8	1											1	3	9	4	
205a	Ill-defined	161	21	6	1	1	1	1	1	2	4	3	2	11	14	25	38	29	1
205b	Not specified or unknown	280	160	10	1	1		3		7	3	2	1	9	12	15	22	25	9
	MONTANA																		
	All causes	4,893	748	109	73	48	43	164	116	133	153	158	193	516	554	666	643	565	11
	I.—Epidemic, endemic, and infectious diseases	815	72	39	22	21	15	56	35	36	48	38	46	130	103	90	43	21	
1	Typhoid and paratyphoid fever	16						1	1	3	1	4	3	1		2			
6	Smallpox	3	1					1					1						
7	Measles	19	4	8			3	2	1				1						
8	Scarlet fever	17			1	6	1	5	1		2				1				
9	Whooping cough	23	12	7	1	1	1	1											
10	Diphtheria	51	2	3	6	5	5	20	7	1	1				1				
11a	Influenza (with pulmonary complications)	99	20	9	1	1	1	4		4	6	1	6	14	6	10	10	6	
11b	Influenza (other and unspecified)	59	9		2		2	5	2	2	1	3	6	4	5	3	8	7	
15	Cholera nostras	1	1																

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MONTANA—Continued																		
	I.—Epidemic, endemic, and infectious diseases—Continued																		
16	Dysentery	8	3	2	2										1				
21	Erysipelas	21	12										1	2	1	3	1	1	
22	Acute anterior poliomyelitis	6		2		1			2		1								
23	Lethargic encephalitis	13		1	1	1		1	1	2	1	2		1	2				
24	Meningococcus meningitis	7			1			2	1		1	1		1					
25	Other epidemic and endemic diseases	14				1							1	4	1	5	2		
28	Rabies	1							1										
29	Tetanus	4					1	1	1					1					
30	Mycoses	1													1				
	Tuberculosis (all forms)	395	4	7	6	5	1	13	16	23	30	25	24	91	73	54	19	4	
31	Of the respiratory system	344	2	4	3	4	1	6	13	16	28	21	23	83	69	48	19	4	
32	Of the meninges, central nervous system	21	1	3	1	1		6	3	3	1			2					
33	Of the intestines, peritoneum	14	1		2			1		1	1	2	1	2	1	2			
34	Of the vertebral column	3										1			1	1			
35	Of the joints	1														1			
36	Of other organs	6								2		1		2	1				
37a	Disseminated (acute)	4								1				2		1			
37b	Disseminated (chronic or unspecified)	2													1	1			
38	Syphilis	43	3								2	1	3	10	9	11	3	1	
39	Soft chancre																		
40	Gonococcus infection	3									2	1							
41	Purulent infection, septicemia	11	1		1				1	1				1	2	2		2	
42	Other infectious diseases																		
	II.—General diseases not included in Class I	529	13	3	1	3		7	10	10	5	5	16	57	107	131	103	56	2
	Cancer and other malignant tumors	333						1		5	2	1	9	34	73	86	82	39	1
43	Of the buccal cavity	9											1		5	1	1	1	
44	Of the stomach, liver	145								3	1		1	9	27	43	47	14	
45	Of the peritoneum, intestines, rectum	47						1		1		1	2	7	11	10	5	8	1
46	Of the female genital organs	37												8	11	12	5	1	
47	Of the breast	27											4	2	8	9	3	1	
48	Of the skin	7														3		4	
49	Of other or unspecified organs	61								1	1		1	8	11	8	21	10	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	4													1	3			
51	Acute rheumatic fever	16				1		2	5	1	1	1	1	2	2				
52	Chronic rheumatism, osteoarthritis, gout	9													1	2	1	5	
56	Rickets	4	3	1															
57	Diabetes mellitus	58						1	3	3		2	1	4	5	18	11	10	
58	Anemia, chlorosis	28							1	1				2	9	11	4		
60a	Exophthalmic goiter	16							1		1		1	6	4	2	1		
60b	Other diseases of the thyroid gland	5											1			3		1	
62	Diseases of the thymus gland	4	2	1				1											
63	Diseases of the adrenals (Addison's disease)	3													1	1	1		
65a	Leukemia	6			1	2									2		1		
65b	Hodgkin's disease	4									1			3					
66	Alcoholism (acute or chronic)	25										1	2	5	9	5	2		1
68	Chronic poisoning by organic substances	1												1					
69	Other general diseases	13	8	1				2					1					1	
	III.—Diseases of the nervous system and of the organs of special sense	445	15	3	1	2	4	10	2	2	8	7	9	48	50	82	110	91	1
70	Encephalitis	7	1					1				1	1	2		1			
71a	Simple meningitis	10	6	1		1					1				1				
71b	Nonepidemic cerebrospinal meningitis	11	4	1			1	3					1	1					
72	Tabes dorsalis (locomotor ataxia)	6													2	2		2	
73	Other diseases of the spinal cord	20						3			2			1	4	3	5	2	
74a	Cerebral hemorrhage	263											1	13	29	63	84	73	
74b	Cerebral embolism and thrombosis	5													1	1	2	1	
75	Paralysis without specified cause	18								1				3	1	1	6	6	
76	General paralysis of the insane	41										1	2	17	6	7	6	1	1
77	Other forms of mental alienation	11								1		2	1	4		1		2	
78	Epilepsy	8						1	2		1	1		1	1		1		
79	Convulsions (nonpuerperal; 5 years and over)	3						1					1	1					
80	Infantile convulsions (under 5 years)	6	3	1	1	1													
81	Chorea	2												1		1			
82	Neuralgia and neuritis	1												1					
83	Softening of the brain	3																3	
84	Other diseases of the nervous system	15	1								1	1	1	2	4	1	4		
86a	Diseases of the ear	10					3	1			2		1	1	1		1		
86b	Diseases of the mastoid process	5									1	1				1	1	1	
	IV.—Diseases of the circulatory system	643	1	3		1	3	9	7	7	10	16	9	50	81	134	157	153	2
87	Pericarditis	1																1	
88	Endocarditis and myocarditis (acute)	32		1			2	4	2			3	1	11	4	1	1	2	
89	Angina pectoris	24											1	3	3	3	9	5	
90	Other diseases of the heart	518		2		1	1	5	5	7	9	13	6	33	65	118	131	120	2
91a	Aneurysm	9												2	2	3	2		
91b,c	Other diseases of the arteries	44													3	7	13	21	
92	Embolism and thrombosis (not cerebral)	6									1		1		2			2	
93	Diseases of the veins	6												1	1	1	1	2	
94	Diseases of the lymphatic system	1	1																
95	Hemorrhage without specified cause	2													1	1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MONTANA—Continued																		
	V.—Diseases of the respiratory system	472	113	27	17	4	6	13	2	9	7	10	17	38	45	43	55	65	1
97a	Diseases of the nasal fossae	2											1			1			
97b	Diseases of the nasal fossae annexa	1											1						
98	Diseases of the larynx	7	3	3	1														
99a	Acute bronchitis	10	4		1										1		1	3	
99b	Chronic bronchitis	6												2		1	1	2	
99c,d	Bronchitis (unspecified)	7	3	1													1	2	
100a	Bronchopneumonia	158	69	14	7	3	2	4		1			2	7	6	5	17	21	
100b	Capillary bronchitis	3	2				1												
101a	Lobar pneumonia	193	17	4	6	1	2	6		7	3	9	10	22	29	26	25	26	
101b	Pneumonia (unspecified)	45	14	4	2		1	2		1	4		2	1	4	3	2	5	
102	Pleurisy	9	1	1					2						1	1	3		
103	Congestion and hemorrhagic infarct of the lung	8						1						1			1	5	
105	Asthma	13										1		2	3	3	3	1	
106	Pulmonary emphysema	3														1	1		1
107	Other diseases of the respiratory system (tuberculosis excepted)	7											1	3	1	2			
	VI.—Diseases of the digestive system	449	88	28	19	5	5	33	15	18	11	15	21	36	41	52	38	23	1
108	Diseases of the mouth and annexa	2							1						1				
109b	Other diseases of the pharynx, tonsils	23	1	1	2	2		4	2	4	1	2	1	1		1		1	
111a	Ulcer of the stomach	13						1		1			1	3	3	2	2		
111b	Ulcer of the duodenum	14		1							1		1	2	3	5	1		
112	Other diseases of the stomach (cancer excepted)	19	5					3	1					2	2	2	1	3	
113	Diarrhea and enteritis (under 2 years)	99	75	24															
114	Diarrhea and enteritis (2 years and over)	34			13	3	2	4				1	1			2	2	6	
117	Appendicitis and typhlitis	97		1	1		2	18	8	11	5	9	6	14	5	10	6	1	
118a	Hernia	24	2										2		4	6	5	5	
118b	Intestinal obstruction	34	3	1	1		1	2	2	2		2	4	2	4	5	4	1	
119	Other diseases of the intestines	10	1					1					1	1	1	2	2	1	
120	Acute yellow atrophy of the liver	2												1	1				
122	Cirrhosis of the liver	29												4	7	6	9	3	
123	Biliary calculi	17									1		1	1	6	4	2	1	1
124	Other diseases of the liver	25	1		1						3		3	5	3	5	3	1	
125	Diseases of the pancreas	1														1			
126	Peritonitis without specified cause	6			1				1			1			1	1	1		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	322	5	1	1	1		7	2	7	4	14	9	34	32	63	69	73	
128	Acute nephritis (including unspecified under 10 years)	27	4			1		4	1	3		4		2	3	3		2	
129	Chronic nephritis (including unspecified 10 years and over)	240			1			2	1	3	3	4	4	24	28	50	57	63	
131	Other diseases of the kidneys and annexa	12		1									1	3		3	3	1	
132	Calculi of the urinary passages	3	1											1			1		
133	Diseases of the bladder	5						1					1			1	1	1	
134	Diseases of the urethra, etc	2												1		1			
135	Diseases of the prostate	13														3	5	5	
137	Cysts, other benign tumors of the ovary	3										2	1						
138	Salpingitis and pelvic abscess (female)	8								1	1	4	1	1					
139	Benign tumors of the uterus	5												2	1	1	1		
141	Other diseases of the female genital organs	4											1			1	1	1	
142	Nonpuerperal diseases of the breast (cancer excepted)																		
	VIII.—The puerperal state	79								4	15	17	19	24					
143	Accidents of pregnancy	10									2	4	1	3					
144	Puerperal hemorrhage	4										1		3					
145	Other accidents of labor	9									2	1	2	4					
146	Puerperal septicemia	40								3	9	7	11	10					
147	Puerperal phlegmasia alba dolens, embolus, etc	4									1	2	1						
148	Puerperal albuminuria and convulsions	12								1	1	2	4	4					
	IX.—Diseases of the skin and of the cellular tissue	17	4						1					4	1		4	3	
151	Gangrene	7															4	3	
152	Furuncle	2												1	1				
153	Acute abscess	6	2						1					3					
154	Other diseases of the skin and annexa	2	2																
	X.—Diseases of the bones and of the organs of locomotion	7	1					3	1				1					1	
155	Diseases of the bones (tuberculosis excepted)	6	1					3	1				1						
156	Diseases of the joints (tuberculosis and rheumatism excepted)	1																1	
	XI.—Malformations	72	67	1		1	1			2									
159a	Congenital hydrocephalus	7	6							1									
159b	Congenital malformations of the heart	44	41			1	1			1									
159c	Other congenital malformations	21	20	1															
	XII.—Early infancy	335	335																
160	Congenital debility, icterus, sclerema	52	52																
161a	Premature birth	207	207																
161b	Injury at birth	48	48																
162	Other diseases peculiar to early infancy	28	28																

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MONTANA—Continued																		
164	XIII.—Old age (senility)	64														2	18	44	
	XIV.—External causes	573	8	3	11	9	9	23	39	38	44	36	42	93	88	64	39	24	3
	Suicide	77								4	5	7	6	15	18	10	8	3	1
165, 166	By posions (gas excepted)	18								1	2	4	4	4	1	2			
168	By hanging or strangulation	6									1	1			2	1		1	
169	By drowning	2												1					1
170	By firearms	40								3	1		2	7	11	6	8	2	
171	By cutting or piercing instruments	6										1		1	3	1			
172	By jumping from high places	3										1		1	1				
173	By crushing	1									1								
174	By other means	1												1					
	Homicide	26	1							2	2	3	3	5	6	2	1	1	
197	By firearms	19								1	1	3	3	5	3	2		1	
198	By cutting or piercing instruments	2								1					1				
199	By other means	5	1								1				2		1		
	Accidental or undefined	470	7	3	11	9	9	23	39	32	37	26	33	73	64	52	30	20	2
175	Poisoning by food	11			1	2	2	2					1		1		2		
176	Poisoning by venomous animals	2			1				1										
177	Other acute poisonings (gas excepted)	7	1				1	1				3				1			
178	Conflagration	19	2			2	1	2	1		3			1	2	3	1		1
179	Burns (conflagration excepted)	24			1	2	1	3			1	1	1	5	4	1	3	1	
180	Mechanical suffocation	5	1									1		1	1	1			
181	Absorption of irrespirable, irritating, or poisonous gas	1													1				
182	Drowning	54		2	6	2		6	12	6	6	1	1	6	5		1		
183	Traumatism by firearms (except in war)	17							6	2		1	1	3	1	2	1		
184	Traumatism by cutting or piercing instruments	2											1	1					
185	Traumatism by fall	51						1	5	9	2	4	1	3	4	4	7	11	
186a	Traumatism in mines	57								2	7		8	20	12	8			
187	Traumatism by machines	7							2		1		2	1		1			
188a	Railroad accidents	42						1	1	3	6	1	8	5	6	7	3		1
188b	Street-car accidents	3				1	1					1							
188c	Automobile accidents	49					1	4	2	3	2	4	3	12	6	9	3		
188e,f	Injuries by other vehicles	16	1		2				2	1		2		1	1	4	2		
188g	Landslide, other crushing	12							2		4	1	1	1	2		1		
189	Injuries by animals (not poisoning)	10		1				3			1			1	2	2			
193	Excessive cold	5	1												1		2	1	
194	Excessive heat	1																1	
195	Lightning	14							1	2		1	2	3	4	1			
196	Other accidental electric shocks	7								2		1	1	1	2				
201	Fracture (cause not specified)	11					1			2	1			2	1		1	3	
202	Other external violence	43	1				1		4		3	4	2	6	8	8	3	3	
	XV.—Ill-defined diseases	71	26	1	1	1		3	2		1		4	2	6	5	7	11	1
204	Sudden death	5	3											1				1	
205a	Ill-defined	14	1						1		1				2	3	3	3	
205b	Not specified or unknown	52	22	1	1	1		3	1				4	1	4	2	4	7	1
	NEBRASKA																		
	All causes	12,632	1,732	264	146	108	72	308	215	306	308	326	363	858	1,003	1,589	2,216	2,801	17
	I.—Epidemic, endemic, and infectious diseases	1,722	230	79	55	43	28	116	69	88	87	71	80	159	101	127	170	218	1
1	Typhoid and paratyphoid fever	41				1	1	2	6	5	2	2	3	7	4	7		1	
5	Malaria	1							1										
6	Smallpox	2									1			1					
7	Measles	40	11	7	5	5		4	1	2	1	1	1	2					
8	Scarlet fever	59	3	5	4	5	3	17	7	5	5	2	1	2					
9	Whooping cough	100	69	14	5	2	3	4	1	1							1		
10	Diphtheria	136	2	8	13	19	7	47	21	5	3	1	2	4	2		1	1	
11a	Influenza (with pulmonary complications)	347	50	18	7	1	5	13	5	14	12	7	11	23	26	30	51	74	
11b	Influenza (other and unspecified)	302	46	9	3	4	3	10	6	6	3	4	7	13	11	27	44	106	
13	Mumps	2						1	1										
15	Cholera nostras	2	1															1	
16	Dysentery	16	2	2	3					1	1					1	2	4	
21	Erysipelas	47	14	1	1	1		1		1		1	1	4	5	4	7	6	
22	Acute anterior poliomyelitis	25	1	2	4	3	1	5	5	2	1	1							
23	Lethargic encephalitis	21		3	1		2			2	2			2	4	3	2		
24	Meningococcus meningitis	11	4	1					1				1	2		2			
25	Other epidemic and endemic diseases	5	3								1						1		
29	Tetanus	18	2				1	2		2	2		3			3	3		
	Tuberculosis (all forms)	461	9	8	7	2	2	10	13	40	46	50	41	84	41	41	47	20	
31	Of the respiratory system	373	5	3	2			4	6	31	43	44	34	76	35	34	36	20	
32	Of the meninges, central nervous system	26	4	5	4	2	1	3	1		1		1	1	2		1		
33	Of the intestines, peritoneum	19			1		1		1	3			2	3	2	2	4		
34	Of the vertebral column	5						1				1	1			1	1		
35	Of the joints	3									1			1		1			
36	Of other organs	17						1	3	1	1	2	1	1	1	2	4		
37a	Disseminated (acute)	15						1	2	3		3	2	2		1	1		
37b	Disseminated (chronic or unspecified)	3								2					1				
38	Syphilis	59	8		1					1	5	1	7	12	7	9	6	1	1
40	Gonococcus infection	6								1	1	1		2			1		
41	Purulent infection, septicemia	21	5	1	1				1		1		2	1	1		4	4	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NEBRASKA—Continued																		
	II.—General diseases not included in Class I	1,683	38	6	7	6	3	16	14	27	19	28	39	128	234	363	476	274	5
	Cancer and other malignant tumors	1,072	3	1	3	1	2	5	1	5	1	5	16	84	155	248	326	211	5
43	Of the buccal cavity	36												1	7	5	11	12	
44	Of the stomach, liver	464	1		1			1				1	2	17	57	124	164	94	2
45	Of the peritoneum, intestines, rectum	152						1					4	13	20	35	46	33	
46	Of the female genital organs	113								1		2	5	19	34	17	28	6	1
47	Of the breast	70										1	2	19	14	15	15	4	
48	Of the skin	33	1		1									2		6	8	15	
49	Of other or unspecified organs	204	1	1	1	1	2	3	1	4	1	1	3	13	23	46	54	47	2
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	7										1			1	2	3		
51	Acute rheumatic fever	46			1	1		2	6	9	1	2	2	3	4	2	7	6	
52	Chronic rheumatism, osteoarthritis, gout	11										1			1	1	5	3	
54	Pellagra	2											1		1				
56	Rickets	5	4	1															
57	Diabetus mellitus	293	1	1	1	2	1	6	4	6	8	7	7	16	32	69	93	39	
58	Anemia, chlorosis	101			1						1	5	4	11	16	22	30	11	
59	Diseases of the pituitary gland	1													1				
60a	Exophthalmic goiter	20								2	2	1	2	2	5	4	2		
60b	Other diseases of the thyroid gland	11								1		2	1	2	2	2	1		
61	Diseases of the parathyroid glands	1	1																
62	Diseases of the thymus gland	14	13	1															
63	Diseases of the adrenals (Addison's disease)	4													2	2			
64	Diseases of the spleen	1											1						
65a	Leukemia	25				1		1	2	2	2		1	2	5	5	4		
65b	Hodgkin's disease	13						1		2	2	1	2	2		1	1	1	
66	Alcoholism (acute or chronic)	24										2	2	5	8	4	2	1	
67b	Other chronic mineral poisoning	1									1								
68	Chronic poisoning by organic substances	1														1			
69	Other general diseases	30	16	2	1	1		1	1		1	1		1	1		2	2	
	III.—Diseases of the nervous system and of the organs of special sense	1,493	45	10	4	3	3	14	10	13	10	21	21	76	121	264	395	480	3
70	Encephalitis	16	3				1				1		3	2	3	1	1	1	
71a	Simple meningitis	16	3	6		1	1					1	1	1	1	1			
71b	Nonepidemic cerebrospinal meningitis	7	1		1			1	2	1				1					
72	Tabes dorsalis (locomotor ataxia)	24											1	2	6	4	7	4	
73	Other diseases of the spinal cord	49		2	1			2		1	1	2		5	3	11	13	8	
74a	Cerebral hemorrhage	1,026	4						1	1	1	7	5	32	74	196	314	388	3
74b	Cerebral embolism and thrombosis	39								2		1	1	1	5	8	8	13	
75	Paralysis without specified cause	67								1		1	1	1	3	8	19	33	
76	General paralysis of the insane	49											1	14	10	10	7	7	
77	Other forms of mental alienation	18										1	1	1	3	6	4	2	
78	Epilepsy	42	1					2	3	4	3	5	3	6	2	6	4	3	
80	Infantile convulsions (under 5 years)	25	23	1		1													
81	Chorea	1													1				
82	Neuralgia and neuritis	7													1	1	1	4	
83	Softening of the brain	7														1	1	5	
84	Other diseases of the nervous system	61	1		1			3	1	2	1	1	3	7	7	8	15	11	
86a	Diseases of the ear	26	9			1		4	1		2	2	1	2	1	1	1	1	
86b	Diseases of the mastoid process	13		1	1		1	2	2	1	1			1	1	2			
	IV.—Diseases of the circulatory system	1,757	7	3	2	2	4	13	19	20	15	20	22	92	156	301	465	616	
87	Pericarditis	14											2	2			6	4	
88	Endocarditis and myocarditis (acute)	50	1			1	1	3	5	2	4	3	3	10		4	2	11	
89	Angina pectoris	101									1			5	10	22	30	33	
90	Other diseases of the heart	1,348	4	2	1	1	2	10	13	16	9	15	13	65	130	241	366	460	
91a	Aneurysm	33								1		1	1	5	3	9	10	3	
91b,c	Other diseases of the arteries	160													5	14	44	97	
92	Embolism and thrombosis (not cerebral)	34	1				1		1	1	1	1	2	4	3	5	6	8	
93	Diseases of the veins	10											1		5	4			
94	Diseases of the lymphatic system	5	1	1	1											1	1		
95	Hemorrhage without specified cause	2												1		1			
	V.—Diseases of the respiratory system	1,174	211	62	24	9	6	25	20	17	19	17	29	73	53	100	179	328	
97a	Diseases of the nasal fossae	3	2														1		
97b	Diseases of the nasal fossae annexa	13						1		1	3	1	1		1	4	1		
98	Diseases of the larynx	12	2		1	1		2				1			1	1	1	2	
99a	Acute bronchitis	21	8					1									4	8	
99b	Chronic bronchitis	29			1									1		3	5	19	
99c,d	Bronchitis (unspecified)	27	3						1					4		1	2	16	
100a	Bronchopneumonia	375	124	40	9	7	5	4	6	2		4	5	11	11	19	35	93	
100b	Capillary bronchitis	10	5		1								1	1		1		1	
101a	Lobar pneumonia	455	40	12	6			11	10	12	10	8	16	43	27	56	88	115	1
101b	Pneumonia (unspecified)	145	23	7	5	1	1	3	3	2	3	2	3	8	5	8	26	45	
102	Pleurisy	23		2	1						2		3	3	4	2	3	3	
103	Congestion and hemorrhagic infarct of the lung	26	4	1										1			5	15	
104	Gangrene of the lung	2						1							1				
105	Asthma	28						2						1	2	4	7	11	1
107	Other diseases of the respiratory system (tuberculosis excepted)	5									1	1			1	1	1		
	VI.—Diseases of the digestive system	1,235	218	69	40	26	10	55	41	53	39	47	48	94	117	133	119	126	
108	Diseases of the mouth and annexa	11										1	2		3	2	1	2	
109b	Other diseases of the pharynx, tonsils	55	4	4	4	3		8	4	3	2	6	4	1	4	2	3	3	
110	Diseases of the esophagus	3														1	1	1	
111a	Ulcer of the stomach	40									2	2	1	7	5	10	5	8	
111b	Ulcer of the duodenum	16					1				1	2		3	5	1	2	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NEBRASKA—Continued																		
	VI.—Diseases of the digestive system—Continued.																		
112	Other diseases of the stomach (cancer excepted)	67	20	3	1			1		1			1	5	5	6	8	16	
113	Diarrhea and enteritis (under 2 years)	213	159	54															
114	Diarrhea and enteritis (2 years and over)	86			24	12	3	9	1	3	2	1		3	2	4	9	13	
117	Appendicitis and typhlitis	267	2	1	5	4	3	30	30	35	25	16	25	35	24	22	7	3	
118a	Hernia	47					1			1			2		3	14	14	12	
118b	Intestinal obstruction	131	29	6	2	4	1	1	3	2	3	6	3	14	19	12	10	16	
119	Other diseases of the intestines	27	1		1					2	1	3	1	1	4	2	5	6	
120	Acute yellow atrophy of the liver	4										2		1			1		
122	Cirrhosis of the liver	85			1					1		1		6	11	15	29	21	
123	Biliary calculi	64								1			2	10	15	16	13	7	
124	Other diseases of the liver	71	2		1				1	2	1	4	5	4	6	20	9	16	
125	Diseases of the pancreas	11												2	4	4	1		
126	Peritonitis without specified cause	37	1	1	1	3	1	6	2	2	2	3	2	2	7	2	1	1	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	1,018	8	3	1	1	2	5	3	7	13	20	19	58	83	173	268	353	1
128	Acute nephritis (including unspecified under 10 years)	57	5	3	1	1	2	3	1	2	1	2	3	8	5	4	7	9	
129	Chronic nephritis (including unspecified 10 years and over)	762	1					1	2	4	7	7	13	24	60	140	218	284	1
131	Other diseases of the kidneys and annexa	24	2					1		1		2		2	2	5	5	4	
132	Calculi of the urinary passages	5												1		2	2		
133	Diseases of the bladder	11															6	5	
134	Diseases of the urethra, etc	1												1					
135	Diseases of the prostate	90												1	1	9	28	51	
136	Nonvenereal diseases of the male genital organs	1														1			
137	Cysts, other benign tumors of the ovary	7									2	1		2	1	1			
138	Salpingitis and pelvic abscess (female)	30									2	8	2	7	8	3			
139	Benign tumors of the uterus	21												9	5	5	2		
141	Other diseases of the female genital organs	8											1	3	1	3			
142	Nonpuerperal diseases of the breast (cancer excepted)	1									1								
	VIII.—The puerperal state	175								11	47	37	33	43	4				
143	Accidents of pregnancy	28									4	12	6	6					
144	Puerperal hemorrhage	21									3	4	6	7	1				
145	Other accidents of labor	13									5	2	3	3					
146	Puerperal septicemia	70								5	23	13	11	17	1				
147	Puerperal phlegmasia alba dolens, embolus, etc	7								1	2		1	2	1				
148	Puerperal albuminuria and convulsions	36								5	10	6	6	8	1				
	IX.—Diseases of the skin and of the cellular tissue	38	2				1				2				2	3	10	18	
151	Gangrene	22														2	4	16	
152	Furuncle	3									1						2		
153	Acute abscess	8					1				1				2	1	2	1	
154	Other diseases of the skin and annexa	5	2														2	1	
	X.—Diseases of the bones and of the organs of locomotion	11				1	1	3			2				2		1	1	
155	Diseases of the bones (tuberculosis excepted)	10				1	1	3			1				2		1	1	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	1									1								
	XI.—Malformations	184	169	5	1	1	1	3		1		2		1					
159a	Congenital hydrocephalus	22	17	2	1	1	1												
159b	Congenital malformations of the heart	112	106	2				2		1				1					
159c	Other congenital malformations	50	46	1				1				2							
	XII.—Early infancy	728	728																
160	Congenital debility, icterus, sclerema	109	109																
161a	Premature birth	472	472																
161b	Injury at birth	90	90																
162	Other diseases peculiar to early infancy	57	57																
164	XIII.—Old age (senility)	275													1	2	38	234	
	XIV.—External causes	984	33	24	12	15	13	53	38	68	53	62	71	128	119	98	71	121	5
	Suicide	164							1	5	10	10	20	36	38	19	14	10	1
165, 166	By poisons (gas excepted)	40								4	5	3	6	5	10	3	2	2	
167	By poisonous gas	12									1	1		3	3	2	1	1	
168	By hanging or strangulation	32							1	1	1	1	5	5	7	2	5	4	
169	By drowning	7										1			2	3	1		
170	By firearms	56									2	4	8	19	11	7	5		
171	By cutting or piercing instruments	8												1	5	1		1	
172	By jumping from high places	3											1	1		1			
173	By crushing	3												1				1	1
174	By other means	3									1			1				1	
	Homicide	54						1	2	1	5	9	7	22	6	1			
197	By firearms	43							2	1	3	8	7	16	5	1			
198	By cutting or piercing instruments	4										1		2	1				
199	By other means	7						1			2			4					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NEBRASKA—Continued																		
	XIV.—External causes—Contd.																		
	Accidental or undefined	766	33	24	12	15	13	52	35	62	38	43	44	70	75	78	57	111	4
175	Poisoning by food	13		1		1	1	1			1	1			1	3	2	1	
176	Poisoning by venomous animals	1				1													
177	Other acute poisonings (gas excepted)	14	1	4	2	1	1					2		1	1		1		
178	Conflagration	14	2	1		2	2	3	1		1		1					1	
179	Burns (conflagration excepted)	44	3	2	4	1	2	6	2	2	1	1	3	3	4		2	8	
180	Mechanical suffocation	16	12						2	1			1						
181	Absorption of irrespirable, irritating, or poisonous gas	28									1	3	1	5	4	6	2	6	
182	Drowning	56	1	6	3		1	8	6	12	2	5	6	2	1	1	1		1
183	Traumatism by firearms (except in war)	48		1					9	10	4	8	4	5	3	4			
184	Traumatism by cutting or piercing instruments	4								1				2			1		
185	Traumatism by fall	135	2	1		2	1	3	3	2		2	2	5	10	12	19	71	
187	Traumatism by machines	25						2	1	4	3		2	2	2	5	4		
188a	Railroad accidents	80				1		3	1	8	10	6	6	13	11	10	2	6	3
188b	Street-car accidents	5													2	1		2	
188c	Automobile accidents	123	2	2		4	3	18	4	9	10	2	10	17	18	10	7	7	
188d	Airplane and balloon accidents	1									1								
188e,f	Injuries by other vehicles	41			1	1		2	1	1	2	3	2	4	4	11	7	2	
188g	Landslide, other crushing	7		1	1							1		2		1	1		
189	Injuries by animals (not poisoning)	22		1				4	1	4		2		1	3	4	1	1	
193	Excessive cold	1													1				
194	Excessive heat	7											1	1		2	3		
195	Lightning	13	1						3	3	1	2		1	2				
196	Other accidental electric shocks	10								1	1	1	3	2	1		1		
201	Fracture (cause not specified)	8															3	5	
202	Other external violence	50	9	4	1	1	2	2	1	4		4	2	4	7	8		1	
	XV.—Ill-defined diseases	155	43	3		1		5	1	1	2	1	1	6	10	25	24	32	
204	Sudden death	8	1					1							1	2	1	2	
205a	Ill-defined	80	8	2		1		2	1	1	1		1	5	7	18	13	20	
205b	Not specified or unknown	67	34	1				2			1	1		1	2	5	10	10	
	NEW HAMPSHIRE																		
	All causes	6,747	868	138	55	35	32	106	69	108	112	134	132	331	546	863	1,374	1,812	32
	I.—Epidemic, endemic, and infectious diseases	876	96	58	21	15	10	38	16	34	45	47	40	80	88	86	96	102	4
1	Typhoid and paratyphoid fever	15							1		1	2	2	4	3	2			
5	Malaria	1													1				
7	Measles	29	9	8	3	1	1	5		1					1				
8	Scarlet fever	3				1		2											
9	Whooping cough	68	42	20	1	4	1												
10	Diphtheria	41		6	5	5	6	11	5			1		1	1				
11a	Influenza (with pulmonary complications)	199	14	8	3			1	2	1	5	5	7	12	24	24	42	49	2
11b	Influenza (other and unspecified)	103	10	1		2		4		5		5	2	5	6	8	13	42	
16	Dysentery	4		1													2	1	
21	Erysipelas	14	3									1			3	2	3	1	1
22	Acute anterior poliomyelitis	1						1											
23	Lethargic encephalitis	3		1											1	1			
24	Meningococcus meningitis	5	2	2				1											
25	Other epidemic and endemic diseases	2	1					1											
29	Tetanus	1								1									
	Tuberculosis (all forms)	363	10	11	9	1	2	11	8	26	38	32	28	56	46	44	32	8	1
31	Of the respiratory system	294	2	2	1	1		5	7	22	29	30	24	52	45	40	26	7	1
32	Of the meninges, central nervous system	32	7	8	4		2	6		1	2		1	1					
33	Of the intestines, peritoneum	17	1	1	3						3	2	3	1		2	1		
34	Of the vertebral column	1			1														
36	Of other organs	12								1	2			2	1	1	4	1	
37a	Disseminated (acute)	6							1	1	2					1	1		
37b	Disseminated (chronic or unspecified)	1								1									
38	Syphilis	16	5			1					1		1	2	1	4	1		
40	Gonococcus infection	2										1			1				
41	Purulent infection, septicemia	6						1								1	3	1	
	II.—General diseases not included in Class I	812	14	1	2			8	5	6	7	5	9	60	124	172	232	163	4
	Cancer and other malignant tumors	549			1			1		2	2	1	2	36	83	117	163	137	4
43	Of the buccal cavity	10													1	2	3	3	1
44	Of the stomach, liver	182										1	1	12	28	41	56	42	1
45	Of the peritoneum, intestines, rectum	103												6	12	20	37	26	2
46	Of the female genital organs	80									1			9	21	20	17	12	
47	Of the breast	56											1	6	11	12	9	17	
48	Of the skin	21														2	7	12	
49	Of other or unspecified organs	97			1			1		2	1			3	10	20	34	25	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	5									1		1		1		2		
51	Acute rheumatic fever	9			1			2	2			1			2	1			
52	Chronic rheumatism, osteoarthritis, gout	6												1	1		3	1	
54	Pellagra	2												1	1				
57	Diabetes mellitus	124						4	3	2		2	3	9	14	30	43	14	
58	Anemia, chlorosis	55	3					1		1	3	1		7	7	11	14	7	
60a	Exophthalmic goiter	3											1		1			1	
60b	Other diseases of the thyroid gland	3													1	1	1		
62	Diseases of the thymus gland	2	2																
63	Diseases of the adrenals (Addison's disease)	3												2	1				
64	Diseases of the spleen	1																1	
65a	Leukemia	3								1					1		1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 year	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NEW HAMPSHIRE—Continued																		
	II.—General diseases not included in Class I—Continued																		
65b	Hodgkin's disease	2									1				1				
66	Alcoholism (acute or chronic)	25											2	3	8	9	3		
67a	Chronic lead poisoning	7													1	2	2	2	
68	Chronic poisoning by organic substances	3												1	1	1			
69	Other general diseases	10	9	1															
	III.—Diseases of the nervous system and of the organs of special sense	928	20	9	1		3	7	2	5	11	6	9	34	65	139	274	334	9
70	Encephalitis	5									1		1				1	2	
71a	Simple meningitis	20	6	4	1		1		1	1	2	1		1	1	1			
71b	Nonepidemic cerebrospinal meningitis	5	1	2			1		1										
72	Tabes dorsalis (locomotor ataxia)	16									1	1			3	3	4	4	
73	Other diseases of the spinal cord	25								1			1	2	5	7	4	5	
74a	Cerebral hemorrhage	686	1	1				1		1	3	1	2	13	39	105	227	285	7
74b	Cerebral embolism and thrombosis	32						1						3	1	5	10	12	
75	Paralysis without specified cause	22						1						1		4	6	10	
76	General paralysis of the insane	31								1			2	5	11	3	6	2	1
77	Other forms of mental alienation	10										2		2	2	2	2		
78	Epilepsy	20	2				1	2			3	1	3	3		1	1	2	1
79	Convulsions (nonpuerperal; 5 years and over)	1						1											
80	Infantile convulsions (under 5 years)	4	4																
82	Neuralgia and neuritis	3														1	1	1	
83	Softening of the brain	4														1	2	1	
84	Other diseases of the nervous system	31	2	1				1			1			4	1	4	8	9	
85	Diseases of the eye and annexa	1														1			
86a	Diseases of the ear	8	3	1											1	1	2		
86b	Diseases of the mastoid process	4	1							1					1			1	
	IV.—Diseases of the circulatory system	1,424	13	1	2	1	1	7	4	5	2	9	13	27	95	233	408	598	5
87	Pericarditis	3											1			1	1		
88	Endocarditis and myocarditis (acute)	28	2				1	2	2	3		2	3	2	2	4	4	1	
89	Angina pectoris	142											1	3	16	37	42	43	
90	Other diseases of the heart	969	11	1	2	1		5	2	2	1	6	8	20	70	168	308	360	4
91a	Aneurysm	5													1	3	1		
91b,c	Other diseases of the arteries	250													4	14	46	185	1
92	Embolism and thrombosis (not cerebral)	26									1	1		2	2	6	5	9	
93	Diseases of the veins	1															1		
	V.—Diseases of the respiratory system	668	110	33	11	7	5	10	5	7	3	8	7	33	38	72	111	207	1
97b	Diseases of the nasal fossae annexa	1											1						
98	Diseases of the larynx	3				1			1							1			
99a	Acute bronchitis	30	4	3	2										2			19	
99b	Chronic bronchitis	24														2	3	19	
99c,d	Bronchitis (unspecified)	22	6	1												2	1	12	
100a	Bronchopneumonia	236	56	17	7	2	1	3	4	2		4	2	4	9	13	36	76	
100b	Capillary bronchitis	10	6														1	3	
101a	Lobar pneumonia	255	29	7	2	4	3	6		4	2	3	3	19	21	42	55	54	1
101b	Pneumonia (unspecified)	43	5	3			1			1		1	1	4	6	4	5	12	
102	Pleurisy	14	1	1				1						2		1	5	3	
103	Congestion and hemorrhagic infarct of the lung	17	3	1										2		1	1	9	
104	Gangrene of the lung	2														1	1		
105	Asthma	6												1		4	1		
107	Other diseases of the respiratory system (tuberculosis excepted)	5									1			1		1	2		
	VI.—Diseases of the digestive system	439	135	21	8	7	2	16	10	11	7	8	8	29	31	41	45	57	3
108	Diseases of the mouth and annexa	4						1	1	1						1			
109b	Other diseases of the pharynx, tonsils	15	1			1	1	3			1	1		1	2	1	2	1	
110	Diseases of the esophagus	2													1		1		
111a	Ulcer of the stomach	20								1	1	1	1	2	6	3	3	2	
111b	Ulcer of the duodenum	2								1				1					
112	Other diseases of the stomach (cancer excepted)	39	12	3	4							1	1		3	3	3	9	
113	Diarrhea and enteritis (under 2 years)	126	113	13															
114	Diarrhea and enteritis (2 years and over)	29			3	3		3			1					3	3	13	
117	Appendicitis and typhlitis	63	1	1	1	3	1	8	5	6	2	2	5	13	5	6	3		1
118a	Hernia	24	1									1		1	2	7	5	7	
118b	Intestinal obstruction	51	3	4					2	2	2	1		6	6	4	8	11	2
119	Other diseases of the intestines	5	1					1						1		1		1	
120	Acute yellow atrophy of the liver	1															1		
122	Cirrhosis of the liver	24												2	1	3	8	10	
123	Biliary calculi	13												2	1	6	4		
124	Other diseases of the liver	13													4	3	4	2	
126	Peritonitis without specified cause	8	3						2			1	1					1	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	502	4	1		1	2	2	1	3	4	7	9	17	50	84	156	160	1
128	Acute nephritis (including unspecified under 10 years)	36	4	1		1	2	1		1	1	1	1	4	6	4	4	5	
129	Chronic nephritis (including unspecified 10 years and over)	402						1	1	2	3	4	6	9	36	74	138	128	
131	Other diseases of the kidneys and annexa	3													1	1		1	
132	Calculi of the urinary passages	2													1		1		
133	Diseases of the bladder	12														1	2	9	
135	Diseases of the prostate	27														1	11	14	1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NEW HAMPSHIRE—Continued																		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa—Continued																		
136	Nonvenereal diseases of the male genital organs	1														1			
138	Salpingitis and pelvic abscess (female)	6										2	2		2				
139	Benign tumors of the uterus	10												3	3	1		3	
141	Other diseases of the female genital organs	3												1	1	1			
	VIII.—The puerperal state	69								5	10	17	15	21	1				
143	Accidents of pregnancy	6								1		1	3	1					
144	Puerperal hemorrhage	12										3	4	5					
145	Other accidents of labor	11								2	4	1	1	3					
146	Puerperal septicemia	15									1	6	2	6					
147	Puerperal phlegmasia alba dolens, embolus, etc.	4										1	1	1	1				
148	Puerperal albuminuria and convulsions	20								2	4	5	4	5					
149	Following childbirth (undefined)	1									1								
	IX.—Diseases of the skin and of the cellular tissue	25	3					1	1				1	1	2	1	5	10	
151	Gangrene	15													2	1	4	8	
152	Furuncle	3	1						1				1						
153	Acute abscess	1						1											
154	Other diseases of the skin and annexa	6	2											1			1	2	
	X.—Diseases of the bones and of the organs of locomotion	5	1				1								1		1	1	
155	Diseases of the bones (tuberculosis excepted)	4					1								1		1	1	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	1	1																
	XI.—Malformations	100	94	2	1			2	1										
159a	Congenital hydrocephalus	11	9	1				1											
159b	Congenital malformations of the heart	50	46	1	1			1	1										
159c	Other congenital malformations	39	39																
	XII.—Early infancy	366	366																
160	Congenital debility, icterus, sclerema	64	64																
161a	Premature birth	211	211																
161b	Injury at birth	49	49																
162	Other diseases peculiar to early infancy	41	41																
163	Lack of care	1	1																
164	XIII.—Old age (senility)	113															6	106	1
	XIV.—External causes	397	7	9	9	4	8	14	24	31	22	27	21	27	49	32	37	72	4
	Suicide	44								3	1	3	3	4	10	7	7	6	
165, 166	By poisons (gas excepted)	4								1		1			1			1	
167	By poisonous gas	8									1		3	2		1		1	
168	By hanging or strangulation	10												1	3	1	3	2	
169	By drowning	3								1							1	1	
170	By firearms	17								1		2		1	5	5	2	1	
171	By cutting or piercing instruments	1													1				
172	By jumping from high places	1															1		
	Homicide	12							1		1	3	1	3	1		2		
197	By firearms	10							1		1	2	1	3	1		1		
198	By cutting or piercing instruments	2										1					1		
	Accidental or undefined	341	7	9	9	4	8	14	23	28	20	21	17	20	38	25	28	66	4
175	Poisoning by food	1								1									
177	Other acute poisonings (gas excepted)	4		1							1			1		1			
178	Conflagration	9										1		2	1	1	2	2	
179	Burns (conflagration excepted)	28		4	8	1	3	1	1	1			1	1	1	2	2	1	1
180	Mechanical suffocation	6	2						1						2	1			
181	Absorption of irrespirable, irritating, or poisonous gas	14	1							1				1	3	2	2	4	
182	Drowning	39	1				1	3	9	4	7	3	5	2	1	1		1	1
183	Traumatism by firearms (except in war)	16							5	4	1	2	2		1		1		
184	Traumatism by cutting or piercing instruments	3													1			2	
185	Traumatism by fall	76		1	1	1	1				1	2	2		4	7	7	49	
187	Traumatism by machines	8							1			1		1	2	1	2		
188a	Railroad accidents	25							1	6	3	2	1	1	2	3	4	1	1
188b	Street-car accidents	2													1		1		
188c	Automobile accidents	59				1	2	8	1	5	4	7	3	5	12	4	3	4	
188e,f	Injuries by other vehicles	7					1			3	1		1				1		
188g	Landslide, other crushing	1													1				
189	Injuries by animals (not poisoning)	4						1			1						2		
193	Excessive cold	1												1					
194	Excessive heat	2	1												1				
196	Other accidental electric shocks	4								1			1		1	1			
201	Fracture (cause not specified)	7						1	3				1	1	1				
202	Other external violence	25	2	3		1			1	2	1	3		4	3	1	1	2	1
	XV.—Ill-defined diseases	23	5	3				1		1	1			2	2	3	3	2	
204	Sudden death	4												2		1	1		
205a	Ill-defined	12	3	3				1		1						2	1	1	
205b	Not specified or unknown	7	2								1				2		1	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NEW JERSEY																		
	All causes	41,492	5,351	1,170	550	338	304	890	647	887	1,192	1,319	1,471	3,499	4,854	5,948	6,671	6,398	3
	I.—Epidemic, endemic, and infectious diseases	5,876	489	420	226	139	118	265	146	313	461	449	424	775	664	440	326	221	
1	Typhoid and paratyphoid fever	111	1		2	2	1	6	7	20	17	8	11	15	11	6	4		
5	Malaria	1														1			
7	Measles	388	103	137	51	23	20	30	7	3	3	1	3	1	1	1	3	1	
8	Scarlet fever	95	2	12	14	10	9	19	1	3	6	8	4	6		1			
9	Whooping cough	233	120	70	26	11	2	4											
10	Diphtheria	480	21	85	78	66	60	121	25	4	4	1	4	4	4	2	1		
11a	Influenza (with pulmonary complications)	670	49	28	12	3	2	13	10	17	30	26	38	65	66	93	104	114	
11b	Influenza (other and unspecified)	241	18	10	6	2	1	2	7	13	5	10	11	14	27	25	41	49	
13	Mumps	6	1		1			1						1		1		1	
15	Cholera nostras	2				1												1	
16	Dysentery	25	10	2	2					1					1	1	1	7	
19	Spirochetal hemorrhagic jaundice	1									1								
21	Erysipelas	92	37	3		1	1		1	1		2		11	6	10	11	8	
22	Acute anterior poliomyelitis	42	4	9	4	4	2	4	7	3		2		1		1	1		
23	Lethargic encephalitis	114	3	5	4	2	4	4	4	10	13	7	12	14	17	8	5	2	
24	Meningococcus meningitis	46	12	8	4	1	2	5	5	1		2		1	1		3	1	
25	Other epidemic and endemic diseases	8	2	3			1	2											
27	Anthrax	1												1					
28	Rabies	3							2						1				
29	Tetanus	49	4			1	1	11	13	6		4		2	2	4	1		
30	Mycoses	2	1											1					
	Tuberculosis (all forms)	3,031	49	46	22	12	12	43	56	225	375	364	327	587	481	268	139	35	
31	Of the respiratory system	2,690	10	8	3	5	3	16	34	202	348	349	303	558	450	240	127	34	
32	Of the meninges, central nervous system	131	31	33	16	6	7	13	8	5	4	1	1	4	2				
33	Of the intestines, peritoneum	85	2	3	2	1		3	2	7	9	8	14	9	9	9	7		
34	Of the vertebral column	16						4	2	2	1			2	2	3			
35	Of the joints	16			1			4	1	1	2			2	1	1	3		
36	Of other organs	35	2	1					2	6	2	3	2	4	7	3	2	1	
37a	Disseminated (acute)	53	4	1			2	2	6	2	6	3	7	8	10	2			
37b	Disseminated (chronic or unspecified)	5						1	1		3								
38	Syphilis	192	44	1					1	1	3	10	11	42	42	26	10	1	
40	Gonococcus infection	17	2							1	2	4	1	4	2	1			
41	Purulent infection, septicemia	26	6	1						4	2		2	5	2	1	2	1	
	II.—General diseases not included in Class I	4,624	85	22	15	6	8	44	62	47	45	72	103	454	854	1,148	1,086	573	
	Cancer and other malignant tumors	3,162	6	1	6		4	10	4	11	9	24	54	303	611	852	797	470	
43	Of the buccal cavity	113									1	1		5	22	36	27	21	
44	Of the stomach, liver	1,204		1					1		1	5	21	87	209	343	353	183	
45	Of the peritoneum, intestines, rectum	475	1		1			3		1	2	4	8	35	83	133	126	78	
46	Of the female genital organs	442								1	1	6	9	82	119	115	71	38	
47	Of the breast	307										1	9	46	82	77	56	36	
48	Of the skin	63						1						3	6	10	16	27	
49	Of other or unspecified organs	558	5		5		4	6	3	9	4	7	7	45	90	138	148	87	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	30		1			2		1	1	2	2		2	2	7	7	3	
51	Acute rheumatic fever	145		1	3	2	1	13	32	19	10	5	6	11	19	9	10	4	
52	Chronic rheumatism, osteoarthritis, gout	35		1				1				1		2	2	8	14	6	
53	Scurvy	3	2	1															
54	Pellagra	2												1	1				
56	Rickets	16	10	5	1														
57	Diabetes mellitus	676						6	10	5	7	12	17	36	118	193	203	69	
58	Anemia, chlorosis	150	3	2	1	3			4	1	2	6	6	20	29	36	28	9	
59	Diseases of the pituitary gland	3											2			1			
60a	Exophthalmic goiter	36								1	1	1		10	13	8	1	1	
60b	Other diseases of the thyroid gland	20	1						1	2	1	3	1	4	1	2	3	1	
61	Diseases of the parathyroid glands	3	2					1											
62	Diseases of the thymus gland	23	17	3	1			1	1										
63	Diseases of the adrenals (Addison's disease)	12						1						4	2	1	2	2	
64	Diseases of the spleen	3								1				1		1			
65a	Leukemia	48		1	1		1	6	3	3	1	3	4	6	7	4	5	3	
65b	Hodgkin's disease	35	1	1				2	1	3	4	5	3	2	4	3	3	3	
66	Alcoholism (acute or chronic)	134							1		3	8	10	46	37	20	9		
67a	Chronic lead poisoning	5									1				3	1			
67b	Other chronic mineral poisoning	3									1				2				
68	Chronic poisoning by organic substances	3									2						1		
69	Other general diseases	77	43	5	2	1		3	4		1	2		6	3	2	3	2	
	III.—Diseases of the nervous system and of the organs of special sense	4,527	107	39	23	16	9	55	31	40	32	39	67	262	545	865	1,221	1,176	
70	Encephalitis	66	3	5	1	2	1	6	2	5	7	2	3	8	12	2	4	3	
71a	Simple meningitis	91	19	14	7	4	1	9	5	4	1	2	3	6	6	7	2	1	
71b	Nonepidemic cerebrospinal meningitis	39	6	3	3	2		9	2	4	2	3		2	2	1			
72	Tabes dorsalis (locomotor ataxia)	70										1	2	6	17	19	21	4	
73	Other diseases of the spinal cord	107	2	1				2	1	1		1	4	6	24	20	25	20	
74a	Cerebral hemorrhage	3,222	3	2			1	4	1	1		4	12	113	354	685	1,040	1,002	
74b	Cerebral embolism and thrombosis	102	2						2		1		3	4	14	21	22	33	
75	Paralysis without specified cause	148	1	1	1		1	1					1	3	9	28	43	59	
76	General paralysis of the insane	213							1	2	3	4	6	67	52	39	20	19	
77	Other forms of mental alienation	40								1	2	5	7	8	11	3	2	1	
78	Epilepsy	80	5	1	1	1		2	1	8	9	7	9	14	4	5	10	3	
79	Convulsions (nonpuerperal; 5 years and over)	3						1	1				1						
80	Infantile convulsions (under 5 years)	49	42	3	2	2													
81	Chorea	3	1					1	1										
82	Neuralgia and neuritis	7					1							1	1	1	2	1	
83	Softening of the brain	18											1			3	3	11	
84	Other diseases of the nervous system	135	4	5	1	1	2	1	4	4	2	4	6	11	26	21	25	18	
85	Diseases of the eye and annexa	5	2		1											1		1	
86a	Diseases of the ear	55	12	2	2	1	1	5	5	6	2	2	5	4	5	3			
86b	Diseases of the mastoid process	74	5	2	4	3	1	14	5	4	3	4	4	9	8	6	2		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NEW JERSEY—Continued																		
	IV.—Diseases of the circulatory system	7,839	60	11	8	8	8	76	99	113	109	124	155	482	979	1,498	1,893	2,216	
87	Pericarditis	28						2	4	1	1	1	1	2	4	6	4	2	
88	Endocarditis and myocarditis (acute)	343	25	3	4	5	1	23	18	22	26	23	24	72	25	29	28	15	
89	Angina pectoris	379						1					5	20	64	100	118	71	
90	Other diseases of the heart	6,315	29	7	2	3	7	49	74	87	79	97	119	368	824	1,272	1,553	1,745	
91a	Aneurysm	52								1	1		3	11	13	12	8	3	
91b,c	Other diseases of the arteries	621										1		2	25	60	164	369	
92	Embolism and thrombosis (not cerebral)	65	2					1	1	2	2	1	1	4	19	10	12	10	
93	Diseases of the veins	25			1								2	3	4	8	6	1	
94	Diseases of the lymphatic system	8	2	1					2			1			1	1			
95	Hemorrhage without specified cause	3	2		1														
	V.—Diseases of the respiratory system	4,678	929	393	136	67	42	92	50	78	116	129	160	373	428	497	586	602	
97a	Diseases of the nasal fossae	8	3							2	1				1			1	
97b	Diseases of the nasal fossae annexa	11						1	2	1	1		4		2				
98	Diseases of the larynx	22	4	5		1	1	4			1	1	1	2		1		1	
99a	Acute bronchitis	200	32	19	4		1	3	1	1	1	2	1	4	10	8	14	49	
99b	Chronic bronchitis	107	3	3	2			1		2		2	2	4	18	13	21	36	
99c,d	Bronchitis (unspecified)	98	42	4	2								1	2	4	2	7	34	
100a	Bronchopnuemonia	1,533	536	209	67	32	20	25	8	13	14	16	19	66	56	105	156	191	
100b	Capillary bronchitis	36	24	3	1	3									1		3	1	
101a	Lobar pneumonia	2,259	190	131	44	26	19	43	35	50	83	91	119	263	307	317	326	215	
101b	Pneumonia (unspecified)	146	27	6	10	2	1	7		3	9	5	3	16	11	17	15	14	
102	Pleurisy	107	10	13	4	3		5	4	4	4	7	6	8	5	8	16	10	
103	Congestion and hemorrhagic infarct of the lung	52	6		1					1		2	1	3	2	3	7	26	
104	Gangrene of the lung	7						1		1	1			1	1	1	1		
105	Asthma	48	1		1							1		1	6	11	12	15	
106	Pulmonary emphysema	13														3	4	6	
107	Other diseases of the respiratory system (tuberculosis ex cepted)	31	1					2			1	2	3	3	4	8	4	3	
	VI.—Diseases of the digestive system	3,159	1,009	202	58	31	38	74	64	65	77	89	89	238	352	344	255	174	
108	Diseases of the mouth and annexa	23	2					1	2	2	1	2	3	3	5		2		
109b	Other diseases of the pharynx, tonsils	109	8	6	6	8	8	12	6	6	13	2	5	12	7	2	5	3	
110	Diseases of the esophagus	6	2	1				1							1	1			
111a	Ulcer of the stomach	118	2						1	1	8	7	9	25	27	18	14	6	
111b	Ulcer of the duodenum	33									2	1	6	6	11	3	4		
112	Other diseases of the stomach (cancer excepted)	138	37	3	1	1	2	3	1	2		6	4	9	20	19	13	17	
113	Diarrhea and enteritis (under 2 years)	1,095	918	177															
114	Diarrhea and enteritis (2 years and over)	201			38	14	15	16	5	3	6	5	7	13	14	16	20	29	
116	Diseases due to other intestinal parasites	1					1												
117	Appendicitis and typhlitis	447		2	4	7	10	35	40	37	29	43	29	66	67	52	24	2	
118a	Hernia	158	1	1	1					1	2	2	3	21	32	34	26	34	
118b	Intestinal obstruction	174	27	9	5		1	4	5	4	4	10	5	15	26	24	21	14	
119	Other diseases of the intestines	46	8	3	1	1	1	2	1	1	1	2	1	2	2	8	5	7	
120	Acute yellow atrophy of the liver	11									1		1	2		3	2	2	
122	Cirrhosis of the liver	305	1		1					1		3	3	19	68	98	70	41	
123	Biliary calculi	140								1	3	1	4	20	37	35	26	13	
124	Other diseases of the liver	86							1	1	4	3	5	13	20	17	16	6	
125	Diseases of the pancreas	33									2	1	2	4	11	10	3		
126	Peritonitis without specified cause	35	3		1				2	5	1	1	2	8	4	4	4		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	3,940	14	6	8	6	10	26	21	27	56	62	109	317	532	769	991	985	1
128	Acute nephritis (including unspecified under 10 years)	232	8	3	4	3	7	14	6	5	7	10	16	41	39	32	25	12	
129	Chronic nephritis (including unspecified 10 years and over)	3,315	1		2	2	2	8	13	19	34	32	65	220	431	676	892	917	1
131	Other diseases of the kidneys and annexa	67	1	3	2	1	1	4	2		2	3	3	10	14	9	8	4	
132	Calculi of the urinary passages	21									2	1	3		5	6	4		
133	Diseases othe bladder	27											1	2	3	2	6	13	
134	Diseases of the urethra, etc	13												3	3	4	2	1	
135	Diseases of the prostate	109													1	31	44	33	
136	Nonvenereal diseases of the male genital organs	6	3											1	1	1			
137	Cysts, other benign tumors of the ovary	21								1	1	1	4	3	7	1	1	2	
138	Salpingitis and pelvic abscess (female)	55								2	9	9	10	15	10				
139	Benign tumors of the uterus	53										2	5	17	16	4	7	2	
140	Nonpuerperal uterine hemorrhage	2											1		1				
141	Other diseases of the female genital organs	17									1	3	1	5	1	3	2	1	
142	Nonpuerperal diseases of the breast (cancer excepted)	2	1									1							
	VIII.—The puerperal state	426							1	27	75	106	104	109	4				
143	Accidents of pregnancy	44								1	7	16	9	11					
144	Puerperal hemorrhage	46								1	3	9	12	21					
145	Other accidents of labor	52							1	2	5	12	13	19					
146	Puerperal septicemia	169								13	39	39	42	35	1				
147	Puerperal phlegmasia alba dolens, embolus, etc	21									2	5	7	7					
148	Puerperal albuminuria and convulsions	92								10	19	24	21	15	3				
149	Following childbirth (undefined)	2										1		1					
	IX.—Diseases of the skin and of the cellular tissue	121	19	2			1	1	3	3	3	3		11	12	8	19	36	
151	Gangrene	54	1											3	4	2	14	30	
152	Furuncle	19	2							2		1		3	4	3	2	2	
153	Acute abscess	28	9	2			1	1	3	1	3	1		3	2	1		1	
154	Other diseases of the skin and annexa	20	7									1		2	2	2	3	3	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NEW JERSEY—Continued																		
	X.—Diseases of the bones and of the organs of locomotion	60	4	2			4	6	8	4	2	1	5	1	8	6	6	3	
155	Diseases of the bones (tuberculosis excepted)	47	3	1			3	5	7	3	2	1	4		8	3	4	3	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	9		1			1		1	1				1		3	1		
158	Other diseases of the organs of locomotion	4	1					1					1				1		
	XI.—Malformations	539	499	14	5	5	1	7	3	2				3					
159a	Congenital hydrocephalus	45	32	7	1	2		2						1					
159b	Congenital malformations of the heart	338	318	5	4	1		5	2	1				2					
159c	Other congenital malformations	156	149	2		2	1		1	1									
	XII.—Early infancy	2,020	2,020																
160	Congenital debility, icterus, sclerema	268	268																
161a	Premature birth	1,200	1,200																
161b	Injury at birth	353	353																
162	Other diseases peculiar to early infancy	189	189																
163	Lack of care	10	10																
164	XIII.—Old age (senility)	206														3	24	179	
	XIV.—External causes	3,395	80	51	69	59	65	243	159	168	215	243	252	471	471	362	259	227	1
	Suicide	472							1	11	31	39	46	97	119	81	33	14	
165, 166	By poisons (gas excepted)	54								4	6	6	10	10	8	9	1		
167	By poisonous gas	117							1	3	5	8	10	23	32	17	14	4	
168	By hanging or strangulation	89								1	2	3	9	23	26	19	4	2	
169	By drowning	20									1	1	1	7	5	5			
170	By firearms	137								2	15	17	15	25	36	17	8	2	
171	By cutting or piercing instruments	36								1		2	1	5	8	10	5	4	
172	By jumping from high places	12									2	1		2	4	1	1	1	
173	By crushing	6										1		2		3			
174	By other means	1																1	
	Homicide	179	12	1	1		1	1	2	12	21	30	34	37	22	4	1		
197	By firearms	94		1						5	13	16	21	20	17	1			
198	By cutting or piercing instruments	23	1								2	5	3	7	3	1	1		
199	By other means	62	11		1		1	1	2	7	6	9	10	10	2	2			
	Accidental or undefined	2,744	68	50	68	59	64	242	156	145	163	174	172	337	330	277	225	213	1
175	Poisoning by food	19	2	2	3	3		1	1	1		1		2	1	1	1		
177	Other acute poisonings (gas excepted)	57	4	6	8	4	1	1		1	3	2	5	11	5	3	2	1	
178	Conflagration	36	1		1		2	5	2	2	2	3	3	1	6	4	3	1	
179	Burns (conflagration excepted)	252	10	22	30	21	22	30	9	8	8	8	13	17	15	13	16	10	
180	Mechanical suffocation	32	23					1				2	1	1	2	1		1	
181	Absorption of irrespirable, irritating, or poisonous gas	150				1		1	7	6	5	5	5	25	32	28	20	15	
182	Drowning	286		3	2	1	5	34	34	38	32	27	20	32	31	18	7	1	1
183	Traumatism by firearms (except in war)	46				2		3	10	9	8	2	2	4	3	1	1	1	
184	Traumatism by cutting or piercing instruments	19	2	1				2					1	5	3	3	1	1	
185	Traumatism by fall	448	1	8	8	2	4	13	9	2	8	21	20	45	57	55	65	130	
186a	Traumatism in mines	5										3		2					
187	Traumatism by machines	61						2		5	7	8	8	14	9	5	3		
188a	Railroad accidents	312	1		2	2	1	13	11	20	21	33	36	48	53	43	22	6	
188b	Street-car accidents	46	1		1	3	1	2	1		2	4	3	8	6	7	3	4	
188c	Automobile accidents	672	1	2	8	18	24	120	54	42	47	36	29	82	72	62	55	20	
188d	Airplane and balloon accidents	5									1	2	1	1					
188e,f	Injuries by other vehicles	54			2	1	3	6	4	4	4	3	2	7	3	4	8	3	
188g	Landslide, other crushing	14			1						2	1		4	4	1	1		
189	Injuries by animals (not poisoning)	11						3					2		4	2			
193	Excessive cold	9											1	1	2	3		2	
194	Excessive heat	31	8		1							1		4	4	2	3	8	
195	Lightning	8							2	1			2	1	1	1			
196	Other accidental electric shocks	23							1	2	3	4	7	4	1	1			
201	Fracture (cause not specified)	21							1		1		2	2	2	4	3	6	
202	Other external violence	126	14	6	1	1	1	5	10	4	8	8	9	16	14	15	11	3	
203	Violent deaths of unknown causation	1									1								
	XV.—Ill-defined diseases	82	36	8	2	1		1			1	2	3	3	5	8	5	6	1
204	Sudden death	1														1			
205a	Ill-defined	68	26	8	2	1		1			1	2	3	2	4	7	4	6	1
205b	Not specified or unknown	13	10											1	1		1		
	NEW YORK																		
	All causes	141,085	16,601	2,918	1,381	920	711	2,481	1,793	2,653	3,655	4,344	4,873	12,514	17,256	22,386	23,767	22,755	77
	I.—Epidemic, endemic, and infectious diseases	18,421	1,485	997	573	374	275	719	409	921	1,495	1,483	1,469	2,665	2,239	1,549	1,068	688	12
1	Typhoid and paratyphoid fever	318	1	2		4	7	16	24	34	32	36	48	42	40	23	8	1	
5	Malaria	7		1							1		2	2				1	
6	Smallpox	1															1		
7	Measles	732	202	272	96	49	19	57	12	8	4	3	2	2	1	3	2		
8	Scarlet fever	285	18	30	45	28	26	56	17	13	13	11	11	13	2	2			
9	Whooping cough	561	319	148	49	22	8	10	1	1						1	1	1	
10	Diphtheria	1,027	68	140	185	136	113	273	44	14	15	8	2	8	11	7		3	
11a	Influenza (with pulmonary complications)	1,805	151	105	31	19	9	35	25	50	55	59	74	191	202	241	313	244	1
11b	Influenza (other and unspecified)	942	96	27	20	18	13	29	29	24	30	19	33	70	72	91	124	247	
13	Mumps	12			2		1			1		1		1	2	3		1	
15	Cholera nostras	3		2													1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NEW YORK—Continued																		
	I.—Epidemic, endemic, and infectious diseases—Continued																		
16	Dysentery	41	14	2	1	1		1			1	1		1	1	2	4	12	
19	Spirochetal hemorrhagic jaundice	8									1		3	2	2				
21	Erysipelas	352	127	9	3	1		4	2	6	3	9	6	37	45	41	35	24	
22	Acute anterior poliomyelitis	128	6	18	11	11	11	25	16	9	11	1	4	3	1	1			
23	Lethargic encephalitis	436	11	19	14	8	9	25	29	38	37	36	42	61	57	35	14		1
24	Meningococcus meningitis	120	33	15	9	3	4	13	6	5	5	2	3	9	6	6	1		
25	Other epidemic and endemic diseases	22	8	6	1		3	4											
27	Anthrax	2													1			1	
28	Rabies	4				1		1				1			1				
29	Tetanus	85	5		2	1	1	12	17	11	5	10	2	7	6	4	2		
30	Mycoses	12	3							1	1	1	1		1	3		1	
	Tuberculosis (all forms)	10,611	213	188	103	69	50	149	181	692	1,243	1,242	1,188	2,044	1,609	980	511	139	10
31	Of the respiratory system	9,330	57	49	19	9	7	42	120	608	1,130	1,167	1,128	1,925	1,532	932	467	129	9
32	Of the meninges, central nervous system	621	116	121	69	44	33	74	30	27	24	22	17	21	14	8		1	
33	Of the intestines, peritoneum	221	13	9	7	5		11	7	23	30	23	14	31	18	13	13	4	
34	Of the vertebral column	89	2		2	3	1	8	5	7	7	8	8	17	9	7	3	2	
35	Of the joints	29	1	1				3	1	2	2	1	1	3	4	3	5	2	
36	Of other organs	116	3		1	2	2	2	6	8	15	5	9	21	17	9	14	1	1
37a	Disseminated (acute)	181	18	8	5	5	7	8	10	17	32	14	11	23	11	7	5		
37b	Disseminated (chronic or unspecified)	24	3			1		1	2		3	2		3	4	1	4		
38	Syphilis	765	184	9		2		7	4	7	28	30	37	145	165	94	46	7	
40	Gonococcus infection	48	8	1						3	8	10	4	8	6				
41	Purulent infection, septicemia	93	18	3	1	1	1	2	2	4	2	2	7	19	8	12	5	6	
42	Other infectious diseases	1										1							
	II.—General diseases not included in Class I	18,012	345	69	30	29	23	125	130	147	172	266	444	1,734	3,506	4,849	4,105	2,030	8
	Cancer and other malignant tumors	12,247	13	16	9	6	4	23	18	34	54	99	212	1,127	2,481	3,455	3,043	1,650	3
43	Of the buccal cavity	398							2		1	2	5	27	81	114	101	65	
44	Of the stomach, liver	4,543	5	2		1	1	3		2	7	18	43	302	832	1,399	1,309	617	2
45	Of the peritoneum, intestines, rectum	1,943		2	1			2		5	10	25	39	159	360	536	526	278	
46	Of the female genital organs	1,476								3	6	16	51	254	409	372	240	125	
47	Of the breast	1,169							1		1	8	20	171	289	346	186	147	
48	Of the skin	262			1				1		2		1	16	22	47	55	116	1
49	Of other or unspecified organs	2,456	8	12	7	5	3	18	14	24	27	30	53	198	488	641	626	302	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	117	1			2	3			4	1	5	7	9	26	26	11	21	1
51	Acute rheumatic fever	391		2	3	8	11	54	56	33	22	24	21	47	38	33	29	10	
52	Chronic rheumatism, osteoarthritis, gout	106						1	1		1	2	1	7	18	15	32	28	
53	Scurvy	9	8									1							
54	Pellagra	14									1	1	2	5	3	2			
56	Rickets	60	42	11	2	2		2	1										
57	Diabetes mellitus	2,786	4	3		3	1	11	17	29	29	30	51	164	500	932	766	244	2
58	Anemia, chlorosis	661	13	8	3		1	7	13	5	10	18	20	69	131	179	134	50	
59	Diseases of the pituitary gland	10		1									2	3	2	2			
60a	Exophthalmic goiter	238						1	1	5	13	14	22	50	62	47	20	2	1
60b	Other diseases of the thyroid gland	68		3	1				1	5	2	2	4	10	15	13	9	3	
61	Diseases of the parathyroid glands	12	10			1												1	
62	Diseases of the thymus gland	98	77	10	2		1	3	2	2		1							
63	Diseases of the adrenals (Addison's disease)	46								2			3	9	14	10	6	2	
64	Diseases of the spleen	9						3		1			1	1		2	1		
65a	Leukemia	220	10	5	7	5	1	13	16	11	10	9	15	26	36	30	19	7	
65b	Hodgkin's disease	142	3			1		5	3	6	9	14	16	26	23	22	13	1	
66	Alcoholism (acute or chronic)	469								2	12	29	52	154	134	62	19	5	
67a	Chronic lead poisoning	25			1								1	5	10	8			
67b	Other chronic mineral poisoning	3												1	1	1			
68	Chronic poisoning by organic substances	59								3	5	15	10	15	7	2		2	
69	Other general diseases	222	164	10	2	1	1	2	1	5	3	2	4	6	5	8	3	4	1
	III.—Diseases of the nervous system and of the organs of special sense	14,015	335	95	42	39	31	156	118	128	138	185	248	957	1,722	2,767	3,558	3,490	6
70	Encephalitis	98	7	2	5		1	8	5	8	5	1	8	14	15	15	1	3	
71a	Simple meningitis	275	64	20	8	5	5	31	16	16	7	13	11	22	28	14	9	5	1
71b	Nonepidemic cerebrospinal meningitis	101	26	8	5	5	3	8	3	9	5	3	5	7	5	5	3	1	
72	Tabes dorsalis (locomotor ataxia)	199										1	7	21	40	73	47	10	
73	Other diseases of the spinal cord	327	3	3	2	4	1	7	6	5	2	11	8	29	57	79	65	45	
74a	Cerebral hemorrhage	9,522	16	4	2	1	1	3	4	10	11	28	39	292	1,025	2,116	2,995	2,971	4
74b	Cerebral embolism and thrombosis	412	1				1	1	1	2	2	8	9	15	50	64	120	138	
75	Paralysis without specified cause	336	10	2		1				1	1		2	12	22	67	81	137	
76	General paralysis of the insane	881								1	2	24	75	320	252	130	45	31	1
77	Other forms of mental alienation	200							1	7	18	20	19	43	37	24	14	17	
78	Epilepsy	285	6	5	3	2	2	9	16	18	35	23	20	52	42	25	20	7	
79	Convulsions (nonpuerperal; 5 years and over)	11						2	1	1		4			1		2		
80	Infantile convulsions (under 5 years)	96	82	9	1	3	1												
81	Chorea	11						2	2		1			1	2	1	2		
82	Neuralgia and neuritis	31								1	1	2	2	3	3	7	5	7	
83	Softening of the brain	92									1	1		2	5	12	29	42	
84	Other diseases of the nervous system	629	19	15	6	8	5	18	21	16	19	26	24	80	103	99	104	66	
85	Diseases of the eye and annexa	6						1						2		2		1	
86a	Diseases of the ear	275	75	16	4	2	2	29	17	13	14	9	12	25	21	18	12	6	
86b	Diseases of the mastoid process	228	26	11	6	8	9	37	25	20	14	11	7	17	14	16	4	3	
	IV.—Diseases of the circulatory system	30,353	118	43	27	18	32	210	316	362	294	369	456	1,777	3,556	6,100	7,742	8,925	8
87	Pericarditis	73	2	1	1	1		3	2	3	1	4	1	9	8	10	17	10	
88	Endocarditis and myocarditis (acute)	792	71	20	9	3	7	46	40	51	59	60	56	173	59	58	44	36	
89	Angina pectoris	1,425							1		2	9	17	110	264	428	368	225	1
90	Other diseases of the heart	24,534	30	18	17	14	23	160	269	306	229	282	360	1,359	2,985	5,090	6,444	6,943	5
91a	Aneurysm	254	1						2	1	1	9	12	52	59	60	39	18	
91b,c	Other diseases of the arteries	2,937										1	3	36	119	374	764	1,638	2

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NEW YORK—Continued																		
	IV.—Diseases of the circulatory system—Continued																		
92	Embolism and thrombosis (not cerebral)	242	6	1			2	1	2	1	2	2	5	24	40	62	50	44	
93	Diseases of the veins	77	1									1	1	13	21	16	15	9	
94	Diseases of the lymphatic system	13	5	3								1		1		2	1		
95	Hemorrhage without specified cause	4	2										1		1				
96	Other diseases of the circulatory system	2																2	
	V.—Diseases of the respiratory system	15,167	2,764	973	321	175	101	262	155	283	308	401	509	1,349	1,612	1,857	1,915	2,178	4
97a	Diseases of the nasal fossae	19	2		1	1					3	1		5	2	1	1	2	
97b	Diseases of the nasal fossae annexa	64	6	1		1		5	2	5	3	5	7	12	9	4	3	1	
98	Diseases of the larynx	62	13	7		4	2	5	1	2	1	3		7	4	4	3	6	
99a	Acute bronchitis	547	210	31	8	4	3	9	7	3	2	2	2	15	16	27	46	162	
99b	Chronic bronchitis	339	8	3	1				1	4	2	3	2	10	26	45	70	164	
99c,d	Bronchitis (unspecified)	233	63	8	3	2	2	2	1	3	1			8	7	13	24	96	
100a	Bronchopneumonia	5,499	1,707	579	166	86	37	93	44	57	57	64	101	239	291	486	649	843	
100b	Capillary bronchitis	267	168	22	7	5	2	7	1				2	5	4	9	12	23	
101a	Lobar pneumonia	6,930	457	258	109	52	42	121	86	185	218	289	354	938	1,093	1,122	943	659	4
101b	Pneumonia (unspecified)	404	71	20	9	9	4	7	5	7	7	13	8	34	44	41	47	78	
102	Pleurisy	409	38	38	17	11	9	12	5	14	11	15	20	47	54	52	48	18	
103	Congestion and hemorrhagic infarct of the lung	137	13	3						1			3	4	8	8	19	78	
104	Gangrene of the lung	18											1	3	8	5		1	
105	Asthma	137	3	1							1	2	3	11	26	29	33	28	
106	Pulmonary emphysema	25										1		1		2	5	16	
107	Other diseases of the respiratory system (tuberculosis excepted)	77	5	2				1	2	2	2	3	6	10	20	9	12	3	
	VI.—Diseases of the digestive system	10,017	2,910	468	178	111	73	238	177	194	238	277	355	873	1,167	1,192	901	664	1
108	Diseases of the mouth and annexa	69	7		2		2	5	1	2	2	4	4	13	11	7	3	6	
109a	Adenoid vegetations	1			1														
109b	Other diseases of the pharynx, tonsils	305	30	11	13	20	13	40	21	20	18	22	17	24	28	16	3	9	
110	Diseases of the esophagus	14						2				1		1	4	1	3	2	
111a	Ulcer of the stomach	523							1	7	10	21	34	96	125	125	69	35	
111b	Ulcer of the duodenum	185	2								10	9	19	41	49	34	17	4	
112	Other diseases of the stomach (cancer excepted)	385	99	14	5	6		2	2	4	2	1	7	24	31	48	45	95	
113	Diarrhea and enteritis (under 2 years)	3,023	2,614	409															
114	Diarrhea and enteritis (2 years and over)	493			106	48	21	33	11	8	13	12	15	25	35	30	59	77	
116	Diseases due to other intestinal parasites	3		1		1						1							
117	Appendicitis and typhlitis	1,631	6	7	33	23	25	127	122	121	136	126	131	256	229	184	74	31	
118a	Hernia	528	10	3	1	1		2			6	5	19	41	84	134	132	90	
118b	Intestinal obstruction	692	117	15	7	8	4	10	8	11	13	23	27	76	85	82	109	97	
119	Other diseases of the intestines	118	8		1		2	2		2	4	3	2	12	23	25	18	16	
120	Acute yellow atrophy of the liver	41							1	2	3	4	2	5	13	4	5	2	
121	Hydatid tumor of the liver	3												1	1	1			
122	Cirrhosis of the liver	912				1	2	1	2	2	4	4	18	104	209	234	216	114	1
123	Biliary calculi	386								2	2	14	23	56	98	106	56	29	
124	Other diseases of the liver	469	2		2	1	1	2	3	1	5	12	21	66	104	121	76	52	
125	Diseases of the pancreas	65						1		1	1	2	8	9	14	22	7		
126	Peritonitis without specified cause	171	15	8	7	2	3	11	5	11	9	13	8	23	24	18	9	5	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	13,292	81	23	17	18	7	49	64	92	131	240	314	1,115	1,893	2,713	3,402	3,126	7
128	Acute nephritis (including unspecified under 10 years)	500	41	12	11	10	2	21	25	13	19	25	29	65	71	66	59	30	1
129	Chronic nephritis (including unspecified 10 years and over)	11,234	5	1	3	3	4	20	38	67	72	125	199	817	1,585	2,454	3,025	2,812	4
131	Other diseases of the kidneys and annexa	270	30	9	2	4	1	6	1	6	11	20	15	25	37	39	33	30	1
132	Calculi of the urinary passages	109			1			1			4	4	3	18	30	22	21	5	
133	Diseases of the bladder	80		1				1					1	1	8	9	17	41	1
134	Diseases of the urethra, etc	38										2	4	5	10	9	5	3	
135	Diseases of the prostate	518										1	2	6	24	83	214	188	
136	Nonvenereal diseases of the male genital organs	7	3											2	1	1			
137	Cysts, other benign tumors of the ovary	100								1	2	14	11	17	23	14	8	10	
138	Salpingitis and pelvic abscess (female)	174				1				4	18	29	25	69	21	4	3		
139	Benign tumors of the uterus	189										12	15	74	68	7	9	4	
140	Nonpuerperal uterine hemorrhage	3								1	1							1	
141	Other diseases of the female genital organs	64									3	7	9	16	14	5	8	2	
142	Nonpuerperal diseases of the breast (cancer excepted)	6	2								1	1	1		1				
	VIII.—The puerperal state	1,320								51	241	382	304	335	6	1			
143	Accidents of pregnancy	130								3	23	36	29	39					
144	Puerperal hemorrhage	162								2	17	41	43	58	1				
145	Other accidents of labor	178								2	31	53	50	42					
146	Puerperal septicemia	487								29	98	161	93	102	3	1			
147	Puerperal phlegmasia alba dolens, embolus, etc	78								3	12	22	22	19					
148	Puerperal albuminuria and convulsions	277								11	60	64	66	74	2				
149	Following childbirth (undefined)	4										3	1						
150	Puerperal diseases of the breast	4								1		2		1					
	IX.—Diseases of the skin and of the cellular tissue	411	91	6	3	1	1	4	2	13	8	15	17	33	46	49	45	77	
151	Gangrene	120	4	2	1	1				1				3	10	13	19	66	
152	Furuncle	77	14							6	2	4	6	13	13	13	5	1	
153	Acute abscess	118	28	2	1		1	3	1	5	5	7	9	10	17	14	13	2	
154	Other diseases of the skin and annexa	96	45	2	1			1	1	1	1	4	2	7	6	9	8	8	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NEW YORK—Continued																		
	X.—Diseases of the bones and of the organs of locomotion	170	16	7	4	3	3	23	24	11	5	8	5	15	10	18	13	5	
155	Diseases of the bones (tuberculosis excepted)	142	15	7	4	3	3	23	19	10	4	8	5	11	7	9	10	4	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	25	1						5	1	1			4	2	9	2		
158	Other diseases of the organs of locomotion	3													1		1	1	
	XI.—Malformations	1,618	1,482	57	19	10	8	17	9	6	5	2	2			1			
159a	Congenital hydrocephalus	160	112	20	7	9	3	4	3	1			1						
159b	Congenital malformations of the heart	892	828	26	9	1	2	9	5	5	4	2				1			
159c	Other congenital malformations	566	542	11	3		3	4	1		1		1						
	XII.—Early infancy	6,773	6,773																
160	Congenital debility, icterus, sclerema	776	776																
161a	Premature birth	3,863	3,863																
161b	Injury at birth	1,394	1,394																
162	Other diseases peculiar to early infancy	727	727																
163	Lack of care	13	13																
164	XIII.—Old age (senility)	656													1	10	61	583	1
	XIV.—External causes	10,713	165	160	165	142	156	677	388	444	617	712	748	1,652	1,486	1,270	938	968	25
	Suicide	1,476							3	27	79	108	140	333	305	270	140	71	
165, 166	By poisons (gas excepted)	161								7	18	13	10	39	34	28	7	5	
167	By poisonous gas	396								5	17	28	33	86	90	80	36	21	
168	By hanging or strangulation	296							2	5	11	10	23	65	63	67	32	18	
169	By drowning	113									4	9	11	17	27	27	12	6	
170	By firearms	275							1	9	18	23	37	65	48	35	29	10	
171	By cutting or piercing instruments	83									2	5	6	27	14	13	9	7	
172	By jumping from high places	129								1	8	14	17	30	26	16	13	4	
173	By crushing	17										6	3	3	2	2	1		
174	By other means	6									1			1	1	2	1		
	Homicide	469	16	4	1	3	2	5	2	23	63	91	66	108	51	19	13	1	1
197	By firearms	272		1				1	1	16	36	63	46	68	28	5	7		
198	By cutting or piercing instruments	58			1	1				4	12	8	5	17	9	1			
199	By other means	139	16	3		2	2	4	1	3	15	20	15	23	14	13	6	1	1
	Accidental or undefined	8,768	149	156	164	139	154	672	383	394	475	513	542	1,211	1,130	981	785	896	24
175	Poisoning by food	36	4	5	4	1		2	1	2	2	2	1	2	2	6	2		
176	Poisoning by venomous animals	3					1							1		1			
177	Other acute poisonings (gas excepted)	162	6	15	10	4	4	4	2	8	12	13	12	33	22	12	2	3	
178	Conflagration	211	4	7	7	7	3	11	8	3	12	18	21	28	22	27	15	18	
179	Burns (conflagration excepted)	608	18	59	64	41	44	82	11	11	19	31	16	42	43	43	42	42	
180	Mechanical suffocation	79	50	2	1		1		1		2	1	4	8	7	2			
181	Absorption of irrespirable, irritating, or poisonous gas	712	7	4		1		6	5	24	37	35	47	101	154	137	93	61	
182	Drowning	863	3	9	8	9	9	69	87	91	87	56	78	164	103	47	24	8	11
183	Traumatism by firearms (except in war)	112			1	2	2	5	17	27	11	10	12	11	10	2	1	1	
184	Traumatism by cutting or piercing instruments	57	2	1	1			1	1	2	2	4	6	9	12	12	4		
185	Traumatism by fall	1,627	13	20	31	9	6	52	30	29	30	64	69	162	203	205	238	465	1
186a	Traumatism in mines	6											2	2	2				
186b	Traumatism in quarries	4						1				1		1		1			
187	Traumatism by machines	225			1	1		3	4	20	24	21	23	43	37	23	20	5	
188a	Railroad accidents	611	1	1	2	3	2	16	23	32	47	59	49	147	97	70	42	13	7
188b	Street-car accidents	306		3	3	2	5	12	8	10	18	21	27	58	54	39	27	18	1
188c	Automobile accidents	1,930	8	8	20	52	60	367	142	91	102	112	97	232	208	209	159	62	1
188d	Airplane and balloon accidents	6									2	3	1						
188e,f	Injuries by other vehicles	172	2	2	1	1	6	10	15	9	12	9	8	25	19	21	21	11	
188g	Landslide, other crushing	55				1	1	2	3	1	6	4	4	13	7	6	4	3	
189	Injuries by animals (not poisoning)	37		1	2	1		3				1	2	3	5	11	5	3	
190	Wounds of war	2										2							
192	Starvation (deprivation of food or water)	1																1	
193	Excessive cold	16										1	1	1	2	2	7	2	
194	Excessive heat	71	11	6				1			2	2	3	6	10	15	7	8	
195	Lightning	11							2			1	1	3	3		1		
196	Other accidental electric shocks	79						4	1	10	10	16	10	16	7	5			
201	Fracture (cause not specified)	344	1		1	2	3	5	3	6	14	5	9	28	32	44	41	148	2
202	Other external violence	422	19	13	7	2	7	16	19	18	24	21	39	72	69	41	30	24	1
	XV.—Ill-defined diseases	147	36	20	2		1	1	1	1	3	4	2	9	12	10	19	21	5
204	Sudden death	17	8										1		1		4	3	
205a	Ill-defined	90	12	20	1		1	1	1		2	2	1	6	7	8	12	16	
205b	Not specified or unknown	40	16		1					1	1	2		3	4	2	3	2	5
	NORTH CAROLINA																		
	All causes—White	19,713	4,046	1,064	449	235	161	501	321	479	609	647	622	1,350	1,366	1,842	2,975	2,982	64
	All causes—Colored	12,429	2,767	697	248	149	89	294	249	603	758	701	537	1,042	1,083	964	1,023	1,142	83
	I.—Epidemic, endemic, and infectious diseases—White	3,901	454	369	150	97	74	193	93	156	231	308	268	387	280	242	311	274	14
	I.—Epidemic, endemic, and infectious diseases—Colored	3,006	440	221	83	57	34	113	97	277	362	330	205	286	190	128	81	80	22
1	Typhoid and paratyphoid fever—W	131		1	2	4	2	15	13	24	19	15	11	14	6	2	3		
	Typhoid and paratyphoid fever—C	129		2	1	3	1	10	19	29	22	13	9	7	7	2	3		1
5	Malaria—W	77	3	8	4	2	1	3	4	3	3	3	6	9	6	7	8	7	
	Malaria—C	92	10	11	2	7		10	2	12	7	10	3	3	3	6	4	2	
	Smallpox—W	8		1								1		2	1		1	2	
	Smallpox—C	5	1											1		1	1	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NORTH CAROLINA—Continued																			
	I.—Epidemic, endemic, and infectious diseases—Continued																			
7	Measles	W	392	74	116	43	12	15	44	12	13	12	6	9	9	11	3	9	3	1
		C	196	55	46	25	13	7	21	5	11	6	3		1	1		1		1
8	Scarlet fever	W	26	1	5	4	5	4	3	2			1	1						
		C	4		2				1	1										
9	Whooping cough	W	276	161	75	13	10	3	10	1	1	1								1
		C	216	115	59	24	4	3	8	1	1									1
10	Diphtheria	W	276	25	56	42	37	29	68	12	1	2		1	1					2
		C	74	24	9	4	11	5	16	2						1			1	1
11a	Influenza (with pulmonary complications)	W	702	72	46	18	11	8	12	10	19	18	37	41	77	54	57	125	95	2
		C	422	61	23	13	5	4	16	11	30	24	28	26	46	48	34	24	25	4
11b	Influenza (other and unspecified)	W	311	26	17	7	5	4	6	6	9	9	10	9	20	19	25	50	88	1
		C	218	52	15	2	5	2	5	6	10	9	6	12	18	22	16	10	24	4
13	Mumps	W	3	1							1						1			
		C	1					1												
15	Cholera nostras	W	3							1							1		1	
		C	4	3	1															
16	Dysentery	W	128	24	22	7	6	4	4	4	3		2	2	2	3	6	8	31	
		C	89	38	26	1	2	2	1		1	1				2	4	4	6	1
19	Spirochetal hemorrhagic jaundice	C	2								1		1							
21	Erysipelas	W	52	19	3	1			1		2		1		2	3	5	5	10	
		C	6	3						1	1					1				
22	Acute anterior poliomyelitis	W	15	3	3	1			3	1	3	1								
		C	10	3			1	2		3										1
23	Lethargic encephalitis	W	12		1				1			2	1	2	1	1	1	1	1	
		C	4					1						1	1	1				
24	Meningococcus meningitis	W	23	5	2	3	1	1	4	2	1	1				1			2	
		C	7	1			1		1	2	1			1						
25	Other epidemic and endemic diseases	W	5	3			1			1										
		C	1	1																
28	Rabies	W	3						2		1									
		C	2							1	1									
29	Tetanus	W	19	7		1		1	2	2	2	2					1			1
		C	32	15		1			5	3		1	3		3			1		
30	Mycoses	W	1	1																
		C	12	10	1										1					
	Tuberculosis (all forms)	W	1,357	16	12	3	3	2	15	19	68	155	226	183	237	167	123	94	30	4
		C	1,310	15	20	8	4	3	14	39	172	273	246	139	180	93	53	30	15	6
31	Of the respiratory system	W	1,236	8	6	2		1	5	14	64	146	221	168	222	157	107	83	28	4
		C	1,192	9	15	3	1	3	9	30	160	249	230	131	173	85	49	27	13	5
32	Of the meninges, central nervous system	W	33	7	5	1	1	1	7	2	1	3		2	1	1		1		
		C	20	5	2	2	1		3	1		3	1	1	1					
33	Of the intestines, peritoneum	W	48				1		2	1		3	1	6	8	5	11	8	2	
		C	51			1	1		1	6	6	14	6	2	4	5	1	1	2	1
34	Of the vertebral column	W	8		1					1	1	1	1		1	1	1			
		C	6		1	1	1			1			1	1						
35	Of the joints	W	5	1					1	1							1			
		C	11						1		3	2	2			1	1	1		
36	Of other organs	W	14								1		1	1	4	2	3	2		
		C	13	1	2	1				1	1	2	2	1			1	1		
37a	Disseminated (acute)	W	13				1				1	1	2	6	1	1				
		C	14								1	3	4	2	1	2	1			
37b	Disseminated (chronic or unspecified)	C	3								1			1	1					
38	Syphilis	W	44	12							1		4	2	9	6	4	4		2
		C	143	32	5	2	1	2	3	1	5	15	15	10	21	11	9	3	6	2
40	Gonococcus infection	W	5								1	2			2					
		C	11	1							1	2	2	2	3					
41	Purulent infection, septicemia	W	32	1	2					3	3	4	1	1	2	2	6	3	4	
		C	16		1			1	2		1	2	3	2	1		3			
	II.—General diseases not included in Class I	White	1,492	49	14	9	11	6	19	22	19	20	22	42	173	241	286	346	209	4
		Colored	569	19	12	1	1		4	9	14	16	32	26	89	111	109	73	48	5
	Cancer and other malignant tumors	W	902	3	1	2	4	2	4	1	4	5	9	19	85	159	192	244	166	2
		C	318		4					2	1	6	13	11	58	74	73	41	32	3
43	Of the buccal cavity	W	24														7	7	10	
		C	15									1	1	1	2	2	1	4	3	
44	Of the stomach, liver	W	323	1	1		1	1			1	2	3	3	24	54	79	101	52	
		C	76		2						1			2	13	19	17	9	12	1
45	Of the peritoneum, intestines, rectum	W	91	1							1			1	10	14	17	32	14	1
		C	19							1					5	5	3	3	2	
46	Of the female genital organs	W	154									1	3	6	29	44	34	23	14	
		C	126							1			8	8	26	32	32	11	6	2
47	Of the breast	W	81										1	2	9	26	14	17	12	
		C	25									2			7	5	7	3	1	
48	Of the skin	W	55									1	1	1	2	3	4	16	26	1
		C	5									1				1		3		
49	Of other or unspecified organs	W	174	1		2	3	1	4	1	2	1	1	6	11	18	37	48	38	
		C	52		2							2	4		5	10	13	8	8	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	W	12	1	1										3	4		2	1	
		C	7										1	2	2	1	1			
51	Acute rheumatic fever	W	37					1		7			1	2	4	2	3	8	9	
		C	38		1				2	2	3	1	2	2	2	4	5	10	4	
52	Chronic rheumatism, osteoarthritis, gout	W	15									1			1	2		9	2	
		C	6									1					1	3	1	
53	Scurvy	C	1		1															
54	Pellagra	W	155			1					1	4	5	8	37	31	26	28	14	
		C	84				1			2	8	6	11	7	17	10	8	11	2	1
56	Rickets	W	10	8	1	1														
		C	8	6	2															
57	Diabetes mellitus	W	173	1		1	3		8	9	9	2		4	22	23	36	45	8	2
		C	59						1	2	1	1	2	1	7	16	15	5	7	1
58	Anemia, chlorosis	W	54	4	5		1			1	2	3	4	2	5	7	14	4	2	
		C	3	1									2							
59	Diseases of the pituitary gland	W	1											1						

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NORTH CAROLINA—Continued																			
	II.—General diseases not included in Class I—Continued																			
60a	Exophthalmic goiter	W	12										1	2	2	1	4		2	
		C	3										1		1				1	
60b	Other diseases of the thyroid gland	W	8							1	1	3		1		1		1		
		C	7											1		4		2		
61	Diseases of the parathyroid glands	W	3	2	1															
		C	1														1			
62	Diseases of the thymus gland	W	7	6		1														
		C	4	4																
63	Diseases of the adrenals (Addison's disease)	W	4									1	1			1		1		
64	Diseases of the spleen	W	4						1							2	1			
65a	Leukemia	W	16	1			1	1	3	2	1			1	4	2				
		C	3						1						1		1			
65b	Hodgkin's disease	W	9	1					1	1	1	1		1	1		1	1		
		C	1								1									
66	Alcoholism (acute or chronic)	W	16												6	2	7	1		
		C	8									1		1	1	2	3			
67a	Chronic lead poisoning	W	1															1		
		C	1															1		
67b	Other chronic mineral poisoning	W	2										1		1					
68	Chronic poisoning by organic substances	W	2													1	1			
69	Other general diseases	W	49	22	5	3	2	2	2					1	2	3	1	1	5	
		C	17	8	4	1				1				1			1		1	
	III.—Diseases of the nervous system and of the organs of special sense	White	2,026	77	33	21	12	2	31	14	19	18	23	30	102	199	349	563	523	10
		Colored	1,087	51	17	8	4	4	20	11	31	16	20	24	109	172	187	216	191	6
70	Encephalitis	W	24	5	2	2	1			2	1		3		4	3		1		
		C	14	1	1				6	1	1	1	1			1			1	
71a	Simple meningitis	W	59	16	7	10	2		6	3	3	2	1	1		3		3		2
		C	28	4	6	3		1	2	2	2	1		1	4	2				
71b	Nonepidemic cerebrospinal meningitis	W	28	9	5	1	2		5	1	2						2			1
		C	13	6	2				3		1				1					
72	Tabes dorsalis (locomotor ataxia)	W	14												1		3	7	3	
		C	7												2	2	1	2		
73	Other diseases of the spinal cord	W	37	1	2									1	4	4	9	12	4	
		C	8							1				1	2		2		2	
74a	Cerebral hemorrhage	W	1,248	3	3		1		5		2	4	10	9	48	145	251	410	354	3
		C	663		1				3		5		12	12	75	128	138	153	132	4
74b	Cerebral embolism and thrombosis	W	21	1							1	1		2	3	4		8	1	
		C	9											1	1	3	1	1	2	
75	Paralysis without specified cause	W	295	1	1	2			3				1	1	5	14	50	89	125	3
		C	157	1			1		2	1	2	2	1	2	5	16	32	48	43	1
76	General paralysis of the insane	W	22								1			2	6	1	4	3	5	
		C	19											1	5	3	3	4	3	
77	Other forms of mental alienation	W	47								1	1	2	2	5	8	13	8	6	1
		C	19								1	3	2	1	1	2	3	3	3	
78	Epilepsy	W	52	5	1	1	1	1	1	1	1	6	1	4	10	7	4	3	5	
		C	61	12	2		1	1	1	3	12	6	3	2	6	7	3	1	1	
79	Convulsions (nonpuerperal; 5 years and over)	W	9						2		2	1		1	1	2				
		C	8						1	3	2	1			1					
80	Infantile convulsions (under 5 years)	W	32	25	3	4														
		C	31	25	2	2	1	1												
81	Chorea	W	4	1		1					1	1								
		C	1												1					
82	Neuralgia and neuritis	W	4										1		1		1		1	
		C	1												1					
83	Softening of the brain	W	15												1			6	8	
		C	2														2			
84	Other diseases of the nervous system	W	73	3	3		2		5	3	1		3	5	11	7	11	10	9	
		C	30		2	2		1	1		3	1	1	1	4	7	2	2	3	
85	Diseases of the eye and annexa	W	3						1				1		1					
		C	1								1									
86a	Diseases of the ear	W	26	6	4		1		1	4	2	2			1	1	1	2	1	
		C	7	1	1	1	1		1		1	1								
86b	Diseases of the mastoid process	W	13	1	2		2	1	2		1			2				1	1	
		C	8	1										2		1		2	1	1
	IV.—Diseases of the circulatory system	White	2,106	21	3	4	4	1	25	25	14	33	25	31	108	174	342	681	605	10
		Colored	1,134	6	2		1	4	11	13	15	36	33	47	127	203	182	226	219	9
87	Pericarditis	W	10	1					1						1	1		3	3	
		C	7							1		1	2		1		1		1	
88	Endocarditis and myocarditis (acute)	W	42	2		1	1		5	4		5	2	3	8		3	5	3	
		C	30				1		2		2	3		5	11	2	1	3		
89	Angina pectoris	W	110											3	8	14	27	41	15	2
		C	34									1	1	1	7	10	3	8	2	1
90	Other diseases of the heart	W	1,801	14	2	2	3	1	17	21	14	25	22	25	84	148	294	584	538	7
		C	980	5	1			4	8	12	13	27	24	39	102	179	170	194	194	8
91a	Aneurysm	W	18	1											4	4	1	5	3	
		C	15										3	1	2	4	2	1	2	
91b,c	Other diseases of the arteries	W	94												1	4	13	37	38	1
		C	44											1		5	3	16	19	
92	Embolism and thrombosis (not cerebral)	W	18	1	1				1			2	1		2	1	3	4	2	
		C	6										2		2		1	1		
93	Diseases of the veins	W	2															1	1	
		C	2													1		1		
94	Diseases of the lymphatic system	W	4	2		1						1								
		C	2	1					1											
95	Hemorrhage without specified cause	W	1						1											
		C	8		1							4	1			1	1			
96	Other diseases of the circulatory system	W	6													2	1	1	2	
		C	6												2	1		2	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 year	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NORTH CAROLINA—Continued																			
	V.—Diseases of the respiratory system	White	1,666	411	131	78	35	20	45	27	57	37	34	35	97	82	115	202	254	6
		Colored	1,184	389	110	39	27	15	39	25	53	69	66	39	62	72	51	60	55	13
97a	Diseases of the nasal fossae	W	12	8									1				2	1		
		C	23	16	2	2		1			1								1	
97b	Diseases of the nasal fossae annexa	W	9	1							4				2		2			
		C	4						3		1									
98	Diseases of the larynx	W	19	3	4	2	2	2	3					1			1	1		
		C	6	1	2	1	2													
99a	Acute bronchitis	W	26	12	2	1											1	3	7	
		C	18	8	3		1			1		1	1					2	1	
99b	Chronic bronchitis	W	22		1												2	9	10	
		C	13	4	1	1							1	1			1	2	2	
99c,d	Bronchitis (unspecified)	W	37	15	1	1						1			1	2	2	2	11	1
		C	36	19	3	1					3	1	2			2	2		3	
100a	Bronchopneumonia	W	637	255	79	40	15	9	18	8	10	5	6	6	14	20	19	43	90	
		C	381	193	46	21	11	9	15	8	9	9	6	5	4	5	11	14	12	3
100b	Capillary bronchitis	W	8	5														1	2	
		C	15	9	2		1							1				1	1	
101a	Lobar pneumonia	W	565	54	27	19	8	5	18	16	33	19	21	17	53	45	59	93	77	1
		C	422	58	22	5	8	3	13	13	29	36	44	20	44	45	28	26	19	9
101b	Pneumonia (unspecified)	W	227	49	13	11	10	4	6	3	9	7	2	6	11	9	16	37	31	3
		C	184	72	23	8	4	2	8	2	6	13	5	7	6	9	4	7	7	1
102	Pleurisy	W	27	2	2	1					1	1	2	2	5	2	2	4	3	
		C	17		3							4	4	1		2	1	2		
103	Congestion and hemorrhagic infarct of the lung	W	26	3	1							1		1		2	2	3	12	1
		C	12	4	1						1	1					2	1	2	
104	Gangrene of the lung	W	1																1	
105	Asthma	W	30	2		2							2	2	6	2	1	4	9	
		C	30	1	1						1	2	1	1	4	7	2	5	5	
106	Pulmonary emphysema	W	2		1												1			
107	Other diseases of the respiratory system (tuberculosis excepted)	W	18	2		1						3			5		5	1	1	
		C	23	4	1					1	2	2	2	3	4	2			2	
	VI.—Diseases of the digestive system	White	1,960	586	405	124	31	23	65	36	42	44	36	36	74	98	108	125	119	8
		Colored	1,097	395	215	56	19	7	24	18	26	34	25	23	72	48	61	43	30	1
108	Diseases of the mouth and annexa	W	15	3	1	1	1	1	1		1			1	2		1	1	1	
		C	5	2	1					1				1						
109b	Other diseases of the pharynx, tonsils	W	47	7	2		4	5	12	1	3	1	3	3	3	2			1	
		C	23	1	1	1	1		5	2	1	3		1	3		2	2		
110	Diseases of the esophagus	W	2													1		1		
		C	2												2					
111a	Ulcer of the stomach	W	43	1						1		3	1	3	2	14	8	1	9	
		C	22									2	1	2	4	5	6	1	1	
111b	Ulcer of the duodenum	W	13								1	1	1	3	1	4	2			
		C	1											1						
112	Other diseases of the stomach (cancer excepted)	W	131	32	8	2	1		6		1	1	1	4	5	9	13	25	20	3
		C	117	24	9	5	2	1	3		2	3	2	2	18	14	16	11	5	
113	Diarrhea and enteritis (under 2 years)	W	899	512	387															
		C	557	357	200															
114	Diarrhea and enteritis (2 years and over)	W	263			113	19	9	13	5	2	4	1	1	7	6	10	25	46	2
		C	112			48	14	3	4	2		6		2	2	2	7	10	11	1
115	Ancylostomiasis	W	2								1	1								
		C	1							1										
116	Diseases due to other intestinal parasites	W	5			2	1	1								1				
		C	5		1	2			2											
117	Appendicitis and typhlitis	W	189	1	1	1	1	4	25	24	25	21	11	10	21	17	14	9	3	1
		C	89				1	1	7	9	15	9	8	1	15	9	9	3	2	
118a	Hernia	W	28	1		2		1	1		2				3	1	4	6	7	
		C	25	4	1							1		2	3	2	2	5	5	
118b	Intestinal obstruction	W	97	24	3		4	1	4	1	1	6	5	3	5	6	13	13	8	
		C	50	5	2				2		3	5	3	4	13	2	8	2	1	
119	Other diseases of the intestines	W	13	1		1				1	2	1				1	1	2	3	
		C	9	1								2	1	1		1	2	1		
120	Acute yellow atrophy of the liver	W	4							1			1			1				1
121	Hydatid tumor of the liver	W	1												1					
122	Cirrhosis of the liver	W	71						2	2		3			5	12	16	18	13	
		C	29					1			1		4	1	7	5	3	3	4	
123	Biliary calculi	W	39									1	1	2	7	8	12	7	1	
		C	3										1			1			1	
124	Other diseases of the liver	W	66	3	3	2			1		1		3	4	10	8	11	13	7	
		C	22					1	1				3	3	2	5	3	4		
125	Diseases of the pancreas	W	6										1		1	3	1			
		C	1														1			
126	Peritonitis without specified cause	W	26	1				1			2	1	7	2	1	4	2	4		1
		C	24	1			1			3	4	3	2	2	3	2	2	1		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	White	1,595	13	8	4	2	4	15	15	16	23	38	40	126	146	243	452	445	5
		Colored	957	11	9	5	4	3	8	10	14	31	35	47	113	155	144	177	189	2
128	Acute nephritis (including unspecified under 10 years)	W	120	8	6		2	3	11	9	4	4	8	8	15	12	10	8	12	
		C	105	10	6	4	4	2	4	3	8	5	8	9	16	14	3	5	4	
129	Chronic nephritis (including unspecified 10 years and over)	W	1,288			2		1	3	6	9	11	24	24	83	120	215	406	380	4
		C	717		1	1		1	4	6	4	18	18	24	73	123	129	151	162	2
131	Other diseases of the kidneys and annexa	W	56	4	2	2			1		1	2	3	2	6	4	7	9	13	
		C	30	1	2							2	2	1	4	5	4	5	4	
132	Calculi of the urinary passages	W	12										1		4	3	2	1	1	
		C	2														1		1	
133	Diseases of the bladder	W	20	1													3	1	15	
		C	14													1	3	3	7	
134	Diseases of the urethra, etc	W	4								1					1	2			
		C	6												1	1	1	2	1	
135	Diseases of the prostate	W	50												1		1	24	23	1
		C	22													1	3	9	9	
136	Nonvenereal diseases of the male genital organs	C	1												1					
137	Cysts, other benign tumors of the ovary	W	6									1		1	2	2				
		C	2												1				1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NORTH CAROLINA—Continued																			
	VII.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																			
138	Salpingitis and pelvic abscess (female)	W	13									4	2	3	2	2				
		C	29							1	1	6	5	8	4	4				
139	Benign tumors of the uterus	W	11												6	1	2	1	1	
		C	23											4	13	5		1		
140	Nonpuerperal uterine hemorrhage	W	3											1	1	1				
		C	1										1							
141	Other diseases of the female genital organs	W	12								1	1		1	6		1	2		
		C	5								1		1	1		1		1		
	VIII.—The puerperal state	White	390								44	85	71	57	127	6				
		Colored	280							2	60	57	50	51	54	3				3
143	Accidents of pregnancy	W	38								1	6	11	4	15	1				
		C	27								5	4	7	4	6	1				
144	Puerperal hemorrhage	W	48									7	5	7	27	2				
		C	26								1	5	2	6	10	1				1
145	Other accidents of labor	W	62								3	12	12	13	22					
		C	39							1	4	7	8	13	6					
146	Puerperal septicemia	W	83								13	24	15	10	21					
		C	69								18	15	12	8	15	1				
147	Puerperal phlegmasia alba dolens, embolus, etc.	W	7									2	1	2	2					
		C	9										4	1	4					
148	Puerperal albuminuria and convulsions	W	151								27	33	27	21	40	3				
		C	110							1	32	26	17	19	13					2
149	Following childbirth (undefined)	W	1									1								
	IX.—Diseases of the skin and of the cellular tissue	White	56	4	2	1		1	2	3	6	1	4		4	1	8	5	14	
		Colored	22	5	2				1	1			1			3	1	2	6	
151	Gangrene	W	16			1				1	1	1	1				1	1	9	
		C	7						1							2		2	2	
152	Furuncle	W	12						1		3		2		2		3	1		
		C	1	1																
153	Acute abscess	W	13	3	2			1		1	2		1		1		2			
		C	5	1	1					1			1						1	
154	Other diseases of the skin and annexa	W	15	1					1	1					1	1	2	3	5	
		C	9	3	1											1	1		3	
	X.—Diseases of the bones and of the organs of locomotion	White	31	2		1	1		6	4	2	1	4	1	4	2		2	1	
		Colored	4										1		2			1		
155	Diseases of the bones (tuberculosis excepted)	W	26	2		1			6	3	1	1	4	1	3	2		1	1	
		C	2												2					
156	Diseases of the joints (tuberculosis and rheumatism excepted)	W	3				1				1							1		
		C	2										1					1		
157	Amputations	W	1							1										
158	Other diseases of the organs of locomotion	W	1												1					
	XI.—Malformations	White	250	217	12	6	1	3	5	3	1	1	1							
		Colored	43	35	2	2		1	1	1		1								
159a	Congenital hydrocephalus	W	26	19	4	2			1											
		C	10	4	1	2		1	1	1										
159b	Congenital malformations of the heart	W	113	95	4	4		2	3	2	1	1	1							
		C	10	10																
159c	Other congenital malformations	W	111	103	4		1	1	1	1										
		C	23	21	1							1								
	XII.—Early infancy	White	1,496	1,496																
		Colored	621	621																
160	Congenital debility, icterus, sclerema	W	237	237																
		C	139	139																
161a	Premature birth	W	1,071	1,071																
		C	405	405																
161b	Injury at birth	W	114	114																
		C	30	30																
162	Other diseases peculiar to early infancy	W	73	73																
		C	41	41																
163	Lack of care	W	1	1																
		C	6	6																
164	XIII.—Old age (senility)	White	332														5	49	278	
		Colored	254													1	5	32	212	4
	XIV.—External causes	White	1,186	70	43	35	37	23	84	70	92	103	72	68	106	96	78	93	115	1
		Colored	790	56	33	31	25	15	48	42	88	103	80	59	77	63	21	18	19	12
	Suicide	W	87							1	3	11	5	8	19	17	11	8	4	
		C	14								2	1	2		5	3			1	
165	By poisons (gas excepted)	W	12								1	1	1	1	4	2	2			
166		C	1								1									
168	By hanging or strangulation	W	9									1	1		3		2	1	1	
		C	1																1	
169	By drowning	W	5							1						2		1	1	
		C	2								1				1					
170	By firearms	W	55								2	7	3	7	11	11	7	5	2	
		C	5									1	2		2					
171	By cutting or piercing instruments	W	5									2			1	2				
		C	2												1	1				
173	By crushing	C	1												1					
174	By other means	W	1															1		
		C	2													2				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NORTH CAROLINA—Continued																			
	XIV.—External causes—Contd.																			
	Homicide	W	84	4		1	1				2	9	7	12	19	12	12	3	2	
		C	183	5	1				1	4	16	46	36	23	24	18	3	1		5
197	By firearms	W	61				1				1	9	4	10	16	9	9	1	1	
		C	138						1	4	14	37	27	20	18	9	2	1		5
198	By cutting or piercing instruments	W	9										3	2	1			2	1	
		C	16									4	6	2	2	2				
199	By other means	W	14	4		1					1				2	3	3			
		C	29	5	1						2	5	3	1	4	7	1			
	Accidental or undefined	W	1,015	66	43	34	36	23	84	69	87	83	60	48	68	67	55	82	109	1
		C	593	51	32	31	25	15	47	38	70	56	42	36	48	42	18	17	18	7
175	Poisoning by food	W	32	8	5	3	3		1		2	1	1	1	1		1	5		
		C	11	2	1	2				1	1				1	2		1		
176	Poisoning by venomous animals	C	2	2																
177	Other acute poisonings (gas excepted)	W	16	1	4	1	1		2			2	1		2	1	1			
		C	26		11	4	2	1	1	1	1	2			3					
178	Conflagration	W	15	1				1	5	1	1	1						1	4	
		C	12					1	2		1	1	2			1	3	1		
179	Burns (conflagration excepted)	W	155	11	22	21	25	9	25	5	4	2	1	2	6	6	4	8	4	
		C	137	8	14	21	16	8	20	8	6	7		4	4	6		5	8	2
180	Mechanical suffocation	W	26	25						1										
		C	30	29								1								
181	Absorption of irrespirable, irritating, or poisonous gas	W	1											1						
		C	2													1		1		
182	Drowning	W	55		1		1	1	3	9	17	10	4		2	4	2	1		
		C	49	1	2	1			6	6	13	9	2	2	3	3		1		
183	Traumatism by firearms (except in war	W	57				1	1	10	14	10	6	2	2	5	2	3	1		
		C	64			1	2	3	5	12	16	7	8	5	4	1				
184	Traumatism by cutting or piercing instruments	W	8						2	1	1	1		1			2			
		C	2							1	1									
185	Traumatism by fall	W	155	4	4	1			3	4	4	7	5	3	5	2	10	29	74	
		C	23	3		1	1	1	1		3				2	3	1	2	5	
186a	Traumatism in mines	W	5								1	2	1	1						
		C	2										2							
186b	Traumatism in quarries	W	1									1								
		C	5										3	1		1				
187	Traumatism by machines	W	28		1			1	2	1	3	1	1	5	4	5	2	2		
		C	19								6	4	2	2	2	1	1			1
188a	Railroad accidents	W	89	1					2	6	12	6	11	12	9	11	8	6	5	
		C	55						1		6	6	7	10	9	7	3	2		4
188b	Street-car accidents	W	4							1	1					2				
		C	1								1									
188c	Automobile accidents	W	196	1	2	2	3	7	22	13	22	22	20	12	20	21	8	13	8	
		C	62	1	1				3	3	8	9	10	6	8	6	4		3	
188d	Airplane and balloon accidents	W	3									2			1					
188e, 188f	Injuries by other vehicles	W	21				1	1		3	1	1			2	1	6	3	2	
		C	8							2		1		1	1	1	1		1	
188g	Landslide, other crushing	W	3									2				1				
		C	7									1	2		2	1	1			
189	Injuries by animals (not poisoning)	W	12						1	1			1	1		1	2	4	1	
		C	6			1	1						1	1		1		1		
193	Excessive cold	W	6								1	1			1	1	1	1		
		C	2								1					1				
194	Excessive heat	W	1															1		
		C	3									1			1			1		
195	Lightning	W	17						3	3	4	1	2	1		2				1
		C	15						4	3	2	1			2	2	1			
196	Other accidental electric shocks	W	13						1	1		5	3	2	1					
		C	2								1				1					
201	Fracture (cause not specified)	W	22			1		1					2	1	2	1	2	5	7	
		C	3									2							1	
202	Other external violence	W	74	14	4	5	1	1	2	5	3	9	5	3	7	6	3	2	4	
		C	45	5	3		3	1	4	1	3	4	3	4	5	4	3	2		
	XV.—Ill-defined diseases	White	1,226	646	44	16	4	4	11	9	11	12	9	14	42	41	66	146	145	6
		Colored	1,381	739	74	23	11	6	25	20	25	33	28	16	51	62	75	94	93	6
204	Sudden death	W	150	31	4	1	1			1	1	2		1	14	12	20	34	28	
		C	104	19	3	2		1		1	2	2	4	2	7	14	20	15	12	
205a	Ill-defined	W	247	63	13	6	1	3	2	2	2	3	2	4	13	15	27	47	41	3
		C	175	38	17	2	1	1	7	2	1	7	5	3	15	17	20	24	13	2
205b	Not specified or unknown	W	829	552	27	9	2	1	9	6	8	7	7	9	15	14	19	65	76	3
		C	1,102	682	54	19	10	4	18	17	22	24	19	11	29	31	35	55	68	4
	OHIO																			
	All causes		75,054	9,605	1,723	890	574	444	1,486	1,018	1,569	2,159	2,456	2,604	5,720	7,110	9,739	12,811	15,103	43
	I.—Epidemic, endemic, and infectious diseases		12,077	1,068	656	368	254	194	620	305	590	920	847	816	1,362	1,062	951	1,030	1,028	6
1	Typhoid and paratyphoid fever		311		1	5	6	5	17	27	47	48	28	21	46	31	14	13	2	
5	Malaria		5	1									1	2		1				
6	Smallpox		6	1											1	2		2		
7	Measles		600	126	167	81	44	24	80	17	17	8	5	5	13	4	4	4	1	
8	Scarlet fever		327	6	28	40	34	43	80	28	26	14	10	7	6	2	3			
9	Whooping cough		519	279	145	45	17	12	19	1	1									
10	Diphtheria		698	25	80	77	80	68	236	67	26	10	6	3	9	6	1	4		
11a	Influenza (with pulmonary complications)		1,943	207	73	38	22	6	32	26	37	51	58	66	170	153	240	340	424	
11b	Influenza (other and unspecified)		1,130	111	36	16	9	9	25	14	20	32	30	31	76	62	100	188	371	
13	Mumps		4		1							1			1			1		
15	Cholera nostras		4							1				1			1	1		
16	Dysentery		89	29	12	5	2	1	1		1		1		3	2	6	7	19	
19	Spirochetal hemorrhagic jaundice		2													1				
21	Erysipelas		186	33	6			1			4		6	7	12	20	31	35	28	
22	Acute anterior poliomyelitis		26	7	3	3	2	3	2	3	2				1					
23	Lethargic encephalitis		147	4	4	3	2	3	6	5	7	7	15	10	26	27	19	7	2	
24	Meningococcus meningitis		61	15	12	3	3	3	6	4	2	1	6	2	1	2			1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	OHIO—Continued																		
	I.—Epidemic, endemic, and infectious diseases—Continued																		
25	Other epidemic and endemic diseases	13	7	1	1			3								1			
28	Rabies	3									1		1		1				
29	Tetanus	94	8		1	3	1	25	13	6	2	4	4	4	8	10	3	2	
30	Mycoses	9	1										2	1	1	2	2		
	Tuberculosis (all forms)	5,251	80	76	44	30	14	81	92	380	704	647	597	888	620	456	379	158	5
31	Of the respiratory system	4,474	19	22	16	7	3	31	59	318	625	593	552	798	553	400	329	144	5
32	Of the meninges, central nervous system	254	48	40	16	15	7	36	13	16	17	9	9	10	3	10	2	3	
33	Of the intestines, peritoneum	212	4	3	3	2	2	9	8	15	25	21	14	29	34	22	18	3	
34	Of the vertebral column	81		1		4	1	2	1	4	9	7	7	15	12	9	7	2	
35	Of the joints	22	1	1				2		1	1	3		2	6	2	3		
36	Of other organs	76	3	1	2				2	6	5	3	7	16	7	9	9	6	
37a	Disseminated (acute)	96	5	8	6	2	1	1	4	13	18	8	5	14	4	3	4		
37b	Disseminated (chronic or unspecified)	36			1				5	7	4	3	3	4	1	1	7		
38	Syphilis	509	107	10	5		1	5	1	5	20	19	40	92	104	56	31	12	1
40	Gonococcus infection	56	2						1	5	18	7	10	5	5	1		2	
41	Purulent infection, septicemia	84	15	1	1			2	5	4	3	4	7	7	10	6	13	6	
	II.—General diseases not included in Class I	8,548	164	30	33	9	10	69	60	85	79	145	174	748	1,386	2,100	2,117	1,337	2
	Cancer and other malignant tumors	5,784	4	6	8	5	3	12	9	18	27	65	86	475	972	1,477	1,551	1,065	1
43	Of the buccal cavity	222			2				1	2	1	1		10	29	54	60	62	
44	Of the stomach, liver	2,311	1		2			1	2			9	9	121	346	658	705	457	
45	Of the peritoneum, intestines, rectum	773	1		1	1	1	2	1	2	8	5	15	55	115	189	234	143	
46	Of the female genital organs	805						1		1	3	16	33	143	222	175	133	78	
47	Of the breast	472										6	9	53	118	128	95	63	
48	Of the skin	170									1		1	6	12	26	51	73	
49	Of other or unspecified organs	1,031	2	6	3	4	2	8	5	13	14	28	19	87	130	247	273	189	1
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	63		1	1					2	3	2		7	7	13	16	11	
51	Acute rheumatic fever	168	1		1			24	25	15	6	6	8	13	12	18	22	17	
52	Chronic rheumatism, osteoarthritis, gout	80								1			1	5	9	16	28	20	
53	Scurvy	2	2																
54	Pellagra	1												1					
56	Rickets	26	12	7	4	1				2									
57	Diabetes mellitus	1,193	4	1	6	1	2	14	21	18	17	23	23	78	168	324	338	155	
58	Anemia, chlorosis	410	8	3		1	1	5		4	5	8	11	40	81	109	92	42	
60a	Exophthalmic goiter	252							1	11	8	12	10	54	58	55	32	11	
60b	Other diseases of the thyroid gland	40							1	2	2		3	2	14	9	6	1	
61	Diseases of the parathyroid glands	3	3																
62	Diseases of the thymus gland	84	76	6	2														
63	Diseases of the adrenals (Addison's disease)	28	1								2	3	4	6	2	7	1	2	
64	Diseases of the spleen	11	1							1		1	1		1	1	4	1	
65a	Leukemia	81		2	3		3	5		3	1	3	5	6	13	27	7	3	
65b	Hodgkin's disease	58	2		1	1		5	1	5	2	10	4	5	2	12	5	3	
66	Alcoholism (acute or chronic)	142								2	2	8	10	47	39	23	9	1	1
67a	Chronic lead poisoning	9									1			1	3	2	2		
67b	Other chronic mineral poisoning	3										1			1			1	
68	Chronic poisoning by organic substances	14										1	4	3	1	3	1	1	
69	Other general diseases	96	50	4	7		1	4	2	1	3	2	4	5	3	4	3	3	
	III.—Diseases of the nervous system and of the organs of special sense	9,277	223	52	32	24	18	81	62	73	70	95	179	514	915	1,636	2,458	2,842	3
70	Encephalitis	64	3			1		2	3	5	3		6	9	6	13	10	3	
71a	Simple meningitis	159	47	13	11	5	1	19	7	7	4	6	5	6	10	8	7	3	
71b	Nonepidemic cerebrospinal meningitis	62	20	8	1	2	2	9	5	3	2	1	2	2	5				
72	Tabes dorsalis (locomotor ataxia)	148											4	10	29	61	32	12	
73	Other diseases of the spinal cord	217	2	1	1		2	2	3	2	5	9	15	16	28	47	45	38	1
74a	Cerebral hemorrhage	6,613	11		3	1	2	3	7	9	13	16	38	177	541	1,257	2,080	2,453	2
74b	Cerebral embolism and thrombosis	142				1		1	1		3	2	1	4	19	21	47	42	
75	Paralysis without specified cause	224				1		4	1	4	1	1	1	4	10	30	57	110	
76	General paralysis of the insane	598								2	7	22	63	198	147	77	43	39	
77	Other forms of mental alienation	84									2	3	4	12	21	21	7	14	
78	Epilepsy	199	6	1	1		2	7	9	15	10	19	13	30	29	17	27	13	
79	Convulsions (nonpuerperal; 5 years and over)	12						4		1	1	1	1	4					
80	Infantile convulsions (under 5 years)	116	92	10	7	5	2												
81	Chorea	6							1	1					1	1		2	
82	Neuralgia and neuritis	32					1	1			1			1	4	9	9	6	
83	Softening of the brain	90									1			2	1	9	23	54	
84	Other diseases of the nervous system	279	9	3	3	3	1	5	4	5	5	7	16	24	46	43	58	47	
85	Diseases of the eye and annexa	3								1						1		1	
86a	Diseases of the ear	134	31	13	1	4	2	16	12	8	2	4	3	8	10	12	5	3	
86b	Diseases of the mastoid process	95	2	3	4	1	3	8	9	10	10	4	7	7	8	9	8	2	
	IV.—Diseases of the circulatory system	12,689	49	18	11	12	11	75	112	132	123	172	206	616	1,145	2,030	3,431	4,542	4
87	Pericarditis	55		2	1			1	3	1			2	4	6	8	12	15	
88	Endocarditis and myocarditis (acute)	436	20	6	2	6	4	19	21	20	27	29	41	94	55	33	33	26	
89	Angina pectoris	685							1	1	1	5	8	35	81	159	228	166	
90	Other diseases of the heart	9,689	22	8	6	4	7	54	84	109	90	126	143	441	937	1,658	2,696	3,302	2
91a	Aneurysm	112									1	3	5	30	19	21	23	10	
91b,c	Other diseases of the arteries	1,562										1	1	5	29	122	408	994	2
92	Embolism and thrombosis (not cerebral)	88	1		1	1		1	2		3	6	3	5	11	16	19	19	
93	Diseases of the veins	41										2	2	1	6	11	11	8	
94	Diseases of the lymphatic system	7	3	2		1												1	
95	Hemorrhage without specified cause	10	3		1				1	1	1			1		1	1		
96	Other diseases of the circulatory system	4											1		1	1		1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	OHIO—Continued																		
	V.—Diseases of the respiratory system	7,569	1,546	446	186	108	64	128	79	120	152	174	229	488	526	693	1,033	1,593	4
97a	Diseases of the nasal fossae	6	1					1								1		3	
97b	Diseases of the nasal fossae annexa	25	1					1	1		1	3		9	5	3	1		
98	Diseases of the larynx	32	6	3	5	1	2	1	2			1	1	3	1		2	4	
99a	Acute bronchitis	169	52	7	2	3	2			1			2	2	7	11	14	66	
99b	Chronic bronchitis	171	2							1			1	4	4	13	43	103	
99c,d	Bronchitis (unspecified)	111	22	5	1	1		1	2		1		1	1	2	4	14	56	
100a	Bronchopneumonia	3,147	1,077	286	107	60	33	57	29	25	29	37	46	77	88	197	343	654	2
100b	Capillary bronchitis	80	34	8	5	3									1	3	5	21	
101a	Lobar pneumonia	3,300	291	123	52	34	25	53	36	82	113	121	166	350	372	396	531	553	2
101b	Pneumonia (unspecified)	91	29	5	4	1	1	1	2	2	2		1	3	3	4	10	23	
102	Pleurisy	141	11	7	8	2		7	4	5	4	9	5	16	16	18	21	8	
103	Congestion and hemorrhagic infarct of the lung	98	15	1		1		2		1	2	1	1	5	3	3	7	56	
104	Gangrene of the lung	6			1									1	1	3			
105	Asthma	136	1	1	1	1		2	2	1			3	8	17	29	28	42	
106	Pulmonary emphysema	14	1					1		1					3	1	6	1	
107	Other diseases of the respiratory system (tuberculosis excepted)	42	3			1	1	1	1	1		2	2	9	3	7	8	3	
	VI.—Diseases of the digestive system	5,838	1,564	360	119	45	40	166	130	126	165	168	185	436	571	597	578	585	3
108	Diseases of the mouth and annexa	46	4				2	1	5		5	2		4	11	7	3	2	
109a	Adenoid vegetations	1						1											
109b	Other diseases of the pharynx, tonsils	229	9	9	11	8	8	32	24	13	18	13	15	21	20	16	4	8	
110	Diseases of the esophagus	4												1		1	1	1	
111a	Ulcer of the stomach	225	1	2				1		1	11	14	9	36	48	42	36	24	
111b	Ulcer of the duodenum	83	1							2	3	2	7	19	18	11	12	7	1
112	Other diseases of the stomach (cancer excepted)	377	111	23	4	1	6	6	1	1	2	2	8	14	27	37	51	83	
113	Diarrhea and enteritis (under 2 years)	1,651	1,351	300															
114	Diarrhea and enteritis (2 years and over)	360			83	22	10	22	5	2	7	3	5	14	18	27	44	98	
116	Diseases due to other intestinal parasites	3		1				2											
117	Appendicitis and typhlitis	852	2	3	8	7	10	76	80	87	78	74	67	122	115	73	31	19	
118a	Hernia	231	6	4	1						1	2	2	18	30	48	57	62	
118b	Intestinal obstruction	454	57	11	6	6	1	10	6	12	10	20	15	44	64	64	55	73	
119	Other diseases of the intestines	88	7			1			1	1	1	2	9	6	9	12	20	19	
120	Acute yellow atrophy of the liver	22									1	1	3	5	5	3	2	2	
122	Cirrhosis of the liver	488		1				2	3		2	2	9	40	94	109	134	91	1
123	Biliary calculi	274								1	3	8	11	40	53	72	59	26	1
124	Other diseases of the liver	275	2	4	4			3		4	14	12	13	27	35	52	53	52	
125	Diseases of the pancreas	30									3	2	1	4	5	7	4	4	
126	Peritonitis without specified cause	144	12	2	2		3	10	5	2	6	9	11	21	19	16	12	14	
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	1	1																
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	5,744	35	11	14	9	6	23	30	54	76	112	143	410	684	998	1,465	1,671	3
128	Acute nephritis (including unspecified under 10 years)	336	18	8	7	5	2	12	10	18	7	11	20	45	48	37	38	50	
129	Chronic nephritis (including unspecified 10 years and over)	4,521		1	7	2	3	7	17	28	42	62	77	245	524	837	1,266	1,400	3
130	Chyluria	1	1																
131	Other diseases of the kidneys and annexa	127	10	2		1	1	4	1	1	3	2	7	11	20	24	24	16	
132	Calculi of the urinary passages	32										1	1	5	4	6	6	9	
133	Diseases of the bladder	89				1					1	2	1	2	4	11	19	48	
134	Diseases of the urethra, etc	16									1	1		4	5	1	3	1	
135	Diseases of the prostate	265												2	4	42	90	127	
136	Nonvenereal diseases of the male genital organs	11	6												1	2		2	
137	Cysts, other benign tumors of the ovary	46								1	5	2	2	9	4	9	7	7	
138	Salpingitis and pelvic abscess (female)	115							1	4	13	18	17	34	19	5	1	3	
139	Benign tumors of the uterus	124								1	2	6	8	39	41	13	8	6	
140	Nonpuerperal uterine hemorrhage	1												1					
141	Other diseases of the female genital organs	59							1	1	2	7	10	12	10	11	3	2	
142	Nonpuerperal diseases of the breast (cancer excepted)	1												1					
	VIII.—The puerperal state	920							3	71	173	236	206	222	9				
143	Accidents of pregnancy	120								3	15	35	33	32	2				
144	Puerperal hemorrhage	82								3	8	25	16	29	1				
145	Other accidents of labor	95								4	16	25	23	27					
146	Puerperal septicemia	371							3	38	82	97	87	61	3				
147	Puerperal phlegmasia alba dolens, embolus, etc	53								4	6	13	11	18	1				
148	Puerperal albuminuria and convulsions	191								18	45	40	34	52	2				
149	Following childbirth (undefined)	7								1	1	1	1	3					
150	Puerperal diseases of the breast	1											1						
	IX.—Diseases of the skin and of the cellular tissue	237	30	7	2		1	1	5	3	4	5	4	13	18	20	35	88	1
151	Gangrene	108	5									1	1	1	2	6	21	71	
152	Furuncle	47	5	3					4	2	1	1	1	6	7	6	5	5	1
153	Acute abscess	35	8	3	1		1	1	1		3	2	2	1	4	5	1	2	
154	Other diseases of the skin and annexa	47	12	1	1					1		1		5	5	3	8	10	
	X.—Diseases of the bones and of the organs of locomotion	79	4	2	4		3	10	11	3	2	4	1	6	7	7	8	7	
155	Diseases of the bones (tuberculosis excepted)	56	1	2	4		2	9	9	2	2	3		4	4	5	7	2	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	16	1					1	2	1		1	1	2	2	2		3	
157	Amputations	1															1		
158	Other diseases of the organs of locomotion	6	2				1								1			2	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	OHIO—Continued																		
	XI.—Malformations	978	927	17	8	5	2	8	3	4		3		1					
159a	Congenital hydrocephalus	77	69	2	3		1	1		1									
159b	Congenital malformations of the heart	639	611	10	3	4		4	3	3		1							
159c	Other congenital malformations	262	247	5	2	1	1	3				2		1					
	XII.—Early infancy	3,763	3,763																
160	Congenital debility, icterus, sclerema	485	485																
161a	Premature birth	2,349	2,349																
161b	Injury at birth	672	672																
162	Other diseases peculiar to early infancy	252	252																
163	Lack of care	5	5																
164	XIII.—Old age (senility)	723														4	61	657	1
	XIV.—External causes	6,323	134	114	108	108	92	301	218	307	392	491	456	897	775	668	550	698	14
	Suicide	741						1	5	19	32	71	60	148	163	128	84	28	2
165, 166	By poisons (gas excepted)	116								7	15	22	12	20	21	9	9	1	
167	By poisonous gas	13											2	6	3	1	1		
168	By hanging or strangulation	183							3	3	1	6	13	26	47	43	29	12	
169	By drowning	42									1	3	1	10	10	11	5	1	
170	By firearms	296						1	2	8	11	33	25	62	67	48	29	10	
171	By cutting or piercing instruments	54								1	2	3	3	15	10	11	6	3	
172	By jumping from high places	18									1	1	2	9	2	1	1	1	
173	By crushing	15									1	3	2		3	1	3		2
174	By other means	4														3	1		
	Homicide	472	17		1		2	2	5	15	65	97	73	113	55	22	3	1	1
197	By firearms	321	1		1		1	2	3	14	48	74	47	83	34	11	1		1
198	By cutting or piercing instruments	62	1							1	10	11	8	17	8	6			
199	By other means	89	15				1		2		7	12	18	13	13	5	2	1	
	Accidental or undefined	5,110	117	114	107	108	90	298	208	273	295	323	323	636	557	518	463	669	11
175	Poisoning by food	51	5	3	3	1	3	3	6			2	1	5	5	6	4	4	
176	Poisoning by venomous animals	3				1	1											1	
177	Other acute poisonings (gas excepted)	109	3	18	11	5	1	1	1	2	8	6	9	20	9	8	4	2	1
178	Conflagration	78	2	5	7	7	3	13	2	1	3	5	2	11	5	4	3	5	
179	Burns (conflagration excepted)	446	15	43	39	51	43	43	13	12	22	16	16	37	30	20	18	28	
180	Mechanical suffocation	68	46						4	1	1	4	1	4	1	3	1	2	
181	Absorption or irrespirable, irritating, or poisonous gas	72	2	1	1				2	4	6	1	6	16	15	11	6	1	
182	Drowning	265	1	10	7	5	5	29	34	48	28	13	15	28	19	10	8	5	
183	Traumatism by firearms (except in war)	120				3	1	12	16	30	16	13	5	12	7	2		1	2
184	Traumatism by cutting or piercing instruments	32	1			1		2	1		1		5	4	3	7	5	2	
185	Traumatism by fall	1,005	5	8	6	1	3	12	9	11	13	17	27	81	85	118	160	449	
186a	Traumatism in mines	140								5	15	16	23	35	28	13	5		
186b	Traumatism in quarries	5								1	1		2			1			
187	Traumatism by machines	160			1	1		2	4	10	8	18	27	33	33	15	5	3	
188a	Railroad accidents	604	2	2	6	1	1	17	23	48	52	74	44	116	94	64	39	17	4
188b	Street-car accidents	164	1	1	3	1	1	6	4	7	12	19	12	26	19	22	17	13	
188c	Automobile accidents	1,078	1	10	10	26	24	139	59	58	56	74	84	124	133	133	108	38	1
188d	Airplane and balloon accidents	13									1	2	5	2					3
188e,f	Injuries by other vehicles	68	1	1	3		1	4	5	4	8	3	2	5	11	11	4	5	
188g	Landslide, other crushing	36		1					2	3	4	2	2	5	8	5	4		
189	Injuries by animals (not poisoning)	27			1	1		2	2	1		1		2	6	3	5	3	
192	Starvation (deprivation of food or water)	1															1		
193	Excessive cold	5												1	3		1		
194	Excessive heat	41	5					1		2	1	1	2	10	2	5	4	8	
195	Lightning	15						1	2	4	1			2	1	3	1		
196	Other accidental electric shocks	70							2	7	14	14	10	9	9	3	2		
201	Fracture (cause not specified)	131					1	2	3		3	4	2	11	5	10	27	63	
202	Other external violence	303	27	11	9	3	2	9	14	14	21	18	21	37	26	41	31	19	
	XV.—Ill-defined diseases	289	98	10	5		3	4		1	3	4	5	7	12	35	45	55	2
204	Sudden death	20	2											2	3	2	4	7	
205a	Ill-defined	103	15	7	3		3	4			1	4	3	2	5	17	26	13	
205b	Not specified or unknown	166	81	3	2					1	2		2	3	4	16	15	35	2
	OREGON																		
	All causes	9,010	859	115	92	53	40	185	174	220	279	287	330	739	964	1,301	1,625	1,726	21
	I.—Epidemic, endemic, and infectious diseases	1,268	84	38	36	19	10	70	41	83	100	98	106	167	127	113	91	81	4
1	Typhoid and paratyphoid fever	39						4	4	7	6	2	4	8	1	3			
7	Measles	28	5	6	3		2	7	4				1						
8	Scarlet fever	11	1				1	3	2	1			2	1					
9	Whooping cough	41	27	5	7	1			1										
10	Diphtheria	78	3	6	8	8	1	31	7	4		1	1	5	1		1		1
11a	Influenza (with pulmonary complications)	155	10	7	5			4	3	11	7	4	6	15	17	18	21	27	
11b	Influenza (other and unspecified)	122	11	5	1	2	1		5	6	4		6	7	12	12	12	38	
16	Dysentery	5	1		3						1								
21	Erysipelas	19	4	1				1						4	1	3	3	2	
22	Acute anterior poliomyelitis	4		1				1			1								1
23	Lethargic encephalitis	30	3	1	1	1		1		2	5	1		4	4	4	1	2	
24	Meningococcus meningitis	4	2	1							1								
25	Other epidemic and endemic diseases	4													2		2		
28	Rabies	1							1										
29	Tetanus	6	2			1		1				1					1		
30	Mycoses	1														1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	OREGON—Continued																		
	I.—Epidemic, endemic, and infectious diseases—Continued																		
	Tuberculosis (all forms)	646	6	5	7	5	4	17	11	52	72	85	85	111	76	56	42	10	2
31	Of the respiratory system	532	2	2	2	2	1	8	11	40	63	75	74	91	71	46	32	10	2
32	Of the meninges, central nervous system	31	4	2	5	2	1	6		2	3	1		4		1			
33	Of the intestines, peritoneum	36					1	3		3	1	4	4	7	4	3	6		
34	Of the vertebral column	7					1			3			1	1	1				
35	Of the joints	4								1	1	1	1						
36	Of other organs	21				1				2		1	3	7		4	3		
37a	Disseminated (acute)	9		1						1	3	2	1				1		
37b	Disseminated (chronic or unspecified)	6									1	1	1	1		2			
38	Syphilis	58	7				1				2	2	1	10	12	14	7	2	
40	Gonococcus infection	5	1								1	1		2					
41	Purulent infection, septicemia	11	1		1	1			3			1			1	2	1		
	II.—General diseases not included in Class I	1,186	17	2	3	2	4	10	14	13	9	10	25	92	198	314	283	189	1
	Cancer and other malignant tumors	840				1		3	2	3	5	6	13	66	147	232	211	150	1
43	Of the buccal cavity	28												1	8	2	7	10	
44	Of the stomach, liver	352						2	1	1		3	2	20	46	101	109	67	
45	Of the peritoneum, intestines, rectum	121				1			1		2	1	3	5	19	37	33	19	
46	Of the female genital organs	85										1	2	15	19	33	12	3	
47	Of the breast	81											1	9	27	22	8	14	
48	Of the skin	23													3	3	6	11	
49	Of other or unspecified organs	150						1		2	3	1	5	16	25	34	36	26	1
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	5												1		1	2	1	
51	Acute rheumatic fever	17					1	2	2	3			1	2		1	3	2	
52	Chronic rheumatism, osteoarthritis, gout	7													1	1	1	4	
54	Pellagra	1													1				
56	Rickets	4			1	1		2											
57	Diabetes mellitus	143						1	4	5		3	2	5	17	40	44	22	
58	Anemia, chlorosis	50	2	2					1					3	9	11	15	7	
60a	Exophthalmic goiter	43							1		2	1	1	7	14	16		1	
60b	Other diseases of the thyroid gland	15			1						1				5	5	3		
62	Diseases of the thymus gland	10	8				1						1						
63	Diseases of the adrenals (Addison's disease)	4											1	1		2			
64	Diseases of the spleen	1									1								
65a	Leukemia	14	1		1		1	2	2	1			2	2	1	1			
65b	Hodgkin's disease	4							1				1			1	1		
66	Alcoholism (acute or chronic)	15								1			2	4	2	3	3		
67b	Other chronic mineral poisoning	1											1						
69	Other general diseases	12	6				1		1					1	1			2	
	III.—Diseases of the nervous system and of the organs of special sense	1,191	18	1	2		2	7	6	10	10	9	19	79	136	200	332	354	6
70	Encephalitis	14	1				1		1	1	1	1		2	2	3	1		
71a	Simple meningitis	9	2						1	1		2		1	1	1			
71b	Nonepidemic cerebrospinal meningitis	8	4						1	1	1							1	
72	Tabes dorsalis (locomotor ataxia)	16												1	7	5	2	1	
73	Other diseases of the spinal cord	30									2			2	5	7	8	6	
74a	Cerebral hemorrhage	839	1							1			7	28	73	155	278	292	4
74b	Cerebral embolism and thrombosis	34								1	1			1	3	7	13	8	
75	Paralysis without specified cause	53													3	5	15	30	
76	General paralysis of the insane	69										1	6	23	24	11	2	2	
77	Other forms of mental alienation	28									2	1	2	11	7	2	1	1	1
78	Epilepsy	29					1	4	1	2	2	2	2	4	3	1	5	2	
80	Infantile convulsions (under 5 years)	9	7	1	1														
81	Chorea	1																1	
82	Neuralgia and neuritis	1														1			
83	Softening of the brain	7													1	1	1	4	
84	Other diseases of the nervous system	33	2					1	1	1		2	1	5	7	1	6	5	1
86a	Diseases of the ear	6			1			1	1	1	1			1					
86b	Diseases of the mastoid process	5	1					1		1			1					1	
	IV.—Diseases of the circulatory system	1,560	6	3	1	2		10	13	14	15	12	33	66	135	283	461	503	3
87	Pericarditis	12							2					1	4	2	2	1	
88	Endocarditis and myocarditis (acute)	54	4			1		3	3	2	2	6	7	6	7	4	4	5	
89	Angina pectoris	131											2	4	9	34	55	27	
90	Other diseases of the heart	1,130	2	3	1	1		6	7	12	12	6	20	47	105	210	340	355	3
91a	Aneurysm	16											2	2	3	4	4	1	
91b,c	Other diseases of the arteries	191												4	3	21	52	111	
92	Embolism and thrombosis (not cerebral)	18						1			1		1	2	3	7	2	1	
93	Diseases of the veins	4											1		1	1	1		
94	Diseases of the lymphatic system	1							1										
96	Other diseases of the circulatory system	3															1	2	
	V.—Diseases of the respiratory system	722	118	29	15	6	5	15	11	11	20	18	18	41	74	74	96	171	
97a	Diseases of the nasal fossae	3										2				1			
97b	Diseases of the nasal fossae annexa	3						1						1	1				
98	Diseases of the larynx	9	1	3		1		1	1				1			1			
99a	Acute bronchitis	17	4		1						1	1			1	1	2	6	
99b	Chronic bronchitis	17													1	2	4	10	
99c,d	Bronchitis (unspecified)	12												1			3	8	
100a	Bronchopneumonia	259	73	18	6	4	5	5	6	1	3	3	2	10	14	22	32	55	
100b	Capillary bronchitis	2																	
101a	Lobar pneumonia	283	23	6	4	1		7	3	7	13	9	11	22	44	35	38	60	
101b	Pneumonia (unspecified)	54	14	2	2				1	1	2		1	1	5	4	8	13	
102	Pleurisy	19			2					1	1	1	2	2	1	4	1	4	
103	Congestion and hemorrhagic infarct of the lung	12	1													2	2	7	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	OREGON—Continued																		
	V.—Diseases of the respiratory system—Continued																		
104	Gangrene of the lung	1															1		
105	Asthma	17										2		2	2		5	6	
106	Pulmonary emphysema	1																1	
107	Other diseases of the respiratory system (tuberculosis excepted)	13						1		1			1	2	5	2		1	
	VI.—Diseases of the digestive system	685	91	19	17	8	9	17	32	16	20	22	29	76	79	120	74	54	2
108	Diseases of the mouth and annexa	8							1			1	1	1	1	2		1	
109b	Other diseases of the pharynx, tonsils	35	2	1	4	1	1	1	7	2	5	1			1	6	3		
111a	Ulcer of the stomach	41									1	1		7	8	17	3	4	
111b	Ulcer of the duodenum	17										1	1	5	2	5	3		
112	Other diseases of the stomach (cancer excepted)	43	10	2		2		1		1				1	1	9	4	11	1
113	Diarrhea and enteritis (under 2 years)	84	71	13															
114	Diarrhea and enteritis (2 years and over)	40			10	3	3	3				1	1		4	1	6	8	
117	Appendicitis and typhlitis	161	1	1	1	2	1	9	21	9	10	9	16	26	27	18	8	1	1
118a	Hernia	34	1									1		5	4	9	8	6	
118b	Intestinal obstruction	62	6	1	2		1	2	1	2		4	4	8	8	12	5	6	
119	Other diseases of the intestines	9					1	1					2	2	2	1			
120	Acute yellow atrophy of the liver	2										1				1			
122	Cirrhosis of the liver	51								1	2			2	11	15	14	6	
123	Biliary calculi	34											1	7	3	11	8	4	
124	Other diseases of the liver	46							1		1	1	2	9	6	10	9	7	
125	Diseases of the pancreas	3														2	1		
126	Peritonitis without specified cause	15		1			2		1	1	1	1	1	3	1	1	2		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	661	3	1		2		4	6	5	10	12	19	50	87	102	186	174	
128	Acute nephritis (including unspecified under 10 years)	34	1			1		2	3		3	1		7	8	1	5	2	
129	Chronic nephritis (including unspecified 10 years and over)	486						2	1	3	5	7	10	32	60	80	148	138	
131	Other diseases of the kidneys and annexa	21	1	1		1			1	1			1	1	3	5	5	1	
132	Calculi of the urinary passages	5								1							3	1	
133	Diseases of the bladder	4															1	3	
134	Diseases of the urethra, etc	3	1												1	1			
135	Diseases of the prostate	60												1	1	9	22	27	
137	Cysts, other benign tumors of the ovary	11									2			4	3	2			
138	Salpingitis and pelvic abscess (female)	12							1			4	1	2	3	1			
139	Benign tumors of the uterus	13											4	1	6		1	1	
140	Nonpuerperal uterine hemorrhage	2											1		1				
141	Other diseases of the female genital organs	10											2	2	1	3	1	1	
	VIII.—The puerperal state	103								4	21	24	26	26	2				
143	Accidents of pregnancy	13								1	2	4	4	2					
144	Puerperal hemorrhage	7									2	1	1	3					
145	Other accidents of labor	14								1		6	3	3	1				
146	Puerperal septicemia	37								1	10	8	11	7					
147	Puerperal phlegmasia alba dolens, embolus, etc	2											2						
148	Puerperal albuminuria and convulsions	30								1	7	5	5	11	1				
	IX.—Diseases of the skin and of the cellular tissue	28	2	1	1			1	1	1		1			1	3	7	9	
151	Gangrene	13		1				1								1	5	5	
152	Furuncle	4							1							1	2		
153	Acute abscess	2			1													1	
154	Other diseases of the skin and annexa	9	2							1		1			1	1		3	
	X.—Diseases of the bones and of the organs of locomotion	13						2	2	1	1		2		1	1	2	1	
155	Diseases of the bones (tuberculosis excepted)	9						2	2	1			2		1			1	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	3									1					1	1		
158	Other diseases of the organs of locomotion	1															1		
	XI.—Malformations	102	89	7				3	1		1	1							
159a	Congenital hydrocephalus	7	4	3															
159b	Congenital malformations of the heart	66	56	4				3	1		1	1							
159c	Other congenital malformations	29	29																
	XII.—Early infancy	408	408																
160	Congenital debility, icterus, sclerema	53	53																
161a	Premature birth	235	235																
161b	Injury at birth	81	81																
162	Other diseases peculiar to early infancy	38	38																
163	Lack of care	1	1																
164	XIII.—Old age (senility)	139															20	119	
	XIV.—External causes	902	13	11	17	13	9	45	47	62	72	80	53	140	122	84	65	64	5
	Suicide	132								1	8	11	10	27	29	21	12	13	
165, 166	By poisons (gas excepted)	23								1	2	3	2	7	3	1		4	
167	By poisonous gas	5											1	1	1	1	1		
168	By hanging or strangulation	28									1	3		3	10	4	3	4	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	OREGON—Continued																		
	XIV.—External causes—Continued.																		
	Suicide—Continued.																		
169	By drowning	11											1	3	2	4	1		
170	By firearms	52									5	5	5	12	9	8	6	2	
171	By cutting or piercing instruments	7											1	1	1	2	1	1	
172	By jumping from high places	2													2				
173	By crushing	1														1			
174	By other means	3													1			2	
	Homicide	32	1	1				4		2	3	3	6	6	3	2	1		
197	By firearms	20								1	3	2	4	5	2	2	1		
199	By other means	12	1	1				4		1		1	2	1	1				
	Accidental or undefined	738	12	10	17	13	9	41	47	59	61	66	37	107	90	61	52	51	5
175	Poisoning by food	11					1			2	1	1			2	3	1		
176	Poisoning by venomous animals	1							1										
177	Other acute poisonings (gas excepted)	9	1	1	1					2			1	1	1	1			
178	Conflagration	10	2	1										3	1	2	1		
179	Burns (conflagration excepted)	31	1		4	5		5			1	3	1	2	2	4	1	2	
180	Mechanical suffocation	9	4		1			1	1			1				1			
181	Absorption of irrespirable, irritating, or poisonous gas	7			1						1		1	2	1	1			
182	Drowning	126	1	4	7	3	4	12	20	21	14	10	6	14	6	4			
183	Traumatism by firearms (except in war)	16				1		2	3	2	1	2		1	2	2			
184	Traumatism by cutting or piercing instruments	3							1						2				
185	Traumatism by fall	94			1	1		5	4	1	2	7	1	6	13	11	15	27	
186a	Traumatism in mines	2											1	1					
186b	Traumatism in quarries	5							1		1	2		1					
187	Traumatism by machines	46								3	8	8	6	6	6	5	4		
188a	Railroad accidents	63		1				2		9	7	5	3	14	13	1	8		
188b	Street-car accidents	2								1								1	
188c	Automobile accidents	120			1	3	2	9	11	7	5	8	5	16	16	8	16	13	
188d	Airplane and balloon accidents	1												1					
188e,f	Injuries by other vehicles	13								1		1	2	2	3	1	2	1	
188g	Landslide, other crushing	45			1		1	2	1	3	9	6	3	15	2	1			1
189	Injuries by animals (not poisoning)	5								1			1		1	2			
193	Excessive cold	1												1					
194	Excessive heat	5													1	1		2	1
195	Lightning	1												1					
196	Other accidental electric shocks	10								1	1	3	1	1	1	1		1	
201	Fracture (cause not specified)	6												1	1		1	3	
202	Other external violence	96	3	3			1	3	4	5	10	9	5	18	16	12	3	1	3
	XV.—Ill-defined diseases	42	10	3		1	1	1						2	2	7	8	7	
204	Sudden death	4	3													1			
205a	Ill-defined	18		1										1	2	4	6	4	
205b	Not specified or unknown	20	7	2		1	1	1						1		2	2	3	
	PENNSYLVANIA																		
	All causes	120,622	19,639	3,916	1,922	1,124	849	2,679	1,760	2,627	3,331	3,644	3,932	10,015	12,539	15,929	18,302	18,404	10
	I.—Epidemic, endemic, and infectious diseases	18,474	2,386	1,431	789	505	375	1,001	455	881	1,198	1,164	1,090	2,022	1,675	1,385	1,157	960	
1	Typhoid and paratyphoid fever	447	1	2	1	2	2	32	35	67	69	48	38	72	37	28	11	2	
5	Malaria	10						1			1	1		1	2	1	3		
7	Measles	1,632	479	540	215	114	83	136	18	12	13	5	4	4	1	4	3	1	
8	Scarlet fever	400	28	36	48	40	34	113	40	18	16	10	8	4	4		1		
9	Whooping cough	991	584	236	83	27	20	32	2	2							3	2	
10	Diphtheria	1,417	88	199	231	209	149	360	68	37	20	11	10	12	14	7	2		
11a	Influenza (with pulmonary complications)	2,840	395	164	79	27	22	53	31	75	82	96	105	261	279	369	421	381	
11b	Influenza (other and unspecified)	1,224	169	32	18	13	7	41	29	34	31	37	28	69	102	98	184	332	
13	Mumps	7	1	1		1			2			2							
15	Cholera nostras	28	13	1	1	2		1				1		1	1	2	3	2	
16	Dysentery	69	14	9	4	1	2	3			1	3			3	5	6	18	
19	Spirochetal hemorrhagic jaundice	2	1		1														
21	Erysipelas	292	107	10	2		1	1	2	2	8	7	8	17	23	30	41	33	
22	Acute anterior poliomyelitis	66	7	10	6	9	4	15	3	4			1	3		2		2	
23	Lethargic encephalitis	165	3	8	4	3	1	10	11	14	16	12	11	28	31	9	4		
24	Meningococcus meningitis	76	20	12	7	3	2	7	8	2		3	2	3		5	2		
25	Other epidemic and endemic diseases	22	8	7	5		1					1							
27	Anthrax	5												1	2		2		
28	Rabies	3			1			1							1				
29	Tetanus	149	9	1	1	4	4	39	33	7	2	4	6	14	14	6	4	1	
30	Mycoses	8	4											3		1			
	Tuberculosis (all forms)	7,817	202	150	75	49	38	148	161	587	910	876	827	1,394	1,046	751	428	175	
31	Of the respiratory system	6,703	71	43	24	11	9	66	101	518	841	809	755	1,268	962	682	391	152	
32	Of the meninges, central nervous system	422	88	84	36	29	21	54	28	17	13	7	17	16	10	2			
33	Of the intestines, peritoneum	294	18	12	9	5	6	11	14	18	25	24	24	48	27	26	17	10	
34	Of the vertebral column	95	4	1	2	1	1	9	4	6	4	11	9	16	13	10	1	3	
35	Of the joints	32	3	2			1	2	4	3	3	3		2	2	5	2		
36	Of other organs	90	2	2	1			2	3	3	5	7	6	17	18	13	8	3	
37a	Disseminated (acute)	125	11	4	3	3		3	3	17	18	12	11	18	9	9	3	1	
37b	Disseminated (chronic or unspecified)	56	5	2				1	4	5	1	3	5	9	5	4	6	6	
38	Syphilis	606	214	10	4			5	5	9	15	31	29	100	98	54	26	6	
40	Gonococcus infection	65	5	1					2	6	10	8	10	17	5	1			
41	Purulent infection, septicemia	132	34	2	3	1	5	3	5	5	4	8	3	18	12	12	12	5	
42	Other infectious diseases	1															1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	PENNSYLVANIA—Continued																		
	II.—General diseases not included in Class I	12,111	250	37	37	32	16	100	104	107	140	175	270	1,166	2,187	3,121	2,842	1,524	3
	Cancer and other malignant tumors	8,253	6	8	9	7	3	11	20	21	34	63	147	746	1,559	2,231	2,158	1,227	3
43	Of the buccal cavity	282						1	1	1	2		2	14	48	80	82	51	
44	Of the stomach, liver	3,208	2	1				1	2		6	11	33	189	558	943	952	509	1
45	Of the peritoneum, intestines, rectum	1,138	1	3	1	1	1	2	2		9	17	22	108	193	287	302	188	1
46	Of the female genital organs	1,202							2	1	5	11	44	208	313	300	229	89	
47	Of the breast	816								1		4	13	108	217	211	152	110	
48	Of the skin	217			1							1	2	10	17	26	62	98	
49	Of other or unspecified organs	1,390	3	4	7	6	2	7	13	18	12	19	31	109	213	384	379	182	1
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	57		1	2	2		3	3	1	2	1	1	6	11	9	8	7	
51	Acute rheumatic fever	325		1	1	4	5	47	41	24	23	17	9	34	37	24	35	23	
52	Chronic rheumatism, osteoarthritis, gout	117						1		2	1			10	11	25	40	27	
53	Scurvy	5	3	1					1										
54	Pellagra	8					1							3	3	1			
56	Rickets	66	54	9	2	1													
57	Diabetes mellitus	1,712	1		3	3	1	19	21	23	31	40	27	109	272	555	434	173	
58	Anemia, chlorosis	482	13	2	5	5		3	5	9	9	6	18	61	83	124	91	48	
59	Diseases of the pituitary gland	5									1	1		1	1		1		
60a	Exophthalmic goiter	161							1	7	16	7	9	27	43	32	15	4	
60b	Other diseases of the thyroid gland	63	2	2	1	1			1	2	3	3	3	13	14	12	6		
61	Diseases of the parathyroid glands	7	7																
62	Diseases of the thymus gland	88	73	5		2	1	4	1		1		1						
63	Diseases of the adrenals (Addison's disease)	23							1	1	2			3	8	7	1		
64	Diseases of the spleen	8			1				1		1	1	1		1	1		1	
65a	Leukemia	117	7	3	6	4	2	6	3	11	4	9	2	14	13	13	17	3	
65b	Hodgkin's disease	58	1		3	1		2	3	2	4	5	6	8	8	9	5	1	
66	Alcoholism (acute or chronic)	389								2	4	15	38	117	116	69	22	6	
67a	Chronic lead poisoning	12												4	2	3	2	1	
67b	Other chronic mineral poisoning	2											2						
68	Chronic poisoning by organic substances	7									1	1	1	1	3				
69	Other general diseases	146	83	5	4	2	3	4	2	2	3	6	5	9	2	6	7	3	
	III.—Diseases of the nervous system and of the organs of special sense	12,184	480	114	70	48	35	123	117	102	125	144	204	749	1,352	2,137	3,133	3,250	1
70	Encephalitis	119	18	3	5	1	2	5	4	6	5	6	7	21	18	7	6	5	
71a	Simple meningitis	338	93	43	25	17	9	30	22	15	13	6	7	14	21	13	8	2	
71b	Nonepidemic cerebrospinal meningitis	87	21	5	10	2	2	11	8	3	4	2	2	8	4	4		1	
72	Tabes dorsalis (locomotor ataxia)	205										2	5	21	49	66	46	16	
73	Other diseases of the spinal cord	256	1	1	3			5	4	2	6	9	7	23	39	66	59	31	
74a	Cerebral hemorrhage	8,272	23	4	3	2	1	3	6	11	19	25	51	270	826	1,650	2,566	2,812	
74b	Cerebral embolism and thrombosis	307	1			1	1	1		2	2	6	5	17	39	54	87	91	
75	Paralysis without specified cause	348	4	3						1	1	2	2	15	29	50	115	126	
76	General paralysis of the insane	666									4	23	49	204	174	96	77	39	
77	Other forms of mental alienation	84							1	1	4	6	5	20	21	11	11	4	
78	Epilepsy	303	8	3		3	6	9	17	28	35	24	27	45	44	27	18	9	
79	Convulsions (nonpuerperal; 5 years and over)	9						4	2					1	1			1	
80	Infantile convulsions (under 5 years)	277	235	25	12	4	1												
81	Chorea	15							4	6	4							1	
82	Neuralgia and neuritis	31	1						1			1		5	1	5	8	9	
83	Softening of the brain	70												3	2	4	18	43	
84	Other diseases of the nervous system	473	20	3	1	4	4	16	18	10	10	18	23	57	63	68	101	56	1
85	Diseases of the eye and annexa	12	2	1			1	1			2		1		1	1	1	1	
86a	Diseases of the ear	181	40	12	8	9	4	21	13	12	5	6	7	14	13	9	6	2	
86b	Diseases of the mastoid process	131	13	11	3	5	4	17	17	5	11	8	6	11	7	6	6	1	
	IV.—Diseases of the circulatory system	19,428	187	27	20	18	29	185	234	231	229	261	332	1,205	2,225	3,587	4,927	5,730	1
87	Pericarditis	91	3	1	1	2	1	5	1	7	2	5	1	8	18	14	11	11	
88	Endocarditis and myocarditis (acute)	857	56	9	8	6	5	53	50	39	45	48	64	175	74	93	81	51	
89	Angina pectoris	857	1					1		3		5	12	55	125	214	259	182	
90	Other diseases of the heart	15,305	93	13	11	9	22	126	178	177	175	193	234	900	1,888	3,003	4,001	4,281	1
91a	Aneurysm	163	1						1	1	3	2	8	30	40	38	22	17	
91b,c	Other diseases of the arteries	1,900											1	11	45	175	512	1,156	
92	Embolism and thrombosis (not cerebral)	161	14			1	1		2	3	3	4	8	14	22	34	33	22	
93	Diseases of the veins	56	1						1			1	3	8	12	16	6	8	
94	Diseases of the lymphatic system	23	12	4								2	1	1	1		1	1	
95	Hemorrhage without specified cause	13	6						1	1	1			2			1	1	
96	Other diseases of the circulatory system	2										1		1					
	V.—Diseases of the respiratory system	16,356	3,810	1,285	509	207	132	330	168	292	348	411	444	1,252	1,497	1,708	1,914	2,049	
97a	Diseases of the nasal fossae	9							1		1	2		1	3			1	
97b	Diseases of the nasal fossae annexa	41	1	1		1	2	2	1	5	4	3	3	6	7	2	2	1	
98	Diseases of the larynx	81	23	14	9	6	6	4	1	1		1		5	1	4	2	4	
99a	Acute bronchitis	397	178	31	12	5	3	4		2	4		3	8	10	19	31	87	
99b	Chronic bronchitis	277	10	1	1			3	1	2		3	1	5	17	51	76	106	
99c,d	Bronchitis (unspecified)	224	81	16	6	2	1	3	1		2		1	4	6	17	21	63	
100a	Bronchopneumonia	6,249	2,352	756	271	102	60	136	49	56	56	74	70	202	272	373	601	819	
100b	Capillary bronchitis	147	82	18	11	5		2		1			1		1	4	11	11	
101a	Lobar pneumonia	7,339	874	379	157	68	44	144	94	192	251	284	324	875	976	990	963	724	
101b	Pneumonia (unspecified)	538	136	37	20	9	9	10	9	9	8	15	14	48	47	45	46	76	
102	Pleurisy	312	26	26	15	8	5	12	7	15	11	17	13	33	30	49	24	21	
103	Congestion and hemorrhagic infarct of the lung	205	34	2	2	1	2	2		3	5	4	4	17	21	15	26	67	
104	Gangrene of the lung	20											1	5	7	3	2	2	
105	Asthma	294	1	3	3			3	1		2	4	5	20	62	66	76	48	
106	Pulmonary emphysema	29	1					1		1	1		1	2	4	4	7	7	
107	Other diseases of the respiratory system (tuberculosis excepted)	194	11	1	2			4	3	5	3	4	3	21	33	66	26	12	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	PENNSYLVANIA—Continued																		
	VI.—Diseases of the digestive system	10,456	4,065	721	246	106	75	257	189	197	204	226	265	719	867	883	781	655	
108	Diseases of the mouth and annexa	59	11		1		1	3	1	1	4	4	6	7	7	7	5	1	
109a	Adenoid vegetations	4	1	1		1		1											
109b	Other diseases of the pharynx, tonsils	254	22	14	7	14	15	37	28	11	17	15	10	22	22	7	5	8	
110	Diseases of the esophagus	9	2											2		3	2		
111a	Ulcer of the stomach	291			2					3	7	19	19	70	68	51	34	18	
111b	Ulcer of the duodenum	102				1				1	3	7	6	20	23	22	15	4	
112	Other diseases of the stomach (cancer excepted)	657	190	23	18	7	5	7	7	7	7	6	17	52	63	77	70	101	
113	Diarrhea and enteritis (under 2 years)	4,329	3,677	652															
114	Diarrhea and enteritis (2 years and over)	667			178	56	28	52	11	10	9	6	11	27	32	48	66	133	
116	Diseases due to other intestinal parasites	6	1	4				1											
117	Appendicitis and typhlitis	1,161	2	2	15	10	15	116	115	129	97	89	87	188	149	89	42	16	
118a	Hernia	338	14		2	1	2	1	2	3	7	6	6	33	59	86	71	45	
118b	Intestinal obstruction	632	101	14	16	8	4	20	8	18	20	23	26	56	80	79	79	80	
119	Other diseases of the intestines	100	14		2	1			1		1	5	7	6	15	9	15	24	
120	Acute yellow atrophy of the liver	31								2	2	1	3	8	3	4	5	3	
121	Hydatid tumor of the liver	2												1				1	
122	Cirrhosis of the liver	859				1	1	2	2	2	4	8	17	78	167	229	210	138	
123	Biliary calculi	300									1	13	9	46	82	69	54	26	
124	Other diseases of the liver	403	15	3	1	1	1	5	5	1	10	11	21	64	59	76	83	47	
125	Diseases of the pancreas	61						1	2			2	7	16	17	9	6	1	
126	Peritonitis without specified cause	190	14	8	4	5	3	11	7	9	15	11	13	23	21	18	19	9	
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	1	1																
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	10,582	66	24	17	17	14	57	56	80	133	189	266	886	1,345	2,017	2,642	2,772	1
128	Acute nephritis (including unspecified under 10 years)	687	39	16	14	13	7	35	27	24	27	28	32	101	89	94	87	53	1
129	Chronic nephritis (including unspecified 10 years and over)	8,732	4	4	2	4	4	21	28	47	73	107	147	613	1,109	1,773	2,337	2,459	
131	Other diseases of the kidneys and annexa	194	15	4	1		3	1	1	4	5	14	11	16	26	34	37	22	
132	Calculi of the urinary passages	62								1	1	3	8	11	12	13	10	3	
133	Diseases of the bladder	88	1										1	2	3	15	19	47	
134	Diseases of the urethra, etc	23									2	1	1	4	7	6		2	
135	Diseases of the prostate	350												3	10	46	126	165	
136	Nonvenereal diseases of the male genital organs	9	3										2	1	1	2			
137	Cysts, other benign tumors of the ovary	72									2	6	5	21	10	12	7	9	
138	Salpingitis and pelvic abscess (female)	149								4	19	22	33	45	20	5		1	
139	Benign tumors of the uterus	145									1	3	18	46	49	10	11	7	
140	Nonpuerperal uterine hemorrhage	3										1					2		
141	Other diseases of the female genital organs	63									3	3	8	23	9	7	6	4	
142	Nonpuerperal diseases of the breast (cancer excepted)	5	4									1							
	VIII.—The puerperal state	1,432							2	141	287	302	313	377	10				
143	Accidents of pregnancy	133								10	21	33	30	39					
144	Puerperal hemorrhage	139								4	10	27	43	53	2				
145	Other accidents of labor	136								5	26	21	36	48					
146	Puerperal septicemia	610								62	150	142	123	128	5				
147	Puerperal phlegmasia alba dolens, embolus, etc	73								7	13	10	18	25					
148	Puerperal albuminuria and convulsions	335							2	51	67	66	63	83	3				
149	Following childbirth (undefined)	4								1		2		1					
150	Puerperal diseases of the breast	2								1		1							
	IX.—Diseases of the skin and of the cellular tissue	429	87	4	3	1	2	7	8	4	8	9	12	26	33	43	61	121	
151	Gangrene	198	5	1	1			2	1			1	2	7	14	18	43	103	
152	Furuncle	53	7	1					3	1	3	3	3	8	6	7	8	3	
153	Acute abscess	90	27	2	2	1	2	5	2	2	2	4	6	7	8	9	5	6	
154	Other diseases of the skin and annexa	88	48						2	1	3	1	1	4	5	9	5	9	
	X.—Diseases of the bones and of the organs of locomotion	128	11	3	5	4	2	10	21	7	8	6	5	9	11	10	9	7	
155	Diseases of the bones (tuberculosis excepted)	97	10	3	5	3	2	8	20	6	7	5	1	6	6	6	4	5	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	24	1			1		2		1	1		3	3	4	3	4	1	
158	Other diseases of the organs of locomotion	7							1			1	1		1	1	1	1	
	XI.—Malformations	1,902	1,796	39	16	4	10	21	6	4	3		1	1	1				
159a	Congenital hydrocephalus	142	112	15	2		3	7	2	1									
159b	Congenital malformations of the heart	1,278	1,220	18	10	4	6	11	3	2	3			1					
159c	Other congenital malformations	482	464	6	4		1	3	1	1			1		1				
	XII.—Early infancy	6,167	6,167																
160	Congenital debility, icterus, sclerema	880	880																
161a	Premature birth	3,876	3,876																
161b	Injury at birth	863	863																
162	Other diseases peculiar to early infancy	546	546																
163	Lack of care	2	2																
164	XIII.—Old age (senility)	618													1	11	67	539	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	PENNSYLVANIA—Continued																		
	XIV.—External causes	9,911	171	194	204	178	158	586	399	577	644	751	726	1,575	1,291	982	722	749	4
	Suicide	1,004						1	5	30	57	76	104	234	204	172	86	33	2
165, 166	By poisons (gas excepted)	128								11	13	13	17	30	23	13	7	1	
167	By poisonous gas	125								4	6	11	6	25	28	29	13	3	
168	By hanging or strangulation	210						1	1	2	5	7	16	49	48	51	24	6	
169	By drowning	45								1	1	4	5	14	7	8	2	3	
170	By firearms	378							4	10	25	33	48	86	74	51	32	14	1
171	By cutting or piercing instruments	57									1	3	3	15	17	11	5	2	
172	By jumping from high places	38								1	2	5	2	10	6	6	2	4	
173	By crushing	12								1	2		4	3	1	1			
174	By other means	11									2		3	2		2	1		1
	Homicide	634	14		2			5	14	25	86	108	101	163	82	25	7	2	
197	By firearms	447			2			3	13	16	67	84	72	116	54	17	3		
198	By cutting or piercing instruments	73	1							2	4	11	16	26	10	2	1		
199	By other means	114	13					2	1	7	15	13	13	21	18	6	3	2	
	Accidental or undefined	8,273	157	194	202	178	158	580	380	522	501	567	521	1,178	1,005	785	629	714	2
175	Poisoning by food	68	4	6	2	2	2	4	2	2	3	5	2	11	8	6	5	4	
176	Poisoning by venomous animals	5	2					1		1					1				
177	Other acute poisonings (gas excepted)	112	6	26	15	5	5	2	2	2	6	3	2	10	10	12	3	3	
178	Conflagration	141	8	7	11	2	8	19	6	5	3	10	4	16	13	8	14	7	
179	Burns (conflagration excepted)	862	16	83	106	98	71	95	35	32	31	32	30	67	44	42	35	45	
180	Mechanical suffocation	72	48	1			1	1	1	3	4	1	1	6	4	1			
181	Absorption of irrespirable, irritating, or poisonous gas	220	6	1	1	1	1	2	4	8	14	13	12	38	36	47	26	10	
182	Drowning	453	6	21	16	6	4	51	65	66	38	22	28	54	33	27	8	7	1
183	Traumatism by firearms (except in war)	162		2	2	1	1	18	26	39	16	14	9	16	8	5	2	3	
184	Traumatism by cutting or piercing instruments	35				1	1	4	4	1	1		2	2	5	8	2	4	
185	Traumatism by fall	1,481	15	11	14	9	4	28	24	26	23	36	45	146	162	169	255	514	
186a	Traumatism in mines	947							1	64	82	154	138	251	175	62	19	1	
186b	Traumatism in quarries	26						1		2	3		3	5	5	4	2	1	
187	Traumatism by machines	249		1	1	1	1	2	6	29	27	30	23	50	48	18	9	3	
188a	Railroad accidents	882		4	2	1	4	22	33	67	93	83	80	179	142	94	61	16	1
188b	Street-car accidents	145		1	3	3	2	12	2	5	6	6	8	20	15	31	21	10	
188c	Automobile accidents	1,592	9	10	14	40	46	265	125	112	97	85	69	195	195	167	104	59	
188d	Airplane and balloon accidents	3									1	2							
188e,f	Injuries by other vehicles	171					2	24	12	15	9	14	12	23	14	23	13	10	
188g	Landslide, other crushing	34				1			1	3	3	4	2	5	7	4	2	2	
189	Injuries by animals (not poisoning)	41						1	1	2		1	2	5	6	14	8	1	
192	Starvation (deprivation of food or water)	1														1			
193	Excessive cold	19			1			1		2		1		4	4	3	3		
194	Excessive heat	55	12	6	1	1						3	5	3	8	6	6	4	
195	Lightning	28						1	7	4	2	2	3	4	3	1	1		
196	Other accidental electric shocks	123						2	8	19	24	17	20	17	11	4	1		
201	Fracture (cause not specified)	15			1			1				1	1	3	4	1	1	2	
202	Other external violence	331	25	14	12	6	5	23	15	13	15	28	20	48	44	27	28	8	
	XV.—Ill-defined diseases	444	163	37	6	4	1	2	1	4	4	6	4	28	44	45	47	48	
204	Sudden death	55	13	1	1					1	3	2	2	5	3	6	8	10	
205a	Ill-defined	193	40	28	5	1		2	1			3	1	12	27	23	28	22	
205b	Not specified or unknown	196	110	8		3	1			3	1	1	1	11	14	16	11	16	
	RHODE ISLAND																		
	All causes	8,622	1,362	307	123	92	59	155	100	139	175	208	234	592	937	1,296	1,434	1,408	1
	I.—Epidemic, endemic, and infectious diseases	1,304	194	174	64	51	25	61	21	55	80	80	57	141	108	69	67	57	
1	Typhoid and paratyphoid fever	7						1	1	1	1	1		2					
5	Malaria	1															1		
7	Measles	198	54	81	28	17	3	11	1	2					1				
8	Scarlet fever	10		3	1	2	1	3											
9	Whooping cough	112	62	39	6	4		1											
10	Diphtheria	79	4	14	11	9	8	26	4	1	1					1			
11a	Influenza (with pulmonary complications)	93	13	4	4	3		1					3	10	7	6	24	18	
11b	Influenza (other and unspecified)	56	7	1	1	3		1			1	3	1	2	5	4	7	20	
13	Mumps	1		1															
15	Cholera nostras	2	1	1															
16	Dysentery	13	5		1			1								2	1	3	
21	Erysipelas	16	3									1		1	3	2		6	
22	Acute anterior poliomyelitis	3		1		1	1												
23	Lethargic encephalitis	11	1					1		1			1	5	2				
24	Meningococcus meningitis	15	2	3	3	2				4				1					
25	Other epidemic and endemic diseases	2	1				1												
29	Tetanus	3									1					1	1		
30	Mycoses	1														1			
	Tuberculosis (all forms)	628	26	25	9	10	11	15	14	46	74	73	51	103	82	47	32	10	
31	Of the respiratory system	505	8	5	3	3	2		5	45	70	63	44	95	79	44	30	9	
32	Of the meninges, central nervous system	65	13	16	3	6	8	8	5			3	2		1	1			
33	Of the intestines, peritoneum	24	3	3	2	1		2	2	1		1	2	3	1	2		1	
34	Of the vertebral column	9					1	2	1			1		3	1				
35	Of the joints	4						1	1		1	1							
36	Of other organs	3						1						1		1			
37a	Disseminated (acute)	13	2	1	1			1			3	3	1	1					
37b	Disseminated (chronic or unspecified)	5										1	2				2		
38	Syphilis	41	13	1							1	1	1	15	5	4			
40	Gonococcus infection	2												1			1		
41	Purulent infection, septicemia	10	2						1		1	1		1	3	1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	RHODE ISLAND—Continued																		
	II.—General diseases not included in Class I	1,047	27	7	4	2	2	5	8	10	5	9	23	87	196	302	219	141	
	Cancer and other malignant tumors	717		2				1			1	4	15	57	141	225	157	114	
43	Of the buccal cavity	32												2	8	11	6	5	
44	Of the stomach, liver	232											4	10	40	87	58	33	
45	Of the peritoneum, intestines, rectum	124									1		2	11	19	43	31	17	
46	Of the female genital organs	109										1	6	17	23	30	18	14	
47	Of the breast	75										1	1	9	21	20	12	11	
48	Of the skin	15													1	4	5	5	
49	Of other or unspecified organs	130		2				1				2	2	8	29	30	27	29	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	3											1		1			1	
51	Acute rheumatic fever	18						1	3	3			1	3	2	2	3		
52	Chronic rheumatism, osteoarthritis, gout	14													3	4	2	5	
53	Scurvy	1	1																
54	Pellagra	1														1			
56	Rickets	3	2	1															
57	Diabetes mellitus	149			1				2	5	3	4		8	20	47	41	18	
58	Anemia, chlorosis	39			1	1		1		1	1		2	4	9	7	9	3	
60a	Exophthalmic goiter	5								1			1	1	1		1		
61	Diseases of the parathyroid glands	1	1																
62	Diseases of the thymus gland	9	8			1													
63	Diseases of the adrenals (Addison's disease)	2											1			1			
65a	Leukemia	11	1		1		2		2					2	1	2			
65b	Hodgkin's disease	7	1											2	3	1			
66	Alcoholism (acute or chronic)	42										1	2	9	13	12	5		
67a	Chronic lead poisoning	2												1	1				
67b	Other chronic mineral poisoning	1															1		
69	Other general diseases	22	13	4	1			2	1						1				
	III.—Diseases of the nervous system and of the organs of special sense	1,069	29	13	7	1	2	5	7	8	6	10	18	44	136	222	282	279	
70	Encephalitis	10	1						1		2	1	1	2	1	1			
71a	Simple meningitis	20	6	2	2	1	1	2	1	3						2			
71b	Nonepidemic cerebrospinal meningitis	13	4	1	2				1	1			1	1			1	1	
72	Tabes dorsalis (locomotor ataxia)	16												3	4	7	2		
73	Other diseases of the spinal cord	15								1		1	1		3	2	4	3	
74a	Cerebral hemorrhage	797	2	1					1			2	5	15	99	186	242	244	
74b	Cerebral embolism and thrombosis	34									1		1	1	4	9	10	8	
75	Paralysis without specified cause	25												1	1	3	7	13	
76	General paralysis of the insane	41										1	2	15	12	5	3	3	
77	Other forms of mental alienation	10									1	1	2	2	2	1		1	
78	Epilepsy	20	1	1					2	2	2	2	1	2	2	1	4		
80	Infantile convulsions (under 5 years)	17	10	5	2														
81	Chorea	1														1			
82	Neuralgia and neuritis	1													1				
83	Softening of the brain	4															2	2	
84	Other diseases of the nervous system	28	1					1	1			1	3	2	6	3	6	4	
86a	Diseases of the ear	13	3	2	1		1	1		1		1			1	1	1		
86b	Diseases of the mastoid process	4	1	1				1					1						
	IV.—Diseases of the circulatory system	1,439	9		1	2	4	7	12	8	13	11	14	61	170	304	420	402	1
87	Pericarditis	3													1			2	
88	Endocarditis and myocarditis (acute)	51	4		1		2	5	1		5	2		9	5	8	3	6	
89	Angina pectoris	94											1	1	12	34	32	14	
90	Other diseases of the heart	1,130	4			2	2	2	11	8	7	8	12	49	140	239	344	301	1
91a	Aneurysm	9													4	3	2		
91b,c	Other diseases of the arteries	134													5	18	33	78	
92	Embolism and thrombosis (not cerebral)	14	1								1	1	1	1	2		6	1	
93	Diseases of the veins	4												1	1	2			
	V.—Diseases of the respiratory system	991	219	59	17	14	12	23	6	9	12	20	28	62	84	129	143	154	
97a	Diseases of the nasal fossae	1	1																
97b	Diseases of the nasal fossae annexa	2											1		1				
98	Diseases of the larynx	3	2				1												
99a	Acute bronchitis	34	20	2	1								1			1	2	7	
99b	Chronic bronchitis	23													1	4	7	11	
99c,d	Bronchitis (unspecified)	28	12	1												3	4	8	
100a	Bronchopneumonia	309	108	33	7	3	3	8	1	2	2	4	4	10	16	27	40	41	
100b	Capillary bronchitis	8	5	2				1											
101a	Lobar pneumonia	482	62	18	8	8	5	13	5	6	10	12	21	46	53	81	73	61	
101b	Pneumonia (unspecified)	52	8	2		2						1		1	6	7	10	15	
102	Pleurisy	15	1	1	1		3	1		1		1	1	3	2				
103	Congestion and hemorrhagic infarct of the lung	19				1								1	2	3	3	9	
104	Gangrene of the lung	1													1				
105	Asthma	10										1		1	1	2	4	1	
107	Other diseases of the respiratory system (tuberculosis excepted)	4										1			1	1		1	
	VI.—Diseases of the digestive system	620	215	31	15	6	6	12	10	13	13	16	16	45	64	67	57	34	
108	Diseases of the mouth and annexa	1	1																
109a	Adenoid vegetations	1							1										
109b	Other diseases of the pharynx, tonsils	16	1		3	1	1	3			1		1	1	1	1	2		
111a	Ulcer of the stomach	26									1		2	6	3	9	1	4	
111b	Ulcer of the duodenum	14	1										1	4	5	2	1		
112	Other diseases of the stomach (cancer excepted)	39	14	2	3	1			1	2		1	1	1	1	3	3	6	
113	Diarrhea and enteritis (under 2 years)	218	189	29															
114	Diarrhea and enteritis (2 years and over)	31			7	2	2	3	1		1	1		2	1	1	6	4	
117	Appendicitis and typhlitis	70					2	4	7	9	4	8	7	10	8	8	1	2	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	RHODE ISLAND—Continued																		
	VI.—Diseases of the digestive system—Continued.																		
118a	Hernia	39												3	15	14	5	2	
118b	Intestinal obstruction	42	8		2	1	1			2	2	2		3	7	1	7	6	
119	Other diseases of the intestines	9									2	1		1		1	4		
120	Acute yellow atrophy of the liver	2															2		
122	Cirrhosis of the liver	51										1	1	6	10	18	13	2	
123	Biliary calculi	19										1	1	1	6	6	2	2	
124	Other diseases of the liver	26									1	1	2	4	6	2	5	5	
125	Diseases of the pancreas	5												1		1	2	1	
126	Peritonitis without specified cause	11	1			1		2			1			2	1		3		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	683	4	2	1	2		5	4	3	10	12	19	59	85	121	137	169	
128	Acute nephritis (including unspecified under 10 years)	42	3		1	1		4	3		1	4	5	1	3	3	9	4	
129	Chronic nephritis (including unspecified 10 years and over)	566				1		1	1	2	5	5	6	45	69	113	170	148	
131	Other diseases of the kidneys and annexa	12	1	2							3		1	1	1		2	1	
132	Calculi of the urinary passages	4												2				2	
133	Diseases of the bladder	5														1		4	
134	Diseases of the urethra, etc	1														1			
135	Diseases of the prostate	15													1	1	4	9	
137	Cysts, other benign tumors of the ovary	10										1	1	5	1	1	1		
138	Salpingitis and pelvic abscess (female)	12								1	1		3	3	3			1	
139	Benign tumors of the uterus	10										1	2	2	4		1		
140	Nonpuerperal uterine hemorrhage	2											1		1				
141	Other diseases of the female genital organs	4										1			2	1			
	VIII.—The puerperal state	91								2	16	22	22	27	2				
143	Accidents of pregnancy	6										1	3	1	1				
144	Puerperal hemorrhage	10									4	2	1	3					
145	Other accidents of labor	13									1	3	2	7					
146	Puerperal septicemia	34								1	6	13	8	5	1				
147	Puerperal phlegmasia alba dolens, embolus, etc	6											3	3					
148	Puerperal albuminuria and convulsions	21								1	5	3	5	7					
149	Following childbirth (undefined)	1												1					
	IX.—Diseases of the skin and of the cellular tissue	49	10	2	1			1	2		1	4		3	2	7	7	9	
151	Gangrene	17		1								1		2	1	3	2	7	
152	Furuncle	7									1	1		1	1	2		1	
153	Acute abscess	15	4	1	1			1	1			2				1	3	1	
154	Other diseases of the skin and annexa	10	6						1							1	2		
	X.—Diseases of the bones and of the organs of locomotion	11	1	1				1	2	1		1			4				
155	Diseases of the bones (tuberculosis excepted)	9		1				1	1	1		1			4				
156	Diseases of the joints (tuberculosis and rheumatism excepted)	1							1										
158	Other diseases of the organs of locomotion	1	1																
	XI.—Malformations	99	88	7	2								1	1					
159a	Congenital hydrocephalus	11	7	2	2														
159b	Congenital malformations of the heart	52	48	3									1						
159c	Other congenital malformations	36	33	2										1					
	XII.—Early infancy	544	544																
160	Congenital debility, icterus, sclerema	99	99																
161a	Premature birth	257	257																
161b	Injury at birth	145	145																
162	Other diseases peculiar to early infancy	39	39																
163	Lack of care	4	4																
164	XIII.—Old age (senility)	121														2	10	109	
	XVI.—External causes	516	7	6	11	14	8	35	27	29	19	23	35	60	81	70	40	51	
	Suicide	67								3	2	3	3	11	19	14	4	8	
165, 166	By poisons (gas excepted)	4											1		1	1		1	
167	By poisonous gas	28								2	1	1	1	4	10	5		4	
168	By hanging or strangulation	12											1	5	3	1	2		
169	By drowning	4												1	2	1			
170	By firearms	14									1	2			2	4	2	3	
171	By cutting or piercing instruments	3								1					1	1			
173	By crushing	1												1					
174	By other means	1														1			
	Homicide	22	1					2				2	8	3	3	3			
197	By firearms	11										1	7	2	3	2			
198	By cutting or piercing instruments	3						1					1			1			
199	By other means	8	1					1				1	4	1					
	Accidental or undefined	427	6	6	11	14	8	33	27	26	17	18	24	46	59	53	36	43	
175	Poisoning by food	3				2							1						
177	Other acute poisonings (gas excepted)	8		2									1	3	2				
178	Conflagration	5	1					1								2		1	
179	Burns (conflagration excepted)	42	1		8	5	5	4		1	2	1	1	5	3	2	3	1	
180	Mechanical suffocation	6	2											2	1	1			
181	Absorption of irrespirable, irritating, or poisonous gas	29							1			1		3	4	4	6	6	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	RHODE ISLAND—Continued																		
	XVI.—External causes—Continued																		
	Accidental or undefined—Continued																		
182	Drowning	42		2	1			8	8	8	1	2	1	2	6	3			
183	Traumatism by firearms (except in war)	6						1	1	2				2					
184	Traumatism by cutting or piercing instruments	2						2											
185	Traumatism by fall	91		1	1				2	3	2	4	2	4	9	14	19	30	
186a	Traumatism in mines	1										1							
187	Traumatism by machines	13								4	4	2	1		2				
188a	Railroad accidents	25						2	3	1		1	2	5	8	2		1	
188b	Street-car accidents	27				2			1		2	1	1	4	5	9	1	1	
188c	Automobile accidents	97			1	4	3	11	9	7	6	4	5	13	16	12	4	2	
188d	Airplane and balloon accidents	1											1						
188e,f	Injuries by other vehicles	3						2							1				
188g	Landslide, other crushing	2											1			1			
189	Injuries by animals (not poisoning)	2						1									1		
193	Excessive cold	2													1	1			
194	Excessive heat	2	1													1			
196	Other accidental electric shocks	4						1				1	1			1			
201	Fracture (cause not specified)	4												2	1		1		
202	Other external violence	10	1	1		1			2				2	1			1	1	
	XV.—Ill-defined diseases	38	15	5					1	1			1	2	5	3	2	3	
204	Sudden death	4	1	1										1		1			
205a	Ill-defined	15	1	4					1	1				1	2	1	1	3	
205b	Not specified or unknown	19	13										1		3	1	1		
	SOUTH CAROLINA																		
	All causes—White	8,281	1,501	467	159	102	68	193	161	197	241	227	258	614	686	900	1,229	1,174	11
	All causes—Colored	12,386	2,669	645	263	106	90	301	285	559	806	662	600	1,237	1,245	901	988	996	33
	I.—Epidemic, endemic, and infectious diseases—White	1,589	228	143	61	42	31	71	42	66	94	98	100	157	115	94	133	113	1
	I.—Epidemic, endemic, and infectious diseases—Colored	3,138	483	211	91	37	32	108	118	258	382	300	224	368	232	113	103	69	9
1	Typhoid and paratyphoid fever—W	106		3	1	1	2	11	13	18	16	10	6	10	10	3	2		
	Typhoid and paratyphoid fever—C	207	3	1	1	3	5	20	30	45	36	18	8	16	13	5		3	
5	Malaria—W	40	4		1	3	3	4	2	3	4			1	3	2	5	5	
	Malaria—C	229	44	17	10	5	4	16	15	10	17	13	12	23	19	7	10	7	
6	Smallpox—W	1											1						
	Smallpox—C	1													1				
7	Measles—W	111	24	27	18	9	7	8	3	3	2	1	1	2	1	3	1	1	
	Measles—C	99	22	32	14	6	5	9	2	4	2						2		1
8	Scarlet fever—W	6				1	1	3	1										
	Scarlet fever—C	1						1											
9	Whooping cough—W	90	49	22	7	2	4	2		1	1				1		1		
	Whooping cough—C	163	86	43	17	3	4	7			2								1
10	Diphtheria—W	98	12	25	16	14	7	20	1	1	1					1			
	Diphtheria—C	58	19	6	13	5		9	4	1	1								
11a	Influenza (with pulmonary complications)—W	340	49	22	5	4	3	9	6	7	18	13	19	37	22	34	49	42	1
	Influenza (with pulmonary complications)—C	335	66	25	7	3	3	10	16	22	25	18	15	44	27	23	20	10	1
11b	Influenza (other and unspecified)—W	143	23	9	6	4	1	3	3	5	1	6	5	10	8	7	19	33	
	Influenza (other and unspecified)—C	267	69	14	7	2	1	10	8	10	12	7	15	19	22	19	23	29	
15	Cholera nostras—W	1															1		
	Cholera nostras—C	1		1															
16	Dysentery—W	91	25	27	3	1		2	1	1	1			2	2	3	9	14	
	Dysentery—C	138	52	40	9	2	1	4	1	3	1	4	1	2	2	1	4	11	
21	Erysipelas—W	20	8		2				1	1	2		1		1		2	2	
	Erysipelas—C	2	1								1								
22	Acute anterior poliomyelitis—W	8	2	1			2	2	1										
	Acute anterior poliomyelitis—C	7	2				2	2	1										
23	Lethargic encephalitis—W	15		1				2		1	1			2	2	2	3	1	
	Lethargic encephalitis—C	4						1	1						2				
24	Meningococcus meningitis—W	9	1	1			1				4	1						1	
	Meningococcus meningitis—C	2	1						1										
25	Other epidemic and endemic diseases—W	2	2																
	Other epidemic and endemic diseases—C	4	2	1											1				
28	Rabies—C	1												1					
29	Tetanus—W	10	6					1	2						1				
	Tetanus—C	35	27				1	1	1	1		1			2		1		
30	Mycoses—W	2	2																
	Mycoses—C	29	23	6															
	Tuberculosis (all forms)—W	458	8	4	2	3		4	6	25	42	66	66	87	56	37	41	11	
	Tuberculosis (all forms)—C	1,376	15	17	11	7	5	16	38	156	272	226	159	236	127	43	35	7	6
31	Of the respiratory system—W	425	4	2	1	1		1	4	23	41	64	64	87	52	34	37	10	
	Of the respiratory system—C	1,291	11	11	9	5	2	13	35	142	258	217	154	226	122	41	34	6	5
32	Of the meninges, central nervous system—W	10	3	1	1	1		1	1		1					1			
	Of the meninges, central nervous system—C	10	4	3				1				1		1					
33	Of the intestines, peritoneum—W	6		1				1							2		1	1	
	Of the intestines, peritoneum—C	27		1	1		2	1	1	5	7	1	3	2	2	1			
34	Of the vertebral column—W	3										1			1		1		
	Of the vertebral column—C	3							2					1					
35	Of the joints—W	3						1							1		1		
	Of the joints—C	6										2		1		1	1	1	
36	Of other organs—W	4				1				1			1			1			
	Of other organs—C	11		1	1	2				2	1	1		2	1				
37a	Disseminated (acute)—W	7	1						1	1		1	1			1	1		
	Disseminated (acute)—C	22		1			1	1		6	6	3		1	2				1
37b	Disseminated (chronic or unspecified)—C	6								1		1	2	2					
38	Syphilis—W	29	12	1					1				1	5	6	1		2	
	Syphilis—C	155	50	8	2	1		2		3	10	13	13	23	14	10	6		
40	Gonococcus infection—C	7								1	2			2		2			
41	Purulent infection, septicemia—W	9	1						1		1	1		1	2	1		1	
	Purulent infection, septicemia—C	17	1				1			2	1		1	2	2	3	2	2	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	SOUTH CAROLINA—Continued																			
	II.—General diseases not included in Class I.	White	739	22	14	7	2	2	7	8	9	11	13	15	88	124	149	164	103	1
		Colored	613	13	14	3	3	1	6	11	22	35	37	46	104	118	90	66	41	3
	Cancer and other malignant tumors	W	408				1	1	2		4	4	2	8	45	75	95	100	71	
		C	249			1	1			2	2	4	7	14	45	64	48	42	18	1
43	Of the buccal cavity	W	17									1				3	6	4	3	
		C	10							1			1				3	4	1	
44	Of the stomach, liver	W	131						2					2	8	22	33	39	25	
		C	85										2	4	12	31	16	15	5	
45	Of the peritoneum, intestines, rectum	W	30										1		2	7	5	11	4	
		C	13										1	2	3	1	2	3	1	
46	Of the female genital organs	W	90									1		6	17	20	22	15	9	
		C	78									2	3	6	23	19	14	7	4	
47	Of the breast	W	22												5	3	5	7	2	
		C	14												3	4	2	4	1	
48	Of the skin	W	31								1		1		2	5	7	4	11	
		C	12											1	1	3	3	2	2	
49	Of other or unspecified organs	W	87				1	1			3	2			11	15	17	20	17	
		C	37			1	1			1	2	2		1	3	6	8	7	4	1
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	W	6												2			2	2	
		C	3			1						1			1					
51	Acute rheumatic fever	W	16						2		2			1	2		3	3	3	
		C	34						1	2	4	1		4	5	4	4	3	5	1
52	Chronic rheumatism, osteoarthritis, gout	W	6											1	2			2	1	
		C	10													5	1	2	2	
53	Scurvy	C	2	1									1							
54	Pellagra	W	122	1						2	1	4	6	2	21	25	20	29	10	1
		C	210		3	1			4	5	13	24	23	20	44	31	22	9	11	
56	Rickets	C	3		3															
57	Diabetes mellitus	W	94	1					2	4		2	2	1	6	14	25	23	14	
		C	56		1					2	2	2	1	6	7	10	11	8	5	1
58	Anemia, chlorosis	W	14		1					1	1		1	1		5	4			
		C	4	1									1				2			
60a	Exophthalmic goiter	W	3												1			2		
		C	4		1							1	1			1				
60b	Other diseases of the thyroid gland	W	4		1						1						1		1	
		C	1								1									
61	Diseases of the parathyroid glands	C	2	1				1												
62	Diseases of the thymus gland	W	8	7	1															
		C	1	1																
63	Diseases of the adrenals (Addison's disease)	W	1														1			
64	Diseases of the spleen	W	3					1							1	1				
		C	1	1																
65a	Leukemia	W	8				1			1		1	2		1	1		1		
		C	2										1		1					
65b	Hodgkin's disease	W	1												1					
		C	3						1							1	1			
66	Alcoholism (acute or chronic)	W	8											1	4	3				
		C	8									1	2	1	1	2	1			
67b	Other chronic mineral poisoning	W	1						1											
		C	1									1								
68	Chronic poisoning by organic substances	W	2												1			1		
69	Other general diseases	W	34	13	11	7									1			1	1	
		C	19	8	6		2							1				2		
	III.—Diseases of the nervous system and of the organs of special sense	White	856	32	10	4	7	5	11	9	7	7	8	14	48	104	165	246	177	2
		Colored	1,058	83	14	7	3	6	9	13	25	20	24	26	111	210	175	189	140	3
70	Encephalitis	W	9	2		1								1	1	1	2	1		
		C	13	2		1					2	1	2	1	1	1	1			1
71a	Simple meningitis	W	25	10	1	1	1	1	3	3		1	1			3				
		C	20	4	1	3		2	2	2	2				2	1	1			
71b	Nonepidemic cerebrospinal meningitis	W	7	2	2	1		1				1								
		C	10	1	3	1		1		1			2			1				
72	Tabes dorsalis (locomotor ataxia)	W	5													1	3		1	
		C	4										2				1	1		
73	Other diseases of the spinal cord	W	17	1			1					1	1			1	4	8		
		C	11					1						1	2	1	2	1	3	
74a	Cerebral hemorrhage	W	553	1	1	1	1		1	1	1		2	3	34	70	125	186	125	1
		C	584								4	4	9	18	74	144	124	121	84	2
74b	Cerebral embolism and thrombosis	W	4														2	2		
		C	4									1					1	1	1	
75	Paralysis without specified cause	W	120	1				1					2	1	3	9	21	40	41	1
		C	233		1				1	2	2	3	4	4	17	45	42	62	50	
76	General paralysis of the insane	W	15											1	3	8		1	2	
		C	22								2	1		1	7	8		3		
77	Other forms of mental alienation	W	8									1		2	1	1	2	1		
		C	12							1	4	2	1		2	1	1			
78	Epilepsy	W	17				1	1	1	2	1	3		4	1	2	1			
		C	34	4	1			1	1	5	5	7	4		3	3				
79	Convulsions (nonpuerperal; 5 years and over)	W	1						1											
		C	7						2	2	1	1			1					
80	Infantile convulsions (under 5 years)	W	11	9	1		1													
		C	80	69	6	2	2	1												
81	Chorea	W	1								1									
		C	1	1																
82	Neuralgia and neuritis	W	2																2	
		C	3								1				1		1			
83	Softening of the brain	W	8													2		3	3	
		C	3														1		2	
84	Other diseases of the nervous system	W	29	2	1		1		1		3		1	2	5	4	4	3	2	
		C	8	1	1						1			1	1	3				
85	Diseases of the eye and annexa	W	2						1										1	
86a	Diseases of the ear	W	8	2	2				1							2	1			
		C	6	1			1		2							2				
86b	Diseases of the mastoid process	W	14	2	2		1	1	2	3	1		1					1		
		C	3		1				1		1									

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	SOUTH CAROLINA—Continued																			
	IV.—Diseases of the circulatory system	White	1,050	5	2	5	1		7	8	14	13	14	18	55	119	209	292	286	2
		Colored	1,252	6	6	3	1	1	14	10	12	52	49	68	175	238	191	219	204	3
87	Pericarditis	W	3						1							2				
		C	15							1			2	2	4	1		4	1	
88	Endocarditis and myocarditis (acute)	W	44	1	1	2			2	4	4	5	3	4	7	3	5		3	
		C	46		2		1			2	2	7	7	3	18	2	1	1		
89	Angina pectoris	W	80										1		7	13	24	26	9	
		C	31									1	2	3	6	5	6	4	4	
90	Other diseases of the heart	W	776	3	1	3	1		2	4	10	7	8	14	36	92	144	215	234	2
		C	1,024	3	4	3		1	14	7	10	42	36	57	139	206	155	175	169	3
91a	Aneurysm	W	11												1	2	5	1	2	
		C	12									1			4	3	3		1	
91b,c	Other diseases of the arteries	W	110										1		1	6	23	43	36	
		C	93									1		2	1	14	22	26	27	
92	Embolism and thrombosis (not cerebral)	W	7						1						3	1	2			
		C	3												1		1	1		
93	Diseases of the veins	W	3	1													1		1	
		C	1															1		
94	Diseases of the lymphatic system	C	2	1													1			
95	Hemorrhage without specified cause	W	4						1			1	1					1		
		C	16	2									1	1	1	5	1	3	2	
96	Other diseases of the circulatory system	W	12														5	6	1	
		C	9										1		1	2	1	4		
	V.—Diseases of the respiratory system	White	637	165	62	23	18	3	20	9	14	15	16	13	34	44	50	61	89	1
		Colored	1,228	368	110	47	15	11	38	26	57	81	52	43	104	88	61	55	71	1
97a	Diseases of the nasal fossae	W	7	2	1		1										1	1	1	
		C	100	59	7		1		4	4	3	1	1	3	5	2	5	2	3	
97b	Diseases of the nasal fossae annexa	W	1														1			
		C	1											1						
98	Diseases of the larynx	W	1		1															
		C	4	2	1											1				
99a	Acute bronchitis	W	8	4			1												3	
		C	7	1												1	2		3	
99b	Chronic bronchitis	W	7															2	5	
		C	4	2													1	1		
99c,d	Bronchitis (unspecified)	W	10	1										1		1	1	1	5	
		C	11	8		2									1					
100a	Bronchopneumonia	W	171	73	29	10	6		5				2	1	5	3	5	11	21	
		C	192	91	33	13	4	4	7	2	3	6	2	1	4	8	4	4	6	
100b	Capillary bronchitis	W	5	3	2															
		C	8	4	2														2	
101a	Lobar pneumonia	W	255	40	12	7	6	3	6	4	9	11	8	6	21	29	27	31	35	
		C	396	59	19	16	5	4	12	10	26	42	22	24	51	39	20	23	24	
101b	Pneumonia (unspecified)	W	138	38	16	5	3		8	4	5	3	3	4	4	9	10	11	14	1
		C	416	135	42	15	3	2	12	8	20	19	20	12	33	26	24	20	25	
102	Pleurisy	W	10	1		1	1					1	1	1	1	1	1		1	
		C	25	2	1	1	1		1	2	1	5	2		4	3		1	1	
103	Congestion and hemorrhagic infarct of the lung	W	6	2	1													1	2	
		C	9	4	2				1						1				1	
104	Gangrene of the lung	C	1												1					
105	Asthma	W	10	1					1				2		1		3	1	1	
		C	23		2			1					1	1	1	6	3	3	5	
107	Other diseases of the respiratory system (tuberculosis excepted)	W	8							1					2	1	1	2	1	
		C	31	1	1		1		1		4	8	4	1	3	2	2	1	1	1
	VI.—Diseases of the digestive system	White	807	309	185	36	11	10	13	19	13	11	10	11	35	30	41	31	42	
		Colored	1,018	373	173	51	12	12	34	24	22	32	29	34	68	64	43	30	17	
108	Diseases of the mouth and annexa	W	5	1					1							2			1	
		C	9	2									1	2	1	2	1			
109a	Adenoid vegetations	W	1	1																
109b	Other diseases of the pharynx, tonsils	W	21	3	1	2	4	1	1	2				1	1	1	2	1	1	
		C	32	3	1		1	1	4	6	2	2	4	2	2	1	1	1	1	
110	Diseases of the esophagus	W	1			1														
111a	Ulcer of the stomach	W	15									1	1	1	2	3	1	3	3	
		C	15										1	4	2	4	2	2		
111b	Ulcer of the duodenum	W	7									1		1	2	1	2			
		C	2								1			1						
112	Other diseases of the stomach (cancer excepted)	W	100	48	12	1	1	1		1	1	1	1	1	6	3	5	9	9	
		C	249	98	25	16	2	2	6	5	3	3	5	5	21	24	15	14	5	
113	Diarrhea and enteritis (under 2 years)	W	415	244	171															
		C	407	262	145															
114	Diarrhea and enteritis (2 years and over	W	54			30	5	5	2			1			1	1		2	7	
		C	94			30	5	6	11	1	1	2	6	4	8	6	6	3	5	
115	Ancylostomiasis	W	2							1			1							
116	Diseases due to other intestinal parasites	W	1			1														
		C	14	1	1	4	2	2	3					1						
117	Appendicitis and typhlitis	W	65						8	13	11	7	3	2	5	6	6	3	1	
		C	69	1			1		4	7	9	13	4	7	13	9	1			
118a	Hernia	W	6												1	2	1	1	1	
		C	12											2	2	1	5	1	1	
118b	Intestinal obstruction	W	32	8	1	1		2	1	2			1	2	5	2	3		4	
		C	43	2		1	1		3	2	2	4	2	3	8	4	6	4	1	
119	Other diseases of the intestines	W	4	1											1		1	1		
		C	9	2							2	2			1	2				
120	Acute yellow atrophy of the liver	W	2										1			1				
		C	4									1	1					2		
122	Cirrhosis of the liver	W	18												4	2	6	3	3	
		C	21							1	1		3	2	4	5	2	2	1	
123	Biliary calculi	W	17												3	1	6	3	4	
		C	3													2			1	
124	Other diseases of the liver	W	26	1									1	1	3	2	7	4	7	
		C	25	2	1				1	1	1	3	2		5	3	3	1	2	
125	Diseases of the pancreas	W	6					1						1		2	1	1		
		C	3											1	1	1				
126	Peritonitis without specified cause	W	9	2			1				1		1	1	1	1			1	
		C	7					1	2	1		2					1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	SOUTH CAROLINA—Continued																			
	VII. Nonvenereal diseases of the genito-urinary system and annexa	White	773	9	5	3	2		6	7	6	11	9	17	62	82	141	218	194	1
		Colored	980	4	12	8	2	1	7	12	17	42	56	54	127	178	144	171	144	1
128	Acute nephritis (including unspecified under 10 years)	W	52	6	2	3	1		3	6	1	1	1	4	7	4	4	5	4	
		C	103	3	8	6	2		3	1	3	9	11	16	12	13	2	7	7	
129	Chronic nephritis (including unspecified 10 years and over)	W	647		2				2	1	3	9	7	9	43	72	129	197	172	1
		C	714		1	1			1	9	6	24	30	24	92	141	128	139	117	1
131	Other diseases of the kidneys and annexa	W	30	2	1		1		1		1	1	1		2	2	5	10	3	
		C	64	1	3	1		1	3	1	2	2	5	5	7	10	6	9	8	
132	Calculi of the urinary passages	W	5												1		1	2	1	
		C	3												1		2			
133	Diseases of the bladder	W	5								1							1	3	
		C	17								2		1		1	1	1	6	5	
134	Diseases of the urethra, etc.	C	4													2		1	1	
135	Diseases of the prostate	W	14														1	3	10	
		C	19										1			1	4	7	6	
136	Nonvenereal diseases of the male genital organs	W	1	1																
		C	1													1				
137	Cysts, other benign tumors of the ovary	C	6								1		1	1	1	1	1			
138	Salpingitis and pelvic abscess (female)	W	5											2	2	1				
		C	25							1	3	5	5	5	4	2				
139	Benign tumors of the uterus	W	8												5	3				
		C	14									1		2	7	3		1		
140	Nonpuerperal uterine hemorrhage	C	2												1	1				
141	Other diseases of the female genital organs	W	6											2	2		1		1	
		C	8									1	2	1	1	2		1		
	VIII.—The puerperal state	White	170								32	30	22	30	55	1				
		Colored	260							7	54	64	47	28	56	4				
143	Accidents of pregnancy	W	15								1	3	2	3	5	1				
		C	25								2	9	4	2	8					
144	Puerperal hemorrhage	W	19								3	1	4	5	6					
		C	17									5	4	1	7					
145	Other accidents of labor	W	27								2	2	5	5	13					
		C	65							2	15	20	10	6	12					
146	Puerperal septicemia	W	32								3	10	3	8	8					
		C	62							3	11	15	12	9	11	1				
147	Puerperal phlegmasia alba dolens, embolus, etc.	W	8								2	1	2	1	2					
		C	5								1			1	3					
148	Puerperal albuminuria and convulsions	W	69								21	13	6	8	21					
		C	85							2	25	15	17	9	14	3				
149	Following childbirth (undefined)	C	1												1					
	IX.—Diseases of the skin and of the cellular tissue	White	13		2					1	2	1		1	2	1	1		2	
		Colored	29	3			1		1		1	1	1	2	2	3	2	6	6	
151	Gangrene	W	2								1								1	
		C	16						1		1			1	1	2	1	5	4	
152	Furuncle	W	3							1					1		1			
		C	1													1				
153	Acute abscess	W	6		2						1	1		1	1					
		C	5	2									1	1	1					
154	Other diseases of the skin and annexa	W	2													1			1	
		C	7	1			1					1					1	1	2	
	X.—Diseases of the bones and of the organs of locomotion	White	11	1		1	1		1	4	1			1			1			
		Colored	6	1							2			1	2					
155	Diseases of the bones (tuberculosis excepted)	W	6			1	1			4										
		C	3											1	2					
156	Diseases of the joints (tuberculosis and rheumatism excepted)	W	3						1		1			1						
		C	3	1							2									
158	Other diseases of the organs of locomotion	W	2	1													1			
	XI.—Malformations	White	81	76	3	1			1											
		Colored	44	34	2	3	1	1	2	1										
159a	Congenital hydrocephalus	W	8	7	1															
		C	17	8	2	3	1	1	1	1										
159b	Congenital malformations of the heart	W	43	41	1				1											
		C	10	10																
159c	Other congenital malformations	W	30	28	1	1														
		C	17	16					1											
	XII.—Early infancy	White	655	655																
		Colored	978	978																
160	Congenital debility, icterus, sclerema	W	93	93																
		C	229	229																
161a	Premature birth	W	484	484																
		C	684	684																
161b	Injury at birth	W	48	48																
		C	20	20																
162	Other diseases peculiar to early infancy	W	28	28																
		C	39	39																
163	Lack of care	W	2	2																
		C	6	6																
164	XIII.—Old age (senility)	White	130														2	20	108	
		Colored	313													2	5	55	251	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	SOUTH CAROLINA—Continued																			
	XIV.—External causes	White	572	26	29	14	16	16	55	51	30	46	32	33	67	55	22	38	39	3
		Colored	682	31	36	26	26	19	54	50	69	74	51	39	77	54	29	24	18	5
	Suicide	W	41							1	5	2	2	1	8	10	4	7	1	
		C	8												3	4	1			
165, 166	By poisons (gas excepted)	W	7										1		3	2		1		
167	By poisonous gas	W	1														1			
168	By hanging or strangulation	W	2													1	1			
169	By drowning	W	1															1		
170	By firearms	W	28							1	5	2	1	1	4	7	2	4	1	
		C	5												3	2				
171	By cutting or piercing instruments	C	2													1	1			
172	By jumping from high places	C	1													1				
174	By other means	W	2												1			1		
	Homicide	W	49	1			1				2	11	10	4	11	4	2	2	1	
		C	144						2	6	13	31	22	20	29	13	5	2	1	
197	By firearms	W	36				1				1	9	8	4	9	2		1	1	
		C	108						1	4	9	22	16	15	24	10	5	1	1	
198	By cutting or piercing instruments	W	1									1								
		C	22							2	3	5	5	3	2	1		1		
199	By other means	W	12	1							1	1	2		2	2	2	1		
		C	14						1		1	4	1	2	3	2				
	Accidental or undefined	W	482	25	29	14	15	16	55	50	23	33	20	28	48	41	16	29	37	3
		C	530	31	36	26	26	19	52	44	56	43	29	19	45	37	23	22	17	5
175	Poisoning by food	W	15	3	6	2			1	1		1					1			
		C	15	3	2			1			4				1	1	3			
176	Poisoning by venomous animals	W	3						2						1					
		C	1											1						
177	Other acute poisonings (gas excepted)	W	7		4					1		1				1				
		C	21	1	6	4	3	3	1	1					1		1			
178	Conflagration	W	76		2	2	2		18	19	4	4	2	4	10	5	2	2		
		C	14	4	2	2	2				1	1			1			1		
179	Burns (conflagrations excepted)	W	70	5	7	8	8	8	16	3	2	1	1		4	1		2	4	
		C	135	7	15	11	16	9	26	11	4	6	3	2	5	7	2	3	8	
180	Mechanical suffocation	W	13	11	1						1									
		C	7	7																
181	Absorption of irrespirable, irritating, or poisonous gas	C	1											1						
182	Drowning	W	27	1	2	1	2	1	2	5		4	1		2	2		2		2
		C	39	1	3	2	1		4	7	8	7	1	1	1	2				1
183	Traumatism by firearms (except in war)	W	20							6	4	4			2	2	1	1		
		C	57		2	3	1	2	7	12	6	5	5		5	6	1	1		1
184	Traumatism by cutting or piercing instruments	W	5				1				1			1	1		1			
		C	3				1				1				1					
185	Traumatism by fall	W	52	1						1	1	2	1	1	4	4	2	13	22	
		C	17	1	1	1			1	2	2			1		1	2	2	3	
187	Traumatism by machines	W	7							1	2				2	2				
		C	22						1		4	4	2	2	5	2	2			
188a	Railroad accidents	W	37		1			2		1	3	5	6	4	8	3		2	2	
		C	33		1	1			1	1	7	2	5	1	7	1	1	3	2	
188b	Street-car accidents	W	2											1		1				
188c	Automobile accidents	W	84		3	1	1	4	13	8	3	4	6	12	7	11	3	4	4	
		C	35				2	1	4	4	4	5	1	3	4	1	3	2	1	
188d	Airplane and balloon accidents	W	1									1								
188e, 188f	Injuries by other vehicles	W	10		1		1			1		2		2		1	2			
		C	16					1	3		1	3		1		1	1	4	1	
188g	Landslide, other crushing	W	4	1					1						1	1				
		C	6								1	2			1		1	1		
189	Injuries by animals (not poisoning)	W	2						1						1					
		C	4							1	1		1							1
193	Excessive cold	W	1												1					
		C	4														1	1	2	
194	Excessive heat	C	4	1							1						1	1		
195	Lightning	W	4							1			1	1	1					
		C	13			1		1		1		2	2		2	3				1
196	Other accidental electric shocks	W	1												1					
		C	8								2		2		2	1				1
201	Fracture (cause not specified)	W	11	1										1	1	1	1		5	1
		C	9		1					1		1	1		1	3	1			
202	Other external violence	W	30	2	2			1	1	2	2	4	2	1	1	6	3	3		
		C	66	6	3	1		1	4	3	9	5	6	6	8	8	3	3		
	XV.—Ill-defined diseases	White	198	66	12	4	2	1	1	3	3	2	5	5	11	11	25	26	21	
		Colored	787	292	67	24	5	6	28	13	20	23	16	35	43	54	48	70	35	8
204	Sudden death	W	4	1										1			1	1		
		C	8	2	2								1		1			2		
205a	Ill-defined	W	128	33	8	4	2	1		2	1	1	4	2	6	7	19	20	18	
		C	469	126	53	18	5	3	17	8	12	11	6	21	33	41	32	53	28	2
205b	Not specified or unknown	W	66	32	4				1	1	2	1	1	2	5	4	5	5	3	
		C	310	164	12	6		3	11	5	8	12	9	14	9	13	16	15	7	6
	TENNESSEE																			
	All causes	White	20,185	3,154	910	456	240	159	410	376	660	784	763	792	1,531	1,645	2,110	3,028	3,135	32
		Colored	8,317	1,037	311	129	70	62	171	216	436	589	571	482	956	1,065	809	685	698	30
	I.—Epidemic, endemic, and infectious diseases	White	5,808	531	373	238	130	101	189	142	319	395	374	355	597	497	456	586	516	9
		Colored	2,673	216	137	50	38	30	98	121	258	326	243	211	313	268	151	123	82	8
1	Typhoid and paratyphoid fever	W	327	3	2	5	1	4	19	34	65	58	27	25	32	27	13	10	2	
		C	175		5	3	4	3	16	30	36	23	10	13	10	15	4	1	2	
5	Malaria	W	130	10	9	3	4	3	6	14	9	7	6	6	12	11	7	11	12	
		C	82	5	3	2	5	2	5	5	7	8	3		7	12	5	8	5	
6	Smallpox	W	3	1		1										1				
		C	1										1							

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	TENNESSEE—Continued																			
	I.—Epidemic, endemic, and infectious diseases—Continued																			
7	Measles	W	422	72	100	65	31	22	34	18	13	8	7	9	11	14	10	5	2	1
		C	99	23	24	7	6	6	11	8	4	3	2	4	1					
8	Scarlet fever	W	30	1	5	4	3	1	10	4	1	1								
		C	7			1		1	1	4										
9	Whooping cough	W	191	105	46	23	6	5	5		1									
		C	96	51	22	10	5	2	4	1						1				
10	Diphtheria	W	211	26	32	43	23	30	45	4	3		1		1		1		2	
		C	43	8	6	4	3	5	11	3			1			1			1	
11a	Influenza (with pulmonary complications)	W	1,116	98	63	36	29	13	18	16	46	32	41	50	115	107	123	175	154	
		C	443	43	36	7	6	1	13	9	27	39	22	26	56	53	40	37	23	5
11b	Influenza (other and unspecified)	W	540	68	19	10	7	7	8	9	18	9	5	15	31	45	35	89	164	1
		C	217	25	11	5	2	1	7	8	4	7	8	12	30	24	20	30	22	1
13	Mumps	W	2								1								1	
15	Cholera nostras	W	7	1	1												1	1	3	
		C	2		1													1		
16	Dysentery	W	215	39	39	14	7	3	5	3	4	1	1	2	13	4	19	14	46	1
		C	53	10	8	3	1	1	3	1	2	1			1	7	3	4	8	
21	Erysipelas	W	40	13	3	1				1		1		1	4	3	3	8	2	
		C	11	2							1				1	2	3		2	
22	Acute anterior poliomyelitis	W	20	6	5	3	4	1	1											
		C	7	4	1				2											
23	Lethargic encephalitis	W	21		1	1				3	1		1	1	4	3	4	2		
		C	2												1	1				
24	Meningococcus meningitis	W	34	10	5	5		2	3	2	2	2		1	1		1			
		C	5	1		1						1	1			1				
25	Other epidemic and endemic diseases	W	7		3		1		1	1	1									
28	Rabies	W	1								1									
29	Tetanus	W	33	5		2	1	1	5	7	1	2	2		2	3	1	1		
		C	23	5					1	3	1	2	2	2	4	2	1			
30	Mycoses	W	5	2											1	1		1		
	Tuberculosis (all forms)	W	2,352	45	39	21	12	9	25	24	151	268	275	240	356	263	233	261	124	6
		C	1,272	13	16	6	6	8	24	49	168	237	181	139	178	130	68	32	15	2
31	Of the respiratory system	W	2,094	15	16	7	5	2	13	21	139	253	256	225	328	248	215	239	106	6
		C	1,136	7	10	4	6	6	14	36	152	221	170	128	164	117	61	26	12	2
32	Of the meninges, central nervous system	W	86	20	17	9	4	5	9	2	3	2	1	4	4	3	2	1		
		C	23	5	4	2			3	5	1	1		1		1				
33	Of the intestines, peritoneum	W	100	4	4	2	2				3	8	9	5	14	9	10	17	13	
		C	48	1					2	1	11	5	7	2	2	7	1	6	3	
34	Of the vertebral column	W	13	1		1		1	2		1		2	1		2	1		1	
		C	5		1						1	1	1		1					
35	Of the joints	W	6								1		2			1	1		1	
		C	6					1	1					2	1		1			
36	Of other organs	W	27	1	2	1		1		1	2	3	1	1	7		3	2	2	
		C	15						2	3	1	1			3	2	3			
37a	Disseminated (acute)	W	21	4		1			1		2	2	4	3	2		1	1		
		C	37		1			1	1	4	2	7	3	6	7	3	2			
37b	Disseminated (chronic or unspecified)	W	5				1							1	1			1	1	
		C	2						1			1								
38	Syphilis	W	72	23	1		1		1		1	1	4	3	11	11	5	7	3	
		C	114	25	4	1					4	5	11	9	22	17	6	7	3	
39	Soft chancre	C	1																1	
40	Gonococcus infection	W	9	1								3	2	2		1				
		C	13	1							4		1	3	1	2		1		
41	Purulent infection, septicemia	W	20	2		1			3	2		2	2		3	3		1	1	
		C	7											3	1		1	2		
	II.—General diseases not included in Class I.	White	1,584	23	4	3	3	4	10	17	22	31	35	51	175	280	338	359	225	4
		Colored	404	8	1			1	4	2	6	16	29	27	89	85	49	51	34	2
	Cancer and other malignant tumors	W	960			1	1		4	3	5	10	8	24	94	174	221	241	171	3
		C	232						1	1	3	2	15	12	57	55	29	36	20	1
43	Of the buccal cavity	W	38								1			1	8	4	6	11	7	
		C	5											2		3				
44	Of the stomach, liver	W	325							1	2	5	3	4	22	46	84	103	55	
		C	61									1	4	3	12	10	9	11	10	1
45	Of the peritoneum, intestines, rectum	W	100						1					4	4	18	27	27	19	
		C	16										1		3	7	4	1		
46	Of the female genital organs	W	145								1		2	7	25	48	23	25	13	1
		C	95								1	1	8	6	27	27	11	12	2	
47	Of the breast	W	94											5	13	19	25	15	17	
		C	21											1	8	3	3	3	3	
48	Of the skin	W	69						1					1	4	8	9	15	31	
		C	1																1	
49	Of other or unspecified organs	W	189			1	1		2	2	1	5	3	2	18	31	47	45	29	2
		C	33						1	1	2		2		7	5	2	9	4	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	W	8									1	1	1		2		1	2	
		C	2												1	1				
51	Acute rheumatic fever	W	33					4		1	3	2	2	2	1	4	2	5	7	
		C	23									2		2	5	5	3	1	5	
52	Chronic rheumatism, osteoarthritis, gout	W	27								1	1	1	1	3	1	6	8	5	
		C	3								1		1			1				
54	Pellagra	W	230	1					2	1	3	10	11	14	37	46	52	42	11	
		C	68	1					1	1	2	9	11	7	12	12	4	5	3	
56	Rickets	W	3	2	1															
		C	1	1																
57	Diabetes mellitus	W	139						1	7	6	1	2	3	16	19	30	38	16	
		C	29						1			2			4	6	7	5	3	1
58	Anemia, chlorosis	W	69			1			1		1	1	3	1	8	17	14	15	7	
		C	5	1									1	1			1	1		
60a	Exophthalmic goiter	W	17									2	1	2	6	2	3	1		
		C	10											1	4		2	1	2	
60b	Other diseases of the thyroid gland	W	7	1										1		2	1	2		
		C	6										1	1		2	1	1		
61	Diseases of the parathyroid glands	W	3	2		1														
62	Diseases of the thymus gland	W	2	2																
		C	1	1																
63	Diseases of the adrenals (Addison's disease)	W	7								1		1			3	1	1		
		C	1															1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	TENNESSEE—Continued																			
	II.—General diseases not included in Class I—Continued																			
64	Diseases of the spleen	W	1													1				
		C	1						1											
65a	Leukemia	W	14				1		2	2		1			1	4	1	1		1
		C	2											1	1					
65b	Hodgkin's disease	W	4											1	2	1				
		C	1									1								
66	Alcoholism (acute or chronic)	W	21								2	1	2	1	6	3	6			
		C	10											2	4	2	2			
67a	Chronic lead poisoning	W	1															1		
		C	1												1					
67b	Other chronic mineral poisoning	C	1																1	
68	Chronic poisoning by organic substances	W	4										1		1			2		
69	Other general diseases	W	34	15	3		1			3		1	2			1	1	1	6	
		C	7	4	1			1								1				
	III.—Diseases of the nervous system and of the organs of special sense	White	1,534	63	22	13	4	3	20	17	20	20	24	27	69	161	268	403	395	5
		Colored	572	23	4	7	2	1	7	8	11	9	15	24	78	108	101	94	78	2
70	Encephalitis	W	17	3	2				1	1		1	1	1	2	1	3	1		
		C	3												1		2			
71a	Simple meningitis	W	46	13	7	6	3		4	1			1		3	3	2	2	1	
		C	15	4		2			1	1			1	4	1		1			
71b	Nonepidemic cerebrospinal meningitis	W	28	9	2	2			6	1	1	2		2	1	1			1	
		C	4	1				1		1	1									
72	Tabes dorsalis (locomotor ataxia)	W	19													7	5	6	1	
73	Other diseases of the spinal cord	W	43		1					1		1			1	9	9	9	12	
		C	24	1					1				2	1	4	4	4	3	3	1
74a	Cerebral hemorrhage	W	851	3	2	1			1	5	2		4	9	18	90	195	262	254	5
		C	314			1			1		1	3	6	12	44	68	64	65	48	1
74b	Cerebral embolism and thrombosis	W	26								1			1	2	2	5	9	6	
		C	8								1				1	2	1	1	2	
75	Paralysis without specified cause	W	200	1									3	1	9	9	25	61	91	
		C	84		1		1		1	1		1	3		10	18	13	14	21	
76	General paralysis of the insane	W	63									3	2	5	15	13	9	9	7	
		C	23									2		3	5	6	6	1		
77	Other forms of mental alienation	W	24								1		2	1	4	4	1	9	2	
		C	7											1	1	1	1	3		
78	Epilepsy	W	46	3	1				1	3	5	7	2	4	4	7	5	4		
		C	35	1		1	1		1	5	6	1	1	2	6	4	3	2	1	
79	Convulsions (nonpuerperal; 5 years and over)	W	9							2	3	1	1		2					
		C	2						1						1					
80	Infantile convulsions (under 5 years)	W	25	21	1	1	1	1												
		C	18	12	3	3														
81	Chorea	W	2						1									1		
82	Neuralgia and neuritis	W	6												1		1	4		
		C	2													1		1		
83	Softening of the brain	W	14										1			1		5	7	
		C	1															1		
84	Other diseases of the nervous system	W	64	4	1	1			1	1		2	2	2	5	10	6	18	11	
		C	23								2	1			4	4	6	3	3	
85	Diseases of the eye and annexa	W	3															1	2	
		C	1						1											
86a	Diseases of the ear	W	32	5	4	2		2	3	1	5	2	2		2	3		1		
		C	6	4								1	1							
86b	Diseases of the mastoid process	W	16	1	1				2	1	2	1	3	1		1	2	1		
		C	2										1	1						
	IV.—Diseases of the circulatory system	White	1,838	12	3	4	1	1	12	18	23	20	16	38	91	158	352	537	551	1
		Colored	815	4	2	4		1	1	8	13	17	20	35	96	196	162	141	114	1
87	Pericarditis	W	14	1		1			1						3	1	4	1	2	
		C	12									1		1	1	3	2	3		1
88	Endocarditis and myocarditis (acute)	W	50	2	1	1	1		2	3	4	6	3	3	5	2	5	7	5	
		C	29	1	1					1	3	1	3	3	4	6	3	3		
89	Angina pectoris	W	122												6	17	25	44	29	1
		C	13							1				1	1	1	3	1	5	
90	Other diseases of the heart	W	1,469	9	2	2		1	7	15	17	13	12	32	68	130	291	435	435	
		C	701	1	1	4		1	1	5	6	13	15	29	88	173	145	124	95	
91a	Aneurysm	W	26											2	5	3	6	6	4	
		C	14										1	1		7	2	2	1	
91b,c	Other diseases of the arteries	W	132												1	2	16	40	73	
		C	31								1	1				2	6	8	13	
92	Embolism and thrombosis (not cerebral)	W	15						2			1	1	1	3	1	3	2	1	
		C	4									1				2	1			
93	Diseases of the veins	W	5								2					1		2		
		C	1								1									
94	Diseases of the lymphatic system	W	1																1	
		C	4							1	1				1	1				
95	Hemorrhage without specified cause	W	3													1	1		1	
		C	6	2							1		1		1	1				
96	Other diseases of the circulatory system	W	1														1			
	V.—Diseases of the respiratory system	White	1,756	291	114	48	30	9	32	34	51	41	46	66	104	111	164	280	333	2
		Colored	863	178	61	28	15	10	14	14	36	52	64	31	91	89	74	46	59	1
97a	Diseases of the nasal fossae	W	3	2											1					
		C	4	4																
97b	Diseases of the nasal fossae annexa	W	9						1	1	1			1	1	4				
98	Diseases of the larynx	W	12	2	3	2	1	1					1				1	1		
		C	2	1		1														
99a	Acute bronchitis	W	12	7													1		4	
		C	10	4			1							1	2		1	1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	TENNESSEE—Continued																			
	V.—Diseases of the respiratory system—Continued																			
99b	Chronic bronchitis	W	32									1				2	3	7	19	
		C	12	1								1	1		1		1	3	4	
99c,d	Bronchitis (unspecified)	W	16	5		1											2	1	7	
		C	20	7		1						1	1		1	2	4	3		
100a	Bronchopneumonia	W	666	182	59	27	15	5	15	6	8	7	11	16	23	17	34	103	138	
		C	307	100	40	17	7	5	10	6	9	16	12	8	20	20	10	8	19	
100b	Capillary bronchitis	W	8	2														2	4	
		C	2	1	1															
101a	Lobar pneumonia	W	788	52	35	11	13	3	9	20	36	31	30	41	66	73	106	138	122	2
		C	399	33	15	5	6	2	3	3	23	28	44	20	55	58	45	29	29	1
101b	Pneumonia (unspecified)	W	120	34	11	3	1		4	5	5	2	2	5	6	9	9	9	15	
		C	60	22	4	4		1		5	3	3	2	1	7	2	5		1	
102	Pleurisy	W	24		4	2			3	1	1					2	3	4	4	
		C	16	2	1							3	2		2	1	4		1	
103	Congestion and hemorrhagic infarct of the lung	W	12	2	1									1	1		1	1	5	
		C	2												1				1	
104	Gangrene of the lung	W	1										1							
105	Asthma	W	39	1	1	2							1		4	4	3	12	11	
		C	23	1				2	1					1	2	6	4	2	4	
106	Pulmonary emphysema	W	1	1																
107	Other diseases of the respiratory system (tuberculosis excepted)	W	13	1						1				2	2		1	2	4	
		C	6	2			1				1		2							
	VI.—Diseases of the digestive system	White	1,942	473	317	88	31	15	52	69	62	50	48	60	122	121	134	167	131	2
		Colored	640	136	68	17	4	5	9	16	22	25	37	33	68	80	61	31	26	2
108	Diseases of the mouth and annexa	W	11	2					2		1		1	1	1	2			1	
		C	12	3					1						3	2	1	2		
109b	Other diseases of the pharynx, tonsils	W	52	4	4	2	4	2	5	5	6	3	4	2		4	1	5	1	
		C	12			1	1	1		1	1	1	1		3	1	1			
110	Diseases of the esophagus	W	2												1			1		
		C	1												1					
111a	Ulcer of the stomach	W	52	1		1					1	4	1	4	7	6	12	11	4	
		C	24							1		1	4	1	4	7	5			1
111b	Ulcer of the duodenum	W	17								2			3	2	3	4	2	1	
		C	2											1		1				
112	Other diseases of the stomach (cancer excepted)	W	127	38	7	1	2	1	4	3	1		1	1	6	10	13	22	16	1
		C	88	9	2	1	1			1		4	4	5	10	24	15	8	4	
113	Diarrhea and enteritis (under 2 years)	W	698	401	297															
		C	174	114	60															
114	Diarrhea and enteritis (2 years and over)	W	297			77	21	9	11	13	6	5		6	15	10	23	47	53	1
		C	74			11	1	2	3	1	2		4	4	5	11	12	5	13	
115	Ancylostomiasis	W	1															1		
116	Diseases due to other intestinal parasites	W	4	1	2				1											
		C	6	1	2	1	1		1											
117	Appendicitis and typhlitis	W	292	1	3	1	1	2	24	42	35	31	23	26	37	30	17	15	4	
		C	81					1		7	10	10	11	8	13	10	7	3	1	
118a	Hernia	W	28	3									1		7	1	4	9	3	
		C	21									1	2	5	2	3	2	2	4	
118b	Intestinal obstruction	W	98	13	3	1	2		2	1	1	2	9	7	10	9	15	11	12	
		C	57	6	2	2			3	1	5	2	5	5	9	6	4	4	2	1
119	Other diseases of the intestines	W	22	3			1			1		1		2		4	4	1	5	
		C	20	1	1	1		1		1		1	2		3	2	5	2		
120	Acute yellow atrophy of the liver	W	3			1									1	1				
		C	1															1		
122	Cirrhosis of the liver	W	55							1	1	1			6	9	11	19	7	
		C	15								1			1	3	3	5	1	1	
123	Biliary calculi	W	53							1			1	1	8	14	12	11	5	
		C	5												1	3		1		
124	Other diseases of the liver	W	86	4		2				2	1	3	4	4	14	12	14	10	16	
		C	21	1						1	1	1		3	8	4	2			
125	Diseases of the pancreas	W	8											1		3	3		1	
126	Peritonitis without specified cause	W	36	2	1	2		1	3		7		3	2	7	3	1	2	2	
		C	26	1	1				1	2	2	4	4		3	3	2	2	1	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	White	1,312	9	5	9	4		10	3	13	19	30	24	87	129	207	370	392	2
		Colored	610	6	3	2		2	3	2	4	15	30	27	77	110	119	111	95	4
128	Acute nephritis (including unspecified under 10 years)	W	106	6	4	8	4		7		6	3	6	1	9	8	7	23	14	
		C	64	4	1	1		2	2		1	2	2	2	6	16	14	7	3	1
129	Chronic nephritis (including unspecified 10 years and over)	W	1,017		1	1			2	3	5	8	15	14	51	105	182	308	321	1
		C	441		1	1				1	1	5	13	16	51	76	92	96	85	3
131	Other diseases of the kidneys and annexa	W	36	3					1			1	2		4	1	5	8	11	
		C	12	2					1			1	1	2		3		1	1	
132	Calculi of the urinary passages	W	8											1	1	2		1	3	
		C	5		1												2	2		
133	Diseases of the bladder	W	18													1	1	5	11	
		C	9									1	1		1	2	2	1	1	
134	Diseases of the urethra, etc.	W	5												2	1	1	1		
		C	11										2	1	3	3	2			
135	Diseases of the prostate	W	63													3	8	21	31	
		C	19												1	3	6	4	5	
136	Nonvenereal diseases of the male genital organs	W	1															1		
137	Cysts, other benign tumors of the ovary	W	7									1	1		1	3	1			
		C	5							1			1	1	2					
138	Salpingitis and pelvic abscess (female)	W	14									3	3	1	6	1				
		C	12								1	5	2	1	3					
139	Benign tumors of the uterus	W	22									1		5	11	3		1	1	
		C	25										6	3	8	7	1			
140	Nonpuerperal uterine hemorrhage	W	3								1				2					
141	Other diseases of the female genital organs	W	12								1	2	3	2		1	2	1		
		C	7								1	1	2	1	2					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	TENNESSEE—Continued																			
	VIII.—The puerperal state	White	311								31	66	69	67	71	6				1
		Colored	113							5	24	26	20	23	13	2				
143	Accidents of pregnancy	W	32								2	4	10	6	10					
		C	9								3	1	1	2	2					
144	Puerperal hemorrhage	W	28								2	1	5	8	11	1				
		C	5									1	2	2						
145	Other accidents of labor	W	43								4	6	11	10	11	1				
		C	17								4	3	1	4	4	1				
146	Puerperal septicemia	W	102								9	26	21	30	14	1				1
		C	50							1	10	11	14	7	7					
147	Puerperal phlegmasia alba dolens, embolus, etc.	W	10									2	2		4	2				
148	Puerperal albuminuria and convulsions	W	96								14	27	20	13	21	1				
		C	32							4	7	10	2	8		1				
	IX.—Diseases of the skin and of the cellular tissue	White	52	5	1	1	1		3	3		1	3	1	4	4	6	8	11	
		Colored	13									2		2	2	2	2	2	1	
151	Gangrene	W	21		1		1		2	1			1				3	6	6	
		C	11									2		1	2	2	1	2	1	
152	Furuncle	W	12	2								1	1	1	3	1	2	1		
153	Acute abscess	W	10	1					1	2			1		1	2			2	
		C	1											1						
154	Other diseases of the skin and annexa	W	9	2		1										1	1	1	3	
		C	1														1			
	X.—Diseases of the bones and of the organs of locomotion	White	19		3			1	4	4		2	1		1		1	1	1	
		Colored	9	1					2		1		1				4			
155	Diseases of the bones (tuberculosis excepted)	W	16		2			1	4	4		2			1			1	1	
		C	5						2								3			
156	Diseases of the joints (tuberculosis and rheumatism excepted)	W	2		1								1							
		C	2	1									1							
157	Amputations	C	1								1									
158	Other diseases of the organs of locomotion	W	1														1			
		C	1														1			
	XI.—Malformations	White	150	141	1	5	1	1	1											
		Colored	7	6	1															
159a	Congenital hydrocephalus	W	11	10				1												
159b	Congenital malformations of the heart	W	75	70		3	1		1											
		C	4	3	1															
159c	Other congenital malformations	W	64	61	1	2														
		C	3	3																
	XII.—Early infancy	White	987	987																
		Colored	209	209																
160	Congenital debility, icterus, sclerema	W	149	149																
		C	34	34																
161a	Premature birth	W	695	695																
		C	142	142																
161b	Injury at birth	W	88	88																
		C	9	9																
162	Other diseases peculiar to early infancy	W	53	53																
		C	23	23																
163	Lack of care	W	2	2																
		C	1	1																
164	XIII.—Old age (senility)	White	315												1		4	36	274	1
		Colored	120												1		2	10	106	1
	XIV.—External causes	White	1,347	41	24	32	24	21	72	57	108	128	103	86	175	119	103	117	133	4
		Colored	611	18	8	10	5	9	25	25	51	77	92	56	86	71	32	24	19	3
	Suicide	W	128								9	13	18	6	28	24	18	9	2	1
		C	13								2	2	3	1	2	1	2			
165	By poisons (gas excepted)	W	34								4	7	9	2	6	2	2	1	1	
166		C	3								1	1	1							
167	By poisonous gas	W	2												1		1			
168	By hanging or strangulation	W	16									2			4	6	3	1		
		C	3													1	2			
169	By drowning	W	7										1			3	1	1	1	
170	By firearms	W	56								5	4	6	3	12	10	10	5		1
		C	7								1	1	2	1	2					
171	By cutting or piercing instruments	W	11										2	1	3	3	1	1		
174	By other means	W	2												2					
	Homicide	W	204	2	1	1		1			11	31	27	25	51	25	10	13	5	1
		C	221	1					2	2	14	40	60	33	42	22	2	1	1	1
197	By firearms	W	165		1						10	27	23	20	45	20	8	7	3	1
		C	160	1					1	2	6	28	45	29	30	16	1		1	
198	By cutting or piercing instruments	W	16			1		1				2	2	1	4	1		3	1	
		C	45						1		7	9	12	4	9	2				1
199	By other means	W	23	2							1	2	2	4	2	4	2	3	1	
		C	16								1	3	3		3	4	1	1		
	Accidental or undefined	W	1,015	39	23	31	24	20	72	57	88	84	58	55	96	70	75	95	126	2
		C	377	17	8	10	5	9	23	23	35	35	29	22	42	48	28	23	18	2
175	Poisoning by food	W	21	5		1	1			1	3	1	3		2		2		2	
		C	14	2		1		1		1	2			1	1	3		2		
176	Poisoning by venomous animals	W	2			1			1											
177	Other acute poisonings (gas excepted)	W	31	3	1	4	1		3	1	3	1	4	4	2	3	1			
		C	11	1	1	1				1		1		4		1	1			
178	Conflagration	W	12				1	2	1	2	2				1			3		
		C	13	2		1	1		1	1				2		2	1	1	1	
179	Burns (conflagration excepted)	W	128	9	11	18	13	6	14	5	2	8	4	5	7	6	7	4	9	
		C	68	3	4	6	2	7	8	2		3	3	2	5	7	7	3	6	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	TENNESSEE—Continued																			
	XIV.—External causes—Contd.																			
	Accidental or undefined—Continued																			
180	Mechanical suffocation	W	14	10	1							1			1			1		
		C	6	6																
181	Absorption of irrespirable, irritating, or poisonous gas	W	3						1			1						1		
		C	2									1						1		
182	Drowning	W	64		5	2		2	3	11	10	7	9	1	4	5	1	1	2	1
		C	18			1			1	4	2	3	1	1	2				2	1
183	Traumatism by firearms (except in war)	W	58	1				1	7	8	15	8	4	4	4	2	1	3		
		C	32				1		6	6	6	1	2	1	4	2	2	1		
184	Traumatism by cutting or piercing instruments	W	14	1			1	1	1	2		1	1		3		2		1	
		C	3												2			1		
185	Traumatism by fall	W	175			1	2	1	4	2	4	2	1	7	12	6	9	33	91	
		C	34	1	2				4	2	1	2	2		4	3	6	4	3	
186a	Traumatism in mines	W	23								5	7	1	2	2	4	2			
		C	5										3		1	1				
186b	Traumatism in quarries	W	3												1	2				
		C	2									1				1				
187	Traumatism by machines	W	37				1	1	2	1	7	3	5	1	8	3	3	2		
		C	11							1	1		4	1	1	1	1	1		
188a	Railroad accidents	W	107			1	1		2	4	11	17	8	13	13	9	8	12	8	
		C	39				1		1		6	6	3	5	4	9	2	1	1	
188b	Street-car accidents	W	7									1			1	2		2	1	
		C	1													1				
188c	Automobile accidents	W	130	1		2	1	3	26	8	16	15	8	7	12	10	11	10		
		C	41	1	1			1	1	4	7	7	4	3	4	5	2	1		
188d	Airplane and balloon accidents	W	1										1							
188e, 188f	Injuries by other vehicles	W	28	1				1		1	2	1	1	2	2	3	8	6		
		C	6								1	1		1	1			1	1	
188g	Landslide, other crushing	W	4				1				1				1			1		
		C	5									1	2		2					
189	Injuries by animals (not poisoning)	W	19	1					2	2	1	1			1	4	2	2	3	
		C	4						1						1	1	1			
193	Excessive cold	W	1															1		
		C	1																1	
194	Excessive heat	W	2														2			
		C	4									1	1					2		
195	Lightning	W	12							1	2	1	2		4		2			
		C	2							1	1									
196	Other accidental electric shocks	W	16								1	6	1	1	2	2	2		1	
		C	5								2				1	1	1			
201	Fracture (cause not specified)	W	11	1											1	1	4	2	2	
202	Other external violence	W	92	6	5	1	1	2	5	8	3	2	5	8	12	8	8	11	6	1
		C	50	1							6	7	4	1	9	10	4	4	3	1
	XV.—Ill-defined diseases	White	1,230	578	43	15	11	3	5	12	11	11	14	17	35	59	77	164	173	2
		Colored	658	232	26	11	6	3	8	15	10	24	20	13	42	54	52	52	84	6
204	Sudden death	W	119	22	2		2				1	1		1	3	11	17	31	28	
		C	61	9	1	1			1	1		2	3	1	6	6	9	6	15	
205a	Ill-defined	W	225	67	13	2	2	1		7	4	3	4	3	4	13	20	45	37	
		C	77	9	5			1	2	1	3	3	4	1	7	6	10	10	14	1
205b	Not specified or unknown	W	886	489	28	13	7	2	5	5	6	7	10	13	28	35	40	88	108	2
		C	520	214	20	10	6	2	5	13	7	19	13	11	29	42	33	36	55	5
	UTAH																			
	All causes		4,513	807	105	57	42	39	130	103	149	147	134	159	380	444	534	618	658	7
	I.—Epidemic, endemic, and infectious diseases		543	61	26	18	14	12	32	19	25	24	28	33	71	72	43	35	28	2
1	Typhoid and paratyphoid fever		41			1	2		1	3	6	4	3	6	3	8	4			
4	Malta fever		1											1						
6	Smallpox		14	1	1						1	2		3	1	3	1	1		
7	Measles		5	2		1	1				1									
8	Scarlet fever		8			2		2	2		2									
9	Whooping cough		28	12	9	3	2		1					1						
10	Diphtheria		50	1	2	7	3	4	14	11	2	1		1	4					
11a	Influenza (with pulmonary complications)		82	16	4	1	3			1		3	2	4	7	11	10	11	9	
11b	Influenza (other and unspecified)		51	10	2	1	2	2	5		1	1		1	1	3	2	6	13	1
13	Mumps		2	1	1															
16	Dysentery		3		1	1													1	
21	Erysipelas		19	9	2				1			1			1	1		1	3	
22	Acute anterior poliomyelitis		1		1															
23	Lethargic encephalitis		9			1		1		1	2				1	2	1			
24	Meningococcus meningitis		4						2	1		1								
25	Other epidemic and endemic diseases		5	2	2						1									
29	Tetanus		7						2				2			3				
	Tuberculosis (all forms)		178	3	1		1	3	3	2	8	11	19	13	43	33	21	14	2	1
31	Of the respiratory system		139				1	2	1	1	4	11	15	9	35	29	17	11	2	1
32	Of the meninges, central nervous system		11	2				1	2	1	2		2			1				
33	Of the intestines, peritoneum		9		1						1		2	2	2		1			
34	Of the vertebral column		7											1	2		2	2		
35	Of the joints		2								1				1					
36	Of other organs		6	1											2	1	1	1		
37a	Disseminated (acute)		4											1	1	2				
38	Syphilis		28	2									2	3	10	7	3	1		
41	Purulent infection, septicemia		7	2					1		1					1	1	1		
	II.—General diseases not included in Class I		500	16		2	3	1	9	7	6	8	14	17	43	75	131	106	62	
	Cancer and other malignant tumors		316	2		1	1		2	1		1	6	6	28	46	90	85	47	
43	Of the buccal cavity		4										1				2	1		
44	Of the stomach, liver		127			1						1			8	12	31	52	22	
45	Of the peritoneum, intestines, rectum		42	1					1					1	4	4	14	10	7	
46	Of the female genital organs		37										2	2	8	11	5	4	5	
47	Of the breast		31											1	6	8	11	4	1	
48	Of the skin		17											1		1	4	5	6	
49	Of other or unspecified organs		58	1			1		1	1			3	1	2	10	23	9	6	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	UTAH—Continued																		
	II.—General diseases not included in Class I—Continued																		
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	3									1			1		1			
51	Acute rheumatic fever	11						1	3	1			1		2		2	1	
52	Chronic rheumatism, osteoarthritis, gout	4										1		1	1	1			
57	Diabetes mellitus	77				1		4	2	3	4	2	2	3	10	22	14	10	
58	Anemia, chlorosis	25						1						4	7	9	3	1	
59	Diseases of the pituitary gland	1								1									
60a	Exophthalmic goiter	11									1	2	1	1		5		1	
60b	Other diseases of the thyroid gland	2										1	1						
62	Diseases of the thymus gland	5	4		1														
63	Diseases of the adrenals (Addison's disease)	3													2	1			
65a	Leukemia	10				1		1		1		1			3	1		2	
65b	Hodgkin's disease	3									1			1			1		
66	Alcoholism (acute or chronic)	10											4	2	3	1			
67a	Chronic lead poisoning	3										1	1	1					
67b	Other chronic mineral poisoning	1															1		
68	Chronic poisoning by organic substances	2											1	1					
69	Other general diseases	13	10				1		1						1				
	III.—Diseases of the nervous system and of the organs of special sense	434	14	4	1	1	3	8	5	6	7	2	13	31	38	78	101	121	1
70	Encephalitis	6					1						1	2		1	1		
71a	Simple meningitis	8			1	1		1	1	1	1					1	1		
71b	Nonepidemic cerebrospinal meningitis	3	1	1				1											
72	Tabes dorsalis (locomotor ataxia)	1															1		
73	Other diseases of the spinal cord	8	1						1				1	2		1	1	1	
74a	Cerebral hemorrhage	290								1		1	4	10	25	58	84	107	
74b	Cerebral embolism and thrombosis	6														2	3	1	
75	Paralysis without specified cause	8													1		4	3	
76	General paralysis of the insane	16											3	6	2	4	1		
77	Other forms of mental alienation	19								1				4	5	5		4	
78	Epilepsy	10						1		1	2		2	1		1	1		1
79	Convulsions (nonpuerperal; 5 years and over)	3						1	1								1		
80	Infantile convulsions (under 5 years)	9	8	1															
82	Neuralgia and neuritis	3												1	1			1	
84	Other diseases of the nervous system	30	2				1	3	1	2	3	1	1	1	4	5	3	3	
86a	Disease of the ear	12	2	2			1	1	1		1		1	3					
86b	Diseases of the mastoid process	2												1				1	
	IV.—Diseases of the circulatory system	626	8			4	4	18	17	22	18	15	17	55	57	92	159	138	2
87	Pericarditis	2								1								1	
88	Endocarditis and myocarditis (acute)	31	4			2	1	4		2		1	4	3	1	2	4	3	
89	Angina pectoris	32												4	5	9	8	6	
90	Other diseases of the heart	505	2				3	14	17	19	17	13	13	44	49	78	132	102	2
91a	Aneurysm	1				1													
91b,c	Other diseases of the arteries	35												1		3	9	22	
92	Embolism and thrombosis (not cerebral)	15	1								1	1		1	2		6	3	
93	Diseases of the veins	1												1					
94	Diseases of the lymphatic system	2				1								1					
95	Hemorrhage without specified cause	2	1															1	
	V.—Diseases of the respiratory system	458	119	17	14	5	7	10	6	10	12	5	11	23	46	32	59	81	1
97a	Diseases of the nasal fossae	2	2																
97b	Diseases of the nasal fossae annexa	5						1	1	1				1				1	
98	Diseases of the larynx	6	1	2			2											1	
99a	Acute bronchitis	7	4														1	2	
99b	Chronic bronchitis	5	1															4	
99c,d	Bronchitis (unspecified)	13	6	1											1		1	4	
100a	Bronchopneumonia	188	82	12	7	3	4	3			5		3	3	12	4	22	28	
100b	Capillary bronchitis	5	4															1	
101a	Lobar pneumonia	171	8	1	5	2		4	3	8	6	3	5	15	27	20	28	35	1
101b	Pneumonia (unspecified)	31	9	1	1		1		1	1	1		1	2	2	5	2	4	
102	Pleurisy	7	1		1			1	1			2	1						
103	Congestion and hemorrhagic infarct of the lung	2	1															1	
105	Asthma	6						1					1		1		3		
107	Other diseases of the respiratory system (tuberculosis excepted)	10												2	3	3	2		
	VI.—Diseases of the digestive system	420	92	39	9	7	3	14	15	22	14	10	13	35	41	50	33	23	
108	Diseases of the mouth and annexa	1													1				
109b	Other diseases of the pharynx, tonsils	18	2	2				1	3		1	2		1	2	1	2		
111a	Ulcer of the stomach	28									1		1	9	6	6	5		
111b	Ulcer of the duodenum	6										1		1	1	2	1		
112	Other diseases of the stomach (cancer excepted)	10	3		1										1	1	2	2	
113	Diarrhea and enteritis (under 2 years)	109	74	35															
114	Diarrhea and enteritis (2 years and over)	20			5	2		1						2		2	4	4	
117	Appendicitis and typhlitis	90			1	4	3	9	11	18	8	4	6	6	9	7	2	2	
118a	Hernia	16				1				1			1	1	4	6		2	
118b	Intestinal obstruction	30	9		2			3		1		2	1	1		2	7	2	
119	Other diseases of the intestines	5								1						1		3	
120	Acute yellow atrophy of the liver	4	1								1				1	1			
121	Hydatid tumor of the liver	1														1			
122	Cirrhosis of the liver	28								1	1			3	8	6	4	5	
123	Biliary calculi	13										1	3	1	4	2	2		
124	Other diseases of the liver	26	1						1		1			6	2	11	3	1	
125	Diseases of the pancreas	6									1			2	2	1			
126	Peritonitis without specified cause	9	2	2										2			1	2	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	UTAH—Continued																		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	355	4	1	2	1	1	2	7	4	10	7	9	25	54	60	78	90	
128	Acute nephritis (including unspecified under 10 years)	18	1	1	1	1		1	3		3		1		2	1	3		
129	Chronic nephritis (including unspecified 10 years and over)	274					1	1	3	4	5	5	6	19	40	50	64	76	
131	Other diseases of the kidneys and annexa	11	1		1									1	3	2		3	
132	Calculi of the urinary passages	5										1			1		3		
133	Diseases of the bladder	3																3	
134	Diseases of the urethra, etc	2												1	1				
135	Diseases of the prostate	19													1	4	7	7	
136	Nonvenereal diseases of the male genital organs	3	2															1	
137	Cysts, other benign tumors of the ovary	5												1	1	2	1		
138	Salpingitis and pelvic abscess (female)	2							1		1								
139	Benign tumors of the uterus	8												2	5	1			
141	Other diseases of the female genital organs	5									1	1	2	1					
	VIII.—The puerperal state	68								4	19	14	10	19	2				
143	Accidents of pregnancy	6									1	2	1	2					
144	Puerperal hemorrhage	9									3	2	1	2	1				
145	Other accidents of labor	9									1	2	1	5					
146	Puerperal septicemia	23								3	8	3	5	4					
147	Puerperal phlegmasia alba dolens, embolus, etc	2									1	1							
148	Puerperal albuminuria and convulsions	18								1	5	3	2	6	1				
149	Following childbirth (undefined)	1										1							
	IX.—Diseases of the skin and of the cellular tissue	12	2							1				1	2	1	2	3	
151	Gangrene	6												1			2	3	
152	Furuncle	1								1									
153	Acute abscess	4	1												2	1			
154	Other diseases of the skin and annexa	1	1																
	X.—Diseases of the bones and of the organs of locomotion	9	1		1			1	1			1	3				1		
155	Diseases of the bones (tuberculosis excepted)	7	1					1	1			1	3						
156	Diseases of the joints (tuberculosis and rheumatism excepted)	2			1												1		
	XI.—Malformations	88	84	2		1				1									
159a	Congenital hydrocephalus	11	10							1									
159b	Congenital malformations of the heart	50	48	1		1													
159c	Other congenital malformations	27	26	1															
	XII.—Early infancy	368	368																
160	Congenital debility, icterus, sclerema	23	23																
161a	Premature birth	249	249																
161b	Injury at birth	65	65																
162	Other diseases peculiar to early infancy	31	31																
164	XIII.—Old age (senility)	81														1	7	73	
	XIV.—External causes	455	7	14	8	6	8	35	24	45	35	36	32	73	49	36	23	24	
	Suicide	32								1	3	4	2	10	6	3	3		
165, 166	By poisons (gas excepted)	7									2	2			3				
167	By poisonous gas	3									1		1	1					
168	By hanging or strangulation	4													1	2	1		
169	By drowning	2												1	1				
170	By firearms	15								1		2	1	7	1	1	2		
174	By other means	1												1					
	Homicide	26		1							5	4	5	7	4				
197	By firearms	21									5	2	5	6	3				
198	By cutting or piercing instruments	2										1		1					
199	By other means	3		1								1			1				
	Accidental or undefined	397	7	13	8	6	8	35	24	44	27	28	25	56	39	33	20	24	
175	Poisoning by food	5	1	1							1	1		1					
176	Poisoning by venomous animals	2	1					1											
177	Other acute poisonings (gas excepted)	9		1	1				1		1			3		1	1		
178	Conflagration	5												1	2	2			
179	Burns (conflagration excepted)	22		1	5		2	2	1	2	2	1	2		1	2	1		
180	Mechanical suffocation	6	1					1					3			1			
181	Absorption of irrespirable, irritating, or poisonous gas	6						1			1	1		1	1			1	
182	Drowning	30		5	1	1	2	6	2	6	2	2	1	1		1			
183	Traumatism by firearms (except in war)	19				1		1	3	3	1	2		4	3		1		
184	Traumatism by cutting or piercing instruments	3				1								1		1			
185	Traumatism by fall	38		1	1			2	2	2	3		1	5	3	1	5	12	
186a	Traumatism in mines	52								2	2	9	4	19	12	4			
187	Traumatism by machines	12					1		1	1		2	2		2	3			
188a	Railroad accidents	42				1		1	1	8	7	5	6	6	4	1	1	1	
188b	Street-car accidents	7						1	1	1	1					2		1	
188c	Automobile accidents	60		1			2	10	3	13	1	4	2	6	8	5	4	1	
188d	Airplane and balloon accidents	1									1								
188e,f	Injuries by other vehicles	18				1		5	2	2				1		3	2	2	
188g	Landslide, other crushing	4							1				1	2					
189	Injuries by animals (not poisoning)	4				1	1			1							1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	UTAH—Continued																		
	XIV.—External causes—Contd.																		
	Accidental or undefined—Continued																		
193	Excessive cold	1																1	
195	Lightning	1												1					
196	Other accidental electric shocks	8							1		2	1	2	1	1				
201	Fracture (cause not specified)	8								1						1	2	4	
202	Other external violence	34	4	3				4	5	2	2		1	3	2	5	2	1	
	XV.—Ill-defined diseases	96	31	2	2			1	2	3		2	1	4	8	10	14	15	1
204	Sudden death	3														1		1	1
205a	Ill-defined	65	18	2	1				1	1			1	3	8	7	11	12	
205b	Not specified or unknown	28	13		1			1	1	2		2		1		2	3	2	
	VERMONT																		
	All causes	5,364	557	91	48	31	14	52	65	92	88	104	109	281	448	704	1,121	1,558	1
	I.—Epidemic, endemic, and infectious diseases	806	66	51	21	11	4	25	20	32	30	33	34	69	92	72	100	146	
1	Typhoid and paratyphoid fever	11							2	2		2	2	1	1		1		
5	Malaria	2													1		1		
6	Smallpox	2	1															1	
7	Measles	37	8	13	3	3		2	2	1	1				1	1	1	1	
8	Scarlet fever	19		1	2	4		4	3	2	1	1	1						
9	Whooping cough	32	19	8	3		1	1											
10	Diphtheria	39	1	8	8	1	2	9	4	2			1	1		1		1	
11a	Influenza (with pulmonary complications)	198	12	5	1	1			3	2	4	3	3	10	12	23	45	74	
11b	Influenza (other and unspecified)	119	12	6	1	1		1		2		2	1	3	10	10	21	49	
15	Cholera nostras	2															1	1	
16	Dysentery	7	1	2														4	
21	Erysipelas	13	2			1								1			2	7	
22	Acute anterior poliomyelitis	2								2									
24	Meningococcus meningitis	3	1	2															
29	Tetanus	4						1	1	2									
	Tuberculosis (all forms)	291	4	6	3		1	7	5	17	24	24	23	52	59	33	26	7	
31	Of the respiratory system	229		2				3	4	12	19	20	18	45	49	30	22	5	
32	Of the meninges, central nervous system	20	3	4	2		1	4	1	1	2			1	1				
33	Of the intestines, peritoneum	15	1		1					1	2		2	2	2	2	1	1	
34	Of the vertebral column	5									1		1		3				
35	Of the joints	3										1		1			1		
36	Of other organs	10											2	2	2	1	2	1	
37a	Disseminated (acute)	7								3		2		1	1				
37b	Disseminated (chronic or unspecified)	2										1			1				
38	Syphilis	14	4									1			6	2	1		
40	Gonococcus infection	3											1		1		1		
41	Purulent infection, septicemia	8	1										2	1	1	2		1	
	II.—General diseases not included in Class I	630	8	1	2	1	1	1	4	11	6	7	12	40	85	132	172	147	
	Cancer and other malignant tumors	439					1	1		2	1	4	4	26	58	100	124	118	
43	Of the buccal cavity	14												1	1	3	4	5	
44	Of the stomach, liver	151									1			5	23	42	44	36	
45	Of the peritoneum, intestines, rectum	91								1		1		5	9	18	30	27	
46	Of the female genital organs	46										2	1	5	9	8	12	9	
47	Of the breast	39											1	3	8	12	6	9	
48	Of the skin	23										1			2	3	4	13	
49	Of other or unspecified organs	75					1	1		1			2	7	6	14	24	19	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	3								1						1	1		
51	Acute rheumatic fever	11							1	3					2		2	3	
52	Chronic rheumatism, osteoarthritis, gout	7							1							3	1	2	
54	Pellagra	1									1								
56	Rickets	1	1																
57	Diabetes mellitus	78			1					4	2		4	3	6	15	28	15	
58	Anemia, chlorosis	38	3			1						1	1	2	7	8	7	8	
60a	Exophthalmic goiter	8									1		1		5	1			
60b	Other diseases of the thyroid gland	4										1				2	1		
62	Diseases of the thymus gland	2	2																
63	Diseases of the adrenals (Addison's disease)	7									1			1	1		4		
64	Diseases of the spleen	1												1					
65a	Leukemia	6												2	1		2	1	
65b	Hodgkin's disease	2													2				
66	Alcoholism (acute or chronic)	13											2	5	3	1	2		
69	Other general diseases	9	2	1	1				2	1		1				1			
	III.—Diseases of the nervous system and of the organs of special sense	736	21	6	3	3	2	1	2	4	2	1	2	18	63	115	226	267	
70	Encephalitis	5	1	1		1									1			1	
71a	Simple meningitis	19	4	1	2	2				1		1			2	4		2	
71b	Nonepidemic cerebrospinal meningitis	5	2				1						1				1		
72	Tabes dorsalis (locomotor ataxia)	6														3	3		
73	Other diseases of the spinal cord	20													6	5	6	3	
74a	Cerebral hemorrhage	563												9	42	89	190	233	
74b	Cerebral embolism and thrombosis	26												1	1	3	12	9	
75	Paralysis without specified cause	10					1				1			1	1		2	4	
76	General paralysis of the insane	12												3	3	2	2	2	
77	Other forms of mental alienation	2												1	1				
78	Epilepsy	10		1				1		3				1		1	1	2	
79	Convulsions (nonpuerperal; 5 years and over)	1														1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	VERMONT—Continued																		
	III.—Diseases of the nervous system and of the organs of special sense—Continued																		
80	Infantile convulsions (under 5 years)	14	12	1	1														
82	Neuralgia and neuritis	4												1			1	2	
83	Softening of the brain	4													1	2		1	
84	Other diseases of the nervous system	25	1						1		1		1	1	3	3	7	7	
86a	Diseases of the ear	7	1	2											1	2	1		
86b	Diseases of the mastoid process	3							1						1			1	
	IV.—Diseases of the circulatory system	1,152	4						1	2	2	6	11	37	74	174	331	510	
87	Pericarditis	4													2	1		1	
88	Endocarditis and myocarditis (acute)	15										1	2	4	1	3	2	2	
89	Angina pectoris	82											1	4	6	19	28	24	
90	Other diseases of the heart	850	4						1	2	2	4	8	25	62	131	256	355	
91a	Aneurysm	3												1		2			
91b,c	Other diseases of the arteries	185													2	16	45	122	
92	Embolism and thrombosis (not cerebral)	10										1		2	1	2		4	
93	Diseases of the veins	3												1				2	
	V.—Diseases of the respiratory system	435	61	21	4	7	1	4	7	9	5	11	17	33	30	52	66	107	
97b	Diseases of the nasal fossae annexa	1											1						
98	Diseases of the larynx	6	1	1	1	1		1					1						
99a	Acute bronchitis	15	6	1		1			1							1		5	
99b	Chronic bronchitis	17										1	1			2	5	8	
99c,d	Bronchitis (unspecified)	21	6	2												1	1	11	
100a	Bronchopneumonia	110	28	10	2	3		1		1	2	2	2	3	6	7	14	29	
100b	Capillary bronchitis	6	4	1										1					
101a	Lobar pneumonia	195	5	4	1	1		2	5	4	2	6	11	25	21	35	36	37	
101b	Pneumonia (unspecified)	40	9	2		1			1	2		1		3		4	6	11	
102	Pleurisy	9	1				1			1		1		1	2	1		1	
103	Congestion and hemorrhagic infarct of the lung	6	1								1						1	3	
105	Asthma	8								1			1		1	1	2	2	
107	Other diseases of the respiratory system (tuberculosis excepted)	1															1		
	VI.—Diseases of the digestive system	289	53	6	7	1	2	7	11	9	13	8		19	17	34	47	50	
109b	Other diseases of the pharynx, tonsils	11		1				2	1	2	1				1	1		2	
110	Diseases of the esophagus	1														1			
111a	Ulcer of the stomach	22								1	1	1		3	3	2	6	5	
111b	Ulcer of the duodenum	6										1		1	1	2		1	
112	Other diseases of the stomach (cancer excepted)	15	5												1	3	2	4	
113	Diarrhea and enteritis (under 2 years)	49	45	4															
114	Diarrhea and enteritis (2 years and over)	26			6	1		2	1					1		3	6	6	
117	Appendicitis and typhlitis	52	1		1		1	2	7	6	9	3	2	6	4	3	5	2	
118a	Hernia	8													2		5	1	
118b	Intestinal obstruction	25	1	1			1		1					6		2	7	6	
119	Other diseases of the intestines	4											2			1		1	
120	Acute yellow atrophy of the liver	2									1	1							
122	Cirrhosis of the liver	18	1												1	5	5	6	
123	Biliary calculi	14												1	1	5	2	5	
124	Other diseases of the liver	30							1		1	2	1	1	3	5	6	10	
125	Diseases of the pancreas	4														1	2	1	
126	Peritonitis without specified cause	2						1									1		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	446	2	1	1			3	3	2	5	6	9	18	47	80	115	154	
128	Acute nephritis (including unspecified under 10 years)	35	2	1	1			3	3	1	1	2	2	1	4	4	3	7	
129	Chronic nephritis (including unspecified 10 years and over)	352									1	1	6	14	34	69	100	127	
131	Other diseases of the kidneys and annexa	11								1	1				2	3	1	3	
132	Calculi of the urinary passages	2												1		1			
133	Diseases of the bladder	3															2	1	
135	Diseases of the prostate	23														1	8	14	
137	Cysts, other benign tumors of the ovary	3													1		1	1	
138	Salpingitis and pelvic abscess (female)	7									2	2		1	2				
139	Benign tumors of the uterus	8											1	1	4	1		1	
141	Other diseases of the female genital organs	2										1				1			
	VIII.—The puerperal state	51								7	5	16	7	16					
143	Accidents of pregnancy	11								2	2	3	2	2					
144	Puerperal hemorrhage	4										1	2	1					
145	Other accidents of labor	8								1		4		3					
146	Puerperal septicemia	11									2	2	1	6					
147	Puerperal phlegmasia alba dolens, embolus, etc	2										2							
148	Puerperal albuminuria and convulsions	15								4	1	4	2	4					
	IX.—Diseases of the skin and of the cellular tissue	20	1			1										1	4	13	
151	Gangrene	15															2	13	
152	Furuncle	2				1											1		
153	Acute abscess	2														1	1		
154	Other diseases of the skin and annexa	1	1																

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	VERMONT—Continued																		
	X.—Diseases of the bones and of the organs of locomotion	6			1				1							1	1	2	
155	Diseases of the bones (tuberculosis excepted)	4			1												1	2	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	2							1							1			
	XI.—Malformations	64	58	1	3			1		1									
159a	Congenital hydrocephalus	9	7		2														
159b	Congenital malformations of the heart	34	34																
159c	Other congenital malformations	21	17	1	1			1		1									
	XII.—Early infancy	267	267																
160	Congenital debility, icterus, sclerema	43	43																
161a	Premature birth	164	164																
161b	Injury at birth	37	37																
162	Other diseases peculiar to early infancy	22	22																
163	Lack of care	1	1																
164	XIII.—Old age (senility)	107														2	12	92	1
	XIV.—External causes	329	9	4	6	6	4	10	16	15	20	16	11	31	37	37	40	67	
	Suicide	53									3	1	4	9	13	8	10	5	
165, 166	By poisons (gas excepted)	3									1				1		1		
167	By poisonous gas	1												1					
168	By hanging or strangulation	10										1		1	2	3	2	1	
169	By drowning	2													1			1	
170	By firearms	30									1		4	7	9	3	4	2	
171	By cutting or piercing instruments	6														2	3	1	
172	By jumping from high places	1									1								
	Homicide	5							1		1	1		1		1			
197	By firearms	3							1			1				1			
199	By other means	2									1			1					
	Accidental or undefined	271	9	4	6	6	4	10	15	15	16	14	7	21	24	28	30	62	
175	Poisoning by food	2													1		1		
177	Other acute poisonings (gas excepted)	5		2		1								1			1		
178	Conflagraton	4			1		1									1	1		
179	Burns (conflagration excepted)	22		1	5	3	1				1		2	1	3	1	2	2	
180	Mechanical suffocation	6	5											1					
181	Absorption of irrespirable, irritating, or poisonous gas	2													1		1		
182	Drowning	26				1	1	3	1	6	5	5		3		1			
183	Traumatism by firearms (except in war)	13						1	5	3	1	3							
184	Traumatism by cutting or piercing instruments	2												1			1		
185	Traumatism by fall	74	1			1			2	1			1		1	12	9	46	
186b	Traumatism in quarries	6								1	1	1		1	2				
187	Traumatism by machines	12								2		1			4	3	1	1	
188a	Railroad accidents	17	1					1			2	1		4	1	1		6	
188b	Street-car accidents	1															1		
188c	Automobile accidents	46					1	4	4	2	4	2	3	8	6	3	9		
188e,f	Injuries by other vehicles	6									1	1						4	
188g	Landslide, other crushing	1													1				
189	Injuries by animals (not poisoning)	5													1	1		3	
193	Excessive cold	1													1				
194	Excessive heat	2															2		
195	Lightning	1														1			
196	Other accidental electric shocks	7						1	1		1		1	1	1		1		
202	Other external violence	10	2	1					2						1	4			
	XV.—Ill-defined diseases	26	7			1							1		3	4	7	3	
204	Sudden death	2													1	1			
205a	Ill-defined	13	2			1							1		1	2	4	2	
205b	Not specified or unknown	11	5												1	1	3	1	
	VIRGINIA																		
	All causes—White	18,773	3,144	733	393	231	135	379	273	438	555	470	504	1,209	1,522	2,026	3,200	3,544	17
	All causes—Colored	11,987	2,256	454	199	105	66	219	213	506	655	577	493	1,199	1,493	1,398	1,045	1,082	27
	I.—Epidemic, endemic, and infectious diseases—White	4,059	490	339	191	114	77	173	85	178	219	185	200	378	346	287	421	375	1
	I.—Epidemic, endemic, and infectious diseases—Colored	3,146	407	190	88	50	34	99	109	290	379	289	190	339	280	194	118	86	4
1	Typhoid and paratyphoid fever—W	125	3	1	2			10	10	20	19	9	10	12	15	7	6	1	
	Typhoid and paratyphoid fever—C	128	4	2	1	2	2	12	19	20	28	7	5	10	9	2	5		
5	Malaria—W	9	1							1	1					2	3	1	
	Malaria—C	36	4	4	1		1	3	1	4	4	2		2	5	2	1	2	
6	Smallpox—W	1															1		
7	Measles—W	400	72	99	54	26	17	31	14	21	13	7	3	12	12	5	3	11	
	Measles—C	136	43	27	13	6	7	9	6	15	5	1	1		3				
8	Scarlet fever—W	43	3	7	9	4	5	9	3			1		2					
	Scarlet fever—C	2		1	1														
9	Whooping cough—W	182	87	63	10	7	8	7											
	Whooping cough—C	219	113	60	23	7	4	10							1		1		
10	Diphtheria—W	272	38	47	44	34	27	55	9	7	3	2	1	2	3				
	Diphtheria—C	65	18	11	6	8	4	9	6	1	1	1							
11a	Influenza (with pulmonary complications)—W	884	118	40	32	16	8	24	10	35	23	25	33	79	90	60	159	132	
	Influenza (with pulmonary complications)—C	509	83	38	11	9	6	15	13	20	17	14	24	59	58	63	46	33	
11b	Influenza (other and unspecified)—W	390	54	14	3	8	4	9	8	11	8	8	9	20	18	34	58	124	
	Influenza (other and unspecified)—C	215	33	12	9	3	1	4	5	6	5	7	7	20	22	26	25	30	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	VIRGINIA—Continued																			
	I.—Epidemic, endemic, and infectious diseases—Continued																			
13	Mumps	C	1		1															
15	Cholera nostras	W	8	3												1	2	2		
		C	2				1											1		
16	Dysentery	W	139	35	31	12	5	3	3	2	1	2		3	3	1	6	11	21	
		C	73	24	12	4		1		1	3	2	1		4	4	6	6	5	
21	Erysipelas	W	26	6		1				1				2	4	1	2	5	4	
		C	4											1	1	1	1			
22	Acute anterior poliomyelitis	W	17	2	3	2	4	1		3	1	1								
		C	10	5	3	1	1													
23	Lethargic encephalitis	W	15	1					1		2			1	2	2	5	1		
		C	6				1			1	1				1	2				
24	Meningococcus meningitis	W	18	6	5	4				1		1						1		
		C	4						1		1	2								
25	Other epidemic and endemic diseases	W	14	2	3							1		2	1	2	1	2		
		C	3								1						1		1	
28	Rabies	W	2		1		1													
		C	1						1											
29	Tetanus	W	25	6				1	6	3	3	1			1	1	1	2		
		C	19	8	1				3	2		2		1	1	1				
30	Mycoses	W	5	3											1			1		
		C	8	7	1															
	Tuberculosis (all forms)	W	1,381	25	21	17	9	3	18	19	74	142	127	129	226	185	152	157	76	1
		C	1,520	24	16	14	9	7	30	53	213	301	236	136	203	147	81	32	14	4
31	Of the respiratory system	W	1,221	9	5	4	5	1	8	10	65	128	122	122	215	172	138	143	73	1
		C	1,391	12	12	7	5	3	20	44	191	284	231	129	191	140	73	32	13	4
32	Of the meninges, central nervous system	W	71	14	13	10	3	2	6	6	3	4	2	3	4		1			
		C	36	8	2	7	2	1	6	2	3	1	1	1	2					
33	Of the intestines, peritoneum	W	49		3	2	1			2	2	3	1	1	4	9	9	11	1	
		C	49	3				2	2	3	13	9	1	2	6	4	4			
34	Of the vertebral column	W	13			1			2		1	1		2	1	2	1	2		
		C	5	1					1		1		1		1					
35	Of the joints	W	5						2	1							2			
		C	5							2						1	1		1	
36	Of other organs	W	9	1							2	2			1		1	1	1	
		C	10				1	1	1	2		2			1	1	1			
37a	Disseminated (acute)	W	9	1							1	3	2			1			1	
		C	20		2						4	5	2	3	2		2			
37b	Disseminated (chronic or unspecified)	W	4									1		1	1	1				
		C	4				1				1			1		1				
38	Syphilis	W	78	22	4							2	5	5	9	14	8	7	2	
		C	169	40	1	4	3	1	2	1	3	9	17	14	36	26	11		1	
40	Gonococcus infection	W	6	2									1		2	1				
		C	15	1						1	2	3	3	1	2	1	1			
41	Purulent infection, septicemia	W	19	1		1				2	2	2		2	2		2	2	3	
		C	1															1		
	II.—General diseases not included in Class I.	White	1,642	29	7	11	4	5	19	19	14	22	21	37	141	263	363	422	262	3
		Colored	593	16	3	5	1		6	6	7	17	28	27	82	136	118	86	54	1
	Cancer and other malignant tumors	W	1,079	1		3		1	6	1		9	9	20	90	175	263	295	204	2
		C	363			2	1		3		1	5	10	8	47	99	89	63	34	1
43	Of the buccal cavity	W	37											1	1	4	12	10	9	
		C	4												1	1	1		1	
44	Of the stomach, liver	W	387						1				2	4	23	52	92	137	76	
		C	121						1			1	2	1	6	31	37	31	10	1
45	Of the peritoneum, intestines, rectum	W	119									3	1	1	15	14	32	35	18	
		C	22									1	3	1	3	5	5	2	2	
46	Of the female genital organs	W	165							1		1		7	25	43	41	31	14	2
		C	114				1					1	2	5	25	34	23	18	5	
47	Of the breast	W	103										1	2	14	26	29	16	15	
		C	44										1	1	9	15	10	4	4	
48	Of the skin	W	61											2	1	3	7	14	34	
		C	4													1	1	2		
49	Of other or unspecified organs	W	207	1		3		1	5			5	5	3	11	33	50	52	38	
		C	54			2			2		1	2	2		3	12	12	6	12	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	W	12	1						1	1		1				4	2	2	
		C	5										1	1	1		1		1	
51	Acute rheumatic fever	W	39			1	2		1	6	3	1			2	3	3	11	6	
		C	43	1					1	3		5	3	2	4	6	4	4	10	
52	Chronic rheumatism, osteoarthritis, gout	W	24							1					1	3	3	11	5	
		C	9									1				2	3		3	
53	Scurvy	W	4	4																
		C	2	2																
54	Pellagra	W	53										1	2	7	12	13	15	2	1
		C	25								2	1	5	3	8	4		2		
56	Rickets	W	1	1																
		C	12	7	3	1			1											
57	Diabetes mellitus	W	205		1	2			1	7	3	7	6	6	8	29	49	62	24	
		C	78						1	1	2	1	4	6	11	17	16	14	5	
58	Anemia, chlorosis	W	70	2	2		1		1	1		3	2	2	10	12	9	14	11	
		C	9									2		3	1	2	1			
59	Diseases of the pituitary gland	W	2														1	1		
60a	Exophthalmic goiter	W	20								1		1	2	4	4	4	1	3	
		C	10									1		1	3	3	1	1		
60b	Other diseases of the thyroid gland	W	7													5	1	1		
		C	1														1			
61	Diseases of the parathyroid glands	W	3	1					1		1									
62	Diseases of the thymus gland	W	9	7	1	1														
		C	1	1																
63	Diseases of the adrenals (Addison's disease)	W	4								1				1			2		
		C	2										1				1			
64	Diseases of the spleen	W	1															1		
65a	Leukemia	W	24		2	2	1	1	3					1	3	5	5	1		
		C	4			1									2	1				
65b	Hodgkin's disease	W	12	1					2		1	1		2	1	3	1			
		C	4			1							2				1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	VIRGINIA—Continued																			
	II.—General diseases not included in Class I—Continued																			
66	Alcoholism (acute or chronic)	W	37								3	1	1	2	12	10	4	1	3	
		C	14								2	1	2	2	3	2		2		
67a	Chronic lead poisoning	W	2														1	1		
67b	Other chronic mineral poisoning	C	1												1					
68	Chronic poisoning by organic substances	W	5												1	1	1		2	
69	Other general diseases	W	29	11	1	2		3	4	2					1	1	1	3		
		C	10	5						2				1	1				1	
	III.—Diseases of the nervous system and of the organs of special sense	White	1,926	75	30	11	12	5	23	16	20	15	21	27	78	181	350	511	549	2
		Colored	1,258	71	18	5	9	3	11	8	12	19	26	23	106	257	311	211	165	3
70	Encephalitis	W	19	1					3	1	1	1		1	7	2	2			
		C	9	1				1			1	1		1	1		1	2		
71a	Simple meningitis	W	53	17	10	5	4		5		1	1	2		1	4	2	1		
		C	22	3	2	3	3	1	4	1	3	1	1							
71b	Nonepidemic cerebrospinal meningitis	W	25	7	6	1	1	2	1	2			1	1		1	1	1		
		C	11	4	4				1	1		1								
72	Tabes dorsalis (locomotor ataxia)	W	24									1			6	4	3	5	5	
		C	11											1	3	2	2	3		
73	Other diseases of the spinal cord	W	54		1	1		1		2			3	3	2	8	14	11	8	
		C	18											1	1	3	5	7	1	
74a	Cerebral hemorrhage	W	1,215	2			2			1	3	5	2	7	33	119	269	377	393	2
		C	820						1	1	2	1	7	13	71	202	248	149	122	3
74b	Cerebral embolism and thrombosis	W	30										1		1	2	4	12	10	
		C	21										1		1	4	4	7	4	
75	Paralysis without specified cause	W	180	1					1		1				3	13	19	51	91	
		C	134	1	1				1		1	1	1	3	10	21	28	34	32	
76	General paralysis of the insane	W	63										2	3	10	12	15	10	11	
		C	27									2	2	1	8	7	2	2	3	
77	Other forms of mental alienation	W	17									1			1	5	7	3		
		C	20								2	2	2	1	3	5	4	1		
78	Epilepsy	W	55	1	4				4	6	7	3	7	5	5	2	2	4	5	
		C	41	5	1	1	1		3	2	1	6	5	1	3	4	4	4		
79	Convulsions (nonpuerperal; 5 years and over)	C	6						1	1	1		1			1	1			
80	Infantile convulsions (under 5 years)	W	37	33	1	2	1													
		C	67	54	9	1	2	1												
81	Chorea	C	1									1								
82	Neuralgia and neuritis	W	7			1										3	1	1	1	
		C	4										1		1	1		1		
83	Softening of the brain	W	26													1	2	12	11	
		C	8													1	5		2	
84	Other diseases of the nervous system	W	62	1	1		2		1	1	3	1	1	3	6	4	8	17	13	
		C	21	1							1	2	4	1	2	4	4	1	1	
85	Diseases of the eye and annexa	W	2	2																
86a	Diseases of the ear	W	31	6	7		1	2	4	1	1	1		1	1	1	1	3	1	
		C	10	2	1		1			1		1			1	1	2			
86b	Diseases of the mastoid process	W	26	4		1	1		4	2	3	1	2	3	2			3		
		C	7				2			1			1		1	1	1			
	IV.—Diseases of the circulatory system	White	2,548	15	2	5	3	1	8	21	21	30	14	24	105	226	407	800	865	1
		Colored	1,438	6		1		1	8	10	17	30	35	50	192	323	297	233	233	2
87	Pericarditis	W	8			2				1	2					1	2			
		C	11								1	2	2		1	1	2	1	1	
88	Endocarditis and myocarditis (acute)	W	44	1		1			3	3	4	7	1	3	10	2	3	4	2	
		C	43	1					1		5	6	4	3	13	6	3		1	
89	Angina pectoris	W	191										1	1	8	35	40	65	41	
		C	43										1	7	9	9	12	5		
90	Other diseases of the heart	W	2,039	12	2	2	3	1	5	17	15	23	9	18	82	173	336	673	667	1
		C	1,234	5		1		1	7	10	10	22	26	39	162	285	262	211	191	2
91a	Aneurysm	W	20										2		1	4	8	1	4	
		C	29										2	1	5	15	3	1	2	
91b,c	Other diseases of the arteries	W	206											1		4	14	47	140	
		C	67												1	6	13	12	35	
92	Embolism and thrombosis (not cerebral)	W	23	1											2	5	4	7	4	
		C	3												1		1	1		
93	Diseases of the veins	W	8										1			2		2	3	
		C	3								1							1	1	
94	Diseases of the lymphatic system	W	1	1																
95	Hemorrhage without specified cause	W	2															1	1	
		C	1																1	
96	Other diseases of the circulatory system	W	6											1	2				3	
		C	4													1	1	1	1	
	V.—Diseases of the respiratory system	White	1,545	287	91	58	28	11	29	31	38	33	32	32	81	95	110	231	356	2
		Colored	1,128	327	100	42	19	8	21	20	42	47	35	39	108	109	100	56	54	1
97a	Diseases of the nasal fossae	W	20	12	1	2			1						1	1		1	1	
		C	25	22					1	1		1								
97b	Diseases of the nasal fossae annexa	W	13								3	1	1	1	3	2	1	1		
98	Diseases of the larynx	W	19	5	3	2	3	1	2						1			1	1	
		C	6	4											2					
99a	Acute bronchitis	W	32	9	1	1		1	1						1	1	2	2	13	
		C	23	15	2	1	1				1			1	1	1				
99b	Chronic bronchitis	W	47	1						1				2		2		13	28	
		C	17	2							1		2		2	3	2	1	4	
99c,d	Bronchitis (unspecified)	W	29	8	6				1	1	1								12	
		C	31	7	3	1	2	1		1	1		1	1	3	2	2	4	2	
100a	Bronchopneumonia	W	576	168	48	30	13	3	7	8	4	8	2	7	15	13	25	88	136	1
		C	377	165	67	20	7	4	9	4	9	5	4	6	16	20	16	10	15	
100b	Capillary bronchitis	W	5	3		1													1	
		C	18	8	2	1	1		1			1			1	1	1	1		
101a	Lobar pneumonia	W	542	35	20	12	7	3	10	16	21	17	24	19	47	58	68	91	93	1
		C	427	52	18	13	5	2	6	12	22	34	18	27	59	63	51	27	18	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	VIRGINIA—Continued																			
	V.—Diseases of the respiratory system—Continued																			
101b	Pneumonia (unspecified)	W	141	40	10	6	3	2	4	2	5	2	2		7	5	4	20	29	
		C	109	50	7	6	3	1	2		4	3	5	1	4	2	11	3	6	1
102	Pleurisy	W	39		1	3	2	1	1	2	2	3	2	2	5	4	5		6	
		C	22		1				1		1	3	2	1	5	2	4	2		
103	Congestion and hemorrhagic infarct of the lung	W	35	5		1						1				2	1	5	20	
		C	17	1					1						4	4	4	1	2	
104	Gangrene of the lung	W	1															1		
		C	1												1					
105	Asthma	W	30						1	1				1		5	4	5	13	
		C	32								1			1	3	6	7	7	7	
106	Pulmonary emphysema	W	1																1	
		C	1														1			
107	Other diseases of the respiratory system (tuberculosis excepted)	W	15	1	1				1		2	1	1		1	2		3	2	
		C	22	1						2	2		3	1	7	5	1			
	VI.—Diseases of the digestive system	White	1,465	434	179	65	36	15	50	29	26	33	31	26	93	90	115	136	106	1
		Colored	949	360	90	29	7	4	21	8	23	31	19	26	88	90	78	48	27	
108	Diseases of the mouth and annexa	W	8	3		1									1	1	1	1		
		C	10	3					1					1	2		1	1	1	
109a	Adenoid vegetations	C	1	1																
109b	Other diseases of the pharynx, tonsils	W	58	3	3	1	4	6	8	4	1	1	5	3	5	5	3	4	2	
		C	24	1	3			1	3		1	3	1	1	1	5	3	1		
110	Diseases of the esophagus	W	3						2									1		
111a	Ulcer of the stomach	W	38									1	1	2	8	10	9	5	2	
		C	33								1		1	7	6	8	8	1	1	
111b	Ulcer of the duodenum	W	16									2		1	4	4	3	2		
		C	5									1			1	1	2			
112	Other diseases of the stomach (cancer excepted)	W	97	22	1			1	2			2		1	5	4	13	23	23	
		C	97	20	3	1	1	1	1		3	2	2	2	17	10	15	14	5	
113	Diarrhea and enteritis (under 2 years)	W	555	389	166															
		C	396	317	79															
114	Diarrhea and enteritis (2 years and over)	W	155			56	25	5	7	3	2	1	2	2	3	1	9	19	20	
		C	82			19	2	2	5	2	1	6	4	5	6	10	9	5	6	
115	Ancylostomiasis	W	2				1		1											
		C	1			1														
116	Diseases due to other intestinal parasites	W	7		2	1	1	1	2											
		C	14	2	3	5	2		2											
117	Appendicitis and typhlitis	W	185	1		2	2	1	16	17	19	20	14	12	27	18	17	12	7	
		C	74		1		1		6	5	13	8	3	5	15	11	4	2		
118a	Hernia	W	36	1									1		3	6	6	10	9	
		C	31	2		1				1			1	1	7	6	4	2	6	
118b	Intestinal obstruction	W	82	13	5	3	2	1	5	1	2	2	2	1	12	6	13	5	9	
		C	57	6		1			2		1	7	3	1	12	9	10	5		
119	Other diseases of the intestines	W	25	1	1	1	1		2	2		2	1				3	6	5	
		C	15	5		1							1		2	2	1	2	1	
120	Acute yellow atrophy of the liver	W	3											1	1			1		
		C	3	1										1				1		
122	Cirrhosis of the liver	W	68										2	2	7	13	14	19	11	
		C	57								1				6	18	16	11	5	
123	Biliary calculi	W	41										1	1	4	11	5	11	7	1
		C	9												1	3	3	2		
124	Other diseases of the liver	W	60	1					2		1	1	2		10	10	16	10	7	
		C	24	1					1				3	1	9	6	1	1	1	
125	Diseases of the pancreas	W	3						1									2		
		C	1								1									
126	Peritonitis without specified cause	W	23		1				2	2	1	1			3	1	3	5	4	
		C	15	1	1		1				1	4		1	3	1	1		1	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	White	1,609	10	2	3	6	2	9	4	12	17	18	24	85	169	271	471	505	1
		Colored	1,023	7	2	1	2	3	6	7	10	17	30	44	118	201	215	178	177	5
128	Acute nephritis (including unspecified under 10 years)	W	73	6	1	2	5		4		4	2	2	3	11	8	9	9	7	
		C	94	4	2			1	5	2	3	5	3	5	19	13	16	11	3	2
129	Chronic nephritis (including unspecified 10 years and over)	W	1,322	1			1	2	4	3	6	6	8	14	52	135	234	417	438	1
		C	767				2	2	1	3	4	4	18	27	70	162	172	144	155	3
131	Other diseases of the kidneys and annexa	W	52	3	1	1			1	1	2	4	1		6	5	9	6	12	
		C	24	3								1	2	2	3	3	3	4	3	
132	Calculi of the urinary passages	W	12									1	1		2	6		2		
		C	4			1									1	1	1			
133	Diseases of the bladder	W	19												4	2	1	4	8	
		C	19													4	5	6	4	
134	Diseases of the urethra, etc	W	6										1			2	1	2		
		C	8											1	4	3				
135	Diseases of the prostate	W	80												1	3	9	28	39	
		C	43										1		1	6	11	12	12	
137	Cysts, other benign tumors of the ovary	W	6											1	1		3	1		
		C	10									2			3	2	2	1		
138	Salpingitis and pelvic abscess (female)	W	17									4	1	3	3	3	3			
		C	26							2	1	3	3	4	10	2	1			
139	Benign tumors of the uterus	W	18										1	2	4	3	1	1	1	
		C	15										1	2	6	4	2			
140	Nonpuerperal uterine hemorrhage	W	1										1							
141	Other diseases of the female genital organs	W	7										2	1		2	1	1		
		C	12								2	2	2	3		1	2			
142	Nonpuerperal diseases of the breast (cancer excepted)	W	1												1					
		C	1												1					
	VIII.—The puerperal state	White	266								27	54	50	56	74	3				2
		Colored	212							3	34	45	34	35	57	4				
143	Accidents of pregnancy	W	34								1	3	12	12	6					
		C	17								3	1	4	4	5					
144	Puerperal hemorrhage	W	35								2	5	5	9	14					
		C	17							1	1	3	3	1	6	2				
145	Other accidents of labor	W	31								2	6	7	6	9					1
		C	35								2	6	4	7	16					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	VIRGINIA—Continued																			
	VIII.—The puerperal state—Continued																			
146	Puerperal septicemia	W	87								9	22	18	14	21	2				1
		C	61							1	7	18	16	10	8	1				
147	Puerperal phlegmasia alba dolens, embolus, etc.	W	9									2	1	1	5					
		C	6								2	1		1	2					
148	Puerperal albuminuria and convulsions	W	70								13	16	7	14	19	1				
		C	76							1	19	16	7	12	20	1				
	IX.—Diseases of the skin and of the cellular tissue	White	56	7	1				1	2	1	1	3	1	2	4	5	4	24	
		Colored	30	3					1			1	1		1	2	7	8	6	
151	Gangrene	W	21	1														2	18	
		C	22						1							2	5	8	6	
152	Furuncle	W	9										1	1		1	3	1	2	
		C	2														2			
153	Acute abscess	W	11	1					1	1	1		2		2	1	1		1	
		C	3	1								1	1							
154	Other diseases of the skin and annexa	W	15	5	1					1		1				2	1	1	3	
		C	3	2											1					
	X.—Diseases of the bones and of the organs of locomotion	White	16				1	1	4	3						2	1	1	3	
		Colored	4							1					1	2				
155	Diseases of the bones (tuberculosis excepted)	W	12				1	1	4	3						1	1		1	
		C	3							1					1	1				
156	Diseases of the joints (tuberculosis and rheumatism excepted)	W	2													1			1	
158	Other diseases of the organs of locomotion	W	2															1	1	
		C	1													1				
	XI.—Malformations	White	217	196	6	3	4	1	4	1	1					1				
		Colored	68	60	3	2	1		1	1										
159a	Congenital hydrocephalus	W	19	13	3				1	1						1				
		C	12	8	2	1			1											
159b	Congenital malformations of the heart	W	124	110	3	3	4	1	2		1									
		C	33	31	1	1														
159c	Other congenital malformations	W	74	73					1											
		C	23	21			1			1										
	XII.—Early infancy	White	1,327	1,327																
		Colored	754	754																
160	Congenital debility, icterus, sclerema	W	226	226																
		C	231	231																
161a	Premature birth	W	890	890																
		C	396	396																
161b	Injury at birth	W	134	134																
		C	59	59																
162	Other diseases peculiar to early infancy	W	76	76																
		C	65	65																
163	Lack of care	W	1	1																
		C	3	3																
164	XIII.—Old age (senility)	White	357															35	322	
		Colored	247													1	5	36	205	
	XIV.—External causes	White	1,274	50	46	36	22	17	58	60	95	126	91	76	161	126	83	93	131	3
		Colored	643	31	16	18	14	11	39	38	64	64	71	46	82	53	35	28	25	8
	Suicide	W	129							2	6	11	13	8	28	25	22	13	1	
		C	8								1		1	2	1	3				
165	By poisons (gas excepted)	W	22							1		5	2	3	3	6	1	1		
166		C	1											1						
167	By poisonous gas	W	11								1	1	1		3	3	2			
		C	1													1				
168	By hanging or strangulation	W	16							1			2	2	4	2	2	3		
169	By drowning	W	6								1		1	1	1			1	1	
		C	1													1				
170	By firearms	W	59								4	4	4	2	14	11	14	6		
		C	4								1		1		1	1				
171	By cutting or piercing instruments	W	9												3	2	2	2		
		C	1											1						
172	By jumping from high places	W	1										1							
173	By crushing	W	1													1				
174	By other means	W	4									1	2				1			
	Homicide	W	96	2			2		1		9	16	11	10	18	22	2	2		1
		C	152	1					1	1	19	29	31	22	31	9	5			3
197	By firearms	W	68				2		1		5	14	7	6	13	18	1	1		
		C	125						1	1	18	20	26	20	24	8	5			2
198	By cutting or piercing instruments	W	7								2	1	1		2	1				
		C	16									7	4	2	2	1				
199	By other means	W	21	2							2	1	3	4	3	3	1	1		1
		C	11	1							1	2	1		5					1
	Accidental or undefined	W	1,049	48	46	36	20	17	57	58	80	99	67	58	115	79	59	78	130	2
		C	483	30	16	18	14	11	38	37	44	35	39	22	50	41	30	28	25	5
175	Poisoning by food	W	20	4	2	4	1	1		1					1	1		3	2	
		C	10		1	1					1		1	1	1	1		1	2	
176	Poisoning by venomous animals	W	2	1					1											
		C	1						1											
177	Other acute poisonings (gas excepted)	W	28	1	4	1	1				1	2	1	1	9	4	2		1	
		C	13		3	3	1	2			1	1	1		1					
178	Conflagration	W	13	3	1		2	1	1	3								1	1	
		C	33	2	3	3		3	5				2		3		4	2	3	3
179	Burns (conflagration excepted)	W	146	4	25	17	13	8	16	7	2	5	2	2	11	6	5	12	11	
		C	86	4	8	9	12	3	12	2	2	6	6	2	2	5	2	7	3	1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	VIRGINIA—Continued																			
	XIV.—External causes—Contd.																			
	Accidental or undefined—Continued																			
180	Mechanical suffocation	W	24	21							1	1		1						
		C	9	9																
181	Absorption of irrespirable, irritating, or poisonous gas	W	13	1						1	2	3	2	1	2	1				
		C	2							1					1					
182	Drowning	W	81		4	3		1	4	5	13	15	12	3	7	7	5	1	1	
		C	36				1	1	2	9	3	7	3	2	4	1	1	2		
183	Traumatism by firearms (except in war)	W	55			3		1	6	6	12	10	1	5	6	3	2			
		C	59						7	13	17	6	5	3	5	3				
184	Traumatism by cutting or piercing instruments	W	5		1						1						1	2		
		C	7							2	2			1	1				1	
185	Traumatism by fall	W	169	4	1	1			1	5	6	9	4	5	8	3	15	21	86	
		C	43	4		1			2		2	1		2	3	5	8	5	9	1
186a	Traumatism in mines	W	40								5	8	7	2	11	4	3			
		C	9									1	2		3	2	1			
186b	Taumatism in quarries	W	1									1								
		C	1												1					
187	Traumatism by machines	W	24				1		2		2	3	3	3	2	6	1	1		
		C	14								4	1	2		4	3				
188a	Railroad accidents	W	103						2	5	9	7	18	15	14	13	7	7	5	1
		C	33						1	1	3	2	5	2	9	4	3	2	1	
188b	Street-car accidents	W	15			2		1	1	2	3				2		1	3		
		C	3										1			1			1	
188c	Automobile accidents	W	154		1	1	1	2	12	11	14	23	9	9	20	19	9	13	10	
		C	46					2	5	4	4	6	8	2	6	5	3	1		
188d	Airplane and balloon accidents	W	5									2	1	1	1					
188e, 188f	Injuries by other vehicles	W	20						2	3	1	2		2	4		2	3	1	
		C	4								1				1	1			1	
188g	Landslide, other crushing	W	8						1	1		3	1		1					1
		C	7	1					1			1				1	2	1		
189	Injuries by animals (not poisoning)	W	17					2	3	3					3		3	3		
		C	5	1					2	1								1		
193	Excessive cold	W	3								1	1							1	
		C	3															2	1	
194	Excessive heat	W	5	2											1	1			1	
		C	12	6										1	1	2	1		1	
195	Lightning	W	5						2	1			1	1						
		C	2											1		1				
196	Other accidental electric shocks	W	11						1		1	1	1	3	3	1				
		C	3											1		2				
201	Fracture (cause not specified)	W	14							1	1				2		1	2	7	
		C	1															1		
202	Other external violence	W	68	7	7	4	1		2	3	5	3	4	4	7	10	2	6	3	
		C	41	3	1	1				4	4	3	3	4	4	4	5	3	2	
	XV.—Ill-defined diseases	White	466	224	30	10	1		1	2	5	5	4	1	11	16	34	75	46	1
		Colored	494	214	32	8	2	2	6	2	7	5	9	13	25	35	38	43	50	3
204	Sudden death	W	46	11							1				2	6	4	14	8	
		C	41	10	3			1	1		2	1			1	5	6	5	6	
205a	Ill-defined	W	161	36	19	5			1	1	2	1	1	1	5	10	27	35	17	
		C	191	33	26	5	1	1	3	1	3	2	7	5	12	24	28	25	15	
205b	Not specified or unknown	W	259	177	11	5	1			1	2	4	3		4		3	26	21	1
		C	262	171	3	3	1		2	1	2	2	2	8	12	6	4	13	29	3
	WASHINGTON																			
	All causes		13,856	1,428	199	116	103	72	317	258	371	460	469	537	1,251	1,571	2,098	2,370	2,206	30
	I.—Epidemic, endemic, and infectious diseases		2,125	167	68	35	42	21	132	81	159	172	160	175	288	200	183	143	96	3
1	Typhoid and paratyphoid fever		75					2	4	5	10	10	10	7	11	6	7	3		
5	Malaria		2											1		1				
6	Smallpox		8	1						1					1	2	2		1	
7	Measles		24	9	5	2	3		4	1										
8	Scarlet fever		28	1		1	2	2	13	4	2	1	1		1					
9	Whooping cough		76	42	18	7	4	2	1	1		1								
10	Diphtheria		99	2	3	5	13	6	46	18	4		1		1					
11a	Influenza (with pulmonary complications)		208	30	2	6	3		7	1	9	7	7	11	22	17	28	33	24	1
11b	Influenza (other and unspecified)		148	26	7	3	8	2	7	8	5	5	1	5	7	9	14	11	30	
16	Dysentery		22	8	2	1	2	1	1								2	3	2	
21	Erysipelas		38	13	3						1	1	1	2	3	3	1	7	3	
22	Acute anterior poliomyelitis		11	1	1				4	1	1	1		1				1		
23	Lethargic encephalitis		94	2	2	2	1		7	4	7	5	8	10	14	14	11	4	3	
24	Meningococcus meningitis		17	1	2			1	3	4	2	2		1			1			
25	Other epidemic and endemic diseases		3	2					1											
29	Tetanus		5											2	1		2			
	Tuberculosis (all forms)		1,113	13	20	6	6	5	33	31	113	131	126	123	201	115	92	71	26	1
31	Of the respiratory system		922	6	6				20	19	93	117	110	107	180	102	76	63	22	1
32	Of the meninges, central nervous system		69	5	14	5	4	4	7	8	8	2	3	2	1	2	4			
33	Of the intestines, peritoneum		51	1			1	1	2	1	8	5	8	7	4	5	3	2	3	
34	Of the vertebral column		17						1	2	1	2		1	4	1	2	3		
35	Of the joints		3						1				1					1		
36	Of other organs		31	1			1		2		2	1	1	4	8	4	5	1	1	
37a	Disseminated (acute)		17			1				1	1	4	3	2	3	1	1			
37b	Disseminated (chronic or unspecified)		3												1		1	1		
38	Syphilis		127	14	2				1	1	2	5	3	7	23	32	21	8	7	1
40	Gonococcus infection		13	1							2	2	2	3	1	1		1		
41	Purulent infection, septicemia		14	1	1	2				1	1	1		2	2		2	1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	WASHINGTON—Continued																		
	II.—General diseases not included in Class I	1,878	34	4	3	4	5	12	18	22	17	29	47	161	346	472	454	249	1
	Cancer and other malignant tumors	1,303	5	1	2			2	5	6	8	16	28	116	246	339	354	175	
43	Of the buccal cavity	38						1		1				1	3	13	11	8	
44	Of the stomach, liver	514	3		1			1				5	5	31	89	134	178	67	
45	Of the peritoneum, intestines, rectum	154	1						2	1		2	7	12	24	46	37	22	
46	Of the female genital organs	192									3	3	5	23	60	41	37	20	
47	Of the breast	101										2	1	19	23	28	17	11	
48	Of the skin	36										1	3	5	2	6	11	8	
49	Of other or unspecified organs	268	1	1	1				3	4	5	3	7	25	45	71	63	39	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	5												1		2		2	
51	Acute rheumatic fever	27					1	4	5	2				2	5	1	2	4	1
52	Chronic rheumatism, osteoarthritis, gout	16									1				2	2	3	8	
55	Beriberi	1																1	
56	Rickets	2	2																
57	Diabetes mellitus	249			1	3	1	4	7	8	4	4	10	11	27	69	57	43	
58	Anemia, chlorosis	91	1	1						1		1		5	23	30	22	7	
60a	Exophthalmic goiter	38								1	1	2	1	9	13	8	3		
60b	Other diseases of the thyroid gland	21		1								1	2	2	6	4	3	2	
61	Diseases of the parathyroid glands	1	1																
62	Diseases of the thymus gland	15	12				1		1					1					
63	Diseases of the adrenals (Addison's disease)	8										2		1	3	2			
65a	Leukemia	18				1	2	1			2	2		2	3	1	2	2	
65b	Hodgkin's disease	6												1		3	1	1	
66	Alcoholism (acute or chronic)	45								1	1	1	5	8	15	8	5	1	
67a	Chronic lead poisoning	6													3	1	1	1	
68	Chronic poisoning by organic substances	2														2			
69	Other general diseases	24	13	1				1		3			1	2			1	2	
	III.—Diseases of the nervous system and of the organs of special sense	1,588	26	10	4	5	2	14	13	12	12	17	28	108	169	320	447	398	3
70	Encephalitis	10	1					1	2	1					2	1		2	
71a	Simple meningitis	17	5	2	2	1		2		1		1				2		1	
71b	Nonepidemic cerebrospinal meningitis	4							2			1		1					
72	Tabes dorsalis (locomotor ataxia)	28												3	6	10	6	3	
73	Other diseases of the spinal cord	45	1				2	3	2	1	1		2	3	7	11	7	5	
74a	Cerebral hemorrhage	1,063	2							1	1	1	7	28	105	238	359	320	1
74b	Cerebral embolism and thrombosis	34		1								1		3	1	8	12	8	
75	Paralysis without specified cause	55								1			1	1	5	6	16	25	
76	General paralysis of the insane	111								1		4	5	37	27	22	10	5	
77	Other forms of mental alienation	57								1	4	5	8	11	7	5	8	8	
78	Epilepsy	48	2		1	1			3	1	5	2	3	10	5	5	7	2	1
80	Infantile convulsions (under 5 years)	17	11	3	1	2													
81	Chorea	1							1										
82	Neuralgia and neuritis	7													1	2	1	3	
83	Softening of the brain	13														2	3	7	1
84	Other diseases of the nervous system	44		2				4	2	2		1	1	3	2	4	15	8	
85	Diseases of the eye and annexa	2				1											1		
86a	Diseases of the ear	27	4	2				4	1			1	1	7	1	4	2		
86b	Diseases of the mastoid process	5								2	1			1				1	
	IV.—Diseases of the circulatory system	2,288	7		2		1	12	22	17	20	16	33	129	238	497	616	673	5
87	Pericarditis	9	1										1	1	2	2		2	
88	Endocarditis and myocarditis (acute)	66	1		1		1	5	3	3	2	3	6	14	4	12	7	4	
89	Angina pectoris	163										1	2	6	24	44	47	39	
90	Other diseases of the heart	1,714	5		1			6	19	14	18	11	24	98	183	376	486	470	3
91a	Aneurysm	31												4	8	10	3	5	1
91b,c	Other diseases of the arteries	267												2	10	44	65	145	1
92	Embolism and thrombosis (not cerebral)	26						1						2	4	8	7	4	
93	Diseases of the veins	6												1	2	1	1	1	
94	Diseases of the lymphatic system	1										1							
95	Hemorrhage without specified cause	3												1				2	
96	Other diseases of the circulatory system	2													1			1	
	V.—Diseases of the respiratory system	1,023	202	49	18	11	7	21	13	15	24	19	27	63	90	103	157	203	1
97a	Diseases of the nasal fossae	3														1		2	
97b	Diseases of the nasal fossae annexa	10								1	1	2		3	3				
98	Diseases of the larynx	7		2	2	1		1							1				
99a	Acute bronchitis	18	3								1			1		2		11	
99b	Chronic bronchitis	25													1	3	7	14	
99c,d	Bronchitis (unspecified)	18	5	1												1	3	8	
100a	Bronchopneumonia	351	125	25	10	4	5	9	3	3	4	3	3	12	20	17	38	70	
100b	Capillary bronchitis	5	3															2	
101a	Lobar pneumonia	458	50	12	4	5	1	7	8	9	16	13	19	39	53	66	85	70	1
101b	Pneumonia (unspecified)	43	13	4	2	1	1	2		1	1		2	2	1	2	5	6	
102	Pleurisy	39	3	2				2	1	1	1	1	2	3	5	4	8	6	
103	Congestion and hemorrhagic infarct of the lung	11		2													3	6	
104	Gangrene of the lung	2														1		1	
105	Asthma	25		1									1	3	3	5	5	7	
106	Pulmonary emphysema	1															1		
107	Other diseases of the respiratory system (tuberculosis excepted)	7							1						3	1	2		
	VI.—Diseases of the digestive system	981	129	32	27	16	17	44	27	38	29	37	30	91	147	114	117	83	3
108	Diseases of the mouth and annexa	5						1		1						2	1		
109a	Adenoid vegetations	1			1														
109b	Other diseases of the pharynx, tonsils	62	2	2	3	7	3	6	3	13	3	4	1	8	4	1	1	1	
110	Diseases of the esophagus	2														1		1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	WASHINGTON—Continued																		
	VI.—Diseases of the digestive system—Continued																		
111a	Ulcer of the stomach	64							1	2		1	4	10	14	14	14	3	1
111b	Ulcer of the duodenum	28						1	1		1	2	2	6	7	5	3		
112	Other diseases of the stomach (cancer excepted)	50	11	2	1			1				1		5	5	3	6	14	1
113	Diarrhea and enteritis (under 2 years)	122	97	25															
114	Diarrhea and enteritis (2 years and over)	46			12	3	10	4				1		1	3	2	3	7	
117	Appendicitis and typhlitis	223	2	1	6	5	2	27	20	17	18	14	15	29	38	16	9	3	1
118a	Hernia	50	3									1	2	1	11	6	13	13	
118b	Intestinal obstruction	100	11	2	4		1	2	2	2		7	3	12	14	9	18	13	
119	Other diseases of the intestines	17	2					1				1	1		3	2	4	3	
120	Acute yellow atrophy of the liver	4									1			2		1			
122	Cirrhosis of the liver	63												4	9	21	20	9	
123	Biliary calculi	63								1	1	2		4	9	20	14	12	
124	Other diseases of the liver	52	1			1	1			1	1	3		4	18	9	10	3	
125	Diseases of the pancreas	13									1		2	3	5	1		1	
126	Peritonitis without specified cause	16						1		1	3			2	7	1	1		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	1,031	5	3	1	1	1	2	11	10	10	22	24	87	136	189	283	245	1
128	Acute nephritis (including unspecified under 10 years)	35	2				1		3	1		4	3	2	7	2	7	4	
129	Chronic nephritis (including unspecified 10 years and over)	770			1	1	1	2	7	8	6	6	11	53	96	154	233	191	
131	Other diseases of the kidneys and annexa	39	2	3							1	3	1	6	7	5	5	6	
132	Calculi of the urinary passages	10												1	3	4	1	1	
133	Diseases of the bladder	9								1						1		7	
134	Diseases of the urethra, etc	4												1	1			2	
135	Diseases of the prostate	80												2	2	13	32	30	1
136	Nonvenereal diseases of the male genital organs	2	1														1		
137	Cysts, other benign tumors of the ovary	9										3		1	2		1	2	
138	Salpingitis and pelvic abscess (female)	26									1	3	7	9	3	3			
139	Benign tumors of the uterus	25										1	1	10	10	3			
140	Nonpuerperal uterine hemorrhage	2							1						1				
141	Other diseases of the female genital organs	20									2	2	1	2	4	4	3	2	
	VIII.—The puerperal state	168								11	40	42	34	39	2				
143	Accidents of pregnancy	20								1	3	2	5	9					
144	Puerperal hemorrhage	10									3	2	2	3					
145	Other accidents of labor	17									5	2	8	2					
146	Puerperal septicemia	79								4	21	28	10	16					
147	Puerperal phlegmasia alba dolens, embolus, etc	3									1	1		1					
148	Puerperal albuminuria and convulsions	38								6	6	7	9	8	2				
149	Following childbirth (undefined)	1									1								
	IX.—Diseases of the skin and of the cellular tissue	45	7			1			2	1	1	1	1	1	3	7	5	15	
151	Gangrene	25									1				2	3	5	14	
152	Furuncle	6							2				1			3			
153	Acute abscess	4	1			1				1					1				
154	Other diseases of the skin and annexa	10	6									1		1		1		1	
	X.—Diseases of the bones and of the organs of locomotion	14					1	2	1	1			1	1		3	1	3	
155	Diseases of the bones (tuberculosis excepted)	13					1	2	1	1			1	1		3	1	2	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	1																1	
	XI.—Malformations	161	147	3	2	5		2	2										
159a	Congenital hydrocephalus	10	7	1				1	1										
159b	Congenital malformations of the heart	100	94	2	1	3													
159c	Other congenital malformations	51	46		1	2		1	1										
	XII.—Early infancy	655	655																
160	Congenital debility, icterus, sclerema	73	73																
161a	Premature birth	415	415																
161b	Injury at birth	108	108																
162	Other diseases peculiar to early infancy	58	58																
163	Lack of care	1	1																
164	XIII.—Old age (senility)	142														2	16	124	
	XIV.—External causes	1,660	32	28	21	17	16	75	67	85	132	124	136	278	233	193	117	96	10
	Suicide	236						1		2	11	18	17	56	48	50	21	11	1
165, 166	By poisons (gas excepted)	44								1	4	4	1	18	5	8	2	1	
167	By poisonous gas	34										4	2	9	8	7	1	2	1
168	By hanging or strangulation	34									1	1	2	9	7	9	5		
169	By drowning	26								1			4	2	5	9	3	2	
170	By firearms	76						1			6	8	6	13	16	13	9	4	
171	By cutting or piercing instruments	15										1	1	3	5	4		1	
172	By jumping from high places	5											1	1	2			1	
173	By crushing	1												1					
174	By other means	1															1		
	Homicide	67	1	1	1		1		1	4	4	9	11	13	12	5	3		1
197	By firearms	47		1	1		1			2	2	4	10	9	9	4	3		1
198	By cutting or piercing instruments	7							1	1		2		2	1				
199	By other means	13	1							1	2	3	1	2	2	1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	WASHINGTON—Continued																		
	XIV.—External causes—Contd.																		
	Accidental or undefined	1,357	31	27	20	17	15	74	66	79	117	97	108	209	173	138	93	85	8
175	Poisoning by food	16	2	2	1				2	2		2		2	2		1		
176	Poisoning by venomous animals	1										1							
177	Other acute poisonings (gas excepted)	30	2	5		2	3	1	1			1	4	2	4	4		1	
178	Conflagration	24	4	1	2	2	2				1	1	2	2	2	1	2	2	
179	Burns (conflagration excepted)	60	1	7	5	1	4	8	5	3	1	1	1	5	8	4	1	5	
180	Mechanical suffocation	23	15										2	2	2	1		1	
181	Absorption of irrespirable, irritating, or poisonous gas	24									4	1	2	4	7	2	2	2	
182	Drowning	200		7	4	3		14	26	22	25	10	16	30	23	11	7	1	1
183	Traumatism by firearms (except in war)	39						5	8	9	1	1	4	3	4	4			
184	Traumatism by cutting or piercing instruments	13			1			3	2		1		1			3	2		
185	Traumatism by fall	154	1		1	2		3	1	4	6	6	6	16	21	24	20	43	
186a	Traumatism in mines	18								1	2	3	2	6	3	1			
187	Traumatism by machines	65						1	1	3	10	10	5	13	12	3	4	2	1
188a	Railroad accidents	105					1		3	3	7	20	9	25	14	15	4	3	1
188b	Street-car accidents	28	1		2		1	1		3	1		2	2	2	1	9	3	
188c	Automobile accidents	240	1		1	6	2	24	10	15	24	9	18	34	29	29	24	14	
188d	Airplane and balloon accidents	3									1	1		1					
188e,f	Injuries by other vehicles	31			1	1		2	4	4	6	1	1	1	4		5	1	
188g	Landslide, other crushing	62			1					4	5	9	6	19	12	4	1		1
189	Injuries by animals (not poisoning)	17			1		1	4		1					3	4	2	1	
193	Excessive cold	2														1		1	
194	Excessive heat	2													1	1			
196	Other accidental electric shocks	19						1	1		2	2	3	2	4	2		1	1
201	Fracture (cause not specified)	1													1				
202	Other external violence	180	4	5			1	7	2	5	20	18	24	40	15	23	9	4	3
	XV.—Ill-defined diseases	97	17	2	3	1	1	1	1		3	2	1	5	7	15	14	21	3
204	Sudden death	9	3									1				1	2	2	
205a	Ill-defined	30		2	1						1		1	3	3	6	5	8	
205b	Not specified or unknown	58	14		2	1	1	1	1		2	1		2	4	8	7	11	3
	WISCONSIN																		
	All causes	29,291	4,115	579	341	238	187	677	492	646	753	831	931	2,030	2,476	3,788	5,000	6,187	20
	I.—Epidemic, endemic, and infectious diseases	4,210	394	213	143	102	94	272	158	245	315	301	272	449	357	336	270	286	3
1	Typhoid and paratyphoid fever	61	1			1		1		11	6	3	7	10	12	6	2	1	
5	Malaria	1															1		
6	Smallpox	2	1												1				
7	Measles	220	54	61	30	8	12	23	9	9	4	3	3	1		1	1	1	
8	Scarlet fever	236	17	22	27	32	16	52	24	13	8	12	3	3	4	2	1		
9	Whooping cough	168	99	33	18	6	3	7							1			1	
10	Diphtheria	359	12	32	31	25	45	121	47	13	9	9	1	7	6		1		
11a	Influenza (with pulmonary complications)	600	66	25	9	7	6	9	11	24	14	15	18	52	59	72	98	115	
11b	Influenza (other and unspecified)	363	30	10	4	11	5	13	14	20	5	11	14	18	16	29	44	119	
13	Mumps	1							1										
15	Cholera nostras	1																1	
16	Dysentery	24	12	1	2								1		1	2	3	2	
19	Spirochetal hemorrhagic jaundice	1	1																
21	Erysipelas	86	27	5	1			1	1	1			4	5	10	5	11	15	
22	Acute anterior poliomyelitis	19		2	1	2	1	5	2	2				1	1	2			
23	Lethargic encephalitis	43	2	1	3	2		3	4	2	5	2	3	3	4	6	2	1	
24	Meningococcus meningitis	12	3	1	2				1	1	1			1		1	1		
25	Other epidemic and endemic diseases	6	4					1								1			
27	Anthrax	1												1					
29	Tetanus	19	2	1	1			4	2	1	1	1		1	1	1	2	1	
30	Mycoses	3	1													1	1		
	Tuberculosis all forms	1,836	39	18	13	8	6	29	40	144	255	241	210	322	205	184	92	27	3
31	Of the respiratory system	1,542	10	3	2	1	3	8	23	132	229	219	194	279	182	155	78	21	3
32	Of the meninges, central nervous system	124	19	13	9	7	3	19	8	3	12	9	5	7		7	2	1	
33	Of the intestines, peritoneum	67	5						3	2	5	8	4	19	10	8	2	1	
34	Of the vertebral column	23						1		4	3		1	2	3	4	4	1	
35	Of the joints	11			1			1	2				1	1	2	2		1	
36	Of other organs	30	2	1						1	2	1	3	7	2	5	5	1	
37a	Disseminated (acute)	23	3	1	1				4	1	3	3	1	2	3	1			
37b	Disseminated (chronic or unspecified)	16								1	1	1	1	5	3	2	1	1	
38	Syphilis	100	13	1	1			1		4	3	2	4	19	26	19	7		
40	Gonococcus infection	10	1								4	2	1	1	1				
41	Purulent infection, septicemia	38	9					2	2				3	4	9	4	3	2	
	II.—General diseases not included in Class I	3,905	79	14	12	15	8	39	46	55	34	44	88	314	555	930	1,046	621	5
	Cancer and other malignant tumors	2,533	2	2	4	1	2	4	4	11	7	13	38	179	367	660	761	477	1
43	Of the buccal cavity	85			1			1				2	1	3	8	23	24	22	
44	Of the stomach, liver	1,142	1							1	2	3	7	58	145	312	405	208	
45	Of the peritoneum, intestines, rectum	367						1		1		1	9	20	52	91	115	76	1
46	Of the female genital organs	252							1		1	1	7	48	47	76	49	22	
47	Of the breast	160											5	14	46	43	30	22	
48	Of the skin	57								1					5	10	12	29	
49	Of other or unspecified organs	470	1	2	3	1	2	2	3	8	4	6	9	36	64	105	126	98	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	16	2				1					1		1	4	3	2	2	
51	Acute rheumatic fever	110			2	2	1	9	10	13	2	3	3	8	12	19	9	17	
52	Chronic rheumatism, osteoarthritis, gout	44							1		1			3	7	7	12	13	
53	Scurvy	3	2					1											
54	Pellagra	4													3	1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	WISCONSIN—Continued																		
	II.—General diseases not included in Class I—Continued.																		
56	Rickets	11	10			1													
57	Diabetes mellitus	546		3	2	5	1	12	22	16	12	10	19	30	52	121	165	76	
58	Anemia, chlorosis	249	2	2		3	1	4	1	4	1	1	5	25	47	66	65	21	1
59	Diseases of the pituitary gland	3							1				1		1				
60a	Exophthalmic goiter	85								2	3	2	6	21	21	14	11	4	1
60b	Other diseases of the thyroid gland	39								3	3	2	4	5	7	6	4	4	1
61	Diseases of the parathyroid glands	1				1													
62	Diseases of the thymus gland	29	22	2	2			2					1						
63	Diseases of the adrenals (Addison's disease)	15									1	1	3	1	5	2	1	1	
64	Diseases of the spleen	2							1					1					
65a	Leukemia	32		1	1	1	1	1				2	1	6	6	5	5	2	
65b	Hodgkin's disease	44	2	1			1	2	5	3	1	5	1	4	5	9	4	1	
66	Alcoholism (acute or chronic)	77								1	1	2	5	28	17	15	6	1	1
67a	Chronic lead poisoning	1											1						
68	Chronic poisoning by organic substances	1								1									
69	Other general diseases	60	37	3	1	1		4	1	1	2	2		2	1	2	1	2	
	III.—Diseases of the nervous system and of the organs of special sense	3,427	154	23	18	12	8	41	28	22	42	46	57	173	334	558	874	1,036	1
70	Encephalitis	35	5	2	1	2	1	4	1	3	2	3	1	2	6	1		1	
71a	Simple meningitis	72	21	5	7	1	2	7	3		3	1	1	10	4	3	3	1	
71b	Nonepidemic cerebrospinal meningitis	40	10	4	2	2		9	2	2	2	2	2	1	1	1			
72	Tabes dorsalis (locomotor ataxia)	24											1	4	4	7	4	4	
73	Other diseases of the spinal cord	68			2	1		1	2	1	2	5	4	4	10	12	13	11	
74a	Cerebral hemorrhage	2,370	2	1		1			2		5	7	15	65	211	424	728	908	1
74b	Cerebral embolism and thrombosis	73	1								1	2	1	2	5	15	25	21	
75	Paralysis without specified cause	102							1		1			5	5	19	25	46	
76	General paralysis of the insane	124									1	4	7	35	38	16	17	6	
77	Other forms of mental alienation	81								1	1	9	5	11	17	16	9	12	
78	Epilepsy	96	1		2	1	1	2	8	7	12	6	10	13	12	10	7	4	
79	Convulsions (nonpuerperal; 5 years and over)	1											1						
80	Infantile convulsions (under 5 years)	109	98	5	2	2	2												
81	Chorea	4										1				2		1	
82	Neuralgia and neuritis	6													2		2	2	
83	Softening of the brain	16													2	1	7	6	
84	Other diseases of the nervous system	131	5	2	1	1		11	3	3	6	3	6	14	10	24	31	11	
85	Diseases of the eye and annexa	1												1					
86a	Diseases of the ear	49	9	4	1		2	7	2	3	2	3	2	5	3	3	3		
86b	Diseases of the mastoid process	25	2			1			4	2	4		1	1	4	4		2	
	IV.—Diseases of the circulatory system	4,848	28	7	4	4	6	29	45	41	37	53	65	175	380	803	1,317	1,852	2
87	Pericarditis	23	1	1				1	1				1		4	4	5	5	
88	Endocarditis and myocarditis (acute)	226	12	4	2	3	2	16	13	11	14	16	15	45	13	13	26	21	
89	Angina pectoris	212						1					1	13	15	58	57	67	
90	Other diseases of the heart	3,828	9	2	1	1	4	11	31	30	22	36	43	103	327	666	1,108	1,433	1
91a	Aneurysm	22												5	4	6	3	4	
91b,c	Other diseases of the arteries	452											1	2	7	36	101	304	1
92	Embolism and thrombosis (not cerebral)	48	1									1	3	4	4	9	12	14	
93	Diseases of the veins	25											1	2	6	10	3	3	
94	Diseases of the lymphatic system	7	4		1												2		
95	Hemorrhage without specified cause	5	1								1			1		1		1	
	V.—Diseases of the respiratory system	3,167	575	157	72	39	19	72	46	41	50	59	87	202	199	323	465	758	3
97a	Diseases of the nasal fossae	2	2																
97b	Diseases of the nasal fossae annexa	10	1					1	1	1	1				3	2			
98	Diseases of the larynx	27	7	5	2	1		5				1	1	1	3		1		
99a	Acute bronchitis	117	36	5	3	1					2	2		1	1	5	14	47	
99b	Chronic bronchitis	82		1										1	1	1	21	56	1
99c,d	Bronchitis (unspecified)	89	19	4	4		1			1			2	3	1	5	14	35	
100a	Bronchopneumonia	1,050	324	85	35	13	8	29	9	5	9	12	10	36	37	61	112	263	2
100b	Capillary bronchitis	27	16	2	1	1								1		1		5	
101a	Lobar pneumonia	1,386	114	40	19	16	8	27	25	26	32	36	63	146	131	210	240	253	
101b	Pneumonia (unspecified)	191	41	8	5	5	1	4	7	2	4	7	4	5	7	20	25	46	
102	Pleurisy	65	8	5	3	2	1	3	3	5	1	1	4	6	4	4	6	9	
103	Congestion and hemorrhagic infarct of the lung	31	5	1												1	8	16	
104	Gangrene of the lung	1											1						
105	Asthma	67						2		1			1	1	5	12	22	23	
106	Pulmonary emphysema	4											1			1		2	
107	Other diseases of the respiratory system (tuberculosis excepted)	18	2	1				1	1		1			1	6		2	3	
	VI.—Diseases of the digestive system	2,289	600	108	54	26	23	90	56	64	61	67	83	182	189	243	252	190	1
108	Diseases of the mouth and annexa	26	3	2			1	4	1		1	2		4	3	2	2	1	
109b	Other diseases of the pharynx, tonsils	92	8	3	3	7	5	19	8	7	5	3	4	8	6	2	2	2	
110	Diseases of the esophagus	3				1											1	1	
111a	Ulcer of the stomach	105							1	1	3	1	5	20	16	19	29	10	
111b	Ulcer of the duodenum	30									1	3	3	4	5	8	6		
112	Other diseases of the stomach (cancer excepted)	125	58	5	3	3	2	1		1		1	1	3	3	4	11	29	
113	Diarrhea and enteritis (under 2 years)	575	488	87															
114	Diarrhea and enteritis (2 years and over)	144			35	12	4	12	4	2	3	4	2	5	7	13	17	24	
116	Diseases due to other intestinal parasites	1					1												
117	Appendicitis and typhlitis	399	1	1	8	2	8	39	38	42	37	30	34	53	37	44	17	7	1
118a	Hernia	91	2	2				1		1		2		8	12	16	28	19	
118b	Intestinal obstruction	179	31	6	3	1		3	2	3	5	8	16	18	19	18	23	23	
119	Other diseases of the intestines	22	1	1			1	1	1	1				2	3	4	3	4	
120	Acute yellow atrophy of the liver	10										1		3	1		3	2	
121	Hydatid tumor of the liver	2										1				1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	WISCONSIN—Continued																		
	VI.—Diseases of the digestive system—Continued																		
122	Cirrhosis of the liver	202						1			2	1	5	19	36	48	55	35	
123	Biliary calculi	139									2	5	7	16	23	40	28	18	
124	Other diseases of the liver	96	4	1	1			4		1	1	1	3	11	13	19	23	14	
125	Diseases of the pancreas	12					1			1		2		3	3	2			
126	Peritonitis without specified cause	35	3		1			5	1	4	1	2	3	5	2	3	4	1	
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	1	1																
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	2,058	12	2	4	4	3	20	16	19	27	43	62	156	201	351	521	614	3
128	Acute nephritis (including unspecified under 10 years)	95	8	1	1	4	3	8	5	4	3	2	10	10	7	6	14	9	
129	Chronic nephritis (including unspecified 10 years and over)	1,663			1			9	9	13	19	24	30	112	171	319	445	508	3
131	Other diseases of the kidneys and annexa	44	3	1	1			2		1		2	2	5	6	6	9	6	
132	Calculi of the urinary passages	8							1					2	1	1	3		
133	Diseases of the bladder	34	1									1		1		4	7	20	
134	Diseases of the urethra, etc.	4													1	1		2	
135	Diseases of the prostate	113												1	1	10	36	65	
136	Nonvenereal diseases of the male genital organs	2			1												1		
137	Cysts, other benign tumors of the ovary	13										1	2	2	2	2	2	2	
138	Salpingitis and pelvic abscess (female)	34							1		5	10	12	4	2				
139	Benign tumors of the uterus	27								1		1	3	11	8		2	1	
140	Nonpuerperal uterine hemorrhage	1											1						
141	Other diseases of the female genital organs	19						1				1	2	8	2	2	2	1	
142	Nonpuerperal diseases of the breast (cancer excepted)	1										1							
	VIII.—The puerperal state	342								25	62	87	74	89	5				
143	Accidents of pregnancy	29								1	6	6	10	5	1				
144	Puerperal hemorrhage	26									5	5	1	14	1				
145	Other accidents of labor	42								2	10	9	8	11	2				
146	Puerperal septicemia	135								12	21	39	28	35					
147	Puerperal phlegmasia alba dolens, embolus, etc.	32								1	5	7	11	7	1				
148	Puerperal albuminuria and convulsions	74								9	14	20	16	15					
149	Following childbirth (undefined)	4									1	1		2					
	IX.—Diseases of the skin and of the cellular tissue	99	21	1			1	1	1		2	1	2	2	3	5	17	42	
151	Gangrene	60	3											1	1	3	16	36	
152	Furuncle	11	2						1		2	1	1		1	2		1	
153	Acute abscess	8	3				1	1						1	1			1	
154	Other diseases of the skin and annexa	20	13	1									1				1	4	
	X.—Diseases of the bones and of the organs of locomotion	41		1	1		2	8	4	3	2	2	3	3	3	2	4	3	
155	Diseases of the bones (tuberculosis excepted)	36		1	1		2	8	4	3	2	2	2	2	3	1	2	3	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	3											1	1		1			
158	Other diseases of the organs of locomotion	2															2		
	XI.—Malformations	368	340	7	2	3	1	6	3	3	3								
159a	Congenital hydrocephalus	38	30	3	1	1		1	1	1									
159b	Congenital malformations of the heart	184	174	2	1	1		2	2	1	1								
159c	Other congenital malformations	146	136	2		1	1	3		1	2								
	XII.—Early infancy	1,826	1,826																
160	Congenital debility, icterus, sclerema	256	256																
161a	Premature birth	1,100	1,100																
161b	Injury at birth	275	275																
162	Other diseases peculiar to early infancy	189	189																
163	Lack of care	6	6																
164	XIII.—Old age (senility)	647														2	60	585	
	XIV.—External causes	1,981	39	41	28	32	21	98	89	127	118	126	137	281	244	233	168	197	2
	Suicide	313							2	7	16	22	23	76	60	63	25	17	2
165, 166	By poisons (gas excepted)	38								3	5	6	4	10	4	6			
167	By poisonous gas	26									3	1		7	7	4	4		
168	By hanging or strangulation	97									4	7	4	19	19	23	12	9	
169	By drowning	27							1	1		1	3	6	6	6	3		
170	By firearms	89							1	3	4	4	9	20	19	18	5	6	
171	By cutting or piercing instruments	26										2	3	9	2	6	1	2	1
172	By jumping from high places	1													1				
173	By crushing	7										1		4	1				1
174	By other means	2												1	1				
	Homicide	61	7						3	2	4	6	4	14	11	9	1		
197	By firearms	33							3	1	2	4	3	8	9	3			
198	By cutting or piercing instruments	5									1			2		2			
199	By other means	23	7							1	1	2	1	4	2	4	1		
	Accidental or undefined	1,607	32	41	28	32	21	98	84	118	98	98	110	191	173	161	142	180	
175	Poisoning by food	17		3	1								3	3	2	2	2	1	
177	Other acute poisonings (gas excepted)	29	1	7	4	3	1	1	1	3			1	1	3	2		1	
178	Conflagration	19		2		1	1	1		1				4	2	1	3	3	
179	Burns (conflagration excepted)	94	1	5	12	7	4	10	3	2	2	6	4	9	7	3	9	10	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	WISCONSIN—Continued																		
	XIV.—External causes—Contd.																		
	Accidental or undefined—Continued																		
180	Mechanical suffocation	26	14	1				1		2			2	3	2	1			
181	Absorption of irrespirable, irritating, or poisonous gas	26	1					1	1	2		1	5	1	6	5	2	1	
182	Drowning	189	1	8	4	5	4	14	26	29	22	14	5	16	20	14	4	3	
183	Traumatism by firearms (except in war)	71		2				7	15	14	4	6	7	6	5	4		1	
184	Traumatism by cutting or piercing instruments	14		1				3		2	1		1		2		1	3	
185	Traumatism by fall	304	5	3	2	2	1	6	5	3	10	13	9	19	21	32	47	126	
186a	Traumatism in mines	4									1	2	1						
186b	Traumatism in quarries	2						1							1				
187	Traumatism by machines	47		1				2		3	3	4	10	6	8	6	3	1	
188a	Railroad accidents	145					3	4	4	13	14	12	10	33	18	19	8	7	
188b	Street-car accidents	36			1	2		3	1	1	1	3	5	6	2	3	5	3	
188c	Automobile accidents	292		4	1	7	5	35	21	19	23	16	25	40	26	30	28	12	
188d	Airplane and balloon accidents	1										1							
188e,f	Injuries by other vehicles	49	1					3		6	4	1	4	4	5	11	9	1	
188g	Landslide, other crushing	24							1	2	3		1	7	6	3	1		
189	Injuries by animals (not poisoning)	28		1		1		2	1		1		1	3	4	8	4	2	
193	Excessive cold	12												4	5	2	1		
194	Excessive heat	14	2							1		1	2	2	1	1	3	1	
195	Lightning	9							1	2		4		1			1		
196	Other accidental electric shocks	28						1	1	3	4	5	7	6	1				
201	Fracture (cause not specified)	6								2	1			1	1	1			
202	Other external violence	121	6	3	3	4	2	3	3	8	4	9	7	16	25	13	11	4	
	XV.—Ill-defined diseases	83	47	5	3	1	1	1		1		2	1	4	6	2	6	3	
204	Sudden death	9	5		1									2		1			
205a	Ill-defined	16		5	1			1				1	1	1	1	1	3	1	
205b	Not specified or unknown	58	42		1	1	1			1		1		1	5		3	2	
	WYOMING																		
	All causes	2,180	394	78	29	19	16	48	45	43	116	134	125	274	216	216	215	187	25
	I.—Epidemic, endemic, and infectious diseases	276	44	28	8	6	4	13	8	9	17	20	17	36	24	11	14	13	4
1	Typhoid and paratyphoid fever	15		1				1	3	1	1	2	2	3					1
5	Malaria	2													1	1			
6	Smallpox	2								1	1								
7	Measles	30	7	12	2	3	1	3				1	1						
8	Scarlet fever	5		1	1			2		1									
9	Whooping cough	23	18	3	2														
10	Diphtheria	11		3		1		2	3						2				
11a	Influenza (with pulmonary complications)	42	7	4	1	1	1	1			1	2	3	6	5	1	4	4	1
11b	Influenza (other and unspecified)	26	5					1			2	2	2	3	2		6	3	
16	Dysentery	8	3	2	2														1
21	Erysipelas	6	1												1			4	
22	Acute anterior poliomyelitis	1								1									
23	Lethargic encephalitis	2		1										1					
24	Meningococcus meningitis	2									1			1					
25	Other epidemic and endemic diseases	7							1					1	2	1	1	1	
29	Tetanus	2				1				1									
	Tuberculosis (all forms)	77		1			2	3	1	4	10	11	8	17	9	7	3		1
31	Of the respiratory system	62		1				1	1	4	9	9	8	13	7	5	3		1
32	Of the meninges, central nervous system	4					1	2								1			
33	Of the intestines, peritoneum	5					1					2		2					
34	Of the vertebral column	1													1				
36	Of other organs	4									1			2	1				
37a	Disseminated (acute)	1														1			
38	Syphilis	9	3									1		3	1	1			
40	Gonococcus infection	1											1						
41	Purulent infection, septicemia	5									1	1		1	1			1	
	II.—General diseases not included in Class I	192	8	2	1			3	1	4	5	7	3	21	39	38	40	18	2
	Cancer and other malignant tumors	116						1			1	2	1	9	31	26	30	13	2
43	Of the buccal cavity	1																1	
44	Of the stomach, liver	62										1		2	18	16	17	7	1
45	Of the peritoneum, intestines, rectum	10											1	1	2	2	3	1	
46	Of the female genital organs	15									1			6	5	2	1		
47	Of the breast	3														2		1	
48	Of the skin	6															4	1	1
49	Of other or unspecified organs	19						1				1			6	4	5	2	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	1															1		
51	Acute rheumatic fever	5						1				1		1		2			
52	Chronic rheumatism, osteoarthritis, gout	2														1		1	
56	Rickets	3	1	2															
57	Diabetes mellitus	21							1	3	2		2	1		7	5		
58	Anemia, chlorosis	6									1	1			2		1	1	
60a	Exophthalmic goiter	6								1	1			1	2			1	
60b	Other diseases of the thyroid gland	2															2		
63	Diseases of the adrenals (Addison's disease)	1														1			
65b	Hodgkin's disease	1						1											
66	Alcoholism (acute or chronic)	17										3		7	4	1	1	1	
67a	Chronic lead poisoning	1												1					
69	Other general diseases	10	7		1									1				1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	WYOMING—Continued																		
	III.—Diseases of the nervous system and of the organs of special sense	152	5	2		1		1			2	4	7	11	15	35	44	22	3
70	Encephalitis	2						1						1					
71a	Simple meningitis	1															1		
71b	Nonepidemic cerebrospinal meningitis	3	1	1									1						
72	Tabes dorsalis (locomotor ataxia)	4										1				2	1		
73	Other diseases of the spinal cord	3															1	2	
74a	Cerebral hemorrhage	101										2		5	12	27	36	16	3
74b	Cerebral embolism and thrombosis	2															2		
75	Paralysis without specified cause	4														1	2	1	
76	General paralysis of the insane	11									1	1	3	3	1		1	1	
77	Other forms of mental alienation	1														1			
78	Epilepsy	4									1		3						
80	Infantile convulsions (under 5 years)	2	2																
83	Softening of the brain	1														1			
84	Other diseases of the nervous system	7	1											1	1	2		2	
86a	Diseases of the ear	2	1	1															
86b	Diseases of the mastoid process	4				1								1	1	1			
	IV.—Diseases of the circulatory system	204	3				1	4	7	5	7	5	7	15	25	38	45	39	3
87	Pericarditis	1									1								
88	Endocarditis and myocarditis (acute)	14	2					1	3	1			2	2	1			1	1
89	Angina pectoris	11									1				3	1	3	2	1
90	Other diseases of the heart	151	1					3	4	4	4	4	4	10	21	34	35	26	1
91a	Aneurysm	2															1	1	
91b,c	Other diseases of the arteries	17														2	6	9	
92	Embolism and thrombosis (not cerebral)	4					1				1	1	1						
93	Diseases of the veins	4												3		1			
	V.—Diseases of the respiratory system	207	68	22	5	2	3	8	6	1	5	8	6	12	11	15	10	18	7
97a	Diseases of the nasal fossae	1							1										
97b	Diseases of the nasal fossae annexa	1											1						
98	Diseases of the larynx	2		1					1										
99a	Acute bronchitis	2	1															1	
99b	Chronic bronchitis	1														1			
99c,d	Bronchitis (unspecified)	3	2	1															
100a	Bronchopneumonia	86	44	11	2	2	2	5	2	1	1		1	3	1		2	3	6
100b	Capillary bronchitis	1	1																
101a	Lobar pneumonia	60	9	8	1		1		1		4	7	3	6	4	4	5	7	
101b	Pneumonia (unspecified)	35	11	1	2			2	1			1	1		4	6	2	4	
102	Pleurisy	4						1						1	1	1			
103	Congestion and hemorrhagic infarct of the lung	2																2	
105	Asthma	6													1	3	1		1
107	Other diseases of the respiratory system (tuberculosis excepted)	3												2				1	
	VI.—Diseases of the digestive system	203	47	13	8	3	4	7	7	10	14	9	15	25	13	16	8	2	2
108	Diseases of the mouth and annexa	5	1							1				1	1	1			
109b	Other diseases of the pharynx, tonsils	8						2		1	3	1		1					
111a	Ulcer of the stomach	6							2					2	1				1
111b	Ulcer of the duodenum	2												1				1	
112	Other diseases of the stomach (cancer excepted)	8	3	1	1											2	1		
113	Diarrhea and enteritis (under 2 years)	47	36	11															
114	Diarrhea and enteritis (2 years and over)	15			7	2	2							2	1	1			
117	Appendicitis and typhlitis	56	1				2	4	5	5	6	7	7	10	6	1	1		1
118a	Hernia	2														2			
118b	Intestinal obstruction	23	5			1				2	3		4	2	2	3	1		
119	Other diseases of the intestines	2															1	1	
120	Acute yellow atrophy of the liver	2	1								1								
122	Cirrhosis of the liver	9												3	1	2	3		
123	Biliary calculi	4											1		1	2			
124	Other diseases of the liver	6		1							1		2	1		1			
125	Diseases of the pancreas	1															1		
126	Peritonitis without specified cause	7						1		1		1	1	2		1			
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	129	1		1			1	4	1	8	10	1	21	12	21	27	20	1
128	Acute nephritis (including unspecified under 10 years)	12			1				3	1	2	1		1	1	2			
129	Chronic nephritis (including unspecified 10 years and over)	77						1	1		1	3	1	9	7	18	20	16	
131	Other diseases of the kidneys and annexa	4												1	2		1		
133	Diseases of the bladder	2										1					1		
134	Diseases of the urethra, etc	2	1																1
135	Diseases of the prostate	10														1	5	4	
137	Cysts, other benign tumors of the ovary	2										1			1				
138	Salpingitis and pelvic abscess (female)	14									4	4		6					
139	Benign tumors of the uterus	2												2					
141	Other diseases of the female genital organs	4									1			2	1				
	VIII.—The puerperal state	36								2	2	11	7	13	1				
143	Accidents of pregnancy	6										1	2	3					
144	Puerperal hemorrhage	3										1		1	1				
145	Other accidents of labor	4										1	2	1					
146	Puerperal septicemia	6									1	3	1	1					
147	Puerperal phlegmasia alba dolens, embolus, etc	2								1	1								
148	Puerperal albuminuria and convulsions	15								1		5	2	7					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	WYOMING—Continued																		
	IX.—Diseases of the skin and of the cellular tissue	6	1						1								1	3	
151	Gangrene	5							1								1	3	
154	Other diseases of the skin and annexa	1	1																
	X.—Diseases of the bones and of the organs of locomotion	1															1		
155	Diseases of the bones (tuberculosis excepted)	1															1		
	XI.—Malformations	27	26							1									
159b	Congenital malformations of the heart	15	14							1									
159c	Other congenital malformations	12	12																
	XII.—Early infancy	180	180																
160	Congenital debility, icterus, sclerema	22	22																
161a	Premature birth	117	117																
161b	Injury at birth	24	24																
162	Other diseases peculiar to early infancy	17	17																
164	XIII.—Old age (senility)	47															7	40	
	XIV.—External causes	481	4	7	6	5	4	10	11	9	56	60	62	116	74	33	11	11	2
	Suicide	38								1		4	3	9	9	7	2	2	1
165, 166	By poisons (gas excepted)	3											1		2				
168	By hanging or strangulation	2													1		1		
169	By drowning	1															1		
170	By firearms	26								1		3	1	8	5	5		2	1
171	By cutting or piercing instruments	2										1		1					
172	By jumping from high places	1														1			
173	By crushing	1													1				
174	By other means	2											1			1			
	Homicide	29									5	3	6	6	8	1			
197	By firearms	24									5	3	5	5	5	1			
198	By cutting or piercing instruments	2												1	1				
199	By other means	3											1		2				
	Accidental or undefined	414	4	7	6	5	4	10	11	8	51	53	53	101	57	25	9	9	1
175	Poisoning by food	3	1		1						1								
176	Poisoning by venomous animals	1		1															
177	Other acute poisonings (gas excepted)	8		1		1			1	1			1	2		1			
178	Conflagration	3	2								1								
179	Burns (conflagration excepted)	19		1	1			2	2		4	1	2	1	3	1		1	
180	Mechanical suffocation	1												1					
181	Absorption of irrespirable, irritating, or poisonous gas	9				1					4				2	1		1	
182	Drowning	17		1	2		1	3				4	1	3		2			
183	Traumatism by firearms (except in war)	9								1	4			4					
184	Traumatism by cutting or piercing instruments	2												1	1				
185	Traumatism by fall	28	1			1			2		2	3	4	1	4	1	3	6	
186a	Traumatism in mines	129								2	18	20	26	40	19	4			
187	Traumatism by machines	6						1			1	1		2	1				
188a	Railroad accidents	72							1	3	6	14	7	24	12	4	1		
188c	Automobile accidents	51		1			3	3	3	1	4	5	6	10	7	4	3		1
188d	Airplane and balloon accidents	4									1	1	1	1					
188e,f	Injuries by other vehicles	9									1	1	2	2	2	1			
188g	Landslide, other crushing	3												1	1	1			
189	Injuries by animals (not poisoning)	3									1		1	1					
193	Excessive cold	2													1	1			
195	Lightning	11						1			1	1		4	2	1	1		
196	Other accidental electric shocks	1							1										
201	Fracture (cause not specified)	1														1			
202	Other external violence	22		2	2	2			1		2	2	2	3	2	2	1	1	
	XV.—Ill-defined diseases	39	7	4		2		1		1				4	2	9	7	1	1
205a	Ill-defined	18	2	1										3	2	5	4	1	
205b	Not specified or unknown	21	5	3		2		1		1				1		4	3		1

NOTE.—For populations, see reference in Table 4.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1923

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List. The cities included are those of 100,000 population or more in 1920. Cities shown by color are those with a minimum of 25,000 colored population on Jan. 1, 1920]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
BIRMINGHAM, ALA. (WHITE), all causes	1,429	214	70	28	17	10	30	28	43	71	54	66	126	179	171	198	124	
Typhoid and paratyphoid fever (1)	7	1					2		2				1	1				
Measles (7)	16	2	6	1	1	2				1			1		1		1	
Scarlet fever (8)	2		1			1												
Whooping cough (9)	10	5	3	2														
Diphtheria (10)	11	3	2	1	2	2	1											
Influenza (11)	59	7	4	1	2		1		2	2	3	3	4	6	3	11	10	
Meningococcus meningitis (24)	1						1											
Tuberculosis of the respiratory system (31)	45			1					3	6	5	7	10	4	5	3	1	
Other forms of tuberculosis (32-37)	11		1				2	1		1			2	2	1	1		
Cancer and other malignant tumors (43-49)	99		1		2	1				1	2	3	11	22	26	19	11	
Diabetes mellitus (57)	19							2	1				1	6	5	3	1	
Cerebral hemorrhage and softening (74, 83)	69											2	2	11	17	25	12	
Other [organic] diseases of the heart (90)	111	1					2	3		2	2	3	5	19	19	33	22	
Bronchitis (99)	5	1													1	1	2	
Bronchopneumonia (100)	27	9	2	1							1	1	1		2	4	6	
Pneumonia (101)	85	8	6	1			2	1	4	7	4	6	10	8	12	13	3	
Diarrhea and enteritis (113, 114)	71	36	25	3	2				1						1	2	1	
Appendicitis and typhlitis (117)	38			1	1	1	4	8	3	2	3	7	3	3	1	1		
Hernia, intestinal obstruction (118)	17	1	1							2			5	2	2	4		
Cirrhosis of the liver (122)	7												1	4	2			
Nephritis (128, 129)	103		1						2	2	2	4	6	16	20	32	18	
Diseases of the female genital organs (137-141)	21									3	2	4	4	7	1			
Puerperal septicemia (146)	10								1	3	2	2	2					
Other puerperal causes (143-145, 147-150)	28								4	4	7	3	9	1				
Suicide (165-174)	14								1	3	3		3	1	3			
Homicide (197-200)	24								2	1	4	4	4	4	3	2		
Automobile accidents (188c)	36			2	1	2	2		5	7	5	3	1	1	4	1	2	
Other external causes (175-188b, 188d-196, 201-203)	96	2	6	6	3	1	3	3	6	14	5	7	8	9	12	6	5	
All other causes	387	138	11	8	3		10	10	6	10	4	7	32	52	30	37	29	
BIRMINGHAM, ALA. (COLORED), all causes	1,624	255	63	26	20	9	35	18	79	139	140	102	238	257	130	61	52	
Typhoid and paratyphoid fever (1)	8						1		1	4		1	1					
Measles (7)	15	4	5	3	1	1	1											
Scarlet fever (8)																		
Whooping cough (9)	31	13	13	1	2		1	1										
Diphtheria (10)	1		1															
Influenza (11)	50	5	4	1	1		1	1	3	5	5	2	10	9	1	1	1	
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	174		1	1	2		4	2	21	33	36	12	37	19	5		1	
Other forms of tuberculosis (32-37)	31	2		2		1	5	1	2	4	6	3	3	2				
Cancer and other malignant tumors (43-49)	45				1					2	2	5	15	11	7	1	1	
Diabetes mellitus (57)	7											1	3	1	1		1	
Cerebral hemorrhage and softening (74, 83)	67										1	1	9	23	16	9	8	
Other [organic] diseases of the heart (90)	105							2		1	3	7	23	33	23	7	6	
Bronchitis (99)	6	3					1							1	1			
Bronchopneumonia (100)	55	19	5	3	5		1	1	2	3	1	1	1	4	2	5	2	
Pneumonia (101)	161	12	5	2	3	2	5	1	10	22	20	11	20	26	13	6	3	
Diarrhea and enteritis (113, 114)	46	26	12	5	1					1				1				
Appendicitis and typhlitis (117)	23							1	4	3	4	1	5	4	1			
Hernia, intestinal obstruction (118)	17	3								2	1	3	3	3	1	1		
Cirrhosis of the liver (122)	1													1				
Nephritis (128, 129)	77	1	2							5	4	4	13	22	15	5	6	
Diseases of the female genital organs (137-141)	14										3	4	5		2			
Puerperal septicemia (146)	9								2	2	3	1	1					
Other puerperal causes (143-145, 147-150)	14								2	2	4	4	2					
Suicide (165-174)	1											1						
Homicide (197-200)	80	1					1	1	6	24	13	13	14	7				
Automobile accidents (188c)	13			1		1	1		2	2	2			1	2	1		
Other external causes (175-188b, 188d-196, 201-203)	69	3		3	2	1	5	3	11	7	8	6	10	7	1	2		
All other causes	504	163	15	4	2	3	8	4	13	17	24	21	63	82	39	23	23	
LOS ANGELES, CALIF. (WHITE), all causes	10,123	1,121	200	98	64	46	174	119	206	376	423	397	1,031	1,226	1,495	1,605	1,541	1
Typhoid and paratyphoid fever (1)	28						2	1	3	2	4	2	8	4	1	1		
Measles (7)	54	8	18	10	5	2	8		3									
Scarlet fever (8)	25	1	3	1	1	4	3	1	3	4	2	1	1					
Whooping cough (9)	32	16	7	7		1	1											
Diphtheria (10)	123	13	8	8	8	10	38	20	4	2	3	1	1	1	6			
Influenza (11)	88	6	4	6			3	1	1	3	3	7	6	9	13	11	15	
Meningococcus meningitis (24)	10	2		1	1		1	2		2				1				
Tuberculosis of the respiratory system (31)	978	9	5	4	5	3	8	12	55	142	136	107	205	136	82	52	17	
Other forms of tuberculosis (32-37)	131	8	9	6	5	4	13	7	7	11	8	9	19	11	6	7	1	
Cancer and other malignant tumors (43-49)	1,011	1	1		1		2	1	6	1	8	15	91	214	313	231	126	
Diabetes mellitus (57)	147			1			1	1		2	3	2	19	23	44	33	18	
Cerebral hemorrhage and softening (74, 83)	697									2	3	8	26	78	152	207	221	
Other [organic] diseases of the heart (90)	1,343	3		2	2		5	11	9	11	16	35	80	172	240	368	389	
Bronchitis (99)	84	27	3	3	1	2					1			3	5	14	25	
Bronchopneumonia (100)	339	120	31	13	2	3	6	3	3	8	3	5	18	16	24	30	54	
Pneumonia (101)	280	25	10	6	2		7	1	4	13	17	18	27	30	43	47	30	
Diarrhea and enteritis (113, 114)	333	232	53	5	7	3	4		2		1	1	4	4	5	9	3	
Appendicitis and typhlitis (117)	123						4	3	19	16	11	12	24	17	11	6		
Hernia, intestinal obstruction (118)	121	11	1	1			1	1		4	9	2	18	23	20	14	16	
Cirrhosis of the liver (122)	79							2	1		1		6	22	18	18	11	
Nephritis (128, 129)	781		3			3	3	2	3	7	14	23	71	100	152	199	201	
Diseases of the female genital organs (137-141)	63								3	3	5	8	21	15	6	1	1	
Puerperal septicemia (146)	50								5	13	15	5	11	1				
Other puerperal causes (143-145, 147-150)	62								8	7	17	13	17					
Suicide (165-174)	212							1	2	16	21	12	50	51	33	16	10	
Homicide (197-200)	85		1					1	5	10	21	10	29	7		1		
Automobile accidents (188c)	207	1	2	2	3	1	8	10	13	13	5	8	34	27	32	32	16	
Other external causes (175-188b, 188d-196, 201-203)	475	14	6	6	10		7	7	19	32	51	35	68	55	40	52	72	1
All other causes	2,162	624	35	16	11	10	49	31	28	52	45	58	177	206	249	256	315	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1923—Continued

[See note at head of this table, p. 352]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	7 years and over	Age unknown
LOS ANGELES, CALIF. (COLORED), all causes	627	89	29	14	7	7	10	9	22	47	39	41	76	86	87	39	25	-----
Typhoid and paratyphoid fever (1)	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----
Measles (7)	2	1	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Scarlet fever (8)	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Whooping cough (9)	5	2	2	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Diphtheria (10)	4	-----	1	1	1	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Influenza (11)	8	-----	-----	1	-----	-----	-----	1	-----	-----	-----	-----	1	3	1	-----	1	-----
Meningococcus meningitis (24)	2	-----	1	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tuberculosis of the respiratory system (31)	98	-----	2	1	1	-----	1	3	7	18	12	10	22	9	8	4	-----	-----
Other forms of tuberculosis (32-37)	23	5	3	1	1	1	-----	-----	-----	2	4	2	2	2	-----	-----	-----	-----
Cancer and other malignant tumors (43-49)	32	-----	-----	-----	-----	-----	-----	-----	-----	-----	2	1	8	8	8	3	2	-----
Diabetes mellitus (57)	6	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	2	3	-----	-----	-----
Cerebral hemorrhage and softening (74, 83)	27	-----	-----	-----	-----	-----	1	-----	-----	1	-----	-----	2	7	10	2	4	-----
Other [organic] diseases of the heart (90)	63	-----	1	-----	-----	-----	-----	1	1	1	1	3	5	16	14	12	8	-----
Bronchitis (99)	3	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----
Bronchopneumonia (100)	30	14	4	2	-----	-----	-----	-----	-----	-----	1	-----	4	2	1	2	-----	-----
Pneumonia (101)	23	3	2	2	-----	-----	1	1	1	-----	3	-----	1	3	1	4	1	-----
Diarrhea and enteritis (113, 114)	32	19	4	2	2	2	1	-----	-----	-----	-----	-----	-----	1	1	-----	-----	-----
Appendicitis and typhlitis (117)	7	1	-----	-----	-----	-----	1	1	-----	1	-----	1	1	1	-----	-----	-----	-----
Hernia, intestinal obstruction (118)	8	2	-----	-----	-----	-----	-----	-----	-----	1	1	1	-----	-----	3	-----	-----	-----
Cirrhosis of the liver (122)	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Nephritis (128, 129)	49	-----	-----	-----	-----	1	-----	-----	-----	1	1	2	5	9	18	8	4	-----
Diseases of the female genital organs (137-141)	6	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	1	3	-----	1	-----	-----	-----
Puerperal septicemia (146)	5	-----	-----	-----	-----	-----	-----	-----	1	1	-----	2	1	-----	-----	-----	-----	-----
Other puerperal causes (143-145, 147-150)	6	-----	-----	-----	-----	-----	-----	-----	1	1	2	2	-----	-----	-----	-----	-----	-----
Suicide (165-174)	8	-----	-----	-----	-----	-----	-----	-----	-----	1	1	1	2	1	2	-----	-----	-----
Homicide (197-200)	17	-----	-----	-----	-----	-----	-----	-----	1	2	3	3	4	4	-----	-----	-----	-----
Automobile accidents (188c)	17	-----	-----	-----	-----	-----	1	-----	2	3	2	1	2	1	3	1	1	-----
Other external causes (175-188b, 188d-196, 201-203)	22	-----	3	-----	1	-----	2	-----	3	3	-----	2	1	5	1	1	-----	-----
All other causes	123	40	6	3	1	2	1	2	4	10	6	8	11	12	11	2	4	-----
OAKLAND, CALIF., all causes	2,604	261	55	29	27	19	68	29	50	51	73	71	221	299	412	455	484	-----
Typhoid and paratyphoid fever (1)	8	-----	-----	-----	-----	1	1	-----	2	1	1	1	-----	1	-----	-----	-----	-----
Measles (7)	23	7	6	2	-----	2	6	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Scarlet fever (8)	4	-----	1	1	-----	1	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Whooping cough (9)	16	5	6	2	1	-----	1	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----
Diphtheria (10)	62	1	3	8	10	5	22	8	1	-----	1	-----	2	1	-----	-----	-----	-----
Influenza (11)	48	6	2	-----	1	2	1	1	1	1	1	2	7	2	10	3	8	-----
Meningococcus meningitis (24)	2	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----
Tuberculosis of the respiratory system (31)	118	4	-----	-----	1	1	-----	-----	10	17	18	9	19	15	14	7	3	-----
Other forms of tuberculosis (32-37)	27	6	3	1	1	-----	4	1	1	1	2	1	3	2	1	-----	-----	-----
Cancer and other malignant tumors (43-49)	251	-----	-----	-----	1	-----	-----	2	-----	-----	-----	3	19	68	61	66	31	-----
Diabetes mellitus (57)	43	1	-----	-----	-----	1	-----	-----	-----	-----	1	1	5	5	9	10	10	-----
Cerebral hemorrhage and softening (74, 83)	238	-----	-----	-----	1	-----	-----	1	-----	1	2	3	13	28	47	60	82	-----
Other [organic] diseases of the heart (90)	466	1	1	-----	-----	-----	4	4	1	1	6	6	29	46	100	132	135	-----
Bronchitis (99)	33	8	-----	-----	-----	-----	1	-----	-----	-----	1	1	-----	2	1	3	16	-----
Bronchopneumonia (100)	65	20	9	2	2	-----	4	-----	1	-----	-----	2	3	3	3	4	12	-----
Pneumonia (101)	95	12	5	-----	-----	-----	2	-----	10	-----	1	1	10	12	10	14	18	-----
Diarrhea and enteritis (113, 114)	47	35	5	1	-----	1	-----	-----	-----	-----	1	-----	1	-----	-----	-----	3	-----
Appendicitis and typhlitis (117)	35	1	-----	1	1	-----	2	-----	3	4	3	4	3	6	6	1	-----	-----
Hernia, intestinal obstruction (118)	21	2	1	-----	-----	-----	-----	1	-----	-----	1	-----	5	2	3	4	2	-----
Cirrhosis of the liver (122)	20	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	1	7	5	3	3	-----
Nephritis (128, 129)	186	-----	-----	-----	-----	-----	2	1	1	3	3	3	13	21	45	47	47	-----
Diseases of the female genital organs (137-141)	15	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	2	6	4	2	-----	1	-----
Puerperal septicemia (146)	7	-----	-----	-----	-----	-----	-----	-----	1	1	3	1	1	-----	-----	-----	-----	-----
Other puerperal causes (143-145, 147-150)	8	-----	-----	-----	-----	-----	-----	-----	-----	2	1	3	2	-----	-----	-----	-----	-----
Suicide (165-174)	59	-----	-----	-----	-----	-----	-----	-----	1	1	6	4	14	16	8	4	5	-----
Homicide (197-200)	14	1	-----	-----	-----	-----	-----	-----	1	-----	3	3	3	1	1	1	-----	-----
Automobile accidents (188c)	50	-----	-----	-----	-----	2	3	1	3	1	6	-----	7	7	6	10	4	-----
Other external causes (175-188b, 188d-196, 201-203)	119	3	3	4	3	1	2	1	10	7	6	6	13	15	13	20	12	-----
All other causes	524	147	10	7	5	2	13	7	3	10	6	14	41	35	66	66	92	-----
SAN FRANCISCO, CALIF., all causes	7,318	504	103	57	48	53	162	89	106	186	236	301	781	1,131	1,348	1,215	997	1
Typhoid and paratyphoid fever (1)	17	-----	-----	-----	-----	-----	-----	1	1	1	2	4	2	4	2	-----	-----	-----
Measles (7)	26	7	12	1	2	1	1	-----	2	-----	-----	-----	-----	-----	-----	-----	-----	-----
Scarlet fever (8)	14	-----	1	3	-----	2	3	-----	2	1	1	1	-----	-----	-----	-----	-----	-----
Whooping cough (9)	29	15	6	6	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Diphtheria (10)	152	2	9	11	18	19	68	18	3	2	2	-----	-----	-----	-----	-----	-----	-----
Influenza (11)	93	10	6	1	1	1	2	4	4	5	2	3	15	11	7	11	10	-----
Meningococcus meningitis (24)	15	1	2	1	-----	1	3	2	2	1	-----	1	1	-----	-----	-----	-----	-----
Tuberculosis of the respiratory system (31)	572	5	2	2	3	-----	3	6	21	58	55	60	133	120	67	28	9	-----
Other forms of tuberculosis (32-37)	108	11	8	7	4	4	6	4	2	11	10	7	15	7	8	2	2	-----
Cancer and other malignant tumors (43-49)	855	1	-----	-----	-----	1	1	1	1	4	7	17	87	190	275	191	79	-----
Diabetes mellitus (57)	135	-----	-----	-----	-----	-----	-----	3	3	1	3	3	6	17	34	40	25	-----
Cerebral hemorrhage and softening (74, 83)	486	3	1	-----	-----	-----	1	-----	-----	1	4	3	24	64	113	156	116	-----
Other [organic] diseases of the heart (90)	1,256	-----	1	-----	1	-----	7	5	5	7	16	12	64	178	284	319	357	-----
Bronchitis (99)	39	7	-----	1	-----	1	-----	-----	-----	-----	-----	4	-----	4	5	6	11	-----
Bronchopneumonia (100)	259	61	21	3	4	1	3	2	5	3	5	5	17	21	30	34	44	-----
Pneumonia (101)	309	16	7	2	-----	6	4	4	5	9	5	15	47	52	64	41	32	-----
Diarrhea and enteritis (113, 114)	80	43	6	2	1	1	2	-----	-----	-----	2	3	5	4	2	5	4	-----
Appendicitis and typhlitis (117)	125	-----	-----	-----	4	3	2	5	10	4	9	10	28	32	15	2	1	-----
Hernia, intestinal obstruction (118)	76	4	1	-----	-----	-----	1	2	1	1	4	5	7	14	18	10	8	-----
Cirrhosis of the liver (122)	58	-----	-----	-----	-----	-----	1	1	-----	1	-----	3	12	8	18	11	3	-----
Nephritis (128, 129)	565	1	-----	1	-----	-----	1	4	3	5	9	16	48	91	115	148	123	-----
Diseases of the female genital organs (137-141)	42	-----	-----	-----	-----	-----	-----	-----	-----	-----	3	6	16	11	4	1	1	-----
Puerperal septicemia (146)	18	-----	-----	-----	-----	-----	-----	-----	2	2	4	3	7	-----	-----	-----	-----	-----
Other puerperal causes (143-145, 147-150)	34	-----	-----	-----	-----	-----	-----	-----	3	8	11	5	7	-----	-----	-----	-----	-----
Suicide (165-174)	180	-----	-----	-----	-----	-----	-----	-----	3	7	15	19	36	46	37	11	5	1
Homicide (197-200)	34	-----	-----	-----	-----	-----	-----	-----	4	4	7	5	7	2	3	1	1	-----
Automobile accidents (188c)	107	-----	-----	-----	2	4	9	5	-----	5	5	9	12	17	21	13	5	-----
Other external causes (175-188b, 188d-196, 201-203)	320	4	5	3	2	4	8	9	8	16	22	26	57	55	40	32	29	-----
All other causes	1,314	313	15	13	4	4	36	13	16	29	33	56	128	183	186	153	132	-----

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTAN T CAUSES, BY AGE, IN LARGE CITIES: 1923—Continued

[See note at head of this table, p. 352]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
DENVER, COLO., all causes	3,997	473	88	48	31	31	78	58	86	160	187	184	437	435	579	569	534	19
Typhoid and paratyphoid fever (1)	15	1	1	1			1		3	1	1	2	1	2	1			
Measles (7)	42	6	11	6	2	2	9	2	1	1	1					1		
Scarlet fever (8)	3						2	1										
Whooping cough (9)	33	19	6	3	2	2	1											
Diphtheria (10)	80	5	7	7	10	9	21	6	3	2	1	2	1	4	1	1		
Influenza (11)	143	22	8	5	2	1	2	2	6	10	5	4	9	11	15	22	19	
Meningococcus meningitis (24)	2						2											
Tuberculosis of the respiratory system (31)	528	1	1					3	21	70	99	69	151	65	28	15	3	2
Other forms of tuberculosis (32-37)	42	6	7	2	1		1	2	1	3	5	5	5	3	1			
Cancer and other malignant tumors (43-49)	341						1		4	2	6	5	32	61	115	75	36	4
Diabetes mellitus (57)	53						3	3	1	2	1		4	5	16	11	7	
Cerebral hemorrhage and softening (74, 83)	282	2							1		1	3	6	28	55	84	102	
Other [organic] diseases of the heart (90)	395	2	1				5	7	9	4	6	9	30	42	98	93	84	5
Bronchitis (99)	18	4									1		1	1		4	7	
Bronchopneumonia (100)	128	44	7	5	2	1	1	1		1		2	6	7	5	18	28	
Pneumonia (101)	255	18	4		1	2	7	2	4	7	5	16	22	33	42	45	45	2
Diarrhea and enteritis (113, 114)	88	58	18	6										2	2		2	
Appendicitis and typhlitis (117)	88			1	1	3	3	2	9	7	3	8	15	10	21	3	2	
Hernia, intestinal obstruction (118)	40	4	1								3		8	7	8	5	4	
Cirrhosis of the liver (122)	12												3	1	1	1	6	
Nephritis (128, 129)	230	3	1				2	5	2	1	4	4	16	27	47	62	56	
Diseases of the female genital organs (137-141)	31									3	2	5	10	7	2	2		
Puerperal septicemia (146)	20									4	6	4	6					
Other puerperal causes (143-145, 147-150)	35								3	11	9	7	4	1				
Suicide (165-174)	58								1	5	4	2	20	13	6	4	2	1
Homicide (197-200)	29								2	3	5	4	10	2	1			2
Automobile accidents (188c)	45			2			3	5	1	3	2	3	2	5	7	9	3	
Other external causes (175-188b, 188d-196, 201-203)	135	10	4	5	5	5	6	2	7	8	6	7	13	18	11	13	15	
All other causes	826	268	11	5	5	6	8	15	7	12	11	23	62	80	96	101	113	3
BRIDGEPORT, CONN., all causes	1,642	261	63	43	20	12	48	18	28	41	53	53	149	207	250	238	158	
Typhoid and paratyphoid fever (1)	2											1	1					
Measles (7)	43	20	12	6	3		2											
Scarlet fever (8)	4			1		1	1				1							
Whooping cough (9)	18	4	6	6	2													
Diphtheria (10)	27	3	8	3	3	2	8											
Influenza (11)	35	5	2	3	2	1				1		1	4	6	2	4	4	
Meningococcus meningitis (24)	7	2					2	2							1			
Tuberculosis of the respiratory system (31)	113		2		1		1	3	4	9	16	9	30	22	11	5		
Other forms of tuberculosis (32-37)	15	2	2		2		3		2				3		1			
Cancer and other malignant tumors (43-49)	153			1				1		1	2	2	10	32	50	40	14	
Diabetes mellitus (57)	32			1	1					1	1	1	2	8	5	12		
Cerebral hemorrhage and softening (74, 83)	113	1	1								2		7	12	35	34	21	
Other [organic] diseases of the heart (90)	240						1	1	2	3	1	3	15	29	61	67	57	
Bronchitis (99)	3	1	1														1	
Bronchopneumonia (100)	68	28	7	3		1	2			3				4	4	6	10	
Pneumonia (101)	91	7	7	2	1	1	3	1	1	5	2	2	12	20	9	13	5	
Diarrhea and enteritis (113, 114)	35	21	5	4											3		2	
Appendicitis and typhlitis (117)	17						2		3	1	2	2	2	2	1	2		
Hernia, intestinal obstruction (118)	15	3	1					1			1		2	2	1	3	1	
Cirrhosis of the liver (122)	15												5	2	4	4		
Nephritis (128, 129)	91			1							4	6	4	17	20	19	20	
Diseases of the female genital organs (137-141)	4												3	1				
Puerperal septicemia (146)	8									3	1		4					
Other puerperal causes (143-145, 147-150)	12								2		2	3	5					
Suicide (165-174)	17								1	5	1	1	4	2	1	2		
Homicide (197-200)	3									1	1				1			
Automobile accidents (188c)	23			1			5			2	4	2	2	5	1	1		
Other external causes (175-188b, 188d-196, 201-203)	94	6	4	3	2	3	6	5	4	4	2	6	10	13	12	4	10	
All other causes	344	158	5	8	3	3	12	4	9	2	10	14	24	30	27	22	13	
HARTFORD, CONN., all causes	1,992	307	53	38	9	16	39	27	25	39	57	72	170	247	335	298	260	
Typhoid and paratyphoid fever (1)	5							2			1		1				1	
Measles (7)	3		1	1			1											
Scarlet fever (8)	6		1	1			2	1		1								
Whooping cough (9)	11	2	7	2														
Diphtheria (10)	29	3	4	8	4	2	6				1	1						
Influenza (11)	20	9	1							1		1			1	3	4	
Meningococcus meningitis (24)	3		1			1										1		
Tuberculosis of the respiratory system (31)	90						1	1	3	13	11	7	18	14	18	3	1	
Other forms of tuberculosis (32-37)	28	4	4	2	1			1	3	2	3	1	3		3	1		
Cancer and other malignant tumors (43-49)	181	1								2	1	1	20	41	59	42	14	
Diabetes mellitus (57)	52						1	1		1	1	3	4	9	15	13	4	
Cerebral hemorrhage and softening (74, 83)	144								1	1		1	4	19	36	40	42	
Other [organic] diseases of the heart (90)	290	1	1				2	3	1	2	6	6	15	39	57	78	79	
Bronchitis (99)	14	7	1					1						1	1		3	
Bronchopneumonia (100)	106	39	10	4				1				3	3	7	10	10	19	
Pneumonia (101)	95	4	6	1		2	1	2	2	2	4	3	12	13	19	16	8	
Diarrhea and enteritis (113, 114)	58	48	3	3		1	1					1					1	
Appendicitis and typhlitis (117)	29		1			1	4	3	2		1	2	5	2	5	2	1	
Hernia, intestinal obstruction (118)	18	3							1	1	1	2		3	4	1	2	
Cirrhosis of the liver (122)	12													2	4	6		
Nephritis (128, 129)	138		1	3			4		1	1	2	3	13	28	30	26	26	
Diseases of the female genital organs (137-141)	12										1		4	4	2	1		
Puerperal septicemia (146)	8									2	1	2	3					
Other puerperal causes (143-145, 147-150)	15										5	3	7					
Suicide (165-174)	23										6	5	4	4	1	1	2	
Homicide (197-200)	8									2	2	2	1	1				
Automobile accidents (188c)	40			1	1	1	6	2	2	1	1	2	4	5	8	3	3	
Other external causes (175-188b, 188d-196, 201-203)	106	2	3	7		2	3	2	4	3	5	7	13	15	12	11	17	
All other causes	448	184	8	5	3	6	7	7	5	4	4	16	36	40	50	40	33	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1923—Continued

[See note at head of this table, p. 352]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
NEW HAVEN, CONN., all causes	2,181	294	60	26	18	14	58	37	33	41	50	82	185	258	347	386	291	1
Typhoid and paratyphoid fever (1)	10						2	1	2				4			1		
Measles (7)	10	2	2		1	1	3				1							
Scarlet fever (8)	8		2	1	2	1	2											
Whooping cough (9)	9	4	3	2														
Diphtheria (10)	19	1	3	1	2	1	8	1	1					1				
Influenza (11)	48	4	3				1			1		1	3	4	11	9	11	
Meningococcus meningitis (24)	3		1						1			1						
Tuberculosis of the respiratory system (31)	75		1				1	2	10	11	9	11	11	7	8	3	1	
Other forms of tuberculosis (32-37)	33	3	7	1	1	1	4	3	1			3	1	4	2	2		
Cancer and other malignant tumors (43-49)	185						1	1	1	1	1	5	15	39	55	44	22	
Diabetes mellitus (57)	46				1			1		2	1	1	3	8	15	10	4	
Cerebral hemorrhage and softening (74, 83)	176						1		1		2	2	9	19	44	57	41	
Other [organic] diseases of the heart (90)	299						2	4	3	2	4	4	10	40	72	82	76	
Bronchitis (99)	7	1											1		1	4		
Bronchopneumonia (100)	114	24	17	6	1		1	1		1		1	2	4	14	17	25	
Pneumonia (101)	144	11	2	2	2		2	5		1	3	12	23	21	17	22	21	
Diarrhea and enteritis (113, 114)	42	34	5										1	1		1		
Appendicitis and typhlitis (117)	24		1		2		2		1	3		1	5	3	3	3		
Hernia, intestinal obstruction (118)	16	2					1					1	2	3	4	2	1	
Cirrhosis of the liver (122)	7												1	1	2	3		
Nephritis (128, 129)	139						1	2	2	2	2		10	15	25	54	26	
Diseases of the female genital organs (137-141)	10												3	5	1	1		
Puerperal septicemia (146)	16									5	2	8	1					
Other puerperal causes (143-145, 147-150)	12									1	3	3	5					
Suicide (165-174)	29									2	2	4	7	6	6	2		
Homicide (197-200)	5										1		2	2				
Automobile accidents (188c)	28				1	1	5	1	1		1	1	5	6	3	1	2	
Other external causes (175-188b, 188d-196, 201-203)	115	3	2	2	1	3	4	6		3	3	7	15	17	13	20	16	
All other causes	552	205	11	11	4	6	17	9	9	6	15	16	46	52	51	48	45	1
WILMINGTON, DEL., all causes	1,550	230	79	35	18	16	40	20	24	44	47	43	121	153	233	232	215	
Typhoid and paratyphoid fever (1)	4						1		1	1			1					
Measles (7)	40	12	15	7		3	2	1										
Scarlet fever (8)	11		1		1		6				1	1	1					
Whooping cough (9)	9	3	3	2		1												
Diphtheria (10)	19		7	7	1	1	3											
Influenza (11)	35	2	2	2	1		2			1	2	3	2	1	7	7	3	
Meningococcus meningitis (24)	1	1																
Tuberculosis of the respiratory system (31)	72	4	2					1	8	5	10	3	16	10	6	5	2	
Other forms of tuberculosis (32-37)	15	2	1	1	1		3	1	2	1		3						
Cancer and other malignant tumors (43-49)	97										1	2	8	25	25	22	14	
Diabetes mellitus (57)	19										2			4	6	7		
Cerebral hemorrhage and softening (74, 83)	146			1							1		5	20	42	39	38	
Other [organic] diseases of the heart (90)	192	1					1		2	1	3	7	12	24	44	45	52	
Bronchitis (99)	12	4	3	2										1			2	
Bronchopneumonia (100)	82	31	21	4	2	3							1	2	5	8	5	
Pneumonia (101)	107	15	6	2	2	1		1	1	4	5	2	10	12	16	17	13	
Diarrhea and enteritis (113, 114)	67	49	8	3	2		1			1					1		2	
Appendicitis and typhlitis (117)	18							1	1	3		3	4	1	4	1		
Hernia, intestinal obstruction (118)	13	1						1		1		2		3	3	2		
Cirrhosis of the liver (122)	8												2	1	5			
Nephritis (128, 129)	156	1	1				1	3		1		5	18	11	31	43	41	
Diseases of the female genital organs (137-141)	8								1	1	2			4				
Puerperal septicemia (146)	15							1	1	4	4	2	3					
Other puerperal causes (143-145, 147-150)	6									1	1	2	2					
Suicide (165-174)	11								1		1	1	2	3	3			
Homicide (197-200)	6									3	2		1					
Automobile accidents (188c)	29			1	1	1	4	3	1	1		2	5	4	4	2		
Other external causes (175-188b, 188d-196, 201-203)	69		3	2	5	1	10	4	3	6	4	2	6	6	7	3	7	
All other causes	283	104	6	1	2	5	6	3	2	9	8	3	22	21	24	31	36	
WASHINGTON, D. C. (WHITE), all causes	4,437	452	91	39	26	23	69	42	60	131	142	167	366	510	637	836	846	
Typhoid and paratyphoid fever (1)	20							1	2		2	2	6	5	1	1		
Measles (7)	31	7	10	3	2	2	7											
Scarlet fever (8)	12			1	1	2	2	3		1				1			1	
Whooping cough (9)	20	10	8	2														
Diphtheria (10)	37	1	7	6	4	4	12	3										
Influenza (11)	98	7	5	1	2		1		3	2	4	3	7	11	18	13	21	
Meningococcus meningitis (24)	3	1		1			1											
Tuberculosis of the respiratory system (31)	243	1	1			1	1	1	10	31	30	29	53	33	29	21	2	
Other forms of tuberculosis (32-37)	42	3	8		3		5	2	1	2	3	5	2	4	3	1		
Cancer and other malignant tumors (43-49)	387	1		1			1			3	7	10	35	76	92	97	64	
Diabetes mellitus (57)	72								1	2	3	1	4	15	17	22	7	
Cerebral hemorrhage and softening (74, 83)	366											4	9	40	66	120	127	
Other [organic] diseases of the heart (90)	650	2				1	3	6	6	5	8	6	24	73	138	190	188	
Bronchitis (99)	25	2												1	1	9	12	
Bronchopneumonia (100)	182	41	15	2	3	5	1			3	1	1	9	10	16	32	43	
Pneumonia (101)	213	11	6	3	1		2	2	4	10	3	6	22	34	24	47	38	
Diarrhea and enteritis (113, 114)	113	80	13	3			3				1	1	2	2	1	2	5	
Appendicitis and typhlitis (117)	62			1			2	5		3	6	7	13	10	6	8	1	
Hernia, intestinal obstruction (118)	52	6		1	1						1	2	6	11	10	7	7	
Cirrhosis of the liver (122)	28				1								3	5	6	10	3	
Nephritis (128, 129)	391	1		2		1	2		1	4	7	8	22	44	77	102	120	
Diseases of the female genital organs (137-141)	21								1			2	6	7	3	1	1	
Puerperal septicemia (146)	24								2	9	5	4	4					
Other puerperal causes (143-145, 147-150)	33								2	10	4	10	6	1				
Suicide (165-174)	67								1	3	13	7	14	8	9	8	4	
Homicide (197-200)	15							2	1		2	3	1	2	3	1		
Automobile accidents (188c)	60					1	5	9	5	5	1	3	10	7	7	5	2	
Other external causes (175-188b, 188d-196, 201-203)	165	2	4	7	2	1	4	2	8	10	9	11	16	20	17	23	29	
All other causes	1,005	276	14	5	6	5	17	6	12	28	32	42	92	90	93	116	171	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1923—Continued

[See note at head of this table, p. 352]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
WASHINGTON, D. C. (COLORED), all causes	2,668	375	88	39	18	9	38	34	112	126	145	129	386	431	334	259	145	
Typhoid and paratyphoid fever (1)	8						1	1	1	2	1	1				1		
Measles (7)	11	4	6	1														
Scarlet fever (8)	3				2		1											
Whooping cough (9)	20	11	7				1	1										
Diphtheria (10)	6	2		2	2													
Influenza (11)	70	5	3	1	1		1		5	3	2	5	7	10	9	11	7	
Meningococcus meningitis (24)	4	1				1			1	1								
Tuberculosis of the respiratory system (31)	272	1	1				2	6	38	51	47	25	57	26	13	3	2	
Other forms of tuberculosis (32-37)	31	2	1	3	1		5	3	4	2			7	1	1	1		
Cancer and other malignant tumors (43-49)	104				1				1		3	3	19	34	25	14	4	
Diabetes mellitus (57)	24									1	1	1	5	8	5	2	1	
Cerebral hemorrhage and softening (74, 83)	175	1								2			17	44	56	38	17	
Other [organic] diseases of the heart (90)	370		2	1			3	1	6	7	7	13	43	102	92	62	31	
Bronchitis (99)	23	3	1							1		1	1	4	2	4	6	
Bronchopneumonia (100)	254	97	36	13	6	4	5	3	7	3	6	7	18	16	13	12	8	
Pneumonia (101)	203	10	8	5	1	1	1	5	11	12	9	15	49	33	19	18	6	
Diarrhea and enteritis (113, 114)	66	36	11	3	1				1	2		1	4	1	2	2	2	
Appendicitis and typhlitis (117)	25			1	1		1	2	1	3	4	2	4	4	1	1		
Hernia, intestinal obstruction (118)	29	1							2		3	1	6	6	3	6	1	
Cirrhosis of the liver (122)	7												1	4	2			
Nephritis (128, 129)	207					1		1	6	2	7	8	25	54	44	37	22	
Diseases of the female genital organs (137-141)	18								1	2	3	2	5	5				
Puerperal septicemia (146)	14								3	5	4	1	1					
Other puerperal causes (143-145, 147-150)	20								1	6	1	5	7					
Suicide (165-174)	5								1	1	1			2				
Homicide (197-200)	33						1	1	3	3	10	4	8	2	1			
Automobile accidents (188c)	26						3		4	3	5	2	5	3	1			
Other external causes (175-188b, 188d-196, 201-203)	73	2	2	2	2		8	5	3	5	6	4	12	13	4	4	1	
All other causes	567	199	10	7		2	5	5	12	9	25	28	85	59	41	43	37	
ATLANTA, GA. (WHITE), all causes	2,088	327	85	41	18	5	36	27	49	68	101	95	174	241	254	288	279	
Typhoid and paratyphoid fever (1)	14		1				2	3	1	2	1	1	1	2				
Measles (7)	46	9	15	8	3		8				1			1	1			
Scarlet fever (8)	1				1													
Whooping cough (9)	20	12	5	1	2													
Diphtheria (10)	19	3	5	4	2		3	1	1									
Influenza (11)	72	6	2	6	1	1	2		4	1	1	3	8	12	1	10	14	
Meningococcus meningitis (24)	4				1		1					1		1				
Tuberculosis of the respiratory system (31)	97							1	3	11	19	12	13	17	13	5	3	
Other forms of tuberculosis (32-37)	11	1	1	1			1		1			1	1	2		2		
Cancer and other malignant tumors (43-49)	120							1	2		2	5	11	32	30	22	15	
Diabetes mellitus (57)	22											2	1	5	8	5	1	
Cerebral hemorrhage and softening (74, 83)	145	2						1	1	1	2	1	11	20	27	42	37	
Other [organic] diseases of the heart (90)	175				1				3	3	1	2	7	34	38	50	36	
Bronchitis (99)	4	1															3	
Bronchopneumonia (100)	70	31	10	4		1	2		1		1	1		3	3	6	7	
Pneumonia (101)	85	9	3	1	1			1	3	4	7	4	12	8	9	17	6	
Diarrhea and enteritis (113, 114)	85	48	25	4				1					1	2	1		3	
Appendicitis and typhlitis (117)	48						1	3	5	6	5	10	9	5	1	3		
Hernia, intestinal obstruction (118)	21	1		3	1				1		2		2	4	4		3	
Cirrhosis of the liver (122)	10										1		2	1	5	1		
Nephritis (128, 129)	259			3					1	5	2	5	14	35	65	62	67	
Diseases of the female genital organs (137-141)	21									3	3	4	6	3		1	1	
Puerperal septicemia (146)	20								2	3	5	6	4					
Other puerperal causes (143-145, 147-150)	31								2	4	8	9	8					
Suicide (165-174)	26									2		3	7	5	6	2	1	
Homicide (197-200)	12										5	2	2	3				
Automobile accidents (188c)	37				1	1	5	3	3	4	4	3	5	3	3	1	1	
Other external causes (175-188b, 188d-196, 201-203)	98	5	7	3	2	2	2	4	4	8	5	3	8	12	6	10	17	
All other causes	515	199	11	3	2		9	8	11	11	26	17	41	31	33	49	64	
ATLANTA, GA. (COLORED), all causes	1,937	286	116	51	27	18	41	34	86	163	131	105	278	287	164	81	69	
Typhoid and paratyphoid fever (1)	32		1	1		1	2	2	7	6	5	4	2	1				
Measles (7)	26	5	8	4	1		5	1	1	1								
Scarlet fever (8)	1	1																
Whooping cough (9)	41	16	13	9	2		1											
Diphtheria (10)	9	2		3	1		2	1										
Influenza (11)	96	10	2	3	6			3	3	11	8	5	12	19	8		6	
Meningococcus meningitis (24)	3		1				1	1										
Tuberculosis of the respiratory system (31)	125	1	4		1	1	2	6	15	35	14	14	19	8	2	2	1	
Other forms of tuberculosis (32-37)	25	1		1		2		1	5	3	4	2	3	1	1	1		
Cancer and other malignant tumors (43-49)	39							2		1		2	9	14	9	2		
Diabetes mellitus (57)	8											1	1	5		1		
Cerebral hemorrhage and softening (74, 83)	117	1									2	3	26	37	19	14	15	
Other [organic] diseases of the heart (90)	183				1		2	1		9	4	11	39	50	43	11	12	
Bronchitis (99)	16	1							1	2	3		2	4	1	1	1	
Bronchopneumonia (100)	93	41	9	10	3	3	5	1	3	3	2		6	3	2	2		
Pneumonia (101)	155	27	12	5	1	1	3	1	10	26	17	11	18	12	5	3	3	
Diarrhea and enteritis (113, 114)	90	31	31	11	2	1	2			3	1	1	1	4	1	1		
Appendicitis and typhlitis (117)	18						1	2	4	2	2	3	4					
Hernia, intestinal obstruction (118)	18	2	1		1		1			1	2	2	3	1	4			
Cirrhosis of the liver (122)	8									1	1	1	2			2	1	
Nephritis (128, 129)	201	3	1		1			3	3	5	6	8	43	50	42	26	10	
Diseases of the female genital organs (137-141)	20									4	5	2	7	1	1			
Puerperal septicemia (146)	18								7	3	2	3	3					
Other puerperal causes (143-145, 147-150)	19							1	3	3	5	3	4					
Suicide (165-174)	1														1			
Homicide (197-200)	71	1		1					8	20	16	8	10	7				
Automobile accidents (188c)	18					2	2	2		2	1		2	6			1	
Other external causes (175-188b, 188d-196; 201-203)	67	8	2	1	2	4	4	2	4	3	3	5	11	11	5	1	1	
All other causes	419	135	31	2	5	3	8	4	12	19	28	16	51	53	20	14	18	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1923—Continued

[See note at head of this table, p. 352]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
CHICAGO, ILL. (WHITE), all causes	30,595	4,431	872	388	303	213	726	414	591	875	1,069	1,278	3,250	3,944	4,757	4,111	3,372	1
Typhoid and paratyphoid fever (1)	50						1		5	14	5	7	10	6	2			
Measles (7)	187	56	65	21	18	11	13	1	1						1			
Scarlet fever (8)	85	1	8	17	4	9	24	10	2	4	1	2	1	2				
Whooping cough (9)	105	38	39	15	4	4	5											
Diphtheria (10)	352	31	49	43	59	31	99	16		7	2	5	2	5	1	2		
Influenza (11)	438	43	34	20	8	8	12	2	15	15	19	22	64	51	57	36	32	
Meningococcus meningitis (24)	29	10	3	4	2		4	2		1			1	1	1			
Tuberculosis of the respiratory system (31)	1,661	11	7	4	5	2	9	15	115	248	214	211	401	240	126	42	11	
Other forms of tuberculosis (32–37)	257	29	20	5	13	7	32	10	17	12	24	21	26	22	11	6	2	
Cancer and other malignant tumors (43–49)	2,819	1		3		2	5	5	9	10	37	73	318	634	827	619	276	
Diabetes mellitus (57)	594			2	2		4	7	9	9	10	23	46	87	196	138	61	
Cerebral hemorrhage and softening (74, 83)	1,652	5	1		1		2	1	1	2	8	17	91	225	421	443	434	
Other [organic] diseases of the heart (90)	4,944	15	4	11	9	12	63	71	67	66	83	130	404	745	1,058	1,104	1,102	
Bronchitis (99)	355	165	42	16	7	3	5	1	1			1	3	13	13	22	63	
Bronchopneumonia (100)	1,224	501	210	62	35	17	32	9	4	10	15	13	40	51	77	63	85	
Pneumonia (101)	1,682	137	65	31	18	11	33	18	38	57	65	94	284	294	266	179	92	
Diarrhea and enteritis (113, 114)	1,196	942	150	26	16	11	9	2	2	1	4	3	7	5	2	9	7	
Appendicitis and typhlitis (117)	520	1	1	5	9	7	39	31	58	49	45	54	89	67	47	16	2	
Hernia, intestinal obstruction (118)	303	47	8	1	2		4	2	3	9	9	11	24	43	58	54	28	
Cirrhosis of the liver (122)	323		1		1		1	1	1	2	3	11	51	69	91	64	27	
Nephritis (128, 129)	2,822	18	4	10	4	5	25	19	33	28	54	90	254	387	592	662	637	
Diseases of the female genital organs (137–141)	201									11	23	18	76	45	17	9	2	
Puerperal septicemia (146)	131								7	26	38	41	18	1				
Other puerperal causes (143–145, 147–150)	157								8	27	51	29	42					
Suicide (165–174)	379								7	25	31	46	83	71	67	34	15	
Homicide (197–200)	203	5			2		3	1	10	19	37	32	55	27	8	3	1	
Automobile accidents (188c)	554		1	4	12	16	117	36	15	20	22	29	62	74	63	49	34	
Other external causes (175–188b, 188d–196, 201–203)	1,510	17	31	31	25	18	57	46	62	68	88	111	262	254	202	143	94	1
All other causes	5,862	2,358	129	57	47	39	128	108	101	135	181	184	536	525	553	414	367	
CHICAGO, ILL. (COLORED), all causes	3,169	454	131	62	27	24	57	35	112	198	236	250	541	489	303	153	97	
Typhoid and paratyphoid fever (1)	8							1	4	1	1	1						
Measles (7)	33	10	14	2		2	3	2										
Scarlet fever (8)	1							1										
Whooping cough (9)	42	17	11	8	4	2												
Diphtheria (10)	20	6	1	2	1	1	6		1	1			1					
Influenza (11)	37	2	1	3				1		2	1	3	8	8	7		1	
Meningococcus meningitis (24)	1			1														
Tuberculosis of the respiratory system (31)	354	2	4	3	1	1	9	8	40	73	56	45	68	31	11	1	1	
Other forms of tuberculosis (32–37)	68	2	3	5	4	5	6		4	11	9	5	8	4	2			
Cancer and other malignant tumors (43–49)	126									1		5	27	38	33	18	4	
Diabetes mellitus (57)	35									2		2	7	16	6	2		
Cerebral hemorrhage and softening (74, 83)	114	2									1	5	12	37	29	18	10	
Other [organic] diseases of the heart (90)	464	6	2	3	5		4	5	4	4	12	26	106	125	89	46	27	
Bronchitis (99)	27	14	4	6		1			1							1		
Bronchopneumonia (100)	201	93	46	17	6	2	1	3	1	3	2	3	8	8	4	1	3	
Pneumonia (101)	305	21	12	4	1	2	6	3	13	22	26	31	80	44	26	7	7	
Diarrhea and enteritis (113, 114)	91	67	14	1	1	2	2						1	1	2			
Appendicitis and typhlitis (117)	39		1		1	1	2	1	3	8	5	7	5	3	2			
Hernia, intestinal obstruction (118)	27	1	1	1					2		3	2	5	3	6	2	1	
Cirrhosis of the liver (122)	15										1	2	2	6	1	1	2	
Nephritis (128, 129)	234	2	1	1					3	3	7	15	34	66	41	39	22	
Diseases of the female genital organs (137–141)	50								2	1	7	8	27	4	1			
Puerperal septicemia (146)	22								5	4	9	3		1				
Other puerperal causes (143–145, 147–150)	16								1	2	4	7	2					
Suicide (165–174)	13									1	6	3	2	1				
Homicide (197–200)	118	1							6	21	24	23	32	9	1	1		
Automobile accidents (188c)	35					1	8	1	2	1	2	4	6	3	3	2	2	
Other external causes (175–188b, 188d–196, 201–203)	123	2	3	2	3	1	4	5	8	17	18	16	13	14	10	5	2	
All other causes	550	206	13	3		3	6	4	12	20	42	34	87	67	29	9	15	
INDIANAPOLIS, IND. (WHITE), all causes	4,148	481	86	47	24	19	79	44	102	123	149	132	378	464	650	717	653	
Typhoid and paratyphoid fever (1)	9								2	2	1	1	1	1	1			
Measles (7)	26	7	4	6		1	5	1		2								
Scarlet fever (8)	2		1				1											
Whooping cough (9)	34	20	5	4	2	1	1	1										
Diphtheria (10)	43	5	5	8	7	2	12	2			1				1			
Influenza (11)	140	14	5	5	1	2	3	1	4	6	5	4	13	20	12	22	23	
Meningococcus meningitis (24)	3										2		1					
Tuberculosis of the respiratory system (31)	213	1	1				1	2	11	30	36	27	33	25	27	14	5	
Other forms of tuberculosis (32–37)	43	4		4	1		1	3	2	8	1		9	7	1	2		
Cancer and other malignant tumors (43–49)	351			1				2	2		5	8	46	71	83	90	43	
Diabetes mellitus (57)	76				1		1	1	1	1	3	2	3	8	32	16	7	
Cerebral hemorrhage and softening (74, 83)	313										1	6	14	39	73	93	87	
Other [organic] diseases of the heart (90)	585	1	1				3	2	5	8	12	9	34	71	126	146	167	
Bronchitis (99)	15													3	1	2	9	
Bronchopneumonia (100)	138	39	12	4	1	2	4				2	4	10	1	14	20	25	
Pneumonia (101)	181	12	5	2	1	1	4	1	7	3	6	6	21	25	38	24	25	
Diarrhea and enteritis (113, 114)	157	94	34	6	3	2					1			3	3	4	7	
Appendicitis and typhlitis (117)	87				1	1	8	5	12	6	9	5	15	10	11	3	1	
Hernia, intestinal obstruction (118)	45	5	1						2	1	2	2	5	4	10	8	5	
Cirrhosis of the liver (122)	24						1					2		6	6	4	5	
Nephritis (128, 129)	338	1		1			2	3	2	1	6	5	32	39	74	100	72	
Diseases of the female genital organs (137–141)	41								2		7	5	17	5	3	2		
Puerperal septicemia (146)	22								3	9	3	4	3					
Other puerpeal causes (143–145, 147–150)	20								2	3	8	2	5					
Suicide (165–174)	63								5	9	3	7	8	11	12	6	2	
Homicide (197–200)	10								2	2		1	4	1				
Automobile accidents (188c)	52			1	1	1	8	1	5	2	3	2	4	7	3	10	4	
Other external causes (175–188b, 188d–196, 201–203)	139		3	2	3	3	7	4	13	8	9	4	14	14	18	19	18	
All other causes	978	278	9	3	2	3	17	15	20	22	23	26	86	93	101	132	148	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1923—Continued

[See note at head of this table, p. 352]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
INDIANAPOLIS, IND. (COLORED), all causes	778	131	20	9	7	5	13	7	34	50	52	35	111	116	97	61	29	1
Typhoid and paratyphoid fever (1)	3						1		1		1							
Measles (7)	4		4															
Scarlet fever (8)																		
Whooping cough (9)	8	4	2		1		1											
Diphtheria (10)	2				1		1											
Influenza (11)	25	2	1	1						2	1	4	3	7	1	2	1	
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	97	2	1	1	1		3	2	16	23	16	3	16	10	3			
Other forms of tuberculosis (32-37)	21	1				2	1	1	2	4	3		6		1			
Cancer and other malignant tumors (43-49)	27										1	3	2	7	9	3	2	
Diabetes mellitus (57)	11												1	2	6	2		
Cerebral hemorrhage and softening (74, 83)	27											1	4	8	8	5	1	
Other [organic] diseases of the heart (90)	84								1	2	2	7	10	19	17	19	7	
Bronchitis (99)	5	1		1		1							1		1			
Bronchopneumonia (100)	50	29	4	3	3		1			1	1		1	2	4	1		
Pneumonia (101)	62	5	2			1	1	1	5	7	3	4	11	10	7	3	2	
Diarrhea and enteritis (113, 114)	36	26	4	1						1			2	2				
Appendicitis and typhlitis (117)	7							1				1	2	3				
Hernia, intestinal obstruction (118)	5			1								2			2			
Cirrhosis of the liver (122)	9										1		2	1	4	1		
Nephritis (128, 129)	55	1						1		1			11	19	10	10	1	1
Diseases of the female genital organs (137-141)	14								1	1	2	1	6	2		1		
Puerperal septicemia (146)	6									5	1							
Other puerperal causes (143-145, 147-150)	3								1		2							
Suicide (165-174)	4										3	1						
Homicide (197-200)	17								2	2	6	3	2	1	1			
Automobile accidents (188c)	1														1			
Other external causes (175-188b, 188d-196, 201-203)	19	1			1	1	1		2	1	2	1	4	2	1	1	1	
All other causes	176	59	2	1			3	1	3		7	4	27	21	21	13	14	
DES MOINES, IOWA, all causes	1,601	194	45	12	8	14	41	19	28	47	66	46	119	175	247	276	264	
Typhoid and paratyphoid fever (1)	2			1						1								
Measles (7)	6	2	1		1		2											
Scarlet fever (8)	18	1	3			4	3	2	1		2		1	1				
Whooping cough (9)	21	14	6	1														
Diphtheria (10)	18		2	2	1	1	9	3										
Influenza (11)	57	6	2	1		2	4				2	3	10	5	5	5	12	
Meningococcus meningitis (24)	1		1															
Tuberculosis of the respiratory system (31)	70		1					1	6	16	9	5	7	9	11	4	1	
Other forms of tuberculosis (32-37)	10		1		1					1	3	1		2	1			
Cancer and other malignant tumors (43-49)	150									1	2	1	10	26	38	48	24	
Diabetes mellitus (57)	29						1			1	1	1	1	5	6	7	6	
Cerebral hemorrhage and softening (74, 83)	113										1		3	13	19	39	38	
Other [organic] diseases of the heart (90)	174						2	2	3	2	2	4	11	18	35	53	42	
Bronchitis (99)	4															1	3	
Bronchopneumonia (100)	54	15	1	2	1	2	3			2		1		2	2	6	17	
Pneumonia (101)	69	8	2						1	1	4		8	6	12	13	14	
Diarrhea and enteritis (113, 114)	29	14	6	2		1							1	1	1		3	
Appendicitis and typhlitis (117)	33		2		2		1	4	1	1	1		7	5	8	1		
Hernia, intestinal obstruction (118)	22	1	2							1		2	3	2	4	3	4	
Cirrhosis of the liver (122)	10													2	6	2		
Nephritis (128, 129)	84							1	1		1	3	6	8	19	26	19	
Diseases of the female genital organs (137-141)	20									2	3	2	4	4	3	2		
Puerperal septicemia (146)	11								1		6	4						
Other puerperal causes (143-145, 147-150)	12									4	4	3	1					
Suicide (165-174)	25								1	2	3	1	10	5	1	1	1	
Homicide (197-200)	6										1	1	1	2	1			
Automobile accidents (188c)	18						4		1					6	5	1	1	
Other external causes (175-188b, 188d-196, 201-203)	96		5	1		3	2	2	6	6	8	5	8	15	11	7	17	
All other causes	439	133	10	2	2	1	10	4	6	6	13	9	27	38	59	57	62	
KANSAS CITY, KANS., all causes	1,727	263	62	25	12	6	35	26	42	63	74	59	168	210	208	260	214	
Typhoid and paratyphoid fever (1)	2											1			1			
Measles (7)	19	3	8	4	1		3											
Scarlet fever (8)	2				1		1											
Whooping cough (9)	17	6	8	1		2												
Diphtheria (10)	10		1	2	1		4			1				1				
Influenza (11)	61	5	2		1	1	1	1	2	2	3	1	3	15	3	11	10	
Meningococcus meningitis (24)	3						1	1				1						
Tuberculosis of the respiratory system (31)	122	1	2					4	10	22	18	12	25	9	13	4	2	
Other forms of tuberculosis (32-37)	18	4	2	1		1	2		2			1		2	2	1		
Cancer and other malignant tumors (43-49)	131										1	1	9	23	25	47	25	
Diabetes mellitus (57)	22			1				1		1			2	3	5	7	2	
Cerebral hemorrhage and softening (74, 83)	96						1			1		1	7	10	16	30	30	
Other [organic] diseases of the heart (90)	145						1	3	3	1	2	3	18	31	25	36	22	
Bronchitis (99)	11	2		1									1	1		3	3	
Bronchopneumonia (100)	75	30	6	4	2							2	1	4	5	10	11	
Pneumonia (101)	108	12	3	1			1	1	2	6	1	4	19	15	16	16	11	
Diarrhea and enteritis (113, 114)	75	39	18	5	1		3			1		1			1	2	4	
Appendicitis and typhlitis (117)	21								2	4		1	6	2	3	2	1	
Hernia, intestinal obstruction (118)	17	1		1	1		1			1	2		1	2	2	1	4	
Cirrhosis of the liver (122)	11									1				2	1	5	2	
Nephritis (128, 129)	142								1	1	2	6	15	20	29	32	36	
Diseases of the female genital organs (137-141)	12								1		1	1	2	5	2			
Puerperal septicemia (146)	16								4	2	5	3	2					
Other puerperal causes (143-145, 147-150)	15									3	3	3	6					
Suicide (165-174)	19									2	2	2	3	3	4	2	1	
Homicide (197-200)	25	1	1					1	3	2	6	2	5	2	2			
Automobile accidents (188c)	12						1	3	1	1	2		1	2			1	
Other external causes (175-188b, 188d-196, 201-203)	105	7	2	2	4	1	5	2	5	7	15	2	11	11	13	9	9	
All other causes	415	152	9	2		1	10	9	6	4	11	11	31	47	40	42	40	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1923—Continued

[See note at head of this table, p. 352]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
LOUISVILLE, KY. (WHITE), all causes	3,223	411	80	30	20	11	46	46	79	113	94	117	237	327	486	584	542	
Typhoid and paratyphoid fever (1)	9	1						2	1	2	1		1	1				
Measles (7)	12	2	4	2	1		1	1		1								
Scarlet fever (8)	1						1											
Whooping cough (9)	54	25	17	3	4	2	3											
Diphtheria (10)	14	2	5	3	1		3											
Influenza (11)	71	8	3	1	1			3		5	5	4	8	6	8	12	7	
Meningococcus meningitis (24)	2					1			1									
Tuberculosis of the respiratory system (31)	195	2					1	1	15	31	23	29	23	30	20	13	7	
Other forms of tuberculosis (32-37)	34	3	4	2	2		1	1	3	2	1	2	2	2	7	1	1	
Cancer and other malignant tumors (43-49)	242	1						1	1	2	1	4	22	41	70	69	30	
Diabetes mellitus (57)	73									2	1	2	6	9	19	25	9	
Cerebral hemorrhage and softening (74, 83)	246		1	1			2			1	2	4	16	33	46	71	69	
Other [organic] diseases of the heart (90)	345	1	1	1		1	1	6	5		6	3	12	36	68	107	97	
Bronchitis (99)	41	4	1	2									2	2	1	8	21	
Bronchopneumonia (100)	139	45	16	2		1		2	3	2	3	1	5	7	12	19	21	
Pneumonia (101)	170	10	5	4	1		6	2	9	8	6	7	13	15	28	31	25	
Diarrhea and enteritis (113, 114)	95	75	8	2						1		3			2	2	2	
Appendicitis and typhlitis (117)	51						4	5	6	4	3	5	7	7	5	3	2	
Hernia, intestinal obstruction (118)	34	1	3		2	1	1		1	1	2	2	1	3	6	7	3	
Cirrhosis of the liver (122)	17										1	1	3	3	5	2	2	
Nephritis (128, 129)	291	2	1	1	1		1	2	4	1	4	3	13	31	75	85	67	
Diseases of the female genital organs (137-141)	11										1		5	1	1	2	1	
Puerperal septicemia (146)	11									2	2	3	4					
Other puerperal causes (143-145, 147-150)	22								6	5	2	4	5					
Suicide (165-174)	39									8	5	2	6	10	7		1	
Homicide (197-200)	17								2	2	1	3	5	2			2	
Automobile accidents (188c)	56			2	1		12	7	4	3	2	1	4	6	5	8	1	
Other external causes (175-188b, 188d-196, 201-203)	134	4	2	1	1	2	3	8	6	14	6	14	13	14	14	16	16	
All other causes	797	225	9	3	5	3	6	5	12	16	16	20	61	68	87	103	158	
LOUISVILLE, KY. (COLORED), all causes	963	95	21	8	4	2	16	4	30	47	52	71	153	168	145	82	65	
Typhoid and paratyphoid fever (1)	4				1					1			1	1				
Measles (7)	1											1						
Scarlet fever (8)																		
Whooping cough (9)	13	6	5	2														
Diphtheria (10)																		
Influenza (11)	28	1			1				1	2	3	2	4	1	8	2	3	
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	72			1			2		7	12	3	11	16	13	6	1		
Other forms of tuberculosis (32-37)	8									1	1	2	3		1			
Cancer and other malignant tumors (43-49)	37											1	7	8	11	7	3	
Diabetes mellitus (57)	8												1	1	4	1	1	
Cerebral hemorrhage and softening (74, 83)	62									1	2	2	7	18	12	14	6	
Other [organic] diseases of the heart (90)	116						2			2	3	8	20	37	24	13	7	
Bronchitis (99)	23	8			1			1	1			1	4	1	2	2	2	
Bronchopneumonia (100)	51	18	5	3			2			1	1	1	1	6	6	4	3	
Pneumonia (101)	75	12	1		1			1	2	5	5	4	9	11	15	5	4	
Diarrhea and enteritis (113, 114)	22	14	5				1					1				1		
Appendicitis and typhlitis (117)	12						1		1	2	2	1	4	1				
Hernia, intestinal obstruction (118)	9										1	2	1	4		1		
Cirrhosis of the liver (122)	6									1				1	3		1	
Nephritis (128, 129)	105	1						1	2	2	4	4	22	21	25	15	8	
Diseases of the female genital organs (137-141)	15								1	1		2	6	4	1			
Puerperal septicemia (146)	8									3	1	1	3					
Other puerperal causes (143-145, 147-150)	5									2	2	1						
Suicide (165-174)	3								1		1		1					
Homicide (197-200)	42								8	3	12	9	5	5				
Automobile accidents (188c)	10						2	1				2	3		2			
Other external causes (175-188b, 188d-196, 201-203)	20					2	2		1	2	2	1	2	3	3	1	1	
All other causes	208	35	5	2			4		5	6	9	14	33	32	22	15	26	
NEW ORLEANS, LA. (WHITE), all causes	4,338	414	153	52	20	29	65	51	92	157	148	170	428	594	655	707	598	5
Typhoid and paratyphoid fever (1)	27						3	1	3	4	5	5	5	1				
Measles (7)	33	10	17	4			1					1						
Scarlet fever (8)	4			1	1	1			1									
Whooping cough (9)	37	23	11	2		1												
Diphtheria (10)	28	1	9	6	3	3	5	1										
Influenza (11)	38	7	11	2			5		2	1	2	4	9	4	11	9	21	
Meningococcus meningitis (24)	6	1			1	1	1		1					1				
Tuberculosis of the respiratory system (31)	340					1	1	1	18	42	47	40	66	58	40	22	4	
Other forms of tuberculosis (32-37)	31		6	3	1	1				3			3	8	3	2	1	
Cancer and other malignant tumors (43-49)	357				1			2		3	4	8	32	82	106	87	32	
Diabetes mellitus (57)	65						1			1	1		2	13	23	15	9	
Cerebral hemorrhage and softening (74, 83)	278									2	1	2	19	49	65	74	65	1
Other [organic] diseases of the heart (90)	672					2	3	2	6	4	9	7	31	95	133	186	193	1
Bronchitis (99)	16	2	2										2		1	5	4	
Bronchopneumonia (100)	158	56	22	10	2	2	6	2	1	3	1	1	5	5	13	15	14	
Pneumonia (101)	141	9	9	5	2	1	2	5	2	6	3	10	21	20	15	18	13	
Diarrhea and enteritis (113, 114)	120	52	37	6	7	3	1			1			2	1	4	2	4	
Appendicitis and typhlitis (117)	72					2	5	5	10	11	5	5	9	11	6	3		
Hernia, intestinal obstruction (118)	52	5	2									5	7	8	10	10	5	
Cirrhosis of the liver (122)	53								1				7	12	20	8	5	
Nephritis (128, 129)	427	2				2	1		2	4	13	9	47	61	77	123	85	1
Diseases of the female genital organs (137-141)	20									1	2	3	5	6		2	1	
Puerperal septicemia (146)	15								2	5	4	1	3					
Other puerperal causes (143-145, 147-150)	47								5	6	9	13	14					
Suicide (165-174)	40								1	4	2	5	8	13	3	4		
Homicide (197-200)	33								2	3	3	7	7	7	2	1	1	
Automobile accidents (188c)	55			2	1	2	1	4	2	9	2	2	4	6	5	10	5	
Other external causes (175-188b, 188d-196, 201-203)	211	4	10	5		3	13	12	10	21	15	11	29	17	20	12	28	1
All other causes	912	242	17	6	1	4	16	16	23	23	20	31	91	116	98	99	108	1

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1923—Continued

[See note at head of this table, p. 352]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
NEW ORLEANS, LA. (COLORED), all causes	2,819	349	75	47	22	10	36	38	88	149	187	200	447	479	318	214	154	6
Typhoid and paratyphoid fever (1)	10							2	3	1	2		2					
Measles (7)	1	1																
Scarlet fever (8)																		
Whooping cough (9)	24	12	5	3	4													
Diphtheria (10)	5		1		1		2					1						
Influenza (11)	51	5	8	2	1	2		1	1	1	5	8	8	5	1	2	1	
Meningococcus meningitis (24)	4	1			1			1		1								
Tuberculosis of the respiratory system (31)	305	2	1		1	1	4	4	24	51	58	44	61	38	11	3	2	
Other forms of tuberculosis (32–37)	28			2			2	2		2	5	3	4	5	2	1		
Cancer and other malignant tumors (43–49)	133				1					1	8	10	26	36	23	19	9	
Diabetes mellitus (57)	20												3	6	7	4		
Cerebral hemorrhage and softening (74, 83)	150							1				5	17	35	40	27	23	2
Other [organic] diseases of the heart (90)	466							2	2	6	9	14	98	144	93	62	35	1
Bronchitis (99)	18	5	1				3		1			2	2	1		2	1	
Bronchopneumonia (100)	140	51	26	10	4		4	1	1	4	2	6	7	8	6	7	3	
Pneumonia (101)	140	24	6	3	3		1		6	12	10	11	17	25	12	6	4	
Diarrhea and enteritis (113, 114)	82	51	11	7	2	1			1			1	1	1	4		2	
Appendicitis and typhlitis (117)	23						1	3	2	2	5	3	4	2	1			
Hernia, intestinal obstruction (118)	28	4	2	1				1	1	1	1	5	2	7	3			
Cirrhosis of the liver (122)	31						1		1		1		2	12	8	6		
Nephritis (128, 129)	244	1	1	2	1				4	5	3	15	42	65	54	24	27	
Diseases of the female genital organs (137–141)	29								1	4	4	7	11	2				
Puerperal septicemia (146)	20								3	4	4	2	7					
Other puerperal causes (143–145, 147–150)	31								6	5	5	7	8					
Suicide (165–174)	8								1	1	1	1	3		1			
Homicide (197–200)	88						1		11	15	22	11	19	8				1
Automobile accidents (188c)	13						1	3	1		1	2	2	1		1	1	
Other external causes (175–188b, 188d–196, 201–203)	105	4	8	11	1	4	3	3	5	8	10	12	12	10	4	5	4	1
All other causes	622	188	5	6	2	2	13	14	13	25	31	30	89	68	48	45	42	1
BALTIMORE, MD. (WHITE), all causes	8,908	1,078	239	110	62	47	138	106	154	197	223	289	724	1,068	1,491	1,625	1,356	1
Typhoid and paratyphoid fever (1)	24					1		5	3	4	3	1	3	2	2			
Measles (7)	48	15	18	8	5		1	1										
Scarlet fever (8)	22	1	4	4	2	2	4	2			1	1	1					
Whooping cough (9)	62	40	14	3	3		2											
Diphtheria (10)	82	9	12	14	11	8	19	5			1		1	2				
Influenza (11)	172	18	8	9	1			1	3	2	2	7	19	20	27	36	19	
Meningococcus meningitis (24)	7	1	1	2	1			1					1					
Tuberculosis of the respiratory system (31)	511	3	1				4	6	24	55	61	74	99	82	70	28	4	
Other forms of tuberculosis (32–37)	68	4	10	2	5	1	3	4	5	5	2	5	5	7	5	2	3	
Cancer and other malignant tumors (43–49)	868	2		2	1	1	2	2	3	5	6	18	86	154	263	219	104	
Diabetes mellitus (57)	174							4		3	2	4	4	28	52	61	16	
Cerebral hemorrhage and softening (74, 83)	745		1								1	1	37	69	179	245	211	1
Other [organic] diseases of the heart (90)	1,258	4	1	2	1	1	6	12	16	10	9	24	62	152	264	366	328	
Bronchitis (99)	85	14		3	1	1		1			1		2	6	10	18	28	
Bronchopneumonia (100)	554	146	63	13	5	1	7	2	2	5	2	6	27	38	53	90	94	
Pneumonia (101)	422	25	18	12	3	4	7	6	10	12	12	21	51	60	75	68	38	
Diarrhea and enteritis (113, 114)	252	178	37	8	7	4	3	1				1	1	3	1	2	6	
Appendicitis and typhlitis (117)	72		2		1		3	5	5	2	3	7	18	14	6	5	1	
Hernia, intestinal obstruction (118)	98	5			1		1	1	3		2	3	9	16	23	15	19	
Cirrhosis of the liver (122)	50								1		1		3	12	16	13	4	
Nephritis (128, 129)	871	1		1		1	3	7	8	10	17	21	66	133	195	207	201	
Diseases of the female genital organs (137–141)	27							1		3	2	3	4	5	4	5		
Puerperal septicemia (146)	32								2	8	6	8	7	1				
Other puerperal causes (143–145, 147–150)	43								5	12	10	8	8					
Suicide (165–174)	89							1	1	3	8	6	17	24	17	8	4	
Homicide (197–200)	15									3	3	2	4			1	2	
Automobile accidents (188c)	107			1		6	22	2	4	8	6	4	11	17	6	16	4	
Other external causes (175–188b, 188d–196, 201–203)	349	9	9	8	5	8	16	11	21	17	21	16	45	40	32	38	53	
All other causes	1,801	603	40	18	9	8	35	25	38	30	41	48	133	183	191	182	217	
BALTIMORE, MD. (COLORED), all causes	2,681	422	109	38	21	12	32	41	85	124	156	152	421	472	319	182	95	
Typhoid and paratyphoid fever (1)	11							1	1	3	2	1	2	1				
Measles (7)	9	4	1	1	1	1	1											
Scarlet fever (8)																		
Whooping cough (9)	39	25	8	4	2													
Diphtheria (10)	9	3	1		1	1	1	1					1					
Influenza (11)	86	10	7	1	1	1			5	3	6	4	14	18	8	6	2	
Meningococcus meningitis (24)	1							1										
Tuberculosis of the respiratory system (31)	351	4	5	2	2		2	14	34	53	57	41	79	42	13	2	1	
Other forms of tuberculosis (32–37)	55	7	8	6	4	1		3	6	5	1	4	5	2	2	1		
Cancer and other malignant tumors (43–49)	114									1	1	6	24	44	28	7	3	
Diabetes mellitus (57)	13								1			1	3	2	2	1	3	
Cerebral hemorrhage and softening (74, 83)	196									1	2	6	21	63	56	30	17	
Other [organic] diseases of the heart (90)	305	1					3	4	2	5	3	11	39	98	60	58	21	
Bronchitis (99)	20	4	3	2	1				1	1				2	1	3	2	
Bronchopneumonia (100)	243	101	46	11	3	2	2	1	2	3	3	4	8	11	16	15	15	
Pneumonia (101)	188	11	2	4	1		3	2	4	12	13	18	48	36	26	5	3	
Diarrhea and enteritis (113, 114)	102	70	12	1	1		1			3	1	3	4	3	1	2		
Appendicitis and typhlitis (117)	17			1			1	3	3	2	1	1	2	3				
Hernia, intestinal obstruction (118)	17	1				1				1	5	1	3	3	2			
Cirrhosis of the liver (122)	5											1	2	2				
Nephritis (128, 129)	207	1		1		1			1		9	7	40	56	51	32	8	
Diseases of the female genital organs (137–141)	20								2	3	1		8	6				
Puerperal septicemia (146)	13								5	4	2	1	1					
Other puerperal causes (143–145, 147–150)	9								1		3	2	3					
Suicide (165–174)	4											2	1		1			
Homicide (197–200)	34							1	4	3	9	6	9	2				
Automobile accidents (188c)	24						6	2	2	1		1	2	4	3	1	2	
Other external causes (175–188b, 188d–196, 201–203)	84	3	2	2	2	2	5	1	5	6	10	2	17	11	10	4	2	
All other causes	505	177	14	2	2	2	7	7	6	14	27	29	85	63	39	15	16	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1923—Continued

[See note at head of this table, p. 352]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
BOSTON, MASS., all causes	11,509	1,571	330	165	107	88	245	129	194	256	326	377	1,070	1,527	1,861	1,806	1,456	1
Typhoid and paratyphoid fever (1)	11						1		1	1	2		4			2		
Measles (7)	60	19	22	7	5	5	2											
Scarlet fever (8)	60	7	3	8	8	5	13	2	4	2	3	2	2	1				
Whooping cough (9)	115	54	42	9	4	1	4			1								
Diphtheria (10)	179	11	28	23	29	22	50	5	6				1	2	2			
Influenza (11)	76	9	6	2	2			1	1	3	1	3	9	7	6	20	6	
Meningococcus meningitis (24)	22	3	4	3	1	1	3		1	1	1	2	2					
Tuberculosis of the respiratory system (31)	675	15	10	3	2	1	12	9	36	70	73	79	148	111	70	24	12	
Other forms of tuberculosis (32-37)	113	18	13	9	3	2	14	11	9	4	6	3	7	5	5	4		
Cancer and other malignant tumors (43-49)	1,140	1	1		2	1	5	2	3	2	10	23	91	244	340	262	153	
Diabetes mellitus (57)	191						1		3	2		2	8	39	68	52	16	
Cerebral hemorrhage and softening (74, 83)	734						1	2	1		2	4	30	91	183	201	219	
Other [organic] diseases of the heart (90)	2,049	2	1	1		2	12	26	20	28	37	26	126	270	476	541	481	
Bronchitis (99)	85	21	3	1	1				1			2	2	3	8	15	28	
Bronchopneumonia (100)	719	254	76	16	10	5	12	4	5	1	10	14	27	50	60	89	86	
Pneumonia (101)	621	45	38	13	5	1	5	2	10	16	14	24	72	120	93	103	60	
Diarrhea and enteritis (113, 114)	186	148	20	2	2	1				2		1	2	2	2	3	1	
Appendicitis and typhlitis (117)	151		1	2	2	8	12	13	10	8	7	8	28	25	22	4	1	
Hernia, intestinal obstruction (118)	103	11	2	1	1		2			4	3	3	17	20	21	9	9	
Cirrhosis of the liver (122)	50									1		4	5	15	13	8	4	
Nephritis (128, 129)	536	2		1			4	2	7	5	9	17	56	88	112	123	110	
Diseases of the female genital organs (137-141)	68									5	6	2	24	19	8	4		
Puerperal septicemia (146)	49								4	9	14	9	13					
Other puerperal causes (143-145, 147-150)	102								1	16	25	31	29					
Suicide (165-174)	118								3	10	12	9	25	27	22	10		
Homicide (197-200)	37	1					1	1	1	1	4	10	6	8	3		1	
Automobile accidents (188c)	133			1	7	7	29	6	4	4	6	2	11	16	13	19	8	
Other external causes (175-188b, 188d-196, 201-203)	589	15	16	21	7	10	25	12	22	22	30	25	90	86	70	76	62	
All other causes	2,537	935	44	42	16	16	37	31	41	38	51	72	235	278	264	237	199	1
CAMBRIDGE, MASS., all causes	1,527	219	34	14	12	9	34	13	24	44	45	49	117	167	237	265	244	
Typhoid and paratyphoid fever (1)	4								1		1	2						
Measles (7)	8	2	4	1			1											
Scarlet fever (8)	3					1	1						1					
Whooping cough (9)	16	10	5	1														
Diphtheria (10)	11		1	1	3	1	4			1								
Influenza (11)	5	2									1				1		1	
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	113						1	2	8	15	16	14	25	17	10	4	1	
Other forms of tuberculosis (32-37)	11	1							2	3	1		2	1	1			
Cancer and other malignant tumors (43-49)	162							1	1		1	3	14	34	38	42	28	
Diabetes mellitus (57)	21						1		1				1		8	5	5	
Cerebral hemorrhage and softening (74, 83)	146										1	1	6	18	31	43	46	
Other [organic] diseases of the heart (90)	269			1			5	3		4	1	2	16	28	51	85	73	
Bronchitis (99)	12	5	1	1										1	1		3	
Bronchopneumonia (100)	95	39	12	1	2		4	1	1		1	2	2	1	7	9	13	
Pneumonia (101)	76	6	1			1	1		1	3	4	5	8	11	16	12	7	
Diarrhea and enteritis (113, 114)	27	23	3										1					
Appendicitis and typhlitis (117)	10									2		1	3	1	2	1		
Hernia, intestinal obstruction (118)	7	1												1	4	1		
Cirrhosis of the liver (122)	3													1	1		1	
Nephritis (128, 129)	70							1		2	1	2	6	10	17	19	12	
Diseases of the female genital organs (137-141)	11										1	3	1	3	2	1		
Puerperal septicemia (146)	4								1	2	1							
Other puerperal causes (143-145, 147-150)	15									2	2	4	7					
Suicide (165-174)	9										2	1	2	1	3			
Homicide (197-200)	2												2					
Automobile accidents (188c)	28			3	2	2	7	2	1	1	1	1	2	1	4	1		
Other external causes (175-188b, 188d-196, 201-203)	66	2	4	2	1	2	6	2	4	6	2	2	2	9	8	7	7	
All other causes	323	128	3	3	4	2	3	1	3	3	8	6	16	29	32	35	47	
FALL RIVER, MASS., all causes	1,655	337	66	25	20	17	35	22	39	28	39	32	138	180	250	243	184	
Typhoid and paratyphoid fever (1)	4								1		1		1	1				
Measles (7)	30	13	13	2	1	1												
Scarlet fever (8)	5			2		1	1						1					
Whooping cough (9)	14	7	5		2													
Diphtheria (10)	21	3	3	3	2	4	5	1										
Influenza (11)	26	2	1		2		1			1		2	2	5	4	2	4	
Meningococcus meningitis (24)	3	2						1										
Tuberculosis of the respiratory system (31)	121	1			2		2	2	14	13	17	8	29	15	16	2		
Other forms of tuberculosis (32-37)	20	3	5		1			1	2	3	1		4					
Cancer and other malignant tumors (43-49)	128						1					1	18	22	40	36	10	
Diabetes mellitus (57)	27		1						1			1	3	4	10	6	1	
Cerebral hemorrhage and softening (74, 83)	123											1	4	21	31	39	27	
Other [organic] diseases of the heart (90)	190	2				1	3	5	2	1		2	10	29	33	61	41	
Bronchitis (99)	22	6	4											1	1	2	8	
Bronchopneumonia (100)	100	36	15	7	2	3	2		1	1	1		4	1	10	9	8	
Pneumonia (101)	43	4	4	1	1		1	1	3	1	1	1	2	7	8	6	2	
Diarrhea and enteritis (113, 114)	99	82	5	3		3	1	1			1		1	1	1			
Appendicitis and typhlitis (117)	24				1		4	2	2	1	2		4	6	1		1	
Hernia, intestinal obstruction (118)	21											1	4	5	3	6	2	
Cirrhosis of the liver (122)	14												2	4	3	2	3	
Nephritis (128, 129)	113			1		1			3		2	3	10	21	21	31	20	
Diseases of the female genital organs (137-141)	9											1	4	1	3			
Puerperal septicemia (146)	4										2		2					
Other puerperal causes (143-145, 147-150)	7									2	3	1	1					
Suicide (165-174)	7										1	1	3	2				
Homicide (197-200)	3	1										1			1			
Automobile accidents (188c)	22					1	2				3	3	2	3	6	2		
Other external causes (175-188b, 188d-196, 201-203)	62	2	2	3	4	1	9		3	1	1		8	6	12	5	5	
All other causes	393	173	8	3	2	1	3	8	7	4	3	5	19	25	46	34	52	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1923—Continued

[See note at head of this table, p. 352]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
LOWELL, MASS., all causes	1,680	311	80	46	13	10	41	28	21	32	49	45	129	168	246	244	217	-----
Typhoid and paratyphoid fever (1)	4	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	2	1	-----	-----	-----	-----	-----
Measles (7)	28	5	14	3	-----	1	4	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----
Scarlet fever (8)	6	-----	-----	-----	2	-----	2	1	-----	1	-----	-----	-----	-----	-----	-----	-----	-----
Whooping cough (9)	18	11	4	2	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Diphtheria (10)	16	3	3	4	1	-----	5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Influenza (11)	10	4	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	2	2	-----	-----	1	-----
Meningococcus meningitis (24)	2	1	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tuberculosis of the respiratory system (31)	82	1	-----	1	-----	-----	-----	1	5	7	12	8	25	11	7	3	1	-----
Other forms of tuberculosis (32–37)	24	8	1	1	3	3	3	-----	-----	1	-----	-----	2	1	1	-----	-----	-----
Cancer and other malignant tumors (43–49)	134	-----	-----	-----	-----	-----	1	1	-----	-----	2	-----	13	28	40	40	9	-----
Diabetes mellitus (57)	24	1	1	-----	-----	-----	-----	-----	1	-----	-----	1	2	3	8	5	2	-----
Cerebral hemorrhage and softening (74, 83)	99	-----	-----	-----	-----	-----	-----	1	-----	-----	1	-----	7	8	32	29	21	-----
Other [organic] diseases of the heart (90)	200	-----	-----	-----	-----	-----	1	4	-----	2	6	4	12	28	43	55	45	-----
Bronchitis (99)	38	9	10	1	-----	1	-----	-----	-----	1	-----	-----	-----	-----	4	6	6	-----
Bronchopneumonia (100)	170	54	27	17	3	2	5	1	3	1	2	1	7	9	11	13	14	-----
Pneumonia (101)	64	3	-----	2	-----	-----	2	-----	-----	4	1	6	6	8	11	7	14	-----
Diarrhea and enteritis (113, 114)	103	79	13	5	1	-----	2	-----	-----	-----	-----	-----	1	1	-----	-----	1	-----
Appendicitis and typhlitis (117)	26	-----	-----	-----	-----	-----	2	7	1	1	2	2	2	4	2	1	2	-----
Hernia, intestinal obstruction (118)	8	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	3	-----	3	-----
Cirrhosis of the liver (122)	6	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	1	2	-----	-----	2	-----
Nephritis (128, 129)	77	2	-----	1	-----	-----	-----	-----	-----	-----	1	3	12	11	20	15	12	-----
Diseases of the female genital organs (137–141)	5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	2	-----	3	-----	-----	-----	-----
Puerperal septicemia (146)	8	-----	-----	-----	-----	-----	-----	-----	2	2	3	1	-----	-----	-----	-----	-----	-----
Other puerperal causes (143–145, 147–150)	17	-----	-----	-----	-----	-----	-----	-----	2	2	7	3	3	-----	-----	-----	-----	-----
Suicide (165–174)	8	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	1	-----	2	2	1	1	-----
Homicide (197–200)	3	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	1	-----	-----	-----
Automobile accidents (188c)	18	-----	-----	-----	1	3	3	1	2	2	1	-----	2	1	1	-----	1	-----
Other external causes (175–188b, 188d–196, 201–203)	57	1	1	4	2	-----	4	3	-----	3	3	2	12	7	4	7	4	-----
All other causes	425	127	6	4	-----	-----	6	8	3	5	7	6	18	39	56	62	78	-----
NEW BEDFORD, MASS., all causes	1,584	349	107	42	24	16	34	18	21	39	38	43	107	121	206	234	185	-----
Typhoid and paratyphoid fever (1)	1	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----
Measles (7)	60	25	19	10	2	2	1	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Scarlet fever (8)	3	-----	-----	-----	-----	1	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Whooping cough (9)	19	9	9	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Diphtheria (10)	9	-----	3	1	2	-----	3	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Influenza (11)	28	3	4	2	2	-----	1	-----	-----	1	1	1	3	2	3	4	1	-----
Meningococcus meningitis (24)	4	1	1	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	1	-----	-----	-----
Tuberculosis of the respiratory system (31)	95	-----	3	2	2	-----	3	2	8	11	15	9	17	12	8	2	1	-----
Other forms of tuberculosis (32–37)	29	2	4	7	5	2	3	1	-----	-----	1	1	2	1	-----	-----	-----	-----
Cancer and other malignant tumors (43–49)	129	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	3	9	20	47	34	15	-----
Diabetes mellitus (57)	24	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	2	2	7	10	2	-----
Cerebral hemorrhage and softening (74, 83)	110	-----	1	1	-----	-----	-----	-----	-----	-----	-----	1	7	8	21	35	36	-----
Other [organic] diseases of the heart (90)	192	-----	-----	-----	1	-----	1	1	-----	3	2	3	10	26	37	67	41	-----
Bronchitis (99)	20	9	3	1	-----	-----	-----	-----	-----	-----	-----	1	-----	1	2	-----	3	-----
Bronchopneumonia (100)	156	76	36	11	2	1	-----	1	1	1	-----	-----	1	2	7	10	7	-----
Pneumonia (101)	33	-----	4	-----	-----	2	1	2	3	1	1	3	1	4	4	4	3	-----
Diarrhea and enteritis (113, 114)	74	59	10	2	2	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Appendicitis and typhlitis (117)	17	-----	-----	-----	-----	1	-----	-----	2	1	3	-----	7	-----	2	-----	1	-----
Hernia, intestinal obstruction (118)	12	-----	1	-----	-----	-----	-----	-----	-----	1	-----	1	-----	1	4	2	2	-----
Cirrhosis of the liver (122)	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	2	-----	-----	-----
Nephritis (128, 129)	90	-----	1	-----	1	-----	1	1	1	4	2	2	13	3	21	22	18	-----
Diseases of the female genital organs (137–141)	5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	3	-----	1	1	-----	-----
Puerperal septicemia (146)	5	-----	-----	-----	-----	-----	-----	-----	1	1	-----	1	2	-----	-----	-----	-----	-----
Other puerperal causes (143–145, 147–150)	11	-----	-----	-----	-----	-----	-----	-----	-----	1	4	4	2	-----	-----	-----	-----	-----
Suicide (165–174)	13	-----	-----	-----	-----	-----	-----	-----	-----	2	-----	1	1	7	1	1	-----	-----
Homicide (197–200)	1	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----
Automobile accidents (188c)	8	-----	-----	1	-----	1	-----	1	-----	2	-----	-----	-----	1	2	-----	-----	-----
Other external causes (175–188b, 188d–196, 201–203)	72	6	1	2	2	3	8	1	2	2	5	3	8	10	9	5	5	-----
All other causes	362	159	7	2	2	2	10	7	2	6	3	8	19	21	27	37	50	-----
SPRINGFIELD, MASS., all causes	1,719	239	34	17	16	15	22	14	26	39	60	56	137	174	252	302	316	-----
Typhoid and paratyphoid fever (1)	2	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	1	-----	-----	-----	-----	-----	-----
Measles (7)	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Scarlet fever (8)	4	-----	1	1	1	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Whooping cough (9)	7	5	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Diphtheria (10)	20	1	3	4	2	3	6	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Influenza (11)	34	2	-----	-----	-----	2	-----	-----	2	1	1	3	-----	4	3	10	6	-----
Meningococcus meningitis (24)	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tuberculosis of the respiratory system (31)	63	-----	1	-----	-----	-----	-----	-----	3	9	13	11	12	7	5	2	-----	-----
Other forms of tuberculosis (32–37)	13	2	1	1	1	1	1	1	-----	1	-----	-----	1	1	2	-----	-----	-----
Cancer and other malignant tumors (43–49)	151	-----	-----	-----	-----	-----	-----	-----	-----	2	2	3	12	25	43	40	24	-----
Diabetes mellitus (57)	25	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	2	2	9	9	2	-----
Cerebral hemorrhage and softening (74, 83)	140	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	4	15	33	35	53	-----
Other [organic] diseases of the heart (90)	272	-----	1	1	-----	1	-----	2	4	3	7	4	21	35	49	60	84	-----
Bronchitis (99)	6	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	2	2	-----
Bronchopneumonia (100)	103	23	10	2	3	-----	1	-----	1	1	2	1	6	6	11	14	22	-----
Pneumonia (101)	70	2	3	4	2	-----	-----	1	3	-----	4	5	16	1	9	10	10	-----
Diarrhea and enteritis (113, 114)	37	30	4	1	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----
Appendicitis and typhlitis (117)	20	-----	-----	-----	-----	1	1	2	2	-----	4	1	3	-----	2	4	-----	-----
Hernia, intestinal obstruction (118)	19	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	4	6	6	2	-----
Cirrhosis of the liver (122)	9	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	1	2	5	-----	-----
Nephritis (128, 129)	198	1	-----	-----	-----	-----	1	-----	2	1	6	4	11	22	30	54	66	-----
Diseases of the female genital organs (137–141)	8	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	1	2	3	1	-----	-----
Puerperal septicemia (146)	4	-----	-----	-----	-----	-----	-----	-----	-----	-----	2	2	-----	-----	-----	-----	-----	-----
Other puerperal causes (143–145, 147–150)	13	-----	-----	-----	-----	-----	-----	-----	2	2	1	4	4	-----	-----	-----	-----	-----
Suicide (165–174)	12	-----	-----	-----	-----	-----	-----	-----	-----	2	2	2	-----	4	1	1	-----	-----
Homicide (197–200)	7	3	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	2	1	-----	-----	-----	-----
Automobile accidents (188c)	23	1	-----	-----	1	2	2	1	-----	5	3	1	3	2	1	-----	1	-----
Other external causes (175–188b, 188d–196, 201–203)	75	1	-----	-----	3	-----	5	3	2	2	4	1	8	10	8	12	16	-----
All other causes	384	167	8	3	3	4	4	3	5	7	8	12	30	32	34	37	27	-----

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1923—Continued

[See note at head of this table, p. 352]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
WORCESTER, MASS., all causes	2,521	344	56	37	27	12	61	26	41	54	79	77	201	265	379	442	420	
Typhoid and paratyphoid fever (1)	5								1	1	1	1	1					
Measles (7)	15	3	5	1	1		3				1				1			
Scarlet fever (8)	6		1	1	1		3											
Whooping cough (9)	13	5	4	2	1		1											
Diphtheria (10)	38	1	1	3	6	4	20	2							1			
Influenza (11)	24		1	1	1				2		3	1	3	2		6	4	
Meningococcus meningitis (24)	3	1		1							1							
Tuberculosis of the respiratory system (31)	136		1					1	11	11	21	22	22	20	23	4		
Other forms of tuberculosis (32-37)	16	3	3	2		1			1	1		1	3	1				
Cancer and other malignant tumors (43-49)	215			1	1					1	3	2	22	27	72	59	27	
Diabetes mellitus (57)	44							1		1	2		2	6	11	13	8	
Cerebral hemorrhage and softening (74, 83)	206	1										1	6	19	44	76	59	
Other [organic] diseases of the heart (90)	312					1	3	1	1	4	2	1	14	33	55	92	105	
Bronchitis (99)	19	9	1												3	2	4	
Bronchopneumonia (100)	158	43	14	7	2	1	4		2		1	1	7	11	13	23	29	
Pneumonia (101)	123	9	5	4	2		1	1	2	3	2	2	18	17	16	14	27	
Diarrhea and enteritis (113, 114)	57	44	7	3										1		1	1	
Appendicitis and typhlitis (117)	44		2	1	1	1	3	4	3	4	5	4	2	5	6	3		
Hernia, intestinal obstruction (118)	23	2					2			2			1	5	1	9	1	
Cirrhosis of the liver (122)	3												1		1	1		
Nephritis (128, 129)	218			1				1	2	1	4	3	11	30	52	67	46	
Diseases of the female genital organs (137-141)	19								1		1		6	8	2		1	
Puerperal septicemia (146)	11								1	4	3	2	1					
Other puerperal causes (143-145, 147-150)	22									2	8	5	7					
Suicide (165-174)	26										3	2	4	5	6	6		
Homicide (197-200)	10	1					2		1	3	1		1	1				
Automobile accidents (188c)	33				1		7	1	3	5		3	5	1	3	3	1	
Other external causes (175-188b, 188d-196, 201-203)	116	6	3	2	6	2	3	5	3	2	3	6	13	15	13	16	18	
All other causes	606	216	8	7	4	2	9	9	7	9	14	20	51	58	56	47	89	
DETROIT, MICH. (WHITE), all causes	11,680	2,228	396	215	125	98	314	155	260	463	577	616	1,281	1,230	1,375	1,264	1,070	13
Typhoid and paratyphoid fever (1)	42		1	1		1	5		2	2	2	5	10	6	5	2		
Measles (7)	82	31	25	10	4	2	5	1		1	1	1						1
Scarlet fever (8)	86	3	11	17	16	6	13	2	4	3	4	2	3	1			1	
Whooping cough (9)	72	39	23	6	2	1	1											
Diphtheria (10)	203	15	32	37	20	23	53	5	3	4	3	1	2	3	2			
Influenza (11)	170	20	7	6		3	3	1	8	5	11	12	27	5	28	21	13	
Meningococcus meningitis 4)	19	6	4	1	1		4	2			1							
Tuberculosis of the respiratory system (31)	704	4	2	2	1		6	5	68	109	125	101	135	78	46	21	1	
Other forms of tuberculosis (32-37)	114	15	13	6	6	5	17	6	5	10	9	5	9	2	5	1		
Cancer and other malignant tumors (43-49)	759	2	3	2	1	1	1	2	2	4	11	26	93	168	200	178	62	3
Diabetes mellitus (57)	158		1		1	1	1	3	2	5	8	7	11	23	33	41	20	1
Cerebral hemorrhage and softening (74, 83)	563	6		1						7	6	9	28	96	130	156	124	
Other [organic] diseases of the heart (90)	1,284	5	2	1	2	3	13	26	23	27	30	42	105	163	261	281	300	
Bronchitis (99)	115	38	10	3	2		1		1		1		4	2	5	14	34	
Bronchopneumonia (100)	608	259	79	32	13	8	14	4	1	7	11	14	20	33	34	29	49	1
Pneumonia (101)	896	93	31	15	2	5	15	8	18	41	60	79	166	121	117	76	48	1
Diarrhea and enteritis (113, 114)	497	381	63	23	8	4	2		1				4	2	3	4	2	
Appendicitis and typhlitis (117)	215			6	2	3	22	13	18	21	22	21	37	29	15	5	1	
Hernia, intestinal obstruction (118)	132	19	5	2	3	2	3	1	3	7	7	7	13	18	21	13	8	
Cirrhosis of the liver (122)	73	1				1		1				1	13	19	17	14	6	
Nephritis (128, 129)	561	7	1		1	2	1	4	4	6	15	31	66	81	121	116	104	1
Diseases of the female genital organs (137-141)	70									5	8	11	27	16	2	1		
Puerperal septicemia (146)	109								10	28	33	20	17	1				
Other puerperal causes (143-145, 147-150)	88								3	17	27	23	17	1				
Suicide (165-174)	122								7	13	10	15	30	23	11	9	3	1
Homicide (197-200)	100						4	2	5	22	18	17	23	6	3			
Automobile accidents (188c)	239	1	2	2	6	8	48	15	12	11	24	15	29	24	18	15	8	1
Other external causes (175-188b, 188d-196, 201-203)	586	21	24	14	15	6	28	22	24	42	49	57	95	65	46	41	36	1
All other causes	3,013	1,262	57	28	19	13	54	32	36	66	81	94	297	244	252	226	250	2
DETROIT, MICH. (COLORED)	1,371	214	48	26	10	11	21	18	55	136	154	137	239	160	71	44	24	3
Typhoid and paratyphoid fever (1)	2										1	1						
Measles (7)	5	2	1				1			1								
Scarlet fever (8)	1		1															
Whooping cough (9)	14	3	7	1	1	1	1											
Diphtheria (10)	6		1			1			1		2		1					
Influenza (11)	26	2		1					1	3	2	5	6	6				
Meningococcus meningitis (24)	1			1														
Tuberculosis of the respiratory system (31)	143	4	3				1	2	18	33	33	15	20	10	3	1		
Other forms of tuberculosis (32-37)	31	6	1	3	3	1	3	1	1	4		3	3	2				
Cancer and other malignant tumors (43-49)	33											2	8	8	8	6	1	
Diabetes mellitus (57)	6									1			1	2	1	1		
Cerebral hemorrhage and softening (74, 83)	41									1	2	1	9	12	11	3	2	
Other [organic] diseases of the heart (90)	132						1	1		5	5	11	24	36	17	19	12	1
Bronchitis (99)	12	5	2	1					1		1	1			1			
Bronchopneumonia (100)	100	49	14	5	2	4	2	3	2	4	2	2	4	3	1	3		
Pneumonia (101)	283	16	8	5	2	1	2	4	16	36	42	49	69	22	6	2	1	1
Diarrhea and enteritis (113, 114)	23	14	5	1			1							1	1			
Appendicitis and typhlitis (117)	24	1				1		2		7	5	3	4	1				
Hernia, intestinal obstruction (118)	10	2		1					1	2	2			2				
Cirrhosis of the liver (122)	1													1				
Nephritis (128, 129)	34			1			1	1		2	1	2	11	6	6	1	2	
Diseases of the female genital organs (137-141)	19								1	3	3	4	6	1	1			
Puerperal septicemia (146)	5										2	2	1					
Other puerperal causes (143-145, 147-150)	11								2	3	3	2	1					
Suicide (165-174)	10								1	4	2		2		1			
Homicide (197-200)	66								3	11	16	12	18	3	1	1		1
Automobile accidents (188c)	13					1	2		2	2		2	2		2			
Other external causes (175-188b, 188d-196, 201-203)	57	2	1	1		1	4	3	2	3	8	3	16	9	1	2	1	
All other causes	262	108	4	5	2		2	1	3	11	22	17	33	35	10	4	5	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1923—Continued

[See note at head of this table, p. 352]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
GRAND RAPIDS, MICH., all causes	1,714	210	49	23	12	8	38	21	29	33	44	52	114	167	237	330	347	-----
Typhoid and paratyphoid fever (1)	2	-----	-----	-----	-----	-----	1	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----
Measles (7)	6	2	4	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Scarlet fever (8)	4	-----	1	1	1	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Whooping cough (9)	13	7	2	4	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Diphtheria (10)	18	-----	2	-----	2	1	10	1	-----	1	-----	-----	-----	-----	-----	1	-----	-----
Influenza (11)	48	3	-----	3	-----	-----	1	-----	2	-----	1	1	5	7	4	12	9	-----
Meningococcus meningitis (24)	1	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tuberculosis of the respiratory system (31)	64	-----	-----	-----	-----	1	-----	2	7	6	10	9	10	8	4	4	3	-----
Other forms of tuberculosis (32-37)	22	1	3	-----	1	3	1	1	4	3	-----	-----	3	2	-----	-----	-----	-----
Cancer and other malignant tumors (43-49)	140	-----	1	-----	-----	-----	-----	1	-----	-----	-----	3	11	22	28	51	23	-----
Diabetes mellitus (57)	27	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	1	1	1	10	8	5	-----
Cerebral hemorrhage and softening (74, 83)	142	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	2	11	26	38	62	-----
Other [organic] diseases of the heart (90)	276	1	1	-----	1	-----	3	5	2	-----	1	4	5	37	63	76	77	-----
Bronchitis (99)	15	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	1	2	4	6	-----
Bronchopneumonia (100)	72	24	17	2	-----	1	1	1	-----	-----	3	1	2	1	2	6	11	-----
Pneumonia (101)	69	8	5	3	1	-----	1	-----	1	1	-----	4	4	7	13	15	6	-----
Diarrhea and enteritis (113, 114)	38	21	5	3	3	-----	1	-----	-----	-----	1	-----	-----	-----	-----	3	1	-----
Appendicitis and typhlitis (117)	24	-----	-----	-----	-----	-----	3	3	2	2	3	1	4	-----	5	1	-----	-----
Hernia, intestinal obstruction (118)	19	5	-----	-----	1	-----	-----	-----	1	-----	1	1	1	1	-----	4	4	-----
Cirrhosis of the liver (122)	10	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	3	5	2	-----	-----
Nephritis (128, 129)	134	-----	-----	-----	-----	-----	1	1	-----	1	1	2	8	11	25	39	45	-----
Diseases of the female genital organs (137-141)	15	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	1	6	6	1	-----	-----	-----
Puerperal septicemia (146)	10	-----	-----	-----	-----	-----	-----	-----	1	2	3	2	2	-----	-----	-----	-----	-----
Other puerperal causes (143-145, 147-150)	10	-----	-----	-----	-----	-----	-----	-----	-----	1	4	4	1	-----	-----	-----	-----	-----
Suicide (165-174)	22	-----	-----	-----	-----	-----	-----	-----	1	1	2	-----	5	4	2	6	1	-----
Homicide (197-200)	1	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----
Automobile accidents (188c)	27	1	-----	1	-----	-----	4	1	-----	2	1	2	2	4	5	4	-----	-----
Other external causes (175, 188b, 188d-196, 201-203)	66	4	-----	1	1	1	-----	2	1	7	3	3	10	5	7	6	15	-----
All other causes	419	130	8	5	1	1	9	3	6	5	8	11	32	36	35	50	79	-----
MINNEAPOLIS, MINN., all causes	4,553	526	77	45	32	33	106	62	97	135	186	183	459	500	699	758	652	3
Typhoid and paratyphoid fever (1)	6	-----	-----	-----	-----	-----	1	-----	1	-----	1	1	2	-----	-----	-----	-----	-----
Measles (7)	50	6	19	7	6	-----	10	-----	-----	1	-----	-----	-----	1	-----	-----	-----	-----
Scarlet fever (8)	34	2	7	5	5	1	9	-----	-----	1	3	1	-----	-----	-----	-----	-----	-----
Whooping cough (9)	24	14	4	3	1	1	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Diphtheria (10)	50	1	2	2	4	12	19	6	-----	2	1	-----	1	-----	-----	-----	-----	-----
Influenza (11)	82	9	5	1	1	-----	2	1	1	4	3	2	7	9	5	11	21	-----
Meningococcus meningitis (24)	4	1	-----	1	-----	-----	-----	1	-----	-----	-----	1	-----	-----	-----	-----	-----	-----
Tuberculosis of the respiratory system (31)	277	5	2	2	-----	1	1	-----	20	36	51	33	55	34	25	9	2	1
Other forms of tuberculosis (32-37)	62	4	5	4	2	1	5	3	3	4	2	5	13	2	6	3	-----	-----
Cancer and other malignant tumors (43-49)	517	-----	-----	-----	1	-----	-----	2	1	2	4	8	55	85	148	146	65	-----
Diabetes mellitus (57)	85	-----	1	-----	-----	-----	-----	3	3	1	4	4	7	9	20	18	15	-----
Cerebral hemorrhage and softening (74, 83)	288	-----	-----	-----	-----	-----	-----	-----	1	-----	2	1	9	35	59	96	85	-----
Other [organic] diseases of the heart (90)	641	-----	-----	-----	-----	3	4	4	6	11	14	14	45	72	134	169	164	1
Bronchitis (99)	19	-----	1	1	-----	-----	-----	-----	-----	-----	1	-----	-----	2	4	2	8	-----
Bronchopneumonia (100)	137	48	5	5	-----	1	3	-----	2	1	1	3	7	10	7	17	27	-----
Pneumonia (101)	187	14	3	1	1	-----	-----	-----	2	12	7	7	27	20	35	35	23	-----
Diarrhea and enteritis (113, 114)	44	24	5	-----	-----	2	3	1	-----	1	2	-----	1	2	-----	1	2	-----
Appendicitis and typhlitis (117)	87	1	-----	-----	-----	-----	6	11	7	4	11	6	17	11	9	2	2	-----
Hernia, intestinal obstruction (118)	58	3	1	-----	-----	-----	-----	-----	-----	-----	2	2	7	10	12	14	7	-----
Cirrhosis of the liver (122)	40	-----	-----	-----	-----	-----	1	-----	-----	-----	1	1	5	4	15	6	6	1
Nephritis (128, 129)	228	-----	-----	-----	-----	1	2	3	4	3	9	5	18	22	39	68	54	-----
Diseases of the female genital organs (137-141)	26	-----	-----	-----	-----	-----	-----	-----	2	2	4	4	6	5	3	-----	-----	-----
Puerperal septicemia (146)	43	-----	-----	-----	-----	-----	-----	-----	2	7	10	12	12	-----	-----	-----	-----	-----
Other puerperal causes (143-145, 147-150)	21	-----	-----	-----	-----	-----	-----	-----	1	4	5	3	8	-----	-----	-----	-----	-----
Suicide (165-174)	62	-----	-----	-----	-----	-----	-----	-----	-----	4	8	6	15	12	7	7	3	-----
Homicide (197-200)	23	1	-----	-----	-----	-----	-----	-----	-----	4	3	2	8	3	2	-----	-----	-----
Automobile accidents (188c)	60	-----	-----	-----	-----	1	5	1	2	3	5	5	5	9	12	8	4	-----
Other external causes (175-188b, 188d-196, 201-203)	240	7	5	10	8	3	10	8	11	5	9	19	33	31	23	26	32	-----
All other causes	1,158	386	12	3	3	6	24	18	28	23	23	38	96	112	134	120	132	-----
ST. PAUL, MINN., all causes	3,116	405	82	32	26	13	88	46	67	106	99	145	283	340	486	484	414	-----
Typhoid and paratyphoid fever (1)	11	-----	-----	-----	-----	-----	1	2	2	2	-----	1	1	1	1	-----	-----	-----
Measles (7)	42	9	15	6	-----	-----	9	1	-----	1	-----	-----	1	-----	-----	-----	-----	-----
Scarlet fever (8)	33	-----	4	2	6	3	11	-----	3	3	-----	-----	-----	1	-----	-----	-----	-----
Whooping cough (9)	17	9	4	2	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Diphtheria (10)	51	2	12	5	2	1	22	4	1	1	1	-----	-----	-----	-----	-----	-----	-----
Influenza (11)	54	10	3	1	2	-----	1	1	-----	-----	-----	2	6	2	6	7	13	-----
Meningococcus meningitis (24)	5	3	1	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----
Tuberculosis of the respiratory system (31)	202	4	1	1	1	-----	1	-----	15	33	24	29	37	29	12	13	2	-----
Other forms of tuberculosis (32-37)	41	5	2	1	1	2	6	3	4	2	1	3	3	2	5	1	-----	-----
Cancer and other malignant tumors (43-49)	306	-----	-----	1	-----	1	1	2	-----	3	2	8	22	58	100	75	33	-----
Diabetes mellitus (57)	53	1	-----	-----	-----	-----	-----	-----	3	2	2	1	2	9	17	11	5	-----
Cerebral hemorrhage and softening (74, 83)	200	2	-----	-----	-----	-----	-----	-----	-----	-----	1	2	7	19	57	62	50	-----
Other [organic] diseases of the heart (90)	360	1	1	-----	-----	-----	-----	6	1	7	2	7	27	29	80	96	103	-----
Bronchitis (99)	21	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	3	3	-----	12	-----
Bronchopneumonia (100)	110	35	11	2	2	2	4	1	-----	-----	-----	-----	5	5	4	11	28	-----
Pneumonia (101)	142	11	10	1	1	-----	2	-----	4	2	1	5	17	21	21	28	18	-----
Diarrhea and enteritis (113, 114)	57	44	3	1	-----	-----	1	-----	-----	-----	-----	2	1	2	-----	1	2	-----
Appendicitis and typhlitis (117)	77	1	-----	-----	1	2	2	6	9	9	7	8	9	13	6	2	2	-----
Hernia, intestinal obstruction (118)	37	5	2	-----	-----	-----	2	-----	-----	-----	-----	2	7	9	3	5	2	-----
Cirrhosis of the liver (122)	10	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	3	1	5	1	-----
Nephritis (128, 129)	197	1	-----	1	-----	-----	1	2	1	2	1	6	18	23	49	52	40	-----
Diseases of the female genital organs (137-141)	22	-----	-----	-----	-----	-----	-----	-----	-----	-----	4	2	9	5	1	1	-----	-----
Puerperal septicemia (146)	23	-----	-----	-----	-----	-----	-----	-----	2	4	9	3	5	-----	-----	-----	-----	-----
Other puerperal causes (143-145, 147-150)	24	-----	-----	-----	-----	-----	-----	-----	1	3	8	6	6	-----	-----	-----	-----	-----
Suicide (165-174)	37	-----	-----	-----	-----	-----	-----	-----	4	1	4	1	9	10	6	1	1	-----
Homicide (197-200)	9	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	5	1	1	1	-----	-----	-----
Automobile accidents (188c)	59	-----	-----	-----	-----	-----	5	1	2	6	6	6	8	3	5	11	6	-----
Other external causes (175-188b, 188d-196, 201-203)	165	5	1	3	3	-----	4	5	7	5	11	12	17	21	25	20	26	-----
All other causes	751	255	12	5	5	2	15	12	8	19	15	33	64	71	83	82	70	-----

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1923—Continued

[See note at head of this table, p. 352]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
KANSAS CITY, MO. (WHITE), all causes	4,257	544	106	56	26	26	94	56	78	144	142	168	412	488	677	642	597	1
Typhoid and paratyphoid fever (1)	15			1			3	1	2	4			2		2			
Measles (7)	48	13	14	9	2	4	3		1	1	1							
Scarlet fever (8)	9				2		3		2	1			1					
Whooping cough (9)	24	13	4	3	1	3												
Diphtheria (10)	39	4	2	6	5	4	16	2										
Influenza (11)	142	11	6		1		3	3	4	6	5	5	16	13	19	28	22	
Meningococcus meningitis (24)	3	1	1				1											
Tuberculosis of the respiratory system (31)	220	2	1	3			2	1	7	31	34	27	42	24	28	15	3	
Other forms of tuberculosis (32-37)	42	5	4	2	1	1	2	2		4	4	3	6	3	3	1	1	
Cancer and other malignant tumors (43-49)	391							1		2	4	10	42	73	122	95	42	
Diabetes mellitus (57)	61			1					3	1		2	4	8	19	15	8	
Cerebral hemorrhage and softening (74, 83)	249	2									1	4	6	32	56	62	86	
Other [organic] diseases of the heart (90)	430	3			1		6	6	9	3	9	2	31	41	83	109	127	
Bronchitis (99)	29	1	1									1		1	2	4	19	
Bronchopneumonia (100)	155	47	19	2	2	1	3		1	3	2	2	6	7	16	14	30	
Pneumonia (101)	238	16	9	7	3	1	4	4	4	8	10	8	35	28	35	37	29	
Diarrhea and enteritis (113, 114)	139	94	22	8		2	1	1				1	1		4	3	2	
Appendicitis and typhlitis (117)	94			1			3	10	11	9	5	9	18	14	10	3		1
Hernia, intestinal obstruction (118)	39	5	2			1				2		2	6	4	9	5	3	
Cirrhosis of the liver (122)	38										1		3	10	12	9	3	
Nephritis (128, 129)	373	1					2	5	5	4		7	28	48	82	101	90	
Diseases of the female genital organs (137-141)	27									4	3	4	9	6	1			
Puerperal septicemia (146)	20								2	3	6	5	4					
Other puerperal causes (143-145, 147-150)	31								2	11	4	5	8	1				
Suicide (165-174)	66								1	3	4	13	15	14	12	4		
Homicide (197-200)	56								6	9	6	13	11	7	3		1	
Automobile accidents (188c)	77			1	1	2	8	2	4	4	5	5	11	11	6	12	5	
Other external causes (175-188b, 188d-196, 201-203)	183	8	6	4	1	3	10	4	4	10	10	8	23	24	23	25	20	
All other causes	1,019	318	15	8	6	4	24	14	10	21	28	32	84	119	130	100	106	
KANSAS CITY, MO. (COLORED), all causes	800	88	20	4	5	1	10	15	29	53	53	53	165	137	75	56	35	1
Typhoid and paratyphoid fever (1)	4							2		1			1					
Measles (7)	8	2		3	2		1											
Scarlet fever (8)																		
Whooping cough (9)	4	1	2	1														
Diphtheria (10)																		
Influenza (11)	44	5	2				1		2	4	1	1	11	9	4	1	3	
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	92		2		1	1	3	4	10	16	17	10	14	6	7	1		
Other forms of tuberculosis (32-37)	11						1		2		1	1	3	2	1			
Cancer and other malignant tumors (43-49)	24										1	2	1	11	7	1	1	
Diabetes mellitus (57)	5												2		1	1	1	
Cerebral hemorrhage and softening (74, 83)	27										1	1	1	10	6	4	3	1
Other [organic] diseases of the heart (90)	95								1	6		1	25	22	17	16	7	
Bronchitis (99)	2									1						1		
Bronchopneumonia (100)	42	24	6		1		1	1	1		1	1	1	2	1	1	1	
Pneumonia (101)	66	3	3				1	1	4	1	4	4	16	16	8	3	2	
Diarrhea and enteritis (113, 114)	16	11	4											1				
Appendicitis and typhlitis (117)	9							2			3		3		1			
Hernia, intestinal obstruction (118)	9	1									1	3	2		1		1	
Cirrhosis of the liver (122)	13										1		6	4	1		1	
Nephritis (128, 129)	77	1	1					2	1	3		4	15	17	9	15	9	
Diseases of the female genital organs (137-141)	11								1	2	2	1	2	2		1		
Puerperal septicemia (146)	4									2		1	1					
Other puerperal causes (143-145, 147-150)	4										1		3					
Suicide (165-174)	3											1	2					
Homicide (197-200)	56								2	9	8	10	23	3	1			
Automobile accidents (188c)	9								1		2		2	2	2			
Other external causes (175-188b, 188d-196, 201-203)	18	1			1		1	2	1	1		1	3	3	2	2		
All other causes	147	39					1	1	3	7	9	11	28	27	6	9	6	
ST. LOUIS, MO. (WHITE), all causes	9,222	871	188	92	43	36	145	112	199	253	296	324	859	1,240	1,596	1,543	1,425	
Typhoid and paratyphoid fever (1)	28						2	2	3	3	3	2	4	4	3	2		
Measles (7)	50	10	20	6	3	3	3		2		1	1		1				
Scarlet fever (8)	29		7	6	1	1	8	1	1	1		1		2				
Whooping cough (9)	71	36	15	9	6		4	1										
Diphtheria (10)	68	6	12	7	8	4	25	2	1	1	2							
Influenza (11)	119	13	4	4		3	6		6	1	4	4	11	9	16	18	20	
Meningococcus meningitis (24)	12	3	1	1	1	1	1	1	2			1						
Tuberculosis of the respiratory system (31)	379	2	1	2		1	1	4	36	48	41	47	72	59	43	21	1	
Other forms of tuberculosis (32-37)	58	2	9	3	2		3	1	1	7	3	4	9	6	7	1		
Cancer and other malignant tumors (43-49)	884	1		1				2	3	4	6	15	96	193	256	200	107	
Diabetes mellitus (57)	168		2				1	1	2		2	3	7	26	48	52	24	
Cerebral hemorrhage and softening (74, 83)	523							2	3	1	2	4	28	68	132	131	152	
Other [organic] diseases of the heart (90)	1,157	3	1			1	12	15	9	15	20	14	67	153	255	296	296	
Bronchitis (99)	96	14	5	2		1	1				1	1	1	4	7	22	37	
Bronchopneumonia (100)	486	132	46	13	10	1	7	7	3	4	6	5	17	25	36	61	113	
Pneumonia (101)	560	34	13	9	4	2	13	4	18	17	24	20	66	81	104	83	68	
Diarrhea and enteritis (113, 114)	155	110	17	5		1	1	1		1		1	1	7	2	2	6	
Apendicitis and typhlitis (117)	175	1					7	9	18	16	22	13	26	27	27	8	1	
Hernia, intestinal obstruction (118)	94	5	2	1		1	1	1			2	3	9	21	18	18	12	
Cirrhosis of the liver (122)	114						1		2		4	3	11	23	30	33	7	
Nephritis (128, 129)	1,144	1		2	1		3	2	13	12	15	18	86	152	267	307	265	
Diseases of the female genital organs (137-141)	71								2	9	8	5	25	14	6	1	1	
Puerperal septicemia (146)	50								4	14	15	8	8	1				
Other puerperal causes (143-145, 147-150)	53								4	13	10	16	9	1				
Suicide (165-174)	169								3	11	10	15	40	32	32	15	11	
Homicide (197-200)	111								10	19	25	24	26	7				
Automobile accidents (188c)	152		1	1	1	5	16	9	13	7	8	10	16	17	20	18	10	
Other external causes (175-188b, 188d-196, 201-203)	391	7	4	3	2	4	7	14	10	9	20	25	60	65	56	45	60	
All other causes	1,855	491	28	17	4	7	22	33	30	40	42	61	164	242	231	209	234	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1923—Continued

[See note at head of this table, p. 352]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
ST. LOUIS, MO. (COLORED), all causes	1,702	192	80	31	18	12	15	13	56	98	105	109	290	271	212	112	87	1
Typhoid and paratyphoid fever (1)	8						1		4		1		2					
Measles (7)	17	4	6	1	4		2											
Scarlet fever (8)	1											1						
Whooping cough (9)	35	20	10	5														
Diphtheria (10)	1														1			
Influenza (11)	34	5	2	1					1	2	1		6	6	4	2	4	
Meningococcus meningitis (24)	1				1													
Tuberculosis of the respiratory system (31)	194	1	4	2	1		2	6	22	37	24	16	42	33	4			
Other forms of tuberculosis (32–37)	32			1	1	1	1		2	7	3	6	5	2	1	2		
Cancer and other malignant tumors (43–49)	69								1			1	13	20	26	7	1	
Diabetes mellitus (57)	9											1	1	2	3	1	1	
Cerebral hemorrhage and softening (74, 83)	54								1	1	1	1	8	8	16	11	7	
Other [organic] diseases of the heart (90)	219								4	3	10	10	40	62	47	28	15	
Bronchitis (99)	27	8	4	1					2	2		1	3	1	3		2	
Bronchopneumonia (100)	124	50	33	9	3	4			1	1	1	2	5	4	6	1	4	
Pneumonia (101)	186	16	9	4	3	1	2		3	11	18	17	39	29	18	11	4	1
Diarrhea and enteritis (113, 114)	31	20	5	2		1									3			
Appendicitis and typhlitis (117)	18					1	1		3	3	2	3	2	1	2			
Hernia, intestinal obstruction 118)	17									2		2	6	3	2	1	1	
Cirrhosis of the liver (122)	13									2			2	4	2	1	2	
Nephritis (128, 129)	169			1							3	7	25	35	41	28	29	
Diseases of the female genital organs (137–141)	21									1	1	6	9	3	1			
Puerperal septicemia (146)	7								2	1	1	2	1					
Other puerperal causes (143–145, 147–150)	8									3	1	1	3					
Suicide (165–174)	3									1			2					
Homicide (197–200)	67							1	2	10	23	9	15	7				
Automobile accidents (188c)	16					1	3			2		2	5	2	1			
Other external causes (175–188b, 188d–196, 201–203)	60	2	2	2	4	2		2	4	2	1	4	13	10	6	4	2	
All other causes	261	66	5	2	1	1	3	4	4	7	14	17	43	39	25	15	15	
OMAHA, NEBR., all causes	2,696	348	50	24	33	19	58	41	52	95	109	104	276	328	411	406	341	1
Typhoid and paratyphoid fever (1)	6							1	1			1	1		2			
Measles (7)	2	2																
Scarlet fever (8)	3						2			1								
Whooping cough (9)	39	21	10	4	1	1	2											
Diphtheria (10)	43		2	2	6	2	17	9	1	2			1			1		
Influenza (11)	65	10	2	1		1	5	1	2	1		3	7	5	6	9	12	
Meningococcus meningitis (24)	5	3											1		1			
Tuberculosis of the respiratory system (31)	115	1	1	1				2	8	15	16	10	26	17	8	7	3	
Other forms of tuberculosis (32–37)	27	2	2	3		1	1	1	4		2	2	3	3	1	2		
Cancer and other malignant tumors (43–49)	239				1		3	1	3		1	3	21	48	62	59	37	
Diabetes mellitus (57)	50		1						1	1		1	4	10	15	13	4	
Cerebral hemorrhage and softening (74, 83)	168	3								1	3	5	12	21	36	49	38	
Other [organic] diseases of the heart (90)	308		1				1	4	3	3	5	5	24	47	76	74	65	
Bronchitis (99)	12	2											1		2	3	4	
Bronchopneumonia (100)	94	36	10		6	2		1	1			3	5	6	9	8	7	
Pneumonia (101)	168	15	2	2			4	2	1	4	4	8	21	14	34	29	28	
Diarrhea and enteritis (113, 114)	46	30	8	2	1									1	1	1	2	
Appendicitis and typhlitis (117)	79		1	1	1	1	3	7	4	10	6	10	11	10	9	5		
Hernia, intestinal obstruction (118)	47	8	1		2			1	1	1	2	1	3	7	8	8	4	
Cirrhosis of the liver (122)	19								1				3	4	9	1	1	
Nephritis (128, 129)	137	1	1	1			1		1	3	2	4	15	20	30	33	25	
Diseases of the female genital organs (137–141)	26									2	7	1	6	6	3	1		
Puerperal septicemia (146)	33								1	11	10	3	7	1				
Other puerperal causes (143–145, 147–150)	20								1	6	4	4	4	1				
Suicide (165–174)	53								1	6	3	8	9	14	5	5	2	
Homicide (197–200)	35							1	1	4	7	4	14	3	1			
Automobile accidents (188c)	40		1		2	3	7		2			3	5	8	4	2	3	
Other external causes (175–188b, 188d–196, 201–203)	112	6	1		4	1	4	2	5	2	10	6	16	18	11	8	18	
All other causes	705	208	6	7	9	7	8	8	9	22	27	19	56	64	78	88	88	1
CAMDEN, N. J., all causes	1,806	282	92	38	31	28	47	32	41	49	62	70	160	191	234	247	202	
Typhoid and paratyphoid fever (1)	5						1					2	1	1				
Measles (7)	50	9	20	7	4	5	4	1										
Scarlet fever (8)																		
Whooping cough (9)	22	11	6	1	2		2											
Diphtheria (10)	44	3	8	9	6	4	9	2	1	1			1					
Influenza (11)	24	2	2				1		1			2		4	1	6	5	
Meningococcus meningitis (24)	1	1																
Tuberculosis of the respiratory system (31)	84						2		5	14	12	6	20	12	5	7	1	
Other forms of tuberculosis (32–37)	9		1						1	2		1	2	2				
Cancer and other malignant tumors (43–49)	105											3	7	20	38	21	16	
Diabetes mellitus (57)	19											1	2	4	4	6	2	
Cerebral hemorrhage and softening (74, 83)	114	1											6	15	25	42	25	
Other [organic] diseases of the heart (90)	227	4	1		1	1	1	4	2	2	4	5	18	27	52	44	61	
Bronchitis (99)	15	4	2	1				1						1	1	1	4	
Bronchopneumonia (100)	114	35	25	5	6	2	4				2	2	7	5	9	9	3	
Pneumonia (101)	136	15	9	8	3	1	2	2	1	7	8	12	19	13	16	17	3	
Diarrhea and enteritis (113, 114)	81	59	12	1	1	3	1						1		1	1	1	
Appendicitis and typhlitis (117)	22			1	1	2		5	3		2	2		4	1	1		
Hernia, intestinal obstruction (118)	18	1	1					1	1			1	2	4	4	2	1	
Cirrhosis of the liver (122)	15	1							1				1	2	6	3	1	
Nephritis (128, 129)	163	1						1	1		2	2	12	23	30	44	47	
Diseases of the female genital organs (137–141)	7										1	2		4				
Puerperal septicemia (146)	13								3	3	4	1	2					
Other puerperal causes (143–145, 147–150)	12								1	1	4	4	2					
Suicide (165–174)	22								2	3	1	3	4	6		3		
Homicide (197–200)	10									2	2	2	1	2	1			
Automobile accidents (188c)	44			1		3	3	3	7	2	5	1	8	4	1	5	1	
Other external causes (175–188b, 188d–196, 201–203)	105	4	1	1	3	4	12	7	8	6	8	7	15	10	5	6	8	
All other causes	325	131	4	3	4	3	5	5	3	6	7	11	29	28	34	29	23	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1923—Continued

[See note at head of this table, p. 352]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
JERSEY CITY, N. J., all causes	3,708	558	119	49	28	17	84	62	85	122	134	138	383	492	542	526	369	-----
Typhoid and paratyphoid fever (1)	4	-----	-----	-----	-----	-----	-----	-----	1	2	-----	-----	-----	1	-----	-----	-----	-----
Measles (7)	19	4	4	7	1	-----	3	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Scarlet fever (8)	10	1	2	1	-----	2	2	-----	-----	1	-----	1	-----	-----	-----	-----	-----	-----
Whooping cough (9)	28	18	7	2	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Diphtheria (10)	35	3	7	10	4	4	6	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Influenza (11)	66	5	6	3	-----	-----	-----	2	3	4	4	2	6	7	11	8	5	-----
Meningococcus meningitis (24)	3	2	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tuberculosis of the respiratory system (31)	239	2	-----	-----	-----	-----	2	4	14	32	36	31	52	44	16	4	2	-----
Other forms of tuberculosis (32-37)	26	2	2	-----	1	-----	1	3	3	2	1	1	3	4	1	2	-----	-----
Cancer and other malignant tumors (43-49)	290	1	-----	-----	-----	-----	1	-----	1	1	2	5	34	66	96	63	20	-----
Diabetes mellitus (57)	72	-----	-----	-----	-----	-----	2	1	-----	1	1	2	10	15	15	18	7	-----
Cerebral hemorrhage and softening (74, 83)	251	1	-----	-----	-----	-----	1	-----	-----	1	-----	1	11	31	58	83	64	-----
Other [organic] diseases of the heart (90)	548	1	-----	-----	-----	-----	6	6	16	9	8	14	52	100	108	129	99	-----
Bronchitis (99)	41	15	-----	1	-----	-----	2	-----	1	-----	-----	1	2	2	2	4	11	-----
Bronchopneumonia (100)	188	73	28	6	4	1	2	2	2	4	4	5	14	5	12	14	12	-----
Pneumonia (101)	225	8	16	5	3	1	8	7	8	17	7	14	32	34	32	23	10	-----
Diarrhea and enteritis (113, 114)	160	117	23	4	2	1	-----	2	-----	-----	1	-----	2	-----	1	5	2	-----
Appendicitis and typhlitis (117)	61	-----	-----	-----	-----	-----	4	7	3	6	7	4	14	6	5	5	-----	-----
Hernia, intestinal obstruction (118)	40	4	2	1	-----	-----	1	-----	-----	1	2	-----	3	8	11	4	3	-----
Cirrhosis of the liver (122)	33	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	3	7	10	8	5	-----
Nephritis (128, 129)	326	-----	-----	-----	1	-----	2	2	3	5	5	10	32	46	72	93	55	-----
Diseases of the female genital organs (137-141)	23	-----	-----	-----	-----	-----	-----	-----	1	3	1	5	6	5	1	1	-----	-----
Puerperal septicemia (146)	23	-----	-----	-----	-----	-----	-----	-----	2	7	5	3	6	-----	-----	-----	-----	-----
Other puerperal causes (143-145, 147-150)	25	-----	-----	-----	-----	-----	-----	-----	2	4	10	7	2	-----	-----	-----	-----	-----
Suicide (165-174)	30	-----	-----	-----	-----	-----	-----	1	-----	-----	1	4	9	5	5	1	4	-----
Homicide (197-200)	10	-----	-----	-----	-----	-----	-----	-----	2	-----	2	2	-----	3	-----	1	-----	-----
Automobile accidents (188c)	37	-----	-----	-----	1	1	10	2	4	3	2	1	5	2	4	2	-----	-----
Other external causes (175-188b, 188d-196, 201-203)	183	4	3	4	5	1	13	5	4	10	12	9	30	41	22	11	9	-----
All other causes	712	297	19	5	5	5	18	17	15	9	23	16	55	60	60	47	61	-----
NEWARK, N. J., all causes	5,110	752	157	68	30	31	106	84	109	178	187	209	433	687	801	712	566	-----
Typhoid and paratyphoid fever (1)	11	-----	-----	-----	-----	-----	-----	-----	3	-----	1	2	2	3	-----	-----	-----	-----
Measles (7)	45	15	17	9	-----	2	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Scarlet fever (8)	4	-----	3	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----
Whooping cough (9)	18	9	6	1	1	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Diphtheria (10)	21	2	4	1	5	4	3	1	-----	1	-----	-----	-----	-----	-----	-----	-----	-----
Influenza (11)	88	7	5	-----	-----	-----	2	3	4	2	4	6	9	10	15	13	8	-----
Meningococcus meningitis (24)	9	2	-----	2	-----	-----	1	1	-----	-----	1	-----	1	-----	-----	1	-----	-----
Tuberculosis of the respiratory system (31)	283	2	-----	1	1	1	4	4	26	48	32	34	50	52	16	9	3	-----
Other forms of tuberculosis (32-37)	48	3	9	2	-----	1	3	5	4	2	2	3	3	4	5	2	-----	-----
Cancer and other malignant tumors (43-49)	428	1	-----	-----	-----	3	2	-----	-----	3	3	9	45	102	120	103	37	-----
Diabetes mellitus (57)	96	-----	-----	-----	-----	-----	-----	-----	2	4	-----	3	1	19	31	30	6	-----
Cerebral hemorrhage and softening (74, 83)	333	-----	-----	-----	-----	1	2	-----	-----	-----	1	2	14	43	81	100	89	-----
Other [organic] diseases of the heart (90)	737	2	2	-----	1	3	7	11	10	18	20	17	50	104	176	158	158	-----
Bronchitis (99)	73	34	9	1	-----	-----	-----	-----	-----	-----	-----	-----	1	3	4	5	16	-----
Bronchopneumonia (100)	186	67	38	18	3	2	2	2	2	1	3	2	7	4	13	12	10	-----
Pneumonia (101)	312	24	17	5	2	1	4	5	8	14	23	23	32	49	45	39	21	-----
Diarrhea and enteritis (113, 114)	156	118	23	5	2	1	-----	1	-----	-----	-----	-----	-----	1	1	2	2	-----
Appendicitis and typhlitis (117)	104	-----	1	1	-----	1	10	6	6	6	11	8	18	16	14	6	-----	-----
Hernia, intestinal obstruction (118)	41	3	1	-----	-----	-----	-----	1	-----	3	1	-----	8	13	7	2	2	-----
Cirrhosis of the liver (122)	37	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	2	14	11	6	3	-----
Nephritis (128, 129)	430	-----	-----	2	-----	1	4	4	2	6	5	12	28	76	97	102	91	-----
Diseases of the female genital organs (137-141)	23	-----	-----	-----	-----	-----	-----	-----	1	-----	3	5	7	4	1	2	-----	-----
Puerperal septicemia (146)	24	-----	-----	-----	-----	-----	-----	-----	2	8	5	6	3	-----	-----	-----	-----	-----
Other puerperal causes (143-145, 147-150)	41	-----	-----	-----	-----	-----	-----	-----	2	8	17	8	5	1	-----	-----	-----	-----
Suicide (165-174)	63	-----	-----	-----	-----	-----	-----	-----	1	5	4	9	10	17	11	5	1	-----
Homicide (197-200)	37	4	-----	1	-----	1	-----	-----	3	3	9	6	7	2	1	-----	-----	-----
Automobile accidents (188c)	107	-----	1	1	3	3	34	10	5	5	2	3	8	10	13	7	2	-----
Other external causes (175-188b, 188d-196, 201-203)	259	15	8	9	7	-----	6	7	8	8	12	18	37	37	39	25	23	-----
All other causes	1,096	444	13	9	5	5	20	23	20	33	26	33	85	103	100	83	94	-----
PATERSON, N. J., all causes	1,825	207	42	23	10	8	37	32	49	56	57	64	172	248	269	313	238	-----
Typhoid and paratyphoid fever (1)	4	-----	-----	-----	-----	-----	-----	-----	-----	1	1	-----	-----	-----	1	1	-----	-----
Measles (7)	11	3	6	-----	1	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Scarlet fever (8)	4	-----	1	1	-----	1	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----
Whooping cough (9)	8	7	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Diphtheria (10)	20	1	3	3	2	3	8	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Influenza (11)	38	-----	2	-----	1	-----	-----	-----	-----	3	3	4	5	1	4	6	9	-----
Meningococcus meningitis (24)	3	2	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tuberculosis of the respiratory system (31)	102	-----	-----	-----	-----	-----	-----	1	11	9	8	7	29	20	11	5	1	-----
Other forms of tuberculosis (32-37)	20	4	2	2	-----	-----	-----	-----	3	3	2	1	1	-----	2	-----	-----	-----
Cancer and other malignant tumors (43-49)	155	-----	-----	-----	-----	-----	-----	-----	-----	1	5	4	20	39	32	29	25	-----
Diabetes mellitus (57)	34	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	1	-----	10	10	8	4	-----
Cerebral hemorrhage and softening (74, 83)	131	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	3	5	18	28	38	39	-----
Other [organic] diseases of the heart (90)	268	2	-----	1	-----	1	5	5	4	5	6	1	16	45	62	73	42	-----
Bronchitis (99)	21	5	-----	-----	-----	-----	-----	-----	2	-----	-----	1	1	2	-----	1	9	-----
Bronchopneumonia (100)	69	23	11	3	2	1	1	-----	-----	-----	-----	1	2	2	8	7	8	-----
Pneumonia (101)	104	11	2	3	-----	-----	1	3	4	2	-----	6	11	15	14	22	10	-----
Diarrhea and enteritis (113, 114)	30	22	2	2	-----	-----	-----	-----	-----	-----	-----	-----	1	2	-----	1	-----	-----
Appendicitis and typhlitis (117)	32	-----	-----	-----	1	-----	1	5	4	1	4	1	2	4	8	1	-----	-----
Hernia, intestinal obstruction (118)	21	1	1	3	-----	-----	-----	-----	1	-----	1	-----	1	2	3	6	2	-----
Cirrhosis of the liver (122)	22	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	3	4	7	6	2	-----
Nephritis (128, 129)	146	2	-----	-----	-----	-----	-----	1	3	2	3	3	10	17	31	39	35	-----
Diseases of the female genital organs (137-141)	11	-----	-----	-----	-----	-----	-----	-----	-----	1	1	2	4	2	-----	-----	1	-----
Puerperal septicemia (146)	13	-----	-----	-----	-----	-----	-----	-----	1	2	2	4	3	1	-----	-----	-----	-----
Other puerperal causes (143-145, 147-150)	19	-----	-----	-----	-----	-----	-----	-----	-----	5	5	3	6	-----	-----	-----	-----	-----
Suicide (165-174)	18	-----	-----	-----	-----	-----	-----	-----	-----	3	-----	1	8	1	4	1	-----	-----
Homicide (197-200)	13	-----	-----	-----	-----	-----	-----	-----	2	2	2	3	2	2	-----	-----	-----	-----
Automobile accidents (188c)	39	-----	-----	1	-----	-----	7	5	2	4	3	-----	5	5	1	3	3	-----
Other external causes (175-188b, 188d-196, 201-203)	91	1	2	3	2	-----	5	5	2	4	6	5	11	10	13	17	5	-----
All other causes	378	123	9	1	1	1	8	7	10	7	4	13	26	46	30	49	43	-----

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1923—Continued

[See note at head of this table, p. 352]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
TRENTON, N. J., all causes	1,781	245	44	24	12	17	41	25	50	59	73	78	173	221	248	248	223	
Typhoid and paratyphoid fever (1)	15					1			5	4	2	1		2				
Measles (7)	5	2		1			1	1										
Scarlet fever (8)	4				1	1	2											
Whooping cough (9)	4	3	1															
Diphtheria (10)	19	1	2	4	3	1	5	2						1				
Influenza (11)	38		2	3				1	2	2	3	2	4	5	6	5	3	
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	97								8	12	14	14	23	15	8	3		
Other forms of tuberculosis (32-37)	14	2	1			2	2	2				2	2	1				
Cancer and other malignant tumors (43-49)	101					1							11	22	30	22	15	
Diabetes mellitus (57)	17							1				1	1		5	7	2	
Cerebral hemorrhage and softening (74, 83)	127		1										4	20	33	40	29	
Other [organic] diseases of the heart (90)	274	1	1	1			1	1	4	5	3	7	14	40	57	65	74	
Bronchitis (99)	14	2	1				1				1	1		2	1	1	4	
Bronchopneumonia (100)	60	18	9	2	1				2	1	1	1	3	3	5	8	6	
Pneumonia (101)	116	17	7	3		2	2	2	3	3	8	7	15	17	12	10	8	
Diarrhea and enteritis (113, 114)	73	39	8	1		2	1	1	1	2	3	5	3	2	4		1	
Appendicitis and typhlitis (117)	14		1				2				1		3	4	3			
Hernia, intestinal obstruction (118)	16	3							1			1	1	1	6	2	1	
Cirrhosis of the liver (122)	13										2	1		2	3	4	1	
Nephritis (128, 129)	137	1			1		1	1	1	4	2	5	13	20	26	32	30	
Diseases of the female genital organs (137-141)	10									1	2		2	1		4		
Puerperal septicemia (146)	7									3	1	3						
Other puerperal causes (143-145, 147-150)	11								1	2		6	2					
Suicide (165-174)	29									1	5	2	10	5	4	1	1	
Homicide (197-200)	7									1	2		3	1				
Automobile accidents (188c)	36		1	1	1	2	3	4	2	1	2	4	7	6	2			
Other external causes (175-188b, 188d-196, 201-203)	86	2	2	3	2	2	8	3	5	5	7	1	12	7	9	8	10	
All other causes	437	154	8	5	3	4	13	7	13	11	15	16	43	43	30	34	38	
ALBANY, N. Y., all causes	1,899	206	31	16	8	16	31	16	24	58	53	67	156	216	324	357	320	
Typhoid and paratyphoid fever (1)	3							1			1	1						
Measles (7)	6	2	2			1	1											
Scarlet fever (8)	5			1		1				1	2							
Whooping cough (9)	7	5	1	1														
Diphtheria (10)	15	1	1	1		6	6											
Influenza (11)	36	2	2	1			1			1	1		4	4	7	9	4	
Meningococcus meningitis (24)	4						2			1		1						
Tuberculosis of the respiratory system (31)	115	1		1			2		6	17	9	15	15	17	14	14	4	
Other forms of tuberculosis (32-37)	20		2	2	1	1	2	1	1	4		2	3	1				
Cancer and other malignant tumors (43-49)	171								1			1	16	36	46	47	24	
Diabetes mellitus (57)	39									1	1		2	10	14	9	2	
Cerebral hemorrhage and softening (74, 83)	136											2	4	20	32	39	39	
Other [organic] diseases of the heart (90)	341		1			1	2	3	4	1	5	4	13	35	71	98	103	
Bronchitis (99)	16	4												1	3	3	5	
Bronchopneumonia (100)	69	25	7	2	1		1		1				6	2	4	11	9	
Pneumonia (101)	91	5	3		1	2				1	5	4	8	12	26	13	11	
Diarrhea and enteritis (113, 114)	24	18	2	3													1	
Appendicitis and typhlitis (117)	26							2	2	5	2	3	4	4	2	2		
Hernia, intestinal obstruction (118)	24	2	1	2						1			3	2	5	5	3	
Cirrhosis of the liver (122)	17											1	2	7	3	3	1	
Nephritis (128, 129)	178	1	1				1	1		2	3	3	15	25	34	49	43	
Diseases of the female genital organs (137-141)	7									1		2		1	1	1	1	
Puerperal septicemia (146)	6										1	3	2					
Other puerperal causes (143-145, 147-150)	15								3	4	4	4						
Suicide (165-174)	17									1		1	6	3	3	1	2	
Homicide (197-200)	3	1									1				1			
Automobile accidents (188c)	27						3			4	5	2	4	3	1	4	1	
Other external causes (175-188b, 188d-196, 201-203)	79		1	1	2	1	2	2	1	6	3	5	15	7	7	11	15	
All other causes	402	139	7	1	3	3	8	6	5	7	10	13	34	26	50	38	52	
BUFFALO, N. Y., all causes	7,269	1,110	201	93	75	31	149	103	136	201	263	277	706	874	1,077	1,112	860	1
Typhoid and paratyphoid fever (1)	23						2		2	3	3	4	2	4	3			
Measles (7)	73	16	30	16	6	1	2			2								
Scarlet fever (8)	30	2	4	3	9	5	3	1		1	2							
Whooping cough (9)	44	25	11	3	3	1	1											
Diphtheria (10)	55	3	10	11	12	1	10	6	2									
Influenza (11)	60	13	4			1	2		1	4	2	1	7	10	2	7	6	
Meningococcus meningitis (24)	4	1	1					1					1					
Tuberculosis of the respiratory system (31)	487	5	2	2		1	3	9	43	80	71	70	79	60	39	23		
Other forms of tuberculosis (32-37)	68	8	4	6	4	1	6	4	5	4	8	2	7	4	1	1	3	
Cancer and other malignant tumors (43-49)	586		1					1	2	5	6	9	46	117	175	169	55	
Diabetes mellitus (57)	122									2	1	3	12	26	47	28	3	
Cerebral hemorrhage and softening (74, 83)	448			1				1		1		3	21	62	116	155	88	
Other [organic] diseases of the heart (90)	1,052	4	1		2	2	9	17	11	10	16	14	75	138	211	263	279	
Bronchitis (99)	91	40	6	1	1		2	2	2				3	5	5	5	19	
Bronchopneumonia (100)	290	99	41	15	6	1	7	3	2	2	3	6	9	18	13	24	41	
Pneumonia (101)	396	28	16	5	2	1	11		7	12	14	20	81	64	59	47	28	1
Diarrhea and enteritis (113, 114)	295	232	32	11	6	4	2					1	3	2		1	1	
Appendicitis and typhlitis (117)	102	1	1		1		9	11	8	12	10	11	11	16	8	1	2	
Hernia, intestinal obstruction (118)	78	12	1		1		1	1	1	2	3	2	12	8	14	11	9	
Cirrhosis of the liver (122)	49					1					1		9	12	12	9	5	
Nephritis (128, 129)	603	5	1	2	1		2	5	6		4	17	51	96	129	157	127	
Diseases of the female genital organs (137-141)	43								1	3	4	9	15	6	1	4		
Puerperal septicemia (146)	29									7	13	5	4					
Other puerperal causes (143-145, 147-150)	56								2	7	18	9	20					
Suicide (165-174)	60							1	2	5	6	9	12	13	7	3	2	
Homicide (197-200)	27	1							2	2	2	1	10	3	2	4		
Automobile accidents (188c)	137	1			1	4	30	8	1	2	6	6	15	14	28	13	8	
Other external causes (175-188b, 188d-196, 201-203)	341	5	5	9	7	5	22	14	21	13	21	28	36	46	39	37	33	
All other causes	1,620	609	30	8	13	2	25	18	15	22	49	47	165	150	166	150	151	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1923—Continued

[See note at head of this table, p. 352]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
NEW YORK, N. Y. (WHITE), all causes	66,085	7,984	1,453	736	490	386	1,335	942	1,374	1,824	2,195	2,479	6,616	9,469	11,638	10,037	7,119	8
Typhoid and paratyphoid fever (1)	137		1		2	4	7	10	17	12	18	19	25	13	7	1	1	
Measles (7)	285	98	103	39	16	5	17	4	1			1				1		
Scarlet fever (8)	112	10	18	25	11	12	18	6	4	1	3	1	2		1			
Whooping cough (9)	196	107	57	20	7	4		1										
Diphtheria (10)	547	44	90	116	76	53	130	13	3	4	4	1	5	4	3		1	
Influenza (11)	1,005	94	60	20	21	12	29	26	33	35	42	49	112	126	141	132	73	
Meningococcus meningitis (24)	79	22	7	8	3	3	10	2	4	3		2	6	4	4	1		
Tuberculosis of the respiratory system (31)	4,539	29	24	8	5	3	15	58	301	532	505	482	992	855	486	195	47	2
Other forms of tuberculosis (32-37)	637	87	81	42	36	24	53	36	43	50	36	33	52	34	24	6		
Cancer and other malignant tumors (43-49)	6,198	5	9	6	5	3	12	13	19	34	57	134	667	1,423	1,903	1,344	564	
Diabetes mellitus (57)	1,565	3	2		1		7	9	19	16	15	26	78	311	559	411	108	
Cerebral hemorrhage and softening (74, 83)	3,318	10	2	1	1	2	1	2	8	4	18	17	126	483	897	994	752	
Other [organic] diseases of the heart (90)	11,776	12	6	12	8	19	114	174	215	146	174	202	796	1,751	2,819	2,906	2,422	
Bronchitis (99)	383	103	12	5	2	3	3	2	5	2	3	1	8	27	32	58	117	
Bronchopneumonia (100)	2,976	982	327	99	53	23	51	20	36	36	41	69	145	178	289	317	310	
Pneumonia (101)	4,036	317	182	89	44	28	80	68	114	138	183	207	540	677	652	464	253	
Diarrhea and enteritis (113, 114)	1,714	1,367	196	38	15	8	14	2	1	5	4	4	9	13	9	12	17	
Appendicitis and typhlitis (117)	892	1	4	20	15	17	73	47	62	75	73	73	157	129	98	33	15	
Hernia, intestinal obstruction (118)	584	60	9	3	6	2	6	5	4	9	14	21	61	94	114	100	76	
Cirrhosis of the liver (122)	461				1	1	1	2	1	4	2	10	57	119	131	96	36	
Nephritis (128, 129)	5,926	15	5	3	5	3	21	35	39	52	83	135	503	907	1,420	1,524	1,176	
Diseases of the female genital organs (137-141)	262									9	30	31	103	71	13	3	2	
Puerperal septicemia (146)	251								11	54	78	54	52	1	1			
Other puerperal causes (143-145, 147-150)	386								4	63	112	108	97	2				
Suicide (165-174)	820								14	53	65	88	189	167	147	66	31	
Homicide (197-200)	287	8	4	1	3	2	3	1	17	46	60	40	55	32	9	6		
Automobile accidents (188c)	939	2	2	13	35	39	238	87	31	32	35	33	91	99	104	71	27	
Other external causes (175-188b, 188d-196, 201-203)	3,083	62	66	70	43	40	148	99	116	151	186	206	509	508	393	272	212	2
All other causes	12,691	4,546	186	98	76	76	284	220	252	258	354	432	1,179	1,441	1,382	1,024	879	4
NEW YORK, N. Y. (COLORED), all causes	3,467	594	131	43	30	18	52	41	79	207	269	266	604	506	325	189	113	
Typhoid and paratyphoid fever (1)	4						1			1	1	1						
Measles (7)	20	6	11	1	1								1					
Scarlet fever (8)	2			1			1											
Whooping cough (9)	31	17	10	1	2		1											
Diphtheria (10)	19	1	2	3	3	2	7					1						
Influenza (11)	47	6	5		1				1	2	4	1	13	9	4		1	
Meningococcus meningitis (24)	4	2							1		1							
Tuberculosis of the respiratory system (31)	501	2	7	5	2	1	6	9	30	69	100	69	111	53	27	7	3	
Other forms of tuberculosis (32-37)	67	9	6	5	2	3	4	3	2	12	4	3	11	3				
Cancer and other malignant tumors (43-49)	148	2					1	1		2	2	8	33	52	26	19	2	
Diabetes mellitus (57)	58								1		1	1	16	20	13	4	2	
Cerebral hemorrhage and softening (74, 83)	110	2							1		3	4	16	16	30	21	17	
Other [organic] diseases of the heart (90)	425		1	1				8	4	9	10	25	88	103	76	62	38	
Bronchitis (99)	17	7	2	2									2		1	2	1	
Bronchopneumonia (100)	264	145	42	4	3	1	4	4	1	5	7	5	13	7	12	6	5	
Pneumonia (101)	315	25	16	4	3	2	5	1	12	22	30	34	77	45	22	13	4	
Diarrhea and enteritis (113, 114)	90	72	9	2	1	1	1		1	1	1			1				
Appendicitis and typhlitis (117)	37				1		2	3	1	5	4	6	9	3	2	1		
Hernia, intestinal obstruction (118)	27	3								1	3	2	6	7	2	2	1	
Cirrhosis of the liver (122)	13											1	3	3	6			
Nephritis (128, 129)	232	3	1	2	1		1	1	2	3	9	15	39	70	46	22	17	
Diseases of the female genital organs (137-141)	28				1					2	7	4	10	3	1			
Puerperal septicemia (146)	23								3	6	5	5	4					
Other puerperal causes (143-145, 147-150)	20									7	6	5	2					
Suicide (165-174)	22									1	4	5	7	4	1			
Homicide (197-200)	42	1							1	4	11	9	13	2	1			
Automobile accidents (188c)	25					1	7	5	2	2		1		6		1		
Other external causes (175-188b, 188d-196, 201-203)	137	3	3	3	1	3	5	2	5	16	19	19	28	18	8	2	2	
All other causes	739	288	16	9	8	4	6	4	11	37	37	42	102	81	47	27	20	
NEW YORK, N. Y. (BRONX BOROUGH), all causes	7,586	836	144	76	58	40	158	127	161	236	263	259	782	1,098	1,397	1,222	728	1
Typhoid and paratyphoid fever (1)	18				1		1	4	2	2	4	2	1				1	
Measles (7)	22	6	9	4		1	2											
Scarlet fever (8)	10	1	2		1	1	2	1			1		1					
Whooping cough (9)	19	9	6	1	2			1										
Diphtheria (10)	32	2	3	4	7	5	8	1					1	1				
Influenza (11)	149	10	11	4	3	2	5	7	3	6	4	5	20	22	17	21	9	
Meningococcus meningitis (24)	8	1		2			2				1		2					
Tuberculosis of the respiratory system (31)	577	1			2		1	7	36	83	73	59	107	109	65	32	2	
Other forms of tuberculosis (32-37)	71	10	8	5	5	2	8	5	4	4	3	2	11	2	2			
Cancer and other malignant tumors (43-49)	802	1	1		1		2	1	1	7	7	18	90	189	238	187	59	
Diabetes mellitus (57)	194		1						1	2	1	2	10	36	79	48	14	
Cerebral hemorrhage and softening (74, 83)	292	2									4	1	12	51	82	90	50	
Other [organic] diseases of the heart (90)	1,394		2			1	13	23	27	24	23	22	92	202	353	335	277	
Bronchitis (99)	40	11	1	1			1						1	3	5	7	10	
Bronchopneumonia (100)	359	99	23	14	6	1	5	4	3	2	7	7	12	20	46	62	48	
Pneumonia (101)	525	45	28	12	8	2	9	11	18	16	21	24	75	87	85	59	25	
Diarrhea and enteritis (113, 114)	124	94	15	5	1	1	3	1	1	1	1						1	
Appendicitis and typhlitis (117)	99			3	1	4	11	6	7	7	8	8	16	13	8	6	1	
Hernia, intestinal obstruction (118)	83	8	1		2			2		3	2	3	10	12	15	17	8	
Cirrhosis of the liver (122)	41				1							2	2	14	10	8	4	
Nephritis (128, 129)	532		1		1	1	2	4	1	5	7	10	51	83	133	146	87	
Diseases of the female genital organs (137-141)	30									2	4	3	12	6	2	1		
Puerperal septicemia (146)	34								3	6	12	5	8					
Other puerperal causes (143-145, 147-150)	45									9	13	9	14					
Suicide (165-174)	91								2	2	7	8	24	20	16	9	3	
Homicide (197-200)	31		2	1	1	1			2	7	5	4	5	2		1		
Automobile accidents (188c)	129	1		3	2	4	29	12	7	5	2	7	12	20	10	11	4	
Other external causes (175-188b, 188d-196, 201-203)	285	7	9	6	5	6	18	10	20	11	12	13	44	45	40	29	10	
All other causes	1,550	528	21	11	8	8	36	27	23	32	41	45	149	161	191	153	115	1

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1923—Continued

[See note at head of this table, p. 352]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
NEW YORK, N. Y. (BROOKLYN BOROUGH, WHITE), all causes	23,227	2,821	525	279	171	157	523	351	519	628	740	865	2,163	3,224	3,986	3,580	2,692	3
Typhoid and paratyphoid fever (1)	42		1		1	1	3	4	4	3	5	6	5	6	3			
Measles (7)	53	15	16	8	3	3	6	2										
Scarlet fever (8)	32	2	7	9	4	3	2	2	1		2							
Whooping cough (9)	55	32	19	3	1													
Diphtheria (10)	249	19	44	57	27	27	64	6	2	1		1		1				
Influenza (11)	377	33	28	8	9	6	11	11	12	10	14	27	36	48	50	47	27	
Meningococcus meningitis (24)	27	7	2	2	1	1	6			1		2	2	2		1		
Tuberculosis of the respiratory system (31)	1,430	9	7	3	2	1	6	24	126	162	165	164	309	259	136	42	14	1
Other forms of tuberculosis (32-37)	219	34	26	18	13	9	22	14	15	11	11	13	14	9	7	3		
Cancer and other malignant tumors (43-49)	2,060	1	2	2	2	2	5	6	10	8	17	51	203	478	613	454	206	
Diabetes mellitus (57)	553	2					5	4	9	6	4	6	34	118	191	143	31	
Cerebral hemorrhage and softening (74, 83)	1,171	3	1			1	1		1	3	8	6	31	163	326	347	280	
Other [organic] diseases of the heart (90)	4,568	9	3	8	3	10	53	75	93	58	63	77	325	672	1,021	1,130	968	
Bronchitis (99)	145	41	9	2	2	1		1	3		2		1	9	14	20	40	
Bronchopneumonia (100)	1,026	363	127	35	19	11	18	9	13	16	10	29	54	49	97	85	91	
Pneumonia (101)	1,398	113	69	32	17	13	37	26	40	56	55	73	167	213	236	151	100	
Diarrhea and enteritis (113, 114)	593	462	69	15	7	4	4		1	2		2	5	5	3	6	8	
Appendicitis and typhlitis (117)	332	1	2	8	4	2	24	18	21	32	34	26	62	49	30	13	6	
Hernia, intestinal obstruction (118)	174	21	7	2	2	1	1		1	3	3	3	13	31	32	31	23	
Cirrhosis of the liver (122)	158					1		1	1	2	1	4	22	38	41	39	8	
Nephritis (128, 129)	2,504	9	3	1		1	9	15	17	23	42	58	198	396	593	645	494	
Diseases of the female genital organs (137-141)	80									4	6	11	32	20	6	1		
Puerperal septicemia (146)	104								3	26	32	23	19		1			
Other puerperal causes (143-145, 147-150)	163								2	24	48	51	37	1				
Suicide (165-174)	210								4	17	18	29	46	32	38	12	14	
Homicide (197-200)	72		1		1		2		3	10	15	11	16	6	4	3		
Automobile accidents (188c)	275		1	2	17	15	80	32	8	11	8	7	26	22	25	15	6	
Other external causes (175-188b, 188d-196, 201-203)	1,009	18	23	23	13	16	58	30	37	52	62	60	159	172	133	79	73	1
All other causes	4,148	1,627	58	41	23	28	106	71	92	87	115	125	347	425	386	313	303	1
NEW YORK, N. Y. (BROOKLYN BOROUGH, COLORED), all causes	720	111	20	8	5	1	8	13	16	30	56	50	127	109	79	59	28	
Typhoid and paratyphoid fever (1)	1										1							
Measles (7)	2		2															
Scarlet fever (8)																		
Whooping cough (9)	5	2	3															
Diphtheria (10)																		
Influenza (11)	13		2								1		8	1	1			
Meningococcus meningitis (24)	1								1									
Tuberculosis of the respiratory system (31)	85		2	2				2	6	5	24	14	17	6	3	3	1	
Other forms of tuberculosis (32-37)	12		1		1		1	1		4		1	2	1				
Cancer and other malignant tumors (43-49)	28	1									1		5	11	6	4		
Diabetes mellitus (57)	13										1		3	5	2	1	1	
Cerebral hemorrhage and softening (74, 83)	22	1									1	1	3	2	4	8	2	
Other [organic] diseases of the heart (90)	115							1		2	2	3	27	29	21	20	10	
Bronchitis (99)	5	1		1									1			1	1	
Bronchopneumonia (100)	42	21	4		1		1	1	1	1	2	1	3	1	3	1	1	
Pneumonia (101)	57	5	1				2		3	4	8	5	13	9	2	4	1	
Diarrhea and enteritis (113, 114)	19	14	3	1	1													
Appendicitis and typhlitis (117)	6							1			1		2	2				
Hernia, intestinal obstruction (118)	5	1								1			1	1	1			
Cirrhosis of the liver (122)	5												1	1	3			
Nephritis (128, 129)	79			1	1			1			3	9	10	18	20	9	7	
Diseases of the female genital organs (137-141)	4											1	1	2				
Puerperal septicemia (146)	5								2	1	1	1						
Other puerperal causes (143-145, 147-150)	5									1	1	2	1					
Suicide (165-174)	3											1	1	1				
Homicide (197-200)	5									1	1		2		1			
Automobile accidents (188c)	4							2	1					1				
Other external causes (175-188b, 188d-196, 201-203)	34						1	1		4	4	6	8	8	2			
All other causes	145	65	2	3	1	1	3	3	2	6	4	5	18	10	10	8	4	
NEW YORK, N. Y. (MANHATTAN BOROUGH, WHITE), all causes	27,889	3,494	656	296	202	138	514	350	544	752	950	1,091	2,994	4,193	4,995	3,998	2,720	2
Typhoid and paratyphoid fever (1)	58					1	3	1	6	6	6	9	16	6	3	1		
Measles (7)	197	71	72	27	12	1	9	2	1			1				1		
Scarlet fever (8)	61	7	9	15	6	8	9	1	3	1			1		1			
Whooping cough (9)	94	51	27	12	3	1												
Diphtheria (10)	183	19	33	38	28	15	32	3		3	3		4	1	3		1	
Influenza (11)	377	41	16	7	7	2	11	5	15	14	19	16	41	46	61	46	30	
Meningococcus meningitis (24)	37	12	5	3	2		2	1	4	1			2	1	4			
Tuberculosis of the respiratory system (31)	2,052	15	14	5	1	2	7	17	118	214	203	208	480	394	241	107	25	1
Other forms of tuberculosis (32-37)	292	38	41	16	17	8	17	14	19	26	20	15	24	19	15	3		
Cancer and other malignant tumors (43-49)	2,654	2	6	4	1		4	6	8	17	27	55	296	616	853	532	227	
Diabetes mellitus (57)	651	1	1				2	3	8	6	8	15	30	134	223	172	48	
Cerebral hemorrhage and softening (74, 83)	1,362	5	1	1	1	1		2	6	1	6	10	76	214	353	400	285	
Other [organic] diseases of the heart (90)	4,558	3	2	4	5	8	37	65	71	49	74	80	306	709	1,177	1,087	881	
Bronchitis (99)	157	37	2	2		2	2	1	1	2	1	1	5	13	12	24	52	
Bronchopneumonia (100)	1,295	420	154	33	21	6	22	6	15	13	19	29	61	94	129	143	130	
Pneumonia (101)	1,676	140	73	38	17	9	24	23	43	51	81	86	245	308	245	201	92	
Diarrhea and enteritis (113, 114)	826	688	83	9	5	2	3	1		3	3	2	3	7	6	6	5	
Appendicitis and typhlitis (117)	352		2	7	8	10	33	16	27	26	24	33	55	49	44	13	5	
Hernia, intestinal obstruction (118)	260	29	1	1	2	1	3		2	2	8	10	30	43	54	42	32	
Cirrhosis of the liver (122)	198						1	1		1		3	28	53	59	34	18	
Nephritis (128, 129)	2,083	4	1	1	2	1	9	11	14	18	29	50	187	320	515	515	406	
Diseases of the female genital organs (137-141)	118									3	20	12	47	29	5	1	1	
Puerperal septicemia (146)	89								3	19	27	19	20	1				
Other puerperal causes (143-145, 147-150)	129								2	23	33	37	33	1				
Suicide (165-174)	413								6	30	30	44	97	96	70	32	8	
Homicide (197-200)	157	6	1			1	1	1	11	25	35	18	30	22	5	1		
Automobile accidents (188c)	453	1	1	4	14	15	118	38	15	13	21	14	42	44	58	40	15	
Other external causes (175-188b, 188d-196, 201-203)	1,443	24	29	32	18	15	56	44	43	68	84	103	255	251	188	135	98	
All other causes	5,664	1,880	82	37	32	29	109	88	103	117	169	221	580	722	671	462	361	1

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1923—Continued

[See note at head of this table, p. 352]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
NEW YORK, N. Y. (MANHATTAN BOROUGH, COLORED), all causes	2,487	442	105	31	24	12	39	26	54	163	193	205	450	358	207	108	70	
Typhoid and paratyphoid fever (1)	3						1			1		1						
Measles (7)	18	6	9	1	1								1					
Scarlet fever (8)	2			1			1											
Whooping cough (9)	23	15	5	1	1		1											
Diphtheria (10)	17	1	2	3	3		7					1						
Influenza (11)	32	6	3		1					2	3	1	6	7	2		1	
Meningococcus meningitis (24)	2	2																
Tuberculosis of the respiratory system (31)	385	2	5	3	2	1	6	7	19	59	69	55	86	44	21	4	2	
Other forms of tuberculosis (32–37)	55	9	5	5	1	3	3	2	3	8	3	2	9	2				
Cancer and other malignant tumors (43–49)	105	1					1	1		2	2	7	28	31	16	14	2	
Diabetes mellitus (57)	45								1			1	13	16	10	3	1	
Cerebral hemorrhage and softening (74, 83)	73	1							1		2	3	8	15	20	12	11	
Other [organic] diseases of the heart (90)	261			1				3	6	6	5	18	57	67	43	31	24	
Bronchitis (99)	11	6	2										1		1	1		
Bronchopneumonia (100)	202	114	35	2	2	1	3	2		4	5	4	8	6	7	4	5	
Pneumonia (101)	239	19	14	3	3	2	1	1	8	17	23	28	61	30	19	7	3	
Diarrhea and enteritis (113, 114)	63	50	7	2	1	1	1							1				
Appendicitis and typhlitis (117)	28				1		2	2	1	5	2	6	5	1	2	1		
Hernia, intestinal obstruction (118)	21	2									3	4	4	5	1	2		
Cirrhosis of the liver (122)	7												2	2	3			
Nephritis (128, 129)	140	1	1	1			1		1	3	6	6	29	47	23	11	10	
Diseases of the female genital organs (137–141)	24				1					2	7	3	8	2	1			
Puerperal septicemia (146)	16								1	4	3	4	4					
Other puerperal causes (143–145, 147–150)	13									5	4	3	1					
Suicide (165–174)	17										5	3	6	3				
Homicide (197–200)	34	1							1	3	9	9	9	2				
Automobile accidents (188c)	21					1	8	3	1	2		1		5				
Other external causes (175–188b, 188d–196, 201–203)	99	3	3	3	1		2	1	4	11	16	13	21	12	5	2	2	
All other causes	531	203	14	5	6	3	1	4	7	29	26	32	83	60	33	16	9	
NEW YORK, N. Y. (QUEENS BOROUGH), all causes	5,960	696	105	64	45	46	117	94	125	175	201	227	552	774	1,057	968	714	
Typhoid and paratyphoid fever (1)	14					2		1	4	1	2	2	1		1			
Measles (7)	11	4	6		1													
Scarlet fever (8)	7			1			4	1				1						
Whooping cough (9)	28	15	6	4	1	2												
Diphtheria (10)	57	1	4	11	10	5	20	3	1		1			1				
Influenza (11)	77	7	4	1	2	2	1	2	2	4	4	1	8	8	12	15	4	
Meningococcus meningitis (24)	8	2		1		2		1		1				1				
Tuberculosis of the respiratory system (31)	381	2	2				1	8	22	60	53	35	72	70	38	13	5	
Other forms of tuberculosis (32–37)	48	5	6	3	1	4	6	3	4	5	2	2	3	4				
Cancer and other malignant tumors (43–49)	577				1	1	1			2	3	9	68	123	174	137	58	
Diabetes mellitus (57)	133				1			1	1	2		2	4	18	55	39	10	
Cerebral hemorrhage and softening (74, 83)	386								1				9	42	117	120	97	
Other [organic] diseases of the heart (90)	1,000						10	12	17	14	13	25	61	143	234	272	199	
Bronchitis (99)	32	12		1									1	1	1	5	11	
Bronchopneumonia (100)	269	97	25	15	6	4	6	1	3	3	4	4	18	12	17	22	32	
Pneumonia (101)	346	14	9	5	2	4	10	7	12	14	18	22	45	60	61	40	23	
Diarrhea and enteritis (113, 114)	126	89	21	4	1	1	4				1		1	1			3	
Appendicitis and typhlitis (117)	91			2	2	1	4	7	7	9	5	6	23	13	11	1		
Hernia, intestinal obstruction (118)	54	2					1	2		1	1	3	8	7	12	7	10	
Cirrhosis of the liver (122)	59									1	1	2	5	12	18	14	6	
Nephritis (128, 129)	622	2		1	2		1	3	6	6	5	15	55	73	143	165	145	
Diseases of the female genital organs (137–141)	28											5	10	12			1	
Puerperal septicemia (146)	21								2	2	5	7	5					
Other puerperal causes (143–145, 147–150)	46									8	16	10	12					
Suicide (165–174)	97								1	5	8	8	19	16	22	12	6	
Homicide (197–200)	24	2			1					2	5	5	6	2		1		
Automobile accidents (188c)	66			3	1	5	8	4		1	3	3	10	12	10	5	1	
Other external causes (175–188b, 188d–196, 201–203)	254	10	4	5	5	4	14	11	12	14	22	20	32	30	24	20	27	
All other causes	1,098	432	18	7	8	9	26	27	30	20	29	40	76	113	107	80	76	
NEW YORK, N. Y. (RICHMOND BOROUGH), all causes	1,683	178	29	25	15	10	28	22	34	47	61	48	152	219	242	291	280	2
Typhoid and paratyphoid fever (1)	5								1		1		2	1				
Measles (7)	2	2																
Scarlet fever (8)	2						1	1										
Whooping cough (9)	3		1		1	1												
Diphtheria (10)	28	3	6	6	4	3	6											
Influenza (11)	27	3	1				1	1	2	1	1		6	3	2	3	3	
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	130	2	1					2	4	18	18	16	32	26	9	1	1	
Other forms of tuberculosis (32–37)	7					1				4	1	1						
Cancer and other malignant tumors (43–49)	120	1									2	2	10	27	29	35	14	
Diabetes mellitus (57)	34							1			2	1		4	12	9	5	
Cerebral hemorrhage and softening (74, 83)	122												3	12	25	38	44	
Other [organic] diseases of the heart (90)	305						1	3	5	2	4	2	16	32	46	93	101	
Bronchitis (99)	10	2							1					1		2	4	
Bronchopneumonia (100)	47	13	1	4	1	1		1	2	2	1		2	3	2	6	8	
Pneumonia (101)	110	6	4	3			2	1	2	2	7	3	11	15	26	15	13	
Diarrhea and enteritis (113, 114)	53	42	7	4														
Appendicitis and typhlitis (117)	21						1			1	3		3	5	5		3	
Hernia, intestinal obstruction (118)	14						1	1	1				1	2	1	3	4	
Cirrhosis of the liver (122)	6													2	3	1		
Nephritis (128, 129)	198	2						2	2			2	12	40	39	55	44	
Diseases of the female genital organs (137–141)	6												3	3				
Puerperal septicemia (146)	5									2	3							
Other puerperal causes (143–145, 147–150)	5										3	1	1					
Suicide (165–174)	11								1		1		3	3	2	1		
Homicide (197–200)	6								1	2	1	2						
Automobile accidents (188c)	16			1	1		2	1	1	2	1	2	1	1	1	1	1	
Other external causes (175–188b, 188d–196, 201–203)	96	3	1	4	2	2	4	4	5	7	5	10	18	8	9	9	4	1
All other causes	294	99	7	3	6	2	9	4	6	4	7	6	28	31	31	19	31	1

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1923—Continued

[See note at head of this table, p. 352]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
ROCHESTER, N. Y., all causes	3,712	450	83	26	24	18	77	46	45	79	87	88	273	406	639	735	635	1
Typhoid and paratyphoid fever (1)	7					1		1	1	1	1		1	1				
Measles (7)	38	10	16	1	4	3	4											
Scarlet fever (8)	6	1			2		2	1										
Whooping cough (9)	21	11	7	3														
Diphtheria (10)	35	1	1	4	3	1	17	3		2	1			2				
Influenza (11)	42	4	1		1		2	1	1	1	2	4	3	4	5	9	4	
Meningococcus meningitis (24)	1	1																
Tuberculosis of the respiratory system (31)	158	1	2	1				2	9	20	14	18	28	28	20	12	3	
Other forms of tuberculosis (32–37)	47	4	7	1	2	2	6		1	3	3	1	6	2	4	5		
Cancer and other malignant tumors (43–49)	353		1		1		3			2	2	4	22	61	103	100	54	
Diabetes mellitus (57)	90	1	1					1	1		1	2	6	10	33	28	6	
Cerebral hemorrhage and softening (74, 83)	330											1	8	41	70	111	99	
Other [organic] diseases of the heart (90)	705	1	4			1	6	8	7	6	7	9	28	64	145	202	217	
Bronchitis (99)	27	7			1				1						2	6	10	
Bronchopneumonia (100)	141	40	12	4	2	1	4	4	2	1	2	1	3	4	14	22	25	
Pneumonia (101)	148	8	6	3		3	1	3	4	2	3	4	17	20	30	31	13	
Diarrhea and enteritis (113, 114)	101	76	10	2	2		2	1			1		1	4	1		1	
Appendicitis and typhlitis (117)	44						3	4	4	3	2	1	8	9	6	1	3	
Hernia, intestinal obstruction (118)	31	3	1								1	2	3	4	6	9	2	
Cirrhosis of the liver (122)	34												9	7	5	6	7	
Nephritis (128, 129)	295	1		1				4	3	4	5	4	17	29	65	80	82	
Diseases of the female genital organs (137–141)	11										1	1	3	4	1	1		
Puerperal septicemia (146)	10									1	4	1	4					
Other puerperal causes (143–145, 147–150)	24									2	7	6	9					
Suicide (165–174)	32								1	3	1	1	7	7	7	3	2	
Homicide (197–200)	7									1			5				1	
Automobile accidents (188c)	44			1	2	1	7	2	2	4	2	2	3	8	4	4	2	
Other external causes (175–188b, 188d–196, 201–203)	136	2	6	4	2	1	6	5	4	10	8	3	16	16	16	16	20	1
All other causes	794	278	8	1	2	4	14	6	4	13	19	23	66	81	102	89	84	
SYRACUSE, N. Y., all causes	2,392	347	69	37	29	16	52	33	42	39	75	70	168	273	344	383	415	
Typhoid and paratyphoid fever (1)	4										2			2				
Measles (7)	45	5	18	11	6		3	1			1							
Scarlet fever (8)	8	1			2				2				3					
Whooping cough (9)	13	6	4	1	1		1											
Diphtheria (10)	30	3	2	5	6	4	7			1				1	1			
Influenza (11)	22	2	1	1	1	1					1	1	3	3	1	2	5	
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	73	1					1		6	7	14	9	9	9	10	5	2	
Other forms of tuberculosis (32–37)	30	8	2	3	1	2	2	1		4	3	2		1	1			
Cancer and other malignant tumors (43–49)	199	1							1	2	1	3	14	43	50	51	33	
Diabetes mellitus (57)	42				1		1				2	2	3	9	7	12	5	
Cerebral hemorrhage and softening (74, 83)	177										2		6	27	40	45	57	
Other [organic] diseases of the heart (90)	362				1		1	7	5	3	4	5	9	38	65	103	121	
Bronchitis (99)	18	4	1					1					3		1	2	6	
Bronchopneumonia (100)	116	39	8	6	3	2		2	2	1	1	2	5	6	9	13	17	
Pneumonia (101)	114	7	4			2		1	2	3	5	7	14	16	24	15	14	
Diarrhea and enteritis (113, 114)	80	62	11	3	2										1	1		
Appendicitis and typhlitis (117)	34			1	1		3	6	1	2	2	5	7	4		1	1	
Hernia, intestinal obstruction (118)	21	2							1				1	3	7	2	5	
Cirrhosis of the liver (122)	13												1	4	4	3	1	
Nephritis (128, 129)	187		1		2		3	2	1	1	4	3	13	31	36	42	48	
Diseases of the female genital organs (137–141)	10										2	1	2	2	2	1		
Puerperal septicemia (146)	5								1	1		1	2					
Other puerperal causes (143–145, 147–150)	18									2	4	7	5					
Suicide (165–174)	21									3	1	2	6	4	1	3	1	
Homicide (197–200)	6								1		1		1	2		1		
Automobile accidents (188c)	43			1	1	1	9	1	2	2	3	1	7	2	5	6	2	
Other external causes (175–188b, 188d–196, 201–203)	122	1	3	4	1	4	8	2	8	3	5	6	16	9	17	13	22	
All other causes	579	205	14	1			13	9	9	4	17	13	38	57	62	62	75	
YONKERS, N. Y., all causes	1,091	140	28	10	10	11	26	19	23	33	33	36	113	159	157	159	134	
Typhoid and paratyphoid fever (1)	1													1				
Measles (7)	5		3				1	1										
Scarlet fever (8)	6		1			1	3	1										
Whooping cough (9)	3	2	1															
Diphtheria (10)	19		2	2	2	6	5	2										
Influenza (11)	17		1					1		1		1	3	2	4	3	1	
Meningococcus meningitis (24)	3	1	1					1										
Tuberculosis of the respiratory system (31)	79				1			2	7	11	7	10	18	13	6	4		
Other forms of tuberculosis (32–27)	8		2		1				1	1		1		2				
Cancer and other malignant tumors (43–49)	102						1		1		1	2	16	28	18	24	11	
Diabetes mellitus (57)	17													1	5	9	2	
Cerebral hemorrhage and softening (74, 83)	85											1	4	12	21	25	22	
Other [organic] diseases of the heart (90)	173	1	1	1			3	1	1		3	3	16	34	32	45	32	
Bronchitis (99)	7	3							1				1			1	1	
Bronchopneumonia (100)	39	8	5	2	2	1	1		1			1	2	1	4	9	2	
Pneumonia (101)	69	9	4		2		1	1	1	3	3	3	9	10	15	4	4	
Diarrhea and enteritis (113, 114)	35	29	4	1												1		
Appendicitis and typhlitis (117)	11							1		1	3		4	1	1			
Hernia, intestinal obstruction (118)	12	4			1									2	2		3	
Cirrhosis of the liver (122)	5												1	3			1	
Nephritis (128, 129)	79								1		1	3	9	8	17	16	24	
Diseases of the female genital organs (137–141)	4									1	1			1	1			
Puerperal septicemia (146)	7								2	2	3							
Other puerperal causes (143–145, 147–150)	6									1	3		2					
Suicide (165–174)	7												2	3	2			
Homicide (197–200)	1													1				
Automobile accidents (188c)	17							1	2	1		2	6	1	3	1		
Other external causes (175–188b, 188d–196, 201–203)	56		2	2		1	4	2	2	7	2	2	8	10	5	3	6	
All other causes	218	83	1	2	1	2	7	5	3	4	6	7	12	25	21	14	25	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1923—Continued

[See note at head of this table, p. 352]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
AKRON, OHIO, all causes	1,702	323	43	34	26	19	62	32	32	64	85	83	168	153	193	223	162	
Typhoid and paratyphoid fever (1)	4							1	1	1		1						
Measles (7)	13	4	3	1	2		1		1	1								
Scarlet fever (8)	19		1	1	1	8	6	1	1									
Whooping cough (9)	9	4	3	2														
Diphtheria (10)	24		1	2	5	2	9	3				2						
Influenza (11)	42	8	1	2	2					4	1	4	4	1	3	7	5	
Meningococcus meningitis (24)	3	2					1											
Tuberculosis of the respiratory system (31)	89	1	1				1		4	10	12	11	17	8	10	10	4	
Other forms of tuberculosis (32–37)	19	3	1	1		1	3	1	1	2	2	2	2					
Cancer and other malignant tumors (43–49)	121		1		1		1		1	1	5	2	15	12	37	35	10	
Diabetes mellitus (57)	30						2	1		2	1		3	6	6	7	2	
Cerebral hemorrhage and softening (74, 83)	133								1		1		5	17	31	41	37	
Other [organic] diseases of the heart (90)	174	1					4	3	6	2	6	7	19	26	28	42	30	
Bronchitis (99)	4	1												1		1	1	
Bronchopneumonia (100)	80	42	7	6	1	2	4	2			1			3	3	4	5	
Pneumonia (101)	103	9	6	3	3		4		3	2	4	9	11	18	10	9	12	
Diarrhea and enteritis (113, 114)	50	38	7	1									1	1		1	1	
Appendicitis and typhlitis (117)	32			2			2	1	1	5		4	9	2	5	1		
Hernia, intestinal obstruction (118)	25	2					2		1	1	2	1	3	4	3	3	3	
Cirrhosis of the liver (122)	5											2				3		
Nephritis (128, 129)	81	2	1		2			1		4	1	6	10	12	14	14	14	
Diseases of the female genital organs (137–141)	8								1	1		1	1	3	1			
Puerperal septicemia (146)	18								1	4	7	3	3					
Other puerperal causes (143–145, 147–150)	19								1	2	10	1	5					
Suicide (165–174)	23									2	4		10	2	3	2		
Homicide (197–200)	27	4				1		1		4	6	3	4	4				
Automobile accidents (188c)	40			1	2	1	10	3		2	4	2	4	5	2	2	2	
Other external causes (175–188b, 188d–196, 201–203)	90	7	3	4	2	2	4	2	3	7	9	7	22	6	4	5	3	
All other causes	417	195	7	8	5	2	8	12	5	7	9	15	20	22	33	36	33	
CINCINNATI, OHIO (WHITE), all causes	5,597	546	94	53	29	22	89	52	100	146	161	217	466	595	977	1,062	987	1
Typhoid and paratyphoid fever (1)	11							1	3	3	2		1		1			
Measles (7)	19	1	5	6	2		1		4									
Scarlet fever (8)	20		2	2	4	3	5	1	2		1							
Whooping cough (9)	13	9	3	1														
Diphtheria (10)	24	2	5	4	1	1	8				2		1					
Influenza (11)	175	15	6	3	2	1		2	4	12	3	7	15	16	26	30	33	
Meningococcus meningitis (24)	6	1	1		1		1					1		1				
Tuberculosis of the respiratory system (31)	327	1	1				2	1	19	31	39	39	85	52	32	22	3	
Other forms of tuberculosis (32–37)	60	6	1	1	2	1	3	2	6	9	2	3	8	9	5	1	1	
Cancer and other malignant tumors (43–49)	520			1		1	2		2	3	2	6	36	90	161	140	76	
Diabetes mellitus (57)	109	1						1				2	2	24	35	33	11	
Cerebral hemorrhage and softening (74, 83)	480							1				3	13	40	101	161	161	
Other [organic] diseases of the heart (90)	794		1		1	1	5	4	5	6	9	17	32	81	164	247	221	
Bronchitis (99)	30	3										1		1	2	5	18	
Bronchopneumonia (100)	180	47	22	6	2	2	3	1		2	2	3	4	5	16	24	41	
Pneumonia (101)	250	11	7	1		1	3	3	8	10	11	17	20	27	40	49	42	
Diarrhea and enteritis (113, 114)	141	101	21	6	1		1			1				2	3	2	3	
Appendicitis and typhlitis (117)	86	1		1	1		6	7	5	3	11	8	15	11	12	4	1	
Hernia, intestinal obstruction (118)	61	4		1			3		1		1	1	2	8	15	14	11	
Cirrhosis of the liver (122)	37									1			1	7	13	10	5	
Nephritis (128, 129)	525	1	1	2		1	1	5	1	4	7	17	24	48	118	153	142	
Diseases of the female genital organs (137–141)	35									1	2	1	11	15	3	1	1	
Puerperal septicemia (146)	27							1	2	6	4	5	8	1				
Other puerperal causes (143–145, 147–150)	43								3	6	10	14	10					
Suicide (165–174)	75								1	6	8	9	14	19	11	5	2	
Homicide (197–200)	28	1						2		5	6	3	8	3				
Automobile accidents (188c)	95			1	1	3	14	3	3	5	5	6	8	11	19	15	1	
Other external causes (175–188b, 188d–196, 201–203)	267	1	2	9	6	2	6	7	14	12	11	11	42	23	45	28	47	1
All other causes	1,159	340	16	8	5	5	25	10	17	20	23	43	106	101	155	118	167	
CINCINNATI, OHIO (COLORED), all causes	930	120	32	11	7	6	16	19	24	78	74	76	140	132	88	59	48	
Typhoid and paratyphoid fever (1)	2									2								
Measles (7)	1							1										
Scarlet fever (8)																		
Whooping cough (9)	6	4	2															
Diphtheria (10)	2				1		1											
Influenza (11)	27	2	1			1	1	1			2	1	3	6	5	2	2	
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	118	3	5		1		1	6	6	27	13	18	23	12	1	1	1	
Other forms of tuberculosis (32–37)	36	1	4	3	1		4	2	2	3	3	4	6	1	2			
Cancer and other malignant tumors (43–49)	33			1						1	2		10	7	5	2	5	
Diabetes mellitus (57)	7											1	2	2	1	1		
Cerebral hemorrhage and softening (74, 83)	32											2	3	8	8	5	6	
Other [organic] diseases of the heart (90)	124	1					2	1	1	2	8	7	18	25	26	21	12	
Bronchitis (99)	6							1				1				1	3	
Bronchopneumonia (100)	46	18	8	3	2	3	2		1		1				5	1	2	
Pneumonia (101)	89	12	6	1				1	6	12	10	6	14	9	6	3	3	
Diarrhea and enteritis (113, 114)	20	13	3										1	2		1		
Appendicitis and typhlitis (117)	9							1	2		1	1	1	1	1	1		
Hernia, intestinal obstruction (118)	6	1									1		3	1				
Cirrhosis of the liver (122)	4												2	1		1		
Nephritis (128, 129)	65		1								2	3	11	19	12	8	9	
Diseases of the female genital organs (137–141)	9									1	1	1	2	4				
Puerperal septicemia (146)	9								1	4	2	2						
Other puerperal causes (143–145, 147–150)	12									6	2	3	1					
Suicide (165–174)	1													1				
Homicide (197–200)	52						1		3	6	13	10	12	6	1			
Automobile accidents, (188c)	7						1			1	1		1	2	1			
Other external causes (175–188b, 188d–196, 201–203)	26	2		1	1	1	1	1	1		2	4	4	6	1	1		
All other causes	181	63	2	2	1	1	2	4	1	13	10	12	23	19	13	10	5	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1923—Continued

[See note at head of this table, p. 352]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
CLEVELAND, OHIO (WHITE), all causes	8,636	1,242	191	125	74	67	204	137	182	244	348	388	897	1,076	1,292	1,169	998	2
Typhoid and paratyphoid fever (1)	13						1	2	3	1	1	2	1	1	1			
Measles (7)	31	7	14	5			3	2										
Scarlet fever (8)	58		8	8	4	11	12	5	5	1	1	1	1	1				
Whooping cough (9)	26	12	7	5	1	1												
Diphtheria (10)	111	6	10	13	12	11	44	9	5							1		
Influenza (11)	142	11	3	2	1	1	1	1	4	5	7	3	23	15	17	16	32	
Meningococcus meningitis (24)	13	3	2	1		1	1	1			3		1					
Tuberculosis of the respiratory system (31)	550	1		1	1		1	8	47	73	74	75	110	82	49	22	6	
Other forms of tuberculosis (32–37)	86	6	10	4	1	1	10	4	5	7	3	2	12	5	9	7		
Cancer and other malignant tumors (43–49)	757	1	2	1		1	2	3	6	6	13	15	88	152	224	155	88	
Diabetes mellitus (57)	156							3	1		4		10	32	59	28	19	
Cerebral hemmorrhage and softening (74, 83)	665						1			1	5	5	23	92	163	204	170	1
Other [organic] diseases of the heart (90)	948	2	3	1	1	1	10	18	19	17	21	25	59	123	185	223	240	
Bronchitis (99)	55	15	5	1	1				1			1	1	7	2	9	12	
Bronchopneumonia (100)	428	144	39	16	12	9	8	3	4	2	9	10	22	18	35	53	44	
Pneumonia (101)	479	45	20	7	7	3	6	4	12	7	13	31	65	70	85	68	36	
Diarrhea and enteritis (113, 114)	276	212	32	8	4	2	3			1		1	2	2	2	3	4	
Appendicitis and typhlitis (117)	123			2		3	7	9	9	15	13	9	22	18	8	5	3	
Hernia, intestinal obstruction (118)	81	8		2	2			2		3	1	4	9	11	16	12	11	
Cirrhosis of the liver (122)	73										1	2	5	23	23	16	3	
Nephritis (128, 129)	562	1	1	5			2	2	5	10	14	8	49	89	129	135	112	
Diseases of the female genital organs (137–141)	47								1	1	6	6	14	10	5	3	1	
Puerperal septicemia (146)	53								2	9	18	15	8	1				
Other puerperal causes (143–145, 147–150)	69								2	9	17	20	20	1				
Suicide (165–174)	98								1	2	9	12	27	24	8	10	5	
Homicide (197–200)	57							1	1	8	8	10	16	8	4		1	
Automobile accidents (188c)	189		1	3	5	3	23	13	7	4	16	9	22	35	26	17	5	
Other external causes (175–188b, 188d–196, 201–203)	415	7	13	17	11	7	22	15	12	21	27	32	67	54	42	24	44	
All other causes	2,075	761	21	23	11	12	47	32	30	41	64	90	220	202	200	158	162	1
CLEVELAND, OHIO (COLORED), all causes	957	141	32	15	12	5	16	12	40	76	90	96	164	131	60	41	26	
Typhoid and paratyphoid fever (1)	7			1				1	1	1	2			1				
Measles (7)	1	1																
Scarlet fever (8)	2		1				1											
Whooping cough (9)	9	3	2	1	1	1	1											
Diphtheria (10)	3	1		1			1											
Influenza (11)	15	1							1	2	1	1	6	3				
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	137						1	5	16	28	19	29	30	4	2	2	1	
Other forms of tuberculosis (32–37)	36	3	4	1	3		1	1	5	5	4	2	4	3				
Cancer and other malignant tumors (43–49)	35						2				6	1	10	8	3	3	2	
Diabetes mellitus (57)	5										1		1		1	2		
Cerebral hemorrhage and softening (74, 83)	34										1	2	5	10	7	5	4	
Other [organic] diseases of the heart (90)	54								3	1	3	4	14	13	8	3	5	
Bronchitis (99)	7	2	1	1		1							1			1		
Bronchopneumonia (100)	85	39	12	3	4		1			5	2	4	4	3	4	2	2	
Pneumonia (101)	105	4	3	2	1	1		1	3	11	16	13	16	21	5	6	2	
Diarrhea and enteritis (113, 114)	17	12	3					1							1			
Appendicitis and typhlitis (117)	10								3		3	1	3					
Hernia, intestinal obstruction (118)	3	1									1	1						
Cirrhosis of the liver (122)	2												1	1				
Nephritis (128, 129)	54	1							1	1	2	2	12	14	11	8	2	
Diseases of the female genital organs (137–141)	5										1		3	1				
Puerperal septicemia (146)	9								2			6	1					
Other puerperal causes (143–145, 147–150)	6										3	1	2					
Suicide (165–174)	4									2			1	1				
Homicide (197–200)	31								3	5	9	4	6	4				
Automobile accidents (188c)	14				1	1	3	1	1			1	3	2			1	
Other external causes (175–188b, 188d–196, 201—203)	39	2	2	2			2	1		8	2	5	3	3	4	3	2	
All other causes	228	71	4	3	2	1	3	1	1	7	14	19	38	39	14	6	5	
COLUMBUS, OHIO, all causes	3,983	416	96	44	23	14	60	51	91	139	151	156	389	475	559	700	618	1
Typhoid and paratyphoid fever (1)	11				1			1	1	2	1		4		1			
Measles (7)	29	5	11	2	1	1	6	1	1					1				
Scarlet fever (8)	5	1				1	1	1		1								
Whooping cough (9)	38	17	13	4	1		2	1										
Diphtheria (10)	17		1	5	3	2	4		1					1				
Influenza (11)	178	9	8	4	1	1	3	2	5	4	7	9	15	19	31	34	26	
Meningococcus meningitis (24)	3							1			1			1				
Tuberculosis of the respiratory system (31)	216	1	1	1			2	1	13	33	32	20	45	33	16	12	6	
Other forms of tuberculosis (32–37)	61	4	3	1	2	1	2	3	9	7	7	5	9	2	3	3		
Cancer and other malignant tumors (43–49)	291							1	2		3	3	29	57	86	72	38	
Diabetes mellitus (57)	70		1	2				1	2				5	17	17	20	5	
Cerebral hemorrhage and softening (74, 83)	298	1		1						1	1		12	40	62	89	91	
Other [organic] diseases of the heart (90)	520						3	6	5	7	8	13	41	64	100	151	122	
Bronchitis (99)	21	6										1	2	1	2	1	8	
Bronchopneumonia (100)	171	42	27	5	3	1	2	2	1	1	2	2	7	4	9	24	39	
Pneumonia (101)	156	7	3	4			2	1	6	8	6	8	24	17	23	18	29	
Diarrhea and enteritis (113, 114)	100	65	14	7			1				1	2	2	1		2	5	
Appendicitis and typhlitis (117)	73		1		2		4	7	8	13	6	5	10	10	2	3	2	
Hernia, intestinal obstruction (118)	46	3			1		1		3	1	3	1	5	4	9	10	5	
Cirrhosis of the liver (122)	21										1		1	3	6	8	2	
Nephritis (128, 129)	241	2		1		1	1	1	2	2	7	7	20	41	52	64	40	
Diseases of the female genital organs (137–141)	52								1	5	4	7	16	15	4			
Puerperal septicemia (146)	24								3	5	6	9	1					
Other puerperal causes (143–145, 147–150)	32								2	2	14	6	8					
Suicide (165–174)	40							1	2	4	1	4	5	8	11	4		
Homicide (197–200)	21	1							1	4	5	2	4	3	1			
Automobile accidents (188c)	58				3	2	6	6	3	4	4	6	6	4	7	5	2	
Other external causes (175–188b, 188d–196, 201–203)	170	4	6	4	1	2	3	5	5	7	10	11	25	16	16	24	31	
All other causes	1,020	248	7	3	4	2	17	9	15	28	21	35	93	113	101	156	167	1

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1923—Continued

[See note at head of this table, p. 352]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
DAYTON, OHIO, all causes	1,950	249	51	26	15	11	33	26	45	85	69	62	150	195	274	333	323	3
Typhoid and paratyphoid fever (1)	6			1				1	3		1							
Measles (7)	15	5	2	1	2	1	2		1	1								
Scarlet fever (8)	8				2	2	2	1		1								
Whooping cough (9)	27	14	9	1	1	1	1											
Diphtheria (10)	12		2	1	3	2	2	1				1						
Influenza (11)	78	11	3				1		1	4	3	4	7	6	6	16	16	
Meningococcus meningitis (24)	1								1									
Tuberculosis of the respiratory system (31)	127	2		1	1	1	1		10	25	15	16	26	11	8	9	1	
Other forms of tuberculosis (32–37)	30	3	3	3		1	3	4	3	3	2	2	1		1		1	
Cancer and other malignant tumors (43–49)	157				1					1	1	1	9	35	40	45	24	
Diabetes mellitus (57)	30						1	1	3			1	3	3	9	7	2	
Cerebral hemorrhage and softening (74, 83)	142									1			3	8	29	51	50	
Other [organic] diseases of the heart (90)	302	1						1	1	1	4	4	15	38	63	81	93	
Bronchitis (99)	13	1	1	1											1	3	6	
Bronchopneumonia (100)	82	31	11	3	1		1	2		2	1	2			4	8	16	
Pneumonia (101)	81	5	3	1			5			6	3	7	8	13	10	9	11	
Diarrhea and enteritis (113, 114)	60	38	10	1	2		1			1					3		4	
Appendicitis and typhlitis (117)	42				1	1	3	1	4	8	3	1	5	5	7	1	2	
Hernia, intestinal obstruction (118)	28	3	1							1	1		2	4	5	7	4	
Cirrhosis of the liver (122)	15							1						3	3	6	2	
Nephritis (128, 129)	107	1						1		2		1	9	21	17	24	31	
Diseases of the female genital organs (137–141)	18									1	5	3	4	2		1	2	
Puerperal septicemia (146)	5								2		2	1						
Other puerperal causes (143–145, 147–150)	15									5	3	5	2					
Suicide (165–174)	16							1	2	1	3	1	2	2	3	1		
Homicide (197–200)	11	1								1	2	1	4	1	1			
Automobile accidents (188c)	27				1		5	1	2	1		1	2	3	1	8	2	
Other external causes (175–188b, 188d–196, 201–203)	113	2	2	7		2	3	5	5	9	9	1	10	7	18	11	19	3
All other causes	382	131	4	5			2	5	7	10	11	9	38	33	45	45	37	
TOLEDO, OHIO, all causes	3,391	412	58	33	39	19	83	46	71	125	138	160	320	405	489	483	509	1
Typhoid and paratyphoid fever (1)	15				1				1	2	2	2	1	3	1	1	1	
Measles (7)	25	6	7	1	4		6								1			
Scarlet fever (8)	16		1	1	2	1	7		1	1		1			1			
Whooping cough (9)	9	4	1	1		1	2											
Diphtheria (10)	65		3	4	11	8	27	3	5	1			2		1			
Influenza (11)	65	9	2	2			1	1	1	2	2	3	9	4	5	8	16	
Meningococcus meningitis (24)	1				1													
Tuberculosis of the respiratory system (31)	264	1		1	1			5	21	42	33	40	37	34	24	17	7	1
Other forms of tuberculosis (32–37)	42	5		1			4		3	4	5	5	7	3	3	2		
Cancer and other malignant tumors (43–49)	266		1								3	3	31	58	69	60	41	
Diabetes mellitus (57)	46						2	3	1	1	1	1	6	4	16	4	7	
Cerebral hemorrhage and softening (74, 83)	262					1						1	13	31	64	75	77	
Other [organic] diseases of the heart (90)	420							2	1	5	6	9	23	62	84	108	120	
Bronchitis (99)	23	4					1		1				2			7	8	
Bronchopneumonia (100)	124	37	9	9	2	2	2	3	1		2	1		5	13	15	23	
Pneumonia (101)	148	13	5	1	2	1	4	2	4	10	8	11	18	16	17	24	12	
Diarrhea and enteritis (113, 114)	111	79	13	5	3	1	1							1	2	3	3	
Appendicitis and typhlitis (117)	49				1		4	7	3	5	5	3	7	7	5	1	1	
Hernia, intestinal obstruction (118)	47	4	2				1	1		1	1	2	3	5	11	12	4	
Cirrhosis of the liver (122)	28							1				1	5	8	7	1	5	
Nephritis (128, 129)	150				1		1		2	1	3	7	9	14	37	37	38	
Diseases of the female genital organs (137–141)	23								1	1	5	2	5	6	2		1	
Puerperal septicemia (146)	19								2	6	6	3	2					
Other puerperal causes (143–145, 147–150)	26									6	5	8	7					
Suicide (165–174)	37							1	1	1	5	7	9	7	4	2		
Homicide (197–200)	32					1		1		4	9	5	9	1	1	1		
Automobile accidents (188c)	63	1	1		2	1	7	2	3	1	7	7	8	12	6	4	1	
Other external causes (175–188b, 188d–196, 201–203)	163	1	6		4	2	4	3	8	14	12	12	24	22	18	12	21	
All other causes	852	248	7	7	4		9	11	11	17	18	26	83	102	97	89	123	
YOUNGSTOWN, OHIO, all causes	1,697	332	79	42	33	28	72	25	37	62	83	88	184	173	157	161	140	1
Typhoid and paratyphoid fever (1)	12					1			1	4	1	2	2	1				
Measles (7)	28	10	9	4	1	1	2		1									
Scarlet fever (8)	23		1	5	4	7	4				1		1					
Whooping cough (9)	10	4	4	2														
Diphtheria (10)	72	2	13	12	11	6	19	7	1		1							
Influenza (11)	47	6	4		1				2	2	2	4	7	3	4	3	9	
Meningococcus meningitis (24)	1		1															
Tuberculosis of the respiratory system (31)	96		5				1	1	10	12	14	16	15	13	6	3		
Other forms of tuberculosis (32–37)	24	2	1	1	2		1			4	2	2	3	3	1	2		
Cancer and other malignant tumors (43–49)	95						1		1	1	4	3	13	30	15	20	7	
Diabetes mellitus (57)	19			1			1			1	1	1		2	6	4	2	
Cerebral hemorrhage and softening (74, 83)	87										1	4	7	8	21	22	24	
Other [organic] diseases of the heart (90)	158						1	3	3	2	7	5	20	32	29	35	21	
Bronchitis (99)	6	2	1		1										1		1	
Bronchopneumonia (100)	121	67	14	2	3	2	4			1	1	1	5	1	4	6	10	
Pneumonia (101)	107	12	2	2	1	1	4	1		4	3	6	22	13	16	10	9	1
Diarrhea and enteritis (113, 114)	66	48	9	2		3	2									1	1	
Appendicitis and typhlitis (117)	28						5	3	2	3	2	2	3	4	2	2		
Hernia, intestinal obstruction (118)	19	2	1		1		1						2	4	5	1	2	
Cirrhosis of the liver (122)	6							1							4		1	
Nephritis (128, 129)	59		1							2		2	8	13	7	15	11	
Diseases of the female genital organs (137–141)	12									3	1	1	4	1		1	1	
Puerperal septicemia (146)	14								2	5	2	3	2					
Other puerperal causes (143–145, 147–150)	20									1	8	4	7					
Suicide (165–174)	12									1	2	2	3	1	1		2	
Homicide (197–200)	26									2	6	5	10	2	1			
Automobile accidents, (188c)	37			1		1	8	1	4	1	2	3	6	4	3	2	1	
Other external causes (175–188b, 188d–196, 201–203)	109	4	5	3	6	4	4	4	2	5	9	10	20	9	6	7	11	
All other causes	383	173	8	7	2	2	14	4	8	8	13	12	24	29	25	27	27	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1923—Continued

[See note at head of this table, p. 352]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
PORTLAND, OREG., all causes	3,052	266	37	20	15	10	61	44	63	104	109	113	328	370	496	573	440	3
Typhoid and paratyphoid fever (1)	7						2		1	2			1		1			
Measles (7)	13	1	3	2		1	5	1										
Scarlet fever (8)	1						1											
Whooping cough (9)	13	8	2	2				1										
Diphtheria (10)	31	1	3	2	5		10	3	3			1	1	1		1		
Influenza (11)	63	5	3	1			1		2	5	2	2	5	9	7	10	11	
Meningococcus meningitis (24)	1														1			
Tuberculosis of the respiratory system (31)	157	1	1	1		1	2	1	9	22	31	15	31	19	8	12	3	
Other forms of tuberculosis (32-37)	48	1	1	1	1	1	3		8	3	4	4	12	2	4	3		
Cancer and other malignant tumors (43-49)	348						2			2	3	8	40	67	107	81	38	
Diabetes mellitus (57)	41							1			1		2	3	17	12	5	
Cerebral hemorrhage and softening (74, 83)	281											2	17	23	75	92	71	1
Other [organic] diseases of the heart (90)	400		1				2	3	6	5	5	9	27	46	72	128	95	1
Bronchitis (99)	17												1			5	11	
Bronchopneumonia (100)	107	21	6	2	3	2	4	3		1		2	7	10	8	14	24	
Pneumonia (101)	131	7	3	2					2	8	6	5	13	28	16	21	20	
Diarrhea and enteritis (113, 114)	31	18	1	1			1					1		1	1	3	4	
Appendicitis and typhlitis (117)	71				1		4	9	3	4	6	12	13	7	9	3		
Hernia, intestinal obstruction (118)	35		1						2		3	2	7	3	9	4	4	
Cirrhosis of the liver (122)	16								1					7	5	2	1	
Nephritis (128, 129)	175						2		2	5	3	4	15	29	29	51	35	
Diseases of the female genital organs (137-141)	23									2	1	3	6	6	4	1		
Puerperal septicemia (146)	16									5	2	4	5					
Other puerperal causes (143-145, 147-150)	24								1	3	6	8	6					
Suicide (165-174)	50								1	4	6	4	13	13	3	4	2	
Homicide (197-200)	10						1		2		1	3	2		1			
Automobile accidents (188c)	39				2	1	5	1	1	1	3		8	2	1	8	6	
Other external causes (175-188b, 188d-196, 201-203)	156	3	2	2	1	1	6	6	12	8	11	4	25	23	20	18	13	1
All other causes	747	200	10	4	2	3	10	15	7	24	15	20	71	71	98	100	97	
PHILADELPHIA, PA. (WHITE), all causes	23,240	2,706	655	336	192	147	473	290	377	571	686	771	2,040	2,922	3,915	3,884	3,273	2
Typhoid and paratyphoid fever (1)	23						1	2	3	3	2	2	6	2	2			
Measles (7)	217	49	88	32	17	11	18			1					1			
Scarlet fever (8)	34	1	5	6	3	4	6	2	2	2	1	1		1				
Whooping cough (9)	82	42	21	9	1	4	5											
Diphtheria (10)	255	20	49	55	30	25	58	7	3	3	1	1	1	1		1		
Influenza (11)	351	44	17	17	3	6	9	5	7	6	14	9	29	35	48	58	44	
Meningococcus meningitis (24)	21	6	3	1	2		2	2			1	1	1		2			
Tuberculosis of the respiratory system (31)	1,396	5	4	3	2	1	11	9	85	150	178	157	278	258	159	77	19	
Other forms of tuberculosis (32-37)	215	30	30	15	7	7	16	11	8	11	13	14	21	11	10	7	4	
Cancer and other malignant tumors (43-49)	2,111	1	1	1		2	2	3	5	10	17	38	213	458	645	488	226	1
Diabetes mellitus (57)	379	1					5	1		6	4	5	21	76	129	99	32	
Cerebral hemorrhage and softening (74, 83)	1,365	5			1				1	4	2	10	60	162	323	401	396	
Other [organic] diseases of the heart (90)	3,924	19	5	6	3	5	28	43	50	39	50	58	217	507	891	1,018	985	
Bronchitis (99)	198	48	11	3	1		5		1	2	1	1	2	8	21	37	57	
Bronchopneumonia (100)	1,182	415	148	53	27	18	24	11	9	11	16	17	37	53	85	124	134	
Pneumonia (101)	1,269	120	68	29	12	10	22	16	21	32	50	50	166	206	195	180	92	
Diarrhea and enteritis (113, 114)	636	460	90	21	5	2	11	2	2	1		1	6	6	10	10	9	
Appendicitis and typhlitis (117)	295		2	3	4	3	20	30	27	26	22	25	51	43	28	9	2	
Hernia, intestinal obstruction (118)	207	20	1	4	3	1		2	2	4	4	6	15	39	50	36	20	
Cirrhosis of the liver (122)	100								1	1	2	4	7	37	47	35	26	
Nephritis (128, 129)	2,608	9	7	1	2	3	16	6	18	22	35	42	210	369	556	656	656	
Diseases of the female genital organs (137-141)	79								1	3	6	16	24	20	2	6	1	
Puerperal septicemia (146)	99								8	23	21	22	24	1				
Other puerperal causes (143-145, 147-150)	165								14	34	42	36	38	1				
Suicide (165-174)	270								9	17	25	25	57	52	55	20	10	
Homicide (197-200)	95	1					2	3	7	14	12	15	21	11	5	3	1	
Automobile accidents (188c)	281		2	1	13	7	55	27	12	16	7	8	21	31	39	29	13	
Other external causes (175-188b, 188d-196, 201-203)	991	22	29	32	29	14	61	28	27	44	46	56	132	119	133	118	101	
All other causes	4,332	1,388	74	44	27	24	96	80	54	86	114	151	382	415	479	472	445	1
PHILADELPHIA, PA. (COLORED), all causes	3,388	545	147	54	28	18	59	62	110	211	235	236	562	527	325	149	119	1
Typhoid and paratyphoid fever (1)	6								2	2			2					
Measles (7)	25	6	7	4	3	1	2		1	1								
Scarlet fever (8)	5		2	1	1		1											
Whooping cough (9)	31	13	10	2	4	1	1											
Diphtheria (10)	17		4	4	1	3	4	1										
Influenza (11)	64	5	7	2					3	4	5	1	13	13	7	2	2	
Meningococcus meningitis (24)	2		1				1											
Tuberculosis of the respiratory system (31)	441	5	1		1	1	7	18	39	86	62	57	98	40	22	3	1	
Other forms of tuberculosis (32-37)	81	5	8	1	4	2	8	9	2	7	5	10	13	5	1	1		
Cancer and other malignant tumors (43-49)	138										5	6	33	56	22	11	5	
Diabetes mellitus (57)	22							1			1	2	3	9	5	1		
Cerebral hemorrhage and softening (74, 83)	111										2	5	7	43	25	16	13	
Other [organic] diseases of the heart (90)	404	2			1		3	5	7	5	13	19	77	109	79	51	33	
Bronchitis (99)	26	9	2				1		1	1	1		3		5	2	1	
Bronchopneumonia (100)	279	125	58	19	5	1	1	5	5	7	5	6	10	13	10	4	5	
Pneumonia (101)	299	27	16	4	3		5	3	12	20	31	27	61	54	23	10	3	
Diarrhea and enteritis (113, 114)	103	72	13	5	2	3	2		2				3		1			
Appendicitis and typhlitis (117)	34						1	2	4	3	3	9	8	3	1			
Hernia, intestinal obstruction (118)	42	4				1	3		1	3	5	1	6	6	9	1	2	
Cirrhosis of the liver (122)	9							1					2	4	2			
Nephritis (128, 129)	246			1			1	1	3	4	11	15	46	59	48	27	29	1
Diseases of the female genital organs (137-141)	36									7	7	6	9	5	2			
Puerperal septicemia (146)	17								3	4	4	3	3					
Other puerperal causes (143-145, 147-150)	24								4	6	5	4	5					
Suicide (165-174)	14								1	1	4	1	4	2	1			
Homicide (197-200)	84	1						2	2	13	17	23	15	9	2			
Automobile accidents (188c)	13						2	2	1			2	2	1	3			
Other external causes (175-188b, 188d-196, 201-203)	135	11	3	8	2	5	7	5	5	11	12	8	31	13	8	2	4	
All other causes	680	260	15	3	1		9	7	12	26	37	31	108	83	49	18	21	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1923—Continued

[See note at head of this table, p. 352]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
PITTSBURGH, PA. (WHITE), all causes	8,730	1,319	280	161	113	86	243	163	188	272	354	373	887	1,037	1,236	1,117	900	1
Typhoid and paratyphoid fever (1)	23						1	2	2	4	2	2	7	2	1			
Measles (7)	108	32	33	19	7	7	9	1										
Scarlet fever (8)	114	10	7	14	16	13	39	10	1	2	1			1				
Whooping cough (9)	34	16	12	3	1		2											
Diphtheria (10)	154	10	21	29	28	11	35	6	3	3	2	2	1	1	2			
Influenza (11)	276	22	11	4		2	4	3	4	7	15	13	30	37	49	43	32	
Meningococcus meningitis (24)	9	3	1	2				1					1		1			
Tuberculosis of the respiratory system (31)	376	8	1	2	3	2	4	6	33	44	52	50	63	56	37	14	1	
Other forms of tuberculosis (32-37)	75	6	7	1	4	2	12	4	5	4	6	5	8	6	4	1		
Cancer and other malignant tumors (43-49)	563	1	1	2	1		1	2	2	4	6	14	51	118	166	124	69	1
Diabetes mellitus (57)	87						2	2	1	3	3		8	15	34	17	2	
Cerebral hemorrhage and softening (74, 83)	457	3			1	1	1			2	1	6	28	57	100	137	120	
Other [organic] diseases of the heart (90)	858	2	1		1	2	22	11	15	19	21	31	80	113	173	196	171	
Bronchitis (99)	46	12	2										1		6	9	16	
Bronchopneumonia (100)	659	136	61	26	7	5	13	9	13	14	12	12	36	46	74	80	115	
Pneumonia (101)	1,068	71	27	19	6	5	10	14	28	38	56	63	154	169	177	142	89	
Diarrhea and enteritis (113, 114)	387	288	48	13	9	4	3			1		2	2	1	2	6	8	
Appendicitis and typhlitis (117)	123	1		1		2	9	15	11	6	12	11	28	14	10	3		
Hernia, intestinal obstruction (118)	71	9	1				1	1		3	4	2	9	13	10	12	6	
Cirrhosis of the liver (122)	87						1	1	1		2	2	11	21	22	19	7	
Nephritis (128, 129)	513	1	1		2	2		5	4	10	16	8	45	78	107	124	110	
Diseases of the female genital organs (137-141)	50									2	5	10	20	6	5	2		
Puerperal septicemia (146)	50								7	11	14	6	11	1				
Other puerperal causes (143-145, 147-150)	69								7	11	11	15	25					
Suicide (165-174)	76								1	7	5	10	21	16	11	4	1	
Homicide (197-200)	48	3						1	2	6	8	8	10	6	2	1	1	
Automobile accidents (188c)	137		1	1	1	5	21	14	7	5	6	2	17	24	20	7	6	
Other external causes (175-188b, 188d-196, 201-203)	472	8	12	8	14	11	20	18	22	22	40	44	77	60	48	38	30	
All other causes	1,740	677	32	17	12	12	33	37	19	44	54	55	143	176	175	138	116	
PITTSBURGH, PA. (COLORED), all causes	1,091	190	55	24	8	3	21	14	37	98	78	71	186	141	96	44	25	
Typhoid and paratyphoid fever (1)	3							1		2								
Measles (7)	15	1	6	1	3		1			3								
Scarlet fever (8)	2						2											
Whooping cough (9)	12	7	3	2														
Diphtheria (10)	8	1		1		1	2			1	1	1						
Influenza (11)	31	5		2					1	3	4	1	5	6	3	1		
Meningococcus meningitis (24)	3	1				1	1											
Tuberculosis of the respiratory system (31)	108	1	2	1			6	5	9	23	14	18	17	7	4		1	
Other forms of tuberculosis (32-37)	24	3	2	2			1		2	3	1	2	6	1		1		
Cancer and other malignant tumors (43-49)	31									1	1	1	5	12	7	3	1	
Diabetes mellitus (57)	5													2	3			
Cerebral hemorrhage and softening (74, 83)	35											1	3	6	15	7	3	
Other [organic] diseases of the heart (90)	88							3	1	3	2	3	25	30	13	6	2	
Bronchitis (99)	1	1																
Bronchopneumonia (100)	88	35	8	2	2		1	1	2	5	2	5	7	8	4	4	2	
Pneumonia (101)	221	18	17	6	1		1		10	27	24	13	43	35	13	8	5	
Diarrhea and enteritis (113, 114)	47	28	7	3	1							1	1	2		2	2	
Appendicitis and typhlitis (117)	11							1		2	2		4		1	1		
Hernia, intestinal obstruction (118)	4			1								2		1				
Cirrhosis of the liver (122)	2													1	1			
Nephritis (128, 129)	57			1	1				2	3	3	3	11	9	14	5	5	
Diseases of the female genital organs (137-141)	8										1	2	5					
Puerperal septicemia (146)	10								2	2	1	2	3					
Other puerperal causes (143-145, 147-150)	5								1		1	1	2					
Suicide (165-174)	4									2	1		1					
Homicide (197-200)	36								1	7	4	5	14	4	1			
Automobile accidents (188c)	9						2				1		3	1	2			
Other external causes (175-188b, 188d-196, 201-203)	51		3	2		1	3	1	5	5	7	4	11	5	2	2		
All other causes	172	89	7				1	2	1	6	8	6	20	11	13	4	4	
READING, PA., all causes	1,507	202	40	15	17	13	39	14	28	37	33	40	112	161	227	261	268	
Typhoid and paratyphoid fever (1)	5									2			2		1			
Measles (7)	24	5	6	2	4	4	3											
Scarlet fever (8)	1					1												
Whooping cough (9)	7	3	2	2														
Diphtheria (10)	21		1	4	4	3	8			1								
Influenza (11)	46	7	2	1	1	1		1	1	2		2	3	3	11	8	3	
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	54	1					1		2	11	7	5	4	8	7	6	2	
Other forms of tuberculosis (32-37)	25	5	5			1	3	1		2	1	2	2	3				
Cancer and other malignant tumors (43-49)	119	1						1	1		2	3	14	25	28	31	13	
Diabetes mellitus (57)	29				1						1	1	1	7	9	9		
Cerebral hemorrhage and softening (74, 83)	111												4	5	27	32	43	
Other [organic] diseases of the heart (90)	183	1				1	1	1		2	3	3	9	15	34	61	52	
Bronchitis (99)	9	1								1				1	1	1	4	
Bronchopneumonia (100)	71	29	7		2		3					1	1	3	8	6	11	
Pneumonia (101)	76	12	6			1	2		1			1	4	7	16	9	17	
Diarrhea and enteritis (113, 114)	43	32	2	3			1						1			1	3	
Appendicitis and typhlitis (117)	21						1	3	2	1	3	1	3	3	3	1		
Hernia, intestinal obstruction (118)	19	1					1		1			1	2	3	2	5	3	
Cirrhosis of the liver (122)	16				1						1	1	1	2	3	4	3	
Nephritis (128, 129)	178	1		1					1		2	1	14	25	29	44	60	
Diseases of the female genital organs (137-141)	13											1	6	3	3			
Puerperal septicemia (146)	5									2	1	2						
Other puerperal causes (143-145, 147-150)	7								1	1	2	2	1					
Suicide (165-174)	18								1	2	1		3	7		2	2	
Homicide (197-200)	4								1			1	1	1				
Automobile accidents (188c)	27				2		5	1	3	1	2		4	4	2	1	2	
Other external causes (175-188b, 188d-196, 201-203)	70	3	2	1	1	1	2	2	8	4	3	5	7	7	6	6	12	
All other causes	305	100	7	1	1		8	4	5	5	4	7	25	29	37	34	38	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1923—Continued

[See note at head of this table, p. 352]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
SCRANTON, PA., all causes	1,919	290	51	31	13	15	39	36	41	43	68	70	194	295	279	268	186	
Typhoid and paratyphoid fever (1)	7						1	1		1	3			1				
Measles (7)	27	8	11	2	2	1	3											
Scarlet fever (8)	2					1				1								
Whooping cough (9)	6	2	1		1	1										1		
Diphtheria (10)	11		3	3	1	1	2		1									
Influenza (11)	46	7		1			1	3	1	1	5	1	1	6	5	9	5	
Meningococcus meningitis (24)	1													1				
Tuberculosis of the respiratory system (31)	90	2	1						5	12	9	10	22	17	9	3		
Other forms of tuberculosis (32-37)	13		2			2	1	1	1		2		1	1	1	1		
Cancer and other malignant tumors (43-49)	142		1						1	1	1	5	10	36	40	37	10	
Diabetes mellitus (57)	37							1	1				4	8	9	8	6	
Cerebral hemorrhage and softening (74, 83)	122									1		2	6	21	25	44	23	
Other [organic] diseases of the heart (90)	254				1	1		3	3	1	5	4	23	57	64	52	40	
Bronchitis (99)	22	7	1									1		2	3	6	2	
Bronchopneumonia (100)	87	31	12	6		1	1			2	2	1	7	3	4	7	10	
Pneumonia (101)	106	8	3	5			3	1	2	1	2	4	19	20	16	13	9	
Diarrhea and enteritis (113, 114)	90	71	7	3	1						1				2	4	1	
Appendicitis and typhlitis (117)	24			1			4		4	1	1	4	6	3				
Hernia, intestinal obstruction (118)	21	2		1			1		1		3		1	1	5	3	3	
Cirrhosis of the liver (122)	9												4	2	1	1	1	
Nephritis (128,129)	142	1					1	1	3		2	3	19	28	31	26	27	
Diseases of the female genital organs (137-141)	10											1	2	4	1	1	1	
Puerperal septicemia (146)	12								2	3	4	1	2					
Other puerperal causes (143-145, 147-150)	15								1	2	3	6	3					
Suicide (165-174)	9								1	1			3	1	1	1	1	
Homicide (197-200)	4										1		2	1				
Automobile accidents (188c)	41						10	5	1			1	5	7	8	3	1	
Other external causes (175-188b, 188d-196, 201-203)	162	1	5	5	3	2	4	14	10	8	11	15	22	25	18	10	9	
All other causes	407	150	4	4	4	5	7	6	3	7	13	11	32	50	36	38	37	
PROVIDENCE, R. I., all causes	3,578	541	151	67	43	26	57	44	46	68	91	126	297	422	575	536	488	
Typhoid and paratyphoid fever (1)	2						1						1					
Measles (7)	122	34	45	23	10	2	6	1						1				
Scarlet fever (8)	5		1	1	2		1											
Whooping cough (9)	37	16	16	3	1		1											
Diphtheria (10)	40	3	11	4	6	3	11	2										
Influenza (11)	24	7	2	1	1						1		2	2	1	3	4	
Meningococcus meningitis (24)	9	2	3	2	1								1					
Tuberculosis of the respiratory system (31)	169	3	1	3	1	1		3	10	24	26	16	30	25	16	8	2	
Other forms of tuberculosis (32-37)	60	12	13	4	3	2	7	2	1	2	3	3	4	3	1			
Cancer and other malignant tumors (43-49)	327		1				1				1	10	30	69	110	64	41	
Diabetes mellitus (57)	72			1					2	2	3		6	8	20	19	11	
Cerebral hemorrhage and softening (74, 83)	344	1						1				2	8	45	89	101	97	
Other [organic] diseases of the heart (90)	447					1	1	7	3	3	2	5	22	64	104	127	108	
Bronchitis (99)	24	6										1		1	5	4	7	
Bronchopneumonia (100)	140	41	16	5	2	2	1			2		2	3	8	14	19	25	
Pneumonia (101)	222	18	11	5	3	3	5	3	2	4	8	11	23	21	44	35	26	
Diarrhea and enteritis (113, 114)	96	78	13		1			1			1					2		
Appendicitis and typhlitis (117)	44					1	3	3	7	1	4	5	7	6	6	1		
Hernia, intestinal obstruction (118)	47	3			1	1			1	1			5	13	10	4	8	
Cirrhosis of the liver (122)	21										1	1	5	3	6	4	1	
Nephritis (128, 129)	250				1		2	1	2	2	5	8	23	36	44	65	61	
Diseases of the female genital organs (137-141)	31								1	1	2	6	10	9	1		1	
Puerperal septicemia (146)	23								1	4	7	7	4					
Other puerperal causes (143-145, 147-150)	32									6	5	7	14					
Suicide (165-174)	26								1	1	3		5	7	6		3	
Homicide (197-200)	11										1	5	3	2				
Automobile accidents (188c)	52				1	1	4	3	4	2	2	4	10	9	6	4	2	
Other external causes (175-188b, 188d-196, 201-203)	152	4	2	8	7	2	3	5	5	3	4	12	21	26	18	15	17	
All other causes	749	313	16	7	2	7	10	12	6	10	12	21	60	64	74	61	74	
MEMPHIS, TENN. (WHITE), all causes	1,678	202	56	23	15	9	40	24	50	79	75	86	196	199	225	232	167	
Typhoid and paratyphoid fever (1)	8							1	3	4								
Measles (7)	37	6	14	8	4	1	2							1	1			
Scarlet fever (8)	4		1				3											
Whooping cough (9)	5	4			1													
Diphtheria (10)	8	1		1	1	1	2		1				1					
Influenza (11)	78	10	10	3	3	1	1	1	3	1	4	3	7	10	6	7	8	
Meningococcus meningitis (24)	1	1																
Tuberculosis of the respiratory system (31)	86	1							3	10	8	11	19	17	7	8	2	
Other forms of tuberculosis (32-37)	14		2				2		1	2	1	1		3	1		1	
Cancer and other malignant tumors (43-49)	105				1						1	2	13	25	31	27	5	
Diabetes mellitus (57)	19							1	1			1	3	1	4	3	5	
Cerebral hemorrhage and softening (74, 83)	76								1		1	1	2	5	22	18	26	
Other [organic] diseases of the heart (90)	150	1		1					4	2	1	5	12	19	39	35	31	
Bronchitis (99)	6	1		1											2	1	1	
Bronchopneumonia (100)	68	15	5	1	3		1			2	4	2	3	3	3	14	12	
Pneumonia (101)	83	2	4	1		1		3	1	7	5	10	11	14	7	9	8	
Diarrhea and enteritis (113, 114)	41	21	9	3	1					1			1			3	2	
Appendicitis and typhlitis (117)	79		2				11	5	8	7	6	6	10	12	4	7	1	
Hernia, intestinal obstruction (118)	28	3					1		1	1	4	3	6	3	2	4		
Cirrhosis of the liver (122)	12							1		1			1	1	4	3	1	
Nephritis (128, 129)	122						2		2		4	3	11	12	29	38	21	
Diseases of the female genital organs (137-141)	18									1	2	4	9	2				
Puerperal septicemia (146)	10								1	2	4	2	1					
Other puerperal causes (143-145, 147-150)	20								2	4	4	4	6					
Suicide (165-174)	23								1	3	1	2	6	6	3	1		
Homicide (197-200)	32		1						1	7	4	3	10	4	2			
Automobile accidents (188c)	34	1				2	3	2	5	2	1	1	4	4	5	4		
Other external causes (175-188b, 188d-196, 201-203)	86	3	1		1	1	5	3	2	9	7	4	10	8	10	9	13	
All other causes	425	132	7	4		2	7	7	9	13	13	18	50	49	43	41	30	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1923—Continued

[See note at head of this table, p. 352]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
MEMPHIS, TENN. (COLORED), all causes	1,710	220	48	16	7	15	25	38	83	127	158	128	293	256	149	80	66	1
Typhoid and paratyphoid fever (1)	19				1	1	1	2	3	5	3	2	1					
Measles (7)	10	1	2		1	1	2	1	1			1						
Scarlet fever (8)																		
Whooping cough (9)	6	4	1		1													
Diphtheria (10)	9	3		1		2	1	1			1							
Influenza (11)	131	14	5	5	2	1	2	3	4	10	9	10	28	18	12	7	1	
Meningococcus meningitis (24)	4	1		1						1	1							
Tuberculosis of the respiratory system (31)	171	1		1		3	3	3	22	31	35	25	31	8	6	1	1	
Other forms of tuberculosis (32–37)	32		1			1	2	3	2	4	2	6	7	3	1			
Cancer and other malignant tumors (43–49)	48						1		1	1	3	1	14	14	5	5	3	
Diabetes mellitus (57)	4												3		1			
Cerebral hemorrhage and softening (74, 83)	53								1	2	1	4	12	12	11	5	5	
Other [organic] diseases of the heart (90)	120			1		1		1	3	4	3	4	25	40	16	17	5	
Bronchitis (99)	4				1								1		1	1		
Bronchopneumonia (100)	78	31	9	2		1		2	1	4	3	4	6	6	2	2	5	
Pneumonia (101)	98	11	6	3				1	6	7	12	3	18	11	11	4	5	
Diarrhea and enteritis (113, 114)	49	27	10								1	1	3	4	2		1	
Appendicitis and typhlitis (117)	46							5	5	8	3	4	9	7	4	1		
Hernia, intestinal obstruction (118)	25						1		2	1	3	3	6	4	3	1	1	
Cirrhosis of the liver (122)	4												1	2	1			
Nephritis (128, 129)	112	1						1	2	2	4	5	14	31	22	12	18	
Diseases of the female genital organs (137–141)	26									2	7	4	9	4				
Puerperal septicemia (146)	6							1		2	2		1					
Other puerperal causes (143–145, 147–150)	12							2	4	2		3		1				
Suicide (165–174)	2								1	1								
Homicide (197–200)	86								5	14	32	14	14	6				1
Automobile accidents (188c)	12					1		1	3	3		1	1	1		1		
Other external causes (175–188b, 188d–196, 201–203)	67		1			1	6	3	3	4	6	7	16	11	5	4		
All other causes	476	126	13	2	1	2	6	8	14	19	27	26	73	73	46	19	21	
NASHVILLE, TENN. (WHITE), all causes	1,350	160	51	25	20	10	29	23	46	57	48	55	108	140	181	226	171	
Typhoid and paratyphoid fever (1)	8			1				1	1	2		1	1	1				
Measles (7)	53	10	17	7	9	2	3		2		1				1	1		
Scarlet fever (8)	2						1	1										
Whooping cough (9)	13	6	4	2		1												
Diphtheria (10)	5		1	2			1										1	
Influenza (11)	70	6	2	2					4	3	1	3	6	5	8	15	15	
Meningococcus meningitis (24)	1		1															
Tuberculosis of the respiratory system (31)	70							1	3	8	9	11	13	9	9	6	1	
Other forms of tuberculosis (32–37)	16		1		2	2	1				1	3	2	3	1			
Cancer and other malignant tumors (43–49)	85							1		1	1		7	21	24	19	11	
Diabetes mellitus (57)	20							1	1				1	3	7	7		
Cerebral hemorrhage and softening (74, 83)	75											1	3	9	20	24	18	
Other [organic] diseases of the heart (90)	127	1						1	2	2	2	2	6	18	30	32	31	
Bronchitis (99)	2	1															1	
Bronchopneumonia (100)	47	8	6	4	2	1	2		1	1		1	2		2	6	11	
Pneumonia (101)	66	7	1	1	2		2		1	2	1	2	4	5	12	13	13	
Diarrhea and enteritis (113, 114)	32	16	8	2								1		1		2	2	
Appendicitis and typhlitis (117)	46			1			2	7	5	5		5	8	7	2	3	1	
Hernia, intestinal obstruction (118)	12	1			1					1	2	1	1	1	1	2	1	
Cirrhosis of the liver (122)	5												1	2		2		
Nephritis (128, 129)	83		1						2	1	1	1	3	13	16	21	24	
Diseases of the female genital organs (137–141)	11								1	3	1	1	2	2			1	
Puerperal septicemia (146)	11								1	2	2	5	1					
Other puerperal causes (143–145, 147–150)	11								1	3	4	1	2					
Suicide (165–174)	17								2	1	4	1	5	2	1	1		
Homicide (197–200)	18								1	2	5	2	3	3		1	1	
Automobile accidents (188c)	21						6		3	3	1	2	2	2	1	1		
Other external causes (175–188b, 188d–196, 201–203)	74	2	3	3	1	2	4	1	5	8	5	5	8	4	5	11	7	
All other causes	349	102	6		3	2	7	9	10	9	7	6	27	29	41	59	32	
NASHVILLE, TENN. (COLORED), all causes	931	95	33	9	3	8	10	13	27	60	73	66	126	147	119	90	52	
Typhoid and paratyphoid fever (1)	7						1	2	3	1								
Measles (7)	11	4	5			1	1											
Whooping cough (9)	1	1																
Influenza (11)	49	2	5	1			1			3	1	8	6	5	9	8		
Tuberculosis of the respiratory system (31)	86				1	2	2	5	5	16	12	14	15	12	2			
Other forms of tuberculosis (32–37)	17						1	1	3	2	3	2	2	2	1			
Cancer and other malignant tumors (43–49)	45									1	4	4	8	12	6	7	3	
Diabetes mellitus (57)	3													3				
Cerebral hemorrhage and softening (74, 83)	61								1		3		12	12	13	15	5	
Other [organic] diseases of the heart (90)	136			1							3	7	15	43	35	22	10	
Bronchitis (99)	11	4									1		1			2	3	
Bronchopneumonia (100)	48	15	8	3		1	1		1	5	5	1	4	3			1	
Pneumonia (101)	52	5	2		1			1		2	8	4	12	9	3	2	3	
Diarrhea and enteritis (113, 114)	29	15	6	2							1	1		1	2		1	
Appendicitis and typhlitis (117)	12								1	2	1	3	1	1	2	1		
Hernia, intestinal obstruction (118)	11	1									2	2	1	1	2	2		
Cirrhosis of the liver (122)	2													1	1			
Nephritis (128, 129)	74	1	1							2	2	3	9	15	19	16	6	
Diseases of the female genital organs (137–141)	6								1	1		1	2		1			
Puerperal septicemia (146)	7								2	1	1	2	1					
Other puerperal causes (143–145, 147–150)	8								1	4	1	1	1					
Suicide (165–174)	4									1	1	1	1					
Homicide (197–200)	27								1	6	5	6	7	1		1		
Automobile accidents (188c)	7						1	1	2		1		1	1				
Other external causes (175–188b, 188d–196, 201–203)	41	1	1	1		3	1	2	4	3	2	2	4	6	5	4	2	
All other causes	176	46	5	1	1	1	1	1	2	10	16	4	23	19	18	10	18	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1923—Continued

[See note at head of this table, p. 352]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
DALLAS, TEX., all causes	2,173	375	56	24	26	14	33	29	77	100	98	98	226	286	263	252	216	
Typhoid and paratyphoid fever (1)	21	1						3	6	4	2	1	1	3				
Measles (7)	4			1		1	2											
Scarlet fever (8)	2				1				1									
Whooping cough (9)	17	15	1		1													
Diphtheria (10)	16	3	3	3	3	2	2											
Influenza (11)	98	12	1	1	5		1		1	3	7	7	8	16	12	9	15	
Meningococcus meningitis (24)	2	1											1					
Tuberculosis of the respiratory system (31)	103	2					1	3	5	16	14	11	24	11	6	5	5	
Other forms of tuberculosis (32-37)	16	1	3	1		1	1		2		1		2	3		1		
Cancer and other malignant tumors (43-49)	137				1	1	1		1		2	3	16	32	34	29	17	
Diabetes mellitus (57)	29	1			1	1			3	2			3	6	7	4	1	
Cerebral hemorrhage and softening (74, 83)	167	1						1	1		1		11	33	50	45	24	
Other [organic] diseases of the heart (90)	127						1		2		3	4	15	19	30	31	22	
Bronchitis (99)	9	1												2	1	2	3	
Bronchopneumonia (100)	56	27	6	1	3		1					1	1	2	5	8	1	
Pneumonia (101)	112	12	9	1	3		2	2	10	7	3	2	17	19	10	5	10	
Diarrhea and enteritis (113, 114)	72	50	11	3	2								1	1	1		3	
Appendicitis and typhlitis (117)	65		1			1	1	5	7	8	5	9	10	14	4			
Hernia, intestinal obstruction (118)	25	2								1	2	5	1	5	1	3	5	
Cirrhosis of the liver (122)	11									1				3	2	4	1	
Nephritis (128, 129)	142	2			1	1		2	2	2	2	2	17	20	29	35	27	
Diseases of the female genital organs (137-141)	29								1	5	4	6	8	4			1	
Puerperal septicemia (146)	14								1	3	6	3	1					
Other puerperal causes (143-145, 147-150)	28								8	4	5	2	9					
Suicide (165-174)	26								1	1	1	5	7	6	4	1		
Homicide (197-200)	46							1	1	12	8	8	7	5	3		1	
Automobile accidents (188c)	34				1	1	2		6	5	3	1	4	3	5	2	1	
Other external causes (175-188b, 188d-196, 201-203)	94	4	3	4		1	8		5	6	11	4	13	8	5	8	14	
All other causes	671	240	18	9	4	4	10	12	13	20	18	24	49	71	54	60	65	
FORT WORTH, TEX., all causes	1,197	159	32	16	8	7	25	16	50	51	48	56	134	141	149	178	126	1
Typhoid and paratyphoid fever (1)	11						2		4	1	1		2		1			
Measles (7)	1		1															
Scarlet fever (8)	1						1											
Whooping cough (9)	6	4	2															
Diphtheria (10)	9	1		1	1	2	3	1										
Influenza (11)	52	7	1	1			4	1	3	2	3		4	5	6	7	8	
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	75		1						7	10	12	4	15	12	9	4	1	
Other formes of tuberculosis (32-37)	8				1			2			1	2	2					
Cancer and other malignant tumors (43-49)	80						1		1		2	3	8	17	24	16	8	
Diabetes mellitus (57)	12								1	1	1	2	3			4		
Cerebral hemorrhage and softening (74,83)	81		1						1	1		1	3	10	18	25	21	
Other [organic] diseases of the heart (90)	77								1	1	3	3	7	8	17	24	13	
Bronchitis (99)	3													1			2	
Bronchopneumonia (100)	33	11	3		2		2			1		1	2	2	4	4	1	
Pneumonia (101)	63	15	2	2	1	1	1		2	3	1	2	8	8	3	7	7	
Diarrhea and enteritis (113, 114)	32	11	12	3	1	1							2	1	1			
Appendicitis and typhlitis (117)	20					1		2	4	1	2	1	4	2	2		1	
Hernia, intestinal obstruction (118)	18	3	1			1			1		1	1	2		3	5		
Cirrhosis of the liver (122)	4									1					1	1	1	
Nephritis (128, 129)	79	2		1			2	1	2	1	2	3	5	18	13	19	10	
Diseases of the female genital organs (137-141)	11								1		1	4	2		3			
Puerperal septicemia (146)	11							1	1	4		2	3					
Other puerperal causes (143-145, 147-150)	6									3	1		1	1				
Suicide (165-174)	17								2	1	1		3	4	3	2	1	
Homicide (197-200)	21	2								4	3	5	4	2		1		
Automobile accidents (188c)	9						2	1				1	2		1	1	1	
Other external causes (175-188b, 188d-196, 201-203)	59	1		3			2	5	6	11	2	2	10	6	1	4	5	1
All other causes	398	102	8	5	2	1	5	2	13	5	11	19	42	44	39	54	46	
HOUSTON, TEX. (WHITE), all causes	1,355	171	35	21	9	8	21	12	26	58	41	50	141	191	177	232	157	5
Typhoid and paratyphoid fever (1)	7							1	1	3			1	1				
Measles (7)																		
Scarlet fever (8)	1				1													
Whooping cough (9)	9	3	3	1	2													
Diphtheria (10)	6		1	1	1	1	1			1								
Influenza (11)	39	6	3		1				1	3	1	1	3	2	1	10	7	
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	93							1	6	7	6	12	20	20	10	10	1	
Other forms of tuberculosis (32-37)	12	1	1	1		1	1				1	1	2	1	2			
Cancer and other malignant tumors (43-49)	106			1							3	2	12	24	33	23	8	
Diabetes mellitus (57)	11	1							2		1		1		1	3	2	
Cerebral hemorrhage and softening (74, 83)	79							1				2	7	14	14	23	17	1
Other [organic] diseases of the heart (90)	112			1			1						5	18	20	41	26	
Bronchitis (99)	5	1														3	1	
Bronchopneumonia (100)	31	11	3	1			1			1		1		4	2	5	2	
Pneumonia (101)	50	3	3	1	1	1	1	1		4	2	1	9	6	4	6	7	
Diarrhea and enteritis (113, 114)	46	29	7	4									2	1			2	1
Appendicitis and typhlitis (117)	22	1					1					2	3	11	3		1	
Hernia, intestinal obstruction (118)	29	2	2							1	5		3	4	3	4	4	1
Cirrhosis of the liver (122)	5														2	2	1	
Nephritis (128, 129)	103	1					1	1	2	1	2	1	10	12	21	32	19	
Diseases of the female genital organs (137-141)	10									1	1	4	1	2	1			
Puerperal septicemia (146)	8								1	5	1		1					
Other puerperal causes (143-145, 147-150)	15								1	5		4	5					
Suicide (165-174)	22								3		4	3	7	3	2			
Homicide (197-200)	11								1	3	1	2	1	3				
Automobile accidents (188c)	23						3		1	2	1		3	5	3	3	2	
Other external causes (175-188b, 188d-196, 201-203)	82	3		2		1	5	1	4	8	7	6	12	8	7	9	9	
All other causes	418	109	12	8	3	4	6	6	3	13	5	8	33	52	48	58	48	2

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1923—Continued

[See note at head of this table, p. 352]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
HOUSTON, TEX. (COLORED), all causes	703	86	8	8	4	2	13	11	22	54	59	51	122	122	50	42	47	2
Typhoid and paratyphoid fever (1)	5						1	1			1	1		1				
Measles (7)	1			1														
Scarlet fever (8)																		
Whooping cough (9)	2	2																
Diphtheria (10)	4				2		2											
Influenza (11)	28	4	1		1		1		1	1	2	3	3	8	2		1	
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	71							2	7	13	18	8	12	8		2		1
Other forms of tuberculosis (32-37)	8									2	1	1	2	1			1	
Cancer and other malignant tumors (43-49)	24						1					1	5	7	2	6	2	
Diabetes mellitus (57)	5												2	2			1	
Cerebral hemorrhage and softening (74, 83)	31												9	8	6	5	3	
Other [organic] diseases of the heart (90)	64	1					1			2	1	9	16	19	7	2	6	
Bronchitis (99)	4	1		1								1		1				
Bronchopneumonia (100)	11	4					1	1						2		1	2	
Pneumonia (101)	30	4		2		1			3	3	2	3	4	5	1	2		
Diarrhea and enteritis (113, 114)	26	18	2	1							1		2	1			1	
Appendicitis and typhlitis (117)	10								1	4		1	2	1	1			
Hernia, intestinal obstruction (118)	9		1	1						2	1			2	1		1	
Cirrhosis of the liver (122)	10												1	3	3	2	1	
Nephritis (128, 129)	39									2	4	1	5	10	3	7	7	
Diseases of the female genital organs (137-141)	10									1	4	3	2					
Puerperal septicemia (146)	5								1		3		1					
Other puerperal causes (143-145, 147-150)	4										1	1	2					
Suicide (165-174)	4								1	1	1		1					
Homicide (197-200)	21							2	1	7	3	2	4	2				
Automobile accidents (188c)	2						1		1									
Other external causes (175-188b, 188d-196, 201-203)	22	1	1	1				1		1	2	2	4	3	2	2	1	1
All other causes	253	51	3	1	1	1	5	4	6	15	14	14	45	38	22	13	20	
SAN ANTONIO, TEX., all causes	2,728	529	110	51	24	22	36	40	100	179	166	152	272	270	296	250	227	4
Typhoid and paratyphoid fever (1)	18								5	4	3	2	2		2			
Measles (7)	15	5	2	5		1	2											
Scarlet fever (8)	2							1	1									
Whooping cough (9)	9	7	1		1													
Diphtheria (10)	18			5	4	4	1	1	2			1						
Influenza (11)	57	9	3		1			2	2	2	1	2	13	4	2	5	11	
Meningococcus meningitis (24)	5	2	1						1			1						
Tuberculosis of the respiratory system (31)	440	2	1	3	1		3	7	44	90	77	54	91	36	20	8	1	2
Other forms of tuberculosis (32-37)	39	3	3	1	2	2	2	1	4	3	8	3	3	2	1	1		
Cancer and other malignant tumors (43-49)	156					1		1	2	1	4	10	24	33	39	27	14	
Diabetes mellitus (57)	29					1				1	1	1		5	12	7	1	
Cerebral hemorrhage and softening (74, 83)	97	2	1									2	6	19	23	22	22	
Other [organic] diseases of the heart (90)	176	1		1					2	2	2	6	22	19	39	47	35	
Bronchitis (99)	21	5	2	1								2	1	1	4	4	1	
Bronchopneumonia (100)	83	35	6	4	1	2	2	2		2	4	1	3	3	7	4	7	
Pneumonia (101)	107	20	8	4	2		1	3	7	6	3	2	11	19	10	3	8	
Diarrhea and enteritis (113, 114)	300	182	57	12	4	3	3	1	2	3				6	9	7	11	
Appendicitis and typhlitis (117)	43						2	3	4	5	3	6	8	5	6	1		
Hernia, intestinal obstruction (118)	29		1		1			1		5	2		4	5	3	2	4	1
Cirrhosis of the liver (122)	19											2	2	5	7	1	2	
Nephritis (128, 129)	126			3	1	1	1		1	2	3	2	10	24	28	28	22	
Diseases of the female genital organs (137-141)	21									1	4	3	5	5	3			
Puerperal septicemia (146)	13								1	2	7	2	1					
Other puerperal causes (143-145, 147-150)	24								4	8	1	5	6					
Suicide (165-174)	27								1	5	2	4	4	5	3	3		
Homicide (197-200)	21								1	3	5	3	5	3	1			
Automobile accidents (188c)	30					2	1	2	2	2	5		5	3	3	5		
Other external causes (175-188b, 188d-196, 201-203)	83	5	3	2			3	3	5	9	9	10	10	8	5	4	6	1
All other causes	720	251	21	10	6	5	15	12	9	23	22	28	36	60	69	71	82	
SALT LAKE CITY, UTAH, all causes	1,562	206	19	19	10	10	38	26	54	53	52	54	160	198	212	223	228	
Typhoid and paratyphoid fever (1)	4			1	1				1					1				
Measles (7)	3	1		1					1									
Scarlet fever (8)	2					1			1									
Whooping cough (9)	6	1	2	1	1		1											
Diphtheria (10)	13			3		1	2	3		1		1	2					
Influenza (11)	28	3	1				2	1	1		1		3	3	2	3	8	
Meningococcus meningitis (24)	3						1	1		1								
Tuberculosis of the respiratory system (31)	68									4	10	3	21	14	10	5	1	
Other forms of tuberculosis (32-37)	16	1							3		1	1	4	2	2	2		
Cancer and other malignant tumors (43-49)	140			1	1		2	1			1	3	17	28	36	34	16	
Diabetes mellitus (57)	32							1	1	1		2	2	5	10	6	4	
Cerebral hemorrhage and softening (74, 83)	114								1		1		1	11	24	30	46	
Other [organic] diseases of the heart (90)	176	1				1	3	3	6	6	3	7	17	22	29	41	37	
Bronchitis (99)	4	1															3	
Bronchopneumonia (100)	59	21	3	1		2	2			2				7	1	11	9	
Pneumonia (101)	51			1			1	2	3	3	2	2	4	8	5	5	15	
Diarrhea and enteritis (113, 114)	31	20	6	1	1		1									2		
Appendicitis and typhlitis (117)	35				1	1	3	2	7	3		3	4	4	4	1	2	
Hernia, intestinal obstruction (118)	18	1			1				1		2	1	1	1	4	5	1	
Cirrhosis of the liver (122)	11									1			1	1	3	2	3	
Nephritis (128, 129)	111	1		1	1		2	1	2	3	3	2	10	13	21	21	30	
Diseases of the female genital organs (137-141)	13									1	1	1	3	6	1			
Puerperal septicemia (146)	8								1	3	1	2	1					
Other puerperal causes (143-145, 147-150)	14								1	2	4	2	5					
Suicide (165-174)	20								1	3	3	2	3	4	2	2		
Homicide (197-200)	13		1							2	1	2	4	3				
Automobile accidents (188c)	20						4	3	6				1	2	1	2	1	
Other external causes (175-188b, 188d-196, 201-203)	104	3	3	5	1	3	9	3	6	10	4	6	18	12	7	3	11	
All other causes	445	152	3	3	2	1	5	5	11	7	14	14	38	51	50	48	41	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1923—Continued

[See note at head of this table, p. 352]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
NORFOLK, VA. (WHITE), all causes	840	97	24	13	7	4	16	11	20	30	22	25	74	110	139	137	111	
Typhoid and paratyphoid fever (1)	3								1	1		1						
Measles (7)	7	1	3	1			2											
Scarlet fever (8)	1						1											
Whooping cough (9)	9	5	4															
Diphtheria (10)	6	1		1		1	1		1				1					
Influenza (11)	26	3	4	2			1			1	1		2	1	3	3	5	
Meningococcus meningitis (24)	1			1														
Tuberculosis of the respiratory system (31)	44								2	1	5	3	13	10	8	1	1	
Other forms of tuberculosis (32–37)	9	1	3	2			1	1					1					
Cancer and other malignant tumors (43–49)	71									1		3	5	13	20	20	9	
Diabetes mellitus (57)	19									2	1		3	2	3	6	2	
Cerebral hemorrhage and softening (74, 83)	69								1				2	15	22	17	12	
Other [organic] diseases of the heart (90)	111						1	2		2		1	6	13	25	35	26	
Bronchitis (99)	3															2	1	
Bronchopneumonia (100)	11	2	1			1								1		3	3	
Pneumonia (101)	25	1	1				1		1	1		1	3	5	3	5	3	
Diarrhea and enteritis (113, 114)	22	13	3	2	2							1					1	
Appendicitis and typhlitis (117)	17			1			1	2	3		1	3	3	1	1	1		
Hernia, intestinal obstruction (118)	6												2	1	1	1	1	
Cirrhosis of the liver (122)	6														4	2		
Nephritis (128, 129)	90								1	3	1	2	8	15	25	20	15	
Diseases of the female genital organs (137–141)	3										1			1		1		
Puerperal septicemia (146)	1												1					
Other puerperal causes (143–145, 147–150)	9									3	2	1	3					
Suicide (165–174)	3								1		1			1				
Homicide (197–200)	7								1	2	2			2				
Automobile accidents (188c)	9						1					1	3	2	1		1	
Other external causes (175–188b, 188d–196, 201–203)	50	1	2	1	3		2	3	3	6	4	1	8	5	1	3	7	
All other causes	202	69	3	2	2	2	4	3	5	7	3	7	10	22	22	17	24	
NORFOLK, VA. (COLORED), all causes	985	187	33	17	7	3	12	12	47	74	70	61	157	159	88	38	20	
Typhoid and paratyphoid fever (1)	3						1			1				1				
Measles (7)	4	2	1	1														
Scarlet fever (8)																		
Whooping cough (9)	15	9	3	1	1		1											
Diphtheria (10)	2	1				1												
Influenza (11)	38	12	5					1		3	2		3	6	4	1	1	
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	127	1			1	1		4	15	30	22	20	20	9	3	1		
Other forms of tuberculosis (32–37)	11		1	3	1				1	2	1	1	1					
Cancer and other malignant tumors (43–49)	22						1						6	9	4	1	1	
Diabetes mellitus (57)	7											2		4	1			
Cerebral hemorrhage and softening (74, 83)	78											1	16	32	21	6	2	
Other [organic] diseases of the heart (90)	137								1	6	8	9	29	51	15	11	7	
Bronchitis (99)	3				1									2				
Bronchopneumonia (100)	60	37	7	6	1		1		2		1	1	1		2		1	
Pneumonia (101)	55	8	4		1			2	1	4	3	3	11	8	9	1		
Diarrhea and enteritis (113, 114)	41	29	7	4												1		
Appendicitis and typhlitis (117)	14						1		8		1	1	3					
Hernia, intestinal obstruction (118)	16									3	2	1	6	1	1	1	1	
Cirrhosis of the liver (122)	2												1	1				
Nephritis (128, 129)	48	1							2	1	2	2	6	9	12	8	5	
Diseases of the female genital organs (137–141)	8								1	2		2	2	1				
Puerperal septicemia (146)	13							1	2	4	3	2	1					
Other puerperal causes (143–145, 147–150)	15								1	3	3	3	5					
Suicide (165–174)	3										1	1		1				
Homicide (197–200)	18								1	3	5	3	6					
Automobile accidents (188c)	4					1			1				1	1				
Other external causes (175–188b, 188d–196, 201–203)	33	1	3		1		4	3	2	2	6	1	5	3	1	1		
All other causes	208	86	2	2			3	1	9	10	10	8	34	20	15	6	2	
RICHMOND, VA. (WHITE), all causes	1,586	213	35	18	17	7	28	16	26	34	49	43	119	182	229	292	278	
Typhoid and paratyphoid fever (1)	3						1		1				1					
Measles (7)	16	3	8	4	1													
Scarlet fever (8)	1						1											
Whooping cough (9)	16	7	3	2		2	2											
Diphtheria (10)	10	2	3	2	1		1			1								
Influenza (11)	35	3					2	1				2	4	10	2	8	3	
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	83			1	1		1		2	6	16	7	17	12	14	4	2	
Other forms of tuberculosis (32–37)	16	2	2	1	1		1	3		1	1	2		1			1	
Cancer and other malignant tumors (43–49)	122									2	2	3	9	22	32	37	15	
Diabetes mellitus (57)	23										2			4	9	7	1	
Cerebral hemorrhage and softening (74, 83)	145	1			1				1	1	2	1	3	11	29	53	42	
Other [organic] diseases of the heart (90)	171					1		3	2	2	1	2	5	18	30	55	52	
Bronchitis (99)	9													1			8	
Bronchopneumonia (100)	43	10	3		2				1			2	1		3	7	14	
Pneumonia (101)	41	6	1	1	1		1	1	1	1	2	2	5	7	6	4	2	
Diarrhea and enteritis (113, 114)	44	21	10	2	2	1	1							1	3		3	
Appendicitis and typhlitis (117)	28	1				1	2	1	2	3	1		4	4	6	1	2	
Hernia, intestinal obstruction (118)	20	1	1		1		1		1				2	4	1	5	3	
Cirrhosis of the liver (122)	5										1			2	2			
Nephritis (128, 129)	178		1						1	1	2	2	7	21	34	55	54	
Diseases of the female genital organs (137–141)	14										2	4	4	2	2			
Puerperal septicemia (146)	7								2	1	2		2					
Other puerperal causes (143–145, 147–150)	11								1	3	3	2	2					
Suicide (165–174)	24								1	2	2	2	4	7	5	1		
Homicide (197–200)	5								1		1	1		1		1		
Automobile accidents (188c)	22						3		3	4			2	3	2	3	2	
Other external causes (175–188b, 188d–196, 201–203)	68	2	1	2	2	1	2	2	3	3	6	5	6	6	7	8	12	
All other causes	426	154	2	3	4	1	9	5	3	3	3	6	41	45	42	43	62	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1923—Continued

[See note at head of this table, p. 352]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
RICHMOND, VA. (COLORED), all causes	1,247	260	64	30	11	6	24	13	37	58	66	57	156	190	179	74	22	
Typhoid and paratyphoid fever (1)	8							1	2	3	1			1				
Measles (7)	17	5	5	2	1	2	2											
Scarlet fever (8)																		
Whooping cough (9)	50	23	12	10	2	1	2											
Diphtheria (10)	2			1							1							
Influenza (11)	35	2	2				1		1		4	1	7	10	4	3		
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	121		1	1			1	2	19	16	21	15	20	15	10			
Other forms of tuberculosis (32–37)	21	5		2	1		2	1	2	2	2		3	1				
Cancer and other malignant tumors (43–49)	36			1						1	3	1	6	9	10	4	1	
Diabetes mellitus (57)	12										2		2	6	1	1		
Cerebral hemorrhage and softening (74, 83)	108						1		1		1	2	11	27	46	15	4	
Other [organic] diseases of the heart (90)	108							1		1	4	3	27	28	29	12	3	
Bronchitis (99)	14	6	1	1	1							1	3		1			
Bronchopneumonia (100)	73	31	19	4	2		1			2			2	6	4	1	1	
Pneumonia (101)	65	9	4	4	1			3	2	5	1	7	8	11	6	4		
Diarrhea and enteritis (113, 114)	52	36	7								1		1	3	4			
Appendicitis and typhlitis (117)	13						2	1		1	1		3	2	3			
Hernia, intestinal obstruction (118)	11	3											4	3	1			
Cirrhosis of the liver (122)	13												4	5	4			
Nephritis (128, 129)	66	1				1	1			2	6	1	11	15	16	10	2	
Diseases of the female genital organs (137–141)	9									1		2	3	2	1			
Puerperal septicemia (146)	4								1	1	1	1						
Other puerperal causes (143–145, 147–150)	19								3	8	1	4	3					
Suicide (165–174)																		
Homicide (197–200)	10						1			1	2	1	4	1				
Automobile accidents (188c)	4						1						1	2				
Other external causes (175–188b, 188d–196, 201–203)	46	2	1	2	1	1	5	4		6	3	4	10	2	4		1	
All other causes	330	137	12	2	2	1	4		6	8	11	14	23	41	35	24	10	
SEATTLE, WASH., all causes	3,017	266	41	30	21	13	67	43	60	83	93	114	274	403	549	515	441	4
Typhoid and paratyphoid fever (1)	8					1			1		2	2		1		1		
Measles (7)	10	4	2	1	1		2											
Scarlet fever (8)	6						2	2	1				1					
Whooping cough (9)	13	6	4	3														
Diphtheria (10)	19			1	4	2	7	4					1					
Influenza (11)	65	11	1	2	4		5			2	3	5	3	5	9	7	8	
Meningococcus meningitis (24)	4		1				2	1										
Tuberculosis of the respiratory system (31)	140						4	1	12	16	21	15	30	15	11	8	7	
Other forms of tuberculosis (32–37)	59	2	8	2	2		6	4	7	6	5	6	3	2	2	3	1	
Cancer and other malignant tumors (43–49)	391	1					1	2	1	1	3	9	40	81	113	103	36	
Diabetes mellitus (57)	57							1	1	1	2		1	12	17	11	11	
Cerebral hemorrhage and softening (74, 83)	254											1	9	22	65	84	72	1
Other [organic] diseases of the heart (90)	415	2		1				3	4	5	2	10	23	51	110	100	103	1
Bronchitis (99)	12	1								1			1		3	2	4	
Bronchopneumonia (100)	69	18	6	4				2	1	2	1	1	3	5	9	4	13	
Pneumonia (101)	108	10	4	1	1	1		1	1	6	1	5	9	17	16	23	12	
Diarrhea and enteritis (113, 114)	21	11	1	3		2							1			1	2	
Appendicitis and typhlitis (117)	54			4	1		8	2	2	3	6	4	5	12	3	1	3	
Hernia, intestinal obstruction (118)	42	4		3					1		4		4	6	4	12	4	
Cirrhosis of the liver (122)	20													5	4	7	4	
Nephritis (128, 129)	191				1			2	2	1	2	4	13	33	44	55	34	
Diseases of the female genital organs (137–141)	17										2	4	3	5	2	1		
Puerperal septicemia (146)	14								1	4	1	3	5					
Other puerperal causes (143–145, 147–150)	17									5	3	3	6					
Suicide (165–174)	73								1	3	8	5	18	15	15	4	3	1
Homicide (197–200)	23	1	1	1		1			2	3	2	5	3	3	1			
Automobile accidents (188c)	55				2	1	6	2	4	6		6	3	6	8	8	3	
Other external causes (175–188b, 188d–196, 201–203)	148	3	4	1		1	11	5	7	7	6	9	25	25	12	12	20	
All other causes	712	192	9	3	5	4	13	11	11	11	19	17	64	82	101	68	101	1
SPOKANE, WASH., all causes	1,225	114	13	6	11		30	25	31	29	29	36	113	180	208	229	171	
Typhoid and paratyphoid fever (1)	8								1		2		3	1	1			
Measles (7)	4	1	1	1			1											
Scarlet fever (8)	3						3											
Whooping cough (9)	4	2	1		1													
Diphtheria (10)	7		1	1			5											
Influenza (11)	23	3					1	1	1				2	4	3	5	3	
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	39	1						1	3	2	2	3	6	8	5	7	1	
Other forms of tuberculosis (32–37)	17		1		3		1		1	1	1	2	4	1		1	1	
Cancer and other malignant tumors (43–49)	143						1		1	3		3	16	24	39	38	18	
Diabetes mellitus (57)	31						1		1				2	2	11	9	5	
Cerebral hemorrhage and softening (74, 83)	65												1	11	13	23	17	
Other [organic] diseases of the heart (90)	123							3	2	2	1	2	10	14	21	41	27	
Bronchitis (99)	6															1	5	
Bronchopneumonia (100)	30	13		1	1		2					1	2	3		2	5	
Pneumonia (101)	53	7	2					1	2	3	2	1	5	6	8	8	8	
Diarrhea and enteritis (113, 114)	11	7	2											1	1			
Appendicitis and typhlitis (117)	33				1		1	5	3	4	1	1	6	6	2	3		
Hernia, intestinal obstruction (118)	22	1									1	1	2	4	6	6	1	
Cirrhosis of the liver (122)	4												1	1	1		1	
Nephritis (128, 129)	96						2	1	1		1	2	7	15	20	23	24	
Diseases of the female genital organs (137–141)	14										1		6	2	3	1	1	
Puerperal septicemia (146)	18								1	5	4	5	3					
Other puerperal causes (143–145, 147–150)	3										1	2						
Suicide (165–174)	21									1		1	4	4	7	2	2	
Homicide (197–200)	8								1		2	2		2	1			
Automobile accidents (188c)	15				1		1	2	2	1	1			2	3	1	1	
Other external causes (175–188b, 188d–196, 201–203)	67	1	1	1			2	1	3	2	7	7	14	12	13	1	2	
All other causes	357	78	4	2	4		9	10	8	5	2	3	19	57	50	57	49	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1923—Continued

[See note at head of this table, p. 352]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
MILWAUKEE, WIS., all causes	5,227	866	136	90	53	51	148	87	105	174	181	189	448	492	708	772	726	1
Typhoid and paratyphoid fever (1)	6								1	1	1	2	1					
Measles (7)	33	10	7	6	4	1	4	1										
Scarlet fever (8)	84	5	8	9	12	5	15	9	6	3	6	1	1	2	1	1		
Whooping cough (9)	26	12	6	7	1													
Diphtheria (10)	106	2	7	14	8	20	38	9	4	2			1	1				
Influenza (11)	98	13	7		2	2	1		4	3		3	11	10	8	11	23	
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	264		2		1	2	2	7	27	46	43	30	40	34	19	10	1	
Other forms of tuberculosis (32–37)	63	5	5	5	3	2	7	1	1	6	7	7	6	3	3	2		
Cancer and other malignant tumors (43–49)	438	1	1							1	2	11	38	72	127	120	65	
Diabetes mellitus (57)	101			1			1	2	1	2	1		4	10	31	31	17	
Cerebral hemorrhage and softening (74, 83)	361									2	2	5	21	35	79	93	124	
Other [organic] diseases of the heart (90)	620	3		1	1	1	3	10	6	4	15	9	28	71	133	173	162	
Bronchitis (99)	72	19	5	5	1	1					2			2	3	13	21	
Bronchopneumonia (100)	260	101	31	11		3	8	2		4	1	2	11	11	13	21	41	
Pneumonia (101)	310	29	7	5	5	2	4	3	9	16	12	14	42	28	50	53	31	
Diarrhea and enteritis (113, 114)	180	127	23	8	4	1	1	1	1		1		1	3	5	2	2	
Appendicitis and typhlitis (117)	78						9	6	7	10	7	8	14	6	8	1	2	
Hernia, intestinal obstruction (118)	56	6					1		1	1	2	5	6	7	6	12	9	
Cirrhosis of the liver (122)	55						1			1		3	9	12	6	17	6	
Nephritis (128, 129)	322			1			5	5	3	5	8	9	39	34	80	81	51	1
Diseases of the female genital organs (137–141)	32									4	6	6	10	2	2	1	1	
Puerperal septicemia (146)	34									4	13	6	11					
Other puerperal causes (143–145, 147–150)	28									4	10	7	6	1				
Suicide (165–174)	70								1	3	6	5	18	14	11	7	5	
Homicide (197–200)	21	4						2		2	1	1	6	3	1	1		
Automobile accidents (188c)	62						15	4	2	6	4	4	10	4	4	8	1	
Other external causes (175–188b, 188d–196, 201–203)	214	4	1	5	3	2	9	5	11	14	14	19	29	35	28	15	20	
All other causes	1,233	525	26	12	8	9	24	20	20	30	17	32	85	92	90	99	144	

NOTE.—Populations in reports of Fourteenth Census of the United States, 1920: Vol. II, Chapter III, Tables 15 and 16, and Thirteenth Census of the United States, 1910: Vol. I, Chapter IV, Tables 49 and 50.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1923

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
THE REGISTRATION AREA (exclusive of Hawaii), all causes	1,193,017	120,007	124,816	122,880	106,436	98,327	89,750	86,743	85,753	83,689	89,030	90,568	95,018
Typhoid and paratyphoid fever (1)	6,635	340	235	267	295	340	464	785	1,068	972	852	564	453
Malaria (5)	2,736	89	58	85	115	135	184	345	456	468	439	224	138
Measles (7)	10,450	889	1,108	1,412	1,568	1,881	1,246	736	298	163	208	341	600
Scarlet fever (8)	3,440	436	417	452	375	284	217	144	109	127	236	295	348
Whooping cough (9)	9,440	740	975	1,137	926	899	914	893	778	558	512	559	539
Diphtheria (10)	11,733	1,576	1,154	908	771	653	526	501	612	909	1,347	1,456	1,320
Influenza (11)	43,370	8,895	12,298	10,476	4,621	1,869	711	453	324	465	653	1,124	1,481
Dysentery (16)	3,118	89	71	78	104	258	579	599	473	385	263	124	95
Lethargic encephalitis (23)	1,966	148	319	339	243	167	157	123	95	95	100	92	88
Meningococcus meningitis (24)	1,026	91	68	107	110	109	93	81	76	66	79	85	61
Tuberculosis of the respiratory system (31)	79,534	7,150	7,210	7,964	7,714	7,483	6,668	6,370	6,055	5,487	5,668	5,716	6,049
Other forms of tuberculosis (32–37)	11,198	884	926	1,063	1,013	1,109	988	1,000	925	852	839	749	850
Bronchitis (99)	8,815	1,260	1,514	1,228	861	668	408	348	322	358	513	633	702
Bronchopneumonia (100)	46,221	7,346	8,410	6,767	4,520	3,100	1,837	1,446	1,536	1,597	2,468	3,228	3,966
Pneumonia (101)	59,459	9,436	10,635	8,574	6,282	4,387	2,497	1,657	1,588	1,819	2,846	4,451	5,287
Diarrhea and enteritis [under 2 years] (113)	31,444	1,518	1,343	1,478	1,588	2,090	3,092	3,870	5,076	4,822	3,442	1,742	1,383
Diarrhea and enteritis [2 years and over] (114)	7,259	402	343	322	372	497	798	1,009	1,087	1,019	633	399	378
Puerperal septicemia (146)	5,657	510	508	583	513	549	456	409	416	396	407	432	478
Other puerperal causes (143–145, 147–150)	9,448	837	933	936	865	823	743	753	764	723	669	694	708
Automobile accidents (188c)	14,411	801	578	752	1,001	1,085	1,148	1,372	1,502	1,516	1,634	1,581	1,441
Other external causes (165–188b, 188d–203)	78,885	6,302	6,057	6,350	6,236	6,427	7,111	7,627	6,997	6,245	6,420	6,399	6,714
All other causes	746,772	70,268	69,656	71,602	66,343	63,514	58,913	56,222	55,196	54,637	58,802	59,680	61,939
REGISTRATION STATES,[1] all causes	1,174,065	118,198	123,221	120,940	104,755	96,748	88,211	85,203	84,324	82,366	87,574	89,088	93,437
Typhoid and paratyphoid fever (1)	6,490	333	227	265	291	333	443	768	1,045	948	841	554	442
Malaria (5)	2,671	87	57	82	109	132	176	335	446	462	429	220	136
Measles (7)	10,314	878	1,098	1,389	1,545	1,855	1,232	725	295	161	207	336	593
Scarlet fever (8)	3,414	433	414	450	372	282	216	144	107	126	235	291	344
Whooping cough (9)	9,269	730	956	1,115	908	873	884	875	769	564	505	556	534
Diphtheria (10)	11,629	1,566	1,148	899	769	649	523	498	606	901	1,333	1,436	1,301
Influenza (11)	42,673	8,786	12,143	10,302	4,515	1,842	699	445	315	454	634	1,089	1,449
Dysentery (16)	3,026	85	66	73	99	246	561	587	462	384	249	121	93
Lethargic encephalitis (23)	1,939	148	317	331	241	166	151	123	93	94	99	88	88
Meningococcus meningitis (24)	1,016	91	68	107	109	109	92	81	75	64	79	80	61
Tuberculosis of the respiratory system (31)	77,780	6,963	7,080	7,760	7,542	7,323	6,528	6,244	5,914	5,369	5,547	5,603	5,907
Other forms of tuberculosis (32–37)	11,008	868	912	1,041	995	1,093	975	988	909	834	826	738	829
Bronchitis (99)	8,712	1,244	1,503	1,218	855	663	406	341	314	346	509	621	692
Bronchopneumonia (100)	45,677	7,264	8,313	6,678	4,476	3,074	1,813	1,422	1,510	1,583	2,440	3,195	3,909
Pneumonia (101)	58,518	9,300	10,509	8,438	6,164	4,335	2,457	1,626	1,554	1,794	2,799	4,367	5,175
Diarrhea and enteritis [under 2 years] (113)	30,588	1,466	1,308	1,443	1,546	1,951	2,960	3,772	4,992	4,748	3,358	1,690	1,354
Diarrhea and enteritis [2 years and over] (114)	7,074	394	337	313	365	477	766	980	1,075	1,000	613	388	366
Puerperal septicemia (146)	5,539	504	497	575	503	537	446	396	410	384	400	422	465
Other puerperal causes (143–145, 147–150)	9,262	818	922	913	849	807	727	739	746	712	657	678	694
Automobile accidents (188c)	14,157	780	565	737	978	1,062	1,130	1,339	1,480	1,498	1,607	1,559	1,422
Other external causes (165–188b, 188d–203)	77,468	6,180	5,955	6,225	6,119	6,308	7,012	7,486	6,866	6,132	6,322	6,262	6,601
All other causes	735,841	69,280	68,826	70,586	65,405	62,631	58,014	55,289	54,341	53,808	57,885	58,794	60,982
CALIFORNIA, all causes	54,566	4,895	4,963	5,043	4,463	4,617	4,219	4,145	4,014	4,154	4,284	4,521	5,248
Typhoid and paratyphoid fever (1)	154	8	6	2	8	13	15	14	27	10	16	19	16
Malaria (5)	22	1				2	1	2	3	5	2	2	4
Measles (7)	323	7	18	30	49	43	52	55	23	8	9	11	18
Scarlet fever (8)	122	12	13	15	13	12	9	5	9	5	6	7	16
Whooping cough (9)	335	22	22	48	32	68	38	40	17	16	12	14	6
Diphtheria (10)	649	63	50	35	50	54	40	34	44	67	49	70	93
Influenza (11)	1,033	85	249	256	146	61	25	28	16	14	32	40	81
Dysentery (16)	112	3	4	3	9	16	20	12	14	8	10	7	6
Lethargic encephalitis (23)	70	8	7	8	9	5	6	9	6	5	2	3	2
Meningococcus meningitis (24)	52	5	2	6	6	2	6	6	2	4	2	8	3
Tuberculosis of the respiratory system (31)	5,092	504	432	487	485	439	408	366	361	390	366	418	436
Other forms of tuberculosis (32–37)	710	50	54	65	69	61	54	64	62	63	54	49	65
Bronchitis (99)	368	42	56	39	37	29	14	27	10	21	29	20	44
Bronchopneumonia (100)	1,715	240	270	185	126	122	93	70	79	92	101	133	204
Pneumonia (101)	1,898	221	276	209	151	140	123	87	81	97	118	139	256
Diarrhea and enteritis [under 2 years] (113)	1,473	56	50	62	90	198	159	141	148	165	153	162	89
Diarrhea and enteritis [2 years and over] (114)	296	16	11	13	10	23	24	39	36	39	27	34	24
Puerperal septicemia (146)	212	21	19	13	20	13	18	26	19	21	11	17	14
Other puerperal causes (143–145, 147–150)	329	22	23	30	31	34	23	29	21	33	27	25	31
Automobile accidents (188c)	1,239	98	84	90	93	85	82	107	107	95	126	125	147
Other external causes (165–188b, 188d–203)	4,229	345	330	325	317	354	378	397	343	394	346	295	405
All other causes	34,133	3,066	2,987	3,122	2,712	2,843	2,631	2,587	2,586	2,602	2,786	2,923	3,288
COLORADO, all causes	12,302	1,207	1,200	1,330	1,035	980	886	920	964	975	932	893	980
Typhoid and paratyphoid fever (1)	104	8	5		4	2	5	11	18	19	15	12	5
Malaria (5)													
Measles (7)	97	2	1	4	9	30	19	2	2		4	5	19
Scarlet fever (8)	42	6	5	7	3	5	3	1	1	1	2	6	2
Whooping cough (9)	104	13	9	9	15	19	9	8	9	5	3	1	4
Diphtheria (10)	237	23	30	22	22	24	17	14	10	18	18	18	21
Influenza (11)	535	49	123	186	72	29	13	11	3	6	8	11	24
Dysentery (16)	25						1	3	8	11	2		
Lethargic encephalitis (23)	15		3	4	2	1	1	1	1		2		
Meningococcus meningitis (24)	7				1			1	1	2	1	1	
Tuberculosis of the respiratory system (31)	1,566	142	135	175	145	134	114	112	110	118	111	131	139
Other forms of tuberculosis (32–37)	103	11	5	8	9	11	6	9	15	8	6	7	8
Bronchitis (99)	63	6	6	14	5	6	1	3	4	1	8	4	5
Bronchopneumonia (100)	447	103	87	67	38	26	10	15	13	8	22	15	43
Pneumonia (101)	664	114	105	92	55	44	31	20	12	25	37	59	70
Diarrhea and enteritis [under 2 years] (113)	407	11	9	5	13	13	21	49	103	118	35	16	14
Diarrhea and enteritis [2 years and over] (114)	62	1	3	3	5	5	4	4	18	9	6	2	2
Puerperal septicemia (146)	53	5	7	3	4	5	4	4	6	5	3	5	2
Other puerperal causes (143–145, 147–150)	84	7	4	11	9	9	9	3	6	4	8	5	9
Automobile accidents (188c)	157	17	10	7	12	11	19	15	13	13	12	17	11
Other external causes (165–188b, 188d–203)	894	73	61	77	67	66	79	106	94	76	64	67	64
All other causes	6,636	616	592	636	545	540	520	528	517	528	565	511	538

[1] Including District of Columbia.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1923—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
CONNECTICUT, all causes	17,735	1,833	1,837	1,958	1,704	1,475	1,314	1,200	1,229	1,221	1,259	1,309	1,396
Typhoid and paratyphoid fever (1)	38			2	4	2	1	5	4	6	9	4	1
Malaria (5)	2									1			1
Measles (7)	159	25	19	33	28	19	7	2	4		4	10	8
Scarlet fever (8)	54	6	6	9	5	3	4		3	4		7	7
Whooping cough (9)	129	11	18	19	17	16	8	5	11	15	4	3	2
Diphtheria (10)	190	30	17	20	13	19	14	8	4	6	10	18	31
Influenza (11)	458	66	121	144	46	19	3	4	6	2	6	25	16
Dysentery (16)	20				1	1	4	3	5	2	1	2	1
Lethargic encephalitis (23)	56	2	8	15	6	6	5	4	3	1	3	3	
Meningococcus meningitis (24)	27	8	4	4	1	2	1	2			3	2	
Tuberculosis of the respiratory system (31)	1,146	100	98	107	107	102	102	87	98	74	82	89	100
Other forms of tuberculosis (32–37)	183	13	16	16	14	29	8	12	15	14	20	12	14
Bronchitis (99)	146	31	17	24	14	11	7	4	5	5	8	10	10
Bronchopneumonia (100)	801	140	144	118	109	53	27	25	30	24	32	39	60
Pneumonia (101)	907	163	161	146	104	73	40	24	22	23	30	49	72
Diarrhea and enteritis [under 2 years] (113)	336	17	16	12	20	24	24	24	52	66	41	19	21
Diarrhea and enteritis [2 years and over] (114)	75	2	4	3	5	6	8	8	10	11	6	7	5
Puerperal septicemia (146)	65	9	8	9	9	2	4	2	5	4	3	2	8
Other puerperal causes (143–145, 147–150)	111	8	9	11	9	12	13	8	8	8	7	8	10
Automobile accidents (188c)	249	6	4	7	21	15	20	30	30	28	38	27	23
Other external causes (165–188b, 188d–203)	1,072	98	89	83	92	89	101	110	81	89	85	68	87
All other causes	11,511	1,098	1,078	1,176	1,079	972	913	833	833	838	867	905	919
DELAWARE, all causes	3,229	358	358	317	282	254	233	227	239	243	210	246	262
Typhoid and paratyphoid fever (1)	19	1	2				2	3	6	1	3	1	
Malaria (5)													
Measles (7)	58	12	16	13	10	4	2		1				
Scarlet fever (8)	20	3	3	2			1		2	1	3	2	3
Whooping cough (9)	31	5	6		4	3	3	2	1	2		3	2
Diphtheria (10)	28	7	2	2	2	3		1	1	1	1	2	6
Influenza (11)	90	35	24	14	5	5				1	1	1	4
Dysentery (16)	10		1	1			2	3	2	1			
Lethargic encephalitis (23)	5	1			2	1					1		
Meningococcus meningitis (24)	1								1				
Tuberculosis of the respiratory system (31)	228	19	24	29	19	20	14	22	15	15	13	16	22
Other forms of tuberculosis (32–37)	35	2	2	3		3	4	8	4	1	1	2	5
Bronchitis (99)	20	3	3	2	2	2			2	1		5	
Bronchopneumonia (100)	156	20	34	31	11	12	8	4	3	4	1	8	20
Pneumonia (101)	185	42	40	18	17	10	3	2	4	7	8	14	0
Diarrhea and enteritis [under 2 years] (113)	102	2	5	1	3	2	7	10	28	16	16	5	7
Diarrhea and enteritis [2 years and over] (114)	21		2	1	2	1	2	7	1	2	2		1
Puerperal septicemia (146)	20	2	2	1		3	2	1	1	1	2	3	2
Other puerperal causes (143–145, 147–150)	18	2	1	1	2	2	2	2	1	2	1	1	1
Automobile accidents (188c)	55	3	4	4		11	4	5	4	4	3	8	5
Other external causes (165–188b, 188d–203)	167	16	15	10	16	15	13	15	11	16	8	27	5
All other causes	1,960	183	172	184	187	157	164	142	151	167	146	148	159
FLORIDA (WHITE), all causes	8,366	853	799	752	667	584	595	544	628	614	703	782	845
Typhoid and paratyphoid fever (1)	94	1	6	9	12	10	7	9	12	12	7	4	5
Malaria (5)	182	2	4	6	1	7	8	17	29	32	46	19	11
Measles (7)	65		2	2	2	9	3	3	3	4	3	12	22
Scarlet fever (8)	4			2		1			1				
Whooping cough (9)	45	2		2	3	1	6	4	6	3	3	6	9
Diphtheria (10)	72	7	8	6	1	3		6	7	5	9	12	8
Influenza (11)	188	48	47	36	8	5	1	3	1	8	5	12	14
Dysentery (16)	37	3	2	2	6	5	5	2	1	2	2	2	5
Lethargic encephalitis (23)	4	1	1							1			1
Meningococcus meningitis (24)	13	1	1	2	1	1	1	2	1	1		2	
Tuberculosis of the respiratory system (31)	451	49	41	37	36	42	32	39	28	24	46	43	34
Other forms of tuberculosis (32–37)	43	7	5	5	3	3	3	2	3	2	2	2	6
Bronchitis (99)	33	8		3	3	3	3	1		2	3	3	4
Bronchopneumonia (100)	155	22	20	18	12	3	5	5	10	9	9	19	23
Pneumonia (101)	236	53	28	28	20	8	6	9	4	10	16	22	32
Diarrhea and enteritis [under 2 years] (113)	298	32	21	31	34	35	24	21	19	10	18	22	31
Diarrhea and enteritis [2 years and over] (114)	107	8	10	5	10	14	8	6	7	9	7	10	13
Puerperal septicemia (146)	55	4	3	3	4	7	5	5	5	4	3	7	5
Other puerperal causes (143–145, 147–150)	123	7	13	6	6	8	14	3	15	13	14	13	11
Automobile accidents (188c)	129	13	11	8	10	8	9	6	13	18	8	11	14
Other external causes (165–188b, 188d–203)	629	50	53	51	54	32	57	42	57	49	49	50	85
All other causes	5,403	535	523	490	441	379	398	359	406	396	453	511	512
FLORIDA (COLORED), all causes	5,744	497	445	431	435	461	422	438	477	464	558	568	548
Typhoid and paratyphoid fever (1)	81	6		9	5	9	7	11	12	7	3	8	4
Malaria (5)	132	4	1	10	9	7	6	15	16	19	26	13	6
Measles (7)	36			2	3	2	1	3	4	3	5	8	5
Scarlet fever (8)	3					1			1			1	
Whooping cough (9)	35	3			3	2	2	4	1	2	2	8	8
Diphtheria (10)	13				1		3		5	1	1	1	1
Influenza (11)	157	27	29	23	17	12	4	6	4	1	4	9	21
Dysentery (16)	31	4	1		3	3		2	1	4	5	5	3
Lethargic encephalitis (23)	2	1	1										
Meningococcus meningitis (24)	2			1								1	
Tuberculosis of the respiratory system (31)	537	40	43	57	40	50	50	39	48	45	49	43	33
Other forms of tuberculosis (32–37)	51	3	5	7	1	2	3	4	7	6	6	4	3
Bronchitis (99)	28	3	3	4	1	2	4	2	3	1	3	1	1
Bronchopneumonia (100)	111	14	9	7	7	12	6	4	5	7	5	18	17
Pneumonia (101)	195	24	20	19	12	15	13	9	11	5	14	23	30
Diarrhea and enteritis [under 2 years] (113)	140	7	12	10	15	21	14	6	7	8	13	11	16
Diarrhea and enteritis [2 years and over] (114)	48	3	5	3	4	2	5	9	2	2	8	4	1
Puerperal septicemia (146)	45	4		6	1	1	6	3	8	2	10	2	2
Other puerperal causes (143–145, 147–150)	91	6	2	6	7	4	2	9	13	12	9	14	7
Automobile accidents (188c)	41	4	2	2	1	3	2	1	3	3	9	8	3
Other external causes (165–188b, 188d–203)	542	44	42	36	34	48	49	51	42	43	41	37	75
All other causes	3,423	300	270	229	271	265	245	260	284	293	345	349	312

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1923—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
GEORGIA (WHITE), all causes	17,559	2,124	1,431	1,431	1,426	1,456	1,457	1,383	1,296	1,291	1,367	1,456	1,441
Typhoid and paratyphoid fever (1)	249	10	12	3	7	14	22	36	49	35	26	18	17
Malaria (5)	205	5	7	3	5	10	12	19	32	37	40	20	15
Measles (7)	274	6	5	11	18	47	63	34	13	11	9	14	43
Scarlet fever (8)	18	4	1	4		1	1	3		1	1	1	1
Whooping cough (9)	126	8	3	14	9	10	19	16	18	7	3	12	7
Diphtheria (10)	208	22	12	5	7	3	7	13	15	24	42	37	21
Influenza (11)	1,011	449	150	129	115	35	7	9	10	9	9	42	47
Dysentery (16)	215	6	1	1	6	41	78	35	15	10	15	3	4
Lethargic encephalitis (23)	12	3	1			2	3			1		1	1
Meningococcus meningitis (24)	13	1		1	3		2	1	1	1	2	1	
Tuberculosis of the respiratory system (31)	921	102	86	77	93	61	85	62	80	70	56	86	63
Other forms of tuberculosis (32-37)	92	8	10	4	5	11	10	6	13	3	8	9	5
Bronchitis (99)	66	12	7	4	3	6	3	2	2	6	5	10	6
Bronchopneumonia (100)	492	111	74	52	44	21	13	16	26	17	24	43	51
Pneumonia (101)	847	182	100	100	90	33	23	27	24	29	37	97	105
Diarrhea and enteritis [under 2 years] (113)	601	19	11	17	21	87	135	117	69	42	40	24	19
Diarrhea and enteritis [2 years and over] (114)	170	14	11	7	4	32	34	20	16	10	6	9	7
Puerperal septicemia (146)	99	7	9	10	5	4	8	6	9	12	16	9	4
Other puerperal causes (143-145, 147-150)	263	23	21	22	21	22	18	31	23	25	23	19	15
Automobile accidents (188c)	176	18	7	12	13	10	12	20	15	14	18	15	22
Other external causes (165-188b, 188d-203)	1,117	106	83	105	91	93	95	89	87	75	85	89	119
All other causes	10,384	1,008	820	850	866	913	807	821	779	852	902	897	869
GEORGIA (COLORED), all causes	16,232	1,604	1,265	1,397	1,305	1,370	1,297	1,431	1,356	1,266	1,249	1,316	1,376
Typhoid and paratyphoid fever (1)	366	9	8	9	16	21	36	74	72	46	39	22	14
Malaria (5)	265	9	5	6	12	10	21	39	43	43	44	19	14
Measles (7)	106	3		1	4	13	11	21	16	8	6	5	18
Scarlet fever (8)	5			1		2			1				1
Whooping cough (9)	150	9	6	10	8	17	16	20	13	13	13	12	13
Diphtheria (10)	84	8	11	9	5	4	1	5	8	12	12	5	4
Influenza (11)	742	283	110	107	82	49	10	7	7	7	16	28	36
Dysentery (16)	173	4	5	7	13	23	38	27	20	15	13	4	4
Lethargic encephalitis (23)	3				1	1				1			
Meningococcus meningitis (24)	8			1		3		2		1			1
Tuberculosis of the respiratory system (31)	1,608	123	112	144	147	162	127	148	149	143	120	123	110
Other forms of tuberculosis (32-37)	116	11	9	12	9	8	9	14	9	8	9	7	11
Bronchitis (99)	76	3	4	9	6	7	4	6	4	4	8	10	11
Bronchopneumonia (100)	394	53	50	39	50	30	14	27	19	15	20	30	47
Pneumonia (101)	1,027	181	113	127	113	55	42	42	32	39	50	108	125
Diarrhea and enteritis [under 2 years] (113)	398	9	13	13	22	53	67	81	46	30	24	20	20
Diarrhea and enteritis [2 years and over] (114)	135	6	5	7	7	12	21	22	20	19	7	5	4
Puerperal septicemia (146)	147	16	6	13	13	6	10	12	16	24	13	9	9
Other puerperal causes 143-145, 147-150)	212	15	23	17	14	24	16	10	16	20	22	20	15
Automobile accidents (188c)	83	6	6	5	6	5	4	4	8	4	10	12	13
Other external causes (165-188b, 188d-203)	1,163	107	109	112	91	87	95	87	107	72	66	104	126
All other causes	8,971	749	670	748	686	778	755	783	750	742	757	773	780
IDAHO, all causes	3,330	331	312	340	269	288	253	262	247	266	277	254	231
Typhoid and paratyphoid fever (1)	28	2	2				3	2	3	4	5	7	
Malaria (5)	1									1			
Measles (7)	8						1	2					5
Scarlet fever (8)	11	1	2	1		1	3	1			1	1	
Whooping cough (9)	18	1			4	1	3	2	3	1	1		2
Diphtheria (10)	43	4	5	3	5	1	3	2	2	6	5	4	3
Influenza (11)	105	10	18	30	22	10	3	2		2	1	4	3
Dysentery (16)	5			1						2	2		
Lethargic encephalitis (23)	11	4	1			1		1	2			2	
Meningococcus meningitis (24)	10			2		3	3				2		
Tuberculosis of the respiratory system (31)	143	8	16	15	10	11	7	14	11	12	11	14	14
Other forms of tuberculosis (32-37)	29	3	2	2	3	5		7	2	2		1	2
Bronchitis (99)	14	3		2	2	2					1	3	1
Bronchopneumonia (100)	109	21	17	20	6	8	1	5	4	4	9	9	5
Pneumonia (101)	164	27	27	22	14	9	8	6	5	6	5	11	24
Diarrhea and enteritis [under 2 years] (113)	35	1	3	2	2	1	2	4		6	10	1	3
Diarrhea and enteritis [2 years and over] (114)	21	1		1	1	1	2	1	2	9	1	1	1
Puerperal septicemia (146)	16	1	1	4	3	3		1			1	1	1
Other puerperal causes (143-145, 147-150)	37	5	2	5	2	5	3	1	2	2	4	5	1
Automobile accidents (188c)	51	4		2	4	3	12	7	2	6	4	4	3
Other external causes (165-188b, 188d-203)	347	20	22	30	25	26	41	43	30	36	34	25	15
All other causes	2,124	215	194	198	166	197	158	161	179	167	180	161	148
ILLINOIS, all causes	81,753	8,002	8,859	8,656	7,557	6,891	6,052	5,698	5,729	5,842	5,998	6,000	6,469
Typhoid and paratyphoid fever (1)	317	17	12	13	12	14	8	28	45	48	43	31	46
Malaria (5)	59	7	4	3	4	5	3	9	4	9	5	2	4
Measles (7)	576	24	29	79	116	165	87	31	20	3	9	2	11
Scarlet fever (8)	229	36	28	42	15	23	13	7	7	10	11	10	27
Whooping cough (9)	521	45	76	68	42	44	40	45	45	34	33	19	30
Diphtheria (10)	811	133	88	74	59	36	27	26	36	45	89	107	91
Influenza (11)	2,466	315	831	643	279	98	38	22	29	18	33	60	100
Dysentery (16)	64	3	1	1	4	1	2	13	9	20	8	2	
Lethargic encephalitis (23)	81	5	15	8	6	6	14	8	1	3	1	5	9
Meningococcus meningitis (24)	62	8	5	9	10	6	4	2	7		4	4	3
Tuberculosis of the respiratory system (31)	4,902	436	446	505	478	469	425	381	366	355	359	348	334
Other forms of tuberculosis (32-37)	670	53	60	54	64	58	49	67	55	55	51	60	44
Bronchitis (99)	859	128	145	125	88	60	42	25	36	38	52	62	58
Bronchopneumonia (100)	3,031	496	606	426	343	241	91	87	89	96	151	183	222
Pneumonia (101)	4,036	609	695	600	455	348	187	125	97	134	164	286	336
Diarrhea and enteritis [under 2 years] (113)	2,485	151	161	157	139	138	133	205	407	389	336	151	118
Diarrhea and enteritis [2 years and over] (114)	507	27	25	19	29	21	34	69	82	94	46	29	32
Puerperal septicemia (146)	350	26	29	46	27	34	26	21	24	33	24	28	32
Other puerperal causes (143-145, 147-150)	496	49	57	47	50	47	29	41	38	34	35	35	34
Automobile accidents (188c)	1,031	71	52	69	74	100	86	93	91	102	90	106	97
Other external causes (165-188b, 188d-203)	5,673	483	403	455	438	463	531	519	518	472	467	450	474
All other causes	52,527	4,880	5,091	5,213	4,825	4,514	4,183	3,874	3,723	3,850	3,987	4,020	4,367

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1923—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
INDIANA, all causes	38,846	3,676	4,126	4,121	3,490	3,242	2,862	2,871	2,827	2,784	2,863	2,919	3,065
Typhoid and paratyphoid fever (1)	214	12	5	10	6	8	7	15	30	47	26	21	27
Malaria (5)	14				2	2	1		2	4	2		1
Measles (7)	304	15	26	31	58	84	56	11	6	2	1	7	7
Scarlet fever (8)	90	11	12	13	9	4	8	2	2	5	3	12	9
Whooping cough (9)	286	21	29	33	23	23	21	24	27	13	13	28	31
Diphtheria (10)	427	70	36	33	29	20	15	9	9	22	66	69	49
Influenza (11)	1,801	210	570	489	205	86	39	26	26	17	28	55	50
Dysentery (16)	93	5	2	2	3	2	8	15	28	20	3	1	4
Lethargic encephalitis (23)	40	2	3	8	2	4	4	3	2	3	6	1	2
Meningococcus meningitis (24)	34	2	1	2	5	7	1		3	2	7	1	3
Tuberculosis of the respiratory system (31)	2,382	191	252	256	204	229	206	202	166	163	177	164	172
Other forms of tuberculosis (32-37)	445	25	40	59	33	50	43	28	33	47	33	29	25
Bronchitis (99)	207	30	31	23	26	11	8	6	9	10	14	18	21
Bronchopneumonia (100)	1,341	238	254	175	131	90	38	32	33	40	79	121	110
Pneumonia (101)	1,798	290	348	243	198	152	66	56	43	51	84	141	126
Diarrhea and enteritis [under 2 years] (113)	961	49	38	37	38	36	37	113	207	193	133	40	40
Diarrhea and enteritis [2 years and over] (114)	262	17	11	7	14	10	23	39	51	51	20	14	5
Puerperal septicemia (146)	206	16	18	26	25	22	22	22	12	12	8	9	14
Other puerperal causes (143-145, 147-150)	219	13	25	24	28	22	18	18	13	15	11	16	16
Automobile accidents (188c)	433	27	11	15	33	23	40	49	45	52	43	43	52
Other external causes (165-188b, 188d-203)	2,615	174	172	201	199	220	229	290	242	205	217	225	241
All other causes	24,674	2,258	2,242	2,434	2,219	2,137	1,972	1,911	1,838	1,810	1,889	1,904	2,060
IOWA, all causes	25,378	2,558	2,825	2,834	2,275	2,149	1,776	1,809	1,662	1,734	1,837	1,877	2,042
Typhoid and paratyphoid fever (1)	76	4	3	4	2	1	3	5	16	13	8	8	9
Malaria (5)	7			1			1	2	2	1			
Measles (7)	128	5	12	18	14	18	11	4	1			12	33
Scarlet fever (8)	145	17	26	19	17	14	8	3	2	4	5	13	17
Whooping cough (9)	170	8	14	22	25	19	15	12	17	4	9	14	11
Diphtheria (10)	239	29	29	16	10	5	10	9	11	16	27	44	33
Influenza (11)	1,119	115	314	421	117	48	22	12	4	10	23	17	16
Dysentery (16)	39		1	2	2			4	10	12	2	4	2
Lethargic encephalitis (23)	28	1	5	3	3	7	1	1	1	1	3	1	1
Meningococcus meningitis (24)	18	4	1	1	1	3	1	1		2	1	1	2
Tuberculosis of the respiratory system (31)	915	79	86	94	111	78	83	82	67	60	63	60	52
Other forms of tuberculosis (32-37)	186	19	24	12	14	19	17	15	18	12	7	11	18
Bronchitis (99)	170	34	23	16	18	16	7	6	6	10	6	13	15
Bronchopneumonia (100)	750	122	150	131	65	48	25	16	19	30	31	54	59
Pneumonia (101)	1,249	222	252	220	114	84	47	21	27	43	40	83	96
Diarrhea and enteritis [under 2 years] (113)	292	17	17	27	22	18	23	17	40	52	28	13	18
Diarrhea and enteritis [2 years and over] (114)	137	8	6	6	6	7	11	13	18	30	23	4	5
Puerperal septicemia (146)	115	7	8	9	22	11	9	8	4	8	8	9	12
Other puerperal causes (143-145, 147-150)	171	10	27	25	11	22	7	11	6	11	14	11	16
Automobile accidents (188c)	242	22	9	11	10	18	14	25	29	25	32	25	22
Other external causes (165-188b, 188d-203)	1,662	166	126	117	127	148	152	180	126	124	150	127	119
All other causes	17,520	1,669	1,692	1,659	1,564	1,565	1,309	1,362	1,238	1,266	1,357	1,353	1,486
KANSAS, all causes	19,773	1,917	2,354	2,243	1,699	1,503	1,349	1,431	1,535	1,342	1,402	1,502	1,496
Typhoid and paratyphoid fever (1)	111	1	3	4	3	1	4	10	22	29	17	11	6
Malaria (5)	11	2						1	3	3	1		1
Measles (7)	83	2	8	8	16	21	11	11	1		2		3
Scarlet fever (8)	72	11	13	10	6	6		1	3	4	8	4	6
Whooping cough (9)	147	4	19	17	18	12	12	14	20	4	3	10	14
Diphtheria (10)	156	23	11	8	9	10	5	9	6	8	24	25	18
Influenza (11)	1,180	112	373	407	123	47	15	12	10	11	14	20	36
Dysentery (16)	58	1	1	1	2	1	7	7	14	12	5	6	1
Lethargic encephalitis (23)	30	2	4	6	4	1	2	2	2	2		2	3
Meningococcus meningitis (24)	10	2	1	2			1		2				2
Tuberculosis of the respiratory system (31)	692	65	57	77	60	66	54	54	64	40	62	52	41
Other forms of tuberculosis (32-37)	91	3	8	10	10	8	7	13	5	7	6	9	5
Bronchitis (99)	143	19	30	27	14	9	1	3	7		9	9	15
Bronchopneumonia (100)	696	133	159	113	54	31	15	9	16	11	34	52	69
Pneumonia (101)	870	123	210	164	87	44	32	17	12	22	34	59	66
Diarrhea and enteritis [under 2 years] (113)	410	21	18	14	16	17	28	87	84	52	46	14	13
Diarrhea and enteritis [2 years and over] (114)	190	10	10	11	3	7	10	28	53	27	11	9	11
Puerperal septicemia (146)	124	10	13	14	7	15	13	6	11	16	2	6	11
Other puerperal causes (143-145, 147-150)	144	13	15	13	12	14	6	16	17	10	11	3	14
Automobile accidents (188c)	217	23	13	15	15	23	13	24	22	13	14	23	19
Other external causes (165-188b, 188d-203)	1,347	113	116	95	100	111	112	128	135	113	102	111	111
All other causes	12,991	1,224	1,272	1,227	1,140	1,059	1,001	979	1,026	958	997	1,077	1,031
KENTUCKY (WHITE), all causes	24,878	2,978	2,731	2,551	2,105	1,845	1,789	2,088	1,860	1,639	1,672	1,791	1,829
Typhoid and paratyphoid fever (1)	416	21	25	23	22	18	26	35	74	59	57	30	26
Malaria (5)	41	2		4	1	1	3	7	4	4	5	4	6
Measles (7)	385	37	53	49	58	47	31	38	22	9	8	13	20
Scarlet fever (8)	50	7	4	2	4	3		2	1	4	5	13	5
Whooping cough (9)	331	22	50	30	27	18	20	34	36	27	13	31	23
Diphtheria (10)	330	40	25	24	15	7	3	7	19	26	68	55	41
Influenza (11)	1,649	593	451	307	107	44	15	21	8	8	21	35	39
Dysentery (16)	188	5	4	8	4	1	30	63	30	20	15	7	1
Lethargic encephalitis (23)	11	1		2	2	2	1	2	1				
Meningococcus meningitis (24)	51	3	9	6	2	3	3	8	7	3	2	2	3
Tuberculosis of the respiratory system (31)	2,363	263	289	242	224	217	196	194	167	139	124	156	152
Other forms of tuberculosis (32-37)	293	23	26	25	23	23	18	33	28	22	18	26	28
Bronchitis (99)	162	17	29	19	14	11	8	6	5	5	9	16	23
Bronchopneumonia (100)	864	190	143	114	72	41	27	20	24	29	79	54	71
Pneumonia (101)	1,263	244	187	185	125	87	39	26	33	27	60	132	118
Diarrhea and enteritis [under 2 years] (113)	918	19	18	21	19	20	103	265	204	127	68	39	15
Diarrhea and enteritis [2 years and over] (114)	234	8	7	8	8	8	37	57	39	24	13	15	10
Puerperal septicemia (146)	132	12	11	9	20	13	7	9	13	7	12	6	13
Other puerperal causes (143-145, 147-150)	200	29	22	22	24	15	9	16	12	13	8	13	17
Automobile accidents (188c)	145	6	13	12	4	14	13	6	6	22	17	12	20
Other external causes (165-188b, 188d-203)	1,610	120	129	151	128	147	151	158	135	101	131	113	146
All other causes	13,242	1,316	1,236	1,288	1,202	1,105	1,049	1,081	992	963	939	1,019	1,052

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1923—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
KENTUCKY (COLORED), all causes	4,414	426	433	401	376	370	328	379	370	345	342	340	304
Typhoid and paratyphoid fever (1)	59	2	1	1	3	5	5	10	12	10	6	2	2
Malaria (5)	12	1			2		1	2	1	2	3		
Measles (7)	31	6	4	2	5	2	5	3	1	1		2	
Scarlet fever (8)	1												1
Whooping cough (9)	83	4	3	3	5	9	7	15	7	11	10	7	2
Diphtheria (10)	14	2	1	1	1	2				2		3	2
Influenza (11)	229	51	71	38	22	12	2	4	3	4		9	13
Dysentery (16)	32	1	1	2	1	2	5	8	4	4	2	2	
Lethargic encephalitis (23)	1				1								
Meningococcus meningitis (24)	2									1		1	
Tuberculosis of the respiratory system (31)	563	48	51	56	45	57	37	50	54	38	47	49	31
Other forms of tuberculosis (32-37)	67	1	3	1	4	7	11	9	12	4	8	6	1
Bronchitis (99)	50	5	5	8	3	7	1	4	3	3	5	2	4
Bronchopneumonia (100)	171	25	29	15	17	16	9	2	2	5	12	22	17
Pneumonia (101)	294	50	53	32	33	22	10	10	9	12	10	25	28
Diarrhea and enteritis [under 2 years] (113)	105	3	1		4		13	25	23	19	14	2	1
Diarrhea and enteritis [2 years and over] (114)	24	1	1	2	2		7	3	5	2	1		
Puerperal septicemia (146)	27	7	3	4	1	2		3	3	1	1	1	1
Other puerperal causes (143-145, 147-150)	27	2	2	2	5	1	1	3	4	3	2		2
Automobile accidents (188c)	21		1	3	1	1	5	1	1	4	1	2	1
Other external causes (165-188b, 188d-203)	321	17	28	28	22	25	20	35	31	30	23	27	35
All other causes	2,280	200	175	203	199	200	189	192	195	189	197	178	163
LOUISIANA (WHITE), all causes	11,557	1,050	1,166	1,103	951	894	842	967	806	834	942	1,026	976
Typhoid and paratyphoid fever (1)	147	13	5	9	13	8	14	16	16	18	17	12	6
Malaria (5)	143	11	7	4	11	10	7	19	18	17	17	13	9
Measles (7)	94	1	3	3	3	15	30	13	2	3	4	5	12
Scarlet fever (8)	6	1		1				1					3
Whooping cough (9)	148	7	13	17	21	21	23	11	8	4	10	9	4
Diphtheria (10)	118	13	11	11	8	8	3	4	7	11	17	14	11
Influenza (11)	515	48	170	144	64	13	8	7	2	2	13	24	20
Dysentery (16)	74	4	1	2	3	2	16	15	5	5	10	4	7
Lethargic encephalitis (23)	6	1			2		1	2				1	
Meningococcus meningitis (24)	9		1	2			1		2		1	2	
Tuberculosis of the respiratory system (31)	700	74	74	73	49	60	58	58	49	57	45	47	56
Other forms of tuberculosis (32-37)	69	10	5	5	3	5	6	8	5	4	6	6	6
Bronchitis (99)	73	8	7	11	5	6	1	4	8	7	6	8	2
Bronchopneumonia (100)	380	46	36	51	38	29	10	19	11	18	25	51	46
Pneumonia (101)	440	58	61	66	38	24	10	12	17	17	25	52	60
Diarrhea and enteritis [under 2 years] (113)	362	29	9	10	24	31	47	58	38	36	35	30	15
Diarrhea and enteritis [2 years and over] (114)	90	6	7	5	10	2	7	15	4	7	10	8	9
Puerperal septicemia (146)	59	7	4	10	2	6	1	1	6	5	6	9	1
Other puerperal causes (143-145, 147-150)	166	8	21	16	11	20	15	14	10	11	13	15	12
Automobile accidents (188c)	122	12	9	3	11	11	7	12	6	10	10	15	16
Other external causes (165-188b, 188d-203)	831	72	76	68	66	79	63	81	62	62	63	77	62
All other causes	7,005	621	646	592	569	544	514	597	530	540	609	624	619
LOUISIANA (COLORED), all causes	10,815	864	954	990	922	877	844	933	888	822	897	871	953
Typhoid and paratyphoid fever (1)	121	11	1	3	8	12	14	12	15	19	14	9	3
Malaria (5)	155	7	2	5	5	5	14	23	34	19	21	14	6
Measles (7)	35		1		2	5	6	5	1		4	4	7
Scarlet fever (8)	1											1	
Whooping cough (9)	142	3	4	6	15	9	17	20	21	11	10	11	15
Diphtheria (10)	39	5	4	1	1	2	1	3	1	5	3	8	5
Influenza (11)	386	34	109	105	67	10	5	6	2	5	11	17	15
Dysentery (16)	63	2	3	2	5	7	9	9	5	3	7	4	7
Lethargic encephalitis (23)	2		1	1									
Meningococcus meningitis (24)	9			2	1	1		1		1		2	1
Tuberculosis of the respiratory system (31)	1,228	96	116	101	135	125	96	118	101	79	87	69	105
Other forms of tuberculosis (32-37)	114	13	9	11	12	8	14	8	9	8	6	6	10
Bronchitis (99)	65	9	6	7	2	5	5	5	7	1	6	4	8
Bronchopneumonia (100)	368	37	46	48	25	27	19	25	19	16	32	33	41
Pneumonia (101)	500	63	69	66	53	26	21	17	28	21	28	46	62
Diarrhea and enteritis [under 2 years] (113)	298	18	12	21	22	30	48	50	25	17	23	18	14
Diarrhea and enteritis [2 years and over] (114)	85	4	7	6	2	5	11	13	9	10	6	7	5
Puerperal septicemia (146)	76	6	9	9	4	5	10	9	5	4	7	6	2
Other puerperal causes (143-145, 147-150)	151	7	14	11	9	12	17	19	11	16	17	9	9
Automobile accidents (188c)	36	2		3	3	2	3	5	1	2	2	5	8
Other external causes (165-188b, 188d-203)	758	55	68	55	73	63	59	69	58	53	64	69	72
All other causes	6,183	492	473	527	478	518	475	516	536	532	549	529	558
MAINE, all causes	11,665	1,116	1,411	1,332	1,020	948	843	795	811	805	841	845	898
Typhoid and paratyphoid fever (1)	52	3		6	2	3	5	4	4	5	4	11	5
Malaria (5)	1											1	
Measles (7)	58	3	1	8	8	6	6	7	5	5	2	2	5
Scarlet fever (8)	16	1	2	2	1		2	1			3	2	2
Whooping cough (9)	131	12	16	23	14	14	5	4	6	9	12	8	8
Diphtheria (10)	58	12	6	2	3	2	8		4	3	8	5	5
Influenza (11)	484	48	175	157	38	25	8	4	6	6	6	6	5
Dysentery (16)	6	1			1				1	1	1	1	
Lethargic encephalitis (23)	5	1	2				1	1					
Meningococcus meningitis (24)	6	1			1	2						1	1
Tuberculosis of the respiratory system (31)	507	41	51	66	36	60	43	39	39	30	25	38	39
Other forms of tuberculosis (32-37)	120	9	15	17	7	11	7	9	8	11	7	8	11
Bronchitis (99)	124	21	28	15	9	11	8	3	6	4	6	4	9
Bronchopneumonia (100)	460	62	88	86	43	27	22	10	15	14	23	32	38
Pneumonia (101)	558	69	129	91	62	32	25	15	12	7	28	42	46
Diarrhea and enteritis [under 2 years] (113)	189	8	4	9	12	7	13	15	26	52	24	14	5
Diarrhea and enteritis [2 years and over] (114)	33	2	1	2	2	3	5	1	4	6	3		4
Puerperal septicemia (146)	31	3	1	5	4	6	1		3	3	2	3	
Other puerperal causes (143-145, 147-150)	122	8	15	16	12	14	8	4	9	14	9	7	6
Automobile accidents (188c)	91	1			1	6	7	12	14	17	15	6	12
Other external causes (165-188b, 188d-203)	599	46	41	52	45	39	55	63	56	48	47	50	57
All other causes	8,014	764	836	775	719	680	614	603	593	570	616	604	640

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1923—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MARYLAND (WHITE), all causes	16,766	1,764	1,886	1,822	1,438	1,342	1,184	1,166	1,231	1,156	1,267	1,282	1,228
Typhoid and paratyphoid fever (1)	65	3	4	2	2	1	3	6	13	11	10	7	3
Malaria (5)	4	1					1			2			
Measles (7)	127	6	11	17	24	40	17	9	3				
Scarlet fever (8)	47	2	7	10	3	4	4	2	1	3	4	5	2
Whooping cough (9)	127	8	11	19	12	13	17	10	13	9	8	5	2
Diphtheria (10)	139	29	16	10	12	5	4	4	8	16	11	16	8
Influenza (11)	445	82	171	107	32	12	2	2		9	6	14	8
Dysentery (16)	61	1	2	2	1		1	13	19	9	10	2	1
Lethargic encephalitis (23)	41	4	10	8	2	3	1	2	1	4	2	3	1
Meningococcus meningitis (24)	11	1				2		1	1		3	2	1
Tuberculosis of the respiratory system (31)	1,035	111	97	88	101	93	78	72	80	67	81	89	78
Other forms of tuberculosis (32-37)	117	8	9	9	10	14	7	17	15	7	5	7	9
Bronchitis (99)	175	35	36	18	16	14	3	4	3	8	11	12	15
Bronchopneumonia (100)	909	140	195	150	89	50	40	14	28	35	30	58	80
Pneumonia (101)	717	112	140	139	64	66	24	13	18	17	27	51	46
Diarrhea and enteritis [under 2 years] (113)	494	25	18	15	12	9	24	68	95	98	85	26	19
Diarrhea and enteritis [2 years and over] (114)	97	9	3	7	6	5	6	10	14	21	5	7	4
Puerperal septicemia (146)	57	10	3	9	2	6	5	3	3	4	4	3	5
Other puerperal causes (143-145, 147-150)	94	11	14	9	5	8	7	11	6	2	6	8	7
Automobile accidents (188c)	206	20	6	15	11	18	13	18	12	22	29	20	22
Other external causes (165-188b, 188d,-203)	924	73	77	75	61	68	99	86	96	66	74	77	72
All other causes	10,874	1,073	1,056	1,113	973	911	828	801	802	746	856	870	845
MARYLAND (COLORED), all causes	5,345	519	624	518	438	444	416	397	393	406	417	391	382
Typhoid and paratyphoid fever (1)	35		2	2	1		1	4	1	5	7	7	5
Measles (7)	28		2	2	3	5	4	1	3	4	1	1	2
Scarlet fever (8)	3		1									1	1
Whooping cough (9)	137	16	14	13	7	16	15	16	12	5	11	7	5
Diphtheria (10)	17	5	3		3	1	1	1		1	1		1
Influenza (11)	195	29	80	48	16	6			3	3	2	5	3
Dysentery (16)	14							2	6	4		2	
Lethargic encephalitis (23)	5		1		1		2				1		
Meningococcus meningitis (24)	3						2				1		
Tuberculosis of the respiratory system (31)	633	63	53	54	71	58	42	56	58	37	55	44	42
Other forms of tuberculosis (32-37)	97	10	5	6	7	16	9	10	9	5	6	5	9
Bronchitis (99)	60	10	8	10	6	2	2	4	3	3	3	3	6
Bronchopneumonia (100)	389	58	73	54	41	25	18	19	6	17	26	28	24
Pneumonia (101)	295	38	58	45	30	29	18	3	10	11	17	20	16
Diarrhea and enteritis [under 2 years] (113)	247	7	5	8	7	7	21	44	45	41	37	14	11
Diarrhea and enteritis [2 years and over] (114)	35		6	2	1	3	1	7	4	3	1	4	3
Puerperal septicemia (146)	20	2	1		1	5	1	1		2	2	3	2
Other puerperal causes (143-145, 147-150)	37	4	4	4	2	5	5	2	3	2	4	1	1
Automobile accidents (188c)	37	5	1	2		2	5	2		3	3	5	9
Other external causes (165-188b, 188d-203)	245	23	12	20	16	24	27	24	19	29	15	22	14
All other causes	2,813	249	295	248	225	240	242	201	211	231	224	219	228
MASSACHUSETTS, all causes	52,166	5,660	5,806	5,666	4,787	4,356	3,775	3,485	3,424	3,402	3,855	3,875	4,075
Typhoid and paratyphoid fever (1)	70	6	2	7	9	7	4	4	6	5	8	9	3
Malaria (5)	1						1						
Measles (7)	344	73	80	58	44	34	19	16	6	2	2	4	6
Scarlet fever (8)	160	14	23	29	28	11	12	9	3	3	10	5	13
Whooping cough (9)	501	71	88	83	63	46	36	30	20	18	18	10	18
Diphtheria (10)	586	80	59	58	36	38	31	34	34	37	62	63	54
Influenza (11)	827	143	263	218	76	34	16	5	8	8	11	19	26
Dysentery (16)	11		3				1	2	1	2	1	1	
Lethargic encephalitis (23)	86	2	14	15	13	10	6	3	4	4	6	3	6
Meningococcus meningitis (24)	59	3	3	5	12	5	4	5	2	8	7	3	2
Tuberculosis of the respiratory system (31)	3,079	254	254	300	288	328	260	269	228	217	218	215	248
Other forms of tuberculosis (32-37)	486	39	42	57	47	55	36	40	37	30	41	27	35
Bronchitis (99)	485	65	104	85	50	33	24	9	11	17	24	35	28
Bronchopneumonia (100)	3,053	490	573	514	304	197	124	102	101	88	140	189	231
Pneumonia (101)	2,221	427	470	331	232	137	92	44	43	44	104	120	177
Diarrhea and enteritis [under 2 years] (113)	966	60	55	74	67	49	51	80	157	144	113	60	56
Diarrhea and enteritis [2 years and over] (114)	143	14	9	6	9	10	12	16	26	10	14	5	12
Puerperal septicemia (146)	174	19	12	28	16	17	15	11	13	8	9	9	17
Other puerperal causes (143-145, 147-150)	387	44	48	37	38	31	19	33	31	23	32	29	22
Automobile accidents (188c)	611	5	11	19	43	46	58	67	66	69	77	70	80
Other external causes (165-188b, 188d-203)	2,777	224	214	242	242	237	211	267	217	205	237	225	256
All other causes	35,139	3,627	3,479	3,500	3,170	3,031	2,743	2,439	2,410	2,460	2,721	2,774	2,785
MICHIGAN, all causes	49,347	4,730	5,319	4,887	4,603	4,385	3,847	3,432	3,535	3,521	3,707	3,634	3,747
Typhoid and paratyphoid fever (1)	203	12	10	14	15	13	14	19	20	18	26	28	14
Malaria (5)	3								1	1	1		
Measles (7)	282	8	17	15	26	57	64	34	5	10	16	15	15
Scarlet fever (8)	310	38	35	39	33	35	20	21	9	12	20	24	24
Whooping cough (9)	344	36	42	55	32	31	40	34	24	14	13	15	8
Diphtheria (10)	674	57	68	65	51	52	45	38	44	50	53	77	74
Influenza (11)	1,359	169	504	311	151	93	24	13	11	13	11	23	36
Dysentery (16)	65	1	3		1	2	3	4	21	14	10	3	3
Lethargic encephalitis (23)	71	4	14	10	9	7	5	5	4	2	3	3	5
Meningococcus meningitis (24)	45	6	2	5	4	5	6	4	2		1	4	6
Tuberculosis of the respiratory system (31)	2,432	209	214	240	223	260	212	215	204	164	158	159	174
Other forms of tuberculosis (32-37)	416	47	34	36	38	40	25	37	27	28	37	31	36
Bronchitis (99)	593	97	113	84	57	51	27	14	12	18	36	34	50
Bronchopneumonia (100)	1,830	292	372	220	200	170	95	56	48	63	88	94	132
Pneumonia (101)	2,637	387	467	290	304	286	157	85	80	85	134	162	200
Diarrhea and enteritis [under 2 years] (113)	1,347	68	65	67	78	72	75	100	257	269	174	60	62
Diarrhea and enteritis [2 years and over] (114)	286	13	14	20	10	16	19	20	58	52	22	23	19
Puerperal septicemia (146)	275	14	21	35	26	26	27	26	17	22	17	20	24
Other puerperal causes (143-145, 147-150)	379	37	45	34	43	27	21	28	30	31	29	28	26
Automobile accidents (188c)	738	21	24	30	47	66	58	67	93	77	85	92	78
Other external causes (165-188b, 188d-203)	3,248	227	192	284	241	237	359	313	293	272	310	264	256
All other causes	31,810	2,987	3,063	3,033	3,014	2,839	2,551	2,299	2,275	2,306	2,463	2,475	2,505

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1923—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MINNESOTA, all causes	25,321	2,263	2,498	2,784	2,344	2,270	1,828	1,907	1,776	1,751	1,970	1,913	2,017
Typhoid and paratyphoid fever (1)	60	4	3	1	1	5	6	2	7	7	14	7	6
Malaria (5)	1								1				
Measles (7)	274	6	15	17	43	78	50	19	9	6	8	10	13
Scarlet fever (8)	233	44	21	17	35	16	12	10	9	13	15	17	24
Whooping cough (9)	153	9	16	22	27	17	13	10	10	8	6	9	6
Diphtheria (10)	208	21	21	19	10	12	8	11	13	17	26	24	26
Influenza (11)	705	60	141	278	111	29	23	7	7	11	7	11	20
Dysentery (16)	13	3							4	3	2		1
Lethargic encephalitis (23)	119	14	21	23	16	7	7	12	3	4	3	5	4
Meningococcus meningitis (24)	18	1	1	1	1	1	3	2		2	4	1	1
Tuberculosis of the respiratory system (31)	1,533	112	152	154	160	170	145	116	113	99	95	111	106
Other forms of tuberculosis (32–37)	307	26	16	34	26	30	29	40	27	21	17	18	23
Bronchitis (99)	176	28	28	28	22	9	5	9	7	6	8	13	13
Bronchopneumonia (100)	817	128	126	116	82	54	31	28	25	24	59	77	67
Pneumonia (101)	1,028	110	176	169	118	89	40	23	32	33	46	93	99
Diarrhea and enteritis [under 2 years] (113)	363	32	32	25	27	25	23	25	33	53	46	26	16
Diarrhea and enteritis [2 years and over] (114)	127	11	16	6	5	5	16	10	13	18	19	4	4
Puerperal septicemia (146)	155	10	12	15	14	21	14	9	19	4	15	9	13
Other puerperal causes (143–145, 147–150)	184	15	22	19	30	8	17	16	16	12	10	7	12
Automobile accidents (188c)	328	13	9	7	16	16	20	36	39	53	35	44	40
Other external causes (165–188b, 188d–203)	1,708	130	125	118	107	157	136	194	178	152	144	139	128
All other causes	16,811	1,489	1,545	1,715	1,493	1,521	1,230	1,328	1,211	1,205	1,391	1,288	1,395
MISSISSIPPI (WHITE), all causes	7,760	903	658	656	630	591	631	596	568	558	649	663	657
Typhoid and paratyphoid fever (1)	78	6		3	3	3	5	20	12	7	11	4	4
Malaria (5)	177	4		7	10	6	10	19	28	32	36	16	9
Measles (7)	84	7	7	15	13	7	12	6	3	1	3	5	5
Scarlet fever (8)	10			2		1	1	1		1	1	2	1
Whooping cough (9)	79	5	7	8	8	10	10	10	6	5	3	7	
Diphtheria (10)	103	9	8	1	2	2	1	4	11	12	20	22	11
Influenza (11)	523	212	111	74	45	20	6	4	1	5	6	15	24
Dysentery (16)	77	1	2	4	1	6	26	12	11	6	4	3	1
Lethargic encephalitis (23)	7						2	1		1		2	1
Meningococcus meningitis (24)	8	3		2	1						1		1
Tuberculosis of the respiratory system (31)	358	38	26	24	43	21	31	28	29	17	30	44	27
Other forms of tuberculosis (32–37)	29	2	1	3	3	3	3	5	4	1	1	2	1
Bronchitis (99)	28	2		1	3	2	1	3	1	2	2	6	5
Bronchopneumonia (100)	194	30	24	21	13	13	6	8	8	8	13	24	26
Pneumonia (101)	357	80	42	47	32	11	6	10	8	9	22	38	52
Diarrhea and enteritis [under 2 years] (113)	241	3	13	5	13	19	64	38	25	21	18	13	9
Diarrhea and enteritis [2 years and over] (114)	90	3	6	7	4	4	22	19	8	2	8	4	3
Puerperal septicemia (146)	44	6		3	3	4	2	3	8		4	6	5
Other puerperal causes (143–145, 147–150)	93	10	12	9	7	7	7	11	6	10	7	2	5
Automobile accidents (188c)	57	7	2	4	4	3	6	4	5	7	6	6	3
Other external causes (165–188b, 188d–203)	484	37	35	36	26	42	41	41	40	42	50	44	50
All other causes	4,639	438	362	380	396	407	369	349	354	369	403	398	414
MISSISSIPPI (COLORED), all causes	12,638	1,286	1,093	1,168	1,066	1,096	1,019	1,114	1,015	983	983	923	892
Typhoid and paratyphoid fever (1)	169	5	4	10	8	6	11	23	30	30	21	12	9
Malaria (5)	371	10	3	7	9	13	14	55	79	77	64	28	12
Measles (7)	145	5	22	29	21	30	15	7	3	2	4	3	4
Scarlet fever (8)	3					2						1	
Whooping cough (9)	182	10	13	21	10	19	16	25	16	14	16	13	9
Diphtheria (10)	72	11	4	4	2	3		1	7	13	14	9	4
Influenza (11)	738	252	159	110	94	49	10	7	6	8	7	14	22
Dysentery (16)	82	3	1	3	1	7	26	23	9		3	2	4
Lethargic encephalitis (23)	1				1								
Meningococcus meningitis (24)	2					1							1
Tuberculosis of the respiratory system (31)	1,302	108	99	132	123	146	101	101	117	101	98	86	90
Other forms of tuberculosis (32–37)	105	4	13	10	8	5	15	8	10	2	10	9	11
Bronchitis (99)	37	6	6		3	1	3	2	1	3	1	6	5
Bronchopneumonia (100)	216	43	24	25	20	13	11	11	6	11	14	19	19
Pneumonia (101)	628	137	104	70	69	38	21	13	11	14	32	50	69
Diarrhea and enteritis [under 2 years] (113)	262	11	9	7	10	31	71	63	16	12	11	13	8
Diarrhea and enteritis [2 years and over] (114)	98	2	1	4	8	10	29	21	9	4	6	4	
Puerperal septicemia (146)	84	6	9	9	6	11	7	8	9	6	3	7	3
Other puerperal causes (143–145, 147–150)	157	13	14	21	10	9	23	13	8	15	8	11	12
Automobile accidents (188c)	21	2	2	1		2	2		1	1	2	6	2
Other external causes (165–188b, 188d–203)	812	64	59	74	74	63	74	63	63	62	69	72	75
All other causes	7,151	594	547	631	589	637	570	670	614	608	600	558	533
MISSOURI, all causes	42,043	4,181	4,620	4,517	3,716	3,338	3,044	3,053	3,033	2,941	3,028	3,219	3,353
Typhoid and paratyphoid fever (1)	300	6	15	8	13	21	11	30	45	67	41	26	17
Malaria (5)	132	2	2	4	6	6	17	14	22	26	16	12	5
Measles (7)	331	1	12	33	80	76	40	24	7	7	12	8	31
Scarlet fever (8)	122	18	10	12	10	5	6	1	1	6	11	24	18
Whooping cough (9)	366	13	14	30	28	38	38	37	46	30	24	35	33
Diphtheria (10)	409	62	40	27	25	23	9	11	18	35	65	45	49
Influenza (11)	2,346	403	713	664	251	98	29	14	17	28	22	51	56
Dysentery (16)	189	1	2	1	1	3	16	45	40	47	22	10	1
Lethargic encephalitis (23)	47	4	5	8	3	3	5	3	4	2	3	3	4
Meningococcus meningitis (24)	44	3	1	2	6	5	3	7	2	6	3	4	2
Tuberculosis of the respiratory system (31)	2,824	261	250	314	292	249	238	204	208	186	184	198	240
Other forms of tuberculosis (32–37)	362	29	30	32	43	41	32	32	22	27	29	17	28
Bronchitis (99)	350	42	57	44	29	31	21	20	8	17	26	21	34
Bronchopneumonia (100)	1,859	347	345	286	171	91	47	46	58	72	93	150	153
Pneumonia (101)	2,275	384	395	372	234	135	65	47	54	62	111	207	209
Diarrhea and enteritis [under 2 years] (113)	877	28	29	34	28	25	76	170	188	142	84	40	33
Diarrhea and enteritis [2 years and over] (114)	339	25	3	9	10	11	29	56	70	60	30	14	22
Puerperal septicemia (146)	227	24	25	27	16	17	12	19	20	14	14	19	20
Other puerperal causes (143–145, 147–150)	265	24	25	30	29	23	22	28	19	18	16	15	16
Automobile accidents (188c)	398	31	23	27	27	24	28	24	41	35	52	51	35
Other external causes (165–188b, 188d–203)	2,768	195	229	217	233	221	282	259	228	229	219	243	213
All other causes	25,213	2,278	2,395	2,336	2,181	2,192	2,018	1,962	1,915	1,825	1,951	2,026	2,134

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1923—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MONTANA, all causes	4,893	478	474	492	435	421	409	372	363	357	358	348	386
Typhoid and paratyphoid fever (1)	16	3	2	3				1	1	1	2	2	1
Malaria (5)													
Measles (7)	19			2		3	2		3		1		8
Scarlet fever (8)	17	5	1	3			2		1			1	4
Whooping cough (9)	23	2	3	4	1	3	2	2		2	2		2
Diphtheria (10)	51	10	5	6	5	4	2	2	4	1	3	2	7
Influenza (11)	158	21	37	48	20	10	1	2	1	4	7	3	4
Dysentery (16)	8						1			6	1		
Lethargic encephalitis (23)	13	1	2	5	2	1			1		1		
Meningococcus meningitis (24)	7	1	3		1			1					1
Tuberculosis of the respiratory system (31)	344	26	27	47	30	29	32	25	27	26	26	20	29
Other forms of tuberculosis (32-37)	51	6	6	2	4	4	5	6	1	5	5	2	5
Bronchitis (99)	23	2	6	3		2	2		2	3	1		2
Bronchopneumonia (100)	161	28	27	26	13	8	8	11	11	4	9	8	8
Pneumonia (101)	238	39	42	24	24	19	11	9	6	5	21	22	16
Diarrhea and enteritis [under 2 years] (113)	99	10	5	11	7	7	4	7	12	14	8	8	6
Diarrhea and enteritis [2 years and over] (114)	34	2		1	3	2	2	2	7	6	4	3	2
Puerperal septicemia (146)	40		5	4	3	3	2	3	2	3	5	4	6
Other puerperal causes (143-145, 147-150)	39	3	5	6	3	4	5	4	2	2	3	1	1
Automobile accidents (188c)	49	1		4	3	6	3	5	7	6	3	5	6
Other external causes (165-188b, 188d-203)	524	43	35	34	38	51	52	76	36	44	34	47	34
All other causes	2,979	275	263	259	278	265	273	216	239	225	222	220	244
NEBRASKA, all causes	12,632	1,195	1,500	1,378	1,098	1,033	908	865	861	923	919	944	1,008
Typhoid and paratyphoid fever (1)	41	3	2	1		2	2	4	7	5	9	2	4
Malaria (5)	1										1		
Measles (7)	40	1	1	2	4	11	5	5	1		4	3	3
Scarlet fever (8)	59	8	10	5	5	3	4		3	3	2	9	7
Whooping cough (9)	100	9	11	17	10	13	8	6	10	7	1	5	3
Diphtheria (10)	136	18	12	7	6	4	7	5	10	14	20	18	15
Influenza (11)	649	69	220	181	86	27	15	6	5	12	7	8	13
Dysentery (16)	16	1		1			2	3	3	3	2		1
Lethargic encephalitis (23)	21		2	2	2	2	4	3	1	3	1	1	
Meningococcus meningitis (24)	11			1	1		3		2	1	1	2	
Tuberculosis of the respiratory system (31)	373	28	30	52	35	40	29	29	21	24	21	28	36
Other forms of tuberculosis (32-37)	88	3	6	11	5	10	10	8	10	8	3	7	7
Bronchitis (99)	77	13	11	8	3	8	6	5	2	3	5	5	8
Bronchopneumonia (100)	385	81	83	62	25	16	11	11	8	9	24	27	28
Pneumonia (101)	600	99	157	69	43	30	21	10	19	18	23	51	60
Diarrhea and enteritis [under 2 years] (113)	213	10	13	15	18	12	6	15	28	39	37	9	11
Diarrhea and enteritis [2 years and over] (114)	86	3	3		1	4	6	10	18	22	11	4	4
Puerperal septicemia (146)	70	7	6	3	9	6	3	8	5	4	7	4	8
Other puerperal causes (143-145, 147-150)	105	7	14	13	5	12	8	4	12	6	5	13	6
Automobile accidents (188c)	123	6	5	3	8	8	12	11	9	21	13	18	9
Other external causes (165-188b, 188d-203)	861	64	66	64	66	65	85	78	70	83	92	68	60
All other causes	8,577	765	848	861	766	760	661	644	617	638	630	662	725
NEW HAMPSHIRE, all causes	6,747	663	781	693	602	533	541	439	493	465	510	500	527
Typhoid and paratyphoid fever (1)	15	1	1			1		1	3	1	2	3	2
Malaria (5)	1						1						
Measles (7)	29		1	1	1	5	4	1	1	1	1	3	10
Scarlet fever (8)	3			1			1						1
Whooping cough (9)	68	6	8	8	6	5	5	8	3	4	4	3	8
Diphtheria (10)	41	6	3	2	5	1	2	3	2	3	3	4	7
Influenza (11)	302	28	111	78	46	12	5	4	1	2	2	4	9
Dysentery (16)	4					2		1		1			
Lethargic encephalitis (23)	3					1	1			1			
Meningococcus meningitis (24)	5	1		1		1					1	1	
Tuberculosis of the respiratory system (31)	294	28	29	31	27	26	30	24	22	21	23	14	19
Other forms of tuberculosis (32-37)	69	8	8	7	7	3	10	5	4	5	3	4	5
Bronchitis (99)	76	9	17	10	9	6	2	5	2	1	4	5	6
Bronchopneumonia (100)	246	35	56	48	14	10	5	8	6	9	18	18	19
Pneumonia (101)	298	46	56	53	31	21	15	8	5	3	14	20	26
Diarrhea and enteritis [under 2 years] (113)	126	9	8	5	11	6	8	8	6	25	28	9	3
Diarrhea and enteritis [2 years and over] (114)	29	4	1	1	3	3	1	1	2	3	2	5	3
Puerperal septicemia (146)	15	2	1	1		2	2	2	2			3	
Other puerperal causes (143-145, 147-150)	54	8	7	4	1	4	5	1	9	4	4	5	2
Automobile accidents (188c)	59	1		2		5	6	4	9	11	6	9	6
Other external causes (165-188b, 188d-203)	338	29	17	13	30	25	37	40	38	24	31	25	29
All other causes	4,672	442	457	427	411	394	401	315	378	346	364	365	372
NEW JERSEY, all causes	41,492	4,247	4,821	4,449	3,736	3,247	3,159	2,883	2,952	2,700	2,976	3,113	3,209
Typhoid and paratyphoid fever (1)	111	6	4	4	4	5	8	17	16	12	8	13	14
Malaria (5)	1								1				
Measles (7)	388	63	82	61	44	55	22	18	3	6	6	12	16
Scarlet fever (8)	95	12	16	18	11	10	6	1	1	1	5	4	10
Whooping cough (9)	233	29	44	27	16	24	15	13	17	11	6	14	17
Diphtheria (10)	480	96	54	55	44	30	29	20	20	26	36	31	39
Influenza (11)	911	136	306	248	76	34	16	8	2	12	18	18	37
Dysentery (16)	25	2	1	2	1	1		7	4	1	4	1	1
Lethargic encephalitis (23)	114	7	20	20	18	4	9	6	5	4	9	7	5
Meningococcus meningitis (24)	46	3	2	7	6	8	7	1	3	3	2	3	1
Tuberculosis of the respiratory system (31)	2,690	228	226	284	256	251	253	223	196	173	209	182	209
Other forms of tuberculosis (32-37)	341	27	41	29	37	37	33	25	24	21	25	23	19
Bronchitis (99)	405	62	87	64	36	27	16	12	15	13	17	32	24
Bronchopneumonia (100)	1,569	226	328	210	161	104	72	46	60	48	85	102	127
Pneumonia (101)	2,405	377	484	390	253	175	98	62	56	70	96	163	181
Diarrhea and enteritis [under 2 years] (113)	1,095	55	80	70	64	53	88	92	168	171	119	74	61
Diarrhea and enteritis [2 years and over] (114)	201	7	20	8	13	19	19	28	25	27	12	17	6
Puerperal septicemia (146)	169	19	23	15	19	14	12	6	10	7	13	17	14
Other puerperal causes (143-145, 147-150)	257	21	27	26	17	15	23	16	20	21	26	22	23
Automobile accidents (188c)	672	39	26	35	43	53	63	61	77	72	83	67	53
Other external causes (165-188b, 188d-203)	2,723	216	218	225	225	227	273	289	238	207	207	196	202
All other causes	26,561	2,616	2,732	2,651	2,392	2,101	2,097	1,932	1,991	1,794	1,990	2,115	2,150

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1923—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW YORK, all causes	141,085	13,318	15,814	15,177	13,039	11,804	10,643	9,608	9,924	9,593	10,314	10,607	11,244
Typhoid and paratyphoid fever (1)	318	27	15	28	12	20	16	29	41	40	39	25	26
Malaria (5)	7	1		1				1	1	1			2
Measles (7)	732	41	53	66	99	143	98	68	25	9	17	45	68
Scarlet fever (8)	285	31	36	32	47	37	20	12	8	4	13	16	29
Whooping cough (9)	561	32	70	78	58	39	45	52	49	46	25	34	33
Diphtheria (10)	1,027	151	124	76	87	73	71	58	46	50	78	116	97
Influenza (11)	2,747	306	1,014	765	231	120	45	24	13	34	36	78	81
Dysentery (16)	41	3	2			2		5	8	8	8	2	3
Lethargic encephalitis (23)	436	14	90	87	53	43	30	19	25	20	24	19	12
Meningococcus meningitis (24)	120	7	8	12	11	18	6	11	11	10	11	6	9
Tuberculosis of the respiratory system (31)	9,330	772	898	924	939	883	778	769	666	643	693	638	727
Other forms of tuberculosis (32-37)	1,281	94	105	131	127	125	132	112	108	86	106	78	77
Bronchitis (99)	1,119	156	229	173	119	93	51	43	33	33	43	72	74
Bronchopneumonia (100)	5,766	718	1,123	901	554	416	267	199	227	198	304	376	483
Pneumonia (101)	7,334	998	1,530	1,130	755	543	363	220	208	224	336	470	557
Diarrhea and enteritis [under 2 years] (113)	3,023	187	134	199	210	171	206	269	489	441	329	197	191
Diarrhea and enteritis [2 years and over] (114)	493	34	38	28	30	26	40	63	78	66	36	26	28
Puerperal septicemia (146)	487	44	45	44	48	59	51	30	31	34	30	36	35
Other puerperal causes (143-145, 147-150)	833	64	81	77	100	74	71	65	74	66	47	47	67
Automobile accidents (188c)	1,930	68	59	112	165	153	161	171	211	207	228	214	181
Other external causes (165-188b, 188d-203)	8,783	664	718	735	724	691	780	855	810	716	674	707	709
All other causes	94,432	8,906	9,442	9,578	8,670	8,075	7,412	6,533	6,762	6,657	7,237	7,405	7,755
NORTH CAROLINA (WHITE), all causes	19,713	2,455	1,724	1,730	1,630	1,677	1,795	1,633	1,403	1,236	1,393	1,505	1,532
Typhoid and paratyphoid fever (1)	131	6	5	4	1	4	9	23	31	17	14	6	11
Malaria (5)	77	1	5	3	5	2	6	12	13	15	7	7	1
Measles (7)	392	11	27	61	62	82	63	31	7	2	6	11	29
Scarlet fever (8)	26	2	2	3	4	2		1	2		4	2	4
Whooping cough (9)	276	18	12	17	38	37	38	43	16	10	13	14	20
Diphtheria (10)	276	27	18	12	14	5	3	10	17	35	48	59	28
Influenza (11)	1,013	533	164	138	70	23	6	5	3	6	8	23	34
Dysentery (16)	128	2	5	2	1	25	42	23	15	5	2	3	3
Lethargic encephalitis (23)	12			2	2	2	2		1	1	1	1	
Meningococcus meningitis (24)	23			4	2	2	3	3	2	1	3	1	2
Tuberculosis of the respiratory system (31)	1,236	154	109	109	116	117	88	91	105	71	65	106	105
Other forms of tuberculosis (32-37)	121	10	12	14	10	12	14	13	9	11	6	5	5
Bronchitis (99)	85	18	12	10	5	4	4	3	1	5	8	9	6
Bronchopneumonia (100)	645	129	80	72	69	45	32	15	24	27	22	53	77
Pneumonia (101)	792	179	92	97	85	60	18	20	20	16	33	71	101
Diarrhea and enteritis [under 2 years] (113)	899	20	16	17	20	100	247	192	105	77	66	29	10
Diarrhea and enteritis [2 years and over] (114)	263	10	4	9	10	42	66	52	26	14	14	6	10
Puerperal septicemia (146)	83	10	6	12	6	10	4	3	7	5	5	6	9
Other puerperal causes (143-145, 147-150)	307	36	18	32	18	19	36	20	22	27	30	26	23
Automobile accidents (188c)	196	12	15	12	20	16	10	19	15	18	26	20	13
Other external causes (165-188b, 188d-203)	990	117	95	83	63	78	97	75	82	58	72	79	91
All other causes	11,742	1,160	1,027	1,017	1,009	990	1,007	979	880	815	940	968	950
NORTH CAROLINA (COLORED), all causes	12,429	1,241	1,007	1,067	1,020	1,134	1,246	1,063	913	940	946	909	943
Typhoid and paratyphoid fever (1)	129	2	2	1	3	10	19	26	25	16	13	4	8
Malaria (5)	92	3	2	2	4	7	6	9	17	15	14	9	4
Measles (7)	196	2	11	28	39	48	34	14	7	6	1	2	4
Scarlet fever (8)	4							1			1		2
Whooping cough (9)	216	7	9	11	22	23	32	29	17	13	13	24	16
Diphtheria (10)	74	9	7	4	3	3	2	3	6	11	14	6	6
Influenza (11)	640	229	120	102	56	33	22	8	7	6	14	15	28
Dysentery (16)	89	3		2	2	10	43	11	9	5	2	1	1
Lethargic encephalitis (23)	4			2	1	1							
Meningococcus meningitis (24)	7		1		1	1	3		1				
Tuberculosis of the respiratory system (31)	1,192	106	100	112	122	104	118	98	100	92	70	82	88
Other forms of tuberculosis (32-37)	118	15	7	7	6	14	14	11	13	6	10	8	7
Bronchitis (99)	67	5	9	4	7	9	4	7	3	2	2	6	9
Bronchopneumonia (100)	396	68	42	44	40	26	18	16	14	19	27	34	48
Pneumonia (101)	606	97	74	76	60	50	19	15	17	25	30	60	83
Diarrhea and enteritis [under 2 years] (113)	557	8	2	4	16	83	178	100	61	46	42	11	6
Diarrhea and enteritis [2 years and over] (114)	112	4	5	4	6	16	30	15	10	8	7	4	3
Puerperal septicemia (146)	69	9	4	6	6	7	5	5	6	7	4	5	5
Other puerperal causes (143-145, 147-150)	211	16	15	14	19	19	23	20	19	20	14	15	17
Automobile accidents (188c)	62	3	1	2	3	5		4	10	3	11	9	11
Other external causes (165-188b, 188d-203)	728	66	63	64	57	58	60	70	51	50	62	51	76
All other causes	6,860	589	533	578	547	607	616	601	520	590	595	563	521
OHIO, all causes	75,054	7,380	8,381	7,634	6,940	6,179	5,347	5,305	5,393	5,366	5,612	5,725	5,792
Typhoid and paratyphoid fever (1)	311	12	10	12	12	18	18	31	42	52	56	31	17
Malaria (5)	5	1				1			2			1	
Measles (7)	600	42	76	77	111	144	77	40	13	4	6	8	2
Scarlet fever (8)	327	44	37	37	41	20	17	19	10	11	31	38	22
Whooping cough (9)	519	45	70	83	45	42	37	42	45	28	33	20	29
Diphtheria (10)	698	94	75	50	42	37	25	28	40	63	82	91	71
Influenza (11)	3,073	509	1,064	722	324	124	48	25	16	34	45	77	85
Dysentery (16)	89	2		1	2	2	3	14	29	21	9	3	3
Lethargic encephalitis (23)	147	18	20	23	25	10	9	12	6	6	6	6	6
Meningococcus meningitis (24)	61	8	4	6	8	7	9	4	3	2	3	5	2
Tuberculosis of the respiratory system (31)	4,474	395	412	433	473	403	349	381	346	311	307	313	351
Other forms of tuberculosis (32-37)	777	59	65	59	74	79	73	58	66	76	50	57	61
Bronchitis (99)	451	57	73	66	38	39	32	21	17	17	27	30	34
Bronchopneumonia (100)	3,227	513	656	478	324	210	118	86	90	116	165	208	263
Pneumonia (101)	3,391	532	645	450	393	253	137	94	83	113	159	252	280
Diarrhea and enteritis [under 2 years] (113)	1,651	68	56	75	51	64	94	144	352	375	207	94	71
Diarrhea and enteritis [2 years and over] (114)	360	20	12	18	19	16	13	40	71	65	40	22	24
Puerperal septicemia (146)	371	28	44	35	38	31	31	25	20	22	30	34	33
Other puerperal causes (143-145, 147-150)	549	32	73	52	40	54	32	43	44	49	33	53	44
Automobile accidents (188c)	1,078	60	42	51	87	62	88	109	136	120	123	104	96
Other external causes (165, 188b, 188d-203)	5,245	411	389	402	462	414	480	505	442	411	460	458	411
All other causes	47,650	4,430	4,558	4,504	4,331	4,149	3,657	3,584	3,520	3,470	3,740	3,820	3,887

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1923—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
OREGON, all causes	9,010	806	792	912	763	715	703	687	689	684	724	779	756
Typhoid and paratyphoid fever (1)	39	4	1	4		2	1	1	6	5	9	2	4
Malaria (5)													
Measles (7)	28	1				1					1	7	18
Scarlet fever (8)	11		1	3	1		2	1			1		2
Whooping cough (9)	41	3	3	5	8	4	5	7	2			4	
Diphtheria (10)	78	13	3	1	2	4	4	2	4	4	16	9	16
Influenza (11)	277	36	39	81	51	24	6	8	5	7	4	5	11
Dysentery (16)	5			1						1	2		1
Lethargic encephalitis (23)	30	8	4	3	4	1	4	1		4	1		
Meningococcus meningitis (24)	4	1				2							1
Tuberculosis of the respiratory system (31)	532	52	56	56	46	48	53	53	35	34	29	32	38
Other forms of tuberculosis (32–37)	114	7	12	11	11	10	15	8	9	12	6	8	5
Bronchitis (99)	46	2	6	5	5	7	1		2	1	5	10	2
Bronchopneumonia (100)	261	37	44	37	24	15	13	9	10	8	21	26	17
Pneumonia (101)	337	35	43	57	28	33	18	14	15	14	21	34	25
Diarrhea and enteritis [under 2 years] (113)	84	7	7	6	3	7	2	10	6	12	11	7	6
Diarrhea and enteritis [2 years and over] (114)	40	4	2	2	2	1		4	4	8	8	3	2
Puerperal septicemia (146)	37	5	6	1	3	2	4	1	2		7	1	5
Other puerperal causes (143–145, 147–150)	66	11	4	3	4	6	5	8	8	3	3	7	4
Automobile accidents (188c)	120	5	5	3	8	9	13	8	17	13	13	17	9
Other external causes (165–188b, 188d–203)	782	47	48	49	61	52	75	85	89	76	73	68	59
All other causes	6,078	528	508	584	502	487	482	467	475	482	493	539	531
PENNSYLVANIA, all causes	120,622	12,689	13,439	12,962	11,151	9,716	8,509	7,983	8,303	8,345	9,158	8,940	9,427
Typhoid and paratyphoid fever (1)	447	38	20	21	30	22	32	37	43	63	69	37	35
Malaria (5)	10	1		1		1			1	2	3	1	
Measles (7)	1,632	354	315	347	209	184	90	41	9	8	15	25	35
Scarlet fever (8)	400	42	41	46	37	28	36	25	12	17	46	29	41
Whooping cough (9)	991	98	140	136	112	78	70	68	75	66	55	45	48
Diphtheria (10)	1,417	184	163	128	112	84	64	49	57	84	144	171	177
Influenza (11)	4,064	642	1,270	1,003	439	184	87	46	24	62	81	87	139
Dysentery (16)	69	1	1	2			5	6	22	15	11	3	3
Lethargic encephalitis (23)	165	11	15	35	26	18	13	10	8	6	9	6	8
Meningococcus meningitis (24)	76	5	3	5	9	7	5	7	7	6	5	9	8
Tuberculosis of the respiratory system (31)	6,703	562	635	678	672	660	579	496	515	445	469	479	513
Other forms of tuberculosis (32–37)	1,114	86	80	111	95	124	101	86	87	92	88	62	102
Bronchitis (99)	898	129	159	129	100	64	41	30	36	35	52	64	59
Bronchopneumonia (100)	6,396	1,036	1,167	996	665	460	250	183	202	210	336	401	490
Pneumonia (101)	7,877	1,261	1,538	1,110	871	605	314	203	203	241	408	512	611
Diarrhea and enteritis [under 2 years] (113)	4,329	255	203	238	215	190	237	376	816	874	489	245	191
Diarrhea and enteritis [2 years and over] (114)	667	47	27	36	42	41	35	67	118	110	73	34	37
Puerperal septicemia (146)	610	47	54	63	54	69	55	48	33	35	42	51	59
Other puerperal causes (143–145, 147–150)	822	73	79	91	79	76	71	59	66	47	47	64	70
Automobile accidents (188c)	1,592	80	54	83	115	114	133	165	181	163	184	188	132
Other external causes (165–188b, 188d–203)	8,319	677	713	714	642	702	723	791	686	631	693	656	691
All other causes	72,024	7,060	6,762	6,989	6,627	6,005	5,568	5,190	5,102	5,133	5,839	5,771	5,978
RHODE ISLAND, all causes	8,622	904	917	974	858	708	632	565	583	540	641	637	663
Typhoid and paratyphoid fever (1)	7						1	2	1	1	1	1	
Malaria (5)	1							1					
Measles (7)	198	42	37	38	28	26	10	7	6	1		2	1
Scarlet fever (8)	10	2		2	1		2				1		2
Whooping cough (9)	112	19	13	10	8	14	7	12	6	6	6	3	8
Diphtheria (10)	79	13	10	4	4	3	4	5	6	5	6	8	11
Influenza (11)	149	9	41	53	22	9	1	2	2	1	2	1	6
Dysentery (16)	13			1		1		4	3	2	1		1
Lethargic encephalitis (23)	11	1	2	2				3		1	2		
Meningococcus meningitis (24)	15	1	2	2	7	1	1			1			
Tuberculosis of the respiratory system (31)	505	54	39	41	57	45	41	20	45	34	51	36	42
Other forms of tuberculosis (32–37)	123	9	9	7	15	17	12	8	8	6	14	11	7
Bronchitis (99)	85	12	17	15	8	9	3	3	1	4	2	4	7
Bronchopneumonia (100)	317	53	60	61	32	19	12	10	9	13	18	14	16
Pneumonia (101)	534	84	99	101	56	39	22	15	8	11	30	34	35
Diarrhea and enteritis [under 2 years] (113)	218	9	6	6	8	8	14	26	53	34	39	5	10
Diarrhea and enteritis [2 years and over] (114)	31			2	5	3	2	3	7	5	3	1	
Puerperal septicemia (146)	34	4	1	6	3	5	2	2	2		4	2	3
Other puerperal causes (143–145, 147–150)	57	8	3	5	8	3	5	1	5	7	1	4	7
Automobile accidents (188c)	97	4	3	7	5	10	6	12	10	5	15	12	8
Other external causes (165–188b, 188d–203)	419	40	26	45	32	35	40	31	35	32	34	37	32
All other causes	5,607	540	549	566	559	461	447	398	376	371	411	462	467
SOUTH CAROLINA (WHITE), all causes	8,281	958	678	700	646	746	698	690	597	591	612	663	702
Typhoid and paratyphoid fever (1)	106	6	1	2	3	6	7	26	21	15	8	7	4
Malaria (5)	40	3	3		1	4	4	4	5	6	5	2	3
Measles (7)	111	5	11	12	14	21	18	12	1	4		4	9
Scarlet fever (8)	6	2					1			1	1		1
Whooping cough (9)	90	1	1	5	2	6	22	15	11	6	7	8	6
Diphtheria (10)	98	12	4	4	1	2	6	7	6	11	19	10	16
Influenza (11)	483	250	67	53	36	13	7	2	1	3	11	19	21
Dysentery (16)	91	3	1	3	8	16	24	15	7	7	5	2	
Lethargic encephalitis (23)	15	1		4		1	1	3			1	3	1
Meningococcus meningitis (24)	9	1	1	2			1			1	1	2	
Tuberculosis of the respiratory system (31)	425	51	37	53	49	37	26	29	29	33	23	23	35
Other forms of tuberculosis (32–37)	33	2	3	2	5	4	4	5	2	1	2	1	2
Bronchitis (99)	25	6	4	4	1	1		1		1	2	4	1
Bronchopneumonia (100)	176	32	16	18	13	8	12	10	10	11	7	17	22
Pneumonia (101)	393	65	48	60	38	24	16	11	9	15	17	44	46
Diarrhea and enteritis [under 2 years] (113)	415	16	15	10	16	72	91	52	47	37	33	13	13
Diarrhea and enteritis [2 years and over] (114)	54	2		2	6	11	9	6	5	4	2	4	3
Puerperal septicemia (146)	32	2	3	3	3		3	6	1	4	1	3	3
Other puerperal causes (143–145, 147–150)	138	13	13	4	14	6	12	14	12	19	12	10	9
Automobile accidents (188c)	84	4	5	6	1	5	3	5	5	9	11	17	13
Other external causes (165–188b, 188d–203)	488	39	35	24	33	103	26	41	39	23	27	52	46
All other causes	4,969	442	410	429	402	406	405	426	386	380	417	418	448

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1923—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
SOUTH CAROLINA (COLORED), all causes	12,386	1,238	990	1,031	1,064	1,090	1,054	1,134	966	895	1,025	887	1,012
Typhoid and paratyphoid fever (1)	207	10		4	4	7	30	38	36	32	26	14	6
Malaria (5)	229	7	9	7	10	18	19	33	33	39	25	16	13
Measles (7)	99	5	10	11	13	20	15	7	4	4	4		6
Scarlet fever (8)	1									1			
Whooping cough (9)	163	9	6	12	11	11	37	18	15	9	12	13	10
Diphtheria (10)	58	4	2	4	2	2		6	11	10	6	5	6
Influenza (11)	602	229	123	86	61	22	7	10	1		9	23	31
Dysentery (16)	138	2		2	7	34	39	24	8	7	7	4	4
Lethargic encephalitis (23)	4					1	1			1	1		
Meningococcus meningitis (24)	2		1				1						
Tuberculosis of the respiratory system (31)	1,291	104	106	116	125	118	117	117	108	89	111	85	95
Other forms of tuberculosis (32-37)	85	5	6	5	8	10	4	7	11	5	10	7	7
Bronchitis (99)	22	2		2	1	1	2	3	1	1	2	4	3
Bronchopneumonia (100)	200	21	22	18	29	13	7	8	9	6	17	17	33
Pneumonia (101)	812	140	106	91	87	68	30	24	26	22	43	70	105
Diarrhea and enteritis [under 2 years] (113)	407	9	7	11	40	57	77	73	39	39	25	19	11
Diarrhea and enteritis [2 years and over] (114)	94	1	3	3	12	12	14	14	8	8	8	4	7
Puerperal septicemia (146)	62	7	2	6	8	5	4	1	5	8	7	4	5
Other puerperal causes (143-145, 147-150)	198	15	9	19	17	24	18	22	14	15	22	14	9
Automobile accidents (188c)	35	4	1	2		3	3	1	3	8	6	3	1
Other external causes (165-188b, 188d-203)	647	69	53	58	47	49	39	56	56	38	53	54	75
All other causes	7,030	595	524	574	582	615	590	672	578	553	631	531	585
TENNESSEE (WHITE), all causes	20,185	2,602	1,882	1,851	1,725	1,449	1,539	1,809	1,527	1,420	1,394	1,495	1,492
Typhoid and paratyphoid fever (1)	327	16	6	8	10	12	23	43	71	45	47	25	21
Malaria (5)	130		1	5	8	9	8	8	24	20	24	19	4
Measles (7)	422	8	31	60	80	83	39	38	17	12	8	24	22
Scarlet fever (8)	30	5	3	5			1	1	1	1	4	3	6
Whooping cough (9)	191	17	9	22	11	11	18	28	13	20	16	14	12
Diphtheria (10)	211	24	13	10	7	8	5	4	9	34	40	33	24
Influenza (11)	1,656	704	354	213	159	53	23	15	7	9	15	38	66
Dysentery (16)	215	6	8	4	4	16	45	69	21	20	11	5	6
Lethargic encephalitis (23)	21	1	1	5	1	2	1	1	1		2	4	2
Meningococcus meningitis (24)	34	3	7		3	4	3	5	3	1	2	3	
Tuberculosis of the respiratory system (31)	2,094	233	212	215	199	160	169	173	157	128	147	159	142
Other forms of tuberculosis (32-37)	258	23	21	14	27	18	17	31	15	29	20	19	24
Bronchitis (99)	60	7	3	10	9	5	2	6	3	1	5	4	5
Bronchopneumonia (100)	674	141	93	83	63	39	15	25	19	26	38	63	69
Pneumonia (101)	908	195	80	137	121	49	33	18	22	28	45	90	90
Diarrhea and enteritis [under 2 years] (113)	698	11	7	12	12	35	152	197	120	72	41	28	11
Diarrhea and enteritis [2 years and over] (114)	297	17	8	5	8	26	52	74	39	33	21	8	6
Puerperal septicemia (146)	102	12	10	13	6	8	4	6	3	6	11	10	13
Other puerperal causes (143-145, 147-150)	209	33	16	17	17	18	16	15	16	17	5	19	20
Automobile accidents (188c)	130	9	8	2	4	9	8	11	11	17	23	16	12
Other external causes (165-188b, 188d-203)	1,217	88	99	105	103	78	94	121	127	105	88	89	120
All other causes	10,301	1,049	892	906	873	806	811	920	828	796	781	822	817
TENNESSEE (COLORED), all causes	8,317	873	758	848	749	663	683	701	653	560	614	583	632
Typhoid and paratyphoid fever (1)	175	8	3	2	6	2	8	30	49	29	18	11	9
Malaria (5)	82	1	1	2	2	3	2	14	20	18	15	1	3
Measles (7)	99	2	7	21	18	23	12	7		4	1	2	2
Scarlet fever (8)	7	1	1	1						1		1	2
Whooping cough (9)	96	8	7	9	8	10	7	11	12	4	9	6	5
Diphtheria (10)	43	2	3	3	1	1	1		5	8	8	8	3
Influenza (11)	660	197	135	122	89	27	14	9	4	8	16	20	19
Dysentery (16)	53		2	1	1	3	13	17	6	5	2		3
Lethargic encephalitis (23)	2	1							1				
Meningococcus meningitis (24)	5			1		1					2	1	
Tuberculosis of the respiratory system (31)	1,136	87	112	90	103	118	124	91	92	71	91	83	74
Other forms of tuberculosis (32-37)	136	13	9	18	12	13	17	13	8	5	9	10	9
Bronchitis (99)	42	6	3	6	6	4	1	1	5	2	5	1	2
Bronchopneumonia (100)	309	46	36	39	36	31	11	13	16	11	19	26	25
Pneumonia (101)	459	84	55	72	61	25	15	13	12	11	28	40	43
Diarrhea and enteritis [under 2 years] (113)	174		1	4	4	9	43	50	31	17	11		4
Diarrhea and enteritis [2 years and over] (114)	74	7	5	6	1	4	15	11	6	3	8	5	3
Puerperal septicemia (146)	50	9	2	6	2	6	4	6	2	4	2	2	5
Other puerperal causes (143-145, 147-150)	63	3	5	9	3	8	7	5	6	1	4	7	5
Automobile accidents (188c)	41	3	1	1	3	5	3	5	5	4	3	2	6
Other external causes (165-188b, 188d-203)	570	46	31	57	46	40	51	48	55	41	56	49	50
All other causes	4,041	349	339	378	347	330	335	357	318	313	307	308	360
UTAH, all causes	4,513	408	376	520	415	377	317	307	328	330	370	342	423
Typhoid and paratyphoid fever (1)	41	1	1			2		3	13	5	7	9	
Malaria (5)													
Measles (7)	5						2	1	1			1	
Scarlet fever (8)	8	2	1	2	1	1		1					
Whooping cough (9)	28		4	4	1	2	3	2	4	4	2		2
Diphtheria (10)	50	6	6	6	5	3	5	3	3	5	2	1	5
Influenza (11)	133	15	18	36	27	11	6	1	1	2	1	7	8
Dysentery (16)	3				1				1	1			
Lethargic encephalitis (23)	9	1	2		1	1					2		2
Meningococcus meningitis (24)	4			1		1			1			1	
Tuberculosis of the respiratory system (31)	139	17	7	19	15	8	16	10	8	6	14	9	10
Other forms of tuberculosis (32-37)	39	2	2	7	5	7	2	2	2	5		3	2
Bronchitis (99)	25	5	2	3	3	1		1	1	2	2	1	4
Bronchopneumonia (100)	193	46	25	27	13	8	6	4	7	6	11	13	27
Pneumonia (101)	202	25	25	37	14	14	12	8	13	2	19	9	24
Diarrhea and enteritis [under 2 years] (113)	109	4	6	3	6	5	4	9	11	36	14	4	7
Diarrhea and enteritis [2 years and over] (114)	20		1	1		1	3	4	4	2	2		2
Puerperal septicemia (146)	23	2	3	2	1	4	1	2	1		1	1	5
Other puerperal causes (143-145, 147-150)	45	3	3	3	7	4	4	5	7	3	2	3	1
Automobile accidents (188c)	60		1	3	3	2	7	6	8	10	8	6	6
Other external causes (165-188b, 188d-203)	395	23	28	34	30	39	29	41	41	32	40	34	24
All other causes	2,982	256	241	332	282	263	217	204	201	209	43	240	294

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1923—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
VERMONT, all causes	5,364	477	598	590	465	507	401	381	391	351	376	382	445
Typhoid and paratyphoid fever (1)	11	2		1	1	1	1	2	1				2
Malaria (5)	2									1			1
Measles (7)	37	2	2		2	10	3	6	1		4	6	1
Scarlet fever (8)	19	5	3	2	1	4			1			2	1
Whooping cough (9)	32	2	4	2	5	4	2	1		2	4	3	3
Diphtheria (10)	39	3	4	2	2	6	1	1	2	4	4	5	5
Influenza (11)	317	36	82	98	35	16	12	5	5	5	5	10	8
Dysentery (16)	7								2	1		2	2
Lethargic encephalitis (23)													
Meningococcus meningitis (24)	3					1				1			1
Tuberculosis of the respiratory system (31)	229	21	17	19	22	23	18	24	14	21	22	9	19
Other forms of tuberculosis (32-37)	62	2	6	5	9	7	10	4	7		4	4	4
Bronchitis (99)	53	8	8	7	6	7	3	4	2	1	3	1	3
Bronchopneumonia (100)	116	9	22	31	6	3	2	3	3	4	10	14	9
Pneumonia (101)	235	35	47	40	13	25	10	12	8	3	11	12	19
Diarrhea and enteritis [under 2 years] (113)	49	3	2	1	3	6	3	1	5	9	7	3	6
Diarrhea and enteritis [2 years and over] (114)	26	1	1		2		2	3	4	5	4	2	2
Puerperal septicemia (146)	11		2		1	1	2	1	2	1	1		
Other puerperal causes (143-145, 147-150)	40	1	5	5	3	4	3	4	2	1	7	3	2
Automobile accidents (188c)	46				1	4	7	7	10	7	5	2	3
Other external causes (165-188b, 188d-203)	283	17	16	19	28	30	29	25	28	22	28	19	22
All other causes	3,747	330	377	358	325	355	293	278	294	263	257	285	332
VIRGINIA (WHITE), all causes	18,773	2,418	1,873	1,919	1,644	1,432	1,475	1,396	1,362	1,211	1,259	1,332	1,452
Typhoid and paratyphoid fever (1)	125	6	2	5	11	7	6	14	22	19	19	7	7
Malaria (5)	9	1	1		1	1	4		1				
Measles (7)	400	8	22	53	95	81	49	28	22	5	11	12	14
Scarlet fever (8)	43	9	6	2	1	1	1	1	4		8	6	4
Whooping cough (9)	182	11	11	20	19	11	20	20	16	17	13	15	9
Diphtheria (10)	272	52	29	21	9	10	4	4	8	29	34	36	36
Influenza (11)	1,274	528	299	233	89	30	15	4	5	7	10	21	33
Dysentery (16)	139	3	1	2	3	7	29	32	24	16	13	7	2
Lethargic encephalitis (23)	15	1	4	2	1	1	2	1	1	2			
Meningococcus meningitis (24)	18	3	1	1	2	1	3	2	2	1	1		1
Tuberculosis of the respiratory system (31)	1,221	135	120	137	111	103	96	98	80	79	84	84	94
Other forms of tuberculosis (32-37)	160	11	12	13	19	16	11	15	13	13	11	12	14
Bronchitis (99)	108	14	15	11	10	4	10	3	6	8	8	10	9
Bronchopneumonia (100)	581	114	86	87	63	30	22	12	17	15	20	52	63
Pneumonia (101)	683	151	107	98	78	58	18	14	15	21	18	40	65
Diarrhea and enteritis [under 2 years] (113)	555	16	9	7	11	13	68	130	124	87	64	17	9
Diarrhea and enteritis [2 years and over] (114)	155	8	3	2	11	12	28	33	19	16	13	4	6
Puerperal septicemia (146)	87	8	7	8	7	6	5	7	5	5	11	6	12
Other puerperal causes (143-145, 147-150)	179	30	18	15	21	13	7	13	12	8	9	15	18
Automobile accidents (188c)	154	10	9	7	10	11	10	14	10	27	14	19	13
Other external causes (165-188b, 188d-203)	1,120	122	96	85	95	89	102	98	90	76	74	91	102
All other causes	11,293	1,177	1,015	1,110	977	927	965	853	866	760	824	878	941
VIRGINIA (COLORED), all causes	11,987	1,321	1,116	1,169	1,021	981	1,068	966	912	844	869	870	850
Typhoid and paratyphoid fever (1)	128	3	4	2	4	8	13	17	24	26	16	8	3
Malaria (5)	36			1	1	2	4	10	4	8	4	1	1
Measles (7)	136	6	11	20	20	20	25	18	8	4	1	2	1
Scarlet fever (8)	2			1	1								
Whooping cough (9)	219	23	11	22	13	12	30	23	25	11	18	18	13
Diphtheria (10)	65	16	9	2		1	3	1	3	6	11	9	4
Influenza (11)	724	224	174	147	75	30	11	5	9	7	11	11	20
Dysentery (16)	73	2	1		1	3	14	26	10	7	3	4	2
Lethargic encephalitis (23)	6			2	3				1				
Meningococcus meningitis (24)	4	1				1	1		1				
Tuberculosis of the respiratory system (31)	1,391	126	115	142	113	133	112	119	113	109	110	90	109
Other forms of tuberculosis (32-37)	129	11	8	15	13	10	15	13	16	10	5	5	8
Bronchitis (99)	71	12	7	7	6	1	7	5	1	7	6	3	9
Bronchopneumonia (100)	395	55	52	45	46	28	24	12	16	15	23	35	44
Pneumonia (101)	536	84	106	73	56	29	17	19	14	17	22	46	53
Diarrhea and enteritis [under 2 years] (113)	396	9	9	9	11	25	76	82	67	48	45	4	11
Diarrhea and enteritis [2 years and over] (114)	82	2	5	2	4	3	20	14	14	10	4	2	2
Puerperal septicemia (146)	61	9	7	4	6	1	9	2	7	2	6	3	5
Other puerperal causes (143-145, 147-150)	151	23	13	15	16	6	14	9	15	12	10	9	9
Automobile accidents (188c)	46	2	2	3	5	5	2	1	3	8	5	6	4
Other external causes (165-188b, 188d-203)	597	47	49	47	49	47	57	46	44	42	42	69	58
All other causes	6,739	666	533	610	578	616	614	544	517	495	527	545	494
WASHINGTON, all causes	13,856	1,197	1,172	1,350	1,234	1,148	1,053	1,103	1,023	1,046	1,147	1,200	1,183
Typhoid and paratyphoid fever (1)	75	3	4	3	7	7	3	8	8	9	15	5	3
Malaria (5)	2						1		1				
Measles (7)	24				1	1	6	2	1			2	11
Scarlet fever (8)	28	5	3	3	2	2		4		2	1	2	4
Whooping cough (9)	76	2	5	12	10	13	13	6	5	3	3	3	1
Diphtheria (10)	99	6	7	6	10	6	6	7	4	8	14	11	14
Influenza (11)	356	24	53	101	67	27	1	7	6	7	15	26	22
Dysentery (16)	22	1	1					1	4	7	4	3	1
Lethargic encephalitis (23)	94	19	26	9	13	3	4	1	4	6	1	1	7
Meningococcus meningitis (24)	17	3	2	2	1		1	2	3		2		1
Tuberculosis of the respiratory system (31)	922	73	69	88	100	99	66	78	58	70	69	80	72
Other forms of tuberculosis (32-37)	191	19	20	22	9	13	15	24	8	19	12	18	12
Bronchitis (99)	61	6	10	4	7	6	2	2	6	2	5	7	4
Bronchopneumonia (100)	356	40	49	53	22	26	21	17	11	12	27	40	38
Pneumonia (101)	501	53	65	63	57	34	22	22	20	15	46	50	54
Diarrhea and enteritis [under 2 years] (113)	122	14	14	4	6	8	7	10	8	16	16	10	9
Diarrhea and enteritis [2 years and over] (114)	46	3	3	1	1	2	3	3	4	9	13	2	2
Puerperal septicemia (146)	79	8	11	7	6	10	6	2	7	4	6	10	2
Other puerperal causes (143-145, 147-150)	89	7	7	16	6	10	5	9	6	3	7	5	8
Automobile accidents (188c)	240	12	8	15	9	24	9	21	22	31	35	24	30
Other external causes (165-188b, 188d-203)	1,420	106	93	93	126	102	146	149	132	107	122	118	126
All other causes	9,036	793	722	848	774	755	716	728	705	716	734	783	762

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1923—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
WISCONSIN, all causes	29,291	2,744	3,159	3,289	2,739	2,446	2,275	1,987	1,977	2,014	2,138	2,192	2,331
Typhoid and paratyphoid fever (1)	61	5	8	6	4		2	5	5	6	5	5	10
Malaria (5)	1									1			
Measles (7)	220	30	35	34	32	27	25	13	1	2	4	5	12
Scarlet fever (8)	236	23	39	40	36	20	16	6	7	7	6	18	18
Whooping cough (9)	168	11	17	29	26	13	16	11	9	7	7	10	12
Diphtheria (10)	359	46	27	36	23	20	20	26	17	29	35	43	37
Influenza (11)	963	85	308	293	118	56	17	12	4	6	12	20	32
Dysentery (16)	24	1	2	4		1	3	2		4	5	2	
Lethargic encephalitis (23)	43	2	9	8	2	5	2	4	3	3		2	3
Meningococcus meningitis (24)	12		1	3	1	1	2		1	2			1
Tuberculosis of the respiratory system (31)	1,542	122	128	158	156	146	147	117	116	112	111	115	114
Other forms of tuberculosis (32-37)	294	24	20	32	26	29	30	19	30	14	31	18	21
Bronchitis (99)	288	35	63	46	30	16	11	12	9	9	14	16	27
Bronchopneumonia (100)	1,077	156	195	180	112	67	55	30	26	37	55	69	95
Pneumonia (101)	1,577	208	289	237	171	148	77	37	32	55	78	113	132
Diarrhea and enteritis [under 2 years] (113)	575	38	59	43	49	44	39	38	56	64	75	39	31
Diarrhea and enteritis [2 years and over] (114)	144	7	9	8	7	8	13	11	18	34	15	8	6
Puerperal septicemia (146)	135	12	18	15	17	15	8	6	11	8	5	9	11
Other puerperal causes (143-145, 147-150)	207	13	19	31	21	9	22	19	22	14	12	9	16
Automobile accidents (188c)	292	10	4	7	17	20	29	36	40	28	36	28	37
Other external causes (165-188b, 188d-203)	1,689	115	116	109	118	128	187	194	163	139	127	143	150
All other causes	19,384	1,801	1,793	1,970	1,773	1,673	1,554	1,389	1,407	1,433	1,505	1,520	1,566
WYOMING, all causes	2,180	180	174	208	157	181	150	175	273	175	168	163	176
Typhoid and paratyphoid fever (1)	15	2					1	1	3	5	2	1	
Malaria (5)	2										2		
Measles (7)	30	1			5	4	3	6				2	9
Scarlet fever (8)	5		2	2									1
Whooping cough (9)	23	3	1	6	2		1	1	4	2	1	1	1
Diphtheria (10)	11		3	2		1	2				1		2
Influenza (11)	68	5	18	18	13	3	2		1		1	5	2
Dysentery (16)	8							2	3	2	1		
Lethargic encephalitis (23)	2						1			1			
Meningococcus meningitis (24)	2						1					1	
Tuberculosis of the respiratory system (31)	62	6	4	2	6	11	10	7	4	3	1	3	5
Other forms of tuberculosis (32-37)	15		2	2	2	2	1	1			2	2	1
Bronchitis (99)	6	1		1				2	2				
Bronchopneumonia (100)	87	13	21	15	4	8	3	1	2	3	7	3	7
Pneumonia (101)	95	15	11	21	8	11	2	2	2	3	5	8	7
Diarrhea and enteritis [under 2 years] (113)	47	2	3	4	2	3	5	4	11	9	1	2	1
Diarrhea and enteritis [2 years and over] (114)	15			1				2	2	8	2		
Puerperal septicemia (146)	6	1	1					1	3				
Other puerperal causes (143-145, 147-150)	30	2	3	5		6	1	1	4	1	2	2	3
Automobile accidents (188c)	51			2		4	6	10	6	6	5	5	7
Other external causes (165-188b, 188d-203)	430	23	14	11	22	20	18	40	135	37	45	30	35
All other causes	1,170	106	91	116	93	108	93	94	91	95	90	98	95

NOTE.—Populations are shown in Table 1A.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1923

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List. The cities included are those of 100,000 population or more in 1920. Cities shown by color are those with a minimum of 25,000 colored population on Jan. 1, 1920]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
BIRMINGHAM, ALA. (WHITE), all causes	1,429	128	89	123	150	111	130	128	110	108	111	115	126
Typhoid and paratyphoid fever (1)	7	1		2		1		1				1	1
Malaria (5)	2										1	1	
Measles (7)	16				3	5	4	3			1		
Scarlet fever (8)	2										1	1	
Whooping cough (9)	10	1	1		3		4	1					
Diphtheria (10)	11	1		1			1	1	1	1	1	3	1
Influenza (11)	59	18	3	5	10	3			1	1	3	7	8
Dysentery (16)	1							1					
Lethargic encephalitis (23)	2			2									
Meningococcus meningitis (24)	1											1	
Tuberculosis of the respiratory system (31)	45	4	2	4	9	5	2	2	2	5	2	2	6
Other forms of tuberculosis (32–37)	11	1	1	3	1		1	1			1	1	1
Bronchitis (99)	5	1	1							1		1	1
Bronchopneumonia (100)	27	4	3	7	2	2	3				1		5
Pneumonia (101)	85	11	4	15	18	3	6	3	3	4	4	7	7
Diarrhea and enteritis [under 2 years] (113)	61	2	1	1		5	9	15	10	7	5	3	3
Diarrhea and enteritis [2 years and over] (114)	10			1		1	5	2					1
Puerperal septicemia (146)	10					1	3	1			1	1	3
Other puerperal causes (143–145, 147–150)	28	3	1	1	4	1	2	3	3	3	3	3	1
Automobile accidents (188c)	36	4	2	4	7	2	1	4	4		3	3	2
Other external causes (165–188b, 188d–203)	134	13	8	10	14	13	6	11	21	11	11	12	4
All other causes	866	64	62	67	79	69	83	79	65	75	73	68	82
BIRMINGHAM, ALA. (COLORED), all causes	1,624	139	125	143	150	119	152	150	135	124	124	128	135
Typhoid and paratyphoid fever (1)	8				1		1	2	3	1			
Malaria (5)	5	1		1			2		1				
Measles (7)	15			1		3	7	4					
Scarlet fever (8)													
Whooping cough (9)	31	1	2	5	5	1	7	1	4	2	1	1	1
Diphtheria (10)	1		1										
Influenza (11)	50	11	7	9	5	2	2	1	1	3	3	5	1
Dysentery (16)	4				1			2	1				
Lethargic encephalitis (23)	1				1								
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	174	18	15	16	15	11	14	14	16	12	16	10	17
Other forms of tuberculosis (32–37)	31	4	3	3	3	2	1	2	4	2	1	2	4
Bronchitis (99)	6	1	1	1			1		1			1	
Bronchopneumonia (100)	55	5	4	2	6	6	6	7	4	3	5	5	2
Pneumonia (101)	161	16	17	20	24	14	8	6	4	7	7	21	17
Diarrhea and enteritis [under 2 years] (113)	38		1		1	3	8	9	7	4		4	1
Diarrhea and enteritis [2 years and over] (114)	8	1		1			1	2	1	1	1		
Puerperal septicemia (146)	9			2	1	2	1	2				1	
Other puerperal causes (143–145, 147–150)	14	1	2	2	3	1	2	1	1				1
Automobile accidents (188c)	13		1	2			1	1	1	2	1	2	2
Other external causes (165–188b, 188d–203)	150	4	15	13	10	13	15	18	11	13	16	14	8
All other causes	850	76	56	65	74	61	75	78	75	74	73	62	81
LOS ANGELES, CALIF. (WHITE), all causes	10,123	902	867	946	783	845	786	733	742	779	851	886	1,003
Typhoid and paratyphoid fever (1)	28				3	3	4	2	3	4	2	4	3
Malaria (5)	1								1				
Measles (7)	54	2	5	10	6	9	8	8	4		1		1
Scarlet fever (8)	25	2	2	3	2	4	3	1	2	1	1	3	1
Whooping cough (9)	32	8		4	2	6	2	4	2		1	2	1
Diphtheria (10)	123	14	9	9	13	13	4	12	2	10	10	10	17
Influenza (11)	88	10	17	26	6	4	3	1	1	1	3	5	11
Dysentery (16)	21	1			2	3	3	2	4	2	1	1	2
Lethargic encephalitis (23)	11	3	1	1	3	2	1						
Meningococcus meningitis (24)	10	3		2	2			2		1			
Tuberculosis of the respiratory system (31)	978	90	71	93	87	67	76	80	68	83	74	96	93
Other forms of tuberculosis (32–37)	131	12	9	8	12	19	4	9	17	11	7	12	11
Bronchitis (99)	84	10	11	8	9	12	3	4	2	4	3	7	11
Bronchopneumonia (100)	339	44	46	54	23	32	18	19	13	14	24	23	29
Pneumonia (101)	280	31	41	33	25	19	12	19	15	12	20	17	36
Diarrhea and enteritis [under 2 years] (113)	285	17	5	10	19	47	35	22	15	31	30	40	14
Diarrhea and enteritis [2 years and over] (114)	48	3	1	1	2	2	2	7	2	9	7	8	4
Puerperal septicemia (146)	50	5	7	3	7	2	6	5	5	4	1	3	2
Other puerperal causes (143–145, 147–150)	62	2	3	3	4	11	3	7	5	7	8	4	5
Automobile accidents (188c)	207	23	16	13	9	19	19	10	12	17	24	21	24
Other external causes (165–188b, 188d–203)	772	58	70	63	48	68	68	58	53	65	78	52	91
All other causes	6,494	564	553	602	499	503	512	461	516	503	556	578	647
LOS ANGELES, CALIF. (COLORED), all causes	627	52	55	60	47	57	42	64	49	48	58	42	53
Typhoid and paratyphoid fever (1)	1										1		
Malaria (5)	1											1	
Measles (7)	2			1	1								
Scarlet fever (8)													
Whooping cough (9)	5	1		1	1	1			1				
Diphtheria (10)	4			1	1			1					1
Influenza (11)	8	2	2		1	1	1			1			
Dysentery (16)	1												1
Lethargic encephalitis (23)	1								1				
Meningococcus meningitis (24)	2					1				1			
Tuberculosis of the respiratory system (31)	98	8	8	9	10	11	7	13	8	6	4	6	8
Other forms of tuberculosis (32–37)	23	2	1	5		1	4	3	3	1	2	1	
Bronchitis (99)	3	3											
Bronchopneumonia (100)	30	3	7	3	4	2	2	3	1	1	1	2	1
Pneumonia (101)	23	3	4	3	2	1	1	1	2		3	1	2
Diarrhea and enteritis [under 2 years] (113)	23		1	3	3	3	1	2	1	5	1	2	1
Diarrhea and enteritis [2 years and over] (114)	9	2					1	1		2	2	1	
Puerperal septicemia (146)	5		1					1	1	1			1
Other puerperal causes (143–145, 147–150)	6		1		1		1			2	1		
Automobile accidents (188c)	17	1	2	3		2	2	2		1	1	1	2
Other external causes (165–188b, 188d–203)	47	3	5	4	4	4	4	1	3	1	10	1	7
All other causes	318	24	23	27	19	30	18	36	28	26	32	26	29

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1923—Continued

[See note at head of this table, p. 398]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
OAKLAND, CALIF., all causes	2,604	245	265	221	215	235	189	167	202	194	206	229	236
Typhoid and paratyphoid fever (1)	8		1	1	1	2	2						1
Malaria (5)													
Measles (7)	23	1	2	3	7	3	2	5					
Scarlet fever (8)	4		1		1	2							
Whooping cough (9)	16	1	4	2	3		2	3					1
Diphtheria (10)	62	3	3	2	5	6	5	1	3	8	8	7	11
Influenza (11)	48	7	14	9	2	5	2	1	1	1	3	1	2
Dysentery (16)	1							1					
Lethargic encephalitis (23)	1		1										
Meningococcus meningitis (24)	2					1			1				
Tuberculosis of the respiratory system (31)	118	13	10	12	11	15	10	7	8	12	8	6	6
Other forms of tuberculosis (32-37)	27	2	3	3	7	3	1	3	1	3		1	
Bronchitis (99)	33	5	7	3	4	3	1	1	1	1	4		3
Bronchopneumonia (100)	65	9	15	7	6	2	5	2		2	5	2	10
Pneumonia (101)	95	11	23	8	3	6	7	1	7	2	9	12	6
Diarrhea and enteritis [under 2 years] (113)	40	2	1	4	2	5	3	1	5	5	6	2	4
Diarrhea and enteritis [2 years and over] (114)	7		1	1		2	1			2			
Puerperal septicemia (146)	7					1		1	3			1	1
Other puerperal causes (143-145, 147-150)	8			1	1						2	2	2
Automobile accidents (188c)	50	5	1	4	2	3	3	6	7	5	3	8	3
Other external causes (165-188b, 188d-203)	192	17	14	19	9	21	14	18	10	22	16	14	18
All other causes	1,797	169	164	142	151	155	131	116	155	131	142	173	168
SAN FRANCISCO, CALIF., all causes	7,318	687	688	680	621	573	528	533	532	573	567	629	707
Typhoid and paratyphoid fever (1)	17		1		2	3		1	2		2	3	3
Malaria (5)	1									1			
Measles (7)	26		2	1	2	3	2	6		1	3	4	2
Scarlet fever (8)	14	3	1	2		1	1	2	1		1		2
Whooping cough (9)	29	2	2	6	1	4	4	4	3	1		1	1
Diphtheria (10)	152	13	7	7	17	11	7	10	9	17	8	19	27
Influenza (11)	93	4	31	35	4		4		1	1	2	4	7
Dysentery (16)	8		1		1			1	1	2	1	1	
Lethargic encephalitis (23)	21	2	3	1	2	2	2	3	2	1		2	1
Meningococcus meningitis (24)	15	1		2	2		1	3	1		1	3	1
Tuberculosis of the respiratory system (31)	572	58	60	58	61	50	36	34	35	43	35	40	62
Other forms of tuberculosis (32-37)	108	10	12	10	11	7	7	8	9	5	14	7	8
Bronchitis (99)	39	3	8	4	2	3	2	3	1	5	3	1	4
Bronchopneumonia (100)	259	52	48	23	10	13	7	8	13	14	14	23	34
Pneumonia (101)	309	30	47	37	23	24	19	15	13	19	11	20	51
Diarrhea and enteritis [under 2 years] (113)	49	3	1	3		3	2	6	3	7	10	5	6
Diarrhea and enteritis [2 years and over] (114)	31	5	1	3	1	2	2	6	4		2	3	2
Puerperal septicemia (146)	18	1		1	1	1	1	3	2	4	2	2	
Other puerperal causes (143-145, 147-150)	34	5	2		1	3	3	5	3	4	2	2	4
Automobile accidents (188c)	107	13	7	12	6	12	4	11	8	3	5	9	17
Other external causes (165-188b, 188d-203)	534	60	40	41	46	40	51	45	32	42	40	45	52
All other causes	4,882	422	414	434	428	391	373	359	389	403	411	435	423
DENVER, COLO., all causes	3,997	401	394	407	338	331	321	279	276	294	311	295	350
Typhoid and paratyphoid fever (1)	15		1			1	1	2	3	5	2		
Malaria (5)													
Measles (7)	42		1		4	23	13				1		
Scarlet fever (8)	3				1			1		1			
Whooping cough (9)	33	4	2	1	4	8	4	5	3		1		1
Diphtheria (10)	80	10	15	7	4	8	9	6	2	8	3	2	6
Influenza (11)	143	16	40	42	16	9	2	1		2	3	2	10
Dysentery (16)	2								2				
Lethargic encephalitis (23)	4				2						2		
Meningococcus meningitis (24)	2				1						1		
Tuberculosis of the respiratory system (31)	528	52	47	57	51	38	39	45	28	42	33	46	50
Other forms of tuberculosis (32-37)	42	5	1	4	2	4	4	4	4	2	3	5	4
Bronchitis (99)	18		1	8	1			1	2	1	2		2
Bronchopneumonia (100)	128	27	19	15	10	13	2	5	2	4	7	8	16
Pneumonia (101)	255	38	42	27	22	20	13	9	8	10	9	31	26
Diarrhea and enteritis [under 2 years] (113)	76	1	2	1	1	3	3	4	17	26	9	7	2
Diarrhea and enteritis [2 years and over] (114)	12	1	2			1	1	1	3	1	1		1
Puerperal septicemia (146)	20	2	4	1		1	3	2	5		1	1	
Other puerperal causes (143-145, 147-150)	35	2		6	2	5	5	3	3		3	2	4
Automobile accidents (188c)	45	6	3	1	1	3	8	2	6	3	2	7	3
Other external causes (165-188b, 188d-203)	222	23	22	22	26	7	23	19	23	14	8	13	22
All other causes	2,292	214	192	215	190	187	191	169	165	175	220	171	203
BRIDGEPORT, CONN., all causes	1,642	180	157	182	185	133	116	101	103	115	123	120	127
Typhoid and paratyphoid fever (1)	2				1						1		
Malaria (5)													
Measles (7)	43	1	12	15	11	2			1		1		
Scarlet fever (8)	4		1	2		1							
Whooping cough (9)	18		1	2	5	5	2	1		2			
Diphtheria (10)	27	6	1	3	4	3	2	1		1	1	2	3
Influenza (11)	35	13	2	5	4	2		1	1			5	2
Dysentery (16)													
Lethargic encephalitis (23)	7		3	2		1	1						
Meningococcus meningitis (24)	7	1	2	1	1	1						1	
Tuberculosis of the respiratory system (31)	113	11	10	17	9	8	8	11	10	6	5	9	9
Other forms of tuberculosis (32-37)	15	3	1		2	2	1	1	4			1	
Bronchitis (99)	3	2									1		
Bronchopneumonia (100)	68	12	9	5	10	10	1	4	2	2	1	3	9
Pneumonia (101)	91	25	11	15	8	9	2	3	1	3	1	9	4
Diarrhea and enteritis [under 2 years] (113)	26	1	2	3			4		5	3	2	5	1
Diarrhea and enteritis [2 years and over] (114)	9		1	1		1				1	1	4	
Puerperal septicemia (146)	8	1	2	3	1								1
Other puerperal causes (143-145, 147-150)	12		3	2			2	1	1	1	1		1
Automobile accidents (188c)	23	1	1	1	1		1	1	5	4	4	1	3
Other external causes (165-188b, 188d-203)	114	9	10	10	10	10	10	11	8	8	11	10	7
All other causes	1,017	94	85	95	118	78	82	66	65	84	93	70	87

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1923—Continued

[See note at head of this table, p. 398]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
HARTFORD, CONN., all causes	1,992	206	227	242	180	188	153	130	149	131	107	135	144
Typhoid and paratyphoid fever (1)	5							1	1	1		1	1
Malaria (5)													
Measles (7)	3		1			2							
Scarlet fever (8)	6	1	1	1			3						
Whooping cough (9)	11		2	4	2	2	1						
Diphtheria (10)	29	5	1	7		3	5	2		1		3	2
Influenza (11)	20	3	13	2		2							
Dysentery (16)													
Lethargic encephalitis (23)	11	1		1	1	1	2	2		1		2	
Meningococcus meningitis (24)	3	2	1										
Tuberculosis of the respiratory system (31)	90	2	5	2	12	12	10	9	4	7	6	4	17
Other forms of tuberculosis (32-37)	28	1	2	6	3	4	1		2	2	5	1	1
Bronchitis (99)	14	1	2	4	2	1	1		2			1	
Bronchopneumonia (100)	106	19	30	13	10	5	1	6	3	7	4	4	4
Pneumonia (101)	95	16	13	9	13	12	6	3	4	1	5	5	8
Diarrhea and enteritis [under 2 years] (113)	51	2	1	4	1	12	2	3	9	6	6	1	4
Diarrhea and enteritis [2 years and over] (114)	7		1			1			5				
Puerperal septicemia (146)	8	1	1	1			1	1					3
Other puerperal causes (143-145, 147-150)	15	2		1	2	1	1	1	2			2	3
Automobile accidents (188c)	40			2	4	5	5	3	3	5	3	8	2
Other external causes (165-188b, 188d-203)	137	11	15	18	8	10	14	10	9	10	12	7	13
All other causes	1,313	139	138	167	122	115	100	89	105	90	66	96	86
NEW HAVEN, CONN., all causes	2,181	244	241	229	197	157	148	140	138	166	175	171	175
Typhoid and paratyphoid fever (1)	10			1				1	1	4	3		
Malaria (5)													
Measles (7)	10	4	1		3	2							
Scarlet fever (8)	8			1						1		5	1
Whooping cough (9)	9	2	1		1			1	2	1		1	
Diphtheria (10)	19	2	3		2				1	1	2	3	5
Influenza (11)	48	4	15	18	2	3	1				1	3	1
Dysentery (16)	6							2	2	1	1		
Lethargic encephalitis (23)	17	1	3	5	3	1	1	1			2		
Meningococcus meningitis (24)	3	1		2									
Tuberculosis of the respiratory system (31)	75	2	10	3	8	4	11	6	5	6	6	6	8
Other forms of tuberculosis (32-37)	33	5	6	2	1	6	2	1	2	2	2	2	2
Bronchitis (99)	7	3	1	1				1					1
Bronchopneumonia (100)	114	19	18	15	20	8	1	5	6	4	8	3	7
Pneumonia (101)	144	22	28	20	16	13	3	2	5	5	3	11	16
Diarrhea and enteritis [under 2 years] (113)	39	1	2	1	2	1	4	8	9	4	4		3
Diarrhea and enteritis [2 years and over] (114)	3			1	1							1	
Puerperal septicemia (146)	16	3	1	3	4				2	1		1	1
Other puerperal causes (143-145, 147-150)	12	2				2	4	1			1	2	
Automobile accidents (188c)	28	1			2		6	4	3	1	5	5	1
Other external causes (165-188b, 188d-203)	149	20	15	10	17	5	10	13	10	9	13	14	13
All other causes	1,431	152	137	146	115	112	105	94	90	126	124	114	116
WILMINGTON, DEL., all causes	1,550	185	200	148	139	122	97	98	109	92	108	113	139
Typhoid and paratyphoid fever (1)	4							1	1	1	1		
Malaria (5)													
Measles (7)	40	11	12	10	5	1	1						
Scarlet fever (8)	11	2	2	1			1		1		2	1	1
Whooping cough (9)	9	1	3		1	1						2	1
Diphtheria (10)	19	3	2	2	2	3		1	1	1		2	2
Influenza (11)	35	12	9	8	2	1				1	1		1
Dysentery (16)	2		1						1				
Lethargic encephalitis (23)	3	1			1						1		
Meningococcus meningitis (24)	1								1				
Tuberculosis of the respiratory system (31)	72	7	11	10	8	5	4	8	3	7	2	1	6
Other forms of tuberculosis (32-37)	15	1	2	1		2	1	1	1	1	1	1	3
Bronchitis (99)	12	1	1		1	2			1	1		5	
Bronchopneumonia (100)	82	11	15	17	5	8	4	2		1	1	5	13
Pneumonia (101)	107	22	28	10	9	6	1		2	5	5	10	9
Diarrhea and enteritis [under 2 years] (113)	57	1	4	1	1	1	3	3	18	5	9	4	7
Diarrhea and enteritis [2 years and over] (114)	10		2		1	1	2	2	1				1
Puerperal septicemia (146)	15	2	1			1	2	1	1	1	1	3	2
Other puerperal causes (143-145, 147-150)	6		1		1	1	1			1	1		
Automobile accidents (188c)	29	2	3	3		6	2	3	1	1	1	3	4
Other external causes (165-188b, 188d-203)	86	10	13	7	7	9	6	6	7	4	4	11	2
All other causes	935	98	90	78	95	74	69	70	69	62	78	65	87
WASHINGTON, D. C. (WHITE), all causes	4,437	535	508	479	387	345	296	282	295	271	345	340	354
Typhoid and paratyphoid fever (1)	20	1					2	1	4	3	3	5	1
Malaria (5)													
Measles (7)	31		1	12	7	4	6	1					
Scarlet fever (8)	12	3		3		3			1		1	1	
Whooping cough (9)	20	5	2	1	3	1	2	2	2				2
Diphtheria (10)	37	8	2	2	3	2	1		2	1	7	5	4
Influenza (11)	98	31	27	20	5	2	1	1	1	4	1	2	3
Dysentery (16)	3							2			1		
Lethargic encephalitis (23)	9	1	2	1	1	1					1		2
Meningococcus meningitis (24)	3			2								1	
Tuberculosis of the respiratory system (31)	243	22	21	24	27	21	17	17	20	18	20	14	22
Other forms of tuberculosis (32-37)	42	3	2	8	3	1	3	3	4	6	3	2	4
Bronchitis (99)	25	5	6	5	2		1		1	2	1	1	1
Bronchopneumonia (100)	182	33	51	32	11	13	5	7	6	1	7	9	7
Pneumonia (101)	213	45	50	31	17	12	9	5	5	4	7	16	12
Diarrhea and enteritis [under 2 years] (113)	93	3	2	4	3	4	4	3	18	23	19	8	2
Diarrhea and enteritis [2 years and over] (114)	20		3	2	2	1	3	1	3	2	2		1
Puerperal septicemia (146)	24	3	1	1		7		1	2	2	1	2	4
Other puerperal causes (143-145, 147-150)	33	3	4	1	2	6	2	1	4	4	2	2	2
Automobile accidents (188c)	60	10	1	2	3	2	4	7	6	2	9	7	7
Other external causes (165-188b, 188d-203)	247	23	17	27	22	24	15	14	22	20	19	16	28
All other causes	3,022	336	316	301	276	241	221	216	194	179	241	249	252

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1923—Continued

[See note at head of this table, p. 398]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
WASHINGTON, D. C. (COLORED), all causes	2,668	276	314	270	234	190	205	198	230	150	197	216	188
Typhoid and paratyphoid fever (1)	8						2		1	3		1	1
Malaria (5)	2								1	1			
Measles (7)	11		1	3	4	2	1						
Scarlet fever (8)	3				1	1					1		
Whooping cough (9)	20	2	2	3	1	1		3		2	2	2	2
Diphtheria (10)	6	1								1	1	2	1
Influenza (11)	70	12	22	17	9	3	3		1			1	2
Dysentery (16)	6	1						1		2		2	
Lethargic encephalitis (23)	4		1		1	1					1		
Meningococcus meningitis (24)	4	1		1					1			1	
Tuberculosis of the respiratory system (31)	272	25	17	26	18	33	16	27	27	16	19	27	21
Other forms of tuberculosis (32-37)	31		2	6	1	2	2	6		1	7	2	2
Bronchitis (99)	23	5	4	3	6	2	2				1		
Bronchopneumonia (100)	254	33	31	33	26	21	19	11	10	18	18	15	19
Pneumonia (101)	203	43	34	30	20	13	11	8	7	8	8	11	10
Diarrhea and enteritis [under 2 years] (113)	47			1	2	1	4	8	17	5	7	2	
Diarrhea and enteritis [2 years and over] (114)	19			1		1	3	6	4	1	1	1	1
Puerperal septicemia (146)	14	2	1		2	1		2	2	1	1	1	1
Other puerperal causes (143-145, 147-150)	20	1	1	2	1	2	1	1	1	3	3	3	1
Automobile accidents (188c)	26		1		5	1	2	6	2	3	1	3	2
Other external causes (165-188b, 188d-203)	111	10	14	11	15	7	8	8	8	3	9	9	9
All other causes	1,514	140	183	133	122	98	131	111	148	82	117	133	116
ATLANTA, GA. (WHITE), all causes	2,088	216	167	174	180	149	154	191	146	170	156	192	193
Typhoid and paratyphoid fever (1)	14	1				2		1	2	4		2	2
Malaria (5)	1										1		
Measles (7)	46				2	8	14	7	3	3		2	7
Scarlet fever (8)	1			1									
Whooping cough (9)	20			4	2	4	2	3	4		1		
Diphtheria (10)	19				2		1	2	1	2	5	4	2
Influenza (11)	72	28	13	6	10	1		2		1	5	2	4
Dysentery (16)	13					1	5	7					
Lethargic encephalitis (23)	4	1					2			1			
Meningococcus meningitis (24)	4								1	1	1	1	
Tuberculosis of the respiratory system (31)	97	10	9	10	10	4	6	7	6	11	6	9	9
Other forms of tuberculosis (32-37)	11	1	1		3					1	2	2	1
Bronchitis (99)	4	1	1		1					1			
Bronchopneumonia (100)	70	15	9	7	6	1	3	4	3	1	4	6	11
Pneumonia (101)	85	13	13	9	10		4	7	3	2	5	14	5
Diarrhea and enteritis [under 2 years] (113)	73	2		1	1	10	9	22	11	9	2	4	2
Diarrhea and enteritis [2 years and over] (114)	12	2	1	1			2	1	1	1	2		1
Puerperal septicemia (146)	20	1	3			1	4	1	2	2	1	4	1
Other puerperal causes (143-145, 147-150)	31	4	2	3	3		2	2	4	3	2	3	3
Automobile accidents (188c)	37	3	1	1	2	1	4	3	3	1	4	3	11
Other external causes (165-188b, 188d-203)	136	12	4	11	8	14	12	8	11	16	10	14	16
All other causes	1,318	122	110	120	120	102	84	114	91	110	105	122	118
ATLANTA, GA. (COLORED), all causes	1,937	194	136	150	155	152	180	205	150	140	154	163	158
Typhoid and paratyphoid fever (1)	32	2	1	1	2		3	5	7	6	3	1	1
Malaria (5)	1										1		
Measles (7)	26				2		1	10	6	1	2	1	3
Scarlet fever (8)	1					1							
Whooping cough (9)	41	4	3	4	5	3	6	5	3	3	2		3
Diphtheria (10)	9	1	2	1		2				1	2		
Influenza (11)	96	36	11	10	4	6	1	3	1	3	3	10	8
Dysentery (16)	20		1			2	6	4	1	2	2	1	1
Lethargic encephalitis (23)													
Meningococcus meningitis (24)	3					2							1
Tuberculosis of the respiratory system (31)	125	7	5	11	16	18	11	10	9	6	13	11	8
Other forms of tuberculosis (32-37)	25	2	1	4	2		3	3	3	1	2	1	3
Bronchitis (99)	16		2		1	2	1	2	1	1	3	3	
Bronchopneumonia (100)	93	13	9	6	12	6	4	8	7	4	7	5	12
Pneumonia (101)	155	30	9	16	6	6	8	11	6	12	13	21	17
Diarrhea and enteritis [under 2 years] (113)	62	1		2	4	3	14	19	9	4	3	2	1
Diarrhea and enteritis [2 years and over] (114)	28	1		2	3	2	4	5	5	4	1		1
Puerperal septicemia (146)	18	3	1	2		2	2		1	3	1	2	1
Other puerperal causes (143-145, 147-150)	19	1	2	2	3	2	3			2	1	2	1
Automobile accidents (188c)	18	2	1	1	1				3	1	3	4	2
Other external causes (165-188b, 188d-203)	139	15	11	13	12	10	11	13	4	10	16	12	12
All other causes	1,010	76	77	75	82	85	102	107	84	76	76	87	83
CHICAGO, ILL. (WHITE), all causes	30,595	2,898	3,396	3,272	2,919	2,646	2,234	2,063	2,050	2,119	2,248	2,278	2,472
Typhoid and paratyphoid fever (1)	50			1	1	2		5	5	4	2	7	23
Malaria (5)	4	2		1									1
Measles (7)	187	17	15	28	37	48	29	7	3	2			1
Scarlet fever (8)	85	11	12	16	6	11	4	1	5	2	3	4	10
Whooping cough (9)	105	25	31	21	4	4	3	2	5	4	1	2	3
Diphtheria (10)	352	64	37	33	27	19	14	17	22	14	27	43	35
Influenza (11)	438	44	175	92	45	16	6	8	2	2	7	11	30
Dysentery (16)	6				1			1	3	1			
Lethargic encephalitis (23)	22	2	3	1	2	1	5	1	1	1		2	3
Meningococcus meningitis (24)	29	3	1	4	7	2	2	2	3		1	2	2
Tuberculosis of the respiratory system (31)	1,661	150	151	174	151	172	150	115	127	114	119	128	110
Other forms of tuberculosis (32-37)	257	18	24	19	32	27	21	23	14	20	20	23	16
Bronchitis (99)	355	49	65	53	39	23	24	10	13	14	24	19	22
Bronchopneumonia (100)	1,224	163	243	197	157	111	40	37	37	44	51	70	74
Pneumonia (101)	1,682	211	300	234	200	160	85	54	42	67	74	122	133
Diarrhea and enteritis [under 2 years] (113)	1,092	81	83	94	82	69	53	65	127	147	143	90	58
Diarrhea and enteritis [2 years and over] (114)	104	8	3	6	9	2	9	15	19	13	6	6	8
Puerperal septicemia (146)	131	10	10	13	8	15	6	5	12	16	9	13	14
Other puerperal causes (143-145, 147-150)	157	14	15	13	16	11	13	11	11	9	16	15	13
Automobile accidents (188c)	554	46	30	42	48	55	38	52	46	53	46	47	51
Other external causes (165-188b, 188d-203)	2,092	189	149	203	176	165	189	178	169	165	173	159	177
All other causes	20,008	1,791	2,049	2,027	1,871	1,733	1,543	1,454	1,384	1,427	1,526	1,515	1,688

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1923—Continued

[See note at head of this table, p. 398]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
CHICAGO, ILL. (COLORED), all causes	3,169	314	269	271	317	303	277	216	200	242	218	247	295
Typhoid and paratyphoid fever (1)	8					1		2	1	2	1	1	
Malaria (5)													
Measles (7)	33	2	1	4	9	12	1	3		1			
Scarlet fever (8)	1							1					
Whooping cough (9)	42	3	3	5	8	3	5	3	5	3	1		3
Diphtheria (10)	20	4		1	1	1		2		1	5	2	3
Influenza (11)	37	5	9	7	4	5					1	3	3
Dysentery (16)	3				2					1			
Lethargic encephalitis (23)	4	1	1	1	1								
Meningococcus meningitis (24)	1	1											
Tuberculosis of the respiratory system (31)	354	20	26	26	34	40	45	34	24	27	21	26	31
Other forms of tuberculosis (32-37)	68	4	5	5	5	3	5	11	8	7	5	3	7
Bronchitis (99)	27	3	3	3	3	6	1			1	2	1	4
Bronchopneumonia (100)	201	27	37	12	28	25	14	4	10	10	10	9	15
Pneumonia (101)	305	47	31	35	43	31	28	9	8	13	9	19	32
Diarrhea and enteritis [under 2 years] (113)	81	5	6	7	8	9	7	5	10	12	2	7	3
Diarrhea and enteritis [2 years and over] (114)	10		1					2	1	2	1	2	1
Puerperal septicemia (146)	22		3	4	1	1	4	2		1	2	2	2
Other puerperal causes (143-145, 147-150)	16		2	1	3	3	1	1		2	1		2
Automobile accidents (188c)	35	3	2	4	2	3	3	4	5	1	1	6	1
Other external causes (165-188b, 188d-203)	254	22	11	20	17	21	30	18	20	18	19	21	37
All other causes	1,647	167	128	136	148	139	133	115	108	140	137	145	151
INDIANAPOLIS, IND. (WHITE), all causes	4,148	384	436	448	354	328	316	313	303	305	302	336	323
Typhoid and paratyphoid fever (1)	9	2					1		1	2	1	1	1
Malaria (5)	1								1				
Measles (7)	26			2	6	10	7		1				
Scarlet fever (8)	2			2									
Whooping cough (9)	34	2	3	6	5	4	6	1	4		1		2
Diphtheria (10)	43	8	4	6	2	5	1		2		8	5	2
Influenza (11)	140	15	52	38	14	4	2	2	2	1	1	5	4
Dysentery (16)	5							1	1	3			
Lethargic encephalitis (23)	9	1	1	2	2			1		1	1		
Meningococcus meningitis (24)	3	1			1								1
Tuberculosis of the respiratory system (31)	213	23	26	16	20	20	20	18	14	15	14	14	13
Other forms of tuberculosis (32-37)	43		3	6	5	5	6	2	2	5	3	4	2
Bronchitis (99)	15	1	4		3	2					1	1	3
Bronchopneumonia (100)	138	19	39	25	11	8	2	4	3	3	9	8	7
Pneumonia (101)	181	28	29	25	22	14	8	6	3	7	4	19	16
Diarrhea and enteritis [under 2 years] (113)	128	8	3	3	6	6	3	16	24	28	19	7	5
Diarrhea and enteritis [2 years and over] (114)	29	1		2	2		2	7	10	2	1	1	1
Puerperal septicemia (146)	22	4	2	1	2	2	4	1			2	2	2
Other puerperal causes (143-145, 147-150)	20	1		2	3	3	2	2	1	2			4
Automobile accidents (188c)	52	3	1		7	2	3	6	4	8	4	7	7
Other external causes (165-188b, 188d-203)	212	15	15	20	16	17	18	21	21	20	10	17	22
All other causes	2,823	252	254	292	227	226	231	225	209	208	223	245	231
INDIANAPOLIS, IND. (COLORED), all causes	778	65	69	80	58	58	71	68	61	68	61	58	61
Typhoid and paratyphoid fever (1)	3				1			1				1	
Malaria (5)	2										1		1
Measles (7)	4						2	2					
Scarlet fever (8)													
Whooping cough (9)	8			1			2	2	1	2			
Diphtheria (10)	2					1					1		
Influenza (11)	25	1	8	9	2	2	2			1			
Dysentery (16)	2						1		1				
Lethargic encephalitis (23)	1												1
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	97	3	9	9	5	11	14	11	10	6	8	4	7
Other forms of tuberculosis (32-37)	21	2	2	3	1	2	3	1		3	3	1	
Bronchitis (99)	5	1		1				1		1	1		
Bronchopneumonia (100)	50	9	8	5	4	2	4	1	3	1	3	5	5
Pneumonia (101)	62	10	5	8	8	6		2	3	5	5	7	3
Diarrhea and enteritis [under 2 years] (113)	30	1		2		1	1	3	7	6	5	2	2
Diarrhea and enteritis [2 years and over] (114)	6		1				1	1		3			
Puerperal septicemia (146)	6	1			1	1				1	1		1
Other puerperal causes (143-145, 147-150)	3		1				1		1				
Automobile accidents (188c)	1											1	
Other external causes (165-188b, 188d-203)	40	2		1	1	1	6	6	6	1	5	4	7
All other causes	410	35	35	41	35	31	34	37	29	38	28	33	34
DES MOINES, IOWA, all causes	1,601	138	166	208	145	127	115	95	110	121	121	123	132
Typhoid and paratyphoid fever (1)	2			1			1						
Malaria (5)													
Measles (7)	6					2							4
Scarlet fever (8)	18	5	3	4	3	1	2						
Whooping cough (9)	21	1	1	6	5	3	2	2			1		
Diphtheria (10)	18	2	2	3	1		1		1		4	1	3
Influenza (11)	57	5	7	31	6	2	2	1	1		2		
Dysentery (16)													
Lethargic encephalitis (23)	1										1		
Meningococcus meningitis (24)	1			1									
Tuberculosis of the respiratory system (31)	70	3	7	7	13	6	5	5	3	4	5	4	8
Other forms of tuberculosis (32-37)	10	2	1				2	1	1		1		2
Bronchitis (99)	4	1	1		1		1						
Bronchopneumonia (100)	54	5	15	13	4	3		2	3	3	1	3	2
Pneumonia (101)	69	8	13	12	4	4	4	1	2	5		11	5
Diarrhea and enteritis [under 2 years] (113)	20	1	2	1			1	1		7	4	1	2
Diarrhea and enteritis [2 years and over] (114)	9						1		1	2	4		1
Puerperal septicemia (146)	11	1	1	1	3	1	1		1		1		1
Other puerperal causes (143-145, 147-150)	12	1	4	2			2	1		1	1		
Automobile accidents (188c)	18		2	2			2	1	1	3	3	2	2
Other external causes (165-188b, 188d-203)	127	12	11	15	16	7	11	7	4	10	9	13	12
All other causes	1,073	91	96	109	89	98	77	73	92	86	84	88	90

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1923—Continued

[See note at head of this table, p. 398]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
KANSAS CITY, KANS., all causes	1,727	165	195	172	159	137	126	109	135	121	137	136	135
Typhoid and paratyphoid fever (1)	2						1			1			
Malaria (5)	2								1	1			
Measles (7)	19	1			4	7	4	2	1				
Scarlet fever (8)	2	2											
Whooping cough (9)	17		2		1	1	1	3	5	1	1	1	1
Diphtheria (10)	10	2	1	1		1					1	3	1
Influenza (11)	61	9	17	16	10	2			1		1	3	2
Dysentery (16)	3				1				1	1			
Lethargic encephalitis (23)													
Meningococcus meningitis (24)	3			2			1						
Tuberculosis of the respiratory system (31)	122	12	9	11	14	11	7	10	14	4	14	9	7
Other forms of tuberculosis (32–37)	18		2	1	2	1	3	2	1	2	1	1	2
Bronchitis (99)	11			3	2	1			1		1		3
Bronchopneumonia (100)	75	14	11	11	6	2	1	3	2	1	5	8	11
Pneumonia (101)	108	14	20	14	13	8	6	4	1	4	2	12	10
Diarrhea and enteritis [under 2 years] (113)	57	7	3	4	1	4	4	9	13	5	4	1	2
Diarrhea and enteritis [2 years and over] (114)	18	1	1	1		1	1	4	3	3		2	1
Puerperal septicemia (146)	16	2	2	1	1	2	1			6		1	
Other puerperal causes (143–145, 147–150)	15	2	1	3	1	1		2	1		1	1	2
Automobile accidents (188c)	12			1		2	3	2		2	2		
Other external causes (165–188b, 188d–203)	149	11	25	9	11	9	8	8	18	9	18	10	13
All other causes	1,007	88	101	94	92	84	85	60	72	81	86	84	80
LOUISVILLE, KY. (WHITE), all causes	3,223	339	339	330	293	288	218	252	230	228	216	231	259
Typhoid and paratyphoid fever (1)	9	2	1		1	1	1		1		1		1
Malaria (5)	2			1			1						
Measles (7)	12	1	1	5	2	3							
Scarlet fever (8)	1											1	
Whooping cough (9)	54	2	16	6	10	6	4	5	2			2	1
Diphtheria (10)	14	3	3	3		1			1		1		2
Influenza (11)	71	24	18	12	5	4	1	1	1	1	1	1	2
Dysentery (16)	5		1			1		1	1	1			
Lethargic encephalitis (23)	5			1	1	1	1	1					
Meningococcus meningitis (24)	2		1					1					
Tuberculosis of the respiratory system (31)	195	16	19	22	24	24	17	14	11	15	13	13	7
Other forms of tuberculosis (32–37)	34		1	3	3	2	2	3	2	3	2	6	7
Bronchitis (99)	41	4	10	5	2	3	4	2	2		1	4	4
Bronchopneumonia (100)	139	22	29	15	13	8	7	8	6	5	12	7	7
Pneumonia (101)	170	30	27	21	20	13	6	2	7	2	8	24	10
Diarrhea and enteritis [under 2 years] (113)	83	3	1	2	3	2	3	20	23	10	7	6	3
Diarrhea and enteritis [2 years and over] (114)	12		1	2				2		1	2	2	2
Puerperal septicemia (146)	11	1			2	3	1	1	1		1		1
Other puerperal causes (143–145, 147–150)	22	2	1		1	1	3	3	4	2	3		2
Automobile accidents (188c)	56	3	5	7	2	8	3	2	2	7	5	4	8
Other external causes (165–188b, 188d–203)	190	17	20	15	11	19	12	25	16	11	11	16	17
All other causes	2,095	209	184	210	193	188	152	161	150	170	148	145	185
LOUISVILLE, KY. (COLORED), all causes	963	72	87	85	81	90	85	79	76	63	83	89	73
Typhoid and paratyphoid fever (1)	4	1	1			1	1						
Malaria (5)	2				2								
Measles (7)	1						1						
Scarlet fever (8)													
Whooping cough (9)	13		1			5	2	3		1	1		
Diphtheria (10)													
Influenza (11)	28	6	6	1	2	6			1	1		2	3
Dysentery (16)	4						1	1	2				
Lethargic encephalitis (23)													
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	72	6	4	6	6	11	6	2	2	11	8	6	4
Other forms of tuberculosis (32–37)	8		1			1	2		1		3		
Bronchitis (99)	23	2	4	5	1	3		2	2	1		1	2
Bronchopneumonia (100)	51	1	8	5	2	7	2		2	1	8	8	7
Pneumonia (101)	75	11	9	8	12	4	4	1	5	6	3	5	7
Diarrhea and enteritis [under 2 years] (113)	19						2	9	2	4	2		
Diarrhea and enteritis [2 years and over] (114)	3			1					2				
Puerperal septicemia (146)	8	3	1	1		1			1				1
Other puerperal causes (143–145, 147–150)	5				2				1		1		1
Automobile accidents (188c)	10		1	1	1		3	1			1	2	
Other external causes (165–188b, 188d–203)	65	1	5	6	2	5	7	12	5	4	4	6	8
All other causes	572	41	46	51	51	46	54	48	50	34	52	59	40
NEW ORLEANS, LA. (WHITE), all causes	4,338	425	438	426	336	354	324	341	292	306	342	373	381
Typhoid and paratyphoid fever (1)	27	5	2	4	5	3	1	1	1	1	3		1
Malaria (5)	2	1	1										
Measles (7)	33	1	2			8	19	1			1	1	
Scarlet fever (8)	4	1		1									2
Whooping cough (9)	37	3	5	5	4	8	5	4			1	2	
Diphtheria (10)	28	4	1	7	3	3	1	1			2	4	2
Influenza (11)	88	10	37	17	6	1	3	1			1	7	5
Dysentery (16)	11			2		2	2	2	1				2
Lethargic encephalitis (23)	4				2		1	1					
Meningococcus meningitis (24)	6		1	2			1					2	
Tuberculosis of the respiratory system (31)	340	37	34	30	27	30	30	24	28	28	22	20	30
Other forms of tuberculosis (32–37)	31	2	4	3	1	2	3	4	3	1	3	3	2
Bronchitis (99)	16	1		4	1	3		1	1	2	1	2	
Bronchopneumonia (100)	158	15	15	27	18	11	5	14	6	8	9	18	12
Pneumonia (101)	141	19	21	20	10	11	4	6	3	7	9	13	18
Diarrhea and enteritis [under 2 years] (113)	89	13	2	3	8	12	7	10	5	7	9	7	6
Diarrhea and enteritis [2 years and over] (114)	31	3	1	1	4		4	5	1	2	2	4	4
Puerperal septicemia (146)	15	1	2	5					3	2	1	1	
Other puerperal causes (143–145, 147–150)	47	3	9	3	4	3	4	6	4	3	3	4	1
Automobile accidents (188c)	55	8	3	2	2	5	4	5	2	2	6	8	8
Other external causes (165–188b, 188d–203)	284	31	23	29	21	25	21	22	20	24	27	25	16
All other causes	2,891	267	275	261	220	227	209	233	214	219	242	252	272

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1923—Continued

[See note at head of this table, p. 398]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW ORLEANS, LA. (COLORED), all causes	2,819	248	248	258	209	220	209	220	243	219	222	251	272
Typhoid and paratyphoid fever (1)	10	2			1	2	1	1		1	1		1
Malaria (5)	3									1		1	1
Measles (7)	1					1							
Scarlet fever (8)													
Whooping cough (9)	24			2	6	3	2	3	5	1	1	1	
Diphtheria (10)	5					1	1			1		2	
Influenza (11)	51	4	12	13	9				1	2	2	4	4
Dysentery (16)	6						1	2	1		1	1	
Lethargic encephalitis (23)	1			1									
Meningococcus meningitis (24)	4			1				1				1	1
Tuberculosis of the respiratory system (31)	305	25	29	19	29	32	24	30	20	23	24	21	29
Other forms of tuberculosis (32-37)	28	5	1	2	1	2	4	3	2	1	2	2	3
Bronchitis (99)	18	2	3		2	3	1		2	1	2	1	1
Bronchopneumonia (100)	140	13	19	20	11	9	9	14	6	6	10	14	9
Pneumonia (101)	140	16	25	19	11	7	6	5	12	8	2	17	12
Diarrhea and enteritis [under 2 years] (113)	62	3	6		9	5	14	4	7		5	5	4
Diarrhea and enteritis [2 years and over] (114)	20	2	3	1			4	4	2	2	2		
Puerperal septicemia (146)	20	1	3	3	1	2	1	3	1		2	2	1
Other puerperal causes (143-145, 147-150)	31	1	3	1		3	4	4	3	5	4	3	
Automobile accidents (188c)	13			1	1	2		2	1		1		5
Other external causes (165-188b, 188d-203)	201	20	19	16	18	12	14	14	17	12	16	19	24
All other causes	1,736	154	125	159	110	136	123	130	163	155	147	157	177
BALTIMORE, MD. (WHITE), all causes	8,908	973	995	912	771	710	662	609	616	578	687	694	701
Typhoid and paratyphoid fever (1)	24	3	2	2		1	1	3	2	5	3	2	
Malaria (5)	1									1			
Measles (7)	48	1	2	2	10	15	12	4	2				
Scarlet fever (8)	22			6	3	4	3	2	1	1	1		1
Whooping cough (9)	62	4	7	9	5	8	10	8	5	2	4		
Diphtheria (10)	82	19	8	6	10	3	2	2	4	8	6	10	4
Influenza (11)	172	41	57	39	11	5	1	1		4	3	6	4
Dysentery (16)	34	1	2	2	1		1	11	7	3	3	2	1
Lethargic encephalitis (23)	31	3	9	6	1	2		2	1	3	1	2	1
Meningococcus meningitis (24)	7					1		1			3	1	1
Tuberculosis of the respiratory system (31)	511	52	57	38	45	45	43	40	39	31	42	39	40
Other forms of tuberculosis (32-37)	68	2	6	7	4	9	5	10	11	4	2	4	4
Bronchitis (99)	85	19	15	8	6	9	2			6	8	4	8
Bronchopneumonia (100)	554	91	114	78	51	32	29	10	23	21	20	36	49
Pneumonia (101)	422	64	63	80	40	45	15	7	13	10	23	35	27
Diarrhea and enteritis [under 2 years] (113)	215	13	10	6	4	6	13	29	42	37	31	13	11
Diarrhea and enteritis [2 years and over] (114)	37	3	1	2	3	2	4	3	5	5	2	3	4
Puerperal septicemia (146)	32	6	2	5	1	3	3	2	2	2	2	2	2
Other puerperal causes (143-145, 147-150)	43	4	6	5	1	2	2	5	1	1	5	7	4
Automobile accidents (188c)	107	12	1	9	7	6	4	5	6	12	20	12	13
Other external causes (165-188b, 188d-203)	453	40	49	34	31	24	54	32	38	34	39	41	37
All other causes	5,898	595	584	568	537	488	458	432	414	388	469	475	490
BALTIMORE, MD. (COLORED), all causes	2,681	252	329	239	230	213	214	175	181	214	216	210	208
Typhoid and paratyphoid fever (1)	11				1			3		2	3	1	1
Malaria (5)													
Measles (7)	9			1	1		1	1	2	3			
Scarlet fever (8)													
Whooping cough (9)	39	6	6	6	1	7	1	3	2	1	3	1	2
Diphtheria (10)	9	2	1		3		1	1		1			
Influenza (11)	86	13	39	15	6	3			1	2	1	4	2
Dysentery (16)	9							2	3	3		1	
Lethargic encephalitis (23)	3						2				1		
Meningococcus meningitis (24)	1						1						
Tuberculosis of the respiratory system (31)	351	35	37	32	40	28	27	30	27	21	29	24	21
Other forms of tuberculosis (32-37)	55	8	2	1	5	10	7	4	5	2	4	3	4
Bronchitis (99)	20	4	2	3	1			2	3	2		2	1
Bronchopneumonia (100)	243	24	49	27	25	16	15	15	3	14	17	22	16
Pneumonia (101)	188	20	30	29	19	20	12	2	7	8	16	15	10
Diarrhea and enteritis [under 2 years] (113)	82	4	3	3	4	2	6	9	18	16	9	5	3
Diarrhea and enteritis [2 years and over] (114)	20		4	1		1	1	2	1	3		4	3
Puerperal septicemia (146)	13	2	1			1	1	1		2	2	1	2
Other puerperal causes (143-145, 147-150)	9	1	1	2		1	1	1				1	1
Automobile accidents (188c)	24	4	1	1		1	2	2		3	1		9
Other external causes (165-188b, 188d-203)	122	14	8	10	7	9	13	10	11	16	7	7	10
All other causes	1,387	115	145	108	117	114	123	87	98	115	123	119	123
BOSTON, MASS., all causes	11,509	1,302	1,280	1,224	1,048	951	846	694	752	723	877	849	963
Typhoid and paratyphoid fever (1)	11				4			1	1	1	1	2	1
Malaria (5)													
Measles (7)	60	6	16	9	5	8	4	6	2	1	1		2
Scarlet fever (8)	60	6	5	14	12	4	3	6	1	1	2	1	5
Whooping cough (9)	115	24	25	24	14	14	6	4	2		1		1
Diphtheria (10)	179	30	12	17	7	15	13	10	13	13	17	16	16
Influenza (11)	76	26	14	19	3	2	1		1		1	4	5
Dysentery (16)	2		1							1			
Lethargic encephalitis (23)	24	1	2	3	3	2	3	2	2	2	1		3
Meningococcus meningitis (24)	22		1	1	3	2	3	3	1	3	3	1	1
Tuberculosis of the respiratory system (31)	675	51	56	62	75	69	55	58	49	46	48	49	57
Other forms of tuberculosis (32-37)	113	8	13	12	10	11	10	7	8	4	16	5	9
Bronchitis (99)	85	18	21	7	4	4	7	2	2	3	7	8	2
Bronchopneumonia (100)	719	123	122	110	56	42	23	30	36	28	36	48	65
Pneumonia (101)	621	139	119	77	59	34	32	14	14	15	31	30	57
Diarrhea and enteritis [under 2 years] (113)	168	14	13	11	21	10	10	8	29	15	13	12	12
Diarrhea and enteritis [2 years and over] (114)	18	2		1	2	3		1	4	1	3	1	
Puerperal septicemia (146)	49	3	2	10	5	8	4	2	3	2	1	2	7
Other puerperal causes (143-145, 147-150)	102	12	14	8	15	9	6	7	9	6	5	10	1
Automobile accidents (188c)	133	1	4	9	12	12	15	9	10	17	15	14	15
Other external causes (165-188b, 188d-203)	744	65	68	67	64	59	48	46	61	55	64	61	86
All other causes	7,533	773	772	763	674	643	603	478	504	509	611	585	618

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1923—Continued

[See note at head of this table, p. 398]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
CAMBRIDGE, MASS., all causes	1,527	158	143	167	150	125	108	110	94	101	102	134	135
Typhoid and paratyphoid fever (1)	4		1						1	1	1		
Malaria (5)													
Measles (7)	8	1	2		3		1	1					
Scarlet fever (8)	3		1				1					1	
Whooping cough (9)	16	1	2	4	3	3		2				1	
Diphtheria (10)	11	3			2	1	1		1	1	1	1	
Influenza (11)	5	1	2	1									1
Dysentery (16)													
Lethargic encephalitis (23)	5		2		1		1						1
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	113	12	6	10	12	18	7	11	8	5	9	8	7
Other forms of tuberculosis (32-37)	11	2		3			1		1	2	1	1	
Bronchitis (99)	12	2	2	3	1	1						2	1
Bronchopneumonia (100)	95	15	18	15	12	4	2	5	2	2	2	7	11
Pneumonia (101)	76	25	6	11	11	2	3	1		2	4	4	7
Diarrhea and enteritis [under 2 years] (113)	26		1	3	3			2	5	6	4	1	1
Diarrhea and enteritis [2 years and over] (114)	1				1								
Puerperal septicemia (146)	4				2		1						1
Other puerperal causes (143-145, 147-150)	15		3	1	2			3		1	2	2	1
Automobile accidents (188c)	28			1	5		3	4	2	7	4		2
Other external causes (165-188b, 188d-203)	77	2	8	5	7	6	9	7	11	3	8	6	5
All other causes	1,017	94	89	110	85	90	78	74	63	71	66	100	97
FALL RIVER, MASS., all causes	1,655	187	171	209	129	132	109	130	133	103	121	110	121
Typhoid and paratyphoid fever (1)	4	1			1						1		1
Malaria (5)													
Measles (7)	30	16	7	2	4				1				
Scarlet fever (8)	5	1	1						1		1		1
Whooping cough (9)	14	1	2	3				1	1	1	2	1	2
Diphtheria (10)	21	5	6	2		2		1	2	1	1	1	
Influenza (11)	26	4	5	8	3	3	1				1	1	
Dysentery (16)													
Lethargic encephalitis (23)	2		1		1								
Meningococcus meningitis (24)	3							1			2		
Tuberculosis of the respiratory system (31)	121	10	15	13	8	13	11	13	5	9	8	9	7
Other forms of tuberculosis (32-37)	20	1	2	1	3	1	1	3	1	1	2	3	1
Bronchitis (99)	22	1	5	4	1	2	2		1		1	3	2
Bronchopneumonia (100)	100	17	18	20	10	7	3	1	7	1	1	7	8
Pneumonia (101)	43	8	4	11	4	2	1	4		1	2	3	3
Diarrhea and enteritis [under 2 years] (113)	87	10	1	7	1	10	2	6	11	11	13	7	8
Diarrhea and enteritis [2 years and over] (114)	12	1					2	4	2	2			1
Puerperal septicemia (146)	4		1	1								2	
Other puerperal causes (143-145, 147-150)	7		2	1	1	1						1	1
Automobile accidents (188c)	22	1	1	1	1	1	3	2	1	2	5	3	1
Other external causes (165-188b, 188d-203)	72	5	7	6	2	8	1	12	8	5	11	1	6
All other causes	1,040	105	93	129	89	82	82	82	92	69	70	68	79
LOWELL, MASS., all causes	1,680	176	169	205	185	122	130	93	127	115	131	118	109
Typhoid and paratyphoid fever (1)	4	1		1			1					1	
Malaria (5)													
Measles (7)	28	4	3	10	7	3	1						
Scarlet fever (8)	6		1	1	1				1		1	1	
Whooping cough (9)	18		2	2	5		2	1		2	1		3
Diphtheria (10)	16	5	1	5	3						1		1
Influenza (11)	10	3	4		2	1							
Dysentery (16)													
Lethargic encephalitis (23)	1				1								
Meningococcus meningitis (24)	2				1		1						
Tuberculosis of the respiratory system (31)	82	12	1	8	10	9	10	6	7	6	3	5	5
Other forms of tuberculosis (32-37)	24	1	3	1	3	5	3			1	2	2	3
Bronchitis (99)	38	3	7	15	2	3	3		1	2			2
Bronchopneumonia (100)	170	17	29	32	21	16	6	5	5	4	11	13	11
Pneumonia (101)	64	12	12	13	11	3	4	1	1		2	2	3
Diarrhea and enteritis [under 2 years] (113)	92	4	6	10	3	3	7	12	21	11	9	4	2
Diarrhea and enteritis [2 years and over] (114)	11	1	1			1	1	1	3	1		1	1
Puerperal septicemia (146)	8		1		2		2		2		1		
Other puerperal causes (143-145, 147-150)	17	2	4	1	1	3	2		2		2		
Automobile accidents (188c)	18	1		1	3	2	3	1		2	1	1	3
Other external causes (165-188b, 188d-203)	68	3	5	7	7	5	10	3	4	3	12	5	4
All other causes	1,003	107	89	98	102	68	74	63	80	83	85	83	71
NEW BEDFORD, MASS., all causes	1,584	190	172	182	147	131	122	118	109	103	113	105	92
Typhoid and paratyphoid fever (1)	1											1	
Malaria (5)													
Measles (7)	60	25	22	8	5								
Scarlet fever (8)	3			2		1							
Whooping cough (9)	19	2	1	1		1	1	2	5	3	3		
Diphtheria (10)	9	2	1	2		1					1	1	1
Influenza (11)	28	4	6	6	6	4	1	1					
Dysentery (16)													
Lethargic encephalitis (23)	1						1						
Meningococcus meningitis (24)	4				2					1	1		
Tuberculosis of the respiratory system (31)	95	5	5	10	12	11	4	9	12	5	7	8	7
Other forms of tuberculosis (32-37)	29	2	2	3	2	6	2	2	1	3	1	2	3
Bronchitis (99)	20	2	6	4	3	3							2
Bronchopneumonia (100)	156	20	25	36	21	12	8	9	4	4	5	5	7
Pneumonia (101)	33	2	6	11	2	5	3	2	1	1			
Diarrhea and enteritis [under 2 years] (113)	69	3	1	1	5		1	10	23	12	7	4	2
Diarrhea and enteritis [2 years and over] (114)	5		1					1	2	1			
Puerperal septicemia (146)	5		1	2			1						1
Other puerperal causes (143-145, 147-150)	11	2		1	1	1	1		1	1	2		1
Automobile accidents (188c)	8					1		2	1	1	1	1	1
Other external causes (165, 188b, 188d-203)	86	10	4	7	11	9	10	6	5	4	7	8	5
All other causes	942	111	91	88	77	76	89	74	54	67	78	75	62

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1923—Continued

[See note at head of this table, p. 398]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
SPRINGFIELD, MASS., all causes	1,719	154	217	186	155	123	122	124	103	124	147	133	131
Typhoid and paratyphoid fever (1)	2				1				1				
Malaria (5)													
Measles (7)													
Scarlet fever (8)	4		1				1	1					1
Whooping cough (9)	7		1		5						1		
Diphtheria (10)	20	3	3	4	1	1	1			1	3	3	
Influenza (11)	34	3	19	4	1		2		1	1	1		2
Dysentery (16)	1									1			
Lethargic encephalitis (23)	2			1								1	
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	63	8	6	5	7	5	9	4	4	2	3	4	6
Other forms of tuberculosis (32–37)	13	1	3	2	2	1	1				1	1	1
Bronchitis (99)	6	1	1				1	1		1			1
Bronchopneumonia (100)	103	8	27	19	13	6	1	4		6	5	6	8
Pneumonia (101)	70	10	19	10	6	3	3	2	3	1	5	6	2
Diarrhea and enteritis [under 2 years] (113)	34		2	3		1	4	3	3	6	9	2	1
Diarrhea and enteritis [2 years and over] (114)	3							1	2				
Puerperal septicemia (146)	4			2							2		
Other puerperal causes (143–145, 147–150)	13	2	3	2	1	1		1	2	1			
Automobile accidents (188c)	23			1	2	2	1	3	3	1	2	3	5
Other external causes (165–188b, 188d–203)	94	3	8	7	4	5	5	15	3	12	10	17	5
All other causes	1,223	115	124	126	112	98	93	89	81	91	105	90	99
WORCESTER, MASS., all causes	2,521	235	279	260	221	202	171	189	170	176	193	209	216
Typhoid and paratyphoid fever (1)	5		1	1	1	1			1				
Malaria (5)													
Measles (7)	15	2		2	2	1	6	1		1			
Scarlet fever (8)	6	1		1	1	1	1				1		
Whooping cough (9)	13	2	2	1	1	1	2		1	2			1
Diphtheria (10)	38	3	1	1	1		4	7		5	6	6	4
Influenza (11)	24	3	12	3	3	1				1	1		
Dysentery (16)	1		1										
Lethargic encephalitis (23)	10		3	3	2	1		1					
Meningococcus meningitis (24)	3		1							2			
Tuberculosis of the respiratory system (31)	136	10	14	17	10	19	13	9	10	11	9	4	10
Other forms of tuberculosis (32–37)	16	1		1	1	2	1	4	1	1	1	2	1
Bronchitis (99)	19	4	5	3	2	1					2	2	
Bronchopneumonia (100)	158	28	31	24	9	7	9	4	11	7	10	8	10
Pneumonia (101)	123	13	25	15	16	8	2	2	1	4	9	14	14
Diarrhea and enteritis [under 2 years] (113)	51		1	1	5	3	2	5	5	8	16	4	1
Diarrhea and enteritis [2 years and over] (114)	6	1		1			1			1	1	1	
Puerperal septicemia (146)	11	2	2	1				1	1	1	1	1	1
Other puerperal causes (143–145, 147–150)	22	2	2	2	1	3	1	2	1	2	5		1
Automobile accidents (188c)	33		3		2	4	3	5	3	3	4	1	5
Other external causes (165–188b, 188d–203)	152	9	15	13	9	17	8	14	12	10	14	15	16
All other causes	1,679	154	160	170	155	132	118	134	123	117	113	151	152
DETROIT, MICH. (WHITE), all causes	11,680	1,147	1,180	1,072	1,123	1,078	954	800	815	833	913	821	944
Typhoid and paratyphoid fever (1)	42		3	3	5	3	3	4	2	5	5	6	3
Malaria (5)													
Measles (7)	82	3	3	4	7	26	24	7	1		2	3	2
Scarlet fever (8)	86	11	9	14	15	9	3	7	4	1	6	3	4
Whooping cough (9)	72	4	8	7	6	10	17	5	6	3	1	3	2
Diphtheria (10)	203	16	20	22	18	26	17	11	8	9	16	16	24
Influenza (11)	170	25	60	26	18	16	3	1	1	2	2	8	8
Dysentery (16)	6						1	1	2	1		1	
Lethargic encephalitis (23)	27	3	5	1	2	2	2	3	2	1	1	1	4
Meningococcus meningitis (24)	19	4		2	1	4	3		1			1	3
Tuberculosis of the respiratory system (31)	704	53	57	72	64	59	65	83	55	50	52	43	51
Other forms of tuberculosis (32–37)	114	12	8	11	16	8	10	11	8	7	10	5	8
Bronchitis (99)	115	22	19	8	12	9	8	4	2	3	6	11	11
Bronchopneumonia (100)	608	103	97	64	75	66	28	20	20	29	35	34	37
Pneumonia (101)	896	129	151	103	99	98	47	32	26	32	50	55	74
Diarrhea and enteritis [under 2 years] (113)	444	23	23	18	28	29	34	35	79	82	53	19	21
Diarrhea and enteritis [2 years and over] (114)	53	2	5	3	2	2	4	3	9	10	4	6	3
Puerperal septicemia (146)	109	5	11	10	11	8	11	9	9	8	6	13	8
Other puerperal causes (143–145, 147–150)	88	14	3	10	13	8	5	5	3	5	5	7	10
Automobile accidents (188c)	239	6	13	18	26	17	23	19	18	23	22	28	26
Other external causes (165–188b, 188d–203)	808	58	51	64	75	55	79	72	73	68	88	59	66
All other causes	6,795	654	634	612	630	623	567	468	486	494	549	499	579
DETROIT, MICH. (COLORED), all causes	1,371	122	122	128	132	146	116	113	95	95	101	103	98
Typhoid and paratyphoid fever (1)	2								1				1
Malaria (5)													
Measles (7)	5				1		1	2			1		
Scarlet fever (8)	1											1	
Whooping cough (9)	14		1	2			2	4	2	2	1		
Diphtheria (10)	6		2	1					1			2	
Influenza (11)	26	8	4	5	3	1			1		3		1
Dysentery (16)													
Lethargic encephalitis (23)	1						1						
Meningococcus meningitis (24)	1											1	
Tuberculosis of the respiratory system (31)	143	7	9	14	8	18	14	11	15	10	14	11	12
Other forms of tuberculosis (32–37)	31	3	2	2	4	2	1	2	4	1	2	2	6
Bronchitis (99)	12	1	1		1	3		1	2			2	1
Bronchopneumonia (100)	100	11	10	6	18	11	12	8	7	2	1	8	6
Pneumonia (101)	283	32	33	25	41	48	25	19	14	14	12	13	7
Diarrhea and enteritis [under 2 years] (113)	19	1	3	1	1	2	1	2	1	2	1	1	3
Diarrhea and enteritis [2 years and over] (114)	4		1	1						1			1
Puerperal septicemia (146)	5			1		2				1			1
Other puerperal causes (143–145, 147–150)	11	1	2	2	1	1		1			2		1
Automobile accidents (188c)	13		1		2			2	1	2	1	3	1
Other external causes (165–188b, 188d–203)	133	5	3	11	10	10	13	22	13	8	13	10	15
All other causes	561	53	50	57	42	48	46	39	33	52	50	49	42

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1923—Continued

[See note at head of this table, p. 398]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
GRAND RAPIDS, MICH., all causes	1,714	171	227	195	169	146	126	103	110	118	107	128	114
Typhoid and paratyphoid fever (1)	2	1										1	
Malaria (5)													
Measles (7)	6					1	4	1					
Scarlet fever (8)	4	2	1	1									
Whooping cough (9)	13	1	4	3	3		1		1				
Diphtheria (10)	18	1		2	2	2	3				4	4	
Influenza (11)	48	4	23	11	4	1		1				2	2
Dysentery (16)	1								1				
Lethargic encephalitis (23)	4		1	2	1								
Meningococcus meningitis (24)	1							1					
Tuberculosis of the respiratory system (31)	64	7	10	6	8	11	4	1	4	3	5	1	4
Other forms of tuberculosis (32-37)	22	3	3	2		3	2		3	2	1	2	1
Bronchitis (99)	15	2	3	4		1	2			1		1	1
Bronchopneumonia (100)	72	8	24	10	10	4	4	2	3	1	1	5	
Pneumonia (101)	69	9	22	8	7	4	2	1	3	2	2	4	5
Diarrhea and enteritis [under 2 years] (113)	26	2	1	1	3	2	3	2	7	3	2		
Diarrhea and enteritis [2 years and over] (114)	12		1	3	1	1	1	2		2	1		
Puerperal septicemia (146)	10	2	1		2		1	1		1		2	
Other puerperal causes (143-145, 147-150)	10	1		2	2		2	1	1	1			
Automobile accidents (188c)	27	2	1		2	1	1	2	5	3	4	3	3
Other external causes (165-188b, 188d-203)	89	8	4	12	6	9	10	5	3	9	7	6	10
All other causes	1,201	118	128	128	118	106	86	83	79	90	80	97	88
MINNEAPOLIS, MINN., all causes	4,553	396	458	457	436	411	348	358	290	324	336	351	388
Typhoid and paratyphoid fever (1)	6		1				1		1		1	2	
Malaria (5)													
Measles (7)	50	1	1	2	11	19	10	4	1	1			
Scarlet fever (8)	34	9	2	4	9	2	1	2		1	1	1	2
Whooping cough (9)	24	1	6	4	5	3	1		1	1		1	1
Diphtheria (10)	50	7	7	6	2	1	2	1	2	5	2	6	9
Influenza (11)	82	9	33	17	12	3	1			2		2	3
Dysentery (16)													
Lethargic encephalitis (23)	28	2	7	5	5	1	2	3			3		
Meningococcus meningitis (24)	4	1					2					1	
Tuberculosis of the respiratory system (31)	277	20	28	27	33	38	28	18	7	22	12	19	25
Other forms of tuberculosis (32-37)	62		8	4	5	8	6	14	2	6	2	2	5
Bronchitis (99)	19	6	1	3	4			2		2			1
Bronchopneumonia (100)	137	19	33	21	7	8	7	5	1	5	8	14	9
Pneumonia (101)	187	19	40	28	18	15	4	6	5	4	6	18	24
Diarrhea and enteritis [under 2 years] (113)	29		5	2	2	1	1	4	3	4	4	2	1
Diarrhea and enteritis [2 years and over] (114)	15	1	2	2	1	1	2	1	2	1	1		1
Puerperal septicemia (146)	43	3	2	1	3	3	7	4	5	3	4	3	5
Other puerperal causes (143-145, 147-150)	21	1	1	3	2	1	1	2	2	1	5		2
Automobile accidents (188c)	60	3	3		3	2	4	3	5	10	3	11	13
Other external causes (165-188b, 188d-203)	325	33	21	24	26	33	25	28	43	26	23	19	24
All other causes	3,100	261	257	304	288	272	243	261	210	230	261	250	263
ST. PAUL, MINN., all causes	3,116	308	337	324	252	294	231	221	211	218	239	242	239
Typhoid and paratyphoid fever (1)	11			1		1	1		2		2	3	1
Malaria (5)													
Measles (7)	42	1	3	5	9	20	2	2					
Scarlet fever (8)	33	9	5	2	9	4		1		1	1		1
Whooping cough (9)	17	2	1	2	3	3	2	1			2	1	
Diphtheria (10)	51	5	4	6	3	4	3	3	1	5	5	5	7
Influenza (11)	54	12	13	14	5	2	1			1	2	1	3
Dysentery (16)													
Lethargic encephalitis (23)	40	8	5	6	4	4	2	5		1		2	3
Meningococcus meningitis (24)	5			1		1				2	1		
Tuberculosis of the respiratory system (31)	202	16	26	26	15	19	19	18	13	11	11	19	9
Other forms of tuberculosis (32-37)	41	6	3	4	5	3	7	1	5	2	1	1	3
Bronchitis (99)	21	1	5	5	1		3		1		2	2	1
Bronchopneumonia (100)	110	12	16	19	5	3	3	4	8	5	8	15	12
Pneumonia (101)	142	17	20	23	17	16	9	1	7	4	7	12	9
Diarrhea and enteritis [under 2 years] (113)	47	5	1	2	5		4	4	3	12	6	3	2
Diarrhea and enteritis [2 years and over] (114)	10	1	1	1			1	1	2	1		2	
Puerperal septicemia (146)	23		2	5	2	5	4	2	2		1		
Other puerperal causes (143-145, 147-150)	24	2	2	1	2	1	2	1	6	2	3	1	1
Automobile accidents (188c)	59	5	5	5	4	5	4	4	6	6	7	6	2
Other external causes (165-188b, 188d-203)	211	17	19	16	16	19	15	16	16	19	18	21	19
All other causes	1,973	189	206	180	147	184	149	157	139	146	162	148	166
KANSAS CITY, MO. (WHITE), all causes	4,257	422	434	436	398	353	315	330	277	237	347	338	370
Typhoid and paratyphoid fever (1)	15				2	2		2	2	1	5	1	
Malaria (5)	1									1			
Measles (7)	48		1	5	12	14	9	4	1				2
Scarlet fever (8)	9	1	1	2			2			2		1	
Whooping cough (9)	24	1	2	4	4	2		3	2	4		1	1
Diphtheria (10)	39		3	2	6	3		4	1	4	5	6	5
Influenza (11)	142	18	35	45	23	4	1	1	1	2	2	7	3
Dysentery (16)	4							2	1	1			
Lethargic encephalitis (23)	10	1		3	1		2	1	1			1	
Meningococcus meningitis (24)	3			1		1						1	
Tuberculosis of the respiratory system (31)	220	19	17	34	29	24	16	9	18	9	13	15	17
Other forms of tuberculosis (32-37)	42	7	4	1	4	6	3	6		2	4		5
Bronchitis (99)	29	3	6	3	3	1	2	2		1	1	3	4
Bronchopneumonia (100)	155	20	34	19	13	9	3	4	10	5	5	16	17
Pneumonia (101)	238	32	42	31	31	15	3	6	4	5	11	28	30
Diarrhea and enteritis [under 2 years] (113)	116	6	7	7	9	5	6	25	21	8	9	7	6
Diarrhea and enteritis [2 years and over] (114)	23	2			1	1	3	4	7	1	2	1	1
Puerperal septicemia (146)	20	2		3		2	2	3	4	1		2	1
Other puerperal causes (143-145, 147-150)	31	2	3	5	2	4	3	5	2	1	1	3	
Automobile accidents (188c)	77	7	2	7	6	5	7	4	8	7	13	5	6
Other external causes (165-188b, 188d-203)	305	23	23	17	26	20	43	28	21	18	35	23	28
All other causes	2,706	278	254	247	226	235	210	217	173	164	241	217	244

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1923—Continued

[See note at head of this table, p. 398]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
KANSAS CITY, MO. (COLORED), all causes	800	72	96	67	79	72	74	62	62	71	54	57	34
Typhoid and paratyphoid fever (1)	4					1		1		1	1		
Malaria (5)	1									1			
Measles (7)	8				1	6	1						
Scarlet fever (8)													
Whooping cough (9)	4		1								2	1	
Diphtheria (10)													
Influenza (11)	44	3	18	10	7	1		1		1	1	1	1
Dysentery (16)	1									1			
Lethargic encephalitis (23)													
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	92	9	11	6	11	7	5	6	11	13	7	3	3
Other forms of tuberculosis (32–37)	11		1		1	2		2	1	2	1	1	
Bronchitis (99)	2		1				1						
Bronchopneumonia (100)	42	5	6	1	8	4	2	1	3	1	6		5
Pneumonia (101)	66	5	15	11	9	5	5	1	3	3	3	5	1
Diarrhea and enteritis [under 2 years] (113)	15				1		3	3	4	1		2	1
Diarrhea and enteritis [2 years and over] (114)	1			1									
Puerperal septicemia (146)	4				1				1	1		1	
Other puerperal causes (143–145, 147–150)	4	1	1	1					1				
Automobile accidents (188c)	9	1		1	1		1		1			3	1
Other external causes (165–188b, 188d–203)	77	9	5	8	4	10	5	8	3	9	5	8	3
All other causes	415	39	37	28	35	36	51	39	34	37	28	32	19
ST. LOUIS, MO. (WHITE), all causes	9,222	877	891	892	832	740	716	621	664	676	691	821	801
Typhoid and paratyphoid fever (1)	28	1		1	1	5	3	1	2	6	4	1	3
Malaria (5)	11	1						1	1	2	3	2	1
Measles (7)	50		4	10	25	8	3						
Scarlet fever (8)	29	5	3	2	4	3	1				2	5	4
Whooping cough (9)	71	1	1	2	4	11	10	9	14	8	5	4	2
Diphtheria (10)	68	13	8	2	8	6	2	2	4	8	6	3	6
Influenza (11)	119	16	38	28	10	7	5	1	1	3		7	3
Dysentery (16)	29					1		4	9	9	3	2	1
Lethargic encephalitis (23)	15	1	3	4		1		1	1		2	1	1
Meningococcus meningitis (24)	12	1	1		3	2		1		1	1		2
Tuberculosis of the respiratory system (31)	379	43	34	39	48	29	29	24	21	29	23	24	36
Other forms of tuberculosis (32–37)	58	4	3	3	5	8	3	2	6	9	9	3	3
Bronchitis (99)	96	10	19	12	7	7	4	5	2	8	5	7	10
Bronchopneumonia (100)	486	78	82	76	36	30	22	12	22	19	26	39	44
Pneumonia (101)	560	87	83	80	48	31	23	12	13	23	43	67	50
Diarrhea and enteritis [under 2 years] (113)	127	2	4	4	10	6	5	18	30	20	16	6	6
Diarrhea and enteritis [2 years and over] (114)	28	4				1		6	4	7	2	1	3
Puerperal septicemia (146)	50	5	5	5	7	2	4	3	6	2	4	1	6
Other puerperal causes (143–145, 147–150)	53		3	7	6	7	4	6	7	3	2	2	6
Automobile accidents (188c)	152	11	10	8	8	10	13	12	9	12	16	26	17
Other external causes (165–188b, 188d–203)	671	49	55	51	69	61	72	47	48	60	40	67	52
All other causes	6,130	545	535	558	533	504	513	454	464	447	479	553	545
ST. LOUIS, MO. (COLORED), all causes	1,702	140	152	153	147	177	137	136	153	127	125	114	141
Typhoid and paratyphoid fever (1)	8					1		2	2	1		2	
Malaria (5)													
Measles (7)	17			1	6	5	1					3	1
Scarlet fever (8)	1			1									
Whooping cough (9)	35	1	1	1	1	7	7	6	7	2	1	1	
Diphtheria (10)	1	1											
Influenza (11)	34	6	10	3	1	3		2	1	2	2	1	3
Dysentery (16)	1								1				
Lethargic encephalitis (23)													
Meningococcus meningitis (24)	1				1								
Tuberculosis of the respiratory system (31)	194	15	9	19	20	17	14	11	23	14	19	17	16
Other forms of tuberculosis (32–37)	32	1	3	3	2	6	4	4	3	1	2	1	2
Bronchitis (99)	27	1	4	2	3	3	3	3	2		1	1	4
Bronchopneumonia (100)	124	11	16	15	23	9	7	6	5	7	9	9	7
Pneumonia (101)	186	29	25	26	22	16	9	8	3	11	9	13	15
Diarrhea and enteritis [under 2 years] (113)	25		2	1		1	2	2	4	5	4	2	2
Diarrhea and enteritis [2 years and over] (114)	6							2	3		1		
Puerperal septicemia (146)	7	1						2	2	2			
Other puerperal causes (143–145, 147–150)	8	1				1	1			3	1	1	
Automobile accidents (188c)	16	1	1		2	3		1	1	3	2	1	1
Other external causes (165–188b, 188d–203)	130	9	8	8	5	10	12	15	14	11	12	10	16
All other causes	849	63	73	73	61	95	77	72	82	65	62	52	74
OMAHA, NEBR., all causes	2,696	229	306	288	253	212	185	190	224	187	189	218	215
Typhoid and paratyphoid fever (1)	6		2				1		2				1
Malaria (5)													
Measles (7)	2		1										1
Scarlet fever (8)	3	1	1							1			
Whooping cough (9)	39	7	6	8	7	3	2		4	2			
Diphtheria (10)	43	3	4	3	2	1		3	5	2	7	10	3
Influenza (11)	65	3	27	12	12	4		1	1	1			4
Dysentery (16)	1						1						
Lethargic encephalitis (23)	7			1	1		2		1	2			
Meningococcus meningitis (24)	5				1		1		1		1	1	
Tuberculosis of the respiratory system (31)	115	10	8	20	9	12	6	6	8	9	5	8	14
Other forms of tuberculosis (32–37)	27		2	2	3	2	3	2	2	2	2	4	3
Bronchitis (99)	12	2	1	1			3				1	2	2
Bronchopneumonia (100)	94	17	17	17	8	4	2	3	3	1	6	6	10
Pneumonia (101)	168	22	36	25	12	6	5	3	5	8	7	18	21
Diarrhea and enteritis [under 2 years] (113)	38	2	3	4	4	3		1	5	5	5	3	3
Diarrhea and enteritis [2 years and over] (114)	8		1						4	2	1		
Puerperal septicemia (146)	33	3	3	2	4	2		5	3	3	5	1	2
Other puerperal causes (143–145, 147–150)	20		2			2	2	1	3	2	1	6	1
Automobile accidents (188c)	40	1	2	2	4	3	4	2	4	5	4	5	4
Other external causes (165–188b, 188d–203)	200	15	17	25	21	13	18	14	14	13	17	19	14
All other causes	1,770	143	173	166	165	157	135	149	159	129	127	135	132

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1923—Continued

[See note at head of this table, p. 398]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
CAMDEN, N. J., all causes	1,806	239	206	193	159	125	118	134	126	110	137	130	129
Typhoid and paratyphoid fever (1)	5			1				1	1		1	1	
Malaria (5)													
Measles (7)	50	7	19	15	5	2	1			1			
Scarlet fever (8)													
Whooping cough (9)	22	2	3	1	2	1	1	1	6			2	3
Diphtheria (10)	44	14	8	10	2	1	3	1			2	1	2
Influenza (11)	24	10	6	2	3	1		1			1		
Dysentery (16)	1	1											
Lethargic encephalitis (23)	7		1	3	2								1
Meningococcus meningitis (24)	1			1									
Tuberculosis of the respiratory system (31)	84	8	7	13	6	10	6	9	9	3	6	4	3
Other forms of tuberculosis (32-37)	9	1	1		2	1	1	2	1				
Bronchitis (99)	15	1	3	2	1				2		1	3	2
Bronchopneumonia (100)	114	32	20	11	9	7	5	4	5	5	4	4	8
Pneumonia (101)	136	28	27	22	13	5	5	3	4	7	2	11	9
Diarrhea and enteritis [under 2 years] (113)	71	4	2	7	3	2	4	7	11	10	13	5	3
Diarrhea and enteritis [2 years and over] (114)	10		1			1	1		1	2	2	2	
Puerperal septicemia (146)	13	2	3		2			1	1	1	2	1	
Other puerperal causes (143-145, 147-150)	12	1	1		1		1	1	2	1	1	1	2
Automobile accidents (188c)	44	4	4	1	2	3	3	4	5	8	5	2	3
Other external causes (165-188b, 188d-203)	137	15	3	10	10	14	13	18	8	10	9	17	10
All other causes	1,007	109	97	94	96	77	74	81	70	62	88	76	83
JERSEY CITY, N. J., all causes	3,708	365	448	399	317	285	292	261	272	201	272	295	301
Typhoid and paratyphoid fever (1)	4							1	1	1			1
Malaria (5)													
Measles (7)	19	1	1	1	3	2	1	2		2	1		5
Scarlet fever (8)	10	1	1	4	2	1							1
Whooping cough (9)	28		9	4	2	3	1	3	2	2			2
Diphtheria (10)	35	10	3		3	3	4	2	2		2	2	4
Influenza (11)	66	7	26	17	8	2	2				1		3
Dysentery (16)	1							1					
Lethargic encephalitis (23)	10	1	2	2	1	1		1	1			1	
Meningococcus meningitis (24)	3			1		1	1						
Tuberculosis of the respiratory system (31)	239	18	20	29	27	23	19	22	17	12	19	16	17
Other forms of tuberculosis (32-37)	26	5	1	3	1	3	3	1	1		3	3	2
Bronchitis (99)	41	4	10	7	3	3	2	2	1	1	2	2	4
Bronchopneumonia (100)	188	18	35	24	25	9	13	7	14	7	7	13	16
Pneumonia (101)	225	25	50	36	20	15	8	11	10	3	9	17	21
Diarrhea and enteritis [under 2 years] (113)	140	8	10	15	6	11	15	16	16	15	12	7	9
Diarrhea and enteritis [2 years and over] (114)	20	1	3	1		4	5	1	1	1	2	1	
Puerperal septicemia (146)	23	2	1	4	2	2	1	2	2		4	2	1
Other puerperal causes (143-145, 147-150)	25	3	3		1	1	4	2	2		4	2	3
Automobile accidents (188c)	37	1	1	2	3	4	3	3	4	3	8	2	3
Other external causes (165-188b, 188d-203)	223	23	20	19	14	22	17	17	15	27	19	13	17
All other causes	2,345	237	252	230	196	175	193	167	183	127	179	214	192
NEWARK, N. J., all causes	5,110	492	631	561	465	410	395	348	371	334	344	359	400
Typhoid and paratyphoid fever (1)	11		1					2	2			3	3
Malaria (5)													
Measles (7)	45	7	9	7	8	9	2			1			2
Scarlet fever (8)	4	1				1						1	1
Whooping cough (9)	18	5	4	2	2	1	2			1		1	
Diphtheria (10)	21	6		2	3	1		2	1	1		4	1
Influenza (11)	88	5	29	29	7	3	2	2		2	2	2	5
Dysentery (16)													
Lethargic encephalitis (23)	26	1	8	4	5			1	3		1	2	1
Meningococcus meningitis (24)	9	1	2		1	2	1		1			1	
Tuberculosis of the respiratory system (31)	283	14	26	40	25	24	34	21	19	19	19	18	24
Other forms of tuberculosis (32-37)	48	3	8	5	7	4	6	4	1	4	1	3	2
Bronchitis (99)	73	12	26	9	2	4	3			2	5	6	4
Bronchopneumonia (100)	186	31	28	24	19	9	14	6	2	7	13	7	26
Pneumonia (101)	312	43	68	52	35	18	8	8	12	10	12	25	21
Diarrhea and enteritis [under 2 years] (113)	141	5	16	8	3	7	12	19	23	18	9	10	11
Diarrhea and enteritis [2 years and over] (114)	15	1	1					4	3	1	1	3	1
Puerperal septicemia (146)	24	5	1	4	2	1	2		1	1	1	1	5
Other puerperal causes (143-145, 147-150)	41	4	4	5	1	5	2	2	3	5	3	2	5
Automobile accidents (188c)	107	7	7	8	8	11	9	9	15	9	8	11	5
Other external causes (165-188b, 188d-203)	359	30	37	23	37	38	26	34	34	32	28	15	25
All other causes	3,299	311	356	339	300	272	272	234	251	221	241	244	258
PATERSON, N. J., all causes	1,825	214	188	181	172	163	144	124	89	113	143	161	133
Typhoid and paratyphoid fever (1)	4			1			1	1					1
Malaria (5)													
Measles (7)	11				2	1		2		1		2	3
Scarlet fever (8)	4				1	3							
Whooping cough (9)	8		2	2	2	1	1						
Diphtheria (10)	20		1	4	1	2	2	3	1	1	1	1	3
Influenza (11)	38	15	8	6	3	1		1				2	2
Dysentery (16)													
Lethargic encephalitis (23)	13		3	1	1		1	2		1	2	1	1
Meningococcus meningitis (24)	3			1		1	1						
Tuberculosis of the respiratory system (31)	102	1	5	9	18	16	8	11	6	3	6	3	6
Other forms of tuberculosis (32-37)	20	3	3	3	2	1	1	2			3	1	1
Bronchitis (99)	21	3	2	5	1			2		2	1	2	3
Bronchopneumonia (100)	69	12	12	6	9	4	2	2	3	1	4	6	8
Pneumonia (101)	104	23	15	10	9	13	5	2	2	5	7	3	10
Diarrhea and enteritis [under 2 years] (113)	24	1	3	2	1	1		3	3	3	4	1	2
Diarrhea and enteritis [2 years and over] (114)	6		1		1			2		1		1	
Puerperal septicemia (146)	13		1		3	3	2		1			2	1
Other puerperal causes (143-145, 147-150)	19	2	2	5	1		2		2	2		1	2
Automobile accidents (188c)	39	2	1	1	1	3	6	4	2	5	6	4	4
Other external causes (165-188b, 188d-203)	122	9	10	16	12	13	9	9	8	4	11	9	12
All other causes	1,185	133	119	109	104	100	103	78	61	84	98	122	74

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1923—Continued

[See note at head of this table, p. 398]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
TRENTON, N. J., all causes	1,781	190	191	183	176	139	159	119	113	96	110	154	151
Typhoid and paratyphoid fever (1)	15	1	1	1	3	2	1		2		2	1	1
Malaria (5)													
Measles (7)	5	1	1	1		1						1	
Scarlet fever (8)	4			3			1						
Whooping cough (9)	4	1					1			2			
Diphtheria (10)	19	5	5	2	3	1	1	1					1
Influenza (11)	38	5	11	8	5	2	2					3	2
Dysentery (16)	1										1		
Lethargic encephalitis (23)	6	2	3				1						
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	97	9	6	9	8	10	14	7	5	5	6	11	7
Other forms of tuberculosis (32–37)	14	1	1	1	4			2	1	1	1	1	1
Bronchitis (99)	14	2	2	3					2	1		3	1
Bronchopneumonia (100)	60	8	15	6	7	2	4	1	2	2	3	6	4
Pneumonia (101)	116	24	25	12	17	7	4	3	2	5	5	6	6
Diarrhea and enteritis [under 2 years] (113)	47	3	6	4	1	5	1	3	9	3	6	2	4
Diarrhea and enteritis [2 years and over] (114)	26	1	5	2	1	2	4	7	1	2			1
Puerperal septicemia (146)	7	1		1	1		1		1	1	1		
Other puerperal causes (143–145, 147–150)	11		1				3	2		1		2	2
Automobile accidents (188c)	36	3	1	2	5	3	4	1	2	3	5	2	5
Other external causes (165–188b, 188d–203)	122	6	8	10	12	6	18	15	11	5	8	7	16
All other causes	1,139	117	100	118	109	98	99	77	75	65	72	109	100
ALBANY, N. Y., all causes	1,899	206	206	196	176	141	126	144	132	125	151	148	148
Typhoid and paratyphoid fever (1)	3			1				1			1		
Malaria (5)													
Measles (7)	6				1	3	1		1				
Scarlet fever (8)	5	1					1		1			1	1
Whooping cough (9)	7			1	3	1					1		1
Diphtheria (10)	15		1		1			2				8	3
Influenza (11)	36	3	15	8	3	4				1		1	1
Dysentery (16)													
Lethargic encephalitis (23)	2				2								
Meningococcus meningitis (24)	4					1		1	1				1
Tuberculosis of the respiratory system (31)	115	9	10	14	15	9	9	10	11	10	8	4	6
Other forms of tuberculosis (32–37)	20		2	4		4	2	3	2	1	1		1
Bronchitis (99)	16	2	7	4				1			1		1
Bronchopneumonia (100)	69	23	13	14	2	2	1	4	4		1	1	4
Pneumonia (101)	91	17	24	14	9	5	5	3	1	3	4	4	2
Diarrhea and enteritis [under 2 years] (113)	20		1	1	1			4	4	4	3	1	1
Diarrhea and enteritis [2 years and over] (114)	4	2									1	1	
Puerperal causes (146)	6		1		1		1		1		1	1	
Other puerperal causes (143–145, 147–150)	15	3	2		1	3	2	1	1	1	1		
Automobile accidents (188c)	27				1	2	2	2	2	2	4	6	6
Other external causes (165–188b, 188d–203)	99	10	5	6	12	9	12	6	9	4	7	6	13
All other causes	1,339	136	125	129	124	98	90	106	94	99	117	114	107
BUFFALO, N. Y., all causes	7,269	757	763	708	711	690	526	489	497	478	543	533	574
Typhoid and paratyphoid fever (1)	23	2	2	1	1	2	1	3	1	3	3	2	2
Malaria (5)													
Measles (7)	73	6	6	14	20	12	8	6	1				
Scarlet fever (8)	30	1	2	4	13	3	3	1					3
Whooping cough (9)	44	4	4	4	7	3	4	7	3	1	2	2	3
Diphtheria (10)	55	12	5	3	7	5	4	3	4	2	1	4	5
Influenza (11)	60	13	23	11	1	4	4			2		1	1
Dysentery (16)	2								1		1		
Lethargic encephalitis (23)	1				1								
Meningococcus meningitis (24)	4				1				1		2		
Tuberculosis of the respiratory system (31)	487	48	38	49	48	46	35	36	37	43	38	31	38
Other forms of tuberculosis (32–37)	68	8	7	5	7	8	6	5	6	3	4	6	3
Bronchitis (99)	91	14	20	13	7	10	2	4	2	3	2	7	7
Bronchopneumonia (100)	290	45	62	29	34	17	12	11	12	9	14	22	23
Pneumonia (101)	396	62	62	56	40	45	28	11	6	12	19	20	35
Diarrhea and enteritis [under 2 years] (113)	264	18	18	23	21	20	19	19	43	27	25	12	19
Diarrhea and enteritis [2 years and over] (114)	31	1	3	4	1	4	4	5		3	2		4
Puerperal septicemia (146)	29	2	4	2	5	3	3	3	2	1	1	1	2
Other puerperal causes (143–145, 147–150)	56	2	8	6	7	6	6	3	7	2		3	6
Automobile accidents (188c)	137	4	2	10	12	11	9	13	14	10	19	18	15
Other external causes (165–188b, 188d–203)	428	31	42	27	41	39	40	41	38	36	32	35	26
All other causes	4,700	484	455	447	437	452	338	318	319	321	378	369	382
NEW YORK, N. Y. (WHITE), all causes	66,085	6,230	7,701	7,199	6,091	5,506	4,987	4,311	4,513	4,357	4,710	5,023	5,457
Typhoid and paratyphoid fever (1)	137	11	3	9	5	10	9	10	19	24	15	9	13
Malaria (5)	3							1	1				1
Measles (7)	285	17	19	29	36	68	35	13	5	5	8	20	30
Scarlet fever (8)	112	18	18	16	20	19	3	2		2	3	5	6
Whooping cough (9)	196	10	28	26	22	17	14	20	18	15	6	12	8
Diphtheria (10)	547	76	70	47	62	44	40	32	21	23	30	50	52
Influenza (11)	1,005	101	431	244	68	33	10	10	8	15	14	37	34
Dysentery (16)	9		1			1		3	1		3		
Lethargic encephalitis (23)	338	11	80	73	38	33	22	11	18	15	15	15	7
Meningococcus meningitis (24)	79	5	6	10	4	13	4	7	7	6	5	5	7
Tuberculosis of the respiratory system (31)	4,539	404	463	460	450	419	354	366	314	288	317	329	375
Other forms of tuberculosis (32–37)	637	44	50	65	65	63	61	58	56	43	52	41	39
Bronchitis (99)	383	41	89	59	36	30	12	11	16	14	23	24	28
Bronchopneumonia (100)	2,976	306	580	460	278	222	152	102	130	118	162	200	266
Pneumonia (101)	4,036	496	862	612	406	302	182	131	119	130	179	283	334
Diarrhea and enteritis [under 2 years] (113)	1,563	85	61	92	103	75	128	153	290	226	164	100	86
Diarrhea and enteritis [2 years and over] (114)	151	8	10	13	11	5	11	23	26	22	8	9	5
Puerperal septicemia (146)	251	28	25	24	20	31	26	13	15	21	16	15	17
Other puerperal causes (143–145, 147–150)	386	27	41	34	46	35	37	30	27	32	20	28	29
Automobile accidents (188c)	939	50	41	78	91	71	90	71	94	83	88	93	89
Other external causes (165–188b, 188d–203)	4,190	357	389	357	363	319	371	358	344	301	344	343	344
All other causes	43,323	4,135	4,434	4,491	3,967	3,696	3,426	2,886	2,984	2,974	3,238	3,405	3,687

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1923—Continued

[See note at head of this table, p. 398]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW YORK, N. Y. (COLORED), all causes	3,467	304	388	362	290	303	271	222	275	241	260	269	282
Typhoid and paratyphoid fever (1)	4			1	1			2					
Malaria (5)													
Measles (7)	20	2	1	1	2	4	5	1				2	2
Scarlet fever (8)	2				1								1
Whooping cough (9)	31	1	3	2	2	5	5	4	2	1	1	2	3
Diphtheria (10)	19	2	1	5	3	2	3		1	1	1		
Influenza (11)	47	3	20	15	2	3	2			1		1	
Dysentery (16)	1							1					
Lethargic encephalitis (23)	16	1	2	2	2	1	3			1	2	2	
Meningococcus meningitis (24)	4		1	1	2								
Tuberculosis of the respiratory system (31)	501	31	42	54	38	50	38	41	43	40	47	40	37
Other forms of tuberculosis (32-37)	67	8	7	7	5	5	11	4	4	5	4	3	4
Bronchitis (99)	17		4	1	3	2	1	1	2			1	2
Bronchopneumonia (100)	264	26	34	36	25	24	15	15	15	16	15	18	25
Pneumonia (101)	315	41	74	49	30	23	18	10	7	7	18	13	25
Diarrhea and enteritis [under 2 years] (113)	81	10	3	5	5	3	5	5	13	10	11	5	6
Diarrhea and enteritis [2 years and over] (114)	9			1			1	4		2		1	
Puerperal septicemia (146)	23	2	2	2	2	2	2	1	2	1	2	3	2
Other puerperal causes (143-145, 147-150)	20	1	3	2			4	4		2	1	1	2
Automobile accidents (188c)	25	2	1	1	3	1	3	2	1	3	3	4	1
Other external causes (165-188b, 188d-203)	201	12	18	16	16	17	15	12	25	19	9	19	23
All other causes	1,800	162	172	161	148	161	140	115	160	132	146	154	149
NEW YORK, N. Y. (BRONX BOROUGH), all causes	7,586	713	932	826	685	615	585	470	511	500	535	571	643
Typhoid and paratyphoid fever (1)	18	1			1	1		1	3	4	2	4	1
Malaria (5)													
Measles (7)	22			2	9	2	7	1					1
Scarlet fever (8)	10			3	1		2	1				1	2
Whooping cough (9)	19		2	3		2	1	3	5	1		1	1
Diphtheria (10)	32	8	2	1	2	5	3	2		3	1	2	3
Influenza (11)	149	14	65	37	10	4	1	1		2	1	9	5
Dysentery (16)	1										1		
Lethargic encephalitis (23)	39	1	6	14	3	5	4	1	3			1	1
Meningococcus meningitis (24)	8	1	1		2	2	1						1
Tuberculosis of the respiratory system (31)	577	50	62	50	48	55	51	39	44	39	44	47	48
Other forms of tuberculosis (32-37)	71	4	7	10	7	7	14	1	6	3	4	5	3
Bronchitis (99)	40	6	10	4	6	3		1	2		2	1	5
Bronchopneumonia (100)	359	42	81	46	41	23	19	10	14	16	21	16	30
Pneumonia (101)	525	64	122	67	53	50	24	13	20	21	20	33	38
Diarrhea and enteritis [under 2 years] (113)	109	5	1	6	7	4	5	13	15	19	13	13	8
Diarrhea and enteritis [2 years and over] (114)	15		2	2	1			4	1	1	1		3
Puerperal septicemia (146)	34	5	2	3	2	6	5		3	2	4	2	
Other puerperal causes (143-145, 147-150)	45	1	6	1	6	6	2	5	2	6	3	2	5
Automobile accidents (188c)	129	6	3	11	10	9	10	15	14	9	16	13	13
Other external causes (165-188b, 188d-203)	407	25	44	31	25	32	36	32	31	37	38	34	42
All other causes	4,977	480	516	535	451	399	400	327	348	337	364	387	433
NEW YORK, N. Y. (BROOKLYN BOROUGH, WHITE), all causes	23,227	2,169	2,657	2,564	2,093	1,984	1,777	1,476	1,612	1,494	1,699	1,790	1,912
Typhoid and paratyphoid fever (1)	42	5	1	3	2	1	3	4	3	7	5	3	5
Malaria (5)													
Measles (7)	53	7	3	4	3	14	8	2			3	7	2
Scarlet fever (8)	32	5	4	5	3	10	1			1	1	1	1
Whooping cough (9)	55	2	6	6	7	6	5	7	5	6	2		3
Diphtheria (10)	249	35	36	26	24	16	16	15	7	8	11	30	25
Influenza (11)	377	35	146	106	24	10	4	4	4	6	5	18	15
Dysentery (16)	3		1			1					1		
Lethargic encephalitis (23)	137	4	34	29	16	13	7	4	8	6	7	6	3
Meningococcus meningitis (24)	27	1	2	3	3	5	1	3	2	1		3	3
Tuberculosis of the respiratory system (31)	1,430	126	123	156	147	144	92	105	111	89	101	115	121
Other forms of tuberculosis (32-37)	219	17	17	14	28	19	20	25	22	16	14	14	13
Bronchitis (99)	145	13	32	21	10	11	6	3	10	5	7	12	15
Bronchopneumonia (100)	1,026	97	188	157	94	72	54	38	53	41	55	76	101
Pneumonia (101)	1,398	167	302	234	124	91	56	45	42	45	61	104	127
Diarrhea and enteritis [under 2 years] (113)	531	24	18	34	34	18	49	50	109	83	64	31	17
Diarrhea and enteritis [2 years and over] (114)	62	4	1	6	4	2	7	8	14	10	3	3	
Puerperal septicemia (146)	104	14	15	9	7	10	5	8	7	9	7	7	6
Other puerperal causes (143-145, 147-150)	163	14	15	10	24	13	15	17	11	10	8	14	12
Automobile accidents (188c)	275	12	12	21	28	23	22	27	30	25	25	25	25
Other external causes (165-188b, 188d-203)	1,291	106	102	102	116	107	130	111	107	78	125	106	101
All other causes	15,608	1,481	1,599	1,618	1,395	1,398	1,276	1,000	1,067	1,048	1,194	1,215	1,317
NEW YORK, N. Y. (BROOKLYN BOROUGH, COLORED), all causes	720	66	90	63	70	59	55	49	56	43	49	64	56
Typhoid and paratyphoid fever (1)	1							1					
Malaria (5)													
Measles (7)	2	1					1						
Scarlet fever (8)													
Whooping cough (9)	5					1	3						1
Diphtheria (10)													
Influenza (11)	13	1	7	1	1	1	1					1	
Dysentery (16)													
Lethargic encephalitis (23)	7	1			2		1			1		2	
Meningococcus meningitis (24)	1			1									
Tuberculosis of the respiratory system (31)	85	7	9	7	7	8	6	5	5	6	10	7	8
Other forms of tuberculosis (32-37)	12	1	1	2	2		2				1	1	2
Bronchitis (99)	5			1	1	1			1				1
Bronchopneumonia (100)	42	5	6	5	6	1	1	4	3	4	2	3	2
Pneumonia (101)	57	4	12	12	4	4	5	2	2		4	2	6
Diarrhea and enteritis [under 2 years] (113)	17	1		1	2	1		1	3	3	1	2	2
Diarrhea and enteritis [2 years and over] (114)	2			1						1			
Puerperal septicemia (146)	5	1							2			1	1
Other puerperal causes (143-145, 147-150)	5	1	1					1		1	1		
Automobile accidents (188c)	4	1	1						1	1			
Other external causes (165-188b, 188d-203)	42	5	6	3	3	4	5	4	4	2	2	3	1
All other causes	415	37	47	29	42	38	30	31	35	24	23	42	32

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1923—Continued

[See note at head of this table, p. 398]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW YORK, N. Y. (MANHATTAN BOROUGH, WHITE), all causes	27,889	2,663	3,242	3,007	2,628	2,311	2,055	1,815	1,908	1,847	1,944	2,136	2,333
Typhoid and paratyphoid fever (1)	58	3	2	5	1	7	5	3	7	9	7	2	7
Malaria (5)	3							1	1				1
Measles (7)	197	8	16	22	23	47	19	9	5	5	5	13	25
Scarlet fever (8)	61	12	14	6	15	7		1		1	2	3	
Whooping cough (9)	94	5	14	14	11	8	4	8	8	6	3	9	4
Diphtheria (10)	183	23	23	15	25	20	16	11	8	6	11	12	13
Influenza (11)	377	40	175	87	26	15	2	3	2	3	8	5	11
Dysentery (16)	3							2	1				
Lethargic encephalitis (23)	127	3	33	21	18	11	8	5	4	9	8	4	3
Meningococcus meningitis (24)	37	2	3	6		5	2	3	3	5	5	1	2
Tuberculosis of the respiratory system (31)	2,052	178	228	207	216	169	175	178	129	132	136	140	164
Other forms of tuberculosis (32-37)	292	22	23	35	28	28	17	26	25	22	25	20	21
Bronchitis (99)	157	19	33	28	16	15	4	5	4	9	9	8	7
Bronchopneumonia (100)	1,295	137	252	203	116	108	66	40	54	52	71	89	107
Pneumonia (101)	1,676	198	337	233	183	141	84	61	48	45	89	115	142
Diarrhea and enteritis [under 2 years] (113)	771	51	36	42	51	41	64	70	146	98	75	47	50
Diarrhea and enteritis [2 years and over] (114)	55	3	6	4	4	2	3	12	7	5	2	5	2
Puerperal septicemia (146)	89	6	6	10	11	10	14	3	4	8	4	5	8
Other puerperal causes (143-145, 147-150)	129	8	17	19	10	12	14	3	10	14	5	10	7
Automobile accidents (188c)	453	27	22	41	48	36	44	23	40	41	41	52	38
Other external causes (165-188b, 188d-203)	2,013	179	204	191	177	136	166	167	167	147	142	167	170
All other causes	17,767	1,739	1,798	1,818	1,649	1,493	1,348	1,181	1,235	1,230	1,296	1,429	1,551
NEW YORK, N. Y. (MANHATTAN BOROUGH, COLORED), all causes	2,487	212	282	271	198	220	197	158	194	179	189	183	204
Typhoid and paratyphoid fever (1)	3			1	1			1					
Malaria (5)													
Measles (7)	18	1	1	1	2	4	4	1				2	2
Scarlet fever (8)	2				1								1
Whooping cough (9)	23	1	3	2	2	4	2	3	1	1	1	1	2
Diphtheria (10)	17	1	1	5	3	2	3		1	1			
Influenza (11)	32	4	13	10	1	2	1			1			
Dysentery (16)	1							1					
Lethargic encephalitis (23)	9		2	2		1	2				2		
Meningococcus meningitis (24)	2		1		1								
Tuberculosis of the respiratory system (31)	385	23	30	44	30	41	29	33	35	29	33	30	28
Other forms of tuberculosis (32-37)	55	7	6	5	2	5	9	4	4	5	4	2	2
Bronchitis (99)	11		4		2	1	1	1	1				1
Bronchopneumonia (100)	202	18	25	28	18	20	13	10	11	12	11	14	22
Pneumonia (101)	239	33	60	35	23	18	13	7	2	7	14	10	17
Diarrhea and enteritis [under 2 years] (113)	57	7	3	5	3	2	5	3	9	7	8	1	4
Diarrhea and enteritis [2 years and over] (114)	6						1	1	2	1		1	
Puerperal septicemia (146)	16	1	2	1	2	1	2	1		1	2	2	1
Other puerperal causes (143-145, 147-150)	13		2	2			3	2		1		1	2
Automobile accidents (188c)	21	1		1	3	2	3	2		2	3	3	1
Other external causes (165-188b, 188d-203)	150	10	12	12	14	13	9	10	18	16	5	12	19
All other causes	1,225	105	117	117	90	104	97	78	110	95	106	104	102
NEW YORK, N. Y. (QUEENS BOROUGH), all causes	5,960	548	663	651	560	476	465	447	398	416	435	440	461
Typhoid and paratyphoid fever (1)	14	2		1	1	1		2	5	2			
Malaria (5)													
Measles (7)	11	2				5	1	1					2
Scarlet fever (8)	7	1		1		2							3
Whooping cough (9)	28	3	5	3	3	1	4	3	1	1	1	3	
Diphtheria (10)	57	4	4	2	9	3	5	4	5	4	4	4	9
Influenza (11)	77	7	34	13	5	3	3	2	1	4		2	3
Dysentery (16)	2							1			1		
Lethargic encephalitis (23)	28	2	6	7	1	4	1	1	2			4	
Meningococcus meningitis (24)	8	1		1		1		1	2			1	1
Tuberculosis of the respiratory system (31)	381	43	40	37	29	38	27	33	25	20	33	25	31
Other forms of tuberculosis (32-37)	48	1	3	5	2	6	10	6	2	1	8	2	2
Bronchitis (99)	32	3	9	5	2	1	1	2			4	4	1
Bronchopneumonia (100)	269	28	50	49	23	22	13	12	9	6	14	17	26
Pneumonia (101)	346	55	70	55	39	19	15	11	11	17	7	22	25
Diarrhea and enteritis [under 2 years] (113)	110	5	4	9	9	7	6	16	11	15	9	11	8
Diarrhea and enteritis [2 years and over] (114)	16	1		1	2	1	1	2	1	4	2	1	
Puerperal septicemia (146)	21	3	1	3		5	2	2	1	2	1	1	
Other puerperal causes (143-145, 147-150)	46	4	3	4	6	3	5	6	4	1	3	2	5
Automobile accidents (188c)	66	3	4	5	4	2	10	4	9	8	3	3	11
Other external causes (165-188b, 188d-203)	375	33	33	28	32	30	29	31	27	35	34	35	28
All other causes	4,018	347	397	422	393	322	332	307	282	296	311	303	306
NEW YORK, N. Y. (RICHMOND BOROUGH), all causes	1,683	163	223	179	147	144	124	118	109	119	119	108	130
Typhoid and paratyphoid fever (1)	5						1		1	2	1		
Malaria (5)													
Measles (7)	2			1	1								
Scarlet fever (8)	2			1	1								
Whooping cough (9)	3		1		1					1			
Diphtheria (10)	28	7	5	3	2				1	2	4	2	2
Influenza (11)	27	3	11	5	3	1			1			3	
Dysentery (16)													
Lethargic encephalitis (23)	7	1	1	2			2		1				
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	130	8	13	13	11	14	12	14	8	13	7	5	12
Other forms of tuberculosis (32-37)	7			1	1	3			1	1			
Bronchitis (99)	10		5	1	2		1				1		
Bronchopneumonia (100)	47	5	12	8	5		1	3	1	3	3	3	3
Pneumonia (101)	110	16	33	25	10	2	3	2	1	2	2	10	4
Diarrhea and enteritis [under 2 years] (113)	49	2	2		2	5	4	5	10	11	5		3
Diarrhea and enteritis [2 years and over] (114)	4		1						1	2			
Puerperal septicemia (146)	5		1			1							3
Other puerperal causes (143-145, 147-150)	5					1	2			1	1		
Automobile accidents (188c)	16	2			1		4	2	1		3	1	2
Other external causes (165-188b, 188d-203)	113	11	6	6	12	14	11	15	15	5	7	5	6
All other causes	1,113	108	132	113	95	103	83	77	67	76	85	79	95

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1923—Continued

[See note at head of this table, p. 398]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ROCHESTER, N. Y., all causes	3,712	360	436	384	343	309	255	240	261	266	299	284	275
Typhoid and paratyphoid fever (1)	7	1	1	2						1	1	1	
Malaria (5)													
Measles (7)	38	3	9	1	10	4	4	1	4			1	1
Scarlet fever (8)	6				1		1					2	2
Whooping cough (9)	21		2	1	5	1	5	3	2		1		1
Diphtheria (10)	35	8	6	3		3	2	2	3		4	3	1
Influenza (11)	42	5	17	6	5	3	2		1			1	2
Dysentery (16)													
Lethargic encephalitis (23)	5		3	1	1								
Meningococcus meningitis (24)	1												1
Tuberculosis of the respiratory system (31)	158	19	18	14	18	16	16	8	12	13	5	8	11
Other forms of tuberculosis (32-37)	47	3	3	8	5	2	3	6	7	4	3	3	
Bronchitis (99)	27	4	4	8	1		1	2				4	3
Bronchopneumonia (100)	141	31	26	28	12	8	7	1	8	2	7	5	6
Pneumonia (101)	148	20	32	25	17	9	11	3	6	2	4	7	12
Diarrhea and enteritis [under 2 years] (113)	86	8	5	12	7	7	5	9	5	13	9	3	3
Diarrhea and enteritis [2 years and over] (114)	15	3	2		2		1	3	2		2		
Puerperal septicemia (146)	10	1		1		1	4					2	1
Other puerperal causes (143-145, 147-150)	24	1	3		3	1	1	4	4	4	2	1	
Automobile accidents (188c)	44		3		2	8	2	2	3	7	7	6	4
Other external causes (165-188b, 188d-203)	175	13	9	19	14	13	18	20	12	12	16	14	15
All other causes	2,682	240	293	255	240	233	172	176	192	208	238	223	212
SYRACUSE, N. Y., all causes	2,392	245	227	228	217	197	205	178	191	147	179	181	197
Typhoid and paratyphoid fever (1)	4			1							1	1	1
Malaria (5)	1			1									
Measles (7)	45		1	1	1	6	9	17	4		1	3	2
Scarlet fever (8)	8	1	1	2		2				1			1
Whooping cough (9)	13		2	1	2		1	3	2	1	1		
Diphtheria (10)	30	7	5	1	2	2		2		2	2	5	2
Influenza (11)	22	2	10	7				1			1	1	
Dysentery (16)	1										1		
Lethargic encephalitis (23)	3	2	1										
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	73	9	5	7	7	10	5	4	7	6	6	5	2
Other forms of tuberculosis (32-37)	30	4	1	2	4	3	3	1	3		2	3	4
Bronchitis (99)	18	10	2	2		2					1	1	
Bronchopneumonia (100)	116	23	16	17	11	3	6	2	4	1	11	6	16
Pneumonia (101)	114	21	22	12	11	6	8	3	5	7	4	8	7
Diarrhea and enteritis [under 2 years] (113)	73	5	3	6	9	6	3	8	12	2	5	4	10
Diarrhea and enteritis [2 years and over] (114)	7		2					3	2				
Puerperal septicemia (146)	5	1		1		2	1						
Other puerperal causes (143-145, 147-150)	18			4	1	1	1	3	2	3		1	2
Automobile accidents (188c)	43		1	3		3	7	4	6	3	3	7	6
Other external causes (165-188b, 188d-203)	149	9	13	21	13	13	11	12	10	12	14	11	10
All other causes	1,619	151	142	139	156	138	150	115	134	109	126	125	134
YONKERS, N. Y., all causes	1,091	93	129	120	106	100	74	69	82	66	60	96	96
Typhoid and paratyphoid fever (1)	1							1					
Malaria (5)													
Measles (7)	5	2	2				1						
Scarlet fever (8)	6		3	1			1		1				
Whooping cough (9)	3	1					1			1			
Diphtheria (10)	19	3	1		1	3	1	2	2	1	3	2	
Influenza (11)	17	2	3	8		2	1				1		
Dysentery (16)													
Lethargic encephalitis (23)	1							1					
Meningococcus meningitis (24)	3				1					2			
Tuberculosis of the respiratory system (31)	79	9	3	9	7	6	4	8	10	5	4	9	5
Other forms of tuberculosis (32-37)	8	1	1	1	2	1		1			1		
Bronchitis (99)	7		3			1	1	1				1	
Bronchopneumonia (100)	39	7	5	7	4	4	1	2	1		1	1	6
Pneumonia (101)	69	9	15	10	13	2	2	2	1	2	2	4	7
Diarrhea and enteritis [under 2 years] (113)	33		1	4	1	5	2	3	7	7	3		
Diarrhea and enteritis [2 years and over] (114)	2					1							1
Puerperal septicemia (146)	7	2		1	1	2						1	
Other puerperal causes (143-145, 147-150)	6				1				3	1			1
Automobile accidents (188c)	17				1	3		2	3	1	1	4	2
Other external causes (165-188b, 188d-203)	64	6	10	7	5	4	4	7	5	5	1	2	8
All other causes	705	51	82	72	69	66	55	39	49	41	43	72	66
AKRON, OHIO, all causes	1,702	177	181	167	154	142	107	103	104	142	125	148	152
Typhoid and paratyphoid fever (1)	4			2		1			1				
Malaria (5)													
Measles (7)	13	1	1	1	3	2	4					1	
Scarlet fever (8)	19	6	2	1	4	1		1		1		3	
Whooping cough (9)	9		2	2	1	1		1		1	1		
Diphtheria (10)	24	2	2	4	1	3			1	1	3	6	1
Influenza (11)	42	6	14	7	1	3	1	1			1	1	7
Dysentery (16)	3			1							2		
Lethargic encephalitis (23)	6		1		2	1	1			1			
Meningococcus meningitis (24)	3				1	2							
Tuberculosis of the respiratory system (31)	89	6	7	8	11	9	4	7	3	7	6	6	15
Other forms of tuberculosis (32-37)	19	1	1	1	2	4	3	3	2			2	
Bronchitis (99)	4			1			1				1	1	
Bronchopneumonia (100)	80	19	17	11	3	1	2	1	2	4	5	7	8
Pneumonia (101)	103	21	13	16	11	7	5	1	3	5	6	8	7
Diarrhea and enteritis [under 2 years] (113)	45	2	4	3				1	7	10	14	1	3
Diarrhea and enteritis [2 years and over] (114)	5	1	1						1	2			
Puerperal septicemia (146)	18	2	1	2	3	1	1	1		1	2	1	3
Other puerperal causes (143-145, 147-150)	19	2	2		2	1	3	1	1	2	3	2	
Automobile accidents (188c)	40	3	1	2	6	1	1	3	6	5	3	6	3
Other external causes (165-188b, 188d-203)	140	12	17	10	11	12	18	14	8	6	12	12	8
All other causes	1,017	93	95	95	92	92	63	68	69	96	66	91	97

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1923—Continued

[See note at head of this table, p. 398]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
CINCINNATI, OHIO (WHITE), all causes	5,597	676	584	490	480	488	412	401	414	373	416	443	420
Typhoid and paratyphoid fever (1)	11	1	1			3		2	1	2	1		
Malaria (5)	1					1							
Measles (7)	19					4	7	5	1			1	1
Scarlet fever (8)	20	3	2	3	1	1					6	3	1
Whooping cough (9)	13	1	1	1		1		5	1	1	1	1	
Diphtheria (10)	24	6	8		2			1	3		1	1	2
Influenza (11)	175	56	61	25	14	4	3	1	3			4	4
Dysentery (16)	5					1			3	1			
Lethargic encephalitis (23)	9	3	2		2			1	1				
Meningococcus meningitis (24)	6	2	1		2							1	
Tuberculosis of the respiratory system (31)	327	29	27	32	32	28	21	34	19	18	28	29	30
Other forms of tuberculosis (32–37)	60	4	5	8	9	7	4	3	7	5	4	3	1
Bronchitis (99)	30	2	1	8	1	3	2	1	2	1	5	1	3
Bronchopneumonia (100)	180	42	23	20	17	13	10	5	5	15	8	8	14
Pneumonia (101)	250	54	44	28	22	20	15	10	6	5	8	16	22
Diarrhea and enteritis [under 2 years] (113)	122	8	1	7	7	4	7	9	36	21	13	3	6
Diarrhea and enteritis [2 years and over] (114)	19	3	1		1	1		1	3	3	4		2
Puerperal septicemia (146)	27	3	5	3	2	3	1	2			4	3	1
Other puerperal causes (143–145, 147–150)	43	2	1	1	5	3	5	3	7	1	2	7	6
Automobile accidents (188c)	95	12	3	3	12	6	13	10	7	7	6	7	9
Other external causes (165–188b, 188d–203)	370	26	32	22	29	36	31	39	29	37	28	40	21
All other causes	3,791	419	365	329	322	349	293	269	280	256	297	315	297
CINCINNATI, OHIO (COLORED), all causes	930	91	76	83	97	68	75	78	77	70	56	84	75
Typhoid and paratyphoid fever (1)	2										2		
Malaria (5)													
Measles (7)	1					1							
Scarlet fever (8)													
Whooping cough (9)	6						1		3	1	1		
Diphtheria (10)	2		1		1								
Influenza (11)	27	8	5	3	4		1					4	2
Dysentery (16)	1							1					
Lethargic encephalitis (23)													
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	118	13	10	11	10	8	6	11	9	16	5	11	8
Other forms of tuberculosis (32–37)	36		2	4	6	3	4	5	4	3	1	3	1
Bronchitis (99)	6			1					3			2	
Bronchopneumonia (100)	46	5	7	4	3	5	4	4	4	2	1	3	4
Pneumonia (101)	89	10	11	14	10	7	6	6	3	2	1	9	10
Diarrhea and enteritis [under 2 years] (113)	16			1		3		1	5	2	3		1
Diarrhea and enteritis [2 years and over] (114)	4				1			1					2
Puerperal septicemia (146)	9			1	2		2		1		1	1	1
Other puerperal causes (143–145, 147–150)	12	1	1	1		1			4		1	3	
Automobile accidents (188c)	7	1							2	1	1	1	1
Other external causes (165–188b, 188d–203)	79	9	5	10	8	6	8	2	7	8	5	8	3
All other causes	469	44	34	33	52	34	43	47	32	35	34	39	42
CLEVELAND, OHIO (WHITE), all causes	8,636	814	959	793	793	745	654	609	656	602	669	679	663
Typhoid and paratyphoid fever (1)	13	4		2		1			2	3	1		
Malaria (5)													
Measles (7)	31	1		6	4	10	6	2	1			1	
Scarlet fever (8)	58	8	11	8	13	2	4	2	1	2	2	1	4
Whooping cough (9)	26	2	2	5	6	3	2	2	2		1		1
Diphtheria (10)	111	14	12	8	9	7	3	4	6	7	12	14	15
Influenza (11)	142	17	59	32	6	7	2	1		3	4	6	5
Dysentery (16)	5	1						1	1		1	1	
Lethargic encephalitis (23)	16	1	3	3	2	1	3	1			2		
Meningococcus meningitis (24)	13	1			1	3	3	1	2		1	1	
Tuberculosis of the respiratory system (31)	550	46	58	37	79	42	46	49	45	46	31	32	39
Other forms of tuberculosis (32–37)	86	9	5	6	6	8	7	7	8	12	8	3	7
Bronchitis (99)	55	6	15	4	8	4	4	3	2		3	1	5
Bronchopneumonia (100)	428	67	86	59	49	27	22	12	17	18	25	18	28
Pneumonia (101)	479	70	97	66	51	41	15	13	15	20	19	33	39
Diarrhea and enteritis [under 2 years] (113)	244	16	12	23	10	12	24	12	35	48	22	16	14
Diarrhea and enteritis [2 years and over] (114)	32	3	1	2	3	3	3		8	5	2	1	1
Puerperal septicemia (146)	53	1	5	4	5	7	5	7	6	2	5	1	5
Other puerperal causes (143–145, 147–150)	69	5	10	7	2	3	4	9	6	7	3	9	4
Automobile accidents (188c)	189	12	8	10	13	7	19	13	21	24	26	18	18
Other external causes (165–188b, 188d–203)	570	46	45	36	45	39	56	51	59	31	58	56	48
All other causes	5,466	484	530	475	481	518	426	419	419	374	443	467	430
CLEVELAND, OHIO (COLORED), all causes	957	77	95	58	77	83	80	86	74	82	77	91	77
Typhoid and paratyphoid fever (1)	7				1			2	3				1
Malaria (5)													
Measles (7)	1			1									
Scarlet fever (8)	2				1	1							
Whooping cough (9)	9		4	1	1		1					1	1
Diphtheria (10)	3			1						1		1	
Influenza (11)	15		3	4	2	1	2			1	1		1
Dysentery (16)	1							1					
Lethargic encephalitis (23)	1												1
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	137	11	14	10	8	19	12	16	15	7	5	11	9
Other forms of tuberculosis (32–37)	36	1	1	1	4	5	1	3	4	5	2	3	6
Bronchitis (99)	7	2	1			1		1		1		1	
Bronchopneumonia (100)	85	12	19	6	6	6	5	5	3	6	5	5	7
Pneumonia (101)	105	14	10	9	13	9	10	9	6	6	5	10	4
Diarrhea and enteritis [under 2 years] (113)	15	1	2		2	1		1	3	1	1	2	1
Diarrhea and enteritis [2 years and over] (114)	2							1	1				
Puerperal septicemia (146)	9		1	2	1		1		1	2			1
Other puerperal causes (143–145, 147–150)	6		1			2	1	1			1		
Automobile accidents (188c)	14	2		1		1		2	2	1	1	2	2
Other external causes (165–188b, 188d–203)	74	6	3	2	7	6	11	2	10	4	7	9	7
All other causes	428	28	36	20	31	31	36	42	26	47	49	46	36

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1923—Continued

[See note at head of this table, p. 398]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
COLUMBUS, OHIO, all causes	3,983	446	442	398	329	319	268	289	284	300	307	301	300
Typhoid and paratyphoid fever (1)	11							4	2	3		2	
Malaria (5)													
Measles (7)	29		6	7	5	7	4						
Scarlet fever (8)	5	1		1	1					1	1		
Whooping cough (9)	38	8	7	7	4	2	4	3		1	2		
Diphtheria (10)	17	5	2		1					2	2	3	2
Influenza (11)	178	43	78	21	12	9	1	1	1		1	5	6
Dysentery (16)	2								2				
Lethargic encephalitis (23)	23	5	4	5	3	1		1	1	2	1		
Meningococcus meningitis (24)	3	1									1	1	
Tuberculosis of the respiratory system (31)	216	21	24	31	10	21	17	16	15	17	11	19	14
Other forms of tuberculosis (32–37)	61	5	7	5	9	4	3	4	5	2	4	6	7
Bronchitis (99)	21	5	1	5	1	1	3	1		1	1	2	
Bronchopneumonia (100)	171	31	44	28	12	10	8	3	2	6	5	9	13
Pneumonia (101)	156	28	27	18	12	6	10	9	6	7	8	11	14
Diarrhea and enteritis [under 2 years] (113)	79	3	2	2		3	2	7	23	22	10	1	4
Diarrhea and enteritis [2 years and over] (114)	21		1	2	1			2	10	3	1	1	
Puerperal septicemia (146)	24		5	3	5		3	3			4	1	
Other puerperal causes (143–145, 147–150)	32	3	3	5	1	3		2	3	3	4	2	3
Automobile accidents (188c)	58	6	4	5	6	3	5	9	5	5	3	4	3
Other external causes (165–188b, 188d–203)	231	28	11	13	20	18	17	25	15	15	23	21	25
All other causes	2,607	253	216	240	226	231	191	199	194	210	225	213	209
DAYTON, OHIO, all causes	1,950	212	217	198	172	155	120	133	159	136	137	158	153
Typhoid and paratyphoid fever (1)	6								2	1	2	1	
Malaria (5)													
Measles (7)	15				5	7	3						
Scarlet fever (8)	8	1	1	1	1		1				1	1	1
Whooping cough (9)	27	3	3	2	1		2	3	3	3	5		2
Diphtheria (10)	12	1		1		2				4	2	2	
Influenza (11)	78	19	30	13	6	3					1	1	5
Dysentery (16)	1											1	
Lethargic encephalitis (23)	5		1	1	1	1						1	
Meningococcus meningitis (24)	1				1								
Tuberculosis of the respiratory system (31)	127	9	12	11	16	10	10	7	10	13	8	12	9
Other forms of tuberculosis (32–27)	30	3	2	2	2	7	2	3	1		3		5
Bronchitis (99)	13		4	2	1		1	1		2			2
Bronchopneumonia (100)	82	18	14	8	4	3	1	3	1	5	8	12	5
Pneumonia (101)	81	19	16	9	5	11	4	4		2	4		7
Diarrhea and enteritis [under 2 years] (113)	48	3	1	2	2		2	7	11	13	5	2	
Diarrhea and enteritis [2 years and over] (114)	12	1	2			2	1	2	2		2		
Puerperal septicemia (146)	3	1	1								2		1
Other puerperal causes (143–145, 147–150)	15	2		3	1	1		2	1	1	1	2	1
Automobile accidents (188c)	27	1	1	2	3	2		2	7	2	2	3	2
Other external causes (165–188b, 188d–203)	140	12	10	12	12	13	7	14	16	12	9	12	11
All other causes	1,217	119	119	129	111	93	86	85	105	78	82	108	102
TOLEDO, OHIO, all causes	3,391	315	351	337	276	267	253	242	269	237	281	273	290
Typhoid and paratyphoid fever (1)	15				1		1		5	3	3	1	1
Malaria (5)													
Measles (7)	25	13	5	5		2							
Scarlet fever (8)	16	3	1	3	1	2	3				3		
Whooping cough (9)	9	2	1	2		1	1		1				1
Diphtheria (10)	65	5	5	2	1	3	3	3	10	6	11	8	8
Influenza (11)	65	8	20	19	5	2	1		2	1	3	2	2
Dysentery (16)	3								3				
Lethargic encephalitis (23)	9		1	1	4					1	1	1	
Meningococcus meningitis (24)	1											1	
Tuberculosis of the respiratory system (31)	264	19	23	30	30	29	21	19	12	18	19	19	25
Other forms of tuberculosis (32–37)	42	5	5	3	3	1	5	3	1	5	5	2	4
Bronchitis (99)	23	7	5	1	5		1	2	1		1		
Bronchopneumonia (100)	124	17	28	18	8	6	5	4	6	4	9	7	12
Pneumonia (101)	148	24	31	21	10	13	7	5	2	4	7	7	17
Diarrhea and enteritis [under 2 years] (113)	92	6	5	5	4	6	4	6	16	13	15	9	3
Diarrhea and enteritis [2 years and over] (114)	19	2			3			1	2	3	3	3	2
Puerperal septicemia (146)	19	2	1	5	1	3	2		1	2	1	1	
Other puerperal causes (143–145, 147–150)	26	2	2	1	2	5	2	2	1	4		3	2
Automobile accidents (188c)	63	1	4	2	3	1	4	9	13	8	6	3	9
Other external causes (165–188b, 188d–203)	232	16	19	25	14	15	19	21	29	14	23	18	19
All other causes	2,131	183	195	194	181	178	174	167	164	151	171	188	185
YOUNGSTOWN, OHIO, all causes	1,697	137	163	180	152	128	120	122	122	152	146	151	124
Typhoid and paratyphoid fever (1)	12	1		1	1	1	1			2	4	1	
Malaria (5)													
Measles (7)	28		1	2	1	4	8	3	4	1	2	2	
Scarlet fever (8)	23	1						2	2	3	5	9	1
Whooping cough (9)	10	1	2	1		1			1	1	2		1
Diphtheria (10)	72	8	9	7	6	5	6	3	7	8	4	4	5
Influenza (11)	47	2	14	21	5	2			1		2		
Dysentery (16)	1								1				
Lethargic encephalitis (23)	3		1					1				1	
Meningococcus meningitis (24)	1		1										
Tuberculosis of the respiratory system (31)	96	10	9	14	9	5	6	7	8	9	7	8	4
Other forms of tuberculosis (32–37)	24	2	3		2	3	1	2	2	4	1	3	1
Bronchitis (99)	6		2		1	1				1	1		
Bronchopneumonia (100)	121	10	13	19	14	10	8	7	5	3	9	11	12
Pneumonia (101)	107	9	24	12	16	6	7	4	2	5	6	7	9
Diarrhea and enteritis [under 2 years] (113)	57	2	1	3	1	2	4	2	6	20	8	7	1
Diarrhea and enteritis [2 years and over] (114)	9						1	2	3	1	1	1	
Puerperal septicemia (146)	14	1		2	1	1	1	3	1			2	2
Other puerperal causes (143–145, 147–150)	20		3	3		2		3	2	2	2	1	2
Automobile accidents (188c)	37	1	3	3	5	2	4	3	2	1	3	8	2
Other external causes (165–188b, 188d–203)	147	7	13	13	7	12	16	12	12	14	10	15	16
All other causes	862	82	64	79	83	71	57	68	63	77	79	71	68

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1923—Continued

[See note at head of this table, p. 398]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
PORTLAND, OREG., all causes	3,052	291	278	320	263	235	235	236	203	210	234	275	272
Typhoid and paratyphoid fever (1)	7	1									3	1	2
Malaria (5)													
Measles (7)	13											2	11
Scarlet fever (8)	1							1					
Whooping cough (9)	13	3	2	3	4	1							
Diphtheria (10)	31	3	3			1	3	1	2	1	5	6	6
Influenza (11)	63	8	11	20	15	3		1	1	1	1	1	1
Dysentery (16)													
Lethargic encephalitis (23)	19	6	3	1	2		2	1		3	1		
Meningococcus meningitis (24)	1	1											
Tuberculosis of the respiratory system (31)	157	17	17	18	14	13	20	14	4	8	9	9	14
Other forms of tuberculosis (32-37)	48	5	5	4	4	7	7	2	3	1	2	5	3
Bronchitis (99)	17		4	1		5	1			1	1	2	2
Bronchopneumonia (100)	107	14	14	19	11	8	6	3	5	3	9	10	5
Pneumonia (101)	131	11	14	24	12	12	4	9	4	3	9	18	11
Diarrhea and enteritis [under 2 years] (113)	19	2	3	1	1	2		1	1	2	3	2	1
Diarrhea and enteritis [2 years and over] (114)	12	3		1	2			2		2		2	
Puerperal septicemia (146)	16	2	2		2		2		1		4		3
Other puerperal causes (143-145, 147-150)	24	4	1	1	1	2	3	3	4			5	
Automobile accidents (188c)	39	4	1	1	3	1	3	4	5	2	4	4	7
Other external causes (165-188b, 188d-203)	216	13	29	18	15	17	22	19	19	20	12	18	14
All other causes	2,118	194	169	208	177	163	162	175	154	163	171	190	192
PHILADELPHIA, PA. (WHITE), all causes	23,240	2,811	2,459	2,512	2,134	1,906	1,671	1,435	1,474	1,395	1,749	1,798	1,896
Typhoid and paratyphoid fever (1)	23	2	2	3	1		1	1	2	1	7	1	2
Malaria (5)	3	1		1						1			
Measles (7)	217	110	44	34	15	5	1	1			1	4	2
Scarlet fever (8)	34	4	3	4	7	3	4	1	1		1		6
Whooping cough (9)	82	13	5	10	6	11	6	7	5	6	6	2	5
Diphtheria (10)	255	38	36	32	26	15	14	7	8	7	13	28	31
Influenza (11)	351	116	72	53	44	22	5	4	2	3	11	9	10
Dysentery (16)	8	1		1					2	1	1	1	1
Lethargic encephalitis (23)	51	3	8	13	8	9	2	1			5		2
Meningococcus meningitis (24)	21	3	2	1		5	2	2		2	3		1
Tuberculosis of the respiratory system (31)	1,396	156	142	155	121	150	118	95	92	85	87	102	93
Other forms of tuberculosis (32-37)	215	19	17	26	21	25	16	24	14	20	13	7	13
Bronchitis (99)	198	42	33	22	16	18	10	5	9	5	12	16	10
Bronchopneumonia (100)	1,182	244	201	160	100	81	43	34	43	35	54	70	117
Pneumonia (101)	1,269	254	223	188	142	93	52	22	27	19	52	77	120
Diarrhea and enteritis [under 2 years] (113)	550	42	31	36	22	32	33	44	69	89	81	43	28
Diarrhea and enteritis [2 years and over] 114)	86	9	5	4	5	4	3	6	14	16	9	7	4
Puerperal septicemia (146)	99	10	7	10	7	11	12	8	5	3	7	10	9
Other puerperal causes (143-145, 147-150)	165	13	19	20	15	19	15	8	17	5	9	15	10
Automobile accidents (188c)	281	30	13	18	14	17	25	19	28	15	29	43	30
Other external causes (165-188b, 188d-203)	1,356	126	152	119	104	110	103	104	97	102	111	108	120
All other causes	15,398	1,575	1,444	1,602	1,460	1,276	1,206	1,042	1,039	980	1,237	1,255	1,282
PHILADELPHIA, PA. (COLORED), all causes	3,388	375	312	316	329	266	226	245	263	243	287	240	286
Typhoid and paratyphoid fever (1)	6			1	1			2			2		
Malaria (5)													
Measles (7)	25	9	4	8	1							1	2
Scarlet fever (8)	5		1	2			1						1
Whooping cough (9)	31	1	2		2	4	2	7	4	4	2	2	1
Diphtheria (10)	17	1	1	3	3	1				1	1	2	4
Influenza (11)	64	18	12	10	8	1	2	2		3	2	1	5
Dysentery (16)													
Lethargic encephalitis (23)	8			3			2	1	1				1
Meningococcus meningitis (24)	2									1		1	
Tuberculosis of the respiratory system (31)	441	43	44	35	45	32	31	37	40	28	31	32	43
Other forms of tuberculosis (32-37)	81	1	6	6	4	5	6	12	6	6	10	6	13
Bronchitis (99)	26	5	3	5	3	3	1	1		1	2	2	
Bronchopneumonia (100)	279	48	43	26	24	22	12	15	16	16	23	14	20
Pneumonia (101)	299	41	43	47	45	29	15	7	9	13	10	19	21
Diarrhea and enteritis [under 2 years] (113)	85	4	4	3	7		1	13	20	16	9	4	4
Diarrhea and enteritis [2 years and over] (114)	18	1	1	1	1	2	1		3	4	2		2
Puerperal septicemia (146)	17			1	2	3	4	2	2	1	1		1
Other puerperal causes (143-145, 147-150)	24	4		3		4	3	1	3		2	2	2
Automobile accidents (188c)	13	1	2	1			1		1	2	2	3	
Other external causes (165-188b, 188d-203)	233	17	18	25	17	14	17	25	25	22	22	12	19
All other causes	1,714	181	128	136	166	146	127	120	133	125	166	139	147
PITTSBURGH, PA. (WHITE), all causes	8,730	902	1,100	894	746	679	612	559	565	588	706	699	680
Typhoid and paratyphoid fever (1)	23	3	1	2		2	1	2	2	3	4	2	1
Malaria (5)													
Measles (7)	108	21	31	23	19	8	2	1	2		1		
Scarlet fever (8)	114	12	4	10	9	13	10	16	5	9	14	5	7
Whooping cough (9)	34	2	3	5	5	1	1	1	3	3	2	3	5
Diphtheria (10)	154	17	21	5	16	8	5	4	9	13	13	23	20
Influenza (11)	276	38	105	64	22	6	7	2	2	5	8	8	9
Dysentery (16)	2										2		
Lethargic encephalitis (23)	12	1	1	4	1			2	1	1		1	
Meningococcus meningitis (24)	9		1	1	2	1			1	2		1	
Tuberculosis of the respiratory system (31)	376	33	32	38	41	27	34	28	32	30	35	19	27
Other forms of tuberculosis (32-37)	75	8	9	7	4	5	8	6	4	6	7	3	8
Bronchitis (99)	46	5	8	7	7	2	1	1		4	4	3	4
Bronchopneumonia (100)	659	111	120	97	51	38	23	22	24	38	45	41	49
Pneumonia (101)	1,068	161	242	123	89	82	54	28	28	40	73	72	76
Diarrhea and enteritis [under 2 years] (113)	336	18	16	16	19	19	33	39	58	42	36	22	18
Diarrhea and enteritis [2 years and over] (114)	51	5	4	1	3	4	3	6	7	4	5	6	3
Puerperal septicemia (146)	50	2	2	2	5	9	4	5	2	6	2	9	2
Other puerperal causes (143-145, 147-150)	69	4	7	6	6	7	6	4	7	6	1	8	7
Automobile accidents (188c)	137	13	10	6	10	13	7	12	15	9	15	16	11
Other external causes (165-188b, 188d-203)	596	46	53	57	46	44	58	44	53	38	61	44	52
All other causes	4,535	402	430	420	391	390	355	336	310	329	378	413	381

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1923—Continued

[See note at head of this table, p. 398]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
PITTSBURGH, PA. (COLORED), all causes	1,091	108	127	103	91	80	80	92	75	76	96	94	75
Typhoid and paratyphoid fever (1)	3						1	1	1				
Malaria (5)													
Measles (7)	15	3	6	2	2	2							
Scarlet fever (8)	2			1			1						
Whooping cough (9)	12	1	4	1	1		1	1	2	1			
Diphtheria (10)	8		2		2		1			1		1	1
Influenza (11)	31	6	8	6	3	1	1	1	2			1	2
Dysentery (16)	1										1		
Lethargic encephalitis (23)													
Meningococcus meningitis (24)	3						1	1				1	
Tuberculosis of the respiratory system (31)	108	11	7	12	10	11	7	13	9	6	5	9	8
Other forms of tuberculosis (32–37)	24		2		2	1	5	3	1	4	3	2	1
Bronchitis (99)	1			1									
Bronchopneumonia (100)	88	9	3	14	12	6	5	2	8	4	3	12	5
Pneumonia (101)	221	26	42	27	15	16	12	14	9	10	14	16	20
Diarrhea and enteritis [under 2 years] (113)	35	3	1	3	3	2		3	7	3	3	5	2
Diarrhea and enteritis [2 years and over] (114)	12				1		3	1	1	4		1	1
Puerperal septicemia (146)	10				2		2	1	1		3	1	
Other puerperal causes (143–145, 147–150)	5					1	1	1			1	1	
Automobile accidents (188c)	9			2			2	1			1	1	2
Other external causes (165–188b, 188d–203)	91	6	8	4	3	10	10	21	3	7	6	8	5
All other causes	412	43	39	30	35	30	27	28	31	36	50	35	28
READING, PA., all causes	1,507	181	179	146	153	119	111	84	104	107	87	97	139
Typhoid and paratyphoid fever (1)	5							2		1		2	
Malaria (5)													
Measles (7)	24	15	5	3			1						
Scarlet fever (8)	1			1									
Whooping cough (9)	7		1	3	1	1	1						
Diphtheria (10)	21	3	2	6		2	1			1		1	5
Influenza (11)	46	11	14	8	4	3		1			2		3
Dysentery (16)													
Lethargic encephalitis (23)	2	1			1								
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	54	4	5	5	6	5	8	5	3	3	3	3	4
Other forms of tuberculosis (32–37)	25	3	1	3	4	3	1	2	1	1	2		4
Bronchitis (99)	9	1	2		1			1	1	1		1	1
Bronchopneumonia (100)	71	16	14	10	11	5	2			1	4	4	4
Pneumonia (101)	76	12	16	6	10	7	4	1	2	3	3	5	7
Diarrhea and enteritis [under 2 years] (113)	34	3	1	2	3	2	3		9	5	1	4	1
Diarrhea and enteritis [2 years and over] (114)	9	1		2	1	1		1	1	1			1
Puerperal septicemia (146)	5		1		2			1		1			
Other puerperal causes (143–145, 147–150)	7		1				1	1		1	3		
Automobile accidents (188c)	27	1		2	1	2	7	1	3	4	2		4
Other external causes (165–188b, 188d–203)	92	7	7	7	7	7	9	10	13	7	8	5	5
All other causes	992	103	109	88	101	81	73	58	71	77	59	72	100
SCRANTON, PA., all causes	1,919	203	181	173	197	184	133	124	147	129	136	144	168
Typhoid and paratyphoid fever (1)	7			1					1	2	3		
Malaria (5)													
Measles (7)	27	3	2	3	3	10	4	1					1
Scarlet fever (8)	2	1			1								
Whooping cough (9)	6	1		1		1		1		1	1		
Diphtheria (10)	11	2	1			1	1			1	1	3	1
Influenza (11)	46	6	14	12	2	3	1			2	1	1	4
Dysentery (16)	1						1						
Lethargic encephalitis (23)	6		1		2			1			1		1
Meningococcus meningitis (24)	1		1										
Tuberculosis of the respiratory system (31)	90	5	11	5	9	7	12	8	9	6	7	2	9
Other forms of tuberculosis (32–37)	13	3	1	2				1	2			1	3
Bronchitis (99)	22	2	2	2	4	3			3	2	1		3
Bronchopneumonia (100)	87	20	12	10	13	7	1	3	3		7	8	3
Pneumonia (101)	106	13	18	15	14	9	2	5	5	5	5	5	10
Diarrhea and enteritis [under 2 years] (113)	78	4	5	4	3	1	1	8	23	13	7	3	6
Diarrhea and enteritis [2 years and over] (114)	12	1	2	2	2				1		1	2	1
Puerperal septicemia (146)	12		2	3	1		1		1	2	1	1	
Other puerperal causes (143–145, 147–150)	15	1	4		2	1	2	1			1	2	1
Automobile accidents (188c)	41	3	1	1	5	4	2	4	5	1	4	5	6
Other external causes (165–188b, 188d–203)	175	13	11	19	16	24	15	13	13	18	11	15	7
All other causes	1,161	125	93	93	120	113	90	78	81	76	84	96	112
PROVIDENCE, R. I., all causes	3,578	411	365	412	342	309	263	237	229	196	276	258	280
Typhoid and paratyphoid fever (1)	2							1			1		
Malaria (5)	1							1					
Measles (7)	122	25	27	28	17	15	5	2	1	1			1
Scarlet fever (8)	5	2			1						1		1
Whooping cough (9)	37	3	4	4	1	7	2	5	4	1	2	1	3
Diphtheria (10)	40	8	7	3	5	3	2	2	3	2	1	3	1
Influenza (11)	24	2	7	7	4						1		3
Dysentery (16)	5							2	1		1		1
Lethargic encephalitis (23)	7	1	2					3			1		
Meningococcus meningitis (24)	9	1	1	1	5		1						
Tuberculosis of the respiratory system (31)	169	20	17	11	15	21	16	2	18	10	14	10	15
Other forms of tuberculosis (32–37)	60	5	2	4	9	6	6	4	5	3	7	6	3
Bronchitis (99)	24	3	6	4	4	2	1	1	1			1	1
Bronchopneumonia (100)	140	24	27	33	13	4	7	4	2	4	7	5	10
Pneumonia (101)	222	32	35	54	21	17	8	7	3	6	13	13	13
Diarrhea and enteritis [under 2 years] (113)	91	2	3	3	2	3	9	12	19	12	18	3	5
Diarrhea and enteritis [2 years and over] (114)	5			1	1	1		1	1				
Puerperal septicemia (146)	23	2	1	3	3	3	1	1			4	2	3
Other puerperal causes (143–145, 147–150)	32	3	2	2	5	1	4		2	4	1	4	4
Automobile accidents (188c)	52	3	3	2	3	5	3	7	5	2	9	5	5
Other external causes (165–188b, 188d–203)	189	22	11	25	12	14	11	15	15	13	20	15	16
All other causes	2,319	253	210	227	221	207	187	167	149	138	175	190	195

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1923—Continued

[See note at head of this table, p. 398]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MEMPHIS, TENN. (WHITE), all causes	1,678	181	146	153	165	147	124	132	142	135	99	134	120
Typhoid and paratyphoid fever (1)	8	1						1	3	2		1	
Malaria (5)	13			1					2	3	2	5	
Measles (7)	37	4	12	5	4	12							
Scarlet fever (8)	4											1	3
Whooping cough (9)	5	1				2	1			1			
Diphtheria (10)	8		1	3	1					1			2
Influenza (11)	78	26	11	19	5	4	2		1	1	2	4	3
Dysentery (16)	10		1			1	3	3		1		1	
Lethargic encephalitis (23)	6			2					1		2		1
Meningococcus meningitis (24)	1				1								
Tuberculosis of the respiratory system (31)	86	9	3	5	10	9	9	6	3	8	10	8	6
Other forms of tuberculosis (32–37)	14	1	1		4	1	2	1		1	1	2	
Bronchitis (99)	6		1	1	1		1	1		1			
Bronchopneumonia (100)	68	15	8	9	6	9		3	3	3	4	3	5
Pneumonia (101)	83	15	7	12	12	6	5		3	7	4	6	6
Diarrhea and enteritis [under 2 years] (113)	30	1	1	1	1		4	8	4	4	3	3	
Diarrhea and enteritis [2 years and over] (114)	11				1	3	2	3		1		1	
Puerperal septicemia (146)	10	1	1	3	1	1				1	1	1	
Other puerperal causes (143–145, 147–150)	20	1	3	1	1	3			4	3		2	2
Automobile accidents (188c)	34	1	3	1	2	3	4	2	2	4	6	3	3
Other external causes (165–188b, 188d–203)	141	7	14	12	12	9	11	17	16	12	7	14	10
All other causes	1,005	98	79	78	103	84	80	87	100	81	57	79	79
MEMPHIS, TENN. (COLORED), all causes	1,710	167	140	175	156	128	143	139	129	125	126	131	151
Typhoid and paratyphoid fever (1)	19		1				1	4	4	4	2	2	1
Malaria (5)	21	1		1		2		3	5	4	5		
Measles (7)	10		3	4	1		1	1					
Scarlet fever (8)													
Whooping cough (9)	6	1		1		1	1	2					
Diphtheria (10)	9			2	1		1		1		1	3	
Influenza (11)	131	34	21	35	17	6	5	3		1	2	1	6
Dysentery (16)	5						1	1	1	2			
Lethargic encephalitis (23)	2	1							1				
Meningococcus meningitis (24)	4			1		1					2		
Tuberculosis of the respiratory system (31)	171	14	15	14	17	17	18	11	9	19	11	11	15
Other forms of tuberculosis (32–37)	32			4	4	6	5	1	1	3	1	3	4
Bronchitis (99)	4	1									2	1	
Bronchopneumonia (100)	78	12	8	10	8	8	3	4	3	3	4	6	9
Pneumonia (101)	98	14	13	17	9	2	4	3		4	11	9	12
Diarrhea and enteritis [under 2 years] (113)	37					2	7	13	10	4			1
Diarrhea and enteritis [2 years and over] (114)	12		2	1	1		3	1	2		1	1	
Puerperal septicemia (146)	6	1				1	2	2					
Other puerperal causes (143–145, 147–150)	12		1		2	1	2		1		3	2	
Automobile accidents (188c)	12	2				4		4	2				
Other external causes (165–188b, 188d–203)	155	6	6	11	14	9	12	16	23	10	16	16	16
All other causes	886	80	70	74	82	68	77	70	66	71	65	76	87
NASHVILLE, TENN. (WHITE), all causes	1,350	149	103	138	146	90	91	110	101	108	107	100	107
Typhoid and paratyphoid fever (1)	8	1					1	1		2	3		
Malaria (5)													
Measles (7)	63		5	17	20	9	1					1	
Scarlet fever (8)	2			1									1
Whooping cough (9)	13	1		1	3		1	1	2	2	2		
Diphtheria (10)	5									1		3	1
Influenza (11)	70	26	11	10	11	2	1			1		2	6
Dysentery (16)	6				1	1		3		1			
Lethargic encephalitis (23)	2											2	
Meningococcus meningitis (24)	1										1		
Tuberculosis of the respiratory system (31)	70	2	8	5	3	4	5	8	11	6	7	6	5
Other forms of tuberculosis (32–37)	16		1	1	4				1	2	2	2	3
Bronchitis (99)	2			1				1					
Bronchopneumonia (100)	47	8	4	6	9	5		1		3	3	6	2
Pneumonia (101)	66	16	7	6	12	1	2	1	3	1	8	4	5
Diarrhea and enteritis [under 2 years] (113)	24		1			1	4	5	5	2	4		2
Diarrhea and enteritis [2 years and over] (114)	8	1					2	2	1	1			1
Puerperal septicemia (146)	11	2	1			1			1	1		2	3
Other puerperal causes (143–145, 147–150)	11	2			1	1	2		2			3	
Automobile accidents (188c)	21	1			1	1	1	3	2	3	4	4	1
Other external causes (165–188b, 188d–203)	109	12	6	9	7	3	14	8	8	16	9	5	12
All other causes	805	77	59	81	74	61	57	76	65	66	64	60	65
NASHVILLE, TENN. (COLORED), all causes	931	92	72	99	97	55	72	83	73	64	72	67	85
Typhoid and paratyphoid fever (1)	7				1	1		2		1	2		
Malaria (5)	1									1			
Measles (7)	11		1	2	4	3	1						
Scarlet fever (8)													
Whooping cough (9)	1			1									
Diphtheria (10)													
Influenza (11)	49	18	7	8	11	1				1		2	1
Dysentery (16)	3				1		1			1			
Lethargic encephalitis (23)													
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	86	7	6	4	11	6	9	5	16	2	11	5	4
Other forms of tuberculosis (32–37)	17	4		1	2		3	4		2			1
Bronchitis (99)	11	1	1	1	3			1	1	1	1		1
Bronchopneumonia (100)	48	4	6	10	6	2	2	1	6	2	3	3	3
Pneumonia (101)	52	7	3	9	7	4	2	2	3	1	4	3	7
Diarrhea and enteritis [under 2 years] (113)	21					1	3	4	4	7	2		
Diarrhea and enteritis [2 years and over] (114)	8						2	2		1	1	2	
Puerperal septicemia (146)	7	1		1			1	1	1		1		1
Other puerperal causes (143–145, 147–150)	8			1				2	1			2	2
Automobile accidents (188c)	7			1	1			1	1	3			
Other external causes (165–188b, 188d–203)	72	5	6	7	4	5	5	5	6	5	10	7	7
All other causes	522	45	42	53	46	32	43	53	34	36	37	43	58

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1923—Continued

[See note at head of this table, p. 398]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
DALLAS, TEX., all causes	2,173	233	181	208	196	171	168	182	176	147	165	169	177
Typhoid and paratyphoid fever (1)	21						2	1	5	6		2	5
Malaria (5)	12				4		1	2	3		1	1	
Measles (7)	4											1	3
Scarlet fever (8)	2								1				1
Whooping cough (9)	17		1	1		4	6	3					2
Diphtheria (10)	16			2	2		1		2		1	4	4
Influenza (11)	98	21	27	17	19	2		4	1		1	2	4
Dysentery (16)	13			1	1		2	3	3		2	1	
Lethargic encephalitis (23)													
Meningococcus meningitis (24)	2						1		1				
Tuberculosis of the respiratory system (31)	103	13	9	12	10	9	6	8	6	7	4	11	8
Other forms of tuberculosis (32-37)	16	1			1	1	2	1	2	3	2		3
Bronchitis (99)	9	1		2	1	1		1		3			
Bronchopneumonia (100)	56	11	12	9	6		2		3	1	6	2	4
Pneumonia (101)	112	26	19	24	12	2	2	1	3		4	7	12
Diarrhea and enteritis [under 2 years] (113)	61	5	1	6	1	6	5	7	5	3	16	5	1
Diarrhea and enteritis [2 years and over] (114)	11		1			2	2	1		1	3	1	
Puerperal septicemia (146)	14	1	1	1	2	2	1	1	1	1		1	2
Other puerperal causes (143-145, 147-150)	28	3	1	5	1	1	1	1	3	2	2	4	4
Automobile accidents (188c)	34	7	3		2	5	2	4	2	1	2	4	2
Other external causes (165-188b, 188d-203)	166	12	14	12	18	11	11	20	17	11	16	11	13
All other causes	1,378	132	92	116	116	125	121	124	118	108	105	112	109
FORT WORTH, TEX., all causes	1,197	110	105	139	101	78	82	93	96	76	94	96	127
Typhoid and paratyphoid fever (1)	11				1	2		4	3			1	
Malaria (5)													
Measles (7)	1				1								
Scarlet fever (8)	1												1
Whooping cough (9)	6				1		1	2			2		
Diphtheria (10)	9	2					1			1	2	2	1
Influenza (11)	52	2	12	17	13		2		1			2	3
Dysentery (16)	7		1		1	2	1				1	1	
Lethargic encephalitis (23)	3		1							1		1	
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	75	8	5	12	10	6	4	7	5	4	4	4	6
Other forms of tuberculosis (32-37)	8		1	4					1	1			1
Bronchitis (99)	3					1						1	1
Bronchopneumonia (100)	33	8	8	5	3	2	1	2		1		1	2
Pneumonia (101)	63	13	13	10	5	2	1	2		2	3	6	6
Diarrhea and enteritis [under 2 years] (113)	23	2	1	3	1	1	5	1	2	1	2		4
Diarrhea and enteritis [2 years and over] (114)	9			1		1		1	1	1	2		2
Puerperal septicemia (146)	11				2	1			1	1		3	2
Other puerperal causes (143-145, 147-150)	6	1	2	1									2
Automobile accidents (188c)	9	1			1		1	2	1	1	2		
Other external causes (165-188b, 188d-203)	97	6	8	11	10	9	5	15	8	5	3	7	10
All other causes	770	67	53	75	52	51	60	57	73	57	73	67	85
HOUSTON, TEX. (WHITE), all causes	1,355	133	102	122	109	113	99	123	105	105	113	111	120
Typhoid and paratyphoid fever (1)	7		1			1		2	1	1		1	
Malaria (5)	6					1		1	3				1
Measles (7)													
Scarlet fever (8)	1				1								
Whooping cough (9)	9				1	1	2	2	2	1			
Diphtheria (10)	6	1		1							2	2	
Influenza (11)	39	6	3	15	5	1	1			1	3	4	
Dysentery (16)	7	1	1	1			2	1					1
Lethargic encephalitis (23)													
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	93	13	6	6	10	11	7	7	10	4	6	6	7
Other forms of tuberculosis (32-37)	12	1	1	2		2			2	2	2		
Bronchitis (99)	5	1							2				2
Bronchopneumonia (100)	31	6	5	5	3	1	1	1		2		2	5
Pneumonia (101)	50	5	4	4	7	4	3	4	1		2	3	13
Diarrhea and enteritis [under 2 years] (113)	36	7	4	1	1	3	6	4	3	2	1	3	1
Diarrhea and enteritis [2 years and over] (114)	10	1				2	1	4		1	1		
Puerperal septicemia (146)	8	1	1			1			1	2	1	1	
Other puerperal causes (143-145, 147-150)	15	2		1	1	2		1	2	2	2		2
Automobile accidents (188c)	23		4	1	2	1	1	4	1	4	2	2	1
Other external causes (165-188b, 188d-203)	115	14	6	10	3	10	6	10	5	13	8	13	17
All other causes	882	74	66	75	75	72	69	82	72	70	83	74	70
HOUSTON, TEX. (COLORED), all causes	703	45	50	76	57	68	49	69	60	48	59	62	60
Typhoid and paratyphoid fever (1)	5						1	1	1		1	1	
Malaria (5)	14				1	1	3	3	1	1	3	1	
Measles (7)	1											1	
Scarlet fever (8)													
Whooping cough (9)	2							1			1		
Diphtheria (10)	4							1	1				2
Influenza (11)	28	1	4	9	6	1	2			1	1	1	2
Dysentery (16)	3					2	1						
Lethargic encephalitis (23)													
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	71	3	2	13	5	7	6	4	6	5	6	8	6
Other forms of tuberculosis (32-37)	8		1		1			1	2	1		1	1
Bronchitis (99)	4	1							1	1		1	
Bronchopneumonia (100)	11		2	4			1						4
Pneumonia (101)	30	6	1	4	3	2		1	3	1	3	3	3
Diarrhea and enteritis [under 2 years] (113)	20	3	2			6	3	2	2			1	1
Diarrhea and enteritis [2 years and over] (114)	6				2		2	1			1		
Puerperal septicemia (146)	5				1		1			1	1		1
Other puerperal causes (143-145, 147-150)	4		1						2			1	
Automobile accidents (188c)	2		1								1		
Other external causes (165-188b, 188d-203)	47	3	1	3	4	6	4	4	4	4	2	9	1
All other causes	438	28	35	43	34	43	25	50	37	33	39	34	37

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1923—Continued

[See note at head of this table, p. 398]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
SAN ANTONIO, TEX., all causes	2,728	232	241	293	229	259	239	208	196	192	204	216	219
Typhoid and paratyphoid fever (1)	18	1	1		1	1	8		3	2	1		
Malaria (5)	7						1	1		3	2		
Measles (7)	15		4		1	1		4		1		2	2
Scarlet fever (8)	2		1									1	
Whooping cough (9)	9		1	1		1		1	1	1	1	1	1
Diphtheria (10)	18		3	1		2		1		1	3	3	4
Influenza (11)	57		10	29	10	3		1	1	1		1	1
Dysentery (16)	29	2	1	1	1	5	7	3	2	1	5		1
Lethargic encephalitis (23)	1											1	
Meningococcus meningitis (24)	5									2		3	
Tuberculosis of the respiratory system (31)	440	36	28	47	38	50	35	37	34	29	35	36	35
Other forms of tuberculosis (32-37)	39	2	4	6	4	5	3	2	1	2	4	2	4
Bronchitis (99)	21		2	2	3	3		1	2	2	1	4	1
Bronchopneumonia (100)	83	12	19	14	4	3	6	2	5		5	6	7
Pneumonia (101)	107	10	15	18	16	3	4	3	4	6	6	9	13
Diarrhea and enteritis [under 2 years] (113)	239	18	19	13	11	34	38	26	17	19	17	16	11
Diarrhea and enteritis [2 years and over] (114)	61	5	3	4	2	4	9	6	4	4	10	5	5
Puerperal septicemia (146)	13	2	1	1	1	2				4		2	
Other puerperal causes (143-145, 147-150)	24	2	1	8	1		4	1	2	1		2	2
Automobile accidents (188c)	30	3	2	1	3	5	1	4	3		1	3	4
Other external causes (165-188b, 188d-203)	131	15	10	10	14	11	12	7	12	10	3	18	9
All other causes	1,379	124	116	137	119	126	111	108	105	103	110	101	119
SALT LAKE CITY, UTAH, all causes	1,562	125	129	190	149	118	111	113	98	114	117	134	164
Typhoid and paratyphoid fever (1)	4								1	1	1	1	
Malaria (5)													
Measles (7)	3						1		1			1	
Scarlet fever (8)	2	1	1										
Whooping cough (9)	6			1		1	2		1	1			
Diphtheria (10)	13	1	1	1	1	1	4	1	1	2			
Influenza (11)	28	3		6	10	2		1	1		1		4
Dysentery (16)	1				1								
Lethargic encephalitis (23)	4										2		2
Meningococcus meningitis (24)	3			1					1			1	
Tuberculosis of the respiratory system (31)	68	6	4	10	8		9	5	4	1	9	8	4
Other forms of tuberculosis (32-37)	16		1	5	1	1	1	1	1	1		2	2
Bronchitis (99)	4			1						1			2
Bronchopneumonia (100)	59	6	5	12	2	4	3	2	2	3	5	5	10
Pneumonia (101)	51	4	3	10	5	3	4	2	6		3	3	8
Diarrhea and enteritis [under 2 years] (113)	26		2		1	1	1	3	3	10	2		3
Diarrhea and enteritis [2 years and over] (114)	5		1	1			1	1			1		
Puerperal septicemia (146)	8	1		1		2					1		3
Other puerperal causes (143-145, 147-150)	14	3	1	1	1	1			5	2			
Automobile accidents (188c)	20				2	1	4	2	2	4	2	2	1
Other external causes (165-188b, 188d-203)	137	12	16	8	16	12	6	14	8	14	13	10	8
All other causes	1,090	88	94	132	101	89	75	81	61	74	77	101	117
NORFOLK, VA. (WHITE), all causes	840	77	88	96	69	73	73	64	57	55	67	63	58
Typhoid and paratyphoid fever (1)	3	1							1	1			
Malaria (5)													
Measles (7)	7				1	3	2						1
Scarlet fever (8)	1											1	
Whooping cough (9)	9					2	4	1		2			
Diphtheria (10)	6	2	2	1					1				
Influenza (11)	26	6	10	7	2		1						
Dysentery (16)	1							1					
Lethargic encephalitis (23)	1		1										
Meningococcus meningitis (24)	1												1
Tuberculosis of the respiratory system (31)	44	7	5	2	5	2	3	2	1	2	7	4	4
Other forms of tuberculosis (32-37)	9	2		1	1	1		1	1			1	1
Bronchitis (99)	3	1				1		1					
Bronchopneumonia (100)	11	2	1	1	2	2	1				1		1
Pneumonia (101)	25	4	7	6		2			1			2	3
Diarrhea and enteritis [under 2 years] (113)	16	2		1	1		2	4	1	1	4		
Diarrhea and enteritis [2 years and over] (114)	6	1			1			1	1	2			
Puerperal septicemia (146)	1		1										
Other puerperal causes (143-145, 147-150)	9	2	1	2	1	1					2		
Automobile accidents (188c)	9			1	1	2		1		3		1	
Other external causes (165-188b, 188d-203)	60	9	3	10	4	6	7	4	2	5	3	3	4
All other causes	592	38	57	64	50	51	53	48	48	39	50	51	43
NORFOLK, VA. (COLORED), all causes	985	89	79	95	73	83	106	70	72	85	84	83	66
Typhoid and paratyphoid fever (1)	3							1		1		1	
Malaria (5)													
Measles (7)	4				1		2			1			
Scarlet fever (8)													
Whooping cough (9)	15	1	3	1		1	3	2	4				
Diphtheria (10)	2									1			1
Influenza (11)	38	5	10	8	5	6	1		1			1	1
Dysentery (16)	2				1							1	
Lethargic encephalitis (23)	3			1	2								
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	127	12	8	15	9	17	10	12	9	14	8	6	7
Other forms of tuberculosis (32-37)	11	1		2	1		4		3				
Bronchitis (99)	3	1						1			1		
Bronchopneumonia (100)	60	8	4	10	2	5	5	1	2	5	8	3	7
Pneumonia (101)	55	8	11	9	3	2	2	1	2	2	3	9	3
Diarrhea and enteritis [under 2 years] (113)	36	1	2	2	1		7	5	3	8	5		2
Diarrhea and enteritis [2 years and over] (114)	5				1		2		1	1			
Puerperal septicemia (146)	13	1		1	1		3		1		3	1	2
Other puerperal causes (143-145, 147-150)	15	1	2		2		3	2	2	1		2	
Automobile accidents (188c)	4					1				1	1		1
Other external causes (165-188b, 188d-203)	54	3	3	3	4	6	9	4	3	6	4	3	6
All other causes	535	47	36	43	40	45	55	41	41	44	51	56	36

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1923—Continued

[See note at head of this table, p. 398]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
RICHMOND, VA. (WHITE), all causes	1,586	167	149	176	144	122	127	124	101	94	130	123	129
Typhoid and paratyphoid fever (1)	3						1		1			1	
Malaria (5)													
Measles (7)	16			1	1	7	3	3				1	
Scarlet fever (8)	1	1											
Whooping cough (9)	16	1		2	2	1	3	4				1	2
Diphtheria (10)	10	2							1	1	5	1	
Influenza (11)	35	11	11	6	3						1	2	1
Dysentery (16)	1									1			
Lethargic encephalitis (23)	4		1	1		1		1					
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	83	9	12	14	9	9	2	6	3	4	4	4	7
Other forms of tuberculosis (32-37)	16			2	3	3	1	3	1			2	1
Bronchitis (99)	9	1	3						1			2	2
Bronchopneumonia (100)	43	6	6	7	8	3	1	2	2		1	2	5
Pneumonia (101)	41	6	10	4	6	2	1	2		2	1	2	5
Diarrhea and enteritis [under 2 years] (113)	31	1				1	6	3	6	5	4	3	2
Diarrhea and enteritis [2 years and over] (114)	13		1		2	1	1	2	2	3	1		
Puerperal septicemia (146)	7	1				1	1	1		1		1	1
Other puerperal causes (143-145, 147-150)	11	1	1	2				2		1	2	1	1
Automobile accidents (188c)	22	2	2	2	1	2	1	1		1	5	1	4
Other external causes (165-188b, 188d-203)	97	8	9	11	6	8	4	10	10	7	10	7	7
All other causes	1,127	117	93	124	103	83	102	84	74	68	96	92	91
RICHMOND, VA. (COLORED), all causes	1,247	125	109	102	94	80	127	126	107	89	88	95	105
Typhoid and paratyphoid fever (1)	8	1	1				2		2	1			1
Malaria (5)													
Measles (7)	17					3	7	4	2	1			
Scarlet fever (8)													
Whooping cough (9)	50	1	1	1	5	6	10	14	4	3	3		2
Diphtheria (10)	2		1								1		
Influenza (11)	35	7	10	7	4	1		1	2				3
Dysentery (16)	4							1	1	1		1	
Lethargic encephalitis (23)													
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	121	14	9	13	4	6	10	11	7	8	8	13	18
Other forms of tuberculosis (32-37)	21	1	1		4	1		5	5	2		1	1
Bronchitis (99)	14	3		1	1	1	2	2		4			
Bronchopneumonia (100)	73	12	5	6	7	10	7	4	4	1	5	5	7
Pneumonia (101)	65	9	11	7	9	2	4	4	4	2	5	5	3
Diarrhea and enteritis [under 2 years] (113)	43		2				4	14	13	4	6		
Diarrhea and enteritis [2 years and over] (114)	9	1			1		3	2		1		1	
Puerperal septicemia (146)	4		1							1	1	1	
Other puerperal causes (143-145, 147-150)	19	1	1				6	1	2	4	1	1	2
Automobile accidents (188c)	4	1			1	1					1		
Other external causes (165-188b, 188d-203)	56	5	8	4	2	3	5	2	4	6	7	3	7
All other causes	702	69	58	63	56	46	67	61	57	50	50	64	61
SEATTLE, WASH., all causes	3,017	260	250	282	264	254	231	230	245	234	252	274	241
Typhoid and paratyphoid fever (1)	8		1	1			1		1	2	1	1	
Malaria (5)													
Measles (7)	10				1	1	6	2					
Scarlet fever (8)	6		1		1						1	2	1
Whooping cough (9)	13		1	3		4	2		1	2			
Diphtheria (10)	19	1	1		1		1	1	2	5	3	3	1
Influenza (11)	65	7	7	14	9	5	1	4	3	1	5	7	2
Dysentery (16)	3										1	1	1
Lethargic encephalitis (23)	27	3	6	5	3	2			1	1	1	1	4
Meningococcus meningitis (24)	4	1	1	1					1				
Tuberculosis of the respiratory system (31)	140	15	7	11	9	13	15	10	13	14	7	15	11
Other forms of tuberculosis (32-37)	59	5	4	7	6	5	4	8	5	7	2	2	4
Bronchitis (99)	12	3	1	2	2	2					1	1	
Bronchopneumonia (100)	69	6	12	9	6	7	3	3	3	1	6	5	8
Pneumonia (101)	108	10	14	10	16	8	5	7	7	3	14	11	3
Diarrhea and enteritis [under 2 years] (113)	12	2		1	1				1	1	1	3	2
Diarrhea and enteritis [2 years and over] (114)	9					2	2	1		2	2		
Puerperal septicemia (146)	14		4	2	1	1	1	1	1		1	2	
Other puerperal causes (143-145, 147-150)	17		3	2	2	3		3	1			1	2
Automobile accidents (188c)	55	1	2	4	1	5	1	4	5	10	9	6	7
Other external causes (165-188b, 188d-203)	244	17	14	17	22	18	23	30	13	16	23	21	30
All other causes	2,123	189	171	193	183	178	166	156	187	169	174	192	165
SPOKANE, WASH., all causes	1,225	106	107	126	101	103	106	99	80	78	105	99	115
Typhoid and paratyphoid fever (1)	8	1			3					1	2	1	
Malaria (5)													
Measles (7)	4											2	2
Scarlet fever (8)	3		1		1								1
Whooping cough (9)	4			2		1		1					
Diphtheria (10)	7	2		1		2		1			1		
Influenza (11)	23	1	2	13	4			1			2		
Dysentery (16)	1							1					
Lethargic encephalitis (23)	27	9	4	2	5		2	1	2	2			
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	39	3	2	4	4	7	4	4	2	3	2	1	3
Other forms of tuberculosis (32-37)	17	1	1	3	1		3	3		1	1	2	1
Bronchitis (99)	6		1		1				1	1			2
Bronchopneumonia (100)	30	6	3	3	2	2	1	4			1	7	1
Pneumonia (101)	53	4	7	6	6	6	2	1	1	1	8	2	9
Diarrhea and enteritis [under 2 years] (113)	9	2	2			1			1		1	1	1
Diarrhea and enteritis [2 years and over] (114)	2	1											1
Puerperal septicemia (146)	18	1	1	2	4	1	3				2	4	
Other puerperal causes (143-145, 147-150)	3			1			1						1
Automobile accidents (188c)	15	1		1	1	3	1	1		3	2	1	1
Other external causes (165-188b, 188d-203)	96	8	9	8	7	7	10	13	8	6	7	4	9
All other causes	860	66	74	80	62	73	79	68	65	60	76	74	83

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1923—Continued

[See note at head of this table, p. 398]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MILWAUKEE, WIS., all causes	5,227	496	638	601	542	437	386	344	361	360	360	366	336
Typhoid and paratyphoid fever (1)	6	1	2		1								2
Malaria (5)													
Measles (7)	33	18	9	3	1	2							
Scarlet fever (8)	84	10	19	21	17	6	6		2				3
Whooping cough (9)	26	1	3	8	2	3	3	1	3	1			1
Diphtheria (10)	106	14	12	13	10	13	7	7	5	7	5	7	6
Influenza (11)	98	11	37	21	9	5		2	1	2		5	5
Dysentery (16)	5			1		1	1			2			
Lethargic encephalitis (23)	6	1		2			1		1				1
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	264	14	21	33	36	23	25	21	18	15	19	20	19
Other forms of tuberculosis (32–37)	63	4	3	8	5	6	6	3	8	4	5	4	7
Bronchitis (99)	72	8	23	14	7	5	2	3	2	1	3		4
Bronchopneumonia (100)	260	32	56	43	34	19	16	6	3	8	15	15	13
Pneumonia (101)	310	40	71	35	33	34	17	7	5	12	19	19	18
Diarrhea and enteritis [under 2 years] (113)	150	11	22	13	13	7	9	10	18	15	11	14	7
Diarrhea and enteritis [2 years and over] (114)	30	2	4	1	1	1	3	2	5	6		2	3
Puerperal septicemia (146)	34	2	4	5	2	3	3	1	4	3	2	4	1
Other puerperal causes (143–145, 147–150)	28	4	3	7	3		3	1	2	1	2	1	1
Automobile accidents (188c)	62	4	1	3	7	5	3	8	5	8	6	4	8
Other external causes (165–188b, 188d–203)	305	23	29	22	29	25	36	28	29	21	24	24	15
All other causes	3,285	296	319	348	332	279	245	244	250	254	249	247	222

NOTE.—Populations are shown in Table I B.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN REGISTRATION STATES AND LARGE CITIES NOT IN THE BIRTH REGISTRATION AREA: 1923

NOTE.—Populations in reports of Fourteenth Census of the United States, 1920: Vol. II, Chapter III, Tables 13, 15, and 16, and Thirteenth Census of the United States, 1910: Vol. I, Chapter IV, Tables 43, 49, and 50.

Corresponding data for States and cities in birth registration area appear in the report on Birth Statistics, Stillbirths, and Infant Mortality: 1923. Numbers after causes of death correspond to those of the 1920 revision of the detailed International List. The cities included are those of 100,000 population or more in 1920. Cities shown by color are those with a minimum of 25,000 colored population on Jan. 1, 1920.]

AREA AND CAUSE OF DEATH	Total deaths under 1 year of age	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
COLORADO, all causes	1,801	396	85	53	104	119	90	68	915	159	104	125	99	75	65	52	48	52	57	50
Measles (7)	22				1	2	1		4		1	1	1	1	3	2	1		4	4
Scarlet fever (8)	3							1	1								1			1
Whooping cough (9)	55						3		3	6	8	4	7	2	2	2	2	8	4	7
Diphtheria (10)	9									2	2	1		1		1	1		1	
Influenza (11)	86		2			8	8	3	21	17	6	6	8	7	5	4	3	4	1	4
Dysentery (16)	10										1		1	2	1	1	2	1	1	
Erysipelas (21)	16				1	1	2	4	8	3	1	3	1							
Meningococcus meningitis (24)	1												1							
Tetanus (29)																				
Tuberculosis of the respiratory system (31)	1				1				1											
Tuberculosis of the meninges, etc. (32)	6											1		3	2					
Other forms of tuberculosis (33-37)	3						1		1							1		1		
Syphilis (38)	31	1	1	1	2	2	3		10	6	2	8			1	1		1	2	
Convulsions (80)	3			1				1	2		1									
Bronchitis (99)	12					2	4	3	9						2				1	
Bronchopneumonia (100)	191	3	2	2	7	11	17	15	57	32	18	19	15	12	6	7	10	4	7	4
Pneumonia (101)	77				1	3	7	3	14	16	8	7	6	4	1	2	7	3	6	3
Diseases of the stomach (111, 112)	18				2	1	1	2	6	2	1	4	1	1	1			1	1	
Diarrhea and enteritis (113)	337				2	9	1	14	26	24	32	53	41	30	34	23	13	22	20	19
Congenital malformations (159)	119	33	15	14	19	9	5	2	97	6	4	4	1	2		1	2	1		1
Congenital debility (160)	84	16	4	2	12	11	8	2	55	13	6	3	4		1	1		1		
Premature birth (161a)	446	283	38	9	33	42	15	5	425	15	2	1		1					1	1
Injury at birth (161b)	66	34	10	12	9		1		66											
Other diseases of early infancy (162, 163)	73	23	12	10	8	7	6	5	71	2										
External causes (175-203)	29			1		1	1	1	4	3	3	3	3	2	2	3		1	3	2
Unknown or ill-defined diseases (204, 205)	7					1			1			2	2	2						
All other causes	96	3	1	1	6	9	6	7	33	12	8	5	7	5	4	3	6	4	5	4
FLORIDA (WHITE), all causes	1,024	266	69	49	81	68	33	35	601	56	55	40	49	40	34	27	36	28	29	29
Measles (7)	14	1			1		2		4	1	2	1	1	2	1	1	1			
Scarlet fever (8)																				
Whooping cough (9)	22						2	1	3	5	1	3	3		1	1	2	1	1	1
Diphtheria (10)	9	1							1		2		1				1	3		1
Influenza (11)	14					1	1		2	2	1		4		1	1	1	1		1
Dysentery (16)	8									2			1		1	1	1		1	1
Erysipelas (21)																				
Meningococcus meningitis (24)																				
Tetanus (29)	5				1	3		1	5											
Tuberculosis of the respiratory system (31)	2																		2	
Tuberculosis of the meninges, etc. (32)																				
Other forms of tuberculosis (33-37)	1													1						
Syphilis (38)	14	1			1			1	3	3	1	2	1		2		1	1		
Convulsions (80)	15		2	3	4	1			10	1	2		1		1					
Bronchitis (99)	4										1	1		1						1
Bronchopneumonia (100)	45	1		1	1	4	2	2	11	4	3	5	5	5	3		3	4	1	1
Pneumonia (101)	35			1		2		3	6	4	9	3	1	2	3	4	1	1	1	
Diseases of the stomach (111, 112)	7									1	2		1	1		1		1		
Diarrhea and enteritis (113)	153	1				4	2	4	11	9	14	12	18	14	14	16	12	11	14	8
Congenital malformations (159)	74	19	10	6	8	7	4	5	59	1	3	1	2	3			2			3
Congenital debility (160)	54	12		8	7	7	3	4	41	3	2	3	2		1			1	1	
Premature birth (161a)	298	180	38	18	29	14	4	5	288	5	3		1	1						
Injury at birth (161b)	49	21	12	3	7	5	1		49											
Other diseases of early infancy (162, 163)	20	4	2	6	1	2	1		16	3	1									
External causes (175-203)	14	1							1	1	1	1	1	2	2			2	1	2
Unknown or ill-defined diseases (204, 205)	78	21	4	3	12	6	5	4	55	7	1	4	3	2	1		3		1	1
All other causes	89	3	1		9	12	6	5	36	4	6	4	3	6	3	2	8	2	6	9
FLORIDA (COLORED), all causes	804	119	40	28	90	96	36	25	434	66	49	43	46	35	26	22	16	27	14	26
Measles (7)	8	1				1			2			1			1			2	1	1
Scarlet fever (8)																				
Whooping cough (9)	22						1		1	2	3	4	3	2	2	1	1	1	2	
Diphtheria (10)	3									1	1		1							
Influenza (11)	27				2	3	1	1	7	4	2	3	1		2	1	2	1	2	2
Dysentery (16)	12				1		2		3				1	3		1		1	2	1
Erysipelas (21)																				
Meningococcus meningitis (24)	2										1			1						
Tetanus (29)	26				7	16	1	1	25		1									
Tuberculosis of the respiratory system (31)	2										1		1							
Tuberculosis of the meninges, etc. (32)	2									1	1									
Other forms of tuberculosis (33-37)	1														1					
Syphilis (38)	24		3	2	1	1	2	2	11	4	3	1			1	1		2	1	
Convulsions (80)	22			1	3	10			14	3	1	1	1		1	1				
Bronchitis (99)	5				1				1		1					1	1	1		
Bronchopneumonia (100)	39				4	3			7	8	4	4	5		1		4	4	1	1
Pneumonia (101)	34		1	1	3	4	1		10	3	2	1	5	5	1	1	3			3
Diseases of the stomach (111, 112)	9				1	1			2		1	1	2	2						1
Diarrhea and enteritis (113)	113	1			5	5	3	6	20	15	9	13	9	12	9	5	3	8	5	5
Congenital malformations (159)	17	3	2		1	5	1		12	1	1	1	1		1					
Congenital debility (160)	37	7	2	1	7	4		2	23	4		2			2	3	1			2
Premature birth (161a)	137	58	16	9	27	9	8	6	133	2	1				1					
Injury at birth (161b)	22	12	4	1	4	1			22											
Other diseases of early infancy (162, 163)	25	1	2	4	4	9	5		25											
External causes (175-203)	14	2		1					3		4	2	2	1	1					1
Unknown or ill-defined diseases (204, 205)	134	34	10	5	12	13	9	5	88	13	6	5	8	4	1	3	1	3		2
All other causes	67			3	7	11	2	2	25	5	6	4	6	5	1	4		4		7

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN REGISTRATION STATES AND LARGE CITIES NOT IN THE BIRTH REGISTRATION AREA: 1923—Continued

[See note at head of this table, p. 423]

AREA AND CAUSE OF DEATH	Total deaths under 1 year of age	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
GEORGIA (WHITE), all causes	2,967	627	179	126	203	214	139	98	1,586	262	212	169	109	86	86	86	89	88	83	111
Measles (7)	54	2		1		3	1	4	11	5	4	4	5	4	4	3	2	2	4	6
Scarlet fever (8)	3																1	1		1
Whooping cough (9)	76				2		1	6	9	20	9	12	4	3	3	2	6	1	2	5
Diphtheria (10)	24	1				1	1	1	4	2	1	1					6	3	2	5
Influenza (11)	126	1			2	3	11	5	22	18	12	9	10	6	8	11	9	8	6	7
Dysentery (16)	54					1		1	2	4	5	4	2	5	3	4	3	7	8	7
Erysipelas (21)	21							4	4	4	3	1	1	2		1	1		1	3
Meningococcus meningitis (24)	3									1	1				1					
Tetanus (29)	5				2	1	1		4											1
Tuberculosis of the respiratory system (31)	5										1			2		1				1
Tuberculosis of the meninges, etc. (32)	6	1							1			1	1					1		2
Other forms of tuberculosis (33-37)	1						1		1											
Syphilis (38)	22	4			1	3	1		9	6	2	2	1		2					
Convulsions (80)	24	2	1	4	1	6	5	2	21	1	1	1								
Bronchitis (99)	16					3	2		5	4	1	2		1				1	2	
Bronchopneumonia (100)	189				5	12	14	10	41	31	27	20	13	8	8	8	8	11	8	6
Pneumonia (101)	140	1	2	2	1	9	10	6	31	23	20	13	8	8	6	8	7	5	6	5
Diseases of the stomach (111, 112)	30			2	3	3		4	12	4	1	2	1	1	2	2	2	2	1	
Diarrhea and enteritis (113)	332	1		1	4	5	8	5	24	21	37	29	29	23	26	27	19	29	31	37
Congenital malformations (159)	156	30	18	14	26	15	6	6	115	11	8	3	3	5	1	1	4	1	2	2
Congenital debility (160)	210	23	9	12	34	28	10	8	124	16	16	20	10	4	7	1	4	5	1	2
Premature birth (161a)	788	441	103	48	65	61	31	11	760	18	5		2	1	1	1				
Injury at birth (161b)	85	36	16	12	11	3	3		81	4										
Other diseases of early infancy (162, 163)	68	21	10	7	11	8	3	3	63	4	1									
External causes (175-203)	57	2	2	4	2	2		1	13	9	6	8	2	3	2	3	5		1	5
Unknown or ill-defined diseases (204, 205)	264	58	17	12	24	26	19	13	169	30	27	16	5	3	4	3	1	2	3	1
All other causes	208	3	1	7	9	21	11	8	60	26	24	21	12	7	8	10	11	9	5	15
GEORGIA (COLORED), all causes	2,482	322	132	67	231	199	87	92	1,130	251	174	129	145	105	143	97	96	73	62	77
Measles (7)	27							1	1		5	7	4	3	1		3	3		
Scarlet fever (8)	2															2				
Whooping cough (9)	80						3	2	5	4	11	4	4	7	8	12	8	8	4	5
Diphtheria (10)	25	1	1			1		1	4	3	1	2	5	3	4	1	2			
Influenza (11)	107	2			4	5	4	4	19	12	12	10	9	10	7	3	10	5	3	7
Dysentery (16)	55	1				4	1	1	7	6	1	3	4	7	4	4	5	5	6	3
Erysipelas (21)	3							1	1				1	1						
Meningococcus meningitis (24)	1																		1	
Tetanus (29)	18				9	7			16	2										
Tuberculosis of the respiratory system (31)	10									2	2	1		1	3					1
Tuberculosis of the meninges, etc. (32)	3													1		1		1		
Other forms of tuberculosis (33-37)																				
Syphilis (38)	65	3	2	1	6	4	2	2	20	11	6	5	9		5	2	2	2	1	2
Convulsions (80)	43	1	1		9	7	1	1	20	3	2	2	4	1	4	3	1	1	1	1
Bronchitis (99)	21	1		1	1	4	1		8	4	1		2	1	1	1		2	1	
Bronchopneumonia (100)	152				6	6	4	2	18	15	19	17	11	9	15	10	11	10	7	10
Pneumonia (101)	210		1	1	6	7	7	12	34	34	19	24	21	16	19	8	8	5	9	13
Diseases of the stomach (111, 112)	25			1		1		2	4	2	3	2	2	1	4	3	1	1	1	1
Diarrhea and enteritis (113)	250	1	1	2	5	12	6	9	36	25	19	18	23	12	32	18	24	13	15	15
Congenital malformations (159)	36	6	1	2	7	4		2	22	3	1	1	4	1		1	1	1	1	
Congenital debility (160)	168	21	18	4	16	13	8	4	84	22	16	6	12	2	11	3	2	3	3	4
Premature birth (161a)	439	179	58	36	65	45	19	7	409	19	4	3			2	1	1			
Injury at birth (161b)	32	17	4	1	6	3	1		32											
Other diseases of early infancy (162, 163)	74	4	12	9	17	16	5	1	64	6	4									
External causes (175-203)	72	9	3		4	3	4	4	27	7	10	6	6	4	1	3	3	1	4	
Unknown or ill-defined diseases (204, 205)	411	73	28	9	58	48	18	28	262	44	26	9	13	14	9	10	10	4	3	7
All other causes	153	3	2		12	9	3	8	37	27	12	9	11	11	13	11	4	8	2	8
IDAHO, all causes	508	137	24	25	55	41	24	18	324	31	36	28	13	15	17	8	11	7	13	5
Measles (7)	1														1					
Scarlet fever (8)	2											1					1			
Whooping cough (9)	13									1	4	3	1	3			1			
Diphtheria (10)	2														1			1		
Influenza (11)	10						1		1	1	1	4	1		1		1			
Dysentery (16)	1																1			
Erysipelas (21)	2							1	1						1					
Meningococcus meningitis (24)																				
Tetanus (29)																				
Tuberculosis of the respiratory system (31)	1											1								
Tuberculosis of the meninges, etc. (32)	5										2	1						2		
Other forms of tuberculosis (33-37)	1											1								
Syphilis (38)	2				1				1	1										
Convulsions (80)	9		1	1	3			2	7		1								1	
Bronchitis (99)	1				1				1											
Bronchopneumonia (100)	34				3	2	2	4	11	8	2	2	2	4	1	1			2	1
Pneumonia (101)	35			1	2		3	2	8	3	6	3	1	3	2	1	3	2	3	
Diseases of the stomach (111, 112)	7						1		1	1	1		1	1					2	
Diarrhea and enteritis (113)	32					1	1	2	4	2	6	5	4	2	1	1	3	1	2	1
Congenital malformations (159)	44	14	1	4	4	5	3		31	5	2	2		2	1					1
Congenital debility (160)	34	6	1	4	5	6	4		26	3	3	1				1				
Premature birth (161a)	150	87	13	4	16	19	4	1	144		4	2								
Injury at birth (161b)	42	19	6	6	6	4		1	42											
Other diseases of early infancy (162, 163)	19	4	1	4	7	1		1	18	1										
External causes (175-203)	11				2		1	1	4	1			1		1	2	1		1	
Unknown or ill-defined diseases (204, 205)	17	5	1		1		2	1	10	3	2	1				1				
All other causes	33	2		1	4	3	2	2	14	1	2	1	2		7	1		1	2	2

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN REGISTRATION STATES AND LARGE CITIES NOT IN THE BIRTH REGISTRATION AREA: 1923—Continued

[See note at head of this table, p. 423]

AREA AND CAUSE OF DEATH	Total deaths under 1 year of age	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
IOWA, all causes	2,964	714	183	138	308	209	143	111	1,806	252	184	108	112	99	96	84	68	55	57	43
Measles (7)	21						1	1	2	3			2	1	1	1	3	5	1	2
Scarlet fever (8)	5						2		2			1				1			1	
Whooping cough (9)	104				1		3	3	7	26	13	7	8	4	5	7	7	8	5	7
Diphtheria (10)	8						1		1	2	1			1		1			1	1
Influenza (11)	118	1		1	3	7	8	12	32	14	14	5	6	7	12	11	7	3	2	5
Dysentery (16)	7						1		1			1			2	1		1	1	
Erysipelas (21)	19						2		2	7	1		1	2	1	3			2	
Meningococcus meningitis (24)	4						1		1		1	1		1						
Tetanus (29)	1				1				1											
Tuberculosis of the respiratory system (31)	3													1	1	1				
Tuberculosis of the meninges, etc. (32)	11							1	1	1	1	1	1		3		1		2	
Other forms of tuberculosis (33-37)	4				1				1		1	1								1
Syphilis (38)	27	1		1	2	2	3		9	7	2	3	1	2	1					2
Convulsions (80)	22		1	2	5		1	1	10	4		1		1	4	1			1	
Bronchitis (99)	21				1	2	4		7	2	2	1	4	1	1			2	1	
Bronchopneumonia (100)	238		4	2	6	11	11	9	43	44	25	20	20	18	16	7	18	8	10	9
Pneumonia (101)	120	3	1	2	6	6	5	8	31	9	19	13	11	9	7	6	7	3	5	
Diseases of the stomach (111, 112)	21					2	1	3	6	3	3	1	2	1	1	1	1		1	1
Diarrhea and enteritis (113)	228			1	10	13	11	13	48	32	32	13	19	19	18	20	6	6	7	8
Congenital malformations (159)	336	85	32	23	55	27	13	14	249	24	18	11	7	4	7	4	4	6	1	1
Congenital debility (160)	239	34	15	9	48	21	22	11	160	25	16	10	11	4	5	3	3	1	1	
Premature birth (161a)	792	468	83	42	78	70	27	9	777	7	4		2	1				1		
Injury at birth (161b)	181	68	28	25	41	11	3	1	177	4										
Other diseases of early infancy (162, 163)	112	41	11	21	22	9	6	2	112											
External causes (175-203)	45	4			3	2	3	2	14	4	7	4	2	2	4	2	1		3	2
Unknown or ill-defined diseases (204-205)	52	6	1	3	7	6	2	5	30	7	6	3	1	3	1	1				
All other causes	225	3	7	6	18	20	12	16	82	27	18	11	14	17	6	13	10	11	12	4
LOUISIANA (WHITE), all causes	1,776	353	95	65	116	112	60	59	860	163	146	103	82	97	74	62	56	52	37	44
Measles (7)	24		1					2	3	2	1	3				4	4	2	3	2
Scarlet fever (8)	1																			1
Whooping cough (9)	94							5	5	9	19	9	9	11	9	5	6	5	4	3
Diphtheria (10)	12										6		1		1		1	1		2
Influenza (11)	66				1	4	4	3	12	8	8	10	6	5	2	2	3	1	4	5
Dysentery (16)	13									1	2	3		2				2	2	1
Erysipelas (21)	11					2		1	3	2	3		1					1	1	
Meningococcus meningitis (24)	2													1	1					
Tetanus (29)	27			1	8	16	1		26			1								
Tuberculosis of the respiratory system (31)																				
Tuberculosis of the meninges, etc. (32)	2															1	1			
Other forms of tuberculosis (33-37)	1											1								
Syphilis (38)	29	2		1	1	1	3	2	10	7	3	2	2	3		1		1		
Convulsions (80)	13	1	3	1	5		1		11	1			1							
Bronchitis (99)	15				1	3			4		7		2		2					
Bronchopneumonia (100)	163		2	3	4	7	6	5	27	24	17	16	6	19	13	17	8	6	4	6
Pneumonia (101)	65			1	3	5	2	5	16	2	8	4	5	7	6	3	4	5	4	1
Diseases of the stomach (111, 112)	23			1	2			1	4	6	4	1	1	2	3	1				1
Diarrhea and enteritis (113)	242			3	3	4	5	6	21	24	38	25	22	26	18	15	19	18	5	11
Congenital malformations (159)	139	25	19	10	17	16	8	9	104	11	3	5	2	7	3		1	1	2	
Congenital debility (160)	64	17	1	3	7	7	3	4	42	8	2	3	5		1	1	1	1		
Premature birth (161a)	359	211	38	21	26	26	15	8	345	6	4	3				1				
Injury at birth (161b)	77	51	9	3	8	3	1	1	76	1										
Other diseases of early infancy (162, 163)	37	16	6	3	8	2	2		37											
External causes (175-203)	21	3							3	6	1		1	1	1	1		1	1	5
Unknown or ill-defined diseases (204, 205)	119	24	11	11	17	9	3	3	78	23	7	4	2	2	2			1		
All other causes	157	3	5	3	5	7	6	4	33	22	13	13	16	11	12	10	8	6	7	6
LOUISIANA (COLORED), all causes	1,677	213	68	49	141	153	67	50	741	179	169	116	81	86	65	68	42	51	45	34
Measles (7)	7					1			1	1	1	2				1		1		
Scarlet fever (8)																				
Whooping cough (9)	77				1		4	2	7	4	5	8	6	5	8	9	9	7	7	2
Diphtheria (10)	15				1			2	3	1	3	3		1	1			2	1	
Influenza (11)	56				1	2	3	1	7	11	6	3	3	5	3	6	2	3	4	3
Dysentery (16)	9									1		1	1	1	2			1		2
Erysipelas (21)																				
Meningococcus meningitis (24)	2										1	1								
Tetanus (29)	67	1	2		19	35	6	2	65		2									
Tuberculosis of the respiratory system (31)	8	1							1				1	1			1	2	2	
Tuberculosis of the meninges, etc. (32)	1																	1		
Other forms of tuberculosis (33-37)																				
Syphilis (38)	75	2	3	1	6	5	4	5	26	12	10	9	1	5	4	1	3	4		
Convulsions (80)	25	1			5	6	1		13	3	5		1	2		1				
Bronchitis (99)	27					1	3		4	6	4	3		4	2	1	1			2
Bronchopneumonia (100)	155			1	2	9	4	7	23	23	21	24	11	11	9	12	4	7	5	5
Pneumonia (101)	89	1	2	2	3	5	2	3	18	7	14	11	5	5	7	6	3	2	5	6
Diseases of the stomach (111, 112)	25				2				2	8	8	3	1			3				
Diarrhea and enteritis (113)	224			2	2	10	5	7	26	32	32	17	25	21	14	15	10	11	14	7
Congenital malformations (159)	84	9	6	5	15	10	4	5	54	8	4	6	6	1	1		1	1	1	1
Congenital debility (160)	109	26	2	6	16	9	2	2	63	14	12	6	4	4	1	4			1	
Premature birth (161a)	211	107	32	15	17	16	10	5	202	6	2			1						
Injury at birth (161b)	22	13		4	3	2			22											
Other diseases of early infancy (162, 163)	43	11	2	4	18	6	1		42	1										
External causes (175-203)	29	3	2			3		1	9	4	1	2	2	3	1	2	2	1		2
Unknown or ill-defined diseases (204, 205)	209	36	17	5	23	26	15	4	126	27	20	12	4	5	6	2	2	3	2	
All other causes	108	2		4	7	7	3	4	27	10	18	5	10	11	6	5	4	5	3	4

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN REGISTRATION STATES AND LARGE CITIES NOT IN THE BIRTH REGISTRATION AREA: 1923—Continued

[See note at head of this table, p. 423]

AREA AND CAUSE OF DEATH	Total deaths under 1 year of age	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos
MISSOURI, all causes	4,901	1,032	248	215	331	339	226	168	2,559	437	307	248	218	180	192	168	158	147	144	143
Measles (7)	66						1	2	3	1	8	4	2	3	6	5	7	7	8	12
Scarlet fever (8)	6									1		2	1					1		1
Whooping cough (9)	212				2	3	5	13	23	37	20	24	10	15	17	13	14	13	12	14
Diphtheria (10)	28						1	2	3	2	3	2	2			2	2	4	3	5
Influenza (11)	251	4	1	1	2	15	14	10	47	35	31	24	23	13	14	14	10	6	13	21
Dysentery (16)	45							1	1	5	6	3	7	2	5	3	3	3	4	3
Erysipelas (21)	25				1	1	1	1	4	8	6			1		2	1	1		2
Meningococcus meningitis (24)	13						1		1	2	2	2	1	1	2	1	1			
Tetanus (29)	9			1	2	4	1		8	1										
Tuberculosis of the respiratory system (31)	20						1		1		1		5	2		3	3	3	1	1
Tuberculosis of the meninges, etc. (32)	16				1		1		2	1		1	4	1		1	2	1	1	2
Other forms of tuberculosis (33-37)	9									1		2	3		1			1	1	
Syphilis (38)	55	12	2	1		3	3	2	23	14	4	6		2	3	1	1	1		
Convulsions (80)	25		1	3	7	7	1		19		3	1		1						1
Bronchitis (99)	49		3		1	5	6	2	17	6	6	3	3		1	4		6	2	1
Bronchopneumonia (100)	579	5	5	5	15	29	30	24	113	71	64	55	46	40	42	35	37	22	32	22
Pneumonia (101)	184		2	2	5	9	10	4	32	23	18	13	16	12	11	15	12	14	9	9
Diseases of the stomach (111, 112)	43	1			2	3	2	5	13	9	4	1	6	2	1	1		3	1	2
Diarrhea and enteritis (113)	611	1	2	2	8	25	17	21	76	70	56	61	53	47	60	42	41	36	36	33
Congenital malformations (159)	390	96	41	31	59	41	28	19	315	24	7	9	12	9	5	2	1	1	4	1
Congenital debility (160)	205	24	4	11	37	31	20	12	139	29	17	5	8	2			3	2		
Premature birth (161a)	1,163	683	124	77	98	93	34	18	1,127	28	3		1		1	3				
Injury at birth (161b)	218	101	23	37	34	15	3	2	215	1	2									
Other diseases of early infancy (162, 163)	152	51	19	23	18	21	8	4	144	6	2								2	
External causes (175-203)	50	4	1		3	1	2	3	14	10	6	2	1	2	2	5	3		2	3
Unknown or ill-defined diseases (204, 205)	189	42	14	10	27	17	18	7	135	15	11	11	4	6	4		1	1	1	
All other causes	288	8	6	11	9	16	18	16	84	37	27	17	10	19	17	16	16	21	14	10
TENNESSEE (WHITE), all causes	3,154	567	201	127	234	230	146	117	1,622	270	214	175	148	112	114	110	104	114	85	86
Measles (7)	72	1	2	1		1	4	5	14	5	10	5	5		7	3	6	3	6	8
Scarlet fever (8)	1													1						
Whooping cough (9)	105					1	3	7	11	26	12	7	7	4	4	10	9	5	4	6
Diphtheria (10)	26		2		1	3	2		8	3	2	2	1	1	1	1	2	2	1	2
Influenza (11)	166	1			4	10	4	5	24	28	13	19	10	12	15	13	13	11	6	2
Dysentery (16)	39						1	1	2		5	2	5	6	1	5	4	4	2	3
Erysipelas (21)	13						1	1	2	1	1	1	4			3			1	
Meningococcus meningitis (24)	10									2			1	2	1	1		1	2	
Tetanus (29)	5				1	4			5											
Tuberculosis of the respiratory system (31)	15				1				1		1		3	3	2	1		3	1	
Tuberculosis of the meninges, etc. (32)	20				1			1	2	1		2	2	1	2	2	3	1	2	2
Other forms of tuberculosis (33-37)	10				1	1			2		1	3	1				1		2	
Syphilis (38)	23	1		1	1	1	2	3	9	2	5	1		1	2		1	2		
Convulsions (80)	21		3		8	2			13	1	2		1		1	1	1			1
Bronchitis (99)	12				1	2	3	1	7	1	1		2	1						
Bronchopneumonia (100)	184	2	1	1	3	14	17	13	51	21	19	21	8	5	9	13	11	7	12	7
Pneumonia (101)	86		1		4	7	3	4	19	15	9	6	7	6	3	7	5	4	5	
Diseases of the stomach (111, 112)	39		1	1	2	3	2	3	12	6	8	4	4		2		1			2
Diarrhea and enteritis (113)	401		1	1	1	4	3	8	18	16	47	37	48	34	34	32	29	41	31	34
Congenital malformations (159)	141	36	11	15	20	14	7	9	112	8	5	5	5	1			1	2	1	1
Congenital debility (160)	149	29	7	6	21	17	10	7	97	19	9	8	5	1	4	2		1	1	2
Premature birth (161a)	695	371	104	48	55	62	23	6	669	15	2	4	1	2		1			1	
Injury at birth (161b)	88	39	18	4	12	8	3	2	86	2										
Other diseases of early infancy (162, 163)	55	10	10	8	14	6	4		52	2	1									
External causes (175-203)	41	1	1	2	3			4	11	1	2	4	1	2	4	1	4	8	3	
Unknown or ill-defined diseases (204, 205)	578	74	36	36	71	59	43	34	353	80	51	34	16	13	9	4	3	8	3	4
All other causes	159	2	3	3	9	11	11	3	42	15	8	10	11	16	13	10	10	11	1	12
TENNESSEE (COLORED), all causes	1,037	105	56	27	78	63	49	40	418	83	80	84	68	66	56	49	36	36	31	30
Measles (7)	23						1	1	2		2	1		3	4	2	1	1	3	4
Scarlet fever (8)																				
Whooping cough (9)	51					1	2	3	6	5	7	6	5	2	3	2	4	1	7	3
Diphtheria (10)	8									2	1	2						1		2
Influenza (11)	68		1		2		2	1	6	3	6	5	7	11	6	8	3	8	2	3
Dysentery (16)	10							1	1	3	1			1		1		2	1	
Erysipelas (21)	2									1						1				
Meningococcus meningitis (24)	1					1			1											
Tetanus (29)	5				3	1			4								1			
Tuberculosis of the respiratory system (31)	7						1		1			2		1	2					1
Tuberculosis of the meninges, etc. (32)	5										1	1	1					1		1
Other forms of tuberculosis (33-37)	1													1						
Syphilis (38)	25	2	1		1	4	1	1	10	2		2	2	4		1	2		1	1
Convulsions (80)	12				1	2	2	1	6		1	1	1			1	2			
Bronchitis (99)	12	1	1		1		1		4	1		2	2					2	1	
Bronchopneumonia (100)	101	1		2	2	4	4	2	15	12	7	9	7	14	9	6	9	3	7	3
Pneumonia (101)	55		1		3	1	3	3	11	5	7	8	6	3	6	6	2			1
Diseases of the stomach (111, 112)	9				1	2	1		4		1	1	2					1		
Diarrhea and enteritis (113)	114		1		1	2	1	1	6	10	8	11	14	14	12	9	8	10	6	6
Congenital malformations (159)	6	2			1	1		1	5			1								
Congenital debility (160)	34	8	1	1	2	1	2	3	18	5	3	1	2			3				2
Premature birth (161a)	142	58	18	11	22	11	11	5	136	4	1				1					
Injury at birth (161b)	9	1	4	1	1	2			9											
Other diseases of early infancy (162, 163)	24	8	1	1	7	4	2		23	1										
External causes (175-203)	17				1		1		2	2	2	1	2	2	2		1		2	1
Unknown or ill-defined diseases (204, 205)	232	22	25	11	24	21	10	15	128	20	23	22	12	8	6	5	1	4	1	2
All other causes	64	2	2		5	5	4	2	20	7	9	8	5	2	5	4	2	2		

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN REGISTRATION STATES AND LARGE CITIES NOT IN THE BIRTH REGISTRATION AREA: 1923—Continued

[See note at head of this table, p. 423]

AREA AND CAUSE OF DEATH	Total deaths under 1 year of age	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
BIRMINGHAM, ALA. (WHITE), all causes	214	57	13	4	30	16	4	6	130	10	16	8	7	9	6	7	8	2	5	6
Measles (7)	2																1			1
Scarlet fever (8)																				
Whooping cough (9)	5									1	2	1	1							
Diphtheria (10)	3													1				1		1
Influenza (11)	7						1		1	2	4									
Dysentery (16)																				
Erysipelas (21)																				
Meningococcus meningitis (24)																				
Tetanus (29)																				
Tuberculosis of the respiratory system (31)																				
Tuberculosis of the meninges, etc. (32)																				
Other forms of turberculosis (33-37)																				
Syphilis (38)																				
Convulsions (80)																				
Bronchitis (99)	1																			1
Bronchopneumonia (100)	9				2			1	3	1	1			2	1	1				
Pneumonia (101)	8				1			2	3	1		1	2						1	
Diseases of the stomach (111, 112)																				
Diarrhea and enteritis (113)	36										6	3	4	5	3	4	5		4	2
Congenital malformations (159)	15		3		7	3		1	14							1				
Congenital debility (160)	9	2			2	2	2		8			1								
Premature birth (161a)	80	49	8	2	12	6			77	3										
Injury at birth (161b)	11	1	2	2	2	2			9	2										
Other diseases of early infancy (162, 163)	8	4			1	3			8											
External causes (175-203)	2							1	1							1				
Unknown or ill-defined diseases (204, 205)	6	1			1		1		3		1				2					
All other causes	12				2			1	3		2	2		1			2	1		1
BIRMINGHAM, ALA. (COLORED), all causes	255	60	13	5	19	18	12	7	134	24	15	11	12	10	7	10	11	6	6	9
Measles (7)	4					1			1								1	1		1
Scarlet fever (8)																				
Whooping cough (9)	13									4		1	1			1	1	2	1	2
Diphtheria (10)																				
Influenza (11)	5						1		1	1			1			1			1	
Dysentery (16)																				
Erysipelas (21)																				
Meningococcus meningitis (24)																				
Tetanus (29)																				
Tuberculosis of the respiratory system (31)																				
Tuberculosis of the meninges, etc. (32)	2													1		1				
Other forms of tuberculosis (33-37)																				
Syphilis (38)	15	4	2	1	1	1		2	11	1	1				1		1			
Convulsions (80)																				
Bronchitis (99)	3				1				1	1		1								
Bronchopneumonia (100)	19						1		1	4	1	3	2	3	1	2	2			
Pneumonia (101)	12						2	1	3		1	1		1	1	1	1	1	1	1
Diseases of the stomach (111, 112)																				
Diarrhea and enteritis (113)	26			1	1	1			3	5	3	3	3	1		2	3	1	1	1
Congenital malformations (159)	12	5	1		1		1		8	2	1								1	
Congenital debility (160)	6	1		1		1			3	1	1		1							
Premature birth (161a)	75	41	8	2	8	8	4	2	73	1	1									
Injury at birth (161b)	6	4				2			6											
Other diseases of early infancy (162, 163)	8	4	1		1	1		1	8											
External causes (175-203)	4				1				1	1	1					1				
Unknown or ill-defined diseases (204, 205)	37	1	1		3	2	3	1	11	2	5	2	3	4	2		2	1	1	4
All other causes	8				2	1			3	1			1		2	1				
DENVER, COLO., all causes	473	109	26	14	29	27	29	17	251	33	29	36	25	20	21	8	15	12	9	14
Measles (7)	6											1	1		1				2	1
Scarlet fever (8)																				
Whooping cough (9)	19									1	2	3	3	1		1	1	4	1	2
Diphtheria (10)	5										2	1				1	1			
Influenza (11)	22		1				4	1	6	5	1	1	3	2			1	1		2
Dysentery (16)																				
Erysipelas (21)	1										1									
Meningococcus meningitis (24)																				
Tetanus (29)																				
Tuberculosis of the respiratory system (31)	1										1									
Tuberculosis of the meninges, etc. (32)																				
Other forms of tuberculosis (33-37)	6									2	2	1			1					
Syphilis (38)	4						2		2			1			1					
Convulsions (80)																				
Bronchitis (99)	4													1	3					
Bronchopneumonia (100)	44		1		1	2	4	7	15	6	3	5	3	2	1	2	3		1	3
Pneumonia (101)	18					1			1	4	2	2		1	1		2	1	4	
Diseases of the stomach (111, 112)	5				1	1			2				1		1			1		
Diarrhea and enteritis (113)	58					1		4	5	4	8	15	6	5	5	2	2	2	1	3
Congenital malformations (159)	35	10	1	5	5	4	2		27	2	2	2	1				1			
Congenital debility (160)	19	5		1	2	1	3	1	13	3	2		1							
Premature birth (161a)	133	73	16	3	12	14	7	1	126	3	1	1		1						1
Injury at birth (161b)	17	15	1	1					17											
Other diseases of early infancy (162, 163)	23	4	6	3	3	1	3	2	22	1										
External causes (175-203)	10						1		1		1	1	1	2	2	1				1
Unknown or ill-defined diseases (204, 205)	4											1	1	2						
All other causes	39	2		1	5	2	3	1	14	2	1	1	4	3	5	1	4	3		1

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN REGISTRATION STATES AND LARGE CITIES NOT IN THE BIRTH REGISTRATION AREA: 1923—Continued

[See note at head of this table, p. 423]

AREA AND CAUSE OF DEATH	Total deaths under 1 year of age	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
ATLANTA, GA. (WHITE), all causes	327	56	21	17	27	17	18	8	164	32	20	17	14	10	6	13	14	13	10	14
Measles (7)	9					1	1	1	3			1		1		1			1	2
Scarlet fever (8)																				
Whooping cough (9)	12									5	1						2	1	1	2
Diphtheria (10)	3							1	1									1		1
Influenza (11)	6						2		2	1							1	1	1	
Dysentery (16)	5											1		1		1	1			1
Erysipelas (21)	3									1	2									
Meningococcus meningitis (24)																				
Tetanus (29)	1						1		1											
Tuberculosis of the respiratory system (31)																				
Tuberculosis of the meninges, etc. (32)	1											1								
Other forms of tuberculosis (33-37)																				
Syphilis (38)	4	1							1	2	1									
Convulsions (80)	3	1		1					2	1										
Bronchitis (99)	1																		1	
Bronchopneumonia (100)	31					1	2	1	4	4	4	4	2	1	1	2	3	4	1	1
Pneumonia (101)	9									1	3		1	1	1		1	1		
Diseases of the stomach (111, 112)																				
Diarrhea and enteritis (113)	48					1		1	2	6	5	4	4	2	2	6	3	4	3	7
Congenital malformations (159)	23	5	1	2	7	1	1	1	18	1	1	1	1						1	
Congenital debility (160)	23	3			2	1	1	1	8	1	3	3	2	2		1	2	1		
Premature birth (161a)	94	39	16	8	13	7	8		91	3										
Injury at birth (161b)	13	6	3	1	1		1		12	1										
Other diseases of early infancy (162, 163)	8	1	1	2	2	2			8											
External causes (175-203)	5					1			1	2			1		1					
Unknown or ill-defined diseases (204, 205)	2			2					2											
All other causes	23			1	2	2	1	2	8	3		2	3	2	1	2	1		1	
ATLANTA, GA. (COLORED), all causes	286	29	14	6	19	19	10	10	107	31	20	12	25	10	26	16	15	9	6	9
Measles (7)	5											2	1		1			1		
Scarlet fever (8)	1															1				
Whooping cough (9)	16									1			2	1		5	4	1	1	1
Diphtheria (10)	2												1				1			
Influenza (11)	10					1	1		2	2	2			1		1	2			
Dysentery (16)	3											1			1					1
Erysipelas (21)																				
Meningococcus meningitis (24)																				
Tetanus (29)																				
Tuberculosis of the respiratory system (31)	1														1					
Tuberculosis of the meninges, etc. (32)	1																	1		
Other forms of tuberculosis (33-37)																				
Syphilis (38)	14	1	2	1		1		1	6	2	3	1	1		1					
Convulsions (80)	2				1				1				1							
Bronchitis (99)	1													1						
Bronchopneumonia (100)	41				1	3	1		5	3	3	3	8		5	2	2	4	2	4
Pneumonia (101)	27					3		2	5	4	2	1	2	2	2	3	1	2	1	2
Diseases of the stomach (111, 112)	1														1					
Diarrhea and enteritis (113)	31				1			1	2	5	3	1	4	3	5	3	3		2	
Congenital malformations (159)	8	1			1	1		2	5				1	1			1			
Congenital debility (160)	13					1	1		2	4	3	1	1		2					
Premature birth (161a)	63	22	11	5	9	7	3	1	58	3	1				1					
Injury at birth (161b)	3	3							3											
Other diseases of early infancy (162, 163)	4				2	1	1		4											
External causes (175-203)	9	2					1	1	4	1		1	1	1	1					
Unknown or ill-defined diseases (204, 205)	15		1		2	1	2	1	7	2	1		1		1	1	1			1
All other causes	15				2			1	3	4	2	1	1		4					
DES MOINES, IOWA, all causes	194	57	11	7	12	15	4	9	115	13	10	8	8	5	13	5	8	4	3	2
Measles (7)	2														1		1			
Scarlet fever (8)	1																		1	
Whooping cough (9)	14						1		1	4	1	1	2			1	2	1		1
Diphtheria (10)																				
Influenza (11)	6							2	2		1	1		1	1					
Dysentery (16)																				
Erysipelas (21)																				
Meningococcus meningitis (24)																				
Tetanus (29)																				
Tuberculosis of the respiratory system (31)																				
Tuberculosis of the meninges, etc. (32)																				
Other forms of tuberculosis (33-37)																				
Syphilis (38)																				
Convulsions (80)	2														2					
Bronchitis (99)																				
Bronchopneumonia (100)	15				1			1	2	1	1	2	3	1	1		3	1		
Pneumonia (101)	8									2	2		1			1			2	
Diseases of the stomach (111, 112)	2										1	1								
Diarrhea and enteritis (113)	14									4	2	1		1	3	1	1	1		
Congenital malformations (159)	19	4	2	1	2	1		2	12	1	1	1			3					1
Congenital debility (160)	17	2	2		3	1		1	9	1			2	1	1	2	1			
Premature birth (161a)	68	44	6	3	2	9	1	2	67		1									
Injury at birth (161b)	9	5			2	1	1		9											
Other diseases of early infancy (162, 163)	9	2	1	3	1	2			9											
External causes (175-203)																				
Unknown or ill-defined diseases (204, 205)																				
All other causes	8				1	1	1	1	4			1		1	1			1		

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN REGISTRATION STATES AND LARGE CITIES NOT IN THE BIRTH REGISTRATION AREA: 1923—Continued

[See note at head of this table, p. 423]

AREA AND CAUSE OF DEATH	Total deaths under 1 year of age	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
NEW ORLEANS, LA. (WHITE), all causes	414	87	26	22	25	22	9	14	205	27	35	29	17	28	16	17	9	12	11	8
Measles (7)	10											2				3	1	2	2	
Scarlet fever (8)																				
Whooping cough (9)	23							1	1	2	6	1	1	4	1	2	2	1		2
Diphtheria (10)	1																			1
Influenza (11)	7									1	1	2			1				1	1
Dysentery (16)	2													1					1	
Erysipelas (21)	4							1	1	1	1								1	
Meningococcus meningitis (24)	1														1					
Tetanus (29)	2				1	1			2											
Tuberculosis of the respiratory system (31)																				
Tuberculosis of the meninges, etc. (32)																				
Other forms of tuberculosis (33-37)																				
Syphilis (38)	7			1			1		2	2	1		2							
Convulsions (80)	2		1		1				2											
Bronchitis (99)	2										1				1					
Bronchopneumonia (100)	56			2		4	1	3	10	7	6	5	2	7	4	6	4	2	1	2
Pneumonia (101)	9				1			1	2		4	1		2						
Diseases of the stomach (111, 112)																				
Diarrhea and enteritis (113)	52			2	1		1	1	5	4	6	8	7	9	5	3		3	2	
Congenital malformations (159)	44	8	7	4	5	2	1	3	30	2	2	3	1	2	1			1	2	
Congenital debility (160)	14	1			2	2		3	8	1	1	2	1					1		
Premature birth (161a)	95	52	10	6	8	9	4	1	90	1	2	1				1				
Injury at birth (161b)	26	18	3	3	2				26											
Other diseases of early infancy (162, 163)	13	8	4	1					13											
External causes (175-203)	4										1							1		2
Unknown or ill-defined diseases (204, 205)																				
All other causes	40		1	3	4	4	1		13	6	3	4	3	3	2	2	2	1	1	
NEW ORLEANS, LA. (COLORED), all causes	349	51	14	18	22	27	12	13	157	27	28	33	23	21	9	16	12	8	8	7
Measles (7)	1											1								
Scarlet fever (8)																				
Whooping cough (9)	12										2	1	4		1		3		1	
Diphtheria (10)																				
Influenza (11)	5										1			1	1	1	1			
Dysentery (16)																				
Erysipelas (21)																				
Meningococcus meningitis (24)	1											1								
Tetanus (29)	6	1			1	3	1		6											
Tuberculosis of the respiratory system (31)	2	1							1									1		
Tuberculosis of the meninges, etc. (32)																				
Other forms of tuberculosis (33-37)																				
Syphilis (38)	18	2			2				4	5	3	2		2		1	1			
Convulsions (80)	1															1				
Bronchitis (99)	5									2	1			2						
Bronchopneumonia (100)	51			1		1	1	5	8	2	6	11	6	6	3	5		1		3
Pneumonia (101)	24		1	1	2	3	1		8	2	1	2	2		3	1	1	1	2	1
Diseases of the stomach (111, 112)	1									1										
Diarrhea and enteritis (113)	51				1	2	1	1	5	2	8	6	4	5	1	5	4	4	5	2
Congenital malformations (159)	41	1	3	2	5	8	2	3	24	5	2	4	4	1			1			
Congenital debility (160)	17	2		1	2	1			6	3	2	2	1	1		2				
Premature birth (161a)	78	35	10	10	6	5	5	3	74	3	1									
Injury at birth (161b)	5	4		1					5											
Other diseases of early infancy (162, 163)	12	4		2	3	3			12											
External causes (175-203)	4									1			1					1		1
Unknown or ill-defined diseases (204, 205)																				
All other causes	14	1				1	1	1	4	1	1	3	1	3			1			
KANSAS CITY, MO. (WHITE), all causes	544	111	24	37	36	35	17	16	276	51	44	30	22	17	29	17	26	12	10	10
Measles (7)	13										1	2	1		2	1	1		1	4
Scarlet fever (8)																				
Whooping cough (9)	13				1				1		4	1			2	1	1	2		1
Diphtheria (10)	4									2							1	1		
Influenza (11)	11	1				1			2	4	1		1			1		2		
Dysentery (16)	1															1				
Erysipelas (21)	2					1			1		1									
Meningococcus meningitis (24)	1															1				
Tetanus (29)																				
Tuberculosis of the respiratory system (31)	2												1	1						
Tuberculosis of the meninges, etc. (32)	2													1			1			
Other forms of tuberculosis (33-37)	3									1			2							
Syphilis (38)	21	4						1	5	7	2	1		1	3		1	1		
Convulsions (80)																				
Bronchitis (99)	1															1				
Bronchopneumonia (100)	47				2	2	2	3	9	3	4	8	3	5	7	3	1	1	3	
Pneumonia (101)	16			1	1			1	3		4	2	1	1		1	2	1		1
Diseases of the stomach (111, 112)	2					1			1		1									
Diarrhea and enteritis (113)	94				1	2	2	4	9	15	10	13	11	5	12	2	10	3	1	3
Congenital malformations (159)	50	10	8	3	9	4	3	1	38	6	1				1		1		3	
Congenital debility (160)	16	3		2	2	2	2	1	12	1	2		1							
Premature birth (161a)	134	71	14	15	11	15	2	1	129	5										
Injury at birth (161b)	33	15	1	8	5	1	1		31	1	1									
Other diseases of early infancy (162, 163)	15	2		5	3	2	1	1	14		1									
External causes (175-203)	8	1						1	2	2					2	1	1			
Unknown or ill-defined diseases (204,205)	3	2							2								1			
All other causes	52	2	1	3	1	4	4	2	17	4	11	3	1	3		4	5	1	2	1

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN REGISTRATION STATES AND LARGE CITIES NOT IN THE BIRTH REGISTRATION AREA: 1923—Continued

[See note at head of this table, p. 423]

AREA AND CAUSE OF DEATH	Total deaths under 1 year of age	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
KANSAS CITY, MO. (COLORED), all causes	88	18	6	4	3	7		3	41	7	2	2	5	3	4	6	6	4	5	3
Measles (7)	2															1	1			
Scarlet fever (8)																				
Whooping cough (9)	1																		1	
Diphtheria (10)																				
Influenza (11)	5					1			1	1	1		1							1
Dysentery (16)																				
Erysipelas (21)																				
Meningococcus meningitis (24)																				
Tetanus (29)																				
Tuberculosis of the respiratory system (31)																				
Tuberculosis of the meninges, etc. (32)																				
Other forms of tuberculosis (33-37)																				
Syphilis (38)	3		1			1			2							1				
Convulsions (80)																				
Bronchitis (99)																				
Bronchopneumonia (100)	24	2		1				1	4		1	2	2	2	1	3	4	1	3	1
Pneumonia (101)	3												1		1			1		
Diseases of the stomach (111, 112)																				
Diarrhea and enteritis (113)	11							1	1	4			1	1	2	1				1
Congenital malformations (159)	2			1		1			2											
Congenital debility (160)	2	1	1						2											
Premature birth (161a)	19	12	2			3		1	18	1										
Injury at birth (161b)	3	1	1	1					3											
Other diseases of early infancy (162, 163)	6	2	1		2				5	1										
External causes (175-203)	1				1				1											
Unknown or ill-defined diseases (204, 205)																				
All other causes	6			1		1			2								1	2	1	
ST. LOUIS, MO. (WHITE), all causes	871	175	59	49	62	34	35	22	436	65	56	48	46	38	31	35	27	33	28	28
Measles (7)	10											1			1	1	1	3	1	2
Scarlet fever (8)																				
Whooping cough (9)	36							1	1	9	1	5	1	3	3	3	4		2	4
Diphtheria (10)	6							1	1		2					1			1	1
Influenza (11)	13									1	1	1	2	1		2		2	1	2
Dysentery (16)	12										2	1	3	1	1		1		2	1
Erysipelas (21)	9									2	3			1		1	1			1
Meningococcus meningitis (24)	3									1		2								
Tetanus (29)	2					1	1		2											
Tuberculosis of the respiratory system (31)	2															1		1		
Tuberculosis of the meninges, etc. (32)	2																1			1
Other forms of tuberculosis (33-37)																				
Syphilis (38)	9	3		1				1	5		1	3								
Convulsions (80)	3			1					1		1									1
Bronchitis (99)	14		1			2	2	1	6	2		2	1					2		1
Bronchopneumonia (100)	132		1	1	5	4	4	2	17	13	18	14	16	11	8	7	7	7	8	6
Pneumonia (101)	34				2		3		5	1	4	2	3	5	3	4	1	2	3	1
Diseases of the stomach (111, 112)	3										1		1					1		
Diarrhea and enteritis (113)	110				3	3	4		10	14	14	9	8	10	9	8	6	11	6	5
Congenital malformations (159)	87	17	11	9	14	4	4	7	66	8	2	1	7	2	1					
Congenital debility (160)	17	4		2	3	1	1		11	3		3								
Premature birth (161a)	216	118	29	19	19	11	9	6	211	4	1									
Injury at birth (161b)	51	18	10	11	9	3			51											
Other diseases of early infancy (162, 163)	36	14	6	4	5	3	2		34	2										
External causes (175-203)	7		1			1			2		2	1				2				
Unknown or ill-defined diseases (204, 205)																				
All other causes	57	1		1	2	1	5	3	13	5	3	3	4	4	5	5	5	4	4	2
ST. LOUIS, MO. (COLORED), all causes	192	18	5	5	9	9	5	4	55	23	18	14	10	13	17	9	13	9	8	3
Measles (7)	4										1			1				1	1	
Scarlet fever (8)																				
Whooping cough (9)	20							1	1	1	1	2	2	2	2	1	3	2	2	1
Diphtheria (10)																				
Influenza (11)	5										1		2	1		1				
Dysentery (16)	1											1								
Erysipelas (21)																				
Meningococcus meningitis (24)																				
Tetanus (29)																				
Tuberculosis of the respiratory system (31)	1																		1	
Tuberculosis of the meninges, etc. (32)																				
Other forms of tuberculosis (33-37)																				
Syphilis (38)	10	2	1				2		5	3	1			1						
Convulsions (80)																				
Bronchitis (99)	8						1		1		4		1		1			1		
Bronchopneumonia (100)	50				2	1		1	4	8	5	6	3	2	8	4	4	1	3	2
Pneumonia (101)	16					1			1	1	1	3		3	2		2	2	1	
Diseases of the stomach (111, 112)	1													1						
Diarrhea and enteritis (113)	20									3	4	2	1	2	4	1	2	1		
Congenital malformations (159)	3					2			2	1										
Congenital debility (160)	6	1		1	1		1	1	5	1										
Premature birth (161a)	30	12	3	2	4	4	1	1	27	2						1				
Injury at birth (161b)	5	3			2				5											
Other diseases of early infancy (162, 163)	3		1	1		1			3											
External causes (175-203)	2									2										
Unknown or ill-defined diseases (204, 205)																				
All other causes	7			1					1	1			1			1	2	1		

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN REGISTRATION STATES AND LARGE CITIES NOT IN THE BIRTH REGISTRATION AREA: 1923—Continued

[See note at head of this table, p. 423]

AREA AND CAUSE OF DEATH	Total deaths under 1 year of age	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
MEMPHIS, TENN. (WHITE), all causes	202	47	19	4	14	12	3	5	104	11	20	11	10	8	6	3	12	10	5	2
Measles (7)	6										1	1					1	1	2	
Scarlet fever (8)																				
Whooping cough (9)	4											3							1	
Diphtheria (10)	1													1						
Influenza (11)	10									2	1	1	2	1		2		1		
Dysentery (16)	3										1		1		1					
Erysipelas (21)	1												1							
Meningococcus meningitis (24)	1														1					
Tetanus (29)																				
Tuberculosis of the respiratory system (31)	1										1									
Tuberculosis of the meninges, etc. (32)																				
Other forms of tuberculosis (33-37)																				
Syphilis (38)	5							1	1	1	3									
Convulsions (80)	1															1				
Bronchitis (99)	1												1							
Bronchopneumonia (100)	15					1	1	2	4	1	1	2	1				3		1	2
Pneumonia (101)	2									2										
Diseases of the stomach (111,112)	1											1								
Diarrhea and enteritis (113)	21										5	2	2	1	2		5	4		
Congenital malformations (159)	14	1	1	2	3	2	1	1	11	1	2									
Congenital debility (160)	4	2							2		1				1					
Premature birth (161a)	66	37	12	2	6	6		1	64	1		1								
Injury at birth (161b)	10	5	2		2	1			10											
Other diseases of early infancy (162,163)	5	1	2		1	1			5											
External causes (175-203)	4				1				1									2	1	
Unknown or ill-defined diseases (204, 205)	10	1	2			1			4	1	4			1						
All other causes	16				1		1		2	2			2	4	1		3	2		
MEMPHIS, TENN. (COLORED), all causes	220	38	12	3	13	9	16	13	104	20	14	11	14	14	12	9	6	6	3	7
Measles (7)	1													1						
Scarlet fever (8)																				
Whooping cough (9)	4												1		1				1	1
Diphtheria (10)	3									1	1							1		
Influenza (11)	14									1	1	1	3	2	3	1		2		
Dysentery (16)	1									1										
Erysipelas (21)	1									1										
Meningococcus meningitis (24)	1					1			1											
Tetanus (29)																				
Tuberculosis of the respiratory system (31)	1																			1
Tuberculosis of the meninges, etc. (32)																				
Other forms of tuberculosis (33-37)																				
Syphilis (38)	11	2			1		1	1	5	1		1	2			1				1
Convulsions (80)	1																1			
Bronchitis (99)																				
Bronchopneumonia (100)	31	1			1	1	3	1	7	6	3	1		5	2	2	3	1		1
Pneumonia (101)	11		1			1		1	3	1	2	1	2		1	1				
Diseases of the stomach (111, 112)																				
Diarrhea and enteritis (113)	27							1	1	1	3	1	3	5	2	2	2	2	2	3
Congenital malformations (159)																				
Congenital debility (160)	5	2							2	1	2									
Premature birth (161a)	53	26	3	1	6	3	8	3	50	3										
Injury at birth (161b)	5		2	1	1	1			5											
Other diseases of early infancy (162, 163)	8	2			2	1	2		7	1										
External causes (175-203)																				
Unknown or ill-defined diseases (204, 205)	21	4	6	1	1			5	17	1		2				1				
All other causes	21	1			1	1	2	1	6	1	2	4	3	1	3	1				
NASHVILLE, TENN. (WHITE), all causes	160	40	8	11	7	10	4	6	86	16	7	11	2	5	5	6	5	9	6	2
Measles (7)	10						1	1	2	1		1	1		2	1	2			
Scarlet fever (8)																				
Whooping cough (9)	6									2					1	2	1			
Diphtheria (10)																				
Influenza (11)	6									1		2						2	1	
Dysentery (16)																				
Erysipelas (21)	1									1										
Meningococcus meningitis (24)																				
Tetanus (29)																				
Tuberculosis of the respiratory system (31)																				
Tuberculosis of the meninges, etc. (32)																				
Other forms of tuberculosis (33-37)																				
Syphilis (38)	4				1	1			2					1				1		
Convulsions (80)	1		1						1											
Bronchitis (99)	1									1										
Bronchopneumonia (100)	8	1						1	2	1	2	1						1	1	
Pneumonia (101)	7					1			1	1	1	1		1		2				
Diseases of the stomach (111, 112)	1						1		1											
Diarrhea and enteritis (113)	16									1	2	2	1	1		1	2	2	3	1
Congenital malformations (159)	8	2			2	1			5					1				2		
Congenital debility (160)	11	2		1	1	3		1	8	1	1	1								
Premature birth (161a)	52	33	3	8	1	1	1	1	48	2	1	1								
Injury at birth (161b)	9	2	3	1	1			1	8	1										
Other diseases of early infancy (162, 163)	4		1	1	1	1			4											
External causes (175-203)	2											1							1	
Unknown or ill-defined diseases (204, 205)	3					1			1	2										
All other causes	10					1	1	1	3	1		1		1	2			1		1

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN REGISTRATION STATES AND LARGE CITIES NOT IN THE BIRTH REGISTRATION AREA: 1923—Continued

[See note at head of this table, p. 423]

AREA AND CAUSE OF DEATH	Total deaths under 1 year of age	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
NASHVILLE, TENN. (COLORED), all causes	95	10	6	3	10	4	3	7	43	5	5	8	6	6	8	3	2	4	3	2
Measles (7)	4							1	1						2		1			
Scarlet fever (8)																				
Whooping cough (9)	1												1							
Diphtheria (10)																				
Influenza (11)	2				1				1			1								
Dysentery (16)																				
Erysipelas (21)																				
Meningococcus meningitis (24)																				
Tetanus (29)																				
Tuberculosis of the respiratory system (31)																				
Tuberculosis of the meninges, etc. (32)																				
Other forms of tuberculosis (33-37)																				
Syphilis (38)	1					1			1											
Convulsions (80)	2				1		1		2											
Bronchitis (99)	4				1				1	1		2								
Bronchopneumonia (100)	15			1	1				2		1	2	1	3	2		1	1	2	
Pneumonia (101)	5				1			1	2	1					1	1				
Diseases of the stomach (111, 112)	1											1								
Diarrhea and enteritis (113)	15									1	1	1	3	3	2			2	1	1
Congenital malformations (159)	1							1	1											
Congenital debility (160)	7	2			1			2	5		1									1
Premature birth (161a)	17	7	2	1	4	1		1	16	1										
Injury at birth (161b)	1		1						1											
Other diseases of early infancy (162, 163)	2	1	1						2											
External causes (175-203)	1														1					
Unknown or ill-defined diseases (204, 205)	10		1	1			2	1	5	1		1	1			1		1		
All other causes	6		1			2			3		2					1				
DALLAS, TEX., all causes	375	73	30	12	38	21	14	14	202	37	27	17	16	18	10	6	9	8	8	17
Measles (7)																				
Scarlet fever (8)																				
Whooping cough (9)	15						1		1	3	3	2	1	1	2	1				1
Diphtheria (10)	3					1			1										1	1
Influenza (11)	12							1	1	3	1	1	3	2						1
Dysentery (16)	4									1		1			1		1			
Erysipelas (21)																				
Meningococcus meningitis (24)	1																1			
Tetanus (29)																				
Tuberculosis of the respiratory system (31)	2												1				1			
Tuberculosis of the meninges, etc. (32)	1																		1	
Other forms of tuberculosis (33-37)																				
Syphilis (38)	11	1				1	1		3	1	2	3			1		1			
Convulsions (80)																				
Bronchitis (99)	1																	1		
Bronchopneumonia (100)	27				1	2		2	5	8	6		1	2		1			1	3
Pneumonia (101)	12				1	1			2	1	1	2		1				2	2	1
Diseases of the stomach (111, 112)	5					2			2	1			1					1		
Diarrhea and enteritis (113)	50						7	5	12	6	7	2	3	4	4	1	3	3		5
Congenital malformations (159)	31	6	1	1	8	6			22	4	3			1	1					
Congenital debility (160)	20	1		1	1	1	1	2	7	3		3	2			2		1	1	1
Premature birth (161a)	104	55	18	6	13	4	2	2	100	4										
Injury at birth (161b)	22	5	6	2	6	2		1	22											
Other diseases of early infancy (162, 163)	23	4	5	1	8	1	1		20	2	1									
External causes (175-203)	4	1							1										1	2
Unknown or ill-defined diseases (204, 205)	1											1								
All other causes	26			1			1	1	3		3	2	4	7	1	1	2		1	2
FORT WORTH, TEX., all causes	159	29	12	7	16	16	5	5	90	10	21	8	11	6	7	1	2			3
Measles (7)																				
Scarlet fever (8)																				
Whooping cough (9)	4							1	1		1	1	1							
Diphtheria (10)	1														1					
Influenza (11)	7					2			2	1	2		1							1
Dysentery (16)	2					1			1				1							
Erysipelas (21)																				
Meningococcus meningitis (24)																				
Tetanus (29)																				
Tuberculosis of the respiratory system (31)																				
Tuberculosis of the meninges, etc. (32)																				
Other forms of tuberculosis (33-37)																				
Syphilis (38)	1														1					
Convulsions (80)																				
Bronchitis (99)																				
Bronchopneumonia (100)	11				1	2		1	4			1	1	2			2			1
Pneumonia (101)	15				2	3	1		6	2	5		1	1						
Diseases of the stomach (111, 112)	1												1							
Diarrhea and enteritis (113)	11		1						1		5	2		1	1					1
Congenital malformations (159)	14	2	2	1	3	2			10	1	2	1								
Congenital debility (160)	14	1		1	1	2		1	6	2	1	1	2	1	1					
Premature birth (161a)	39	20	4	1	4	1	2	1	33	2	3	1								
Injury at birth (161b)	13	4	3	2	2	1	1		13											
Other diseases of early infancy (162, 163)	8		2	2	2	1	1		8											
External causes (175-203)	3	2							2					1						
Unknown or ill-defined diseases (204, 205)	3							1	1	1	1									
All other causes	12				1	1			2	1	1	1	3		3	1				

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN REGISTRATION STATES AND LARGE CITIES NOT IN THE BIRTH REGISTRATION AREA: 1923—Continued

[See note at head of this table, p. 423]

AREA AND CAUSE OF DEATH	Total deaths under 1 year of age	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
HOUSTON, TEX. (WHITE), all causes	171	22	16	5	15	9	8	5	80	16	10	9	11	7	9	4	10	8	2	5
Measles (7)																				
Scarlet fever (8)																				
Whooping cough (9)	3						1		1				1				1			
Diphtheria (10)																				
Influenza (11)	6					1			1	2	1				1		1			
Dysentery (16)																				
Erysipelas (21)																				
Meningococcus meningitis (24)																				
Tetanus (29)	1				1				1											
Tuberculosis of the respiratory system (31)																				
Tuberculosis of the meninges, etc. (32)	1																	1		
Other forms of tuberculosis (33-37)																				
Syphilis (38)	3			1					1	2										
Convulsions (80)																				
Bronchitis (99)	1												1							
Bronchopneumonia (100)	11					1			1	2	2		1	1		1	1		1	1
Pneumonia (101)	3									2			1							
Diseases of the stomach (111, 112)	1											1								
Diarrhea and enteritis (113)	29						2		2	3	2	4	1	3	5	1	3	3	1	1
Congenital malformations (159)	11	1	1	1	1		1	1	6	1	1	1					2			
Congenital debility (160)	6		1		1	1	2		5				1							
Premature birth (161a)	31	12	9	1	4	3			29	1					1					
Injury at birth (161b)	21	8	3	1	7	1		1	21											
Other diseases of early infancy (162, 163)	5	1	1		1		1	1	5											
External causes (175-203)	3										1		1							1
Unknown or ill-defined diseases (204, 205)	16		1			1	1	1	4	3	2	1	1	2			1	2		
All other causes	19			1		1		1	3		1	2	3	1	2	2	1	2		2
HOUSTON, TEX. (COLORED), all causes	86	11	4		8	8	4	1	36	9	10	5	2	7	3	3	2	3	3	3
Measles (7)																				
Scarlet fever (8)																				
Whooping cough (9)	2													1			1			
Diphtheria (10)																				
Influenza (11)	4										1			1	1			1		
Dysentery (16)																				
Erysipelas (21)																				
Meningococcus meningitis (24)																				
Tetanus (29)	1				1				1											
Tuberculosis of the respiratory system (31)																				
Tuberculosis of the meninges, etc. (32)																				
Other forms of tuberculosis (33-37)																				
Syphilis (38)	1																		1	
Convulsions (80)																				
Bronchitis (99)	1										1									
Bronchopneumonia (100)	4	1							1		1			1		1				
Pneumonia (101)	4					1			1			1	1							1
Diseases of the stomach (111, 112)	1										1									
Diarrhea and enteritis (113)	18					1			1	4		3	1	2	1		1	1	2	2
Congenital malformations (159)																				
Congenital debility (160)	4					1			1	1	1	1								
Premature birth (161a)	4	2					1		3	1										
Injury at birth (161b)	3	1	2						3											
Other diseases of early infancy (162, 163)	2	1					1		2											
External causes (175-203)	1										1									
Unknown or ill-defined diseases (204, 205)	30	5	2		7	2	2	1	19	3	3			1	1	2		1		
All other causes	6	1				3			4		1			1						
SAN ANTONIO, TEX., all causes	529	50	29	20	47	45	28	19	238	52	38	41	31	23	23	26	15	14	15	13
Measles (7)	5				1				1					1		1		1	1	
Scarlet fever (8)																				
Whooping cough (9)	7							1	1	1	1	3	1							
Diphtheria (10)																				
Influenza (11)	9									1	1	1	1	1	1	1		1		1
Dysentery (16)	13				1			1	2	2	2	2		2	2					1
Erysipelas (21)																				
Meningococcus meningitis (24)	2																	1		1
Tetanus (29)	12				3	6	2		11	1										
Tuberculosis of the respiratory system (31)	2										1					1				
Tuberculosis of the meninges, etc. (32)	1																1			
Other forms of tuberculosis (33-37)	2													1					1	
Syphilis (38)	15		1	1	1	1		3	7	3	2			1	1	1				
Convulsions (80)	2		1						1								1			
Bronchitis (99)	5					1	1		2	1							1		1	
Bronchopneumonia (100)	35		1		1	2	4	1	9	7	2	3	3	3	1	3	1	2	1	
Pneumonia (101)	20	1				1		1	3	4	1	3	3	1	1	1	2			1
Diseases of the stomach (111. 112)	2															2				
Diarrhea and enteritis (113)	182	3		2	8	7	6	9	35	17	20	25	15	10	15	11	9	8	10	7
Congenital malformations (159)	15	1	2	1	4	2			10		3				1	1				
Congenital debility (160)	25	2		1	1	3	2		9	4	2	2	3	1		3			1	
Premature birth (161a)	112	37	21	8	17	17	8	1	109	2			1							
Injury at birth (161b)	12	2		1	3	1	3		10	2										
Other diseases of early infancy (162, 163)	12	2	2	2	3	2	1		12											
External causes (175-203)	5							1	1	1	1	1			1					
Unknown or ill-defined diseases (204, 205)	13			2	2	1	1	1	7	4				1						1
All other causes	21	2	1	2	2	1			8	2	2	1	4	1		1		1		1

SUPPLEMENT

HAWAII

HAWAII

In Hawaii the number of deaths from all causes during the year 1923 is 4,635, and the population as estimated by the Bureau of the Census is 278,984, giving a rate of 16.6 per 1,000 population against a rate of 16 in 1922. The populations used in computing these rates are estimated by the arithmetical method and are based on the Federal censuses of April 15, 1910, and January 1, 1920. The deaths are tabulated by sex, age, race, month, and cause.

The highest rates per 100,000 population in 1923 are from pneumonia (all forms), 277.8; diarrhea and enteritis (under 2 years), 225.5; tuberculosis (all forms), 149.8; congenital malformations and diseases of early infancy, 106.8; diseases of the heart, 103.6; accidental and unspecified external causes, 88.2; nephritis, 69.2; cancer, 68.5; and cerebral hemorrhage and softening, 62.4. These causes together account for 69.3 per cent of the total deaths.

In 1923 the death rate for infants under 1 year of age (163.9 per 1,000 estimated population under 1 year) shows an increase of about 3 per cent over the rate in 1922. More than one-third of all the deaths in 1923 are those of infants under 1 year of age (1,587) and more than half of these are due to diarrhea and enteritis (544) and to bronchopneumonia (313).

TABLE 1.—POPULATION OF THE TERRITORY OF HAWAII AND ITS SUBDIVISIONS, BY RACE, ACCORDING TO THE CENSUS OF 1920

RACE	POPULATION JAN. 1, 1920							
	Hawaii Territory	Hilo city	Honolulu city	Hawaii County (exclusive of Hilo city)	Honolulu County (exclusive of Honolulu city)	Kalawao County	Kauai County	Maui County
Total	255,912	10,431	83,327	54,464	40,200	667	29,438	37,385
Hawaiian	23,723	789	8,459	5,408	2,276	399	1,728	4,664
Part Hawaiian	18,027	830	9,072	2,841	1,387	118	1,106	2,673
Caucasian-Hawaiian	11,072	488	5,970	1,540	853	85	634	1,502
Asiatic-Hawaiian	6,955	342	3,102	1,301	534	33	472	1,171
Caucasian	54,742	2,705	24,125	8,908	6,610	71	5,427	6,896
Portuguese	27,002	1,836	9,978	5,210	2,095	45	3,190	4,648
Porto Rican	5,602	122	841	1,946	964	4	891	834
Other Caucasian	22,138	747	13,306	1,752	3,551	22	1,346	1,414
Chinese	23,507	662	13,383	1,987	3,547	23	1,810	2,095
Japanese	109,274	4,849	24,522	28,032	19,945	24	14,582	17,320
Korean	4,950	93	1,319	1,188	1,045	13	642	650
Filipino	21,031	485	2,113	6,027	5,283	15	4,104	3,004
All others	658	18	334	73	107	4	39	83

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) AND DEATH RATES PER 1,000 POPULATION, BY RACE, IN THE TERRITORY OF HAWAII: 1923

RACE	DEATHS IN—								
	Hawaii Territory		Hilo city	Honolulu city	Hawaii County (exclusive of Hilo city)	Honolulu County (exclusive of Honolulu city)	Kalawao County	Kauai County	Maui County
	Number	Rate per 1,000 population [1]							
Total	4,635	16.6	370	1,636	704	669	50	415	791
Hawaiian	834	36.4	52	314	156	59	35	49	169
Part Hawaiian	308	15.4	18	166	34	14	4	12	60
Caucasian-Hawaiian	184	15.5	15	113	17	6	3	7	23
Asiatic-Hawaiian	124	15.3	3	53	17	8	1	5	37
Caucasian	799	13.6	56	372	115	89	4	60	103
Portuguese	394	13.7	45	132	74	30	4	42	67
Porto Rican	100	17.1	2	25	29	16	----------	10	18
Other Caucasian	305	12.7	9	215	12	43	----------	8	18
Chinese	315	13.0	16	186	22	28	4	24	35
Japanese	1,595	13.3	192	453	247	222	----------	174	307
Korean	96	18.8	7	34	9	24	3	8	11
Filipino	684	24.6	28	108	121	233	----------	88	106
All others	4	7.8	1	3	----------	----------	----------	----------	----------

[1] Estimated population July 1, 1923.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND MONTHS, IN THE TERRITORY OF HAWAII: 1923

AREA AND SEX	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Territory of Hawaii	4,635	405	397	454	464	436	411	342	346	342	344	353	341
Males	2,757	243	235	259	264	255	244	192	214	219	212	212	208
Females	1,878	162	162	195	200	181	167	150	132	123	132	141	133
Hilo city	370	35	36	42	31	44	25	34	23	24	20	35	21
Males	215	20	21	22	18	21	15	22	15	10	16	22	13
Females	155	15	15	20	13	23	10	12	8	14	4	13	8
Honolulu city	1,636	135	140	153	168	151	139	113	116	136	127	131	127
Males	974	71	87	93	99	86	82	68	72	87	81	73	75
Females	662	64	53	60	69	65	57	45	44	49	46	58	52
Hawaii County (exclusive of Hilo city)	704	58	62	84	71	58	54	59	54	44	59	55	46
Males	403	34	30	40	40	34	37	32	33	28	34	33	28
Females	301	24	32	44	31	24	17	27	21	16	25	22	18
Honolulu County (exclusive of Honolulu city)	669	60	52	61	58	81	59	50	53	48	49	45	53
Males	415	43	33	39	34	53	34	20	34	35	29	29	32
Females	254	17	19	22	24	28	25	30	19	13	20	16	21
Kalawao County	50	-------	4	4	3	2	16	1	9	3	5	1	2
Males	27	-------	1	2	1	1	10	-------	5	2	3	1	1
Females	23	-------	3	2	2	1	6	1	4	1	2	-------	1
Kauai County	415	44	35	40	44	42	48	31	29	23	24	30	25
Males	253	29	21	21	23	24	28	22	17	16	14	19	19
Females	162	15	14	19	21	18	20	9	12	7	10	11	6
Maui County	791	73	68	70	89	58	70	54	62	64	60	56	67
Males	470	46	42	42	49	36	38	28	38	41	35	35	40
Females	321	27	26	28	40	22	32	26	24	23	25	21	27

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY RACE, SEX, AND AGE, IN THE TERRITORY OF HAWAII: 1923

RACE AND SEX	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years
Total	4,635	1,587	307	108	66	46	2,114	108	71	125	198	180	185	198
Males	2,757	848	152	55	35	16	1,106	65	36	71	119	104	104	113
Females	1,878	739	155	53	31	30	1,008	43	35	54	79	76	81	85
Hawaiian:														
Males	443	98	14	7	6	2	127	12	12	20	15	11	9	15
Females	391	78	17	5	4	4	108	8	4	18	19	15	28	27
Part Hawaiian:														
Males	159	74	11	3	4	-------	92	5	2	6	5	3	6	2
Females	149	67	6	3	3	1	80	5	8	4	7	7	4	5
Caucasian-Hawaiian—														
Males	98	38	5	2	2	-------	47	4	1	4	4	2	5	1
Females	86	31	5	3	3	1	43	3	2	3	3	4	2	4
Asiatic-Hawaiian—														
Males	61	36	6	1	2	-------	45	1	1	2	1	1	1	1
Females	63	36	1	-------	-------	-------	37	2	6	1	4	3	2	1
Caucasian:														
Males	498	113	26	11	3	4	157	12	10	15	27	9	16	26
Females	301	79	22	8	2	6	117	6	5	12	8	9	10	17
Portuguese—														
Males	227	71	17	8	3	3	102	7	7	7	7	2	3	10
Females	167	47	16	6	2	4	75	4	3	5	3	5	2	9
Porto Rican—														
Males	61	23	5	2	-------	-------	30	2	-------	-------	3	-------	2	4
Females	39	12	5	1	-------	-------	18	-------	2	5	2	-------	2	3
Other Caucasian—														
Males	210	19	4	1	-------	1	25	3	3	8	17	7	11	12
Females	95	20	1	1	-------	2	24	2	-------	2	3	4	6	5
Chinese:														
Males	250	22	7	5	3	1	38	4	5	2	-------	2	3	4
Females	65	26	3	1	1	-------	31	2	-------	1	4	-------	2	7
Japanese:														
Males	898	325	72	22	14	8	441	28	5	25	18	14	25	46
Females	697	309	80	29	16	18	452	20	16	16	24	33	33	20
Korean:														
Males	71	14	4	1	1	-------	20	-------	-------	-------	-------	-------	2	6
Females	25	12	2	-------	2	-------	16	-------	-------	1	2	3	-------	1
Filipino:														
Males	434	202	18	6	4	1	231	4	2	3	54	64	42	13
Females	250	168	25	7	3	1	204	2	2	2	15	9	4	8
All others:														
Males	4	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	1	1	1
Females	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY RACE, SEX, AND AGE, IN THE TERRITORY OF HAWAII: 1923—Continued

RACE AND SEX	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown
Total	176	222	231	194	157	177	126	83	34	20	15	9	11	1
Males	117	153	160	152	127	125	92	56	22	11	8	8	7	1
Females	59	69	71	42	30	52	34	27	12	9	7	1	4	
Hawaiian:														
Males	31	24	24	23	26	30	31	15	5	1	2	6	4	
Females	19	22	33	16	16	20	14	10	4	4	2		4	
Part Hawaiian:														
Males	6	4	13	3	5	4	3							
Females	6	3	7	3	1	5	1	1	1		1			
Caucasian-Hawaiian—														
Males	5	3	10	3	3	3	3							
Females	2	2	5	3	1	5	1	1	1		1			
Asiatic-Hawaiian—														
Males	1	1	3		2	1								
Females	4	1	2											
Caucasian:														
Males	21	26	16	26	33	32	22	22	12	7	4	2	3	
Females	7	12	12	9	5	21	18	16	7	5	4	1		
Portuguese—														
Males	5	6	7	7	8	16	11	13	3	4	1	1		
Females	3	6	4	4	3	15	10	8	2	3	2	1		
Porto Rican—														
Males	3	7		2	4	2	1		1					
Females		1	3	1					1		1			
Other Caucasian—														
Males	13	13	9	17	21	14	10	9	8	3	3	1	3	
Females	4	5	5	4	2	6	8	8	4	2	1			
Chinese:														
Males	6	21	20	32	30	32	24	18	4	3	2			
Females		4	6	4	1	2	1							
Japanese:														
Males	37	59	72	62	29	25	9	1	1					1
Females	26	26	12	10	7	2								
Korean:														
Males	10	12	9	6	3	1	2							
Females			1			1								
Filipino:														
Males	6	6	6		1	1	1							
Females	1	2				1								
All others:														
Males		1												
Females														

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) AND DEATH RATES PER 100,000 POPULATION, FROM IMPORTANT CAUSES, IN THE TERRITORY OF HAWAII: 1923

[Numbers under causes of death correspond to those of the 1920 revision of the detailed International List]

AREA	All causes	Typhoid and paratyphoid fever 1	Measles 7	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Influenza 11	Erysipelas 21	Meningococcus meningitis 24	Tuberculosis of the respiratory system 31	Tuberculosis of the meninges, etc. 32	Other forms of tuberculosis 33–37	Cancer and other malignant tumors 43–49	Rheumatism 51, 52	Diabetes mellitus 57	Cerebral hemorrhage and softening 74, 83	Diseases of the heart 87–90
Territory of Hawaii	4,635	32	62	1	96	31	87	5	10	364	16	38	191	7	20	174	289
Hilo city	370	9	18		9	3	2			46	3	4	12			8	21
Honolulu city	1,636	13		1	7	14	19	1	2	182	10	19	94	3	14	80	104
Hawaii County (exclusive of Hilo city)	704	3	24		33	6	10	1	1	37	2	5	22	1	2	28	51
Honolulu County (exclusive of Honolulu city)	669		12		2	3	18	1	2	20		4	17			17	38
Kalawao County	50						1										1
Kauai County	415	1	2		36		14		1	24		5	27	1	1	20	26
Maui County	791	6	6		9	5	23	2	4	55	1	1	19	2	3	21	48
	DEATH RATE PER 100,000 POPULATION																
Territory of Hawaii	1,661.4	11.5	22.2	0.4	34.4	11.1	31.2	1.8	3.6	130.5	5.7	13.6	68.5	2.5	7.2	62.4	103.6

AREA	Bronchitis 99	Pneumonia (all forms) 100, 101	Diarrhea and enteritis (under 2 years) 113	Appendicitis and typhlitis 117	Hernia, intestinal obstruction 118	Cirrhosis of the liver 122	Nephritis 128, 129	Puerperal septicemia 146	Other puerperal causes 143–145, 147–150	Congenital malformations and diseases of early infancy 159–163	Suicide 165–174	Homicide 197–200	Automobile accidents 188c	Other external causes 175–188b, 188d–196, 201–203	Unknown or ill-defined diseases 204, 205	All other causes
Territory of Hawaii	48	775	629	36	34	30	193	19	55	298	71	24	47	199	13	741
Hilo city	4	66	43	2	2	4	16		3	16	2	1	3	9	1	63
Honolulu city	17	241	149	14	12	14	101	9	20	105	22	5	26	63	1	274
Hawaii County (exclusive of Hilo city)	12	130	90	3	2	4	20	2	9	50	9	4	6	29	6	102
Honolulu County (exclusive of Honolulu city)	9	139	133	8	7	2	11	2	13	45	20	11	5	51		79
Kalawao County			1													47
Kauai County		44	50	5	4		15	2	4	34	7	1	2	20	4	65
Maui County	6	155	163	4	7	6	30	4	6	48	11	2	5	27	1	111
	DEATH RATE PER 100,000 POPULATION															
Territory of Hawaii	17.2	277.8	225.5	12.9	12.2	10.8	69.2	6.8	19.7	106.8	25.4	8.6	16.8	71.3	4.7	265.6

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY RACE, IN THE TERRITORY OF HAWAII: 1923

List No.	CAUSE OF DEATH	All deaths	Hawaiian	PART HAWAIIAN			CAUCASIAN				Chinese	Japanese	Korean	Filipino	All others
				Total	Caucasian-Hawaiian	Asiatic-Hawaiian	Total	Portuguese	Porto Rican	Other Caucasian					
	All causes	4,635	834	308	184	124	799	394	100	305	315	1,595	96	684	4
	I.—Epidemic, endemic, and infectious diseases	902	214	71	41	30	120	72	21	27	50	318	23	106	
1	Typhoid and paratyphoid fever	32	14	4	2	2	1	1				13			
7	Measles	62	6	1	1		15	12	3		1	36		3	
8	Scarlet fever	1	1												
9	Whooping cough	96	9	7	4	3	17	11	5	1		40	1	22	
10	Diphtheria	31	1	1	1		6	4	1	1	4	19			
11a	Influenza (with pulmonary complications)	67	9	3	2	1	12	9		3	5	26	2	10	
11b	Influenza (other and unspecified)	20	11				2	2				3	1	3	
16	Dysentery	9	2	2	2		1	1				2		2	
17	Plague	1										1			
19	Spirochetal hemorrhagic jaundice	1										1			
20	Leprosy	54	38	5	4	1	3	3			4		3	1	
21	Erysipelas	5	1	2		2						2			
22	Acute anterior poliomyelitis	2		1	1							1			
23	Lethargic encephalitis	5					2	1		1		3			
24	Meningococcus meningitis	10		1		1	1	1			1	6		1	
29	Tetanus	24	4	6	1	5	2	1		1	3	5	1	3	
30	Mycoses	2					1			1		1			
	Tuberculosis (all forms)	418	105	31	17	14	43	21	8	14	27	143	14	55	
31	Of the respiratory system	364	92	27	14	13	37	19	7	11	26	119	14	49	
32	Of the meninges, central nervous system	16	2	1	1		1		1			12			
33	Of the intestines, peritoneum	19	5	2	1	1	1	1				6		5	
34	Of the vertebral column	4	1	1	1							2			
36	Of other organs	6	3				2			2	1				
37a	Disseminated (acute)	8	2				2	1		1		3		1	
37b	Disseminated (chronic or unspecified)	1										1			
38	Syphilis	54	12	7	6	1	9	2	3	4	5	15	1	5	
40	Gonococcus infection	2					2	1	1						
41	Purulent infection, septicemia	6	1				3	2		1		1		1	
	II.—General diseases not included in Class I	387	52	10	9	1	68	31	9	28	36	167	8	46	
	Cancer and other malignant tumors	191	38	5	4	1	52	19	7	26	23	65	4	4	
43	Of the buccal cavity	3					1	1			1	1			
44	Of the stomach, liver	105	22	2	1	1	22	7	5	10	10	44	3	2	
45	Of the peritoneum, intestines, rectum	11	4	1	1		5	3		2				1	
46	Of the female genital organs	34	8	2	2		9	3	2	4	3	12			
47	Of the breast	6	2				2			2	2				
48	Of the skin	3					2			2	1				
49	Of other or unspecified organs	29	2				11	5		6	6	8	1	1	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	1					1	1							
51	Acute rheumatic fever	4	2	1	1									1	
52	Chronic rheumatism, osteoarthritis, gout	3	1				1	1				1			
53	Scurvy	1	1												
54	Pellagra	1									1				
55	Beriberi	120					1		1		1	81	1	36	
56	Rickets	1										1			
57	Diabetes mellitus	20	6				9	8		1	1	4			
58	Anemia, chlorosis	7					2	1		1	1	4			
60a	Exophthalmic goiter	2									2				
62	Diseases of the thymus gland	10		2	2						1	4		3	
64	Diseases of the spleen	2										1		1	
65a	Leukemia	6		1	1						2	2	1		
65b	Hodgkin's disease	1	1												
66	Alcoholism (acute or chronic)	10	3	1	1		1		1			3	1	1	
68	Chronic poisoning by organic substances	5									4		1		
69	Other general diseases	2					1	1				1			
	III.—Diseases of the nervous system and of the organs of special sense	287	76	17	13	4	69	32	3	34	20	78	2	25	
70	Encephalitis	8	1	1		1	1	1				4		1	
71a	Simple meningitis	20	1	1	1		3	2		1	1	11	1	2	
71b	Nonepidemic cerebrospinal meningitis	3	1				1	1						1	
72	Tabes dorsalis (locomotor ataxia)	6	1	1	1		2			2	1	1			
73	Other diseases of the spinal cord	6	3				2	1		1	1				
74a	Cerebral hemorrhage	167	56	12	10	2	45	22	3	20	10	42		2	
74b	Cerebral embolism and thrombosis	6	3				2	1		1	1				
75	Paralysis without specified cause	2					1			1		1			
76	General paralysis of the insane	12	5				2			2	2	1		2	
77	Other forms of mental alienation	5	1				1	1				2		1	
78	Epilepsy	7	1				2			2	2	1		1	
79	Convulsions (nonpuerperal; 5 years and over)	1					1			1					
80	Infantile convulsions (under 5 years)	28	1	1		1	1			1	1	9	1	14	
83	Softening of the brain	1					1	1							
84	Other diseases of the nervous system	5	1				2	1		1	1	1			
86a	Diseases of the ear	5	1	1	1							3			
86b	Diseases of the mastoid process	5					2	1		1		2		1	

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY RACE, IN THE TERRITORY OF HAWAII: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Hawaiian	PART HAWAIIAN			CAUCASIAN				Chinese	Japanese	Korean	Filipino	All others
				Total	Caucasian-Hawaiian	Asiatic-Hawaiian	Total	Portuguese	Porto Rican	Other Caucasian					
	IV.—Diseases of the circulatory system	330	87	14	12	2	89	45	2	42	35	73	3	25	4
87	Pericarditis	3	1									1		1	
88	Endocarditis and myocarditis (acute)	20	8	1	1		2	2				5		4	
89	Angina pectoris	13	4				5	1		4	1	2		1	
90	Other diseases of the heart	253	61	13	11	2	69	37	2	30	26	60	2	18	4
91a	Aneurysm	8	1				2	1		1	3	2			
91b,c	Other diseases of the arteries	28	11				8	2		6	5	2	1	1	
92	Embolism and thrombosis (not cerebral)	2					2	1		1					
93	Diseases of the veins	2					1	1				1			
94	Diseases of the lymphatic system	1	1												
	V.—Diseases of the respiratory system	848	164	59	32	27	96	54	19	23	44	288	13	184	
97b	Diseases of the nasal fossae annexa	2	1								1				
99a	Acute bronchitis	34	10	3	1	2	3	1	1	1	2	11		5	
99b	Chronic bronchitis	5	1				1			1	2			1	
99c,d	Bronchitis (unspecified)	9	2	1	1		1	1				1		4	
100a	Bronchopneumonia	511	82	36	19	17	55	36	12	7	21	179	8	130	
100b	Capillary bronchitis	28	5	1	1						2	18		2	
101a	Lobar pneumonia	232	60	18	10	8	31	12	5	14	15	62	5	41	
101b	Pneumonia (unspecified)	4	2				1	1				1			
102	Pleurisy	17										16		1	
103	Congestion and hemorrhagic infarct of the lung	1					1	1							
105	Asthma	4	1				2	2			1				
106	Pulmonary emphysema	1					1		1						
	VI.—Diseases of the digestive system	894	118	69	31	38	143	83	19	41	38	316	19	191	
108	Diseases of the mouth and annexa	2										1		1	
109b	Other diseases of the pharynx, tonsils	12	1				4	2		2	2	4	1		
110	Diseases of the esophagus	1										1			
111a	Ulcer of the stomach	25	5	4		4	2	1	1		2	6	1	5	
111b	Ulcer of the duodenum	6					3			3	1	1	1		
112	Other diseases of the stomach (cancer excepted)	6	1	1		1								4	
113	Diarrhea and enteritis (under 2 years)	629	76	46	19	27	92	64	16	12	23	222	10	160	
114	Diarrhea and enteritis (2 years and over)	69	10	5	3	2	14	9		5	1	34	1	4	
116	Diseases due to other intestinal parasites	2	1								1				
117	Appendicitis and typhlitis	36	5	3	2	1	7	1		6		15	1	5	
118a	Hernia	11	2	2	1	1	3	1		2	2	2			
118b	Intestinal obstruction	23	4	2	2		3	1		2	2	8		4	
119	Other diseases of the intestines	4		1	1						1		1	1	
120	Acute yellow atrophy of the liver	1												1	
121	Hydatid tumor of the liver	1										1			
122	Cirrhosis of the liver	30	8	2	1	1	5	3		2	2	11	1	1	
123	Biliary calculi	11		2	2		5			5		3	1		
124	Other diseases of the liver	21	4	1		1	3		1	2	1	6	1	5	
125	Diseases of the pancreas	1	1												
126	Peritonitis without specified cause	3					2	1	1			1			
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	214	44	10	8	2	49	17	6	26	44	54	2	11	
128	Acute nephritis (including unspecified under 10 years)	24	3	1		1	3	2	1			14		3	
129	Chronic nephritis (including unspecified 10 years and over)	169	38	8	7	1	35	10	5	20	44	35	2	7	
131	Other diseases of the kidneys and annexa	2		1	1		1			1					
132	Calculi of the urinary passages	1					1	1							
133	Diseases of the bladder	2					2	2							
134	Diseases of the urethra, etc	1	1												
135	Diseases of the prostate	2	1				1			1					
137	Cysts, other benign tumors of the ovary	4					2			2		1		1	
138	Salpingitis and pelvic abscess (female)	3					2	1		1		1			
139	Benign tumors of the uterus	4	1				1	1				2			
141	Other diseases of the female genital organs	2					1			1		1			
	VIII.—The puerperal state	74	11	6	4	2	10	3	3	4	2	37	1	7	
143	Accidents of pregnancy	5					1		1			3		1	
144	Puerperal hemmorrhage	16	2	1	1		2	1		1	2	7	1	1	
145	Other accidents of labor	7	2	2	1	1						2		1	
146	Puerperal septicemia	19	3	1		1	3		1	2		11		1	
147	Puerperal phlegmasia alba dolens, embolus, etc	3	1				1			1		1			
148	Puerperal albuminuria and convulsions	24	3	2	2		3	2	1			13		3	
	IX.—Diseases of the skin and of the cellular tissue	22	3	1	1		3	2		1	1	9		5	
151	Gangrene	3					1	1				2			
152	Furuncle	9	3				1	1				2		3	
153	Acute abscess	5		1	1							2		2	
154	Other diseases of the skin and annexa	5					1			1	1	3			
	X.—Diseases of the bones and of the organs of locomotion	11	2				3	2		1	1	5			
155	Diseases of the bones (tuberculosis excepted)	9	2				3	2		1	1	3			
158	Other diseases of the organs of locomotion	2										2			

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY RACE, IN THE TERRITORY OF HAWAII: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Hawaiian	PART HAWAIIAN			CAUCASIAN				Chinese	Japanese	Korean	Filipino	All others
				Total	Caucasian-Hawaiian	Asiatic-Hawaiian	Total	Portuguese	Porto Rican	Other Caucasian					
	XI.—Malformations	51	3	4	2	2	15	11	1	3	3	17	3	6	
159a	Congenital hydrocephalus	6	1	1	1		1	1				3			
159b	Congenital malformations of the heart	30	2	1		1	11	8	1	2		9	3	4	
159c	Other congenital malformations	15		2	1	1	3	2		1	3	5		2	
	XII.—Early infancy	247	26	29	16	13	39	17	7	15	10	103	4	36	
160	Congenital debility, icterus, sclerema	43	9	3	3		5	4	1		1	16		9	
161a	Premature birth	133	11	17	9	8	21	8	5	8	5	61	2	16	
161b	Injury at birth	24	1	4	2	2	7	2	1	4	2	6	1	3	
162	Other diseases peculiar to early infancy	45	5	5	2	3	6	3		3	2	20	1	6	
163	Lack of care	2												2	
164	XIII.—Old age (senility)	14	3	1	1		5			5	4	1			
	XIV.—External causes	341	31	16	13	3	87	24	8	55	26	126	18	37	
	Suicide	71	4	1		1	18	4	1	13	11	30	5	2	
165, 166	By poisons (gas excepted)	9	1				1	1				7			
168	By hanging or strangulation	24	1				1			1	7	10	5		
169	By drowning	5									1	4			
170	By firearms	22	1				14	2	1	11	1	4		2	
171	By cutting or piercing instruments	7					2	1		1	2	3			
172	By jumping from high places	2										2			
174	By other means	2	1	1		1									
	Homicide	24	2	3	3		5	1	2	2	1	4	1	8	
197	By firearms	7	1				3		2	1	1			2	
198	By cutting or piercing instruments	7	1				1	1				1		4	
199	By other means	10		3	3		1			1		3	1	2	
	Accidental or undefined	246	25	12	10	2	64	19	5	40	14	92	12	27	
175	Poisoning by food	5	1				1			1		2		1	
176	Poisoning by venomous animals	1												1	
177	Other acute poisonings (gas excepted)	7	1	1		1	4	1		3		1			
178	Conflagration	2												2	
179	Burns (conflagration excepted)	15	1				5	4		1	2	7			
180	Mechanical suffocation	4		1		1							1	2	
182	Drowning	51	1	3	3		11	3	1	7	2	21	6	7	
183	Traumatism by firearms (except in war)	5					2			2				3	
184	Traumatism by cutting or piercing instruments	4	1				2			2		1			
185	Traumatism by fall	32	7	1	1		9	2	1	6		11	2	2	
186b	Traumatism in quarries	2										2			
187	Traumatism by machines	11	2	1	1		1	1				7			
188a	Railroad accidents	9	1				3	1		2	1	2		2	
188b	Street-car accidents	4					3	1		2	1				
188c	Automobile accidents	47	6	2	2		11	2	1	8	6	18	1	3	
188d	Airplane and balloon accidents	2					2			2					
188e,f	Injuries by other vehicles	11	2				4	2	1	1		4		1	
188g	Landslide, other crushing	2					1			1	1				
189	Injuries by animals (not poisoning)	3					2			2		1			
196	Other accidental electric shocks	3	1				1	1						1	
201	Fracture (cause not specified)	1										1			
202	Other external violence	25	1	3	3		2	1	1		1	14	2	2	
	XV.—Ill-defined diseases	13		1	1		3	1	2		1	3		5	
204	Sudden death	1												1	
205a	Ill-defined	6					1	1			1	2		2	
205b	Not specified or unknown	6		1	1		2		2			1		2	

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE TERRITORY OF HAWAII: 1923

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	All causes	4,635	1,587	307	108	66	46	108	71	125	198	180	185	374	453	351	303	172	1
	I.—Epidemic, endemic, and infectious diseases	902	138	74	26	22	19	40	20	62	77	70	58	112	107	47	24	6	
1	Typhoid and paratyphoid fever	32					1	3	4	6	5	6	2	2	2		1		
7	Measles	62	20	22	6	5	5	3			1								
8	Scarlet fever	1									1								
9	Whooping cough	96	54	24	9	4	2	2	1										
10	Diphtheria	31	4	9	6	5	3	4											
11a	Influenza (with pulmonary complications)	67	10	6			1	1	1	2	3	8	4	8	8	9	5	1	
11b	Influenza (other and unspecified)	20	5	1				4	1	3	1	1	1	1	1	1			
16	Dysentery	9	1	1		1	1	1	1			1	1	1					
17	Plague	1												1					
19	Spirochetal hemorrhagic jaundice	1	1																
20	Leprosy	54								2	5	5	2	17	9	9	4	1	
21	Erysipelas	5	4							1									
22	Acute anterior poliomyelitis	2				1		1											
23	Lethargic encephalitis	5	2	1						1	1								
24	Meningococcus meningitis	10	1	1		1		2	1	1	1				2				
29	Tetanus	24	10	1				6	1	2	1		1	1		1			
30	Mycoses	2													1	1			
	Tuberculosis (all forms)	418	6	8	5	5	6	11	10	42	54	46	45	73	75	18	11	3	
31	Of the respiratory system	364	1	5	1	1		5	7	36	49	41	44	72	74	15	11	2	
32	Of the meninges, central nervous system	16	3	3	3	1	3	2		1									
33	Of the intestines, peritoneum	19	1		1	1		1	1	3	3	4	1	1	1	1			
34	Of the vertebral column	4					1	1	1							1			
36	Of other organs	6	1			1		1		1						1		1	
37a	Disseminated (acute)	8				1	2	1		1	2	1							
37b	Disseminated (chronic or unspecified)	1							1										
38	Syphilis	54	19								3	3	1	7	9	8	3	1	
40	Gonococcus infection	2	1							1									
41	Purulent infection, septicemia	6						2		1	1		1	1					
	II.—General diseases not included in Class I	387	88	5	1	2		3	5	6	17	10	6	38	73	67	50	16	
	Cancer and other malignant tumors	191			1			2	2	2	3	1	1	21	57	50	38	13	
43	Of the buccal cavity	3															2	1	
44	Of the stomach, liver	105							1		2	1		11	28	39	17	6	
45	Of the peritoneum, intestines, rectum	11												1	2	2	4	2	
46	Of the female genital organs	34											1	6	18	3	6		
47	Of the breast	6												1	3		1	1	
48	Of the skin	3													1	1	1		
49	Of other or unspecified organs	29			1			2	1	2	1			2	5	5	7	3	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	1		1															
51	Acute rheumatic fever	4						1			1		1	1					
52	Chronic rheumatism, osteoarthritis, gout	3												1		1		1	
53	Scurvy	1		1															
54	Pellagra	1												1					
55	Beriberi	120	76	3						3	11	7	3	4	8	3	2		
56	Rickets	1	1																
57	Diabetes mellitus	20												4	3	5	7	1	
58	Anemia, chlorosis	7							2			1		1	1	2			
60a	Exophthalmic goiter	2									1					1			
62	Diseases of the thymus gland	10	10																
64	Diseases of the spleen	2								1				1					
65a	Leukemia	6				2			1		1				1		1		
65b	Hodgkin's disease	1												1					
66	Alcoholism (acute or chronic)	10										1	1	2	3	3			
68	Chronic poisoning by organic substances	5												1		2	2		
69	Other general diseases	2	1															1	
	III.—Diseases of the nervous system and of the organs of special sense	287	37	4	4	4	1	4	1	2	4	6	5	26	62	56	38	33	
70	Encephalitis	8	1								2	1	2	1	1				
71a	Simple meningitis	20	7	2	3	3					1			1	2	1			
71b	Nonepidemic cerebrospinal meningitis	3	2									1							
72	Tabes dorsalis (locomotor ataxia)	6												2		1	1	2	
73	Other diseases of the spinal cord	6										1		1	1			3	
74a	Cerebral hemorrhage	167						1				1	1	12	45	49	34	24	
74b	Cerebral embolism and thrombosis	6												3	1			2	
75	Paralysis without specified cause	2													1		1		
76	General paralysis of the insane	12											1	5	4	2			
77	Other forms of mental alienation	5										1		1	1		1	1	
78	Epilepsy	7	1		1		1			1	1				1	1			
79	Convulsions (nonpuerperal; 5 years and over)	1													1				
80	Infantile convulsions (under 5 years)	28	26	2															
83	Softening of the brain	1															1		
84	Other diseases of the nerv ous system	5													2	2		1	
86a	Diseases of the ear	5				1			1	1			1		1				
86b	Diseases of the mastoid process	5						3				1			1				

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE TERRITORY OF HAWAII: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	IV.—Diseases of the circulatory system	330	14	1	1		1	2	5	1	13	5	20	35	45	60	78	49	
87	Pericarditis	3									1		1				1		
88	Endocarditis and myocarditis (acute)	20	6		1						1	1	2	4	1	1	1	2	
89	Angina pectoris	13									1		1	4	4	2	1		
90	Other diseases of the heart	253	8				1	2	5	1	9	4	15	25	39	48	56	40	
91a	Aneurysm	8											1	1		3	3		
91b,c	Other diseases of the arteries	28												1		6	14	7	
92	Embolism and thrombosis (not cerebral)	2									1						1		
93	Diseases of the veins	2													1		1		
94	Diseases of the lymphatic system	1		1															
	V.—Diseases of the respiratory system	848	415	114	33	17	8	19	13	15	23	22	22	35	33	20	37	22	
97b	Diseases of the nasal fossae annexa	2				1		1											
99a	Acute bronchitis	34	23	5												1	4	1	
99b	Chronic bronchitis	5	1										1				1	2	
99c,d	Bronchitis (unspecified)	9	7		1												1		
100a	Bronchopneumonia	511	290	81	28	10	7	13	8	6	3	12	5	11	10	7	11	9	
100b	Capillary bronchitis	28	23	4	1														
101a	Lobar pneumonia	232	67	15	2	5	1	3	5	8	19	10	16	23	20	11	18	9	
101b	Pneumonia (unspecified)	4		1		1				1				1					
102	Pleurisy	17	3	8	1			2			1				2				
103	Congestion and hemorrhagic infarct of the lung	1	1																
105	Asthma	4													1	1	1	1	
106	Pulmonary emphysema	1															1		
	VI.—Diseases of the digestive system	894	564	88	33	12	8	11	11	7	17	10	14	34	38	25	15	7	
108	Diseases of the mouth and annexa	2									1	1							
109b	Other diseases of the pharynx, tonsils	12	1	1			1	1	2	2	2	1					1		
110	Diseases of the esophagus	1	1																
111a	Ulcer of the stomach	25						1				2	1	9	8	1	3		
111b	Ulcer of the duodenum	6											2	1	2	1			
112	Other diseases of the stomach (cancer excepted)	6	6																
113	Diarrhea and enteritis (under 2 years)	629	544	85															
114	Diarrhea and enteritis (2 years and over)	69			32	11	6	7	1		2		1	1	4		2	2	
116	Diseases due to other intestinal parasites	2		1											1				
117	Appendicitis and typhlitis	36				1	1	2	6	4	5	3	3	3	5	3			
118a	Hernia	11	1						1					1	2	4	1	1	
118b	Intestinal obstruction	23	8	1	1						1		1	3	1	3	2	2	
119	Other diseases of the intestines	4	1							1		1		1					
120	Acute yellow atrophy of the liver	1										1							
121	Hydatid tumor of the liver	1													1				
122	Cirrhosis of the liver	30											1	8	8	9	3	1	
123	Biliary calculi	11									1	1		2	2	2	3		
124	Other diseases of the liver	21	2								4		4	5	4	2			
125	Diseases of the pancreas	1																1	
126	Peritonitis without specified cause	3							1		1		1						
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	214	8		2	1	4	4	6	4	6	8	5	17	39	44	42	24	
128	Acute nephritis (including unspecified under 10 years)	24	6		2	1	3	1	3		2		1	1	2	2			
129	Chronic nephritis (including unspecified 10 years and over)	169	2				1	3	3	3	4	4	3	10	34	41	39	22	
131	Other diseases of the kidneys and annexa	2													1		1		
132	Calculi of the urinary passages	1										1							
133	Diseases of the bladder	2															1	1	
134	Diseases of the urethra, etc	1														1			
135	Diseases of the prostate	2															1	1	
137	Cysts, other benign tumors of the ovary	4								1				3					
138	Salpingitis and pelvic abscess (female)	3										2		1					
139	Benign tumors of the uterus	4										1	1	1	1				
141	Other diseases of the female genital organs	2												1	1				
	VIII.—The puerperal state	74								7	9	15	23	19	1				
143	Accidents of pregnancy	5								1	1	2	1						
144	Puerperal hemorrhage	16								1		2	6	7					
145	Other accidents of labor	7										1		6					
146	Puerperal septicemia	19								1	3	6	7	2					
147	Puerperal phlegmasia alba dolens, embolus, etc	3									1		2						
148	Puerperal albuminuria and convulsions	24								4	4	4	7	4	1				
	IX.—Diseases of the skin and of the cellular tissue	22	10	1	1	2					1	1		1		2	2	1	
151	Gangrene	3	1			1											1		
152	Furuncle	9	4								1	1		1		1	1		
153	Acute abscess	5	3		1	1													
154	Other diseases of the skin and annexa	5	2	1												1		1	
	X.—Diseases of the bones and of the organs of locomotion	11	1	1				2	3				2	1			1		
155	Diseases of the bones (tuberculosis excepted)	9	1					1	3				2	1			1		
158	Other diseases of the organs of locomotion	2		1				1											

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE TERRITORY OF HAWAII: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	XI.—Malformations	51	47	3				1											
159a	Congenital hydrocephalus	6	5	1															
159b	Congenital malformations of the heart	30	28	1				1											
159c	Other congenital malformations	15	14	1															
	XII.—Early infancy	247	247																
160	Congenital debility, icterus, sclerema	43	43																
161a	Premature birth	133	133																
161b	Injury at birth	24	24																
162	Other diseases peculiar to early infancy	45	45																
163	Lack of care	2	2																
164	XIII.—Old age (senility)	14														1	2	11	
	XIV.—External causes	341	13	15	7	6	4	22	7	21	31	32	29	56	53	28	13	3	1
	Suicide	71								3	5	9	8	10	20	8	6	1	1
165, 166	By poisons (gas excepted)	9								1	1	2	5						
168	By hanging or strangulation	24									2	1		3	8	6	3	1	
169	By drowning	5								1				1	3				
170	By firearms	22								1		5	3	4	5	1	3		
171	By cutting or piercing instruments	7												2	4				1
172	By jumping from high places	2									1					1			
174	By other means	2									1	1							
	Homicide	24		1					2	1	2	4	5	3	3	3			
197	By firearms	7							1			1	1	3		1			
198	By cutting or piercing instruments	7							1		1	3				2			
199	By other means	10		1						1	1		4		3				
	Accidental or undefined	246	13	14	7	6	4	22	5	17	24	19	16	43	30	17	7	2	
175	Poisoning by food	5						1				1		2			1		
176	Poisoning by venomous animals	1	1																
177	Other acute poisonings (gas excepted)	7		2		1				1		1		1		1			
178	Conflagration	2			1	1													
179	Burns (conflagration excepted)	15	3	1	2	1	1	1	1			1		1	1	2			
180	Mechanical suffocation	4	3												1				
182	Drowning	51	1	7	2	1	2	7	1	1	4	5	4	7	7		2		
183	Traumatism by firearms (except in war)	5									1	2		1	1				
184	Traumatism by cutting or piercing instruments	4						1	2						1				
185	Traumatism by fall	32	3					1		4	4	2	1	4	4	5	2	2	
186b	Traumatism in quarries	2												1	1				
187	Traumatism by machines	11			1					2		1	1	4	1	1			
188a	Railroad accidents	9	1							1	3	1	1		1	1			
188b	Street-car accidents	4									1		2	1					
188c	Automobile accidents	47		2		2	1	10	1	1	4	3	3	11	4	4	1		
188d	Airplane and balloon accidents	2									2								
188e,f	Injuries by other vehicles	11						1		2	1		3	3	1				
188g	Landslide, other crushing	2												1	1				
189	Injuries by animals (not poisoning)	3									2					1			
196	Other accidental electric shocks	3									1	1		1					
201	Fracture (cause not specified)	1		1															
202	Other external violence	25	1	1	1					5	1	1	1	5	6	2	1		
	XV.—Ill-defined diseases	13	5	1			1					1	1		2		1		
204	Sudden death	1											1						
205a	Ill-defined	6	1				1					1			1	1			
205b	Not specified or unknown	6	4	1											1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN THE TERRITORY OF HAWAII: 1923

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov	Dec.
All causes	4,635	405	397	454	464	436	411	342	346	342	344	353	341
Typhoid and paratyphoid fever (1)	32		3	6	2		5	3	1	3	3	1	5
Malaria (5)													
Measles (7)	62	9	13	18	6	4	6	5		1			
Scarlet fever (8)	1											1	
Whooping cough (9)	96	11	12	18	14	17	12	4	1	2	1	1	3
Diphtheria (10)	31	4	4	4	2	1	2	3		1		3	7
Influenza (11)	87	5	5	5	7	10	12	10	9	7	6	3	8
Dysentery (16)	9	1		1	1			2		2			2
Lethargic encephalitis (23)	5	1				2	2						
Meningococcus meningitis (24)	10	2		3	1					1	1	2	
Tuberculosis of the respiratory system (31)	364	31	41	30	33	40	25	33	18	30	24	31	28
Other forms of tuberculosis (32–37)	54	4	7	10	2	4	7	3	2	5	5	3	2
Bronchitis (99)	48	9	3	5	4	4	3	2	6	1	1	6	4
Bronchopneumonia (100)	539	47	42	44	64	61	41	39	35	40	39	45	42
Pneumonia (101)	236	28	21	19	30	19	27	18	16	15	15	13	15
Diarrhea and enteritis (under 2 years) (113)	629	38	62	60	68	63	49	57	57	36	41	50	48
Diarrhea and enteritis (2 years and over) (114)	69	5	7	10	10	5	6	3	8	6	2	4	3
Puerperal septicemia (146)	19		3	5	1	4	2				2	1	1
Other puerperal causes (143–145, 147–150)	55	6	4	7	4	7	4	3	5	3	5	6	1
Automobile accidents (188c)	47	3	5	2	2	2	3	2	5	7	4	6	6
Other external causes (165–188b, 188d–203)	294	18	12	24	24	25	31	24	32	25	39	21	19
All other causes	1,948	183	153	183	189	168	174	131	151	157	156	156	147

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN THE TERRITORY OF HAWAII: 1923

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

CAUSE OF DEATH	Deaths under 1 year of age	Under 1 day	1 day	2 days	3 to 6 days	1 wk.	2 wks.	3 wks.	Under 1 mo.	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
All causes	1,587	96	37	34	68	54	36	67	392	263	180	130	101	88	81	82	75	64	66	65
Measles (7)	20										1	1		2	1	3	4	4	3	1
Scarlet fever (8)																				
Whooping cough (9)	54					1		2	3	7	7	4	2	6	6	4	5	3	3	4
Diphtheria (10)	4				1				1				1				1			1
Influenza (11)	15							1	1	1	1	2	1	1	3		1	1		3
Dysentery (16)	1														1					
Erysipelas (21)	4							1	1	2	1									
Meningococcus meningitis (24)	1																1			
Tetanus (29)	10				6	3	1		10											
Tuberculosis of the respiratory system (31)	1											1								
Tuberculosis of the meninges, etc. (32)	3																	1	2	
Other forms of tuberculosis (33–37)	2												1					1		
Syphilis (38)	19			1	1	1	1	1	5	5	2		1	1	2		1	2		
Convulsions (80)	26			1	1			2	4	8	4	4	3	1					1	1
Bronchitis (99)	31				3			1	4	7	6	4	1	3	2	3			1	
Bronchopneumonia (100)	313	1		1	5	4	9	11	31	53	43	29	19	18	18	19	18	23	25	17
Pneumonia (101)	67						1	2	3	4	10	5	5	6	11	8	7	2	4	2
Diseases of the stomach (111, 112)	6									2	1	1	1							1
Diarrhea and enteritis (113)	544	1	2	4	7	14	13	20	61	111	70	61	46	41	29	34	28	17	20	26
Congenital malformations (159)	47	10	3	6	9		1	1	30	3	3	4	2		1		1	2	1	
Congenital debility (160)	43	3	2	1	7	1	3	3	20	9	3		3	1	2	4		1		
Premature birth (161a)	133	53	19	12	18	14	3	5	124	7							1			1
Injury at birth (161b)	24	13	4	1	1	2	1	2	24											
Other diseases of early infancy (162, 163)	47	14	6	4	7	7	2	4	44	2	1									
External causes (175–203)	13					1		2	3	2	3					1	1	2		1
Unknown or ill-defined diseases (204, 205)	5										1					1	1		1	1
All other causes	154	1	1	3	2	6	1	9	23	40	23	14	15	8	5	5	5	5	5	6

APPENDIX

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List No.	CAUSE OF DEATH, SEX, AND COLOR		All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	All causes, total		1,109,386	154,039	31,172	15,026	9,154	6,918	216,309	22,600	16,638	26,485	34,529	36,817
	Both sexes	White	980,294	132,583	25,975	12,807	7,968	6,110	185,443	20,014	14,189	20,933	26,544	29,190
		Colored	129,092	21,456	5,197	2,219	1,186	808	30,866	2,586	2,449	5,552	7,985	7,627
	Males	White	523,914	75,229	13,901	6,898	4,212	3,242	103,482	11,011	7,945	10,847	13,172	14,537
		Colored	67,067	11,807	2,771	1,145	592	416	16,731	1,267	1,161	2,390	3,790	3,759
	Females	White	456,380	57,354	12,074	5,909	3,756	2,868	81,961	9,003	6,244	10,086	13,372	14,653
		Colored	62,025	9,649	2,426	1,074	594	392	14,135	1,319	1,288	3,162	4,195	3,868
	I.—EPIDEMIC, ENDEMIC, AND INFECTIOUS DISEASES													
	Males	White	80,118	8,180	4,995	2,770	1,838	1,386	19,169	3,999	1,904	3,026	4,578	4,982
		Colored	16,525	1,928	924	403	261	174	3,690	551	428	1,054	1,743	1,541
	Females	White	71,841	7,026	4,576	2,571	1,715	1,309	17,197	3,699	2,040	4,394	5,913	5,560
		Colored	16,451	1,783	872	415	252	165	3,487	594	699	1,762	2,208	1,754
1	Typhoid and paratyphoid fever:													
	Males	White	2,626	15	17	18	25	22	97	147	191	377	395	251
		Colored	667	10	8	4	9	8	39	48	76	131	122	54
	Females	White	1,816	11	21	25	13	24	94	145	207	313	225	187
		Colored	647	5	7	9	8	9	38	66	94	126	112	60
2	Typhus fever:													
	Males	White												
		Colored												
	Females	White												
		Colored												
3	Relapsing fever (spirillum obermeieri):													
	Males	White												
		Colored												
	Females	White												
		Colored												
4	Malta fever:													
	Males	White	1											
		Colored												
	Females	White												
		Colored												
5	Malaria:													
	Males	White	553	55	36	18	18	10	137	37	34	31	27	16
		Colored	517	65	48	23	18	17	171	62	19	31	26	27
	Females	White	498	40	21	17	16	14	108	39	43	27	30	25
		Colored	623	57	35	22	32	13	159	52	48	57	58	25
6	Smallpox:													
	Males	White	59	6	2	1			9		2		4	2
		Colored	7		1				1					1
	Females	White	38	7		1		1	9	1	1	1	2	2
		Colored	9	1					1				1	1
7	Measles:													
	Males	White	4,494	1,155	1,391	608	271	196	3,621	457	108	105	59	23
		Colored	591	159	159	74	41	31	464	48	17	28	20	4
	Females	White	4,121	954	1,212	512	268	161	3,107	402	122	95	57	50
		Colored	562	142	143	53	35	12	385	49	36	40	16	12
8	Scarlet fever:													
	Males	White	1,560	76	165	215	186	146	788	402	132	85	39	33
		Colored	32	3	4	3	3	2	15	8	6		1	1
	Females	White	1,599	58	130	173	164	145	670	394	144	95	91	75
		Colored	39	3	5	3	3	2	16	9	6	1	3	1
9	Whooping cough:													
	Males	White	3,241	1,912	801	249	118	46	3,126	85	13	4	3	
		Colored	835	459	225	72	27	14	797	31	1		3	
	Females	White	3,715	2,034	959	337	125	97	3,552	130	7	8	2	1
		Colored	991	487	276	104	38	28	933	45	6	3		1
10	Diphtheria:													
	Males	White	5,307	398	743	746	683	581	3,151	1,463	359	119	54	28
		Colored	274	69	32	38	34	19	192	59	7	2	4	4
	Females	White	5,154	272	643	688	629	503	2,735	1,546	378	124	81	67
		Colored	309	60	34	34	33	25	186	80	16	4	8	2
11a	Influenza (with pulmonary complications):													
	Males	White	10,936	1,360	614	284	138	92	2,488	229	146	345	321	285
		Colored	1,725	269	123	45	29	12	478	45	35	82	98	87
	Females	White	11,186	1,104	504	260	136	89	2,093	208	145	286	291	414
		Colored	1,742	227	121	44	23	12	427	55	49	91	114	91
11b	Influenza (other and unspecified):													
	Males	White	5,667	763	183	128	75	57	1,206	182	152	161	121	123
		Colored	979	197	57	23	15	7	299	24	22	36	27	33
	Females	White	6,336	646	207	99	78	54	1,084	149	118	180	157	171
		Colored	1,057	156	42	25	13	10	246	28	30	42	48	43
12	Miliary fever:													
	Males	White												
		Colored												
	Females	White												
		Colored												
13	Mumps:													
	Males	White	39	3	5	4	2		14	1	3	5	2	1
		Colored	4				1	1	2	1				1
	Females	White	32	4	1	3		1	9	3	3	1		4
		Colored	4	1	1	1			3	1				
14	Asiatic cholera:													
	Males	White												
		Colored												
	Females	White												
		Colored												
15	Cholera nostras:													
	Males	White	61	17	8	4	1		30		2			1
		Colored	12	4	2		1		7			1		1
	Females	White	49	15	3	1	2		21	1	2			
		Colored	10	4	2				6					
16	Dysentery:													
	Males	White	1,026	281	182	75	24	17	579	24	13	8	7	5
		Colored	342	92	77	16	4	4	193	7	1	6	3	8
	Females	White	926	192	144	70	24	16	446	25	4	9	8	10
		Colored	292	99	53	16	5	2	175	6	4	5	6	4

COLOR, IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1923

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
38,658	44,803	46,831	52,328	61,418	65,523	80,349	86,517	88,834	80,871	60,255	32,673	11,717	2,726	1,036	1,469	
31,777	36,949	39,184	44,405	53,501	59,385	74,303	81,135	83,798	77,097	57,235	30,964	10,655	2,241	432	920	
6,881	7,854	7,647	7,923	7,917	6,138	6,046	5,382	5,036	3,774	3,020	1,709	1,062	485	604	549	
16,604	20,299	22,104	25,204	30,268	33,494	41,347	44,064	43,986	39,015	26,901	13,717	4,305	850	176	586	
3,384	4,080	4,019	4,298	4,306	3,242	3,203	2,887	2,776	2,119	1,593	835	474	212	216	325	
15,173	16,650	17,080	19,201	23,233	25,891	32,956	37,071	39,812	38,082	30,334	17,247	6,350	1,391	256	334	
3,497	3,774	3,628	3,625	3,611	2,896	2,843	2,495	2,260	1,655	1,427	874	588	273	388	224	
5,129	5,362	5,099	4,698	4,419	3,702	3,596	3,209	2,742	2,141	1,298	690	240	44	9	82	
1,243	1,281	1,179	967	821	530	479	291	266	167	119	63	38	8	9	57	
4,733	4,039	3,226	2,717	2,507	2,288	2,408	2,610	2,805	2,507	1,712	999	326	76	20	65	
1,280	1,046	813	696	476	377	311	254	210	141	126	73	46	18	23	57	
238	225	162	154	112	93	84	52	30	7	6	2				3	1
33	39	35	28	20	15	8	8	5	2	1					3	
131	111	96	73	68	50	48	23	28	7	5	2				3	
40	30	15	29	13	5	6	6	2	2	1				1	1	
																2
																3
1																4
26	22	17	36	33	23	19	27	31	15	9	8	1			4	5
11	23	20	22	22	11	17	11	15	10	6	7	2		1	3	
25	30	12	21	14	12	15	20	37	23	8	5	2			2	
26	22	21	32	29	13	14	15	18	12	5	8	2	3	2	2	
4	5	4	7	4	3		6	6	2	1						6
	1		1			1	1	1								
5	3	2	3	3	3				2	1						
		1				1	1	1	1	1						
14	13	14	12	11	14	9	12	13	4						5	7
3	1	2		1			1		1						1	
47	46	32	36	31	19	16	16	10	14	14	4	1			2	
8	5	2	4	2			1	1							1	
29	20	11	8	3	5	1	1	1	1	1						8
				1												
57	39	8	16	3	1	2	3			1						
1		2														
				1			1	3	1		2	1			1	9
				1											2	
2	1		1	1	2		1	2	1	2					2	
			1					1							1	
18	19	22	18	23	7	10	5	5	1	2	1				2	10
1		3	1					1								
37	40	34	35	23	22	11	9	3	5	1	1				2	
3	2	2	1		1	1			1		1				1	
391	501	543	500	606	579	727	804	887	758	477	250	76	12		11	11a
85	115	109	102	114	80	92	45	64	31	28	15	5	3	1	11	
486	559	454	406	476	544	680	873	1,119	940	674	391	112	19	5	11	
101	102	93	96	97	76	88	69	67	37	38	11	15	3	8	14	
144	154	185	190	210	208	272	379	464	560	493	308	118	25	7	5	11b
26	34	55	57	54	32	63	33	48	53	37	21	15	3	5	2	
203	183	178	154	214	204	301	397	577	770	628	433	162	51	12	10	
55	57	45	68	50	44	42	45	50	43	50	31	18	8	7	7	
																12
1	2	1	1	2	3	1			1		1					13
			3		2		2		3	1	1					
																14
1		1	3	2	1	3	2	6	4	4		1				15
				2				1								
1					4	2	4	5	2	4	2	1				
						1	2	1								
8	14	15	9	21	19	40	41	50	63	61	28	16	3		2	16
3	7	8	6	13	13	11	9	14	11	10	9	8			2	
12	15	17	16	8	12	36	36	57	82	70	42	15	4	1	1	
2	5	4	12	7	8	9	14	6	5	8	3	5	3		1	

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR		All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	I.—EPIDEMIC, ENDEMIC, AND INFECTIOUS DISEASES—Continued													
17	Plague:													
	Males	White												
		Colored												
	Females	White												
		Colored												
18	Yellow fever:													
	Males	White												
		Colored												
	Females	White												
		Colored												
19	Spirochetal hemorrhagic jaundice:													
	Males	White	14	3	1	2			6				2	1
		Colored	1									1		
	Females	White	13	2			1		3				1	
		Colored	1											1
20	Leprosy:													
	Males	White	17											3
		Colored	8										3	1
	Females	White	3											1
		Colored	1											
21	Erysipelas:													
	Males	White	1,265	347	33	7	5	2	394	20	8	23	19	27
		Colored	44	13	1				14			2	1	1
	Females	White	1,088	352	38	10	3	3	406	7	11	17	26	23
		Colored	45	13	4				17		2		2	1
22	Acute anterior poliomyelitis:													
	Males	White	416	37	63	36	42	22	200	73	54	32	16	10
		Colored	41	9	9	1	6	3	28	6	3		2	
	Females	White	289	39	64	34	23	14	174	39	30	17	10	3
		Colored	32	9	2	4	3	5	23	6	2	1		
23	Lethargic encephalitis:													
	Males	White	923	28	41	22	14	14	119	56	39	68	61	66
		Colored	52	4	1			1	6	2	2	9	1	3
	Females	White	863	21	37	26	14	16	114	47	43	62	73	67
		Colored	45		3	2	1	1	7	2	3	8	8	4
24	Meningococcus meningitis:													
	Males	White	537	137	77	46	18	13	291	59	45	26	24	17
		Colored	37	8	2	3	2	2	17	1	4	8	5	
	Females	White	360	91	39	30	19	12	191	41	31	14	14	8
		Colored	31	6	2	2	1	2	13	3	5	2	1	3
25	Other epidemic and endemic diseases:													
	Males	White	150	55	24	7	1	5	92	14	2	4	2	
		Colored	30	9	5				14	1		3		
	Females	White	98	27	16	4	5	5	57	8	4	1	1	1
		Colored	31	5	2	1			8	2			2	4
26	Glanders:													
	Males	White												
		Colored												
	Females	White												
		Colored												
27	Anthrax:													
	Males	White	17							1		1	1	
		Colored												
	Females	White	2								1			
		Colored												
28	Rabies:													
	Males	White	31		1	2	2	1	6	8	6	2	1	1
		Colored	6					1	1	3	1			
	Females	White	11				1		1	2	2			1
		Colored	4					1	1			1	1	
29	Tetanus:													
	Males	White	819	85	7	4	12	22	130	151	148	73	26	38
		Colored	239	93	2	2	5	2	104	18	26	15	11	11
	Females	White	272	55	4	8	11	8	86	62	17	9	9	9
		Colored	138	85				1	86	13	6	3	8	4
30	Mycoses:													
	Males	White	69	21	1				22			2	6	2
		Colored	33	25	5				30					
	Females	White	29	11	1				12					
		Colored	33	25	4				29					
	Tuberculosis (all forms):													
	Males	White	36,605	689	542	273	194	130	1,828	542	392	1,509	3,304	3,922
		Colored	8,368	134	136	80	60	44	454	173	202	677	1,321	1,195
	Females	White	31,079	568	487	254	177	137	1,623	425	682	3,049	4,665	4,274
		Colored	8,649	130	111	82	52	37	412	165	380	1,311	1,701	1,379
31	Of the respiratory system—													
	Males	White	32,079	216	139	69	50	25	499	186	199	1,264	3,004	3,657
		Colored	7,359	60	86	36	26	20	228	96	146	586	1,199	1,107
	Females	White	26,893	173	121	63	46	34	437	142	489	2,732	4,306	4,013
		Colored	7,800	67	63	37	29	15	211	120	320	1,203	1,584	1,307
32	Of the meninges, central nervous system—													
	Males	White	1,808	341	340	147	107	82	1,017	237	100	73	87	51
		Colored	258	53	27	26	14	12	132	35	14	15	14	8
	Females	White	1,565	287	289	148	96	77	897	204	80	95	74	53
		Colored	212	40	29	30	17	9	125	27	14	11	11	8
33	Of the intestines, peritoneum—													
	Males	White	945	54	34	28	16	9	141	34	25	51	72	60
		Colored	270	5	2	7	7	4	25	19	13	35	43	24
	Females	White	1,197	36	27	16	11	8	98	24	37	88	127	107
		Colored	301	9	4	2		5	20	11	23	41	48	35
34	Of the vertebral column—													
	Males	White	453	7	5	7	9	4	32	32	27	37	34	44
		Colored	86	1	2	1	3	2	9	5	7	7	10	17
	Females	White	280	12	4	4	4	6	30	20	16	21	16	12
		Colored	37	1	1	1	1	1	5		6	4	6	4
35	Of the joints—													
	Males	White	160	4	2	3		2	11	17	8	11	9	16
		Colored	39	1			1		2	5	2	5	5	7
	Females	White	111	4	8	1	1		14	12	7	8	4	3
		Colored	22					1	1	1	3	2	2	

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1923—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
																17
																18
1		1	1		1		1									
3	1		2		1	1			1							19
	3	5		1	3		1		1							
1	1		1			1										20
	1			1												
						1										
32	53	55	60	72	64	101	88	88	78	42	29	10		1	1	
2	1	3		1	4	8	1	3	1	1			1			21
25	39	40	52	51	50	62	65	78	52	49	23	11	1			
5	3	2	1	4	2	2		1		1	2					
8	4	7	1	1	7		1		1						1	
1															1	22
3	2	4	2	2			1	1	1							
71	81	67	70	71	55	48	26	13	9	1	1				1	
1	4	9	1	8	1	2	3									23
63	58	61	67	60	40	45	26	24	4	4	4				1	
2	3	2	2	2	2											
15	11	15	7	3	9	7	3	4		1						
1			1													24
10	7	5	10	5	4	4	9	2	1	1	3					
3		1														
4	4	3	4	2	3	7	3	2	1	1	1	1				
		1		4	3	1			2			1				25
2	2	3	2	2	3		3	6	2	1						
1	3	1	3	1	1		1	1		1	1		1			
																26
	4	2	2	3			1	1	1							
																27
				1												
		2	2	3												
		1														28
1			2		2											
						1										
31	38	30	28	33	30	24	14	17	5	2					1	
10	6	9	4	6	4	5	5	2	2	1						29
8	14	10	9	10	5	11	9	1	2	1						
4	3	4	2	3	2											
3	5	3	7	4	3	7		4		1						
	1	1				1										30
1	2	1	1	1	1	3	2	3		1	1					
	1	1		1	1											
3,893	3,919	3,603	3,229	2,824	2,289	1,982	1,532	1,002	565	165	55	11	2	1	36	
934	862	729	571	446	275	208	136	84	34	24	9	5	1	2	26	
3,446	2,676	2,095	1,664	1,371	1,219	1,102	1,045	825	567	223	79	17		1	31	
917	711	528	382	235	177	122	79	52	34	18	13	4		4	25	
3,621	3,634	3,383	3,024	2,621	2,125	1,811	1,388	908	508	153	51	9	2		32	
865	780	674	526	416	249	189	124	79	31	23	9	4	1	2	25	31
3,204	2,449	1,880	1,498	1,233	1,079	970	916	721	512	197	68	15		1	31	
852	661	489	353	215	168	114	71	45	30	17	12	3		3	22	
58	51	29	28	23	22	14	10	1	6		1					
11	12	6	5	6												32
39	40	25	20	11	7	11	4	2	2		1					
6	1	4	1	2	1		1									
68	74	59	60	66	49	63	49	44	22	5	1				2	
22	22	18	17	10	7	6	6	1	1			1				33
89	95	90	69	65	72	72	69	51	29	8	5	2				
32	27	19	20	8	3		3	5	2	1		1		1	1	
36	32	38	26	31	24	25	16	12	6	1						
9	10	4	1	2	3	2										34
19	14	20	21	19	18	18	12	16	3	4	1					
2	5	1		2				1	1							
8	11	5	9	13	8	15	10	4	4	1						
2	4	1		2	3			1								35
5	4	9	9	5	8	4	5	9	2	2	1					
3			1	1		4	1		1		1				1	

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR		All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	I.—EPIDEMIC, ENDEMIC, AND INFECTIOUS DISEASES—Continued													
	Tuberculosis—Continued													
36	Of other organs—													
	Males	White	538	13	3	9	4	2	31	14	17	33	31	34
		Colored	95	2	4	3	3	2	14	5	7	10	6	7
	Females	White	406	17	9	6	4	6	42	7	13	24	34	22
		Colored	76	2	3	3	1	1	10	5	5	6	9	7
37a	Disseminated (acute)—													
	Males	White	483	51	18	10	5	6	90	17	12	33	57	48
		Colored	217	10	14	7	4	3	38	6	10	15	39	21
	Females	White	495	33	26	15	13	6	93	15	33	68	89	55
		Colored	175	10	11	8	3	4	36		9	41	35	15
37b	Disseminated (chronic or unspecified)—													
	Males	White	139	3	1		3		7	5	4	7	10	12
		Colored	44	2	1		2	1	6	2	3	4	5	4
	Females	White	132	6	3	1	2		12	1	7	13	15	9
		Colored	26	1		1	1	1	4	1		3	6	3
38	Syphilis:													
	Males	White	2,992	626	34	11	5	3	679	20	14	22	54	98
		Colored	1,557	298	27	18	5	5	353	12	6	20	89	103
	Females	White	1,441	433	35	9	2	2	481	10	21	33	62	64
		Colored	901	262	24	12	5	4	307	11	10	40	71	70
39	Soft chancre:													
	Males	White	2									1		
		Colored	1											
	Females	White												
		Colored	2									1		
40	Gonococcus infection:													
	Males	White	76	12					12			2	4	7
		Colored	54	3					3				2	3
	Females	White	375	15	3				18	2	5	25	82	81
		Colored	197	5					5		2	24	43	43
41	Purulent infection, septicemia:													
	Males	White	615	99	24	10	4	7	144	28	41	21	26	22
		Colored	69	5		1	1	1	8	2		2	4	3
	Females	White	447	75	7	10	4	7	103	13	19	28	26	22
		Colored	55	1	1	1		1	4	1		2	5	4
42	Other infectious diseases:													
	Males	White												
		Colored												
	Females	White	1											
		Colored	1											1
	II.—GENERAL DISEASES NOT INCLUDED IN CLASS I													
	Males	White	51,711	1,201	254	172	147	102	1,876	485	466	581	566	771
		Colored	2,621	158	47	22	7	3	237	32	32	31	55	89
	Females	White	62,352	922	198	140	107	76	1,443	409	508	542	577	917
		Colored	4,681	97	32	14	12	4	159	29	44	95	170	245
	Cancer and other malignant tumors:													
	Males	White	34,332	33	36	40	33	25	167	87	71	136	167	260
		Colored	1,363	4	4	1	3		12	7	5	6	14	29
	Females	White	43,014	34	31	38	23	19	145	75	64	105	148	372
		Colored	2,796		2	3	5	1	11	5	6	11	35	100
43	Of the buccal cavity—													
	Males	White	2,276		1	2	2	2	7	1	4	5	6	10
		Colored	80										2	2
	Females	White	446	1	1	1			3	3	3	3	3	6
		Colored	33								1		1	2
44	Of the stomach, liver—													
	Males	White	16,134	6	9	5	3	3	26	10	7	12	26	63
		Colored	703	2	2				4	2		2	2	9
	Females	White	13,674	10	6	4	1	4	25	14	5	7	16	56
		Colored	637		1				1	1	1	1	7	18
45	Of the peritoneum, intestines, rectum—													
	Males	White	4,827	6	2	3	4	2	17	9	7	17	38	48
		Colored	157				1		1		2			5
	Females	White	6,095	2	5	2			9	9	9	11	19	57
		Colored	241							2	1	1	6	14
46	Of the female genital organs—													
	Females	White	10,187			2			2	2	7	13	48	137
		Colored	1,242				1		1		1	4	8	49
47	Of the breast—													
	Males	White	98								1	2	2	1
		Colored	8											1
	Females	White	6,795							1	1	3	3	43
		Colored	372									1	6	4
48	Of the skin—													
	Males	White	1,459	1		5			6	1		3	2	2
		Colored	33										1	
	Females	White	889				1		1	2	1	2	5	6
		Colored	38										1	1
49	Of other or unspecified organs—													
	Males	White	9,538	20	24	25	24	18	111	66	52	97	93	136
		Colored	382	2	2	1	2		7	5	3	4	9	12
	Females	White	4,928	21	19	29	21	15	105	44	38	66	54	67
		Colored	233		1	3	4	1	9	2	2	4	6	12
50	Tumors, benign and unqualified (tumors of the female genital organs excepted):													
	Males	White	295	7	5	3	3	6	24	6	3	8	10	15
		Colored	22		1	1			2	2			1	2
	Females	White	403	5	2	4	5	2	18	2	7	11	8	13
		Colored	40										1	3
51	Acute rheumatic fever:													
	Males	White	1,123	5	4	15	16	21	61	153	157	108	58	38
		Colored	153	4	2				6	6	11	2	8	6
	Females	White	1,270	3	6	11	20	22	62	150	172	119	59	59
		Colored	210	1	1	1			3	6	16	14	10	13

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1923—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
43	64	47	37	38	40	26	37	26	11	4	2	1		1	1	36
3	6	9	6	4	5	6	3	2	2							
38	24	46	27	24	20	19	25	19	13	7	2					
7	6	8	2	4	2	3	2									
49	39	32	31	22	15	20	7	5	4			1			1	37a
20	21	15	14	4	6	4	1	1		1					1	
40	34	18	16	9	10	5	7	2		1						
11	10	7	4	2	3	1		1								
10	14	10	14	10	6	8	15	2	4	1						37b
2	7	2	2	2	2	1	2									
12	16	7	4	5	5	3	7	5	6	4	1					
4	1		1	1			1								1	
164	225	297	308	326	246	214	170	94	39	14	2	1			5	38
119	177	179	155	114	85	55	34	23	15	10	1	1			6	
79	123	117	116	130	70	51	42	14	16	9	2			1		
76	73	70	48	29	38	18	17	6	6	3	2	1		1	4	
							1									39
	1															
											1					
4	5	7	7	8	3	4	7	2	3						1	40
8	3	10	9	6	2	4	2	1	1							
55	53	34	11	5	3			1								
31	20	15	12	1		1										
28	35	27	34	40	34	36	31	19	21	17	2	4	2		3	41
4	5	5	8	8	5	2	2	4	4	1	1	1				
31	34	23	15	27	15	18	23	12	12	14	6	5	1			
5	6	4	3	2	7	4	4	3				1				
																42
							1									
1,137	1,626	2,334	3,189	4,731	5,821	7,212	7,257	6,139	4,313	2,133	816	172	31	3	52	
102	162	210	257	311	247	241	208	152	111	84	31	15	7	1	6	
1,457	2,479	3,721	5,092	6,466	7,257	8,308	7,876	6,585	4,708	2,533	1,099	274	54	5	42	
294	441	510	545	546	410	332	298	221	143	75	58	17	16	6	27	
454	747	1,318	1,999	3,227	4,158	5,283	5,506	4,750	3,412	1,715	669	149	24	3	30	
35	63	105	149	205	168	162	142	111	77	43	16	8	1		5	
837	1,676	2,749	3,798	4,721	5,237	5,886	5,613	4,816	3,587	2,009	882	224	40	4	26	
136	271	314	374	403	305	224	221	149	99	53	39	12	9	5	14	
21	41	85	136	230	260	365	338	294	232	153	75	11		1	1	43
3	2	10	8	18	9	5	7	8	3	1	1	1				
5	15	7	23	37	38	53	61	44	50	50	31	8	2	1		
	1		3	7	4	1	5	3	3		1	1				
131	294	596	993	1,634	2,131	2,667	2,753	2,295	1,531	699	208	37	6	1	14	44
13	36	48	84	115	97	80	80	57	33	23	8	6	1		3	
127	274	519	841	1,165	1,612	2,104	2,181	2,088	1,471	827	274	53	9		6	
22	43	62	74	96	73	68	64	39	33	15	13	1		1	4	
91	145	229	285	461	595	728	772	632	468	198	65	17	1		4	45
7	10	14	14	22	23	24	10	11	7	4	2	1				
114	190	302	394	640	752	829	868	777	619	313	142	32	6		3	
15	35	20	31	25	27	18	15	19	2	3	4	1	2			
339	667	1,020	1,298	1,373	1,306	1,276	1,074	757	519	228	90	17	2		12	46
75	145	174	182	174	135	94	81	47	31	15	10	5	2	2	7	
1	1	7	3	9	10	19	14	10	10	6	2					47
		3				2		1			1					
146	320	596	827	928	909	908	699	545	412	254	147	45	5	1	2	
16	31	34	53	65	44	25	31	21	19	10	6	2	3		1	
12	17	29	61	61	98	171	176	227	233	180	118	49	10	1	2	48
4	2	4		5	5	2	5	1	3	1						
7	16	22	18	30	42	63	92	126	147	142	112	42	10	2	1	
2	4	1	1	4	6	2	3	4	3	1	2	1	1		1	
198	249	372	521	832	1,064	1,333	1,453	1,292	938	479	201	35	7		9	49
8	13	26	43	45	34	49	40	33	31	14	4				2	
99	194	283	397	548	578	653	638	479	369	195	86	27	6		2	
6	12	23	30	32	16	16	22	16	8	9	3	1	1	2	1	
10	10	16	15	19	31	37	30	16	29	11	5					50
2	1	1	2	2	2	2	2		1							
14	9	21	31	42	23	46	32	39	41	28	12	5			1	
1	4	7	3	4	2	6	1	2	4		1				1	
39	48	58	49	50	47	56	48	57	53	28	10	2	1		2	51
12	9	9	10	14	11	13	7	5	6	9	5	1	1	1	1	
47	50	50	70	57	61	54	67	81	45	36	26	3		1	1	
17	13	15	24	17	12	11	7	12	9	3	3	1	2	1	1	

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR		All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	II.—GENERAL DISEASES NOT INCLUDED IN CLASS I—Continued													
52	Chronic rheumatism, osteoarthritis, gout:													
	Males	White	348		2				2	3	5	4	8	13
		Colored	29										1	1
	Females	White	624	1			1		2	2	3	4	3	2
		Colored	34							1		2	1	1
53	Scurvy:													
	Males	White	17	10	3	1			14		1			1
		Colored	5	3	1				4					1
	Females	White	31	24	2			2	28	1				
		Colored	7	5	1	1			7					
54	Pellagra:													
	Males	White	313		2	1			3	4	4	3	3	5
		Colored	194	1	5	1		1	8	8	7	7	7	11
	Females	White	604	3		1	1	1	6	1	2	10	26	35
		Colored	694		1	1	2	1	5	9	11	48	88	85
55	Beriberi:													
	Males	White												
		Colored	3											
	Females	White	1											
		Colored	2	2					2					
56	Rickets:													
	Males	White	185	132	36	6	3	1	178	5	1	1		
		Colored	68	45	15	7			67	1				
	Females	White	143	88	33	8	5	3	137	2	2	2		
		Colored	44	24	15	2	2		43	1				
57	Diabetes mellitus:													
	Males	White	6,819	11	18	22	28	12	91	81	118	161	151	161
		Colored	301		1				1	2	5	6	3	10
	Females	White	8,785	9	9	11	14	8	51	78	152	121	120	139
		Colored	447		1				1	3	7	3	11	9
58	Anemia, chlorosis:													
	Males	White	2,424	57	23	19	19	4	122	21	23	28	34	30
		Colored	46	10	2				12			2	2	3
	Females	White	2,912	44	17	8	8	2	79	21	24	38	41	73
		Colored	71	3	2		1	1	7	1	3	5	9	6
59	Diseases of the pituitary gland:													
	Males	White	23								1	2	1	3
		Colored	1											
	Females	White	26		1				1	1	3		2	1
		Colored												
60a	Exophthalmic goiter:													
	Males	White	226	1					1	1	1	10	10	15
		Colored	6										1	
	Females	White	1,637							1	7	55	83	100
		Colored	93		1				1			4	4	9
60b	Other diseases of the thyroid gland:													
	Males	White	86	7	6	1	1		15	2	3	4	2	6
		Colored	6											
	Females	White	488	7	5	2	2		16	2	4	19	19	28
		Colored	40							1		2	1	3
61	Diseases of the parathyroid glands:													
	Males	White	41	33	4		1		38	2		1		
		Colored	5	3	1		1		5					
	Females	White	27	13	8	3	1		25					
		Colored	3					1	1					
62	Diseases of the thymus gland:													
	Males	White	413	331	34	11	4	6	386	7	7	4	1	1
		Colored	42	28	5	4	1		38	1	1		1	1
	Females	White	310	245	21	7	3	1	277	12	4	4	3	2
		Colored	20	15	2	1			18					2
63	Diseases of the adrenals (Addison's disease):													
	Males	White	152							1		3	6	8
		Colored	6											
	Females	White	165	1					1	1	3	5	6	9
		Colored	7											1
64	Diseases of the spleen:													
	Males	White	47	2					2	6		3	1	3
		Colored	4	1					1	1		1		
	Females	White	50	1		2	1	1	5	1	2	4	1	3
		Colored	1										1	
65a	Leukemia:													
	Males	White	736	24	23	21	22	11	101	55	35	45	27	39
		Colored	34	1		1			2	2		2	2	
	Females	White	562	18	9	20	11	11	69	30	26	23	21	25
		Colored	20		1	1			2			2	2	2
65b	Hodgkin's disease:													
	Males	White	457	10	3	2	3	2	20	23	16	29	31	40
		Colored	14			4			4			1	2	2
	Females	White	242	8	1	4	2		15	6	11	5	14	21
		Colored	11							1		1		2
66	Alcoholism (acute or chronic):													
	Males	White	2,526								1	15	33	97
		Colored	191									3	8	20
	Females	White	223									2	9	13
		Colored	50									3	5	7
67a	Chronic lead poisoning:													
	Males	White	121										1	5
		Colored	8										1	
	Females	White	4		1				1					1
		Colored												
67b	Other chronic mineral poisoning:													
	Males	White	14											1
		Colored	6										1	
	Females	White	6							2			2	1
		Colored	1											
68	Chronic poisoning by organic substances:													
	Males	White	118									5	10	14
		Colored	19										1	2
	Females	White	68									2	4	7
		Colored	9										1	2
69	Other general diseases:													
	Males	White	895	538	55	30	14	14	651	28	19	11	12	16
		Colored	95	58	10	3	2	2	75	2	3	1	2	1
	Females	White	757	418	53	20	10	4	505	21	22	13	8	13
		Colored	81	47	5	4	2		58	1	1		1	

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1923—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
6	13	13	17	24	23	26	42	70	31	29	18	1				
2	1	3	2	1	1	6	2	1	1	3	3		1			
3	13	22	30	45	47	56	106	85	95	61	32	8	4		1	52
	1	2	3	5	2	4	4	2	1			2	3			
	1															
																53
	1		1													
11	15	16	24	35	31	41	47	37	19	12	2				1	
11	13	17	19	15	15	13	11	9	5	13	2	1	2			54
39	59	71	69	60	44	66	47	41	19	3	4				2	
83	89	66	58	29	27	20	28	18	15	4	4	1			6	
		1			1				1							55
1																
																56
193	200	246	332	559	769	989	1,006	856	555	253	75	10	6		7	
11	20	18	38	47	31	28	26	21	13	13	4	3	1			57
156	224	266	449	848	1,174	1,442	1,412	1,090	641	298	98	16	4		6	
26	22	59	48	60	51	51	29	32	12	10	8	1	1		3	
51	76	123	193	287	301	361	320	236	145	44	23	6				
4	2	3	2	3	4	3	1	1	1	1		1	1			58
84	125	185	238	305	331	425	395	270	177	56	26	15	3		1	
3	5	7	5	5	3	5	1	3	1	1			1			
1	5	2	3	1		3	1									
						1										59
6	2	2	1	2	3	1		1								
14	23	24	28	20	30	27	12	5	4	1						
1	1	1					2									
115	129	184	217	199	171	163	98	58	39	13	2	1			2	60a
7	17	21	11	8	2	3	2	1	1		2					
5	9	6	6	5	9	5	6	2	1							
		2	1	1				1	1							60b
30	26	36	54	51	59	54	35	36	12	3	4					
4	2	2	8	7	2	2	3			1	1				1	
																61
	1								1							
		1				1										
4					1				1	1						
																62
3	2	1	1	1												
9	19	10	16	14	16	26	15	8	1							
	1	1	2			1				1						
14	19	11	24	14	14	10	14	7	10	3						63
2	1	1				1	1									
3	2	3	1	5	4	4	3	6	1							
			1													64
5	5	3	2	4	3	3		3	1	2	1	1	1			
39	42	38	37	67	55	61	47	25	14	7	1	1				
3	3	6	2	4	3	2	2			1						
30	32	28	44	60	40	54	30	29	16	1	3				1	65a
1	3	2	2	1	1	1		1								
35	30	35	30	29	42	38	31	11	8	6	2				1	
	1		2	1	1											
20	21	27	17	21	22	15	10	8	5	3	1					65b
1		3	1	1	1											
218	345	381	403	356	265	223	115	38	18	7	1				10	
18	40	36	25	15	5	9	9	1	2							
27	53	45	26	19	10	10	4	4							1	66
8	7	7	3	4	2	2				1					1	
6	9	16	14	19	16	15	11	5	3	1						
	2	3	1				1									67a
		1				1										
3	1	1	4			1	1	1	1							
		1		1	1		1				1					67b
	1															
			1													
17	10	15	10	7	9	6	5	2	5	2	1					
2	4	2	1	2	2	1		1	1							68
12	9	10	4	4	4	4	2	1	2	2	1					
2	2	1	1													
19	21	13	8	7	14	10	11	14	12	16	9	3			1	
1	1	1			2		2	1	2			1				69
14	22	9	16	13	14	18	11	16	17	15	7	1	2			
3	4	2	3			1	1	1	1	2						

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	III.—DISEASES OF THE NERVOUS SYSTEM AND OF THE ORGANS OF SPECIAL SENSE												
	Males—White	55,553	1,712	488	249	179	145	2,773	583	465	501	508	638
	Colored	5,054	299	67	36	20	16	438	42	44	78	92	111
	Females—White	50,948	1,229	377	228	139	104	2,077	487	402	431	437	531
	Colored	5,114	209	45	18	14	12	298	70	52	79	74	114
70	Encephalitis:												
	Males—White	540	56	21	18	5	10	110	30	27	28	29	28
	Colored	70	7	2	2		3	14	6	1	7	5	2
	Females—White	473	43	18	21	5	5	92	37	26	30	21	26
	Colored	49	6	4	1	2	1	14	5	5	1	2	4
71a	Simple meningitis:												
	Males—White	1,308	330	137	85	48	27	627	120	64	48	38	40
	Colored	131	35	15	13	7	3	73	6	8	12	3	5
	Females—White	918	237	101	70	37	18	463	95	52	39	30	32
	Colored	108	23	12	7	1	2	45	16	9	5	5	1
71b	Nonepidemic cerebrospinal meningitis:												
	Males—White	478	134	46	25	14	16	235	54	31	27	27	15
	Colored	56	17	9	5	2	2	35	4	4	3	1	1
	Females—White	347	98	36	21	13	12	180	51	21	21	12	6
	Colored	45	9	6	1		2	18	10	1	3	4	4
72	Tabes dorsalis (locomotor ataxia):												
	Males—White	1,130									2	1	9
	Colored	94										2	2
	Females—White	350										1	3
	Colored	21											2
73	Other diseases of the spinal cord:												
	Males—White	1,372	22	10	9	8	7	56	20	22	25	29	35
	Colored	89	3				1	4		1	2	2	5
	Females—White	1,342	14	12	15	5	7	53	20	21	20	17	34
	Colored	94		1			1	2	3	1			
74a	Cerebral hemorrhage:												
	Males—White	36,071	96	22	12	8	12	150	21	19	39	60	109
	Colored	2,780	9	2	1			12	2	3	11	15	25
	Females—White	36,654	47	17	10	4	2	80	25	27	45	50	94
	Colored	3,277	6					6	8	7	16	16	41
74b	Cerebral embolism and thrombosis:												
	Males—White	1,161	9	1		2	2	14	4	3	4	9	11
	Colored	62											1
	Females—White	1,260	4	3	1	1		9	5	6	10	12	30
	Colored	78	1					1	1		1	2	2
75	Paralysis without specified cause:												
	Males—White	2,043	18	5	1	2	2	28	9	2	8	4	4
	Colored	512	3	3		1		7	4	3	5	6	8
	Females—White	2,178	12	9	3	2	3	29	6	5	9	4	5
	Colored	593	1	1		2	1	5	2	1	4	3	9
76	General paralysis of the insane:												
	Males—White	4,170								2	8	14	86
	Colored	514									1	7	16
	Females—White	1,272								1	5	12	48
	Colored	191									3	7	12
77	Other forms of mental alienation:												
	Males—White	530								1	7	30	37
	Colored	70								1	6	5	10
	Females—White	784								1	15	43	52
	Colored	95									8	9	13
78	Epilepsy:												
	Males—White	1,429	55	12	12	18	12	109	55	82	121	125	115
	Colored	222	19	1	1	3	2	26	6	11	21	33	22
	Females—White	1,044	19	14	11	4	6	54	25	56	92	115	85
	Colored	160	12	3	1	2	2	20	7	14	19	12	13
79	Convulsions (nonpuerperal; 5 years and over):												
	Males—White	39							16	3	3	1	
	Colored	12							3	5	1		
	Females—White	63							10	6	12	6	6
	Colored	26							5	5	5	4	1
80	Infantile convulsions (under 5 years):												
	Males—White	779	645	76	32	20	6	779					
	Colored	212	171	26	9	4	2	212					
	Females—White	591	484	55	29	16	7	591					
	Colored	164	138	13	7	3	3	164					
81	Chorea:												
	Males—White	34	1	1				2	4	3	5	1	1
	Colored	2	1					1					
	Females—White	58	3		1			4	1	12	9	7	2
	Colored	5								1	1	1	
82	Neuralgia and neuritis:												
	Males—White	123	1				1	2	1	1	1	2	1
	Colored	8										1	1
	Females—White	177			1		1	2			1	3	3
	Colored	13							1	1	1		1
83	Softening of the brain:												
	Males—White	406										2	1
	Colored	15											
	Females—White	358										1	2
	Colored	18											
84	Other diseases of the nervous system:												
	Males—White	2,187	70	29	12	18	7	136	64	55	49	52	66
	Colored	115	11	2	4	1	1	19	5	4	7	7	8
	Females—White	1,860	63	30	17	15	14	139	47	53	63	42	64
	Colored	88							3	2	8	5	5
85	Diseases of the eye and annexa:												
	Males—White	44	10	4	1	1	1	17	5	1	1	1	2
	Colored	2	1					1					
	Females—White	32	4	3	1		3	11	2		1	1	
	Colored	3							1		1		
86a	Diseases of the ear:												
	Males—White	1,033	199	86	26	23	22	356	90	72	65	46	44
	Colored	49	18	5	1	1	1	26	4	1	1	5	1
	Females—White	724	170	56	18	16	11	271	95	69	31	21	21
	Colored	54	10	2	1	3		16	8	3	1	3	2

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1923—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
1,042	1,587	2,095	2,530	3,442	4,529	6,085	7,076	7,695	6,860	4,421	2,031	521	86	20	65	
161	256	344	442	509	456	500	440	426	310	189	114	46	23	5	28	
695	1,002	1,373	2,131	3,068	3,667	5,068	6,319	7,044	7,015	5,398	2,775	793	171	30	34	
131	257	350	431	601	491	511	465	401	290	217	119	76	26	41	20	
38	34	36	43	32	34	31	12	10	9	7	2					
6	6	5	4	3	4	1		2	1						3	70
23	32	28	32	30	22	27	15	9	10	11	1	1				
	5	3	3	2	2		2		1							
34	56	45	52	42	50	27	22	20	6	9	4	1			3	
1	4	8	9			2										71a
17	28	20	21	37	22	21	18	11	6	2	1	2			1	
6	5	2	3	9	1		1									
14	12	10	16	12	6	6	3	6	1	2					1	
1	4		1	1	1											71b
15	14	4	2	4	7	3	1	2	3	1						
1	2	2														
20	24	80	105	138	195	188	165	114	61	25	3					72
3	8	14	10	14	9	5	13	7	4	1	2					
8	10	16	34	45	53	65	57	22	24	9	3					
1		5	3	1	3	1	2	2			1					
47	33	60	86	119	118	171	165	156	117	76	29	4	3		1	
4	5	9	7	12	11	7	5	6	5	1	2	1				73
35	38	51	95	113	120	169	170	146	126	69	34	9	1	1		
6	10	10	7	6	7	11	10	6	5	4	1	2	1	1	1	
179	388	656	1,155	2,097	3,136	4,616	5,584	6,222	5,702	3,667	1,714	430	71	17	39	
64	101	165	238	330	313	367	312	304	227	149	82	29	14	3	14	74a
192	393	733	1,369	2,168	2,816	4,035	5,136	5,893	5,874	4,521	2,346	668	141	25	23	
62	130	235	314	452	388	403	335	292	217	148	90	52	21	31	13	
20	24	36	36	77	105	141	176	182	134	102	58	23	1		1	
3	4	2	4	11	4	5	11	9	6	2						74b
18	27	23	47	81	77	118	160	195	210	132	73	22	4	1		
5	2	6	6	13	7	10	7	3	5	3	1	3				
4	25	41	49	73	116	201	280	389	377	263	121	37	4		8	
5	12	12	29	44	43	66	59	79	51	30	21	15	8	2	3	75
15	12	26	40	78	118	200	279	352	368	375	182	55	13	2	5	
12	24	24	44	64	49	50	82	72	47	52	19	17	4	7	2	
342	624	754	617	485	396	289	209	146	102	57	27	5	3		4	
35	73	98	96	66	43	28	24	12	7	2	1				5	76
87	139	160	141	142	122	70	93	81	86	58	19	5	1	1	1	
13	29	36	15	24	16	12	6	6	3	2	2	1		1	3	
41	55	48	51	49	47	48	36	29	25	17	5	3			1	
10	10	3	6	2	4	1	6	2	1	1	1				1	77
65	63	85	93	77	75	67	50	28	25	20	16	4	2		3	
11	11	4	6	11	3	5	6	4	3	1						
112	123	109	81	77	74	59	59	58	35	23	6	2			4	
16	14	13	17	17	10	3	6	3	3		1					78
93	87	72	82	67	39	39	51	43	23	10	10	1				
5	19	10	10	8	8	6	2	4	2	1						
2	1	3	3	1	1	1	1	1		1				1		
	1	1		1												79
4	6	5	1	1			3		1			1			1	
1	3					1									1	
																80
		1	4	1	3	2	1	1	5							
	1															
	2	2		4	3	4	1	3	2	1			1			81
		1						1								
1	3	7	7	8	13	17	15	21	15	5	2	1				
	1	1	1	1	1		1									82
5	9	4	8	16	12	20	24	14	28	15	9	3	1			
1	1	2	1				3	1								
1	2	7	6	3	16	29	56	73	103	71	27	6	1	1	1	
	1		2		3	4			3	1		1				83
1	2	4	6	12	13	25	34	62	77	69	34	12	4			
				1	2	4	2	2	2	2	1	1		1		
108	111	125	146	166	159	195	245	231	150	87	30	8	2		2	
8	9	9	11	5	5	7	1	1	2	2	3		1		1	84
69	89	105	116	154	127	165	184	165	131	95	41	9	2			
3	7	5	13	7	4	5	6	5	4	3	3					
		2			2	3		3	2	5						
				1												85
1	1	1		1	1	3	3	1	3	1			1			
											1					
49	45	41	47	38	42	38	29	18	6	3	3			1		
1		2	4		4											86a
22	28	22	22	24	23	16	24	13	11	7	3	1				
1	8	2	3	3		2		1	1							

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	III.—DISEASES OF THE NERVOUS SYSTEM AND OF THE ORGANS OF SPECIAL SENSE—Continued												
86b	Diseases of the mastoid process:												
	Males—White	676	66	38	16	12	20	152	90	77	60	37	34
	Colored	39	4	2		1	1	8	2	2	1		4
	Females—White	463	31	23	9	21	15	99	68	46	28	39	18
	Colored	32	3	3		1		7		2	2	1	4
	IV.—DISEASES OF THE CIRCULATORY SYSTEM												
	Males—White	90,342	544	107	96	72	101	920	547	755	834	788	932
	Colored	8,039	48	12	18	5	7	90	44	61	84	146	226
	Females—White	79,139	416	97	78	77	98	766	641	870	877	840	1,018
	Colored	7,475	30	16	11	7	3	67	62	69	105	191	232
87	Pericarditis:												
	Males—White	391	9	5	7	3	2	26	17	19	14	7	11
	Colored	69	3					3	1	3		4	6
	Females—White	319	9	3	4	2	1	19	13	11	14	3	8
	Colored	51			1			1	1	1	3	1	5
88	Endocarditis and myocarditis (acute):												
	Males—White	2,710	218	40	31	21	18	328	153	125	114	143	146
	Colored	357	12	3	5	2	1	23	11	6	15	23	34
	Females—White	2,618	148	31	27	28	34	268	168	168	172	187	183
	Colored	365	7	4	3	2		16	17	12	19	26	45
89	Angina pectoris:												
	Males—White	6,066	2					2	1	1	2	5	20
	Colored	207									1	3	6
	Females—White	2,998							4	3	3	7	17
	Colored	177								3	1	3	8
90	Other diseases of the heart:												
	Males—White	68,736	236	51	51	42	76	456	363	596	687	607	709
	Colored	6,555	24	9	13	3	6	55	32	52	62	106	156
	Females—White	63,502	209	51	42	42	59	403	442	672	670	614	758
	Colored	6,273	13	10	7	5	3	38	43	49	76	150	166
91a	Aneurysm:												
	Males—White	1,041	1			1		2		4	4	6	15
	Colored	235										5	15
	Females—White	362	2			2		4			2	3	6
	Colored	79										1	2
91b,c	Other diseases of the arteries:												
	Males—White	10,181										1	5
	Colored	506											2
	Females—White	8,246											2
	Colored	433									1	3	1
92	Embolism and thrombosis (not cerebral):												
	Males—White	849	40	2	1	1	3	47	10	4	5	12	18
	Colored	33	1					1			1	2	2
	Females—White	626	15	3	1	2	4	25	5	11	12	16	21
	Colored	30								1	2	2	2
93	Diseases of the veins:												
	Males—White	205			1	1		2	2	1	1	2	4
	Colored	13	1					1			2		
	Females—White	316	5		1			6		3	1	3	16
	Colored	19											
94	Diseases of the lymphatic system:												
	Males—White	79	28	9	4	3	2	46		3	3	1	2
	Colored	11	3					3					1
	Females—White	65	21	9	1	1		32	4	1		3	3
	Colored	16	4	1				5	1	3	1	1	1
95	Hemorrhage without specified cause:												
	Males—White	48	10		1			11	1	2	4	4	1
	Colored	34	4					4			3	3	3
	Females—White	54	7		2			9	5	1	3	4	4
	Colored	24	6	1				7			2	4	2
96	Other diseases of the circulatory system:												
	Males—White	36											1
	Colored	19											1
	Females—White	33											
	Colored	8											
	V.—DISEASES OF THE RESPIRATORY SYSTEM												
	Males—White	54,209	11,248	3,507	1,415	645	407	17,222	1,044	550	1,004	1,083	1,135
	Colored	8,864	2,270	753	273	122	60	3,478	148	122	307	530	490
	Females—White	46,379	8,637	2,979	1,163	612	376	13,767	868	576	696	775	971
	Colored	6,746	1,752	659	274	118	68	2,871	150	128	231	326	305
97a	Diseases of the nasal fossae:												
	Males—White	88	30	2	3			35	2	1	1	5	7
	Colored	112	79	6	1	1		87	3	2	3	4	1
	Females—White	69	28	2	1	2		33	1	1	3	4	
	Colored	78	56	3	1		1	61	2	3	1		
97b	Diseases of the nasal fossae annexa:												
	Males—White	269	8	3	1	1	2	15	12	10	30	23	19
	Colored	16	1			1		2	3	2	1		4
	Females—White	142	7	1	2	1	1	12	12	8	12	9	12
	Colored	10										1	1
98	Diseases of the larynx:												
	Males—White	323	62	52	29	28	18	189	38	6	2	5	5
	Colored	26	12	4	3	1		20					
	Females—White	259	60	36	23	17	13	149	24	6	4	1	6
	Colored	29	13	7	1	2		23			1	1	
99a	Acute bronchitis:												
	Males—White	1,449	618	102	45	19	14	798	19	10	7	5	3
	Colored	170	85	19	10	4	2	120	4	1	3	4	1
	Females—White	1,595	498	89	37	20	11	655	15	6	6	9	11
	Colored	174	78	21	8	2	4	113	2	3	6	2	3
99b	Chronic bronchitis:												
	Males—White	1,254	29	9	4		3	45	7	2	2	2	7
	Colored	81	10	4		1		15			4	3	1
	Females—White	1,334	29	10	5		1	45	1	4	7	4	9
	Colored	95	9	4	3			16			2	3	4

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1923—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
30	27	34	26	24	16	23	18	15	10	1		1	1			86b
4	2	2	3	1	1	4	2	1			1				1	
25	22	12	22	14	17	21	16	4	7	2	3					
3	1	3	3		1	1	1	2		1						
1,195	1,865	2,650	3,878	5,767	7,419	10,461	12,037	12,784	12,222	9,003	4,558	1,368	242	48	69	
306	504	640	839	943	763	702	708	690	540	363	199	88	41	29	33	
1,228	1,714	2,144	2,941	4,034	5,026	7,603	9,402	11,236	11,392	9,441	5,450	1,989	415	60	52	
324	495	614	723	809	646	709	622	570	437	334	192	120	63	56	35	
10	21	19	25	28	25	42	33	35	25	23	6	5				87
4	6	5	6	6	5	4	6	3		3	2			1	1	
10	11	7	28	18	23	21	25	40	35	21	9	3				
3	1	4	4	7	1	5	2	3	3	1	3	1	1			
165	229	313	123	127	148	139	139	111	96	67	32	12				88
33	52	65	28	25	15	8	7	6	1	2	2				1	
224	249	276	78	70	95	89	108	104	73	56	28	16	5		1	
37	65	52	18	11	13	13	6	7	4	2			1		1	
61	97	241	357	536	702	1,006	1,035	848	648	353	122	24	1		4	89
12	23	21	26	25	28	19	10	14	9	3	4	1			2	
25	57	85	132	169	251	391	486	492	447	278	111	31	5	1	3	
10	18	17	19	13	13	13	16	18	10	5	5	1	2		2	
897	1,388	1,865	3,085	4,619	5,876	8,254	9,439	9,905	9,247	6,574	3,100	838	146	35	50	90
230	380	496	705	823	651	615	613	568	427	286	162	66	28	18	24	
905	1,318	1,663	2,571	3,524	4,301	6,482	7,921	9,286	9,151	7,145	3,988	1,335	276	35	42	
263	390	510	640	740	586	624	538	471	356	283	150	86	42	42	30	
28	67	90	121	137	147	151	107	68	47	32	9	3			3	91a
19	31	41	44	25	20	11	10	5	3	4					2	
11	19	31	18	28	46	47	48	43	39	12	2	1	2			
7	10	13	16	9	3	5	6	3	1		3					
8	18	51	84	204	398	729	1,148	1,703	2,079	1,903	1,252	479	94	13	12	91b,c
3	5	7	16	27	36	42	53	85	95	63	26	20	13	10	3	
6	9	31	49	142	218	460	690	1,194	1,560	1,857	1,280	594	124	24	6	
	4	6	18	21	25	44	49	66	58	42	30	32	17	14	2	
16	32	50	58	91	92	108	95	85	56	39	27	3	1			92
1	1	3	5	5	4	1	3	3				1				
29	29	28	36	43	36	59	77	53	51	59	27	7	2			
3	5	4	2	5	2			1	1							
8	8	13	19	23	25	20	31	18	15	8	3	2				93
3	1	1	1		2		1		1							
12	21	19	22	36	47	43	35	16	23	9	3		1			
	1	2	3	2	2	2	4	1	2							
1	1	1	3		3	4	2	3	2	1	3					94
	2			2	1				1		1					
1		1	3		5	2	3	3	2	1	1					
	1	2							1							
	4	5	1	1	1	1	4	2	1	1	2	2				95
1	2	1	4	2	1	2	2	3	1		2					
4	1	1	1	2	3	5	3	2	5	1						
1			3	1		1			1	1	1					
1		2	2	1	2	7	4	6	6	2	2					96
	1		4	3			3	3	2	2						
1		2	3	2	1	4	6	3	6	2	1	2				
		4			1	2	1									
1,608	2,147	2,317	2,568	2,716	2,728	3,370	3,313	3,514	3,272	2,570	1,419	469	107	18	35	
443	561	487	505	412	278	279	226	211	143	122	38	27	17	11	29	
1,105	1,286	1,256	1,360	1,630	1,845	2,684	3,105	3,709	3,982	3,536	2,157	817	189	33	32	
278	318	298	265	291	260	233	210	165	138	114	66	44	20	22	13	
2	4	4	3	1	3	3	2	6	3	2	2	2				97a
	1	1		1	2	3		2	1				1			
1	4	1	5		2	1	1	1		3	3	3	2			
3	3		1		1	1			1	1						
27	31	21	25	19	18	6	5	3	4			1				97b
2				1					1							
10	9	12	10	8	10	7	6	4	1							
2	2		2	2												
7	9	5	6	6	9	6	4	7	11	3	4	1				98
	2	2		1	1											
5	5	6	3	6	3	8	9	7	5	6	3	2	1			
	2		1	1												
8	9	15	15	18	30	39	36	64	101	125	88	36	20	3		99a
3	6	7	5	2	3	6	1	1	1	1	1					
5	6	12	15	22	23	34	55	95	167	199	160	79	15	6		
3	1	6	2	5	5	3	2	6	4	2	4		1	1		
10	15	21	36	60	68	97	131	178	196	212	118	39	5	1	2	99b
5	3	2	3	3	4	8	4	7	7	6	3	1	1	1		
11	7	14	13	27	36	83	134	206	264	254	145	56	10	4		
2	2	5	6	1	7	6	11	9	9	5	4	1	1	1		

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	V.—DISEASES OF THE RESPIRATORY SYSTEM—Continued												
99c,d	Bronchitis (unspecified):												
	Males—White	911	318	56	19	10	2	405	6	6	6	1	2
	Colored	149	64	12	8	3	1	88	2		4	1	4
	Females—White	1,029	239	47	19	5	5	315	10	3	6	4	3
	Colored	139	53	16	3	2	1	75		2	1	6	3
100a	Bronchopneumonia:												
	Males—White	19,165	7,067	2,056	719	318	192	10,352	396	144	142	172	174
	Colored	2,741	1,250	441	131	58	30	1,910	52	33	37	63	52
	Females—White	18,316	5,380	1,771	650	309	160	8,270	322	170	148	148	199
	Colored	2,399	944	374	148	61	37	1,564	62	37	47	66	48
100b	Capillary bronchitis:												
	Males—White	535	330	51	26	14	7	428	4	1	1		
	Colored	104	65	12	11			88	1	2		1	
	Females—White	496	234	53	20	6	6	319	11	1	1		2
	Colored	89	49	16	1	3		69	2		1		
101a	Lobar pneumonia:												
	Males—White	24,300	2,068	908	425	185	126	3,712	416	292	680	725	783
	Colored	4,265	405	174	77	35	22	713	61	54	217	379	359
	Females—White	18,419	1,571	745	298	195	141	2,950	376	300	420	509	598
	Colored	2,672	314	136	73	37	15	575	57	59	129	189	198
101b	Pneumonia (unspecified):												
	Males—White	2,156	482	148	68	37	20	755	54	40	59	60	40
	Colored	741	260	56	31	11	4	362	18	20	25	39	29
	Females—White	1,918	425	115	58	35	17	650	35	34	37	37	50
	Colored	665	211	74	30	8	7	330	17	13	25	29	27
102	Pleurisy:												
	Males—White	1,361	104	91	62	26	19	302	56	27	49	58	65
	Colored	173	11	15	1	3		30	3	8	5	23	17
	Females—White	944	64	83	37	20	15	219	36	26	36	31	44
	Colored	121	8	4	5			17	4	4	5	18	10
103	Congestion and hemorrhagic infarct of the lung:												
	Males—White	646	92	8	4	4	1	109	6	1	3	3	7
	Colored	58	21	4		1		26				3	
	Females—White	719	74	16	3		2	95	6	4	3	7	4
	Colored	51	9	2			1	12	2		4		
104	Gangrene of the lung:												
	Males—White	99		2			1	3	1		3	4	3
	Colored	9									1		
	Females—White	34			2			2	2	1		1	1
	Colored	4											1
105	Asthma:												
	Males—White	933	11	10	9		2	32	15	3	4	3	5
	Colored	121	4	4		1	1	10	1				4
	Females—White	799	8	4	3		3	18	8	4	2	3	20
	Colored	142	2			1	2	5	1	2	3	4	5
106	Pulmonary emphysema:												
	Males—White	107	3	1				4	5		2	1	1
	Colored	2									1		
	Females—White	59	3					3	1	1	1		1
	Colored	6	1					1					
107	Other diseases of the respiratory system (tuberculosis excepted):												
	Males—White	613	26	8	1	3		38	7	7	13	16	14
	Colored	96	3	2		2		7			6	10	18
	Females—White	247	17	7	5	2	1	32	8	7	10	8	11
	Colored	72	5	2	1	2		10	1	5	6	7	5
	VI.—DISEASES OF THE DIGESTIVE SYSTEM												
	Males—White	44,056	13,121	3,265	1,160	522	382	18,450	1,179	1,011	1,079	1,033	1,061
	Colored	5,219	1,738	627	183	61	47	2,656	106	87	118	167	169
	Females—White	36,337	9,804	2,737	953	448	318	14,260	1,077	782	814	865	959
	Colored	4,759	1,480	495	157	61	37	2,230	117	96	145	206	238
108	Diseases of the mouth and annexa:												
	Males—White	318	46	7	5	2	8	68	14	15	11	12	14
	Colored	38	8	1				9	1	1	1	3	2
	Females—White	225	30	5	2	3	2	42	18	9	2	6	12
	Colored	40	11					11	2		1	2	2
109a	Adenoid vegetations:												
	Males—White	11	3	1	3			7	4				
	Colored	1	1					1					
	Females—White	3	1			1		2		1			
	Colored	1	1					1					
109b	Other diseases of the pharynx, tonsils:												
	Males—White	1,439	120	70	84	71	70	415	193	113	95	107	82
	Colored	116	10	11	3	8	8	40	14	7	7	6	8
	Females—White	1,265	71	49	60	67	51	298	197	114	102	83	80
	Colored	153	13	5	5	1	5	29	14	14	12	14	11
110	Diseases of the esophagus:												
	Males—White	60	8		1	2		11	2				
	Colored	4											
	Females—White	40	3	1			1	5	3				1
	Colored	4		1				1			1		
111a	Ulcer of the stomach:												
	Males—White	2,215	3		2			5	2	6	20	51	82
	Colored	188	1					1		1	3	8	11
	Females—White	983	6	2	2		2	12	5	3	15	40	49
	Colored	130			1			1	1	2	1	9	11
111b	Ulcer of the duodenum:												
	Males—White	929	7			1		8	2	2	7	29	51
	Colored	41	2					2				2	4
	Females—White	267	1				1	2	1	1	7	8	11
	Colored	17		1				1			1	3	2
112	Other diseases of the stomach (cancer excepted):												
	Males—White	2,424	753	97	39	21	22	932	38	13	10	11	20
	Colored	561	142	38	18	5	6	209	11	5	8	15	16
	Females—White	2,008	523	93	47	22	8	693	34	13	18	19	22
	Colored	621	119	21	17	8	5	170	11	5	13	21	28

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1923—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
4	11	10	11	15	18	25	32	56	89	101	71	36	5		1	99c,d
3	4	5	1	5	6	5	4	8	3	2	2	1		1		
3	8	13	4	15	23	22	37	73	128	155	127	65	13	1	1	
5	2	1	3	5	5	8	5	2	5	6	1	3		1		
248	350	361	429	465	552	737	873	1,022	1,105	918	516	160	39	5	5	100a
52	68	55	67	60	46	54	47	48	42	33	9	8		1	4	
213	291	272	267	356	447	761	971	1,291	1,498	1,424	850	312	84	12	10	
43	42	53	33	68	61	54	57	49	34	37	17	13	4	7	3	
2	3	1	4	3	8	6	8	12	18	18	12	4	1	1		100b
	2	2	2	1	1	2	1						1			
1	4	2	3	3	6	7	15	20	33	34	25	7	2			
2	2	2		1			1	2	3	2	1				1	
1,144	1,470	1,588	1,726	1,796	1,684	2,032	1,783	1,718	1,338	847	408	118	20	5	15	101a
336	423	344	364	273	167	161	134	112	63	53	17	10	7	4	14	
721	831	778	881	972	1,093	1,488	1,559	1,627	1,452	1,080	568	165	32	7	12	
177	204	176	168	163	134	121	99	74	50	36	24	18	8	7	6	
56	68	89	86	75	68	106	124	139	126	114	64	18	7	3	5	101b
19	29	25	19	28	21	20	18	17	14	16	3	3	4	3	9	
38	41	59	49	77	58	86	117	120	146	129	100	36	11	1	7	
23	24	23	14	23	23	22	14	12	16	12	6	4	4	3	1	
53	83	79	84	89	93	84	76	72	42	28	18	2			1	102
8	8	17	15	12	4	8	3	4	2	1	1	3	1			
51	37	40	36	58	55	53	53	57	53	35	15	7	2			
4	11	10	12	5	5	6	4	2	1	1		1	1			
7	9	17	15	21	16	22	38	55	82	102	84	41	7		1	103
2	3	3	2	2	6	1	2	4	2		2					
7	6	7	9	14	14	15	31	70	110	119	119	62	15	2		
1	5	4	3	2	3	3	4	1	1		3	2		1		
5	8	9	7	16	10	13	8	3	4	2						104
	1	2	2		1	1									1	
5	2	1	2	3	1	4	3	2	2		1	1				
2		1														
12	25	44	62	74	66	118	125	125	103	75	29	9			4	105
5	7	11	14	17	12	7	10	8	5	7		1	2			
15	23	25	46	55	60	91	101	107	97	77	31	14	2			
8	10	10	16	12	8	9	11	7	12	9	5	2	1	1	1	
3	3	3	4	4	10	6	15	19	12	12			2		1	106
															1	
1	1	1	1	1	1	5	2	8	9	11	4	6			1	
				1	2			1	1							
20	49	50	55	54	75	70	53	35	38	11	5	2	1			107
8	4	11	11	6	4	3	2		2	3				1		
18	11	13	16	13	13	19	11	21	17	10	6	2			1	
3	8	7	4	2	6		2		1	3	1				1	
1,275	1,605	1,743	2,013	2,253	2,193	2,296	2,103	1,749	1,480	935	406	136	22	5	29	
168	252	238	260	252	184	151	127	116	68	43	20	14	5	5	13	
1,140	1,321	1,343	1,495	1,820	1,797	1,858	1,787	1,694	1,462	1,052	528	218	38	11	16	
228	234	204	223	206	165	133	90	82	51	44	28	14	9	10	6	
10	14	17	28	27	24	17	19	10	6	8	2	2				108
5	3	3	1	4		2	1	1				1				
17	20	13	14	12	10	14	6	8	13	5	1	2	1			
6	2	3	2	4	1	1		2				1				
																109a
71	55	46	47	45	44	31	26	23	19	16	7	4				109b
3	5	9	2	3	3	1	5	1	1	1						
69	57	52	36	40	26	32	21	12	21	16	7	2				
13	6	8	8	5	5	5	3	2		1	1	1	1			
	1	2	2	5	8	8	5	6	5	4	1					110
	2	2														
	1	1	1	1	4	4	3	7	5	2	2					
	1	1														
146	193	222	236	289	227	236	194	127	99	54	20	4			2	111a
15	28	21	23	31	14	13	6	5	5	2	1					
47	56	74	83	109	89	93	88	84	61	44	24	4	2		1	
18	11	9	18	11	17	9	2	3	2		2		1	1	1	
81	88	102	116	115	97	86	76	36	20	9	2	1			1	111b
6	5	4	5	4	5	2	1		1							
20	20	26	28	36	33	21	21	18	5	7	1				1	
1	1	1		4	1	2										
38	64	74	98	115	128	142	168	156	167	147	51	38	5	2	7	112
22	38	38	41	35	32	25	26	21	12	3	2	1		1		
26	45	47	46	50	73	109	121	161	183	180	94	56	12	2	4	
25	34	52	64	49	37	29	29	20	10	13	6	3	2			

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR		All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	VI.—DISEASES OF THE DIGESTIVE SYSTEM—Continued													
113	Diarrhea and enteritis (under 2 years):													
	Males	White	14,244	11,367	2,877				14,244					
		Colored	2,040	1,489	551				2,040					
	Females	White	11,205	8,729	2,476				11,205					
		Colored	1,726	1,276	450				1,726					
114	Diarrhea and enteritis (2 years and over):													
	Males	White	2,833			834	271	120	1,225	178	69	35	43	32
		Colored	401			136	32	21	189	28	5	7	7	7
	Females	White	2,882			691	226	124	1,041	165	53	33	40	35
		Colored	480			110	40	16	166	30	11	14	24	18
115	Ancylostomiasis:													
	Males	White	8			1	1		2	2	1	2		
		Colored	1			1			1					
	Females	White	9		1	2			3	1	2		1	1
		Colored	2								1			
116	Diseases due to other intestinal parasites:													
	Males	White	26	1	5	3	2	1	12	7			1	2
		Colored	28	2	5	10	3	1	21	5				1
	Females	White	30	2	5	5	4	4	20	5				
		Colored	31	4	5	9	3	2	23	7				
117	Appendicitis and typhlitis:													
	Males	White	7,202	24	39	87	72	100	322	576	661	753	596	538
		Colored	592	4	5	1	7	5	22	23	51	60	73	59
	Females	White	4,850	12	12	66	68	86	244	496	507	486	399	357
		Colored	488	3		2	2	2	9	35	45	53	58	63
118a	Hernia:													
	Males	White	1,651	72	12	10	3	4	101	4	1	15	17	29
		Colored	189	10	2				12		1	1	10	10
	Females	White	1,424	14	1	2	1	2	20	4	1		4	7
		Colored	59	3	1	1			5	1				
118b	Intestinal obstruction:													
	Males	White	2,786	539	111	53	43	27	773	83	64	61	72	77
		Colored	323	44	9	10	1	4	68	13	6	10	21	18
	Females	White	2,590	292	54	41	26	15	428	50	19	51	70	134
		Colored	360	36	7	8	4	2	57	8	3	27	25	49
119	Other diseases of the intestines:													
	Males	White	512	47	8	8	8	9	80	14	5	10	11	9
		Colored	76	12	1	1	1		15	1		3	4	4
	Females	White	524	42	10	4	6	2	64	7	5	5	17	16
		Colored	98	5	1	2		1	9	1	2	5	11	10
120	Acute yellow atrophy of the liver:													
	Males	White	122	2	1	2	2		7	1	2	2	5	6
		Colored	17	3					3				3	
	Females	White	180	2	1	1		1	5		1	7	19	16
		Colored	13									2	1	2
121	Hydatid tumor of the liver:													
	Males	White	11		1				1					1
		Colored												
	Females	White	10								1			2
		Colored												
122	Cirrhosis of the liver:													
	Males	White	4,054	1	3	2	2	3	11	8	9	9	21	25
		Colored	332				1		1	2	2	5	2	11
	Females	White	2,095	4	2	2	4	4	16	8	11	9	12	14
		Colored	186							1			5	6
123	Biliary calculi:													
	Males	White	854					1	1			2	6	13
		Colored	26									1		1
	Females	White	2,467								1	10	28	71
		Colored	49											4
124	Other diseases of the liver:													
	Males	White	1,462	37	8	11	4	4	64	14	17	19	29	44
		Colored	135	5		1	1		7	4	2	7	6	7
	Females	White	2,252	25	11	10	5	1	52	22	10	19	54	71
		Colored	165	6	1			1	8	2	2	3	14	14
125	Diseases of the pancreas:													
	Males	White	233	2					2	2	2	2	2	9
		Colored	12										1	1
	Females	White	253	1			1	2	4	3	1	3	9	11
		Colored	7									1		
126	Peritonitis without specified cause:													
	Males	White	657	85	25	15	17	13	155	35	30	26	20	27
		Colored	98	5	4	2	2	2	15	4	6	5	6	9
	Females	White	773	44	14	18	14	12	102	58	29	47	56	49
		Colored	129	3	2	2	3	3	13	4	11	11	19	18
127	Other diseases of the digestive system (cancer and tuberculosis excepted):													
	Males	White	5	4					4		1			
		Colored												
	Females	White	2	2					2					
		Colored												
	VII.—NONVENEREAL DISEASES OF THE GENITO-URINARY SYSTEM AND ANNEXA													
	Males	White	44,335	317	72	90	73	55	607	226	210	269	370	525
		Colored	5,432	50	30	23	9	15	127	30	25	44	83	135
	Females	White	39,609	230	105	72	67	45	519	225	258	398	627	911
		Colored	5,098	34	17	20	13	8	92	24	35	97	184	281
128	Acute nephritis (including unspecified under 10 years):													
	Males	White	2,318	164	42	62	51	31	350	124	89	72	75	90
		Colored	512	34	19	13	6	11	83	19	10	15	20	23
	Females	White	1,968	127	58	46	40	27	298	112	80	81	82	90
		Colored	544	22	11	19	11	4	67	15	9	30	37	36
129	Chronic nephritis (including unspecified 10 years and over):													
	Males	White	35,803	9	11	17	12	17	66	80	109	177	249	374
		Colored	4,195	2	2	7	3	4	18	7	14	25	52	83
	Females	White	32,445	6	7	16	18	14	61	85	155	221	285	395
		Colored	3,589	1	3			3	7	6	18	34	68	123

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1923—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
																113
52	55	59	63	90	77	101	112	168	189	144	98	31	7	2	3	
13	14	11	11	19	19	15	11	16	9	8	1	5	2	2	2	114
55	52	44	69	66	70	113	153	229	240	220	134	56	9	3	2	
18	20	17	28	21	22	17	16	13	12	9	11	2	5	6		
							1									
																115
			1													
	1															
		1		2		1										
			1													116
	1	2	1	1												
1																
558	625	539	527	424	377	281	197	117	72	21	9	2			7	
34	74	56	37	37	22	14	16	7	2	3		1	1			117
353	355	303	278	297	241	239	123	88	42	29	10	1			2	
67	55	25	23	25	14	5	1	3	5	1					1	
35	61	73	96	122	147	192	196	183	202	110	47	17	3			
14	10	12	19	18	11	17	16	6	12	9	5	2	1	2	1	118a
21	44	78	96	175	187	204	186	162	134	59	27	11	1	2	1	
4	2	10	5	7	5	7	6	2	2	2	1					
97	101	125	148	172	166	186	180	163	162	103	42	8	1	1	1	
27	24	28	22	22	14	11	10	14	5	4	4				2	118b
122	159	156	158	172	147	148	180	193	188	122	62	24	6		1	
24	44	24	17	21	21	19	5	3	4	6		1			2	
15	24	23	29	36	35	41	40	39	38	38	17	7	1			
5	2	5	9	4	3	8	3	4		1	2	1	1		1	119
23	19	25	30	34	36	33	45	44	42	33	28	16	1	1		
12	11	5	7	5	4	7	3	2		2	1				1	
10	8	7	7	10	7	14	11	10	6	5	3				1	
2	1		1	1			2	3	1							120
13	16	23	15	13	11	11	6	10	8	6						
3			1		1		2	1								
	2	2	1		1	2				1						
																121
		1	1		2	2		1								
48	141	228	358	491	539	593	568	450	322	153	58	15	5		2	
7	25	22	61	42	44	31	20	28	13	7	2	3			4	122
57	77	101	135	202	223	236	295	279	203	140	58	14	2	1	2	
8	13	24	15	25	18	20	12	14	9	4	4	4		3	1	
20	30	60	87	91	120	126	119	86	46	33	12				2	
1	1	3	4	6	3	1	1	1		1	1				1	123
105	173	187	250	305	352	316	248	191	129	64	27	10				
	5	3	9	9	6	3	2	5	3							
52	98	107	101	139	125	170	147	129	94	77	28	5			3	
8	16	15	16	19	6	6	2	4	5	2	2				1	124
115	139	136	176	227	240	225	236	175	165	114	48	21	4	2	1	
19	20	10	15	13	10	7	7	10	2	5	2	2				
15	16	19	21	41	33	32	13	11	11	1	1					
2	1			4		3										125
24	25	25	34	38	19	23	22	5	5	1	1					
		3	2	1												
27	29	37	48	39	38	37	31	35	22	11	8	2				
4	3	9	7	3	8	2	7	5	2	2					1	126
73	62	49	43	42	34	35	33	27	18	10	4	1			1	
9	8	9	9	6	3	2	2	2	2	1						
																127
718	1,050	1,384	1,985	2,737	3,542	4,843	5,954	6,658	6,172	4,225	2,117	578	104	27	34	
150	226	298	439	574	471	566	562	582	489	325	149	79	30	20	28	
1,269	1,644	2,107	2,333	2,677	3,015	3,827	4,548	4,807	4,504	3,479	1,775	540	93	18	35	
357	441	506	513	482	395	417	346	320	219	164	103	60	17	25	20	
120	137	135	154	157	140	138	156	142	100	73	48	14			4	
25	28	39	45	49	29	40	32	23	13	8	5	2	1	1	2	128
111	121	129	102	109	104	103	113	129	85	70	34	12			3	
47	44	50	57	49	26	23	23	6	7	9	2	1	1	1	4	
506	817	1,121	1,680	2,368	3,061	4,116	4,964	5,473	5,038	3,359	1,660	456	84	21	24	
105	161	230	342	462	392	455	460	470	398	273	121	65	22	16	24	129
636	887	1,299	1,608	2,133	2,617	3,493	4,197	4,487	4,272	3,298	1,678	502	89	17	30	
165	239	320	357	378	335	364	307	302	202	153	99	58	16	23	15	

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	VII.—NONVENEREAL DISEASES OF THE GENITO-URINARY SYSTEM AND ANNEXA—Con.												
130	Chyluria:												
	Males—White	1	1					1					
	Colored												
	Females—White												
	Colored												
131	Other diseases of the kidneys and annexa:												
	Males—White	1,079	101	19	9	9	7	145	16	10	16	31	32
	Colored	164	9	8	2			19	4	1	2	5	8
	Females—White	955	86	39	9	9	4	147	21	9	23	33	49
	Colored	101	11	3	1	1	1	17	3	2	2	5	9
132	Calculi of the urinary passages:												
	Males—White	375	1		1			2	2	1	1	7	18
	Colored	28		1	1			2				1	4
	Females—White	215							4	1	1	7	9
	Colored	6											
133	Diseases of the bladder:												
	Males—White	672	8			1		9	4	1	1	3	4
	Colored	110	2					2			2	1	3
	Females—White	186	2	1	1			4	2		2		3
	Colored	22											2
134	Diseases of the urethra, etc.:												
	Males—White	179	1					1			2	2	5
	Colored	93										2	9
	Females—White	11									2		
	Colored	3										1	
135	Diseases of the prostate:												
	Males—White	3,837											1
	Colored	316										2	4
136	Nonvenereal diseases of the male genital organs:												
	Males—White	67	29		1			30				2	1
	Colored	14	3					3					1
137	Cysts, other benign tumors of the ovary:												
	Females—White	639									6	29	49
	Colored	85								1	3	9	8
138	Salpingitis and pelvic abscess (female):												
	Females—White	1,208								7	40	146	211
	Colored	315				1		1		4	19	49	60
139	Benign tumors of the uterus:												
	Females—White	1,302									4	10	41
	Colored	330										3	30
140	Nonpuerperal uterine hemorrhage:												
	Females—White	50								3	5	4	5
	Colored	9											2
141	Other diseases of the female genital organs:												
	Females—White	606							1	3	12	30	55
	Colored	93								1	9	12	11
142	Nonpuerperal diseases of the breast (cancer excepted):												
	Males—White	4	3					3				1	
	Colored												
	Females—White	24	9					9			1	1	4
	Colored	1											
	VIII.—THE PUERPERAL STATE												
	Females—White	11,561								12	924	2,276	2,702
	Colored	2,144								31	414	487	389
143	Accidents of pregnancy:												
	Females—White	1,226									58	183	322
	Colored	190								1	20	44	39
144	Puerperal hemorrhage:												
	Females—White	1,160									36	137	241
	Colored	162								3	6	30	32
145	Other accidents of labor:												
	Females—White	1,315								2	71	221	298
	Colored	312								6	49	65	52
146	Puerperal septicemia:												
	Females—White	4,397								7	380	1,007	1,105
	Colored	759								7	153	191	157
147	Puerperal phlegmasia alba dolens, embolus, etc.:												
	Females—White	566									28	107	121
	Colored	40									4	4	11
148	Puerperal albuminuria and convulsions:												
	Females—White	2,828								3	343	608	591
	Colored	676								14	182	153	97
149	Following childbirth (undefined):												
	Females—White	56									5	11	19
	Colored	5											1
150	Puerperal diseases of the breast:												
	Females—White	13									3	2	5
	Colored												
	IX.—DISEASES OF THE SKIN AND OF THE CELLULAR TISSUE												
	Males—White	1,742	289	25	15	7	6	342	18	28	38	41	34
	Colored	156	17	2	1	1		21	2	1	1	5	3
	Females—White	1,296	241	22	11	6	8	288	24	23	33	31	44
	Colored	127	10	1	2			13	1	2	2	6	3
151	Gangrene:												
	Males—White	728	17	2	5	4		28	3	2	3	2	3
	Colored	77	1					1	2			2	2
	Females—White	540	14	5	2	2	1	24	7	3	1	3	4
	Colored	78							1		2	2	
152	Furuncle:												
	Males—White	365	40	3	1	1	1	46	3	11	17	18	19
	Colored	11	1					1					
	Females—White	169	32	3		1		36	1	5	12	12	8
	Colored	8	2					2					

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1923—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No
																130
46	46	55	60	70	36	96	101	96	74	55	33	8	1	1	1	
8	11	8	15	19	5	10	9	13	16	4	5	2				
43	56	57	60	71	90	58	72	62	43	35	14	9	1		2	131
8	8	10	3	8	2	8	6	4	3	1		1			1	
21	24	30	34	42	31	39	54	31	18	17	3					
		2	2	2	4	4	2	2	2	1						
14	18	18	21	25	12	25	25	13	11	5	6					132
	1		1		3				1							
5	6	5	6	13	24	38	67	94	137	135	81	28	7	3	1	
2	3	3	7	15	8	7	14	12	13	9	4	1	3	1		
1	4	5	6	7	8	11	16	25	24	27	28	10	3			133
1	1	2	1	1	1	4	1	2	2	1	2			1		
10	10	16	19	20	26	26	19	4	8	9	2					
7	20	10	14	10	6	4	2	5	2	1		1				
	1	1	3	1	1		2									134
2																
7	6	20	30	66	171	383	588	815	794	576	290	72	12	2	4	
2	1	5	11	16	26	46	43	56	45	29	14	8	4	2	2	135
3	4	2	2	1	3	7	5	3	3	1						
1	2	1	3	1	1			1								136
65	80	63	59	64	56	45	37	31	29	20	4	2				
14	9	11	9	8	2	6	3	1	1							137
218	209	166	108	50	24	15	4	3	3	1	3					
69	55	29	18	6	4	1										138
160	189	274	300	163	55	35	46	37	25	16	6	1				
37	71	71	55	26	18	8	5	3	3							139
6	2	10	5	4	2	1	2		1							
2	1	1		2	1											140
73	75	83	61	49	45	41	34	20	11	7	2	3		1		
12	11	12	12	4	3	3	1	2								141
2	2	2		1	1							1				
	1															142
2,498	2,090	933	111	8	1										6	
353	316	122	25												7	
301	253	98	11													
39	36	9	1												1	143
261	298	167	16	4												
31	35	18	6												1	144
307	277	130	7												2	
59	58	18	3												2	145
936	666	257	33	2	1										3	
115	91	38	7													146
140	115	47	8													
7	10	4														147
545	469	230	36	2											1	
100	84	35	8												3	148
7	10	4														
2	2															149
1	2															
																150
41	48	68	60	67	89	98	149	124	164	164	117	39	11	1	1	
7	5	12	8	8	6	15	8	15	12	12	8	1	4		2	
26	35	30	55	51	40	53	75	101	119	118	92	40	14	4		
2	3	6	9	11	5	9	10	13	5	13	5	2	2	5		
5	8	11	12	19	23	39	77	87	125	132	103	34	11		1	
2	2	3	3	5	3	8	8	8	8	9	7	1	2		1	
3	5	4	16	13	12	23	43	68	92	93	76	34	12	4		151
1	1	2	2	8	3	6	8	12	5	13	4	2	1	5		
20	22	28	20	29	31	24	33	13	16	12	3					
1		1	1	1	1	1		2			1					
7	13	6	11	11	12	7	11	7	3	3	4				1	152
		1	1		2	2										

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	IX.—DISEASES OF THE SKIN AND OF THE CELLULAR TISSUE—Continued												
153	Acute abscess:												
	Males—White	337	76	10	6	1	5	98	12	12	12	17	10
	Colored	35	6	1	1			8		1	1	3	1
	Females—White	248	65	8	7	2	7	89	12	9	12	9	21
	Colored	27	4	1	2			7		2		2	3
154	Other diseases of the skin and annexa:												
	Males—White	312	156	10	3	1		170		3	6	4	2
	Colored	33	9	1		1		11					
	Females—White	339	130	6	2	1		139	4	6	8	7	11
	Colored	14	4					4				2	
	X.—DISEASES OF THE BONES AND OF THE ORGANS OF LOCOMOTION												
	Males—White	684	40	12	19	12	14	97	97	91	45	29	21
	Colored	56	4	1		1		6	6	6	4	6	6
	Females—White	426	26	17	13	8	17	81	61	55	19	12	19
	Colored	33	2	1		1		4	3	2	4	2	3
155	Diseases of the bones (tuberculosis excepted):												
	Males—White	564	26	10	18	10	12	76	86	84	40	24	20
	Colored	39	3	1		1		5	6	6	2	3	3
	Females—White	325	20	15	12	7	16	70	58	46	15	9	15
	Colored	22	1	1		1		3	2	1	2	2	2
156	Diseases of the joints (tuberculosis and rheumatism excepted):												
	Males—White	91	9	1	1	2	1	14	9	6	5	4	1
	Colored	10	1					1				3	3
	Females—White	77	3	2	1	1	1	8	3	8	4	3	3
	Colored	8	1					1	1	1	2		1
157	Amputations:												
	Males—White	3								1			
	Colored	1									1		
	Females—White	2											
	Colored												
158	Other diseases of the organs of locomotion:												
	Males—White	26	5	1			1	7	2			1	
	Colored	6									1		
	Females—White	22	3					3		1			1
	Colored	3											
	XI.—MALFORMATIONS												
	Males—White	7,101	6,593	174	79	44	30	6,920	73	41	25	16	11
	Colored	359	321	11	5	3	2	342	10	4	1	2	
	Females—White	5,452	5,035	167	58	24	19	5,303	74	28	23	6	6
	Colored	278	245	14	10		2	271	4	2		1	
159a	Congenital hydrocephalus:												
	Males—White	600	438	60	21	20	12	551	25	10	8	2	1
	Colored	47	30	4	3	1	2	40	5	2			
	Females—White	562	447	54	17	6	7	531	16	7	4		2
	Colored	49	30	6	5		2	43	4	2			
159b	Congenital malformations of the heart:												
	Males—White	4,354	4,121	76	40	14	11	4,262	33	26	13	8	6
	Colored	213	205	4	2			211	1			1	
	Females—White	3,076	2,873	74	29	13	8	2,997	39	14	14	5	3
	Colored	165	154	6	4			164				1	
159c	Other congenital malformations:												
	Males—White	2,147	2,034	38	18	10	7	2,107	15	5	4	6	4
	Colored	99	86	3		2		91	4	2	1	1	
	Females—White	1,814	1,715	39	12	5	4	1,775	19	7	5	1	1
	Colored	64	61	2	1			64					
	XII.—EARLY INFANCY												
	Males—White	29,293	29,293					29,293					
	Colored	3,354	3,354					3,354					
	Females—White	21,593	21,593					21,593					
	Colored	2,661	2,661					2,661					
160	Congenital debility, icterus, sclerema:												
	Males—White	3,870	3,870					3,870					
	Colored	649	649					649					
	Females—White	2,744	2,744					2,744					
	Colored	543	543					543					
161a	Premature birth:												
	Males—White	17,763	17,763					17,763					
	Colored	2,046	2,046					2,046					
	Females—White	13,789	13,789					13,789					
	Colored	1,709	1,709					1,709					
161b	Injury at birth:												
	Males—White	5,096	5,096					5,096					
	Colored	293	293					293					
	Females—White	3,217	3,217					3,217					
	Colored	170	170					170					
162	Other diseases peculiar to early infancy:												
	Males—White	2,509	2,509					2,509					
	Colored	344	344					344					
	Females—White	1,807	1,807					1,807					
	Colored	221	221					221					
163	Lack of care:												
	Males—White	55	55					55					
	Colored	22	22					22					
	Females—White	36	36					36					
	Colored	18	18					18					
164	XIII.—OLD AGE (SENILITY)												
	Males—White	3,973											
	Colored	903											
	Females—White	5,503											
	Colored	1,028											

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1923—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
13	12	20	21	12	20	24	24	12	7	5	4	2				153
4	2	6	3		1	2		1	2							
10	9	6	12	13	9	7	8	6	8	5	2	1				
1		3	5	2		1							1			
3	6	9	7	7	15	11	15	12	16	15	7	3		1		154
	1	2	1	2	1	4		4	2	3			2			
6	8	14	16	14	7	16	13	20	16	17	10	5	2			
	2		1	1			2	1			1					
29	30	22	31	28	30	39	26	23	22	15	6	2			1	
4	3	5	1	2	5	1					1					
16	15	16	20	16	14	11	26	17	17	4	3	3	1			
1	1	1	1		2	3	2	2	2							
24	25	18	26	23	17	30	22	15	17	11	4	1			1	155
3	2	4		1	3	1										
8	10	8	14	9	7	7	17	10	14	3	2	2	1			
1	1	1	1		1	2	1		2							
3	5	4	2	3	12	7	4	4	3	3	2					156
	1	1			1											
5	5	6	6	5	6	3	5	5	2							
					1			1								
					1			1								157
				1			1									
2			3	2		2		3	2	1		1				158
1			1	1	1						1					
3		2		1	1	1	3	2	1	1	1	1				
						1	1	1								
3	3	6	1		2											
4	2	1	4		1											
1	2															159a
			2													
	1	4			1											159b
3	1															
2		2	1		1											159c
1	1	1	2		1											
																160
																161a
																161b
																162
																163
				1	10	43	100	345	710	1,027	970	581	148	35	3	164
				2	2	8	24	106	119	194	157	128	54	102	7	
				3	11	44	127	431	815	1,497	1,400	871	243	54	7	
		1		7	3	15	27	112	121	202	155	162	75	142	6	

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	XIV.—EXTERNAL CAUSES												
	Males—White	56,364	904	819	785	650	602	3,760	2,718	2,390	3,394	4,122	4,373
	Colored	7,144	169	121	115	74	69	548	247	312	602	892	924
	Females—White	20,499	705	627	571	532	486	2,921	1,407	666	904	964	975
	Colored	2,296	153	108	95	89	79	524	190	75	166	239	223
	Suicide:												
	Males—White	7,658							4	21	108	337	526
	Colored	234									8	21	29
	Females—White	2,557								12	159	256	274
	Colored	76									9	14	16
165	By poisons (gas excepted)—												
166	Males—White	833								1	10	51	75
	Colored	23									1	4	2
	Females—White	726								1	82	130	112
	Colored	25									5	8	5
167	By poisonous gas—												
	Males—White	944								1	8	33	54
	Colored	19									1	1	2
	Females—White	525									15	32	56
	Colored	7										1	1
168	By hanging or strangulation—												
	Males—White	1,528							1	12	20	33	67
	Colored	30									1	3	1
	Females—White	378									7	15	18
	Colored	6										1	
169	By drowning—												
	Males—White	390								1	2	13	20
	Colored	18											2
	Females—White	258								2	5	13	16
	Colored	10									2	1	1
170	By firearms—												
	Males—White	3,082							3	6	64	180	248
	Colored	98									4	10	19
	Females—White	375								9	45	52	45
	Colored	12									2		5
171	By cutting or piercing instruments—												
	Males—White	580									2	12	34
	Colored	23										1	1
	Females—White	93									2	1	3
	Colored	5											
172	By jumping from high places—												
	Males—White	182									1	7	20
	Colored	15									1		2
	Females—White	134									2	8	17
	Colored	8										2	3
173	By crushing—												
	Males—White	77										5	7
	Colored	4										1	
	Females—White	28									1	2	4
	Colored												
174	By other means—												
	Males—White	42									1	3	1
	Colored	4										1	
	Females—White	40										3	3
	Colored	3										1	1
	Homicide:												
	Males—White	3,300	74	3	5	2	4	88	19	40	141	391	513
	Colored	2,288	5	2	1	1		9	7	23	127	395	466
	Females—White	842	54	10	5	8	5	82	20	13	78	126	127
	Colored	514	8		1	1	2	12	4	5	65	123	110
197	By firearms—												
	Males—White	2,483	1		3	1		5	9	30	111	332	418
	Colored	1,746	1	1	1	1		4	6	17	96	294	364
	Females—White	411	1	4	2	3	3	13	6	6	40	58	68
	Colored	329			1		2	3	2	3	46	82	63
198	By cutting or piercing instruments—												
	Males—White	272	2		1		1	4	1	2	13	34	48
	Colored	343							1	3	17	70	79
	Females—White	64	2	1	1	2		6	2	2	6	7	7
	Colored	118							1		17	34	32
199	By other means—												
	Males—White	545	71	3	1	1	3	79	9	8	17	25	47
	Colored	199	4	1				5		3	14	31	23
	Females—White	367	51	5	2	3	2	63	12	5	32	61	52
	Colored	67	8			1		9	1	2	2	7	15
	Accidental or undefined:												
	Males—White	45,406	830	816	780	648	598	3,672	2,695	2,329	3,145	3,394	3,334
	Colored	4,622	164	119	114	73	69	539	240	289	467	476	429
	Females—White	17,100	651	617	566	524	481	2,839	1,387	641	667	582	574
	Colored	1,706	145	108	94	88	77	512	186	70	92	102	97
175	Poisoning by food—												
	Males—White	342	37	28	22	16	16	119	18	15	11	13	17
	Colored	63	4	2	5	2	3	16	2	3	5	1	2
	Females—White	344	42	34	22	18	11	127	18	11	16	12	15
	Colored	68	8	7	3	1	1	20		1	5	3	1
176	Poisoning by venomous animals—												
	Males—White	41	3	2	2	1	2	10	8	1	2	3	
	Colored	3							1	1			
	Females—White	29	6	2	2	2	2	14	5	1	1		2
	Colored	4	2					2	1				
177	Other acute poisonings (gas excepted)—												
	Males—White	748	32	113	76	30	15	266	16	8	12	26	31
	Colored	100	1	23	18	4	5	51	6	3	2	5	4
	Females—White	476	33	83	38	19	13	186	11	8	23	34	41
	Colored	88	6	17	16	5	4	48	4	1	5	8	6
178	Conflagration—												
	Males—White	696	18	26	28	27	27	126	53	27	19	26	42
	Colored	114	7	6	7	6	9	35	17	4	5	5	7
	Females—White	449	23	16	23	13	23	98	62	34	17	23	22
	Colored	103	9	7	7	7	4	34	8	7	6	3	6

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1923—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
4,361	4,871	4,303	4,125	3,940	3,254	3,041	2,526	1,885	1,413	972	510	170	46	8	182	
737	766	520	469	352	195	145	141	77	50	38	19	12	4	7	87	
946	947	882	861	876	838	953	987	1,160	1,377	1,383	888	436	88	12	28	
164	122	97	69	77	49	65	44	48	33	47	23	10	16	11	4	
630	834	794	876	839	723	691	523	340	234	106	38	10	1	1	22	
21	39	24	27	27	20	3	7	5	2						1	
284	262	256	257	213	194	167	85	62	46	18	8	1		1	2	
11	9	9	2	2	1	1				1			1			
73	95	80	97	100	83	65	45	24	23	7	1	1	1		1	165
4	1	3	1	2			2	2	1							166
95	72	63	50	31	36	29	15	5	4	1						
4	2	1														
73	88	96	111	128	107	95	66	32	30	17	4				1	
2	2	5	3	2	1											167
49	47	57	76	52	43	38	26	14	11	7	2					
1	1	2			1											
107	155	153	169	170	171	154	138	83	49	28	13	3		1	1	
1	3	2	2	4	7	1	3	2								168
36	42	48	43	52	40	30	13	19	10	3	2					
1	1		1	1						1						
23	40	43	50	45	40	38	24	22	15	7	5				2	
	5	1	2	2	4	1			1							169
24	22	20	29	29	25	35	14	11	8	4					1	
1	1	2	1			1										
285	338	310	346	307	249	266	198	141	87	37	8	1			8	
11	14	8	13	11	5	1	1								1	170
53	45	30	28	28	15	12	4	3	5						1	
2	1	2														
35	83	71	67	62	53	57	34	28	23	8	4	4			3	
1	6	4	4	2	2		1	1								171
8	9	14	11	7	13	10	4	5	4	1	1					
2	2	1														
23	20	27	25	16	9	9	13	4	3	1	2	1			1	
1	7			3	1											172
10	12	18	14	10	16	9	7	3	3	2	1	1		1		
	1			1									1			
7	12	10	6	8	7	3	1	4	2		1				4	
	1	1	1													173
5	4	3	2	1	3	1	1	1								
4	3	4	5	3	4	4	4	2	2	1					1	
1			1	1												174
4	9	3	4	3	3	3	1	1	1		2					
		1														
484	465	367	271	211	108	74	58	24	19	4	4	1			18	
366	357	194	156	93	33	20	11	2	2		1	1			25	
116	77	63	44	35	16	19	7	10	4	1	1				3	
75	47	32	18	7	6	6		4								
403	371	273	205	150	66	43	31	9	9	2	1				15	
305	267	142	117	70	21	12	6	2	2			1			20	197
50	51	36	28	23	10	10	3	5	1						3	
59	30	21	7	5	3	2		3								
32	34	42	17	14	10	5	7	7	2							
46	56	30	17	11	4	3	2				1				3	198
8	4	7	5	1	4	3	1	1								
11	9	5	6	1	1	1										
49	60	52	49	47	32	26	20	8	8	2	3	1			3	
15	34	22	22	12	8	5	3								2	199
58	22	20	11	11	2	6	3	4	3	1	1					
5	8	6	5	1	2	3		1								
3,247	3,572	3,142	2,978	2,890	2,423	2,276	1,945	1,521	1,160	862	468	159	45	7	142	
350	370	302	286	232	142	122	123	70	46	38	18	11	4	7	61	
546	608	563	560	628	628	767	895	1,088	1,327	1,364	879	435	88	11	23	
78	66	56	49	68	42	58	44	44	33	46	23	10	15	11	4	
9	18	8	15	13	20	14	14	14	12	9	2				1	
1	5	5	5	5	2	2	5	2	1					1		175
13	20	19	10	14	13	13	15	11	11	5	1					
4	7	3	3	10	3	4	1	2		1						
	3	2	2	2	3		1	1		2	1					
			1													176
	1		1	3					1							
1																
44	64	64	50	45	46	29	18	9	7	6	6				1	
8	9	6	1	2		1									2	177
38	34	29	17	17	11	13	4	4	2	2	1				1	
2	3	5	1	2	1	2										
42	51	39	34	46	38	31	37	35	15	17	7	1			10	
3	1	1	8	5	3	5	2	3	2	2	1	1		1	3	178
17	27	19	17	11	14	13	11	22	17	12	7	1	2		3	
4	5	2	2	4	1	7	5	2		4	2		1			

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND C LOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	XIV.—EXTERNAL CAUSES—Continued												
	Accidental or undefined—Continued												
179	Burns (conflagration excepted)—												
	Males—White	2,210	86	270	317	202	119	994	146	58	63	98	102
	Colored	377	20	48	49	29	16	162	33	13	21	22	17
	Females—White	2,808	71	225	255	281	229	1,061	407	96	75	93	100
	Colored	583	19	42	49	61	53	224	101	32	19	28	12
180	Mechanical suffocation—												
	Males—White	528	301	5	1		2	309	15	16	18	16	16
	Colored	97	73	1	1			75		1	2	3	3
	Females—White	253	226	5	1			232	1	2			1
	Colored	59	55					55					1
181	Absorption of irrespirable, irritating, or poisonous gas—												
	Males—White	1,555	12	8	1	8	3	32	14	17	47	77	77
	Colored	82	2	2			1	5	1	3	1	4	9
	Females—White	637	14	2	2	6	2	26	6	17	30	39	31
	Colored	21			2			2				1	3
182	Drowning—												
	Males—White	4,426	17	99	91	47	59	313	409	546	631	502	320
	Colored	554	3	8	8	3	5	27	31	79	108	94	42
	Females—White	623	12	66	41	18	9	146	64	85	94	40	37
	Colored	55	3	12	5	1	2	23	6	6	6	1	2
183	Traumatism by firearms (except in war)—												
	Males—White	1,548	2	7	9	12	14	44	100	274	357	162	121
	Colored	421	1	1	3	6	5	16	30	73	86	52	47
	Females—White	208	2	2	8	5	5	22	39	29	29	19	9
	Colored	111	1	2	4	4	5	16	14	9	12	23	13
184	Traumatism by cutting or piercing instruments—												
	Males—White	319	5	6	4	6	1	22	27	17	17	16	12
	Colored	52		1	2	1		4	1	3	4	4	3
	Females—White	113	5		1	5	2	13	9	6	4	3	
	Colored	20	1					1		1	3		1
185	Traumatism by fall—												
	Males—White	5,942	61	63	57	30	29	240	152	135	170	200	247
	Colored	328	13	11	8	2	2	36	11	17	13	12	18
	Females—White	5,188	35	56	51	22	23	187	67	38	31	28	24
	Colored	187	15	9	2	4	2	32	10	6	3	4	11
186a	Traumatism in mines—												
	Males—White	1,888								4	127	206	278
	Colored	84									3	9	18
	Females—White												
	Colored												
186b	Traumatism in quarries—												
	Males—White	83							1	1	7	10	6
	Colored	17							1		2	1	4
	Females—White	1							1				
	Colored												
187	Traumatism by machines—												
	Males—White	1,770		2	5	4	3	14	37	40	171	200	181
	Colored	215				1		1	3	2	33	31	27
	Females—White	63		1	1	3	3	8	5	3	8	1	1
	Colored	8									2	1	3
188a	Railroad accidents—												
	Males—White	5,253	5	16	13	12	15	61	116	154	388	494	554
	Colored	536	1	1	2	2	1	7	7	11	57	63	81
	Females—White	736	9	8	11	9	9	46	42	46	65	63	50
	Colored	40			1			1	2		3	2	5
188b	Street-car accidents—												
	Males—White	1,244	6	5	14	12	12	49	44	33	49	74	96
	Colored	56			1	2	1	4	7		3	1	4
	Females—White	372	3	4	11	7	9	34	15	8	20	19	21
	Colored	17	1					1				2	1
188c	Automobile accidents—												
	Males—White	9,496	27	37	72	176	215	527	1,243	617	610	703	644
	Colored	600	2	3	1	8	12	26	57	40	44	65	54
	Females—White	3,287	21	33	54	97	110	315	540	183	213	176	169
	Colored	171	2		1	2	3	8	27	4	20	19	16
188d	Airplane and balloon accidents—												
	Males—White	124									2	27	48
	Colored	1										1	
	Females—White	2										1	
	Colored												
188e, 188f	Injuries by other vehicles—												
	Males—White	1,218	4	3	14	12	23	56	91	94	86	79	76
	Colored	104				1	1	2	8	5	7	9	6
	Females—White	177	7	6	6	5	9	33	16	10	9	6	10
	Colored	16				1		1	1				3
188g	Landslide, other crushing—												
	Males—White	537	1	2	3	2	2	10	10	24	28	60	54
	Colored	61	1	1				2	2	2	6	10	8
	Females—White	24	2		2	1	1	6	3	4	3	1	2
	Colored												
189	Injuries by animals (not poisoning)—												
	Males—White	485	2	6	5	7	10	30	45	35	16	9	14
	Colored	38			1	2		3	2	5	4	3	3
	Females—White	58	2	2	1		2	7	13	3		1	1
	Colored	6	1					1	2				
190	Wounds of war—												
	Males—White	3											3
	Colored												
	Females—White												
	Colored												
192	Starvation (deprivation of food or water)—												
	Males—White	12							2				
	Colored												
	Females—White	3											
	Colored												

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1923—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
87	124	94	70	72	52	61	53	52	35	28	13	5			3	179
7	10	12	11	16	5	7	8	8	9	8	3	4	1			
83	93	81	80	73	68	82	92	85	94	77	40	20	5	2	1	
16	12	7	13	18	14	10	14	14	7	15	8	4	5	6	4	
27	28	20	23	15	7	10	5		3							180
4	3	2	3			1										
1	1	2	2		2	1	2	2	2	1	1					
2							1									
101	123	135	150	187	149	147	111	84	56	25	17	2	3		1	181
11	11	4	7	4	7	2	8	3	1	1						
33	30	32	40	39	51	69	44	62	49	24	13	2				
1	1	4	2		1	1	1	2	1		1					
299	301	276	214	198	134	105	67	37	25	10	6	1			32	182
35	42	22	20	11	13	2	8	2	2	1	1	1		1	12	
27	30	24	16	18	12	7	10	4	2	2					5	
1			2	1	1		2	1		1	1		1			
99	92	71	59	48	40	33	20	12	9	2					5	183
34	31	9	17	9	3	4	2	1							7	
15	11	8	4	11	5	1	3		3							
5	8	5	3	1		1	1									
21	11	26	21	24	28	25	26	14	6	5	1					184
2	4	4	3	5	3	2	2	2	1	2				2	1	
8	6	10	6	9	8	8	7	4	7	5						
3	2	4		1		2		1		1						
282	388	369	413	406	385	435	372	391	427	465	305	122	32	4	2	185
27	33	25	28	21	18	17	22	9	8	6	5	1			1	
37	63	59	89	117	128	250	391	595	888	1,038	705	370	72	7	4	
9	6	3	9	10	11	14	7	9	11	12	7	3	6	4		
260	289	214	184	145	78	55	27	15	1						5	186a
6	15	10	11	6		1									5	
9	12	4	12	5	6	4	3	1	1	1						186b
1	2		2	2	2											
195	189	142	167	146	90	78	66	31	11	8	1				3	187
27	15	26	20	7	8	7	4	1		1					2	
5	2	6	10	2	3	1	5	1	1	1						
			1	1												
498	541	474	419	381	332	267	248	146	78	43	13	2	2	1	41	188a
61	54	52	40	34	19	8	13	6	4	1	1	1			16	
62	45	44	40	51	41	34	27	38	24	12	3	1			2	
5	6	1	1	3	2	5		1	2	1						
102	121	106	85	100	90	81	78	53	46	24	8	3			2	188b
11	4	4	4	5	1	2	4		1		1					
24	22	18	18	24	31	29	28	26	23	8	3				1	
1		2	1	2			2	1	1	3						
596	659	604	587	560	489	475	425	349	241	116	42	2	1	1	5	188c
51	49	56	38	34	22	27	10	8	5	4	2	2	1	1	4	
147	174	160	158	180	194	181	186	148	88	48	18	5	1		3	
12	11	14	4	8	6	7	6	3	5	1						
24	15	4			1										3	188d
															1	
74	63	61	59	74	97	86	88	68	51	13	1	1				188e 188f
7	11	6	9	9	4	5	7	3	2	2			1		1	
1	9	12	11	4	11	13	12	9	6	4	1					
2			2	2		1			1	2		1				
51	53	65	57	37	27	26	13	11	6	2					3	188g
3	6	5	4	4	3	2	2	2								
1		1		1		1	1									
19	19	23	29	44	47	36	55	34	14	13	1	2				189
2	1	1	3	1	3	1	2		1	2					1	
2	3		5	3	5	2	2	2	5	3					1	
				1		1		1								
																190
		2		1	1	1	3		1	1						192
			1					1			1					

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR		All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	XIV.—EXTERNAL CAUSES—Continued													
	Accidental or undefined—Continued													
193	Excessive cold—													
	Males	White	137			1		1	2	1		4	2	4
		Colored	27									2	1	2
	Females	White	25	1					1	2	4			
		Colored	6	1					1					
194	Excessive heat—													
	Males	White	285	33	10	2			45	2			4	7
		Colored	69	10	1	2	1		14		1	2	3	6
	Females	White	118	25	9	1	1		36	1	2	4	1	3
		Colored	22	6	3				9					1
195	Lightning—													
	Males	White	272	1					1	7	32	45	26	27
		Colored	57			1		2	3	6	7	6	8	3
	Females	White	49							6	13	4	4	3
		Colored	15							3		4	3	1
196	Other accidental electric shocks—													
	Males	White	812							18	30	89	132	135
		Colored	35								1	7	5	2
	Females	White	23							2	1	4	1	3
		Colored	2									1		1
201	Fracture (cause not specified)—													
	Males	White	498	3		3	2	3	11	11	12	13	22	23
		Colored	51		1				1		2	3	7	9
	Females	White	420	2	1		1	3	7	3	5	3	4	2
		Colored	15			1		1	2	2	2			
202	Other external violence—													
	Males	White	2,923	174	108	40	42	27	391	109	139	163	207	198
		Colored	480	26	9	5	3	6	49	14	13	41	57	50
	Females	White	613	110	62	35	11	16	234	49	32	14	13	27
		Colored	88	15	9	3	2	2	31	5	1	3	3	10
203	Violent deaths of unknown causation—													
	Males	White	11											1
		Colored												
	Females	White	1											
		Colored	1										1	
	XV.—ILL-DEFINED DISEASES													
	Males	White	4,433	1,787	183	48	23	12	2,053	42	34	51	38	54
		Colored	3,341	1,451	176	66	28	23	1,744	49	39	66	69	65
	Females	White	3,445	1,490	172	51	21	12	1,746	31	24	31	49	40
		Colored	3,134	1,193	166	58	27	14	1,458	75	53	62	101	81
204	Sudden death:													
	Males	White	453	102	8	2	3		115	1	1	3	5	4
		Colored	203	40	9	1			50	3	2	3	3	6
	Females	White	282	69	6	1	1		77	2	2	1	4	
		Colored	199	29	2	4		3	38		4	2	9	5
205a	Ill-defined:													
	Males	White	1,477	282	113	18	8	5	426	21	21	15	10	19
		Colored	755	173	69	20	7	6	275	15	4	13	16	16
	Females	White	1,096	244	96	28	7	7	382	9	9	11	22	17
		Colored	679	121	79	14	6	2	222	23	11	18	25	19
205b	Not specified or unknown:													
	Males	White	2,503	1,403	62	28	12	7	1,512	20	12	33	23	31
		Colored	2,383	1,238	98	45	21	17	1,419	31	33	50	50	43
	Females	White	2,067	1,177	70	22	13	5	1,287	20	13	19	23	23
		Colored	2,256	1,043	85	40	21	9	1,198	52	38	42	67	57

NOTE.—For populations, see Table I, p. 12. For States included, see Table A, p. 7.

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1923—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
7	9	11	10	19	13	15	12	11	8	4	5					193
1	1		2	2	1	4	2	3	1	2	2		1			
	1	1	2	1		3	1	2	1	4	1				1	
								1		1	1	1		1		
12	24	9	24	32	23	23	19	23	19	11	3	3	2			194
3	8	3	4	6	4	3	3	5	2		1				1	
4	3	2	2	8	6	3	6	10	10	7	6	4				
2		1		1		2	2	2	1	1						
19	35	16	14	17	8	10	8	5	1						1	195
3	3	4	6	2	1	2			1			1			1	
7	2	3	1	2		2	1		1							
2		1	1													
130	77	61	42	37	31	14	5	5	1	2					3	196
3	4	2	4	2	3			1							1	
2	1	2	1	2	1	1				2						
25	36	40	30	39	34	43	30	30	30	35	18	9	3		4	201
3	4	3	5	4	3	2	2	1		2						
2	2	6	3	11	6	22	31	46	74	93	64	30	5	1		
				1				1	2	1	2	1	1			
215	223	200	206	197	154	172	141	89	56	20	18	6	2	1	16	202
36	44	40	30	36	14	15	17	10	5	4	1			1	3	
16	28	25	26	27	18	18	16	16	18	16	14	2	3	1		
6	5	4	4	2	2	1	2	3	2	2	1		1			
	4	2	2					1							1	203
1																
66	105	83	126	167	175	263	314	328	246	138	77	29	9	2	33	
63	64	86	111	120	105	116	152	135	110	104	36	26	19	27	35	
56	76	48	81	77	91	139	209	223	184	181	81	43	9	9	17	
85	100	106	125	105	93	105	127	116	75	91	52	37	11	47	29	
9	14	17	10	31	16	46	56	53	40	18	6	4	2		2	204
1	2	9	16	15	14	20	15	17	12	6	4	2	1	1	1	
5	9	6	12	9	12	16	34	24	27	29	9	2	2			
5	10	9	17	11	18	10	17	10	7	14	6	4		3		
20	49	28	62	65	102	123	147	151	113	59	28	6	4	1	7	205a
17	20	31	43	45	41	39	61	38	30	29	8	1	3	4	6	
21	27	23	35	42	48	74	94	96	79	60	29	10	1	3	4	
23	32	33	39	36	25	32	51	26	19	22	8	5	2	3	5	
37	42	38	54	71	57	94	111	124	93	61	43	19	3	1	24	205b
45	42	46	52	60	50	57	76	80	68	69	24	23	15	22	28	
30	40	19	34	26	31	49	81	103	78	92	43	31	6	6	13	
57	58	64	69	58	50	63	59	80	49	55	38	28	9	41	24	

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) AND CRUDE AND ADJUSTED DEATH RATES PER 100,000 POPULATION, FROM CERTAIN CAUSES, BY AGE, SEX, AND COLOR, IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1923

[Populations and deaths at unknown age are distributed only in computing adjusted rates. For explanation of these rates, see p. 10]

SEX AND AGE	DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1923					
	Number			Rate per 100,000 estimated population		
	Total	White	Colored	Total	White	Colored
	ALL CAUSES (EXCLUSIVE OF STILLBIRTHS)					
BOTH SEXES						
All ages	1,109,386	980,294	129,092			
Adjusted rate				1,188.4	1,125.4	1,933.9
Crude rate				1,240.0	1,193.5	1,761.7
Under 1 year	154,039	132,583	21,456	8,634.6	8,120.1	14,190.5
1 to 4 years	62,270	52,860	9,410	814.3	750.7	1,554.1
Under 5 years	216,309	185,443	30,866	2,293.7	2,137.9	4,079.1
5 to 9 years	22,600	20,014	2,586	241.3	234.6	310.7
10 to 14 years	16,638	14,189	2,449	191.3	180.0	300.2
15 to 19 years	26,485	20,933	5,552	354.9	310.1	780.7
20 to 24 years	34,529	26,544	7,985	462.4	393.6	1,102.8
25 to 34 years	75,475	60,967	14,508	514.0	450.7	1,254.0
35 to 44 years	91,634	76,133	15,501	738.7	669.8	1,493.3
45 to 54 years	113,746	97,906	15,840	1,209.2	1,126.9	2,204.6
55 to 64 years	145,872	133,688	12,184	2,437.2	2,357.8	3,864.0
65 to 74 years	175,351	164,933	10,418	5,641.9	5,609.7	6,206.8
75 years and over	189,278	178,624	10,654	14,086.9	14,091.2	14,015.3
Unknown	1,469	920	549			
MALES						
All ages	590,981	523,914	67,067			
Adjusted rate				1,258.8	1,199.2	1,951.7
Crude rate				1,302.0	1,256.5	1,814.7
Under 1 year	87,036	75,229	11,807	9,651.8	9,097.8	15,770.4
1 to 4 years	33,177	28,253	4,924	857.2	791.7	1,632.6
Under 5 years	120,213	103,482	16,731	2,519.1	2,354.2	4,444.2
5 to 9 years	12,278	11,011	1,267	259.8	255.5	304.8
10 to 14 years	9,106	7,945	1,161	207.7	199.7	286.2
15 to 19 years	13,237	10,847	2,390	358.6	323.6	704.6
20 to 24 years	16,962	13,172	3,790	472.8	405.1	1,127.3
25 to 34 years	38,284	31,141	7,143	520.7	457.7	1,301.9
35 to 44 years	50,502	42,403	8,099	783.6	717.4	1,515.8
45 to 54 years	64,076	55,472	8,604	1,277.1	1,207.4	2,034.6
55 to 64 years	81,286	74,841	6,445	2,588.0	2,527.8	3,575.3
65 to 74 years	93,713	88,050	5,663	5,914.8	5,896.8	6,209.2
75 years and over	90,413	84,964	5,449	14,421.7	14,396.9	14,818.7
Unknown	911	586	325			
FEMALES						
All ages	518,405	456,380	62,025			
Adjusted rate				1,124.0	1,057.7	1,916.9
Crude rate				1,176.3	1,128.5	1,707.8
Under 1 year	67,003	57,354	9,649	7,594.9	7,116.9	12,640.8
1 to 4 years	29,093	24,607	4,486	770.4	708.6	1,476.2
Under 5 years	96,096	81,961	14,135	2,062.8	1,915.7	3,717.6
5 to 9 years	10,322	9,003	1,319	222.5	213.2	316.5
10 to 14 years	7,532	6,244	1,288	174.6	159.9	314.0
15 to 19 years	13,248	10,086	3,162	351.3	296.7	850.1
20 to 24 years	17,567	13,372	4,195	452.8	382.9	1,081.6
25 to 34 years	37,191	29,826	7,365	507.2	443.6	1,210.9
35 to 44 years	41,132	33,730	7,402	690.1	618.2	1,469.5
45 to 54 years	49,670	42,434	7,236	1,131.6	1,036.6	2,447.8
55 to 64 years	64,586	58,847	5,739	2,270.7	2,172.0	4,249.3
65 to 74 years	81,638	76,883	4,755	5,368.2	5,313.3	6,204.1
75 years and over	98,865	93,660	5,205	13,794.1	13,824.9	13,262.5
Unknown	558	334	224			
	TYPHOID AND PARATYPHOID FEVER					
BOTH SEXES						
All ages	5,756	4,442	1,314			
Adjusted rate				6.6	5.5	17.8
Crude rate				6.4	5.4	17.9
Under 1 year	41	26	15	2.3	1.6	9.9
1 to 4 years	227	165	62	3.0	2.3	10.2
Under 5 years	268	191	77	2.8	2.2	10.2
5 to 9 years	406	292	114	4.3	3.4	13.7
10 to 14 years	568	398	170	6.5	5.0	20.8
15 to 19 years	947	690	257	12.7	10.2	36.1
20 to 24 years	854	620	234	11.4	9.2	32.3
25 to 34 years	994	807	187	6.8	6.0	16.2
35 to 44 years	713	594	119	5.7	5.2	11.5
45 to 54 years	497	407	90	5.3	4.7	12.5
55 to 64 years	309	275	34	5.2	4.9	10.8
65 to 74 years	154	133	21	5.0	4.5	12.5
75 years and over	36	29	7	2.7	2.3	9.2
Unknown	10	6	4			

SEX AND AGE	DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1923					
	Number			Rate per 100,000 estimated population		
	Total	White	Colored	Total	White	Colored
	TYPHOID AND PARATYPHOID FEVER—continued					
MALES						
All ages	3,293	2,626	667			
Adjusted rate				7.5	6.5	18.3
Crude rate				7.3	6.3	18.0
Under 1 year	25	15	10	2.8	1.8	13.4
1 to 4 years	111	82	29	2.9	2.3	9.6
Under 5 years	136	97	39	2.8	2.2	10.4
5 to 9 years	195	147	48	4.1	3.4	11.5
10 to 14 years	267	191	76	6.1	4.8	18.7
15 to 19 years	508	377	131	13.8	11.2	38.6
20 to 24 years	517	395	122	14.4	12.1	36.3
25 to 34 years	576	489	87	7.8	7.2	15.9
35 to 44 years	461	387	74	7.2	6.5	13.8
45 to 54 years	314	266	48	6.3	5.8	11.4
55 to 64 years	200	177	23	6.4	6.0	12.8
65 to 74 years	95	82	13	6.0	5.5	14.3
75 years and over	18	15	3	2.9	2.5	8.2
Unknown	6	3	3			
FEMALES						
All ages	2,463	1,816	647			
Adjusted rate				5.7	4.6	17.3
Crude rate				5.6	4.5	17.8
Under 1 year	16	11	5	1.8	1.4	6.6
1 to 4 years	116	83	33	3.1	2.4	10.9
Under 5 years	132	94	38	2.8	2.2	10.0
5 to 9 years	211	145	66	4.5	3.4	15.8
10 to 14 years	301	207	94	7.0	5.3	22.9
15 to 19 years	439	313	126	11.6	9.2	33.9
20 to 24 years	337	225	112	8.7	6.4	28.9
25 to 34 years	418	318	100	5.7	4.7	16.4
35 to 44 years	252	207	45	4.2	3.8	8.9
45 to 54 years	183	141	42	4.2	3.4	14.2
55 to 64 years	109	98	11	3.8	3.6	8.1
65 to 74 years	59	51	8	3.9	3.5	10.4
75 years and over	18	14	4	2.5	2.1	10.2
Unknown	4	3	1			
	MEASLES					
BOTH SEXES						
All ages	9,768	8,615	1,153			
Adjusted rate				11.7	11.2	16.8
Crude rate				10.9	10.5	15.7
Under 1 year	2,410	2,109	301	135.1	129.2	199.1
1 to 4 years	5,167	4,619	548	67.6	65.6	90.5
Under 5 years	7,577	6,728	849	80.3	77.6	112.2
5 to 9 years	956	859	97	10.2	10.1	11.7
10 to 14 years	283	230	53	3.3	2.9	6.5
15 to 19 years	268	200	68	3.6	3.0	9.6
20 to 24 years	152	116	36	2.0	1.7	5.0
25 to 34 years	161	134	27	1.1	1.0	2.3
35 to 44 years	115	105	10	0.9	0.9	1.0
45 to 54 years	97	90	7	1.0	1.0	1.0
55 to 64 years	58	58		1.0	1.0	
65 to 74 years	54	51	3	1.7	1.7	1.8
75 years and over	38	37	1	2.8	2.9	1.3
Unknown	9	7	2			
MALES						
All ages	5,085	4,494	591			
Adjusted rate				12.1	11.6	17.5
Crude rate				11.2	10.8	16.0
Under 1 year	1,314	1,155	159	145.7	139.7	212.4
1 to 4 years	2,771	2,466	305	71.6	69.1	101.1
Under 5 years	4,085	3,621	464	85.6	82.4	123.3
5 to 9 years	505	457	48	10.7	10.6	11.5
10 to 14 years	125	108	17	2.9	2.7	4.2
15 to 19 years	133	105	28	3.6	3.1	8.3
20 to 24 years	79	59	20	2.2	1.8	5.9
25 to 34 years	44	37	7	0.6	0.5	1.3
35 to 44 years	30	27	3	0.5	0.5	0.6
45 to 54 years	24	23	1	0.5	0.5	0.2
55 to 64 years	23	23		0.7	0.8	
65 to 74 years	26	25	1	1.6	1.7	1.1
75 years and over	5	4	1	0.8	0.7	2.7
Unknown	6	5	1			

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) AND CRUDE AND ADJUSTED DEATH RATES PER 100,000 POPULATION, FROM CERTAIN CAUSES, BY AGE, SEX, AND COLOR, IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1923—Continued

[Populations and deaths at unknown age are distributed only in computing adjusted rates. For explanation of these rates, see p. 10]

SEX AND AGE	DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1923					
	Number			Rate per 100,000 estimated population		
	Total	White	Colored	Total	White	Colored
	MEASLES—continued					
FEMALES						
All ages	4,683	4,121	562			
Adjusted rate				11.3	10.8	16.2
Crude rate				10.6	10.2	15.5
Under 1 year	1,096	954	142	124.2	118.4	186.0
1 to 4 years	2,396	2,153	243	63.4	62.0	80.0
Under 5 years	3,492	3,107	385	75.0	72.6	101.3
5 to 9 years	451	402	49	9.7	9.5	11.8
10 to 14 years	158	122	36	3.7	3.1	8.8
15 to 19 years	135	95	40	3.6	2.8	10.8
20 to 24 years	73	57	16	1.9	1.6	4.1
25 to 34 years	117	97	20	1.6	1.4	3.3
35 to 44 years	85	78	7	1.4	1.4	1.4
45 to 54 years	73	67	6	1.7	1.6	2.0
55 to 64 years	35	35		1.2	1.3	
65 to 74 years	28	26	2	1.8	1.8	2.6
75 years and over	33	33		4.6	4.9	
Unknown	3	2	1			
	SCARLET FEVER					
BOTH SEXES						
All ages	3,230	3,159	71			
Adjusted rate				3.8	4.1	1.0
Crude rate				3.6	3.8	1.0
Under 1 year	140	134	6	7.8	8.2	4.0
1 to 4 years	1,349	1,324	25	17.6	18.8	4.1
Under 5 years	1,489	1,458	31	15.8	16.8	4.1
5 to 9 years	813	796	17	8.7	9.3	2.0
10 to 14 years	288	276	12	3.3	3.5	1.5
15 to 19 years	181	180	1	2.4	2.7	0.1
20 to 24 years	134	130	4	1.8	1.9	0.6
25 to 34 years	197	194	3	1.3	1.4	0.3
35 to 44 years	80	78	2	0.6	0.7	0.2
45 to 54 years	31	30	1	0.3	0.3	0.1
55 to 64 years	9	9		0.2	0.2	
65 to 74 years	5	5		0.2	0.2	
75 years and over	3	3		0.2	0.2	
Unknown						
MALES						
All ages	1,592	1,560	32			
Adjusted rate				3.7	4.0	0.9
Crude rate				3.5	3.7	0.9
Under 1 year	79	76	3	8.8	9.2	4.0
1 to 4 years	724	712	12	18.7	20.0	4.0
Under 5 years	803	788	15	16.8	17.9	4.0
5 to 9 years	410	402	8	8.7	9.3	1.9
10 to 14 years	138	132	6	3.1	3.3	1.5
15 to 19 years	85	85		2.3	2.5	
20 to 24 years	40	39	1	1.1	1.2	0.3
25 to 34 years	63	62	1	0.9	0.9	0.2
35 to 44 years	31	31		0.5	0.5	
45 to 54 years	12	11	1	0.2	0.2	0.2
55 to 64 years	6	6		0.2	0.2	
65 to 74 years	2	2		0.1	0.1	
75 years and over	2	2		0.3	0.3	
Unknown						
FEMALES						
All ages	1,638	1,599	39			
Adjusted rate				3.9	4.2	1.1
Crude rate				3.7	4.0	1.1
Under 1 year	61	58	3	6.9	7.2	3.9
1 to 4 years	625	612	13	16.6	17.6	4.3
Under 5 years	686	670	16	14.7	15.7	4.2
5 to 9 years	403	394	9	8.7	9.3	2.2
10 to 14 years	150	144	6	3.5	3.7	1.5
15 to 19 years	96	95	1	2.5	2.8	0.3
20 to 24 years	94	91	3	2.4	2.6	0.8
25 to 34 years	134	132	2	1.8	2.0	0.3
35 to 44 years	49	47	2	0.8	0.9	0.4
45 to 54 years	19	19		0.4	0.5	
55 to 64 years	3	3		0.1	0.1	
65 to 74 years	3	3		0.2	0.2	
75 years and over	1	1		0.1	0.1	
Unknown						

SEX AND AGE	DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1923					
	Number			Rate per 100,000 estimated population		
	Total	White	Colored	Total	White	Colored
	WHOOPING COUGH					
BOTH SEXES						
All ages	8,782	6,956	1,826			
Adjusted rate				10.6	9.1	27.3
Crude rate				9.8	8.5	24.9
Under 1 year	4,892	3,946	946	274.2	241.7	625.7
1 to 4 years	3,516	2,732	784	46.0	38.8	129.5
Under 5 years	8,408	6,678	1,730	89.2	77.0	228.6
5 to 9 years	291	215	76	3.1	2.5	9.1
10 to 14 years	27	20	7	0.3	0.3	0.9
15 to 19 years	15	12	3	0.2	0.2	0.4
20 to 24 years	8	5	3	0.1	0.1	0.4
25 to 34 years	4	3	1	(1)	(1)	0.1
35 to 44 years	1	1		(1)	(1)	
45 to 54 years	5	3	2	0.1	(1)	0.3
55 to 64 years	2	2		(1)	(1)	
65 to 74 years	8	7	1	0.3	0.2	0.6
75 years and over	7	7		0.5	0.6	
Unknown	6	3	3			
MALES						
All ages	4,076	3,241	835			
Adjusted rate				9.7	8.4	25.1
Crude rate				9.0	7.8	22.6
Under 1 year	2,371	1,912	459	262.9	231.2	613.1
1 to 4 years	1,552	1,214	338	40.1	34.0	112.1
Under 5 years	3,923	3,126	797	82.2	71.1	211.7
5 to 9 years	116	85	31	2.5	2.0	7.5
10 to 14 years	14	13	1	0.3	0.3	0.2
15 to 19 years	4	4		0.1	0.1	
20 to 24 years	6	3	3	0.2	0.1	0.9
25 to 34 years						
35 to 44 years						
45 to 54 years	2	1	1	(1)	(1)	0.2
55 to 64 years						
65 to 74 years	4	4		0.3	0.3	
75 years and over	4	4		0.6	0.7	
Unknown	3	1	2			
FEMALES						
All ages	4,706	3,715	991			
Adjusted rate				11.5	9.9	29.5
Crude rate				10.7	9.2	27.3
Under 1 year	2,521	2,034	487	285.8	252.4	638.0
1 to 4 years	1,964	1,518	446	52.0	43.7	146.8
Under 5 years	4,485	3,552	933	96.3	83.0	245.4
5 to 9 years	175	130	45	3.8	3.1	10.8
10 to 14 years	13	7	6	0.3	0.2	1.5
15 to 19 years	11	8	3	0.3	0.2	0.8
20 to 24 years	2	2		0.1	0.1	
25 to 34 years	4	3	1	0.1	(1)	0.2
35 to 44 years	1	1		(1)	(1)	
45 to 54 years	3	2	1	0.1	(1)	0.3
55 to 64 years	2	2		0.1	0.1	
65 to 74 years	4	3	1	0.3	0.2	1.3
75 years and over	3	3		0.4	0.4	
Unknown	3	2	1			
	DIPHTHERIA					
BOTH SEXES						
All ages	11,044	10,461	583			
Adjusted rate				13.1	13.5	8.4
Crude rate				12.3	12.7	8.0
Under 1 year	799	670	129	44.8	41.0	85.3
1 to 4 years	5,465	5,216	249	71.5	74.1	41.1
Under 5 years	6,264	5,886	378	66.4	67.9	50.0
5 to 9 years	3,148	3,009	139	33.6	35.3	16.7
10 to 14 years	760	737	23	8.7	9.4	2.8
15 to 19 years	249	243	6	3.3	3.6	0.8
20 to 24 years	147	135	12	2.0	2.0	1.7
25 to 34 years	160	150	10	1.1	1.1	0.9
35 to 44 years	122	115	7	1.0	1.0	0.7
45 to 54 years	101	99	2	1.1	1.1	0.3
55 to 64 years	52	50	2	0.9	0.9	0.6
65 to 74 years	23	22	1	0.7	0.7	0.6
75 years and over	13	11	2	1.0	0.9	2.6
Unknown	5	4	1			

[1] Less than one-tenth of 1 per 100,000 population.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) AND CRUDE AND ADJUSTED DEATH RATES PER 100,000 POPULATION, FROM CERTAIN CAUSES, BY AGE, SEX, AND COLOR, IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1923—Continued

[Populations and deaths at unknown age are distributed only in computing adjusted rates. For explanation of these rates, see p. 10]

SEX AND AGE	DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1923					
	Number			Rate per 100,000 estimated population		
	Total	White	Colored	Total	White	Colored
	DIPHTHERIA—continued					
MALES						
All ages	5,581	5,307	274			
Adjusted rate				13.1	13.6	8.0
Crude rate				12.3	12.7	7.4
Under 1 year	467	398	69	51.8	48.1	92.2
1 to 4 years	2,876	2,753	123	74.3	77.1	40.8
Under 5 years	3,343	3,151	192	70.1	71.7	51.0
5 to 9 years	1,522	1,463	59	32.2	33.9	14.2
10 to 14 years	366	359	7	8.3	9.0	1.7
15 to 19 years	121	119	2	3.3	3.6	0.6
20 to 24 years	58	54	4	1.6	1.7	1.2
25 to 34 years	51	46	5	0.7	0.7	0.9
35 to 44 years	44	41	3	0.7	0.7	0.6
45 to 54 years	42	41	1	0.8	0.9	0.2
55 to 64 years	17	17		0.5	0.6	
65 to 74 years	11	10	1	0.7	0.7	1.1
75 years and over	4	4		0.6	0.7	
Unknown	2	2				
FEMALES						
All ages	5,463	5,154	309			
Adjusted rate				13.1	13.5	8.8
Crude rate				12.4	12.7	8.5
Under 1 year	332	272	60	37.6	33.8	78.6
1 to 4 years	2,589	2,463	126	68.6	70.9	41.5
Under 5 years	2,921	2,735	186	62.7	63.9	48.9
5 to 9 years	1,626	1,546	80	35.1	36.6	19.2
10 to 14 years	394	378	16	9.1	9.7	3.9
15 to 19 years	128	124	4	3.4	3.6	1.1
20 to 24 years	89	81	8	2.3	2.3	2.1
25 to 34 years	109	104	5	1.5	1.5	0.8
35 to 44 years	78	74	4	1.3	1.4	0.8
45 to 54 years	59	58	1	1.3	1.4	0.3
55 to 64 years	35	33	2	1.2	1.2	1.5
65 to 74 years	12	12		0.8	0.8	
75 years and over	9	7	2	1.3	1.0	5.1
Unknown	3	2	1			
	TUBERCULOSIS (ALL FORMS)					
BOTH SEXES						
All ages	84,701	67,684	17,017			
Adjusted rate				92.2	79.4	231.5
Crude rate				94.7	82.4	232.2
Under 1 year	1,521	1,257	264	85.3	77.0	174.6
1 to 4 years	2,796	2,194	602	36.6	31.2	99.4
Under 5 years	4,317	3,451	866	45.8	39.8	114.4
5 to 9 years	1,305	967	338	13.9	11.3	40.6
10 to 14 years	1,656	1,074	582	19.0	13.6	71.3
15 to 19 years	6,546	4,558	1,988	87.7	67.5	279.6
20 to 24 years	10,991	7,969	3,022	147.2	118.2	417.4
25 to 34 years	19,960	15,535	4,425	135.9	114.8	382.5
35 to 44 years	15,123	12,293	2,830	121.9	108.1	272.6
45 to 54 years	10,722	9,088	1,634	114.0	104.6	227.4
55 to 64 years	7,374	6,592	782	123.2	116.3	248.0
65 to 74 years	4,755	4,404	351	153.0	149.8	209.1
75 years and over	1,834	1,686	148	136.5	133.0	194.7
Unknown	118	67	51			
MALES						
All ages	44,973	36,605	8,368			
Adjusted rate				95.2	83.3	228.7
Crude rate				99.1	87.8	226.4
Under 1 year	823	689	134	91.3	83.3	179.0
1 to 4 years	1,459	1,139	320	37.7	31.9	106.1
Under 5 years	2,282	1,828	454	47.8	41.6	120.6
5 to 9 years	715	542	173	15.1	12.6	41.6
10 to 14 years	594	392	202	13.5	9.9	49.8
15 to 19 years	2,186	1,509	677	59.2	45.0	199.6
20 to 24 years	4,625	3,304	1,321	128.9	101.6	392.9
25 to 34 years	9,944	7,815	2,129	135.2	114.9	388.0
35 to 44 years	9,113	7,522	1,591	141.4	127.3	297.8
45 to 54 years	7,070	6,053	1,017	140.9	131.7	240.5
55 to 64 years	4,754	4,271	483	151.4	144.3	267.9
65 to 74 years	2,754	2,534	220	173.8	169.7	241.2
75 years and over	874	799	75	139.4	135.4	204.0
Unknown	62	36	26			

SEX AND AGE	DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1923					
	Number			Rate per 100,000 estimated population		
	Total	White	Colored	Total	White	Colored
	TUBERCULOSIS (ALL FORMS)—continued					
FEMALES						
All ages	39,728	31,079	8,649			
Adjusted rate				89.8	76.1	234.9
Crude rate				90.1	76.9	238.1
Under 1 year	698	568	130	79.1	70.5	170.3
1 to 4 years	1,337	1,055	282	35.4	30.4	92.8
Under 5 years	2,035	1,623	412	43.7	37.9	108.4
5 to 9 years	590	425	165	12.7	10.1	39.6
10 to 14 years	1,062	682	380	24.6	17.5	92.6
15 to 19 years	4,360	3,049	1,311	115.6	89.7	352.5
20 to 24 years	6,366	4,665	1,701	164.1	133.6	438.6
25 to 34 years	10,016	7,720	2,296	136.6	114.8	377.5
35 to 44 years	6,010	4,771	1,239	100.8	87.4	246.0
45 to 54 years	3,652	3,035	617	83.2	74.1	208.7
55 to 64 years	2,620	2,321	299	92.1	85.7	221.4
65 to 74 years	2,001	1,870	131	131.3	129.2	170.9
75 years and over	960	887	73	133.9	130.9	186.0
Unknown	56	31	25			
	CANCER AND OTHER MALIGNANT TUMORS					
BOTH SEXES						
All ages	81,505	77,346	4,159			
Adjusted rate				83.7	84.6	68.0
Crude rate				91.1	94.2	56.8
Under 1 year	71	67	4	4.0	4.1	2.6
1 to 4 years	264	245	19	3.5	3.5	3.1
Under 5 years	335	312	23	3.6	3.6	3.0
5 to 9 years	174	162	12	1.9	1.9	1.4
10 to 14 years	146	135	11	1.7	1.7	1.3
15 to 19 years	258	241	17	3.5	3.6	2.4
20 to 24 years	364	315	49	4.9	4.7	6.8
25 to 34 years	2,223	1,923	300	15.1	14.2	25.9
35 to 44 years	7,243	6,490	753	58.4	57.1	72.5
45 to 54 years	14,876	13,745	1,131	158.1	158.2	157.4
55 to 64 years	21,423	20,564	859	357.9	362.7	272.4
65 to 74 years	21,308	20,685	623	685.6	703.5	371.2
75 years and over	13,080	12,718	362	973.5	1,003.3	476.2
Unknown	75	56	19			
MALES						
All ages	35,695	34,332	1,363			
Adjusted rate				71.3	73.3	40.0
Crude rate				78.6	82.3	36.9
Under 1 year	37	33	4	4.1	4.0	5.3
1 to 4 years	142	134	8	3.7	3.8	2.7
Under 5 years	179	167	12	3.8	3.8	3.2
5 to 9 years	94	87	7	2.0	2.0	1.7
10 to 14 years	76	71	5	1.7	1.8	1.2
15 to 19 years	142	136	6	3.8	4.1	1.8
20 to 24 years	181	167	14	5.0	5.1	4.2
25 to 34 years	778	714	64	10.6	10.5	11.7
35 to 44 years	2,233	2,065	168	34.6	34.9	31.4
45 to 54 years	5,580	5,226	354	111.2	113.7	83.7
55 to 64 years	9,771	9,441	330	311.1	318.9	183.1
65 to 74 years	10,509	10,256	253	663.3	686.9	277.4
75 years and over	6,117	5,972	145	975.7	1,011.9	394.3
Unknown	35	30	5			
FEMALES						
All ages	45,810	43,014	2,796			
Adjusted rate				95.0	94.8	92.9
Crude rate				103.9	106.4	77.0
Under 1 year	34	34		3.9	4.2	
1 to 4 years	122	111	11	3.2	3.2	3.6
Under 5 years	156	145	11	3.3	3.4	2.9
5 to 9 years	80	75	5	1.7	1.8	1.2
10 to 14 years	70	64	6	1.6	1.6	1.5
15 to 19 years	116	105	11	3.1	3.1	3.0
20 to 24 years	183	148	35	4.7	4.2	9.0
25 to 34 years	1,445	1,209	236	19.7	18.0	38.8
35 to 44 years	5,010	4,425	585	84.1	81.1	116.1
45 to 54 years	9,296	8,519	777	211.8	208.1	262.8
55 to 64 years	11,652	11,123	529	409.7	410.5	391.7
65 to 74 years	10,799	10,429	370	708.8	720.7	482.8
75 years and over	6,963	6,746	217	971.5	995.8	552.9
Unknown	40	26	14			

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) AND CRUDE AND ADJUSTED DEATH RATES PER 100,000 POPULATION, FROM CERTAIN CAUSES, BY AGE, SEX, AND COLOR, IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1923—Continued

[Populations and deaths at unknown age are distributed only in computing adjusted rates. For explanation of these rates, see p. 10]

SEX AND AGE	DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1923					
	Number			Rate per 100,000 estimated population		
	Total	White	Colored	Total	White	Colored
	DIABETES MELLITUS					
BOTH SEXES						
All ages	16,352	15,604	748			
Adjusted rate				17.2	17.5	12.1
Crude rate				18.3	19.0	10.2
Under 1 year	20	20		1.1	1.2	
1 to 4 years	124	122	2	1.6	1.7	0.3
Under 5 years	144	142	2	1.5	1.6	0.3
5 to 9 years	164	159	5	1.8	1.9	0.6
10 to 14 years	282	270	12	3.2	3.4	1.5
15 to 19 years	291	282	9	3.9	4.2	1.3
20 to 24 years	285	271	14	3.8	4.0	1.9
25 to 34 years	705	649	56	4.8	4.8	4.8
35 to 44 years	1,055	936	119	8.5	8.2	11.5
45 to 54 years	2,381	2,188	193	25.3	25.2	26.9
55 to 64 years	4,535	4,374	161	75.8	77.1	51.1
65 to 74 years	4,472	4,364	108	143.9	148.4	64.3
75 years and over	2,022	1,956	66	150.5	154.3	86.8
Unknown	16	13	3			
MALES						
All ages	7,120	6,819	301			
Adjusted rate				14.5	14.9	8.7
Crude rate				15.7	16.4	8.1
Under 1 year	11	11		1.2	1.3	
1 to 4 years	81	80	1	2.1	2.2	0.3
Under 5 years	92	91	1	1.9	2.1	0.3
5 to 9 years	83	81	2	1.8	1.9	0.5
10 to 14 years	123	118	5	2.8	3.0	1.2
15 to 19 years	167	161	6	4.5	4.8	1.8
20 to 24 years	154	151	3	4.3	4.6	0.9
25 to 34 years	375	354	21	5.1	5.2	3.8
35 to 44 years	484	446	38	7.5	7.5	7.1
45 to 54 years	976	891	85	19.5	19.4	20.1
55 to 64 years	1,817	1,758	59	57.8	59.4	32.7
65 to 74 years	1,909	1,862	47	120.5	124.7	51.5
75 years and over	933	899	34	148.8	152.3	92.5
Unknown	7	7				
FEMALES						
All ages	9,232	8,785	447			
Adjusted rate				19.4	19.7	15.1
Crude rate				20.9	21.7	12.3
Under 1 year	9	9		1.0	1.1	
1 to 4 years	43	42	1	1.1	1.2	0.3
Under 5 years	52	51	1	1.1	1.2	0.3
5 to 9 years	81	78	3	1.7	1.8	0.7
10 to 14 years	159	152	7	3.7	3.9	1.7
15 to 19 years	124	121	3	3.3	3.6	0.8
20 to 24 years	131	120	11	3.4	3.4	2.8
25 to 34 years	330	295	35	4.5	4.4	5.8
35 to 44 years	571	490	81	9.6	9.0	16.1
45 to 54 years	1,405	1,297	108	32.0	31.7	36.5
55 to 64 years	2,718	2,616	102	95.6	96.6	75.5
65 to 74 years	2,563	2,502	61	168.2	172.9	79.6
75 years and over	1,089	1,057	32	151.9	156.0	81.5
Unknown	9	6	3			
	DIARRHEA AND ENTERITIS					
BOTH SEXES						
All ages	35,811	31,164	4,647			
Adjusted rate				42.7	40.3	70.3
Crude rate				40.0	37.9	63.4
Under 1 year	22,861	20,096	2,765	1,281.5	1,230.8	1,828.7
1 year	6,354	5,353	1,001	330.8	301.4	691.6
Under 2 years	29,215	25,449	3,766	788.6	746.6	1,272.6
2 to 4 years	2,621	2,266	355	45.8	43.0	77.0
5 to 9 years	401	343	58	4.3	4.0	7.0
10 to 14 years	138	122	16	1.6	1.5	2.0
15 to 44 years	705	535	170	1.7	1.4	4.7
45 to 64 years	801	649	152	5.2	4.5	14.7
65 years and over	1,923	1,795	128	43.2	42.7	52.5
Unknown	7	5	2			

SEX AND AGE	DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1923					
	Number			Rate per 100,000 estimated population		
	Total	White	Colored	Total	White	Colored
	DIARRHEA AND ENTERITIS—continued					
MALES						
All ages	19,518	17,077	2,441			
Adjusted rate				46.2	43.8	73.7
Crude rate				43.0	41.0	66.0
Under 1 year	12,856	11,367	1,489	1,425.7	1,374.7	1,988.8
1 year	3,428	2,877	551	362.1	319.1	765.3
Under 2 years	16,284	14,244	2,040	868.4	824.1	1,389.0
2 to 4 years	1,414	1,225	189	48.8	45.9	82.3
5 to 9 years	206	178	28	4.4	4.1	6.7
10 to 14 years	74	69	5	1.7	1.7	1.2
15 to 44 years	335	276	59	1.6	1.4	3.4
45 to 64 years	395	331	64	4.8	4.4	10.6
65 years and over	805	751	54	36.4	36.0	42.2
Unknown	5	3	2			
FEMALES						
All ages	16,293	14,087	2,206			
Adjusted rate				39.2	36.8	66.6
Crude rate				37.0	34.8	60.7
Under 1 year	10,005	8,729	1,276	1,134.1	1,083.2	1,671.6
1 year	2,926	2,476	450	308.9	283.2	618.6
Under 2 years	12,931	11,205	1,726	706.9	666.9	1,157.8
2 to 4 years	1,207	1,041	166	42.7	40.1	71.8
5 to 9 years	195	165	30	4.2	3.9	7.2
10 to 14 years	64	53	11	1.5	1.4	2.7
15 to 44 years	370	259	111	1.8	1.4	5.9
45 to 64 years	406	318	88	5.6	4.7	20.4
65 years and over	1,118	1,044	74	49.9	49.1	63.9
Unknown	2	2				
	ACUTE AND CHRONIC NEPHRITIS					
BOTH SEXES						
All ages	81,374	72,534	8,840			
Adjusted rate				82.9	78.8	140.9
Crude rate				91.0	88.3	120.6
Under 1 year	365	306	59	20.5	18.7	39.0
1 to 4 years	585	469	116	7.7	6.7	19.2
Under 5 years	950	775	175	10.1	8.9	23.1
5 to 9 years	448	401	47	4.8	4.7	5.6
10 to 14 years	484	433	51	5.6	5.5	6.3
15 to 19 years	655	551	104	8.8	8.2	14.6
20 to 24 years	868	691	177	11.6	10.2	24.4
25 to 34 years	2,929	2,322	607	19.9	17.2	52.5
35 to 44 years	5,757	4,646	1,111	46.4	40.9	107.0
45 to 54 years	10,050	8,311	1,739	106.8	95.7	242.0
55 to 64 years	15,436	13,772	1,664	257.9	242.9	527.7
65 to 74 years	21,284	19,661	1,623	684.8	668.7	967.0
75 years and over	22,407	20,910	1,497	1,667.6	1,619.5	1,969.3
Unknown	106	61	45			
MALES						
All ages	42,828	38,121	4,707			
Adjusted rate				87.4	83.2	144.7
Crude rate				94.4	91.4	127.4
Under 1 year	209	173	36	23.2	20.9	48.1
1 to 4 years	308	243	65	8.0	6.8	21.6
Under 5 years	517	416	101	10.8	9.5	26.8
5 to 9 years	230	204	26	4.9	4.7	6.3
10 to 14 years	222	198	24	5.1	5.0	5.9
15 to 19 years	289	249	40	7.8	7.4	11.8
20 to 24 years	396	324	72	11.0	10.0	21.4
25 to 34 years	1,326	1,090	236	18.0	16.0	43.0
35 to 44 years	2,668	2,210	458	41.4	37.4	85.7
45 to 54 years	5,257	4,359	898	104.8	94.9	212.4
55 to 64 years	8,371	7,455	916	266.5	251.8	508.1
65 to 74 years	11,720	10,735	985	739.7	718.9	1,080.0
75 years and over	11,778	10,853	925	1,878.7	1,839.0	2,515.6
Unknown	54	28	26			

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) AND CRUDE AND ADJUSTED DEATH RATES PER 100,000 POPULATION, FROM CERTAIN CAUSES, BY AGE, SEX, AND COLOR, IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1923—Continued

[Populations and deaths at unknown age are distributed only in computing adjusted rates. For explanation of these rates, see p. 10]

SEX AND AGE	DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1923					
	Number			Rate per 100,000 estimated population		
	Total	White	Colored	Total	White	Colored
	ACUTE AND CHRONIC NEPHRITIS—continued					
FEMALES						
All ages	38,546	34,413	4,133			
Adjusted rate				79.7	75.5	139.7
Crude rate				87.5	85.1	113.8
Under 1 year	156	133	23	17.7	16.5	30.1
1 to 4 years	277	226	51	7.3	6.5	16.8
Under 5 years	433	359	74	9.3	8.4	19.5
5 to 9 years	218	197	21	4.7	4.7	5.0
10 to 14 years	262	235	27	6.1	6.0	6.6
15 to 19 years	366	302	64	9.7	8.9	17.2
20 to 24 years	472	367	105	12.2	10.5	27.1
25 to 34 years	1,603	1,232	371	21.9	18.3	61.0
35 to 44 years	3,089	2,436	653	51.8	44.6	129.6
45 to 54 years	4,793	3,952	841	109.2	96.5	284.5
55 to 64 years	7,065	6,317	748	248.4	233.2	553.8
65 to 74 years	9,564	8,926	638	627.7	616.9	832.4
75 years and over	10,629	10,057	572	1,483.0	1,484.5	1,457.5
Unknown	52	33	19			
	PUERPERAL SEPTICEMIA					
FEMALES						
All ages	5,156	4,397	759			
Adjusted rate				11.8	11.0	19.6
Crude rate				11.7	10.9	20.9
Under 15 years	14	7	7	0.3	0.1	0.6
15 to 19 years	533	380	153	14.1	11.2	41.1
20 to 24 years	1,198	1,007	191	30.9	28.8	49.2
25 to 29 years	1,262	1,105	157	32.4	31.1	45.9
30 to 34 years	1,051	936	115	30.6	29.5	43.3
35 to 39 years	757	666	91	23.3	22.5	31.4
40 to 44 years	295	257	38	10.9	10.3	17.8
45 years and over	43	36	7	0.5	0.4	1.3
Unknown	3	3				
	OTHER PUERPERAL CAUSES					
FEMALES						
All ages	8,549	7,164	1,385			
Adjusted rate				19.2	17.6	35.5
Crude rate				19.4	17.7	38.0
Under 15 years	29	5	24	0.2	(1)	2.0
15 to 19 years	805	544	261	21.3	16.0	70.2
20 to 24 years	1,565	1,269	296	40.3	36.3	76.3
25 to 29 years	1,829	1,597	232	47.0	45.0	67.8
30 to 34 years	1,800	1,562	238	52.3	49.2	89.5
35 to 39 years	1,649	1,424	225	50.8	48.2	77.6
40 to 44 years	760	676	84	28.0	27.0	39.3
45 years and over	102	84	18	1.1	0.9	3.3
Unknown	10	3	7			

SEX AND AGE	DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1923					
	Number			Rate per 100,000 estimated population		
	Total	White	Colored	Total	White	Colored
	VIOLENT DEATHS (SUICIDE EXCEPTED)					
BOTH SEXES						
All ages	75,778	66,648	9,130			
Adjusted rate				80.7	76.7	124.5
Crude rate				84.7	81.1	124.6
Under 1 year	1,931	1,609	322	108.2	98.5	213.0
1 to 4 years	5,822	5,072	750	76.1	72.0	123.9
Under 5 years	7,753	6,681	1,072	82.2	77.0	141.7
5 to 9 years	4,558	4,121	437	48.7	48.3	52.5
10 to 14 years	3,410	3,023	387	39.2	38.4	47.4
15 to 19 years	4,782	4,031	751	64.1	59.7	105.6
20 to 24 years	5,589	4,493	1,096	74.8	66.6	151.4
25 to 34 years	10,912	8,941	1,971	74.3	66.1	170.4
35 to 44 years	10,281	8,857	1,424	82.9	77.9	137.2
45 to 54 years	8,526	7,617	909	90.6	87.7	126.5
55 to 64 years	6,740	6,311	429	112.6	111.3	136.1
65 to 74 years	5,846	5,548	298	188.1	188.7	177.5
75 years and over	7,105	6,839	266	528.8	539.5	349.9
Unknown	276	186	90			
MALES						
All ages	55,616	48,706	6,910			
Adjusted rate				120.1	113.8	189.6
Crude rate				122.5	116.8	187.0
Under 1 year	1,073	904	169	119.0	109.3	225.7
1 to 4 years	3,235	2,856	379	83.6	80.0	125.7
Under 5 years	4,308	3,760	548	90.3	85.5	145.6
5 to 9 years	2,961	2,714	247	62.7	63.0	59.4
10 to 14 years	2,681	2,369	312	61.2	59.5	76.9
15 to 19 years	3,880	3,286	594	105.1	98.0	175.1
20 to 24 years	4,656	3,785	871	129.8	116.4	259.1
25 to 34 years	9,189	7,578	1,611	125.0	111.4	293.6
35 to 44 years	8,769	7,546	1,223	136.1	127.7	228.9
45 to 54 years	7,117	6,350	767	141.9	138.2	181.4
55 to 64 years	5,198	4,881	317	165.5	164.9	175.9
65 to 74 years	3,754	3,548	206	236.9	237.6	225.9
75 years and over	2,857	2,729	128	455.7	462.4	348.1
Unknown	246	160	86			
FEMALES						
All ages	20,162	17,942	2,220			
Adjusted rate				44.2	42.2	64.7
Crude rate				45.7	44.4	61.1
Under 1 year	858	705	153	97.3	87.5	200.4
1 to 4 years	2,587	2,216	371	68.5	63.8	122.1
Under 5 years	3,445	2,921	524	74.0	68.3	137.8
5 to 9 years	1,597	1,407	190	34.4	33.3	45.6
10 to 14 years	729	654	75	16.9	16.8	18.3
15 to 19 years	902	745	157	23.9	21.9	42.2
20 to 24 years	933	708	225	24.0	20.3	58.0
25 to 34 years	1,723	1,363	360	23.5	20.3	59.2
35 to 44 years	1,512	1,311	201	25.4	24.0	39.9
45 to 54 years	1,409	1,267	142	32.1	31.0	48.0
55 to 64 years	1,542	1,430	112	54.2	52.8	82.9
65 to 74 years	2,092	2,000	92	137.3	138.2	120.0
75 years and over	4,248	4,110	138	592.7	606.7	351.6
Unknown	30	26	4			

NOTE.—For States included, see Table A, p. 7.

INDEX

INDEX OF SUBJECTS PRESENTED IN THE DETAILED TABLES FOR THE REGISTRATION AREA AND FOR STATES

SUBJECTS PRESENTED IN TABLES	THE REGISTRATION AREA																					
	Total	Registration States			Registration cities in nonregistration States	All registration cities	California	Colorado	Connecticut	Delaware	District of Columbia	Florida	Georgia	Idaho	Illinois	Indiana	Iowa	Kansas	Kentucky	Louisiana	Maine	Maryland	Massachusetts
		Total	Urban	Rural																			
	Page																						
Population, deaths, and rates by color and sex; urban and rural	84	84	84	84	84	84	84	84	84	84	87	84	84	84	84	84	84	84	84	85	85	85	85
Population, deaths, and rates for total and residents: Cities	-----	-----	-----	-----	-----	-----	87	87	87	87	87	87	87	87	87	88	88	88	88	88	88	88	88
Population, deaths, and rates for total and residents: Counties	-----	-----	-----	-----	-----	-----	92	92	92	93	-----	93	93	96	96	96	97	97	98	99	100	100	100
Deaths by cause in full detail	112	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Deaths by months; urban and rural	116	116	116	116	116	116	116	116	116	116	-----	116	116	116	116	116	116	116	116	116	116	116	116
Deaths by race and nativity of white; urban and rural	118	118	118	118	118	118	118	118	118	118	-----	118	118	118	118	118	118	118	118	118	118	118	118
Deaths by color and age; urban and rural	120	120	120	120	120	120	120	120	120	120	-----	120	120	120	120	120	120	120	120	122	122	122	122
Deaths by age, sex, race, and nativity of white	126	126	127	127	127	128	128	128	129	129	129	130	130	130	131	131	131	132	132	132	133	133	133
Deaths from important causes: Urban and rural	142	142	142	142	142	142	142	142	142	142	150	142	142	142	142	142	142	142	144	144	144	144	144
Deaths from important causes: Cities	-----	-----	-----	-----	-----	-----	148	148	148	150	150	150	150	150	150	152	152	154	154	154	154	154	154
Deaths by cause; urban and rural	172	172	172	172	172	172	172	172	172	173	173	173	173	173	173	173	178	178	178	178	179	179	179
Deaths by cause, age, sex, and color	-----	194	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Deaths by cause for colored, by race and sex	-----	216	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Deaths by cause and age	219	-----	-----	-----	-----	-----	222	224	227	230	232	236	241	246	249	252	254	257	260	265	270	272	277
Deaths from important causes by age; large cities	-----	-----	-----	-----	-----	-----	352	354	354	355	355	-----	356	-----	357	357	358	358	359	359	-----	360	361
Deaths from important causes by months: Area and States	385	385	-----	-----	-----	-----	385	385	386	386	400	386	387	387	387	388	388	388	388	389	389	390	390
Deaths from important causes by months: Large cities	-----	-----	-----	-----	-----	-----	398	399	399	400	400	-----	401	-----	401	402	402	403	403	403	-----	404	404
Deaths of infants from important causes: States	-----	-----	-----	-----	-----	-----	-----	423	-----	-----	-----	423	424	424	-----	-----	425	-----	-----	425	-----	-----	-----
Deaths of infants from important causes: Large cities	-----	-----	-----	-----	-----	-----	-----	427	-----	-----	-----	-----	428	-----	-----	-----	428	-----	-----	429	-----	-----	-----

SUBJECTS PRESENTED IN TABLES	Michigan	Minnesota	Mississippi	Missouri	Montana	Nebraska	New Hampshire	New Jersey	New York	North Carolina	Ohio	Oregon	Pennsylvania	Rhode Island	South Carolina	Tennessee	Utah	Vermont	Virginia	Washington	Wisconsin	Wyoming
	Page																					
Population, deaths, and rates by color and sex; urban and rural	85	85	85	85	85	85	85	85	85	85	86	86	86	86	86	86	86	86	86	86	86	86
Population, deaths, and rates for total and residents: Cities	89	89	89	89	89	89	89	89	89	90	90	90	90	91	91	91	91	91	91	92	92	92
Population, deaths, and rates for total and residents: Counties	101	101	101	103	103	104	104	104	104	105	106	106	107	107	107	108	108	109	109	110	110	111
Deaths by months; urban and rural	116	116	116	116	116	117	117	117	117	117	117	117	117	117	117	117	117	117	117	117	117	117
Deaths by race and nativity of white; urban and rural	118	118	118	118	119	119	119	119	119	119	119	119	119	119	119	119	119	119	119	119	119	119
Deaths by color and age; urban and rural	122	122	122	122	122	122	122	122	122	122	124	124	124	124	124	124	124	124	124	124	124	124
Deaths by age, sex, race, and nativity of white	134	134	134	135	135	135	136	136	136	137	137	137	138	138	138	139	139	139	140	140	140	141
Deaths from important causes: Urban and rural	144	144	144	144	144	144	144	144	146	146	146	146	146	146	146	146	146	146	146	146	146	148
Deaths from important causes: Cities	156	158	158	158	158	160	160	160	160	162	164	166	166	168	168	168	170	170	170	170	170	170
Deaths by cause; urban and rural	179	179	179	179	184	184	184	184	184	184	185	185	185	185	185	185	185	190	190	190	190	190
Deaths by cause and age	280	283	286	291	293	296	299	302	304	307	312	315	318	321	324	328	333	336	338	343	346	349
Deaths from important causes by age; large cities	363	364	-----	365	-----	366	-----	366	368	-----	373	376	376	378	-----	378	381	-----	382	383	384	-----
Deaths from important causes by months: Area and States	390	391	391	391	392	392	392	392	393	393	393	394	394	394	394	395	395	396	396	396	397	397
Deaths from important causes by months: Large cities	406	407	-----	407	-----	408	-----	409	410	-----	413	416	416	417	-----	418	420	-----	420	421	422	-----
Deaths of infants from important causes: States	-----	-----	-----	426	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	426	-----	-----	-----	-----	-----	-----
Deaths of infants from important causes: Large cities	-----	-----	-----	429	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	431	-----	-----	-----	-----	-----	-----

Abscess, acute, deaths from, 113, 176; by age, 208, 221, 466; by color, 208, 218, 466; by sex, 208, 218, 466; in cities and rural districts, 176.
—— death rate, 113.
Absorption of irrespirable, irritating, or poisonous gas, deaths from, 72, 114, 176; by age, 212, 221, 470; by color, 212, 218, 470; by sex, 212, 218, 470; in cities and rural districts, 176.
—— death rate, 114.
Accidental or undefined (total), deaths from, 71, 114, 176; by age, 212, 221, 468; by color, 212, 218, 468; by sex, 212, 218, 468; in cities and rural districts, 176; in each major city by age, 352; in detail, 114.
—— death rate, 114.
Accuracy of statistics of causes of death, number of replies and per cent of changes, 81.
Acute anterior poliomyelitis, deaths from, 33, 112, 172; by age, 196, 219, 450; by color, 196, 216, 450; by sex, 196, 216, 450; in cities and rural districts, 172.
—— death rate, 33, 112.
Acute yellow atrophy of the liver, deaths from, 113, 174; by age, 206, 220, 462; by color, 206, 217, 462; by sex, 206, 217, 462; in cities and rural districts, 174.
—— death rate, 113.
Addison's disease. *See* Adrenals, diseases of.
Adenoid vegetations, deaths from, 113, 174; by age, 204, 220, 460; by color, 204, 217, 460; by sex, 204, 217, 460; in cities and rural districts, 174.
—— death rate, 113.
Adjusted death rates. *See* Death rates.
Adrenals, diseases of (Addison's disease), deaths from, 112, 172; by age, 200, 219, 454; by color, 200, 216, 454; by sex, 200, 216, 454; in cities and rural districts, 172.
—— death rate, 112.
Airplane and balloon accidents, deaths from, 72, 114, 176; by age, 214, 221, 470; by color, 214, 218, 470; by sex, 214, 218, 470; in cities and rural districts, 176.
—— death rate, 114.
Age, population by, 12, 79; deaths by, 9, 78, 120, 126, 194, 219, 352, 474.
—— death rate, 63, 78, 448, 473.
Alcoholism (acute or chronic), deaths from, 53, 112, 172; by age, 200, 219, 454; by color, 200, 216, 454; by sex, 200, 216, 454; in cities and rural districts, 172.
—— death rate, 54, 112.
Amputations, deaths from, 113, 176; by age, 210, 221, 466; by color, 210, 218, 466; by sex, 210, 218, 466; in cities and rural districts, 176.
—— death rate, 113.
Ancylostomiasis, deaths from, 113, 174; by age, 206, 220, 462; by color, 206, 217, 462; by sex, 206, 217, 462; in cities and rural districts, 174.
—— death rate, 113.
Anemia, chlorosis, deaths from, 112, 172; by age, 198, 219, 454; by color, 198, 216, 454; by sex, 198, 216, 454; in cities and rural districts, 172; in detail, 112.
—— death rate, 112.
Anesthetics, deaths from, 76.
Aneurysm, deaths from, 113, 174; by age, 202, 220, 458; by color, 202, 217, 458; by sex, 202, 217, 458; in cities and rural districts, 174.
—— death rate, 113.
Angina pectoris, deaths from, 113, 143, 174; by age, 202, 220, 458; by color, 143, 202, 217, 458; by sex, 202, 217, 458; in cities and rural districts, 143, 174.
—— death rate, 113.
Animals, injuries, by (not poisoning), deaths from, 114, 176; by age, 214, 221, 470; by color, 214, 218, 470; by sex, 214, 218, 470; in cities and rural districts, 176.
—— death rate, 114.
Anthrax, deaths from, 35, 112, 172; by age, 196, 219, 450; by color, 196, 216, 450; by sex, 196, 216, 450; in cities and rural districts, 172.
—— death rate, 112.
Appendicitis and typhlitis, deaths from, 19, 113, 143, 174; by age, 206, 220, 352, 462; by color, 143, 206, 217, 462; by sex, 206, 217, 462; in cities and rural districts, 143, 174; in each major city by age, 352; in detail, 113.
—— death rate, 19, 20, 113.
Arteries, diseases of, deaths from, 113, 174; by age, 202, 220, 458; by color, 202, 217, 458; by sex, 202, 217, 458; in cities and rural districts, 174; in detail, 113.
—— death rate, 113.
Asiatic cholera, no deaths in 1923.
Asthma, deaths from, 113, 174; by age, 204, 220, 460; by color, 204, 217, 460; by sex, 204, 217, 460; in cities and rural districts, 174.
—— death rate, 113.
Australian Commonwealth, death rates of, 17, 18; from puerperal causes, 64.
Austria, death rates of, 17, 18; from puerperal causes, 63.
Automobile accidents, deaths from, 72, 73, 114, 143, 176; by age, 214, 221, 352, 470; by color, 143, 214, 218, 470; by sex, 214, 218, 470; in cities and rural districts, 143, 176; by month of death, 385; in each major city by age, 352.
—— death rate, 73, 114.

Balloon accidents. *See* Airplane and balloon accidents.
Belgium, death rates of, 17.
Beriberi, deaths from, 112, 172; by age, 198, 219, 454; by color, 198, 216, 454; by sex, 198, 216, 454; in cities and rural districts, 172.
—— death rate, 112.
Biliary calculi, deaths from, 113, 174; by age, 206, 220, 462; by color, 206, 217, 462; by sex, 206, 217, 462; in cities and rural districts, 174.
—— death rate, 113.
Birth, injury at. *See* Injury at birth.
Bladder, diseases of, deaths from, 113, 174; by age, 208, 220, 464; by color, 208, 217, 464; by sex, 208, 217, 464; in cities and rural districts, 174.
—— death rate, 113.
Bones and organs of locomotion, diseases of, deaths from, 113, 176; by age, 208, 221, 466; by color, 208, 218, 466; by sex, 208, 218, 466; in cities and rural districts, 176; in detail, 113.
—— death rate, 113.
Breast (cancer excepted) nonpuerperal, diseases of, deaths from, 113, 174; by age, 208, 220, 464; by color, 208, 217, 464; by sex, 208, 217, 464; in cities and rural districts, 174.
—— death rate, 113.
Bronchitis, deaths from, 19, 113, 143, 174; by age, 204, 220, 352, 460; by color, 143, 204, 217, 460; by sex, 204, 217, 460; in cities and rural districts, 143, 174; by month of death, 385; by age under 1 year, 423; in each major city by age, 352.
—— death rate, 19, 113. Capillary. *See* Bronchopneumonia.
Bronchopneumonia, deaths from, 113, 174; by age, 204, 220, 352, 460; by color, 204, 217, 460; by sex, 204, 217, 460; in cities and rural districts, 174; by month of death, 385; by age under 1 year, 423; in each major city by age, 352.
—— death rate, 113.
Burns (conflagration excepted), deaths from, 72, 114, 176; by age, 212, 221, 470; by color, 212, 218, 470; by sex, 212, 218, 470; in cities and rural districts, 176; in detail, 114.
—— death rate, 114.

Calculi of the urinary passages, deaths from, 113, 174; by age, 208, 220, 464; by color, 208, 217, 464; by sex, 208, 217, 464; in cities and rural districts, 174.
—— death rate, 113.
Canada, death rate from puerperal causes, 63.
Cancer and other malignant tumors, deaths from, 19, 41, 112, 142, 172; by age, 198, 219, 352, 452, 476; by color, 142, 198, 216, 452, 476; by sex, 198, 216, 452, 476; in cities and rural districts, 142, 172; in detail 43, 45, 112; in each major city by age, 352.
—— death rate, 11, 19, 20, 41, 43, 112, 476.
Capillary bronchitis. *See* Bronchopneumonia.
Cause of death, 19, 112, 172; by age, 194, 219, 448, 474; by color, 142, 194, 216, 448, 474; by sex, 194, 448, 474; in cities and rural districts, 172; by month of death, 385, 398; in each major city by age, 352.
—— death rate 19, 112.
Cerebral embolism and thrombosis, deaths from, 112, 172; by age, 200, 219, 456; by color, 200, 216, 456; by sex, 200, 216, 456; in cities and rural districts, 172.
—— death rate, 112.
Cerebral hemorrhage, deaths from 112, 172; by age, 200, 219, 456; by color, 200, 216, 456; by sex, 200, 216, 456; in cities and rural districts, 172.
—— death rate, 112.
Cerebral hemorrhage and softening, deaths from, 19, 112, 143, 172; by age, 200, 219, 352, 456; by color, 143, 200, 216, 456; by sex, 200, 216, 456; in cities and rural districts, 143, 172; in each major city by age, 352.
—— death rate, 19, 112.
Cerebrospinal meningitis (nonepidemic), deaths from, 112, 172; by age, 200, 219, 456; by color, 200, 216, 456; by sex, 200, 216, 456; in cities and rural districts, 172.
—— death rate, 112.
Ceylon, death rates of, 17.
Chicken pox, deaths from 35, 112.
—— death rate, 112.
Childbirth. *See* Puerperal state, the.
Children under 1 year of age, deaths of, 78, 120, 126, 194, 219, 423, 448; by cause, 194, 219, 352, 423, 448, 474; by color, 78, 120, 126, 194, 448, 474; by sex 78, 126, 194, 448, 474; in each major city by cause, 352.
—— death rate, 78, 80, 474.
Chile, death rates of, 17, 18.
Chinese population, by age and sex, 79; deaths of, 8, 16, 78; by age, 78, 126; by sex, 78, 126, 216.
—— death rate, 78.
Chlorosis. *See* Anemia, chlorosis.

Cholera nostras, deaths from, 19, 35, 112, 172; by age, 194, 219, 448; by color, 194, 216, 448; by sex, 194, 216, 448; in cities and rural districts, 172.
—— death rate, 19, 112.
Chorea, deaths from, 112, 174; by age, 202, 220, 456; by color, 202, 216, 456; by sex, 202, 216, 456; in cities and rural districts, 174.
—— death rate, 112.
Chyluria, deaths from, 113, 174; by age, 208, 220, 464; by color, 208, 217, 464; by sex, 208, 217, 464; in cities and rural districts, 174.
—— death rate, 113.
Circulatory system, diseases of, deaths from, 113, 174; by age, 202, 220, 458; by color, 202, 217, 458; by sex, 202, 217, 458; in cities and rural districts, 174; in detail, 113.
—— death rate, 113.
Cirrhosis of the liver, deaths from, 19, 53, 113, 143, 174; by age, 206, 220, 352, 462; by color, 143, 206, 217, 462; by sex, 206, 217, 462; in cities and rural districts, 143, 174; in each major city, by age, 352; in detail, 113.
—— death rate, 19, 20, 54, 113.
Cold, excessive, deaths from, 114, 176; by age, 214, 221, 472; by color, 214, 218, 472; by sex, 214, 218, 472; in cities and rural districts, 176.
—— death rate, 114.
Colored population, 84; by age and sex, 12, 79; deaths of, 8, 15, 84, 118, 142; by age, 78, 120, 126, 194; 448, 474; by sex, 8, 78, 126, 194, 216, 448, 474; by cause, 142, 194, 216, 448, 474; in cities and rural districts, 84, 120, 142.
—— death rate, 11, 15, 78, 84, 474.
Conflagration, deaths from, 114, 176; by age, 212, 221, 468; by color, 212, 218, 468; by sex, 212, 218, 468; in cities and rural districts, 176.
—— death rate, 114.
Congenital debility, icterus, sclerema, deaths from, 113, 176; by age, 210, 221, 466; by color, 210, 218, 466; by sex, 210, 218, 466; in cities and rural districts, 176; by age under 1 year, 423.
—— death rate, 113.
Congenital malformations and diseases of early infancy, deaths from, 19, 113, 143, 176; by age, 210, 221, 466; by color, 143, 210, 218, 466; by sex, 210, 218, 466; in cities and rural districts, 143, 176; in detail, 113.
—— death rate, 19, 20, 113.
Congenital malformations of the heart, deaths from 113, 176; by age, 210, 221, 466; by color, 210, 218, 466; by sex, 210, 218, 466; in cities and rural districts, 176; by age under 1 year, 423.
—— death rate, 113.
Congestion and hemorrhagic infarct of the lung, deaths from, 113, 174; by age, 204, 220, 460; by color, 204, 217, 460; by sex, 204, 217, 460; in cities and rural districts, 174.
—— death rate, 113.
Convulsions, deaths from, 112, 174; by age, 202, 219, 456; by color, 202, 216, 456; by sex, 202, 216, 456; in cities and rural districts, 174; by age under 1 year, 423.
—— death rate, 112.
Country of birth. Death rates from puerperal causes, 63.
Crushing. *See* Landslide.
Cutting or piercing instruments, traumatism by, deaths from, 114, 176; by age, 212, 221, 470; by color, 212, 218, 470; by sex, 212, 218, 470; in cities and rural districts, 176.
—— death rate, 114.
Cysts and other benign tumors of the ovary, deaths from, 113, 174; by age, 208, 220, 464; by color, 208, 217, 464; in cities and rural districts, 174.
—— death rate, 113.

Death rates, 8, 13, 14, 84, 87, 112; by cause, 11, 20, 474; in foreign countries, 17, 63; by month of death, 10.
—— specific death rates, 78; causes, 474; from puerperal causes, 63.
—— adjusted death rates, 10, 13, 78; causes, 11, 474; typhoid fever, 11, 23; tuberculosis, 11, 37; cancer, 11, 45; nephritis, 11, 59; puerperal causes, 11, 61, 63.
—— refined rates, 14; cancer, 45.
Debility, congenital. *See* Congenital debility, etc.
Denmark, death rates of, 17; from puerperal causes, 63.
Diabetes mellitus, deaths from, 52, 112, 143, 172; by age, 198, 219, 352, 454, 477; by color, 143, 198, 216, 454, 477; by sex, 198, 216, 454, 477; in cities and rural districts, 143, 172; in each major city by age, 352.
—— death rate, 11, 20, 52, 112, 477.
Diarrhea and enteritis, deaths from, 19, 58, 113, 143, 174; by age, 206, 220, 352, 462, 477; by color, 143, 206, 217, 462, 477; by sex, 206, 217, 462, 477; in cities and rural districts, 143, 174; by month of death, 385; by age under 1 year, 423; in each major city by age, 352.
—— death rate, 11, 19, 20, 58, 113, 477.
Digestive system, diseases of, deaths from, 113, 174; by age, 204, 220, 460; by color, 204, 217, 460; by sex, 204, 217, 460; in cities and rural districts, 174; in detail, 113.
—— death rate, 113.
Diphtheria, deaths from, 19, 30, 112, 142, 172; by age, 194, 219, 352, 448, 475; by color, 142, 194, 216, 448, 475; by sex, 194, 216, 448, 475; in cities and rural districts, 142, 172; by month of death, 385; by age under 1 year, 423; in each major city by age, 352.
—— death rate, 11, 19, 20, 31, 112, 475.
Drowning, deaths from, 72, 114, 176; by age, 212, 221, 470; by color, 212, 218, 470; by sex, 210, 218, 470; in cities and rural districts, 176.
—— death rate, 114.
Dysentery, deaths from, 35, 112, 172; by age, 194, 219, 448; by color, 194, 216 448; by sex, 194, 216, 448; in cities and rural districts, 172; by month of death, 385; in detail, 112.
—— death rate, 112.
Ear, diseases of, deaths from, 112,174; by age, 202, 220, 456; by color, 202, 217, 456; by sex, 202, 217, 456; in cities and rural districts, 174.
—— death rate, 112.
Early infancy, deaths from, 113, 176; by age, 210, 221, 466; by color, 210, 218, 466; by sex, 210, 218, 466; in cities and rural districts, 176; in detail, 113.
—— death rate, 113.
Electric shocks, accidental, deaths from, 114, 176; by age, 214, 221, 472; by color, 214, 218, 472; by sex, 214, 218, 472; in cities and rural districts, 176.
—— death rate, 114.
Embolism and thrombosis (not cerebral), deaths from, 113, 174; by age, 202, 220, 458; by color, 202, 217, 458; by sex, 202, 217, 458; in cities and rural districts, 174.
—— death rate, 113.
Embolism, cerebral. *See* Cerebral embolism and thrombosis.
Emphysema, pulmonary, deaths from, 113, 174; by age, 204, 220, 460; by color, 204, 217, 460; by sex, 204, 217, 460; in cities and rural districts, 174.
—— death rate, 113.
Encephalitis, deaths from, 112, 172; by age, 200, 219, 456; by color, 200, 216, 456; by sex, 200, 216, 456; in cities and rural districts, 172.
—— death rate, 112.
Encephalitis, lethargic. *See* Lethargic encephalitis.
Endocarditis and myocarditis (acute) deaths from, 113, 174; by age, 202, 220, 458; by color, 202, 217, 458; by sex, 202, 217, 458; in cities and rural districts, 174.
—— death rate, 113.
England and Wales, death rates of, 17, 18; from puerperal causes, 63; from syphilis, 40.
Enteritis. *See* Diarrhea and enteritis.
Epilepsy, deaths from, 112, 174; by age, 202, 219, 456; by color, 202, 216, 456; by sex, 202, 216, 456; in cities and rural districts, 174.
—— death rate, 112.
Erysipelas, deaths from, 35, 112, 142, 172; by age, 196, 219, 450; by color, 142, 196, 216, 450; by sex, 196, 216, 450; in cities and rural districts, 142, 172; by age under 1 year, 423.
—— death rate, 20, 112.
Esophagus, diseases of, deaths from, 113 174; by age, 204, 220, 460; by color, 204, 217, 460; by sex, 204, 217, 460; in cities and rural districts, 174.
—— death rate, 113.
External causes, deaths from, 114, 176; by age, 210, 221, 468; by color, 210, 218, 468; by sex, 210, 218, 468; in cities and rural districts, 176; by month of death, 385; in detail, 114.
—— death rate, 114.
Eye and annexa, diseases of, deaths from, 112, 174; by age, 202, 220, 456; by color, 202, 217, 456; by sex, 202, 217, 456; in cities and rural districts, 174.
—— death rate, 112.
Fall, traumatism by, deaths from, 72, 114, 176; by age, 212, 221, 470; by color, 212, 218, 470; by sex, 212, 218, 470; in cities and rural districts, 176; in detail, 114.
—— death rate, 114.
Female genital organs, diseases of, deaths from, 113, 174; by age, 208, 220, 352, 464; by color, 208, 217, 464; in cities and rural districts, 174; in each major city by age, 352.
—— death rate, 113.
Finland, death rates of, 17.
Firearms (except in war), traumatism by, deaths from, 72, 114, 176; by age, 212, 221, 470; by color, 212, 218, 470; by sex, 212, 218, 470; in cities and rural districts, 176.
—— death rate, 114.
Foreign countries, death rates of, 17, 18; from puerperal causes, 63.
Foreign-born white population, deaths of, 8, 118; by age, 126; by sex, 126.
Fracture (cause not specified), deaths from, 114, 176; by age, 214, 221, 472; by color, 214, 218, 472; by sex, 214, 218, 472; in cities and rural districts, 176.
—— death rate, 114.
France, death rates of, 17, 18.
Furuncle, deaths from, 113, 176; by age, 208, 221, 464; by color, 208, 218, 464; by sex, 208, 218, 464; in cities and rural districts, 176.
—— death rate, 113.
Gangrene, deaths from, 113, 176; by age, 208, 221, 464; by color, 208, 218, 464; by sex, 208, 218, 464; in cities and rural districts, 176.

Gangrene, death rate, 113.
Gangrene of the lung, deaths from, 113, 174; by age, 204, 220, 460; by color, 204, 217, 460; by sex, 204, 217, 460; in cities and rural districts, 174.
—— death rate, 113.
General paralysis of the insane, deaths from, 40, 112, 172; by age, 200, 219, 456; by color, 200, 216, 456; by sex, 200, 216, 456; in cities and rural districts, 172.
—— death rate, 40, 112.
Genito-urinary system and annexa, nonvenereal diseases of, deaths from, 113, 174; by age, 206, 220, 462; by color, 206, 217, 462; by sex, 206, 217, 462; in cities and rural districts, 174; in detail, 113.
—— death rate, 113.
German measles, deaths from, 32, 112.
—— death rate, 112.
Germany, death rates of, 17, 18; from puerperal causes, 63.
Glanders, no deaths in 1923.
Goiter, exophthalmic. *See* Thyroid gland, diseases of.
Gonococcus infection, deaths from, 112, 172; by age, 198, 219, 452; by color, 198, 216, 452; by sex, 198, 216, 452; in cities and rural districts, 172.
—— death rate, 112.
Gout. *See* Rheumatism.
Growth of the registration area, 6, 7.

Hawaii, statistics of, 436.
Heart, diseases of, deaths from, 19, 55, 113, 174; by age, 202, 220, 352, 458; by color, 202, 217, 458; by sex, 202, 217, 458; in cities and rural districts, 174; in each major city by age, 352.
—— death rate, 19, 20, 55, 113.
Heat, excessive, deaths from, 72, 114, 176; by age, 214, 221, 472; by color, 214, 218, 472; by sex, 214, 218, 472; in cities and rural districts, 176.
—— death rate, 114.
Hemorrhage without specified cause, deaths from, 113, 174; by age, 202, 220, 458; by color, 202, 217, 458; by sex, 202, 217, 458; in cities and rural districts, 174.
—— death rate, 113.
Hernia, intestinal obstruction, deaths from, 19, 113, 143, 174; by age, 206, 220, 352, 462; by color, 143, 206, 217, 462; by sex, 206, 217, 462; in cities and rural districts, 143, 174; in each major city by age, 352.
—— death rate, 19, 20, 113.
Hodgkin's disease, deaths from, 112, 172; by age, 200, 219, 454; by color, 200, 216, 454; by sex, 200, 216, 454; in cities and rural districts, 172.
—— death rate, 112.
Homicide, deaths from, 70, 71, 114, 143, 176; by age, 212, 221, 352, 468; by color, 143, 212, 218, 468; by sex, 212, 218, 468; in cities and rural districts, 143, 176; in detail, 114; in each major city by age, 352.
—— death rate, 20, 70, 71, 114.
Hydatid tumor of the liver, deaths from, 113, 174; by age, 206, 220, 462; by color, 206, 217, 462; by sex, 206, 217, 462; in cities and rural districts, 174.
—— death rate, 113.
Hydrocephalus (congenital), deaths from, 113, 176; by age, 210, 221, 466; by color, 210, 218, 466; by sex, 210, 218, 466; in cities and rural districts, 176.
—— death rate, 113.

Icterus (congenital). *See* Congenital debility, etc.
ill-defined diseases, deaths from, 19, 74, 114, 143, 176; by age, 214, 221, 472; by color, 143, 214, 218, 472; by sex, 214, 218, 472; in cities and rural districts, 143, 176; by age under 1 year, 423; in detail, 114.
—— death rate, 19, 20, 75, 114.
Indian population by age and sex, 79; deaths of, 8, 16; by age, 78, 126; by sex, 8, 78, 126, 216.
—— death rate, 16, 78.
Infanticide. (Murder of infants less than 1 year of age), deaths from, 114.
—— death rate, 114.
Influenza, deaths from, 19, 112, 142, 172; by age, 194, 219, 352, 448; by color, 142, 194, 216, 448; by sex, 194, 216, 448; in cities and rural districts, 142, 172; by month of death, 385; by age under 1 year, 423; in each major city by age, 352.
—— death rate, 19, 112.
Influenza and pneumonia (all forms), deaths from, 32.
—— death rate, 32.
Injuries by vehicles, deaths from, 72, 114, 176; by age, 214, 221, 470; by color, 214, 218, 470; by sex, 214, 218, 470; in cities and rural districts, 176.
—— death rate, 114.
Injury at birth, deaths from, 113, 176; by age, 210, 221, 464; by color, 210, 218, 466; by sex, 210, 218, 466; in cities and rural districts, 176; by age under 1 year, 423.
—— death rate, 113.
International List of Causes of Death, 19, changes in, 19.
Intestinal obstruction. *See* Hernia.
Intestinal parasites, diseases due to, deaths from, 113, 174; by age, 206, 220, 462; by color, 206, 217, 462; by sex, 206, 217, 462; in cities and rural districts, 174; in detail, 113.
—— death rate, 113.
Intestines, diseases of, deaths from, 113, 174; by age, 206, 220, 462; by color, 206, 217, 462; by sex, 206, 217, 462; in cities and rural districts, 174.
—— death rate, 113.
Ireland, death rates of, 17, 18; from puerperal causes, 63.
Italy, death rates of, 17, 18; from puerperal causes, 64.

Jamaica, death rates of, 17.
Japan, death rates of, 17, 18; from puerperal causes, 64.
Japanese population, by age and sex, 79; deaths of, 8, 16, 118; by age, 78, 126; by sex, 8, 78, 126, 216.
—— death rate, 78.
Jaundice. *See* Spirochetal hemorrhagic jaundice.
Joints, diseases of (tuberculosis and rheumatism excepted), deaths from, 113, 176; by age, 208, 221, 466; by color, 208, 218, 466; by sex, 208, 218, 466; in cities and rural districts, 176.
—— death rate, 113.

Kidneys and annexa (nonpuerperal), diseases of, deaths from 113, 174; by age, 208, 220, 464; by color, 208, 217, 464; by sex, 208, 217, 464; in cities and rural districts, 174.
—— death rate, 113.

Lack of care, deaths from, 113, 176; by age, 210, 221, 466; by color, 210, 218, 466; by sex, 210, 218, 466; in cities and rural districts, 176.
—— death rate, 113.
Land area, 8.
Landslide, crushing, deaths from, 114, 176; by age, 214, 221, 470; by color, 214, 218, 470; by sex, 214,218, 470; in cities and rural districts, 176.
—— death rate, 114.

Larynx, diseases of, deaths from, 113, 174; by age, 204, 220, 458; by color, 204, 217, 458; by sex, 204, 217, 458; in cities and rural districts, 174.
—— death rate, 113.

Lead poisoning, chronic, deaths from, 112, 172; by age, 200, 219, 454; by color, 200, 216, 454; by sex, 200, 216, 454; in cities and rural districts, 172.
—— death rate, 112.

Leprosy, deaths from, 35, 112, 172; by age, 196, 219, 450; by color, 196, 216, 450; by sex, 196, 216, 450; in cities and rural districts, 172.
—— death rate, 112.

Lethargic encephalitis, deaths from, 34, 112, 172; by age, 196, 219, 450; by color, 196, 216, 450; by sex, 196, 216, 450; in cities and rural districts, 172; by month of death, 385.
—— death rate, 34, 112.

Leukemia, deaths from, 112, 172; by age, 200, 219, 454; by color, 200, 216, 454; by sex, 200, 216, 454; in cities and rural districts, 172.
—— death rate, 112.
Lightning, deaths from, 114, 176; by age, 214, 221, 472; by color, 214, 218, 472; by sex, 214, 218, 472; in cities and rural districts, 176.
—— death rate, 114.
Liver, diseases of, deaths from, 113, 174; by age, 206, 220, 462; by color, 206, 217, 462; by sex, 206, 217, 462; in cities and rural districts, 174.
—— death rate, 113.
Locomotor ataxia. *See* Tabes dorsalis.
Lymphatic system, diseases of, deaths from, 113, 174; by age, 202, 220, 458; by color, 202, 217, 458; by sex, 202, 217, 458; in cities and rural districts, 174.
—— death rate, 113.

Machines, traumatism by, deaths from, 72, 114, 176; by age, 212, 221, 470; by color, 212, 218, 470; by sex, 212, 218, 470; in cities and rural districts, 176; in detail, 114.
—— death rate, 114.
Malaria, deaths from 19, 24, 112, 142, 172; by age, 194, 219, 448; by color, 142, 194, 216, 448; by sex, 194, 216, 448; in cities and rural districts, 142, 172; by month of death, 385.
—— death rate, 19, 20, 24, 112.
Male genital organs, nonvenereal diseases of, deaths from 113, 174; by age, 208, 220, 464; by color, 208, 217, 464; in cities and rural districts, 174.
—— death rate, 113.
Malformations. *See* Congenital malformations, etc.
Malta fever, deaths from 35, 112, 172; by age, 194, 219, 448; by color, 194, 216, 448; by sex, 194, 216, 448; in cities and rural districts, 172.
—— death rate, 112.
Mastoid process, diseases of, deaths from, 112, 174; by age, 202, 220, 458; by color, 202, 217, 458, by sex, 202, 217, 458; in cities and rural districts, 174.
—— death rate, 112.

Measles, deaths from, 19, 26, 112, 142, 172; by age, 194, 219, 352, 448, 474; by color, 142, 194, 216, 448, 474; by sex, 194, 216, 448, 474; in cities and rural districts, 142, 172; by month of death, 385; by age under 1 year 423; in each major city by age, 352.
—— death rate, 11, 19, 20, 27, 112, 474.
Mechanical suffocation, deaths from, 114, 176; by age 212, 221, 470; by color, 212, 218, 470; by sex, 212, 218, 470; in cities and rural districts, 176.
—— death rate, 114.
Meningitis. *See* Meningococcus meningitis, Meningitis (simple) and cerebrospinal meningitis (nonepidemic).
Meningitis (simple), deaths from, 19, 112, 172; by age, 200, 219, 456; by color, 200, 216, 456; by sex, 200, 216, 456; in cities and rural districts, 172.
—— death rate, 19, 112.
Meningococcus meningitis, deaths from, 35, 112, 142, 172; by age, 196, 219, 352, 450; by color, 142, 196, 216, 450; by sex, 196, 216, 450; in cities and rural districts, 142, 172; by month of death, 385, by age under 1 year, 423, in each major city by age 352; in detail, 112.
—— death rate, 19, 20, 112.
Mental alienation, deaths from, 112, 172; by age, 200, 219, 456; by color, 200, 216, 456; by sex, 200, 216, 456; in cities and rural districts, 172.
—— death rate, 112.
Miliary fever, no deaths in 1923.
Mineral poisoning, chronic, deaths from, 112, 172; by age, 200, 219, 454; by color, 200, 216, 454; by sex, 200, 216, 454; in cities and rural districts, 172.
—— death rate, 112.
Mines, traumatism in, deaths from, 72, 114, 176; by age, 212, 221, 470; by color, 212, 218, 470; by sex, 212, 218, 470; in cities and rural districts, 176.
—— death rate, 114.
Month of death, deaths by, 116; by cause, 385.
—— death rate, 10.
Motorcycle accidents, deaths from, 114.
—— death rate, 114.
Mouth and annexa, diseases of, deaths from, 113, 174; by age, 204, 220, 460; by color, 204,217,460; by sex, 204, 217, 460; in cities and rural districts, 174.
—— death rate, 113.
Mumps, deaths from, 35, 112, 172; by age, 194, 219, 448; by color, 194, 216, 448; by sex, 194, 216, 448; in cities and rural districts, 172.
—— death rate, 112.
Mycoses, deaths from, 37, 112, 172; by age, 196, 219, 450; by color, 196, 216, 450; by sex, 196, 216, 450; in cities and rural districts, 172.
—— death rate, 112.
Myocarditis. *See* Endocarditis and myocarditis, acute.

Nasal fossae, diseases of, deaths from, 113, 174; by age, 204, 220, 458; by color, 204, 217, 458; by sex, 204, 217, 458; in cities and rural districts, 174.
—— death rate, 113.
Native white population, deaths of, 8, 118, 126; by age, 126; by sex, 8, 26; in cities and rural districts, 118.
Nativity, deaths by, 8, 118, 126.
Negro population, by age and sex, 79; deaths of, 8, 15, 118; by age, 78, 126; by sex, 8, 78, 126, 216; in cities and rural districts, 118.
—— death rate, 15, 78.
Nephritis, deaths from, 19, 59, 113, 143, 174; by age, 206, 220, 462, 477; by color, 143, 206, 217, 462, 477; by sex, 206, 217, 262, 477; in cities and rural districts, 143, 174; in each major city by age, 352.
—— death rate, 11, 19, 20, 59, 113, 477.
Nervous system and of the organs of special sense, diseases of, deaths from, 112, 172; by age, 200, 219, 456;by color, 200, 216, 456; by sex, 200, 216, 456; in cities and rural districts, 172; in detail, 112.
—— death rate, 112.
Netherlands, death rates of, 17; from puerperal causes, 64.
Neuralgia and neuritis, deaths from, 112, 174; by age, 202, 220, 456; by color, 202, 217, 456; by sex, 202, 217, 456; in cities and rural districts, 174.
—— death rate, 112.
Neuritis. *See* Neuralgia and neuritis.
New Zealand, death rates of, 17, 18; from puerperal causes, 64.
Nonresidents. *See* Residents.
Norway, death rates of, 17; from puerperal causes, 63.

Old age (senility), deaths from, 19, 67, 113, 176; by age, 210, 221, 466; by color, 210, 218, 466; by sex, 210, 218, 466; in cities and rural districts, 176.
—— death rate, 19, 67, 113.
Ontario, Province of, death rates of, 17.
Osteoarthritis. *See* Rheumatism.

Pancreas, diseases of, deaths from, 113, 174; by age, 206, 220, 462; by color, 206, 217, 462; by sex, 206, 217, 462; in cities and rural districts, 174.
—— death rate, 113.
Paralysis without specified cause, deaths from, 112, 172; by age, 200, 219, 456; by color, 200, 216, 456; by sex, 200, 216, 456; in cities and rural districts, 172; in detail, 112.
—— death rate, 112.
Parathyroid glands, diseases of, deaths from, 112, 172; by age, 200, 219, 454; by color, 200, 216, 454; by sex, 200, 216, 454; in cities and rural districts, 172.
—— death rate, 112.
Paratyphoid fever. *See* Typhoid and paratyphoid fever.
Parent nativity, deaths by, 8, 118.
Pellagra, deaths from, 51, 112, 172; by age, 198, 219, 454; by color, 198, 216, 454; by sex, 198, 216, 454; in cities and rural districts, 172.
—— death rate, 51, 112.
Pelvic abscess. *See* Salpingitis and pelvic abscess.
Pericarditis, deaths from, 113, 174; by age, 202, 220, 458; by color, 202, 217, 458; by sex, 202, 217, 458; in cities and rural districts, 174.
—— death rate, 113.
Peritonitis without specified cause, deaths from 113, 174; by age, 206, 220, 462; by color, 206, 217, 462; by sex, 206, 217, 462; in cities and rural districts, 174.
—— death rate, 113.
Pharynx, tonsils, diseases of, deaths from, 113, 174; by age, 204, 220, 460; by color, 204, 217, 460; by sex, 204, 217, 460; in cities and rural districts, 174.
—— death rate, 113.
Pituitary gland, diseases of, deaths from, 112, 172; by age, 198, 219, 454; by color, 198, 216, 454; by sex, 198, 216, 454; in cities and rural districts, 172.
—— death rate, 112.
Plague, no deaths in 1923.
Pleurisy, deaths from, 113, 174; by age, 204, 220, 460; by color, 204, 217, 460; by sex, 204, 217, 460; in cities and rural districts, 174.
—— death rate, 113.
Pneumonia, deaths from, 19, 56, 113, 143, 174; by age, 204, 220, 352, 460; by color, 143, 204, 217, 460; by sex, 204, 217, 460; in cities and rural districts, 143, 174; by month of death, 385; by age under 1 year, 423; in each major city by age, 352; in detail, 113.
—— death rate, 19, 56, 113.
Poisoning by food, deaths from 114, 176; by age, 212, 221, 468; by color, 212, 218, 468; by sex, 212, 218, 468; in cities and rural districts, 176; in detail, 114.
—— death rate, 114.
Poisoning by organic substances, chronic, deaths from, 112, 172; by age, 200, 219, 454; by color, 200, 216, 454; by sex, 200, 216, 454; in cities and rural districts, 172; in detail, 114.
—— death rate, 112.
Poisoning by venomous animals, deaths from, 114, 176; by age, 212, 221, 468; by color, 212, 218, 468; by sex, 212, 218, 468; in cities and rural districts, 176.
—— death rate, 114.
Poisonings, acute (gas excepted), deaths from 114, 176; by age, 212, 221, 468; by color, 212, 218, 468; by sex, 212, 218, 468; in cities and rural districts, 176; in detail, 114.
—— death rate, 114.
Poisonous gas, absorption of. *See* Absorption of irrespirable, irritating, or poisonous gas.
Poland, death rate for puerperal causes, 64.
Poliomyelitis. *See* Acute anterior poliomyelitis.
Population of registration area, 884, and subdivisions, 84, 87; registration States of 1920 by age, color, and sex, 12; by age, color, race, and sex, 79.
Premature birth, deaths from, 113, 176; by age, 210, 221, 466; by color, 210, 218, 466; by sex, 210, 218, 466; in cities and rural districts, 176; by age under 1 year 423.
—— death rate, 113.
Prostate, diseases of, deaths from, 113, 174; by age, 208, 220, 464; by color, 208, 217, 464; in cities and rural districts, 174.
—— death rate, 113.
Puerperal septicemia. *See* page references under the Puerperal state.
Puerperal state, the, deaths from, 19, 113, 143, 176; by age, 208, 221, 352, 464, 478; by color, 143, 208, 217, 464, 478; in cities and rural districts, 143, 176; by month of death, 385; in each major city by age, 352; in more detail 113.
—— death rate, 11, 19, 20, 61, 65, 113, 478; by country of birth, 63.
Pulmonary emphysema. *See* Emphysema, pulmonary.
Purulent infection, septicemia, deaths from, 112, 172; by age, 198, 219, 452; by color, 198, 216, 452; by sex, 198, 216, 452; in cities and rural districts, 172.
—— death rate, 112.

Quarries, traumatism in, deaths from, 72, 114, 176; by age, 212, 221, 470; by color, 212, 218, 470; by sex, 212, 218, 470; in cities and rural districts, 176.
—— death rate, 114.

Rabies, deaths from, 36, 112, 172; by age, 196, 219, 450; by color, 196, 216, 450; by sex, 196, 216, 450; in cities and rural districts, 172.
—— death rate, 112.
Race. *See* Colored population.
Railroad accidents, deaths from, 72, 114, 176; by age, 212, 221, 470; by color, 212, 218, 470; by sex, 212, 218, 470; in cities and rural districts, 176.
—— death rate, 114.
Refined rates. *See* Death rates.
Registration area, the, extent of, 7, 8; growth of, 6, 7; States and cities included in, 7.
Registration States of 1920, population of, by age, color, and sex, 12, 79; deaths in, 78, 126; by age, color, sex, 126, 448, 474; by cause, 448, 474.
—— death rate, 11, 78, 474.
Registration States of 1910, death rate, 21.
Registration States of 1900, death rate, 10, 12, 20, 43, 72.
Relapsing fever (spirillum overmeieri), no deaths in 1923.
Residents, deaths of, 17, 87.
—— death rate, 14, 17, 87; cancer, 45.
Respiratory system, diseases of, deaths from 113, 174; by age, 204, 220, 458; by color, 204, 217, 458; by sex, 204, 217, 458; in cities and rural districts, 174; in more detail, 113.
—— death rate, 113.
Rheumatic fever, deaths from, 112, 172; by age, 198, 219, 452; by color, 198, 216, 452; by sex, 198, 216, 452; in cities and rural districts, 172.
—— death rate, 112.
Rheumatism (chronic), deaths from 112, 143, 172; by age, 198, 219, 454; by color, 143, 198, 216, 454; by sex, 198, 216, 454; in cities and rural districts, 143, 172.
—— death rate, 112.
Rickets, deaths from, 112, 172; by age, 198, 219, 454; by color, 198, 216, 454; by sex, 198, 216, 454; in cities and rural districts, 172.
—— death rate, 112.
Russia, death rate from puerperal causes, 64.

Salpingitis and pelvic abscess, deaths from, 113, 174; by age, 208, 220, 464; by color, 208, 217, 464; in cities and rural districts, 174.
——death rate, 113.
Scarlet fever, deaths from, 19, 28, 112, 142, 172; by age 194, 219, 352, 448, 475; by color, 142, 194, 216, 448, 475; by sex, 194, 216, 448, 475; in cities and rural districts, 142, 172; by month of death, 385; by age under 1 year, 423; in each major city by age 352.
—— death rate, 11, 19, 20, 28, 112, 475.
Sclerema, congenital. *See* Congenital debility, etc.
Scotland, death rates of, 17, 18; from puerperal causes, 63.
Scurvy, deaths from, 112, 172; by age, 198, 219, 454; by color, 198, 216, 454; by sex, 198, 216, 454; in cities and rural districts, 172.
—— death rate, 112.
Senility. *See* Old age.
Septicemia. *See* Purulent infection.
Sex, population by, 12, 79; deaths by 8, 9, 78, 126, 194, 216, 448, 474;
—— death rate, 12, 79.
Skin and cellular tissue, diseases of, deaths from 113, 176; by age, 208, 221, 464; by color, 208, 218, 464; by sex, 208, 218, 464; in cities and rural districts, 176; in detail 113.
—— death rate, 113.
Smallpox, deaths from 19, 25, 112, 142, 172; by age 194, 219, 448; by color, 142, 194, 216, 448; by sex, 194, 216, 448; in cities and rural districts, 142, 172.
—— death rate, 19, 20, 26, 112.
Soft chancre, deaths from 112, 172; by age, 196, 219, 452; by color, 196, 216, 452; by sex, 196, 216, 452; in cities and rural districts, 172.
—— death rate, 112.
Softening of the brain, deaths from, 112, 174; by age, 202, 220, 456; by color, 202, 217, 456; by sex, 202, 217, 456; in cities and rural districts, 174.
—— death rate, 112.
Spain, death rates of, 17, 18.
Specific rates. *See* Death rates.
Spinal cord, diseases of, deaths from, 112, 172; by age, 200, 219, 456; by color, 200, 216, 456; by sex, 200, 216, 456; in cities and rural districts, 172.
—— death rate, 112.
Spirochetal hemorrhagic jaundice, deaths from 35, 112, 172; by age, 194, 219, 450; by color, 194, 216, 450; by sex 194, 216, 450; in cities and rural districts, 172.
—— death rate, 112.
Spleen, diseases of, deaths from 112, 172; by age, 200, 219, 454; by color, 200, 216, 454; by sex, 200, 216, 454; in cities and rural districts, 172.
—— death rate 112.
Starvation (deprivation of food or water), deaths from 114, 176; by age, 214, 221, 470; by color, 214, 218, 470; by sex, 214, 218, 470; in cities and rural districts, 176.
—— death rate, 114.
States. *See* Registration States.
Statistics, accuracy of. *See* Accuracy of statistics.
Stomach (cancer excepted), diseases of, deaths from 19, 113, 174; by age, 206, 220, 460; by color 206, 217, 460; by sex, 206, 217, 460; in cities and rural districts, 174; by age under 1 year, 423.
—— death rate, 19, 113.
Street-car accidents, deaths from 72, 114, 176; by age, 212, 221, 470; by color 212, 218, 470; by sex, 212, 218, 470; in cities and rural districts, 176.
—— death rate 114.
Sudden death, deaths from 114, 176; by age 214, 221, 472; by color, 214, 218, 472; by sex, 214, 218, 472; in cities and rural districts, 176.
—— death rate, 114.
Suicide, deaths from, 19, 68, 71, 114, 143, 176; by age, 210, 221, 352, 468; by color, 143, 210, 218, 468; by sex, 210, 218, 468; in cities and rural districts, 143, 176; in detail, 69, 114; in each major city by age, 352.
—— death rate, 19, 20, 68, 71, 114.
Sweden, death rates of, 17, 18; from puerperal causes, 63.
Switzerland, death rates of, 17.
Syphilis, deaths from, 40, 112, 172; by age, 196, 219, 452; by color, 196, 216, 452; by sex, 196, 216, 452; in cities and rural districts, 172; by age under 1 year, 423.
—— death rate, 40, 112.
Tabes dorsalis (locomotor ataxia), deaths from, 40, 112, 172; by age, 200, 219, 456; by color, 200, 216, 456; by sex, 200, 216, 456; in cities and rural districts, 172.
—— death rate, 40, 112.
Tetanus, deaths from, 112, 172; by age, 196, 219, 450; by color, 196, 216, 450; by sex, 196, 216, 450; in cities and rural districts, 172; by age under 1 year, 423.
—— death rate, 112.
Thrombosis. *See* Cerebral embolism and thrombosis. *See* Embolism and thrombosis (not cerebral).
Thymus gland, diseases of, deaths from, 112, 172; by age, 200, 219, 454; by color, 200, 216, 454; by sex, 200, 216, 454; in cities and rural districts, 172.
—— death rate, 112.
Thyroid gland, diseases of, deaths from, 112, 172; by age, 200, 219, 454; by color, 200, 216, 454; by sex, 200, 216, 454; in cities and rural districts, 172.
—— death rate, 112.
Tonsils. *See* Pharynx.
Tuberculosis, deaths from, 19, 37, 112, 142, 172; by age, 196, 219, 352, 450, 476; by color, 142, 196, 216, 450, 476; by sex, 196, 216, 450, 476; in cities and rural districts, 142, 172; by month of death, 385; by age under 1 year, 423; in each major city by age, 352; in detail, 112
—— death rate, 11, 19, 20, 37, 38, 112, 476.
Tumors, benign and unqualified (tumors of the female genital organs excepted), deaths from, 112, 172; by age, 198, 219, 452; by color, 198, 216, 452; by sex, 198, 216, 452; in cities and rural districts, 172.
—— death rate, 112.
Tumors of the uterus, benign, deaths from, 113, 174; by age, 208, 220, 464; by color, 208, 217, 464; in cities and rural districts, 174.
—— death rate, 113.
Typhlitis. *See* Appendicitis and typhlitis.
Typhoid and paratyphoid fever, deaths from, 19, 23, 112, 142, 172; by age, 194, 219, 352, 448, 474; by color, 142, 194, 216, 448, 474; by sex, 194, 216, 448, 474; in cities and rural districts, 142, 172; by month of death, 385; in each major city by age, 352; in detail, 112.
—— death rate, 11, 19, 20, 23, 112, 474.
Typhus fever, deaths from, 19, 35, 112, 172; by age, 194, 219, 448; by color, 194, 448; by sex, 194, 448; in cities and rural districts, 172.
—— death rate, 19, 112.

Ulcer of the duodenum, deaths from, 113, 174; by age, 206, 220, 460; by color, 206, 217, 460; by sex, 206, 217, 460; in cities and rural districts, 174.
—— death rate, 113.
Ulcer of the stomach, deaths from, 113, 174; by age, 206, 220, 460; by color, 206, 217, 460; by sex, 206, 217, 460; in cities and rural districts, 174.
—— death rate, 113.
Unknown causes of death, deaths from, 114, 176; by age, 214, 221, 472; by color, 214, 218, 472; by sex, 214, 218, 472; in cities and rural districts, 176.
—— death rate, 114.

Unknown or ill-defined diseases, deaths from, 114, 176; by age, 214, 221, 472; by color, 214, 218, 472; by sex, 214, 218, 472; in cities and rural districts, 176.
—— death rate, 114.
Urethra, etc., diseases of, deaths from, 113, 174; by age, 208, 220, 464; by color, 208, 217, 464; by sex, 208, 217, 464; in cities and rural districts, 174; in detail, 113.
—— death rate, 113.
Uterine hemorrhage, nonpuerperal, deaths from, 113, 174; by age, 208, 220, 464; by color, 208, 217, 464; in cities and rural districts, 174.
—— death rate, 113.
Uterus, benign tumors of. *See* Tumors of the uterus, benign.
Veins, diseases of, deaths from, 113, 174; by age, 202, 220, 458; by color, 202, 217, 458; by sex, 202, 217, 458; in cities and rural districts, 174.
—— death rate, 113.
Wales. *See* England, etc.
White population, 84, 90; by age and sex, 12, 79; deaths of, 8, 84, 118, 142; by age, 78, 120, 126, 194, 448, 474; by nativity, 8, 118, 126; by sex, 8, 78, 126, 194, 448, 474; by cause, 142, 194, 448, 474; in cities and rural districts, 84, 120, 142.
—— death rate, 11, 78, 84, 474.
Whooping cough, deaths from, 19, 29, 112, 142, 172; by age, 194, 219, 352, 448, 475; by color, 142, 194, 216, 448, 475; by sex, 194, 216, 448, 475; in cities and rural districts, 142, 172; by month of death, 385; by age under 1 year, 423; in each major city by age, 352.
—— death rate, 11, 19, 20, 29, 112, 475.
Wounds, of war, deaths from, 114, 176; by age, 214, 221, 470; by color, 214, 218, 470; by sex, 214, 218, 470; in cities and rural districts, 176.
—— death rate, 114.

Yellow fever, no deaths in 1923.

O